AD-A273 295

DEPARTMENT OF DEFENSE

# Index of Specifications and Standards

DTIC ELECTE NOV 26 1993 S E D

## Part II Numerical Listing

Accesion For
NTIS CRA&I
DTIC TAB
Unannounced
Justification
By
Distribution /
Availability Codes
Dist | Avail and / or Special
A-1

DTIC QUALITY INSPECTED 8

1 JULY 1993 922 pp

93-28887

93 11 24 060

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

# NUMERICAL LISTINGS
## CONTENTS


| | PAGE | |
|---|---|---|
| | ACTIVE SECTION | CANCELLED SECTION |
| FOREWORD | iv | |
| GENERAL PROVISIONS | vi | |
| Military Specifications | 1 | 830 |
| MS Drawing | 438 | 873 |
| Military Standards | 517 | 886 |
| Commercial Item Descriptions | 551 | 890 |
| Federal Specifications | 607 | 892 |
| Federal Standards | 654 | 907 |
| Federal Information Processing Standards. | 657 | |
| Qualified Products List | 659 | 908 |
| Military Handbooks | 674 | 909 |
| Military/AF-Navy AERO Bulletins | 680 | 910 |
| Guide Specifications | 681 | 911 |
| Air Force-Navy Aeronautical Standards | 688 | 912 |
| Air Force-Navy Aeronautical Design Standards | 696 | |
| Standardization Documents | 697 | |
| International Standardization Documents | 698 | 913 |
| Industry Documents | | |
| AAMA-Architectural Aluminum Manufacturers Association | 730 | |
| AAMI-Association for the advancement of Medical Instrumentation | 730 | |
| ABS-Las Soap and Detergent Association | 730 | |
| ACI-American Concrete Institute | 730 | |
| ADA-American Dental Association | 731 | |
| AGMA-American Gear Manufacturers' Assn | 731 | |
| AHA-American Hardboard Association | 731 | |
| AIAA-American Institute Of Aeronautics & Astronautics | 731 | |
| AIIM-Association for Information and Image Management | 731 | |
| AISC-American Institute of Steel Construction | | 914 |
| AITC-American Institute of Timber Construction | 731 | |
| AMCA-Air Movement And Control Association | 731 | |
| ANMC-American National Metric Council | 731 | |
| ANSI-American National Standards Institute | 731 | 914 |
| APA-American Plywood Association | 738 | |
| API-American Petroleum Institute | 738 | 914 |

| | ACTIVE SECTION | CANCELLED SECTION |
|---|---|---|
| ARI-Air Conditioning and Refrigeration Institute | 736 | 914 |
| ASC-American National Standards Institute | 739 | |
| ASHRAE-American Society of heating, Refrigerating, and Air-Conditioning Engineers, Inc | 739 | |
| ASME-American Society of Mechanical Engineers | 739 | 914 |
| ASQC-American Society for Quality Control | 740 | |
| ASSE-American Society of Sanitary Engineering | 741 | |
| ASTM-American Society for Testing and Materials | 741 | 914 |
| AWI-Architectural Woodwork Institute | 780 | |
| AWPA-American Wood Preservers Association | 780 | 915 |
| AWPB-American Wood Preservers Bureau | 782 | |
| AWS-American Welding Society | 782 | |
| AWWA-American Water Works Association | 783 | 915 |
| A2LA-American Association for Laboratory Accrediation | 784 | |
| BHMA-Builders Hardware Manufactures Association Inc | 784 | |
| CGA-Compressed Gas Association Inc | 784 | |
| CISPI-Cast Iron Soil Pipe Institute | 784 | |
| CSI-Construction Specification Institute. | 784 | |
| DFI-Deep Foundation Institute | 784 | |
| EIA-Electronic Industries Association | 784 | 915 |
| GCA-Graphic Communications Association | 787 | |
| HIMA-Health Industry Manufacturing Associates | 787 | |
| HPMA-Hardwood Plywood Manufactures Association | 787 | |
| IAPMO-International Associates of Plumbing and Mechanical Officials | 787 | |
| ICEA-Insulated Cable Engineers Association | 787 | |
| IEC-International Electrotechnical Commission | | 915 |
| IEEE-Institute of Electrical and Electronic Engineers | 787 | |
| IPC-The institute for interconnecting and Packaging Electronic Circuits | 788 | |
| ISO-International Organization for Standardization | 789 | |
| JIC-Joint Industrial Counsel | 790 | |

| | ACTIVE SECTION | CANCELLED SECTION |
|---|---|---|
| MMPA-Magnetic Materials Products Association | 790 | |
| MSS-Manufactures Standardization Society of the valve and Fittings Industry Inc. | 790 | |
| NA-National Aerospace Standards Committee | 790 | |
| NAAMM-National Association of Architectural Metal Mfgr | 797 | |
| NACM-National Association of Chain Mfgr | 797 | |
| NAPHCC-National Association of Plumbing Heating-Cooling Contractors | 797 | |
| NAS-National Aerospace Standards Committee | 792 | |
| NEMA-National Electrical Manufactures Association | 797 | 915 |
| NFPA-National Fluid Power Association | 798 | |
| NFPA-National Fire Protection Association | 798 | 915 |
| NFPA-National Forest Products Association | 798 | |
| NHLA-National Hardwood Lumber Association | 799 | |
| NMA-National Micrographics Association | 799 | |
| NSF-National Sanitation Foundation | 799 | |
| NWWDA-National Wood Window and Door Association | 799 | |
| PDI-Plumbing and Drainage Institute | 799 | |
| RMA-Rubber Manufactures Association | 799 | |
| RWMA-Resistance Welder Manufactures Association | 799 | |
| SACMA-SACMA | 799 | |
| AIR-Aerospace Information Report (SAE) | 799 | |
| AMS-Aerospace Materials Specifications (SAE) for Flight Vehicle Construction | 800 | 915 |
| ARP-Aerospace Recommended Practice (SAE) | 818 | |
| AS-Aerospace Standards (SAE) | 818 | |
| SAE-Society of Automotive Engineers Inc | 821 | |
| HIR-Society of Automotive Engineers, Inc (SAE) | 822 | |
| MA-Society of Automotive Engineers Inc | 823 | |
| MAM-Society of Automotive Engineers | 825 | |
| MAP-Society of Automotive Engineers Inc | 825 | |
| SAMA-Scientific Apparatus Makers Association | 825 | |
| SDI-Steel Door Institute | 825 | |
| SES-Standards Engineering Society | 826 | |
| SFSA-Steel Founders Society Of America | 826 | |
| SSPC-Steel Structures Painting Council | 826 | |
| SWI-Steel Window Institute | 826 | |
| TRA-The Tire and Rim Association Inc | 826 | |
| UL-Underwriters Laboratories | 826 | |
| USAS-United States of America Standards Institute | | 914 |
| WWPA-Western Wood Products Association | 829 | |

## DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

### FOREWORD

The Department of Defense Index of Specifications and Standards (DODISS) and related standardization documents is comprised of four separate parts as follows:

PART 1 - An alphabetic listing of all current standardization documents in order by the title of the document, plus all standardization documents cancelled since the last basic DODISS.

PART 2 - A numerical listing of all current standardization documents in order by document identifier number, plus all standardization documents cancelled since the last basic DODISS.

PART 3 - A Federal Supply Class (FSC) listing of all current standardization documents in alphabetical order within each FSC, plus all standardization documents cancelled since the last basic DODISS. FSC's are identified in the Cataloging Handbook H2-1. To order, contact the DODSSP Subscription Services desk.

PART 4 - A numerical listing of all standardization documents cancelled from 1964 to date of the current edition. This is a triennial publication.

The cancellation listing may be kept current by adding thereto the cumulative cancellation listing of the DODISS Part 2 until the next basic revision of Part 4, 1 July 1996.

The Department of Defense Index of Specifications and Standards (DODISS) is published under authority of the Office of the Assistant Secretary of Defense for Production and Logistics, and is issued annually 1 July with supplements effective 1 September, 1 November, 1 January, 1 March and 1 May.

Comments or suggestions pertaining to the maintenance of this index should be addressed to:

Defense Printing Service Detachment Office
Bldg 4D NPM-DODSSP
700 Robbins Avenue
Philadelphia, PA 19111-5094

COLUMN 1
ACTION - Indicates the type of computer transaction.

A - Indicates a change since the last published Index.
C - Indicates the document has been cancelled.
D - Indicates a DD1865 change/correction to the Index.
M - Indicates a modification to an existing document.
N - Indicates a new document being entered.

COLUMN 2
QPL/QML - Q - Indicates that the document has a QPL/QML established for that document.

COLUMN 3
COORDINATION - L - Indicates that the document has limited coordination.

COLUMN 4
STATUS - I - Indicates that the document is inactive.

COLUMN 5
DOCUMENT NUMBER - Contains the document number, revision, amendment number, notice number, supplement number and interim amendment or notice.

COLUMN 6
DOCUMENT TITLE - Contains the document title and identifies any interest for that document.

** CANCELLED DOCUMENTS will either have the replacement document after the title or the phrase (NO S/S document)

COLUMN 7
DIST STMT - Indicates the distribution statement for that document.

COLUMN 8
FSC/AREA - Contains the Federal Supply Class or Area Assignment for that Document.

COLUMN 9
MCA SYMBOL - These symbols identify the degree of interest DOD has in Federal Specifications or Standards.

COLUMN 10
PREPARING ACTY - Identifies the DOD activity which prepared the document.

COLUMN 11
DATE - Contains the document date (DDMMYY).

COLUMN 12
CUSTODIANS - Identifies the activity within each service that is the custodian for that document.

"The Department of Defense Index of Specifications and Standards is available as follows:

Military Activities:

DODSSP
Standardization Documents Order Desk
700 Robbins Avenue Bldg. 4D
Philadelphia, PA 19111-5094

Government Civil Agencies and Non -Governmental Activities (subscription basis only):

Superintendent of Documents
U.S. Government Printing Office
Washington, DC 20402

## GENERAL PROVISIONS

1. This publication lists the unclassified Federal and Military specifications, standards, and related standardization documents, and those non-government standards adopted for DOD use.

2. Revisions are indicated by a suffix letter to the basic number, except for Air Force-Navy Aeronautical Standards (Sheet Form) and Qualified Products Lists which indicate revisions by a suffix number.

3. Amendments are indicated by a suffix number in parenthesis to the basic number. Interim amendments or changes appear as seperate documents after the coordinated document.

4. The number of Qualified Products List is the number of the specification to which it is related. Specifications for which Qualified Products Lists are required are indicated to the left of the Specification number as follows:

Q - Qualified Products List issued.

N - Qualified Products List **NOT** yet issued.

5. In the active section under the column headed "DATE" the date listed in that of the latest document issue. In the active section under the column headed "Date" the date listed for Non-Government Standards is the date of the Adoption Notice (date of DOD adoption). The Adoption Notice is part of or attached to the Non-Government Standard adopted. The date appearing after title is the date of Specific Issue Adopted. In the cancelled section under the column headed "Date" the date listed is normally the date of cancellation.

6. "L" to the left of the document number indicates a limited coordination document.

7. The following control symbols pertain to Federal Specifications, Standards, and Qualified Products Lists only and appear immediately preceding the "Preparing Activity" column in the parts of this index indicated:

# - The pound symbol (#) identifies Federal Documents for which no official DOD interest has been registered.

* - The asterisk (*) identifies Federal Documents for which DOD has a coordination interest.

% - The percent symbol (%) identifies Federal Documents for which DOD has waived coordination interest.

/ - The slash symbol (/) identifies Federal Documents prepared by a DOD activity.

8. Distribution Statements on Technical Documents

In accordance with the Department of Defense Directive 5230.24 of 20 November 1984, a Distribution Statement is required on all standardization documents.

Documents listed in this index with other than distribution statement "A" require release approval. To request copies of these documents all requests must be submitted via the preparing activity.

9. The codes listed in paragraph 16 are assigned to identify the activities of the military services and appear in column 10 headed "Preparin ctivity" indicating preparing activities and column 12 headed istodians" designating custodians of specifications or standards. These codes will also identify Reviewer and User activities as explained in paragraph 11. Military Coordinating Activity for a Federal document which was prepared outside the Department of Defense is denoted by an asterisk "*" preceding the Preparing Activity column.

10. Review and User Information is now included after all the title parts of the DOD Index of Specifications and Standards (DODISS).

11. Federal Standardization Documents are available for reference at General service Administration Business Service Center and some Federal Government Depository Libraries. Federal Standardization Documents (single copies, priced or otherwise) are available from:

GSA Spec Activity
Room 6039
7th and D Street
Washington, DC 20407

NOTE: International Standardization Documents listed in the Department of Defense Index of Specifications and Standards (DODISS) are not available on a subscription basis. These documents will be issued to private industry upon approval of the preparing activity. These documents are identified in the DODISS as ISDD, ISDA, ISDN and ISDF under the column FSC.

NOTE: To obtain a subscription to the documents listed in this index with an FSC symbol of two numeric characters suffixed with GP (EX: 16GP), the requester should subscribe to the first numeric FSC listed under each group in DOD Handbook H2-1.

NOTE: Subscription to this Service does not relieve contractors of the responsibility for application of specification of appropriate data in complying with military contracts.

12. Federal Supply Classification (FSC) Codes (numeric) reflected in this index are listed and described in DOD Handbook H2-1. In addition, the following alpha symbols reflected in this index as an FSC indicate standardization areas (not listed in DOD Handbook H2-1) and are defined as follows:

| SYMBOL | DESCRIPTION |
|---|---|
| ATTS | Automatic Test Technology Standards |
| AVCS | Avionics |
| CDNC | Computer Aided Design Numerical Control |
| CMAN | Configuration Management |
| CMPS | Composites Technology |
| DCPS | Data Communication Protocol Standards |
| DRPR | Drawing Practices |
| EDRS | DOD Engineering Data Reproduction Systems |
| EGDS | Engineering Data Systems |
| EMCS | Electromagnetic Compatibility |
| ENVR | Environmental Requirements and Related Test Methods |
| FACR | Facilities Engineering and Design Requirements |
| FORG | Forgings |
| GDRQ | General Design Requirements |
| HFAC | Human Factors |
| ILSS | Integrated Logistics Support Standards |
| IPSC | Information Processing Standards for Computers |

| | |
|---|---|
| MCCR | Mission Critical Computer Resources |
| MCGT | Mapping, Charting and Geodesy Technology |
| MECA | Metal Castings |
| MFFP | Metal Finishes & Finishing Processes & Procedures |
| MISC | Miscellaneous |
| MNTY | Maintainability |
| NDTI | Nondestructive Testing and Inspection |
| NUOR | Nuclear Ordnance |
| PACK | Packing, Packaging, Preservation and Transportability |
| QCIC | Quality Control/Assurance and Inspection |
| RELI | Reliability |
| SAFT | System Safety |
| SDMP | Standardization and Data Management Programs |
| SLHC | Long Haul Communications |
| SOLD | Soldering |
| TCTS | Tactical Communications Systems Technical Standards |
| *TELE | Federal Telecommunications Standards |
| THDS | Screw Threads |
| THJM | Thermal Joining of Metals (except soldering) |
| TMSS | Technical Manual Specifications and Standards |

"Copies of approved program plans are available on request from the DODSSP. They are not issued on a subscription basis".

* AREA "TELE" is for indexing purposes only. It is *not* a DOD AREA Assignment.

13. International Standardization Documents have been included in the DOD Index of Specifications and Standards. They are identified under areas, ISDD, ISDA, ISDN and ISDF (International Standardization Documents sponsored by DOD, Army, navy and Air Force respectively). However, ISDD, ISDA, ISDN and ISDF are symbols identifying the documents as being other than those in the FSC Classes and Areas reflected in the Standardization Directory (SD-1).

14. DODISS lists those non-government standards which have been adopted officially by the Department of Defense. Other standardization documents developed by Industry, which may contain useful information, are listed in "An Index of U.S. Voluntary Engineering Standards" prepared by the National Institute of Standards and Technology (NIST).

15. A form for requisitioning standardization documents, DD Form 1425, Specifications and Standards Requisition, is available through the forms distribution systems of the Army, Navy and Air Force. However, all requests will be honored despite the requisition form. All Requests for Specifications, Standards, handbooks, Qualified Products List, International Standardization Documents and other DOD, Army, Navy and Air Force Standardization documents listed in this index, except as noted below, should state the identifying number and title of the document and be submitted to:

DODSSP
Standardization Documents Order Desk
700 Robbins Avenue Bldg. 4D
Philadelphia, PA 19111-5094

Exceptions:

a. Military activities having a requirement for automatic distribution of standardization documents in specific FSC's and Areas should refer to Defense Standardization Manual 4120.3-M (Chapter III, Section 9) for information.

b. Copies of cancelled or superseded documents required for contractual purposes will have to be obtained from the contracting officer of the concerned service.

c. Industry standardization documents adopted by DOD will not be furnished by the DODSSP to commercial concerns. Copies of these documents may be purchased from the appropriate Industry Association.

d. Security Classified documents are available only through the proper releasing authorities within the military services on a "need to know" basis. Departments of the Navy and Air Force classified standardization documents are stocked by Naval Publications and Forms Center Directorate Philadelphia. Request for the specification should be submitted via the preparing activity of the document. Not all Department of the Army Classified standardization documents are stocked by naval Publications and Forms Center, Directorate, Philadelphia. Army activities requiring classified documents should normally be made aware of the source upon determination of their "need to know". If the source is unknown, submit requests to Commander, U.S. Army Material Command, Attn: AMCRD-IC, 5001 Eisenhower Avenue, Alexandria, VA 22333-0001.

16. SERVICE CODES

| CODE | OFFICE OF ASSISTANT SECRETARY OF DEFENSE FOR PRODUCTION AND LOGISTICS |
|---|---|
| | Manufacturing Modernization Directorate<br>Attn: OASD (P&L) MMD<br>Room 3B253, Pentagon<br>Washington, DC 20301-8000 |
| SO | Chief, Standardization Program Division<br>5203 Leeburg Pike,Suite 1406<br>Falls Church, VA 22041-3466 |
| WS | Weapons Systems Improvement and Analysis Group<br>5109 Leeburg Pike, Suite 306<br>Falls Church, VA 22041-3466 |
| DO | Cals Evaluation and Integration Office<br>Department of Defense<br>Room 3D833, Pentagon<br>Washington, DC 20301-8000 |
| HP | Deputy Director for Equal Opportunity Policy<br>(Handicapped Individuals Program)ODASD (CPP),<br>OASD (FM & P), Department of Defense<br>Room 3A272, Pentagon<br>Washington, DC 20301-4000 |
| IR | Director of Defense Information ODASD(C3I)<br>Information Technology Directorate<br>Crystal Gateway 2, Suite 910<br>1225 Jefferson Davis Highway<br>Arlington, VA 22202 |
| NT | OASD (ISP) / EUR-NATO<br>Assistant for Armaments Corporation<br>Pentagon, Room ID469<br>Washington, DC 20301-2600 |

| CODE | ARMY ACTIVITIES |
|---|---|
| AI | Commander<br>U.S. Army Material Command<br>Attn: AMCICP AA<br>5001 Eisenhower Avenue<br>Alexandria, VA 22333-0001 |
| AL | Commander<br>U.S. Army Armament Research, Development Engineering Center (ARDEC)<br>Attn: SMCAR-EST<br>Rock Island, IL 61299-7300 |
| AM | Commander (DEPSO)<br>U.S. Army Material Command<br>Attn: AMCRD-IC<br>5001 Eisenhower Avenue<br>Alexandria, VA 22333-0001 |
| AR | Commander<br>US Army Armament, Munitions and Chemical Command (AMCCOM) Armament Research, Development and Engineering Center (ARDEC)<br>Attn: SMCAR-BAC-S<br>Picatinny Arsenal, NJ 07806-5000 |
| AT | Commander<br>US Army Tank-Automotive Command<br>Attn: AMSTA-GDS<br>Warren, MI 48397-5000 |
| AV | Commander<br>US Army Aviation and Troop Command<br>Attn: AMSAV-EDS<br>4300 Goodfellow Blvd.<br>St. Louis, MO 63120-1798 |
| CD | Commander<br>USA MC Catalog Data Activity<br>Attn: AMXCA-C/AMXCA-P<br>New Cumberland, PA 17070-5010 |
| CE | CDR, USACE (CEMP-EA)<br>20 Massachusetts Avenue N.W.<br>Washington, DC 20314-1000 |
| CR | Commander<br>U.S. Army Communications Electronics Command and Fort Monmouth<br>Attn: AMSEL-ED-TM<br>Fort Monmouth, NJ 07703-5023 |

| CODE | ARMY ACTIVITIES |
|---|---|
| CU | Commander<br>U.S.Army CECOM Intelligence Materiel<br>Management Center<br>Attn: SELIM-MSL (Standardization)<br>Vint Hill Farms Station<br>Warrenton, VA 22186-5141 |
| EA | Technical Director<br>U.S. Army Edgewood Research<br>and Development Engineering Center (ERDEC)<br>Attn: SCBRD-ENE (STD/SPECS/PKG)<br>Aberdeen Proving Ground, MD 21010-5423 |
| ER | Director<br>U.S. Army Research Laboratory<br>Electronics Sources Directorate<br>Attn: AMSRL-EP-RD<br>Fort Monmouth, NJ 07703-5601 |
| ET | Commandant<br>U.S. Army Management Engineering College<br>Attn: AMXOM-QSAT,<br>Rock Island, IL 61299-7040 |
| GL | Commander<br>U.S. Army Natick Research,<br>Development Engineering Center<br>Attn: SATNC-AED<br>Natick, MA 01760-5000 |
| HD | Commander<br>U.S. Army Laboratory Command<br>Harry Diamond Laboratory (HDL)<br>Attn: SLCHD-LA-S<br>2800 Powder Mill Road<br>Adelphi, MD 20783-1197 |
| IE | Director<br>U.S. Army Industrial Engineering Activity<br>Attn: AMXIB-PA<br>Rock Island, IL 61299-7260 |
| IH | Director<br>The Institute of Heraldry, US Army<br>Attn: TAPC-PDH-T<br>Cameron Station, Building 15<br>Alexandria, VA 22304-5050 |

| CODE | ARMY ACTIVITIES |
|---|---|
| LM | Commandant<br>U.S. Army Logistics Management College<br>Attn: ATSA-AMM<br>Fort Lee, VA 23801-6048 |
| MD | Office of the Surgeon General<br>Attn: DASG-HCL-S<br>5109 Leesburg Pike<br>Falls Church, VA 22041-3258 |
| ME | Commander<br>U.S. Army Belvoir Research, Development and Engineering Center<br>Attn: SATBE-TSE<br>Fort Belvoir, VA 22060-5606 |
| MI | Commander<br>U.S. Army Missile Command<br>Attn: AMSMI-RD-SE-TD-ST<br>Redstone Arsenal, AL 35898-5270 |
| MR | Department of the Army<br>U.S. Army Research Laboratory<br>Materials Directorate<br>Attn: AMSRL-MAS<br>Watertown, MA 02172-0001 |
| MT | Director<br>Transportation Engineering Agency<br>Attn: MTTE-TR<br>720 Thimble Shoals Blvd Suite 130<br>Newport News, VA 23606-2574 |
| QM | Commander<br>U.S. Army Quartermaster Center & School<br>Army Center of Excellence, Subsistence<br>Attn: ASTM-CES-OM<br>Fort Lee, VA 23801-5041 |
| SC | U.S. Army Information Systems Engineering Command<br>Attn: ASQB-OSI-S<br>Fort Hauchuca, AZ 85613-5300 |
| SM | Chief<br>AMC Packaging, Storage and Containerization Center<br>Attn: AMXLS-TP-P<br>11 Midway Road<br>Tobyhanna, PA 18466-5097 |

| CODE | ARMY ACTIVITIES |
|---|---|
| TE | Commander<br>U.S. Army Test and Evaluation Command<br>Attn: AMSTE-TC-D<br>Aberdeen Proving Ground, MD 21005-5055 |
| TM | Commander<br>USAMC Material Readiness Support Activity<br>Attn: AMXMD EP<br>Lexington, KY 40511-5101 |

| CODE | NAVY ACTIVITIES |
|---|---|
| AS | Commander<br>Naval Air Systems Command(Air 51122)<br>Washington, DC 20361-5110 |
| BC | Associate Director for Engineering<br>Navy Broadcasting Service<br>Director of Engineering<br>Code NB-5 Building 168, Naval Station, Anacostia<br>Washington, DC 20374-1682 |
| CG | Commandant<br>U.S. Coast Guard Headquarters<br>Attn: G-ELM-2<br>Washington, DC 20593-0001 |
| EC | Commander<br>Space & Naval Warfare System Command<br>Crystal Park #5<br>2451 Crystal Drive<br>Attn: SPAWAR 211C<br>Arlington, VA 22202 |
| MC | Commanding General<br>Marine Corps Research, Development,<br>and Acquisition Command<br>Attn: PSE-C<br>Washington, DC 20380-0001 |
| MS | Commanding Officer<br>Naval Medical Logistics Command<br>Fort Detrick Code 032<br>Frederick, MD 21702-5015 |
| NC | Office of the Chief of Naval Operations<br>Information Transfer Division (N-61C)<br>Washington, DC 20350 |
| ND | Office of the Chief of Naval Operations<br>nformation System & Technology Branch<br>Attn: OP-162F<br>Washington, DC 20350 |
| NI | Commander<br>Naval Doctrine Command<br>8952 First St, Suite 200<br>Norfolk, VA 23511-3790 |
| NO | Office of the Oceanographer of the Navy<br>U.S. Naval Observatory<br>(Attn: OP96) 34th and Massachusetts Ave, NW<br>Washington, DC 20392-1800 |

| CODE | NAVY ACTIVITIES |
|---|---|
| NU | Office in Charge<br>Navy Clothing and Textile Research Facility<br>Attn: Code 50, P O Box 59<br>Natick, MA 01760-0001 |
| NV | Chief of Naval Operations<br>Attn: OP-09BP12<br>Washington, DC 20350 |
| OM | Commander<br>Naval Information Systems Management Center<br>Code 03 Attn: IPSC<br>Crystal Plaza 5, Room 334g.166<br>Washington, DC 20360-5000 |
| OS | Commander<br>Indian Head Division<br>Naval Surface Warfare Center<br>Standardization Branch(Code 8420)<br>101 Strauss Ave<br>Indian Head, MD 20640-5035 |
| PE | Chief of Chaplains/Director<br>of Religious Ministries<br>Attn: OP-0972F<br>Washington, DC 20350-2000 |
| SA | Commander<br>Naval Supply System Command<br>Attn: SUP 4231D<br>Washington, DC 20376-5000 |
| SH | Commander<br>Naval Sea Systems Command Sea 05Q42<br>2531 National Center Bldg 3<br>Department of Navy<br>Washington, DC 20362-5101 |
| TD | Commanding Office<br>Naval Training Systems Center<br>Attn; Code 413<br>12350 Research Parkway<br>Orlando, FL 32826-3224 |
| YD | Commanding Officer<br>Naval Construction Battalion Center<br>CESO Code 156<br>621 Pleasant Valley Road<br>Port Hueneme, CA 93043-4300 |

| CODE | AIR FORCE ACTIVITIES |
|---|---|
| 01 | SAF/AQKL<br>1060 AF Pentagon<br>AF DEPSO<br>WASHINGTON, DC 20330-1000 |
| 02 | HQ USAF/SCXS<br>1250 AF Pentagon<br>ATTN: STANDARDS<br>WASHINGTON, DC 20330-5190 |
| 03 | HQ USAF (AFMSA/SGSLS)<br>Brooks AFB, TX 78235-5000 |
| 04 | Directorate of Engineering and<br>Services Facilities Branch<br>HQ USAF/CEC<br>Building 516, Bolling AFB<br>Washington, DC 20332-5000 |
| 05 | Manufacturing and Quality Division<br>SAF/AQXM<br>Washington, DC 20330-1000 |
| 06 | International Standardization Office<br>Directorate of Plans/DCS P&O<br>HQ USAF/XOXX(ISO)<br>Washington, DC 20330-5058 |
| 07 | Office of the Administrative Assistant<br>to the Secretary of the Air Force<br>Directorate of Information<br>Management Records Management Policy<br>SAF/AAIA<br>Washington, DC 20330-1000 |
| 09 | HQ USAF/INTB<br>Bolling AFB<br>Washington, DC 20332-5000 |
| 10 | HQ AFMC/ENSP<br>4275 Chidlaw Rd Suite 6<br>Wright-Patterson AFB, OH 45433-5006 |
| 11 | Engineering Documents Branch<br>ASC/ENES Bldg 126<br>2664 Skyline Dr<br>Wright-Patterson AFB, OH 45433-7800 |
| 12 | PL/TSTR<br>5 Pollux Dr<br>Edwards AFB, CA 93524-7015 |

| CODE | AIR FORCE ACTIVITIES |
|---|---|
| 13 | HQ ESC/EN-2<br>5 Eglin St., Bldg 1624<br>Standardization Office<br>Hancom AFB, MA 01731-2109 |
| 15 | PL/SUE<br>3550 Aberdeen Ave, S E<br>Kirtland AFB, NM 87117-5776 |
| 16 | HQ AFMC/ENCS<br>4375 Chidlaw Rd Suite 6<br>Wright-Patterson AFB, OH 45433-5006 |
| 17 | RL/ERSS<br>525 Brooks Rd<br>Griffiss AFB, NY 13441-4505 |
| 18 | ASC-OL/YAE<br>207 West D Ave Suite 308<br>Eligin AFB, FL 32542-6846 |
| 19 | SMC/SDFP<br>P O Box 92960<br>Los Angeles AFS<br>Los Angeles, CA 90009-2960 |
| 21 | ASC/SMA<br>1895 5th St, BLdg 46<br>Wright-Patterson AFB, OH 45433-7200 |
| 28 | HQ AFMC/HCM<br>4225 Logistics Ave, Suite 23<br>Wright-Patterson AFB, OH 45433-5762 |
| 30 | AGMC/MLSR<br>813 Irving-Wick Dr W<br>Newark Air Force Base, OH 45057-0001 |
| 45 | AFC&TO/LDIC<br>2800 South 20th Street<br>Philadelphia, PA 19101-8419 |
| 50 | HQ USAF (AFESC)<br>Tyndall AFB, FL 32403-6001 |
| 68 | SA-ALC/SFRT<br>1014 Andrews Rd<br>Kelly AFB, TX 78241-5603 |
| 69 | HQ AFMC/LGTPP<br>5215 Thurlow St<br>Wright-Patterson AFB, OH 45433-5540 |

| CODE | AIR FORCE ACTIVITIES |
|---|---|
| 70 | OO/ALC/PKDEE<br>6032 Fir Ave<br>Hill AFB, UT 84056-5820 |
| 71 | OC-ALC/TICLA<br>Tinker AFB, OK 73145-3037 |
| 79 | SA-ALC/SWLL<br>Kelly AFB, TX 78241-5000 |
| 80 | SM-ALC/TILAE<br>McClellan AFB, CA 95652-1095 |
| 82 | SA-ALC/TIRDM<br>Kelly AFB, TX 78241-6425 |
| 84 | WR-ALC/LZMD<br>226 Cochran St<br>Robbins AFB, GA 31098-1622 |
| 85 | 645 LOG/ES Gentile AF Station<br>1060 Hamilton St<br>Dayton, OH 45444-5400 |
| 89 | AFCSC/MMOLS<br>San Antonio, TX 78243-5000 |
| 90 | TIC/TIS<br>Scott AFB, IL 62225-6343 |
| 93 | HQ TAC/SCX<br>LANGLEY AFB, VA 32663-6343 |
| 94 | HQ ATC/TTOR<br>Randolph AFB, TX 78150-5001 |
| 99 | HQ CASC/POM<br>Specs and Stds Office<br>74 N. Washington Avenue<br>Battle Creek, MI 49017-3094 |

| CODE | DEFENSE LOGISTICS AGENCY ACTIVITIES |
|---|---|
| CS | Commander Defense Construction Supply Center<br>Attn: DSCS-SSM<br>Columbus, OH 43216-5000 |
| CT | Commander Defense Personnel Support Center<br>Attn: DSPC-FSSS<br>2800 South 20th Street<br>Philadelphia, PA 19101-8419 |
| DD | Administrator<br>Defense Technical Information Center<br>Attn: DTIC-HDB Cameron Station<br>Alexandria, VA 22304-6145 |
| DH | Director<br>Defense Logistics Agency(DEPSO)<br>Attn: DLA-SE Cameron Station<br>Alexandria, VA 22304-6100 |
| DM | Commander<br>Defense Personnel Support Center<br>Attn: DPSC-MSE<br>2800 South 20th Street<br>Philadelphia, PA 19145 |
| DP | Commander<br>Defense Personnel Support Center<br>Attn: DPSC-MSE<br>2800 South 20th Street<br>Philadelphia, PA 19145 |
| ES | Commander<br>Defense Electronics Supply Center<br>1507 Wilmington Pike<br>Dayton, OH 45444-5274 |
| GS | Commander<br>Defense General Supply Center<br>Attn: DGSC-SSM<br>Richmond, VA 23297-5000 |

| CODE | DEFENSE LOGISTICS AGENCY ACTIVITIES |
|---|---|
| IS | Commander Defense Industrial Supply Center<br>Attn: DISC-ES<br>700 Robbins Avenue<br>Philadelphia, PA 19111-5096 |
| LS | Commander<br>Defense Logistics Services Center<br>Attn: DLSC-FE<br>Federal Center<br>Battle Creek, MI 49017-3084 |
| PS | Commander<br>Defense Fuel Supply Center<br>Attn: DFSC-QSS<br>Cameron Station<br>Alexandria, VA 22304-6160 |
| SS | Commander<br>Defense Personnel Support Center<br>Attn: DPSC-HS<br>2800 South 20th St<br>Philadelphia, PA 19101-8419 |

| CODE | DOD/NASA PARTICIPATION (MISCELLANEOUS) |
|---|---|
| CB | Executive Director<br>Armed Forces Chaplains Board<br>Room 4C759, Pentagon<br>Washington, DC 20301-4000 |
| DS | Commander<br>Field Command<br>Defense Nuclear Agency<br>1680 Texas St S E<br>Attn: FCPNC<br>Kirtland AFB, NM 87117-5000 |
| DC | Director<br>Joint Interoperability and Engineering Organization (JIEO)<br>Center for Standards<br>Attn: TB<br>11440 Isaac Newtown Square, North<br>Reston, VA 22090-5006 |
| MB | Staff Director<br>Defense Medical Standardization Board<br>Fort Detrick<br>Frederick, MD 21701 |
| NA | NASA Headquarters<br>Technical Standards Division, Code QE<br>Washington, DC 20546 |
| NS | Director<br>National Security Agency<br>Attn: Code K642<br>Fort George G. Meade, MD 20755-6000 |
| MP | Director<br>Defense Mapping Agency<br>Attn: PRS<br>8613 Lee Highway<br>Fairfax, VA 22031-2137 |

## HOW TO ORDER SPECIFICATIONS AND STANDARDS

### Two Methods of Obtaining Documents

1. Private industry has two ways to obtain standardization documents from the DODSSP subscription to automatic distribution; or on an ad hoc basis. Automatic distribution provides new and /or revised documents on a "push" basis, whereas ad hoc needs are fulfilled on a "pull" basis in that specific document requests are made by private industry to the DODSSP. The method which is best for you is dependent on your needs. If your needs for Military Specifications and Standards documents are infrequent and limited in size, the ad hoc request method is recommended. For document needs on a recurring basis and broader in scope, the automatic distribution method would be best suited for you.

### AD Hoc Requests

2. All ad hoc standardization document requests are handled through an automated system called the Navy Publishing on Demand System (NPODS). NPODS stores most Standardization documents as images on optical discs. As document requests are received, the appropriate document images are retrieved form optical storage and printed "on demand" by high speed laser output devices, packaged and then shipped. For special documents (such as color or oversized) that cannot be optically stored and are warehouse maintained, NPODS retains inventory data for efficient management. NPODS generates status letters to customers if an order cannot be completed as requested. NPODS retains records of completed orders for customer follow-up for a limited time only. No confirmation of orders received/processed is provided.

### COST

Specifications and standards are generally issued to private industry without charge; however, a handling charge may be required for large orders.

### TELEPHONE

The fastest and most accurate way to obtain ad hoc documents is through TeleSpecs (previously called TOES). TeleSpecs is open for business from 7:00 A.M. to 8:00 P.M. Monday thru Friday (Eastern Time). We have twelve telephone lines (215) 697-1187 thru 1198 to serve you.

This automated system is your direct connection to the Navy Publishing on Demand System (NPODS), eliminating mail delays and putting you in control of the document request process. TeleSpecs requires only a touch tone phone, working similar to a bank's customer account information system.

To use TeleSpecs you first obtain a customer number. If you have placed an ad hoc document request within the last several years, a customer number was assigned and was shown on the shipping invoice or the status letter. If you have not been assigned a customer number and you request is urgent, you may obtain one from the Special Assistance Desk, (215) 697-2667/2179. TeleSpecs also allows you to receive immediate status or follow up on a previous order.

TELESPECS DOCUMENT ORDERING HINTS

Substitute the numbers "7" and "9" for letters "Q" or "Z" not found on touch tone phone. Example: to order MIL Q 9858, input MIL 7 9858.

Eliminate all document identifier special characters such as slashes, dashes, periods.

On-Line "Assistance Help" is available at any time during the call by pressing # key.

Maximum of 5 document requests per order.

Eliminate document identifier revision level as system always supplies current version. Example: input MIL STD 1840A as MIL STD 1840.

If a document cannot be furnished as requested, TeleSpecs provides on-line status only, i.e., no status letters are provided.

MAIL OF FAX

Requests may also be made by mail or FAX in any form, although we prefer to receive requests on the DOD Specification and Standards order form (DD Form 1425) or company letter head. Every order shipped will include a blank copy of the ordering form.

All requests shall include the following information:

1. Your assigned customer number or your CAGE (Commercial And Government Entity) number (formerly FSCM). If this is your first order and you do not have a CAGE number, a customer number will be assigned for future orders.

2. Indicate your complete mailing address, including any specific information required to identify and direct the order when received.

3. List each desired specification or standard by document identifier as recorded in the Department of Defense Index of Specifications and Standards (DODISS), e.g., MIL STD, MS, QPL, etc. document titles are also helpful.

4. Indicate the quantity desired. The maximum quantity issued per item is five (5).

5. Reproduction of Specifications and Standards

Firms desiring to reproduce and redistribute unclassified and unrestricted specifications and standards may do so without reference to the Navy Department or any other element of the Department of Defense since these documents are in the public domain.

Mail order to:

DODSSP
Standardization Document Order Desk
700 Robbins Avenue, Bldg. 4D
Philadelphia, PA 19111-5094

FAX:

(215) 697-2978

TURNAROUND TIME

Document requests or status letters produced from mail and FAX requests are usually shipped within 1 to 5 days of request receipt. Because requests placed through TeleSpecs or FAX reach the DODSSP faster, turnaround is less than mailed requests. Orders are shipped from the DODSSP by several different carriers, depending on factors such as weight and destination. Be sure to allow 1 to 2 weeks for shipping.

IMPORTANT ORDERING INFORMATION FOR ALL AD HOC REQUESTS

Only the specification requested will be issued. Documents referenced within a specification must be requested individually.

All amendments and revisions will be automatically issued with the basic specification.

When submitting multiple mail requests, place the mailing address on each request form.

If handwritten requests are to submitted, please use black or dark blue ink only.

Specification sheets, such as MIL-E-1/306 must be individually requested by document number. Specification sheets will not be issued as a set.

The DODSSP supplies the current version of the document. Superseded or canceled documents must be requested through the procurement or contracting officer of the military activity citing the need for the document.

Do not submit a request for a specification citing a national stock number of an item covered by the specification. DODSSP has no method to cross reference a national stock number to the applicable specification number.

Non-Government/Industry standards stocked at the DODSSP are not available to private industry and must be ordered form the preparing technical societies.

The DODSSP issues only printed documents. We do not maintain microfiche copies of standardization documents for issue.

The DODSSP does not maintain a file of Invitations for Bid. Requests for Proposals, contracts, etc., so each individual request must list the document identifier desired.

## Automatic Distribution Subscription Service

A subscription service is available to private industry providing automatic distribution of new and/or revised unrestricted and unclassified standardization documents. Upon payment of a subscription fee, the subscriber will receive one copy each of any new or revised documents for a one year period after the effective subscription date. (Documents ordered prior to the subscription date must be ordered individually using the Ad Hoc request method).

Subscriptions will be accepted on a Federal Supply Class basis for a single class or for as many individual classes as the subscriber chooses. The cost per class is $16.00.

The Catalog Handbook H2-1 lists all Federal Supply Classes according to subject (example: under group 47, the title of FSC 4710 is "Pipe and Tube"). Copies of this publication can be obtained at no charge form the Subscription Desk.

A subscription service is available to private industry providing automatic distribution of new and/or revised unrestricted and unclassified Data Item Description (DID's). Upon payment of a subscription fee, the subscriber will receive one copy each of any new or revised documents for a one year period after the effective subscription date. (AMSDL 5010.12L the index that list all active and cancelled DID's is included with this subscription). The AMSDL 5010.12L is issued twice a year with notices as needed. The cost is $16.00 per year.

## The Procedure

The simple procedure for submitting a subscription request is simple:

1. Address your request in letter form, to the Subscription Services Desk address.

2. List the desired Federal Supply Class(es) or Area Assignment(s).

3. Enclose a check or money order (do not send cash) payable to DPSDO, Philadelphia for $16.00 for each Federal Supply Class desired.

The Catalog Handbook H2-1 lists all Federal Supply Classes according to subject (example: under Group 47, the title of FSC 4710 is "Pipe and Tube"). Copies of this Publication can be obtained at no charge from the Subscription Desk.

Mail Subscription Request to :

DODSSP
Subscription Services Desk
700 Robbins Avenue, Bldg. 4D
Philadelphia, PA 19111-5094

Phone:

(215) 697-2569

For further information about or questions concerning subscription services, contact the Subscription Services Desk.

Contractors using the subscription service are not relieved of any responsibilities in complying with military contracts.

Special Assistance desk is available Monday thru Friday 7:30 A.M. to 4:30 P.M. (Eastern Time) to assist you in matters such as:

Inquiries about our services;
Status of orders previously placed;
Establishing a Customer Account;
Sources for documents not at the DODSSP;
Researching special requests, such as obtaining a complete set of documents; and
Assistance determining document identifiers.

We are also interested in your comments about the quality of our service, and any suggestions you may have to assist us in making future improvements to serve you better. Comments or suggestions may be forwarded to the following address:

Special Assistance Desk
(215) 697-2667/2179)
Note: Orders not accepted on these lines.
7:30 A.M. to 4:30 P.M.
(Eastern Time)

or write to:

DODSSP
Special Assistance Desk
700 Robbins Avenue, Bldg 4D
Philadelphia, PA 19111-5094

| Action | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| Q | MIL-E-1J(1) SUPPL 1 | ELECTRON TUBES, GENERAL SPECIFICATION FOR USER: 11 19 AS AT AV CG MC ME OS SH SM REVIEWER: 17 99 AR ES MI | A 5960 EC 04-MAY-90 | ER | EC | 85 | |
| | MIL-E-1/4H | ELECTRON TUBE, RECEIVING TYPE 5654 [VALIDATION DATE: 8104] USER: 11 AS AV CG MC ME OS REVIEWER: 99 AR ES MI | A 5960 EC 04-FEB-81 | ER | EC | 85 | |
| | MIL-E-1/5J | ELECTRON TUBE, RECEIVING TYPE 5670W [VALIDATION DATE: 8104] USER: AS CG MC OS REVIEWER: 11 99 ES MI | A 5960 EC 18-FEB-81 | ER | EC | 85 | |
| | MIL-E-1/6J | ELECTRON TUBE, RECEIVING TYPE 5725W USER: AS CG MC OS REVIEWER: 11 99 ES MI | A 5960 EC 11-FEB-81 | ER | EC | 85 | |
| | MIL-E-1/7H(1) | ELECTRON TUBE, RECEIVING TYPE 5726 USER: AL AS CG MC OS REVIEWER: 11 99 AR ES | A 5960 EC 16-JUL-81 | ER | EC | 85 | |
| | MIL-E-1/8G(1) | ELECTRON TUBE, RECEIVING TYPE 5749W USER: 11 AS AV CG MC ML OS REVIEWER: 99 AR ES MI | A 5960 EC 29-SEP-81 | ER | EC | 85 | |
| | MIL-E-1/9G NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5750 [VALIDATION DATE: 8805] REVIEWER: 11 17 ES | A 5960 85 20-MAY-88 | ER | EC | 85 | |
| | MIL-E-1/10H(1) | ELECTRON TUBE, RECEIVING TYPE 5751 USER: 11 AR AS CG MC ME OS REVIEWER: 99 ES | A 5960 EC 05-NOV-81 | ER | EC | 85 | |
| | MIL-E-1/12K(1) | ELECTRON TUBE, RECEIVING TYPE 5814A USER: 11 AS AV CG MC OS SH REVIEWER: 99 AR ES MI | A 5960 EC 05-NOV-81 | ER | EC | 85 | |
| | MIL-E-1/13K(1) | ELECTRON TUBE, RECEIVING TYPE 6005W USER: 11 AS CG MC OS REVIEWER: 99 ES MI | A 5960 EC 09-NOV-81 | ER | EC | 85 | |
| | MIL-E-1/14E | ELECTRON TUBE, RECEIVING TYPE 6072A USER: AS CG MC REVIEWER: 17 99 ES MI .. | A 5960 EC 23-FEB-81 | ER | EC | 85 | |
| | MIL-E-1/17C | ELECTRON TUBE, RECEIVING TYPE 0A3 & 0A3A [VALIDATION DATE: 8104] USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A 5960 EC 04-DEC-68 | ER | EC | 85 | |
| | MIL-E-1/19B | ELECTRON TUBE, RECEIVING TYPE 1A3 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 EC 23-JUL-70 | ER | EC | 85 | |
| | MIL-E-1/21B | ELECTRON TUBE, GAS SWITCHING TYPE 1B23 [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 EC 16-JUN-72 | ER | EC | 85 | |
| | MIL-E-1/22H(1) | ELECTRON TUBE, GAS SWITCHING TYPE 1B35A, 1B37A, 6162 & 5864 [VALIDATION DATE: 8104] USER: 11 AS CG MC OS SH REVIEWER: 99 ES | A 5960 EC 13-MAY-75 | ER | EC | 85 | |
| | MIL-E-1/25E | ELECTRON TUBE, GAS SWITCHING JAN 1B63A [VALIDATION DATE: 8204] USER: AS CG MC SH REVIEWER: 11 99 ES | A 5960 EC 11-FEB-76 | ER | EC | 85 | |
| | MIL-E-1/26C | ELECTRON TUBE, GAS SWITCHING JAN 1B63A [VALIDATION DATE: 8404] USER: AS CG MC REVIEWER: 11 17 99 ES | A 5960 EC 05-MAY-72 | ER | EC | 85 | |
| | MIL-E-1/28G | ELECTRON TUBE, PHOTOTUBE, MULTIPLIER TYPE 1P21 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A 5960 EC 03-DEC-70 | ER | EC | 85 | |
| | MIL-E-1/29C | ELECTRON TUBE, RECEIVING TYPE 1Z2 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 17 99 ES ME | A 5960 EC 19-FEB-70 | ER | EC | 85 | |
| | MIL-E-1/30A | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 2C36 [VALIDATION DATE: 8104] USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES MI | A 5960 EC 13-FEB-69 | ER | EC | 85 | |
| | MIL-E-1/33C NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 3A5 [VALIDATION DATE: 8905] USER: 19 AR AS CG MC OS REVIEWER: 99 ES | A 5960 ER 15-MAY-89 | ER | EC | 11 | |
| | MIL-E-1/36E | ELECTRON TUBES, CATHODE RAY TYPES 3JP1, 3JP2, 3JP7, 3JP11, & 3JP12 [VALIDATION DATE: 8505] USER: 11 AR AS AV CG ME OS REVIEWER: 99 ES | A 5960 EC 12-DEC-78 | ER | EC | 85 | |
| | MIL-E-1/37C(1) | ELECTRON TUBE, POWER TYPE 8166 [VALIDATION DATE: 8104] USER: 19 AS CG MC OS SH REVIEWER: 11 17 99 ES | A 5960 EC 22-JUL-75 | ER | EC | 85 | |
| | MIL-E-1/39C | ELECTRON TUBE, POWER TYPE 4B25 USER: AR AS CG MC OS REVIEWER: 11 99 ES .... | A 5960 EC 18-NOV-85 | ER | EC | 85 | |
| | MIL-E-1/40D(1) | ELECTRON TUBE, MAGNETRON TYPES 4J57 THROUGH 4J59 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 11 99 AR ES MI | A 5960 EC 13-MAY-75 | ER | EC | 85 | |
| | MIL-E-1/45E(2) | ELECTRON TUBE, RECEIVING TYPE 6AG7 USER: AR AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 EC 12-SEP-90 | ER | EC | 85 | |
| | MIL-E-1/47C | ELECTRON TUBE, RECEIVING TYPE 6AK6 [VALIDATION DATE: 8404] USER: 19 AS CG MC ME REVIEWER: 11 99 ES MI | A 5960 EC 16-MAR-70 | ER | EC | 85 | |
| | MIL-E-1/49E(2) | ELECTRON TUBE, RECEIVING TYPE 6AS7G [VALIDATION DATE: 8907] USER: 11 AR AS CG MC REVIEWER: 17 99 ES | A 5960 85 14-JUL-89 | ER | EC | 85 | |
| | MIL-E-1/51D | ELECTRON TUBE, RECEIVING TYPE 6AV6 [VALIDATION DATE: 8404] USER: AS CG MC ME OS REVIEWER: 11 17 99 ES MI | A 5960 EC 04-FEB-72 | ER | EC | 85 | |
| | MIL-E-1/57A(2) | ELECTRON TUBE, RECEIVING TYPE 6E5 USER: 19 AS CG MC ME OS REVIEWER: 11 ES SH | A 5960 EC 12-SEP-90 | ER | EC | 85 | |
| | MIL-E-1/60C | ELECTRON TUBE, RECEIVING TYPES 6SA7, 6SA7WGT, 12SA7, 12SA7GT, & 12SY7 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: 11 99 AR ES | A 5960 EC 20-JUL-76 | ER | EC | 85 | |
| | MIL-E-1/61C(1) NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 12SK7Y [VALIDATION DATE: 8704] USER: AS CG MC OS REVIEWER: 11 17 80 99 ES | A 5960 85 31-OCT-73 | ER | EC | 85 | |
| | MIL-E-1/62C(1) | ELECTRON TUBE, RECEIVING TYPE 6S17WGT & 12S17GT [VALIDATION DATE: 8505] USER: 19 AS CG MC REVIEWER: 11 99 ES MI | A 5960 EC 01-NOV-72 | ER | EC | 85 | |
| | MIL-E-1/63B(2) NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 12SN7GT & 12SX7GT [VALIDATION DATE: 8704] USER: 11 AS CG MC OS REVIEWER: 17 99 AR ES | A 5960 85 02-MAY-73 | ER | EC | 85 | |
| | MIL-E-1/66B | ELECTRON TUBE, CATHODE RAY [VALIDATION DATE: 8104] USER: AS CG MC ME OS SH REVIEWER: 11 17 99 ES | A 5960 EC 14-JAN-75 | ER | EC | 85 | |
| | MIL-E-1/67G | ELECTRON TUBE, CATHODE RAY TYPE 7MP7 [VALIDATION DATE: 8104] USER: 11 AS CG MC OS SH REVIEWER: 17 99 AR ES | A 5960 EC 13-MAY-75 | ER | EC | 85 | |
| | MIL-E-1/71E(1) | ELECTRON TUBE, RECEIVING TYPE 26A7GT USER: 19 AS CG MC OS REVIEWER: 99 ES ME | A 5960 EC 12-SEP-90 | ER | EC | 85 | |
| | MIL-E-1/73A | ELECTRON TUBE, RECEIVING TYPE 26Z5W [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 99 ES | A 5960 EC 23-APR-65 | ER | EC | 85 | |
| | MIL-E-1/78E NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 5675 [VALIDATION DATE: 8905] USER: 19 AR AS CG MC ME OS REVIEWER: 17 99 ES MI | A 5960 ER 31-MAY-89 | ER | EC | 11 | |
| | MIL-E-1/81C(1) NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5693 [VALIDATION DATE: 8905] USER: 19 AR AS CG MC OS SH REVIEWER: 11 99 ES MI | A 5960 ER 31-MAY-89 | ER | EC | 80 | |
| | MIL-E-1/83F(1) | ELECTRON TUBE, THYRATRON TYPE 5727 USER: 11 AR AS CG MC ME OS REVIEWER: 17 99 ES | A 5960 EC 20-JUL-81 | ER | EC | 85 | |
| | MIL-E-1/85C | ELECTRON TUBE, RECEIVING TYPE 5763 [VALIDATION DATE: 8304] USER: 19 AS CG MC REVIEWER: 17 99 ES MI | A 5960 EC 18-FEB-71 | ER | EC | 85 | |
| | MIL-E-1/87F(1) | ELECTRON TUBE, RECEIVING TYPE 5783WA USER: AS CG MC OS REVIEWER: 11 17 99 ES MI | A 5960 EC 12-SEP-90 | ER | EC | 85 | |
| | MIL-E-1/89E(1) | ELECTRON TUBE, RECEIVING TYPE 5787WA USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES MI | A 5960 EC 12-SEP-90 | ER | EC | 85 | |
| | MIL-E-1/92D | ELECTRON TUBE, RECEIVING TYPES 5839 AND 5852 [VALIDATION DATE: 8104] USER: AS CG MC REVIEWER: 17 99 ES | A 5960 EC 10-MAR-75 | ER | EC | 85 | |
| | MIL-E-1/95C | ELECTRON TUBE, RECEIVING JAN 5886 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A 5960 EC 04-JUN-70 | ER | EC | 85 | |
| | MIL-E-1/98G | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 5893 [VALIDATION DATE: 8104] USER: 19 AS CG MC OS REVIEWER: 99 ES | A 5960 EC 22-OCT-68 | ER | EC | 85 | |
| | MIL-E-1/97M | ELECTRON TUBE, RECEIVING TYPE 5899 AND 6206 [VALIDATION DATE: 8505] USER: AS CG MC OS SH REVIEWER: 99 ES MI | A 5960 EC 15-JAN-79 | ER | EC | 85 | |
| | MIL-E-1/99C(1) | ELECTRON TUBE, TRANSMITTING TYPES 807 AND 1625 [VALIDATION DATE: 8505] USER: 19 AS CG MC OS REVIEWER: 11 99 ES MI | A 5960 EC 13-SEP-73 | ER | EC | 85 | |
| | MIL-E-1/100A(1) | ELECTRON TUBE, TRANSMITTING TYPE 6000 [VALIDATION DATE: 8104] USER: AS AV CG OS SH REVIEWER: 11 99 ES | A 5960 EC 24-OCT-74 | ER | EC | 85 | |
| | MIL-E-1/102C(1) | ELECTRON TUBE, THYRATRON TYPE C1A USER: AR REVIEWER: 11 17 80 99 ES ..... | A 5960 EC 16-AUG-89 | ER | EC | 85 | |
| | MIL-E-1/103F | ELECTRON TUBE, THYRATRON TYPE 6D14 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 17 99 ES | A 5960 EC 11-MAY-76 | ER | EC | 85 | |
| | MIL-E-1/104B(1) | ELECTRON TUBE, RECEIVING TYPE 1A5GT [VALIDATION DATE: 8505] USER: 19 AS CG MC ME OS REVIEWER: 11 99 | A 5960 EC 15-FEB-73 | ER | EC | 85 | ES |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action Code / QML / Coordination / Inactive / Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| MIL-E-1/108B<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 3A4 [VALIDATION DATE: 8905] USER: 17 19 AR AS CG MC OS SH REVIEWER: ES MI | A 5960 | ER | 31-MAY-89 | ER | EC 80 |
| MIL-E-1/111D | ELECTRON TUBE, THYRATRON TYPE 6130 [VALIDATION DATE: 8104] USER: 17 AR AS CG MC OS SH REVIEWER: 11 ES | A 5960 | EC | 12-DEC-74 | ER | EC 85 |
| MIL-E-1/115H<br>NOTICE 1 | ELECTRON TUBE, THYRATRON TYPE 5C22 [VALIDATION DATE: 8704] REVIEWER: 17 99 AR SH | A 5960 | 85 | 17-APR-87 | ER | EC 85 |
| MIL-E-1/119B | ELECTRON TUBE, RECEIVING TYPES 6AT6 AND 12AT6 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES MI | A 5960 | EC | 15-JUL-70 | ER | EC 85 |
| MIL-E-1/121D | ELECTRON TUBE, RECEIVING TYPE 6BN6 [VALIDATION DATE: 8505] USER: 11 19 AS CG MC OS SH REVIEWER: 99 ES | A 5960 | EC | 04-DEC-72 | ER | EC 85 |
| MIL-E-1/123B(1) | ELECTRON TUBE, RECEIVING TYPE 6J5WGT [VALIDATION DATE: 8505] USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 | EC | 15-SEP-72 | ER | EC 85 |
| MIL-E-1/125A(1) | ELECTRON TUBE, RECEIVING TYPE 6SR7 & 12SW7 USER: 17 19 AS CG MC ME OS REVIEWER: 11 99 ES | A 5960 | EC | 18-JUL-84 | ER | EC 85 |
| MIL-E-1/126D(2) | ELECTRON TUBES, RECEIVING TYPES 6V6 & 6V6GT 1/2/ USER: 19 AL AS AV CG MC OS SH REVIEWER: 11 99 AR ES MI | A 5960 | EC | 01-APR-83 | ER | EC 85 |
| MIL-E-1/129B | ELECTRON TUBE, POWER TYPE 3718 [VALIDATION DATE: 8204] USER: 11 AR AS AV CG MC ME OS SH REVIEWER: 17 99 ES | A 5960 | EC | 15-OCT-75 | ER | EC 85 |
| MIL-E-1/131G | ELECTRON TUBE, THYRATRON TYPE 1258 USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A 5960 | EC | 02-MAR-88 | ER | EC 85 |
| MIL-E-1/133D | ELECTRON TUBE, RECEIVING TYPE 5691 USER: AS CG MC MI OS REVIEWER: 11 99 AR ES | A 5960 | EC | 19-NOV-85 | ER | EC 85 |
| MIL-E-1/135D | ELECTRON TUBE, KLYSTRON TYPE 5721 [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: 11 99 ES | A 5960 | EC | 26-OCT-70 | ER | EC 85 |
| MIL-E-1/140G | ELECTRON TUBE, RECEIVING TYPE 6205 [VALIDATION DATE: 8505] USER: 11 19 AS CG MC OS REVIEWER: 99 ES | A 5960 | EC | 20-OCT-78 | ER | EC 85 |
| MIL-E-1/144E<br>NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C43 [VALIDATION DATE: 8704] REVIEWER: 11 17 | A 5960 | 85 | 17-APR-87 | ER | EC 85 |
| MIL-E-1/148C | ELECTRON TUBE, THYRATRON TYPE C6A [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A 5960 | EC | 12-DEC-74 | ER | EC 85 |
| MIL-E-1/150F | ELECTRON TUBE, THYRATRON TYPE 5685 [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A 5960 | EC | 12-DEC-74 | ER | EC 85 |
| MIL-E-1/152C(1) | ELECTRON TUBE, RECEIVING TYPE 5894 USER: AS CG MC REVIEWER: 11 17 99 ES ... | A 5960 | EC | 12-SEP-90 | ER | EC 85 |
| MIL-E-1/160L<br>NOTICE 1 | ELECTRON TUBE, POWER TYPE 7034 [VALIDATION DATE: 8905] USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES | A 5960 | ER | 31-MAY-89 | ER | EC 80 |
| MIL-E-1/161D(1) | ELECTRON TUBE, POWER TYPE 35T USER: AS CG MC OS SH REVIEWER: 11 17 99 ES .. | A 5960 | EC | 12-SEP-90 | ER | EC 85 |
| MIL-E-1/167B(1) | ELECTRON TUBE, RECEIVING TYPE 5755 USER: 17 19 AS CG MC REVIEWER: 99 ES MI | A 5960 | EC | 04-MAY-83 | ER | EC 85 |
| MIL-E-1/168J(1) | ELECTRON TUBE, RECEIVING TYPE 5636 USER: 11 AS CG MC OS REVIEWER: 99 ES MI | A 5960 | EC | 03-FEB-82 | ER | EC 85 |
| MIL-E-1/169J(1) | ELECTRON TUBE, RECEIVING TYPE 5639 USER: 11 AR AS CG MC OS REVIEWER: 99 ES | A 5960 | EC | 09-NOV-81 | ER | EC 85 |
| MIL-E-1/170L<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5641 [VALIDATION DATE: 8805] USER: 11 19 AS CG MC SH REVIEWER: 17 99 AR ES | A 5960 | 85 | 20-MAY-88 | ER | EC 85 |
| MIL-E-1/171E | ELECTRON TUBE, RECEIVING TYPE 5686 [VALIDATION DATE: 8302] USER: 11 AS CG MC ME OS SH REVIEWER: 99 ES | A 5960 | 85 | 30-MAR-83 | ER | EC 85 |
| MIL-E-1/172G(1) | ELECTRON TUBE, RECEIVING TYPE 5718 USER: 11 19 AS CG MC OS SH REVIEWER: 99 ES | A 5960 | EC | 12-SEP-90 | ER | EC 85 |
| MIL-E-1/173H(1) | ELECTRON TUBE, RECEIVING TYPE 5719 USER: 11 AR AS CG MC OS SH REVIEWER: 99 ES | A 5960 | EC | 12-SEP-90 | ER | EC 85 |
| MIL-E-1/174G | ELECTRON TUBE, RECEIVING TYPE 5896 [VALIDATION DATE: 8505] USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES | A 5960 | EC | 12-DEC-78 | ER | EC 85 |
| MIL-E-1/175H | ELECTRON TUBE, RECEIVING TYPE 5902 [VALIDATION DATE: 8505] USER: 11 AS CG MC OS REVIEWER: 99 ES MI | A 5960 | EC | 12-JAN-79 | ER | EC 85 |
| MIL-E-1/181E<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5644 [VALIDATION DATE: 8704] REVIEWER: 17 ... | A 5960 | 85 | 17-APR-87 | ER | EC 85 |
| MIL-E-1/187F(1) | ELECTRON TUBE, RECEIVING TYPE 5977 USER: 11 AS CG MC ME OS REVIEWER: 99 ES | A 5960 | EC | 12-SEP-90 | ER | EC 85 |
| MIL-E-1/188G | ELECTRON TUBE, RECEIVING TYPE 6021W 1/ AND 6021WSPL 2/ USER: 11 AS AV CG MC ME OS SH REVIEWER: 99 AR ES MI | A 5960 | EC | 06-JAN-83 | ER | EC 85 |
| MIL-E-1/190H | ELECTRON TUBE, RECEIVING TYPE 6112 [VALIDATION DATE: 8505] USER: 11 AS CG MC OS REVIEWER: 17 99 AR ES MI | A 5960 | EC | 15-NOV-78 | ER | EC 85 |
| MIL-E-1/191C(1) | ELECTRON TUBE, RECEIVING TYPE 6B4G [VALIDATION DATE: 8704] REVIEWER: 80 99 | A 5960 | 85 | 17-APR-87 | ER | EC 85 |
| MIL-E-1/192B<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6F5 [VALIDATION DATE: 8905] USER: 19 AS CG MC ME OS REVIEWER: 99 ES | A 5960 | ER | 31-MAY-89 | ER | EC 85 |
| MIL-E-1/193C<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPES OC3A AND OC3W [VALIDATION DATE: 8905] USER: 11 19 AS CG MC OS REVIEWER: 99 AR ES MI | A 5960 | ER | 31-MAY-89 | ER | EC 85 |
| MIL-E-1/195B(1) | ELECTRON TUBE, RECEIVING TYPE OB3 & OB3A [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A 5960 | EC | 26-FEB-71 | ER | EC 85 |
| MIL-E-1/196B(2) | ELECTRON TUBE, RECEIVING TYPES OD3 AND OD3W USER: 11 AS CG MC ME OS REVIEWER: 99 AR ES | A 5960 | EC | 12-SEP-90 | ER | EC 85 |
| MIL-E-1/197D(3) | ELECTRON TUBE, RECEIVING TYPE 6L6WGB USER: 11 19 AS CG MC OS REVIEWER: 17 99 AR ES | A 5960 | EC | 15-AUG-85 | ER | EC 85 |
| MIL-E-1/199A(1)<br>NOTICE 1 | ELECTRON TUBES, RECEIVING TYPES 6SC7, 6SC7GTY, AND 12SC7 [VALIDATION DATE: 8906] USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES | A 5960 | ER | 01-JUN-89 | ER | EC 80 |
| MIL-E-1/200C(1) | ELECTRON TUBE, KLYSTRON TYPE 6133 USER: AS CG MC OS REVIEWER: 11 17 99 ES . | A 5960 | EC | 12-SEP-90 | ER | EC 85 |
| MIL-E-1/205G(1) | ELECTRON TUBE, MAGNETRON TYPE 5J26 [VALIDATION DATE: 8304] USER: 11 AS AV CG MC ME OS REVIEWER: 99 ES | A 5960 | EC | 10-NOV-76 | ER | EC 85 |
| MIL-E-1/208F(1) | ELECTRON TUBE, GAS SWITCHING TYPE 1B27 [VALIDATION DATE: 8104] USER: 11 AS CG MC SH REVIEWER: 99 ES | A 5960 | EC | 05-JUN-75 | ER | EC 85 |
| MIL-E-1/211E | ELECTRON TUBE, POWER TYPE 3C24 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 11 17 99 AR ES | A 5960 | EC | 18-DEC-74 | ER | EC 85 |
| MIL-E-1/212C | ELECTRON TUBE, TRANSMITTING TYPE 3E29 [VALIDATION DATE: 8404] USER: AS CG MC REVIEWER: 99 ES | A 5960 | EC | 13-AUG-71 | ER | EC 85 |
| MIL-E-1/215A | ELECTRON TUBE, TRANSMITTING TYPE 832A USER: 19 AS AV CG MC ME OS SH REVIEWER: 11 99 ES | A 5960 | EC | 14-APR-83 | ER | EC 85 |
| MIL-E-1/223F(1) | ELECTRON TUBE, RECEIVING TYPE 5U4G & 5Z3 [VALIDATION DATE: 8304] USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES | A 5960 | EC | 01-DEC-70 | ER | EC 85 |
| MIL-E-1/232C<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 1L4 [VALIDATION DATE: 8906] USER: 11 AR AS CG MC OS REVIEWER: 99 ES | A 5960 | ER | 01-JUN-89 | ER | EC 85 |
| L MIL-E-1/240C<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6098 [VALIDATION DATE: 8906] REVIEWER: AR ES MI | A 5960 | ER | 01-JUN-89 | ER | |
| MIL-E-1/243D(1) | ELECTRON TUBE, RECEIVING TYPE 6J6WB USER: 19 AR AS CG MC ME OS REVIEWER: 11 99 ES | A 5960 | EC | 12-DEC-85 | ER | EC 85 |
| MIL-E-1/245D(2)<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6188 [VALIDATION DATE: 8704] REVIEWER: 99 ... | A 5960 | 85 | 17-APR-87 | ER | EC 85 |
| MIL-E-1/246J(1) | ELECTRON TUBE, RECEIVING TYPE 6189W USER: AS CG MC OS SH REVIEWER: 11 99 ES MI | A 5960 | EC | 14-OCT-81 | ER | EC 85 |
| MIL-E-1/262F | ELECTRON TUBE, RECEIVING TYPE 6203 USER: 11 AR AS CG REVIEWER: 99 ES MC ... | A 5960 | EC | 03-APR-81 | ER | EC 85 |
| MIL-E-1/263F | ELECTRON TUBE, RECEIVING TYPE 6X4WA USER: 11 AS CG MC OS REVIEWER: 99 AR ES MI | A 5960 | EC | 17-FEB-81 | ER | EC 85 |
| MIL-E-1/264F | ELECTRON TUBE, KLYSTRON JAN-6236 [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 11 99 ES MI | A 5960 | EC | 26-JAN-71 | ER | EC 85 |
| MIL-E-1/267E | ELECTRON TUBE, CATHODE RAY TYPES 3MP1 & 3MP2 [VALIDATION DATE: 8404] USER: AR AS CG MC REVIEWER: 11 17 99 ES MI | A 5960 | EC | 18-AUG-71 | ER | EC 85 |
| MIL-E-1/270C<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6286 [VALIDATION DATE: 8906] USER: AS CG MC SH REVIEWER: 11 17 99 AR ES | A 5960 | ER | 01-JUN-89 | ER | EC 80 |

| Action | GPL / QML Consideration | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-E-1/272D | ELECTRON TUBE, CATHODE RAY TYPE 2BP1 & 2BP11 (VALIDATION DATE: 8204) USER: 11 AS CG MC OS REVIEWER: 17 99 AR ES MI | A | 5960 | EC | 11 | MAY-76 | ER | EC | 85 | |
| | | | MIL-E-1/273H | ELECTRON TUBES, CATHODE RAY TYPES 5CP1A, 5CP1B & 5CP12 USER: 11 19 AS CG MC OS REVIEWER: 99 AR ES | A | 5960 | EC | 23 | APR-84 | ER | EC | 85 | |
| | | | MIL-E-1/275C | ELECTRON TUBE, CATHODE RAY TYPE 5LP1A, 5LP5A, 5LP7A, & 5LP11A (VALIDATION DATE: 8204) USER: AR AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | EC | 10 | MAR-76 | ER | EC | 85 | |
| | | | MIL-E-1/276B | ELECTRON TUBE, CATHODE RAY TYPES 5RP2 & 5RP7A 1/ (VALIDATION DATE: 8404) USER: 11 AS CG MC OS REVIEWER: 17 99 ES | A | 5960 | EC | 21 | JUL-72 | ER | EC | 85 | |
| | | | MIL-E-1/281E<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5678 (VALIDATION DATE: 8906) USER: 19 AR AS CG MC ME OS SH REVIEWER: 99 ES | A | 5960 | ER | 01 | JUN-89 | ER | EC | 80 | |
| | | | MIL-E-1/290D | ELECTRON TUBE, RECEIVING TYPE 0A2WA (VALIDATION DATE: 8304) USER: 17 AS CG MC REVIEWER: 99 AR ES MI | A | 5960 | EC | 01 | FEB-71 | ER | EC | 85 | |
| | | | MIL-E-1/292D(1) | ELECTRON TUBE, RECEIVING TYPE 5829WA USER: AR AS CG MC OS REVIEWER: 11 99 ES MI | A | 5960 | EC | 09 | FEB-82 | ER | EC | 85 | |
| | | | MIL-E-1/296C(2) | ELECTRON TUBE REFERENCE CAVITY TYPES 1Q22, 1Q23, 1Q24, 5846, 6040, 6041 REVIEWER: 11 80 AR SH | A | 5960 | 85 | 28 | FEB-92 | ER | EC | 85 | |
| | | | MIL-E-1/297C(1) | ELECTRON TUBE, MAGNETRON TYPE 2J55 (VALIDATION DATE: 8104) USER: 11 AS CG OS SH REVIEWER: 99 ES | A | 5960 | EC | 05 | JUN-75 | ER | EC | 85 | |
| | | | MIL-E-1/299E | ELECTRON TUBE, GAS SWITCHING TYPE 5927 (VALIDATION DATE: 8304) USER: AS CG MC OS REVIEWER: 11 17 99 AR ES | A | 5960 | EC | 31 | DEC-70 | ER | EC | 85 | |
| | | | MIL-E-1/301C(1) | ELECTRON TUBE, POWER TYPE 578 USER: 11 AR MC REVIEWER: 17 80 99 ES ..... | A | 5960 | EC | 16 | AUG-89 | ER | EC | 85 | |
| | | | MIL-E-1/302M(1)<br>NOTICE 1 | ELECTRON TUBE, POWER TYPE 8172 (VALIDATION DATE: 8704) USER: AS CG ME OS REVIEWER: 11 99 ES SH | A | 5960 | 85 | 07 | OCT-81 | ER | EC | 85 | |
| | | | MIL-E-1/306C | ELECTRON TUBE, POWER TYPE 5667 (VALIDATION DATE: 8104) USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | EC | 09 | MAY-75 | ER | EC | 85 | |
| | | | MIL-E-1/311J | ELECTRON TUBE, CATHODE RAY TYPE 3ACP1A, 3ACP2A & 3ACP7A (VALIDATION DATE: 8204) USER: AS AV CG MC ME OS REVIEWER: 11 17 80 99 ES | A | 5960 | EC | 20 | JUL-76 | ER | EC | 85 | |
| | | | MIL-E-1/325C | ELECTRON TUBE, RECEIVING TYPE 1R5 (VALIDATION DATE: 8404) USER: 11 19 AR AS CG MC OS REVIEWER: 99 ES | A | 5960 | EC | 17 | MAR-78 | ER | EC | 85 | |
| | | | MIL-E-1/327D<br>NOTICE 1 | ELECTRON TUBES, RECEIVING TYPES 1S5 AND 1U5 (VALIDATION DATE: 8906) USER: 17 19 AR AS CG MC OS REVIEWER: 99 ES | A | 5960 | ER | 01 | JUN-89 | ER | EC | 85 | |
| L | | | MIL-E-1/333B(1) | ELECTRON TUBE, RECEIVING TYPE 2C51 ..... | A | 5960 | ER | 26 | SEP-89 | ER | | | |
| | | | MIL-E-1/334A | ELECTRON TUBE, RECEIVING TYPE 2C53 (VALIDATION DATE: 8304) USER: 19 AS CG MC MI OS REVIEWER: 11 99 ES | A | 5960 | EC | 30 | MAR-70 | ER | EC | 85 | |
| | | | MIL-E-1/335A | ELECTRON TUBE, TRANSMITTING TYPE 2E22 (VALIDATION DATE: 8404) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | EC | 20 | FEB-70 | ER | EC | 85 | |
| | | | MIL-E-1/338F | ELECTRON TUBE, TRANSMITTING TYPE 2E26 (VALIDATION DATE: 8304) USER: 11 AS CG MC OS REVIEWER: 99 AR ES | A | 5960 | EC | 16 | MAR-77 | ER | EC | 85 | |
| | | | MIL-E-1/343B(1) | ELECTRON TUBE, RECEIVING TYPES 3Q4 AND 3V4 (VALIDATION DATE: 8304) USER: 11 19 AS AV CG MC OS REVIEWER: 99 ES | A | 5960 | EC | 17 | AUG-77 | ER | EC | 85 | |
| | | | MIL-E-1/344C | ELECTRON TUBE, RECEIVING TYPE 5R4GA USER: 11 19 AS CG MC OS REVIEWER: 99 ES | A | 5960 | EC | 18 | OCT-84 | ER | EC | 85 | |
| | | | MIL-E-1/351A(1) | ELECTRON TUBE, RECEIVING TYPE 6AB4 (VALIDATION DATE: 8404) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | EC | 05 | MAR-70 | ER | EC | 85 | |
| | | | MIL-E-1/358B | ELECTRON TUBE, RECEIVING TYPE 6AJ5 (VALIDATION DATE: 8304) USER: 17 19 AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | EC | 07 | AUG-70 | ER | EC | 85 | |
| | | | MIL-E-1/363A(1)<br>NOTICE 1 | ELECTRON TUBES, RECEIVING TYPES 6SF7 AND 12SF7 USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES SH | A | 5960 | 85 | 01 | SEP-89 | ER | EC | 85 | |
| | | | MIL-E-1/365C<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPES 6SG7 AND 12SG7 (VALIDATION DATE: 8704) USER: AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | 85 | 20 | APR-73 | ER | EC | 85 | |
| | | | MIL-E-1/368E<br>NOTICE 1 | ELECTRON TUBE, GAS SWITCHING TYPE 5865 (VALIDATION DATE: 8710) USER: AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | EC | 13 | OCT-87 | ER | EC | 85 | |
| | | | MIL-E-1/370E(1) | ELECTRON TUBE, GAS SWITCHING TYPE 6322 (VALIDATION DATE: 8104) USER: 11 AS CG MC OS SH REVIEWER: 99 ES | A | 5960 | EC | 05 | JUN-75 | ER | EC | 85 | |
| | | | MIL-E-1/371B | ELECTRON TUBE, POWER TYPE 5680 (VALIDATION DATE: 8304) USER: MC OS REVIEWER: 99 CG ES | A | 5960 | EC | 23 | SEP-70 | | EC | 85 | |
| L | | | MIL-E-1/372A<br>NOTICE 2 | ELECTRON TUBE, FORCED-AIR COOLED TRIODE (VALIDATION DATE: 8304) USER: 17 AS MC OS REVIEWER: 85 CG ES | A | 5960 | EC | 01 | OCT-70 | | EC | | |
| | | | MIL-E-1/373C(1)<br>NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE 6002 (VALIDATION DATE: 8704) REVIEWER: 11 80 99 ES SH | A | 5960 | 85 | 20 | AUG-75 | ER | EC | 85 | |
| | | | MIL-E-1/374D(1) | ELECTRON TUBE, KLYSTRON TYPE 2K48 (VALIDATION DATE: 8204) USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 20 | JUL-76 | ER | EC | 85 | |
| | | | MIL-E-1/375D | ELECTRON TUBE, THYRATRON TYPE 5684 (VALIDATION DATE: 8104) USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES | A | 5960 | EC | 09 | MAY-75 | ER | EC | 85 | |
| | | | MIL-E-1/381D(1) | ELECTRON TUBE, TRANSMITTING TYPE 6293 (VALIDATION DATE: 8204) USER: AR AS CG MC OS REVIEWER: 17 ES MI | A | 5960 | EC | 11 | FEB-76 | ER | EC | 85 | |
| L | | | MIL-E-1/383C<br>NOTICE 1 | ELECTRON TUBE, MAGNETRON, TYPE 6344A (NAVY) (VALIDATION DATE: 8710) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 13 | OCT-87 | | EC | | |
| | | | MIL-E-1/384B(1) | ELECTRON TUBE, GAS SWITCHING TYPE 6081 (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 16 | JUN-75 | ER | EC | 85 | |
| | | | MIL-E-1/385B | ELECTRON TUBE, CATHODE RAY TYPE 3DP1A & 3DP1A PLUS S2 (VALIDATION DATE: 8104) USER: 19 AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | EC | 12 | DEC-74 | ER | EC | 85 | |
| | | | MIL-E-1/390D(1)<br>NOTICE 1 | ELECTRON TUBE, CATHODE RAY TYPES 3RP1 AND 3RP1A (VALIDATION DATE: 8906) USER: AS CG MC OS REVIEWER: 11 17 99 AR ES MI | A | 5960 | ER | 01 | JUN-89 | ER | EC | 85 | |
| | | | MIL-E-1/396G | ELECTRON TUBE, GAS SWITCHING TYPE 5939A (VALIDATION DATE: 8404) USER: AS CG OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 04 | OCT-77 | ER | EC | 85 | |
| | | | MIL-E-1/410C | ELECTRON TUBE, PHOTOTUBE, VACUUM JAN-922 (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 13 | DEC-71 | ER | EC | 85 | |
| | | | MIL-E-1/422G(3) | ELECTRON TUBE, CATHODE RAY TYPES 7YP1, 7YP2, AND 7YP7 USER: 11 AS AV CG MC ME OS REVIEWER: 17 99 ES | A | 5960 | EC | 10 | AUG-90 | ER | EC | 85 | |
| | | | MIL-E-1/424B(2) | ELECTRON TUBE, RECEIVING TYPE 6F4 (VALIDATION DATE: 8104) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | EC | 24 | OCT-74 | ER | EC | 85 | |
| | | | MIL-E-1/429D<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6L7 (VALIDATION DATE: 8906) USER: 19 AR AS CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | ER | 01 | JUN-89 | ER | EC | 85 | |
| | | | MIL-E-1/431B | ELECTRON TUBE, RECEIVING TYPE 6X5WGT (VALIDATION DATE: 8204) USER: 11 AR AS CG MC OS REVIEWER: 17 99 ES | A | 5960 | EC | 11 | FEB-76 | ER | EC | 85 | |
| | | | MIL-E-1/432B(1) | ELECTRON TUBE, RECEIVING TYPE 6Y6GT USER: 19 AS AV CG MC ME OS REVIEWER: 99 ES | A | 5960 | EC | 01 | APR-83 | ER | EC | 85 | |
| | | | MIL-E-1/436B<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 12BA6 (VALIDATION DATE: 8704) USER: 17 19 AS CG MC OS REVIEWER: 99 ES | A | 5960 | 85 | 21 | NOV-75 | ER | EC | 85 | |
| | | | MIL-E-1/441B<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 35W4 (VALIDATION DATE: 8906) USER: 19 AR AS CG MC OS SH REVIEWER: 11 99 AV ES | A | 5960 | ER | 01 | JUN-89 | ER | EC | 85 | |
| | | | MIL-E-1/463A | ELECTRON TUBE, RECEIVING TYPE 5656 (VALIDATION DATE: 8304) USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | EC | 15 | OCT-70 | ER | EC | 85 | |
| | | | MIL-E-1/466B | ELECTRON TUBE, RECEIVING TYPE 5842 (VALIDATION DATE: 8104) USER: 17 AS CG MC ME OS REVIEWER: 11 99 AR ES | A | 5960 | EC | 04 | FEB-75 | ER | EC | 85 | |
| | | | MIL-E-1/467A<br>NOTICE 1 | ELECTRON TUBE, RECEIVING PENTODE, HIGH GAIN JAN 5847 (USE MIL-E-1/1617) (VALIDATION DATE: 8301) USER: 11 AS CG MC OS REVIEWER: 99 AR MI | A | 5960 | ER | 04 | JAN-71 | ER | | 85 | |
| | | | MIL-E-1/470C | ELECTRON TUBE, RECEIVING TYPE 5915 (VALIDATION DATE: 8304) USER: AS CG MC ME OS REVIEWER: 11 99 AR ES SH | A | 5960 | EC | 25 | APR-77 | ER | EC | 85 | |
| | | | MIL-E-1/476B | ELECTRON TUBE, RECEIVING TYPE 9006 (VALIDATION DATE: 8104) USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 04 | DEC-68 | ER | EC | 85 | |
| | | | MIL-E-1/478E<br>NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE 8116 (VALIDATION DATE: 8704) USER: AS CG OS REVIEWER: 11 17 99 ES | A | 5960 | 85 | 23 | NOV-70 | ER | EC | 85 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-E-1/480C | ELECTRON TUBE, CATHODE RAY TYPE 5SP1A, 5SP7A, & 5SP11A [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | | EC | 17-SEP-71 | ER | EC | 85 |
| | | | | MIL-E-1/484D | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6299 [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | | EC | 31-MAR-75 | ER | EC | 85 |
| | | | | MIL-E-1/485E | ELECTRON TUBE, KLYSTRON 1 TYPE DOD 002 [VALIDATION DATE: 8204] USER: AS CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | | EC | 20-FEB-76 | ER | EC | 85 |
| | | | | MIL-E-1/496C(1) | ELECTRON TUBE, KLYSTRON TYPE 2K28 [VALIDATION DATE: 8304] USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | | EC | 23-OCT-70 | ER | EC | 85 |
| | | | | MIL-E-1/500B | ELECTRON TUBE, KLYSTRON TYPE 726B [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | | EC | 01-FEB-71 | ER | EC | 85 |
| | | | | MIL-E-1/501B<br>NOTICE 1 | ELECTRON TUBE, CATHODE RAY TYPE 3KP1 [VALIDATION DATE: 8906] USER: AR AS CG MC OS SH REVIEWER: 11 17 ES | A | 5960 | | ER | 01-JUN-89 | ER | EC | 80 |
| | | | | MIL-E-1/504E | ELECTRON TUBE, GAS SWITCHING TYPE 5853 [VALIDATION DATE: 8304] USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES | A | 5960 | | EC | 08-JUL-77 | ER | EC | 85 |
| | | | | MIL-E-1/505F(1) | ELECTRON TUBE, GAS TYPE 5962 USER: 11 AS CG MC ME OS REVIEWER: 17 99 ES ... | A | 5960 | | EC | 23-APR-84 | ER | EC | 85 |
| L | | | | MIL-E-1/507F<br>NOTICE 1 | ELECTRON TUBE, MAGNETRON, PULSE TYPE 7452A [VALIDATION DATE: 8906] REVIEWER: ES | A | 5960 | | ER | 01-JUN-89 | ER | | |
| | | | | MIL-E-1/516A | ELECTRON TUBE, RECEIVING TYPE 6BH6 [VALIDATION DATE: 8304] USER: 17 19 AS CG MC OS REVIEWER: 11 99 ES MI | A | 5960 | | EC | 19-MAY-70 | ER | EC | 85 |
| | | | | MIL-E-1/521B | ELECTRON TUBE, RECEIVING TYPE 6SJ7, 6SJ7WGT, & 12SJ7 [VALIDATION DATE: 8204] USER: AR AS CG MC OS REVIEWER: 99 ES | A | 5960 | | EC | 15-APR-76 | ER | EC | 85 |
| | | | | MIL-E-1/566B | ELECTRON TUBE, RECEIVING TYPE 6K6GT [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | | EC | 24-JUL-70 | ER | EC | 85 |
| | | | | MIL-E-1/571B | ELECTRON TUBE, RECEIVING TYPE 12BE6 [VALIDATION DATE: 8304] USER: 17 MC REVIEWER: 99 ES | A | 5960 | | EC | 23-JUL-70 | ER | EC | 85 |
| | | | | MIL-E-1/581C(1) | ELECTRON TUBE, GAS TYPE 83 USER: 11 AR AS REVIEWER: 17 80 99 ES ..... | A | 5960 | | EC | 16-AUG-89 | ER | EC | 85 |
| | | | | MIL-E-1/588A | ELECTRON TUBE, CATHODE RAY TYPE 2AP1A [VALIDATION DATE: 8104] USER: 17 MC REVIEWER: 85 ES | A | 5960 | | EC | 18-DEC-74 | ER | EC | |
| | | | | MIL-E-1/590A | ELECTRON TUBE, CATHODE RAY TYPE 3FP7A [VALIDATION DATE: 8104] USER: 11 19 AS CG MC ME OS SH REVIEWER: 17 99 ES | A | 5960 | | EC | 30-SEP-74 | ER | EC | 85 |
| | | | | MIL-E-1/591C | ELECTRON TUBE, RECEIVING TYPE 12AV7 [VALIDATION DATE: 8304] USER: 17 19 AS CG MC MI OS REVIEWER: 99 ES | A | 5960 | | EC | 17-FEB-70 | ER | EC | 85 |
| | | | | MIL-E-1/592A | ELECTRON TUBE, CATHODE RAY TYPE 5BP1A & 5HP1A [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | | EC | 14-JAN-75 | ER | EC | 85 |
| | | | | MIL-E-1/594A | ELECTRON TUBE, CATHODE RAY TYPE 3BP1A [VALIDATION DATE: 8104] USER: 17 MC MI REVIEWER: 99 ES | A | 5960 | | EC | 14-JAN-75 | ER | EC | 85 |
| | | | | MIL-E-1/596B | ELECTRON TUBE, RECEIVING TYPE 25L6GT & 50L6GT [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | | EC | 07-AUG-70 | ER | EC | 85 |
| | | | | MIL-E-1/597D | ELECTRON TUBE, PHOTOMULTIPLIER TYPE 931VA [VALIDATION DATE: 8404] USER: CG MC OS REVIEWER: 99 ES | A | 5960 | | EC | 15-NOV-71 | ER | EC | 85 |
| | | | | MIL-E-1/601D<br>NOTICE 1 | ELECTRON TUBE KLYSTRON JAN 5836 [VALIDATION DATE: 8704] REVIEWER: 80 99 ES MI | A | 5960 | | 85 | 14-MAR-75 | ER | EC | 85 |
| | | | | MIL-E-1/602D | ELECTRON TUBE, KLYSTRON TYPE 5837 [VALIDATION DATE: 8204] USER: 19 AS CG MC OS SH REVIEWER: 11 99 ES | A | 5960 | | EC | 19-NOV-74 | ER | EC | 85 |
| | | | | MIL-E-1/605D<br>NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE 6310 [VALIDATION DATE: 8704] USER: 11 CG MC REVIEWER: 99 ES SH | A | 5960 | | 85 | 17-APR-87 | ER | EC | 85 |
| | | | | MIL-E-1/607B | ELECTRON TUBE, GAS SWITCHING ATR JAN5921 5922 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS SA REVIEWER: 11 17 99 ES | A | 5960 | | EC | 02-NOV-70 | ER | EC | 85 |
| | | | | MIL-E-1/609E | ELECTRON TUBE, GAS SWITCHING TR JAN 1B24A [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES MI | A | 5960 | | EC | 27-JAN-71 | ER | EC | 85 |
| | | | | MIL-E-1/610E | ELECTRON TUBE, GAS TYPES 3C23 AND 323B [VALIDATION DATE: 8204] USER: 19 AS CG MC OS REVIEWER: 11 99 AR ES | A | 5960 | | EC | 18-MAR-76 | ER | EC | 85 |
| | | | | MIL-E-1/612D | ELECTRON TUBE, GAS TYPE 249C [VALIDATION DATE: 8104] USER: 17 AS CG MC OS SH REVIEWER: 99 ES | A | 5960 | | EC | 30-APR-75 | ER | EC | 85 |
| | | | | MIL-E-1/615C | ELECTRON TUBE, POWER TYPE 4831 [VALIDATION DATE: 8204] USER: 11 AS AV CG MC OS REVIEWER: 99 AR ES | A | 5960 | | EC | 02-FEB-76 | ER | EC | 85 |
| | | | | MIL-E-1/617A | ELECTRON TUBE, RECEIVING TYPE 35L6GT [VALIDATION DATE: 8104] USER: 19 AS CG MC ME OS REVIEWER: 99 ES | A | 5960 | | EC | 24-SEP-68 | ER | EC | 85 |
| | | | | MIL-E-1/626B(1)<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 1U4 [VALIDATION DATE: 8906] USER: 11 19 AR AS CG MC OS REVIEWER: 99 ES | A | 5960 | | ER | 01-JUN-89 | ER | EC | 85 |
| | | | | MIL-E-1/629D | ELECTRON TUBE, RECEIVING TYPE 2AC15 & 2AS15 USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | | EC | 03-MAY-84 | ER | EC | 85 |
| | | | | MIL-E-1/633A | ELECTRON TUBE, RECEIVING TYPE 6N7 & 6N7GT USER: AR AT AV ME REVIEWER: AS ES MI | A | 5960 | | EC | 17-JUL-84 | CR | EC | 11 |
| | | | | MIL-E-1/634B | ELECTRON TUBE, RECEIVING TYPE 6K7 [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | | EC | 10-MAR-75 | ER | EC | 85 |
| | | | | MIL-E-1/636B | ELECTRON TUBE, RECEIVING TYPE 6SH7 & 12SH7 [VALIDATION DATE: 8104] USER: 19 CG ME OS REVIEWER: 99 ES | A | 5960 | | EC | 14-NOV-68 | ER | EC | 85 |
| | | | | MIL-E-1/639E | ELECTRON TUBE, 12AY7 [VALIDATION DATE: 8104] USER: 19 AS CG MC SH REVIEWER: 17 99 ES | A | 5960 | | EC | 10-MAR-75 | ER | EC | 85 |
| | | | | MIL-E-1/652B<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 9001 [VALIDATION DATE: 8710] USER: 17 19 AS CG MC ME OS REVIEWER: 99 ES | A | 5960 | | EC | 13-OCT-87 | ER | EC | 85 |
| | | | | MIL-E-1/653B(2) | ELECTRON TUBE, RECEIVING TYPE 9002 [VALIDATION DATE: 8304] USER: AS CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | | EC | 25-JAN-77 | ER | EC | 85 |
| | | | | MIL-E-1/654B<br>NOTICE 1 | ELECTRON TUBE, TYPE 9003 [VALIDATION DATE: 8601] USER: 17 19 AS CG MC ME OS REVIEWER: 99 ES | A | 5960 | | EC | 18-APR-68 | ER | EC | 85 |
| | | | | MIL-E-1/663E | ELECTRON TUBE, RECEIVING TYPE 6SN7WGTA USER: AS CG MC ME OS REVIEWER: 11 99 ES MI | A | 5960 | | EC | 14-APR-83 | ER | EC | 85 |
| | | | | MIL-E-1/664D | ELECTRON TUBE, THYRATRON TYPE 5665 [VALIDATION DATE: 8404] USER: 11 AR AS CG MC OS REVIEWER: 17 99 ES | A | 5960 | | EC | 14-JUL-78 | ER | EC | 85 |
| | | | | MIL-E-1/665D<br>NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE 6410A [VALIDATION DATE: 8906] USER: AS CG MC OS SH REVIEWER: 11 17 99 AR ES | A | 5960 | | ER | 01-JUN-89 | ER | EC | 80 |
| | | | | MIL-E-1/666F | ELECTRON TUBE, MAGNETRON TYPE 6177A [VALIDATION DATE: 8104] USER: 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | | EC | 19-NOV-74 | ER | EC | 85 |
| | | | | MIL-E-1/667G | ELECTRON TUBE, MAGNETRON TYPE 2J42 [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 99 ES | A | 5960 | | EC | 07-JUL-75 | ER | EC | 85 |
| | | | | MIL-E-1/668D(1) | ELECTRON TUBE, KLYSTRON TYPE 6312 USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | | EC | 16-DEC-82 | ER | EC | 85 |
| | | | | MIL-E-1/670E(1) | ELECTRON TUBE, MICROWAVE TYPE 6173 [VALIDATION DATE: 8505] USER: 19 AS CG MC OS REVIEWER: 11 17 99 AR ES MI | A | 5960 | | EC | 27-NOV-78 | ER | EC | 85 |
| | | | | MIL-E-1/671B(1)<br>NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 2D06 USER: 17 19 AS CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | | ER | 26-SEP-89 | ER | EC | 85 |
| | | | | MIL-E-1/673A | ELECTRON TUBE, RECEIVING TYPE 35C5 [VALIDATION DATE: 8104] USER: 19 AS CG MC ME OS REVIEWER: 99 ES MI | A | 5960 | | EC | 27-SEP-68 | ER | EC | 85 |
| | | | | MIL-E-1/689E<br>NOTICE 1 | ELECTRON TUBES, CATHODE RAY TYPES 5ADP1, 5ADP2, 5ADP7, AND 5ADP14 [VALIDATION DATE: 8906] USER: AS CG MC OS REVIEWER: 11 99 AR CE ES | A | 5960 | | ER | 01-JUN-89 | ER | EC | 80 |
| | | | | MIL-E-1/690C<br>NOTICE 1 | ELECTRON TUBE, GAS TYPE 5517 [VALIDATION DATE: 8704] USER: 11 AR AS CG MC MI OS SH REVIEWER: 17 99 ES | A | 5960 | | 85 | 17-APR-87 | ER | EC | 85 |
| | | | | MIL-E-1/694B | ELECTRON TUBE, RECEIVING TYPE 6088 [VALIDATION DATE: 8104] USER: 19 AS CG MC ME OS REVIEWER: 99 ES | A | 5960 | | EC | 14-NOV-68 | ER | EC | 85 |
| | | | | MIL-E-1/714E | ELECTRON TUBE, THYRATRON TYPE 6012 [VALIDATION DATE: 8104] USER: 11 REVIEWER: 17 99 AR ES | A | 5960 | | EC | 22-MAY-75 | ER | EC | 85 |
| | | | | MIL-E-1/730B | ELECTRON TUBE, KLYSTRON TYPE 2K41 [VALIDATION DATE: 8204] USER: 11 AS CG MC ME OS SH REVIEWER: 99 AR ES | A | 5960 | | EC | 02-FEB-76 | ER | EC | 85 |

| Action | Qty / Date Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MIL-E-1/732D | ELECTRON TUBE, KLYSTRON TYPE 2K45 (VALIDATION DATE: 8505) USER: AS CG MC OS REVIEWER: 11 17 99 ES MI | A 5960 | EC 02-FEB-73 | ER | EC | 85 | |
| | | MIL-E-1/736B | ELECTRON TUBE, MICROWAVE TYPE 2B22 (VALIDATION DATE: 8104) USER: 19 AS CG MC OS REVIEWER: 99 ES | A 5960 | EC 02-OCT-68 | ER | EC | 85 | |
| | | MIL-E-1/738C NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C42 (VALIDATION DATE: 8704) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 | 85 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/739C NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C46 (VALIDATION DATE: 8704) USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 | 85 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/744G | ELECTRON TUBE, KLYSTRON TYPE 6BM6 (VALIDATION DATE: 8505) USER: AS CG MC OS SH REVIEWER: 11 99 ES | A 5960 | EC 01-MAY-73 | ER | EC | 85 | |
| | | MIL-E-1/745G | ELECTRON TUBE, KLYSTRON TYPE 6BL6 (VALIDATION DATE: 8304) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES | A 5960 | EC 28-OCT-69 | ER | EC | 85 | |
| | | MIL-E-1/746G | ELECTRON TUBE, KLYSTRON 1 TYPE 6BM6A (VALIDATION DATE: 8505) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 | EC 24-APR-73 | ER | EC | 85 | |
| | | MIL-E-1/747D | ELECTRON TUBE, CATHODE RAY JAN 3XP1 (VALIDATION DATE: 8204) USER: CG MC OS REVIEWER: 11 17 99 ES MI | A 5960 | EC 20-JUL-76 | ER | EC | 85 | |
| | | MIL-E-1/749C | ELECTRON TUBE, RECEIVING TYPE 2X2A USER: 11 19 AS CG MC OS REVIEWER: 99 AR ES | A 5960 | EC 18-DEC-80 | ER | EC | 85 | |
| | | MIL-E-1/751D(1) | ELECTRON TUBE, GAS TYPE 3822 (VALIDATION DATE: 8204) USER: 19 AS CG MC OS SH REVIEWER: 11 17 99 ES | A 5960 | EC 15-APR-76 | ER | EC | 85 | |
| | | MIL-E-1/753F | ELECTRON TUBE, POWER RECTIFIER, GAS TYPE 3828 (VALIDATION DATE: 8104) USER: 11 14 19 AS CG MC OS SH REVIEWER: 17 99 ES | A 5960 | EC 21-MAY-75 | ER | EC | 85 | |
| | | MIL-E-1/757J NOTICE 1 | ELECTRON TUBE, GAS TYPE 5643 (VALIDATION DATE: 8601) USER: 19 AS CG MC REVIEWER: 11 17 99 ES ME MI | A 5960 | EC 21-NOV-73 | ER | EC | 85 | |
| | | MIL-E-1/766C | ELECTRON TUBE, MAGNETRON TYPE 4J38 (VALIDATION DATE: 8204) USER: 11 AS CG MC OS SH REVIEWER: 99 ES | A 5960 | EC 02-FEB-76 | ER | EC | 85 | |
| | | MIL-E-1/767B | ELECTRON TUBE, RECEIVING TYPE 6C6 (VALIDATION DATE: 8104) USER: 19 AS CG MC ME OS REVIEWER: 99 ES | A 5960 | EC 07-OCT-68 | ER | EC | 85 | |
| | | MIL-E-1/770C NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPES 5586 AND 5657 (VALIDATION DATE: 8704) USER: 11 AS CG SH REVIEWER: 99 ES | A 5960 | 85 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/776D NOTICE 1 | ELECTRON TUBE, POWER TYPE 4D21 (VALIDATION DATE: 8802) USER: 11 AR AS CG MC ME OS REVIEWER: 99 ES | A 5960 | ER 08-FEB-88 | ER | EC | 85 | |
| | | MIL-E-1/779J | ELECTRON TUBE, RECEIVING TYPE 5687WB USER: 11 AS MC ME OS REVIEWER: 99 AR ES MI | A 5960 | EC 28-JAN-81 | ER | EC | 85 | |
| | | MIL-E-1/781D | ELECTRON TUBE, THYRATRON TYPE 6D4 (VALIDATION DATE: 8104) USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES | A 5960 | EC 05-MAY-75 | ER | EC | 85 | |
| L | MIL-E-1/789B NOTICE 3 | | ELECTRON TUBE, TYPE QK427 (VALIDATION DATE: 8710) USER: MC REVIEWER: 17 85 AR ES | A 5960 | EC 13-OCT-87 | | EC | | |
| | | MIL-E-1/796B NOTICE 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6D24 (VALIDATION DATE: 8704) USER: AS CG MC OS SH REVIEWER: 99 AR | A 5960 | 85 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/800E(2) | ELECTRON TUBE, MAGNETRON TYPE 4J52A USER: AR AS CG ME OS SH REVIEWER: 11 17 ES | A 5960 | EC 15-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/804A NOTICE 1 | ELECTRON TUBE, RECEIVING, PENTODE, MINIATURE TYPE 6AK5WB (VALIDATION DATE: 9007) USER: 11 AS CG MC OS SH REVIEWER: 99 AR MI | A 5960 | ER 06-JUL-90 | ER | EC | 85 | |
| L | MIL-E-1/805A | | ELECTRON TUBE, MAGNETRON TYPE 6402 (VALIDATION DATE: 8304) USER: AS CG MC OS REVIEWER: ES | A 5960 | EC 08-OCT-70 | | EC | | |
| | | MIL-E-1/806F | ELECTRON TUBE, THYRATRON TYPE 4C35A (VALIDATION DATE: 8104) USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES | A 5960 | EC 09-MAY-75 | ER | EC | 85 | |
| | | MIL-E-1/810D | ELECTRON TUBE, CATHODE RAY TYPE 5AMP2 (VALIDATION DATE: 8104) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES | A 5960 | EC 17-MAR-69 | ER | EC | 85 | |
| | | MIL-E-1/812C | ELECTRON TUBE, POWER TYPE 5D22 (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: 11 17 99 ES SH | A 5960 | EC 22-MAY-75 | ER | EC | 85 | |
| | | MIL-E-1/815C | ELECTRON TUBE, POWER TYPE 211W (VALIDATION DATE: 8104) USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES | A 5960 | EC 29-MAY-75 | ER | EC | 85 | |
| | | MIL-E-1/816C | ELECTRON TUBE, POWER TYPE 845W (VALIDATION DATE: 8104) USER: AS CG MC OS SH REVIEWER: 11 17 99 ES ME | A 5960 | EC 12-DEC-74 | ER | EC | 85 | |
| | | MIL-E-1/818E | ELECTRON TUBE, THYRATRON TYPE 6278 (VALIDATION DATE: 8104) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 | EC 16-JUN-75 | ER | EC | 85 | |
| | | MIL-E-1/821E | ELECTRON TUBE, RECEIVING TYPE 6094 USER: 11 AS CG MC ME OS SH REVIEWER: 17 99 ES MI | A 5960 | EC 28-APR-83 | ER | EC | 85 | |
| | | MIL-E-1/824B | ELECTRON TUBE, POWER TYPE 5762 (VALIDATION DATE: 8104) USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES | A 5960 | EC 22-MAY-75 | ER | EC | 85 | |
| | | MIL-E-1/825D | ELECTRON TUBE, RECEIVING TYPE 5651WA (VALIDATION DATE: 8404) USER: AR AS CG MC OS REVIEWER: 11 17 99 ES MI | A 5960 | EC 14-JAN-72 | ER | EC | 85 | |
| | | MIL-E-1/832A NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 12AL5 (VALIDATION DATE: 8906) USER: 19 AS AV CG MC OS SH REVIEWER: 11 AR ES MI | A 5960 | ER 01-JUN-89 | ER | EC | 99 | |
| | | MIL-E-1/835B | ELECTRON TUBE, MAGNETRON TYPE 6510 (VALIDATION DATE: 8104) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES | A 5960 | EC 05-FEB-69 | ER | EC | 85 | |
| | | MIL-E-1/837D | ELECTRON TUBE, GAS SWITCHING TYPE 6560 (VALIDATION DATE: 8404) USER: 19 AS CG OS REVIEWER: 11 17 99 ES | A 5960 | EC 05-MAY-72 | ER | EC | 85 | |
| | | MIL-E-1/839E(1) | ELECTRON TUBE, RECEIVING TYPE 6AN5WA USER: 11 AS CG ME OS REVIEWER: 99 AR ES MI | A 5960 | EC 09-FEB-82 | ER | EC | 85 | |
| | | MIL-E-1/840E | ELECTRON TUBE, KLYSTRON TYPE 6390 (VALIDATION DATE: 8204) USER: 11 AS CG MC OS REVIEWER: 99 AR ES | A 5960 | EC 15-APR-76 | ER | EC | 85 | |
| | | MIL-E-1/842G NOTICE 1 | ELECTRON TUBE, THYRATRON TYPE 2050W (VALIDATION DATE: 8704) USER: 11 AR CG MC REVIEWER: 17 99 ES SH | A 5960 | 85 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/843D | ELECTRON TUBE, RECEIVING TYPE 6216 (VALIDATION DATE: 8204) USER: 19 AS CG MC OS REVIEWER: 11 17 ES | A 5960 | EC 20-FEB-76 | ER | EC | 85 | |
| | | MIL-E-1/844B(1) | ELECTRON TUBE, RECEIVING, BEAM TETRODE, SUBMINIATURE JAN 6397 (VALIDATION DATE: 8204) USER: 19 AR AS CG OS REVIEWER: 99 ES | A 5960 | EC 15-APR-76 | ER | EC | 85 | |
| | | MIL-E-1/845D | ELECTRON TUBE, KLYSTRON TYPE 6115A (VALIDATION DATE: 8204) USER: 11 AS CG MC OS REVIEWER: 99 ES | A 5960 | EC 15-MAR-76 | ER | EC | 85 | |
| | | MIL-E-1/846J | ELECTRON TUBE, MAGNETRON TYPE 2J51A (VALIDATION DATE: 8204) USER: AR AS AV CG MC ME OS REVIEWER: 11 99 ES | A 5960 | EC 18-MAR-76 | ER | EC | | |
| L | MIL-E-1/848B NOTICE 1 | | ELECTRON TUBE, MAGNETRON TYPE 6551 (VALIDATION DATE: 8805) REVIEWER: 11 ... | A 5960 | 85 20-MAY-88 | | | 85 | |
| | | MIL-E-1/849F | ELECTRON TUBE, MAGNETRON TYPE 6543 (VALIDATION DATE: 8204) USER: AS CG MC ME OS REVIEWER: 11 99 ES | A 5960 | EC 20-FEB-76 | ER | EC | 85 | |
| | | MIL-E-1/851G NOTICE 1 | ELECTRON TUBE, MAGNETRON JAN 5780 (VALIDATION DATE: 8601) USER: AS CG MC OS SH REVIEWER: 11 17 99 AR ES MI | A 5960 | EC 05-MAY-75 | ER | EC | 85 | |
| | | MIL-E-1/852D | ELECTRON TUBE, TRANSMITTING TYPE5933WA USER: 11 AS CG MC OS REVIEWER: 99 ES | A 5960 | EC 23-MAR-81 | ER | EC | 85 | |
| | | MIL-E-1/853B | ELECTRON TUBE, TRANSMITTING TYPE 8298 (VALIDATION DATE: 8204) USER: 19 AS CG MC ME OS REVIEWER: 11 99 AR ES | A 5960 | EC 01-JUL-76 | ER | EC | 85 | |
| | | MIL-E-1/857E | ELECTRON TUBE, RECEIVING TYPE 6C4WA USER: 19 AS CG MC OS REVIEWER: 11 99 AR ES MI | A 5960 | EC 18-FEB-81 | ER | EC | 85 | |
| L | MIL-E-1/858A | | ELECTRON TUBE, TYPE 6542 (VALIDATION DATE: 8704) REVIEWER: 99 ES ..... | A 5960 | 85 17-APR-87 | | | 85 | |
| | | MIL-E-1/864E | ELECTRON TUBE, RECEIVING TYPE 6CL6 (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: 11 17 99 ES MI | A 5960 | EC 09-FEB-72 | ER | EC | 85 | |
| | | MIL-E-1/866D | ELECTRON TUBE, CATHODE RAY TYPES 7ABP7A & 7ABP19A (VALIDATION DATE: 8404) USER: AS CG MC REVIEWER: 11 17 99 ES MI | A 5960 | EC 13-AUG-71 | ER | EC | 85 | |
| | | MIL-E-1/867B NOTICE 1 | ELECTRON TUBE, POWER TYPE 4032 (VALIDATION DATE: 8704) USER: AS MC REVIEWER: 11 17 99 ES | A 5960 | 85 17-APR-87 | ER | EC | 85 | |

| Action | QPL / QML Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-E-1/868E(1) NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C40A (VALIDATION DATE: 8704) USER: AR AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | | |
| | | MIL-E-1/869F | ELECTRON TUBE, POWER TYPE 304TL (VALIDATION DATE: 8104) USER: AS CG MC OS SH REVIEWER: 11 17 99 AR ES | A | 5960 | EC | 05-MAY-75 | ER | EC | 85 | | |
| | | MIL-E-1/871D | ELECTRON TUBE, POWER TYPE 811A (VALIDATION DATE: 8304) USER: 19 AS AV CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | EC | 05-MAR-70 | ER | EC | 85 | | |
| | | MIL-E-1/876E(2) | ELECTRON TUBE, POWER TYPE 8166 (VALIDATION DATE: 8204) USER: 19 AS CG MC ME OS REVIEWER: 11 17 99 ES MI | A | 5960 | EC | 15-APR-76 | ER | EC | 85 | | |
| | | MIL-E-1/877C | ELECTRON TUBE, POWER TYPE 100TH (VALIDATION DATE: 8104) USER: 11 AR AS CG MC OS SH REVIEWER: 99 ES | A | 5960 | EC | 09-MAY-75 | ER | EC | 85 | | |
| | | MIL-E-1/878D NOTICE 1 | ELECTRON TUBE, POWER TYPE 250TH (VALIDATION DATE: 8906) USER: 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | ER | 01-JUN-89 | ER | EC | 85 | | |
| | | MIL-E-1/884E | ELECTRON TUBE, POWER TYPE 304TH USER: 11 AS CG MC OS REVIEWER: 17 99 AR ES | A | 5960 | EC | 05-APR-85 | ER | EC | 85 | | |
| | | MIL-E-1/887B NOTICE 1 | ELECTRON TUBE, POWER TYPE 8438 (VALIDATION DATE: 8906) USER: 19 AR AS AV CG MC OS SH REVIEWER: 11 99 ES | A | 5960 | ER | 01-JUN-89 | ER | EC | 80 | | |
| | | MIL-E-1/889F NOTICE 1 | ELECTRON TUBE, POWER TYPE 7203 (VALIDATION DATE: 8906) USER: 19 AR AS AV CG MC ME OS SH REVIEWER: 99 ES | A | 5960 | ER | 01-JUN-89 | ER | EC | 85 | | |
| | | MIL-E-1/891B | ELECTRON TUBE, GAS TYPE 4832 (VALIDATION DATE: 8104) USER: 11 AR AS CG MC OS REVIEWER: 17 99 ES | A | 5960 | EC | 30-APR-75 | ER | EC | 85 | | |
| | | MIL-E-1/894E | ELECTRON TUBE, THYRATHRON TYPE 884 USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES | A | 5960 | EC | 21-NOV-85 | ER | EC | 85 | | |
| | | MIL-E-1/8988(1) | ELECTRON TUBE, THYRATRON TYPE 5560 USER: 14 AS CG MC REVIEWER: 11 17 99 ES | A | 5960 | EC | 18-JUL-84 | ER | EC | 85 | | |
| | | MIL-E-1/901C | ELECTRON TUBE, KLYSTRON TYPE 6995 (VALIDATION DATE: 8204) USER: 11 AR AS CG MC ME OS REVIEWER: 99 ES | A | 5960 | EC | 20-FEB-76 | ER | EC | 85 | | |
| | | MIL-E-1/9040(1) | ELECTRON TUBE, RECEIVING TYPE 6167 (VALIDATION DATE: 8204) USER: 19 AS CG MC ME OS SH REVIEWER: 11 99 ES MI | A | 5960 | EC | 02-FEB-76 | ER | EC | 85 | | |
| L | | MIL-E-1/9050 | ELECTRON TUBE, RECEIVING TYPE 6211 (VALIDATION DATE: 8304) REVIEWER: ES ... | A | 5960 | EC | 26-AUG-70 | | EC | | | |
| | | MIL-E-1/906C(1) | ELECTRON TUBE, RADIATION COUNTER TYPE 5979 (VALIDATION DATE: 8204) USER: AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | EC | 15-APR-76 | ER | EC | 85 | | |
| | | MIL-E-1/911C | ELECTRON TUBE, POWER TYPE 719A (VALIDATION DATE: 8104) USER: 14 19 AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | EC | 16-JUN-75 | ER | EC | 85 | | |
| | | MIL-E-1/9128 | ELECTRON TUBE, POWER TYPE 836 (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | EC | 04-AUG-72 | ER | EC | 85 | | |
| | | MIL-E-1/9138 | ELECTRON TUBE, GAS TYPE 8698 (VALIDATION DATE: 8104) USER: 14 19 AS CG MC OS REVIEWER: 17 99 ES | A | 5960 | EC | 10-JUL-75 | ER | EC | 85 | | |
| | | MIL-E-1/9158 | ELECTRON TUBE, RECEIVING TYPE 1616 (VALIDATION DATE: 8204) USER: AS CG MC ME OS REVIEWER: 11 17 99 AR ES MI | A | 5960 | EC | 10-MAR-76 | ER | EC | 85 | | |
| | | MIL-E-1/917D | ELECTRON TUBE, THYRATRON TYPE 5696 (VALIDATION DATE: 8104) USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 ES | A | 5960 | EC | 22-MAY-75 | ER | EC | 85 | | |
| | | MIL-E-1/921C | ELECTRON TUBE, POWER TYPE 805 (VALIDATION DATE: 8204) USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES | A | 5960 | EC | 31-OCT-75 | ER | EC | 85 | | |
| | | MIL-E-1/923C | ELECTRON TUBE, KLYSTRON TYPE 6460 (VALIDATION DATE: 8505) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES MI | A | 5960 | EC | 25-AUG-66 | ER | EC | 85 | | |
| | | MIL-E-1/9246(2) | ELECTRON TUBE, RECEIVING TYPE 5R4WGB (VALIDATION DATE: 8907) USER: 11 AS CG MC OS REVIEWER: 99 AR ES MI SH | A | 5960 | 85 | 14-JUL-89 | ER | EC | 85 | | |
| | | MIL-E-1/928D | ELECTRON TUBE, POWER TYPE 813 (VALIDATION DATE: 8104) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 16-JUN-75 | ER | EC | 85 | | |
| | | MIL-E-1/933B NOTICE 1 | ELECTRON TUBE, POWER TYPE 833A (VALIDATION DATE: 8704) USER: AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | | |
| | | MIL-E-1/9348 | ELECTRON TUBE, TRANSMITTING TYPE 837 (VALIDATION DATE: 8204) USER: 11 AS CG MC ME OS REVIEWER: 99 ES | A | 5960 | EC | 01-JUL-76 | ER | EC | 85 | | |
| A | | MIL-E-1/936C(1) | ELECTRON TUBE, KLYSTRON JAN 5981 USER: 17 99 AS CG MC REVIEWER: ES ..... | A | 5960 | EC | 27-NOV-92 | ER | EC | 85 | | |
| | | MIL-E-1/940G | ELECTRON TUBE, RECEIVING TYPE 082WA (VALIDATION DATE: 8204) USER: AS CG MC ME OS REVIEWER: 11 99 AR ES MI | A | 5960 | EC | 10-MAR-76 | ER | EC | 85 | | |
| | | MIL-E-1/942D | ELECTRON TUBE, RECEIVING TYPE 12BY7A (VALIDATION DATE: 8505) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 13-APR-67 | ER | EC | 85 | | |
| | | MIL-E-1/943C | ELECTRON TUBE, PHOTOMULTIPLIER TYPE 5819 (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | EC | 12-NOV-71 | ER | EC | 85 | | |
| | | MIL-E-1/945D | ELECTRON TUBE, MAGNETRON TYPES 2J49 AND 2J50 (VALIDATION DATE: 8104) USER: AS AV CG MC OS SH REVIEWER: 11 99 ES | A | 5960 | EC | 08-MAY-75 | ER | EC | 85 | | |
| | | MIL-E-1/9498 | ELECTRON TUBE, CATHODE TYPE 7AEP7 (VALIDATION DATE: 8104) USER: AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | EC | 19-NOV-74 | ER | EC | 85 | | |
| | | MIL-E-1/952G(1) | ELECTRON TUBE, RECEIVING TYPE 6AU8WC USER: 11 AR AS CG MC ME OS REVIEWER: 99 ES | A | 5960 | EC | 05-AUG-81 | ER | EC | 85 | | |
| L | | MIL-E-1/953D | ELECTRON TUBE, RECEIVING TYPE 6386 USER: 11 AS CG MC ME OS REVIEWER: 99 ES MI | A | 5960 | EC | 15-APR-81 | ER | EC | 85 | | |
| | | MIL-E-1/9590(2) | ELECTRON TUBE, POWER TYPE 576A (VALIDATION DATE: 8505) USER: 14 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES MI | A | 5960 | EC | 15-NOV-78 | ER | EC | 85 | | |
| | | MIL-E-1/962C | ELECTRON TUBE, PHOTOTUBE TYPE 6363 (VALIDATION DATE: 8104) REVIEWER: 11 17 99 ES | A | 5960 | EC | 31-JAN-75 | ER | EC | 85 | | |
| | | MIL-E-1/964C NOTICE 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6378 (VALIDATION DATE: 8704) REVIEWER: 11 99 AR ES | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | | |
| | | MIL-E-1/9700(3) | ELECTRON TUBE, GAS SWITCHING TYPE 1B58A USER: AS CG MC OS SH REVIEWER: 11 99 ES | A | 5960 | 85 | 22-FEB-85 | ER | EC | 85 | | |
| | | MIL-E-1/972E | ELECTRON TUBE, CATHODE RAY TYPE 5AHP7A (VALIDATION DATE: 0505) USER: 11 AS CG MC OS REVIEWER: 17 99 ES | A | 5960 | EC | 26-DEC-72 | ER | EC | 85 | | |
| | | MIL-E-1/9738(2) | ELECTRON TUBE, RADIATION COUNTER TYPE 5980 (VALIDATION DATE: 8204) USER: AS CG MC ME OS REVIEWER: 11 17 99 ES MI | A | 5960 | EC | 15-APR-76 | ER | EC | 85 | | |
| | | MIL-E-1/974E | ELECTRON TUBE, CATHODE RAY TYPE 3ADP1, 3ADP2, 3ADP7, & 3ADP11 (VALIDATION DATE: 8204) USER: 11 AS CG MC ME OS REVIEWER: 99 ES | A | 5960 | EC | 20-JUL-76 | ER | EC | 85 | | |
| | | MIL-E-1/981C | ELECTRON TUBE, KLYSTRON JAN 726C (VALIDATION DATE: 8304) USER: AS AV CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | EC | 31-MAR-70 | ER | EC | 85 | | |
| | | MIL-E-1/982B NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE 2K25 (VALIDATION DATE: 8704) USER: AS CG MC ME OS REVIEWER: 11 99 AR ES | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | | |
| | | MIL-E-1/985B NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5U4GB (VALIDATION DATE: 8704) USER: AS CG MC ME OS SH REVIEWER: 99 AR ES MI | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | | |
| | | MIL-E-1/988F | ELECTRON TUBE, RADIATION COUNTER TYPE 7616 (VALIDATION DATE: 8204) USER: AR AS MC ME OS REVIEWER: 17 99 ES | A | 5960 | EC | 15-APR-76 | ER | EC | 85 | | |
| | | MIL-E-1/987F(1) | ELECTRON TUBE, GASEOUS DISCHARGE TYPE 7617 USER: 11 AS AT AV MC ME OS REVIEWER: 17 99 ES | A | 5960 | EC | 01-FEB-84 | ER | EC | 85 | | |
| | | MIL-E-1/988F(1) | ELECTRON TUBE, VOLTAGE REGULATOR TYPE 7615 USER: 11 AR AS CG MC OS REVIEWER: 99 ES | A | 5960 | EC | 23-APR-84 | ER | EC | 85 | | |
| | | MIL-E-1/999A NOTICE 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6163 (VALIDATION DATE: 8906) USER: 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES MI | A | 5960 | ER | 01-JUN-89 | ER | EC | 80 | | |
| | | MIL-E-1/1000A NOTICE 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6164 (VALIDATION DATE: 8906) USER: 11 AR AS CG MC OS SH REVIEWER: 99 ES MI | A | 5960 | ER | 01-JUN-89 | ER | | 17 | | |
| | | MIL-E-1/1005C | ELECTRON TUBE, CATHODE RAY TYPE 10MP7A) (VALIDATION DATE: 8104) USER: AS CG MC OS SH REVIEWER: 17 99 ES MI | A | 5960 | EC | 05-NOV-74 | ER | EC | 85 | | |
| | | MIL-E-1/10080 NOTICE 1 | ELECTRON TUBE, CATHODE RAY TYPE 40P7 (VALIDATION DATE: 8704) USER: 11 AS CG MC OS REVIEWER: 17 99 ES ME | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | | |
| | | MIL-E-1/1011D NOTICE 1 | ELECTRON TUBE, THYRATRON TYPE 5957 (VALIDATION DATE: 8906) USER: 19 AR AS AV CG MC SH REVIEWER: 11 99 ES MI | A | 5960 | ER | 01-JUN-89 | ER | EC | 80 | | |
| L | | MIL-E-1/1012A(1) NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPES SRL-7F, SRL-7G, SRL-7H (VALIDATION DATE: 8906) REVIEWER: ES | A | 5960 | ER | 01-JUN-89 | ER | | | | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MIL-E-1/1017E(1) | ELECTRON TUBE, RECEIVING TYPE 5879 USER: AS CG MC REVIEWER: 17 99 ES ..... | A 5960 EC 05-JAN-84 | ER | EC | | 85 |
| | | MIL-E-1/1021C NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5Y3WGTA [VALIDATION DATE: 8704] USER: 19 AS MC ME OS REVIEWER: 11 99 AR CG ES MI | A 5960 85 17-APR-87 | ER | EC | | 85 |
| | | MIL-E-1/1022D | ELECTRON TUBE, RECEIVING TYPE-6384 [VALIDATION DATE: 8304] USER: 11 17 AR AS CG MC OS REVIEWER: 99 ES | A 5960 EC 22-FEB-77 | ER | EC | | 85 |
| L | | MIL-E-1/1031C NOTICE 1 | ELECTRON TUBE CATHODE RAY TYPE 10UP14B [VALIDATION DATE: 8704] REVIEWER: 11 17 99 ES | A 5960 85 17-APR-87 | | | | 85 |
| | | MIL-E-1/1036D(1) NOTICE 1 | ELECTRON TUBE, MAGNETRON, PULSE, TYPE 7529 [VALIDATION DATE: 8704] USER: 11 AS CG MC OS SH REVIEWER: 99 AR ES MI | A 5960 85 17-APR-87 | ER | EC | | 85 |
| | | MIL-E-1/1037D(1) NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6897 [VALIDATION DATE: 8906] USER: AR AS CG MC ME OS SH REVIEWER: 11 19 99 ES | A 5960 ER 01-JUN-89 | ER | EC | | 80 |
| L | | MIL-E-1/1041A NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6352 [VALIDATION DATE: 8704] REVIEWER: 11 99 ES MI | A 5960 85 17-APR-87 | | | | 85 |
| | | MIL-E-1/1043D NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 5876A [VALIDATION DATE: 8704] USER: 11 AS CG MC OS REVIEWER: 99 ES | A 5960 85 03-OCT-77 | ER | EC | | 85 |
| L | | MIL-E-1/1044C(1) NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6263A [VALIDATION DATE: 8704] REVIEWER: 11 17 99 ES | A 5960 85 19-JUL-78 | | | | 85 |
| L | | MIL-E-1/1045C(1) NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6264A [VALIDATION DATE: 8704] REVIEWER: 11 99 ES | A 5960 85 17-APR-87 | | | | 85 |
| | | MIL-E-1/1047B NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C41 [VALIDATION DATE: 8906] USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A 5960 ER 01-JUN-89 | ER | EC | | 85 |
| | | MIL-E-1/1048B | ELECTRON TUBE, CATHODE RAY TYPE 5AFP7 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 EC 05-OCT-70 | ER | EC | | 85 |
| | | MIL-E-1/1049H(1) | ELECTRON TUBE, IMAGE CONVERTER TYPE 6914 USER: 19 AR AS CG MC SH REVIEWER: 17 99 ES | A 5960 EC 14-MAR-92 | ER | EC | | 85 |
| | | MIL-E-1/1055D(2) | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 6442 USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 EH 30-MAY-88 | ER | EC | | 85 |
| | | MIL-E-1/1056D | ELECTRON TUBE, CATHODE RAY TYPE 12SP7D [VALIDATION DATE: 8304] USER: 19 AS CG MC REVIEWER: 11 17 99 ES | A 5960 EC 23-MAR-71 | ER | EC | | 85 |
| | | MIL-E-1/1065E | ELECTRON TUBE, CATHODE RAY TYPE 58CP7 [VALIDATION DATE: 8204] USER: 11 AS CG ME OS SH REVIEWER: 99 ES | A 5960 EC 24-NOV-75 | ER | EC | | 85 |
| | | MIL-E-1/1069F(1) | ELECTRON TUBE, RECEIVING JAN 5702WB USER: 11 AR AS CG MC OS REVIEWER: 99 ES | A 5960 EC 02-OCT-81 | ER | EC | | 85 |
| | | MIL-E-1/1070D(1) | ELECTRON TUBE, RECEIVING TYPE 5703WB USER: 11 AR AS CG OS REVIEWER: 99 ES MC MI | A 5960 EC 09-FEB-82 | ER | EC | | 85 |
| L | | MIL-E-1/1071B NOTICE 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6962 [VALIDATION DATE: 8906] REVIEWER: ES MI | A 5960 ER 01-JUN-89 | ER | | | |
| L | | MIL-E-1/1072F | ELECTRON TUBE, CATHODE RAY TYPE 22CP7A & 22CP25A [VALIDATION DATE: 8104] USER: AS CG MC OS REVIEWER: ES | A 5960 EC 05-SEP-75 | | EC | | |
| | | MIL-E-1/1073F(1) | ELECTRON TUBE, RECEIVING TYPE 5744WB USER: 11 AS CG OS REVIEWER: 99 AR ES MC | A 5960 EC 06-OCT-81 | ER | EC | | 85 |
| | | MIL-E-1/1075C(1) NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 5768 [VALIDATION DATE: 8906] USER: 19 AR AS CG ME OS SH REVIEWER: 99 ES | A 5960 ER 01-JUN-89 | ER | EC | | 11 |
| L | | MIL-E-1/1079C | ELECTRON TUBE, CATHODE RAY TYPE 6DP7 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A 5960 EC 04-FEB-75 | | EC | | |
| | | MIL-E-1/1082D | ELECTRON TUBE, RECEIVING TYPE 6832 [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 17 99 ES MI | A 5960 EC 16-JUN-71 | ER | EC | | 85 |
| Q | | MIL-E-1/1090E | ELECTRON TUBE, RECEIVING TYPE 6829 USER: AS CG MC ME REVIEWER: 11 17 99 ES MI | A 5960 EC 03-APR-81 | ER | EC | | 85 |
| | | MIL-E-1/1091B | ELECTRON TUBE, TYPE 12AU6 (NAVY) [VALIDATION DATE: 8404] USER: 19 AS CG MC OS REVIEWER: 17 ES | A 5960 EC 18-AUG-71 | | EC | | 85 |
| | | MIL-E-1/1094B | ELECTRON TUBE, RECEIVING TYPE 6BJ6A [VALIDATION DATE: 8104] USER: 19 AS CG MC ME OS REVIEWER: 99 ES | A 5960 EC 08-NOV-68 | ER | EC | | 85 |
| | | MIL-E-1/1095B NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6CG7 [VALIDATION DATE: 8704] REVIEWER: 99 ... | A 5960 85 28-APR-77 | ER | EC | | 85 |
| | | MIL-E-1/1097G(1) | ELECTRON TUBE, RECEIVING TYPE 12AT7WC USER: 11 AR AS CG MC ME OS SH REVIEWER: 99 ES MI | A 5960 EC 30-SEP-81 | ER | EC | | 85 |
| | | MIL-E-1/1099D | ELECTRON TUBE, THYRATRON TYPE 5948A [VALIDATION DATE: 8104] USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 EC 06-AUG-75 | ER | EC | | 85 |
| | | MIL-E-1/1100D | ELECTRON TUBE, THYRATRON TYPE 5949A [VALIDATION DATE: 8104] USER: 14 19 AS CG MC OS REVIEWER: 11 ES MI | A 5960 EC 06-AUG-75 | ER | EC | | 85 |
| L | | MIL-E-1/1105(2) NOTICE 1 | ELECTRON TUBE TYPE 6664 [VALIDATION DATE: 8906] REVIEWER: 99 ES MI ..... | A 5960 ER 01-JUN-89 | ER | | | |
| | | MIL-E-1/1111C | ELECTRON TUBE, RECEIVING TYPE 1X2C [VALIDATION DATE: 8104] USER: 11 AS CG MC OS SH REVIEWER: 99 ES | A 5960 EC 26-AUG-75 | ER | EC | | 85 |
| | | MIL-E-1/1112F(1) NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE 8493 [VALIDATION DATE: 8811] USER: 11 AR AS CG MC OS SH REVIEWER: 99 | A 5960 85 18-NOV-88 | ER | EC | | 85 |
| | | MIL-E-1/1120E NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7289 [VALIDATION DATE: 8906] USER: 19 AR AS CG MC ME OS SH REVIEWER: 11 17 99 ES | A 5960 ER 01-JUN-89 | ER | EC | | 80 |
| L | | MIL-E-1/1122A NOTICE 1 | ELECTRON TUBE, CATHODE RAY TYPE 12AKP7 [VALIDATION DATE: 8704] REVIEWER: 99 | A 5960 85 14-AUG-68 | | | | 85 |
| L | | MIL-E-1/1127E | ELECTRON TUBE, RECEIVING, TYPE 6943 (NAVY) [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: ES MI | A 5960 EC 28-SEP-78 | | EC | | |
| | | MIL-E-1/1130G | ELECTRON TUBE, RECEIVING TYPE 6AH6WA USER: 11 AS CG MC OS REVIEWER: 99 AR ES | A 5960 EC 13-AUG-82 | ER | EC | | 85 |
| | | MIL-E-1/1131D | ELECTRON TUBE, RECEIVING TYPE 6877 USER: AR AS CG MC OS SH REVIEWER: 17 99 ES | A 5960 EC 24-JUN-83 | ER | EC | | 85 |
| | | MIL-E-1/1133C | ELECTRON TUBE, CATHODE RAY TYPE 5AQP7 [VALIDATION DATE: 8104] USER: 19 AS CG ME OS REVIEWER: 99 ES | A 5960 EC 22-OCT-68 | ER | EC | | 85 |
| L | | MIL-E-1/1147A(1) NOTICE 1 | ELECTRON TUBE, MICROWAVE NOISE SOURCE TYPE 6782 [VALIDATION DATE: 8906] REVIEWER: ES MI | A 5960 ER 01-JUN-89 | ER | | | |
| | | MIL-E-1/1152E | ELECTRON TUBE, POWER TYPE 6942 [VALIDATION DATE: 8404] USER: 19 AS CG MC ME OS REVIEWER: 17 99 ES | A 5960 EC 09-JAN-78 | ER | EC | | 85 |
| L | | MIL-E-1/1158B NOTICE 1 | ELECTRON TUBE, POWER TYPE 5736 [VALIDATION DATE: 8704] REVIEWER: 17 ..... | A 5960 85 20-APR-73 | ER | EC | | 85 |
| | | MIL-E-1/1159C(1) | ELECTRON TUBE, POWER TYPE 705WA USER: 14 19 AS CG MC ME OS REVIEWER: 11 17 99 ES | A 5960 EC 18-JUL-84 | ER | EC | | 85 |
| | | MIL-E-1/1162C | ELECTRON TUBE, CATHODE RAY TYPE 10KP7A [VALIDATION DATE: 8404] USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES | A 5960 EC 04-APR-72 | ER | EC | | 85 |
| | | MIL-E-1/1165E(1) | ELECTRON TUBE, RECEIVING TYPE 6948 [VALIDATION DATE: 8805] USER: 11 AS CG MC OS SH REVIEWER: 99 ES | A 5960 85 20-MAY-88 | ER | EC | | 85 |
| L | | MIL-E-1/1166C | ELECTRON TUBE, RECEIVING TYPE 1K3A [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A 5960 EC 12-AUG-75 | | EC | | |
| | | MIL-E-1/1168F | ELECTRON TUBE, RECEIVING TYPE 6922 USER: 11 AS CG MC ME OS REVIEWER: 17 99 AR ES MI | A 5960 EC 27-JUN-83 | ER | EC | | 85 |
| | | MIL-E-1/1169C | ELECTRON TUBE, RECEIVING TYPE 6U8A [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES MI | A 5960 EC 25-MAY-70 | ER | EC | | 85 |
| | | MIL-E-1/1174D | ELECTRON TUBE, POWER TYPE 6303 [VALIDATION DATE: 8104] USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES MI | A 5960 EC 17-JUN-75 | ER | EC | | 85 |
| L | | MIL-E-1/1178D | ELECTRON TUBE, CATHODE RAY USN 7AGP19 (NAVY [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES MI | A 5960 EC 23-DEC-76 | | EC | | |
| | | MIL-E-1/1180C | ELECTRON TUBE, KLYSTRON TYPE 6781 [VALIDATION DATE: 8304] USER: AS CG ME OS REVIEWER: 11 99 ES | A 5960 EC 17-JUN-70 | ER | EC | | 85 |

| Action | Opt. / Obst. | Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-E-1/1203J | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7077 (VALIDATION DATE: 8204) USER: AS CG MC OS REVIEWER: 11 99 ES MI | A | 5960 | EC | 25-MAY-76 | ER | EC | 85 | |
| | | | | MIL-E-1/1204F | ELECTRON TUBE, CATHODE RAY TYPE 1DP1 (VALIDATION DATE: 8104) USER: 11 AS CG MC OS SH REVIEWER: 99 ES | A | 5960 | EC | 09-APR-75 | ER | EC | 85 | |
| | | | | MIL-E-1/1205D NOTICE 1 | ELECTRON TUBE, CATHODE RAY TYPE 5BFP7 (VALIDATION DATE: 8704) REVIEWER: 11 17 | A | 5960 | 85 | 21-MAR-72 | ER | EC | 85 | |
| L | | | | MIL-E-1/1219F(1) | ELECTRON TUBE, CATHODE RAY TYPE 7KP25 (VALIDATION DATE: 8104) REVIEWER: ES MI | A | 5960 | EC | 06-AUG-75 | | EC | | |
| | | | | MIL-E-1/12218 | ELECTRON TUBE, RECEIVING TYPE 6939 (VALIDATION DATE: 8404) USER: AS CG MC REVIEWER: 11 17 99 ES MI | A | 5960 | EC | 31-AUG-71 | ER | EC | 85 | |
| | | | | MIL-E-1/12228 NOTICE 1 | ELECTRON TUBE, CATHODE RAY TYPE 12DP7C (VALIDATION DATE: 8906) USER: 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | ER | 01-JUN-89 | ER | EC | 85 | |
| | | | | MIL-E-1/1225C | ELECTRON TUBE, RECEIVING TYPE 6688 USER: 11 AS CG MC ME OS REVIEWER: 99 AR ES MI | A | 5960 | EC | 10-FEB-81 | ER | EC | 85 | |
| L | | | | MIL-E-1/1228C(3) NOTICE 1 | ELECTRON TUBE, TYPE 8361 (NAVY) (VALIDATION DATE: 8601) USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | EC | 19-NOV-73 | | EC | | |
| | | | | MIL-E-1/1232C(2) NOTICE 1 | ELECTRON TUBE, GAS SWITCHING TYPE 7166 (VALIDATION DATE: 8906) USER: 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES MI | A | 5960 | ER | 01-JUN-89 | ER | EC | 85 | |
| | | | | MIL-E-1/1239D NOTICE 1 | ELECTRON TUBES, POWER TYPES 6816 AND 6884 (VALIDATION DATE: 8802) USER: 19 AR AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | ER | 08-MAR-88 | ER | EC | 85 | |
| | | | | MIL-E-1/1245B | ELECTRON TUBE, RECEIVING TYPE 6CB6A (VALIDATION DATE: 8104) USER: 19 AS CG MC OS REVIEWER: 17 99 ES | A | 5960 | EC | 03-DEC-68 | ER | EC | 85 | |
| | | | | MIL-E-1/1254C NOTICE 1 | ELECTRON TUBE, GAS SWITCHING TYPE 7381 (VALIDATION DATE: 8704) REVIEWER: 80 | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | | | MIL-E-1/1260G | ELECTRON TUBE, THYRATRON TYPES 7190 AND 7191 (VALIDATION DATE: 8204) USER: 11 AR AS CG MC OS SH REVIEWER: 99 ES | A | 5960 | EC | 11-NOV-75 | ER | EC | 85 | |
| | | | | MIL-E-1/1261F NOTICE 1 | ELECTRON TUBES, CATHODE RAY TYPES 12ABP1A, 12ABP7A, AND 12ABP19A (VALIDATION DATE: 8704) REVIEWER: 11 | A | 5960 | 85 | 21-MAR-72 | ER | EC | 85 | |
| | | | | MIL-E-1/1266D | ELECTRON TUBE, NUMERICAL INDICATOR TYPE 6844A (VALIDATION DATE: 8204) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES MI | A | 5960 | EC | 13-FEB-76 | ER | EC | 85 | |
| | | | | MIL-E-1/1272A NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6814 (VALIDATION DATE: 8704) USER: OS REVIEWER: 11 | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| L | | | | MIL-E-1/1274B | ELECTRON TUBE, CATHODE RAY, STORAGE, TYPE 7315 AND 7448 (NAVY) (VALIDATION DATE: 8104) USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | EC | 03-MAR-75 | | EC | | |
| | | | | MIL-E-1/1276D(1) | ELECTRON TUBE, RECEIVING TYPE 12AX7WA USER: 11 AR AS CG MC ME OS REVIEWER: 99 ES MI | A | 5960 | EC | 30-SEP-81 | ER | EC | 85 | |
| | | | | MIL-E-1/1281D | ELECTRON TUBE, POWER TYPE SR 554 & 554 (VALIDATION DATE: 8104) USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 99 ES MI SH | A | 5960 | EC | 01-AUG-75 | ER | EC | 85 | |
| | | | | MIL-E-1/1282E | ELECTRON TUBE, THYRATRON TYPE 7363 (VALIDATION DATE: 8204) USER: 11 AR AS CG MC OS REVIEWER: 17 99 ES | A | 5960 | EC | 11-NOV-75 | ER | EC | 85 | |
| L | | | | MIL-E-1/1283B | ELECTRON TUBE, TYPE 7471 (VALIDATION DATE: 8104) USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | EC | 03-MAR-75 | | EC | | |
| | | | | MIL-E-1/1286C NOTICE 1 | ELECTRON TUBE, POWER TYPE 577W (VALIDATION DATE: 9007) USER: 11 AS CG MC OS SH REVIEWER: 99 AR MI | A | 5960 | ER | 06-JUL-90 | ER | EC | 85 | |
| | | | | MIL-E-1/1288E | ELECTRON TUBE, KLYSTRON TYPE 8316 (VALIDATION DATE: 8204) USER: AS CG MC OS SH REVIEWER: 11 99 ES | A | 5960 | EC | 25-MAY-76 | ER | EC | 85 | |
| L | | | | MIL-E-1/1290D(2) | ELECTRON TUBE, KLYSTRON TYPES 8315 (VALIDATION DATE: 8505) USER: AS CG MC OS SH REVIEWER: ES MI | A | 5960 | EC | 24-APR-79 | | EC | | |
| | | | | MIL-E-1/1291F NOTICE 1 | ELECTRON TUBE, THYRATRON TYPE 7410 (VALIDATION DATE: 8906) USER: 19 AS CG MC OS REVIEWER: 17 99 AR ES MI | A | 5960 | ER | 01-JUN-89 | ER | SH | 11 | |
| L | | | | MIL-E-1/1292D(1) | ELECTRON TUBE, KLYSTRON, TYPE 8405 (VALIDATION DATE: 8304) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 26-AUG-70 | | EC | | |
| L | | | | MIL-E-1/1294B NOTICE 1 | ELECTRON TUBE, VIDICON TYPE 7263A (VALIDATION DATE: 8704) REVIEWER: 11 17 . | A | 5960 | 85 | 17-APR-87 | | | 85 | |
| | | | | MIL-E-1/1295D NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6842 (VALIDATION DATE: 8805) USER: 11 REVIEWER: 99 ES | A | 5960 | 85 | 20-MAY-88 | ER | EC | 85 | |
| | | | | MIL-E-1/1296E | ELECTRON TUBE, CATHODE RAY TYPE 4MP1 (VALIDATION DATE: 8104) USER: 19 AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 | EC | 30-OCT-74 | ER | EC | 85 | |
| L | | | | MIL-E-1/1297B | ELECTRON TUBE, CATHODE RAY TYPE 10AKP7 (NAVY) (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 07-FEB-72 | | EC | | |
| | | | | MIL-E-1/1298C | ELECTRON TUBE, PHOTOTUBE TYPE CE75V (VALIDATION DATE: 8204) USER: AS CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | EC | 20-JUL-76 | ER | EC | 85 | |
| L | | | | MIL-E-1/1300A(1) NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 7246 (VALIDATION DATE: 8906) REVIEWER: ES ... | A | 5960 | ER | 01-JUN-89 | ER | | | |
| L | | | | MIL-E-1/1301D | ELECTRON TUBE, RECEIVING TYPE 7308 USER: AS CG MC OS SH REVIEWER: ES ..... | A | 5960 | EC | 27-JUN-83 | | EC | | |
| | | | | MIL-E-1/1308C | ELECTRON TUBE, RECEIVING TYPE 6360 (VALIDATION DATE: 8304) USER: 19 AS CG MC OS REVIEWER: 11 99 AR ES | A | 5960 | EC | 17-AUG-70 | ER | EC | 85 | |
| | | | | MIL-E-1/1309A | ELECTRON TUBE, RECEIVING TYPE 6805 (VALIDATION DATE: 8304) USER: AS CG MC OS REVIEWER: 99 ES | A | 5960 | EC | 21-AUG-70 | | EC | 85 | |
| | | | | MIL-E-1/1311A(1) NOTICE 1 | ELECTRON TUBE, CW FIELD TUNED OSCILLATOR TYPE JAN-7533 (VALIDATION DATE: 8906) USER: 17 AR MC REVIEWER: 99 ES | A | 5960 | ER | 01-JUN-89 | ER | SH | 11 | |
| | | | | MIL-E-1/1313D(1) | ELECTRON TUBE, POWER TYPE 8167 (VALIDATION DATE: 8304) USER: 11 AS CG MC ME OS REVIEWER: 17 99 ES | A | 5960 | EC | 01-NOV-76 | ER | EC | 85 | |
| | | | | MIL-E-1/1314B(1) NOTICE 1 | ELECTRON TUBE, POWER TYPES 6283 AND 8500 (VALIDATION DATE: 8704) REVIEWER: 11 17 | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | | | MIL-E-1/1315D(1) NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE-6517 (VALIDATION DATE: 8704) REVIEWER: 99 ... | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | | | MIL-E-1/1316C NOTICE 1 | ELECTRON TUBE, POWER TYPE 8020W (VALIDATION DATE: 8704) REVIEWER: 80 99 ... | A | 5960 | 85 | 26-JUN-75 | ER | EC | 85 | |
| Q | | | | MIL-E-1/1317D NOTICE 1 | ELECTRON TUBE, POWER TYPE 3829W (VALIDATION DATE: 8710) USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 99 ES MI | A | 5960 | EC | 13-OCT-87 | ER | EC | 85 | |
| | | | | MIL-E-1/1319D NOTICE 1 | ELECTRON TUBE, THYRATRON TYPE 7590 (VALIDATION DATE: 8710) USER: 11 19 AR AS CG MC OS REVIEWER: 17 99 ES | A | 5960 | EC | 13-OCT-87 | ER | EC | 85 | |
| L | | | | MIL-E-1/1320B | ELECTRON TUBE, TYPE 4MP7 (NAVY) (VALIDATION DATE: 8404) REVIEWER: ES MI ... | A | 5960 | EC | 11-MAR-66 | | EC | | |
| L | | | | MIL-E-1/1324A | ELECTRON TUBE, CATHODE RAY, RAY TYPE 8MP18 (NAVY) (VALIDATION DATE: 8404) REVIEWER: ES MI | A | 5960 | EC | 12-NOV-65 | | EC | | |
| | | | | MIL-E-1/1325D(1) | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7554 (VALIDATION DATE: 8304) USER: AR AS CG MC REVIEWER: 11 17 99 ES | A | 5960 | EC | 17-NOV-76 | ER | EC | 85 | |
| | | | | MIL-E-1/1328B NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5842WA (VALIDATION DATE: 8704) REVIEWER: 11 17 | A | 5960 | 85 | 17-APR-87 | | EC | 85 | |
| L | | | | MIL-E-1/1329(3) NOTICE 1 | ELECTRON TUBE, MAGNETRON, PULSE TYPE 7521 (VALIDATION DATE: 8906) REVIEWER: 99 ES MI | A | 5960 | ER | 01-JUN-89 | ER | | | |
| | | | | MIL-E-1/1330E | ELECTRON TUBE, NEGATIVE GRID, MICROWAVE TYPE 7486 (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: 11 99 ES | A | 5960 | EC | 09-JUL-75 | ER | EC | 85 | |
| | | | | MIL-E-1/1331D NOTICE 1 | ELECTRON TUBE, POWER TYPE 7609 (VALIDATION DATE: 8704) USER: 19 ..... | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| L | | | | MIL-E-1/1332B NOTICE 1 | ELECTRON TUBE, TRIODE, POWER TYPE 6950 (VALIDATION DATE: 8805) REVIEWER: 11 17 99 ES MI | A | 5960 | 85 | 20-MAY-88 | | | 85 | |
| | | | | MIL-E-1/1333F | ELECTRON TUBE, MICROWAVE TYPE 7266 (VALIDATION DATE: 8705) REVIEWER: 17 99 | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| L | | | | MIL-E-1/1334F | ELECTRON TUBE, NEGATIVE GRID, (MICROWAVE) TYPE 7296 (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 04-FEB-72 | | EC | | |
| | | | | MIL-E-1/1335F | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7462 (VALIDATION DATE: 8104) USER: AS CG ME OS REVIEWER: 99 AR ES | A | 5960 | EC | 09-JUL-75 | ER | EC | 85 | |
| | | | | MIL-E-1/1336E | ELECTRON TUBE, PULSE MODULATOR TYPE 3021WP REVIEWER: 99 ES ..... | A | 5960 | EC | 03-MAY-85 | ER | EC | 85 | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-E-1/1337C(2) | ELECTRON TUBE, CATHODE RAY, STORAGE, TYPE 7423 (NAVY) USER: AS CG MC OS SH | A | 5960 EC | 16-JUL-84 | | EC | | |
| L | | MIL-E-1/1338B(3) | ELECTRON TUBE, KLYSTRON TYPE 6584 [VALIDATION DATE: 8204] REVIEWER: AS CG MC OS | A | 5960 EC | 20-JUL-76 | | EC | | |
| L | | MIL-E-1/1339B(1) | ELECTRON TUBE, CATHODE RAY TYPE SAMP1A USER: AS CG MC OS SA REVIEWER: ES MI | A | 5960 EC | 05-JUL-91 | | EC | | |
| L | | MIL-E-1/1341(1) NOTICE 1 | ELECTRON TUBE, CATHODE-RAY ELECTROSTATIC DEFLECTION AND FOCUS TYPE 38GP1 [VALIDATION DATE: 8906] REVIEWER: ES | A | 5960 ER | 02-JUN-89 | ER | | | |
| | | MIL-E-1/1342B(1) | ELECTRON TUBE, CATHODE RAY TYPE 1EP1 [VALIDATION DATE: 8505] USER: AS CG MC OS SH REVIEWER: 11 17 AR ES | A | 5960 EC | 12-APR-79 | ER | EC | 85 | |
| L | | MIL-E-1/1345B | ELECTRON TUBE, CATHODE RAY TYPE 12AWP12 (NAVY) [VALIDATION DATE: 8104] USER: AS MC OS SH REVIEWER: ES | A | 5960 EC | 11-MAR-75 | | EC | | |
| | | MIL-E-1/1349C | ELECTRON TUBE, TYPE 6792 [VALIDATION DATE: 8304] USER: 19 AR AS CG MC ME OS REVIEWER: 11 17 99 ES MI | A | 5960 EC | 15-JUL-69 | ER | EC | 85 | |
| | | MIL-E-1/1350D | ELECTRON TUBE, POWER TYPE 8295A [VALIDATION DATE: 8204] USER: 11 AS CG MC ME OS REVIEWER: 17 99 ES | A | 5960 EC | 20-FEB-76 | ER | EC | 85 | |
| | | MIL-E-1/1358A NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 3B4WA [VALIDATION DATE: 8906] USER: 17 AR AS CG MC OS SH REVIEWER: 11 99 ES | A | 5960 ER | 02-JUN-89 | ER | EC | 80 | |
| | | MIL-E-1/1359A NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6028 [VALIDATION DATE: 8906] USER: 17 19 AR AS CG MC OS SH REVIEWER: 99 ES | A | 5960 ER | 02-JUN-89 | ER | EC | 80 | |
| A | | MIL-E-1/1361E(2) | ELECTRON TUBE, THYRATRON TYPES 7390 AND 7390A USER: 11 AR AS CG REVIEWER: 17 99 | A | 5960 EC | 06-MAR-93 | ER | EC | 85 | |
| L | | MIL-E-1/1365D | ELECTRON TUBE, RECEIVING, TYPE 6418 (NAVY) [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: AR ES MI | A | 5960 EC | 03-FEB-72 | | EC | | |
| | | MIL-E-1/1371F | ELECTRON TUBE, THYRATRON TYPE 7322 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS SH REVIEWER: 99 ES | A | 5960 EC | 11-MAY-76 | ER | EC | 85 | |
| L | | MIL-E-1/1373C | ELECTRON TUBE, CATHODE RAY ; TYPE 7AQP7 & 7AQP33 [VALIDATION DATE: 8505] USER: CG MC REVIEWER: ES | A | 5960 EC | 30-MAY-73 | | EC | | |
| | | MIL-E-1/1374D | ELECTRON TUBE, POWER TYPE 382WB [VALIDATION DATE: 8204] USER: 11 AR AS CG MC OS SH REVIEWER: 99 ES MI | A | 5960 EC | 02-FEB-76 | ER | EC | 85 | |
| L | | MIL-E-1/1376A(1) | ELECTRON TUBE, RECEIVING, TYPES 7551, 7558 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: ES | A | 5960 EC | 11-MAY-76 | | EC | | |
| | | MIL-E-1/1383B(1) | ELECTRON TUBE, POWER TYPE 204J [VALIDATION DATE: 8204] USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES | A | 5960 EC | 23-OCT-75 | ER | EC | 85 | |
| | | MIL-E-1/1385G | ELECTRON TUBE, POWER TYPES 7580W AND 8930 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 17 99 ES | A | 5960 EC | 11-FEB-76 | ER | EC | 85 | |
| L | | MIL-E-1/1386E | ELECTRON TUBE, CATHODE RAY TYPE 4QP2 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: ES | A | 5960 EC | 20-JUL-76 | | EC | | |
| L | | MIL-E-1/1388C(1) | ELECTRON TUBE, RADIATION COUNTER, TYPE 7840 USER: AS MC OS REVIEWER: ES ... | A | 5960 EC | 02-DEC-80 | | EC | | |
| L | | MIL-E-1/1389E(1) | ELECTRON TUBE, CATHODE RAY TYPE 10AMP7 USER: AS CG MC OS SH REVIEWER: ES .. | A | 5960 EC | 25-JUL-91 | | EC | | |
| | | MIL-E-1/1392C | ELECTRON TUBE, CATHODE RAY TYPE 5FP14A, & 5FP25 [VALIDATION DATE: 8304] USER: 19 AS CG OS REVIEWER: 11 99 ES | A | 5960 EC | 02-NOV-70 | ER | EC | 85 | |
| L | | MIL-E-1/1394B | ELECTRON TUBE, NOISE SOURCE TYPE 6357 [VALIDATION DATE: 8704] REVIEWER: 99 | A | 5960 85 | 17-APR-87 | | | 85 | |
| L | | MIL-E-1/1396B | ELECTRON TUBE, RECEIVING TYPE 7403 [VALIDATION DATE: 8705] REVIEWER: 11 17 | A | 5960 85 | 17-APR-87 | | | 85 | |
| | | MIL-E-1/1397E(1) NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 7586 [VALIDATION DATE: 8906] USER: 19 AR AS CG MC ME OS REVIEWER: 11 99 ES MI | A | 5960 ER | 02-JUN-89 | ER | EC | 85 | |
| L | | MIL-E-1/1399B | ELECTRON TUBE, CATHODE RAY TYPE 12 AMP 19 [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: ES | A | 5960 EC | 23-MAR-72 | | EC | | |
| L | | MIL-E-1/1400B | ELECTRON TUBE, CATHODE RAY TYPE 12ATP28 (NAVY) [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES | A | 5960 EC | 14-JUL-69 | | EC | | |
| L | | MIL-E-1/1401A(1) | ELECTRON TUBE, TRIODE, POWER [VALIDATION DATE: 8704] REVIEWER: 11 17 99 ES | A | 5960 85 | 17-APR-87 | | | 85 | |
| | | MIL-E-1/1404C NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 2DF4 [VALIDATION DATE: 8906] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 ER | 13-JUN-89 | ER | EC | 80 | |
| | | MIL-E-1/1405C | ELECTRON TUBE, TRAVELING WAVE TYPE 7640 [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 99 ES GS | A | 5960 EC | 26-NOV-74 | EL | EC | 85 | |
| | | MIL-E-1/1410A | ELECTRON TUBE, VIDICON TYPE 7735A [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 EC | 05-MAY-75 | ER | EC | 85 | |
| | | MIL-E-1/1421A NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5844 [VALIDATION DATE: 8906] USER: AR AS CG MC MI OS SH REVIEWER: 11 17 99 ES | A | 5960 ER | 13-JUN-89 | ER | EC | 80 | |
| L | | MIL-E-1/1423A(1) | ELECTRON TUBE, CATHODE RAY TYPE 12ARP19M (NAVY) [VALIDATION DATE: 8404] USER: AS CG MC OS SH REVIEWER: ES | A | 5960 EC | 27-MAR-78 | | EC | | |
| L | | MIL-E-1/1424A(1) NOTICE 1 | ELECTRON TUBE, POWER, TYPE 6303A [VALIDATION DATE: 8710] USER: AS CG MC OS REVIEWER: ES | A | 5960 EC | 13-OCT-87 | | EC | | |
| L | | MIL-E-1/1426C | ELECTRON TUBE, THYRATRON TYPE 8354 (NAVY) [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES MI | A | 5960 EC | 02-SEP-75 | | EC | | |
| | | MIL-E-1/1427E(1) | ELECTRON TUBE, POWER TYPE 8170W USER: 11 AS CG MC OS REVIEWER: 17 99 ES ... | A | 5960 EC | 15-NOV-83 | ER | EC | 85 | |
| | | MIL-E-1/1428E(1) NOTICE 1 | ELECTRON TUBE, THYRATRON TYPE 7621 [VALIDATION DATE: 8601] USER: 11 AS CG MC OS REVIEWER: 17 80 99 ES | A | 5960 EC | 03-SEP-80 | ER | EC | 85 | |
| | | MIL-E-1/1429G | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPES 7815, 7815R USER: AS CG MC OS REVIEWER: ES | A | 5960 85 | 22-APR-86 | | EC | 85 | |
| | | MIL-E-1/1432A | ELECTRON TUBE, GAS SWITCHING TR JAN 721B [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 11 99 ES MI | A | 5960 EC | 16-MAR-71 | ER | EC | 85 | |
| | | MIL-E-1/1433E NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 7895 [VALIDATION DATE: 8906] USER: 11 AS CG MC OS REVIEWER: 99 ES | A | 5960 ER | 13-JUN-89 | ER | EC | 85 | |
| | | MIL-E-1/1434E NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 7587 [VALIDATION DATE: 8906] USER: AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 ER | 13-JUN-89 | ER | EC | 85 | |
| | | MIL-E-1/1440C NOTICE 1 | ELECTRON TUBE DIODE JAN 575AM [VALIDATION DATE: 8704] USER: AS REVIEWER: 11 17 99 ES | A | 5960 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/1442A | ELECTRON TUBE, TRIODE JAN 809M [VALIDATION DATE: 8304] USER: 19 AS CG MC REVIEWER: 11 99 ES | A | 5960 EC | 27-JUL-70 | ER | EC | 85 | |
| | | MIL-E-1/1449A NOTICE 1 | ELECTRON TUBE, POWER TYPE 8013A [VALIDATION DATE: 8601] USER: 14 19 AS CG MC ME OS REVIEWER: 11 17 99 ES MI | A | 5960 EC | 28-MAR-67 | ER | EC | 85 | |
| | | MIL-E-1/1452E | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 7588 [VALIDATION DATE: 8104] USER: 11 [illegible] MC OS REVIEWER: 99 ES | A | 5960 EC | 10-JUL-75 | ER | EC | 85 | |
| | | MIL-E-1/1454C NOTICE 1 | ELECTRON TUBE, NUMERICAL INDICATOR TYPES 8037 AND 8421 [VALIDATION DATE: 8906] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 CE ES MI | A | 5960 ER | 13-JUN-89 | ER | EC | 80 | |
| L | | MIL-E-1/1455C | ELECTRON TUBE, CATHODE RAY TYPE 7BSP7 [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES | A | 5960 EC | 22-FEB-77 | | EC | | |
| | | MIL-E-1/1457D NOTICE 1 | ELECTRON TUBE, POWER TYPE 7843 [VALIDATION DATE: 8906] USER: 11 19 AR AS CG MC OS SH REVIEWER: 17 99 ES | A | 5960 ER | 13-JUN-89 | ER | EC | 85 | |
| | | MIL-E-1/1458C | ELECTRON TUBE, RECEIVING TYPE 7788 USER: AS CG MC OS SH REVIEWER: 17 ES MI | A | 5960 EC | 24-JUN-83 | ER | EC | 85 | |
| | | MIL-E-1/1460A NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5875 [VALIDATION DATE: 8906] USER: 11 19 AR AS CG MC OS SH REVIEWER: 17 ES MI | A | 5960 ER | 13-JUN-89 | ER | EC | 85 | |
| | | MIL-E-1/1461D(1) | ELECTRON TUBE, MAGNETRON TYPE 7006 USER: AS CG MC OS SH REVIEWER: 11 17 99 ES | A | 5960 ER | 16-MAR-87 | ER | EC | 85 | |
| | | MIL-E-1/1463C(1) | ELECTRON TUBE, RECEIVING TYPE 8334 [VALIDATION DATE: 8404] USER: 11 19 REVIEWER: 17 99 ES | A | 5960 EC | 16-AUG-72 | ER | EC | 85 | |
| L | | MIL-E-1/1470C(1) | ELECTRON TUBE, MICROWAVE (NEGATIVE GRID) TYPE 7698 USER: AS CG MC OS REVIEWER: ES | A | 5960 EC | 04-NOV-85 | | EC | | |
| | | MIL-E-1/1472C | ELECTRON TUBE, POWER TYPE 8188 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 99 ES | A | 5960 EC | 20-FEB-76 | ER | EC | 85 | |
| | | MIL-E-1/1473C | ELECTRON TUBE, POWER TYPE 8189 [VALIDATION DATE: 8104] USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES | A | 5960 EC | 28-APR-75 | ER | EC | 85 | |
| L | | MIL-E-1/1476A | ELECTRON TUBE, TRIODE TYPE 756V [VALIDATION DATE: 8704] REVIEWER: 11 99 ES | A | 5960 85 | 17-APR-87 | | | 85 | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-E-1/1478F | ELECTRON TUBE, RECEIVING TYPE 6336B (VALIDATION DATE: 8304) USER: 19 AS CG MC OS REVIEWER: 11 99 ES MI | A | 5960 EC | 15-NOV-76 | ER | EC | 85 | |
| | | MIL-E-1/1479F | ELECTRON TUBE, RECEIVING TYPE 6528A (VALIDATION DATE: 8304) USER: 11 19 AS CG MC ME OS REVIEWER: 99 ES | A | 5960 EC | 15-NOV-76 | ER | EC | 85 | |
| | | MIL-E-1/1485D NOTICE 1 | ELECTRON TUBE, THYRATRON TYPE 7665 AND 7665A (VALIDATION DATE: 8601) USER: AR AS CG OS SH REVIEWER: 11 99 ES MI | A | 5960 EC | 17-JAN-80 | ER | EC | 85 | |
| L | | MIL-E-1/1488A(1) | ELECTRON TUBE, TYPE 7792 (VALIDATION DATE: 8104) USER: CG MC OS REVIEWER: ES | A | 5960 EC | 02-MAY-69 | | EC | | |
| | | MIL-E-1/1490E | ELECTRON TUBE, RECEIVING TYPE 8056 USER: 11 AS CG MC OS REVIEWER: 99 ES ... | A | 5960 EC | 23-FEB-81 | ER | EC | 85 | |
| | | MIL-E-1/1491D | ELECTRON TUBE, RECEIVING TYPE 8058 (VALIDATION DATE: 8505) USER: 11 AS CG MC OS REVIEWER: 99 AR ES | A | 5960 EC | 08-NOV-78 | ER | EC | 85 | |
| L | | MIL-E-1/1494B | ELECTRON TUBE, PULSE AMPLIFIER TYPES 8428 AND 8455 (NAVY) (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: ES MI | A | 5960 EC | 15-AUG-66 | | EC | | |
| | | MIL-E-1/1496B(1) | ELECTRON TUBE, GAS TYPE 8435 (VALIDATION DATE: 8003) USER: 11 19 AR AS CG MC OS REVIEWER: 17 99 ES | A | 5960 EC | 12-APR-74 | ER | EC | 85 | |
| | | MIL-E-1/1497B(1) | ELECTRON TUBE, NUMERICAL INDICATOR TYPE 7977 (VALIDATION DATE: 8404) USER: 11 19 AS CG MC OS REVIEWER: 17 99 ES MI | A | 5960 EC | 16-MAR-78 | ER | EC | 85 | |
| | | MIL-E-1/1498B | ELECTRON TUBE, RADIAL BEAM SWITCHING TYPE 6710 (VALIDATION DATE: 8304) USER: 11 AR AS CG MC OS REVIEWER: 17 99 ES | A | 5960 EC | 22-FEB-77 | ER | EC | 85 | |
| | | MIL-E-1/1499A | ELECTRON TUBE, CATHODE RAY JAN 5AQP1B, 5AQP2B, 5AQP7,5AQP11B, 5AQP31B (VALIDATION DATE: 8304) USER: 19 AS CG MC REVIEWER: 11 17 99 ES MI | A | 5960 EC | 17-DEC-70 | ER | EC | 85 | |
| | | MIL-E-1/15008(1) | ELECTRON TUBE, NUMERICAL INDICATOR TYPE 7009 (VALIDATION DATE: 8404) USER: 11 19 AR AS CG MC OS REVIEWER: 17 99 ES | A | 5960 EC | 16-MAR-78 | ER | EC | 85 | |
| | | MIL-E-1/1501B | ELECTRON TUBE, RADIAL BEAM SWITCHING TYPE 6703 (VALIDATION DATE: 8304) USER: 11 AS CG MC OS REVIEWER: 99 ES MI | A | 5960 EC | 23-NOV-76 | ER | EC | 85 | |
| | | MIL-E-1/1502A | ELECTRON TUBE, TRANSMITTING TYPES 6146W AND 6159W (VALIDATION DATE: 8304) USER: 19 AR AS CG MC OS REVIEWER: 11 99 ES | A | 5960 EC | 15-JAN-71 | ER | EC | 85 | |
| | | MIL-E-1/1504B NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5965 (VALIDATION DATE: 8802) USER: 19 AS CG MC ME OS SH REVIEWER: 11 99 ES MI | A | 5960 ER | 08-FEB-88 | ER | EC | 85 | |
| L | | MIL-E-1/1505B | ELECTRON TUBE, CATHODE RAY, STORAGE, TYPE 7268A (NAVY) (VALIDATION DATE: 8304) REVIEWER: ES | A | 5960 EC | 02-MAR-65 | | EC | | |
| | | MIL-E-1/1506C | ELECTRON TUBE, POWER TYPE 8245 USER: AS CG ME OS SH REVIEWER: 11 99 ES MC . | A | 5960 EC | 15-NOV-83 | ER | EC | 85 | |
| | | MIL-E-1/1507A | ELECTRON TUBE, RECEIVING TYPE 1284A (VALIDATION DATE: 8304) USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A | 5960 EC | 17-AUG-70 | ER | EC | 85 | |
| | | MIL-E-1/1508A(1) | ELECTRON TUBE, RECEIVING TYPE 6754 (VALIDATION DATE: 8104) USER: AS CG OS SH REVIEWER: 11 99 ES | A | 5960 EC | 05-FEB-75 | ER | EC | 85 | |
| | | MIL-E-1/1509D | ELECTRON TUBE, POWER TYPE 6696A 6697A & 6697AW (VALIDATION DATE: 8204) USER: AS AV CG ME OS REVIEWER: 11 17 99 ES | A | 5960 EC | 20-FEB-76 | ER | EC | 85 | |
| L | | MIL-E-1/1511 NOTICE 1 | ELECTRON TUBE, CATHODE RAY TYPES 12AVP7, 12AVP19 (VALIDATION DATE: 8906) REVIEWER: ES | A | 5960 ER | 13-JUN-89 | ER | | | |
| | | MIL-E-1/1512B(1) | ELECTRON TUBE, POWER, TYPE 7248 (VALIDATION DATE: 8704) REVIEWER: 11 99 ES | A | 5960 85 | 17-APR-87 | ER | | 85 | |
| L | | MIL-E-1/1514A(1) | ELECTRON TUBE, CLIPPER, HYDROGEN TYPE 8492 (VALIDATION DATE: 8104) USER: AS CG MC OS SH REVIEWER: ES | A | 5960 EC | 05-AUG-75 | | EC | | |
| | | MIL-E-1/1515A(1) | ELECTRON TUBE, RECEIVING TYPE 6252 AND 6907 (VALIDATION DATE: 8404) USER: 19 AS CG OS REVIEWER: 11 17 99 ES | A | 5960 EC | 08-DEC-71 | ER | EC | 85 | |
| | | MIL-E-1/1516A NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5963 (VALIDATION DATE: 9007) USER: 11 AS CG MC OS SH REVIEWER: 99 AR MI | A | 5960 ER | 06-JUL-90 | ER | EC | 85 | |
| | | MIL-E-1/1517D NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7788 (VALIDATION DATE: 8906) USER: 19 AR AS CG MC OS REVIEWER: 11 17 99 ES ME | A | 5960 ER | 13-JUN-89 | ER | EC | 85 | |
| | | MIL-E-1/1518A NOTICE 1 | ELECTRON TUBE, NUMERICAL INDICATOR TYPE 8423 (VALIDATION DATE: 8906) USER: 17 AS CG MC OS SH REVIEWER: 11 99 ES | A | 5960 ER | 13-JUN-89 | ER | EC | CS | |
| | | MIL-E-1/1519A NOTICE 1 | ELECTRON TUBE, NUMERICAL INDICATOR TYPE 8422 (VALIDATION DATE: 8906) USER: 19 AR AS CG MC OS REVIEWER: 11 17 99 ES MI | A | 5960 ER | 13-JUN-89 | ER | EC | 85 | |
| L | | MIL-E-1/1520B | ELECTRON TUBE, KLYSTRON, TYPE 8196 (VALIDATION DATE: 8204) USER: AS CG MC OS REVIEWER: ES | A | 5960 EC | 12-AUG-76 | | EC | | |
| | | MIL-E-1/1522C(1) NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE 5795 (VALIDATION DATE: 8704) USER: 19 AS CG MC OS REVIEWER: 17 99 ES | A | 5960 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/1527C | ELECTRON TUBE, RECEIVING TYPE 8532W (VALIDATION DATE: 8906) USER: 19 AS CG MC OS REVIEWER: 11 99 ES | A | 5960 ER | 13-JUN-89 | ER | EC | 85 | |
| L | | MIL-E-1/1528A | ELECTRON TUBE, KLYSTRON TYPE SOU 293 (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: ES | A | 5960 EC | 03-JUN-69 | | EC | | |
| L | | MIL-E-1/1531A | ELECTRON TUBE, TRAVALING WAVE TYPE M5058A (VALIDATION DATE: 8104) USER: AS CG MC OS SH REVIEWER: ES | A | 5960 EC | 22-NOV-74 | | EC | | |
| | | MIL-E-1/1534A | ELECTRON TUBE, VIDICON TYPE 7038 (VALIDATION DATE: 8104) USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES | A | 5960 EC | 05-MAY-75 | ER | EC | 85 | |
| | | MIL-E-1/1536A NOTICE 1 | ELECTRON TUBE, NUMERICAL INDICATOR TYPE 8502 (VALIDATION DATE: 9007) USER: 11 AS CG MC OS SH REVIEWER: 99 AR MI | A | 5960 ER | 06-JUL-90 | ER | EC | 85 | |
| | | MIL-E-1/1537B | ELECTRON TUBE, KLYSTRON TYPE 417C (VALIDATION DATE: 8204) USER: 11 AS CG MC OS REVIEWER: 99 AR ES | A | 5960 EC | 10-MAR-76 | ER | EC | 85 | |
| L | | MIL-E-1/1538B | ELECTRON TUBE, TYPE 8587/4605V2 (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: ES | A | 5960 EC | 16-SEP-75 | | EC | | |
| L | | MIL-E-1/1539(1) NOTICE 1 | ELECTRON TUBE, TRAVELING WAVE, CW AMPLIFIER TYPE 8551 (VALIDATION DATE: 8906) REVIEWER: ES | A | 5960 ER | 13-JUN-89 | ER | | | |
| L | | MIL-E-1/1541D NOTICE 1 | ELECTRON TUBE, POWER TYPE 8561 (VALIDATION DATE: 8704) USER: 11 REVIEWER: 99 ES | A | 5960 85 | 17-APR-87 | | | 85 | |
| L | | MIL-E-1/1542A(1) NOTICE 1 | ELECTRON TUBE, POWER TYPE 7402 (VALIDATION DATE: 8704) REVIEWER: 11 17 99 ES | A | 5960 85 | 17-APR-87 | | | 85 | |
| L | | MIL-E-1/1543A(1) NOTICE 1 | ELECTRON TUBE, POWER TYPE 6166A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 ES | A | 5960 85 | 17-APR-87 | | | 85 | |
| L | | MIL-E-1/1544A NOTICE 1 | ELECTRON TUBE, POWER TYPE 6423 (VALIDATION DATE: 8704) REVIEWER, 11 17 99 ES | A | 5960 85 | 17-APR-87 | | | 85 | |
| | | MIL-E-1/1548C NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6550A (VALIDATION DATE: 8906) USER: 19 AS CG MC MI OS REVIEWER: 11 17 99 ES | A | 5960 ER | 13-JUN-89 | ER | EC | 85 | |
| | | MIL-E-1/1549A NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6BQ7A (VALIDATION DATE: 8906) USER: AS CG MC SH REVIEWER: 17 99 ES MI | A | 5960 ER | 13-JUN-89 | ER | EC | 80 | |
| L | | MIL-E-1/1551A NOTICE 1 | ELECTRON TUBE, TYPE 5682 (VALIDATION DATE: 8704) REVIEWER: 11 17 99 ES .... | A | 5960 85 | 17-APR-87 | | | 85 | |
| | | MIL-E-1/1552B | ELECTRON TUBE, POWER TYPE 7650 USER: AS CG MC OS SH ..... | A | 5960 EC | 18-MAR-82 | | | | |
| | | MIL-E-1/1553B(1) | ELECTRON TUBE, POWER TYPE 7651 (VALIDATION DATE: 8204) USER: 11 AS CG MC OS REVIEWER: 17 99 ES | A | 5960 EC | 12-AUG-76 | ER | EC | 85 | |
| L | | MIL-E-1/1554B NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE 6248 (VALIDATION DATE: 8704) REVIEWER: 99 ... | A | 5960 85 | 17-APR-87 | | | 85 | |
| | | MIL-E-1/1556A(1) NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6DJ8 (VALIDATION DATE: 8704) USER: 19 AS CG MC ME OS REVIEWER: 17 99 ES MI | A | 5960 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/1560B | ELECTRON TUBE, RECEIVING TYPE 6DK6 (VALIDATION DATE: 8404) USER: AS CG MC REVIEWER: 11 17 99 ES | A | 5960 EC | 27-JAN-72 | ER | EC | 85 | |
| | | MIL-E-1/1561A(1) | ELECTRON TUBE, RECEIVING TYPE 5845 (VALIDATION DATE: 8505) USER: AS CG MC REVIEWER: 17 99 ES | A | 5960 EC | 17-JAN-73 | ER | EC | 85 | |
| | | MIL-E-1/1562C NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID TYPE 7644 (VALIDATION DATE: 8704) USER: 11 14 AR AS CG MC OS REVIEWER: 99 ES SH | A | 5960 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/1563(1) | ELECTRON TUBE, STORAGE TYPE 7571 (VALIDATION DATE: 8304) USER: AS CG MC REVIEWER: 11 17 99 ES | A | 5960 EC | 17-MAY-65 | ER | EC | 85 | |
| | | MIL-E-1/1567A(1) NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6AM8A (VALIDATION DATE: 9007) USER: 11 AS CG MC OS SH REVIEWER: 99 AR MI | A | 5960 ER | 06-JUL-90 | ER | EC | 85 | |

| Action | OPR / DNA Coordination Inactive | Document Number | Document Title | Date Sheet FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-E-1/15688(1) NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 6DC6 [VALIDATION DATE: 8906] USER: AS CG MC REVIEWER: 11 17 99 ES | A 5960 | ER | 13-JUN-89 | ER | EC | 85 | |
| | | MIL-E-1/15698 NOTICE 1 | ELECTRON TUBE, POWER TYPE 8168 [VALIDATION DATE: 8906] USER: AR AS CG MC OS REVIEWER: 11 17 99 CE ES MI SM | A 5960 | ER | 13-JUN-89 | ER | EC | 85 | |
| L | | MIL-E-1/1570C | ELECTRON TUBE, MAGNETRON, TYPE 7156A [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A 5960 | EC | 30-SEP-74 | | EC | | |
| | | MIL-E-1/1571B NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE 8467 [VALIDATION DATE: 8704] USER: CG MC OS REVIEWER: 99 ES | A 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/1572A NOTICE 1 | ELECTRON TUBE, VIDICON TYPE 7290 [VALIDATION DATE: 8704] USER: AS CG MC REVIEWER: 11 17 99 ES | A 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/1574B | ELECTRON TUBE, PHOTOTUBE TYPE 6467 [VALIDATION DATE: 8304] REVIEWER: 99 ES | A 5960 | EC | 16-DEC-76 | ER | EC | 85 | |
| L | | MIL-E-1/1575A(1) | ELECTRON TUBE, CATHODE RAY TUBE TYPE 10VP7 [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES | A 5960 | EC | 19-MAY-71 | | EC | | |
| | | MIL-E-1/1577B NOTICE 1 | ELECTRON TUBE, DIODE, HIGH VACUUM, TYPE 5973 [VALIDATION DATE: 8704] USER: 11 14 CG MC REVIEWER: 17 99 ES | A 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/1580B | ELECTRON TUBE, POWER TYPE 8621 [VALIDATION DATE: 8204] USER: 19 AS CG MC OS SH REVIEWER: 11 99 ES | A 5960 | EC | 20-FEB-76 | ER | EC | 85 | |
| L | | MIL-E-1/1581A | ELECTRON TUBE, POWER TYPE 7030 [VALIDATION DATE: 8404] USER: AS CG MC REVIEWER: ES | A 5960 | EC | 16-JUL-71 | | EC | | |
| | | MIL-E-1/1583A NOTICE 1 | ELECTRON TUBE, IMAGE CONVERTER TYPE 6929 [VALIDATION DATE: 9007] USER: 11 AS CG MC OS REVIEWER: 99 AR MI | A 5960 | ER | 06-JUL-90 | ER | EC | 85 | |
| L | | MIL-E-1/1587C(1) NOTICE 1 | ELECTRON TUBE, POWER TYPE 8596 [VALIDATION DATE: 8811] REVIEWER: 99 ..... | A 5960 | 85 | 30-NOV-88 | | | 85 | |
| L | | MIL-E-1/1588 | ELECTRON TUBE, RECEIVING TYPE 6M6MGT (SEE MIL E 1/1599) [VALIDATION DATE: 8404] USER: AS CG MC REVIEWER: ES | A 5960 | EC | 03-FEB-66 | | EC | | |
| L | | MIL-E-1/1589C(1) | ELECTRON TUBE, KLYSTRON TYPE 8237 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: ES | A 5960 | EC | 04-JUN-76 | | EC | | |
| | | MIL-E-1/15908(1) | ELECTRON TUBE, THYRATRON TYPE 8613 [VALIDATION DATE: 8505] USER: 11 AS CG MC ME OS REVIEWER: 17 99 ES | A 5960 | EC | 23-AUG-79 | ER | EC | 85 | |
| L | | MIL-E-1/1591A | ELECTRON TUBE, CATHODE RAY, STORAGE, TYPE 7268B [VALIDATION DATE: 8404] REVIEWER: ES | A 5960 | EC | 30-NOV-66 | | EC | | |
| L | | MIL-E-1/1592A | ELECTRON TUBE, VOLTAGE REGULATOR TYPE 6213A [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES | A 5960 | EC | 23-SEP-70 | | EC | | |
| | | MIL-E-1/1593B | ELECTRON TUBE, RECEIVING TYPE 8233 USER: 19 AS CG MC ME OS SH REVIEWER: 11 99 ES | A 5960 | EC | 27-JUN-83 | ER | EC | 85 | |
| L | | MIL-E-1/1594C | ELECTRON TUBE, MAGNETRON, PULSED USER: MI REVIEWER: AR ES ..... | A 5960 | ER | 29-JAN-86 | | | | |
| L | | MIL-E-1/1595A | ELECTRON TUBE, GAS TYPE 8376 [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES | A 5960 | EC | 01-FEB-71 | | EC | | |
| L | | MIL-E-1/1596A | ELECTRON TUBE, POWER TYPE 8116 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A 5960 | EC | 30-OCT-74 | | EC | | |
| | | MIL-E-1/1599A NOTICE 1 | ELECTRON TUBE, RECEIVING TYPES 6H6 AND 12H6 [VALIDATION DATE: 8704] USER: 11 AR CG MC REVIEWER: 17 99 ES | A 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| L | | MIL-E-1/1600 NOTICE 2 | ELECTRON TUBE, MAGNETRON TYPE 7460 [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES | A 5960 | EC | 19-SEP-66 | | EC | | |
| L | | MIL-E-1/1602B | ELECTRON TUBE, TYPE 8596] [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES | A 5960 | EC | 04-SEP-70 | | EC | | |
| | | MIL-E-1/1603 | ELECTRON TUBE, VIDICON TYPE 7325 [VALIDATION DATE: 8404] USER: AS CG MC REVIEWER: 11 17 99 ES | A 5960 | EC | 05-OCT-65 | ER | EC | 85 | |
| L | | MIL-E-1/1605A | ELECTRON TUBE, TRAVELING WAVE TYPE 8128 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A 5960 | EC | 02-DEC-74 | | EC | | |
| | | MIL-E-1/1609A(1) | ELECTRON TUBE, VOLTAGE REGULATOR TYPE 8515 [VALIDATION DATE: 8404] USER: AS CG MC REVIEWER: 11 17 99 ES | A 5960 | EC | 06-JUN-72 | ER | EC | 85 | |
| L | | MIL-E-1/1610C | ELECTRON TUBE, RECEIVING TYPE 8639 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: ES | A 5960 | EC | 04-JUN-76 | | EC | | |
| L | | MIL-E-1/1612 NOTICE 2 | ELECTRON TUBE, GAS TYPE 7620 [VALIDATION DATE: 8104] USER: CG MC REVIEWER: ES | A 5960 | EC | 19-MAY-75 | | EC | | |
| | | MIL-E-1/1613A | ELECTRON TUBE, POWER TYPE 810 [VALIDATION DATE: 8104] USER: AR AS CG MC REVIEWER: 11 17 99 ES | A 5960 | EC | 06-AUG-75 | ER | EC | 85 | |
| | | MIL-E-1/1614A | ELECTRON TUBE, GAS TYPE 857B [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES | A 5960 | EC | 12-DEC-74 | ER | EC | 85 | |
| L | | MIL-E-1/1616E NOTICE 1 | ELECTRON TUBE, POWER TYPES 7457, 7842 [VALIDATION DATE: 8704] USER: 11 REVIEWER: 99 ES | A 5960 | 85 | 17-APR-87 | | | 85 | |
| | | MIL-E-1/1617B NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 5847A [VALIDATION DATE: 8906] USER: AR AS CG MC MI OS SH REVIEWER: 11 17 99 ES | A 5960 | ER | 14-JUN-89 | ER | EC | 85 | |
| | | MIL-E-1/16188 NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE 7256 [VALIDATION DATE: 8704] USER: AS CG OS REVIEWER: 11 99 ES | A 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/16198 NOTICE 1 | ELECTRON TUBE, POWER TYPES 8161 AND 8251 [VALIDATION DATE: 8704] USER: 11 19 AR AS CG MC REVIEWER: 99 ES SH | A 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/1621A NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID TYPE 7784 [VALIDATION DATE: 8704] REVIEWER: 17 80 SH | A 5960 | 85 | 29-AUG-75 | ER | EC | 85 | |
| L | | MIL-E-1/1622A(1) NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE 7829A REVIEWER: 99 ES ..... | A 5960 | 85 | 17-APR-87 | | | 85 | |
| | | MIL-E-1/1623B | ELECTRON TUBE, TRAVELING WAVE TYPE 8175 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 99 ES MI | A 5960 | EC | 11-MAY-76 | ER | EC | 85 | |
| L | | MIL-E-1/1624A | ELECTRON TUBE, MAGNETRON TYPE 8682 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A 5960 | EC | 03-MAR-75 | | EC | | |
| L | | MIL-E-1/1627 NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE 8634 [VALIDATION DATE: 8906] REVIEWER: ES .... | A 5960 | ER | 14-JUN-89 | ER | | | |
| | | MIL-E-1/1628A | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7391 [VALIDATION DATE: 8104] USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES | A 5960 | EC | 09-APR-75 | ER | EC | 85 | |
| | | MIL-E-1/1631A NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE VA 2208 USER: 11 AR AS CG MC OS REVIEWER: 99 ES | A 5960 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-E-1/1632A | ELECTRON TUBE, RECEIVING TYPE 6826 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 11 17 99 ES | A 5960 | EC | 30-JAN-75 | ER | EC | 85 | |
| | | MIL-E-1/1633(1) | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7211 USER: 19 AR AS CG MC ME OS REVIEWER: 11 17 99 ES | A 5960 | 85 | 18-OCT-85 | ER | EC | 85 | |
| | | MIL-E-1/16348 NOTICE 1 | ELECTRON TUBE, POWER TYPES 8321 AND 8322 [VALIDATION DATE: 8802] USER: 11 AS AV CG MC ME OS REVIEWER: 99 CE ES MI SM | A 5960 | ER | 08-FEB-88 | ER | EC | 85 | |
| L | | MIL-E-1/1635A NOTICE 1 | ELECTRON TUBE, CATHODE RAY TYPE 10ALP19 [VALIDATION DATE: 8906] USER: AV ME REVIEWER: ES | A 5960 | ER | 14-JUN-89 | ER | | | |
| L | | MIL-E-1/1636A(1) | ELECTRON TUBE, THYRATRON TYPE 7782 [VALIDATION DATE: 8304] USER: CG MC REVIEWER: ES | A 5960 | EC | 22-FEB-77 | | EC | | |
| | | MIL-E-1/1638A | ELECTRON TUBE, KLYSTRON TYPE 2K22 [VALIDATION DATE: 8304] USER: AS CG MC ME OS SH REVIEWER: 11 99 ES | A 5960 | EC | 16-JUN-70 | ER | EC | 85 | |
| L | | MIL-E-1/1639B | ELECTRON TUBE, RECEIVING TYPE 6414W USER: 11 REVIEWER: 17 99 ES ..... | A 5960 | 85 | 17-APR-87 | | | 85 | |
| | | MIL-E-1/16406 | ELECTRON TUBE, MAGNETRON TYPE 8855 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: 11 ES | A 5960 | EC | 29-JAN-76 | ER | EC | 85 | |
| | | MIL-E-1/1643B | ELECTRON TUBE, GAS SWITCHING TYPE 8770 [VALIDATION DATE: 8104] USER: 11 AR AS CG OS SH REVIEWER: 99 ES | A 5960 | EC | 08-MAY-75 | ER | EC | 85 | |
| L | | MIL-E-1/1647A(2) | ELECTRON TUBE, RADIATION COUNTER TYPE 8767 USER: AS CG MC OS REVIEWER: ER ES | A 5960 | EC | 16-JAN-85 | | EC | | |
| L | | MIL-E-1/16488 | ELECTRON TUBE, POWER TYPE 8660 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: ES | A 5960 | EC | 20-FEB-76 | | EC | | |

| Action Code | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Cust: Army | Cust: Navy | Cust: Air Force | Cust: DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-E-1/1649B | ELECTRON TUBE, TETRODE TYPE 8866 (VALIDATION DATE: 8505) USER: 11 AS CG MC OS REVIEWER: 99 ES | A | 5960 | EC | 16-FEB-79 | | EC | 85 | | |
| L | MIL-E-1/1650A | ELECTRON TUBE, KLYSTRON TYPE 8406 (VALIDATION DATE: 8304) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 23-JUL-69 | | EC | | | |
| | MIL-E-1/1651A NOTICE 1 | ELECTRON TUBE, CATHODE RAY TYPE 5BGP2 (VALIDATION DATE: 8906) USER: 19 AS CG MC ME OS SH REVIEWER: 11 17 99 AR ES | A | 5960 | ER | 14-JUN-89 | ER | EC | 80 | | |
| L | MIL-E-1/1652A | ELECTRON TUBE, VOLTAGE REGULATION TYPE 8797 (VALIDATION DATE: 8204) USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | EC | 02-OCT-75 | | EC | | | |
| L | MIL-E-1/1653A | ELECTRON TUBE, TRAVELING-WAVE TYPE 8362 (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 04-NOV-70 | | EC | | | |
| L | MIL-E-1/1654A | ELECTRON TUBE, TRAVELING-WAVE TYPE 8364 (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 09-NOV-70 | | EC | | | |
| | MIL-E-1/1655D | ELECTRON TUBE, RECEIVING TYPE 6080WC USER: 11 AR AS CG MC OS REVIEWER: 99 ES | A | 5960 | EC | 30-APR-88 | ER | EC | 85 | | |
| | MIL-E-1/1656B | ELECTRON TUBE, RECEIVING TYPE 5840W USER: AS CG MC ME OS SH REVIEWER: 11 ES | A | 5960 | EC | 03-SEP-82 | ER | EC | 85 | | |
| L | MIL-E-1/1657B | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8727 (VALIDATION DATE: 8304) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 30-JUN-77 | | EC | | | |
| L | MIL-E-1/1658A(1) NOTICE 1 | ELECTRON TUBE, THYRATRON TYPE 8789 USER: 11 REVIEWER: 99 ES ..... | A | 5960 | 85 | 17-APR-87 | | | 85 | | |
| L | MIL-E-1/1659(1) | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 5767 (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 24-APR-69 | | EC | | | |
| | MIL-E-1/1660A | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 6403 (VALIDATION DATE: 8204) USER: 11 AS CG ME OS REVIEWER: 17 99 AR ES | A | 5960 | EC | 11-NOV-75 | ER | EC | 85 | | |
| | MIL-E-1/1661A | ELECTRON TUBE, THYRATRON TYPE 8765 (VALIDATION DATE: 8204) USER: 11 AS CG ME OS REVIEWER: 99 ES MI | A | 5960 | EC | 11-NOV-75 | ER | EC | 85 | | |
| L | MIL-E-1/1664A | ELECTRON TUBE, MAGNETRON TYPE 8827 (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 16-JUN-75 | | EC | | | |
| L | MIL-E-1/1665 | ELECTRON TUBE, CATHODE RAY CHARGE STORAGE TYPE 8602/CK1383A (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 30-DEC-68 | | EC | | | |
| L | MIL-E-1/1666 | ELECTRON TUBE, O TYPE BACKWARD WAVE TYPE 8076A (VALIDATION DATE: 8104) REVIEWER: ES | A | 5960 | EC | 04-APR-69 | | EC | | | |
| | MIL-E-1/1667A(2) NOTICE 1 | ELECTRON TUBE, POWER TYPE 5946 AND 6161 USER: AS CG MC OS REVIEWER: 11 99 AR ES SH | A | 5960 | 85 | 17-APR-87 | ER | EC | 85 | | |
| | MIL-E-1/1668A(1) | ELECTRON TUBE, KLYSTRON TYPES 8849 AND 8821 (VALIDATION DATE: 8304) USER: 19 AS CG MC ME OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 14-APR-71 | ER | EC | 85 | | |
| L | MIL-E-1/1669 NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE 8766 (VALIDATION DATE: 8906) REVIEWER: ES .... | A | 5960 | ER | 14-JUN-89 | ER | | | | |
| L | MIL-E-1/16708(1) NOTICE 1 | ELECTRON TUBE, POWER TYPE 8590 USER: 11 REVIEWER: 99 ES ..... | A | 5960 | 85 | 28-MAR-91 | | | 85 | | |
| L | MIL-E-1/1675 NOTICE 1 | ELECTRON TUBE, GAS-SWITCHING TYPE 6795A (VALIDATION DATE: 8906) REVIEWER: ES | A | 5960 | ER | 14-JUN-89 | ER | | | | |
| | MIL-E-1/1676A | ELECTRON TUBE, MAGNETRON TYPES 2J30 THROUGH 2J34 (VALIDATION DATE: 8104) USER: 11 AS AV CG MC ME OS SH REVIEWER: 99 AR ES | A | 5960 | EC | 27-JUN-75 | ER | EC | 85 | | |
| L | MIL-E-1/1677 NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE 8759 (VALIDATION DATE: 8906) REVIEWER: ES .... | A | 5960 | ER | 14-JUN-89 | ER | | | | |
| | MIL-E-1/1679A NOTICE 1 | ELECTRON TUBE, POWER TYPE 8252W (VALIDATION DATE: 8906) USER: 19 AR AS AV CG MC ME OS SH REVIEWER: 11 17 99 ES MI | A | 5960 | ER | 14-JUN-89 | ER | EC | 85 | | |
| L | MIL-E-1/1680B | ELECTRON TUBE, MAGNETRON TYPE 8763 (VALIDATION DATE: 8304) USER: AS MC OS REVIEWER: ES | A | 5960 | EC | 15-NOV-76 | | EC | | | |
| L | MIL-E-1/1681 | ELECTRON TUBE, CATHODE RAY, CHARGE STORAGE TYPE 8832 REVIEWER: 11 17 99 ES | A | 5960 | 85 | 17-APR-87 | | | 85 | | |
| L | MIL-E-1/1683 | ELECTRON TUBE, PHOTOTUBE TYPE 2056A (VALIDATION DATE: 8206) REVIEWER: 11 99 ES | A | 5960 | 85 | 13-MAR-70 | | | 85 | | |
| | MIL-E-1/1684A | ELECTRON TUBE, KLYSTRON TYPE 8848 (VALIDATION DATE: 8204) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES | A | 5960 | EC | 25-MAY-76 | ER | EC | 85 | | |
| L | MIL-E-1/1685A | ELECTRON TUBE, BACKWARD WAVE OSCILLATOR TYPE 7661 (VALIDATION DATE: 8907) REVIEWER: 11 99 ES | A | 5960 | 85 | 14-JUL-89 | | | 85 | | |
| L | MIL-E-1/1686A NOTICE 1 | ELECTRON TUBE, BACKWARD WAVE OSCILLATOR TYPE 7824 REVIEWER: 11 99 ..... | A | 5960 | 85 | 17-APR-87 | | | 85 | | |
| | MIL-E-1/1687(1) | ELECTRON TUBE, KLYSTRON TYPE DOD 001 USER: 19 AR AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 10-FEB-81 | ER | EC | 85 | | |
| L | MIL-E-1/1688A NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE 8798 REVIEWER: 11 99 ES ..... | A | 5960 | 85 | 17-APR-87 | | | 85 | | |
| L | MIL-E-1/1690A(1) | ELECTRON TUBE, KLYSTRON TYPE 8901 (VALIDATION DATE: 8206) USER: 11 REVIEWER: 99 ES | A | 5960 | 85 | 17-FEB-82 | | | 85 | | |
| | MIL-E-1/1691 NOTICE 1 | ELECTRON TUBE, RECEIVING TYPE 7984 (VALIDATION DATE: 8906) REVIEWER: ES ... | A | 5960 | ER | 14-JUN-89 | ER | EC | 85 | | |
| L | MIL-E-1/1692A NOTICE 1 | ELECTRON TUBE, TRAVELING WAVE TYPE 8878 (VALIDATION DATE: 8805) REVIEWER: 11 99 ES | A | 5960 | 85 | 20-MAY-88 | | | 85 | | |
| L | MIL-E-1/1693A NOTICE 1 | ELECTRON TUBE, TRAVELING WAVE TYPE 8879 (VALIDATION DATE: 8805) REVIEWER: 11 99 ES | A | 5960 | 85 | 20-MAY-88 | | | 85 | | |
| L | MIL-E-1/1694A(1) NOTICE 1 | ELECTRON TUBE, TRAVELING WAVE TYPE 8880 REVIEWER: 11 99 ES ..... | A | 5960 | 85 | 17-APR-87 | | | 85 | | |
| L | MIL-E-1/1695A(2) NOTICE 1 | ELECTRON TUBE, TRAVELING WAVE TUBE TYPE 8881 (VALIDATION DATE: 8811) USER: 11 REVIEWER: 99 | A | 5960 | 85 | 30-NOV-88 | | | 85 | | |
| L | MIL-E-1/1696A(1) | ELECTRON TUBE, TRAVELING WAVE TUBE TYPE 8882 (VALIDATION DATE: 8805) REVIEWER: 11 99 ES | A | 5960 | 85 | 20-MAY-88 | | | 85 | | |
| | MIL-E-1/1697A | ELECTRON TUBE, KLYSTRON TYPE DOD 003 (VALIDATION DATE: 8204) USER: 19 AS ME OS REVIEWER: 11 99 ES | A | 5960 | EC | 20-JUL-76 | ER | EC | 85 | | |
| L | MIL-E-1/1698A | ELECTRON TUBE, RADIATION COUNTER, TYPE 7301 (VALIDATION DATE: 8204) USER: AS CG MC OS REVIEWER: ES | A | 5960 | EC | 15-APR-76 | | EC | | | |
| L | MIL-E-1/1699A NOTICE 1 | ELECTRON TUBE, GAS SWITCHING TYPE 7849 REVIEWER: 11 99 ..... | A | 5960 | 85 | 17-APR-87 | | | 85 | | |
| L | MIL-E-1/1700A NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE 7547 REVIEWER: 11 99 ES ..... | A | 5960 | 85 | 17-APR-87 | | | 85 | | |
| | MIL-E-1/1701B | ELECTRON TUBE, GAS SWITCHING TYPE DOD 004 (VALIDATION DATE: 8204) USER: AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 21-JUN-76 | ER | EC | 85 | | |
| | MIL-E-1/1702A | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8745 USER: AS CG MC OS REVIEWER: 99 ES | A | 5960 | 85 | 06-DEC-85 | | EC | 85 | | |
| | MIL-E-1/1703(1) | ELECTRON TUBE, GAS SWITCHING TYPE DOD 005 (VALIDATION DATE: 8505) USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 23-APR-73 | ER | EC | 85 | | |
| L | MIL-E-1/1704 NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE USAF 6233 REVIEWER: 11 99 ES ..... | A | 5960 | 85 | 17-APR-87 | | | 85 | | |
| L | MIL-E-1/1705A NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE 8896 USER: 11 REVIEWER: 99 ES ..... | A | 5960 | 85 | 17-APR-87 | | | 85 | | |
| | MIL-E-1/1706 | ELECTRON TUBE, RECEIVING TYPE 5998A (VALIDATION DATE: 8304) USER: 19 AS CG MC REVIEWER: 99 AR ES | A | 5960 | EC | 29-APR-71 | ER | EC | 85 | | |
| | MIL-E-1/1707A | ELECTRON TUBE, POWER 1/ TYPE DOD 006 (VALIDATION DATE: 8204) USER: AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 20-FEB-76 | ER | EC | 85 | | |
| L | MIL-E-1/1708(2) NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE DOD-007 1/ (VALIDATION DATE: 8601) REVIEWER: AS CG ES MC OS SH | A | 5960 | EC | [illegible]-JUN-74 | | EC | | | |
| | MIL-E-1/1709A | ELECTRON TUBE, GAS SWITCHING TYPE 8919 USER: AR AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | EC | 26-JUN-85 | ER | EC | 85 | | |
| L | MIL-E-1/1710 NOTICE 1 | ELECTRON TUBE, GAS SWITCHING TYPE DOD 008 REVIEWER: 17 99 ES ..... | A | 5960 | 85 | 17-APR-87 | | | 85 | | |

| Action Code | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-E-1/1711(3) | ELECTRON TUBE, CATHODE RAY, CHARGE STORAGE TYPE 8931 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | | EC | 05-AUG-75 | | EC | | |
| | MIL-E-1/1712B | ELECTRON TUBE, TRAVELING WAVE TYPE 8742 [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES | A | 5960 | | EC | 05-OCT-76 | ER | EC | | |
| | MIL-E-1/1713B | ELECTRON TUBE, TRAVELING WAVE DOD 009 1/ [VALIDATION DATE: 8505] USER: 11 AR AS CG MC OS REVIEWER: 99 ES | A | 5960 | | EC | 26-FEB-79 | ER | EC | | 85 |
| L | MIL-E-1/1714A | ELECTRON TUBE, GAS SWITCHING TYPE DOD 010 [VALIDATION DATE: 8304] REVIEWER: ES | A | 5960 | | EC | 10-NOV-76 | | EC | | |
| | MIL-E-1/1715 | ELECTRON TUBE, KLYSTRON TYPE 7049 [VALIDATION DATE: 8404] USER: AS CG ME OS REVIEWER: 11 99 ES | A | 5960 | | EC | 05-MAY-72 | ER | EC | | 85 |
| | MIL-E-1/1716(1) NOTICE 1 | ELECTRON TUBE, POWER TYPE 8171 [VALIDATION DATE: 8906] USER: 19 REVIEWER: 11 17 99 AR ES | A | 5960 | | ER | 14-JUN-89 | ER | | | 80 |
| | MIL-E-1/1717A | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8906 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 17 80 ES | A | 5960 | | EC | 15-APR-76 | ER | EC | | 85 |
| | MIL-E-1/1718 | ELECTRON TUBE, GAS SWITCHING TYPE 8922 [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: 99 AR ES MI | A | 5960 | | EC | 01-JUN-72 | ER | EC | | 85 |
| | MIL-E-1/1719(1) NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE DOD 011 [VALIDATION DATE: 8601] USER: AR AS CG MC OS REVIEWER: ES | A | 5960 | | EC | 12-APR-74 | ER | EC | | |
| | MIL-E-1/1722A | ELECTRON TUBE, MAGNETRON TYPE DOD 015 [VALIDATION DATE: 8204] USER: 19 REVIEWER: 11 17 99 AR ES | A | 5960 | | EC | 20-JUL-76 | ER | EC | | 85 |
| L | MIL-E-1/1724A | ELECTRON TUBE, TRAVELING WAVE TYPE DOD 017 [VALIDATION DATE: 8104] USER: AS CG MC OS REVIEWER: ES | A | 5960 | | EC | 06-AUG-75 | | EC | | |
| | MIL-E-1/1725 NOTICE 1 | ELECTRON TUBE, POWER TYPE 8169 [VALIDATION DATE: 8906] USER: AR REVIEWER: 11 17 99 ES | A | 5960 | | ER | 14-JUN-89 | ER | | | 80 |
| | MIL-E-1/1726A | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8533W [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 17 99 ES | A | 5960 | | EC | 11-MAY-76 | ER | EC | | 85 |
| L | MIL-E-1/1727(2) | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE DOD-018 USER: AS CG MC OS REVIEWER: 99 ES | A | 5960 | | EC | 30-MAY-88 | | EC | | |
| | MIL-E-1/1728A NOTICE 1 | ELECTRON TUBE, POWER TYPE 8904 [VALIDATION DATE: 8906] USER: 11 AS AV CG MC ME OS REVIEWER: 99 CE ES MI SM | A | 5960 | | ER | 14-JUN-89 | ER | EC | | 85 |
| | MIL-E-1/1729B(2) | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPES 8538B AND 8933 USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES | A | 5960 | | EC | 25-SEP-85 | ER | EC | | 85 |
| | MIL-E-1/1731A(1) NOTICE 1 | ELECTRON TUBE, GAS SWICHING TYPE DOD 020 1 USER: 11 AS CG MC OS REVIEWER: 99 AR ES ME | A | 5960 | | 85 | 17-APR-87 | ER | EC | | 85 |
| L | MIL-E-1/1733(2) NOTICE 1 | ELECTRON TUBE, POWER TYPE 8932 [VALIDATION DATE: 8601] USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | | EC | 11-JUL-74 | | EC | | |
| | MIL-E-1/1734A | ELECTRON TUBE, MAGNETRON TYPE 8943 [VALIDATION DATE: 8805] USER: 11 AS CG MC OS SH REVIEWER: 99 ES | A | 5960 | | 85 | 20-MAY-88 | ER | EC | | 85 |
| L | MIL-E-1/1735(1) | ELECTRONIC TUBE, THYRATRON TYPE 8951 USER: AS CG MC OS SH REVIEWER: ES .... | A | 5960 | | EC | 28-APR-82 | | EC | | |
| | MIL-E-1/1736 | ELECTRON TUBE MAGNETRON TYPE 1 DOD 023.2 DOD 024.3 DOD 025 [VALIDATION DATE: 8505] USER: 17 AR AS CG MC OS SH REVIEWER: 11 99 ES | A | 5960 | | EC | 25-JUN-73 | ER | EC | | 85 |
| | MIL-E-1/1737 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE DOD 026 EC ELEC 80 5960 130873 [VALIDATION DATE: 8505] USER: AR AS CG MC OS REVIEWER: 11 17 99 ES | A | 5960 | | EC | 13-AUG-73 | ER | EC | | 85 |
| | MIL-E-1/1738B | ELECTRON TUBE, MAGNETRON TYPE 8939 [VALIDATION DATE: 8404] USER: 11 AR CG MC OS REVIEWER: 99 | A | 5960 | | EC | 12-JUN-78 | ER | EC | | 85 |
| L | MIL-E-1/1739(1) | ELECTRON TUBE, MAGNETRON TYPE 8945 USER: 11 REVIEWER: 17 99 ..... | A | 5960 | | 85 | 12-APR-79 | | | | 85 |
| L | MIL-E-1/1740(1) | ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8934 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | | EC | 01-JUL-75 | | EC | | |
| L | MIL-E-1/1741(1) | ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8900 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | | EC | 01-JUL-75 | | EC | | |
| L | MIL-E-1/1742(1) | ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8129D [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | | EC | 01-JUL-75 | | EC | | |
| L | MIL-E-1/1743(1) | ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8129F [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | | EC | 01-JUL-75 | | EC | | |
| L | MIL-E-1/1744(1) | ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8898 [VALIDATION DATE: 8104] USER: AS CG MC OS SH | A | 5960 | | EC | 01-JUL-75 | | EC | | |
| L | MIL-E-1/1745(1) | ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8899 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES | A | 5960 | | EC | 01-JUL-75 | | EC | | |
| | MIL-E-1/1748(1) | ELECTRON TUBE, POWER TYPE 8122 USER: 11 19 AR AS CG MC ME OS SH REVIEWER: 99 ES | A | 5960 | | EC | 09-APR-75 | ER | EC | | 85 |
| L | MIL-E-1/1749B NOTICE 1 | ELECTRON TUBE, KLYSTRON TYPE 8956 USER: 11 REVIEWER: 99 ..... | A | 5960 | | 85 | 17-APR-87 | | | | 85 |
| L | MIL-E-1/1750 NOTICE 1 | ELECTRON TUBE, MAGNETRON TYPE DOD 028 [VALIDATION DATE: 8601] REVIEWER: AS CG MC OS SH | A | 5960 | | EC | 31-MAY-74 | | EC | | |
| L | MIL-E-1/1751A(1) | ELECTRON TUBE, MEGNETRON TYPE DOD 029 [VALIDATION DATE: 8304] USER: AS CG MC OS | A | 5960 | | EC | 10-NOV-76 | | EC | | |
| L | MIL-E-1/1753 | ELECTRON TUBE, MAGNETRON TYPE DOD 031 [VALIDATION DATE: 8204] USER: AS OS . | A | 5960 | | EC | 31-OCT-74 | | EC | | |
| L | MIL-E-1/1754 | ELECTRON TUBE, MAGNETRON TYPE DOD 032 [VALIDATION DATE: 8104] USER: AS OS . | A | 5960 | | EC | 31-OCT-74 | | EC | | |
| L | MIL-E-1/1755 | ELECTRON TUBE, MAGNETRON TYPE DOD 033 [VALIDATION DATE: 8104] ..... | A | 5960 | | EC | 31-OCT-74 | | EC | | |
| L | MIL-E-1/1756 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8964 [VALIDATION DATE: 8104] USER: AS CG OS SH | A | 5960 | | EC | 14-JAN-75 | | EC | | |
| L | MIL-E-1/1757 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8965 [VALIDATION DATE: 8104] USER: AS CG OS SH | A | 5960 | | EC | 14-JAN-75 | | EC | | |
| L | MIL-E-1/1758A(1) NOTICE 1 | ELECTRON TUBE, KLYSTRON, AMPLIFIER, PULSED TYPE DOD-034 [VALIDATION DATE: 8810] | A | 5960 | | AR | 13-OCT-88 | AR | | | |
| L | MIL-E-1/1759A | ELECTRON TUBE, MAGNETRON TYPE DOD 035 [VALIDATION DATE: 8204] ..... | A | 5960 | | EC | 20-FEB-76 | | EC | | |
| | MIL-E-1/1760 | ELECTRON TUBE, MAGNETRON 1 TYPE DOD 036 [VALIDATION DATE: 8104] USER: 19 AR AS CG MC ME OS SH REVIEWER: 11 ES | A | 5960 | | EC | 28-JUL-75 | ER | EC | | 85 |
| | MIL-E-1/1761(1) | ELECTRON TUBE, RECEIVING 1 TYPE 1G3GTA [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 17 99 ES | A | 5960 | | EC | 27-OCT-76 | ER | EC | | 85 |
| | MIL-E-1/1762 | ELECTRON TUBE, KLYSTRON 1 TYPE 8979 [VALIDATION DATE: 8104] USER: 11 AS CG MC OS SH REVIEWER: ES | A | 5960 | | EC | 16-SEP-75 | ER | EC | | 85 |
| L | MIL-E-1/1763 | ELECTRON TUBE KLYSTRON TYPE DOD 037 [VALIDATION DATE: 8104] USER: AS CG MC OS SH | A | 5960 | | EC | 16-SEP-75 | | EC | | |
| L | MIL-E-1/1764B NOTICE 2 | ELECTRONIC TUBE, NEGATIVE GRID (MICROWAVE) 1/ TYPE DOD-038 [VALIDATION DATE: 9112] | A | 5960 | | ER | 05-DEC-91 | ER | | | |
| L | MIL-E-1/1765 | ELECTRON TUBE, POWER 1 TYPE 8966 [VALIDATION DATE: 8204] ..... | A | 5960 | | EC | 11-MAY-76 | | EC | | |
| | MIL-E-1/1766 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE ) 1 TYPE 8980 [VALIDATION DATE: 8304] | A | 5960 | | EC | 30-JUN-77 | | EC | | |
| L | MIL-E-1/1767B | ELECTRON TUBE, POWER 1 TYPE 8281 USER: 11 AS DC MC OS REVIEWER: 99 ES ..... | A | 5960 | | EC | 02-MAY-84 | ER | EC | | 85 |
| L | MIL-E-1/1769(1) | ELECTRON TUBE, MAGNETRON TYPE 8982 [VALIDATION DATE: 8505] USER: AS CG OS REVIEWER: ES | A | 5960 | | EC | 26-OCT-77 | | EC | | |
| L | MIL-E-1/1771(1) NOTICE 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE DOD-041 [VALIDATION DATE: 8906] | A | 5960 | | ER | 14-JUN-89 | ER | | | |
| L | MIL-E-1/1772(1) NOTICE 1 | ELECTRON TUBE, MAGNETRON, KU BAND, PULSE TYPE [VALIDATION DATE: 8906] ..... | A | 5960 | | ER | 14-JUN-89 | ER | | | |
| Q | MIL-E-1/1773(1) | ELECTRON TUBE, MAGNETROL TYPE DOD-042 USER: AS CG ME OS SH REVIEWER: 11 17 84 ES | A | 5960 | | EC | 05-SEP-91 | ER | EC | | 85 |
| QQ | MIL-V-20(3) | VALVE, CYLINDER, GAS (FOR COMPRESSED OR LIQUIFIED GASES), GENERAL SPECIFICATION FOR USER: AV MC YD1 REVIEWER: AS GS | A | 8120 | | ME | 18-FEB-81 | ME | SH | | 68 |
| D | MIL-V-2/1C | VALVE, CYLINDER, GAS, ACETYLENE, OUTLET 510, INLET 3/4 INCH USER: AV MC YD1 REVIEWER: AS GS MI | A | 8120 | | ME | 18-FEB-81 | ME | SH | | 68 |
| D | MIL-V-2/2C | VALVE, CYLINDER, GAS, ACETYLENE, OUTLET 510, INLET 1 INCH USER: AV MC YD1 REVIEWER: AS GS | A | 8120 | | ME | 18-FEB-81 | ME | SH | | 68 |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | MIL-V-2/3B | VALVE, CYLINDER, GAS, ACETYLENE, OUTLET 201 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/4B | VALVE, CYLINDER, GAS, AEROSOL INSECTICIDE, OUTLET 621 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/5B | VALVE, CYLINDER, GAS, AIR FOR HUMAN RESPIRATION OUTLET 1341 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/6B | VALVE, CYLINDER, GAS, AIR INDUSTRIAL, OUTLET 591 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/7B | VALVE, CYLINDER, GAS, ANHYDROUS AMMONIA (DISHED-HEAD CYLINDER) OUTLET 241, INLET 3/4 INCH [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/8B | VALVE, CYLINDER, GAS, ANHYDROUS AMMONIA (CONVEX HEAD CYLINDER) OUTLET 241, INLET 3/4 INCH [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| | | MIL-V-2/9B | VALVE, CYLINDER, GAS, ANHYDROUS AMONIA (DISHED-HEAD CYLINDER) OUTLET 241, INLET 1 INCH [VALIDATION DATE: 8001] USER: AV REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/10B | VALVE, CYLINDER, GAS, ANHYDROUS AMMONIA (CONVEX-HEAD CYLINDER) OUTLET 241, INLET 1 INCH [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/11B | VALVE, CYLINDER, GAS, ARGON, HELIUM, NITROGEN, NEON AND XENON, (INERT-OIL FREE), OUTLET 581 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI OS | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/14C | VALVE, CYLINDER, GAS, BUTANE, PROPANE, BUTANE-PROPANE MIXTURES AND MAPP GAS (MAXIMUM 100 POUND NOMINAL CAPACITY CYLINDER) OUTLET 511 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 28-AUG-73 | ME | SH | 68 | |
| D | | MIL-V-2/15B | VALVE, CYLINDER, GAS, CARBON DIOXIDE, OUTLET, 321 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/16B | VALVE, CYLINDER, GAS, CARBON DIOXIDE, OUTLET 321 (MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/17C | VALVE, CLYINDER, GAS, CARBON DIOXIDE OUTLET 941 (PIN INDEX MEDICAL [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/18B | VALVE, CYLINDER, GAS, CARBON MONOXIDE, OUTLET 351 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/19B | VALVE CYLINDER, GAS, ETHYLENE OXID-CARBON DIOXIDE MIXTURE, OUTLET 351 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/20B | VALVE, CYLINDER, GAS, CHLORINE OUTLET 661 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/21B | VALVE, CYLINDER, GAS, CHLORINE (TON CONTAINER) OUTLET 661 [VALIDATION DATE: 8001] USER: MC YD1 REVIEWER: AS EA GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/22C(1) | VALVE, CYLINDER, GAS: DICHLORODIFLUOROMETHANE, MONOCHLORODIFLUOROMETHANE, DICHLOROTETRAFLUOROETHANE, METHYL CHLORIDE, SULFUR DIOXIDE, BROMOCHLOROMETHANE, BROMOTRIFLUOROMETHANE, AND DIBROMODIFLUOROMETHANE: OUTLET 621 USER: AV MC YD1 REVIEWER: AR AS GS MI | A 8120 68 01-SEP-91 | ME | SH | 68 | |
| D | | MIL-V-2/23B | VALVE, CYLINDER, GAS, ETHYL CHLORIDE OUTLET 301 [VALIDATION DATE: 8001] USER: AS AV MC YD1 REVIEWER: GS MD MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/24B | VALVE, CYLINDER, GAS, ETHYLENE OXIDE OUTLET 511 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/26B | VALVE, CYLINDER, GAS, HELIUM AND NITROGEN, (INERT-OIL TO LERANT) OUTLET 591 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/27B | VALVE, CYLINDER, GAS, OXYGEN HELIUM MIXTURES (HELIUM NOT OVER 80 PERCENT), OUTLET 281 (MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/28B | VALVE, CLYINDER, GAS OXYGEN HELIUM MIXTURE (HELIUM NOT OVER 80 PERCENT OUTLET (PIN INDEX MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/29B | VALVE, CYLINDER, GAS, HYDROGEN OUTLET 351 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/33C | VALVE,CYLINDER, GAS, NITROGEN, RECOIL MECHANISMS, OUTLET 000 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 28-AUG-73 | ME | SH | 68 | |
| D | | MIL-V-2/37B | VALVE, CYLINDER, GAS, NITROUS OXIDE, OUTLET 1321 (MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/38C | VALVE, CLYINDER, GAS, NITROUS OXIDE OUTLET 911 (PIN INDEX MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/39B | VALVE, CYLINDER, GAS, OXYGEN OUTLET 541 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/41B | VALVE, CYLINDER, GAS, OXYGEN, 3/4 INCH INLET CONNECTION, 450-, 750-, 1, 150-8 1,560 GALLON CAPACITY MEDICAL CYLINDERS, TYPE 01-541-4, 2,200 PSI SERVICE PRESSURE [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/42C | VALVE, CYLINDER, GAS, OXYGEN, 1/2-INCH INLET CONNECTION, TYPE 01-871-5, 2500-PSI SERVICE PRESSURE, 80, 95 AND 165 GALLON CAPACITY MEDICAL CYLINDERS [VALIDATION DATE: 8001] USER: AV MC MI YD1 REVIEWER: AS GS | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/43B | VALVE, CYLINDER GAS, PHOSGENE, 3/4 INCH INLET CONNECTION, 1-TON CONTAINER, TYPE 11-641-1, 500 PSI SERVICE PRESSURE [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS EA GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/44B | VALVE, CYLINDER, GAS, PROPANE, 3/4 INCH INLET CORRECTION, TYPE 08-511-1B 300 PSI SERVICE PRESSURE [VALIDATION DATE: 8001] USER: AV MC MI YD1 REVIEWER: AS GS | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/46B | VALVE, CYLINDER, GAS, SULFUR HEXAFLUORIDE OUTLET 591 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/47 | VALVE, CYLINDER, GAS, AIR FOR HUMAN RESPIRATION, OUTLET 951 (PIN-INDEX MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS EA GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/48 | VALVE, CYLINDER, GAS, AIR FOR HUMAN RESPIRATION, OUTLET 1341 (MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS EA GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/49 | VALVE, CYLINDER, GAS, CYCLOPROPANE, OUTLET 921 (PIN INDEX MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/50 | VALVE, CYLINDER, GAS, METHYL BROMIDE, OUTLET 621 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | SH | 68 | |
| D | | MIL-V-2/51 | VALVE, CYLINDER, GAS, HIGH PRESSURE GASES, 6000 PSI, OUTLET 67U [VALIDATION DATE: 8001] USER: AV REVIEWER: AS GS MI | A 8120 ME 09-SEP-70 | ME | YD1 | 68 | |
| D | | MIL-V-3D | VALVE, FITTINGS, AND FLANGES (EXCEPT FOR SYSTEMS INDICATED HEREIN), PACKAGING OF USER: MC REVIEWER: 99 CS MI SA SH YD1 | A PACK SH 03-JUL-85 | ME | SH | 69 | |
| D | | MIL-T-4K | TIRES AND INNER TUBES; PACKAGING OF USER: AV MC REVIEWER: BA BH ME ..... | A 2610 AT 08-AUG-91 | AT | YD1 | 84 | |
| L | | MIL-T-004J | TIRE, PNEUMATIC, AND INNER TUBE, PNEUMATIC TIRE, TIRE WITH FLAP, PACKAGING OF 110276 [VALIDATION DATE: 8001] REVIEWER: CS | A 2610 AT 11-FEB-76 | AT | | | |
| Q | | MIL-C-5E(2) SUPPL 1A, NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC GENERAL SPECIFICATION FOR [VALIDATION DATE: 9010] USER: 19 CG MC ME REVIEWER: 11 17 99 AS ES OS | A 5910 BS 26-OCT-90 | ER | EC | 85 | |
| | | MIL-C-5/1F NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM15 [VALIDATION DATE: 8909] USER: ME REVIEWER: 11 99 ES MI | A 5910 ER 05-SEP-89 | ER | EC | 85 | |
| | | MIL-C-5/2G(1) | CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 20 USER: CG MC REVIEWER: 11 17 99 AS ES OS SH | A 5910 EC 20-NOV-87 | ER | EC | 85 | |
| | | MIL-C-5/4E(1) | CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 30 USER: 19 CG MC REVIEWER: 11 17 AS ES OS SH | A 5910 EC 20-NOV-87 | ER | EC | 85 | |
| | | MIL-C-5/5G(1) | CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 35 USER: 19 CG MC REVIEWER: 11 17 AS ES OS SH | A 5910 EC 20-NOV-87 | ER | EC | 85 | |
| | | MIL-C-5/7F(1) NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC STYLE CM45 USER: ME REVIEWER: 17 99 ES . | A 5910 ER 07-AUG-91 | ER | EC | 85 | |

| Action | Chg / Ltr Coordination Indicator | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MIL-C-5/8G | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM60 USER: ME REVIEWER: 17 99 ES MI | A 5910 ER 07-AUG-91 | ER | EC | 85 | |
| | | MIL-C-5/9F(2) NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM66 REVIEWER: 99 ES ..... | A 5910 ER 07-AUG-91 | ER | EC | 85 | |
| | | MIL-C-5/10G(1) NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM60 REVIEWER: 17 99 ES ..... | A 5910 85 06-MAY-91 | ER | EC | 85 | |
| | | MIL-C-5/11E(1) NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM66, CM66, AND CM68 USER: 19 CG MC ME REVIEWER: 11 17 99 ES | A 5910 85 30-OCT-89 | ER | EC | 85 | |
| | | MIL-C-5/12F(2) | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM70, CM71, AND CM73 USER: 19 CG MC REVIEWER: 11 17 AS ES OS SH | A 5910 EC 11-SEP-89 | ER | EC | 85 | |
| | | MIL-C-5/13E(1) NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM75, CM76, AND CM78 USER: 9 CG MC ME REVIEWER: 17 99 ES | A 5910 85 30-OCT-89 | ER | EC | 85 | |
| | | MIL-C-5/14F(2) | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM80, CM81, AND CM83 USER: 19 CG MC REVIEWER: 11 17 99 ES OS | A 5910 ER 11-OCT-89 | ER | EC | 85 | |
| | | MIL-C-5/15F(2) | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM85, CM86, AND CM88 USER: 19 CG MC REVIEWER: 11 17 AS ES OS SH | A 5910 EC 11-SEP-89 | ER | EC | 85 | |
| | | MIL-C-5/16F(2) NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM90, CM91, AND CM93 USER: 19 CG MC REVIEWER: 11 17 AS ES OS SH | A 5910 EC 11-SEP-89 | ER | EC | 85 | |
| I | | MIL-C-5/17F(2) | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM95 USER: 19 CG MC REVIEWER: 11 17 AS ES OS SH | A 5910 EC 11-SEP-89 | ER | EC | 85 | |
| I | | MIL-C-5/18D(2) | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM04, CM05, CM06, CM07, CM08, CM09, CM10, CM11, CM12, AND CM13 USER: 19 REVIEWER: 11 17 AS ES OS SH | A 5910 EC 25-MAY-88 | ER | EC | 85 | |
| Q | | MIL-I-108(3) | INSULATING COMPOUND, ELECTRICAL, CERAMIC CLASS L USER: AS AT AV MC ME OS REVIEWER: EA ES GS MI | A 5970 ER 06-DEC-84 | ER | SH | 85 | |
| Q | 1 | MIL-R-11F(3) SUPPL 1A, NOTICE 1 | RESISTORS, FIXED, COMPOSITION (INSULATED), GENERAL SPECIFICATION FOR (VALIDATION DATE: 8906) USER: 19 AT MC ME REVIEWER: 17 AS AV ES MI OS | A 5905 ER 16-JUN-89 | ER | EC | 85 | |
| I | | MIL-R-11/3D NOTICE 1 | RESISTOR, FIXED, COMPOSITION (INSULATED), STYLE RC20 (VALIDATION DATE: 8906) USER: 14 19 AT MC ME REVIEWER: 17 AR EA ES MI OS | A 5905 ER 16-JUN-89 | ER | EC | 85 | |
| I | | MIL-R-11/6C NOTICE 1 | RESISTORS, FIXED, COMPOSITION (INSULATED) STYLE RC32 (VALIDATION DATE: 8906) USER: 14 19 AT MC REVIEWER: 17 AR EA ES MI OS | A 5905 ER 16-JUN-89 | ER | EC | 85 | |
| I | | MIL-R-11/7C NOTICE 1 | RESISTOR, FIXED, COMPOSITION (INSULATED), STYLE RC42 (VALIDATION DATE: 8906) USER: 19 MC ME REVIEWER: 17 AR AV EA ES MI OS | A 5905 ER 16-JUN-89 | ER | EC | 85 | |
| I | | MIL-R-11/8C NOTICE 1 | RESISTOR, FIXED, COMPOSITION (INSULATED), STYLE RC07 (VALIDATION DATE: 8906) USER: 19 AT MC ME REVIEWER: 17 AR AV ES MI OS | A 5905 ER 16-JUN-89 | ER | EC | 85 | |
| I | | MIL-R-11/11E NOTICE 1 | RESISTOR, FIXED, COMPOSITION (INSULATED), STYLE RC05 (VALIDATION DATE: 8906) USER: 19 AT MC ME REVIEWER: 17 AR AV ES MI OS | A 5905 ER 16-JUN-89 | ER | EC | 85 | |
| MQ | | MIL-M-14H(3) SUPPL 1A | MOLDING COMPOUNDS, THERMOSETTING USER: EC YD1 REVIEWER: AS EA GS MI MR OS . | A 9330 SH 19-MAY-93 | AR | SH | 11 | |
| M | | MIL-M-14/1(3) | MOLDING COMPOUNDS, PHENOLIC, THERMOSETTING, CONTAINING CELLULOSE FILLERS USER: EC YD1 REVIEWER: AS EA GS MI MR OS | A 9330 SH 19-MAY-93 | AR | SH | 11 | |
| M | | MIL-M-14/2(2) | MOLDING COMPOUNDS, PHENOLIC, THERMOSETTING, CONTAINING MINERAL/GLASS FILLERS USER: EC YD1 REVIEWER: AS EA GS MI MR OS | A 9330 SH 19-MAY-93 | AR | SH | 11 | |
| A | | MIL-M-14/3(1) | MOLDING COMPOUNDS, MELAMINE, THERMOSETTING, CONTAINING CELLULOSE, MINERAL, OR GLASS FILLERS USER: EC REVIEWER: AR AS EA ER GS MI MR OS | A 9330 SH 07-NOV-90 ME | SH | 11 | | |
| A | | MIL-M-14/4(1) | MOLDING COMPOUNDS, POLYESTER, THERMOSETTING, CONTAINING MINERAL/GLASS FILLERS USER: EC REVIEWER: AR AS EA ER GS MI MR OS | A 9330 SH 07-NOV-90 ME | SH | 11 | | |
| M | | MIL-M-14/5(3) | MOLDING COMPOUNDS, DIALLYL ISO-PHTHALATE THERMOSETTING, CONTAINING MINERAL FILLERS, GLASS OR POLYMERIC FILLERS USER: EC YD1 REVIEWER: AS EA GS MI MR OS | A 9330 SH 19-MAY-93 | AR | SH | 11 | |
| M | | MIL-M-14/6(3) | MOLDING COMPOUNDS, DIALLYL ORTHO-PHTHALATE, THERMOSETTING, CONTAINING MINERAL FILLERS, GLASS OR POLYMERIC FILLERS USER: EC YD1 REVIEWER: AS EA GS MI MR OS | A 9330 SH 19-MAY-93 | AR | SH | 11 | |
| M | | MIL-M-14/7(2) | MOLDING COMPOUNDS, SILICONE, THERMOSETTING, CONTAINING MINERAL/GLASS FILLERS USER: EC YD1 REVIEWER: AS EA GS MI MR OS | A 9330 SH 19-MAY-93 | AR | SH | 11 | |
| A | | MIL-M-14/8(2) | MOLDING COMPOUNDS, EPOXY THERMOSETTING, CONTAINING MINERAL/GLASS FILLERS USER: EC REVIEWER: AR AS EA ER GS MI MR OS | A 9330 SH 28-MAY-91 ME | SH | 11 | | |
| DQ | | MIL-C-17G SUPPL 1A | CABLES, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR USER: 19 AS AT MC ME OS YD1 REVIEWER: 11 17 99 AR ES IS MI MA SH | A 6145 CR 09-MAR-90 | CR | EC | 85 | |
| | | MIL-C-17/2A(2) NOTICE 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/2-RG6 (VALIDATION DATE: 8808) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A 6145 CR 26-AUG-88 | CR | EC | 85 | |
| | | MIL-C-17/6B(2) NOTICE 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS M17/6-RG11, UNARMORED, M17/6-RG12, ARMORED (VALIDATION DATE: 8808) USER: 19 AR AS AT ES MC ME OS REVIEWER: 11 17 99 IS MI SH | A 6145 CR 16-AUG-88 | CR | EC | 85 | |
| | | MIL-C-17/15B | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN 95 OHMS, UNARMORED, M17/15-RG022 AND ARMORED, M17(15-RG111 (THIS C ABLE USES PVG MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: AS AT ES MC ME OS REVIEWER: 11 17 AR EC IS TD | A 6145 CR 18-JUL-85 | CR | SH | 85 | |
| | | MIL-C-17/16D | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, DUAL, 125 OHMS, M17/16-RG23 (UNARMORED, M17/16-RG24 (ARMORED) (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AR AT MC ME OS REVIEWER: 11 17 99 ES IS MI TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/21C | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, PULSE, 48 OHMS, M17/21-RG26 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI TD | A 6145 CR 18-JUL-85 | CR | SH | 85 | |
| I | | MIL-C-17/24B(3) NOTICE 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/24-RG34 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A 6145 CR 07-OCT-91 | CR | EC | 85 | |
| | | MIL-C-17/28C | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/28-RG058 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR MI SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/29C(1) NOTICE 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/29-RG59 (VALIDATION DATE: 8808) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 DS ES IS MI SH | A 6145 CR 26-AUG-88 | CR | EC | 85 | |
| | | MIL-C-17/30D | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 93 OHMS, M17/30-RG062 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AR AS AT ES MC ME OS REVIEWER: 11 17 99 IS MI SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/31B(1) NOTICE 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 125 OHMS, M17/31-RG63, UNARMORED, 17/31-RG79, ARMORED (VALIDATION DATE: 8808) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 ES IS MI SH | A 6145 CR 26-AUG-88 | CR | EC | 85 | |
| I | | MIL-C-17/34B NOTICE 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, TIME DELAY, 950 OHMS, M17/34-RG65 (VALIDATION DATE: 9110) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A 6145 CR 07-OCT-91 | CR | EC | 85 | |
| | | MIL-C-17/45E | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 78 OHMS, M17/45-RG108 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 AR IS MI TD | A 6145 CR 18-JUL-85 | CR | SH | 85 | |
| | | MIL-C-17/47C(1) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 185 OHMS, M17/47-RG114 USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR IS MI SH TD | A 6145 CR 31-OCT-88 | CR | EC | 85 | |
| | | MIL-C-17/52B | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/52-00001, M17/52-RG119, UNARMORED, M17/52-RG120, ARMORED USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 85 ES IS MI SH | A 6145 CR 31-OCT-88 | CR | EC | 99 | |
| | | MIL-C-17/54B NOTICE 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/54-RG122 (VALIDATION DATE: 9108) USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR EC IS MI | A 6145 CR 30-AUG-91 | CR | SH | 85 | |
| I | | MIL-C-17/56B NOTICE 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 95 OHMS, M17/56-RG130, (UNARMORED), M17/56-RG131 (ARMORED) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A 6145 CR 07-OCT-91 | CR | EC | 85 | |

| Action | Qty. / Date Coordination Inactive | Document Number | Document Title | Dist. Stmt. | F&C / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-17/60C(3) NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/060-RG142 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A | 6145 | CR | 06-MAR-92 | CR | EC | 85 | |
| | | MIL-C-17/62C | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/62 RG144 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 ES IS MI | A | 6145 | CR | 24-SEP-86 | CR | SH | 85 | |
| | | MIL-C-17/64B(3) | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/64-RG-164, UNARMORED, M17/64-RG35, ARMORED USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A | 6145 | CR | 24-MAY-82 | CR | EC | 85 | |
| | | MIL-C-17/65B(2) | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, UNARMORED M17/65-RG165, AND ARMORED, M17/65-RG166 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A | 6145 | CR | 15-JAN-91 | CR | EC | 85 | |
| | | MIL-C-17/67C(1) | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/067 RG177 USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR MI SH | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| I | MIL-C-17/72C(1) NOTICE 1 | | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/72-RG211 USER: 19 AS AT MC MD ME OS REVIEWER: 11 17 99 AR ER ES MI SH | A | 6145 | CR | 07-OCT-91 | CR | EC | 85 | |
| | | MIL-C-17/73B | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/73-RG212 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR MI SH | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/74C | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, UNARMORED M17/74-RG213, AND ARMORED M17/74-RG215 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR IS MI SH | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/75F | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/75 RG214 & M17/75 RG365 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A | 6145 | CR | 24-SEP-86 | CR | EC | 85 | |
| | | MIL-C-17/77C | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 75 OHMS, M17/77-RG216 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A | 6145 | CR | 19-JUL-85 | CR | EC | 85 | |
| N | | MIL-C-17/78C | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/78-RG217 AND M17/78-00001 (TEMPERATURE STABILIZED) USER: 19 AR AS AT MC ME OS REVIEWER: 17 99 ES IS MI SH YD1 | A | 6145 | CR | 13-APR-93 | CR | EC | 85 | |
| | | MIL-C-17/79D(1) | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS UNARMORED M17/079RG218 & ARMORED M17/079 RG219 USER: 19 AR AS AT ES MC ME OS REVIEWER: 11 17 99 IS MI SH | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/81C | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/81-00001 AND M17/81-00002 (ARMORED) (INACTIVE FOR NEW DESIGN) (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AS ES MC OS SH REVIEWER: 11 17 99 IS TD | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/84B(1) | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/84-RG223 USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR IS MI SH | A | 6145 | CR | 14-SEP-87 | CR | EC | 85 | |
| | | MIL-C-17/86B NOTICE 2 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/86-00001 AND M17/86-00002 (ARMORED) USER: 19 AS MC OS REVIEWER: 11 17 99 ES IS SH | A | 6145 | CR | 06-MAR-92 | CR | EC | 85 | |
| | | MIL-C-17/87A NOTICE 2 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/87-00001 USER: 19 AS MC OS REVIEWER: 11 17 99 ES IS SH | A | 6145 | CR | 06-MAR-92 | CR | EC | 85 | |
| | | MIL-C-17/90A(1) NOTICE 1 | CABLES, RADIO FREQUENCY, COAXIAL, 93 OHMS, M17/90-RG71 [VALIDATION DATE: 8808] USER: 19 AR AS AT ES MC ME OS REVIEWER: 11 17 99 IS MI SH | A | 6145 | CR | 16-AUG-88 | CR | EC | 85 | |
| I | | MIL-C-17/92D NOTICE 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/92-RG115, M17/92-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A | 6145 | CR | 30-AUG-91 | CR | EC | 85 | |
| | | MIL-C-17/93G NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/93-RG178 AND M17/93-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A | 6145 | CR | 06-MAR-92 | CR | EC | 85 | |
| | | MIL-C-17/94F | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/09· RGG179 USER: 19 AR AS AT ES MC ME MI OS SH REVIEWER: 11 17 IS | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/95E | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 95 OHMS M17/095 RG180 USER: 19 AS AT MC ME OS REVIEWER: 11 17 AR ES MI | A | 6145 | CR | 18-JUL-85 | CR | SH | 85 | |
| | | MIL-C-17/97C | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 93 OHMS M17/97 RG210 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 IS MI SH | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/110D | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/110 RG302 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/111C | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/111 RG303 USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR IS MI SH | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/112A(1) | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/112 RG304 USER: 19 AT ES ME REVIEWER: 11 17 99 AR IS MI | A | 6145 | CR | 18-JUL-85 | CR | SH | 85 | |
| | | MIL-C-17/113C(2) NOTICE 2 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/113-RG316 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A | 6145 | CR | 06-MAR-92 | CR | EC | 85 | |
| A | | MIL-C-17/116C(1) | CABLES, RADIO FREQUENCY, FLEXIBLE, TRIAXIAL, 75 OHMS, M17/116-RG307 USER: 19 AR AS AT CR MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A | 6145 | CR | 13-JAN-93 | CR | EC | 85 | |
| | | MIL-C-17/119G | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/119-RG174 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/126B NOTICE 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, LOW NOISE, 72 OHMS, M17/126-RG391 (UNARMORED), M17/126-RG392 (ARMORED) [VALIDATION DATE: 8808] USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI | A | 6145 | CR | 26-AUG-88 | CR | EC | 85 | |
| | | MIL-C-17/127C(2) | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/127 RG393 USER: 19 AR AS AT ME MS OS REVIEWER: 11 17 99 ES IS MI SH | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/128B(1) | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/128 RG400 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A | 6145 | CR | 18-JUL-85 | CR | EC | 85 | |
| | | MIL-C-17/129D | CABLES, RADIO FREQUENCY, COAXI·.. 0.250 (6.35 MM) DIAMETER, SEMIRIGID, 50 OHMS, M17/129-RG401 AND M17/129-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 17 99 ES IS MI SH | A | 6145 | CR | 17-JAN-92 | CR | EC | 85 | |
| | | MIL-C-17/130E | CABLES, RADIO FREQUENCY, COAXIAL, 0.141 INCH (3.58 MM) DIAMETER, SEMIRIGID, 50 OHMS USER: 19 AR AS AT MC ME OS REVIEWER: 17 99 ES IS MI SH | A | 6145 | CR | 17-JAN-92 | CR | EC | 85 | |
| | | MIL-C-17/131B | CABLES, RADIO FREQUENCY, FLEXIBLE, TRIAXIAL, 50 OHMS, M17/131-RG403 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 ES IS MI SH | A | 6145 | CR | 31-MAR-92 | CR | EC | 85 | |
| | | MIL-C-17/132B | CABLES, RADIO FREQUENCY, COAXIAL, LOW NOISE, 50 OHMS, M17/132-000 01 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A | 6145 | CR | 19-NOV-87 | CR | EC | 85 | |
| A | | MIL-C-17/133D(1) | CABLES, RADIO FREQUENCY, COAXIAL, 0.0865 (2.20 MM) DIAMETER, SEMIRIGID, 50 OHMS USER: 19 AR AS AT MC ME OS REVIEWER: 17 99 ES IS MI SH | A | 6145 | CR | 25-FEB-93 | CR | EC | 85 | |
| A | | MIL-C-17/134C | CABLE, RADIO FREQUENCY, TRIAXIAL, .245 INCH, 50 OHM, WATERBLOCKED, NON-WATER BLOCKED AND CROSSLINKED, LOW SMOKE USER: 19 AR AS AT MC ME OS REVIEWER: 17 99 ES IS MI SH TD | A | 6145 | CR | 13-APR-93 | CR | EC | 85 | |
| A | | MIL-C-17/135C | CABLES, RADIO FREQUENCY, TRIAXIAL, .500 INCH, 50 OHM, WATERBLOCKED, NON-WATER BLOCKED AND CROSSLINKED, LOW SMOKE USER: 19 AR AS AT MC ME OS REVIEWER: 17 99 ES IS MI SH TD | A | 6145 | CR | 13-APR-93 | CR | EC | 85 | |
| | | MIL-C-17/136B NOTICE 2 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMC, M17/136-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A | 6145 | CR | 26-SEP-91 | CR | EC | 85 | |
| | | MIL-C-17/137 NOTICE 3 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 95 OHMS, M17/137-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 ES IS MI SH | A | 6145 | CR | 26-SEP-91 | CR | EC | 85 | |
| | | MIL-C-17/138A(1) NOTICE 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/138-00001 [VALIDATION DATE: 9108] USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A | 6145 | CR | 30-AUG-91 | CR | EC | 85 | |
| | | MIL-C-17/139C | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 95 OHMS, M17/139-00001 USER: 19 AS AT MC ME REVIEWER: 11 17 80 ES IS MI SH | A | 6145 | CR | 23-NOV-88 | CR | EC | 85 | |
| A | | MIL-C-17/151(3) | CABLES, RADIO FREQUENCY, COAXIAL, 0.047 INCH DIAMETER, SEMIRIGID, 50 OHMS, M17/151-00001 AND M17/151-00002 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A | 6145 | CR | 21-SEP-92 | CR | EC | 85 | |

| Action | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| | MIL-C-17/152A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/152 00001 USER: 19 AR AS AT MC OS SH REVIEWER: 11 17 99 ES IS ME MI TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| A | MIL-C-17/154(3) | CABLES, RADIO FREQUENCY, COAXIAL, 0.034 INCH DIAMETER, SEMIRIGID, 50 OHMS, M17/154-00001 AND M17/154-00002 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A 6145 CR 21-SEP-92 | CR | EC | 85 | |
| | MIL-C-17/155A | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/155-00001 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | MIL-C-17/156<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/156-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A 6145 CR 26-SEP-91 | CR | EC | 85 | |
| | MIL-C-17/157A | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/157-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | MIL-C-17/158A | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/158-00001 USER: 19 AR AS AT ES MC ME OS REVIEWER: 11 17 99 MI SH | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | MIL-C-17/159<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/159-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A 6145 CR 06-MAR-92 | CR | EC | 85 | |
| | MIL-C-17/160B | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/160-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| I | MIL-C-17/161(1)<br>NOTICE 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/161-00001 AND M17/161-00002 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A 6145 CR 07-OCT-91 | CR | EC | 85 | |
| | MIL-C-17/162A<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/162-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 26-SEP-91 | CR | EC | 85 | |
| | MIL-C-17/163A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/163-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | MIL-C-17/164<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/164-00001 AND M17/164-00002 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A 6145 CR 06-MAR-92 | CR | EC | 85 | |
| | MIL-C-17/165A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/165-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | MIL-C-17/166B | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/166-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | MIL-C-17/167B | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/167-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 ES IS MI SH | A 6145 CR 22-MAR-88 | CR | | 85 | |
| | MIL-C-17/168A<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/168-00001 AND M17/168-00002 USER: 19 AS AT MC ME OS REVIEWER: 11 17 80 99 AR ES IS MI SH | A 6145 CR 06-MAR-92 | CR | EC | 85 | |
| | MIL-C-17/169A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/169-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | MIL-C-17/170A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/170-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | MIL-C-17/171A<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/171-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 26-SEP-91 | CR | EC | 85 | |
| | MIL-C-17/172A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/172-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | MIL-C-17/173A<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/173-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD | A 6145 CR 26-SEP-91 | CR | EC | 85 | |
| | MIL-C-17/174A<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/174-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A 6145 CR 06-MAR-92 | CR | EC | 85 | |
| | MIL-C-17/175B | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/175-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A 6145 CR 18-JUL-85 | CR | EC | 85 | |
| | MIL-C-17/176D | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, M17/176-00002 AND M17/176-00003 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH | A 6145 CR 07-JUN-90 | CR | EC | 85 | |
| | MIL-C-17/177A<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 95 OHMS, M17/177-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A 6145 CR 26-SEP-91 | CR | EC | 85 | |
| | MIL-C-17/178A<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 95 OHMS, M17/178-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A 6145 CR 26-SEP-91 | CR | EC | 85 | |
| | MIL-C-17/179A<br>NOTICE 2 | CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 75 OHMS, M17/179-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH | A 6145 CR 26-SEP-91 | CR | EC | 85 | |
| | MIL-C-17/180B | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/180-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/181B | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/181-00001 UNARMORED, M17/181-00002 ARMORED USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/182B | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 95 OHMS, M17/182-00001 UNARMORED, M17/182-00002 ARMORED USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/183B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/183-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/184B | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/184-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/185B | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 93 OHMS, M17/185-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/186B | CABLE, RADIO FREQUENCY, FLEXIBLE, TWIN, 78 OHMS, M17/186-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/187B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/187-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/188B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/188-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/189B | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/189-00001 UNARMORED, M17/189-00002 ARMORED USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/190B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/190-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/191B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 75 OHMS, M17/191-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| A | MIL-C-17/192C | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/192-00001 AND M17/192-00002 USER: 19 AS AT MC ME OS REVIEWER: 80 99 AR ES MI SH | A 6145 EC 15-MAR-93 | CR | EC | 85 | |
| | MIL-C-17/193B | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/193-00001 UNARMORED, M17/193-00002 ARMORED USER: 19 AS MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/194B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/194-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/195B | CABLE, RADIO FREQUENCY, COAXIAL, 93 OHMS, M17/195-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/196B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/196-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/197B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/197-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/198B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/198-00001 USER: 19 AS MC OS REVIEWER: 11 80 99 AR AT ES IS ME MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/199B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/199-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| | MIL-C-17/200B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/200-00001 USER: AS AT MC ME OS REVIEWER: 11 80 99 AR ES IS MI SH | A 6145 EC 20-FEB-91 | CR | EC | 85 | |
| D | MIL-B-18E(1) | BATTERY, DRY (VALIDATION DATE: 8301) USER: 11 AV MC ME MI YD1 REVIEWER: 85 AR AS OS | A 6135 ER 12-MAY-83 | ER | SH | 99 | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-B-18/1D | BATTERY DRY BA- 402/U (VALIDATION DATE: 8502) USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/2D | BATTERY, DRY, BA8 USER: ME REVIEWER: MC | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/3D | BATTERY, DRY, BA-8 USER: MC ME REVIEWER: MI SA | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/4D | BATTERY, DRY, BA-15A USER: ME REVIEWER: MC MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/5C | BATTERY, DRY, BA-23 (VALIDATION DATE: 8110) USER: ES MC ME YD1 REVIEWER: MI | A | 6135 | ER | 21-AUG-76 | ER | SH | 99 | |
| | | MIL-B-18/6D | BATTERY, DRY, BA-26 USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/7D | BATTERY, DRY, BA-27 USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/8D | BATTERY, DRY, BA-28 USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/10D | BATTERY, DRY, BA-31 USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/11D | BATTERY, DRY, BA-33 USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/12D | BATTERY, DRY, BA-34 USER: MC ME REVIEWER: AR | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/13D | BATTERY, DRY, BA-35 USER: MC ME REVIEWER: AR MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/14D | BATTERY, DRY, BA-36 USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/15C | BATTERY, DRY, BA-37 (VALIDATION DATE: 8110) USER: MC ME YD1 | A | 6135 | ER | 21-AUG-76 | ER | SH | 99 | |
| | | MIL-B-18/16D | BATTERY, DRY, BA-38 USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/17D | BATTERY, DRY, BA-39 USER: ES MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/18D | BATTERY, DRY, BA-40 USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/21D | BATTERY, DRY, BA-44 USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/23D | BATTERY, DRY, BA-48 USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/25D | BATTERY, DRY, BA-51 USER: MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/26D | BATTERY, DRY, BA-53 USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/27D | BATTERY, DRY, BA-56 USER: ES MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 88 | |
| | | MIL-B-18/29D | BATTERY, DRY, BA-59 USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/30D | BATTERY, DRY, BA-70 USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/31D | BATTERY, DRY, BA-65 USER: MC ME YD1 REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/32D | BATTERY, DRY, BA-67 USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/34D | BATTERY, DRY, BA-200/U USER: AR MC ME YD1 REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/36D | BATTERY, DRY, BA-203/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/38D | BATTERY, DRY, BA-205/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/40D | BATTERY, DRY, BA-207/U USER: AR MC YD1 REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/41D | BATTERY, DRY, BA-208/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/43D | BATTERY, DRY, BA-210/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/46D | BATTERY, DRY, BA-216/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/50D | BATTERY, DRY, BA-222/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/51D | BATTERY, DRY, BA-223/U USER: AR MC YD1 REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/53D | BATTERY, DRY, BA-226/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/55D | BATTERY, DRY, BA-228/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/56D | BATTERY, DRY, BA-230/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/57C | BATTERY, DRY, BA-231/U (VALIDATION DATE: 8110) USER: AR MC YD1 REVIEWER: MI | A | 6135 | ER | 21-AUG-76 | ER | SH | 99 | |
| | | MIL-B-18/58D | BATTERY, DRY, BA-232/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/59D | BATTERY, DRY, BA-233/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/60D | BATTERY, DRY, BA-234/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/74D | BATTERY, DRY, BA-261/U USER: MC YD1 REVIEWER: EA | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/75D | BATTERY, DRY, BA-270/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/77D | BATTERY, DRY, BA-279/U USER: AR MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/79C | BATTERY, DRY, BA-401/U (VALIDATION DATE: 8110) USER: AR MC YD1 REVIEWER: MI | A | 6135 | ER | 21-AUG-76 | ER | SH | 99 | |
| | | MIL-B-18/80D | BATTERY, DRY, BA-402/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/81D | BATTERY, DRY, BA-403/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/82D | BATTERY, DRY, BA-404/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/83D | BATTERY, DRY, BA-405/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/84D | BATTERY, DRY, BA-406/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/87D | BATTERY, DRY, BA-409/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/88D | BATTERY, DRY, BA-410/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/89D | BATTERY, DRY, BA-411/U USER: ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/90D | BATTERY, DRY, BA-412/U USER: ME MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/91D | BATTERY, DRY, BA-413/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/92D | BATTERY, DRY, BA-414/U USER: MC ME YD1 | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/93D | BATTERY, DRY, BA-415/U USER: MC ME YD1 REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/94D | BATTERY, DRY, BA-416/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/96D | BATTERY, DRY, BA-418/U USER: MC REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/97D | BATTERY, DRY, BA-419/U USER: MC ME YD1 REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/98D | BATTERY, DRY, BA-420/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/99D | BATTERY, DRY, BA-421/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/102D | BATTERY, DRY, BA-424/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/106C | BATTERY, DRY, BA-1030/U (VALIDATION DATE: 8110) USER: AV ES MC ME YD1 REVIEWER: AS MI SA | A | 6135 | ER | 21-AUG-76 | ER | SH | 88 | |
| | | MIL-B-18/125D | BATTERY, DRY, BA-1232/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/127D | BATTERY, DRY, BA-1234/U USER: MC ME YD1 REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/130D | BATTERY, DRY, BA-1277/U USER: MC ME REVIEWER: MI | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/131D | BATTERY, DRY, BA-1278/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/198C | BATTERY, DRY, BA-266/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/199C | BATTERY, DRY, BA-272/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/200C | BATTERY, DRY, BA-291/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/202C | BATTERY, DRY, BA-305/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/204C | BATTERY, DRY, BA-314/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/206C | BATTERY, DRY, BA-331/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/207C | BATTERY, DRY, BA-332/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/208C | BATTERY, DRY, BA-333/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/211C | BATTERY, DRY, BA-358/U USER: MC ME YD1 | A | 6135 | ER | 21-MAY-85 | ER | SH | | |
| | | MIL-B-18/215C | BATTERY, DRY, BA-471/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/217B | BATTERY, DRY, BA-1006/U (VALIDATION DATE: 8110) USER: MC ME YD1 | A | 6135 | ER | 21-AUG-76 | ER | SH | 99 | |
| D | | MIL-B-18/218B | BATTERY, DRY, BA-1288/U (VALIDATION DATE: 8110) USER: MC ME YD1 | A | 6135 | ER | 21-AUG-76 | ER | SH | 99 | |
| | | MIL-B-18/219C | BATTERY, DRY, BA-1293/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/220B | BATTERY, DRY, BA-1312/U (VALIDATION DATE: 8110) USER: MC ME YD1 | A | 6135 | ER | 21-AUG-76 | ER | SH | 99 | |
| | | MIL-B-18/222C | BATTERY, DRY, BA-1315/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/223C | BATTERY, DRY, BA-1318/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| D | | MIL-B-18/224B | BATTERY, DRY, BA-1328/U (VALIDATION DATE: 8110) USER: MC ME YD1 REVIEWER: AS EA MI | A | 6135 | ER | 21-AUG-76 | ER | SH | 99 | |
| D | | MIL-B-18/225B | BATTERY, DRY, BA-1330/U (VALIDATION DATE: 8301) USER: MC ME YD1 | A | 6135 | ER | 21-AUG-76 | ER | SH | 99 | |
| | | MIL-B-18/226C | BATTERY, DRY, BA-1363/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/245C | BATTERY, DRY, BA-1264/U USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | 99 | |
| | | MIL-B-18/248B | BATTERY, DRY, BA-1387/URC-10 USER: MC ME | A | 6135 | ER | 21-MAY-85 | ER | SH | | |
| L | | MIL-B-18/249A | BATTERY, DRY, BA-1087/U USER: ES ME REVIEWER: SH | A | 6135 | ER | 21-MAY-85 | ER | | | |
| L | | MIL-B-18/250A | BATTERY, DRY, BA-399/U USER: ME | A | 6135 | ER | 28-MAY-85 | ER | | | |
| L | | MIL-B-18/251A | BATTERY, DRY, BA-505/U USER: ME | A | 6135 | ER | 28-MAY-85 | ER | | | |
| L | | MIL-B-18/253A | BATTERY, DRY, BA-1100/U USER: ME | A | 6135 | ER | 28-MAY-85 | ER | | | |
| L | | MIL-B-18/254 | BATTERY, DRY, BA-1110/U (VALIDATION DATE: 8110) USER: ME | A | 6135 | ER | 26-FEB-88 | ER | | | |
| L | | MIL-B-18/255A | BATTERY, DRY, BA-1509/PRC-64 USER: ME | A | 6135 | ER | 28-MAY-85 | ER | | | |
| L | | MIL-B-18/256A | BATTERY, DRY BA-1083/U USER: AV ME | A | 6135 | ER | 28-MAY-85 | ER | | | |
| L | | MIL-B-18/257A | BATTERY, DRY BA-1086/U USER: AV ME | A | 6135 | ER | 28-MAY-85 | ER | | | |
| L | | MIL-B-18/259A | BATTERY, DRY BA-1389/U USER: AV ME | A | 6135 | ER | 28-MAY-85 | ER | | | |

| Action | Obsl. / Obsl. Consolidation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| L | | MIL-B-18/260A | BATTERY, NON-RECHARGEABLE, BA-1391/U | A 6135 ER 31-MAR-92 ER | | | | |
| L | | MIL-B-18/261A | BATTERY, DRY BA-1396/U USER: ME | A 6135 ER 28-MAY-85 ER | | | | |
| L | | MIL-B-18/262A | BATTERY, DRY, BA-802/U USER: AV ME | A 6135 ER 28-MAY-85 ER | | | | |
| L | | MIL-B-18/265A | BATTERY, DRY, BA-1093/U REVIEWER: AV ME | A 6135 ER 28-MAY-85 ER | | | | |
| L | | MIL-B-18/266A | BATTERY, DRY BA-1393A/U REVIEWER: AV ME | A 6135 ER 28-MAY-85 ER | | | | |
| L | | MIL-B-18/268A | BATTERY, DRY, BA-1094/U | A 6135 ER 28-MAY-85 ER | | | | |
| | | MIL-B-18/269A | BATTERY, DRY, BA-90 USER: AT REVIEWER: ME | A 6135 ER 21-MAY-85 ER | SH | 99 | | |
| | | MIL-B-18/270A | BATTERY, DRY, BA-803/U | A 6135 ER 21-MAY-85 ER | SH | 99 | | |
| | | MIL-B-18/271A | BATTERY, DRY, BA-804/U | A 6135 ER 21-MAY-85 ER | SH | 99 | | |
| | | MIL-B-18/275B | BATTERY, DRY, BA-1425/U USER: AT | A 6135 ER 28-NOV-88 ER | SH | 99 | | |
| L | | MIL-B-18/276A | TECHNICAL REQUIREMENT, BATTERY, DRY BA-1082/U USER: SH | A 6135 ER 21-MAY-85 ER | | | | |
| L | | MIL-B-18/277 | BATTERY, NON-RECHARGEABLE, DRY | A 6135 AS 03-MAY-89 | AS | | | |
| Q | | MIL-R-19B(3) | RESISTOR, VARIABLE, WIREWOUND (LOW OPERATING TEMPERATURE) GENERAL SPECIFICATION FOR (VALIDATION DATE: 8110) USER: 19 AT AV MC ME REVIEWER: 17 99 AS EA ES MI OS | A 5905 ER 27-APR-72 ER | EC | 85 | | |
| | | MIL-R-19/1B | RESISTORS, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA10 | A 5905 ER 25-OCT-91 ER | EC | 85 | | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) USER: 19 AT MC ME REVIEWER: 11 17 99 AR MI OS | | | | | |
| | | MIL-R-19/2B | RESISTORS, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA20 | A 5905 ER 25-OCT-91 ER | EC | 85 | | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) USER: 19 AT MC ME REVIEWER: 11 17 99 AR MI OS | | | | | |
| | | MIL-R-19/3B | RESISTORS, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA30 | A 5905 ER 25-OCT-91 ER | EC | 85 | | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR OS | | | | | |
| MQ | | MIL-C-20H(2) | CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS MC SH REVIEWER: 99 ES MI OS | A 5910 85 06-MAY-93 ER | EC | 85 | | |
| | | SUPPL 1A | | | | | | |
| | I | MIL-C-20/1C(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC20 USER: AS MC SH REVIEWER: 99 ES | A 5910 85 12-DEC-91 ER | EC | 85 | | |
| | | MIL-C-20/2B | CAPACITOR FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) | A 5910 85 02-APR-86 ER | EC | 85 | | |
| | | NOTICE 1 | (UNINSULATED) NON ESTABLISHED RELIABILITY) (VALIDATION DATE: 8604) USER: AS MC SH REVIEWER: ES OS | | | | | |
| | I | MIL-C-20/3B(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC22 USER: AS MC SH REVIEWER: 99 ES | A 5910 85 12-DEC-91 ER | EC | 85 | | |
| | | MIL-C-20/4C | CAPACITOR FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) | A 5910 85 02-APR-86 ER | EC | 85 | | |
| | | NOTICE 1 | (UNINSULATED) NON ESTABLISHED RELIABILITY STYLE CC 25 (VALIDATION DATE: 8604) USER: AS MC SH REVIEWER: DS ES | | | | | |
| | I | MIL-C-20/6B(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC27 USER: AS MC SH REVIEWER: 99 ES | A 5910 85 12-DEC-91 ER | EC | 85 | | |
| | I | MIL-C-20/7B(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC30 USER: AS MC SH REVIEWER: 99 ES | A 5910 85 12-DEC-91 ER | EC | 85 | | |
| | I | MIL-C-20/8B | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) | A 5910 85 13-JAN-89 CR | EC | 85 | | |
| | | NOTICE 1 | (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC31 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: ES OS | | | | | |
| | I | MIL-C-20/9C(1) | CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), | A 5910 85 13-JAN-89 ER | EC | 85 | | |
| | | NOTICE 1 | (UNINSULATED) NON-ESTABLISHED RELIABILITY CP32 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: 99 ES OS | | | | | |
| | I | MIL-C-20/10B(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) | A 5910 85 13-JAN-89 ER | EC | 85 | | |
| | | NOTICE 1 | (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC33 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: 99 ES OS | | | | | |
| | I | MIL-C-20/12B(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) | A 5910 85 13-JAN-89 ER | EC | 85 | | |
| | | NOTICE 1 | (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC36 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: 99 ES OS | | | | | |
| | I | MIL-C-20/16D(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY STYLE CC50 USER: AS MC SH REVIEWER: 99 ES OS | A 5910 85 10-DEC-91 ER | EC | 85 | | |
| | I | MIL-C-20/17C(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC51 USER: AS MC SH REVIEWER: 99 ES OS | A 5910 85 10-DEC-91 ER | EC | 85 | | |
| | I | MIL-C-20/18C(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC52 USER: AS MC SH REVIEWER: 99 ES OS | A 5910 85 10-DEC-91 ER | EC | 85 | | |
| | I | MIL-C-20/19B | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) | A 5910 85 24-JUL-91 ER | EC | 85 | | |
| | | NOTICE 2 | (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC53 (VALIDATION DATE: 9107) USER: AS MC SH REVIEWER: 80 ES OS | | | | | |
| | | MIL-C-20/27E(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED & NON-ESTABLISHED RELIABILITY, STYLES CCR75 & CC75 USER: AS MC SH REVIEWER: ES OS | A 5910 85 09-MAY-89 ER | EC | 85 | | |
| | | MIL-C-20/28B | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR76 AND CC76 USER: AS MC REVIEWER: AV ES MI OS | A 5910 85 09-MAY-89 ER | EC | 85 | | |
| | | MIL-C-20/29C | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR77 AND CC77 USER: AS MC SH REVIEWER: ES OS | A 5910 85 09-MAY-89 ER | EC | 85 | | |
| | | MIL-C-20/30B | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR78 AND CC78 USER: AS MC SH REVIEWER: ES OS | A 5910 85 09-MAY-89 ER | EC | 85 | | |
| | | MIL-C-20/31A(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) | A 5910 85 21-SEP-90 ER | | 85 | ES | |
| | | NOTICE 1 | ESTABLISHED AND NONESTABLISHED RELIABILITY STYLES CCR79 AND CC79 (VALIDATION DATE: 9009) USER: AS MC SH REVIEWER: 11 99 OS | | | | | |
| | | MIL-C-20/32(2) | CAPACITORS FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), | A 5910 85 13-JAN-89 ER | EC | 85 | | |
| | | NOTICE 1 | ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR81 AND CC81 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: ES OS | | | | | |
| | | MIL-C-20/33A(2) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), | A 5910 85 13-JAN-89 CR | EC | 85 | | |
| | | NOTICE 1 | ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLE CCR82 AND CC82 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: ES OS | | | | | |
| | | MIL-C-20/34B | CAPACITOR FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED) NON ESTABLISHED RELIABILITY STYLE CCR 83 & CC 88 USER: AS MC SH REVIEWER: ES OS | A 5910 85 31-MAR-88 ER | EC | 85 | | |
| A | | MIL-C-20/35H | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR05, CC05, CC309, AND CC09 USER: AS MC SH REVIEWER: 99 ES OS | A 5910 85 21-APR-93 ER | EC | 85 | | |
| A | | MIL-C-20/36E(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR06 AND CC06 USER: 11 AS MC SH REVIEWER: 99 ES OS | A 5910 85 21-APR-93 ER | EC | 85 | | |
| | | MIL-C-20/37D | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR07 AND CC07 USER: AS MC SH REVIEWER: AV ES OS | A 5910 85 30-JUN-88 ER | EC | 85 | | |
| | | MIL-C-20/38A | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) | A 5910 85 21-SEP-90 ER | | 85 | ES | |
| | | NOTICE 1 | ESTABLISHED AND NONESTABLISHED RELIABILITY STYLES CCR08 AND CC08 (VALIDATION DATE: 9009) USER: AS MC SH REVIEWER: 11 99 OS | | | | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-20/39C(3) NOTICE 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED AND NONESTABLISHED RELIABILITY STYLES CCR15 AND CC15, CCR19 AND CC19 [VALIDATION DATE: 9009] USER: AS MC SH REVIEWER: 11 99 OS | A 5910 | 85 21-SEP-90 | ER | | 85 | ES |
| | | MIL-C-20/40B(2) NOTICE 2 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR16 AND CC16 [VALIDATION DATE: 9107] USER: AS MC SH REVIEWER: ES OS | A 5910 | 85 24-JUL-91 | ER | EC | 85 | |
| | | MIL-C-20/41B(2) NOTICE 2 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR17 AND CC17 [VALIDATION DATE: 9107] USER: AS MC SH REVIEWER: ES OS | A 5910 | 85 24-JUL-91 | ER | EC | 85 | |
| | | MIL-C-20/43(1) NOTICE 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED) AND NON ESTABLISHED RELIABILITY STYLES CCR54 AND CC54 [VALIDATION DATE: 9009] USER: AS MC SH REVIEWER: 11 99 OS | A 5910 | 85 21-SEP-90 | ER | | 85 | ES |
| | | MIL-C-20/44(1) NOTICE 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED AND NONESTABLISHED RELIABILITY STYLES CCR55 AND CC55 [VALIDATION DATE: 9009] USER: AS MC SH REVIEWER: 11 99 OS | A 5910 | 85 21-SEP-90 | ER | | 85 | ES |
| | | MIL-C-20/45 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON ESTABLISHED RELIABILITY, STYLES CCR56 AND CC56 [VALIDATION DATE: 8604] USER: AS MC SH REVIEWER: ES OS | A 5910 | 85 02-APR-86 | ER | EC | 85 | |
| | | MIL-C-20/46 NOTICE 1 | CAPACITOR FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED & NON ESTABLISHED RELIABILITY STYLES CCR 57 & CC 57 [VALIDATION DATE: 8604] USER: AS MC SH REVIEWER: ES OS | A 5910 | 85 25-MAY-73 | ER | EC | 85 | |
| | | MIL-C-20/47J(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR13 AND CC13 USER: AS MC SH REVIEWER: 99 ES OS | A 5910 | 85 15-DEC-89 | ER | EC | 85 | |
| | | MIL-C-20/48F | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY, STYLES CCR14 AND CC14 USER: AS MC SH REVIEWER: ES OS | A 5910 | 85 31-DEC-91 | ER | EC | 85 | |
| AQ | | MIL-R-22C SUPPL 1A | RESISTOR, VARIABLE, (WIRE-WOUND POWER TYPE), GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A 5905 | EC 01-JUL-92 | ER | EC | 85 | |
| | | MIL-R-22/1B | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED STYLE RP 06 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 ES MI | A 5905 | EC 22-JUN-65 | ER | EC | 85 | |
| | | MIL-R-22/2C | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 25 OVER TYPE) (ENCLOSED STYLE RP 07 [VALIDATION DATE: 8404] USER: MC ME MI REVIEWER: 17 ES | A 5905 | EC 14-FEB-66 | ER | EC | 85 | |
| | | MIL-R-22/3B | RESISTOR VARIABLE WIREWOUND, POWER TYPE (UNENCLOSED) STYLE RP 1 0 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 AR ES MI | A 5905 | EC 22-JUN-65 | ER | EC | 85 | |
| | | MIL-R-22/4B | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) ENCLOSED STYLE RP11 OVER TYPE) (ENCLOSED) STYLE RP 11 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 ES | A 5905 | EC 22-JUN-65 | ER | EC | 85 | |
| | | MIL-R-22/5B(1) | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED) STYLE RP 15 [VALIDATION DATE: 8404] USER: 14 19 MC ME REVIEWER: 17 AR ES MI | A 5905 | EC 05-APR-66 | ER | EC | 85 | |
| | | MIL-R-22/6C | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED) STYLE RP 16 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 ES MI | A 5905 | EC 22-JUN-65 | ER | EC | 85 | |
| | | MIL-R-22/7B | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 20 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 ES | A 5905 | EC 22-JUN-65 | ER | EC | 85 | |
| | | MIL-R-22/8B | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RP25 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 ES | A 5905 | EC 22-JUN-65 | ER | EC | 85 | |
| | | MIL-R-22/9B | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 30 [VALIDATION DATE: 8404] USER: MC ME REVIEWER: 17 ES | A 5905 | EC 22-JUN-65 | ER | EC | 85 | |
| | | MIL-R-22/10B | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 35 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: ES MI | A 5905 | EC 22-JUN-65 | ER | EC | 85 | |
| | | MIL-R-22/11B | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 40 OVER TYPE) (UNENCLOSED) STYLE RP 40 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: ES | A 5905 | EC 22-JUN-65 | ER | EC | 85 | |
| | | MIL-R-22/12B | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 45 [VALIDATION DATE: 8404] USER: 14 19 ME REVIEWER: 17 ES MI | A 5905 | EC 05-APR-66 | ER | EC | 85 | |
| | | MIL-R-22/13A | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 50 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: ES | A 5905 | EC 10-SEP-64 | ER | EC | 85 | |
| | | MIL-R-22/14B | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 55 [VALIDATION DATE: 8304] USER: CG MC ME REVIEWER: ES MI | A 5905 | EC 14-APR-65 | ER | EC | 85 | |
| | | MIL-R-22/15A(1) | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED) STYLE RP 05 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 | EC 30-JAN-86 | ER | EC | 85 | |
| | | MIL-D-24C | DYNAMOTOR, GENERAL SPECIFICATION FOR USER: MC REVIEWER: 99 GS ..... | A 6125 | ER 20-APR-84 | ER | AS | 11 | |
| | | MIL-D-24/7B | DYNAMOTOR, TYPE DY 97/GRC 9 [VALIDATION DATE: 8301] USER: MC REVIEWER: 11 99 GS | A 6125 | ER 10-APR-64 | ER | AS | | |
| | | MIL-D-24/9B | DYNAMOTOR, TYPE DY 134/GRC 9X [VALIDATION DATE: 8301] USER: MC REVIEWER: 11 99 GS | A 6125 | ER 10-APR-64 | ER | AS | | |
| Q I | | MIL-C-25D(4) SUPPL 1A, NOTICE 1 | CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR [VALIDATION DATE: 9201] USER: 19 MC REVIEWER: 11 17 99 AR AS ES MI OS | A 5910 | 85 23-JAN-92 | ER | EC | 85 | |
| | | MIL-C-25/2E(2) NOTICE 1 | CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 26 CP 27 CP 28 & CP 29 USER: 19 REVIEWER: 11 17 99 AR AS ES MI OS | A 5910 | 85 07-JUN-79 | ER | EC | 85 | |
| | | MIL-C-25/3E(1) NOTICE 1 | CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 40 & CP 41 [VALIDATION DATE: 8206] USER: 19 MC ME REVIEWER: 17 99 AR AS ES MI OS | A 5910 | 85 20-MAR-69 | ER | EC | 85 | |
| | | MIL-C-25/4D(1) NOTICE 1 | CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 53, CP 54 & CP 55 USER: MC REVIEWER: 17 99 AR AS ES MI OS | A 5910 | 85 27-FEB-87 | ER | EC | 85 | |
| | | MIL-C-25/6C(1) NOTICE 1 | CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 67 & CP 69 USER: 19 REVIEWER: 17 99 AR AS ES MI OS | A 5910 | 85 27-FEB-87 | ER | EC | 85 | |
| I | | MIL-C-25/12B(2) | CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP 80 USER: 19 MC ME REVIEWER: 17 99 AR AS ES MI OS | A 5910 | 85 17-APR-91 | ER | EC | 85 | |
| I | | MIL-C-25/13B(2) NOTICE 1 | CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CP81 USER: MC ME REVIEWER: 17 19 AR AS ES MI OS | A 5910 | 85 17-APR-91 | ER | EC | 85 | |
| I | | MIL-C-25/14B(2) NOTICE 1 | CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP 82 USER: ( MC ME REVIEWER: 9 17 AR AS ES MI OS | A 5910 | 85 17-APR-91 | ER | EC | 85 | |
| | | MIL-C-25/15C(1) NOTICE 1 | CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLE CP 91 REVIEWER: 17 99 AR AS ES MI OS | A 5910 | 85 27-FEB-87 | ER | EC | 85 | |
| Q | | MIL-R-26E(5) SUPPL 1A | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 11 17 AS EA ES MI OS | A 5905 | ER 31-JUL-84 | ER | EC | 85 | |
| I | | MIL-R-26/1A(1) NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW10, RW11, RW12, RW13, RW14, RW15, AND RW16 [VALIDATION DATE: 8808] USER: 14 19 AT AV MC ME REVIEWER: 17 99 AR ES MI OS | A 5905 | ER 18-AUG-88 | ER | EC | 85 | |
| I | | MIL-R-26/2B(1) NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW20, RW21, RW22, RW23 AND RW24 [VALIDATION DATE: 8808] USER: 14 19 AT AV MC ME REVIEWER: 11 17 99 AR ES MI OS | A 5905 | ER 18-AUG-88 | ER | EC | 85 | |
| | | MIL-R-26/3C(1) NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW29, RW30, RW31, RW32, RW33, RW34, RE35, RW36, RW37, RW38, RW39 AND RW47 [VALIDATION DATE: 8808] USER: 19 AT MC ME REVIEWER: 11 17 99 AR AS EA ES MI OS | A 5905 | ER 18-AUG-88 | ER | EC | 85 | |

| Action | OPR / QMR Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| I | | MIL-R-26/40D(1)<br>NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW55, RW56, RW67, RW68 AND RW69 [VALIDATION DATE: 8808] USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR EA ES OS | A | 5905 | | ER | 18-AUG-88 | ER | EC | | 85 |
| I | | MIL-R-26/58(1)<br>NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE) STYLES RW70, RW74, RW78, AND RW79 [VALIDATION DATE: 8808] USER: 14 19 AT AV MC ME REVIEWER: 17 99 AR EA ES OS | A | 5905 | | ER | 18-AUG-88 | ER | EC | | 85 |
| I | | MIL-R-26/68(1)<br>NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE) STYLES RW80 AND RW81 [VALIDATION DATE: 8808] USER: 14 19 AT AV MC ME REVIEWER: 11 17 99 AR EA ES OS | A | 5905 | | ER | 18-AUG-88 | ER | EC | | 85 |
| DQ | | MIL-T-27E(1)<br>SUPPL 1C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR USER: 11 19 MC ME REVIEWER: AR ES YD1 | A | 5950 | | ER | 03-MAR-87 | ER | EC | | 85 |
| AQL | | MIL-T-27E(12)<br>SUPPL 1C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR | A | 5950 | | CR | 14-JUL-87 | CR | | | |
| I | | MIL-T-27/1E | TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY AND TF4S21YY USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | | ER | 23-JUL-90 | ER | EC | | 85 |
| I | | MIL-T-27/2F | TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY AND TF4S21YY USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | | ER | 23-JUL-90 | ER | EC | | 85 |
| A | | MIL-T-27/3A<br>NOTICE 2 | TRANSFER, AUDIO FREQUENCY, TF4R21AJ [VALIDATION DATE: 9208] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES | A | 5950 | | ER | 24-AUG-92 | ER | EC | | 85 |
| A | | MIL-T-27/4<br>NOTICE 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ002 [VALIDATION DATE: 9210] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES | A | 5950 | | ER | 01-OCT-92 | ER | EC | | 85 |
| | | MIL-T-27/5A<br>NOTICE 1 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [VALIDATION DATE: 8906] ..... | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| A | | MIL-T-27/6A<br>NOTICE 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [VALIDATION DATE: 9210] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES | A | 5950 | | ER | 01-OCT-92 | ER | EC | | 85 |
| A | | MIL-T-27/7A<br>NOTICE 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [VALIDATION DATE: 9210] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES | A | 5950 | | ER | 01-OCT-92 | ER | EC | | 85 |
| A | | MIL-T-27/8A<br>NOTICE 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [VALIDATION DATE: 9210] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES | A | 5950 | | ER | 01-OCT-92 | ER | EC | | 85 |
| A | | MIL-T-27/9A<br>NOTICE 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [VALIDATION DATE: 9210] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES | A | 5950 | | ER | 01-OCT-92 | ER | EC | | 85 |
| A | | MIL-T-27/10A<br>NOTICE 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [VALIDATION DATE: 9210] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES | A | 5950 | | ER | 01-OCT-92 | ER | EC | | 85 |
| | | MIL-T-27/11A<br>NOTICE 1 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [VALIDATION DATE: 8808] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES | A | 5950 | | ER | 18-AUG-88 | ER | EC | | 85 |
| | | MIL-T-27/18D | TRANSFORMER, POWER 5.76 VA 60 HZ TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | | ER | 25-APR-88 | ER | EC | | 85 |
| A | | MIL-T-27/19C<br>NOTICE 1 | TRANSFORMER, POWER 52 VA, 60 HZ, TF5S03ZZ [VALIDATION DATE: 9208] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | | ER | 24-AUG-92 | ER | EC | | 85 |
| | | MIL-T-27/25B | TRANSFORMERS, POWER, STEP DOWN, 3-PHASE, TYPE TP4S03YY312 USER: 19 AR AS MC REVIEWER: 17 80 ES MI SH | A | 5950 | | ER | 08-APR-92 | ER | EC | | 85 |
| A | | MIL-T-27/26<br>NOTICE 2 | TRANSFORMER, POWER, 3.0 VOLT-AMPERES, 400 HZ, TF5T03ZZ313 [VALIDATION DATE: 9208] USER: 19 AS MC ME REVIEWER: 11 17 AR ES | A | 5950 | | ER | 27-AUG-92 | ER | EC | | 85 |
| A | | MIL-T-27/27<br>NOTICE 2 | TRANSFORMER, POWER, STEP-DOWN, TF5V03ZZ314 [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | | ER | 27-AUG-92 | ER | EC | | 85 |
| A | | MIL-T-27/29A<br>NOTICE 1 | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ315 [VALIDATION DATE: 9208] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES | A | 5950 | | ER | 27-AUG-92 | ER | EC | | 85 |
| | | MIL-T-27/30B | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ316 USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | | ER | 05-APR-90 | ER | EC | | 85 |
| A | | MIL-T-27/33<br>NOTICE 2 | TRANSFORMER, POWER, STEP-UP, TF5S03ZZ319 [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 ES MI OS SH | A | 5950 | | ER | 27-AUG-92 | ER | EC | | 85 |
| I | | MIL-T-27/36B | TRANSFORMER, POWER, STEPDOWN AND STEP-UP, TYPE TF4R03HA322 USER: 19 AR ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | | ER | 13-MAR-91 | ER | EC | | 85 |
| | | MIL-T-27/37B<br>NOTICE 1 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, TF5S03ZZ400 TO TF5S03ZZ443, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/38B<br>NOTICE 1 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ444 TO TF5S03ZZ487, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/39B<br>NOTICE 1 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, TF5S03ZZ488 TO TF5S03ZZ531, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/40B<br>NOTICE 1 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ532 TO TF5S03ZZ575, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/41B<br>NOTICE 1 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, TF5S03ZZ576 TO TF5S03ZZ619, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/42B<br>NOTICE 1 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ620 TO TF5S03ZZ663, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/43B<br>NOTICE 1 | TRANSFORMERS, POWER, 9 VOLT AMPERES, 400 HZ, TF5S03ZZ664 TO TF5S03ZZ707, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/44B<br>NOTICE 1 | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, TF5S03ZZ708 TO TF5S03ZZ751, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 MI OS SH | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/45B<br>NOTICE 1 | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ752 TO TF5S03ZZ795, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/46B<br>NOTICE 1 | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, TF5S03ZZ796 TO TF5S03ZZ839, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/47B<br>NOTICE 1 | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ840 TO TF5S03ZZ883, INCLUSIVE [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/48C<br>NOTICE 1 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/49C<br>NOTICE 1 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/50C<br>NOTICE 1 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/51C<br>NOTICE 1 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/52C<br>NOTICE 1 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, TF4S03YY [VALIDATION DATE: 8906] USER: AS MC ME REVIEWER: 11 19 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/53C<br>NOTICE 1 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/54C<br>NOTICE 1 | TRANSFORMERS, POWER, 9.0 VOLT AMPERES, 400 HZ, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS REVIEWER: 11 17 99 ES MC ME MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |
| | | MIL-T-27/55C<br>NOTICE 1 | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 05-JUN-89 | ER | EC | | 85 |

| Action | Opt. / Cnfl. Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-T-27/56C NOTICE 1 | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/57C NOTICE 1 | TRANSFORMERS, POWER, 50 VOLT AMPERES, 400 HZ, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/58C NOTICE 1 | TRANSFORMERS, POWER, 75 VOLT AMPERES, 400 HZ, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/59C NOTICE 1 | TRANSFORMERS, POWER, 100 VOLT AMPERES, 400 HZ, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/60D NOTICE 1 | TRANSFORMERS, POWER, 250 VOLT AMPERES 400 HZ TF403YY [VALIDATION DATE: 9110] USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | | MIL-T-27/61C NOTICE 1 | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/62C NOTICE 1 | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/63C NOTICE 1 | TRANSFORMERS, POWER, 50 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/64C NOTICE 1 | TRANSFORMERS, POWER, 75 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/65C NOTICE 1 | TRANSFORMERS, POWER, 100 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/66D NOTICE 1 | TRANSFORMERS, POWER, 250 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [VALIDATION DATE: 9110] USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | | MIL-T-27/67A NOTICE 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/68A NOTICE 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [VALIDATION DATE: 8906] USER: 19 AR AS ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/69A NOTICE 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/70B NOTICE 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [VALIDATION DATE: 9110] USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | | MIL-T-27/71C | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 23-JUL-90 | ER | EC | 85 | |
| | | | MIL-T-27/72A NOTICE 1 | TRANSFORMERS, AUDIO FREQUENCY TF5S21ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | I | | MIL-T-27/74A | TRANSFORMER, AUDIO FREQUENCY, TF4R21AG891 USER: 19 AR AS MC ME OS REVIEWER: 11 17 80 ES MI SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | | | MIL-T-27/76C(1) NOTICE 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ [VALIDATION DATE: 9110] USER: 19 AR AS MC REVIEWER: 11 17 99 MI OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | | MIL-T-27/79 NOTICE 1 | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ896 [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| A | I | | MIL-T-27/80A NOTICE 1 | TRANSFORMER, POWER, STEPDOWN, TF5R03ZZ897 [VALIDATION DATE: 9208] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| M | I | | MIL-T-27/82B | TRANSFORMER, POWER, STEPDOWN, TF5V03ZZ899 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | MIL-T-27/84B | TRANSFORMER AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TYPE TF5S04ZZ901 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | | | MIL-T-27/85A NOTICE 1 | TRANSFORMERS & INDUCTORS (AUDIO, POWER, & HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 ES MI OS SH | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | MIL-T-27/86 NOTICE 1 | TRANSFORMER & INDUCTORS (AUDIO, POWER & HIGH-POWER PULSE), INDUCTOR, POWER, TYPE TF5S04ZZ903 [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 80 ES MI OS SH | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| A | | | MIL-T-27/88 NOTICE 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TYPE TF5S04ZZ905 [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 80 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| | | | MIL-T-27/89A NOTICE 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5V04ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| M | I | | MIL-T-27/92A | TRANSFORMERS, SATURABLE, TF5S40ZZ909 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| A | | | MIL-T-27/96 NOTICE 2 | TRANSFORMER, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ915 [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 80 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| | | | MIL-T-27/97B | TRANSFORMER, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZX916 USER: 19 AS MC ME SG REVIEWER: 11 17 80 99 AR ES OS SH | A | 5950 | ER | 14-JAN-88 | ER | EC | 85 | |
| | I | | MIL-T-27/99B | TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | I | | MIL-T-27/100A | TRANSFORMER, POWER, STEPDOWN, TF5V03ZZ919 USER: 19 AR AS MC ME REVIEWER: 11 17 80 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | I | | MIL-T-27/102A | TRANSFORMER, POWER, STEPDOWN, TF4R03KA921 USER: 19 AR REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| A | | | MIL-T-27/103C NOTICE 2 | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ [VALIDATION DATE: 9208] USER: 19 AR AS MC REVIEWER: 11 17 80 99 ES MI OS | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| | | | MIL-T-27/111(1) | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, AUDIO, TYPE TF4U20YY930 USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 09-JUN-92 | ER | EC | 85 | |
| A | | | MIL-T-27/112 NOTICE 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, AUDIO, TYPE TF5U20ZZ931 [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 80 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| M | I | | MIL-T-27/117B | TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ936 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | MIL-T-27/118B | TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ937 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | MIL-T-27/119B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ938 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | MIL-T-27/120B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ939 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | MIL-T-27/122C | TRANSFORMERS, SATURABLE, TF5S40ZZ909 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | | | MIL-T-27/123B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES OS | A | 5950 | ER | 19-APR-88 | ER | EC | 85 | |
| M | I | | MIL-T-27/124D | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, HIGH Q, TYPE TF5S20ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | MIL-T-27/126C | TRANSFORMER, AUDIO FREQUENCY, TF5S21ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | MIL-T-27/127C | TRANSFORMER, POWER, STEP-DOWN TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | I | | MIL-T-27/129A | TRANSFORMER, POWER, STEPDOWN, STEP-UP, TF5S03ZZ948 USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |

| Action | CPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-T-27/134A NOTICE 1 | TRANSFORMER, POWER, STEP-DOWN, TF5V03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | I | MIL-T-27/136A | TRANSFORMER, POWER, STEPDOWN AND STEP-UP, TYPE TF5T03ZZ955 USER: 19 AR AS MC ME SG REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | I | MIL-T-27/138A | TRANSFORMER, POWER, STEPDOWN, 3-PHASE, TF4S03YY USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | | MIL-T-27/140A | TRANSFORMERS, POWER, STEP-DOWN, TF4S03YY USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 05-APR-90 | ER | EC | 85 | |
| | | MIL-T-27/141 NOTICE 1 | TRANSFORMER, POWER, STEP-DOWN TF5S03ZZ (VALIDATION DATE: 8906) ..... | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-T-27/142C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, TF5R20ZZ USER: 19 AR MC REVIEWER: 17 99 AS ES OS SH | A | 5950 | ER | 31-MAR-92 | ER | EC | 85 | |
| | | MIL-T-27/145 NOTICE 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, VARIABLE, HIGH Q, TF4R20YY (VALIDATION DATE: 8906) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| A | | MIL-T-27/146A NOTICE 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, HIGH Q, TF5R20ZZ (VALIDATION DATE: 9208) USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| | | MIL-T-27/147C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, AUDIO, HIGH Q, TF4R20YY USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH | A | 5950 | ER | 31-MAR-92 | ER | EC | 85 | |
| A | | MIL-T-27/148A NOTICE 1 | TRANSFORMER, POWER, STEP-DOWN, TF4S03HA (VALIDATION DATE: 9208) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH TD | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| | | MIL-T-27/149B | TRANSFORMER AND INDUCTOR (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | ER | 21-MAY-87 | ER | EC | 85 | |
| | I | MIL-T-27/151B | TRANSFORMER, POWER, STEP-DOWN, TF4S03KB USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| A | | MIL-T-27/153A NOTICE 1 | TRANSFORMER, POWER, STEP-DOWN, TF4S03FB (VALIDATION DATE: 9208) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| | | MIL-T-27/154 NOTICE 1 | TRANSFORMER, POWER, STEP-DOWN, TF4S03EB (VALIDATION DATE: 8906) USER: 19 AR AS ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| A | | MIL-T-27/155A NOTICE 1 | TRANSFORMER, POWER, STEP-DOWN, TF4S03EA (VALIDATION DATE: 9208) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| A | | MIL-T-27/156A NOTICE 2 | TRANSFORMER, POWER, STEP-DOWN, TF4S03AJ (VALIDATION DATE: 9208) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SC | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| | | MIL-T-27/157C | TRANSFORMER, POWER, STEP DOWN, TF4S03FA USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 23-JUL-90 | ER | EC | 85 | |
| M | I | MIL-T-27/158A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE) TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | MIL-T-27/159A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ USER: 19 AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | | MIL-T-27/160A NOTICE 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, POWER, TF5S04ZZ (VALIDATION DATE: 8808) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES OS SH | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | |
| A | | MIL-T-27/161A NOTICE 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ (VALIDATION DATE: 9208) USER: 19 AS MC REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| | | MIL-T-27/162A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4S02YY USER: 19 AS MC ME REVIEWER: 17 99 MI OS SH | A | 5950 | ER | 31-MAR-92 | ER | EC | 85 | |
| M | I | MIL-T-27/163C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ USER: 19 AS MC REVIEWER: 17 99 AR ES OS | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | | MIL-T-27/164B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, HIGH Q, TF5R20ZZ USER: 19 AR AS MC REVIEWER: 17 99 MI OS SH | A | 5950 | ER | 08-APR-92 | ER | EC | 85 | |
| | | MIL-T-27/165C | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 MI OS SH | A | 5950 | ER | 07-JAN-91 | ER | EC | 85 | |
| | | MIL-T-27/166A(1) | TRANSFORMER, AUDIO, TF4R21YY USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 19-DEC-90 | ER | EC | 85 | |
| | | MIL-T-27/167D | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 MI OS | A | 5950 | ER | 07-APR-92 | ER | EC | 85 | |
| | | MIL-T-27/168 NOTICE 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, HIGH Q, TF5R20ZZ (VALIDATION DATE: 8906) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | |
| | I | MIL-T-27/170B | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ USER: 19 AR AS ME REVIEWER: 11 17 99 ES MC MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | | MIL-T-27/171B | TRANSFORMER & INDUCTORS (AUDIO, POWER & HIGH POWER PULSE), INDUCTOR, POWER, TF4S04AG USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 16-NOV-87 | ER | EC | 85 | |
| A | | MIL-T-27/172D(1) | TRANSFORMERS, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS | A | 5950 | ER | 30-JUN-92 | ER | EC | 85 | |
| | | MIL-T-27/173E | TRANSFORMERS, AUDIO FREQUENCY, MICRO-MINIATURE, TF5R21ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS SH | A | 5950 | ER | 07-APR-92 | ER | EC | 85 | |
| M | I | MIL-T-27/174C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF4S04LB USER: 19 MC ME REVIEWER: AR ES YD1 | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | MIL-T-27/175B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4R20YY USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | I | MIL-T-27/176A | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | | MIL-T-27/179C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 08-APR-92 | ER | EC | 85 | |
| | | MIL-T-27/180A | TRANSFORMER, POWER, STEP-DOWN, TF4S03FA USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 07-JAN-91 | ER | EC | 85 | |
| | | MIL-T-27/181B NOTICE 1 | TRANSFORMER, POWER, STEP-DOWN AND STEP-UP TF4S03FA USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | ER | 04-APR-89 | ER | EC | 85 | |
| | | MIL-T-27/183B NOTICE 1 | TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, TF45S03JA (VALIDATION DATE: 9110) USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | MIL-T-27/184B | TRANSFORMER, POWER, STEP-DOWN, TF4S03AH USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS SH | A | 5950 | ER | 07-JAN-91 | ER | EC | 85 | |
| | | MIL-T-27/185A | TRANSFORMER (CHOPPER INPUT), TF4R21YY USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS | A | 5950 | ER | 08-APR-92 | ER | EC | 85 | |
| | I | MIL-T-27/187B | TRANSFORMER, POWER, STEP-DOWN, AUTOTRANSFORMER, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | | MIL-T-27/189A NOTICE 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | MIL-T-27/190 NOTICE 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ (VALIDATION DATE: 9110) USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | MIL-T-27/191 NOTICE 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ (VALIDATION DATE: 9110) USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | MIL-T-27/192 NOTICE 1 | TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-T-27/193A NOTICE 1 | TRANSFORMERS, POWER, STEPDOWN, TF5S03ZZ AND TF5T03ZZ (VALIDATION DATE: 9110) USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | | | MIL-T-27/194A NOTICE 1 | TRANSFORMERS, POWER, STEPDOWN AND STEP-UP, TF5S03ZZ AND TF5T03ZZ (VALIDATION DATE: 9110) USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| A | | | | MIL-T-27/195 NOTICE 2 | TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ (VALIDATION DATE: 9208) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| A | | | | MIL-T-27/197B NOTICE 1 | TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY (VALIDATION DATE: 9208) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| M | I | | | MIL-T-27/201A | TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | | MIL-T-27/202A | TRANSFORMER, POWER, STEP DOWN, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | | | | MIL-T-27/205A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4R20YY USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 08-APR-92 | ER | EC | 85 | |
| | I | | | MIL-T-27/207A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5V04ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| M | I | | | MIL-T-27/209A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, POWER, TF4R04FA USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | | MIL-T-27/210A | TRANSFORMER, POWER, STEP DOWN, TF5S03ZZ USER: 19 AS MC ME MI REVIEWER: 17 99 AR ES OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | | MIL-T-27/211B | TRANSFORMER, POWER, 15 VA, TF5T03ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | | MIL-T-27/212B | TRANSFORMER, POWER, 50 VA, TF5T03ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | | MIL-T-27/213B | TRANSFORMER, POWER, STEP-UP, 178 VOLTAMPERES, TF5T03ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | | MIL-T-27/214A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, TF5S20ZZ USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | | | | MIL-T-27/215C(1) | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, TF5S20ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS SH | A | 5950 | ER | 20-FEB-90 | ER | EC | 85 | |
| M | I | | | MIL-T-27/221B | TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | | MIL-T-27/222B | TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| A | I | | | MIL-T-27/223B | TRANSFORMERS, POWER, STEP-DOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 30-JUN-92 | ER | EC | 85 | |
| M | I | | | MIL-T-27/224B | TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | | MIL-T-27/225C | TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | | | | MIL-T-27/227 NOTICE 1 | TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | I | | | MIL-T-27/229A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5T04ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | | | | MIL-T-27/235C | TRANSFORMERS, POWER, ISOLATION, SHIELDED, TF4R03YY USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 08-APR-92 | ER | EC | 85 | |
| A | | | | MIL-T-27/240A NOTICE 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ (VALIDATION DATE: 9208) USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| A | | | | MIL-T-27/241A NOTICE 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ (VALIDATION DATE: 9208) USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| | | | | MIL-T-27/247B NOTICE 1 | TRANSFORMER, AUDIO FREQUENCY, TF5S21ZZ (VALIDATION DATE: 8704) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS SH | A | 5950 | ER | 06-APR-87 | ER | EC | 85 | |
| | I | | | MIL-T-27/255A | TRANSFORMER, POWER, STEPDOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | I | | | MIL-T-27/259A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, POWER (60 VA), TF5T04ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | I | | | MIL-T-27/260B | TRANSFORMERS, POWER, TF5T03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | | | | MIL-T-27/261 | TRANSFORMERS & INDUCTORS (AUDIO, POWER & HI H POWER PULSE), INDUCTOR, POWER 100 VA, TF5T04ZZ (VALIDATION DATE: 8502) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | ER | 23-OCT-78 | ER | EC | 85 | |
| | | | | MIL-T-27/263 NOTICE 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | I | | | MIL-T-27/265A | TRANSFORMER, POWER, STEPDOWN AND STEP-UP, TYPE TF5S03ZZ ..... | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | | | | DOD-T-27/267B | TRANSFORMER, POWER, 7VA TF5S03ZZ, METRIC USER: AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | ER | 25-APR-88 | ER | EC | 85 | |
| M | I | | | MIL-T-27/267C | TRANSFORMER, POWER, 7 VOLTAMPERES, TF5S03ZZ, METRIC USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | | | | MIL-T-27/268B NOTICE 1 | TRANSFORMER, POWER, TF4V03JA (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | | | MIL-T-27/269B NOTICE 1 | TRANSFORMER, POWER, TF5V03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | | | | MIL-T-27/277 NOTICE 1 | TRANSFORMER, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS SH | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | |
| | I | | | MIL-T-27/285A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| | | | | MIL-T-27/286B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5R04ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 05-APR-90 | ER | EC | 85 | |
| | | | | MIL-T-27/287A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5S04ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 17-MAY-90 | ER | EC | 85 | |
| | | | | MIL-T-27/288A NOTICE 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5S04ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 17-MAY-90 | ER | EC | 85 | |
| | | | | MIL-T-27/289A NOTICE 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5S04ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 17-MAY-90 | ER | EC | 85 | |
| A | | | | MIL-T-27/290A NOTICE 2 | TRANSFORMER, AUDIO FREQUENCY, TF5S21ZZ (VALIDATION DATE: 9208) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | |
| | I | | | MIL-T-27/291B | TRANSFORMERS, POWER, STEP-DOWN, TF5S03ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | |
| M | I | | | MIL-T-27/293A | TRANSFORMER, POWER, STEP DOWN, TF5R03ZZ USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| | I | | | MIL-T-27/295B | TRANSFORMER, POWER, STEP-DOWN, TF5R03ZZ USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | | MIL-T-27/296B | TRANSFORMER, POWER, STEP-DOWN, TF5V03ZZ USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |
| M | I | | | MIL-T-27/298A | TRANSFORMER AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, POWER, TF5R04ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES MI OS SH | A | 5950 | ER | 20-APR-93 | ER | EC | 85 | |

| Action | Doc. Number | Document Title | Dist. Stmt | FSC / Area | MCCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-T-27/300C | TRANSFORMERS, POWER, STEPDOWN, TF4R03 USER: 19 AL AR AS CG MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 17-MAY-90 | ER | EC | 85 | | |
| 1 | MIL-T-27/303A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER TF5S04ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | | |
| 1 | MIL-T-27/306A | TRANSFORMER, SATURABLE, TF5S40ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS SH | A | 5950 | ER | 13-MAR-91 | ER | EC | 85 | | |
| | MIL-T-27/307 NOTICE 1 | TRANSFORMER, AUDIO FREQUENCY, TF4S21AJ (VALIDATION DATE: 8808) ..... | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | | |
| | MIL-T-27/311C | TRANSFORMER, POWER, STEP UP TF4V03YY USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 25-APR-88 | ER | EC | 85 | | |
| | MIL-T-27/312A NOTICE 1 | TRANSFORMERS, POWER, 5 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | | |
| | MIL-T-27/313A NOTICE 1 | TRANSFORMERS, POWER, 10 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | | |
| | MIL-T-27/314A NOTICE 1 | TRANSFORMERS, POWER, 15 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | | |
| | MIL-T-27/315A NOTICE 1 | TRANSFORMERS, POWER, 20 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | | |
| | MIL-T-27/316A NOTICE 1 | TRANSFORMERS, POWER, 30 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | | |
| | MIL-T-27/317A NOTICE 1 | TRANSFORMERS, POWER, 40 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | | |
| | MIL-T-27/318B | TRANSFORMERS, POWER, 80 VOLT-AMPERES, 60 HERTZ, TF4S03YY USER: AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | ER | 19-JAN-89 | ER | EC | 85 | | |
| | MIL-T-27/319B | TRANSFORMERS, POWER, 120 VOLT-AMPERES, 60 HERTZ, TF4S03YY USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | ER | 19-JAN-89 | ER | EC | 85 | | |
| | MIL-T-27/320B | TRANSFORMERS, POWER, 160 VOLT-AMPERES, 60 HERTZ, TF4S03YY USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 19-JAN-89 | ER | EC | 85 | | |
| | MIL-T-27/321C | TRANSFORMERS, POWER, 200 VOLT-AMPERES, 60 HERTZ, TF4S03YY USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | ER | 19-JAN-89 | ER | EC | 85 | | |
| | MIL-T-27/322C | TRANSFORMERS, POWER, 300 VOLT-AMPERES, 60 HERTZ, TF4S03YY USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH | A | 5950 | ER | 19-JAN-89 | ER | EC | 85 | | |
| | MIL-T-27/323B | TRANSFORMER, AUDIO FREQUENCY, TELEPHONE INTERCONNECT, TF5R21ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5985 | ER | 08-APR-92 | ER | EC | 85 | | |
| | MIL-T-27/325C | TRANSFORMER, POWER, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES OS SH | A | 5950 | ER | 08-APR-92 | ER | EC | 85 | | |
| | MIL-T-27/326B NOTICE 1 | TRANSFORMERS, POWER, 5 VA, 60 HZ, TF4S03EB (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | | |
| | MIL-T-27/327C | TRANSFORMERS, POWER, 15 VA, 60 HZ, TF4S03FA USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 19-JAN-89 | ER | EC | 85 | | |
| | MIL-T-27/328B NOTICE 1 | TRANSFORMERS, POWER, 30 VA, 60 HZ, TF4S03GA (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | | |
| | MIL-T-27/329B NOTICE 1 | TRANSFORMERS, POWER, 60 VA, 60 HZ, TF4S03HA (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | | |
| | MIL-T-27/330B NOTICE 1 | TRANSFORMERS, POWER, 100 VA TO 140 VA, 60 HZ, TF4S03JA (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | | |
| | MIL-T-27/331B NOTICE 1 | TRANSFORMERS, POWER, 160 VA AND 170 VA, TF4S03KA (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 05-JUN-89 | ER | EC | 85 | | |
| | MIL-T-27/332C NOTICE 1 | TRANSFORMERS, POWER, 7 VOLTAMPERES, 400 HZ, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/333C NOTICE 1 | TRANSFORMERS, POWER, 10 VOLTAMPERES, 400 HZ, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/334C NOTICE 1 | TRANSFORMERS, POWER, 25 VOLTAMPERES, 400 HZ, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/335C NOTICE 1 | TRANSFORMERS, POWER, 50 VOLTAMPERES, 400 HZ, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/336C NOTICE 1 | TRANSFORMERS, POWER, 120 VOLTAMPERES, 400 HZ, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/337D | TRANSFORMERS, POWER, 150 AND 200 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/338D | TRANSFORMERS, POWER, 2 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/339D | TRANSFORMERS, POWER, 6 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/340D | TRANSFORMERS, POWER, 15 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/341D | TRANSFORMERS, POWER, 24 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/342D | TRANSFORMERS, POWER, 80 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/343D | TRANSFORMERS, POWER, 175 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/344B NOTICE 1 | TRANSFORMERS, POWER, 90 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/345B NOTICE 1 | TRANSFORMERS, POWER, 120 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/346B NOTICE 1 | TRANSFORMERS, POWER, 150 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/347B NOTICE 1 | TRANSFORMERS, POWER, 200 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/348B NOTICE 1 | TRANSFORMERS, POWER, 270 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/349B NOTICE 1 | TRANSFORMERS, POWER, 375 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | MIL-T-27/350D | TRANSFORMERS, POWER, 15 VOLT-AMPERES, 400 HZ, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/351D | TRANSFORMERS, POWER, 25 VOLT-AMPERES, 400 HZ, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/352D | TRANSFORMERS, POWER, 50 VOLT-AMPERES, 400 HZ, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/353D | TRANSFORMERS, POWER, 75 VOLT-AMPERES, 400 HZ, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/354D | TRANSFORMERS, POWER, 100 VOLT-AMPERES, 400 HZ, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH | A | 5950 | ER | 22-JAN-92 | ER | EC | 85 | | |
| | MIL-T-27/355 NOTICE 1 | TRANSFORMER, POWER TF5S03ZZ (VALIDATION DATE: 8808) USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | | |
| | MIL-T-27/356C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5S04ZZ USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS | A | 5950 | ER | 08-APR-92 | ER | EC | 85 | | |
| | MIL-T-27/357A | TRANSFORMER, AUDIO FREQUENCY, ULTRA MINIATURE, TF5R21ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 14-JUN-88 | ER | EC | 85 | | |
| | MIL-T-27/358B | TRANSFORMERS, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | ER | 14-JUN-88 | ER | EC | 85 | | |
| | MIL-T-27/359B | TRANSFORMERS, AUDIO FREQUENCY, ULTRA-MINIATURE, TF5S21ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS | A | 5950 | ER | 08-APR-92 | ER | EC | 85 | | |

| Action | Doc. / Cmbl. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-T-27/360 | TRANSFORMERS, POWER, 15 VA, 60 HZ, ELECTROSTATIC SHIELDED, TF4S03FA | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | NOTICE 1 | [VALIDATION DATE: 9110] USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS | | | | | | | | | |
| | | | MIL-T-27/361 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [VALIDATION DATE: 9110] USER: 19 | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | NOTICE 1 | AR AS MC REVIEWER: 11 17 99 MI OS SH | | | | | | | | | |
| | | | MIL-T-27/362 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [VALIDATION DATE: 9110] USER: 19 | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | NOTICE 1 | AR AS MC REVIEWER: 11 17 99 MI OS SH | | | | | | | | | |
| | | | MIL-T-27/363 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [VALIDATION DATE: 9110] USER: 19 | A | 5950 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | NOTICE 1 | AR AS MC REVIEWER: 11 17 99 MI OS SH | | | | | | | | | |
| A | | | MIL-T-27/364 | TRANSFORMER, POWER, 107 VOLTAMPERES, 3-PHASE, TYPE TF5SQ3YY [VALIDATION | A | 5950 | ER | 27-AUG-92 | ER | EC | 85 | | |
| | | | NOTICE 1 | DATE: 9208] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS | | | | | | | | | |
| Q | | | MIL-R-29A(2) | RESISTOR, FIXED, METER MULTIPLIER, EXTERNAL (HIGH VOLTAGE, FERRULE | A | 5905 | ER | 23-AUG-63 | ER | EC | 85 | | |
| | | | | TERMINAL TYPE) [VALIDATION DATE: 8110] REVIEWER: 11 99 AR AS ES MI | | | | | | | | | |
| D | | | MIL-T-46G | TRAY, MESS, COMPARTMENTED, STAINLESS STEEL [VALIDATION DATE: 8710] USER: | A | 7350 | GL | 23-OCT-87 | GL | SA | 99 | | |
| | | | NOTICE 1 | CG MC MS YD1 REVIEWER: MD | | | | | | | | | |
| A | | | MIL-S-48L | SOCKS, MEN'S, CUSHION SOLE, STRETCH TYPE USER: 11 45 REVIEWER: 82 EA MD ... | A | 8440 | CT | 02-AUG-90 | GL | MU | 99 | CT | |
| | | | MIL-S-61B(1) | SHUNT, INSTRUMENT, EXTERNAL, 50 MILLIVOLT (LIGHTWEIGHT TYPE) REVIEWER: AR | A | 6625 | SH | 22-APR-87 | CR | SH | 99 | | |
| | | | | ES MI | | | | | | | | | |
| AQ | | | MIL-C-62D(3) | CAPACITORS, FIXED ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED), | A | 5910 | ER | 14-AUG-92 | ER | EC | 85 | | |
| | | | SUPPL 1C | GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 17 AR AS ES MI OS | | | | | | | | | |
| | | | MIL-C-62/1B(2) | CAPACITOR, FIXED ELECTROLYTIC (DC ALUMINUM, DRY ELECTROLYTIC, POLARIZED) | A | 5910 | ER | 21-MAR-79 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE10 & CE11 USER: 19 AT AV MC ME REVIEWER: 17 AR AS ES MI OS | | | | | | | | | |
| | | | MIL-C-62/2B(1) | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) | A | 5910 | ER | 10-MAY-73 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE12 & CE13 [VALIDATION DATE: 8110] USER: 19 AT AV MC ME REVIEWER: | | | | | | | | | |
| | | | | 17 AR AS ES MI OS | | | | | | | | | |
| | | | MIL-C-62/3B(1) | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) | A | 5910 | ER | 27-MAR-79 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE31 & CE34 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS | | | | | | | | | |
| | | | MIL-C-62/4B(1) | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) | A | 5910 | ER | 27-MAR-79 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLE CE32 USER: 19 AT AV MC ME OS REVIEWER: 17 99 AR AS ES MI | | | | | | | | | |
| | | | MIL-C-62/5B(1) | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) | A | 5910 | ER | 27-MAR-79 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE33 & CE36 | | | | | | | | | |
| | | | MIL-C-62/6B(1) | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) | A | 5910 | ER | 27-MAR-79 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE41 & CE44 USER: 19 AT AV MC ME REVIEWER: 17 99 AR ES MI | | | | | | | | | |
| | | | MIL-C-62/7B(1) | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) | A | 5910 | ER | 27-MAR-79 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE42 & CE45 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS | | | | | | | | | |
| | | | MIL-C-62/8C | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) | A | 5910 | ER | 03-SEP-71 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE51 & CE56 [VALIDATION DATE: 8110] USER: 19 AT MC ME REVIEWER: 17 | | | | | | | | | |
| | | | | ES MI | | | | | | | | | |
| | | | MIL-C-62/9C | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) | A | 5910 | ER | 03-SEP-71 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE52 & CE57 [VALIDATION DATE: 8110] USER: 19 AT MC ME REVIEWER: 17 | | | | | | | | | |
| | | | | AR ES MI | | | | | | | | | |
| | | | MIL-C-62/10C | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) | A | 5910 | ER | 03-SEP-71 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE53 & CE58 [VALIDATION DATE: 8110] USER: AT AV MC ME REVIEWER: 17 | | | | | | | | | |
| | | | | ES MI | | | | | | | | | |
| | | | MIL-C-62/11C | CAPACITOR, FIXED ELECTROLYTIC (DC ALUMINUM, DRY ELECTROLYTIC, POLARIZED) | A | 5910 | ER | 19-DEC-68 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE63 & CE64 [VALIDATION DATE: 8110] USER: 19 AT AV MC ME REVIEWER: | | | | | | | | | |
| | | | | 17 AR ES MI | | | | | | | | | |
| | | | MIL-C-62/12E(1) | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) | A | 5910 | ER | 22-APR-74 | ER | EC | 85 | | |
| | | | NOTICE 1 | STYLES CE70 & CE71 [VALIDATION DATE: 8110] USER: 19 AT AV MC ME REVIEWER: | | | | | | | | | |
| | | | | 17 AR ES MI OS | | | | | | | | | |
| L | | | MIL-L-65A | LEAD THIOCYANATE (SULPHOCYANATE. [VALIDATION DATE: 8004] USER: MI | A | 6810 | AR | 12-FEB-68 | AR | | | | |
| | | | | REVIEWER: EA GS MD | | | | | | | | | |
| L | | | MIL-F-68F(2) | FAN, CIRCULATING, BRACKET NONOSCILLATING, NAVAL SHIPBOARD REVIEWER: GS .... | A | 4140 | SH | 10-JUN-86 | | SH | | | |
| | | | MIL-M-69A(1) | MATS, CARGO ..... | A | 2040 | SH | 25-JAN-89 | ME | SH | 99 | | |
| | | | MIL-E-75H | ELECTRON TUBES, PACKING OF USER: 11 AS CG MC OS SH REVIEWER: 17 AR MI SH .. | A | 5960 | EC | 22-SEP-86 | ER | EC | 99 | | |
| A | | | MIL-W-76D | WIRE AND CABLE, HOOKUP, ELECTRICAL, INSULATED GENERAL SPECIFICATION FOR | A | 6145 | CR | 21-SEP-92 | CR | SH | 85 | | |
| | | | | USER: ME OS REVIEWER: 11 EA IS MI | | | | | | | | | |
| D | | | MIL-W-80C | WINDOW, OBSERVATION, ACRYLIC BASE, ANTIELECTROSTATIC, TRANSPARENT (FOR | A | 9330 | SH | 01-DEC-66 | MR | SH | 11 | | |
| | | | | INDICATING INSTRUMENT) [VALIDATION DATE: 8106] USER: AS ME OS YD1 | | | | | | | | | |
| | | | | REVIEWER: ER GS MI | | | | | | | | | |
| Q | | | MIL-C-81C(1) | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, GENERAL SPECIFICATION FOR USER: | A | 5910 | 85 | 12-AUG-91 | ER | EC | 85 | | |
| | | | SUPPL 1C | 19 AR MC REVIEWER: 99 ES MI | | | | | | | | | |
| | | | MIL-C-81/1B | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV11 USER: 19 AR MC | A | 5910 | 85 | 16-JAN-92 | ER | EC | 85 | | |
| | | | | REVIEWER: ES MI | | | | | | | | | |
| | | | MIL-C-81/4C | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV31 AND CV32 REVIEWER: | A | 5910 | 85 | 31-MAR-92 | ER | EC | 85 | | |
| | | | | 17 ES | | | | | | | | | |
| | | | MIL-C-81/5B(1) | CAPACITORS, VARIABLE, CERAMIC, DIELECTRIC, STYLE CV34 REVIEWER: 17 ES ..... | A | 5910 | 85 | 05-AUG-91 | ER | EC | 85 | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-C-81/6C(2) | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV35 AND CV36 REVIEWER: | A | 5910 | 85 | 13-FEB-91 | | | 85 | | |
| | | | | 99 ES | | | | | | | | | |
| | | | MIL-C-81/8 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV42 [VALIDATION DATE: | A | 5910 | 85 | 15-JUN-90 | ER | EC | 85 | | |
| | | | NOTICE 1 | 9006] USER: 19 MC MI REVIEWER: 11 80 99 AV ES | | | | | | | | | |
| | | | MIL-C-81/9B(1) | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV98 USER: 19 REVIEWER: 17 | A | 5910 | 85 | 11-JAN-91 | ER | EC | 85 | | |
| | | | | 99 ES | | | | | | | | | |
| | | | MIL-C-81/10B | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC STYLE CV99 USER: 19 REVIEWER: 11 | A | 5910 | 85 | 27-DEC-89 | ER | EC | 85 | | |
| | | | | 17 99 ES | | | | | | | | | |
| | | | DOD-C-81/12 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV50 AND CV51 [VALIDATION | A | 5910 | 85 | 29-AUG-91 | ER | EC | 85 | | |
| | | | NOTICE 1 | DATE: 9108] USER: 19 AR AT REVIEWER: 11 80 99 ES MI | | | | | | | | | |
| | | | MIL-F-82D | FOOD CARRIER, INTERLOCKING POT, HAND WITH FIVE 4 QUART POTS & COVERS | A | 7330 | GL | 23-OCT-87 | GL | SA | 99 | | |
| | | | NOTICE 1 | [VALIDATION DATE: 8710] USER: CG REVIEWER: GS MC MD MS | | | | | | | | | |
| | | | MIL-W-85G | WAVEGUIDES, RIGID, RECTANGULAR GENERAL SPECIFICATION FOR [VALIDATION DATE: | A | 5985 | EC | 20-APR-76 | ER | EC | 85 | | |
| | | | | 8204] USER: 19 AS AT CG MC REVIEWER: 11 17 99 AR ES ME MI OS | | | | | | | | | |
| L | | | MIL-W-85G(11) | WAVEGUIDES, RIGID, RECTANGULAR GENERAL SPECIFICATION FOR ..... | A | 5985 | CR | 14-JUL-87 | CR | | | | |
| | | | MIL-W-85/1E | WAVEGUIDE, RIGID, RECTANGULAR [VALIDATION DATE: 8710] USER: 19 AS CG MC | A | 5985 | EC | 27-OCT-87 | ER | EC | 85 | | |
| | | | NOTICE 1 | REVIEWER: 11 17 99 AR ES ME MI OS | | | | | | | | | |
| | | | MIL-W-85/2C | WAVEGUIDE, RIGID, RECTANGULAR (HEAVY WALL) [VALIDATION DATE: 8304] USER: | A | 5985 | EC | 13-MAY-77 | ER | EC | 85 | | |
| | | | | AS MC REVIEWER: 99 AR ES OS | | | | | | | | | |
| | | | MIL-W-85/3A | WAVEGUIDE, RIGID, RECTANGULAR (MILLIMETER WAVELENGTH) [VALIDATION DATE: | A | 5985 | EC | 02-JUL-74 | ER | EC | 85 | | |
| | | | | 8104] USER: 19 AS MC SH REVIEWER: 11 17 99 AR ES ME MI OS | | | | | | | | | |
| | | | MIL-W-85/4C | WAVEGUIDE, RIGID, RECTANGULAR, REDUCED HEIGHT [VALIDATION DATE: 8204] | A | 5985 | EC | 23-DEC-81 | ER | EC | 85 | | |
| | | | | USER: 19 AS SH REVIEWER: 11 17 99 AR ES | | | | | | | | | |
| D | | | MIL-P-89F | PAN, MESS KIT, CORROSION RESISTING STEEL USER: MC YD1 REVIEWER: GS MD ..... | A | 7350 | GL | 10-SEP-82 | GL | SA | 99 | | |
| | | | MIL-C-92B(2) | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER) GENERAL SPECIFICATION FOR | A | 5910 | ER | 15-JUN-90 | ER | EC | 85 | | |
| | | | SUPPL 1C, NOTICE 1 | [VALIDATION DATE: 9006] USER: CG MI OS REVIEWER: 17 ES | | | | | | | | | |
| | | | MIL-C-92/1A | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT04 [VALIDATION | A | 5910 | ER | 29-AUG-88 | ER | EC | 85 | | |
| | | | NOTICE 1 | DATE: 8808] USER: 19 AS CG OS REVIEWER: 17 ES | | | | | | | | | |
| | | | MIL-C-92/2B | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT06 [VALIDATION | A | 5910 | ER | 29-AUG-88 | ER | EC | 85 | | |
| | | | NOTICE 1 | DATE: 8808] USER: 19 AS CG OS REVIEWER: 17 ES | | | | | | | | | |
| | | | MIL-C-92/3B | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT12 [VALIDATION | A | 5910 | ER | 29-AUG-88 | ER | EC | 85 | | |
| | | | NOTICE 1 | DATE: 8808] USER: 19 AS CG OS REVIEWER: 17 ES | | | | | | | | | |
| | | | MIL-C-92/4B | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT13 [VALIDATION | A | 5910 | ER | 29-AUG-88 | ER | EC | 85 | | |
| | | | NOTICE 1 | DATE: 8808] USER: 19 AS CG OS REVIEWER: 17 ES | | | | | | | | | |
| | | | MIL-C-92/5B | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLES CT14 AND CT15 | A | 5910 | ER | 29-AUG-88 | ER | EC | 85 | | |
| | | | NOTICE 1 | [VALIDATION DATE: 8808] USER: 19 AS CG OS REVIEWER: 17 ES | | | | | | | | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Q I | MIL-R-93D(4) SUPPL 1A, NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] USER: 19 AV CG MC ME REVIEWER: 11 17 AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/3F NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB16 [VALIDATION DATE: 9110] USER: 19 AV MC ME REVIEWER: 17 99 AR MI | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/4G NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB17 [VALIDATION DATE: 9110] USER: 19 MC ME REVIEWER: 17 99 AR AV MI | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/5F NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB18 [VALIDATION DATE: 9110] USER: 19 AV MC ME REVIEWER: 17 99 MI | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/6F NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB19 [VALIDATION DATE: 9110] USER: 19 MC ME REVIEWER: 17 99 AR AV MI | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| L | MIL-R-93/7B | RESISTOR, FIXED, WIRE WOUND (ACCURATE), STYLE RB43 [VALIDATION DATE: 8110] REVIEWER: ES MI | A | 5905 | ER | 12-JUN-70 | ER | | | |
| L | MIL-R-93/8B | RESISTOR, FIXED, WIREWOUND (ACCURATE), STYLE RB44 [VALIDATION DATE: 8110] REVIEWER: ES MI | A | 5905 | ER | 12-JUN-70 | ER | | | |
| L | MIL-R-93/9B | RESISTOR, FIXED, WIRE WOUND (ACCURATE), STYLE RB45 [VALIDATION DATE: 8110] REVIEWER: ES MI | A | 5905 | ER | 12-JUN-70 | ER | | | |
| I | MIL-R-93/10F NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB52 [VALIDATION DATE: 9110] USER: 19 MC ME REVIEWER: 17 99 AR AV MI | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/11D NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB53 [VALIDATION DATE: 9110] USER: 19 AV MC ME MI REVIEWER: 17 99 AR | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/12D NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB54 [VALIDATION DATE: 9110] USER: 19 AV MC ME MI REVIEWER: 17 99 AR | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/13D NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB55 [VALIDATION DATE: 9110] USER: MC ME REVIEWER: 17 99 AR MI | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/14D NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB56 [VALIDATION DATE: 9110] USER: 19 AV MC ME MI REVIEWER: 17 99 AR | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/15B NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB08 [VALIDATION DATE: 9110] USER: 19 AV MC ME REVIEWER: 11 17 99 AR AS ES MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/16B NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB57 [VALIDATION DATE: 9110] USER: 19 MC ME REVIEWER: 17 99 AR MI | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| | MIL-R-93/17B(1) | RESISTOR, FIXED, WIRE WOUND (ACCURATE), STYLE RB58 [VALIDATION DATE: 8502] USER: 19 MC ME REVIEWER: 17 99 AR AV ES MI | A | 5905 | ER | 20-APR-79 | ER | EC | 85 | |
| | MIL-R-93/18B(1) | RESISTOR, FIXED, WIRE WOUND (ACCURATE), STYLE RB59 [VALIDATION DATE: 8502] USER: 19 AT CG MC ME REVIEWER: 11 17 99 AR AS AV ES MI | A | 5905 | ER | 20-APR-79 | ER | EC | 85 | |
| I | MIL-R-93/19B NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB70 [VALIDATION DATE: 9110] USER: 19 MC ME REVIEWER: 17 99 AV MI | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| I | MIL-R-93/20B NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB71 [VALIDATION DATE: 9110] USER: 19 AV MC ME REVIEWER: 17 99 AR MI | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| | MIL-R-93/27B(1) | RESISTOR, FIXED, WIRE WOUND (ACCURATE), STYLE RB72 [VALIDATION DATE: 8502] USER: 19 MC ME REVIEWER: 17 99 AR AV ES MI | A | 5905 | ER | 20-APR-79 | ER | EC | 85 | |
| | MIL-R-93/28B(1) | RESISTOR, FIXED, WIRE WOUND (ACCURATE), STYLE RB73 [VALIDATION DATE: 8502] USER: 19 AV ME REVIEWER: 17 99 AR CG ES MC MI | A | 5905 | ER | 20-APR-79 | ER | EC | 85 | |
| AQ | MIL-R-94E SUPPL 1A | RESISTOR, VARIABLE, COMPOSITION GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 17 80 99 AR AS MI OS | A | 5905 | ER | 10-SEP-92 | ER | EC | 85 | |
| | MIL-R-94/2C(1) NOTICE 1 | RESISTORS, VARIABLE, COMPOSITION, STYLE RV5 USER: 19 AT AV MC ME REVIEWER: 17 99 AS ES MI | A | 5905 | ER | 12-OCT-89 | ER | EC | 85 | |
| | MIL-R-94/3K(2) | RESISTORS, VARIABLE, COMPOSITION, STYLE RV6 USER: 19 AT MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | ER | 12-OCT-89 | ER | EC | 85 | |
| | MIL-R-94/4J(1) | RESISTORS, VARIABLE, COMPOSITION, STYLE RV2 USER: 19 AT AV CG MC ME OS REVIEWER: 17 99 AR AS ES MI | A | 5905 | ER | 12-OCT-89 | ER | EC | 85 | |
| | MIL-R-94/5G(1) NOTICE 1 | RESISTORS, VARIABLE, COMPOSITION, STYLE RV4 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS AV EA ES OS | A | 5905 | ER | 12-OCT-89 | ER | EC | 85 | |
| | MIL-R-94/6C(1) NOTICE 1 | RESISTORS, VARIABLE, COMPOSITION, STYLE 2RV7 [VALIDATION DATE: 9110] USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | |
| | MIL-R-94/7A(1) | RESISTORS, VARIABLE, COMPOSITION, STYLE RV8 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | ER | 10-MAY-90 | ER | EC | 85 | |
| | MIL-G-96A NOTICE 1 | GUM TRAGACANTH (FOR USE IN AMMUNITION) [VALIDATION DATE: 8806] REVIEWER: GS MD MI | A | 6810 | AR | 13-JUN-88 | AR | OS | | |
| | MIL-D-98A | DIPHENYLAMINE, TECHNICAL [VALIDATION DATE: 8004] REVIEWER: EA GS MI ..... | A | 6810 | AR | 14-MAY-62 | AR | AS | | |
| | JAN-C-99(1) | CEMENT, PETTMAN [VALIDATION DATE: 7905] REVIEWER: EA ..... | A | 1395 | AR | 30-NOV-45 | AR | OS | | |
| D | MIL-C-104C | CRATES, WOOD: LUMBER AND PLYWOOD SHEATHED, NAILED, AND BOLTED USER: AT ER REVIEWER: 99 AR AS CR EA GL MC SA SM | A | 8115 | YD1 | 30-MAR-92 | ME | YD1 | 69 | |
| D | MIL-P-116J(1) NOTICE 1 | PRESERVATION, METHODS OF [VALIDATION DATE: 9110] REVIEWER: 43 99 AL AR AT AV CR DH EA EC GL GS MC ME MI MR OS SA SH YD1 | A | PACK | AS | 24-OCT-91 | SM | AS | 69 | ES |
| D | MIL-B-117F(1) | BAGS, SLEEVES AND TUBING USER: MC REVIEWER: 84 AR AT AV EA GS OS SH SM YD1 | A | 8105 | GL | 23-APR-90 | GL | SA | 69 | |
| D | MIL-B-121F | BARRIER MATERIAL, GREASEPROOFED, WATERPROOFED, FLEXIBLE USER: MC SH REVIEWER: 99 AS AT OS EA GS MD MI OS SM YD1 | A | 8135 | GL | 16-JUN-89 | GL | SA | 69 | |
| Q | MIL-R-122A(1) | RESISTORS, FIXED, PRECISION, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | EC | 26-MAY-92 | ER | EC | 85 | |
| | MIL-R-122/1C | RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP01 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | EC | 18-AUG-89 | ER | EC | 85 | |
| | MIL-R-122/3C | RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP03 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | EC | 18-AUG-89 | ER | EC | 85 | |
| | MIL-R-122/4B | RESISTOR, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP04 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | EC | 10-JUN-85 | ER | EC | 85 | |
| | MIL-R-122/5D | RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP05 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | EC | 25-SEP-89 | ER | EC | 85 | |
| | MIL-R-122/6C(1) | RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP06 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | EC | 05-JUL-88 | ER | EC | 85 | |
| | MIL-R-122/10C | RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP10 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | EC | 18-AUG-89 | ER | EC | 85 | |
| Q | MIL-C-123B(1) SUPPL 1A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, GENERAL SPECIFICATION FOR REVIEWER: 85 EC ER ES | A | 5910 | MA | 15-JUL-91 | | | 19 | |
| L | MIL-C-123/1A(1) | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE & GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS05 REVIEWER: 11 EC ER ES | A | 5910 | MA | 09-APR-84 | | | 19 | MA |
| L | MIL-C-123/2B(2) | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE & GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS06 REVIEWER: 11 EC ER ES | A | 5910 | MA | 25-FEB-87 | | | 19 | MA |
| | MIL-C-123/3C | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS07 REVIEWER: 85 EC ER ES | A | 5910 | MA | 20-JUL-88 | | | 19 | |
| L | MIL-C-123/4A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE & GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS11 REVIEWER: 11 EC ER ES | A | 5910 | MA | 10-AUG-82 | | | 19 | MA |
| L | MIL-C-123/5 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE & GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS12 REVIEWER: 11 19 EC ER ES | A | 5910 | MA | 13-MAR-81 | | | | |
| L | MIL-C-123/6A(1) | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE & GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS14 REVIEWER: 11 EC ER ES | A | 5910 | MA | 09-APR-84 | | | 19 | MA |
| L | MIL-C-123/7A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE & GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS15 REVIEWER: 11 EC ER ES | A | 5910 | MA | 10-AUG-82 | | | 19 | MA |
| L | MIL-C-123/8 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE & GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS16 REVIEWER: 11 19 EC ER ES | A | 5910 | MA | 13-MAR-81 | | | | |
| L | MIL-C-123/9A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS26 REVIEWER: ES | A | 5910 | 19 | 15-MAR-90 | | | 19 | |
| L | MIL-C-123/10A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS51 REVIEWER: 19 EC ER ES | A | 5910 | MA | 27-AUG-90 | | | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-C-123/11A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS52 REVIEWER: 19 EC ER ES | A | 5910 | MA | 27-AUG-90 | | | | |
| L | MIL-C-123/12A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS53 REVIEWER: 19 EC ER ES | A | 5910 | MA | 27-AUG-90 | | | | |
| L | MIL-C-123/13A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS54 REVIEWER: 19 EC ER ES | A | 5910 | MA | 27-AUG-90 | | | | |
| | MIL-C-123/14 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED (HIGH FREQUENCY), STYLE CKS28 REVIEWER: 85 ES | A | 5910 | MA | 21-NOV-89 | | | 19 | |
| | MIL-C-123/15 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED (HIGH FREQUENCY), STYLE CKS29 REVIEWER: 85 EC ER ES | A | 5910 | MA | 21-NOV-89 | | | 19 | |
| | MIL-C-123/16 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS22 REVIEWER: 85 EC ER ES | A | 5910 | MA | 21-NOV-89 | | | 19 | |
| | MIL-C-123/17 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS23 REVIEWER: 85 EC ER ES | A | 5910 | MA | 21-NOV-89 | | | 19 | |
| | MIL-C-123/18 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS24 REVIEWER: 85 EC ER ES | A | 5910 | MA | 21-NOV-89 | | | 19 | |
| | MIL-C-123/19 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED WITH STANDOFFS, STYLE CKS05S REVIEWER: 85 EC ER ES | A | 5910 | MA | 09-MAR-90 | | | 19 | |
| | MIL-C-123/20 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED WITH STANDOFFS, STYLE CKS06S REVIEWER: 85 EC ER ES | A | 5910 | MA | 21-NOV-89 | | | 19 | |
| D | MIL-P-130F | PAPER, WRAPPING, LAMINATED AND CREPED USER: AT SH YD1 REVIEWER: 99 DS EA GS MC MD OS | A | 8135 | GL | 30-SEP-85 | GL | SA | 69 | |
| DQ | MIL-B-131H | BARRIER MATERIALS, WATERVAPORPROOF, GREASEPROOF, FLEXIBLE, HEAT SEALABLE USER: SS REVIEWER: 84 99 AT CR DS EA ES MI OS SA SH SM YD1 | A | 8135 | AS | 17-FEB-87 | GL | AS | 69 | |
| Q | MIL-P-1490 NOTICE 1 | PLASTIC COATING COMPOUND, STRIPPABLE (HOT DIPPING) [VALIDATION DATE: 9103] USER: AR AS MC OS REVIEWER: ER GL ME SH | A | 8030 | MR | 20-MAR-91 | MR | | 99 | |
| | MIL-P-1500 NOTICE 1 | POTASSIUM CHLORATE, TECHNICAL [VALIDATION DATE: 8903] USER: AS REVIEWER: AR GS MD | A | 6810 | EA | 06-MAR-89 | EA | OS | | |
| | MIL-F-151E | FAN, CIRCULATING, CEILING, REFRIGERATED SPACE [VALIDATION DATE: 8403] REVIEWER: ER GS | A | 4140 | SH | 05-AUG-68 | ME | SH | | |
| D | MIL-T-152B(2) NOTICE 1 | TREATMENT, MOISTURE & FUNGUS RESISTANT, OF COMMUNICATIONS, ELECTRONIC & ASSOCIATED ELECTRICAL EQUIPMENT [VALIDATION DATE: 8708] REVIEWER: AR AV EA EC MI MR YD1 | A | MISC | ER | 03-AUG-87 | ER | AS | 11 | |
| | MIL-B-153A(1) NOTICE 1 | BARIUM PEROXIDE [VALIDATION DATE: 8806] REVIEWER: GS OS | A | 6810 | AR | 17-JUN-88 | AR | AS | | |
| | MIL-G-155A(2) NOTICE 1 | GRAPHITE, DRY (FOR USE IN AMMUNITION) [VALIDATION DATE: 8804] USER: ME REVIEWER: EA | A | 1376 | AR | 25-APR-88 | AR | OS | 99 | |
| | MIL-P-1568 | POTASSIUM NITRATE [VALIDATION DATE: 8301] REVIEWER: EA GS MI OS | A | 6810 | AR | 18-APR-56 | AR | AS | | |
| L | MIL-P-1568(13) | POTASSIUM NITRATE | A | 6810 | OS | 30-APR-90 | | OS | | |
| L | MIL-P-157A(3) NOTICE 1 | PAPER, ONIONSKIN [VALIDATION DATE: 8803] REVIEWER: EA | A | 1395 | AR | 23-MAR-88 | AR | | | |
| L | MIL-A-1590 | ANTIMONY SULFIDE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] REVIEWER: EA GS MD OS | A | 6810 | AR | 16-MAY-72 | AR | | | |
| L | MIL-A-1590(11) | ANTIMONY SULFIDE (FOR USE IN AMMUNITION) | A | 6810 | AR | 13-DEC-85 | AR | | | |
| | MIL-B-162D | BARIUM NITRATE [VALIDATION DATE: 8202] REVIEWER: EA GS MD MI OS | A | 6810 | AR | 07-FEB-68 | AR | AS | | |
| L | MIL-B-162D(13) | BARIUM NITRATE | A | 6810 | AR | 16-APR-90 | AR | | | |
| D L | MIL-F-163G NOTICE 2 | FAUCET, SINGLE & DOUBLE, COMPRESSION & SELF CLOSING TYPE, NAVAL SHIPBOARD REVIEWER: CS YD1 | A | 4510 | SH | 13-DEC-85 | | SH | | |
| | MIL-A-166C NOTICE 1 | AMMONIUM PICRATE (EXPLOSIVE D) [VALIDATION DATE: 8804] | A | 1376 | AR | 25-APR-88 | AR | OS | 99 | |
| | JAN-T-171(2) | TOLUENE [VALIDATION DATE: 8004] USER: MC REVIEWER: EA GS MI PS | A | 6810 | AR | 25-SEP-46 | AR | OS | | |
| Q | MIL-C-172C(2) SUPPL 1D | CASES: BASES, MOUNTING; AND MOUNTS, VIBRATION (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) [VALIDATION DATE: 8005] REVIEWER: 99 AR AV GS MI | A | 5975 | AS | 17-FEB-69 | ER | AS | 11 | |
| L | MIL-C-172C(15) SUPPL 1D | CASES: BASES, MOUNTING; AND MOUNTS, VIBRATION (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) [VALIDATION DATE: 8005] REVIEWER: 11 99 | A | 5340 | 85 | 14-FEB-77 | | | 85 | |
| D | MIL-V-173C(2) NOTICE 1 | VARNISH, MOISTURE AND FUNGUS RESISTANT (FOR TREATMENT OF COMMUNICATIONS, ELECTRONIC, AND ASSOCIATED EQUIPMENT [VALIDATION DATE: 8707] USER: MC ME SH REVIEWER: AV DS EA EC OS | A | 8010 | ER | 07-JUL-87 | ER | YD1 | | |
| | MIL-G-1748 | GLASS, OPTICAL REVIEWER: AV EA MI | A | 6650 | AR | 05-DEC-86 | AR | OS | 99 | |
| | MIL-A-175C NOTICE 1 | AMMONIUM NITRATE, TECHNICAL (METRIC) [VALIDATION DATE: 8903] USER: SH REVIEWER: GS MI | A | 6810 | EA | 06-MAR-89 | EA | OS | 68 | |
| | JAN-C-178A(1) | CHARCOAL (FOR USE IN AMMUNITION) [VALIDATION DATE: 8204] REVIEWER: EA GS | A | 6810 | OS | 28-OCT-49 | AR | OS | | |
| L | JAN-C-178A(12) | CHARCOAL (FOR USE IN AMMUNITION) | A | 6810 | AR | 04-MAR-91 | AR | | | |
| | JAN-A-179 | ACID, SULFUTIC, AND OLEUM [VALIDATION DATE: 8004] REVIEWER: GS | A | 6810 | AR | 31-JAN-45 | EA | OS | | |
| L | JAN-W-181A | WAX (CANDELILLA) [VALIDATION DATE: 8204] REVIEWER: GS | A | 9160 | OS | 18-AUG-75 | | OS | | |
| | JAN-A-183(3) | ACID, NITRIC (FOR ORDANCE USE) [VALIDATION DATE: 8004] REVIEWER: GS | A | 6810 | AR | 12-OCT-51 | AR | OS | | |
| | JAN-A-187 | ACID, PICRIC (TRINITROPHENOL) [VALIDATION DATE: 8004] REVIEWER: GS | A | 6810 | AR | 28-FEB-45 | AR | OS | | |
| A | MIL-A-192B | AMMONIUM PERCHLORATE [VALIDATION DATE: 8604] REVIEWER: 12 68 EA GS OS | A | 6810 | AR | 10-APR-86 | AR | AS | 19 | |
| L | MIL-A-192B(12) | AMMONIUM PERCHLORATE, TECHNICAL | A | 6810 | AR | 23-NOV-90 | AR | | | |
| | MIL-P-193A(1) | POTASSIUM SULFATE (FOR ORDNANCE USE) [VALIDATION DATE: 8601] REVIEWER: AS EA GS OS | A | 6810 | AR | 02-AUG-65 | AR | MS | 68 | |
| | MIL-P-193A(13) | POTASSIUM SULFATE (FOR ORDNANCE USE) [VALIDATION DATE: 8601] | A | 6810 | AR | 13-APR-81 | AR | OS | 99 | |
| D | MIL-S-196D | SUPPORT ITEMS, ACCESSORIES, AND KITS, MECHANICAL; PACKAGING OF USER: AT EC MC REVIEWER: 11 70 71 84 AR ME YD1 | A | PACK | SH | 15-JUL-88 | SH | SH | 69 | |
| D | MIL-B-197G | PACKAGING OF ANTIFRICTION BEARINGS, ASSOCIATED PARTS AND SUBASSEMBLIES USER: MC REVIEWER: AS AT OS SA SH YD1 | A | PACK | IS | 03-MAR-92 | AR | SH | 99 | IS |
| | MIL-E-199A(3) | ETHER, DIETHYL, TECHNICAL [VALIDATION DATE: 8907] USER: ME REVIEWER: GS OS | A | 6810 | AR | 13-JUL-89 | AR | AS | | |
| | MIL-A-202C NOTICE 1 | ANTHRACENE, TECHNICAL (METRIC) [VALIDATION DATE: 8903] REVIEWER: AR GS MD MI | A | 6810 | EA | 06-MAR-89 | EA | OS | | |
| | MIL-D-204A(1) | DINITROTOLUENE FOR USE IN EXPLOSIVES [VALIDATION DATE: 8201] USER: MC | A | 1375 | AR | 23-AUG-63 | AR | OS | 99 | |
| L | MIL-D-204A(12) | DINITROTOLUENE FOR USE IN EXPLOSIVES [VALIDATION DATE: 8201] | A | 1375 | AR | 21-NOV-75 | AR | | | |
| | MIL-C-206A NOTICE 1 | CELLULOSE, COTTON (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8806] REVIEWER: MR | A | 1376 | AR | 09-JUN-88 | AR | OS | 99 | |
| L | MIL-C-206A(12) | CELLULOSE, COTTON (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8806] | A | 1376 | AR | 09-JUN-88 | AR | | | |
| | JAN-S-210A | SODIUM OXALATE, TECHNICAL (METRIC) REVIEWER: GS | A | 6810 | OS | 23-OCT-85 | AR | AS | | |
| | MIL-S-210A | SODIUM OXALATE, TECHNICAL (METRIC) REVIEWER: AS | A | 6810 | OS | 23-OCT-85 | AR | OS | | |
| | MIL-P-211E | PHOSPHORUS, RED, TECHNICAL REVIEWER: AR AS GS MD | A | 6810 | EA | 28-MAY-91 | EA | OS | | |
| | MIL-R-214E | REEL, PHOTOGRAPHIC FILM, AND CAN OR CASE, PHOTOGRAPHIC FILM STORAGE (16MM AND 35MM FILM USER: MI | A | 6760 | CR | 20-SEP-76 | CR | AS | 99 | |
| | MIL-W-215D(2) | WHITE PHOSPHORUS (WP) USER: MC REVIEWER: AS MD | A | 1365 | EA | 19-MAR-91 | EA | OS | | |
| | MIL-C-216B | CELLULOSE, WOODPULP (SULFITE) [VALIDATION DATE: 8301] REVIEWER: GS | A | 6810 | AR | 30-DEC-76 | AR | OS | | |
| L | MIL-C-216B(11) | CELLULOSE, WOODPULP (SULFITE) [VALIDATION DATE: 8301] | A | 6810 | AR | 29-AUG-80 | AR | | | |
| | MIL-P-217A(1) NOTICE 1 | POTASSIUM PERCHLORATE [VALIDATION DATE: 8604] REVIEWER: EA GS MI OS | A | 6810 | AR | 10-APR-86 | AR | AS | | |
| | MIL-D-218B NOTICE 1 | DIBUTYL PHTHALATE, TECHNICAL (METRIC) REVIEWER: GS MD MI | A | 6810 | EA | 04-MAR-87 | EA | OS | | |
| | MIL-P-2238(3) NOTICE 2 | POWDER, BLACK [VALIDATION DATE: 9111] | A | 1376 | AR | 04-NOV-91 | AR | OS | 99 | |
| N L | MIL-P-00223C | POWDER, BLACK | A | 1376 | AR | 05-FEB-93 | AR | | | |
| | MIL-H-226F NOTICE 1 | HALYARDS, SIGNAL, BRAIDED TREATED [VALIDATION DATE: 8904] | A | 4020 | GL | 22-APR-89 | GL | | 99 | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | NICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | MIL-C-228A | CIRCLES, AZIMUTH: AND CIRCLES, BEARING USER: MI REVIEWER: AV | A | 6605 | SH | | 18-JAN-91 | ME | SH | | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-S-230C | SILICON, POWDERED, TECHNICAL [VALIDATION DATE: 8903] USER: AS REVIEWER: AR GS MD | A | 6810 | EA | | 06-MAR-89 | EA | OS | | |
| | NOTICE 1 | | | | | | | | | | |
| L | MIL-P-231A(2) | PROPELLANT, PYROCELLULOSE [VALIDATION DATE: 8106] | A | 1376 | OS | | 17-MAY-72 | | OS | | |
| L | MIL-B-233D | BOX REPAIR, PART, STORAGE USER: CS OS SA REVIEWER: AS EC | A | 8115 | SH | | 10-JUL-87 | | SH | | |
| | MIL-H-235C | HEXACHLOROETHANE, TECHANICAL USER: MC MI REVIEWER: GS MD OS | A | 6810 | EA | | 23-FEB-84 | EA | AS | 68 | |
| D | MIL-P-236J | PIPE, CULVERT, NESTABLE REVIEWER: 82 CE CS MC | A | 4710 | ME | | 06-MAY-92 | ME | YD1 | 99 | |
| | JAN-D-242 | DIETHYLPHTHALATE (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8004] REVIEWER: GS | A | 6810 | AR | | 30-JUL-45 | AR | OS | | |
| L | MIL-F-243E(2) | FURNITURE, SHIPBOARD, STEEL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] | A | 2090 | SH | | 15-JAN-74 | | SH | | |
| | MIL-N-244A(3) | NITROCELLULOSE [VALIDATION DATE: 8806] REVIEWER: EA MI | A | 1376 | AR | | 13-JUN-88 | AR | OS | 70 | |
| | NOTICE 1 | | | | | | | | | | |
| L | MIL-N-244A(16) | NITROCELLULOSE | A | 1376 | OS | | 30-APR-90 | | OS | | |
| | MIL-N-2468 | NITROGLYCERIN [VALIDATION DATE: 8505] REVIEWER: 99 EA | A | 1376 | AR | | 19-FEB-62 | AR | OS | 11 | |
| L | MIL-N-2468(13) | NITROGLYCERIN | A | 1376 | OS | | 21-JUN-90 | | OS | | |
| | MIL-T-248C | TRINITROTOLUENE (TNT) [VALIDATION DATE: 8201] USER: MC REVIEWER: EA | A | 1376 | AR | | 08-NOV-74 | AR | OS | 70 | |
| L | MIL-T-248C(13) | TRINITROTOLUENE (TNT) | A | 1376 | AR | | 18-MAY-90 | AR | | | |
| | MIL-E-255A(1) | ETHYL CENTRALITE &CARBANITE& [VALIDATION DATE: 8004] REVIEWER: GS | A | 6810 | AR | | 08-JUN-66 | AR | OS | | |
| | JAN-H-257 | HEXACHLORBENZENE [VALIDATION DATE: 8004] REVIEWER: GS | A | 6810 | AR | | 27-SEP-45 | AR | OS | | |
| | JAN-C-263 | CALCIUM STEARATE [VALIDATION DATE: 8004] REVIEWER: EA GS | A | 6810 | AR | | 28-SEP-45 | AR | OS | | |
| L | MIL-P-265C | POLYVINYL ALCOHOL, GRANULAR (METRIC) [VALIDATION DATE: 8903] USER: MI REVIEWER: GS | A | 6810 | EA | | 07-MAR-89 | EA | | | |
| | NOTICE 1 | | | | | | | | | | |
| L | MIL-P-270A | PROPELLANT, ARTILLERY [VALIDATION DATE: 9008] | A | 1375 | AR | | 27-AUG-90 | AR | | | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-S-271B | STEARIC ACID, TECHNICAL [VALIDATION DATE: 8505] REVIEWER: GS | A | 6810 | AR | | 25-MAY-62 | AR | OS | | |
| | MIL-B-273F | BAG, DRINKING WATER STORAGE, DISPENSING, CLOTH, COTTON DUCK, POROUS USER: MC REVIEWER: 82 CS MD | A | 4610 | GL | | 19-JAN-90 | GL | | 99 | |
| | MIL-I-2750 | IRON OXIDE, BLACK, TECHNICAL REVIEWER: AR AS GS MD MI | A | 6810 | EA | | 27-FEB-90 | EA | OS | | |
| L | JAN-G-276 | GUM, ESTER REVIEWER: GS | A | 6810 | EA | | 22-JUL-46 | EA | | | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-F-279C | FERROUS SULFIDE, TECHNICAL [VALIDATION DATE: 8903] REVIEWER: GS MD | A | 6810 | EA | | 07-MAR-89 | EA | OS | 68 | |
| | NOTICE 1 | | | | | | | | | | |
| D | MIL-W-283H | WATER PURIFICATION TABLET, IODINE USER: AR MC SH YD1 REVIEWER: DM EA GS MD ME MS | A | 6850 | GL | | 25-JUN-87 | GL | | 68 | |
| D | MIL-F-284E | FORK, KNIFE, AND SPOON, FIELD MESS [VALIDATION DATE: 9302] USER: CG YD1 REVIEWER: 99 GS MC MD | A | 7340 | GL | | 26-FEB-93 | GL | SA | | |
| | NOTICE 2 | | | | | | | | | | |
| A | MIL-B-286D | BUTTON, TACK, AND TACK, BUTTON [VALIDATION DATE: 8104] REVIEWER: 82 | A | 8315 | CT | | 05-MAY-69 | GL | MU | 99 | CT |
| Q | MIL-W-287E | WAVEGUIDE ASSEMBLIES, FLEXIBLE, TWISTABLE AND NONTWISTABLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8710] USER: 19 AR AS CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5985 | EC | | 27-OCT-87 | ER | EC | 85 | |
| | SUPPL 1D | | | | | | | | | | |
| QL | MIL-W-287E(11) | WAVEGUIDE ASSEMBLIES, FLEXIBLE, TWISTABLE, AND NON-TWISTABLE, GENERAL SPECIFICATION FOR | A | 5985 | CR | | 14-JUL-87 | CR | | | |
| | SUPPL 1D | | | | | | | | | | |
| | MIL-W-287/3D | WAVEGUIDE ASSEMBLY, FLEXIBLE, TWISTABLE, CLASS 1 [VALIDATION DATE: 8710] USER: 19 AR AS CG MC REVIEWER: 17 99 AV ES MI OS | A | 5985 | EC | | 27-OCT-87 | ER | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-W-287/4E | WAVEGUIDE ASSEMBLY, FLEXIBLE, NON-TWISTABLE, CLASS 2 [VALIDATION DATE: 8710] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5985 | EC | | 27-OCT-87 | ER | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-W-287/5E | WAVEGUIDE ASSEMBLY, EXTRA FLEXIBLE, TWISTABLE, CLASS 3 [VALIDATION DATE: 8710] USER: 19 AR AS CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5985 | EC | | 27-OCT-87 | ER | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-W-287/6 | WAVEGUIDE ASSEMBLY, FLEXIBLE, TWISTABLE, CLASS 5 [VALIDATION DATE: 8710] USER: 11 19 AR AS CG MC REVIEWER: 17 99 AV ES MI OS | A | 5985 | EC | | 27-OCT-87 | ER | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-W-287/7 | WAVEGUIDE ASSEMBLY, FLEXIBLE, NON-TWISTABLE, CLASS 7 [VALIDATION DATE: 8710] USER: 11 19 AR AS CG MC REVIEWER: 17 99 AV ES MI OS | A | 5985 | EC | | 27-OCT-87 | ER | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-W-287/8 | WAVEGUIDE ASSEMBLY, MILLIMETER FLEXIBLE, NON-TWISTABLE, CLASS 8 [VALIDATION DATE: 8710] USER: 11 19 AR AS CG MC REVIEWER: 17 99 AV ES MI OS | A | 5985 | EC | | 27-OCT-87 | ER | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |
| 1 | MIL-P-2888(1) | PROTRACTORS ONE OR THREE ARM | A | 6675 | SH | | 15-MAR-91 | ME | SH | 99 | |
| | NOTICE 1 | | | | | | | | | | |
| A | MIL-Z-291G | ZINC OXIDE, TECHNICAL REVIEWER: AR GS MD | A | 6810 | EA | | 04-DEC-92 | EA | OS | | |
| L | MIL-Z-291F(11) | ZINC OXIDE, TECHNICAL REVIEWER: GS MD | A | 6810 | AR | | 16-AUG-88 | AR | | | |
| L | MIL-C-2938 | CALCIUM CARBONATE [VALIDATION DATE: 8604] USER: MI OS REVIEWER: EA GS | A | 6810 | AR | | 10-APR-86 | AR | | | |
| | NOTICE 1 | | | | | | | | | | |
| L | MIL-L-2968 | LACQUER, PURPLE [VALIDATION DATE: 8301] | A | 8010 | AR | | 18-JUN-73 | AR | | | |
| A | MIL-C-297G | CLOTH, INTERLINING, COTTON OR SYNTHETIC WARP, AND SPUN HAIR-WOOL OR RAYON FILLING REVIEWER: 82 MC MD | A | 8305 | CT | | 21-DEC-87 | GL | MU | 99 | CT |
| | MIL-T-301A(2) | TRIACETIN (GLYCERYL TRIACETATE) [VALIDATION DATE: 8907] REVIEWER: GS MR | A | 6810 | AR | | 13-JUL-89 | AR | OS | | |
| | MIL-C-303C | CASE, MEDICAL INSTRUMENT & SUPPLY SET, NYLON, NON RIGID, NR 2 REVIEWER: MB | A | 6545 | DM | | 08-MAR-79 | MD | MS | 03 | |
| | MIL-C-306C(1) | CARBON BLACK, POWDERED, DRY USER: MI REVIEWER: EA GS | A | 6810 | AR | | 24-NOV-85 | AR | OS | 68 | |
| L | MIL-C-306C(13) | CARBON BLACK, POWDERED, DRY | A | 6810 | AR | | 23-NOV-90 | AR | | | |
| | MIL-S-322C | SODIUM NITRATE [VALIDATION DATE: 8604] USER: MI REVIEWER: AS EA GS | A | 6810 | AR | | 10-APR-86 | AR | OS | 68 | |
| L | MIL-S-322C(11) | SODIUM NITRATE | A | 6810 | OS | | 30-APR-90 | | OS | | |
| L | MIL-P-323A | PROPELLANT, M2 AND M5 [VALIDATION DATE: 8505] USER: ME | A | 1376 | AR | | 09-MAR-59 | AR | | | |
| L | MIL-P-323A(11) | PROPELLANT, M2 AND M5 | A | 1375 | AR | | 28-OCT-88 | AR | | | |
| | MIL-C-324C | CALCIUM SILICIDE, TECHNICAL [VALIDATION DATE: 8903] USER: MC REVIEWER: AR GS MD | A | 6810 | EA | | 08-MAR-89 | EA | OS | | |
| | NOTICE 1 | | | | | | | | | | |
| A | MIL-C-332H | CLOTH, BALLOON, COTTON USER: MC REVIEWER: MD | A | 8305 | CT | | 17-OCT-86 | GL | MU | 11 | CT |
| A | MIL-C-333D(1) | CLOTH, TOW TARGET, ACETATE AND RAYON USER: AS | A | 8305 | CT | | 01-OCT-81 | | AS | 99 | CT |
| D | MIL-P-335J | PAVING MACHINE, BITUMINOUS MATERIAL, CRAWLER MOUNTED, DIESEL ENGINE DRIVEN REVIEWER: AT | A | 3895 | ME | | 18-AUG-86 | ME | YD1 | | |
| | MIL-C-3378(2) | CHEMICAL AGENT PLASTICIZED WHITE PHOSPHOROUS (PWP) [VALIDATION DATE: 8008] USER: MC REVIEWER: 99 GS MD | A | 6810 | EA | | 12-OCT-65 | EA | OS | 11 | |
| L | MIL-C-00337C | CHEMICAL AGENT, PLASTICIZED WHITE PHOSPHOROUS (PWP) | A | 1365 | EA | | 20-FEB-69 | EA | | | |
| | MIL-T-339C | TETRYL (TRINITROPHENYLMETHYLNITRAMINE) [VALIDATION DATE: 9111] | A | 1376 | AR | | 04-NOV-91 | AR | OS | | |
| | NOTICE 2 | | | | | | | | | | |
| A | MIL-C-342J | CLOTH, WIND RESISTANT, POPLIN, COTTON USER: 45 MC REVIEWER: 82 MD | A | 8305 | CT | | 01-APR-88 | GL | MU | 99 | CT |
| | MIL-A-356A | ASPHALTUM (GILSONITE) [VALIDATION DATE: 8204] REVIEWER: EA | A | 9620 | OS | | 25-SEP-73 | MR | OS | | |
| L | MIL-C-357A | CHEMICAL AGENT, TITANIUM TETRACHLORIDE [VALIDATION DATE: 8008] | A | 1365 | EA | | 11-MAY-60 | EA | | | |
| | JAN-P-362(1) | POWDER, BLACK, SODIUM NITRATE [VALIDATION DATE: 8004] | A | 1376 | AR | | 23-DEC-46 | AR | OS | | |
| A | MIL-C-363A(1) | CLOTH, WOOL, KNITTED [VALIDATION DATE: 8910] | A | 8305 | CT | | 31-OCT-89 | | | 99 | CT |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-Z-365A | ZINC - DUST (FOR USE IN PYROTECHNICS) [VALIDATION DATE: 9101] USER: MI REVIEWER: AS GS | A | 6810 | AR | | 28-JAN-91 | AR | OS | 68 | |
| | NOTICE 2 | | | | | | | | | | |
| | JAN-B-366 | BARTIUM STEARATE [VALIDATION DATE: 8004] REVIEWER: EA GS | A | 6810 | AR | | 15-JUL-46 | AR | OS | | |
| A | MIL-C-368J | CLOTH, SATIN, RAYON AND CLOTH, TWILL, RAYON USER: MC REVIEWER: 82 99 MD | A | 8305 | CT | | 04-MAY-89 | GL | MU | 11 | CT |
| D | MIL-H-370F | HOSES AND HOSE ASSEMBLIES, NONMETALLIC: RUBBER, LIQUID FUEL USER: MC REVIEWER: 82 CS SH | A | 4720 | ME | | 08-OCT-86 | ME | YD1 | 99 | |
| D | MIL-H-370F(11) | HOSES AND HOSE ASSEMBLIES, NONMETALLIC: RUBBER, LIQUID FUEL | A | 4720 | ME | | 31-MAR-87 | ME | YD1 | 99 | |
| A | MIL-B-371F | BRAID, TEXTILE, TUBULAR [VALIDATION DATE: 8303] REVIEWER: EA MC MD | A | 8315 | CT | | 25-AUG-77 | GL | MU | | CT |
| Q | MIL-C-372C(2) | CLEANING COMPOUND, SOLVENT (FOR BORE OF SMALL ARMS AND AUTOMATIC AIRCRAFT WEAPONS) USER: MC ME REVIEWER: GS OS PS SH | A | 6850 | MR | | 03-OCT-89 | MR | AS | 68 | |
| | MIL-L-376C | LEAD DIOXIDE, TECHNICAL USER: AR REVIEWER: GS MD OS | A | 6810 | EA | | 12-JAN-83 | EA | AS | | |
| L | MIL-Q-378B | QUICKMATCH [VALIDATION DATE: 8403] REVIEWER: EA OS | A | 1370 | AR | | 30-AUG-63 | AR | | | |
| L | MIL-Q-378B(11) | QUICKMATCH [VALIDATION DATE: 8403] | A | 1370 | AR | | 20-NOV-75 | AR | | | |

| Action | Opt. / Obsl. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-M-382C(1) NOTICE 1 | MAGNESIUM POWDER (FOR USE IN AMMUNITION) [VALIDATION DATE: 8804] ..... | A 6810 | AR | 22-APR-88 AR | | | | |
| | | MIL-B-385G(1) | BREAKERS, PAVING, PNEUMATIC POWERED (7/8 INCH HEXAGON BY 2 3/4 INCH CHUCK AND 7/8 INCH HEXAGON BY 3 1/4 INCH CHUCK) REVIEWER: CS | A 3820 | ME | 01-DEC-87 ME | | 99 | | |
| | | MIL-C-386D | CUTTER, BARBED WIRE, INSULATED HANDLES, HAND OPERATED [VALIDATION DATE: 8104] USER: ME | A 5110 | GL | 02-APR-74 GL | MC | 99 | | |
| | | MIL-P-387C | PENTAERYTHRITE TETRANITRATE (PETN) [VALIDATION DATE: 8505] USER: EA REVIEWER: MI | A 1376 | AR | 08-DEC-76 AR | OS | 99 | | |
| L | | MIL-P-387C(11) | PENTAERYTHRITE TETRANITRATE (PETN) ..... | A 1376 | AR | 26-MAR-90 AR | | | | |
| L | | MIL-C-392M(3) | CONVEYOR, BELT: PORTABLE USER: CE ..... | A 3910 | ME | 23-MAY-88 ME | | | | |
| L | | MIL-I-394G NOTICE 1 | IGNITER, TIME, BLASTING FUSE, WEATHERPROOF, M60, PARTS FOR & LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8803] | A 1375 | AR | 22-MAR-88 AR | | | | |
| | | MIL-M-395F(1) NOTICE 1 | HEATER, BITUMEN [VALIDATION DATE: 8711] ..... | A 3895 | 84 | 30-NOV-87 | | 99 | | |
| A L | | MIL-L-396E | LACES, LEGGINGS [VALIDATION DATE: 8011] USER: 45 ..... | A 8315 | CT | 28-JUL-75 | | MU | | CT |
| | | MIL-R-398C(4) | RDX [VALIDATION DATE: 8301] ..... | A 1376 | AR | 12-JUL-77 AR | OS | 70 | | |
| A L | | MIL-R-398C(16) | RDX ..... | A 1376 | AR | 09-SEP-92 AR | | | | |
| | | MIL-Z-3990(1) | ZIRCONIUM (GRANULAR AND POWDERED) [VALIDATION DATE: 8907] USER: MI REVIEWER: AS EA GS MD | A 6810 | AR | 13-JUL-89 AR | OS | 68 | | |
| | | MIL-C-401E NOTICE 1 | COMPOSITION B [VALIDATION DATE: 8604] REVIEWER: EA ..... | A 1376 | AR | 10-APR-86 AR | OS | 99 | | |
| L | | MIL-C-00401F | COMPOSITION B ..... | A 1376 | AR | 18-JUL-86 AR | | | | |
| A | | MIL-S-405H | SOCKS, MEN'S, WINTER (WOOL AND COTTON) USER: MC REVIEWER: 82 MD ..... | A 8440 | CT | 25-JUL-90 GL | MU | 99 | | CT |
| | | JAN-P-408 | PENTOLITE, 50/50 [VALIDATION DATE: 8403] ..... | A 1376 | AR | 17-OCT-46 AR | AS | | | |
| A | | MIL-F-411D | FASTENERS, BELT: CLIPS, END STRAP, WITH HOOK; AND KEEPERS, SLIDE USER: ME REVIEWER: 82 MC MD | A 8465 | CT | 02-MAR-90 GL | MU | 99 | | CT |
| | | JAN-N-412A | NICKEL, POWDERED (FOR USE IN AMMUNITION) [VALIDATION DATE: 8301] REVIEWER: GS | A 6810 | AR | 30-JUN-48 AR | OS | | | |
| | | MIL-G-413C | GLUE, MARINE, AND AVIATION MARINE (WATERPROOF) REVIEWER: AS EA MR SA ..... | A 8040 | SH | 29-AUG-86 | | SH | 99 | |
| D L | | MIL-A-417G NOTICE 1 | ADAPTER, PRIMING, M1A4 [VALIDATION DATE: 8810] REVIEWER: 01 11 13 89 90 AS CE CG MC ME MI SH YD1 | A 1375 | AR | 24-OCT-88 AR | | | | |
| | | MIL-S-422B(1) | SCARF, CHAPLAINS [VALIDATION DATE: 8104] REVIEWER: GS ..... | A 9925 | GL | 25-JAN-67 GL | PE | 28 | | |
| | | MIL-R-423E | RIPPING TOOLS, METAL DRUM, PAVING BREAKER USER: CE MC REVIEWER: AT CS MI .. | A 3820 | ME | 18-AUG-89 ME | | 99 | | |
| D | | MIL-T-425H | TUBE, STEEL, PIPELINE SECTION, WITH GROOVED NIPPLE WELDED ON EACH END. USER: MC REVIEWER: CS | A 4710 | ME | 22-DEC-86 ME | YD1 | 99 | | |
| | | MIL-C-427A | COMPOSITION C-3 [VALIDATION DATE: 8204] USER: AS CG ..... | A 1376 | OS | 13-SEP-68 | OS | 99 | | |
| | | MIL-C-4290 NOTICE 1 | CHLORINATED PARAFFIN, TECHNICAL [VALIDATION DATE: 8808] USER: AS OS REVIEWER: GS MD | A 6810 | EA | 11-AUG-88 EA | SH | 68 | | |
| | | MIL-G-432G | GASKETS, NONMETALLIC, SYNTHETIC RUBBER USER: CG REVIEWER: 82 AR AT IS MC MR | A 5330 | GL | 21-NOV-89 GL | AS | 99 | | |
| L | | MIL-D-435F(4) | DISTRIBUTORS, LIQUID BITUMINOUS MATERIAL, TANKLESS-TYPE, TRAILOR-MOUNTED .. | A 3895 | ME | 19-JUL-88 ME | | | | |
| | | MIL-W-4388 | WIRE, PRIMER, ELECTRICAL [VALIDATION DATE: 8303] USER: MC MI REVIEWER: CR IS | A 6145 | AR | 06-MAY-65 AR | OS | 85 | | |
| L | | MIL-C-440C NOTICE 1 | COMPOSITIONS A-3 AND A-4 [VALIDATION DATE: 8804] REVIEWER: 99 EA OS ..... | A 1376 | AR | 25-APR-88 AR | | | | |
| | | MIL-C-4420(1) NOTICE 1 | CABLE, (WIRE), TWO CONDUCTOR, PARALLEL [VALIDATION DATE: 8809] USER: AT MC ME REVIEWER: IS MI | A 6145 | CR | 06-SEP-88 CR | OS | 85 | | |
| | | MIL-I-4430(1) | INDICATOR, CONNECTING ROD ALIGNMENT ..... | A 4910 | AL | 09-JAN-86 AL | | 99 | | |
| Q | | MIL-C-450C | COATING-COMPOUND, BITUMINOUS SOLVENT TYPE, BLACK (FOR AMMUNITION) [VALIDATION DATE: 8204] USER: MC ME REVIEWER: EA MI MR | A 8030 | OS | 05-FEB-71 AR | OS | 99 | | |
| | | MIL-C-453C | CORD, LACING, SILK (FOR ASSEMBLY OF PROPELLING CHARGES) [VALIDATION DATE: 8506] REVIEWER: IS | A 4020 | OS | 05-NOV-76 AR | OS | | | |
| | | JAN-M-454(1) | MAGNESIUM ALUMINUM ALLOY, POWERED [VALIDATION DATE: 8103] ..... | A 1370 | AR | 15-FEB-52 AR | OS | | | |
| | | MIL-P-457C | POT, COOKING, CORROSION RESISTING STEEL, WITH COVER [VALIDATION DATE: 8104] USER: CG MC MS | A 7330 | GL | 30-JUL-68 GL | SA | 04 | | |
| | | MIL-T-458A NOTICE 1 | TIN, PULVERIZED [VALIDATION DATE: 8806] REVIEWER: GS MD MI ..... | A 6810 | AR | 13-JUN-88 AR | OS | | | |
| | | JAN-A-459 | ACETIC ANHYDRIDE (FOR ORDNANCE USE) [VALIDATION DATE: 8202] REVIEWER: GS .. | A 6810 | AR | 12-MAR-47 AR | OS | | | |
| D | | MIL-T-462E | TANK, LIQUID STORAGE, METAL, FUEL OIL, HORIZONTAL USER: MC REVIEWER: 84 CS | A 5430 | ME | 16-SEP-85 ME | YD1 | 99 | | |
| | | MIL-E-4638 | ETHYL ALCOHOL (FOR ORDNANCE USE) [VALIDATION DATE: 8907] REVIEWER: EA GS MI | A 6810 | AR | 13-JUL-89 AR | OS | 99 | | |
| L | | MIL-E-4638(12) | ETHYL ALCOHOL (FOR ORDNANCE USE) [VALIDATION DATE: 8907] ..... | A 6810 | AR | 13-JUL-89 AR | | | | |
| D | | MIL-S-464F(2) | SPREADER, AGGREGATE, TOWED TYPE, TRACTION POWERED REVIEWER: AT CS ..... | A 3895 | ME | 01-MAY-87 ME | YD1 | | | |
| | | JAN-A-465 | ACID, ACETIC (FOR ORDNANCE USE) [VALIDATION DATE: 8202] REVIEWER: GS ..... | A 6810 | AR | 18-APR-47 AR | OS | | | |
| D | | MIL-B-467E(1) | BREAKERS, PAVING: PNEUMATIC USER: MC REVIEWER: 85 AT CS ..... | A 3820 | ME | 20-MAY-91 ME | YD1 | 99 | | |
| A | | MIL-S-475D | SUNGLASSES (WITH CASE) [VALIDATION DATE: 8201] REVIEWER: 99 AS MC MD MS ... | A 8465 | CT | 23-JUN-70 GL | MU | 11 | | CT |
| | | JAN-M-476A | MANGANESE, POWDERED (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] REVIEWER: GS | A 6810 | AR | 13-AUG-48 AR | OS | | | |
| L | | JAN-G-479 | GLASS, GROUND (FOR ORDNANCE USE) REVIEWER: EA ..... | A 5350 | AR | 15-APR-91 AR | | | | |
| A | | MIL-C-483D(1) | CLOTH, PILE, ALPACA AND WOOL [VALIDATION DATE: 8711] USER: AS REVIEWER: MD | A 8305 | CT | 30-NOV-87 GL | MU | 99 | | CT |
| A | | MIL-C-484H(1) | CLOTH, WIND RESISTANT OXFORD, COTTON, QUARPEL TREATED USER: 45 REVIEWER: 82 MC MD | A 8305 | CT | 28-JUL-87 GL | MU | 99 | | CT |
| | | MIL-S-487B(2) NOTICE 1 | SULFUR, GROUND (FOR USE IN AMMUNITION) [VALIDATION DATE: 9110] REVIEWER: EA OS | A 6810 | AS | 24-OCT-91 AR | AS | 68 | | |
| | | JAN-L-488 | LEAD CHROMATE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8301] REVIEWER: GS OS | A 6810 | AR | 14-AUG-47 AR | AS | | | |
| | | MIL-N-494A(7) | NITROGUANIDINE (PICRITE) REVIEWER: MI ..... | A 1376 | AR | 11-APR-83 AR | OS | | | |
| A L | | MIL-N-00494B(2) | NITROGUANIDINE ..... | A 1376 | AR | 30-JUN-92 AR | | | | |
| | | MIL-F-495E(1) | FINISH, CHEMICAL, BLACK, FOR COPPER ALLOYS USER: MC REVIEWER: 99 AR EA ME SA | A MFFP | GL | 05-FEB-90 GL | | 11 | | |
| | | MIL-C-496D | CLIP, END, STRAP USER: MC REVIEWER: 82 AR CG EA IS MD ME MI ..... | A 5340 | GL | 14-DEC-82 GL | | 99 | | |
| A | | MIL-C-498E | CLOTH, PARACHUTE, SYNTHETIC FIBER (FOR AMMUNITION PARACHUTES) REVIEWER: MD | A 8305 | CT | 27-MAR-87 GL | AS | | | CT |
| D | | MIL-P-500H | PLATES, TENT, PEAK AND RIDGE USER: MC YD1 REVIEWER: 82 MD ..... | A 8340 | CT | 18-OCT-88 GL | MU | 99 | | CT |
| A | | MIL-P-501P | PIN, TENT, METAL USER: 45 MC ME REVIEWER: 82 MD ..... | A 8340 | CT | 01-MAR-91 GL | MU | 99 | | CT |
| | | MIL-H-502B NOTICE 1 | HEXAMETHYLENETETRAMINE, TECHNICAL [VALIDATION DATE: 8808] USER: AS REVIEWER: AR GS MD | A 6810 | EA | 11-AUG-88 EA | OS | | | |
| L | | MIL-H-502B(11) | HEXAMETHYLENETETRAMINE, TECHNICAL ..... | A 6810 | AR | 20-MAR-90 AR | | | | |
| D | | MIL-S-503B | SIREN, ELECTRIC, 2 TO5 HP USER: CS MC ME MI REVIEWER: EA GS ..... | A 6350 | 82 | 28-APR-88 | | YD1 | 99 | |
| A | | MIL-C-507F NOTICE 1 | CLOTH, POPLIN, COTTON [VALIDATION DATE: 8711] USER: CG MS REVIEWER: 11 MC MD | A 8305 | CT | 30-NOV-87 GL | MU | 99 | | CT |
| A | | MIL-C-508J | CLOTH, OXFORD, NYLON, 3 OUNCE USER: 45 AS REVIEWER: 82 MC MD ..... | A 8305 | CT | 28-MAR-86 GL | MU | 99 | | CT |
| D | | MIL-P-509F | PUMPS, RECIPROCATING, POWER-DRIVEN: DIAPHRAGM, GASOLINE-ENGINE-DRIVEN, WHEEL-MOUNTED USER: CE REVIEWER: MC | A 4320 | ME | 07-NOV-83 ME | YD1 | 99 | | |
| L | | MIL-P-509F(11) | PUMPS, RECIPROCATING, POWER-DRIVEN: DIAPHRAGM, GASOLINE-ENGINE-DRIVEN, WHEEL-MOUNTED | A 4320 | ME | 04-MAY-88 ME | | | | |
| L | | JAN-D-511 | DYES, GREEN AND SCARLET (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] REVIEWER: GS | A 6820 | AR | 04-DEC-47 AR | | | | |
| | | MIL-A-512A(4) | ALUMINUM POWDER, FLAKED, GRAINED AND ATOMIZED ..... | A 6810 | EA | 11-JUN-69 EA | OS | | | |
| | | MIL-P-514D(2) | PLATE, IDENTIFICATION, INSTRUCTION AND MARKING, BLANK [VALIDATION DATE: 7909] USER: CE MC REVIEWER: AT | A 9905 | AR | 07-JUL-71 AR | | | | |
| | | MIL-P-514/1 | PLATE-IDENTIFICATION DATA FOR TACTICAL VEHICLE AIR TRANSPORTABILITY WEIGHTS, M44 2-1/2 TON TRUCK SERIES USER: CE REVIEWER: 16 84 AR EA GS MI OS | A 9905 | AT | 22-MAY-89 AT | AS | 99 | | |

| Action | Obsl / Obsl, Cancellation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-A-516J | AUGER, EARTH, SKIDMOUNTED; AND AUGER, EARTH, TURNTABLE BASE MOUNTED, POWER DRIVEN USER: EL | A 3820 | ME | 01-SEP-81 ME | YD1 | 99 | | |
| | L | MIL-A-516J(12) | AUGER, EARTH, SKIDMOUNTED; AND AUGER, EARTH, TURNTABLE BASE MOUNTED, POWER DRIVEN | A 3820 | ME | 08-JAN-88 ME | | | | |
| A | | MIL-W-530H | WEBBING, TEXTILE, COTTON, GENERAL PURPOSE, NATURAL OR IN COLORS USER: MI REVIEWER: 45 82 AR DS EA MC MD | A 8305 | CT | 29-APR-88 GL | MU | 99 | CT | |
| | | MIL-I-536C | INDICATOR SOLUTIONS, PH DETERMINATION (FOR WATER SUPPLY TESTING) REVIEWER: GS | A 6810 | ME | 25-APR-88 ME | | 68 | | |
| D | | MIL-D-537F | DISKS, COLOR STANDARDS REVIEWER: MD | A 6630 | ME | 07-APR-92 ME | YD1 | 99 | | |
| D | | MIL-C-538F | COMPARATOR, COLOR REVIEWER: MD | A 6630 | ME | 05-MAY-75 ME | YD1 | 99 | | |
| | LI | MIL-C-539A NOTICE 1 | CLOTH, SILK, CARTRIDGE-BAG REVIEWER: ME | A 8305 | OS | 20-MAY-92 | | OS | | |
| | L | MIL-M-542A(2) | MAGNESIUM STEARATE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8505] REVIEWER: EA GS | A 6810 | AR | 03-JAN-73 AR | | | | |
| | | MIL-B-543G | BUCKLES, TONGUELESS AND WEB STRAP USER: MC ME SA REVIEWER: 82 AR AV DM EA IS MI | A 5340 | GL | 11-APR-90 GL | | 99 | | |
| | | MIL-I-5458 | INSULATION SHEET, ELECTRICAL, PAPER, PRESSBOARD [VALIDATION DATE: 8307] REVIEWER: 99 AR ES MI | A 5970 | ER | 30-MAR-76 ER | SH | 85 | | |
| D | | MIL-P-549K | POLE, TENT, UPRIGHT AND RIDGE USER: 45 MC REVIEWER: 82 MD YD1 | A 8340 | CT | 20-MAR-88 GL | MU | 99 | CT | |
| | | MIL-B-550A(1) NOTICE 1 | BARIUM CHROMATE [VALIDATION DATE: 8505] USER: 68 REVIEWER: 11 EA GS MI OS | A 6810 | AR | 03-MAR-67 AR | AS | | | |
| | L | MIL-B-550A(11) | BARIUM CHROMATE [VALIDATION DATE: 9101] | A 6810 | AR | 17-JAN-91 AR | | | | |
| D | | MIL-P-551E(2) | PIPES AND ELBOWS, AIR CONDITIONING-HEATING USER: MC REVIEWER: 84 CS ME | A 4520 | GL | 21-NOV-88 GL | YD1 | 99 | | |
| | | JAN-D-552(1) | DIAZODINITROPHENOL (TABULAR) [VALIDATION DATE: 8505] | A 1376 | AR | 27-APR-50 AR | AS | | | |
| | L | MIL-C-555L | COMPRESSORS, AIR, RECIPROCATING AND ROTARY, DIESEL ENGINE DRIVEN USER: CE | A 4310 | ME | 28-AUG-91 ME | | | | |
| | L | MIL-C-00555 | COMPRESSOR, AIR, RECIPROCATING AND ROTARY, DIESEL ENGINE DRIVEN | A 4310 | ME | 07-MAY-90 ME | | | | |
| A | | MIL-C-557G NOTICE 1 | CLOTH, WIND RESISTANT SATEEN, COTTON [VALIDATION DATE: 8904] USER: 45 MS REVIEWER: EA MD | A 8305 | CT | 22-APR-89 GL | MU | 99 | CT | |
| | | MIL-G-5588 NOTICE 1 | GUANIDINE CARBONATE, TECHNICAL [VALIDATION DATE: 8808] USER: MI MS REVIEWER: AR GS MD | A 6810 | EA | 11-AUG-88 EA | | 68 | | |
| | L | MIL-B-565A | BENZIL, TECHNICAL [VALIDATION DATE: 8404] REVIEWER: GS | A 6810 | EA | 30-SEP-58 EA | | | | |
| | | JAN-P-567 | PIGMENT, SYNTHETIC, BLACK (OINTMENT TYPE) REVIEWER: IS | A 6505 | EA | 19-FEB-48 EA | MS | | | |
| D | | MIL-C-572G(1) | CORD, YARNS AND MONOFILAMENTS ORGANIC SYNTHETIC FIBER [VALIDATION DATE: 8009] USER: SH YD1 REVIEWER: AV IS MI | A 4020 | AR | 22-NOV-72 ER | | 99 | | |
| D | L | MIL-D-575H | DISTRIBUTORS, BITUMINOUS MATERIAL, TANK TYPE | A 3805 | YD1 | 19-MAY-89 | | YD1 | | |
| A | | MIL-C-577H NOTICE 1 | CLOTH, TWILL, NYLON, 1.6 AND 3.0 OUNCE [VALIDATION DATE: 8711] REVIEWER: 82 MD | A 8305 | CT | 30-NOV-87 GL | MU | 99 | CT | |
| D | | MIL-P-584B(2) | POKER [VALIDATION DATE: 8402] USER: CE MC REVIEWER: IS MI | A 5340 | GL | 07-JUL-77 GL | YD1 | 99 | | |
| A | | MIL-B-593H | BRAID, TEXTILE (FLAT) USER: 45 MC REVIEWER: 82 99 MD | A 8315 | CT | 18-SEP-90 GL | MU | 11 | CT | |
| | | MIL-T-5948 | TEST SET, ARMATURE AND STATOR [VALIDATION DATE: 8106] USER: AT CG MC ME REVIEWER: ES | A 6625 | SH | 17-SEP-74 CR | | 99 | | |
| | | MIL-C-595E | CHEESE SPREAD, CHEDDAR (OPERATIONAL RATION COMPONENT) REVIEWER: MC MD QM SS | A 8940 | GL | 13-NOV-90 GL | SA | 50 | | |
| | | MIL-C-601G(1) | CYLINDER, CARBON DIOXIDE FILLED, TECHNICAL [VALIDATION DATE: 7910] USER: MC REVIEWER: 11 AV CS MD MS SH | A 4220 | AS | 31-AUG-72 ME | AS | 99 | | |
| A | | MIL-C-606F | CLOTH, BANNER, RAYON [VALIDATION DATE: 8201] USER: MC REVIEWER: 82 IH | A 8305 | CT | 05-MAY-70 GL | MU | 99 | CT | |
| A | | MIL-P-608K | POLE SECTION, TENT: UPRIGHT AND ADAPTER, TENT POLE USER: 45 REVIEWER: 82 MC MD | A 8340 | CT | 20-NOV-91 GL | MU | 99 | CT | |
| | L | MIL-S-612B(1) | STRONTIUM PEROXIDE [VALIDATION DATE: 8403] REVIEWER: GS MD TE | A 6810 | AR | 27-JUL-78 AR | | | | |
| | L | MIL-S-612B(12) | STRONTIUM PEROXIDE | A 6810 | AR | 30-JUN-90 AR | | | | |
| | L | MIL-C-613C(1) | GRAPNEL, MARINE, TRIP WIRE, AND CRASH TRUCK [VALIDATION DATE: 8411] REVIEWER: 99 MI | A 2040 | SH | 06-DEC-63 | | SH | | |
| | | MIL-A-615E NOTICE 1 | ALTAR, LECTERN AND PULPIT HANGINGS (ECCLESIASTICAL) [VALIDATION DATE: 8104] REVIEWER: GS | A 9925 | GL | 13-JUN-74 GL | PE | 28 | | |
| | | MIL-B-624A | BARIUM CARBONATE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8103] | A 1375 | AR | 28-APR-69 AR | OS | | | |
| D | | MIL-M-626F(1) | MOWER, LAWN, TRACTOR PROPELLED, GANG-TYPE | A 3750 | YD1 | 13-SEP-83 | | YD1 | 99 | |
| | L | JAN-S-627 | SOLDER: LOW-MELTING-POINT [VALIDATION DATE: 8003] | A SOLD | AR | 24-JUN-66 AR | | | | |
| | L | MIL-S-627 | SOLDER, LOW MELTING POINT [VALIDATION DATE: 8003] USER: AT | A SOLD | AR | 14-JUL-48 AR | | | | |
| | | JAN-C-628 | CALCIUM OXALATE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8301] | A 1370 | AR | 30-JUN-48 AR | AS | | | |
| DQ | | MIL-I-631D(6) | INSULATION, ELECTRICAL, SYNTHETIC RESIN COMPOSITION, NON RIGID USER: ME REVIEWER: 99 AR AS DS EA EC GS MI OS YD1 | A 5970 | SH | 02-JUN-87 ER | SH | 11 | | |
| | | MIL-M-634C | NAVIGATOR, PLOTTING INSTRUMENT SET AND PLOTTING INSTRUMENTS [VALIDATION DATE: 8307] USER: AS REVIEWER: GS | A 6675 | SH | 18-NOV-77 ME | SH | 99 | | |
| D | | MIL-G-635C(2) NOTICE 1 | GOGGLES, SUN, WIND AND DUST [VALIDATION DATE: 8911] USER: 45 MC YD1 REVIEWER: MS | A 8465 | CT | 08-NOV-89 | SA | 99 | CT | |
| | | JAN-P-637 | POT, SMOKE, FLOATING, MC, M4A2 [VALIDATION DATE: 6408] | A 1365 | EA | 23-JUL-48 EA | OS | | | |
| | L | MIL-P-00637B(2) | POT, SMOKE, FLOATING, MC, M4A2 | A 1365 | EA | 07-NOV-86 EA | | | | |
| D | | MIL-H-6390 | HOOK (FOR BELTS, STRAPS, AND EQUIPAGE ITEMS) USER: MC ME REVIEWER: 82 EA IS | A 5340 | GL | 30-SEP-86 GL | YD1 | 99 | | |
| Q | | MIL-J-641E(1) SUPPL 1D | JACK, TELEPHONE, GENERAL SPECIFICATION FOR USER: 17 19 AV MC OS SH REVIEWER: 11 99 AR AS ES ME MI | A 5935 | CR | 18-JUL-85 CR | EC | 85 | | |
| | | MIL-J-641/1D NOTICE 1 | JACKS, TELEPHONE TYPES JJ-015 AND JJ-019 [VALIDATION DATE: 8809] USER: 17 19 MC OS SH REVIEWER: 11 AR AS ES ME MI | A 5935 | CR | 19-SEP-88 CR | EC | 85 | | |
| | | MIL-J-641/2D NOTICE 1 | JACKS, TELEPHONE TYPES JJ-016, JJ-017, JJ-024, JJ-035, JJ-072, JJ-084, JJ-085, JJ-086, AND JJ-087 [VALIDATION DATE: 8809] USER: 19 AT AV MC ME OS REVIEWER: 11 17 AS ES | A 5935 | CR | 19-SEP-88 CR | EC | 85 | | |
| | | MIL-J-641/3D | JACKS, TELEPHONE TYPES JJ-022, JJ-042, JJ-073, JJ-074, JJ-075, JJ-077, AND JJ-078 [VALIDATION DATE: 8809] USER: 14 19 CG MC OS SH REVIEWER: 11 17 AS ES | A 5935 | CR | 19-SEP-88 CR | EC | 85 | | |
| | | MIL-J-641/4C NOTICE 1 | JACKS, TELEPHONE TYPE JJ-026 [VALIDATION DATE: 8809] USER: 17 19 MC OS REVIEWER: ES | A 5935 | CR | 19-SEP-88 CR | EC | 11 | | |
| | | MIL-J-641/5D NOTICE 1 | JACKS, TELEPHONE TYPE JJ-033 [VALIDATION DATE: 8811] USER: 14 17 19 CG MC OS REVIEWER: 11 AS ES MI | A 5935 | CR | 14-NOV-88 CR | EC | 85 | | |
| | | MIL-J-641/6C NOTICE 1 | JACKS, TELEPHONE TYPE JJ-034 [VALIDATION DATE: 8809] USER: 17 19 MC SH REVIEWER: 11 ES | A 5935 | CR | 19-SEP-88 CR | EC | 85 | | |
| | | MIL-J-641/7C NOTICE 1 | JACKS, TELEPHONE, TYPE JJ-048 [VALIDATION DATE: 8809] USER: 19 MC REVIEWER: 11 ES | A 5935 | CR | 19-SEP-88 CR | EC | 85 | | |
| D | I | MIL-J-641/8D NOTICE 1 | JACKS, TELEPHONE, TYPE JJ-055 USER: 17 19 AV MC OS SH YD1 REVIEWER: 99 AR AS ES ME MI | A 5935 | CR | 30-OCT-91 CR | EC | 11 | | |
| | | MIL-J-641/9D NOTICE 1 | JACKS, TELEPHONE, TYPES JJ-079, JJ-081, JJ-082, AND JJ-106 [VALIDATION DATE: 8809] USER: 14 19 CG MC SH REVIEWER: 11 17 AS ES | A 5935 | CR | 19-SEP-88 CR | EC | 85 | | |
| | | MIL-J-641/10C NOTICE 1 | JACKS, TELEPHONE TYPE JJ-083 [VALIDATION DATE: 8809] USER: 19 MC OS REVIEWER: 11 17 ES ME MI | A 5935 | CR | 07-SEP-88 CR | EC | 85 | | |
| | | MIL-J-641/11C NOTICE 1 | JACKS, TELEPHONE TYPE JJ-088 [VALIDATION DATE: 8809] USER: 19 AR MC OS REVIEWER: 11 17 ES ME MI | A 5935 | CR | 07-SEP-88 CR | EC | 85 | | |
| | | MIL-J-641/12C NOTICE 1 | JACKS, TELEPHONE TYPE JJ-089 [VALIDATION DATE: 8809] USER: 14 19 AV CG MC OS REVIEWER: 11 17 AS ES ME MI | A 5935 | CR | 07-SEP-88 CR | EC | 85 | | |
| | | MIL-J-641/13C NOTICE 1 | JACKS, TELEPHONE TYPES JJ-092, JJ-093, JJ-096, AND JJ-097 [VALIDATION DATE: 8809] USER: 19 MC OS REVIEWER: 11 17 ES ME MI | A 5935 | CR | 07-SEP-88 CR | EC | 85 | | |
| | | MIL-J-641/14C NOTICE 1 | JACKS, TELEPHONE TYPES JJ-095, JJ-101, AND JJ-103 [VALIDATION DATE: 8809] USER: 19 AV CG MC REVIEWER: 11 17 ES ME MI | A 5935 | CR | 07-SEP-88 CR | EC | 85 | | |
| | | MIL-J-641/15C NOTICE 1 | JACKS, TELEPHONE TYPES JJ-098, JJ-099, AND JJ-102 [VALIDATION DATE: 8809] USER: 17 19 MC OS SH REVIEWER: 11 AS ES | A 5935 | CR | 19-SEP-88 CR | EC | 85 | | |

| Action | Qpl. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-J-641/16C NOTICE 1 | JACKS, TELEPHONE TYPES JJ-104, JJ-105, AND JJ-107 [VALIDATION DATE: 8809] USER: 17 19 MC SH REVIEWER: 11 AS ES | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| D | I | MIL-J-641/17D NOTICE 1 | JACKS, TELEPHONE, TYPE JJ-133 USER: 17 19 AV MC OS SH YD1 REVIEWER: 11 80 AR AS ES ME MI | A | 5935 CR | 30-OCT-91 | CR EC | 85 | |
| D | I | MIL-J-641/18D NOTICE 1 | JACKS, TELEPHONE, TYPE JJ-134 USER: 17 19 AV MC OS SH YD1 REVIEWER: 11 80 AR AS ES ME MI | A | 5935 | 30-OCT-91 | CR EC | 85 | |
| | | MIL-J-641/19D NOTICE 1 | JACKS (BANTAM), TELEPHONE 3 CONDUCTOR, SINGLE [VALIDATION DATE: 8809] USER: 17 19 AV MC REVIEWER: 11 99 AR AS ES ME MI | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| | | MIL-J-641/20 NOTICE 1 | JACKS, (BANTAM) TELEPHONE 3 CONDUCTOR, TRIPLE [VALIDATION DATE: 8809] USER: 17 19 AV MC SH REVIEWER: 11 99 ES MI | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| | | MIL-J-641/21 NOTICE 1 | JACK, (BANTAM) TELEPHONE 3 CONDUCTOR, DOUBLE [VALIDATION DATE: 8809] USER: 17 19 AV MC REVIEWER: 11 99 AS ES | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| | | MIL-J-641/22 NOTICE 1 | JACKS, TELEPHONE U-385/U [VALIDATION DATE: 8809] USER: 17 19 AV MC REVIEWER: 11 99 AS ES | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| Q | | MIL-P-6420(1) SUPPL 10, NOTICE 1 | PLUGS, TELEPHONE, AND ACCESSORY SCREWS, GENERAL SPECIFICATION FOR USER: 17 AV MC OS SH REVIEWER: 11 99 AR AS ES ME MI | A | 5935 CR | 28-JUN-90 | CR EC | 85 | |
| | | MIL-P-642/1A NOTICE 1 | PLUG, TELEPHONE AND ACCESSORY SCREWS TYPES PJ-047B AND PJ-047R [VALIDATION DATE: 8809] USER: 17 MC OS SH REVIEWER: 11 AR AS ES ME MI | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| | | MIL-P-642/2B | PLUG, TELEPHONE (TYPES PJ-051B AND PJ-051R) AND ACCESSORY SCREWS USER: 17 CG MC MI OS REVIEWER: 11 AR ES ME | A | 5935 CR | 23-SEP-87 | CR EC | 85 | |
| | | MIL-P-642/3A NOTICE 1 | PLUG, TELEPHONE (TYPES PJ-054B AND PJ-054R) AND ACCESSORY SCREWS [VALIDATION DATE: 8809] USER: MC OS SH REVIEWER: 11 AR AS ME MI | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| | | MIL-P-642/4A(1) NOTICE 1 | PLUG, TELEPHONE AND ACCESSORIES SCREWS TYPES PJ-055B AND PJ-055R AND PJ-055M [VALIDATION DATE: 8809] USER: 17 CG MC MI OS REVIEWER: 11 AR ES ME | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| | | MIL-P-642/5A | PLUG, TELEPHONE (TYPE PJ-068) AND ACCESSORY SCREWS [VALIDATION DATE: 8002] USER: MC OS SH REVIEWER: 11 AR AS ME MI | A | 5935 CR | 03-JUL-73 | CR EC | 85 | |
| | | MIL-P-642/6A | PLUG, TELEPHONE (TYPE PJ-291) AND ACCESSORY SCREWS [VALIDATION DATE: 8002] USER: 17 CG MC MI OS REVIEWER: 11 ES ME | A | 5935 CR | 03-JUL-73 | CR EC | 85 | |
| | | MIL-P-642/7A | PLUG, TELEPHONE (TYPE PJ-292) AND ACCESSORY SCREWS [VALIDATION DATE: 8002] USER: 17 MC OS SH REVIEWER: 11 AS ES ME MI | A | 5935 CR | 03-JUL-73 | CR EC | 85 | |
| | | MIL-P-642/8A | PLUG, TELEPHONE (TYPE PJ-309) AND ACCESSORY SCREWS [VALIDATION DATE: 8002] USER: 17 CG MC MI OS REVIEWER: 11 AR ES ME | A | 5935 CR | 03-JUL-73 | CR EC | 85 | |
| | | MIL-P-642/9A | PLUG, TELEPHONE (TYPE PJ-327) AND ACCESSORY SCREWS [VALIDATION DATE: 8002] USER: MC OS SH REVIEWER: 11 17 AR AS ES ME MI | A | 5935 CR | 03-JUL-73 | CR EC | 85 | |
| | | MIL-P-642/10A NOTICE 1 | PLUGS, TELEPHONE (TYPES PJ-540B & PJ-540R) AND ACCESSORY SCREWS [VALIDATION DATE: 8809] USER: 17 CG MC MI OS REVIEWER: 11 ES ME | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| | | MIL-P-642/11A NOTICE 1 | PLUG, TELEPHONE (TYPE PJ-636) AND ACCESSORY SCREWS [VALIDATION DATE: 8809] USER: 17 MC OS SH REVIEWER: 11 AR AS ES ME MI | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| | | MIL-P-642/12B NOTICE 1 | PLUG, TELEPHONE & ACCESSORY SCREWS [VALIDATION DATE: 8809] USER: 17 CG MC MI OS SH REVIEWER: 11 99 AR ES ME | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| | | MIL-P-642/13B | PLUGS, TELEPHONE (TYPE PJ-777, PJ-778) 3 CONDUCTOR, SINGLE, DOUBLE USER: 17 19 AV MC SH REVIEWER: 11 99 AR AS ME MI | A | 5935 CR | 31-OCT-88 | CR EC | 85 | |
| | | MIL-P-642/14 NOTICE 1 | PLUG, TELEPHONE (TYPE U-384/U) 5 CONDUCTOR, SINGLE [VALIDATION DATE: 8809] USER: 17 19 AV MC REVIEWER: 11 99 AR AS ME MI | A | 5935 CR | 19-SEP-88 | CR EC | 85 | |
| | L | MIL-S-645C | STRIP METAL, CARBON STEEL, COLD ROLLED, DRAWING QUALITY, SPECIAL KILLED (FOR AMMUNITION COMPONENTS) REVIEWER: AR IS MV | A | 9515 MR | 23-JAN-87 | MR | | | |
| | L | MIL-C-646A NOTICE 1 | CUP, CARTRIDGE CASE, STEEL (FOR SMALL ARMS AMMUNITION) [VALIDATION DATE: 8705] | A | 1305 AR | 21-MAY-87 | AR | | | |
| | | JAN-B-660 | BARIUM OXALATE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] USER: SA REVIEWER: GS IS MR | A | 6810 AR | 05-AUG-48 | AR OS | | | |
| | L | MIL-P-663A(1) | POWDER, FUZE [VALIDATION DATE: 8601] REVIEWER: EA | A | 1376 AR | 11-MAR-80 | AR | | | |
| | L | JAN-D-664 | DINITROMETHYLANILINE IN SULFURIC ACID [VALIDATION DATE: 8004] REVIEWER: GS | A | 6810 AR | 27-AUG-48 | AR | | | |
| | L | JAN-D-666 | DINITROCHLORBENZENE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] REVIEWER: GS | A | 6810 AR | 20-AUG-48 | AR | | | |
| | | MIL-P-670A NOTICE 1 | PHOSPHORUS, RED, STABILIZED [VALIDATION DATE: 8804] USER: MI REVIEWER: OS | A | 1370 AR | 22-APR-88 | AR AS | | | |
| | | MIL-C-675C(3) | COATING OF GLASS OPTICAL ELEMENTS (ANTI-REFLECTION) USER: ME MI REVIEWER: AV | A | 6650 AR | 20-AUG-86 | AR | 99 | | |
| | L | JAN-C-677(2) | CELLULOSE, REGENERATED, STRIP (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] REVIEWER: GS | A | 6810 AR | 11-DEC-51 | AR | | | |
| | | MIL-C-679B | CUTTER, RIVET, SHEAR TYPE [VALIDATION DATE: 8506] REVIEWER: 85 AR | A | 5110 84 | 24-MAY-76 | GL AS | 99 | | |
| | QL | MIL-C-684D(2) | CUPS: BULLET JACKET, COPPER ALLOY CLAD STEEL: FOR SMALL ARMS AMMUNITION | A | 1305 AR | 15-MAY-90 | AR | | | |
| D | | MIL-M-686H(1) | MIXERS, CONCRETE, TRAILER MOUNTED, ENGINE DRIVEN USER: CG MC REVIEWER: 84 | A | 3895 YD1 | 12-NOV-91 | ME YD1 | 99 | | |
| | | MIL-K-687E(2) | KETTLE, HEATING, BITUMEN, TRAILER MOUNTED REVIEWER: 84 AT | A | 3895 ME | 22-DEC-87 | ME | 99 | | |
| D | | MIL-W-694C(1) | WINCH, DIESEL DRIVEN, 2 DRUM, 5.9 TON PULL, WITH BOOM SWINGER REVIEWER: CS | A | 3950 ME | 22-JAN-86 | ME YD1 | | | |
| | | MIL-I-6958(1) | INSULATION, ELECTRICAL, PAPER (SLOT CELL) [VALIDATION DATE: 7903] USER: EC MC ME REVIEWER: 99 AR EA GS MI OS | A | 5970 SH | 21-NOV-72 | ER SH | 85 | | |
| D | | MIL-T-704K | TREATMENT AND PAINTING OF MATERIEL USER: AT OS SH REVIEWER: AR AV EA GL MC MD MI MR MS | A | 8010 ME | 04-NOV-92 | ME YD1 | | | |
| | | MIL-I-706A(1) NOTICE 1 | IRON OXIDE: FERRIC, RED DRY (NATURAL AND SYNTHETIC) [VALIDATION DATE: 8806] REVIEWER: EA GS | A | 6810 AR | 17-JUN-88 | AR OS | | | |
| | L | MIL-I-706A(11) | IRON OXIDE: FERRIC, RED DRY (NATURAL AND SYNTHETIC) [VALIDATION DATE: 8806] REVIEWER: EA GS | A | 6810 AR | 17-JUN-88 | AR | | | |
| A | | MIL-C-707D(2) NOTICE 1 | CASE, SLEEPING BAG, M-1945, WATER REPELLENT [VALIDATION DATE: 8904] USER: 45 REVIEWER: MD MS | A | 8465 CT | 22-APR-89 | GL MC | 99 | CT | |
| | L | JAN-D-709(1) | DIMETHYLPHTHALATE (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8505] REVIEWER: EA | A | 1376 AR | 01-JUN-49 | AR | | | |
| D | | MIL-P-710F | PUMPS, DEEP-WELL, PACKAGING OF REVIEWER: SH | A | PACK ME | 21-NOV-90 | ME YD1 | | | |
| | | MIL-T-713E NOTICE 1 | TWINE, FIBROUS: IMPREGNATED, LACING AND TYING [VALIDATION DATE: 8904] USER: MC OS SH REVIEWER: AR OS IS MD ME MI | A | 4020 GL | 22-APR-89 | GL | 99 | | |
| A | L | MIL-L-714G | LEGGINGS, MEN'S USER: 45 | A | 8440 CT | 30-NOV-88 | MU | | CT | |
| | Q | MIL-C-717F | CASTABLE MIX, REFRACTORY, HIGH-TEMPERATURE HYDRAULIC SETTING USER: MR | A | 9350 SH | 12-NOV-87 | ME SH | 99 | | |
| A | L | MIL-C-717F(11) | CASTABLE MIX, REFRACTORY, HIGH-TEMPERATURE HYDRAULIC SETTING | A | 9350 SH | 20-AUG-92 | SH | | | |
| | | JAN-S-732(1) | SHELLAC SOLUTION (FOR USE IN AMMUNITION) [VALIDATION DATE: 8103] REVIEWER: EA | A | 1395 AR | 27-FEB-50 | AR OS | | | |
| D | | MIL-B-734E(1) | BREAKER, PAVING, GASOLINE POWERED, SELF CONTAINED USER: CE MC REVIEWER: 84 | A | 3820 ME | 01-JUN-88 | ME YD1 | 99 | | |
| D | | MIL-T-740G NOTICE 1 | TRUCKS: 5 TON, 6X6, MILITARY DESIGN, M39, M39A1, M39A2 AND M809 SERIES [VALIDATION DATE: 8906] USER: CG REVIEWER: 85 MC | A | 2320 AT | 05-JUN-89 | AT YD1 | 99 | | |
| | | MIL-I-742F(1) | INSULATION BOARD, THERMAL, FIBROUS GLASS | A | 5640 SH | 30-APR-81 | ME SH | 99 | | |
| | L | MIL-C-743A NOTICE 1 | CARTRIDGE, CALIBER .30, CARBINE, TEST, HIGH PRESSURE, M18 [VALIDATION DATE: 8705] REVIEWER: 99 | A | 1305 AR | 21-MAY-87 | AR | | | |
| D | | MIL-P-747D | PILE DRIVING RIG, SKID&MOUNTED, STEEL, W/MOONBEAM ASSEMBLY | A | 3895 ME | 27-MAY-87 | ME YD1 | 99 | | |
| | | MIL-L-757A(1) NOTICE 1 | LEAD STYPHNATE, NORMAL [VALIDATION DATE: 8803] USER: MI REVIEWER: MD | A | 1376 AR | 21-MAR-88 | AR OS | | | |
| | L | MIL-L-757A(12) | LEAD STYPHNATE, NORMAL | A | 1376 AR | 18-MAY-90 | AR | | | |
| | | MIL-L-758A | LEAD STERITE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8505] REVIEWER: EA GS | A | 6810 AR | 25-MAY-62 | AR OS | | | |
| D | | MIL-G-762E | GRADERS, ROAD, PACKAGING OF USER: CE REVIEWER: SH | A | PACK ME | 26-OCT-90 | ME YD1 | 99 | | |
| | L | MIL-C-768 | COPPER, POWDERED (FOR USE IN AMMUNITION) (METRIC) REVIEWER: GS | A | 1370 OS | 28-FEB-90 | OS | | | |
| D | | MIL-D-771E | DISTRIBUTORS, BITUMEN AND WATER, PACKAGING OF REVIEWER: SH | A | PACK ME | 26-OCT-90 | ME YD1 | | | |
| D | | MIL-H-775E | HOSE, HOSE ASSEMBLIES: RUBBER, PLASTIC, FABRIC, OR METAL (INCLUDING TUBING) AND ASSOCIATED HARDWARE: PACKAGING OF USER: MC REVIEWER: 82 AR AS CS SH YD1 | A | PACK SH | 19-OCT-87 | ME SH | 99 | | |
| | L | MIL-S-7778 | SIGHT REFLEX M24C [VALIDATION DATE: 8504] | A | 1240 AR | 28-JAN-72 | AR | | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MIL-R-779E | REFLECTORS, LIGHT; WITH HOLDER | A 6210 ME | 21-NOV-90 | ME | MC | | |
| D | | MIL-T-780E | TAMPER, PISTON-HAMMER TYPE, PNEUMATIC (VALIDATION DATE: 8201) USER: AV CE MC REVIEWER: CS | A 3895 ME | 30-APR-75 | ME | YD1 | 99 | |
| Q | | MIL-T-781C | TERMINAL; WIRE ROPE SWAGING USER: ER MC REVIEWER: AR CS GL | A 4030 82 | 22-AUG-90 | ME | AS | 99 | |
| | L | MIL-C-7828(1) NOTICE 1 | CORES, STEEL; FOR USE IN BALL TYPES OF SMALL ARMS AMMUNITION | A 1305 AR | 01-JUL-91 | AR | | | |
| A | L | MIL-C-788F | CLOTH, BRATTICE, COTTON, FIRE RESISTANT | A 8305 CT | 20-AUG-81 | | MU | | CT |
| | L | MIL-C-7938(2) | CONTROLLER, DRIVE, M12A1 & M12E2 (VALIDATION DATE: 8601) | A 1290 AR | 30-MAR-60 | AR | | | |
| A | | MIL-M-809F | MITTEN INSERTS, COLD WEATHER, TRIGGER FINGER USER: 45 CG MC SM REVIEWER: 11 MD | A 8415 CT | 23-AUG-88 | GL | MU | 99 | CT |
| A | | MIL-M-810H | MITTEN SHELLS COLD WEATHER (TRIGGER FINGER M-1965) USER: 11 45 MC REVIEWER: 82 MD | A 8415 CT | 29-SEP-86 | GL | MU | 99 | CT |
| A | L | MIL-C-813E(5) | CAP, UTILITY, COTTON, SATEEN, GREEN | A 8405 CT | 22-SEP-77 | | MC | | CT |
| | | MIL-K-818D | KNIFE, POCKET, GENERAL PURPOSE USER: MC REVIEWER: 84 GS | A 5110 GL | 30-SEP-85 | GL | | 99 | |
| A | | MIL-G-822M | GLOVES, MEN'S AND WOMEN'S, LIGHT DUTY USER: MC REVIEWER: 11 45 82 MD | A 8415 CT | 08-MAR-89 | GL | MU | 99 | CT |
| A | | MIL-C-823K | CLOTH, SERGE, WOOL, WOOL AND NYLON, POLYESTER AND WOOL USER: CG MC REVIEWER: 82 99 MD | A 8305 CT | 21-SEP-90 | GL | MU | 11 | CT |
| D | | MIL-B-829M | BAG, DUFFEL USER: 45 YD1 REVIEWER: 82 MC MD | A 8465 CT | 16-MAY-88 | GL | MU | 99 | CT |
| A | | MIL-B-833G | BELT, TROUSERS, COTTON WEBBING, WITH CLIP REVIEWER: 45 99 MC MD | A 8440 CT | 27-MAY-88 | GL | MU | 11 | CT |
| D | | MIL-M-834L | MITTEN SET, EXTREME COLD WEATHER USER: MC YD1 REVIEWER: MD | A 8415 CT | 23-OCT-89 | GL | MU | | CT |
| A | | MIL-G-835H | GLOVE INSERTS, COLD WEATHER USER: 45 AS CG MC MS REVIEWER: 11 MD | A 8415 CT | 16-MAY-89 | GL | MU | 99 | CT |
| A | | MIL-O-836F | OVERSHOES, MEN S, RUBBER, 5 BUCKLE TYPE USER: 45 CG REVIEWER: MC MD | A 8430 CT | 08-SEP-86 | GL | MU | 99 | CT |
| A | | MIL-T-842F(1) | TAG, IDENTIFICATION, PERSONNEL USER: 45 MC REVIEWER: 82 MD | A 8465 CT | 01-AUG-86 | GL | MU | 99 | CT |
| A | | MIL-B-844L(2) | BLANKET, BED, (WOOL), SHRINK RESISTANT AND MOTHPROOFED USER: 45 MC MS REVIEWER: 03 CT DM MD | A 7210 CT | 31-DEC-85 | GL | MU | 99 | CT |
| | | MIL-L-850E | LIFE PRESERVER, YOKE TYPE WITH REPLACEMENT TYPE COVER | A 4220 SH | 07-JUN-91 | ME | SH | | |
| | | MIL-S-851D(1) | STEEL GRIT, SHOT, AND CUT WIRE SHOT; AND IRON GRIT AND SHOT-BLAST CLEANING AND PEENING USER: AR REVIEWER: AS | A 5350 84 | 31-AUG-90 | MR | SH | 99 | |
| | L | MIL-V-868 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, GENERAL SPECIFICATION FOR | A 4810 SH | 21-JUL-89 | | SH | | |
| | L | MIL-V-868/1 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, FOUR-WAY, 0-12 GPM | A 4810 SH | 21-JUL-89 | | SH | | |
| | L | MIL-V-868/2 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, FOUR-WAY, 3 - 25 GPM | A 4810 SH | 21-JUL-89 | | SH | | |
| | L | MIL-V-868/3 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, FOUR-WAY, 10 - 50 GPM | A 4810 SH | 21-JUL-89 | | SH | | |
| MN | | MIL-R-874(2) SUPPL 1A | RESISTOR NETWORKS, FIXED, FILM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| | | MIL-R-874/1 | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR10, 14 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 11 17 AR AS ES MI OS | A 5905 ER | 21-JUN-90 | ER | EC | 85 | |
| | | MIL-R-874/2 | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR20, 16 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 11 17 AR AS ES MI OS | A 5905 ER | 21-JUN-90 | ER | EC | 85 | |
| M | | MIL-R-874/3(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR30, 14 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/4(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR40, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/5(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR50, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/6(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR60, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/7(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR70, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/8(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR80, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/9(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR90, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| | | MIL-R-874/10 | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR95, 16 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 11 17 AR AS ES MI OS | A 5905 ER | 21-JUN-90 | ER | EC | 85 | |
| | | MIL-R-874/11 | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE, RZR11, 14 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 26-MAR-92 | ER | EC | 85 | |
| | | MIL-R-874/12 | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR21, 16 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 26-MAR-92 | ER | EC | 85 | |
| M | | MIL-R-874/13(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR31, 14 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/14(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR41, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/15(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR51, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/16(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR61, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/17(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR71, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/18(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR81, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| M | | MIL-R-874/19(1) | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR91, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 28-APR-93 | ER | EC | 85 | |
| | | MIL-R-874/20 | RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR96, 16 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 ER | 26-MAR-92 | ER | EC | 85 | |
| A | | MIL-C-882E | CLOTH, DUCK, COTTON OR COTTON-POLYESTER BLEND, SYNTHETIC RUBBER, IMPREGNATED, AND LAMINATED, OIL RESISTANT USER: AS ME REVIEWER: MI MR | A 8305 CT | 27-JAN-89 | GL | SH | 99 | CT |
| | | MIL-R-900F NOTICE 1 | RUBBER GASKET MATERIAL, 45 DUROMETER HARDNESS (VALIDATION DATE: 9103) USER: MC REVIEWER: 1S | A 5330 SH | 27-MAR-91 | ME | SH | 82 | |
| | L | MIL-S-901D | SHOCK TESTS, H.I. (HIGH-IMPACT) SHIPBOARD MACHINERY, EQUIPMENT, AND SYSTEMS, REQUIREMENTS FOR USER: OS REVIEWER: AS EC MC | A EMVR SH | 17-MAR-89 | | SH | | |
| | L | MIL-F-902J(2) | FURNITURE, SHIPBOARD, ALUMINUM, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8104) USER: ME | A 2090 SH | 15-JAN-74 | | SH | | |
| DQ | | MIL-H-904J | HOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION USER: CG MC YD1 REVIEWER: CS | A 3950 SH | 13-JUN-91 | ME | SH | 84 | |
| DQ | | MIL-A-907E(1) | ANTISEIZE THREAD COMPOUND, HIGH TEMPERATURE USER: AR AT GL MC ME MI REVIEWER: 84 AS EA OS YD1 | A 8030 SH | 13-JAN-93 | MR | SH | 99 | |
| | | MIL-M-910F | MATS, FLOOR, STANDING REVIEWER: CE | A 7220 SH | 09-AUG-91 | | SH | 69 | |
| D | L | MIL-M-911G | MIXER, CONCRETE, TRUCK-MOUNTED | A 3895 YD1 | 07-FEB-92 | | YD1 | | |
| A | | MIL-B-913 SUPPL 1A | BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS (METRIC), GENERAL SPECIFICATION FOR USER: 84 MC REVIEWER: IS SH | A 3110 AS | 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/1 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS | 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/2 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS | 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/3 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS | 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/4 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 7P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS | 05-MAR-93 | AT | AS | 99 | |

| Action | Obsl / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Navy MCA Symbol Preparing Activ. Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| N | | MIL-B-913/5 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/6 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/7 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION-RESISTANT STEEL, ABEC 5P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/8 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION-RESISTANT STEEL, ABEC 7P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/9 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/10 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/11 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/12 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/13 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/14 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/15 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-B-913/16 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) USER: 84 MC REVIEWER: IS SH | A 3110 AS 05-MAR-93 | AT | AS | 99 | |
| N | | MIL-R-914 | RESISTOR NETWORKS, FIXED, FILM, SURFACE MOUNT, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 11 17 AR AS ES OS | A 5905 ER 12-FEB-91 | ER | EC | 85 | |
| | | MIL-R-914/1 | RESISTOR NETWORK, FIXED, FILM, SURFACE MOUNT, 14-PIN, SMALL OUTLINE, ESTABLISHED RELIABILITY, STYLE RNS010 USER: 19 AT AV CG MC ME REVIEWER: 11 AR AS ES MI OS | A 5905 ER 12-FEB-91 | ER | EC | 85 | |
| | | MIL-R-914/2 | RESISTOR NETWORK, SURFACE MOUNT, 16-PIN, SMALL OUTLINE, ESTABLISHED RELIABILITY, STYLE RNS020 USER: 19 AT AV CG MC ME REVIEWER: 11 AR AS ES MI OS | A 5905 ER 12-FEB-91 | ER | EC | 85 | |
| | | MIL-R-914/3 | RESISTOR NETWORK, SURFACE MOUNT, 16-PIN, LEADLESS CHIP CARRIER, ESTABLISHED RELIABILITY, STYLE RNS030 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES OS | A 5905 ER 12-FEB-91 | ER | EC | 85 | |
| | | MIL-R-914/4 | RESISTOR NETWORK, SURFACE MOUNT, 20-PIN, LEADLESS CHIP CARRIER, ESTABLISHED RELIABILITY, STYLE RNS040 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES OS | A 5905 ER 12-FEB-91 | ER | EC | 85 | |
| | | MIL-R-914/5 | RESISTOR NETWORK, SURFACE MOUNT, 16-PIN, LEADLESS CHIP CARRIER, ESTABLISHED RELIABILITY, STYLE RNS050 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES OS | A 5905 ER 12-FEB-91 | ER | EC | 85 | |
| DQ | | MIL-C-915F(2) SUPPL 1B | CABLE AND CORD, ELECTRICAL, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR USER: AL AR CG ME YD1 REVIEWER: 99 CR EC ER IS | A 6145 SH 14-MAR-88 | | SH | 85 | |
| | | MIL-C-915/1E | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE CVSF USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/5D | CABLE, POWER ELECTRICAL, 300 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE DLT USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| D | | MIL-C-915/6J | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE THOF USER: AL AR CG ME YD1 REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/7F | CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE DSWS USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/8G | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPES DSS, TSS, FSS AND 7SS USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/9E | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE JAS USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/10E | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MCSF-4 USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/13D | CABLE, ELECTRICAL, 600VOLTS, A.C., TYPE MDY (REFER TO MIL-C-24643/6) USER: AL AR CG ME REVIEWER: AV CR EC IS | A 6145 SH 18-JUN-85 | MI | SH | | |
| | | MIL-C-915/20F | WIRE, ELECTRICAL, 600 VOLTS, FOR WELDING ELECTRIC CIRCUIT USE ONLY, TYPE TRF USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| D | | MIL-C-915/21F | WIRE, ELECTRICAL, 125 VOLTS FOR WELDING ELECTRODE CIRCUIT USE ONLY, TYPE TRXF USER: AL AR CG ME YD1 REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/22H | CABLE, SPECIAL PURPOSE ELECTRICAL, 300 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE TSP (INCLUDING VARIATION TYPE TSPA) USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/47C | CABLE, SPECIAL PURPOSE, ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1SWF USER: AL AR CG IS ME REVIEWER: CR EC ER | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/48C | CABLE, SPECIAL PURPOSE, ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 2SWF USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/58E | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MWF USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/61D | CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE S2S USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/66C | CABLE, SPECIAL PURPOSE, ELECTRICAL, 59-CONDUCTOR, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MSPW USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/67C | CABLE, SPECIAL PURPOSE ELECTRICAL, 59-CONDUCTOR, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MSP USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/74C | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE) TYPE 5SS USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/79B | CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE TPUM-6 USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/81 | CABLE, ELECTRICAL, ONE TWISTED PAIR AWG-20, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1PR-A20E USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 18-JUN-85 | MI | SH | | |
| | | MIL-C-915/82A | CABLE, POWER ELECTRICAL, ONE TWISTED PAIR NO. 16 GAUGE FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1PR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |
| | | MIL-C-915/83A | CABLE, POWER ELECTRICAL, SEVEN TWISTED PAIRS NO. 16 GAUGE FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 7PR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS | A 6145 SH 29-SEP-89 | MI | SH | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | OPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-C-915/84A | CABLE, POWER ELECTRICAL, TWO SHIELDED TWISTED PAIRS NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 2SPR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS | A | 6145 | SH | 29-SEP-89 | MI | SH | | | |
| | | | MIL-C-915/85A | CABLE, POWER ELECTRICAL, THREE TWISTED PAIRS NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 3PR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS | A | 6145 | SH | 29-SEP-89 | MI | SH | | | |
| | | | MIL-C-915/86A | CABLE, POWER ELECTRICAL, TWISTED QUAD NO. 16 GAUGE, FLUOROPOLYMER INSULATION FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1Q-16 USER: AL AR CG ME REVIEWER: CR EC ER IS | A | 6145 | SH | 29-SEP-89 | MI | SH | | | |
| | | | MIL-C-915/87A | CABLE, POWER ELECTRICAL, TWISTED TRIAD, NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1TR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS | A | 6145 | SH | 29-SEP-89 | MI | SH | | | |
| | | | MIL-C-915/88A | CABLE, POWER ELECTRICAL, SEVEN SHIELDED TWISTED PAIRS WITH OVERALL SHIELD, NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 7SPR-16S USER: AL AR CG ME REVIEWER: CR EC ER IS | A | 6145 | SH | 29-SEP-89 | MI | SH | | | |
| | | | MIL-C-915/89A | CABLE, POWER ELECTRICAL, ONE SHIELDED TWISTED PAIR NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1SPR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS | A | 6145 | SH | 29-SEP-89 | MI | SH | | | |
| D | L | | MIL-E-917D(1) | ELECTRIC POWER EQUIPMENT, BASIC REQUIREMENTS (NAVAL SHIPBOARD USE) [VALIDATION DATE: 7903] USER: YD1 REVIEWER: CS | A | MISC | SH | 16-DEC-66 | | SH | | | |
| D | | | MIL-B-920C(2) NOTICE 1 | BARS, BUCKING, RIVET [VALIDATION DATE: 8710] USER: MC OS YD1 REVIEWER: ME . | A | 5120 | GL | 01-OCT-87 | GL | | 99 | | |
| | L | | MIL-G-952 | GUNS, SPRAY, OIL AND SOLVENT ..... | A | 4930 | AS | 15-FEB-85 | | AS | | | |
| | L | | MIL-S-955D | SHOWER HEADS AND OUTFITS (SHIPBOARD USE) REVIEWER: CS ..... | A | 4510 | SH | 17-FEB-88 | | SH | | | |
| | QL | | MIL-T-960E(3) | TRAPS, STEAM, INTERMITTENT DISCHARGE AND CONTINUOUS FLOW, NAVAL SHIPBOARD . | A | 4730 | SH | 30-OCT-91 | | SH | | | |
| | L | | MIL-H-965D(2) | HEATER, WATER, ELECTRIC, NAVAL SHIPBOARD (NAVY) [VALIDATION DATE: 8403] REVIEWER: 14 15 19 CS YD | A | 4520 | SH | 16-DEC-70 | AM | SH | | | |
| | L | | MIL-L-970C SUPPL 1B, NOTICE 1 | LAMPHOLDERS AND STARTER SOCKETS, GENERAL SPECIFICATION FOR (NAVAL SHIPBOARD USE) [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/1C NOTICE 1 | LAMPHOLDER, BASE-MOUNTED, CANDELABRA SCREW 125-VOLT, 75-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| D | L | | MIL-L-970/2A NOTICE 1 | LAMPHOLDER, BAYONET CANDELABRA, DOUBLE CONTACT 125-VOLT, 75-WATTS [VALIDATION DATE: 9012] USER: ME YD1 REVIEWER: GS | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/3A NOTICE 1 | LAMPHOLDER, BASE MOUNTED, CANDELABRA SCREW, 125-VOLT, 75-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/4A NOTICE 1 | LAMPHOLDER, BASE-MOUNTED, CANDELABRA SCREW, (TWO LAMP), 150-VOLT, 75 WATTS, SINGLE CIRCUIT AND TWO-CIRCUIT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/5A NOTICE 1 | LAMPHOLDER ASSEMBLY, MULTILAMP, (SIX LAMPS), NAVIGATIONAL LIGHT, CANDELABRA CREW, 125-VOLT, 450-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/6B NOTICE 1 | LAMPHOLDER, BASE MOUNTED, MEDIUM SCREW, 250-VOLT, 660-WATT, TWO OR THREE CONTACT [VALIDATION DATE: 9012] USER: ME REVIEWER: GS | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/7A NOTICE 1 | LAMPHOLDER, MOGUL, 250-VOLT, 750-WATT, THREE CONTACT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/8A NOTICE 1 | LAMPHOLDER, BASE-MOUNTED, MOGUL SCREW, 600-VOLT, 1500-WATT [VALIDATION DATE: 9012] USER: ME REVIEWER: GS | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/9B NOTICE 1 | LAMPHOLDER, WEATHERPROOF, MEDIUM SCREW, MOLDED RUBBER, 250-VOLT, 660-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/10B NOTICE 1 | LAMPHOLDER, MINIATURE BI-PIN FOR FLUORESCENT LAMPS, 250-VOLT, 75-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/11A NOTICE 1 | LAMPHOLDER, MEDIUM BI-PIN FOR FLUORESCENT LAMPS, 250-VOLT, 660-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/12B NOTICE 1 | LAMPHOLDER FOR F48T12/HO/HT AND F48T12/HO FLUORESCENT LAMPS, 600-VOLTS, 660-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/13A NOTICE 1 | LAMPHOLDER, SOCKET, FLUORESCENT LAMP STARTER, 250-VOLT, 75-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/14A NOTICE 1 | LAMPHOLDER, BAYONET CANDELABRA, DOUBLE CONTACT, FOR SMALL BOAT FIXTURES, 125-VOLT, 75-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/15A NOTICE 1 | LAMPHOLDER, MINIATURE BI-PIN, HEAT RESISTANT, FOR FLUORESCENT LAMPS, 250-VOLT, 75-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | LI | | MIL-L-970/16A NOTICE 1 | LAMPHOLDER, WEATHER PROOF, MEDIUM SCREW, MOLDED RUBBER, 250-VOLT, 660-WATT, STREAMER TYPE [VALIDATION DATE: 9012] USER: ME REVIEWER: GS | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/17 NOTICE 1 | LAMPHOLDER FOR TWO OR THREE PRONG SEALED BEAM AUTOMOTIVE LAMP, 250-VOLT, 75-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/18 NOTICE 1 | LAMPHOLDER, MEDIUM BI-PIN, HEAT RESISTANT, FOR FLUORESCENT LAMPS, 250-VOLT, 660-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | L | | MIL-L-970/19 NOTICE 1 | LAMPHOLDER, SOCKET, FLUORESCENT LAMP STARTER, HEAT RESISTANT, 250-VOLT, 75-WATT [VALIDATION DATE: 9012] | A | 6250 | SH | 17-DEC-90 | | SH | | | |
| | | | MIL-S-980B | STEEL, CHROMIUM ALLOY, BARS (FOR TORPEDO GYROSCOPE BEARINGS) [VALIDATION DATE: 8204] REVIEWER: IS | A | 9510 | OS | 01-JUL-65 | MR | OS | | | |
| | L | | MIL-T-981A | TRANSFORMER, POWER, VOLTAGE REGULATING [VALIDATION DATE: 8505] REVIEWER: 99 ES MI | A | 5950 | EC | 11-AUG-60 | | EC | | | |
| D | I | | DOD-D-1000B(4) NOTICE 1 | DRAWINGS, ENGINEERING AND ASSOCIATED LISTS USER: ES GL REVIEWER: 11 AS AT AV CS EC IS MC ME MI NS SH YD1 | A | DRPR | AR | 01-JUL-90 | AR | OS | 16 | DH | |
| A | | | MIL-C-1002J | CASE, FIELD, FIRST AID DRESSING, LEATHER (MILITARY POLICE) USER: 45 REVIEWER: 11 82 MD | A | 8465 | CT | 30-SEP-86 | GL | | 99 | CT | |
| | | | MIL-E-1006D(1) NOTICE 1 | EMBALMING FLUID, ARTERIAL [VALIDATION DATE: 8706] USER: 26 SH REVIEWER: GS MD | A | 9930 | GL | 25-JUN-87 | GL | MS | 34 | | |
| A | | | MIL-G-1007M | GLOVES, WOMEN'S USER: 45 CG REVIEWER: 82 99 MC MD ..... | A | 8445 | CT | 14-OCT-88 | GL | MU | 11 | CT | |
| | | | MIL-R-1041D | RATION SUPPLEMENT, AID STATION [VALIDATION DATE: 8402] REVIEWER: MC MD SS . | A | 8970 | GL | 03-MAR-67 | GL | SA | 50 | | |
| | | | MIL-H-1048G | HAMBURGER PATTIES WITH NATURAL JUICES, CANNED REVIEWER: MC MD MS SS ..... | A | 8905 | GL | 04-MAR-87 | GL | SA | 50 | | |
| | | | MIL-S-1046H | SOUP, DEHYDRATED, CHICKEN-FLAVORED, WITH NOODLES REVIEWER: MC MD MS SS TS . | A | 8935 | GL | 20-JUN-84 | GL | SA | 50 | | |
| D | | | MIL-G-1057M | GLOVES, CLOTH, COTTON, SPECIAL, OG 109 USER: 45 MC YD1 REVIEWER: 11 82 MD . | A | 8415 | CT | 14-APR-88 | GL | MU | 99 | CT | |
| | | | MIL-B-1065F(3) | BEANS WITH FRANKFURTER CHUNKS IN TOMATO SAUCE, CANNED [VALIDATION DATE: 8402] REVIEWER: MC MD MS SS | A | 8940 | GL | 30-MAR-78 | GL | SA | 50 | | |
| | | | MIL-B-1083D SUPPL 1B | BALLS, BEARING, FERROUS AND NON-FERROUS (FOR USE IN BEARINGS, VALVES AND BEARING APPLICATIONS) GENERAL SPECIFICATION FOR REVIEWER: AR EA IS MI SH | A | 3110 | OS | 16-OCT-87 | AT | OS | 99 | | |
| AV | | | MIL-B-1107G | BELT, INDIVIDUAL EQUIPMENT, M-1936 USER: 45 CG REVIEWER: MD SA ..... | A | 8465 | CT | 27-NOV-86 | MI | MC | 99 | CT | |
| A | | | MIL-T-1110F | TENT, ASSEMBLY, M-1942 REVIEWER: 82 MD ..... | A | 8340 | CT | 27-MAR-89 | GL | | 99 | CT | |
| D | | | MIL-T-1111G(2) | TENT, COMMAND POST, M-1945, FIRE, WATER, WEATHER AND MILDEW RESISTANT, OLIVE DRAB, COMPLETE USER: 45 MC YD1 REVIEWER: 82 | A | 8340 | CT | 15-JUN-90 | GL | MU | 99 | CT | |
| D | | | DOD-E-1115C | ENAMEL, INTERIOR, ALKYD, WHITE (FORMULA NO. 30) (METRIC) USER: YD1 ..... | A | 8010 | SH | 24-FEB-82 | | SH | 99 | | |
| | | | MIL-S-1123E(1) | SHOE REPAIR SHOP, EQUIPMENT [VALIDATION DATE: 8201] REVIEWER: 85 CR ER GS MD | A | 3520 | GL | 12-MAR-71 | GL | | 99 | | |
| | | | MIL-L-1130E | LANTERN, ELECTRIC, STORAGE BATTERY, FLOODLIGHTING, HAND CARRIED USER: AS MC OS REVIEWER: GS | A | 6230 | SH | 26-JAN-90 | ME | SH | | | |
| A | | | MIL-Y-1140H(1) | YARN, CORD, SLEEVING, CLOTH, AND TAPE- GLASS USER: ME SH REVIEWER: 45 99 AR EA IS MD MI | A | 4020 | CT | 25-SEP-85 | GL | MU | 11 | CT | |
| | | | MIL-C-1145E | CORD, FIBROUS (LINES, LEAD) [VALIDATION DATE: 8403] USER: MC ME REVIEWER: IS MD | A | 4020 | SH | 23-APR-73 | GL | SH | 99 | | |
| | | | JAN-S-1146 | SPONGE, LOOFA [VALIDATION DATE: 7706] ..... | A | 4610 | SA | 27-JUN-49 | GL | SA | 99 | | |
| | | | JAN-S-001146 | SPONGE, LOOFA ..... | A | 7920 | SA | 30-SEP-64 | | SA | | | |
| | | | MIL-G-1149C | GASKET MATERIALS, SYNTHETIC RUBBER, 50 AND 65 DUROMETER HARDNESS USER: ME REVIEWER: AS CS EA IS MI | A | 5330 | SH | 09-NOV-88 | AV | SH | | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-1161E | COLLAR, DOG, LEATHER USER: MC REVIEWER: 84 CS | A | 3770 | GL | 20-OCT-88 | GL | 99 | | |
| | LI | MIL-B-1163A NOTICE 1 | BARS, FLINDERS REVIEWER: 99 AV | A | 6605 | SH | 26-DEC-90 | | SH | | |
| A | L | MIL-C-1164G | CLOTH, TERRY, COTTON, COTTON AND POLYESTER USE: 45 REVIEWER: 82 | A | 8305 | CT | 26-OCT-84 | | MU | 99 | CT |
| | | MIL-R-1167A NOTICE 1 | RIFLE, AUTOMATIC, BROWNING, CALIBER .30, M1918A2 [VALIDATION DATE: 8806] USE: MC | A | 1005 | AR | 17-JUN-88 | AR | OS | 99 | |
| | | MIL-C-1173E | CART, GENERAL HAULING [VALIDATION DATE: 8302] REVIEWER: GS | A | 3920 | ME | 11-JUN-76 | ME | SA | 99 | |
| | | MIL-G-1175B NOTICE 1 | GUN, SUBMACHINE, CALIBER, .45, M3A1 [VALIDATION DATE: 8604] USE: MC REVIEWER: 84 | A | 1005 | AR | 18-APR-86 | AR | | 99 | |
| | L | MIL-T-1180D | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS REVIEWER: 99 ER GS | A | 6685 | ME | 05-AUG-81 | ME | | | |
| | | MIL-F-1183J | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, GENERAL SPECIFICATION FOR REVIEWER: CS | A | 4730 | SH | 05-MAY-87 | ME | SH | 99 | |
| | | MIL-F-1183/1 NOTICE 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: BEND, PIPE, RETURN [VALIDATION DATE: 8901] REVIEWER: CS | A | 4730 | SH | 25-JAN-89 | ME | SH | 99 | |
| | | MIL-F-1183/2 NOTICE 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: CAP, PIPE [VALIDATION DATE: 8901] REVIEWER: CS | A | 4730 | SH | 25-JAN-89 | ME | SH | 99 | |
| | | MIL-F-1183/3A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, COUPLING, PIPE REVIEWER: CS | A | 4730 | SH | 05-MAY-87 | ME | SH | 99 | |
| | | MIL-F-1183/4 NOTICE 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: CROSS, PIPE [VALIDATION DATE: 8901] REVIEWER: CS | A | 4730 | SH | 25-JAN-89 | ME | SH | 99 | |
| | | MIL-F-1183/5 NOTICE 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: ELBOW, PIPE [VALIDATION DATE: 8901] REVIEWER: CS | A | 4730 | SH | 25-JAN-89 | ME | SH | 99 | |
| | | MIL-F-1183/6 NOTICE 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: LATERAL, PIPE [VALIDATION DATE: 8901] REVIEWER: CS | A | 4730 | SH | 25-JAN-89 | ME | SH | 99 | |
| | | MIL-F-1183/7A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, PLUG, PIPE REVIEWER: CS | A | 4730 | SH | 05-MAY-87 | ME | SH | 99 | |
| | | MIL-F-1183/8A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, REDUCER, PIPE REVIEWER: CS | A | 4730 | SH | 05-MAY-87 | ME | SH | 99 | |
| | | MIL-F-1183/9 NOTICE 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: TEE, PIPE [VALIDATION DATE: 8901] REVIEWER: CS | A | 4730 | SH | 25-JAN-89 | ME | SH | 99 | |
| | | MIL-F-1183/10A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, UNION, PIPE REVIEWER: CS | A | 4730 | SH | 05-MAY-87 | ME | SH | 99 | |
| | | MIL-F-1183/11A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, UNION ELBOW, PIPE & UNION TEE, PIPE REVIEWER: CS | A | 4730 | SH | 05-MAY-87 | ME | SH | 99 | |
| | | MIL-F-1183/12 NOTICE 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: WITH FLANGED END(S) [VALIDATION DATE: 8901] REVIEWER: CS | A | 4730 | SH | 25-JAN-89 | ME | SH | 99 | |
| | | MIL-S-1186B | SALINOMETER EQUIPMENT, EVAPORATOR, SHIPBOARD USE [VALIDATION DATE: 7903] | A | 6630 | SH | 30-OCT-61 | EA | SH | | |
| | L | MIL-V-1189D | VALVE, GATE, BRONZE REVIEWER: CS | A | 4820 | SH | 15-DEC-87 | | SH | | |
| | L | MIL-C-1193A | COMPASSES, SHIP, NAVY, NO. 1, MAGNETIC (REFLECTOR TYPE, 7-1/2 INCH CARD) AND BINNACLE, REFLECTOR TYPE | A | 6605 | SH | 24-JAN-92 | | SH | | |
| | | MIL-C-1194D NOTICE 1 | CLOCK, QUARTZ CRYSTAL, BATTERY POWERED [VALIDATION DATE: 9102] USE: CG MC ME REVIEWER: GS | A | 6645 | SH | 15-FEB-91 | AR | SH | 82 | |
| | | MIL-C-1203C NOTICE 1 | COCKS, DRAIN, COCKS, PLUG, AND COCKS, SHUTOFF, SCREW STEM [VALIDATION DATE: 8609] USER: 82 CE GL MC MI | A | 4820 | AR | 31-JUL-73 | ME | | 99 | |
| | | MIL-C-1213E | CUP, GREASE USER: AS EL GL MC SH REVIEWER: AT CS | A | 4730 | AR | 22-JAN-86 | AR | | 99 | |
| D | | MIL-P-1215C NOTICE 2 | PINCH-OFF TOOL, TUBING USER: AL AT AV MC YD1 REVIEWER: AR | A | 5120 | GL | 31-JUL-90 | GL | | 99 | |
| | | MIL-S-1222H(1) | STUDS, BOLTS, HEX CAP SCREWS, SOCKET HEAD CAP SCREWS AND NUTS USER: AR AV ME REVIEWER: 82 IS MC | A | 53GP | SH | 31-MAR-89 | | SH | 99 | |
| | L | MIL-S-1222H(12) | STUDS, BOLTS, HEX CAP SCREWS, SOCKET HEAD CAP SCREWS, AND NUTS | A | 53GP | SH | 12-OCT-90 | | SH | | |
| D | L | MIL-P-1251A(1) NOTICE 2 | POST, DRILLING [VALIDATION DATE: 9302] USER: MC ME YD1 REVIEWER: MI | A | 5110 | GL | 26-FEB-93 | GL | | | |
| A | | MIL-M-1263D | MEGAPHONE, HAND [VALIDATION DATE: 8101] USER: 45 | A | 8465 | CT | 31-MAR-75 | GL | SA | 99 | CT |
| D | | MIL-C-1283F(1) | CAN, GASOLINE, MILITARY 5 GALLON USER: CG MC REVIEWER: 84 EA GL GS SH | A | 7240 | ME | 10-MAR-87 | ME | YD1 | 99 | |
| | L | MIL-R-1284E | ROLLER, TOWED, SHEEPSFOOT, 2 OR 3 DRUMS IN LINE USER: CE CS MC | A | 3895 | ME | 16-FEB-82 | ME | | | |
| D | | MIL-S-1285E | SPOUT, CAN, FLEXIBLE USER: GL SH REVIEWER: MD | A | 7240 | ME | 01-APR-91 | ME | YD1 | 84 | |
| | | MIL-B-1290C(1) NOTICE 1 | BAG, COTTON DUCK, COAL, 1 BUSHEL [VALIDATION DATE: 8706] USER: MD REVIEWER: 99 | A | 8105 | GL | 25-JUN-87 | GL | SA | 69 | |
| | | MIL-B-1291D(1) NOTICE 1 | BAG, COTTON DUCK, TOOLS AND MAINTENANCE PARTS, STOVE, COOKING OUTFIT [VALIDATION DATE: 8710] USER: MC ME REVIEWER: 99 CE | A | 5140 | GL | 01-OCT-87 | GL | SA | 69 | |
| | | MIL-R-1296E | RIFLE, CALIBER .22 LR COMMERCIAL, FOR MATCH & TRAINING USER: MC | A | 1005 | AR | 21-MAR-88 | AR | OS | 99 | |
| | | MIL-G-1298A | GUN, MACHINE, CALIBRE .50, BROWNING, M2, HEAVY BARREL [VALIDATION DATE: 7905] USER: MC REVIEWER: 11 | A | 1005 | AR | 10-OCT-55 | AR | OS | 99 | |
| | L | MIL-G-001298C(1) | GUN, MACHINE, CALIBER .50, BROWNING, M2, HEAVY BARREL | A | 1005 | AR | 29-JAN-90 | AR | | | |
| | | MIL-P-1299B NOTICE 1 | PISTOL, PYROTECHNIC, AN-M8 AND MOUNT, M1 [VALIDATION DATE: 8806] | A | 1095 | AR | 17-JUN-88 | AR | OS | 99 | |
| A | L | MIL-B-1309E(1) | BAYONET-KNIVES USER: MC | A | 1005 | AR | 22-JUN-92 | AR | | | |
| | | MIL-C-1311E(2) | CARTRIDGE, BALL, CALIBER, .45, M1911 USER: MC | A | 1305 | AR | 16-APR-86 | AR | | 99 | |
| | L | MIL-C-1313F(1) | CARTRIDGE, CALIBER .30, BALL, M2 [VALIDATION DATE: 8603] | A | 1305 | AR | 07-FEB-73 | AR | | | |
| | L | MIL-C-1314B(1) | CARTRIDGE, CALIBER .45, TRACER, M26 REVIEWER: 99 | A | 1305 | AR | 16-APR-86 | AR | | | |
| | | MIL-M-1315A | MACHINE, LINK LOADING AND DELINKING VALIDATED AUG 1964 [VALIDATION DATE: 8304] | A | 1305 | AR | 15-NOV-50 | AR | OS | 99 | |
| | L | MIL-C-1317E(1) NOTICE 1 | CARTRIDGE, CALIBER .30, TRACER, M25 [VALIDATION DATE: 8603] USER: MC | A | 1305 | AR | 13-MAR-86 | AR | | | |
| M | | MIL-C-13188(3) | CARTRIDGE, CALIBER .50, TRACER, M17 | A | 1305 | AR | 23-MAR-93 | AR | | 70 | |
| | | MIL-G-1353E | GRENADES, HAND: INERT COMPONENTS FOR REVIEWER: OS | A | 1330 | EA | 24-OCT-69 | EA | | 70 | |
| | L | MIL-G-00135J(2) | GRENADES, HAND: INERT COMPONENTS FOR | A | 1330 | EA | 09-JUL-87 | EA | | | |
| | | MIL-I-1361C NOTICE 1 | INSTRUMENT AUXILIARIES, ELECTRICAL MEASURING: SHUNTS, RESISTORS, AND TRANSFORMERS [VALIDATION DATE: 9103] USER: AS CG MC ME OS REVIEWER: ES MI | A | 6625 | SH | 04-MAR-91 | MR | SH | 99 | |
| | | MIL-W-1366F NOTICE 1 | WINDOWS, OPTICAL SENSOR | A | 9340 | 11 | 26-FEB-88 | | AS | 11 | |
| D | | MIL-T-1368C(2) | TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS AND WELDED [VALIDATION DATE: 8412] USER: AR ME REVIEWER: AS CS MI | A | 4710 | YD1 | 21-FEB-66 | MR | YD1 | 69 | |
| | L | MIL-T-1368C(13) | TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS AND WELDED [VALIDATION DATE: 8412] | A | 4710 | SH | 24-DEC-80 | | SH | | |
| | | MIL-P-1394F(3) | PRIMER, ELECTRIC, M52A3B1 | A | 1305 | AR | 28-FEB-90 | AR | | 70 | |
| | L | MIL-S-1398E | SIGNAL, ILLUMINATION, AIRCRAFT DOUBLE-STAR AN-M37A2 THROUGH AN-M42A2 | A | 1370 | AR | 31-OCT-90 | AR | | | |
| | L | MIL-S-1399E NOTICE 1 | SIGNALS, ILLUMINATION, AIRCRAFT TRACER, DOUBLE STAR AN-M53A2 THROUGH AN-M58A2 PARTS, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1370 | AR | 31-OCT-90 | AR | | | |
| D | | MIL-M-1404D | HOLDER, CARD & LABEL [VALIDATION DATE: 8201] USER: MC YD1 | A | 9905 | GL | 06-FEB-70 | GL | | 99 | |
| | | MIL-B-1406C | BOTTLE, SCREW CAP, IDENTIFICATION, BURIAL [VALIDATION DATE: 8201] USER: MC REVIEWER: CS GS MD | A | 8125 | GL | 14-MAR-75 | GL | MS | 69 | |
| D | | MIL-P-1407C | PIN SET, MARKING, LAUNDRY [VALIDATION DATE: 8104] USER: 50 MC MD REVIEWER: GS | A | 3510 | GL | 20-MAR-68 | GL | YD1 | 99 | |
| D | | MIL-C-1410F | CHAIN, HOOK & RING ASSEMBLY, TENT USER: YD1 | A | 8340 | CT | 30-SEP-85 | GL | MU | | CT |
| A | | MIL-M-1411E | HOOK, TENT, ASSEMBLY, WALL SECTION REVIEWER: 82 MD | A | 8340 | CT | 15-JAN-91 | GL | | 99 | CT |
| D | | MIL-C-1417F NOTICE 1 | COOK SET, FIELD, 5-MAN [VALIDATION DATE: 8904] REVIEWER: GS MD YD1 | A | 7360 | GL | 22-APR-89 | GL | MC | 99 | |
| | L | MIL-S-14190 NOTICE 1 | SIGNAL, ILLUMINATION, AIRCRAFT, SINGLE STAR AN/M43A2, AN/M44A2, AND M45A2, LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8705] | A | 1370 | AR | 15-MAY-87 | AR | | | |
| | | MIL-D-1427C | DAMPER, FLUE, 4-INCH USER: MC MD REVIEWER: 84 CS ME | A | 4520 | GL | 09-SEP-88 | GL | | 99 | |
| | | MIL-C-1429C NOTICE 1 | CLEANER, BURNER SLOT, FOR RANGE, FIELD, M-1937 [VALIDATION DATE: 9203] USER: MC | A | 5120 | GL | 27-MAR-92 | GL | | 99 | |
| A | | MIL-M-1431B NOTICE 2 | HAMMER, HAND (PITON, MOUNTAIN) [VALIDATION DATE: 9301] REVIEWER: MD | A | 5120 | GL | 04-JAN-93 | GL | | 99 | |
| A | L | MIL-C-1453G | CHAIN, DOG, WITH SNAPHOOK USER: MC MD REVIEWER: CS | A | 3770 | 84 | 23-APR-90 | | | 99 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-F-1461H | FRAME SECTIONS, TENT, MAINTENANCE USEH: 45 MC REVIEWER: 82 | A | 8340 CT | 31-DEC-85 | GL | MU | 99 | CT |
| A | L | MIL-B-1462F | BELT, GENERAL OFFICER USER: 45 REVIEWER: MD | A | 8440 CT | 06-JAN-88 | GL | | | CT |
| | | MIL-C-1472F | COMMISSARY OUTFIT, FIELD BREAKDOWN [VALIDATION DATE: 8710] REVIEWER: GS MD | A | 7360 GL | 01-OCT-87 | GL | MC | | |
| A | | MIL-P-1474J | PITON, MOUNTAIN [VALIDATION DATE: 8601] USER: 45 REVIEWER: MC | A | 8465 CT | 03-JUN-80 | GL | MU | 99 | CT |
| A | | MIL-C-1476G | CREEPERS, ICE USER: 45 REVIEWER: 82 | A | 8465 CT | 24-AUG-88 | GL | | 99 | CT |
| A | | MIL-S-1478F | SNAPLINK, MOUNTAIN, PITON USER: 45 MC REVIEWER: 82 | A | 8465 CT | 31-DEC-85 | GL | MU | 99 | CT |
| D | | MIL-S-1484E | SHIELD, STOVEPIPE, TENT REVIEWER: IS | A | 8340 CT | 31-MAR-86 | GL | YD1 | 99 | CT |
| | | MIL-L-1497F NOTICE 1 | LABELING OF METAL CANS FOR SUBSISTENCE ITEMS REVIEWER: MD | A | 89GP GL | 30-MAR-89 | GL | SA | 50 | |
| | | MIL-M-15190 | MUZZLE, DOG, LEATHER USER: MC REVIEWER: CS MD | A | 3770 GL | 26-SEP-86 | GL | | 99 | |
| | | MIL-L-1522C | LEASH, DOG, COTTON WEBBING, LONG TYPE [VALIDATION DATE: 8104] USER: MC REVIEWER: CS MD ME | A | 3770 GL | 14-MAY-68 | GL | | 99 | |
| | | MIL-L-1531F | LEASH, DOG, LEAD TYPE, HOLDERS, DOG LEASH USER: MC REVIEWER: 84 CS MD | A | 3770 GL | 14-MAY-86 | GL | | 99 | |
| | | MIL-T-1547E | THIMBLES, ROPE (SOLID) [VALIDATION DATE: 8908] USER: ME REVIEWER: IS MD | A | 4030 GL | 28-AUG-89 | GL | SH | 99 | |
| | L | MIL-B-1563C SUPPL 18 | BUTTONS, INSIGNIA AND FINDINGS (U.S.M.A.), GENERAL SPECIFICATION FOR REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/1 | BUTTONS, INSIGNIA AND FINDINGS; SERVICE HAT, CADET FULL DRESS WITH POM POM (TYPE I, CLASS 1) U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/2 | BUTTONS, INSIGNIA AND FINDINGS; SERVICE CAP, UNIFORM (TYPE I, CLASS 2), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/3 | BUTTONS, INSIGNIA AND FINDINGS; BRANCH OF SERVICE, COLLAR, BLACK, GRAY OR GOLD SHIELD (TYPE I, CLASS 3), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/4 | BUTTONS, INSIGNIA AND FINDINGS; BRANCH OF SERVICE, U.S. MILITARY ACADEMY STAFF, (TYPE I, CLASS 4), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/5 | BUTTONS, INSIGNIA AND FINDINGS; BALL, 30 LIGNE (TYPE II, CLASS 1 AND CLASS 2), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/6 | BUTTONS, INSIGNIA AND FINDINGS; 25 LIGNE WITH TOGGLE (TYPE II, CLASS 3), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/7 | BUTTONS, INSIGNIA AND FINDINGS; 36 LIGNE WITH TOGGLE (TYPE II, CLASS 4), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/8A | BUTTONS, INSIGNIA AND FINDINGS; 43 LIGNE WITH TUBE SCREW AND HOOK (TYPE II, CLASS 5), U.S.M.A. REVIEWER: CT | A | 8455 IH | 30-JAN-91 | IH | | | |
| | L | MIL-B-1563/9 | BUTTONS, INSIGNIA AND FINDINGS; 25 LIGNE WITH TUBE SCREW (TYPE II, CLASS 6), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/10 | BUTTONS, INSIGNIA AND FINDINGS; FLAT 30 LIGNE (TYPE II, CLASS 7), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/11 | BUTTONS, INSIGNIA AND FINDINGS; 36 LIGNE WITH TUNNEL BACK (TYPE II, CLASS 8), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/12 | BUTTONS, INSIGNIA AND FINDINGS; BUCKLE, WAISTPLATE (TYPE III, CLASS 1), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/13 | BUTTONS, INSIGNIA AND FINDINGS; BUCKLE, BREASTPLATE (TYPE III, CLASS 2), U.S.M.A. REVIEWER: CT | A | 8455 IH | 10-DEC-90 | IH | | | |
| | L | MIL-B-1563/14 | BUTTONS, INSIGNIA AND FINDINGS; CHAIN, HAT, CADET, FULL DRESS WITH POM POM, (TYPE IV), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/15 | BUTTONS, INSIGNIA AND FINDINGS; CUFF, BUTTON (TYPE V), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/16 | BUTTONS, INSIGNIA AND FINDINGS; CHAIN, HANGING, OVERCOAT, CADET (TYPE VI), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/17 | BUTTONS, INSIGNIA AND FINDINGS; EYELET, METALLIC (TYPE VII), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/18 | BUTTONS, INSIGNIA AND FINDINGS; BURR, COAT, CADET, FULL DRESS (TYPE VIII), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/19 | BUTTONS, INSIGNIA AND FINDINGS; TOGGLE (TYPE IX), U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| | L | MIL-B-1563/20 | BUTTONS, INSIGNIA AND FINDINGS; BALL, 30 LIGNE WITH TACK BACK, U.S.M.A. REVIEWER: CT | A | 8455 IH | 31-DEC-90 | IH | | | |
| A | | MIL-P-1577D NOTICE 2 | PANEL MARKER, RED CROSS, 8 FEET, 6 INCHES BY 19 FEET, 6 INCHES [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8345 IH | 20-NOV-92 | IH | MU | 11 | |
| | | MIL-C-1588G | COOKING OUTFIT, FIELD, SMALL DETACHMENT REVIEWER: GS | A | 7360 GL | 30-SEP-85 | GL | | 99 | |
| D | | MIL-P-1601E | PROTECTOR, ARM, GASOLINE FIELD RANGE OUTFIT [VALIDATION DATE: 8303] USER: MC REVIEWER: GS MD | A | 7360 GL | 20-MAY-77 | GL | YD1 | 99 | |
| A | | MIL-H-1608H | HOOKS, TENT REVIEWER: 45 82 | A | 8340 CT | 25-NOV-91 | GL | MU | 99 | CT |
| D | | MIL-F-1611E(1) NOTICE 1 | FAIRLEAD, TENT LINE, MAGNESIUM [VALIDATION DATE: 8702] USER: ME YD1 | A | 8340 CT | 27-FEB-87 | GL | SA | 99 | CT |
| | | MIL-B-1658E | BAG, FIELD COOKING OUTFIT, CUTLERY USER: MC MS REVIEWER: GS MD | A | 7360 GL | 28-SEP-90 | GL | | 99 | |
| A | | MIL-B-1667F(1) | BRAID, TEXTILE, CORD EDGE [VALIDATION DATE: 8511] REVIEWER: 99 MD | A | 8315 CT | 03-OCT-80 | GL | | 11 | CT |
| D | | MIL-H-1679F | HOOK, TENT; WITH THIMBLE, FOR GUY LINE, ASSEMBLY TENT USER: YD1 REVIEWER: 82 | A | 8340 CT | 13-JAN-92 | GL | MU | 99 | CT |
| | | MIL-R-1688F | ROPE, FIBROUS, CLIMBING TYPE, NYLON REVIEWER: AR AS IS MD | A | 4020 GL | 26-APR-90 | GL | MC | | |
| A | | MIL-C-1690D NOTICE 1 | CASE, SHOTGUN, AMMUNITION, COTTEN DUCK [VALIDATION DATE: 8801] USER: 45 | A | 8465 CT | 25-JAN-88 | GL | | 99 | CT |
| A | | MIL-P-1691G | POCKET, AMMUNITION MAGAZINE, 2 CLIPS, .45 CAL. AUTOMATIC PISTOL, LEATHER USER: 45 REVIEWER: 82 MD | A | 8465 CT | 30-JUN-88 | GL | | 99 | CT |
| A | | MIL-S-1698G | SLING, CARRYING, BAG AND CASE USER: 45 AR MC REVIEWER: 82 ER MD | A | 8465 CT | 28-AUG-84 | GL | MU | 99 | CT |
| D | | MIL-C-17008 | CHEST, TOOL, GASOLINE FIELD RANGE ACCESSORY OUTFIT [VALIDATION DATE: 8201] REVIEWER: GS MC | A | 7310 GL | 30-APR-70 | GL | YD1 | 99 | |
| D | | MIL-L-1709E | LINES, TENT USER: 45 MC YD1 REVIEWER: 82 | A | 8340 CT | 10-AUG-89 | GL | MU | 99 | CT |
| D | | MIL-T-17121 | TENT, GENERAL PURPOSE, MEDIUM USER: 45 YD1 REVIEWER: 82 MD | A | 8340 CT | 16-SEP-91 | GL | MU | 99 | CT |
| | L | MIL-M-1715C | MIRROR, GLASS, POSTURAL TRAINING, TRIPLE, FULL LENGTH [VALIDATION DATE: 8104] REVIEWER: MD | A | 7105 GL | 20-DEC-68 | GL | | | |
| A | | MIL-P-1716M(1) | POLE, TENT, TELESCOPIC, ADJUSTABLE 5 FEET TO 9 FEET, MAGNESIUM USER: 45 MC MD REVIEWER: 82 | A | 8340 CT | 21-AUG-84 | GL | MU | 99 | CT |
| A | | MIL-B-1718H | BELT, MILITARY POLICE, 1-3/4 INCH WIDE, MAN S REVIEWER: MD | A | 8465 CT | 15-SEP-86 | GL | MC | 99 | CT |
| | | MIL-C-1726F | CHEST, FIELD TABLEWARE OUTFIT REVIEWER: GS MD | A | 7360 GL | 31-DEC-85 | GL | MC | | |
| | | MIL-S-1733C | SUPPORT, SNAP FASTENER [VALIDATION DATE: 8104] USER: MC SM | A | 5325 GL | 06-DEC-71 | GL | | 99 | |
| D | | MIL-S-1734M | SLIP, TENT LINE USER: 45 MC MD YD1 REVIEWER: 82 | A | 8340 CT | 06-DEC-84 | GL | MU | 99 | CT |
| | | MIL-P-1735G NOTICE 1 | POTS, COOKING: WITH COVERS AND SPLASH PLATE [VALIDATION DATE: 9006] USER: MC REVIEWER: GS MD | A | 7330 GL | 19-JUN-90 | GL | SA | 99 | |
| A | | MIL-L-1741E(1) NOTICE 1 | LASTS, FOOTWEAR, FIELD, WOMEN'S [VALIDATION DATE: 8910] | A | 8335 CT | 02-OCT-89 | | | 99 | CT |
| | | MIL-P-1747G | PAN, BAKING AND ROASTING, ALUMINUM, PAN, COVER AND WARMER ADAPTER, FOR RANGE, FIELD, GASOLINE [VALIDATION DATE: 8601] REVIEWER: CG MC MD | A | 7330 GL | 23-MAY-80 | GL | SA | 99 | |
| | | MIL-T-1748G NOTICE 1 | TABLEWARE OUTFIT, FIELD [VALIDATION DATE: 8710] USER: AV REVIEWER: GS MD | A | 7360 GL | 01-OCT-87 | GL | MC | 99 | |
| | | MIL-C-1761C | CASE, MAIL DISTRIBUTION, PORTABLE, 81 SEPARATIONS [VALIDATION DATE: 8104] | A | 7110 GL | 13-AUG-68 | GL | | 99 | |
| | | MIL-D-1769E | DESK, MAIL DISTRIBUTION, WOOD, PORTABLE [VALIDATION DATE: 8104] REVIEWER: MC | A | 7110 GL | 10-JUL-68 | GL | | 99 | |
| A | | MIL-B-1771H | BARBER KIT, WITH PLASTIC CASE REVIEWER: 84 SA | A | 3590 GL | 28-DEC-92 | GL | MC | 99 | |
| D | | MIL-T-1774E | TABLE, FOOD PREPARATION (BAKERY PLANTS, FIELD, PORTABLE AND MOBILE) [VALIDATION DATE: 8201] USER: YD1 REVIEWER: GS MD | A | 7320 GL | 26-MAY-76 | GL | MC | | |
| A | | MIL-S-1812C | SHELF, CARGO SUPPORT, PACKBOARD, PRESSED STEEL USER: 45 MC MD | A | 8465 CT | 04-SEP-81 | GL | MU | 99 | CT |
| A | | MIL-P-1814E NOTICE 1 | PAD, SHOULDER, PACKBOARD [VALIDATION DATE: 8801] USER: 45 MC MI | A | 8465 CT | 25-JAN-88 | GL | SA | 99 | CT |
| A | L | MIL-S-1820G | SMOCK, FOOD INSPECTOR S USER: 45 REVIEWER: 82 MD | A | 8415 CT | 18-DEC-86 | GL | | | CT |
| A | | MIL-I-1821J | INSOLE, FOOTWEAR (VENTILATING TYPE) USER: 45 MC REVIEWER: 82 99 MD | A | 8335 CT | 08-APR-88 | GL | | 11 | CT |

| Action | Obsl / Canc / Inact / Combination | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-R-1832D | RUBBER BAND, PARACHUTE SUSPENSION LINE REVIEWER: 82 AV MC | A | 1670 | GL | GL | 28-FEB-89 | AS | 99 | | |
| D | | MIL-S-1837H | SPRAY GUN, INSECTICIDE DUSTING POWDER AND CONTAINER, POWDER [VALIDATION DATE: 8303] USER: MC REVIEWER: CS MD MS | A | 3740 | GL | GL | 25-MAR-77 | YD1 | 99 | | |
| A | | MIL-B-1851F NOTICE 1 | BAND, HELMET, CAMOUFLAGE [VALIDATION DATE: 8702] USER: 45 REVIEWER: MD | A | 8415 | CT | GL | 27-FEB-87 | GL | | 99 | CT |
| | L | MIL-B-1851F(11) | BAND, HELMET | A | 8415 | GL | GL | 05-DEC-90 | GL | | | |
| A | | MIL-B-1860E NOTICE 1 | BUCKLE, SLIDE, PLASTIC [VALIDATION DATE: 8402] USER: 11 CG MC | A | 8315 | CT | GL | 21-JUN-77 | GL | MU | 99 | CT |
| A | | MIL-C-1911J(1) | CAP, CAMOUFLAGE PATTERN USER: 45 REVIEWER: 82 MD | A | 8415 | CT | GL | 08-MAR-90 | GL | MC | 99 | CT |
| | L | MIL-C-1911J(12) | CAP, CAMOUFLAGE PATTERN | A | 8415 | GL | GL | 25-OCT-90 | GL | | | |
| A | | MIL-T-1926G | TENT, MOUNTAIN, TWO-MAN, COMPLETE WITH PINS AND POLES USER: 45 REVIEWER: 82 MD | A | 8340 | CT | GL | 30-JUN-86 | GL | MU | 99 | CT |
| A | | MIL-C-1933G | CARRIER, POLICEMANS CLUB, & GROMMET [VALIDATION DATE: 8501] USER: 45 MD | A | 8465 | CT | GL | 27-DEC-78 | GL | | 99 | CT |
| | L | MIL-T-1943C(3) | TELEPHONE EQUIPMENT, DIAL (SHIPBOARD USE) | A | 5805 | SH | GL | 09-JAN-87 | | SH | | |
| | L | MIL-B-1947A(5) | BLOWER, SOOT (SHIPBOARD USE) [VALIDATION DATE: 8404] | A | 4410 | SH | GL | 11-JUL-66 | | SH | | |
| A | | MIL-T-1956D(1) | TARPAULIN, WATERPROOF, SPECIAL PURPOSE, 10 FEET LONG BY 8 FEET WIDE [VALIDATION DATE: 8501] REVIEWER: MD | A | 8340 | CT | GL | 08-JAN-79 | GL | MU | | CT |
| | | MIL-B-1962C(1) | BUCKLES, END, 1-INCH REVIEWER: IS | A | 5340 | GL | GL | 30-SEP-91 | GL | | 99 | |
| A | | MIL-B-1963J(1) | BUCKLES; AND CLIPS, END, STRAP (FOR BELT, TROUSERS) USER: CG REVIEWER: 45 82 99 MC MD | A | 8315 | CT | GL | 01-AUG-90 | GL | MU | 11 | CT |
| | L | MIL-B-1977C(1) | BAG, VALUABLES, NUMBERED, WITH TAG, METAL IDENTIFICATION [VALIDATION DATE: 8306] USER: GL | A | 8105 | MC | GL | 14-OCT-77 | | MC | | |
| A | | MIL-L-1978B(2) NOTICE 1 | LEATHER, CATTLEHIDE, RAWHIDE, HARD [VALIDATION DATE: 9007] USER: ME REVIEWER: MD | A | 8330 | CT | GL | 30-JUL-90 | GL | MU | 99 | CT |
| | | MIL-S-1980D | STAND, MIXING BOWL, MOBILE [VALIDATION DATE: 8710] USER: MC REVIEWER: MD | A | 7330 | GL | GL | 23-OCT-87 | GL | SA | 99 | |
| D | | MIL-R-1982F NOTICE 1 | ROLLS, CUTLERY, CANVAS [VALIDATION DATE: 9203] REVIEWER: 84 GS MC MD MS | A | 7360 | GL | GL | 27-MAR-92 | GL | YD1 | 99 | |
| D | | MIL-R-1983G | RACK, BREAD, BAKERS,, ONE WIRE SHELF, FOLDING TYPE [VALIDATION DATE: 8710] USER: MC YD1 REVIEWER: GS MD SA | A | 7320 | GL | GL | 23-OCT-87 | GL | | 99 | |
| A | | MIL-I-1986E | INSOLE, FOOTWEAR, FELT, INSULATING USER: MC MD REVIEWER: 82 | A | 8335 | CT | GL | 05-DEC-86 | GL | MU | 99 | CT |
| D | | MIL-H-1987G | HELMET, FIRE FIGHTERS [VALIDATION DATE: 8601] USER: 45 REVIEWER: MD YD1 | A | 8415 | CT | GL | 27-JUN-80 | GL | MU | 99 | CT |
| D | | MIL-H-1988G | HELMET, GROUND TROOPS,, PARACHUTISTS, STEEL, M-1 USER: 45 MC YD1 REVIEWER: 82 MD | A | 8470 | CT | GL | 30-MAR-88 | GL | MU | 99 | CT |
| D | | MIL-B-1995E | BRUSH, GREASE, COOKING AND BAKING [VALIDATION DATE: 8402] USER: YD1 REVIEWER: MC MD MS | A | 7330 | GL | GL | 24-MAY-78 | GL | SA | 99 | |
| A | | MIL-C-1997C | COVER, WATERPROOF, MULTI PURPOSE USER: MC | A | 8465 | CT | GL | 11-APR-83 | GL | MU | | CT |
| D | | MIL-P-2001D(2) NOTICE 1 | PUNCH, CUTTING, REVOLVING HEAD [VALIDATION DATE: 8710] USER: MC ML YD1 REVIEWER: EA | A | 5110 | GL | GL | 01-OCT-87 | GL | | 99 | |
| | L1 | MIL-I-2002C(1) NOTICE 1 | INDICATORS, BOILER SMOKE, NAVAL SHIPBOARD | A | 6320 | SH | GL | 24-DEC-90 | | SH | | |
| | | MIL-C-2015B | CARRIAGE, HOWITZER, 105 MM, M2A2 (W/REPAIR PARTS AND W/O EQUIPMENT OR ACCESSORIES) [VALIDATION DATE: 8502] | A | 1015 | AR | GL | 18-SEP-58 | AR | MC | | |
| | L | MIL-C-2015B(11) | CARRIAGE, HOWITZER, 105 MM, M2A2 (W/REPAIR PARTS AND W/O EQUIPMENT OR ACCESSORIES) [VALIDATION DATE: 8502] | A | 1015 | AR | GL | 05-AUG-81 | AR | | | |
| | | MIL-M-2016A | MECHANISM, RECOIL, 75 MM PACK HOWITZER, M1A8 (W/REPAIR PARTS AND W/O EQUIPMENT OR ACCESSORIES) [VALIDATION DATE: 8504] | A | 1015 | AR | GL | 22-SEP-58 | AR | MC | | |
| | | MIL-M-2017C(2) NOTICE 1 | MECHANISM, RECOIL, 105 MM HOWITZER, M2A5 W/REPAIR PARTS & W/OUT EQUIPMENT OR ACCESSORIES [VALIDATION DATE: 8803] | A | 1015 | AR | GL | 22-MAR-88 | AR | | | |
| | | MIL-P-2018H | PAINT, FACE, CAMOUFLAGE; COMPACT-TYPE CONTAINER USER: MS REVIEWER: GS MD | A | 6850 | GL | GL | 14-AUG-89 | GL | MC | 68 | |
| | | MIL-S-2021E NOTICE 2 | SUIT, CONVALESCENT (JACKET AND TROUSERS) REVIEWER: MD | A | 6532 | GL | GL | 17-SEP-90 | GL | MS | 03 | |
| D | | MIL-B-2029F NOTICE 1 | BURNER ASSEMBLY, SPACE HEATER [VALIDATION DATE: 8901] USER: MC REVIEWER: 84 CS | A | 4520 | GL | GL | 12-JAN-89 | GL | YD1 | 99 | |
| A | L | MIL-R-2033B | RELAYS-POWER, ELECTRICAL, INDUCTION TYPE, NAVAL SHIPBOARD USE REVIEWER: 99 | A | 5945 | SH | GL | 18-DEC-87 | | SH | | |
| | L | MIL-E-2036D | ENCLOSURE FOR ELECTRIC AND ELECTRONIC EQUIPMENT, NAVAL SHIPBOARD USER: ME REVIEWER: ES | A | 5935 | SH | GL | 10-MAR-88 | | SH | | |
| | | MIL-L-2037E | LUMBER, OAK, WHITE AND RED, FOR SHIP AND BOAT CONSTRUCTION USER: CG ME REVIEWER: 84 CS | A | 5510 | SH | GL | 21-AUG-90 | | SH | 99 | |
| | L | MIL-M-2038C(2) | WOOD LAMINATES, DOUGLAS FIR (FOR SHIP AND BOAT USE) [VALIDATION DATE: 8408] REVIEWER: CS | A | 5510 | SH | GL | 01-DEC-65 | | SH | | |
| | L | MIL-S-2041A(1) | SINK (NAVAL SHIPBOARD USE) [VALIDATION DATE: 8105] REVIEWER: CS | A | 4510 | SH | GL | 21-MAR-66 | | SH | | |
| | QL | MIL-V-2042E | VALVES, REDUCING, WATER SERVICE FOR NAVAL SHIPBOARD USE | A | 4820 | SH | GL | 06-JUN-90 | | SH | | |
| D | | MIL-L-2045B(1) | LOOP, STRAP FASTENER,(FOR NONEQUIPAGE ITEMS) [VALIDATION DATE: 8402] USER: AV MC ME REVIEWER: EA IS | A | 5340 | GL | GL | 18-OCT-77 | GL | YD1 | 99 | |
| | | MIL-E-2053D | EXTRACTOR, CITRUS FRUIT JUICE, HAND [VALIDATION DATE: 8710] USER: CG MC REVIEWER: MD MS | A | 7330 | GL | GL | 23-OCT-87 | GL | SA | 99 | |
| M | | MIL-B-2054E NOTICE 2 | BOWLS, FOOD MIXING, CORROSION-RESISTING STEEL [VALIDATION DATE: 9302] USER: CG MS REVIEWER: MC MD | A | 7330 | GL | GL | 26-FEB-93 | GL | SA | 99 | |
| A | | MIL-S-2063J | SCARF, NECKWEAR, WOOL USER: 45 MC REVIEWER: 82 MD | A | 8440 | CT | GL | 12-APR-89 | GL | MU | 99 | CT |
| | | MIL-P-2067E | PAILS, METAL, MEASURING (FOR BAKERIES) USER: MC REVIEWER: 84 MD | A | 7240 | GL | GL | 30-AUG-88 | GL | | 99 | |
| D | | MIL-C-2070E | CHAIN ASSEMBLY, SINGLE LEG, FOR CABINET, GASOLINE, FIELD RANGE OUTFIT USER: MC YD1 REVIEWER: 82 IS MD | A | 4010 | GL | GL | 31-DEC-85 | GL | | 99 | |
| A | | MIL-F-2071D(2) NOTICE 1 | FLAG, NATIONAL, UNITED STATES OF AMERICA, GRAVE DECORATING, PRINT CLOTH [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8345 | IH | IH | 20-NOV-92 | IH | MU | 11 | |
| | L | MIL-M-2082C NOTICE 1 | METERS, FLOW, MECHANICAL, VOLUMETRIC POSITIVE DISPLACEMENT, LIQUID, COLD WATER AND HOT WATER TYPE, NAVAL SHIPBOARD USE [VALIDATION DATE: 9205] | A | 6680 | SH | GL | 07-MAY-92 | | SH | | |
| | L | MIL-D-2087C(3) NOTICE 1 | DEMOLITION KIT, TORPEDO BANGALORE, M1A2, HE LOADING, ASSEMBLING AND PACKING | A | 1375 | AR | GL | 29-JUN-90 | AR | | | |
| | L | MIL-D-2088B(2) NOTICE 1 | DEMOLITION KIT, BANGALORE TORPEDO, M1A2 AND TORPEDO, BANGALORE, M1A1, INERT, PARTS FOR [VALIDATION DATE: 8805] | A | 1375 | AR | GL | 20-MAY-88 | AR | | | |
| DQ | | MIL-L-2104F(1) | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, COMBAT/TACTICAL SERVICE USER: 99 AT OS REVIEWER: 11 AR AS GS MC MI PS SA SH YD1 | A | 9150 | ME | GL | 28-SEP-92 | ME | SH | 68 | |
| DQ | | MIL-L-2105D | LUBRICATING OIL, GEAR, MULTIPURPOSE (METRIC) USER: 99 AT MC OS REVIEWER: 11 AR AV GS MD MI PS SA YD1 | A | 9150 | ME | GL | 07-AUG-87 | ME | SH | 68 | |
| | L | MIL-T-2110C | TRAP, STEAM, ANGLE, THERMOSTATIC REVIEWER: CS | A | 4730 | SH | GL | 22-AUG-90 | | SH | | |
| A | | MIL-S-2124K | SHOCK, GENERAL PURPOSE USER: 45 REVIEWER: 82 MD | A | 8415 | CT | GL | 23-AUG-89 | GL | MU | 99 | CT |
| | L | MIL-B-2128D | BURNERS, STEAM AND OIL PRESSURE, ATOMIZING | A | 4530 | SH | GL | 07-MAY-91 | | SH | | |
| | L | MIL-S-2143B(1) | SINK, SERVICE, NAVAL SHIPBOARD [VALIDATION DATE: 8104] REVIEWER: CS | A | 4510 | SH | GL | 31-MAR-69 | | SH | | |
| | L | MIL-C-2156C NOTICE 1 | CHARGE, DEMOLITION, SHAPED, 15 LB, PRACTICE, M2A3 AND HE, M2A4 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9008] | A | 1375 | AR | GL | 27-AUG-90 | AR | | | |
| A | | MIL-C-2181M | COVERALLS, TOXICOLOGICAL AGENTS PROTECTIVE, M-3 USER: 45 CG MC OS REVIEWER: 82 EA MD | A | 8415 | CT | GL | 27-SEP-90 | GL | MU | 99 | CT |
| A | | MIL-C-2184F NOTICE 1 | CLOTH, FLANNEL, WOOL, 10-1/2 OUNCE, SHRINK RESISTANT [VALIDATION DATE: 8706] REVIEWER: 99 MD | A | 8305 | CT | GL | 25-JUN-87 | GL | | 11 | CT |
| | L | MIL-E-2185C(1) NOTICE 1 | EXTINGUISHER, FIRE, CARBON DIOXIDE (HOSE REEL) SYSTEM (NAVAL SHIPBOARD USE) [VALIDATION DATE: 8608] REVIEWER: CS | A | 4210 | SH | GL | 08-AUG-86 | | SH | | |
| | L | MIL-E-2186E | EXTINGUISHER, FIRE, CARBON DIOXIDE SYSTEMS (FIXED PIPE, NAVAL SHIPBOARD USE) [VALIDATION DATE: 8109] | A | 4210 | SH | GL | 19-OCT-70 | | SH | | |
| A | | MIL-C-2202H | COVERALLS, MEN'S, COTTON, SATEEN USER: 45 REVIEWER: 11 82 MC | A | 8405 | CT | GL | 20-MAR-90 | GL | MU | 99 | CT |
| D | | MIL-T-2211E | TABLE, LAUNDRY, FOLDING, 3 BY 8 FEET [VALIDATION DATE: 8104] USER: MC ME YD1 REVIEWER: GS | A | 3510 | GL | GL | 21-JUN-73 | GL | | 99 | |
| | QL | MIL-C-2212G(1) | CONTACTORS AND CONTROLLERS, ELECTRIC MOTOR AC OR DC, AND ASSOCIETED SWITCHING DEVICES | A | 6110 | SH | GL | 30-JUL-91 | | SH | | |

| Action | OPR / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | | MIL-B-22130 | BRIDGE CONVERSION SET, FIXED BRIDGE: BAILEY: CONSTRUCTION OF ONE PANEL CRIB PIER, 31 FEET 7 INCHES HIGH, 145-TON USER: MC REVIEWER: CS | A | 5420 | ME | ME | 21-JUL-92 | | | | |
| | L | | MIL-H-2217C(1) | HOSE ASSEMBLIES, WIRE REINFORCED SYNTHETIC RUBBER, SUBMARINE RESCUE CHAMBER REVIEWER: CS | A | 4720 | SH | | 22-MAR-83 | | SH | | |
| | L' | | MIL-I-2220C | INSTRUMENTS, ELECTRICAL-MEASURING, HYDROGEN-GAS-MONITORING, NONPORTABLE (SUBMARINE USE) USER: GL | A | 6625 | SH | | 16-JAN-91 | | SH | | |
| D | L | | MIL-C-2221B | COVER, COTTON DUCK, MOBILE BAKERY PLANT (VALIDATION DATE: 8710) USER: MC REVIEWER: MD YD1 | A | 73GP | GL | | 23-OCT-87 | GL | | | |
| | | | MIL-D-2222F | DOUGH TROUGH, BAKER S (FOR MOBILE BAKERY M6534) REVIEWER: MD | A | 7320 | GL | | 29-MAR-85 | GL | MC | | GS |
| | | | MIL-C-2233E<br>NOTICE 1 | CABINET, DOUGH PROOFING: INSULATED PORTABLE, 36 PAN CAPACITY FOR MOBILE FIELD BAKERY (VALIDATION DATE: 9006) USER: MC REVIEWER: 84 GS MD | A | 7320 | GL | | 19-JUN-90 | GL | SA | 99 | |
| | L | | MIL-S-2244A | SLEEVE, WIRE SPLICING, SINGLE TUBE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8307) REVIEWER: GS | A | 5975 | ER | | 07-MAR-67 | ER | | | |
| D | | | MIL-T-2256N(1) | TABLE, FOOD PREPARATION, AND RACKS, TABLE, KITCHEN UTENSILS USER: CE MC REVIEWER: GS MD SA TS | A | 7320 | GL | | 06-DEC-85 | GL | YD1 | 99 | |
| D | | | MIL-F-2296E(1) | FILTER, COOKING, GREASE REVIEWER: MC MD MS YD1 | A | 7330 | GL | | 11-FEB-81 | GL | SA | 99 | |
| A | | | MIL-F-2310D<br>NOTICE 1 | FRINGE, ORNAMENTAL, RAYON (VALIDATION DATE: 8706) USER: MC | A | 8315 | CT | | 25-JUN-87 | GL | MU | 99 | CT |
| A | | | MIL-F-2312F | FELT, HAIR OR WOOL: MILDEW RESISTANT AND MOISTURE RESISTANT TREATMENT FOR USER: AS SH REVIEWER: 82 MD | A | 8305 | CT | | 24-APR-89 | GL | MU | 99 | CT |
| D | | | MIL-B-2316E | BAKERY EQUIPMENT, INCLUDING UNITS ASSEMBLIES REPAIR PARTS AND TOOLS, PREPARATION FOR DELIVERY OF REVIEWER: 69 84 GS MC | A | 7310 | GL | | 31-DEC-92 | GL | YD1 | 99 | |
| D | | | MIL-R-2327F(1) | RING, CONNECTING, ROUND (VALIDATION DATE: 8303) USER: ME REVIEWER: EA IS | A | 5365 | GL | | 07-JUL-77 | GL | YD1 | 99 | |
| A | | | MIL-S-2329C | SHEATH, MACHETE (FOR 18 INCH LONG, 2 1/4 INCH WIDE BLADE) (VALIDATION DATE: 8201) USER: 45 ML | A | 8465 | CT | | 03-DEC-75 | GL | MC | 99 | CT |
| | L | | MIL-S-2329C(11) | SHEATH, MACHETE (FOR 18 INCH LONG, 2-1/4 INCH WIDE BLADE) | A | 8465 | GL | | 03-AUG-90 | GL | | | |
| | | | MIL-B-2331D(1) | BUCKLES, END BAR, WITH TONGUE USER: ME REVIEWER: 82 IS | A | 5340 | GL | | 30-SEP-91 | GL | | 99 | |
| D | | | MIL-A-2334J | APRON, TOXICOLOGICAL AGENTS PROTECTIVE, M-2 USER: 45 AS MC REVIEWER: 82 99 MD YD1 | A | 8415 | CT | | 15-MAR-91 | GL | MU | 11 | CT |
| | | | MIL-S-2335(1)<br>NOTICE 3 | SYNCHROS, 60 CYCLE, 115 VOLT (INACTIVE) (VALIDATION DATE: 8509) USER: CG MC REVIEWER: 11 17 99 AV EC ES MI OS | A | 5990 | AS | | 04-MAR-70 | AR | AS | 85 | |
| D | | | MIL-G-2338L(1) | GRIDDLE, SELF HEATING, ELECTRIC, AND STANDS, GRIDDLE REVIEWER: 84 CE GS MC MD SA SH | A | 7310 | YD1 | | 19-APR-88 | GL | YD1 | 99 | |
| A | L | | MIL-G-2338L(12) | GRIDDLES, SELF-HEATING, ELECTRIC: AND STANDS, GRIDDLE | A | 7310 | SH | | 28-OCT-92 | | SH | | |
| D | | | MIL-R-2341F<br>NOTICE 1 | ROD AND CLAMP, INSECT BAR (VALIDATION DATE: 9007) USER: YD1 REVIEWER: 82 CT MD SA | A | 7210 | CT | | 30-JUL-90 | GL | | 99 | CT |
| D | | | MIL-P-2343F<br>NOTICE 1 | POCKET, AMMUNITION MAGAZINE, ENLISTED MEN S, M-1923 (VALIDATION DATE: 8706) USER: YD1 REVIEWER: MC MD | A | 8465 | CT | | 25-JUN-87 | GL | SA | 99 | CT |
| D | | | MIL-D-2351C | DOUGH INTERMEDIATE PROOFING MACHINES (VALIDATION DATE: 8103) USER: CE ME REVIEWER: GS MD SA | A | 7320 | GL | | 09-JUL-68 | GL | YD1 | 99 | |
| D | | | MIL-D-2352C | DOUGH ROUNDING MACHINE (VALIDATION DATE: 8103) REVIEWER: GS MD SA | A | 7320 | GL | | 11-APR-68 | GL | YD1 | 99 | |
| D | | | MIL-C-2354F<br>NOTICE 1 | COOKERS, STEAM, VERTICAL (VALIDATION DATE: 9203) USER: CE REVIEWER: 84 GS MC MD | A | 7310 | GL | | 27-MAR-92 | GL | YD1 | 99 | |
| A | | | MIL-G-2366K | GLOVES, MEN'S AND WOMEN'S, HEAVY DUTY USER: 45 EL MC SH REVIEWER: 11 82 MD | A | 8415 | CT | | 08-MAR-89 | GL | MU | 99 | CT |
| A | | | MIL-B-2378H | BAG, BARRACKS REVIEWER: MD | A | 8465 | CT | | 20-MAY-85 | GL | | | CT |
| D | | | MIL-P-2383H | PIN, TENT, WOOD USER: 45 MC YD1 REVIEWER: 82 | A | 8340 | CT | | 26-AUG-86 | GL | MU | 99 | CT |
| A | | | MIL-C-2399B(2)<br>NOTICE 2 | CEMENT, LIQUID, TENT PATCHING (VALIDATION DATE: 9301) USER: MC MI SH REVIEWER: EA MD MR | A | 8040 | GL | | 04-JAN-93 | GL | AS | 84 | |
| A | L | | MIL-O-2414H | OVERCOAT, MAN'S, ENLISTED | A | 8405 | CT | | 15-AUG-88 | | MU | | CT |
| A | | | MIL-M-2418G | MITTEN SHELLS, SNOW CAMOUFLAGE, COTTON, WHITE, TWO FINGER USER: 11 45 MC REVIEWER: MD | A | 8415 | CT | | 31-AUG-90 | GL | | 99 | CT |
| A | L | | MIL-T-2423L | TROUSERS, MEN'S (WHITE) | A | 8405 | CT | | 30-SEP-88 | | MU | | CT |
| D | L | | MIL-B-2424D | BLOCK AND TACKLE, WITH LOAD LOCKING DEVICE USER: YD1 REVIEWER: IS | A | 3940 | ME | | 06-OCT-83 | ME | | | |
| | L | | MIL-B-2427G(6) | BOX, AMMUNITION PACKING: WOOD, NAILED | A | 8140 | AR | | 28-APR-92 | AR | | | |
| | | | MIL-C-2439E(5) | CONTAINER, AMMUNITION, FIBER, SPIRALLY WOUND REVIEWER: SH | A | 8140 | AR | | 28-APR-92 | AR | OS | | |
| | L | | MIL-C-2440F | CONTAINER, METAL, FOR PROPELLING CHARGE | A | 8140 | AR | | 01-APR-92 | AR | | | |
| D | | | MIL-T-2452J | TRUCKS, REFUSE COLLECTION: COMPACTION TYPE, REAR HOPPER LOADING, WITH TILT CAB, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 TO 44,500 POUNDS GVW, 4X2 AND 6X4, 10 TO 25 YARD, COMMERCIAL USER: MC REVIEWER: 84 | A | 2320 | AT | | 02-MAR-88 | AT | YD1 | 99 | |
| D | | | MIL-D-2457J | DUSTER, INSECTICIDE, MASS DELOUSING REVIEWER: 84 CE CG MS | A | 4230 | CS | | 01-NOV-88 | MD | YD1 | 99 | CS |
| | | | MIL-R-2461E<br>NOTICE 1 | ROLL, FIELD BREAKDOWN, COMMISSARY OUTFIT (VALIDATION DATE: 8904) REVIEWER: GS MD | A | 7360 | GL | | 22-APR-89 | GL | MC | | |
| D | | | MIL-D-2467F | DOUGH ROLLING MACHINE, PIE REVIEWER: 84 GS MC | A | 7320 | YD1 | | 24-JUL-87 | | YD1 | 99 | |
| | | | MIL-R-2470E(1) | REFRIGERATOR, MECHANICAL, MORTUARY REVIEWER: GS MD | A | 4110 | GL | | 13-JAN-82 | GL | | 99 | |
| D | | | MIL-D-2471D | DOUGH DIVIDING MACHINE, AUTOMATIC, POCKET (VALIDATION DATE: 8103) REVIEWER: GS MD | A | 7320 | GL | | 19-JUN-68 | GL | YD1 | 99 | |
| | | | MIL-F-2473D | FLOUR HANDLING PLANTS (VALIDATION DATE: 8101) REVIEWER: GS MD | A | 3605 | GL | | 23-MAY-69 | GL | | 99 | |
| | | | MIL-D-2477C(1) | DOUGH MOLDING MACHINE, LOAF USER: MC SA REVIEWER: GS | A | 7320 | SH | | 17-JUN-81 | | SH | 99 | |
| D | | | MIL-O-2478H | OVEN, BAKING & ROASTING, DECK, TWO COMPARTMENT, OIL USER: MC REVIEWER: GS MD | A | 7310 | GL | | 30-SEP-83 | GL | YD1 | 84 | |
| | L | | MIL-B-2481E | BULLS EYES, 5/16 INCH INSIDE DIAMETER USER: AT AV ME MI REVIEWER: IS | A | 3940 | GL | | 25-JAN-88 | GL | | | |
| | | | MIL-C-2486C<br>NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL WM-46/U (VALIDATION DATE: 8808) REVIEWER: IS MI | A | 6145 | CR | | 16-AUG-88 | CR | SH | 85 | |
| | | | MIL-T-2487B<br>NOTICE 1 | TEST SET TS&27( )-TSM (VALIDATION DATE: 8606) USER: AT MD SC | A | 6625 | CR | | 06-JUN-86 | CR | | | |
| | L | | MIL-P-2496D(1)<br>NOTICE 1 | PRIMER, PERCUSSION, M29A1 PARTS AND LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9008) REVIEWER: EA | A | 1375 | AR | | 27-AUG-90 | AR | | | |
| | L | | MIL-P-2497B(3)<br>NOTICE 1 | PRIMER, PERCUSSION, M27 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8808) | A | 1390 | AR | | 22-AUG-88 | AR | | | |
| | | | MIL-B-2505G | BUCKLE, CENTER BAR WITH TONGUE USER: AR MC REVIEWER: 82 IS ME | A | 5340 | GL | | 28-DEC-84 | GL | | 99 | |
| | | | MIL-H-2514D | HAMMER, PILEDRIVER, DROP, 1,800 AND 3,000 POUNDS (VALIDATION DATE: 8111) USER: CE REVIEWER: CS | A | 3895 | ME | | 24-JAN-77 | ME | | 99 | |
| | | | MIL-C-2522E<br>NOTICE 1 | CORD, FIBROUS LINEN, SHOCK ABSORBER SERVING USE (VALIDATION DATE: 8904) USER: AV REVIEWER: IS | A | 4020 | GL | | 22-APR-89 | GL | | 99 | |
| | | | MIL-D-2525D | DRAWERS, MENS, COTTON, ANKLE LENGTH (VALIDATION DATE: 8502) USER: 45 REVIEWER: CT MD | A | 8420 | MC | | 29-DEC-72 | GL | MC | | |
| | L | | MIL-U-2526D | UNDERSHIRT, MAN S, COTTON, FULL LENGTH SLEEVES (VALIDATION DATE: 8306) USER: 45 REVIEWER: CT | A | 8420 | MC | | 16-JUL-71 | | MC | | |
| | LI | | MIL-T-2534B(1)<br>NOTICE 1 | TRAINING GENERATOR AN/URA-TI( ) (UNITS OF) REVIEWER: MC | A | 6940 | CR | | 03-APR-89 | CR | | | |
| | | | MIL-A-2550B(1) | AMMUNITION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 7905) USER: MC REVIEWER: EA MI | A | 1395 | AR | | 24-APR-73 | AR | OS | 99 | |
| | L | | MIL-A-002550C | AMMUNITION, GENERAL SPECIFICATION FOR | A | 1395 | AR | | 17-NOV-77 | AR | | | |
| | L | | MIL-A-002550C(12) | AMMUNITION, GENERAL SPECIFICATION FOR | A | 1395 | AR | | 28-JUN-91 | AR | | | |
| | | | MIL-P-2586A(1) | PERIMETER, OPHTHALMOLOGICAL, SCHWEIGGER, HAND (VALIDATION DATE: 8406) | A | 6515 | DH | | 15-JUN-72 | MD | MS | 03 | |
| | L | | MIL-L-2594D | LUMBER, SHIP & BOAT CONSTRUCTION, CEDAR, MAHOGANY, & DOUGLAS FIR REVIEWER: CS | A | 5510 | SH | | 14-MAR-88 | ME | SH | 99 | |
| | | | MIL-S-2609D | SIGN BOX, INTERIOR ILLUMINATED, ELECTRIC (4 INCH BY 15 INCH MESSAGE) (VALIDATION DATE: 8104) USER: AT MC REVIEWER: GS | A | 9905 | GL | | 28-OCT-68 | GL | | 99 | |
| | L | | MIL-P-2610B(1) | POLISH, METAL, LIQUID, MIRROR, SEARCHLIGHT, NON-FREEZING TYPE. (VALIDATION DATE: 8303) USER: MC REVIEWER: 99 GS MD | A | 7930 | GL | | 15-SEP-67 | GL | | | |
| | | | MIL-B-2619A | BAG, PATIENT S EFFECTS (VALIDATION DATE: 8202) | A | 6530 | DH | | 30-DEC-57 | MD | MS | 03 | |
| | | | MIL-B-0026198 | BAG, PATIENT S, EFFECTS (VALIDATION DATE: 8202) | A | 6530 | DH | | 13-AUG-64 | MD | MS | 03 | |
| | | | MIL-C-2642A | CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL (NO S/S DOCUMENT) | A | 6515 | MB | | 19-JAN-90 | MD | MS | 03 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | | | MIL-S-2649B(1) | SEARCHLIGHT, INCANDESCENT, 7-INCH SEALED BEAM LAMP FOR SMALL BOATS USER: YD1 REVIEWER: GS | A | 6230 | | SH | 12-JUN-86 | | SH | | |
| | Q | | | MIL-B-2678C | BRUSHES, WIRE, BOILER TUBE, EXPANDING TYPE FOR USE WITH ELECTRIC AND AIR MOTOR DRIVEN BOILER TUBE CLEANING OUTFITS, AND FIXED SECTIONAL HAND TYPE REVIEWER: AR CE | A | 5120 | | SH | 04-AUG-89 | GL | SH | 99 |
| | | | | MIL-B-2680 | BUOY, ANCHOR, SPAR (VALIDATION DATE: 8407) | A | 2050 | | SH | 23-AUG-51 | ME | SH | | |
| D | | | | MIL-C-2683A | CHAIN ASSEMBLY, SINGLE LEG, BOAT ANCHOR (VALIDATION DATE: 8405) USER: YD1 REVIEWER: IS | A | 4010 | | SH | 20-JAN-55 | | SH | 99 | |
| | | | | DOD-C-2687B(1) NOTICE 1 | COMPOUND, BATTERY SEALING (METRIC) (VALIDATION DATE: 8706) | A | 8030 | | SH | 02-JUN-87 | | SH | | |
| | | | | MIL-F-2692H | FLAGS AND PENNANTS USER: 45 REVIEWER: 82 CT | A | 8345 | | IH | 26-MAR-92 | IH | NU | 11 | |
| | L | | | MIL-G-2697A(2) | GLASS, PORTLIGHT, CIRCULAR, HEAT TREATED (VALIDATION DATE: 8104) USER: CS REVIEWER: 99 | A | 2040 | | SH | 22-SEP-65 | | SH | | |
| | LI | | | MIL-I-002703C(1) NOTICE 1 | INDICATOR, COMBUSTIBLE GAS, PORTABLE | A | 6665 | | SH | 15-MAR-91 | | SH | | |
| D | | | | MIL-L-2710B | LINKS, CHAIN, DETACHABLE, REGULAR AND PEAR-SHAPED USER: YD1 REVIEWER: IS | A | 4010 | | SH | 25-MAR-91 | | SH | 99 | |
| | | | | MIL-M-2714A(1) | MICROPHONE, CARBON, HAND HELD (VALIDATION DATE: 8104) USER: AS CG REVIEWER: ES | A | 5965 | | EC | 06-FEB-69 | CR | EC | 85 | |
| | L | | | MIL-R-2726B | RECEPTACLE, RECEPTACLE PLUGS, SWITCH AND RECEPTACLES, AND OUTLETS, GENERAL SPECIFICATION FOR USER: CR REVIEWER: AR ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/1B | RECEPTACLE, PLUG, ELECTRICAL, 2 PIN, 40 AMPERE, 125 VOLT DIRECT CURRENT (SYMBOL NO. 715.1) (VALIDATION DATE: 8008) REVIEWER: ES | A | 5935 | | SH | 19-APR-68 | | SH | | |
| | L | | | MIL-R-2726/2B | RECEPTACLE, PLUG, ELECTRICAL, 3 PIN GROUNDED, 50 AMPERE, 250 VOLT DIRECT CURRENT (SYMBOL NO. 716.1) (VALIDATION DATE: 8008) REVIEWER: ES | A | 5935 | | SH | 19-APR-68 | | SH | | |
| | L | | | MIL-R-2726/3C | RECEPTACLE, PLUG, ELECTRICAL, 4 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT, 60 HZ (SYMBOL NR 717.1) (VALIDATION DATE: 8008) REVIEWER: ES | A | 5935 | | SH | 30-JUL-71 | | SH | | |
| | L | | | MIL-R-2726/5B | RECEPTACLE, PLUG, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NO. 1140.1) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/6B | RECEPTACLE, PLUG, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NO. 1143.1) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/7A | RECEPTACLE, ELECTRICAL, 2 PIN, 40 AMPERE, 125 VOLT DIRECT CURRENT (SYMBOL NOS. 756.1 AND 756.2) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/8A | RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 50 AMPERE, 250 VOLT DIRECT CURRENT (SYMBOL NOS. 757.1 AND 757.2) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/9A | RECEPTACLE, ELECTRICAL, 4 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NOS. 758.1 AND 758.2) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/11B | RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NO. 1141.1) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/12A | RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1144.1 & 1144.2) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/13D | RECEPTACLE, CAP ASSEMBLY, ELECTRICAL (SYMBOL NO. 1142.1) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/15B | RECEPTACLE, ELECTRICAL, ENCLOSED, 3 PIN GROUNDED, 50 AMPERE, 250 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1146.1, 1146.2, AND 1146.3) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/16A | RECEPTACLE, ELECTRICAL, ENCLOSED, 4 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1147.1, 1147.2 AND 1147.3) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/17B | RECEPTACLE, ELECTRICAL, ENCLOSED, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1148.1, 1148.2, AND 1148.3) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/18A | RECEPTACLE, ELECTRICAL, TRIPLE, 50 AMPERE, 250 VOLT DIRECT CURRENT, 3 POLE GROUNDED (SYMBOL NO. 1105.1) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/19B | RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 450 VOLT, ALTERNATING CURRENT, 60 HZ, 3 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO 915.1) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/20A | RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 450 VOLT, 1 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO. 916.1) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/21A | RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 250 VOLT DIRECT CURRENT, INTERLOCKING, GROUNDED (SYMBOL NO. 917.1) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/22A | RECEPTACLE, OUTLET, ELECTRICAL, WELDING, 200AMPERE, DIRECT CURREN T, CONSTANT POTENTIAL (SYMBOL NO. 770.2) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/23A | RECEPTACLE, ELECTRICAL, ENCLOSED, 100 AMPERE, 250 VOLT DIRECT CURRENT, BULKHEAD MOUNTED (SYMBOL NO. 726.1) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/24B | RECEPTACLE, PLUG, ELECTRICAL, CONNECTOR, 25-AMPERE, 500 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 707.1) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/25A | RECEPTACLE, ELECTRICAL CONNECTOR, 25 AMPERE, 500 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 722.1) | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/26C | RECEPTACLE, PLUG, ELECTRICAL 4 PIN, 60 AMPERE, 208/117 VOLT, 3 PHASE (SYMBOL NO 728.1) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/27B | RECEPTACLE WITH SWITCH, ELECTRICAL, 60 AMPERE, 208/117 VOLT, 3 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO. 776.1) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/28A | RECEPTACLE, ELECTRICAL 4 POLE GROUNDED, 100 AMPERE, 450 VOLT, 3 PHASE, ( SYMBOL NO. 1221) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-P-2726/29 | PLUG, ELECTRICAL, 4 POLE GROUNDED, 100 AMPERE, 450 VOLT, 3 PHASE (SYMBOL NO. 1222) (VALIDATION DATE: 8301) REVIEWER: ES | A | 5935 | | SH | 30-JUN-67 | | SH | | |
| | L | | | MIL-R-2726/30A | PLUG, ELECTRICAL, 10 AMPERE, 125 VOLT, SINGLE POLE, MALE (SYMBOL NO. 727.1) (VALIDATION DATE: 8301) REVIEWER: ES | A | 5935 | | SH | 30-JUN-67 | | SH | | |
| | L | | | MIL-R-2726/31A | PLUG, ELECTRICAL, 10 AMPERE, 125 VOLT, DOUBLE POLE, MALE (SYMBOL NO. 729.1) 300667 (VALIDATION DATE: 8301) REVIEWER: ES | A | 5935 | | SH | 30-JUN-67 | | SH | | |
| | L | | | MIL-R-2726/32A | RECEPTACLE, ELECTRICAL, 10 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED (SYMBOL NO. 775.1) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/33B | RECEPTACLE, PLUG, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, MALE (SYMBOL NO. 1214.2 - RED, SYMBOL NO. 1214.5 - BLACK) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/34C | RECEPTACLE, PLUG, ELECTRICAL, 40 AMPERES, 125 VOLT, SIGNAL POLE, FEMALE TYPE (SYMBOL NO 1214.3 RED, SYMBOL NO 1214.4 BLACK) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/35B | RECEPTACLE, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED, FEMALE (SYMBOL NO. 1213.2) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/36B | RECEPTACLE, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED, MALE TYPE (SYMBOL NO. 1213.3 - RED, SYMBOL NO. 1213.5 - BLACK) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/37E | RECEPTACLE, ELECTRICAL, 15-AMPERE, 125-VOLT, 60-HERTZ, BLADED TYPE, GROUNDED (SYMBOL NO. 1099.1) REVIEWER: ES | A | 5935 | | SH | 07-AUG-89 | | SH | | |
| | L | | | MIL-R-2726/38C | RECEPTACLE, PLUG, ELECTRICAL, 15 AMP, 125 V, BLADED TYPE, GROUNDED (SYMBOL NO. 1218.3) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/39A | RECEPTACLE AND SWITCH, ELECTRICAL, 15 AMPERE, 125 VOLT, BLADED TYPE, GROUNDED (SYMBOL NO. 919) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/40A | RECEPTACLE CHANNEL, ELECTRICAL, 10 AMPERE, 125 VOLT, BLADED TYPE, GROUNDED (SYMBOL NO. 730.4) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/41A | RECEPTACLE, ELECTRICAL, ENCLOSED, 15 AMPERE, 125 VOLT, G POLE (SYMBOL NO. 1098.1) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/42A | RECEPTACLE, ELECTRICAL, ENCLOSED, 60 AMPERE, 500 VOLT, 3 PHASE, GROUNDED (SYMBOL NO. 746.2) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/43A | RECEPTACLE, ELECTRICAL, (BLADED) 15 AMPERE WITH 3 AMPERE SWITCH, TYPE DPST, 125 VOLT, GROUNDED, TOTALLY ENCLOSED (SYMBOL 918.1) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |
| | L | | | MIL-R-2726/44A | RECEPTACLE, PORTABLE TRIPLE OUTLET, ELECTRICAL, 60-AMPERE, 500-VOLT, 3-PHASE GROUNDED (SYMBOL NO. 765.3) REVIEWER: ES | A | 5935 | | SH | 03-JUL-86 | | SH | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| L | MIL-R-2726/45B | RECEPTACLE, OUTLET SWITCH, ELECTRICAL, 100 AMPERE, 125 VOLT, 60 AMPERE, 250 VOLT, INTERLOCKING, GROUNDED (SYMBOL NO. 772.1) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/46A | RECEPTACLE, PLUG, ELECTRICAL, 100-AMPERE, 250 VOLT, DIRECT CURRENT, 3 POLE (SYMBOL NO. 721.1) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| LI | MIL-R-2726/47A NOTICE 1 | RECEPTACLE, ELECTRICAL, ENCLOSED, 15-AMPERE, 125-VOLT 2-POLE, GROUNDED (SYMBOL NO. 735.3) REVIEWER: ES | A 5935 SH 26-DEC-90 | | SH | | |
| LI | MIL-R-2726/48B NOTICE 1 | RECEPTACLE AND SWITCH, ELECTRICAL, ENCLOSED, 15-AMPERE, 125-VOLT INTERLOCKING, GROUNDED (SYMBOL NO. 900.1) REVIEWER: ES | A 5935 SH 26-DEC-90 | | SH | | |
| L | MIL-R-2726/49D(1) | RECEPTACLE, OUTLET, TRIPLE, ELECTRICAL, 40-AMPERE, 450-VOLT, 60 HERTZ, ALTERNATING CURRENT, 4-POLE, PORTABLE, PLASTIC, GROUNDED (SYMBOL NOS. 765.6, 765.7 AND 765.8) REVIEWER: ES | A 5935 SH 01-MAR-91 | | SH | | |
| LI | MIL-R-2726/50C NOTICE 1 | RECEPTACLE, PLUG, ELECTRICAL, 15-AMPERE, 125/250-VOLTS, 2-POLE, GROUNDED (SYMBOL NO. 720.3) REVIEWER: ES | A 5935 SH 26-DEC-90 | | SH | | |
| L | MIL-R-2726/51B | RECEPTACLE, ADAPTER, ELECTRICAL, 15-AMPERE, 125-VOLT, ALTERNATING CURRENT, GROUNDED (SYMBOL NO. 2440.2) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/52A | PLUG, ELECTRICAL, 3 PIN GROUNDED, 10 AMPERE, 450 VOLT, 60 CYCLE, SINGLE PHASE (SYMBOL NO. 1257) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/53A | PLUG, ELECTRICAL, 4 PIN GROUNDED, 10 AMPERE, 450 VOLT, 60 CYCLE, A.C., SYMBOL NO. 1258 REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/54A | RECEPTACLE, PLUG, ELECTRICAL, 3-PIN GROUNDED, 10 AMPERE, 450-VOLT, 400 HERTZ, SINGLE-PHASE (SYMBOL NO. 1259) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/55A | RECEPTACLE, PLUG, ELECTRICAL, 4-PIN GROUNDED, 10 AMPERE, 450-VOLT, 400-HERTZ, 3-PHASE (SYMBOL NO. 1260) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/56A | RECEPTACLE, PLUG, ELECTRICAL, 4-POLE GROUNDED, 60-AMPERE, 450-VOLT, 3-PHASE (SYMBOL NO. 1261) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/57A | RECEPTACLE, ELECTRICAL, 3-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ, SINGLE PHASE (SYMBOL NO. 1262) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/58A | RECEPTACLE, ELECTRICAL, 4-PIN GROUNDED, 10-AMPERE, 450 VOLT, 60-HERTZ, ALTERNATING CURRENT (SYMBOL NO. 1263) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/59A | RECEPTACLE, ELECTRICAL, 3-PIN GROUNDED, 10 AMPERE, 450-VOLT, 400 HERTZ, SINGLE PHASE (SYMBOL NO. 1264) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/60A | RECEPTACLE, ELECTRICAL, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 400 HERTZ, 3-PHASE (SYMBOL NO. 1265) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/61A | RECEPTACLE, ELECTRICAL, 4-POLE GROUNDED, 60 AMPERE, 450 VOLT, 3 PHASE (SYMBOL NO. 1266) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/62B | RECEPTACLE, ELECTRICAL, ENCLOSED, 3-PIN GROUNDED, 10-AMPERE, 450 VOLT, 60-HERTZ, SINGLE PHASE (SYMBOL NO. 1267) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/63B | RECEPTACLE, ELECTRICAL, ENCLOSED, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ, ALTERNATING CURRENT (SYMBOL NO. 1268) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/64B | RECEPTACLE, ELECTRICAL, ENCLOSED, 3-PIN GROUNDED, 10-AMPERE, 450 VOLT, 400 HERTZ, SINGLE PHASE (SYMBOL NO. 1269) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/65B | RECEPTACLE, ELECTRICAL, ENCLOSED, 4-PIN GROUNDED, 10-AMPERE, 450 VOLT, 400 HERTZ, 3-PHASE (SYMBOL NO. 1272) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/67A | RECEPTACLE, ELECTRICAL, ENCLOSED, 10 AMPERE, 125 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 741.2) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/68C | RECEPTACLE, PLUG, CONNECTOR, ELECTRICAL, 10 AMPERE, 125 VOLT, 3 PHASE GROUND (SYMBOL NO. 706.1) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/69B | RECEPTACLE, OUTLET, TRIPLE, ELECTRICAL, PORTABLE, 15 - AMPERE, 125 - VOLT ALTERNATING CURRENT, DOUBLE POLE, GROUNDED, 25-FOOT CABLE EXTENSION (SYMBOL NO. 779) REVIEWER: ES | A 5935 SH 03-JUL-86 | | SH | | |
| L | MIL-R-2726/72B | RECEPTACLE, ADAPTER, ELECTRICAL, 15 AMPERE, 125 VOLT, AC, 60 TO 400 HZ, GROUNDED (SYMBOL NO 2439) [VALIDATION DATE: 7903] REVIEWER: ES | A 5935 SH 01-NOV-72 | | SH | | |
| L | MIL-R-2726/73B NOTICE 1 | RECEPTACLE, ELECTRICAL, 15-AMPERE, 125-VOLT, BLADED TYPE, GROUNDED (PORTABLE) (SYMBOL NO. 1215) [VALIDATION DATE: 9202] REVIEWER: ES | A 5935 SH 20-FEB-92 | | SH | | |
| | MIL-R-2728C NOTICE 1 | REFLECTOR, LIGHT; PARABOLIC, SEARCHLIGHT [VALIDATION DATE: 9012] REVIEWER: GS | A 6210 SH 18-DEC-90 | ME | SH | 99 | |
| L | MIL-R-2729D | REGULATOR-EXCITER SYSTEMS, VOLTAGE, A.C. GENERAL, NAVAL SHIPBOARD USE ..... | A 6110 SH 28-JAN-92 | | SH | | |
| A L | MIL-D-2759E | DEAD RECKONING TRACER (DRT) (NAVAL SHIPBOARD) ..... | A 6605 SH 18-DEC-87 | | SH | | |
| | MIL-F-2763B | FILTER, LIGHT, OPTICAL INSTRUMENT, BINOCULAR [VALIDATION DATE: 8506] USER: MC MI OS | A 6650 AR 01-DEC-66 | AR | SH | 99 | |
| L | MIL-T-2764C | TESTER, DEAD WEIGHT PISTON [VALIDATION DATE: 8312] REVIEWER: GS ..... | A 6685 SH 13-MAR-72 | | SH | | |
| | MIL-R-2765D NOTICE 1 | RUBBER SHEET, STRIP, EXTRUDED, AND MOLDED SHAPES, SYNTHETIC, OIL RESISTANT [VALIDATION DATE: 9104] USER: ME REVIEWER: EA IS MI | A 5330 SH 04-APR-91 | AR | SH | | |
| | MIL-G-2767C(1) | GUARDS, RAT, SHIP ..... | A 2040 SH 05-APR-89 | ME | SH | | |
| L | MIL-R-2778B NOTICE 2 | RUBBER SHEET, SOLID, UNVULCANIZED, HIGH GRAPHITE, GASKET USE, SYMBOL 2352 [VALIDATION DATE: 9103] REVIEWER: IS | A 5330 SH 27-MAR-91 | | SH | | |
| Q | MIL-I-2781F | INSULATION, PIPE, THERMAL ..... | A 5640 SH 21-AUG-91 | ME | SH | 84 | |
| | MIL-R-2784A NOTICE 1 | RULES, SOUNDING, JOINTED [VALIDATION DATE: 9106] REVIEWER: GS ..... | A 6680 SH 07-JUN-91 | ME | SH | | |
| D | MIL-H-2813A | HOIST, CHAIN AND WIRE ROPE, PNEUMATIC [VALIDATION DATE: 7903] USER: AS OS REVIEWER: CS GL YD1 | A 3950 SH 28-MAR-56 | ME | SH | 99 | |
| | MIL-H-2814E | HOOK, MATERIALS HANDLING, HAND, MEAT, AND HOOKS, MEAT HANGING [VALIDATION DATE: 8104] USER: MC MS | A 5120 GL 25-SEP-73 | GL | | 99 | |
| | MIL-H-2815G | HOSE ASSEMBLIES, RUBBER, DIVER'S BREATHING AIR AND GAS SUPPLY USER: ME MS REVIEWER: CS MD | A 4220 SH 17-FEB-89 | EA | SH | | |
| D | MIL-I-2818C(1) | INSULATION BLANKET, THERMAL, FIBROUS MINERAL USER: YD1 ..... | A 5640 SH 13-JUL-92 | ME | SH | | |
| Q | MIL-I-2819F(2) | INSULATION BLOCK, THERMAL ..... | A 5640 SH 08-JUL-82 | ME | SH | 99 | |
| L | MIL-P-2845D | PROPULSION SYSTEMS, BOAT AND SHIP: MAIN SHAFTING, PROPELLERS, BEARINGS, GAUGES, SPECIAL TOOLS, AND ASSOCIATED REPAIR PARTS; PACKAGING OF | A PACK SH 17-JUN-91 | | SH | | |
| | MIL-G-2857B | GLASS, HEAT-TREATED, GLAZING, RECTANGULAR (FOR BRIDGE WINDOWS) ..... | A 5620 SH 10-NOV-88 | ME | SH | 84 | |
| L | MIL-G-2860E | GLASS, SIGHT, FLAT, CLEAR, BOROSILICATE [VALIDATION DATE: 8309] USER: ME REVIEWER: GS | A 2040 SH 30-DEC-77 | | SH | | |
| | MIL-C-2861E | CEMENT, INSULATION, HIGH TEMPERATURE REVIEWER: MI ..... | A 5640 SH 05-AUG-88 | ME | SH | 99 | |
| QL | MIL-P-2863B(2) NOTICE 1 | PACKING, PREFORMED, CONDENSER-TUBE (SYMBOL 1435) REVIEWER: IS ..... | A 5330 SH 15-JAN-88 | | SH | | |
| A L | MIL-B-2873D | BOAT CLOTH ..... | A 7210 CT 12-MAR-85 | | MU | | CT |
| A L | MIL-G-2874E | GLOVES, ANTI-FLASH, FLAME RESISTANT USER: 45 MC REVIEWER: 82 ..... | A 8415 CT 01-JUL-87 | GL | MU | 99 | CT |
| D | MIL-A-2877C NOTICE 1 | ALUMINUM ALLOY TAPE [VALIDATION DATE: 9102] USER: GL MC YD1 REVIEWER: AS IS | A 9535 SH 20-FEB-91 | MR | SH | | |
| | MIL-P-28800 | PAPER, TEMPLATE USER: CG SA ..... | A 9310 GL 18-NOV-76 | GL | | 99 | |
| A L | MIL-B-2883D | BOATSWAIN'S PIPE REVIEWER: CG ..... | A 8465 CT 17-OCT-88 | | MU | | CT |
| A | MIL-B-2885F | BOOTS, FIREMENS USER: 45 AS SH REVIEWER: EA MD ..... | A 8430 CT 06-OCT-87 | GL | MU | 99 | CT |
| L | MIL-L-2898D(1) | LOCKS, FLUSH, METAL AND WOOD DOOR AND DRAWER, NAVAL SHIPBOARD REVIEWER: IS MI | A 5340 SH 17-APR-89 | | SH | | |
| L | MIL-L-2898/1 | LOCK, FLUSH, TYPE A, DEAD BOLT ..... | A 5340 SH 17-APR-89 | | SH | | |
| L | MIL-L-2898/2 | LOCK, FLUSH, TYPE B, DEAD BOLT ..... | A 5340 SH 17-APR-89 | | SH | | |
| L | MIL-W-2902D | WIRE ROPE ASSEMBLIES, SINGLE LEG, OXYGEN BREATHING APPARATUS SAFETY LINE REVIEWER: IS | A 4010 SH 23-DEC-88 | | SH | | |
| Q | MIL-P-2911A(1) | PACKING ASSEMBLY, HYDRAULIC CONICAL AND V TYPES [VALIDATION DATE: 8106] USER: AV REVIEWER: CS IS MI | A 5330 SH 07-DEC-60 | AR | SH | | |
| L | MIL-S-2912F | SYNTHETIC RUBBER COMPOUND, ACID AND OIL RESISTANT ..... | A 9320 SH 26-JUL-88 | | SH | | |
| QL | MIL-C-2939F | COOLING COILS, AIR, DUCT TYPE AND GRAVITY TYPE, NAVAL SHIPBOARD ENVIRONMENTAL CONTROL SYSTEMS REVIEWER: GS | A 4130 SH 31-DEC-90 | | SH | | |
| Q | MIL-S-2940B(1) | SNUBBERS, FLUID PRESSURE, INSTRUMENT PROTECTION REVIEWER: 82 GS MI ..... | A 6685 SH 12-NOV-86 | ME | SH | 99 | |

| Action | OPR / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | MIL-S-2953C(1) | STRAINERS, STEAM (SIZES 3 INCHES AND BELOW) REVIEWER: AL AR CS YD1 ..... | A | 4730 | SH | ME | 23-APR-91 | ME | SH | | |
| | L | | MIL-V-2961D | VALVES, GLOVE, PRESSURE REDUCING, GAS SERVICE REVIEWER: CS ..... | A | 4820 | SH | | 03-APR-90 | | SH | | |
| | | | MIL-V-2962B | VALVE, PRESSURE REGULATING, BOILER FUEL OIL [VALIDATION DATE: 8404] REVIEWER: 11 AR CS | A | 4820 | SH | | 20-OCT-61 | ME | SH | 99 | |
| | | | MIL-R-2978C NOTICE 1 | REFLECTORS, BARREL [VALIDATION DATE: 8809] USER: MC ..... | A | 4933 | AR | | 08-SEP-88 | AR | OS | | |
| | | | MIL-F-2980E(1) | FIRING ATTACHMENTS, BLANK AMMUNITION [VALIDATION DATE: 8502] USER: MC REVIEWER: 84 | A | 1005 | AR | | 14-MAR-79 | AR | OS | 99 | |
| | | | MIL-H-2987B | HIDER, FLASH [VALIDATION DATE: 8201] USER: MC REVIEWER: 84 ..... | A | 1005 | AR | | 11-NOV-75 | AR | OS | | |
| A | | | MIL-P-3003K(1) | PONCHO, WET WEATHER, HEAVY DUTY USER: SH REVIEWER: MC MD ..... | A | 8405 | CT | | 16-JUL-90 | GL | MU | | CT |
| A | | | MIL-S-3007J(1) | SWEATER, MAN'S, OLIVE DRAB USER: 45 CG MU REVIEWER: 11 82 MD ..... | A | 8405 | CT | | 10-JAN-89 | GL | | 99 | CT |
| A | L | | MIL-D-3018D(2) NOTICE 1 | DRESS, FOOD HANDLER'S, WOMAN'S [VALIDATION DATE: 8911] USER: 11 MC MS REVIEWER: MD | A | 8415 | CT | | 08-NOV-89 | | | 99 | CT |
| A | | | MIL-M-3019E | NECKLACE, PERSONNEL, IDENTIFICATION TAG USER: 45 CG MC REVIEWER: 82 MD PE . | A | 8465 | CT | | 09-FEB-90 | GL | MU | 99 | CT |
| | | | MIL-A-3029A | ASPHALT, WATERPROOFING (FOR USE IN MANUFACTURE OF FIBER AMMUNITION CONTAINERS) REVIEWER: EA | A | 5610 | AR | | 30-MAY-89 | AR | OS | | |
| | | | MIL-C-3031J(1) | COCOA BEVERAGE POWDER REVIEWER: MC MD MS SS TS ..... | A | 8960 | GL | | 01-DEC-87 | GL | SA | 50 | |
| | | | MIL-G-3036C(1) | GROMMET, ELASTIC, HOT OIL & COOLANT RESISTANT [VALIDATION DATE: 8507] USER: AS EC MC SA REVIEWER: EA ER GL IS MI MS | A | 5325 | AR | | 15-NOV-78 | AR | OS | 99 | |
| | L | | MIL-S-3039C | STEEL, STRAP, HIGH CARBON, SPHEROIDIZED ANNEALED (FOR AMMUNITION CARTRIDGE CLIPS) REVIEWER: AR IS | A | 9515 | MR | | 26-JAN-88 | MR | | | |
| | | | MIL-R-3043B | RESIN COATING, UNPIGMENTED, FOR ENGINE COMPONENTS AND METAL PARTS [VALIDATION DATE: 8207] USER: AT SA REVIEWER: 11 AS AV OS | A | 8030 | 84 | | 05-JAN-72 | MR | SH | 99 | |
| D | | | MIL-T-3044E | TRUCK, DUMP, OFF ROAD, DIESEL ENGINE DRIVEN, 15 TO 50 TON PAYLOAD [VALIDATION DATE: 8108] USER: AT CE REVIEWER: CS | A | 3805 | ME | | 03-SEP-76 | ME | YD1 | | |
| A | | | MIL-D-3052E | DECORATION, FOURRAGERE [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | | 20-NOV-92 | IH | | 11 | |
| A | L | | MIL-L-3055C(1) | LEAD AZIDE REVIEWER: OS ..... | A | 1376 | AR | | 19-MAR-93 | AR | | | |
| | | | MIL-L-003055B | LEAD AZIDE ..... | A | 1376 | AR | | 26-APR-85 | AR | | | |
| D | | | MIL-G-3056F(2) | GASOLINE, AUTOMOTIVE, COMBAT USER: MC YD1 REVIEWER: 11 AT EA SA ..... | A | 9130 | ME | | 18-MAY-92 | ME | SH | 68 | |
| D | | | MIL-L-3058G | LOADING STANDARDS, LIQUID TRANSFER, BULK: LIQUID FUELS, STATIONARY, 3-INCH USER: CE REVIEWER: AT CS | A | 3990 | ME | | 19-MAY-92 | ME | YD1 | | |
| | | | MIL-S-3059E | SOUP, DEHYDRATED, GREEN PEA, SIMMER TYPE REVIEWER: MC MD MS SS TS ..... | A | 8935 | GL | | 31-MAR-86 | GL | SA | 50 | |
| | L | | MIL-B-3060L(4) | BOXES, SMALL ARMS AMMUNITION: M19A1 AND M2A1 ..... | A | 8140 | AR | | 05-MAR-92 | AR | | | |
| | L | | MIL-L-3061B | LECITHIN (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8507] REVIEWER: GS ..... | A | 6810 | OS | | 13-JUN-69 | | OS | | |
| | Q | | MIL-I-3064B NOTICE 1 | INSULATION, ELECTRICAL, PLASTIC-SEALER [VALIDATION DATE: 9103] REVIEWER: GS MI | A | 5970 | SH | | 22-MAR-91 | ER | SH | 85 | |
| D | | | MIL-R-3065E(1) NOTICE 1 | RUBBER, FABRICATED PRODUCTS [VALIDATION DATE: 9006] USER: AS MC YD1 REVIEWER: AL AR CS DS ER GL GS MI OS | A | 9320 | MR | | 29-JUN-90 | MR | SH | 99 | |
| | L | | MIL-C-3066B NOTICE 1 | CARTRIDGE, CALIBER .50: ARMOR-PIERCING-INCENDIARY, M8; AND ARMOR-PIERCING-INCENDIARY-TRACER, M20 [VALIDATION DATE: 9010] | A | 1305 | AR | | 31-OCT-90 | AR | | | |
| | L | | MIL-C-3066B(11) | CARTRIDGES, CALIBER .50: ARMOR-PIERCING-INCENDIARY, M8; AND ARMOR-PIERCING-INCENDIARY-TRACER, M20 | A | 1305 | AR | | 06-JAN-92 | AR | | | |
| | | | MIL-B-3067B(1) NOTICE 1 | BRIDGE, RESISTANCE (RESISTANCE BRIDGE, ZN-4) (1U (ADDENDUM (1) ) [VALIDATION DATE: 8606] | A | 6625 | SH | | 06-JUN-86 | CR | SH | 99 | |
| D | | | MIL-M-3070F | MIXERS, LIQUID, REVOLVING SHAFT AND AGITATOR TYPES USER: 82 ER MC REVIEWER: CS | A | 4940 | AL | | 03-MAY-89 | AL | YD1 | 99 | |
| D | | | MIL-R-3074D | RAILWAY CAR, GONDOLA: HIGH SIDE 56-1/2-INCH GAGE, 50-TON, 8-WHEEL (WELDED), DOMESTIC SERVICE | A | 2220 | ME | | 28-SEP-79 | ME | YD1 | 99 | |
| D | | | MIL-R-3075E | ROLLER, MOTORIZED, ROAD, DIESEL OR GASOLINE ENGINE DRIVEN, PACKAGING OF REVIEWER: SH | A | 3895 | ME | | 11-JUN-82 | ME | YD1 | 99 | |
| | | | MIL-R-30808(2) SUPPL 1A | RESISTOR, CURRENT REGULATING (BALLAST TUBES) [VALIDATION DATE: 8110] USER: AS MC REVIEWER: 11 17 99 AR AV ES OS | A | 5905 | ER | | 24-JUN-70 | ER | EC | 85 | |
| | | | MIL-R-3080/1A | RESISTOR, CURRENT REGULATING (BALLAST TUBES), TYPE TJ601K01 [VALIDATION DATE: 8110] USER: AS AV MC REVIEWER: 11 17 99 ES OS | A | 5905 | ER | | 24-JUN-70 | ER | EC | 85 | |
| | | | MIL-R-3080/2A | RESISTER, CURRENT REGULATING (BALLAST TUBES) TYPE TJ791K01 [VALIDATION DATE: 8110] USER: AS MC REVIEWER: 11 17 99 ES OS | A | 5905 | ER | | 24-JUN-70 | ER | EC | 85 | |
| | | | MIL-R-3080/5A | RESISTOR, CURRENT REGULATING (BALLAST TUBES) TYPE TJ311M01 [VALIDATION DATE: 8110] USER: AV MC REVIEWER: 11 17 99 AR ES OS | A | 5905 | ER | | 24-JUN-70 | ER | EC | 85 | |
| | | | MIL-R-3080/11A | RESISTOR, CURRENT REGULATING (BALLAST), TYPE TJ102L01 [VALIDATION DATE: 8110] USER: AS AV MC REVIEWER: 11 17 99 ES OS | A | 5905 | ER | | 24-JUN-70 | ER | EC | 85 | |
| D | | | MIL-V-3083D | VIBRATOR, CONCRETE: PNEUMATIC USER: CE MC YD1 REVIEWER: CS ..... | A | 3895 | ME | | 17-JUL-89 | ME | | 99 | |
| | L | | MIL-G-3087C | GENERATOR SETS, STEAM TURBINE (DIRECT AND ALTERNATING CURRENT) (NAVAL SHIPBOARD USE) [VALIDATION DATE: 8106] REVIEWER: GS | A | 6115 | SH | | 15-NOV-73 | | SH | | |
| D | | | MIL-C-3093A NOTICE 1 | CABLE, TELEPHONE INSIDE DISTRIBUTION WIRING (WD-15/U, WF-9/U AND WT-3/U) [VALIDATION DATE: 8808] USER: AT REVIEWER: IS ME YD1 | A | 6145 | CR | | 16-AUG-88 | CR | EC | 85 | |
| A | | | MIL-C-3095G | CAP, SERVICE, MAN'S, AIR FORCE USER: 45 REVIEWER: 82 99 ..... | A | 8405 | CT | | 25-NOV-88 | | | 11 | CT |
| | Q | | MIL-C-3098G(3) SUPPL 1A | CRYSTAL UNITS, QUARTZ, GENERAL SPECIFICATION FOR USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR AV ES MI SH SM | A | 5955 | ER | | 14-SEP-88 | ER | EC | 85 | |
| | | | MIL-C-3098/1D NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-15B/U [VALIDATION DATE: 8811] USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR MI SH | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | I | | MIL-C-3098/2E NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-16B/U [VALIDATION DATE: 8811] USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR MI SH | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/3D NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-18A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH REVIEWER: 11 AR ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/4D NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-19A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH REVIEWER: 11 AR ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | I | | MIL-C-3098/6F NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-24/U [VALIDATION DATE: 8811] USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR MI SH | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/7F NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-25B/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH REVIEWER: 11 AR ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/8D NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-26A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH REVIEWER: 11 ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/9E NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-27A/U [VALIDATION DATE: 8811] USER: 19 AS CG MC SH REVIEWER: 11 17 AR ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/10E NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-28A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH REVIEWER: 11 AR ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/11D NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-29A/U [VALIDATION DATE: 8811] USER: 19 AS CG MC REVIEWER: 11 17 AR MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/12D NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-30A/U [VALIDATION DATE: 8811] USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR MI SH | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/14D NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-33A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH REVIEWER: 11 AR ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/15E NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-35A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH REVIEWER: 11 AR ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/16F NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-36A/U [VALIDATION DATE: 8811] USER: 17 19 AS CG MC SH REVIEWER: 11 AR ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/17D NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-37A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH REVIEWER: 11 AR ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/18D NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-38A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH REVIEWER: 11 99 AR MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/19C NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-39/U [VALIDATION DATE: 8811] USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR MI SH | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-C-3098/20C NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-40/U [VALIDATION DATE: 8811] USER: 19 AS CG MC REVIEWER: 11 17 99 AR MI SH | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |

| Action | DPL / QML Cancellation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-3098/21E<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-42A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>SH REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| I | | MIL-C-3098/22C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-43/U [VALIDATION DATE: 8811] USER: 17 19 AS CG MC<br>OS REVIEWER: 11 99 AR ES MI SH | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/24C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-45/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/25D<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-46B/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>SH REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/26E<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-47A/U [VALIDATION DATE: 8811] USER: 19 AS MC SH<br>REVIEWER: 11 17 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/28E<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-50A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/29C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ CR-51A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/30D<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-52A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>SH REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/31C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-53A/U [VALIDATION DATE: 8811] USER: 17 19 AS CG<br>MC REVIEWER: 11 99 AR ES MI SH | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/32D<br>NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-54A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>SH REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/33G<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-55A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG<br>MC OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-C-3098/34E | CRYSTAL UNIT, QUARTZ, CR-56A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG<br>MC OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-C-3098/35D<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-57/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/36C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-58A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>SH REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/37G | CRYSTAL UNIT, QUARTZ, CR-59A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG<br>MC OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-C-3098/38E | CRYSTAL UNIT, QUARTZ, CR-60A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG<br>MC OS REVIEWER: 11 99 AR ES MI SH | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-C-3098/39E<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-61/U [VALIDATION DATE: 8906] USER: 17 19 AS CG MC<br>OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-C-3098/40D<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-62/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/41F<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-63B/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>SH REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/42G<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-64/U [VALIDATION DATE: 8906] USER: 17 19 AS CG MC<br>OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-C-3098/43E<br>NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-65/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>SH REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/44D<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-66/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/45G<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-67A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG<br>MC OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-C-3098/46D<br>NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-68/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>OS SH REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/47G<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-69A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG<br>MC OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-C-3098/49B<br>NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-71/U [VALIDATION DATE: 8811] USER: AS MC<br>REVIEWER: 11 ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| I | | MIL-C-3098/50C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-72/U [VALIDATION DATE: 9111] USER: 17 19 AS CG MC<br>OS REVIEWER: 99 AR ES MI SH TD | A 5955 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-3098/51E<br>NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-74/U [VALIDATION DATE: 9111] USER: 17 19 AS CG<br>MC OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-3098/52D<br>NOTICE 1 | CRYSTAL UNITS, QUARTZ, CR-75/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>OS SH REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/53H<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-76A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG<br>MC OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-C-3098/54C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-73/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/55C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-77/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/56D<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-85/U [VALIDATION DATE: 8811] USER: 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/57E<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-80/U [VALIDATION DATE: 8906] USER: 17 19 AS CG MC<br>OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | MIL-C-3098/58E<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-81/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/59C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-82/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/60D<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-83/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/61F<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-84/U [VALIDATION DATE: 8811] USER: 19 AS MC SH<br>REVIEWER: 11 17 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/62C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-78A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC<br>SH REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/63C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-79/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| I | | MIL-C-3098/66F<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-88A/U [VALIDATION DATE: 8906] USER: 17 19 AS MC<br>SH REVIEWER: 11 AR ES MI SM | A 5955 | ER | 05-JUN-89 | ER | EC | 85 | |
| L | | MIL-C-3098/67B<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-89/U [VALIDATION DATE: 8811] REVIEWER: ES MI ..... | A 5955 | ER | 01-NOV-88 | ER | | | |
| | | MIL-C-3098/68C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-91/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| L | | MIL-C-3098/70B<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-95/U [VALIDATION DATE: 8704] REVIEWER: 11 ..... | A 5955 | 85 | 17-APR-87 | | | 85 | |
| L | | MIL-C-3098/71B<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-96/U [VALIDATION DATE: 8704] REVIEWER: 11 ..... | A 5955 | 85 | 17-APR-87 | | | 85 | |
| | | MIL-C-3098/72B<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-97/U [VALIDATION DATE: 9111] USER: 17 19 84<br>REVIEWER: 11 ES | A 5955 | ER | 11-NOV-91 | ER | EC | 85 | |
| L | | MIL-C-3098/73B<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-98/U [VALIDATION DATE: 8704] REVIEWER: 11 ..... | A 5955 | 85 | 17-APR-87 | | | 85 | |
| L | | MIL-C-3098/74D<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-99A/U (INACTIVE) [VALIDATION DATE: 8803] USER: 17<br>REVIEWER: 11 ES | A 5955 | 85 | 01-MAR-88 | | | 85 | |
| | | MIL-C-3098/76B<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-10/U [VALIDATION DATE: 8811] USER: 19 AS CG MC<br>REVIEWER: 11 17 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/77B<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-5A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| | | MIL-C-3098/78B<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-6A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH<br>REVIEWER: 11 AR ES MI | A 5955 | ER | 01-NOV-88 | ER | EC | 85 | |
| L | | MIL-C-3098/79C<br>NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-104/U [VALIDATION DATE: 8803] USER: 17 REVIEWER:<br>11 99 | A 5955 | 85 | 01-MAR-88 | | | 85 | |

| Action | QPL / QML | Cancellation / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-C-3098/80C NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-105/U [VALIDATION DATE: 9111] USER: 17 REVIEWER: 11 99 ES | A | 5955 | | ER | 11-NOV-91 | ER | EC | 85 | |
| | L | | MIL-C-3098/82A | CRYSTAL UNIT, QUARTZ, CR-106/U USER: 17 19 REVIEWER: 11 ES | A | 5955 | | 85 | 02-NOV-83 | ER | EC | 85 | |
| | M | | MIL-C-3098/83D | CRYSTAL UNIT, QUARTZ, CR107/U USER: 17 REVIEWER: 99 ES | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | L | | MIL-C-3098/84B NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-108/U [VALIDATION DATE: 8704] REVIEWER: 11 99 | A | 5955 | | 85 | 17-APR-87 | | | 85 | |
| | L | | MIL-C-3098/85A NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-109/U [VALIDATION DATE: 8704] REVIEWER: 11 | A | 5955 | | 85 | 17-APR-87 | | | 85 | |
| | M | | MIL-C-3098/86C | CRYSTAL UNIT, QUARTZ, CR110/U USER: 17 84 | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/87D | CRYSTAL UNITS, QUARTZ, CR-111/U USER: 17 REVIEWER: ES | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/88E | CRYSTAL UNIT, QUARTZ, CR-112/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 05-JUN-89 | ER | EC | 85 | |
| | M | | MIL-C-3098/89B | CRYSTAL UNIT, QUARTZ, CR113/U USER: 17 19 | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | L | | MIL-C-3098/90(1) NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-114/U [VALIDATION DATE: 8704] REVIEWER: 11 | A | 5955 | | 85 | 17-APR-87 | | | 85 | |
| | | | MIL-C-3098/92C NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-116/U [VALIDATION DATE: 8906] USER: 17 REVIEWER: 11 99 | A | 5955 | | ER | 05-JUN-89 | ER | EC | 85 | |
| | L | | MIL-C-3098/93 NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-117/U [VALIDATION DATE: 8704] REVIEWER: 11 17 19 | A | 5955 | | 85 | 17-APR-87 | | | 85 | |
| | M | | MIL-C-3098/95C | CRYSTAL UNIT, QUARTZ, CR119/U USER: 17 19 84 AS MC SH REVIEWER: AR MI SM | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | I | MIL-C-3098/96D | CRYSTAL UNIT, QUARTZ, CR90/U USER: 17 19 AS MC SH REVIEWER: AR MI SM | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | I | MIL-C-3098/97E | CRYSTAL UNIT, QUARTZ, CR-120/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/98E | CRYSTAL UNIT, QUARTZ, CR121/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/99B | CRYSTAL UNIT, QUARTZ, CR122/U REVIEWER: 17 19 | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/100B | CRYSTAL UNIT, QUARTZ, CR123/U USER: 17 19 | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | | | MIL-C-3098/101A NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-124/U [VALIDATION DATE: 9111] USER: 17 19 REVIEWER: 11 ES | A | 5955 | | ER | 11-NOV-91 | ER | EC | 85 | |
| | L | | MIL-C-3098/102A NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-125/U [VALIDATION DATE: 8704] REVIEWER: 11 | A | 5955 | | 85 | 17-APR-87 | | | 85 | |
| | M | | MIL-C-3098/103C | CRYSTAL UNIT, QUARTZ, CR101/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/104C | CRYSTAL UNIT, QUARTZ, CR102/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/105E | CRYSTAL UNIT, QUARTZ, CR103/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | L | | MIL-C-3098/106A NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-127/U [VALIDATION DATE: 8704] USER: 19 REVIEWER: 11 17 ES | A | 5955 | | 85 | 07-APR-75 | | | 85 | |
| | M | I | MIL-C-3098/107C | CRYSTAL UNIT, QUARTZ, CR126/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/108B | CRYSTAL UNIT, QUARTZ, CR128/U USER: 17 19 84 | A | 5955 | | ER | 05-JUN-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/109C | CRYSTAL UNITS, QUARTZ CR130/U USER: 17 19 84 AS MC SH REVIEWER: AR MI SM | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/110B | CRYSTAL UNIT, QUARTZ, CR129/U USER: 17 19 84 | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | M | | MIL-C-3098/111B | CRYSTAL UNIT, QUARTZ, CR8/U USER: 17 19 AS MC SH REVIEWER: AR MD MI SM | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | L | | MIL-C-3098/112B NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-133/U (INACTIVE) [VALIDATION DATE: 8803] USER: 17 REVIEWER: 11 19 ES | A | 5955 | | 85 | 01-MAR-88 | | | 85 | |
| | M | | MIL-C-3098/113B | CRYSTAL UNIT, QUARTZ, CR134/U USER: 17 84 REVIEWER: 19 | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | L | | MIL-C-3098/114A NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-135/U [VALIDATION DATE: 8704] REVIEWER: 11 19 | A | 5955 | | 85 | 17-APR-87 | | | 85 | |
| | M | | MIL-C-3098/115B | CRYSTAL UNIT, QUARTZ, CR136/U USER: 17 84 | A | 5955 | | ER | 05-MAY-93 | ER | EC | 85 | |
| | A | | MIL-C-3098/116B | CRYSTAL UNIT, QUARTZ, CR137/U USER: 17 19 REVIEWER: ES | A | 5955 | | ER | 24-SEP-92 | ER | EC | 85 | |
| | L | | MIL-C-3098/117B NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-138/U (INACTIVE) [VALIDATION DATE: 8803] USER: 17 19 REVIEWER: 11 EC | A | 5955 | | 85 | 01-MAR-88 | | | 85 | |
| | A | | MIL-C-3098/118B | CRYSTAL UNIT, QUARTZ, CR139/U USER: 17 REVIEWER: 99 ES | A | 5955 | | ER | 24-SEP-92 | ER | EC | 85 | |
| | A | L | MIL-C-3098/120B | CRYSTAL UNIT, QUARTZ, CR131/U REVIEWER: AR ES MI | A | 5955 | | ER | 24-SEP-92 | ER | | | |
| | A | I | MIL-C-3098/121C | CRYSTAL UNIT, QUARTZ, CR132/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 24-SEP-92 | ER | EC | 85 | |
| | A | | MIL-C-3098/122B | CRYSTAL UNIT, QUARTZ, CR141/U USER: 17 REVIEWER: ES | A | 5955 | | ER | 24-SEP-92 | ER | EC | 85 | |
| | L | | MIL-C-3098/123A NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-142/U [VALIDATION DATE: 8704] REVIEWER: 11 | A | 5955 | | 85 | 17-APR-87 | | | 85 | |
| | L | | MIL-C-3098/129A NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-148/U [VALIDATION DATE: 8704] REVIEWER: 11 | A | 5955 | | 85 | 17-APR-87 | | | 85 | |
| | A | | MIL-C-3098/130B | CRYSTAL UNIT, QUARTZ, CR149/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 24-SEP-92 | ER | EC | 85 | |
| | A | L | MIL-C-3098/131C | CRYSTAL UNIT, QUARTZ, CR150/U REVIEWER: AR ES MI | A | 5955 | | ER | 24-SEP-92 | ER | | | |
| | A | | MIL-C-3098/132B | CRYSTAL UNIT, QUARTZ, CR151/U USER: 17 19 REVIEWER: 80 ES | A | 5955 | | ER | 24-SEP-92 | ER | EC | 85 | |
| | A | | MIL-C-3098/133C | CRYSTAL UNIT, QUARTZ, CR152/U USER: 17 AS CG MC OS REVIEWER: 19 AR ES MI SH SM | A | 5955 | | ER | 24-SEP-92 | ER | EC | 85 | |
| | A | | MIL-C-3098/134C | CRYSTAL UNIT, QUARTZ, CR153/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 24-SEP-92 | ER | EC | 85 | |
| | | I | MIL-C-3098/136C | CRYSTAL UNIT, QUARTZ, CR156/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 23-DEC-91 | ER | EC | 85 | |
| | | | MIL-C-3098/137A | CRYSTAL UNIT, QUARTZ, CR157/U USER: 17 19 84 AS MC SH REVIEWER: AR ES MI SM | A | 5955 | | ER | 23-DEC-91 | ER | EC | 85 | |
| | | | MIL-C-3098/138D | CRYSTAL UNIT, QUARTZ, CR154/U USER: 17 19 REVIEWER: 99 ES | A | 5955 | | ER | 23-DEC-91 | ER | EC | 85 | |
| | | | MIL-C-3098/139C | CRYSTAL UNIT, QUARTZ, CR158/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 23-DEC-91 | ER | EC | 85 | |
| | | | MIL-C-3098/140E | CRYSTAL UNIT, QUARTZ, CR159/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 23-DEC-91 | ER | EC | 85 | |
| | | I | MIL-C-3098/141B | CRYSTAL UNIT, QUARTZ, CR160/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 23-DEC-91 | ER | EC | 85 | |
| | | | MIL-C-3098/142C | CRYSTAL UNIT, QUARTZ, CR161/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 23-DEC-91 | ER | EC | 85 | |
| | L | | MIL-C-3098/143A NOTICE 1 | CRYSTAL UNIT, QUARTZ, CR-162/U [VALIDATION DATE: 8803] USER: 17 19 ES REVIEWER: 99 | A | 5955 | | 11 | 01-MAR-88 | | | 85 | |
| | | | MIL-C-3098/144B | CRYSTAL UNIT, QUARTZ, CR163/U USER: 17 19 AS MC REVIEWER: 99 AR ES MI SH SM | A | 5955 | | ER | 23-DEC-91 | ER | EC | 85 | |
| | | | MIL-C-3098/145A | CRYSTAL UNIT, QUARTZ, CR164/U USER: 17 19 84 AS MC SH REVIEWER: AR ES MI SM | A | 5955 | | ER | 23-DEC-91 | ER | EC | 85 | |
| | L | | MIL-C-3098/146A | CRYSTAL UNIT, QUARTZ, CR165/U | A | 5955 | | ER | 23-DEC-91 | ER | | | |
| | M | L | MIL-W-3100E(1) | WHEEL ASSEMBLIES, SOLID ELASTOMER TIRED; FOR TRACK LAYING VEHICLES USER: MC ME | A | 2630 | | AT | 15-APR-93 | AT | | | |
| | Q | | MIL-S-3105C NOTICE 1 | SEALING COMPOUND, INERT (FOR USE IN AMMUNITION) [VALIDATION DATE: 8610] USER: AS MC REVIEWER: EA MI | A | 8030 | | OS | 20-OCT-86 | MR | OS | 99 | |
| | | | MIL-B-3106 | BOARD, COMPOSITION, WATER-RESISTANT, SOLID (FOR FILLER OR CUSHIONING PADS) [VALIDATION DATE: 8302] USER: MC ME MS REVIEWER: EA MI SA SM | A | 8140 | | AR | 22-DEC-49 | AR | OS | 69 | |
| | A | | MIL-B-3108K | BAG, CLOTHING, WATERPROOF USER: 45 MC REVIEWER: 82 MD | A | 8465 | | CT | 20-FEB-90 | GL | MU | 99 | CT |
| | | | MIL-G-3111C(1) | GENERATOR, ELECTRIC, DIRECT-CURRENT NAVAL SHIPBOARD USE( [VALIDATION DATE: 8404] REVIEWER: GS | A | 6115 | | SH | 09-OCT-69 | | SH | 99 | |
| | L | | MIL-S-3112C | SLING, CARGO, PAULIN USER: MC REVIEWER: 15 SH | A | 3940 | | ME | 26-OCT-83 | ME | | | |
| | D | | MIL-F-3113D(1) NOTICE 1 | FID [VALIDATION DATE: 8705] USER: MC YD1 | A | 5120 | | GL | 20-MAY-87 | GL | | 84 | |

| Action | Qtr. | Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DQL | | | MIL-H-3117C(1) | HEATER, CONVECTION, STEAM AND HOT WATER [VALIDATION DATE: 8407] USER: ME YD1 REVIEWER: CS | A | 4520 | SH | 04-AUG-65 | | SH | | | |
| D | | | MIL-E-3118C(1) NOTICE 1 | ETCHERS, ELECTRIC, PORTABLE, 120-VOLT A.C. USER: AV MC YD1 | A | 5130 | GL | 22-APR-89 | GL | SH | 99 | | |
| | L | | MIL-C-3120F | CANISTER, SMOKE, HC, 155MM PROJECTILE, M1 & M2 [VALIDATION DATE: 8405] | A | 1320 | EA | 14-FEB-78 | EA | | | | |
| A | | | MIL-L-3122G | LEATHER CATTLEHIDE, FOR FOOTWEAR UPPERS, CHROME TANNED, FATLIQUORED USER: MC REVIEWER: EA MD | A | 8330 | CT | 29-MAR-91 | GL | MU | 11 | CT | |
| | L | | MIL-G-3124D | GENERATOR, ALTERNATING CURRENT, 60-HERTZ (NAVAL SHIPBOARD USE) REVIEWER: GS | A | 6115 | SH | 25-JAN-90 | | SH | | | |
| D | | | MIL-C-3131E | CORDAGE, PACKAGING OF [VALIDATION DATE: 8411] USER: ME REVIEWER: AR IS MC SA SH YD1 | A | PACK | SH | 22-OCT-79 | GL | SH | 99 | | |
| | | | MIL-C-3133C NOTICE 2 | CELLULAR ELASTOMERIC MATERIALS MOLDED OR FABRICATED PARTS [VALIDATION DATE: 9008] USER: AT REVIEWER: AR EA GL GS SH | A | 9320 | MR | 09-AUG-90 | MR | SH | 99 | | |
| DQL | | | MIL-D-3134J(1) | DECK COVERING MATERIALS USER: CG YD1 | A | 5610 | SH | 12-SEP-89 | | SH | | | |
| Q | | | MIL-D-3135G(4) | DECK COVERING UNDERLAY MATERIALS REVIEWER: CG CS | A | 5610 | SH | 14-NOV-86 | | SH | 99 | | |
| | | | MIL-B-3137(1) | BENZENE, NITRATION GRADE [VALIDATION DATE: 8004] REVIEWER: GS PS | A | 6810 | AR | 27-APR-50 | AR | OS | | | |
| | | | MIL-S-3139(1) | SHELL, FIXED, CHEMICAL, M64 FOR 75-MM GUNS, M312 FOR 76-MM GUNS, M313 FOR 90-MM GUNS, AND SHELL, SEMI-FIXED, CHEMICAL, M64 FOR 75-MM HOWITZERS, M60 FOR 105-MM HOWITZERS, ASSEMBLING, MARKING, AND PACKING. [VALIDATION DATE: 8303] USER: MC | A | 1315 | AR | 10-APR-65 | AR | OS | 99 | | |
| | | | MIL-V-3144B | VIALS, LEVEL [VALIDATION DATE: 8504] USER: MC ME MI | A | 1290 | AR | 06-FEB-67 | AR | OS | 84 | | |
| | L | | MIL-V-3144B(12) | VIALS, LEVEL [VALIDATION DATE: 8504] | A | 1290 | AR | 23-JUN-69 | AR | | | | |
| DQ | | | MIL-L-3150C(2) | LUBRICATING OIL, PRESERVATIVE, MEDIUM USER: MC YD1 REVIEWER: 68 AL AR AS GS MD MI PS SA SH SM | A | 9150 | ME | 07-MAR-86 | ME | OS | 11 | | |
| D | | | MIL-L-3153D | LAUNDRY & DRY CLEANING MACHINERY & EQUIPMENT, PACKAGING OF REVIEWER: EA GS MD SM | A | 3510 | GL | 10-DEC-84 | GL | YD1 | | | |
| | L | | MIL-C-3154A | CLOTH, COATED, COTTON (CREPED, PHENOLIC RESIN TREATED) [VALIDATION DATE: 8204] REVIEWER: CT | A | 8305 | OS | 16-SEP-71 | | OS | | | |
| QL | | | MIL-V-3155C(1) NOTICE 1 | VALVE, TEMPERATURE REGULATING VENTILATION HEATER, STEAM CONTROL, NAVAL SHIPBOARD USE REVIEWER: CS | A | 4820 | SH | 20-FEB-87 | | SH | | | |
| | | | MIL-I-3158D NOTICE 1 | INSULATION TAPE, ELECTRICAL GLASS-FIBER (RESIN-FILLED); AND CORD, FIBROUS-GLASS [VALIDATION DATE: 8810] USER: MC ME REVIEWER: 99 EC GS MI | A | 5970 | SH | 28-OCT-88 | ER | SH | 85 | | |
| | LI | | MIL-A-3167A NOTICE 1 | ADHESIVES (FOR PLASTIC INHIBITORS) | A | 8040 | OS | 06-NOV-91 | | OS | | | |
| | | | MIL-M-3171C(1) | MAGNESIUM ALLOY, PROCESSES FOR PRETREATMENT AND PREVENTION OF CORROSION ON [VALIDATION DATE: 8004] USER: ER ES REVIEWER: 99 AR AV MI OS | A | MFFP | AS | 14-MAR-74 | MR | AS | 11 | | |
| | | | MIL-P-3173B NOTICE 1 | POTASSIUM BICARBONATE, TECHNICAL [VALIDATION DATE: 8903] REVIEWER: GS MD OS | A | 6810 | EA | 08-MAR-89 | EA | AS | | | |
| | | | MIL-M-3177C | HEATER, COOLANT, ENGINE, MULTIFUEL BURNING, 24 VOLT DC [VALIDATION DATE: 8205] USER: AV MC MI REVIEWER: CS ME | A | 2990 | AT | 06-FEB-76 | AT | | 99 | | |
| D | | | MIL-B-3180E | BOILERS AND RELATED EQUIPMENT PACKAGING OF USER: GL REVIEWER: 84 CS SH SM . | A | PACK | ME | 18-DEC-90 | ME | YD1 | 99 | | |
| | | | MIL-M-3184C | MACHINERY: DECK AND VEHICLE MOUNTED WITH ASSOCIATED EQUIPMENT AND PROVISIONED (REPAIR PARTS)ITEMS: PACKAGING OF USER: MC ME REVIEWER: MI SA | A | PACK | SH | 03-APR-86 | SH | SH | 99 | | |
| AQ | | | MIL-I-3190F(1) SUPPL 1A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, GENERAL SPECIFICATION FOR USER: MC ME OS REVIEWER: 80 85 99 AR AV EA EC GS MI | A | 5970 | SH | 28-FEB-92 | ER | SH | 11 | | |
| | | | MIL-I-3190/2A | INSULATING SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS 130, TYPE B, CATEGORY B USER: MC ME OS REVIEWER: 80 85 99 AR AV EA EC GS MI | A | 5970 | SH | 04-SEP-87 | | SH | 11 | | |
| | | | MIL-I-3190/3A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS 155, TYPE A, CATEGORY A USER: MC ME OS REVIEWER: 80 85 99 AR AV EA EC MI | A | 5970 | SH | 04-SEP-87 | ER | SH | 11 | | |
| A | L | | MIL-I-003190/3 | INSULATION SLEEVING, CLASS 155, TYPE A, CATEGORY A [VALIDATION DATE: 8302] USER: ME REVIEWER: EC MI | A | 5970 | SH | 28-JUL-69 | | SH | 11 | | |
| | | | MIL-I-3190/5B | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS, 200, TYPE C, CATEGORY C USER: MC ME OS REVIEWER: 80 85 99 AR AV EA EC GS MI | A | 5970 | SH | 04-SEP-87 | ER | SH | 11 | | |
| | | | MIL-I-3190/6A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS 200, TYPED, CATEGORY C USER: MC ME OS REVIEWER: 80 85 99 AR AV EA EC MI | A | 5970 | SH | 04-SEP-87 | ER | SH | 11 | | |
| A | | | MIL-I-3190/7A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED CLASS 220 DEG. C, TYPE E, CATEGORY C USER: MC ME OS REVIEWER: 80 85 99 AR AV EA EC MI | A | 5970 | SH | 08-AUG-91 | ER | SH | 11 | | |
| | L | | MIL-I-003190/7 NOTICE 2 | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED CLASS 220, TYPE E, CATEGORY B USER: ME REVIEWER: EC MI | A | 5970 | SH | 22-JUL-91 | | SH | | | |
| A | | | MIL-I-3190/8A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, SILICONE COATED, CLASS 220 DEG. C, TYPE D, CATEGORY C USER: MC ME OS REVIEWER: 80 85 99 AR AV EA EC MI | A | 5970 | SH | 20-AUG-92 | ER | SH | 11 | | |
| | | | MIL-I-3190/9(1) | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, SILICONE COATED CLASS 240 DEG. C, TYPE D, CATEGORY C USER: MC ME OS REVIEWER: 80 85 99 AR AV MI | A | 5970 | SH | 28-MAY-92 | ER | SH | 11 | | |
| | LI | | MIL-F-3192(1) NOTICE 3 | FIBERBOARD, FLAME-RESISTANT (FOR PROJECTILE GROMMETS) | A | 8135 | OS | 08-OCT-91 | | OS | | | |
| | | | MIL-M-3199E | HEATER, VEHICULAR COMPARTMENT 28 VOLT DC [VALIDATION DATE: 8501] USER: MC REVIEWER: CS | A | 2540 | AT | 21-JAN-75 | AT | | 85 | | |
| | | | MIL-R-32068 | REELING MACHINE, CABLE, HAND, RL-39 [VALIDATION DATE: 8302] USER: MC ME REVIEWER: SH | A | 3895 | CR | 08-JUL-69 | CR | | 99 | | |
| | | | MIL-R-3211G | RACK, STORAGE, SMALL ARMS [VALIDATION DATE: 8301] USER: ME OS | A | 1095 | AR | 16-FEB-77 | AR | | 99 | | |
| D | | | MIL-F-3222F | FLOODLIGHTS AND LANTERNS, PACKAGING OF USER: MC REVIEWER: 82 SM | A | PACK | ME | 16-JUL-91 | ME | YD1 | 99 | | |
| | | | MIL-P-3230G | PUMPING ASSEMBLY, FLAMMABLE LIQUID, BULK TRANSFER, CENTRIFUGAL, 50GPM AT 100 FEET TOTAL HEAD, DIESEL-ENGINE-DRIVEN USER: MC REVIEWER: MD | A | 4320 | ME | 09-JUN-87 | ME | | 99 | | |
| | L | | MIL-P-3230G(11) | PUMPING ASSEMBLY, FLAMMABLE LIQUID, BULK TRANSFER, CENTRIFUGAL, 50 GPM AT 100 FEET TOTAL HEAD, DIESEL-ENGINE-DRIVEN | A | 4320 | ME | 12-JUL-91 | ME | | | | |
| | L | | MIL-T-3235B | TUBE, COPPER, SEAMLESS (FOR TORPEDO USE) [VALIDATION DATE: 8204] REVIEWER: MI | A | 4710 | OS | 05-MAR-76 | | OS | | | |
| D | | | MIL-R-3241E(1) | REELS, CABLE (REELS DR-5(), DR-7(), DR-8(), RC-453()/G, RL-159()/U) USER: MC REVIEWER: 99 GS IS MI | A | 8130 | CR | 29-JAN-90 | CR | YD1 | 69 | | |
| | L | | MIL-C-3250B | CYLINDER, GASES & LIQUIDS ONE TON, TYPE D [VALIDATION DATE: 8405] REVIEWER: GS | A | 8120 | EA | 22-JUN-61 | EA | | | | |
| A | | | MIL-C-3261F | CAP, GARRISON, MAN'S, AIR FORCE, BLUE REVIEWER: 99 | A | 8405 | CT | 22-SEP-89 | | | 11 | CT | |
| D | | | MIL-D-3263B | DESICCANT CONTAINER, DEHUMIDIFIER USER: AS YD1 REVIEWER: EA OS SA | A | 4440 | SH | 20-JUL-87 | ME | SH | | | |
| D | | | MIL-F-3268E | FITTINGS; PIPE, STEEL, SPECIAL (FOR TANKER UNLOADING INSTALLATIONS) USER: CE REVIEWER: 82 CS | A | 4730 | YD1 | 17-JUL-92 | | YD1 | 99 | | |
| A | | | MIL-S-3276H | SEWING KITS USER: 11 REVIEWER: 82 | A | 8315 | CT | 17-JUN-86 | GL | | 99 | CT | |
| | L | | MIL-D-3277E | DYE, SOLVENT GREEN 3 REVIEWER: GS MD | A | 6820 | EA | 09-DEC-85 | EA | OS | | | |
| D | | | MIL-H-3280E | HOISTS, CHAIN, MANUALLY OPERATED, PACKAGING OF USER: AT REVIEWER: CS SM | A | PACK | ME | 18-DEC-90 | ME | YD1 | | | |
| | | | MIL-M-3281A | MANGANESE DIOXIDE (FOR USE IN PYROTECHNICS) USER: AR REVIEWER: GS MD | A | 6810 | EA | 06-DEC-83 | EA | OS | | | |
| | | | MIL-D-3284E | DYE, DISPERSE RED 9 (METRIC REVIEWER: AR GS MD OS | A | 6820 | EA | 09-DEC-85 | EA | AS | | | |
| R | | | MIL-R-3285(1) NOTICE 2 | RIFLES, U.S., CALIBER .30, M1 AND M1C [VALIDATION DATE: 9305] USER: MC | A | 1005 | 84 | 05-MAY-93 | AR | OS | 99 | | |
| | | | MIL-S-32898 | STEEL, PLATE AND DISK, CARBON, FORGING QUALITY REVIEWER: AR EA IS | A | 9515 | MR | 25-SEP-84 | MR | OS | | | |
| | | | MIL-V-3293A | VALVE, ANTI BACK DRAFT, PROTECTIVE SHELTER, M1 | A | 5680 | EA | 10-DEC-56 | EA | | | | |
| D | | | MIL-R-3295B | REGULATOR, AIR PRESSURE, PROTECTIVE SHELTER, M1 [VALIDATION DATE: 8505] REVIEWER: GS | A | 4240 | EA | 18-DEC-58 | EA | YD1 | | | |
| Q | | | MIL-C-3301C(1) | COMPOUND, ASPHALTIC, HOT MELT (CAVITY LINING) [VALIDATION DATE: 8204] USER: AS REVIEWER: MM | A | 8030 | OS | 20-JAN-76 | AR | OS | 99 | | |
| | | | MIL-P-3306E | PUMP, ENGINE PRIMING, HAND DRIVEN, (NONAIRCRAFT) ENGINE USER: ME REVIEWER: CS MC | A | 2910 | AT | 17-AUG-87 | AT | | 99 | | |
| | | | MIL-R-33088 | RESPIRATOR, AIR FILTERING, DUST, ABC-M4 [VALIDATION DATE: 7103] REVIEWER: GS | A | 4240 | EA | 30-APR-65 | EA | MC | | | |
| | L | | MIL-F-33158 | FERRY CONVERSION SET, RAFT, PACKAGING OF [VALIDATION DATE: 7407] REVIEWER: SM | A | PACK | ME | 30-JAN-70 | ME | | | | |

| Action | Obsl / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DO | | MIL-A-3316C(2) | ADHESIVES, FIRE-RESISTANT, THERMAL INSULATION USER: AS CG OS YD1 | A | 8040 | SH | MR | 23-AUG-90 | MR | SH | | |
| D | | MIL-W-3318A | WIRE, COPPER, AND WIRE, STEEL, COPPERCLAD W-154 AND WS-24/U [VALIDATION DATE: 8009] USER: OS REVIEWER: IS | A | 9505 | ER | ER | 22-FEB-71 | ER | YD1 | 99 | |
| | | MIL-A-3327A | SUPPORT, ARCH [VALIDATION DATE: 8406] | A | 6615 | DM | MD | 27-DEC-76 | MD | MS | 03 | |
| | | MIL-N-3336A(2) | NUT, SHEET SPRING, INSTRUMENT MOUNTING [VALIDATION DATE: 9109] REVIEWER: ER IS MI | A | 5310 | AS | AV | 18-SEP-91 | AV | AS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MIL-N-3337C | NUT, SHEET SPRING REVIEWER: IS MI | A | 5310 | 82 | AV | 14-JUN-85 | AV | SH | 99 | |
| | | MIL-T-3338H(1) | TABLE, FOLDING LEGS REVIEWER: 84 ME | A | 7105 | GL | GS | 05-SEP-91 | GL | | 99 | |
| | | MIL-A-3339C(1) | ANCHORS, SEA, LIFE RAFT REVIEWER: 82 | A | 2040 | AS | MR | 19-AUG-88 | ME | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MIL-D-3344D | DIVING EQUIPMENT SET: TWO PERSON; 100 FOOT DEPTH, PACKAGING OF REVIEWER: 84 SM | A | PACK | ME | MR | 21-NOV-90 | ME | | 99 | |
| D | | MIL-T-3351E | TRACTOR, FULL-TRACKED, LOW-SPEED; TRACTOR WHEELED, AGRICULTURAL; AND TRACTOR WHEELED, INDUSTRIAL; AND THEIR ATTACHMENTS, PACKAGING OF REVIEWER: AT MC SM | A | PACK | ME | MR | 22-FEB-90 | ME | YD1 | 84 | |
| | | MIL-F-3356C | FLEXIBLE & SHAFT MACHINE, RAILWAY, GASOLINE & ENGINE & DRIVEN [VALIDATION DATE: 8302] REVIEWER: CS | A | 2230 | ME | MR | 27-APR-78 | ME | | | |
| A | L | MIL-C-3363D | CHEST, MEDICAL EQUIPMENT MAINTENANCE AND REPAIR TOOL KIT REVIEWER: MD | A | 5140 | GL | MD | 26-OCT-92 | GL | | | |
| A | | MIL-H-3364D | HELMET, SUN [VALIDATION DATE: 8501] USER: MC REVIEWER: 45 MD | A | 8415 | CT | MD | 13-DEC-78 | GL | MU | 99 | CT |
| | | MIL-C-3367C | CANISTER, SMOKE, FOR CHEMICAL SHELL (BASE EJECTION), COMPONENTS FOR [VALIDATION DATE: 8006] REVIEWER: 99 | A | 1320 | EA | MR | 08-APR-68 | EA | OS | | |
| | L | MIL-C-3369C(1) | CARTRIDGE, CALIBER .30, CARBINE, BALL, M1 [VALIDATION DATE: 8603] | A | 1305 | AR | MR | 13-MAR-86 | AR | | | |
| | | NOTICE 1 | | | | | | | | | | |
| A | | MIL-C-3372F | CASE, TENTACLE REPAIR KIT USER: 45 REVIEWER: 82 MD | A | 8340 | CT | MD | 12-DEC-90 | GL | MC | 99 | CT |
| | | MIL-I-3374A(2) | INSULATION CLOTH AND TAPE, ELECTRICAL, VARNISHED CAMBRIC [VALIDATION DATE: 8104] USER: AS ME OS REVIEWER: 85 GS | A | 5970 | SH | MR | 21-OCT-68 | ER | SH | 11 | |
| | L | MIL-C-3383B | CUPS, BULLET JACKET, COPPER ALLOY (FOR SMALL ARMS AMMUNITION) | A | 1305 | AR | MR | 03-APR-91 | AR | | | |
| | | MIL-Y-3388B(1) | YEAST FOOD, MINERAL [VALIDATION DATE: 8402] REVIEWER: MC MD SS | A | 8950 | GL | MR | 20-DEC-66 | GL | SA | 50 | |
| | | MIL-R-3390F | RINGS, DEE USER: MC ME REVIEWER: 82 AR | A | 5365 | GL | MR | 08-SEP-88 | GL | | 99 | |
| A | | MIL-C-3395J(1) | CLOTH, WETTING; NYLON OR POLYESTER REVIEWER: 82 99 MC MD | A | 8305 | CT | MD | 16-SEP-88 | GL | MU | 11 | CT |
| | | MIL-N-3399B | 2-NITRODIPHENYLAMINE [VALIDATION DATE: 8004] USER: MC REVIEWER: EA GS MI | A | 6810 | AR | MR | 14-MAY-62 | AR | OS | | |
| | L | MIL-H-3407A | HOISTING UNIT, TRIPOD, DRUM, M1 [VALIDATION DATE: 8009] USER: CS | A | 3950 | EA | MR | 05-JUN-58 | EA | | | |
| | | MIL-P-3409(2) | PLASTIC MATERIAL, MOLDING, RIGID THERMOPLASTIC, POLYDICHLOROSTYRENE, FOR USE IN ELECTRONIC, COMMUNICATIONS, & ALLIED ELECTRICAL EQUIPMENT USER: AT REVIEWER: AS MR | A | 9330 | ER | MR | 07-JUL-87 | ER | SH | 11 | |
| DO | | MIL-P-3420F | PACKAGING MATERIALS, VOLATILE CORROSION INHIBITOR, TREATED, OPAQUE USER: AT SH REVIEWER: 99 AR AV DS EA GL OS SA YD1 | A | 8135 | AS | MR | 12-NOV-87 | SM | AS | 69 | |
| D | | MIL-C-3432F | CABLES, (POWER AND SPECIAL PURPOSE) AND WIRE, ELECTRICAL (300 AND 600 VOLTS) USER: 11 15 MC REVIEWER: 17 99 AR AS IS MI SH | A | 6145 | CR | MD | 02-NOV-92 | CR | YD1 | 85 | |
| D | | MIL-B-3434C | BEATER, FOREST FIRE USER: YD1 REVIEWER: CS | A | 4210 | ME | MR | 12-MAY-81 | ME | | 99 | |
| | | MIL-S-3443E | SHOTGUN, 12 GAGE, RIOT-TYPE USER: MC | A | 1005 | AR | MR | 20-MAR-89 | AR | OS | 84 | |
| | | MIL-P-3447D(1) | PAPER, MAP, (EXCEPT DIAZO-SENSITIZED) PACKAGING AND PACKING OF [VALIDATION DATE: 8201] USER: MC REVIEWER: ME SM | A | 9310 | GL | MR | 25-JUN-76 | GL | SA | 99 | |
| | | MIL-L-3454G | LIFE PRESERVERS; PACKAGING OF REVIEWER: 84 CS ME | A | PACK | SH | MR | 19-MAR-91 | SM | SH | 99 | |
| | | MIL-W-3459D | WIPERS, WINDOW, ELECTRIC, PENDULUM TYPE (MARINE SERVICE, HEAVY DUTY) USER: CG ME REVIEWER: 85 | A | 2090 | SH | MR | 18-APR-90 | | SH | 99 | |
| A | | MIL-B-3461G(2) | BUTTON, INSIGNIA, METAL, UNIFORM AND CAP [VALIDATION DATE: 9211] USER: 45 CG MC REVIEWER: 82 99 CT | A | 8455 | IH | MR | 04-NOV-92 | IH | MU | 11 | |
| | | NOTICE 2 | | | | | | | | | | |
| Q | | MIL-D-3464E | DESICCANTS, ACTIVATED, BAGGED, PACKAGING USE AND STATIC DEHUMIDIFICATION USER: AR CG ME REVIEWER: AS AT DS GS MI OS SA SM | A | 6850 | SH | MR | 21-APR-87 | EA | SH | 68 | |
| | L | MIL-S-3474 | SHIPPING BOX AND TABLE [VALIDATION DATE: 7105] USER: GL MC | A | 6640 | EA | MR | 23-APR-51 | EA | | | |
| | | MIL-S-3475 | SIGHT, M6 [VALIDATION DATE: 8504] | A | 1240 | AR | MR | 26-APR-51 | AR | OS | | |
| | | MIL-B-3476H | BRASSARD, GENERAL SPECIFICATION FOR REVIEWER: CG CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | 11 | |
| | | SUPPL 1A | | | | | | | | | | |
| | | MIL-B-3476/1B | BRASSARD; AIRDROME OFFICER, AIR FORCE REVIEWER: 82 CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | 11 | |
| | | MIL-B-3476/2B | BRASSARD; ARMED FORCES POLICE REVIEWER: 82 CT MC SM | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | 11 | |
| | | MIL-B-3476/3B | BRASSARD; BOARDING OFFICER, COAST GUARD USER: CG REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | | |
| | L | MIL-B-3476/4B | BRASSARD; BOMB DISPOSAL PERSONNEL, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | | MIL-B-3476/5B | BRASSARD; CAPTAIN OF THE PORT, COAST GUARD USER: CG REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | | |
| | | MIL-B-3476/6A | BRASSARD; CAREER APPRAISAL, NAVY REVIEWER: CG CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | | |
| | | MIL-B-3476/7C | BRASSARD; DAMAGE CONTROL, NAVY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | | |
| | | MIL-B-3476/8B | BRASSARD; FIRE TRUCK AND HOSE COMPANY, AIR FORCE REVIEWER: 82 CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | 11 | |
| | L | MIL-B-3476/9B | BRASSARD; GAS PERSONNEL, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | | MIL-B-3476/10B | BRASSARD; JUNIOR OFFICER OF THE DECK, NAVY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | | |
| | | MIL-B-3476/11B | BRASSARD; MASTER AT ARMS, NAVY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | | |
| | | MIL-B-3476/12B | BRASSARD; MEDICAL SERVICE, GENEVA CONVENTION REVIEWER: 82 CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | 11 | |
| | | MIL-B-3476/13B | BRASSARD; MEDICAL SERVICE, VETERINARY CORPS REVIEWER: 82 CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | 11 | |
| | L | MIL-B-3476/14B | BRASSARD; MILITARY POLICE, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | | MIL-B-3476/15C | BRASSARD; MILITARY POLICE, MARINE CORPS REVIEWER: CT MC | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | | |
| | | MIL-B-3476/16C | BRASSARD; MOURNING REVIEWER: 82 CT MC | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | 11 | |
| | L | MIL-B-3476/17B | BRASSARD; MOVEMENT CONTROL, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | | MIL-B-3476/18B | BRASSARD; OFFICER OF THE DAY, AIR FORCE REVIEWER: 82 CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | 11 | |
| | L | MIL-B-3476/19B | BRASSARD; OFFICER OF THE DAY, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | | MIL-B-3476/20B | BRASSARD; OFFICER OF THE DECK, NAVY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | | |
| | | MIL-B-3476/21B | BRASSARD; OFFICER OF THE GUARD, AIR FORCE REVIEWER: 82 CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | 11 | |
| | L | MIL-B-3476/22B | BRASSARD; OFFICER OF THE GUARD, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | | MIL-B-3476/23B | BRASSARD; PHOTOGRAPHER, AIR FORCE REVIEWER: 82 CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | 11 | |
| | L | MIL-B-3476/24B | BRASSARD; PHOTOGRAPHER, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/25A | BRASSARD; PORT PERSONNEL, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | | MIL-B-3476/26B | BRASSARD; SECURITY POLICE, AIR FORCE REVIEWER: 82 CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | 11 | |
| | | MIL-B-3476/27B | BRASSARD; SHORE PATROL, NAVY USER: CG REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | | |
| | L | MIL-B-3476/28B | BRASSARD; TRAINEES IN LEADERSHIP COURSES, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/29B | BRASSARD; TRAINEES OR CANDIDATES ACTING AS NON-COMMISSIONED OFFICER AT TRAINING SCHOOL OR CENTER, CORPORAL, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/30B | BRASSARD; TRAINEES OR CANDIDATES ACTING AS NON-COMMISSIONED OFFICER AT TRAINING SCHOOL OR CENTER, SERGEANT, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/31B | BRASSARD; TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, CAPTAIN, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/32B | BRASSARD; TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, FIRST LIEUTENANT, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/33B | BRASSARD; TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, SECOND LIEUTENANT, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/34B | BRASSARD; UNIT POLICE, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/35B | BRASSARD; U.S. ARMY CLAIMS SERVICE, ARMY REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/36C | BRASSARD; ARMY COMMUNITY SERVICE, ARMY REVIEWER: CT SM | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | | MIL-B-3476/37A | BRASSARD; ARMER BOARDING OFFICER, USCG REVIEWER: CG CT | A | 8455 | IH | MR | 10-MAY-91 | IH | MU | | |
| | L | MIL-B-3476/38A | BRASSARD; MILITARY POLICE, ARMY, SUBDUED REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/39A | BRASSARD; CRIMINAL INVESTIGATIONS DIVISION SPECIAL AGENT, ARMY SUBDUED AND DESERT REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | L | MIL-B-3476/40A | BRASSARD, CRIMINAL INVESTIGATIONS DIVISION SPECIAL AGENT, ARMY, FULL COLOR REVIEWER: CT | A | 8455 | IH | MR | 10-MAY-91 | IH | | | |
| | | MIL-B-3476/41 | BRASSARD; MILITARY POLICE, MARINE CORPS, SUBDUED REVIEWER: CT MC | A | 8455 | IH | MR | 19-MAR-92 | IH | MU | | |
| | | MIL-B-3476/42 | BRASSARD; MILITARY POLICE IN GARRISON, MARINE CORPS REVIEWER: CT MC | A | 8455 | IH | MR | 19-MAR-92 | IH | MU | | |
| | | MIL-S-3485D | SIREN, ELECTRIC MOTOR OPERATED, VEHICULAR REVIEWER: GS | A | 6350 | ME | MR | 21-AUG-84 | ME | | 99 | |

| Action | Opt. / Obs. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-B-34930(1) | BUCKLES, END BAR WITH TONGUE (FOR LEATHER) USER: MC REVIEWER: 82 IS ..... | A | 5340 | GL | GL | 30-SEP-91 | | 99 | | |
| | L | MIL-C-3495E | CONVERTER, LIQUID TO GAS OXYGEN, ARGON, AND NITROGEN, SKID MOUNTED, 1,200 SCF PER HOUR CAPACITY [VALIDATION DATE: 8302] | A | 3655 | ME | ME | 10-JAN-78 | ME | | | |
| | L | MIL-C-3498B(1) | CARTRIDGES, DUMMY (FOR SMALL ARMS) ..... | A | 1305 | AR | AR | 06-JAN-92 | AR | | | |
| | | MIL-I-3505C | INSULATION SHEET AND TAPE, ELECTRICAL, COIL AND SLOT, HIGH TEMPERATURE [VALIDATION DATE: 8104] USER: ME REVIEWER: 99 AR GS MI | A | 5970 | SH | ER | 13-OCT-60 | ER | SH | 85 | |
| | | MIL-T-3510E | TARGET, SURVEYING, BEACON (WITH CARRYING BAG) REVIEWER: GS ..... | A | 6675 | ME | ME | 21-AUG-89 | ME | MC | | |
| | L | MIL-L-3516D | LEAK DETECTOR, REFRIGERANT GAS, ACETYLENE BURNING, WITH SEARCH HOSE (FOR NONCOMBUSTIBLE REFRIGERANTS) REVIEWER: CS MI | A | 4940 | MC | MC | 03-JUL-75 | | MC | | |
| | | MIL-T-3520C | TUBING, STEEL (LOW-CARBON) MECHANICAL ROUND USER: AV REVIEWER: AR AT CS MI | A | 4710 | ME | ME | 10-APR-84 | ME | | 99 | |
| | A | MIL-T-3530H | THREAD AND TWINE, MILDEW RESISTANT OR WATER REPELLENT TREATED USER: ME REVIEWER: 11 82 AR EA MC MD | A | 8310 | CT | GL | 20-FEB-91 | GL | MU | 99 | CT |
| | | MIL-R-3533B(2) | RUBBER, SYNTHETIC, SHEET, STRIP AND MOLDED [VALIDATION DATE: 8204] REVIEWER: AR AS IS MI | A | 5330 | OS | MR | 16-NOV-67 | MR | OS | 99 | |
| | D | MIL-S-3534D | SURVEYING INSTRUMENTS AND ACCESSORIES, PACKAGING OF [VALIDATION DATE: 8908] REVIEWER: SM | A | 6675 | ME | ME | 04-AUG-89 | ME | YD1 | 99 | |
| | | MIL-C-3539 | CALCIUM PHOSPHIDE [VALIDATION DATE: 8307] REVIEWER: GS ..... | A | 6810 | OS | OS | 11-JUL-51 | | OS | | |
| | D | MIL-F-3541C SUPPL 1A | FITTINGS, LUBRICATION, GENERAL SPECIFICATION FOR USER: AT MC REVIEWER: 69 82 CS EA ME MI SH YD1 | A | 4730 | AS | AR | 28-FEB-89 | AR | AS | 99 | |
| | D | MIL-P-3558E(1) | PLATES, IDENTIFICATION: LOCOMOTIVES AND RAILWAY CARS ..... | A | 2240 | ME | ME | 12-JAN-89 | ME | YD1 | | |
| | D | MIL-A-3562B | ADHESIVE, SEALING (FOR FILTERS) [VALIDATION DATE: 8201] USER: MC ..... | A | 8040 | EA | EA | 02-OCT-59 | EA | YD1 | | |
| | | MIL-L-3572A | LUBRICANT, COLLOIDAL GRAPHITE IN OIL ..... | A | 9150 | OS | OS | 06-OCT-83 | ME | OS | 68 | |
| | A | MIL-I-3575F SUPPL 1A | INSIGNIA, BRANCH OF SERVICE; GARRISON HAT; CAP; AND SERVICE CAP; OFFICERS, OFFICER CANDIDATES AND AVIATION CADETS, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 MC | A | 8455 | IH | IH | 05-JAN-89 | IH | MU | 11 | |
| | A L | MIL-I-3575/1C | INSIGNIA, AIDE, PRESIDENT OF THE UNITED STATES, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | | MIL-I-3575/2C | INSIGNIA, AIDE, PRESIDENT OF THE UNITED STATES, AIR FORCE REVIEWER: 82 85 CT | A | 8455 | IH | IH | 18-SEP-91 | IH | | 11 | |
| | | MIL-I-3575/3C | INSIGNIA, AIDE, VICE PRESIDENT OF THE UNITED STATES, AIR FORCE REVIEWER: 82 85 CT | A | 8455 | IH | IH | 18-SEP-91 | IH | | 11 | |
| | A L | MIL-I-3575/4C | INSIGNIA, AIDE, SECRETARY OF DEFENSE, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/5C | INSIGNIA, AIDE, SECRETARY AND UNDER SECRETARY OF THE ARMY, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | | MIL-I-3575/6C | INSIGNIA, AIDE, SECRETARY OF THE AIR FORCE, AIR FORCE REVIEWER: 82 85 CT .. | A | 8455 | IH | IH | 18-SEP-91 | IH | | 11 | |
| | A L | MIL-I-3575/7E | INSIGNIA, AIDE, CHIEF OF STAFF AND VICE CHIEF OF STAFF, ARMY REVIEWER: CT . | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | | MIL-I-3575/8C | INSIGNIA, AIDE, CHIEF OF STAFF, AIR FORCE USER: 82 85 REVIEWER: CT ..... | A | 8455 | IH | IH | 18-SEP-91 | IH | | 11 | |
| | A L | MIL-I-3575/9C | INSIGNIA, AIDE, GENERAL OF THE ARMY, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/10F | INSIGNIA, AIDE, GENERAL OFFICERS, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | | MIL-I-3575/11C | INSIGNIA, AIDE, GENERAL OFFICERS, AIR FORCE REVIEWER: 82 85 CT ..... | A | 8455 | IH | IH | 18-SEP-91 | IH | | 11 | |
| | L | MIL-I-3575/12C | INSIGNIA, BRANCH OF SERVICE, CHAPLAIN, CHRISTIAN FAITH, ARMY USER: SM REVIEWER: CT | A | 8455 | IH | IH | 14-SEP-90 | IH | | | |
| | | MIL-I-3575/13C | INSIGNIA, BRANCH OF SERVICE, CHAPLAIN, CHRISTIAN FAITH, AIR FORCE REVIEWER: CT | A | 8455 | IH | IH | 14-SEP-90 | IH | | 11 | |
| | L | MIL-I-3575/14C | INSIGNIA, BRANCH OF SERVICE, CHAPLAIN, JEWISH FAITH, ARMY REVIEWER: CT .... | A | 8455 | IH | IH | 15-FEB-90 | IH | | | |
| | | MIL-I-3575/15D | INSIGNIA, BRANCH OF SERVICE CHAPLAIN, JEWISH FAITH, AIR FORCE USER: 45 REVIEWER: 99 CT | A | 8455 | IH | IH | 14-SEP-90 | IH | | 11 | |
| | A | MIL-I-3575/16E | INSIGNIA, OFFICERS, "U.S.", ARMY AND AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | 11 | |
| | A L | MIL-I-3575/17C | INSIGNIA, WARRANT OFFICERS, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/18G | INSIGNIA, BRANCH OF SERVICE, OFFICERS, GENERAL STAFF, ARMY REVIEWER: CT ... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/19C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, INFANTRY, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/20C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, AIR DEFENSE ARTILLERY, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/21C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CORPS OF ENGINEERS, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/22C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, QUARTERMASTER CORPS, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/23D | INSIGNIA, BRANCH OF SERVICE, OFFICERS, INSPECTOR GENERAL, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | L | MIL-I-3575/24E | INSIGNIA, BRANCH OF SERVICE, OFFICERS, ADJUTANT GENERAL'S CORPS USER: SM REVIEWER: CT | A | 8455 | IH | IH | 14-SEP-90 | IH | | | |
| | A L | MIL-I-3575/25D | INSIGNIA, BRANCH OF SERVICE, OFFICERS, ARMOR, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/26C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, SIGNAL CORPS, ARMY REVIEWER: CT .... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/27C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, TRANSPORTATION CORPS, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/28C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, MILITARY POLICE CORPS, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/29D | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHEMICAL CORPS, ARMY REVIEWER: CT .. | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/30C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, FINANCE CORPS, ARMY REVIEWER: CT ... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/31D | INSIGNIA, BRANCH OF SERVICE, OFFICERS, MILITARY INTELLIGENCE, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/32C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, ORDNANCE CORPS, ARMY REVIEWER: CT .. | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/33C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, JUDGE ADVOCATE GENERAL'S CORPS, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/34C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, STAFF SPECIALIST, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/35C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CIVIL AFFAIRS, ARMY REVIEWER: CT ... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/37C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, NATIONAL GUARD BUREAU REVIEWER: CT . | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/38E | INSIGNIA, BRANCH OF SERVICE, OFFICER CANDIDATE SCHOOL, ARMY REVIEWER: CT .. | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/39D | INSIGNIA, BRANCH OF SERVICE, OFFICERS, ARMY MEDICAL SERVICE REVIEWER: CT .. | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | | MIL-I-3575/40F | INSIGNIA, NURSE, AIR FORCE REVIEWER: 12 CT ..... | A | 8455 | IH | IH | 13-SEP-91 | IH | | 11 | |
| | L | MIL-I-3575/41B | INSIGNIA, MEDICAL OFFICER AND NURSE, CIVIL AIR PATROL REVIEWER: CT ..... | A | 8455 | IH | IH | 15-FEB-90 | IH | | | |
| | A | MIL-I-3575/42C | INSIGNIA, SERVICE CAP, OFFICERS, ARMY, AIR FORCE AND AVIATION CADETS USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | 11 | |
| | A | MIL-I-3575/43F | INSIGNIA, HAT, OFFICERS, FEMALE, ARMY AND AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | 11 | |
| | A L | MIL-I-3575/44C | INSIGNIA, SERVICE CAP, WARRANT OFFICERS, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/45D | INSIGNIA, BRANCH OF SERVICE, WARRANT OFFICER CANDIDATE, ARMY REVIEWER: CT . | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | | MIL-I-3575/46C | INSIGNIA, AIDE, SECRETARY OF DEFENSE, AIR FORCE REVIEWER: 82 85 CT ..... | A | 8455 | IH | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-I-3575/47D | INSIGNIA, PHYSICIAN, AIR FORCE REVIEWER: CT ..... | A | 8455 | IH | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-I-3575/48D | INSIGNIA, DENTIST, AIR FORCE REVIEWER: CT ..... | A | 8455 | IH | IH | 18-SEP-91 | IH | | 11 | |
| | | MIL-I-3575/50B | INSIGNIA, AIDE, CHAIRMAN, JOINT CHIEFS OF STAFF, AIR FORCE REVIEWER: 82 85 CT | A | 8455 | IH | IH | 18-SEP-91 | IH | | 11 | |
| | | MIL-I-3575/51D | INSIGNIA, DEPARTMENT OF THE JUDGE ADVOCATE GENERAL, AIR FORCE REVIEWER: CT | A | 8455 | IH | IH | 13-SEP-91 | IH | | 11 | |
| | A L | MIL-I-3575/52C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, FIELD ARTILLERY, ARMY REVIEWER: CT . | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/53B | INSIGNIA, AIDE, VICE PRESIDENT OF THE UNITED STATES, ARMY REVIEWER: CT .... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | | MIL-I-3575/54C | INSIGNIA, MEDICAL SERVICE OFFICER, AIR FORCE REVIEWER: CT ..... | A | 8455 | IH | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-I-3575/55C | INSIGNIA, BIOMEDICAL SCIENCES OFFICER, AIR FORCE REVIEWER: CT ..... | A | 8455 | IH | IH | 13-SEP-91 | IH | | 11 | |
| | A L | MIL-I-3575/56D | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CAVALRY, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/57C | INSIGNIA, AIDE, CHAIRMAN AND VICE CHAIRMAN, JOINT CHIEFS OF STAFF, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | L | MIL-I-3575/58B | INSIGNIA, HAT, OFFICERS, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION REVIEWER: CT | A | 8455 | IH | IH | 14-SEP-90 | IH | | | |
| | A L | MIL-I-3575/59B | INSIGNIA, BRANCH OF SERVICE, OFFICERS, AVIATION, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |
| | A L | MIL-I-3575/60C | INSIGNIA, BRANCH OF SERVICE, OFFICERS, SPECIAL FORCES, ARMY REVIEWER: CT .. | A | 8455 | IH | IH | 14-AUG-92 | IH | | | |

| Action | QPL / QML Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-I-3575/61B | INSIGNIA, BRANCH OF SERVICE, AIDE TO VICE CHAIRMAN JOINT CHIEFS OF STAFF, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | IH | 18-SEP-91 | | | 11 | |
| | | MIL-I-3575/62 | INSIGNIA, BRANCH OF SERVICE, BUDDHIST CHAPLAIN, ARMY AND AIR FORCE REVIEWER: CT | A | 8455 | IH | IH | 29-JAN-91 | | | 11 | |
| | L | MIL-I-3575/63 | INSIGNIA, SURGEON GENERAL, USPHS REVIEWER: CT | A | 8455 | IH | IH | 09-MAY-92 | IH | | | |
| | L | MIL-I-3575/64 | INSIGNIA, DEPUTY SURGEON GENERAL, USPHS REVIEWER: CT | A | 8455 | IH | IH | 09-MAY-92 | IH | | | |
| A | | MIL-S-3577G | SWEATBAND, HEADWEAR (LEATHER) USER: 45 REVIEWER: 99 MD | A | 8405 | CT | GL | 29-SEP-86 | GL | MU | 11 | CT |
| | | MIL-I-3578B | INKING PAD, RUBBER STAMP (FOOD INSPECTION, VETERINARY) [VALIDATION DATE: 8104] USER: 03 MS SA SH REVIEWER: EA MD | A | 7510 | GL | GL | 24-SEP-74 | GL | | 99 | |
| D | | MIL-C-3580E | CRANE AND CRANE-SHOVELS, TRUCK, CRAWLER, AND WHEEL MOUNTED, FULL-REVOLVING, AND THEIR ATTACHMENTS, PACKAGING OF USER: MC REVIEWER: 84 AT SM | A | PACK | ME | ME | 15-JAN-91 | ME | YD1 | 99 | |
| | | MIL-P-3583 NOTICE 1 | PLATE, EGG INSPECTION (ALUMINUM) [VALIDATION DATE: 9011] | A | 6695 | MB | MD | 15-NOV-90 | MD | MS | 03 | |
| | | MIL-P-3584A | PLASTIC SHEET, POLYVINYL CHLORIDE, PLASTICIZED, ELASTOMERIC USER: CG SA SH REVIEWER: 69 CR | A | 9330 | WP | MR | 21-JAN-63 | MR | WP | 11 | |
| A | | MIL-H-3586E NOTICE 1 | HOLDFAST ASSEMBLY: CHAIN TYPE [VALIDATION DATE: 9303] | A | 5420 | ME | ME | 23-MAR-93 | ME | MC | | |
| D | | MIL-R-3593D | REFRIGERATION AND COOLING EQUIPMENT (EXCLUDING HOUSEHOLD REFRIGERATORS), PACKAGING OF USER: GL MC SH REVIEWER: 82 EA SM | A | PACK | ME | ME | 18-MAR-91 | ME | YD1 | 99 | |
| | I | MIL-T-3595B | TUBING, PHOSPHOR BRONZE: (CDA NO. 510) ROUND, SEAMLESS USER: ME OS REVIEWER: 99 EA | A | 4710 | AS | MR | 01-APR-90 | MR | AS | 11 | |
| D | | MIL-C-3600E | COMPRESSORS, ROTARY, POWER-DRIVEN; AND COMPRESSORS, RECIPROCATING, POWER-DRIVEN: AIR AND GAS (EXCEPT OXYGEN AND REFRIGERANT), PACKAGING OF USER: MC REVIEWER: 84 SH SM | A | PACK | ME | ME | 15-JAN-91 | ME | YD1 | 99 | |
| | L | MIL-I-3606E | INK, PRINTING, LITHOGRAPHIC OFFSET, WITH DRIER, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8411] USER: MC REVIEWER: GL | A | 7510 | ME | ME | 30-OCT-80 | ME | | | |
| | L | MIL-I-3606/1A | INK, PRINTING, LITHOGRAPHIC OFFSET, BLACK [VALIDATION DATE: 8411] USER: GL MC | A | 7510 | ME | ME | 07-JUL-75 | ME | | | |
| | | MIL-I-3606/2A | INK, PRINTING, LITHOGRAPHIC OFFSET, BROWN [VALIDATION DATE: 8411] USER: MC REVIEWER: GL | A | 7510 | ME | ME | 07-JUL-75 | ME | | 99 | |
| | L | MIL-I-3606/3A | INK, PRINTING, LITHOGRAPHIC OFFSET, RED [VALIDATION DATE: 8411] USER: MC REVIEWER: GL | A | 7510 | ME | ME | 07-JUL-75 | ME | | | |
| | L | MIL-I-3606/4A | INK, PRINTING, LITHOGRAPHIC OFFSET, YELLOW [VALIDATION DATE: 8411] USER: MC REVIEWER: GL | A | 7510 | ME | ME | 07-JUL-75 | ME | | | |
| | L | MIL-I-3606/5A | INK, PRINTING, LITHOGRAPHIC OFFSET, GREEN [VALIDATION DATE: 8411] USER: MC REVIEWER: GL | A | 7510 | ME | ME | 07-JUL-75 | ME | | | |
| | L | MIL-I-3606/6A | INK, PRINTING, LITHOGRAPHIC OFFSET, BLUE [VALIDATION DATE: 8411] USER: MC REVIEWER: GL | A | 7510 | ME | ME | 07-JUL-75 | ME | | | |
| | L | MIL-I-3606/7A | INK, PRINTING, LITHOGRAPHIC OFFSET, PURPLE [VALIDATION DATE: 8411] USER: MC REVIEWER: GL | A | 7510 | ME | ME | 07-JUL-75 | ME | | | |
| | L | MIL-I-3606/8A | INK, PRINTING, LITHOGRAPHIC OFFSET, GRAY [VALIDATION DATE: 8411] USER: MC REVIEWER: GL | A | 7510 | ME | ME | 07-JUL-75 | ME | | | |
| | | MIL-C-3607A SUPPL 1A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8304] REVIEWER: 11 99 AR ES MI | A | 5935 | EC | EC | 30-AUG-61 | CR | EC | 85 | |
| | | MIL-C-3607/1A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, PLUG, ELECTRICAL, TYPE UG-34/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 02-AUG-63 | CR | EC | 85 | |
| | | MIL-C-3607/2A | CONNECTOR, COAXIAL, *RADIO FREQUENCY*, SERIES PULSE, PLUG, ELECTRICAL, TYPE UG-36/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 02-AUG-63 | CR | EC | 85 | |
| | | MIL-C-3607/3B | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-37A/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES MI | A | 5935 | EC | EC | 12-DEC-63 | CR | EC | 85 | |
| | | MIL-C-3607/4B | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, PRESSURIZED, TYPE UG-38A/U [VALIDATION DATE: 8404] USER: AS MC REVIEWER: 11 99 ES MI | A | 5935 | EC | EC | 01-NOV-65 | CR | EC | 85 | |
| | | MIL-C-3607/5B | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, PRESSURIZED, TYPE UG-62A/U [VALIDATION DATE: 8404] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 16-MAR-66 | CR | EC | 85 | |
| | | MIL-C-3607/6A | CONNECTOR, PLUG, ELECTRICAL, SERIES PULSE, TYPE UG 174/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES MI | A | 5935 | EC | EC | 02-AUG-63 | CR | EC | 85 | |
| | | MIL-C-3607/7A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, PLUG, ELECTRICAL, TYPE UG-180A/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 02-AUG-63 | CR | EC | 85 | |
| | | MIL-C-3607/8B | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-181A/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 12-DEC-63 | CR | EC | 85 | |
| | | MIL-C-3607/9A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-182A/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 02-AUG-63 | CR | EC | 85 | |
| | | MIL-C-3607/10A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, ADAPTER, TYPE UG-222B/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 02-AUG-63 | CR | EC | 85 | |
| | | MIL-C-3607/11 | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-264/U [VALIDATION DATE: 8304] REVIEWER: 11 99 ES MI | A | 5935 | EC | EC | 30-AUG-61 | CR | EC | 85 | |
| | | MIL-C-3607/12A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, ADAPTER, TYPE UG-336A/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 02-AUG-63 | CR | EC | 85 | |
| | | MIL-C-3607/13A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-350/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 02-AUG-63 | CR | EC | 85 | |
| | | MIL-C-3607/14A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, ADAPTER, TYPE UG-1110/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 02-AUG-63 | CR | EC | 85 | |
| | | MIL-C-3607/15A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-1141/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES | A | 5935 | EC | EC | 02-AUG-63 | CR | EC | 85 | |
| | | MIL-H-3611C | HOOK, LOG GRAB, 5 INCH BY 8 INCH [VALIDATION DATE: 8205] | A | 4030 | ME | ME | 01-APR-71 | ME | | 99 | |
| D | L | MIL-T-3618C(2) | THERMOMETER, SELF INDICATING, BIMETALLIC [VALIDATION DATE: 8101] USER: MC YD1 REVIEWER: GS | A | 6685 | AR | AR | 30-MAY-75 | AR | | | |
| D | | MIL-I-3624D | ICE MAKING PLANT, BLOCK, SELF CONTAINED, SKID MOUNTED, 1 TON [VALIDATION DATE: 8201] USER: CE MC REVIEWER: GS MD ME | A | 4110 | GL | GL | 31-DEC-75 | GL | YD1 | | |
| D | | MIL-P-3627D | PENETROMETERS, SOIL: DIAL INDICATING (TWO CONES) AND SPRING INDICATING (AIRFIELD CONE) USER: CE GL MC REVIEWER: GS MT | A | 6635 | ME | ME | 10-MAY-88 | ME | YD1 | 99 | |
| | | MIL-B-3628E SUPPL 1A | BADGE, BADGE CLASP, BAR AND PENDANT, QUALIFICATION, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 10-FEB-88 | IH | MU | 11 | |
| | L | MIL-B-3628/1D | BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, ARMY, PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | IH | IH | 10-FEB-88 | IH | | | |
| | L | MIL-B-3628/2D | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, ARMY, PENDANT AND SUSPENSION BAR REVIEWER: CT DP | A | 8455 | IH | IH | 10-FEB-88 | IH | | | |
| | | MIL-B-3628/3D | BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | IH | IH | 07-AUG-91 | IH | MU | | |
| | | MIL-B-3628/4E | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | IH | IH | 09-AUG-91 | IH | MU | | |
| | L | MIL-B-3628/5D | BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, CIVILIAN AWARD, (ARMY), PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | IH | IH | 10-FEB-88 | IH | MU | | |
| | L | MIL-B-3628/6D | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, CIVILIAN AWARD, (ARMY), PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | IH | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/7D | BADGE, QUALIFICATION, NATIONAL RIFLEMAN, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | IH | IH | 09-AUG-91 | IH | MU | | |
| | | MIL-B-3628/8D | BADGE, QUALIFICATION, FLEET RIFLEMAN, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | IH | IH | 09-AUG-91 | IH | MU | | |
| | | MIL-B-3628/9D | BADGE, QUALIFICATION, RIFLEMAN, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | IH | IH | 09-AUG-91 | IH | MU | | |

| Action | Obsl / Canc / Coordination / Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-B-3628/10D | BADGE, QUALIFICATION, NATIONAL PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | | IH | 09-AUG-91 | IH | MU | | |
| | | MIL-B-3628/11D | BADGE, QUALIFICATION, FLEET PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | | IH | 09-AUG-91 | IH | MU | | |
| | | MIL-B-3628/12D | BADGE, QUALIFICATION, PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT | A | 8455 | | IH | 09-AUG-91 | IH | MU | | |
| | L | MIL-B-3628/13C | BADGE, QUALIFICATION, EXCELLENCE, SMALL ARMS COMPETITION, RIFLE AND PISTOL, ARMY, PENDANT, SUSPENSION BAR, AND SUSPENSION DEVICE REVIEWER: CT DP | A | 8455 | | IH | 10-FEB-88 | IH | | | |
| | L | MIL-B-3628/14H | BADGE, QUALIFICATION, BASIC, EXPERT, SHARPSHOOTER AND MARKSMAN, ARMY REVIEWER: CT | A | 8455 | | IH | 08-JUL-91 | IH | | | |
| | L | MIL-B-3628/15F | BADGE CLASPS, BADGE, QUALIFICATION, BASIC, SHARPSHOOTER AND MARKSMAN, ARMY REVIEWER: CT | A | 8455 | | IH | 26-APR-91 | IH | | | |
| | | MIL-B-3628/16G | BADGE, QUALIFICATION, RIFLE, MARINE CORPS; PENDANT AND SUSPENSION BAR REVIEWER: CT MC | A | 8455 | | IH | 13-SEP-91 | IH | MU | | |
| | | MIL-B-3628/17F | BADGE, QUALIFICATION, PISTOL, MARINE CORPS; PENDANT AND SUSPENSION BAR REVIEWER: CT MC | A | 8455 | | IH | 14-SEP-90 | IH | MU | | |
| | | MIL-B-3628/18J | BADGE CLASPS, REQUALIFICATION, EXPERT RIFLE AND PISTOL, MARINE CORPS REVIEWER: CT MC | A | 8455 | | IH | 14-SEP-90 | IH | MU | | |
| | | MIL-B-3628/19C | BADGE, QUALIFICATION, BASIC; MARINE CORPS, PENDANT AND SUSPENSION BAR REVIEWER: CT MC | A | 8455 | | IH | 14-SEP-90 | IH | MU | | |
| | | MIL-B-3628/20B | BADGE CLASPS, BADGE, QUALIFICATION, BASIC, MARINE CORPS REVIEWER: CT ..... | A | 8455 | | IH | 14-SEP-90 | IH | MU | | |
| | L | MIL-B-3628/21E | BADGE, QUALIFICATION, BASIC, DRIVER AND MECHANIC, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 26-APR-91 | IH | | | |
| | L | MIL-B-3628/22E | BADGE, QUALIFICATION, CLASPS, BASIC, DRIVER AND MECHANIC, ARMY REVIEWER: CT | A | 8455 | | IH | 26-APR-91 | IH | | | |
| | L | MIL-B-3628/23L | BADGE, QUALIFICATION, EXPERT INFANTRYMAN, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 26-APR-91 | IH | | | |
| | L | MIL-B-3628/24H | BADGE, QUALIFICATION, COMBAT INFANTRYMAN, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 01-JUN-91 | IH | | | |
| | | MIL-B-3628/25K | BADGE, QUALIFICATION, EXPLOSIVE ORDNANCE DISPOSAL REVIEWER: 82 99 CT MC ... | A | 8455 | | IH | 13-SEP-91 | IH | MU | 11 | |
| | | MIL-B-3628/26G | BADGE, QUALIFICATION, DIVER REVIEWER: CG CT ..... | A | 8455 | | IH | 26-APR-91 | IH | MU | | |
| | L | MIL-B-3628/27F | BADGE, QUALIFICATION, COMBAT MEDICAL, ARMY USER: 45 REVIEWER: 82 99 CT .... | A | 8455 | | IH | 26-APR-91 | IH | | 11 | |
| | | MIL-B-3628/28G | BADGE, QUALIFICATION, MISSILEMAN, AIR FORCE REVIEWER: 82 99 CT ..... | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/30H | BADGE, QUALIFICATION, PARACHUTIST, ARMY, NAVY, MARINE CORPS AND AIR FORCE SENIOR AND MASTER PARACHUTIST, ARMY AND AIR FORCE REVIEWER: 82 99 CT MC | A | 8455 | | IH | 13-SEP-91 | IH | MU | 11 | |
| | | MIL-B-3628/31C | BADGE, QUALIFICATION, SENIOR PARACHUTIST, NAVY AND MARINE CORPS REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/32G | BADGE, QUALIFICATION, COMBAT CREW MEMBER, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/33F | BADGE, QUALIFICATION, EXPERT FIELD MEDICAL, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 26-APR-91 | IH | | 11 | |
| | L | MIL-B-3628/34H | BADGE, QUALIFICATION, NUCLEAR REACTOR OPERATORS, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 10-FEB-88 | IH | | | |
| | | MIL-B-3628/35C | BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, MARINE CORPS REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/36C | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, MARINE CORPS REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/37C | BADGE, QUALIFICATION, LAUCHHEIMER TROPHY, MARINE CORPS REVIEWER: CT MC .... | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/38C | BADGE, QUALIFICATION, MARINE CORPS RIFLE CHAMPIONSHIP (MCDOUGAL TROPHY) REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/39D | BADGE, QUALIFICATION, MARINE CORPS PISTOL CHAMPIONSHIP (WALSH TROPHY) REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/40C | BADGE, QUALIFICATION, MARINE CORPS RIFLE COMPETITION REVIEWER: CT MC ..... | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/41C | BADGE, QUALIFICATION, MARINE CORPS, PISTOL COMPETITION REVIEWER: CT MC .... | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/42C | BADGE, QUALIFICATION, MARINE CORPS, DIVISION RIFLE COMPETITION REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/43C | BADGE, QUALIFICATION, MARINE CORPS, DIVISION PISTOL COMPETITION REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/44C | BADGE, QUALIFICATION, ANNUAL RIFLE SQUAD COMBAT PRACTICE COMPETITION, MARINE CORPS REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/45C | BADGE, QUALIFICATION, INTER-DIVISION RIFLE TEAM, MARINE CORPS REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/46C | BADGE, QUALIFICATION, INTER-DIVISION PISTOL TEAM, MARINE CORPS REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/47C | BADGE, QUALIFICATION, TROPHY, RIFLETEAM MATCHES, MARINE CORPS REVIEWER: CT MC | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | | MIL-B-3628/48E | BADGES, QUALIFICATION, PISTOL TEAM MATCHES, MARINE CORPS REVIEWER: CT MC .. | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | L | MIL-B-3628/49E | BADGE, QUALIFICATION, GLIDER, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 26-APR-91 | IH | | | |
| | | MIL-B-3628/50C | BADGE, QUALIFICATION, PARARESCUE, AIR FORCE USER: 45 REVIEWER: 82 99 CT ... | A | 8455 | | IH | 10-FEB-88 | IH | | 11 | |
| | L | MIL-B-3628/51E | BADGE, QUALIFICATION, PATHFINDER, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 26-MAR-92 | IH | | | |
| | | MIL-B-3628/52E | BADGE, QUALIFICATION, WEAPONS CONTROLLER, AIR FORCE REVIEWER: 82 99 CT .... | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/53D | BADGE, QUALIFICATION, SCUBA DIVER USER: CG REVIEWER: CT ..... | A | 8455 | | IH | 26-APR-91 | IH | MU | | |
| | | MIL-B-3628/54B | BADGE, QUALIFICATION, EXPERT PISTOL, NAVY REVIEWER: CT ..... | A | 8455 | | IH | 09-AUG-91 | IH | MU | | |
| | | MIL-B-3628/55B | BADGE, QUALIFICATION, EXPERT RIFLEMAN, NAVY REVIEWER: CT DP ..... | A | 8455 | | IH | 09-AUG-91 | IH | MU | | |
| | | MIL-B-3628/56C | BADGE, QUALIFICATION, OFFICER IN CHARGE, (AFLOAT), ENLISTED PERSONNEL, COAST GUARD REVIEWER: CG CT | A | 8455 | | IH | 09-JUL-90 | IH | MU | | |
| | | MIL-B-3628/57D | BADGE, QUALIFICATION, AIR TRAFFIC CONTROLLER, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/58F | BADGE, QUALIFICATION, SECURITY POLICE, FUNCTIONAL, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | L | MIL-B-3628/59A | BADGE, QUALIFICATION, DIVER, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION REVIEWER: CT | A | 8455 | | IH | 10-FEB-88 | IH | | | |
| | | MIL-B-3628/60A | BADGE, QUALIFICATION, EXPERT RIFLEMAN, COAST GUARD REVIEWER: CG CT ..... | A | 8455 | | IH | 10-FEB-88 | IH | MU | | |
| | L | MIL-B-3628/61B | BADGE, QUALIFICATION, EXPERT PISTOL, COAST GUARD USER: CG RLVIEWER: CT MU . | A | 8455 | | IH | 19-DEC-89 | IH | | | |
| | | MIL-B-3628/62B | BADGE, QUALIFICATION, COMMAND ASHORE, COAST GUARD USER: CG REVIEWER: CT ... | A | 8455 | | IH | 14-SEP-90 | IH | MU | | |
| | L | MIL-B-3628/63D | BADGE, QUALIFICATION, AIR ASSAULT, ARMY ..... | A | 8455 | | IH | 26-APR-91 | IH | | | |
| | | MIL-B-3628/64C | BADGE, QUALIFICATION, SPACE OPERATIONS, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/65C | BADGE, QUALIFICATION, COMBAT PARACHUTIST, ARMY AND AIR FORCE REVIEWER: CT . | A | 8455 | | IH | 03-JUN-92 | IH | | 11 | |
| | L | MIL-B-3628/66B | BADGE, QUALIFICATION, RANGER TAB, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 26-MAR-92 | IH | | | |
| | L | MIL-B-3628/67B | BADGE, QUALIFICATION, SPECIAL FORCES TAB, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 26-MAR-92 | IH | | | |
| | | MIL-B-3628/68E | BADGE, QUALIFICATION, AIRCRAFT/MUNITIONS MAINTENANCE, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | L | MIL-B-3628/69A | BADGE, QUALIFICATION, COMBAT AND SPECIAL SKILL, RIGGER REVIEWER: CT ..... | A | 8455 | | IH | 23-APR-91 | IH | | | |
| | | MIL-B-3628/70B | BADGE, QUALIFICATION, TACTICAL AIR CONTROL PARTY, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 15-JAN-92 | IH | | 11 | |
| | | MIL-B-3628/71B | BADGE, QUALIFICATION, MEDICAL TECHNICIAN, AIR FORCE REVIEWER: 82 99 CT .... | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/72C | BADGE, QUALIFICATION, MISSILE WITH OPERATIONS CREW DESIGNATOR, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/73B | BADGE, QUALIFICATION, COMMUNICATIONS-ELECTRONICS MAINTENANCE, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/74B | BADGE, QUALIFICATION, METEOROLOGIST, AIR FORCE REVIEWER: 82 99 CT ..... | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/75B | BADGE, QUALIFICATION, SUPPLY-FUELS, AIR FORCE REVIEWER: 82 99 CT ..... | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/76B | BADGE, QUALIFICATION, INFORMATION MANAGER, AIR FORCE REVIEWER: 82 99 CT ... | A | 8455 | | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-3628/77 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN COAST GUARD REVIEWER: CG CT | A | 8455 | | IH | 28-MAY-91 | IH | MU | | |
| | | MIL-B-3628/78 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT, COAST GUARD REVIEWER: CG CT | A | 8455 | | IH | 28-MAY-91 | IH | MU | | |
| | | MIL-B-3628/79 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN NATIONAL, COAST GUARD REVIEWER: CG CT | A | 8455 | | IH | 28-MAY-91 | IH | MU | | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-B-3628/80 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT NATIONAL, COAST GUARD REVIEWER: CG CT | A | 8455 | | IH | 28-MAY-91 | IH | MU | | |
| | | | MIL-B-3628/81 | BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, COAST GUARD REVIEWER: CG CT . | A | 8455 | | IH | 28-MAY-91 | IH | MU | | |
| | | | MIL-B-3628/82 | BADGE, QUALIFICATION, PISTOL SHOT, COAST GUARD REVIEWER: CG CT ..... | A | 8455 | | IH | 28-MAY-91 | IH | MU | | |
| | | | MIL-B-3628/83 | BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 12-SEP-91 | IH | | 11 | |
| | | | MIL-B-3628/84 | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 12-SEP-91 | IH | | 11 | |
| | | | MIL-B-3628/85 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 12-SEP-91 | IH | | 11 | |
| | | | MIL-B-3628/86 | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 14-SEP-91 | IH | | 11 | |
| | | | MIL-B-3628/87 | BADGE, QUALIFICATION, BRONZE EXCELLENCE IN COMPETITION, RIFLEMAN, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 12-SEP-91 | IH | | 11 | |
| | | | MIL-B-3628/88 | BADGE, QUALIFICATION, BRONZE EXCELLENCE IN COMPETITION, PISTOL SHOT, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 12-SEP-91 | IH | | 11 | |
| | | | MIL-B-3628/968 | LAPEL BUTTON, HONORABLE DISCHARGE, NAVY USER: CG REVIEWER: CT ..... | A | 8455 | | IH | 09-AUG-91 | IH | MU | | |
| | | | MIL-B-3628/1048 | LAPEL BUTTON, HONORABLE DISCHARGE, NAVY USER: CG REVIEWER: CT ..... | A | 8455 | | IH | 09-AUG-91 | IH | MU | | |
| A | | | MIL-C-3636C NOTICE 1 | CORDS AND TASSELS, FLAG [VALIDATION DATE: 9210] USER: 45 REVIEWER: 82 99 CT | A | 8345 | | IH | 02-OCT-92 | IH | | 11 | |
| | I | | MIL-C-3643A(3) SUPPL 1A, NOTICE 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES MM, AND ASSOCIATED FITTINGS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8808] USER: AR AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | I | | MIL-C-3643/1A NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES MM, TYPE UG-59E/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/2A NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES MM, TYPE UG-60E/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/3A NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES MM, TYPE UG-61E/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/4A NOTICE 1 | CONNECTOR, ADAPTER, SERIES MM, TYPE UG-212C/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/5A NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES MM, TYPE UG-333C/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/6A NOTICE 1 | CONNECTOR, ADAPTER, SERIES MM, TYPE UG-413/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/7A NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES MM, TYPE UG-494B/U [VALIDATION DATE: 8808] USER: AR AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/8A NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES MM, TYPE UG-495D/U [VALIDATION DATE: 8808] USER: AR AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/9A NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES MM, TYPE UG-496/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/11A NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES MM, TYPE UG-427C/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/12A NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES MM, TYPE UG-9268/U [VALIDATION DATE: 8808] USER: AR AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | I | | MIL-C-3643/14A NOTICE 1 | CLAMP, ARMOR, SERIES MM, TYPE MX-1462/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 80 | |
| | | | MIL-S-36448 | SHAFT ASSEMBLY, FLEXIBLE REVIEWER: AV CS SH ..... | A | 3040 | | 82 | 10-MAY-85 | ER | AS | 99 | |
| A | L | | MIL-S-3649F | SHIRTS, MEN'S: LONG SLEEVE [VALIDATION DATE: 8710] ..... | A | 8405 | | CT | 23-OCT-87 | | MC | | CT |
| | | | MIL-C-3650A(1) SUPPL 1A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES LC [VALIDATION DATE: 8104] USER: AS MC REVIEWER: 11 99 AR ES MI | A | 5935 | | EC | 16-JAN-64 | CR | EC | 85 | |
| | | | MIL-C-3653A | CASE, VETERINARY EGG INSPECTION SET [VALIDATION DATE: 8106] REVIEWER: GS .. | A | 6545 | | DM | 18-JUN-75 | MD | MS | 03 | |
| | | | MIL-C-3655C(1) SUPPL 1A | CONNECTOR, PLUG AND RECEPTACLE, ELECTRICAL (COAXIAL, SERIES TWIN), AND ASSOCIATED FITTINGS, GENERAL SPECIFICATION FOR USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 28-SEP-84 | CR | EC | 85 | |
| | I | | MIL-C-3655/1B NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-421B/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | I | | MIL-C-3655/2B NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-422/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | I | | MIL-C-3655/3B NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-423B/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | I | | MIL-C-3655/4B(2) NOTICE 1 | CONNECTOR ADAPTER, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-493A/U [VALIDATION DATE: 9110] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 30-OCT-91 | CR | EC | 85 | |
| | I | | MIL-C-3655/5B NOTICE 1 | CONNECTOR ADAPTER, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-981/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | I | | MIL-C-3655/6B NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS II (COAXIAL, SERIES TWIN) TYPE UG-1057/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | I | | MIL-C-3655/7B NOTICE 1 | CONNECTOR ADAPTER, CLASS II (COAXIAL, SERIES TWIN), TYPE UG-1058/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | I | | MIL-C-3655/8B NOTICE 1 | CONNECTOR ADAPTER, CLASS II (COAXIAL, SERIES TWIN), TYPE UG-1059/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | I | | MIL-C-3655/9D NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-1060A/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | | | MIL-C-3655/10A | CONNECTOR SHIELD, ELECTRICAL (COAXIAL, SERIES TWIN), TYPE MX-1556/U [VALIDATION DATE: 8501] USER: 19 AS AT MC SH REVIEWER: 11 17 ES MI OS | A | 5935 | | CR | 17-JUN-77 | CR | EC | 85 | |
| | I | | MIL-C-3655/11B NOTICE 1 | CONNECTOR SHIELD, ELECTRICAL (COAXIAL, SERIES TWIN), TYPE UG-106/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | I | | MIL-C-3655/12B NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-1253/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| A | | | MIL-C-3655/13A(4) | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC, JAM NUT MOUNTED) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 21-JUL-92 | CR | EC | 85 | |
| A | | | MIL-C-3655/14A(2) | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 21-JUL-92 | CR | EC | 85 | |
| A | | | MIL-C-3655/15A(3) | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWBNC) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 21-JUL-92 | CR | EC | 85 | |
| A | | | MIL-C-3655/16A(5) | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWBNC) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 21-JUL-92 | CR | EC | 85 | |
| A | | | MIL-C-3655/17(2) | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC, RIGHT ANGLE) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 21-JUL-92 | CR | EC | 85 | |
| | | | MIL-C-3655/18(1) | CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSNC) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 08-JUN-90 | CR | EC | 85 | |
| | | | MIL-C-3655/19(1) | CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSNC) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 08-JUN-90 | CR | EC | 85 | |
| | | | MIL-C-3655/20(1) | CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSNB) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 08-JUN-90 | CR | EC | 85 | |
| | | | MIL-C-3655/21(1) | CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSNB) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 08-JUN-90 | CR | EC | 85 | |
| | | | MIL-C-3655/22A(1) | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWTNC, BULKHEAD) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 08-JUN-90 | CR | EC | 85 | |

| Action | GPA / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-C-3655/23A(2) | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWBNC, BULKHEAD) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS | A | 5935 | CH | 08-JUN-90 | CR | EC | 85 | |
| Q | | | MIL-L-3661B(4) SUPPL 1B | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, GENERAL SPECIFICATION FOR USER: AS MC ME OS SH REVIEWER: 82 AR EA GS MI | A | 6210 | EC | 09-DEC-91 | | EC | 99 | |
| | | | MIL-L-3661/1A(1) NOTICE 1 | LAMPHOLDERS, STYLES LH20 AND LH22 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS MI | A | 6250 | EC | 18-MAR-91 | CR | EC | 11 | |
| | | | MIL-L-3661/2B NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES HOUSINGS, DRIPPROOF, STYLE LH50 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 11 | |
| | | | MIL-L-3661/5B NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT HOUSING STYLE LH73 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AR AS EA GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/6C | LAMPHOLDER, HOUSING, INDICATOR LIGHT, STYLE LH74 (VALIDATION DATE: 8104) USER: MC ME REVIEWER: AR AS GS MI | A | 6210 | EC | 09-JUN-69 | EL | EC | 99 | |
| | | | MIL-L-3661/8B | HOUSINGS, INDICATOR-LIGHT, STYLE LH76 USER: MC REVIEWER: 11 AR AS EA GS MI | A | 6210 | EC | 31-AUG-89 | ME | EC | 99 | |
| | | | MIL-L-3661/9B | HOUSINGS, INDICATOR-LIGHT, STYLE LH77 USER: MC ME REVIEWER: 11 AR AS EA GS MI | A | 6210 | EC | 31-AUG-89 | CR | EC | 99 | |
| | | | MIL-L-3661/10A NOTICE 1 | HOUSINGS, INDICATOR-LIGHT, STYLE LH79 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 11 | |
| | | | MIL-L-3661/11B NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES, (FLAT, ROTATABLE) DUSTTIGHT, LENS, STYLE LC11 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/12A NOTICE 1 | LENSES, INDICATOR-LIGHT, STYLE LC12 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS EA GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 11 | |
| | | | MIL-L-3661/13B(1) | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT LENSES, STYLE LC13 USER: MC ME REVIEWER: 82 AR AS GS MI | A | 6210 | EC | 26-AUG-91 | | EC | 99 | |
| | | | MIL-L-3661/14C NOTICE 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC14 (VALIDATION DATE: 9103) USER: AT AV MC ME OS REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/15C NOTICE 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC15 (VALIDATION DATE: 9103) USER: AT AV MC ME OS REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/16B NOTICE 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC16 (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: EA GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/17C NOTICE 1 | LENSES, INDICATOR-LIGHT, STYLE LC17, CONVEX, COMPLETE-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/18C NOTICE 1 | LENSES, INDICATOR-LIGHT, STYLE LC18, CONVEX, SEMI-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/19B NOTICE 1 | LENSES INDICATOR-LIGHT, DRIPPROOF, STYLE LC19 (VALIDATION DATE: 9103) USER: AT AV MC ME OS REVIEWER: AR AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/20B NOTICE 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC20 (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/21B NOTICE 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC21 (VALIDATION DATE: 9103) USER: AT AV MC ME OS REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/22B NOTICE 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC22 (VALIDATION DATE: 9103) USER: AT AV MC ME OS REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/23B NOTICE 1 | LENSES, INDICATOR-LIGHT, STYLE LC23, CONVEX, COMPLETE-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: MC ME OS REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/24B NOTICE 1 | LENSES, INDICATOR-LIGHT, STYLE LC24, CONVEX, SEMI-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/25A NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES (FLAT) (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC25 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: 11 AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/26A NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC26 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/27A NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC27 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-C-3661/28B | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENSES, STYLE LC28 USER: MC REVIEWER: AS GS | A | 6210 | EC | 24-OCT-89 | ME | EC | 99 | |
| | | | MIL-L-3661/29A NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT LENS, STYLE LC29 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/30A NOTICE 1 | LENSES, INDICATOR-LIGHT, STYLE LC30 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 11 | |
| | | | MIL-L-3661/31 NOTICE 1 | LENSES, INDICATOR-LIGHT, STYLE LC31 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 11 | |
| | | | MIL-L-3661/32A NOTICE 1 | LENSES, INDICATOR-LIGHT, (ROTATABLE), STYLE LC32 (VALIDATION DATE: 9103) USER: AT AV MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 11 | |
| | | | MIL-L-3661/33 NOTICE 1 | LENSES, INDICATOR-LIGHT, WATERTIGHT, STYLE LC33 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 11 | |
| | | | MIL-L-3661/34B NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES (PLASTIC PLATE LIGHTING PANEL) DUSTTIGHT LENS, STYLE LC34 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: 11 AR AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/35 NOTICE 1 | LENSES, INDICATOR-LIGHT, WATERTIGHT, STYLE LC35 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AR AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 11 | |
| | | | MIL-L-3661/36A NOTICE 1 | LENSES, INDICATOR-LIGHT, STYLE LC36, COMPLETE-BLACKOUT, WATERTIGHT, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS OH GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/37A NOTICE 1 | LENSES, INDICATOR-LIGHT, STYLE LC37, SEMI-BLACKOUT, WATERTIGHT, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/38A NOTICE 1 | HOUSINGS, INDICATOR-LIGHT, STYLE LH80 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 11 | |
| | | | MIL-L-3661/39C NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES INDICATOR LIGHTS, 2 LAMP, DISPLAY TYPE, STYLE LHC81 (VALIDATION DATE: 9103) USER: AS MC ME REVIEWER: 11 GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/40A NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHC82 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES) (VALIDATION DATE: 9103) USER: MC ME REVIEWER: 11 AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | MIL-L-3661/41B NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHC83 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES) (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-L-3661/42A NOTICE 1 | LAMPHOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHC84 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES) [VALIDATION DATE: 9103] USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | | MIL-L-3661/45 NOTICE 1 | HOUSINGS, INDICATOR-LIGHT, 2-LAMP, STYLE LH87 [VALIDATION DATE: 9103] USER: MC ME REVIEWER: AS GS | A | 6210 | EC | 18-MAR-91 | ER | EC | 11 | |
| A | | | | MIL-L-3661/46A | LAMPHOLDERS, HOUSING, INDICATOR-LIGHT, WATERTIGHT, STYLE LH88 USER: MC ME REVIEWER: 82 AS GS MI | A | 6210 | EC | 02-NOV-92 | CR | EC | 99 | |
| A | | | | MIL-L-3661/47A | LAMPHOLDERS, HOUSING, INDICATOR-LIGHT, WATERTIGHT, STYLE LH89 USER: MC ME REVIEWER: 82 AR AS GS MI | A | 6210 | EC | 02-NOV-92 | CR | EC | 99 | |
| | | | | MIL-L-3661/48B NOTICE 1 | HOUSINGS, INDICATOR-LIGHT, STYLE LH90 [VALIDATION DATE: 9103] USER: MC ME REVIEWER: 11 AS GS MI | A | 6210 | EC | 18-MAR-91 | ER | EC | 82 | |
| | | | | MIL-L-3661/51B | LAMPHOLDER, DUSTTIGHT HOUSING, STYLE LH92 [VALIDATION DATE: 8104] USER: MC ME REVIEWER: AS GS MI | A | 6210 | EC | 09-JUN-69 | EL | EC | 99 | |
| | L | | | MIL-L-3661/52C NOTICE 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, TARGET, STYLE LC38 [VALIDATION DATE: 8706] USER: ME REVIEWER: GS | A | 6210 | SH | 19-JUN-87 | | SH | | |
| | L | | | MIL-L-3661/53A | LAMPHOLDER, LENSES, INDICATOR LIGHT, DIMMER, STYLE LC39 [VALIDATION DATE: 8301] USER: ME REVIEWER: GS | A | 6210 | SH | 28-MAY-71 | | SH | | |
| | L | | | MIL-L-3661/54A | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC40 [VALIDATION DATE: 8301] USER: ME REVIEWER: GS | A | 6210 | SH | 28-MAY-71 | | SH | | |
| | L | | | MIL-L-3661/55B NOTICE 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC41 USER: ME ..... | A | 6210 | SH | 19-JUN-87 | | SH | | |
| | L | | | MIL-L-3661/56B NOTICE 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC42 [VALIDATION DATE: 8706] ... | A | 6210 | SH | 01-JUN-87 | | SH | | |
| | L | | | MIL-L-3661/57B NOTICE 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC43 [VALIDATION DATE: 8706] ... | A | 6210 | SH | 01-JUN-87 | | SH | | |
| | L | | | MIL-L-3661/58B NOTICE 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC44 ..... | A | 6210 | SH | 19-JUN-87 | | SH | | |
| | L | | | MIL-L-3661/59A | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC45 [VALIDATION DATE: 8301] USER: ME REVIEWER: GS | A | 6210 | SH | 28-MAY-71 | | SH | | |
| | L | | | MIL-L-3661/60C(1) | LAMPHOLDER, TRANSFORMER, LIGHT, INDICATOR, STYLE LH93 REVIEWER: GS ..... | A | 6210 | SH | 17-JUN-87 | | SH | | |
| | L | | | MIL-L-3661/61C NOTICE 1 | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH94 ..... | A | 6210 | SH | 19-JUN-87 | | SH | | |
| | L | | | MIL-L-3661/62C(2) | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH95 (FOR D.C. APPLICATIONS) | A | 6210 | SH | 25-APR-91 | | SH | | |
| | L | | | MIL-L-3661/63C NOTICE 1 | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH96 [VALIDATION DATE: 8706] | A | 6210 | SH | 19-JUN-87 | | SH | | |
| | L | | | MIL-L-3661/64C(2) | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING) STYLE LH97 REVIEWER: GS ..... | A | 6210 | SH | 17-JUN-87 | | SH | | |
| | L | | | MIL-L-3661/65C NOTICE 1 | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH98 ..... | A | 6210 | SH | 19-JUN-87 | | SH | | |
| | | | | MIL-W-003662A | WIRE, PLATINUM ALLOY (PLATINUM - RUTHENUIM, PLATINUM - URUDUIM) [VALIDATION DATE: 8106] | A | 9545 | DM | 21-MAR-68 | MD | MS | 03 | |
| | | | | MIL-A-3664 | AURAMINE HYDROCHLORIDE (FOR COLORED SMOKE MIXTURES) [VALIDATION DATE: 8307] | A | 1365 | OS | 09-JAN-52 | | OS | | |
| | | | | MIL-N-3667B | NOZZLE, METOROLOGICAL, BALLON INFLATION (ML-373-GM) REVIEWER: GS ..... | A | 6660 | CR | 24-APR-84 | CR | | 99 | |
| | | | | MIL-D-3668D | DYE, 1,4-DIAMINO-2,3-DIHYDROANTHRANTHRAQUINONE (METRIC) REVIEWER: MD ..... | A | 6820 | EA | 09-DEC-85 | EA | | | |
| | L | | | MIL-E-3677C | ERECTION EQUIPMENT FOR BRIDGE, FIXED, STEEL, PANEL, BAILEY TYPE REVIEWER: CS | A | 5420 | ME | 07-FEB-85 | ME | | | |
| | | | | MIL-S-00367BA | SLAKING MACHINE, LABORATORY (ROTATING TYPE) [VALIDATION DATE: 8406] ..... | A | 6640 | MB | 26-APR-72 | MD | MS | 03 | |
| | | | | MIL-C-3680C NOTICE 1 | CASES, FLAGS AND GUIDONS, COTTON DUCK [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8345 | IH | 29-MAY-92 | IH | | 11 | |
| | | | | MIL-M-36858 | MACHINE, COMPUTING, DESK TYPE, AND PORTABLE TYPE WITH CARRYING CASE, PACKAGING OF VALIDATED OCT 1975 [VALIDATION DATE: 8404] USER: MC REVIEWER: SM | A | 7420 | GL | 26-DEC-78 | GL | SA | | |
| D | | | | MIL-W-3688C | WAX EMULSION (RUST INHIBITING) USER: AT MC SA REVIEWER: 20 AR GL IS ME SM . | A | 8030 | MR | 23-DEC-87 | MR | YD1 | 99 | |
| | | | | MIL-D-3691D | DYE MIX, VIOLET (METRIC) REVIEWER: AS GS MD ..... | A | 6820 | EA | 09-DEC-85 | EA | OS | | |
| | | | | MIL-B-3694C NOTICE 1 | BRIDGE CAPACITANCE INDUCTANCE RESISTANCE AN/URM-90 USER: AR MC OS REVIEWER: AS AT AV ME | A | 6625 | SH | 06-JUN-86 | CR | SH | | |
| A | | | | MIL-H-3697D | HARNESS MAN S SLED, SINGLE TRACE TYPE USER: 11 45 MC REVIEWER: 82 MD ..... | A | 8465 | CT | 29-APR-85 | GL | SA | 99 | CT |
| | | | | MIL-T-3700C | TANK, HOT WATER STORAGE (15 GALLON TO 120 GALLON CAPACITY) [VALIDATION DATE: 8511] REVIEWER: CE CS | A | 4520 | ME | 09-APR-79 | ME | | 99 | |
| D | | | | MIL-C-3701B(1) | CYLINDERS, COMPRESSED GAS DOT 8 & DOT 8AL ACETYLENE, WITH VALVES [VALIDATION DATE: 8501] USER: MC YD1 REVIEWER: GS | A | 8120 | ME | 24-NOV-81 | ME | SH | 99 | |
| Q | | | | MIL-C-3702B | CABLE, POWER, ELECTRICAL, IGNITION, HIGH TENSION USER: CR CS MC REVIEWER: AV EA IS MI | A | 6145 | AT | 10-MAR-87 | AT | AS | 85 | |
| | | | | MIL-W-3705C | WHEAT BASE [VALIDATION DATE: 8201] REVIEWER: MC MD SS ..... | A | 8920 | GL | 04-SEP-69 | GL | SA | 50 | |
| | | | | MIL-D-3716B | DESICCANTS, ACTIVATED FOR DYNAMIC DEHUMIDIFICATION USER: AS CR ER OS REVIEWER: AT GS MI | A | 6850 | SH | 28-SEP-87 | MR | SH | 85 | |
| | L | | | MIL-D-3716B(11) | DESICCANTS, ACTIVATED FOR DYNAMIC DEHUMIDIFICATION ..... | A | 6850 | 68 | 14-MAR-88 | | | 68 | |
| D | L1 | | | MIL-W-3717B NOTICE 1 | WEIGHT, SOUNDING USER: YD1 REVIEWER: 99 ..... | A | 6605 | SH | 18-JAN-91 | | SH | | |
| | | | | MIL-D-3718C | DYE MIX, DISPERSE RED 9 DEXTRIN (METRIC) REVIEWER: GS MD ..... | A | 6820 | EA | 11-JUL-86 | EA | AS | | |
| | | | | MIL-S-3720E | SKETCHING BOARD, WITH WATERPROOF COVER, TRIPOD MOUNTING USER: MC REVIEWER: 82 GS | A | 6675 | ME | 02-DEC-86 | ME | | 99 | |
| D | | | | MIL-S-3725E | SHELTER HALF, TENT [VALIDATION DATE: 8904] USER: 45 MC YD1 REVIEWER: 82 MD | A | 8305 | CT | 22-APR-89 | GL | NU | 99 | CT |
| A | | | | MIL-C-3727F | CLOTH, BARATHEA, WOOL REVIEWER: 82 MD ..... | A | 8305 | CT | 18-DEC-87 | GL | NU | 99 | CT |
| | | | | MIL-R-37348 | RUBBER TYPE SET, NUMERICAL, VETERINARY, FOR FOOD INSPECTION STAMP [VALIDATION DATE: 8201] REVIEWER: 03 MD | A | 7520 | GL | 06-AUG-81 | GL | MS | 99 | |
| A | | | | MIL-C-3735E | CUFFS, KNIT, WRIST AND ANKLE, AND CLOTH, KNITTED USER: 45 AS REVIEWER: 11 MC MD | A | 8315 | CT | 30-NOV-88 | GL | NU | 99 | CT |
| A | | | | MIL-C-3738K | CLOTH, ELASTIQUE, WOOL REVIEWER: 82 99 MC MD ..... | A | 8305 | CT | 31-MAR-87 | GL | NU | 11 | CT |
| | | | | MIL-B-37430 | BRUSH, ELECTRICAL CONTACT [VALIDATION DATE: 8104] USER: AR AS MC REVIEWER: 99 ER GS MI | A | 5977 | SH | 16-JUN-67 | ME | SH | 85 | |
| D | | | | MIL-R-3745 | RESIN, PHENOL-FORMALDEHYDE, LAMINATING [VALIDATION DATE: 8004] USER: YD1 REVIEWER: GS | A | 6810 | AR | 30-APR-52 | AR | OS | 68 | |
| D | | | | MIL-F-3747E(1) | FLASHLIGHTS: PLASTIC CASE, TUBULAR (REGULAR, EXPLOSION-PROOF, EXPLOSION-PROOF HEAT RESISTANT, TRAFFIC DIRECTING, AND INSPECTION-LIGHT) USER: AS ER MC YD1 REVIEWER: 82 EA GS | A | 6230 | ME | 11-MAR-85 | ME | SH | 99 | |
| | | | | MIL-F-3747E(12) | FLASHLIGHTS: PLASTIC CASE, TUBULAR (REGULAR, EXPLOSION-PROOF, EXPLOSION-PROOF HEAT RESISTANT, TRAFFIC DIRECTING, AND INSPECTION-LIGHT) USER: AS ER MC REVIEWER: 82 EA GS | A | 6230 | ME | 10-MAR-88 | ME | SH | 99 | |
| | | | | MIL-M-3751B | MARROW, DISK OFFSET, 8 FOOT, 24 INCH DISK [VALIDATION DATE: 8410] REVIEWER: CS | A | 3710 | ME | 19-MAR-76 | ME | | 99 | |
| D | | | | MIL-B-3753E | BUCKET, CONCRETE, HAND OPERATED 3/4 TO 2 CUBIC YARD CAPACITY USER: MC REVIEWER: CS | A | 3815 | ME | 30-JUN-86 | ME | YD1 | 99 | |
| A | | | | MIL-B-3759E | BAG, PERSONAL EFFECTS USER: 45 MC ..... | A | 8465 | CT | 23-SEP-85 | GL | NU | | CT |
| A | | | | MIL-C-3760F NOTICE 1 | CLOTH, FLANNEL, WOOL & COTTON, WOOL & NYLON [VALIDATION DATE: 8711] REVIEWER: 99 MD | A | 8305 | CT | 30-NOV-87 | GL | NU | 11 | CT |
| | | | | MIL-C-3761 | CLOTH, SILK (FOR AMMUNITION PARACHUTES) [VALIDATION DATE: 7603] REVIEWER: CT | A | 8305 | AR | 22-MAY-52 | AR | OS | | |
| | L | | | MIL-C-3761(11) | CLOTH, SILK (FOR AMMUNITION PARACHUTES) ..... | A | 8305 | AR | 02-NOV-88 | AR | | | |
| D | | | | MIL-C-37748 | CRATES, WOOD; OPEN 12,000- AND 16,000-POUND CAPACITY USER: AR AS AT REVIEWER: GL MC SM | A | 8115 | YD1 | 14-JUN-91 | ME | YD1 | | |

| Action | OPR / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | MIL-C-3776A | CABLE LASHING MACHINE LC-231() [VALIDATION DATE: 8601] USER: MI REVIEWER: CS | A | 3895 | CH | 04-APR-60 | CH | YD1 | 99 | | |
| D | | | MIL-A-3777A(2) | ANCHOR, GUY AND RODS, ANCHOR [VALIDATION DATE: 8009] USER: CE REVIEWER: AV 1S SA | A | 4030 | ER | 13-OCT-67 | ER | YD1 | 99 | | |
| | L | | MIL-C-3779E | CASE, ENGINEER BATTALION, DRAFTING EQUIPMENT, CANVAS REVIEWER: GS ..... | A | 6675 | ME | 22-NOV-91 | ME | | | | |
| | | | MIL-W-3783C | WINCH, DRUM, POWER OPERATED, 1 TON PULL, PNEUMATIC USER: SA REVIEWER: CS .. | A | 3950 | ME | 26-AUG-86 | ME | | 99 | | |
| | QL | | MIL-S-3785E | STARTERS, ENGINE, ELECTRICAL: 24-VOLT DIRECT-CURRENT USER: ME REVIEWER: CS | A | 2920 | AT | 24-MAR-89 | AT | | | | |
| | Q | | MIL-S-3786F SUPPL 1B | SWITCHES, ROTARY (CIRCUIT SELECTOR, LOW-CURRENT CAPACITY), GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC REVIEWER: 17 99 AS EA ES MI OS | A | 5930 | 85 | 29-JUL-90 | ER | EC | 85 | | |
| | M | | MIL-S-3786/1E NOTICE 1 | SWITCH, ROTARY, OPEN, CONSTRUCTION, 1/2 AMPERE, STYLE SR01 [VALIDATION DATE: 9305] USER: 19 AT AV CG MC ME SM REVIEWER: 11 17 99 AS ES MI OS | A | 5930 | 85 | 17-MAY-93 | ER | EC | 85 | | |
| | M | | MIL-S-3786/2E NOTICE 1 | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR02 [VALIDATION DATE: 9305] USER: 19 AT AV CG MC ME SM REVIEWER: 11 17 99 AS ES MI OS | A | 5930 | 85 | 17-MAY-93 | ER | EC | 85 | | |
| | M | | MIL-S-3786/3F NOTICE 1 | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR03 [VALIDATION DATE: 9305] USER: 19 AT AV CG MC ME SM REVIEWER: 11 17 99 AS ES MI OS | A | 5930 | 85 | 17-MAY-93 | ER | EC | 85 | | |
| | | | MIL-S-3786/4J | SWITCH, ROTARY, CLOSED CONSTRUCTION, 2 AMPERES, LOW LEVEL, POSITIVE SHAFT GROUNDING, FLUX SEAL, STYLE SR04 USER: 19 AT AV CG MC ME OS SM REVIEWER: AR AS ES MI | A | 5930 | 85 | 06-DEC-91 | ER | EC | 85 | | |
| | | | MIL-S-3786/5F | SWITCH, ROTARY, OPEN CONSTRUCTION, .200 AMPERE, STYLE SR05 USER: 19 AT AV CG MC ME REVIEWER: 99 AR AS ES MI OS | A | 5930 | 85 | 02-JUN-92 | ER | EC | 85 | | |
| | | | MIL-S-3786/9D(1) | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR09 USER: 19 AT AV CG MC ME SM REVIEWER: 11 99 AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | | | MIL-S-3786/10D(1) | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR10 USER: 19 AT AV CG MC ME SM REVIEWER: 11 99 AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | | | MIL-S-3786/13D(1) | SWITCH, ROTARY, CLOSED CONSTRUCTION, .500 AMPERE, STYLE SR13 USER: 19 AT CG MC ME REVIEWER: 11 99 AR AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | | | MIL-S-3786/15F(1) | SWITCH, ROTARY, OPEN CONSTRUCTION, .5 AMPERE, LOW LEVEL, POSITIVE SHAFT GROUNDING, EMI/RFI, STYLE SR15 USER: 19 AT AV CG MC ME SM REVIEWER: 11 99 AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | | | MIL-S-3786/18B(1) | SWITCH, ROTARY, ELECTRO-MECHANICAL, ACTUATED (SOLENOID TYPE), OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR18 USER: 19 AT AV CG MC ME REVIEWER: 11 AR AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | | | MIL-S-3786/19C(1) | SWITCH, ROTARY, CLOSED CONSTRUCTION, 1/10 AMPERE, STYLE SR19 USER: 19 AT AV CG MC ME SM REVIEWER: 11 99 AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | | | MIL-S-3786/20G | SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, FLUX SEAL AND NON-FLUX SEAL, .500 INCH DIAMETER, .200 AMPERE, STYLE SR20 USER: 19 AT AV CG MC ME SM REVIEWER: 99 AS ES MI OS | A | 5930 | 85 | 31-JAN-92 | ER | EC | 85 | | |
| | | | MIL-S-3786/28D(3) | SWITCH, ROTARY, CLOSED CONSTRUCTION, 1 AMPERE AND LOW LEVEL STYLE SR28 USER: 19 AT CG MC ME SM REVIEWER: 11 AR AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | L1 | | MIL-S-3786/31B | SWITCH, ROTARY, OPEN CONSTRUCTION LEVER ACTUATED, 0.25 AMPERE, STYLE SR31 REVIEWER: ES | A | 5930 | EC | 20-JUL-89 | | EC | | | |
| | L | | MIL-S-3786/32B(1) | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/5 AMPERE, STYLE SR32 REVIEWER: 99 ES . | A | 5930 | 85 | 21-FEB-90 | | | 85 | | |
| | | | MIL-S-3786/35D(1) | SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, .200 AMPERE, STYLE SR35 USER: 19 AT AV CG MC ME REVIEWER: 11 AR AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | | | MIL-S-3786/36(3) | SWITCH, ROTARY, CLOSED CONSTRUCTION, 1/4 AMPERE, STYLE SR36 USER: 19 AT AV CG MC ME REVIEWER: 11 80 AR AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | | | MIL-S-3786/39B(1) | SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, 400 MILLIAMPERES, STYLE SR39 USER: 19 AT AV CG MC ME REVIEWER: 11 99 AR AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | | | MIL-S-3786/40A(3) | SWITCH, ROTARY, OPEN CONSTRUCTION, 5 AMPERE AND LOW LEVEL, STYLE SR40 USER: 19 AT CG MC ME SM REVIEWER: 11 AR AS ES MI OS | A | 5930 | 85 | 21-FEB-90 | ER | EC | 85 | | |
| | L | | MIL-S-3786/41(1) | SWITCHES, ROTARY, CLOSED CONSTRUCTION, 0.5 AMPERE, STYLE SR41 REVIEWER: 99 ES | A | 5930 | 85 | 21-FEB-90 | | | 85 | | |
| D | | | MIL-G-3787G | GLASS, LAMINATED, FLAT: (EXCEPT AIRCRAFT) [VALIDATION DATE: 8908] USER: AV MC ME YD1 REVIEWER: AT GS MI | A | 9340 | MR | 03-AUG-89 | MR | AS | 99 | | |
| D | | | MIL-S-3788G | SHAPER, WOODWORKING USER: MC SM YD1 REVIEWER: 84 ..... | A | 3220 | IP | 08-FEB-91 | AL | SH | 99 | IP | |
| | | | MIL-S-3793B | SMOKE POT, 30 POUND, HC, M5, COMPONENTS FOR [VALIDATION DATE: 8008] ..... | A | 1365 | EA | 16-DEC-59 | EA | OS | | | |
| | L | | MIL-S-003793C | SMOKE POT, HC, 30 POUND, ABC-M5 COMPONENTS FOR ..... | A | 1365 | EA | 16-JUL-81 | EA | | | | |
| A | | | MIL-S-3794E | SHOES, CONDUCTIVE USER: OS REVIEWER: 11 ..... | A | 8430 | CT | 21-APR-82 | | MU | 99 | CT | |
| | | | MIL-W-3795B NOTICE 1 | WIRE, ELECTRICAL (TINSEL) [VALIDATION DATE: 8809] USER: AR ME MI OS REVIEWER: 1S | A | 6145 | CR | 19-SEP-88 | CR | | 85 | | |
| | L | | MIL-W-3795B(13) | WIRE, ELECTRICAL (TINSEL) ..... | A | 6145 | CR | 20-MAY-76 | CR | | | | |
| | | | MIL-M-3800D(1) | METALLIZING SYSTEM (WIRE GAS), GUNS AND ACCESSORIES USER: AC MC ME OS REVIEWER: 84 GS MI | A | 3433 | IP | 21-NOV-90 | | SH | 99 | IP | |
| | | | MIL-S-3813C | STAND, OFFICE MACHINE, TYPEWRITER, STEEL, 5 POSITION [VALIDATION DATE: 8105] | A | 7110 | GL | 17-DEC-69 | GL | | 99 | | |
| A | | | MIL-A-3816F | ABRASIVES AND ABRASIVE PRODUCTS; PACKAGING OF REVIEWER: SM ..... | A | PACK | AL | 05-NOV-92 | AL | SA | | | |
| | L | | MIL-P-3819D | PNEUMATIC TOOL OUTFIT: 600 CFM, COMPRESSED AIR, PACKAGING OF REVIEWER: AT SM | A | PACK | ME | 26-OCT-90 | ME | | | | |
| D | | | MIL-I-3825B(3) | INSULATING TAPE, ELECTRICAL, SELF FUSING, FOR USE IN ELECTRONIC, COMMUNICATIONS, & ALLIED EQUIPMENT USER: CG GL REVIEWER: AR GS SH | A | 5970 | ER | 10-SEP-84 | ER | YD1 | 85 | | |
| | | | MIL-R-3842A(1) | RUBBER STAMP KIT, FOOD INSPECTION [VALIDATION DATE: 8201] REVIEWER: 03 MD . | A | 7520 | GL | 19-SEP-68 | GL | MS | 99 | | |
| | | | MIL-I-3848A | INDICATOR, PROPELLANT TEMPERATURE, M13, M15 AND M33 (LESS PROPELLANT) [VALIDATION DATE: 8202] | A | 1315 | AR | 12-APR-63 | AR | OS | | | |
| D | I | | MIL-C-3849B SUPPL 1B, NOTICE 1 | CORD, ELECTRICAL (TINSEL) USER: AR MC MS SA REVIEWER: 80 YD1 ..... | A | 6145 | CR | 07-OCT-91 | CR | SH | 17 | | |
| D | | | MIL-C-3849B(11) SUPPL 1B | CORD, ELECTRICAL (TINSEL) USER: AR MC MS SA REVIEWER: 80 IS YD1 ..... | A | 6145 | CR | 19-JUN-73 | CR | SH | 17 | | |
| | I | | MIL-C-3849/3C NOTICE 1 | CORD, ELECTRICAL (TINSEL) CLASS SSL, STYRENE BUTADIENE RUBBER (SBR) INSULATED AND JACKETED USER: MC MS SA REVIEWER: 85 IS | A | 6145 | CR | 30-AUG-91 | CR | SH | 17 | | |
| D | I | | MIL-C-3849/6C NOTICE 1 | CORD, ELECTRICAL (TINSEL) CLASS SPL, STYRENE BUTADIENE RUBBER (SBR) INSULATED, POLYCHLOROPRENE JACKETED USER: MC MS SA REVIEWER: 85 IS YD1 | A | 6145 | CR | 30-AUG-91 | CR | SH | 17 | | |
| | L | | MIL-C-3849/11B NOTICE 3 | CORD, ELECTRICAL (TINSEL), CLASS PSB, POLYAMIDE INSULATED (EXTRUDED), STYRENE BUTADIENE RUBBER (SBR) JACKETED AND POLYAMIDE BRAIDED [VALIDATION DATE: 8708] USER: AR MC MS SA REVIEWER: 85 IS | A | 6145 | CR | 03-AUG-87 | CR | | | | |
| | | | MIL-A-3850 NOTICE 1 | ACETYLENE BLACK [VALIDATION DATE: 8604] REVIEWER: GS OS ..... | A | 6830 | AR | 10-APR-86 | AR | AS | | | |
| D | | | MIL-L-3851E | LOOPS, SLIDE (FOR EQUIPAGE) USER: AV MD ME MI REVIEWER: EA IS MC ..... | A | 5340 | GL | 28-MAR-91 | GL | YD1 | 99 | | |
| D | | | MIL-G-3859E | GREASE GUN, HAND OPERATED, LEVER, PUSH AND SCREW TYPE USER: MC REVIEWER: CS SH | A | 4930 | ME | 15-MAR-78 | ME | YD1 | 99 | | |
| D | | | MIL-G-3859/1 | GREASE GUNS, HAND OPERATED, LEVER, PUSH & SCREW TYPE; TYPE I, LEVER OPERATED USER: CE MC OS REVIEWER: 82 CS SH | A | 4930 | ME | 12-FEB-87 | ME | YD1 | 99 | | |
| D | | | MIL-G-3859/2 | GREASE GUNS, HAND OPERATED, LEVER, PUSH AND SCREW TYPE; TYPE II, PUSH OPERATED USER: CE MC OS SH REVIEWER: 82 CS | A | 4930 | ME | 12-FEB-87 | ME | YD1 | 99 | | |
| D | | | MIL-G-3859/3 | GREASE GUNS, HAND OPERATED, LEVER, PUSH AND SCREW TYPE; TYPE III, SCREW OPERATED USER: CE MC OS REVIEWER: 82 CS SH | A | 4930 | ME | 12-FEB-87 | ME | YD1 | 99 | | |
| D | | | MIL-G-3859/4 | GREASE GUNS, HAND OPERATED, LEVER, PUSH & SCREW TYPE; TYPE IV, PISTOL GRIP USER: CE MC OS REVIEWER: 82 CS SH | A | 4930 | ME | 12-FEB-87 | ME | YD1 | 99 | | |
| | I | | MIL-R-3860E | REFRIGERATOR, MECHANICAL, BIOLOGICAL, LOW TEMPERATURE [VALIDATION DATE: 8201] USER: MS REVIEWER: GS MD ME | A | 4110 | GL | 12-JUN-75 | GL | | | | |
| D | | | MIL-B-3865D | BLOCKS, ROPE, TACKLE: PACKAGING OF USER: MC OS SH REVIEWER: AT GS SM ..... | A | PACK | ME | 30-NOV-90 | ME | YD1 | 9 | | |
| A | | | MIL-G-3866G | GLOVE, MEN'S, CLOTH, COTTON, KNITTED, LIGHTWEIGHT USER: 45 MC REVIEWER: 82 MD | A | 8415 | CT | 17-JUN-87 | GL | MU | 99 | CT | |
| D | | | MIL-H-3868F(2) | HOSE ASSEMBLIES, NON-METALLIC: GREASE GUN HIGH AND LOW PRESSURE USER: AS AT CG MC SH REVIEWER: 82 CS | A | 4720 | ME | 31-OCT-89 | ML | YD1 | 99 | | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-T-3879 | TANK, FUEL, FOR PORTABLE FLAME THROWER, M2A1 [VALIDATION DATE: 8405] USER: MC | A | 1040 | AR | 23-APR-53 | AR | | | |
| A | | MIL-C-3880E | CLUB, POLICEMAN'S USER: 45 MC REVIEWER: 82 | A | 8465 | CT | 28-SEP-90 | GL | MU | 99 | CT |
| | | MIL-C-3883A | CORD, ELECTRICAL, SHIELDED (AUDIO FREQUENCY) [VALIDATION DATE: 8207] USER: MC REVIEWER: AR AT AV EC IS ME OS | A | 6145 | CR | 25-SEP-70 | CR | SH | 85 | |
| | | MIL-C-3884B | CORD, ELECTRICAL (SHORT LAY) USER: MC REVIEWER: 80 AT AV IS ME | A | 6145 | CR | 26-JUN-90 | CR | SH | 85 | |
| | | MIL-C-3885F | CABLE ASSEMBLIES AND CORD ASSEMBLIES, ELECTRICAL USER: 11 19 MC ME REVIEWER: 17 99 AR AS AT EA MI OS | A | 5995 | CR | 04-DEC-85 | CR | EC | 85 | GS |
| A | | MIL-D-3886F | DOUGH DIVIDER, ROLL, HAND OPERATED, 36-PART AND DOUGH DIVIDER AND ROUNDING MACHINE, ROLL, 36-PART [VALIDATION DATE: 9212] REVIEWER: 84 GS MC MD | A | 7320 | SA | 18-DEC-92 | | SA | 99 | |
| | NOTICE 1 | MIL-B-3889B(2) | BOX, PLASTIC, COMPARTMENTED, SMALL PARTS [VALIDATION DATE: 8904] REVIEWER: 99 AR MD ME | A | 8115 | GL | 22-APR-89 | GL | SA | 69 | |
| | NOTICE 1 | MIL-L-3890A | LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) [VALIDATION DATE: 8110] USER: 19 AS REVIEWER: 11 17 99 AR ES MC ME MI OS SH | A | 5985 | ER | 23-JAN-76 | ER | EC | 85 | |
| | | MIL-L-3890/1B | LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) 50 OHMS [VALIDATION DATE: 8110] USER: AS AT MC SH REVIEWER: 11 17 99 AR ES ME MI OS | A | 5985 | ER | 23-JAN-76 | ER | EC | 85 | |
| | | MIL-L-3890/2A | LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) 75 OHMS [VALIDATION DATE: 8110] USER: 19 AS AT MC SH REVIEWER: 11 17 ES ME MI OS | A | 5985 | ER | 23-JAN-76 | ER | EC | 85 | |
| L | | MIL-L-3890/3A | LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) 50 OHMS TYPE RG-382/U [VALIDATION DATE: 8304] REVIEWER: ES | A | 5985 | EC | 02-FEB-70 | | EC | | |
| | | MIL-L-38918 | LUMINESCENT MATERIAL AND EQUIPMENT, (NONRADIOACTIVE) [VALIDATION DATE: 8702] USER: SA SH REVIEWER: AV EA GS IS MI | A | 9390 | ME | 16-DEC-74 | ME | OS | 99 | |
| | NOTICE 1 | MIL-D-3898B | DRAFTING MACHINE & SCALES GENERAL SPECIFICATION FOR USER: AT ME REVIEWER: 82 GS MC | A | 6675 | SH | 11-APR-85 | MD | SH | 99 | |
| | SUPPL 1B | MIL-D-3898/1 | DRAFTING MACHINE AND SCALES, CHUCK PLATE FOR [VALIDATION DATE: 9106] USER: AT ME REVIEWER: 82 GS MC | A | 6675 | SH | 07-JUN-91 | | SH | 99 | |
| | NOTICE 1 | MIL-D-3898/2 | DRAFTING MACHINE AND SCALES, INSERT FOR [VALIDATION DATE: 9106] USER: AT ME REVIEWER: 82 GS MC | A | 6675 | SH | 07-JUN-91 | | SH | 99 | |
| | NOTICE 1 | MIL-D-3898/3 | DRAFTING MACHINE AND SCALES, SCALE ASSEMBLY [VALIDATION DATE: 9106] USER: AT ME REVIEWER: 82 GS MC | A | 6675 | SH | 07-JUN-91 | | SH | 99 | |
| | NOTICE 1 | MIL-D-3898/4 | DRAFTING MACHINE AND SCALES RANGE-TIME-SPEED PLOTTING SCALE 200 AND 1,000 YARDS PER INCH [VALIDATION DATE: 9106] USER: AT ME REVIEWER: 82 GS MC | A | 6675 | SH | 07-JUN-91 | | SH | 99 | |
| | NOTICE 1 | MIL-D-3898/5 | DRAFTING MACHINE AND SCALES RANGE-TIME-SPEED PLOTTING SCALE 500 AND 2,000 YARDS PER INCH [VALIDATION DATE: 9106] USER: AT ME REVIEWER: 82 GS MC | A | 6675 | SH | 07-JUN-91 | | SH | 99 | |
| | NOTICE 1 | MIL-D-3898/6 | DRAFTING MACHINE AND SCALES, RANGE-TIME-SPEED PLOTTING SCALE 25,000:1 AND 50,000:1 YARDS RATIO [VALIDATION DATE: 9106] USER: AT ME REVIEWER: 82 GS MC | A | 6675 | SH | 07-JUN-91 | | SH | 99 | |
| A | | MIL-T-3901E | TROUSERS, FIREMEN S USER: OS REVIEWER: 45 MD | A | 8415 | CT | 30-DEC-81 | GL | MU | 99 | CT |
| D | | MIL-W-3903D | WIRE ROPE ASSEMBLY, SINGLE LEG USER: 17 19 MI REVIEWER: 85 ES IS OS SH | A | 4010 | ME | 06-OCT-83 | ME | YD1 | 99 | |
| D | | MIL-S-3905D(1) | SLING, PALLET USER: MC YD1 REVIEWER: 84 AV IS MT SA | A | 3940 | ME | 04-FEB-85 | ME | SH | 99 | |
| D | NOTICE 1 | MIL-A-3908C(1) | AUGER, POSTHOLE, HAND [VALIDATION DATE: 8705] USER: CE MC ME | A | 5120 | GL | 20-MAY-87 | GL | YD1 | 84 | |
| D | | MIL-R-3911D | RAIL, TEE, RAILWAY, RELAYER RAIL REVIEWER: CE | A | 2250 | ME | 02-OCT-85 | ME | YD1 | | |
| D | | MIL-H-3912G | HARDWOOD: FLOORBOARDS AND PLATFORMS: FOR MILITARY VEHICLES USER: 85 REVIEWER: AR CS MD MI | A | 2510 | AT | 11-MAR-91 | AT | YD1 | 99 | |
| | NOTICE 1 | MIL-L-3918A | LUBRICATING OIL, INSTRUMENT, JEWEL BEARING [VALIDATION DATE: 8603] USER: ME MI SH REVIEWER: 68 AV GS OS PS SA | A | 9150 | AR | 10-MAR-86 | AR | AS | 11 | |
| Q | | MIL-A-3920C | ADHESIVE, OPTICAL, THERMOSETTING [VALIDATION DATE: 8301] USER: MI REVIEWER: MR | A | 8040 | AR | 21-FEB-77 | AR | OS | | |
| | SUPPL 1F | MIL-F-3922B(3) | FLANGE, WAVEGUIDE, GENERAL PURPOSE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8204] USER: 14 19 AS MC OS REVIEWER: 11 99 AR AV ES MI | A | 5985 | EC | 04-MAY-76 | ER | EC | 85 | |
| | | MIL-F-3922/52B(1) | FLANGE, WAVEGUIDE (PRESSURIZABLE CONTACT USER: 14 19 AS AV CG MC OS REVIEWER: 11 99 AR ES MI | A | 5985 | EC | 09-AUG-85 | ER | EC | 85 | |
| | | MIL-F-3922/53C(2) | FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE) (CIRCULAR BACK) [VALIDATION DATE: 8304] USER: AR AS MC SH REVIEWER: 11 99 AV ES MI OS | A | 5985 | EC | 09-MAY-77 | ER | EC | 85 | |
| | | MIL-F-3922/54C(2) | FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE) [VALIDATION DATE: 8404] USER: AS AV MC SH REVIEWER: 11 99 ES MI OS | A | 5985 | EC | 01-MAY-78 | ER | EC | 85 | |
| | | MIL-F-3922/55B(1) | FLANGE, WAVEGUIDE (COVER) (ROUND, 6 HOLE) [VALIDATION DATE: 8304] USER: AS AV MC SH REVIEWER: 11 99 ES MI OS | A | 5985 | EC | 09-MAY-77 | ER | EC | 85 | |
| | | MIL-F-3922/56B(1) | FLANGE, WAVEGUIDE (COVER) (ROUND, 8 HOLE) [VALIDATION DATE: 8304] USER: AS AV MC REVIEWER: 11 99 AR ES MI OS | A | 5985 | EC | 09-MAY-77 | ER | EC | 85 | |
| | | MIL-F-3922/57B(1) | FLANGE, WAVEGUIDE (COVER) (ROUND, 8 HOLE (2 HOLES CENTERED HORIZONTALLY, 2 HOLES CENTERED VERTICALLY) [VALIDATION DATE: 8304] USER: AS AV MC SH REVIEWER: 11 99 AR ES MI OS | A | 5985 | EC | 09-MAY-77 | ER | EC | 85 | |
| | | MIL-F-3922/58C | FLANGE, WAVEGUIDE (CONTACT) (RECTANGULAR, 10 HOLE) [VALIDATION DATE: 8304] USER: 14 19 AS AV CG MC OS SH REVIEWER: 11 17 99 ES MI | A | 5985 | EC | 04-MAY-76 | ER | EC | 85 | |
| | | MIL-F-3922/59D(3) | FLANGE, WAVEGUIDE (CHOKE) (SQUARE, 4 HOLE) USER: AR AS AV MC SH REVIEWER: 11 99 ES MI OS | A | 5985 | EC | 09-AUG-85 | ER | EC | 85 | |
| | | MIL-F-3922/60B(1) | FLANGE, WAVEGUIDE (CHOKE) (ROUND, 6 HOLE) [VALIDATION DATE: 8304] USER: AS MC SH REVIEWER: 11 99 AV ES MI OS | A | 5985 | EC | 09-MAY-77 | ER | EC | 85 | |
| | | MIL-F-3922/61C | FLANGE, WAVEGUIDE (CHOKE) ROUND, 8 HOLE [VALIDATION DATE: 8304] USER: AS AV MC SH REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 07-OCT-82 | ER | EC | 85 | |
| | | MIL-F-3922/62B(2) | FLANGE, WAVEGUIDE (CHOKE), ROUND, 8 HOLE (2 HOLES CENTERED HORIZONTALLY, 2 HOLES CENTERED VERTICALLY) [VALIDATION DATE: 8304] USER: AS AV MC SH REVIEWER: 11 99 ES MI OS | A | 5985 | EC | 09-MAY-77 | ER | EC | 85 | |
| | | MIL-F-3922/63B(1) | FLANGE, WAVEGUIDE (MINIATURE, UNPRESSURIZED CONTACT) (4 HOLE AND 8 HOLE) [VALIDATION DATE: 8404] USER: 14 19 AS AV CG MC OS SH REVIEWER: 11 99 AR ES MI | A | 5985 | EC | 18-NOV-77 | ER | EC | 85 | |
| | | MIL-F-3922/64B | FLANGE, WAVEGUIDE, (MINIATURE, UNPRESSURIZED CONTACT) (6 THROUGH HOLE, 6 TAPPED HOLE) [VALIDATION DATE: 8204] USER: 14 19 AS AV CG MC OS SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 04-MAY-76 | ER | EC | 85 | |
| | | MIL-F-3922/66B | FLANGE, WAVEGUIDE (CONTACT) (ROUND, 8 HOLE) [VALIDATION DATE: 8204] USER: 14 19 AS AV CG MC ME OS SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 04-MAY-76 | ER | EC | 85 | |
| | | MIL-F-3922/67B | FLANGE, WAVEGUIDE (CONTACT), (ROUND, 4 HOLE), (MILLIMETER) [VALIDATION DATE: 8204] USER: 14 19 AS CG CS MC ME OS REVIEWER: 17 99 AR ES MI | A | 5985 | EC | 17-DEC-75 | ER | EC | 85 | |
| | | MIL-F-3922/68(1) | FLANGE, WAVEGUIDE COVER (BUTT MOUNT) (SQUARE, 4 HOLE) USER: AS AV MC ME SH REVIEWER: 11 99 AR ES MI OS | A | 5985 | EC | 09-AUG-85 | ER | EC | 85 | |
| | | MIL-F-3922/69 | FLANGE, WAVEGUIDE (CHOKE) (SQUARE, 4 HOLE) [VALIDATION DATE: 8104] USER: AS AV MC ME SH REVIEWER: 11 99 AR ES MI OS | A | 5985 | EC | 03-FEB-75 | ER | EC | 85 | |
| | | MIL-F-3922/70A | FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE, BUTT MOUNT) [VALIDATION DATE: 8404] USER: AS MC SH REVIEWER: 11 99 ES OS | A | 5985 | EC | 07-MAR-78 | ER | EC | 85 | |
| L | | MIL-F-3922/71(1) | FLANGE, WAVEGUIDE (CONTACT) (WITH PRESSURIZATION FITTING) [VALIDATION DATE: 8404] | A | 5985 | EC | 21-APR-78 | | EC | | |
| L | | MIL-F-3922/72 | FLANGE, WAVEGUIDE (COVER) (WITH PRESSURIZATION FITTING) [VALIDATION DATE: 8204] | A | 5985 | EC | 24-JUN-76 | | EC | | |
| L | | MIL-F-3922/73 | FLANGE, WAVEGUIDE (CHOKE) (WITH PRESSURIZATION FITTING) [VALIDATION DATE: 8204] | A | 5985 | EC | 24-JUN-76 | | EC | | |
| | | MIL-F-3922/74 | FLANGE, WAVEGUIDE (CONTACT) (ROUND, 4 HOLE) (SUBMILLIMETER) [VALIDATION DATE: 8204] USER: 14 19 AS CG MC ME REVIEWER: 11 99 AR ES MI OS | A | 5985 | EC | 17-DEC-75 | ER | EC | 85 | |
| L | | MIL-F-3922/75B | FLANGE, WAVEGUIDE, REDUCED HEIGHT USER: AS MC SH REVIEWER: 11 99 ES OS | A | 5985 | EC | 23-DEC-81 | ER | EC | 85 | |
| | | MIL-F-3922/76 | FLANGE, WAVEGUIDE, GENERAL PURPOSE, LARGE( UNPRESSURIZED CONTACT) [VALIDATION DATE: 8304] USER: 14 19 AR AS MC SH REVIEWER: 11 99 MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |

| Action | OPR / QMAL Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-3924J | CLOTH, OXFORD, COTTON WARP AND NYLON FILLING, QUARPEL TREATED REVIEWER: 82 MC MD | A 8305 | CT | 11-DEC-91 | GL | MU | 99 | CT |
| Q | | MIL-K-3926B(1) SUPPL 1B, NOTICE 1 | KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) [VALIDATION DATE: 9102] USER: CG MC OS REVIEWER: 82 AT AV EA IS ME MI | A 5355 | EC | 25-FEB-91 | ER | EC | 11 | |
| | | MIL-K-3926/1A | KNOBS, CONTROL, BALL | A 5355 | 82 | 28-MAY-87 | ER | EC | 11 | |
| | | MIL-K-3926/2A | KNOBS, CONTROL, OVAL TAPERED | A 5355 | 82 | 28-MAY-87 | ER | EC | 11 | |
| | | MIL-K-3926/3A | KNOBS, CONTROL, TAPERED | A 5355 | 82 | 28-MAY-87 | ER | EC | 11 | |
| | | MIL-K-3926/4 | KNOBS, CONTROL, ROUND, EDGE LIGHTED AND NON-EDGE LIGHTED USER: CG MC OS REVIEWER: 82 99 AR AS AT AV EA IS ME SH | A 5355 | 11 | 06-AUG-84 | ER | EC | 11 | |
| Q | | MIL-S-3928D(1) SUPPL 1B | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL), GENERAL SPECIFICATION FOR USER: 19 AS AV MC REVIEWER: 11 99 ES MI OS | A 5985 | EC | 10-JAN-92 | ER | EC | 85 | |
| | | MIL-S-3928/7C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (MANUALLY AND SOLENOID OPERATED) CLASSES 1 (TYPE N CONNECTORS) AND 7 (TYPE BNC CONNECTORS) USER: AV MC REVIEWER: 11 99 ES MI | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/8C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY AND MANUALLY OPERATED) CLASS 7 USER: AS MC SH REVIEWER: 11 19 99 ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/9C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (MANUALLY AND MOTOR OPERATED) CLASS 1 (TYPE N CONNECTORS) USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/10D | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 1 USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES MI | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| I | | MIL-S-3928/11B | SWITCH, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 7 (INACTIVE FOR NEW DESIGN) USER: AS MC SH REVIEWER: 11 19 99 ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/15D | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P2I USER: 19 AS MC REVIEWER: 11 99 ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/16A | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P3I USER: 19 AS MC SH REVIEWER: 11 99 ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/17A | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P4T USER: 19 AS MC SH REVIEWER: 11 99 ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/18B | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P6T USER: 19 AS CG MC REVIEWER: 11 99 ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/19C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, TR USER: 19 AS AV MC SH REVIEWER: 11 17 99 ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/20C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, 1P2T USER: 19 AS MC SH REVIEWER: 11 99 ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/21B | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, TR USER: 19 AS AV MC OS SH REVIEWER: 11 17 99 ES MI | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/23A | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, 2P2I USER: 19 AS CG MC REVIEWER: 11 99 ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-3928/25 | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P5T USER: 19 AS CG MC REVIEWER: 11 99 ES MI OS | A 5985 | EC | 15-JUL-88 | ER | EC | 85 | |
| D | | MIL-I-3930E(1) SUPPL 1A | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), GENERAL SPECIFICATION FOR USER: YD1 REVIEWER: AR ER ME | A 5970 | CR | 21-APR-88 | CR | SH | 85 | |
| I | | MIL-I-3930/1 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES) INSULATING COMPOUND, TYPE IP-MEDIUM-LOW TEMPERATURE, POLYVINYLCHLORIDE (PVC) AND POLYVINYLCHLORIDE ACETATE (PVCA) REVIEWER: AR ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/2 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND TYPE IS-MEDIUM-LOW TEMPERATURE, STYRENE-BUTADIENE RUBBER (SBR) REVIEWER: AR ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/3 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE IS-L-LOW TEMPERATURE, HEAT RESISTANT, STYRENE BUTADIENE RUBBER (SBR) REVIEWER: AR ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/4 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE IR-LOW TEMPERATURE, NATURAL RUBBER REVIEWER: AR ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/5 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE IL-LOW TEMPERATURE, NATURAL RUBBER DEPOSITED FROM A RUBBER LATEX COMPOUND REVIEWER: AR ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/6 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND TYPE IJ-S-MEDIUM-LOW TEMPERATURE INSULATING AND JACKETING, STYRENE-BUTADIENE INSULATING AND JACKETING, STYRENE-BUTADIENE RUBBER (SBR) REVIEWER: AR ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/7 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE IL-M-LOW TEMPERATURE, HEAT RESISTANT, NATURAL RUBBER DEPOSITED FROM A RUBBER LATEX COMPOUND REVIEWER: AR ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/8 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND TYPE IL-RN-LOW TEMPERATURE, LAYER OF NATURAL RUBBER LATEX AND A COLOR-CODED OUTER LAYER OF CHLOROPRENE RUBBER (CR) LATEX BONDED TOGETHER REVIEWER: AR ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/9 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE IH-LOW TEMPERATURE, HEAT AND OZONE RESISTANT, ETHYLENE-PROPYLENE RUBBER (KPM) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EDPM) REVIEWER: AR ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/10 NOTICE 1 | INSULATING & JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, & WIRES), INSULATING COMPOUND, TYPE IJ-H-LOW TEMPERATURE, HEAT AND WEATHER RESISTANT, INSULATING & JACKETING, ETHYLENE-PROPLENE RUBBER (EPM) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) REVIEWER: AR IS ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/11 NOTICE 1 | INSULATING & JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, & WIRES), INSULATING COMPOUND, TYPE IE-POLYETHYLENE IN ACCORDANCE WITH L-P-390, TYPE II, CLASS L, GRADE 3 OR 4, CATEGORY 5 REVIEWER: AR IS ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/12 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING AND JACKETING COMPOUND, TYPE TPE-S-LOW TEMPERATURE, HEAT AND OZONE RESISTANT, STYRENIC THERMOPLASTIC ELASTOMER REVIEWER: AR IS ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/13 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES) INSULATING AND JACKETING COMPOUND, TYPE TPE-O-LOW TEMPERATURE, WEATHER RESISTANT, OLEFINIC THERMOPLASTIC ELASTOMER REVIEWER: AR IS ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/14 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JP-MEDIUM-LOW TEMPERATURE, POLYVINYLCHLORIDE (PVC) AND POLYVINYLCHLORIDE-ACETATE (PVCA) REVIEWER: AR IS ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/15 NOTICE 1 | INSULATING & JACKETING COMPOUNDS, ELEC (FOR CABLES, CORDS, & WIRES), JACKETING COMPOUND, TYPE JS-MEDIUM-LOW TEMPERATURE STYRENE-BUTADIENE RUBBER (SBR) REVIEWER: AR IS ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/16 NOTICE 1 | INSULATING & JACKETING COMPOUNDS, ELECTRICAL (COMPOUND, TYPE JS-L-LOW TEMPERATURE HEAT-RESISTANT, STYRENE-BUTADIENE RUBBER REVIEWER: AR IS ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |
| I | | MIL-I-3930/17 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JR-LOW TEMPERATURE, NATURAL RUBBER REVIEWER: AR IS ME MI | A 5970 | CR | 05-OCT-90 | CR | | 85 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | MIL-I-3930/18 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-MODERATE-LOW TEMPERATURE, CHLOROPRENE RUBBER (CR) REVIEWER: AR IS ME MI | A | 5970 | CR | 05-OCT-90 | CR | | 85 | | |
| | 1 | MIL-I-3930/19 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-L-LOW TEMPERATURE, CHLOROPRENE RUBBER (CR) REVIEWER: AR IS ME MI | A | 5970 | CR | 05-OCT-90 | CR | | 85 | | |
| | I | MIL-I-3930/20 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-LOW TEMPERATURE, HEAT RESISTANT, ETHYLENE-PROPYLENE (EPM) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) REVIEWER: AR IS ME MI | A | 5970 | CR | 05-OCT-90 | CR | | 85 | | |
| | I | MIL-I-3930/21 NOTICE 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JU-LOW TEMPERATURE, HEAT AND WEATHER RESISTANT, POLYURETHANE THERMOPLASTIC ELASTOMER REVIEWER: AR IS ME MI | A | 5970 | CR | 05-OCT-90 | CR | | 85 | | |
| | | MIL-I-3930/22 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS,AND WIRES), JACKETING COMPOUND, TYPE JHMODERATE-LOW TEMPERATURE, CHLORINATED POLYETHYLENE RUBBER (CM) REVIEWER: AR ME MI | A | 5970 | CR | 21-APR-88 | CR | SH | 85 | | |
| | | MIL-I-3930/23 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-L-LOW TEMPERATURE, CHLORINATED POLYETHYLENE RUBBER (CM) REVIEWER: AR ME MI | A | 5970 | CR | 21-APR-88 | CR | SH | 85 | | |
| A | | MIL-L-3931K | LAST, FOOTWEAR, SHOE, MEN S, US MIL-1 USER: MC REVIEWER: 11 82 MD ..... | A | 8335 | CT | 17-JUN-86 | GL | MU | 99 | CT |
| Q | | MIL-A-3933E(1) SUPPL 1A | ATTENUATORS, FIXED GENERAL SPECIFICATION FOR USER: AS MC SH REVIEWER: 11 17 99 ES MI | A | 5985 | EC | 06-NOV-85 | ER | EC | 85 | | |
| | | MIL-A-3933/1C | ATTENUATOR, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 3 GHZ, CLASS IIA, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/2C | ATTENUATOR, FIXED, COAXIAL LINE, FREQUENCY RANGE: 1 TO 4 GHZ, CLASS IIB MEDIUM POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/3B | ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 1.5 GHZ, CLASS III, MEDIUM POWER [VALIDATION DATE: 8505] USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 23-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/5B | ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: 1 TO10 GHZ, CLASS IIB, LOW POWER USER: AS MC REVIEWER: 11 99 ES MI SH | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/6B | ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 1.5 GHZ, CLASS IIA, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/8B | ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 4 GHZ, CLASS IIB, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/9B | ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 4.5 GHZ, CLASS III, LOW POWER USER: AS MC SH REVIEWER: 17 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/10C | ATTENUATORS, FIXED COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 18 GHZ, CLASS III, MEDIUM POWER USER: AS MC REVIEWER: 11 99 ES MI SH | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/14C(1) | ATTENUATOR, FIXED, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 12.4 GHZ, CLASS IV, LOW POWER USER: AS MC REVIEWER: 11 99 ES MI | A | 5985 | EC | 06-NOV-85 | ER | EC | 85 | | |
| | | MIL-A-3933/16C(1) | ATTENUATORS, FIXED, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, CLASS IV, LOW POWER USER: AS MC REVIEWER: 11 99 ES MI | A | 5985 | EC | 06-NOV-85 | ER | EC | 85 | | |
| | | MIL-A-3933/17A | ATTENUATOR, FIXED, COAXIAL LINE (TNC CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, CLASS IV, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| L | | MIL-A-3933/18E(1) | ATTENUATOR, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 12.4 GHZ, & DC TO 18 GHZ, CLASS III, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 06-NOV-85 | ER | EC | 85 | | |
| | | MIL-A-3933/19A | ATTENUATOR, FIXED, COAXIAL LINE (BNC CONNECTORS), FREQUENCY RANGE: DC TO 4.5 GHZ, CLASS III, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/20 | ATTENUATOR, FIXED, WAVEGUIDE FREQUENCY RANGE, 7 TO 18 GHZ, CLASS LII [VALIDATION DATE: 8104] USER: AS MC SH REVIEWER: 11 99 ES MI OS | A | 5985 | EC | 25-NOV-74 | ER | EC | 85 | | |
| L | | MIL-A-3933/21 | ATTENUATOR, FIXED, COAXIAL LINE (TYPE N CONNECTORS) FREQUENCY RANGE, DC TO 500 MHZ, CLASS III [VALIDATION DATE: 8204] USER: MC REVIEWER: AS ES OS SH | A | 5985 | EC | 24-MAR-76 | | EC | | | |
| | | MIL-A-3933/22A | ATTENUATOR, FIXED, STRIPLINE, CLASS IV, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/23B | ATTENUATOR, FIXED, TO-5 CONFIGURATION, CLASS IV, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/24A | ATTENUATOR, FIXED, COAXIAL LINE, (SMA CONNECTORS), BULKHEAD, CLASS IV, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-A-3933/25A(2) | ATTENUATORS, FIXED, MINATURE, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, CLASS IV, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI | A | 5985 | EC | 22-SEP-89 | ER | EC | 85 | | |
| | | MIL-A-3933/26 | ATTENUATOR, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: 0.4 TO 18 GHZ, CLASS IV, LOW POWER USER: AS MC SH SM REVIEWER: 11 99 ES MI | A | 5985 | EC | 24-APR-85 | ER | EC | 85 | | |
| | | MIL-M-3935C(1) NOTICE 2 | MARKER, SELF-LUMINOUS [VALIDATION DATE: 8409] REVIEWER: MD ..... | A | 9905 | AV | 11-JAN-72 | AV | | 99 | | |
| A | | MIL-D-3943D(2) SUPPL 1B | DECORATIONS, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 CT MC ..... | A | 8455 | IH | 30-JUL-92 | IH | MU | 11 | | |
| A L | | MIL-D-3943/1C | DECORATION, MEDAL OF HONOR, ARMY REVIEWER: CT ..... | A | 8455 | IH | 12-JUN-92 | IH | | | | |
| A | | MIL-D-3943/2C NOTICE 1 | DECORATION, MEDAL OF HONOR, NAVY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/3C | DECORATION, MEDAL OF HONOR, AIR FORCE USER: 45 REVIEWER: 82 99 CT ..... | A | 8455 | IH | 12-JUN-92 | IH | | 11 | | |
| A | | MIL-D-3943/4B NOTICE 1 | DECORATION, DISTINGUISHED SERVICE CROSS, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/5C NOTICE 1 | DECORATION, NAVY CROSS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/6B NOTICE 1 | DECORATION, AIR FORCE CROSS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |
| A L | | MIL-D-3943/7E | DECORATION, DISTINGUISHED SERVICE MEDAL, ARMY REVIEWER: CT ..... | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| A | | MIL-D-3943/8D | DECORATION, DISTINGUISHED SERVICE MEDAL, NAVY REVIEWER: CT MC ..... | A | 8455 | IH | 12-JUN-92 | IH | MU | | | |
| A | | MIL-D-3943/9C | DECORATION, DISTINGUISHED SERVICE MEDAL, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 12-JUN-92 | IH | | 11 | | |
| A | | MIL-D-3943/10B NOTICE 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, COAST GUARD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/11B NOTICE 1 | DECORATION, SILVER STAR MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/12C | DECORATION, LEGION OF MERIT, CHIEF COMMANDER USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 12-JUN-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/13D | DECORATION, LEGION OF MERIT, OFFICER AND LEGIONNAIRE USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 12-JUN-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/14C | DECORATION, LEGION OF MERIT, COMMANDER USER: 45 CG REVIEWER: 82 99 CT MC .. | A | 8455 | IH | 12-JUN-92 | IH | MU | 11 | | |
| | | MIL-D-3943/15C | DECORATION, DISTINGUISHED FLYING CROSS USER: 45 REVIEWER: 82 99 CT ..... | A | 8455 | IH | 06-MAR-92 | IH | | 11 | | |
| A | | MIL-D-3943/16B NOTICE 1 | DECORATION, SOLDIER'S MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/17C NOTICE 1 | DECORATION, NAVY AND MARINE CORPS MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/18B NOTICE 1 | DECORATION, AIRMAN'S MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/19B NOTICE 1 | DECORATION, COAST GUARD MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |
| A | | MIL-D-3943/20B NOTICE 1 | DECORATION, GOLD LIFE-SAVING MEDAL AND BAR, COAST GUARD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 27-APR-92 | IH | MU | 11 | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | MIL-D-3943/21B NOTICE 1 | DECORATION, SILVER LIFE-SAVING MEDAL AND BAR, COAST GUARD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/22B NOTICE 1 | DECORATION, BRONZE STAR METAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/23B NOTICE 1 | DECORATION, AIR MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/24D | DECORATION, PURPLE HEART USER: 45 CG REVIEWER: 82 99 CT MC ..... | A | 8455 | | IH | 12-JUN-92 | IH | MU | 11 | |
| A | MIL-D-3943/26C | DECORATION, JOINT SERVICE COMMENDATION MEDAL USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | | IH | 12-JUN-92 | IH | MU | 11 | |
| A | MIL-D-3943/27C NOTICE 1 | DECORATION, ARMY COMMENDATION MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/28D NOTICE 1 | DECORATION, NAVY COMMENDATION MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/29B NOTICE 1 | DECORATION, AIR FORCE COMMENDATION MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/30C NOTICE 1 | DECORATION, COAST GUARD COMMENDATION MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A L | MIL-D-3943/31C | DECORATION, NATIONAL SECURITY MEDAL REVIEWER: CT ..... | A | 8455 | | IH | 12-JUN-92 | IH | | | |
| A | MIL-D-3943/32F NOTICE 1 | DECORATION, UNIT AWARDS AND CITATIONS (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/33D NOTICE 1 | DECORATION: UNIT AWARDS AND CITATIONS, AIR FORCE (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| M | MIL-D-3943/34D | DECORATION, SUPERIOR CADET AWARD, ROTC USER: 45 REVIEWER: 82 99 CT ..... | A | 8455 | | IH | 14-APR-93 | IH | | 11 | |
| A | MIL-D-3943/35B NOTICE 1 | DECORATION, ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/36B NOTICE 1 | DECORATION, CIVILIAN AWARD FOR VALOR, AIR FORCE (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/37C NOTICE 1 | DECORATION, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/38B NOTICE 1 | DECORATION, AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/39B NOTICE 1 | DECORATION, DISTINGUISHED CIVILIAN SERVICE, DOD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/40D | DECORATION, DISTINGUISHED CIVILIAN SERVICE, NAVY REVIEWER: CT ..... | A | 8455 | | IH | 12-JUN-92 | IH | MU | | |
| A | MIL-D-3943/41C NOTICE 1 | DECORATION, DISTINGUISHED CIVILIAN SERVICE, ARMY (NON-CIVIL SERVICE) (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/42B NOTICE 1 | DECORATION, DISTINGUISHED PUBLIC SERVICE AWARD, DOD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/43C NOTICE 1 | DECORATION, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/44B NOTICE 1 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/45B NOTICE 1 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, NSA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/46C NOTICE 1 | DECORATION, EXCEPTIONAL CIVILIAN AWARD, CIVIL SERVICE, ARMY (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/47C | DECORATION, MEDAL FOR MERIT USER: 45 CG REVIEWER: 82 99 CT MC ..... | A | 8455 | | IH | 12-JUN-92 | IH | MU | 11 | |
| A | MIL-D-3943/48C NOTICE 1 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, ARMY (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/49C NOTICE 1 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/50B NOTICE 1 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, OSD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/51C NOTICE 1 | DECORATION, OUTSTANDING CIVILIAN SERVICE AWARD, ARMY (NON-CIVIL SERVICE) (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/52C NOTICE 1 | DECORATION, AWARD OF THE PRESIDENT OF THE UNITED STATES FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/53C NOTICE 1 | DECORATION, NAVY ACHIEVEMENT MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/54B NOTICE 1 | DECORATION, MEDAL FOR HEROISM, ROTC & NDCC (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/55B NOTICE 1 | DECORATION, DISTINGUISHED SERVICE AWARD, DCAA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/56B NOTICE 1 | DECORATION, MERITORIOUS SERVICE AWARD, DCAA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/57C NOTICE 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, NASA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/58B NOTICE 1 | DECORATION, OUTSTANDING LEADERSHIP MEDAL, NASA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/59B NOTICE 1 | DECORATION, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT MEDAL, NASA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/60C NOTICE 1 | DECORATION, EXCEPTIONAL SERVICE MEDAL, NASA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/61C NOTICE 1 | DECORATION: DISTINGUISHED PUBLIC SERVICE MEDAL, NASA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/62C NOTICE 1 | DECORATING, EXCEPTIONAL BRAVERY MEDAL, NASA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/63C NOTICE 1 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DNA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/64C NOTICE 1 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DNA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A L | MIL-D-3943/65C | DECORATION, MEDAL FOR VALOR, FEDERAL AVIATION ADMINISTRATION REVIEWER: CT . | A | 8455 | | IH | 12-JUN-92 | IH | | | |
| A | MIL-D-3943/66B NOTICE 1 | DECORATION, MERITORIOUS SERVICE MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/67B NOTICE 1 | DECORATION, COAST GUARD ACHIEVEMENT MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/68E | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, NAVY REVIEWER: CT ..... | A | 8455 | | IH | 12-JUN-92 | IH | MU | | |
| A | MIL-D-3943/69C NOTICE 1 | DECORATION, AWARD FOR VALOR, DOT (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/70C NOTICE 1 | DECORATION, AWARD FOR MERITORIOUS ACHIEVEMENT, DOT (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/71C NOTICE 1 | DECORATION, AWARD FOR OUTSTANDING ACHIEVEMENT, DOT (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/72B NOTICE 1 | DECORATION, DEFENSE DISTINGUISHED SERVICE MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A L | MIL-D-3943/73C | DECORATION, EXCEPTIONAL CIVILIAN SERVICE, DIA REVIEWER: CT ..... | A | 8455 | | IH | 12-JUN-92 | IH | | | |
| A | MIL-D-3943/74B NOTICE 1 | DECORATION, MERITORIOUS CIVILIAN SERVICE, DIA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| A L | MIL-D-3943/75C | DECORATION, PRESIDENTIAL CITIZENS MEDAL REVIEWER: CT ..... | A | 8455 | | IH | 12-JUN-92 | IH | | | |
| A | MIL-D-3943/76A NOTICE 1 | DECORATION, CONGRESSIONAL SPACE MEDAL OF HONOR (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | | IH | 27-APR-92 | IH | MU | 11 | |
| L | MIL-D-3943/77D | DECORATION, EXCEPTIONAL CIVILIAN SERVICE, DLA REVIEWER: CT ..... | A | 8455 | | IH | 22-APR-92 | IH | | | |
| L | MIL-D-3943/78D | DECORATION, MERITORIOUS CIVILIAN SERVICE, DLA REVIEWER: CT ..... | A | 8455 | | IH | 22-APR-92 | IH | | | |

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| A | | MIL-D-3943/79A NOTICE 1 | DECORATION: REGIONAL AND STATE SCIENCE AND ENGINEERING FAIR AWARD, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/80A NOTICE 1 | DECORATION: EXCEPTIONAL SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/81A NOTICE 1 | DECORATION: SUPERIOR SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/82A NOTICE 1 | DECORATION: COMMENDABLE SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/83A NOTICE 1 | DECORATION, DISTINGUISHED CAREER SERVICE, EPA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/84B NOTICE 1 | DECORATION, AWARD FOR SUPERIOR ACHIEVEMENT, DOT [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/85C NOTICE 1 | DECORATION: DISTINGUISHED SERVICE MEDAL, FEMA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/86A NOTICE 1 | DECORATION: OUTSTANDING PUBLIC SERVICE AWARD, OSD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/87A NOTICE 1 | DECORATION, DEFENSE SUPERIOR SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/88A NOTICE 1 | DECORATIONS; DISTINGUISHED AND MERITORIOUS PUBLIC SERVICE AWARDS, COAST GUARD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/89A NOTICE 1 | DECORATION: NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/90A NOTICE 1 | DECORATION, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/91A NOTICE 1 | DECORATION, DISTINGUISHED CAREER SERVICE AWARD, A.I.D., DEPT OF STATE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/92C NOTICE 1 | DECORATION, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/93A NOTICE 1 | DECORATION, DEFENSE MERITORIOUS SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/94C | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY REVIEWER: CT ..... | A 8455 IH 12-JUN-92 | IH | MU | | |
| A | | MIL-D-3943/95A NOTICE 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/96A NOTICE 1 | DECORATION, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/97A NOTICE 1 | DECORATION: OUTSTANDING SERVICE AWARD, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/98A NOTICE 1 | DECORATION: ACHIEVEMENT AWARD, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/99B NOTICE 1 | DECORATION, CIVILIAN SERVICE MEDAL, OSD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/100A NOTICE 1 | DECORATION, AIR FORCE ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/101A NOTICE 1 | DECORATIONS, USPHS AWARDS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/102A NOTICE 1 | DECORATION, ARMY ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/103A NOTICE 1 | DECORATION, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/104A NOTICE 1 | DECORATION, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/105A NOTICE 1 | DECORATION, OUTSTANDING CAREER ACHIEVEMENT AWARD, A.I.D., DEPT OF STATE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/106A NOTICE 1 | DECORATION, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/107B NOTICE 1 | DECORATION, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/108A NOTICE 1 | DECORATION, JOINT SERVICE ACHIEVEMENT MEDAL, DOD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/109B NOTICE 1 | DECORATION, NOAA ASSOCIATION OF COMMISSIONED OFFICERS AWARDS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/110B NOTICE 1 | DECORATION, NOAA AWARD, VARIOUS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/111A NOTICE 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/112A NOTICE 1 | DECORATION, MERITORIOUS SERVICE MEDAL, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/113A NOTICE 1 | DECORATION, COMMENDATION MEDAL, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/114A NOTICE 1 | DECORATION, MEDAL OF VALOR, CHAPLAIN, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/115A NOTICE 1 | DECORATION, ACHIEVEMENT MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/116 NOTICE 1 | DECORATION, DEFENSE INTELLIGENCE DIRECTOR'S AWARD, D.I.A. [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/117 NOTICE 1 | DECORATION, SURGEON GENERAL'S MEDALLION, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/118 NOTICE 1 | DECORATION, DEPARTMENT OF COMMERCE, GOLD, SILVER, BRONZE AWARD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/119 NOTICE 1 | DECORATION, US ARMY RECRUITING COMMAND AWARD FOR JROTC [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/120A NOTICE 1 | DECORATION, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/121A NOTICE 1 | DECORATION, MERITORIOUS SERVICE MEDAL, MERCHANT MARINE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/122 NOTICE 1 | DECORATION, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/123A NOTICE 1 | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A L | | MIL-D-3943/124B | DECORATION, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY REVIEWER: CT ..... | A 8455 IH 12-JUN-92 | IH | | | |
| A | | MIL-D-3943/125 NOTICE 1 | DECORATION, AERIAL ACHIEVEMENT, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| L | | MIL-D-3943/126B | DECORATION, SUPERIOR CIVILIAN SERVICE, DLA REVIEWER: CT ..... | A 8455 IH 22-APR-92 | IH | | | |
| L | | MIL-D-3943/127A | DECORATION, DISTINGUISHED CIVILIAN SERVICE, DLA REVIEWER: CT ..... | A 8455 IH 22-APR-92 | IH | | | |
| A | | MIL-D-3943/128 NOTICE 1 | DECORATION, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | | MIL-D-3943/129 NOTICE 1 | DECORATION, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |

| Action Code / Cancellation / Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| A | MIL-D-3943/130A<br>NOTICE 1 | DECORATION, SPACE FLIGHT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/131<br>NOTICE 1 | DECORATION, PUBLIC SERVICE MEDAL NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/132<br>NOTICE 1 | DECORATION, COAST GUARD AUXILIARY SERVICE AWARD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/133<br>NOTICE 1 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD DEFENSE INVESTIGATIVE SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/134<br>NOTICE 1 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD DEFENSE INVESTIGATIVE SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A L | MIL-D-3943/135A | DECORATION, NATIONAL EMERGENCY PREPAREDNESS AWARD, USPHS REVIEWER: CT ..... | A 8455 IH 12-NOV-92 | IH | | | |
| A L | MIL-D-3943/136A | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, ON-SITE INSPECTION AGENCY REVIEWER: CT | A 8455 IH 12-NOV-92 | IH | | | |
| A L | MIL-D-3943/137A | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, ON-SITE INSPECTION AGENCY REVIEWER: CT | A 8455 IH 12-NOV-92 | IH | | | |
| A | MIL-D-3943/138<br>NOTICE 1 | DECORATION, EXCEPTIONAL ACHIEVEMENT MEDAL NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/139<br>NOTICE 1 | DECORATION, NATIONAL COMMUNICATIONS SYSTEM MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A | MIL-D-3943/140<br>NOTICE 1 | DECORATION, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 27-APR-92 | IH | MU | 11 | |
| A L | MIL-D-3943/141 | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT | A 8455 IH 04-NOV-92 | IH | | | |
| A L | MIL-D-3943/142 | DECORATION, CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT | A 8455 IH 04-NOV-92 | IH | | | |
| A L | MIL-D-3943/143 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT | A 8455 IH 04-NOV-92 | IH | | | |
| A L | MIL-D-3943/144 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY REVIEWER: CT | A 8455 IH 21-DEC-92 | IH | | | |
| A L | MIL-D-3943/145 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY REVIEWER: CT | A 8455 IH 21-DEC-92 | IH | | | |
| N L | MIL-D-3943/146 | DECORATION, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION REVIEWER: CT | A 8455 IH 17-MAY-93 | IH | | | |
| | MIL-D-3945B | DETECTOR KIT: CARBON MONOXIDE, COLORIMETRIC REVIEWER: DM MD ..... | A 6665 EA 03-SEP-82 | EA | MS | 99 | |
| L | MIL-D-3945B(12) | DETECTOR KIT: CARBON MONOXIDE, COLORIMETRIC ..... | A 6665 EA 11-OCT-88 | EA | | | |
| | MIL-M-3946D<br>SUPPL 1B, NOTICE 1 | MEDAL, CAMPAIGN AND SERVICE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/1B<br>NOTICE 1 | MEDAL, AMERICAN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/2B<br>NOTICE 1 | MEDAL, AMERICAN DEFENSE SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/3B<br>NOTICE 1 | MEDAL, ANTARCTICA SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/4B<br>NOTICE 1 | MEDAL, ARMED FORCES EXPEDITIONARY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/5B<br>NOTICE 1 | MEDAL, ARMED FORCES RESERVE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/6B<br>NOTICE 1 | MEDAL, ARMY OF CUBAN OCCUPATION [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/7B<br>NOTICE 1 | MEDAL, ARMY OF CUBAN PACIFICATION [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/8B<br>NOTICE 1 | MEDAL, ARMY OF OCCUPATION OF GERMANY (1918 - 1923) [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/9B<br>NOTICE 1 | MEDAL, ARMY OF OCCUPATION WORLD WAR II [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG C MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/10B<br>NOTICE 1 | MEDAL, ARMY OF PUERTO RICAN OCCUPATION [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/11B<br>NOTICE 1 | MEDAL, ASIATIC-PACIFIC CAMPAIGN [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/12B<br>NOTICE 1 | MEDAL, CHINA CAMPAIGN [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/13B<br>NOTICE 1 | MEDAL, CHINA SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/14B<br>NOTICE 1 | MEDAL, CIVIL WAR CAMPAIGN [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/15B<br>NOTICE 1 | MEDAL, EUROPEAN-AFRICAN-MIDDLE EASTERN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/16B<br>NOTICE 1 | MEDAL, GOOD CONDUCT, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/19B<br>NOTICE 1 | MEDAL, GOOD CONDUCT, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/20B<br>NOTICE 1 | MEDAL, GOOD CONDUCT, COAST GUARD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/21B<br>NOTICE 1 | MEDAL, GOOD CONDUCT, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/22C<br>NOTICE 1 | MEDAL, GOOD CONDUCT, NAVY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/23B<br>NOTICE 1 | MEDAL, HUMANE ACTION [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/24B<br>NOTICE 1 | MEDAL, INDIAN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/25B<br>NOTICE 1 | MEDAL, KOREAN SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/26B<br>NOTICE 1 | MEDAL, MARINE CORPS EXPEDITIONARY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/27C<br>NOTICE 1 | MEDAL, MEXICAN BORDER SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/28B<br>NOTICE 1 | MEDAL, MEXICAN SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/29B<br>NOTICE 1 | MEDAL, NATIONAL DEFENSE SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/30C<br>NOTICE 1 | MEDAL, NAVY EXPEDITIONARY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/31C<br>NOTICE 1 | MEDAL, NAVY OCCUPATION SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/32C<br>NOTICE 1 | MEDAL, NAVAL RESERVE MERITORIOUS SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/33C<br>NOTICE 1 | MEDAL, NAVY RESERVE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |
| | MIL-M-3946/34B<br>NOTICE 1 | MEDAL, ORGANIZED MARINE CORPS RESERVE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | A 8455 IH 20-APR-92 | IH | MU | 11 | |

| Action | Opt. / Obit. Combination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-M-3946/35B | MEDAL, PHILLIPINE CAMPAIGN [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/36B | MEDAL, PHILIPPINE CONGRESSIONAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/37B | MEDAL, SECOND NICARAGUAN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/38B | MEDAL, SPANISH CAMPAIGN [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | CG CT MC | | | | | | | | | |
| | | MIL-M-3946/39C | MEDAL, SPANISH WAR SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/40B | MEDAL, UNITED NATIONS SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/41B | MEDAL, VICTORY, WORLD WAR I [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/42B | MEDAL, VICTORY, WORLD WAR II [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/43B | MEDAL, WOMEN'S ARMY CORPS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | CG CT MC | | | | | | | | | |
| | | MIL-M-3946/44B | MEDAL, YANGTZE SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | CT MC | | | | | | | | | |
| | | MIL-M-3946/45B | MEDAL, VIETNAM SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | CT MC | | | | | | | | | |
| | | MIL-M-3946/46B | MEDAL, AIR FORCE COMBAT READINESS [VALIDATION DATE: 9204] USER: 45 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/47B | MEDAL, CIVILIAN SERVICE IN VIETNAM [VALIDATION DATE: 9204] USER: 45 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/48A | MEDAL, ARMY RESERVE COMPONENTS ACHIEVEMENT [VALIDATION DATE: 9204] USER: | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/49A | MEDAL, AIR RESERVE FORCES MERITORIOUS SERVICE [VALIDATION DATE: 9204] | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/50A | MEDAL, HUMANITARIAN SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/51A | MEDAL, COAST GUARD, ARCTIC SERVICE [VALIDATION DATE: 9204] USER: 45 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/52B | MEDAL, U.S. COAST GUARD RESERVE GOOD CONDUCT [VALIDATION DATE: 9204] USER: | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/53 | MEDAL, PRISONER OF WAR [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | CT MC | | | | | | | | | |
| | | MIL-M-3946/54 | MEDAL, DEPARTMENT OF THE ARMY CIVILIAN AWARD FOR HUMANITARIAN SERVICE | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/56 | MEDAL, MULTINATIONAL FORCE AND OBSERVERS [VALIDATION DATE: 9204] USER: 45 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/57 | MEDAL, SOUTHWEST ASIA SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | 82 99 CG CT MC | | | | | | | | | |
| | | MIL-M-3946/58 | MEDAL, VIETNAM SERVICE, MERCHANT MARINE [VALIDATION DATE: 9204] USER: 45 | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | | NOTICE 1 | REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| L | | MIL-M-3946/59A | MEDAL, CIVILIAN SERVICE IN SOUTHWEST ASIA, DOD REVIEWER: CT ..... | A | 8455 | IH | 30-JAN-92 | IH | | | | |
| L | | MIL-M-3946/60 | MEDAL, EXPEDITIONARY, MERCHANT MARINE REVIEWER: CT ..... | A | 8455 | IH | 18-SEP-91 | IH | | | | |
| L | | MIL-M-3946/61 | METAL, DEFENSE, MERCHANT MARINE REVIEWER: CT ..... | A | 8455 | IH | 06-FEB-92 | IH | | | | |
| L | | MIL-M-3946/62 | METAL, ATLANTIC WAR ZONE, MERCHANT MARINE REVIEWER: CT ..... | A | 8455 | IH | 06-FEB-92 | IH | | | | |
| L | | MIL-M-3946/63 | MEDAL, PACIFIC WAR ZONE, MERCHANT MARINE REVIEWER: CT ..... | A | 8455 | IH | 06-FEB-92 | IH | | | | |
| L | | MIL-M-3946/64 | MEDAL, KOREAN SERVICE, MERCHANT MARINE REVIEWER: CT ..... | A | 8455 | IH | 06-FEB-92 | IH | | | | |
| L | | MIL-M-3946/65 | MEDAL, MEDITERRANEAN-MIDDLE EAST WAR ZONE, MERCHANT MARINE REVIEWER: CT ... | A | 8455 | IH | 06-FEB-92 | IH | | | | |
| | | MIL-M-3946/66 | MEDAL, KUWAIT LIBERATION, KINGDOM OF SAUDI ARABIA REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 26-FEB-92 | IH | MU | 11 | | |
| | | MIL-W-3947B | WEIGHT AND BALANCE CONTROL SYSTEM FOR GUIDED MISSILES AND SPACE LAUNCH | A | 1410 | AS | 18-SEP-91 | MI | AS | 11 | | |
| | | NOTICE 1 | VEHICLES [VALIDATION DATE: 9109] REVIEWER: 99 | | | | | | | | | |
| | | MIL-I-3948C | INDICATOR TUBE, CARBON MONOXIDE REVIEWER: DM MD ..... | A | 6665 | EA | 03-SEP-82 | EA | | | | |
| L | | MIL-I-3948C(11) | INDICATOR TUBE, CARBON MONOXIDE ..... | A | 6665 | EA | 24-JUN-88 | EA | | | | |
| A | | MIL-I-3949D(2) | INSIGNIA, RANK, OFFICER'S, METAL: GENERAL SPECIFICATION FOR [VALIDATION | A | 8455 | IH | 04-NOV-92 | IH | MU | 11 | | |
| | | SUPPL 1A, NOTICE 1 | DATE: 9211] USER: 45 MC REVIEWER: 82 99 CT | | | | | | | | | |
| | | MIL-I-3949/1C | INSIGNIA, RANK; GENERAL OF THE ARMY AND GENERAL OF THE AIR FORCE | A | 8455 | IH | 14-SEP-90 | IH | | 11 | | |
| | | | (PENTAGONAL STAR GROUP) REVIEWER: 82 99 CT | | | | | | | | | |
| | | MIL-I-3949/2C | INSIGNIA, RANK; FLEET ADMIRAL (PENTAGONAL STAR GROUP) REVIEWER: DP MC ..... | A | 8455 | IH | 19-OCT-90 | IH | SA | | | |
| | | MIL-I-3949/3D | INSIGNIA, RANK; GENERAL OF THE ARMY AND GENERAL OF THE AIR FORCE COAT OF | A | 8455 | IH | 26-MAR-92 | IH | | 11 | | |
| | | | ARMS REVIEWER: 82 99 CT | | | | | | | | | |
| | | MIL-I-3949/4D | INSIGNIA, RANK; INDIVIDUAL STAR, GENERAL OFFICERS, ARMY AND AIR FORCE | A | 8455 | IH | 30-JAN-91 | IH | | 11 | | |
| | | | REVIEWER: 82 99 CT | | | | | | | | | |
| | | MIL-I-3949/5C | INSIGNIA, RANK; ADMIRAL, NAVY AND GENERAL, MARINE CORPS REVIEWER: CT MC ... | A | 8455 | IH | 19-OCT-90 | IH | SA | | | |
| | | MIL-I-3949/6C | INSIGNIA; RANK, VICE ADMIRAL, NAVY AND LIEUTENANT GENERAL, MARINE CORPS | A | 8455 | IH | 19-OCT-90 | IH | SA | | | |
| | | | REVIEWER: CT MC | | | | | | | | | |
| A | | MIL-I-3949/7D | INSIGNIA, RANK; REAR ADMIRAL, NAVY AND MAJOR GENERAL, MARINE CORPS | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| | | | REVIEWER: CT MC | | | | | | | | | |
| | | MIL-I-3949/8C | INSIGNIA, RANK; COMMODORE, NAVY AND BRIGADIER GENERAL, MARINE CORPS | A | 8455 | IH | 19-OCT-90 | IH | SA | | | |
| | | | REVIEWER: CT MC | | | | | | | | | |
| | | MIL-I-3949/9E | INSIGNIA, RANK; GENERAL OFFICERS, ARMY AND AIR FORCE (MINIATURE SIZE) | A | 8455 | IH | 14-SEP-90 | IH | | 11 | | |
| | | | REVIEWER: 82 99 CT DP | | | | | | | | | |
| | | MIL-I-3949/11E | INSIGNIA, RANK; CAPTAIN, NAVY AND COLONEL, MARINE CORPS, AIR FORCE AND | A | 8455 | IH | 14-SEP-90 | IH | SA | 11 | | |
| | | | ARMY REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-3949/12G | INSIGNIA, RANK; LIEUTENANT COLONEL AND MAJOR, ARMY AND AIR FORCE REVIEWER: | A | 8455 | IH | 26-MAR-92 | IH | | 11 | | |
| | | | 82 99 CT | | | | | | | | | |
| | | MIL-I-3949/13C | INSIGNIA, RANK; COMMANDER AND LIEUTENANT COMMANDER, NAVY LIEUTENANT | A | 8455 | IH | 19-OCT-90 | IH | SA | | | |
| | | | COLONEL AND MAJOR, MARINE CORPS REVIEWER: CT MC | | | | | | | | | |
| | | MIL-I-3949/14H | INSIGNIA, RANK; CAPTAIN, ARMY AND AIR FORCE REVIEWER: 82 99 CT ..... | A | 8455 | IH | 29-NOV-91 | IH | | 11 | | |
| | | MIL-I-3949/16J | INSIGNIA, RANK; FIRST LIEUTENANT AND SECOND LIEUTENANT, ARMY AND AIR FORCE | A | 8455 | IH | 26-MAR-92 | IH | | 11 | | |
| | | | REVIEWER: 82 99 CT | | | | | | | | | |
| | | MIL-I-3949/18D | INSIGNIA, RANK; CHIEF WARRANT OFFICERS W-3 AND W-1, AIR FORCE REVIEWER: 82 | A | 8455 | IH | 14-SEP-90 | IH | | 11 | | |
| | | | 99 CT DP | | | | | | | | | |
| | | MIL-I-3949/19D | INSIGNIA, RANK; CHIEF WARRANT OFFICER W-3 AND WARRANT OFFICER W-1, NAVY | A | 8455 | IH | 19-OCT-90 | IH | SA | | | |
| | | | AND MARINE CORPS REVIEWER: CT MC | | | | | | | | | |
| | | MIL-I-3949/20D | INSIGNIA, RANK; CHIEF WARRANT OFFICERS W-2 AND W-4, AIR FORCE USER: 45 | A | 8455 | IH | 14-SEP-90 | IH | | 11 | | |
| | | | REVIEWER: 82 99 CT | | | | | | | | | |
| | | MIL-I-3949/21D | INSIGNIA, RANK; CHIEF WARRANT OFFICER W-2 AND W-4, NAVY AND MARINE CORPS | A | 8455 | IH | 19-OCT-90 | IH | SA | | | |
| | | | REVIEWER: CT MC | | | | | | | | | |
| L | | MIL-I-3949/24E | INSIGNIA, RANK; WARRANT OFFICER WO1 AND CHIEF WARRANT OFFICERS CW2, CW3 | A | 8455 | IH | 14-SEP-90 | IH | | | | |
| | | | AND CW4, ARMY REVIEWER: CT | | | | | | | | | |
| | | MIL-I-3949/25B | INSIGNIA, RANK; 3/4 INCH STAR, GENERAL OFFICERS, AIR FORCE REVIEWER: 82 99 | A | 8455 | IH | 30-JAN-91 | IH | | 11 | | |
| | | | CT | | | | | | | | | |
| | | MIL-I-3949/26A | INSIGNIA, RANK; LIEUTENANT, NAVY AND CAPTAIN, MARINE CORPS REVIEWER: CT MC | A | 8455 | IH | 19-OCT-90 | IH | SA | | | |
| | | MIL-I-3949/27A | INSIGNIA, RANK; LIEUTENANT (JG) AND ENSIGN, NAVY LIEUTENANT AND SECOND | A | 8455 | IH | 19-OCT-90 | IH | SA | | | |
| | | | LIEUTENANT, MARINE CORPS REVIEWER: CT MC | | | | | | | | | |
| A | | MIL-I-3949/28D | INSIGNIA, RANK; CHIEF WARRANT OFFICER CW5, ARMY AND AIR FORCE USER: 45 | A | 8455 | IH | 24-JUN-92 | IH | | 11 | | |
| | | | REVIEWER: 82 99 CT | | | | | | | | | |
| A | | MIL-I-3949/29 | INSIGNIA, RANK; CHIEF WARRANT OFFICER CW5, MARINE CORPS REVIEWER: CT MC ... | A | 8455 | IH | 24-JUN-92 | IH | MU | | | |

| Action | Obsl / Canc / Consolidation / Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| Q | | MIL-S-3950F(2) SUPPL 1A | SWITCHES, TOGGLE, ENVIRONMENTALLY SEALED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8809] USER: AR MC REVIEWER: 11 99 AV EC ES MI | A 5930 85 30-SEP-88 ER | AS 85 | | |
| L | | MIL-S-3950/14 | SWITCHES, TOGGLE, ROCKER ACTUATED, ONE POLE, TWO POLE, FOUR POLE, ENVIRONMENTALLY SEALED, FLUSH AND SUB-PANEL MOUNTING REVIEWER: 99 | A 5930 85 09-MAR-88 | 85 | | |
| M | | MIL-S-3951D | SERVICE RIBBONS AND BARS, SERVICE RIBBONS USER: 45 REVIEWER: 82 99 CT MC .. | A 8455 IH 23-APR-93 IH | MU 11 | | |
| A | | MIL-C-3953E NOTICE 1 | CLOTH, DUCK, NYLON USER: MC REVIEWER: AS MD MI ..... | A 8305 CT 16-JUN-81 GL | MU 99 | CT | |
| Q | | MIL-D-3954C(2) SUPPL 1A | DUMMY LOADS, ELECTRICAL, WAVEGUIDE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8505] USER: 19 AS CG MC MI OS SH REVIEWER: 11 17 AR ES | A 5985 EC 29-MAR-79 ER | EC 85 | | |
| | | MIL-D-3954/11A NOTICE 1 | DUMMY LOAD ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 7.05 TO 10.0 GIGAHERTZ) [VALIDATION DATE: 8710] USER: 14 19 AS CG MC OS SH REVIEWER: 11 17 99 AR ES MI | A 5985 EC 27-OCT-87 ER | EC 85 | | |
| | | MIL-D-3954/13A NOTICE 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 12.4 TO 18.0 GIGAHERTZ) [VALIDATION DATE: 8710] USER: 14 19 AS CG MC OS SH REVIEWER: 11 17 99 AR ES MI | A 5985 EC 27-OCT-87 ER | EC 85 | | |
| | | MIL-D-3954/15A NOTICE 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 1.12 TO 1.70 GIGAHERTZ) [VALIDATION DATE: 8710] USER: 14 19 AS CG MC OS SH REVIEWER: 11 17 99 AR ES MI | A 5985 EC 27-OCT-87 ER | EC 85 | | |
| | | MIL-D-3954/16A NOTICE 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 5.85 TO 8.20 GIGAHERTZ) [VALIDATION DATE: 8710] USER: 14 19 AS CG MC OS SH REVIEWER: 11 17 99 AR ES MI | A 5985 EC 27-OCT-87 ER | EC 85 | | |
| | | MIL-D-3954/17A NOTICE 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 3.95 TO 5.85 GIGAHERTZ) [VALIDATION DATE: 8710] USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 AR ES MI | A 5985 EC 27-OCT-87 ER | EC 85 | | |
| | | MIL-D-3954/18A NOTICE 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 2.6 TO 3.95 GIGAHERTZ) [VALIDATION DATE: 8710] USER: 14 19 CG MC OS REVIEWER: 11 17 99 AR ES MI | A 5985 EC 27-OCT-87 ER | EC 85 | | |
| | | MIL-D-3954/19A NOTICE 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 8.2 TO 12.4 GIGAHERTZ) [VALIDATION DATE: 8710] USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 AR ES MI SH | A 5985 EC 27-OCT-87 ER | EC 85 | | |
| D | | MIL-C-3955C | CAMS, COMPOSITE, SPIRALLY WOUND [VALIDATION DATE: 8201] USER: MC YD1 REVIEWER: 99 DS EA GS ML MI OS SH | A 8110 AR 16-DEC-75 AR | SA 69 | | |
| L | | MIL-C-3956C NOTICE 1 | CLOCK, MESSAGE CENTER, M-2 [VALIDATION DATE: 8710] REVIEWER: GS MD MI ..... | A 6645 GL 23-OCT-87 GL | | | |
| | | MIL-C-3958C(2) NOTICE 1 | CUTTER, CABLE, HAND OPERATED, WITH GROPING HOOK GUIDE [VALIDATION DATE: 8904] USER: CG MC REVIEWER: MD ME | A 5130 GL 22-APR-89 GL | SH 99 | | |
| A | | MIL-A-3962E | ANCHOR, GROUND, ARROWHEAD WITH DRIVING EQUIPMENT USER: MD REVIEWER: EA IS . | A 4030 CI 16-OCT-81 GL | 99 | CT | |
| | | MIL-U-3963A | UNIVERSAL JOINT, ANTIFRICTION BEARINGS [VALIDATION DATE: 8208] REVIEWER: MI | A 3010 AS 12-DEC-58 | AS 99 | | |
| Q | | MIL-C-3965F(3) SUPPL 1A, NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR USER: AS MC OS REVIEWER: 17 10 AR ES SH | A 5910 85 29-MAR-91 ER | EC 85 | | |
| QL | | MIL-C-3965F(12) | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR | A 5910 85 17-JUN-76 | 85 | | |
| | | MIL-C-3965/1M(1) NOTICE 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG)-85 DEG. C (VOLTAGE DERATED TO 125 DEG. C) STYLES CL14 AND CL16 REVIEWER: 17 99 AR ES MI SH | A 5910 85 27-FEB-87 ER | EC 85 | | |
| I | | MIL-C-3965/9M(1) NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, PLAIN FOIL) 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL51 [VALIDATION DATE: 9008] USER: 19 AS MC OS REVIEWER: 11 80 ES MI SH | A 5910 85 24-AUG-90 ER | EC 85 | | |
| 1 | | MIL-C-3965/10M(1) NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, PLAIN FOIL), 35 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL52 [VALIDATION DATE: 9008] USER: 19 AS MC OS REVIEWER: 11 80 AR ES SH | A 5910 85 24-AUG-90 ER | EC 85 | | |
| 1 | | MIL-C-3965/11M(1) NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, ETCHED FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL53 [VALIDATION DATE: 9008] USER: 19 AS MC OS REVIEWER: 11 80 AR ES SH | A 5910 85 24-AUG-90 ER | EC 85 | | |
| I | | MIL-C-3965/12M(1) NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, ETCHED FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL54 [VALIDATION DATE: 9008] USER: 19 AS MC OS REVIEWER: 11 80 AR ES SH | A 5910 85 24-AUG-90 ER | EC 85 | | |
| I | | MIL-C-3965/15D(1) NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, PLAIN FOIL)-85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL30 AND CL31 [VALIDATION DATE: 8901] USER: 19 AS MC OS REVIEWER: 11 17 80 99 AR ES SH | A 5910 85 13-JAN-89 CR | EC 85 | | |
| | | MIL-C-3965/16D NOTICE 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, PLAIN FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), STYLES CL32 AND CL33 (INACTIVE USE MIL-C-39006/4) REVIEWER: 17 99 AR ES MI SH | A 5910 85 27-FEB-87 ER | EC 85 | | |
| | | MIL-C-3965/17E NOTICE 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, ETCHED FOIL) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL20 AND CL21 (INACTIVE USE MIL-C-39006/1) REVIEWER: 17 99 AR ES MI SH | A 5910 85 27-FEB-87 ER | EC 85 | | |
| | | MIL-C-3965/18E NOTICE 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, ETCHED FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), STYLES CL22 AND CL23 (INACTIVE USE MIL-C-39006/2) USER: SH REVIEWER: 17 99 AR ES MI | A 5910 85 27-FEB-87 ER | EC 85 | | |
| | | MIL-C-3965/19E(2) NOTICE 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL17 AND CL18 REVIEWER: 17 99 AR ES MI | A 5910 85 27-FEB-87 ER | EC 85 | | |
| | | MIL-C-3965/20E(1) NOTICE 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, POLARIZED, SINTERED SLUG( - 85 DEGREES C )VOLTAGE DERATED TO 125 DEGREES C(, STYLES CL10 AND CL13 )INACTIVE USE MIL-C-39006/18( REVIEWER: 17 99 ES MI SH | A 5910 85 27-FEB-87 ER | EC 85 | | |
| I | | MIL-C-3965/21E(1) | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL55 USER: 19 AS MC OS REVIEWER: 17 99 AR ES MI | A 5910 85 28-AUG-89 ER | EC 85 | | |
| | | MIL-C-3965/22B(1) NOTICE 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, HIGH ETCHED FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), STYLES CL70 AND CL71 (INACTIVE USE MIL-C-39006/16) REVIEWER: 17 99 ES MI SH | A 5910 85 27-FEB-87 ER | EC 85 | | |
| | | MIL-C-3965/23B(1) | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, HIGH ETCHED FOIL) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL72 AND CL73 (INACTIVE USE MIL-C-39006/17) REVIEWER: 17 99 AR ES MI SH | A 5910 85 27-FEB-87 ER | EC 85 | | |
| | | MIL-C-3965/24A(1) NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG) - 85 DEC. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL66 AND CL67 [VALIDATION DATE: 8901] USER: 19 MC ME REVIEWER: 11 17 99 AR ES MI OS SH | A 5910 85 13-JAN-89 ER | EC 85 | | |
| D | | MIL-F-3967E | FORMING MACHINES, SHEET METAL, ROTARY, COMBINATION FLOOR MOUNTING, MOTOR DRIVEN USER: YD1 REVIEWER: 84 GS | A 3441 IP 31-OCT-90 AL | SH 99 | IP | |
| | | MIL-D-3968F | DRIER MIXERS, BITUMINOUS CONCRETE MATERIALS, WHEEL MOUNTED REVIEWER: AT ... | A 3895 ME 25-FEB-82 ME | 99 | | |
| | | MIL-W-3970C SUPPL 1A | WAVEGUIDE ASSEMBLIES, RIGID, GENERAL SPECIFICATION FOR USER: AR AS CG MC REVIEWER: 11 17 99 ES MI OS SH | A 5985 EC 01-APR-83 ER | EC 85 | | |
| | | MIL-W-3970/1A | WAVEGUIDE ASSEMBLIES, RIGID, STRAIGHT, 90-DEGREE TWIST [VALIDATION DATE: 8304] USER: AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A 5985 EC 04-APR-77 ER | EC 85 | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-W-3970/2 | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE STEP TWIST CG-1130/U AND CG-1131/U (VALIDATION DATE: 8104) USER: AS MC REVIEWER: 11 99 ES | A | 5985 | EC | 18-SEP-63 | ER | EC | 85 | |
| | MIL-W-3970/3 | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE STEP TWIST, CG-1128/U, CG-1129/U, CG-1132/U, AND CG-1133/U (VALIDATION DATE: 8104) REVIEWER: 99 ES | A | 5985 | EC | 15-OCT-63 | ER | EC | 85 | |
| | MIL-W-3970/4 | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE STEP TWIST, CG-1134/U THROUGH CG-1147/U (VALIDATION DATE: 8104) REVIEWER: 11 99 ES | A | 5985 | EC | 15-OCT-63 | ER | EC | 85 | |
| | MIL-W-3970/5B | WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE E-PLANE BEND (VALIDATION DATE: 8304) USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/6B | WAVEGUIDE ASSEMBLIES, RIGID, 60-DEGREE E-PLANE BEND (VALIDATION DATE: 8304) USER: 14 19 AS CG MC REVIEWER: 11 17 99 ES OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/7B | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE E-PLANE BEND (VALIDATION DATE: 8304) USER: 14 19 AR AS MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/8B | WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE E-PLANE MITERED CORNER (VALIDATION DATE: 8304) USER: 14 17 19 AS CG MC MU OS REVIEWER: 11 99 ES MI | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/9A | WAVEGUIDE ASSEMBLIES, RIGID, 60-DEGREE E-PLANE MITERED CORNER (VALIDATION DATE: 8304) USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/10B | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE E-PLANE MITERED CORNER (VALIDATION DATE: 8304) USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/11B | WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE H-PLANE BEND (VALIDATION DATE: 8304) USER: 14 19 AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/12B | WAVEGUIDE ASSEMBLIES, RIGID, 60-DEGREE H-PLANE BEND (VALIDATION DATE: 8304) USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/13B(1) | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEG. H-PLANE BEND USER: AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 17-JUL-89 | ER | EC | 85 | |
| | MIL-W-3970/14A | WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE H-PLANE MITERED CORNER (VALIDATION DATE: 8304) USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/15B | WAVEGUIDE ASSEMBLIES, RIGID, 60-DEGREE H-PLANE MITERED CORNER (VALIDATION DATE: 8304) USER: 14 19 AR AS AT CG MC ME REVIEWER: 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/16B | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE, H-PLANE, MITERED CORNER (VALIDATION DATE: 8304) USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/17 | WAVEGUIDE ASSEMBLIES, RIGID, STRAIGHT 45 DEGREE TWIST (VALIDATION DATE: 8304) USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/18 | WAVEGUIDE ASSEMBLIES, RIGID, 30-DEGREE E-PLANE BEND (VALIDATION DATE: 8304) USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/19 | WAVEGUIDE ASSEMBLIES, RIGID, 30-DEGREE H-PLANE BEND (VALIDATION DATE: 8304) USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/20 | WAVEGUIDE ASSEMBLY, RIGID, 40 DEGREE H-PLANE BEND (VALIDATION DATE: 8304) USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 04-APR-77 | ER | EC | 85 | |
| | MIL-W-3970/21 | WAVEGUIDE ASSEMBLIES, RIGID, CAST, 45-DEGREE E-PLANE BEND, FULL CORRAL AND SELF JIGGING (VALIDATION DATE: 8404) USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 30-AUG-78 | ER | EC | 85 | |
| | MIL-W-3970/22 | WAVEGUIDE ASSEMBLIES, RIGID, CAST, 90-DEGREE E-PLANE BEND, FULL CORRAL (VALIDATION DATE: 8404) USER: 19 AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 30-AUG-78 | ER | EC | 85 | |
| | MIL-W-3970/23 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE E-PLANE BEND, MITER AND RADIUS BACK MITER, FULL CORRAL (VALIDATION DATE: 8404) USER: 19 AS CG MC REVIEWER: 17 99 ES MI OS | A | 5985 | EC | 30-AUG-78 | ER | EC | 85 | |
| | MIL-W-3970/24 | WAVEGUIDE ASSEMBLY, RIGID, CAAST, 45 DEGREE E-PLANE BEND, REDUCED HEIGHT, FULL CORRAL (VALIDATION DATE: 8404) USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 30-AUG-78 | ER | EC | 85 | |
| | MIL-W-3970/25 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE E-PLANE BEND, REDUCED HEIGHT, RADIUS BACK MITER, FULL CORRAL (VALIDATION DATE: 8404) USER: 19 AS CG MC REVIEWER: 17 99 ES MI OS | A | 5985 | EC | 30-AUG-78 | ER | EC | 85 | |
| | MIL-W-3970/26 | WAVEGUIDE ASSEMBLIES, RIGID, CAST, 45-DEGREE H-PLANE BEND, FULL CORRAL AND SELF-JIGGING (VALIDATION DATE: 8404) USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 30-AUG-78 | ER | EC | 85 | |
| | MIL-W-3970/27 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 60 DEGREE H-PLANE BEND, FULL CORRAL (VALIDATION DATE: 8404) USER: 19 AS CG MC REVIEWER: 17 99 ES MI OS | A | 5985 | EC | 30-AUG-78 | ER | EC | 85 | |
| | MIL-W-3970/28 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 90-DEGREE H-PLANE BEND, FULL CORRAL (VALIDATION DATE: 8404) USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 30-AUG-78 | ER | EC | 85 | |
| | MIL-W-3970/29(1) | WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE H-PLANE BEND, MITER AND RADIUS BACK MITER, FULL CORRAL USER: AR AS GS MC REVIEWER: 11 14 17 19 99 ES MI OS | A | 5985 | EC | 14-JAN-85 | ER | EC | 85 | |
| | MIL-W-3970/30 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 45 DEGREE H-PLANE BEND, REDUCED HEIGHT, FULL CORRAL (VALIDATION DATE: 8404) USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | 30-AUG-78 | ER | EC | 85 | |
| | MIL-W-3970/31 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE H-PLANE BEND, REDUCED HEIGHT, FULL CORRAL (VALIDATION DATE: 8404) USER: 19 AS CG MC REVIEWER: 17 99 ES MI OS | A | 5985 | EC | 30-AUG-78 | ER | EC | 85 | |
| DQ | MIL-M-3971D(3) | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: GENERAL SPECIFICATION FOR USER: MC ME YD1 REVIEWER: 11 ER ES | A | 6645 | AR | 14-SEP-92 | AR | | 99 | |
| D | MIL-M-3971/1D | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: TYPE I, 10-40V OR 40-130V OR 10-130V; GRADES A AND B, 2 HOLE AND 3 HOLE FLANGE USER: MC ME YD1 REVIEWER: 11 EC ER GS | A | 6645 | AR | 14-SEP-92 | AR | | 99 | |
| D | MIL-M-3971/2C<br>NOTICE 1 | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: TYPE II, 1120V, 60CPS AND 120V, 400CPS GRADE A AND B, 2 HOLE AND 3 HOLE FLANGE (VALIDATION DATE: 9101) USER: AS MC REVIEWER: 11 EC ER GS ME YD1 | A | 6645 | AR | 07-JAN-91 | AR | SA | 99 | |
| L | MIL-C-3972B(2)<br>NOTICE 1 | CARTRIDGE, 60MM, ILLUMINATING, M83A3 WITH FUZE, TIME, M65A1 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9005) | A | 1310 | AR | 09-MAY-90 | AR | | | |
| A | MIL-L-3976D(1) | LIGHTS, MARKER, CLEARANCE (SERVICE AND BLACKOUT) GENERAL SPECIFICATION FOR USER: AS GS MC REVIEWER: MI | A | 6220 | AT | 16-JUN-92 | AT | | 99 | |
| A L | MIL-L-3976/1A | LIGHT EMITTING DIODE (LED), MARKER CLEARANCE-BLACKOUT, 14 AND 28 VOLT ..... | A | 6220 | AT | 16-JUN-92 | AT | | | |
| A | MIL-L-3976/2 | LIGHT, MARKER CLEARANCE-BLACKOUT, 24 VOLTS USER: AS GS MC REVIEWER: MI .... | A | 6220 | AT | 16-JUN-92 | AT | | 99 | |
| | MIL-T-3977D | TRUCK, FIXED PLATFORM, INTERNAL COMBUSTION ENGINE POWERED, PNEUMATIC RUBBER TIRES, GENERAL SPECIFICATION FOR REVIEWER: 85 CS | A | 3930 | SA | 31-OCT-90 | | SA | 84 | |
| | MIL-P-3984J | PROPELLANTS FOR SMALL ARMS AMMUNITION ..... | A | 1376 | AR | 25-MAY-92 | AR | OS | | |
| Q | MIL-B-3990D(3) | BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTIFRICTION, INCH REVIEWER: 84 IS .... | A | 3110 | AS | 21-AUG-91 | AT | AS | 99 | |
| Q | MIL-H-3992D(1) | HOSE AND HOSE ASSEMBLY, RUBBER, AIR AND VACUUM BRAKE, AUTOMOTIVE USER: MC ME REVIEWER: 82 CS MI | A | 4720 | AT | 29-APR-83 | AT | | 99 | |
| | MIL-C-3993C | COPPER AND COPPER-BASE ALLOY MILL PRODUCTS; PACKAGING OF (VALIDATION DATE: 8101) USER: EL MC REVIEWER: AS GL IS OS SM | A | PACK | SH | 14-SEP-62 | AR | SH | 99 | |
| L | MIL-C-3993C(11) | COPPER AND COPPER-BASE ALLOY MILL PRODUCTS; PACKAGING OF (VALIDATION DATE: 8101) | A | PACK | SH | 29-SEP-72 | | SH | | |
| | MIL-D-3994C<br>NOTICE 1 | DEXTRIN, TECHNICAL (VALIDATION DATE: 8903) REVIEWER: AR GS MD OS ..... | A | 6810 | EA | 09-MAR-89 | EA | AS | | |
| D | MIL-M-3996C<br>NOTICE 1 | MATTRESSES (EXCEPT PNEUMATIC TYPE), PACKAGING AND PACKING OF (VALIDATION DATE: 8904) USER: MC REVIEWER: CT SM | A | PACK | GL | 22-APR-89 | GL | YD1 | 99 | |
| | MIL-T-3997D | TRUCK, FIXED PLATFORM, ELECTRIC POWERED, PNEUMATIC RUBBER TIRES USER: AS MC SH SM REVIEWER: 84 CS | A | 3930 | SA | 05-SEP-88 | ME | SA | 99 | |
| | MIL-C-3998D | CRANE, HYDRAULIC, MOBILE, DIESEL ENGINE DRIVEN, RUBBER TIRES USER: OS ..... | A | 3950 | SA | 16-FEB-88 | ME | SA | 99 | |
| A L | MIL-T-4000D(1) | TEST SET, MOTOR-GENERATOR, AN/GSM-65 ..... | A | 4920 | CR | 15-APR-93 | CR | | | |
| A | MIL-C-4004B(2)<br>NOTICE 1 | CASE, INTELLIGENCE OFFICER'S SET (VALIDATION DATE: 8911) USER: 45 ..... | A | 8460 | CT | 08-NOV-89 | | | 99 | CT |
| L | MIL-C-4036C<br>NOTICE 1 | CLEANER, VAPOR PRESSURE, SPRAY RINSE (VALIDATION DATE: 9009) REVIEWER: CS . | A | 4940 | 82 | 04-SEP-90 | | | 99 | |

| Action | Cat. / Class Code/Status Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MIL-S-4040D(1) NOTICE 1 | SOLENOID, ELECTRICAL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8804] USER: AT MC REVIEWER: 11 99 AR AS AV ES GL MI | A 5945 | 15-APR-88 | ER | EC | 85 | |
| | L | MIL-S-4040/4 NOTICE 1 | SOLENOID, ARMING ELECTRICAL 27 VOLT DC PUSH TYPE REVIEWER: 99 ES | A 5945 | 31-MAR-88 | | | 85 | |
| | | MIL-B-4042E | BORESCOPE ASSEMBLIES, CYLINDER INSPECTION | A 6650 | 04-NOV-86 | AL | AS | | |
| | I | MIL-S-4043B NOTICE 1 | STEEL: CORROSION-RESISTING (EXTRA LOW CARBON TYPE 304), PLATE, SHEET, AND STRIP USER: ME REVIEWER: 99 ER IS MI | A 9515 | 20-JAN-90 | | AS | 11 | |
| | | MIL-T-4053B | TAPE, PRESSURE-SENSITIVE, ADHESIVE (CORROSION-RESISTANT) [VALIDATION DATE: 7702] USER: AT ME REVIEWER: 11 MI MR | A 8030 | 20-AUG-62 | | AS | 99 | |
| | | MIL-H-4081B(3) | HOLDER, COUNTERSINK, ADJUSTABLE, MICROMETER STOP AND CUTTERS, COUNTERSINK USER: AR AV | A 5133 | 23-MAR-79 | GL | | 99 | IP |
| | | MIL-S-4083C | SAW, RECIPROCATING, PORTABLE, PNEUMATIC, METAL-CUTTING [VALIDATION DATE: 8006] USER: GL | A 5130 | 11-OCT-74 | ME | | 99 | |
| A | | MIL-W-4088K | WEBBING, TEXTILE, WOVEN NYLON USER: 45 AT MC MI REVIEWER: 82 MD MU | A 8305 | 21-NOV-88 | GL | AS | 99 | CT |
| | LI | MIL-T-4097(1) | TUBE, ELECTRON, TYPE USAF 2E32 | A 5960 | 12-APR-50 | | | 99 | |
| A | | MIL-C-4109F(1) | COUPLING HALVES, LOW PRESSURE, AIR HOSE, QUICK-DISCONNECT USER: AR GL REVIEWER: CS | A 4730 | 29-JUN-92 | ME | AS | 99 | |
| | | MIL-C-4150J | CASES, TRANSIT AND STORAGE, WATERPROOF AND WATER-VAPORPROOF USER: MC ME SA REVIEWER: 13 18 99 CR EL MI OS SM | A 8115 | 29-NOV-89 | GL | AS | 69 | |
| | L | MIL-E-4158E(3) | ELECTRONIC EQUIPMENT, GROUND, GENERAL REQUIREMENTS FOR REVIEWER: 11 13 18 19 99 ES | A GDRQ | 31-DEC-86 | | | 17 | |
| | L | MIL-B-4173B(1) | BENCH, WORK, GENERAL PURPOSE [VALIDATION DATE: 8205] USER: GL | A 7195 | 28-JUL-75 | | | 99 | |
| | | MIL-C-4232D NOTICE 1 | CORD, RAYON, WITHOUT CORE, BRAIDED [VALIDATION DATE: 8904] USER: MC ME REVIEWER: 45 82 AV IS | A 4020 | 22-APR-89 | GL | | 99 | |
| | | MIL-S-4243C(2) | SHAVER, RIVET HEAD, PORTABLE, PNEUMATIC MICROMETER ADJUSTMENT USER: MC REVIEWER: GL | A 5130 | 22-OCT-82 | | AS | 99 | |
| | | MIL-R-4286E | RIVETER, YOKE, PNEUMATIC, COMPRESSION TYPE, PORTABLE, WITH RIVET SETS [VALIDATION DATE: 8301] REVIEWER: AV GS | A 5130 | 22-JUN-72 | GL | | 99 | |
| A | | MIL-C-4294A(1) | CLOTH, TWILL, NYLON | A 8305 | 01-MAR-89 | | | 99 | CT |
| A | L | MIL-C-4318B(1) NOTICE 2 | COMPUTER, AERIAL PHOTOGRAPHIC DATA | A 6760 | 15-JUL-88 | | AS | | |
| A | | MIL-B-4330C NOTICE 1 | BOOT, EXTREME COLD WEATHER [VALIDATION DATE: 8911] REVIEWER: 11 | A 8430 | 08-NOV-89 | | | 99 | CT |
| | L | MIL-C-4339D | CORROSION PREVENTIVE, SOLUBLE OIL FOR WATER INJECTION SYSTEMS, (NATO CODE NUMBER C-630) REVIEWER: 11 SH | A 6850 | 19-JUL-90 | | | 68 | |
| | Q | MIL-G-4343C | GREASE, PNEUMATIC SYSTEMS [VALIDATION DATE: 8407] REVIEWER: AT AV DS EA GS MI OS | A 9150 | 28-JUL-78 | ME | AS | 11 | |
| | | MIL-L-4352D(1) NOTICE 1 | LENSES, GUN CAMERA, MOTION-PICTURE, 16MM FORMAT [VALIDATION DATE: 8905] USER: AV REVIEWER: GS | A 6760 | 26-MAY-89 | ER | AS | 99 | |
| | Q | MIL-S-4383C NOTICE 1 | SEALING COMPOUND, TOPCOAT, FUEL TANK, BUNA-N TYPE [VALIDATION DATE: 9110] | A 8030 | 24-OCT-91 | MR | AS | 11 | |
| | D | MIL-L-4387D | LUBRICATION DISPENSING EQUIPMENT ACCESSORIES USER: MC OS SH SM REVIEWER: CS | A 4930 | 16-JAN-90 | ME | YD1 | 99 | |
| | | MIL-S-4461H | SEALING MACHINES, HEAT, HOT JAW AND CONTINUOUS [VALIDATION DATE: 8104] REVIEWER: MD ME OS | A 3540 | 19-SEP-74 | GL | SA | 99 | |
| | | MIL-S-4473F NOTICE 1 | SHIELDING OF MAGNETRON TUBES & MAGNETS FOR AIR SHIPMENT [VALIDATION DATE: 8708] REVIEWER: 99 AR AV ES ME MI SH SM | A PACK | 02-FEB-82 | CR | EC | 69 | |
| | | MIL-H-4495D | HOSE ASSEMBLY, RUBBER, AERIAL REFUELING REVIEWER: 11 CS | A 4720 | 10-MAY-85 | | AS | 99 | |
| | L | MIL-H-4497A(2) | HOSE, COTTON, RUBBER LINED, WATER, BRAIDED CONSTRUCTION, WITH COUPLINGS USER: ME REVIEWER: CS | A 4210 | 23-JUL-82 | | | 99 | |
| | D | MIL-S-4510E NOTICE 1 | SPOTLIGHT, INCANDESCENT, ROOF-MOUNTED, AUTOMOTIVE [VALIDATION DATE: 9001] | A 6220 | 18-JAN-90 | | YD1 | 99 | |
| | | MIL-L-4533F | LATHE, TURRET, HORIZONTAL, UNIVERSAL, RAM TYPE USER: AS MC REVIEWER: GS | A 3416 | 11-SEP-87 | AL | SH | 99 | |
| | | MIL-S-4534C(1) | STAND, RADIATOR TEST AND REPAIR | A 4910 | 27-FEB-89 | AL | | 99 | |
| | | MIL-D-4540B(1) | DIBROMODIFLUOROMETHANE, TECHNICAL [VALIDATION DATE: 8503] REVIEWER: GS ME | A 6830 | 30-JUL-79 | | | 68 | |
| | L | MIL-L-4541C | LUBRICATING AND SERVICING UNIT, AIR OPERATED HIGH AND LOW PRESSURE DELIVERY | A 4930 | 23-AUG-83 | | | 99 | |
| | | MIL-T-4544J | TEST STAND, AUTOMOTIVE GENERATOR, ALTERNATOR, STARTER, ASSOCIATED EQUIPMENT USER: MC REVIEWER: AT | A 4910 | 27-APR-87 | AL | | 99 | |
| | D | MIL-C-4551E | CRANE, FLOOR, PORTABLE USER: MC SA REVIEWER: CS | A 3950 | 03-FEB-71 | | YD1 | 99 | |
| | DQ | MIL-C-4556E | COATING KIT, EPOXY, FOR INTERIOR OF STEEL FUEL TANKS USER: SH REVIEWER: 84 | A 8010 | 14-SEP-90 | ME | YD1 | 11 | |
| | L | MIL-D-4562(1) | DIE, THREADING, DIE HEAD | A 5136 | 16-MAR-81 | | | 99 | |
| | | MIL-S-4569C | SHAFT ASSEMBLY FLEXIBLE DRIVE WITH 1/4 INCH CAPACITY CHUCK [VALIDATION DATE: 8506] USER: MC REVIEWER: GL | A 5130 | 23-OCT-74 | AR | SH | 99 | |
| | D | MIL-R-4582B(2) | REFRIGERATOR, ELECTRIC, PORTABLE, RIVET STORAGE [VALIDATION DATE: 8505] | A 4110 | 27-NOV-78 | GL | YD1 | 99 | |
| | | MIL-H-4607E | HEATER, ENGINE & SHELTER, GROUND REVIEWER: CS | A 4520 | 11-JUN-87 | ME | | | |
| | L | MIL-A-4637(2) NOTICE 1 | ATTENUATOR CN-29( )-UP, CN-42( )-UP, CN-43( )-UP [VALIDATION DATE: 8701] REVIEWER: 99 ES | A 5985 | 30-JAN-87 | | | 85 | |
| | L | MIL-T-4638B NOTICE 1 | TESTERS, MATERIAL HARDNESS (ROCKWELL TYPE) [VALIDATION DATE: 9001] USER: GL REVIEWER: GS | A 6635 | 30-JAN-90 | | | 99 | |
| | | MIL-S-4639E | SPLICER AND REWINDER, PHOTOGRAPHIC FILM FN-16( ) [VALIDATION DATE: 8505] REVIEWER: CR GS | A 6740 | 18-JAN-79 | | AS | | |
| | | MIL-C-4710D | CASE SET, TRANSPORT AND STORAGE USER: CR MC ME OS REVIEWER: 70 71 80 84 99 GS SM | A 8115 | 29-JUN-88 | GL | SA | 69 | |
| | | MIL-D-4725C(1) | DIMPLING MACHINES, HOT AND COLD PROCESS, PORTABLE REVIEWER: 84 AS GS MC OS | A 3448 | 25-MAR-88 | | | | IP |
| | L | MIL-T-4748B NOTICE 1 | TESTER TEMPERATURE INSTRUMENTS, MJ&I [VALIDATION DATE: 8808] | A 4920 | 31-AUG-88 | | | 99 | |
| | DQL | MIL-C-4751D(2) | CASTERS, RIGID AND SWIVEL, PRECISION HEAVY DUTY, AND SHOCK ABSORBING USER: 11 GL MC ME REVIEWER: AR IS MI SA YD1 | A 5340 | 22-SEP-92 | | | 99 | |
| | L | MIL-T-4782C NOTICE 1 | TRANSPARENCIES, TECHNICAL TRAINING, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9109] USER: AR REVIEWER: 99 AV | A 6910 | 18-SEP-91 | | AS | | |
| | L | MIL-V-4788A | VACUUM PUMP, ROTARY, POWER DRIVEN, 10 CFM, TYPE MA&I [VALIDATION DATE: 8410] | A 4310 | 09-MAY-57 | | | 99 | |
| | L | MIL-B-4792D(1) NOTICE 1 | BUMPER, RUBBER, DUPLEX ROUND [VALIDATION DATE: 8910] | A 5340 | 31-OCT-89 | | | 99 | |
| | L | MIL-M-4820E | MOTOR-GENERATOR, SKID MOUNTED, TYPE MD-4 [VALIDATION DATE: 8508] REVIEWER: GS | A 6125 | 24-JUL-79 | | | 99 | |
| | L | MIL-D-4824D(2) NOTICE 1 | DEVELOPERS, PHOTOGRAPHIC, ARMED FORCES [VALIDATION DATE: 8809] USER: AV REVIEWER: GS MC SS | A 6750 | 14-SEP-88 | CR | | | |
| | | MIL-P-4861C | PACKING, PREFORMED, RUBBER: PACKAGING OF REVIEWER: AR AV ES MI SH | A PACK | 12-JUL-91 | | AS | 99 | |
| | L | MIL-A-4864A | ALUMINUM WOOL [VALIDATION DATE: 8506] USER: AV REVIEWER: DS IS | A 5350 | 10-FEB-60 | | | 99 | |
| | L | MIL-M-4871C | MAINTENANCE PLATFORM | A 1730 | 13-NOV-84 | | | 99 | |
| | D | MIL-T-4873B | TOOL KIT, PNEUMATIC TIRE SERVICING, AUTOMOTIVE [VALIDATION DATE: 8303] USER: CE MC YD1 REVIEWER: AR AT | A 5180 | 24-NOV-76 | GL | | 99 | |
| | D | MIL-K-4877C | KETTLE, HEATING, BITUMEN, JOINT-SEALER, TRAILER-MOUNTED USER: CE | A 3895 | 30-JUL-82 | | YD1 | 99 | |
| | L | MIL-C-4928A(1) | CHARGER, BATTERY, SILICON DIODE, TYPE A-1 REVIEWER: GS | A 6130 | 03-JAN-79 | | | 99 | |
| | | MIL-A-4946B(1) | ANTENNA ASSEMBLY AT-197()/GR [VALIDATION DATE: 7901] USER: 17 REVIEWER: 99 ES | A 5985 | 01-MAY-67 | ER | | 85 | |
| | QL | MIL-C-4952E | CARTRIDGES, DESICCANT, DEHYDRATOR REVIEWER: CS | A 4440 | 28-NOV-88 | | | 99 | |
| | L | MIL-C-4976C | CABINET, DRYING, PARACHUTE, TYPE MA-1 REVIEWER: 11 | A 4440 | 31-JAN-89 | | | 99 | |
| | L | MIL-I-4997A(1) NOTICE 3 | INSULATING AND JACKETING COMPOUNDS FOR USE IN CORDS, CORDAGES, AND CABLES [VALIDATION DATE: 9112] | A 6145 | 27-DEC-91 | | | 85 | |
| | | MIL-S-5000E | STEEL, CHROME-NICKEL-MOLYBDENUM (E4340) BARS AND REFORGING STOCK USER: AT REVIEWER: 99 EA ER IS MI | A 9510 | 12-NOV-82 | MR | AS | 11 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-R-5001B | RUBBER CELLULAR SHEET, MOLDED AND HAND-BUILT SHAPES; LATEX FOAM USER: ME OS REVIEWER: 82 AL AR GS MC MI | A | 9320 | AS | 31-JUL-92 | MR | AS | 11 | |
| L | | MIL-R-5001A(15) | RUBBER CELLULAR SHEET, MOLDED AND HAND BUILT SHAPES; LATEX FOAM USER: EC ME OS | A | 9320 | SA | 01-APR-91 | | SA | | |
| | | MIL-S-5002D | SURFACE TREATMENTS AND INORGANIC COATINGS FOR METAL SURFACES OF WEAPONS SYSTEMS USER: ES REVIEWER: 99 AR AV EA MI OS | A | MFFP | AS | 30-NOV-89 | MR | AS | 11 | |
| L | | MIL-F-5003D | FLOODLIGHT SET, ELECTRIC, TRIPOD-MOUNTED, FOUR 150-WATT PROJECTOR LAMPS REVIEWER: GS MD SH | A | 6230 | ME | 30-JAN-92 | ME | | | |
| | | MIL-E-5007D(2) | ENGINE, AIRCRAFT, TURBOJET AND TURBOFAN, GENERAL SPECIFICATION FOR REVIEWER: 99 | A | 2840 | AS | 08-OCT-82 | AV | AS | | |
| | | MIL-C-5011A | CHART, STANDARD AIRCRAFT CHARACTERISTICS AND PERFORMANCE, PILOTED AIRCRAFT [VALIDATION DATE: 8205] USER: GL REVIEWER: 99 AV | A | 1500 | 11 | 05-NOV-51 | | AS | 11 | |
| L | | MIL-C-0050118 | CHARTS, STANDRAD AIRCRAFT CHARACTERISTICS AND PERFORMANCE, PILOTED AIRCRAFT (FIXED WING) [VALIDATION DATE: 8304] | A | 15GP | 11 | 21-JUN-77 | | | 11 | |
| | | MIL-W-5013L | WHEEL AND BRAKE ASSEMBLIES, AIRCRAFT GENERAL SPECIFICATION FOR ..... | A | 1630 | AS | 31-OCT-91 | AV | AS | 99 | |
| A | | MIL-I-5014F(4) SUPPL 1A | INNER TUBE, PNEUMATIC TIRE, AIRCRAFT ..... | A | 2620 | 70 | 16-NOV-92 | AV | AS | 99 | |
| Q | | MIL-C-5015G(4) SUPPL 1A | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATION FOR REVIEWER: 11 17 99 AR AV EC ES MI | A | 5935 | AS | 09-MAY-80 | CR | AS | 85 | |
| | | MIL-V-5018B | VALVE, FUEL SELECTOR ..... | A | 4530 | AS | 01-MAY-85 | | AS | 99 | |
| | | MIL-L-5020C | LIQUID, COMPASS, AIRCRAFT REVIEWER: GS PS ..... | A | 9150 | 11 | 27-MAR-91 | AV | AS | 11 | |
| | | MIL-L-5024A(1) | LUBRICANT, INNER TUBE,AIRCRAFT TIRE [VALIDATION DATE: 8509] USER: ME REVIEWER: CS IS | A | 2640 | AS | 02-JUN-65 | | AS | 99 | |
| L | | MIL-D-5025C NOTICE 1 | DIRECTION FINDER GROUP AN/APA-69A AND AN/APA-69C [VALIDATION DATE: 8712] .. | A | 5826 | AS | 31-DEC-87 | | AS | | |
| | | MIL-C-5026F NOTICE 1 | CUTOUT RELAY, ENGINE GENERATOR [VALIDATION DATE: 8911] ..... | A | 2925 | 82 | 21-NOV-89 | AV | | 99 | |
| Q | | MIL-V-5027D(1) NOTICE 1 | VALVES, CHECK, OXGEN, HIGH PRESSURE REVIEWER: 11 GL ..... | A | 4820 | AS | 08-APR-88 | AV | AS | 99 | |
| | | MIL-A-5034B NOTICE 1 | ADAPTER, BOMB RACK, 30 INCH, AERO 1A [VALIDATION DATE: 8703] ..... | A | 1095 | AS | 02-MAR-87 | AV | AS | 18 | |
| | | MIL-H-5035B(1) | HOIST, BOMB, MANUAL, AERO 14B (ASG) [VALIDATION DATE: 8306] ..... | A | 1730 | 82 | 22-SEP-58 | | | 99 | |
| A | | MIL-T-5038H | TAPE, TEXTILE AND WEBBING, TEXTILE, REINFORCING, NYLON USER: 45 OS REVIEWER: 82 CS MD | A | 8305 | CT | 17-JUL-90 | GL | AS | 99 | CT |
| | | MIL-C-5040G(1) | CORD, FIBROUS, NYLON USER: MC ME REVIEWER: 82 DS IS ..... | A | 4020 | GL | 10-SEP-90 | GL | AS | 99 | |
| L | | MIL-C-5040G(12) | CORD, FIBROUS, NYLON ..... | A | 4020 | GL | 15-AUG-91 | GL | | | |
| Q | | MIL-T-5041H SUPPL 1A | TIRES, PNEUMATIC, AIRCRAFT USER: MC REVIEWER: CS ..... | A | 2620 | 70 | 13-MAR-89 | AV | AS | 99 | |
| D | | MIL-W-5044C(1) | WALKWAY COMPOUND, NONSLIP AND WALKWAY MV ING, NONSLIP [VALIDATION DATE: 8408] USER: YD1 REVIEWER: AV MI | A | 5610 | 84 | 19-JUN-74 | ME | AS | 99 | |
| | | MIL-B-5046D | BOARD, CHART PLOTTING, MARK 7 (ASG) [VALIDATION DATE: 8102] REVIEWER: 11 GS | A | 6660 | AS | 19-SEP-68 | | AS | 99 | |
| Q | | MIL-R-5049D | RING, WIPER, PISTON ROD REVIEWER: MI ..... | A | 1650 | 71 | 26-DEC-89 | AV | AS | 99 | |
| | | MIL-W-5050A | WALKWAY, COATING AND MATTING, NONSLIP, AIRCRAFT, APPLICATION OF (ASG) [VALIDATION DATE: 8402] REVIEWER: MI | A | 5610 | AS | 31-JAN-58 | AV | AS | 99 | |
| | | MIL-C-5056 NOTICE 1 | COATING, PERMANENT RESIN; PROCESS FOR APPLICATION OF, TO AIRCRAFT PARTS [VALIDATION DATE: 9110] | A | 15GP | AS | 24-OCT-91 | | AS | 11 | |
| | | MIL-L-5057F(2) | LIGHTS, INSTRUMENT, INDIVIDUAL, GENERAL SPECIFICATION FOR ..... | A | 6220 | AS | 15-DEC-89 | AV | AS | 11 | |
| | | MIL-S-5059D(3) | STEEL, CORROSION-RESISTANT (18-8), PLATE, SHEET AND STRIP USER: ME REVIEWER: 99 CS EA IS MI OS | A | 9515 | AS | 06-APR-90 | AR | AS | 11 | |
| | | MIL-T-5066B(1) NOTICE 1 | TUBING CARBON STEEL (1025), SEAMLESS AND WELDED (AIRCRAFT QUALITY) [VALIDATION DATE: 8901] USER: ME REVIEWER: 99 CS MI | A | 4710 | 11 | 12-JAN-89 | MR | AS | 11 | |
| Q | | MIL-A-5070D(1) SUPPL 1A, NOTICE 1 | ADAPTER, HOSE TO TUBE, PIPE AND FLANGE, REUSABLE: HYDRAULIC, FUEL AND OIL LINES [VALIDATION DATE: 8911] REVIEWER: AR CS EA MI | A | 4730 | 82 | 09-NOV-89 | ME | AS | 99 | |
| Q | | MIL-W-5086C(1) SUPPL 1A | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, COPPER OR COPPER ALLOY USER: 17 AT MC ME REVIEWER: 11 AR AV EC IS MI OS | A | 6145 | AS | 07-DEC-79 | CR | AS | 85 | |
| | | MIL-W-5086/1B | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 105 DEGREES C USER: 11 AT AV EC MC SH REVIEWER: 15 99 AR ME MI OS | A | 6145 | AS | 23-NOV-83 | CR | AS | 85 | |
| Q | | MIL-W-5086/2C | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, PVC GLASS NYLON, TIN COATED COPPER CONDUCTOR, 600 VOLT, 105 DEG. C (SEE QPL-5086-27) USER: 11 AT AV EC MC SH REVIEWER: 15 99 AR IS ME MI OS | A | 6145 | AS | 23-NOV-83 | CR | AS | 85 | |
| | | MIL-W-5086/3B | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, PVC-GLASS-PVC NYLON, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 105 DEGREES C USER: 11 AT AV EC MC SH REVIEWER: 15 99 AR ME MI OS | A | 6145 | AS | 23-NOV-83 | CR | AS | 85 | |
| Q | | MIL-W-5086/4B | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN COATED COPPER CONDUCTOR, 3000 VOLT, 105 DEG. C (SEE QPL 5086-27) USER: 11 AT AV EC MC SH REVIEWER: 99 AR IS ME MI OS | A | 6145 | AS | 23-NOV-83 | CR | AS | 85 | |
| | | MIL-W-5086/5C | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, POLYVINYLIDEME FLUORIDE JACKET, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 110 DEGREES C USER: 17 AT MC ME REVIEWER: 11 AR AV EC IS MI OS | A | 6145 | AS | 23-NOV-83 | CR | AS | 85 | |
| Q | | MIL-W-5086/6C | WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, POLYVINYLIDEME FLUORIDE JACKET, SILVER COATED COPPER ALLOY CONDUCTOR, 600 VOLT, 110 DEG. C USER: 11 AT AV EC MC SH REVIEWER: 99 AR IS ME MI OS | A | 6145 | AS | 23-NOV-83 | CR | AS | 85 | |
| Q | | MIL-W-5086/7B | WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN COATED COPPER CONDUCTOR, MEDIUM WEIGHT, 600 VOLT, 105 DEG C USER: 11 17 AT AV EC MC ME SH REVIEWER: 99 AR IS MI OS | A | 6145 | AS | 23-NOV-83 | CR | AS | 85 | |
| | | MIL-B-5087B(2) | BONDING, ELECTRICAL, AND LIGHTING PROTECTION, FOR AEROSPACE SYSTEMS USER: EL ME REVIEWER: 99 CS MI | A | 6150 | 11 | 31-AUG-70 | | AS | 11 | |
| L | | MIL-B-5087B(13) | BONDING, ELECTRICAL, AND LIGHTNING PROTECTION, FOR AEROSPACE SYSTEMS ..... | A | 6150 | 11 | 24-DEC-84 | | | 11 | |
| A | | MIL-W-5088L(1) | WIRING, AEROSPACE VEHICLE USER: AV ME REVIEWER: 11 17 19 99 ..... | A | GDRQ | AS | 09-DEC-92 | CR | AS | 85 | |
| N | | MIL-T-5091 | TRANSMISSION, POWER, CONSTANT RATIO, GENERAL SPECIFICATION (AIRCRAFT USE) [VALIDATION DATE: 8408] | A | 1680 | AS | 01-DEC-49 | AV | AS | | |
| QL | | MIL-T-5091/2 | TRANSMISSION, POWER, CONSTANT RATIO SHAFT, FLEXIBLE DRIVE, 47 HP [VALIDATION DATE: 8803] | A | 1680 | AS | 15-MAR-88 | | AS | | |
| QL | | MIL-T-5091/3 | TRANSMISSION, POWER, CONSTANT RATIO GEARBOX, ENGINE MOUNTED 47 HP [VALIDATION DATE: 8408] | A | 1650 | AS | 06-JUL-65 | | AS | | |
| A L | | MIL-M-5096E(2) | MANUALS, TECHNICAL: INSPECTION AND MAINTENANCE REQUIREMENTS; ACCEPTANCE AND FUNCTIONAL CHECK FLIGHT PROCEDURES AND CHECKLISTS; INSPECTION WORK CARDS; AND CHECKLISTS; PREPARATION OF REVIEWER: 01 10 11 13 15 18 70 71 80 82 84 90 | A | TMSS | 16 | 22-JAN-93 | | | 16 | |
| | | MIL-I-5099B(1) NOTICE 1 | INDICATOR CABIN AIR PRESSURE, 1-7/8 INCH DIAL, TYPE MA-1 [VALIDATION DATE: 8603] USER: CG REVIEWER: GS | A | 6685 | 82 | 27-MAR-86 | | | 99 | |
| L | | MIL-E-5135(1) | ELECTRONIC-STANDARD-ITEMS; PART, MATERIAL AND PROCESS ..... | A | 59GP | 99 | 12-JUL-50 | | | 99 | |
| | | MIL-C-5136C NOTICE 2 | CABLE, POWER, ELECTRICAL POLYCHLOROPRENE SHEATHED, BUNA COMPOUND INSULATED [VALIDATION DATE: 8811] REVIEWER: 11 IS MI | A | 6145 | 85 | 03-NOV-88 | CR | AS | 85 | |
| | | MIL-R-5149B(1) | ROCKET ENGINE, LIQUID PROPELLANT GENERAL SPECIFICATION FOR [VALIDATION DATE: 8204] REVIEWER: 19 99 | A | 2845 | 12 | 31-MAR-69 | MI | AS | 12 | |
| L | | MIL-I-5154B(4) | INDICATOR, TRUE AIRSPEED, TYPE-M-5 ..... | A | 6610 | 71 | 30-JAN-89 | | | 99 | |
| Q | | MIL-I-5170C | INDICATOR, POSITION, HORIZONTAL STABILIZER ..... | A | 6610 | 71 | 24-SEP-87 | AV | AS | | |
| Q | | MIL-I-5184B | INDICATOR, POSITION USER: MI REVIEWER: 11 ..... | A | 6610 | 71 | 10-JUL-89 | AV | AS | 99 | |
| | | MIL-T-5208B | TANK, REMOVABLE, LIQUID PROPELLANT ROCKET ENGINE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8204] REVIEWER: 19 99 | A | 2845 | 12 | 30-JUN-67 | MI | AS | 12 | |
| A | | MIL-T-5237E | TAPE, TEXTILE; WEBBING, TEXTILE; RAYON REVIEWER: 82 99 EA MU ..... | A | 8305 | CT | 04-SEP-90 | GL | AS | 11 | CT |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-P-5238C | PUMP, CENTRIFIGUAL, FUEL BOOSTER, AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] REVIEWER: 99 | A | 2915 | AS | 12-SEP-74 | AV | AS | | |
| A | L | MIL-J-5251A NOTICE 2 | JACK U-82/U [VALIDATION DATE: 9302] | A | 5935 | 85 | 03-FEB-93 | | | 85 | |
| | | MIL-M-5288G NOTICE 1 | MANUALS, TECHNICAL: CARGO AIRCRAFT LOADING AND OFF-LOADING, PREPARATION OF USER: 70 99 REVIEWER: 01 10 16 AV | A | TMSS | 11 | 07-OCT-88 | TM | AS | 11 | |
| AQ | | MIL-P-5315B(1) NOTICE 2 | PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT [VALIDATION DATE: 9212] USER: CS REVIEWER: 99 AR EA IS MI | A | 5330 | 11 | 10-DEC-92 | AV | AS | 11 | |
| | | MIL-T-5350E | TRANSMITTER, SYNCHRO OPERATED, AIRCRAFT, GENERAL SPECIFICATION FOR USER: CG MC | A | 6620 | 71 | 31-OCT-88 | AV | AS | 99 | |
| | | MIL-H-5364D(3) NOTICE 1 | HARNESSES, SHOULDER SAFETY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8808] REVIEWER: MI | A | 1680 | 82 | 10-AUG-88 | AV | AS | 99 | |
| A | | MIL-S-5365F NOTICE 1 | SCARF, NECKWEAR, SAGE GREEN, FLYING, TUBULAR N-1B (SCARF, SAGE GREEN, FLYING TUBULAR, TYPE N-1B) [VALIDATION DATE: 8910] | A | 8440 | CT | 31-OCT-89 | | | 99 | CT |
| Q | | MIL-F-5372D | FUSE, CURRENT LIMITER TYPE, AIRCRAFT | A | 5920 | AS | 22-APR-92 | AV | AS | 85 | |
| | | MIL-F-5372/1 | FUSE, LIMITER TYPE ENCLOSED LINK, 1-60 AMP [VALIDATION DATE: 8002] REVIEWER: 11 99 | A | 5920 | 85 | 28-MAY-74 | | AS | 85 | |
| Q | | MIL-F-5373D | FUSE HOLDER, BLOCK TYPE, AIRCRAFT | A | 5920 | AS | 22-APR-92 | | AS | 85 | |
| | | MIL-F-5373/1 | FUSEHOLDER RECEPTACLE, LIMITER TYPE, 1-60 AMP [VALIDATION DATE: 8001] REVIEWER: 11 99 | A | 5920 | 85 | 28-MAY-74 | | AS | 85 | |
| | | MIL-V-5379A(1) | VALVE, SAFETY, CABIN AIR, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8206] | A | 4820 | AS | 10-SEP-57 | | AS | | |
| Q | | MIL-M-5388B(4) | MACHMETER; PITOT STATIC OPERATED, RANGE 0.5 TO 1.5, TYPE A-2B | A | 6610 | 71 | 01-MAY-89 | AV | AS | 99 | |
| | L | MIL-I-5392A(3) | INDICATOR, AIRSPEED, PITOT STATIC, TYPE K&3 | A | 6610 | 71 | 09-FEB-84 | | | 99 | |
| QL | | MIL-T-5396C | TRANSMITTER, PRESSURE, FUEL, 0-1000 PSI | A | 6620 | 71 | 28-SEP-87 | AV | | 99 | |
| A | I | MIL-E-5400T(3) NOTICE 1 | ELECTRONIC EQUIPMENT, AEROSPACE, GENERAL SPECIFICATION FOR USER: AV REVIEWER: 99 AR EC MI | A | GDRQ | AS | 14-AUG-92 | CR | AS | 11 | |
| | | MIL-G-5413D(2) | GENERATOR, TACHOMETER, FOUR POLE | A | 6620 | AS | 09-APR-82 | AV | AS | 99 | |
| A | | MIL-C-5414G | COMPUTER, AIR NAVIGATION, DEAD RECKONING TYPE MB-4A AND TYPE CPU-26A/P | A | 6605 | 71 | 15-FEB-93 | AV | AS | 99 | |
| | | MIL-I-5415C | INDICATOR, AIR SPEED, PITOT STATIC PRESSURE, GENERAL SPECIFICATION FOR | A | 6610 | 71 | 16-NOV-87 | AV | AS | 99 | |
| Q | | MIL-I-5416B(1) | INDICATOR, INDICATED AIRSPEED, 10-150 KNOTS [VALIDATION DATE: 8308] | A | 6610 | AS | 19-DEC-68 | AV | AS | 99 | |
| Q | | MIL-I-5418B | INDICATOR, AIRSPEED, PITOT STATIC, SENSITIVE, 50-650 KNOTS [VALIDATION DATE: 8410] USER: MI | A | 6610 | AS | 08-JAN-63 | AV | AS | 99 | |
| | | MIL-I-5419B NOTICE 1 | INDICATOR, INDICATED AIRSPEED, PITOT STATIC, MAXIMUM ALLOWABLE SPEED, 50-650 KNOTS [VALIDATION DATE: 8712] | A | 6610 | AS | 07-DEC-87 | | AS | 99 | |
| | | MIL-T-5420B(2) | TUBES, PITOT STATIC, ELECTRICALLY HEATED, AIRCRAFT | A | 6610 | 71 | 20-MAR-86 | AV | AS | 99 | |
| | | MIL-T-5421B(2) | TUBE, PITOT, ELECTRICALLY HEATED, AIRCRAFT REVIEWER: 11 | A | 6610 | AV | 19-JUN-85 | AV | AS | | |
| Q | | MIL-B-5423C SUPPL 1A, NOTICE 2 | BOOT, DUST AND WATER SEAL1(FOR TOGGLE AND PUSHBUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY ACTUATED PARTS), GENERAL SPECIFICATION FOR [VALIDATION DATE: 8707] USER: AT AV CG MC ME REVIEWER: 11 99 AR CS ES SH | A | 5930 | ER | 02-JUL-87 | ER | AS | 85 | |
| | | MIL-B-5423/1C NOTICE 1 | BOOT, DUST & WATER SEAL, TYPE A (FOR TOGGLE SWITCHES) STYLE 1 (ONE HOLE MOUNTING, ENCLOSED) STYLE 1S RFI SHIELDED, ONE HOLE MOUNTING ENCLOSED [VALIDATION DATE: 8707] USER: AT AV CG MC ME OS REVIEWER: 11 99 EC ES MI | A | 5930 | ER | 02-JUL-87 | ER | AS | 85 | |
| | | MIL-B-5423/2C NOTICE 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 3 (ONE&HOLE MOUNTING, THROUGH) [VALIDATION DATE: 8707] USER: AT AV CG MC ME OS REVIEWER: 11 99 AR EC ES MI | A | 5930 | ER | 02-JUL-87 | ER | AS | 85 | |
| | | MIL-B-5423/3B NOTICE 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 4 (THREE&HOLE MOUNTING, THROUGH) [VALIDATION DATE: 8707] USER: AT CG MC ME OS REVIEWER: 11 99 AV EC ES MI | A | 5930 | ER | 02-JUL-87 | ER | AS | 85 | |
| | | MIL-B-5423/4B NOTICE 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 6 (ONE&HOLE MOUNTING, MINIATURE, ENCLOSED) [VALIDATION DATE: 8707] USER: AT AV CG MC ME OS REVIEWER: 11 99 EC ES MI | A | 5930 | ER | 02-JUL-87 | ER | AS | 85 | |
| | | MIL-B-5423/5C NOTICE 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 7 (ONE-HOLE MOUNTING, SUBMINIATURE ENCLOSED) [VALIDATION DATE: 9110] USER: AT AV CG MC ME OS REVIEWER: 11 99 AR EC ES MI | A | 5930 | ER | 24-OCT-91 | ER | AS | 85 | |
| | | MIL-B-5423/6A NOTICE 1 | BOOT, DUST AND WATER SEAL, TYPE B (FOR PUSH-BUTTON SWITCHES),STYLE 1 (ONE-HOLE MOUNTING, ADAPTER TYPE) [VALIDATION DATE: 8707] USER: AT CG MC ME OS REVIEWER: 99 EC ES MI | A | 5930 | ER | 02-JUL-87 | ER | AS | 85 | |
| | | MIL-B-5423/7D NOTICE 1 | BOOT, DUST & WATER SEAL, TYPE B (FOR PUSHBUTTON SWITCHES) STYLE 2 (ONE HOLE MOUNTING, DRILLED PANEL) STYLE 2S RFI SHIELDED, ONE HOLE MOUNTING, DRILLED PANEL USER: AT AV CG MC ME OS REVIEWER: 11 99 AR EC ES MI | A | 5930 | ER | 27-OCT-87 | ER | AS | 85 | |
| | | MIL-B-5423/9C NOTICE 1 | BOOT, DUST & WATER SEAL, TYPE C (FOR USE AS ROTARY SHAFT SEALS), TYPE CS FOR USE AS RFI SHIELDED, ROTARY SHIELDED, ROTARY SHAFT SEALS [VALIDATION DATE: 8707] USER: AT CG MC ME OS REVIEWER: 11 99 AR EA EC ES MI | A | 5930 | ER | 02-JUL-87 | ER | AS | 85 | |
| | | MIL-B-5423/10B NOTICE 1 | BOOTS, DUST AND WATER SEAL TYPE B (FOR PUSH-BUTTON SWITCHES), STYLE 4 (ONE-HOLE MOUNTING, MINIATURE, DRILLED PANEL) [VALIDATION DATE: 9110] USER: AT AV CG MC ME OS REVIEWER: 11 99 AR EC ES MI | A | 5930 | ER | 24-OCT-91 | ER | AS | 85 | |
| | | MIL-B-5423/11C NOTICE 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 8 (ONE-HOLE MOUNTING, SUBMINIATURE, THROUGH) [VALIDATION DATE: 9110] USER: AT AV CG MC ME OS REVIEWER: 11 99 AR EC ES MI | A | 5930 | ER | 24-OCT-91 | ER | AS | 85 | |
| | | MIL-B-5423/12B NOTICE 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 9 (FIVE-HOLE MOUNTING, THROUGH) [VALIDATION DATE: 8707] USER: AR MC REVIEWER: 11 99 ES SH | A | 5930 | ER | 02-JUL-87 | ER | AS | 85 | |
| | | MIL-B-5423/13A NOTICE 1 | BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), STYLE 1 (PANEL MOUNTED WITHOUT MOUNTING FRAME) [VALIDATION DATE: 8707] USER: AR AT AV CG MC ME REVIEWER: 99 ES | A | 5930 | ER | 02-JUL-87 | ER | AS | 85 | |
| | | MIL-B-5423/14B NOTICE 1 | BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), SYLE 2 (PANEL MOUNTED COMPLETE WITH MOUNTING FRAME [VALIDATION DATE: 8707] USER: AT AV CG MC ME REVIEWER: 11 99 ES SH | A | 5930 | ER | 02-JUL-87 | ER | AS | 85 | |
| | | MIL-B-5423/15E NOTICE 1 | BOOT, DUST AND WATER SEAL, TYPE B (FOR TOGGLE AND PUSHBUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS) (FOR HANDSET SWITCHES), STYLE 5 [VALIDATION DATE: 9110] USER: AT AV CG MC ME MI OS REVIEWER: AR EC ES | A | 5930 | ER | 24-OCT-91 | ER | AS | 85 | |
| | | MIL-B-5423/16C | BOOT, DUST & WATER SEAL, BUSHING SEAL, TYPE A (FOR TOGGLE SWITCH 0.469 DIAMETER) STYLE 10 (PANEL BUSHINGS SEAL ONLY) USER: AT AV CG MC ME OS REVIEWER: 11 99 EC MI | A | 5930 | ER | 18-FEB-87 | ER | AS | 85 | |
| Q | | MIL-P-5425D | PLASTIC, SHEET, ACRYLIC, HEAT RESISTANT USER: SH REVIEWER: AV DS EA GS ME OS | A | 9330 | AS | 28-SEP-79 | MR | AS | 11 | |
| | L | MIL-B-5428B NOTICE 1 | BELT, SAFETY, SHOULDER, HARNESS, TROOP, TYPE D-2 [VALIDATION DATE: 8808] .. | A | 1680 | 82 | 10-AUG-88 | | | 82 | |
| D | L | MIL-P-5431A(1) | PLASTIC, PHENOLIC, GRAPHITED, SHEETS, RODS, TUBES AND SHAPES [VALIDATION DATE: 8004] USER: ME REVIEWER: GS MR YD1 | A | 9330 | AS | 28-FEB-68 | | AS | | |
| M | | MIL-H-5440H SUPPL 1A | HYDRAULIC SYSTEMS, AIRCRAFT, DESIGN AND INSTALLATION REQUIREMENTS FOR USER: AR AT ME MI REVIEWER: 11 71 82 OS SH | A | 1650 | AS | 25-MAY-93 | AV | AS | 99 | |
| | | MIL-V-5461C NOTICE 1 | VALVE, VACUUM BREAKING [VALIDATION DATE: 8808] | A | 4820 | AV | 30-AUG-88 | AV | AS | 99 | |
| D | | MIL-D-5480E | DATA, ENGINEERING AND TECHNICAL, REPRODUCTION REQUIREMENTS FOR [VALIDATION DATE: 8201] REVIEWER: 11 68 99 AV EC MC MI OS SH YD1 | A | DRPW | 16 | 15-JUN-70 | AR | AS | 16 | |
| QL | | MIL-I-5482C(2) | INDICATOR, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE SCALE [VALIDATION DATE: 8303] | A | 6620 | AS | 01-DEC-62 | | AS | | |
| QL | | MIL-T-5483D(1) | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE MOVEMENT [VALIDATION DATE: 8108] | A | 6620 | AS | 14-JUL-71 | | AS | | |
| | | MIL-H-5484C(1) | HEATER, AIRCRAFT, COMBUSTION TYPE [VALIDATION DATE: 8509] | A | 1660 | AS | 15-JUL-66 | AV | AS | 11 | |
| A | | MIL-G-5485D | GLASS, LAMINATED, FLAT, BULLET-RESISTANT USER: OS REVIEWER: 84 AV GS | A | 9340 | AS | 22-FEB-93 | MR | AS | 99 | |
| | L | MIL-T-5486C NOTICE 1 | TEST SET, MAGNETIC DETECTOR AN/ASM-4 [VALIDATION DATE: 8107] | A | 6625 | AS | 10-DEC-56 | | AS | | |

| Action | Doc. / Chg. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-I-5488A(2) | INDICATOR, TURN AND SLIP, 28V., DC, 2-3/4 SIZE, TYPE MD-10 ..... | A | 6610 | | AS | 05-JUN-80 | AV | AS | 99 | |
| Q | | | MIL-T-5494A | THERMOCOUPLE, CONTACT, AIRCRAFT ENGINE SPARK PLUG GASKET TYPE [VALIDATION DATE: 8304] REVIEWER: GS | A | 6685 | | AS | 28-NOV-56 | | AS | 99 | |
| MQ | | | MIL-A-5498D(1) | ACCUMULATORS, HYDRAULIC, CYLINDRICAL 3000 PSI, AIRCRAFT ..... | A | 1650 | 71 | | 01-JUN-93 | AV | AS | 99 | |
| AQ | | | MIL-C-5500D | CAP: HIGH PRESSURE AIR VALVE REVIEWER: CS ..... | A | 1650 | 71 | | 05-AUG-92 | AV | AS | 99 | |
| D | | | MIL-C-5501G | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL, GENERAL SPECIFICATION FOR USER: AT MC ME SH YD1 REVIEWER: AV EA GL IS OS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/1 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG FLARED TUBE END AND STRAIGHT THREADED BOSS) [VALIDATION DATE: 8504] USER: AT MC OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 20-MAR-73 | AR | AS | 99 | |
| D | | | MIL-C-5501/2 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-FLARELESS TUBE END) [VALIDATION DATE: 8504] USER: AT MC OS YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 20-MAR-73 | AR | AS | 99 | |
| D | | | MIL-C-5501/3 NOTICE 1 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (CAP FLARED AND FLARELESS FITTING) [VALIDATION DATE: 8603] USER: GL MC ME OS YD1 REVIEWER: AV ER IS | A | 5340 | AR | | 27-MAR-86 | AR | AS | 99 | |
| D | | | MIL-C-5501/4 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-BEADED HOSE CONNECTION) [VALIDATION DATE: 8504] USER: AT MC ME MI OS YD1 REVIEWER: AV IS | A | 5340 | AR | | 20-MAR-73 | AR | AS | 99 | |
| D | | | MIL-C-5501/5 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG PIPE THREAD) [VALIDATION DATE: 8504] USER: AT MC ME OS YD1 REVIEWER: ER GL IS | A | 5340 | AR | | 20-MAR-73 | AR | AS | 99 | |
| D | | | MIL-C-5501/6A | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-PIPE THREAD) USER: MC ME MI OS SH YD1 REVIEWER: AV CR GL IS | A | 5340 | AR | | 05-APR-90 | AR | AS | 99 | |
| | | | MIL-C-5501/7 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (CAP PLUG, GENERAL PURPOSE) [VALIDATION DATE: 8504] USER: AT ME REVIEWER: AV EA IS OS | A | 5340 | AR | | 20-MAR-73 | AR | | 99 | |
| | | | MIL-C-5501/8 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG TUBING) [VALIDATION DATE: 8504] USER: AT ME MI | A | 5340 | AR | | 20-MAR-73 | AR | | 99 | |
| D | | | MIL-C-5501/9 | CAP AND PLUG, PROTECTIVE DUST AND MOISTURE SEAL (CAP TUBING) [VALIDATION DATE: 8504] USER: GL MC YD1 REVIEWER: AT AV IS ME OS | A | 5340 | AR | | 20-MAR-73 | AR | AS | 99 | |
| D | | | MIL-C-5501/10A NOTICE 1 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-MACHINE SCREW) [VALIDATION DATE: 8805] USER: MC ME MI OS SH YD1 REVIEWER: GL IS | A | 5340 | AR | | 05-MAY-88 | AR | AS | 99 | |
| D | | | MIL-C-5501/11 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (CAP MACHINE SCREW) [VALIDATION DATE: 8504] USER: MC OS YD1 REVIEWER: AT ER GL IS ME | A | 5340 | AR | | 20-MAR-73 | AR | AS | 99 | |
| D | | | MIL-C-5501/12 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-UNJ THREAD) [VALIDATION DATE: 8504] USER: AT GL MC ME OS YD1 REVIEWER: AV IS | A | 5340 | AR | | 20-MAR-73 | AR | AS | 99 | |
| D | | | MIL-C-5501/13 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG UNJ THREAD) [VALIDATION DATE: 8504] USER: AT GL MC ME OS YD1 REVIEWER: ER IS | A | 5340 | AR | | 20-MAR-73 | AR | AS | 99 | |
| | | | MIL-C-5501/14 NOTICE 1 | CAPS, PROTECTIVE, DUST AND MOISTURE SEAL FOR RESISTOFLEX DYNATUBE FITTINGS [VALIDATION DATE: 8805] | A | 5340 | AR | | 05-MAY-88 | AR | AS | 99 | |
| | | | MIL-C-5501/15 NOTICE 1 | PLUG, PROTECTIVE, DUST AND MOISTURE SEAL FOR RESISTOFLEX DYNATUBE FITTINGS [VALIDATION DATE: 8805] | A | 5340 | AR | | 05-MAY-88 | AR | AS | 99 | |
| | | | MIL-C-5501/16 NOTICE 1 | CAPS, PROTECTIVE, DUST AND MOISTURE SEAL FOR AV-8 AIRCRAFT FITTINGS WITH BRITISH SIZE PIPE THREADS [VALIDATION DATE: 8805] | A | 5340 | AR | | 05-MAY-88 | AR | AS | 99 | |
| | | | MIL-C-5501/17 NOTICE 1 | PLUG, PROTECTIVE, DUST AND MOISTURE SEAL FOR AV-8 AIRCRAFT FITTINGS WITH BRITISH SIZE PIPE THREADS [VALIDATION DATE: 8805] | A | 5340 | AR | | 05-MAY-88 | AR | SA | 99 | |
| D | | | MIL-C-5501/18 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-FLARED TUBE END AND STRAIGHT THREADED BOSS), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/19 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-FLARELESS TUBE END), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/20 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-FLARED AND FLARELESS FITTING), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/21 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-BEADED HOSE CONNECTION), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/22 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-PIPE THREAD), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/23 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-PIPE THREAD), METRIC USER: AT MC ME MI OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/24 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-PLUG, GENERAL PURPOSE), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/25 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-TUBING), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/26 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-TUBING), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/27 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-MACHINE SCREW), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/28 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP MACHINE SCREW), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/29 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-MJ THREAD), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| D | | | MIL-C-5501/30 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-MJ THREAD), METRIC USER: AT MC ME OS SH YD1 REVIEWER: AV ER GL IS | A | 5340 | AR | | 30-JUN-89 | AR | AS | 99 | |
| A | | | MIL-A-5503E(1) | ACTUATORS: AERONAUTICAL LINEAR UTILITY, HYDRAULIC, GENERAL SPECIFICATION FOR | A | 1650 | 71 | | 27-OCT-92 | AV | AS | 99 | |
| Q | | | MIL-F-5504B(3) | FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC MICRONIC TYPE USER: 11 ME REVIEWER: EA MI | A | 1650 | AS | | 23-FEB-87 | AV | AS | 99 | |
| Q | | | MIL-F-5508B(4) NOTICE 1 | FUSES, AIRCRAFT AUTOMATIC QUANTITY-MEASURING, HYDRAULIC [VALIDATION DATE: 8910] | A | 1650 | 71 | | 16-OCT-89 | AV | AS | 99 | |
| | | | MIL-F-5509D(4) SUPPL 1A | FITTING, FLARED TUBE, FLUID CONNECTION USER: GL REVIEWER: AV CS EA ME MI .. | A | 4730 | 82 | | 30-NOV-87 | AR | AS | 99 | |
| Q | | | MIL-P-5510C NOTICE 2 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, TYPE I HYDRAULIC (-65 DEG. TO 160 DEG. F) [VALIDATION DATE: 9212] REVIEWER: 99 IS | A | 5330 | 11 | | 10-DEC-92 | AR | AS | 11 | |
| | | | MIL-J-5513C(1) NOTICE 1 | JOINTS, HYDRAULIC SWIVEL [VALIDATION DATE: 8911] REVIEWER: CS ..... | A | 4730 | 82 | | 09-NOV-89 | | AS | 99 | |
| | | | MIL-G-5514F(1) | GLAND DESIGN, PACKINGS, HYDRAULIC, GENERAL REQUIREMENTS FOR USER: MC REVIEWER: 17 AR MI MR OS SH | A | 1650 | 71 | | 09-FEB-87 | AV | AS | 99 | |
| Q | | | MIL-P-5515D | PUMP, HYDRAULIC, RAM, HAND DRIVEN ..... | A | 4320 | 71 | | 14-MAR-91 | AV | AS | 99 | |
| Q | I | | MIL-P-5516C(2) NOTICE 2 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, 160 DEG. F [VALIDATION DATE: 8901] USER: CG MC ME REVIEWER: 71 AT AV CS EA IS SH | A | 5330 | 11 | | 12-JAN-89 | MI | AS | 11 | |
| L | | | MIL-P-5518C SUPPL 1A, NOTICE 2 | PNEUMATIC SYSTEMS, AIRCRAFT: DESIGN, INSTALLATION, AND DATA REQUIREMENTS FOR | A | 1650 | AS | | 10-DEC-90 | | AS | | |
| QL | | | MIL-V-5519D(2) | VALVES, REGULATING FLUID PRESSURE REVIEWER: 82 CS ..... | A | 4820 | 71 | | 11-OCT-86 | | AS | 99 | |
| | | | MIL-R-5520C(3) | RESERVOIRS, AIRCRAFT, HYDRAULIC, NON-SEPARATED TYPE ..... | A | 1650 | AV | | 12-AUG-87 | AV | AS | | |
| DQ | | | MIL-W-5521B(1) | WASHER, AIRCRAFT HYDRAULIC PACKING BACK-UP USER: AT REVIEWER: AR ..... | A | 5310 | IS | | 07-FEB-83 | AV | | 99 | |
| | | | MIL-T-5522D(1) NOTICE 1 | TEST REQUIREMENTS AND METHODS FOR AIRCRAFT HYDRAULIC AND EMERGENCY PNEUMATIC SYSTEMS [VALIDATION DATE: 8708] REVIEWER: 71 MI | A | 1650 | AS | | 28-SEP-79 | AV | AS | 99 | |
| | | | MIL-V-5523D | VALVE: RELIEF, HYDRAULIC PRESSURE ..... | A | 4820 | 71 | | 28-FEB-91 | AV | | 99 | |
| Q | | | MIL-V-5524B(2) NOTICE 1 | VALVE, CHECK, HYDRAULIC, AIRCRAFT, TYPE I SYSTEMS (ASG) [VALIDATION DATE: 8708] REVIEWER: CS MI | A | 1650 | AS | | 25-AUG-87 | | AS | 99 | |
| | | | MIL-V-5525C(1) | VALVE, AIRCRAFT POWER BRAKE [VALIDATION DATE: 8509] USER: MI REVIEWER: 99 . | A | 1630 | AS | | 21-JAN-74 | AV | AS | | |
| Q | | | MIL-V-5527A NOTICE 1 | VALVE, AIRCRAFT, HYDRAULIC THERMAL EXPANSION RELIEF (SUPERSEDES AN-V-28) [VALIDATION DATE: 8708] USER: AV REVIEWER: CS MI | A | 1650 | AS | | 25-AUG-87 | | AS | 99 | |
| L | | | MIL-V-5529B(1) NOTICE 1 | VALVE, HYDRAULIC DIRECTIONAL CONTROL, ROTARY SELECTOR ..... | A | 1650 | 71 | | 02-OCT-87 | | | 99 | |
| Q | | | MIL-V-5530D | VALVES, AIRCRAFT HYDRAULIC SHUTTLE ..... | A | 4820 | 71 | | 15-APR-91 | AV | AS | 99 | |
| | | | MIL-D-5531E(1) | DESALTER KITS, SEA WATER, MARK 2 USER: MC REVIEWER: 11 AV CS GL MD ..... | A | 4610 | SH | | 08-JUL-88 | MR | SH | 84 | |

| Action | Doc. / Cmbl. Coordination Inactive | Document Number | Document Title | Date Simt. | FSC / Area MCA | Symbol Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-R-5532E(1) NOTICE 1 | RADAR RECOGNITION SET AN/APX-7(*) [VALIDATION DATE: 8805] | A 5895 | AS | | 23-MAY-88 | | AS | | |
| A | | MIL-C-5537A(1) NOTICE 1 | CELLULOSE ACETATE BUTYRATE [VALIDATION DATE: 9209] USER: 99 ME | A 8030 | AS | | 30-SEP-92 | AR | AS | | |
| Q | | MIL-A-5540B(2) | ADHESIVE, POLYCHLOROPRENE [VALIDATION DATE: 8004] USER: MC REVIEWER: EA GL MD | A 8040 | AS | | 28-DEC-73 | MR | AS | 99 | |
| D | | MIL-C-5541E | CHEMICAL CONVERSION COATINGS ON ALUMINUM AND ALUMINUM ALLOYS USER: 80 ME YD1 REVIEWER: 99 AR AV ER MI OS SH | A MFFP | AS | | 30-NOV-90 | MR | AS | 11 | |
| D | | MIL-T-5544C | THREAD COMPOUND, ANTISEIZE, GRAPHITE-PETROLATUM USER: MC ME SH YD1 REVIEWER: AV MI | A 8030 | 11 | | 04-APR-91 | MR | | 11 | |
| Q | | MIL-C-5545C NOTICE 1 | CORROSION PREVENTIVE, AIRCRAFT ENGINE, HEAVY OIL TYPE [VALIDATION DATE: 9110] REVIEWER: 68 GS PS | A 6850 | AS | | 24-OCT-91 | SH | AS | 11 | |
| | | MIL-D-5549B | DOPE, CELLULOSE-ACETATE-BUTYRATE CLEAR FOR AIRCRAFT USE [VALIDATION DATE: 8304] REVIEWER: OS | A 8010 | AS | | 22-FEB-71 | MR | AS | 99 | |
| L | | MIL-H-5559A(2) | HYDRAULIC FLUID, ARRESTING GEAR [VALIDATION DATE: 8310] REVIEWER: 11 AR GS MI | A 9150 | AS | | 08-JUN-76 | | AS | | |
| Q | | MIL-L-5567F(2) | LIFE RAFTS, INFLATABLE - 4 AND 7 MAN - FOR AIRCRAFT USE REVIEWER: 84 CS ... | A 4220 | AS | | 07-NOV-86 | ME | AS | 99 | |
| | | MIL-F-5577B(1) SUPPL 1A | FITTING, TANK, POWERPLANT FLUID, REMOVABLE [VALIDATION DATE: 8505] REVIEWER: MI | A 1560 | 80 | | 25-FEB-60 | AV | AS | 99 | |
| | | MIL-T-5578C(5) | TANK, FUEL, AIRCRAFT, SELF-SEALING REVIEWER: 99 ..... | A 1560 | AS | | 26-JUL-83 | AV | AS | | |
| Q | | MIL-T-5583C | TRANSMITTER, POSITION, 28-VOLT DC USER: ME MI REVIEWER: 11 ..... | A 6610 | 71 | | 30-APR-82 | AV | AS | 99 | |
| | | MIL-C-5584D | CONTAINER, SHIPPING AND STORAGE, METAL REUSABLE REVIEWER: 99 AR AT ME MI .. | A 8145 | 69 | | 21-APR-88 | AV | AS | 69 | |
| | | MIL-E-5589C(1) | EARPHONE, EXTENDED RANGE, H-301/U [VALIDATION DATE: 8003] REVIEWER: 99 MI . | A 5965 | EC | | 04-JAN-74 | CR | EC | 85 | |
| Q | | MIL-F-5591C(1) | FASTENERS; PANEL; NONSTRUCTURAL USER: MC ME REVIEWER: 82 AV CS EA IS MI ... | A 5325 | AS | | 20-JUN-88 | AR | AS | 99 | |
| Q | | MIL-H-5593C NOTICE 1 | HOSE, AIRCRAFT, LOW PRESSURE, FLEXIBLE [VALIDATION DATE: 8901] REVIEWER: CS | A 4720 | 82 | | 16-JAN-89 | AV | AS | 99 | |
| QL | | MIL-S-5594B(1) SUPPL 1A | SWITCH, TOGGLE, ELECTRICALLY HELD SEALED GENERAL SPECIFICATION FOR REVIEWER: ES MI | A 5930 | AS | | 29-JUL-83 | | AS | | |
| | | MIL-S-5594/1A | SWITCH, TOGGLE, MAGNETIC HOLD-IN, SPDT [VALIDATION DATE: 8509] ..... | A 5930 | AS | | 08-MAR-73 | | AS | 85 | |
| | | MIL-S-5594/2B(1) NOTICE 1 | SWITCHES, TOGGLE, MAGNETIC HOLD-IN, DPDT [VALIDATION DATE: 9110] ..... | A 5930 | AS | | 09-OCT-91 | | AS | 85 | |
| | | MIL-S-5594/3A NOTICE 1 | SWITCH, TOGGLE, MAGNETIC HOLD-IN, DP3T [VALIDATION DATE: 9110] ..... | A 5930 | AS | | 09-OCT-91 | | AS | 85 | |
| L | | MIL-S-5594/6 | SWITCH, TOGGLE, MAGNETIC HOLD-IN, DP3T, LEVER LOCK [VALIDATION DATE: 9110] | A 5930 | AS | | 09-OCT-91 | | AS | | |
| | | MIL-C-5604B(3) | COMPASS, MAGNETIC, PILOT S STANDBY [VALIDATION DATE: 8509] USER: MC ME MI REVIEWER: 11 DS | A 6605 | AS | | 06-JUL-79 | AV | AS | 99 | |
| Q | | MIL-H-5606F(1) | HYDRAULIC FLUID, PETROLEUM BASE; AIRCRAFT, MISSILE AND ORDNANCE REVIEWER: 68 AR GS MI OS SA SH SM | A 9150 | 11 | | 26-AUG-91 | ME | AS | 11 | |
| | | MIL-E-5607F | ENGINE, GAS TURBINE, PREPARATION FOR STORAGE AND SHIPMENT OF, PROCESS FOR USER: MC REVIEWER: 11 SH SM | A 2835 | AV | | 16-MAR-83 | AV | AS | | |
| A | | MIL-T-5608G(2) NOTICE 1 | TAPE, TEXTILE: WEBBING TEXTILE [VALIDATION DATE: 8911] REVIEWER: 45 ..... | A 8315 | CT | | 08-NOV-89 | | AS | 99 | CT |
| | | MIL-P-5610D(4) NOTICE 1 | PARACHUTE ASSEMBLIES AND MAJOR SUB-ASSEMBLIES, PACKAGING AND PACKING OF [VALIDATION DATE: 8910] USER: MC REVIEWER: 11 AV SM | A 1670 | 82 | | 02-OCT-89 | GL | AS | 99 | |
| | | MIL-A-5618 | AMPLIFIER, INTERPHONE, AM-40/AIC (FOR AIRCRAFT) [VALIDATION DATE: 8307] USER: AV | A 5831 | AS | | 30-JAN-50 | CR | AS | | |
| | | MIL-C-5619 | CONTROL ASSEMBLY, INTERPHONE-RADIO, AN/AIA-2A (FOR AIRCRAFT) [VALIDATION DATE: 8307] USER: AV | A 5830 | AS | | 30-JAN-50 | CR | AS | | |
| | | MIL-V-5622A | VOLT-AMMETER, DUAL POINTER DIRECT CURRENT [VALIDATION DATE: 8410] USER: MC REVIEWER: MI | A 6625 | AS | | 24-JUL-63 | AV | AS | 99 | |
| A | | MIL-T-5624P | TURBINE FUEL, AVIATION, GRADES JP-4, JP-5, AND JP-5/JP-8 ST REVIEWER: 68 AR AV | A 9130 | 11 | | 29-SEP-92 | ME | AS | 11 | PS |
| A | | MIL-W-5625K | WEBBING, TEXTILE, NYLON, TUBULAR USER: 45 REVIEWER: 82 AS MC ME MI ..... | A 8305 | CT | | 23-AUG-91 | GL | MU | 99 | CT |
| | | MIL-S-5626C(1) | STEEL, CHROME-MOLYBDENUM (4140) BARS, RODS, AND FORGING STOCK (FOR AIRCRAFT APPLICATION) [VALIDATION DATE: 8508] REVIEWER: 99 AV EA MI WV | A 9510 | AS | | 07-JUL-72 | MR | AS | 11 | |
| L | | MIL-E-5627B(2) NOTICE 1 | EXTINGUISHERS, FIRE, CARBON DIOXIDE, PORTABLE [VALIDATION DATE: 9107] USER: ME REVIEWER: CS | A 4210 | AS | | 16-JUL-91 | | AS | | |
| D | | MIL-L-5630C | LENS AND COVER, BEACON LIGHT, DRUM TYPE, 24 INCH USER: YD1 REVIEWER: GS ... | A 6210 | 82 | | 10-NOV-84 | | AS | 99 | |
| A | | MIL-M-5631C | MOUTON (FOR FLIGHT CLOTHING) REVIEWER: 45 ..... | A 8330 | CT | | 15-JAN-91 | | AS | 99 | CT |
| | | MIL-G-5634C(3) | GRAIN, ABRASIVE, SOFT, FOR CARBON REMOVAL [VALIDATION DATE: 8506] USER: MC REVIEWER: AR ME SH | A 5350 | 84 | | 22-JAN-79 | MR | | 99 | |
| | | MIL-V-5635A(1) NOTICE 1 | VIBRATOR, IGNITION COIL, AIRCRAFT ENGINE STARTING, TYPE AM4181 ..... | A 2925 | 82 | | 21-AUG-86 | AV | AS | 99 | |
| L | | MIL-V-5636B(2) | VALVE, LUBRICATING OIL COOLER, PETROLEUM BASE, TEMPERATURE REGULATING WITH SURGE PROTECTION | A 2935 | 71 | | 12-FEB-88 | | | 99 | |
| L | | MIL-C-5637B(2) | COOLER, LUBRICATING OIL, PETROLEUM BASE, AIRCRAFT ENGINE, TUBULAR ..... | A 2935 | 71 | | 12-FEB-88 | | | 99 | |
| | | MIL-C-5638A | CASING, FLEXIBLE CONTROL, AIRCRAFT [VALIDATION DATE: 8210] REVIEWER: AT CS | A 3040 | AS | | 24-JUL-58 | | AS | 99 | |
| A | | MIL-C-5646F(2) NOTICE 1 | CLOTH, AIRPLANE [VALIDATION DATE: 9110] USER: 45 ME REVIEWER: 82 85 MD .... | A 8305 | CT | | 24-OCT-91 | GL | AS | 99 | CT |
| A | | MIL-C-5651D NOTICE 1 | CORD, ELASTIC, EXERCISER AND SHOCK ABSORBER, FOR AERONAUTICAL USE [VALIDATION DATE: 9110] USER: GL MC REVIEWER: AR AV MI | A 8305 | CT | | 24-OCT-91 | ME | AS | | CT |
| A | | MIL-T-5661E NOTICE 1 | TAPE AND WEBBING, TEXTILE, WOVEN REINFORCING, COTTON [VALIDATION DATE: 9110] USER: 45 MC ME MU | A 8315 | CT | | 24-OCT-91 | GL | AS | 99 | CT |
| A | | MIL-W-5664D NOTICE 1 | WEBBING, TEXTILE, ELASTIC [VALIDATION DATE: 9110] USER: MC SH REVIEWER: 11 82 MD | A 8305 | CT | | 24-OCT-91 | GL | AS | 99 | CT |
| A | | MIL-W-5665K(1) | WEBBING, TEXTILE, COTTON WARP USER: MC REVIEWER: 82 MD ME MU ..... | A 8305 | CT | | 25-APR-90 | GL | AS | 99 | CT |
| A | | MIL-T-5666D | TAPE, TEXTILE, NYLON, MULTIPLE TUBULAR USER: AV OS REVIEWER: 82 ..... | A 8315 | CT | | 11-SEP-90 | GL | AS | 99 | CT |
| L | | MIL-L-5667B(1) NOTICE 1 | LIGHTING EQUIPMENT, AIRCRAFT INSTRUMENT PANEL, GENERAL SPECIFICATION FOR INSTALLATION OF [VALIDATION DATE: 8809] USER: AT REVIEWER: 99 GS | A 6220 | 11 | | 30-SEP-88 | | | 11 | |
| | | MIL-P-5673C(2) | PIN, STRAIGHT, HEADED USER: MI REVIEWER: 82 AV IS ME ..... | A 5315 | AS | | 12-JUL-84 | AR | AS | 99 | |
| | | MIL-R-5674E | RIVETS, STRUCTURAL, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY GENERAL SPECIFICATION FOR REVIEWER: 82 AR IS | A 5320 | AS | | 12-JUL-89 | AV | AS | 99 | |
| | | MIL-S-5676A(1) | SPLICING, CABLE TERMINAL, PROCESS FOR, AIRCRAFT [VALIDATION DATE: 8205] USER: GL ME REVIEWER: MI | A 5130 | AS | | 21-APR-53 | AV | AS | 99 | |
| | | MIL-T-5677B NOTICE 1 | THIMBLES, WIRE-CABLE, AIRCRAFT [VALIDATION DATE: 8911] REVIEWER: ER IS .... | A 4030 | 82 | | 13-NOV-89 | | AS | 99 | |
| | | MIL-T-5683A | TERMINAL, TIE ROD, THREADED CLEVIS TYPE, AIRCRAFT [VALIDATION DATE: 8107] REVIEWER: 99 ES | A 5985 | AS | | 16-MAY-50 | | AS | 85 | |
| | | MIL-T-5684B | TIE ROD, ROUND & SQUARE, AIRCRAFT REVIEWER: AV IS ..... | A 5340 | 82 | | 18-NOV-81 | | AS | 99 | |
| | | MIL-B-5687D(1) | BEARINGS, SLEEVE, WASHERS, THRUST, SINTERED, METAL POWDER, OIL-IMPREGNATED, GENERAL SPECIFICATION FOR REVIEWER: 11 AR AS CS IS MI MS | A 3120 | 84 | | 06-APR-88 | AT | OS | 99 | |
| | | MIL-C-5688A(1) NOTICE 2 | CABLE ASSEMBLIES, AIRCRAFT, PROOF TESTING AND PRESTRETCHING OF [VALIDATION DATE: 8510] REVIEWER: IS MI | A 4010 | 82 | | 20-MAR-56 | AV | AS | 11 | |
| | | MIL-T-5695D NOTICE 2 | TUBING, STEEL, CORROSION-RESISTANT (304), COLD DRAWN [VALIDATION DATE: 9203] USER: OS SH REVIEWER: 82 99 CS EA | A 4710 | 11 | | 02-MAR-92 | | AS | 11 | |
| Q | | MIL-I-5721C(1) | INDICATOR, INDICATED AIRSPEED, 20-250 KNOTS [VALIDATION DATE: 8403] ..... | A 6610 | AV | | 15-NOV-72 | AV | AS | 99 | |
| | | MIL-M-5755C | MIRROR, REARVIEW, NONMAGNETIC, GENERAL REQUIREMENTS FOR (FOR AERONAUTICAL USE) | A 1680 | 82 | | 16-APR-90 | AV | AS | 99 | |
| Q | | MIL-C-5756C | CABLE, POWER, ELECTRICAL, PORTABLE GENERAL SPECIFICATION FOR REVIEWER: CR GS IS | A 6145 | AS | | 05-APR-90 | | AS | 85 | |
| | | MIL-C-5756/1 | CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, NON-OZONE RESISTANT REVIEWER: CR IS | A 6145 | AS | | 10-APR-90 | | AS | 85 | |
| | | MIL-C-5756/2(1) | CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, OZONE RESISTANT REVIEWER: CR GS | A 6145 | AS | | 15-JUL-90 | | AS | 85 | |

| Action | Obsolete / Cancelled / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-5756/3(1) | CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR REVIEWER: CR GS | A | 6145 | | AS | 15-JUL-90 | | AS | 85 |
| | | MIL-C-5756/4(1) | CABLE, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR OZONE RESISTANT REVIEWER: CR GS | A | 6145 | | AS | 15-JUL-90 | | AS | 85 |
| | | MIL-R-5757G(2) SUPPL 1A | RELAY, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR USER: AT MC ME REVIEWER: 11 99 AS AV ES MI OS | A | 5945 | 85 | 03-MAY-84 | ER | EC | 85 |
| | | MIL-R-5757/1H(2) | RELAYS, ELECTRICAL, HERMETICALLY SEALED, 6PDT, LOW LEVEL TO 2 AMPERES USER: 19 AR AV MC REVIEWER: 11 17 99 AT ES MI SH | A | 5945 | EC | 09-JUL-90 | ER | EC | 85 |
| | | MIL-R-5757/3A(1) | RELAY, ELECTROMAGNETIC, SEALED, WITH DPSTNO AND DPDT CONTACTS, 2 AMPERES [VALIDATION DATE: 8204] USER: MC SH SM REVIEWER: 17 99 AR AS AT AV ES ME OS | A | 5945 | 85 | 28-NOV-75 | ER | EC | 85 |
| I | | MIL-R-5757/7E | RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES USER: AV ME REVIEWER: 99 AT ES MI SH | A | 5945 | EC | 06-MAR-92 | ER | EC | 85 |
| | | MIL-R-5757/8E | RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, 2 AMPERES (INACTIVE FOR NEW DESIGN AFTER 18 FEB 1986) USER: AV ME REVIEWER: 99 AR AT ES MI SH | A | 5945 | 85 | 18-FEB-86 | ER | EC | 85 |
| | | MIL-R-5757/10K(2) | RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, DPDT, LOW LEVEL AND 2 AMPERES USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 ES MI MS OS | A | 5945 | EC | 27-MAR-90 | ER | EC | 85 |
| | | MIL-R-5757/13G | RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, LOW LEVEL TO 2 AMPERES, (SENSITIVE, 40 MILLIWATT) USER: 19 AV MC ME SH REVIEWER: 11 17 99 AS AT ES MI OS | A | 5945 | EC | 11-APR-90 | ER | EC | 85 |
| L | | MIL-R-5757/15D | RELAY, ELECTRICAL, HERMETICALLY, 4 PDT, 5 AMPERES (INACTIVE USE MS 25267) . | A | 5945 | 85 | 12-APR-88 | | EC | |
| I | | MIL-R-5757/16G | RELAYS, ELECTROMECHANICAL, HERMETICALLY SEALED, 6 PDT, 5 AMPERES ..... | A | 5945 | EC | 12-APR-88 | | EC | 85 |
| L | | MIL-R-5757/18F | RELAY, ELECTRICAL, HERMETICALLY SEALED, 4.PDT, 10 AMPERES (INACTIVE USE MS 25271) REVIEWER: ES | A | 5945 | 85 | 12-APR-88 | | EC | |
| I | | MIL-R-5757/23J | RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, 10 AMPERES USER: AV MC ME REVIEWER: 11 AR AS AT ES MI OS SH | A | 5945 | EC | 03-MAR-88 | ER | EC | 85 |
| LI | | MIL-R-5757/28C | RELAY, ELECTRICAL, HERMETICALLY SEALED, DPDT, 10 AMPERES REVIEWER: ES ..... | A | 5945 | EC | 18-FEB-86 | | EC | |
| I | | MIL-R-5757/29D(1) | RELAYS, ELECTRICAL, 1 PST TO 4 PDT CONTACTS LOW-LEVEL TO 1/2 AMPERE (DRY REED) USER: AV MC ME REVIEWER: AT ES MI | A | 5945 | EC | 17-MAR-86 | ER | EC | 85 |
| | | MIL-R-5757/40F | RELAY, ELECTRICAL, HERMETICALLY SEALED, DPDT, LOW LEVEL TO 1.0 AMPERE (USE MIL-R-39016/9) B 011075 [VALIDATION DATE: 8304] USER: AV MC ME OS SH REVIEWER: AR AS AT ES MI | A | 5945 | 85 | 10-FEB-76 | ER | EC | 85 |
| | | MIL-R-5757/103D | RELAY, ELECTRICAL, HERMETICALLY SEALED SPDT, LOW LEVEL TO 0.25 AMPERE USER: AS MC OS SH REVIEWER: 11 99 ES | A | 5945 | 85 | 14-DEC-84 | ER | EC | 85 |
| | | MIL-S-5765F | STRAND, WIRE ROPE, ARMORED STEEL REVIEWER: IS ..... | A | 4010 | 18 | 14-JUN-90 | | AS | 18 |
| L | | MIL-M-5776C | MAINTENANCE PLATFORM, AIRCRAFT ADJUSTABLE, 13 TO 20 FEET TYPE B-2 ..... | A | 1730 | 82 | 30-AUG-90 | | | 99 |
| | | MIL-M-5777C | MAINTENANCE PLATFORM, AIRCRAFT, ADJUSTABLE, 3 TO 10 FEET, TYPE B&I [VALIDATION DATE: 8303] | A | 1730 | 82 | 23-MAR-60 | AV | AS | 99 |
| A | | MIL-C-5778D | COVERS, AIRCRAFT COMPONENTS, GENERAL REQUIREMENTS FOR REVIEWER: 82 MC ..... | A | 1730 | AS | 08-MAY-92 | AV | AS | 99 |
| Q | | MIL-T-5780D | TRANSMITTER, PRESSURE, MANIFOLD, 10-75 INCH MERCURY ..... | A | 6620 | 71 | 23-JAN-88 | AV | AS | 99 |
| L | | MIL-T-5790E | TRANSMITTER, PRESSURE, OIL, SYNCHO, 0-200 PSI 320 DEGREE MOVEMENT, 26V, SINGLE PHASE, 400 CYCLES | A | 6620 | 71 | 04-JUL-88 | | | 99 |
| | | MIL-M-5793A NOTICE 1 | MICROPHONE M-3A/A [VALIDATION DATE: 9110] ..... | A | 5965 | AS | 09-OCT-91 | | AS | 85 |
| | | MIL-M-5794B(2) | MICROPHONE UNIT M-6A/UR AND MICROPHONE, CARBON M-51/UR [VALIDATION DATE: 8011] REVIEWER: 85 EA ES MI | A | 5965 | AS | 13-FEB-64 | CR | AS | |
| L | | MIL-M-5794B(13) | MICROPHONE UNIT M-6A/UR AND MICROPHONE, CARBON M-51/UR [VALIDATION DATE: 8011] | A | 5965 | CR | 09-SEP-65 | CR | | |
| | | MIL-M-5795A | HEADSET-MICROPHONE, H-46A/UR [VALIDATION DATE: 7802] REVIEWER: 99 ES ..... | A | 5965 | 85 | 26-MAR-52 | CR | SH | 85 |
| MQ | | MIL-T-5796D | TRANSMITTER, PRESSURE, OIL, 0-100 PSI ..... | A | 6620 | 71 | 15-JUN-93 | AV | | 99 |
| | | MIL-S-5804C(2) NOTICE 1 | SEAT, AIRCRAFT, TROOP, WALL-STYLE [VALIDATION DATE: 8808] ..... | A | 1680 | 82 | 10-AUG-88 | AV | | 99 |
| | | MIL-B-5806F | BOX, SHIPPING AND STORAGE, HELICOPTER BLADE USER: MC OS SH REVIEWER: 11 71 99 SA | A | 8145 | 69 | 26-MAR-76 | AV | AS | 69 |
| | | MIL-S-5807C(3) | SEXTANT, AIRCRAFT, PERISCOPIC [VALIDATION DATE: 8303] ..... | A | 6605 | AS | 17-SEP-57 | | AS | 99 |
| AQ | | MIL-C-5809G(1) SUPPL 1A | CIRCUIT BREAKERS, TRIP-FREE, AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: AR AT AV MI | A | 5925 | AS | 23-SEP-92 | ER | AS | 85 |
| | | MIL-C-5809/1 NOTICE 1 | CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE PUSH PULL, TYPE I, DUAL SAFETY, -55 THRU +121 DEG. C [VALIDATION DATE: 9110] | A | 5925 | AS | 09-OCT-91 | ER | AS | 85 |
| L | | MIL-D-5813B | DOME, NAVIGATOR S OBSERVING, NON-PRESSURIZED AIRCRAFT, TYPE A-3A ..... | A | 1680 | 82 | 13-JUL-87 | | | 99 |
| | | MIL-A-5815E(1) | ANTENNA, AIRBORNE, UHF - BAND, GENERAL SPECIFICATION FOR REVIEWER: 11 99 AV ES | A | 5985 | 85 | 26-SEP-91 | ER | | 85 |
| L | | MIL-A-5815/1 NOTICE 1 | ANTENNA, BLADE, UHF, AT-256A/ARC (SERIES N CONNECTOR) REVIEWER: 11 99 AV ES | A | 5985 | 85 | 18-MAR-77 | | | 85 |
| | | MIL-T-5842B | TRANSPARENT AREAS ON AIRCRAFT SURFACES (WINDSHIELDS AND CANOPIES), RAIN REMOVING AND WASHING SYSTEMS FOR, DE-FROSTING, DE-ICING, DEFOGGING, GENERAL SPECIFICATION FOR | A | 1650 | AS | 29-MAR-85 | | AS | |
| I | | MIL-W-5845C NOTICE 2 | WIRE, ELECTRICAL, IRON CONSTANTAN, THERMOCOUPLE REVIEWER: EC IS MI OS ..... | A | 6145 | 85 | 29-SEP-90 | CR | AS | 85 |
| A I | | MIL-W-5846C(1) NOTICE 2 | WIRE, ELECTRICAL, CHROMEL AND ALUMEL, THERMOCOUPLE USER: GL ME OS REVIEWER: EC ER IS | A | 6145 | MI | 18-JUN-92 | MI | AS | 99 |
| AQ | | MIL-N-5877E | NOZZLE, PRESSURE FUEL SERVICING, LOCKING, TYPE D-1, D-1R, D-2 AND D-2R, NOMINAL 2 1/2 INCH DIAMETER USER: AV ME REVIEWER: 82 SS | A | 4930 | AS | 01-JUL-92 | | AS | 11 |
| | | MIL-T-5882C | TRANSMITTER, PRESSURE, MULTIPURPOSE, 0-50 PSI, MS28005-1 (CONTROLLED DISTRIBUTION) [VALIDATION DATE: 8708] REVIEWER: AV | B | 6620 | 71 | 08-AUG-87 | | AS | 99 |
| Q | | MIL-A-5885D | ACCELEROMETER, AIRCRAFT REVIEWER: 11 ..... | A | 6610 | 71 | 09-FEB-87 | AV | AS | 99 |
| | | MIL-C-5886E(1) | CYLINDER, AIRCRAFT OXYGEN, LOW PRESSURE, NONSHATTERABLE [VALIDATION DATE: 8602] REVIEWER: 11 | A | 1660 | 71 | 28-FEB-86 | AV | AS | 99 |
| L | | MIL-C-5898D(2) | CORDS, ELECTRICAL (WF-5/U, WF-14/U, WD-34/U, WM-53/U, WM-85/U) REVIEWER: IS | A | 6145 | 85 | 26-SEP-89 | | | 85 |
| D | | MIL-L-5904D(1) | LIGHT, RUNWAY MARKER, ELEVATED, TYPE C-1 USER: YD1 REVIEWER: 11 GS ..... | A | 6210 | 82 | 08-OCT-81 | AV | AS | 99 |
| I | | MIL-W-5908D NOTICE 2 | WIRE, ELECTRICAL, COPPER AND CONSTANTAN, THERMOCOUPLE REVIEWER: EC IS OS .. | A | 6145 | 85 | 29-SEP-90 | CR | AS | 85 |
| L | | MIL-T-5913D | TRANSMITTER, RATE OF FLOW, SYNCHRO, TYPE J-5 ..... | A | 6620 | 71 | 15-FEB-88 | | | 99 |
| Q | | MIL-I-5914D NOTICE 1 | INDICATOR, RATE OF FLOW, FUEL, TYPE EFU-24/A AND TYPE EFU-25/A [VALIDATION DATE: 8605] REVIEWER: 11 | A | 6620 | 71 | 09-MAY-86 | | AS | 99 |
| L | | MIL-M-5920D NOTICE 1 | MANUAL, TECHNICAL, SAMPLE BASIC WEIGHT CHECKLISTS & LOADING DATA [VALIDATION DATE: 8802] REVIEWER: 10 | A | TMSS | 11 | 26-FEB-88 | | | 11 |
| | | MIL-C-5927D(2) | CONVEYORS, WHEEL GRAVITY, EXTRACTION KIT [VALIDATION DATE: 8903] REVIEWER: CS SA | A | 3910 | 84 | 25-MAR-89 | | AS | 99 |
| | | MIL-S-5944C | SLINGS, AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: GL MC ..... | A | 1730 | AS | 20-NOV-90 | AV | AS | 99 |
| | | MIL-P-5954A(1) | PUMP UNIT, HYDRAULIC, ELECTRIC MOTOR DRIVEN FIXED DISPLACEMENT [VALIDATION DATE: 8304] REVIEWER: 99 | A | 1650 | AS | 08-SEP-55 | AV | AS | |
| | | MIL-T-5955C | TRANSMISSION SYSTEM, VTOL - STOL, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8409] REVIEWER: 99 | A | 1615 | AV | 17-SEP-70 | AV | | |
| | | MIL-P-5994D | PUMP UNITS, HYDRAULIC, ELECTRIC MOTOR DRIVEN, VARIABLE DELIVERY, GENERAL SPECIFICATION FOR REVIEWER: 82 MC | A | 1650 | 71 | 24-DEC-92 | AV | AS | 99 |
| L | | MIL-A-5999B NOTICE 1 | ANTENNA SUBSYSTEM FOR AIRCRAFT MARKER BEACON EQUIPMENT GENERAL SPECIFICATION FOR | A | 5826 | 11 | 30-JAN-87 | | | 11 |
| Q | | MIL-H-6000B(1) NOTICE 1 | HOSE: RUBBER (FUEL, OIL, COOLANT, WATER AND ALCOHOL) [VALIDATION DATE: 8911] USER: AR MI REVIEWER: CS EA | A | 4720 | 82 | 09-NOV-89 | ME | AS | 99 |
| | | MIL-F-6001A(1) | FITTING, AIRCRAFT, SOLDER TYPE, TUBE (ASG) [VALIDATION DATE: 8509] REVIEWER: CS | A | 4730 | AS | 21-MAR-60 | | AS | 99 |
| | | MIL-H-6002A NOTICE 1 | MARKING: STANDARD HOSE, AIRCRAFT [VALIDATION DATE: 8911] REVIEWER: 11 ..... | A | 4720 | 82 | 09-NOV-89 | | AS | 99 |

| Action | OSR / QML Cross-Reference Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-W-6015A(2) | WIRE ROPE, 6 BY 19, HIGH-STRENGTH (FOR AIRCRAFT LAUNCHING AND ARRESTING) REVIEWER: IS | A | 4010 AS | 03-JUL-91 | | AS | 99 | |
| | | MIL-R-6018C(1) | REGULATOR, OXYGEN DILUTER DEMAND (ASG) [VALIDATION DATE: 7910] ..... | A | 1660 AS | 23-NOV-71 | | AS | 99 | |
| | | MIL-G-6019C(2) | GAGE, PRESSURE, DIAL INDICATING, LOW-PRESSURE OXYGEN ..... | A | 6685 82 | 29-JUN-78 | AV | AS | 99 | |
| | | MIL-C-6026B | CONTROL UNIT, PRESSURE GENERATING, MANUALLY OPERATED, AIRCRAFT HYDRAULIC BRAKE SYSTEM [VALIDATION DATE: 8509] USER: ME REVIEWER: 99 | A | 1630 AS | 09-OCT-59 | AV | AS | | |
| Q | | MIL-G-6032D(1) | GREASE, PLUG VALVE, GASOLINE & OIL RESISTANT, NATO CODE NUMBER G-363, METRIC USER: AT REVIEWER: AR GS MI PS SH | A | 9150 AS | 08-APR-88 | ME | AS | 68 | |
| | | MIL-B-6038A | BEARING, BALL, BELLCRANK, ANTI FRICTION, AIRFRAME [VALIDATION DATE: 8205] REVIEWER: AR AV IS MI | A | 3110 AS | 28-MAR-61 | AT | AS | 11 | |
| Q | | MIL-B-6039D | BEARING, DOUBLE ROW, BALL, SEALED ROD END, ANTI FRICTION, SELF ALIGNING REVIEWER: AT | A | 3110 84 | 12-OCT-84 | | AS | 99 | |
| L | | MIL-I-6048B | INTERCOMMUNICATION SETS, AN/AIC-5A AND AN/AIC-5B [VALIDATION DATE: 8103] .. | A | 5831 AS | 01-JUN-56 | | AS | | |
| I | | MIL-S-6049A(1) NOTICE 1 | STEEL, CHROME-NICKEL-MOLYBDENUM (8740) BARS AND REFORGING STOCK (AIRCRAFT QUALITY) USER: AT OS REVIEWER: 99 AV IS MI | A | 9510 11 | 22-JAN-91 | MR | AS | 11 | |
| | | MIL-S-6050A(2) NOTICE 1 | STEEL, CHROME-NICKEL-MOLYBDENUM (8630) BARS AND REFORGING STOCK (AIRCRAFT QUALITY) [VALIDATION DATE: 8901] USER: AT OS REVIEWER: 99 AR AV IS MI | A | 9510 11 | 12-JAN-89 | MR | AS | 11 | |
| | | MIL-E-6051D(1) NOTICE 1 | ELECTROMAGNETIC COMPATIBILITY REQUIREMENTS, SYSTEMS [VALIDATION DATE: 8104] REVIEWER: 17 68 99 AV MI | A | EMCS 11 | 05-JUL-68 | TM | AS | 11 | |
| | | MIL-I-6052B | INTERCOMMUNICATION SETS, AN/AIC-4 AND AN/AIC-4A [VALIDATION DATE: 8307] REVIEWER: AV | A | 5831 AS | 16-DEC-52 | CR | AS | | |
| L | | MIL-T-6053C(1) NOTICE 1 | TESTS, IMPACT, SHOCK ABSORBER LANDING GEAR, AIRCRAFT [VALIDATION DATE: 8909] | A | 1620 70 | 27-SEP-89 | | | 99 | |
| | | MIL-D-6054F(1) | DRUM, METAL-SHIPPING AND STORAGE USER: AV CG MS REVIEWER: 99 AR GS MI SA SM | A | 8110 69 | 30-JUN-89 | GL | AS | 69 | |
| | | MIL-D-6055D(1) | DRUM, METAL REUSABLE, SHIPPING AND STORAGE (CAP. FROM 88 TO 510 CUBIC INCHES) USER: 80 OS SH REVIEWER: 84 AR EA GS SM | A | 8110 69 | 30-JUN-89 | GL | SA | 69 | |
| | | MIL-E-6058B(1) | ENGINE, AIRCRAFT, RECIPOCATING, PREPARATION FOR SHIPMENT AND STORAGE OF [VALIDATION DATE: 8405] REVIEWER: 11 CR ME SM | A | 2810 AS | 09-MAR-79 | AV | AS | 99 | |
| | | MIL-E-6059A NOTICE 1 | ENGINE, AIRCRAFT, RECIROCATING PROCESSE FOR CORR[illegible]OTECTION, PREOLING AND GROUND OPERATIONS OF [VALIDATION DATE: 870[illegible] REVIEWER: 99 | A | 2810 AS | 25-FEB-54 | AV | AS | 11 | |
| | | MIL-E-6060D SUPPL 1A, NOTICE 1 | ENVELOPE, PACKAGING, WATER VAPOR PROOF, FLEXIBLE [VALIDATION DATE: 9110] USER: AR ER MC ME OS REVIEWER: 99 AV CR | A | 8105 AS | 24-OCT-91 | GL | AS | 69 | |
| L | | MIL-E-6060/1A NOTICE 1 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (R-985 AND R-1340 ENGINES) [VALIDATION DATE: 8911] USER: 70 71 REVIEWER: 80 82 99 | A | 8105 69 | 16-NOV-89 | | | 69 | |
| L | | MIL-E-6060/2A NOTICE 1 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (R-1820, R-1830 AND R-2000 ENGINES) [VALIDATION DATE: 8911] USER: 70 71 REVIEWER: 80 82 99 | A | 8105 69 | 18-NOV-89 | | | 69 | |
| L | | MIL-E-6060/3A NOTICE 1 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (R-2800 ENGINE) [VALIDATION DATE: 8911] USER: 70 71 REVIEWER: 80 82 99 | A | 8105 69 | 18-NOV-89 | | | 69 | |
| L | | MIL-E-6060/4A NOTICE 1 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (5 KW AIRCRAFT POWER PLANT) [VALIDATION DATE: 8911] USER: 70 71 REVIEWER: 80 82 99 | A | 8105 69 | 18-NOV-89 | | | 69 | |
| L | | MIL-E-6060/5A NOTICE 1 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (J-33 ENGINE) [VALIDATION DATE: 8911] USER: 70 71 REVIEWER: 80 82 99 | A | 8105 69 | 18-NOV-89 | | | 69 | |
| L | | MIL-E-6060/6A NOTICE 1 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (O-435 ENGINE) [VALIDATION DATE: 8911] USER: 70 71 REVIEWER: 80 82 99 | A | 8105 69 | 18-NOV-89 | | | 69 | |
| L | | MIL-E-6060/7A NOTICE 1 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (R-4360 ENGINE) [VALIDATION DATE: 8911] USER: 70 71 REVIEWER: 80 82 99 | A | 8105 69 | 18-NOV-89 | | | 69 | |
| | | MIL-P-6063B | PACKAGING OF BATTERIES, STORAGE, CHARGED AND DRY UNCHARGED AND MOIST, GENERAL SPECIFICATION FOR REVIEWER: GS | A | 6140 80 | 22-MAR-78 | GL | AS | 99 | |
| L | | MIL-P-6070B | PLYWOOD AND VENEER, AIRCRAFT FLAT PANEL USER: AS OS REVIEWER: CS ..... | A | 5530 84 | 24-FEB-86 | | SH | 99 | |
| | | MIL-P-6074B SUPPL 1A | PRESERVATION, PACKAGING, AND PACKING OF PROPELLERS, PROPELLER SPARES, AND PORPELLER ACCESSORIES [VALIDATION DATE: 8509] USER: MI REVIEWER: CR EL ME SM | A | PACK AS | 18-DEC-69 | AV | AS | 99 | |
| Q | | MIL-L-6081C(2) NOTICE 1 | LUBRICATING OIL, JET ENGINE [VALIDATION DATE: 8809] USER: OS REVIEWER: GS MI PS | A | 9150 11 | 30-SEP-88 | | AS | 11 | |
| Q | | MIL-L-6082E | LUBRICATING OIL, AIRCRAFT PISTON ENGINE (NON-DISPERSANT MINERAL OIL) USER: ME OS REVIEWER: AV GS MI PS | A | 9150 AS | 01-DEC-90 | MR | AS | 11 | |
| Q | | MIL-H-6083E(2) | HYDRAULIC FLUID, PETROLEUM BASE, FOR PRESERVATION AND OPERATION USER: OS REVIEWER: AT AV GS MC MD MI PS SA SH SM | A | 9150 ME | 08-FEB-90 | ME | AS | 68 | |
| Q | | MIL-L-6085C | LUBRICATING OIL: INSTRUMENT, AIRCRAFT, LOW VOLATILITY REVIEWER: 68 AR GS MI OS SA SH SM | A | 9150 11 | 05-FEB-91 | ME | AS | 11 | |
| Q | | MIL-L-6086D | LUBRICATING OIL, GEAR, PETROLEUM BASE USER: AT SH REVIEWER: 68 AV MI SA ... | A | 9150 11 | 30-JAN-91 | ME | AS | 11 | |
| A | | MIL-H-6088G(1) | HEAT TREATMENT OF ALUMINUM ALLOYS USER: ME OS REVIEWER: 99 AR AV IS MS SH . | A | 95GP AS | 15-SEP-92 | MR | AS | 11 | |
| | | MIL-S-6090A(1) NOTICE 1 | STEEL, CARBURIZING AND NITRIDING, PROCESSES FOR [VALIDATION DATE: 8901] USER: OS REVIEWER: 99 MI | A | MISC 11 | 12-JAN-89 | MR | AS | 11 | |
| | | MIL-C-6092A | COMPUTER, AIRCRAFT LOAD BALANCING [VALIDATION DATE: 8310] REVIEWER: 99 .... | A | 1680 AS | 02-MAR-60 | AV | AS | | |
| | | MIL-T-6095B(1) | THINNER, CELLULOSE-NITRATE-DOPE, BLUSH-RETARDING [VALIDATION DATE: 8401] USER: AV | A | 8010 AS | 08-MAY-78 | MR | AS | 99 | |
| | | MIL-T-6096A | THINNER, CELLULOSE ACETATE BUTYRATE DOPE [VALIDATION DATE: 8401] REVIEWER: MR | A | 8010 AS | 14-AUG-51 | | AS | 99 | |
| I | | MIL-S-6098A | STEEL, CHROME-NICKEL-MOLYBDENUM (8735) BARS AND REFORGING STOCK (AIRCRAFT) USER: AR AT AV OS REVIEWER: IS | A | 9510 11 | 20-JAN-90 | MR | AS | 11 | |
| QL | | MIL-C-6100A | CONNECTOR, RECEPTACLE, ELECTRICAL, AIRCRAFT [VALIDATION DATE: 8304] ..... | A | 5935 AS | 15-OCT-73 | | AS | | |
| Q | | MIL-R-6106J(3) SUPPL 2B | RELAYS, ELECTROMAGNETIC (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), GENERAL SPECIFICATION FOR REVIEWER: 11 99 EC ES | A | 5945 85 | 25-AUG-89 | ER | AS | 85 | |
| L | | MIL-R-6106/1F | RELAYS, ELECTROMAGNETIC, TYPE I, 2PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ASSEMBLY REVIEWER: 99 ES | A | 5945 85 | 28-MAR-90 | | | 85 | |
| A L | | MIL-R-6106/2F | RELAYS, ELECTROMAGNETIC, TYPE I, 4PDT, 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ASSEMBLY REVIEWER: 99 ES | A | 5945 85 | 28-SEP-92 | | | 85 | |
| L | | MIL-R-6106/3E | RELAYS, ELECTROMAGNETIC, MOUNTING TRACK FOR REVIEWER: 99 ES ..... | A | 5945 85 | 13-NOV-87 | | | 85 | |
| M L | | MIL-R-6106/4D | RELAYS, ELECTROMAGNTIC, 2PDT, BRACKET AND SOCKET ASSEMBLY FOR REVIEWER: 99 ES | A | 5945 85 | 14-MAY-93 | | | 85 | |
| L | | MIL-R-6106/5E(1) | RELAYS, ELECTROMAGNETIC, BRACKET AND SOCKET ASSEMBLIES FOR REVIEWER: 99 ES | A | 5945 85 | 28-MAR-91 | | | 85 | |
| | | MIL-R-6106/8C(1) | RELAY, ELECTROMAGNETIC, PERMANENT MAGNET DRIVE, 10 AMPERES, 6 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 | A | 5945 85 | 04-JUN-85 | | EC | 85 | |
| A L | | MIL-R-6106/9C(1) | RELAY, ELECTROMAGNETIC, CONTINUOUS DUTY, 60 AMP, 3PDT, ENVIRONMENTALLY SEALED REVIEWER: 99 ES | A | 5945 85 | 14-JUL-92 | | | 85 | |
| A L | | MIL-R-6106/10D(1) | RELAYS, ELECTROMAGNETIC, NORMALLY OPEN, CONTINUOUS DUTY, 60 AMPERES, 3PST, ENVIRONMENTALLY SEALED REVIEWER: 99 ES | A | 5945 85 | 14-JUL-92 | | | 85 | |
| A L | | MIL-R-6106/11C(1) | RELAYS, ELECTROMAGNETIC, NORMALLY CLOSED, CONTINUOUS DUTY, 60 AMP, 3PST, ENVIRONMENTALLY SEALED REVIEWER: 99 ES | A | 5945 85 | 14-JUL-92 | | | 85 | |
| L | | MIL-R-6106/12B | RELAYS, ELECTROMAGNETIC (TYPE I), MAGNETIC LATCH (INCLUDING UNSUPPRESSED AND SUPPRESSED COILS), LOW LEVEL AND 2 AMPERES, 1PDT, AUXILIARY CONTACTS, 25 AMPERES, 3 PHO MAIN CONTACTS, HERMETICALLY SEALED REVIEWER: 99 ES | A | 5945 85 | 22-DEC-89 | | | 85 | |
| L | | MIL-R-6106/13D(2) | RELAYS, ELECTROMAGNETIC, 25 AMPERE, 3PST, NO, WITH 2 AMPERE, 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED, PERMANENT MAGNET DRIVE, TYPE I REVIEWER: 99 ES | A | 5945 85 | 26-MAY-89 | | | 85 | |
| LI | | MIL-R-6106/14B NOTICE 1 | RELAY, ELECTRIC, PERMANENT DRIVE, 50 AMP, SPDT (DB) DOUBLE MAKE DOUBLE BREAK AUXILIARY CONTACTS (5 AMP), HERMETICALLY SEALED REVIEWER: 99 | A | 5945 85 | 10-MAR-89 | | | 85 | |
| L | | MIL-R-6106/15C(1) | RELAYS, ELECTROMAGNETIC, 50 AMPERES, DC, SPDT, HERMETICALLY SEALED REVIEWER: 99 | A | 5945 85 | 10-NOV-88 | | | 85 | |
| L | | MIL-R-6106/19E | RELAYS, ELECTROMAGNETIC, PERMANENT MAGNET DRIVE, 25 AMPERES, SPDT, HERMETICALLY SEALED REVIEWER: 99 ES | A | 5945 85 | 24-OCT-90 | | | 85 | |

| Action | OPR / Orig. Coordination Activity | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-R-6106/20B | RELAYS, ELECTROMAGNETIC, MAGNETIC LATCH, 25 AMPERES, SPDT, HERMETICALLY SEALED REVIEWER: 99 ES | A 5945 | 85 23-MAR-90 | | | 85 | |
| | M L | MIL-R-6106/21J | RELAYS, ELECTROMAGNETIC, TYPE IER, ESTABLISHED RELIABILITY, TRACK MOUNTED, 5 AMPERES, 2PDT, HERMETICALLY SEALED, POLARIZED, TRANSIENT SUPPRESSED COIL REVIEWER: 99 ES | A 5945 | 85 26-APR-93 | | | 85 | |
| | L | MIL-R-6106/22H | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, TRACK MOUNTED, 5 AMPERES, 4PDT, HERMETICALLY SEALED, POLARIZED, TRANSIENT SUPPRESSED COIL REVIEWER: 99 ES | A 5945 | 85 23-MAR-90 | | | 85 | |
| | M | MIL-R-6106/23D NOTICE 1 | RELAY: ELECTROMAGNETIC, SOCKET MOUNT (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES | A 5945 | 85 14-MAY-93 | ER | AS | 85 | |
| | L | MIL-R-6106/24H | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, TRACK MOUNTED, 10 AMPERES, 3PDT, HERMETICALLY SEALED, POLARIZED, TRANSIENT SUPPRESSED COIL REVIEWER: 99 ES | A 5945 | 85 23-MAR-90 | | | 85 | |
| | L | MIL-R-6106/25J | RELAYS, ELECTROMAGNETIC, BRACKET MOUNT REVIEWER: 99 ES ..... | A 5945 | 85 20-JAN-89 | | | 85 | |
| | M | MIL-R-6106/26D(1) NOTICE 1 | RELAY, ELECTROMAGNETIC, 50 AMPERES, SPST, NC, WITH 5 AMPERE SPDT AUXILIARY, HERMETICALLY SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES | A 5945 | 85 14-MAY-93 | ER | AS | 85 | |
| | | MIL-R-6106/27D | RELAYS, ELECTROMAGNETIC (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES) TYPE I, 2PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED REVIEWER: 99 ES | A 5945 | 85 14-DEC-90 | ER | EC | 85 | |
| | | MIL-R-6106/28D | RELAYS, ELECTROMAGNETIC (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), TYPE I, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED REVIEWER: 99 ES | A 5945 | 85 14-DEC-90 | ER | EC | 85 | |
| | | MIL-R-6106/29D | RELAYS, ELECTROMAGNETIC, (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), PERMANENT MAGNET DRIVE, LOW LEVEL TO 10 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES | A 5945 | 85 21-DEC-90 | | EC | 85 | |
| | L | MIL-R-6106/30A | RELAY, ELECTROMAGNETIC, DIRECT CURRENT, 28 VOLTS ..... | A 5945 | 85 24-SEP-82 | | AS | 85 | |
| | L | MIL-R-6106/31 NOTICE 1 | RELAY, ELECTROMAGNETIC, RELAY EXTRACTION TOOL REVIEWER: 99 ES ..... | A 5945 | 85 31-MAR-88 | | | 85 | |
| | L | MIL-R-6106/32 NOTICE 1 | RELAY, ELECTROMAGNETIC, SOCKET MODULE EXTRACTION TOOL REVIEWER: 99 ES ..... | A 5945 | 85 31-MAR-88 | | | 85 | |
| | L | MIL-R-6106/33C(1) | RELAYS, ELECTROMAGNETIC, TYPE I, 400 AMPERES, WITH 5 AMPERE AUXILIARY CONTACTS, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED REVIEWER: 99 ES | A 5945 | 85 19-AUG-88 | | | 85 | |
| | L | MIL-R-6106/34B | RELAYS, ELECTROMAGNETIC, TYPE II (UNSEALED) 300 AMPERES, SPST (N.O.) WITH 5 AMPERE AUXILIARIES REVIEWER: 99 ES | A 5945 | 85 22-DEC-87 | | | 85 | |
| | L | MIL-R-6106/35A NOTICE 1 | RELAYS, ELECTROMAGNETIC, BUTTON, PLUG MOUNTING TRACK (VALIDATION DATE: 8811) REVIEWER: 99 ES | A 5945 | 85 18-NOV-88 | | | 85 | |
| | L | MIL-R-6106/36E | RELAYS, ELECTROMAGNETIC, TYPE I, 2 PDT, 10 AMPERES, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ASSEMBLY REVIEWER: 99 ES | A 5945 | 85 28-MAR-90 | | | 85 | |
| A | L | MIL-R-6106/37D | RELAYS, ELECTROMAGNETIC, TYPE I, 4 PDT, 10 AMPERES, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ASSEMBLY REVIEWER: 99 | A 5945 | 85 17-FEB-93 | | | 85 | |
| | L | MIL-R-6106/38A | RELAY, ELECTROMAGNETIC, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 2 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES | A 5945 | 85 07-SEP-84 | | | 85 | |
| | L | MIL-R-6106/39B | RELAYS, ELECTROMAGNETIC, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 4 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES | A 5945 | 85 15-MAR-85 | | | 85 | |
| | L | MIL-R-6106/40A(1) | RELAY, ELECTROMAGNETIC, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 10 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES | A 5945 | 85 21-MAR-85 | | | 85 | |
| | L | MIL-R-6106/41A | RELAY, ELECTROMAGNETIC, 25 AMPERES, 3PNO, WITH 2 AMPERE, 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED, TYPE I REVIEWER: 99 ES | A 5945 | 85 27-DEC-89 | | | 85 | |
| | L | MIL-R-6106/42(1) | RELAYS, ELECTROMAGNETIC, 3PDT MAIN CONTACTS, 4PDT AUXILIARY CONTACTS, 135 AMPERES, 115/200 VOLTS, 400 HERTZ, GASKET SEALED REVIEWER: 99 ES | A 5945 | 85 28-SEP-90 | | | 85 | |
| | M | MIL-R-6106/43A NOTICE 1 | RELAYS, ELECTROMAGNETIC, 65 AMPERES, 1 PNO DOUBLE BREAK, HERMETICALLY SEALED, TYPE 1 (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES | A 5945 | 85 14-MAY-93 | ER | AS | 85 | |
| | L | MIL-R-6106/44A | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 115/200 V AC, 400 HZ, 3PDT, SIDE STABLE, HERMETICALLY SEALED REVIEWER: 99 ES | A 5945 | 85 10-MAR-89 | | | 85 | |
| | L | MIL-R-6106/45A | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 115/200 V AC, 400 HZ, 3PST, WITH 5 AMPERE SPDT AUXILIARY, MAGNETIC LATCHING, HERMETICALLY SEALED | A 5945 | 85 29-APR-85 | | | 85 | |
| | L | MIL-R-6106/46(1) | RELAYS, ELECTROMAGNETIC, 120 AMPERES, 115/200 V AC, 400 HZ, 3PDT, CENTER OFF MAIN CONTACTS, 6PDT AUXILIARY CONTACTS, LATCHING, HERMETICALLY SEALED | A 5945 | 85 10-NOV-88 | | | 85 | |
| | L | DOD-R-6106/47 | RELAYS, ELECTROMAGNETIC, 1000 AMPERES, SPST, N.O., D.B., TYPE II, NON-HERMETICALLY SEALED (AND MOUNTING BRACKET), METRIC REVIEWER: 99 ES | A 5945 | 85 03-DEC-84 | | | 85 | |
| | L | MIL-R-6106/48A | RELAYS, ELECTROMAGNETIC, TYPE 1, HERMETICALLY SEALED, 100 AMPERES, SPST (N.O.) WITH SPDT (FORM Z) 5 AMPERES AUXILIARY CONTACTS REVIEWER: 99 | A 5945 | 85 28-MAR-91 | | | 85 | |
| | A | MIL-R-6106/50A | RELAYS, ELECTROMAGNETIC, TYPE 1, MAGNETIC LATCH, LOW LEVEL TO 10 AMPERES, 2 PDT, HERMETICALLY SEALED REVIEWER: 99 EC ES | A 5945 | 85 21-JUL-92 | ER | AS | 85 | |
| | A | MIL-R-6106/51A | RELAYS, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, LOW LEVEL TO 10 AMPERES, 4 PDT, HERMETICALLY SEALED REVIEWER: 99 EC ES | A 5945 | 85 21-JUL-92 | ER | AS | 85 | |
| | | MIL-R-6106/53 | RELAY, ELECTROMAGNETIC (TYPE I), MAGNETIC LATCH (WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION), PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES 4PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES | A 5945 | 85 30-SEP-86 | | | 85 | |
| | | MIL-R-6106/54 | RELAY, ELECTROMAGNETIC (TYPE I), MAGNETIC LATCH (WITH INTERNAL DIODES FOR TRANSIENT SUPPRESSION), PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 2 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES | A 5945 | 85 24-OCT-86 | | | 85 | |
| | | MIL-R-6106/55 | RELAY, ELECTROMAGNETIC (TYPE I), MAGNETIC LATCH (WITH INTERNAL DIODES FOR TRANSIENT SUPPRESSION), PERMANENT MAGNET DRIVE, LOW LEVEL TO 10 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES | A 5945 | 85 24-OCT-86 | | | 85 | |
| | | MIL-I-6115A(3) | INSTRUMENT SYSTEMS, PITOT TUBE AND FLUSH STATIC PORT OPERATED, INSTALLATION OF (VALIDATION DATE: 8102) | A 6610 | AS 31-DEC-60 | AV | AS | | |
| | | MIL-T-6117C | TERMINAL, CABLE ASSEMBLIES, SWAGED TYPE USER: ME ..... | A 4030 | 82 28-OCT-81 | MI | AS | 99 | |
| | | MIL-C-6122 NOTICE 1 | COLLIMATOR: SEXTANT, AIRCRAFT (VALIDATION DATE: 9110) ..... | A 6605 | AS 09-OCT-91 | | AS | 99 | |
| | | MIL-V-6125D NOTICE 1 | VALVE, REGULATING, FLUID PRESSURE, TYPE C-1 (VALIDATION DATE: 9101) REVIEWER: CS GS | A 4820 | 82 10-JAN-91 | | AS | 99 | |
| | | MIL-V-6129A | VALVE, CHECK, VACUUM AND PRESSURE SYSTEM (VALIDATION DATE: 8304) REVIEWER: CS | A 4820 | AS 15-JUN-64 | | AS | 99 | |
| | | MIL-R-6130C | RUBBER, CELLULAR, CHEMICALLY BLOWN USER: MC REVIEWER: 99 AR DS EA GS MI MR OS | A 9320 | AS 18-JUL-80 | GL | AS | 11 | |
| | L | MIL-R-6130C(11) | RUBBER, CELLULAR, CHEMICALLY BLOWN ..... | A 9320 | SA 01-APR-91 | | SA | | |
| | | MIL-P-6131C NOTICE 1 | PLUGS, DEHYDRATOR, INDICATING HUMIDITY (VALIDATION DATE: 9110) USER: AR REVIEWER: 82 GS OS | A 6685 | AS 24-OCT-91 | AV | AS | 99 | |
| | A | MIL-T-6134C(1) NOTICE 1 | TAPE, TEXTILE, NYLON, PARACHUTE CONSTRUCTION (VALIDATION DATE: 8910) ..... | A 8315 | CT 31-OCT-89 | GL | AS | 99 | CT |
| | | MIL-C-6136A(2) NOTICE 1 | CONDUIT: ELECTRICAL, FLEXIBLE, SHIELDED, ALUMINUM ALLOY FOR AIRCRAFT INSTALLATIONS (VALIDATION DATE: 9109) | A 5975 | AS 18-SEP-91 | ER | AS | 85 | |
| | | MIL-F-6139D | FLOODLIGHT, ELECTRIC, EXPLOSION PROOF, 300 WATTS MAXIMUM, ADJUSTABLE STAND MOUNTED REVIEWER: AR GS | A 6230 | 82 25-MAY-83 | | AS | 99 | |
| | | MIL-S-6144A | SOUND AND THERMAL INSULATION FOR AIRCRAFT GENERAL SPECIFICATION FOR THE INSTALLATION OF (VALIDATION DATE: 8209) | A 1560 | AS 12-MAY-66 | AV | AS | | |
| | Q | MIL-S-6150D | STARTER, ENGINE, ELECTRICAL, DIRECT CRANKING, AIRCRAFT, 28-VOLT DC (VALIDATION DATE: 7709) | A 2925 | 82 22-JUN-65 | AV | AS | 99 | |
| | Q | MIL-G-6162B | GENERATOR AND STARTER GENERATOR, ELECTRIC DIRECT CURRENT, NOMINAL 30 VOLTS, AIRCRAFT GENERAL SPECIFICATION (VALIDATION DATE: 8508) USER: MI REVIEWER: AV GS | A 6115 | 80 15-FEB-72 | ME | AS | 99 | |

| Action | DIFA / DSA Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-G-6162/1C<br>NOTICE 1 | STARTER-GENERATOR, 30 VOLT, DIRECT CURRENT 400 AMPERE, AIRCRAFT ENGINE DRIVEN [VALIDATION DATE: 8809] | A | 6115 | AS | | 02-SEP-88 | | AS | | |
| L | | | MIL-G-6162/2A | STARTER-GENERATOR, 30 VOLT, DIRECT CURRENT, 200 AMPERE, AIRCRAFT ENGINE DRIVEN | A | 6115 | AS | | 15-MAR-85 | | AS | | |
| | | | MIL-V-6164E | VALVE; AIRCRAFT, AIR, HIGH-PRESSURE REVIEWER: 11 AV CS | A | 4820 | 71 | | 15-JUN-90 | | AS | 99 | |
| | | | MIL-S-6180B(1)<br>NOTICE 1 | SWAGING TOOLS, FLEXIBLE CABLE TERMINAL, HAND-OPERATED [VALIDATION DATE: 8803] REVIEWER: MI | A | 5120 | GL | | 04-MAR-88 | GL | AS | 84 | |
| D | | | MIL-C-6183B | CORK AND RUBBER COMPOSITION SHEET, FOR AROMATIC FUEL AND OIL RESISTANT GASKETS USER: ME REVIEWER: AR EA YD] | A | 5330 | AS | | 13-FEB-81 | MR | AS | 11 | |
| Q | | | MIL-J-6193C | JOINT, UNIVERSAL, PLAIN, LIGHT AND HEAVY DUTY USER: CG MC REVIEWER: ME | A | 3010 | 82 | | 13-JAN-84 | | AS | 99 | |
| | | | MIL-F-6218C(1) | FISHING KIT, SURVIVAL REVIEWER: CS | A | 4220 | 84 | | 09-APR-81 | | AS | 99 | |
| | | | MIL-A-6224E<br>NOTICE 1 | ANTENNA SYSTEMS FOR UHF AIRBORNE COMMUNICATIONS EQUIPMENT, GENERAL SPECIFICATION FOR DESIGN OF [VALIDATION DATE: 8802] REVIEWER: 85 EC ES SC | A | 5985 | 11 | | 26-FEB-88 | ER | AS | 11 | |
| L | | | MIL-C-6235D(1)<br>NOTICE 2 | COMPASS, MAGNETIC, UNMOUNTED, POCKET, SURVIVAL [VALIDATION DATE: 8106] REVIEWER: GS MI | A | 6605 | DH | | 17-NOV-72 | | | | DH |
| A | | | MIL-M-6269G<br>NOTICE 1 | MITTEN SET, FLYER'S [VALIDATION DATE: 8910] USER: 45 | A | 8415 | CT | | 31-OCT-89 | | MJ | 99 | CT |
| A | | | MIL-M-6270C<br>NOTICE 1 | MITTEN INSERTS, AIRCREW, WOOL, HEAVY, TYPE M-3B [VALIDATION DATE: 8911] USER: 45 REVIEWER: 11 | A | 8415 | CT | | 08-NOV-89 | | | 99 | CT |
| | | | MIL-A-6271C<br>NOTICE 1 | ANTENNA, VHF AIRBORNE COMMUNICATIONS EQUIPMENT, GENERAL SPECIFICATION FOR DESIGN OF [VALIDATION DATE: 8802] REVIEWER: 85 ES SC | A | 5985 | 11 | | 26-FEB-88 | ER | EC | 11 | |
| D | | | MIL-L-6273D | LIGHT, NAVIGATIONAL, BEACON, OBSTACLE OR CODE, TYPE G-1 USER: YD] REVIEWER: 01 11 GS | A | 6210 | 82 | | 09-NOV-83 | | AS | 99 | |
| A | | | MIL-P-6278G | PARKA, EXTREME COLD WEATHER, ATTACHED HOOD M-28 USER: 45 REVIEWER: MD | A | 8415 | CT | | 30-NOV-83 | GL | | 99 | CT |
| A | | | MIL-P-6279K | PARKA, EXTREME COLD WEATHER, TYPE M-38 USER: 45 REVIEWER: 11 MD | A | 8415 | CT | | 15-MAR-87 | GL | | 99 | CT |
| A | | | MIL-T-6284K(1)<br>NOTICE 1 | TROUSERS, EXTREME COLD WEATHER, TYPE T-1B [VALIDATION DATE: 8911] REVIEWER: 45 | A | 8415 | CT | | 08-NOV-89 | GL | | 99 | CT |
| L | | | MIL-A-6300 | ANTENNA, OMNIDIRECTIONAL RECEIVING EQUIPMENT, GENERAL SPECIFICATION FOR DESIGN OF (SUPERSEDES X7197) [VALIDATION DATE: 8205] REVIEWER: 85 ES | A | 5985 | 11 | | 08-JAN-51 | | | 11 | |
| Q | | | MIL-I-6301A(2)<br>NOTICE 1 | INDICATOR, PRESSURE, FUEL, 0-600 PSI (INACTIVE) [VALIDATION DATE: 8705] | A | 6620 | 71 | | 26-MAY-87 | | AS | 99 | |
| | | | MIL-T-6302B(2) | TRANSMITTER, PRESSURE, FUEL, 0-600 PSI | A | 6620 | AS | | 15-OCT-78 | | AS | | |
| L | | | MIL-A-6325<br>NOTICE 1 | ANTENNAE, GLIDE PATH RADIO RECEIVING EQUIPMENT, GENERAL SPECIFICATION FOR DESIGN OF [VALIDATION DATE: 8802] REVIEWER: 85 ES | A | 5985 | 11 | | 26-FEB-88 | | | 11 | |
| L | | | MIL-R-6336D<br>NOTICE 1 | RECTIFIER, SILICON, DIRECT CURRENT, TRAINER POWER SUPPLY, TYPE F-1 REVIEWER: GS | A | 6130 | 80 | | 04-FEB-87 | | | 99 | |
| L | | | MIL-A-6348D(2)<br>NOTICE 1 | AMPLIFIER AM-203C/ARA-19 [VALIDATION DATE: 8608] REVIEWER: AS | A | 5826 | 84 | | 20-AUG-86 | | | 99 | |
| | | | MIL-T-6361D<br>NOTICE 1 | TIEDOWN ASSEMBLY, CARGO, AIRDROP, TYPE A-1 [VALIDATION DATE: 9008] USER: MT REVIEWER: 11 82 AV MC | A | 1670 | GL | | 08-AUG-90 | GL | AS | 99 | |
| A L | | | MIL-B-6362F(1) | BOOTS, EXTREME COLD WEATHER, M-1B REVIEWER: 45 | A | 8430 | CT | | 07-JUN-78 | | | 99 | CT |
| MQ | | | MIL-L-6363G<br>SUPPL 1B | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, GENERAL SPECIFICATION FOR REVIEWER: 11 82 GS SH | A | 6240 | AS | | 25-SEP-92 | AV | AS | 99 | |
| | | | MIL-L-6363/1B | LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE | A | 6240 | AS | | 15-SEP-89 | AV | AS | 99 | |
| | | | MIL-L-6363/2B | LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE | A | 6240 | AS | | 15-SEP-89 | AV | AS | 99 | |
| | | | MIL-L-6363/3C | LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE REVIEWER: 11 82 GS MC SH | A | 6240 | AS | | 05-NOV-90 | AV | AS | 99 | |
| A | | | MIL-L-6363/8 | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT MIDGET FLANGED BASE, T-1-3/4 BULB REVIEWER: 11 82 GS MC SH | A | 6240 | AS | | 25-SEP-92 | AV | AS | 99 | |
| A | | | MIL-L-6363/10 | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, G-5 BULB REVIEWER: 11 82 GS MC SH | A | 6240 | AS | | 25-SEP-92 | AV | AS | 99 | |
| A | | | MIL-L-6363/11 | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, G-6 BULB REVIEWER: 11 82 GS MC SH | A | 6240 | AS | | 25-SEP-92 | AV | AS | 99 | |
| A | | | MIL-L-6363/12 | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, S-8 BULB REVIEWER: 11 82 GS MC SH | A | 6240 | AS | | 25-SEP-92 | AV | AS | 99 | |
| A | | | MIL-L-6363/13 | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, S-11 BULB REVIEWER: 11 82 GS MC SH | A | 6240 | AS | | 25-SEP-92 | AV | AS | 99 | |
| L | | | MIL-T-6368A | TRANSMITTER, FUEL FLOW, TOTALIZING, TYPE M-1A (CONTROLLED DISTRIBUTION) | B | 6620 | 71 | | 13-APR-83 | | | 99 | |
| | | | MIL-W-6370C(2) | WIRE, ELECTRICAL, INSULATED, ANTENNA REVIEWER: 11 IS | A | 6145 | AS | | 14-NOV-83 | CR | AS | 85 | |
| L | | | MIL-R-6371B | REGULATOR, DILUTER, DEMAND OXYGEN, PRESSURE BREATHING, TYPE A-14 | A | 1660 | 71 | | 20-SEP-84 | | | 99 | |
| L | | | MIL-C-6388A | COMPRESSOR UNIT, AIR, AIRCRAFT, SHAFT POWER DRIVEN, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8008] | A | 1650 | AS | | 27-AUG-58 | | AS | | |
| | | | MIL-C-6390B<br>NOTICE 1 | CLAMPS AND INSTRUMENTS, AIRCRAFT, INSTALLATION OF [VALIDATION DATE: 9109] USER: AR REVIEWER: GL IS | A | 5340 | AS | | 18-SEP-91 | AV | AS | 99 | |
| | | | MIL-T-6396E | TANKS, AIRCRAFT PROPULSION FLUID SYSTEM, INTERNAL, REMOVABLE, NON-SELF-SEALING USER: ME REVIEWER: 71 80 99 | A | 1560 | AS | | 30-AUG-83 | AV | AS | | |
| | | | MIL-M-6399B<br>NOTICE 1 | HOSE, RUBBER, WIRE-WOUND, SYNTHETIC, ICE ELIMINATING SYSTEM [VALIDATION DATE: 8901] REVIEWER: CS | A | 4720 | 82 | | 16-JAN-89 | AV | AS | 99 | |
| L | | | MIL-M-6404A(1)<br>NOTICE 1 | METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, TYPE F-1, AIRCRAFT FUEL, 300 GALLONS PER MINUTE [VALIDATION DATE: 8911] REVIEWER: GS | A | 6680 | 82 | | 13-NOV-89 | | | 99 | |
| L | | | MIL-M-6439A(1) | HOSE, RUBBER, AIRCRAFT PAINT FINISH REMOVER REVIEWER: CS | A | 4720 | 82 | | 22-APR-74 | | | 99 | |
| A | | | MIL-I-6447C(3) | INDICATOR, TRUE AIRSPEED, TYPE M-1A | A | 6610 | 71 | | 10-FEB-93 | | AS | 99 | |
| | | | MIL-S-6451E | SHIELD, PROTECTIVE, AIRCRAFT AND MISSILES [VALIDATION DATE: 8304] USER: MI REVIEWER: 99 | A | 1730 | 11 | | 09-AUG-77 | AV | AS | | |
| L | | | MIL-P-6457E<br>NOTICE 2 | POWER SUPPLY, METALLIC RECTIFIER TYPE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8304] REVIEWER: 99 GS | A | 6130 | 11 | | 30-AUG-74 | | | 11 | |
| | | | MIL-C-6458C(6)<br>NOTICE 1 | CHAIN ASSEMBLIES, SINGLE LEG, AIRCRAFT CARGO TIE DOWN [VALIDATION DATE: 8911] USER: MT REVIEWER: AV | A | 1670 | 82 | | 13-NOV-89 | GL | | 99 | |
| | | | MIL-T-6480A | TIE DOWN, CARGO, AIRCRAFT, TYPE C-2 [VALIDATION DATE: 8410] REVIEWER: AV MI | A | 1670 | AS | | 11-JUN-53 | GL | AS | | |
| Q | | | MIL-M-6482D(1) | MASK ASSEMBLIES, OXYGEN, PRESSURE BREATHING [VALIDATION DATE: 8401] | A | 1660 | AS | | 15-FEB-77 | AV | AS | | |
| Q | | | MIL-L-6484C(3)<br>NOTICE 1 | LIGHTS, COCKPIT UTILITY, AIRCRAFT GENERAL SPECIFICATION FOR [VALIDATION DATE: 8904] REVIEWER: GS | A | 6220 | 82 | | 10-APR-89 | AV | AS | 99 | |
| | | | MIL-W-6486B | WINCH, DRUM, ENGINE OR TURRET HOIST, TYPE A-1 | A | 3830 | 84 | | 10-JUN-82 | EL | | 99 | |
| | | | MIL-C-6497C | CRANE, ENGINE OR TURRET, PORTABLE, 5000 LB CAPACITY, TYPE J&LB | A | 3950 | 84 | | 08-JUL-82 | | | 99 | |
| | | | MIL-C-6499E(2) | CLOCK, AIRCRAFT MECHANICAL, TYPE A-13A USER: CG MC REVIEWER: AV GS | A | 6645 | 82 | | 01-JUL-78 | AR | AS | 99 | |
| | | | MIL-L-6503H<br>NOTICE 1 | LIGHTING EQUIPMENT, AIRCRAFT, GENERAL SPECIFICATION FOR INSTALLATION OF [VALIDATION DATE: 8802] REVIEWER: 99 GS | A | 6220 | 11 | | 26-FEB-88 | AV | | 11 | |
| | | | MIL-T-6508B(1) | THERMOMETER, SELF INDICATING, BIMETALLIC [VALIDATION DATE: 6804] REVIEWER: GS | A | 6685 | 82 | | 24-JUN-63 | | AS | 99 | |
| L | | | MIL-I-6514B<br>NOTICE 1 | INDICATOR, PRESSURE, OIL, TYPE B-9C (INACTIVE FOR NEW DESIGN) USER: AV REVIEWER: AS | A | 6620 | 71 | | 15-MAR-88 | | | 99 | |
| | | | MIL-P-6525C | PUMP, FUEL TRANSFER, AERIAL REFUELING, GENERAL SPECIFICATION FOR REVIEWER: 11 | A | 1680 | 82 | | 07-AUG-85 | AV | AS | 99 | |
| Q | | | MIL-C-6529C(2) | CORROSION PREVENTIVE, AIRCRAFT ENGINE [VALIDATION DATE: 8604] REVIEWER: GS MI MR OS PS SH | A | 6850 | 11 | | 29-SEP-59 | EA | AS | 11 | |
| | | | MIL-I-6533B(3)<br>NOTICE 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE MULTI-FUNCTION, TYPE G-10 [VALIDATION DATE: 8911] REVIEWER: GS | A | 6685 | 82 | | 13-NOV-89 | AV | AS | 99 | |
| | | | MIL-H-6536C<br>NOTICE 1 | HORN AND VALVE, CREW MEMBERS' RELIEF, PRESSURIZED AIRCRAFT [VALIDATION DATE: 8808] | A | 1680 | 82 | | 10-AUG-88 | AV | AS | 99 | |
| L | | | MIL-S-6551A<br>NOTICE 1 | SEAT, CREW, DOWNWARD EJECTION, AIRCRAFT [VALIDATION DATE: 8808] REVIEWER: 11 | A | 1680 | 82 | | 10-AUG-88 | | | 82 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | MIL-C-6590C | CLOTH, PILE (SYNTHETIC MOUTON, KNITTED) | A 8305 | CT | | | 22-JAN-85 | | AS | 99 | CT |
| | MIL-C-6591A | COMPRESSOR UNIT, AIRCRAFT, ELECTRIC MOTOR DRIVEN, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8304] | A 1650 | AS | | | 22-APR-52 | | AS | | |
| Q | MIL-T-6598E(2) | TRANSMITTER, RATE OF FLOW, FUEL, SYNCHRO STYLE, TYPE J-6A | A 6620 | 71 | | | 15-AUG-86 | | AS | 99 | |
| Q | MIL-I-6599C NOTICE 1 | INDICATOR, RATE OF FLOW, FUEL, TYPE A-19 | A 6620 | 71 | | | 08-DEC-87 | | AS | 99 | |
| | MIL-H-6615E(3) | HOSE ASSEMBLIES, RUBBER, FUEL AND WATER, WITH RETATTACHABLE COUPLINGS, LOW TEMPERATURE USER: ME REVIEWER: CS | A 4720 | 82 | | | 08-JUN-87 | | AS | 99 | |
| A LI | MIL-L-6617C NOTICE 1 | LIGHT, TRAFFIC, AIRCRAFT TYPE B-2 REVIEWER: GS | A 6210 | ME | | | 11-AUG-92 | ME | | | |
| A | MIL-V-6618C | VALVE, STOP CHECK, PURGE | A 4820 | 71 | | | 08-JAN-93 | | AS | 99 | |
| | MIL-S-6625A | SPRAY EQUIPMENT, AIRCRAFT WINDSHIELD, ANTI-ICING [VALIDATION DATE: 8409] REVIEWER: GS | A 6850 | AS | | | 26-MAR-53 | AV | AS | | |
| L | MIL-C-6629(1) NOTICE 1 | CARBON MICROPHONE M-15( )/UR REVIEWER: 99 ES | A 5965 | 85 | | | 27-FEB-87 | | | 85 | |
| | MIL-U-6632B(1) | URINAL, STATIONARY, AIRCRAFT REVIEWER: CS MD | A 4510 | 84 | | | 06-DEC-82 | | AS | 99 | |
| | MIL-P-6640C(1) | PNEUMATIC BAG, AIRCRAFT, LIFTING, 12 TON CAPACITY, TYPE F-2 [VALIDATION DATE: 7709] | A 1730 | 82 | | | 28-JUN-71 | AV | AS | 99 | |
| Q | MIL-P-6645H(1) NOTICE 1 | PARACHUTES, PERSONNEL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8911] REVIEWER: AV | A 1670 | 82 | | | 13-NOV-89 | GL | AS | 99 | |
| | MIL-I-6669C(3) NOTICE 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTI-FUNCTION, -70 DEG. TO PLUS 150 DEG. C [VALIDATION DATE: 8812] REVIEWER: GS | A 6685 | 82 | | | 09-DEC-88 | | AS | 99 | |
| | MIL-S-6709A(2) NOTICE 1 | STEEL, CHROME-MOLYBDENUM-ALUMINUM; BARS, RODS, BILLETS AND FORGING STOCK (FOR NITRIDING) (AIRCRAFT QUALITY) [VALIDATION DATE: 8901] USER: AT ME MI REVIEWER: 99 IS | A 9510 | 11 | | | 12-JAN-89 | MR | AS | 11 | |
| | MIL-W-6712C(1) | WIRE, METALLIZING USER: AR MI OS REVIEWER: 84 99 AS GS ME | A 3439 | MR | | | 21-MAY-87 | MR | SH | 11 | |
| | MIL-S-6715(2) NOTICE 3 | SPRING, HELICAL, AIRCRAFT [VALIDATION DATE: 8803] USER: AV REVIEWER: 99 AR IS MI | A 5340 | AS | | | 15-MAR-88 | | AS | 11 | |
| | MIL-E-6719A | ELBOW, ELECTRICAL CONDUIT [VALIDATION DATE: 7908] USER: AV REVIEWER: 99 EA | A 2925 | 85 | | | 08-JUN-72 | | AS | 85 | |
| Q | MIL-L-6723C | LIGHT, AIRCRAFT, GENERAL SPECIFICATION FOR USER: AT MC ME REVIEWER: 99 GS MI | A 6220 | AS | | | 01-NOV-87 | AV | AS | 11 | |
| | MIL-I-6726B | INCLINOMETER, AIRCRAFT [VALIDATION DATE: 8103] | A 6610 | AS | | | 16-NOV-66 | | AS | 99 | |
| | MIL-D-6728A | DAMPER, ENGINE EXHAUST FLAME AND GLARE [VALIDATION DATE: 8204] REVIEWER: 11 | A 1560 | AS | | | 15-NOV-56 | AV | AS | 99 | |
| A | MIL-W-6729C | WATERTIGHTNESS OF AIRCRAFT, GENERAL SPEIFICATION FOR | A 15GP | AS | | | 08-MAR-93 | AV | AS | 99 | |
| L | MIL-L-006730C NOTICE 2 | LIGHTING EQUIPMENT, EXTERIOR, AIRCRAFT (GENERAL REQUIREMENTS FOR) [VALIDATION DATE: 8306] REVIEWER: 82 AV GS | A 6220 | AS | | | 14-MAY-71 | | AS | | |
| | MIL-T-6735A NOTICE 1 | TUBING, CHROME-MOLYBDENUM (4135) STEEL SEAMLESS [VALIDATION DATE: 8803] REVIEWER: CS MI | A 4710 | 11 | | | 04-MAR-88 | MR | AS | 11 | |
| | MIL-T-6736B NOTICE 1 | TUBING, CHROME-MOLYBDENUM (4130 OR 8630) STEEL, SEAMLESS AND WELDED [VALIDATION DATE: 8901] USER: ME REVIEWER: 99 CS EA MI | A 4710 | 11 | | | 12-JAN-89 | MR | AS | 11 | |
| | MIL-T-6737C(1) | TUBING, STEEL, CORROSION AND HEAT RESISTING (18-8 STABILIZED), WELDED REVIEWER: 99 CS EA MI OS SH | A 4710 | AS | | | 30-JUN-83 | MR | AS | 11 | |
| | MIL-N-6748A | NIPPLE, ELECTRICAL TERMINAL [VALIDATION DATE: 8108] USER: CG MC ME MI REVIEWER: 99 ER ES GS | A 5975 | AS | | | 01-NOV-68 | | AS | 85 | |
| Q | MIL-R-6749(4) NOTICE 3 | RHEOSTAT, AIRCRAFT POWER [VALIDATION DATE: 8711] REVIEWER: 11 99 ES | A 5905 | AS | | | 20-NOV-87 | ER | AS | 85 | |
| QL | MIL-A-6752A(3) NOTICE 2 | AMMETERS, VOLTMETERS, AND LOADMETERS: DIRECT CURRENT [VALIDATION DATE: 8410] REVIEWER: MI | A 6625 | AS | | | 01-MAR-78 | | AS | | |
| Q | MIL-V-6753A(2) | VOLTMETER, 0-150 VOLT, 330 TO 1,200 CYCLE, ALTERNATING CURRENT [VALIDATION DATE: 8205] USER: MC | A 6625 | AS | | | 24-NOV-58 | AV | AS | 99 | |
| M | MIL-S-6758B | STEEL, CHROME-MOLYBDENUM (4130) BARS AND REFORGING STOCK (AIRCRAFT QUALITY) USER: AT ME REVIEWER: EA IS MI OS | A 9510 | AS | | | 18-MAY-93 | MR | AS | 11 | |
| | MIL-H-6769E(3) | HEATER, GUN (28VOLTS DC), TYPE J-4A | A 1005 | 84 | | | 25-OCT-84 | | OS | 99 | |
| | MIL-R-6771B(2) | REFLECTOR, GUNSIGHT GLASS [VALIDATION DATE: 8101] | A 1270 | AR | | | 23-AUG-66 | AR | OS | | |
| L | MIL-R-6771B(13) | REFLECTOR: GUNSIGHT GLASS | A 1270 | AR | | | 23-APR-90 | AR | | | |
| | MIL-C-6781B(1) NOTICE 1 | CONTROL PANEL: AIRCRAFT EQUIPMENT, RACK OR CONSOLE MOUNTED [VALIDATION DATE: 9110] REVIEWER: 99 | A 1680 | AS | | | 09-OCT-91 | AV | AS | 11 | |
| | MIL-C-6783 | CLAMP, BATTERY HOLD DOWN [VALIDATION DATE: 8005] REVIEWER: 99 ER GS | A 5975 | AS | | | 23-JUN-50 | | AS | 85 | |
| A | MIL-S-6790F(1) NOTICE 1 | SUSPENDERS, TROUSERS (SUSPENDERS, FLYING SUIT) [VALIDATION DATE: 8805] REVIEWER: 45 | A 8440 | CT | | | 27-MAY-88 | AV | AS | 99 | CT |
| Q | MIL-C-6799H(1) | COATINGS, SPRAYABLE, STRIPPABLE, PROTECTIVE, WATER EMULSION USER: AT SH REVIEWER: 99 AV | A 8030 | AS | | | 20-MAR-89 | MR | AS | 11 | |
| Q | MIL-S-6807D SUPPL 1B, NOTICE 1 | SWITCHES, ROTARY, SELECTOR POWER, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8809] USER: ME REVIEWER: 11 17 99 EC ES MI OS | A 5930 | 85 | | | 30-SEP-88 | ER | AS | 85 | |
| | MIL-P-6808C | PRIMER COATING, ZINC CHROMATE, PROCESS FOR APPLICATION OF [VALIDATION DATE: 8401] REVIEWER: AV EA MI OS | A 8010 | AS | | | 29-JUN-73 | MR | AS | 99 | |
| D | MIL-B-6812D | BOLT, AIRCRAFT REVIEWER: 11 AV EA MI OS | A 5306 | IS | | | 20-FEB-86 | AR | AS | 99 | IS |
| | MIL-C-6818D | CLAMP, INSTRUMENT MOUNTING, AIRCRAFT [VALIDATION DATE: 7908] REVIEWER: IS | A 5340 | 82 | | | 08-MAR-73 | AV | AS | 99 | |
| | MIL-F-6836A | FLANGE, MOUNTING, ATTACHABLE, AIRCRAFT INSTRUMENT (ASG) [VALIDATION DATE: 8308] | A 6620 | AS | | | 08-FEB-60 | | AS | 99 | |
| AQ | MIL-I-6839C | INDICATOR, POSITION, LANDING GEAR USER: MC REVIEWER: 11 MI | A 6695 | 71 | | | 30-JAN-93 | AV | AS | 99 | |
| A | MIL-T-6841D | TAPE AND SHEET, ADHESIVE, RUBBER AND CORK COMPOSITION USER: 84 AV SH REVIEWER: 85 99 CS GS | A 9320 | 11 | | | 26-JUN-92 | MR | AS | 11 | |
| | MIL-T-6845D NOTICE 1 | TUBING, STEEL, CORROSION-RESISTANT (530400), AEROSPACE VEHICLE HYDRAULIC SYSTEM 1/8 HARD CONDITION [VALIDATION DATE: 8901] REVIEWER: 99 AR AV CS EA | A 4710 | 11 | | | 20-JAN-89 | MR | AS | 11 | |
| | MIL-S-6852B | SPLICE, CONDUCTOR, ELECTRIC, DISCONNECT [VALIDATION DATE: 8410] REVIEWER: 99 CG EC GS MC | A 5940 | AS | | | 13-JAN-71 | ER | AS | 85 | |
| D | MIL-R-6855E | RUBBER, SYNTHETIC, SHEETS, STRIPS, MOLDED OR EXTRUDED SHAPES, GENERAL SPECIFICATION FOR USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS ER GS IS MI OS SH | A 9320 | AS | | | 31-JUL-92 | MR | AS | 11 | |
| D | MIL-R-6855/1 | RUBBER, SYNTHETIC, SHEETS USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH | A 4720 | AS | | | 16-FEB-87 | MR | AS | 11 | |
| D | MIL-R-6855/2 | RUBBER, SYNTHETIC, STRIP (OR TAPE) USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH | A 4720 | AS | | | 16-FEB-87 | MR | AS | 11 | |
| D | MIL-R-6855/3 | RUBBER, SYNTHETIC, RODS (OR ROUNDS) USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH | A 4720 | AS | | | 16-FEB-87 | MR | AS | 11 | |
| D | MIL-R-6855/4 | RUBBER, SYNETHIC, TUBING USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH | A 4720 | AS | | | 16-FEB-87 | MR | AS | 11 | |
| D | MIL-R-6855/5 | RUBBER, SYNTHETIC, CHANNEL, EXTRUDED USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH | A 4720 | AS | | | 16-FEB-87 | MR | AS | 11 | |
| D | MIL-R-6855/6 | RUBBER, SYNETHIC, SPECIAL SHAPE, EXTRUDED USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH | A 4720 | AS | | | 16-FEB-87 | MR | AS | 11 | |
| Q | MIL-I-6856C | INDICATOR, PRESSURE, SYNCHRO, 1-1/2 INCH REVIEWER: GS MI | A 6685 | 82 | | | 29-SEP-87 | | | 99 | |
| | MIL-M-6857D | MAGNESIUM ALLOY CASTINGS, HEAT TREATMENT OF USER: AT REVIEWER: 99 MI | A MLCA | AS | | | 30-JUL-90 | MR | AS | 11 | |
| DH | MIL-W-6858D(1) | WELDING, RESISTANCE: SPOT AND SEAM USER: 99 SH YD1 | A THJM | 11 | | | 06-NOV-92 | MR | AS | 11 | |
| Q | MIL-C-6864C(1) | CLEANING COMPOUND, SOLVENT, OIL-COOLER [VALIDATION DATE: 8203] USER: MR REVIEWER: GS | A 6850 | AS | | | 24-MAR-69 | EA | AS | 11 | |
| | MIL-M-6867C | MAGNETIC INSPECTION UNITS USER: GL REVIEWER: GS OS SH | A 6635 | 82 | | | 27-JAN-69 | MR | AS | 99 | |
| | MIL-I-6870E NOTICE 1 | INSPECTION PROGRAM REQUIREMENTS, NONDESTRUCTIVE FOR AIRCRAFT AND MISSILE MATERIALS AND PARTS [VALIDATION DATE: 8803] REVIEWER: AV SH | A NDTI | 11 | | | 04-MAR-88 | MR | AS | 11 | |
| | MIL-W-6873C | WELDING: FLASH, CARBON AND ALLOY STEEL USER: AT ME REVIEWER: EA GS MI | A 3432 | 11 | | | 13-MAY-91 | MR | AS | 11 | |
| | MIL-H-6875H | HEAT TREATMENT OF STEEL, PROCESS FOR USER: AT REVIEWER: 84 99 AR AV EA IS MI OS | A 95GP | AS | | | 01-MAR-89 | MR | AS | 11 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | QPL / QML / Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Q | | MIL-W-6882F(1) | WATER REPELLENT KIT, WINDOW AND WINDSHIELD, GLASS AND PLASTIC USER: CG MC REVIEWER: 82 GS | A | 6850 | AS | 13-MAR-84 | EA | AS | 11 | |
| | | MIL-P-6888C NOTICE 1 | POLISH, METAL, ALUMINUM [VALIDATION DATE: 9110] REVIEWER: 84 AV MD ..... | A | 7930 | AS | 24-OCT-91 | GL | AS | 11 | |
| | | MIL-I-6903C(1) NOTICE 1 | INK, MARKING (FOR PARACHUTES AND OTHER TEXTILE ITEMS) [VALIDATION DATE: 9110] USER: ME SA REVIEWER: MI | A | 7510 | AS | 24-OCT-91 | GL | AS | 99 | |
| | | MIL-S-6904B(1) | SIGNAL, EMERGENCY WARNING, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8305] USER: CG REVIEWER: 11 MI | A | 6340 | AS | 03-DEC-69 | AV | AS | 99 | |
| | | MIL-S-6904/1 NOTICE 1 | SIGNAL, EMERGENCY WARNING (BELL) [VALIDATION DATE: 9110] USER: CG REVIEWER: 82 OS | A | 6340 | AS | 09-OCT-91 | AV | AS | 99 | |
| | | MIL-S-6904/2(1) | SIGNAL, EMERGENCY WARNING (HORN) [VALIDATION DATE: 8106] USER: CG ..... | A | 6340 | AS | 05-AUG-68 | AV | AS | 99 | |
| | | MIL-S-6904/3 | SIGNAL, EMERGENCY WARNING (HORN WITH A PROJECTOR) [VALIDATION DATE: 8303] USER: CG | A | 6340 | AS | 19-APR-65 | | AS | 99 | |
| | | MIL-P-6906B NOTICE 2 | PLATE, IDENTIFICATION, AIRCRAFT [VALIDATION DATE: 8307] USER: CG GL MC ME REVIEWER: MI | A | 9905 | 84 | 24-FEB-69 | EL | AS | 99 | |
| D | | MIL-F-6939B | FLUX, ALUMINUM AND ALUMINUM ALLOY, GAS WELDING [VALIDATION DATE: 8304] USER: MI REVIEWER: 99 AR AV EA GS OS YD1 | A | 3439 | AS | 26-JUN-70 | AT | AS | 11 | |
| L | | MIL-T-6945A NOTICE 1 | TUBING, BRASS SEAMLESS [VALIDATION DATE: 8911] REVIEWER: 11 AR ER MI MR ... | A | 4710 | 82 | 08-NOV-89 | | | 99 | |
| Q | | MIL-C-6985B(4) | CLAMP, HOSE USER: AR ..... | A | 4730 | 82 | 02-FEB-87 | AV | AS | 99 | |
| L | | MIL-P-6992(1) | PUMP ASSEMBLY, FUEL, ELECTRICALLY DRIVEN, AIRCRAFT HEATER [VALIDATION DATE: 8509] | A | 2915 | AS | 27-JAN-56 | | AS | | |
| | | MIL-E-7016F(1) NOTICE 1 | ELECTRIC LOAD AND POWER SOURCE CAPACITY, AIRCRAFT, ANALYSIS OF [VALIDATION DATE: 8804] | A | 1680 | AS | 15-APR-88 | AV | AS | 11 | |
| A | | MIL-C-7020H | CLOTH, PARACHUTE, NYLON-RIP STOP AND TWILL WEAVE REVIEWER: 11 AV ..... | A | 8305 | CT | 16-MAR-92 | GL | AS | 99 | CT |
| | | MIL-A-7021C(1) | ASBESTOS RUBBER COMPRESSED SHEET, FOR FUEL, LUBRICANT, COOLANT, WATER & TEMPERATURE RESISTANT GASKETS USER: MC ME REVIEWER: 99 AR EA IS MI SA | A | 5330 | AS | 23-JUN-83 | AV | AS | 11 | |
| | | MIL-C-7024D | CALIBRATING FLUIDS, AIRCRAFT FUEL SYSTEM COMPONENTS REVIEWER: 11 EA GS MD . | A | 6850 | 68 | 30-AUG-90 | AV | AS | 68 | |
| | | MIL-I-7028(1) | INSTRUMENT AND INSTRUMENT BOARDS, AIRCRAFT, INSTALLATION OF [VALIDATION DATE: 8103] USER: GL MD REVIEWER: AR | A | 6610 | AS | 08-NOV-51 | AV | AS | | |
| Q | | MIL-I-7032F(2) SUPPL 18, NOTICE 1 | INVERTER, AIRCRAFT, GENERAL SPECIFICATION FOR (ASG) [VALIDATION DATE: 8005] USER: MI | A | 6125 | AS | 22-JUN-73 | AV | AS | 11 | |
| Q | | MIL-P-7034D(2) | PULLEY, GROOVE, ANTIFRICTION-BEARING, GREASE-LUBRICATED, AIRCRAFT REVIEWER: IS | A | 3020 | 82 | 10-APR-84 | AV | AS | 11 | |
| | | MIL-P-7041D | PRINTER, PHOTOGRAPHIC, AUTOMATIC FOCUS, 4 BY 5 INCH, TYPE EN-52( ) [VALIDATION DATE: 8303] REVIEWER: 85 CR GS | A | 6740 | AS | 25-FEB-77 | ER | AS | 99 | |
| | | MIL-R-7052B NOTICE 1 | RECEPTACLE, RELEASE, BOMB, TYPE A&2 [VALIDATION DATE: 8608] USER: AS REVIEWER: 99 ES | A | 5935 | 85 | 04-MAY-59 | CR | | 85 | |
| A | | MIL-I-7057D | INDICATORS, SYNCHRO, AIRCRAFT, GENERAL SPECIFICATION FOR USER: CG MC SH REVIEWER: 11 | A | 6620 | 71 | 15-DEC-92 | AV | AS | 99 | |
| | | MIL-H-7061B | HOSE, RUBBER, AIRCRAFT, SELF-SEALING, AROMATIC FUEL REVIEWER: AV ..... | A | 4720 | 82 | 06-FEB-85 | | AS | 99 | |
| | | MIL-I-7062C(1) | INDICATOR, POSITION, CONTROL SURFACES, 28 VOLT DC, GENERAL SPECIFICATION FOR USER: ME | A | 6610 | 71 | 10-SEP-87 | AV | AS | 99 | |
| Q | | MIL-I-7065A(1) | INDICATOR, POSITION, AILERON TRIM TAB [VALIDATION DATE: 8604] REVIEWER: 67 | A | 6610 | 71 | 18-APR-86 | AV | AS | 99 | |
| L | | MIL-I-7068A | INGOT, ZINC ALLOY (FOR SHEET METAL FORMING DIES) ..... | A | 9650 | AS | 15-DEC-88 | | AS | | |
| | | MIL-I-7070B(1) | INDICATOR, TEMPERATURE, ELECTRICAL-RESISTANCE, HERMETICALLY SEALED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8505] REVIEWER: GS | A | 6685 | 82 | 21-JAN-72 | AV | AS | 99 | |
| | | MIL-I-7071B(1) | INDICATOR, TEMPERATURE, THERMOCOUPLE HERMETICALLY SEALED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8510] USER: AT MI | A | 6685 | 82 | 21-JUL-78 | | AS | 99 | |
| Q | | MIL-W-7072B NOTICE 1 | WIRE, ELECTRIC, 600-VOLT, ALUMINUM, AIRCRAFT, GENERAL SPECIFICATION FOR (ASG) [VALIDATION DATE: 8709] REVIEWER: IS | A | 6145 | AS | 08-SEP-87 | | AS | 85 | |
| Q | | MIL-I-7075A | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -50 DEG. TO PLUS 50 DEG. C, 2-INCH SIZE [VALIDATION DATE: 8103] REVIEWER: GS | A | 6685 | AS | 01-JUN-66 | AV | AS | | |
| QL | | MIL-I-7077B | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO +150 DEG. C, 2 INCH SIZE REVIEWER: 11 ME WP | A | 6685 | 82 | 02-JUL-91 | | | 99 | |
| | | MIL-C-7078C SUPPL 1A | CABLE, ELECTRIC, AEROSPACE VEHICLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8311] USER: AV ME REVIEWER: AR EA IS MI | A | 6145 | AS | 09-AUG-71 | CR | AS | 11 | |
| L | | MIL-C-7078C(I1) SUPPL 1A | CABLE, ELECTRIC, AEROSPACE VEHICLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8311] | A | 6145 | AS | 23-SEP-76 | | AS | | |
| L | | MIL-C-7078/1A | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81044/9 BASIC WIRES, COPPER SHIELD, POLYVINYLIDENE FLUORIDE JACKET, 600-VOLT, 110 DEG. C [VALIDATION DATE: 8311] | A | 6145 | AS | 12-AUG-70 | | AS | | |
| | | MIL-C-7078/2 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/1 BASIC WIRES, COPPER SHIELD, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: IS MI | A | 6145 | AS | 12-AUG-70 | CR | AS | | |
| | | MIL-C-7078/3 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/1 BASIC WIRES, COPPER SHIELD, NYLON JACKET, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: EA IS MI | A | 6145 | AS | 12-AUG-70 | CR | AS | | |
| | | MIL-C-7078/4 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/2 BASIC WIRES, COPPER SHIELD, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: IS MI | A | 6145 | AS | 12-AUG-70 | CR | AS | | |
| | | MIL-C-7078/5 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/2 BASIC WIRES, COPPER SHIELD, NYLON JACKET, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AR AV REVIEWER: IS MI | A | 6145 | AS | 12-AUG-70 | CR | AS | | |
| | | MIL-C-7078/6 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/3 BASIC WIRES, COPPER SHIELD, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: IS MI | A | 6145 | AS | 12-AUG-70 | CR | AS | | |
| | | MIL-C-7078/7 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/3 BASIC WIRES, COPPER SHIELD, NYLON JACKET, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: IS MI | A | 6145 | AS | 12-AUG-70 | CR | AS | | |
| L | | MIL-C-7078/8 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/11 BASIC WIRES, COPPER SHIELD, POLYIMIDE TAPE JACKET, 600-VOLT, 150 DEGREES C [VALIDATION DATE: 8311] | A | 6145 | AS | 05-AUG-70 | | AS | | |
| L | | MIL-C-7078/9 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/12 BASIC WIRES, COPPER SHIELD, POLYIMIDE TAPE JACKET, 600-VOLT, 150 DEGREES C [VALIDATION DATE: 8311] | A | 6145 | AS | 05-AUG-70 | | AS | | |
| L | | MIL-C-7078/10A | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/13 BASIC WIRES, COPPER SHIELD, POLYIMIDE TAPE JACKET, 600-VOLT, 150 DEGREES C [VALIDATION DATE: 8410] | A | 6145 | AS | 16-JUN-78 | | AS | | |
| L | | MIL-C-7078/11 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/11 BASIC WIRES, COPPER SHIELD, POLYIMIDE TAPE JACKET, 600-VOLT, 200 DEGREES C [VALIDATION DATE: 8311] | A | 6145 | AS | 05-AUG-70 | | AS | | |
| L | | MIL-C-7078/12 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/12 BASIC WIRES, COPPER SHIELDED, POLYIMIDE TAPE JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE: 8311] | A | 6145 | AS | 05-AUG-70 | | AS | | |
| L | | MIL-C-7078/13 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/13 BASIC WIRES, COPPER SHIELD, POLYIMIDE TAPE JACKET, 600-VOLT, 200 DEGREES C [VALIDATION DATE: 8311] | A | 6145 | AS | 05-AUG-70 | | AS | | |
| L | | MIL-C-7078/14 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/14 BASIC WIRES, COPPER SHIELDED, POLYIMIDE TAPE JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE: 8311] | A | 6145 | AS | 05-AUG-70 | | AS | | |
| L | | MIL-C-7078/15 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/11 BASIC WIRES, UNSHIELDED, UNJACKETED 600-VOLT 200 DEGREES C [VALIDATION DATE: 8311] | A | 6145 | AS | 05-AUG-70 | | AS | | |

| Action | Obs. / Obs. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-C-7078/16 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/12 BASIC WIRES, UNSHIELDED, UNJACKETED 600 VOLT, 200 DEG. C [VALIDATION DATE: 8311] | A | 6145 | AS | 05 | AUG-70 | | AS | | |
| L | | MIL-C-7078/17A | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/13 BASIC WIRES, UNSHIELDED, UNJACKETED 600-VOLT, 200 DEGREES C [VALIDATION DATE: 8410] | A | 6145 | AS | 16 | JUN-78 | | AS | | |
| L | | MIL-C-7078/18A | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/14 BASIC WIRES, UNSHIELDED, UNJACKETED 600-VOLT, 200 DEGREES C [VALIDATION DATE: 8410] | A | 6145 | AS | 16 | JUN-78 | | AS | | |
| | | MIL-C-7078/23 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/1 BASIC WIRES, UNSHIELDED, UNJACKETED, 600 VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: 11 AR 1S MI | A | 6145 | AS | 09 | AUG-71 | CR | AS | 85 | |
| | | MIL-C-7078/24 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/2 BASIC WIRES, UNSHIELDED, UNJACKETED, 600-VOLT, 105 DEGREES C [VALIDATION DATE: 8311] USER: AV REVIEWER: 11 1S MI | A | 6145 | AS | 09 | AUG-71 | CR | AS | 85 | |
| | | MIL-C-7078/25 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/3 BASIC WIRES, UNSHIELDED, UNJACKETED, 600 VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: 11 1S MI | A | 6145 | AS | 09 | AUG-71 | CR | AS | 85 | |
| L | | MIL-C-7078/26 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/8 BASIC WIRES, COPPER SHIELD, POLYIMIDE TAPE JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE: 8410] | A | 6145 | AS | 06 | APR-72 | | AS | | |
| L | | MIL-C-7078/27 | CABLE, ELECTRIC, AEROSPACE, MIL-W-81381/8 BASIC WIRES, UNSHIELDED, UNJACKETED 600 VOLT, 200 DEG. C [VALIDATION DATE: 8410] | A | 6145 | AS | 06 | APR-72 | | AS | | |
| L | | MIL-C-7078/28 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/10 BASIC WIRE, COPPER SHIELDED, POLYIMIDE TAPE JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE: 8410] | A | 6145 | AS | 06 | APR-72 | | AS | | |
| L | | MIL-C-7078/29 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/10 BASIC WIRES, UNSHIELDED, UNJACKETED 600 VOLT, 200 DEG. C [VALIDATION DATE: 8410] | A | 6145 | AS | 06 | APR-72 | | AS | | |
| | | MIL-C-7078/30 NOTICE 1 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/12 BASIC WIRES, COPPER SHIELD, FEP JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE: 8709] | A | 6145 | AS | 08 | SEP-87 | | AS | 85 | |
| | | MIL-C-7078/31 NOTICE 1 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/12 BASIC WIRES, UNSHIELDED, UNJACKETED [VALIDATION DATE: 8709] | A | 6145 | AS | 08 | SEP-87 | | AS | 85 | |
| | | MIL-C-7078/32 NOTICE 1 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/23 BASIC WIRES, COPPER SHIELD, FEP JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE: 8709] | A | 6145 | AS | 08 | SEP-87 | | AS | 85 | |
| L | | MIL-C-7078/33 NOTICE 1 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/23 BASIC WIRES, UNSHIELDED, UNJACKETED, 600 VOLT, 260 DEGREES C [VALIDATION DATE: 8709] | A | 6145 | AS | 08 | SEP-87 | | AS | | |
| | | MIL-C-7078/34 NOTICE 1 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/12 BASIC WIRES, COPPER SHIELD, TFE JACKET, 600 VOLT, 260 DEG. C [VALIDATION DATE: 8709] | A | 6145 | AS | 08 | SEP-87 | | AS | 85 | |
| L | | MIL-C-7078/35 NOTICE 1 | CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/23 BASIC WIRES, COPPER SHIELD, TFE JACKET, 600 VOLT, 260 DEGREES C [VALIDATION DATE: 8709] | A | 6145 | AS | 08 | SEP-87 | | AS | | |
| QL | | MIL-C-7079A(1) NOTICE 1 | CIRCUIT BREAKERS, NON TRIP-FREE GENERAL SPECIFICATION FOR [VALIDATION DATE: 8606] REVIEWER: 99 ES | A | 5925 | 85 | 27 | JUN-86 | | | 85 | |
| A | | MIL-E-7080B(4) | ELECTRIC EQUIPMENT, AIRCRAFT, SELECTION AND INSTALLATION OF | A | 16GP | AS | 28 | FEB-92 | AV | AS | 11 | |
| A | I | MIL-T-7081D(5) NOTICE 1 | TUBE, ALUMINUM ALLOY, SEAMLESS, ROUND, DRAWN 6061, AIRCRAFT HYDRAULIC QUALITY USER: OS REVIEWER: 82 84 SH | A | 4710 | 11 | 29 | JAN-93 | AV | AS | 11 | |
| DQ | | MIL-L-7082D(3) | LIGHT, RUNWAY MARKER, ELEVATED, TYPE M-1 [VALIDATION DATE: 8505] USER: AV CE YD1 | A | 6210 | 82 | 04 | AUG-78 | ME | AS | 99 | |
| Q | | MIL-I-7084A(1) | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI REVIEWER: GS MI | A | 6685 | 82 | 15 | FEB-84 | AV | AS | 99 | |
| Q | | MIL-I-7085B(1) | INDICATOR, PRESSURE, MULTIPURPOSE, 0-50 PSI | A | 6620 | 71 | 10 | APR-87 | AV | AS | 99 | |
| Q | | MIL-I-7086B(3) | INDICATOR, PRESSURE, OIL, 0-100 PSI REVIEWER: AV | A | 6620 | 71 | 23 | MAY-86 | | AS | 99 | |
| Q | | MIL-I-7087A(2) | INDICATOR, PRESSURE, OIL, 0-200 PSI REVIEWER: 11 | A | 6620 | 71 | 07 | NOV-86 | AV | AS | 99 | |
| AQ | | MIL-I-7088B | INDICATOR, PRESSURE, FUEL, 0-1,000 PSI | A | 6620 | 71 | 30 | JAN-93 | | AS | 99 | |
| | | MIL-F-7092(2) NOTICE 3 | FITTINGS, CARGO TIEDOWN, AIRCRAFT [VALIDATION DATE: 9109] | A | 1670 | AS | 18 | SEP-91 | AV | AS | | |
| L | | MIL-J-7093A(2) | JATO MARK 6 MOD 1 | A | 1340 | AS | 03 | JUN-82 | | AS | | |
| Q | | MIL-T-7099E SUPPL 1A | TERMINAL, LUG AND SPLICE, CRIMP STYLE ALUMINUM, FOR ALUMINUM AIRCRAFT WIRE [VALIDATION DATE: 8503] REVIEWER: 11 99 AV GS | A | 5940 | AS | 23 | FEB-79 | ER | AS | 85 | |
| Q | | MIL-T-7101A | TRANSMISSION, POWER, CONSTANT SPEED, GENERAL SPECIFICATION (AIRCRAFT USE) [VALIDATION DATE: 8005] | A | 1650 | AS | 20 | NOV-51 | AV | AS | 99 | |
| L | | MIL-T-7101/7 | TRANSMISSION, CONSTANT SPEED, HYDRAULIC 20 KVA, 5-2/E] AIRCRAFT [VALIDATION DATE: 8205] | A | 1650 | AS | 03 | AUG-65 | | AS | | |
| L | | MIL-E-7104D(2) | EJECTOR, RETRO, PNEUMATIC, MARINE MARKER A/A47U-1(*) [VALIDATION DATE: 8212] REVIEWER: GS | A | 1055 | AS | 01 | JUN-66 | | AS | | |
| | | MIL-P-7105B(1) | PIPE THREADS, TAPER, AERONAUTICAL NATIONAL FORM, SYMBOL ANPT, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8104] USER: ME MI REVIEWER: EA | A | 4730 | 99 | 08 | AUG-66 | AR | | 99 | |
| | | MIL-S-7108A(1) | STEEL, ALLOY (MAGANESE-SILICON-NICKEL), BARS AND FORGING STOCK (AIRCRAFT QUALITY) (ASG) [VALIDATION DATE: 8508] REVIEWER: 1S | A | 9510 | AS | 30 | AUG-56 | | AS | 11 | |
| Q | | MIL-I-7112B NOTICE 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD, 0 DEG. C TO 300 DEG. C [VALIDATION DATE: 8911] USER: ME REVIEWER: GS | A | 6685 | 82 | 13 | NOV-89 | | AS | 99 | |
| AQ | | MIL-C-7115F | CONVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: 80 | A | 6130 | AS | 18 | SEP-92 | ER | AS | 99 | GS |
| L | | DOD-C-7115/1 | CONVERTER, 100 AMPERE, AIRCRAFT, CLASS B, REGULATED, FAN COOLED [VALIDATION DATE: 834] | A | 6130 | AS | 24 | MAY-77 | | AS | | |
| L | | MIL-C-7115/2A | CONVERTER, 200 AMPERE, AIRCRAFT, CLASS B, FAN COOLED | A | 6130 | AS | 15 | AUG-86 | | AS | | |
| L | | MIL-C-7115/3B | CONVERTER, AIRCRAFT, 150 AMPERE TYPE 11, BLAST COOLED, CLASS C | A | 6130 | AS | 26 | AUG-91 | | AS | | |
| Q | | MIL-S-7124B NOTICE 1 | SEALING COMPOUND, POLYSULFIDE, ACCELERATOR REQUIRED, FOR AIRCRAFT STRUCTURES [VALIDATION DATE: 9110] USER: OS REVIEWER: 11 AT AV MI | A | 8030 | AS | 24 | OCT-91 | MR | AS | 99 | |
| | | MIL-E-7125A NOTICE 1 | ETHYLENE GLYCOL MONOETHYL ETHER ACETATE, TECHNICAL [VALIDATION DATE: 8903] USER: AR REVIEWER: AS GS MD | A | 6810 | EA | 08 | MAR-89 | EA | | 68 | |
| L | | MIL-C-7135F NOTICE 1 | COMPRESSOR, PNEUMATIC, 3,000 PSI -- 2 SCFM AERO 2A (*), AERO 2A-1 (*), AERO 2B (*), AND AERO 2B-1 (*) [VALIDATION DATE: 8708] | A | 4310 | AS | 05 | SEP-67 | | AS | | |
| D | | MIL-L-7158E NOTICE 1 | LIGHT, BEACON, ROTATING, 24 INCH [VALIDATION DATE: 9101] USER: YD1 REVIEWER: GS | A | 6210 | 82 | 15 | JAN-91 | | AS | 99 | |
| M | | MIL-I-7171D | INSULATION BLANKET, THERMAL-ACOUSTICAL REVIEWER: 11 | A | 5640 | AS | 23 | APR-93 | AV | AS | 99 | |
| L | | MIL-R-7172 | REEL, TOW-TARGET, 12,000-FOOT CABLE CAPACITY, AIRBORNE [VALIDATION DATE: 8409] | A | 1680 | AS | 20 | MAR-51 | | AS | | |
| M | | MIL-F-7179G | FINISHES, COATINGS, AND SEALANTS FOR THE PROTECTION OF AEROSPACE WEAPONS SYSTEMS REVIEWER: 19 84 99 AR AV CG ME MI | A | NFFP | AS | 14 | APR-93 | MR | AS | 11 | |
| | | MIL-I-7186(1) | INDICATOR, TACHOMETER, ELECTRIC, SENSITIVE, TYPE E-30 [VALIDATION DATE: 8102] REVIEWER: GS | A | 6680 | AS | 09 | AUG-55 | | AS | 99 | |
| L | | MIL-C-7188 NOTICE 2 | COMPASSES, PILOT'S STANDBY, INSTALLATION OF [VALIDATION DATE: 9110] | A | 6605 | AS | 09 | OCT-91 | | AS | | |
| | | MIL-F-7190B(1) | FORGING, STEEL, FOR AIRCRAFT/AEROSPACE EQUIPMENT AND SPECIAL ORDNANCE APPLICATIONS USER: MR REVIEWER: OS | A | FORG | 11 | 29 | AUG-88 | AL | AS | 11 | |
| L | | MIL-F-7194C | FILTER, RECIPROCATING ENGINE, INDUCTION AIR, AIRCRAFT | A | 2945 | AV | 29 | JUL-81 | AV | | | |
| | | MIL-H-7195G | HARDWARE, PARACHUTE, GENERAL SPECIFICATION FOR | A | 1670 | 82 | 07 | OCT-91 | GL | AS | 99 | |
| | | MIL-H-7199A(2) NOTICE 1 | HEAT TREATMENT OF WROUGHT COPPER-BERYLLIUM ALLOYS, PROCESS FOR (COPPER ALLOYS: NUMBERS C17000, C17200, C17300, C17500, AND C17510) [VALIDATION DATE: 9011] REVIEWER: AR AV EA ER MI | A | 9535 | AS | 15 | NOV-90 | MR | AS | 11 | |
| L | | MIL-P-7204B(1) | POWER SUPPLY, 28 VOLT, TYPE B-9 REVIEWER: GS | A | 6130 | 80 | 24 | JAN-79 | | | 99 | |
| A | | MIL-C-7219F(2) | CLOTH, DUCK, NYLON USER: 45 REVIEWER: 82 AR MD MI | A | 8305 | CT | 02 | APR-90 | GL | AS | 99 | CT |
| L | | MIL-C-7219F(13) | CLOTH, DUCK, NYLON | A | 8305 | GL | 04 | MAR-91 | GL | | | |
| A | | MIL-T-7249B(1) NOTICE 1 | TARPAULIN, LIGHT WEIGHT [VALIDATION DATE: 8911] | A | 8340 | CT | 08 | NOV-89 | GL | | 99 | CT |
| | | MIL-P-7254F(2) | PROPELLANT, NITRIC ACID [VALIDATION DATE: 8512] REVIEWER: 12 19 EA OS TE | A | 9135 | 68 | 18 | JAN-72 | MI | AS | 68 | |
| | | MIL-M-7255B(1) NOTICE 1 | MANOMETER, PRESSURE, DIFFERENTIAL AND ABSOLUTE, TYPE E-1 [VALIDATION DATE: 8911] REVIEWER: GS | A | 6685 | 82 | 13 | NOV-89 | | AS | 99 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-T-7258B NOTICE 1 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, TYPE B-4 [VALIDATION DATE: 8911] REVIEWER: GS | A | 6685 | 82 | 13-NOV-89 | | | 99 | | |
| L | MIL-R-7276C(1) | RECEIVING SET, RADIO AN/APN-70B [VALIDATION DATE: 8112] | A | 5826 | 13 | 14-MAR-69 | | | 13 | | |
| | MIL-N-7284D | NOZZLE, OIL SERVICING, PISTOL GRIP NONDRIP, TYPE A-2B REVIEWER: CS | A | 4930 | 82 | 11-FEB-85 | | AS | 99 | | |
| L | MIL-A-7292A(1) NOTICE 1 | ANTENNA AT&1908-AP [VALIDATION DATE: 8701] REVIEWER: 99 ES | A | 5985 | 85 | 30-JAN-87 | | | 85 | | |
| | MIL-M-7298D | MANUALS, COMMERCIAL OFF-THE-SHELF USER: 11 13 15 19 IP REVIEWER: AS AT AV CR CT EC GS MC ME MI SH TD | A | TMSS | TM | 01-FEB-88 | TM | OS | 16 | | CS |
| | MIL-L-7312E | LUBRICATING UNIT, POWER-OPERATED, ELECTRIC, PORTABLE USER: MC REVIEWER: CS | A | 4930 | ME | 12-DEC-84 | ME | AS | 99 | | |
| | MIL-F-7326G(1) | FLASHLIGHTS, PENLIGHT STYLE REVIEWER: GS | A | 6230 | 82 | 15-MAY-90 | AV | AS | 99 | | |
| | MIL-W-7327C | WEIGHING KIT, ELECTRONIC, AIRCRAFT AND MISSILE A/S 37M-1 AND A/S 37M-2 [VALIDATION DATE: 8503] USER: GL REVIEWER: GS | A | 6670 | AV | 19-DEC-68 | AV | | 99 | | |
| A | MIL-C-7350G | CLOTH, PARACHUTE, NYLON REVIEWER: 11 AV DP | A | 8305 | CT | 17-APR-92 | GL | AS | 99 | | CT |
| | MIL-R-7362D(4) NOTICE 1 | RUBBER, SYNTHETIC, SOLID, SHEET, STRIP AND FABRICATED PARTS, SYNTHETIC OIL RESISTANT REVIEWER: 99 AR IS MI | A | 5330 | 11 | 04-APR-91 | MR | AS | 11 | | |
| | MIL-H-7365D | HOSE, AIR DUCT, FOR GROUND HEATERS USER: GL ME REVIEWER: AT CS MD | A | 4720 | 82 | 24-MAR-86 | | MC | 99 | | |
| L | MIL-B-7370B(1) | BULB, TEMPERATURE, THERMORESISTOR, -70 DEG. TO PLUS 150 DEG. C, TYPE G-1 [VALIDATION DATE: 8509] REVIEWER: AV ER GS | A | 6685 | AS | 12-AUG-74 | | AS | | | |
| | MIL-S-7393C NOTICE 1 | STEEL ALLOY CARBURIZING, BARS AND BILLETS, STEEL NICKEL-CHROMIUM (3310, 3316 AND 9310), AIRCRAFT QUALITY [VALIDATION DATE: 8803] USER: AR REVIEWER: 99 MI MR | A | 9510 | 11 | 04-MAR-88 | AV | AS | 11 | | |
| | MIL-M-7404D(3) NOTICE 1 | MAINTENANCE PLATFORM, AIRCRAFT, ADJUSTABLE, 3 TO 7 FEET, TYPE B-4A [VALIDATION DATE: 9005] REVIEWER: AV | A | 1730 | 82 | 09-MAY-90 | | AS | 99 | | |
| L | MIL-M-7405D | MAINTENANCE PLATFORM, AIRCRAFT, TYPE B&SA | A | 1730 | 82 | 18-MAR-86 | | | 99 | | |
| | MIL-C-7407F(5) NOTICE 5 | CONVERTER, LIQUID TO GASEOUS OXYGEN, AIRCRAFT TYPE A 3 [VALIDATION DATE: 8702] | A | 1660 | 71 | 13-FEB-87 | | | | | |
| | MIL-C-7413B(1) | COUPLING, QUICK DISCONNECT, AUTOMATIC SHUTOFF, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8505] REVIEWER: AV CS MI | A | 4730 | 82 | 16-MAY-73 | ME | AS | 99 | | |
| L | MIL-F-7417 | FIXED GUN AND ROCKET INSTALLATIONS, ENGINEERING TEST OF [VALIDATION DATE: 7411] REVIEWER: 11 | A | 13GP | 18 | 22-JUL-52 | | | 18 | | |
| | MIL-S-7420B NOTICE 1 | STEEL BARS, ALLOY, CHROMIUM, HIGH CARBON E52100 (AIRCRAFT QUALITY) [VALIDATION DATE: 8901] REVIEWER: IS MI | A | 9510 | 11 | 20-JAN-89 | MR | AS | 11 | | |
| A | MIL-C-7438G(1) | CORE MATERIAL, ALUMINUM, FOR SANDWICH CONSTRUCTION USER: AV OS REVIEWER: 99 MI MR | A | 5680 | AS | 26-FEB-86 | ME | AS | 11 | | |
| | MIL-I-7444D(2) NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE REVIEWER: 80 85 99 SH | A | 5970 | 11 | 26-MAY-89 | ER | AS | 11 | | |
| A | MIL-J-7448K | JACKET, FLYERS, MAN, LIGHT ZONE L-2B [VALIDATION DATE: 8510] USER: 45 REVIEWER: 11 | A | 8405 | CT | 15-FEB-79 | GL | | 99 | | CT |
| L | MIL-S-7470A NOTICE 1 | SHAFT, POWER TRANSMISSION, AIRCRAFT ACCESSORY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8808] | A | 1680 | 82 | 10-AUG-88 | | | 82 | | |
| DQ | MIL-C-7474E NOTICE 1 | CASTER, INDUSTRIAL [VALIDATION DATE: 8910] USER: AT AV MC ME SA YD1 REVIEWER: GL IS MI | A | 5340 | 82 | 31-OCT-89 | AR | AS | 99 | | |
| L | MIL-T-7477C(4) NOTICE 1 | TRANSMITTER, RATE OF FLOW, FUEL, SYNCHRO, TYPE J-7, INDIVIDUAL AND TOTALIZING | A | 6620 | 71 | 06-OCT-86 | | | 99 | | |
| L | MIL-C-7488A(2) | COOLER, LUBRICATING OIL, AIRCRAFT ENGINE, PLATE | A | 2935 | 71 | 17-OCT-86 | | | 99 | | |
| Q | MIL-M-7507B(4) | MACHMETER, PITOT STATIC, RANGE .3 TO 1.0, TYPE A-1 REVIEWER: MI | A | 6610 | 71 | 31-MAR-89 | | AS | 99 | | |
| L | MIL-N-7513F(1) NOTICE 1 | NOMENCLATURE ASSIGNMENT, CONTRACTORS METHOD FOR OBTAINING [VALIDATION DATE: 8802] REVIEWER: 99 MI | A | MISC | 11 | 26-FEB-88 | | | 11 | | |
| | MIL-C-7515F | CORD, NYLON, CORELESS USER: MC OS REVIEWER: 82 DS IS MD | A | 4020 | GL | 27-JUN-88 | GL | AS | 99 | | |
| D | MIL-B-7525B(2) | BRACKET AND RECEPTACLE, HOT CUP, AIRBORNE USER: YD1 REVIEWER: GS | A | 7310 | 84 | 24-FEB-86 | GL | AS | 99 | | |
| M | MIL-C-7554F | CONTAINER KITS, AIRDROP USER: MC REVIEWER: 11 82 AV | A | 1670 | GL | 19-MAY-93 | GL | | 99 | | |
| Q | MIL-V-7560C | VALVE ASSEMBLIES, OXYGEN CYLINDER, BAILOUT REVIEWER: 11 CS | A | 4820 | 71 | 23-JAN-91 | AV | AS | 99 | | |
| L | MIL-I-7566C(2) | INDICATOR SYSTEM, FUEL FLOWMETER, GENERAL SPECIFICATION FOR | A | 6620 | 71 | 23-MAY-86 | | | 99 | | |
| | MIL-P-7567B NOTICE 1 | PARACHUTES, PERSONNEL, DETAIL MANUFACTURING INSTRUCTIONS FOR [VALIDATION DATE: 8911] REVIEWER: 11 AV | A | 1670 | 82 | 13-NOV-89 | | AS | 99 | | |
| L | MIL-L-7569A(1) | LIGHT, SIGNAL, HAND HELD, AIRCRAFT, TYPE MA-1 [VALIDATION DATE: 8510] | A | 5850 | 71 | 24-SEP-70 | | | 71 | | |
| L | MIL-L-7569A(13) | LIGHT, SIGNAL, HAND HELD, AIRCRAFT, TYPE MA-1 [VALIDATION DATE: 8510] | A | 5850 | 99 | 23-MAY-79 | | | 99 | | |
| | MIL-R-7575C(2) NOTICE 1 | RESIN, POLYESTER, LOW-PRESSURE LAMINATING [VALIDATION DATE: 9110] REVIEWER: EA GS MI SH | A | 9330 | AS | 24-OCT-91 | ER | AS | 11 | | |
| L | MIL-D-7579(1) | DATA, DEVELOPMENT AIRPLANE ENGINEERING | A | EDS | 16 | 26-NOV-52 | | | 16 | | |
| | MIL-C-7580C | COUPLING, FIRE HOSE, REUSABLE, HIGH PRESSURE REVIEWER: CS | A | 4210 | 84 | 06-MAR-89 | | AS | 99 | | |
| Q | MIL-G-7601B | GAGE, EMERGENCY OXYGEN, TYPE L-2 REVIEWER: GS | A | 6685 | 82 | 15-NOV-82 | | AS | 99 | | |
| Q | MIL-R-7605E(1) | REGULATOR, OXYGEN, DEMAND, PRESSURE BREATHING, TYPE A-21 REVIEWER: 11 | A | 1660 | 71 | 19-DEC-86 | AV | AS | 99 | | |
| L | MIL-T-7610A(2) | TEST STAND, HYDRAULIC SYSTEM, ELECTRIC MOTOR DRIVEN, TYPE D-6A [VALIDATION DATE: 8502] | A | 4920 | 99 | 02-MAR-60 | | | 99 | | |
| L | MIL-T-7612D | TEST STAND, HYDRAULIC SYSTEM, GASOLINE ENGINE DRIVEN, TYPE D-5D | A | 4920 | AV | 22-JUL-85 | AV | | | | |
| L | MIL-B-7619A | BLOWER, EXHAUST, ELECTRIC MOTOR DRIVEN, EXPLOSION PROOF, TYPE MA-1 | A | 4140 | 82 | 27-DEC-82 | | | 99 | | |
| | MIL-P-7620C | PARACHUTES AND COMPONENTS, CARGO, EXTRACTION AND DECELERATION, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8904] REVIEWER: AV MC MD | A | 1670 | GL | 22-APR-89 | GL | AS | | | |
| | MIL-I-7627E(1) | INDICATOR, TURN AND SLIP, 28V DC | A | 6610 | 71 | 06-OCT-86 | AV | AS | 99 | | |
| L | MIL-R-7649A NOTICE 1 | RELAY, ARMATURE, EXCITER-CONTROL, 115/200 VOLT, 3-PHASE 4-WIRE 400 CYCLE, TYPE M-1 [VALIDATION DATE: 7701] USER: 17 MC REVIEWER: 99 AS ES MI | A | 5945 | 85 | 21-MAY-53 | | | 85 | | |
| L | MIL-M-7700D | MANUALS, FLIGHT REVIEWER: 01 10 99 GS | A | TMSS | 11 | 14-FEB-90 | | | 11 | | |
| L | MIL-M-0077008(1) | MANUAL, FLIGHT [VALIDATION DATE: 8205] REVIEWER: 10 16 70 71 80 | A | TMSS | 11 | 01-AUG-74 | | | 11 | | |
| Q | MIL-G-7703D SUPPL 1A, NOTICE 1 | GUARD, SWITCH GENERAL SPECIFICATION FOR [VALIDATION DATE: 8809] REVIEWER: 99 | A | 5930 | 85 | 30-SEP-88 | ER | AS | 85 | | |
| | MIL-R-7705B NOTICE 1 | RADOME, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8802] | A | 5840 | 11 | 26-FEB-88 | AV | AS | 11 | | |
| L | MIL-C-7712A | COMPRESSOR, AIR, GAS TURBINE TYPE GENERAL SPECIFICATION FOR [VALIDATION DATE: 8205] | A | 2835 | AS | 13-NOV-52 | | AS | | | |
| | MIL-D-7713 NOTICE 1 | DRIFT METER, TYPE B-5 [VALIDATION DATE: 9110] | A | 6605 | AS | 09-OCT-91 | AV | AS | | | |
| | MIL-S-7720A(2) | STEEL, CORROSION,RESISTANT (18-8) BARS, WIRE AND FORGING STOCK (AIRCRAFT QUALITY) [VALIDATION DATE: 8004] USER: ME SH REVIEWER: 85 99 EA MI | A | 9510 | AS | 26-JUL-74 | MR | AS | 11 | | |
| A | MIL-I-7721D | INDICATOR, VERTICAL SPEED, 3-INCH | A | 6610 | 71 | 16-NOV-92 | AV | AS | 99 | | |
| Q | MIL-I-7723B(2) | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO PLUS 150 DEG. C, DUAL [VALIDATION DATE: 8103] USER: CG MC REVIEWER: GS | A | 6685 | AS | 30-DEC-71 | AV | AS | 99 | | |
| Q | MIL-R-7720H SUPPL 1A | REPAIR AND REBUILDING OF USED AIRCRAFT PNEUMATIC TIRES REVIEWER: 11 | A | 2620 | 70 | 02-FEB-90 | | AS | 99 | | |
| Q | MIL-G-7734C | GAGE, PRESSURE, ENGINE AND UTILITY AIRCRAFT REVIEWER: GS MC | A | 6685 | AS | 16-NOV-81 | AV | AS | 99 | | |
| A S | MIL-S-7742D(1) | SCREW THREADS, STANDARD, OPTIMUM SELECTED SERIES: GENERAL SPECIFICATION FOR USER: AT ME REVIEWER: AV IS MI SH | A | THDS | 11 | 02-SEP-92 | AR | AS | 11 | | |
| L | MIL-S-007742C | SCREW THREADS, STANDARD, OPTIMUM SELECTED SERIES | A | THDS | 11 | 29-JUL-88 | | | | | |
| A | MIL-T-7743F | TESTING, STORE SUSPENSION AND RELEASE EQUIPMENT, GENERAL SPECIFICATION FOR | A | 6635 | AS | 30-APR-93 | | AS | 1B | | |
| A | MIL-G-7746C(1) NOTICE 1 | GLOVES, INSERTS, FLYER'S [VALIDATION DATE: 8911] REVIEWER: 11 45 | A | 8415 | CT | 08-NOV-89 | | AS | 99 | | CT |
| | MIL-T-7748E(2) | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT 320 DEGREE MOVEMENT, HIGH TEMPERATURE (177 DEGREE C.), GENERAL PURPOSE [VALIDATION DATE: 8509] USER: CG | A | 6620 | AS | 29-NOV-78 | AV | AS | 99 | | |
| | MIL-I-7749A(1) | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO PLUS 150 DEG. C, SINGLE [VALIDATION DATE: 8403] REVIEWER: GS | A | 6685 | AS | 12-JAN-62 | | AS | | | |
| | MIL-M-7750B(1) NOTICE 1 | HOUSING, PARACHUTE RIPCORD [VALIDATION DATE: 9203] USER: MC MD REVIEWER: 11 82 AV | A | 1670 | GL | 27-MAR-92 | GL | AS | 99 | | |
| | MIL-M-7752A(2) | METAL CLEANER SILICATE-SOAP [VALIDATION DATE: 8312] REVIEWER: GS MR | A | 6850 | AS | 30-SEP-66 | | AS | | | |

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-L-7768B(1) | LIGHT, DESK, AIRCRAFT REVIEWER: GS | A | 6230 | AS | | 27-SEP-82 | | AS | 99 | |
| | L | MIL-L-7768/1 | LIGHT, DESK, AIRCRAFT [VALIDATION DATE: 8410] REVIEWER: GS | A | 6230 | AS | | 23-MAR-73 | | AS | | |
| | Q | MIL-S-7780B(3) | STARTER, ELECTRIC, CONSTANT CURRENT, DC [VALIDATION DATE: 8106] REVIEWER: CS MI | A | 2990 | AS | | 02-MAY-60 | AV | AS | 99 | |
| | I | MIL-N-7786C(2) NOTICE 2 | NICKEL-CHROMIUM ALLOY, SHEET AND STRIP, AGE-HARDENABLE ANNEALED USER: AT MI REVIEWER: 99 AR | A | 9535 | 11 | | 06-APR-91 | MR | AS | 11 | |
| | AQ | MIL-P-7788F | PANELS, INFORMATION, INTEGRALLY ILLUMINATED REVIEWER: 99 MC MI SH | A | 6220 | AS | | 16-NOV-92 | AV | AS | 11 | |
| | Q | MIL-R-7790(1) NOTICE 1 | RESISTOR, THERMOCOUPLE LEAD SPOOL [VALIDATION DATE: 8702] REVIEWER: 99 | A | 5905 | 85 | | 27-DEC-57 | ER | AS | 85 | |
| | Q | MIL-M-7793F SUPPL 1B | METER, TIME TOTALIZING REVIEWER: ER ME MI | A | 6645 | AS | | 15-SEP-88 | AR | AS | 99 | |
| | | MIL-M-7793/1A NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC, SQUARE [VALIDATION DATE: 9110] | A | 6645 | AS | | 09-OCT-91 | AR | AS | 99 | |
| | | MIL-M-7793/2A NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC, ROUND [VALIDATION DATE: 9110] | A | 6645 | AS | | 09-OCT-91 | AR | AS | 99 | |
| | | MIL-M-7793/3A | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ, SQUARE | A | 6645 | AS | | 15-SEP-88 | AR | AS | 99 | |
| | | MIL-M-7793/4A NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V AC, ROUND [VALIDATION DATE: 9110] | A | 6645 | AS | | 09-OCT-91 | AR | AS | 99 | |
| | | MIL-M-7793/5A NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC [VALIDATION DATE: 9110] | A | 6645 | AS | | 09-OCT-91 | AR | AS | 99 | |
| | | MIL-M-7793/6A NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 400 HZ [VALIDATION DATE: 9110] | A | 6645 | AS | | 09-OCT-91 | AR | AS | 99 | |
| | | MIL-M-7793/7A NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ [VALIDATION DATE: 9110] | A | 6645 | AS | | 09-OCT-91 | AR | AS | 99 | |
| | | MIL-M-7793/8A NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 OR 400 HZ [VALIDATION DATE: 9110] | A | 6645 | AS | | 09-OCT-91 | AR | AS | 99 | |
| | | MIL-M-7793/9A NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 400 HZ [VALIDATION DATE: 9110] | A | 6645 | AS | | 09-OCT-91 | AR | AS | 99 | |
| | | MIL-M-7793/10A | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ | A | 6645 | AS | | 15-SEP-88 | AR | AS | 99 | |
| | | MIL-M-7793/11 NOTICE 1 | METER, TIME TOTALIZING, DIGITAL, 20 TO 130 VOLTS, DC OR AC TO 500 HZ [VALIDATION DATE: 9110] | A | 6645 | AS | | 09-OCT-91 | AR | AS | 99 | |
| | | MIL-M-7793/12 NOTICE 1 | METER, READER FOR SOLID STATE ELAPSED TIME INDICATORS BATTERY OPERATED, PORTABLE, HAND-HELD [VALIDATION DATE: 9110] USER: OS SH | A | 6645 | AS | | 09-OCT-91 | | AS | 99 | |
| | | MIL-M-7793/13 NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 5 VDC, PRINTED CIRCUIT MOUNT [VALIDATION DATE: 9110] USER: OS SH REVIEWER: MI | A | 6645 | AS | | 09-OCT-91 | | AS | 99 | |
| | | MIL-M-7793/14 NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 VDC OR 26 VAC, 50 TO 2400 HZ, SQUARE [VALIDATION DATE: 9110] USER: OS SH REVIEWER: MI | A | 6645 | AS | | 15-OCT-91 | | AS | 99 | |
| | | MIL-M-7793/15 NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 VAC, 50 TO 2400 HZ, SQUARE [VALIDATION DATE: 9110] USER: OS SH REVIEWER: MI | A | 6645 | AS | | 15-OCT-91 | | AS | 99 | |
| | | MIL-M-7793/16 NOTICE 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 5 VDC, SQUARE [VALIDATION DATE: 9110] USER: OS SH REVIEWER: MI | A | 6645 | AS | | 15-OCT-91 | | AS | 99 | |
| | L | MIL-I-7802A | INDICATOR, MS28088, TURN AND SLIP (THREE PHASE) [VALIDATION DATE: 8509] | A | 6610 | AS | | 14-JAN-67 | | AS | | |
| | | MIL-S-7804(1) NOTICE 1 | SHACKLE, BOMB, MARK 8 MOD 2, MARK 8, MOD 3,MARK 8, MOD 4 (INACTIVE) [VALIDATION DATE: 8408] | A | 1095 | AS | | 10-OCT-70 | AR | AS | | |
| | AQ I | MIL-L-7806A(1) NOTICE 1 | LIGHT, PANEL, PLASTIC PLATE, LIGHTING USER: AT REVIEWER: GS MI | A | 6210 | AS | | 25-SEP-92 | ME | AS | 99 | |
| | Q | MIL-L-7808J NOTICE 1 | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE, N.ATO CODE NUMBER O-148 [VALIDATION DATE: 8802] USER: SH REVIEWER: 68 AV MI | A | 9150 | 11 | | 26-FEB-88 | ME | AS | 11 | |
| | I | MIL-G-7818(1) NOTICE 2 | GAGE, FUEL QUANTITY, CAPACITOR TYPE, COMPENSATED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8410] USER: AT REVIEWER: GS | A | 6680 | AS | | 15-JUN-71 | AV | AS | | |
| | | MIL-D-7822 | DRAWINGS, FOR STANDARD AIRCRAFT CHARACTERISTICS AND PERFORMANCE CHARTS, PILOTED AIRCRAFT [VALIDATION DATE: 8404] REVIEWER: 99 | A | 7650 | AS | | 16-NOV-51 | | AS | 11 | |
| | A L | MIL-J-7823E(3) | JACKETS, FLYERS INTERMEDIATE, TYPE G-1 | A | 8415 | CT | | 18-OCT-84 | | NU | | CT |
| | D | MIL-L-7830D | LIGHT ASSEMBLY, MARKER, AIRCRAFT OBSTRUCITION USER: YD1 REVIEWER: 11 GS | A | 6210 | 82 | | 15-SEP-83 | ME | AS | 99 | |
| | Q | MIL-B-7838C | BOLT, INTERNAL WRENCHING, 160 KSI FTU REVIEWER: ER IS MI | A | 5306 | AS | | 01-MAR-89 | AV | AS | 99 | |
| | A I | MIL-S-7839B(3) NOTICE 1 | SCREW, STRUCTURAL, AIRCRAFT [VALIDATION DATE: 9207] USER: IS REVIEWER: AR MI | A | 5305 | 82 | | 31-JUL-92 | AV | AS | 99 | |
| | | MIL-S-7852B(2) | SEAT, AIRCREW, ADJUSTABLE, SWIVEL, TYPE E&I REVIEWER: 11 | A | 1680 | 82 | | 05-SEP-78 | AV | AS | 99 | |
| | Q | MIL-P-7858(2) | PUMP, HYDRAULIC, POWER DRIVEN, FIXED DISPLACEMENT [VALIDATION DATE: 7702] REVIEWER: MI | A | 4320 | AR | | 17-APR-56 | AV | AS | | |
| | | MIL-M-7866C(1) NOTICE 1 | MOLYBDENUM DISULFIDE, TECHNICAL, LUBRICATION GRADE [VALIDATION DATE: 9110] USER: ME REVIEWER: EA GS MI | A | 6810 | AS | | 24-OCT-91 | AR | AS | 68 | |
| | AQ | MIL-L-7870B | LUBRICATING OIL: GENERAL PURPOSE, LOW TEMPERATURE USER: OS SH REVIEWER: 68 AR GS MI SA SM | A | 9150 | 11 | | 24-JUL-92 | ME | AS | 11 | |
| | L | MIL-R-7871A | ROPE, EXTRA-HIGH-STRENGTH WIRE, 6 BY 19 WIDTH 7 BY 7 INDEPENDENT WIRE ROPE CENTER (FOR AIRCRAFT LAUNCHING AND RELATED APPLICATIONS) | A | 4010 | AS | | 03-JUL-91 | | AS | | |
| | | MIL-F-7872C(1) NOTICE 1 | FIRE AND OVERHEAT WARNING SYSTEMS, CONTINUOUS, AIRCRAFT, TEST AND INSTALLATION OF [VALIDATION DATE: 8709] REVIEWER: 99 MI | A | 6340 | AS | | 30-SEP-87 | AV | AS | 11 | |
| | Q | MIL-N-7873A(1) | NUT, SELF LOCKING, 1200 DEG. F [VALIDATION DATE: 8310] REVIEWER: AR IS MI | A | 5310 | AS | | 05-FEB-71 | AV | AS | 11 | |
| | Q | MIL-B-7874B SUPPL 1B | BOLT, MACHINE, 1200 DEG. F REVIEWER: IS MI | A | 5306 | AS | | 03-DEC-82 | AV | AS | 99 | |
| | | MIL-S-7877B | SEAT, PASSENGER, CABIN FOLDING [VALIDATION DATE: 8410] REVIEWER: 11 | A | 1680 | AS | | 20-AUG-56 | AV | AS | 99 | |
| | L | MIL-A-7879A NOTICE 2 | ANTENNA AT-141A/ARC [VALIDATION DATE: 8203] REVIEWER: 85 ES | A | 5985 | AS | | 01-SEP-54 | | AS | | |
| | | MIL-B-7883B | BRAZING OF STEELS, COPPER, COPPER ALLOYS, NICKEL ALLOYS, ALUMINUM AND ALUMINUM ALLOYS USER: CG REVIEWER: 99 AR AV EA ME MI OS | A | THJM | AS | | 30-JUL-86 | MR | AS | 11 | |
| | L | MIL-B-007883C | BRAZING OF STEELS, COPPER, COPPER ALLOYS, NICKEL ALLOYS, ALUMINUM & ALUMINUM ALLOYS | A | THJM | AS | | 30-JUL-86 | | AS | | |
| | Q | MIL-R-7885D SUPPL 1B | RIVETS, BLIND, STRUCTURAL, MECHANICALLY LOCKED SPINDLE AND FRICTION LOCKED SPINDLE, GENERAL SPECIFICATION FOR USER: MC REVIEWER: AV IS MI | A | 5320 | AS | | 18-APR-88 | AR | AS | 99 | |
| | | MIL-R-7885/2C | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED ALLOY STEEL SPINDLE (TYPE I, STYLE A, CLASS 1) USER: MC REVIEWER: 82 AV IS | A | 5320 | AS | | 18-APR-88 | AR | AS | 99 | |
| | | MIL-R-7885/3C | RIVETS, BLIND, STRUCTURAL, 100 DEG, FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED ALLOY STEEL SPINDLE (TYPE I, STYLE A, CLASS 2) USER: MC REVIEWER: 82 AV IS | A | 5320 | AS | | 18-APR-88 | AR | AS | 99 | |
| | | MIL-R-7885/4C | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE (TYPE I, STYLE A, CLASS 1) USER: MC REVIEWER: 82 AV IS | A | 5320 | AS | | 18-APR-88 | AR | AS | 99 | |
| | | MIL-R-7885/5C | RIVETS, BLIND, STRUCTURAL, 100 DEG, FLUSH HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE (TYPE I, STYLE A, CLASS 2) USER: MC REVIEWER: 82 AV IS | A | 5320 | AS | | 18-APR-88 | AR | AS | 99 | |
| | | MIL-R-7885/6C | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) USER: MC REVIEWER: 82 AV IS | A | 5320 | AS | | 18-APR-88 | AR | AS | 99 | |
| | | MIL-R-7885/7C | RIVETS, BLIND, STRUCTURAL, 100 DEG, FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B,CLASS 2) | A | 5320 | AS | | 30-AUG-85 | | | | |
| | | MIL-R-7885/8B | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) USER: MC REVIEWER: 82 AV IS | A | 5320 | AS | | 14-APR-88 | AR | AS | 99 | |
| | | MIL-R-7885/9B | RIVETS, BLIND, STRUCTURAL, 100 DEG, FLUSH HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 2) USER: MC REVIEWER: 82 AV IS | A | 5320 | AS | | 18-APR-88 | AR | AS | 99 | |

| Action | Doc / Chkt Coordination Inactive | Document Number | Document Title | Dist Stmt | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-R-7885/10 | RIVET, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, MULTI-GRIP, MECHANICALLY LOCKED (TYPE 1, STYLE A, CLASS 1) REVIEWER: AT | A 5320 | AR | 29-SEP-89 | AR | | | |
| Q | | MIL-S-7886(1) | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, GENERAL SPECIFICATION FOR REVIEWER: 82 | A 2925 | AS | 11-JAN-84 | AV | AS | 99 | |
| QL | | MIL-S-7886/5 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL T28/R1820A [VALIDATION DATE: 8107] | A 2925 | AS | 10-OCT-63 | | AS | | |
| QL | | MIL-S-7886/6A(1) | SPARK PLUG, SHIELDED AIRCRAFT RECIPROCATING ENGINE, MODEL R1820-82B/C ..... | A 2925 | AS | 27-SEP-85 | | AS | | |
| QL | | MIL-S-7886/9A | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL R1820-76B/D [VALIDATION DATE: 8106] | A 2925 | AS | 20-MAR-73 | | AS | | |
| QL | | MIL-S-7886/11 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL C/R2800A [VALIDATION DATE: 8106] | A 2925 | AS | 30-JAN-64 | | AS | | |
| QL | | MIL-S-7886/20 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL T34/0470A [VALIDATION DATE: 8106] | A 2925 | AS | 04-MAY-64 | | AS | | |
| QL | | MIL-S-7886/28 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL R1820-76A/C [VALIDATION DATE: 8106] | A 2925 | AS | 20-MAR-73 | | AS | | |
| L | | MIL-S-7886/29 | SPARK PLUG, SHIELDED, FINE WIRE IRIDIUM ELECTRODE, TYPE 1, 2, 3, 4, FOR AIRCRAFT RECIPROCATING ENGINES | A 2925 | AV | 12-SEP-83 | AV | | | |
| L | NOTICE 1 | MIL-S-7886/501C | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, DETAILED SPECIFICATION FOR [VALIDATION DATE: 8911] | A 2925 | 82 | 10-NOV-89 | | | 99 | |
| L | NOTICE 1 | MIL-S-7886/503C | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATION FOR [VALIDATION DATE: 8911] | A 2925 | 82 | 10-NOV-89 | | | 99 | |
| QL | | MIL-S-7886/1002B | SPARK PLUG, SHIELDED, FINE WIRE PLATINUM ELECTRODE, TYPE 1 FOR AIRCRAFT RECIPROCATING ENGINES [VALIDATION DATE: 8302] | A 2925 | AV | 14-OCT-75 | AV | | | |
| QL | | MIL-S-7886/1004B | SPARK PLUG, SHIELDED, FINE WIRE PLATINUM ELECTRODE, TYPE 4 FOR AIRCRAFT RECIPROCATING ENGINES [VALIDATION DATE: 8302] | A 2925 | AV | 14-OCT-75 | AV | | | |
| | | MIL-D-7890A(2) | DESIGN & INSTALLATION OF ANTI-G SUIT PRESSURE SYSTEM IN JET PROPELLED AIRCRAFT | A 1660 | 11 | 27-JUN-73 | | AS | 11 | |
| | | MIL-V-7891E | VALVE, OXYGEN FILLER, LOW-PRESSURE REVIEWER: CS ..... | A 4820 | 71 | 31-DEC-90 | AV | AS | 99 | |
| Q | | MIL-V-7899C | VALVE, CHECK, AIRCRAFT FUEL SYSTEM REVIEWER: CS ME MI ..... | A 4820 | 82 | 30-APR-79 | AV | AS | 99 | |
| Q | | MIL-C-7905G | CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE, SEAMLESS, 1800 PSI AND 2100 PSI REVIEWER: 11 71 | A 1660 | AS | 24-AUG-90 | AV | AS | 99 | |
| QL | NOTICE 1 | MIL-I-7906A(2) | INDICATOR, GYRO HORIZON, MANUALLY CAGED, ELECTRIC, TYPE MB-1 ..... | A 6610 | AS | 08-JUL-87 | | AS | | |
| L | | MIL-C-7907A(2) | CLEANING COMPOUND, DECONTAMINATING (FOR SOILED AND RADIOACTIVE CONTAMINATED SURFACES) [VALIDATION DATE: 8508] REVIEWER: GS | A 6850 | AS | 20-NOV-78 | | AS | | |
| | | MIL-V-7908C(2) | VALVE, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS REVIEWER: CS ..... | A 4820 | 71 | 05-FEB-88 | AV | AS | 99 | |
| | | MIL-S-7916C | SEALING COMPOUND, THREAD AND GASKET, FUEL, OIL, AND WATER RESISTANT [VALIDATION DATE: 7904] USER: AT CG ME REVIEWER: EA SH | A 8030 | AS | 16-MAY-73 | EL | AS | 99 | |
| Q | SUPPL 1B | MIL-T-7928G(1) | TERMINAL, LUG SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, GENERAL SPECIFICATION FOR USER: 17 AT CS REVIEWER: 11 80 AV EA GS MI OS SH | A 5940 | AS | 19-DEC-80 | ER | AS | 85 | |
| Q | | MIL-T-7928/1D | TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, FOR THIN WALL WIRE, TYPE II CLASS 1 FOR 105 DEG C TOTAL CONDUCTOR TEMPERATURE USER: AV MC OS REVIEWER: 11 99 EC GS MI MS SH | A 5940 | AS | 08-JUN-81 | ER | AS | 85 | |
| | | MIL-T-7928/2C | TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, FOR THIN WALL WIRE, TYPE II CLASS 1 FOR 105 DEG C TOTAL CONDUCTOR TEMPERATURE USER: AV MC OS REVIEWER: 11 EC MI MS SH | A 5940 | AS | 08-JUN-81 | ER | AS | 99 | |
| | | MIL-T-7928/4A | TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, RING TONGUE, BELL MOUTHED, TYPE II, CLASS 1 FOR 150 DEG C TOTAL CONDUCTOR TEMPERATURE USER: 17 AT OS REVIEWER: 99 AR AV GS MI SH | A 5940 | AS | 08-JUN-81 | ER | AS | 85 | |
| | | MIL-T-7928/5B | TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE SPLICE, ELECTRIC, PERMANENT, TYPE II, CLASS FOR 105 DEGREES CTOTAL CONDUCTOR TEMPERATURE USER: MC REVIEWER: 11 80 99 AV EC SH | A 5940 | AS | 08-JUN-81 | ER | AS | 85 | |
| | | MIL-T-7928/6A | TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, PERMANENT, TYPE II, CLASS 1 FOR 150 DEG C TOTAL CONDUCTOR TEMPERATURE REVIEWER: 11 99 AV EC GS SH | A 5940 | AS | 08-JUN-81 | ER | AS | 85 | |
| | | MIL-T-7928/7 | TERMINAL LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE TYPE I, CLASS 1 FOR 175 DEG. C TOTAL CONDUCTOR TEMPERATURE USER: AV MC REVIEWER: 99 EC OS SH | A 5940 | AS | 08-JUN-81 | ER | AS | 85 | |
| | NOTICE 1 | MIL-G-7940C | GAGES, LIQUID QUANTITY, CAPACITOR TYPE, INSTALLATION AND CALIBRATION OF [VALIDATION DATE: 8809] REVIEWER: GS | A 6680 | 11 | 30-SEP-88 | AV | AS | 11 | |
| | NOTICE 1 | MIL-C-7942B(1) | CONNECTORS, HOSE, QUICK-DISCONNECT, ANTI "G" SUIT [VALIDATION DATE: 8911] USER: CT MC REVIEWER: CS | A 4730 | 82 | 09-NOV-89 | | AS | 99 | |
| | NOTICE 1 | MIL-S-7947A | STEEL, SHEET AND STRIP (1095) AIRCRAFT QUALITY [VALIDATION DATE: 8901] USER: ME REVIEWER: EA IS MI MR | A 9515 | 11 | 20-JAN-89 | | AS | 11 | |
| Q | SUPPL 1B | MIL-B-7949E(1) | BEARING, BALL, AIRFRAME, ANTIFRICTION USER: AT REVIEWER: 84 IS ..... | A 3110 | AS | 02-JUL-87 | AV | AS | 99 | |
| | NOTICE 1 | MIL-S-7952A(1) | STEEL, SHEET AND STRIP, UNCOATED, CARBON (1020 AND 1025) (AIRCRAFT QUALITY) [VALIDATION DATE: 8901] USER: ME MI REVIEWER: IS OS | A 9515 | 11 | 20-JAN-89 | | AS | 11 | |
| L | NOTICE 1 | MIL-R-7957B | RADAR SET AN/APS-45A [VALIDATION DATE: 8303] ..... | A 5841 | AS | 01-MAY-57 | | AS | | |
| | | MIL-C-7958A(2) | CONTROL, PUSH PULL, FLEXIBLE AND RIGID USER: AT ME ..... | A 2995 | 71 | 09-JAN-87 | AV | AS | 99 | |
| Q | | MIL-L-7961B(3) | LIGHT, INDICATOR, PRESS TO TEST ..... | A 6210 | 82 | 25-JUL-78 | ME | AS | 99 | |
| | | MIL-P-7962D | PRIMER COATING, CELLULOSE NITRATE MODIFIED ALKYD TYPE, CORROSION INHIBITING, FAST DRYING (FOR SPRAY APPLICATION OVER PRETREATMENT COATING) USER: AT OS SH REVIEWER: AV | A 8010 | AS | 12-AUG-80 | ME | AS | | |
| | | MIL-A-7965C | ANTENNA COMPONENTS, ANTIPRECIPITATION STATIC [VALIDATION DATE: 8103] REVIEWER: 99 ES | A 5985 | AS | 22-MAY-64 | AV | AS | 85 | |
| A | NOTICE 1 | MIL-C-7966C | CLOTH, COATED, RUBBER, NYLON BASE [VALIDATION DATE: 9110] USER: NU REVIEWER: 82 | A 8305 | CT | 24-OCT-91 | | AS | 99 | CT |
| Q | | MIL-P-7968A | POSITION INDICATING ASSEMBLIES, ELECTRICAL, WHEELS AND FLAPS [VALIDATION DATE: 8410] REVIEWER: 11 | A 6610 | AS | 23-MAR-65 | AV | AS | 99 | |
| | | MIL-M-7969C | MOTOR, ALTERNATING CURRENT, 400-CYCLE, 115/200-VOLT SYSTEM, AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8105] USER: AR ME REVIEWER: AV EA GS MI | A 6105 | AS | 25-MAY-65 | | AS | 99 | |
| | NOTICE 1 | MIL-W-7973F | WELDING MACHINE, ELECTRICAL RESISTANCE, SPOT, PRESS TYPE, THREE PHASE [VALIDATION DATE: 9105] USER: AV CG MC SH REVIEWER: 84 AS GS OS | A 3432 | IP | 08-MAY-91 | AL | SH | 99 | IP |
| DQ | SUPPL 1B | MIL-C-7974D(1) | CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION FOR USER: CS ER ES SH YD1 REVIEWER: 11 17 99 AR GS MI | A 6150 | AS | 30-MAY-92 | AV | AS | 85 | |
| | | MIL-C-7974/1A | CONNECTOR, PLUG, AIRCRAFT EXTERNAL POWER [VALIDATION DATE: 8410] REVIEWER: 11 | A 5935 | AS | 08-SEP-78 | AV | AS | 85 | |
| | NOTICE 1 | MIL-C-7974/2 | CABLE ASSEMBLY, EXTERNAL POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ POWER DISTRIBUTION FLIGHT LINE (FOR A/E 24A-166A) [VALIDATION DATE: 9110] | A 6150 | AS | 15-OCT-91 | AV | AS | 85 | |
| L | | MIL-L-7976C | LIST AND CARD, TECHNICAL MANUAL DATA, FOR CONTRACTOR FURNISHED EQUIPMENT AND ACCESSORIES | A TMSS | AS | 23-FEB-81 | | AS | | |
| | | MIL-C-7979B | CYLINDER, HYDRAULIC BRAKE, MASTER, POWER ASSISTED [VALIDATION DATE: 8509] USER: MI REVIEWER: 99 | A 1630 | AS | 21-OCT-59 | AV | AS | 11 | |
| | SUPPL 1B, NOTICE 1 | MIL-C-7989B(2) | COVER, LIGHT-TRANSMITTING, FOR AERONAUTICAL LIGHTS GENERAL SPECIFICATION FOR [VALIDATION DATE: 9103] REVIEWER: GS ME MI | A 6220 | 82 | 15-MAR-91 | AV | AS | 99 | |
| AQ | | MIL-T-7990B(3) | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C REVIEWER: GS | A 6685 | 82 | 30-SEP-92 | AV | AS | 99 | |
| | | MIL-M-7997C | MOTOR, AIRCRAFT HYDRAULIC, CONSTANT DISPLACEMENT GENERAL SPECIFICATION FOR | A 1650 | AS | 24-SEP-81 | AV | AS | 11 | |

| Action | Opt. / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-S-7998A(1) | SANDWICH CONSTRUCTION CORE MATERIAL, BALSA WOOD [VALIDATION DATE: 8410] REVIEWER: 99 CS MI | A | 5510 | AS | 13-FEB-78 | ME | AS | 11 | |
| D | | | MIL-W-8005E(2) | WHEELS AND HUBS, FOR INDUSTRIAL PNEUMATIC TIRES USER: MC SA REVIEWER: AT CS | A | 2530 | 99 | 30-APR-82 | AR | YD1 | 99 | |
| A | | | MIL-C-8021D(2) | CLOTH, PARACHUTE, NYLON, CARGO AND DECELERATION [VALIDATION DATE: 8403] USER: 45 REVIEWER: EA | A | 8305 | CT | 26-SEP-78 | GL | AS | 99 | CT |
| A | L | | MIL-L-8031E(1) | LIST OF APPLICABLE PUBLICATIONS (LOAP), PREPARATION OF REVIEWER: 01 10 70 71 80 82 84 99 | A | TMSS | 16 | 28-MAR-92 | | | 16 | |
| | | | MIL-P-8045B(3) | PLASTIC, SELF-SEALING AND NON-SELF-SEALING TANK BACKING MATERIAL [VALIDATION DATE: 8004] USER: MC REVIEWER: 99 AV OS | A | 8030 | AS | 22-FEB-74 | MR | AS | 11 | |
| | L | | MIL-C-8052C(1) NOTICE 1 | CONTROL, PRESSURIZING SET, C-1173/ASQ [VALIDATION DATE: 8608] USER: 80 .... | A | 5895 | 84 | 20-AUG-86 | | | 99 | |
| | L | | MIL-P-8053C NOTICE 1 | PLYWOOD, METAL-FACED [VALIDATION DATE: 8710] REVIEWER: CS ..... | A | 5530 | GL | 23-OCT-87 | GL | | | |
| | L | | MIL-V-8057F(3) NOTICE 1 | VALVE, OXYGEN, PRESSURE BUILDUP AND VENT [VALIDATION DATE: 8808] REVIEWER: 11 CS | A | 4820 | 71 | 01-AUG-88 | | | 99 | |
| A | | | MIL-C-8068B(1) NOTICE 1 | CLOTH, COATED, NYLON, RUBBER-COATED, FUEL-RESISTANT [VALIDATION DATE: 8707] USER: 45 ME REVIEWER: EA MI | A | 8305 | CT | 30-JUL-87 | | AS | 11 | CT |
| | | | MIL-C-8073D(1) NOTICE 1 | CORE MATERIAL, PLASTIC HONEYCOMB, LAMINATED GLASS FABRIC BASE, FOR AIRCRAFT STRUCTURAL AND ELECTRONIC APPLICATIONS [VALIDATION DATE: 9110] USER: AV REVIEWER: 84 MI | A | 5680 | AS | 24-OCT-91 | ME | AS | 11 | |
| | | | MIL-B-8075D(1) | BRAKE CONTROL SYSTEMS, ANTISKID, AIRCRAFT WHEELS, INSTRUCTIONS FOR PREPARATION OF SPECIFICATIONS FOR | A | 1630 | 70 | 10-MAR-77 | AV | AS | 99 | |
| | | | MIL-C-8087C | CORE MATERIAL, FOAMED-IN-PLACE, URETHANE TYPE [VALIDATION DATE: 8004] REVIEWER: 99 GS MI | A | 9330 | AS | 24-APR-68 | | AS | 11 | |
| | | | MIL-M-8090F | MOBILITY, TOWED AEROSPACE GROUND EQUIPMENT, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8104] USER: ME REVIEWER: 99 AV | A | MISC | AS | 01-FEB-74 | AT | AS | | |
| A | L | | MIL-C-8104C NOTICE 1 | CLOTH, SHEETING, COTTON, TREATED [VALIDATION DATE: 9110] ..... | A | 8305 | CT | 24-OCT-91 | | AS | | CT |
| | L | | MIL-B-8111E | BOX SET, WOOD, NESTED, ORGANIZATIONAL EQUIPMENT, TYPE MC&1A REVIEWER: 99 .. | A | 8115 | 69 | 22-JUL-83 | | | 69 | |
| | L | | MIL-F-8115D | FLOODLIGHT, INCANDESCENT, EXPLOSION PROOF, TYPE MA-1 REVIEWER: GS ..... | A | 6230 | 82 | 14-JUL-89 | | | 99 | |
| A | | | MIL-W-8116B | PUTTY, ZINC CHROMATE, GENERAL PURPOSE [VALIDATION DATE: 7105] USER: MC REVIEWER: DS IS MI | A | 8030 | CT | 26-APR-65 | MR | SH | 99 | CT |
| A | | | MIL-C-8135A NOTICE 2 | CLOTH, COATED, NYLON, BUNA N COATED, 1 SIDE ..... | A | 8305 | CT | 25-MAY-90 | | | 82 | CT |
| | L | | MIL-K-8144B | KEYER, OVERHEAT WARNING LIGHT, TYPE MA&1 REVIEWER: GS ..... | A | 6340 | 82 | 19-OCT-83 | | | 99 | |
| | Q | | MIL-G-8170D(1) | GAGE, PRESSURE, DIAL INDICATING USER: AV ..... | A | 6620 | 71 | 27-MAY-88 | | AS | 99 | |
| | | | MIL-D-8181B | DETECTOR, ICE, AIR INTAKE DUCT, AIRCRAFT ENGINES AND AIRFRAME SYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8605] REVIEWER: 99 | A | 6340 | AS | 15-MAR-65 | AV | AS | | |
| | Q | | MIL-P-8184E(2) | PLASTIC SHEET, ACRYLIC, MODIFIED USER: MC ME SH REVIEWER: AV EC GS MI MR .. | A | 9330 | AS | 16-JAN-92 | ER | AS | 11 | |
| | L | | MIL-P-008184D | PLASTIC SHEET, ACRYLIC, MODIFIED ..... | A | 9330 | AS | 01-APR-85 | | AS | | |
| | Q | | MIL-C-8188C NOTICE 1 | CORROSION-PREVENTIVE OIL, GAS TURBINE ENGINE, AIRCRAFT SYNTHETIC BASE [VALIDATION DATE: 8802] REVIEWER: GS MI PS SM | A | 6850 | 11 | 26-FEB-88 | MR | AS | 11 | |
| | | | MIL-E-8189H NOTICE 1 | ELECTRONIC EQUIPMENT, MISSILES, BOOSTERS AND ALLIED VEHICLES, INACTIVE [VALIDATION DATE: 8303] REVIEWER: EC MI | A | GDRQ | AS | 31-OCT-75 | | AS | 11 | |
| A | L1 | | MIL-R-8202D(2) NOTICE 2 | REGULATOR, OXYGEN, DILUTER DEMAND D-2A (REGULATOR, AUTOMATIC DILUTER DEMAND, OXYGEN, PRESSURE BREATHING, TYPE D-2A) REVIEWER: 11 | A | 1660 | 71 | 28-AUG-92 | | | 99 | |
| | | | MIL-F-8209B | FLASHLIGHT, HAND GENERATED, TYPE A-9 (LAMP ASSEMBLY, FLASHLIGHT, TYPE A-9) [VALIDATION DATE: 8005] REVIEWER: GS | A | 6230 | AS | 02-FEB-71 | | AS | | |
| | L | | MIL-T-8231A | TUBE, COPPER SILICON BRONZE, SEAMLESS, FOR AIRCRAFT [VALIDATION DATE: 8505] REVIEWER: 99 CS | A | 4710 | 11 | 02-SEP-70 | | | 11 | |
| | Q | | MIL-R-8236E | REEL, SHOULDER HARNESS, INERTIA LOCK USER: CG MC ..... | A | 1680 | 82 | 13-NOV-86 | AV | AS | 99 | |
| | | | MIL-R-8236/1B NOTICE 1 | REEL, SHOULDER HARNESS, INERTIA LOCK [VALIDATION DATE: 8908] USER: CG MC .. | A | 1680 | 82 | 25-AUG-89 | AV | AS | 99 | |
| | | | MIL-R-8236/2B NOTICE 1 | REEL, SHOULDER HARNESS, INERTIA LOCK [VALIDATION DATE: 8908] USER: CG MC REVIEWER: 11 | A | 1680 | 82 | 25-AUG-89 | AV | AS | 99 | |
| | | | MIL-B-8242C | BELT, SAFETY, LAP, TROOP, TYPE C&3A [VALIDATION DATE: 8504] REVIEWER: 82 .. | A | 1680 | AV | 01-FEB-79 | AV | AS | 99 | |
| | | | MIL-A-8243D(1) | ANTI-ICING AND DEICING-DEFROSTING FLUID USER: CG MC REVIEWER: 68 GS ..... | A | 6850 | AS | 21-DEC-89 | AV | AS | 11 | |
| A | L | | MIL-T-8249B(2) | TRANSMITTER, RATE OF FLOW, FUEL, TYPE MB-2 ..... | A | 6620 | 71 | 15-OCT-92 | | | 99 | |
| | L | | MIL-P-8258D NOTICE 1 | PUMP, HAND, AIR [VALIDATION DATE: 8904] USER: MC ME REVIEWER: CS ..... | A | 4220 | AS | 13-APR-89 | | AS | | |
| | | | MIL-T-8275B(3) | TRANSMITTER, RATE OF FLOW, FUEL SYNCHRO STYLE TYPE MA-1 ..... | A | 6620 | 71 | 03-NOV-86 | | AS | 99 | |
| | QL | | MIL-I-8276B | INDICTOR, RATE OF FLOW, FUEL, SYNCHRO STYLE, TYPE MA-2 USER: AV REVIEWER: AS GS | A | 6620 | 71 | 13-OCT-87 | | | 99 | |
| A | | | MIL-J-8279G(1) | JACKET, COLD WEATHER REVIEWER: 45 ..... | A | 8415 | CT | 31-OCT-90 | | | 99 | CT |
| | | | MIL-G-8348H | GAGE ASSEMBLIES, AIR PRESSURE, DIAL INDICATING CHUCK TYPE, SELF CONTAINED (ASG) REVIEWER: GS | A | 6685 | 82 | 15-OCT-81 | | AS | 99 | |
| D | | | MIL-L-8362C | LUBRICANT, TIRE AND RIM, DEMOUNTING [VALIDATION DATE: 8208] USER: MC ME REVIEWER: AS AV | A | 2640 | AT | 10-OCT-68 | AT | YD1 | 99 | |
| A | | | MIL-T-8363B(2) | TAPE AND WEBBING, TEXTILE, WOVEN, NYLON USER: 45 REVIEWER: GL ..... | A | 8305 | CT | 10-DEC-90 | | MU | 11 | CT |
| | QL | | MIL-F-8378B | FREQUENCY METERS, AIRCRAFT 380 TO 420 HERTZ AND 350 TO 450 HERTZ ..... | A | 6625 | 82 | 30-JUN-83 | | | 99 | |
| | L1 | | MIL-C-8412B(3) NOTICE 1 | COMPASS, MAGNETIC, SLAVED GYRO, TYPE J-4 ..... | A | 6605 | 71 | 01-FEB-92 | | | 99 | |
| | L | | MIL-A-8416B | ADAPTER, HEADSET & MICROPHONE MX & 1646 REVIEWER: 99 ES ..... | A | 5965 | 85 | 18-OCT-79 | | | 85 | |
| | L | | MIL-V-8419A(1) | VACUUM PUMP, ROTARY, POWER DRIVEN ..... | A | 4310 | 84 | 13-MAY-81 | | | 99 | |
| | L | | MIL-P-8422B | POWER SUPPLY, 28V DC INPUT, 15V AC 4 HERTZ 3 PHASE OUTPUT, TYPE MC-1 ..... | A | 6130 | 71 | 12-SEP-88 | | | 99 | |
| | L | | MIL-T-8429B NOTICE 2 | TESTER, LEAKAGE, DEMAND OXYGEN REGULATOR, TYPE MH-2 (S/S BY MIL-T-38180) .. | A | 4920 | 82 | 11-JUL-83 | AV | | 99 | |
| | L | | MIL-B-8437B | BELT, AIRCRAFT SAFETY, LAP, TROOP TYPE MC&1A ..... | A | 1680 | 82 | 22-NOV-85 | | | 99 | |
| | | | MIL-I-8474C | INSPECTION OF ALUMINUM ALLOY PARTS, ANODIZING PROCESS FOR [VALIDATION DATE: 8907] REVIEWER: SM | A | MFFP | MR | 31-JUL-89 | MR | SH | 11 | |
| | | | MIL-F-8490A(4) | FASTENER, CASE, FOR EQUIPMENT RACK SYSTEM IN AIRCRAFT ..... | A | 5325 | 82 | 14-MAR-85 | | AS | 99 | |
| | L | | MIL-C-8498D | COMPRESSOR, AIR, GASOLINE ENGINE DRIVEN, 15 CFM, 200 PSI, TYPE MC-2A [VALIDATION DATE: 8410] REVIEWER: CS | A | 4310 | 84 | 14-APR-71 | | | 99 | |
| | L | | MIL-C-8499D | COMPRESSOR, ROTARY, POWER DRIVEN, TYPE MB&2 [VALIDATION DATE: 8410] ..... | A | 4310 | 84 | 08-JUN-71 | | | 99 | |
| A | | | MIL-I-8500D | INTERCHANGEABILITY AND REPLACEABILITY OF COMPONENT PARTS FOR AIRCRAFT AND MISSILES REVIEWER: MI | A | MISC | 99 | 25-MAR-80 | AV | AS | 99 | |
| | | | MIL-H-8501A(1) NOTICE 1 | HELICOPTER FLYING AND GROUND HANDLING QUALITIES, GENERAL REQUIREMENTS FOR (AF USE MIL-F-83300) [VALIDATION DATE: 8011] REVIEWER: MI | A | 1520 | AV | 03-APR-62 | AV | AS | | |
| | | | MIL-S-8503B(1) | STEEL BARS, CHROME-VANADIUM (6150) (AIRCRAFT QUALITY) (ASG) REVIEWER: IS MI | A | 9510 | AS | 06-JUN-83 | MR | AS | 11 | |
| | | | MIL-T-8504B | TUBING, STEEL, CORROSION-RESISTANT (304), AEROSPACE VEHICLE HYDRAULIC SYSTEMS, ANNEALED, SEAMLESS AND WELDED USER: SH REVIEWER: 82 84 99 CS MR | A | 4710 | 11 | 25-JUL-91 | AV | AS | 11 | |
| | L | | MIL-I-8505 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, -50 TO PLUS 300 C. [VALIDATION DATE: 8103] REVIEWER: GS | A | 6685 | AS | 06-JAN-53 | | AS | | |
| | | | MIL-T-8506A NOTICE 1 | TUBING, STEEL, CORROSION-RESISTANT, (304) ANNEALED, SEAMLESS AND WELDED [VALIDATION DATE: 8901] USER: AT AV REVIEWER: 99 CS DS EA MI | A | 4710 | 11 | 20-JAN-89 | MR | AS | 11 | |
| | | | MIL-C-8507D | COATING, WASH PRIMER (PRETREATMENT) FOR METALS, APPLICATION OF (FOR AERONAUTICAL USE) (ASG) [VALIDATION DATE: 8407] REVIEWER: EA MI | A | 8030 | AS | 23-DEC-63 | | AS | 99 | |
| | | | MIL-D-8510B(2) | DRAWINGS, UNDIMENSIONED, REPRODUCIBLES, PHOTOGRAPHIC AND CONTACT, PREPARATION OF (ASG) [VALIDATION DATE: 8202] REVIEWER: 11 17 99 EC MI | A | DRPR | 16 | 29-MAR-65 | | AS | 16 | |
| | | | MIL-S-8512D(2) | SUPPORT EQUIPMENT, AERONAUTICAL, SPECIAL, GENERAL SPECIFICATION FOR THE DESIGN OF USER: MC MI | A | MISC | AV | 14-MAR-80 | AV | AS | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-C-8514C | COATING COMPOUND, METAL PRETREATMENT, RESIN-ACID (ASG) [VALIDATION DATE: 8004] USER: ME REVIEWER: OS EA MI OS | A | 8030 | AS | | 10-DEC-67 | | AS | 99 | |
| Q | MIL-S-8516F | SEALING COMPOUND, POLYSULFIDE RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED USER: AR MC REVIEWER: 11 AV MI OS | A | 8030 | AS | MR | 31-MAY-92 | | AS | 99 | |
| QL* | MIL-S-8516E(I3) | SEALING COMPOUND, POLYSULFIDE RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED | A | 8030 | AS | | 27-NOV-89 | | AS | | |
| L | MIL-H-8541 NOTICE 1 | HARNESS: TEST BENCH, FOR INTERPHONE-RADIO CONTROL SET AN/AIC-4 [VALIDATION DATE: 9110] | A | 5831 | AS | | 15-OCT-91 | | AS | | |
| | MIL-L-8552C(2) | LANDING GEAR, AIRCRAFT SHOCK ABSORBER (AIR-OIL TYPE) [VALIDATION DATE: 8107] REVIEWER: 11 | A | 1620 | AS | | 10-DEC-68 | AV | AS | 99 | |
| | MIL-M-8555C | MISSILE, GUIDED, DESIGN AND CONSTRUCTION, GENERAL SPECIFICATION REVIEWER: OS | A | 1410 | AS | | 04-MAY-84 | | AS | | |
| | MIL-S-8559A(1) | STEEL BARS, CARBON, AISI (1095), AIRCRAFT QUALITY REVIEWER: IS MI ..... | A | 9510 | AS | | 06-FEB-81 | | AS | 11 | |
| | MIL-S-8559/8 | BEARINGS, ELASTOMERIC GENERAL SPECIFICATION FOR REVIEWER: 84 AV IS ..... | A | 3120 | AS | | 04-JAN-88 | AR | AS | 99 | |
| | MIL-P-8564D | PNEUMATIC SYSTEM COMPONENTS, AERONAUTICAL, GENERAL SPECIFICATION FOR (ASG) [VALIDATION DATE: 8304] REVIEWER: 71 | A | 1650 | AS | | 18-NOV-70 | AV | AS | 99 | |
| Q | MIL-B-8565J | BATTERY STORAGE, AIRCRAFT REVIEWER: 82 GS MI ..... | A | 6140 | AS | | 01-JUL-87 | | AS | 99 | |
| L | DOD-B-8565/1 | BATTERY, STORAGE, AIRCRAFT, HEAVY DUTY, 2 AMPERE HOURS, SEALED CELLS, 26 VOLTS WITH 115V 400 HZ INTEGRAL CHARGER [VALIDATION DATE: 8306] | A | 6140 | AS | | 23-MAY-77 | | AS | | |
| L | DOD-B-8565/3E | BATTERY, STORAGE, AIRCRAFT, MEDIUM RATE, NO MAINTENANCE, 24-VOLT, 15 AMPERE-HOUR | A | 6140 | AS | | 26-JUN-87 | | AS | | |
| L | DOD-B-8565/4C | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 7.5 AMPERE-HOUR | A | 6140 | AS | | 26-JUN-87 | | AS | | |
| L | MIL-B-8565/5 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE FREE, 24 VOLT, 30 AMPERE-HOUR | A | 6140 | AS | | 21-NOV-86 | | AS | | |
| L | DOD-B-8565/6 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 1.5 AMPERE-HOUR | A | 6140 | AS | | 26-JUN-87 | | AS | | |
| L | DOD-B-8565/7 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 24-AMPERE-HOUR | A | 6140 | AS | | 09-OCT-87 | | AS | | |
| M | MIL-B-8565/11C | BATTERY, STORAGE, AIRCRAFT, MEDIUM RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 10-AMPERE-HOUR | A | 6140 | 80 | | 31-MAR-93 | | AS | 99 | |
| A | MIL-B-008565/11B | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 10-AMPERE-HOUR | A | 6140 | 80 | | 27-OCT-92 | | AS | 99 | |
| N | MIL-B-8565/12 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 35-AMPERE-HOUR | A | 6140 | AS | | 17-MAY-93 | | AS | 99 | |
| | MIL-V-8566B(1) | VALVE, AIRCRAFT HYDRAULIC FLOW REGULATOR USER: MI REVIEWER: 11 CS ..... | A | 1650 | 71 | | 17-NOV-86 | AV | AS | 99 | |
| | MIL-B-8568B | BINOCULAR, PRISMATIC, HAND-HELD (FOR AERONAUTICAL USE) (7 X 50 AND 6 X 42 )WIDE FIELD( )ASG( [VALIDATION DATE: 7909] REVIEWER: 11 SH | A | 6650 | AS | | 07-JUL-67 | | AS | 99 | |
| A | MIL-B-8571D(1) NOTICE 1 | BAG, STORAGE, DRINKING WATER [VALIDATION DATE: 8608] REVIEWER: 45 MD ..... | A | 8465 | CT | | 21-AUG-86 | GL | AS | 99 | CT |
| | MIL-R-8573A(7) | RESERVOIR, AIR, NONSHATTERABLE STEEL ..... | A | 1650 | AS | | 18-NOV-83 | AV | AS | 99 | |
| D | MIL-I-8574E(1) NOTICE 1 | INHIBITORS, CORROSION, VOLATILE, UTILIZATION OF [VALIDATION DATE: 9110] USER: SH REVIEWER: 99 AT AV DH EA GL MC ME OS SA YD1 | A | PACK | AS | | 24-OCT-91 | SH | AS | 69 | |
| | MIL-A-8576C NOTICE 1 | ADHESIVE, ACRYLIC BASE, FOR ACRYLIC PLASTIC [VALIDATION DATE: 9110] USER: ER MC ME REVIEWER: MD MI | A | 8040 | AS | | 24-OCT-91 | MR | AS | 99 | |
| | MIL-I-8580B(1) | INDICATOR, TACHOMETER, HELICOPTER, 0-4000 RPM, TYPE MA-1 [VALIDATION DATE: 8205] | A | 6620 | AS | | 29-JUN-73 | AV | AS | | |
| L | MIL-E-8581A | ENGINE, ROCKET, SOLID PROPELLANT, 5 SECOND DURATION, 4500 POUNDS THRUST ... | A | 2845 | AS | | 05-MAY-83 | | | | |
| | MIL-B-8584C(1) | BRAKE SYSTEMS, WHEEL, AIRCRAFT, DESIGN OF [VALIDATION DATE: 8509] REVIEWER: 70 | A | 1630 | AS | | 28-OCT-85 | AV | AS | 99 | |
| A | MIL-P-8587B | PLASTIC: SHEET, COLORED, INSTRUMENT FLYING TRAINING USER: GS REVIEWER: 99 . | A | 9330 | 11 | | 09-FEB-93 | | AS | 11 | |
| | MIL-A-8591H | AIRBORNE STORES, SUSPENSION EQUIPMENT AND AIRCRAFT-STORE INTERFACE (CARRIAGE PHASE): GENERAL DESIGN CRITERIA FOR REVIEWER: 11 15 | A | 15GP | AS | | 23-MAR-90 | AV | AS | 18 | |
| | MIL-R-8592B NOTICE 1 | RESCUE EQUIPMENT, HELICOPTER [VALIDATION DATE: 9110] REVIEWER: 11 8^ ..... | A | 4240 | AS | | 24-OCT-91 | | AS | 99 | |
| | MIL-R-8592/1(1) NOTICE 1 | CABLE GRIP, RESCUE EQUIPMENT HELICOPTER [VALIDATION DATE: 9110] REVIEWER: 11 | A | 4220 | AS | | 24-OCT-91 | | AS | 99 | |
| | MIL-R-8592/3(1) NOTICE 1 | SURVIVORS, SLING, RESCUE EQUIPMENT HELICOPTER [VALIDATION DATE: 9110] ..... | A | 4240 | AS | | 24-OCT-91 | | AS | 99 | |
| | MIL-R-8592/4(1) NOTICE 1 | COVER, CABLE WEIGHT, RESCUE EQUIPMENT HELICOPTER [VALIDATION DATE: 9110) .. | A | 4240 | AS | | 24-OCT-91 | | AS | 99 | |
| | MIL-E-8593A | ENGINE, AIRCRAFT, TURBOPROP, GENERAL SPECIFICATION FOR (ASG) [VALIDATION DATE: 8410] REVIEWER: 71 | A | 2840 | AS | | 15-OCT-75 | AV | AS | 99 | |
| L | MIL-E-008593E | ENGINES, AIRCRAFT, TURBOSHAFT AND TURBOPROP, GENERAL SPECIFICATION FOR .... | A | 2840 | AS | | 01-MAR-84 | | AS | | |
| L | MIL-T-8598B | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, FLUSH-MOUNTED, FREE AIR REVIEWER: 11 SH | A | 6685 | 82 | | 11-OCT-90 | | | 99 | |
| | MIL-I-8599B(1) | INSTALLATION OF RECIPROCATING ENGINE INDUCTION AIR FILTERS, DESIGN REQUIREMENTS FOR USER: MC REVIEWER: 99 | A | 2945 | AV | | 26-AUG-81 | AV | AS | | |
| | MIL-C-8603B(1) | CLAMPS, LOOP TYPE, AND STRAPS, SUPPORT REVIEWER: 11 82 IS ..... | A | 5340 | AS | | 18-MAY-87 | AV | AS | 99 | |
| Q | MIL-C-8605B | CAP: PRESSURE FUEL SERVICING ..... | A | 1560 | AS | | 31-OCT-90 | AV | AS | 11 | |
| D | MIL-T-8606C(2) NOTICE 2 | TUBING, STEEL, CORROSION-RESISTANT (18-8 STABLIZED AND EXTRA LOW CARBON) USER: AT OS YD1 REVIEWER: 13 19 99 AR CS ME MI | A | 4710 | 11 | | 08-FEB-93 | MR | AS | 11 | |
| | MIL-V-8608A(2) | VALVE, FUEL SHUTOFF, ELECTRIC MOTOR OPERATED [VALIDATION DATE: 8405] REVIEWER: MI | A | 2915 | 99 | | 09-NOV-66 | AV | AS | 99 | |
| | MIL-M-8609B NOTICE 1 | MOTOR, DC, 28 VOLT SYSTEM, AIRCRAFT, GENERAL SPECIFICATION FOR USER: 11 ME REVIEWER: EA GS MI | A | 6105 | AS | | 12-DEC-87 | AV | AS | 99 | |
| | MIL-V-8610B | VALVE, FUEL SHUTOFF SOLENOID OPERATED, 28 VOLT, DC (ASG) USER: SH ..... | A | 4810 | 82 | | 25-JUN-84 | | AS | 99 | |
| | MIL-V-8612A(1) NOTICE 1 | VALVE, HIGH PRESSURE OXYGEN LINE (VALIDATION DATE: 8709] REVIEWER: 11 ME .. | A | 4820 | AS | | 30-SEP-87 | AV | AS | 99 | |
| | MIL-F-8615D(2) | FUEL SYSTEM COMPONENTS, GENERAL SPECIFICATION FOR (ASG) USER: 79 REVIEWER: 99 | A | 2915 | AS | | 03-SEP-86 | AV | AS | | |
| L | MIL-T-8619 | TOWER, PARACHUTE DRYING [VALIDATION DATE: 8507] ..... | A | 5445 | AS | | 15-JUL-53 | | AS | | |
| L | MIL-B-8621A(1) | BOARD, CHART, MARK 6A, MARK 6B & MARK 6C [VALIDATION DATE: 8303] ..... | A | 6605 | AS | | 15-OCT 64 | | AS | | |
| | MIL-V-8622B | VALVE, HIGH-PRESSURE, OXYGEN-CYLINDER AUTOMATIC OPENING (AERONAUTICAL USE) ASG REVIEWER: 11 | A | 4820 | AS | | 01-OCT-82 | AV | AS | 99 | |
| | MIL-A-8625E(1) | ANODIC COATINGS, FOR ALUMINUM AND ALUMINUM ALLOYS USER: AT ME REVIEWER: AR AV MI OS SH | A | NFFP | AS | | 13-NOV-89 | MR | AS | 11 | |
| A | MIL-S-8642E | SURVIVAL KIT, INDIVIDUAL, TOOL [VALIDATION DATE: 8505] USER: AV MC ..... | A | 8465 | CT | | 20-AUG-79 | GL | AS | | CT |
| | MIL-M-8650C(2) SUPPL 2B, NOTICE 1 | MOCKUPS, AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9109] ..... | A | 6910 | AS | | 24-SEP-91 | AV | AS | 11 | |
| A | MIL-I-8651C | IDENTIFICATION AND MODIFICATION PLATES (FOR AIRCRAFT) INSTALLATION OF REVIEWER: 84 | A | 9905 | AS | | 10-AUG-92 | AV | AS | 99 | |
| DQ | MIL-S-8660C(1) | SILICONE COMPOUND, NATO CODE NUMBER S-736 USER: ME REVIEWER: ER MI OS YD1 . | A | 6850 | AS | | 01-APR-87 | MR | AS | 11 | |
| | MIL-K-8662E(1) NOTICE 1 | KNIFE, HUNTING, SHEATHED, SURVIVAL, PILOT'S [VALIDATION DATE: 9110] USER: CG REVIEWER: 11 84 85 | A | 7340 | AS | | 24-OCT-91 | GL | AS | 99 | |
| L | MIL-J-8667A | JET ASSISTED TAKE OFF SYSTEMS - DESIGN AND INSTALLATION OF, IN NAVAL AIRCRAFT [VALIDATION DATE: 8408] REVIEWER: 99 | A | 2845 | AS | | 05-JAN-70 | | AS | | |
| L | MIL-I-8670A NOTICE 1 | INSTALLATION OF FIXED GUNS AND ASSOCIATED EQUIPMENT IN NAVAL AIRCRAFT [VALIDATION DATE: 8702] | A | 1005 | AS | | 26-FEB-87 | | AS | | |
| L | MIL-I-8671C | INSTALLATION OF DROPPABLE STORES AND ASSOCIATED RELEASE SYSTEMS REVIEWER: AV | A | 1095 | AS | | 29-JUL-87 | | AS | | |
| L | MIL-C-8678 | COOLING REQUIREMENTS OF POWER PLANT INSTALLATIONS [VALIDATION DATE: 8410] REVIEWER: GS | A | 6115 | AS | | 19-JAN-54 | | AS | | |
| | MIL-T-8679 | TEST REQUIREMENTS, GROUND, HELICOPTER [VALIDATION DATE: 8205] ..... | A | 1520 | AV | | 05-MAR-54 | | AS | | |

| Action | Doc. / Cmbl. Coordination Indicator | Document Number | Document Title | Dist. Symbol / FSC / Navy MICA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MIL-D-8683C | DESIGN AND INSTALLATION OF GASEOUS OXYGEN SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: 71 | A 1660 | AS 05-FEB-88 | AV | AS | 11 | |
| L | | MIL-D-8684B | DATA AND TESTS, ENGINEERING, CONTACT REQUIREMENTS FOR AIR LAUNCHED GUIDED MISSILE SYSTEMS (VALIDATION DATE: 8303) | A 14GP | AS 28-APR-67 | | AS | | |
| L | | MIL-D-8685B | DATA & TESTS, ENGINEERING, CONTRACT REQUIREMENTS FOR GUIDED MISSILE TARGET SYSTEMS (VALIDATION DATE: 8205) REVIEWER: MI | A 14GP | AS 01-JUN-67 | | AS | | |
| | | MIL-P-8686 | POWER UNITS, AIRCRAFT AUXILIARY, GAS-TURBINE-TYPE, GENERAL SPECIFICATION FOR (ASG) (VALIDATION DATE: 8509) REVIEWER: 82 | A 2835 | AS 04-NOV-55 | AV | AS | 99 | |
| L | | MIL-M-8689A | NETWORK, PHASE DETECTING, CV-279/ARN (VALIDATION DATE: 8304) REVIEWER: ES . | A 5915 | AS 05-MAR-62 | | AS | | |
| | | MIL-S-8690B | STEEL, CHROME-NICKEL-MOLYBDENUM, 8620, BARS, AIRCRAFT QUALITY (VALIDATION DATE: 8407) USER: OS REVIEWER: 99 AR AT AV GL MI | A 9510 | AS 01-FEB-78 | MR | | 11 | |
| | | MIL-I-866 A(1) | INDICATOR, AZIMUTH, ID-307/ARN (ASG) (VALIDATION DATE: 8410) REVIEWER: 11 . | A 6610 | AS 31-JAN-58 | | AS | 99 | |
| | | MIL-I-8693 | INDICATOR COUPLER CU-395/ARN-21A (VALIDATION DATE: 8509) ..... | A 5826 | AS 15-APR-55 | | AS | 99 | |
| | | MIL-S-8698(1) | STRUCTURAL DESIGN REQUIREMENTS, HELICOPTERS (ASG) (VALIDATION DATE: 8205) . | A 1520 | AV 28-FEB-58 | AV | | | |
| | | MIL-S-8699A | STEEL BARS AND FORGING STOCK (4330) VANADIUM MODIFIED, AIRCRAFT QUALITY (VALIDATION DATE: 8508) REVIEWER: IS | A 9510 | AS 22-JUL-57 | MR | AS | 11 | |
| | | MIL-I-8700A(1) | INSTALLATION AND TEST OF ELECTRONIC EQUIPMENT IN AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: 82 84 85 | A MISC | AS 28-FEB-92 | AV | AS | 11 | |
| Q | | MIL-C-8703B | CHAIN ASSEMBLY, SINGLE LEG, 10,000 POUND CAPACITY, TYPE MA-1 USER: MT ..... | A 1670 | 82 09-SEP-83 | GL | AS | 99 | |
| L | | MIL-D-8708C | DEMONSTRATION: AIRCRAFT WEAPON SYSTEMS, GENERAL SPECIFICATION FOR ..... | A 1510 | AS 12-AUG-91 | | AS | | |
| | | MIL-S-8710B NOTICE 1 | STRAINER, AIRFRAME FUEL SYSTEM, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8910) | A 2915 | 82 03-OCT-89 | AV | AS | 99 | |
| L | | MIL-V-8712A | VALVE, AIR RELIEF, LOW PRESSURE8(ASG) (VALIDATION DATE: 8410) REVIEWER: CS MI | A 4820 | AS 08-OCT-65 | | AS | | |
| L | | MIL-C-8721 | CABLE, RADIO FREQUENCY, COAXIAL MINIATURE ..... | A 5995 | 99 13-SEP-54 | | | 99 | |
| | | MIL-H-8775D(1) | HYDRAULIC SYSTEM COMPONENTS, AIRCRAFT AND MISSILES GENERAL SPECIFICATION FOR (VALIDATION DATE: 8203) REVIEWER: 71 MI | A 1650 | AS 28-JUL-76 | AV | AS | 99 | |
| Q | | MIL-W-8777C | WIRE, ELECTRICAL, SILICONE INSULATED, COPPER, 600 VOLT, 200 DEG. C (VALIDATION DATE: 8608) USER: 14 17 ME REVIEWER: IS MI | A 6145 | 85 11-AUG-86 | AV | AS | 85 | |
| | | MIL-C-8779E(1) | COLORS, INTERIOR, AIRCRAFT, REQUIREMENTS FOR ..... | A 15GP | AS 15-MAR-89 | AV | AS | | |
| Q | | MIL-C-8783A | CLAMP, HOSE, FLAT BAND 500 DEG. F (VALIDATION DATE: 7908) REVIEWER: CS EA MI | A 4730 | 82 27-OCT-59 | AR | | 99 | |
| | | MIL-S-8784B | SEALING COMPOUND, ALUMINUM INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, LOW ADHESION, ACCELERATOR REQUIRED (VALIDATION DATE: 8207) USER: MC OS | A 8030 | 84 12-APR-71 | MR | AS | 99 | |
| | | MIL-F-8785C NOTICE 1 | FLYING QUALITIES OF PILOTED AIRPLANES (VALIDATION DATE: 9109) ..... | A 15GP | AS 24-SEP-91 | AV | AS | | |
| Q | | MIL-H-8788C(2) | HOSE, HYDRAULIC, HIGH PRESSURE REVIEWER: AV CS MI ..... | A 4720 | 82 30-MAY-90 | ME | AS | 99 | |
| Q | | MIL-F-8789C | FITTING END, ATTACHABLE HYDRAULIC, HIGH PRESSURE HOSE REVIEWER: AV CS MI .. | A 4730 | 82 01-DEC-81 | ME | AS | 99 | |
| | | MIL-H-8790D | HOSE ASSEMBLY, RUBBER, HYDRAULIC, HIGH PRESSURE (3,000 PSI) REVIEWER: AV CS MI | A 4720 | 82 30-DEC-81 | ME | AS | 99 | |
| | | MIL-R-8791D(1) | RETAINER, PACKING, HYDRAULIC, AND PNEUMATIC, TETRAFLUORODETHYLENE RESIN USER: ME SH REVIEWER: AR AV IS MI | A 5330 | 82 21-FEB-89 | MR | AS | 99 | |
| | | MIL-R-8791/1 | RETAINER, PACKING, HYDRAULIC AND PNEUMATIC, POLYTETRAFLUORODETHYLENE RESIN, (SINGLE TURN) | A 5330 | 82 21-FEB-89 | MR | AS | 99 | |
| Q | | MIL-P-8793A(1) | PAINT, (GLOSS AND NONSPECULAR), FOR USE ON ELASTOMERIC PIGMENTED FILM (ASG) REVIEWER: MI OS | A 8010 | AS 25-MAR-84 | | AS | 99 | |
| Q | | MIL-H-8794D(1) | HOSE, RUBBER, HYDRAULIC, FUEL AND OIL RESISTANT REVIEWER: AT AV CS MI ..... | A 4720 | 82 15-FEB-83 | ME | AS | 99 | |
| | | MIL-H-8795D | HOSE ASSEMBLY, RUBBER, HYDRAULIC, FUEL AND OIL RESISTANT REVIEWER: AV CS MI | A 4720 | 82 14-OCT-85 | ME | AS | 99 | |
| | | MIL-H-8796C(1) | HOSE, AIRDUCT, FLEXIBLE, AIRCRAFT REVIEWER: CS ..... | A 4720 | AS 15-APR-83 | AV | AS | 99 | |
| MQ | | MIL-S-8802F(3) | SEALING COMPOUND, TEMPERATURE-RESISTANT, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, HIGH-ADHESION REVIEWER: 84 99 AR AT DS MI OS SH | A 8030 | 11 03-MAY-93 | MR | AS | 11 | |
| | | MIL-D-8804A | DE-ICING SYSTEM, PNEUMATIC BOOT, AIRCRAFT, GENERAL SPECICICATION FOR (VALIDATION DATE: 8304) REVIEWER: 71 MI | A 1650 | AS 26-SEP-58 | AV | AS | 99 | |
| Q | | MIL-S-8805D(3) SUPPL 1A | SWITCHES AND SWITCH ASSEMBLIES, SENSITIVE AND PUSH (SNAP ACTION), GENERAL SECIFICATION FOR USER: 19 MC OS SH REVIEWER: 99 AR AS AV ES MI | A 5930 | EC 11-MAY-92 | ER | EC | 85 | |
| M | | MIL-S-8805/1D(2) | SWITCHES, SENSITIVE, SPDT, UNSEALED USER: 19 MC MI REVIEWER: 99 AR AS ES OS SH | A 5930 | EC 23-APR-93 | ER | EC | 85 | |
| | | MIL-S-8805/2J NOTICE 1 | SWITCHES, SENSITIVE, SPDT (VALIDATION DATE: 9107) USER: 19 MC MI OS REVIEWER: 17 99 AR AS EA ES SH | A 5930 | EC 30-JUL-91 | ER | EC | 85 | |
| | | MIL-S-8805/3H(2) | SWITCHES, PUSH, 10 AMPERES OR LOW LEVEL, DUSTTIGHT USER: 19 AS AV MC MI REVIEWER: 99 AR ES OS SH | A 5930 | EC 30-APR-92 | ER | EC | 85 | |
| | | MIL-S-8805/4L | SWITCHES, SENSITIVE, SPDT, UNSEALED USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH | A 5930 | EC 27-DEC-91 | ER | EC | 85 | |
| | | MIL-S-8805/5D(1) NOTICE 1 | SWITCH, SENSITIVE, 4 CIRCUIT, 15 AMPERES, UNSEALED, LATCHING UNIT - MANUAL RESET (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AR AS ES OS SH | A 5930 | EC 20-JUN-90 | ER | EC | 85 | |
| | | MIL-S-8805/7E | SWITCHES, SENSITIVE, MOMENTARY, 2 CIRCUIT OR SPST (10 AMPERES), UNSEALED USER: 19 AR MC MA REVIEWER: 99 AS AV OS SH | A 5930 | EC 18-SEP-90 | ER | EC | 85 | |
| | | MIL-S-8805/8E NOTICE 1 | SWITCHES, SENSITIVE, SPDT, LEAF ACTUATOR, LOW LEVEL TO 4 AMPS, HERMETIC SEAL (VALIDATION DATE: 9006) USER: 19 AR MC REVIEWER: 17 99 AS AV ES MI OS SH | A 5930 | EC 20-JUN-90 | ER | EC | 85 | |
| | | MIL-S-8805/11G NOTICE 1 | SWITCHES, SENSITIVE-MOMENTARY, 2 CIRCUIT, 10 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 AR MC REVIEWER: 17 99 AS AV ES MI OS SH | A 5930 | EC 20-JUN-90 | ER | EC | 85 | |
| A | | MIL-S-8805/14D(2) | SWITCH, SENSITIVE, MAINTAINED, 2 CIRCUIT, 10 AMPERES, UNSEALED USER: 19 MC MI REVIEWER: 99 AR AS ES | A 5930 | EC 31-MAR-93 | ER | EC | 85 | |
| | | MIL-S-8805/15E(1) NOTICE 1 | SWITCHES, SENSITIVE, MOMENTARY, 4 CIRCUIT, 15 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AR AS ES OS SH | A 5930 | EC 20-JUN-90 | ER | EC | 85 | |
| | | MIL-S-8805/16E(1) NOTICE 1 | SWITCH, SENSITIVE, MAINTAINED, 4 CIRCUIT, 15 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AR AS ES OS SH | A 5930 | EC 20-JUN-90 | ER | EC | 85 | |
| | | MIL-S-8805/17E(1) NOTICE 1 | SWITCH, SENSITIVE, MAINTAINED, 6 CIRCUIT, 15 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AR AS ES OS SH | A 5930 | EC 20-JUN-90 | ER | EC | 85 | |
| | | MIL-S-8805/18E(1) NOTICE 1 | SWITCH, SENSITIVE, MOMENTARY, 6 CIRCUIT, 15 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AR AS ES OS SH | A 5930 | EC 20-JUN-90 | ER | EC | 85 | |
| | | MIL-S-8805/19D NOTICE 1 | SWITCHES, SENSITIVE-MOMENTARY, 2 CIRCUIT, 40 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI SH REVIEWER: 17 99 AR AS ES OS | A 5930 | EC 20-JUN-90 | ER | EC | 85 | |
| A | | MIL-S-8805/20J | SWITCHES, PUSH, MOMENTARY, 2 CIRCUIT, UNSEALED AND SEALED USER: 19 AR MC REVIEWER: 99 AS AV ES OS | A 5930 | EC 19-JAN-93 | ER | EC | 85 | |
| I | | MIL-S-8805/22C NOTICE 1 | SWITCHES, SENSITIVE, SPDT, 5 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 AV MC MI SH REVIEWER: 17 99 AR AS ES OS | A 5930 | EC 20-JUN-90 | ER | EC | 85 | |
| A | | MIL-S-8805/23E(1) | SWITCH ASSEMBLIES, SENSITIVE, PUSH, MOMENTARY, 5 AMPERES, UNSEALED USER: 19 AR AS AV MC MI OS REVIEWER: 99 ES | A 5930 | EC 31-MAR-93 | ER | EC | 85 | |
| A | | MIL-S-8805/25D(1) | SWITCH ASSEMBLY, SENSITIVE, PUSH, ALTERNATE, UNSEALED USER: 19 AR AS AV MC MI OS REVIEWER: 99 ES | A 5930 | EC 31-MAR-93 | ER | EC | 85 | |
| M | | MIL-S-8805/26F(1) | SWITCH ASSEMBLIES, SENSITIVE, TOGGLE LEVER (WITH INTEGRAL LEAF), 5 AMPERES, UNSEALED USER: 19 AR MC REVIEWER: 99 AS AV ES MI | A 5930 | EC 31-MAR-93 | ER | EC | 85 | |
| A | | MIL-S-8805/27C(1) | SWITCHES, SENSITIVE, 10 AMPERES AND LOW LEVEL, UNSEALED USER: 19 AS AV MC MI REVIEWER: 99 AR ES OS SH | A 5930 | EC 31-MAR-93 | ER | EC | 85 | |
| | | MIL-S-8805/28E NOTICE 1 | SWITCH, SENSITIVE, MOMENTARY, SPDT, 7.5 AMPERES, UNSEALED (VALIDATION DATE: 9107) USER: 19 AV MC MI REVIEWER: 11 99 AR AS ES OS SH | A 5930 | EC 30-JUL-91 | ER | EC | 85 | |
| I | | MIL-S-8805/29A | SWITCH, SENSITIVE, SPDT, MOMENTARY, DOUBLE BREAK, 10 AMPERES, UNSEALED USER: 14 19 MC REVIEWER: 99 AR ES SH | A 5930 | EC 19-JUN-92 | ER | EC | 85 | |
| I | | MIL-S-8805/30B NOTICE 1 | SWITCH, SENSITIVE, SPDT, MOMENTARY, DOUBLE BREAK, DUSTTIGHT (VALIDATION DATE: 9006) USER: 19 MC MI SH REVIEWER: 17 AR AS ES OS | A 5930 | EC 20-JUN-90 | ER | EC | 85 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-S-8805/31D NOTICE 1 | SWITCH, SENSITIVE, DPDT, PLUNGER, 10 AMPERES, UNSEALED (VALIDATION DATE: 9107) USER: 19 MC MI SH REVIEWER: 17 AS ES OS | A | 5930 | | EC | 30-JUL-91 | ER | EC | 85 | |
| | | | | MIL-S-8805/32F NOTICE 1 | SWITCHES, SENSITIVE, SPDT, 7 AMPERES, WATERTIGHT (VALIDATION DATE: 9006) USER: 19 AV MC MI SH REVIEWER: 17 99 AR AS ES OS | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| | | | | MIL-S-8805/34C NOTICE 1 | SWITCHES, SENSITIVE-MAINTAINED, 2 CIRCUIT, 40 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 AS AV MC MI REVIEWER: 17 99 AR ES OS SH | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| | I | | | MIL-S-8805/35B | SWITCHES, PUSH, 2 CIRCUIT, ALTERNATE ACTION, 10 AMPERES, UNSEALED USER: 19 MC MI REVIEWER: 99 AR AS ES OS SH | A | 5930 | | EC | 17-SEP-90 | ER | EC | 85 | |
| | I | | | MIL-S-8805/36B | SWITCHES, PUSH, 2PDT, ALTERNATE ACTION, 10 AMPERES, UNSEALED USER: 19 AV MC MI SH REVIEWER: 99 AS ES OS | A | 5930 | | EC | 17-SEP-90 | ER | EC | 85 | |
| | | | | MIL-S-8805/38L NOTICE 1 | SWITCHES, PUSH, MOMENTARY, 4 CIRCUIT, 4 AMPERES OR LOW LEVEL, DUSTTIGHT (VALIDATION DATE: 9107) USER: 19 AS MC MI SH REVIEWER: 17 AR EA ES OS | A | 5930 | | EC | 30-JUL-91 | ER | EC | 85 | |
| A | | | | MIL-S-8805/39E(1) | SWITCHES, SENSITIVE, LIMIT, PLUNGER, 7 AMPERES, RESILIENT SEAL, FLUID RESISTANT USER: 19 AS AV MC MI REVIEWER: 99 AR ES OS SH | A | 5930 | | EC | 31-MAR-93 | ER | EC | 85 | |
| A | | | | MIL-S-8805/40F(2) | SWITCHES, SENSITIVE, PLUNGER, RESILIENT SEAL, FLUID RESISTANT USER: 19 AV MC MI REVIEWER: 99 AR AS ES OS | A | 5930 | | EC | 31-MAR-90 | ER | EC | 85 | |
| | | | | MIL-S-8805/41A NOTICE 1 | SWITCH, SENSITIVE, DPDT, PLUNGER, 5 AMPERES, HERMETIC (VALIDATION DATE: 9006) USER: 14 19 MC REVIEWER: 17 99 AR AS ES OS SH | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| | | | | MIL-S-8805/42B NOTICE 1 | SWITCHES, SENSITIVE, SPDT, 6 AMPERES, WATERTIGHT (VALIDATION DATE: 9006) USER: 19 AV MC MI REVIEWER: 17 99 AR AS ES OS | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| A | | | | MIL-S-8805/43G(1) | SWITCHES, SENSITIVE, LIMIT, PLUNGER, 7 AMPERES OR LOW LEVEL, RESILIENT SEAL, FLUID RESISTANT USER: 19 AV MC MI REVIEWER: 99 AR AS ES | A | 5930 | | EC | 31-MAR-93 | ER | EC | 85 | |
| | | | | MIL-S-8805/44D NOTICE 1 | SWITCHES, SENSITIVE, SPDT, 5 AMPERES, RESILIENT SEAL (VALIDATION DATE: 9006) USER: AR AS AV MC MI REVIEWER: 17 99 ES ME OS SH | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| | | | | MIL-S-8805/45E NOTICE 1 | SWITCHES, SENSITIVE, SPDT, 5 AMPERES, RESILIENT SEAL (VALIDATION DATE: 9906) USER: AR AS AV MC MI REVIEWER: 17 99 ES ME OS SH | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| | | | | MIL-S-8805/46C(1) NOTICE 1 | SWITCHES, SENSITIVE, LEAF, SPDT, HERMETIC (VALIDATION DATE: 9006) USER: 19 AM AS AT MC OS SH REVIEWER: 17 99 AV ES MI | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| | | | | MIL-S-8805/47E NOTICE 1 | SWITCHES, SENSITIVE, SPDT, LEVER, 25 AMPERES, HERMETIC (VALIDATION DATE: 9006) USER: 19 AS AV MC MI REVIEWER: 17 99 AR ES SH | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| A | | | | MIL-S-8805/48F(1) | SWITCHES, SENSITIVE, LIMIT, ROLLER LEVER, SELF-RETURN, RESILIENT SEAL, FLUID RESISTANT USER: 19 AV MC MI REVIEWER: 99 AR AS ES OS | A | 5930 | | EC | 31-MAR-93 | ER | EC | 85 | |
| A | | | | MIL-S-8805/49F(1) | SWITCHES, SENSITIVE, LIMIT, ROTARY LINKAGE LEVER (NONSELF-RETURN), RESILIENT SEAL, FLUID RESISTANT USER: 19 AV MC MI REVIEWER: 99 AR AS ES OS | A | 5930 | | EC | 31-MAR-93 | ER | EC | 85 | |
| M | I | | | MIL-S-8805/50B | SWITCH, SENSITIVE, ROLLER-LEVER, WATERTIGHT USER: 19 AR MC REVIEWER: 99 AS ES GL MI OS SH | A | 5930 | | EC | 16-JUN-93 | ER | EC | 85 | |
| M | I | | | MIL-S-8805/51B | SWITCH, SENSITIVE, ROLLER-LEVER, WATERTIGHT USER: 19 AR MC REVIEWER: 99 AS ES GL MI OS SH | A | 5930 | | EC | 16-JUN-93 | ER | EC | 85 | |
| M | I | | | MIL-S-8805/53C | SWITCH, SENSITIVE, 4 CIRCUIT, ROLLER-LEVER, WATERTIGHT USER: 19 MC MI REVIEWER: 99 AR AS ES OS SH | A | 5930 | | EC | 04-JUN-93 | ER | EC | 85 | |
| A | | | | MIL-S-8805/55F | SWITCH, PUSH, MICROPHONE, DPST, NORMALLY OPEN, FOOT OPERATED, MOMENTARY, UNSEALED AND WATERTIGHT USER: 19 AS MC REVIEWER: 99 AR ES | A | 5930 | | EC | 26-FEB-93 | ER | EC | 85 | |
| A | | | | MIL-S-8805/56E(1) | SWITCH ASSEMBLIES, SENSITIVE, INTERLOCK, UNSEALED USER: 19 AS AV MC MI OS REVIEWER: 99 AR ES | A | 5930 | | EC | 31-MAR-93 | ER | EC | 85 | |
| M | I | | | MIL-S-8805/57C | SWITCH ACTUATOR, PLUNGER TYPE USER: 19 MC MI REVIEWER: 99 AR AS ES OS SH .. | A | 5930 | | EC | 16-JUN-93 | ER | EC | 85 | |
| M | I | | | MIL-S-8805/58C | SWITCH ACTUATOR, EXTENDED PLUNGER TYPE USER: 19 AS AV MC MI REVIEWER: 99 AR ES OS | A | 5930 | | EC | 16-JUN-93 | ER | EC | 85 | |
| M | I | | | MIL-S-8805/59B | SWITCH ACTUATOR, ROLLER LEAF USER: 19 AS AV MC MI REVIEWER: 99 AR ES OS ... | A | 5930 | | EC | 16-JUN-93 | ER | EC | 85 | |
| | I | | | MIL-S-8805/61B NOTICE 1 | SWITCH, SENSITIVE, PLUNGER, SPDT, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AS ES OS | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| A | LI | | | MIL-S-8805/62C(1) | SWITCH, SENSITIVE, SPDT, MOMENTARY DUSTTIGHT REVIEWER: ES ..... | A | 5930 | | EC | 31-MAR-93 | | EC | | |
| | | | | MIL-S-8805/65B | SWITCH, SENSITIVE, DPDT, PLUNGER, 5 AMPERES, RESILIENT SEAL USER: 19 MC REVIEWER: 99 AS ES MI SH | A | 5930 | | EC | 20-MAR-92 | ER | EC | 85 | |
| | | | | MIL-S-8805/68G | SWITCHES, SENSITIVE, SPDT, 7 AMPERES, HERMETIC SEAL USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH | A | 5930 | | EC | 07-FEB-92 | ER | EC | 85 | |
| | | | | MIL-S-8805/70G | SWITCHES, SENSITIVE, DPDT AND 4PDT, PLUNGER OR ROLLER, 7 AMPERES, HERMETICALLY SEALED CONTACTS, RESILIENT SEALED PLUNGER USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH | A | 5930 | | EC | 27-DEC-91 | ER | EC | 85 | |
| A | | | | MIL-S-8805/72G(1) | SWITCHES, SENSITIVE, SPDT, PLUNGER, 7 AMPERES, HERMETICALLY SEALED CONTACTS, UNSEALED PLUNGER USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH | A | 5930 | | EC | 31-MAR-93 | ER | EC | 85 | |
| A | | | | MIL-S-8805/73G(1) | SWITCHES, SENSITIVE, SPDT, PLUNGER, 7 AMPERES, HERMETICALLY SEALED CONTACTS, RESILIENT SEALED PLUNGER USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH | A | 5930 | | EC | 31-MAR-93 | ER | EC | 85 | |
| | | | | MIL-S-8805/74H | SWITCHES, SENSITIVE, SPDT, PLUNGER OR ROLLER, 7 AMPERES, HERMETICALLY SEALED CONTACTS USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH | A | 5930 | | EC | 27-DEC-91 | ER | EC | 85 | |
| | | | | MIL-S-8805/76E | SWITCHES, SENSITIVE, 2 CIRCUIT (5 AMPERES) OR SPST (8 AMPERES), UNSEALED USER: 19 AR MC REVIEWER: 17 99 AS AV ES MI OS SH | A | 5930 | | EC | 18-MAY-92 | ER | EC | 85 | |
| | | | | MIL-S-8805/77F | SWITCHES, SENSITIVE, MOMENTARY, 4 CIRCUIT OR DPDT (10 AMPERES), UNSEALED USER: 19 AR MC NA REVIEWER: 99 AS AV OS SH | A | 5930 | | EC | 20-MAR-91 | ER | EC | 85 | |
| | | | | MIL-S-8805/78A(1) NOTICE 1 | SWITCH, SENSITIVE, MOMENTARY, 6 CIRCUIT OR 3PDT, UNSEALED (VALIDATION DATE: 9006) USER: 19 AV MC MI REVIEWER: 17 99 AR AS ES OS SH | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| M | L | | | MIL-S-8805/80D(1) | SWITCH, SENSITIVE, LIMIT, HERMETIC SEAL REVIEWER: 99 ..... | A | 5930 | | 85 | 21-APR-93 | | | 85 | |
| | | | | MIL-S-8805/82C(1) NOTICE 1 | SWITCHES, SENSITIVE, LEAF, SPDT, HERMETIC (VALIDATION DATE: 9006) USER: 19 AM AS AT MC OS SH REVIEWER: 17 99 AV ES MI | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| | | | | MIL-S-8805/84C(1) | SWITCHES, SENSITIVE, WATERTIGHT, 10 AMPERES, DOUBLE BREAK USER: 19 AM AS AT MC OS REVIEWER: 99 AV ES MI SH | A | 5930 | | EC | 23-AUG-90 | ER | EC | 85 | |
| M | L | | | MIL-S-8805/85C NOTICE 2 | SWITCH, SENSITIVE, ROTARY (NON SELF RETURN), 4 AMPERES, RESILENT SEAL (VALIDATION DATE: 9305) REVIEWER: 11 99 | A | 5930 | | 85 | 21-MAY-93 | | | 85 | |
| M | L | | | MIL-S-8805/90D | SWITCH, SENSITIVE, LOW FORCE, SPDT, 10 AMPERES, UNSEALED ..... | A | 5930 | | EC | 04-JUN-93 | | EC | | |
| A | | | | MIL-S-8805/92B(1) | SWITCH, ASSEMBLIES, SENSITIVE, LEVER LOCK, 5 AMPERES, UNSEALED USER: 19 AR AS AV MC MI OS REVIEWER: 99 ES | A | 5930 | | EC | 31-MAR-93 | ER | EC | 85 | |
| A | | | | MIL-S-8805/93B(2) | SWITCHES, TOGGLE, UNSEALED, 7.0 AMPERES USER: 19 AR MC REVIEWER: 99 AS AV ES MI | A | 5930 | | EC | 31-MAR-93 | ER | EC | 85 | |
| | | | | MIL-S-8805/94A | SWITCH, SENSITIVE, SUBMINIATURE (0.100 X 0.300), SPDT, UNSEALED, 2 AMPERES AND LOW LEVEL USER: SH REVIEWER: ES MC MI | A | 5930 | | AR | 04-APR-91 | AR | EC | | |
| M | | | | MIL-S-8805/95F | SWITCHES, PUSH, 2PDT, MOMENTARY, 1 AMPERE, UNSEALED USER: 19 AR AS MC OS SH REVIEWER: 99 AV ES | A | 5930 | | EC | 04-JUN-93 | ER | EC | 85 | |
| A | | | | MIL-S-8805/96C(1) | SWITCHES, PUSH, MOMENTARY, SPST, 5 AMPERES USER: 19 AV MC MI REVIEWER: 99 AR AS ES SH | A | 5930 | | EC | 31-MAR-93 | ER | EC | 85 | |
| M | L | | | MIL-S-8805/98C(1) | SWITCHES, SENSITIVE SWITCH ASSEMBLY, TOGGLE, 7 AMPERES, PANEL SEAL, TOGGLE SEAL REVIEWER: 99 | A | 5930 | | 85 | 21-APR-93 | | | 85 | |
| M | L | | | MIL-S-8805/99F | SWITCHES, PUSH, 2 CIRCUIT AND DPDT, ALTERNATE AND MOMENTARY ACTION, 2 AMPERES, WATERTIGHT REVIEWER: 99 ES | A | 5930 | | 85 | 07-MAY-93 | | | 85 | |
| M | L | | | MIL-S-8805/100D(1) NOTICE 2 | SWITCH, SENSITIVE, PLUNGER, 10 AMPERES, 2PDT AND 7 AMPERES, 4PDT, RESILIENT SEAL (VALIDATION DATE: 9305) REVIEWER: 11 99 | A | 5930 | | 85 | 21-MAY-93 | | | 85 | |
| | L | | | MIL-S-8805/101F | SWITCHES, SENSITIVE, 2 CIRCUIT (5 AMPERES) OR SPST (8 AMPERES), UNSEALED, LOW LEVEL SWITCHING, FORM C OR FORM Z | A | 5930 | | EC | 12-FEB-92 | | EC | | |
| | L | | | MIL-S-8805/104A(4) NOTICE 1 | SWITCHES, SENSITIVE, PLUNGER, 7 AMPERES, 4PDT, RESILIENT SEAL, GROUNDED PLUNGER (VALIDATION DATE: 8809) REVIEWER: 99 ES | A | 5930 | | 85 | 30-SEP-88 | | | 85 | |
| M | L | | | MIL-S-8805/106 NOTICE 2 | SWITCH, SENSITIVE, SPDT, LOW LEVEL TO 2 AMPS, 400 DEG. F, UNSEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 | A | 5930 | | 85 | 21-MAY-93 | | | 85 | |
| M | L | | | MIL-S-8805/107A NOTICE 2 | SWITCHES, PUSH, MOMENTARY AND PUSH PULL, 10 AMPERES, DUSTTIGHT (VALIDATION DATE: 9305) REVIEWER: 11 99 | A | 5930 | | 85 | 21-MAY-93 | | | 85 | |
| | L | | | MIL-S-8805/109A | SWITCHES, SENSITIVE, SPDT, UNSEALED, 7 AMPERES 0.156 WIDTH BASE ..... | A | 5930 | | EC | 12-FEB-92 | | EC | | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | | MIL-S-8805/1108(1) | SWITCHES, PUSHBUTTON, MOMENTARY 5 AMPERES AND LOW LEVEL, MINIATURE, DUSTTIGHT OR WATERTIGHT | A | 5930 | | EC | 05-JAN-93 | | EC | | |
| | | | MIL-S-8805/111 NOTICE 1 | SWITCH ASSEMBLIES, SENSITIVE, TRIGGER, 7 AMPERES, UNSEALED [VALIDATION DATE: 9006] USER: 82 REVIEWER: 17 99 AS AV ES MI OS | A | 5930 | | EC | 20-JUN-90 | ER | EC | 85 | |
| | L | | MIL-S-8805/114A | SWITCH ASSEMBLY, SENSITIVE, ROLLER PLUNGER, SPDT, 7 AMPERES RESILIENT SEAL | A | 5930 | | AT | 08-MAY-86 | AT | | | |
| | | | MIL-A-8806A(1) | ACOUSTICAL NOISE LEVEL IN AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8303] USER: CG MC REVIEWER: ME TE | A | 1500 | AS | | 11-JUL-66 | AV | AS | 11 | |
| A | | | MIL-T-8808B NOTICE 2 | TUBING, STEEL, CORROSION-RESISTANT (18-8 STABILIZED), AIRCRAFT HYDRAULIC QUALITY [VALIDATION DATE: 9302] USER: AR REVIEWER: 99 AV EA ME SH | A | 4710 | 11 | | 08-FEB-93 | AV | AS | 11 | |
| | | | MIL-H-8810B NOTICE 1 | HANDLES, CONTROL, AIRCRAFT [VALIDATION DATE: 9103] ..... | A | 1680 | 82 | | 15-MAR-91 | AV | | 99 | |
| | | | MIL-S-8812D(1) | STEERING SYSTEM, AIRCRAFT GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8207] REVIEWER: 99 | A | 1620 | AS | | 11-FEB-77 | AV | AS | | |
| | Q | | MIL-V-8813(2) | VALVE, AIRCRAFT, HYDRAULIC PRESSURE RELIEF, TYPE II SYSTEMS (ASG) REVIEWER: CS MI | A | 4820 | AS | | 30-JUL-81 | AV | AS | 99 | |
| | | | MIL-R-8814A(1) | RIVETS, BLIND, NONSTRUCTURAL TYPE USER: SH REVIEWER: AR IS MI ..... | A | 5320 | AS | | 15-APR-92 | | AS | 99 | |
| | Q | | MIL-F-8815D SUPPL 1A | FILTER & FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE & 5 MICRON ABSOLUTE, TYPE II SYSTEMS GENERAL SPECIFICATION FOR [VALIDATION DATE: 8203] REVIEWER: 71 CS MI SH | A | 1650 | AS | | 27-SEP-76 | AV | AS | 99 | |
| | | | MIL-F-8815/1A NOTICE 1 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRON, STYLE A, BYPASS, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9109] REVIEWER: 71 99 MI SH | A | 1650 | AS | | 24-SEP-91 | AV | AS | 11 | |
| | | | MIL-F-8815/2A NOTICE 1 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRON, STYLE B, NON BYPASS, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9109] REVIEWER: 71 SH | A | 1650 | AS | | 24-SEP-91 | AV | AS | 11 | |
| | | | MIL-F-8815/3B | FILTER ELEMENT, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRONS, -65 DEGREES F TO PLUS 275 DEGREES F REVIEWER: 71 MI | A | 1650 | AS | | 16-JAN-81 | AV | AS | 11 | |
| | | | MIL-F-8815/4A NOTICE 1 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 5 MICRON, STYLE A, BYPASS, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9109] REVIEWER: 71 SH | A | 1650 | AS | | 24-SEP-91 | AV | AS | 11 | |
| | | | MIL-F-8815/5A NOTICE 1 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 5 MICRON, STYLE B, NON BYPASS, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9109] REVIEWER: 99 MI SH | A | 1650 | AS | | 24-SEP-91 | AV | AS | 11 | |
| | | | MIL-F-8815/6B NOTICE 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9109] REVIEWER: 71 99 MI SH | A | 1650 | AS | | 24-SEP-91 | AV | AS | 11 | |
| | | | MIL-F-8815/7B NOTICE 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, 0.5 TO 12.0 GPM [VALIDATION DATE: 9109] REVIEWER: 99 MI | A | 1650 | AS | | 24-SEP-91 | AV | AS | 11 | |
| | L | | MIL-F-8815/8B NOTICE 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 1.5 GPM [VALIDATION DATE: 8608] | A | 1650 | AS | | 15-AUG-86 | | AS | | |
| | L | | MIL-F-8815/9A | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC, LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 3.5 GPM [VALIDATION DATE: 8304] | A | 1650 | AS | | 14-OCT-76 | | AS | | |
| | L | | MIL-F-8815/10B | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 4.5 GPM [VALIDATION DATE: 8406] | A | 1650 | AS | | 04-APR-78 | | AS | | |
| | L | | MIL-F-8815/11A | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 4.5 GPM (HIGH CAPACITY) [VALIDATION DATE: 8304] | A | 1650 | AS | | 14-OCT-76 | | AS | | |
| | L | | MIL-F-8815/12B | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 32 GPM [VALIDATION DATE: 8406] | A | 1650 | AS | | 04-APR-78 | | AS | | |
| | L | | MIL-F-8815/18A NOTICE 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, AV8 AND A7 AIRCRAFT, 3.5 GPM [VALIDATION DATE: 9109] | A | 1650 | AS | | 24-SEP-91 | | AS | | |
| | L | | MIL-F-8815/19 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, A4 AIRCRAFT 2.0 GPM [VALIDATION DATE: 8304] | A | 1650 | AS | | 14-OCT-76 | | AS | | |
| | L | | MIL-F-8815/20 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, A4 AIRCRAFT, 3.5 GPM [VALIDATION DATE: 8304] | A | 1650 | AS | | 14-OCT-76 | | AS | | |
| | L | | MIL-F-8815/21A | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC, LINE, 15MICRON ABSOLUTE, AV8 AIRCRAFT, 10 GPM [VALIDATION DATE: 8304] | A | 1650 | AS | | 14-OCT-76 | | AS | | |
| | L | | MIL-F-8815/22A NOTICE 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, F14 AIRCRAFT, 12 GPM [VALIDATION DATE: 9109] | A | 1650 | AS | | 24-SEP-91 | | AS | | |
| | L | | MIL-F-8815/23 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, MINUS 65 TO PLUS 275 DEG.F, F14 AIRCRAFT, 30 GPM | A | 1650 | AS | | 30-JAN-80 | | AS | | |
| | L | | MIL-F-8815/24A NOTICE 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, F14 AND F-18 AIRCRAFT, 84 GPM [VALIDATION DATE: 9109] | A | 1650 | AS | | 24-SEP-91 | | AS | | |
| | L | | MIL-F-8815/25 NOTICE 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 15 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, P3 AIRCRAFT, RUDDER, 4 GPM [VALIDATION DATE: 9109] | A | 1650 | AS | | 24-SEP-91 | | AS | | |
| | L | | MIL-F-8815/26 NOTICE 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 25 MICRON ABSOLUTE, P3 AIRCRAFT, CASE DRAIN, 2 GPM [VALIDATION DATE: 9109] | A | 1650 | AS | | 24-SEP-91 | | AS | | |
| | L | | MIL-F-8815/27 NOTICE 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, P3 AIRCRAFT, RETURN, 14 GPM [VALIDATION DATE: 9109] | A | 1650 | AS | | 24-SEP-91 | | AS | | |
| | L | | MIL-F-8815/28(1) NOTICE 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +160 DEG. F, P3 AIRCRAFT, PUMP OUTLET, 8 GPM [VALIDATION DATE: 9109] | A | 1650 | AS | | 28-SEP-91 | | AS | | |
| | Q | | MIL-B-8831B(1) SUPPL 1A | BOLT, 180 KSI FTU & 180 KSI FSU, 450 DEG F PROTRUDING & FLUSH HEAD, GENERAL SPECIFICATION FOR REVIEWER: 82 | A | 5306 | AS | | 09-MAR-83 | AV | AS | 99 | |
| | | | MIL-B-8831/1 | BOLT, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, RELIABILITY & MAINTAINABILITY REQUIREMENTS FOR | A | 5306 | AS | | 23-AUG-82 | AV | AS | 11 | |
| | | | MIL-B-8831/2 | BOLT, 100 DEG REDUCED FLUSH HEAD, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 108 KSI FSU | A | 5306 | AS | | 23-AUG-82 | AV | AS | 11 | |
| | | | MIL-B-8831/3 | BOLT, PROTRUDING HEAD, EXTERNAL WRENCHING, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 180 KSI FTU | A | 5306 | AS | | 23-AUG-82 | AV | AS | 11 | |
| | | | MIL-B-8831/4 | BOLT, 100 DEG REDUCED FLUSH HEAD, LOW INTERFERENCE, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 108 KSI FSU | A | 5306 | AS | | 23-AUG-82 | AV | AS | 11 | |
| | | | MIL-B-8831/5 | BOLT, PROTRUDING HEAD, EXTERNAL WRENCHING, STRAIGHT SHANK, LOW INTERFERENCE, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 180 KSI FTU | A | 5306 | AS | | 23-AUG-82 | AV | AS | 11 | |
| | Q | | MIL-S-8834F(3) NOTICE 1 | SWITCHES, TOGGLE, POSITIVE BREAK, GENERAL SPECIFICATION FOR USER: AR REVIEWER: 17 99 AT AV EC ES MI | A | 5930 | 85 | | 07-APR-89 | ER | AS | 85 | |
| | D | | MIL-I-8835A NOTICE 1 | INDICATOR, HUMIDITY, CARD, CHEMICALLY IMPREGNATED [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 82 AT GS MI YD1 | A | 6685 | AS | | 24-OCT-91 | | AS | 99 | |
| | | | MIL-C-8837B(1) | COATING, CADMIUM (VACUUM DEPOSITED) USER: AT SH REVIEWER: 99 AR ER IS MI OS | A | MFFP | AS | | 16-APR-85 | MR | AS | 11 | |
| | | | MIL-F-8839A | FITTINGS, LUBRICATION DRIVE TYPE USER: CE MC REVIEWER: 82 AR AT MI OS SH .. | A | 4730 | AS | | 23-DEC-88 | AV | AS | 99 | |
| | | | MIL-S-8840B(1) | STEEL SHEET AND STRIP, CORROSION-RESISTANT, PRECIPITATION HARDENING (AM350 AND AM355), PREMIUM QUALITY [VALIDATION DATE: 8407] REVIEWER: IS | A | 9515 | AS | | 29-SEP-78 | MR | AS | 11 | |
| | | | MIL-S-8844D(1) | STEEL BAR, REFORGING STOCK, AND MECHANICAL TUBING, LOW ALLOY, PREMIUM QUALITY | A | 9510 | AS | | 01-DEC-90 | MI | AS | 11 | |
| | A | | MIL-I-8846C | INSERTS, SCREW-THREAD, HELICAL COIL USER: AT CR GL ME SH REVIEWER: AR EA IS MI | A | 5340 | 82 | | 18-AUG-92 | AV | AS | 99 | |
| | | | MIL-M-8856B(1) | MISSILES, GUIDED, STRUCTURAL INTEGRITY GENERAL SPECIFICATION FOR ..... | A | 1410 | AS | | 22-JUL-91 | MI | AS | | |
| | | | MIL-A-8861B | AIRPLANE STRENGTH AND RIGIDITY FLIGHT LOADS ..... | A | 1510 | AS | | 07-FEB-86 | | | | |
| | | | MIL-A-8863B | AIRPLANE STRENGTH AND RIGIDITY GROUND LOADS FOR NAVY PROCURED AIRPLANES ... | A | 1510 | AS | | 06-MAY-86 | | AS | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-A-8866C | AIRPLANE STRENGTH AND RIGIDITY RELIABILITY REQUIREMENTS, REPEATED LOADS, FATIGUE AND DAMAGE TOLERANCE | A | 1510 | | AS | 20-MAY-87 | | AS | | |
| A | L | MIL-A-8867C(1) | AIRPLANE STRENGTH AND RIGIDITY GROUND TESTS | A | 1510 | | AS | 25-MAR-93 | | AS | | |
| | L | MIL-A-8868B(1) | AIRPLANE STRENGTH AND RIGIDITY DATA AND REPORTS | A | 1510 | | AS | 24-MAY-91 | | AS | | |
| | | MIL-A-8869B | AIRPLANE STRENGHT AND RIGIDITY SPECIAL WEAPONS EFFECTS (SUPERSEDES MIL-A-8629 IN PART AND MIL-A-5700 SERIES IN PART) | A | 1510 | | AS | 20-MAY-87 | | AS | | |
| A | L | MIL-A-8870C | AIRPLANE STRENGTH AND RIGIDITY VIBRATION, FLUTTER, AND DIVERGENCE | A | 1510 | | AS | 25-MAR-93 | | AS | | |
| Q | | MIL-T-8878C(1) | TURNBUCKLES, POSITIVE SAFETYING REVIEWER: IS MC ME | A | 5340 | | 82 | 30-OCT-87 | AV | AS | | 99 |
| A | | MIL-S-8879C(1) | SCREW THREADS, CONTROLLED RADIUS ROOT WITH INCREASED MINOR DIAMETER, GENERAL SPECIFICATION FOR USER: AT ME REVIEWER: AV IS MI SH | A | THDS | | 11 | 02-SEP-92 | AR | AS | | 11 |
| | | MIL-E-8881A | ENCLOSURE, ELECTROMAGNETIC-SHIELDING, DEMOUNTABLE, PREFABRICATED GENERAL SPECIFICATION FOR [VALIDATION DATE: 8103] USER: 17 MC REVIEWER: CS MI | A | 4940 | | AS | 31-JAN-64 | EL | AS | | 99 |
| | | MIL-V-8883B(2) NOTICE 1 | VALVE, INLET, LIFE RAFT [VALIDATION DATE: 8706] REVIEWER: AV | A | 4220 | | AS | 23-JUN-87 | MD | AS | | 11 |
| | | MIL-H-8890 | HYDRAULIC COMPONENTS, TYPE 111 (-65 DEG TO PLUS 450 DEG F) GENERAL SPECIFICATION FOR (ASG) [VALIDATION DATE: 8009] REVIEWER: 71 | A | 1650 | | AS | 01-NOV-61 | | AS | | 99 |
| | | MIL-H-8891A | HYDRAULIC SYSTEMS, MANNED FLIGHT VEHICLES, TYPE 111 DESIGN, INSTALLATION AND DATA REQUIREMENTS FOR, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8406] REVIEWER: 71 AV | A | 1650 | | AS | 23-JAN-78 | | AS | | 99 |
| D | | MIL-F-8901E | FILTER SEPARATORS, LIQUID FUEL, AND FILTER COALESCER ELEMENTS, FLUID PRESSURE, INSPECTION REQUIREMENTS AND TEST PROCEDURES FOR USER: AT AV SH YD1 REVIEWER: 99 CS | A | 4330 | | ME | 06-JUN-80 | ME | AS | | 11 |
| | Q | MIL-R-8903A | RESISTOR, VARIABLE, LINEAR PRECISION, TAPPABLE (ASG) [VALIDATION DATE: 8503] REVIEWER: 99 ES MI | A | 5905 | | AS | 14-FEB-66 | | AS | | 85 |
| | | MIL-F-8905B(1) | FITTINGS AND CARGO RINGS, TIEDOWN, AIRCRAFT FLOOR USER: 82 99 ME REVIEWER: AV GS | A | 1670 | | AS | 24-MAY-82 | GL | AS | | |
| | Q | MIL-B-8906C | BOLT, ALLOY STEEL, SHEAR + TENSILE, (132 KSI FSU + 220 KSI FTU, 450 DEG. F), GENERAL SPECIFICATION FOR USER: MI REVIEWER: 82 AR IS | A | 5306 | | AS | 12-MAY-86 | AV | AS | | 11 |
| | | MIL-B-0089068 | BOLT, ALLOY STEEL AND INCONEL 718 SHEAR AND TENSION, (132 KSI FSU AND 220 KSI FTU) | A | 5306 | | AS | 12-MAY-86 | | AS | | |
| | | MIL-B-8906/2A NOTICE 1 | BOLTS, SHEAR, STEEL, 132 KSI FSU, 450 DEG. F [VALIDATION DATE: 9109] REVIEWER: 99 IS | A | 5306 | | AS | 24-SEP-91 | AV | AS | | 11 |
| | Q | MIL-B-8907A | BOLT, ALLOY STEEL, SHEAR + TENSILE (156 KSIFSU + 260 KSI FTU,450DEG.F) EXTERNAL WRENCHING,FLANGED HEAD USER: MI REVIEWER: 99 AT IS | A | 5306 | | AS | 15-AUG-83 | AV | AS | | 11 |
| | L | MIL-M-008910A(2) NOTICE 1 | MANUALS, TECHNICAL, ILLUSTRATED PARTS BREAKDOWN, PREPARATION OF [VALIDATION DATE: 9110] | A | TMSS | | AS | 09-OCT-91 | | AS | | |
| AQ | | MIL-B-8914B(3) | BEARING, ROLLER, SELF-ALIGNING, AIRFRAME, ANTIFRICTION USER: CG MC REVIEWER: 84 AV IS ME | A | 3110 | | AS | 21-DEC-89 | AT | AS | | 99 |
| | | MIL-M-8917A NOTICE 1 | MAGNESIUM ALLOY SHEET AND PLATE (HM21A-T8) (ASG) [VALIDATION DATE: 8803] .. | A | 9535 | | 11 | 04-MAR-88 | | AS | | 11 |
| | Q | MIL-N-8922A | NUT, SELF LOCKING ALLOY STEEL, 220 KSI FTU, 450 DEG F, REVIEWER: 82 IS .... | A | 5310 | | AS | 23-MAY-88 | AV | AS | | 99 |
| | | MIL-N-8922/1A | NUT, SELF-LOCKING, ASSEMBLED WASHER, ALLOY STEEL, 220 KSI FTU, 450 DEG. F, (12-SPLINE WRENCHING ELEMENT) REVIEWER: 11 82 | A | 5310 | | AS | 25-JUL-88 | AV | AS | | 99 |
| | | MIL-R-8931(1) | RESERVOIRS, AIRCRAFT AND MISSILE, HYDRAULIC, SEPARATED TYPE [VALIDATION DATE: 8406] REVIEWER: 99 MI | A | 1650 | | AS | 10-MAY-72 | AV | AS | | |
| | | MIL-S-8932A NOTICE 2 | SWITCHES, PRESSURE, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 1650 | | AS | 09-SEP-91 | AV | AS | | 99 |
| | | MIL-S-8932/1 NOTICE 2 | SWITCHES, PRESSURE, AIRCRAFT, ABSOLUTE, TYPES I AND II, CLASS 1 | A | 1650 | | AS | 09-SEP-91 | AV | AS | | |
| | | MIL-S-8932/2 NOTICE 2 | SWITCHES, PRESSURE, AIRCRAFT, DIFFERENTIAL, TYPES I AND II, CLASS 2 | A | 1650 | | AS | 09-SEP-91 | AV | AS | | |
| | | MIL-S-8932/3 NOTICE 2 | SWITCHES, PRESSURE, AIRCRAFT, GAGE, TYPE I AND II, CLASS 3 | A | 1650 | | AS | 09-SEP-91 | AV | AS | | |
| | | MIL-S-8932/4 NOTICE 2 | SWITCHES, PRESSURE, AIRCRAFT, APPROXIMATE GAGE, TYPES 1 AND 11, CLASS 4 | A | 1650 | | AS | 09-SEP-91 | AV | AS | | |
| | L | MIL-W-8939A | WELDING, RESISTANCE, ELECTRONIC CIRCUIT MODULES | A | 3439 | | MI | 20-JUL-90 | MI | | | |
| Q | | MIL-B-8942A(2) | BEARINGS, PLAIN, TFE LINED,SELF ALIGNING [VALIDATION DATE: 8403] REVIEWER: 84 IS | A | 3120 | | AS | 10-FEB-78 | AT | AS | | 99 |
| Q | | MIL-B-8943A(3) | BEARING, JOURNAL PLAIN AND FLANGED, TFELINED [VALIDATION DATE: 8403] REVIEWER: 84 | A | 3120 | | AS | 10-FEB-78 | AV | AS | | 99 |
| D | | MIL-P-8944A(1) | PANEL, AIRPORT LIGHTING CONTROL, GENERAL SPECIFICATION FOR USER: YD1 REVIEWER: 11 GS | A | 6210 | | 82 | 16-DEC-83 | | AS | | 99 |
| D | | MIL-P-8945A | PANEL, RELAY, PILOT, ENCLOSED, AIRPORT LIGHTING [VALIDATION DATE: 8311] REVIEWER: 11 GS YD1 | A | 6110 | | AS | 23-AUG-77 | | AS | | |
| Q | | MIL-B-8948A(1) | BEARING, PLAIN, ROD END, TFE LINED, SELF-ALIGNING [VALIDATION DATE: 8403] REVIEWER: 84 IS | A | 3120 | | AS | 10-FEB-78 | AV | AS | | 99 |
| | | MIL-S-8949 NOTICE 1 | STEEL BARS, PLATES, SHEETS, BILLETS, AND REFORGING STOCK TYPE 06AC [VALIDATION DATE: 8803] REVIEWER: IS MI | A | 9515 | | 11 | 15-MAR-88 | | AS | | 11 |
| Q | | MIL-B-8952A(1) | BEARING, ROLLER, ROD END, ANTIFRICTION SELF-ALIGNING REVIEWER: 84 IS | A | 3110 | | AS | 21-DEC-89 | AT | AS | | 99 |
| Q | | MIL-B-8954B(1) | BASE AND ACCESSORIES, AIRPORT MARKER LIGHTS GENERAL SPECIFICATION FOR (ASG) REVIEWER: GS | A | 6210 | | 82 | 04-AUG-78 | | AS | | 99 |
| | | MIL-W-8957A NOTICE 2 | WIRE, STEEL, CARBON HIGH STRENGTH REVIEWER: IS | A | 9505 | | AR | 13-MAY-66 | AR | | | 11 |
| | | MIL-W-8958 | WIRE, STEEL, CORROSION-RESISTANT, HIGH STRENGTH (AM 355) [VALIDATION DATE: 8505] REVIEWER: IS | A | 9505 | | 11 | 15-MAY-67 | | AS | | 11 |
| | | MIL-S-8959(1) NOTICE 1 | SPRING, HYDRAULIC: GENERAL SPECIFICATION FOR [VALIDATION DATE: 8909] | A | 1620 | | 70 | 27-SEP-89 | | AS | | 99 |
| AQ | | MIL-F-8961A | FASTENER ELEMENT, SELF-LOCKING, EXTERNALLY THREADED, 450 DEG. F AND 1,200 DEG. F REVIEWER: 82 AR EA IS MI OS | A | 53GP | | AS | 28-SEP-92 | AV | AS | | 99 |
| | | MIL-B-8964 | BERYLLIUM SHEET, AND PLATE, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8104] REVIEWER: 99 | A | 9535 | | AS | 17-JAN-69 | | AS | | 11 |
| | | MIL-V-8965B | VALVE CORE, OXYGEN, HIGH PRESSURE REVIEWER: 71 | A | 1660 | | AS | 14-DEC-90 | | AS | | 11 |
| | | MIL-G-8968 | GENERATING PLANT, OXYGEN-NITROGEN, TRAILER MOUNTED A/M 26U-1 [VALIDATION DATE: 8401] REVIEWER: GS | A | 3655 | | AS | 01-SEP-69 | | AS | | 99 |
| | | MIL-E-8970 | ENGINE AND RELATED PROPULSION AND POWER EQUIPMENT, AIRCRAFT, ACCEPTANCE TESTS OF, SAMPLING PLAN FOR, STATISTICAL [VALIDATION DATE: 8205] | A | MISC | | AS | 09-OCT-67 | | AS | | 11 |
| Q | | MIL-E-8971B | ELECTRODES, GRAPHITE, SPECTROSCOPIC GRADE USER: AT ME MI REVIEWER: 99 AR ER GS | A | 5977 | | 85 | 23-OCT-91 | | AS | | 85 |
| A | | MIL-T-8973 NOTICE 1 | TUBING, STEEL, CORROSION AND HEAT RESISTANT, FOR AEROSPACE VEHICLE HYDRAULIC SYSTEMS ASSEMBLED BY BRAZING [VALIDATION DATE: 9302] REVIEWER: 82 | A | 4710 | | 11 | 08-FEB-93 | | AS | | 11 |
| | | MIL-I-8974A(1) | INDICATOR, EVENT COUNTING, GENERAL SPECIFICATION FOR USER: SH REVIEWER: 71 | A | 66Z0 | | AS | 02-MAY-88 | | AS | | 99 |
| | | MIL-I-8974/28 NOTICE 1 | INDICATOR, EVENTS, MINIATURE, DIGITAL, 28 VDC [VALIDATION DATE: 9110] USER: SH REVIEWER: 71 | A | 66Z0 | | AS | 15-OCT-91 | | AS | | 99 |
| | | MIL-F-8975B(1) | FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT STEEL, HEAT RESISTANT STEEL & TITANIUM, GENERAL SPECIFICATION FOR REVIEWER: 82 AR IS MI OS SH | A | 5320 | | AS | 27-MAY-88 | AV | AS | | 99 |
| | | MIL-F-8975/1A NOTICE 1 | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT AND HEAT RESISTANT STEEL AND TITANIUM, DESIGN AND USAGE LIMITATIONS FOR [VALIDATION DATE: 9109] REVIEWER: 99 AR IS | A | 5320 | | AS | 24-SEP-91 | AV | AS | | 11 |
| | | MIL-F-8975/2A | FASTENER (BOLTS), BLIND, HIGH STRENGTH, CORROSION RESISTANT AND HEAT RESISTANT STEEL, FLUSH HEAD REVIEWER: 99 AR IS | A | 5320 | | AS | 29-SEP-82 | AV | AS | | 11 |
| | | MIL-F-8975/3A | FASTENERS, BLIND, TITANIUM, FLUSH HEAD, TYPE 2, CLASS 2 REVIEWER: 99 AR IS | A | 5320 | | AS | 29-SEP-82 | AV | AS | | 11 |

| Action | Opt. / Obs. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-F-8975/4A(1) | FASTENERS, BLIND, HIGH STRENGTH, CORROSION RESISTANT & HEAT RESISTANT STEEL PROTRUDING HEAD, TYPE 2 CLASS 1 REVIEWER: 99 AR IS | A 5320 | AS | 15-OCT-85 | AV | AS | 11 | |
| | | MIL-F-8975/5A | FASTENER, BLIND, TITANIUM, PROTRUDING HEAD TYPE 2 CLASS 2 REVIEWER: 99 IS | A 5320 | AS | 29-SEP-82 | AV | AS | 11 | |
| | | MIL-F-8975/6 | FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, FLUSH HEAD, TYPE 1, CLASS 2 | A 5320 | AS | 06-JUN-88 | AV | AS | 99 | |
| | | MIL-F-8975/7 | FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, FLUSH HEAD, TYPE 1, CLASS 2 REVIEWER: 82 AR IS MI OS SH | A 5320 | AS | 06-JUN-88 | AV | AS | 99 | |
| Q | | MIL-B-8976(2) | BEARING, PLAIN, SELF-ALIGNING, ALL-METAL REVIEWER: 84 IS | A 3120 | AS | 11-FEB-82 | AV | AS | 99 | |
| | | MIL-W-8982D(1) SUPPL 1A | WRENCHES, SPLINED, HIGH STRENGTH, THIN WALL, GENERAL SPECIFICATION FOR REVIEWER: GL | A 5120 | AS | 23-SEP-91 | AV | AS | 99 | |
| | | MIL-W-8982/1A | WRENCH, SPLINED SOCKET, SQUARE DRIVE, HIGH STRENGTH, THIN WALL REVIEWER: AR GL | A 5120 | AS | 27-FEB-89 | AV | AS | 99 | |
| | | MIL-W-8982/2A | WRENCH, BOX, SPLINED, HIGH STRENGTH, THIN WALL REVIEWER: AR GL | A 5120 | AS | 27-FEB-89 | AV | AS | 99 | |
| | | MIL-W-8982/3A | WRENCH, TORQUE ADAPTER, SPLINED, SQUARE DRIVE, HIGH STRENGTH, THIN WALL REVIEWER: GL | A 5120 | AS | 27-FEB-89 | AV | AS | 99 | |
| | | MIL-W-8982/4 | WRENCH, BOX, RATCHETING, SPLINED, HIGH STRENGTH, THIN WALL REVIEWER: 99 AR GL | A 5120 | AS | 06-JUN-86 | AV | AS | 11 | |
| | | MIL-W-8982/5 | WRENCH, UNIVERSAL SOCKET, SPLINED, SQUARE DRIVE, HIGH STRENGTH, THIN WALL REVIEWER: 99 AR GL | A 5120 | AS | 06-JUN-86 | AV | AS | 11 | |
| | | MIL-W-8982/6 | WRENCH, COMBINATION BOX & OPEN END, HIGH STRENGTH, THIN WALL REVIEWER: 99 AR GL | A 5120 | AS | 06-JUN-86 | AV | AS | 11 | |
| A L | | DOD-E-8983C NOTICE 1 | ELECTRONIC EQUIPMENT, AEROSPACE, EXTENDED SPACE ENVIRONMENT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9209] | A MISC | 19 | 04-SEP-92 | | | 19 | |
| Q | | MIL-N-8984 | NUT, SELF-LOCKING, STEEL, 260 KSI FTU, 450 DEG. F [VALIDATION DATE: 8907] USER: MI REVIEWER: 82 AT IS | A 5310 | AS | 31-JUL-89 | AV | AS | 99 | |
| Q | | MIL-N-8985(1) | NUT, SELF LOCKING STEEL, 180 KSI FTU, 450 DEGREE F [VALIDATION DATE: 8310] USER: MI REVIEWER: 82 AT IS | A 5310 | AS | 30-NOV-76 | AV | AS | 99 | |
| | | MIL-N-8985/2 NOTICE 1 | NUTS, SHEAR, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F [VALIDATION DATE: 9109] REVIEWER: 82 IS | A 5310 | AS | 23-SEP-91 | AV | AS | 11 | |
| | | MIL-N-8985/3 | NUT, CAPTIVE WASHER, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F, (12-SPLINE) WRENCHING ELEMENT [VALIDATION DATE: 8907] | A 5310 | AS | 31-JUL-89 | AV | AS | 99 | |
| QL | | MIL-L-9000H | LUBRICATING OIL, SHIPBOARD INTERNAL COMBUSTION ENGINE, HIGH OUTPUT DIESEL | A 9150 | SH | 16-SEP-87 | | SH | | |
| | | MIL-T-9026B(2) | TABLE, GYRO INSTRUMENT TESTING, TYPE MA-1 | A 4920 | 82 | 07-FEB-86 | AV | | 99 | |
| | | MIL-S-9041B NOTICE 1 | SANDWICH CONSTRUCTION; PLASTIC RESIN, GLASS FABRIC BASE, LAMINATED FACINGS AND HONEYCOMB CORE FOR AIRCRAFT STRUCTURAL AND ELECTRONIC APPLICATIONS [VALIDATION DATE: 9110] USER: AR ME REVIEWER: 84 | A 5680 | AS | 24-OCT-91 | AV | AS | 11 | |
| | | MIL-T-9046J(2) NOTICE 1 | TITANIUM AND TITANIUM ALLOY, SHEET, STRIP AND PLATE [VALIDATION DATE: 9105] USER: GL REVIEWER: 99 AR AV IS MI MS OS SH | A 9535 | AS | 25-MAY-91 | MR | AS | 11 | |
| A | | MIL-T-9047G(2) NOTICE 1 | TITANIUM AND TITANIUM ALLOY BARS (ROLLED OR FORGED) AND REFORGING STOCK, AIRCRAFT QUALITY [VALIDATION DATE: 9302] USER: AV REVIEWER: 84 99 AR IS MI SH | A 9530 | 11 | 08-FEB-93 | MR | AS | 11 | |
| | | MIL-W-9049D | WEBBING, TEXTILE, NYLON, LOCKING LOOP REVIEWER: 99 CT | A 1670 | 11 | 13-NOV-90 | | AS | 11 | |
| Q | | MIL-V-9050E(1) | VALVE, OXYGEN, PRESSURE RELIEF, AIRCRAFT USER: AV REVIEWER: CS | A 4820 | 71 | 06-NOV-86 | | AS | 99 | |
| | | MIL-A-9067C(1) NOTICE 1 | ADHESIVE BONDING, PROCESS AND INSPECTION REQUIREMENTS FOR [VALIDATION DATE: 8509] USER: ME REVIEWER: AR MI | A 8040 | AS | 23-FEB-79 | AV | AS | | |
| A L | | MIL-C-9074C NOTICE 1 | CLOTH, LAMINATED, SATEEN, RUBBERIZED REVIEWER: ME | A 8305 | CT | 12-NOV-87 | GL | | | CT |
| QL | | MIL-C-9075A(3) | COMPUTER & TRANSMITTER, TRUE AIRSPEED, PITOT STATIC, 150-900 KNOTS, TYPE MA-1 | A 6610 | 71 | 19-JUN-87 | | | 99 | |
| L | | MIL-A-9080 NOTICE 1 | ANTENNA, LIAISON COMMUNICATIONS EQUIPMENT, GENERAL SPECIFICATION FOR DESIGN OF [VALIDATION DATE: 8802] REVIEWER: 85 ES | A 5985 | 11 | 26-FEB-88 | | | 11 | |
| L | | MIL-C-9082H(1) | CONVERTER, OXYGEN, AIRCRAFT, LIQUID TO GASEOUS, GENERAL SPECIFICATION FOR REVIEWER: AS | A 1660 | 71 | 23-DEC-87 | | | 99 | |
| A | | MIL-C-9084C(1) | CLOTH, GLASS, FINISHED, FOR RESIN LAMINATES [VALIDATION DATE: 8304] USER: 45 MC ME REVIEWER: 99 DS EA MI MR SH | A 8305 | CT | 09-JUN-70 | EL | AS | 11 | CT |
| | | MIL-A-9094D NOTICE 1 | ARRESTER, LIGHTNING, GENERAL SPECIFICATION FOR DESIGN OF REVIEWER: 99 ES MI | A 5920 | 85 | 13-FEB-87 | | AS | 85 | |
| | | MIL-A-9094/1C NOTICE 1 | ARRESTER, AIRCRAFT LIGHTNING REVIEWER: 11 99 ES | A 5920 | 85 | 13-FEB-87 | ER | AS | 85 | |
| | | MIL-A-9094/2A | ARRESTER, LIGHTING (AIRCRAFT) [VALIDATION DATE: 8206] REVIEWER: 11 99 | A 5920 | 85 | 10-OCT-74 | ER | AS | 85 | |
| | | MIL-A-9094/3A(1) NOTICE 1 | ARRESTER, LIGHTNING (AIRCRAFT) REVIEWER: 11 99 ES | A 5920 | 85 | 13-FEB-87 | ER | AS | 85 | |
| | | MIL-A-9094/4A NOTICE 1 | ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99 | A 5920 | 85 | 13-FEB-87 | ER | AS | 85 | |
| | | MIL-A-9094/7B NOTICE 1 | ARRESTER, AIRCRAFT LIGHTNING REVIEWER: 11 99 ES | A 5920 | 85 | 13-FEB-87 | ER | AS | 85 | |
| A L | | MIL-M-9105D NOTICE 1 | MITTEN, INSERTS (GLOVES, AIR CREW, MITTEN STYLE, LEATHER, TYPE M-2) [VALIDATION DATE: 8910] USER: 45 | A 8415 | CT | 31-OCT-89 | | | 99 | CT |
| | | MIL-A-9117D | ADHESIVE, SEALING, FOR AROMATIC FUEL CELLS AND GENERAL REPAIR [VALIDATION DATE: 8207] USER: MC REVIEWER: 11 AR MD | A 8040 | 84 | 19-APR-71 | MR | AS | 99 | |
| L | | MIL-R-9126A NOTICE 1 | REEL, FUELING HOSE, AERIAL, REFUELING, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8908] | A 1680 | 82 | 16-AUG-89 | | | 99 | |
| Q | | MIL-D-9129D(1) SUPPL 1A | DISCHARGES, ELECTROSTATIC GENERAL SPECIFICATION FOR USER: 14 19 MC REVIEWER: 17 99 CE ES MI | A 5920 | 85 | 09-NOV-90 | ER | AS | 85 | |
| | | MIL-D-9129/1B | DISCHARGER, ELECTROSTATIC, TRAILING EDGE, INTEGRAL BASE, LESS THAN 300 KNOTS USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI | A 5920 | 85 | 10-MAR-89 | ER | AS | 85 | |
| | | MIL-D-9129/2A | DISCHARGER, ELECTROSTATIC, TRAILING EDGE, NON-INTEGRAL BASE, LESS THAN 300 KNOTS USER: 14 19 MC REVIEWER: 11 17 99 CE MI | A 5920 | 85 | 30-SEP-86 | | | | |
| | | MIL-D-9129/3A | DISCHARGER, ELECTROSTATIC, TRAILING EDGE, INTEGAL BASE, LESS THAN 600 KNOTS USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI | A 5920 | 85 | 30-SEP-86 | ER | AS | 85 | |
| | | MIL-D-9129/4A | DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, BOND MOUNTED, TYPE 11 CLASS 1, STYLE A USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI | A 5920 | 85 | 30-SEP-86 | ER | AS | 85 | |
| | | MIL-D-9129/5A | DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, SCREW MOUNTED, TYPE 11, CLASS 1, STYLE B USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI | A 5920 | 85 | 30-SEP-86 | ER | AS | 85 | |
| | | MIL-D-9129/6A | DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, BOND MOUNTED, TYPE IT, CLASS 2, STYLE A USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI | A 5920 | 85 | 30-SEP-86 | ER | AS | 85 | |
| | | MIL-D-9129/7A | DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, SCREW MOUNTED, TYPE IT, CLASS 2, STYLE B USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI | A 5920 | 85 | 30-SEP-86 | ER | AS | 85 | |
| | | MIL-D-9129/8 | DISCHARGER, ELECTROSTATIC, WING TIP, NON-INTEGRAL BASE, GREATER THAN 600 KNOTS USER: 14 19 MC REVIEWER: 11 17 99 CE MI | A 5920 | 85 | 30-SEP-86 | ER | AS | 85 | |
| A | | MIL-D-9129/9(1) | HOLDERS, DISCHARGER, ELECTROSTATIC USER: 14 19 MC REVIEWER: 17 99 CE ES MI | A 5920 | 85 | 20-OCT-92 | ER | AS | 85 | |
| | | MIL-L-9131H | LIFE RAFTS, INFLATABLE, TWENTY MAN | A 4220 | AS | 07-JAN-83 | ME | AS | 99 | |
| | | MIL-T-9166B(2) | TIE DOWN, CARGO, AIRCRAFT, CABLE NET, 10,000 LB CAPACITY, TYPE A-2 REVIEWER: AV MT | A 1670 | 82 | 13-OCT-83 | GL | AS | 99 | |
| QL | | MIL-C-9177B(2) SUPPL 1A | CONNECTOR, AUDIO, AIRBORNE, GENERAL SPECIFICATION FOR USER: 17 19 REVIEWER: 11 99 ES | A 5935 | 85 | 12-SEP-88 | | | 85 | |
| L | | MIL-C-9177/1B | CONNECTOR, AUDIO, AIRBORNE, PLUG, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES | A 5935 | 85 | 12-SEP-88 | | | 85 | |
| L | | MIL-C-9177/2B NOTICE 1 | CONNECTOR, AUDIO, AIRBORNE, PLUG, MINIATURE, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES | A 5935 | 85 | 12-SEP-88 | | | 85 | |
| L | | MIL-C-9177/3B | CONNECTOR, AUDIO, AIRBORNE, JACK, CABLE, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES | A 5935 | 85 | 12-APR-84 | | | 85 | |
| L | | MIL-C-9177/4B | CONNECTOR, AUDIO, AIRBORNE, JACK, PANEL MOUNT, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES | A 5935 | 85 | 12-SEP-88 | | | 85 | |

| Action | Cancellation / Change / Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-C-9177/5B | CONNECTOR, AUDIO, AIRBORNE, JACK, SWITCH, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES | A | 5935 | 85 | | 12-SEP-88 | | | | 85 |
| Q | | MIL-R-9198C | REGULATOR, OXYGEN, HIGH PRESSURE, TYPE MA-1 (INACTIVE FOR NEW DESIGN AFTER 28 JUN 1985 REVIEWER: CS MI | A | 4820 | 82 | | 28-JUN-85 | AV | AS | | 99 |
| L | | MIL-R-9208B | REPAIR MATERIAL, FOR SELF-SEALING FUEL TANKS (VALIDATION DATE: 8304) REVIEWER: 99 GS MR | A | 9320 | AS | | 07-JUL-68 | | AS | | |
| L | | MIL-T-9219(2) | TRANSFORMERS, POWER, AUTOTRANSFORMERS AND STEP DOWN, 400 CYCLE (VALIDATION DATE: 8804) REVIEWER: 99 ES MI | A | 5950 | 85 | | 15-APR-88 | | | | 85 |
| L | | MIL-C-9226A NOTICE 1 | CONTROL PANEL C&826-AIC&10 (VALIDATION DATE: 8608) REVIEWER: GS | A | 5831 | 84 | | 12-AUG-86 | | | | 99 |
| L | | MIL-I-9229A | INDICATOR, COURSE ID387/ARN | A | 5826 | 84 | | 20-OCT-86 | | | | 99 |
| L | | MIL-A-9286C(1) NOTICE 1 | AF AMPLIFIER AM-476(A1C-10) (VALIDATION DATE: 8608) | A | 5831 | 84 | | 12-AUG-86 | | | | 99 |
| | | MIL-R-9299C NOTICE 1 | RESIN, PHENOLIC, LAMINATING (VALIDATION DATE: 9110) REVIEWER: 84 85 AR MI | A | 9330 | AS | | 24-OCT-91 | MR | AS | | 11 |
| | | MIL-R-9300B NOTICE 1 | RESIN, EPOXY, LOW-PRESSURE LAMINATING (VALIDATION DATE: 9110) USER: 17 REVIEWER: 69 AR ER MI OS SH | A | 9330 | AS | | 24-OCT-91 | MR | AS | | 11 |
| Q | | MIL-S-9320C(2) NOTICE 1 | SIGNAL, WARNING, AUDIBLE, FOR HEADSET, TYPE MA-1 (VALIDATION DATE: 8901) REVIEWER: 11 GS | A | 6340 | 82 | | 16-JAN-89 | AV | AS | | 99 |
| | | MIL-F-9329B(1) | FILTERS, LIGHT PHOTOGRAPHIC, GENERAL SPECIFICATION FOR USER: ME MI | A | 6760 | 70 | | 05-JUN-89 | | AS | | 99 |
| Q | | MIL-I-9343C | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-1 REVIEWER: GS | A | 6685 | 82 | | 05-APR-85 | | AS | | 99 |
| L | | MIL-R-9345(1) | REGULATOR AIR PRESSURE, AIRCRAFT CABIN, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8206) REVIEWER: 99 | A | 1660 | AS | | 08-FEB-57 | | AS | | |
| Q | | MIL-V-9370D(1) | VALVE, AUTOMATIC, PRESSURE REGULATING, ANTI-G SUIT (VALIDATION DATE: 8505) REVIEWER: 99 | A | 1660 | AS | | 05-MAY-72 | | AS | | 11 |
| L | | MIL-P-9388B | PUMP PRESSURE, OIL & FREE AIR, TYPE MA&2 | A | 4310 | 71 | | 27-OCT-86 | | | | 99 |
| L | | MIL-P-9389A | PUMP PRESSURE, OIL & FREE AIR, TYPE MA&3 | A | 1650 | 71 | | 30-NOV-87 | | | | 99 |
| L | | MIL-D-9394B | DEHYDRATOR, DESICCANT, MD-186/ASQ REVIEWER: CS | A | 4440 | 84 | | 14-APR-89 | | | | 99 |
| Q | | MIL-S-9395F(1) SUPPL 1A | SWITCHES, PRESSURE, (ABSOLUTE, GAGE, AND DIFFERENTIAL), GENERAL SPECIFICATION FOR USER: MC REVIEWER: 11 17 99 AS AV ES | A | 5930 | 85 | | 17-MAR-86 | ER | EC | | 85 |
| | | MIL-S-9395/1B NOTICE 1 | SWITCH, PRESSURE (GAGE), TYPE 11, SPDT, 3 AMPERES (VALIDATION DATE: 8608) USER: MC REVIEWER: 11 17 99 AS AV ES | A | 5930 | 85 | | 11-AUG-86 | ER | EC | | 85 |
| | | MIL-S-9395/2C NOTICE 1 | SWITCHES, PRESSURE, (GAGE) TYPE 11, SPDT, 4 AMPERES (VALIDATION DATE: 8905) USER: MC REVIEWER: 11 17 99 AS AV ES | A | 5930 | 85 | | 31-MAY-89 | ER | EC | | 85 |
| | | MIL-S-9395/3B | SWITCH, PRESSURE (VALIDATION DATE: 8004) USER: MC REVIEWER: 11 17 99 AS AV ES | A | 5930 | 85 | | 24-JAN-74 | EL | EC | | 85 |
| | | MIL-S-9395/5C(1) NOTICE 1 | SWITCHES, PRESSURE, (GAGE), TYPE 11, SPST, 5 AMPERES USER: MC SH REVIEWER: 99 ES | A | 5930 | 85 | | 04-SEP-91 | ER | EC | | 85 |
| | | MIL-S-9395/6A NOTICE 1 | SWITCHES, PRESSURE (ABSOLUTE), TYPE 1, SPDT, 3 AMPERES (VALIDATION DATE: 8809) USER: MC REVIEWER: 11 17 99 SH | A | 5930 | 85 | | 30-SEP-88 | ER | EC | | 85 |
| | | MIL-S-9395/8C NOTICE 1 | SWITCH, PRESSURE, (GAGE), TYPE 11, SPDT, 10 AMPERES (VALIDATION DATE: 8608) USER: MC REVIEWER: 11 17 99 AS AV ES | A | 5930 | 85 | | 11-AUG-86 | ER | EC | | 85 |
| | | MIL-S-9395/10D NOTICE 1 | SWITCH, PRESSURE, (GAGE), TYPE 11 (VALIDATION DATE: 8608) USER: MC REVIEWER: 11 17 99 AS AV ES | A | 5930 | 85 | | 11-AUG-86 | ER | EC | | 85 |
| | | MIL-S-9395/24A NOTICE 1 | SWITCH PRESSURE GAGE (TYPE II CLASS 0 C1) SPDT, 5 AMPERES (VALIDATION DATE: 8608) USER: MC REVIEWER: 11 17 99 AS AV ES | A | 5930 | 85 | | 11-AUG-86 | ER | EC | | 85 |
| | | MIL-S-9395/26B(2) NOTICE 1 | SWITCHES, PRESSURE, ABSOLUTE (TYPE 1) 3 AMPERES (VALIDATION DATE: 8809) USER: AS MC SH REVIEWER: 11 17 99 AV | A | 5930 | 85 | | 30-SEP-88 | ER | EC | | 85 |
| | | MIL-S-9395/27E(2) NOTICE 1 | SWITCHES, PRESSURE, (GAUGE), TYPE 11 3 AMPERES (VALIDATION DATE: 8809) USER: AS MC SH REVIEWER: 11 17 99 AV ES | A | 5930 | 85 | | 30-SEP-88 | ER | EC | | 85 |
| | | MIL-S-9395/29A(1) NOTICE 1 | SWITCHES, PRESSURE, (DIFFERENTIAL) (TYPE III), 4 AMPERES (VALIDATION DATE: 8905) USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV ES | A | 5930 | 85 | | 31-MAY-89 | ER | EC | | 85 |
| | | MIL-S-9395/30D NOTICE 1 | SWITCH, PRESSURE, (GAGE) TYPE 11, 5 AMPERES (VALIDATION DATE: 8608) USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV ES | A | 5930 | 85 | | 11-AUG-86 | ER | EC | | 85 |
| | | MIL-S-9395/31C | SWITCHES, PRESSURE, (GAGE) TYPE 11, 5 AMPERES USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV ES | A | 5930 | 85 | | 30-OCT-89 | ER | EC | | 85 |
| | | MIL-S-9395/32B NOTICE 1 | SWITCHES, PRESSURE, DIFFERENTIAL (TYPE III), 4 AMPERES (VALIDATION DATE: 8809) USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV | A | 5930 | 85 | | 30-SEP-88 | ER | EC | | 85 |
| L | | MIL-S-9395/33A | SWITCH, PRESSURE, DIFFERENTIAL (TYPE III), 5 AMPERES (VALIDATION DATE: 8608) REVIEWER: 99 | A | 5930 | 85 | | 11-AUG-86 | | | | 85 |
| L | | MIL-S-9395/35C NOTICE 1 | SWITCHES, PRESSURE, ABSOLUTE (TYPE 1), 3 AMPERES (VALIDATION DATE: 8608) REVIEWER: 99 ES MI | A | 5930 | 85 | | 11-AUG-86 | | | | 85 |
| L | | MIL-S-9395/38A | SWITCH, PRESSURE, (GAGE) TYPE 11, LOW LEVEL TO 5 AMPERES (VALIDATION DATE: 8406) USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV ES | A | 5930 | 85 | | 06-FEB-78 | ER | EC | | 85 |
| A | | MIL-S-9395/39B(1) | SWITCHES, PRESSURE, (GAUGE) TYPE 11, LOW LEVEL TO 5 AMPERES USER: 19 AS MC SH REVIEWER: 99 AV | A | 5930 | 85 | | 25-SEP-92 | ER | EC | | 85 |
| L | | MIL-S-9395/40A | SWITCH, PRESSURE, (GAGE) TYPE 11, LOW LEVEL TO 5 AMPERES (VALIDATION DATE: 8406) USER: 19 AS AT MC SH REVIEWER: 11 99 AV ES MI | A | 5930 | 85 | | 30-JUN-78 | ER | EC | | 85 |
| | | MIL-S-9395/41B | SWITCH, PRESSURE, (GAGE) TYPE 11, LOW LEVEL TO 1 AMPERE USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV ES | A | 5930 | 85 | | 24-JUL-87 | ER | EC | | 85 |
| | | MIL-S-9395/43A | SWITCH, PRESSURE, (GAGE) TYPE 11, LOW LEVEL TO 1 AMPERE USER: 19 AS AT MC REVIEWER: 11 17 99 AV ES | A | 5930 | 85 | | 18-OCT-85 | ER | EC | | 85 |
| L | | MIL-S-9395/48A NOTICE 1 | SWITCH, PRESSURE, ABSOLUTE TYPE 1, 5 AMPERES (VALIDATION DATE: 8701) REVIEWER: 99 | A | 5930 | 85 | | 01-APR-81 | | | | 85 |
| L | | MIL-M-9397E(2) | FREQUENCY CONVERTER, MOBILE, TYPE MC-1A REVIEWER: GS | A | 6125 | 80 | | 26-SEP-84 | | | | 99 |
| Q | | MIL-G-9398C(2) | GENERATOR, TACHOMETER, TWO-POLE, HIGH TEMPERATURE, AIRCRAFT (VALIDATION DATE: 8103) REVIEWER: AV GS | A | 6620 | AS | | 30-MAY-73 | ME | AS | | 99 |
| | | MIL-P-9400C | PLASTIC LAMINATE AND SANDWICH CONSTRUCTION PARTS AND ASSEMBLY, AIRCRAFT STRUCTURAL, PROCESS SPECIFICATION REQUIREMENTS USER: ME REVIEWER: GS | A | CMPS | AS | | 14-NOV-91 | MI | AS | | 11 |
| | | MIL-C-9401B | CANOPY, PARACHUTE, RING SLOT, GENERAL SPECIFICATION FOR CONSTRUCTION OF (ASG) (VALIDATION DATE: 8205) USER: MC REVIEWER: 82 99 | A | 1670 | GL | | 09-JAN-68 | GL | AS | | |
| L | | MIL-R-9409B(2) | RACK, BOMB, AIRCRAFT, TYPE MA&4A | A | 1095 | 84 | | 11-MAR-82 | | | | 99 |
| L | | MIL-D-9415A NOTICE 1 | DYNAMIC LOUDSPEAKER LS&184A-AIC&10 REVIEWER: 99 ES | A | 5965 | 85 | | 27-FEB-87 | | | | 85 |
| Q | | MIL-S-9419E | SWITCH, TOGGLE, MOMENTARY, FOUR-POSITION ON, CENTER OFF, GENERAL SPECIFICATION FOR REVIEWER: 11 ES | A | 5930 | 85 | | 10-MAR-89 | AV | AS | | 85 |
| M | | MIL-S-9419/1B NOTICE 2 | SWITCHES, TOGGLE, FOUR POSITION ON, CENTER OFF (.623 DIA) (VALIDATION DATE: 9305) REVIEWER: 99 ES MI | A | 5930 | 85 | | 28-MAY-93 | ER | | | 85 |
| L | | MIL-S-9419/2C | SWITCHES, TOGGLE, FOUR POSITION ON, MOMENTARY, CENTER OFF (.600 DIA) REVIEWER: 99 | A | 5930 | 85 | | 12-JUN-91 | | | | 85 |
| L | | MIL-S-9419/3 | SWITCHES, TOGGLE, FOUR POSITION ON, MOMENTARY, CENTER OFF DOUBLE POLE PER THROW | A | 5930 | 85 | | 18-FEB-92 | | | | 85 |
| L | | MIL-E-9426F(1) | ESCAPE SYSTEM, REQUIREMENTS CONFORMANCE DEMONSTRATIONS AND PERFORMANCE TESTS FOR, GENERAL SPECIFICATION FOR REVIEWER: AV | A | 1680 | AS | | 15-OCT-80 | | AS | | |
| Q | | MIL-V-9439D(2) | VALVE, OXYGEN, CYLINDER, HIGH PRESSURE REVIEWER: 11 CS | A | 4820 | 71 | | 09-OCT-87 | AV | AS | | 99 |
| Q | | MIL-I-9443D(3) NOTICE 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-2 (VALIDATION DATE: 8812) | A | 6685 | 82 | | 09-DEC-88 | AV | AS | | 99 |
| | | MIL-S-9479B(2) NOTICE 1 | SEAT SYSTEM, UPWARD EJECTION, AIRCRAFT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8808) | A | 1680 | 82 | | 10-AUG-88 | AV | | | 99 |
| | | MIL-A-9482(2) NOTICE 1 | ANTI-ICING EQUIPMENT FOR AIRCRAFT, HEATED SURFACE TYPE GENERAL SPECIFICATION FOR REVIEWER: 99 | A | 1650 | AV | | 30-NOV-87 | AV | | | |

| Action | CSR / CSR Cancellation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-S-9487C | SWITCH, TRIGGER, SINGLE POLE, TWO STAGE, MOMENTARY (INACTIVE FOR NEW DESIGN AFTER 6 APR 84 FOR NEW DESIGN USE MIL S 8805/111) USER: MC REVIEWER: ES MI WC | A 5930 | 85 | 28-JAN-85 | | AS | 11 | | |
| A | | MIL-F-9490D | FLIGHT CONTROL SYSTEMS - DESIGN, INSTALLATION AND TEST OF PILOTED AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9210] | A 6610 | AS | 05-OCT-92 | AV | AS | 11 | | |
| | | MIL-E-9500B NOTICE 1 | ETHYLENE GLYCOL, TECHNICAL [VALIDATION DATE: 8810] USER: MI REVIEWER: GS .. | A 6810 | 68 | 06-OCT-88 | EA | SH | 68 | | |
| | L | MIL-T-9560B(2) | TEST SET, RADIO FREQUENCY POWER AM/USM-68 ..... | A 6625 | 82 | 21-DEC-83 | | | 99 | | |
| | L | MIL-A-9597B(2) | ANTENNA AT 309 (GPX) [VALIDATION DATE: 8410] ..... | A 5895 | 80 | 01-AUG-78 | | | 99 | | |
| | L | MIL-T-9640C(1) | TOWER AB-305 (FPS) ..... | A 5445 | 84 | 29-SEP-77 | | | 99 | | |
| | L | MIL-C-9660A(3) NOTICE 1 | CABLES: COMPOSITE TELEPHONE AND TELEVISION (16 AUG, VIDEO PAIR-POLYETHYLENE INSULATED AND 19 AWG, PAPER-ON-PULP INSULATED, LEAD COVERED, AND TAPE ARMORED) [VALIDATION DATE: 9112] | A 6145 | 85 | 27-DEC-91 | | | 85 | | |
| | L | MIL-H-9697(1) | HEADSET & MICROPHONE H 1630-U REVIEWER: ES ..... | A 5965 | 85 | 30-SEP-58 | | | 85 | | |
| | L | MIL-T-9720F | TRUCK, LIFT, AERIAL STORES, 3000 POUNDS CAPACITY MJ-1A & MJ-1B ..... | A 1730 | 82 | 23-JUL-84 | | | 99 | | |
| | L | MIL-P-9772 | PRESSURE-HEIGHT SLIDE RULE ML-315/GM [VALIDATION DATE: 8001] REVIEWER: 99 GS | A 6660 | 13 | 20-AUG-65 | | | 13 | | |
| | L | MIL-T-9813A(1) NOTICE 1 | TARGET SYSTEM, EXTERNAL TOW, GUNNERY A/A37U-15 [VALIDATION DATE: 8605] .... | A 6920 | 70 | 22-MAY-86 | | | 99 | | |
| | L | MIL-S-9814B NOTICE 1 | STAND, CABLE REWIND, REVERSIBLE TMU-4/E [VALIDATION DATE: 8605] ..... | A 6920 | 70 | 22-MAY-86 | | | 99 | | |
| | L | MIL-S-9822C | SYSTEM, TMU-28/B SPRAY TANK [VALIDATION DATE: 8006] REVIEWER: 18 ..... | A 1040 | EA | 13-FEB-67 | EA | | | | |
| | | MIL-H-9850C SUPPL 1A | HINGE, BUTT, CONTINOUS, PIANO [VALIDATION DATE: 8502] USER: AR AS MC ME REVIEWER: EA IS MI | A 5340 | ER | 10-JUN-77 | ER | | 99 | | |
| | | MIL-M-9854B(2) | MANUAL, TECHNICAL, STRUCTURAL REPAIR (FOR AIRCRAFT) [VALIDATION DATE: 8201] USER: CG REVIEWER: 10 11 99 AV MC | A TMSS | 16 | 01-SEP-77 | TM | AS | 16 | | |
| D | | MIL-Q-9858A(2) | QUALITY PROGRAM REQUIREMENTS USER: CS MC ME SS YD1 REVIEWER: 23 AV CR EA EC MI TD | A QCIC | 05 | 08-MAR-85 | AM | MM | 05 | | |
| | | MIL-H-9859A | HANDWHEEL, ORDNANCE [VALIDATION DATE: 7903] USER: AT MC MI REVIEWER: IS ME | A 5340 | AM | 28-AUG-68 | AR | OS | 99 | | |
| D | | MIL-M-9868E | MICROFILMING OF ENGINEERING DATA, 35MM, REQUIREMENTS FOR USER: 13 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AT AV CG CH DH DI DS EA EC ER ES GL IE IS MC ME MP MA MM NS OM OS TD YD1 REVIEWER: 11 AR CS MI SA SC SH | A EDRS | 16 | 10-FEB-93 | CR | AS | 16 | GS | |
| | L | MIL-M-9868/18 | MICROFILM OF ENGINEERING DOCUMENTS, 35MM, PREPARATION OF ROLL REVIEWER: AC EC | A EDRS | SH | 21-DEC-87 | | SH | | | |
| D | | MIL-C-9877B(2) | CARDS, APERTURE USER: 13 14 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AT AV CG CS DH EA EC ER GL IE IS MC ME MM OM OS TD YD1 REVIEWER: 11 AR ES MI SA SC SH | A EDRS | CR | 24-APR-92 | CR | AS | 16 | GS | |
| D | | MIL-P-9879A(1) | PHOTOGRAPHING OF CONSTRUCTION/ARCHITECTURAL DRAWINGS, MAPS AND RELATED DOCUMENTS, 105MM: REQUIREMENTS FOR [VALIDATION DATE: 8412] REVIEWER: 26 | A EDMS | YD1 | 06-DEC-66 | CE | YD1 | 85 | DH | |
| | L | MIL-W-9880A(1) | WIRING HARNESS, IGNITION, LOW&TENSION, REWIREABLE, AIRCRAFT RECIPROCATING ENGINES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8307] | A 2925 | 82 | 22-APR-71 | | | 99 | | |
| | L | MIL-C-9883B(1) NOTICE 1 | CHECKLISTS: ORGANIZATIONAL MAINTENANCE (FOR MISSILE AND SPACE SYSTEMS) (S/S BY MIL-M-5096) REVIEWER: 99 | A TMSS | 16 | 14-JUN-91 | | | 16 | | |
| | | MIL-H-9884E(1) | HONEYCOMB MATERIAL, CUSHIONING PAPER USER: MC SH REVIEWER: 82 TR ..... | A 1670 | GL | 05-MAR-92 | GL | AS | 99 | | |
| | L | MIL-H-9890E | HARDWARE, INDIVIDUAL LOAD CARRYING EQUIPMENT: AND HARDWARE, MISCELLANEOUS REVIEWER: AR AV EA IS MI | A 5340 | GL | 29-JUL-88 | GL | | | | |
| | | MIL-H-9896C | HARDWARE, UNIVERSAL LOAD CARRYING SLING USER: CE REVIEWER: 69 AV IS ..... | A 5340 | GL | 12-AUG-88 | GL | MC | 99 | | |
| D | | MIL-C-9897C | CRATES, SLOTTED ANGLE, STEEL OR ALUMINUM, FOR LIGHTWEIGHT AIRFRAME COMPONENTS AND BULKY ITEMS (FOR MAXIMUM LOADS OF 1363 KGS (3000 POUNDS)) USER: OS REVIEWER: 99 AV ME SH YD1 | A 8145 | 69 | 15-APR-92 | GL | SA | 69 | | |
| | L | MIL-D-9898C | DRAWING, TUBE BEND USER: AS REVIEWER: 16 ..... | A DRPR | 82 | 21-JAN-86 | | | 99 | | |
| | | MIL-P-9902C | PANEL, FULL CLEATED, PARTIALLY CLEATED AND UNCLEATED, PLYWOOD, VENEER PAPER-OVERLAID AND SOLID FIBERBOARD FOR BOX, MODULAR SYSTEMS USER: AV SA REVIEWER: AR ME MI SH | A 8115 | 69 | 21-JUL-85 | GL | AS | 69 | | |
| | | MIL-T-9906C | TAPE, IDENTIFICATION, AEROSPACE VEHICLE TUBING MARKER USER: AR AT MC ME REVIEWER: AL GS MI | A 7690 | 84 | 08-DEC-88 | GL | AS | 99 | | |
| | L | MIL-L-9909A | LIGHT, ULTRAVIOLET, METALS EXAMINING ..... | A 6635 | 82 | 19-JUL-85 | | | 99 | | |
| D | | MIL-C-9912B | CUTTER, TILE, ASPHALT, PLASTIC, RUBBER USER: YD1 ..... | A 5110 | 84 | 19-MAR-80 | GL | | 99 | | |
| | L | MIL-D-9914A(1) | DIAMOND, INDUSTRIAL [VALIDATION DATE: 8410] REVIEWER: IS MI ..... | A 5350 | 84 | 05-AUG-65 | | | 99 | | |
| | L | MIL-T-9918C | TOW TARGET, AERIAL DART, GUNNERY TYPE TDU-10/B AND TDU-10B/B ..... | A 6920 | 70 | 05-JUN-89 | | | 99 | | |
| | | MIL-B-9925D | BORING MACHINE, JIB, VERTICAL, SINGLE COLUMN AND DOUBLE COLUMN BRIDGE TYPES, MANUAL ANDPOWER FEED USER: MC REVIEWER: GS | A 3411 | 1P | 15-MAR-88 | AL | SH | 99 | | |
| | L | MIL-S-9926A | SIGN, FOLLOW ME, TRUCK MOUNTING ..... | A 2540 | 84 | 15-MAR-82 | | | 99 | | |
| | | MIL-B-9946E(1) | BITS, SCREWDRIVER, GENERAL SPECIFICATION FOR REVIEWER: 11 AR AV GS ..... | A 5120 | 84 | 23-FEB-89 | GL | AS | 99 | | |
| | | MIL-B-9946/1B | BIT, SCREWDRIVER, HI-TORQUE, TYPE I REVIEWER: 11 AR AV GS ..... | A 5120 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/2 | BIT, SCREWDRIVER, HI TORQUE, TYPE II [VALIDATION DATE: 8306] ..... | A 5120 | 84 | 16-FEB-78 | GL | AS | 99 | | |
| | | MIL-B-9946/3A | BIT, SCREWDRIVER, PHILLIPS USER: EL REVIEWER: 11 AR AV GS ..... | A 5120 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/4A | BIT, SCREWDRIVER, TORQ SET ..... | A 5120 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/5 | BIT, SCREWDRIVER, HI-TORQUE, TYPE V [VALIDATION DATE: 8306] REVIEWER: 11 AR AV GS MI | A 5120 | 84 | 19-MAR-80 | GL | AS | 99 | | |
| | | MIL-B-9946/9 | BIT, SCREWDRIVER, HEX, EXTERNAL HEX SHANK, MANUALLY DRIVEN REVIEWER: 80 AV IS | A 5120 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/10 | BIT, SCREWDRIVER, SIX SPLINE, STRAIGHT, EXTERNAL HEX SHANK, MANUALLY DRIVEN | A 5120 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/11 | BIT, SCREWDRIVER, PHILLIPS RIBBED, STANDARD AND LONG EXTERNAL HEX SHANK, POWER DRIVEN REVIEWER: 80 AV IS | A 5130 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/12 | BIT, SCREWDRIVER, TORQ-SET RIBBED, EXTERNAL HEX SHANK, POWER DRIVEN ..... | A 5130 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/13 | BIT, SCREWDRIVER, TORQ-SET RIBBED, LONG EXTERNAL HEX SHANK, POWER DRIVEN .. | A 5130 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/14 | BIT, SCREWDRIVER, SLOT, EXTERNAL HEX SHANK, MANUALLY DRIVEN ..... | A 5120 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/15 | BIT, SCREWDRIVER, PHILLIPS RIBBED, EXTERNAL HEX SHANK, MANUALLY DRIVEN REVIEWER: 80 AV IS | A 5120 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/16 | BIT, SCREWDRIVER, TORQ-SET, RIBBED, EXTERNALHEX SHANK, MANUALLY D RIVEN ... | A 5120 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/17 | BIT, SCREWDRIVER, SIX SPLINE, STRAIGHT, LONGEXTERNAL HEX SHANK, POWER DRIVEN REVIEWER: 80 AV IS | A 5130 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/18 | BIT, SCREWDRIVER, PHILLIPS, STANDARD AND LONG EXTERNAL HEX SHANK, POWER DRIVEN REVIEWER: 80 AV IS | A 5130 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/19 | BIT,SCREWDRIVER,TORQ -SET,EXTERNAL HEX SHA NK, POWER DRIVEN REVIEWER: 80 AV IS | A 5130 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| | | MIL-B-9946/20 | BIT,SCREWDRIVER,TORQ -SET, LONG EXTERNAL HEX SHANK,POWER DRIVEN REVIEWER: 80 AV IS | A 5130 | 84 | 09-SEP-87 | GL | AS | 99 | | |
| D | | MIL-C-9949(4) | CARDS, COPY USER: 13 14 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AT AV CG CS DH EA EC ER GL IE IS MC ME MM OM OS TD YD1 REVIEWER: 11 AR ES MI SA SC SH | A EDRS | CR | 24-APR-92 | CR | AS | 16 | GS | |
| | L | MIL-M-9950A | MISSILE COMPONENTS, LIQUID OXYGEN, LIQUID NITROGEN, GASEOUS OXYGEN, GASEOUS NITROGEN, INSTRUMENT AIR, HELIUM AND FUEL HANDLING SYSTEMS: CLEANING AND PACKAGING FOR DELIVERY | A 14GP | MI | 20-MAR-92 | MI | | | | |
| Q | | MIL-G-9954A(3) | GLASS BEADS, FOR CLEANING AND PEENING USER: CG REVIEWER: AR IS ..... | A 5350 | 84 | 15-OCT-87 | MR | AS | 99 | | |
| D | | MIL-T-9955A | THERMOMETER, INDICATING, CAPILLARY TUBE AND BULB, FLUSH MOUNTING [VALIDATION DATE: 8301] USER: CE MC MS REVIEWER: GS MD | A 6685 | GL | 22-SEP-67 | GL | YD1 | 99 | | |
| | | MIL-A-9962A(4) | ABRASIVE MATS, NON-WOVEN, NON-METALLIC [VALIDATION DATE: 8506] REVIEWER: 15 AR DS IS | A 5350 | 84 | 05-APR-77 | MR | AS | 99 | | |
| | L | MIL-C-9963F(1) | CARTRIDGE, 5.56MM, BALL, M193 USER: MC OS ..... | A 1305 | AR | 16-MAY-91 | AR | | | | |
| | | MIL-S-9964A(2) | SAW, HAND, FINGER GRIP, SURVIVAL, TYPE MB-2 ..... | A 5110 | 84 | 19-MAR-80 | GL | | 99 | | |

| Action | QPL / QML | Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MIL-L-9965A(1) NOTICE 1 | LIGHT, WARNING, VEHICULAR, RED, FLASHING (VALIDATION DATE: 9103) REVIEWER: GS | A | 6220 | 82 | | 15-MAR-91 | | 99 | | |
| | L | | MIL-S-9968C(1) | SKID, COMPONENTS, DOD REUSABLE REVIEWER: GS | A | 3990 | IP | | 16-SEP-91 | | | | IP |
| | L | | MIL-B-9972A(2) NOTICE 1 | BRAZING, NICKEL ALLOY, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9008) | A | THJN | 82 | | 31-AUG-90 | | 99 | | |
| A | L | | MIL-M-9977J | MANUALS, TECHNICAL AND CHECKLISTS: MUNITIONS/WEAPONS LOADING PROCEDURES, NONNUCLEAR AND NUCLEAR PACKAGES, STANDARD DATA: MUNITIONS LOADING PROCEDURES, NONNUCLEAR, PREPARATION OF USER: 11 15 18 70 71 80 82 84 REVIEWER: 01 10 79 99 | A | TMSS | 16 | | 06-JUL-92 | | 16 | | |
| | L | | MIL-B-9978A(1) | BIOLOGICAL AGENT, SIMULANT, BACILLUS GLOBIGII, DISPENSER, AM-MI (VALIDATION DATE: 8201) | A | 1380 | EA | | 13-SEP-67 | EA | | | |
| | L | | MIL-R-9979A | REVOLVER, CALIBER .38 SPECIAL 2 AND 4 INCH BARREL, SIX SHOT (VALIDATION DATE: 8207) | A | 1005 | 84 | | 30-JUL-69 | | 99 | | |
| | QL | | MIL-M-9983A | MULTIMETER, CLAMP-ON (VALIDATION DATE: 7507) | A | 6625 | 82 | | 13-SEP-67 | | 99 | | |
| | | | MIL-M-9994B | MANUAL, TECHNICAL, OPERATION AND MAINTENANCE INSTRUCTIONS (FOR MOBILE TRAINING SETS AND PART TASK TRAINERS) (VALIDATION DATE: 8102) REVIEWER: 01 10 99 | A | TMSS | 16 | | 01-NOV-74 | TM | 16 | | |
| | QL | | MIL-V-9999B(2) | VOLTMETER, ELECTRONIC REVIEWER: EC | A | 6625 | SH | | 10-NOV-75 | | SH | 99 | |
| | L | | MIL-M-10008F(1) | MORTAR, 81MM, M29A1 USER: MC REVIEWER: 14 | A | 1015 | AR | | 13-JAN-87 | AR | | | |
| A | | | MIL-T-10009H | TENT, KITCHEN, FLYPROOF, M-1948 USER: 45 REVIEWER: 82 MD | A | 8340 | CT | | 29-OCT-91 | GL | | 99 | CT |
| | | | MIL-T-10010H | TRACTOR, FOUR WHEELED, SIT DOWN, WAREHOUSE, ELECTRIC-MOTOR DRIVEN, SOLID RUBBER TIRES USER: CS OS SH REVIEWER: MC MI | A | 3930 | SA | | 28-JUN-89 | ME | SA | 99 | |
| | | | MIL-C-10015D | CHEST, TOOL KIT, EMPTY USER: MC ME | A | 5140 | GL | | 26-AUG-82 | GL | | 99 | |
| A | | | MIL-P-10018F | PAIL, COLLAPSIBLE, 10 QUART CAPACITY USER: MC MD REVIEWER: 45 | A | 8465 | CT | | 08-MAY-84 | GL | MU | 99 | CT |
| A | | | MIL-L-10028F | LANYARD, INDIVIDUAL EQUIPMENT CARRYING USER: 45 MC REVIEWER: 82 | A | 8465 | CT | | 22-OCT-85 | GL | MU | 99 | CT |
| A | | | MIL-T-10035K | TENT, HEXAGONAL, LIGHTWEIGHT, M-1950 USER: 45 MC REVIEWER: 82 MD | A | 8340 | CT | | 25-MAR-88 | GL | MU | 99 | CT |
| Q | | | MIL-R-10036E | RUST ARRESTING COATING (FOR TREATMENT OF RUSTED METAL) USER: AT MC OS | A | 8030 | MR | | 14-APR-87 | MR | SH | 84 | |
| A | | | MIL-B-10042D NOTICE 1 | BAG, AMMUNITION (VALIDATION DATE: 8801) USER: 45 REVIEWER: MD | A | 8465 | CT | | 25-JAN-88 | GL | | 99 | CT |
| | L | | MIL-H-10044B | HINGE, CHEST, OFFSET (VALIDATION DATE: 8104) USER: MC SA REVIEWER: AR IS | A | 5340 | GL | | 10-SEP-64 | GL | | | |
| | L | | MIL-C-10049A(1) | CANNON, 76MM GUN, M32 | A | 1015 | AR | | 27-JAN-87 | AR | | | |
| A | | | MIL-S-10055D | STRAP, PACKBOARD, QUICK RELEASE USER: 45 MC REVIEWER: 82 MD | A | 8465 | CT | | 13-JUN-84 | GL | MU | 99 | CT |
| | | | MIL-H-10056L(1) SUPPL 1A | HOLDER (ENCLOSURES), CRYSTAL, GENERAL SPECIFICATION FOR USER: 19 AS MC OS REVIEWER: 11 17 AR ES MI SH | A | 5955 | ER | | 15-OCT-87 | ER | EC | 85 | |
| A | | | MIL-H-10056/2D NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-6/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| | | | MIL-H-10056/3D | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-10/U (INACTIVE FOR NEW DESIGN) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | ER | | 15-OCT-87 | ER | EC | 85 | |
| A | | | MIL-H-10056/4D NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-13/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/5C NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-14/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | I | | MIL-H-10056/6C NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-15/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | I | | MIL-H-10056/7C NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-16/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | I | | MIL-H-10056/8B NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-17/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/9C NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-18/U (VALIDATION DATE: 9208) USER: 14 19 AS CG MC OS REVIEWER: 11 17 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| | | | MIL-H-10056/10E | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-21/U (INACTIVE FOR NEW DESIGN) USER: 14 19 AS CG MC OS REVIEWER: 11 17 ES MI | A | 5955 | ER | | 15-OCT-87 | ER | EC | 85 | |
| A | | | MIL-H-10056/11E NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-25/U (VALIDATION DATE: 9208) USER: 14 19 AS CG MC REVIEWER: 11 ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | I | | MIL-H-10056/12B NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-30/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| | | | MIL-H-10056/13C NOTICE 1 | HOLDER, CRYSTAL, TYPE HC826/U (VALIDATION DATE: 8704) USER: 17 19 AS CG MC OS REVIEWER: 11 ES MI | A | 5955 | ER | | 06-APR-87 | ER | EC | 85 | |
| A | | | MIL-H-10056/14E NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-27/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/15D NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-28/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS SH REVIEWER: 11 AR ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/16C NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-29/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS SH REVIEWER: 11 AR ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | I | | MIL-H-10056/17A NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-11A/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| | | | MIL-H-10056/18C NOTICE 1 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-32/U (VALIDATION DATE: 8811) USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR MI SH SM | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| | | | MIL-H-10056/19 NOTICE 1 | HOLDER, CRYSTAL, TYPE HC-1A/U (VALIDATION DATE: 8704) REVIEWER: 11 17 AR MI SH | A | 5955 | 85 | | 17-APR-87 | ER | EC | 85 | |
| | | | MIL-H-10056/20A NOTICE 2 | HOLDER, CRYSTAL, TYPE HC-33/U (VALIDATION DATE: 9110) USER: 14 19 CG MC REVIEWER: 11 17 AR ES MI SM | A | 5955 | ER | | 25-OCT-91 | ER | EC | 85 | |
| A | | | MIL-H-10056/21A NOTICE 2 | HOLDER, CRYSTAL, TYPE HC-35/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| | | | MIL-H-0010056/21B | HOLDER, CRYSTAL, TYPE HC-35/U (VALIDATION DATE: 8302) | A | 5955 | 85 | | 10-SEP-74 | | | 85 | |
| | L | | MIL-H-10056/22A NOTICE 1 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-34/U USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | 85 | | 01-MAR-88 | | | 85 | |
| A | | | MIL-H-10056/23C NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-36/U (VALIDATION DATE: 9208) USER: 17 AS CG MC OS REVIEWER: 11 19 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/24 NOTICE 2 | HOLDER, CRYSTAL, TYPE HC-37/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: AR ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| | L | | MIL-H-0010056/24A NOTICE 1 | HOLDER, CRYSTAL, TYPE HC-37/U (VALIDATION DATE: 8704) REVIEWER: 11 | A | 5955 | 85 | | 17-APR-87 | | | 85 | |
| A | | | MIL-H-10056/25 NOTICE 2 | HOLDER, CRYSTAL, TYPE HC-38/U (VALIDATION DATE: 9208) USER: 19 AS CG MC OS REVIEWER: 11 17 AR ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/26A NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-39/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: AR ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/27 NOTICE 2 | HOLDER, CRYSTAL, TYPE HC-40/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/28 NOTICE 2 | HOLDER, CRYSTAL, TYPE HC-41/U (VALIDATION DATE: 9208) USER: 17 19 AS CG OS REVIEWER: AR ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/29C NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-42/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI SH | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/30B NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-43/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/31 NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-44/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| A | | | MIL-H-10056/32 NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-45/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |
| | | | MIL-H-10056/33 NOTICE 1 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-46/U (VALIDATION DATE: 8811) USER: 17 19 AS CG MC OS REVIEWER: 11 AR ES MI | A | 5955 | ER | | 01-NOV-88 | ER | EC | 85 | |
| A | | | MIL-H-10056/34 NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-47/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR ES MI SH SM | A | 5955 | ER | | 24-AUG-92 | ER | EC | 85 | |

| Action Code / Date Combination Indicator | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| A | MIL-M-10056/35 NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-48/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 ER 24-AUG-92 | ER | EC | 85 | |
| A | MIL-M-10056/36 NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-49/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR ES MI SH | A 5955 ER 24-AUG-92 | ER | EC | 85 | |
| A | MIL-M-10056/37 NOTICE 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-50/U (VALIDATION DATE: 9208) USER: AS CG MC REVIEWER: 11 99 AR ES MI SH | A 5955 ER 24-AUG-92 | ER | EC | 85 | |
| A | MIL-M-10056/38 NOTICE 2 | HOLDER, (ENCLOSURE), CRYSTAL, TYPE HC-51/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR ES MI SH SM | A 5955 ER 24-AUG-92 | ER | EC | 85 | |
| A L | MIL-S-10057H(4) | SIMULATOR, HAND GRENADE, M116A1 PARTS FOR, AMD LOADING, ASSEMBLING AND PACKING | A 1370 AR 11-FEB-93 | AR | | | |
| A L | MIL-S-10058H(3) | SIMULATOR, PROJECTILE, GROUND BURST, M115A2, PARTS FOR AMD LOADING, ASSEMBLING AMD PACKAGING | A 1370 AR 12-FEB-93 | AR | | | |
| L | MIL-E-10062E(3) NOTICE 1 | ENGINES: PREPARATION FOR SHIPMENT AND STORAGE OF (VALIDATION DATE: 9202) USER: AV MC REVIEWER: GL ME MI SM | A PACK AI 28-FEB-92 | AT | | | |
| | MIL-C-10065B NOTICE 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL (MULTIPAIR, AUDIO FREQUENCY) (VALIDATION DATE: 8808) REVIEWER: IS | A 6145 CR 16-AUG-88 | CR | | 85 | |
| A | MIL-T-10069G(2) | TENT, MAINTENANCE SHELTER, FIRE, WATER, WEATHER AMD MILDEW RESISTANT, OLIVE DRAB USER: 45 REVIEWER: 82 | A 8340 CT 11-JUN-90 | GL | | 99 | CT |
| L | MIL-C-10082C | CANISTER, PARTICULATE, M14 (VALIDATION DATE: 8006) REVIEWER: GS | A 4240 EA 30-SEP-64 | EA | | | |
| L | MIL-C-10083C(1) NOTICE 1 | CLAMPS, WIRE, GAS MASK (VALIDATION DATE: 8808) REVIEWER: GS | A 4240 EA 11-AUG-88 | EA | | | |
| | MIL-P-10096E | PRINTER, CONTACT, PHOTOGRAPHIC PH-649( )/U USER: MC MI REVIEWER: GS | A 6740 CR 07-JUN-85 | CR | AS | | |
| | MIL-C-10101F(1) | CASE, FIELD, OFFICE MACHINE (PLYWOOD) (VALIDATION DATE: 8105) | A 7490 GL 18-SEP-73 | GL | | 99 | |
| D | MIL-S-10104B | SHEET, METAL, COATED (CLEAR OR PIGMENT) (VALIDATION DATE: 8405) USER: GL SA REVIEWER: IS MR OS | A 9535 EA 25-JUN-59 | EA | YD1 | | |
| L | MIL-C-10113C(1) | COVER, OUTLET VALVE (FOR C15 OUTLET VALVE) REVIEWER: GS | A 4240 EA 18-JUL-86 | EA | | | |
| L | MIL-L-10114A | LENS, CYLINDRICAL, LAMINATED, 3-PLY (FOR GAS MASKS) (VALIDATION DATE: 8505) REVIEWER: GS | A 4240 EA 27-JUN-58 | EA | | | |
| L | MIL-C-10116C(2) | CANISTER, M11 | A 4240 EA 05-JUN-86 | EA | | | |
| D | MIL-F-10117A | FACEPIECE, COMBAT, M9 REVIEWER: GS MI | A 4240 EA 04-FEB-53 | EA | YD1 | | |
| L | MIL-F-0010117B | FACEPIECE, COMBAT, M9 | A 4240 EA 14-AUG-69 | EA | | | |
| L | MIL-C-10119C(1) | CANISTER, M11: COMPONENTS FOR | A 4240 EA 24-APR-86 | EA | | | |
| | MIL-H-10120E | HEADHARNESS, CBRI USER: MC REVIEWER: GS MD | A 4240 EA 30-SEP-64 | EA | SH | 99 | |
| L | MIL-H-0010120K(1) | HEADHARNESS, CBRI | A 4240 EA 03-SEP-86 | EA | | | |
| | MIL-M-10121 | MASK, GAS, M9 (VALIDATION DATE: 8405) USER: MC REVIEWER: GS | A 4240 EA 03-FEB-50 | EA | | 99 | |
| LI | MIL-B-10122E | BARGE, LIQUID CARGO: NONPROPELLED, STEEL, OFFSHORE, 4,160-BARREL, 120-FOOT, DESIGN 231C | A 1930 ME 16-JAN-91 | ME | | | |
| L | MIL-P-10129A | PLUG, AIR INLET (VALIDATION DATE: 8201) REVIEWER: GS | A 4240 EA 19-MAR-70 | EA | | | |
| L | MIL-D-10131B(3) | DISC, INLET VALVE REVIEWER: GS | A 4240 EA 08-MAY-86 | EA | | | |
| | MIL-D-10132C | DISC, VALVE REVIEWER: GS | A 4240 EA 30-SEP-64 | EA | SH | 99 | |
| L | MIL-D-0010132K(3) | DISC, VALVE, OUTLET | A 4240 EA 30-AUG-91 | EA | | | |
| L | MIL-S-10133B(1) | SEAT, OUTLET-VALVE, ALUMINUM-BASE-ALLOY DIECASTING FOR OUTLET VALVE, C15 REVIEWER: GS | A 4240 EA 30-AUG-57 | EA | | | |
| L | MIL-S-0010133D | SEAT, OUTLET-VALVE, ALUMINUM-BASE-ALLOY DIECASTING FOR OUTLET VALVE, C15 | A 4240 EA 29-OCT-74 | EA | | | |
| | MIL-V-10134C(1) | VALVE, OUTLET, PROTECTIVE MASK, C15 USER: MC REVIEWER: GS | A 4240 EA 12-JUN-67 | EA | SH | | |
| L | MIL-V-0010134E | VALVE, OUTLET, CHEMICAL-BIOLOGICAL MASK, C15 USER: MC | A 4240 EA 02-OCT-74 | EA | | | |
| D | MIL-F-10135B NOTICE 1 | FACEBLANKS, FIELD PROTECTIVE MASK, NATURAL RUBBER, GENERAL SPECIFICATION USER: MC REVIEWER: 11 AS GS MI OS | A 4240 EA 02-MAR-55 | EA | YD1 | 99 | |
| L | MIL-F-0010135C | FACEBLANK, FIELD PROTECTIVE MASK | A 4240 EA 16-DEC-68 | EA | | | |
| | MIL-C-10147D | CABINET, PHOTOGRAPHIC STORAGE, FILM BM-11 USER: MC REVIEWER: GS | A 6760 CR 01-FEB-84 | CR | AS | 99 | |
| I | MIL-B-10154C(2) | BATTERIES, PRIMARY, WATER-ACTIVATED (DUMK TYPE) (VALIDATION DATE: 8110) | A 6135 SH 03-JUL-63 | ER | SH | 99 | |
| L | MIL-B-10154C(15) | BATTERIES, PRIMARY, WATER-ACTIVATED (DUMK TYPE) (VALIDATION DATE: 8110) | A 6135 ER 31-JAN-77 | ER | | | |
| D | MIL-M-10156A(1) | MOUNTING, CANISTER, GAS MASK REVIEWER: GS | A 4240 EA 06-AUG-54 | EA | YD1 | | |
| L | MIL-M-0010156B(1) | MOUNTING, CANISTER, GAS MASK | A 4240 EA 17-DEC-81 | EA | | | |
| L | MIL-T-10163E | TERRAIN MODELING KIT, TRAINING AID | A 6910 ME 08-JAN-92 | ME | | | |
| A | MIL-T-10168J | TENT, FRAME TYPE, INSULATED, SECTIONAL, WITH FLOOR, 16 FEET WIDE, M61948, COMPLETE REVIEWER: 82 MC MD | A 8340 CT 30-JUN-86 | GL | MU | 99 | CT |
| A | MIL-C-10176J | CLOTH, GABARDINE: WOOL, POLYESTER AND WOOL REVIEWER: 82 99 MC MD | A 8305 CT 06-JAN-89 | GL | MU | 11 | CT |
| L | MIL-R-10185E | RINGS, BREECH, STEEL FORGINGS FOR REVIEWER: AR | A FORG MR 13-JAN-92 | MR | | | |
| | MIL-C-10190D(2) | CARTRIDGE, CALIBER .50, BALL, M33 | A 1305 AR 06-JAN-92 | AR | | 70 | |
| | MIL-H-10201J | HORNS, SOUND-WARNING, AIR-ACTUATED; HORNS, ELECTRICALLY-ACTUATED; AND BUZZERS, ELECTRICALLY-ACTUATED USER: MC ME REVIEWER: 84 CS ER | A 2590 AT 26-MAR-90 | AT | | 99 | |
| AQL | MIL-S-10215H | SPEEDOMETERS; TACHOMETERS; FLEXIBLE SHAFT ASSEMBLIES; FLEXIBLE SHAFT ASSEMBLY CORES, ADAPTERS, AND TRANSMITTERS USER: MC ME REVIEWER: GS MI | A 6680 AT 04-NOV-92 | AT | | | |
| | MIL-I-10223A | INCENDIARY MIXTURE PTI (VALIDATION DATE: 8008) | A 1365 EA 29-AUG-50 | EA | OS | | |
| | MIL-T-10224L NOTICE 2 | TRUCK, FIRE FIGHTING, STRUCTURAL, 1000 GPME | A 4210 ME 29-AUG-84 | ME | MC | | |
| | MIL-T-0010224M | TRUCK, FIRE FIGHTING: | A 4210 ME 29-AUG-84 | ME | | | |
| | MIL-C-10244G(1) | CRYPTOGRAPHIC EQUIPMENT DESTROYER, INCENDIARY, TH4, M2A1 (VALIDATION DATE: 8405) USER: MC | A 1375 AR 12-MAY-71 | EA | OS | 99 | |
| L | MIL-C-0010244H(1) | CRYPTOGRAPHIC EQUIPMENT DESTROYER INCENDIARY, TH4, M2A1 | A 1375 AR 18-MAR-80 | AR | | | |
| A | MIL-D-10254C NOTICE 2 | DECORATION, NETHERLANDS ORANGE LANYARD (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CT | A 8455 IH 20-NOV-92 | IH | | 11 | |
| | MIL-L-10269H | LUBRICATING AND SERVICING UNIT, POWER-OPERATED, PORTABLE USER: AT MC REVIEWER: 82 CS | A 4930 ME 06-JUL-91 | ME | | 99 | |
| L | MIL-D-0010271G | DRILLING MACHINE, WELL, ROTARY, 1,500 FOOT | A 3820 ME 18-AUG-82 | ME | | | |
| | MIL-L-10287B | LACQUER, CELLULOSE NITRATE FOR IDENTIFICATION OF SMALL ARMS AMMUNITION (VALIDATION DATE: 8302) USER: OS REVIEWER: AR EA IS | A 8010 ME 22-OCT-76 | ME | | 11 | |
| | MIL-M-10289C | MOUNTING MT-791 ( )/U USER: 80 MC REVIEWER: 99 | A 5805 CR 23-MAY-90 | CR | | 17 | |
| A | MIL-C-10296J | CLOTH, SATEEN, COTTON REVIEWER: 82 99 MC MD | A 8305 CT 12-SEP-86 | GL | MU | 11 | CT |
| Q | MIL-M-10304E(1) SUPPL 1A | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED GENERAL SPECIFICATION FOR (VALIDATION DATE: 8210) USER: CG OS REVIEWER: 11 AR AS AT AV EA ES MC ME | A 6625 SH 26-FEB-76 | CR | SH | 99 | |
| | MIL-M-10304/4C NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 USER: CG REVIEWER: 11 AR AT AV ES MC ME MI | A 6625 SH 25-JUL-86 | CR | SH | 99 | |
| | MIL-M-10304/5F NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, DC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 USER: CG MI REVIEWER: 11 AR AT EA ES MC ME | A 6625 SH 25-JUL-86 | CR | SH | 99 | |
| | MIL-M-10304/6E NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLT METER, AC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME | A 6625 SH 25-JUL-86 | CR | SH | 99 | |
| | MIL-M-10304/7D NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 USER: CG MC MI REVIEWER: 11 AR AT AV ES ME | A 6625 CR 25-JUL-86 | CR | SH | 99 | |
| | MIL-M-10304/8B NOTICE 1 | METERS, ELECTRICAL INDICATING, AMMETERS, RF, PANEL TYPE, RUGGEDIZED (FLUSHING MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 & 28 | A 6625 SH 25-JUL-86 | CR | SH | 99 | |
| | MIL-M-10304/9B NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL (FLUSH MOUNTING, ROUND FLANGE, 2-1/2 INCH) STYLE 26 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME | A 6625 CR 25-JUL-86 | CR | SH | 99 | |
| | MIL-M-10304/10D NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, DECIBEL (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 36 USER: CG REVIEWER: 11 AR AT AV ES MC ME MI | A 6625 CR 25-JUL-86 | CR | SH | 99 | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MIL-M-10304/11D<br>NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 [VALIDATION DATE: 8607] USER: CG MC MI REVIEWER: 11 AR AT AV ES ME | A 6625 SH | 01-JUL-86 CR | SH | 99 | | |
| | | MIL-M-10304/12E<br>NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 USER: CG REVIEWER: 11 AT EA ES MC ME MI | A 6625 CR | 25-JUL-86 CR | SH | 99 | | |
| | | MIL-M-10304/13D | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME | A 6625 SH | 25-JUL-86 CR | SH | 99 | | |
| | | MIL-M-10304/14C<br>NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 USER: CG MI REVIEWER: 11 17 AR AT AV ES MC ME | A 6625 CR | 25-JUL-86 CR | SH | 99 | | |
| | | MIL-M-10304/15C<br>NOTICE 2 | METER, ELECTRICAL INDICATING, AMMETER, RF, PANEL TYPE, RUGGEDIZED (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLES 36 & 38 USER: CG REVIEWER: 11 AR AT AV ME | A 6625 CR | 25-JUL-86 CR | EC | 99 | | |
| | | MIL-M-10304/16B<br>NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 36 USER: CG MI REVIEWER: 11 AT AV ES MC ME | A 6625 CR | 25-JUL-86 CR | SH | 99 | | |
| | | MIL-M-10304/17E | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 4 1/2 INCH) STYLE 46 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME | A 6625 SH | 25-JUL-86 CR | SH | 99 | | |
| L | | MIL-M-10304/18A(2)<br>NOTICE 1 | METERS, MULTISCALE, DC, PANEL TYPE, RUGGEDIZED (ROUND FLANGE, 3-1/2 INCH, STYLE 36) [VALIDATION DATE: 9103] | A 6625 SH | 04-MAR-91 | SH | | | |
| | | MIL-M-10304/19D<br>NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL DECIBEL, (FLUSH MOUNTING, SQUARE FLANGE, 1-1/2-INCH, STYLE 13) [VALIDATION DATE: 8704] USER: CG MI REVIEWER: 11 AR AT AV ES MC ME | A 6625 SH | 22-APR-87 CR | SH | 85 | | |
| | | MIL-M-10304/20C<br>NOTICE 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER AND AMMETER, DC (SQUARE FLANGE, 1-INCH) STYLE 03 [VALIDATION DATE: 8911] USER: CG MI REVIEWER: 17 AR AS AT AV ES MC ME | A 6625 CR | 02-NOV-89 CR | SH | 99 | | |
| | | MIL-M-10304/21F<br>NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, DC (SQUARE FLANGE, 1 1/2 INCH) STYLE 13 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME | A 6625 SH | 25-JUL-86 CR | SH | 99 | | |
| | | MIL-M-10304/22C<br>NOTICE 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER AND AMMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 34 [VALIDATION DATE: 8911] USER: CG MI REVIEWER: 11 AR AT AV EC ES MC ME | A 6625 CR | 02-NOV-89 CR | SH | 99 | | |
| | | MIL-M-10304/23C<br>NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER & AMMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE 4 1/2 INCH) STYLE 44 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME | A 6625 SH | 25-JUL-86 CR | SH | 99 | | |
| | | MIL-M-10304/24F(1)<br>NOTICE 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: AMMETER, DC (SQUARE FLANGE, 1-1/2 INCH), STYLE 13 [VALIDATION DATE: 8911] USER: AR CG MI REVIEWER: AV EA ES MC | A 6625 CR | 02-NOV-89 CR | SH | 99 | | |
| | | MIL-M-10304/25C<br>NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, RECTIFIER-TYPE VOLMETER, AC (FLUSH MOUNTING, ROUND FLANGE 2-1/2 INCH) STYLE 26 [VALIDATION DATE: 8003] USER: CG MI REVIEWER: 11 AR AT AV ES MC ME | A 6625 CR | 17-DEC-75 CR | SH | 99 | | |
| | | MIL-M-10304/26D<br>NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, RECTIFIER TYPE VOLTMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH), STYLES 34 & 36 USER: AR CG MI REVIEWER: 11 17 AS AT AV ES MC | A 6625 CR | 25-JUL-86 CR | SH | 99 | | |
| | | MIL-M-10304/29<br>NOTICE 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: MILLIVOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH), STYLES 05, 06, AND 07 [VALIDATION DATE: 8803] USER: CG MI REVIEWER: 11 AT AV ES MC ME | A 6625 CR | 26-MAR-88 CR | EC | 99 | | |
| | | MIL-M-10304/30 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, MILLIAMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH) STYLES 05, 06, & 07 [VALIDATION DATE: 8003] USER: CG MI REVIEWER: 11 AT AV ES MC ME | A 6625 SH | 24-MAY-74 CR | SH | 99 | | |
| | | MIL-M-10304/31<br>NOTICE 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: MICROAMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH) STYLES 05, 06, 07 [VALIDATION DATE: 8803] USER: CG MI REVIEWER: 11 AT AV ES MC ME | A 6625 CR | 26-MAR-88 CR | EC | 99 | | |
| | | MIL-M-10304/32<br>NOTICE 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH), STYLES 05, 06, 07 [VALIDATION DATE: 8803] | A 6625 CR | 26-MAR-88 CR | EC | 99 | | |
| | | MIL-M-10304/37<br>NOTICE 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED VOLTMETER & AMMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 24 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME | A 6625 SH | 25-JUL-86 CR | SH | 99 | | |
| L | | MIL-C-10320E | COVER, LEVEL ROD, PHILADELPHIA, CANVAS REVIEWER: GS MC ..... | A 6675 ME | 02-DEC-82 ME | | | | |
| L | | MIL-M-10323A(5) | MOUNT, TELESCOPE: M48 ..... | A 1240 AR | 26-JUN-89 AR | | | | |
| L | | MIL-D-10329A<br>NOTICE 1 | DYE, P-NITROPHENYLAZO-BETA-NAPHTHYLAMINE (B-1) [VALIDATION DATE: 8808] REVIEWER: GS | A 6820 EA | 11-AUG-88 EA | | | | |
| | | MIL-M-10330A | HANSA YELLOW G [VALIDATION DATE: 8405] REVIEWER: 99 ..... | A 6665 EA | 21-SEP-50 EA | OS | | | |
| L | | MIL-P-10334B | POT, SMOKE, FLOATING, MC, M4A2 COMPONENTS FOR ..... | A 1365 EA | 19-JAN-84 EA | | | | |
| A L | | MIL-C-10351D<br>NOTICE 1 | CLOTH, LAMINATED AND COATED FOR WATERPROOF CONTAINERS [VALIDATION DATE: 9007] REVIEWER: MD | A 8305 CT | 30-JUL-90 GL | | | | CT |
| | | MIL-P-10360F | PUMP, CENTRIFUGAL, 4 INCH AND 6 INCH, GASOLINE ENGINE AND DIESEL ENGINE DRIVEN, FOR WATER USER: CS MC | A 4320 ME | 30-MAY-84 ME | | 99 | | |
| | | MIL-C-10369D(2) | CABLE, TELEPHONE, FIELD, FOR RAPID PAYOUT (MX-306A/G) (METRIC) USER: 17 MC ME MI REVIEWER: IS | A 6145 CR | 14-JAN-87 CR | | 99 | | |
| L | | MIL-T-10372A(1) | TAPE, TEXTILE, 1 INCH USER: 45 REVIEWER: CT ..... | A 8315 EA | 02-FEB-87 EA | | | | |
| | | MIL-R-10374B<br>NOTICE 1 | RINGER, TELEPHONE TA-48/FT [VALIDATION DATE: 8603] USER: MC ..... | A 5965 CR | 03-MAR-86 CR | | | | |
| L | | MIL-C-10375C | CUPS, CASE, COPPER ALLOY (FOR SMALL ARMS AMMUNITION) ..... | A 1305 AR | 03-APR-91 AR | | | | |
| | | MIL-C-10382D | CORROSION PREVENTIVE, PETROLATUM, SPRAYING APPLICATION: FOR FOOD HANDLING MACHINERY AND EQUIPMENT [VALIDATION DATE: 8908] USER: MC ME REVIEWER: GL MD SA SH | A 8030 MR | 01-AUG-89 MR | SH | 11 | | |
| L | | MIL-V-10386E | VALVES, CHECK: SWING, CAST-IRON AND STEEL USER: CE REVIEWER: CS ..... | A 4820 ME | 20-DEC-89 ME | | | | |
| D | | MIL-C-10387J | COUPLINGS, CLAMP, PIPE: WITH BOLTS AND SYNTHETIC-RUBBER GASKETS FOR GROOVED-END PIPE REVIEWER: 82 CE CG CS | A 4730 ME | 10-APR-92 ME | YD1 | 99 | | |
| D | | MIL-P-10388H | PIPE FITTINGS: ONE OR MORE ENDS GROOVED USER: MC REVIEWER: CS ..... | A 4730 ME | 24-SEP-90 ME | YD1 | | | |
| 1 | | MIL-C-10392C(1)<br>NOTICE 1 | CORD, ELECTRICAL (AUDIO, MINIATURE) USER: AR AV EC MC ME OS REVIEWER: 80 85 AT ES IS MI | A 6145 CR | 07-OCT-91 CR | AS | 17 | | |
| L | | MIL-D-10396D<br>NOTICE 1 | DIMETHYL HYDROGEN PHOSPHITE, TECHNICAL [VALIDATION DATE: 8808] USER: OS REVIEWER: GS MD | A 6810 EA | 11-AUG-88 EA | | | | |
| L | | MIL-P-10398C<br>NOTICE 1 | PHOSPHORUS TRICHLORIDE, TECHNICAL [VALIDATION DATE: 8903] REVIEWER: GS MD . | A 6810 EA | 08-MAR-89 EA | | | | |
| D L | | MIL-S-10399D<br>NOTICE 1 | SWITCHBOARD, TELEPHONE MANUAL SB-22( )/PT [VALIDATION DATE: 8702] USER: MC YD1 REVIEWER: 99 MI | A 5805 CR | 05-FEB-87 CR | | | | |
| D | | MIL-W-10430C(1) | WELDING RODS AND ELECTRODES; PACKAGING OF USER: MC REVIEWER: AS EC ES GS ME MI SA SH YD1 | A PACK SH | 05-JUL-85 AR | SH | 99 | | |
| L | | MIL-W-10430C(12) | WELDING RODS AND ELECTRODES; PACKAGING OF ..... | A PACK SH | 12-MAY-87 | SH | | | |
| | | MIL-C-10436L | COMPASS, MAGNETIC, UNMOUNTED: LENSATIC, LUMINOUS, 5 DEG. AND 20 MIL GRADUATIONS USER: MC REVIEWER: SH | A 6605 ME | 15-MAY-87 ME | | 99 | | |
| L | | MIL-C-10436L(12) | COMPASS, MAGNETIC, UNMOUNTED: LENSATIC, LUMINOUS, 5 DEGREE AND 20 MIL GRADUATIONS | A 6605 ME | 08-NOV-90 ME | | | | |
| | | MIL-W-10442 | WRENCHES, SPANNER & HYDRANT (S/S BY GGG-W-665) ..... | A 5120 CE | 26-JAN-84 CE | | | | |
| L | | MIL-S-10446B<br>NOTICE 1 | SWITCHBOARD, TELEPHONE, MANUAL, SB-86( )/P [VALIDATION DATE: 8603] ..... | A 5805 CR | 03-MAR-86 CR | | | | |
| L | | MIL-A-10450D<br>NOTICE 1 | AMILINE, TECHNICAL (METRIC) [VALIDATION DATE: 8903] REVIEWER: GS MD ..... | A 6810 EA | 08-MAR-89 EA | | | | |

| Action | Opt. / Cat. Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-M-10452C | MONOCHLOROACETIC ACID, TECHNICAL REVIEWER: GS | A | 6810 | EA | EA | 03-JUL-84 | | | | |
| | | MIL-P-10455A | PHOSGENE [VALIDATION DATE: 8008] | A | 1365 | EA | EA | 18-APR-51 | EA | OS | | |
| | | MIL-C-10463B | CHEMICAL AGENT, CYANOGEN CHLORIDE [VALIDATION DATE: 8008] | A | 1365 | EA | EA | 30-SEP-58 | EA | OS | | |
| L | | MIL-C-10464F | CANS, HERMETIC SEALING, METAL, LIGHT GAGE, TEAR-STRIP TYPE REVIEWER: OS | A | 8140 | AR | AR | 14-FEB-90 | AR | | | |
| L | | MIL-L-10469B(4) | LIGHT, AIMING POST [VALIDATION DATE: 8301] | A | 1290 | AR | AR | 30-MAR-70 | AR | | | |
| L | | MIL-L-10470D(2) NOTICE 1 | LIGHTS, INSTRUMENT: FIRE CONTROL EQUIPMENT [VALIDATION DATE: 8805] | A | 1290 | AR | AR | 16-MAY-88 | AR | | | |
| L | | MIL-P-10476C | PRINT WASHER, PHOTOGRAPHIC, EK-1 REVIEWER: GS | A | 6740 | CR | CR | 12-APR-84 | CR | | | |
| L | | MIL-C-10479B | CRYSTAL IMPEDANCE METER TS 683/TSM [VALIDATION DATE: 8003] REVIEWER: EC | A | 6625 | SH | CR | 24-FEB-69 | CR | SH | 99 | |
| L | | MIL-P-10480D(1) | PLUNGER, DELAY, M1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9008] | A | 1375 | AR | AR | 27-AUG-90 | AR | | | |
| D | | MIL-I-10493D | ICEMAKING PLANT, BLOCK [VALIDATION DATE: 8201] USER: MC REVIEWER: CL GS MD | A | 4110 | GL | GL | 16-DEC-70 | GL | YD1 | 99 | |
| | | MIL-R-10509F(7) SUPPL 1A | RESISTORS, FIXED, FILM (HIGH STABILITY), GENERAL SPECIFICATION FOR USER: 19 A1 AV CG MC ME REVIEWER: 11 17 99 AR AS ES MI OS | A | 5905 | EH | ER | 19-APR-89 | ER | EC | 85 | |
| J | | MIL-R-10509/1L NOTICE 1 | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN60 [VALIDATION DATE: 9110] USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | EH | ER | 25-OCT-91 | ER | EC | 85 | |
| J | | MIL-R-10509/2H(1) NOTICE 1 | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN65 [VALIDATION DATE: 9110] USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS MI OS | A | 5905 | ER | ER | 25-OCT-91 | ER | EC | 85 | |
| A J | | MIL-R-10509/3M(2) NOTICE 2 | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN70 [VALIDATION DATE: 9208] USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | ER | ER | 27-AUG-92 | ER | EC | 85 | |
| J | | MIL-R-10509/5H NOTICE 1 | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN75 [VALIDATION DATE: 9110] USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | ER | 25-OCT-91 | ER | EC | 85 | |
| J | | MIL-R-10509/6F NOTICE 1 | RESISTORS, FIXED, FILM, (HIGH STABILITY) STYLE RN80 [VALIDATION DATE: 8808] USER: 19 A1 CG MC ME REVIEWER: 17 99 AR ES MI | A | 5905 | ER | ER | 18-AUG-88 | ER | EC | 11 | |
| J | | MIL-R-10509/7G NOTICE 1 | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN55 [VALIDATION DATE: 9110] USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | ER | 25-OCT-91 | ER | EC | 85 | |
| J | | MIL-R-10509/8D | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN50 USER: 19 AR AT CG MC ME REVIEWER: 17 99 AS AV ES MI OS | A | 5905 | EH | ER | 19-APR-89 | ER | EC | 85 | |
| A LJ | | MIL-R-10509/13 NOTICE 2 | RESISTORS, FIXED, FILM (HIGH STABILITY) STYLE RN75---TX [VALIDATION DATE: 9304] REVIEWER: 17 | A | 5905 | 85 | | 12-APR-93 | | | 85 | |
| A LJ | | MIL-R-10509/14 NOTICE 2 | RESISTOR, FIXED, FILM (HIGH STABILITY) STYLE RN80---TX [VALIDATION DATE: 9304] REVIEWER: 17 85 | A | 5905 | 85 | | 12-APR-93 | | | 85 | |
| L | | MIL-S-10520D NOTICE 1 | STEEL, FORGING, FOR PROJECTILE STOCK [VALIDATION DATE: 8804] | A | FORG | AR | AR | 01-APR-88 | AR | | | |
| A L | | MIL-S-10521K(3) | SIMULATOR, BOOBY TRAP, FLASH, M117 PARTS FOR AND LOADING ASSEMBLING AND PACKING | A | 1370 | AR | AR | 11-FEB-93 | AR | | | |
| L | | MIL-S-10522K(1) NOTICE 1 | SIMULATOR, BOOBY TRAP, WHISTLING, M119, PARTS FOR AND LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8810] | A | 1370 | AR | AR | 13-OCT-88 | AR | | | |
| L | | MIL-C-10544C(2) NOTICE 1 | CONNECTORS, PLUG AND RECEPTACLE (ELECTRICAL, AUDIO, WATERPROOF, TEN CONTACT, POLARIZED) [VALIDATION DATE: 8808] USER: ME REVIEWER: AV EA ES MC MI | A | 5935 | CR | CR | 16-AUG-88 | CR | | | |
| D | | MIL-L-10547E | LINER, CASE, AND SHEET, OVERWRAP, WATER VAPORPROOF OR WATERPROOF, FLEXIBLE [VALIDATION DATE: 8201] USER: MC REVIEWER: 99 AS EA GS MD OS SS YD1 | A | 8135 | GL | GL | 26-NOV-75 | GL | SA | 69 | |
| D L | | MIL-R-10550F | ROLLERS, MOTORIZED, TANDEM, 2-AXLE AND 3-AXLE, GED OR DED USER: CS | A | 3895 | YD1 | | 28-JAN-89 | | YD1 | | |
| L | | MIL-S-10555H(1) NOTICE 1 | SIMULATOR, BOOBY TRAP, ILLUMINATING M118 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1370 | AR | AR | 31-OCT-90 | AR | | | |
| | | MIL-P-10559A | PROCESSING MACHINE, PHOTOGRAPHIC FILM (AMMONIA PROCESS, CONTINUOUS TONE, 42-INCH) REVIEWER: 69 CR GL SH | A | 6740 | AR | AR | 17-JUN-55 | AR | OS | | |
| L | | MIL-R-10572C(1) | RAILWAY CARS, TRAILER: MAINTENANCE, 56-1/2- INCH GAGE, 5-TON, 4-WHEEL, DOMESTIC SERVICE | A | 2230 | ME | ME | 10-DEC-84 | ME | | | |
| | | MIL-C-10578D(3) | CORROSION REMOVING AND METAL CONDITIONING COMPOUND (PHOSPHORIC ACID BASE) USER: AT CR MC ME REVIEWER: 11 GL GS MI SA SH | A | 6850 | MR | MR | 16-NOV-88 | MR | AS | 68 | |
| D | | MIL-T-10579H | TRAILER, CARGO, 2 WHEEL, 1/4 TON TO 1 1/2 TON USER: ME REVIEWER: MC | A | 2330 | AT | AT | 17-FEB-88 | AT | YD1 | 99 | |
| L | | MIL-P-10585A(1) NOTICE 2 | PLUG, FILLING, PORTABLE FLAME THROWER, C23 [VALIDATION DATE: 7306] USER: MC | A | 1040 | EA | EA | 10-SEP-53 | EA | | | |
| L | | MIL-P-10590B(1) | PROJECTILE, ILLUMINATING, 81MM, M301A2 METAL PARTS ASSEMBLY [VALIDATION DATE: 7905] | A | 1315 | AR | AR | 26-JUN-67 | AR | | | |
| D L | | MIL-C-10597E(1) | CLEANING COMPOUND WITH CONDITIONER AND INHIBITOR FOR ENGINE COOLING SYSTEMS USER: AT REVIEWER: GS SH | A | 6850 | ME | ME | 24-AUG-84 | MR | YD1 | 68 | |
| D | | MIL-P-10603E | PUMPS AND PUMPING UNITS, CENTRIFUGAL, POWER-DRIVEN, FOR WATER, PACKAGING OF REVIEWER: SH | A | PACK | ME | ME | 21-NOV-90 | ME | YD1 | 99 | |
| | | MIL-R-10622C NOTICE 1 | REPEATER, TELEPHONE (REPEATER AN/TCC-11)(INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 7302] USER: MC | A | 5805 | CR | CR | 17-JUL-59 | CR | SH | 99 | |
| L | | MIL-C-10632C(3) | COVERS AND CASES, TEXTILE, ARMY EQUIPMENT, GENERAL SPECIFICATION FOR USER: AT AV CR REVIEWER: CT GL ME | A | 8340 | AR | AR | 15-AUG-91 | AR | | | |
| | | MIL-I-10634D NOTICE 1 | IGNITER, ROCKET, M20A1 FOR ROCKET, M28A2, M29A2 AND M30 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8806] | A | 1340 | AR | AR | 20-JUN-88 | AR | OS | | |
| L | | MIL-T-10646D | TELESCOPES, STRAIGHT: M90 SERIES & P/N 12599180 | A | 1240 | AR | AR | 30-SEP-88 | AR | | | |
| L | | MIL-P-10653D(2) | POWER SUPPLY (PLATE SUPPLY-TIMER UNIT PE-244-) (), REVIEWER: GS | A | 6115 | ER | ER | 21-JUL-81 | ER | | | |
| | | MIL-D-10662D NOTICE 1 | 1,2-DICHLOROETHANE, TECHNICAL [VALIDATION DATE: 8903] USER: MI REVIEWER: GS MD | A | 6810 | EA | EA | 09-MAR-89 | EA | | 68 | |
| | | MIL-C-10664C NOTICE 1 | CHLOROPICRIN, TECHNICAL [VALIDATION DATE: 8808] REVIEWER: GS MD MS | A | 6810 | EA | EA | 11-AUG-88 | EA | AS | | |
| LJ | | MIL-M-10670A NOTICE 3 | MONITORING SET, TELEPHONE (MONITORING EQUIPMENT AN/PTA-1()) | A | 6625 | CR | CR | 05-OCT-90 | CR | | | |
| A | | MIL-S-10679E NOTICE 1 | SCARF, NECKWEAR, RAYON, WOMAN S REVIEWER: 99 SA | A | 8445 | CT | CT | 26-FEB-88 | | MC | 11 | CT |
| D | | MIL-W-10698C(1) NOTICE 1 | WRENCH, OPEN END, AND WRENCH ASSEMBLY, STAMPED STEEL [VALIDATION DATE: 8705] USER: MC REVIEWER: 84 | A | 5120 | GL | GL | 20-MAY-87 | GL | YD1 | 99 | |
| D | | MIL-S-10699B(2) NOTICE 1 | SALT, HEAT TREATING (FOR METALS) [VALIDATION DATE: 8810] USER: MI SH REVIEWER: 20 AS GS MD | A | 6850 | AR | AR | 24-OCT-88 | AR | YD1 | 68 | |
| | | MIL-T-10727C | TIN PLATING: ELECTRODEPOSITED OR HOT-DIPPED, FOR FERROUS AND NONFERROUS METALS USER: ME REVIEWER: AR DH EA EC ER MI | A | MFFP | MR | MR | 30-JUN-89 | MR | OS | 99 | |
| | | MIL-R-10735K(3) | REFRIGERATION UNITS, MECHANICAL, PANEL TYPE, GASOLINE ENGINE AND ELECTRIC MOTOR DRIVEN, FOR SEMI&TRAILER REFRIGERATORS [VALIDATION DATE: 8404] REVIEWER: AT GS MD ME MI | A | 4110 | GL | GL | 27-SEP-79 | GL | | 99 | |
| D | | MIL-S-10738H | STOVE, GASOLINE BURNER, M1950, AND CASE [VALIDATION DATE: 8201] USER: 67 CS SA REVIEWER: GS MC MD | A | 7310 | GL | GL | 09-MAR-76 | GL | YD1 | 99 | |
| I | | MIL-S-10742B NOTICE 1 | SHROUD, BALLOON ML-424()/U REVIEWER: 13 | A | 6660 | CR | CR | 29-NOV-90 | CR | AS | 99 | |
| | | MIL-B-10743E | BALLOON, PILOT AND CEILING REVIEWER: 13 AS CR | A | 6660 | ER | ER | 22-OCT-80 | ER | | 99 | |
| | | MIL-B-10746D NOTICE 1 | BOMB, SMOKE, 100-LB: AN-M47A4, WP FILLING [VALIDATION DATE: 8808] | A | 1325 | EA | EA | 12-AUG-88 | EA | | 99 | |
| A | | MIL-C-10750J | COAT, FIREMEN S USER: 45 AS OS REVIEWER: MD | A | 8415 | CT | CT | 17-JUN-88 | GL | MU | 99 | CT |
| L | | MIL-C-10758D NOTICE 1 | CHEMICAL AGENT, GB [VALIDATION DATE: 8605] | A | 1365 | EA | EA | 28-MAY-86 | EA | | | |
| L | | MIL-S-00107620 | SEMITRAILER, REFRIGERATOR: 7 1/2-TON, 2-WHEEL, M349A1, M349A2, AND M349A3 | A | 2330 | ME | ME | 24-MAR-65 | ME | | | |
| D | | MIL-T-10767F | TOWERS (COMPONENTS OF) [VALIDATION DATE: 8308] REVIEWER: CS | A | 5445 | ER | ER | 21-MAY-68 | ER | YD1 | 84 | |
| L | | MIL-T-10767F(1) | TOWERS (COMPONENTS OF) [VALIDATION DATE: 8308] | A | 5445 | ER | ER | 29-DEC-71 | ER | | | |
| | | MIL-D-10795F | DRIVER TESTING AND TRAINING DEVICES, PORTABLE AND SIMULATOR USER: 70 MC SA REVIEWER: MD | A | 6930 | ME | ME | 23-APR-87 | ME | TD | 99 | |
| A L | | MIL-C-10797D NOTICE 1 | CLOTH, COATED, GLASS, SILICONE RUBBER COATED [VALIDATION DATE: 8711] REVIEWER: MD | A | 8305 | CT | CT | 12-NOV-87 | GL | | | CT |
| A | | MIL-T-10798L | TRUNK LOCKER, BARRACKS USER: 45 MC REVIEWER: 82 EA MD | A | 8460 | CT | CT | 02-MAR-90 | GL | | 99 | CT |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-10799H NOTICE 1 | CLOTH, COATED, COTTON, VINYL COATED, FIRE AND MILDEW RESISTANT (VALIDATION DATE: 8904) USER: 45 MC ME MI REVIEWER: 82 MD OS | A | 8305 CT | 22-APR-89 | GL | AS | 99 | CT |
| D | | MIL-F-10805D(1) | FUEL, COMPRESSED, TRIOXANE, RATION HEATING (VALIDATION DATE: 8201) USER: MC YD1 REVIEWER: GS MD PS | A | 9110 GL | 11-MAR-76 | GL | | 68 | |
| D | | MIL-P-10808F(1) | POUCH, HUMAN REMAINS USER: YD1 REVIEWER: GS MD | A | 9930 GL | 03-DEC-87 | GL | MS | 34 | |
| A | L | MIL-P-10808F(12) | POUCH, HUMAN REMAINS | A | 9930 GL | 10-AUG-92 | GL | | | |
| A | | MIL-P-10809G | PARKA, SNOW CAMOUFLAGE USER: 45 SA REVIEWER: 11 82 MC MD | A | 8415 CT | 07-NOV-89 | GL | MU | 99 | CT |
| | L | MIL-P-0010809M | PARKA, SNOW CAMOUFLAGE, WHITE | A | 8415 GL | 10-FEB-92 | GL | | | |
| | | MIL-U-10815M(1) | UTENSILS, COOKING, CORROSION-RESISTING STEEL USER: CG REVIEWER: MC MD | A | 7330 GL | 14-DEC-88 | GL | SA | 99 | |
| | | MIL-D-10821F | DESKS, FIELD USER: MC SA | A | 7110 GL | 30-JUN-89 | GL | | 84 | |
| | | DOD-A-10825A | ALUMINUM OXIDE, ANHYDROUS, ANALYZED REAGENT (METRIC) | A | 6810 EA | 22-OCT-79 | EA | | 68 | |
| | L | MIL-P-10830 | POTASSIUM PICRATE (VALIDATION DATE: 8301) REVIEWER: GS | A | 6810 AR | 15-JAN-51 | AR | | | |
| | | MIL-P-10831B | PAPER, TARGET (VALIDATION DATE: 8404) USER: GL | A | 9310 AR | 04-SEP-64 | AR | MC | | |
| | L | MIL-P-10831B(12) | PAPER, TARGET (VALIDATION DATE: 8404) | A | 9320 AR | 30-JUN-66 | AR | | | |
| | L | MIL-A-10840D NOTICE 1 | ARSENIC TRIOXIDE, TECHNICAL (VALIDATION DATE: 8903) REVIEWER: GS MD | A | 6810 EA | 09-MAR-89 | EA | | | |
| | | MIL-A-10841D NOTICE 1 | ANTIMONY, TECHNICAL (METRIC) (VALIDATION DATE: 8808) USER: MI REVIEWER: GS MD | A | 6810 EA | 11-AUG-88 | EA | OS | | |
| | L | MIL-W-10842A NOTICE 1 | WAX, MICROCRYSTALLINE (METRIC) (VALIDATION DATE: 8903) REVIEWER: GS PS | A | 9160 EA | 09-MAR-89 | EA | | | |
| D | | MIL-G-10849F | GLOVE SHELLS, ELECTRICAL WORKER S (VALIDATION DATE: 8601) USER: 11 45 ER SH REVIEWER: MD OS YD1 | A | 8415 CT | 09-NOV-79 | GL | MU | 99 | CT |
| | | MIL-P-10850E | PRINTER, PROJECTION, PHOTOGRAPHIC USER: MC MI REVIEWER: GS | A | 6740 CR | 08-APR-85 | CR | AS | | |
| | L | MIL-B-10854 | BINDER, CELLULOSE NITRATE CAMPHOR (FOR PYROTECHNIC MIXTURES). (VALIDATION DATE: 8404) REVIEWER: GS OS | A | 6850 EA | 22-JAN-51 | EA | | | |
| | | MIL-C-10856D NOTICE 1 | CHEMICAL AGENT, MUSTARD, SIMULATED (MOLASSES RESIDUUM (VALIDATION DATE: 8605) USER: AS MC REVIEWER: MD | A | 1365 EA | 28-MAY-86 | EA | OS | | |
| | L | MIL-C-10857D NOTICE 1 | CLOTH, ANTIFOGGING (VALIDATION DATE: 8808) REVIEWER: GS | A | 4240 EA | 12-AUG-88 | EA | | | |
| A | | MIL-S-10858H | SHIRT, COLD WEATHER, FIELD, WOOL/NYLON, OLIVE GREEN 108 USER: 45 REVIEWER: 82 MC MD | A | 8415 CT | 07-JAN-83 | GL | MU | 99 | CT |
| A | | MIL-C-10859J | CLOTH, OXFORD, COTTON, (PERMEABLE) USER: MC REVIEWER: 82 MD | A | 8305 CT | 24-SEP-90 | GL | MU | 99 | CT |
| | | DOD-U-10860D(3) | UREA, TECHNICAL (METRIC) USER: AS AV REVIEWER: GS MD | A | 6810 EA | 19-JUL-85 | EA | OS | 11 | |
| A | | MIL-L-10867E | LEATHER, CATTLEHIDE, GUSSET, CHROME TANNED, FATLIQUORED USER: MC REVIEWER: 11 82 MD | A | 8330 CT | 29-MAR-91 | GL | MU | 99 | CT |
| D | | MIL-H-10868F | HOSE ASSEMBLY, RUBBER, UTILITY, GASOLINE (1/4-INCH INSIDE DIAMETER) REVIEWER: 82 CS MD ML | A | 4720 GL | 13-JUN-86 | GL | YD1 | 99 | |
| | | MIL-F-10870G | FOOD CONTAINER, INSULATED, WITH INSERTS REVIEWER: 84 | A | 7330 GL | 30-SEP-82 | GL | SA | 99 | |
| | | MIL-C-10872E | CAP, FLUX, 4-INCH, CYLINDRICAL USER: MC REVIEWER: CS MD ME | A | 4520 GL | 30-SEP-85 | GL | | 99 | |
| | | MIL-R-10882D NOTICE 2 | RECORDER, RADIOSONDE AN/TMQ-5() (UNITS OF) (VALIDATION DATE: 9104) REVIEWER: GS | A | 6660 CR | 30-APR-91 | CR | | 99 | |
| | | MIL-F-10884F | FASTENERS, SNAP USER: AV ME REVIEWER: 82 AR IS MI OS | A | 5325 GL | 30-DEC-88 | GL | AS | 99 | |
| | | MIL-W-10885B(1) | WAX, IMPREGNATING, WATERPROOFING, FOR LAMINATED PAPER TUBES FOR SMALL ARMS - AMMUNITION (VALIDATION DATE: 8003) REVIEWER: EA GS PS | A | 9160 AR | 22-JAN-62 | AR | OS | | |
| | L | MIL-C-10888D NOTICE 1 | CANNON, 4.2 INCH MORTAR: M30 AND MOUNT, 4.2 INCH MORTAR: M24A1 (VALIDATION DATE: 8806) | A | 1015 AR | 20-JUN-88 | AR | | | |
| | L | MIL-M-10891C NOTICE 1 | METHYLPHOSPHONIC DICHLORIDE, TECHNICAL (VALIDATION DATE: 8811) REVIEWER: GS | A | 6810 EA | 01-NOV-88 | EA | | | |
| A | | MIL-I-10901H NOTICE 1 | INSECT BAR: FIELD TYPE, NYLON NETTING (VALIDATION DATE: 8908) USER: 45 MC REVIEWER: 82 CT MD | A | 7210 CT | 11-AUG-89 | GL | MU | 11 | CT |
| A | | MIL-G-10902J | GLOVES, MEN'S, AND WOMEN'S, ANTICONTACT USER: CG MC REVIEWER: MD | A | 8415 CT | 28 NOV-89 | GL | MU | | CT |
| | L | MIL-I-10903 | ISOBUTYL METHACRYLATE POLYMER, AE (VALIDATION DATE: 8403) REVIEWER: GS | A | 6810 AR | 05-FEB-51 | AR | | | |
| M | | MIL-V-10908C | VALVE, DRIP, ADJUSTABLE FEED USER: MC REVIEWER: 84 CS | A | 4520 GL | 13-MAY-93 | GL | | 99 | |
| | | MIL-L-10911D SUPPL 1A | LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 6-, 8-, 10-, AND 12-INCH DIAMETER CONE) USER: 17 AR AS AT MC ME MI REVIEWER: 13 99 ER ES | A | 5965 EC | 20-OCT-82 | CR | EC | 85 | |
| | | MIL-L-10911/1B NOTICE 1 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 5-INCH DIAMETER CONE) (VALIDATION DATE: 9010) USER: 17 AS AT AV MC ME MI REVIEWER: 13 99 ER ES | A | 5965 CR | 23-OCT-90 | CR | EC | 85 | |
| | | MIL-L-10911/2A NOTICE 1 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 6-INCH DIAMETER CONE) (VALIDATION DATE: 9102) USER: 17 AS AT AV MC ME MI REVIEWER: 11 13 ER ES OS SH | A | 5965 CR | 05-FEB-91 | CR | EC | 85 | |
| | | MIL-L-10911/3B NOTICE 1 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 8-INCH DIAMETER CONE) (VALIDATION DATE: 9011) USER: 17 AS AT MC ME MI REVIEWER: 13 99 ER ES OS SH | A | 5965 CR | 29-NOV-90 | CR | EC | 85 | |
| | | MIL-L-10911/4A NOTICE 1 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 10-INCH DIAMETER CONE) (VALIDATION DATE: 9010) USER: 17 AS AT AV MC ME MI REVIEWER: 11 13 ER ES OS SH | A | 5965 CR | 23-OCT-90 | CR | EC | 85 | |
| | | MIL-L-10911/5A NOTICE 1 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 12-INCH DIAMETER CONE) (VALIDATION DATE: 9011) USER: 17 AS AT AV MC ME MI REVIEWER: 11 13 ER ES OS SH | A | 5965 CR | 29-NOV-90 | CR | EC | 85 | |
| | | MIL-L-10911/6A NOTICE 1 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 3-INCH DIAMETER CONE) (VALIDATION DATE: 8901) USER: 17 AS AT AV MC ME MI REVIEWER: 11 13 ER ES OS SH | A | 5965 85 | 13-JAN-89 | CR | EC | 85 | |
| | | MIL-L-10911/7A NOTICE 1 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 2.5-INCH DIAMETER CONE) (VALIDATION DATE: 8901) USER: 17 AR AS AV MC ME MI REVIEWER: 11 13 ER ES OS SH | A | 5965 85 | 13-JAN-89 | CR | EC | 85 | |
| | | MIL-L-10911/8A | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 4 INCH DIAMETER CONE) USER: 17 AS AT AV MC ME MI REVIEWER: 11 13 ER ES OS SH | A | 5965 EC | 20-OCT-82 | CR | EC | 85 | |
| | | MIL-F-10915L | FUZE, HAND GRENADE, RIOT, POCKET, CS,M201A1), FUZE, FLOATING SMOKE POT, M207A1, AND FUZE, INCENDIARY, M210 REVIEWER: AS | A | 1330 EA | 08-SEP-72 | EA | OS | 99 | |
| A | | MIL-C-10922G | CASE, PARACHUTISTS, INDIVIDUAL WEAPONS M-1950, ADJUSTABLE. USER: 11 45 AV MC REVIEWER: AS | A | 8465 CT | 20-FEB-85 | GL | MU | 99 | CT |
| DQ | | MIL-G-10924F | GREASE, AUTOMOTIVE AND ARTILLERY USER: AT REVIEWER: 11 AR AS EA GS MI PS SA SH | A | 9150 ME | 17-JUL-89 | ME | YD1 | 68 | |
| A | | MIL-S-10928G | SUSPENDERS, TROUSERS, M-1950 USER: 45 CG REVIEWER: 82 MC MD | A | 8440 CT | 10-JUN-86 | GL | MU | 99 | CT |
| A | L | MIL-B-10930C | BAG, SIGNAL EQUIPMENT, WATERPROOF (VALIDATION DATE: 8402) REVIEWER: 82 MC MD | A | 8465 CT | 17-OCT-83 | GL | MU | 99 | CT |
| D | | MIL-R-10932H | REFRIGERATORS, PREFABRICATED, PANEL TYPE REVIEWER: 82 GS MC MD ME SH TS | A | 4110 GL | 30-JUN-88 | GL | YD1 | 99 | |
| | | MIL-R-0010932 | REFRIGERATORS, PREFABRICATED, PANEL TYPE USER: SH REVIEWER: GS MC MD ME | A | 4110 GL | 08-APR-86 | GL | | 99 | |
| D | | MIL-C-10933E | CHILLED WATER UNIT, BAKERY REVIEWER: EL GS MD | A | 7320 GL | 07-NOV-85 | GL | YD1 | 99 | |
| | | MIL-F-10934A(1) | FILTER UNIT, GAS & PARTICULATE, GED (OR EMD), 300 CFM, ABC & M6 (VALIDATION DATE: 8505) USER: MC REVIEWER: GS | A | 4240 EA | 30-SEP-63 | EA | | 99 | |
| A | | MIL-P-10941D NOTICE 1 | PACKBOARD, PLYWOOD (VALIDATION DATE: 8801) USER: 45 MI REVIEWER: EA MC | A | 8465 CT | 25-JAN-88 | GL | MU | 99 | CT |
| | | MIL-G-10944B(3) | GAGE, DIMENSIONAL CONTROL USER: MC ME REVIEWER: MI | A | 5220 AR | 19-FEB-82 | AR | AS | 99 | |
| Q | | MIL-C-10950C(3) SUPPL 1A | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE, GENERAL SPECIFICATION FOR USER: 11 AS CG OS REVIEWER: 17 99 AR ES SH | A | 5910 EC | 05-OCT-87 | ER | EC | 85 | |
| | | MIL-C-10950/1E(2) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEED THRU) STYLES CB11, CB13, CB14 USER: AS CG OS REVIEWER: 17 ES | A | 5910 EC | 05-OCT-87 | ER | EC | 85 | |
| | | MIL-C-10950/2D(1) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF) STYLE CB21 USER: 11 AS CG OS REVIEWER: 17 99 AR ES | A | 5910 EC | 05-OCT-87 | ER | EC | 85 | |
| | | MIL-C-10950/3E(1) | CAPACITORS, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF) STYLE CB31 USER: 11 AS CG OS REVIEWER: 17 99 AR ES | A | 5910 EC | 05-OCT-87 | ER | EC | 85 | |
| | | MIL-C-10950/4D(1) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU) STYLE CB50 USER: AS CG OS REVIEWER: 17 99 AR ES SH | A | 5910 EC | 05-OCT-87 | ER | EC | 85 | |

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-10950/7C(1) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU, HERMETIC SEAL) STYLES CB60, CB61, AND CB62 USER: AS CG OS REVIEWER: 11 17 99 AR ES SH | A | 5910 | EC | 05-OCT-87 | ER | EC | 85 | |
| | | MIL-C-10950/8C(1) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU, HERMETIC SEAL) STYLES CB55, CB56, AND CB57 USER: 11 AS CG OS REVIEWER: 17 99 AR ES SH | A | 5910 | EC | 05-OCT-87 | ER | EC | 85 | |
| | | MIL-C-10950/9C(1) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF, HERMETIC SEAL) STYLES CB65, CB66, AND CB67 USER: AS CG OS REVIEWER: 11 17 99 AR ES SH | A | 5910 | EC | 05-OCT-87 | ER | EC | 85 | |
| A | | MIL-B-10955F SUPPL 1A, NOTICE 1 | BADGE, QUALIFICATION, AVIATION, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 12-NOV-92 | IH | MU | 11 | |
| A L | | MIL-B-10955/1H | BADGE, QUALIFICATION, AVIATION; AVIATOR, ARMY REVIEWER: CT | A | 8455 | IH | 04-AUG-92 | IH | | | |
| A L | | MIL-B-10955/2H | BADGE, QUALIFICATION, AVIATION; SENIOR AVIATOR, ARMY REVIEWER: CT | A | 8455 | IH | 04-AUG-92 | IH | | | |
| A L | | MIL-B-10955/3H | BADGE, QUALIFICATION, AVIATION; MASTER AVIATOR, ARMY REVIEWER: CT | A | 8455 | IH | 04-AUG-92 | IH | | | |
| | | MIL-B-10955/4E | BADGE, QUALIFICATION, AVIATION; ENLISTED AIRCREW MEMBER, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/5E | BADGE, QUALIFICATION, AVIATION; SENIOR ENLISTED AIRCREW MEMBER, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/6E | BADGE, QUALIFICATION, AVIATION; CHIEF ENLISTED AIRCREW MEMBER, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/7F | BADGE, QUALIFICATION, AVIATION; NAVIGATOR OR AIRCRAFT OBSERVER, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/8F | BADGE, QUALIFICATION, AVIATION; SENIOR NAVIGATOR OR AIRCRAFT OBSERVER AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/9F | BADGE, QUALIFICATION, AVIATION; MASTER NAVIGATOR OR AIRCRAFT OBSERVER, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/10E | BADGE, QUALIFICATION, AVIATION; PILOT, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/11E | BADGE, QUALIFICATION, AVIATION; SENIOR PILOT, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/12E | BADGE, QUALIFICATION, AVIATION; COMMAND PILOT, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/13E | BADGE, QUALIFICATION, AVIATION; FLIGHT SURGEON, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/14E | BADGE, QUALIFICATION, AVIATION; SENIOR FLIGHT SURGEON, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/15E | BADGE, QUALIFICATION, AVIATION; CHIEF FLIGHT SURGEON, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/16F | BADGE, QUALIFICATION, AVIATION; FLIGHT NURSE, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| A L | | MIL-B-10955/17G | BADGE, QUALIFICATION, AVIATION; FLIGHT SURGEON, ARMY REVIEWER: CT | A | 8455 | IH | 04-AUG-92 | IH | | | |
| A L | | MIL-B-10955/18G | BADGE, QUALIFICATION, AVIATION; SENIOR FLIGHT SURGEON, ARMY REVIEWER: CT | A | 8455 | IH | 04-AUG-92 | IH | | | |
| A L | | MIL-B-10955/19G | BADGE, QUALIFICATION, AVIATION; MASTER FLIGHT SURGEON, ARMY REVIEWER: CT | A | 8455 | IH | 04-AUG-92 | IH | | | |
| | | MIL-B-10955/20D NOTICE 1 | BADGE, QUALIFICATION, AVIATION; COMBAT AIRCREW MEMBER, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 24-APR-92 | IH | MU | 11 | |
| | | MIL-B-10955/21C NOTICE 1 | BADGE, QUALIFICATION, AVIATION; NAVAL AVIATOR, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 24-APR-92 | IH | MU | 11 | |
| | | MIL-B-10955/22C NOTICE 1 | BADGE, QUALIFICATION, AVIATION; NAVAL AVIATION OBSERVER, FLIGHT METEROLOGIST, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 24-APR-92 | IH | MU | 11 | |
| | | MIL-B-10955/25E | BADGE, QUALIFICATION, AVIATION; PILOT ASTRONAUT, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/26E | BADGE, QUALIFICATION, AVIATION; SENIOR PILOT ASTRONAUT, AIR FORCE REVIEWER: 82 99 CT DP | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/27E | BADGE, QUALIFICATION, AVIATION; COMMAND PILOT ASTRONAUT, AIR FORCE REVIEWER: 82 99 CT DP | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| A L | | MIL-B-10955/28F | BADGE, QUALIFICATION, AVIATION; AIRCRAFT CREWMAN, ARMY REVIEWER: CT | A | 8455 | IH | 04-AUG-92 | IH | | | |
| A L | | MIL-B-10955/29F | BADGE, QUALIFICATION, AVIATION; SENIOR AIRCRAFT CREWMAN, ARMY REVIEWER: CT | A | 8455 | IH | 04-AUG-92 | IH | | | |
| A L | | MIL-B-10955/30F | BADGE, QUALIFICATION, AVIATION; MASTER AIRCRAFT CREWMAN, ARMY REVIEWER: CT | A | 8455 | IH | 04-AUG-92 | IH | | | |
| | | MIL-B-10955/31E | BADGE, QUALIFICATION, AVIATION; SENIOR FLIGHT NURSE, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/32E | BADGE, QUALIFICATION, AVIATION; CHIEF FLIGHT NURSE, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/33B NOTICE 1 | BADGE, QUALIFICATION, AVIATION; FLIGHT OFFICER, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 24-APR-92 | IH | MU | 11 | |
| | | MIL-B-10955/34B NOTICE 1 | BADGE, QUALIFICATION, AVIATION; EXPERIMENTAL PSYCHOLOGIST AND PHYSIOLOGIST, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 24-APR-92 | IH | MU | 11 | |
| | | MIL-B-10955/35A NOTICE 1 | BADGE, QUALIFICATION, AVIATION; AIR CREW, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 24-APR-92 | IH | MU | 11 | |
| | | MIL-B-10955/36B | BADGE, QUALIFICATION, AVIATION; FLIGHT SURGEON, NAVY REVIEWER: CT | A | 8455 | IH | 14-SEP-90 | IH | MU | | |
| | | MIL-B-10955/37C | BADGE, QUALIFICATION, AVIATION; OFFICER AIR CREW MEMBER, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/38C | BADGE, QUALIFICATION, AVIATION; SENIOR UFFICER AIRCREW MEMBER, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/39C | BADGE, QUALIFICATION, AVIATION; CHIEF OFFICER AIRCREW MEMBER, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | 13-SEP-91 | IH | | 11 | |
| | | MIL-B-10955/43A NOTICE 1 | BADGE, QUALIFICATION, AVIATION, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 24-APR-92 | IH | MU | 11 | |
| A L | | MIL-B-10955/44 | BADGE, QUALIFICATION, AVIATION; ASTRONAUT DEVICE FOR AVIATOR, FLIGHT SURGEON AND AIRCRAFT CREWMAN, ARMY REVIEWER: CT | A | 8455 | IH | 21-AUG-92 | IH | | | |
| D | | MIL-A-10957G | ADAPTER KIT, GRAVITY FEED, FOR 5 GALLON MILITARY GASOLINE CAN AND 55 GALLON DRUM USER: MC REVIEWER: 84 ME | A | 7240 | GL | 09-DEC-86 | GL | YD1 | 99 | |
| | | MIL-M-10958F | MARGARINE, CANNED [VALIDATION DATE: 8201] REVIEWER: MC MD | A | 8945 | GL | 29-JUL-76 | GL | SA | 50 | |
| L | | MIL-F-10969B NOTICE 1 | FILTER ELEMENT, AEROSOL [VALIDATION DATE: 8808] REVIEWER: GS | A | 4240 | EA | 12-AUG-88 | EA | | | |
| | | MIL-P-10971E(3) | PIN, SPRING, TUBULAR (COILED AND SLOTTED) USER: AV ME SA SH REVIEWER: 82 AT IS MI | A | 5315 | AR | 03-APR-92 | AR | OS | 99 | |
| D I | | MIL-I-10986F(2) NOTICE 1 | INDICATORS AND TRANSMITTERS: LIQUID, TEMPERATURE AND PRESSURE USER: MC ME REVIEWER: ER GS | A | 6620 | AT | 22-JAN-92 | AT | YD1 | | |
| L | | MIL-S-10987E | SCALE, PLOTTING, COORDINATE (PLASTIC, SQUARE, 1:25,000 SCALE AND 1:50,000 SCALE, GRADUATED IN METERS) REVIEWER: GS | A | 6675 | ME | 02-DEC-91 | ME | | | |
| L | | MIL-B-10997B | BOOSTER M120, PARTS FOR [VALIDATION DATE: 8101] | A | 1345 | AR | 21-APR-65 | AR | | | |
| | | MIL-B-11007E NOTICE 1 | BURSTER, BOMB; AN-M20 [VALIDATION DATE: 8808] | A | 1325 | EA | 12-AUG-88 | EA | OS | 99 | |
| L | | MIL-C-11009B NOTICE 1 | CLIP, CARTRIDGE, CARBINE, CAL. .30 [VALIDATION DATE: 8705] | A | 1305 | AR | 21-MAY-87 | AR | | | |
| Q | | MIL-C-11015D(8) SUPPL 1A | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), GENERAL SPECIFICATION FOR USER: 19 MC REVIEWER: 11 17 99 AR AS ES MI OS SH | A | 5910 | EC | 14-JUN-84 | ER | EC | 85 | |
| | | MIL-C-11015/1D | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK21 (FOR REPLACEMENT PURPOSES ONLY) [VALIDATION DATE: 8104] USER: 19 MC REVIEWER: 11 17 99 EA ES MI | A | 5910 | EC | 06-DEC-67 | ER | EC | 85 | |
| | | MIL-C-11015/2C NOTICE 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK22 (FOR REPLACEMENT PURPOSES ONLY) [VALIDATION DATE: 8703] REVIEWER: 11 17 19 99 ES MC MI | A | 5910 | EC | 02-MAR-87 | ER | EC | 85 | |
| I | | MIL-C-11015/4C NOTICE 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK27 [VALIDATION DATE: 8703] USER: 19 MC REVIEWER: 11 17 99 ES MI | A | 5910 | EC | 02-MAR-87 | ER | EC | 85 | |
| | | MIL-C-11015/9E(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK60 USER: 19 REVIEWER: 11 17 99 AS ES MI OS SH | A | 5910 | EC | 14-JAN-86 | ER | EC | 85 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-C-11015/10E(1) | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK61 USER: 19 AS REVIEWER: 11 17 99 ES MI OS SH | A | 5910 | EC | ER | 14-JAN-86 | ER | EC | 85 | |
| | | | | MIL-C-11015/11E(1) | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) STYLE CK62 USER: 19 AS SH REVIEWER: 11 17 99 ES MI OS | A | 5910 | EC | ER | 14-JAN-86 | ER | EC | 85 | |
| A | | | | MIL-C-11015/12E(2) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK63 USER: 19 AS SH REVIEWER: 17 99 ES MI OS | A | 5910 | EC | ER | 09-JUL-92 | ER | EC | 85 | |
| | | | | MIL-C-11015/13D | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (FEED-THRU), STYLE CK70 USER: 19 MC REVIEWER: 11 17 99 ES MI | A | 5910 | EC | ER | 03-MAY-84 | ER | EC | 85 | |
| | | | | MIL-C-11015/14C<br>NOTICE 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (STAND-OFF), STYLE CK80 [VALIDATION DATE: 8703] USER: 19 MC REVIEWER: 11 17 99 ES MI | A | 5910 | EC | ER | 02-MAR-87 | ER | EC | 85 | |
| | | | | MIL-C-11015/15C<br>NOTICE 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (STAND-OFF), STYLE CK81 [VALIDATION DATE: 8703] USER: MC REVIEWER: 11 99 ES MI | A | 5910 | EC | ER | 02-MAR-87 | ER | EC | 85 | |
| | | | | MIL-C-11015/18D | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK05 [VALIDATION DATE: 8304] USER: 19 MC REVIEWER: 11 17 99 ES MI | A | 5910 | EC | ER | 28-SEP-70 | ER | EC | 85 | |
| | | | | MIL-C-11015/19D | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK06 [VALIDATION DATE: 8304] USER: 19 MC REVIEWER: 1' 17 99 AR EA ES MI | A | 5910 | EC | ER | 28-SEP-70 | ER | EC | 85 | |
| | | | | MIL-C-11015/20C(2) | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK12, CK13, CK14, CK15, AND CK16 (INACTIVE FOR DESIGN USE MIL-C-39014/5) USER: 19 MC REVIEWER: 17 99 AS ES MI OS SH | A | 5910 | EC | ER | 14-JUL-83 | ER | EC | 85 | |
| | | | | MIL-C-11015/21E(1) | CAPACITOR, FIXED CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK64, CK65, CK66, CK 67, CK68, AND CK69 USER: 19 AS SH REVIEWER: 11 17 99 ES MI OS | A | 5910 | EC | ER | 14-JAN-86 | ER | EC | 85 | |
| | | | | MIL-C-11015/23C<br>NOTICE 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU), STYLE CK72 [VALIDATION DATE: 8807] USER: 19 MC REVIEWER: 17 99 AS ES MI OS SH | A | 5910 | EC | ER | 28-JUL-88 | ER | EC | 85 | |
| | | | | MIL-C-11015/24E(2) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK41, CK42, CK43, CK50, CK51, CK52, CK53, CK54 AND CK55 USER: 19 AS REVIEWER: 11 17 99 ES MI OS | A | 5910 | EC | ER | 03-OCT-88 | ER | EC | 85 | |
| | L | | | MIL-C-11015/25B<br>NOTICE 1 | CAPACITOR,FIXED,CERAMIC DIELECTRIC,(GENERAL PURPOSE)STYLES CK31 AND CK32 INACTIVE USE MIL-C-39014/5 [VALIDATION DATE: 8702] REVIEWER: 17 99 ES | A | 5910 | 85 | 27-FEB-87 | | | | 85 | |
| | | | | MIL-C-11015/26B | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK18 AND CK19 [VALIDATION DATE: 8304] USER: 19 MC REVIEWER: 17 99 ES MI | A | 5910 | EC | ER | 28-SEP-70 | ER | EC | 85 | |
| | L | | | MIL-C-11015/29C(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU OR STAND-OFF) STYLES CK74, CK75, CK78, CK79 AND CK85 REVIEWER: ES | A | 5910 | 85 | 17-JUN-88 | | | | 85 | |
| | LI | | | MIL-C-11015/32A<br>NOTICE 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU) STYLE CK99 | A | 5910 | 85 | 28-OCT-91 | | | | 85 | |
| | L | | | MIL-R-11019B<br>NOTICE 1 | REEL UNIT RL&128 ( )-G [VALIDATION DATE: 8609] REVIEWER: GS | A | 8130 | CK | 23-SEP-86 | CP | | | | |
| | L | | | MIL-C-11020B(1) | CHESTS AND CASES, METAL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8505] USER: GL REVIEWER: MI | A | 8115 | AK | 01-MAY-72 | AK | | | | |
| A | L | | | MIL-S-11021F(1) | SWITCH, VEHICULAR LIGHTS: 24 VOLT DC USER: MC REVIEWER: CS | A | 2590 | AT | 04-FEB-93 | AT | | | | |
| | L | | | MIL-M-11024B<br>NOTICE 1 | MECHANISM, RECOIL, 155MM HOWITZER [VALIDATION DATE: 8804] | A | 1025 | AR | 22-APR-88 | AR | | | | |
| D | | | | MIL-L-11025F | LEAD, PILE-DRIVER, WITH CATWALK USER: CE REVIEWER: 84 AT CS MC | A | 3815 | ME | 27-MAY-87 | ME | YD1 | 99 | | |
| | | | | MIL-C-11029D | CITRIC ACID, TECHNICAL REVIEWER: GS MD | A | 6810 | EA | 31-JUL-87 | EA | | 68 | | |
| | | | | MIL-S-11030F | SEALING COMPOUND, SINGLE-COMPONENT, NON-CURING, POLYSULFIDE BASE REVIEWER: 84 99 AT EA MD ME MI | A | 8030 | MR | 14-SEP-90 | MR | AS | 11 | | |
| | | | | MIL-S-11031B | SEALING COMPOUND, ADHESIVE, CURING (POLYSULFIDE BASE) [VALIDATION DATE: 8004] USER: AT MC ME REVIEWER: 99 MI | A | 8030 | AR | 05-JUN-63 | AR | | 11 | | |
| | | | | MIL-R-11038E | RANGES, OIL BURNING (HEAVY DUTY, MECHANICAL TYPE BURNERS, NO. 2 OR HEAVIER FUEL OIL) [VALIDATION DATE: 8103] USER: CE MC REVIEWER: GS MD SA | A | 7310 | GL | 14-JUN-73 | GL | | 99 | | |
| DQ | | | | MIL-B-11040E(1) | BELT, V: ENGINE ACCESSORY DRIVE USER: AR MC MI REVIEWER: CS SH | A | 3030 | AT | 07-JUL-92 | AT | YD1 | 99 | | |
| | | | | MIL-R-11050B<br>SUPPL 1A | RECTIFIER, METALLIC, SELENIUM [VALIDATION DATE: 8301] USER: AS ES MC ME REVIEWER: 99 AR GS MI | A | 6130 | ER | 21-MAY-69 | ER | SH | | | |
| | | | | MIL-R-11050/1 | RECTIFIER, METALLIC, SELENIUM, SINGLE PHASE, HALF WAVE, STYLE RS-10 [VALIDATION DATE: 8301] REVIEWER: GS | A | 6130 | ER | 22-JUN-55 | ER | SH | | | |
| | | | | MIL-R-11050/3 | RECTIFIER, METALLIC, SELENIUM, SINGLE PHASE, BRIDGE, STYLE RS10 [VALIDATION DATE: 8301] USER: MC REVIEWER: GS | A | 6130 | ER | 22-JUN-55 | ER | SH | | | |
| | | | | MIL-R-11050/6 | RECTIFIER, METALLIC, SELENIUM, SINGLE PHASE, BRIDGE, STYLE RS20 [VALIDATION DATE: 8301] USER: MC REVIEWER: GS | A | 6130 | ER | 22-JUN-55 | ER | SH | | | |
| D | | | | MIL-C-11053F | COUPLING ASSEMBLY, HOSE (CHEMICAL, 3/4- AND 1-INCH) REVIEWER: AR | A | 4210 | ME | 28-DEC-83 | ME | YD1 | | | |
| A | L | | | MIL-C-11055G<br>NOTICE 1 | CLOTH, FLANNEL, WOOL AND NYLON, 16-OUNCE, SHRINK RESISTANT [VALIDATION DATE: 8904] REVIEWER: MD | A | 8305 | CT | 22-APR-89 | GL | | | | CT |
| | L | | | MIL-R-11073C | ROTATING BAND BLANK, SINTERED IRON [VALIDATION DATE: 8505] | A | 1395 | AR | 02-SEP-66 | AR | | | | |
| | | | | MIL-L-11075G<br>NOTICE 1 | LOOPS, STRAP FASTENER USER: AR MC ME REVIEWER: IS MD MI | A | 5340 | GL | 30-DEC-88 | GL | | 99 | | |
| | QL | | | MIL-C-11080A | COATING, CORROSION-RESISTANT [VALIDATION DATE: 8402] | A | 8030 | EA | 30-DEC-68 | EA | | | | |
| | | | | MIL-P-11082C | PLOTTING SHEET, PLANE TABLE (UNMOUNTED, WHITE, SMOOTH SURFACE, HEAVY, GRIDDED) [VALIDATION DATE: 8104] USER: MC REVIEWER: ME | A | 7530 | GL | 30-APR-69 | GL | | 99 | | |
| | | | | MIL-P-11087F | PIPE, STEEL, GROOVED, THREADED, OR PLAIN ENDS REVIEWER: CS | A | 4710 | ME | 22-NOV-85 | ME | | | | |
| DQ | | | | MIL-C-11090F(1) | CLEANING COMPOUND, DEGREASING AND DEPRESERVING SOLVENT USER: MC ME OS SH REVIEWER: AR GL GS MD | A | 6850 | MR | 14-APR-92 | MR | YD1 | | | |
| A | | | | MIL-I-11132H<br>SUPPL 1A, NOTICE 1 | INSIGNIA; BRANCH OF SERVICE, GRADE, RANK, GARRISON CAP, AND SERVICE CAP, ROTC AND JROTC PERSONNEL, ARMY AND AIR FORCE [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 12-NOV-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/1D<br>NOTICE 1 | INSIGNIA, RANK: ROTC, DIAMOND, ARMY [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/2D<br>NOTICE 1 | INSIGNIA, RANK: ROTC, DISK, ARMY [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/3D<br>NOTICE 1 | INSIGNIA, BRANCH OF SERVICE: ROTC, BASIC COURSE, SR. DIV, AND CORPS, JR. DIV., ARMY [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 28-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/4D<br>NOTICE 1 | INSIGNIA, BRANCH OF SERVICE, ROTC, ADVANCE COURSE, SR. DIV. AND CADET OFFICER, JR. DIV., ARMY [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/5D<br>NOTICE 1 | INSIGNIA, GARRISON CAP, JROTC AND BASIC COURSE, SR. DIV. ROTC, AND INSIGNIA, SERVICE CAP, BASIC COURSE, SR. DIV. ROTC, ARMY [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/6G<br>NOTICE 1 | INSIGNIA, SERVICE AND GARRISON CAP, ROTC, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/7C<br>NOTICE 1 | INSIGNIA, BRANCH OF SERVICE: ROTC, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/8C<br>NOTICE 1 | INSIGNIA, RANK: CADET, COLONEL, ROTC AND JROTC, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/9C<br>NOTICE 1 | INSIGNIA, RANK: CADET, LIEUTENANT COLONEL, ROTC AND JROTC, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/10C<br>NOTICE 1 | INSIGNIA, RANK: CADET, MAJOR, ROTC AND JROTC, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/11C<br>NOTICE 1 | INSIGNIA, RANK: CADET, CAPTAIN, ROTC AND JROTC, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/12C<br>NOTICE 1 | INSIGNIA, RANK: CADET, FIRST LIEUTENANT, ROTC AND JROTC, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/13C<br>NOTICE 1 | INSIGNIA, RANK: CADET, SECOND LIEUTENANT, ROTC AND JROTC, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |
| | | | | MIL-I-11132/20C<br>NOTICE 1 | INSIGNIA, CAP: ADVANCE COURSE, SENIOR DIVISION, ROTC, ARMY [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | 18-MAY-92 | IH | MU | 11 | | |

| Action | Doc. / Cite Conversion Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-I-11132/24D | INSIGNIA, GRADE; CADET, MASTER SERGEANT, ROTC AND JROTC, AIR FORCE | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/25D | INSIGNIA, GRADE; CADET, TECHNICAL SERGEANT, ROTC AND JROTC, AIR FORCE | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/26D | INSIGNIA, GRADE; CADET, STAFF SERGEANT, ROTC AND JROTC, AIR FORCE | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/27D | INSIGNIA, GRADE; CADET, SERGEANT, ROTC AND JROTC, AIR FORCE [VALIDATION | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/28D | INSIGNIA, GRADE; CADET, AIRMAN FIRST CLASS, ROTC AND JROTC, AIR FORCE | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/29D | INSIGNIA, GRADE; CADET, AIRMAN, ROTC AND JROTC, AIR FORCE [VALIDATION | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/30B | INSIGNIA, GRADE; COMMAND SERGEANT MAJOR, SENIOR DIVISION, ROTC, ARMY | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/31B | INSIGNIA, GRADE; SERGEANT MAJOR, SENIOR DIVISION, ROTC, ARMY [VALIDATION | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/32B | INSIGNIA, GRADE; FIRST SERGEANT, SENIOR DIVISION, ROTC, ARMY [VALIDATION | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/33B | INSIGNIA, GRADE; MASTER SERGEANT, SENIOR DIVISION, ROTC, ARMY [VALIDATION | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/34B | INSIGNIA, GRADE; SERGEANT FIRST CLASS, SENIOR DIVISION, ROTC, ARMY | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/35B | INSIGNIA, GRADE; STAFF SERGEANT, SENIOR DIVISION, ROTC, ARMY [VALIDATION | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/36B | INSIGNIA, GRADE, SERGEANT, SENIOR DIVISION, ROTC, ARMY [VALIDATION DATE: | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/37B | INSIGNIA, GRADE; CORPORAL, SENIOR DIVISION, ROTC, ARMY [VALIDATION DATE: | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/38B | INSIGNIA, GRADES; PRIVATE FIRST CLASS, SENIOR DIVISION, ROTC, ARMY | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/39B | INSIGNIA, GRADE; PRIVATE, SENIOR DIVISION, ROTC, ARMY [VALIDATION DATE: | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/40B | INSIGNIA, GRADE; CADET, SENIOR MASTER SERGEANT, ROTC AND JROTC, AIR FORCE | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/41B | INSIGNIA, GRADE; CADET, CHIEF MASTER SERGEANT, ROTC AND JROTC, AIR FORCE | A | 8455 | | IH | 18-MAY-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CG CT MC | | | | | | | | | |
| | | MIL-I-11132/42 | INSIGNIA, RANK; CADET, OFFICERS, SROTC, FATIQUE, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | | IH | 20-FEB-92 | IH | | 11 | |
| A | | MIL-C-11133E | CRATES, SHIPPING, WOOD, OPEN, WIREBOUND USER: 80 MC REVIEWER: 70 71 82 AR GS ME SM | A | 8115 | | GL | 31-DEC-92 | GL | SA | 69 | |
| L | | MIL-M-11134F | HANDSET M-33( )/PT REVIEWER: ES | A | 5965 | | CR | 18-SEP-90 | CR | | | |
| | | MIL-C-11135E | CALCIUM HYDRIDE CHARGE ML-304/TM & ML-305/TM & CHARGE, HYDROGEN GENERATOR, ML-587/TM REVIEWER: 13 GS | A | 6660 | | CR | 21-NOV-84 | ER | | 99 | |
| L | | MIL-F-11137D | FILTER, GAS, 150 CFM, M10 | A | 4240 | | EA | 03-FEB-82 | EA | | | |
| L | | MIL-F-0011137E(1) | FILTER, GAS, 150 CFM, M10 | A | 4240 | | EA | 13-DEC-89 | EA | | | |
| | | MIL-S-11141F | SMOKE POT, OIL, SGF2, M6 [VALIDATION DATE: 8008] USER: MC REVIEWER: OS | A | 1365 | | EA | 07-OCT-69 | EA | AS | 99 | |
| L | | MIL-Z-11144A | ZIRCONYL NITRATE, DIHYDRATE, ANALYZED REAGENT REVIEWER: GS | A | 6810 | | EA | 24-FEB-84 | EA | | | |
| D | | MIL-F-11150A | FILTER, PARTICULATE, 150 CFM, ABCBM9 [VALIDATION DATE: 8505] REVIEWER: GS | A | 4240 | | EA | 27-DEC-61 | EA | YD1 | | |
| | | MIL-S-11153F | SLED, SCOW & TYPE, PLASTIC REVIEWER: MD | A | 3920 | | ME | 20-AUG-85 | ME | SA | 99 | |
| | | MIL-T-11157B(1) | THEODOLITE, DOUBLE CENTER ML-474/GM (INACTIVE) [VALIDATION DATE: 8303] | A | 6660 | | ER | 08-OCT-65 | ER | | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MIL-G-11164A | GRENADE, RIFLE, SMOKE, COLORED, M22A2 METAL PARTS FOR [VALIDATION DATE: | A | 1330 | | AR | 13-MAR-86 | AR | | 99 | |
| | | NOTICE 1 | 8603] | | | | | | | | | |
| D | | MIL-S-11183F | SCALE, DIAL AND BEAM INDICATING, BAKERS, DOUGH PIECE CHECKING USER: MC YD1 REVIEWER: GS MD | A | 6670 | | GL | 31-DEC-85 | GL | | | |
| L | | MIL-A-11186A(1) | ADAPTER, GRENADE PROJECTION, CHEMICAL, M2A1 [VALIDATION DATE: 8808] | A | 1330 | | EA | 12-AUG-88 | EA | | | |
| | | NOTICE 1 | | | | | | | | | | |
| D | | MIL-B-11188G | BATTERIES, STORAGE: LEAD-ACID, GENERAL SPECIFICATION FOR USER: 80 MC ME MI | A | 6140 | | AT | 03-JAN-91 | AT | YD1 | 99 | |
| | | SUPPL 1A | REVIEWER: AS ER GS | | | | | | | | | |
| D | | MIL-B-11188/1 | BATTERY, STORAGE, LEAD-ACID, WATERPROOF 12 VOLT (2HR) | A | 6140 | | AT | 03-JAN-91 | AT | YD1 | 99 | |
| L | | MIL-B-11188/2 | BATTERY, STORAGE, LEAD-ACID, WATERPROOF 24 VOLT (4HR) | A | 6140 | | AT | 03-JAN-91 | AT | | | |
| | | MIL-M-11190D | HEADSET, ELECTRICAL AND HEADSET MICROPHONES REVIEWER: 99 ES | A | 5965 | | CR | 12-MAR-87 | CR | EC | 85 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MIL-M-11190/1 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES HEADSET MICROPHONE TYPE | A | 5965 | | CR | 09-JAN-87 | CR | EC | 85 | |
| | | NOTICE 1 | H-62(/U) [VALIDATION DATE: 8701] REVIEWER: 99 ES | | | | | | | | | |
| | | MIL-M-11190/2 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES HEADSET MICROPHONE TYPE | A | 5965 | | CR | 09-JAN-87 | CR | EC | 85 | |
| | | NOTICE 1 | H-63(/U) [VALIDATION DATE: 8701] REVIEWER: 99 ES | | | | | | | | | |
| | | MIL-M-11190/3 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES HEADSET ELECTRICAL TYPE | A | 5965 | | CR | 09-JAN-87 | CR | EC | 85 | |
| | | NOTICE 1 | H-113(/U) [VALIDATION DATE: 8701] REVIEWER: 99 ES | | | | | | | | | |
| | | MIL-M-11193D | MICROPHONE, CARBON (MICROPHONES M-29) (/U & M-52) (/U) [VALIDATION DATE: | A | 5965 | | CR | 10-APR-87 | CR | | 85 | |
| | | NOTICE 1 | 8704] REVIEWER: 99 ES | | | | | | | | | |
| AQ | | MIL-E-11195E | ENAMEL, LUSTERLESS, FAST DRY, VOC COMPLIANT (FOR USE ON AMMUNITION AND OTHER METALS) USER: AL REVIEWER: 99 AR ER | A | 8010 | | ME | 27-JAN-93 | ME | SH | 84 | |
| | | MIL-T-11196E | TOOL & KIT, ELECTRICIANS, NUMBER ONE REVIEWER: 85 CE ME | A | 5180 | | GL | 30-SEP-86 | GL | | 99 | |
| | | MIL-C-11198K(1) | CHEST, ICE STORAGE USER: MC MI REVIEWER: 82 GS MD | A | 4110 | | GL | 19-NOV-85 | GL | | 99 | |
| D | | MIL-M-11199H | MITTEN, HEAT PROTECTIVE USER: 45 AS MC YD1 REVIEWER: 82 MD | A | 8415 | | CT | 05-APR-88 | GL | MU | 99 | CT |
| | | MIL-F-11206G(1) | FUZE, BOMB, AN M173A1 (INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 8508] | A | 1325 | | AS | 15-MAR-71 | AR | AS | | |
| | | MIL-S-11207D(1) | STEEL SHEETS, CORRUGATED, 2-1/2-INCH NOMINAL CORRUGATIONS, PAINTED OR UNPAINTED REVIEWER: IS MS | A | 9515 | | ME | 26-JAN-82 | ME | | 99 | |
| | | MIL-A-11210G(2) | AIR CONDITIONER, BASE MOUNTED, SELF-CONTAINED, MULTIPACKAGE-TYPE, AIR-COOLED, ELECTRIC-MOTOR-DRIVEN, 18,000-BTU/HR USER: AT REVIEWER: GL GS MC MI | A | 4120 | | ME | 02-DEC-81 | ME | | | |
| | | MIL-C-11218E | CONVEYORS, ROLLER AND WHEEL, GRAVITY AND CONVEYOR SUPPORTS USER: CE SM REVIEWER: CS MC | A | 3910 | | ME | 01-AUG-88 | ME | SA | 99 | |
| L | | MIL-A-11221A(2) | ARMING PLUG, MINE, ANTITANK M4 (PRACTICE) AND M4A1 [VALIDATION DATE: 8805] | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| D | | MIL-U-11224E(1) | UMBRELLA, SURVEYOR S (SIX RIB) USER: 45 MC REVIEWER: ME | A | 8340 | | CT | 05-FEB-82 | GL | YD1 | 99 | CT |
| L | | MIL-C-11233J | CARTRIDGE, PHOTOFLASH, M112A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1370 | | AR | 31-OCT-90 | AR | | | |
| L | | MIL-D-11243A | DEXTROSE, MONOHYDRATE, TECHNICAL (D-GLUCOSE) [VALIDATION DATE: 8808] | A | 6810 | | EA | 12-AUG-88 | EA | | | |
| | | NOTICE 1 | REVIEWER: GS | | | | | | | | | |
| L | | MIL-D-11244 | DEXTRIN (FOR BIOLOGICAL USE) [VALIDATION DATE: 8404] REVIEWER: GS | A | 6810 | | EA | 23-JUN-51 | EA | | | |
| L | | MIL-F-11245A | FUZE, MINE, AT, M603 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: | A | 1390 | | AR | 01-SEP-88 | AR | | | |
| | | NOTICE 1 | 8809] REVIEWER: EA | | | | | | | | | |
| L | | MIL-F-11247A | FUZE, MINE, AT, M603 FUZE, MINE, AT, PRACTICE, M604 METAL PARTS FOR | A | 1390 | | AR | 01-SEP-88 | AR | | | |
| | | NOTICE 1 | [VALIDATION DATE: 8809] | | | | | | | | | |
| L | | MIL-C-11263B(1) | CARRIER, FIELD PROTECTIVE MASK, M11 REVIEWER: GS | A | 4240 | | EA | 17-JUL-86 | EA | | | |
| | | MIL-C-11264C(1) | CONTAINER, WOOD, SHIPPING, REUSABLE FOR TANK AUTOMOTIVE ENGINE TRANSMISSION DIFFERENTIAL, TRANSFERS, FINAL DRIVE, DRIVING AXLE & SIMILAR ASSEMBLIE | A | 8145 | | AT | 23-MAR-87 | AT | MC | 69 | |
| D | | MIL-F-11265A | FIBERBOARD, FACEFORM, GAS MASK [VALIDATION DATE: 8505] USER: MI REVIEWER: GS | A | 4240 | | EA | 23-JUN-52 | EA | YD1 | | |
| L | | MIL-A-11267C | ALUMINUM ALLOY SHEET, 8280 [VALIDATION DATE: 8901] REVIEWER: AR AT | A | 9535 | | MR | 24-JAN-89 | MR | | | |
| L | | MIL-P-11268L | PARTS, MATERIALS, AND PROCESSES USED IN ELECTRONIC EQUIPMENT REVIEWER: AT AV CR ME MI | A | MISC | | ER | 28-DEC-83 | ER | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-P-11268L(11) | PARTS, MATERIALS AND PROCESSES USED IN ELECTRONIC EQUIPMENT REVIEWER: AT AV ES ME MI | A | GDRQ ER | 20-NOV-85 | ER | | | |
| Q I | | MIL-C-11272C(11) SUPPL 1A | CAPACITORS, FIXED, GLASS DIELECTRIC, GENERAL SPECIFICATION FOR USER: 19 CG MC REVIEWER: 17 99 MI | A | 5910 85 | 11-DEC-91 | ER | EC | 85 | |
| QLT | | MIL-C-11272C(19) SUPPL 1A | CAPACITORS, FIXED, GLASS DIELECTRIC, GENERAL SPECIFICATION FOR REVIEWER: 99 ES | A | 5910 85 | 30-JUL-79 | | | 85 | |
| A I | | MIL-C-11272/1C NOTICE 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY10 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI | A | 5910 85 | 29-JAN-93 | ER | EC | 85 | |
| A I | | MIL-C-11272/2D NOTICE 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY15 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI | A | 5910 85 | 29-JAN-93 | ER | EC | 85 | |
| A I | | MIL-C-11272/3B NOTICE 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY20 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI | A | 5910 85 | 29-JAN-93 | ER | EC | 85 | |
| A I | | MIL-C-11272/4B NOTICE 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY30 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI | A | 5910 85 | 29-JAN-93 | ER | EC | 85 | |
| | | MIL-C-11272/5B NOTICE 1 | CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY12 [VALIDATION DATE: 8702] REVIEWER: 17 99 ES MI | A | 5910 85 | 27-FEB-87 | ER | EC | 85 | |
| | | MIL-C-11272/6A NOTICE 1 | CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY13 [VALIDATION DATE: 8702] REVIEWER: 17 99 ES MI | A | 5910 85 | 27-FEB-87 | ER | EC | 85 | |
| | | MIL-C-11272/7B NOTICE 1 | CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY16 [VALIDATION DATE: 8702] REVIEWER: 17 99 ES MI | A | 5910 85 | 27-FEB-87 | ER | EC | 85 | |
| | | MIL-C-11272/8A NOTICE 1 | CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY17 [VALIDATION DATE: 8702] REVIEWER: 17 99 ES MI | A | 5910 85 | 27-FEB-87 | ER | EC | 85 | |
| I | | MIL-C-11272/12B(1) NOTICE 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY32 REVIEWER: 17 99 ES MI ..... | A | 5910 85 | 30-OCT-89 | ER | EC | 85 | |
| LI | | MIL-C-11272/13A(3) NOTICE 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY06 [VALIDATION DATE: 9008] REVIEWER: 11 19 99 ES | A | 5910 85 | 24-AUG-90 | | | 85 | |
| LI | | MIL-C-11272/14A(3) NOTICE 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY07 [VALIDATION DATE: 9008] REVIEWER: 11 19 99 ES | A | 5910 85 | 24-AUG-90 | | | 85 | |
| LI | | MIL-C-11272/15A(3) NOTICE 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY08 [VALIDATION DATE: 9008] REVIEWER: 11 19 99 ES | A | 5910 85 | 24-AUG-90 | | | 85 | |
| A I | | MIL-C-11272/16A(1) NOTICE 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY81 AND CY82 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI | A | 5910 85 | 29-JAN-93 | ER | EC | 85 | |
| A I | | MIL-C-11272/17A(1) NOTICE 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY83 AND CY84 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI | A | 5910 85 | 29-JAN-93 | ER | EC | 85 | |
| A I | | MIL-C-11272/18C(2) NOTICE 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY85, CY86, CY87, CY88, AND CY89 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI | A | 5910 85 | 29-JAN-93 | ER | EC | 85 | |
| D | | MIL-T-11292C(1) | TURNOUT, RAILWAY (UNASSEMBLED, COMPLETE WITH LOW STAND THROW AND RIGID BOLTED FROG) | A | 2250 ML | 27-DEC-84 | ME | YD1 | | |
| L | | MIL-L-11296B | LIGHT ASSEMBLIES, ELECTRIC MX-129 ((/PAQ & MX-1292) (/PAQ)) [VALIDATION DATE: 8502] REVIEWER: 99 GS | A | 6695 ER | 06-JUL-66 | ER | | | |
| D | | MIL-D-11302D | DERAIL, RAILWAY [VALIDATION DATE: 8301] ..... | A | 2250 ME | 13-FEB-78 | ME | YD1 | | |
| | | MIL-D-11303D | DRUM HANDLING ATTACHMENT, FORK LIFT TRUCK, (FOR HORIZONTAL HANDLING) [VALIDATION DATE: 8209] USER: CE MC SM REVIEWER: CS | A | 3930 ME | 26-AUG-71 | ME | SA | 99 | |
| | | MIL-D-11309G(1) | DISINFECTANT, FOOD SERVICE USER: MC MS REVIEWER: 03 GS MD ..... | A | 6840 GL | 03-JUN-91 | GL | | 68 | |
| | | MIL-S-11310E | STEEL BARS, CARBON, HOT ROLLED, FOR COLD SHAPING INCLUDING COLD EXTRUSION [VALIDATION DATE: 9101] USER: OS REVIEWER: MI MR | A | 9510 AR | 28-JAN-91 | AR | | 84 | |
| L | | MIL-P-11329E NOTICE 1 | PRIMER, ELECTRIC, M59, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8810] | A | 1390 AR | 13-OCT-88 | AR | | | |
| L | | MIL-C-11334 | CHLORAMINE T [VALIDATION DATE: 8404] REVIEWER: GS ..... | A | 6810 EA | 13-AUG-51 | EA | | | |
| D | | MIL-R-11337G | RANGES, PACKAGING AND PACKING OF USER: MC REVIEWER: 69 84 GS MD SA SM ..... | A | 7310 GL | 31-DEC-92 | GL | YD1 | 99 | |
| | | MIL-C-11347E | CASE, BATTERY AND LIGHTING ACCESSORY, FOR SURVEYING EQUIPMENT. [VALIDATION DATE: 8209] REVIEWER: GS | A | 6675 ME | 16-MAR-77 | ME | | 99 | |
| L | | MIL-B-11352F | BLOCK, VISION: BULLET-RESISTANT REVIEWER: AR ..... | A | 2590P AT | 01-DEC-88 | AT | | | |
| L | | MIL-B-11353D NOTICE 1 | BRIDGE, FLOATING: ALUMINUM: FOOT, PACKAGING OF [VALIDATION DATE: 8908] USER: MC REVIEWER: CS SM | A | 5420 ME | 11-AUG-89 | ME | | | |
| | | MIL-B-11353D(11) | BRIDGE, FLOATING: ALUMINUM: FOOT, PACKAGING OF REVIEWER: CS SM ..... | A | 5420 ME | 18-OCT-88 | ME | MC | | |
| L | | MIL-A-11356F | ARMOR, STEEL, CAST, HOMOGENEOUS, COMBAT-VEHICLE TYPE (1/4 TO 8 INCHES, INCLUSIVE) USER: ME REVIEWER: AL AR AT IS | A | MECA MR | 22-MAY-87 | MR | | | |
| A | | MIL-M-11361C(1) | MAGNESIUM CARBONATE [VALIDATION DATE: 8501] USER: SM REVIEWER: GS MD ..... | A | 6810 EA | 27-NOV-78 | EA | | 68 | |
| | | MIL-T-11372F | TRIVETS, SURVEYING INSTRUMENT REVIEWER: GS ..... | A | 6675 ME | 02-JUL-91 | ME | | 99 | |
| | | MIL-P-11386G | PONTON FLOAT: PNEUMATIC, THREE-TUBE HALF FLOAT, 12-TON CAPACITY REVIEWER: CS | A | 5420 ME | 12-FEB-85 | ME | MC | | |
| | | MIL-P-11386G(11) | PONTON FLOAT: PNEUMATIC, THREE-TUBE HALF FLOAT, 12-TON CAPACITY ..... | A | 5420 ME | 01-DEC-87 | ME | MC | | |
| | | MIL-S-11388D | SEALING MATERIAL FOR METAL CONTAINER SEAMS USER: MC REVIEWER: 84 ..... | A | 8030 MR | 01-FEB-91 | MR | OS | 99 | |
| A L | | MIL-C-11390C NOTICE 1 | CLOTH, LAMINATED, COTTON BALLOON, 3 PLY AIR RETAINING, CHLOROPRENE [VALIDATION DATE: 8711] REVIEWER: MD | A | 8305 CT | 12-NOV-87 | GL | | | CT |
| | | MIL-T-11393D(1) | TEST SET, CONTINUITY, IGNITER CIRCUIT [VALIDATION DATE: 8004] REVIEWER: 70 AS MC MI SM | A | 4925 OS | 03-JUN-74 | | OS | | |
| | | MIL-C-11403C NOTICE 1 | CARBON, TECHNICAL (CARBON BLACK) [VALIDATION DATE: 8808] REVIEWER: AR GS MD MR | A | 6810 EA | 12-AUG-88 | EA | OS | | |
| | | MIL-T-11407L(1) | TRUCK, FIRE FIGHTING, 1000 GPM, TACTICAL TYPE, MULTIPURPOSE REVIEWER: CE MI | A | 4210 ME | 12-NOV-82 | ME | MC | 99 | |
| L | | MIL-T-11407L(12) | TRUCK, FIRE FIGHTING, 1000 GPM, TACTICAL TYPE, MULTIPURPOSE ..... | A | 4210 ME | 30-MAR-83 | ME | | | |
| | | MIL-Z-11410B NOTICE 1 | ZIRCONIUM- NICKEL ALLOY, POWDERED [VALIDATION DATE: 8803] USER: MI REVIEWER: MD MR | A | 9630 AR | 22-MAR-88 | AR | OS | 99 | |
| AQ | | MIL-P-11414E | PRIMER, ALKYD, FAST DRY, CORROSION INHIBITING, LEAD AND CHROMATE FREE, VOC COMPLAINT USER: AT OS REVIEWER: 84 | A | 8010 ME | 22-JUL-92 | ME | | 99 | |
| | | MIL-T-11416C(1) | TABLE, DINING (HOSPITAL, METAL BASE) [VALIDATION DATE: 8104] REVIEWER: MD . | A | 7105 GL | 29-NOV-67 | GL | MS | 99 | |
| A L | | MIL-C-11418H | CLAMPS, LEAK REPAIR, PIPE COUPLING: FOR USE OVER GROOVED-TYPE COUPLINGS USER: CE REVIEWER: CS MC | A | 4730 ME | 30-JUN-92 | ME | | | |
| | | MIL-C-11430E | CASE, MILITARY WATER CAN, INSULATED USER: MC REVIEWER: 84 GS ..... | A | 7240 GL | 15-NOV-91 | GL | | 99 | |
| | | MIL-E-11450C | EVACUATION BAG, CASUALTY, INSULATED (WITH LINER AND CARRYING BAG) REVIEWER: 50 GL MC | A | 6530 MB | 23-NOV-91 | MD | MS | 03 | |
| L | | MIL-B-11453A(4) | BATTERY, STORAGE BB-40( )/U [VALIDATION DATE: 8110] REVIEWER: GS ..... | A | 6140 ER | 07-MAR-61 | ER | | | |
| L | | MIL-C-11460(1) | CLOTH, RAYON (FOR LINERS FOR RECOILLESS CARTRIDGE CASES) [VALIDATION DATE: 8203] USER: CT | A | 1315 AR | 24-MAR-52 | AR | | | |
| | | MIL-L-11484F SUPPL 1B, NOTICE 1 | LAPEL BUTTON, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 IH | 24-APR-92 | IH | WU | 11 | |
| A L | | MIL-L-11484F(11) SUPPL 1A | LAPEL BUTTON, GENERAL SPECIFICATION FOR ..... | A | 8455 IH | 22-JUN-92 | IH | | | |
| | | MIL-L-11484/1B NOTICE 1 | LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE CROSS, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 IH | 24-APR-92 | IH | WU | 11 | |
| | | MIL-L-11484/2B NOTICE 1 | LAPEL BUTTON, DECORATION, NAVY CROSS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 IH | 24-APR-92 | IH | WU | 11 | |
| | | MIL-L-11484/3B NOTICE 1 | LAPEL BUTTON, DECORATION, AIR FORCE CROSS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 IH | 24-APR-92 | IH | WU | 11 | |
| | | MIL-L-11484/4C NOTICE 1 | LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 IH | 24-APR-92 | IH | WU | 11 | |
| | | MIL-L-11484/5B NOTICE 1 | LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, (N, MC) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 IH | 24-APR-92 | IH | WU | 11 | |
| | | MIL-L-11484/6B NOTICE 1 | LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 IH | 24-APR-92 | IH | WU | 11 | |
| | | MIL-L-11484/7B NOTICE 1 | LAPEL BUTTON, DECORATION, GOLD LIFE-SAVING MEDAL, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 IH | 24-APR-92 | IH | WU | 11 | |

| Action | OPR / Cmtl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-L-11484/88 | LAPEL BUTTON, DECORATION, SILVER LIFE-SAVING MEDAL, COAST GUARD | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/98 | LAPEL BUTTON, DECORATION, SILVER STAR MEDAL [VALIDATION DATE: 9204] USER: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/108 | LAPEL BUTTON, DECORATION, LEGION OF MERIT [VALIDATION DATE: 9204] USER: 45 | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/11B | LAPEL BUTTON, DECORATION, DISTINGUISHED FLYING CROSS [VALIDATION DATE: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/12B | LAPEL BUTTON, DECORATION, SOLDIER'S MEDAL, ARMY [VALIDATION DATE: 9204] | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/13C | LAPEL BUTTON, DECORATION, NAVY AND MARINE CORPS MEDAL [VALIDATION DATE: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/14B | LAPEL BUTTON, DECORATION, AIRMAN'S MEDAL [VALIDATION DATE: 9204] USER: 45 | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/15B | LAPEL BUTTON, DECORATION, COAST GUARD MEDAL [VALIDATION DATE: 9204] USER: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/16B | LAPEL BUTTON, DECORATION, BRONZE STAR MEDAL [VALIDATION DATE: 9204] USER: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/17B | LAPEL BUTTON, DECORATION, AIR MEDAL [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/18B | LAPEL BUTTON, DECORATION, PURPLE HEART [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/19B | LAPEL BUTTON, DECORATION, JOINT SERVICE COMMENDATION MEDAL [VALIDATION | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/20B | LAPEL BUTTON, DECORATION, ARMY COMMENDATION MEDAL [VALIDATION DATE: 9204] | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/21B | LAPEL BUTTON, DECORATION, NAVY COMMENDATION MEDAL [VALIDATION DATE: 9204] | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/22B | LAPEL BUTTON, DECORATION, AIR FORCE COMMENDATION MEDAL [VALIDATION DATE: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/23B | LAPEL BUTTON, DECORATION, COAST GUARD COMMENDATION MEDAL [VALIDATION DATE: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/24B | LAPEL BUTTON, DECORATION, AIR FORCE OUTSTANDING UNIT AWARD [VALIDATION | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| A | | MIL-L-11484/25C | LAPEL BUTTON, DECORATION, PRESIDENTIAL UNIT CITATION (A, AF) USER: 45 | A | 8455 | | IH | 04-NOV-92 | IH | | 11 | |
| | | | REVIEWER: 82 99 CT | | | | | | | | | |
| | | MIL-L-11484/26B | LAPEL BUTTON, DECORATION, CAPTAIN ROBERT DEXTER CONRAD AWARD FOR | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | SCIENTIFIC ACHIEVEMENT, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: | | | | | | | | | |
| | | | 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/27B | LAPEL BUTTON, DECORATION, CIVILIAN AWARD FOR DISTINGUISHED ACHIEVEMENT IN | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | SCIENCE, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/28B | LAPEL BUTTON, DECORATIONS, CIVILIAN AWARD FOR VALOR AND COMMAND CIVILIAN | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | AWARD FOR VALOR, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: | | | | | | | | | |
| | | | 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/29E | LAPEL BUTTON, DECORATIONS, EXCEPTIONAL, MERITORIOUS, SUPERIOR CIVILIAN, | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | AND DISTINGUISHED CAREER SERVICE AWARDS, DLA [VALIDATION DATE: 9204] USER: | | | | | | | | | |
| | | | 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/30C | LAPEL BUTTONS, DECORATIONS, EXCEPTIONAL CIVILIAN SERVICE AND MERITORIOUS | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | CIVILIAN SERVICE AWARDS, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG | | | | | | | | | |
| | | | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/31C | LAPEL BUTTON, DECORATION, NAVY DISTINGUISHED PUBLIC SERVICE AWARD | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/32B | LAPEL BUTTON, DECORATION, NAVY DISTINGUISHED CIVILIAN SERVICE AWARD | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/33C | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY [VALIDATION DATE: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/34C | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, NATIONAL SECURITY AGENCY | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/35D | LAPEL BUTTON, PRESIDENTIAL SERVICE [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/36B | LAPEL BUTTON, PATRIOTIC CIVILIAN SERVICE [VALIDATION DATE: 9204] USER: 45 | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/37B | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, MARINE CORPS [VALIDATION | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/38C | LAPEL BUTTON, DECORATION, NAVY SUPERIOR CIVILIAN SERVICE AWARD [VALIDATION | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/39B | LAPEL BUTTON, NAVY MERITORIOUS PUBLIC SERVICE CITATION [VALIDATION DATE: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/40B | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE, MARINE CORPS [VALIDATION DATE: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/41C | LAPEL BUTTON, NAVY SAFE DRIVER AWARD, (N, MC) [VALIDATION DATE: 9204] | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/42C | LAPEL BUTTON, NAVY SAFETY AWARD, (N, MC) [VALIDATION DATE: 9204] USER: 45 | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/43C | LAPEL BUTTON, NAVY MATERIALS HANDLING AND CONSTRUCTION EQUIPMENT OPERATORS | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | SAFETY AWARD, (N, MC) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 | | | | | | | | | |
| | | | CT MC | | | | | | | | | |
| | | MIL-L-11484/44D | LAPEL BUTTON, GOLD STAR [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/45B | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/46B | LAPEL BUTTON, CIVILIAN LENGTH OF SERVICE, OFFICE OF THE SECRETARY OF | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | DEFENSE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/47B | LAPEL BUTTONS, VICTORY MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/48B | LAPEL BUTTON, GOOD CONDUCT MEDAL, ARMY [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/49B | LAPEL BUTTON, ARMED FORCES EXPEDITIONARY [VALIDATION DATE: 9204] USER: 45 | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| A | L | MIL-L-11484/50D | LAPEL BUTTON, ARMY STAFF, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| | | MIL-L-11484/51D | LAPEL BUTTON, NAVAL RESERVE MEMBERSHIP [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/52D | LAPEL BUTTON, RETIRED PERSONNEL, MARINE CORPS USER: MC REVIEWER: CT ..... | A | 8455 | | IH | 09-JUN-92 | IH | MU | | |
| | | MIL-L-11484/53C | LAPEL BUTTON, OSD IDENTIFICATION BADGE [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/54C | LAPEL BUTTON, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/55B | LAPEL BUTTON, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | MC | | | | | | | | | |
| | | MIL-L-11484/56B | LAPEL BUTTON, FLEET MARINE CORPS RESERVE [VALIDATION DATE: 9204] USER: 45 | A | 8455 | | IH | 24-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-L-11484/57D | LAPEL BUTTON, HONORABLE SERVICE (8 SEPTEMBER 1939 THROUGH 31 DECEMBER | A | 8455 | | IH | 17-JAN-92 | IH | | 11 | |
| | | | 1946) USER: 45 REVIEWER: 82 99 CT MC | | | | | | | | | |

| Action Opt. / Qtrly. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | MIL-L-11484/58B<br>NOTICE 1 | LAPEL BUTTON, HONORABLE DISCHARGE, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/59D | LAPEL BUTTON, HONORABLE SERVICE (PRIOR TO 8 SEPTEMBER 1939) USER: 45 REVIEWER: 82 99 CT MC | A 8455 IH | 17-JAN-92 IH | | 11 | | |
| | MIL-L-11484/60C<br>NOTICE 1 | LAPEL BUTTON, HONORABLE DISCHARGE, NAVAL RESERVE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/61C<br>NOTICE 1 | LAPEL BUTTON, HONORABLE DISCHARGE, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/62B<br>NOTICE 1 | LAPEL BUTTON, HONORABLE DISCHARGE, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/63C<br>NOTICE 1 | LAPEL BUTTON, ROTC PERSONNEL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/64C<br>NOTICE 1 | LAPEL BUTTON, SUPERIOR CADET AWARD, SENIOR DIVISION ROTC [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/65B<br>NOTICE 1 | LAPEL BUTTON, ANTARCTICA SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/66B<br>NOTICE 1 | LAPEL BUTTON, COMBAT READINESS MEDAL, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/67C<br>NOTICE 1 | LAPEL BUTTON, MARINE CORPS CIVILIAN LENGTH OF SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/68B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, NAVY ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/69B<br>NOTICE 1 | LAPEL BUTTON, MEDAL, VIETNAM SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/70B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/71C<br>NOTICE 1 | LAPEL BUTTON, BADGE, IDENTIFICATION, JOINT CHIEFS OF STAFF [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/72B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, DISTINGUISHED CIVILIAN SERVICE, DEPARTMENT OF DEFENSE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/73B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, MERITORIOUS CIVILIAN SERVICE, OFFICE OF THE SECRETARY OF DEFENSE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/74B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/75B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, OUTSTANDING LEADERSHIP MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/76B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/77B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, EXCEPTIONAL BRAVERY MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/78B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, DISTINGUISHED PUBLIC SERVICE MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/79B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, EXCEPTIONAL SERVICE MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/80B<br>NOTICE 1 | LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL AND MERITORIOUS SERVICE MEDAL, DEFENSE CONTRACT AUDIT AGENCY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/81C<br>NOTICE 1 | LAPEL BUTTON, DECORATIONS, EXCEPTIONAL AND MERITORIOUS CIVILIAN SERVICE, DNA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/82B<br>NOTICE 1 | LAPEL BUTTON, CIVILIAN SERVICE IN VIETNAM MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/83C<br>NOTICE 1 | LAPEL BUTTON, RETIRED PERSONNEL, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/84A<br>NOTICE 1 | LAPEL BUTTON, DECORATION, COAST GUARD ACHIEVEMENT MEDAL, CG [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/85A<br>NOTICE 1 | LAPEL BUTTON, DECORATION, MERITORIOUS SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/86A<br>NOTICE 1 | LAPEL BUTTON, ACTIVE RESERVIST, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/87A<br>NOTICE 1 | LAPEL BUTTON, RETIRED CIVILIAN SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/88A<br>NOTICE 1 | LAPEL BUTTON, APOLLO ACHIEVEMENT, NASA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/89A<br>NOTICE 1 | LAPEL BUTTON, ORGANIZATIONAL EXCELLENCE AWARD, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/90A<br>NOTICE 1 | LAPEL BUTTONS, LENGTH OF SERVICE, NATIONAL TRANSPORTATION SAFETY BOARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/91A<br>NOTICE 1 | LAPEL BUTTON, DEFENSE DISTINGUISHED SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/92A<br>NOTICE 1 | LAPEL BUTTON, DECORATION, EXCEPTIONAL CIVILIAN SERVICE, DIA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/93A<br>NOTICE 1 | LAPEL BUTTON, DECORATION, MERITORIOUS CIVILIAN SERVICE, DIA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/94A<br>NOTICE 1 | LAPEL BUTTON, DECORATION, PRESIDENTIAL CITIZENS MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/95A<br>NOTICE 1 | LAPEL BUTTON, DECORATION, CONGRESSIONAL SPACE MEDAL OF HONOR [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/96B<br>NOTICE 1 | LAPEL BUTTON, PRESIDENTIAL UNIT CITATION, (NAVY) CIVILIAN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| A | MIL-L-11484/97C | LAPEL BUTTON, NAVY UNIT COMMENDATION, CIVILIAN REVIEWER: CT ..... | A 8455 IH | 09-NOV-92 IH | MU | | | |
| | MIL-L-11484/98C<br>NOTICE 1 | LAPEL BUTTON, MERITORIOUS UNIT COMMENDATION, NAVY CIVILIAN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/99A<br>NOTICE 1 | LAPEL BUTTON, SUPERIOR CADET AWARD, JUNIOR DIVISION, ROTC, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/100A<br>NOTICE 1 | LAPEL BUTTON, SUPERIOR CADET AWARD, NDCC, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/101A<br>NOTICE 1 | LAPEL BUTTON, ARMY RESERVE COMPONENTS ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/102A<br>NOTICE 1 | LAPEL BUTTON, REGIONAL AND STATE SCIENCE AND ENGINEERING FAIR AWARDS, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/103B<br>NOTICE 1 | LAPEL BUTTONS, DISTINGUISHED CAREER, EXCEPTIONAL, SUPERIOR AND COMMENDABLE SERVICE AWARDS, EPA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/104C<br>NOTICE 1 | LAPEL BUTTON, U.S. NAVY RETIRED [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 IH | 24-APR-92 IH | MU | 11 | | |
| | MIL-L-11484/105B | LAPEL BUTTON, AIR RESERVE FORCES MERITORIOUS SERVICE MEDAL USER: 45 REVIEWER: 82 99 CT | A 8455 IH | 09-JUN-92 IH | | 11 | | |

| Action Code / Cancellation Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| | MIL-L-11484/106A | LAPEL BUTTON, AIR FORCE RETIRED PERSONNEL [VALIDATION DATE: 9204] USER: 45 | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/107A | LAPEL BUTTON, FEDERAL LABOR RELATIONS COUNCIL [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/108A | LAPEL BUTTON, NAVY CIVILIAN EXECUTIVE RECOGNITION [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/109A | LAPEL BUTTONS, LENGTH OF SERVICE, DOT [VALIDATION DATE: 9204] USER: 45 CG | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/110B | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, FEMA [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/111A | LAPEL BUTTON, CIVILIAN AIDE, SECRETARY OF THE ARMY [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/112A | LAPEL BUTTONS, NATIONAL DEFENSE EXECUTIVE RESERVE LAPEL BUTTON AND CHARM | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/113A | LAPEL BUTTON, SECRETARY OF THE ARMY'S AWARD FOR OUTSTANDING ACHIEVEMENT IN | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | MATERIEL ACQUISITION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/114A | LAPEL BUTTON, NONAPPROPRIATED FUND EMPLOYEE, NAVY [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/115B | LAPEL BUTTON, DEFENSE SUPERIOR SERVICE MEDAL [VALIDATION DATE: 9204] USER: | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/116A | LAPEL BUTTONS, DISTINGUISHED AND MERITORIOUS PUBLIC SERVICE AWARDS, COAST | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/117A | LAPEL BUTTON, AND LAPEL EMBLEM, NATIONAL INTELLIGENCE ACHIEVEMENT AWARD | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | [VALIDATION DATE: 9204] USER: CG REVIEWER: 45 82 99 CT MC | | | | | | |
| | MIL-L-11484/118A | LAPEL BUTTON, AND LAPEL EMBLEM: NATIONAL INTELLIGENCE DISTINGUISHED | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/119A | LAPEL EMBLEM, DISTINGUISHED CAREER SERVICE AWARD, A.I.D., DEPT OF STATE | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/120B | LAPEL BUTTON, VICE PRESIDENTIAL SERVICE [VALIDATION DATE: 9204] USER: 45 | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | |
| L | MIL-L-11484/121B | LAPEL BUTTON, DECORATION, COMMANDER'S AWARD MEDAL, U. S. ARMY REVIEWER: CT | A 8455 | IH | 09-JUN-92 | IH | | |
| | MIL-L-11484/122A | LAPEL BUTTON, HUMANITARIAN SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/123A | LAPEL BUTTON, NEXT OF KIN OF DECEASED PERSONNEL [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/124A | LAPEL BUTTON, DEFENSE MERITORIOUS SERVICE MEDAL [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/125A | LAPEL BUTTON, EMPLOYER SUPPORT OF THE GUARD AND RESERVE [VALIDATION DATE: | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/126A | LAPEL BUTTON, TAGCEN ADVANCED MANAGEMENT WORKSHOP GRADUATE [VALIDATION | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/127A | LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/128A | LAPEL BUTTON, DECORATION, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/129B | LAPEL BUTTON, OUTSTANDING SERVICE AWARD, USPHS [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/130A | LAPEL BUTTON, ACHIEVEMENT AWARD, USPHS [VALIDATION DATE: 9204] USER: 45 CG | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/131A | LAPEL BUTTON, DECORATION, CIVILIAN SERVICE MEDAL, OSD [VALIDATION DATE: | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/132B | LAPEL BUTTON, DECORATION, AIR FORCE ACHIEVEMENT MEDAL USER: 45 REVIEWER: | A 8455 | IH | 09-JUN-92 | IH | | 11 |
| | | 82 99 CT | | | | | | |
| | MIL-L-11484/133B | LAPEL BUTTON, USPHS COMMISSIONED OFFICER [VALIDATION DATE: 9204] USER: 45 | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/134B | LAPEL BUTTON, AIR FORCE RECOGNITION RIBBON USER: 45 REVIEWER: 82 99 CT .... | A 8455 | IH | 09-JUN-92 | IH | | 11 |
| | MIL-L-11484/135B | LAPEL BUTTON, ARMY ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 CG | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/136A | LAPEL BUTTON, DECORATION, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES, | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/137A | LAPEL BUTTON, DECORATION, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES, | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/138A | LAPEL BUTTON, OUTSTANDING CAREER ACHIEVEMENT AWARD, A.I.D., DEPT OF STATE | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/139A | LAPEL BUTTON, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY [VALIDATION DATE: | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | 9204] USER 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/140A | LAPEL BUTTON, DECORATION, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, AIR | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/141B | LAPEL BUTTON, DECORATION, JOINT SERVICE ACHIEVEMENT MEDAL, DOD USER: 45 | A 8455 | IH | 09-JUN-92 | IH | MU | 11 |
| | NOTICE 1 | REVIEWER: 82 99 CG CT MC | | | | | | |
| | MIL-L-11484/142A | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, USPHS [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| L | MIL-L-11484/143B | LAPEL BUTTON, COMMUNITY AND FAMILY SUPPORT CENTER, ARMY REVIEWER: CT ..... | A 8455 | IH | 09-JUN-92 | IH | | |
| | MIL-L-11484/144A | LAPEL BUTTON, COMMENDATION MEDAL, USPHS [VALIDATION DATE: 9204] USER: 45 | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/145A | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, NSA [VALIDATION DATE: | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/146A | LAPEL BUTTON, IDENTIFICATION, OFFICE OF THE INSPECTOR GENERAL, DOD | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/147A | LAPEL BUTTON, DECORATION, ACHIEVEMENT MEDAL, UNIFORMED SERVICES, | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/148A | LAPEL BUTTON, MERITORIOUS SERVICE MEDAL, USPHS [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/149 | LAPEL BUTTON, DEFENSE INTELLIGENCE DIRECTOR'S AWARD, D.I.A. [VALIDATION | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/150A | LAPEL BUTTON, FEDERAL SERVICE AND RETIRED, OPM [VALIDATION DATE: 9204] | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/151C | LAPEL BUTTON, LENGTH OF SERVICE, OFFICE OF PERSONNEL MANAGEMENT (OPM) | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/152 | LAPEL BUTTON, PRISONER OF WAR [VALIDATION DATE: 9204] USER: 45 CG | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/153 | LAPEL BUTTON, DEPARTMENT OF THE ARMY CIVILIAN AWARD FOR HUMANITARIAN | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/154 | LAPEL BUTTON, AIR TRAFFIC CONTROLLER, FAA [VALIDATION DATE: 9204] USER: 45 | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | CG REVIEWER: 82 99 CT MC | | | | | | |
| | MIL-L-11484/155 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE [VALIDATION | A 8455 | IH | 24-APR-92 | IH | MU | 11 |
| | NOTICE 1 | DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | |

| Action | Opt. / Cond. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-L-11484/157 NOTICE 1 | LAPEL BUTTON, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/158 NOTICE 1 | LAPEL BUTTON, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL (CIVILIAN) (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/159A NOTICE 1 | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, ARMY (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/160A NOTICE 1 | LAPEL BUTTON, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/161 NOTICE 1 | LAPEL BUTTON, KOREAN AUGMENTATION TO THE U.S. ARMY (KATUSA) (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/162 NOTICE 1 | LAPEL BUTTON, AERIAL ACHIEVEMENT, AIR FORCE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/163 NOTICE 1 | LAPEL BUTTON, DECORATION, SPACE FLIGHT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/164 NOTICE 1 | LAPEL BUTTON, DECORATION, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/165 NOTICE 1 | LAPEL BUTTON, DECORATION, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/166 NOTICE 1 | LAPEL BUTTON, DECORATION, PUBLIC SERVICE MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/167 NOTICE 1 | LAPEL BUTTON, LENGTH OF SERVICE, 5, 10 AND 15 YEARS NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/168 NOTICE 1 | LAPEL BUTTON, LENGTH OF SERVICE, 20 THROUGH 55 YEARS NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/169A NOTICE 1 | LAPEL BUTTON, COAST GUARD AUXILIARY DISTINGUISHED SERVICE AWARD (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/170A NOTICE 1 | LAPEL BUTTON, GENERAL DEFENSE INTELLIGENCE PROGRAM, DOD (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/171 NOTICE 1 | LAPEL BUTTON, EXCEPTIONAL AND MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/172 NOTICE 1 | LAPEL BUTTON, EXCEPTIONAL AND MERITORIOUS CIVILIAN SERVICE AWARD, ON-SITE INSPECTION AGENCY (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/173 NOTICE 1 | LAPEL BUTTON, EXCEPTIONAL ACHIEVEMENT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/174 NOTICE 1 | LAPEL BUTTON, MERITORIOUS UNIT COMMENDATION, COAST GUARD (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/175A NOTICE 1 | LAPEL BUTTON, UNIT COMMENDATION, COAST GUARD (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/176 NOTICE 1 | LAPEL BUTTON, RETIREE, CIVILIAN, AIR FORCE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/177A NOTICE 1 | LAPEL BUTTON, SOUTHWEST ASIA SERVICE MEDAL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/178 NOTICE 1 | LAPEL BUTTON, FEDERAL EMPLOYEE SERVICE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/179 NOTICE 1 | LAPEL BUTTON, DISTINGUISHED AND OUTSTANDING SERVICE, ARMY (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/180 NOTICE 1 | LAPEL BUTTON, EXCEPTIONAL AND MERITORIOUS SERVICE, ARMY (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/181 NOTICE 1 | LAPEL BUTTON, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/182 NOTICE 1 | LAPEL BUTTON, CIVILIAN SERVICE IN SOUTHWEST ASIA, DOD (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/183A | LAPEL BUTTON, JOINT MERITORIOUS UNIT AWARD, DOD USER: 46 REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 10-FEB-92 | IH | MU | 11 | |
| | | | MIL-L-11484/184 NOTICE 1 | LAPEL BUTTON, CIVILIAN SUPPORT FOR DESERT SHIELD/STORM, NAVY (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | | | MIL-L-11484/185 NOTICE 1 | LAPEL BUTTON, NATIONAL DEFENSE SERVICE MEDAL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 24-APR-92 | IH | MU | 11 | |
| | L | MIL-L-11484/186 | LAPEL BUTTON, BUREAU OF INDIAN AFFAIRS REVIEWER: CT | A | 8455 | IH | IH | 10-FEB-92 | IH | | | | |
| A | L | MIL-L-11484/187 | LAPEL BUTTON, ARMY SUPERIOR UNIT AWARD REVIEWER: CT | A | 8455 | IH | IH | 23-JUN-92 | IH | | | | |
| A | L | MIL-L-11484/188 | LAPEL BUTTON, BUREAU OF INDIAN AFFAIRS, LAW ENFORCEMENT SERVICES, U.S. DEPARTMENT OF THE INTERIOR REVIEWER: CT | A | 8455 | IH | IH | 14-AUG-92 | IH | | | | |
| A | L | MIL-L-11484/189 | LAPEL BUTTON, DISTINGUISHED AND MERITORIOUS CIVILIAN SERVICE AWARDS, AND CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT | A | 8455 | IH | IH | 04-NOV-92 | IH | | | | |
| A | L | MIL-L-11484/190 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY REVIEWER: CT | A | 8455 | IH | IH | 21-DEC-92 | IH | | | | |
| A | L | MIL-L-11484/191 | LAPEL BUTTON, CAREER ACHIEVEMENT AWARD, DEFENSE INFORMATION SYSTEMS AGENCY REVIEWER: CT | A | 8455 | IH | IH | 21-DEC-92 | IH | | | | |
| M | L | MIL-L-11484/192 | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION REVIEWER: CT | A | 8455 | IH | IH | 17-MAY-93 | IH | | | | |
| A | | MIL-I-11489E(1) | INSECT NET, HEAD (VALIDATION DATE: 8904) USER: 45 CG MS REVIEWER: 11 MC MD | A | 8415 | CT | IH | 22-APR-89 | GL | MU | 99 | CT | |
| | | MIL-I-11490E(1) | INSECTICIDE, LINDANE, POWDER, DUSTING USER: CE CG MD MI REVIEWER: EA GS ... | A | 6840 | GL | IH | 14-MAY-85 | GL | MS | 68 | | |
| D | | MIL-G-11491E | GLASSWASHER, ELECTRIC, PORTABLE USER: CG MS SA REVIEWER: MD ..... | A | 7320 | GL | IH | 19-FEB-88 | GL | YD1 | 99 | | |
| | L | MIL-T-11503C(1) | TRACER, MSA2B1, MSA3B1, AND TSE3, PARTS FOR, AND LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8203) | A | 1315 | AR | | 15-NOV-63 | AR | | | | |
| | L | MIL-C-11504C | CHARGED, DEMOLITION, BLOCK INERT, 1 POUND PARTS AND LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8404) | A | 1375 | AR | | 01-OCT-84 | AR | | | | |
| | L | MIL-B-11507D | BOOSTER, M120, LOADING ASSEMBLING AND PACKING (VALIDATION DATE: 9010) NOTICE 1 REVIEWER: EA | A | 1345 | AR | | 15-OCT-90 | AR | | | | |
| | | MIL-H-11511G(3) | HEATER, SPACE, MULTIFUEL, WITH BLOWER 60,000 BTU/HR USER: MC REVIEWER: 84 CS MI | A | 4520 | ME | | 19-OCT-84 | ME | | 99 | | |
| | | MIL-P-11520F | PRESERVATIVE COATING, RUBBER: FOR RUBBER SURFACES USER: AR MC OS SA REVIEWER: AS GL ME MR SH | A | 8030 | AT | | 10-MAY-89 | AT | SH | 69 | | |
| | | MIL-R-11521F | RING, EXPANSION, HOSE, BRASS (VALIDATION DATE: 8410) REVIEWER: CS ..... | A | 4730 | ME | | 08-OCT-80 | ME | SH | 99 | | |
| | | MIL-F-11522F(1) | FUZE, SMOKE POT, M208 AND FUZE, HAND GRENADE, M226 ..... | A | 1365 | EA | | 26-JUL-89 | EA | OS | | | |
| | | MIL-I-11525G | IGNITION CYLINDER, FLAME THROWER, PORTABLE, M1 (VALIDATION DATE: 8405) USER: MC | A | 1375 | EA | | 13-NOV-69 | EA | OS | | | |
| | L | MIL-I-11525G(I2) | IGNITION CYLINDER, FLAME THROWER, PORTABLE, M1 (VALIDATION DATE: 8405) .... | A | 1375 | EA | | 28-JAN-70 | EA | | | | |
| | L | MIL-C-11532C NOTICE 1 | CASEIN (VALIDATION DATE: 8808) REVIEWER: GS ..... | A | 6810 | EA | | 12-AUG-88 | EA | | | | |
| | | MIL-R-11534C(1) | REGULATOR, PRESSURE ..... | A | 1040 | EA | | 19-JUL-89 | EA | MC | 99 | | |
| | | MIL-L-11536D | LINK, CARTRIDGE, METALLIC BELT, 20MM: M10 ..... | A | 1305 | AR | | 18-JAN-85 | AR | | 99 | | |
| D | | MIL-R-11567D | REPAIR KIT, STEEL MEASURING TAPE WITH CASE (VALIDATION DATE: 8104) USER: CE MC ME YD1 | A | 5210 | GL | | 29-MAR-74 | GL | | 99 | | |
| | | MIL-P-11570C | PYROMETER, INDICATING, THERMOCOUPLES REVIEWER: GS ..... | A | 6685 | ME | | 30-JUL-84 | ME | SH | | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-B-11582C(1) NOTICE 1 | BASE PLATE, THEODOLITE: ALUMINUM [VALIDATION DATE: 9011] USER: MC REVIEWER: GS | A | 6675 | ME | 02-NOV-90 | ME | | | | |
| D | MIL-V-11583D | VALVE SECTIONS, PIPELINE: FOR PORTABLE PIPELINES REVIEWER: CS | A | 3835 | ME | 28-NOV-89 | ME | YD1 | | | |
| A | MIL-D-11586D NOTICE 2 | DRIVER, ARMATURE WEDGE [VALIDATION DATE: 9302] REVIEWER: CR | A | 5120 | GL | 26-FEB-93 | GL | SH | 99 | | |
| D L | MIL-H-11588E | HOSE ASSEMBLIES, RUBBER, SYNTHETIC, LIQUID PETROLEUM FUELS, DISPENSING, COLLAPSIBLE USER: AT MC YD1 REVIEWER: CS | A | 4720 | ME | 17-SEP-86 | ME | | | | |
| L | MIL-H-11588E(11) | HOSE ASSEMBLIES, RUBBER, SYNTHETIC, LIQUID PETROLEUM FUELS, DISPENSING, COLLAPSIBLE USER: AT MC REVIEWER: CS | A | 4720 | ME | 03-APR-87 | ME | | | | |
| M | MIL-R-11589E SUPPL 1C | RIBBON, AWARDS, GENERAL SPECIFICATION FOR USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-NOV-92 | IH | MU | 11 | | |
| | MIL-R-11589/1C | RIBBON, AIR FORCE COMMENDATION USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/2C | RIBBON, AIR FORCE CROSS USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/3C | RIBBON, AIR FORCE LONGEVITY SERVICE AWARD USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/4C | RIBBON, AIR FORCE OUTSTANDING UNIT AWARD USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/5C | RIBBON, AIR FORCE SMALL ARMS MARKSMANSHIP USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/6B | RIBBON, AIRMAN'S MEDAL USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/7B | RIBBON, AIR MEDAL USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/8D | RIBBON, AIR RESERVE FORCES MERITORIOUS SERVICE AWARD USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/9D | RIBBON, AMERICAN CAMPAIGN USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/10B | RIBBON, AMERICAN DEFENSE SERVICE USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/11C | RIBBON, ANTARCTICA SERVICE USER: CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/12C | RIBBON, ARMED FORCES EXPEDITIONARY USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/13C | RIBBON, ARMED FORCES RESERVE USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/14C | RIBBON, ARMY OF CUBAN OCCUPATION REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/15D | RIBBON, ARMY OF OCCUPATION OF GERMANY, WORLD WAR I USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/16C | RIBBON, ARMY OF PUERTO RICAN OCCUPATION USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/17C | RIBBON, ASIATIC - PACIFIC CAMPAIGN USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/18C | RIBBON, BRONZE STAR MEDAL USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/19C | RIBBON, BYRD ANTARCTIC EXPEDITION REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/20C | RIBBON, CAPTAIN ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/21C | RIBBON, CHINA CAMPAIGN REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | MIL-R-11589/22C | RIBBON, CHINA RELIEF EXPEDITION REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/23C | RIBBON, CHINA SERVICE REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/24C | RIBBON, CHRYSSOUN ARISTION ANDRIAS (BRAVERY GOLD MEDAL OF GREECE) REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | MIL-R-11589/25C | RIBBON, CIVIL WAR CAMPAIGN USER: CG REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/26C | RIBBON, CIVILIAN AWARD FOR VALOR, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/27D | RIBBON, COAST GUARD COMMENDATION MEDAL USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/28C | RIBBON, COAST GUARD DISTINGUISHED SERVICE USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/29C | RIBBON, COAST GUARD EXPERT PISTOL SHOT USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/30C | RIBBON, COAST GUARD EXPERT RIFLEMAN USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/31D | RIBBON, COAST GUARD GOOD CONDUCT USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/32D | RIBBON, COAST GUARD MEDAL USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/33C | RIBBON, COMBAT AND EXPERT INFANTRY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | MIL-R-11589/34C | RIBBON, COMBAT READINESS MEDAL, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/35C | RIBBON, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/36C | RIBBON, COMMANDANT'S AWARD, COAST GUARD (RESERVE GUIDON) USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/37C | RIBBON, COMMENDATION MEDAL, ARMY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | MIL-R-11589/38C | RIBBON, CROIX DE GUERRE, BELGIAN USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | MIL-R-11589/39C | RIBBON, CROIX DE GUERRE, FRENCH, WORLD WAR I USER: 45 REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/40C | RIBBON, CROIX DE GUERRE, FRENCH, WORLD WAR II USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/41C | RIBBON, CROIX DE GUERRE, LUXEMBOURG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | MIL-R-11589/42C | RIBBON, CUBAN PACIFICATION USER: 45 REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/43C | RIBBON, DEWEY MEDAL USER: CG REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/44C | RIBBON, DISTINGUISHED CIVILIAN SERVICE, DOD REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | MIL-R-11589/45C | RIBBON, DISTINGUISHED CIVILIAN SERVICE, NAVY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/46C | RIBBON, DISTINGUISHED CIVILIAN SERVICE, (NON-CIVIL SERVICE) ARMY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | MIL-R-11589/47C | RIBBON, DISTINGUISHED FLYING CROSS USER: CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | MIL-R-11589/48C | RIBBON, DISTINGUISHED PUBLIC SERVICE, DOD REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | MIL-R-11589/49C | RIBBON, DISTINGUISHED PUBLIC SERVICE, NAVY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | MIL-R-11589/50C | RIBBON, DISTINGUISHED SERVICE CROSS, ARMY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| | MIL-R-11589/51B NOTICE 1 | RIBBON, DISTINGUISHED SERVICE, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/52B NOTICE 1 | RIBBON, DISTINGUISHED SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/53C NOTICE 1 | RIBBON, DISTINGUISHED SERVICE, NASA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/54C NOTICE 1 | RIBBON, PRESIDENTIAL UNIT CITATION, (ARMY) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/55C NOTICE 1 | RIBBON, DISTRICT AWARD, COAST GUARD, (RESERVE GUIDON) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/56B NOTICE 1 | RIBBON, DOMINICAN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/57B NOTICE 1 | RIBBON, EUROPEAN-AFRICAN-MIDDLE EASTERN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/58C NOTICE 1 | RIBBON, EXCEPTIONAL BRAVERY, NASA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/59B NOTICE 1 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/60B NOTICE 1 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/61C NOTICE 1 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE, DLA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/62D NOTICE 1 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE, NSA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/63B NOTICE 1 | RIBBON, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT, NASA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/64B NOTICE 1 | RIBBON, FEDERAL, STATE, CITY OR OTHER GOVERNMENTAL AWARD FOR COAST GUARD (RESERVE GUIDON) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/65B NOTICE 1 | RIBBON, FRENCH MEDAILLE MILITAIRE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/66B NOTICE 1 | RIBBON, GOLD LIFE-SAVING MEDAL, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |
| | MIL-R-11589/67B NOTICE 1 | RIBBON, GOOD CONDUCT, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | | |

| Action | OPR / QMAL | Coordination | Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-R-11589/68B NOTICE 1 | RIBBON, GOOD CONDUCT, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/69B NOTICE 1 | RIBBON, GOOD CONDUCT, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/70B NOTICE 1 | RIBBON, GOOD CONDUCT, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/71B NOTICE 1 | RIBBON, HAITIAN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/72C NOTICE 1 | RIBBON, HONOR UNIT WITH DISTINCTION, JROTC, CLASS HS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/73C NOTICE 1 | RIBBON, HONOR UNIT WITH DISTINCTION, JROTC, CLASS MI [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/74C NOTICE 1 | RIBBON, HONOR UNIT WITH DISTINCTION, MDCC [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/75B NOTICE 1 | RIBBON, INDIAN CAMPAIGN, ARMY; INDIAN WAR, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/76B NOTICE 1 | RIBBON, ITALIAN CROCE AL MERITO DI GUERRA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/77B NOTICE 1 | RIBBON, JOINT SERVICE COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/78B NOTICE 1 | RIBBON, KOREAN SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/79B NOTICE 1 | RIBBON, LEADING PLATOON AWARD, COAST GUARD (RESERVE GUIDON) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/80B NOTICE 1 | RIBBON, LEGION OF MERIT [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/81B NOTICE 1 | RIBBON, MARINE CORPS EXPEDITIONARY MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/82B NOTICE 1 | RIBBON, MARINE CORPS RESERVE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/83C NOTICE 1 | RIBBON, MEDAL OF HONOR [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/84B NOTICE 1 | RIBBON, AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/85B NOTICE 1 | RIBBON, MEDAL FOR HUMANE ACTION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/86B NOTICE 1 | RIBBON, MEDAL FOR MERIT [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/87C NOTICE 1 | RIBBON, COMBAT AND EXPERT MEDICAL, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/88C NOTICE 1 | RIBBON, MERITORIOUS CIVILIAN SERVICE, DLA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/89B NOTICE 1 | RIBBON, MERITORIOUS CIVILIAN SERVICE, OSD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/90B NOTICE 1 | RIBBON, MERITORIOUS CIVILIAN SERVICE, CIVIL SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/91D NOTICE 1 | RIBBON, US COAST GUARD RESERVE GOOD CONDUCT MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/92B NOTICE 1 | RIBBON, MERITORIOUS UNIT COMMENDATION, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/93B NOTICE 1 | RIBBON, MEXICAN BORDER SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/94B NOTICE 1 | RIBBON, MEXICAN SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/95B NOTICE 1 | RIBBON, MEXICAN WAR [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/96B NOTICE 1 | RIBBON, MILITARY ORDER OF WILLIAM [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/97B NOTICE 1 | RIBBON, NATIONAL DEFENSE SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/98B NOTICE 1 | RIBBON, NAVAL RESERVE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/99B NOTICE 1 | RIBBON, NAVAL RESERVE MERITORIOUS SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | | | MIL-R-11589/100B NOTICE 1 | RIBBON, NAVY COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 24-APR-92 | IH | MU | 11 | |
| M | | | | MIL-R-11589/101C | RIBBON, NAVY CROSS REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/102D | RIBBON, NAVY DISTINGUISHED SERVICE MEDAL REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/103C | RIBBON, NAVY EXPEDITIONARY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/104C | RIBBON, NAVY EXPERT PISTOL SHOT REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/105C | RIBBON, NAVY EXPERT RIFLEMAN REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/106C | RIBBON, NAVY AND MARINE CORPS MEDAL REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/107D | RIBBON, NAVY UNIT COMMENDATION USER: CG REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/109C | RIBBON, NCO PROFESSIONAL MILITARY EDUCATION GRADUATE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | |
| M | | | | MIL-R-11589/110C | RIBBON, NETHERLANDS ORANGE LANYARD USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | |
| M | | | | MIL-R-11589/111C | RIBBON, NICARAGUAN CAMPAIGN REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/112C | RIBBON, ARMY OF OCCUPATION AND NAVY OCCUPATION SERVICE, WORLD WAR II USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | |
| M | | | | MIL-R-11589/113D | RIBBON, ORGANIZED MARINE CORPS RESERVE REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | L | | | MIL-R-11589/114C | RIBBON, OUTSTANDING CIVILIAN SERVICE (NON-CIVIL SERVICE), ARMY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | |
| M | L | | | MIL-R-11589/115C | RIBBON, OUTSTANDING LEADERSHIP, NASA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | |
| M | | | | MIL-R-11589/117C | RIBBON, PHILIPPINE CAMPAIGN REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | L | | | MIL-R-11589/118C | RIBBON, PHILIPPINE CONGRESSIONAL REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | |
| M | | | | MIL-R-11589/119E | RIBBON, PHILIPPINE DEFENSE USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | |
| M | | | | MIL-R-11589/120C | RIBBON, PHILIPPINE INDEPENDENCE USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | |
| M | | | | MIL-R-11589/121C | RIBBON, PHILIPPINE LIBERATION USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | |
| M | | | | MIL-R-11589/122C | RIBBON, PHILIPPINE PRESIDENTIAL UNIT CITATION USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | |
| M | L | | | MIL-R-11589/123C | RIBBON, PORTUGUESE ORDEM DA TORRE E ESPADA (ORDER OF TOWER AND SWORD) REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | |
| M | L | | | MIL-R-11589/124C | RIBBON, AWARD OF THE PRESIDENT OF THE UNITED STATES FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | |
| M | | | | MIL-R-11589/125C | RIBBON, PRESIDENTIAL UNIT CITATION, NAVY USER: CG REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/126C | RIBBON, PURPLE HEART USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | |
| | | | | MIL-R-11589/127E NOTICE 1 | RIBBON, REPUBLIC OF KOREA PRESIDENTIAL UNIT CITATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| M | | | | MIL-R-11589/129C | RIBBON, REVOLUTIONARY WAR USER: CG REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| | | | | MIL-R-11589/132B NOTICE 1 | RIBBON, SECOND NICARAGUAN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| M | | | | MIL-R-11589/133C | RIBBON, NAVY ACHIEVEMENT MEDAL REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/134D | RIBBON, COAST GUARD ACHIEVEMENT MEDAL USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | |
| M | | | | MIL-R-11589/135D | RIBBON, SILVER LIFE-SAVING MEDAL USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | |

| Action Code | Doc. / Date Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M | | MIL-R-11589/136C | RIBBON, SILVER STAR USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | L | MIL-R-11589/137C | RIBBON, SOLDIER'S MEDAL REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/138C | RIBBON, SPANISH CAMPAIGN USER: CG REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-C-11589/139C | RIBBON, SPANISH WAR SERVICE REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/140C | RIBBON, SUPERIOR CADET AWARD, ROTC (JUNIOR DIVISION) REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/141C | RIBBON, SUPERIOR CADET AWARD, ROTC (SENIOR DIVISION) REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/142C | RIBBON, SUPERIOR CADET AWARD ROTC (NDCC) REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/143C | RIBBON, SUPERIOR CADET AWARD, ROTC (MILITARY SCHOOL DIVISION) REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/144C | RIBBON, GORDON CAMFIELD TROPHY, COAST GUARD (RESERVE GUIDON) USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/145C | RIBBON, COAST GUARD UNIT COMMENDATION USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/146C | RIBBON, UNITED NATIONS SERVICE USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | | MIL-R-11589/148E | RIBBON, VICTORY WORLD WAR I USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | | MIL-R-11589/149C | RIBBON, VICTORY WORLD WAR II USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | | MIL-R-11589/150C | RIBBON, VIETNAM PRESIDENTIAL UNIT CITATION USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | | MIL-R-11589/151D | RIBBON, VIETNAM SERVICE USER: 45 REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | | MIL-R-11589/152D | RIBBON, WAR OF 1812 REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-R-11589/153C | RIBBON, WOMEN'S ARMY CORPS SERVICE REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/154C | RIBBON, YANGTZE SERVICE USER: CG REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/155E | RIBBON, VALORous UNIT AWARD REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/156C | RIBBON, MERITORIOUS CIVILIAN SERVICE, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/157C | RIBBON, MEDAL FOR HEROISM, ROTC USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/158C | RIBBON, REPUBLIC OF VIETNAM CAMPAIGN MEDAL USER: 45 REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | | MIL-R-11589/159C | RIBBON, DISTINGUISHED SERVICE MEDAL, DCAA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/160C | RIBBON, MERITORIOUS SERVICE MEDAL, DCAA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/161C | RIBBON, MEDAL OF FREEDOM USER: 45 REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | | MIL-R-11589/162C | RIBBON, CIVILIAN SERVICE IN VIETNAM AWARD REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | L | MIL-R-11589/163D | RIBBON, DISTINGUISHED PUBLIC SERVICE MEDAL, NASA USER: NA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/164D | RIBBON, EXCEPTIONAL SERVICE MEDAL, NASA USER: NA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/165D | RIBBON, EXCEPTIONAL CIVILIAN SERVICE, DNA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/166D | RIBBON, MERITORIOUS CIVILIAN SERVICE, DNA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/167D | RIBBON, MERITORIOUS UNIT COMMENDATION, NAVY USER: CG REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/168C | RIBBON, FRENCH NAVAL WAR USER: CG REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-R-11589/169C | RIBBON, FEDERAL AVIATION ADMINISTRATION AWARD FOR VALOR REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/170C | RIBBON, OUTSTANDING AIRMAN OF THE YEAR USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/171C | RIBBON, COMBAT ACTION REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/172C | RIBBON, MERITORIOUS SERVICE MEDAL USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | | MIL-R-11589/173C | RIBBON, VIETNAMESE GALLANTRY CROSS USER: 45 REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | | MIL-R-11589/174C | RIBBON, NAVY SUPERIOR CIVILIAN SERVICE AWARD REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-R-11589/175D | RIBBON, AWARD FOR VALOR, DOT REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/176D | RIBBON, AWARD FOR MERITORIOUS ACHIEVEMENT, DOT REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/177D | RIBBON, AWARD FOR OUTSTANDING ACHIEVEMENT, DOT REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/178C | RIBBON, ORGANIZATIONAL EXCELLENCE AWARD AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | L | MIL-R-11589/179C | RIBBON, PRESIDENTIAL CITIZENS MEDAL REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/180C | RIBBON, CONGRESSIONAL SPACE MEDAL, NASA USER: NA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/181D | RIBBON, VIETNAMESE CIVIL ACTIONS USER: 45 REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | L | MIL-R-11589/182C | RIBBON, DEFENSE DISTINGUISHED SERVICE MEDAL REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/183C | RIBBON, EXCEPTIONAL CIVILIAN SERVICE, DIA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/184C | RIBBON, MERITORIOUS CIVILIAN SERVICE, DIA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/185B | RIBBON, BARBARY WARS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/186B | RIBBON, AFRICAN SLAVE PATROL REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/187B | RIBBON, OPERATIONS AGAINST WEST INDIAN PIRATES REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/188B | RIBBON, LATIN AMERICAN CAMPAIGNS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-R-11589/189B | RIBBON, PHYSICAL PROFICIENCY AWARD, ROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/190B | RIBBON, MILITARY PROFICIENCY AWARD, ROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/191C | RIBBON, SIMULTANEOUS MEMBERSHIP PROGRAM (SMP) ACTIVATION AWARD, ROTC, ARMY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/192B | RIBBON, PLATOON LEADERSHIP AWARD, ROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/193C | RIBBON, CAMP COMMANDERS LEADERSHIP AWARD, ROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/194B | RIBBON, ARMY COMMANDERS LEADERSHIP AWARD, ROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/195B | RIBBON, ARMY ROTC LEADERSHIP AWARD REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/196B | RIBBON, ARMY RESERVE COMPONENTS ACHIEVEMENT MEDAL REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/197B | RIBBON, REGIONAL AND STATE SCIENCE AND ENGINEERING FAIRS AWARD, ARMY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/198B | RIBBON, EXCEPTIONAL SERVICE AWARD, EPA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/199B | RIBBON, SUPERIOR SERVICE AWARD, EPA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/200B | RIBBON, COMMENDABLE SERVICE AWARD, EPA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/201B NOTICE 1 | RIBBON, DISTINGUISHED CAREER SERVICE AWARD, EPA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/202C NOTICE 1 | RIBBON, SUPERIOR ACHIEVEMENT AWARD, DOT REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/203D NOTICE 1 | RIBBON, DISTINGUISHED SERVICE MEDAL, FEMA REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/204B NOTICE 1 | RIBBON, OUTSTANDING PUBLIC SERVICE AWARD, OSD REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/205B NOTICE 1 | RIBBON, MERITORIOUS UNIT COMMENDATION, COAST GUARD USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-R-11589/206B NOTICE 1 | RIBBON, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION UNIT CITATION REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/207C NOTICE 1 | RIBBON, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION ADMINISTRATOR'S AWARD REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/208C NOTICE 1 | RIBBON, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION ASSOCIATION OF COMMISSIONED OFFICERS AWARDS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/209B NOTICE 1 | RIBBON, AFROTC LEADERSHIP AND AFJROTC OUTSTANDING CADET USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/210B NOTICE 1 | RIBBON, AFROTC DISTINCTIVE G.M.C. CADET AND AFJROTC LEADERSHIP USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/211C NOTICE 1 | RIBBON, AFROTC ACADEMIC AWARD (SIX WEEK FT.) AND AFJROTC SUPERIOR PERFORMANCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/212C NOTICE 1 | RIBBON, AFROTC COLLEGE SCHOLARSHIP RECIPIENT AND AFJROTC HONOR UNIT USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/213B NOTICE 1 | RIBBON, AFROTC HONORS AND AFJROTC MERITORIOUS UNIT USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/214B NOTICE 1 | RIBBON, AFROTC ATHLETIC AWARD (FOUR AND SIX WEEK FT.) AND AFJROTC OUTSTANDING FLIGHT USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/215C NOTICE 1 | RIBBON, AFROTC COMMANDANT'S AWARD (FT.) AND AFJROTC ACADEMIC USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/216C NOTICE 1 | RIBBON, AFROTC WARRIOR SPIRIT AND AFJROTC COCURRICULAR ACTIVITIES USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |
| M | | MIL-R-11589/217B NOTICE 1 | RIBBON, AFROTC MARKSMANSHIP AWARD (FOUR AND SIX WEEK FT.) AND AFJROTC SERVICE RIBBON USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 | IH | | 11 | | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| M | | MIL-R-11589/218B NOTICE 1 | RIBBON, AFROTC SUPERIOR PERFORMANCE AND AFJROTC LONGEVITY USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 IH | | | 11 | |
| M | | MIL-R-11589/219C NOTICE 1 | RIBBON, AFROTC CATEGORY AND AFJROTC SUMMER LEADERSHIP SCHOOL USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 IH | | | 11 | |
| M | L | MIL-R-11589/220B NOTICE 1 | RIBBON, DEFENSE SUPERIOR SERVICE MEDAL REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/221B NOTICE 1 | RIBBON, BASIC MILITARY TRAINING, HONOR GRADUATE, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 IH | | | 11 | |
| M | | MIL-R-11589/222B | RIBBON, COAST GUARD MERITORIOUS PUBLIC SERVICE AWARD USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/223B NOTICE 1 | RIBBON, COAST GUARD DISTINGUISHED PUBLIC SERVICE AWARD USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/224B NOTICE 1 | RIBBON, NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 IH | MU | 11 | | |
| M | | MIL-R-11589/226B NOTICE 1 | RIBBON, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | 30-MAR-93 IH | MU | 11 | | |
| M | | MIL-R-11589/227C NOTICE 1 | RIBBON, NAVY "E" REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | L | MIL-R-11589/228B NOTICE 1 | RIBBON, HONOR UNIT, JROTC, CLASS HS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/229B NOTICE 1 | RIBBON, HONOR UNIT, JROTC, CLASS MI REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/230B NOTICE 1 | RIBBON, HONOR UNIT, NDCC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/231C NOTICE 1 | RIBBON, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/232B NOTICE 1 | RIBBON, COAST GUARD, ARCTIC SERVICE MEDAL USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | L | MIL-R-11589/233B NOTICE 1 | RIBBON, HUMANITARIAN SERVICE MEDAL REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/234B NOTICE 1 | RIBBON, DEFENSE MERITORIOUS SERVICE MEDAL REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/235B NOTICE 1 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | L | MIL-R-11589/236B NOTICE 1 | RIBBON, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/237B NOTICE 1 | RIBBON, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/238B NOTICE 1 | RIBBON, COAST GUARD LETTER OF COMMENDATION USER: CG REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | L | MIL-R-11589/239B NOTICE 1 | RIBBON, SPECIAL ASSIGNMENT, USPHS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/240B NOTICE 1 | RIBBON, OUTSTANDING UNIT CITATION, USPHS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/241B NOTICE 1 | RIBBON, OUTSTANDING SERVICE MEDAL, USPHS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/242B NOTICE 1 | RIBBON, COMMENDATION UNIT, USPHS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/243B NOTICE 1 | RIBBON, ISOLATED/HARDSHIP, USPHS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/244B NOTICE 1 | RIBBON, HAZARDOUS DUTY, USPHS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/245B NOTICE 1 | RIBBON, FOREIGN SERVICE, USPHS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | L | MIL-R-11589/246B NOTICE 1 | RIBBON, ACHIEVEMENT MEDAL, USPHS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/247B NOTICE 1 | RIBBON, MERITORIOUS ACHIEVEMENT, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/248B NOTICE 1 | RIBBON, DISTINGUISHED CADET, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/249B NOTICE 1 | RIBBON, HONOR CADET, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/250B NOTICE 1 | RIBBON, APTITUDE AWARD, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/251B | RIBBON, EXEMPLARY CONDUCT, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/252B | RIBBON, EXEMPLARY PERSONAL APPEARANCE, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/253B | RIBBON, MINI BOOT CAMP, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/254C | RIBBON, NAVAL SCIENCE IV HONOR PLATOON, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/255B | RIBBON, NAVAL SCIENCE III HONOR PLATOON, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/256B | RIBBON, NAVAL SCIENCE II HONOR PLATOON, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/257B | RIBBON, NAVAL SCIENCE I HONOR PLATOON, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/258B | RIBBON, AT SEA CRUISE, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/259B | RIBBON, COLOR GUARD, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/260B | RIBBON, DRILL TEAM, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/261B | RIBBON, RIFLE TEAM, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/262B | RIBBON, UNIT AWARD (CNET), NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/263B | RIBBON, COMMUNITY SERVICE, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/264B | RIBBON, PHYSICAL FITNESS, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/265B | RIBBON, RECRUITING, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/266B | RIBBON, ORIENTEERING, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/267C | RIBBON, UNIT SERVICE, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/268C | RIBBON, PARTICIPATION AWARD, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/269C | RIBBON, ACADEMIC TEAM, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/270D | RIBBON, CNET HONOR UNIT, NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/271B | RIBBON, UNTITLED ITEM "E", NJROTC REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/272B | RIBBON, CIVILIAN SERVICE MEDAL, OSD REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/273B | RIBBON, NAVY AND MARINE CORPS SEA SERVICE DEPLOYMENT REVIEWER: CT MC | A | 8455 | IH | 30-MAR-93 IH | MU | | | |
| M | | MIL-R-11589/274B | RIBBON, AIR FORCE ACHIEVEMENT MEDAL USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 IH | | | 11 | |
| M | | MIL-R-11589/275B | RIBBON, AIR FORCE TRAINING USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 IH | | | 11 | |
| M | | MIL-R-11589/276B | RIBBON, AIR FORCE RECOGNITION USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 IH | | | 11 | |
| M | | MIL-R-11589/277B | RIBBON, AIR FORCE OVERSEAS USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 IH | | | 11 | |
| M | | MIL-R-11589/278C | RIBBON, AIR FORCE OVERSEAS, WITH SHORT TOUR DESIGNATION USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 IH | | | 11 | |
| M | | MIL-R-11589/279B | RIBBON, CITATION, USPHS REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/280B | RIBBON, ARMY ACHIEVEMENT MEDAL REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/281B | RIBBON, ARMY SERVICE REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/282B | RIBBON, ARMY OVERSEAS SERVICE REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/283B | RIBBON, ARMY NCO PROFFESSIONAL DEVELOPMENT REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/284B | RIBBON, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SERVICES REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/285B | RIBBON, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SERVICES REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/286B | RIBBON, OUTSTANDING CAREER ACHIEVEMENT AWARD, A.I.D., DEPT OF STATE REVIEWER: CT | A | 8455 | IH | 30-MAR-93 IH | | | | |
| M | | MIL-R-11589/287B | RIBBON, AFROTC RECRUITING AWARD USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 30-MAR-93 IH | | | 11 | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | | Date | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| M | | MIL-R-11589/288C | RIBBON, AFROTC OUTSTANDING FLIGHT AND AFJROTC ACHIEVEMENT USER: 45 REVIEWER: 82 99 CT | A 8455 | IH | 30-MAR-93 | IH | | | 11 | |
| M | | MIL-R-11589/289B | RIBBON, JOINT MERITORIOUS UNIT AWARD, DOD REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/290B | RIBBON, COAST GUARD MARITIME PROTECTION FOR THE NEW REPUBLIC USER: CG REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/291B | RIBBON, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/292B | RIBBON, AIR FORCE OUTSTANDING CIVILIAN CAREER SERVICE AWARD USER: 45 REVIEWER: 82 99 CT | A 8455 | IH | 30-MAR-93 | IH | | | 11 | |
| M | | MIL-R-11589/293B | RIBBON, JOINT SERVICE ACHIEVEMENT MEDAL, DOD REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/294B | RIBBON, NAVY FLEET MARINE FORCE SERVICE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/295B | RIBBON, ARMY RESERVE COMPONENT, OVERSEAS TRAINING REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/296A | RIBBON, MERITORIOUS SERVICE MEDAL, USPHS REVIEWER: CT | A 8455 | IH | 30-MAR-92 | IH | | | | |
| M | | MIL-R-11589/297A | RIBBON, COMMENDATION MEDAL, USPHS REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/298A | RIBBON, DISTINGUISHED SERVICE MEDAL, USPHS REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/299A | RIBBON, COAST GUARD SEA SERVICE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/300A | RIBBON, COAST GUARD, RESTRICTED DUTY USER: CG REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/301A | RIBBON, COAST GUARD, RECRUIT TRAINING, HONOR GRADUATE USER: CG REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/302A | RIBBON, DEFENSE INTELLIGENCE AGENCY DIRECTOR'S AWARD REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/303A | RIBBON, MEDAL OF VALOR, CHAPLAIN, ARMY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/304A | RIBBON, ARMY SUPERIOR UNIT AWARD REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/305A | RIBBON, INFANTRY STREAMERS, ARMY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/306A | RIBBON, MEDICAL UNIT STREAMERS, ARMY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/307A | RIBBON, DEPARTMENT OF COMMERCE GOLD MEDAL REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/308A | RIBBON, DEPARTMENT OF COMMERCE SILVER MEDAL REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/309A | RIBBON, DEPARTMENT OF COMMERCE BRONZE MEDAL REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/310A | RIBBON, NOAA CORPS COMMENDATION MEDAL REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/311A | RIBBON, NOAA SPECIAL ACHIEVEMENT AWARD REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/312A | RIBBON, NOAA CORPS DIRECTOR'S RIBBON REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/313A | RIBBON, ARMY RECRUITING COMMAND AWARD FOR JROTC REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/314A | RIBBON, MEDAL OF ACHIEVEMENT, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/315C | RIBBON, SURGEON GENERAL'S MEDALLION AND EXEMPLARY SERVICE MEDAL, USPHS REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/316A | RIBBON, U.S. PUBLIC HEALTH SERVICE REGULAR CORPS REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/317A | RIBBON, DEPARTMENT OF THE ARMY CIVILIAN AWARD FOR HUMANITARIAN SERVICE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/318A | RIBBON, NAVY ARCTIC SERVICE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/319A | RIBBON, PRISONER OF WAR MEDAL USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | L | MIL-R-11589/320A | RIBBON, INTERNATIONAL DUTY SERVICE, NOAA REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/321A | RIBBON, MOBILE DUTY SERVICE, NOAA REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/322A | RIBBON, PACIFIC SERVICE, NOAA REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/323A | RIBBON, ATLANTIC SERVICE, NOAA REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/324A | RIBBON, NAVY AND MARINE CORPS OVERSEAS SERVICE USER: MC REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-R-11589/325A | RIBBON, MERITORIOUS SERVICE MEDAL, MERCHANT MARINE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/326A | RIBBON, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/327A | RIBBON, NAVAL RESERVE SEA SERVICE USER: MC REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-R-11589/328A | RIBBON, SMALLPOX ERADICATION CAMPAIGN REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/329A | RIBBON, PHYSICAL FITNESS, AIR FORCE ROTC USER: 45 REVIEWER: 82 99 CT | A 8455 | IH | 30-MAR-93 | IH | | | 11 | |
| M | | MIL-R-11589/330B | RIBBON, SPECIAL OPERATIONS SERVICE, COAST GUARD USER: CG REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-R-11589/331A | RIBBON, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/332A | RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, ARMY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/333B | RIBBON, AERIAL ACHIEVEMENT MEDAL, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A 8455 | IH | 30-MAR-93 | IH | | | 11 | |
| M | | MIL-R-11589/334A | RIBBON, MULTINATIONAL FORCE & OBSERVERS USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | L | MIL-R-11589/335A | RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, DLA REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/336A | RIBBON, DISTINGUISHED CAREER SERVICE AWARD, DLA REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/337A | RIBBON, NATIONAL EMERGENCY PREPAREDNESS AWARD, USPHS REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/338A | RIBBON, CADET TROOP LEADERSHIP, ARMY ROTC REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/339A | RIBBON, RANGER CHALLENGE BRIGADE COMPETITION, ARMY ROTC REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/340A | RIBBON, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NASA REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/341A | RIBBON, SPACE FLIGHT MEDAL, NASA REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/342A | RIBBON, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NASA REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/343A | RIBBON, NAVY RECRUITING SERVICE, NAVY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-R-11589/344A | RIBBON, PUBLIC SERVICE MEDAL, NASA REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/345A | RIBBON, MERITORIOUS SERVICE AWARD, ON-SITE INSPECTION AGENCY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/346B | RIBBON, EXCEPTIONAL SERVICE AWARD, ON-SITE INSPECTION AGENCY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/347A | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/348A | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/349B | RIBBON, COAST GUARD AUXILIARY DISTINGUISHED SERVICE AWARD USER: CG REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | | MIL-R-11589/350A | RIBBON, COAST GUARD BICENTENNIAL UNIT COMMENDATION USER: CG REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | MU | | | |
| M | L | MIL-R-11589/351A | RIBBON, VIETNAM SERVICE, MERCHANT MARINE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/352A | RIBBON, MEDITERRANEAN-MIDDLE EAST WAR ZONE, MERCHANT MARINE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/353A | RIBBON, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A 8455 | IH | 30-MAR-93 | IH | | | 11 | |
| M | L | MIL-R-11589/354A | RIBBON, EXCEPTIONAL ACHIEVEMENT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/355A | RIBBON, COAST GUARD "E" REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/356A | RIBBON, SOUTHWEST ASIA SERVICE MEDAL USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | L | MIL-R-11589/357A | RIBBON, COMMISSIONED OFFICERS ASSOCIATION MEMBERSHIP, UNITED STATES PUBLIC HEALTH SERVICE (USPHS) REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/358A | RIBBON, NATIONAL COMMUNICATIONS SYSTEM REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/359A | RIBBON, CIVILIAN SERVICE IN SOUTHWEST ASIA, DEPARTMENT OF DEFENSE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/360B | RIBBON, EXPEDITIONARY, MERCHANT MARINE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/361A | RIBBON, DEFENSE, MERCHANT MARINE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/362A | RIBBON, ATLANTIC WAR ZONE, MERCHANT MARINE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/363A | RIBBON, PACIFIC WAR ZONE, MERCHANT MARINE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/364A | RIBBON, KOREAN SERVICE, MERCHANT MARINE REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | | MIL-R-11589/365A | RIBBON, KUWAIT LIBERATION, KINGDOM OF SAUDI ARABIA USER: 45 CG REVIEWER: 82 99 CT MC | A 8455 | IH | 30-MAR-93 | IH | MU | 11 | | |
| M | L | MIL-R-11589/366A | RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/367A | RIBBON, CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/368A | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/369A | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |
| M | L | MIL-R-11589/370A | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY REVIEWER: CT | A 8455 | IH | 30-MAR-93 | IH | | | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | QPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| N | L | | MIL-R-11589/371A | RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT | A | 8455 | IH | IH | 30-MAR-93 | IH | | | |
| N | L | | MIL-R-11589/372A | RIBBON, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION REVIEWER: CT | A | 8455 | IH | IH | 30-MAR-93 | IH | | | |
| N | L | | MIL-R-11589/373 | RIBBON, CRISIS RESPONSE SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE (USPHS) REVIEWER: CT | A | 8455 | IH | IH | 30-MAR-93 | IH | | | |
| D | | | MIL-T-11591D(1) | TAMPER, ARMATURE COIL WINDING (VALIDATION DATE: 8710) USER: MD SM YD1 ..... | A | 5120 | | GL | 13-OCT-87 | GL | | | 84 |
| | L | | MIL-B-11595E | BAR, METAL AND BLANKS, STEEL (UNDER 2 INCHES IN DIAMETER) FOR BARRELS OF SMALL ARMS WEAPONS REVIEWER: AR IS | A | 9510 | | MR | 07-JUN-88 | MR | | | |
| | L | | MIL-B-11596B NOTICE 1 | BASE COUPLING, FIRING DEVICE, NON-METALLIC, M2, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8705) USER: ME | A | 1375 | | AR | 08-FEB-68 | AR | | | |
| | L | | MIL-T-11603E | TRANSMISSION, CROSS-DRIVE (CD850 SERIES) ..... | A | 2520 | | AT | 22-AUG-85 | AT | | | |
| | L | | MIL-C-11605B(1) | CANNON, 155MM GUN M46 ..... | A | 1025 | | AR | 28-MAY-87 | AR | | | |
| | L | | MIL-C-11609E | CARTRIDGE, IGNITION, M5A2, M6 AND M8 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8504) | A | 1315 | | AR | 10-NOV-72 | AR | | | |
| | L | | MIL-A-11610B(1) | ADAPTER, LINE, FILLING, 1&TON CONTAINER, M1 (VALIDATION DATE: 8410) REVIEWER: CS | A | 4730 | | EA | 22-JUN-67 | EA | | | |
| | L | | MIL-P-11633D | PROJECTILE, 60-MILLIMETER, MORTAR, M302A1; WP FILLING ASSEMBLY ..... | A | 1310 | | EA | 14-NOV-90 | EA | | | |
| | L | | MIL-P-11635C | PROJECTILE, 57 MM, SMOKE, WP, M308A1, FILLING ASSEMBLY ..... | A | 1310 | | EA | 22-JUL-87 | EA | | | |
| | L | | MIL-D-11637A NOTICE 1 | DRIVES, BALLISTIC, M4 (T23), M3 (T23E1 AND )T23E2(. (VALIDATION DATE: 8601) | A | 1270 | | AR | 01-MAR-54 | AR | | | |
| | L | | MIL-L-11647E | LEVER, BALK DEPRESSING; CLAW-BAR TYPE REVIEWER: CS MC ..... | A | 5420 | | ME | 26-JUL-91 | ME | | | |
| D | | | MIL-T-11663K | TRUCK, MATERIALS HANDLING, CONTAINER HOISTING, REAR HOIST, 21,000 TO 32,000 POUNDS GVW, 4X2 REVIEWER: 84 | A | 2320 | | AT | 14-DEC-87 | AT | YD1 | | 99 |
| | L | | MIL-F-11673F | FUZE, SMOKE POT, FLOATING, ELECTRIC M209 REVIEWER: 99 ..... | A | 1390 | | EA | 17-DEC-87 | EA | | | |
| | L | | MIL-S-11677B | SHELL, HOWITZER, 105-MM, M60,WP, FS, HD, AND H FILING ASSEMBLY (VALIDATION DATE: 8301) | A | 1315 | | EA | 28-FEB-57 | EA | | | |
| | L | | MIL-P-11678B NOTICE 1 | PROJECTILE, 90-MM, SMOKE, WP, M313; FILLING AND ASSEMBLY (VALIDATION DATE: 8808) | A | 1315 | | EA | 17-AUG-88 | EA | | | |
| | | | MIL-H-11689C | HAMMER, PNEUMATIC, PORTABLE, NAIL-DRIVING (VALIDATION DATE: 8006) USER: GL | A | 5130 | | ME | 08-NOV-74 | ME | | | 99 |
| Q | | | MIL-C-11693C(5) SUPPL 1B | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, AC AND DC (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR REVIEWER: 99 ES | A | 5910 | | ER | 15-OCT-91 | ER | EC | | 85 |
| | 1 | | MIL-C-11693/5B NOTICE 1 | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES), STYLE CZ20 (VALIDATION DATE: 8808) REVIEWER: 11 ES | A | 5910 | | ER | 17-AUG-88 | ER | EC | | 85 |
| A | | | MIL-C-11693/7D(3) | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED AND NON-ESTABLISHED RELIABILITY STYLES CZ23, CZ24, CZR23 AND CZR24 REVIEWER: 99 EA ES MI | A | 5910 | | ER | 21-SEP-92 | ER | EC | | 85 |
| | | | MIL-C-11693/8C NOTICE 1 | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASE), STYLE CZ25 (VALIDATION DATE: 8808) REVIEWER: 11 99 ES | A | 5910 | | ER | 17-AUG-88 | ER | EC | | 85 |
| | L | | MIL-F-11698D | FASTENER, QUICK RELEASE, ALUMINUM REVIEWER: IS ..... | A | 5340 | | GL | 16-AUG-88 | GL | | | |
| D | | | MIL-F-11712F(1) | FLOODLIGHTS, ELECTRIC: UTILITY TYPE, PORCELAIN-COVERED STEEL OR ALUMINUM, BRACKET-MOUNTED, WEATHERPROOF, WITH OR WITHOUT LENS USER: YD1 REVIEWER: 82 GS | A | 6230 | | ME | 08-JAN-92 | ME | | | 99 |
| | | | MIL-S-11713C NOTICE 1 | STEEL STRIP, CARBON, SPRING; FOR MECHANICAL TIME FUZE COMPONENTS (VALIDATION DATE: 8805) USER: WV REVIEWER: IS MI | A | 9515 | | MR | 26-MAY-88 | MR | OS | | |
| | | | MIL-S-11716D | SUPERSTRUCTURE, STEEL, FOR BRIDGE, FLOATING, PNEUMATIC FLOAT, CLASS 60 .... | A | 5420 | | ME | 12-JAN-93 | ME | MC | | |
| D | | | MIL-P-11719E(1) | PACKING, PREFORMED, PNEUMATIC HOSE COUPLINGS, UNIVERSAL USER: CS REVIEWER: 82 AT IS | A | 5330 | | ME | 25-SEP-84 | ME | YD1 | | 99 |
| D | | | MIL-R-11723E | RADIATORS; HEATING, STEEL, MULTIFIN TYPE REVIEWER: 84 CS ..... | A | 4520 | | YD1 | 20-OCT-88 | | YD1 | | 99 |
| | L | | MIL-G-11725B(1) | GUN, TWIN 40 MM, SELF-PROPELLED M42A1 ..... | A | 2350 | | AT | 04-SEP-87 | AT | | | |
| | | | MIL-T-11727B | TOBOGGAN, CARGO & CARRYING (TOWED TYPE, 28 INCHES BY 8 FEET) (VALIDATION DATE: 8402) REVIEWER: GS | A | 3920 | | ME | 15-NOV-73 | ME | | | 99 |
| D | | | MIL-C-11732D | CYLINDER, COMPRESSED GAS, CHLORINE, ICC 3A ICC 3AA (VALIDATION DATE: 8402) USER: MC YD1 REVIEWER: GS | A | 8120 | | ML | 20-MAR-73 | ML | SH | | 68 |
| D | | | MIL-C-11732/1 | CYLINDER, COMPRESSED GAS, CHLORINE, DOT 3A480 OR DOT 3AA480 (VALIDATION DATE: 8402) USER: EA YD1 REVIEWER: GS MC | A | 8120 | | ME | 08-MAR-73 | ME | SH | | 68 |
| D | | | MIL-C-11733D(1) | CYLINDER, COMPRESSED GAS, AMMONIA, WITH VALVE (DOT 4AA480) (VALIDATION DATE: 8501) USER: MC YD1 REVIEWER: GS | A | 8120 | | ME | 24-NOV-81 | ME | SH | | 68 |
| | | | MIL-L-11734C | LUBRICATING OIL, SYNTHETIC (FOR MECHANICAL TIME FUZES) (VALIDATION DATE: 7901) USER: ME MI REVIEWER: GS MD PS | A | 9150 | | AR | 31-DEC-69 | AR | OS | | 68 |
| | | | MIL-C-11743F | CASE, MAINTENANCE AND OPERATIONAL MANUALS USER: GL MC ..... | A | 7520 | | ME | 23-JAN-89 | ME | | | 99 |
| | L | | MIL-M-11745D | MARKING AND LABELING OF U.S. ARMY MARINE CRAFT REVIEWER: OS ..... | A | 1910 | | ME | 12-JUL-89 | ME | | | |
| | | | MIL-P-11751D | POTASSIUM HYDROXIDE SOLUTION REVIEWER: GS MD ..... | A | 6810 | | EA | 18-OCT-84 | EA | | | 68 |
| D | | | MIL-A-11755D(1) | ANTIFREEZE, ARCTIC-TYPE USER: MC SH SM REVIEWER: AR GS ..... | A | 6850 | | ME | 21-AUG-81 | ME | YD1 | | 68 |
| | L | | MIL-C-11762B NOTICE 1 | CAP, BLASTING, ELECTRIC INERT, ASSEMBLY (VALIDATION DATE: 8705) ..... | A | 1375 | | AR | 05-SEP-75 | AR | | | |
| | | | MIL-R-11764A NOTICE 1 | RESISTOR, DECADE ZM-16 ( )/U (VALIDATION DATE: 8606) USER: MC REVIEWER: 99 MI | A | 6625 | | CR | 06-JUN-86 | CR | | | 13 |
| | L | | MIL-R-11767F | RELAY ASSEMBLY: GUN-FIRING, WATERPROOF, 24 VOLT DC REVIEWER: AR ..... | A | 5945 | | AT | 04-JUN-91 | AT | | | |
| | L | | MIL-T-11776E | TABLE, LITHOGRAPHIC LAYOUT: TILT TOP, 24-INCH BY 30-INCH, NOMINAL ILLUMINATED AREA REVIEWER: GS | A | 3610 | | ME | 18-MAY-88 | ME | | | |
| | | | MIL-S-11779(1) | SCALE, METEOROLOGICAL, ML-125, ML-177, & ML-301 TM (VALIDATION DATE: 8412) REVIEWER: GS | A | 6675 | | CR | 11-SEP-64 | CR | | | 99 |
| Q | | | MIL-C-11796C | CORROSION PREVENTIVE COMPOUND, PETROLATUM, HOT APPLICATION USER: AS EA MS REVIEWER: GL MI OS SA | A | 8030 | | MR | 04-NOV-86 | MR | SH | | 99 |
| AQ | I | | MIL-R-11804E(4) NOTICE 2 | RESISTORS, FIXED, FILM (POWER TYPE), GENERAL SPECIFICATION FOR (VALIDATION DATE: 9208) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | | ER | 27-AUG-92 | ER | EC | | 85 |
| A | I | | MIL-R-11804/1C NOTICE 2 | RESISTORS, FIXED, FILM (POWER TYPE), STYLES RD31, RD33, RD35, RD37, AND RD39 (VALIDATION DATE: 9208) USER: 19 99 AT AV MC ME SH REVIEWER: 17 AR ES OS | A | 5905 | | ER | 27-AUG-92 | ER | EC | | 85 |
| A | I | | MIL-R-11804/2D NOTICE 2 | RESISTORS, FIXED, FILM (POWER TYPE), STYLES RD60, RD65, AND RD70 (VALIDATION DATE: 9208) USER: 19 AS AT AV CG MC ME SH REVIEWER: 17 99 AR ES OS | A | 5905 | | ER | 27-AUG-92 | ER | EC | | 85 |
| D | L | | MIL-R-11806C | ROLLER, TOWED, PNEUMATIC RED, HOPPER BODY, OSCILLATING WHEELS USER: CE CS MC REVIEWER: YD1 | A | 3895 | | 84 | 14-JAN-89 | | | | 99 |
| | L | | MIL-P-11807C | PROJECTILE, 155-MM, GUN AND HOWITZER, M104 AND M110, WP, FS, HD AND H FILLING ASSEMBLIES (VALIDATION DATE: 8006) USER: MC | A | 1320 | | EA | 06-JUN-57 | EA | | | |
| | LI | | MIL-R-11809B NOTICE 1 | RADAR INTERROGATOR SET AN/TPX-19, 20, 26 AND 27 PACKAGING AND PACKING OF .. | A | 5895 | | CR | 11-JAN-89 | CR | | | |
| | L | | MIL-V-11815B | VIEWER, STILL PICTURE AR-12 REVIEWER: GS ..... | A | 6730 | | CR | 02-NOV-84 | CR | | | |
| | | | MIL-M-11817C NOTICE 1 | WATTMETER, TS-118/AP (VALIDATION DATE: 8606) USER: MI REVIEWER: 11 67 ..... | A | 6625 | | CR | 06-JUN-86 | CR | | | 99 |
| | | | MIL-B-11818D | BAROMETER, ANEROID ML-102 REVIEWER: 80 ..... | A | 6660 | | CR | 17-DEC-85 | CR | | | 99 |
| | L | | MIL-T-11823 | TUBING, STEEL, ROUND, FOR PRIMERS AND BURSTERS ..... | A | 1315 | | EA | 10-MAR-52 | EA | | | |
| | L | | MIL-P-11824C NOTICE 1 | PRIMER, NO. 1-1/2 (VALIDATION DATE: 8808) ..... | A | 1375 | | EA | 17-AUG-88 | EA | | | |
| D | | | MIL-B-11837C | BLOCK, TACKLE, WIRE ROPE, SNATCH, EXTRA HEAVY DUTY USER: MC YD1 REVIEWER: 84 ER IS | A | 3940 | | ME | 06-OCT-83 | ME | | | 99 |
| | | | MIL-T-11838D(1) | TREADWAY, SUPERSTRUCTURE BRIDGE, FLOATING, FOOT, ALUMINUM, (VALIDATION DATE: 8205) REVIEWER: CS | A | 5420 | | ME | 27-NOV-73 | ME | MC | | |
| | | | MIL-B-11839D NOTICE 1 | BAROMETER, ANEROID ML-434()/PM (VALIDATION DATE: 8804) REVIEWER: GS ..... | A | 6660 | | CR | 27-APR-88 | CR | | | 99 |

| Action | QPL / QML / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-B-11844D(2) | BRIDGE, FIXED: STEEL, PORTABLE PANEL, BAILEY TYPE M2 (WIDENED ROADWAY) REVIEWER: CS | A | 5420 | ME | 06-MAR-90 | ME | | | | |
| | | MIL-L-11848C(1) | LIGHTS, POWER TOOL USER: SH REVIEWER: GS | A | 6230 | ME | 17-SEP-90 | ME | | 99 | | |
| L | | MIL-P-11859H | PONTON BOATS, ALUMINUM, FOR FLOATING FOOTBRIDGE USER: CG REVIEWER: CS | A | 5420 | ME | 26-JUN-91 | ME | | | | |
| D | | MIL-S-11863C NOTICE 1 | SAWMILL, CIRCULAR, TRAILER-MOUNTED, 50 INCH BLADE, DIESEL ENGINE DRIVEN USER: YD1 REVIEWER: GS | A | 3210 | ME | 25-JAN-88 | ME | MC | 99 | | |
| | | MIL-T-11865A(1) | TELESCOPE, M84 [VALIDATION DATE: 8601] | A | 1240 | AR | 20-MAY-53 | AR | OS | | | |
| L | | MIL-C-11866C NOTICE 2 | CASTINGS, PRECISION, NONFERROUS [VALIDATION DATE: 9103] USER: AL ME REVIEWER: AR EA MI | A | MECA | MR | 10-MAR-91 | MR | | | | |
| D | | MIL-I-11867K | ICE MAKING MACHINE, CUBE USER: CE MC REVIEWER: 82 GS MD ME MS TS | A | 4110 | GL | 07-SEP-83 | GL | YD1 | 99 | | |
| D | | MIL-I-11873C | IMPREGNATING SET, CLOTHING, FIELD, M3 [VALIDATION DATE: 8505] USER: MC REVIEWER: GS | A | 4230 | EA | 19-NOV-65 | EA | YD1 | 99 | | |
| A | L | MIL-S-11874D NOTICE 2 | SHOULDER CORD, INFANTRY, BLUE [VALIDATION DATE: 9211] REVIEWER: CT | A | 8455 | IH | 20-NOV-92 | IH | | | | |
| | | MIL-P-11879D | PYROMETER, OPTICAL [VALIDATION DATE: 8402] REVIEWER: GS | A | 6685 | ME | 11-OCT-74 | ME | | 99 | | |
| | | MIL-B-11886K | BOX, METAL, SHIPPING, REUSABLE, TRANSPORTER, STEEL, MAX. LOAD 9,000 LBS. [VALIDATION DATE: 8302] USER: AT AV GL MC SM REVIEWER: 99 GS | A | 8115 | ME | 13-OCT-72 | ME | | 69 | | |
| | QL | MIL-T-11891D(1) | TRACK SHOE ASSEMBLY, TRACK SHOE SETS, TRACK SHOE PADS, & TRACK SHOE BUSHINGS, VEHICULAR, ELASTOMERIZED USER: ME REVIEWER: CS MI | A | 2530 | AT | 25-OCT-84 | AT | | | | |
| A | | MIL-S-11922E NOTICE 1 | SCARF, BRANCH OF SERVICE, BIB TYPE [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 04-NOV-92 | IH | MU | 11 | | |
| | L | MIL-C-11926B NOTICE 2 | CANNON, 90MM GUN: M54 [VALIDATION DATE: 9105] | A | 9510 | AR | 06-MAY-91 | AR | | | | |
| | L | MIL-C-11927D | CANNON, 90MM, M41 [VALIDATION DATE: 8203] USER: MC | A | 1015 | AR | 25-MAR-70 | AR | | | | |
| | | MIL-A-11928B NOTICE 1 | AXLE RL-27( ) (FOR LAYING FIELD WIRE) [VALIDATION DATE: 8803] | A | 3895 | CR | 26-MAR-88 | CR | | 99 | | |
| | I | MIL-L-11931C NOTICE 1 | LENS, CAMERA, COPYING LE-5() REVIEWER: GS | A | 6760 | CR | 05-OCT-90 | CR | | 99 | | |
| | | MIL-C-11954A | CONTAINER, FOR FLOATING SMOKE POT [VALIDATION DATE: 8008] USER: MC | A | 1365 | EA | 26-AUG-52 | EA | OS | | | |
| | LI | MIL-C-11957C NOTICE 1 | CONVERTER, SINGLE SIDEBAND, CV-157( )/URR REVIEWER: 99 | A | 5820 | CR | 17-OCT-89 | CR | | | | |
| | | MIL-P-11970C NOTICE 1 | POTASSIUM PARMANGANATE, TECHNICAL (METRIC) [VALIDATION DATE: 8810] REVIEWER: GS | A | 6810 | GS | 07-OCT-88 | ME | | 68 | | |
| | | MIL-M-11982A(1) NOTICE 1 | MOUNT, A.A., MACHINE GUN, CALIBER .50, M63 (W/SPARE PARTS) [VALIDATION DATE: 8806] USER: MC | A | 1005 | AR | 17-JUN-88 | AR | OS | | | |
| | | MIL-G-11994A(3) NOTICE 1 | GENERATOR, RINGING, HAND G-42( )/PT [VALIDATION DATE: 8803] REVIEWER: 99 MC | A | 5805 | CR | 31-MAR-88 | CR | | 17 | | |
| | | MIL-H-119968 | HANDSET H-60/PT, HANDSET H-156/U, AND HANDSET H-165/U REVIEWER: 99 AR ES MI SM | A | 5965 | CR | 28-OCT-80 | CR | | 85 | | |
| | L | MIL-H-119968(I1) | HANDSETS GENERAL SPECIFICATION FOR | A | 5965 | CR | 12-DEC-91 | CR | | | | |
| | | MIL-H-11996/1 NOTICE 1 | HANDSET, H-60()/PT [VALIDATION DATE: 8803] REVIEWER: 17 99 ES MI | A | 5965 | CR | 29-MAR-88 | CR | | 85 | | |
| | | MIL-H-11996/2 NOTICE 1 | HANDSET, H-156()/PT [VALIDATION DATE: 8803] REVIEWER: 17 99 ES MI | A | 5965 | CR | 29-MAR-88 | CR | | 85 | | |
| | | MIL-H-11996/3 NOTICE 1 | HANDSET, H-165()/PT [VALIDATION DATE: 8803] REVIEWER: 17 99 EA MI | A | 5965 | CR | 25-MAR-88 | CR | | 85 | | |
| | L | MIL-C-11997B(1) | CORD ASSEMBLY, ELECTRICAL, CX-215/U (RETRACTILE) REVIEWER: GS | A | 5995 | CR | 22-APR-87 | CR | | | | |
| D | | MIL-C-12000H | CABLE, CORD, AND WIRE, ELECTRIC; PACKAGING OF USER: MA MC SH REVIEWER: 99 AR AS AT ES IS MI OS SA SM | A | PACK | YD1 | 27-SEP-90 | CR | YD1 | 85 | | |
| | | MIL-P-12001D | PROBE LIGHT KIT, INSPECTION [VALIDATION DATE: 8301] USER: AS MC REVIEWER: GS | A | 6230 | ME | 29-MAR-77 | ME | OS | 99 | | |
| | L | MIL-V-12003F(1) | VALVES, PLUG, CAST-IRON OR STEEL, MANUALLY OPERATED USER: 99 CE REVIEWER: CS | A | 4820 | ME | 27-NOV-84 | ME | | | | |
| | L | MIL-T-12014B NOTICE 1 | TRIBUTYLAMINE, NORMAL (METRIC REVIEWER: GS MD | A | 6810 | EA | 04-MAR-87 | EA | | | | |
| | | MIL-T-12020C | TRIPOD, PHOTOGRAPHIC LM-41 USER: MI REVIEWER: GS | A | 6760 | CR | 21-NOV-84 | CR | | | | |
| | | MIL-S-12030B | SMOKE POT, HC, M1 USER: MC | A | 1365 | EA | 30-JUN-89 | EA | OS | | | |
| | L | MIL-C-12038C NOTICE 1 | CHLOROBENZENE, TECHNICAL [VALIDATION DATE: 8808] REVIEWER: GS MD MR | A | 6810 | EA | 12-AUG-88 | EA | | | | |
| | L | MIL-L-12039D | LITHIUM HYDRIDE, TECHNICAL (METRIC) | A | 6810 | OS | 14-NOV-90 | | OS | | | |
| | | MIL-C-12044D | CHEST, PLYWOOD [VALIDATION DATE: 8311] USER: CE MC REVIEWER: CS | A | 8145 | ME | 13-FEB-75 | ME | | 99 | | |
| | L | MIL-P-12048D(1) | PETROLEUM TESTING KIT, GROUND FUELS REVIEWER: GS | A | 6630 | ME | 23-OCT-91 | ME | | | | |
| | L | MIL-C-12051B | CHEMICAL AGENT, MUSTARD, DISTILLED (HD) [VALIDATION DATE: 8201] USER: OS REVIEWER: MD | A | 1365 | EA | 23-JUN-69 | EA | | | | |
| | | MIL-M-12054A | MUSTARD, H (LEVINSTEIN PROCESS) [VALIDATION DATE: 8008] | A | 1365 | EA | 19-NOV-52 | EA | OS | | | |
| | L | MIL-C-12056C NOTICE 1 | CALCIUM OXIDE, TECHNICAL (METRIC) [VALIDATION DATE: 8808] USER: GS MD | A | 6810 | EA | 12-AUG-88 | EA | | | | |
| | L | MIL-I-12058C NOTICE 1 | IRON, TECHNICAL [VALIDATION DATE: 8903] USER: MI REVIEWER: AR GS MD | A | 6810 | EA | 13-MAR-89 | EA | | | | |
| | L | MIL-P-12059 NOTICE 3 | POWDER, SULFURLESS MEAL [VALIDATION DATE: 8604] REVIEWER: GS | A | 6810 | AR | 08-APR-86 | AR | | | | |
| | L | MIL-S-12060D | SULFUR MONOCHLORIDE, TECHNICAL (METRIC) REVIEWER: GS MD | A | 6810 | EA | 28-FEB-84 | EA | | | | |
| | L | MIL-Z-12061B NOTICE 1 | ZINC CARBONATE, BASIC, TECHNICAL [VALIDATION DATE: 8903] REVIEWER: GS MD | A | 6810 | EA | 13-MAR-89 | EA | | | | |
| M | L | MIL-W-12062A NOTICE 1 | WAX, PETROLEUM (METRIC) [VALIDATION DATE: 9303] | A | 9160 | EA | 25-MAR-93 | EA | | | | |
| | L | MIL-Z-12063B NOTICE 1 | ZINC BORATE, TECHNICAL (METRIC) USER: MC REVIEWER: GS | A | 6810 | EA | 03-MAR-87 | EA | | | | |
| | | MIL-W-12065D | WINCHES, DRUM, HAND OPERATED; SPUR GEAR, 2 OR 3 PURCHASE USER: CE MC REVIEWER: CS | A | 3950 | ME | 09-AUG-84 | ME | SH | 99 | | |
| M | | MIL-F-12070D(1) | FOG OIL USER: 68 MC REVIEWER: EA GS OS SA | A | 9150 | ME | 29-APR-93 | ME | SH | | | |
| | | MIL-F-12075D | FORGING MACHINE, HAMMER, VERTICAL, ELECTRIC & PNEUMATIC, SELF CONTAINED [VALIDATION DATE: 8508] REVIEWER: AS GS | A | 3446 | IP | 04-NOV-74 | AR | SH | 99 | | |
| | | MIL-T-12076A | TIN, STRIP AND SHEET [VALIDATION DATE: 8405] REVIEWER: IS | A | 9535 | EA | 19-JAN-53 | EA | | 99 | | |
| A | | MIL-C-12095G NOTICE 1 | CLOTH, WIND & RESISTANT SATEEN, COTTON, FIRE & WATER RESISTANT [VALIDATION DATE: 8711] USER: MC REVIEWER: 11 EL MD | A | 8305 | CT | 12-NOV-87 | GL | MU | 99 | CT | |
| | L | MIL-S-12100 | SHOCK MOUNT M-447, M-448, M-449 AND BRACKET FT-512 [VALIDATION DATE: 7511] REVIEWER: IS MI | A | 5340 | ER | 08-JUL-52 | ER | | | | |
| | | MIL-C-12103C(1) | COMPUTER, STADIA, CIRCULAR SCALE | A | 6675 | 82 | 24-SEP-84 | ME | | 99 | GS | |
| | Q | MIL-S-12109C SUPPL 1B, NOTICE 1 | SOLENOID, ELECTRICAL; GUN-FIRING MECHANISMS [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR EA ES | A | 9510 | AT | 25-JUN-90 | AT | OS | 85 | | |
| | | MIL-S-12109/1 NOTICE 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES | A | 5945 | AT | 25-JUN-90 | AT | OS | 85 | | |
| | | MIL-S-12109/2 NOTICE 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES | A | 5945 | AT | 25-JUN-90 | AT | OS | 85 | | |
| | | MIL-S-12109/3A NOTICE 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES | A | 5945 | AT | 25-JUN-90 | AT | OS | 85 | | |
| | | MIL-S-12109/4 NOTICE 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES | A | 5945 | AT | 25-JUN-90 | AT | OS | 85 | | |
| | | MIL-S-12109/5 NOTICE 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. [VALIDATION DATE: 9006] USER: AV MC REVIEWER: 99 AR ES | A | 5945 | AT | 25-JUN-90 | AT | OS | 85 | | |
| | | MIL-S-12109/6 NOTICE 1 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON), 90 MM, 24 VOLT DC, 28 AMP MAX [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES | A | 9510 | AT | 25-JUN-90 | AT | OS | 85 | | |

| Action | OPR / QMR Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-S-12109/7 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 1 (CANNON), 90 MM, 24 VOLT DC, 28 AMP MAX. (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES | A | 5945 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/8 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. (VALIDATION DATE: 9006) USER: AV MC REVIEWER: 99 AR ES | A | 5945 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/9 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR | A | 5945 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/10 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. (VALIDATION DATE: 9006) USER: AV MC REVIEWER: 99 AR ES | A | 5945 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/11 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN) CAL .50, 24 VOLT DC, 8 AMP MAX. (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES | A | 5945 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/12 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX. (VALIDATION DATE: 9006) USER: AV MC REVIEWER: 99 AR ES | A | 9510 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/13 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX. (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES | A | 9510 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/14 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX. (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES | A | 9510 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/15 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN) CAL .50, 24 VOLT DC, 7.7 AMP MAX. (VALIDATION DATE: 9006) USER: AV MC REVIEWER: 99 AR ES | A | 5945 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/16 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN) CAL .30, 12 VOLT DC, 8 AMP MAX. (VALIDATION DATE: 9006) USER: AV MC REVIEWER: 99 AR ES | A | 5945 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/17 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. (VALIDATION DATE: 9006) USER: AV MC REVIEWER: 99 AR ES | A | 9510 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/18 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 76 MM, 24 VOLT DC, 28 AMP MAX. (VALIDATION DATE: 9006) USER: AV MC REVIEWER: 99 AR ES | A | 5945 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/19 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES | A | 5945 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/20 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 76 MM, 24 VOLT DC, 28 AMP MAX (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES | A | 9510 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | | | MIL-S-12109/21 NOTICE 1 | SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN) 7.62MM, 24 VOLT DC, 8 AMP MAX. (75F20924 AND 7791685) (VALIDATION DATE: 9006) USER: AR MC REVIEWER: ES | A | 5945 | AT | AT | 25-JUN-90 | AT | OS | 85 | |
| | L | | MIL-S-12115A | SNOWPLOW, RAILWAY, PUSH, WEDGE TYPE, LOCOMOTIVE PILOT MOUNTED. (VALIDATION DATE: 8501) | A | 2230 | ME | ME | 25-NOV-74 | ME | | | |
| | L | | MIL-V-12125F | VALVE, GATE: QUICK-OPENING, CLASS 125, CAST IRON, WITH POSITION LOCK REVIEWER: CG CS | A | 4820 | ME | ME | 21-DEC-89 | ME | | | |
| D | L | | MIL-V-12126L | VALVES, GATE: BRONZE, LEVER OPERATED, QUICK OPENING, 125 PSI AND 150 PSI USER: CE SH YD1 REVIEWER: AR CS | A | 4820 | ME | ME | 02-FEB-90 | ME | | | |
| | | | MIL-W-12133C | WASHER, SPRING TENSION GENERAL SPECIFICATION FOR USER: AT MC ME REVIEWER: AS AV IS MI SH | A | 5310 | AR | AR | 24-APR-86 | AR | OS | 99 | |
| D | | | MIL-W-12133/1B | WASHER, SPRING TENSION, BELLEVILLE SPRING, SPRING STEEL USER: AT MC ME YD1 REVIEWER: AS AV GL MI SH | A | 5310 | AR | AR | 25-APR-86 | AR | OS | 99 | |
| D | | | MIL-W-12133/2A | WASHER, SPRING TENSIONBELLEVILLE SPRING, CORROSION RESISTANT STEEL USER: AT MC ME MI YD1 REVIEWER: 11 82 AS CR EC IS | A | 5310 | AR | AR | 18-APR-86 | AR | OS | 99 | |
| D | | | MIL-W-12133/3 | WASHER, SPRING TENSION, WAVE, COPPER-BERYLLIUM USER: AT MC ME MI YD1 REVIEWER: 11 82 AS AV IS | A | 5310 | AR | AR | 30-JUL-84 | AR | OS | 99 | |
| D | | | MIL-W-12133/4A | WASHER, SPRING TENSION, WAVE, CRES 302 USER: AT IS MC ME YD1 REVIEWER: 11 82 AS AV GL SH | A | 5310 | AR | AR | 28-FEB-86 | AR | OS | 99 | |
| D | | | MIL-W-12133/5A | WASHER, SPRING TENSION, CURVED, SPRING STEEL USER: AT MC ME YD1 REVIEWER: 11 82 AS IS MI | A | 5310 | AR | AR | 28-APR-86 | AR | OS | 99 | |
| D | | | MIL-W-12133/6 | WASHER, SPRING TENSION, WAVE, SPRING STEEL USER: CR MC YD1 REVIEWER: 11 82 AS ER IS MI | A | 5310 | AR | AR | 24-APR-86 | AR | OS | 99 | |
| D | | | MIL-W-12133/7 | WASHER, SPRING TENSION, FINGER TYPE, STEEL USER: MC YD1 REVIEWER: 82 AS ER IS MI | A | 5310 | AR | AR | 18-APR-86 | AR | OS | 99 | |
| D | | | MIL-W-12133/8 | WASHER, SPRING TENSION, CURVED, CRES, 302 USER: AT GL MC YD1 REVIEWER: 11 82 AS AV IS MI | A | 5310 | AR | AR | 18-JUN-87 | AR | OS | 99 | |
| D | | | MIL-W-12133/9 | WASHER, SPRING TENSION, CURVED, COPPER, BERYLLIUM USER: AS CR MC YD1 REVIEWER: 11 82 AT ER IS MI | A | 5310 | AR | AR | 09-OCT-87 | AR | OS | 99 | |
| | | | MIL-S-12134C(1) | SYNCHROS, RESOLVERS, AND SERVO MOTORS; PACKAGING OF (VALIDATION DATE: 8901) USER: CG EC MC REVIEWER: AV EL ES MI OS SH | A | PACK | AR | AR | 24-JAN-89 | AR | AS | 85 | |
| | | | MIL-S-12134C(12) | SYNCHROS, RESOLVERS, AND SERVO MOTORS; PACKAGING OF (VALIDATION DATE: 8901) USER: CG EC MC REVIEWER: AV CR ES MI OS | A | PACK | AR | AR | 24-JAN-89 | AR | AS | 85 | |
| D | | | MIL-W-12135/5 | WASHER, SPRING TENSION, CURVED, SPRING STEEL USER: AS AT IS MC ME MI YD1 REVIEWER: 11 82 AV | A | 5310 | AR | AR | 30-JUL-84 | AR | OS | 99 | |
| D | | | MIL-F-12138B | FACEFORM, GAS MASK (VALIDATION DATE: 8505) USER: MC MI REVIEWER: GS ..... | A | 4240 | EA | EA | 01-JUL-54 | EA | YD1 | | |
| | | | MIL-R-12144F(1) | REFLECTOR, INDICATING, CLEARANCE USER: ME REVIEWER: GL ..... | A | 9905 | AT | AT | 16-SEP-87 | AT | | 99 | |
| | | | MIL-D-12150E | DETERGENT, DRY CLEANING SOLVENT (VALIDATION DATE: 8303) USER: MC SH REVIEWER: GS MD | A | 7930 | GL | GL | 22-NOV-76 | GL | SH | 99 | |
| | L | | MIL-S-12158D NOTICE 1 | SEALING COMPOUND, NON-CURING, POLYBUTENE (VALIDATION DATE: 9202) REVIEWER: AR ME MR SH | A | 8030 | AT | AT | 28-FEB-92 | AT | | | |
| | | | MIL-P-12164E | PLAYPIPE, NOZZLE, FIRE HOSE REVIEWER: 84 CS ..... | A | 4210 | ME | ME | 29-MAR-84 | ME | | 99 | |
| D | | | MIL-S-12165F | STRAINER, SUCTION, FIRE HOSE, AND STRAINERS, SUCTION, HOSE (VALIDATION DATE: 8410) REVIEWER: CS EA | A | 4730 | ME | ME | 01-AUG-79 | ME | YD1 | 99 | |
| | L | | MIL-C-12166 | COPPER ROD FOR CRUSHER CYLINDERS (VALIDATION DATE: 8101) REVIEWER: AR ..... | A | 1305 | TE | TE | 14-AUG-52 | TE | | | |
| D | | | MIL-T-12167E | TIP, NOZZLE, FIRE HOSE USER: AS MC REVIEWER: 84 CS ..... | A | 4210 | ME | ME | 19-OCT-83 | ME | YD1 | 99 | |
| | L | | MIL-R-12170B | RADIO FREQUENCY TRANSMISSION LINE ASSEMBLY CG-1013( )/U (UNITS OF) ..... | A | 5820 | CR | CR | 18-SEP-90 | CR | | | |
| A | L | | MIL-T-12173D | TRAVELER, BICYCLE REVIEWER: CS ..... | A | 5420 | ME | ME | 26-OCT-92 | ME | | | |
| M | I | | MIL-M-12185C NOTICE 2 | MOTORS, WINDSHIELD WIPER: PNEUMATIC, VACUUM, AND VALVES, CONTROL FOR USER: CS MC | A | 2540 | AT | AT | 17-MAR-93 | AT | YD1 | | |
| A | | | MIL-C-12189H | CLOTH, COATED: BUTYL COATED, TOXICOLOGICAL AGENTS PROTECTIVE USER: MC REVIEWER: 82 99 EA MD | A | 8305 | CT | GL | 30-JUN-88 | GL | MU | 11 | CT |
| | | | MIL-D-12195D | DRIER, PHOTOGRAPHIC FILM EL-4/U REVIEWER: GS ..... | A | 6740 | CR | CR | 21-NOV-84 | CR | AS | 99 | |
| D | | | MIL-L-12197E(1) | LADDER, FIRE, EXTENSION, LADDERS, FIRE, SINGLE, AND LADDERS, FIRE, A-FOLDING EXTENSION (VALIDATION DATE: 8503) USER: CE MC REVIEWER: CS | A | 4210 | ME | ME | 15-MAR-78 | ME | YD1 | 99 | |
| | | | MIL-S-12204C | SOLDER, LEAD-TIN ALLOY (VALIDATION DATE: 9101) USER: AT MC REVIEWER: GS MI | A | 3439 | AR | AR | 17-JAN-91 | AR | OS | 11 | |
| | | | MIL-S-12210A NOTICE 1 | STRONTIUM OXALATE (VALIDATION DATE: 8806) REVIEWER: GS ..... | A | 6810 | AR | AR | 17-JUN-88 | AR | OS | | |
| DQ | I | | MIL-S- [illegible] NOTICE 1 | SWITCH, PRESSURE USER: MC YD1 REVIEWER: 85 ES ME MI ..... | A | 5930 | AT | AT | 30-NOV-92 | AT | | 11 | |
| A | I | | MIL-R-12216C NOTICE 1 | REFLECTOR, LIGHT: ALUMINUM, AND SHIELD, LIGHT: TELESCOPING, ALUMINUM REVIEWER: GS | A | 6210 | ME | ME | 11-AUG-92 | ME | | 99 | |
| | | | MIL-M-12218C(1) | MONOBROMOTORFLUORETHANE (LIQUIFIED) TECHNICAL GRADE FOR FIRE EXTINGUISHER (VALIDATION DATE: 8501) | A | 6830 | ME | ME | 24-DEC-81 | ME | AS | 68 | |
| | L | | MIL-R-12221D | RIVET, SOLID, ALUMINUM ALLOY, GRADE 7277, TEMPERED REVIEWER: IS ..... | A | 5320 | ME | ME | 25-FEB-85 | ME | | | |
| A | | | MIL-G-12223J | GLOVES, TOXICOLOGICAL AGENTS PROTECTIVE USER: 45 MC REVIEWER: 82 EA MD .... | A | 8415 | CT | GL | 15-MAR-90 | GL | MU | 99 | CT |
| O | | | MIL-F-12224J | FOOTWEAR COVERS, TOXICOLOGICAL AGENTS PROTECTIVE, M-1 USER: 45 MC YD1 REVIEWER: 82 MD | A | 8430 | CT | GL | 03-MAY-89 | GL | MU | 99 | CT |
| A | | | MIL-M-12225M | HOOD, GAS MASK, TOXICOLOGICAL AGENTS PROTECTIVE: M-3 USER: 45 EA MC REVIEWER: 11 82 AS MD | A | 8415 | CT | GL | 06-MAR-90 | GL | MU | 99 | CT |
| A | | | MIL-C-12226G | COVER, TOXICOLOGICAL AGENTS PROTECTIVE GAS MASK HOOD, COOLING USER: 45 MC OS | A | 8415 | CT | GL | 23-DEC-87 | | MU | 99 | CT |
| A | | | MIL-S-12227F | SUIT, TOXICOLOGICAL AGENTS PHOTECTIVE COVER, COOLING USER: 45 MC OS REVIEWER: 11 | A | 8415 | CT | GL | 08-MAY-89 | | MU | 99 | CT |
| | | | MIL-B-12233E | BAG, SAND, BURLAP AND COTTON REVIEWER: 84 ..... | A | 8105 | GL | GL | 31-DEC-86 | GL | | 69 | |
| | L | | MIL-B-12233E(11) | BAGS, SAND: BURLAP AND COTTON ..... | A | 8105 | GL | GL | 12-DEC-90 | GL | | | |
| | L | | MIL-T-12236A NOTICE 1 | TEST SET, ELECTRICAL POWER (TEST SET 1-199) (VALIDATION DATE: 8606) ..... | A | 6625 | CR | CR | 06-JUN-86 | CR | | | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-M-12240A | HYDROMETER, SYRINGE, BATTERY TS-765 [VALIDATION DATE: 8502] | A | 6630 ER | 18-AUG-58 | ER | | | |
| L | | MIL-T-12242A | TEST SET, TELEPHONE TS-716/U [VALIDATION DATE: 7509] | A | 6625 CR | 20-JUN-63 | CR | | | |
| D | L | MIL-B-12253E | BRAKES, MUZZLE, CANNON, STEEL CASTINGS FOR REVIEWER: WV | A | MECA AR | 03-NOV-88 | AR | | | |
| L | | MIL-B-12264A | BEAM, HOISTING, LIQUID GAS TANK, M1 [VALIDATION DATE: 8009] | A | 1730 EA | 27-MAR-61 | EA | | | |
| L | | MIL-G-12268(2) NOTICE 1 | GENERATORS GN-41 AND GN-41-B [VALIDATION DATE: 8803] REVIEWER: 99 | A | 5805 CR | 31-MAR-88 | CR | | | |
| D | | MIL-T-12270C(1) | TIE-PLATE, RAILWAY | A | 2250 ME | 27-DEC-84 | ME | YD1 | | |
| | L | MIL-V-12276D(1) | VARNISH PHENOLIC, BAKING [VALIDATION DATE: 8512] USER: AR REVIEWER: EA MD MI | A | 8010 ME | 01-AUG-73 | MR | | | |
| D | | MIL-N-12279F | NOZZLE, FIRE HOSE, FOAM [VALIDATION DATE: 8412] USER: CG REVIEWER: CS SH | A | 4210 ME | 24-SEP-79 | ME | YD1 | | |
| | L | MIL-C-12280A | CARTRIDGE, ABSORBENT, M2 | A | 44GP EA | 29-DEC-55 | EA | | | |
| | QL | MIL-S-12285D(1) | SWITCHES, THERMOSTATIC | A | 5930 AT | 07-APR-92 | AT | | | |
| A | L | MIL-S-12285/1G | SWITCH, THERMOSTATIC (LONG SENSOR) | A | 5930 AT | 07-DEC-92 | AT | | | |
| A | L | MIL-S-12285/2E | SWITCH, THERMOSTATIC (SHORT SENSOR) | A | 5930 AT | 21- JUL-92 | AT | | | |
| D | | MIL-T-12295E(2) | TANK, HOT WATER STORAGE USER: CG MC REVIEWER: CE CS MD | A | 4520 ME | 23-SEP-83 | ME | YD1 | 99 | |
| | L | MIL-M-12296(1) | MASK, PROTECTIVE, FIELD, M9A1 REVIEWER: GS | A | 4240 EA | 11-SEP-87 | EA | | | |
| | L | MIL-G-12297H(1) | GRENADE, HAND, INCENDIARY, TH3, AN-M14 | A | 1330 AR | 17-JAN-86 | AR | | | |
| | L | MIL-F-12298A | FABRIC, GLASS, WOVEN [VALIDATION DATE: 8505] | A | 1395 AH | 26-OCT-65 | AR | | | |
| | L | MIL-W-12307C | WRENCH, VALVE-REMOVING, M1 AND M2 USER: GL | A | 5120 EA | 16-JUN-87 | EA | | | |
| | L | MIL-D-12313C(2) | DIMMER, LAMP, 60 WATT, 120 VOLT, MEDIUM SCREW BASE AND SOCKET REVIEWER: GS | A | 6250 ME | 06-SEP-88 | ME | | | |
| D | | MIL-H-12314E | NOZZLE, FIRE HOSE, WATER, SPRAY AND STEAM USER: MC REVIEWER: 84 CE CS | A | 4210 ME | 20-OCT-83 | ME | YD1 | 99 | |
| A | | MIL-C-12316L | CASE, MAP AND PHOTOGRAPH, COTTON DUCK USER: 45 MC REVIEWER: 82 SA | A | 8460 CT | 10-AUG-84 | GL | MU | 99 | CT |
| | L | MIL-M-12320A(4) | MAST BASE, SECTION AND ADAPTER KIT [VALIDATION DATE: 8110] REVIEWER: ES | A | 5985 ER | 14-SEP-73 | ER | | | |
| D | | MIL-H-12322D | HEATER, WATER, STEAM-HOT WATER HEATED [VALIDATION DATE: 8511] USER: CE REVIEWER: CG CS MD | A | 4520 ME | 08-DEC-78 | ME | YD1 | 99 | |
| D | | MIL-R-12323G | REFRIGERATORS AND RELATED EQUIPMENT, PACKAGING AND PACKING OF USER: MC ME REVIEWER: GS | A | 4110 GL | 31-DEC-92 | GL | YD1 | 99 | |
| | L | MIL-G-12326K(3) | GRENADE, HAND, SMOKE M18 | A | 1330 EA | 21-APR-89 | EA | | | |
| | | MIL-G-12327J | GRENADE, HAND, SMOKE, HC, M8 | A | 1330 EA | 06-JUN-89 | EA | MC | 99 | |
| | | MIL-G-0012327H | GRENADE, HAND, SMOKE H | A | 1330 EA | 18-JUN-84 | EA | | | |
| | L | MIL-H-12329D(2) | REELING MACHINE, CABLE, HAND RL-31 REVIEWER: CS | A | 3895 CR | 30-OCT-86 | CR | | | |
| | L | MIL-W-12332A(2) | WELDING, RESISTANCE, SPOT, SEAM, AND PROJECTION, FOR FABRICATING ASSEMBLIES OF LOW-CARBON STEEL [VALIDATION DATE: 8501] USER: ME REVIEWER: EA MI OS | A | THJM MK | 04-OCT-68 | MK | | | |
| | L | MIL-T-12333C NOTICE 1 | TEST SET, CRYSTAL UNIT, QUARTZ TS-710/TSM [VALIDATION DATE: 8606] | A | 6625 CR | 06-JUN-86 | CR | | 99 | |
| D | | MIL-H-12340C(2) | HEATER, SPACE (YUKON, M-1950, WITH ACCESSORIES) REVIEWER: 25 CS MD ME MS | A | 4520 GL | 15-JUN-90 | GL | YD1 | 99 | |
| D | | MIL-T-12354F(1) | TENT, ARCTIC, 10 MAN USER: 45 MC YD1 REVIEWER: 82 | A | 8340 CT | 23-AUG-91 | GL | MU | 99 | CT |
| D | | MIL-J-12368D(1) | JOINT BAR, RAIL | A | 2250 ME | 27-DEC-84 | ME | YD1 | | |
| A | L | MIL-C-12369F(1) NOTICE 1 | CLOTH, BALLISTIC, NYLON [VALIDATION DATE: 8904] REVIEWER: EA MD | A | 8305 CT | 22-APR-89 | GL | | | CT |
| | | MIL-C-12386E | CLAMP, REPAIR, PIPE, WITH GASOLINE-RESISTANT GASKET, GENERAL SPECIFICATION FOR USER: MC REVIEWER: CS | A | 4730 ME | 31-MAR-87 | ME | | 99 | |
| | | MIL-C-12386/1A NOTICE 1 | CLAMP, REPAIR, PIPE; WITH GASOLINE-RESISTANT GASKET; TYPE I, SPLIT APPLICATION [VALIDATION DATE: 9011] USER: AS CE MC REVIEWER: CS | A | 4730 ME | 14-NOV-90 | ME | | 99 | |
| | | MIL-C-12386/2A NOTICE 1 | CLAMP, REPAIR, PIPE; WITH GASOLINE-RESISTANT GASKET; TYPE II, PINHOLE APPLICATION [VALIDATION DATE: 9011] USER: AS CE MC REVIEWER: CS | A | 4730 ME | 14-NOV-90 | ME | | 99 | |
| | L | MIL-A-12391B | APPARATUS, FILLING, FIELD, LAND MINE, M2 [VALIDATION DATE: 8405] | A | 1040 EA | 20-OCT-77 | EA | | | |
| | | MIL-E-12397B | ERASER, RUBBER-PUMICE (FOR TESTING COATED OPTICAL ELEMENTS) [VALIDATION DATE: 8404] USER: GL OS REVIEWER: MI | A | 7510 AR | 18-NOV-54 | AR | | | |
| | L | MIL-T-12400A NOTICE 1 | TEST SET, BATTERY TS-776/U [VALIDATION DATE: 8606] | A | 6625 CR | 06-JUN-86 | CR | | | |
| | | MIL-W-12404E | WIND MEASURING SET AN/GMQ-11 (UNITS OF) [VALIDATION DATE: 7612] | A | 6660 CR | 07-JUL-70 | CR | | 99 | |
| | L | MIL-R-12405D NOTICE 1 | RECORDER, WIND DIRECTION AND SPEED RO-2()/GMQ [VALIDATION DATE: 8804] REVIEWER: 99 | A | 6660 CR | 27-APR-88 | CR | | | |
| | L | MIL-T-12407X | TRUCKS: PATIENT TRANSPORT, VAN CONVERSION, DIESEL OR GASOLINE ENGINE DRIVEN, 4X2 AND 4X4, MODIFIED COMMERCIAL | A | 2310 AT | 28-SEP-89 | AT | | | |
| D | | MIL-P-12420D | PLASTIC MATERIAL, CELLULAR, ELASTOMERIC USER: EC MC REVIEWER: AR AS ER GS MD MR YD1 | A | 9330 GL | 13-MAR-91 | GL | OS | | |
| | | MIL-C-12423C | CABLE, TELEPHONE, WD-33/U [VALIDATION DATE: 8207] USER: MC REVIEWER: IS | A | 6145 CR | 02-NOV-61 | CR | | 85 | |
| | | MIL-T-12424D NOTICE 1 | TEST SET, ELECTRON TUBE TV-7 ()/U [VALIDATION DATE: 8606] USER: ME MI REVIEWER: EC ES | A | 6625 SH | 06-JUN-86 | CR | SH | 99 | |
| D | | MIL-C-12436C(1) | CROSSARM, WOOD USER: CE MC REVIEWER: CS | A | 5510 ME | 21-FEB-73 | ME | YD1 | 99 | |
| A | L | MIL-T-12442D | TOWER, CABLE ANCHOR REVIEWER: CS | A | 5420 ME | 02-OCT-92 | ME | | | |
| | | MIL-I-124468 | INTERCOMMUNICATION STATION AND LOUDSPEAKER, MAGNETIC INTERCOMMUNICATION STATION LS-130-F1 AND LOUDSPEAKER LS-114/U [VALIDATION DATE: 8609] | A | 5830 CR | 18-SEP-86 | CR | | 99 | |
| | | MIL-T-12459E | TIRE, PNEUMATIC, FOR MILITARY GROUND VEHICLES USER: MC ME REVIEWER: 84 CS | A | 2610 AT | 16-FEB-88 | AT | | 99 | |
| | | MIL-W-12465C(2) | WAX, MICROCRYSTALLINE, ELECTRICAL, INSULATING [VALIDATION DATE: 8104] USER: MC ME REVIEWER: AR GS MD MI PS | A | 9160 GL | 11-JUN-75 | GL | | 68 | |
| | L | MIL-D-12468C | DECONTAMINATING AGENT, STB REVIEWER: GS MD | A | 6850 EA | 12-MAR-87 | EA | SH | 68 | |
| | L | MIL-D-12468C(12) | DECONTAMINATING AGENT, STB | A | 6850 EA | 16-APR-90 | EA | | | |
| | | MIL-C-12469K NOTICE 1 | CRYPTOGRAPHIC EQUIPMENT DESTROYER INCENDIARY, TH4, M1A2 [VALIDATION DATE: 8810] REVIEWER: 70 EA | A | 1375 AR | 13-OCT-88 | AR | OS | 99 | |
| | L | MIL-C-0012469J(2) | CRYPTOGRAPHIC EQUIPMENT DESTROYER INCENDIARY, TH4, M1A2 | A | 1375 AR | 23-AUG-82 | AR | | | |
| A | | MIL-T-12474D | TABLE, DINING, 4-SEAT CAPACITY USER: MC REVIEWER: 84 | A | 7105 GL | 30-SEP-92 | GL | | 99 | |
| | | MIL-C-12475D | CHAIR, STRAIGHT, W/O ARMS, WOOD [VALIDATION DATE: 8104] USER: MC REVIEWER: MD | A | 7105 GL | 19-SEP-68 | GL | | 99 | |
| | L | MIL-F-12476 | FILLING, METHOD OF, H, SHELL, CHEMICAL, 4.2-INCH, M2, M2 ALTERNATE, M2A1, AND M2A1 ALTERNATE. [VALIDATION DATE: 8006] | A | 1315 EA | 16-FEB-53 | EA | | | |
| | L | MIL-S-12479B(1) NOTICE 1 | SWITCHBOARD, TELEPHONE, MANUAL SB-993( )/GT (UNITS OF) [VALIDATION DATE: 8803] | A | 5805 CR | 31-MAR-88 | CR | | | |
| D | | MIL-D-12491E | DEGREASER: SOLVENT, TANK IMMERSION-TYPE REVIEWER: AR CS SH | A | 4940 AL | 10-MAR-89 | AL | YD1 | | |
| | L | MIL-B-12504E(1) | BAR, METAL & WIRE (NONELECTRICAL), CARBON AND ALLOY STEEL, COLD DRAWN FOR AP BULLET CORES AND SHOT | A | 9510 MR | 16-AUG-90 | MR | | | |
| D | | MIL-S-12511G | SPRAYER, INSECTICIDE, FRAME MOUNTED, GASOLINE ENGINE DRIVEN, MIST AND SOLID STREAM, 180 GPH USER: MC REVIEWER: 84 MD MS | A | 3740 CS | 31-JAN-83 | ME | YD1 | 99 | CS |
| D | | MIL-S-12514C | STARTER, MOTOR, ACROSS-THE-LINE AND REDUCED VOLTAGE TYPES, AC INDUCTION, 3/4 TO 100 HP MANUAL AND ELECTRIC [VALIDATION DATE: 8205] USER: AR MC REVIEWER: EA ER GS MI | A | 6110 ME | 09-JAN-74 | ME | YD1 | 11 | |
| | | MIL-S-12515C | SURFACE HARDENING: FLAME AND INDUCTION (FOR FERROUS ALLOYS) [VALIDATION DATE: 8907] USER: MI REVIEWER: AR AT | A | MFFP MR | 31-JUL-89 | MR | SH | 11 | |
| | L | MIL-C-12517A NOTICE 1 | CASE, HYDROGEN GENERATOR SET (CASE CY-219()/TMQ-3) [VALIDATION DATE: 8802] REVIEWER: GS | A | 3655 CR | 03-FEB-88 | CR | | | |
| | L | MIL-G-12519(2) NOTICE 1 | GENERATOR, RINGING, HAND GN-38-B [VALIDATION DATE: 8803] REVIEWER: 99 | A | 5805 CR | 31-MAR-88 | CR | | | |
| | | MIL-C-12520C(1) SUPPL 1A, NOTICE 1 | CONNECTOR, PLUG AND RECEPTACLE (ELECTRICAL, WATERPROOF), AND ACCESSORIES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8603] USER: MI REVIEWER: 99 ES | A | 5935 CR | 01-MAR-86 | CR | | 85 | |
| | | MIL-C-12520/3A NOTICE 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 26, FEMALE INSERTS) [VALIDATION DATE: 8603] USER: MC REVIEWER: 17 99 ES | A | 5935 CR | 01-MAR-86 | CR | | 85 | |
| | | MIL-C-12520/5A | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 20, FEMALE INSERTS) [VALIDATION DATE: 8603] USER: MC REVIEWER: 17 99 ES MI | A | 5935 CR | 01-MAR-86 | CR | | 85 | |
| | | MIL-C-12520/6A NOTICE 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 20, MALE INSERTS) [VALIDATION DATE: 8603] USER: MC REVIEWER: 17 99 ES | A | 5935 CR | 01-MAR-86 | CR | | 85 | |
| | | MIL-C-12520/7A NOTICE 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS) [VALIDATION DATE: 8603] USER: MC REVIEWER: 17 99 ES | A | 5935 CR | 01-MAR-86 | CR | | 85 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-C-12520/8A NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 20, MALE INSERTS) USER: MC REVIEWER: 17 99 ES | A | 5935 | CR | 01-MAR-86 | CR | | 85 | | |
| | MIL-C-12520/9A NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 20, FEMALE INSERTS) [VALIDATION DATE: 8603] USER: MC REVIEWER: 17 99 ES | A | 5935 | CR | 01-MAR-86 | CR | | 85 | | |
| | MIL-C-12520/10A NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 26, MALE INSERTS) USER: MC REVIEWER: 17 99 ES | A | 5935 | CR | 01-MAR-86 | CR | | 85 | | |
| | MIL-C-12520/11A NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRICAL WATERPROOF (SHELL SIZE 26, FEMALE INSERTS) [VALIDATION DATE: 8603] USER: MC REVIEWER: 17 99 ES | A | 5935 | CR | 01-MAR-86 | CR | | 85 | | |
| | MIL-C-12520/12A NOTICE 1 | COVER AND CHAIN ASSEMBLIES (EXTERNAL THREADS, FOR USE ON WATERPROOF CONNECTORS) [VALIDATION DATE: 8603] USER: MC MI REVIEWER: 99 ES | A | 5935 | CR | 01-MAR-86 | CR | | 85 | | |
| | MIL-C-12520/13A NOTICE 1 | COVER AND CHAIN ASSEMBLIES (INTERNAL THREADS, FOR USE ON WATERPROOF CONNECTORS) [VALIDATION DATE: 8603] USER: MC MI REVIEWER: 99 ES | A | 5935 | CR | 01-MAR-86 | CR | | 85 | | |
| L | MIL-C-12520/14 NOTICE 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS BELLOWS CLAMP) [VALIDATION DATE: 8603] REVIEWER: ES | A | 5935 | CR | 01-MAR-86 | CR | | | | |
| L | MIL-C-12520/15 NOTICE 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS, BELLOWS CLAMP) [VALIDATION DATE: 8603] REVIEWER: ES | A | 5935 | CR | 01-MAR-86 | CR | | | | |
| | MIL-C-12520/16 NOTICE 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 20, FEMALE INSERTS) [VALIDATION DATE: 8603] REVIEWER: 99 ES MI | A | 5935 | CR | 01-MAR-86 | CR | | 85 | | |
| | MIL-C-12520/17 NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 20, MALE INSERTS) [VALIDATION DATE: 8603] REVIEWER: 99 ES | A | 5935 | CR | 05-NOV-65 | CR | | 85 | | |
| | MIL-C-12520/18 NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 26, MALE INSERTS) [VALIDATION DATE: 8603] REVIEWER: 99 ES | A | 5935 | CR | 01-MAR-86 | CR | | 85 | | |
| L | MIL-A-12545D | ALUMINUM ALLOY IMPACTS REVIEWER: AL AR EA ME MI ..... | A | 95GP | MR | 16-JUN-89 | MR | | | | |
| | MIL-R-12551D | RECHARGING UNIT, CARBON DIOXIDE, PUMPING METHOD USER: MC REVIEWER: GS SH .. | A | 3655 | ME | 08-APR-86 | ME | | 99 | | |
| L | MIL-A-12560H(2) | ARMOR PLATE, STEEL, WROUGHT, HOMOGENEOUS (FOR USE IN COMBAT-VEHICLES AND FOR AMMUNITION TESTING) REVIEWER: AR AT AV IS TE | A | 9515 | MR | 26-JUL-91 | MR | | | | |
| L | MIL-M-12563 NOTICE 1 | MANIFOLD, GAS CYLINDER (MANIFOLD ML-344/1MQ-3) [VALIDATION DATE: 8802] REVIEWER: GS | A | 3655 | CR | 03-FEB-88 | CR | | | | |
| D | MIL-W-12567C(1) | WIRE STRAND, STEEL (WIRES WS-3/U, WS-4/U, W-90, W-115, AND W-116) [VALIDATION DATE: 8101] USER: AR MC REVIEWER: GL IS | A | 4010 | ER | 11-MAR-75 | ER | YD1 | 82 | | |
| | MIL-B-12570D | BAKERY OVEN, TRAILER MOUNTED, M-533 [VALIDATION DATE: 8303] USER: ME REVIEWER: MD MT | A | 7310 | GL | 01-FEB-77 | GL | | 99 | | |
| D | MIL-R-12571N | REFRIGERATORS, MECHANICAL, FIELD, PORTABLE WALK-IN, PLUG-IN (150 CUBIC FOOT) USER: CE MC REVIEWER: 82 GS MD TS | A | 4110 | GL | 31-DEC-91 | GL | YD1 | 99 | | |
| L | MIL-R-12571N(12) | REFRIGERATORS, MECHANICAL, FIELD, PORTABLE WALK-IN, PLUG-IN (150 CUBIC FOOT) | A | 4110 | GL | 13-JUN-90 | GL | | | | |
| D | MIL-R-12574K(1) | REFRIGERATION UNITS, MECHANICAL, PANEL TYPE FOR REFRIGERATOR, FIELD, PORTABLE (150 CUBIC FOOT) USER: CE MC REVIEWER: 82 GS MD ME TS | A | 4110 | GL | 02-MAR-89 | GL | YD1 | 99 | | |
| L | MIL-R-0012574L | REFRIGERATION UNITS, MECHANICAL, PANEL TYPE FOR REFRIGERATOR, FIELD, PORTABLE (150 CUBIC FOOT) USER: CE MC REVIEWER: 82 GS MD ME TS | A | 4110 | GL | 22-MAY-92 | GL | | | | |
| LI | MIL-M-12575A(2) NOTICE 1 | MOUNTING FOR STANDARDIZED SERIES EQUIPMENTS ..... | A | 5820 | CR | 03-APR-89 | CR | | | | |
| D | MIL-B-12582C | BLOCK, TACKLE, HAUL BACK, FOR WIRE ROPE USER: MC ..... | A | 3940 | ME | 20-JAN-84 | ME | YD1 | | | |
| A L | MIL-I-12597C(2) | IGNITER, BLASTING FUSE, FRICTION TYPE, M3A1 LOADING, ASSEMBLING AND PACKING | A | 1375 | AR | 11-FEB-93 | AR | | | | |
| L | MIL-M-12598(1) | MAX, MICROCRYSTALLINE, IMPREGNATING [VALIDATION DATE: 8002] REVIEWER: GS .. | A | 9160 | AR | 03-OCT-61 | AR | | | | |
| | MIL-G-12604H | GENERATOR, ENGINE ACCESSORY DIRECT CURRENT 28 VOLT, 25 AMPERE USER: MC REVIEWER: GS | A | 2920 | AT | 29-JUN-87 | AT | AS | 99 | | |
| L | MIL-R-12605A NOTICE 2 | RIFLE, 57MM, M18A1 [VALIDATION DATE: 9105] ..... | A | 1010 | AR | 06-MAY-91 | AR | | | | |
| Q | MIL-L-12606D(1) NOTICE 1 | LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 3 INCH AND 4 INCH DIAMETER CONE, 2 WATT, FUNGUS, GUNBLAST, AND IMMERSION RESISTANT), TYPE LL-445/U, M12606-01, AND M12606-02 [VALIDATION DATE: 8609] USER: AV MC REVIEWER: 99 AR ES | A | 5965 | CR | 18-SEP-86 | CR | EC | 85 | | |
| | MIL-T-12612 | THEODOLITE MOUNT ML 180 [VALIDATION DATE: 8412] REVIEWER: GS MI ..... | A | 6675 | ER | 02-APR-53 | ER | | 99 | | |
| L | MIL-S-12613C | SILICA, COLLOIDAL, SYNTHETIC USER: AR REVIEWER: GS MD MI ..... | A | 6810 | EA | 16-AUG-82 | EA | | | | |
| | MIL-L-12632D NOTICE 1 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT), GENERAL SPECIFICATION FOR [VALIDATION DATE: 8609] USER: CG MC ME OS REVIEWER: 13 99 ES | A | 5965 | CR | 18-SEP-86 | CR | EC | 85 | | |
| | MIL-L-12632/1A NOTICE 1 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS, GUNBLAST, AND IMMERSION RESISTANT) TYPE LS-590/U [VALIDATION DATE: 8609] USER: CG MC ME OS REVIEWER: 13 ES | A | 5965 | CR | 18-SEP-86 | CR | EC | 85 | | |
| | MIL-L-12632/2A NOTICE 1 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT), TYPE LS-166/U [VALIDATION DATE: 8609] USER: CG MC ME OS REVIEWER: 13 99 ES | A | 5965 | CR | 18-SEP-86 | CR | EC | 85 | | |
| | MIL-L-12632/4A NOTICE 1 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT, TYPE LS-454/U USER: CG MC ME OS REVIEWER: 13 99 ES | A | 5965 | CR | 18-SEP-86 | CR | EC | 85 | | |
| | MIL-A-12636B NOTICE 1 | ANALYZER ZM-3/U [VALIDATION DATE: 8606] USER: ME REVIEWER: MC MI ..... | A | 6625 | CR | 06-JUN-86 | CR | AS | 99 | | |
| L | MIL-I-12637B NOTICE 1 | INTERCOMMUNICATION STATIONS LS-124( )/F1, LS-125( )/F1, LS-126( )/F1, LS-127( )/F1, LS-128( )/F1, LS-138( )/F1, LS-200( )/F1, LS-201( )/F1, LS-202( )/F1 [VALIDATION DATE: 8609] | A | 5830 | CR | 18-SEP-86 | CR | | | | |
| | MIL-S-12645C | SLINGS, ENDLESS, FIBER ROPE AND NYLON WEBBING REVIEWER: 84 AV IS MT ..... | A | 3940 | ML | 24-FEB-84 | ME | SH | 99 | | |
| L | MIL-S-12646A | SIGHT, COMPUTING, M19A1 [VALIDATION DATE: 8601] ..... | A | 1220 | AR | 06-APR-55 | AR | | | | |
| | MIL-P-12647C | PUMP, INFLATING-DEFLATING, HAND-OPERATED, AIR, SINGLE-CYLINDER PLUNGER REVIEWER: CS | A | 4320 | ME | 03-JUL-80 | ME | MC | | | |
| L | MIL-S-12653B | SIGHT, LEAD COMPUTING, AUTOMATIC, M38 [VALIDATION DATE: 8601] ..... | A | 1220 | AR | 16-MAY-61 | AR | | | | |
| L | MIL-I-12659A(1) | INVERTER, 350 VOLT AMPERE [VALIDATION DATE: 8002] REVIEWER: GS ..... | A | 6125 | AR | 28-APR-59 | AR | | | | |
| L | MIL-T-12664B NOTICE 2 | TREATMENT, FUNGUS RESISTANT, PARANITROPHENOL, FOR CORK PRODUCTS REVIEWER: GS | A | 9390 | MI | 23-FEB-90 | MI | | | | |
| L | MIL-C-12668D NOTICE 2 | CANNON, 120MM GUN: M58 [VALIDATION DATE: 9105] USER: MC ..... | A | 9510 | AR | 06-MAY-91 | AR | | | | |
| L | MIL-B-12672(1) | BRAZE-WELDING, OXYACETYLENE, OF BUILT-UP METAL STRUCTURES [VALIDATION DATE: 8004] USER: ME REVIEWER: 99 EA MI | A | THJM | AR | 09-JAN-61 | AR | | | | |
| L | MIL-B-12673(1) | BRAZING, OXYACETYLENE, OF BUILT-UP METAL STRUCTURES, [VALIDATION DATE: 8004] REVIEWER: 99 MI | A | THJM | AR | 13-JAN-61 | AR | | | | |
| D | MIL-T-12681A NOTICE 1 | TEST SET, TELEPHONE (TEST SET TS-190)(/U) [VALIDATION DATE: 8606] USER: AR MC | A | 6625 | CR | 06-JUN-86 | CR | YD1 | 99 | | |
| L | MIL-C-12684D | CANNON, 155MM HOWITZER: M1A1 CANNON, 155MM HOWITZER: M1A2 ..... | A | 1025 | AR | 24-APR-89 | AR | | | | |
| L | MIL-M-12696 | MOUNT, QUADRANT, M1 (WITH EQUIPMENT) [VALIDATION DATE: 8101] ..... | A | 1290 | AR | 13-MAY-53 | AR | | | | |
| L | MIL-M-12697A(1) | MOUNT, TELESCOPE, M21A1 ..... | A | 1240 | AR | 28-NOV-86 | AR | | | | |
| L | MIL-M-12698B(1) NOTICE 1 | MOUNT, TELESCOPE, M23 [VALIDATION DATE: 8701] ..... | A | 1290 | AR | 30-JAN-87 | AR | | | | |
| L | MIL-M-12699B | MOUNT, TELESCOPE, M25 AND M25E1 ..... | A | 1240 | AR | 10-SEP-90 | AR | | | | |
| L | MIL-P-12706 | PERISCOPE, M15 [VALIDATION DATE: 8101] REVIEWER: MC ..... | A | 1240 | AR | 13-MAY-53 | AR | | | | |
| L | MIL-S-12709 | SIGHT, M4 (WITH CARRYING CASE) [VALIDATION DATE: 8504] ..... | A | 1240 | AR | 13-MAY-53 | AR | | | | |
| L | MIL-T-12711A(3) | TELESCOPE, PANORAMIC, M1 [VALIDATION DATE: 8602] ..... | A | 1240 | AH | 01-MAR-74 | AR | | | | |
| L | MIL-T-12712 | TELESCOPE, M85 (SERIES) [VALIDATION DATE: 8602] REVIEWER: MC ..... | A | 1240 | AR | 13-MAY-53 | AR | | | | |
| L | MIL-Q-12713D(1) | QUADRANT, FIRE CONTROL, GUNNER'S M1A1 [VALIDATION DATE: 8301] ..... | A | 1290 | AR | 16-AUG-76 | AR | | | | |
| L | MIL-F-12716A | FILTER, LIGHT, TELESCOPIC INSTRUMENTS, LAMINATED [VALIDATION DATE: 8602] USER: AT | A | 1240 | AR | 07-MAR-60 | AR | | | | |
| L | MIL-F-12717 | FILTER, RAY, GLASS, FINISHED, AND BLANKS AND PLATES [VALIDATION DATE: 8602] | A | 1240 | AR | 13-MAY-53 | AR | | | | |

| Action | Opt / Obsl, Coordination, Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-I-12718F | INSIGNIA, DISTINGUISHING, ARMY AND AIR FORCE, WOVEN [VALIDATION DATE: 9001] USER: 45 REVIEWER: 82 99 CT SM | A | 8455 | IH | IH | 09-JAN-90 | | | 11 | |
| A | L | MIL-I-12718F(13) | INSIGNIA, DISTINGUISHING, ARMY AND AIR FORCE, WOVEN | A | 8455 | IH | IH | 17-JUL-92 | | | | |
| | L | MIL-B-12719C | BAG, CANVAS, CARRYING FOR DEMOLITION EQUIPMENT [VALIDATION DATE: 8705] | A | 1375 | AR | AR | 09-MAY-86 | AR | | | |
| | L | MIL-S-12730E<br>NOTICE 1 | SIGNALS, ILLUMINATION, RED STAR, DISTRESS, PARACHUTE, M131 PARTS AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1370 | AR | AR | 31-OCT-90 | AR | | | |
| D | | MIL-H-12732E | HYPOCHLORINATION UNIT, WATER PURIFICATION, FRAME MOUNTED, AUTOMATICALLY CONTROLLED 2 TO 100 GPM FLOW REVIEWER: 84 CE CS MD | A | 4610 | ME | ME | 16-JAN-87 | ME | YD1 | 99 | |
| | L | MIL-H-12732E(I1) | HYPOCHLORINATION UNIT, WATER PURIFICATION, FRAME MOUNTED, AUTOMATICALLY CONTROLLED 2 TO 350 GPM FLOW | A | 4610 | ME | ME | 30-OCT-91 | ME | | | |
| | L | MIL-R-12744A<br>NOTICE 1 | RELAY, MI, LOADING, ASSEMBLING, AND PACKING. [VALIDATION DATE: 8705] REVIEWER: MI | A | 1375 | AR | AR | 30-DEC-60 | AR | | | |
| D | | MIL-T-12755C(1) | TAG, BLANK, CABLE IDENTIFICATION, CABLE MARKERS MX-892/G, MX-893/G, MX-894/G AND MX-895/G [VALIDATION DATE: 8104] USER: AT MC SH REVIEWER: ER SA | A | 9905 | GL | GL | 11-SEP-74 | GL | YD1 | 99 | |
| | | MIL-T-12756A<br>NOTICE 1 | TEST SET, BATTERY TESTER TS-183( )/U [VALIDATION DATE: 8606] USER: MI | A | 6625 | CR | CR | 06-JUN-86 | CR | | 99 | |
| | L | MIL-T-00127568(1)<br>NOTICE 1 | TEST SET, BATTERY (BATTERY TESTER TS-183 ()/U) [VALIDATION DATE: 8606] | A | 6625 | CR | CR | 06-JUN-86 | CR | | | |
| | L | MIL-M-127608(1)<br>NOTICE 1 | MINE, ANTI-PERSONNEL NON-METALLIC, M14E1 WITH INTEGRAL FUZE PARTS FOR [VALIDATION DATE: 8805] | A | 1345 | AR | AR | 20-MAY-88 | AR | | | |
| M | L | MIL-P-12764C(7) | PROJECTILE, 4.2 INCH, ILLUMINATING, M335A2 LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | AR | 23-MAR-93 | AR | | | |
| | L | MIL-F-12774D(1)<br>NOTICE 1 | FUZE, MINE, COMBINATION, M605 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1345 | AR | AR | 15-OCT-90 | AR | | | |
| | L | MIL-F-12777A<br>NOTICE 1 | FUZE, MINE, AT, PRACTICE: M604 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805] | A | 1345 | AR | AR | 20-MAY-88 | AR | | | |
| | | MIL-C-12779C<br>NOTICE 1 | CARTRIDGE, BLANK, LINE-THROWING CALIBER .45, M32 [VALIDATION DATE: 8705] | A | 1305 | AR | AR | 21-MAY-87 | AR | OS | 99 | |
| | | MIL-S-12781C | SINK, PHOTOGRAPHIC PROCESSING, AND SINK, LITHOGRAPHIC PROCESSING [VALIDATION DATE: 8403] USER: GL MC REVIEWER: GS | A | 3610 | ME | ME | 11-DEC-79 | ME | SA | 99 | |
| D | | MIL-C-12786E | CLEANER, PRESSURE, WATER USER: MC REVIEWER: CS SM | A | 4940 | AL | AL | 23-DEC-85 | AL | YD1 | | |
| | L | MIL-Q-12793A(1) | QUADRANT, RANGE: M4A1 | A | 1290 | AR | AR | 05-JAN-90 | AR | | | |
| | L | MIL-D-12798C<br>NOTICE 1 | DETONATOR, FLASH, M49 PARTS FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705] | A | 1375 | AR | AR | 08-MAY-87 | AR | | | |
| | L | MIL-C-12800A(2) | CLOTH, ACRYLIC (FOR CARTRIDGE BAGS) [VALIDATION DATE: 8201] REVIEWER: CT | A | 8305 | AR | AR | 22-APR-76 | AR | | | |
| | L | MIL-G-12803C | GASKET MATERIAL, NON-METALIC USER: ME REVIEWER: AR GL MI OS SM | A | 5330 | MR | MR | 12-MAY-89 | MR | | | |
| D | | MIL-P-12808F | PLUMBING FIXTURES AND ACCESSORIES, PACKAGING OF USER: MC REVIEWER: 84 CS SM | A | PACK | ME | ME | 16-JUL-91 | ME | YD1 | 99 | |
| | | MIL-C-12813A(5) | CRYSTAL UNIT, QUARTZ WIRE-MOUNTED, METAL PLATED [VALIDATION DATE: 8308] REVIEWER: ES | A | 5955 | 85 | ER | 29-JUL-59 | ER | | 85 | |
| | L | MIL-P-12815B(1)<br>NOTICE 1 | POWER SOURCE, PIEZOID (LUCKY) [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| | L | MIL-I-12822C<br>NOTICE 1 | IGNITER, ROCKET MOTOR, M26 PARTS AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8806] | A | 1340 | AR | AR | 20-JUN-88 | AR | | | |
| | L | MIL-A-12831D<br>NOTICE 1 | ACTIVATOR, M2, PARTS FOR [VALIDATION DATE: 9010] | A | 1345 | AR | AR | 15-OCT-90 | AR | | | |
| | L | MIL-C-12836A | CLOTH, KNITTED, COTTON [VALIDATION DATE: 8504] REVIEWER: CT | A | 8305 | EA | EA | 19-NOV-65 | EA | | | |
| A | L | MIL-S-12840H | SADDLE ASSEMBLY: STEEL AND PLYWOOD, FOR 24-TON, 2-PART PNEUMATIC FLOAT, PONTON BRIDGE USER: MC | A | 5420 | ME | ME | 06-NOV-92 | ME | | | |
| D | | MIL-P-12851D | PAN, BAKING AND ROASTING, RECTANGULAR, WITH HANDLES [VALIDATION DATE: 8201] USER: CG YD1 REVIEWER: MC MD MS | A | 7330 | GL | GL | 09-JUN-71 | GL | SA | 99 | |
| | L | MIL-D-12852A(1)<br>NOTICE 1 | DIAL, TELEPHONE (DAIL TA-45/GT [VALIDATION DATE: 8603] REVIEWER: 99 | A | 5805 | CR | CR | 03-MAR-86 | CR | | | |
| | L | MIL-M-12863 | MOUNT, VIBRATION (VIBRATION MOUNTS MT-1177/U, MT-1178/U, MT-1179/U [VALIDATION DATE: 8502] REVIEWER: IS | A | 5340 | ER | ER | 01-JUL-53 | ER | | | |
| | | MIL-A-12868C | ANTENNA SUPPORT AB-105/FRC TOWER AB-127/FR [VALIDATION DATE: 8110] REVIEWER: ES | A | 5985 | CR | ER | 12-FEB-69 | ER | | 99 | |
| | | MIL-S-12875B | SHEET, PREFORATED, METAL [VALIDATION DATE: 7411] USER: MI MR REVIEWER: AS OS | A | 9515 | EA | EA | 04-MAR-69 | EA | SH | | |
| | L | MIL-S-0012877H | SPRAY GUN, PAINT, (HEAVY DUTY), SIPHON FEED REVIEWER: CS | A | 4940 | AS | AS | 19-NOV-85 | | AS | | |
| | Q | MIL-S-12883C<br>SUPPL 1A | SOCKET AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS GENERAL SPECIFICATION FOR USER: 19 AS CG MC SH REVIEWER: 11 17 99 AT AV EA ES ME MI OS | A | 5935 | CR | CR | 22-DEC-83 | CR | EC | 85 | |
| | | MIL-S-12883/10(1)<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, BOTTOM MOUNTING, SADDLE TYPE, 8 CONTACT, RADIAL) [VALIDATION DATE: 9108] USER: AS CG MC SH REVIEWER: 11 17 99 AT AV EA ES ME MI | A | 5935 | CR | CR | 05-AUG-91 | CR | EC | 85 | |
| | I | MIL-S-12883/2C<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITH SHIELD BASE, 7 CONTACT, RADIAL) [VALIDATION DATE: 8809] USER: 19 CG MC OS REVIEWER: 17 99 AR AT AV ES ME MI | A | 5935 | CR | CR | 06-SEP-88 | CR | EC | 11 | |
| | I | MIL-S-12883/3C<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITH SHIELD BASE, 9 CONTACT, RADIAL) [VALIDATION DATE: 8809] USER: 19 CG MC OS REVIEWER: 11 17 99 AR AS AT AV ES MI | A | 5935 | CR | CR | 06-SEP-88 | CR | SH | 80 | |
| | | MIL-S-12883/4E<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (CRYSTAL, TOP OR BOTTOM MOUNTING, 2 CONTACT, IN-LINE) [VALIDATION DATE: 8809] USER: 19 CG MC OS SH REVIEWER: 11 17 99 AR AS AT AV ES MI | A | 5935 | CR | CR | 19-SEP-88 | CR | EC | 85 | |
| | | MIL-S-12883/5C<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (VIBRATOR, TOP OR BOTTOM MOUNTING, SADDLE TYPE, 7 CONTACT, RADIAL) [VALIDATION DATE: 8809] USER: 19 CG MC OS SH REVIEWER: 11 17 99 AR AS AT AV ES MI | A | 5935 | CR | CR | 19-SEP-88 | CR | EC | 85 | |
| | | MIL-S-12883/6E<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (RELAY, TOP MOUNTING, 14 CONTACT, RADIAL) [VALIDATION DATE: 8809] USER: 19 CG MC REVIEWER: 11 17 99 AR AS AT AV ES ME MI OS SH | A | 5935 | CR | CR | 19-SEP-88 | CR | EC | 85 | |
| | I | MIL-S-12883/8D<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 7 CONTACT, RADIAL) [VALIDATION DATE: 8809] USER: 19 CG MC OS REVIEWER: 17 99 AR AT AV ES ME MI | A | 5935 | CR | CR | 06-SEP-88 | CR | EC | 11 | |
| | I | MIL-S-12883/9B<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 9 CONTACT, RADIAL) [VALIDATION DATE: 8809] USER: 19 CG MC OS REVIEWER: 17 99 AS AT AV ES ME MI | A | 5935 | CR | CR | 06-SEP-88 | CR | SH | 11 | |
| | | MIL-S-12883/10D<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, BOTTOM MOUNTING, SADDLE-TYPE WITHOUT SHIELD BASE, 7 CONTACT, RADIAL) [VALIDATION DATE: 8809] USER: 19 CG MC OS SH REVIEWER: 11 17 99 AR AS AT AV ES ME MI | A | 5935 | CR | CR | 19-SEP-88 | CR | EC | 85 | |
| | | MIL-S-12883/11C<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, BOTTOM MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 9 CONTACT, RADIAL) [VALIDATION DATE: 8809] USER: 19 AS CG MC OS SH REVIEWER: 11 17 99 AR AT AV ES ME MI | A | 5935 | CR | CR | 19-SEP-88 | CR | EC | 85 | |
| | I | MIL-S-12883/22A(1)<br>NOTICE 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (SOCKET-RELAY, ELECTRICAL, 20 CONTACT, 5 AMPERES) [VALIDATION DATE: 9110] USER: 19 CG MC OS REVIEWER: 17 99 AR AT AV ES ME MI | A | 5935 | CR | CR | 31-OCT-91 | CR | EC | 85 | |
| | | MIL-S-12883/40D | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, SOCKET FOR MIL-R-6106 AND MIL-R-83726 RELAYS, SQUARE PATTERN USER: AS MC REVIEWER: 11 99 AR AT AV ES ME OS SH | A | 5935 | 85 | CR | 20-DEC-89 | CR | EC | 85 | |

| Action | QPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-S-12883/41D | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, SOCKET FOR MIL-R-6106 RELAYS USER: AS MC REVIEWER: 11 99 AR AT AV ES ME OS SH | A | 5935 | 85 | 20-DEC-89 | CR | EC | 85 | | |
| | | | MIL-S-12883/42E | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (POWER TRANSISTOR, 2 CONTACT, 10 AMPERES, TO-3) USER: 19 AS CG MC OS REVIEWER: 11 99 AR AT AV ES ME SH | A | 5935 | CR | 19-SEP-89 | CR | EC | 85 | | |
| | | | MIL-S-12883/44B | SOCKET, PLUG-IN ELECTRONIC COMPONENTS (SOCKET, FOR MIL-R-6106/28 AND MIL-R-6106/39 RELAYS, 5 AMPERES, 4 POLE) USER: AS MC REVIEWER: 99 AT AV ES ME OS SH | A | 5935 | 85 | 20-DEC-89 | CR | EC | 85 | | |
| | | | MIL-S-12883/45B | SOCKET, PLUG-IN ELECTRONIC COMPONENTS (SOCKET, FOR MIL-R-6106/27 AND MIL-R-6106/36 RELAYS, 5 AMPERES, 2 POLE) USER: AS MC REVIEWER: 99 AT AV ES ME OS SH | A | 5935 | 85 | 20-DEC-89 | CR | EC | 85 | | |
| | | | MIL-S-12883/46B | SOCKET, PLUG-IN ELECTRONIC COMPONENTS (SOCKET, FOR MIL-R-6106/29 AND MIL-R-6106/40 RELAYS, 10 AMPERES) USER: AS CG MC OS REVIEWER: 99 AT AV ES ME | A | 5935 | 85 | 20-DEC-89 | CR | EC | 85 | | |
| | | | MIL-S-12883/47A | SOCKET, PLUG-IN ELECTRONIC COMPONENTS (SOCKET-RELAY, 10 AMPERES, 20 CONTACTS 4 BY 6 PATTERN) USER: AS MC REVIEWER: 99 AR AT AV ES ME OS SH | A | 5935 | 85 | 20-DEC-89 | CR | EC | 85 | | |
| | | | MIL-S-12883/48A | SOCKET, PLUG-IN ELECTRONIC COMPONENTS (SOCKET-RELAY, 25 AMPERES, 11 CONTACTS-SQUARE PATTERN) USER: AS MC REVIEWER: 99 AR AT AV ME MI OS SH | A | 5935 | 85 | 20-DEC-89 | CR | EC | 85 | | |
| A | | | MIL-S-12883/49 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (MOUNTING TRACKS FOR RELAYS, ELECTROMAGNETIC) REVIEWER: 99 ES MI | A | 5935 | 85 | 24-JUL-92 | CR | EC | 85 | | |
| A | | | MIL-S-12883/50 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (BRACKET AND SOCKET ASSEMBLY FOR RELAYS, ELECTROMAGNETIC, 2PDT) REVIEWER: 99 ES MI | A | 5935 | 85 | 24-JUL-92 | CR | EC | 85 | | |
| A | | | MIL-S-12883/51 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (BRACKET AND SOCKET ASSEMBLY FOR RELAYS, ELECTROMAGNETIC, 4PDT) REVIEWER: 99 ES MI | A | 5935 | 85 | 24-JUL-92 | CR | EC | 85 | | |
| * A | | | MIL-S-12883/52 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (MOUNTING TRACKS FOR RELAYS, ELECTROMAGNETIC) REVIEWER: 99 ES MI | A | 5935 | 85 | 24-JUL-92 | CR | EC | 85 | | |
| A | | | MIL-S-12883/53 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (MOUNTING BRACKETS FOR RELAYS, ELECTROMAGNETIC) REVIEWER: 99 ES MI | A | 5935 | 85 | 24-JUL-92 | CR | EC | 85 | | |
| A L | | | MIL-S-12885/2F | SWITCH, THERMOSTATIC (SHORT SENSOR) | A | 5930 | AT | 07-DEC-92 | AT | | | | |
| Q 1 | | | MIL-C-12889A(3) NOTICE 1 | CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), GENERAL SPECIFICATION FOR (VALIDATION DATE: 8808) USER: AT MC ME REVIEWER: 11 99 AR AS ES MI | A | 5910 | ER | 17-AUG-88 | ER | EC | 85 | | |
| 1 | | | MIL-C-12889/1B NOTICE 1 | CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), STYLES CA32, CA33, AND CA34 (VALIDATION DATE: 8808) | A | 5910 | ER | 17-AUG-88 | ER | EC | 85 | | |
| 1 | | | MIL-C-12889/2B NOTICE 1 | CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER-DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), STYLES CA36, CA37, AND CA38 (VALIDATION DATE: 8808) | A | 5910 | ER | 17-AUG-88 | ER | EC | 85 | | |
| L | | | MIL-C-12910F NOTICE 1 | CARTRIDGE, PHOTOFLASH, M112A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9010) | A | 1370 | AR | 31-OCT-90 | AR | | | | |
| L | | | MIL-C-12918C NOTICE 1 | CHARGE, DEMOLITION, BLOCK, M5A1, ASSEMBLY PARTS FOR, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8605) | A | 1375 | AR | 09-MAY-86 | AR | | | | |
| D | | | MIL-T-12919F | TENT LINER, GENERAL PURPOSE, MEDIUM USER: MC YD1 REVIEWER: 82 | A | 8340 | CT | 31-MAR-86 | GL | MU | 99 | CT | |
| M L | | | MIL-C-12926E(5) | CARTRIDGE, 4.2 INCH, ILLUMINATING, M335A2 LOADING, ASSEMBLING AND PACKING . | A | 1315 | AR | 23-MAR-93 | AR | | | | |
| L | | | MIL-C-12927B(1) | CARTRIDGE, IGNITION, M2E1 PARTS FOR, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8203) | A | 1315 | AR | 28-APR-64 | AR | | | | |
| M | | | MIL-S-12928H | SEPARATORS, OIL AND WATER, COMPRESSED AIR USER: CS REVIEWER: 82 MC | A | 4940 | AL | 30-APR-93 | AL | YD1 | 99 | | |
| Q | | | MIL-R-12934H(1) | RESISTOR, VARIABLE, WIREWOUND, PRECISION GENERAL SPECIFICATION FOR (VALIDATION DATE: 8704) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | ER | 13-APR-79 | ER | EC | 85 | | |
| | | | MIL-R-12934/1B(1) | RESISTOR, VARIABLE, WIREWOUND, PRECISION, STYLE RR0900 (VALIDATION DATE: 8502) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | ER | 13-APR-79 | ER | EC | 85 | | |
| | | | MIL-R-12934/2B(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1100 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/4B(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR2000 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/5B(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3000 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/6B(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1000 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/9B(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR2100 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/10C(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3100 (VALIDATION DATE: 9110) USER: AT AV CG MC ME REVIEWER: 17 19 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/15C(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3200 (VALIDATION DATE: 9110) USER: AT AV CG MC ME REVIEWER: 17 19 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/16D(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3300 (VALIDATION DATE: 9110) USER: AT AV CG MC ME REVIEWER: 17 19 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/17C(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3400 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/18C(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3500 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/19B(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1300 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/20B(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1400 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/27C(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3600 (VALIDATION DATE: 9110) USER: 19 99 AT AV CG MC ME REVIEWER: 17 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/28D(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3700 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/29C(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3800 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/30D(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3900 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| | | | MIL-R-12934/31D(1) | RESISTOR, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR4000 USER: 19 AT AV ME REVIEWER: 17 99 AR ES MI | A | 5905 | ER | 02-MAR-87 | ER | EC | 85 | | |
| | | | MIL-R-12934/32B(1) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR4100 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 25-OCT-91 | ER | EC | 85 | | |
| L | | | MIL-R-12934/33A | RESISTOR, VARIABLE, WIRE-WOUND, PRECISION STYLE RR2002 | A | 5905 | EC | 26-NOV-90 | | EC | | | |
| L | | | MIL-R-12934/34A | RESISTOR, VARIABLE, WIRE-WOUND, PRECISION STYLE RR1004 | A | 5905 | EC | 26-NOV-90 | | EC | | | |
| L | | | MIL-R-12934/35A | RESISTOR, VARIABLE, WIRE-WOUND, PRECISION, STYLE 2RR2104 | A | 5905 | EC | 26-NOV-90 | | EC | | | |
| L | | | MIL-R-12934/36A | RESISTOR, VARIABLE, WIRE-WOUND, PRECISION STYLE RR3601 | A | 5905 | EC | 26-NOV-90 | | EC | | | |
| D | | | MIL-S-12935D | SEALER, SURFACE, FOR KNOTS (VALIDATION DATE: 8311) REVIEWER: MR | A | 8010 | ME | 12-NOV-73 | ME | YD1 | 99 | | |
| L | | | MIL-M-12942F(1) NOTICE 1 | MOUNT, 106MM RECOILLESS RIFLE, M79 AND M92 WITH TRIPOD, M27 (VALIDATION DATE: 8709) USER: MC | A | 1015 | AR | 14-SEP-87 | AR | | | | |
| L | | | MIL-G-12947A(1) | GRENADE, RIFLE, ILLUMINATING, M27, ASSEMBLY, MARKING AND PACKING. (VALIDATION DATE: 8006) | A | 1330 | EA | 21-JAN-66 | EA | | | | |
| L | | | MIL-P-12951F(1) | PRIMER, PERCUSSION, M39A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING REVIEWER: EA OS | A | 1375 | AR | 04-MAR-85 | AR | | | | |
| | | | MIL-P-12953A(1) NOTICE 1 | PUBLIC ADDRESS SET (REPRODUCING EQUIPMENT MC-364 AND PUBLIC ADDRESS SET AM/UIH-2 (VALIDATION DATE: 8703) | A | 5830 | CR | 12-MAR-87 | CR | | 99 | | |
| L | | | MIL-D-12957C NOTICE 1 | DESTRUCTOR, ME, UNIVERSAL, M10 ASSEMBLY PARTS, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8605) | A | 1375 | AR | 09-MAY-86 | AR | | | | |

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-J-12959E | JETTING SET, PORTABLE: FOR PILEDRIVING OPERATION, PACKAGING OF REVIEWER: AT SH | A PACK ME | 26-OCT-90 ME | | | | |
| | L | MIL-M-12971B NOTICE 1 | MECHANISM, VALVE REPLACEMENT, MI (VALIDATION DATE: 8808) REVIEWER: CS ..... | A 4940 EA | 17-AUG-88 EA | | | | |
| | L | MIL-S-12991B | SURVEYING SET, TOPOGRAPHIC COMPANY; PACKAGING OF (VALIDATION DATE: 8908) REVIEWER: GS SH | A 6675 ME | 04-AUG-89 ME | | | | |
| | L | MIL-W-12995B | WIRE, ELECTRICAL, ANTENNA (WIRE, W-120) (VALIDATION DATE: 8207) ..... | A 6145 CR | 16-AUG-68 CR | | | | |
| | | MIL-L-12997F NOTICE 1 | LINK, CARTRIDGE, METALLIC BELT, 20MM: M12 (VALIDATION DATE: 8901) ..... | A 1305 AR | 02-FEB-89 AR | | 99 | | |
| | | MIL-C-12999B NOTICE 1 | CHEST, HYMN BOOK (VALIDATION DATE: 8105) REVIEWER: GS ..... | A 9925 GL | 14-DEC-67 GL | PE | 28 | | |
| | | MIL-S-13001C(3) | SIFTING MACHINE, FLOUR, ELECTRIC (FOR FIELD BAKERIES) (VALIDATION DATE: 8201) USER: MD REVIEWER: GS | A 7320 GL | 17-NOV-75 GL | MC | | | |
| D | | MIL-L-13009F(1) | LIGHT, IGNITION, TIMING, POWER REVIEWER: 82 AS CS MC ..... | A 4910 AL | 12-APR-88 AL | YD1 | 99 | | |
| M | | MIL-T-13011H | TESTER, CYLINDER COMPRESSION (AUTOMOTIVE MAINTENANCE) REVIEWER: 82 CS ME .. | A 4910 AL | 14-MAY-93 AL | | 99 | | |
| | | MIL-T-13013E(1) | TESTER, INTERNAL-COMBUSTION ENGINE (VACUUM AND PRESSURE) ..... | A 4910 AL | 09-JAN-86 AL | | | | |
| | L | MIL-T-13020C | TAPE, RUBBER UNVULCANIZED, SPLICING AND MOLDING (TAPES TL-317/U AND TL-318/U) (VALIDATION DATE: 8504) USER: MI REVIEWER: AR AT AV GS ME | A 5970 ER | 20-MAY-71 ER | | | | |
| | L | MIL-R-13028B NOTICE 1 | RADIO SET CONTROL GROUP (CONTROL GROUP AN/GRA-6 (COMPONENTS FOR) INACTIVE FOR NEW DESIGN USER: AR MI | A 5820 CR | 11-JUL-86 CR | | 99 | | |
| A | L | MIL-R-13029C(1) | RADIACMETER IM-93 ()/UD RADIACMETER IM-147 ()/PD ..... | A 6665 CR | 03-NOV-92 CR | | | | |
| | | MIL-P-13041E | PROJECTILE, 4.2 INCH, SMOKE, M328A1, WP FILLING (VALIDATION DATE: 8006) USER: MC | A 1315 EA | 31-JAN-69 EA | | 99 | | |
| | | MIL-P-13044E(1) | PADDLE, FOOD-STIRRING (VALIDATION DATE: 8104) REVIEWER: MC MD MS ..... | A 7330 GL | 19-DEC-69 GL | SA | 99 | | |
| D | | MIL-D-13053D NOTICE 1 | DOUGH THROUGHS (VALIDATION DATE: 8706) USER: MC MS SA REVIEWER: GS MD ..... | A 7320 GL | 25-JUN-87 GL | YD1 | 84 | | |
| | L | MIL-D-13060B NOTICE 2 | DYNAMOTOR POWER SUPPLYDY 105/GRC-9X (VALIDATION DATE: 8605) ..... | A 5820 CR | 28-MAY-86 CR | | | | |
| | | MIL-S-13065C(1) | SHELL FOR CARTRIDGE, 4.2-INCH MORTER, M2, M2 ALTERNATE, M2A1 AND M2A1 ALTERNATE MD FILING ASSEMBLY (VALIDATION DATE: 8006) REVIEWER: OS | A 1315 EA | 21-NOV-60 EA | MC | | | |
| D | | MIL-M-13071D | LAMP HOUSING, RESILIENT MOUNTING, FOR CONSTRUCTION MACHINERY USER: MC ..... | A 6220 ME | 16-MAR-83 ME | YD1 | 99 | | |
| | L | MIL-W-13074A | WIRE, ELECTRICAL (WIRE W-27 AND WIRE WS-19)(/U) (VALIDATION DATE: 8207) REVIEWER: IS | A 6145 CR | 19-MAY-65 CR | | | | |
| | L1 | MIL-W-13075(1) NOTICE 1 | WIRE, ELECTRICAL (W-124, W-125 AND W-128) ..... | A 6145 CR | 07-OCT-91 CR | | | | |
| | L | MIL-C-13077A | CABLE, SPECIAL PURPOSE, ELECTRICAL (CORDAGE CO-212 AND CABLE, SPECIAL PURPOSE, ELECTRICAL WD-32/U) (VALIDATION DATE: 8207) REVIEWER: IS | A 6145 CR | 27-MAY-71 CR | | | | |
| | | MIL-L-13078A(1) NOTICE 1 | LOUDSPEAKER, DYNAMIC LS-112/U, LS-116/U, LS-148/U, LS-160/U, LS-179/U, LS-181/U AND LOUDSPEAKER LS-154/U AND LS-206/U (VALIDATION DATE: 8610) REVIEWER: 99 ES | A 5965 CR | 09-OCT-86 CR | | 85 | | |
| D | | MIL-E-13080D | ELECTRODES, WELDING, COVERED: AUSTENITIC STEEL (19-9 MODIFIED) FOR ARMOR APPLICATIONS (VALIDATION DATE: 9006) USER: MC YD1 REVIEWER: 84 99 AS AT GL GS ME OS | A 3439 MR | 29-JUN-90 MR | SH | 11 | | |
| D | | MIL-M-13081F(3) | MIXER, ROTARY TILLER, SOIL STABILIZATION, SELF-PROPELLED ..... | A 3895 ME | 25-OCT-89 ME | YD1 | 99 | | |
| | L | MIL-M-13081F(14) | MIXER, ROTARY TILLER, SOIL STABILIZATION, SELF-PROPELLED ..... | A 3895 ME | 14-SEP-90 ME | | | | |
| D | | MIL-A-13092G | ADAPTER SET, ENGINE ELECTRICAL TEST USER: ER ME REVIEWER: MC ..... | A 4910 AL | 21-SEP-90 AL | YD1 | | | |
| | L | MIL-G-13098 | GUN, FOR PORTABLE FLAME THROWER, M2A1 (VALIDATION DATE: 8405) ..... | A 1040 AR | 27-OCT-53 AR | | | | |
| A | | MIL-H-13102D | HOLDER, CARTRIDGE, BELT, CAL .38, LEATHER, BLACK, 6 ROUND USER: 45 82 REVIEWER: 11 MD | A 8465 CT | 04-MAY-83 GL | | 99 | CT | |
| | | MIL-H-13109A NOTICE 1 | HEADSET, ELECTRICAL, GENERAL SPECIFICATION FOR USER: 17 CG MC REVIEWER: 99 ES | A 5965 CR | 09-JAN-87 CR | | 85 | | |
| | | MIL-S-13119E | SPREADER, SLING, PLATE TYPE, NONADJUSTABLE REVIEWER: IS ..... | A 3940 ME | 02-JUL-84 ME | | 99 | | |
| | L | MIL-C-13125C NOTICE 1 | COMPOUND: MOUNTING FOR OPTICAL LENS BLANKS (VALIDATION DATE: 8810) USER: MD REVIEWER: AL AR SH | A 8030 MR | 31-OCT-88 MR | | | | |
| | L | MIL-M-13130C NOTICE 1 | METER, AUDIO LEVEL TS-585(/U) (VALIDATION DATE: 8606) ..... | A 6625 CR | 06-JUN-86 CR | | 99 | | |
| | | MIL-T-13133C | THERMOMETERS, SELF INDICATING, LIQUID-IN-GLASS ML-438/PMQ-1, ML-439/PMQ-1, ML-440/PMQ-1 AND ML-488/PMQ-1 REVIEWER: CR | A 6660 ER | 17-MAR-81 ER | | 99 | | |
| | | MIL-B-13136B | BATTERY, DRY (VALIDATION DATE: 8110) USER: AV MC MI REVIEWER: AS ..... | A 6135 ER | 26-JAN-68 ER | SH | 99 | | |
| | L | MIL-C-13139E(2) | CHARGE, DEMOLITION, SHAPED, 15 LB, M2A3 AND M2A4, PARTS FOR ..... | A 1375 AR | 28-NOV-88 AR | | | | |
| | L | MIL-I-13145 NOTICE 1 | IGNITER, ELECTRIC, T14E2 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9110) | A 1340 AR | 03-OCT-91 AR | | | | |
| | L | MIL-W-13154A NOTICE 1 | WIRE, ELECTRICAL; ANTENNA, HIGH FREQUENCY, (WIRE W-146) (VALIDATION DATE: 8809) REVIEWER: IS | A 6145 CR | 19-SEP-88 CR | | | | |
| | | MIL-S-13165C(1) | SHOT PEENING OF METAL PARTS USER: 99 ME OS REVIEWER: 18 84 AR AT AV EA MI SH | A MFFP MR | 27-NOV-91 MR | AS | 11 | | |
| | | MIL-W-13169B NOTICE 1 | WIRE, ELECTRICAL (FOR INSTRUMENT TEST LEADS) (VALIDATION DATE: 8809) REVIEWER: DS IS MI | A 6145 CR | 19-SEP-88 CR | | 85 | | |
| | | MIL-S-13171B NOTICE 1 | SWITCHBOARD, TELEPHONE, MANUAL (TELEPHONE SWITCHBOARD SB-55( )/FTC) (VALIDATION DATE: 8803) | A 5805 CR | 31-MAR-88 CR | | 99 | | |
| | | MIL-S-13175H(1) | STARTER, FIRE, WP3, M2 USER: MC ..... | A 1370 AR | 15-NOV-85 AR | | | | |
| | | MIL-S-13183B(1) | SMOKE POT, MC, 30 POUND, ABC MS ..... | A 1365 EA | 30-MAR-86 EA | | 99 | | |
| | L | MIL-S-0013183C(1) | SMOKE POT, MC, 30 POUND, ABC-MS ..... | A 1365 EA | 20-MAY-86 EA | | | | |
| | L | MIL-L-13188C(1) | LEATHER, CATTLEHIDE, CHROME-TANNED; HYDRAULIC PACKING (FOR RECOIL MECHANISMS) USER: AT REVIEWER: AR IS | A 5330 MR | 06-FEB-90 MR | | | | |
| | L | MIL-M-13189A(2) | MICROPHONE ELEMENT, CARBON AND EARPHONE, ELEMENT, MAGNETIC (FOR TELEPHONE AND RADIO USE). REVIEWER: ES | A 5965 CR | 03-APR-64 CR | | | | |
| A | | MIL-S-13192P | SHOES, MEN'S, DRESS, OXFORD USER: 45 REVIEWER: 99 MC MD ..... | A 8430 CT | 30-JUN-88 GL | MU | 11 | CT | |
| | L | MIL-A-13196 | ATTENUATOR, VARIABLE CM-7/URA-11 (VALIDATION DATE: 8110) ..... | A 5905 ER | 07-JAN-54 ER | | | | |
| A | L | MIL-F-13198C NOTICE 3 | FUSE, TIME, M65A1 METAL PARTS FOR ..... | A 1390 AR | 30-JUN-92 AR | | | | |
| | L | MIL-B-13207D NOTICE 1 | BODY, VAN, VEHICLE-MOUNTED, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8906) | A 2510 AT | 16-JUN-89 AT | | | | |
| | L | MIL-B-13207/1 NOTICE 1 | BODY, VAN, VEHICLE-MOUNTED, ISO SIZE 10 (VALIDATION DATE: 8906) USER: GL .. | A 2510 AT | 16-JUN-89 AT | | | | |
| | L | MIL-B-13207/2 NOTICE 1 | BODY, VAN VEHICLE-MOUNTED, ISO SIZE 20 (VALIDATION DATE: 8906) USER: GL ... | A 2510 AT | 16-JUN-89 AT | | | | |
| | L | MIL-B-13207/3 NOTICE 1 | BODY, VAN, VEHICLE-MOUNTED, ISO SIZE 30 (VALIDATION DATE: 8906) USER: GL .. | A 2510 AT | 16-JUN-89 AT | | | | |
| | L | MIL-B-13207/4 NOTICE 1 | BODY, VAN VEHICLE-MOUNTED, ISO SIZE 40 (VALIDATION DATE: 8906) ..... | A 2510 AT | 16-JUN-89 AT | | | | |
| | L | MIL-G-1321G | GASKET, RUBBER REVIEWER: GS ..... | A 4240 EA | 14-JAN-54 EA | | | | |
| D | | MIL-H-13220C(1) | HOOK, SLIDING CHOKER (FOR USE WITH WIRE ROPE) (VALIDATION DATE: 8204) REVIEWER: ER GL IS YD1 | A 4030 SH | 16-SEP-66 ME | SH | 99 | | |
| | L | MIL-M-13231C(1) | MARKING OF ELECTRONIC ITEMS USER: ME REVIEWER: AR AV EA MI ..... | A MISC ER | 27-AUG-90 ER | | | | |
| | L | MIL-P-13232B(1) | POST, AIMING, M1A2 REVIEWER: MI ..... | A 1290 AR | 30-JAN-84 AR | | | | |
| | L | MIL-W-13241A | WIRE, ELECTRICAL, ANTENNA (WIRE WS-12/U AND WIRE WS-13/U) (VALIDATION DATE: 8204) REVIEWER: IS | A 6145 CR | 19-MAY-65 CR | | | | |
| | L | MIL-D-13242 | DRUM, PACKING, FOR M4A2 FLOATING SMOKE POT (VALIDATION DATE: 8009) ..... | A 1365 EA | 01-FEB-54 EA | | | | |
| | | MIL-C-13246B | CRESYLIC ACID, TECHNICAL (VALIDATION DATE: 8201) USER: OS REVIEWER: GS .... | A 6810 EA | 17-OCT-73 EA | AS | 68 | | |
| | L | MIL-C-13251C(1) NOTICE 1 | CANNON, 8 INCH HOWITZER, M2A2 (VALIDATION DATE: 8703) ..... | A 1030 AR | 24-MAR-87 AR | | | | |
| | | MIL-H-13253D SUPPL 1A | HANDSET (VALIDATION DATE: 8008) USER: CG MC REVIEWER: 80 SH SM ..... | A 5965 ES | 26-JUN-74 CR | EC | 85 | | |

| Action | QPL / QML | Cooperation | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-H-13253/1 | HANDSET, TYPE TS-9 ( ) [VALIDATION DATE: 8008] USER: CG MC REVIEWER: 80 MI SM | A | 5965 | ES | 18-JUN-65 | CR | SH | 85 | | |
| | I | | | MIL-H-13253/4A NOTICE 1 | HANDSET, TYPE H-23( )/U [VALIDATION DATE: 8803] USER: AS CG MC REVIEWER: 99 AR ES MI | A | 5965 | CR | 25-MAR-88 | CR | SH | | | |
| | | | | MIL-H-13253/5 | HANDSET, TYPE H-90/U [VALIDATION DATE: 8008] USER: CG MC REVIEWER: 80 MI SM | A | 5965 | ES | 18-JUN-65 | CR | SH | 17 | | |
| | | | | MIL-H-13253/9A NOTICE 1 | HANDSET, TYPE H-142/U [VALIDATION DATE: 8704] REVIEWER: 85 AR ES MI ..... | A | 5965 | CR | 10-APR-87 | CR | EC | 17 | | |
| | L | | | MIL-S-13257H(6) | SIGNALS, ILLUMINATION, GROUND RED STAR, M126A1, WHITE STAR, M127A1 AND GREEN STAR, M195, PARACHUTE, PARTS AND LOADING, ASSEMBLING AND PACKING | A | 1370 | AR | 29-MAR-91 | AR | | | | |
| | L | | | MIL-A-13259B | ARMOR, STEEL, SHEET, STRIP AND FABRICATED FORMS, ROLLED, NON-MAGNETIC, FOR HELMETS AND PERSONNEL ARMOR REQUIREMENTS [VALIDATION DATE: 8302] REVIEWER: AT IS | A | 9515 | MR | 06-MAY-66 | MR | | | | |
| | L | | | MIL-S-13261G(6) | SIGNALS, ILLUMINATION, GROUND, GREEN STAR CLUSTER M125A1, RED STAR CLUSTER M158, AND WHITE STAR CLUSTER M159, PARTS AND LOADING, ASSEMBLING AND PACKING | A | 1370 | AR | 29-MAR-91 | AR | | | | |
| | L | | | MIL-P-13269A(5) | PERISCOPE, TANK, M20 SERIES [VALIDATION DATE: 8202] USER: AT ..... | A | 1240 | AR | 10-OCT-69 | AR | | | | |
| | | | | MIL-C-13273(3) NOTICE 1 | CORD, ELECTRICAL (RETRACTILE, 2, 3 AND 4 CONDUCTOR, WD-9/U, WT-2/U, WT-4/U) [VALIDATION DATE: 8808] REVIEWER: IS MI | A | 6145 | CR | 16-AUG-88 | CR | | 85 | | |
| | L | | | MIL-W-13276A(1) | WIRE, ELECTRICAL, ANTENNA, (WIRE W-28) [VALIDATION DATE: 8204] REVIEWER: IS | A | 6145 | CR | 04-MAR-66 | CR | | | | |
| | L | | | MIL-S-13281E | STEEL, CARBON, ALLOY, AND HIGH STRENGTH LOW ALLOY FOR WELDED STRUCTURES (STRESS RELIEVED) [VALIDATION DATE: 8601] USER: AT AV REVIEWER: IS MI MV | A | 9520 | MR | 20-SEP-85 | MR | | | | |
| | | | | MIL-S-13282B NOTICE 1 | SILVER AND SILVER ALLOYS [VALIDATION DATE: 9102] USER: 11 ME REVIEWER: AR EA MI | A | 9545 | MR | 22-FEB-91 | MR | AS | 99 | | |
| | L | | | MIL-L-13283C | LEAD-ANTIMONY (FOR USE IN AMMUNITION) REVIEWER: AR ..... | A | 9650 | MR | 09-MAR-90 | MR | | | | |
| | L | | | MIL-D-13284 | DEVICE, AIMING, M2, (R.H) AND DEVICE, AIMING L.H [VALIDATION DATE: 8504] .. | A | 1240 | AR | 03-MAR-54 | AR | | | | |
| | L | | | MIL-T-13285B(2) | TRIPODS: M15 AND M17 ..... | A | 6650 | AR | 03-OCT-88 | AR | | | | |
| | | | | MIL-T-13291F | TANK, HOT-DIP, DIRECTLY AND INDIRECTLY HEATED USER: AT REVIEWER: 84 GS ML SA | A | 3426 | IP | 30-JUN-86 | AL | SH | 99 | | |
| | L | | | MIL-P-13298A(1) NOTICE 1 | POLYISOBUTYLENE (FOR AMMUNITION USE) REVIEWER: GS MI MR ..... | A | 6810 | AR | 28-JUL-91 | AR | | | | |
| | L | | | MIL-T-13300E | TRUCKS, HOPPER: COAL DELIVERY, CONVEYOR TYPE, DIESEL ENGINE DRIVEN, 24,000 GVW, 4X2 AND 39,500 GVW, 6X4, MODIFIED COMMERCIAL | A | 2320 | AT | 22-FEB-91 | AT | | | | |
| | L | | | MIL-S-13303G(4) | SIGNALS, SMOKE, GROUND, HAND HELD PARACHUTE, GREEN SMOKE, M128A1, RED SMOKE, M129A1, AND YELLOW SMOKE, M194 PARTS AND LOADING, ASSEMBLING AND PACKING | A | 1370 | AR | 10-APR-91 | AR | | | | |
| | L | | | MIL-M-13306A | MOUNT, TELESCOPE, T189 [VALIDATION DATE: 8602] ..... | A | 1290 | AR | 09-JUN-61 | AR | | | | |
| D | | | | MIL-R-13312H | REFRIGERATION UNITS, MECHANICAL, PANEL MOUNTED FOR REFRIGERATOR, PREFABRICATED, PANEL TYPE USER: MC REVIEWER: 82 GS MD ME TS | A | 4110 | GL | 25-MAY-88 | GL | YD1 | 99 | | |
| D | | | | MIL-R-0013312P | REFRIGERATION UNITS, MECHANICAL, PANEL MOUNTED FOR REFRIGERATOR, PREFABRICATED, PANEL TYPE USER: CE MC REVIEWER: 82 GS MD ME TS | A | 4110 | GL | 19-JUN-92 | GL | YD1 | 99 | | |
| | | | | MIL-T-13317F | TOOL KIT, OFFICE MACHINES, REPAIR [VALIDATION DATE: 8201] USER: MC REVIEWER: AV | A | 5180 | GL | 17-FEB-76 | GL | | 99 | | |
| | L | | | MIL-M-13318B | MOUNT, TELESCOPE, M79 [VALIDATION DATE: 8002] REVIEWER: MC ..... | A | 1240 | AR | 02-FEB-60 | AR | | | | |
| | L | | | MIL-T-13321B | TELESCOPE, ELBOW, M62 SERIES [VALIDATION DATE: 8202] REVIEWER: GS MI ..... | A | 1240 | AR | 10-SEP-63 | AR | | | | |
| | L | | | MIL-A-13325A(2) | ADAPTER, TELESCOPE, M9A1 [VALIDATION DATE: 8504] ..... | A | 1240 | AR | 15-NOV-61 | AR | | | | |
| | | | | MIL-P-13326D | PLATE, METAL, STEEL ALLOY; HEAT TREATED, HIGH STRENGTH; FOR WELDED STRUCTURES REVIEWER: AR IS | A | 9515 | MR | 25-AUG-87 | MR | | | | |
| | L | | | MIL-M-13331A | MOUNT, TELESCOPE, M18A1 REVIEWER: MC ..... | A | 1240 | AR | 09-JUL-90 | AR | | | | |
| | L | | | MIL-T-13333B(3) | TELESCOPE, M49 ..... | A | 6650 | AR | 21-OCT-88 | AR | | | | |
| | L | | | MIL-A-13338E(1) NOTICE 1 | AIMING CIRCLE: M2 AND M2A2, WITH EQUIPMENT [VALIDATION DATE: 8810] ..... | A | 1290 | AR | 24-OCT-88 | AR | | | | |
| | L | | | MIL-M-13347A | MOUNT, TELESCOPE: M71 ..... | A | 1240 | AR | 16-APR-90 | AR | | | | |
| | L | | | MIL-M-13348(1) | MOUNT, PERISCOPE, M89 (T177) AND M94 (1177A2) [VALIDATION DATE: 8504] ..... | A | 1290 | AR | 17-JAN-72 | AR | | | | |
| | L | | | MIL-S-13352A | SIGHT UNIT, M34 SERIES [VALIDATION DATE: 8602] REVIEWER: MC ..... | A | 1240 | AR | 02-FEB-60 | AR | | | | |
| D | L | | | MIL-C-13358F(1) | COBALT-CHROMIUM ALLOY CASTINGS (FOR BARREL TUBE LINERS) ..... | A | MECA | AR | 15-OCT-92 | AR | | | | |
| | | | | MIL-S-13365C | SLING, ENDLESS: WIRE-ROPE, GROMMET-TYPE REVIEWER: GS ..... | A | 3940 | ME | 22-DEC-89 | ME | | 84 | | |
| | L | | | MIL-M-13368 | MOUNT, SIGHT, M74C [VALIDATION DATE: 8602] ..... | A | 1290 | AR | 07-APR-54 | AR | | | | |
| | | | | MIL-A-13374E NOTICE 1 | ADHESIVE, DEXTRIN, FOR USE IN AMMUNITION CONTAINERS [VALIDATION DATE: 8810] USER: SA REVIEWER: 84 AR | A | 8040 | MR | 31-OCT-88 | MR | OS | 99 | | |
| | L | | | MIL-D-13383(1) NOTICE 1 | DI-(2-ETHYLHEXYL)-APIDATE [VALIDATION DATE: 8701] ..... | A | 1376 | AR | 27-JAN-87 | AR | | | | |
| | L | | | MIL-S-13387(1) | SIGHT, REFLEX, M18 [VALIDATION DATE: 8201] ..... | A | 1240 | AR | 25-MAR-70 | AR | | | | |
| | L | | | MIL-T-13391 | TORPEDO, BANGALORE, M1A1 INERT ASSEMBLY [VALIDATION DATE: 8304] ..... | A | 1375 | AR | 21-APR-54 | AR | | | | |
| | L | | | MIL-P-13392B(3) | PRIMER, PERCUSSION, M54 PARTS FOR AND LOADING, ASSEMBLING AND PACKING ..... | A | 1375 | AR | 05-NOV-87 | AR | | | | |
| | L | | | MIL-B-13393E | BOMB, SMOKE OR INCENDIARY, AN-M474, 100-LB, INERT COMPONENTS FOR ..... | A | 1325 | EA | 13-JUN-86 | EA | | | | |
| | L | | | MIL-T-13405E | TITANIUM, TECHNICAL, POWER REVIEWER: GS MD MI ..... | A | 6810 | EA | 23-FEB-84 | EA | | | | |
| | | | | MIL-O-13417B | OILER, AIR LINES, FOR PNEUMATIC TOOLS USER: MC REVIEWER: CS ..... | A | 4930 | ME | 12-APR-83 | ME | | | | |
| | L | | | MIL-T-13420A NOTICE 1 | TELEPHONE SET, TA-264/PT [VALIDATION DATE: 8603] ..... | A | 5805 | CR | 04-MAR-86 | CR | | 99 | | |
| | L | | | MIL-F-13424K(1) NOTICE 1 | FUZES, HAND GRENADE, M204A2, M206A2 AND PRACTICE M205A2 PARTS FOR, LOADING ASSEMBLING AND PACKING [VALIDATION DATE: 9010] REVIEWER: EA | A | 1330 | AR | 31-OCT-90 | AR | | | | |
| | L | | | MIL-R-13427A NOTICE 1 | RADIO SET AN/ARC-44( ) AND ASSOCIATED COMPONENTS: BENCH, PRE-FLIGHT AND FLIGHT TESTS OF [VALIDATION DATE: 9105] | A | 5821 | CR | 13-MAY-91 | CR | | | | |
| | | | | MIL-P-13436A(1) NOTICE 1 | PLASTIC SHEET, FILLED PHENOLIC, UNCURED [VALIDATION DATE: 8707] USER: AS REVIEWER: GS MR | A | 9330 | ER | 07-JUL-87 | ER | SH | 11 | | |
| | | | | MIL-R-13442C | REELING MACHINE, CABLE, HAND, ADJUSTABLE AND COLLAPSIBLE [VALIDATION DATE: 8305] USER: CE REVIEWER: CS ME | A | 3895 | CR | 01-AUG-67 | CR | | 99 | | |
| DO | | | | MIL-H-13444E(1) | HOSE AND HOSE ASSEMBLIES, RUBBER: FUEL AND OIL USER: MC REVIEWER: AR ME MI | A | 4720 | AT | 17-AUG-91 | AT | YD1 | | | |
| | L | | | MIL-T-13446D(1) | TELESCOPE, ELBOW, M16 SERIES, M116 SERIES, AND XM139 ..... | A | 1240 | AR | 29-MAY-88 | AR | | | | |
| | L | | | MIL-S-13448A NOTICE 1 | SIGHT, RIFLE GRENADE LAUNCHER, M15 [VALIDATION DATE: 8604] ..... | A | 1005 | AR | 18-APR-86 | AR | | | | |
| | L | | | MIL-G-13451B | GAGE, DIMENSIONAL CONTROL, MECHANICAL (FOR SIGNAL CORPS EQUIPMENT) [VALIDATION DATE: 8301] REVIEWER: AR ES | A | 5999 | ER | 23-SEP-66 | ER | | | | |
| A | L | | | MIL-T-13452A(1) | TAPE, TEXTILE, COTTON FOR BANDOLEERS ..... | A | 8305 | AR | 14-DEC-92 | AR | | | | |
| A | L | | | MIL-C-13453A(1) | CLOTH, COTTON, SHEETING (FOR BANDOLEERS) ..... | A | 8305 | AR | 14-DEC-92 | AR | | | | |
| | L | | | MIL-F-13455C | FILTER, LIGHT (FOR BLACKOUT SECURITY) USER: ME REVIEWER: EA GS MI ..... | A | 6220 | AT | 17-FEB-88 | AT | | | | |
| | L | | | MIL-T-13458B | TELESCOPE PANORAMIC, M12A7 SERIES [VALIDATION DATE: 8602] ..... | A | 1240 | AR | 16-APR-68 | AR | | | | |
| | L | | | MIL-C-13459B | CASE, BINOCULAR, M52A1 AND M53A1 [VALIDATION DATE: 8506] ..... | A | 6650 | AR | 01-SEP-71 | AR | | | | |
| | | | | MIL-T-13460(2) NOTICE 1 | TELEPHONE SET TA-263-PT [VALIDATION DATE: 8603] ..... | A | 5805 | CR | 04-MAR-86 | CR | | 99 | | |
| A | L | | | MIL-B-13466F | BRAID, TEXTILE AND LACE, VELLUM, WOVEN, TEXTILE (FOR BLUE DRESS UNIFORM) USER: MD | A | 8315 | CT | 16-SEP-88 | GL | | | | CT |
| | L | | | MIL-S-13468A(1) NOTICE 1 | STEEL, COPPER ALLOY CLAD, STRIP (FOR SMALL CALIBER BULLET JACKETS) [VALIDATION DATE: 8603] | A | 1305 | AR | 13-MAR-86 | AR | | | | |
| | L | | | MIL-C-13473C(3) NOTICE 1 | CARTRIDGE, 106MM, HEAT, M344A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | 15-OCT-90 | AR | | | | |
| | L | | | MIL-C-13477C | CYCLOHEXANOL [VALIDATION DATE: 8201] ..... | A | 1375 | AR | 09-JUL-75 | AR | | | | |
| D | | | | MIL-C-13481B | CLAMP, BEAM, RIGGER'S ..... | A | 3940 | ME | 18-AUG-83 | ME | YD1 | | | |
| | L | | | MIL-G-13483B(1) NOTICE 1 | GRENADE, HAND, OFFENSIVE, MK3A2 PARTS FOR [VALIDATION DATE: 8704] ..... | A | 1330 | AR | 22-JAN-68 | AR | | | | |
| QL | | | | MIL-S-13484E | SWITCH, SENSITIVE: 30 VOLTS DIRECT CURRENT MAXIMUM, WATERPROOF USER: AL REVIEWER: AR ES MI | A | 5930 | AT | 02-MAY-91 | AT | | | | |

| Action | GSA / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| Q | | MIL-C-13486C SUPPL 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE-CONDUCTOR AND MULTICONDUCTOR, SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR USER: 71 79 80 84 ME REVIEWER: 99 EA IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/1B | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR, UNSHIELDED USER: 71 79 84 MC REVIEWER: 99 AR CR EA IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/2B | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE-CONDUCTOR, SHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/3A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/4A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/5A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/6A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/7A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/8A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/9A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/10A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/11A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/12A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/13B | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, SHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| | | MIL-C-13486/14A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 IS | A 6145 AT 06-JUN-89 AT | | 85 | |
| | | MIL-C-13486/15A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR, UNSHIELDED USER: 71 79 80 84 AK MC OS REVIEWER: 99 CR IS | A 6145 AT 06-JUN-89 AT | SH | 85 | |
| L | | MIL-A-13488C(1) | AIR CLEANER, ENGINE, HEAVY-DUTY, OIL-BATH TYPE (FOR INTERNAL-COMBUSTION ENGINES) [VALIDATION DATE: 8304] REVIEWER: CS | A 2940 AT 12-MAY-78 AT | | | |
| L | | MIL-C-13489D | COVER AND END CURTAINS, CARGO BODY (FOR MILITARY VEHICLES). USER: MC REVIEWER: CS | A 2540 AT 14-FEB-85 AT | | | |
| L | | MIL-C-13494C | GUN, FLUID, DIRECT DELIVERY [VALIDATION DATE: 8206] | A 4933 AR 16-MAY-75 AR | | | |
| D | | MIL-R-13495F | RELINER, BRAKE AND CLUTCH RIVETING USER: MC REVIEWER: 82 CS | A 4910 AL 21-FEB-86 AL | YD1 | 99 | |
| L | | MIL-V-13497A | VARNISH, IMPREGNATING, ELECTRICAL-INSULATING (FOR FIRE CONTROL INSTRUMENTS). [VALIDATION DATE: 8504] USER: AT REVIEWER: GS IS MI | A 5970 AR 02-MAR-62 AR | | | |
| L | | MIL-S-13498 | SOLENOID, FIRING, D7665749 AND F8208586 [VALIDATION DATE: 8504] REVIEWER: ES | A 5945 AR 24-JUN-54 AR | | | |
| L | | MIL-T-13499C | TRAINING AID, MODEL BRIDGE, SUPERSTRUCTUTE, GLASS 60, PNEUMATIC FLOAT, FLOATING BRIDGE, WITH CHEST USER: MC | A 6910 ME 19-APR-88 ME | | 70 | |
| L | | MIL-E-13500B | EXPOSURE CONTROL, PHOTOLITHOGRAPHIC, LIGHT INTEGRATING. REVIEWER: GS | A 6760 ME 26-OCT-78 ME | | | |
| L | | MIL-B-13501D | BEARINGS AND BUSHINGS, BRASS AND BRONZE, MACHINED OR FORMED USER: ME REVIEWER: IS SM | A 3120 MI 11-FEB-91 MI | | | |
| L | | MIL-T-13505 NOTICE 1 | THREAD, SILK, SEWING (FOR PROPELLANT BAGS) [VALIDATION DATE: 9108] REVIEWER: EA | A 1376 AR 29-AUG-91 AR | | | |
| L | | MIL-G-13507 | GEAR, OIL M6A1E1 [VALIDATION DATE: 8504] | A 1290 AR 24-JUN-54 AR | | | |
| | | MIL-M-13508C(1) NOTICE 1 | MIRROR, FRONT SURFACED ALUMINIZED: FOR OPTICAL ELEMENTS [VALIDATION DATE: 8810] USER: ME MI OS REVIEWER: AV | A 6650 AR 24-OCT-88 AR | SH | 99 | |
| L | | MIL-C-13510 | COATED CELLOPHANE FILM FOR INCREMENT CHARGE CONTAINERS. [VALIDATION DATE: 8404] | A 8140 AR 24-JUN-54 AR | | | |
| L | | MIL-D-13512B NOTICE 1 | DELAY ELEMENT, NON-DELAY M1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9008] | A 1375 AR 27-AUG-90 AR | | | |
| D | | MIL-H-13514H | HEATERS, SPACE, RADIANT TYPE, PORTABLE, 45,000 BTU/HR, (H-45) USER: CE MC REVIEWER: 84 CS MD | A 4520 GL 26-FEB-92 GL | YD1 | 99 | |
| | | MIL-C-13516E(5) | CIRCUIT BREAKERS; MANUAL AND AUTOMATIC (28 VOLT) USER: AV ME REVIEWER: 99 AR CR ES | A 5925 AT 24-FEB-92 AT | MC | 85 | |
| | | MIL-C-13516/1A NOTICE 1 | CIRCUIT BREAKERS; 28 VOLT DC, AUTOMATIC, WATERPROOF, 15 TO 30 AMP [VALIDATION DATE: 9006] USER: AV ME REVIEWER: AR ER | A 5925 AT 28-JUN-90 AT | EC | 85 | |
| | | MIL-C-13516/2A NOTICE 1 | CIRCUIT BREAKER, 28 VOLT DC MANUAL, WATERPROOF, 15 TO 30 AMP USER: AV ME REVIEWER: 99 AR ER ES | A 5925 AT 21-OCT-86 AT | MC | 85 | |
| | | MIL-C-13516/3C | CIRCUIT BREAKERS; 28 VOLT DC, MANUAL, NONWATERPROOF, 105 TO 200 AMP USER: ME REVIEWER: 99 AR AV ER ES | A 5925 AT 24-FEB-92 AT | MC | 85 | |
| | | MIL-C-13516/4C | CIRCUIT BREAKERS; 28 VOLT DC, MANUAL, NONWATERPROOF, 35 TO 150 AMP USER: AV ME REVIEWER: 99 AR ER ES | A 5925 AT 24-FEB-92 AT | MC | 85 | |
| | | MIL-C-13516/5C | CIRCUIT BREAKERS; 28 VOLT DC, AUTOMATIC, NONWATERPROOF, 10 TO 35 AMP USER: AV ME REVIEWER: 99 AR ER ES | A 5925 AT 24-FEB-92 AT | MC | 85 | |
| | | MIL-C-13516/6C | CIRCUIT BREAKERS; 28 VOLT DC, MANUAL, NONWATERPROOF, 10 TO 35 AMP USER: ME REVIEWER: 99 AR ER ES | A 5925 AT 24-FEB-92 AT | MC | 85 | |
| | | MIL-C-13516/7D | CIRCUIT BREAKERS; 28 VOLT DC, AUTOMATIC, NONWATERPROOF, 35 TO 150 AMP USER: AV ME REVIEWER: 99 AR ER ES | A 5925 AT 24-FEB-92 AT | MC | 85 | |
| | | MIL-C-13516/8C | CIRCUIT BREAKERS; 28 VOLT DC, AUTOMATIC, NONWATERPROOF, 150 TO 200 AMP USER: ME REVIEWER: 99 AR ER ES | A 5925 AT 24-FEB-92 AT | MC | 85 | |
| L | | MIL-H-13524B | HOSE ASSEMBLY, METAL, FLEXIBLE, FUEL AND OIL [VALIDATION DATE: 8308] REVIEWER: CS EA | A 4720 AT 12-JUN-74 AT | | | |
| L | | MIL-F-13526B NOTICE 1 | FIBER, RED (SHEET), FOR SMALL ARMS BUFFER DISKS [VALIDATION DATE: 8912] USER: 45 REVIEWER: AL AR MI | A 9420 MR 06-DEC-89 MR | | | |
| L | | MIL-C-13527 | CONTAINER ASSEMBLY, SAMPLE AND SPECIMEN SHIPPING. [VALIDATION DATE: 6508] REVIEWER: GS | A 8120 EA 24-JUN-54 EA | | | |
| A L | | MIL-H-13528B NOTICE 2 | HYDROCHLORIC ACID, INHIBITED, RUST-REMOVING [VALIDATION DATE: 9304] USER: MI REVIEWER: AT AV MD ME SM | A 6850 MR 13-APR-93 MR | | | |
| L | | MIL-M-13529D(1) | MOUNT, GUN, RING TYPE, REVOLVING USER: AT MC | A 1005 AR 08-NOV-85 AR | | | |
| Q | | MIL-H-13531C(5) | HOSE, RUBBER AND HOSE ASSEMBLY, RUBBER (HYDRAULIC, FLEXIBLE) USER: AR AV REVIEWER: 82 ME | A 4720 AT 16-AUG-91 AT | MC | 99 | |
| L | | MIL-S-13544 | SET, WIRING, M10A1E1 [VALIDATION DATE: 8504] | A 1290 AR 24-JUN-54 AR | | | |
| | | MIL-I-13548A | INSULATION SLEEVING, ELECTRICAL (CABLE SPLICING) FT-96, FT-97, FT-98, AND FT-472 [VALIDATION DATE: 8309] USER: 17 CG MC REVIEWER: AR GS | A 5970 ER 16-MAR-66 ER | | 11 | |
| | | MIL-F-13549F(5) | FILE DESTROYER, INCENDIARY, ABC M4 USER: MC | A 1375 AR 30-JUL-70 AR | OS | | |
| L | | MIL-A-13550E(1) NOTICE 1 | ANTIFOGGING KIT, M1 [VALIDATION DATE: 8808] REVIEWER: GS | A 6850 EA 18-AUG-88 EA | | | |
| | | MIL-T-13558B NOTICE 1 | TARGET, PAPER AND PAPER ACCESSORIES [VALIDATION DATE: 8604] USER: MC | A 6920 AR 10-APR-86 AR | TD | 99 | |
| | | MIL-T-13559B | TARGET EQUIPMENT [VALIDATION DATE: 8003] | A 6920 AR 17-DEC-73 AR | TD | 99 | |
| | | MIL-T-13560D NOTICE 1 | TARGET, PASTEBOARD AND POLYETHYLENE [VALIDATION DATE: 8702] USER: MC OS | A 6920 AR 27-MAY-81 AR | TD | 99 | |
| L | | MIL-R-13562A | ROTATING BAND, WELDED OVERLAY, FERROUS AND NONFERROUS, FOR PROJECTILE VALIDATED APR 1966 [VALIDATION DATE: 7905] | A 1395 AR 08-JAN-60 AR | | | |
| | | MIL-S-13565D | SINK, PHOTOGRAPHIC PROCESSING, TEMPERATURE CONTROLLED [VALIDATION DATE: 8201] USER: ER | A 6740 ME 17-MAY-77 ME | | | |
| | | MIL-H-13568B | HOOK, HOIST, REGULAR EYE REVIEWER: IS | A 4030 ME 17-FEB-82 ME | | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-S-13571 | SYSTEM, LOCAL CONTROL M16A1E1 (VALIDATION DATE: 8504) | A | 1290 | AR | AR | 09-AUG-54 | AR | | | |
| D | | | | MIL-S-13572C(1) | SPRINGS, HELICAL, COMPRESSION AND EXTENSION REVIEWER: AT AV IS ME MI YD1 | A | 5360 | AR | AR | 25-APR-90 | AR | OS | 99 | |
| | | | | MIL-R-13577C | ROD, CLEANING, FOR SMALL ARMS (VALIDATION DATE: 8604) REVIEWER: MC | A | 1005 | AR | AR | 18-APR-86 | AR | OS | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-B-13587E | BIN, STORAGE, AGGREGATE, PORTABLE, 60-TON (VALIDATION DATE: 8201) USER: MT REVIEWER: CS | A | 3895 | ME | ME | 03-JAN-77 | ME | | | |
| | | | | MIL-G-13590A | GRENADE, RIFLE, SMOKE, M22A2, CHEMICAL LOADING ASSEMBLY (VALIDATION DATE: 8006) | A | 1330 | EA | AR | 28-FEB-57 | EA | OS | | |
| | | | | MIL-G-13598A | GRENADE, RIFLE, SMOKE, M23A1, CHEMICAL LOADING ASSEMBLY (VALIDATION DATE: 8006) | A | 1330 | EA | AR | 28-FEB-57 | EA | OS | | |
| L | | | | MIL-C-13600A | CUPRIC OXIDE (VALIDATION DATE: 8907) REVIEWER: GS OS | A | 6810 | AR | AR | 13-JUL-89 | AR | | | |
| A | | | | MIL-C-13602C | CASE, PANEL MARKER FOR AERIAL COMMUNICATION PANEL MARKER SETS AP-30-C AND AP-30-D (VALIDATION DATE: 9210) USER: 45 MC REVIEWER: 82 99 CT | A | 8345 | IH | IH | 02-OCT-92 | IH | SA | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-P-13607B(2) | PADDING MATERIALS, RESILIENT (FOR PACKAGING OF AMMUNITION) REVIEWER: EA | A | 8140 | AH | AR | 10-APR-89 | AR | | | |
| L | | | | MIL-C-13609B | CASTING SOLVENTS FOR O1A, OGK AND AHH PROPELLANTS (VALIDATION DATE: 8804) | A | 1376 | AR | AR | 25-APR-88 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-C-13613 | CARBAZOLE (VALIDATION DATE: 8301) REVIEWER: GS | A | 6810 | AR | AR | 03-SEP-54 | AR | | | |
| L | | | | MIL-S-13623C | SWITCH, ROTARY, 28 VOLT DC USER: ME REVIEWER: EA ES MI | A | 5930 | AT | AT | 12-MAR-87 | AT | | | |
| L | | | | MIL-S-13623/1 | SWITCHES, ROTARY: 28 VOLT DC USER: ME REVIEWER: EA ES MI | A | 5930 | AT | AT | 05-NOV-90 | AT | | | |
| QL | | | | MIL-S-13625D | SWITCH, PULL, SWITCH, PUSH, SWITCH, BEAM SELECTING, HEADLIGHT, ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES USER: ME REVIEWER: ES MI | A | 5930 | AT | AT | 15-JUL-87 | AT | | | |
| L | | | | MIL-S-13625/1 | SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING, HEADLIGHT; ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES) USER: ME REVIEWER: ES MI | A | 5930 | AT | AT | 05-NOV-90 | AT | | | |
| L | | | | MIL-S-13625/2 | SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING, HEADLIGHT; ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES) REVIEWER: ES ME MI | A | 5930 | AT | AT | 05-NOV-90 | AT | | | |
| | | | | MIL-T-13626B(1) | TELEPHONE SET TA-1/PT (VALIDATION DATE: 8603) | A | 5805 | CR | CR | 04-MAR-86 | CR | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-T-13658 | TELESCOPE, ELBOW, M26A1 (VALIDATION DATE: 8504) | A | 1240 | AR | AR | 21-SEP-54 | AR | | | |
| L | | | | MIL-C-13664A | CLIP, CARTRIDGE, FOR U.S. RIFLES, CALIBER .30M1, M1C AND M1D (VALIDATION DATE: 8603) REVIEWER: 99 | A | 1305 | AR | AR | 13-MAR-86 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-G-13665 | GUN, MACHINE, BROWNING, CALIBER .30, M1919A6 (WITH SPARE PARTS) (VALIDATION DATE: 7904) USER: MC REVIEWER: 84 | A | 1005 | AR | AR | 24-SEP-54 | AR | | 99 | |
| L | | | | MIL-M-13667B | MANGANESE CARBONATE, TECHNICAL (VALIDATION DATE: 8903) REVIEWER: GS MD | A | 6810 | EA | AR | 13-MAR-89 | EA | | | |
| L | | | | MIL-D-13670C | DETONATOR, STAB, M63 PARTS FOR LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9008) | A | 1375 | AR | AR | 27-AUG-90 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-C-13678B | CANNON, 37MM GUN, SUBCALIBER: M13 (VALIDATION DATE: 9105) | A | 1010 | AR | AR | 06-MAY-91 | AR | | | |
| | | | | NOTICE 2 | | | | | | | | | | |
| L | | | | MIL-M-13685F(1) | MINE, AT, MN, M19 WITH ARMING WRENCH M22 LOADING ASSEMBLING AND PACKING | A | 1375 | AR | AR | 12-APR-91 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-P-13692D | PLATE, LITHOGRAPHIC PRINTING, METAL, SENSITIZED, WITH PROCESSING CHEMICALS (VALIDATION DATE: 8403) REVIEWER: GL GS MC | A | 3610 | ML | ML | 31-OCT-79 | ML | | 99 | |
| L | | | | MIL-M-13693A(1) | MINE, APERS, MN, M14E1 WITH INTEGRAL FUZE, LOADING, ASSEMBLING, AND PACKING (VALIDATION DATE: 9010) | A | 1345 | AR | AR | 15-OCT-90 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-M-13703D(1) | MARKER LOCATION, MARINE DYE AN-M59 | A | 1370 | AR | AR | 13-JAN-88 | AR | | | |
| L | | | | MIL-G-13706D | GRENADE, HAND, OFFENSIVE, MK3A2 WITH M206A2 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8803) | A | 1330 | AH | AR | 30-MAR-88 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| D | L | | | MIL-T-13714D(1) | TRAILER, UTILITY, CABLE REEL, 3 1/2 TON, M310 USER: 99 CE REVIEWER: YD1 | A | 2330 | AT | AT | 16-FEB-88 | AT | | | |
| | L | | | MIL-R-13718C(1) | RELAY, ELECTRONIC 24 VOLT DC USER: MC ME REVIEWER: CS ER MI SC | A | 2920 | AT | AT | 13-NOV-84 | AT | | | |
| | QL | | | MIL-H-13719D | HOSE ASSEMBLY, RUBBER, HYDRAULIC BRAKE USER: MC ME SM REVIEWER: CS MI | A | 4720 | AT | AT | 07-FEB-92 | AT | | | |
| | L | | | MIL-T-13723A | TETRANITROCARBAZOLE (TNC) (FOR ORDNANCE USE) (VALIDATION DATE: 9010) REVIEWER: OS | A | 1370 | AR | AR | 31-OCT-90 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| D | | | | MIL-C-13724A | CHARCOAL, ACTIVATED, IMPREGNATED, ASC USER: YD1 | A | 6810 | EA | AR | 04-MAY-60 | EA | SH | 68 | |
| A | L | | | MIL-C-0013724D(2) | CHARCOAL, ACTIVATED, IMPREGNATED, ASC | X | 6810 | EA | AR | 28-JUL-92 | EA | | | |
| | L | | | MIL-C-13724A(12) | CHARCOAL, ACTIVATED, IMPREGNATED, ASC | A | 6810 | EA | AR | 30-JUN-66 | EA | | | |
| | | | | MIL-S-13727B | SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS, TECHNICAL (VALIDATION DATE: 8903) REVIEWER: GS MD | A | 6810 | EA | AR | 13-MAR-89 | EA | | 68 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-G-13734B | GERMICIDE, QUARTERNARY AMMONIUM TYPE (VALIDATION DATE: 8404) REVIEWER: GS | A | 6840 | EA | AR | 25-MAR-68 | EA | | | |
| | | | | NOTICE 2 | | | | | | | | | | |
| QL | | | | MIL-S-13735D | SWITCHES, TOGGLE: 28 VOLT DC REVIEWER: AR EA ES MI | A | 5930 | AT | AT | 07-MAR-89 | AT | | | |
| L | | | | MIL-C-13739A(1) | COMPOSITION, DELAY (VALIDATION DATE: 8604) REVIEWER: EA OS | A | 1375 | AR | AR | 08-APR-86 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-R-13742(1) | RDX, DESENSITIZED (VALIDATION DATE: 9108) | A | 1376 | AR | AR | 29-AUG-91 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-C-13743A | CORE, STEEL, HARDENER, FOR ARMOR-PIERCING TYPES OF SMALL-ARMS AMMUNITION | A | 1305 | AR | AR | 21-MAY-87 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-V-13750B | VARNISH, PHENOL-FORMALDEHYDE, CLEAR AND ALUMINUM PIGMENTED REVIEWER: MR | A | 8010 | AR | AR | 20-SEP-91 | AR | | | |
| | | | | NOTICE 4 | | | | | | | | | | |
| L | | | | MIL-L-13751C | LACTOSE, TECHNICAL (METRIC) REVIEWER: GS | A | 6810 | EA | AR | 23-FEB-84 | EA | | | |
| L | | | | MIL-C-13753A | CHARGER, MANUAL, M6 (VALIDATION DATE: 8705) | A | 1005 | AR | AR | 28-MAY-87 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-L-13762B | LEAD ALLOY COATING, HOT DIP (FOR IRON AND STEEL PARTS) (VALIDATION DATE: 8907) REVIEWER: AL AR EA ME MI | A | MFFP | MR | MR | 31-JUL-89 | MR | SH | 11 | |
| L | | | | MIL-C-13766C(1) | CONVERSION KIT, BARGE, DECK ENCLOSURE DESIGN 7006, FOR DESIGNS 213A AND 7005. | A | 1935 | ME | ME | 23-JUN-87 | ME | | | |
| Q | | | | MIL-C-13777G(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL, CONDUCTORS GENERAL SPECIFICATION FOR (VALIDATION DATE: 8304) USER: EC MC REVIEWER: 11 17 AT CR IS ME MI | A | 6145 | AR | AR | 16-SEP-77 | AR | AS | 85 | |
| | | | | SUPPL 1 1 | | | | | | | | | | |
| | | | | MIL-C-13777/1B(1) | CABLE SPECIAL PURPOSE ELECTRICAL 2 3 AND 4 CONDUCTORS (VALIDATION DATE: 8503) USER: 11 AT EC MC ME REVIEWER: CR IS MI | A | 6145 | AR | AR | 05-AUG-71 | AR | SH | 17 | |
| | | | | MIL-C-13777/2B(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL 6, 7, 8, 9, 10, 12, 13, AND 15 CONDUCTORS (VALIDATION DATE: 8503) USER: 11 AT EC MC ME REVIEWER: CR IS MI | A | 6145 | AR | AR | 18-MAR-71 | AR | SH | 17 | |
| | | | | MIL-C-13777/3A | CABLE SPECIAL PURPOSE ELECTRICAL 16 17 19 AND 20 CONDUCTORS (VALIDATION DATE: 8503) USER: 11 CE MC REVIEWER: 15 CR IS MI | A | 6145 | AR | AR | 01-SEP-66 | AR | SH | 17 | |
| | | | | MIL-C-13777/4B | CABLE, SPECIAL PURPOSE, ELECTRICAL 21, 22, 24, 26, 27, 28, AND 32 CONDUCTORS (VALIDATION DATE: 8202) USER: 11 AT MC ME REVIEWER: CR IS MI | A | 6145 | AR | AR | 15-SEP-69 | AR | SH | 17 | |
| | | | | MIL-C-13777/5C | CABLE SPECIAL PURPOSE ELECTRICAL 37 39 42 AND 46 CONDUCTORS (VALIDATION DATE: 8304) USER: 11 CE MC REVIEWER: 15 CR IS MI OS | A | 6145 | AR | AR | 15-SEP-69 | AR | SH | 17 | |
| | | | | MIL-C-13777/6B(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL, 60, 65, AND 78 CONDUCTORS USER: 11 AT MC ME REVIEWER: CR IS MI | A | 6145 | AR | AR | 24-MAR-86 | AR | SH | 17 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-C-13783C | COMPOUND, WATERPROOFING (FOR SMALL ARMS AMMUNITION) (VALIDATION DATE: 8810) USER: MI REVIEWER: EA | A | 8030 | MR | MR | 31-OCT-88 | MR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-F-13785A(2) | FILTER MATERIAL REVIEWER: GS | A | 4240 | EA | AR | 01-JAN-69 | EA | SH | | |
| L | | | | MIL-F-0013785B(6) | FILTER MATERIAL | A | 4240 | EA | | 12-SEP-88 | EA | | | |
| L | | | | MIL-L-13788 | LEAD SALICYLATE (VALIDATION DATE: 8604) REVIEWER: GS | A | 6810 | AR | AR | 08-APR-86 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| D | | | | MIL-S-13789D | STRAINERS, SEDIMENT: PIPELINE, BASKET TYPE USER: CE CG REVIEWER: CS | A | 4730 | ME | ME | 31-JAN-90 | ME | YD1 | | |
| | | | | MIL-D-13791F | DISTRIBUTOR, IGNITION SYSTEM, INTEGRAL COIL, WATERPROOF, 24 VOLT USER: ER MC REVIEWER: CS ME | A | 2920 | AT | AT | 10-JUN-88 | AT | | | |
| A | | | | MIL-T-13795B | TABLE, FOLDING LEGS, PORTABLE REVIEWER: 84 | A | 7195 | GL | | 02-NOV-92 | GL | | 99 | |
| L | | | | MIL-D-13796A | DI-2 ETHYLHEXYLPHTHALATE (VALIDATION DATE: 8907) REVIEWER: GS | A | 6810 | AR | AR | 13-JUL-89 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-L-13802 | LACQUER, CHLORINE RESISTANT, FOR FIBER CONTAINERS | A | 8010 | EA | AR | 22-NOV-54 | EA | | | |
| L | | | | MIL-V-13803E | VALVE, GATE: DOUBLE-DISK, CAST-IRON OR STEEL REVIEWER: CS | A | 4820 | ME | ME | 04-DEC-89 | ME | | | |

| Action | Opt. / Cond. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-L-13808B | LEAD PLATING (ELECTRODEPOSITED) [VALIDATION DATE: 8803] REVIEWER: AR EA GS | A | MFFP | | MR | 30-MAR-88 | MR | | | |
| DQ | | MIL-V-13811D | VARNISH, WATERPROOFING, ELECTRICAL, IGNITION [VALIDATION DATE: 8302] USER: MC SA REVIEWER: AT EA IS SH | A | 8010 | | AR | 27-SEP-76 | AR | YD1 | 99 | |
| L | | MIL-C-13814(4) NOTICE 1 | CLOTH, IGNITER [VALIDATION DATE: 8905] REVIEWER: CT | A | 1395 | | AR | 09-MAY-89 | AR | | | |
| A | | MIL-L-13816D NOTICE 1 | LEATHER, CALFSKIN AND KIP, AND LACING, HANDICRAFT [VALIDATION DATE: 9008] REVIEWER: 99 MD | A | 8330 | | CT | 16-AUG-90 | GL | MU | 11 | CT |
| L | | MIL-P-13822(1) NOTICE 1 | POLYISOBUTYLENE/OIL GEL [VALIDATION DATE: 8701] REVIEWER: GS | A | 1376 | | AR | 27-JAN-87 | AR | | | |
| L | | MIL-S-13823C | STEEL: SHAPES, ROLLED OR FORGED; BARS, FLATS AND SPECIAL SECTIONS (FOR ARMOR) USER: AT REVIEWER: EA | A | FORG | | MR | 04-MAR-91 | MR | | | |
| L | | MIL-T-13827 | TUNGSTEN POWDER [VALIDATION DATE: 8004] USER: MR | A | 9630 | | AR | 07-DEC-54 | AR | | | |
| | | MIL-O-13830A(3) | OPTICAL COMPONENT FOR FIRE CONTROL INSTRUMENT, GENERAL SPECIFICATION GOVERNING THE MANUFACTURE, ASSEMBLY, AND INSPECTION OF USER: AS AT MC ME SH REVIEWER: MI | A | 6650 | | AR | 28-SEP-87 | AR | OS | 99 | |
| L | | MIL-H-13837B | HOOK, HOIST, BURTON STYLE [VALIDATION DATE: 8205] REVIEWER: IS | A | 4030 | | ME | 09-FEB-71 | ME | | | |
| A | | MIL-B-13842C(1) NOTICE 1 | BAG, SOILED CLOTHES [VALIDATION DATE: 8801] USER: MC | A | 8465 | | CT | 25-JAN-88 | GL | MU | 99 | CT |
| | | MIL-P-13850C(2) NOTICE 1 | PANEL MARKER, AERIAL LIAISON, COTTON SHEETING PANEL AL-121, WHITE AND PANEL AL-122, BLACK [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8345 | | IH | 29-MAY-92 | IH | | 11 | |
| | | MIL-W-13855D NOTICE 1 | WEAPON, SMALL ARMS AND AIRCRAFT ARMAMENT SUBSYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8705] USER: AV REVIEWER: AS MC | A | 1005 | | AR | 28-MAY-87 | AR | OS | 99 | |
| L | | MIL-W-13855D(14) | WEAPONS: SMALL ARMS AND AIRCRAFT ARMAMENT SUBSYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8705] | A | 1005 | | AR | 09-OCT-84 | AR | | | |
| | | MIL-I-13857B(1) | IMPREGNATION OF METAL CASTINGS [VALIDATION DATE: 8908] USER: ME REVIEWER: AR MD MI | A | MFFP | | MR | 01-AUG-89 | MR | SH | 11 | |
| A | L | MIL-C-13864B | CANISTER, CHEMICAL-BIOLOGICAL MASK: M10A1 | A | 4240 | | EA | 08-JUL-92 | EA | | | |
| D | L | MIL-T-13867C | TREATMENT, MOISTURE AND FUNGUS RESISTANT FOR FIRE CONTROL ELECTRICAL AND ELECTRONIC INSTRUMENTS AND EQUIPMENT [VALIDATION DATE: 8908] USER: AT SH YD1 REVIEWER: AR MI | A | 8030 | | MR | 01-AUG-89 | MR | | | |
| | | MIL-W-13871B(2) | WOOD BLANKS FOR SMALL ARMS USER: MC REVIEWER: CS | A | 5510 | | AR | 30-APR-91 | AR | SH | | |
| | L | MIL-B-13872C(2) | BOX, CONTAINERS, FOR NON-ELECTRIC BLASTING CAPS | A | 1375 | | AR | 03-OCT-86 | AR | | | |
| | L | MIL-W-13873 | REEL, WIRE, FIRING MODEL 1942 [VALIDATION DATE: 8104] | A | 1375 | | AR | 23-DEC-54 | AR | | | |
| D | | MIL-C-13874K | COMPRESSORS, RECIPROCATING AND ROTARY, AIR, ELECTRIC MOTOR DRIVEN USER: MC REVIEWER: CS | A | 4310 | | ME | 16-JUL-92 | ME | YD1 | | |
| D | L | MIL-R-13877D | REGULATOR, OXYGEN, ACETYLENE, WELDING APPLICATION REVIEWER: 84 CS ME | A | 4820 | | AL | 27-MAR-81 | AL | YD1 | 99 | |
| | L | MIL-C-13879E(1) NOTICE 1 | CHARGE, CRATERING, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805] | A | 1375 | | AR | 20-MAY-88 | AR | | | |
| D | | MIL-T-13880N | TORCH, OXYACETYLENE WELDING AND CUTTING USER: AV MC REVIEWER: CS | A | 3433 | | AL | 07-NOV-85 | AL | YD1 | 99 | |
| | | MIL-T-0013880G | TORCH, OXYACETYLENE | A | 3433 | | AL | 14-JUN-84 | | | | |
| | | MIL-A-13881C | ANTI-SEIZE COMPOUND, MICA-BASE (FOR THREADED FITTINGS) [VALIDATION DATE: 8908] USER: SH REVIEWER: 84 ME MI | A | 8030 | | MR | 01-AUG-89 | MR | | 99 | |
| | L | MIL-C-13882 | CHARGE, EXPLOSIVE, SPRINGING FOR ROD,EARTH,BLAST-DRIVEN,M13. [VALIDATION DATE: 8104] | A | 1375 | | AR | 23-DEC-54 | AR | | | |
| | L | MIL-B-13889C NOTICE 1 | BRUSH AND STAFF, CANNON BORE [VALIDATION DATE: 8703] | A | 1090 | | AR | 07-MAR-87 | AR | | | |
| | LI | MIL-C-13892A NOTICE 2 | CABLE, TELEPHONE (FLEXIBLE) (CORDS AND CORDAGE, MULTIPAIR) REVIEWER: IS | A | 6145 | | CR | 24-JAN-91 | CR | | | |
| | L | MIL-F-13893E(5) NOTICE 1 | FIRING DEVICE, DEMOLITION, DELAY TYPE, MI PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805] | A | 1375 | | AR | 20-MAY-88 | AR | | | |
| | | MIL-L-13896E | LATHES, ENGINE, GAP, SLIDING BED AND REMOVABLE BLOCK USER: ME SH REVIEWER: 84 GS | A | 3416 | | IP | 26-FEB-87 | AL | | 99 | |
| | | MIL-C-13899F | COMPRESSOR UNIT, ROTARY, AIR WHEELBARROW FRAME MOUNTED, TWO PNEUMATIC TIRES, GASOLINE ENGINE DRIVEN, 60 CFM, 6.5 PSIG REVIEWER: CS | A | 4310 | | ME | 24-JUN-85 | ME | | | |
| | L | MIL-B-13900D NOTICE 2 | COMPRESSOR UNIT, ROTARY, AIR, WHEELBARROW FRAME MOUNTED, TWO PNEUMATIC TIRES, GASOLINE ENGINE DRIVEN, 60 CFM, 6.5 PSIG [VALIDATION DATE: 8606] USER: MC | A | 1040 | | AR | 03-JUN-86 | AR | | | |
| | | MIL-C-13902A | COATING COMPOUND, ACETYLENE TETRACHLORIDE RESISTANT [VALIDATION DATE: 6508] USER: MR REVIEWER: IS | A | 8010 | | EA | 26-DEC-56 | EA | SH | 99 | |
| D | I | MIL-P-13905A NOTICE 1 | PANEL, TELEPHONE, SWITCHBOARD (PANEL BD-132( )) | A | 5805 | | CR | 03-APR-89 | CR | YD1 | 99 | |
| | L | MIL-T-13906G | TABLE, WORK, MAINTENANCE REVIEWER: CS ME MI | A | 4910 | | AL | 27-FEB-87 | AL | | | |
| | | MIL-T-13915E | TUBE, STEEL, SEAMLESS, FOR CANNONS AND RECOILLESS RIFLES | A | FORG | | MR | 05-JUN-87 | MR | | 99 | |
| | | MIL-T-13918D NOTICE 1 | TOOL KIT, VALVE SEAT RING INSERTER [VALIDATION DATE: 8706] USER: AT CE MC ME SH | A | 5180 | | GL | 25-JUN-87 | GL | | 84 | |
| | | MIL-C-13924C(1) | COATING, OXIDE, BLACK, FOR FERROUS METALS USER: 68 AV ME SH REVIEWER: 99 AR AS EA MI | A | MFFP | | MR | 30-SEP-87 | MR | OS | 11 | |
| | L | MIL-F-13926B(5) | FIRE CONTROL MATERIEL, MANUFACTURE AND INSPECTION, GENERAL SPECIFICATION FOR | A | 12GP | | AR | 08-JUL-91 | AR | | | |
| | L | MIL-F-13927A(3) | FUNGUS RESISTANCE TEST, AUTOMOTIVE COMPONENTS USER: ME REVIEWER: EA GS MI | A | 6850 | | AT | 25-APR-83 | AT | | | |
| A | L | MIL-C-13931H(1) | CANNON: GENERAL SPECIFICATION FOR USER: MC OS | A | 10GP | | AR | 29-DEC-92 | AR | | | |
| | | MIL-S-13943B | SODIUM SULFITE, ANHYDROUS, TECHNICAL [VALIDATION DATE: 8903] REVIEWER: GS MD MI | A | 6810 | | EA | 13-MAR-88 | EA | | 68 | |
| | L | MIL-W-13945D | WAX, HYDROCARBON (FOR ORDNANCE USE) [VALIDATION DATE: 8402] USER: MC OS SH REVIEWER: AR GS MD | A | 9160 | | GL | 14-DEC-77 | GL | | | |
| | L | MIL-R-13947B(7) NOTICE 1 | RECEIVER, RADIO (RADIO RECEIVER R-390( )/URR) [VALIDATION DATE: 8605] USER: MI REVIEWER: 99 | A | 5820 | | CR | 28-MAY-86 | CR | | | |
| AQ | | MIL-S-13949H | SHEET, PRINTED WIRING BOARD GENERAL SPECIFICATION FOR USER: 19 AT MC ME REVIEWER: 11 85 AR AS ES MI OS SH | A | 5998 | | ER | 31-MAR-93 | ER | EC | 85 | |
| | | MIL-P-13949/2B | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GB, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A | 5999 | | ER | 11-FEB-87 | ER | EC | 85 | |
| | | MIL-P-13949/4C | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY DIFUNCTIONAL EPOXY RESIN FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A | 5999 | | ER | 11-FEB-87 | ER | EC | 85 | |
| | | MIL-S-13949/5C | SHEET, PRINTED WIRING BOARD, LAMINATE, BASE MATERIAL GH, GLASS BASE WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES OS SH | A | 5999 | | ER | 28-MAR-89 | ER | EC | 85 | |
| | | MIL-P-13949/6D | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A | 5999 | | ER | 11-FEB-87 | ER | EC | 85 | |
| | | MIL-P-13949/7E | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, NONWOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, FOR MICROWAVE APPLICATION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A | 5999 | | ER | 11-FEB-87 | ER | EC | 85 | |
| | | MIL-P-13949/8D | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GT, GLASS BASE, WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A | 5999 | | ER | 28-MAR-88 | ER | EC | 85 | |
| | | MIL-P-13949/9D | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GX, GLASS BASE, WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, FOR MICROWAVE APPLICATION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A | 5999 | | ER | 28-MAR-88 | ER | EC | 85 | |

| Action | Qtr. / Qtrly. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-P-13949/108 | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G1, GLASS BASE, WOVEN, POLYIMIDE RESIN, HEAT RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A 5999 | ER | 11-FEB-87 | ER | EC | 85 | | |
| | | | MIL-P-13949/11A | PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), GE BASE MATERIAL, GLASS FABRIC, WOVEN, MAJORITY DIFUNCTIONAL EPOXY RESIN PREIMPREGNATED (B-STAGE) USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A 5999 | ER | 11-FEB-87 | ER | EC | 85 | | |
| | | | MIL-P-13949/12A | PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), GF BASE MATERIAL, GLASS FABRIC, WOVEN, MAJORITY DIFUNCTIONAL EPOXY RESIN PREIMPREGNATED (B-STAGE) USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A 5999 | ER | 11-FEB-87 | ER | EC | 85 | | |
| | | | MIL-S-13949/138 | SHEET, FOR PRINTED WIRING BOARD, LAMINATED, GI BASE MATERIAL, GLASS FABRIC WOVEN, POLYIMIDE RESIN PREIMPREGNATED (B-STAGE) USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A 5999 | ER | 16-NOV-88 | ER | EC | 85 | | |
| | | | MIL-P-13949/14A | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GY, GLASS BASE, WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, FOR MICROWAVE APPLICATION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A 5999 | ER | 11-FEB-87 | ER | EC | 85 | | |
| | | | MIL-S-13949/158 | SHEET, PRINTED WIRING BOARD, LAMINATE, METAL-CLAD, BASE MATERIAL AF, ARAMID FABRIC, WOVEN, MAJORITY POLYFUNCTIONAL, FLAME RESISTANT, EPOXY RESIN, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A 5999 | ER | 12-OCT-88 | ER | EC | 85 | | |
| A | | | MIL-S-13949/168 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL AF (WOVEN ARAMID REINFORCEMENT, EPOXY RESIN, FLAME RESISTANT) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A 5998 | ER | 28-MAR-93 | ER | EC | 85 | | |
| | | | MIL-P-13949/17 | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL A1, ARAMID FABRIC WOVEN, POLYIMIDE RESIN, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 85 AR AS ES MI OS SH | A 5999 | ER | 11-FEB-87 | ER | EC | 17 | | |
| | | | MIL-P-13949/18 | PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), BASE MATERIAL GH, GLASS WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, FLAME RESISTANT, PRE-IMPREGNATED (B-STAGE) USER: 19 AT MC ME REVIEWER: 11 85 AR AS ES MI OS SH | A 5999 | ER | 11-FEB-87 | ER | EC | 17 | | |
| | | | MIL-P-13949/19 | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL Q1, QUARTZ BASE, WOVEN, POLYIMIDE RESIN, HEAT RESISTANT, COPPER-CLAD | A 5999 | ER | 11-FEB-87 | ER | EC | 85 | | |
| | | | MIL-P-13949/20 | PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), BASE MATERIAL, Q1, QUARTZ BASE WOVEN, POLYIMIDE RESIN, HEAT RESISTANT PREIMPREGNATED (B-STAGE) | A 5999 | ER | 11-FEB-87 | ER | EC | 85 | | |
| | | | MIL-P-13949/21 | PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), BASE MATERIAL, A1, ARAMID, WOVEN, MAJORITY POLYIMIDE, RESIN PREIMPREGNATED (B-STAGE) | A 5999 | ER | 11-FEB-87 | ER | EC | 85 | | |
| A | | | MIL-S-13949/228 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL BF (NONWOVEN ARAMID REINFORCEMENT, EPOXY RESIN, METAL CLAD OR UNCLAD) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A 5998 | ER | 25-JAN-93 | ER | EC | 85 | | |
| A | | | MIL-S-13949/238 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL BF (NONWOVEN ARAMID REINFORCEMENT, EPOXY RESIN, FLAME RESISTANT) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A 5998 | ER | 25-JAN-93 | ER | EC | 85 | | |
| | | | MIL-P-13949/24 | PLASTIC SHEET, LAMINATED, METAL- CLAD ( FOR PRINTED WIRING BOARDS), BASE MATERIAL, GH, GLASS BASE WOVEN, TRIAZINE & OR BISMALEIMIDE MODIFIED EPOXY RESIN, COPPER CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A 5999 | ER | 11-FEB-87 | ER | EC | 85 | | |
| A | | | MIL-S-13949/258 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL CF (NONWOVEN POLYESTER, EPOXY RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A 5998 | ER | 25-JAN-93 | ER | EC | 85 | | |
| | | | MIL-P-13949/26 | PLASTIC SHEET, LAMINATED, MATERIALS ( FOR PRINTED WIRING BOARDS), BASE MATERIAL, GH, GLASS BASE WOVEN, TRIAZINE & OR BISMALEIMIDE MODIFIED EPOXY RESIN PREIMPREGNATED ( B- STAGE) USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH | A 5999 | ER | 11-FEB-87 | ER | EC | 17 | | |
| | | | MIL-S-13949/27 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL SC (WOVEN S-2 GLASS FIBER 1/ REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A 5998 | ER | 04-OCT-91 | ER | EC | 85 | | |
| | | | MIL-S-13949/28 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL SC (WOVEN S-2 GLASS FIBER 1/ REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A 5998 | ER | 04-OCT-91 | ER | EC | 85 | | |
| | | | MIL-S-13949/29 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GC (WOVEN E-GLASS REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A 5998 | ER | 04-OCT-91 | ER | EC | 85 | | |
| | | | MIL-S-13949/30 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GC (WOVEN E-GLASS REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A 5998 | ER | 04-OCT-91 | ER | EC | 85 | | |
| | LI | | MIL-R-13963A(1) | RADIO SET AN/TRC-29( ) (COMPONENTS OF) REVIEWER: 99 | A 5820 | CR | 03-APR-89 | CR | | | | |
| | L | | MIL-B-13965B<br>NOTICE 1 | BANDOLEER, M1 [VALIDATION DATE: 8603] | A 1305 | AR | 13-MAR-86 | AR | | | | |
| | | | MIL-C-13984G | CAN, WATER, MILITARY, 5 GALLON (19 L) REVIEWER: 84 GS MD | A 7240 | GL | 15-DEC-86 | GL | MC | 99 | | |
| | | | MIL-S-13985C<br>NOTICE 1 | SODIUM HYDROSULFITE, ANHYDROUS, TECHNICAL [VALIDATION DATE: 8903] REVIEWER: GS MD | A 6810 | EA | 14-MAR-89 | EA | | 68 | | |
| A | L | | MIL-C-13998H | CAP, SERVICE, WOOL, ARMY GREEN 44 USER: 45 REVIEWER: MD | A 8405 | CT | 17-MAR-82 | GL | | | | CT |
| | | | MIL-C-14003A<br>NOTICE 1 | CAP, BLASTING, SPECIAL [VALIDATION DATE: 8805] USER: MC ME | A 1375 | AR | 20-MAY-88 | AR | OS | | | |
| | L | | MIL-C-00140038<br>NOTICE 1 | CAPS, BLASTING, SPECIAL [VALIDATION DATE: 9109] | A 1375 | AS | 24-SEP-91 | | AS | | | |
| | L | | MIL-S-14022A(1) | SODIUM PERBORATE, TETRAHYDRATE REVIEWER: GS MD | A 6810 | EA | 14-NOV-83 | EA | | | | |
| | L | | MIL-C-14024B<br>NOTICE 1 | CANISTER, SMOKE, WP, 5-INCH PROJECTILE, M5, COMPONENTS FOR | A 1320 | EA | 21-JUL-86 | EA | | | | |
| | L | | MIL-C-14027A(1) | CANNON, 155MM HOWITZER, M45 [VALIDATION DATE: 8103] | A 1025 | AR | 30-OCT-64 | AR | | | | |
| A | L | | MIL-B-14036E | BRACKET, OUTBOARD MOTOR: BOW ATTACHMENT; 12-TON PNEUMATIC HALF FLOAT REVIEWER: MC | A 5420 | ME | 15-JUL-92 | ME | | | | |
| D | | | MIL-T-14038K | TENT, GENERAL PURPOSE, LARGE USER: YD1 REVIEWER: 82 MD | A 8340 | CT | 16-SEP-91 | GL | MU | 99 | | CT |
| | L | | MIL-C-14041B(4) | CARRIER, HOSPITAL PROTECTOR HEADPIECE, M12 REVIEWER: GS | A 4240 | EA | 20-MAY-87 | EA | | | | |
| | L | | MIL-A-14053C<br>NOTICE 1 | ANTENNA AT-450/ARC [VALIDATION DATE: 8605] REVIEWER: ES | A 5821 | CR | 14-MAY-86 | CR | | | | |
| DQL | | | MIL-C-14055E(1)<br>NOTICE 1 | CUP, HYDRAULIC BRAKE ACTUATING CYLINDER, SYNTHETIC RUBBER [VALIDATION DATE: 8606] USER: MC YD1 REVIEWER: 85 AR CS | A 2530 | AT | 27-JUN-86 | AT | | | | |
| D | | | MIL-T-14056G | TENT LINER, GENERAL PURPOSE, LARGE, FIRE, WATER AND MILDEW RESISTANT USER: 45 ER YD1 REVIEWER: 82 MD | A 8340 | CT | 21-NOV-88 | GL | MU | 99 | | CT |
| | | | MIL-A-14064C | ADHESIVE: GRINDING DISK [VALIDATION DATE: 8908] USER: EL ME MI | A 8040 | MR | 02-AUG-89 | MR | | 99 | | |
| | L | | MIL-P-14067B(3)<br>NOTICE 1 | POWDERS, METAL (FOR USE IN AMMUNITION) [VALIDATION DATE: 8907] USER: MI REVIEWER: EA GS OS | A 6810 | AR | 13-JUL-89 | AR | | | | |
| | L | | MIL-F-14072D | FINISHES FOR GROUND BASED ELECTRONIC EQUIPMENT USER: 99 ME REVIEWER: CR EA EC MC MI MR TD | A MFFP | ER | 04-OCT-90 | ER | | | | |
| | L | | MIL-C-14078B | CLEANING ELEMENT, PIPELINE FLUID PRESSURE BRUSH TYPE, REVIEWER: CS | A 4940 | ME | 25-OCT-83 | ME | | | | |
| | L | | MIL-P-14100<br>NOTICE 1 | PRIMERS, STAB TYPE LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] REVIEWER: EA | A 1390 | AR | 31-OCT-90 | AR | | | | |
| D | | | MIL-S-14102D | SPRAYERS, INSECTICIDE, MANUALLY CARRIED HAND OPERATED COMPRESSION USER: 99 CG REVIEWER: MD MS | A 3740 | CS | 18-OCT-82 | | YD1 | | | CS |
| D | | | MIL-P-14105C | PAINT, HEAT-RESISTING (FOR STEEL SURFACES) [VALIDATION DATE: 8311] USER: AT MC REVIEWER: EA MD MI MR | A 8010 | ME | 01-NOV-73 | ME | YD1 | 11 | | |

| Action | Obsl / Obsl, Cancellation Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-G-14106B | GENERATOR, DIRECT CURRENT, G-43( )/G (HAND CRANKED) (INACTIVE FOR NEW DESIGN) REVIEWER: GS | A | 6115 | CR | 10-APR-87 | CR | | | | |
| Q | | MIL-L-14107C NOTICE 1 | LUBRICATING OIL, WEAPONS, LOW TEMPERATURE (VALIDATION DATE: 8705) USER: AT ME REVIEWER: AV GS PS WV | A | 9150 | AR | 28-MAY-87 | AR | OS | 11 | | |
| QL | | MIL-L-14107C(12) | LUBRICATING OIL, WEAPONS, LOW TEMPERATURE (VALIDATION DATE: 8705) ..... | A | 9150 | AR | 31-JAN-79 | AR | | | | |
| L | | MIL-D-14130A | B, B -DIHYDROXYDIETHYL SULFIDE REVIEWER: GS MD ..... | A | 6810 | EA | 26-FEB-86 | EA | | | | |
| | | MIL-T-14132G | THEODOLITES, SURVEYING, DIRECTION: SECOND ORDER USER: 82 MC REVIEWER: GS .. | A | 6675 | ME | 07-MAY-91 | ME | | 99 | | |
| L | | MIL-P-14137B NOTICE 1 | PRIMER, STAB M106 PARTS FOR, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8707) | A | 1390 | AR | 10-JUL-87 | AR | | | | |
| L | | MIL-P-14139A(1) NOTICE 1 | PRIMER, STAB M72 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8803) .. | A | 1375 | AR | 22-MAR-88 | AR | | | | |
| L | | MIL-D-14140C NOTICE 1 | DETONATOR, FLASH, M80 PARTS FOR AND LOADING, ASSEMBLING AND PACKING ..... | A | 1375 | AR | 12-MAY-87 | AR | | | | |
| | | MIL-T-14146A NOTICE 1 | TELEPHONE SET TA-105-FTC (VALIDATION DATE: 8606) REVIEWER: 99 ..... | A | 5805 | CR | 06-JUN-86 | CR | | 17 | | |
| L | | MIL-T-14147A(2) | TEST FACILITIES KIT, TELEPHONE CARRIER MK-155 ()/TCC (INACTIVE FOR NEW DESIGN) REVIEWER: CT | A | 6625 | CR | 22-APR-86 | CR | | | | |
| L | | MIL-R-14148A NOTICE 1 | ROCKET, 3.5-INCH HEAT, M35; PRACTICE, M36; MOTOR METAL PARTS ASSEMBLY (VALIDATION DATE: 9110) | A | 1340 | AR | 03-OCT-91 | AR | | | | |
| | | MIL-B-14154E | BORING MACHINE, CAM AND MAIN BEARING, PORTABLE USER: MC REVIEWER: 82 ..... | A | 4910 | AL | 30-MAR-92 | AL | | 99 | | |
| L | | MIL-L-14161 NOTICE 2 | LOADING WITH HBX COMPOSITIONS (VALIDATION DATE: 8505) ..... | A | 1376 | AR | 12-JAN-62 | AR | | | | |
| | | MIL-F-14187D | FASTENER, REFRIGERATOR PANEL (VALIDATION DATE: 8601) USER: MC MD REVIEWER: IS | A | 5325 | GL | 30-JUN-80 | GL | | 99 | | |
| L | | MIL-S-14195A NOTICE 2 | STYRENE MONOMER REVIEWER: GS MR ..... | A | 9330 | OS | 06-DEC-90 | | OS | | | |
| D | | MIL-C-14200C | CONTAINERS, SHIPPING AND STORAGE: METAL, REUSABLE: FOR ENGINES, TRANSMISSIONS, DIFFERENTIALS, TRANSFERS, AND SIMILIAR ASSEMBLIES (METRIC) USER: GL ME REVIEWER: 84 MC SM | A | 8145 | AT | 10-NOV-88 | AT | YD1 | 99 | | |
| A L | | MIL-S-14210G | SOCKS, MEN S, NYLON AND COTTON, KNEE-LENGTH, STRETCH-TYPE (VALIDATION DATE: 8601) USER: CG | A | 8440 | CT | 10-JUN-80 | | MU | | CT | |
| L | | MIL-P-14232E(2) NOTICE 2 | PARTS, EQUIPMENT AND TOOLS FOR ARMY MATERIEL, PACKAGING OF (VALIDATION DATE: 9202) REVIEWER: AR EA MC ME MI SM | A | PACK | AT | 28-FEB-92 | AT | | | | |
| L | | MIL-P-14236 | PACKAGING OF GEAR, OIL, M3 SERIES, M6A1 OR M6A1E1 (VALIDATION DATE: 8504) REVIEWER: MI SM | A | 1290 | AR | 27-JAN-56 | AR | | | | |
| L | | MIL-C-14242B(3) NOTICE 1 | CABLE ASSEMBLY, FUZE CONTROL (VALIDATION DATE: 8703) ..... | A | 1325 | AS | 19-MAR-87 | | AS | | | |
| | | MIL-G-14243D | GASKET: COMBINATION OF METAL, AND NONASBESTOS FACING MATERIAL REVIEWER: CS | A | 2805 | AT | 26-APR-89 | AT | MC | | | |
| L | | MIL-S-14249C | STRAIGHTEDGE, RADIAL LINE, SLOTTED TEMPLET, REVIEWER: GS ..... | A | 6675 | ME | 04-AUG-81 | ME | | | | |
| L | | MIL-F-14252(2) NOTICE 2 | FIRE CONTROL MATERIEL, GENERAL SPECIFICATION GOVERNING THE DESIGN AND INSPECTION OF. (VALIDATION DATE: 8104) REVIEWER: MI | A | 12GP | AR | 24-FEB-59 | AR | | | | |
| L | | MIL-M-14253E | HONING MACHINE, HORIZONTAL, WET TYPE USER: ME REVIEWER: GS ..... | A | 3419 | AL | 20-MAY-85 | AL | | | | |
| MQ | | MIL-F-14256F | FLUX, SOLDERING, LIQUID, PASTE FLUX, SOLDER PASTE AND SOLDER-PASTE FLUX, (FOR ELECTRONIC/ELECTRICAL USE), GENERAL SPECIFICATION FOR USER: 80 AS MC OS YD1 REVIEWER: 84 99 CR GS IP MI SH | A | 3439 | ER | 26-APR-93 | ER | EC | 11 | | |
| L | | MIL-D-14258A NOTICE 1 | DRUM, FIBER,20-GALLON CAPACITY, FOR CHEMICALS USER: GL MI REVIEWER: GS .... | A | 8110 | EA | 21-JUL-86 | EA | | | | |
| L | | MIL-C-14264A | CALCIUM PHOSPHATE, TRIBASIC, TECHNICAL (VALIDATION DATE: 8501) REVIEWER: AR GS | A | 6810 | EA | 28-NOV-78 | EA | | 68 | | |
| L | | MIL-S-14268A NOTICE 1 | SLING ASSEMBLY, HEAD HANDLING, 762MM ROCKET, M6 (VALIDATION DATE: 9101) REVIEWER: MI | A | 1055 | AR | 17-JAN-91 | AR | | | | |
| L | | MIL-M-14274A NOTICE 1 | MULTIPLIER, ELECTRICAL INSTRUMENT TS-265/UP (VALIDATION DATE: 8606) ..... | A | 6625 | CR | 06-JUN-86 | CR | | | | |
| Q | | MIL-R-14293A(4) | RESISTOR, FIXED, HIGH MEGOHM (HERMETICALLY SEALED) (INACTIVE 9-9-70) (VALIDATION DATE: 8301) USER: MC REVIEWER: 17 99 ES MI | A | 5905 | ER | 16-AUG-76 | ER | EC | 85 | | |
| | | MIL-I-14303E NOTICE 1 | IGNITER, BOMB, WP, AN-M23A1; COMPONENTS FOR (VALIDATION DATE: 9109) REVIEWER: SM | A | 1325 | AS | 25-SEP-91 | AR | AS | | | |
| | | MIL-P-14313D(2) | PISTOLS AND REVOLVERS, PACKAGING OF USER: MC OS REVIEWER: SM ..... | A | 1005 | AH | 05-MAR-90 | AR | | 84 | | |
| L | | MIL-R-14328B | RUBBER SHEET, SYNTHETIC, MEDIUM SOFT, GENERAL-PURPOSE GASKET MATERIAL (FOR EXTREME CLIMATIC CONDITIONS) (VALIDATION DATE: 8112) REVIEWER: AR AV IS MD | A | 5330 | ME | 12-DEC-75 | ME | | | | |
| L | | MIL-R-14330A | RIFLE, AUTOMATIC, CAL. .30, BROWING M1918A2, PACKAGING OF (VALIDATION DATE: 8405) USER: MC | A | 1005 | AH | 28-JUN-57 | AR | OS | | | |
| L | | MIL-C-14334 | COMPOSITION, TRACER, R-45 IGNITER, K-29 (VALIDATION DATE: 8505) ..... | A | 1370 | AR | 06-JUL-56 | AR | | | | |
| L | | MIL-R-14346A(3) | RESOLVER, ELECTRICAL, AC REVIEWER: EL ES MI ..... | A | 5990 | AR | 26-OCT-84 | AR | | | | |
| D | | MIL-T-14358C | TELEPHONE SET TA-312( )/PT USER: MC REVIEWER: 17 80 MI ..... | A | 5805 | CR | 07-SEP-89 | CR | YD1 | 99 | | |
| L | | MIL-T-14358C(11) | TELEPHONE SET TA-312 ( )/PT ..... | A | 5805 | CR | 12-DEC-91 | CR | | | | |
| A | | MIL-L-14362G | LUMBER: UNITIZING AND LOADING OF REVIEWER: 84 CS SM ..... | A | 5510 | ME | 15-DEC-92 | ME | | 99 | | |
| | | MIL-R-14364F | ROLLER, RUBBERIZED, PNEUMATIC, BRIDGE ERECTION REVIEWER: CS ..... | A | 5420 | ME | 18-MAR-85 | ME | MC | | | |
| A | | MIL-C-14366E | CLOTH, COATED, NYLON TWILL (ONE SIDE COATED) REVIEWER: 11 82 MC MD ..... | A | 8305 | CT | 18-JUN-86 | GL | MU | 99 | CT | |
| DQ | | MIL-C-14370D(1) | COMPRESSOR, RECIPROCATING, POWER DRIVEN, OPEN-TYPE, FOR USE WITH REFRIGERANT 12 (VALIDATION DATE: 8303) USER: CG SH REVIEWER: CE MC ME | A | 4130 | GL | 15-SEP-78 | GL | YD1 | 99 | | |
| L | | MIL-S-14374C NOTICE 1 | SILICA GEL, IRON FREE (VALIDATION DATE: 8904) REVIEWER: GS ..... | A | 6810 | EA | 04-APR-89 | EA | | | | |
| L | | MIL-C-14381A(4) | CASES, FIRE DIRECTION SET, ARTILLERY ..... | A | 1290 | AR | 22-MAY-91 | AR | | | | |
| D | | MIL-T-14382W | TRUCK, AMBULANCE, GASOLINE ENGINE DRIVEN, 10,500 POUNDS GUN, 4 X 4, 4 LITTER (COMMERCIAL, FIELD TYPE) REVIEWER: 84 MC MD | A | 2310 | AT | 22-MAR-85 | AT | YD1 | 99 | | |
| L | | MIL-C-14383D NOTICE 1 | CANNON, 106MM RECOILLESS RIFLE, M206 AND M206A1 (VALIDATION DATE: 8706) USER: MC | A | 1015 | AR | 03-JUN-87 | AR | | | | |
| L | | MIL-C-14384D | CANNON, 105MM HOWITZER: M2A2 ..... | A | 1015 | AR | 07-APR-89 | AR | | | | |
| L | | MIL-C-14385D | CANNON, 40MM DUAL AUTOMATIC GUN: M2A1 AND CLIP, CHARGER: M3 ..... | A | 1010 | AR | 09-DEC-91 | AR | | | | |
| Q | | MIL-C-14409D(4) SUPPL 1 1 | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), GENERAL SPECIFICATION FOR (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 22-APR-81 | ER | EC | 84 | | |
| | | MIL-C-14409/1A NOTICE 1 | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE PC35 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: ES | A | 5910 | ER | 09-JUN-69 | ER | EC | 85 | | |
| | | MIL-C-14409/3B NOTICE 1 | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE PC37 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 15-APR-75 | ER | EC | 85 | | |
| | | MIL-C-14409/4B NOTICE 1 | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE P38 AND PC48 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES | A | 5910 | ER | 05-OCT-70 | ER | EC | 85 | | |
| | | MIL-C-14409/5C NOTICE 1 | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE PC39 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES | A | 5910 | ER | 15-MAR-73 | ER | EC | 85 | | |
| | | MIL-C-14409/6A NOTICE 1 | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLES PC40, PC46, AND PC50 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 09-JUN-69 | ER | EC | 85 | | |
| | | MIL-C-14409/7B NOTICE 1 | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLES PC41 AND PC51 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: OS AS ES MI | A | 5910 | ER | 05-OCT-70 | ER | EC | 85 | | |
| | | MIL-C-14409/8A NOTICE 1 | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLES PC42 AND PC52 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 09-JUN-69 | ER | EC | 85 | | |
| | | MIL-C-14409/9E NOTICE 1 | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE PC43 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 11-MAY-81 | ER | EC | 85 | | |
| | | MIL-C-14409/10A NOTICE 1 | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE PC44 (VALIDATION DATE: 8110) USER: CG MC REVIEWER: ES | A | 5910 | ER | 09-JUN-69 | ER | EC | 85 | | |
| | | MIL-C-14409/12F | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC25 AND PC31 USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 02-JUN-92 | ER | EC | 85 | | |
| | | MIL-C-14409/13K NOTICE 1 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC26 (VALIDATION DATE: 8808) USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 17-AUG-88 | ER | EC | 85 | | |

| Action | Cncl / Uncl Coordination Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-14409/14H | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC27, PC28, AND PC29 REVIEWER: ES | A | 5910 | 85 | 05-JUN-92 | ER | EC | 85 | | |
| | | MIL-C-14409/15F NOTICE 1 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC30, PC32, AND PC34 [VALIDATION DATE: 8808] USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 17-AUG-88 | ER | EC | 85 | | |
| L | | MIL-C-14409/16D | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC21, PC22, PC23, AND PC24 | A | 5910 | 85 | 27-JUL-90 | | | 85 | | |
| | | MIL-C-14409/17 NOTICE 1 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC17 [VALIDATION DATE: 8808] USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 17-AUG-88 | ER | EC | 85 | | |
| A | | MIL-C-14409/18B | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC18 AND PC46 USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 11-JAN-93 | ER | EC | 85 | | |
| A | | MIL-C-14409/19B | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC19 AND PC47 USER: CG MC REVIEWER: AS ES OS | A | 5910 | ER | 11-JAN-93 | ER | EC | 85 | | |
| L | | MIL-M-14411C | NICKEL-IRON ALLOY, HIGH MAGNETIC PERMEABILITY SHEET, STRIP, ROD, BAR, AND WIRE [VALIDATION DATE: 8901] REVIEWER: AR IS MI | A | 9535 | MR | 24-JAN-89 | MR | | | | |
| L | | MIL-T-14442D | TANK, FUEL, ENGINE: NONMETALLIC, NON-SELF SEALING, FOR MILITARY VEHICLES REVIEWER: ME | A | 2910 | AT | 28-JUN-90 | AT | | | | |
| L | | MIL-G-14451B(1) | GUN, SUBCALIBER, CALIBER .30: M9 | A | 1005 | AR | 15-APR-87 | AR | | | | |
| L | | MIL-F-14452A | FILTER UNIT, GAS PARTICULATE, HOSPITAL SIX-MAN, 12 CFM, M7A1 [VALIDATION DATE: 8504] REVIEWER: GS | A | 4240 | EA | 30-NOV-67 | EA | | | | |
| | | MIL-C-14460C | CORROSION REMOVING COMPOUND, SODIUM HYDROXIDE BASE: FOR ELECTROLYTIC OR IMMERSION APPLICATION [VALIDATION DATE: 8908] USER: AR REVIEWER: 11 GS MI SA SH | A | 6850 | MR | 03-AUG-89 | MR | AS | 68 | | |
| | | MIL-P-14462A(3) | PROTRACTOR, FAN, RANGEDEFLECTION, ALUMINUM, GRADUATED IN MILS AND METERS [VALIDATION DATE: 8301] REVIEWER: ME | A | 1290 | AR | 15-JUL-77 | AR | MC | 99 | | |
| L | | MIL-L-14465C | LIGHTS, COMPOSITE, VEHICULAR (METRIC) USER: MC ME REVIEWER: GS | A | 6220 | AT | 09-NOV-88 | AT | | | | |
| LI | | MIL-C-14468 NOTICE 1 | CONVERTER, TELEPHONE SIGNAL (CONVERTER 1A-187( )/U) | A | 5805 | CR | 03-APR-89 | CR | | | | |
| L | | MIL-C-14470A | CONVERTER, SIGNAL DATA CV-395(U) [VALIDATION DATE: 7201] | A | 5815 | CR | 27-JAN-61 | CR | | | | |
| A | | MIL-C-14505D(1) | CLOTH, NYLON, POLYCHLOROPRENE-COATED (FOR PNEUMATIC FLOATING EQUIPMENT) USER: 82 REVIEWER: CT GL MD | A | 8305 | ME | 29-APR-92 | ME | | 11 | | |
| L | | MIL-H-14506E | HOSE, FOR FILTER UNITS USER: MC REVIEWER: 99 CS GS | A | 4240 | EA | 08-JAN-70 | EA | | | | |
| L | | MIL-H-0014506G(3) | HOSE, AIR DUCT: FOR FILTER UNITS USER: 84 MC | A | 4240 | EA | 19-SEP-91 | EA | | | | |
| L | | MIL-F-14512D | FILTER, GAS, M12A1 REVIEWER: GS | A | 4240 | EA | 19-MAY-64 | EA | | | | |
| A L | | MIL-F-0014512J(1) | FILTER, GAS, 12 CFM, M12A1/M12A2 | Y | 4240 | EA | 23-APR-92 | EA | | | | |
| | | MIL-P-14514G | PUMPS, CENTRIFUGAL, SELF-PRIMING, FRAME-MOUNTED, 1-1/2-INCH, 65-GPM AT 50 FEET TOTAL HEAD (FOR WATER) REVIEWER: 84 CS | A | 4320 | ME | 18-AUG-87 | ME | | 99 | | |
| L | | MIL-P-14514G(12) | PUMPS, CENTRIFUGAL, SELF-PRIMING, FRAME MOUNTED, 1-1/2-INCH, 65-GPM AT 50 FEET TOTAL HEAD (FOR WATER) | A | 4320 | ME | 25-SEP-91 | ME | | | | |
| D | | MIL-H-14516E | HEATER, SPACE, OIL FIRED 70,000 BTU PER HOUR, THEATER OF OPERATIONS TYPE USER: MC REVIEWER: 84 CS ME | A | 4520 | GL | 30-DEC-87 | GL | YD1 | 99 | | |
| A L | | MIL-C-14518E | CONNECTOR, BRIDLE LINE: SHEAVE TYPE USER: MC REVIEWER: CS SH | A | 5420 | ME | 06-NOV-92 | ME | | | | |
| D | | MIL-L-14519C | LIMESTONE, PULVERIZED [VALIDATION DATE: 8403] USER: YD1 REVIEWER: GS | A | 6810 | ME | 22-JUN-78 | ME | | 68 | | |
| A L | | MIL-L-14519C(11) | LIMESTONE, PULVERIZED | A | 6810 | ME | 16-JUN-92 | ME | | | | |
| | | MIL-T-14521E | TRESTLES, MOTOR VEHICLE MAINTENANCE AND STORAGE (VEHICLE SUPPORT STANDS) USER: AT REVIEWER: ME | A | 4910 | AL | 05-OCT-90 | AL | AS | 99 | | |
| L | | MIL-C-14522D | COMPONENT, PREFABRICATED STRONG ROOM, PORTABLE, FOR SMALL ARMS AND EQUIPMENT REVIEWER: 84 CS | A | 5450 | GL | 20-MAR-87 | GL | | | | |
| L | | MIL-P-14536 | POLYISOBUTYLENE BINDER [VALIDATION DATE: 8301] REVIEWER: GS | A | 6810 | AR | 12-JUN-57 | AR | | | | |
| D | | MIL-T-14537G | TRUCK, LIFT, WHEEL USER: MC REVIEWER: SM | A | 4910 | AL | 16-JUN-89 | AL | YD1 | 99 | | |
| | | MIL-C-14538C | CHROMIUM PLATING, BLACK (ELECTRODEPOSITED) [VALIDATION DATE: 8907] USER: MI REVIEWER: AL AR | A | MFFP | MR | 31-JUL-89 | MR | SH | 11 | | |
| | | MIL-D-14543B | DIE, RETHREADING, AXLE [VALIDATION DATE: 7907] USER: GS | A | 5136 | MC | 07-AUG-73 | GL | MC | 99 | | |
| A | | MIL-M-14545D NOTICE 1 | MAINTENANCE KIT, COLD WEATHER, INSULATED BOOT-PNEUMATIC MATTRESS [VALIDATION DATE: 8801] USER: CG REVIEWER: MC | A | 8465 | CT | 25-JAN-88 | GL | MU | | | CT |
| | | MIL-C-14550B(3) | COPPER PLATING (ELECTRODEPOSITED) USER: MI OS REVIEWER: EC IS SH | A | MFFP | MR | 20-MAR-87 | MR | AS | 11 | | |
| L | | MIL-F-14552 | FIRE CONTROL SYSTEM REQUIREMENTS FOR GUN, 155-MM, SELF-PROPELLED, M53 AND HOWITZER, 8-INCH, SELF PROPELLED M55. [VALIDATION DATE: 8504] | A | 1230 | AR | 30-JUN-57 | AR | | | | |
| QL | | MIL-P-14553C | PRIMER COATING, DIPPING AUTOMOTIVE [VALIDATION DATE: 8512] USER: AT REVIEWER: EA MI | A | 8010 | ME | 13-NOV-72 | MR | | | | |
| D | | MIL-O-14559C | OIL GUN, PNEUMATIC USER: MC REVIEWER: AR CS MD | A | 4930 | ME | 13-AUG-81 | ME | YD1 | 99 | | |
| | | MIL-S-14560E | SPRAY OUFIT, PAINT, FOR USE WITH STRIPPABLE COMPOUND USER: SH REVIEWER: CS | A | 4940 | AL | 26-SEP-85 | AL | | | | |
| L | | MIL-P-14574B | PACKING (WIPER RING), SYNTHETIC RUBBER, CLOTH INSERTION [VALIDATION DATE: 8908] REVIEWER: AR | A | 5330 | MR | 03-AUG-89 | MR | | | | |
| | | MIL-L-14576F | LATHE, ARMATURE AND UNDERCUTTER REVIEWER: 82 CS | A | 4940 | AL | 24-MAR-89 | AL | | 99 | | |
| D | | MIL-F-14580C | FERRIC CHLORIDE, ANHYDROUS, CHRYSTALINE, TECHNICAL [VALIDATION DATE: 8206] USER: MC REVIEWER: EA GS MD MI | A | 6810 | ME | 25-FEB-75 | ME | YD1 | 68 | | |
| L | | MIL-C-14583A(1) NOTICE 1 | CANISTER, SMOKE, WP, 5-INCH PROJECTILE, M5 | A | 1320 | EA | 21-JUL-86 | EA | | | | |
| | | MIL-W-14586A | WARHEAD, 5 INCH ROCKET, SMOKE, WP, MK 39, MOD 0, FILLING ASSEMBLY [VALIDATION DATE: 8006] | A | 1340 | EA | 12-OCT-60 | EA | OS | | | |
| L | | MIL-P-14591D NOTICE 1 | PLASTIC FILM: NONRIGID, TRANSPARENT [VALIDATION DATE: 9104] USER: AR AT REVIEWER: GS ME | A | 9330 | MR | 08-APR-91 | MR | | | | |
| L | | MIL-R-14593A | WIRE, RESISTANCE, ENAMELED [VALIDATION DATE: 8303] USER: AT REVIEWER: IS MI | A | 6145 | AR | 24-JUN-65 | AR | | | | |
| D | | MIL-R-14601F(1) | RANGE AND ACCESSORY OUTFITS, FIELD, GASOLINE USER: SA REVIEWER: 84 GS MC MD TS | A | 7360 | GL | 14-DEC-88 | GL | YD1 | 99 | | |
| L | | MIL-T-14605A NOTICE 1 | TRANSFORMER UNIT [VALIDATION DATE: 8808] REVIEWER: ES MI | A | 5950 | EA | 18-AUG-88 | EA | | | | |
| D | | MIL-T-14608G | TANKS, TESTING, TIRE AND TUBE USER: ME REVIEWER: 82 CS MC | A | 4910 | AL | 22-JUN-92 | AL | YD1 | 99 | | |
| A | | MIL-C-14610G | COVERALLS, EXPLOSIVES HANDLERS' USER: 45 CG OS REVIEWER: 11 82 AS MD | A | 8415 | CT | 17-OCT-88 | GL | MU | 99 | | CT |
| A L | | MIL-C-14613A(1) | CHARGER, BOLT, CAL. .50 MACHINE GUN, M10 | A | 1005 | AR | 09-NOV-92 | AR | | | | |
| A | | MIL-S-14630B NOTICE 1 | STREAMER SET ATTACHMENT, CAMPAIGN AND WAR SERVICE [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8345 | 1H | 20-NOV-92 | 1H | MU | 11 | | |
| L | | MIL-P-14631B SUPPL 1 1 | PLATE, AUTOMOBILE, INDIVIDUAL: GENERAL SPECIFICATION FOR REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631A(11) | PLATE, AUTOMOBILE, INDIVIDUAL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8407] | A | 8345 | 1H | 29-APR-74 | 1H | | | | |
| L | | MIL-P-14631/1A | PLATE, AUTOMOBILE, INDIVIDUAL: PRESIDENT OF THE UNITED STATES REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/2B | PLATE, AUTOMOBILE, INDIVIDUAL: VICE PRESIDENT OF THE UNITED STATES REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/3A | PLATE, AUTOMOBILE, INDIVIDUAL: SECRETARY OF DEFENSE REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/4A | PLATE, AUTOMOBILE, INDIVIDUAL: DEPUTY SECRETARY OF DEFENSE REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/5A | PLATE, AUTOMOBILE, INDIVIDUAL: ASSISTANT SECRETARY OF DEFENSE AND GENERAL COUNSEL, DEPARTMENT OF DEFENSE REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/6A | PLATE, AUTOMOBILE, INDIVIDUAL: CHAIRMAN, JOINT CHIEFS OF STAFF REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/7A | PLATE, AUTOMOBILE, INDIVIDUAL: SECRETARY OF THE ARMY REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/8A | PLATE, AUTOMOBILE, INDIVIDUAL: UNDER SECRETARY OF THE ARMY REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/9A | PLATE, AUTOMOBILE, INDIVIDUAL: ASSISTANT SECRETARY OF THE ARMY REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/10A | PLATE, AUTOMOBILE, INDIVIDUAL: CHIEF OF STAFF, ARMY REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/11A | PLATE, AUTOMOBILE, INDIVIDUAL: VICE CHIEF OF STAFF, ARMY REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/12A | PLATE, AUTOMOBILE, INDIVIDUAL: GENERAL OF THE ARMY REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |
| L | | MIL-P-14631/13A | PLATE, AUTOMOBILE, INDIVIDUAL: GENERAL, U.S. ARMY REVIEWER: CT | A | 8345 | 1H | 05-FEB-92 | 1H | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-P-14631/14A | PLATE, AUTOMOBILE, INDIVIDUAL: LIEUTENANT GENERAL, U.S. ARMY REVIEWER: CT . | A | 8345 | | IH | 05-FEB-92 | IH | | | |
| L | | | | MIL-P-14631/15A | PLATE, AUTOMOBILE, INDIVIDUAL: MAJOR GENERAL, U.S. ARMY REVIEWER: CT ..... | A | 8345 | | IH | 05-FEB-92 | IH | | | |
| L | | | | MIL-P-14631/16A | PLATE, AUTOMOBILE, INDIVIDUAL: BRIGADIER GENERAL, U.S. ARMY REVIEWER: CT .. | A | 8345 | | IH | 05-FEB-92 | IH | | | |
| L | | | | MIL-P-14631/17A | PLATE, AUTOMOBILE, INDIVIDUAL: VICE CHAIRMAN, JOINT CHIEFS OF STAFF REVIEWER: CT | A | 8345 | | IH | 05-FEB-92 | IH | | | |
| L | | | | MIL-P-14631/18A | PLATE, AUTOMOBILE, INDIVIDUAL: UNDER SECRETARY OF DEFENSE REVIEWER: CT .... | A | 8345 | | IH | 05-FEB-92 | IH | | | |
| | | | | MIL-B-14632C | BADGE, QUALIFICATION, ROTC AND NDCC, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 99 CT | A | 8455 | | IH | 25-JUN-91 | IH | | 11 | |
| | | | | SUPPL 1 1 | | | | | | | | | | |
| L | | | | MIL-B-14632/1B | BADGE, QUALIFICATION, ROTC ACADEMIC ACHIEVEMENT WREATH, ARMY REVIEWER: CT . | A | 8455 | | IH | 25-JUN-91 | IH | | | |
| L | | | | MIL-B-14632/2D | BADGE, QUALIFICATION, STAR, ROTC AND NDCC HONOR UNITS, ARMY REVIEWER: CT .. | A | 8455 | | IH | 29-NOV-91 | IH | | | |
| | | | | MIL-B-14632/3B | BADGE, QUALIFICATION, DISTINGUISHED MILITARY STUDENT, ROTC, ARMY AND AIR FORCE USER: 45 SM REVIEWER: 99 CT | A | 8455 | | IH | 14-SEP-90 | IH | | 11 | |
| L | | | | MIL-B-14632/4C | BADGE, QUALIFICATION, RACONDO, ROTC, ARMY REVIEWER: CT ..... | A | 8455 | | IH | 25-JUN-91 | IH | | | |
| L | | | | MIL-B-14632/5B | BADGE, QUALIFICATION, AVIATION, ROTC FLIGHT TRAINING GRADUATE, ARMY REVIEWER: CT | A | 8455 | | IH | 25-JUN-91 | IH | | | |
| L | | | | MIL-B-14632/6B | BADGE, QUALIFICATION, AVIATION, ROTC FLIGHT TRAINING STUDENT, ARMY REVIEWER: CT | A | 8455 | | IH | 25-JUN-91 | IH | | | |
| L | | | | MIL-B-14632/7B | BADGE, QUALIFICATION, ROTC ACADEMIC ACHIEVEMENT WREATH, ADDITIONAL, AWARDS, ARMY REVIEWER: CT | A | 8455 | | IH | 25-JUN-91 | IH | | | |
| | | | | MIL-B-14632/8B | BADGE, QUALIFICATION, MODEL ROCKETRY, JROTC, AIR FORCE USER: 45 REVIEWER: 99 CT | A | 8455 | | IH | 25-JUN-91 | IH | | 11 | |
| | | | | MIL-B-14632/9B | BADGE, QUALIFICATION, MISSILEMAN, ROTC, AIR FORCE USER: 45 REVIEWER: 99 CT | A | 8455 | | IH | 25-JUN-91 | IH | | 11 | |
| | | | | MIL-B-14632/10B | BADGE, QUALIFICATION, PRE-HEALTH, AFROTC USER: 45 REVIEWER: 99 CT ..... | A | 8455 | | IH | 25-JUN-91 | IH | | 11 | |
| | | | | MIL-B-14632/11B | BADGE, QUALIFICATION, NURSE, AFROTC USER: 45 REVIEWER: 99 CT ..... | A | 8455 | | IH | 25-JUN-91 | IH | | 11 | |
| | | | | MIL-C-14633C | CASES, DECORATION, PRESENTATION USER: 45 CG MC REVIEWER: 82 99 CT ..... | A | 8455 | | IH | 05-FEB-92 | IH | MU | 11 | |
| | | | | MIL-P-14634A | PANEL MARKER, RED CROSS, 4 FEET BY 4 FEET [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT MC | A | 8345 | | IH | 29-MAY-92 | IH | MU | 11 | |
| | | | | NOTICE 2 | | | | | | | | | | |
| A | | | | MIL-C-14635B | COVER, PERSONNEL IDENTIFICATION TAG USER: 45 MS SM REVIEWER: 82 MC MD ..... | A | 8465 | | CT | 16-JUL-90 | GL | MU | 99 | CT |
| A | | | | MIL-P-14636C | PLAQUE, DISPLAY AND WALL, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 CT GL | A | 9905 | | IH | 02-OCT-92 | IH | | 11 | |
| | | | | SUPPL 1 1 | | | | | | | | | | |
| A | L | | | MIL-P-14636/1B | PLAQUE, DEPARTMENT OF THE ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | | | | MIL-P-14636/2C | PLAQUE, DEPARTMENT OF AIR FORCE USER: 45 REVIEWER: 82 99 CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | 11 | |
| A | | | | MIL-P-14636/3C | PLAQUE, AIR FORCE RECRUITING SERVICE USER: 45 REVIEWER: 82 99 CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | 11 | |
| A | L | | | MIL-P-14636/4A | PLAQUE, JROTC, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/5A | PLAQUE, SROTC, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/6A | PLAQUE, BRANCH OF SERVICE, ADJUTANT GENERAL'S CORPS, ARMY REVIEWER: CT GL . | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/8B | PLAQUE, NATIONAL GUARD BUREAU, ARMY AND AIR FORCE REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | | | | MIL-P-14636/9A | PLAQUE, AIR FORCE CHAPLAINS, AIR FORCE USER: 45 REVIEWER: 82 99 CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | 11 | |
| A | L | | | MIL-P-14636/10A | PLAQUE, BRANCH OF SERVICE, INSPECTOR GENERAL, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/11A | PLAQUE, ARMY COMMUNITIES OF EXCELLENCE REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/12 | PLAQUE, BRANCH OF SERVICE, AIR DEFENSE ARTILLERY, ARMY REVIEWER: CT GL .... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/13 | PLAQUE, BRANCH OF SERVICE, ARMOR, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/14 | PLAQUE, BRANCH OF SERVICE, ARMY MEDICAL SPECIALIST, ARMY REVIEWER: CT GL .. | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/15 | PLAQUE, BRANCH OF SERVICE, ARMY NURSE CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/16 | PLAQUE, BRANCH OF SERVICE, AVIATION, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/17 | PLAQUE, BRANCH OF SERVICE, CAVALRY, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/18 | PLAQUE, BRANCH OF SERVICE, CHAPLAIN CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 29-DEC-92 | IH | | | |
| A | L | | | MIL-P-14636/19 | PLAQUE, BRANCH OF SERVICE, CHEMICAL CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/20 | PLAQUE, BRANCH OF SERVICE, CIVIL AFFAIRS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/21 | PLAQUE, BRANCH OF SERVICE, CORPS OF ENGINEERS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/22 | PLAQUE, BRANCH OF SERVICE, DENTAL CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/23 | PLAQUE, BRANCH OF SERVICE, FIELD ARTILLERY, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/24 | PLAQUE, BRANCH OF SERVICE, FINANCE CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/25 | PLAQUE, BRANCH OF SERVICE, INFANTRY, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/26 | PLAQUE, BRANCH OF SERVICE, JUDGE ADVOCATE GENERAL'S CORPS, ARMY REVIEWER: CT GL | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/27 | PLAQUE, BRANCH OF SERVICE, MEDICAL CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/28 | PLAQUE, BRANCH OF SERVICE, MEDICAL SERVICE CORPS, ARMY REVIEWER: CT GL .... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/29 | PLAQUE, BRANCH OF SERVICE, MILITARY INTELLIGENCE, ARMY REVIEWER: CT GL .... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/30 | PLAQUE, BRANCH OF SERVICE, MILITARY POLICE CORPS, ARMY REVIEWER: CT GL .... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/31 | PLAQUE, BRANCH OF SERVICE, ORDNANCE CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/32 | PLAQUE, BRANCH OF SERVICE, PUBLIC AFFAIRS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/33 | PLAQUE, BRANCH OF SERVICE, PSYCHOLOGICAL OPERATIONS, ARMY REVIEWER: CT GL . | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/34 | PLAQUE, BRANCH OF SERVICE, QUARTERMASTER CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/35 | PLAQUE, BRANCH OF SERVICE, SIGNAL CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/36 | PLAQUE, BRANCH OF SERVICE, SPECIAL FORCES, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/37 | PLAQUE, BRANCH OF SERVICE, TRANSPORTATION CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | L | | | MIL-P-14636/38 | PLAQUE, BRANCH OF SERVICE, VETERINARY CORPS, ARMY REVIEWER: CT GL ..... | A | 9905 | | IH | 14-SEP-92 | IH | | | |
| A | | | | MIL-C-14637A | CASE, FLAG, INTERMENT [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CG CT MC | A | 8345 | | IH | 20-NOV-92 | IH | MU | 11 | |
| | | | | NOTICE 2 | | | | | | | | | | |
| | | | | MIL-I-14639D | INSIGNIA, GRADE, ENLISTED PERSONNEL, METAL, ARMY AND AIR FORCE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9206] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 02-JUN-92 | IH | | 11 | |
| | | | | SUPPL 1 1, NOTICE 1 | | | | | | | | | | |
| A | L | | | MIL-I-14639/1D | INSIGNIA, GRADE, PRIVATE (E-2), ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| A | L | | | MIL-I-14639/2D | INSIGNIA, GRADE, PRIVATE FIRST CLASS (E-3), ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| A | L | | | MIL-I-14639/3D | INSIGNIA, GRADE, CORPORAL (E-4), ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| A | L | | | MIL-I-14639/4D | INSIGNIA, GRADE, SERGEANT (E-5), ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| A | L | | | MIL-I-14639/5D | INSIGNIA, GRADE, STAFF SERGEANT (E-6), ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| A | L | | | MIL-I-14639/6D | INSIGNIA, GRADE, PLATOON SERGEANT (E-7) OR SERGEANT FIRST CLASS (E-7), ARMY REVIEWER: CT | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| A | L | | | MIL-I-14639/7D | INSIGNIA, GRADE, MASTER SERGEANT (E-8), ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| A | L | | | MIL-I-14639/8D | INSIGNIA, GRADE, FIRST SERGEANT (E-8), ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| A | L | | | MIL-I-14639/9D | INSIGNIA, GRADE, SERGEANT MAJOR (E-9), ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| A | L | | | MIL-I-14639/10E | INSIGNIA, GRADE, COMMAND SERGEANT MAJOR (E-9), ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| A | L | | | MIL-I-14639/11D | INSIGNIA, GRADE, SPECIALIST 4 (SP-4), ARMY REVIEWER: CT ..... | A | 8455 | | IH | 15-JUL-92 | IH | | | |
| | | | | MIL-I-14639/15C | INSIGNIA, GRADE, AIRMAN, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 18-MAY-92 | IH | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-I-14639/16C | INSIGNIA, GRADE, AIRMAN FIRST CLASS, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 18-MAY-92 | IH | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-I-14639/17B | INSIGNIA, GRADE, SERGEANT, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 18-MAY-92 | IH | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-I-14639/18B | INSIGNIA, GRADE, STAFF SERGEANT, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 18-MAY-92 | IH | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-I-14639/19B | INSIGNIA, GRADE, TECHNICAL SERGEANT, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 18-MAY-92 | IH | | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-I-14639/20B | INSIGNIA, GRADE, MASTER SERGEANT, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 18-MAY-92 | IH | | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-I-14639/21B | INSIGNIA, GRADE, SENIOR MASTER SERGEANT, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 18-MAY-92 | IH | | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-I-14639/22B | INSIGNIA, GRADE, SENIOR MASTER SERGEANT WITH FIRST SERGEANT DESIGNATION, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 18-MAY-92 | IH | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-I-14639/23B | INSIGNIA, GRADE, CHIEF MASTER SERGEANT, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 18-MAY-92 | IH | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-I-14639/24B | INSIGNIA, GRADE, CHIEF MASTER SERGEANT WITH FIRST SERGEANT DESIGNATION, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | | IH | 18-MAY-92 | IH | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-I-14639/25B | INSIGNIA, GRADE, CHIEF MASTER SERGEANT OF THE AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 18-MAY-92 | IH | | | 99 |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-I-14639/26C | INSIGNIA, GRADE, DISTINCTIVE DEVICE, FIRST SERGEANT, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 18-MAY-92 | IH | | | 11 |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-I-14639/27A | INSIGNIA, GRADE, SENIOR AIRMAN, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 18-MAY-92 | IH | | | 11 |
| | | NOTICE 1 | | | | | | | | | |
| A | L | MIL-I-14639/28A | INSIGNIA, GRADE, SERGEANT MAJOR OF THE ARMY (E-9), ARMY REVIEWER: CT ..... | A | 8455 | IH | 15-JUL-92 | IH | | | |
| | | MIL-C-14640B | CASE, DECORATION, MEDALLION, PRESENTATION (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 29-MAY-92 | IH | | | 11 |
| | | NOTICE 1 | | | | | | | | | |
| A | | MIL-A-14641B | AIGUILLETTE, AF COMMAND BANDS (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 20-NOV-92 | IH | | | 11 |
| | | NOTICE 2 | | | | | | | | | |
| A | | MIL-S-14642A | SHOULDER BOARD AFROTC CADETS (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 20-NOV-92 | IH | | | 11 |
| | | NOTICE 2 | | | | | | | | | |
| | | MIL-I-14643B | TAG, IDENTIFICATION, INDIVIDUAL, PLASTIC, AIR FORCE ..... | A | 8455 | IH | 28-APR-89 | IH | | | 11 |
| A | L | MIL-D-14644 | DECORATIONS PRESIDENTIAL MEDAL OF FREEDOM WITH DISTINCTION AND PRESIDENTIAL MEDAL OF FREEDOM (VALIDATION DATE: 9211) | A | 8455 | IH | 04-NOV-92 | IH | | | |
| | | NOTICE 1 | | | | | | | | | |
| A | | MIL-I-14645B | INSIGNIA, RANK AND GRADE, SHOULDER MARK, AIR FORCE AND ARMY (EMBROIDERED) (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 20-NOV-92 | IH | | | 11 |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-I-14646(1) | INSIGNIA, SHOULDER LOOP, COMBAT LEADER IDENTIFICATION (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 29-MAY-92 | IH | | | 11 |
| | | NOTICE 1 | | | | | | | | | |
| A | | MIL-I-14647A(1) | INSIGNIA, RANK AND GRADE, SHOULDER MARKS, ROTC CADETS, ARMY AND AIR FORCE (EMBROIDERED) (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 20-NOV-92 | IH | | | 11 |
| | | NOTICE 1 | | | | | | | | | |
| A | | MIL-F-14648A | FLAGS, ORGANIZATIONAL AND STATUTORY, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CT | A | 8345 | IH | 20-NOV-92 | IH | | | 11 |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-R-14649 | ROSETTES, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9205) USER: 45 | A | 8455 | IH | 29-MAY-92 | IH | | | 11 |
| | | SUPPL 1 1, NOTICE 1 | REVIEWER: 82 99 CT | | | | | | | | |
| | | MIL-R-14649/1A | ROSETTE, MEDAL OF HONOR USER: 45 REVIEWER: 82 99 CG CT MC ..... | A | 8455 | IH | 02-MAY-92 | IH | MU | 11 | |
| | | MIL-R-14649/3 | ROSETTE, DISTINGUISHED CIVILIAN SERVICE, DOD (VALIDATION DATE: 9204) | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: CT | | | | | | | | |
| | | MIL-R-14649/4 | ROSETTE, DISTINGUISHED PUBLIC SERVICE AWARD, DOD REVIEWER: CT ..... | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-R-14649/5 | ROSETTE, MERITORIOUS CIVILIAN SERVICE AWARD, OSD (VALIDATION DATE: 9204) | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: CT | | | | | | | | |
| | | MIL-R-14649/6 | ROSETTE, DISTINGUISHED CIVILIAN SERVICE, NAVY (VALIDATION DATE: 9204) | A | 8455 | IH | 20-APR-92 | IH | MU | | |
| | | NOTICE 1 | REVIEWER: CT | | | | | | | | |
| | | MIL-R-14649/7 | ROSETTE, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY (VALIDATION DATE: 9204) | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: CT | | | | | | | | |
| | | MIL-R-14649/8 | ROSETTE, OUTSTANDING PUBLIC SERVICE AWARD, OSD (VALIDATION DATE: 9204) | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: CT | | | | | | | | |
| | | MIL-R-14649/10 | ROSETTE, EXCEPTIONAL CIVILIAN SERVICE AWARD, NSA (VALIDATION DATE: 9204) | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: CT | | | | | | | | |
| | | MIL-R-14649/11 | ROSETTE, METAL FOR MERIT (VALIDATION DATE: 9204) REVIEWER: CT ..... | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-R-14649/14 | ROSETTE, AWARD OF THE PRESIDENT OF THE UNITED STATES FOR DISTINGUISHED | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | FEDERAL CIVILIAN SERVICE (VALIDATION DATE: 9204) REVIEWER: CT | | | | | | | | |
| | | MIL-R-14649/15 | ROSETTE, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE (VALIDATION DATE: | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204) REVIEWER: CT | | | | | | | | |
| | | MIL-R-14649/16 | ROSETTE, CIVILIAN AWARD FOR VALOR, AIR FORCE (VALIDATION DATE: 9204) | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: CT | | | | | | | | |
| | | MIL-R-14649/17 | ROSETTE, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE (VALIDATION DATE: | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204) REVIEWER: CT | | | | | | | | |
| | | MIL-R-14649/18 | ROSETTE, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE (VALIDATION DATE: | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204) REVIEWER: CS | | | | | | | | |
| | | MIL-R-14649/19 | ROSETTE, DISTINGUISHED SERVICE MEDAL, AIR FORCE (VALIDATION DATE: 9204) | A | 8455 | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: CS | | | | | | | | |
| A | | MIL-S-14650A | STREAMERS, FLAGS AND GUIDONS, GENERAL SPECIFICATION FOR (VALIDATION DATE: | A | 8345 | IH | 20-NOV-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9211) USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | |
| | | MIL-S-0014650 | STREAMER, FLAGS & GUIDONS ..... | A | 8345 | IH | 15-SEP-85 | IH | | | |
| A | L | MIL-S-14650/1F | STREAMERS, ARMY SET REVIEWER: CT ..... | A | 8345 | IH | 02-OCT-92 | IH | | | |
| | | MIL-S-0014650/1 | STREAMERS, ARMY SET ..... | A | 8345 | IH | 15-SEP-85 | IH | | | |
| | | MIL-S-14650/2B | STREAMERS, MARINE CORPS SET USER: MC ..... | A | 8345 | IH | 24-MAY-91 | IH | MU | | |
| | | MIL-S-14650/3B | STREAMERS, NAVY SET ..... | A | 8345 | IH | 24-MAY-91 | IH | MU | | |
| A | | MIL-S-14650/4E | STREAMERS, AIR FORCE SET USER: 45 REVIEWER: 82 99 CT ..... | A | 8345 | IH | 02-OCT-92 | IH | | | 11 |
| A | | MIL-S-14650/5A | STREAMERS, UNIT AWARDS USER: 45 REVIEWER: 82 99 CT ..... | A | 8345 | IH | 02-OCT-92 | IH | | | 11 |
| | | MIL-I-14651 | INSIGNIA, EMBROIDERED,RANK, GRADE AND SERVICE STRIPES, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 MC | A | 8455 | IH | 31-JUL-86 | IH | MU | 11 | |
| | L | MIL-I-14651(I1) | INSIGNIA, EMBROIDERED, RANK, GRADE AND SERVICE STRIPES GENERAL SPECIFICATION FOR | A | 8455 | IH | 25-NOV-91 | IH | | | |
| | | MIL-I-14652A | INSIGNIA, EMBROIDERED, ORGANIZATIONAL INSIGNIA AND BADGES, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | 13-MAR-92 | IH | | | 11 |
| A | | MIL-I-14653 | INSIGNIA, EMBROIDERED FLAG COMPONENTS, GENERAL SPECIFICATION FOR | A | 8455 | IH | 04-NOV-92 | IH | MU | 11 | |
| | | NOTICE 1 | (VALIDATION DATE: 9211) USER: 45 MC REVIEWER: 82 99 CT | | | | | | | | |
| A | L | MIL-I-14654 | INSIGNIA, DISTINCTIVE UNIT AND SHOULDER LOOP (VALIDATION DATE: 9211) | A | 8455 | IH | 04-NOV-92 | IH | | | |
| | | NOTICE 1 | REVIEWER: CT | | | | | | | | |
| | | MIL-R-14655 | RIBBON, AWARDS, ROTC AND NDCC, ARMY, GENERAL SPECIFICATION FOR REVIEWER: | A | 8455 | IH | 29-MAR-89 | IH | MU | 11 | |
| | | SUPPL 1 1 | ER GS | | | | | | | | |
| | L | MIL-R-14655/1 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-1 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/2 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-2 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/3 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-3 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/4 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-4 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/5 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-5 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/6 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-6 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/7 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC, R-1-7 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/8 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-8 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/9 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-9 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/10 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-10 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/11 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-1 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/12 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-2 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/13 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-3 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/14A | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-4 REVIEWER: CT ..... | A | 8455 | IH | 16-OCT-89 | IH | | | |
| | L | MIL-R-14655/15 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-5 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/16 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-6 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/17 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-7 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/18 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-8 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/19 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-9 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/20 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-10 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/21 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-1 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/22 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-2 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/23 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-3 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/24 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-4 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/25 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-5 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/26 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-6 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/27 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-7 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |
| | L | MIL-R-14655/28 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-8 REVIEWER: CT ..... | A | 8455 | IH | 29-MAR-89 | IH | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-R-14655/29 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-9 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/30 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-10 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/31 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-1 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/32 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-2 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/33 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-3 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/34 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-4 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/35 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-5 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/36 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-1 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/37 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-2 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/38 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-3 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/39 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-4 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/40 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-5 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/41 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-6 | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/42 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-7 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/43 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-8 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/44 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-9 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/45 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-10 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/46 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-1 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/47 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-2 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/48 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-3 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/49 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-4 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/50 | RIBBON, ACHIEVEMENT, JUNIOR AND NDCC, ATHLETIC, N-2-5 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/51 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-1 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/52 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-2 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/53 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-3 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/54 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-4 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/55 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-5 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/56 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-6 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/57 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-7 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/58 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-8 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/59 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MIL ARY, N-3-9 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/60 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-10 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/61 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-11 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/62 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-12 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/63 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-13 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/64 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-14 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/65 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-15 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/66 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-1 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/67 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-2 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/68 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-3 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/69 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-4 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| L | | | | MIL-R-14655/70 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-5 REVIEWER: CT | A | 8455 | | IH | 29-MAR-89 | IH | | | |
| A L | | | | MIL-B-14656 | BUCKLE AND CATCH, CEREMONIAL, ARMY REVIEWER: CT GL | A | 8315 | | IH | 02-OCT-92 | IH | | | |
| L | | | | MIL-D-14707(1) NOTICE 1 | DISCRIMINATOR, ANTI-TANK MINE, M2 AND SPOOL ASSEMBLY (VALIDATION DATE: 8805) | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| L | | | | MIL-F-14715A(1) | FUSE, TIME, M84A1 METAL PARTS FOR | A | 1390 | | AR | 22-JUL-87 | AR | | | |
| A L | | | | MIL-F-14716A(3) | FUZE, TIME, M84A1 LOADING, ASSEMBLING AND PACKING | A | 1390 | | AR | 08-SEP-92 | AR | | | |
| L | | | | MIL-W-14718A(1) NOTICE 1 | WARHEAD, GUIDED MISSILE, TRAINING, XM237E1, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8804) | A | 1336 | | AR | 18-APR-88 | AR | | | |
| L | | | | MIL-E-14719A NOTICE 1 | EXTENSION, FUZE, BOMB, M1A1 (M1E1), PARTS FOR (VALIDATION DATE: 8703) | A | 1325 | | AS | 02-MAR-87 | | AS | | |
| L | | | | MIL-I-14729A(2) | INCREMENT, PROPELLANT, M90A1 | A | 1375 | | AR | 27-AUG-90 | AR | | | |
| L | | | | MIL-P-14737(2) NOTICE 1 | PROPELLANT, M7 (VALIDATION DATE: 8902) REVIEWER: ME | A | 1376 | | AR | 02-FEB-89 | AR | | | |
| L | | | | MIL-W-14742A(3) | WARHEAD SECTION, GUIDED MISSILE, PRACTICE, M220, ASSEMBLING AND PACKING | A | 1336 | | AR | 01-JUL-87 | AR | | | |
| L | | | | MIL-W-14743C(7) | WARHEAD SECTION, GUIDED MISSILE ME, M207 LESS S AND A DEVICE PARTS FOR (VALIDATION DATE: 8301) | A | 1336 | | AR | 17-MAR-77 | AR | | | |
| L | | | | MIL-M-14745(1) NOTICE 1 | MINOL 2 COMPOSITION (VALIDATION DATE: 8604) | A | 1376 | | AR | 08-APR-86 | AR | | | |
| L | | | | MIL-W-14746B(2) | WARHEAD, GUIDED MISSILE, ME, M155 LOADING, ASSEMBLING AND PACKING | A | 1336 | | AR | 19-NOV-87 | AR | | | |
| L | | | | MIL-C-14747(5) NOTICE 1 | CARTRIDGE, 105MM, APERS-T, M494 FOR 105MM GUN M68 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8811) | A | 1315 | | AR | 03-NOV-88 | AR | | | |
| A L | | | | MIL-C-14750B(2) | CARTRIDGE, 60MM, ME, M49A4 LOADING, ASSEMBLING AND PACKING | A | 1310 | | AR | 08-DEC-92 | AR | | | |
| L | | | | MIL-S-14751 | SALT PELLET (FOR USE IN AMMUNITION) (VALIDATION DATE: 8302) | A | 1345 | | AR | 10-MAY-68 | AR | | | |
| L | | | | MIL-L-14758(2) | LEAD AZIDE (SPECIAL PURPOSE) (FOR USE IN AMMUNITION) REVIEWER: EA | A | 1345 | | AR | 09-DEC-86 | AR | | | |
| L | | | | MIL-S-14759 NOTICE 1 | SILICA GEL (FOR USE IN AMMUNITION) (VALIDATION DATE: 8805) | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| L | | | | MIL-S-14760 NOTICE 3 | SILICA (FOR USE IN AMMUNITION) (VALIDATION DATE: 8805) | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| L | | | | MIL-C-14762A(1) NOTICE 2 | CONTAINER SHIPPING AND STORAGE: M467 | A | MUOR | | AR | 14-DEC-90 | AR | | | |
| L | | | | MIL-E-14776A NOTICE 1 | EXTENSION, FIN (VALIDATION DATE: 8604) | A | 1310 | | AR | 10-APR-86 | AR | | | |
| L | | | | MIL-M-14779(3) | MAGNESIUM OXIDE, CALCINED (FOR USE IN AMMUNITION) | A | 6810 | | AR | 23-NOV-90 | AR | | | |
| L | | | | MIL-C-14780 | CLOTH, SILK, MOMME (FOR USE WITH AMMUNITION) (VALIDATION DATE: 8003) | A | 1315 | | AR | 11-JUN-68 | AR | | | |
| L | | | | MIL-P-14785B NOTICE 1 | PROJECTILE, 60MM METAL PARTS ASSEMBLY | A | 1310 | | AR | 23-NOV-73 | AR | | | |
| L | | | | MIL-F-14788 | FABRICATED PART, SILICONE RUBBER (FOR USE IN AMMUNITION) (VALIDATION DATE: 8203) | A | 1345 | | AR | 20-MAY-68 | AR | | | |
| L | | | | MIL-P-14790 NOTICE 1 | PLASTIC SHEET AND STRIP (POLYOLEFIN) (FOR USE IN AMMUNITION) (VALIDATION DATE: 8805) | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| L | | | | MIL-P-14796(2) NOTICE 1 | PROCESS OIL (FOR USE WITH AMMUNITION) | A | 1375 | | AR | 18-NOV-88 | AR | | | |
| A L | | | | MIL-S-14799C | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M114, M114E1, AND M114E2 LOADING, ASSEMBLING AND PARKING | A | 1336 | | AR | 21-OCT-92 | AR | | | |
| L | | | | MIL-S-14799B(16) | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M114 LOADING, ASSEMBLING AND PACKING | A | 1336 | | MI | 19-APR-89 | MI | | | |
| L | | | | MIL-C-14800 NOTICE 1 | COMPUTER, BALLISTICS, M13A1C | A | 1220 | | AR | 20-MAR-87 | AR | | | |
| | | | | MIL-R-14801(1) | REMOVER, AIRCRAFT CANOPY, P/N 2218-18 OVERHAUL OF | A | 1377 | | OS | 15-JUL-86 | | OS | | |
| | | | | MIL-I-14802A | INITIATOR, CARTRIDGE ACTUATED, M3A2, REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 | | OS | 31-JAN-90 | | OS | 99 | |
| M L | | | | MIL-I-14803A(1) | INITIATOR, CARTRIDGE ACTUATED, DELAY, M30, M32A1, M92, M43A1, AND M120 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | | OS | 19-MAR-93 | | OS | | |
| L | | | | MIL-I-14804(1) NOTICE 2 | INITIATOR, CARTRIDGE ACTUATED: DELAY M44A1, M12A1, M45A1 AND M49A1 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 9108) | A | 1377 | | OS | 14-AUG-91 | | OS | | |
| L | | | | MIL-F-14805B(1) | FUZE, MT, M571 ASSEMBLY (VALIDATION DATE: 8402) | A | 1390 | | AR | 08-JUN-78 | AR | | | |
| | | | | MIL-C-14806A(2) NOTICE 1 | COATING, REFLECTION REDUCING, FOR INSTRUMENT COVER GLASSES AND LIGHTING WEDGES (VALIDATION DATE: 8705) USER: MI REVIEWER: 99 AV OS | A | 6650 | | AR | 15-MAY-87 | AR | AS | 11 | |

| Action | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| L | MIL-R-14807 NOTICE 1 | REMOVER, AIRCRAFT CANOPY, M8A1 ASSEMBLY | A 1377 OS | 10-MAR-87 | | OS | | |
| L | MIL-C-14810(1) | CARTRIDGE, DELAY, XM86, ASSEMBLY | A 1377 OS | 09-JUN-87 | | OS | | |
| L | MIL-I-14811(2) | INDICATOR, DIGITAL DISPLAY, 8215501 [VALIDATION DATE: 8303] | A 1290 AR | 27-OCT-70 | AR | | | |
| L | MIL-A-14812 NOTICE 1 | ACTUATOR, CREW EJECTION 1000-42 ASSEMBLY | A 1377 OS | 10-MAR-87 | | OS | | |
| L | MIL-A-14813 NOTICE 1 | ACTUATOR, CREW EJECTION 1000-42 REMANUFACTURED METAL PARTS ASSEMBLY | A 1377 OS | 10-MAR-87 | | OS | | |
| L | MIL-C-14814B(3) NOTICE 1 | CARTRIDGE, IMPULSE, M270 [VALIDATION DATE: 9108] | A 1377 OS | 14-AUG-91 | | OS | | |
| L | MIL-P-14818(1) | POWER SUPPLY, 10512499 [VALIDATION DATE: 8303] | A 1290 AR | 13-OCT-70 | AR | | | |
| L | MIL-A-14819(1) | AMPLIFIER, AUDIO FREQUENCY, 10512508 [VALIDATION DATE: 8303] | A 1290 AR | 13-JUL-70 | AR | | | |
| L | MIL-D-14820 | DELAY ELEMENT, CARTRIDGE, XM43 ASSEMBLY [VALIDATION DATE: 8204] | A 1377 OS | 22-JUL-69 | | OS | | |
| L | MIL-R-14821 NOTICE 1 | REMOVER, AIRCRAFT CANOPY, M9 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703] | A 1377 OS | 15-MAR-87 | | OS | | |
| L | MIL-A-14822(2) | AMPLIFIER - DETECTOR, 10525674 [VALIDATION DATE: 8303] | A 1290 AR | 19-OCT-70 | AR | | | |
| O | MIL-S-14823A | STOP WATCH, MILITARY USER: B2 AS MC OS REVIEWER: ER GS | A 6645 AR | 24-MAR-88 | AR | SH | 99 | |
| L | MIL-P-14824B(1) | PROJECTILE, H.E., 155MM, M107 METAL PARTS ASSEMBLY | A 1320 AR | 15-APR-92 | AR | | | |
| L | MIL-P-14825A | PROJECTILE, 152MM, HEAT, M409 METAL PARTS, LESS FLUTED LINER [VALIDATION DATE: 8505] | A 1320 AR | 03-APR-72 | AR | | | |
| L | MIL-D-14826(1) | DELAY ELEMENT, CARTRIDGE, M24 ASSEMBLY | A 1377 OS | 14-OCT-86 | | OS | | |
| L | MIL-P-14827A | PROJECTILE, 57MM, HE, M306A1, METAL PARTS ASSEMBLY [VALIDATION DATE: 8505] | A 1310 AR | 06-JUL-73 | AR | | | |
| L | MIL-P-14829(1) NOTICE 1 | PROJECTILE, 4.2 INCH TACTICAL CS, XM633 METAL PARTS ASSEMBLY [VALIDATION DATE: 8705] | A 1315 AR | 05-FEB-69 | AR | | | |
| L | MIL-P-14830A(2) NOTICE 1 | PROJECTILE, 81MM, H.E., M374A1 METAL PARTS ASSEMBLY (ALLOY STEEL) [VALIDATION DATE: 8604] | A 1315 AR | 10-APR-86 | AR | | | |
| L | MIL-C-14836A NOTICE 1 | CASE, PROJECTILE, BUNSTER, M9A1 [VALIDATION DATE: 8705] | A 1310 AR | 05-MAY-72 | AR | | | |
| L | MIL-B-14837B(2) | BODY ASSEMBLY: 8619920 | A 1240 AR | 17-JUN-91 | AR | | | |
| L | MIL-P-14839(2) NOTICE 1 | PROJECTILE, 105MM, SMOKE, BE, M84E1 METAL PARTS ASSEMBLY [VALIDATION DATE: 8705] | A 1315 AR | 27-MAY-87 | AR | | | |
| L | MIL-C-14841A(1) | CARTRIDGE, DELAY, XM231, ASSEMBLY | A 1377 OS | 14-OCT-86 | | OS | | |
| L | MIL-D-14842(1) | DELAY ELEMENT, CARTRIDGE, M60 ASSEMBLY | A 1377 OS | 14-OCT-86 | | OS | | |
| L | MIL-B-14843B | BODY ASSEMBLY, 10541950 [VALIDATION DATE: 8504] | A 1240 AR | 28-FEB-72 | AR | | | |
| L | MIL-H-14844B(3) | HEAD ASSEMBLY: 8619900 | A 1240 AR | 17-JUN-91 | AR | | | |
| L | MIL-W-14846B(1) | WIPER ASSEMBLY, 10549760, 10538530 AND 10538600 [VALIDATION DATE: 8201] | A 1240 AR | 01-APR-76 | AR | | | |
| L | MIL-F-14847B(8) | FUSE, MTSQ, M564 ASSEMBLY LESS BOOSTER PELLENT AND CLOSING CUP (LEAD) CHARGE [VALIDATION DATE: 8601] | A 1390 AR | 10-JUL-79 | AR | | | |
| L | MIL-F-14848B(1) NOTICE 1 | FUZE, MT, M565 ASSEMBLY [VALIDATION DATE: 8808] | A 1390 AR | 22-AUG-88 | AR | | | |
| L | MIL-B-14849B | BODY ASSEMBLY, 8619880 [VALIDATION DATE: 8504] | A 1240 AR | 31-DEC-71 | AR | | | |
| L | MIL-O-14850(1) | OSCILLATOR, HIGH VOLTAGE, 10549785 [VALIDATION DATE: 8504] | A 1240 AR | 20-MAR-73 | AR | | | |
| L | MIL-G-14851(1) | GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED, M17 METAL PARTS ASSEMBLY | A 1377 OS | 15-JUL-86 | | OS | | |
| L | MIL-P-14852B | PROJECTILE, 105MM: ILLUMINATING, M314A3 METAL PARTS ASSEMBLY | A 1315 AR | 30-NOV-88 | AR | | | |
| L | MIL-F-14854A(4) | FUSE, MTSQ, M564, ASSEMBLY, LOADING AND PACKING [VALIDATION DATE: 8506] | A 1390 AR | 17-MAY-79 | AR | | | |
| | MIL-I-14857A | INITIATOR, CARTRIDGE ACTUATED, DELAY, M10, M31, M42, M72, AND M114 REMANUFACTURED METAL PARTS ASSEMBLY | A 1377 OS | 30-MAR-90 | | OS | 99 | |
| L | MIL-C-14858A(1) | CARTRIDGE, CALIBER .50, REFERENCE | A 1305 AR | 10-OCT-86 | AR | | | |
| L | MIL-I-14859 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M14, ASSEMBLY [VALIDATION DATE: 8606] | A 1377 OS | 20-JUN-86 | | OS | | |
| L | MIL-R-14864(2) | RANGE FINDER, LASER, AN/VVA-1 [VALIDATION DATE: 8504] | A 1240 AR | 30-MAY-72 | AR | | | |
| L | MIL-R-14866(3) | RECEIVER-TRANSMITTER, LASER: 10559281 | A 1240 AR | 30-APR-91 | AR | | | |
| L | MIL-C-14866(1) | CONTROL, POWER SUPPLY, 10559261 [VALIDATION DATE: 8504] | A 1240 AR | 30-JUL-73 | AR | | | |
| L | MIL-C-14867(1) | CONTROL, GUNNERS, LASER RANGING, 10559221 [VALIDATION DATE: 8504] | A 1240 AR | 30-JUL-73 | AR | | | |
| L | MIL-I-14868(1) | INDICATOR, DIGITAL, DISPLAY, 10559241 [VALIDATION DATE: 8504] | A 1240 AR | 30-JUL-73 | AR | | | |
| L | MIL-I-14869(1) | INDICATOR, COMMAND, DISPLAY, 10559201 [VALIDATION DATE: 8504] | A 1240 AR | 30-JUL-73 | AR | | | |
| L | MIL-C-14870(1) | CIRCUIT CARD ASSEMBLY, 10559245 (INDICATOR, DIGITAL, DISPLAY) [VALIDATION DATE: 8504] | A 1240 AR | 30-JUL-73 | AR | | | |
| L | MIL-C-14871(1) | CIRCUIT CARD ASSEMBLY, 10559205 (INDICATOR, COMMAND, DISPLAY) [VALIDATION DATE: 8504] | A 1240 AR | 17-AUG-73 | AR | | | |
| L | MIL-C-14872(1) | CIRCUIT CARD ASSEMBLY, 10559315 (LINE DRIVER) [VALIDATION DATE: 8504] | A 1240 AR | 17-AUG-73 | AR | | | |
| L | MIL-C-14873A(2) | CIRCUIT CARD ASSEMBLY: 10559425 TRANSMITTER LOGIC | A 1240 AR | 03-JUL-91 | AR | | | |
| L | MIL-C-14874A(1) | COMPONENT ASSEMBLY: 10559404 TRANSMITTER LOGIC | A 1240 AR | 03-JUL-91 | AR | | | |
| L | MIL-C-14875B(1) | CHASSIS ASSEMBLY: 10559435 PHOTOMULTIPLIER | A 1240 AR | 03-JUL-91 | AR | | | |
| L | MIL-C-14876B(1) | CIRCUIT CARD ASSEMBLY: 10559335 AND 11745329 -1600V POWER SUPPLIES | A 1240 AR | 03-JUL-91 | AR | | | |
| L | MIL-C-14877(1) | CIRCUIT CARD ASSEMBLY, 10559325 (POWER SUPPLY, LOW VOLTAGE) [VALIDATION DATE: 8504] | A 1240 AR | 23-AUG-73 | AR | | | |
| L | MIL-A-14878A(1) | AMPLIFIER, VIDEO: 10559445 | A 1240 AR | 03-JUL-91 | AR | | | |
| L | MIL-C-14879(1) | CIRCUIT CARD ASSEMBLY, 10559225 (CONTROL, GUNNERS, LASER RANGING) [VALIDATION DATE: 8101] | A 1240 AR | 18-OCT-74 | AR | | | |
| L | MIL-C-14880B(3) | COMPONENT ASSEMBLY: 10559479 TRANSMITTER | A 1240 AR | 03-JUL-91 | AR | | | |
| L | MIL-P-14881(2) | POWER SUPPLY, 10559345 (PFN CHARGE) [VALIDATION DATE: 8301] | A 1240 AR | 17-FEB-77 | AR | | | |
| L | MIL-C-14882A(1) | CIRCUIT CARD ASSEMBLY: 10559295 REPLY GATING | A 1240 AR | 12-AUG-91 | AR | | | |
| L | MIL-C-14883A(1) | CIRCUIT CARD ASSEMBLY: 10559305 COUNTERS | A 1240 AR | 12-AUG-91 | AR | | | |
| L | MIL-C-14884(3) NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT: M37 ASSEMBLY [VALIDATION DATE: 9108] | A 1377 OS | 14-AUG-91 | | OS | | |
| L | MIL-I-14885(1) NOTICE 1 | INTIATOR, CARTRIDGE ACTUATED, DELAY M114 ASSEMBLY [VALIDATION DATE: 8606] | A 1377 OS | 20-JUN-86 | | OS | | |
| L | MIL-C-14887 NOTICE 1 | CASE, CARTRIDGE, 106MM, M9431 ASSEMBLY [VALIDATION DATE: 8603] | A 1315 AR | 12-MAR-86 | AR | | | |
| L | MIL-F-14888A | FIN ASSEMBLY, XM170 | A 1315 AR | 04-DEC-81 | AR | | | |
| L | MIL-I-14889 | INITIATOR, CARTRIDGE ACTUATED, DELAY XM92 ASSEMBLY [VALIDATION DATE: 8606] | A 1377 OS | 20-JUN-86 | | OS | | |
| L | MIL-C-14891A(2) | CIRCUIT CARD ASSEMBLY: 10559285 OR 9360493 SELECT LOGIC | A 1240 AR | 12-AUG-91 | AR | | | |
| L | MIL-C-14892(4) NOTICE 1 | CASE, CARTRIDGE, 105MM, M15081 | A 1315 AR | 28-MAR-91 | AR | | | |
| L | MIL-C-14894(2) | COMPUTER, BALLISTICS, M138IC [VALIDATION DATE: 8602] | A 1220 AR | 06-NOV-72 | AR | | | |
| L | MIL-P-14895E(5) | PROJECTILE, 8 INCH, M509A1 METAL PARTS ASSEMBLY | A 1320 AR | 11-APR-91 | AR | | | |
| L | MIL-A-14897 NOTICE 1 | ACTUATOR, ROTARY 1000-34 ASSEMBLY [VALIDATION DATE: 8808] | A 1377 OS | 29-AUG-88 | | OS | | |
| L | MIL-A-14898 NOTICE 1 | ACTUATOR, ROTARY 1000-34 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8606] | A 1377 OS | 20-JUN-86 | | OS | | |
| L | MIL-P-14901(1) NOTICE 1 | PROJECTILE, 4.2 INCH: TACTICAL CS, XM633 LOADING, ASSEMBLING AND PACKING (FOR CARTRIDGE, TACTICAL CS, XM630) [VALIDATION DATE: 9010] | A 1315 AR | 15-OCT-90 | AR | | | |
| L | MIL-F-14902A NOTICE 1 | FIN, ASSEMBLY, 60MM M2 [VALIDATION DATE: 8604] | A 1310 AR | 10-APR-86 | AR | | | |
| L | MIL-C-14909A(2) | CARTRIDGE, ILLUMINATING, M301A3 WITH FUZE, TIME M84A1 FOR 81MM MORTARS LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8201] | A 1315 AR | 11-MAR-76 | AR | | | |
| L | MIL-I-14925A(2) NOTICE 1 | IGNITER ASSEMBLY, M76 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8804] | A 1336 AR | 18-APR-88 | AR | | | |
| L | MIL-M-14926D | MOTOR, ROCKET, LAUNCH, M114 PARTS FOR | A 1336 MI | 13-SEP-91 | MI | | | |
| L | MIL-M-14927B(1) NOTICE 1 | MOTOR, ROCKET, LAUNCH, M114 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A 1336 AR | 09-MAY-90 | AR | | | |
| L | MIL-S-14929 | SULFUR, COMMERCIAL GRADE (FOR USE WITH AMMUNITION) [VALIDATION DATE: 8201] | A 1175 AR | 30-AUG-68 | AR | | | |
| L | MIL-G-14931 NOTICE 1 | GREASE, SILICONE FOR USE WITH AMMUNITION [VALIDATION DATE: 9008] | A 1375 AR | 27-AUG-90 | AR | | | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-G-149338(3) | GRENADE, HAND, FRAG, DELAY, M67 LOADING, ASSEMBLING AND PACKING ..... | A 1330 AR | 08-MAR-93 AR | | | | |
| | L | MIL-G-14934 | GRENADE, HAND, FRAG, IMPACT, XM68 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8405) | A 1330 AR | 06-AUG-68 AR | | | | |
| | L | MIL-G-14935(1) NOTICE 1 | GRENADE, XM67, SAFETY CLIP FOR (VALIDATION DATE: 8803) ..... | A 1330 AR | 30-MAR-88 AR | | | | |
| | L | MIL-G-14936(1) NOTICE 1 | GRENADE, XM68, SAFETY CLIP FOR (VALIDATION DATE: 8804) ..... | A 1330 AR | 22-APR-88 AR | | | | |
| | L | MIL-C-14939A(2) NOTICE 1 | CHARGE, PROPELLING, 155MM, M119A1 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8806) | A 1320 AR | 20-JUN-88 AR | | | | |
| | L | MIL-P-14940B(1) NOTICE 1 | PROPELLANT M6 FOR USE IN CHARGE PROPELLING, M119, 155MM (VALIDATION DATE: 8705) | A 1376 AR | 07-DEC-80 AR | | | | |
| | L | MIL-F-14943D(2) | FUSE, GRENADE, HAND, PRACTICE: M228, PARTS FOR, AND LOADING, ASSEMBLING AND PACKING | A 1330 AR | 27-JUN-88 AR | | | | |
| | L | MIL-G-14944A NOTICE 1 | GRENADE, HAND, PRACTICE, DELAY, M69, BODY ASSEMBLY FOR (VALIDATION DATE: 8803) | A 1330 AR | 30-MAR-88 AR | | | | |
| A | L | MIL-D-14951A(3) | DELAY ELEMENT M53 LOADING, ASSEMBLING AND PACKING ..... | A 1390 AR | 26-AUG-92 AR | | | | |
| | L | MIL-W-14960B(1) NOTICE 1 | WARHEAD, GUIDED MISSILE, HE, M155, AND WARHEAD GUIDED MISSILE, TRAINING M237 PARTS FOR (VALIDATION DATE: 9005) | A 1336 AR | 09-MAY-90 AR | | | | |
| A | L | MIL-I-14961(4) | INCREMENTS, PROPELLANT M1A1, M2A1, M3A1, M181 AND M182 (MADE FROM PROPELLANT, M8) | A 1376 AR | 12-OCT-92 AR | | | | |
| | L | MIL-W-14969 NOTICE 1 | WARHEAD, 2.75 INCH ROCKET XM229, (TWO PIECE) PARTS FOR ..... | A 1340 AR | 10-APR-87 AR | | | | |
| | | MIL-E-14970B(5) | EXPLOSIVE COMPOSITION A5 (VALIDATION DATE: 8301) REVIEWER: EA ..... | A 1376 AR | 13-DEC-76 AR | OS | 99 | | |
| | L | MIL-E-001497OC(2) | EXPLOSIVE COMPOSITION A-5 ..... | A 1376 AR | 12-SEP-89 AR | | | | |
| | L | MIL-G-14971A(3) NOTICE 1 | GRENADE, HAND, M33, M59, M67 AND M68 METAL PARTS ASSEMBLY FOR (VALIDATION DATE: 8704) | A 1330 AR | 09-JUL-75 AR | | | | |
| | L | MIL-C-14972C | CLIP, SHORTING ASSEMBLY, FOR 2.75 INCH ROCKET MOTOR ..... | A 1340 MI | 25-MAR-92 MI | | | | |
| A | L | MIL-S-14977B | SQUIB, MARK 1 MOD 0 FOR 2.75 INCH ROCKET ..... | A 1340 MI | 18-SEP-92 MI | | | | |
| | L | MIL-D-14978A(4) | DETONATOR, STAB, M55 LOADING, ASSEMBLING AND PACKING ..... | A 1375 AR | 03-MAY-89 AR | | | | |
| | L | MIL-W-14979 NOTICE 1 | WARHEAD, 2.75 INCH ROCKET, XM229, (INERT FILLING OUT), PARTS FOR ..... | A 1340 AR | 10-APR-87 AR | | | | |
| | L | MIL-W-14980A NOTICE 1 | WARHEAD, GUIDED MISSILE, HE, M224 PARTS FOR (VALIDATION DATE: 8704) ..... | A 1336 AR | 10-APR-87 AR | | | | |
| | L | MIL-C-14983(1) | CHARGE, PROPELLING FOR T-5123E1 TEST SHELL ..... | A 1145 AR | 28-APR-89 AR | | | | |
| | L | MIL-S-14989(1) NOTICE 2 | SETTING DEVICE, TIMER: M4195 (VALIDATION DATE: 9108) ..... | A 1190 AR | 20-AUG-91 AR | | | | |
| | L | MIL-S-14992A(9) NOTICE 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M118 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9005) | A 1336 AR | 09-MAY-90 AR | | | | |
| | L | MIL-W-14993B NOTICE 1 | WARHEAD SECTION, GUIDED MISSILE, PRACTICE, M231 (VALIDATION DATE: 8704) ... | A 1336 AR | 10-APR-87 AR | | | | |
| | L | MIL-C-14994 NOTICE 1 | CHARGE PROPELLING, 152MM, XM189 AND XM190, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8603) | A 1320 AR | 13-MAR-86 AR | | | | |
| | | MIL-A-14995(1) | ADAPTER, BOOSTER, BOMB, TAIL, XM150, PARTS FOR ..... | A 1325 AS | 08-OCT-87 | AS | | | |
| | L | MIL-P-14997A | PROJECTILE, 105MM, ILLUMINATING, M314A3 LOADING ACCESSORIES FOR ..... | A 1315 AR | 19-MAY-88 AR | | | | |
| | L | MIL-P-14999(2) NOTICE 1 | POWDER, MOLDING COMPOUND EXPLOSIVE (PBX) (VALIDATION DATE: 8803) ..... | A 1376 AR | 23-MAR-88 AR | | | | |
| | L | MIL-W-15000K | WATER-TESTING CHEMICALS, BOILER, SHIPBOARD USE USER: OS REVIEWER: GS ..... | A 6810 SH | 24-JUL-87 | SH | | | |
| | L | MIL-B-15004A | BALLON, AEROLOGICAL (VALIDATION DATE: 8410) REVIEWER: 99 GS ..... | A 6660 AS | 01-SEP-53 | AS | | | |
| D | | MIL-T-15005F | TUBES, CONDENSER AND HEAT EXCHANGER, COPPER-NICKEL ALLOYS (UNS C70600 & C71500) USER: MC REVIEWER: CS YD1 | A 4710 SH | 06-DEC-89 MR | SH | 99 | | |
| | | MIL-P-15011J | PALLET, MATERIAL HANDLING, WOOD, POST CONSTRUCTION, 4 WAY ENTRY ..... | A 3990 SA | 16-SEP-85 ME | SA | 99 | | |
| | L | MIL-L-00150190 | LUBRICATING OIL, COMPOUNDED ..... | A 9150 SH | 13-MAR-81 | SH | | | |
| | L | MIL-V-15020F | VALVE, FLUSH (SHIPBOARD) (VALIDATION DATE: 8104) REVIEWER: CS ..... | A 4510 SH | 16-OCT-68 | SH | | | |
| | | MIL-H-15021A(2) | HOOK, SNAP BOLT, SWIVEL-EYE, AND RINGS (VALIDATION DATE: 8108) USER: MC REVIEWER: GL IS SA | A 5340 SH | 04-NOV-59 AR | SH | | | |
| D | | MIL-P-15024E | PLATES, TAGS, AND BANDS FOR IDENTIFICATION OF EQUIPMENT USER: CG MC REVIEWER: 16 84 AV GS ME MI OS YD1 | A 9905 AS | 29-JAN-93 GL | AS | 99 | | |
| | | MIL-P-15024/1A(1) NOTICE 1 | PLATE, IDENTIFICATION SET OR GROUP (VALIDATION DATE: 9109) USER: 11 GL .... | A 9905 AS | 25-SEP-91 | AS | 99 | | |
| | | MIL-P-15024/2 NOTICE 1 | PLATE, IDENTIFICATION, UNIT OR PLUG-IN ASSEMBLY (VALIDATION DATE: 9109) USER: 11 GL | A 9905 AS | 25-SEP-91 | AS | 99 | | |
| A | | MIL-P-15024/3 NOTICE 1 | BAND IDENTIFICATION, CABLE (VALIDATION DATE: 9301) ..... | A 9905 AS | 29-JAN-93 | AS | 99 | | |
| | L | MIL-P-15024/4 NOTICE 1 | PLATE IDENTIFICATION, MODIFICATION (VALIDATION DATE: 9109) USER: GL ..... | A 9905 AS | 25-SEP-91 | AS | | | |
| | L | MIL-P-15024/5 | PLATE, IDENTIFICATION (VALIDATION DATE: 8401) USER: GL REVIEWER: EC ..... | A 9905 SH | 11-JUN-71 | SH | | | |
| | L | MIL-P-15024/6A | PLATE, IDENTIFICATION (VALIDATION DATE: 8502) USER: GL ME ..... | A 9905 ER | 19-DEC-77 ER | | | | |
| | L | MIL-P-15024/7 NOTICE 1 | PLATE, TAGS AND BANDS, BAND, IDENTIFICATION, CABLE ASSEMBLY, TYPE K1, ALUMINUM (VALIDATION DATE: 8606) USER: GL | A 9905 ER | 25-JUN-86 ER | | | | |
| | L | MIL-P-15024/8 NOTICE 1 | BAND, IDENTIFICATION, CABLE ASSEMBLY, TYPE K2 HEAT SHRINKABLE TUBING (VALIDATION DATE: 8606) USER: GL | A 9905 ER | 25-JUN-86 ER | | | | |
| | L | MIL-P-15024/8(11) | BAND, IDENTIFICATION, CABLE ASSEMBLY, TYPE K2 HEAT SHRINKABLE TUBING ..... | A 9905 CR | 27-JUN-88 CR | | | | |
| | L | MIL-P-15024/9 NOTICE 1 | PLATE, TAGS AND BANDS, AIRCRAFT LOADING DATAPLATE (VALIDATION DATE: 8606) USER: GL | A 9905 ER | 25-JUN-86 ER | | | | |
| | L | MIL-P-15024/10A | NAMEPLATE, ORDALT PLATES & INFORMATION PLATES USER: GL REVIEWER: EC ..... | A 9905 OS | 07-MAR-86 | OS | | | |
| | L | MIL-P-15024/15 NOTICE 1 | PLATE, TAGS, HOSE ASSEMBLY IDENTIFICATION (VALIDATION DATE: 8901) ..... | A 9905 SH | 25-JAN-89 | SH | | | |
| A | | MIL-L-15040F(1) NOTICE 1 | LABEL, GARMENT (WOVEN, RAYON) USER: MC REVIEWER: 82 MI ..... | A 8315 CT | 12-NOV-87 GL | MU | 11 | CT | |
| | L | MIL-R-15041C | RELEASE, LIFESAVING EQUIPMENT, HYDRAULIC AND MANUAL (VALIDATION DATE: 8104) USER: CS | A 4220 SH | 04-APR-60 | SH | | | |
| A | | MIL-P-15064G(1) | PADS, SHOULDER AND SLEEVE-HEAD USER: CG MC REVIEWER: 82 99 ..... | A 8315 CT | 05-SEP-91 GL | MU | 11 | CT | |
| A | | MIL-C-15065J | COAT FRONTS REVIEWER: CG MC MD ..... | A 8315 CT | 16-FEB-90 GL | MU | | CT | |
| | L | MIL-M-15071H | MANUAL, TECHNICAL, EQUIPMENTS AND SYSTEMS CONTENT REQUIREMENTS FOR (VALIDATION DATE: 8307) REVIEWER: EA EC MI | A TMSS SH | 17-JUL-78 | SH | | | |
| | L | DOD-B-15072E SUPPL 1 1 | BATTERIES, STORAGE, LEAD-ACID, PORTABLE; GENERAL SPECIFICATION FOR (METRIC) (VALIDATION DATE: 8904) REVIEWER: GS MI | A 6140 SH | 20-APR-89 | SH | | | |
| | L | DOD-B-15072/3F | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPE 2V - 20 AH - L/D - A (METRIC) (VALIDATION DATE: 8904) REVIEWER: GS | A 6140 SH | 20-APR-89 | SH | | | |
| | L | DOD-B-15072/9 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 50 AH - L/D - A OR B AND 12V - 50 AH - L/D - A OR B (METRIC) (VALIDATION DATE: 8904) | A 6140 SH | 20-APR-89 | SH | | | |
| | | MIL-B-15072/9 | BATTERY, STORAGE, LEAD ACID, PORTABLE, TYPES 6V - 50 AH, L/D, A OR B & 12 V - 50 AH, L/D, A OR B (METRIC) | A 6140 SH | 02-SEP-81 | SH | | | |
| | L | DOD-B-15072/10 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 205 AH - H/S - A OR B AND 8V - 205 AH - H/S - A OR B (METRIC) (VALIDATION DATE: 8904) | A 6140 SH | 20-APR-89 | SH | | | |
| | L | DOD-B-15072/11 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPE 12V - 15 AH - L/D - A OR B (METRIC) (VALIDATION DATE: 8904) | A 6140 SH | 20-APR-89 | SH | | | |
| | | MIL-B-15072/11 | BATTERY, STORAGE, LEAD ACID, PORTABLE, TYPE 12V - 15 AH - L/D - A OR B (METRIC) | A 6140 SH | 02-SEP-81 | SH | | | |
| | L | DOD-B-15072/12 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 100 AH - L/D - A OR B, 8V - 100 AH - L/D - A OR B, AND 12V - 100 AH - L/D - A OR B (METRIC) (VALIDATION DATE: 8904) | A 6140 SH | 20-APR-89 | SH | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | DOD-B-15072/13 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 130 AH - H/S - A OR B, 8V - 130 AH - H/S - A OR B, AND 12V - 130 AH - H/S - A OR B (METRIC) [VALIDATION DATE: 8904] | A | 6140 | SH | | 20-APR-89 | | SH | | |
| | | MIL-B-15072/13 | BATTERY, STORAGE, LEAD ACID, PORTABLE, TYPES 6V - 130 AH - H/S - A OR B, 8V - 130 AH - H/S - A OR B, AND 12V 130 AH - H/S - A OR B (METRIC) | A | 6140 | SH | | 02-SEP-81 | | SH | | |
| | L | DOD-B-15072/14 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 300 AH - L/D - A OR B AND 8V - 300 AH - L/D - A OR B (METRIC) [VALIDATION DATE: 8904] | A | 6140 | SH | | 20-APR-89 | | SH | | |
| | Q | MIL-C-15074E | CORROSION PREVENTIVE, FINGERPRINT REMOVER USER: MC ME MI SA REVIEWER: AS EA MD OS SH | A | 8030 | MR | | 30-JAN-91 | MR | SH | 99 | |
| | L | MIL-T-15089C(1) | TUBING, ALUMINUM ALLOY, ROUND, SEAMLESS (FOR ROCKET MOTORS) [VALIDATION DATE: 8204] REVIEWER: CS | A | 4710 | OS | | 03-FEB-76 | | OS | | |
| | D | MIL-E-15090C(2) | ENAMEL, EQUIPMENT, LIGHT GRAY (FORMULA NO. 111) USER: YD1 REVIEWER: DS EA EC MI OS | A | 8010 | SH | | 25-JUL-84 | ME | SH | 99 | |
| | A | MIL-C-15096H | COAT, FOOD HANDLER S (STEWARD) [VALIDATION DATE: 8406] REVIEWER: 45 ..... | A | 8415 | CT | | 01-FEB-79 | | MU | 99 | CT |
| | | MIL-L-15098D(2) SUPPL 1 1 | LAMP, GLOW GENERAL SPECIFICATION FOR USER: AS MC ME REVIEWER: 82 AR CG GS MI | A | 6240 | ER | | 26-FEB-91 | ER | SH | 99 | |
| | | MIL-L-15098/1B NOTICE 1 | LAMP, GLOW, INDICATOR, TYPES A9A-T, C2A-T AND A2A-T [VALIDATION DATE: 9010] USER: AS MC OS REVIEWER: GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/2B NOTICE 1 | LAMP, GLOW, CIRCUIT CONTROL, TYPES 5AC, 5AG-A, 5AH, RT2-32-1A, AND 5AJ [VALIDATION DATE: 9010] USER: AS MC REVIEWER: 11 AR CG GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/3A NOTICE 1 | LAMP, GLOW, INDICATOR, TYPES W1A AND R2A [VALIDATION DATE: 9010] REVIEWER: EC GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/4B NOTICE 1 | LAMP, GLOW, INDICATOR, TYPE J5A [VALIDATION DATE: 9010] USER: AS CG MC REVIEWER: 11 AR GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/5A NOTICE 1 | LAMP, GLOW, INDICATOR, TYPES J2A AND B7A [VALIDATION DATE: 9010] USER: AS CG MC OS REVIEWER: EC GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/6B NOTICE 1 | LAMP, GLOW, INDICATOR, TYPES J3A AND B9A [VALIDATION DATE: 9010] USER: AS MC REVIEWER: 11 AR CG GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/7B NOTICE 1 | LAMP, GLOW, INDICATOR, TYPE B5A [VALIDATION DATE: 9010] USER: AS MC OS REVIEWER: 11 AR CG GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/8B NOTICE 1 | LAMP, GLOW, INDICATOR, TYPE L5A [VALIDATION DATE: 9010] USER: AS MC REVIEWER: 11 AR CG GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/9B NOTICE 1 | LAMP, GLOW, INDICATOR, TYPE R9A [VALIDATION DATE: 9010] USER: AS MC ME REVIEWER: 11 AR CG GS MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/10C NOTICE 1 | LAMP, GLOW, INDICATOR, TYPES B1A, B1AH, B2A AND B2AR [VALIDATION DATE: 9010] USER: AS MC REVIEWER: 11 AR CG GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/11B NOTICE 1 | LAMP, GLOW, INDICATOR, TYPES C7A, C9A, A1G, AND A1H [VALIDATION DATE: 9010] USER: AS REVIEWER: 11 AR CG GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 99 | |
| | | MIL-L-15098/12B NOTICE 1 | LAMP, GLOW, INDICATOR, TYPE R1A [VALIDATION DATE: 9010] USER: AS MC REVIEWER: AR CG GS ME MI | A | 6240 | ER | | 11-OCT-90 | ER | SH | 11 | |
| | L | MIL-H-0015100F(4) | HOSE, RUBBER, WIRE REINFORCED (OIL AND GASOLINE, SUCTION AND DISCHARGE SMOOTH BORE) [VALIDATION DATE: 8206] REVIEWER: CS | A | 4720 | SH | | 11-JUN-65 | | SH | | |
| | AQL | MIL-S-15103F(1) | SALINITY INDICATING EQUIPMENT ..... | A | 6630 | SH | | 17-DEC-92 | | SH | | |
| | A L | MIL-C-15104F | CLOTH, COATED, FLAME RESISTANT, BERTH AND BEDDING COVER REVIEWER: SH ..... | A | 8305 | CT | | 30-APR-91 | | MU | | CT |
| | QL | MIL-T-15108C(1) | TRANSFORMERS, POWER, STEP DOWN, SINGLE PHASE, 60 HERTZ, 1 KILOVOLTAMPERE APPROXIMATE MINIMUM RATING, DRY TYPE, NAVAL SHIPBOARD USER: OS REVIEWER: GS | A | 6120 | SH | | 03-JUL-85 | | SH | | |
| | QL | MIL-R-15109C | RESISTORS AND RHEOSTATS, NAVAL SHIPBOARD ..... | A | 5905 | SH | | 17-FEB-89 | | SH | | |
| | D | MIL-W-15117F | WATER, DRINKING, CANNED, EMERGENCY REVIEWER: MC MD MI SS YD1 ..... | A | 8960 | GL | | 18-DEC-87 | GL | SA | 50 | |
| | L | MIL-T-15119A | TUBING, ROUND, SEAMLESS ALLOY STEEL [VALIDATION DATE: 8311] ..... | A | 4710 | OS | | 20-OCT-76 | | OS | | |
| | | MIL-I-15126F(4) | INSULATION TAPE, ELECTRICAL, PRESSURE SENSITIVE ADHESIVE AND PRESSURE SENSITIVE THERMOSETTING ADHESIVE | A | 5970 | SH | | 23-OCT-90 | ER | SH | 85 | |
| | | MIL-P-15127D | PROJECTOR, STILL PICTURE, AP 4 USER: MC MI REVIEWER: GS ..... | A | 6730 | CR | | 19-APR-84 | CR | | 99 | |
| | | MIL-D-15141B | DRESSING, FIRST AID AND INDIVIDUAL TROOP, CAMOUFLAGED [VALIDATION DATE: 8106] | A | 6510 | DM | | 10-NOV-58 | MD | MS | 03 | |
| | | DOD-P-15144B | PAINT, FORMULA NO. 34 (BINDER FOR ANTI SWEAT COATINGS) (METRIC) [VALIDATION DATE: 8209] USER: ME REVIEWER: MS | A | 8010 | SH | | 11-OCT-77 | MR | SH | | |
| | | MIL-W-15154E NOTICE 1 | WOOD LAMINATES, OAK (FOR SHIP AND BOAT USE) [VALIDATION DATE: 8911] ..... | A | 5510 | SH | | 03-NOV-89 | ML | SH | | |
| | QQ | MIL-F-15160G SUPPL 1 1 | FUSES, INSTRUMENT, POWER, AND TELEPHONE USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | | MIL-F-15160/1D | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F01 USER: 19 AT CG MC ME OS REVIEWER: 17 99 AR AS ES MI | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | | MIL-F-15160/2E | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F02 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | D | MIL-F-15160/3E | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F03 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | I | MIL-F-15160/6C NOTICE 1 | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F06 [VALIDATION DATE: 9012] USER: 19 AR AS AT CG MC ME REVIEWER: 17 99 EC ES MI | A | 5920 | SH | | 24-DEC-90 | ER | SH | 85 | |
| | I | MIL-F-15160/7C NOTICE 1 | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F07 [VALIDATION DATE: 9012] USER: 19 AR AT CG MC ME REVIEWER: 17 99 AS EC ES MI | A | 5920 | SH | | 24-DEC-90 | ER | SH | 85 | |
| | | MIL-F-15160/9D | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F09 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | D | MIL-F-15160/10E | FUSES: INSTRUMENT, POWER, AND TELEPHONE (INDICATING), STYLE F10 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | D | MIL-F-15160/15B | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F15 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | | MIL-F-15160/16B | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F16 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | | MIL-F-15160/19B | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F19 USER: 19 AT CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | D | MIL-F-15160/20B | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F20 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | D | MIL-F-15160/21B | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F21 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | | MIL-F-15160/22B | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F22 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5920 | SH | | 29-OCT-90 | ER | SH | 85 | |
| | I | MIL-F-15160/27A NOTICE 1 | FUSES, STYLE F27 REVIEWER: 99 ES ..... | A | 5920 | SH | | 27-DEC-90 | CR | SH | 11 | |
| | I | MIL-F-15160/28A NOTICE 1 | FUSES, STYLE F28 REVIEWER: 99 ES ..... | A | 5920 | SH | | 27-DEC-90 | ER | SH | 85 | |
| | I | MIL-F-15160/29 NOTICE 1 | FUSES, STYLE F29 USER: MI REVIEWER: ES ..... | A | 5920 | SH | | 27-DEC-90 | ER | SH | 99 | |
| | I | MIL-F-15160/30 NOTICE 1 | FUSES, STYLE F30 REVIEWER: 99 ES MI ..... | A | 5920 | SH | | 27-DEC-90 | ER | SH | 85 | |
| | I | MIL-F-15160/36 NOTICE 1 | FUSES, STYLE F36 REVIEWER: 99 ES ..... | A | 5920 | SH | | 27-DEC-90 | ER | SH | 85 | |
| | I | MIL-F-15160/37 NOTICE 1 | FUSES, STYLE F37 REVIEWER: 99 ES ..... | A | 5920 | SH | | 27-DEC-90 | ER | SH | 85 | |
| | I | MIL-F-15160/38 NOTICE 1 | FUSES, STYLE F38 REVIEWER: 99 ES ..... | A | 5920 | SH | | 27-DEC-90 | ER | SH | 85 | |
| | I | MIL-F-15160/39 NOTICE 1 | FUSES, STYLE F39 REVIEWER: 99 ES ..... | A | 5920 | SH | | 27-DEC-90 | ER | SH | 85 | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| I | MIL-F-15160/40 NOTICE 1 | FUSES, STYLE F40 REVIEWER: 99 ES | A | 5920 | SH | ER | 27-DEC-90 | ER | SH | 85 | |
| D | MIL-F-15160/50A | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F50 USER: 19 AT CG MC REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | ER | 29-OCT-90 | ER | SH | 85 | |
| | MIL-F-15160/51A | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F51 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5920 | SH | ER | 29-OCT-90 | ER | SH | 85 | |
| D | MIL-F-15160/60F | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F60 USER: 19 CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | ER | 29-OCT-90 | ER | SH | 85 | |
| D | MIL-F-15160/61C | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F61 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | ER | 29-OCT-90 | ER | SH | 85 | |
| D | MIL-F-15160/62D | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F62 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | ER | 29-OCT-90 | ER | SH | 85 | |
| D | MIL-F-15160/63C | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F63 USER: 19 AT CG DS MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | ER | 29-OCT-90 | ER | SH | 85 | |
| D | MIL-F-15160/64C | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F64 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A | 5920 | SH | ER | 29-OCT-90 | ER | SH | 85 | |
| | MIL-F-15160/65C | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F65 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5920 | SH | ER | 29-OCT-90 | ER | SH | 85 | |
| | MIL-F-15160/66C | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F66 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5920 | SH | ER | 29-OCT-90 | ER | SH | 85 | |
| L | MIL-F-15160/77(2) | FUSES, (INDICATING), STYLE F77A | A | 5920 | SH | | 08-APR-88 | | SH | | |
| D | MIL-F-15160/81 | FUSES, CARTRIDGE, INSTRUMENT, POWER AND TELEPHONE (NONINDICATING), STYLE F81 USER: 19 AT CG ME REVIEWER: 17 80 99 AR AS EC MC MI OS YD1 | A | 5920 | SH | ER | 03-MAR-93 | ER | SH | 85 | |
| L | MIL-P-15169B(1) | PIGMENT, CUPROUS OXIDE (VALIDATION DATE: 8901) | A | 8010 | SH | | 19-JAN-89 | | SH | | |
| L | MIL-P-15173B | MAGNESIUM SILICATE PIGMENT (TALC) REVIEWER: MI | A | 8010 | SH | | 09-JUL-87 | | SH | | |
| L | MIL-R-15189B | RESIN, ALKYD PHENOLIC REVIEWER: GS | A | 6810 | SH | | 09-SEP-86 | | SH | | |
| D | MIL-S-15191C | SILICA, DIATOMACEOUS, UNCALCINED USER: CG OS YD1 REVIEWER: 84 AS ME | A | 8010 | SH | | 03-APR-86 | | SH | 99 | |
| D | MIL-C-15203D NOTICE 1 | COATING COMPOUND, BITUMINOUS, EMULSION TYPE, COAL TAR BASE (VALIDATION DATE: 8706) REVIEWER: CE SH | A | 8030 | YD1 | MR | 15-JUN-87 | MR | YD1 | 99 | |
| L | MIL-S-15204D NOTICE 1 | SEALING COMPOUND, JOINT AND THREAD, HIGH TEMPERATURE (VALIDATION DATE: 9102) | A | 8030 | SH | | 07-FEB-91 | | SH | | |
| OL | MIL-P-15208A(1) | PROPORTIONER, MECHANICAL FOAM LIQUID USER: ME | A | 4210 | SH | | 30-MAR-87 | | SH | | |
| L | MIL-G-15214E NOTICE 1 | GAGE, DEPTH, WRIST, DIVER'S, SELF-LUMINOUS DIAL (VALIDATION DATE: 9010) USER: CS | A | 4220 | SH | | 05-OCT-90 | | SH | | |
| D | MIL-H-15217E NOTICE 1 | HOSE, RUBBER, SANDBLAST (VALIDATION DATE: 8706) REVIEWER: CS | A | 4720 | YD1 | | 12-JUN-87 | | YD1 | 99 | |
| | DOD-V-15218C(2) | VARNISH (MIXING, PHENOLIC) (METRIC) | A | 8010 | SH | | 30-APR-90 | MR | SH | | |
| D | MIL-B-15228G | BED, BUNK, STEEL, ROUND TUBE, SINGLE AND DOUBLE-DECK (CONVERTIBLE TYPE) REVIEWER: 84 MC MD | A | 7105 | YD1 | | 17-NOV-88 | GL | YD1 | 99 | |
| L | MIL-W-15234C | WHITING USER: MC REVIEWER: IS | A | 8010 | SH | | 13-JUN-88 | | SH | | |
| | MIL-T-15262D | TABLE, WORK (VALIDATION DATE: 8104) USER: CE REVIEWER: AR | A | 7195 | GL | | 05-MAR-68 | GL | | 99 | |
| AQL | MIL-I-15265C | INSULATION, ELECTRICAL, PLASTIC (SUBMARINE BUS BAR COVERING) | A | 5970 | SH | | 11-JUN-92 | | SH | | |
| DQ | MIL-P-15280J | PLASTIC MATERIAL, UNICELLULAR (SHEETS AND TUBES) USER: MC ME OS YD1 REVIEWER: EA GS MI | A | 5640 | SH | | 19-DEC-88 | ER | SH | 11 | |
| L | MIL-H-15289B | HEATER, SPACE, ELECTRIC, RADIANT, PANEL TYPE (VALIDATION DATE: 8204) REVIEWER: CS | A | 4520 | SH | | 10-JAN-63 | | SH | | |
| AQL | MIL-S-15291E(1) SUPPL 1 1 | SWITCHES, ROTARY, SNAP ACTION AND DETENT/SPRING RETURN ACTION, GENERAL SPECIFICATION FOR | A | 5930 | SH | | 20-AUG-92 | | SH | | |
| L | MIL-S-15291/1A | SWITCHES, ROTARY, SNAP ACTION CLASS 1SR FRONT MOUNTED, BACK CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| L | MIL-S-15291/2A | SWITCHES, ROTARY, SNAP ACTION CLASS 1SR FRONT MOUNTED, SIDE CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| L | MIL-S-15291/3A | SWITCHES, ROTARY, SNAP ACTION CLASS 1SR BASE MOUNTED, SIDE CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| L | MIL-S-15291/4A | SWITCHES, ROTARY, DETENT AND SPRING-RETURN ACTION CLASS 1 SRH FRONT MOUNTED, SIDE CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| L | MIL-S-15291/5A | SWITCHES, ROTARY, SNAP ACTION CLASS 3SR FRONT MOUNTED, BACK CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| L | MIL-S-15291/6B | SWITCHES, ROTARY, SNAP ACTION CLASS 3SR FRONT MOUNTED, SIDE CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| L | MIL-S-15291/7A | SWITCHES, ROTARY, SNAP ACTION CLASS 3SR BASE MOUNTED, SIDE CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| LI | MIL-S-15291/8A | SWITCHES, ROTARY, SNAP ACTION CLASS 6SR FRONT MOUNTED, BACK CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| L | MIL-S-15291/9A | SWITCHES, ROTARY, SNAP ACTION CLASS 6SR FRONT MOUNTED, SIDE CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| L | MIL-S-15291/10A | SWITCHES, ROTARY, SNAP ACTION CLASS 6SR BASE MOUNTED, SIDE CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| LI | MIL-S-15291/11A | SWITCHES, ROTARY, SNAP ACTION CLASS 20SR FRONT MOUNTED, BACK CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| L | MIL-S-15291/12A | SWITCHES, ROTARY, SNAP ACTION CLASS 20SR FRONT MOUNTED, SIDE CONNECTED | A | 5930 | SH | | 16-JUN-86 | | SH | | |
| L | MIL-S-15291/13A | SWITCHES, ROTARY, SNAP ACTION CLASS 20SR BASE MOUNTED, SIDE CONNECTED | A | 5930 | SH | | 22-JUL-91 | | SH | | |
| M | MIL-S-15297H | SPRAY OUTFITS, PAINT, PORTABLE REVIEWER: AL CS | A | 4940 | YD1 | | 30-APR-93 | | YD1 | 99 | |
| L | MIL-S-15297G(13) | SPRAY OUTFITS, PAINT, PORTABLE (VALIDATION DATE: 8706) | A | 4940 | SH | | 05-JUN-87 | | SH | | |
| A L | MIL-L-15300D NOTICE 1 | LANYARD, PISTOL AND WHISTLE, RAYON AND COTTON CORD, SCARLET AND GOLD (VALIDATION DATE: 8710) | A | 8465 | CT | | 23-OCT-87 | | MC | | CT |
| L | MIL-T-15301D(1) | TANK, PRESSURE, 600 PSI GAGE WORKING PRESSURE, NAVAL SHIPBOARD USE (VALIDATION DATE: 8401) | A | 4310 | SH | | 15-JUN-70 | | SH | | |
| QL | MIL-A-15303P | AUDIBLE SIGNALS: ALARMS, BELL, BUZZERS, HORNS, SIRENS, AND ELECTRONIC SHIPBOARD REVIEWER: GS MI | A | 6350 | SH | | 19-NOV-86 | | SH | | |
| Q | MIL-C-15305E(4) SUPPL 1A1 | COILS, FIXED AND VARIABLE, RADIOFREQUENCY GENERAL SPECIFICATION FOR USER: 19 AS CG ME SH REVIEWER: 17 99 AR MI OS | A | 5950 | ER | | 04-DEC-91 | ER | EC | 85 | |
| Q | MIL-C-15306F(1) | CALL SIGNAL STATION (TYPE IC/D) (HAND CRANK MAGNETO & CALL SIGNAL) | A | 5805 | SH | | 21-NOV-86 | CR | SH | | |
| | MIL-H-15317C NOTICE 1 | HOISTS, CHAIN OR WIRE ROPE, ELECTRIC POWER OPERATED, LUG, HOOK, OR TROLLEY SUSPENSION AND BASE MOUNTED (VALIDATION DATE: 8806) USER: MC MI OS REVIEWER: CS | A | 3950 | SH | | 15-JUN-88 | ME | SH | | |
| | MIL-B-15319E(1) NOTICE 1 | BRUSH, PLATER S, HAND, SWAB, POTASH, PLATER S, AND BRUSH, GOBLET (VALIDATION DATE: 8706) USER: MC SH REVIEWER: MD | A | 7920 | GL | | 25-JUN-87 | GL | | 84 | |
| D | DOD-P-15328D(1) NOTICE 1 | PRIMER (WASH), PRETREATMENT (FORMULA NO. 117 FOR METALS) (METRIC) (VALIDATION DATE: 9203) USER: AR MC REVIEWER: AS AV SA YD1 | A | 8010 | ME | | 21-MAR-92 | ME | SH | 99 | |
| L | DOD-P-15328D(12) | PRIMER (WASH), PRETREATMENT (FORMULA NO. 117 FOR METALS) (METRIC) | A | 8010 | AR | | 04-MAR-91 | AR | | | |
| L | MIL-E-15330D(1) NOTICE 1 | EXPANSION JOINT, PIPE, NONMETALLIC, FIRE-RETARDANT (VALIDATION DATE: 8901) REVIEWER: CS | A | 4730 | SH | | 16-FEB-89 | | SH | | |
| QL | MIL-G-15342E | GASKET, METALLIC ASBESTOS, SPIRAL WOUND, FOR BOILERS (VALIDATION DATE: 8207) | A | 5330 | SH | | 05-JUN-76 | | SH | | |
| L | MIL-A-15344J(2) | AMPLIFIER, SYNCHRO SIGNAL REVIEWER: EC ES | A | 5990 | SH | | 02-NOV-90 | | SH | | |
| L | MIL-H-15362B NOTICE 1 | HARNESSES: TEST BENCH, AVIONIC EQUIPMENT GENERAL SPECIFICATION FOR (VALIDATION DATE: 8803) REVIEWER: 99 | A | 4920 | AS | | 21-MAR-88 | | AS | | |
| M | MIL-C-15370D SUPPL 1A1 | COUPLERS, DIRECTIONAL, GENERAL SPECIFICATION FOR USER: CG MC SH REVIEWER: 11 17 99 AS ES MI OS | A | 5985 | EC | | 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/3C | COUPLERS, DIRECTIONAL (COAXIAL, SERIES N CONNECTORS) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS | A | 5985 | EC | | 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/4C | COUPLERS, DIRECTIONAL (WAVEGUIDE, MULTIHOLE) USER: CG MC SH REVIEWER: 11 17 99 AS ES OS | A | 5985 | EC | | 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/5C | COUPLERS, DIRECTIONAL (WAVEGUIDE-CROSSGUIDE) USER: CG MC SH REVIEWER: 11 17 99 AS ES OS | A | 5985 | EC | | 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/6C | COUPLERS, DIRECTIONAL (WAVEGUIDE, COAXIAL OUTPUT) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS | A | 5985 | EC | | 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/9E(1) | COUPLERS, DIRECTIONAL COAXIAL, SMA CONNECTORS (1 TO 26.5 GHZ) USER: CG MC REVIEWER: 11 99 AS ES MI OS | A | 5985 | EC | | 21-NOV-90 | ER | EC | 85 | |
| | MIL-C-15370/10B | COUPLERS, DIRECTIONAL (COAXIAL, SMA CONNECTORS) (.50 TO 18 GHZ) USER: CG MC SH REVIEWER: 99 AS OS | A | 5985 | EC | | 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/11B | COUPLERS, DIRECTIONAL, DUAL (COAXIAL, SERIES N CONNECTORS) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS | A | 5985 | EC | | 22-SEP-89 | ER | EC | 85 | |

| Action Opt. / Cmt. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| I | MIL-C-15370/12A | COUPLERS, DIRECTIONAL (COAXIAL, TNC CONNECTORS) USER: CG MC SH REVIEWER: AS OS | A 5985 EC 22-SEP-89 | ER | EC | 85 | |
| L | MIL-C-15370/14A | COUPLER, DIRECTIONAL (COAXIAL, SERIES N AND C CONNECTORS) USER: CG MC SH REVIEWER: AS OS | A 5985 EC 22-SEP-89 | | EC | | |
| * | MIL-C-15370/15A | COUPLERS, DIRECTIONAL, DUAL (WAVEGUIDE) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS | A 5985 EC 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/16A | COUPLERS, DIRECTIONAL, (COAXIAL, SMA CONNECTORS) (2 TO 1000 MHZ) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS | A 5985 EC 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/17A | COUPLER, DIRECTIONAL, DUAL (COAXIAL, SMA CONNECTORS) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS | A 5985 EC 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/18A | COUPLERS, DIRECTIONAL (PIN PLUG-IN TERMINATION) USER: CG MC SH REVIEWER: AS OS | A 5985 EC 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/19 | COUPLERS, DIRECTIONAL, FLAT PACK USER: CG MC SH REVIEWER: AS OS | A 5985 EC 22-SEP-89 | ER | EC | 85 | |
| | MIL-C-15370/20 | COUPLERS, DIRECTIONAL, TO CONFIGURATION USER: CG MC SH REVIEWER: AS OS | A 5985 EC 22-SEP-89 | ER | EC | 85 | |
| L | MIL-S-15371B | STARTER, ENGINE, ELECTRICAL MOTOR (SHIPBOARD USE) [VALIDATION DATE: 8210] REVIEWER: CS | A 2920 SH 14-NOV-77 | | SH | | |
| L | MIL-T-15377F(1) | TEMPERATURE MONITOR EQUIPMENT NAVAL SHIPBOARD USER: ME REVIEWER: GS | A 6685 SH 31-MAR-87 | | SH | | |
| | MIL-F-15381F | FOOD PACKET, SURVIVAL, AIRCRAFT LIFE RAFT REVIEWER: MC MD MS SS | A 8970 GL 31-DEC-86 | GL | SA | 50 | |
| L | MIL-B-15382C(1) | BOLT, FIREBRICK ANCHOR REVIEWER: IS MI | A 5306 SH 03-DEC-87 | | SH | | |
| D | MIL-D-15390L | DRAWERS, EXTREME COLD WEATHER USER: CG YD1 REVIEWER: 11 45 | A 8415 CT 04-FEB-87 | GL | MU | 99 | CT |
| L | MIL-P-15418C | PLOTTING BOARD, TACTICAL DISPLAY (SYNCHRO, 24 INCH) [VALIDATION DATE: 8104] | A 6605 SH 27-OCT-61 | | SH | | |
| L | MIL-C-15430J(4) | CONDENSERS, STEAM, NAVAL SHIPBOARD | A 4420 SH 24-APR-89 | | SH | | |
| L | MIL-C-15452C(3) | CABLE, SPECIAL PURPOSE (TOW), ELECTRICAL, COAXIAL, LEAD SHEATHED, NYLON COVERED [VALIDATION DATE: 8304] REVIEWER: IS | A 6145 EC 02-JAN-68 | | EC | | |
| MOL | MIL-E-15465H | EJECTOR ASSEMBLIES, AIR | A 4320 SH 24-MAY-93 | | SH | | |
| L | MIL-C-15479C(1) | CABLE, POWER, ELECTRICAL, SUBMARINE, NAVY STANDARD HARBOR DEFENSE [VALIDATION DATE: 8104] REVIEWER: IS | A 6145 SH 18-JUN-58 | | SH | | |
| A L | MIL-H-15505K | HAT, SERVICE, WOMAN'S USER: CG | A 8410 CT 31-MAY-89 | | MU | | CT |
| A L | MIL-C-15507L | CAP, GARRISON, WOMAN S (NAVY) | A 8410 CT 25-APR-86 | | MU | | CT |
| Q | MIL-V-15508B(1) | VALVE, REMOTE CONTROL, DIAPHRAM ACTUATED (FLUID SYSTEMS, 150 AND 250 P.S.I W.P. 140 DEG. F. MAXIMUM) USER: AT MC | A 4810 SH 10-DEC-84 | ME | SH | 99 | |
| QL | MIL-T-15514E(1) | TELEPHONE EQUIPMENT, SOUND POWERED HANDSETS, HEADSET-CHEST SETS, AND HEADSET-MICROPHONES, TYPES H-200/U, H-201/U, H-202/U, H-203/U, AND H-204/U USER: MC REVIEWER: ES | A 5965 SH 28-NOV-86 | | SH | | |
| QL | MIL-P-15554B(2) | PROPELLER REVOLUTION INDICATING EQUIPMENT, SYNCHRO (NAVAL SHIPBOARD USE) | A 6320 SH 28-NOV-86 | | SH | | |
| L | MIL-M-15562F(4) | MATTING OR SHEET, FLOOR COVERING, INSULATING FOR HIGH VOLTAGE APPLICATION USER: CG MC OS REVIEWER: AS | A 7220 SH 30-MAR-87 | | SH | | |
| L | MIL-S-15573A NOTICE 1 | STRAINERS, SEDIMENT, PIPELINE (FOR GASOLINE SERVICE) (INACTIVE FORNEW DESIGN) [VALIDATION DATE: 8204] REVIEWER: AR | A 4730 SH 10-APR-52 | | SH | | |
| QL | MIL-L-15581K | LIFE PRESERVERS, CO2 INFLATABLE, POUCH TYPE USER: ME REVIEWER: AS CS | A 4220 SH 24-OCT-86 | | SH | | |
| Q | MIL-B-15606H | BRICK, REFRACTORY, & BURNER TILE, NAVAL BOILER FURNACE LINING QUALITY USER: MC REVIEWER: GS | A 9350 SH 30-JUN-83 | | SH | 99 | |
| QL | MIL-F-15618F(4) | FILTER-SEPARATORS AND FILTER ELEMENTS, FLUID, PRESSURE, AVIATION AND DIESEL FUEL, NAVAL SHIPBOARD REVIEWER: CS | A 4330 SH 28-FEB-85 | | SH | | |
| | MIL-R-15624E | RUBBER GASKET MATERIAL, 50 DUROMETER HARDNESS (MAXIMUM) [VALIDATION DATE: 8104] USER: AS GL MC ME OS REVIEWER: CS EA IS MI MR | A 5330 SH 15-JUL-66 | AR | SH | 99 | |
| | MIL-T-15659H(1) SUPPL 1A1 | TERMINAL, LUG: SOLDER, COPPER AND PHOSPHOR BRONZE USER: AT AV MC REVIEWER: 11 ER GS ME MI SH | A 5940 AR 25-JUL-88 | AR | AS | 85 | |
| A | MIL-I-15665G SUPPL 1A1 | INSIGNIA: BRANCH OF SERVICE, HAT, GARRISON CAP, AND SERVICE CAP; ENLISTED PERSONNEL, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 MC | A 8455 IH 15-MAR-88 | IH | MU | 11 | |
| A L | MIL-I-15665/1C | INSIGNIA, BRANCH OF SERVICE, EP; ADJUTANT GENERAL'S CORPS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A | MIL-I-15665/2J | INSIGNIA, COLLAR, EP; "U.S.", AIR FORCE USER: 45 REVIEWER: 82 99 CT | A 8455 IH 30-JUL-92 | IH | | 11 | |
| A L | MIL-I-15665/3C | INSIGNIA, BRANCH OF SERVICE, EP; ARMOR, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/4C | INSIGNIA, BRANCH OF SERVICE, EP; ARMY MEDICAL DEPARTMENT, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/5D | INSIGNIA, BRANCH OF SERVICE, EP; AIR DEFENSE ARTILLERY, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/6C | INSIGNIA, BRANCH OF SERVICE, EP; CHEMICAL CORPS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/7C | INSIGNIA, BRANCH OF SERVICE, EP; CIVIL AFFAIRS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/8C | INSIGNIA, BRANCH OF SERVICE, EP; CORPS OF ENGINEERS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/9C | INSIGNIA, BRANCH OF SERVICE, EP; FINANCE CORPS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/10C | INSIGNIA, BRANCH OF SERVICE, EP; INFANTRY, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/11D | INSIGNIA, BRANCH OF SERVICE, EP; MILITARY INTELLIGENCE, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A | MIL-I-15665/12E | INSIGNIA, BRANCH OF SERVICE, COLLAR; AND INSIGNIA, CAP, GARRISON: EP, MARINE CORPS REVIEWER: CT MC | A 8455 IH 30-JUL-92 | IH | MU | | |
| A L | MIL-I-15665/13C | INSIGNIA, BRANCH OF SERVICE, EP; MILITARY POLICE CORPS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/14C | INSIGNIA, BRANCH OF SERVICE, EP; ORDNANCE CORPS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/15C | INSIGNIA, BRANCH OF SERVICE, EP; QUARTERMASTER CORPS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/16D | INSIGNIA, BRANCH OF SERVICE, EP; SIGNAL CORPS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/17C | INSIGNIA, BRANCH OF SERVICE, EP; TRANSPORTATION CORPS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/18D | INSIGNIA, COLLAR, EP; COMMAND SERGEANT MAJOR, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/20D | INSIGNIA, HAT, EP; FEMALE, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A | MIL-I-15665/21F | INSIGNIA, SERVICE CAP, EP; AIR FORCE USER: 45 REVIEWER: 82 99 CT | A 8455 IH 30-JUL-92 | IH | | 11 | |
| A L | MIL-I-15665/22C | INSIGNIA, SERVICE CAP, EP; ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A | MIL-I-15665/23D | INSIGNIA, SERVICE CAP, EP; MARINE CORPS REVIEWER: CT MC | A 8455 IH 13-JAN-93 | IH | MU | | |
| A L | MIL-I-15665/24C | INSIGNIA, COLLAR, EP; "U. S.", ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/25D | INSIGNIA, BRANCH OF SERVICE, EP; JUDGE ADVOCATE GENERAL'S CORPS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/26C | INSIGNIA, BRANCH OF SERVICE, EP; FIELD ARTILLERY, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A | MIL-I-15665/27D | INSIGNIA, HAT; THE SERGEANT MAJOR OF THE U.S. ARMY AND THE CHIEF MASTER SERGEANT OF THE U.S. AIR FORCE USER: 45 REVIEWER: 82 99 CT | A 8455 IH 30-JUL-92 | IH | | 11 | |
| A | MIL-I-15665/28E | INSIGNIA, COLLAR, EP; THE CHIEF MASTER SERGEANT OF THE U.S. AIR FORCE USER: 45 REVIEWER: 82 99 CT | A 8455 IH 30-JUL-92 | IH | | 11 | |
| A | MIL-I-15665/29E | INSIGNIA, HAT, EP; USAF COMMAND BANDS USER: 45 REVIEWER: 82 99 CT | A 8455 IH 30-JUL-92 | IH | | 11 | |
| A L | MIL-I-15665/30C | INSIGNIA, HAT, EP; U.S. ARMY BAND REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/31C | INSIGNIA, COLLAR, EP; CAVALRY, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/32B | INSIGNIA, COLLAR, THE SERGEANT MAJOR OF THE U.S. ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/33B | INSIGNIA, COLLAR, EP; INSPECTOR GENERAL, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/34B | INSIGNIA, BRANCH OF SERVICE, EP; AVIATION, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/35C | INSIGNIA, BRANCH OF SERVICE, EP; SPECIAL FORCES, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/36B | INSIGNIA, COLLAR, EP; CHAPLAIN ASSISTANT, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/37B | INSIGNIA, COLLAR, EP; PUBLIC AFFAIRS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| A L | MIL-I-15665/38A | INSIGNIA, COLLAR, EP; PSYCHOLOGICAL OPERATIONS, ARMY REVIEWER: CT | A 8455 IH 30-JUL-92 | IH | | | |
| L | MIL-T-15672D NOTICE 2 | TABLES, LINE-UP AND REGISTER, PRINTING, LITHOGRAPHIC USER: CE REVIEWER: GS MC | A 3610 ME 09-SEP-87 | ME | | | |
| L | MIL-I-15678K(1) | INDICATORS, SHIP'S COURSE | A 6320 SH 12-APR-91 | | SH | | |
| D | MIL-D-15691F | DISTILLATION UNITS, WATER, THERMOCOMPRESSION, DIESEL-ENGINE-DRIVEN, SKID- OR TRAILER-MOUNTED (60 TO 1,000 GPH) USER: MC REVIEWER: 84 | A 4620 YD1 01-OCT-91 | | YD1 | 99 | |
| | MIL-S-15701D | STITCHERS, BOOK & PAMPHLET, SINGLE STITCHING HEAD, SADDLE & FLAT TABLE REVIEWER: GS | A 3610 GL 31-DEC-86 | GL | SA | 99 | |
| D L | DOD-A-15707D(2) | ANCHORS, NAVY, LIGHTWEIGHT TYPE (METRIC) REVIEWER: YD1 | A 2040 SH 25-JAN-89 | | SH | | |
| Q | MIL-L-15719A(3) | LUBRICATING GREASE (HIGH-TEMPERATURE, ELECTRIC MOTOR, BALL AND ROLLER BEARINGS) [VALIDATION DATE: 8204] USER: AS AT MC REVIEWER: EA GS MI PS SA | A 9150 SH 21-FEB-61 | ME | SH | 11 | |

| Action | Qtr. | Cont. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-C-15726F(1) | COPPER-NICKEL ALLOY, SHEET, PLATE, STRIP, BAR, ROD AND WIRE USER: ME REVIEWER: IS MC MI | A | 9525 | SH | 08-OCT-91 | MR | SH | | |
| | L | | | MIL-C-15730L | COOLERS, FLUID, NAVAL SHIPBOARD: LUBRICATING OIL, HYDRAULIC OIL, AND FRESH WATER | A | 4420 | SH | 23-MAR-90 | | SH | | |
| | Q | | | MIL-P-15731D(1) | PLASTIC MIX, REFRACTORY, FIRE CLAY, SUPER DUTY (VALIDATION DATE: 8907) USER: AS REVIEWER: GS | A | 9350 | SH | 25-JUL-89 | | SH | 99 | |
| | DQ | | | MIL-F-15733G(2) SUPPL 1A1, NOTICE 1 | FILTERS & CAPACITORS, RADIO FREQUENCY INTERFERENCE USER: 19 AS AT MC OS REVIEWER: 11 17 80 99 AR AV MI SH YD1 | A | 5915 | EC | 21-OCT-85 | ER | EC | 85 | ES |
| | | | | MIL-F-15733/1G NOTICE 1 | FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL22 (INACTIVE) USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI SH | A | 5915 | EC | 11-JAN-83 | ER | EC | 85 | |
| | | 1 | | MIL-F-15733/2J | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL24 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH | A | 5915 | EC | 12-DEC-88 | ER | EC | 85 | |
| | | 1 | | MIL-F-15733/4H | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL53 USER: 19 AS AT AV CG MC ME OS REVIEWER: 17 99 AM ES MI SH | A | 5915 | EC | 27-DEC-88 | ER | EC | 85 | |
| | | 1 | | MIL-F-15733/16D NOTICE 1 | FILTER, RADIO FREQUENCY INTERFERENCE, STYLE FL74 (VALIDATION DATE: 8809) USER: 19 AS AT AV CG MC ME OS SH REVIEWER: AR ES MI | A | 5915 | EC | 16-SEP-88 | ER | EC | 85 | |
| | | | | MIL-F-15733/23A(2) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLES FL10 AND FL11 USER: 19 AS AT AV MC ME SH REVIEWER: 11 99 AR ES MI OS | A | 5915 | EC | 31-MAY-90 | ER | EC | 85 | |
| A | 1 | | | MIL-F-15733/24B(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL12 USER: 19 AS AT AV MC ME SH REVIEWER: 99 AR ES MI OS | A | 5915 | EC | 15-JAN-93 | ER | EC | 85 | |
| | | | | MIL-F-15733/25B | FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL13 USER: 19 AS AT AV MC ME SH REVIEWER: 11 17 99 AR ES MI OS | A | 5915 | EC | 30-SEP-87 | ER | EC | 85 | |
| | | | | MIL-F-15733/26B(3) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL14 USER: 19 AS AT AV MC ME SH REVIEWER: 99 AR MI OS | A | 5915 | EC | 24-MAY-91 | ER | EC | 85 | |
| | | | | MIL-F-15733/27C(1) | FILTERS & CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL15 USER: 19 AS AT AV MC ME SH REVIEWER: 11 17 99 AR ES MI OS | A | 5915 | EC | 11-AUG-86 | ER | EC | 85 | |
| | | 1 | | MIL-F-15733/28E | FILTERS, RADIO FREQUENCY INTERFERENCE STYLE FL42 USER: 19 AS AT AV CG MC ME OS REVIEWER: 11 99 AR ES MI SH | A | 5915 | EC | 16-DEC-88 | ER | EC | 85 | |
| | | 1 | | MIL-F-15733/30E | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL82 REVIEWER: 11 | A | 5915 | EC | 02-SEP-88 | | EC | 85 | |
| | L | | | MIL-F-15733/31E(1) | FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL83 REVIEWER: 11 | A | 5915 | 85 | 23-FEB-87 | | | 85 | |
| | | | | MIL-F-15733/33C | FILTERS, RADIO INTERFERENCE STYLE FL38 USER: 19 AS AT AV CG MC ME OS REVIEWER: 11 17 99 AR ES MI SH | A | 5915 | EC | 27-JUN-88 | ER | EC | 85 | |
| | | | | MIL-F-15733/34H | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL90 USER: 19 AS AT AV MC ME OS REVIEWER: 99 ES MI SH | A | 59GP | EC | 22-MAR-91 | ER | EC | 85 | |
| | | | | MIL-F-15733/38H(3) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL16 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH | A | 5915 | EC | 25-AUG-89 | ER | EC | 85 | |
| | L | | | MIL-F-15733/39H(1) | FILTER, RADIO INTERFERENCE, HERMETICALLY SEALED, STYLE FL91 USER: AS AT AV CG MC OS REVIEWER: 11 99 AR ES MI SH | A | 5915 | 85 | 06-MAY-87 | ER | EC | 85 | |
| | | | | MIL-F-15733/40B | FILTER, RADIO INTERFERENCE STYLE FL35 USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI SH | A | 5915 | 85 | 12-JUN-85 | ER | EC | 85 | |
| | | | | MIL-F-15733/41G(2) | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL84 USER: 19 AS AT AV MC ME REVIEWER: 11 99 AR ES MI OS | A | 5915 | EC | 25-AUG-89 | ER | EC | 85 | |
| M | 1 | | | MIL-F-15733/43C(3) | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL70 USER: 19 AS AT AV MC ME OS REVIEWER: 99 AR ES MI SH | A | 5915 | EC | 05-MAY-93 | ER | EC | 85 | |
| M | | | | MIL-F-15733/44E(2) | FILTER, RADIO FREQUENCY INTERFERENCE, STYLE FL45 USER: 19 AS AT AV MC ME OS REVIEWER: 99 AR ES MI SH | A | 5915 | EC | 05-MAY-93 | ER | EC | 85 | |
| M | | | | MIL-F-15733/46B(1) | FILTER, RADIO FREQUENCY INTERFERENCE SUPPRESSION, STYLE FL41 USER: 19 AS MC OS REVIEWER: 99 ES SH | A | 5915 | EC | 05-MAY-93 | | EC | 85 | |
| | | 1 | | MIL-F-15733/48F NOTICE 1 | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL92 USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 AR ES MI SH | A | 5915 | EC | 14-MAR-89 | ER | EC | 85 | |
| | | | | MIL-F-15733/49G(2) | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL93 USER: 19 AS AT AV MC ME OS REVIEWER: 99 ES MI SH | A | 59GP | EC | 10-AUG-90 | ER | EC | 85 | |
| | | | | MIL-F-15733/51E | FILTER, RADIO FREQUENCY INTERFERENCE FL48 USER: 19 REVIEWER: 11 17 99 AR AS AT AV CG MC MI SH | A | 5915 | 85 | 10-SEP-86 | ER | EC | 85 | |
| | L | | | MIL-F-15733/53B NOTICE 2 | FILTERS, RADIO INTERFERENCE, STYLE FL86 (VALIDATION DATE: 9112) ..... | A | 5915 | 85 | 26-DEC-91 | | | 85 | |
| | | | | MIL-F-15733/54F NOTICE 1 | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL94 (VALIDATION DATE: 9108) USER: AS AT AV MC ME OS REVIEWER: 11 19 99 AR MI SH | A | 5915 | EC | 27-AUG-91 | ER | EC | 85 | |
| | L | | | MIL-F-15733/55D | FILTER, RADIO INTERFERENCE, HERMETICALLY SEALED, STYLE FL85 REVIEWER: 11 99 AR ES SH | A | 5915 | 85 | 06-OCT-83 | ER | EC | 85 | |
| A | L | | | MIL-F-15733/56C | FILTER, RADIO FREQUENCY INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FL81 | A | 5915 | 85 | 31-AUG-92 | | | 85 | |
| | L | | | MIL-F-15733/57B NOTICE 1 | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL62 (VALIDATION DATE: 9112) REVIEWER: ES | A | 5915 | 85 | 19-DEC-91 | | | 85 | |
| | | | | MIL-F-15733/58B(2) | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL63 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 ES MI SH | A | 59GP | EC | 31-MAY-90 | ER | EC | 85 | |
| | L | | | MIL-F-15733/59(1) | FILTER, RADIO FREQUENCY INTERFERENCE, STYLE FL64 (VALIDATION DATE: 8202) REVIEWER: 11 MI | A | 5915 | 85 | 24-MAY-79 | | | 85 | |
| M | | | | MIL-F-15733/61B(5) | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLES FL30, FL32, FL34, AND FL43 USER: 19 AS AT AV MC ME OS REVIEWER: 99 AR ES MI SH | A | 5915 | EC | 05-MAY-93 | ER | EC | 85 | |
| | | | | MIL-F-15733/62C(3) | FILTERS, RADIO FREQUENCY INTERFERENCE STYLES FL31 AND FL47 USER: 19 AS AT AV CG MC ME OS REVIEWER: 11 17 99 ES GL MI SH | A | 5915 | EC | 15-JAN-88 | ER | EC | 85 | |
| | | | | MIL-F-15733/63(2) | FILTERS, RADIO INTERFERENCE STYLE FL37 USER: 19 AS AT AV CG MC ME OS REVIEWER: 17 99 AR ES MI SH | A | 5915 | EC | 23-APR-82 | ER | EC | 85 | |
| | | | | MIL-F-15733/64(2) NOTICE 1 | FILTER, RADIO FREQUENCY INTERFERENCE, STYLE FL49 (VALIDATION DATE: 8809) USER: 19 AS AT AV CG MC ME OS REVIEWER: 11 99 AR ES MI SH | A | 5915 | EC | 16-SEP-88 | ER | EC | 85 | |
| | L | | | MIL-F-15733/65A NOTICE 2 | FILTERS, RADIO FREQUENCY INTERFERENCE STYLE FL87 (VALIDATION DATE: 9204) .. | A | 5915 | 85 | 17-APR-92 | | | 11 | |
| | L | | | MIL-F-15733/66 | FILTER, RADIO FREQUENCY INTERFERENCE STYLE FL50 (VALIDATION DATE: 8601) ... | A | 5915 | EC | 07-AUG-80 | | EC | | |
| | | | | MIL-F-15733/67A(2) | FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL88 USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI SH | A | 5915 | 85 | 29-MAR-85 | ER | EC | 85 | |
| | | | | MIL-F-15733/72A | FILTER, RADIO FREQUENCY INTERFERENCE HERMETICALLY SEALED, STYLE FL54 USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR MI SH | A | 5915 | EC | 19-NOV-86 | ER | EC | 85 | |
| | | | | MIL-F-15733/73(1) | FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL55 USER: 19 AS AT AV CG MC ME OS REVIEWER: 17 99 AR ES MI SH | A | 5915 | EC | 15-JAN-85 | ER | EC | 85 | |
| | | | | MIL-F-15733/74(1) | FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL56 USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI SH | A | 5915 | EC | 15-JAN-85 | ER | EC | 85 | |
| | | | | MIL-F-15733/75(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL98 USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI SH | A | 5915 | EC | 18-JAN-84 | ER | EC | 85 | |
| | L | | | MIL-C-15734B | COIL ASSEMBLY, COMPASS COMPENSATING (DEGAUSSING), TYPE "R-2" REVIEWER: ES . | A | 5950 | SH | 06-OCT-89 | | SH | | |
| | L | | | MIL-P-15736D(4) SUPPL 1A1 | POWER SUPPLY, METALLIC RECTIFIER, NAVAL SHIPBOARD ..... | A | 6130 | SH | 14-MAY-90 | | SH | | |
| | L | | | MIL-P-15736/10 | POWER SUPPLY, METALLIC RECTIFIER, HELICOPTER STARTING AND SERVICING (VALIDATION DATE: 8106) REVIEWER: GS | A | 6130 | SH | 14-MAY-73 | | SH | | |
| | LI | | | MIL-P-15736/5 NOTICE 1 | POWER SUPPLY, RECTIFIER, INTERIOR COMMUNICATIONS AND FIRE CONTROL NAVAL SHIPBOARD USE REVIEWER: GS | A | 6130 | SH | 03-OCT-89 | | SH | | |
| | LI | | | MIL-P-15736/8 NOTICE 1 | POWER SUPPLY, CATHODIC PROTECTION, AUTOMATIC CONSTANT CURRENT TYPE, INACTIVE FLEET REVIEWER: GS | A | 6130 | SH | 01-APR-91 | | SH | | |
| | LI | | | MIL-P-15736/9 NOTICE 1 | POWER SUPPLY, CATHODIC PROTECTION, AUTOMATIC HULL POTENTIAL TYPE, INACTIVE FLEET REVIEWER: GS | A | 6130 | SH | 01-APR-91 | | SH | | |
| | L | | | MIL-P-15737C | PADDLES, BOAT, SOLID AND LAMINATED WOOD ..... | A | 2040 | SH | 29-APR-91 | | SH | | |

| Action | Opt. / Obst. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-P-15742C | PLUG, PLASTIC (HEAT-EXCHANGER TUBE) USER: MC REVIEWER: AR CS ..... | A | 4730 SH | 02-SEP-88 ME | SH | | | |
| L | | MIL-S-15743B SUPPL 1AL, NOTICE 1 | SWITCHES, ROTARY, ENCLOSED [VALIDATION DATE: 8912] ..... | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/1 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 801.1 (DPST) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/2 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 858 (DPTT) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/3 NOTICE 1 | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 801.2 (DPST), 804.1 (TPST), 829.1 (DPDT), AND 879.1 (DPTT) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/4 NOTICE 1 | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 805.1 (4PST), AND 857 (TPDT) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/5 NOTICE 1 | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 827.1 (SPECIAL), 850.1 (TPDT), AND 863 (4PDT) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/6 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 862 (TPTT) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/7 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SPLASHPROOF, SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 814 (DPST) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/8 NOTICE 1 | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT, 30 AMPERE, SYMBOLS 838.1 (DPDT), 840.1 (DPDT), AND 851 (TPST) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/9 NOTICE 1 | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT 30 AMPERE, SYMBOL 839.1 (4DPT), 848.1 (TPDT), AND 2752.1 (SPECIAL) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/10 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS, DIRECT CURRENT 30 AMPERE, SYMBOL 852 (4PDT) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/11 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT 30 AMPERE, SYMBOL 2753 (DPST) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/12 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, TRANSFER, WITH INDICATION, 125 VOLTS ALTERNATING CURRENT, 30 AMPERE, SYMBOL 2763 (4PDT) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/13 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, WATERTIGHT SNAP ACTION, TRANSFER, WITH INDICATION, 125 VOLTS ALTERNATING CURRENT, 30 AMPERE, SYMBOL 849 (TPDT) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/14 NOTICE 1 | SWITCHES, ROTARY, ENCLOSED, WATERTIGHT SNAP ACTION, TRANSFER, WITH INDICATION, SYMBOL 853 (TPDT), 500 VOLTS ALTERNATING CURRENT, 60 AMPERE, SYMBOL 854 (TPDT), 125 VOLTS ALTERNATING CURRENT, 60 AMPERE [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/15 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, WATERTIGHT, SNAP ACTION, PORTABLE, 500 VOLTS ALTERNATING CURRENT, 30 AMPERE, SYMBOL 817.1 (TPST) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/16 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX-POLE, TWO-POSITION, SPRING-RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2637.1 [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/17 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX-POLE, TWO-POSITION, SPRING-RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2638.1 [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/18 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, SIX-POLE, TWO POSITION, POSITIVE DETENT, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2639.1 [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/19 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, SIX-POLE, TWO-POSITION, POSITIVE DETENT, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2640.1 [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/20 NOTICE 1 | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX-POLE, THREE-POSITION, SPRING RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERES, SYMBOL 2641.1 [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/21 NOTICE 1 | SWITCHES, ROTARY, ENCLOSED, WATERTIGHT, CONTACT MAKER, MULTIPOLE, EIGHT POSITION, 125 VOLTS ALTERNATING CURRENT, 5 AMPERE, SYMBOLS 867.1 THROUGH 872.1 [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| L | | MIL-S-15743/22 NOTICE 1 | SWITCHES, ROTARY, ENCLOSED, WATERTIGHT, 6-SECTION, 16-POSITION, 125 VOLTS ALTERNATING CURRENT, 5 AMPERE, SYMBOLS 2785 (DECK MOUNTED) AND 2786 (BULKHEAD MOUNTED) [VALIDATION DATE: 8912] | A | 5930 SH | 11-DEC-89 | SH | | | |
| | | MIL-S-15754D(1) | SEAL, HAND IMPRESSION [VALIDATION DATE: 8402] USER: MC SA REVIEWER: MI .... | A | 7520 GL | 23-FEB-78 GL | | 99 | | |
| | | MIL-S-15769C NOTICE 1 | STRAIGHTEDGE (STEEL, MACHINISTS AND TOOLMAKERS) [VALIDATION DATE: 8710] USER: AV MC ME | A | 5210 GL | 23-OCT-87 GL | | 99 | | |
| L | | MIL-M-15787F(1) | HEATERS (TANKS), FLUID, DEAERATING, BOILER FEED WATER, NAVAL SHIPBOARD USE | A | 4420 SH | 19-DEC-88 | SH | | | |
| OL | | MIL-W-15805F(3) | WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE B [VALIDATION DATE: 8410] REVIEWER: GS | A | 6660 AS | 18-OCT-77 | AS | | | |
| D L | | MIL-E-15809D | EXPANDER, TUBE, CONDENSER AND HEAT EXCHANGERS USER: YD1 ..... | A | 3441 SH | 19-MAY-92 | SH | | | |
| A | | MIL-S-15825A(1) NOTICE 2 | SCRIBER, DIAMOND POINT [VALIDATION DATE: 9302] ..... | A | 5120 GL | 26-FEB-93 GL | | 99 | | |
| D | | MIL-G-15840C(3) | GARBAGE DISPOSAL MACHINE, COMMERCIAL AND HOUSEHOLD [VALIDATION DATE: 8201] USER: MC MS REVIEWER: CS | A | 4540 GL | 30-SEP-76 GL | YD1 | 99 | | |
| Q | | MIL-M-15842B | MORTAR, REFRACTORY (HIGH TEMPERATURE, AIR SETTING) [VALIDATION DATE: 7809] USER: MR REVIEWER: GS | A | 9350 SH | 24-AUG-64 | SH | 99 | | |
| | | MIL-S-15847A | SPRAY GUN AND ACCESSORIES, PAINT AND DOPE, AIRCRAFT USE [VALIDATION DATE: 8403] USER: GL REVIEWER: CS | A | 4940 AS | 10-AUG-53 | AS | 99 | | |
| A L | | MIL-I-15864K | INSIGNIA, EMBROIDERED (MEN AND WOMEN) REVIEWER: MC ..... | A | 8455 CT | 07-SEP-90 | MU | | | CT |
| | | MIL-R-15872D(1) | RECEIVING SET, RADIO, AM/FRR-27 [VALIDATION DATE: 8104] USER: CG ..... | A | 5820 EC | 24-JAN-69 CR | EC | 99 | | |
| | | MIL-P-15877D | PIPE SUPPORT DEVICES (HANGERS AND SWAYBRACES, SHIPBOARD USE) [VALIDATION DATE: 8108] REVIEWER: IS | A | 5340 SH | 29-JUN-73 | SH | 99 | | |
| | | MIL-I-15883B NOTICE 1 | INK, WRITING, PERMANENT, SEAWATER AND FUEL OIL RESISTANT [VALIDATION DATE: 8904] USER: MC SA REVIEWER: MD OS | A | 7510 GL | 22-APR-89 GL | | 99 | | |
| D L | | MIL-P-15916E NOTICE 1 | PROPELLING UNITS, OUTBOARD, DIESEL ENGINE DRIVEN [VALIDATION DATE: 8612] REVIEWER: 99 | A | 2010 YD1 | 17-DEC-86 ME | YD1 | | | |
| L | | MIL-R-15917F(1) | REEL, FUELING HOSE, MANUALLY OPERATED [VALIDATION DATE: 8108] ..... | A | 4930 SH | 31-MAY-67 | SH | | | |
| L | | MIL-F-15919D | FILTER, AIR, ACTIVATED CARBON, SUBMARINE SANITARY TANK VENT AND WATER CLOSET [VALIDATION DATE: 8106] | A | 4460 SH | 08-NOV-71 | SH | | | |
| D | | MIL-P-15930C | PRIMER COATING, SHIPBOARD, VINYL-ZINC CHROMATE (FORMULA NO. 120 - FOR HOT SPRAY) USER: AS YD1 REVIEWER: DS EA MI SA | A | 8010 SH | 14-OCT-81 MR | SH | 99 | | |
| Q | | MIL-P-15931F | PAINT, ANTIFOULING, VINYL (FORMULAS NO. 121, 121A, 129 AND 129A) USER: CG MC OS REVIEWER: MR | A | 8010 SH | 19-JUN-91 ME | SH | | | |
| | | MIL-P-15943D | PALLET, MATERIAL HANDLING, WOOD, SHIP CARGO, STEVEDORING, 48 INCHES LONG BY 72 INCHES WIDE, 2-WAY ENTRY USER: MC OS REVIEWER: AS GS SH SM | A | 3990 SA | 30-MAR-92 ME | SA | 99 | | |
| L | | MIL-C-15952G | COMPASS, GYRO, MINIATURE ..... | A | 6605 SH | 25-MAY-88 | SH | | | |
| | | MIL-C-15987F(1) | CABLE ASSEMBLIES, POWER, ELECTRICAL (WITH GROUNDING, FOR 440-VOLT PORTABLE EQUIPMENT) USER: ME OS REVIEWER: ER GS | A | 6110 SH | 12-APR-91 CR | SH | | | |
| L | | MIL-M-15991D(1) | MARKING MACHINES, HAND OPERATED ..... | A | 3695 AS | 15-AUG-86 | AS | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-B-16008C(2) NOTICE 1 | BRICK, INSULATION, HIGH TEMPERATURE, FIRE CLAY [VALIDATION DATE: 9003] REVIEWER: GS | A | 9350 SH | 26-MAR-90 ME | SH | 84 | |
| D | | MIL-B-16028G | BUCKETS, CLAMSHELL USER: CE REVIEWER: CS MC | A | 3815 YD1 | 14-AUG-89 ME | YD1 | 84 | |
| D | | MIL-B-16029G | BUCKETS, DRAGLINE USER: MC REVIEWER: CS | A | 3815 YD1 | 14-AUG-89 ME | YD1 | 99 | |
| QL | | MIL-S-16032M | SWITCHES AND DETECTORS, SHIPBOARD ALARM SYSTEMS USER: CS | A | 5930 SH | 29-JUN-87 | SH | | |
| Q | | MIL-M-16034A(6) SUPPL 1A1 | METERS, ELECTRICAL-INDICATING (SWITCHBOARD AND PORTABLE TYPES) [VALIDATION DATE: 8003] USER: AS EC GL MC REVIEWER: AR MI | A | 6625 SH | 19-JUN-67 CR | SH | 82 | |
| QL | | MIL-M-16034A(I11) SUPPL 1A1 | METERS, ELECTRICAL-INDICATING (SWITCHBOARD AND PORTABLE TYPES) | A | 6625 SH | 23-APR-91 | SH | | |
| | | MIL-M-16034/1A | METER, ELECTRICAL INDICATING, VOLTMETER, DC, SWITCHBOARD, 4-1/2 INCH, 250 DEGREE SCALE [VALIDATION DATE: 7708] USER: EC | A | 6625 SH | 06-NOV-64 CR | SH | 99 | |
| | | MIL-M-16034/2B | METER, ELECTRICAL INDICATING, VOLTMETER, AC, SWITCBOARD, 4-1/2 INCH, 250 DEGREE SCALE [VALIDATION DATE: 7708] USER: AV GL MC REVIEWER: 11 AR | A | 6625 SH | 20-OCT-64 CR | SH | 99 | |
| | | MIL-M-16034/3A | METER, ELECTRICAL-INDICATING, VOLTMETER, A.C., SWITCHBOARD, 4-1/2-INCH, 250-DEGREE SCALE [VALIDATION DATE: 7708] USER: EC ME | A | 6625 SH | 06-NOV-64 CR | SH | 99 | |
| | | MIL-M-16034/4A | METER, ELECTRICAL INDICATING, AMMETER, AC, SWITCHBOARD, 4-1/2 INCH, 250 DEGREE SCALE [VALIDATION DATE: 7708] USER: EC ME | A | 6625 SH | 06-NOV-64 CR | SH | 99 | |
| | | MIL-M-16034/5 | METER, ELECTRICAL INDICATING, VOLTMETER, DC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE [VALIDATION DATE: 7708) USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/6 | METER, ELECTRICAL INDICATING, AMMETER, DC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE [VALIDATION DATE: 7708] USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/7 | METER, ELECTRICAL INDICATING, VOLTMETER, AC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE [VALIDATION DATE: 7708] USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/8 | METER, ELECTRICAL INDICATING, AMMETER, AC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE [VALIDATION DATE: 7708] | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/9 | METER, ELECTRICAL INDICATING VOLTMETER, AC AND DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS [VALIDATION DATE: 8301] USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/10 | METER, ELECTRICAL INDICATING, AMMETER, AC AND DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS [VALIDATION DATE: 8301] USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/11 | METER, ELECTRICAL INDICATING, VOLTMETER, DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS [VALIDATION DATE: 8301] USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/12 | METER, ELECTRICAL INDICATING, AMMETER, DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS [VALIDATION DATE: 8301] USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/13 | METER, ELECTRICAL INDICATING, VOLTMETER, AC, PORTABLE, 0.75 PERCENT ACCURACY CLASS [VALIDATION DATE: 8301] USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/14 | METER, ELECTRICAL INDICATING, AMMETER, AC, PORTABLE, 0.75 PERCENT ACCURACY CLASS [VALIDATION DATE: 8301] USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/15 | METER, ELECTRICAL INDICATING, VOLTMETER, DC, PORTABLE, 0.5 PERCENT ACCURACY CLASS [VALIDATION DATE: 8301] USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | | MIL-M-16034/16 | METER, ELECTRICAL INDICATING, AMMETER, DC, PORTABLE, 0.5 PERCENT ACCURACY CLASS [VALIDATION DATE: 8301] USER: EC | A | 6625 SH | 02-JAN-53 CR | SH | 99 | |
| | L | MIL-M-16034/17 | VOLTMETER, DC, SWITCHBOARD, 8-3/4 INCH, 250 DEGREE SCALE [VALIDATION DATE: 7708] | A | 6625 SH | 10-OCT-66 | SH | | |
| | L | MIL-M-16034/18 | AMMETER, DC, SWITCHBOARD, 8-3/4 INCH, 250 DEGREE SCALE [VALIDATION DATE: 7708] | A | 6625 SH | 19-SEP-66 | SH | | |
| M | L | MIL-S-16036K(2) | SWITCHGEAR, POWER, NAVAL SHIPBOARD | A | 6110 SH | 04-MAY-93 | SH | | |
| M | | MIL-B-16041G | BUILDINGS, PREFABRICATED, READY-CUT, MAGAZINES, STEEL ARCH, 16- AND 25-FOOT SPAN (EXTENSIBLE) USER: CE MC REVIEWER: 84 CS | A | 5410 YD1 | 11-JUN-93 | YD1 | 99 | |
| | | MIL-T-16049C(3) NOTICE 1 | TACHOMETERS: ELECTRICAL: SELF-GENERATING; MECHANICAL, FIXED MOUNTING AND HAND HELD, AND VIBRATING REED [VALIDATION DATE: 9106] | A | 6680 SH | 07-JUN-91 | SH | 99 | |
| | L | MIL-S-16059B | SHAFTING, FLEXIBLE (CORE AND CASING COMPLETE) (FOR THE REMOTE OPERATION OF VALVES) [VALIDATION DATE: 8204] REVIEWER: CS | A | 3040 SH | 12-APR-61 | SH | | |
| D | L | MIL-P-16077D | PUMPS, CENTRIFUGAL, WATER CIRCULATING, ELECTRIC-MOTOR-DRIVEN REVIEWER: CS . | A | 4320 YD1 | 21-JUN-91 | YD1 | | |
| D | | MIL-F-16081G | FAN, VENTILATING, PROPELLER [VALIDATION DATE: 8201] REVIEWER: CE GS ME .... | A | 4140 GL | 10-JUN-71 GL | YD1 | 99 | |
| A | | MIL-T-16101E | TRUCKS, STRADDLE-CARRY, DIESEL, 30,000 POUNDS (13,605 KG) CAPACITY, PNEUMATIC RUBBER TIRES, GENERAL SPECIFICATION FOR USER: MT REVIEWER: 84 CS MC SH SM | A | 3930 SA | 11-SEP-92 ME | SA | 99 | |
| | | MIL-I-16103F | INDICATOR, PHASE SEQUENCE, SWITCHBOARD & PANEL USER: MC REVIEWER: AS ES OS | A | 6625 SH | 17-JUN-83 | SH | 99 | |
| | | MIL-S-16104B(1) | SYNCHROSCOPE USER: AS ME REVIEWER: MC | A | 6625 SH | 18-MAY-90 CR | SH | | |
| D | L | MIL-B-16115G | BUOYS, MOORING, AND MARKER USER: ME REVIEWER: OS | A | 2050 YD1 | 28-JUN-91 | YD1 | | |
| Q | | MIL-M-16125C(4) | METERS, ELECTRICAL, FREQUENCY USER: MC ME REVIEWER: 11 MI | A | 6625 SH | 06-JAN-87 CR | SH | 99 | |
| Q | | MIL-B-16129B | BEARING, BALL, ANNULAR, OPEN TYPE (FOR TORPEDO GYROSCOPES) [VALIDATION DATE: 8204] REVIEWER: AR IS | A | 3110 OS | 10-DEC-74 AT | OS | | |
| A | L | MIL-M-16149G | MITTEN, WELDERS | A | 8415 CT | 12-MAR-90 | MU | | CT |
| | | MIL-D-16153G | DETECTOR, RADIAC, DT-60( )/PD USER: MC | A | 6665 SH | 22-FEB-91 EA | SH | 99 | |
| D | L | MIL-C-16154E NOTICE 1 | COMPUTER INDICATOR, RADIAC CP-95/PD, READER FOR RADIAC DETECTOR DT-60/PD [VALIDATION DATE: 8612] USER: 17 AR MC REVIEWER: 11 15 MI OS YD1 | A | 6665 SH | 18-DEC-86 | SH | | |
| D | L | MIL-S-16165E NOTICE 1 | SHIELDING HARNESSES, SHIELDING ITEMS AND SHIELDING ENCLOSURES FOR USE IN THE REDUCTION OF INTERFERENCE FROM ENGINE ELECTRICAL SYSTEMS [VALIDATION DATE: 9102] USER: YD1 REVIEWER: CS | A | 2920 SH | 05-FEB-91 | SH | | |
| | L | MIL-B-16166B | BRONZE, ALUMINUM, FORGINGS, HEAT TREATED [VALIDATION DATE: 8204] REVIEWER: IS | A | 9530 OS | 01-SEP-72 | OS | | |
| DQ | | MIL-C-16173E | CORROSION PREVENTIVE COMPOUND, SOLVENT CUTBACK, COLD-APPLICATION USER: MC REVIEWER: 11 AR AS OS YD1 | A | 8030 SH | 06-JAN-93 MR | SH | 69 | |
| | L | MIL-D-16196E | DISTILLATION UNIT, WATER, THERMOCOMPRESSION | A | 4620 SH | 07-JUN-89 | SH | | |
| D | | MIL-P-16208D(1) | PUNCH AND DIE, GROMMET INSERTING [VALIDATION DATE: 8110] USER: ME YD1 REVIEWER: AR | A | 5120 GL | 21-DEC-72 GL | | 99 | |
| | | MIL-P-0016208E | PUNCHES AND DIES, GROMMET INSERTING [VALIDATION DATE: 8201] REVIEWER: 84 .. | A | 5120 GL | 23-JUN-75 GL | | 99 | |
| | | MIL-D-16211D | DUMMY LOAD, ELECTRICAL, DUMMY ANTENNA TS-235B/UP [VALIDATION DATE: 8110] USER: AS AV MC REVIEWER: 99 ES MI | A | 5985 ER | 28-MAR-62 ER | EC | 85 | |
| | L | MIL-S-16216K | STEEL PLATE, ALLOY, STRUCTUAL, HIGH YIELD STRENGTH (HY-80 AND HY-100) REVIEWER: IS | A | 9515 SH | 19-JUN-87 | SH | | |
| D | | MIL-B-16220F | BOILER, STEAM, LOW PRESSURE, FIRETUBE USER: CE MC REVIEWER: 84 CS | A | 4520 YD1 | 25-AUG-88 ME | YD1 | 99 | |
| | L | MIL-L-16225B(1) | LOUDSPEAKER, PERMANENT MAGNET, BLASTPROOF AND SUBMERSIBLE, NAVY TYPE 49546( ) [VALIDATION DATE: 8601] REVIEWER: ES | A | 5965 EC | 06-SEP-79 | EC | | |
| | | DOD-P-16232F | PHOSPHATE COATING, HEAVY, MANGANESE OR ZINC BASE (FOR FERROUS METALS) USER: ME REVIEWER: AS AV ER MI SH | A | MFFP OS | 07-NOV-78 MR | OS | 11 | |
| A | L | DOD-P-16232F(I1) | PHOSPHATE COATINGS, HEAVY, MANGANESE OR ZINC BASE (FOR FERROUS METALS) .... | A | MFFP AR | 09-SEP-92 AR | | | |
| QL | | MIL-M-16235C(1) | HEATER, VENTILATION, DUCT TYPE, SHIPBOARD [VALIDATION DATE: 8204] REVIEWER: CS | A | 4520 SH | 01-OCT-65 | SH | | |
| M | | MIL-G-16265F | GASKETS, METALLIC-FLEXIBLE GRAPHITE AND METALLIC-ASBESTOS, SPIRAL WOUND (FOR NAVY FLANGED JOINTS IN PIPING SYSTEMS) USER: ME OS REVIEWER: 82 IS | A | 5330 SH | 05-APR-93 MR | SH | 99 | |
| | L | MIL-G-16265E(I1) | GASKETS, METALLIC-ASBESTOS, SPIRAL WOUND (FOR NAVY FLANGED JOINTS IN PIPING SYSTEMS) [VALIDATION DATE: 8104] | A | 5330 SH | 18-NOV-75 | SH | | |
| | L | MIL-T-16286E(1) | TUBE, STEEL, SEAMLESS, MARINE BOILER APPLICATION USER: ME REVIEWER: CS .... | A | 4710 SH | 25-JUN-80 | SH | | |
| D | | MIL-A-16288D NOTICE 1 | ADAPTERS, COMPRESSED GAS CYLINDER VALVE CONNECTIONS; GENERAL SPECIFICATION FOR [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 68 | 01-MAY-90 ME | YD1 | 68 | |
| D | | MIL-A-16288/1 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO BRITISH OXYGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 68 | 01-MAY-90 ME | YD1 | 68 | |
| D | | MIL-A-16288/2 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH OXYGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 68 | 01-MAY-90 ME | YD1 | 68 | |

| Action | OPR / Orig. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-A-16288/3 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO JAPANESE OXYGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/4 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO DUTCH OXYGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/5 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U. S. REGULATOR TO GERMAN OXYGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/6 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO BRITISH ACETYLENE VALVE [VALIDATION DATE: 9005] USER: AS AV MD REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/7 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO DUTCH ACETYLENE VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/8 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO GERMAN ACETYLENE VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/9 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH ACETYLENE VALVE [VALIDATION DATE: 9005] USER: AV MC REVIEWER: AS GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/10 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH HYDROGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/11 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U. S. REGULATOR TO GERMAN AND DUTCH HYDROGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/12 NOTICE 1 | ADAPTER YOKE, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. ADAPTERS TO DUTCH, FRENCH OR GERMAN ACETYLENE VALVES [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/13 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 200-510, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/14 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-200, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/15 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 200-520, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/16 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 300-510, ACETYLENE [VALIDATION DATE: 9005] REVIEWER: GS | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/17 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-300, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/18 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 300-520, ACETYLENE [VALIDATION DATE: 9005] REVIEWER: GS | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/19 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 520-300, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/20 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-520, ACETYLENE [VALIDATION DATE: 9005] REVIEWER: GS | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/21 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 520-510, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/22 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 580-000, NITROGEN [VALIDATION DATE: 9005] REVIEWER: GS MI | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| D | | MIL-A-16288/23 NOTICE 1 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 000-580, NITROGEN [VALIDATION DATE: 9005] REVIEWER: GS | A | 8120 | 68 | ME | 01-MAY-90 | YD1 | 68 | | |
| A | L | MIL-C-16290K | CLOTH, MELTON, WOOL (MOTH-PROOFED) | A | 8305 | CT | | 24-APR-91 | | MU | | CT |
| A | L | MIL-C-16291G | CLOTH, FLANNEL, WOOL | A | 8305 | CT | | 06-JAN-84 | | MU | | CT |
| D | | MIL-E-16298D | ELECTRIC MACHINES HAVING ROTATING PARTS, ACCESSORIES AND ASSOCIATED SUPPORT ITEMS: PACKAGING OF USER: AT EC ME REVIEWER: EA SH YD1 | A | PACK | SH | | 07-MAR-89 | AV | SH | 69 | |
| Q | | MIL-B-16305B | BRICK, REFRACTORY, INSULATING [VALIDATION DATE: 8907] USER: MR REVIEWER: GS | A | 9350 | SH | | 25-JUL-89 | | SH | 99 | |
| D | | MIL-C-16310D | CYLINDER COMPRESSED GAS (COMPRESSED AIR AND CARBON DIOXIDE, NONSHATTERABLE AND NONMAGNETIC) REVIEWER: YD1 | A | 8120 | SH | | 20-MAR-91 | ME | SH | 68 | |
| | L | MIL-H-16313D | HEATERS, FLUID, FUEL OIL, NAVAL SHIPBOARD [VALIDATION DATE: 8903] | A | 4420 | SH | | 20-MAR-89 | | SH | | |
| | L | MIL-T-16315C(4) | TRANSFORMERS, POWER, STEP-DOWN (MISCELLANEOUS, NAVAL SHIPBOARD USE) REVIEWER: ES MI | A | 5950 | SH | | 15-MAR-91 | | SH | | |
| D | | MIL-I-16341G | ICE MAKING MACHINE, FLAKE, ELECTRIC, SELF-CONTAINED, 1000-POUND/24 HOURS USER: MC REVIEWER: GS MD ME MS | A | 4110 | GL | | 17-DEC-84 | GL | YD1 | 99 | |
| D | | MIL-T-16343C(1) | TUBING, STEEL, CARBON, STRUCTURAL USER: YD1 REVIEWER: CS EA GS | A | 4710 | OS | | 28-MAY-86 | AV | OS | 11 | |
| A | L | MIL-L-16355E | LEAD STYPHNATE, BASIC REVIEWER: OS | A | 1376 | AR | | 12-JAN-93 | AR | | | |
| | L | MIL-L-00163550 | LEAD STYPHNATE, BASIC | A | 1376 | AR | | 26-APR-85 | AR | | | |
| D | | MIL-G-16356D | GAGE, BOILER WATER, DIRECT READING USER: MC REVIEWER: GS YD1 | A | 6680 | SH | | 18-DEC-87 | ME | SH | | |
| | L | MIL-T-16366F NOTICE 1 | TERMINAL, ELECTRICAL LUG AND CONDUCTOR SPLICES, CRIMP STYLE [VALIDATION DATE: 8607] USER: ME MI | A | 5940 | SH | | 07-JUL-86 | | SH | | |
| A | | MIL-C-16375G NOTICE 1 | CLOTH, WIGAN, COTTON USER: MC REVIEWER: MD | A | 8305 | CT | | 12-NOV-87 | GL | MU | 99 | CT |
| D | L | MIL-F-16377G(1) SUPPL 2A1 | FIXTURES, LIGHTING; AND ASSOCIATED PARTS; SHIPBOARD USE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8906] USER: YD1 REVIEWER: GS | A | 6210 | SH | | 22-JUN-89 | | SH | | |
| | L | MIL-F-16377/1B | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR MOTORS AND GENERATORS 50 WATTS, 120 VOLTS, SYMBOL 126.3 [VALIDATION DATE: 8906] REVIEWER: GS | A | 6210 | SH | | 22-JUN-89 | | SH | | |
| | L | MIL-F-16377/2A | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR WATER GAGES 6 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 152 AND 154 [VALIDATION DATE: 8906] | A | 6210 | SH | | 22-JUN-89 | | SH | | |
| | L | MIL-F-16377/3A | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR WATER GAGES 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 151 AND 153 [VALIDATION DATE: 8906] | A | 6210 | SH | | 22-JUN-89 | | SH | | |
| | L | MIL-F-16377/4A | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR SECRETARY BUREAU 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOL 142.2 [VALIDATION DATE: 8906] | A | 6230 | SH | | 22-JUN-89 | | SH | | |
| | L | MIL-F-16377/5A | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 15 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 338.1, 338.2, 339.1 AND 339.2 [VALIDATION DATE: 8906] | A | 6210 | SH | | 22-JUN-89 | | SH | | |
| | L | MIL-F-16377/6A(1) | FIXTURE, LIGHTING, FLUORESCENT, GENERAL LIGHTING, DIRECTIONAL 16 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOYS 149.4 AND 149.5 | A | 6210 | SH | | 30-JAN-86 | | SH | | |
| | L | MIL-F-16377/7A | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 16 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 70.3, 70.4, 78.2, 336 AND 336.1 [VALIDATION DATE: 8906] | A | 6210 | SH | | 22-JUN-89 | | SH | | |
| | L | MIL-F-16377/8A | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING 20 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 331.1, 331.2, 347.2 AND 347.3 [VALIDATION DATE: 8906] | A | 6210 | SH | | 22-JUN-89 | | SH | | |
| | L | MIL-F-16377/9A | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING 24 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 73.3, 73.4, 346.2 AND 346.3 [VALIDATION DATE: 8906] | A | 6210 | SH | | 22-JUN-89 | | SH | | |
| | L | MIL-F-16377/10A(1) | FIXTURE, LIGHTING, FLUORESCENT, GENERAL LIGHTING, DIRECTIONAL 32 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 145.4 AND 145.5 | A | 6210 | SH | | 30-JAN-86 | | SH | | |
| | L | MIL-F-16377/11A | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 40 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 77.4, 77.5, 344.2 AND 344.3 [VALIDATION DATE: 8906] | A | 6210 | SH | | 22-JUN-89 | | SH | | |

| Action | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| L | MIL-F-16377/12A | FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 60 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT SYMBOLS 333.1, 333.2, 341.1, 341.2, 342.2 AND 342.3 [VALIDATION DATE: 8906] | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/13A(2) | FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 180 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 74, 74.1, 75 AND 75.1 | A 6210 | SH 27-JUN-90 | | SH | | |
| L | MIL-F-16377/14A | FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 8 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 79.1, 79.2, 80.1 AND 80.2 [VALIDATION DATE: 8906] | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/15A | FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR DESKS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOL 148.2 [VALIDATION DATE: 8906] | A 6230 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/16A | FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR DESKS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 141.2 AND 150.2 [VALIDATION DATE: 8906] | A 6230 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/17A | FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR BERTHS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 229.1, 231.1 AND 232.1 [VALIDATION DATE: 8906] REVIEWER: GS | A 6230 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/18A | FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR MIRRORS 15 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 337 AND 340 [VALIDATION DATE: 8906] | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/19A | FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR RADIO OPERATOR'S DESK 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 270.3 AND 270.4 [VALIDATION DATE: 8906] | A 6230 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/20A(1) | FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING 50 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOLS 64.1 & 65 | A 6210 | SH 06-MAY-85 | | SH | | |
| L | MIL-F-16377/21A | FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING 100 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOLS 89 AND 90.2 [VALIDATION DATE: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/22A | FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING 200 WATTS, 115 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 94.1 [VALIDATION DATE: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/23A | FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING 200 WATTS, 115 VOLTS, WATERTIGHT, SYMBOLS 57, 57.1, 69, 69.1 AND 103 [VALIDATION DATE: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/24 | FIXTURES, INCANDESCENT, GENERAL LIGHTING, 330 WATTS, 120 VOLTS, SYMBOL 66.2 (INACTIVE) REVIEWER: GS | A 6210 | SH 30-NOV-70 | | SH | | |
| L | MIL-F-16377/25A(1) | FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING 110 WATTS, 120 VOLTS, EXPLOSIONPROOF, SYMBOLS 48.2 & 68.2 REVIEWER: GS | A 6210 | SH 04-AUG-86 | | SH | | |
| L | MIL-F-16377/26A(1) | FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING, 110 WATTS, 120 VOLTS, WATERTIGHT SYMBOLS 112, 113 & 113.1 | A 6210 | SH 17-JUL-86 | | SH | | |
| L | MIL-F-16377/27B | FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING 50 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 92.2 AND 93.2 REVIEWER: GS | A 6210 | SH 07-OCT-88 | | SH | | |
| L | MIL-F-16377/28A | FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR AMMUNITION HOIST, 50 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 23.1 [VALIDATION DATE: 8906] | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/29A | FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR BOILER OUTER CASING 100 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 159.1 [VALIDATION DATE: 8906] | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/30A | FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING FOR PSYCHIATRIC WARDS 100 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 137 [VALIDATION DATE: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/31A | FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR SPOT ILLUMINATION 6-25 WATTS, 120 VOLTS, TOTALLY ENCLOSED, SYMBOL 147.2 [VALIDATION DATE: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/32A | FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR WATER GAUGES, 15 OR 25 WATTS, 120 VOLTS, SYMBOL 134.1 [VALIDATION DATE: 8906] | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/33A | FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR SIGHTGLASSES 6 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 136.1 AND 156 [VALIDATION DATE: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/34 | FIXTURES, LIGHT, INCANDESCENT, DETAIL LIGHTING FOR GYRO COMPASS FOR SUBMARINES, PRESSUREPROOF, 15 WATTS, 120 VOLTS, SYMBOL 335 [VALIDATION DATE: 8305] REVIEWER: GS | A 6210 | SH 30-NOV-70 | | SH | | |
| L | MIL-F-16377/35 | FIXTURES, LIGHT, INCANDESCENT, DETAIL LIGHTING FOR SMALL BOATS, 3 CANDLEPOWER, 12 TO 16 OR 24 TO 28 VOLTS, SPLASHPROOF, SYMBOL 310 [VALIDATION DATE: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/36 | FIXTURES, LIGHTS, INCANDESCENT, GENERAL LIGHTING, 21 CANDLEPOWER OR 25 WATTS, 115 VOLTS, WATERTIGHT, SYMBOLS 95.1, 96.1, 97.1 AND 98.1 [VALIDATION DATE: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/37A | FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING MINESWEEPER BUNKS, 15 WATTS, 120 VOLTS, NONMAGNETIC, SYMBOLS 5.1 AND 8.1 [VALIDATION DATE: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/38A | FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR HULL NUMERALS 100 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 304 [VALIDATION DATE: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/39A | FIXTURE, LIGHT, INCANDESCENT, STREAMER TYPE, DETAIL LIGHTING FOR TOPSIDE SHIP DRESS LIGHTING, WATERTIGHT, 120 VOLTS, 425 WATTS SYMBOL 307 [VALIDATION DATE: 8906] REVIEWER: GS | A 6230 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/40A | FIXTURES, LIGHTING: LOCKS FLUORESCENT LAMP [VALIDATION DATE: 8906] ..... | A 6250 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/41A | FIXTURES, LIGHTING: SHOCKMOUNTS, FOR LIGHTING FIXTURES [VALIDATION DATE: 8906] | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/42A(1) | FIXTURE, LIGHT, FILTER, PLASTIC, TUBULAR SHAPED FOR FLUORESCENT LAMPS ..... | A 6210 | SH 30-JAN-86 | | SH | | |
| L | MIL-F-16377/43A | FIXTURES, LIGHTING: FILTERS, PLASTIC, ROUNDEL SHAPED FOR LANTERN [VALIDATION DATE: 8906] | A 6230 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/44A | FIXTURES, LIGHTING: BALLAST, FOR ONE 20-WATT T-12 FLUORESCENT LAMP [VALIDATION DATE: 8906] REVIEWER: GS | A 6250 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/45B | FIXTURES, LIGHT: BALLAST, FOR ONE 8-WATT T-5 FLUORESCENT LAMP ..... | A 6250 | SH 22-NOV-89 | | SH | | |
| L | MIL-F-16377/46A | FIXTURES, LIGHTING: BALLAST BOX, FOR ONE 8-WATT T-5 FLUORESCENT LAMP, SYMBOLS 514 AND 514.1 [VALIDATION DATE: 8906] | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/47A | FIXTURES, LIGHTING: BALLAST AND STARTER BOX FOR FOUR 6-WATT OR 8-WATT FLURORESCENT LAMPS, T-5, WATERTIGHT, SYMBOLS 455 AND 455.1 [VALIDATION DATE: 8906] | A 6250 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/48A | FIXTURES, LIGHTING, FILTER ASSEMBLIES FOR DESK LIGHT[illegible] E RED AND WHITE SYMBOL 121.1 AND BLUE AND WHITE SYMBOL 121.[illegible] DATE: 8906] | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/49A | FIXTURE, LIGHT, EXTENSION, FLUORESCENT, 8-WATT, 11[illegible] EXPLOSIONPROOF AND WATERTIGHT, DETAIL LIGHTING.[illegible]MBOL 306.2 [VALIDATION DATE: 8906] REVIEWER: GS | A 6230 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/50A | FIXTURES, LIGHTING: INCANDESCENT, LIGHT, EXTENSION[illegible] WATTS, 12-28 VOLTS, WATERTIGHT, SYMBOL 302.2 [VALIDA[illegible] EWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/51A | FIXTURES, LIGHTING: INCANDESCENT, LIGHT EXTENSION[illegible] S, EXPLOSIONPROOF AND WATERTIGHT, SYMBOLS 290 AND[illegible] E: 8906] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/52B | FIXTURES, LIGHTING: INCANDESCENT, LIGHT, EXTENSIO[illegible] TS, EXPLOSIONPROOF AND WATERTIGHT, SYMBOL 286 [VA. DA[illegible] 6] REVIEWER: GS | A 6210 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/53A | FIXTURES, INCANDESCENT, DETAIL LIGHTING, LANTERN, H[illegible] AND RELAY WATERTIGHT SYMBOLS 100.2, 101.2, 102.2 AND 108 RE[illegible] | A 6230 | SH 09-DEC-88 | | SH | | |
| L | MIL-F-16377/54 | FIXTURE, BRACKET, LUG SUPPORTING FOR HAND LANTERNS SYMB[illegible]38 VALIDATION DATE: 8906] REVIEWER: GS | A 6230 | SH 22-JUN-89 | | SH | | |
| L | MIL-F-16377/55 | FIXTURE, BRACKET ASSEMBLY, ADJUSTABLE FOR SUPPORTING H[illegible] LANTER[illegible], SYMBOL 2432.1 [VALIDATION DATE: 8906] REVIEWER: GS | A 6230 | SH 22-JUN-89 | | SH | | |

| Action | Opt. / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-F-16377/56 | FIXTURE, LIGHT, INCANDESCENT, 100-WATT, 120-VOLT, MACHINE TOOL, PORTABLE, FLOATING ADJUSTMENT SYMBOL 266.2 (VALIDATION DATE: 8906) REVIEWER: GS | A | 6230 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/57A | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 60, 80 AND 120 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 348, 349 AND 350 (VALIDATION DATE: 8906) REVIEWER: GS | A | 6210 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/58B | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR MIRRORS 30 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 351, 351.1, 352 AND 352.1 (VALIDATION DATE: 8906) REVIEWER: GS | A | 6210 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/59A | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR STEP ILLUMINATION 8 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOL 353, 353.1 AND 353.2 (VALIDATION DATE: 8906) REVIEWER: GS | A | 6210 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/60A | FIXTURES, LIGHTING; INCANDESCENT, FLOODLIGHTS, 150 WATTS, 120 VOLTS, DRIPPROOF 15 DEG., SYMBOLS 316 AND 317 (VALIDATION DATE: 8906) | A | 6210 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/61 | FIXTURES, LIGHTING; INCANDESCENT, FLOODLIGHTS 300 WATTS, 120 VOLTS, DRIPPROOF 15 DEG., SYMBOL 303.1 (VALIDATION DATE: 8906) | A | 6230 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/62 | FIXTURES, LIGHTING; INCANDESCENT FLOODLIGHTS 500 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 300 AND 300.1 (VALIDATION DATE: 8906) | A | 6230 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/64 | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING, DECORATIVE, 150 WATTS, 120 VOLTS, DRIPPROOF 15 DEG., SYMBOL 67 (VALIDATION DATE: 8906) | A | 6210 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/65 | FIXTURES, LIGHTING, FLUORESCENT, GENERAL LIGHTING, 30 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 81, 81.1, 345.2 AND 345.3 (VALIDATION DATE: 8906) | A | 6210 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/66 | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 45 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 82, 82.1, 343.1 AND 343.2 (VALIDATION DATE: 8906) | A | 6210 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/67 | FIXTURES, LIGHTING; WINDOW ASSEMBLIES, CLEAR WHITE SHIELDED, TO BE USED FOR REPLACEMENT PARTS ONLY (VALIDATION DATE: 8906) | A | 6210 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/68 | FIXTURES, LIGHTING; FLUORESCENT, EXTENSION LIGHT FOR SERVICING ELECTRONIC EQUIPMENT, 4 WATTS, 120 VOLTS, 60 HERTZ, SYMBOL 163 (VALIDATION DATE: 8906) | A | 6230 | SH | 22-JUN-89 | | SH | | |
| L | | | MIL-F-16377/71 | FIXTURES, LIGHTING, FLUORESCENT, DETAIL LIGHTING FOR MIRRORS FOR SMALL BOATS 8 WATTS, 120 VOLTS, 60 HERTZ, TOTALLY ENCLOSED, SYMBOL 354 (VALIDATION DATE: 8906) | A | 6210 | SH | 22-JUN-89 | | SH | | |
| OL | | | MIL-L-16383H | LIFE PRESERVER, CO2 INFLATABLE, UNDERWATER DEMOLITION TEAM (VALIDATION DATE: 8104) USER: ME REVIEWER: AS CS | A | 4220 | SH | 04-DEC-64 | | SH | | |
| D | | | MIL-H-16384E | HYDROMETER SETS AND PARTS, SYRINGE, LEAD-ACID STORAGE BATTERY TESTING USER: MC MI YD1 | A | 6630 | SH | 19-OCT-88 | | SH | 99 | |
| L | | | MIL-C-16385E(1) | CARTRIDGE, CARBON DIOXIDE, INFLATABLE LIFE PRESERVER USE USER: ME REVIEWER: CS | A | 4220 | SH | 16-JUN-88 | | SH | | |
| L | | | MIL-C-16388D | COOLERS, FLUID, NAVAL SHIPBOARD (HULL COOLERS) | A | 4420 | SH | 03-APR-90 | | SH | | |
| OL | | | MIL-B-16392C(4) | BRAKE, MAGNET, NAVAL SHIPBOARD (VALIDATION DATE: 8104) REVIEWER: GS | A | 6110 | SH | 01-OCT-65 | | SH | | |
| L | | | MIL-V-16399A | VARNISH, MOISTUREPROOF (VALIDATION DATE: 8204) REVIEWER: EA MI | A | 8010 | OS | 16-SEP-71 | | OS | | |
| LI | | | MIL-P-16404B(1) | PACKING, ASBESTOS USER: AV REVIEWER: TS | A | 5330 | OS | 17-OCT-89 | | OS | | |
| L | | | MIL-P-16406A | PAINT, BLACK, HIGH-GLOSS, QUICK DRYING (VALIDATION DATE: 8204) | A | 8010 | OS | 09-JUL-74 | | OS | | |
| | | | MIL-I-16411F | INSULATION FELT, THERMAL, GLASS FIBER USER: MC OS REVIEWER: AT | A | 5640 | SH | 14-NOV-88 | ME | SH | | |
| | | | MIL-R-16417J NOTICE 1 | REPAIR KITS, CO2, INFLATABLE LIFE PRESERVERS (VALIDATION DATE: 9012) USER: ME REVIEWER: 84 CS | A | 4220 | SH | 10-DEC-90 | | SH | 99 | |
| D | L | | MIL-T-16420K(1) | TUBE, COPPER-NICKEL ALLOY, SEAMLESS AND WELDED (COPPER ALLOY NUMBERS 715 AND 706) USER: ME YD1 REVIEWER: CS | A | 4710 | SH | 16-SEP-88 | | SH | | |
| | | | MIL-L-16446A NOTICE 1 | LITTER, FOLDING, FOLDING POLE (VALIDATION DATE: 8906) | A | 6530 | MB | 15-JUN-89 | MD | MS | 03 | |
| D | | | MIL-H-16451F | HEATERS, WATER, LIQUID FUEL (OIL-FIRED, STORAGE TYPE: NOT EXCEEDING 280,000 BTU/H INPUT CAPACITY) USER: MC REVIEWER: 84 CE CS | A | 4520 | YD1 | 10-APR-92 | ME | YD1 | 99 | |
| | | | MIL-L-16462B NOTICE 1 | LITTER, FOLDING, RIGID POLE (VALIDATION DATE: 8906) USER: AV | A | 6530 | MB | 15-JUN-89 | MD | MS | 03 | |
| | 1 | | MIL-V-16468C(3) | VALVES, SHUTOFF, HYDROCARBON FUEL SERVICE 100 P.S.I. AND 150 P.S.I. WORKING PRESSURE | A | 4820 | SH | 09-MAR-89 | | SH | 99 | |
| A | | | MIL-C-16472H | CAP, KNIT (WATCH) USER: 45 REVIEWER: 82 MC | A | 8405 | CT | 30-JUN-88 | | MU | 99 | CT |
| | L | | MIL-D-16475D SUPPL 1A1 | DEVICE, METAL, BREAST AND COLLAR, GENERAL SPECIFICATION FOR USER: CG | A | 8455 | MU | 13-SEP-82 | | MU | | |
| A | L | | MIL-D-16475/1A | DEVICE, METAL (BREAST AND COLLAR) | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/2A | DEVICE, METAL (BREAST AND COLLAR) COMMAND AT SEA | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/3B | DEVICES, METAL, (BREAST AND COLLAR) DIVER | A | 8455 | CT | 03-JUN-91 | | MU | | CT |
| A | L | | MIL-D-16475/4A | DEVICE, METAL (BREAST AND COLLAR) SMALL CRAFT | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/5A | DEVICES, METAL, (BREAST AND COLLAR) SPECIAL WARFARE | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/6A | DEVICE, METAL (BREAST AND COLLAR) SUBMARINE COMBAT PATROL | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/7B | DEVICE, METAL (BREAST AND COLLAR) SUBMARINE ENGINEERING DUTY | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/8B | DEVICE, METAL (BREAST AND COLLAR) SUBMARINE INSIGNIA | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/9A | DEVICE, METAL (BREAST AND COLLAR) SUBMARINE MEDICAL | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/10A | DEVICE, METAL (BREAST AND COLLAR) SUBMARINE SUPPLY CORPS | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/11B | DEVICES, METAL (BREAST AND COLLAR) BADGE, QUALIFICATION, SUBMARINE: SSBN DETERRENT PATROL | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/12A | DEVICES, METAL, (BREAST AND COLLAR) AVIATIONANTISUBMARINE WARFARE OPERATOR | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/13A | DEVICE, METAL (BREAST AND COLLAR) AVIATION BOATSWAIN | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/14A | DEVICE, METAL (BREAST AND COLLAR) AVIATION CONTROL TECHNICIAN | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/15A | DEVICE, METAL (BREAST AND COLLAR) AVIATION ELECTRONICS TECHNICIAN | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/16A | DEVICE, METAL (BREAST AND COLLAR) AVIATION MAINTENANCE TECHNICIAN | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/17A | DEVICE, METAL (BREAST AND COLLAR) AVIATION ORDNANCE TECHNICIAN | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/18A | DEVICE, METAL (BREAST AND COLLAR) AEROGRAGHER | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/19A | DEVICE, METAL (BREAST AND COLLAR) AIR INTELLIGENCE TECHNICIAN | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/20A | DEVICE, METAL (BREAST AND COLLAR) BOATSWAIN | A | 8455 | CT | 28-OCT-87 | | MU | | CT |
| A | L | | MIL-D-16475/21B | DEVICE, METAL (BREAST AND COLLAR) CHAPLAIN CORPS - JEWISH (CHC-J) USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/22A | DEVICE, METAL (BREAST AND COLLAR) CHAPLAIN CORPS - CHRISTIAN (CHC-C) USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/23D | DEVICE, METAL (BREAST AND COLLAR) CHIEF PETTY OFFICER -E-10, E-9, E-8, E-7 - NAVY USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/24A | DEVICE, METAL (BREAST AND COLLAR) CIVIL ENGINEER CORPS USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/25A | DEVICE, METAL (BREAST AND COLLAR) COMMUNICATIONS TECHNICIAN USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/26A | DEVICE, METAL (BREAST AND COLLAR) DATA PROCESSING TECHNICIAN USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/27A | DEVICE, METAL (BREAST AND COLLAR) DENTAL CORPS USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/28A | DEVICE, METAL (BREAST AND COLLAR) ELECTRICIAN USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/29A | DEVICE, METAL (BREAST AND COLLAR) ELECTRONICS TECHNICIAN USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/30A | DEVICE, METAL (BREAST AND COLLAR) EXPLOSIVE ORDNANCE DISPOSAL USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/31A | DEVICE, METAL (BREAST AND COLLAR) JUDGE ADVOCATE GENERAL S CORPS (JAG) USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/32A | DEVICE, METAL (BREAST AND COLLAR) LEADER, U. S. NAVY BAND, BANDMASTER USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/33A | DEVICE, METAL (BREAST AND COLLAR) MACHINIST USER: 45 | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/34A | DEVICE, METAL (BREAST AND COLLAR) MEDICAL CORPS USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/35A | DEVICE, METAL (BREAST AND COLLAR) MEDICAL SERVICE CORPS USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |
| A | L | | MIL-D-16475/36A | DEVICE, METAL (BREAST AND COLLAR) MEDICIAL SERVICE/DENTAL SERVICE USER: 45 CG | A | 8455 | CT | 05-FEB-88 | | MU | | CT |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-D-16475/378 | DEVICE, METAL (BREAST & COLLAR) COMMUNICATION TECHNICIAN COMMUNITY (NAVY) COMMUNICATION (COAST GUARD) USER: 45 CG | A | 8455 | CT | | 05-FEB-88 | | MU | | CT |
| A | L | MIL-D-16475/38A | DEVICE, METAL (BREAST AND COLLAR) NURSE CORPS USER: 45 CG | A | 8455 | CT | | 05-FEB-88 | | MU | | CT |
| A | L | MIL-D-16475/39A | DEVICE, METAL (BREAST AND COLLAR) OPERATIONS TECHNICIAN | A | 8455 | CT | | 05-FEB-88 | | MU | | CT |
| A | L | MIL-D-16475/40A | DEVICE, METAL (BREAST AND COLLAR) PHOTOGRAPHER USER: 45 CG | A | 8455 | CT | | 05-FEB-88 | | MU | | CT |
| A | L | MIL-D-16475/41A | DEVICES, METAL, (BREAST AND COLLAR) SHIP'S CLERK USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/42A | DEVICES, METAL, (BREAST AND COLLAR) SHIP REPAIR TECHNICIAN USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/43A | DEVICES, METAL, (BREAST AND COLLAR) SUPPLY CLERK USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/44B | DEVICES, METAL, (BREAST AND COLLAR) SUPPLY CORPS USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/45A | DEVICES, METAL, (BREAST AND COLLAR) SURFACE ORDNANCE/ORDNANCE CONTROL TECHNICIAN USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/46A | DEVICES, METAL, (BREAST AND COLLAR) UNDERWATER ORDNANCE TECHNICIAN USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/47A | DEVICES, METAL, (BREAST AND COLLAR) DIVER, MEDICAL CORPS/MEDICAL SERVICE CORPS USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/48A | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED PERSONNEL (U.S. COAST GUARD) USER: 45 CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| | L | MIL-D-16475/49A | DEVICES, METAL, (BREAST AND COLLAR) DIVER, MEDICAL TECHNICIAN USER: CG REVIEWER: CT | A | 8455 | MU | | 23-SEP-88 | | MU | | |
| A | L | MIL-D-16475/50A | DEVICES, METAL, (BREAST AND COLLAR) COMMAND AT SEA (U.S. COAST GUARD) USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/51A | DEVICES, METAL, (BREAST AND COLLAR) CHIEF PETTY OFFICERS (U.S. COAST GUARD) USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/52A | DEVICES, METAL, (BREAST AND COLLAR) COMMAND ASHORE/PROJECT MANAGER | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/53A | DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE OPERATOR | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/54B | DEVICES, METAL, (BREAST AND COLLAR) GROUP RATE SEAMAN/APPRENTICE ENLISTED WOMEN (NAVY) USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/55A | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY AUXOP, QUALIFICATION (U.S. COAST GUARD) USER: 45 CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/56A | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY, PAST OFFICER (U.S. COAST GUARD) USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/57A | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED WOMEN, HOSPITAL CORPSMAN, NAVY | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/58A | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED WOMEN, DENTAL TECHNICIAN, NAVY | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/59A | DEVICES, METAL, (BREAST AND COLLAR) AVIATION OPERATIONS TECHNICIAN USER: 45 | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/60B | DEVICES, METAL, (BREAST AND COLLAR) SENIOR ENLISTED ADVISOR IDENTIFICATION BREAST BADGE USER: CG | A | 8455 | CT | | 23-SEP-88 | | MU | | CT |
| A | L | MIL-D-16475/61B | DEVICES, METAL, (BREAST AND COLLAR) SECURITY PERSONNEL | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/62A | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED SURFACE WARFARE SPECIALIST | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/63A | DEVICES, METAL, (BREAST AND COLLAR) RELIGIOUS PROGRAM SPECIALIST REVIEWER: MC | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/64B | DEVICES, METAL, (BREAST AND COLLAR) OFFICER IN CHARGE ASHORE (U.S. COAST GUARD) USER: CG | A | 8455 | CT | | 16-OCT-90 | | MU | | CT |
| A | L | MIL-D-16475/65A | DEVICES, METAL, (BREAST AND COLLAR) INTELLIGENCE TECHNICIAN | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/66A | DEVICES, METAL, (BREAST AND COLLAR) PHYSICAL SECURITY TECHNICIAN | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/67A | DEVICES, METAL, (BREAST AND COLLAR) FLIGHT SURGEON (U.S. COAST GUARD) USER: CG | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/68D | DEVICES, METAL, BREAST AND COLLAR COMMAND ENLISTED ADVISOR (U.S. COAST GUARD) | A | 8455 | CT | | 06-JAN-92 | | | | CT |
| A | L | MIL-D-16475/69A | DEVICES, METAL, (BREAST AND COLLAR) AVIATION WARFARE SPECIALIST | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/70A | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED PERSONNEL (PETTY OFFICER 1, 2, & 3) | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/71A | DEVICES, METAL, (BREAST AND COLLAR) DEEP SUBMERGENCE | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/72A | DEVICES, METAL, (BREAST AND COLLAR) LIMITED DUTY OFFICER (LDO) LAW | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/73A | DEVICES, METAL, (BREAST AND COLLAR) AVIATION SUPPLY CORPS | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/74A | DEVICES, METAL (BREAST AND COLLAR) SURFACE SUPPLY CORPS OFFICER | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/75A | DEVICES, METAL, (BREAST AND COLLAR) PHYSICIAN'S ASSISTANT (U.S. COAST GUARD) USER: CG | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/76A | DEVICES, METAL, (BREAST AND COLLAR) PORT SECURITYMAN (U.S. COAST GUARD) USER: CG | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/77A | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY COXSWAIN (U.S. COAST GUARD) USER: CG | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/78A | DEVICES, METAL, (BREAST AND COLLAR) SCIENCE TECHNOLOGIST, (U.S. COAST GUARD) USER: CG | A | 8455 | CT | | 11-JAN-89 | | MU | | CT |
| A | L | MIL-D-16475/79 | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY, AVIATOR (U.S. COAST GUARD) USER: CG | A | 8455 | CT | | 16-OCT-90 | | MU | | CT |
| A | L | MIL-D-16475/80 | DEVICES, METAL, (BREAST AND COLLAR) NAVY FAMILY OMBUDSMAN | A | 8455 | CT | | 19-MAY-92 | | MU | | CT |
| A | L | MIL-D-16475/81 | DEVICES, METAL, (BREAST AND COLLAR) INTEGRATED UNDERSEA SURVEILLANCE SYSTEM | A | 8455 | CT | | 19-MAY-92 | | MU | | CT |
| A | | MIL-D-16475/82 | DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE NURSE | A | 8455 | CT | | 27-JUL-92 | | MU | | CT |
| A | | MIL-D-16475/83 | DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE DENTAL | A | 8455 | CT | | 27-JUL-92 | | MU | | CT |
| A | | MIL-D-16475/84 | DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE MEDICAL SERVICE | A | 8455 | CT | | 27-JUL-92 | | MU | | CT |
| A | | MIL-D-16475/85 | DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE MEDICAL | A | 8455 | CT | | 27-JUL-92 | | MU | | CT |
| | | MIL-C-16489C NOTICE 1 | CASE, HOSPITAL LINENS, SMALL (VALIDATION DATE: 9103) | A | 6545 | MB | | 15-MAR-91 | MD | MS | 03 | |
| D | | MIL-G-16491F | GROMMET, METALLIC, GENERAL SPECIFICATION FOR USER: MC SA SH REVIEWER: AS DS GL MI | A | 5325 | IS | | 01-MAY-89 | AR | YD1 | 99 | IS |
| D | | MIL-G-16491/1 | GROMMET, METALLIC, PLAIN, WITH TOOTHED WASHER (TYPE II) USER: MC SA SH REVIEWER: AS GL MI | A | 5325 | IS | | 01-MAY-89 | AR | YD1 | 99 | IS |
| D | | MIL-G-16491/2 | GROMMET, METALLIC, OBLONG, WITH FLAT WASHER (TYPE IV) | A | 5325 | IS | | 01-MAY-89 | AR | YD1 | 99 | IS |
| D | | MIL-G-16491/3 | GROMMET, METALLIC, OBLONG, WITH RAISED WASHER (TYPE V) USER: MC SA SH REVIEWER: AS GL MI | A | 5325 | IS | | 01-MAY-89 | AR | YD1 | 99 | IS |
| | | MIL-T-16549G | TRUCKS, HAND, SHELF, UTILITY, 3 SHELVES REVIEWER: 84 GS MC MD MS | A | 3920 | GL | | 31-DEC-85 | GL | SA | 99 | |
| | L | MIL-F-16552E | FILTER, AIR ENVIRONMENTAL CONTROL SYSTEM, CLEANABLE, IMPINGEMENT (HIGH VELOCITY TYPE) REVIEWER: GS | A | 4130 | SH | | 28-OCT-86 | | SH | | |
| | | MIL-C-16555D | COATING COMPOUND, STRIPPABLE, SPRAYABLE (VALIDATION DATE: 8208) USER: AS ME SA SM REVIEWER: 99 | A | 8030 | OS | | 24-FEB-75 | MR | OS | 11 | |
| | QL | MIL-V-16556E | VALVE, SOLENOID, THREE-WAY BYPASS (NAVAL SHIPBOARD USE) | A | 4810 | SH | | 29-MAR-88 | | SH | | |
| | L | MIL-I-16562A(1) | INSULATION, SYNTHETIC, RUBBER-LIKE, CHEMICALLY EXPANDED, CELLULAR (SHEET FORM) (VALIDATION DATE: 8402) REVIEWER: ME | A | 1055 | OS | | 14-JAN-77 | | OS | | |
| | L | MIL-G-16567D | GRIP, CABLE USER: GL | A | 5120 | MI | | 18-JUN-90 | MI | | | |
| A | L | MIL-S-16572F | SHOULDER BOARDS AND INSIGNIA, BRANCH OF SERVICE | A | 8455 | CT | | 23-JAN-91 | | MU | | CT |
| | LI | MIL-P-16594A NOTICE 1 | PROJECTILES, BOMBS, ROCKETS, AND GUIDED MISSILE WARHEADS, INERT PARTS, MANUFACTURE OF REVIEWER: EA MI | A | 1336 | OS | | 07-FEB-91 | | OS | | |
| | | MIL-I-16596A NOTICE 1 | INHALATOR, MASK TYPE, OXYGEN ADMINISTRATION (VALIDATION DATE: 8808) | A | 6515 | MB | | 22-AUG-88 | MD | MS | 03 | |
| | | MIL-S-16598B(1) | STEEL BAR (LOW EXPANSION, FREE CUTTING, 36 PERCENT NICKEL), REVIEWER: 84 99 AS MI MR | A | 9510 | OS | | 24-SEP-86 | ME | OS | 11 | |
| | | MIL-P-16610B | PIN, TAPERED, PLAIN (VALIDATION DATE: 8504) REVIEWER: 82 IS | A | 5315 | AR | | 25-APR-73 | AR | OS | | |
| | L | MIL-R-16620A(4) | RECEIVING SET, RADIO AN/URR-35 (VALIDATION DATE: 8204) REVIEWER: 99 | A | 5820 | EC | | 11-JUL-57 | | EC | | |
| | | MIL-S-16626D | SLINGS, CARGO NET (NYLON OR MANILA) REVIEWER: 84 CG MC | A | 3940 | ME | | 14-AUG-84 | ME | | 99 | |
| | L | MIL-W-16642D(1) | WATER TESTING OUTFIT, BOILER | A | 6640 | SH | | 23-JUL-82 | | SH | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-T-16644D | TAPE, MEASURING, TANK GAGING TYPE, WITH REEL AND PLUMB BOB USER: 84 AV MC ME | A | 5210 | GL | 30-SEP-86 | GL | | | | |
| L | | | | MIL-C-16645A(4) | COMPRESSOR, RECIPROCATING, ELECTRIC MOTOR DRIVEN, NAVAL SHIPBOARD DIESEL ENGINE AIR STARTING SERVICE [VALIDATION DATE: 8105] | A | 4310 | SH | 31-JAN-62 | | SH | | | |
| | | | | MIL-Y-16654D NOTICE 1 | YARN, WOOL [VALIDATION DATE: 8708] USER: MD | A | 8310 | GL | 03-AUG-87 | GL | MU | | | |
| L | | | | MIL-E-16663A(1) | ENAMEL, SEMI-GLOSS (FOR METAL SURFACES OF AMMUNITION AND AMMUNITION CONTAINERS) [VALIDATION DATE: 8204] REVIEWER: DS | A | 8010 | OS | 24-FEB-76 | | OS | | | |
| QL | | | | MIL-D-16680D | DECK COVERING MAGNESIA AGGERGATE MIXTURE | A | 5610 | SH | 17-SEP-82 | | SH | | | |
| L | | | | MIL-P-16685D | PACKING, MATERIAL AND PACKING PREFORMED (STUFFING TUBE FOR ELECTRIC CABLES) [VALIDATION DATE: 8104] USER: EC OS | A | 5330 | SH | 30-APR-70 | | SH | | | |
| AQL | | | | MIL-P-16685D(I1) | PACKING, MATERIAL AND PACKING PREFORMED (STUFFING-TUBE FOR ELECTRIC CABLES) | A | 5330 | SH | 13-JAN-93 | | SH | | | |
| A L | | | | MIL-Y-16698C NOTICE 1 | YARN, COTTON [VALIDATION DATE: 8707] REVIEWER: MD | A | 8310 | CT | 30-OCT-87 | GL | | | | CT |
| D L | | | | MIL-C-16703E | COLLECTOR UNIT, DUST, WITH FAN | A | 4460 | YD1 | 30-SEP-87 | | YD1 | | | |
| L | | | | MIL-D-16712C(1) | DRILLING MACHINE, PAPER, ELECTRIC MOTOR DRIVEN [VALIDATION DATE: 8104] REVIEWER: GS | A | 3610 | GL | 25-JAN-74 | GL | | | | |
| D | | | | MIL-F-16716E | FANS, CENTRIFUGAL, INDUSTRIAL USER: CE MC REVIEWER: GS | A | 4140 | YD1 | 23-AUG-90 | ME | YD1 | | | |
| L | | | | MIL-L-16727D | LINK, AMMUNITION, 20MM, MARK 2 (FOR 20MM MARK 12 A/C GUNS) [VALIDATION DATE: 8402] | A | 1305 | AS | 23-FEB-68 | | AS | | | |
| D L | | | | MIL-V-16733D | VALVES, PRESSURE REGULATING, STEAM REVIEWER: CS | A | 4820 | YD1 | 03-JAN-88 | | YD1 | | | |
| L | | | | MIL-R-16743F SUPPL 1A1 | REFRIGERATING PLANTS AND SYSTEMS, MECHANICAL; AND REFRIGERATING SYSTEM COMPONENTS-DICHLORODIFLUOROMETHANE (R-12) - NAVAL SHIPBOARD REVIEWER: GS | A | 4130 | SH | 01-MAR-91 | | SH | | | |
| L | | | | MIL-B-16747C | BOILER, STEAM, HIGH PRESSURE, WATER TUBE TYPE, AUXILIARY NAVY SHIPBOARD [VALIDATION DATE: 8106] | A | 4410 | SH | 22-APR-63 | | SH | | | |
| L | | | | MIL-A-16749E(2) | AMPLIFIER, AUDIO FREQUENCY, SOUND POWERED TELEPHONE SYSTEM [VALIDATION DATE: 8104] | A | 5805 | SH | 17-JUN-68 | | SH | | | |
| L | | | | MIL-C-16751A | COVER, CANVAS (FOR NAVAL ORDNANCE EQUIPMENT) [VALIDATION DATE: 7907] | A | 10GP | OS | 26-JUN-63 | | OS | | | |
| A | | | | MIL-C-16775D | CHESTS, FIELD, ALUMINUM, EMPTY | A | 6545 | DM | 12-JUN-89 | MD | MS | 03 | | DM |
| | | | | MIL-L-16785A | LUBRICATING OIL, BREECH BLOCK (FOR NAVAL ORDNANCE) (SEE NOTICE 3) [VALIDATION DATE: 8508] REVIEWER: GS PS SA | A | 9150 | OS | 18-OCT-52 | ME | OS | | | |
| | | | | MIL-S-16788A | STEEL, CARBON, HOT-ROLLED OR FORGED ( BLOOMS, BILLETS, & SLABS FOR REFORGING) ( INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 7611] USER: WV | A | 9640 | OS | 29-MAR-71 | MR | OS | 99 | | |
| D L | | | | MIL-P-16789D | PUMPS (INCLUDING PRIMEMOVERS & SUPPORT ITEM S); PACKAGING OF REVIEWER: YD1 | A | PACK | SH | 30-OCT-86 | | SH | | | |
| D | | | | MIL-D-16791G(1) | DETERGENTS, GENERAL PURPOSE (LIQUID, NONIONIC) USER: 26 MC ME YD1 REVIEWER: 84 EA SM | A | 7930 | SH | 15-JAN-93 | GL | SH | 99 | | |
| | | | | MIL-C-16809A | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NONRIGID, NO. 4, EMPTY [VALIDATION DATE: 8106] | A | 6545 | DM | 16-JUN-58 | MD | MS | 03 | | |
| | | | | MIL-C-0016809C | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NONRIGID, NO. 4 | A | 6545 | DM | 07-AUG-69 | MD | MS | 03 | | DM |
| | | | | MIL-C-16813B(1) NOTICE 1 | CASE, BRONCHOSCOPIC INSTRUMENTS, STERILIZING AND STORAGE, EMPTY [VALIDATION DATE: 8808] | A | 6515 | MB | 22-AUG-88 | MD | MS | 03 | | |
| | | | | MIL-L-16815A NOTICE 1 | LITTER, SEMIRIGID, POLELESS [VALIDATION DATE: 8906] | A | 6530 | MB | 15-JUN-89 | MD | MS | 03 | | |
| | | | | MIL-S-16829A NOTICE 1 | STAND, IRRIGATOR, STEEL, FOLDING [VALIDATION DATE: 8906] | A | 6530 | MB | 15-JUN-89 | MD | MS | 03 | | |
| L | | | | MIL-C-16839E | CABLE, SPECIAL PURPOSE, ELECTRICAL (UNDERWATER USE) REVIEWER: IS | A | 6145 | OS | 25-OCT-90 | | OS | | | |
| L | | | | MIL-W-16878E(1) SUPPL 1A1 | WIRE, ELECTRICAL, INSULATED, GENERAL SPECIFICATION FOR USER: MC OS REVIEWER: AS AV EC | A | 6145 | SH | 21-AUG-84 | | SH | | | |
| M L | | | | MIL-W-16878/1B | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 600 VOLTS (NOT FOR NAVY SHIPBOARD USE) | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/2B | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 1000 VOLTS (NOT FOR NAVY SHIPBOARD USE) | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/3B | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 3000 VOLTS (NOT FOR NAVY SHIPBOARD USE) | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/4C | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 600 VOLTS, EXTRUDED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/5C | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 1000 VOLTS, EXTRUDED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| L | | | | MIL-W-16878/6C | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 250 VOLTS, EXTRUDED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| L | | | | MIL-W-16878/7B | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 600 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/8B | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 1000 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/10D | WIRE, ELECTRICAL, POLYETHYLENE INSULATED, 75 DEG. C, 600 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/11B | WIRE, ELECTRICAL, FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATED, 200 DEG. C, 600 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/12D | WIRE, ELECTRICAL, FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATED, 200 DEG. C, 1000 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/13B | WIRE, ELECTRICAL, FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATED, 200 DEG. C, 250 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/14A | WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 600 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/15A | WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 1000 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/16B | WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 3000 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/17A | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 600 VOLTS POLYAMIDE JACKET (NOT FOR NAVY SHIPBOARD USE) | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/18A | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 1000 VOLTS, POLYAMIDE JACKET (NOT FOR NAVY SHIPBOARD USE) | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/19A | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 3000 VOLTS, POLYAMIDE COVERING (NOT FOR NAVY SHIPBOARD USE) | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/20A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 250 VOLTS, WRAPPED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/21A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 600 VOLTS, WRAPPED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/22A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 1000 VOLTS, WRAPPED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/23A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 250 VOLTS, EXTRUDED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/24A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 250 VOLTS, WRAPPED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/25A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 600 VOLTS, EXTRUDED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/26A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 600 VOLTS, WRAPPED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/27A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C., 1000 VOLTS, EXTRUDED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/28A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 1000 VOLTS, WRAPPED INSULATION | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/29A(1) | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 600 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/30A | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 1000 VOLTS | A | 6145 | SH | 11-SEP-92 | | SH | | | |
| M L | | | | MIL-W-16878/31A | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 1000 VOLTS, GLASS BRAID COVERING, ABRASION RESISTANT | A | 6145 | SH | 11-SEP-92 | | SH | | | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M | L | | MIL-W-16878/32A(1) | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 1000 VOLTS, GLASS BRAID COVERING, ABRASION RESISTANT | A | 6145 | | SH | 11-SEP-92 | | SH | | |
| M | L | | MIL-W-16878/33A | WIRE, ELECTRICAL, POLYETHYLENE INSULATED, 75 DEG. C, 600 VOLTS, POLYAMIDE COVERING, ABRASION RESISTANT | A | 6145 | | SH | 11-SEP-92 | | SH | | |
| M | L | | MIL-W-16878/34A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 1000 VOLTS, DOUBLE WRAPPED INSULATION | A | 6145 | | SH | 11-SEP-92 | | SH | | |
| M | L | | MIL-W-16878/35A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 1000 VOLTS, DOUBLE WRAPPED INSULATION | A | 6145 | | SH | 11-SEP-92 | | SH | | |
| M | L | | MIL-W-16878/36 | WIRE, ELECTRICAL, LOW SMOKE, CROSS LINKED POLYOLEFIN (XLPO) INSULATED, 105 DEG. C, 600 VOLTS | A | 6145 | | SH | 11-SEP-92 | | SH | | |
| M | L | | MIL-W-16878/37 | WIRE, ELECTRICAL, ETHYLENE-PROPYLENE DIENE ELASTOMER (EPDM) INSULATED, 150 DEG. C 600 VOLTS, EXTRUDED INSULATION | A | 6145 | | SH | 11-SEP-92 | | SH | | |
| M | L | | MIL-W-16878/38 | WIRE, ELECTRICAL, ETHYLENE-PROPYLENE DIENE ELASTOMER (EPDM) INSULATED, 150 DEG. C, 5000 VOLTS EXTRUDED INSULATION | A | 6145 | | SH | 11-SEP-92 | | SH | | |
| D | | | MIL-F-16884H(2) | FUEL, NAVAL DISTILLATE USER: CG MC REVIEWER: PS SA YD1 | A | 9140 | | SH | 04-DEC-85 | ME | SH | | 68 |
| D | L | | MIL-D-16886H | DEHUMIDIFIER, DRY DESICCANT TYPE, AUTOMATIC, CONTINUOUS DUTY USER: CG | A | 4440 | | YD1 | 19-MAR-93 | | YD1 | | |
| | | | MIL-F-16895F(1) | FOOD PACKET, SURVIVAL, ABANDON SHIP REVIEWER: MC MD MS SS | A | 8970 | | GL | 15-SEP-88 | GL | SA | | 50 |
| | | | MIL-O-16898B(1) | OPTICAL ELEMENTS, PACKAGING OF [VALIDATION DATE: 8304] REVIEWER: OS SM | A | 1240 | | AR | 03-AUG-70 | AR | AS | | 99 |
| | L | | MIL-B-16907C | BOILER, STEAM, HIGH PRESSURE, AUXILIARY FIRE TUBE TYPE, NAVAL SHIPBOARD | A | 4410 | | SH | 27-MAY-88 | | SH | | |
| | | | MIL-B-16909B NOTICE 1 | BUFFING AND POLISHING COMPOUNDS [VALIDATION DATE: 9110] | A | 5350 | | AS | 24-OCT-91 | | AS | | 99 |
| | | | MIL-S-16917B | SODIUM BISULFATE (NITER CAKE) USER: AS REVIEWER: GS | A | 6810 | | SH | 27-AUG-84 | | SH | | 68 |
| AQ | | | MIL-I-16923H | INSULATING COMPOUND, ELECTRICAL, EMBEDDING, EPOXY USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | | SH | 13-AUG-91 | ER | SH | | 11 |
| D | L | | MIL-S-16938C | SEARCHLIGHT, INCANDESCENT, SIGNALING, 8-INCH [VALIDATION DATE: 8106] USER: YD1 REVIEWER: GS | A | 6230 | | SH | 30-JUL-73 | | SH | | |
| | | | MIL-L-16942B | LITTER, NONRIGID, POLELESS NYLON | A | 6630 | | MB | 25-JUN-89 | MD | MS | | 03 |
| | | | MIL-G-16959B(1) | GASKETS: METALLIC, BOILER, ECONOMIZER AND SUPERHEATER HANDHOLE USER: ME REVIEWER: 82 85 | A | 5330 | | SH | 12-DEC-91 | | SH | | 99 |
| | L | | MIL-T-16967D | TRANSMITTING SET, INFRARED AM/SAT-2 [VALIDATION DATE: 8304] | A | 5850 | | EC | 16-FEB-71 | | EC | | |
| | QL | | MIL-S-17000M SUPPL 1A1 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL, AND INTERIOR COMMUNICATION GENERAL SPECIFICATION FOR | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/1A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL AND INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK-MOUNTED (TERMINAL BOARD CONNECTED), TYPE II | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/2A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MOUNTED (TERMINAL BOARD CONNECTED) TYPE III | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/3A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK-MOUNTED (PLUG CONNECTED) TYPE IV | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/4A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MTD (PLUG CON TYPE V) | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/5A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, TWO SEPARATE SECTIONS (TERMINAL BOARD & PLUG CONNECTED, TYPE VI | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/6A | SWITCHING EQUIPMENT, COMBAT SYSTEMS, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, POWER DISTRIBUTION (TERMINAL BOARD CONNECTED), TYPE VII | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/7A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, DIGITAL SWITCHING (PLUG CONNECTED), TYPE VIII | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/8A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SUBMARINE, TYPE IX | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/9A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION CONTROL INDICATOR | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/10 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED (TERMINAL BOARD CONNECTED) TYPE X | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/11 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MOUNTED (TERMINAL BOARD CONNECTED) TYPE XI | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-S-17000/12 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SUBMARINE DECK MOUNTED (PLUG CONNECTED) TYPE XII | A | 1290 | | SH | 02-MAY-83 | | SH | | |
| | L | | MIL-G-17012G(1) | GYRO COMPASS EQUIPMENT, STABILIZED (ISSUE CONTROLLED REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC) [VALIDATION DATE: 8301] | A | 6605 | | SH | 14-FEB-77 | | SH | | |
| D | L | | MIL-D-17013C(1) | DOUGH MIXING MACHINE, BAKER S [VALIDATION DATE: 8103] USER: GL YD1 REVIEWER: GS | A | 7320 | | SH | 29-JUL-71 | | SH | | |
| | L | | MIL-D-17013C(12) | DOUGH MIXING MACHINE, BAKER'S | A | 7320 | | SH | 08-APR-92 | | SH | | |
| D | L | | MIL-H-17024F | HOOD, EXTREME COLD WEATHER, IMPERMEABLE (SHORE) USER: 45 CG YD1 | A | 8415 | | CT | 26-SEP-88 | | MU | | CT |
| | L | | MIL-M-17059A | MOTOR, 60 CYCLE, ALTERNATING CURRENT, FRACTIONAL H.P. (SHIPBOARD USE) [VALIDATION DATE: 8204] REVIEWER: AR GS | A | 6105 | | SH | 12-OCT-65 | | SH | | |
| | L | | MIL-M-17060E(1) | MOTOR, 60 HZ, ALTERNATING CURRENT, INTEGRAL CURRENT, INTEGRAL HP (SHIPBOARD USE) | A | 6105 | | SH | 15-MAY-81 | | SH | | |
| | QL | | MIL-L-17080C(4) | LOUDSPEAKER, PERMANENT MAGNET FOR SHIPBOARD ENTERTAINMENT SYSTEMS REVIEWER: ES | A | 5965 | | SH | 03-DEC-86 | | SH | | |
| | L | | MIL-D-17084E | DUMMY TRANSMITTER, SHIPS' DISTANCE AND SPEED | A | 6320 | | SH | 22-OCT-87 | | SH | | |
| | L | | MIL-B-17089A(1) | BAROMETER, AMERIOD MI-448 UM [VALIDATION DATE: 8509] | A | 6685 | | AS | 26-SEP-57 | | AS | | |
| D | | | MIL-B-17095H | BOILERS, STEAM, WATERTUBE (BENT TUBE, MULTI-DRUM AND CROSS DRUM) PACKAGED TYPE (10,000,000 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: 84 CE SA | A | 4410 | | YD1 | 20-AUG-90 | ME | YD1 | | 99 |
| | | | MIL-P-17098A(1) | PSYCHROMETER, HAND, ELECTRIC, ASPIRATING, MI-450/UM AND CARRYINGCASE, PSYCHROMETER, CY-1238/UM [VALIDATION DATE: 8410] REVIEWER: GS MS | A | 6685 | | AS | 20-JUN-57 | ER | AS | | |
| | QL | | MIL-F-17111B | FLUID, POWER TRANSMISSION USER: AL REVIEWER: GS | A | 9150 | | OS | 11-OCT-83 | | OS | | |
| D | | | MIL-W-17122D | WATER SOFTENER UNIT, LIME-SODA TYPE | A | 4610 | | YD1 | 30-AUG-91 | | YD1 | | 99 |
| D | L | | MIL-C-17124C(2) | CORD, DETONATING [VALIDATION DATE: 7905] USER: CG MC YD1 REVIEWER: 99 EA | A | 1375 | | AR | 15-AUG-75 | AR | | | |
| | L | | MIL-C-0017124D(4) | CORD, DETONATING | A | 1375 | | AR | 08-JUL-91 | AR | | | |
| | L | | MIL-C-17124C(13) | CORD, DETONATING | A | 1375 | | AR | 16-JUN-80 | AR | | | |
| A | | | MIL-T-17128C(2) | TRANSDUCER FLUID, SONAR USER: SC REVIEWER: GS | A | 9150 | | SH | 30-OCT-92 | ME | SH | | |
| | | | MIL-R-17131C(1) | RODS AND POWDERS, WELDING, SURFACING USER: MC OS REVIEWER: 99 AS GS | A | 3439 | | SH | 21-AUG-84 | AR | SH | | 11 |
| A | L | | MIL-B-17143G | BUTTON, INSIGNIA (ANCHOR, PLASTIC, BLACK) USER: CG | A | 8455 | | CT | 19-OCT-88 | | MU | | CT |
| A | L | | MIL-C-17155G | CLOTH, KNITTED, NYLON, FLEECE REVIEWER: EA | A | 8305 | | CT | 07-APR-88 | GL | MU | | CT |
| A | | | MIL-C-17157G | CLOTH, KNITTED, COTTON (WAFFLE TYPE) REVIEWER: 82 | A | 8305 | | CT | 04-JUN-85 | | MU | | 99 CT |
| | L | | MIL-A-17161D | ABSORBER, RADIO FREQUENCY RADIATION (MICROWAVE ABSORBING MATERIAL), GENERAL SPECIFICATION FOR [VALIDATION DATE: 8502] REVIEWER: AS | A | EMCS | | SH | 24-JUN-85 | | SH | | |
| | L | | MIL-N-17163A | NICKEL-COPPER ALLOY, WROUGHT, (55-60 PERCENT NICKEL) LOW PERMEABILITY [VALIDATION DATE: 8104] REVIEWER: IS MI | A | 9540 | | SH | 03-APR-59 | | SH | | |
| | L | | MIL-P-17171E | PLASTIC, LAMINATE, DECORATIVE, HIGH PRESSURE | A | 9330 | | SH | 25-MAY-90 | | SH | | |
| | L | | MIL-C-17183B | CORD, NYLON BRAIDED, TUBULAR, SPLICEABLE [VALIDATION DATE: 8203] USER: MI REVIEWER: AR EA | A | 4020 | | AS | 03-DEC-69 | | AS | | |

| Action | OSR / OSR Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-M-17185A(1) | MOUNT, RESILENT, GENERAL SPECIFICATIONS AND TESTS FOR (SHIPBOARD APPLICATION) [VALIDATION DATE: 8108] REVIEWER: IS MC MI | A | 5340 | SH | | 27-OCT-59 | | SH | | |
| | QL | MIL-M-17191D | MOUNT, RESILENT, PORTSMOUTH BONDED SPOOL TYPE [VALIDATION DATE: 8202] REVIEWER: IS | A | 5340 | SH | | 22-SEP-70 | | SH | | |
| | QL | MIL-A-17196E | ALARM SWITCHBOARDS, ALARM PANELS, REMOTE SENTRY ALARM SWITCH, SIGNAL UNITS, & SPECIAL ALARM CONNECTION BOX, NAVAL SWITCHBOARD [VALIDATION DATE: 8411] USER: CS REVIEWER: MI | A | 6320 | SH | | 07-OCT-77 | | SH | | |
| | D L | MIL-L-17202D | LOAD-TRANSFER DEVICES (FOR CONCRETE SLABS AND PAVEMENTS) ..... | A | 3630 | YD1 | | 30-SEP-88 | | YD1 | | |
| | | MIL-I-17205C | INSULATION CLOTH AND TAPE, ELECTRICAL, GLASS FIBER, VARNISHED [VALIDATION DATE: 8104] USER: AS MC ME REVIEWER: 99 AR GS MI | A | 5970 | SH | | 16-NOV-61 | ER | SH | 11 | |
| | L | MIL-C-17208B NOTICE 1 | CLOTH, PARACHUTE, 240-PERMEABILITY: FOR USE WITH UNDERWATER ORDNANCE [VALIDATION DATE: 9203] | A | 8305 | OS | | 18-MAR-92 | | OS | | |
| | L | MIL-W-17211B | WIRE, ELECTRICAL, RADIO ANTENNA, 7/12, 7/14, 7/16, 7/18, 7/20, 7/22 [VALIDATION DATE: 8204] REVIEWER: IS SA | A | 6145 | SH | | 28-JUL-65 | | SH | | |
| | QL | MIL-T-17221B(1) | TRANSFORMERS, POWER, DISTRIBUTION, SINGLE PHASE, 400 HERTZ, INSULATION SYSTEM CLASS 220 DEG. C, DRY (AIR COOLER), (NAVAL SHIPBOARD USE) REVIEWER: GS MI | A | 6120 | SH | | 03-JUL-85 | | SH | | |
| | L | MIL-C-17226E | CHLORINATOR, WATER PURIFICATION USER: CE ..... | A | 4610 | 84 | | 22-MAY-88 | | | 99 | |
| | D | MIL-B-17228F | BOILERS, STEAM AND HOT WATER, WATERTUBE (COIL AND SERPENTINE), PACKAGED TYPE (40,000 TO 10,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: CE | A | 4410 | YD1 | | 23-AUG-90 | ME | YD1 | 99 | |
| | A | MIL-C-1/238D | CLOTH, KNITTED, WOOL AND COTTON FLEECE [VALIDATION DATE: 8601] USER: 11 45 REVIEWER: 82 MD | A | 8305 | CT | | 19-MAR-75 | GL | MU | 99 | CT |
| | L | MIL-I-17244E(5) NOTICE 1 | INDICATORS, TEMPERATURE, DIRECT-READING, BIMETALLIC, (3 AND 5 INCH DIAL) [VALIDATION DATE: 9106] USER: ME REVIEWER: GS | A | 6685 | SH | | 07-JUN-91 | | SH | | |
| | L | MIL-W-17247B | WIND MEASURING SET AN/UMQ-5 (COMPONENTS OF) [VALIDATION DATE: 8102] REVIEWER: GS | A | 6660 | AS | | 04-FEB-74 | | AS | | |
| | L | DOD-A-17254A | ANCHOR, MARINE, FLUKED (LIGHTWEIGHT TYPE (LWT) HADFIELD MANGANESE CAST STEEL) (LOW MAGNETIC PERMEABILITY) VALIDATED MAY 1964 | A | 2040 | SH | | 23-AUG-85 | | SH | | |
| | L | MIL-I-17276A | INHIBITOR, CELLULOSE ACETATE, EXTRUDED [VALIDATION DATE: 8307] REVIEWER: EA GS MI | A | 9330 | OS | | 30-OCT-71 | | OS | | |
| | D L | MIL-F-17280D | FITTINGS, MARINE, MINESWEEPING, NONMAGNETIC USER: AR ME REVIEWER: YD1 ..... | A | 1075 | SH | | 13-OCT-87 | | SH | | |
| | L | MIL-T-17286D | TURBINES AND GEARS, SHIPBOARD PROPULSION AND AUXILIARY STEAM: PACKAGING OF | A | PACK | SH | | 07-MAR-89 | | SH | | |
| | L | MIL-U-17293D NOTICE 1 | UNIT HEATER, AIR-CIRCULATING, STEAM (SHIPBOARD USE) [VALIDATION DATE: 8901] REVIEWER: CS | A | 4520 | SH | | 03-FEB-89 | | SH | | |
| | L | MIL-S-17299(5) | SHIP CONTROL ORDER AND INDICATING EQUIPMENT - SELF-SYNCHRONOUS, (NAVAL SHIPBOARD USE) | A | 2030 | SH | | 11-FEB-87 | | SH | | |
| | L | MIL-I-17301B(1) | INDICATOR, SHIP'S DISTANCE-SPEED ..... | A | 6320 | SH | | 11-MAR-91 | | SH | | |
| | QLI | MIL-P-17303D(2) | PACKING MATERIALS, PLASTIC METALLIC AND PLASTIC NONMETALLIC ..... | A | 5330 | SH | | 24-OCT-91 | | SH | | |
| | A | MIL-M-17312D(1) | MEAT TENDERIZER, ELECTRIC [VALIDATION DATE: 9212] USER: MC MS REVIEWER: MD | A | 7320 | SA | | 18-DEC-92 | GL | SA | 99 | |
| | D | MIL-M-17321F | MARKER, TRAFFIC USER: CE MC ME YD1 REVIEWER: 84 ..... | A | 9905 | GL | | 30-SEP-85 | GL | | 99 | |
| | AQL | MIL-L-17331H(2) | LUBRICATING OIL, STEAM TURBINE AND GEAR, MODERATE SERVICE ..... | A | 9150 | SH | | 31-DEC-92 | | SH | | |
| | A | MIL-W-17337F(1) | WEBBING, TEXTILE, WOVEN NYLON USER: SH REVIEWER: AS ..... | A | 8305 | CT | | 22-JAN-90 | GL | MU | | CT |
| | *L | MIL-E-17341C | ENGINE, GAS TURBINE, PROPULSION & AUXILIARY NAVAL SHIPBOARD [VALIDATION DATE: 8112] | A | 2835 | SH | | 09-APR-70 | | SH | | |
| | | MIL-R-17343D(1) NOTICE 1 | ROPE, NYLON [VALIDATION DATE: 8905] USER: CG MC MI REVIEWER: AR DS EA IS ME | A | 4020 | SH | | 05-MAY-89 | GL | SH | 99 | |
| | | MIL-S-17346B(1) NOTICE 1 | STONE, COMMUTATOR BURNISHING (FLEXIBLE ABRASIVE) [VALIDATION DATE: 8804] USER: AR AV MC | A | 5345 | 84 | | 11-APR-88 | MR | | 99 | |
| | DQ | MIL-V-17360E | VALVE, CYLINDER, GAS, CARBON DIOXIDE FIRE EXTINGUISHER USER: MC REVIEWER: 84 CE CS YD1 | A | 4210 | SH | | 19-MAR-87 | ME | SH | 99 | |
| | QL | MIL-C-17361F(2) SUPPL 1A1 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE), GENERAL SPECIFICATION FOR | A | 5925 | SH | | 21-APR-92 | | SH | | |
| | L | MIL-C-17361/1(1) | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A50 AND MQB - A50 | A | 5925 | SH | | 21-APR-92 | | SH | | |
| | L | MIL-C-17361/2 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A100 AND MQB - A100 (FOR REPLACEMENT ONLY) | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | L | MIL-C-17361/3 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF100 (FOR REPLACEMENT ONLY) | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | L | MIL-C-17361/4 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A101/A102 AND MQB - A101 | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | L | MIL-C-17361/5 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - L200 QF, QH, QS | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | L | MIL-C-17361/6 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A250 AND MQB - A250 | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | L | MIL-C-17361/7 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF250 | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | L | MIL-C-17361/8 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A400 AND MQB - A400 | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | L | MIL-C-17361/9 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - L400 QF, QH | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | L | MIL-C-17361/10 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LL400QS | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | L | MIL-C-17361/11 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF400 | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | L | MIL-C-17361/12 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A800 AND MQB - A800 | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | A L | MIL-C-17361/13(1) | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1600 AND MQB - A1600 | A | 5925 | SH | | 05-AUG-92 | | SH | | |
| | L | MIL-C-17361/14 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1601 AND MQB - A1601 | A | 5925 | SH | | 10-MAR-89 | | SH | | |
| | A L | MIL-C-17361/15A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1602 AND MQB - A1602 | A | 5925 | SH | | 11-SEP-92 | | SH | | |
| | Q | MIL-T-17370C | TUBE AND FLUE CLEANER, BOILER, INTERNAL, AIR MOTOR DRIVEN REVIEWER: CS .... | A | 4940 | SH | | 10-MAR-89 | | SH | 99 | |
| | D | MIL-C-17376E NOTICE 2 | CAPS AND FLANGES, COMPRESSED-GAS CYLINDER, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9207] USER: MC REVIEWER: MD | A | 8120 | 68 | | 20-JUL-92 | ME | YD1 | 68 | |
| | D | MIL-C-17376/1 NOTICE 1 | CAPS AND FLANGES COMPRESSED-GAS CYLINDER: CAPS [VALIDATION DATE: 9207] USER: MC REVIEWER: MD | A | 8120 | 68 | | 20-JUL-92 | ME | YD1 | 68 | |
| | D | MIL-C-17376/2 NOTICE 1 | CAPS AND FLANGES COMPRESSED-GAS CYLINDER: FLANGES, LOW PRESSURE [VALIDATION DATE: 9207] USER: CG REVIEWER: MD | A | 8120 | 68 | | 20-JUL-92 | ME | YD1 | 68 | |
| | D | MIL-C-17376/3 | CAP AND FLANGE, COMPRESSED GAS CYLINDER, FLANGE, HIGH PRESSURE [VALIDATION DATE: 8402] USER: MC YD1 REVIEWER: GS MD | A | 8120 | ME | | 14-SEP-73 | ME | SH | 68 | |
| | L | MIL-S-17377D | SEALING COMPOUND, BOILER-CASING ..... | A | 8030 | SH | | 06-SEP-88 | | SH | | |
| | L | DOD-T-17412C | TEST KIT, WATER, ENGINE COOLING SYSTEMS (METRIC) [VALIDATION DATE: 8501] REVIEWER: GS | A | 6630 | SH | | 20-SEP-78 | | SH | | |
| | L | MIL-M-17413A | MOTOR, DIRECT CURRENT, INTEGRAL H.P. NAVAL SHIPBOARD (NAVY) [VALIDATION DATE: 8104] USER: ME REVIEWER: AS GS DS | A | 6105 | SH | | 15-JUN-55 | | SH | | |
| | A | MIL-C-17415F | CLOTH, COATED, AND WEBBING, INFLATABLE BOAT AND MISCELLANEOUS USE USER: CE CG MC | A | 8305 | CT | | 31-MAY-89 | ME | SH | | CT |
| | Q | MIL-P-17416C | PACKING MATERIAL, METALLIC, FLEXIBLE (SYMBOL 1430) [VALIDATION DATE: 8907] REVIEWER: IS | A | 5330 | SH | | 24-JUL-89 | AR | SH | | |
| | LI | MIL-S-17422(6) NOTICE 1 | SHIP CONTROL CONSOLES AND COMBINATION EQUIPMENTS (NAVAL SHIPBOARD USE) REVIEWER: GS | A | 2030 | SH | | 21-MAR-91 | | SH | | |
| | L | MIL-H-17428B | HEATERS, FLUID, INDUSTRIAL (LUBRICATING OIL) (FOR NAVAL SHIPBOARD USE) .... | A | 4420 | SH | | 02-SEP-88 | | SH | | |

| Action | OPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L1 | | MIL-D-17432C(1) NOTICE 1 | DRIVE ASSEMBLY - ELECTROHYDRAULIC, AMMUNITION HOIST | A | 2030 | SH | | 15-AUG-91 | | SH | | |
| | L | | MIL-I-17433C | INHIBITOR, HYDROCHLORIC ACID DESCALING AND PICKLING SOLUTIONS REVIEWER: GS | A | 6850 | SH | | 04-JUN-86 | | SH | | |
| | | | MIL-C-17435C NOTICE 3 | CUSHIONING MATERIAL, FIBROUS GLASS (VALIDATION DATE: 8703) REVIEWER: DS | A | 8135 | AR | | 24-MAR-87 | AR | OS | 69 | |
| | L | | MIL-C-17435C(I1) | CUSHIONING MATERIAL, FIBROUS GLASS | A | 8135 | SA | | 01-APR-91 | | SA | | |
| | | | MIL-P-17440D | PAN, BAKING AND ROASTING (VALIDATION DATE: 8104) USER: OS MS REVIEWER: MC MD | A | 7330 | GL | | 13-MAR-69 | GL | SA | 99 | |
| | L | | MIL-T-17442B(1) | TENSIOMETER, DIAL INDICATING, HYDRAULIC, REMOTE READING AND MAINTENANCE KIT (MINESWEEPING) (VALIDATION DATE: 8501) USER: GL REVIEWER: GS | A | 6635 | SH | | 31-MAY-68 | | SH | | |
| | L | | MIL-P-17449(2) | POWDER, PROPELLANT, CORDITE N (VALIDATION DATE: 8106) | A | 1376 | OS | | 17-MAY-72 | | OS | | |
| D | | | MIL-B-17452E | BOILERS, STEAM AND HOT WATER, FIRETUBE, SCOTCH PACKAGED TYPE (320,001 TO 35,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: 84 CE MD | A | 4410 | YD1 | | 28-AUG-90 | ME | YD1 | 99 | |
| | | | MIL-P-17454B(1) | PUMP, CENTRIFUGAL, PORTABLE, SUBMERSIBLE (VALIDATION DATE: 8105) | A | 4320 | SH | | 03-JUN-60 | ME | SH | | |
| | L | | MIL-P-17454B(I2) | PUMP, CENTRIFUGAL, PORTABLE, SUBMERSIBLE (VALIDATION DATE: 8105) | A | 4320 | SH | | 14-NOV-66 | | SH | | |
| | L1 | | MIL-V-17462B(1) NOTICE 1 | VALVE, SAFETY: BOILER (SHIPBOARD USE) REVIEWER: CS | A | 4820 | SH | | 12-MAR-90 | | SH | | |
| | | | MIL-T-17479G(1) | TRAILER, PLATFORM, WAREHOUSE, WOOD OR METAL PLATFORM, 6000 POUND CAPACITY, PNEUMATIC TIRES, FIFTH WHEEL STEER (VALIDATION DATE: 8501) USER: AS OS REVIEWER: GS | A | 3920 | ME | | 05-JAN-81 | ME | SA | | |
| | L | | MIL-G-17489B(1) NOTICE 1 | GAGES, PRESSURE (AIR), BOILER (VALIDATION DATE: 9103) REVIEWER: GS | A | 6685 | SH | | 27-MAR-91 | | SH | | |
| | | | MIL-T-17491H | TRUCK, HAND, LIFT, PALLET, MANUAL - HYDRAULIC FOR SHIPBOARD USE (6,000 POUND CAPACITY) REVIEWER: GS OS SH | A | 3920 | SA | | 31-OCT-86 | | SA | | |
| | L | | MIL-V-17501F(1) | VALVES, CONTROL TYPE, MAGAZINE, AND HANGAR DECK SPRINKLER | A | 4810 | SH | | 05-NOV-90 | | SH | | |
| | L | | MIL-C-17504B(2) | COATING COMPOUND, ACRYLIC, CLEAR (VALIDATION DATE: 8303) USER: ME REVIEWER: MI OS | A | 8010 | AR | | 16-APR-64 | AR | | | |
| D | L | | MIL-H-17505E | HOSE AND HOSE ASSEMBLY, RUBBER, OIL AND GASOLINE, SUCTION AND DISCHARGE REVIEWER: CS SH | A | 4720 | YD1 | | 16-APR-90 | | YD1 | | |
| A | | | MIL-L-17507F(1) | LACE, ORNAMENTAL USER: 45 CG REVIEWER: 99 | A | 8315 | CT | | 03-SEP-85 | GL | MU | 11 | CT |
| | QL | | MIL-M-17508F | MOUNTS, RESILIENT: TYPES 6E100, 6E150, 7E450, 6E900, 6E2000, 5E3500, 6E100BB, 6E150BB, 7E450BB, AND 6E900BB REVIEWER: JS | A | 5340 | SH | | 12-DEC-90 | | SH | | |
| | L | | MIL-T-17523D(1) | TURBINE, STEAM, AUXILIARY (AND REDUCTION GEAR) MECHANICAL DRIVE | A | 2825 | SH | | 01-JUN-82 | | SH | | |
| | | | MIL-C-17536D | COFFEE BOILER, METAL (VALIDATION DATE: 8303) REVIEWER: MD MS | A | 7330 | GL | | 12-SEP-72 | GL | SA | 99 | |
| | L | | MIL-V-17547A | VALVES, CHECK, BRONZE | A | 4820 | SH | | 09-NOV-88 | | SH | | |
| | QL | | MIL-F-17548B(2) | FLAME ARRESTER, VENTILATION EXHAUST (NAVAL SHIPBOARD USE) (VALIDATION DATE: 8310) | A | 2040 | SH | | 23-OCT-78 | | SH | | |
| | L | | MIL-P-17549D | PLASTIC LAMINATES, FIBROUS GLASS REINFORCED, MARINE STRUCTURAL (VALIDATION DATE: 8907) REVIEWER: MR | A | 9330 | SH | | 25-JUL-89 | | SH | | |
| D | L | | MIL-P-17551F | PUMP UNIT, CENTRIFUGAL, SALT WATER, DIESEL-ENGINE-DRIVEN | A | 4320 | YD1 | | 08-OCT-91 | | YD1 | | |
| D | L | | MIL-P-17552F | PUMP UNITS, CENTRIFUGAL, WATER, HORIZONTAL: GENERAL SERVICE AND BOILER-FEED: ELECTRIC-MOTOR - OR STEAM-TURBINE-DRIVEN | A | 4320 | YD1 | | 25-NOV-91 | | YD1 | | |
| | L | | MIL-P-17553A | PACKING, PREFORMED, O RING, SYNTHETIC RUBBER (VALIDATION DATE: 8204) | A | 5330 | OS | | 22-JUN-76 | | OS | | |
| A | | | MIL-E-17555H(2) | ELECTRONIC AND ELECTRICAL EQUIPMENT, ACCESSORIES, AND PROVISIONED ITEMS (REPAIR PARTS): PACKAGING OF USER: MC REVIEWER: 99 AS CS EC ES GS ME MI OS SA SH | A | PACK | SH | | 02-NOV-92 | CR | SH | 69 | |
| | L1 | | MIL-M-17556(1) NOTICE 1 | MOTOR, DIRECT-CURRENT, FRACTIONAL HP (SHIPBOARD USE) USER: ME REVIEWER: GS MI | A | 6105 | SH | | 20-MAY-91 | | SH | | |
| | L | | MIL-C-17557E | COOLERS, FLUID, INDUSTRIAL, NAVAL SHIPBOARD (SAMPLE WATER COOLERS) | A | 4420 | SH | | 09-SEP-88 | | SH | | |
| D | L | | MIL-F-17559D | FILTERS, FLUID, PRESSURE, FEEDWATER | A | 4330 | YD1 | | 02-JAN-90 | | YD1 | | |
| AQ | | | MIL-I-17563C | IMPREGNANTS FOR CAST OR POWER METAL COMPONENTS USER: AS OS REVIEWER: GS MR | A | 6850 | SH | | 18-SEP-92 | EA | SH | | |
| A | | | MIL-C-17564 | CLOTH, HOLLAND (VALIDATION DATE: 8601) | A | 8305 | CT | | 20-MAY-53 | | MU | 99 | CT |
| A | | | MIL-C-17566E | CLOTH, BILLIARD USER: 45 REVIEWER: 82 | A | 8305 | CT | | 31-MAY-88 | | MU | 99 | CT |
| A | L | | MIL-E-17568C | EMBROIDERY MATERIALS, METALLIC AND SYNTHETIC METALLIC (VALIDATION DATE: 8601) USER: 45 CG | A | 8315 | CT | | 24-JAN-80 | | MU | | CT |
| D | L | | MIL-P-17574D | PUMP-ENGINE SYSTEM, CENTRIFUGAL, WATER-GASOLINE-FUEL OIL, SKID-BASE-MOUNTED | A | 4320 | YD1 | | 21-JUN-91 | | YD1 | | |
| | QL | | MIL-P-17578A NOTICE 1 | PACKING MATERIAL, PLASTIC (FOR DOGS FOR WATERTIGHT CLOSURES) (SYMBOL 1425) (VALIDATION DATE: 9103) REVIEWER: IS | A | 5340 | SH | | 27-MAR-91 | | SH | | |
| | L | | MIL-G-17586 | GAGE KIT, ELECTRICAL, FOR BARE AND RIFLING OF 20MM9 GROOVE GUN BARRELS (VALIDATION DATE: 8106) | A | 5280 | OS | | 02-JUL-53 | | OS | | |
| | QL | | MIL-C-17587B(2) | CIRCUIT BREAKER, LOW VOLTAGE, ELECTRIC POWER, AIR, OPEN FRAME, REMOVABLE CONSTRUCTION REVIEWER: ES | A | 5925 | SH | | 01-JUL-86 | | SH | | |
| | L | | MIL-C-17588E(4) | CIRCUIT BREAKERS (AUTOMATIC - ALB-1) & SWITCH, TOGGLE (CIRCUIT BREAKER, NON-AUTOMATIC - NLB-1) AIR, INSULATED HOUSING, 125 VOLTS & BELOW, AC & DC, (NAVAL SHIPBOARD USE) | A | 5925 | SH | | 05-JUL-88 | | SH | | |
| | L | | MIL-G-17594B NOTICE 1 | GROMMET, PLASTIC, UNICELLULAR, HIGH DENSITY (VALIDATION DATE: 8905) REVIEWER: 99 IS | A | 5325 | SH | | 09-MAY-89 | | SH | | |
| D | | | MIL-C-17596F | COMPRESSORS, RECIPROCATING OR ROTARY POWER DRIVEN (EMD) AIR, BASE MOUNTED, 10 HP TO 300 HP USER: ER REVIEWER: 84 CS | A | 4310 | YD1 | | 19-AUG-88 | ME | YD1 | 99 | |
| | L | | MIL-T-17600D(4) | TURBINE, STEAM, PROPULSION NAVAL SHIPBOARD | A | 2825 | SH | | 03-NOV-82 | | SH | | |
| | L | | MIL-C-17605C(1) | CHARCOAL, ACTIVATED, UNIMPREGNATED (VALIDATION DATE: 8903) REVIEWER: DS GS | A | 6810 | SH | | 22-MAR-89 | | SH | | |
| D | L | | MIL-P-17608D | PUMPS, ROTARY, POWER-DRIVEN, VISCOUS LIQUIDS | A | 4320 | YD1 | | 05-JUN-91 | | YD1 | | |
| D | | | MIL-U-17611G | UNDERSHIRT, EXTREME COLD WEATHER USER: CG YD1 REVIEWER: 11 45 | A | 8415 | CT | | 04-FEB-87 | GL | MU | 99 | CT |
| A | L | | MIL-C-17614F | CAP, GARRISON, MAN S USER: CG | A | 8405 | CT | | 14-AUG-87 | | MU | | CT |
| A | L | | MIL-S-17615E | STRAP, CHIN (NAVY AND COAST GUARD) (VALIDATION DATE: 8601) USER: 45 CG | A | 8405 | CT | | 18-JAN-80 | | MU | | CT |
| A | L | | MIL-S-17618H | SHIRT, MAN'S (POLYESTER/COTTON, TROPICAL, SHORT SLEEVE) | A | 8405 | CT | | 30-SEP-88 | | MU | | CT |
| A | L | | MIL-F-17619E(1) | FRAME, SERVICE CAP (MAN S) USER: CG | A | 8405 | CT | | 02-OCT-87 | | MU | | CT |
| A | L | | MIL-C-17620F | CROWN, SERVICE CAP (MAN'S) | A | 8405 | CT | | 28-MAR-90 | | MU | | CT |
| | L | | MIL-E-17624B | EXPANDER, TUBE, ROLLER, BOILER TUBE REVIEWER: GS | A | 3441 | SH | | 11-AUG-87 | | SH | | |
| | QL | | MIL-P-17639F(2) | PUMPS, CENTRIFUGAL, MISCELLANEOUS SERVICE NAVAL SHIPBOARD USE | A | 4330 | SH | | 17-JUN-87 | | SH | | |
| | L | | MIL-D-17650B | DISK, VALVE, RUBBER; INSERT TYPE REVIEWER: CS | A | 4820 | SH | | 02-DEC-88 | | SH | | |
| | | | MIL-L-17653B(4) | LIFE PRESERVERS, VEST, WORK TYPE, UNICELLULAR PLASTIC REVIEWER: CS | A | 4220 | SH | | 01-MAY-87 | ME | SH | | |
| D | | | MIL-H-17660C | HEATER, FLUID, DEAERATING (FOR WATER ONLY) 1,000 TO 1,600,000 POUNDS PER HOUR CAPACITY (VALIDATION DATE: 8612) REVIEWER: CE | A | 4420 | YD1 | | 17-DEC-86 | ME | YD1 | | |
| A | | | MIL-P-17662C | POLE, FOLDING COT INSECT BAR USER: MS REVIEWER: 85 CT MD | A | 7210 | CT | | 14-MAR-90 | GL | MC | 82 | CT |
| | L | | MIL-H-17666A | HOSE, METAL, CORRUGATED BRONZE, HIGH PRESSURE AIR SERVICE (VALIDATION DATE: 8106) REVIEWER: CS | A | 4720 | SH | | 14-NOV-66 | | SH | | |
| D | | | MIL-P-17667D | PAPER, WRAPPING, CHEMICALLY NEUTRAL (NON CORROSIVE) (VALIDATION DATE: 8601) USER: MC OS SH YD1 REVIEWER: 99 AR AS AV CR DS EA GS | A | 8135 | GL | | 10-SEP-80 | GL | SA | 69 | |
| | | | MIL-C-17671F | CANISTER, OXYGEN BREATHING APPARATUS, FOR TYPE A-4 REVIEWER: 84 GS | A | 4240 | SH | | 11-MAY-89 | EA | SH | 99 | |
| | Q | | MIL-H-17672D(2) | HYDRAULIC FLUID, PETROLEUM, INHIBITED USER: AT ME REVIEWER: AS GS PS | A | 9150 | SH | | 16-MAR-87 | GL | SH | 68 | |
| | L | | MIL-P-17689 | PROPELLANT, DOUBLE BASE SHEET, TYPE N-5 (VALIDATION DATE: 8106) | A | 1340 | OS | | 30-JUL-53 | | OS | | |
| D | | | MIL-F-17690E | FILTER ASSEMBLY, FLUID USER: CG | A | 4330 | YD1 | | 29-JUL-91 | ME | YD1 | | |
| D | | | MIL-U-17691D | UNIT HEATER, AIR CIRCULATING, STEAM HOT WATER REVIEWER: CS | A | 4520 | YD1 | | 23-MAY-88 | | YD1 | 99 | |
| A | L | | MIL-B-17693E(1) | BELTS, COATS, MAN'S: POLYESTER/WOOL USER: 45 | A | 8405 | CT | | 19-MAY-88 | | MC | | CT |
| | L | | MIL-C-17694H | CABLE AND CABLE ASSEMBLIES, SPECIAL PURPOSE, ELECTRICAL, MAGNETIC MINESWEEPING GENERAL SPECIFICATION FOR | A | 1075 | SH | | 19-OCT-90 | | SH | | |
| | L | | MIL-C-17694/1 | CABLE AND CABLE ASSEMBLIES, SPECIAL PURPOSE, ELECTRICAL MAGNETIC MINESWEEPING, QUAD CABLE AND QUAD CABLE ASSEMBLIES | A | 1075 | SH | | 19-OCT-90 | | SH | | |
| | L | | MIL-I-17695B NOTICE 1 | INSULATION TAPE, ELECTRICAL, FILLER TYPE, FLAMEPROOF, SYNTHETIC (VALIDATION DATE: 8810) REVIEWER: GS | A | 5970 | SH | | 28-OCT-88 | | SH | | |
| | L | | MIL-L-17699 | LEAD 2-ETHYL HEXOATE (VALIDATION DATE: 8106) | A | 6810 | OS | | 24-AUG-53 | | OS | | |
| | L | | MIL-L-17700 | LEAD SALICYLATE (VALIDATION DATE: 8507) REVIEWER: GS | A | 6810 | OS | | 17-SEP-53 | | OS | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-S-17709C NOTICE 1 | SLOTTING TOOL, COMMUTATOR, HAND: AND SLOTTER AND SCRAPER, COMMUTATOR, HAND (VALIDATION DATE: 9203) USER: CE SH SM | A | 5110 | GL | 27-MAR-92 | GL | | | | |
| L | MIL-C-17711B | COATINGS, CHROMATE, FOR ZINC ALLOY CASTINGS AND HOT DIP GALVANIZED SURFACES (VALIDATION DATE: 8204) REVIEWER: EA MI | A | NFFP | OS | 14-MAY-74 | | OS | | | |
| D L | MIL-G-17713D | GAGES, LIQUID LEVEL MEASURING, TANK REVIEWER: GS | A | 6680 | YD1 | 26-JUL-88 | | YD1 | | | |
| D L | MIL-S-17717E | SAW, RADIAL OVERARM, WOODWORKING TRAILER MOUNTED REVIEWER: 84 | A | 3220 | YD1 | 30-JUL-87 | | YD1 | | | |
| D | MIL-R-17729C | RESPIRATOR OUTFIT, SUPPLIED AIR, TWO MAN (VALIDATION DATE: 8504) USER: CG SH REVIEWER: GS MD | A | 4240 | EA | 28-NOV-72 | EA | YD1 | 99 | | |
| L | MIL-V-17737F(1) NOTICE 1 | VALVES, BOILER BLOW, SHIPBOARD USE (VALIDATION DATE: 9002) REVIEWER: CS | A | 4820 | SH | 16-FEB-90 | | SH | | | |
| | MIL-S-17743E | STRETCHERS, STEEL STRAPPING HAND (VALIDATION DATE: 8104) USER: AR MC SH REVIEWER: SM | A | 3540 | GL | 16-FEB-73 | GL | SA | 99 | | |
| L | MIL-B-17748C(1) NOTICE 1 | BOILERS, HEATING, LOW PRESSURE, HOT WATER NAVAL SHIPBOARD (VALIDATION DATE: 8905) USER: ME REVIEWER: CS | A | 4520 | SH | 09-MAY-89 | | SH | | | |
| D L | MIL-P-17749E | PUMPING UNITS, CONDENSATE, RETURN; AND BOILER FEED PACKAGE USER: CG REVIEWER: CS | A | 4520 | YD1 | 22-MAR-93 | | YD1 | | | |
| | MIL-B-17757E(2) NOTICE 1 | BOXES, SHIPPING, FIBERBOARD (MODULAR SIZES) (VALIDATION DATE: 8904) USER: MC REVIEWER: CT MD | A | 8115 | GL | 22-APR-89 | GL | SA | 69 | | |
| | MIL-T-17760G | TRUCKS, PALLET, POWERED, ELECTRIC, NON-TIERING, INDUSTRIAL, WALKIE, WALKIE-RIDER, HAND GUIDED USER: 84 AS AT OS REVIEWER: CS | A | 3930 | ME | 03-SEP-85 | ME | SA | 99 | | |
| L | MIL-D-17762B(2) | DAVIT & WINCHES, BOAT POWER OPERATED (VALIDATION DATE: 8104) | A | 2030 | SH | 03-JUL-67 | | SH | | | |
| D L | MIL-R-17772C NOTICE 1 | RADIATOR, HEATING, BASEBOARD PANEL, STEAM AND HOT WATER (VALIDATION DATE: 9102) REVIEWER: CS | A | 4520 | YD1 | 15-FEB-91 | | YD1 | | | |
| QL | DOD-S-17773B(2) | SWITCHES, BUS TRANSFER, ELECTRIC POWER, AUTOMATIC AND MANUAL (METRIC) | A | 6110 | SH | 30-OCT-89 | | SH | | | |
| A L | MIL-C-17774A(1) NOTICE 1 | COVER, BAYONET SCABBARD, COTTON DUCK, WHITE (WITH LEATHER TIP) (VALIDATION DATE: 8706) USER: 45 | A | 8465 | CT | 25-JUN-87 | | MC | | | CT |
| D | MIL-E-17777D(1) | ELECTRODES, CUTTING AND WELDING, CARBON-GRAPHITE, UNCOATED AND COPPER-COATED USER: AT REVIEWER: 99 GS MC YD1 | A | 3439 | SH | 24-JUL-87 | | SH | 11 | | |
| L | MIL-M-17779D | MOCK-UPS FOR SHIPBOARD COMMAND & CONTROL, COMBAT SYSTEMS, & COMMUNICATIONS STATIONS & SPACES | A | 6910 | SH | 14-NOV-83 | | SH | | | |
| L | MIL-S-17803E | STEERING SYSTEM, ELECTROHYDRAULIC, MARINE | A | 2030 | SH | 22-MAR-91 | | SH | | | |
| L | MIL-E-17807C | ELEVATOR, WEAPON AND CARGO, ELECTROMECHANICAL (SHIPBOARD) | A | 3960 | SH | 12-FEB-91 | | SH | | | |
| D | MIL-E-17813F | EXPANSION JOINTS, PIPE, METALLIC BELLOWS USER: CE REVIEWER: 82 CS SH | A | 4730 | YD1 | 01-JUN-92 | ME | YD1 | 99 | | |
| D | MIL-E-17814F | EXPANSION JOINTS, PIPE, SLIP-TYPE, PACKED USER: CE REVIEWER: 82 CS | A | 4730 | YD1 | 01-JUN-92 | ME | YD1 | 99 | | |
| L | MIL-P-17840C | PUMP, CENTRIFUGAL, CLOSE COUPLED, NAVY STANDARD FOR USE ON NAVAL SHIPS | A | 4320 | SH | 10-MAR-86 | | SH | | | |
| A L | MIL-C-17841B(2) NOTICE 1 | CARRIER, CLUB, POLICEMAN S, COTTON WEBBING, WHITE (VALIDATION DATE: 8710) USER: 45 | A | 8465 | CT | 23-OCT-87 | | MC | | | CT |
| L | MIL-P-17842 | POWER PLANT VIBRATION ISOLATOR, DESIGN AND INSTALLATION REQUIREMENTS (VALIDATION DATE: 8410) | A | 28GP | AS | 01-JUL-54 | | AS | | | |
| L | MIL-D-17847E | DEHYDRATOR, DESICCANT, SEMI-AUTOMATIC, HIGH PRESSURE AIR | A | 4460 | SH | 29-SEP-87 | | SH | | | |
| QL | MIL-V-17848C | VALVE, PRESSURE REDUCING, STEAM SERVICE (VALIDATION DATE: 8411) REVIEWER: CS | A | 4820 | SH | 27-JUL-79 | | SH | | | |
| L | MIL-S-17849E | STRAINERS, SEDIMENT, PIPELINE, DUPLEX (WITH AND WITHOUT MAGNET) | A | 4730 | SH | 19-MAR-92 | | SH | | | |
| L | MIL-C-17850A NOTICE 1 | COMPASS, MAGNETIC, CARD, POCKET, TYPE MC-1 (VALIDATION DATE: 8904) REVIEWER: AV | A | 6605 | GL | 22-APR-89 | GL | | | | |
| L | MIL-R-17852C | REDUCER, OXYGEN PRESSURE REVIEWER: EA | A | 1660 | AS | 12-FEB-82 | | AS | | | |
| L | MIL-C-17858C(2) | COMPASS SYSTEM, MAGNETIC SLAVED, DIRECTIONAL GYRO STABILIZED, 4 DEG/HR TYPE MA-1 (VALIDATION DATE: 8303) | A | 6605 | AS | 05-AUG-76 | | AS | | | |
| L | MIL-G-17859C(1) | GEAR ASSEMBLY, PROPULSION (NAVAL SHIPBOARD USE) (VALIDATION DATE: 8107) | A | 3010 | SH | 15-APR-68 | | SH | | | |
| D | MIL-P-17861F | PUMP UNIT, CENTRIFUGAL: PORTABLE, SELF-PRIMING, ENGINE-DRIVEN (DEWATERING; CONTRACTOR AND TRASH TYPE) USER: CE MC ME REVIEWER: CS | A | 4320 | YD1 | 30-SEP-91 | | YD1 | 99 | | |
| A | MIL-P-17863C(1) NOTICE 1 | POCKET, AMMUNITION MAGAZINE: MILITARY POLICE (VALIDATION DATE: 8710) | A | 8465 | CT | 23-OCT-87 | | MC | | | CT |
| A | MIL-C-17864C NOTICE 1 | CARRIER, PISTOL HOLSTER, COTTON, DUCK, WHITE (MP) (VALIDATION DATE: 8710) | A | 8465 | CT | 23-OCT-87 | GL | MC | | | CT |
| QL | MIL-P-17869A(5) | PUMPS AND MOTORS, POWER, OIL HYDRAULIC (NAVAL SHIPBOARD USE) | A | 4320 | SH | 08-JUL-85 | | SH | | | |
| L | MIL-F-17874B(1) | FUEL SYSTEMS, AIRCRAFT, INSTALLATION AND TEST OF REVIEWER: AV GS MI | A | 2915 | AS | 12-AUG-85 | | AS | | | |
| QL | MIL-P-17881D | PUMP, CENTRIFUGAL, BOILER FEED, (MULTI STAGE) (VALIDATION DATE: 8105) | A | 4320 | SH | 31-OCT-72 | | SH | | | |
| AQ | MIL-R-17882E | REPAIR KITS, METALLIC PIPE AND GENERAL PURPOSE, DAMAGE CONTROL REVIEWER: CS MD | A | 4730 | SH | 06-JAN-93 | ME | SH | | | |
| | MIL-E-17884B | EARPHONE (LOW IMPEDANCE) (VALIDATION DATE: 8104) USER: AS MC REVIEWER: ES | A | 5965 | EC | 27-SEP-66 | CR | EC | | | |
| | MIL-E-17884/1 | EARPHONE (LOW IMPEDANCE) TYPE MT-49016A (VALIDATION DATE: 8104) USER: 14 19 REVIEWER: 17 85 ES | A | 5965 | EC | 27-SEP-66 | CR | EC | 11 | | |
| | MIL-E-17884/2 | EARPHONE (LOW IMPEDANCE) TYPE MT-49505A (VALIDATION DATE: 8104) REVIEWER: ES | A | 5965 | EC | 27-SEP-66 | CR | EC | 11 | | |
| LI | MIL-B-17896C NOTICE 1 | BAROMETER, ANEROID REVIEWER: GS | A | 6685 | SH | 07-JUN-91 | | SH | | | |
| QL | MIL-B-17901B(3) | BEARING COMPONENTS, BONDED SYNTHETIC RUBBER, WATER LUBRICATED (VALIDATION DATE: 9012) REVIEWER: CS | A | 3130 | SH | 12-DEC-90 | | SH | | | |
| L | MIL-H-17902F(1) | HOSE, END FITTINGS AND HOSE ASSEMBLIES, SYNTHETIC RUBBER, AIRCRAFT FUELS REVIEWER: CS | A | 4720 | SH | 12-DEC-90 | | SH | | | |
| L | MIL-S-17903D | STEERING CONTROL SYSTEMS, NAVAL SHIPBOARD USE | A | 2030 | SH | 14-NOV-91 | | SH | | | |
| A L | MIL-B-17910D | BUCKLE, BRASS: FOR BELT, COAT, MAN'S | A | 8315 | CT | 02-JAN-90 | | MC | | | CT |
| L | MIL-S-17917A(1) | SANDWICH CONSTRUCTION, ALUMINUM ALLOY FACINGS, BALSA WOOD CORE (VALIDATION DATE: 8407) REVIEWER: MI | A | 5680 | AS | 31-AUG-71 | | AS | | | |
| L | MIL-S-17923B(2) NOTICE 1 | SQUIB, MARK 1 MODS (VALIDATION DATE: 8006) | A | 1340 | OS | 17-MAY-73 | | OS | | | |
| | MIL-G-17927C NOTICE 1 | GASKETS, GLASS-METALLIC COVER, SILICON CORE (VALIDATION DATE: 9103) REVIEWER: IS | A | 5330 | SH | 27-MAR-91 | MR | SH | | | |
| | MIL-B-17931E(1) | BEARINGS, BALL, ANNULAR, FOR QUIET OPERATION USER: AT REVIEWER: 84 IS | A | 3110 | SH | 03-JUL-91 | AV | SH | 99 | | |
| L | MIL-C-17944A | CAPSTANS, ELECTRIC (FOR SHIPBOARD USE) | A | 3950 | SH | 27-JAN-92 | | SH | | | |
| LI | MIL-P-17945A NOTICE 1 | PUMPS, CENTRIFUGAL, PERIPHERAL TYPE, MISCELLANEOUS NAVAL SHIPBOARD USE | A | 4320 | SH | 01-APR-91 | | SH | | | |
| D | MIL-L-17948F | LOCKER, CLOTHING, STEEL, TWO DOOR USER: 84 GL SA | A | 7125 | YD1 | 28-JUN-91 | | YD1 | 99 | | |
| A L | MIL-D-17951E(2) | DECK COVERING, LIGHTWEIGHT, NONSLIP, ABRASIVE PARTICLE COATED FABRIC, FILM, OR COMPOSITE, AND SEALING COMPOUND | A | 7220 | SH | 17-SEP-92 | | SH | | | |
| L | MIL-P-17959(1) | POWDER, PROPELLANT, BALLISTICS OF, FOR 3 INCH/50 CALIBER GUN (VALIDATION DATE: 8106) | A | 1376 | OS | 23-AUG-54 | | OS | | | |
| | MIL-S-17980D NOTICE 1 | SEA MARKER PACKET, INFLATABLE SURVIVAL EQUIPMENT (VALIDATION DATE: 8706) USER: MC SH REVIEWER: 11 AV GS MD | A | 6850 | AS | 23-JUN-87 | AR | AS | 68 | | |
| | MIL-D-17984A(1) | DATA PRESENTATION REQUIREMENTS, INSTALLED PERFORMANCE AND AIR INDUCTION SYSTEMS (ASG) (VALIDATION DATE: 8304) REVIEWER: 99 AV | A | 2840 | AS | 03-JUN-59 | AR | AS | | | |
| A L | MIL-I-17988C | INSIGNIA, CAP AND HAT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8601) USER: CG | A | 8455 | CT | 20-NOV-79 | | MU | | | CT |
| A L | MIL-I-17988/1C | INSIGNIA; CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER | A | 8455 | CT | 25-JUN-90 | | MU | | | CT |
| A L | MIL-I-17988/2C | INSIGNIA, CAP AND HAT WARRANT OFFICERS USER: CG | A | 8455 | CT | 25-JUN-90 | | MU | | | CT |
| A L | MIL-I-17988/3E | INSIGNIA, CAP AND HAT CHIEF PETTY OFFICER | A | 8455 | CT | 25-JUN-90 | | MU | | | CT |
| A L | MIL-I-17988/4E | INSIGNIA; CAP AND HAT ENLISTED PERSONNEL WORK CAP | A | 8455 | CT | 25-JUN-90 | | MU | | | CT |
| A L | MIL-I-17988/5C | INSIGNIA; CAP AND HAT ENLISTED PERSONNEL DRESS HAT | A | 8455 | CT | 25-JUN-90 | | MU | | | CT |
| A L | MIL-I-17988/6C | INSIGNIA, CAP AND HAT OFFICER CANDIDATES USER: CG | A | 8455 | CT | 25-JUN-90 | | MU | | | CT |
| A L | MIL-I-17988/7B | INSIGNIA; CAP AND HAT NAVAL ACADEMY MIDSHIPMEN-OFFICER CANDIDATES USER: CG | A | 8455 | CT | 25-JUN-90 | | MU | | | CT |
| A L | MIL-I-17988/8C | INSIGNIA; CAP AND HAT U.S. NAVY BAND/NAVAL ACADEMY BAND | A | 8455 | CT | 25-JUN-90 | | MU | | | CT |
| A L | MIL-I-17988/9C | INSIGNIA; CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER (U.S. COAST GUARD) USER: CG | A | 8455 | CT | 25-JUN-90 | | MU | | | CT |

| Action | OPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | | MIL-I-17988/11D | INSIGNIA, CAP AND HAT CHIEF PETTY OFFICERS (U.S. COAST GUARD) USER: CG .... | A | 8455 | CT | | 25-JUN-90 | | MU | | CT |
| A | L | | MIL-I-17988/12B | INSIGNIA; CAP AND HAT CADET (U.S. COAST GUARD) USER: CG ..... | A | 8455 | CT | | 25-JUN-90 | | MU | | CT |
| A | L | | MIL-I-17988/13F | INSIGNIA, CAP AND HAT ENLISTED PERSONNEL (COAST GUARD) USER: CG ..... | A | 8455 | CT | | 25-JUN-90 | | MU | | CT |
| A | L | | MIL-I-17988/14A | INSIGNIA, CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER (OPTIONAL) | A | 8455 | CT | | 25-JUN-90 | | MU | | CT |
| | L | | MIL-M-17999C | METAL, EXPANDED, ALUMINUM [VALIDATION DATE: 8908] USER: AT ME REVIEWER: EA IS | A | 9535 | MR | | 11-AUG-89 | MR | | | |
| D | | | MIL-A-18001K | ANODES, SACRIFICIAL ZINC ALLOY USER: ME OS REVIEWER: AT CE IS YD1 ..... | A | 5340 | SH | | 16-DEC-91 | AR | SH | 99 | |
| | | | MIL-M-18012B(3) | MARKINGS FOR AIRCREW STATION DISPLAYS DESIGN AND CONFIGURATION OF USER: EC REVIEWER: MI | A | 1500 | AS | | 15-MAR-89 | AV | AS | 11 | |
| | L | | MIL-G-18014B(1) NOTICE 1 | GRATINGS, METAL, BARTYPE FLOORING, NAVAL SHIPBOARD [VALIDATION DATE: 9104] USER: ME | A | 5670 | SH | | 04-APR-91 | | SH | | |
| | L | | MIL-G-18015A(3) | GRATING, METAL, OTHER THAN BAR TYPE (SHIPBOARD USE) REVIEWER: 99 ..... | A | 5670 | SH | | 03-JAN-83 | | SH | | |
| | L | | MIL-C-18021B(1) | CONVERTER, SPEED, UNDERWATER LOG (INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 8104] | A | 6605 | SH | | 31-AUG-62 | | SH | | |
| | L | | MIL-V-18030E | VALVES, CONTROL, AIR-DIAPHRAGM-OPERATED (COMPLETE WITH INSTRUMENTATION) REVIEWER: SS | A | 4820 | SH | | 24-AUG-90 | | SH | | |
| | L | | MIL-U-18033F(3) | UNDERWATER LOG EQUIPMENT, ELECTROMAGNETIC TYPE [VALIDATION DATE: 8104] .... | A | 6320 | SH | | 28-JUL-67 | | SH | | |
| | | | MIL-L-18045F(1) | LIFE PRESERVERS, VEST,INHERENTLY BUOYANT REVIEWER: CS ..... | A | 4220 | SH | | 30-MAR-88 | MD | SH | 99 | |
| | QL | | MIL-L-18052B(1) NOTICE 1 | LAMP, MERCURY XENON VAPOR, SEARCHLIGHT [VALIDATION DATE: 9012] REVIEWER: CS | A | 6240 | SH | | 18-DEC-90 | | SH | | |
| | L | | MIL-C-18053A | CONTROL AMPLIFIER, ALTITUDE (P-1 AUTOMATIC PILOT RADAR SET, AN/APN-22) [VALIDATION DATE: 8107] | A | 6615 | AS | | 15-JUL-58 | | AS | | |
| D | | | MIL-M-18058G | MACHINERY, METAL AND WOODWORKING PACKAGING OF USER: OS REVIEWER: 84 IP ME SH YD1 | A | PACK | AL | | 02-APR-90 | AL | SH | 99 | |
| D | | | MIL-P-18066C NOTICE 1 | PLYWOOD, SHIP AND BOAT CONSTRUCTION [VALIDATION DATE: 9012] USER: MC MR YD1 REVIEWER: 69 CS | A | 5530 | SH | | 27-DEC-90 | ME | SH | 99 | |
| D | | | MIL-D-18072D | DRILLING MACHINE, UPRIGHT, SENSITIVE, BENCH TYPE, SINGLE SPINDLE, 5/16 INCH AND UNDER, HAND FEED [VALIDATION DATE: 8708] USER: MC YD1 REVIEWER: 84 CS | A | 3413 | IP | | 19-AUG-87 | AL | SH | 99 | |
| | L | | MIL-P-18080A(2) | PLASTIC SHEETS, VINYL, FLEXIBLE, TRANSPARENT, OPTICAL QUALITY USER: ME REVIEWER: GS MR | A | 9330 | SH | | 07-APR-89 | | SH | | |
| | L | | MIL-C-18087A | CLUTCHES FOR PROPULSION UNITS AND AUXILIARY MACHINERY, NAVAL SHIPBOARD .... | A | 3010 | SH | | 15-AUG-91 | | SH | | |
| | L | | MIL-C-18106F | COMPASS, GYRO, VEHICLE [VALIDATION DATE: 8104] ..... | A | 6605 | SH | | 11-AUG-67 | | SH | | |
| | QL | | MIL-V-18110F | VALVES, GATE TYPE, STEEL (SIZES 2-1/2 INCHES TO 16 INCHES) ..... | A | 4820 | SH | | 19-FEB-91 | | SH | | |
| | L | | MIL-P-18111A(1) NOTICE 1 | PUMP, ROTARY, HAND DRIVEN; AND MOTOR, HYDRAULIC-REMOTE VALVE OPERATION NAVAL SHIPBOARD USE [VALIDATION DATE: 9102] | A | 4320 | SH | | 19-FEB-91 | | SH | | |
| D | | | MIL-F-18113E | FEEDERS, BOILER WATER TREATMENT, BY-PASS AND COMPOUND RECEIVER TYPES REVIEWER: 84 | A | 4410 | YD1 | | 11-MAY-92 | | YD1 | 99 | |
| D | | | MIL-R-18115D | REGULATORS, BOILER-FEED WATER, AUTOMATIC USER: CG REVIEWER: CE ..... | A | 4410 | YD1 | | 28-OCT-88 | | YD1 | 99 | |
| D | | | MIL-T-18134C(1) | TORCHES, WELDING, HAND, OXYACETYLENE, LIGHT DUTY USER: CG MC OS YD1 REVIEWER: 84 GS | A | 3433 | IP | | 02-OCT-91 | AL | | 99 | IP |
| | L | | MIL-P-18140(4) | PUMP, ROTARY, FUEL OIL TRANSFER, POWER DRIVEN [VALIDATION DATE: 8310] ..... | A | 4320 | SH | | 19-OCT-78 | | SH | | |
| D | | | MIL-S-18141J | SWEEPER, ROTARY, TOWED REVIEWER: 84 ME ..... | A | 3825 | YD1 | | 26-SEP-91 | | YD1 | 99 | |
| | | | MIL-W-18142C(1) | WOOD PRESERVATIVE SOLUTIONS, OIL-SOLUBLE, SHIP AND BOAT USE REVIEWER: 20 84 AR | A | 8030 | SH | | 05-MAR-91 | | SH | 99 | |
| | QL | | MIL-P-18144A | PUMPS, CENTRIFUGAL, CARGO OIL SERVICE, NAVAL SHIPBOARD USE ..... | A | 4320 | SH | | 25-AUG-86 | | SH | | |
| | L | | MIL-B-18147C(2) | BOATS AND CRAFT; PREPARATION FOR DELIVERY OF ..... | A | 1990 | SH | | 30-OCT-91 | | SH | | |
| | Q | | MIL-P-18148C(2) NOTICE 1 | PLUG, ELECTRIC, AIRCRAFT STORAGE BATTERY [VALIDATION DATE: 8709] REVIEWER: 11 99 ES MI | A | 5935 | AS | | 08-SEP-87 | AV | AS | 85 | |
| D | L | | MIL-M-18158E | HOSE DUCTING, LOW PRESSURE, NAVAL SHIPBOARD PORTABLE, VENTILATING SET USE REVIEWER: AR YD1 | A | 4720 | SH | | 30-NOV-90 | | SH | | |
| | L | | MIL-M-18160C(1) NOTICE 1 | HOSE ASSEMBLIES, CORRUGATED STEEL, 200 LB/IN2 AND 425 DEG. F MAXIMUM STEAM SERVICE RATING [VALIDATION DATE: 9104] USER: ME REVIEWER: CS | A | 4720 | SH | | 01-APR-91 | | SH | | |
| | L | | MIL-D-18163A(3) | DRY&CLEANING UNIT ASSEMBLY, FULLY AUTOMATIC, SYNTHETIC SOLVENT (PERCHLORETHYLENE) TYPE, (25-35 POUNDS CAPACITY) SHIPBOARD USE [VALIDATION DATE: 8501] REVIEWER: GS | A | 3510 | SH | | 17-JUN-64 | | SH | | |
| | L | | MIL-C-18164A(1) NOTICE 1 | COMPOSITION D-2 REVIEWER: GS ..... | A | 1376 | OS | | 23-JUL-86 | | OS | | |
| D | | | MIL-F-18180D SUPPL 1A1 | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, GENERAL SPECIFICATION FOR USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/1A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, WELDING NECK FLANGES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-APR-81 | ME | YD1 | | |
| D | | | MIL-F-18180/2A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, SOCKET WELDING FLANGES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-APR-81 | ME | YD1 | | |
| D | | | MIL-F-18180/3A | FLANGES AND FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500, AND 2500; SLIP-ON WELDING FLANGES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/4A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, LAPPED FLANGES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-APR-81 | ME | YD1 | | |
| D | | | MIL-F-18180/5A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500 THREADED FLANGES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-APR-81 | ME | YD1 | | |
| D | | | MIL-F-18180/6A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, BLIND FLANGES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-APR-81 | ME | YD1 | | |
| D | | | MIL-F-18180/7A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, 45 & 90 DEGREE, STRAIGHT & REDUCING SIZE ELBOWS USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/8A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, 90 DEG., STRAIGHT & REDUCING SIZES BASE ELBOWS USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/9A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, 90 DEGREE, STRAIGHT & REDUCING SIZE, SIDE OUTLET ELBOWS USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/10A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 4008 600, 9008 1500 & 2500, STRAIGHT & REDUCING SIZES TEES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/11A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500 STRAIGHT & REDUCING SIZE BASE TEES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/12A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, STRAIGHT & REDUCING SIZE, SIDE OUTLET TEES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/13A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, STRAIGHT & REDUCING SIZES CROSSES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/14A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, STRAIGHT & REDUCING SIZE, SIDE OUTLET CROSSES USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/15A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, 45 DEG., STRAIGHT & REDUCING SIZES LATERALS USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/16A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, CONCENTRIC REDUCERS USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/17A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, ECCENTRIC REDUCERS USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |
| D | | | MIL-F-18180/18A | FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, STRAIGHT & REDUCING SIZE, TRUE WYES (Y) USER: CG MC REVIEWER: CS | A | 4730 | YD1 | | 30-MAY-86 | ME | YD1 | | |

| Action | Oper. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-U-18182E | UNION, PIPE, FORGED STEEL, THREADED, WATER-OIL-GAS (2,000, 3,000 AND 6,000 LB/IN2) USER: CE REVIEWER: 82 CS | A | 4730 | YD1 | ME | 29-MAR-91 | YD1 | 99 | | |
| A L | | MIL-B-18184B | BELT, COAT, MAN S, WEBBING, COTTON, WHITE (VALIDATION DATE: 8710) USER: 45 | A | 8440 | CT | | 23-OCT-87 | MC | | | CT |
| A L | | MIL-C-18186D | CROWNS, SERVICE CAP | A | 8405 | CT | | 12-SEP-84 | MC | | | CT |
| L | | MIL-A-18199 | ATTENUATOR, CH 45/UP (VALIDATION DATE: 8106) REVIEWER: ES | A | 5910 | AS | | 15-SEP-54 | AS | | | |
| A | | MIL-M-18203C | MITTEN SHELLS (LEATHER | A | 8415 | CT | | 23-APR-82 | MU | | | CT |
| L | | MIL-T-18232B | TARGET, AERIAL, POWERED, DESIGN AND CONSTRUCTION OF GENERAL SPECIFICATION FOR (VALIDATION DATE: 8209) | A | 1550 | AS | | 22-MAR-68 | AS | | | |
| QL | | MIL-E-18239D | EARPHONE H-87B/U REVIEWER: 85 ES | A | 5965 | AS | | 17-DEC-82 | AS | | | |
| Q | | MIL-F-18240E | FASTENER ELEMENT, SELF-LOCKING, THREADED FASTENER, 250 DEG. F MAXIMUM USER: ME REVIEWER: 82 99 AR EA IS MI OS SH | A | 53GP | AS | | 01-DEC-89 | AV | AS | 11 | |
| D L | | MIL-W-18242B | WIRE ROPE AND WIRE ROPE ASSEMBLIES; SINGLE LEG-CORROSION RESISTING STEEL, MINESWEEPING USER: YD1 REVIEWER: IS | A | 1075 | SH | | 13-OCT-87 | | SH | | |
| L | | MIL-D-18243B<br>NOTICE 1 | DEMONSTRATION OF AIRBORNE TARGET AND MISSILE SYSTEMS GENERAL SPECIFICATION FOR (VALIDATION DATE: 9109) | A | 1420 | AS | | 25-SEP-91 | | AS | | |
| | | MIL-C-18244A | CONTROL AND STABILIZATION SYSTEMS, AUTOMATIC, PILOTED AIRCRAFT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8202) | A | MISC | AS | | 01-DEC-62 | AV | AS | | |
| QL | | MIL-C-18255E(1) | CALKING COMPOUND, SYNTHETIC RUBBER BASE, WOODEN DECK SEAM APPLICATION | A | 8030 | SH | | 20-DEC-89 | | SH | | |
| | | MIL-I-18259 | INSTALLATION OF WINDOW ANTI-ICING, DE-GREASING, AND WASHING SYSTEMS (GENERAL SPECIFICATION FOR) (VALIDATION DATE: 8304) | A | 1500 | AS | | 26-OCT-54 | AV | AS | | |
| | | MIL-F-18264D(1) | FINISHES, ORGANIC, WEAPONS SYSTEM, APPLICATION AND CONTROL OF USER: AT REVIEWER: 99 AR AV MI | A | 8010 | AS | | 23-APR-71 | MR | AS | 11 | |
| L1 | | MIL-R-18265A(2)<br>NOTICE 1 | RECEIVING SET, RADIO AN/ARR-41 (*) | A | 5821 | AS | | 17-DEC-90 | | AS | | |
| QL | | MIL-C-18266A<br>NOTICE 1 | CORD: P/O H-87B/U (VALIDATION DATE: 9110) | A | 5965 | AS | | 15-OCT-91 | | AS | | |
| | | MIL-L-18276C(1) | LIGHTING, AIRCRAFT INTERIOR, INSTALLATION OF (VALIDATION DATE: 8107) | A | 6220 | AS | | 25-APR-69 | AV | AS | | |
| L | | MIL-C-18277B(3) | COUPLER, ANTENNA CU-351/AR AND COUPLER, ANTENNA CU-509/AR (VALIDATION DATE: 8103) REVIEWER: 85 ES | A | 5985 | AS | | 15-MAY-64 | | AS | | |
| Q | | MIL-F-18280E(1)<br>SUPPL 1A1 | FITTINGS, FLARELESS TUBE, FLUID CONNECTION REVIEWER: MI | A | 4730 | AS | | 11-MAY-87 | AV | AS | 99 | |
| L | | MIL-I-18286A | INDICATOR GROUP, AN/APA-122 | A | 5895 | AS | | 14-AUG-67 | | AS | | |
| D L | | MIL-M-18294D | METER, FLUID QUANTITY VOLUMETRIC | A | 6680 | YD1 | | 16-NOV-87 | CE | YD1 | | |
| D | | MIL-C-18295E | CHAINS AND FITTINGS FOR FLEET MOORING REVIEWER: IS SH | A | 4010 | YD1 | | 14-APR-92 | ME | YD1 | | |
| A L | | MIL-D-18300H | DESIGN EXAMINATIONS, ENGINEERING AVIONIC SYSTEMS/EQUIPMENT GENERAL REQUIREMENTS FOR | A | 58GP | AS | | 23-FEB-93 | | AS | | |
| L | | MIL-I-18303B<br>NOTICE 1 | TEST PROCEDURES; PREPRODUCTION, ACCEPTANCE, AND LIFE FOR AIRCRAFT ELECTRONIC EQUIPMENT, FORMAT FOR (VALIDATION DATE: 9110) | A | MISC | AS | | 15-OCT-91 | | AS | | |
| | | MIL-N-18307G(2) | NOMENCLATURE + IDENTIFICATION FOR AERONAUTICAL SYSTEMS INCLUDING JOINT ELECTRONICS TYPE DESIGNATED SYSTEMS + ASSOCIATED SUPPORT SYSTEMS REVIEWER: OS | A | CMAN | AS | | 15-SEP-86 | | AS | | |
| L | | MIL-I-18309C(3) | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-19A, AN/ASQ-19B, AND AN/ASQ-107 (VALIDATION DATE: 8103) | A | 5895 | AS | | 28-SEP-67 | | AS | | |
| Q | | MIL-C-18312E(2)<br>SUPPL 1A1 | CAPACITOR, FIXED, METALLIZED (PAPER, PAPER PLASTIC OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES) GENERAL SPECIFICATIONS) (VALIDATION DATE: 8709) USER: 19 AS CG MC OS REVIEWER: 17 99 ES MI | A | 5910 | EC | ER | 29-SEP-87 | EC | 85 | | |
| I | | MIL-C-18312/2B(1) | CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), (INSULATED), STYLE CH09 USER: 19 AS CG MC OS REVIEWER: 17 99 AR ES | A | 5910 | EC | ER | 29-FEB-88 | EC | 85 | | |
| I | | MIL-C-18312/3B(2) | CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), STYLE CH12 USER: 19 AS CG MC OS REVIEWER: 11 17 AR ES | A | 5910 | EC | ER | 29-FEB-88 | EC | 85 | | |
| I | | MIL-C-18312/4B(2) | CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM), DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), STYLE CH53 USER: 19 AS CG MC OS REVIEWER: 17 AR ES | A | 5910 | EC | ER | 13-AUG-91 | EC | 85 | | |
| I | | MIL-C-18312/5B(2) | CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), STYLE CH54 USER: 19 AS CG MC OS REVIEWER: 17 AR ES | A | 5910 | EC | ER | 13-AUG-91 | EC | 85 | | |
| I | | MIL-C-18312/7B(2) | CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES) STYLE CH72 USER: 19 AS CG MC OS REVIEWER: 17 AR ES | A | 5910 | EC | ER | 13-AUG-91 | EC | 85 | | |
| D | | MIL-S-18313G<br>NOTICE 1 | SLINGS, CARGO, NET, NYLON WEBBING (VALIDATION DATE: 9102) USER: SH YD1 REVIEWER: IS MI OS | A | 3940 | SH | | 05-FEB-91 | ME | SH | 99 | |
| L | | MIL-P-18317 | PLATING, BLACK NICKEL (ELECTRODEPOSITED) ON BRASS, BRONZE, OR STEEL (VALIDATION DATE: 8204) REVIEWER: EA | A | MFFP | OS | | 22-DEC-54 | | OS | | |
| | | MIL-V-18318B(2) | VALVE, PRESSURE REGULATING, OXYGEN SYSTEM (VALIDATION DATE: 8406) | A | 4820 | AS | | 05-JAN-78 | AV | AS | 99 | |
| Q | | MIL-P-18324D(2) | PLASTIC MATERIAL, LAMINATED PHENOLIC, FOR BEARINGS (WATER OR GREASE LUBRICATION) (VALIDATION DATE: 8204) USER: AS ER MD ME OS REVIEWER: GS | A | 9330 | SH | | 14-JUN-68 | MR | SH | 11 | |
| | | MIL-H-18325B | HEATING AND VENTILATING SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8009) | A | 1660 | AS | | 04-MAY-59 | AV | AS | | |
| Q | | MIL-F-18327E(2)<br>SUPPL 1A1 | FILTER, HIGH PASS, LOW PASS, BAND PASS, BAND SUPPRESSION, AND DUAL FUNCTIONING, GENERAL SPECIFICATION FOR USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS | A | 5905 | EC | ER | 29-APR-88 | EC | 85 | | |
| | | MIL-F-18327/7B<br>NOTICE 1 | FILTER, BAND PASS, TYPES FR6PX22PB1 AND FR6PX22PC1 USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS | A | 5915 | 85 | ER | 27-FEB-87 | EC | 85 | | |
| I | | MIL-F-18327/8B<br>NOTICE 1 | FILTER, BAND PASS, TYPE FR6QX22AH1 (VALIDATION DATE: 8808) USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS | A | 5915 | EC | ER | 12-AUG-88 | EC | 85 | | |
| I | | MIL-F-18327/10B<br>NOTICE 1 | FILTER, LOW PASS, TYPE FR6QX11YY1 (VALIDATION DATE: 8808) USER: 19 ME MI REVIEWER: 11 17 AR AS ES MU OS | A | 5915 | EC | ER | 12-AUG-88 | EC | 85 | | |
| | | MIL-F-18327/11B<br>NOTICE 1 | FILTER, LOW PASS, TYPE FR6QX11FB1 (VALIDATION DATE: 8808) USER: 19 AT AV MC ME SH REVIEWER: 11 17 99 AR AS ES MI OS | A | 5915 | 85 | ER | 12-AUG-88 | EC | 85 | | |
| I | | MIL-F-18327/12B<br>NOTICE 1 | FILTER, LOW PASS, TYPE FR6RX11YY1 (VALIDATION DATE: 8808) USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS | A | 5915 | EC | ER | 12-AUG-88 | EC | 85 | | |
| | | MIL-F-18327/13B<br>NOTICE 1 | FILTER, BAND PASS, TYPE FR6QX22YY1 USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS | A | 5915 | 85 | ER | 12-AUG-88 | EC | 85 | | |
| I | | MIL-F-18327/15C<br>NOTICE 1 | FILTER, HIGH PASS, TYPE FR6QX33YY1 (VALIDATION DATE: 8808) REVIEWER: AS ... | A | 5915 | EC | ER | 12-AUG-88 | EC | 85 | | |
| I | | MIL-F-18327/16B<br>NOTICE 1 | FILTER, BAND PASS, TYPE FR6QX22YY2 (VALIDATION DATE: 8808) USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS | A | 5915 | EC | ER | 12-AUG-88 | EC | 85 | | |
| | | MIL-F-18327/17B<br>NOTICE 1 | FILTER, BAND PASS, TYPE FR4QX22YY1 USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS | A | 5915 | 85 | ER | 12-AUG-88 | EC | 85 | | |
| A | | MIL-F-18327/30B(2) | FILTERS, LOW PASS, TYPE FR6RX11YY1 USER: 19 MC ME REVIEWER: 11 17 99 AR AS ES MI OS | A | 5915 | EC | ER | 31-DEC-92 | EC | 85 | | |
| A | | MIL-F-18327/31B(1) | FILTERS, HIGH PASS, TYPE FR6RX33YY1 USER: 19 MC ME REVIEWER: 99 AR AS ES MI OS | A | 5915 | EC | ER | 31-DEC-92 | EC | 85 | | |
| A | | MIL-F-18327/46C(1) | FILTERS, BAND PASS, TELEMETRY, TYPE FR7RX22ZZ1 USER: 19 MC ME REVIEWER: 11 17 99 AR AS ES MI OS | A | 5915 | EC | ER | 31-DEC-92 | EC | 85 | | |
| L | | MIL-L-18331B | LEAD ALLOY PIG | A | 9650 | AS | | 20-FEB-90 | | AS | | |
| L | | MIL-C-18345A<br>NOTICE 1 | CORE MATERIAL, CELLULAR CELLULOSE ACETATE (VALIDATION DATE: 8809) REVIEWER: GS MR SH | A | 9330 | AR | | 13-SEP-88 | AR | | | |
| A L | | MIL-M-18351F | MATTRESS & MATTRESS TICKS, BERTH, SYNTHETIC CELLULAR RUBBER, NAVAL SHIPBOARD | A | 7210 | CT | | 22-APR-81 | | SH | | CT |

| Action | DPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-I-18369C NOTICE 1 | INFLATION EQUIPMENT, CARBON DIOXIDE FOR MULTIPLACE LIFE RAFTS [VALIDATION DATE: 9110] USER: MC REVIEWER: 22 84 CG ME SH | A | 4220 | AS | 24-OCT-91 | AV | AS | 99 | |
| | | | | MIL-M-18371E(2) | MIRROR, EMERGENCY SIGNALING, MARK 3 [VALIDATION DATE: 8507] USER: CG MC REVIEWER: 11 AV EA GS | A | 6350 | AS | 06-AUG-79 | ME | AS | 99 | |
| | | | | MIL-F-18372 | FLIGHT CONTROL SYSTEMS, DESIGN, INSTALLATION AND TEST OF, AIRCRAFT (GENERAL SPECIFICATION FOR) [VALIDATION DATE: 8209] REVIEWER: AV | A | 1500 | AS | 31-MAR-55 | | AS | | |
| | | | | MIL-I-18373A | INSTRUMENT AND NAVIGATION EQUIPMENT, AIRCRAFT, INSTALLATION OF [VALIDATION DATE: 8206] | A | 1500 | AS | 28-SEP-67 | AV | AS | | |
| Q | | | | MIL-W-18375B(1) | WIRE ROPE, FLEXIBLE, CORROSION-RESISTING, NONMAGNETIC, FOR AIRCRAFT CONTROL REVIEWER: IS | A | 4010 | 82 | 30-OCT-87 | AV | AS | 99 | |
| L | | | | MIL-E-18381D | BOILER, STEAM, HIGH PRESSURE, NAVAL SHIP PROPULSION [VALIDATION DATE: 8106] | A | 4410 | SH | 23-SEP-75 | | SH | | |
| A | | | | MIL-C-18387F(2) | CLOTH, TWILL, COTTON, FIRE RETARDANT TREATED USER: 45 REVIEWER: 85 99 ..... | A | 8305 | CT | 10-NOV-88 | GL | AS | 11 | CT |
| QL | | | | MIL-S-18396D(1) NOTICE 1 | SWITCHES, METER AND CONTROL, NAVAL SHIPBOARD REVIEWER: ES ..... | A | 5930 | SH | 15-MAY-87 | | SH | | |
| L | | | | MIL-T-18404(2) | TORPEDOES, ENVIRONMENTAL REQUIREMENTS, ..... | A | 1355 | OS | 25-JUL-83 | | OS | | |
| L | | | | MIL-F-18405(2) | FUSE, FIRECRACKER, 30-SECOND [VALIDATION DATE: 8706] ..... | A | 1375 | OS | 17-MAY-72 | | OS | | |
| L | | | | MIL-W-18418B | WAX, GASKET-SEALING [VALIDATION DATE: 8106] REVIEWER: GS ..... | A | 9160 | OS | 02-AUG-74 | | OS | | |
| L | | | | MIL-C-18419B(2) | COMPRESSORS, RECIPROCATING, MOTOR DRIVEN, NAVAL SHIPBOARD HIGH PRESSURE AIR SERVICE [VALIDATION DATE: 8402] USER: CS | A | 4310 | SH | 06-JAN-65 | | SH | | |
| A | | | | MIL-F-18421E NOTICE 2 | FOOD CONTAINER: VACUUM OR INSULATED, WITH INSERTS [VALIDATION DATE: 9302] REVIEWER: GS MD | A | 7330 | GL | 26-FEB-93 | GL | SA | | |
| D L | | | | MIL-V-18433C | VALVES, TEMPERATURE-REGULATING (THERMOSTATICALLY CONTROLLED) REVIEWER: CS . | A | 4820 | YD1 | 03-JAN-89 | | YD1 | | |
| D | | | | MIL-V-18436F | VALVES, CHECK, BRONZE, CAST IRON, AND STEEL BODY USER: MC REVIEWER: CS .... | A | 4820 | YD1 | 06-NOV-87 | ME | YD1 | | |
| L | | | | MIL-C-18438B(1) NOTICE 1 | CHARGERS, BATTERY, GENERATOR TYPE [VALIDATION DATE: 8910] REVIEWER: CS .... | A | 6130 | SH | 03-OCT-89 | | SH | | |
| L | | | | MIL-W-18445D | WINDOWS, NON-ICING, LAMINATED FLAT GLASS, ELECTRICALLY HEATED, WITH CONTROLS | A | 2090 | SH | 29-DEC-80 | | SH | | |
| D | | | | MIL-A-18455C NOTICE 1 | ARGON, TECHNICAL [VALIDATION DATE: 9106] USER: AS MC ME YD1 REVIEWER: GS .. | A | 6830 | SH | 07-JUN-91 | MI | SH | 68 | |
| QL | | | | MIL-G-18458B(4) | GREASE, WIRE ROPE-EXPOSED GEAR ..... | A | 9150 | SH | 28-JUL-87 | | SH | | |
| L | | | | MIL-S-18471G | SYSTEM, AIRCREW AUTOMATED ESCAPE, EJECTION SEAT TYPE, GENERAL SPECIFICATION FOR REVIEWER: AV | A | 1680 | AS | 08-JUN-83 | | AS | | |
| QL | | | | MIL-P-18472G | PUMPS, CENTRIFUGAL, CONDENSATE, FEED BOOSTER, WASTE HEAT BOILER, AND DISTILLING PLANT USER: CS | A | 4320 | SH | 24-APR-89 | | SH | | |
| L | | | | MIL-G-18473B | GENERATOR, MOTOR, AND AUXILIARY EQUIPMENT, DIRECT CURRENT, NAVAL SHIP PROPULSION [VALIDATION DATE: 8312] REVIEWER: GS | A | 6115 | SH | 24-NOV-78 | | SH | | |
| D | | | | MIL-C-18480B NOTICE 1 | COATING COMPOUND, BITUMINOUS, SOLVENT, COAL-TAR BASE [VALIDATION DATE: 8706] REVIEWER: CE SH | A | 8030 | YD1 | 15-JUN-87 | MR | YD1 | 99 | |
| L | | | | MIL-C-18487A | COMPOUND, GUN SLUSHING [VALIDATION DATE: 8204] ..... | A | 8030 | OS | 07-APR-72 | | OS | | |
| L | | | | MIL-C-18491A(1) NOTICE 1 | CURTAIN, FLAK PROTECTIVE [VALIDATION DATE: 9109] ..... | A | 1680 | AS | 25-SEP-91 | | AS | | |
| L | | | | MIL-T-18492A(1) | TANKS, CARTRIDGE, TANKS, POWDER, TANKS, ROCKET (ALUMINUM) ..... | A | 8140 | OS | 30-JUL-86 | | OS | | |
| L | | | | MIL-P-18493 | PACKING, PREFORMED, CARBON: AND, CARBON STOCK, PACKING REVIEWER: IS ..... | A | 5330 | SH | 03-OCT-89 | | SH | | |
| QL | | | | MIL-L-18494D | LIFE RAFT, INFLATABLE, LRU-14/A ..... | A | 4220 | AS | 18-DEC-86 | | AS | | |
| A L | | | | MIL-I-18496F | INSIGNIA, EMBROIDERED (WOMEN) REVIEWER: MC ..... | A | 8455 | CT | 21-NOV-89 | | MU | | CT |
| D | | | | MIL-V-18499E NOTICE 1 | VALVES, AIR VENTING, STEAM [VALIDATION DATE: 9102] USER: CE CG REVIEWER: CS | A | 4520 | YD1 | 15-FEB-91 | ME | YD1 | 99 | |
| L | | | | MIL-D-18503 | DETONATOR MK 22 MOD 0 [VALIDATION DATE: 8409] ..... | A | 1375 | AS | 25-APR-55 | | AS | | |
| L | | | | MIL-D-18504 | DETONATOR MK 27 MOD 0 [VALIDATION DATE: 8409] ..... | A | 1375 | AS | 25-APR-55 | | AS | | |
| L | | | | MIL-D-18506(2) NOTICE 1 | DETONATOR MK 45 MOD 0 ..... | A | 1375 | OS | 27-FEB-87 | | OS | | |
| | | | | MIL-P-18515C | PRIMER, PERCUSSION, MK 41 MOD 0 REVIEWER: 70 ..... | A | 1390 | OS | 13-NOV-91 | | OS | 99 | |
| D | | | | MIL-V-18524D | VALVE, RADIATOR, HEATING, AUTOMATIC THERMOSTATICALLY CONTROLLED (SELF CONTAINED) USER: MC REVIEWER: 84 CS | A | 4520 | YD1 | 19-OCT-84 | ME | YD1 | 99 | |
| QL | | | | MIL-P-18526A(1) | PUMP, POSITIVE DISPLACEMENT, MAIN/PORT USE, MAIN BOILER FUEL SERVICE, NAVAL SHIPBOARD USE | A | 4320 | SH | 29-JUN-87 | | SH | | |
| | | | | MIL-S-18538 NOTICE 2 | SIGNAL MINIATURE PRACTICE BOMB, MK 4 MOD 3 AND MOD 4 [VALIDATION DATE: 8004] | A | 1370 | AS | 05-MAY-55 | | AS | 99 | |
| L | | | | MIL-B-18544B | BOOSTER CANS (FOR BOOSTERS MARK 8 AND MARK 12) ..... | A | 1350 | OS | 15-MAY-85 | | OS | | |
| Q | | | | MIL-R-18546D(7) | RESISTORS, FIXED, WIREWOUND (POWER TYPE, CHASSIS MOUNTED) GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 11 17 80 AR ES MI | A | 5905 | EC | 30-OCT-87 | ER | EC | 85 | |
| | | | | MIL-R-18546/1F | RESISTOR, FIXED, WIRE WOUND (POWER TYPE, CHASSIS MOUNTED), STYLES RE60, RE65, RE70, AND RE75 (INACTIVE, USE MIL-R-39009/1 AND 39009/2) [VALIDATION DATE: 8304] USER: 19 AS MC OS REVIEWER: 17 99 ES MI | A | 5905 | EC | 22-APR-70 | ER | EC | 85 | |
| | | | | MIL-R-18546/2B | RESISTOR, FIXED, WIREWOUND (POWER TYPE, CHASSIS MOUNTED), STYLES RE77 AND RE80 [VALIDATION DATE: 8404] USER: 14 19 MC REVIEWER: 11 17 99 ES MI | A | 5905 | EC | 27-APR-66 | ER | EC | 85 | |
| L | | | | MIL-P-18547A | PUMP, ROTARY, POWER DRIVEN, NAVAL SHIPBOARD MAIN LUBRICATING OIL SERVICE [VALIDATION DATE: 8106] | A | 4320 | SH | 28-JUN-63 | | SH | | |
| D | | | | MIL-H-18551C NOTICE 1 | HEATERS, CONVECTION, STEAM OR HOT WATER [VALIDATION DATE: 9102] REVIEWER: CS | A | 4520 | YD1 | 15-FEB-91 | ME | YD1 | 99 | |
| L | | | | MIL-B-18558B | BEARING, PROPULSION LINE SHAFT, OIL DISC LUBRICATED ..... | A | 2010 | SH | 24-FEB-88 | | SH | | |
| L | | | | MIL-S-18570C NOTICE 1 | SIGNAL, SMOKE AND ILLUMINATION, AIRCRAFT MARK 6 MOD 3 [VALIDATION DATE: 9109] | A | 1370 | AS | 25-SEP-91 | | AS | | |
| L | | | | MIL-D-18576A | DUMMY, LOAD, ELECTRICAL, NAVY TYPE 14ACH [VALIDATION DATE: 8003] REVIEWER: ES | A | 5985 | EC | 25-AUG-61 | | EC | | |
| L | | | | MIL-P-18601(1) | PRIMING MIXTURE, WET MIX, FOR SMALL ARMS (F. A. NO. 70 AND F. A. NO. 70A .. | A | 1375 | OS | 16-JAN-87 | | OS | | |
| L | | | | MIL-F-18602B | FANS, VANEAXIAL, FORCED DRAFT, STEAM TURBINE DRIVEN, NAVAL SHIPBOARD SERVICE REVIEWER: GS | A | 4140 | SH | 12-FEB-91 | | SH | | |
| | | | | MIL-T-18606(1) | TEST PROCEDURES FOR AIRCRAFT ENVIRONMENTAL SYSTEMS [VALIDATION DATE: 8410] | A | 1660 | AS | 31-OCT-69 | AV | AS | | |
| L | | | | MIL-T-18607 | THERMAL ANTI-ICING EQUIPMENT, WING AND EMPENNAGE [VALIDATION DATE: 8209] REVIEWER: AV | A | 1650 | AS | 31-MAR-55 | | AS | | |
| L | | | | MIL-P-18612A(2) | PRIMER MARK 101 MOD 3 [VALIDATION DATE: 8402] ..... | A | 1390 | OS | 07-JUL-78 | | OS | | |
| L | | | | MIL-P-18613(2) NOTICE 1 | PRIMER MARK 102 MOD 1 [VALIDATION DATE: 8608] REVIEWER: AR ..... | A | 1390 | OS | 11-AUG-86 | | OS | | |
| L | | | | MIL-D-18616 | DETONATOR MARK 56 MOD 0 [VALIDATION DATE: 8409] ..... | A | 1375 | AS | 13-JUN-55 | | AS | | |
| L | | | | MIL-L-18618A | LEAD CARBONATE, BASIC, DRY (FOR ORDNANCE USE) [VALIDATION DATE: 8204] ..... | A | 6810 | OS | 05-JAN-76 | | OS | | |
| L | | | | MIL-S-18631 | SURFACER (SANDER), COMBINATION, BELT AND DISC, FLOOR MODEL [VALIDATION DATE: 8410] USER: GL | A | 5130 | AS | 07-SEP-56 | | AS | | |
| D | | | | MIL-V-18634B NOTICE 1 | VALVES: SAFETY, RELIEF, AND SAFETY-RELIEF [VALIDATION DATE: 9107] REVIEWER: CS | A | 4820 | YD1 | 26-JUL-91 | ME | YD1 | 99 | |
| L | | | | MIL-C-18636A | CAP, PROTECTING, WATERPROOF (PROJECTILE FUZE COVERS) ..... | A | 8140 | OS | 13-FEB-84 | | OS | | |
| MQL | | | | MIL-D-18641F | DISTILLATION UNITS, WATER: STEAM, OR FLASHED VAPOR OPERATED, OR HOT FRESH WATER HEATED, LOW PRESSURE, NAVAL SHIPBOARD | A | 4620 | SH | 05-APR-93 | | SH | | |
| L | | | | MIL-T-18652A(1) | TANK, CARTRIDGE, POWDER, ROCKET (STEEL) ..... | A | 8140 | OS | 01-JUN-86 | | OS | | |
| | | | | MIL-C-18653B(1) NOTICE 1 | CARTRIDGE, ONE INCH, MARK 1 AND MARK 2 ALL MODS (BOMB EJECTOR) ..... | A | 1377 | AS | 15-APR-87 | | AS | 99 | |
| | | | | MIL-D-18665B | DETONATOR MK 59 MOD 0 [VALIDATION DATE: 8206] REVIEWER: AR ..... | A | 1375 | AS | 21-MAR-69 | | AS | 99 | |
| L | | | | MIL-B-18670A NOTICE 1 | BOX, SMALL ARMS AMMUNITION, MARK 1 MOD 0 [VALIDATION DATE: 9103] REVIEWER: AR | A | 8140 | OS | 13-MAR-91 | | OS | | |
| A L | | | | MIL-F-18680C | FLY, TENT, FIRE, WATER, WEATHER, AND MILDEW RESISTANT ..... | A | 8340 | CT | 28-FEB-85 | | MC | | CT |
| L | | | | MIL-P-18682D | PUMP, CENTRIFUGAL, MAIN CONDENSER CIRCULATING, NAVAL SHIPBOARD ..... | A | 4320 | SH | 23-NOV-84 | | SH | | |
| QL | | | | MIL-V-18683A(1) | VACUUM PUMPS, POWER DRIVEN, CENTRIFUGAL PUMP PRIMING SERVICE NAVAL SHIPBOARD | A | 4310 | SH | 10-JUN-86 | | SH | | |

| Action | OPR / Qtrly Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MIL-G-18694A | GLYCERIN-WATER MIXTURES (FOR HYDRAULIC BUFFERS AND RECOILS) [VALIDATION DATE: 8107] REVIEWER: GS | A | 6810 | | OS | 02-JUN-75 | | OS | | |
| | L | | MIL-F-18698(1) | FUZE, DETONATING, MK 27 MOD 0 AND MOD 1 (40 MM) [VALIDATION DATE: 8503] ... | A | 1390 | | OS | 13-JUN-75 | | OS | | |
| | L | | MIL-P-18703(1) NOTICE 1 | PRIMER, COMBINATION, MARK 13 MODS 0, 1 AND 2 [VALIDATION DATE: 8610] ..... | A | 1390 | | OS | 23-OCT-86 | | OS | | |
| | L | | MIL-P-18704A | PRIMER, LOCK, COMBINATION, MARK 15 MOD 2 ..... | A | 1390 | | OS | 13-MAY-92 | | OS | | |
| | L | | MIL-P-18713(1) | PRIMER, ELECTRIC, MARK 44 MOD 0 [VALIDATION DATE: 8302] ..... | A | 1390 | | OS | 25-OCT-56 | | OS | | |
| | | | MIL-P-18714C | PRIMER, ELECTRIC, MARK 45 MOD 1 ..... | A | 1390 | | OS | 27-MAR-91 | | OS | 99 | |
| | L | | MIL-P-18715(1) NOTICE 1 | PRIMER, ELECTRIC, MARK 46 MOD 0 ..... | A | 1390 | | OS | 18-AUG-86 | | OS | | |
| | | | MIL-P-18716C | PRIMER, ELECTRIC, MARK 48 MOD 2 ..... | A | 1390 | | OS | 27-MAR-91 | | OS | 99 | |
| | L | | MIL-A-18717B(1) | ARRESTING HOOK INSTALLATIONS, AIRCRAFT ..... | A | 1710 | | AS | 27-AUG-84 | | AS | | |
| | | | MIL-S-18728D | STEEL PLATE, SHEET, AND STRIP, ALLOY, 8630, AIRCRAFT QUALITY USER: AR REVIEWER: AT IS MI | A | 9515 | | AS | 28-OCT-83 | MR | AS | 11 | |
| | | | MIL-S-18729C(1) | STEEL PLATE, SHEET, AND STRIP, ALLOY, 4130, AIRCRAFT QUALITY [VALIDATION DATE: 8004] USER: ME REVIEWER: EA IS MI OS | A | 9515 | | AS | 28-APR-66 | MR | AS | 11 | |
| | I | | MIL-S-18732D NOTICE 1 | STEEL BARS, WIRE, FORGING STOCK, FORGINGS TUBING (431), SPECIAL QUALITY REVIEWER: AV EA IS MI | A | 9510 | | AS | 19-MAR-91 | MR | AS | 11 | |
| | L | | MIL-S-18737 | SIGNAL LIGHT, PISTOL CARTRIDGE, MK 2 (WHITE) MK 2 (GREEN, & MK 2 (RED) ( INACTIVE FOR NEW DESIGN) | A | 1370 | | OS | 31-MAR-87 | | OS | | |
| | | | MIL-I-18746B NOTICE 1 | INSULATION TAPE, NONADHERING, GLASS FABRIC, POLYTETRAFLUOROETHYLENE COATED [VALIDATION DATE: 8803] USER: SH REVIEWER: 13 AS EC GS MI | A | 5970 | | 85 | 25-MAR-88 | ER | OS | 99 | |
| | L | | MIL-C-18757D | CARTRIDGE CASES, STEEL (OTHER THAN SMALL ARMS) GENERAL SPECIFICATION FOR .. | A | 1395 | | OS | 19-JUN-91 | | OS | | |
| | L | | MIL-C-18757/1A | CARTRIDGE CASE, STEEL, 40-MILLIMETER, MK 3 MOD 0 ..... | A | 1310 | | OS | 27-NOV-89 | | OS | | |
| | L | | MIL-C-18757/2A | CARTRIDGE CASE, STEEL, 3 INCH MARK 9 ALL MODS (50 CALIBER) [VALIDATION DATE: 8104] | A | 1315 | | OS | 15-MAY-75 | | OS | | |
| | L | | MIL-C-18757/3(2) | CARTRIDGE CASE, STEEL, 5 INCH, MARK 10 ALL MODS (38 CALIBER) [VALIDATION DATE: 8204] | A | 1320 | | OS | 10-FEB-76 | | OS | | |
| M | L | | MIL-C-18757/4B | CARTRIDGE CASE, STEEL, 5-INCH, MARK 9 MODS 0 AND 1 (54 CALIBER) ..... | A | 1395 | | OS | 09-APR-93 | | OS | | |
| | L | | MIL-C-18757/5 | CARTRIDGE CASE, STEEL, 76-MILLIMETER (62-CALIBER) ..... | A | 1395 | | OS | 19-JUN-91 | | OS | | |
| | L | | MIL-C-18759B | CARTRIDGE CASE, STEEL, 20 MILLIMETER MK 5 AND MODS (FOR 20 MM A/C GUNS) [VALIDATION DATE: 8105] | A | 1305 | | AS | 19-JUN-68 | | AS | | |
| | LI | | MIL-C-18760 | CARTRIDGE CASE, BRASS 8-INCH MARK 1 MOD 3 (55 CALIBER) ..... | A | 1320 | | OS | 21-AUG-90 | | OS | | |
| | L | | MIL-P-18761B | PRIMER, PERCUSSION, MK 22 MOD 2 ..... | A | 1390 | | OS | 13-NOV-91 | | OS | | |
| | L | | MIL-H-18766 | HYDRAULIC EQUIPMENT, ORDNANCE SHIPBOARD (GENERAL SPECIFICATION FOR) [VALIDATION DATE: 8204] | A | 4320 | | OS | 24-JUN-55 | | OS | | |
| | L | | MIL-A-18793 | ANTENNA AS-333/AP [VALIDATION DATE: 8103] REVIEWER: 85 ES ..... | A | 5985 | | AS | 15-MAY-55 | | AS | | |
| D | L | | MIL-C-18795G | CART, CONCRETE ..... | A | 3895 | | YD1 | 01-JUN-92 | | YD1 | | |
| D | | | MIL-B-18796F | BURNERS, SINGLE: OIL, GAS, AND GAS-OIL COMBINATION FOR PACKAGED BOILERS (320,001 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: 84 CE | A | 4530 | | YD1 | 12-JUL-90 | ME | YD1 | 99 | |
| D | | | MIL-B-18797G | BURNERS, SINGLE: LIGHT OIL, GAS, AND LIGHT OIL-GAS COMBINATION FOR PACKAGED HEATING BOILERS (UP TO 320,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: 84 CE | A | 4530 | | YD1 | 27-JUN-90 | ME | YD1 | 99 | |
| | | | MIL-I-18802A(1) | INSTALLATION OF FUEL AND OIL LINES, AIRCRAFT [VALIDATION DATE: 8408] ..... | A | 2915 | | AS | 12-DEC-62 | AV | AS | | |
| D | L | | MIL-T-18803D(1) | TORCH OUTFIT, CUTTING AND WELDING REVIEWER: GS ..... | A | 3433 | | YD1 | 09-NOV-89 | | YD1 | | |
| Q | | | MIL-I-18804B(1) | INDICATOR, VERTICAL SPEED, 0 - 6000 FPM, 2 INCH [VALIDATION DATE: 8105] ... | A | 6610 | | AS | 14-JUN-67 | AV | AS | | |
| | LI | | MIL-M-18808 NOTICE 1 | MICROPHONE MARK 10 MOD 0 REVIEWER: ES ..... | A | 5965 | | OS | 21-AUG-90 | | OS | | |
| | L | | MIL-P-18811B | PROPELLANT GRAIN, MK43, MOD 1 ..... | A | 1340 | | MI | 19-OCT-90 | MI | | | |
| | L | | MIL-C-18832(2) | CONNECTOR, BREAKAWAY, ELECTRO-MECHANICAL REVIEWER: ES ..... | A | 5935 | | OS | 17-FEB-88 | | OS | | |
| | | | MIL-T-18833 | TAPE INHIBITING, ETHYL CELLULOSE [VALIDATION DATE: 8405] REVIEWER: CT ..... | A | 1340 | | OS | 30-JUN-55 | | OS | | |
| | L | | MIL-C-18835C | CARTRIDGE, 20 MM, FOR AIRCRAFT GUNS MK 11 AND MK 12 [VALIDATION DATE: 8303] | A | 1305 | | AS | 19-AUG-68 | | AS | | |
| D | | | MIL-C-18843E | CUTTING MACHINE, OXYGEN-FUEL, MOTOR-DRIVEN, PORTABLE USER: AR REVIEWER: GS | A | 3433 | | 1P | 04-JUN-86 | AL | YD1 | 99 | |
| | | | MIL-T-18847C | TANK, FUEL, AIRCRAFT, AUXILIARY EXTERNAL, DESIGN AND INSTALLATION OF ..... | A | 1560 | | AS | 14-OCT-86 | | AS | | |
| | L | | MIL-A-18850C NOTICE 1 | AMPLIFIER, SERVO (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 9009] REVIEWER: ES | A | 5990 | | OS | 18-SEP-90 | | OS | | |
| | L | | MIL-C-18853C | GYRO, RATE (FOR TORPEDO MARK 37 MOD 0, 1, 2 AND 3) [VALIDATION DATE: 8108] | A | 1355 | | OS | 29-AUG-75 | | OS | | |
| | L | | MIL-B-18855D(1) NOTICE 1 | BATTERY MK 53 MOD 0 SECONDARY TYPE, SILVER-ZINC-ALKALI [VALIDATION DATE: 8708] REVIEWER: GS | A | 6140 | | OS | 19-AUG-87 | | OS | | |
| | Q | | MIL-I-18856B(1) | INDICATOR, ANGLE OF ATTACK, 28V DC MS28062 AND MS28067 ..... | A | 6610 | | AS | 04-DEC-87 | | AS | 99 | |
| D | | | MIL-F-18866H | FITTING, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL USER: AT AV MC YD1 REVIEWER: 82 CS GL ME SH | A | 4730 | | AR | 06-MAY-87 | AR | OS | 99 | |
| | L | | MIL-F-18870E(1) | FIRE CONTROL EQUIPMENT, NAVAL SHIP AND SHORE, GENERAL SPECIFICATION [VALIDATION DATE: 8204] REVIEWER: ES | A | 12GP | | OS | 25-APR-75 | | OS | | |
| | L | | MIL-D-18873B(3) | DECK COVERING MAGNESIA AGGREGATE MIXTURE ..... | A | 5610 | | SH | 15-JUL-82 | | SH | | |
| | L | | MIL-C-18875A(1) NOTICE 1 | CONTAINER, SIGNAL, MK 3 MOD 0 (FOR SIGNAL, SMOKE AND ILLUMINATION MK 13 MOD 0) [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| | L | | MIL-B-18876A NOTICE 1 | BOX, AMMUNITION, 40 MM MARK 1 MOD 0 [VALIDATION DATE: 9103] ..... | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| | L | | MIL-G-18879(1) NOTICE 1 | GROMMETS, FIBER (FOR PROJECTILE ROTATING BANDS) REVIEWER: IS ..... | A | 8140 | | OS | 07-MAR-89 | | OS | | |
| | L | | MIL-R-18895A | RADAR BOMBING EQUIPMENT, AN/APA-16 ..... | A | 1325 | | AS | 14-AUG-67 | | AS | | |
| D | | | MIL-B-18897F | BOILERS, STEAM AND HOT WATER, WATERTUBE (STRAIGHT BARE AND FINNED TUBE), CAST IRON AND FIREBOX, PACKAGED TYPE (40,000 TO 35,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: CE MC REVIEWER: 84 SA | A | 4410 | | YD1 | 06-SEP-90 | ME | YD1 | 99 | |
| | L | | MIL-B-18907A | BAND, PROJECTILE ROTATING ..... | A | 1320 | | OS | 29-APR-88 | | OS | | |
| A | | | MIL-M-18911A NOTICE 2 | HEADS AND MOTORS, ROCKET, INERT PARTS, PAINTING AND MARKING REVIEWER: EA .. | A | 1340 | | OS | 28-FEB-90 | MI | OS | | |
| | L | | MIL-T-18912A | TUBING, STEEL, FOR 3.25 INCH AND 5.0 INCH OD ROCKET MOTORS [VALIDATION DATE: 8312] | A | 4710 | | OS | 14-OCT-76 | | OS | | |
| | QL | | MIL-G-18916(3) | GOVERNORS, STEAM DRIVEN PUMP, PRESSURE REGULATING, NAVAL SHIPBOARD USER: CS | A | 4820 | | SH | 08-JUL-85 | | SH | | |
| | L | | MIL-P-18920A | PRIMER, ELECTRIC, MK 42 MODS 0, 1 & 2 ..... | A | 1390 | | OS | 09-JUL-81 | | OS | | |
| | L | | MIL-L-18925A(1) | LINE, SHOT, NYLON, FOR LINE THROWING GUNS REVIEWER: IS ..... | A | 4020 | | OS | 12-JUN-84 | | OS | | |
| | | | MIL-E-18927E(2) | ENVIRONMENTAL CONTROL SYSTEMS, AIRCRAFT, GENERAL REQUIREMENTS FOR ..... | A | 1660 | | AS | 19-DEC-86 | | AS | | |
| | L | | MIL-L-18937D | LANTERN, ELECTRIC, HAND, SAFETY USER: CG REVIEWER: GS ..... | A | 6230 | | 82 | 13-MAY-76 | | | 99 | |
| | L | | MIL-P-18942A(3) NOTICE 2 | PROPELLANT FOR 20MM AIRCRAFT GUN MARK 12 [VALIDATION DATE: 8006] ..... | A | 1376 | | OS | 25-AUG-71 | | OS | | |
| D | | | MIL-L-18947B(1) NOTICE 2 | LAPPERS, POPPET VALVE, HAND POWERED [VALIDATION DATE: 9302] USER: AR AT SH REVIEWER: NO SH | A | 5120 | | GL | 26-FEB-93 | GL | YD1 | 84 | |
| A | L | | MIL-P-18948B | PROJECTILES, PRIMING, MARKING, AND GREASING OF ..... | A | 1320 | | OS | 15-JUL-92 | | OS | | |
| | L | | MIL-P-18949A NOTICE 1 | PROJECTILES, ILLUMINATING, LOCALIZED HEAT TREATMENT OF [VALIDATION DATE: 8902] | A | 1320 | | OS | 23-FEB-89 | | OS | | |
| | L | | MIL-P-18950 | PROJECTILE, HIGH CAPACITY, ANTI AIRCRAFT, AND ILLUMINATING [VALIDATION DATE: 8106] | A | 1320 | | OS | 23-JAN-56 | | OS | | |
| | DQL | | MIL-F-18953B | FANS, VANEAXIAL AND TUBEAXIAL, VENTILATION AND AIR CONDITIONING, NAVAL SHIPBOARD USER: YD1 REVIEWER: GS | A | 4140 | | SH | 22-OCT-90 | | SH | | |
| D | L | | MIL-R-18967C | RANGE, OIL BURNING (SUITABLE FOR USE WITH KEROSENE, DIESEL FUEL, & NO. 2 FUEL OIL) | A | 7310 | | YD1 | 20-DEC-82 | | YD1 | | |
| | L | | MIL-A-18977D | AMPLIFIER CHANNEL (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8403] | A | 1355 | | OS | 07-JUN-71 | | OS | | |

| Action | QPL / QML | Coordination Activity | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCRL Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MIL-B-18984 | RADAR BOMBING EQUIPMENT AN/APA-16, BENCH, PREFLIGHT, AND FLIGHT TEST, INSTRUCTIONS FOR | A | 1285 | AS | | 13-JUL-55 | | AS | | |
| | L | | MIL-P-18987A(2) | PLOTTING BOARD, TACTICAL DISPLAY PT-396/AS [VALIDATION DATE: 8410] | A | 6605 | AS | | 12-OCT-65 | | AS | | |
| | L | | MIL-G-18997E | GAUGE, PRESSURE, DIAL INDICATING | A | 6685 | SH | | 18-NOV-91 | | SH | | |
| A | | | MIL-C-19002D | CLOTH, COATED, AND STRIP, COATED CLOTH - POLYCHLOROPRENE ON NYLON | A | 8305 | CT | | 24-OCT-91 | ME | AS | 99 | CT |
| | | | NOTICE 1 | [VALIDATION DATE: 9110] USER: 45 MU REVIEWER: 11 82 SH | | | | | | | | | |
| | QL | | MIL-F-19004A | FANS, CENTRIFUGAL, FIXED AND PORTABLE, VENTILATION, NAVAL SHIPBOARD | A | 4140 | SH | | 10-MAR-89 | | SH | | |
| | | | NOTICE 1 | [VALIDATION DATE: 8903] REVIEWER: GS | | | | | | | | | |
| | L | | MIL-P-19023D | PENDULUM (FOR TORPEDO MK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8403] | A | 1355 | OS | | 19-NOV-70 | | OS | | |
| | L | | MIL-G-19027D(1) | GYRO, STEERING (FOR TORPEDO MARK 37 MODS 0, 0)M(, 1, 2, 3) [VALIDATION DATE: 8506] | A | 1355 | OS | | 08-DEC-72 | | OS | | |
| | L | | MIL-I-19028E | INVERTER (FOR TORPEDO MARK 37 MODS 0, 0)M(, 1, 2, AND 3) [VALIDATION DATE: 8403] | A | 1355 | OS | | 03-MAY-71 | | OS | | |
| | L | | MIL-T-19029E | TIMER (FOR TORPEDO MARK 37 MODS 0 AND 3) [VALIDATION DATE: 8403] | A | 1355 | OS | | 27-AUG-70 | | OS | | |
| D | L | | MIL-M-19034B | HOSE, METAL, FLEXIBLE, CORRUGATED CARBON STEEL AND CORROSION RESISTING STEEL TYPES, INTERNAL COMBUSTION ENGINE AIR INTAKE AND EXHAUST APPLICATIONS (FOR SURFACE VESSELS ONLY) [VALIDATION DATE: 8106] USER: AT ME YD1 REVIEWER: CS | A | 4720 | SH | | 23-MAR-72 | | SH | | |
| D | | | MIL-R-19038E | RINSER SANITIZER, CAN [VALIDATION DATE: 8402] REVIEWER: GS MC MD | A | 7320 | GL | | 17-MAR-78 | GL | YD1 | 99 | |
| | L | | MIL-W-19044D | WASHER - EXTRACTOR MACHINE, LAUNDRY, COMMERCIAL (NAVAL SHIPBOARD) REVIEWER: GS | A | 3510 | SH | | 27-OCT-86 | | SH | | |
| | L | | MIL-R-19046D | RELAY PANEL, FIRING (FOR TORPEDO MARK 37 MODS 0, 0)M(, 1, 2, AND 3) [VALIDATION DATE: 8403] | A | 1355 | OS | | 12-NOV-70 | | OS | | |
| | L | | MIL-G-19053C(1) | GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN CONVERTER, GENERAL | A | 6685 | AS | | 18-NOV-71 | | AS | | |
| | | | NOTICE 1 | SPECIFICATION FOR [VALIDATION DATE: 8509] | | | | | | | | | |
| | L | | MIL-C-19062C | CONTROL CABLE ASSEMBLIES AND CONNECTOR PLUGS AND RECEPTACLES (FOR | A | 1355 | OS | | 08-NOV-90 | | OS | | |
| | | | NOTICE 1 | TORPEDOES) [VALIDATION DATE: 9011] | | | | | | | | | |
| | | | MIL-C-19064B(2) | CONNECTORS, OXYGEN HOSE TO REGULATOR [VALIDATION DATE: 9110] | A | 1660 | AS | | 24-OCT-91 | AV | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | Q | | MIL-V-19067A | VALVES, CHECK, CONTROLLABLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS | A | 1650 | AS | | 25-AUG-87 | | AS | 99 | |
| | | | NOTICE 1 | [VALIDATION DATE: 8708] REVIEWER: CS | | | | | | | | | |
| | Q | | MIL-V-19068A | VALVE, SHUTTLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS [VALIDATION DATE: | A | 1650 | AS | | 25-AUG-87 | | AS | 99 | |
| | | | NOTICE 1 | 8708] REVIEWER: CS | | | | | | | | | |
| | Q | | MIL-V-19069B(1) | VALVE, CHECK, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS | A | 1650 | AS | | 28-MAR-91 | | AS | 99 | |
| | L | | MIL-A-19083C | ACOUSTIC DEVICES, MINESWEEPING, A MARK 4(V) MOD 1 AND MARK 4(V) MM | A | 1075 | SH | | 28-AUG-87 | | SH | | |
| | L | | MIL-P-19086E | POWER SUPPLY, HIGH VOLTAGE (FOR TORPEDO MARK 37 MODS 2 AND 3) [VALIDATION DATE: 8108] | A | 1355 | OS | | 25-JUL-75 | | OS | | |
| | L | | MIL-C-19087A | CONTACTOR (FOR TORPEDO MARK 37 MODS 0, 2 AND 3) [VALIDATION DATE: 8403] | A | 1355 | OS | | 27-AUG-70 | | OS | | |
| | QL | | MIL-W-19088(10) | WATTMETER, SWITCHBOARD TYPE, 4-1/2 INCH | A | 6625 | SH | | 20-OCT-78 | | SH | | |
| | Q | | MIL-H-19089B | HARNESS, INTEGRATED PARACHUTE [VALIDATION DATE: 8405] REVIEWER: 82 99 | A | 1670 | AS | | 30-DEC-71 | | AS | 11 | |
| | L1 | | MIL-M-19097B(3) | MOTOR-GENERATORS, DC TO AC, SHIPBOARD SERVICE REVIEWER: GS | A | 6125 | SH | | 03-OCT-89 | | SH | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-I-19105 | INTERVAL GENERATOR MARK 1 MOD 0 [VALIDATION DATE: 9110] | A | 6645 | AS | | 15-OCT-91 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-C-19113A(2) | COMPRESSORS, RECIPROCATING, ELECTRIC MOTOR DRIVEN, NAVAL SHIPBOARD LOW PRESSURE AIR SERVICE | A | 4310 | SH | | 04-APR-84 | | SH | | |
| | L | | MIL-E-19122A | ELECTRODES, CARBON, LIGHTING, HIGH-INTENSITY SEARCHLIGHT SERVICE | A | 5977 | SH | | 01-MAY-73 | | SH | | |
| | | | NOTICE 1 | [VALIDATION DATE: 8204] REVIEWER: GS | | | | | | | | | |
| | L | | MIL-P-19131(6) | PUMPS, ROTARY, POWER DRIVEN, MISCELLANEOUS USER: ME | A | 4320 | SH | | 28-JUN-85 | | SH | | |
| | DQL | | MIL-L-19140E(1) | LUMBER & PLYWOOD, FIRE RETARDANT TREATED USER: CG REVIEWER: CS YD1 | A | 5510 | SH | | 01-OCT-85 | ME | SH | | |
| | | | MIL-E-19141D | ELECTRODE, WELDING, SURFACING, IRON BASE ALLOY USER: AT MC REVIEWER: 99 AS GS | A | 3439 | SH | | 21-MAY-84 | AR | SH | 11 | |
| | L | | MIL-T-19147D | TRUCK, DOLLY, RECTANGULAR, WITH 4 SWIVEL CASTERS (GENERAL PURPOSE AND MACHINERY USER: MC REVIEWER: AT GS | A | 3920 | ME | | 16-NOV-84 | ME | | | |
| | L | | MIL-W-19150B | WIRE, INSULATED, HARD DRAWN COPPER [VALIDATION DATE: 9011] REVIEWER: IS | A | 6145 | OS | | 08-NOV-90 | | OS | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-D-19151A(2) | DETONATOR MARK 57 MODS 1 AND 2 | A | 1356 | OS | | 20-JUN-85 | | OS | | |
| | L | | MIL-P-19152A | PACKINGS, HYDRAULIC, HIGH PRESSURE (FOR HYDROPNEUMATIC SYSTEMS) [VALIDATION DATE: 8210] USER: AT REVIEWER: AR IS | A | 5330 | OS | | 20-DEC-74 | | OS | | |
| | L | | MIL-P-19158A(1) | PUMPS, RECIPROCATING, DIRECT-ACTING & POWER DRIVEN (INACTIVE FOR NEW | A | 4320 | SH | | 25-MAY-64 | | SH | | |
| | | | NOTICE 1 | DESIGN) [VALIDATION DATE: 8106] | | | | | | | | | |
| | L1 | | MIL-M-19160C | MOTOR-GENERATOR, 60-HERTZ A.C. TO 400-HERTZ A.C., SHIPBOARD SERVICE | A | 6125 | SH | | 20-JUN-91 | | SH | | |
| | | | NOTICE 1 | REVIEWER: GS | | | | | | | | | |
| | Q | | MIL-I-19166C(1) | INSULATION TAPE, ELECTRICAL, HIGH-TEMPERATURE, GLASS FIBER, | A | 5970 | SH | | 28-OCT-88 | ER | SH | 85 | |
| | | | NOTICE 1 | PRESSURE-SENSITIVE [VALIDATION DATE: 8810] USER: MC ME REVIEWER: AR EC GS MI | | | | | | | | | |
| | | | MIL-C-19179B(3) | COUPLING ASSEMBLY, QUICK-DISCONNECT, FUEL REVIEWER: CS | A | 4730 | SH | | 23-MAY-90 | ME | SH | 99 | |
| | QL | | MIL-R-19180B | REGULATORS PRESSURE, COMPRESSED GAS USER: SH REVIEWER: 11 AR CS | A | 4820 | 82 | | 18-JAN-89 | | | 99 | |
| | D | | MIL-M-19181F | MARKERS, TRAFFIC LINE, SELF-PROPELLED USER: CE MC REVIEWER: CS | A | 3825 | YD1 | | 19-MAY-89 | | YD1 | 99 | |
| | L | | MIL-T-19198A | TRAILER, PLATFORM, WAREHOUSE, 5TH WHEEL STEER, 20,000 POUNDS CAPACITY, SOLID RUBBER TIRES [VALIDATION DATE: 8501] | A | 3920 | ME | | 29-JAN-81 | | SA | | |
| | L | | MIL-S-19206D | SWORD AND SCABBARD (NONCOMMISSIONED OFFICERS) REVIEWER: CT | A | 8465 | MC | | 04-MAY-90 | | MC | | |
| | Q | | MIL-F-19207D | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, | A | 5920 | SH | | 23-AUG-91 | ER | SH | 85 | |
| | | | SUPPL 1A1 | GENERAL SPECIFICATION FOR USER: 19 99 AS AT MC REVIEWER: 11 17 70 71 80 82 84 AR EC ME MI OS | | | | | | | | | |
| | A | | MIL-F-19207/1G(1) | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL10U AND FHL10G USER: 19 99 AS AT MC REVIEWER: 11 17 70 71 80 82 84 AR EC ME MI OS | A | 5920 | SH | | 17-JUL-92 | ER | SH | 85 | |
| | | | MIL-F-19207/2F | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL11U AND FHL11G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ES ME MI OS | A | 5920 | SH | | 23-AUG-91 | ER | SH | 85 | |
| | | | MIL-F-19207/3F | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL12U AND FHL12G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | | 23-AUG-91 | ER | SH | 85 | |
| | | | MIL-F-19207/4G | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL13G USER: AS AT REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | | 23-AUG-91 | ER | SH | 85 | |
| | | | MIL-F-19207/5H | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL14G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | | 23-AUG-91 | ER | SH | 85 | |
| | | | MIL-F-19207/6K | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, TYPE FHL15G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | | 23-AUG-91 | ER | SH | 85 | |
| | | | MIL-F-19207/7K | FUSEHOLDER, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL16G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | | 23-AUG-91 | ER | SH | 85 | |
| | | | MIL-F-19207/8E | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL17G1 AND | A | 5920 | SH | | 11-DEC-89 | ER | SH | 11 | |
| | | | NOTICE 1 | FHL17G2 [VALIDATION DATE: 8912] USER: 19 AS AT MC REVIEWER: 17 85 AR EC ES ME MI OS | | | | | | | | | |
| | | | MIL-F-19207/9H | FUSEHOLDER, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL18G1 AND FHL18G2 USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | | 23-AUG-91 | ER | SH | 85 | |
| | I | | MIL-F-19207/10C | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN19G AND FHN19W | A | 5920 | SH | | 11-DEC-89 | ER | SH | 85 | |
| | | | NOTICE 1 | [VALIDATION DATE: 8912] USER: 14 19 MC REVIEWER: 11 17 99 AS CE EC ES MI | | | | | | | | | |
| | | | MIL-F-19207/11F | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE NONINDICATING, TYPE FHN20G | A | 5920 | SH | | 11-DEC-89 | ER | SH | 85 | |
| | | | NOTICE 1 | [VALIDATION DATE: 8912] USER: 19 AS AT MC REVIEWER: 11 17 99 AR EC ES ME MI OS | | | | | | | | | |
| | | | MIL-F-19207/12C | FUSEHOLDER, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL22WB USER: 14 19 MC REVIEWER: 11 17 99 AS CE ES MI | A | 5920 | SH | | 15-MAY-86 | ER | SH | 85 | |
| | | | MIL-F-19207/13D | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPE FHN23WB USER: 19 MC REVIEWER: 17 99 AS EA ES MI | A | 5920 | SH | | 15-MAY-86 | ER | SH | 85 | |

| Action | OPR / Obtg. Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-F-19207/16E | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN26G1, FHN26G2, AND FHN26W USER: AT REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/17E | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHN28W AND FHN28WB USER: AS AT MC REVIEWER: 11 17 70 71 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/18G | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL29G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/19H | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL30G USER: 19 AS AT MC REVIEWER: 17 70 71 99 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/20C<br>NOTICE 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN31G1 AND FHN31G2 [VALIDATION DATE: 8912] USER: 14 19 MC REVIEWER: 17 99 AS CE ES MI | A | 5920 | SH | 11-DEC-89 | ER | SH | 80 | | |
| | | MIL-F-19207/21G | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL32W USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/22G | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL33W USER: AT MC REVIEWER: 11 17 70 71 AR AS EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/23H | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL34W USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/24G | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL35W USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/25D | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN41W AND FHN41WB USER: AT REVIEWER: 11 17 70 71 99 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/26F(1) | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPE FHN42W USER: 19 AV CG MC ME REVIEWER: 17 99 AR AS CE ES MI | A | 5920 | SH | 05-JUL-91 | ER | SH | 85 | | |
| | | MIL-F-19207/28C<br>NOTICE 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL44G [VALIDATION DATE: 8912] USER: 19 AS AT MC REVIEWER: 17 99 EC ES ME MI OS | A | 5920 | SH | 11-DEC-89 | ER | SH | 11 | | |
| | | MIL-F-19207/29C<br>NOTICE 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL45G [VALIDATION DATE: 8912] USER: 19 AT MC REVIEWER: 17 99 AS EC ES ME MI OS | A | 5920 | SH | 11-DEC-89 | ER | SH | 11 | | |
| | | MIL-F-19207/30C | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN46W AND FHN46WB USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/31C | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN47W AND FHN47WB USER: AT MC REVIEWER: 11 17 70 71 80 AR AS ME MI | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/32C<br>NOTICE 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL48U [VALIDATION DATE: 8912] USER: 19 AS AT MC REVIEWER: 17 AR EC ES ME MI OS | A | 5920 | SH | 11-DEC-89 | ER | SH | 85 | | |
| | | MIL-F-19207/33C<br>NOTICE 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL49U [VALIDATION DATE: 8912] USER: 19 AS AT MC REVIEWER: 17 AR EC ES ME MI OS | A | 5920 | SH | 11-DEC-89 | ER | SH | 85 | | |
| L | | MIL-F-19207/36B<br>NOTICE 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, R. F. SHIELDED TYPE FHN55W [VALIDATION DATE: 8912] | A | 5920 | SH | 11-DEC-89 | | SH | | | |
| | | MIL-F-19207/38B | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL57G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| | | MIL-F-19207/39B | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL58G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS | A | 5920 | SH | 23-AUG-91 | ER | SH | 85 | | |
| QL | | MIL-T-19229B<br>NOTICE 1 | TRANSMITTER, ANGLE OF ATTACK OR SIDESLIP, LOCAL [VALIDATION DATE: 8712] ... | A | 6610 | AS | 07-DEC-87 | | AS | | | |
| L | | MIL-B-19231A | BAR, COPPER, SILVER BEARING (FOR COMMUTATORS) [VALIDATION DATE: 8204] REVIEWER: IS | A | 9530 | OS | 07-SEP-72 | | OS | | | |
| L | | MIL-P-19232A | PAPER, RECORDING, ELECTROSENSITIVE [VALIDATION DATE: 8104] USER: GL ..... | A | 7530 | SH | 08-SEP-60 | | SH | | | |
| D L | | MIL-T-19233J | TRUCK, FIREFIGHTING: BRUSH, GRASS, AND STRUCTURAL, 500 GPM, 4 BY 4, COMMERCIAL CHASSIS USER: MC | A | 4210 | YD1 | 04-MAR-91 | | YD1 | | | |
| Q | | MIL-C-19246C(1) | CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A [VALIDATION DATE: 8406] ..... | A | 1660 | AS | 24-APR-78 | AV | AS | | | |
| L | | MIL-M-19249A | MOTOR GENERATORS, 300 KW DC TO AC, AC TODC SUBMARINE SERVICE [VALIDATION DATE: 8106] REVIEWER: GS | A | 6125 | SH | 06-JUL-56 | | SH | | | |
| A L | | MIL-C-19256F | CLOTH, TWILL, NYLON (LOW COUNT, 3-5 OUNCE) [VALIDATION DATE: 8503] ..... | A | 8305 | CT | 26-OCT-84 | | MU | | | CT |
| QL | | MIL-M-19261(8) | METER, POWER FACTOR 4-1/2 INCH, SWITCHBOARD TYPE USER: ME ..... | A | 6625 | SH | 13-FEB-87 | | SH | | | |
| L | | MIL-C-19262A | CLOTH, PARACHUTE [VALIDATION DATE: 8405] REVIEWER: CT ..... | A | 8305 | OS | 15-NOV-76 | | OS | | | |
| A L | | MIL-P-19264A<br>NOTICE 3 | PROPELLANT, CANNON, NACO - (U) ..... | A | 1376 | OS | 06-OCT-92 | | OS | | | |
| L | | MIL-P-19277B | POSITIONER, STEP (FOR TORPEDO MK 37 MOD 2) [VALIDATION DATE: 8506] ..... | A | 1355 | OS | 03-NOV-72 | | OS | | | |
| L | | MIL-R-19293A | RADOME CW-364/DPN-24 ..... | A | 5820 | AS | 14-AUG-67 | | AS | | | |
| L | | MIL-R-19309C | RELAY, SENSITIVE (FOR TORPEDO MARK 37 MOD 2) [VALIDATION DATE: 8509] REVIEWER: ES | A | 5945 | OS | 03-SEP-70 | | OS | | | |
| L | | MIL-C-19311B | COPPER CHROMIUM ALLOY FORGINGS, WROUGHT ROD, BAR, AND STRIP (COPPER ALLOY NUMBERS 182, 184, AND 185) [VALIDATION DATE: 8204] | A | 9530 | OS | 16-MAR-73 | | OS | | | |
| L | | MIL-T-19314A | TRACER, MARK 20 MOD 0 [VALIDATION DATE: 8303] ..... | A | 1315 | AS | 20-MAR-59 | | AS | | | |
| | | MIL-D-19326H | DESIGN AND INSTALLATION OF LIQUID OXYGEN SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR | A | 1660 | AS | 31-AUG-90 | AV | AS | 11 | | |
| L | | MIL-G-19327B<br>NOTICE 1 | GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN CONVERTER, TYPE MC-5 (INACTIVE USE MIL-I-81387) [VALIDATION DATE: 8010] | A | 6685 | AS | 14-JAN-57 | | AS | | | |
| Q | | MIL-C-19328E(1) | CONVERTER, LIQUID OXYGEN, 5 LITER, MB-5A ..... | A | 1660 | 71 | 02-JUN-89 | | AS | 99 | | |
| Q | | MIL-R-19365C(2) | RESISTOR, ADJUSTABLE, WIREWOUND POWER [VALIDATION DATE: 8110] USER: 19 AT CG MC ME REVIEWER: 17 99 AS ES MI OS | A | 5905 | ER | 24-NOV-70 | ER | EC | 85 | | |
| L | | MIL-L-19368C | LATHE, ENGINE, MOTOR DRIVEN, BENCH, 16 INCH SWING, MODULAR IRON CONSTRUCTION, SUBMARINE USE REVIEWER: GS | A | 3416 | SH | 25-SEP-87 | | SH | | | |
| A | | MIL-C-19377C<br>NOTICE 1 | CLOTH, TWILL, NYLON [VALIDATION DATE: 8706] REVIEWER: 82 SH ..... | A | 8305 | CT | 03-JUN-87 | GL | AS | 99 | CT | |
| L | | MIL-M-19379B | MOUNT, RESILIENT, MARE ISLAND TYPES 11M15, 11M25, AND 10M50 [VALIDATION DATE: 8202] REVIEWER: IS | A | 5340 | SH | 21-MAR-61 | | SH | | | |
| D | | MIL-P-19380J(2) | PONTOONS, STEEL, SECTIONAL, (P) SERIES, INCLUDING FITTINGS AND TOOLS (FOR COUPLING INTO FLOATING STRUCTURES) | A | 1945 | YD1 | 26-JUL-82 | ME | YD1 | | | |
| D | | MIL-P-19380/1(2) | PONTOON, STEEL, SECTIONAL, P SERIES, DETAIL SPECIFICATION FOR ..... | A | 1945 | YD1 | 26-JUL-82 | ME | YD1 | | | |
| D | | MIL-P-19380/2(1) | PONTOON, JOINING FITTINGS, TOOLS, & CAGES, DETAIL SPECIFICATION FOR ..... | A | 1945 | YD1 | 24-AUG-81 | ME | YD1 | | | |
| D | | MIL-P-19380/3 | PONTOON, DECK FITTINGS & OUTFITTING ACCESSORIES, DETAIL SPPCIFICATION FOR . | A | 1945 | YD1 | 28-MAR-81 | ME | YD1 | | | |
| D | | MIL-P-19380/4 | DRYDOCK EQUIPMENT, MISCELLANEOUS FITTINGS AND ACCESSORIES, DETAIL SPECIFICATION FOR | A | 1945 | YD1 | 28-MAR-81 | ME | YD1 | | | |
| L | | MIL-T-19383A<br>NOTICE 1 | TEST SET, SYNCHRO TRANSMITTER MARK 312 MOD 0 (FOR TORPEDO MARK 37 MODS 0, 0(M), 1, 2, 3) [VALIDATION DATE: 8708] | A | 6625 | OS | 19-AUG-87 | | OS | | | |
| L | | MIL-M-19387A | HEADS, SPRINKLER & WASHDOWN ( INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 8008] REVIEWER: CS | A | 4510 | SH | 20-JUL-70 | | SH | | | |
| L | | MIL-C-19397<br>NOTICE 2 | COMPENSATOR, INERTIA, FOR AS-473/ASB-1 (BUORD DRAWING 790394 INERTIA COMPENSATING UNIT) [VALIDATION DATE: 9110] | A | 6605 | AS | 15-OCT-91 | | AS | | | |
| L | | MIL-A-19401<br>NOTICE 1 | ACTUATOR, ELECTROMECHANICAL, ROTARY, FOR AS-473/ASB-1 (BUORD DRAWING 790459, 1332290, AZIMUTH TORQUE AMPLIFIER) [VALIDATION DATE: 9109] | A | 1680 | AS | 25-SEP-91 | | AS | | | |
| L | | MIL-D-19403<br>NOTICE 1 | DRIVE, ANTENNA, VERTICAL STABILIZATION, FOR AS-473/ASB-1 (BUORD DRAWINGS 776405, 776463, VERTICAL STABILIZATION SERVO CLUTCH, FOR ASB-1; 864390, 1444082 FOR ASB-1A) [VALIDATION DATE: 9110] | A | 5985 | AS | 15-OCT-91 | | AS | | | |
| AQ | | MIL-M-19417D | MASK ASSEMBLIES, OXYGEN AND SMOKE, FULL FACE REVIEWER: 11 ..... | A | 1660 | AS | 29-SEP-92 | AV | AS | 99 | | |
| LI | | MIL-P-19419A | PLATING, CHROMIUM, ELECTRO-DEPOSITED, (ON THE INTERIOR SURFACES OF 20 MM MARK 11 GUN BARRELS) | A | 1005 | AS | 21-AUG-89 | | AS | | | |
| D | | MIL-F-19426D(1) | FORMING MACHINES, SHEET AND PLATE USER: MC SH REVIEWER: 84 GS YD1 ..... | A | 3441 | IP | 12-SEP-91 | AL | SH | 99 | IP | |
| L | | MIL-S-19434B | STEEL GEAR AND PINION FORGINGS, CARBON AND ALLOY, HEAT TREATED, NAVAL SHIPBOARD PROPULSION UNIT AND AUXILIARY TURBINE | A | 2030 | SH | 31-DEC-90 | | SH | | | |
| L | | MIL-C-19437B | CHEST, TOOL, CARPENTER OR COMPANY USER: GL ..... | A | 5140 | MC | 12-SEP-83 | | MC | | | |
| L | | MIL-R-19445A | RACK, BOMB, AERO 65A SERIES [VALIDATION DATE: 8304] ..... | A | 1095 | AS | 01-SEP-59 | | AS | | | |
| L | | MIL-H-19457D | HYDRAULIC FLUID, FIRE-RESISTANT, NON-NEUROTOXIC REVIEWER: GS ..... | A | 9150 | SH | 12-APR-89 | | SH | | | |
| L | | MIL-W-19460C | WIRE ROPE ASSEMBLIES, SINGLE LEG, GRAPHEL AND BUOY TYPE ..... | A | 4010 | SH | 07-NOV-90 | | SH | | | |
| L | | MIL-P-19461A | PLOTTING BOARD, TACTICAL DISPLAY, PT-429/A [VALIDATION DATE: 8509] ..... | A | 6605 | AS | 15-JUL-59 | | AS | | | |

| Action | Qual / Qual Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | | MIL-G-19465E(1) | GLOVE, CHIPPER S, GAUNTLET | A | 8415 | CT | 04 | SEP-86 | | MU | | CT |
| | | | MIL-T-19478A(1) NOTICE 1 | TRIPOD, PHOTOGRAPHIC, PNEUMATIC, METAL (VALIDATION DATE: 9111) REVIEWER: ER | A | 6760 | AS | 05 | NOV-91 | | AS | 99 | |
| | L | | MIL-W-19487A | WIRE, NICKEL BASE ALLOY, AGE HARDENABLE (VALIDATION DATE: 8204) REVIEWER: IS | A | 9525 | OS | 24 | JUN-75 | | OS | | |
| A | | | MIL-S-19491G(1) | SEMICONDUCTOR DEVICES, PACKAGING OF USER: 11 CG MC SA REVIEWER: 17 71 80 85 99 AR AS ER MI OS SH SM | A | PACK | EC | 21 | JUL-92 | CR | EC | 69 | ES |
| A | L | | MIL-L-19493C(1) | LAUNDRY PRESSING AND FINISHING EQUIPMENT MODIFIED COMMERCIAL (SHIPBOARD) .. | A | 3510 | SH | 05 | APR-93 | | SH | | |
| AQ | | | MIL-S-19500H(3) SUPPL 1A1 | SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | 30 | AUG-92 | ER | EC | 17 | |
| | | | MIL-S-19500/1A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N220 (VALIDATION DATE: 8404) USER: 14 15 19 AS AV CG MC REVIEWER: 11 AR ES MI | A | 5961 | EC | 13 | AUG-71 | ER | EC | 17 | |
| | | | MIL-S-19500/2B(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N117, 2N118 AND 2N119 (VALIDATION DATE: 8808) USER: AS CG MC SM REVIEWER: 11 19 AR ES MI | A | 5961 | LC | 24 | AUG-88 | ER | EC | 17 | |
| | | | MIL-S-19500/4D | SEMICONDUCTOR, DEVICE TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N331 (VALIDATION DATE: 8505) USER: 14 AS CG MC REVIEWER: 11 19 AR ES MI | A | 5961 | EC | 18 | NOV-66 | ER | EC | 17 | |
| | | | MIL-S-19500/6B(2) | SEMICONDUCTOR, DEVICE TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N43A AND 2N44A (VALIDATION DATE: 8312) | A | 5961 | 17 | 05 | MAY-78 | ER | EC | 17 | |
| | | | MIL-S-19500/9B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH FREQUENCY, 25 MILLIWATT, TYPE JAN-2N128 (VALIDATION DATE: 8304) USER: 13 15 AS CG MC REVIEWER: 19 99 AR ES MI | A | 5961 | EC | 12 | MAR-70 | ER | EC | 17 | |
| | | | MIL-S-19500/11C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, SWITCHING TYPE 2N167A (INACTIVE FOR NEW DESIGN AFTER DATE OF AMD 1) USER: 13 15 19 AS CG MC REVIEWER: 11 99 AR ES MI | A | 5961 | EC | 23 | MAY-86 | ER | EC | 17 | |
| | | | MIL-S-19500/13B(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH POWER TYPE 2N174A (VALIDATION DATE: 8505) USER: 14 AS CG MC SM REVIEWER: 11 19 AR ES MI | A | 5961 | EC | 23 | JAN-67 | ER | EC | 17 | |
| A | | | MIL-S-19500/16E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPES 2N342, 2N342A AND 2N343 (VALIDATION DATE: 8505) USER: AS CG MC MI REVIEWER: 11 19 ES | A | 5961 | EC | 24 | NOV-64 | ER | EC | 17 | |
| | | | MIL-S-19500/20C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, ERMANIUM, LOW POWER TYPES 2N404 AND 2N40A (VALIDATION DATE: 8404) USER: 13 15 AS AV CG MC MI REVIEWER: 11 19 85 AR ES | A | 5961 | EC | 09 | JUL-71 | ER | EC | 17 | |
| | | | MIL-S-19500/24D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPE 2N158 (VALIDATION DATE: 8304) USER: 13 15 19 AS CG MC REVIEWER: 11 17 AR ES MI SM | A | 5961 | EC | 27 | MAY-76 | ER | EC | 85 | |
| | | | MIL-S-19500/25B NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N240 (VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 19 ES MI | A | 5961 | EC | 24 | AUG-88 | ER | EC | 17 | |
| | | | MIL-S-19500/27E(3) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-FREQUENCY TYPE 2N384 (VALIDATION DATE: 8809) USER: 13 15 AS CG MC REVIEWER: 11 19 85 AR ES MI SM | A | 5961 | ER | 29 | SEP-88 | ER | EC | 17 | |
| | L | | MIL-S-19500/30A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, ALLOY JUNCTION TYPE 2N123 (VALIDATION DATE: 8212) REVIEWER: 11 19 99 ES | A | 5961 | 17 | 31 | MAR-70 | | | 17 | |
| | | | MIL-S-19500/31C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPE 2N341 (VALIDATION DATE: 8505) USER: 13 15 AS CG MC REVIEWER: 11 19 85 AR ES MI | A | 5961 | EC | 04 | OCT-72 | ER | EC | 17 | |
| | | | MIL-S-19500/36C NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N297A (VALIDATION DATE: 8809) USER: 14 AS CG MC OS SM REVIEWER: 19 85 AR ES MI | A | 5961 | ER | 30 | SEP-88 | ER | SH | 11 | |
| A | | | MIL-S-19500/37D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N333, 2N335, 2N336, 2N333A, 2N335A, AND 2N336A (VALIDATION DATE: 8404) USER: AS CG MC REVIEWER: 11 19 85 99 AR ES MI | A | 5961 | EC | 22 | NOV-71 | ER | EC | 17 | |
| | | | MIL-S-19500/38C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N539 AND 2N539A USER: AS CG MC REVIEWER: 11 19 85 ES MI | A | 5961 | EC | 28 | OCT-88 | ER | EC | 17 | |
| | | | MIL-S-19500/40B(1) | SEMICONDUCTOR, TRANSISTOR, NPN, GERMANIUM, POWER TYPE 2N326 (VALIDATION DATE: 8307) USER: AS OS REVIEWER: 11 19 85 CG ES MC MI | A | 5961 | ER | 26 | FEB-68 | ER | EC | 17 | |
| | L | | MIL-S-19500/41B(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPES 2N425, 2N426, 2N427 (VALIDATION DATE: 8809) REVIEWER: 19 ES | A | 5961 | ER | 30 | SEP-88 | ER | | | |
| | | | MIL-S-19500/44D(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N428 (VALIDATION DATE: 8809) USER: 13 15 19 AS CG MC OS REVIEWER: 11 AR ES MI | A | 5961 | ER | 30 | SEP-88 | ER | EC | 17 | |
| M | LI | | MIL-S-19500/46B(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N574, 2N575, 2N575A, 2N1157A (VALIDATION DATE: 9303) REVIEWER: 19 ES | A | 5961 | ER | 12 | MAR-93 | ER | | | |
| | L | | MIL-S-19500/49C(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPES 2N464, 2N465, 2N467 (VALIDATION DATE: 8809) REVIEWER: 19 AR ES MI | A | 5961 | ER | 30 | SEP-88 | ER | | | |
| | | | MIL-S-19500/51E(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N466 USER: 13 15 AS AV CG MC SH SM REVIEWER: 19 AR ES MI | A | 5961 | ER | 01 | MAY-85 | ER | EC | 17 | |
| | I | | MIL-S-19500/56B(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N416, AND 2N417 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 06 | JUL-90 | ER | EC | 17 | |
| | | | MIL-S-19500/58D NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N665 (VALIDATION DATE: 8810) USER: CG MC SM REVIEWER: 70 85 AR ES MI | A | 5961 | ER | 07 | OCT-88 | ER | SH | 11 | |
| | | | MIL-S-19500/60E | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPE JAN-2N526 (VALIDATION DATE: 8304) USER: 13 15 AS CG MC REVIEWER: 11 19 99 AR ES MI | A | 5961 | EC | 19 | MAR-70 | ER | EC | 17 | |
| | | | MIL-S-19500/62B(3) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N501A (VALIDATION DATE: 8810) USER: AS CG MC OS SM REVIEWER: 85 99 ES MI SH | A | 5961 | ER | 07 | OCT-88 | ER | EC | 17 | |
| | | | MIL-S-19500/63D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, LOW POWER TYPE 2N358A (VALIDATION DATE: 8505) USER: 13 AS CG MC REVIEWER: 11 19 85 ES MI | A | 5961 | EC | 02 | NOV-72 | ER | EC | 17 | |
| | | | MIL-S-19500/64D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N396A (VALIDATION DATE: 8505) USER: 14 AS CG MC REVIEWER: 11 19 ES MI | A | 5961 | EC | 29 | JUN-67 | ER | EC | 17 | |
| | | | MIL-S-19500/65B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, SWITCHING TYPE 2N388 (VALIDATION DATE: 8304) USER: 13 15 AS CG MC REVIEWER: 11 19 99 ES MI | A | 5961 | EC | 19 | MAR-70 | ER | EC | 17 | |
| | L | | MIL-S-19500/66B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPE 2N422 (VALIDATION DATE: 8304) USER: AS CG MC REVIEWER: 19 ES | A | 5961 | EC | 24 | FEB-71 | | EC | | | |
| | L | | MIL-S-19500/67A NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, 50-WATT TYPE 2N1011 (VALIDATION DATE: 8810) REVIEWER: 19 ES | A | 5961 | ER | 07 | OCT-88 | ER | | | |
| | | | MIL-S-19500/68A(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPE 2N1120 (VALIDATION DATE: 8810) USER: 14 19 AS CG MC OS SM REVIEWER: 17 85 AR ES MI | A | 5961 | ER | 07 | OCT-88 | ER | SH | 11 | |
| | | | MIL-S-19500/69E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES JAN-2N337 AND JAN-2N338 (VALIDATION DATE: 8404) USER: 13 15 AS CG MC REVIEWER: 11 19 AR ES MI | A | 5961 | EC | 22 | NOV-71 | ER | EC | 17 | |
| | L | | MIL-S-19500/70A(2) | TRANSISTOR, TYPE 2N463(INACTIVE FOR NEW DESIGN AFTER DATE OF AMD 1) USER: AS CG MC REVIEWER: 19 99 ES | A | 5961 | EC | 23 | MAY-86 | | EC | | | |
| | | | MIL-S-19500/71D(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N1195 (VALIDATION DATE: 8808) USER: 14 AS CG MC REVIEWER: 11 19 ES ME | A | 5961 | EC | 24 | AUG-88 | ER | EC | 17 | |
| | L | | MIL-S-19500/72C(4) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N499 AND 2N499A (VALIDATION DATE: 8810) REVIEWER: ES | A | 5961 | ER | 07 | OCT-88 | ER | | | |
| | | | MIL-S-19500/73B NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N560 (VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 19 AR ES MI | A | 5961 | EC | 24 | AUG-88 | ER | EC | 17 | |
| | | | MIL-S-19500/74E(4) | SEMICONDUCTOR DEVICE, TRANSISTORS, NPN, SILICON, MEDIUM POWER, TYPES 2N497, 2N498, 2N656 AND 2N657 USER: 15 19 AS CG MC SH REVIEWER: 11 85 99 AR ES MI | A | 5961 | EC | 11 | AUG-86 | ER | EC | 17 | |
| | | | MIL-S-19500/75B(2) | SEMICONDUCTOR DEVICE, TRANSISTORS, PN, SILICON UNIJUNCTION TYPES 2N2417A THROUGH 2N2422A, AND TX2N2417A THROUGH TX2N2422A USER: CG MC REVIEWER: 11 19 AR ES MI | A | 5961 | 17 | 10 | AUG-82 | ER | EC | 17 | |
| | L | | MIL-S-19500/76C(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N1412 AND 2N1412A (VALIDATION DATE: 8404) USER: AS CG MC REVIEWER: 19 ES | A | 5961 | EC | 06 | MAR-72 | | EC | | | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist Stmt | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-S-19500/77C(4)<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N393 (VALIDATION DATE: 9007) USER: AS CG MC MI REVIEWER: 11 19 85 AR ES SH | A | 5961 ER | 06-JUL-90 | ER | EC | 17 | |
| | | MIL-S-19500/78C<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR PNP, SILICON, LOW-POWER TYPES 2N1025, 2N1026 AND 2N1469 (VALIDATION DATE: 8810) USER: 13 15 AS CG MC OS SH SM REVIEWER: 11 80 85 AR ES MI | A | 5961 ER | 07-OCT-88 | ER | EC | 17 | |
| | | MIL-S-19500/80E<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPE 3N35 (VALIDATION DATE: 8810) USER: AS CG MC SM REVIEWER: 11 80 AR ES MI | A | 5961 ER | 07-OCT-88 | ER | EC | 17 | |
| | | MIL-S-19500/86A(4) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N705 USER: 14 19 AS CG MC SM REVIEWER: 11 85 AR ES MI SH | A | 5961 EC | 28-MAR-83 | ER | EC | 17 | |
| L | | MIL-S-19500/87A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM LOW POWER TYPE 2N1142 (VALIDATION DATE: 8505) USER: 14 AS CG MC OS REVIEWER: 17 85 ES MI | A | 5961 EC | 01-JUN-73 | ER | | | |
| L | | MIL-S-19500/88(3) | SEMICONDUCTOR DEVICE, TRANSITOR, TYPE 2N1046 (NAVY) (VALIDATION DATE: 8304) USER: AS CG MC REVIEWER: 19 99 ES | A | 5961 EC | 15-MAR-83 | | EC | | |
| A | | MIL-S-19500/89D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N1039, 2N1041, 2N2553, 2N2555, 2N2557 AND 2N2559 (VALIDATION DATE: 8304) USER: 13 15 AS CG MC MI OS REVIEWER: 11 19 85 AR ES | A | 5961 EC | 22-MAR-71 | ER | EC | 17 | |
| | | MIL-S-19500/91(1)<br>NOTICE 1 | SEMICONDUCTOR DEVICE DIODE, SILICON, POWER RECTIFIER TYPE 1N2153 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 ER | 06-JUL-90 | ER | EC | 17 | |
| | | MIL-S-19500/99E(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, MEDIUM POWER TYPES 2N696 AND 2N697 (VALIDATION DATE: 8307) USER: 14 AS CG MC OS REVIEWER: 17 19 AR EA ES MI | A | 5961 ER | 25-SEP-67 | ER | EC | 11 | |
| 1 | | MIL-S-19500/100A(2)<br>NOTICE 1 | SEMICONDUCTOR DEVICES TRANSISTOR, PNP, GERMIUM TYPE 2N537 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 ER | 06-JUL-90 | ER | EC | 17 | |
| | | MIL-S-19500/102A | SEMICONDUCTOR DEVICE, TRANSISTORS, NPN, SILICON, HIGH POWER TYPES 2N1016B, 2N1016C, AND 2N1016D (VALIDATION DATE: 8505) USER: 19 AS CG MC REVIEWER: 11 17 AR MI | A | 5961 EC | 29-DEC-66 | ER | EC | 85 | |
| A | | MIL-S-19500/104C | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER TYPES 1N1124A, 1N1126A, 1N1128A, 1N3649, 1N3650, 1N1124RA, 1N1126RA, 1N1128RA, 1N3649R AND 1N3650R (VALIDATION DATE: 8404) USER: 14 AS CG MC MI REVIEWER: 11 19 AR EA ES | A | 5961 EC | 29-NOV-65 | ER | EC | 17 | |
| | | MIL-S-19500/108D(4) | SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS), SILICON TYPES 2N682, 2N683, 2N685 THROUGH 2N692, 2N5206, TX2N682, TX2N683, 1X2N685 THROUGH TX2N692, AND TX2N5206 (VALIDATION DATE: 8808) USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR AV ES MI | A | 5961 EC | 24-AUG-88 | ER | EC | 17 | |
| | | MIL-S-19500/110C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N328A, 2N329A, 2N328AS, AND 2N329AS USER: 13 15 AS AV CG MC REVIEWER: 11 19 85 AR ES MI | A | 5961 ER | 16-JUL-86 | ER | EC | 17 | |
| L | | MIL-S-19500/112C(4)<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPES 2N502A AND 2N528 (VALIDATION DATE: 8808) | A | 5961 ER | 25-AUG-88 | ER | | | |
| | | MIL-S-19500/114E(4) | SEMICONDUCTOR DEVICE, DIODE, SILCON, VOL REG B&RB TYPE 1N2804-1N2811,-1N2811, 1N2813, 1N2814, 1N2816, 1N2818-1N2820, 12822-1N2827, 1N2829, 1N2831-1N2838, 1N2840-1N2846,1N4557-1N4562, JAN, JANTX, JANTXV USER: 13 AS CG MC SM REVIEWER: 11 19 85 AR ES MR SH | A | 5961 EC | 21-MAR-84 | ER | EC | 17 | |
| | | MIL-S-19500/115G(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR TYPES 1N3821A THROUGH 1N3828A AND 1N3016B THROUGH 1N3051B, JAN, JANTX, AND JANTXV USER: AS CG MC OS SM REVIEWER: 11 99 AR ES MI SH | A | 5961 EC | 15-FEB-91 | ER | EC | 17 | |
| A | | MIL-S-19500/116J | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N914, 1N414B-1 AND 1N4531 JAN, JANTX, AND JANTXV USER: AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI SH | A | 5961 EC | 23-JUL-92 | ER | EC | 17 | |
| A | | MIL-S-19500/117J | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPES 1N962B-1 THROUGH 1N992B-1, AND 1N962BUR-1 THROUGH 1N992BUR-1, JAN, JANTX, JANTXV, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR AV ES MI | A | 5961 EC | 08-SEP-92 | ER | EC | 17 | |
| | | MIL-S-19500/118D(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, TYPES 1N483B, 1N485B, 1N486B, 1N5194, 1N5195, 1N5196, JAN, JANTX, JANTXV, AND JANS USER: AS CG MC SH REVIEWER: 11 19 85 99 AR ES MI NA | A | 5961 EC | 28-APR-89 | ER | EC | 17 | |
| A | I | MIL-S-19500/119B(1) | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, TYPE JAN-1N933 REVIEWER: 19 AR ES MI | A | 5961 EC | 15-MAR-83 | ER | EC | 17 | |
| | | MIL-S-19500/120C(3)<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, LOW-POWER TYPE 2N706 (VALIDATION DATE: 8808) USER: 13 AS AV CG MC SH REVIEWER: 11 19 80 85 AR ES MI | A | 5961 ER | 25-AUG-88 | ER | EC | 17 | |
| | | MIL-S-19500/122C(1)<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N1358 (VALIDATION DATE: 8808) USER: 14 AS CG MC OS REVIEWER: 11 19 85 99 AR ES MI | A | 5961 ER | 25-AUG-88 | ER | EC | 17 | |
| L | | MIL-S-19500/123A<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, VHF 2N700A (VALIDATION DATE: 8307) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR ES MI | A | 5961 ER | 12-DEC-66 | ER | | | |
| A | | MIL-S-19500/124G | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR B AND RB TYPES 1N2970 THROUGH 1N2977, 1N2979, 1N2980, 1N2982, 1N2984 THROUGH 1N2986, 1N2988 THROUGH 1N2993, 1N2995, 1N2997, 1N2999 THROUGH 1N3005, 1N3007, 1N3008, 1N3009, 1N3011, 1N3012, 1N3014, 1N3015, A AND RA TYPES 1N3993 THROUGH 1N3998, JAN, JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR ES MI SH | A | 5961 ER | 15-OCT-92 | ER | EC | 17 | |
| | | MIL-S-19500/125C<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPE 2N1500 (VALIDATION DATE: 8307) USER: 14 AS CG MC REVIEWER: 11 19 ES MI | A | 5961 ER | 01-JUN-67 | ER | EC | 17 | |
| | | MIL-S-19500/126C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN TYPES 2N1302, 2N1304,2N1306, 21308 AND PNP TYPES 2N1303, 2N1305, 2N1307 AND 2N1309 (VALIDATION DATE: 8304) USER: 13 15 AS CG MC MI OS REVIEWER: 11 19 99 AR EA ES | A | 5961 EC | 24-MAR-71 | ER | EC | 17 | |
| A | | MIL-S-19500/127L | SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N4370A-1 THROUGH 1N4372A-1, AND 1N746A-1 THROUGH 1N759A-1 1N4370AUR-1 THROUGH 1N4372AUR-1 AND 1N746AUR-1 THROUGH 1N759AUR-1, JAN, JANTX, JANTXV, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR AV ES MI | A | 5961 EC | 08-SEP-92 | ER | EC | 17 | |
| | | MIL-S-19500/128A<br>NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES JAN-1N268, JAN-1N268R, JAN-1N268M, AND JAN-1N268MR (VALIDATION DATE: 9007) USER: AS CG MC MI REVIEWER: 19 99 ES | A | 5961 ER | 06-JUL-90 | ER | EC | 17 | |
| | | MIL-S-19500/130C<br>NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N78C, 1N78CR, 1N78CM, 1N78CMR, 1N78F, 1N78FR, 1N78FM, AND 1N78FMR (VALIDATION DATE: 8808) USER: AS CG MC SH REVIEWER: 11 19 85 99 AR ES MI | A | 5961 ER | 25-AUG-88 | ER | EC | 17 | |
| L | | MIL-S-19500/133A(3)<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N1411 (VALIDATION DATE: 8808) REVIEWER: 19 ES | A | 5961 ER | 25-AUG-88 | ER | | | |
| L | | MIL-S-19500/135A(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N695 (INACTIVE FOR NEW DESIGN AFTER 27 APR 1983) (VALIDATION DATE: 8104) USER: AS CG MC REVIEWER: 19 ES | A | 5961 EC | 18-DEC-68 | | EC | | |
| L | | MIL-S-19500/136A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, LOW POWER TYPE 2N1310 REVIEWER: 19 ES | A | 5961 EC | 15-MAR-83 | | EC | | |
| | | MIL-S-19500/137C<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM POWER TYPES 2N1042 THROUGH 2N1045 (VALIDATION DATE: 8808) USER: 13 15 REVIEWER: 11 85 99 AR ES MI | A | 5961 ER | 25-AUG-88 | ER | EC | 17 | |
| | | MIL-S-19500/138C<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPE 2N1118 (VALIDATION DATE: 8808) USER: 13 AS CG MC REVIEWER: 11 19 AR ES MI | A | 5961 ER | 25-AUG-88 | ER | EC | 85 | |
| | | MIL-S-19500/139B(1)<br>NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, TYPE JAN-2N1119 (VALIDATION DATE: 8808) USER: MC REVIEWER: 11 19 ES | A | 5961 ER | 25-AUG-88 | ER | SH | 17 | |
| L | | MIL-S-19500/141A(1) | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N697 (NAVY) (VALIDATION DATE: 8505) REVIEWER: 19 ES MI | A | 5961 EC | 29-AUG-66 | | EC | | |

| Action | Old / New Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-S-19500/142A(3) NOTICE 1 | SEMICONDUCTOR DEVICES, SILICON, HIGH VOLTAGE RECTIFIER TYPES 1N1731A, 1N1733A, AND 1N1734A (VALIDATION DATE: 9007) USER: 14 AS CG MC MI REVIEWER: 11 19 AR ES | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| | L | | MIL-S-19500/143B(2) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N1183, 2N1183A, 2N1183B AND 2N1184, 2N1184A, 2N1184B (VALIDATION DATE: 8808) REVIEWER: 19 ES MI | A | 5961 | ER | 26-AUG-88 | ER | | | | |
| | | | MIL-S-19500/144G(3) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N3064 1N4454 1N4454-1 & 1N4532 JAN JANTZ JANTXV USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR ES MI SH | A | 5961 | EC | 31-JUL-86 | ER | EC | 17 | |
| | L | | MIL-S-19500/153B(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPES 2N702, AND 2N703 (VALIDATION DATE: 8808) REVIEWER: 19 ES MI | A | 5961 | ER | 26-AUG-88 | ER | | | | |
| | L | | MIL-S-19500/155E NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, GENERAL PURPOSE TYPES 1N3189, 1N3190, 1N3191, TX AND NON-TX TYPES (VALIDATION DATE: 8601) USER: AS CG MC SH REVIEWER: ES | A | 5961 | EC | 25-SEP-86 | | EC | | | |
| | A | | MIL-S-19500/156H | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1N935B, 1N937B, 1N938B, 1N939B, 1N940B, 1N935B-1, 1N937B-1, 1N938B-1, 1N939B-1, 1N940B-1, 1N935BUR-1, 1N937BUR-1, 1N938BUR-1, 1N939BUR-1, 1N940BUR-1, JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SH SM REVIEWER: 80 85 99 AR ES | A | 5961 | EC | 23-NOV-92 | ER | EC | 17 | |
| | A | | MIL-S-19500/157J | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1N941B, 1N943B, 1N944B, 1N945B, 1N946B, 1N941B-1, 1N943B-1, 1N944B-1, 1N945B-1, 1N946B-1, 1N941BUR-1, 1N943BUR-1, 1N944BUR-1, 1N945BUR-1, 1N946BUR-1, JANTX, JANTXV, AND JANS USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES | A | 5961 | EC | 09-DEC-92 | ER | EC | 17 | |
| | A | | MIL-S-19500/158J | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1N3154, 1N3155, 1N3156, 1N3157, 1N3154-1, 1N3155-1, 1N3156-1, 1N3157-1, 1N3154UR-1, 1N3155UR-1, 1N3156UR-1, 1N3157UR-1, JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SH SM REVIEWER: 80 85 99 AR ES | A | 5961 | EC | 09-DEC-92 | ER | EC | 17 | |
| | A | | MIL-S-19500/159G | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1N821, 1N823, 1N825, 1N827, 1N829, AND 1N821-1, 1N823-1, 1N825-1, 1N827-1, AND 1N829-1, 1N821UR-1, 1N823UR-1, 1N825UR-1, 1N827UR-1, AND 1N829UR-1, JANTX, JANTXV, JANS, AND JANC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | 22-JAN-93 | ER | EC | 17 | |
| | | | MIL-S-19500/162B(4) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER TYPES 1N1614, 1N1615, 1N1616, 1N4458, 1N4459, 1N1614R, 1N1615R, 1N1616R, 1N4458R, 1N4459R (VALIDATION DATE: 8808) USER: 14 AS CG MC MI SH REVIEWER: 11 19 99 AR EA ES | A | 5961 | ER | 26-AUG-88 | ER | EC | 17 | |
| | I | | MIL-S-19500/163(3) NOTICE 1 | SEMICONDUCTOR DEVICE TRANSISTOR, NPN, SILICON TYPE 2N1072 (VALIDATION DATE: 9007) REVIEWER: 19 ES | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| | L | | MIL-S-19500/166C(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPE 2N599 (VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 19 ES | A | 5961 | EC | 24-AUG-88 | | EC | | | |
| | L | | MIL-S-19500/167B NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N560 AND 1N561 (NAVY) (VALIDATION DATE: 8601) USER: AS CG MC REVIEWER: 19 ES | A | 5961 | EC | 25-SEP-86 | | EC | | | |
| | | | MIL-S-19500/168C NOTICE 1 | SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS) SILICON TYPES 2N1771A, 2N1772A, 2N1774A, 2N1776A, 2N1777A, TX2N1771A, TX2N1772A, TX2N1774A, TX2N1776A, TX2N1777A (VALIDATION DATE: 8601) REVIEWER: 19 AV ES MI | A | 5961 | EC | 25-SEP-86 | ER | EC | 17 | |
| | | | MIL-S-19500/169F(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N3070, 1N3070-1, 1N4938, 1N4938-1 JAN, JANTX, JANTXV, AND JANS USER: 14 AS CG MC REVIEWER: 11 19 ES MI | A | 5961 | EC | 09-FEB-90 | ER | EC | 17 | |
| | | | MIL-S-19500/170A NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N1499A (VALIDATION DATE: 9007) REVIEWER: 19 ES | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| | L | | MIL-S-19500/171B(1) | SEMICONDUCTOR DEVICE, TRANSISTER, PNP, GERMANIUM, TYPE 2N1853 USER: AS CG MC REVIEWER: ES | A | 5961 | EC | 15-MAR-83 | | EC | | | |
| | L | | MIL-S-19500/172B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPE 2N1854 (VALIDATION DATE: 8304) USER: AS CG MC REVIEWER: 19 ES | A | 5961 | EC | 24-FEB-71 | | EC | | | |
| | A | | MIL-S-19500/173A | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N389 AND 2N424 (NAVY) (VALIDATION DATE: 8304) REVIEWER: 19 ES | A | 5961 | EC | 24-NOV-64 | | EC | 17 | | |
| | | | MIL-S-19500/174B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE JAN-2N398A (VALIDATION DATE: 8404) USER: 13 15 AS AV CG MC REVIEWER: 11 85 99 ES MI | A | 5961 | EC | 29-NOV-71 | | EC | 17 | | |
| | | | MIL-S-19500/175C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N650A, 2N651A, AND 2N652A (VALIDATION DATE: 8505) USER: AS CG MC REVIEWER: 11 19 85 AR ES MI | A | 5961 | EC | 09-MAR-73 | ER | EC | 17 | |
| | | | MIL-S-19500/176B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N1047A, 2N1048A, 2N1049A AND 2N1050A (VALIDATION DATE: 8404) USER: AS CG MC REVIEWER: 11 13 15 19 85 AR ES MI | A | 5961 | EC | 13-DEC-71 | ER | EC | 17 | |
| | A | | MIL-S-19500/177D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N1131, 2N1131L, 2N1132, 2N1132L, JAN USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | 16-FEB-93 | ER | EC | 17 | |
| | L | | MIL-S-19500/178B(4) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N1165 (VALIDATION DATE: 8404) USER: AS CG MC REVIEWER: ES | A | 5961 | EC | 25-FEB-72 | | EC | | | |
| | | | MIL-S-19500/179A(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPE 2N1234 (VALIDATION DATE: 9007) REVIEWER: 19 ES | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| | | | MIL-S-19500/180D(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, MEDIUM-POWER TYPES 2N1483, TX2N1483, 2N1484, TX2N1484, 2N1485, TX2N1485, 2N1486, TX2N1486 (VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 11 19 AR ES MI | A | 5961 | ER | 26-AUG-88 | ER | EC | 17 | |
| | | | MIL-S-19500/181D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N718A, 2N1613, & 2N1613L JAN, JANTX, & JANTXV USER: AS AV CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI NA | A | 5961 | EC | 01-NOV-83 | ER | EC | 17 | |
| | | | MIL-S-19500/182C(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPE 2N720A, 2N1893, AND 2N1893S JAN AND JANTX (VALIDATION DATE: 8808) USER: 14 19 AS CG MC SM REVIEWER: 11 85 AR ES MI SH | A | 5961 | EC | 24-AUG-88 | ER | EC | 17 | |
| | I | | MIL-S-19500/183A(2) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, RF MIXER TYPE JAN-1N25WA (VALIDATION DATE: 9007) USER: 15 AS CG MC REVIEWER: 11 19 85 99 AR MI SH | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| | | | MIL-S-19500/186B NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, RF MIXER TYPES JAN-1N53B, JAN-1N538R, JAN-1N538M AND JAN-1N538MR (VALIDATION DATE: 8808) USER: AS CG MC MI REVIEWER: 19 ES | A | 5961 | ER | 26-AUG-88 | ER | SH | 11 | |
| | | | MIL-S-19500/187A(2) NOTICE 1 | SEMICONDUCTOR DIODE, SILICON, HIGH-VOLTAGE TYPE 1N2361 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| | A | | MIL-S-19500/188A(1) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPE JAN-1N251 (VALIDATION DATE: 8601) REVIEWER: 19 ES MI | A | 5961 | EC | 25-SEP-86 | ER | EC | 17 | |
| | | | MIL-S-19500/189B(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPES 2N1224 AND 2N1225 (VALIDATION DATE: 9007) USER: 13 15 19 AS CG MC SH REVIEWER: 11 99 AR MI | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| | A | | MIL-S-19500/191A(1) | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, MIXER TYPE 1N263 (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: 11 19 ES | A | 5961 | EC | 26-OCT-71 | ER | EC | 17 | |
| | | | MIL-S-19500/192B(1) | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, SWITCHING TYPE 1N276, JAN, JANTX, AND JANTXV USER: AS CG MC MI REVIEWER: 19 ES | A | 5961 | EC | 14-NOV-90 | ER | EC | 17 | |
| | L | | MIL-S-19500/193C NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N457, 1N458, AND 1N459 (VALIDATION DATE: 8808) USER: AS CG MC OS REVIEWER: 19 AR ES MI | A | 5961 | ER | 26-AUG-88 | ER | | | | |
| | | | MIL-S-19500/195D NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MICRO-MINIATURE, SWITCHING TYPE 1N3206 (VALIDATION DATE: 8808) USER: 13 15 AS CG MC MI REVIEWER: 19 85 AR ES | A | 5961 | ER | 26-AUG-88 | ER | EC | 11 | |
| | L | | MIL-S-19500/198A(1) NOTICE 1 | SEMICONDUCTOR DEVICES, THYRISTORS TYPES 2N1870A, 2N1871A, 2N1872A AND 2N1874A (VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 19 ES MI | A | 5961 | EC | 24-AUG-88 | | EC | | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MIL-S-19500/199A(3) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, FORWARD-VOLTAGE REGULATOR TYPE 1N816 (VALIDATION DATE: 8808) USER: 19 CG MC MI SM REVIEWER: 11 85 AR ES SH | A 5961 EC 24-AUG-88 | ER | EC | 17 | |
| | | MIL-S-19500/200B NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM TYPE 1N270 JAN, JANTX, AND JANTXV USER: AS CG MC MI REVIEWER: 19 99 AR EA ES | A 5961 EC 09-JUN-89 | ER | EC | 11 | |
| | | MIL-S-19500/201B | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM TYPE 1N277 JAN, JANTX, AND JANTXV USER: AS CG MC MI OS SH SM REVIEWER: 11 19 85 AR | A 5961 EC 25-SEP-89 | ER | EC | 17 | |
| | | MIL-S-19500/202A(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIERS, TYPES JAN-1N538M, JAN-1N540M, AND JAN1IN547M (VALIDATION DATE: 8304) USER: AS CG MC REVIEWER: 11 19 AR ES MI | A 5961 EC 14-DEC-64 | ER | EC | 17 | |
| L | | MIL-S-19500/203C(2) | SEMICONDUCTOR DEVICE, THYRISTORS, (CONTROLLED RECTIFIERS) SILICON TYPES 2N2024, 2N2025, 2N2027, 2N2029, 2N2030 (VALIDATION DATE: 8104) USER: AS CG MC REVIEWER: ES | A 5961 EC 20-MAY-75 | | EC | | |
| | | MIL-S-19500/204F(2) | SEMICONDUCTOR DEVICES, THYRISTOR, REVERSE BLOCKING, SILICON, TYPES 2N1792, 2N1793, 2N1795, 2N1797, 2N1798, 2N1799, 2N1800, 2N1805, 2N1806, 2N1910, 2N1911, 2N1913, 2N1915, 2N1916, 2N2031, JAN, JANTX, AND JANTXV USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A 5961 EC 10-JAN-92 | ER | EC | 17 | |
| A | | MIL-S-19500/205B | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, LOW LEVEL, FORWARD-VOLTAGE-REFERENCE TYPE 1N3287 JAN, JANTX, AND JANTXV USER: CG MC | A 5961 EC 11-JUN-90 | ER | EC | 11 | |
| L | | MIL-S-19500/207C NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES 2N1479, 2N1480, 2N1481, 2N1482 (VALIDATION DATE: 8808) REVIEWER: 19 AR ES MI | A 5961 ER 26-AUG-88 | ER | | | |
| | | MIL-S-19500/208B NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER, TYPES 2N1487, 22N1488, 2N1489 AND 2N1490 (VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 19 85 AR EA ES MI | A 5961 ER 29-AUG-88 | ER | SH | 11 | |
| L | | MIL-S-19500/210B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, PHOTO TYPE 2N986 (VALIDATION DATE: 8304) USER: AS CG MC REVIEWER: 19 ES | A 5961 EC 24-FEB-71 | | EC | | |
| | | MIL-S-19500/211B(3) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N3164, 1N3168, 1N3170, 1N3172, 1N3174, 1N3175, 1N3176, 1N3177 AND R TYPES JAN, JANTX, JANTXV (VALIDATION DATE: 9007) USER: 15 AS CG MC MI SH REVIEWER: 11 19 85 99 AR | A 5961 ER 06-JUL-90 | ER | EC | 17 | |
| I | | MIL-S-19500/213C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N2084 USER: 13 15 AS CG MC REVIEWER: 11 19 85 AR ES MI | A 5961 EC 15-MAR-83 | ER | EC | 17 | |
| L | | MIL-S-19500/215(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N1173 AND 2N1174 (NAVY) (VALIDATION DATE: 8505) USER: AS CG MC REVIEWER: 19 ES | A 5961 EC 14-NOV-66 | | EC | | |
| L | | MIL-S-19500/216A(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPE 2N1051 (VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 19 ES | A 5961 EC 24-AUG-88 | | EC | | |
| | | MIL-S-19500/217B NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTORS, PNP, GERMANIUM, HIGH-POWER TYPES 2N456B, 2N457B, 2N458B, 2N1021A, 2N1022A (VALIDATION DATE: 8808) USER: AS MC REVIEWER: 11 19 85 EA ES MI | A 5961 ER 29-AUG-88 | ER | EC | 17 | |
| | | MIL-S-19500/218A NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N757A, 2N759A AND 2N760A (VALIDATION DATE: 8808) USER: 14 AS CG MC OS REVIEWER: 17 19 99 ES MI | A 5961 ER 29-AUG-88 | ER | SH | 11 | |
| L | | MIL-S-19500/219A(6) NOTICE 1 | TRANSISTOR, PNP, GERMANIUM, POWER, SWITCHING, TYPES 2N1651, 2N1652, 2N1653 (VALIDATION DATE: 8808) REVIEWER: 19 ES | A 5961 ER 29-AUG-88 | ER | | | |
| | | MIL-S-19500/225D(2) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES 2N1711, 2N1711S, 2N1890, AND 2N1890S JAN AND JANTX (VALIDATION DATE: 8808) USER: 13 AS AV CG MC SH REVIEWER: 11 19 85 99 AR ES MI | A 5961 EC 24-AUG-88 | ER | EC | 17 | |
| | | MIL-S-19500/226B | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, SWITCHING TYPE 1N3666(1) JAN, JANTX, AND JANTXV USER: 14 AS CG MC SM REVIEWER: 17 19 85 AR ES | A 5961 EC 11-JUN-90 | ER | EC | 11 | |
| | | MIL-S-19500/227(2) | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N995M (NAVY) USER: AS CG MC REVIEWER: 19 ES MI | A 5961 EC 15-MAR-83 | | EC | 17 | |
| M | | MIL-S-19500/228G | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER, TYPES 1N3611, 1N3612, 1N3613, 1N3614, 1N3957, JAN AND JANTX USER: AS CG MC SM REVIEWER: 19 85 99 AR AV ES MI | A 5961 EC 21-MAY-93 | ER | EC | 17 | |
| L | | MIL-S-19500/229(1) | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N830AM (NAVY) (VALIDATION DATE: 8404) USER: CG MC REVIEWER: 19 ES MI | A 5961 EC 25-APR-66 | | EC | | |
| | | MIL-S-19500/230C(1) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH-CONDUCTANCE TYPE JAN-1N3207 (VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 19 ES MI | A 5961 ER 29-AUG-88 | ER | EC | 11 | |
| | | MIL-S-19500/231E | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N3600, 1N4150, AND 1N4150-1 JANTX AND JANTXV USER: 19 AS CG MC OS SH SM REVIEWER: 85 99 AR AV ES MI | A 5961 EC 10-MAR-92 | ER | EC | 17 | |
| | | MIL-S-19500/232B(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N21WE, 1N21WEM, AND 1N21WEMR (VALIDATION DATE: 8404) USER: 13 15 19 AS CG MC SH REVIEWER: 11 99 AR ES MI | A 5961 EC 26-JUN-78 | ER | EC | 17 | |
| | | MIL-S-19500/236A(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N31 (VALIDATION DATE: 8808) USER: 13 15 AS CG MC SH REVIEWER: 11 19 85 ES MI | A 5961 EC 24-AUG-88 | ER | EC | 17 | |
| I | | MIL-S-19500/237A(3) | SEMICONDUCTOR DEVICE, DIODE, SILICON, VIDEO DETECTOR TYPE 1N32 (VALIDATION DATE: 8808) USER: 13 15 AS CG MC SH REVIEWER: 11 85 99 AR ES MI | A 5961 EC 24-AUG-88 | ER | EC | 17 | |
| A | 1 | MIL-S-19500/240E(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N645-1, 1N647-1, 1N649-1, JAN, JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SM REVIEWER: 85 99 AR AV ES MI SH | A 5961 EC 10-NOV-92 | ER | EC | 17 | |
| | | MIL-S-19500/241E(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N3595 AND 1N3595-1 JAN, JANTX, JANTXV, AND JANS USER: AS CG MC OS SH REVIEWER: 11 19 85 AR AV ES MI | A 5961 EC 25-APR-90 | ER | EC | 17 | |
| L | | MIL-S-19500/244B(6) | TRANSISTOR, PNP, GERMANIUM TYPE 2N2273 ..... | A 5961 ER 13-APR-92 | ER | | | |
| | | MIL-S-19500/246F(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N3289, 1N3291, 1N3293, 1N3294, 1N3295, AND R TYPES, JAN, JANTX, JANTXV USER: AS CG OS SH SM REVIEWER: 19 85 99 AR ES MI | A 5961 ER 18-FEB-92 | ER | EC | 17 | |
| A | I | MIL-S-19500/247(4) NOTICE 1 | SEMICONDUCTOR DEVICES TRANSISTOR, NPN, SILICON TYPE 2N1493 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A 5961 ER 06-JUL-90 | ER | EC | 17 | |
| L | | MIL-S-19500/248A(2) NOTICE 1 | TRANSISTOR, NPN, SILICON TYPES 2N2015, 2N2016 (VALIDATION DATE: 8808) ..... | A 5961 ER 29-AUG-88 | ER | | | |
| | | MIL-S-19500/250B NOTICE 1 | SEMICONDUCTOR DIODE, SILICON, UHF MIXER TYPE 1N82AG (VALIDATION DATE: 8808) USER: 13 15 19 AS CG MC REVIEWER: 11 85 ES MI | A 5961 ER 29-AUG-88 | ER | EC | 17 | |
| | | MIL-S-19500/251G(2) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES 2N2218, 2N2218A, 2N2218AL, 2N2219, 2N2219A, AND 2N2219AL JAN, JANTX, JANTXV, AND JANS (VALIDATION DATE: 8808) USER: 14 AS CG MC SH SM REVIEWER: 11 19 85 AR ES MI | A 5961 ER 29-AUG-88 | ER | EC | 17 | |
| | | MIL-S-19500/253C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N929, 2N930, JAN AND JANTX USER: 13 AS AV CG MC MI SH REVIEWER: 11 85 AR EA ES | A 5961 ER 07-DEC-90 | ER | EC | 17 | |
| L | | MIL-S-19500/254A NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPES 1N1147 AND 1N1149 (VALIDATION DATE: 8808) REVIEWER: 19 ES | A 5961 ER 29-AUG-88 | ER | | | |
| A | | MIL-S-19500/255G(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2221, 2N2222, 2N2221A, 2N2222A, 2N2221AUA, 2N2222AUA, 2N2221AUB, 2N2222AUB, 2N2221AUC, AND 2N2222AUC JAN, JANTX, JANTXV, JANTXVD, JANTXVH, JANTXVM, JANTXVR, JANS, JANSD, JANSH, JANSM, JANSR, AND JANC USER: 13 15 AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI | A 5961 ER 05-MAR-93 | ER | EC | 17 | |
| | | MIL-S-19500/256C(1) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N643, 1N662 AND 1N663 (VALIDATION DATE: 8808) USER: 13 15 19 AS CG MC REVIEWER: 11 85 AR ES MI | A 5961 ER 29-AUG-88 | ER | EC | 17 | |
| | | MIL-S-19500/257A NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N658 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A 5961 ER 06-JUL-90 | ER | EC | 17 | |
| L | | MIL-S-19500/258A(4) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR TYPES 2N962 AND 2N964 (VALIDATION DATE: 8808) REVIEWER: ES MI | A 5961 EC 24-AUG-88 | | EC | | |

| Action | Obsl, Canc, Coordination, Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-S-19500/259A(2) NOTICE 1 | SEMICONDUCTOR DEVICES, DIODES, SILICON, POWER RECTIFIERS TYPES JAN-1N1130 AND JAN-1N1131 USER: 15 19 AS CG MC MI SH REVIEWER: 11 85 99 AR | A | 5961 | | ER | 26-MAR-85 | ER | EC | 17 | |
| A | | MIL-S-19500/260D(3) | SEMICONDUCTOR DEVICE, SILICON, POWER RECTIFIER TYPES 1N1202A, 1N1204A, 1N1206A, 1N3671A AND 1N3673A AND AR JAN, JANTX, JANTXV, AND JANS USER: AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | | EC | 20-OCT-92 | ER | EC | 17 | |
| | | MIL-S-19500/262F(4) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N1722, TX2N1722, 2N1724, AND TX2N1724 (VALIDATION DATE: 9007) USER: 15 19 AS CG MC SH REVIEWER: 11 85 99 AR MI | A | 5961 | | ER | 06-JUL-90 | ER | EC | 17 | |
| L | | MIL-S-19500/263A(4) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N1714, 2N1714S, 2N1715, 2N1715S, 2N1716, 2N1716S, 2N1717, AND 2N1717S (VALIDATION DATE: 8807) REVIEWER: 19 EA ES | A | 5961 | | ER | 19-JUL-88 | ER | | | |
| | | MIL-S-19500/267(2) NOTICE 1 | TRANSISTOR, PNP, GERMANIUM TYPE 2N987 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | | ER | 06-JUL-90 | ER | EC | 17 | |
| | | MIL-S-19500/268C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON SWITCHING TYPES 2N2481 AND TX2N2481 (VALIDATION DATE: 8808) USER: AS AV CG MC SH REVIEWER: 11 19 85 99 AR ES MI MA | A | 5961 | | EC | 24-AUG-88 | ER | EC | 17 | |
| A L | | MIL-S-19500/269(1) | SEMICONDUCTOR DEVICE, TUNNEL DIODE, TYPES 1N3713, 1N3715, 1N3717, 1N3719 AND 1N3721 (VALIDATION DATE: 8404) USER: CG MC REVIEWER: 19 ES | A | 5961 | | EC | 25-APR-66 | | EC | | |
| A | | MIL-S-19500/270E | SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, NPN, SILICON, TYPES 2N2060 AND 2N2060L JANTX, JANTXV, AND JANS USER: 13 19 AS AV CG MC OS SH SM REVIEWER: 11 15 85 AR ES MI | A | 5961 | | EC | 14-AUG-92 | ER | EC | 17 | |
| L | | MIL-S-19500/271A(5) | SEMICONDUCTOR DEVICE, TRANSISTOR TYPE 2N916 USER: AS CG MC REVIEWER: 19 ES | A | 5961 | | EC | 01-OCT-87 | | EC | | |
| | | MIL-S-19500/272C(5) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REGULATOR TYPES (TX AND NON-TX) 1N3993A THROUGH 1N4000A AND THE RA (VALIDATION DATE: 8802) USER: AS CC MC SH REVIEWER: 11 19 99 AR AV ES MI MA | A | 5961 | | ER | 05-FEB-88 | ER | EC | 17 | |
| L | | MIL-S-19500/273A | SEMICONDUCTOR DEVICE, TRANSISTOR TYPE TYPE 2N744 (VALIDATION DATE: 8404) REVIEWER: 19 ES | A | 5961 | | EC | 21-MAR-66 | | EC | | |
| L | | MIL-S-19500/274E(2) | TRANSISTORS, NPN, SILICON TYPES 2N910, 2N911, 2N912, 2N910S, 2N911S, 2N912S JAN AND JANTX (VALIDATION DATE: 8307) REVIEWER: ES | A | 5961 | | ER | 27-MAR-73 | ER | | | |
| | | MIL-S-19500/276B(3) | SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS), SILICON TYPES 2N2323, 2N2324, 2N2326, 2N2328, 2N2329 AND S VERSIONS 2N2323A, 2N2324A, 2N2326A, 2N2328A, AND S VERSIONS JAN, JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SM REVIEWER: 85 ES MI SH | A | 5961 | | EC | 10-MAR-92 | ER | EC | 17 | |
| A | | MIL-S-19500/277D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N2150 AND 2N2151 JANTX USER: 19 AS CG MC OS SM REVIEWER: 85 AR ES MI SH | A | 5961 | | ER | 29-JUL-92 | ER | EC | 17 | |
| A | | MIL-S-19500/278E(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, MATCHED PAIR TYPES 1N4306, 1N4306M, JANTX AND JANTXV USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI SH | A | 5961 | | EC | 15-SEP-92 | ER | EC | 17 | |
| L | | MIL-S-19500/279C(4) | SEMICONDUCTOR DEVICE, DIODE, TYPES 1N3644, 1N3645, 1N3646, AND 1N3647 JAN AND JANTX USER: AS CG MC REVIEWER: 19 AV ES MI | A | 5961 | | EC | 01-APR-90 | | EC | | |
| L | | MIL-S-19500/280A(2) | SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N3091, 2N3093, 2N3095, 2N3097, 2N3098, 2N3099, 2N3101, 2N3103, 2N3105, AND 2N3106 USER: AS CG MC SH | A | 5961 | | EC | 29-MAR-83 | | EC | | |
| | | MIL-S-19500/282C | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE 1N4376 JAN AND JANTX USER: 19 AS CG MC MI OS SH SM REVIEWER: 70 80 85 99 AR | A | 5961 | | EC | 23-JUN-92 | ER | EC | 17 | |
| A | | MIL-S-19500/283D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N869A AND 2N4453 JANTX AND JANTXV USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 80 85 99 AR ES MI | A | 5961 | | EC | 29-JUL-92 | ER | EC | 17 | |
| | | MIL-S-19500/284E(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, MATCHED QUAD, TYPES 1N4307, 1N4307M JANTX AND JANTXV USER: 13 15 AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH | A | 5961 | | EC | 30-DEC-91 | ER | EC | 17 | |
| A | | MIL-S-19500/286D | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, MEDIUM-RECOVERY TYPES 1N4245 THROUGH 1N4249 JAN, JANTX AND JANTXV USER: 15 AS CG MC SH REVIEWER: 19 85 99 AR ES MI | A | 5961 | | ER | 15-MAR-93 | ER | EC | 17 | |
| A | | MIL-S-19500/287C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N3013, JAN AND JANTX USER: 13 15 19 AS CG MC OS SH SM REVIEWER: 70 80 85 99 ES MI | A | 5961 | | EC | 22-JAN-92 | ER | EC | 17 | |
| L | | MIL-S-19500/288(2) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPE 2N2377 (VALIDATION DATE: 8809) REVIEWER: 19 ES | A | 5961 | | ER | 29-SEP-88 | ER | | | |
| L | | MIL-S-19500/289(3) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPE 2N2378 (VALIDATION DATE: 8809) REVIEWER: 19 ES | A | 5961 | | ER | 29-SEP-88 | ER | | | |
| | | MIL-S-19500/290D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N2904, 2N2904A, 2N2904AL, 2N2905, 2N2905A, AND 2N2905AL, JAN, JANTX, JANTXV, JANS, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANSM, JANSD, JANSR, AND JANSH USER: 13 15 AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | | ER | 23-JAN-92 | ER | EC | 17 | |
| A | | MIL-S-19500/291D(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON SWITCHING TYPES 2N2906, 2N2906A, 2N2907, 2N2907A, 2N2906AUA, 2N2906AUB, 2N2906AUC, 2N2907AUA, 2N2907AUB, AND 2N2907AUC, JAN, JANTX, JANTXV, AND JANS USER: 13 15 AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | | ER | 05-MAR-93 | ER | EC | 17 | |
| | | MIL-S-19500/292A | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPE 2N2606 (VALIDATION DATE: 8304) USER: 13 15 AS CG MC REVIEWER: 11 19 AR ES MI | A | 5961 | | EC | 21-MAY-70 | ER | EC | 17 | |
| I | | MIL-S-19500/293A(1) | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N93A REVIEWER: 19 ES ..... | A | 5961 | | EC | 15-MAR-83 | | EC | 17 | |
| | | MIL-S-19500/294A(1) | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPE 2N2607 (INACTIVE FOR NEW DESIGN AFTER DATE OF AMD 1) USER: 13 15 AS CG MC REVIEWER: 11 19 AR ES MI | A | 5961 | | EC | 28-MAY-86 | ER | EC | 17 | |
| A | | MIL-S-19500/295B | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL SILICON, TYPES 2N2608 JAN USER: 13 15 AS CG MC REVIEWER: 19 AR ES MI | A | 5961 | | EC | 05-OCT-92 | ER | EC | 17 | |
| | | MIL-S-19500/296A(1) | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPE 2N2609 USER: 13 15 AS CG MC OS SM REVIEWER: 11 85 99 AR ES MI SH | A | 5961 | | EC | 18-MAY-90 | ER | EC | 17 | |
| A | | MIL-S-19500/297B(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N1184, 1N1186, 1N1188, 1N1190, 1N3766, 1N3768, 1N1184R, 1N1186R, 1N1188R, 1N1190R, 1N3766R, 1N3768R, JAN, JANTX, AND JANTXV USER: 19 AS CG MC OS SM REVIEWER: 85 99 AR ES MI | A | 5961 | 17 | ER | 20-OCT-92 | ER | EC | 17 | |
| L | | MIL-S-19500/298(3) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N1742A (VALIDATION DATE: 8708) REVIEWER: 19 85 ES | A | 5961 | 17 | ER | 17-AUG-87 | | | 17 | |
| A | | MIL-S-19500/301C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN SILICON, LOW-POWER TYPE 2N918 JANS, JANTX, AND JANTXV USER: 15 AS CG MC SH REVIEWER: 19 85 99 AR ES MI | A | 5961 | | ER | 15-MAR-93 | ER | EC | 17 | |
| | | MIL-S-19500/302A NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPE 2N2708 (VALIDATION DATE: 8809) REVIEWER: 19 ES | A | 5961 | | ER | 29-SEP-88 | ER | EC | 11 | |
| A L | | MIL-S-19500/303(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N2631 AND 2N2876 (VALIDATION DATE: 8304) REVIEWER: 19 ES | A | 5961 | | EC | 26-FEB-71 | | EC | | |
| A | | MIL-S-19500/304C(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST-RECOVERY TYPES 1N3885, 1N3886, 1N3888, 1N3890, 1N3891, 1N3893, 1N3890R, 1N3891R, 1N3893R AND A-VERSIONS JAN, JANTX, JANTXV, AND JANS USER: AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI SH | A | 5961 | | ER | 17-NOV-92 | ER | EC | 17 | |
| | | MIL-S-19500/308B(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST-RECOVERY TYPES 1N3909, 1N3910, 1N3911, 1N3912, 1N3913, R AND A VERSIONS JAN, JANTX, AND JANTXV USER: 19 AS CG MC OS SM REVIEWER: 85 99 AR ES MI | A | 5961 | | ER | 17-NOV-92 | ER | EC | 17 | |
| L | | MIL-S-19500/309(2) | SEMICONDUCTOR DEVICE TRANSISTOR, PNIP, GERMANIUM, TYPE 2N2528 (INACTIVE) USER: AR CG MC REVIEWER: SH | A | 5961 | | EC | 15-MAR-83 | | EC | | |
| L | | MIL-S-19500/310(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N2834 (INACTIVE) USER: CG MC REVIEWER: SH | A | 5961 | | EC | 16-MAR-83 | | EC | | |
| A | | MIL-S-19500/312C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N708, JANTX USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 80 85 AR ES MI | A | 5961 | 17 | EC | 01-AUG-92 | ER | EC | 17 | |
| | | MIL-S-19500/313B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N2432, TX2N2432, 2N2432A AND TX2N2432A USER: 14 AS CG MC REVIEWER: 11 19 85 ES MI | A | 5961 | 17 | ER | 14-JUN-82 | ER | EC | 17 | |

| Action | Ckg. / Ckld. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-S-19500/315E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N2880, 2N3749, JAN, JANTX, JANTXV, AND JANS USER: 14 AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5961 | 17 | 10-MAR-92 | ER | EC | 17 | | |
| | | MIL-S-19500/317E(4) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2369A, 2N3227, 2N4449 JAN, JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5961 | 17 | 26-JUN-90 | ER | EC | 17 | | |
| I | | MIL-S-19500/318(7) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, POWER RECTIFIER JAN TYPE - 1N1084 (VALIDATION DATE: 9007) USER: 15 AS CG MC MI SH REVIEWER: 11 19 85 AR | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | | |
| A | | MIL-S-19500/321A(4) | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N21WG, 1N21WGN, AND 1N21WGMR USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | ER | 30-JUN-92 | ER | EC | 17 | | |
| I | | MIL-S-19500/322B(3) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N23WE, 1N23WEM, 1N23WEMR, 1N23WG, 1N23WGM, 1N23WGMR USER: AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 30-DEC-90 | ER | EC | 17 | | |
| | | MIL-S-19500/323C(1) | SEMICONDUCTOR DEVICES TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N3250A AND 2N3251A JAN, JANTX, JANTXV, AND JANS USER: 13 AS CG MC SH SM REVIEWER: 11 19 85 99 AR AV ES MI | A | 5961 | EC | 09-JUL-87 | ER | EC | 17 | | NA |
| | | MIL-S-19500/329C NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N4801A THROUGH 1N4815A AND 1N4801B THROUGH 1N4815B JAN, JANTX AND JANTXV (VALIDATION DATE: 9007) USER: 15 CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | | |
| L | | MIL-S-19500/330A(5) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR PNP, GERMANIUM TYPES 2N1557A THROUGH 2N1560A (VALIDATION DATE: 8809) REVIEWER: 19 ES | A | 5961 | ER | 29-SEP-88 | ER | | | | |
| L | | MIL-S-19500/331A(2) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N1553A THROUGH 2N1556A (VALIDATION DATE: 8809) REVIEWER: 19 ES | A | 5961 | ER | 29-SEP-88 | ER | | | | |
| | | MIL-S-19500/334A(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N3655A, 1N3655AM, AND 1N3655AMR (VALIDATION DATE: 8312) USER: 13 15 19 AS CG MC SH REVIEWER: 11 99 AR ES MI | A | 5961 | 17 | 22-MAY-78 | ER | EC | 17 | | |
| I | | MIL-S-19500/335(2) NOTICE 1 | SEMICONDUCTOR DEVICE, SILICON, VOLTAGE REFERENCE (TEMPERATURE-STABLE) TYPE 1N430A, 1N430B (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 MI | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | | |
| A | | MIL-S-19500/336C | SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, PNP, SILICON TYPES 2N3810, 2N3810L, 2N3811, AND 2N3811L JANTX, JANTXV, AND JANS USER: 13 15 AS CG MC REVIEWER: 85 99 AV ES MI | A | 5961 | EC | 31-AUG-92 | ER | EC | 17 | | |
| | | MIL-S-19500/337E(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N4153, 1N4153-1, AND 1N4534, JAN, JANTX, JANTXV, AND JANS USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MC MI NA | A | 5961 | EC | 12-FEB-88 | ER | EC | 17 | | |
| L | | MIL-S-19500/338(2) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP GERMANIUM, SWITCHING TYPE 2N3449 (VALIDATION DATE: 8708) REVIEWER: 85 ES | A | 5961 | 17 | 17-AUG-87 | | | 17 | | |
| | | MIL-S-19500/339 | SEMICONDUCTOR DEVICE, DIODE, SILICON, VIDEO DETECTOR TYPES 1N358A, 1N358AR, 1N358AM, AND 1N358AMR (VALIDATION DATE: 8404) USER: 14 AS CG MC MI REVIEWER: 11 19 85 AR ES | A | 5961 | EC | 17-DEC-65 | ER | EC | 17 | | |
| A | | MIL-S-19500/340 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH POWER TYPE 2N2079A (VALIDATION DATE: 8404) USER: 14 AS CG MC MI REVIEWER: 11 19 85 ES | A | 5961 | EC | 17-DEC-65 | ER | EC | 17 | | |
| | | MIL-S-19500/341B(7) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY, POWER TYPES 2N3375, 2N3553, AND 2N4440 JAN, JANTX, AND JANTXV USER: 13 AS CG MC REVIEWER: 11 19 85 AR ES MI | A | 5961 | ER | 16-SEP-88 | ER | EC | 17 | | |
| | | MIL-S-19500/343B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N2857 AND TX2N2857 USER: 19 AS CG MC REVIEWER: 11 85 AR AV ES MI SH | A | 5961 | 17 | 03-JUN-86 | ER | EC | 17 | | |
| L | | MIL-S-19500/347(4) | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N3253, 2N3444, S, NON-TX, AND TX (VALIDATION DATE: 8505) USER: AS CG MC SH REVIEWER: ES | A | 5961 | EC | 12-JUL-79 | | EC | | | |
| L | | MIL-S-19500/348C | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N3467, 2N3467L, 2N3468, & 2N3468L JAN, JANTX, & JANTXV USER: 13 15 AS CG MC SH REVIEWER: 11 19 85 AR AV ES MI | A | 5961 | EC | 26-MAY-87 | | EC | | | |
| | | MIL-S-19500/349B NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES 2N3506 AND 2N3507 NON-TX, TX AND TXV USER: 13 AS CG MC MI REVIEWER: 11 19 85 AR AV ES | A | 5961 | EC | 26-MAY-87 | ER | EC | 17 | | |
| A | | MIL-S-19500/350C | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N3867, 2N3867S, 2N3868, AND 2N3868S JANTX, JANTXV, JANS, AND JANC USER: 13 15 AS AV CG MC SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | 25-SEP-92 | ER | EC | 17 | | |
| L | | MIL-S-19500/352(1) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N831A (VALIDATION DATE: 8809) REVIEWER: 19 ES MI | A | 5961 | ER | 30-SEP-88 | ER | | | | |
| | | MIL-S-19500/353B NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPES 1N832B, JAN, JANTX, AND JANTXV (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | | |
| | | MIL-S-19500/354C(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW POWER TYPES 2N2604 & 2N2605 JAN, JANTX, JANTXV, & JANS USER: 13 15 AS AV CG MC REVIEWER: 11 19 85 AR ES MI | A | 5961 | ER | 30-OCT-87 | ER | EC | 17 | | NA |
| | | MIL-S-19500/355C(2) NOTICE 1 | SEMICONDUCTOR DEVICE, UNITIZED DUAL-TRANSISTOR, NPN, SILICON TYPES 2N2919, 2N2919L, 2N2920 AND 2N2920L JAN, JANTX, JANTXV, AND JANS USER: 13 AS CG MC SH REVIEWER: 11 19 85 99 AR AV ES MI | A | 5961 | ER | 07-DEC-90 | ER | EC | 17 | | |
| A | | MIL-S-19500/356D | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR TYPES 1N4954 THROUGH 1N4996, 1N5968, 1N5969, AND 1N6632 THROUGH 1N6637, 1N4954US THROUGH 1N4996US, 1N5968US, 1N5969US, AND 1N6632US THROUGH 1N6637US JANTX, JANTXV, JANS AND JANC USER: 13 19 AS CG MC OS SM REVIEWER: 85 AR AV ES MI SH | A | 5961 | EC | 19-JUN-92 | ER | EC | 17 | | |
| A | | MIL-S-19500/357D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER TYPES 2N3634 THROUGH 2N3637, 2N3634L THROUGH 2N3637L JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SM REVIEWER: 85 AR ES MI SH | A | 5961 | ER | 31-DEC-92 | ER | EC | 17 | | |
| A | | MIL-S-19500/358C | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR B AND RB, TYPES 1N3305, THROUGH 1N3350, 1N4549 THROUGH 1N4554 JAN, JANTX, JANTXV, AND JANS REVIEWER: 80 85 99 ES | A | 5961 | ER | 29-SEP-92 | ER | | 17 | | |
| A | I | MIL-S-19500/359C(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER, 1N4942, 1N4944, 1N4946, 1N4947, AND 1N4948 JANTX AND JANTXV USER: 19 AS CG MC OS SM REVIEWER: 70 85 99 AR ES MI | A | 5961 | 17 | 05-NOV-92 | ER | EC | 17 | | |
| L | | MIL-S-19500/360(1) | SEMICONDUCTOR DEVICE, TRANSISTOR TYPES 2N2996 AND 2N2997 (VALIDATION DATE: 8304) REVIEWER: 19 ES | A | 5961 | EC | 25-FEB-71 | | EC | | | |
| L | | MIL-S-19500/361(1) | TRANSISTOR, PNP, SILICON, DOUBLE-EMITTER TYPE 3N108 (INACTIVE FOR NEW DESIGN AFTER DATE OF AMD 1) USER: AS CG MC OS REVIEWER: 19 ES | A | 5961 | EC | 23-MAY-86 | | EC | | | |
| A | L | MIL-S-19500/362 NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N1132 AND 1N1132R (VALIDATION DATE: 9212) REVIEWER: 11 19 85 | A | 5961 | 17 | 07-DEC-92 | | | 17 | | |
| L | | MIL-S-19500/363(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, DUAL TYPE 3N93 (VALIDATION DATE: 8304) USER: AS CG MC SH REVIEWER: 19 ES | A | 5961 | EC | 26-FEB-71 | | EC | | | |
| | | MIL-S-19500/364(2) | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, MIXER TYPE 1N1838 (VALIDATION DATE: 8404) USER: 19 AS CG MC MI REVIEWER: ES | A | 5961 | EC | 16-NOV-71 | ER | EC | 17 | | |
| | | MIL-S-19500/366B(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, AMPLIFIER TYPES 2N3498, 2N3499, 2N3500, 2N3501, 2N3498L, 2N3499L, 2N3500L, AND 2N3501L JAN, JANTX, JANTXV, AND JANS USER: AS CG MC SH SM REVIEWER: 11 19 85 AR ES MI | A | 5961 | ER | 26-MAY-89 | ER | EC | 17 | | |
| A | | MIL-S-19500/368B(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES: 2N3439, 2N3439L, 2N3440, 2N3440L, JANTX, JANTXV, AND JANS USER: 15 AS CG MC SH SM REVIEWER: 19 85 99 ES MI | A | 5961 | EC | 12-NOV-92 | ER | EC | 17 | | |
| | | MIL-S-19500/369B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES: 2N3441, JANTX USER: 13 AS AV CG MC OS SH SM REVIEWER: 19 80 AR ES MI | A | 5961 | EC | 21-OCT-91 | ER | EC | 17 | | |
| | | MIL-S-19500/370B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPES 2N3442, JAN, JANTX, AND JANTXV USER: AS CG MC REVIEWER: 11 19 85 99 AR ES MI | A | 5961 | EC | 26-FEB-90 | ER | EC | 17 | | |
| A | | MIL-S-19500/371B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3902 AND 2N5157 JANTX USER: 19 AS CG MC REVIEWER: 85 ES | A | 5961 | NA | 04-JAN-93 | ER | EC | 17 | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-S-19500/372A(6) | SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N4199 THROUGH 2N4206 | A | 5961 | | ER | 02-SEP-91 | ER | | | |
| | L | MIL-S-19500/373A(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON SWITCHING TYPES 2N914 AND TX2N914 [VALIDATION DATE: 8708] USER: 13 15 AS CG MC OS REVIEWER: 11 19 85 ES MI | A | 5961 | 17 | | 17-AUG-87 | | | 17 | |
| | M | MIL-S-19500/374B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2N3996 THROUGH 2N3999, JANTX, JANTXV, JANS, AND JANC REVIEWER: 85 99 AV ES | A | 5961 | 17 | | 03-MAY-93 | ER | EC | 17 | |
| | | MIL-S-19500/375B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD-EFFECT, N-CHANNEL, DEPLETION MODE, SILICON TYPES 2N3821, 2N3822, 2N3823 JAN, JANTX, JANTXV AND JANS USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | 17 | | 14-AUG-90 | ER | EC | 17 | |
| | | MIL-S-19500/376B(2) | SEMICONDUCTOR, DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPE 2N2484 JAN, JANTX, JANTXV, & JANS USER: 13 15 AR AS CG MC MI SH REVIEWER: 11 19 85 SM | A | 5961 | 17 | | 13-DEC-82 | ER | EC | 17 | MA |
| | | MIL-S-19500/378B | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N2497 THROUGH 2N2500, 2N3329 THROUGH 2N3332, JANTX USER: AS CG MC REVIEWER: 11 19 ES MI | A | 5961 | 17 | | 21-JUN-90 | ER | EC | 17 | |
| | A | MIL-S-19500/379D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPES 2N3791, 2N3792 JANTX, JANTXV, AND JANS USER: 13 AS AV CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | ER | | 15-DEC-92 | ER | EC | 17 | |
| | | MIL-S-19500/380B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N4865, 2N5250, 2N5251, JANTX, JANTXV, AND JANS USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | | 04-JUN-91 | ER | EC | 17 | |
| | L | MIL-S-19500/381 NOTICE 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, JAN, JANTX AND JANTXV TYPES 2N2034, 2N2858, 2N2859 AND 2N2911 [VALIDATION DATE: 8312] REVIEWER: 19 ES | A | 5961 | 17 | | 18-SEP-68 | | | 17 | |
| | L | MIL-S-0019500/381A | SEMICONDUCTOR DEVICE, [VALIDATION DATE: 8312] REVIEWER: 11 19 85 ES ..... | A | 5961 | 17 | | 14-JAN-72 | | | 17 | |
| | L | MIL-S-19500/382A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N2944A, 2N2945A, AND 2N2946A JAN, JANTX, JANTXV, AND JANS REVIEWER: 11 19 85 99 AV ES | A | 5961 | 17 | | 01-JUL-87 | ER | EC | 17 | MA |
| | A | MIL-S-19500/383A | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N5139A THROUGH 1N5148A NON-TX, TX, AND TXV USER: AS CG MC REVIEWER: 85 99 ES SH | A | 5961 | EC | | 02-MAR-93 | | EC | 17 | |
| | L | MIL-S-19500/383(14) | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N5139A THROUGH 1N5148A NON-TX, TX, AND TXV [VALIDATION DATE: 8808] | A | 5961 | EC | | 24-AUG-88 | | EC | | |
| | | MIL-S-19500/384C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON HIGH-POWER TYPES 2N3584, 2N3585, JANTX, AND JANTXV USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 80 85 AR ES MI | A | 5961 | EC | | 03-JAN-92 | ER | EC | 17 | |
| | A | MIL-S-19500/385A(3) | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N4856 THROUGH 2N4861 JAN, JANTX, JANTXV, AND JANS REVIEWER: 85 99 ES | A | 5961 | MA | | 02-JUL-92 | ER | EC | 17 | |
| | | MIL-S-19500/388A | SEMICONDUCTOR DEVICE, TRANSISTOR, PN, SILICON, UNIJUNCTION TYPES 2N4947, 2N4948 & 2N4949 JAN, JANTX, JANTXV, & JANS USER: 13 AS MC SM REVIEWER: 11 19 80 85 AV ES MI SH | A | 5961 | 17 | | 11-JUL-83 | ER | EC | 17 | |
| | I | MIL-S-19500/389(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH-VOLTAGE RECTIFIER TYPES 1N5181, 1N5182, 1N5183, 1N5184 AND TX1N5181, TX1N5182, TX1N5183, TX1N5184 [VALIDATION DATE: 9007] REVIEWER: 19 ES | A | 5961 | ER | | 06-JUL-90 | ER | EC | 17 | |
| | L | MIL-S-19500/390 NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, DOUBLE-EMITTER TYPES 3N74, TX3N74, 3N75, TX3N75, 3N76, TX3N76, 3N127, TX3N127 [VALIDATION DATE: 8609] REVIEWER: 11 19 85 EC ES | A | 5961 | 17 | | 09-SEP-86 | | | 17 | |
| | | MIL-S-19500/391B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N3019, 2N3019S, 2N3057A & 2N3700 JAN, JANTX, JANTXV, ANDJANS USER: 13 AS CG MC SH SM REVIEWER: 11 19 85 99 AR AV ES MI | A | 5961 | 17 | | 14-MAY-84 | ER | EC | 17 | |
| | | MIL-S-19500/392B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N3485A, 2N3486A JANTX, AND JANTXV USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 80 85 AR ES MI | A | 5961 | 17 | | 15-MAY-92 | ER | EC | 17 | |
| | | MIL-S-19500/393A(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER TYPES 2N3418, 2N3418S, 2N3419, 2N3419S, 2N3420, 2N3420S, 2N3421, 2N3421S JAN, JANTX, JANTXV AND JANS REVIEWER: 85 AR ES | A | 5961 | 17 | | 21-OCT-91 | ER | EC | 17 | |
| | | MIL-S-19500/394A(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING, TYPES 2N4150, 2N5237, 2N5238, 2N4150S, 2N5237S, 2N5238S, JAN, JANTX, JANTXV, AND JANS USER: 15 AS AV CG MC SH REVIEWER: 11 19 85 99 ES | A | 5961 | 17 | | 03-JUL-90 | ER | EC | 17 | |
| | | MIL-S-19500/395B(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON SWITCHING, TYPES 2N3735, 2N3735L, 2N3737 JAN, JANTX, JANTXV, AND JANS USER: 13 15 AS AV CG MC SH SM REVIEWER: 11 19 99 AR ES MI | A | 5961 | 17 | | 23-FEB-89 | ER | EC | 17 | |
| | | MIL-S-19500/396C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON SWITCHING TYPES 2N3762, 2N3762L, 2N3763, 2N3763L, 2N3764, & 2N3765 JAN, JANTX, JANTXV, & JANS USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AV ES MI | A | 5961 | 17 | | 26-DEC-84 | ER | EC | 17 | |
| | M L | MIL-S-19500/397B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPES 2N3743, 2N4930, 2N4931 JANTX, AND JANTXV | A | 5961 | ER | | 28-MAY-93 | ER | | | |
| | L | MIL-S-0019500/397A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON JAN, JANTX AND JANTXV TYPES 2N3743, 2N4930 AND 2N4931 [VALIDATION DATE: 7812] REVIEWER: 19 | A | 5961 | 17 | | 14-JAN-72 | | | 17 | |
| | | MIL-S-19500/398A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH FREQUENCY TYPES 2N3866 AND TX2N3866 USER: 13 AS CG MC REVIEWER: 11 19 85 99 AR ES MI | A | 5961 | 17 | | 26-DEC-84 | ER | EC | 17 | MA |
| | | MIL-S-19500/399A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N3960, JANTX AND JANTXV USER: 19 AS CG MC REVIEWER: 85 AR ES MI | A | 5961 | 17 | | 06-SEP-91 | ER | EC | 17 | |
| | A | MIL-S-19500/402B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N3739 JANTX AND JANTXV USER: 13 15 AS AV CG MC SH SM REVIEWER: 19 85 AR ES MI MA | A | 5961 | 17 | | 08-APR-93 | ER | EC | 17 | |
| | L | MIL-S-19500/403(1) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE 1N4500, JAN AND JANTX REVIEWER: 11 19 85 ES | A | 5961 | 17 | | 20-JUN-90 | | | 17 | |
| | | MIL-S-19500/404B(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER, MODULE HIGH VOLTAGE, 1N5597, 1N5600, 1N5603, JANTX AND JANTXV USER: AS CG MC OS REVIEWER: 70 80 85 ES | A | 5961 | 17 | | 20-DEC-91 | ER | EC | 17 | |
| | A | MIL-S-19500/406B | SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR TYPES 1N4460 THROUGH 1N4496 AND 1N6485 THROUGH 1N6491, 1N4460US THROUGH 1N4496US AND 1N6485US THROUGH 1N6491US JANTX, JANTXV, JANS, AND JANC USER: 13 19 AS CG MC OS SH REVIEWER: 85 AR ES MI SH | A | 5961 | 17 | | 19-JUN-92 | ER | EC | 17 | |
| | L | MIL-S-19500/407A NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N3055 AND TX2N3055 [VALIDATION DATE: 8609] USER: AS AV CG MC OS SH REVIEWER: 11 19 85 AR ES MI | A | 5961 | 17 | | 09-SEP-86 | ER | EC | 17 | |
| | A | MIL-S-19500/408D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3715 AND 2N3716 JANTX, JANTXV AND JANS USER: 13 15 AS AV CG MC REVIEWER: 19 85 99 AR ES MI | A | 5961 | ER | | 25-AUG-92 | ER | EC | 17 | |
| | M | MIL-S-19500/411F | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY 1N5415 THROUGH 1N5420, 1N5415US THROUGH 1N5420US, JAN, JANTX, JANTXV, JANS, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANSM, JANSD, JANSR, AND JANSH USER: AS CG MC SH SM REVIEWER: 19 80 85 99 AR AV ES MI | A | 5961 | ER | | 26-APR-93 | ER | EC | 17 | |
| | L | MIL-S-19500/412A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N3846, 2N3847, JANTX, JANTXV AND JANS REVIEWER: 11 85 ES | A | 5961 | 17 | | 19-JUN-90 | | | 17 | |
| | A | MIL-S-19500/413B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3771 AND 2N3772, JANTX, AND JANTXV REVIEWER: 19 85 99 ES | A | 5961 | MA | | 24-MAR-93 | ER | EC | 17 | |
| | | MIL-S-19500/414B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPE 2N5241, JAN, JANTX & JANTXV [VALIDATION DATE: 8312] USER: AS CG MC OS REVIEWER: 11 19 85 AR AV ES MI | A | 5961 | 17 | | 05-AUG-83 | ER | EC | 17 | |

| Action | Obsl / Obsl, Cancellation Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-S-19500/415(2) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPE JAN2N2812, JANTX2N2812, JAN2N2814 AND JANTX2N2814 (VALIDATION DATE: 8609) REVIEWER: 11 19 85 99 ES | A | 5961 | 17 | 09-SEP-86 | | | 17 | |
| | L | MIL-S-19500/419(2) | SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N3027 THROUGH 2N3032, AND TX2N3027 THROUGH TX2N3032 | A | 5961 | ER | 29-JUN-90 | ER | | | |
| | | MIL-S-19500/420C | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER, RECTIFIER, GENERAL PURPOSE TYPES 1N5550 THROUGH 1N5554, 1N5550US THROUGH 1N5554US JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SM REVIEWER: 80 85 99 AR ES MI SH | A | 5961 | 17 | 15-JUN-92 | ER | EC | 17 | |
| | L | MIL-S-19500/421C | SEMICONDUCTOR DEVICE, UNITIZED, DUAL TRANSISTOR, NPN/PNP, COMPLEMENTARY, SILICON TYPES 2N3838, 2N4854, AND 2N4854U, JANTX AND JANTXV | A | 5961 | 17 | 13-MAR-92 | | | 17 | |
| | L | MIL-S-19500/423A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES: JAN AND JANTX, 2N5581 AND 2N5582 USER: 13 15 REVIEWER: 11 19 85 ES | A | 5961 | 17 | 28-SEP-89 | | | 17 | |
| | | MIL-S-19500/424(3) | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER TYPES 1N5186, 1N5187, 1N5188, AND 1N5190 JAN AND JANTX USER: AS CG MC REVIEWER: 11 19 85 AR ES MI | A | 5961 | 17 | 20-JUN-90 | ER | EC | 17 | |
| | L | MIL-S-19500/425(4) | SEMICONDUCTOR DEVICE, TRANSISTOR, PN, SILICON, UNIJUNCTION JAN2N5431, AND JANTX2N5431 REVIEWER: 85 | A | 5961 | 17 | 10-SEP-90 | | | 17 | |
| | | MIL-S-19500/426A(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER TYPE 2N4957 JAN, JANTX, JANTXV, AND JANS USER: AR REVIEWER: 11 19 80 85 ES MI SH | A | 5961 | 17 | 28-DEC-89 | ER | EC | 17 | |
| | | MIL-S-19500/427C(2) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER TYPES 1N5614, 1N5616, 1N5618, 1N5620, 1N5622, 1N5614US, 1N5616US, 1N5618U, 1N5620US,1N5622US, JAN, JANTX, JANTXV, AND JANS USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 08-DEC-90 | ER | EC | 17 | |
| | L | MIL-S-19500/428A | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, N-CHANNEL, SILICON JAN, JANTX, JANTXV, AND JANS USER: 14 REVIEWER: 11 19 85 ES | A | 5961 | 17 | 07-DEC-87 | | | 17 | |
| | | MIL-S-19500/429C(2) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY TYPES 1N5615, 1N5617, 1N5619, 1N5621, 1N5623, 1N5615US, 1N5617US, 1N5619US, 1N5621US, 1N5623US, JAN, JANTX, JANTXV, AND JANS USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 11-NOV-90 | ER | EC | 17 | |
| | L | MIL-S-19500/430(1) | SEMICONDUCTOR DEVICE, UNITIZED, DUAL FIELD EFFECT TRANSISTOR, N CHANNEL, SILICON TYPES TX AND NON-TX 2N5545, 2N5546 AND 2N5547 (VALIDATION DATE: 8504) REVIEWER: 11 19 85 99 ES MI | A | 5961 | 17 | 01-JUN-73 | | | 17 | |
| | L | MIL-S-19500/431(2) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N4091, 2N4092, AND 2N4093, AND TX2N4091, TX2N4092 AND TX2N4093 REVIEWER: 11 70 85 ES | A | 5961 | 17 | 14-AUG-85 | | | 17 | |
| | L | MIL-S-19500/432 | SEMICONDUCTOR DEVICE, DIODE, SILICON JAN1N5624 THROUGH JAN1N5627 AND JANTX1N5624 THROUGH JANTX1N5627 (VALIDATION DATE: 8212) REVIEWER: 11 19 99 ES | A | 5961 | 17 | 03-APR-70 | | | 17 | |
| A | | MIL-S-19500/433C(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPES 2N4399, 2N5745, JANTX, JANTXV AND JANS USER: 13 15 19 AS AV CG MC OS SM REVIEWER: 99 ES MI | A | 5961 | ER | 29-SEP-92 | ER | EC | 17 | |
| A | | MIL-S-19500/434B(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N5610 THROUGH 1N5613 JAN, JANTX, JANTXV, AND JANS USER: AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | 17 | 26-MAR-93 | ER | EC | 17 | |
| M | | MIL-S-19500/435B | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW-NOISE VOLTAGE REGULATOR TYPES 1N4099-1 THROUGH 1N4135-1, 1N4614-1 THROUGH 1N4627-1, 1N4099UR-1 THROUGH 1N4135UR-1, 1N4614UR-1 THROUGH 1N4627UR-1, 1N4099US-1 THROUGH 1N4135US-1, 1N4614US-1 THROUGH 1N4627US-1, PLUS C- AND D- TOLERANCE SUFFIX, JAN, JANTX, JANTXV, JANS, AND JANC USER: 19 AS CG MC OS SM REVIEWER: 70 80 85 99 AR AV ES MI | A | 5961 | NA | 03-MAY-93 | ER | EC | 17 | |
| | L | MIL-S-19500/436(5) | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N5461B THRU 1N5476B AND 1N5461C THRU 1N5476C JAN, JANTX AND JANTXV USER: 19 REVIEWER: 11 99 | A | 5961 | 17 | 09-JAN-84 | | | 17 | |
| | L | MIL-S-19500/437A(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW NOISE, VOLTAGE REGULATOR TYPES 1N5518B THROUGH 1N5546B, 1N5518B-1 THROUGH 1N5546B-1 JAN, JANTX AND JANTXV USER: 13 REVIEWER: 11 19 85 99 ES | A | 5961 | 17 | 14-AUG-90 | | | 17 | |
| | | MIL-S-19500/438(1) | SEMICONDUCTOR DEVICE, TRIODE THYRISTOR (BI-DIRECTIONAL), SILICON, TYPES 2N5806 THROUGH 2N5809 (VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 11 19 85 99 AR AV ES MI SH | A | 5961 | EC | 24-AUG-88 | ER | EC | 17 | |
| M | | MIL-S-19500/439C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N5038 AND 2N5039 JANTX, JANTXV, JANS, AND JANC USER: 13 15 AS CG MC SH SM REVIEWER: 19 80 85 99 ES MI | A | 5961 | 17 | 28-MAY-93 | ER | EC | 17 | |
| A | L | MIL-S-19500/440A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N5927, JANTX AND JANTXV REVIEWER: ES | A | 5961 | ER | 11-JAN-93 | ER | | | |
| M | | MIL-S-19500/441D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N3740 AND 2N3741, JANTX, JANTXV, JANS, AND JANC USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | NA | 03-MAY-93 | ER | EC | 17 | |
| | L | MIL-S-19500/442(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HI FREQUENCY POWER TYPES 2N5071 AND TX2N5071 (VALIDATION DATE: 8307) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 22-MAR-72 | ER | | | |
| | | MIL-S-19500/443(4) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING 1N5719 AND TX1N5719 USER: AS CG MC SH REVIEWER: 11 19 99 AR ES MI | A | 5961 | 17 | 04-FEB-82 | ER | EC | 17 | |
| A | | MIL-S-19500/444B(3) | SEMICONDUCTOR DEVICE, DIODE, SWITCHING, TYPES 1N5711-1, 1N5711UR-1, 1N5711, AND 1N5711UR, JAN, JANTX, JANTXV, JANS, AND JANC USER: 19 AS CG MC OS SM REVIEWER: 85 99 AR ES MI TD | A | 5961 | 17 | 19-AUG-92 | ER | EC | 17 | |
| A | | MIL-S-19500/445B | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE 1N5712, 1N5712-1, AND 1N5712UR-1 JAN, JANTX, JANTXV, JANS, AND JANC USER: AS CG MC SH SM REVIEWER: 70 85 99 AR ES MI | A | 5961 | 17 | 24-NOV-92 | ER | EC | 17 | |
| | | MIL-S-19500/446(2) | SEMICONDUCTOR DEVICE, SILICON, HIGH POWER, SINGLE PHASE, FULL WAVE BRIDGE RECTIFIER TYPES SPA25, SPB25, SPC25, AND SPD25 (VALIDATION DATE: 8312) USER: AS CG MC REVIEWER: 11 19 85 99 ES MI | A | 5961 | 17 | 14-JUL-72 | ER | EC | 17 | NA |
| | L | MIL-S-19500/447A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPE 2N5926, JANTX AND JANTXV REVIEWER: ES | A | 5961 | ER | 11-JAN-93 | ER | | | |
| A | L | MIL-S-19500/448A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPE 2N4405 JANTX USER: 13 19 85 99 ES | A | 5961 | 17 | 29-MAR-93 | | | 17 | |
| | I | MIL-S-19500/450A(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5958, 2N5960, TX2N5958, AND TX2N5960 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| | I | MIL-S-19500/451A(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5957, 2N5959, TX2N5957, AND TX2N5959 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: AR MI | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| | | MIL-S-19500/452B(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW LEVEL, VOLTAGE-REFERENCE TYPES: 1N4565A THROUGH 1N4574A, 1N4564A-1 THROUGH 1N4574-1, AND 1N4564AUR-1 THROUGH 1N4574AUR-1, JANTX, JANTXV, JANS AND JANC USER: 19 AS CG MC OS SM REVIEWER: 85 99 AR ES MI | A | 5961 | 17 | 15-MAY-92 | ER | EC | 17 | |
| M | L | MIL-S-19500/453A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY TYPE 2N5109, JAN, JANTX, AND JANTXV REVIEWER: 19 85 99 ES | A | 5961 | 17 | 28-APR-93 | | | 17 | |
| | | MIL-S-19500/454A(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5660, 2N5661, 2N5662, AND 2N5663 JAN, JANTX, AND JANTXV USER: 13 AS CG MC OS SM REVIEWER: 19 80 85 99 AR MI SH | A | 5961 | 17 | 10-JAN-92 | ER | EC | 17 | |
| | | MIL-S-19500/455B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING TYPES 2N5664, 2N5665, 2N5666, 2N5666S, 2N5667, AND 2N5667S JAN, JANTX, JANTXV, AND JANS USER: 13 AS CG MC REVIEWER: 11 19 85 99 AR ES MI SH | A | 5961 | 17 | 16-JUL-90 | ER | EC | 17 | |

| Action | Doc. / Data Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MIL-S-19500/456B(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPES 2N5302, 2N5303, JAN, JANTX, JANTXV AND JANS USER: 13 AS AV CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI | A 5961 17 14-NOV-83 | ER | EC | 17 | NA |
| | L | MIL-S-19500/457A(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N6060, 2N6062, NON-TX, TX, AND TXV [VALIDATION DATE: 8809] REVIEWER: 19 ES | A 5961 ER 30-SEP-88 | ER | | | |
| | L | MIL-S-19500/458A(2) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N6061, 2N6063, NON-TX, TX, AND TXV [VALIDATION DATE: 8809] | A 5961 ER 30-SEP-88 | ER | | | |
| | L | MIL-S-19500/459A(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5967 AND 2N5969 NON-TX, TX, AND TXV [VALIDATION DATE: 8809] REVIEWER: ES | A 5961 ER 30-SEP-88 | ER | | | |
| | L | MIL-S-19500/460(2) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, GALLIUM ARSENIDE, MIXER TYPE 1N5764, 1N5764M AND 1N5764MR USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A 5961 ER 11-FEB-85 | ER | | | |
| | L | MIL-S-19500/461(5) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPES 2N6211, TX2N6211, 2N6212, TX2N6212, 2N6213, TX2N6213 REVIEWER: 11 19 99 AV ES | A 5961 17 18-JUN-90 | | | 17 | |
| | L | MIL-S-19500/462A(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5966 AND 2N5968 NON-TX, TX, AND TXV [VALIDATION DATE: 8809] REVIEWER: ES | A 5961 ER 30-SEP-88 | ER | | | |
| | A | MIL-S-19500/463C(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, CURRENT REGULATOR, TYPES 1N5283 THROUGH 1N5314, AND 1N5283-1 THROUGH 1N5314-1 AND 1N5283UR THROUGH 1N5314UR, AND 1N5283UR-1 THROUGH 1N5314UR-1 JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SH REVIEWER: 19 85 99 AR ES MI SH | A 5961 17 24-SEP-92 | ER | EC | 17 | |
| | M | MIL-S-19500/464A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER TYPES 2N5685 AND 2N5686 JANTX AND JANTXV USER: 13 19 REVIEWER: 70 80 85 ES | A 5961 17 30-APR-93 | ER | EC | 17 | |
| | | MIL-S-19500/465 NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER ASSEMBLY, HIGH VOLTAGE [VALIDATION DATE: 8809] USER: 19 AS CG MC OS SH REVIEWER: 11 80 99 AR ES MI | A 5961 ER 30-SEP-88 | ER | EC | 17 | |
| | L | MIL-S-19500/466(3) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON POWER TYPES 2N5683, TX2N5683, 2N5684, TX2N5684 [VALIDATION DATE: 8708] USER: 13 REVIEWER: 11 19 85 ES | A 5961 17 17-AUG-87 | | | 17 | |
| | | MIL-S-19500/467(2) | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING TYPES JAN1N5765 AND JANTX1N5765 [VALIDATION DATE: 8212] USER: 19 AS CG MC SH REVIEWER: 11 99 AR ES MI | A 5961 17 24-MAY-77 | ER | EC | 17 | |
| | | MIL-S-19500/469(2) | SEMICONDUCTOR DEVICE, SILICON, HIGH POWER, SINGLE PHASE, FULL WAVE BRIDGE RECTIFIER USER: AS CG MC REVIEWER: 11 19 85 AR ES MI | A 5961 EC 02-JAN-87 | ER | EC | 17 | |
| | L | MIL-S-19500/472A(1) | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPE 2N6350, TX2N6350, 2N6352, 2N6353 AND TX2N6353 [VALIDATION DATE: 8502] REVIEWER: AV | A 5961 ER 20-JAN-83 | ER | | | |
| | | MIL-S-19500/474D(3) | SEMICONDUCTOR DEVICE, SILICON, MULTIPLE DIODE ARRAYS, TYPES 1N5768, 1N5770, 1N5772, 1N5774, 1N6100, 1N6101, 1N6496, 1N6506, 1N6507, 1N6508, 1N6509, 1N6510, AND 1N6511 JAN, JANTX, JANTXV, AND JANS USER: AS CG CR MC OS SH REVIEWER: 19 80 85 AR AV ES MI SH | A 5961 17 05-APR-92 | ER | EC | 17 | |
| | QL | MIL-S-19500/476(2) NOTICE 1 | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2N5114 THROUGH 2N5116 AND TX2N5114 THROUGH TX2N5116 [VALIDATION DATE: 8708] USER: 13 REVIEWER: 11 19 85 AV ES | A 5961 17 17-AUG-87 | | | 17 | |
| | A | MIL-S-19500/477B | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER TYPES 1N5802, 1N5804, 1N5806, 1N5807, 1N5809, AND 1N5811, 1N5802US, 1N5804US, 1N5806US, 1N5807US, 1N5809US, AND 1N5811US JAN, JANTX, JANTXV, JANS, AND JANC USER: AS CG MC OS SH SM REVIEWER: 19 80 85 AR AV ES MI | A 5961 EC 25-JAN-93 | ER | EC | 17 | |
| | | MIL-S-19500/478D | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY TYPES 1N5812, 1N5814, 1N5816, AND R VERSIONS JANTX, JANTXV, AND JANS USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A 5961 EC 20-MAY-92 | ER | EC | 17 | |
| | | MIL-S-19500/483(4) | SEMICONDUCTOR DEVICE, SILICON, HIGH POWER, THREE PHASE, FULL WAVE BRIDGE RECTIFIER PART NUMBERS M19500/483-01 THROUGH M19500/483-04 USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI | A 5961 EC 24-OCT-85 | ER | EC | 17 | |
| | | MIL-S-19500/484(1) NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, GENERAL PURPOSE TX AND NON-TX TYPES 1N5835 AND 1N5836 [VALIDATION DATE: 9007] USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A 5961 ER 06-JUL-90 | ER | EC | 17 | |
| | L | MIL-S-19500/485A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES: 2N5415, 2N5415S, 2N5416, 2N5416S, JAN, JANTX, AND JANTXV USER: 13 15 REVIEWER: 11 19 85 ES | A 5961 17 30-OCT-90 | | | 17 | |
| | L | MIL-S-19500/486C | SEMICONDUCTOR DEVICE, COUPLER, OPTOELECTRONIC, SOLID STATE TYPES 4N22, 4N22A, 4N23, 4N23A, 4N24, 4N24A, 4N22U, 4N22AU, 4N23U, 4N23AU, 4N24U, 4N24AU, JANTX AND JANTXV REVIEWER: 11 19 85 99 ES | A 5980 17 19-MAY-91 | | | 17 | |
| | | MIL-S-19500/488B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPES 2N5671, & 2N5672, JAN, JANTX, & JANTXV USER: 13 15 SM REVIEWER: 11 19 80 AR ES MI SH | A 5961 17 18-FEB-88 | ER | EC | 17 | |
| | A L | MIL-S-19500/493A(3) | SEMICONDUCTOR DEVICE, PNPN, THYRISTOR, SILICON, (PROGRAMMABLE UNIJUNCTION TRANSISTOR), TYPES: 2N6116, 2N6117, 2N6118, 2N6137, 2N6138, JAN, JANTX, AND JANTXV | A 5961 ER 29-SEP-92 | ER | | | |
| | M L | MIL-S-19500/495A | SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, NPN, SILICON, TYPES 2N5793, 2N5974 AND 2N5794U, JANTX AND JANTXV USER: 13 15 REVIEWER: 19 85 ES | A 5961 17 28-MAY-93 | | | 17 | |
| | M L | MIL-S-19500/496A | SEMICONDUCTOR DEVICE, UNITIZED, DUAL TRANSISTOR, PNP, SILICON, TYPES 2N5795 2N5796, AND 2N5796U, JANTX AND JANTXV USER: 13 15 REVIEWER: 19 85 99 ES | A 5961 17 01-JUN-93 | | | 17 | |
| | L | MIL-S-19500/498A(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2N6306, 2N6308, JAN, JANTX, AND JANTXV USER: 13 REVIEWER: 19 85 99 ES | A 5961 17 15-MAY-92 | | | 17 | |
| | A | MIL-S-19500/500B | SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N5555 THROUGH 1N5558, 1N5907, 1N5629A THROUGH 1N5665A JAN, JANTX, JANTXV, AND JANS USER: AS CG MC SH SM REVIEWER: 19 85 AR ES MI | A 5961 NA 19-JAN-93 | ER | EC | 17 | |
| | | MIL-S-19500/501A(1) | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER TYPE 2N6051, 2N6052, JAN, JANTX, & JANTXV REVIEWER: 11 13 19 85 99 ES | A 5961 17 28-SEP-84 | ER | EC | 17 | |
| | L | MIL-S-19500/502A | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN SILICON, POWER TYPES 2N6059, NON-TX, TX, AND TXV USER: 13 REVIEWER: 11 19 85 99 AV ES | A 5961 17 05-MAR-82 | | | 17 | |
| | M | MIL-S-19500/503A | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRA FAST RECOVERY, TYPES 1N6073 THROUGH 1N6081, JANTX AND JANTXV REVIEWER: 10 80 85 99 ES | A 5961 ER 12-APR-93 | ER | | 17 | |
| | L | MIL-S-19500/504A(1) | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPE 2N6283 AND 2N6284 JANTX AND JANTXV | A 5961 17 05-APR-92 | | | 17 | |
| | L | MIL-S-19500/505(2) NOTICE 1 | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER TYPE 2N6286, 2N6287, NON-TX, TX, AND TXV [VALIDATION DATE: 8609] USER: 13 REVIEWER: 11 19 85 99 ES | A 5961 17 09-SEP-86 | | | 17 | |
| | A | MIL-S-19500/507B | SEMICONDUCTOR DEVICE, DIODE, SILICON, BIPOLAR TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N6036A THROUGH 1N6072A JAN, JANTX, JANTXV, AND JANS REVIEWER: 19 99 ES MI | A 5961 17 09-DEC-92 | ER | EC | 17 | |
| | | MIL-S-19500/508(3) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON POWER TYPES 2N6437, TX2N6437, TXV2N6437, 2N6438, TX2N6438, TXV2N6438 [VALIDATION DATE: 9007] USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A 5961 ER 06-JUL-90 | ER | EC | 17 | |
| | | MIL-S-19500/509A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER TYPES 2N6338 AND 2N6341, JAN, JANTX, AND JANTXV USER: 80 REVIEWER: 85 99 ES | A 5961 ER 21-OCT-90 | ER | | 17 | |
| | L | MIL-S-19500/510 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6249, 2N6250, 2N6251, NON-TX, TX AND TXV [VALIDATION DATE: 8212] REVIEWER: 19 85 99 ES | A 5961 17 23-OCT-75 | | | 17 | |
| | L | MIL-S-19500/511A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N4261 JAN, JANTX, JANTXV, AND JANS USER: 13 15 REVIEWER: 19 85 99 ES | A 5961 17 09-AUG-88 | | | 17 | |
| | L | MIL-S-19500/512A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N4029 & 2N4033 JAN, JANTX, JANTXV, & JANS REVIEWER: 11 19 80 85 AV ES | A 5961 17 08-JUN-87 | ER | EC | 17 | NA |

| Action | OPR / ONA Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-S-19500/513(1) NOTICE 1 | SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS) SILICON TYPES: 2N6605, 2N6606, 2N6607, 2N660B, NON-TX, TX, AND TXV (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| M | | MIL-S-19500/514A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6274 AND 2N6277, JANTX AND JANTXV REVIEWER: 85 | A | 5961 | ER | 31-MAR-93 | ER | EC | 17 | |
| A | | MIL-S-19500/515B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON POWER TYPE 2N6378, 2N6379, JANTX, JANTXV, AND JANC USER: 13 15 19 AS AV CG MC SH SM REVIEWER: 85 99 MI | A | 5961 | ER | 15-MAR-93 | ER | EC | 17 | |
| A | | MIL-S-19500/516B(2) | SEMICONDUCTOR DEVICE, DIODE SILICON, BIPOLAR TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N6102 THROUGH 1N6137, 1N6102A THROUGH 1N6137A, 1N6138 THROUGH 1N6173, 1N6138A THROUGH 1N6173A, 1N6102US THROUGH 1N6137US, 1N6102AUS THROUGH 1N6137AUS, 1N6138US THROUGH 1N6173US, AND 1N6138AUS THROUGH 1N6173AUS, JAN, JANTX, JANTXV, AND JANS REVIEWER: ES | A | 5961 | ER | 06-JUN-92 | ER | EC | 17 | |
| | L | MIL-S-19500/518A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER TYPES 2N3766, TX2N3766, TXV2N3766, 2N3767, TX2N3767, TXV2N3767 REVIEWER: 11 19 85 99 ES | A | 5961 | 17 | 14-MAY-84 | | | 17 | |
| | L | MIL-S-19500/519B | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, RED TYPES JAN1N6092, JANTX1N6092, JAN1N6609 (CLEAR LENS), JANTX1N6609 (CLEAR LENS), AND PANEL MOUNT ASSEMBLY TYPES JANM19500/51901, JANTXM19500/51902, JANM19500/51903 (CLEAR LENS),AND JANTXM19500/51904 (CLEAR LENS) | A | 5980 | ER | 10-JAN-92 | ER | | | |
| | L | MIL-S-19500/520B | SEMICONDUCTOR DEVICES, DIODE, LIGHT EMITTING, YELLOW TYPES JAN1N6093, JANTX1N6093, JAN1N6610 (CLEAR LENS), JANTX1N6610 (CLEAR LENS), AND PANEL MOUNT ASSEMBLY TYPES JANM19500/52001, JANTXM19500/52002, JANM19500/52003 (CLEAR LES), AND JANTXM19500/52004 (CLEAR LENS) | A | 5980 | ER | 20-APR-92 | ER | | | |
| | L | MIL-S-19500/521B | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, GREEN TYPES JAN1N6094, JANTX1N6094, JAN1N6611 (CLEAR LENS), JANTX1N6611 (CLEAR LENS), AND PANEL MOUNTED ASSEMBLY TYPES JANM19500/52101, JANTXM19500/52102, JANM19500/52102, JANM19500/52103 (CLEAR LENS), AND JANTXM19500/52104 (CLEAR LENS) REVIEWER: ES | A | 5980 | ER | 20-APR-92 | ER | | | |
| | L | MIL-S-19500/522(5) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY DEVICE TYPES: JAN 2N6603 AND TXV 2N6603 JAN 2N6604 AND TXV 2N6604 | A | 5961 | ER | 14-FEB-89 | ER | | | |
| | L | MIL-S-19500/523(3) NOTICE 1 | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN SILICON, POWER TYPES 2N6383, 2N6384, 2N6385 NON-TX, TX AND TXV (VALIDATION DATE: 8708) USER: 13 REVIEWER: 11 19 85 99 ES | A | 5961 | 17 | 17-AUG-87 | | | 17 | |
| | L | MIL-S-19500/525(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER TYPES 2N6546, TX2N6546, TXV2N6546, 2N6547, TX2N6547, TXV2N6547 USER: 13 REVIEWER: 11 19 85 99 ES | A | 5961 | 17 | 07-DEC-87 | | | 17 | |
| A | L | MIL-S-19500/526B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N3879 JANTX AND JANTXV USER: 13 REVIEWER: 19 85 99 ES | A | 5961 | 17 | 23-OCT-92 | | | 17 | |
| | L | MIL-S-19500/527(2) | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER TYPES 2N6648, 2N6649 AND 2N6650 NON-TX, TX AND TXV (VALIDATION DATE: 8312) USER: 13 REVIEWER: 11 19 85 99 ES | A | 5961 | 17 | 14-SEP-78 | | | 17 | |
| A | L | MIL-S-19500/528 NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6032 AND 2N6033 NON-TX, TX, AND TXV (VALIDATION DATE: 9212) REVIEWER: 11 19 85 99 | A | 5961 | 17 | 07-DEC-92 | | | 17 | |
| | | MIL-S-19500/529(1) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, SILICON TYPE 2N3904 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| | | MIL-S-19500/530 NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, SILICON TYPE 2N3906 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI | A | 5961 | ER | 06-JUL-90 | ER | EC | 17 | |
| A | | MIL-S-19500/533C | SEMICONDUCTOR DEVICE, DIODE, SILICON, ZENER, VOLTAGE REGULATOR, SOLID GLASS NONCAVITY CONSTRUCTION, TYPES 1N6309 THROUGH 1N6355; 1N6309US THROUGH 1N6335US; PLUS C AND D TOLERANCE SUFFIX; JANTX, JANTXV, AND JANS REVIEWER: 19 85 ES TD | A | 5961 | 17 | 15-DEC-92 | ER | EC | 17 | |
| | L | MIL-S-19500/534 NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5002, 2N5004, JAN, JANTX AND JANTXV REVIEWER: 11 19 85 99 | A | 5961 | 17 | 09-SEP-86 | | | 17 | |
| | L | MIL-S-19500/535 NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5003, 2N5005 JAN, JANTX & JANTYV REVIEWER: 11 19 85 99 | A | 5961 | 17 | 09-SEP-86 | | | 17 | |
| A | L | MIL-S-19500/536(3) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6671, AND 2N6673 JAN, JANTX, AND JANTXV (VALIDATION DATE: 9212) REVIEWER: 11 19 85 99 | A | 5961 | 17 | 07-DEC-92 | | | 17 | |
| A | L | MIL-S-19500/537(2) NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6674, 2N6675, 2N6689, AND 2N6690 JAN, JANTX, AND JANTXV (VALIDATION DATE: 9212) REVIEWER: 11 19 85 99 | A | 5961 | 17 | 07-DEC-92 | | | 17 | |
| | L | MIL-S-19500/538(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2N6676, 2N6678, 2N6691, AND 2N6693 JAN, JANTX, AND JANTXV REVIEWER: 19 85 99 | A | 5961 | 17 | 17-SEP-90 | | | 17 | |
| | L | MIL-S-19500/539(1) | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPES 2N6300, 2N6301, JAN, TX AND TXV REVIEWER: 11 19 80 85 99 ES | A | 5961 | 17 | 30-MAY-89 | | | 17 | |
| A | L | MIL-S-19500/540(2) NOTICE 1 | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP SILICON, POWER TYPES 2N6298, 2N6299, JAN, TX, AND TXV (VALIDATION DATE: 9212) REVIEWER: 11 19 85 99 | A | 5961 | 17 | 07-DEC-92 | | | 17 | |
| A | | MIL-S-19500/542D | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N6756, 2N6758, 2N6760, 2N6762, JANTX, JANTXV, JANS, AND JANC USER: 19 REVIEWER: 70 80 ES TD | A | 5961 | NA | 30-JUN-92 | ER | EC | 17 | |
| A | | MIL-S-19500/543D | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N6764, 2N6766, 2N6768, 2N6770, JANTX, JANTXV, JANS, AND JANC USER: 19 REVIEWER: 70 80 ES TD | A | 5961 | NA | 30-JUN-92 | ER | EC | 17 | |
| | L | MIL-S-19500/544(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5152, JAN, JANTX & JANTXV REVIEWER: 11 19 85 99 ES | A | 5961 | 17 | 03-MAY-82 | | | 17 | |
| | L | MIL-S-19500/545(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5151, 2N5153 JAN, JANTX AND JANTXV | A | 5961 | 17 | 03-MAY-82 | | | 17 | |
| | | MIL-S-19500/547A(1) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6660 AND 2N6661 JAN, JANTX, JANTXV, AND JANS USER: 13 15 REVIEWER: 19 85 99 ES TD | A | 5961 | 17 | 03-AUG-91 | ER | EC | 17 | |
| | | MIL-S-19500/548A | COUPLER, OPTO ELECTRONIC, SEMICONDUCTOR DEVICE, SOLID STATE, TYPES 4N47, 4N48, 4N49, 4N47U, 4N48U AND JANTX, JANTXV AND JANS USER: 13 15 AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | NA | 27-AUG-90 | ER | EC | 17 | |
| A | L | MIL-S-19500/550(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, HIGH CURRENT TYPES 1N6305, 1N6306 AND -R TYPES JANTX AND JANTXV USER: 13 | A | 5961 | 17 | 03-NOV-92 | | | 17 | |
| A | L | MIL-S-19500/551A(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N6461 THROUGH 1N6468 AND 1N6461US THROUGH 1N6468US JANTX AND JANTXV USER: 13 REVIEWER: 19 85 ES | A | 5961 | 17 | 18-SEP-92 | | | 17 | |
| | L | MIL-S-19500/552 | SEMICONDUCTOR DEVICE, DIODE SILICON TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N6469 THROUGH 1N6476 JAN, JANTX, AND JANTXV | A | 5961 | 17 | 26-OCT-81 | | | 17 | |
| A | L | MIL-S-19500/553(5) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1N6391 JAN, JANTX, AND JANTXV USER: 13 15 REVIEWER: 19 85 99 ES | A | 5961 | 17 | 03-NOV-92 | | | 17 | |
| | L | MIL-S-19500/554(3) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1N6392 JAN, JANTX, AND JANTXV USER: 15 REVIEWER: 11 19 85 99 ES | A | 5961 | 17 | 30-MAR-89 | | | 17 | |
| | | MIL-S-19500/555C(1) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6788, 2N6790, 2N6792 AND 2N6794 JANTX, JANTXV, AND JANS USER: 13 15 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI SH | A | 5961 | 17 | 03-MAR-92 | ER | EC | 17 | |
| A | | MIL-S-19500/556C | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6782, 2N6784, AND 2N6786 JANTX, JANTXV, JANS, AND JANC USER: 13 SM REVIEWER: 19 85 99 AR AS CG ES MC MI OS | A | 5961 | NA | 24-MAR-93 | ER | EC | 17 | |
| A | | MIL-S-19500/557C | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6796, 2N6798, 2N6800, AND 2N6802 JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SM REVIEWER: 70 80 AR ES MI SH | A | 5961 | NA | 24-MAR-93 | ER | EC | 17 | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | MIL-S-19500/558A(1) | SEMICONDUCTOR DEVICE, UNITIZED, PNP, SILICON, SWITCHING, FOUR TRANSISTOR ARRAY TYPES 2N6987, 2N6987U, AND 2N6988, JANTX, JANTXV, AND JANS USER: 13 15 AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | 17 | | 17-AUG-92 | ER | EC | 17 | |
| | MIL-S-19500/559A(1) | SEMICONDUCTOR DEVICE, UNITIZED, NPN, SILICON, SWITCHING, FOUR TRANSISTOR ARRAY TYPES 2N6989, 2N6990, AND 2N6989U, JANTX, JANTXV, AND JANS USER: 13 15 AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | 17 | | 26-MAY-92 | ER | EC | 17 | |
| M | MIL-S-19500/560A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N5339 JANTX, JANTXV, JANS, AND JANC | A | 5961 | ER | | 31-MAR-93 | ER | EC | 17 | |
| M | MIL-S-19500/561A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPE 2N6193 JANTX, JANTXV, JANS, AND JANC REVIEWER: 99 | A | 5961 | ER | | 21-APR-93 | ER | EC | 17 | |
| | MIL-S-19500/562A(2) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2N6804, 2N6806 JANTX, JANTXV, AND JANS USER: 19 REVIEWER: 11 70 80 ES TD | A | 5961 | 17 | | 10-MAR-91 | ER | EC | 17 | |
| | MIL-S-19500/563B | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2N6845 AND 2N6847 JANTX, JANTXV, JANS, AND JANC USER: 13 15 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | 17 | | 25-FEB-92 | ER | EC | 17 | |
| A | MIL-S-19500/564B(1) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N6849 AND 2N6851 JANTX, JANTXV, AND JANC USER: 19 AS CG MC OS SM REVIEWER: 70 80 85 99 AR ES MI TD | A | 5961 | 17 | | 26-MAY-92 | ER | EC | 17 | |
| | MIL-S-19500/565A(2) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N6895, 2N6896, 2N6897 AND 2N6898 JANTX, JANTXV AND JANS USER: 13 AM AS CG MC OS REVIEWER: 11 19 85 99 AR ES MI | A | 5961 | ER | | 02-JUL-91 | ER | EC | 17 | |
| | MIL-S-19500/566A(3) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON LOGIC-LEVEL, TYPES 2N6902 AND 2N6904 JANTX, JANTXV, AND JANS USER: 13 15 AS CG MC OS SM REVIEWER: 11 19 85 AR ES MI | A | 5961 | ER | | 27-MAR-91 | ER | EC | 17 | |
| A | MIL-S-19500/567 NOTICE 1 | SEMICONDUCTOR DEVICE, DIODE SILICON SCHOTTKY BARRIER, FAST RECOVERY TYPE 1N6492 JANTX, JANTXV, AND JANS VALIDATION DATE: 92121 REVIEWER: 11 19 85 99 AR MI SH | A | 5961 | 17 | | 07-DEC-92 | ER | EC | 17 | |
| | MIL-S-19500/568(1) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6962, 2N6963, 2N6964, AND 2N6965 JANTX, JANTXV AND JANS REVIEWER: 11 19 AR MI | A | 5961 | EC | | 27-JUN-88 | ER | EC | 17 | |
| | MIL-S-19500/569(3) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N6966, 2N6967, 2N6968, AND 2N6969 JANTX, JANTXV, AND JANS USER: 19 REVIEWER: 11 70 80 TD | A | 5961 | EC | | 12-JUN-92 | ER | EC | 17 | |
| M | MIL-S-19500/570A | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON LOGIC-LEVEL, TYPES 2N6901, AND 2N6903 JANTX, JANTXV, AND JANS USER: 13 15 AS CG MC OS SM REVIEWER: 19 85 AR ES MI SH | A | 5961 | ER | | 31-MAR-93 | ER | EC | 17 | |
| A | MIL-S-19500/571 NOTICE 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT, MOS, N-CHANNEL, TYPES 2N7104, 2N7106, 2N7108, 2N7105, 2N7107, 2N7109, JANTX, JANTXV, AND JANS VALIDATION DATE: 92121 REVIEWER: 11 19 85 99 AR MI SH | A | 5961 | 17 | | 07-DEC-92 | ER | EC | 17 | |
| L | MIL-S-19500/572 | SEMICONDUCTOR DEVICE, DIODE, LIGHT-EMITTING TYPES JANTX 1N6493, 1N6494, 1N6495, 1N6500, 1N6501 AND 1N6502 | A | 5980 | 17 | | 31-AUG-87 | | | 17 | |
| | MIL-S-19500/573 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP SILICON, SWITCHING TYPE 2N4209 JANTX, JANTXV, AND JANS | A | 5961 | ER | | 12-JAN-88 | ER | EC | 17 | |
| L | MIL-S-19500/574 | SEMICONDUCTOR DEVICE, DIODE, LIGHT-EMITTING TYPES JANTX 1N6497, 1N6498, 1N6499, 1N6503, 1N6504 AND 1N6505 | A | 5980 | 17 | | 01-AUG-88 | | | 17 | |
| A | MIL-S-19500/575 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE 1N6512 THROUGH 1N6519 1N6512U THROUGH 1N6519U JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR AV ES | A | 5961 | ER | | 06-APR-89 | ER | EC | 17 | |
| A | MIL-S-19500/576 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE 1N6520 THROUGH 1N6527, 1N6520U THROUGH 1N6527U, JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR AV ES | A | 5961 | ER | | 26-MAY-89 | ER | EC | 17 | |
| | MIL-S-19500/577 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE TYPES 1N6528 THROUGH 1N6535 JANTX, JANTXV, AND JANS USER: 13 AS CG MC NA OS SM REVIEWER: 11 19 85 AR AV ES MI | A | 5961 | ER | | 05-APR-89 | ER | EC | 17 | |
| A | MIL-S-19500/578(5) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING 1N6638, 1N6642, 1N6643, 1N6638U, 1N6642U AND 1N6643U JANTX, JANTXV, AND JANS USER: AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI SH | A | 5961 | MA | | 08-NOV-92 | ER | EC | 17 | |
| | MIL-S-19500/579(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT DMOS, QUAD N-CHANNEL TYPES 2N7116, 2N7117, AND 2N7118, JANTX, JANTXV, AND JANS USER: 13 15 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI MA SH | A | 5961 | 17 | | 01-AUG-91 | ER | EC | 17 | |
| | MIL-S-19500/580 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER, TYPES JANTX AND JANTXV, 2N4234, 2N4235, AND 2N4236 USER: AS CG MC OS SM REVIEWER: 11 13 19 85 AR ES MI | A | 5961 | EC | | 23-APR-90 | ER | EC | 17 | |
| | MIL-S-19500/581 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, AMPLIFIER, TYPES JANTX AND JANTXV 2N4237, 2N4238 AND 2N4239 USER: AS CG MC OS SM REVIEWER: 11 13 19 85 AR ES MI | A | 5961 | EC | | 23-APR-90 | ER | EC | 17 | |
| | MIL-S-19500/582 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER, TYPES: JANTX AND JANTXV, 2N5679, AND 2N5680 USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR ES MI | A | 5961 | EC | | 03-MAY-90 | ER | EC | 17 | |
| | MIL-S-19500/583 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, AMPLIFIER, TYPES JANTX AND JANTXV, 2N5681 AND 2N5682 USER: AS CG MC OS SM REVIEWER: 11 13 19 85 AR ES MI | A | 5961 | EC | | 23-APR-90 | ER | EC | 17 | |
| | MIL-S-19500/584 | SEMICONDUCTOR DEVICE, RF POWER TRANSISTOR, NPN, SILICON, PUSH-PULL TYPES JANTX, JANTXV, AND JANS 2N6985 AND 2N6986 USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR ES MI | A | 5961 | EC | | 25-JUL-90 | ER | EC | 17 | |
| | MIL-S-19500/585 | SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRA-FAST RECOVERY, HIGH VOLTAGE, POWER RECTIFIER, 1N6620 THROUGH 1N6625 AND U SUFFIX VERSIONS, JANTX, JANTXV, AND JANS USER: AS CG MC OS SM REVIEWER: 11 13 19 85 AR ES MI | A | 5961 | ER | | 12-APR-90 | ER | EC | 17 | |
| A | MIL-S-19500/586 | SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, SCHOTTKY BARRIER, TYPES 1N5819-1, 1N5819UR-1, 1N6650-1, AND 1N6650UR-1, JANTX, JANTXV, AND JANC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | | 01-FEB-93 | ER | EC | 17 | |
| A | MIL-S-19500/587 | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N6661, 1N6662, 1N6663, 1N6661US, 1N6662US, AND 1N6663US JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SM REVIEWER: 85 99 AR AV ES MI SH | A | 5961 | EC | | 14-JAN-93 | ER | EC | 17 | |
| M | MIL-S-19500/588 | SEMICONDUCTOR DEVICE, INSULATED GATE, BIPOLAR TRANSISTOR, N-CHANNEL, SILICON TYPE 2N7364 JANTX, JANTXV, AND JANS USER: 19 REVIEWER: 70 80 85 99 ES TD | A | 5961 | EC | | 04-JUN-93 | ER | EC | 17 | |
| | MIL-S-19500/590 | SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRA-FAST RECOVERY, HIGH VOLTAGE, POWER RECTIFIER, 1N6626 THROUGH 1N6631 AND U SUFFIX VERSIONS, JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR ES MI | A | 5961 | ER | | 03-APR-90 | ER | EC | 17 | |
| A | MIL-S-19500/592(1) | SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT, TRANSISTOR N-CHANNEL, SILICON TYPES 2N7224, 2N7225, 2N7227, 2N7228, 2N7224U, 2N7225U 2N7227U, 2N7228U, JANTX, JANTXV, JANS, AND JANC USER: 19 REVIEWER: 7C 80 ES TD | A | 5961 | EC | | 31-JUL-92 | ER | EC | 17 | |
| A | MIL-S-19500/595A | SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT, TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N7236, 2N7237, 2N7236U, 2N7237U, JANTX, JANTXV, JANS, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | | 01-SEP-92 | ER | EC | 17 | |
| A | MIL-S-19500/596A | SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT, TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7218, 2N7219, 2N7221, 2N7222, 2N7218U, 2N7219U, 2N7221U, 2N7222U, JANTX, JANTXV, JANS, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | | 01-SEP-92 | ER | EC | 17 | |
| A | MIL-S-19500/597(2) | SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPE 2N7334 JANTX, JANTXV, JANS, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | | 08-JAN-93 | ER | EC | 17 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-S-19500/598(2) | SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTOR, P-CHANNEL, AND N-CHANNEL, SILICON TYPE 2N7336, JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | 08-JAN-93 | ER | EC | 17 | |
| A | | MIL-S-19500/599(2) | SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTORS, P-CHANNEL, SILICON TYPE 2N7335 JANTX, JANTXV, JANS, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | 08-JAN-93 | ER | EC | 17 | |
| | | MIL-S-19500/601 | SEMICONDUCTOR DEVICE, FIELD-EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7261 AND 2N7262 JANTXVM, D, R, H AND JANSM, D, R, H USER: 19 REVIEWER: 70 80 ES TD | A | 5961 | MA | 01-MAY-92 | ER | EC | 17 | |
| | | MIL-S-19500/602 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7265, 2N7266, AND 2N7267 JANTXVM, D, R, H AND JANSM, D, R, H USER: 19 REVIEWER: 70 80 ES TD | A | 5961 | MA | 05-MAY-92 | ER | EC | 17 | |
| | | MIL-S-19500/603 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7268, 2N7269, AND 2N7270 JANTXVM, D, R, H AND JANSM, D, R, H USER: 19 REVIEWER: 70 80 ES TD | A | 5961 | MA | 05-MAY-92 | ER | EC | 17 | |
| A | | MIL-S-19500/604 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE CHARACTERIZATION ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7272, 2N7275, 2N7278, AND 2N7281 JANTXVM, D, R, AND JANSM, D AND R USER: 19 REVIEWER: 70 80 ES TD | A | 5961 | MA | 10-NOV-92 | ER | EC | 17 | |
| A | | MIL-S-19500/605 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7292, 2N7294, 2N7296, AND 2N7298 JANTXVM, D, R, H AND JANSM, D AND R USER: 19 REVIEWER: 70 80 ES TD | A | 5961 | MA | 10-NOV-92 | ER | EC | 17 | |
| A | | MIL-S-19500/606 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7291, 2N7293, 2N7295, AND 2N7297 JANTXVX, D, R, AND JANSM, D AND R USER: 19 REVIEWER: 70 80 ES TD | A | 5961 | MA | 10-NOV-92 | ER | EC | 17 | |
| A | | MIL-S-19500/607(1) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL AND P-CHANNEL, SILICON TYPE 2N7337 JANTX, JANTXV, JANS, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | 08-JAN-93 | ER | EC | 17 | |
| N | | MIL-S-19500/608 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY, POWER RECTIFIER, COMMON CATHODE OR COMMON ANODE CENTER TAP, TYPES 1N6660 AND 1N6660R JANTX, JANTXV AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | 22-APR-93 | ER | EC | 17 | |
| A | | MIL-S-19500/609 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N6639, 1N6640, 1N6641, 1N6639US, 1N6640US, AND 1N6641US JANTX, JANTXV, AND JANS USER: AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI SH | A | 5961 | EC | 25-JAN-93 | ER | EC | 17 | |
| N | | MIL-S-19500/610 | SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, SCHOTTKY BARRIER, TYPES 1N6677-1 AND 1N6677UR-1 JANTX, JANTXV, AND JANC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | 22-APR-93 | ER | EC | 17 | |
| N | | MIL-S-19500/620 | SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, RECTIFIER, SCHOTTKY BARRIER, TYPES 1N5822 AND 1N5822US JANTX, JANTXV, AND JANC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5961 | EC | 22-APR-93 | ER | EC | 17 | |
| A | | MIL-S-19500/621 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N7369 JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR MI | A | 5961 | EC | 05-APR-93 | ER | EC | 17 | |
| A | | MIL-S-19500/622 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPE 2N7368 JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR MI | A | 5961 | EC | 05-APR-93 | ER | EC | 17 | |
| A | | MIL-S-19500/623 | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N7371 JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR MI | A | 5961 | EC | 05-APR-93 | ER | EC | 17 | |
| A | | MIL-S-19500/624 | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, HIGH-POWER TYPE 2N7370 JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR MI | A | 5961 | EC | 05-APR-93 | ER | EC | 17 | |
| A | | MIL-C-19516G(1) | COAT, MAN'S: POLYESTER/WOOL, GABARDINE: BLUE | A | 8405 | CT | 04-MAY-92 | | MC | | CT |
| L | | MIL-A-19521B | ANODE RETAINING SUPPORT PLUGS AND ANODE SELECTION AND INSTALLATION DESIGN CRITERIA FOR SHIPBOARD CONDENSERS AND HEAT EXCHANGERS | A | 5340 | SH | 04-MAY-92 | | SH | | |
| L | | MIL-R-19523B | RELAYS, CONTROL REVIEWER: ES | A | 5945 | SH | 30-MAR-90 | | SH | | |
| L | | MIL-A-19531B NOTICE 1 | AIRCRAFT: MAINTENANCE AND ENGINEERING INSPECTION REQUIREMENTS [VALIDATION DATE: 9109] | A | 15GP | AS | 25-SEP-91 | | AS | | |
| | | MIL-L-19537C(3) | LACQUER, ACRYLIC-NITROCELLULOSE GLOSS (FOR AIRCRAFT USE) [VALIDATION DATE: 8401] USER: ME REVIEWER: OS | A | 8010 | AS | 28-OCT-77 | MR | AS | 11 | |
| | | MIL-L-19538C | LACQUER, ACRYLIC NITROCELLULOSE, CAMOUFLAGE (FOR AIRCRAFT USE) [VALIDATION DATE: 8304] REVIEWER: AV OS | A | 8010 | AS | 11-MAY-70 | MR | AS | 99 | |
| L | | MIL-C-19547B(1) | CABLE, ELECTRICAL, SPECIAL PURPOSE, SHORE USE [VALIDATION DATE: 8304] REVIEWER: IS | A | 6145 | EC | 07-JUN-71 | | EC | | |
| L | | MIL-P-19550B NOTICE 1 | PRESERVATIVE TREATMENT PLYWOOD (SHIP AND BOAT USE) [VALIDATION DATE: 8907] REVIEWER: AR CS | A | 5530 | SH | 24-JUL-89 | | SH | | |
| L | | MIL-S-19551B | SEARCHLIGHT, INCANDESCENT LAMP AND MERCURY-XENON VAPOR LAMP, SIGNALING, 12-INCH [VALIDATION DATE: 8211] | A | 6230 | SH | 30-NOV-77 | | SH | | |
| QL | | MIL-C-19553A(2) | COMPRESSORS, CENTRIFUGAL DISPLACEMENT TYPE MOTOR DRIVEN, OIL-FREE AIR FOR NAVAL SHIPBOARD LOW PRESSURE AIR SERVICE | A | 4310 | SH | 04-APR-84 | | SH | | |
| L | | MIL-M-19556 | MOUNT, GUN, LAUNCHING SYSTEMS, ROCKET AND GUIDED MISSILE, PROJECTORS, GENERAL SPECIFICATION [VALIDATION DATE: 8506] | A | 1055 | OS | 17-JUL-56 | | OS | | |
| QL | | MIL-S-19557D | STARTER, AIRCRAFT ENGINE, AIR TURBINE | A | 2995 | AS | 29-JAN-88 | | AS | | |
| L | | MIL-S-19557/1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-14-1 [VALIDATION DATE: 8208] | A | 2995 | AS | 11-SEP-72 | | AS | | |
| L | | MIL-S-19557/2 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-19 [VALIDATION DATE: 8508] | A | 2995 | AS | 11-SEP-72 | | AS | | |
| L | | MIL-S-19557/3 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-19-1 [VALIDATION DATE: 8508] | A | 2995 | AS | 11-SEP-72 | | AS | | |
| L | | MIL-S-19557/4 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-21 [VALIDATION DATE: 8508] | A | 2995 | AS | 11-SEP-72 | | AS | | |
| L | | MIL-S-19557/5 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-22-3 [VALIDATION DATE: 8508] | A | 2995 | AS | 11-SEP-72 | | AS | | |
| L | | MIL-S-19557/6(1) | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-24 | A | 2995 | AS | 11-AUG-83 | | AS | | |
| L | | MIL-S-19557/7 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-24-1 [VALIDATION DATE: 8508] | A | 2995 | AS | 11-SEP-72 | | AS | | |
| L | | MIL-S-19557/8(1) | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-28 [VALIDATION DATE: 8508] | A | 2995 | AS | 18-JUL-74 | | AS | | |
| L | | MIL-S-19557/9 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-29 [VALIDATION DATE: 8508] | A | 2995 | AS | 11-SEP-72 | | AS | | |
| L | | MIL-S-19557/10A | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-30 | A | 2995 | AS | 09-FEB-87 | | AS | | |
| L | | MIL-S-19557/11 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-31 | A | 2995 | AS | 17-MAY-85 | | AS | | |
| L | | MIL-R-19558A(1) | REGULATOR, AIR, DEMAND, DIVER S [VALIDATION DATE: 8104] | A | 4220 | SH | 07-JAN-63 | | SH | | |
| A L | | MIL-C-19559C | CORD, SERVICE CAP, WOMEN S USER: 45 | A | 8455 | CT | 16-JUL-84 | | MC | | CT |
| L | | MIL-M-19562A | MAINTENANCE PRINTS FOR ELECTRONIC EQUIPMENT, INSTRUCTIONS FOR PREPARATION OF [VALIDATION DATE: 8204] REVIEWER: GS | A | 7650 | EC | 29-JUN-66 | | EC | | |
| DQ | | MIL-C-19565C(1) | COATING COMPOUNDS, THERMAL INSULATION, FIRE AND WATER RESISTANT, VAPOR BARRIER USER: AS CE ME REVIEWER: YD1 | A | 8030 | SH | 08-APR-88 | | SH | 99 | |
| QL | | MIL-T-19576A(1) NOTICE 1 | TRANSMITTER, REMOTE COMPASS, THIN WING TYPE ML-1 (UNSTABILIZED) [VALIDATION DATE: 8706] | A | 6605 | AS | 19-JUN-87 | | AS | | |
| A L | | MIL-I-19578D | INSIGNIA, GRADE, ENLISTED PERSONNEL, METAL [VALIDATION DATE: 8403] USER: 45 REVIEWER: MC | A | 8455 | CT | 09-NOV-79 | | MU | | CT |
| L | | MIL-F-19579B | FLAG, ORGANIZATIONAL, STANDARD, USMC [VALIDATION DATE: 8502] USER: 45 REVIEWER: CT | A | 8345 | MC | 24-OCT-72 | | MC | | |
| L | | MIL-T-19588A(1) | TOLUENE-METHYL ISOBUTYL KETONE MIXTURE [VALIDATION DATE: 7802] REVIEWER: GS OS PS | A | 6810 | CG | 19-MAY-69 | | CG | | |
| L | | MIL-V-19593 | VALVE-CONTROL, AIRCRAFT PNEUMATIC 28 VOLT D-C SOLENOID OPERATED [VALIDATION DATE: 8209] | A | 4810 | AS | 31-JUL-56 | | AS | | |
| L | | MIL-M-19595C | MAGNETIC EFFECT LIMITS FOR NON-MAGNETIC EQUIPMENT USED IN THE PROXIMITY OF MAGNETIC INFLUENCE ORDNANCE REVIEWER: CS GS | A | NDTI | OS | 07-MAY-87 | | OS | | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-P-19602B | PRIMER, SIZE COATING, BAKING, FOR ROLLER COAT APPLICATION [VALIDATION DATE: 8204] REVIEWER: EA | A | 8010 OS | 31-JUL-74 MR | OS | | | |
| | | MIL-E-19603C | ENAMEL, BAKING, FOR ROLLER COAT APPLICATION [VALIDATION DATE: 8204] USER: AT | A | 8010 OS | 31-JUL-74 MR | OS | | | |
| A | L | MIL-P-19611C | PLATES, AUTOMOBILE, INDIVIDUAL: METAL; EMBLEM, AND STAR (COMMANDANT'S AND GENERAL OFFICER'S, USMC) | A | 8345 CT | 08-MAY-85 | MC | | | CT |
| A | L | MIL-S-19622F SUPPL 1A1 | STUFFING TUBES, NYLON: AND PACKING ASSEMBLIES; GENERAL SPECIFICATION FOR .. | A | 5975 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/1B | STUFFING TUBES, STRAIGHT, NYLON | A | 5975 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/2C | STUFFING TUBES, 90 DEGREES, NYLON | A | 5975 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/3B | STUFFING TUBES, NPT, NYLON | A | 5975 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/4B | STUFFING TUBES, "Y"-TYPE NYLON | A | 5975 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/14B | STUFFING TUBE, NYLON: PLUG, NEOPRENE | A | 5975 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/16B | STUFFING TUBE, NYLON, SIZE 1: PACKING ASSEMBLIES FOR | A | 5330 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/17D | STUFFING TUBE, NYLON, SIZE 2: PACKING ASSEMBLIES FOR | A | 5330 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/18C | STUFFING TUBE, NYLON, SIZE 3: PACKING ASSEMBLIES FOR | A | 5330 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/19D | STUFFING TUBE, NYLON, SIZES 4 AND 4T: PACKING ASSEMBLIES FOR | A | 5330 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/20H | STUFFING TUBE, NYLON, SIZE 5: PACKING ASSEMBLIES FOR | A | 5330 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/21E | STUFFING TUBE, NYLON, SIZE 6: PACKING ASSEMBLIES FOR | A | 5330 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/22E | STUFFING TUBE, NYLON, SIZE 7: PACKING AND ASSEMBLIES FOR | A | 5330 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/23C | STUFFING TUBE, NYLON, SIZE 8: PACKING ASSEMBLIES FOR | A | 5330 SH | 11-DEC-92 | SH | | | |
| A | L | MIL-S-19622/24C | STUFFING TUBE, NYLON, SIZE 9: PACKING ASSEMBLIES FOR | A | 5330 SH | 11-DEC-92 | SH | | | |
| | L | MIL-W-19623A | WINDLESS: ANCHOR, ELECTRIC-HYDRAULIC, VERTICAL AND NAVY TYPE, NAVAL SHIPBOARD | A | 3950 SH | 25-NOV-91 | SH | | | |
| | L | MIL-I-19632B | INSULATION, ELECTRICAL, DIELECTRIC BARRIER, LAMINATED, PLASTIC FILM AND RAG PAPER [VALIDATION DATE: 8104] REVIEWER: GS | A | 5970 SH | 14-APR-60 | SH | | | |
| | L1 | MIL-M-19633B(2) NOTICE 1 | MOTOR-GENERATOR, 60-CYCLE, AC TO 400-CYCLE AC (VOLTAGE AND FREQUENCY REGULATED) SHIPBOARD SERVICE REVIEWER: GS | A | 6125 SH | 20-JUN-91 | SH | | | |
| A | L | MIL-C-19635(1) | CLOTH, COATED, NON-SLIP TABLE COVERING [VALIDATION DATE: 7802] | A | 8305 CT | 24-JAN-57 | CG | | | CT |
| | L | MIL-A-19642B | ALIDADE, TELESCOPIC, MARINE, MARK 8 & ADAPTER RINGS | A | 6605 SH | 16-FEB-82 | SH | | | |
| | | MIL-P-19644C | PLASTIC MOLDING MATERIAL (POLYSTYRENE FOAM, EXPANDED BEAD) [VALIDATION DATE: 8204] USER: AS ME REVIEWER: 99 AP EA GS MI SH | A | 9330 OS | 10-JUL-70 MR | OS | 11 | | |
| | L | MIL-P-19644C(11) | PLASTIC MOLDING MATERIAL (POLYSTYRENE FOAM, EXPANDED BEAD) | A | 9330 SA | 01-APR-91 | SA | | | |
| D | L | MIL-T-19646A SUPPL 1A1 | THERMOMETER, GAS ACTUATED, REMOTE READING USER: YD1 REVIEWER: GS | A | 6685 SH | 08-FEB-90 | SH | | | |
| A | | MIL-R-19648C | RELAY, TIME DELAY, THERMAL GENERAL SPECIFICATION FOR USER: 19 MC MI OS SH REVIEWER: 11 17 80 99 AR AS AT AV ES ME | A | 5945 EC | 27-OCT-86 ER | EC | 85 | | |
| | | MIL-R-19648/1E | RELAY, TIME DELAY, TME [VALIDATION DATE: 8104] USER: 19 MC MI REVIEWER: 17 AT AV ES ME OS | A | 5945 85 | 18-OCT-74 ER | EC | 85 | | |
| A | L | MIL-S-19653B(2) | SEALING COMPOUND (WOOD BEDDING) | A | 8030 SH | 26-AUG-92 | SH | | | |
| | L | MIL-C-19654(1) | CABLE, TELEPHONE, SUBMARINE [VALIDATION DATE: 6704] REVIEWER: IS | A | 6145 CG | 29-SEP-61 | CG | | | |
| | | MIL-L-19661A(4) | LIGHT, MARKER, PORTABLE, EMERGENCY, AIRFIELD, BATTERY OPERATED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8306] USER: MC REVIEWER: GS | A | 6230 AS | 19-NOV-70 ME | AS | 99 | | |
| A | | MIL-C-19663D | CLOTH, WOVEN ROVING, FOR PLASTIC LAMINATE REVIEWER: AS CG | A | 8305 CT | 04-AUG-88 | SH | 99 | | CT |
| A | L | MIL-S-19672B(1) | SHOES, SWIM, CORAL USER: 45 | A | 8430 CT | 01-MAR-85 | SH | | | CT |
| A | L | MIL-C-19677C | CLASP, NECKTIE: METAL; GOLD COLOR | A | 8455 CT | 14-NOV-90 | MC | | | CT |
| | L | MIL-S-19678A | SLIP RING ASSEMBLY MARK 7 MOD 0 (GUN FIRE CONTROL SYSTEM MARK 68) | A | 1210 OS | 20-MAY-88 | OS | | | |
| | L | MIL-C-19688B | CUMMERBUND, MAN'S: BLACK | A | 8440 MC | 11-OCT-90 | MC | | | |
| | | MIL-P-19692D(1) | PUMP, HYDRAULIC, VARIABLE DELIVERY, GENERAL SPECIFICATION FOR | A | 1650 AS | 03-NOV-81 AV | AS | 99 | | |
| A | L | MIL-C-19699E | CLOTH, COATED (NYLON TAFFETA) | A | 8305 CT | 21-APR-92 | MU | | | CT |
| | QL | MIL-L-19701B NOTICE 1 | LUBRICANT, ALL-WEATHER, SEMI-FLUID, FOR AIRCRAFT ORDNANCE, METRIC [VALIDATION DATE: 9110] | A | 9150 AS | 24-OCT-91 | AS | | | |
| | L | MIL-C-19713B | COOLERS, FLUID, BLEED AIR, GAS TURBINE, NAVAL SHIPBOARD | A | 4420 SH | 14-FEB-92 | SH | | | |
| | | MIL-M-19719A | METHYL CENTRALITE (FOR AMMUNITION USE) [VALIDATION DATE: 8302] REVIEWER: GS | A | 6810 AR | 05-JUL-60 AR | OS | | | |
| | L | MIL-C-19729A(2) NOTICE 1 | COMPUTER, AERIAL PHOTOGRAPHIC DATA [VALIDATION DATE: 9111] | A | 6760 AS | 05-NOV-91 | AS | | | |
| A | L | MIL-C-19734C | CARRIER: SWORD SCABBARD USER: 45 | A | 8465 CT | 09-OCT-90 | MC | | | CT |
| | | MIL-A-19736A(2) | AIR REFUELING SYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8407] REVIEWER: 99 | A | 1680 AS | 16-MAR-66 AV | AS | | | |
| A | | MIL-C-19759E | CLOTH, COATED, TWILL, NYLON (LOW COUNT) REVIEWER: 82 | A | 8305 CT | 12-DEC-89 | MU | 99 | | CT |
| | L | MIL-G-19769B | GASKET, SYNTHETIC RUBBER, OIL RESISTANT, SLIDE VALVE (FOR 21 INCH SUBMERGED TORPEDO TUBES) [VALIDATION DATE: 8204] | A | 5330 OS | 05-JAN-76 | OS | | | |
| | QL | MIL-V-19772A(1) | VALVE, TEMPERATURE REGULATING AUTOMATIC, NAVAL SHIPBOARD | A | 4820 SH | 07-APR-87 | SH | | | |
| | L | MIL-C-19787C(4) NOTICE 1 | CABLE, ELECTRIC, TORPEDO, 65 CONDUCTOR (FOR TORPEDO CONTROL, ELECTRIC SETTING) [VALIDATION DATE: 9010] | A | 6145 OS | 08-OCT-90 | OS | | | |
| | L | MIL-M-19793C | MAVELOCK, PLASTIC | A | 8410 MC | 29-MAY-79 | MC | | | |
| | L | MIL-C-19794B | CASTABLE MIX, REFRACTORY, THERMAL INSULATING [VALIDATION DATE: 8907] REVIEWER: GS | A | 9350 SH | 25-JUL-89 | SH | | | |
| | Q | MIL-C-19803F(4) | CONVERTER, LIQUID OXYGEN, 10-LITER GCU-24A/A REVIEWER: 71 | A | 1660 AS | 04-NOV-86 | AS | 99 | | |
| | L | MIL-G-19804 NOTICE 1 | GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN CONVERTER, TYPE MC-6 (INACTIVE - USE MIL-I-81387) [VALIDATION DATE: 8009] | A | 6685 AS | 12-JAN-57 | AS | | | |
| | L | MIL-G-19807 | GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN QUANTITY INDICATOR REPEATERS, TYPES MC-5R, MC-6R, MC-7R, MC-8R (INACTIVE - USE MIL-I-81387) [VALIDATION DATE: 8009] | A | 6685 AS | 14-JAN-57 | AS | | | |
| | L | MIL-A-19815A(2) NOTICE 1 | ARMING DEVICE (UNLOADED AND LOADED) MARK 2 MODS 1 AND 3 (INACTIVE FOR NEW DESIGN) | A | 1355 OS | 31-OCT-86 | OS | | | |
| | L | MIL-S-19816A(2) | SWITCH, STERILIZING, MARK 1 MODS 0 AND 1 (FOR EXPLODER MECHANISM MARK 19 SERIES) [VALIDATION DATE: 8506] REVIEWER: ES | A | 1355 OS | 09-MAR-73 | OS | | | |
| | L | MIL-S-19819C | SWITCH, FIRING, MARK 8 MOD 0 AND 1 (INERTIA) FOR EXPLODER MECHANISM MARK 19 SERIES [VALIDATION DATE: 8507] | A | 1355 OS | 25-JAN-74 | OS | | | |
| | L | MIL-S-19820B(1) | SWITCH, HYDROSTATIC, MARK 24, MODS 0, 1, 2, AND 3 (FOR EXPLODER MECHANISM MARK 19 SERIES) [VALIDATION DATE: 8506] | A | 1355 OS | 09-MAR-73 | OS | | | |
| | Q | MIL-P-19834B(2) | PLATE, IDENTIFICATION, METAL FOIL, ADHESIVE BACKED USER: 11 AR GL MC MI SH REVIEWER: AS CR EA ES OS SA | A | 9905 EC | 13-JUL-83 ME | EC | 99 | | |
| | L | MIL-T-19835(2) | TRANSMITTING SET, RADIO [VALIDATION DATE: 8204] REVIEWER: SH | A | 5820 EC | 04-FEB-60 | EC | | | |
| D | L | MIL-C-19836B(1) | COOLERS, FLUID, INDUSTRIAL, AIR, MOTOR AND GENERATOR, NAVAL SHIPBOARD USER: YD1 | A | 4420 SH | 19-DEC-88 | SH | | | |
| | L | MIL-O-19838(1) NOTICE 1 | OIL SYSTEMS: AIRCRAFT, INSTALLATION AND TEST OF [VALIDATION DATE: 9109] REVIEWER: AV GS | A | 9150 AS | 25-SEP-91 | AS | | | |
| | QL | MIL-L-19844A | LEAD, SHIELDED, DETACHABLE IGNITION [VALIDATION DATE: 8410] REVIEWER: 99 AV | A | 2925 AS | 27-DEC-63 | AS | | | |
| | | MIL-F-19849E | FILLER-BLEEDER, HYDRAULIC BRAKE SYSTEM, AUTOMOTIVE USER: AV MC ME | A | 4910 AL | 29-FEB-88 AL | | 99 | | |
| | Q | MIL-C-19853C(1) | CARBON REMOVING COMPOUND (FOR USE IN AGITATED TANK) REVIEWER: GS MS | A | 6850 AS | 09-NOV-83 | AS | 11 | | |
| | L | MIL-M-19857C(1) NOTICE 1 | NECKTIE, WOMANS, POLYESTER/WOOL [VALIDATION DATE: 8710] USER: 45 REVIEWER: CT | A | 8445 MC | 23-OCT-87 | MC | | | |
| | QL | MIL-M-19863D | MOUNT, RESILIENT: TYPE 585,000H REVIEWER: IS | A | 5340 SH | 08-MAY-91 | SH | | | |
| | L | MIL-A-19865C | AIR CONDITIONER, MECHANICALLY REFRIGERATED | A | 4120 SH | 20-MAR-91 | SH | | | |
| A | L | MIL-I-19878C | INSIGNIA, BRANCH OF SERVICE: METAL; HOSPITAL CORPSMAN AND DENTAL TECHNICIAN | A | 8465 CT | 21-DEC-90 | MC | | | CT |
| | L | MIL-M-19882A(1) | WINCHES, DRUM, POWER OPERATED, BATHYTHERMOGRAPH (INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 8104] REVIEWER: CS | A | 3950 SH | 31-MAY-66 | SH | | | |
| D | L | MIL-C-19902C NOTICE 1 | CAPS, VENT, FUEL STORAGE TANK [VALIDATION DATE: 9110] REVIEWER: CS | A | 5430 YD1 | 21-OCT-91 | YD1 | | | |

| Action | OPL / QML Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-B-19906A(1) | BOMB RACK AND ROCKET LAUNCHER, COMBINATION, AERO 15 SERIES [VALIDATION DATE: 8304] | A | 1095 | AS | | 15-OCT-68 | | AS | | |
| A | | MIL-R-19907D(1) | REPAIR KIT, GLASS REINFORCED PLASTIC LAMINATE USER: AS CG ..... | A | 2090 | SH | | 13-AUG-92 | ME | SH | 99 | |
| D | | MIL-C-19908D | CAPS, FUEL STORAGE TANK [VALIDATION DATE: 9110] REVIEWER: CS ..... | A | 5430 | YD1 | | 17-OCT-91 | | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| D | L | MIL-H-19910C(1) | HEATERS, SPACE, ELECTRIC REVIEWER: CS ..... | A | 4520 | YD1 | | 19-AUG-88 | | YD1 | | |
| | L | MIL-I-19917A | INSULATION SHEET, ELECTRICAL, MICA PAPER, SILICONE BONDED [VALIDATION DATE: 8104] REVIEWER: GS MI | A | 5970 | SH | | 12-DEC-68 | | SH | | |
| | L | MIL-P-19918(1) | PACKING, V RING [VALIDATION DATE: 8307] REVIEWER: IS ..... | A | 5330 | AS | | 30-SEP-57 | | AS | | |
| | L | MIL-F-19924(1) | FEED, MECHANISMS, 20MM, MARK 7 MODS 0 & 2 (INACTIVE) [VALIDATION DATE: 8304] | A | 1005 | AS | | 05-FEB-58 | | AS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | DQL | MIL-E-19933E(1) | ELECTRODES AND RODS - WELDING, BARE, CHROMIUM AND CHROMIUM-NICKEL STEELS USER: YD1 | A | 3439 | SH | | 29-SEP-82 | | SH | | |
| | L | MIL-A-19939A | AMPLIFIER, TWO CHANNEL, INTEGRAL, S-2 COMPASS [VALIDATION DATE: 8202] ..... | A | 6605 | AS | | 15-SEP-66 | | AS | | |
| | QL | MIL-A-19940 | AMPLIFIER, CONTROL, SINGLE CHANNEL, S-2 COMPASS [VALIDATION DATE: 8304] ... | A | 6605 | AS | | 03-JUN-57 | | AS | | |
| | L | MIL-C-19941A | CONTROLLER, S-2 COMPASS, TYPE [VALIDATION DATE: 8202] ..... | A | 6605 | AS | | 15-SEP-66 | | AS | | |
| | Q | MIL-C-19978E(3) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL, CERAMIC, OR GLASS CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: AT AV MC ME OS SH REVIEWER: 17 99 AR AS ES MI | A | 5910 | 85 | | 29-OCT-91 | ER | EC | 85 | |
| | | SUPPL 1A1 | | | | | | | | | | |
| | | MIL-C-19978/1D | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL CASES), STYLES CQ08, CQ09, CQ12, AND CQ13 [VALIDATION DATE: 9010] USER: 19 AS AT AV MC ME OS SH REVIEWER: 11 17 99 AR ES MI | A | 5910 | 85 | | 22-OCT-90 | ER | EC | 85 | |
| | | MIL-C-19978/2C | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC (HERMETICALLY | A | 5910 | 85 | | 30-AUG-91 | ER | EC | 85 | |
| | | NOTICE 1 | SEALED IN CERAMIC OR GLASS CASES) STYLE CQ20 [VALIDATION DATE: 9108] USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI TD | | | | | | | | | |
| | | MIL-C-19978/3E(2) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY | A | 5910 | 85 | | 22-JUL-91 | ER | EC | 85 | |
| | | NOTICE 1 | SEALED IN METAL CASES), STYLE CQ72 USER: AT AV MC ME OS SH REVIEWER: 17 99 AS ES MI | | | | | | | | | |
| | | MIL-C-19978/5A(2) | CAPACITORS, FIXED, PLASTIC DIELECTRIC (HERMETICALLY SEALED IN METAL CASES), STYLES CQ06 AND CQ07 [VALIDATION DATE: 9010] USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI TD | A | 5910 | 85 | | 22-OCT-90 | ER | EC | 85 | |
| | | MIL-C-19978/8(3) | CAPACITOR, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL TUBULAR | A | 5910 | 85 | | 20-JUL-84 | ER | EC | 85 | |
| | | NOTICE 1 | (INSULATED) (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY, STYLE CQR07 USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI TD | | | | | | | | | |
| | | MIL-C-19978/9A(3) | CAPACITOR, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE | A | 5910 | 85 | | 20-JUL-84 | ER | EC | 85 | |
| | | NOTICE 1 | TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR09 USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI TD | | | | | | | | | |
| | | MIL-C-19978/10(2) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE | A | 5910 | 85 | | 13-JAN-89 | ER | EC | 85 | |
| | | NOTICE 1 | TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY STYLE CQR12 [VALIDATION DATE: 8901] USER: 19 AT AV MC ME OS REVIEWER: 11 17 99 AR AS ES MI SH | | | | | | | | | |
| | | MIL-C-19978/11(2) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE | A | 5910 | 85 | | 13-JAN-89 | ER | EC | 85 | |
| | | NOTICE 1 | TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR13 [VALIDATION DATE: 8901] USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI | | | | | | | | | |
| | I | MIL-C-19978/12(4) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE | A | 5910 | 85 | | 22-OCT-90 | ER | EC | 85 | |
| | | NOTICE 1 | TERMINAL, TUBULAR (INSULATED), (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR19 [VALIDATION DATE: 9010] USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI TD | | | | | | | | | |
| | | MIL-C-19978/13(4) | CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR | A | 5910 | 85 | | 22-OCT-90 | ER | EC | 85 | |
| | | NOTICE 1 | (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR29 [VALIDATION DATE: 9010] USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI | | | | | | | | | |
| | | MIL-C-19978/14(3) | CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL | A | 5910 | 85 | | 13-JAN-89 | ER | EC | 85 | |
| | | NOTICE 1 | RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR32 [VALIDATION DATE: 8901] USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI | | | | | | | | | |
| | | MIL-C-19978/15(3) | CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD | A | 5910 | 85 | | 22-OCT-90 | ER | EC | 85 | |
| | | NOTICE 1 | RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR33 [VALIDATION DATE: 9010] USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI | | | | | | | | | |
| | I | MIL-C-19978/16A(2) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE | A | 5910 | 85 | | 19-JUN-90 | ER | EC | 85 | |
| | | NOTICE 1 | TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR39 USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI | | | | | | | | | |
| | I | MIL-C-19978/17A | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE | A | 5910 | 85 | | 19-JUN-90 | ER | EC | 85 | |
| | | NOTICE 1 | TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR42 USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI | | | | | | | | | |
| | I | MIL-C-19978/18A | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE | A | 5910 | 85 | | 19-JUN-90 | ER | EC | 85 | |
| | | NOTICE 1 | TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR43 USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI | | | | | | | | | |
| | I | MIL-C-19978/19A(2) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE | A | 5910 | 85 | | 22-OCT-90 | ER | EC | 85 | |
| | | NOTICE 1 | TERMINAL, TUBULAR (INSULATED), (HERMETICALLY SEALED IN METAL CASES), STYLE CQ05 [VALIDATION DATE: 9010] USER: AT AV MC OS SH REVIEWER: 11 17 99 AR AS ME MI TD | | | | | | | | | |
| | | MIL-C-19978/20(3) | CAPACITOR,FIXED,PLASTIC(OR PAPER-PLASTIC)DIELECTRIC,AXIAL WIRE | A | 5910 | 85 | | 27-FEB-87 | ER | EC | 85 | |
| | | NOTICE 1 | TERMINAL,TANGENTIAL RETAINER,TUBULAR(UNINSULATED) (HERMETICALLY SEALED IN METALLIC CASES) STYL CQR 10 [VALIDATION DATE: 8702] REVIEWER: 17 99 AR AS ES MI | | | | | | | | | |
| | | MIL-C-19978/21(2) | CAPACITOR,FIXED,PLASTIC(OR PAPER-PLASTIC)DIELECTRIC,AXIAL WIRE | A | 5910 | 85 | | 27-FEB-87 | ER | EC | 85 | |
| | | NOTICE 1 | TERMINAL,THREADED STUD RETAINER,TUBULAR(UNINSULATED) (HERMETICALLY SEALED IN METALLIC CASES)STYLE CQR11 [VALIDATION DATE: 8702] REVIEWER: 17 99 AR AS ES MI | | | | | | | | | |
| | L | MIL-M-19981A | METER, AIR FLOW INDICATING, DIFFERENTIAL PRESSURE, SUBMARINE BATTERY VENTILATION, VARIABLE TRANSFORMER [VALIDATION DATE: 8202] REVIEWER: GS | A | 6680 | SH | | 26-FEB-62 | | SH | | |
| A | L | MIL-S-19984D | SHIRT, MAN S, KHAKI, WITH QUARTER LENGTH SLEEVE USER: 45 REVIEWER: SA ..... | A | 8405 | CT | | 03-AUG-84 | | MC | | CT |
| | L | MIL-P-19990A(2) | PLOTTING TABLE, PHOTOGRAPHIC FILM [VALIDATION DATE: 8303] REVIEWER: GS .... | A | 6740 | AS | | 22-JUL-77 | | AS | | |
| A | L | MIL-C-20008F | CLOTHES STOP [VALIDATION DATE: 8503] USER: 45 ..... | A | 8465 | CT | | 04-MAY-79 | | MU | | CT |
| | L | MIL-I-20037B | INDICATOR, SIGHT, LIQUID LEVEL, DIRECT READING, REFLEX TUBULAR GAGE GLASS REVIEWER: 82 GS | A | 6680 | SH | | 01-JUN-84 | | SH | | |
| D | | MIL-F-20042D(1) | FLANGE, PIPE & BULKHEAD, BRONZE (SILVER BRAZING) USER: OS REVIEWER: CS YD1 | A | 4730 | SH | | 22-NOV-85 | ME | SH | | |
| | | MIL-H-20048A | HOOK, CARGO (DROP FORGED) [VALIDATION DATE: 8204] REVIEWER: IS MT ..... | A | 4030 | SH | | 08-APR-63 | AR | SH | 99 | |
| A | | MIL-H-20050E | HANDCUFFS AND LEG IRONS USER: 45 MC REVIEWER: 11 82 ..... | A | 8465 | CT | | 30-MAR-87 | GL | SA | 99 | CT |
| | 1 | MIL-C-20061D(1) | CLINOMETERS, SHIP, AND ACCESSORIES ..... | A | 6605 | SH | | 18-JAN-91 | | SH | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| D | | MIL-V-20064E | VALVE, NONFERROUS FOR USE WITH HALOGENATED REFRIGERANTS [VALIDATION DATE: 8204] REVIEWER: GL GS YD1 | A | 4130 | SH | | 01-FEB-72 | ME | SH | 99 | |
| | L | MIL-V-20065D(3) | VALVE, ANGLE, PRESSURE RELIEF, NAVAL SHIPBOARD, FOR STEAM SERVICE [VALIDATION DATE: 8307] REVIEWER: CS | A | 4820 | SH | | 14-MAR-72 | | SH | | |

| Action | Opt. / Cond. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-G-20078C NOTICE 1 | GASKETS FOR BALLISTIC DOORS AND HATCHES [VALIDATION DATE: 9001] REVIEWER: AV IS | A | 5330 | SH | AR | 10-JAN-90 | SH | | | |
| D | | MIL-C-20079H | CLOTH, GLASS; TAPE, TEXTILE GLASS; & THREAD, GLASS & WIRE-REINFORCED GLASS USER: 45 AS REVIEWER: AR MI NV YD1 | A | 8305 | CT | ME | 10-JUL-87 | SH | 99 | | CT |
| | L | MIL-C-0020079G(1) | CLOTH, GLASS, TAPE, TEXTILE GLASS & THREAD, GLASS | A | 8305 | SH | | 29-JUN-83 | SH | | | |
| | L | MIL-P-20088C | PRESERVATION SOLUTION CONCENTRATE, SONAR SEA CHEST VALIDATED MAR 74 REVIEWER: MR SA | A | 8030 | SH | | 14-OCT-86 | SH | | | |
| | | MIL-R-20092L(1) | RUBBER OR PLASTIC SHEETS & ASSEMBLED & MOLDED SHAPES, SYNTHETIC, FOAM OR SPONGE, OPEN CELL USER: EC ME REVIEWER: 99 AR EA GS MC MI | A | 9320 | SH | MR | 25-FEB-88 | SH | | | |
| | L | MIL-R-0020092J | RUBBER SHEETS & ASSEMBLED & MOLDED SHAPES, CELLULAR, SYNTHETIC, OPEN CELL (FOAMED LATEX) [VALIDATION DATE: 8204] | A | 9320 | SH | | 22-APR-81 | SH | | | |
| | | MIL-W-20096D | WEIGHT, BALLAST REVIEWER: 99 | A | 2040 | SH | ME | 06-JUL-87 | SH | | | |
| | | MIL-G-20098C | GYPSUM, CALCINED [VALIDATION DATE: 8202] USER: MI REVIEWER: MD | A | 5610 | AR | | 31-JAN-69 | AR | | 99 | |
| | L | MIL-B-20100C(1) | BRUSHES, CLEANING, FOR BORE, CHAMBER AND FIRING PIN HOLE OF SMALL ARMS | A | 1005 | AR | | 12-APR-91 | AR | | | |
| | L | MIL-P-20102A NOTICE 1 | PROJECTOR, PYROTECHNIC, HAND, M9 [VALIDATION DATE: 8806] USER: MC REVIEWER: 99 | A | 1095 | AR | | 17-JUN-88 | AR | | | |
| | L | MIL-C-20109(1) | COPPER PRESSURE CYLINDERS AND COPPER PRESSURE SPHERES, CANNON (MAJOR AND MEDIUM), CANNON (MINOR), SMALL ARMS, AND PISTOL AND REVOLVER. [VALIDATION DATE: 8101] REVIEWER: AR AV | A | 1090 | TE | | 06-MAY-52 | TE | | | |
| | | MIL-B-20148D(1) | BRAZING SHEET, ALUMINUM ALLOY REVIEWER: AR AV EA ME | A | 3439 | AS | MR | 14-JUL-91 | AS | 11 | | |
| | L | MIL-T-0020155B(1) | TUBE AND PIPE, CARBON-MOLYBDENUM ALLOY STEEL, SEAMLESS (ASTM A-335-55R, GRADE P-1) USER: 11 REVIEWER: CS | A | 4710 | SH | | 28-DEC-80 | SH | | | |
| D | | MIL-T-20168C | TUBE, BRASS (RED BRASS), SEAMLESS USER: AT REVIEWER: 99 CS MI MR YD1 | A | 4710 | SH | | 04-AUG-86 | ME | SH | 11 | |
| D | | MIL-H-20176F | HOSE AND HOSE ASSEMBLY, RUBBER, SMOOTH BORE, LIGHT-WEIGHT SEWAGE DISCHARGE AND OILY WASTE DISCHARGE USER: CG REVIEWER: 82 CS SH | A | 4720 | YD1 | | 19-MAY-89 | ME | YD1 | 99 | |
| D | | MIL-T-20177D | TRAINING AID, MODEL-BRIDGE, FOR PANEL BRIDGE, M2, BAILEY-TYPE USER: MC | A | 6910 | ME | | 19-APR-88 | ME | YD1 | | |
| A | L | MIL-B-20179E | BAG, BAILEY BRIDGE PARTS AND TOOLS: CLOTH, COTTON DUCK REVIEWER: CS MC | A | 5420 | ME | | 25-JUN-92 | ME | | | |
| | | MIL-H-20194E | HELIOTROPE, SURVEYING, BOX-TYPE, WITH CASE REVIEWER: 82 | A | 6675 | ME | | 23-JAN-89 | ME | | 99 | |
| | | MIL-S-20197C NOTICE 1 | SCALE, PLOTTING, PRECISION, CENTIMETERS AND INCHES WITH CASE [VALIDATION DATE: 9011] REVIEWER: GS | A | 6675 | ME | | 02-NOV-90 | ME | | 99 | |
| | QL | MIL-L-20213E NOTICE 1 | LITHIUM HYDROXIDE (LIOH), TECHNICAL [VALIDATION DATE: 8607] REVIEWER: GS | A | 6810 | SH | | 16-JUL-86 | SH | | | |
| | | MIL-T-20215C NOTICE 1 | TILE REFRACTORY, SILICON CARBIDE [VALIDATION DATE: 9102] USER: CG MR REVIEWER: GS | A | 9350 | SH | | 05-FEB-91 | ME | SH | | |
| D | | MIL-C-20218F NOTICE 1 | CHROMIUM PLATING, ELECTRODEPOSITED, POROUS [VALIDATION DATE: 9102] USER: AT MR YD1 | A | MFFP | SH | | 05-FEB-91 | ME | SH | | |
| | | MIL-T-20219D | TUBE, BRASS, VOICE AND PNEUMATIC (COPPER ALLOY NO. 260) USER: OS REVIEWER: CS | A | 4710 | SH | | 21-AUG-86 | MR | SH | 99 | |
| | L | MIL-F-20236D(2) | FITTINGS, TUBE AND PIPE, BUTT WELDING, 300 PSI AND 775 DEG F MAXIMUM [VALIDATION DATE: 8109] USER: ME REVIEWER: CS | A | 4730 | SH | | 25-JUL-69 | SH | | | |
| A | L | MIL-C-20267C NOTICE 1 | CARRIER, CLUB, POLICEMAN S, COTTON WEBBING, OLIVE DRAB W/DOUBLE HOOKS [VALIDATION DATE: 8706] USER: 45 | A | 8465 | CT | | 25-JUN-87 | | MC | | CT |
| A | L | MIL-F-20268F | FRAME, CAP, MAN S [VALIDATION DATE: 8710] | A | 8405 | CT | | 23-OCT-87 | | | | CT |
| A | L | MIL-B-20269E | BUCKLES: INSIGNIA AND PLAIN | A | 8315 | CT | | 26-NOV-90 | | MC | | CT |
| | L | MIL-L-20271C NOTICE 1 | LACE, GOLD, ORNAMENTAL [VALIDATION DATE: 8606] REVIEWER: CT | A | 8315 | MC | | 25-JUN-87 | | MC | | |
| | L | MIL-K-20277F | KNIFE, COMBAT, WITH SHEATH | A | 1095 | MC | | 07-JUL-82 | | MC | | |
| | L | MIL-B-20278B(1) | BLADDER, FLOTATION (NAVY) [VALIDATION DATE: 8509] USER: MC SA REVIEWER: CT | A | 2050 | OS | | 09-MAR-56 | | OS | | |
| A | L | MIL-B-20289D | BUTTONS, INSIGNIA, PLASTIC | A | 8455 | CT | | 10-SEP-90 | | MC | | CT |
| | L | MIL-B-20292A(2) | BLANK, ROTATING BAND, FOR PROJECTILES [VALIDATION DATE: 8201] | A | 1395 | AR | | 10-SEP-68 | AR | | | |
| | | MIL-P-20293A NOTICE 1 | PAPER, KRAFT, ASPHALT IMPREGNATED [VALIDATION DATE: 8603] USER: GL REVIEWER: EA | A | 8135 | AR | | 13-MAR-86 | AR | AS | 99 | |
| | L | MIL-B-20295 | BLANKS, CENTRIFUGAL CAST, ROTATING BAND [VALIDATION DATE: 8102] | A | 1395 | AR | | 04-FEB-75 | AR | | | |
| | L | MIL-C-20301 NOTICE 1 | CELLULOSE ACETATE FOR USE IN PROPELLANT POWDER [VALIDATION DATE: 9108] REVIEWER: MR | A | 1376 | AR | | 29-AUG-91 | AR | | | |
| | L | MIL-P-20304 NOTICE 1 | PENTAERYTHRITOL [VALIDATION DATE: 8806] | A | 1376 | AR | | 13-JUN-88 | AR | | | |
| | L | MIL-D-20305 NOTICE 1 | DIMETHYLANILINE [VALIDATION DATE: 8806] REVIEWER: GS | A | 6810 | AR | | 13-JUN-88 | AR | | | |
| | | MIL-P-20307A NOTICE 1 | POLYVINYL CHLORIDE (FOR USE IN PYROTECHNICS) [VALIDATION DATE: 8803] USER: EL ME | A | 1370 | AR | | 21-MAR-88 | AR | OS | | |
| | L | MIL-D-20309 | DINITROMETHYLANILINE [VALIDATION DATE: 8505] REVIEWER: GS | A | 6810 | AR | | 23-NOV-51 | AR | | | |
| | L | MIL-C-20312 NOTICE 1 | CORD, COTTON, BRAIDED (FOR PYROTECHNIC PARACHUTES). [VALIDATION DATE: 8705] | A | 1395 | AR | | 15-MAY-87 | AR | | | |
| | L | MIL-C-20313 | CLOTH, COTTON, CARTRIDGE [VALIDATION DATE: 8301] | A | 1395 | AR | | 21-NOV-51 | AR | | | |
| | | MIL-S-20322B | STRONTIUM NITRATE, ANAYDROUS [VALIDATION DATE: 8505] REVIEWER: GS OS | A | 6810 | AR | | 19-APR-73 | AR | AS | | |
| | L | MIL-S-20322B(11) | STRONTIUM NITRATE, ANHYDROUS | A | 6810 | AR | | 30-JUN-90 | AR | | | |
| | L | MIL-C-20327 NOTICE 1 | CHARGE, PROPELLING, FOR SEPARATE LOADING AND SEMI-FIXED AMMUNITION USER: MC | A | 1375 | AR | | 12-MAY-87 | AR | | | |
| | | MIL-C-20330A(1) NOTICE 1 | CELLULOSE, WOODPULP (SULFATE) [VALIDATION DATE: 8702] REVIEWER: GS | A | 6810 | AR | | 12-FEB-87 | AR | OS | | |
| | L | MIL-P-20334A NOTICE 1 | PYROTECHNICS, WHITE AND COLOR COMPOSITIONS [VALIDATION DATE: 9010] | A | 1370 | AR | | 31-OCT-90 | AR | | | |
| | L | MIL-P-20338A(2) NOTICE 1 | PRIMER, PERCUSSION, MARK 2A4 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808] | A | 1390 | AR | | 22-AUG-88 | AR | | | |
| | L | MIL-M-20344C NOTICE 1 | MOTOR, ROCKET, M4 PARTS FOR [VALIDATION DATE: 9109] | A | 1340 | AR | | 12-SEP-91 | AR | | | |
| | L | MIL-C-20353C NOTICE 1 | CARTRIDGE, 90MM, CANISTER, M336 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | | 15-OCT-90 | AR | | | |
| A | L | MIL-C-20354C(1) | CARTRIDGE, 105MM, ILLUMINATING, M314A3, LOADING, ASSEMBLING AND PACKAGING | A | 1315 | AR | | 08-MAR-93 | AR | | | |
| | L | MIL-C-20356 | CONE, GLASS [VALIDATION DATE: 8304] | A | 1375 | AR | | 27-NOV-51 | AR | | | |
| | L | MIL-F-20363B NOTICE 1 | FLARE, AIRCRAFT, PARACHUTE, MBA1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1370 | AR | | 31-OCT-90 | AR | | | |
| | | MIL-C-20367G | CASE, CARTRIDGE, 20MM, M21A1 REVIEWER: 70 | A | 1305 | AR | | 23-JAN-86 | AR | | | |
| | L | MIL-T-20371 | TUBE, BURSTER FOR SHELL, METAL PARTS [VALIDATION DATE: 8101] | A | 1395 | AR | | 28-NOV-51 | AR | | | |
| | L | MIL-P-20378D(1) NOTICE 1 | PLUNGER, DELAY M1, PARTS FOR [VALIDATION DATE: 8803] | A | 1375 | AR | | 22-MAR-88 | AR | | | |
| | L | MIL-B-20390B(2) | BOARD, AMMUNITION CONTAINER REVIEWER: EA OS | A | 8140 | AR | | 10-JUN-88 | AR | | | |
| | | MIL-S-20399A(1) NOTICE 1 | SHELL, ILLUMINATING, M314A1 AND M314A1B1 FOR 105MM HOWITZERS, M2 AND M4 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | | 15-OCT-90 | AR | OS | 99 | |
| | L | MIL-F-20405C(1) | FUZE, BASE DETONATING, M91A2 METAL PARTS FOR [VALIDATION DATE: 8506] | A | 1390 | AR | | 07-DEC-78 | AR | | | |
| | L | MIL-F-20412 NOTICE 1 | FUSE, SAFETY (BICKFORD TYPE) | A | 1375 | AR | | 12-MAY-87 | AR | | | |
| | L | MIL-C-20418B(2) NOTICE 1 | CARTRIDGE, 105MM, SMOKE HC, BE, M84A1 LOADING, ASSEMBLING, MARKING AND PACKING REVIEWER: EA | A | 1315 | AR | | 30-OCT-90 | AR | | | |
| A | L | MIL-F-20420J(4) | FLARE, SURFACE, TRIP, M49A1 PARTS, AND LOADING, ASSEMBLING AND PACKING | A | 1370 | AR | | 12-MAR-93 | AR | | | |
| | L | MIL-F-20423D(1) | FUZE, BASE DETONATING, M91A2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8601] | A | 1390 | AR | | 07-DEC-78 | AR | | | |
| | L | MIL-M-20439A NOTICE 1 | MINE, ANTIPERSONNEL, PRACTICE, M8 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 9109] | A | 1345 | AR | | 05-SEP-91 | AR | | | |
| | L | MIL-S-20441C(1) NOTICE 1 | SIMULATOR, FLASH ARTILLERY, M110 PARTS, AND LOADING, ASSEMBLING AND PACKING | A | 1370 | AR | | 10-AUG-90 | AR | | | |
| | L | MIL-P-20442B(3) | PLUGS, LIFTING (EYEBOLT TYPE) FOR PROJECTILES | A | 1320 | AR | | 30-DEC-88 | AR | | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-P-20444C NOTICE 1 | PRIMER, PERCUSSION, M42 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8603] REVIEWER: EA | A | 1375 | AR | | 19-MAR-86 | AR | OS | | |
| | L | MIL-P-20449C(2) NOTICE 1 | PRIMER, PERCUSSION, M61 PARTS AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8811] | A | 1390 | AR | | 03-NOV-88 | AR | | | |
| A | L | MIL-F-20454D NOTICE 3 | FUZE, TIME, M65A1 LOADING, ASSEMBLING AND PACKING | A | 1390 | AR | | 30-JUN-92 | AR | | | |
| | L | MIL-P-20464 | PYROTECHNICS, METHOD OF DETERMINATION OF CANDLE-POWER AND COLOR VALUE. [VALIDATION DATE: 8101] | A | 1370 | AR | | 26-NOV-51 | AR | | | |
| | L | MIL-B-20467A NOTICE 1 | BOXBOARD (FOR USE IN AMMUNITION) [VALIDATION DATE: 8704] USER: GL REVIEWER: EA | A | 9310 | AR | | 27-APR-87 | AR | | | |
| | | MIL-C-20470A(1) NOTICE 1 | CALCIUM RESINATE [VALIDATION DATE: 9101] REVIEWER: EA GS | A | 5810 | AR | | 22-JAN-91 | AR | AS | | |
| | | MIL-G-20473B(1) NOTICE 1 | GRENADE, RIFLE, SMOKE, COLORED, M22A2 LOADING, ASSEMBLING, MARKING, AND PACKING [VALIDATION DATE: 8803] | A | 1330 | AR | | 18-MAR-88 | AR | OS | | |
| | L | MIL-F-20481B NOTICE 1 | FUZE, MINE, COMBINATION M6A1 AND M10A1, PARTS FOR [VALIDATION DATE: 8809] . | A | 1390 | AR | | 01-SEP-88 | AR | | | |
| | L | MIL-M-20482D(4) | MOTOR, ROCKET, M95 PARTS FOR [VALIDATION DATE: 8402] | A | 1340 | AR | | 12-DEC-68 | AR | | | |
| | L | MIL-M-20484C NOTICE 1 | MOTOR, ROCKET, M4 LOADING, ASSEMBLING, MARKING AND PACKING [VALIDATION DATE: 9109] | A | 1340 | AR | | 12-SEP-91 | AR | | | |
| | L | MIL-P-20486A(1) NOTICE 1 | PRIMER ELEMENTS, DETONATORS AND RELAYS METAL PARTS FOR REVIEWER: EA | A | 1390 | AR | | 22-AUG-90 | AR | | | |
| | L | MIL-D-20505D(1) | DETONATION SIMULATOR, EXPLOSIVE, M80 LOADING, ASSEMBLING AND PACKING | A | 1370 | AR | | 10-JAN-86 | AR | | | |
| | L | MIL-P-20512D | PROJECTILE, 155 MM, SMOKE, HC BE, M116E2, LOADING, ASSEMBLING AND PACKING . | A | 1320 | EA | | 12-MAY-87 | EA | | | |
| | L | MIL-A-20515 NOTICE 1 | ACTIVATOR, M1 LOADING, ASSEMBLING, AND PACKING. [VALIDATION DATE: 8704] REVIEWER: EA | A | 1345 | AR | | 23-APR-87 | AR | | | |
| | L | MIL-S-20517M(3) | SIMULATOR, PROJECTILE, AIR BURST, M74A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1370 | AR | | 10-APR-91 | AR | | | |
| | | MIL-C-20534B | COMMODE | A | 4510 | MB | | 25-JUN-89 | MD | MS | 03 | |
| | | MIL-L-20549B | LEAD NITRATE, TECHNICAL [VALIDATION DATE: 8904] USER: AR REVIEWER: GS MD .. | A | 6810 | EA | | 04-APR-89 | EA | OS | | |
| A | | MIL-D-20550B(1) | DIATOMACEOUS EARTH USER: AS REVIEWER: 84 85 | A | 9390 | EA | | 20-OCT-92 | EA | | 99 | |
| | L | MIL-S-20552B NOTICE 1 | SODIUM AZIDE, TECHNICAL (METRIC) [VALIDATION DATE: 8904] REVIEWER: GS MD .. | A | 6810 | EA | | 04-APR-89 | EA | | | |
| | QL | MIL-W-20553D(1) | WAX, DESENSITIZING REVIEWER: GS | A | 9160 | AR | | 03-SEP-87 | AR | | | |
| | L | MIL-S-20561A NOTICE 1 | SPRING, ESCAPEMENT, CORROSION-RESISTING [VALIDATION DATE: 8610] REVIEWER: 67 GS | A | 6645 | OS | | 29-OCT-86 | | OS | | |
| | | MIL-I-20564E | ICE CREAM PLANTS, PORTABLE [VALIDATION DATE: 8402] USER: 45 REVIEWER: GS MD ME | A | 4110 | GL | | 11-SEP-78 | GL | | 99 | |
| | D | MIL-I-20565H(2) NOTICE 1 | ICE CREAM CABINETS, MECHANICALLY REFRIGERATED [VALIDATION DATE: 8904] REVIEWER: GS MC MD ME | A | 4110 | GL | | 22-APR-89 | GL | YD1 | 99 | |
| | | MIL-O-20582E NOTICE 1 | OPENER, CAN, HAND, FOLDING USER: SS REVIEWER: EA GS MC MD | A | 7330 | GL | | 24-MAR-88 | GL | SA | 99 | |
| | A | MIL-G-20587E NOTICE 1 | GLOVES, WIRE, MESH, ENTIRE HAND [VALIDATION DATE: 8801] REVIEWER: 45 MD ... | A | 8415 | CT | | 25-JAN-88 | GL | | 99 | CT |
| | A | MIL-B-20588F | BUCKLE, 1 3/4 INCH, CENTER AND BAR USER: MD | A | 8315 | CT | | 12-APR-85 | GL | MC | | CT |
| | L | MIL-L-20599 | LOADING WITH INERT FILLERS, MARKING AND PACKING. [VALIDATION DATE: 8201] .. | A | 1395 | AR | | 17-JAN-52 | AR | | | |
| | L | MIL-C-20610 | CLOTH, CAMBRIC, VARNISHED, UNPARAFFINED. [VALIDATION DATE: 8301] REVIEWER: CT | A | 8305 | AR | | 15-JAN-52 | AR | | | |
| | L | MIL-T-20616A(1) | TELESCOPE, M86C AND M86F [VALIDATION DATE: 8504] | A | 1240 | AR | | 19-SEP-72 | AR | | | |
| | L | MIL-U-20625A(2) | UNIVERSAL JOINT, BLOCK TYPE, MECHANICAL REMOTE CONTROL SYSTEM [VALIDATION DATE: 8309] USER: AT REVIEWER: CS | A | 3010 | SH | | 12-MAY-59 | | SH | | |
| | Q | MIL-F-20627B(3) | FILTER ASSEMBLY AND FILTER ELEMENTS, FLUID, PRESSURE (FOR ENGINES WITH LIQUID FUEL INJECTION SYSTEMS) USER: MC ME REVIEWER: 82 CS | A | 2910 | SH | | 19-DEC-83 | AR | SH | 99 | |
| | | MIL-P-20628B | PUTTY, SEALING (FOR BOLTED STEEL STORAGE TANKS) [VALIDATION DATE: 8109] ... | A | 8030 | ME | | 21-MAY-71 | ME | | 99 | |
| | L | MIL-P-20632B | PURIFIERS, CENTRIFUGAL, FUEL AND LUBE OIL | A | 4330 | SH | | 20-APR-92 | | SH | | |
| | | MIL-S-20633C | SIGNS AND MARKER, ALUMINUM: MINED AREA MARKING USER: GL REVIEWER: 84 GS MI | A | 9905 | ME | | 16-FEB-89 | ME | | 99 | |
| | D | MIL-P-20636F | POSTS, FENCE, METAL: DRIVE-TYPE, SPADELESS USER: CE MC REVIEWER: CS | A | 5660 | ME | | 25-MAR-81 | ME | YD1 | 99 | |
| | L | MIL-P-20636F(I1) | POSTS, FENCE, METAL: DRIVE-TYPE, SPADELESS | A | 5660 | ME | | 20-MAR-87 | ME | | | |
| | D | MIL-H-20638B(1) | HOOK, CANT [VALIDATION DATE: 8104] USER: CE MC ME YD1 | A | 5120 | GL | | 19-DEC-74 | GL | | 99 | |
| | | MIL-R-20648C | RACK, STORAGE, MOTION PICTURE, FILM REVIEWER: 70 GS | A | 6760 | CR | | 22-SEP-83 | CR | | 99 | |
| | | MIL-E-20652F(1) | EYELETS, METALLIC, AND EYELET WASHERS, METALLIC, GENERAL SPECIFICATION FOR USER: AT MC ME REVIEWER: 82 AR IS | A | 5325 | GL | | 30-JUN-88 | GL | MU | 99 | |
| | | MIL-E-20652/1B | EYELET, METALLIC, ROLLED FLANGE TYPE, AND EYELET WASHER USER: AT MC ME REVIEWER: 82 AR IS | A | 5325 | GL | | 28-MAR-86 | GL | MU | 99 | |
| | | MIL-E-20652/2B | EYELET, METALLIC, FLAT FLANGE TYPE USER: AT MC ME REVIEWER: 82 IS | A | 5325 | GL | | 28-MAR-86 | GL | MU | 99 | |
| | | MIL-E-20652/3 | EYELET, METALLIC, TELESCOPIC TYPE [VALIDATION DATE: 8303] | A | 5325 | GL | | 31-MAR-72 | GL | SA | 99 | |
| | | MIL-S-20660C NOTICE 1 | STEREOSCOPE, LENS-PRISM-MIRROR, AERIAL PHOTOGRAPH INTERPRETATION (WITH BINOCULARS AND CASE) [VALIDATION DATE: 9011] REVIEWER: GS | A | 6675 | ME | | 02-NOV-90 | ME | | 99 | |
| | LI | MIL-F-20670B(2) NOTICE 1 | FLANGES, PIPE, CARBON STEEL, 150 P.S.I., W.S.P. (FOR NAVAL SHIPBOARD USE) REVIEWER: CS | A | 4730 | SH | | 26-MAR-91 | | SH | | |
| | | MIL-P-20689D(3) | PLASTIC PLASTISOL (FOR COATING METALLIC OBJECTS) USER: AS AT EC ME REVIEWER: AR EA MI | A | 8030 | MR | | 01-JUN-90 | MR | SH | 84 | |
| | A | MIL-C-20696E | CLOTH, COATED, POLYESTER OR NYLON, WATERPROOF USER: 45 REVIEWER: 82 OS MC ME MI | A | 8305 | CT | | 01-JUN-87 | GL | MU | 99 | CT |
| | | MIL-P-20700A | PIN, GROOVED, HEADLESS, LONGITUDINAL GROOVE [VALIDATION DATE: 8304] USER: AT MC SH REVIEWER: 82 AV EA IS | A | 5315 | AR | | 17-MAR-66 | AR | AS | 99 | |
| | D L | MIL-C-20704C | CUTTING EDGES, MOLDBOARD, GRADER USER: CE YD1 REVIEWER: CS | A | 3805 | ME | | 07-FEB-80 | ME | | | |
| | D | MIL-T-20705A | TEETH, SCARIFIER, BACK-RIP [VALIDATION DATE: 8205] USER: CE MC YD1 REVIEWER: CS | A | 3830 | ME | | 24-APR-70 | ME | | 99 | |
| | D | MIL-S-20706A | SCARIFIER ASSEMBLIES, BACK-RIP, EARTH, DOZER MOUNTED [VALIDATION DATE: 8205] USER: CE REVIEWER: CS MC | A | 3830 | ME | | 21-APR-70 | ME | YD1 | | |
| | AQ | MIL-S-20708E(2) SUPPL 1B1 | SYNCHROS, GENERAL SPECIFICATION FOR USER: MC REVIEWER: 99 AV EC ES MI OS SH | A | 5990 | AS | | 25-NOV-92 | AR | AS | 85 | |
| | | MIL-S-20708/1F | SYNCHRO, CONTROL TRANSFORMER, TYPE 11CT4E USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/2E | SYNCHRO, CONTROL TRANSMITTER, TYPE 11CX4E USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/3E | SYNCHRO, TORQUE RECEIVER, TYPE 11TR4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/4E | SYNCHRO, TORQUE TRANSMITTER, TYPE 11TX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/5E | SYNCHRO, TORQUE RECEIVER, TYPE 26V-11TR4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/6F | SYNCHRO, TORQUE TRANSMITTER, TYPE 26V-11TX4C USER: CG REVIEWER: 11 17 99 AV ES MC MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/7E | SYNCHRO, CONTROL TRANSFORMER, TYPE 26V-11CT4D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/8E | SYNCHRO, CONTROL TRANSMITTER, TYPE 26V-11CX4C USER: CG REVIEWER: 11 17 99 AV ES MC MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/9E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 26V-11CDX4C USER: CG REVIEWER: 11 17 99 AV ES MC MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/14G | SYNCHRO, CONTROL TRANSMITTER, TYPE 15CX4D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/15G | SYNCHRO, CONTROL TRANSFORMER, TYPE 15CT4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | | 13-MAR-89 | AR | AS | 85 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-S-20708/16F | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 15CDX4D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/17F | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 15TDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/19G | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 15TRX4A USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/20E | SYNCHRO, CONTROL TRANSMITTER, TYPE 15CX6C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/21F | SYNCHRO, CONTROL TRANSFORMER, TYPE 15CT6D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/22E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 15CDX6C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/23E | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 15TRX6A USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| A | L | MIL-S-20708/25A NOTICE 1 | SYNCHRO, CONTROL TRANSFORMER, TYPE 16CTB4B REVIEWER: 99 ES ..... | A | 5990 | OS | 15-SEP-87 | | OS | | |
| | | MIL-S-20708/28F | SYNCHRO, CONTROL TRANSMITTER, TYPE 18CX4D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/29F | SYNCHRO, CONTROL TRANSFORMER, TYPE 18CT4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/30F | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 18CDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/31F | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 18TDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/32G | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 18TRX4A USER: CG MC REVIEWER: 11 17 99 AV EC ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/33E | SYNCHRO, CONTROL TRANSMITTER, TYPE 18CX6C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/34E | SYNCHRO, CONTROL TRANSFORMER, TYPE 18CT6D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/35E | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 18TRX6B USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/36E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 18CDX6D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | L | MIL-S-20708/39A NOTICE 1 | SYNCHRO, CONTROL TRANSFORMER, TYPE 19CTB4B REVIEWER: 99 ES ..... | A | 5990 | OS | 15-SEP-87 | | OS | | |
| A | L | MIL-S-20708/42A(1) NOTICE 1 | SYNCHRO, CONTROL TRANSFORMER, TYPE 19CTB6B REVIEWER: 99 ES ..... | A | 5990 | OS | 15-SEP-87 | | OS | | |
| | | MIL-S-20708/45F | SYNCHRO, CONTROL TRANSMITTER, TYPE 23CX4D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/46E | SYNCHRO, CONTROL TRANSFORMER, TYPE 23CT4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/47E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 23CDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/48E | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 23TDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | L | MIL-S-20708/49C | SYNCHRO, DIFFERENTIAL RECEIVER, TYPE 23TDR4B REVIEWER: 99 ES ..... | A | 5990 | AS | 13-MAR-89 | | AS | | |
| | | MIL-S-20708/50F | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 23TRX4A USER: CG MC REVIEWER: 11 17 99 AV EC ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/52E | SYNCHRO, CONTROL TRANSMITTER, TYPE 23CX6D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/53E | SYNCHRO, CONTROL TRANSFORMER, TYPE 23CT6D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/54E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 23CDX6C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/55E | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 23TDX6C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/56E | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 23TRX6B USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | L | MIL-S-20708/62F | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 31TRX4A USER: CG MC REVIEWER: EC ES | A | 5990 | AS | 13-MAR-89 | | AS | | |
| | | MIL-S-20708/66E | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 31TRX6A USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | L | MIL-S-20708/67C | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 31TDR6B REVIEWER: ES ..... | A | 5990 | AS | 13-MAR-89 | | AS | | |
| A | L | MIL-S-20708/68C(1) | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 31TDX6C USER: CG MC REVIEWER: AS SH | A | 5990 | OS | 09-SEP-92 | | OS | | |
| | L | MIL-S-20708/70D | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 37TRX4A USER: CG MC REVIEWER: EC ES | A | 5990 | AS | 13-MAR-89 | | AS | | |
| | | MIL-S-20708/74E | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 37TRX6A USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | L | MIL-S-20708/76C | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 37TDX6A REVIEWER: ES ..... | A | 5990 | AS | 13-MAR-89 | | AS | | |
| | | MIL-S-20708/78F | SYNCHRO, CONTROL TRANSMITTER, TYPE 26V-08CX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/79F | SYNCHRO, CONTROL TRANSFORMER, TYPE 26V-08CT4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/80F | SYNCHRO, CONTROL DIFFRENTIAL TRANSMITTER, TYPE 26V-08CDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/81E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 11CDX4B USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | L | MIL-S-20708/94B(1) | SYNCHRO, 60 AND 400 HZ, SIZE 23 (VALIDATION DATE: 8404) USER: AT REVIEWER ES ME MI | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| A | L | MIL-S-20708/100 NOTICE 1 | SYNCHRO RECEIVER, TYPE 5SN, MOD 1B (VALIDATION DATE: 8709) REVIEWER: ES | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/131D | SYNCHRO, CONTROL TRANSMITTER, TYPE 15CX4F USER: CG MC REVIEWER: 11 17 99 AV ES MI OS | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| A | L | MIL-S-20708/138B(1) | SYNCHRO, CONTROL TRANSMITTER, TYPE 31CX4A USER: CG MC REVIEWER: AS SH | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| A | L | MIL-S-20708/139(2) | SYNCHRO CONTROL TRANSMITTER, TYPE 31CX6A USER: CG MC REVIEWER: AS SH | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/143 NOTICE 1 | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER 26V-08TDX4A REVIEWER: A AR ER ES ME MI SH | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/144 | SYNCHRO, TORQUE RECEIVER TYPE 26V-08TR4A REVIEWER: 11 17 AT AV ES ME MI SH | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/145 | SYNCHRO, TORQUE TRANSMITTER TYPE 26V-08TX4A (VALIDATION DATE: 8709 REVIEWER: 11 17 AT AV ES ME MI SH | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-S-20708/500A NOTICE 1 | MILITARY SPECIFICATION SHEET SYNCHRO TORQUE RECEIVER, TYPE MC REVIEWER: 11 99 AT ES ME MI SA | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| | L | MIL-S-20708/504 | SYNCHROS, CONTROL TRANSFORMER, TYPE 15CT6R (VALIDATION DATE: | A | 5990 | AS | 13-MAR-89 | AR | AS | 85 | |
| D | | MIL-C-20709D | CASEWORK, METAL AND WOOD (MEDICAL AND DENTAL) REVIEWER: | A | 6515 | GS | 13-MAR-89 | AR | AS | 85 | |
| | L | MIL-A-21001A(2) NOTICE 1 | ARMING DEVICE MARK 6 MOD 0 (TORPEDO PRACTICE) | A | 1377 | MA | 13-MAR-89 | AR | AS | 85 | |
| | L | MIL-C-21004B(2) | CANISTER, LITHIUM HYDROXIDE, SCREENED | A | 4240 | MA | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-T-21014D(1) | TUNGSTEN BASE METAL, HIGH DENSITY REVIEWER: | A | 9515 | MA | 13-MAR-89 | AR | AS | 85 | |
| DQ | | MIL-A-21016F | ADHESIVE, RESILIENT DECK COVERING USER: YD | A | 8030 | YD | 13-MAR-89 | AR | AS | 85 | |
| | | MIL-G-21032D | GASKET, METALLIC ASBESTOS, SPIRAL WOUND (FOR USE IN PIPING SYSTEMS) (VALIDATION DATE: | A | 4730 | MA | 13-MAR-89 | AR | AS | 85 | |

| Action Code | Change / Cancellation Indicator | Document Number | Document Title | Dist. Statmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | MIL-G-0021032E(2) | GASKET, METALLIC ASBESTOS, SPIRAL WOUND [VALIDATION DATE: 8412] REVIEWER: YD1 | A | 5330 | SH | | 18-MAY-79 | | SH | | |
| D | L | MIL-P-21035B | PAINT HIGH ZINC DUST CONTENT, GALVANIZING REPAIR (METRIC) USER: YD1 ..... | A | 8010 | SH | | 30-APR-91 | | SH | | |
| Q | | MIL-T-21038D(2) SUPPL 1B1 | TRANSFORMERS, PULSE, LOW POWER, GENERAL SPECIFICATION FOR USER: 19 MC ME REVIEWER: 17 99 AR AS MI OS SH | A | 5950 | EC | | 10-MAR-86 | ER | EC | 85 | |
| | | MIL-T-21038/2A | TRANSFORMER, PULSE, LOW POWER TYPE TP7RX1100CZ [VALIDATION DATE: 8404] USER: 19 MC ME REVIEWER: 11 17 AR ES MI | A | 5950 | EC | | 15-JUN-72 | ER | EC | 85 | |
| L1 | | MIL-T-21038/4A NOTICE 1 | TRANSFORMER, PULSE, LOW POWER, (SUBMINIATURE) TYPE TP7SX1100HZ [VALIDATION DATE: 9008] USER: 19 REVIEWER: 11 17 ES | A | 5950 | 85 | | 24-AUG-90 | | | 85 | |
| L | | MIL-T-21038/6B NOTICE 1 | TRANSFORMERS, PULSE, LOW POWER, TYPE TP6RX4410CZ ..... | A | 5950 | 85 | | 20-NOV-81 | | | | |
| | | MIL-T-21038/8D | TRANSFORMERS, PULSE, LOW POWER, TYPE TP7SX1110AZ USER: 19 MC ME SH REVIEWER: 11 17 AS ES MI OS | A | 5950 | EC | | 22-JAN-90 | ER | EC | 85 | |
| | | MIL-T-21038/9D | TRANSFORMERS, PULSE, LOW POWER, TYPE TP7SX1110AZ USER: 19 MC ME REVIEWER: 11 17 AS ES MI OS | A | 5950 | EC | | 10-JAN-91 | ER | EC | 85 | |
| | | MIL-T-21038/11F | TRANSFORMERS, PULSE, LOW POWER, TYPE TP7SX4410AZ ..... | A | 5950 | 85 | | 09-MAR-90 | ER | EC | 85 | |
| L | | MIL-T-21038/18A | TRANSFORMER, PULSE, LOW POWER, TYPE TP7SX1100MZ ..... | A | 5950 | 85 | | 20-NOV-81 | | | | |
| | | MIL-T-21038/25A | TRANSFORMER, PULSE, LOW POWER, TYPE TP5SXNNNNNBZ USER: 19 MC ME REVIEWER: 11 17 99 AR AS ES MI OS SH | A | 5950 | EC | | 28-JAN-85 | ER | EC | 85 | |
| | | MIL-T-21038/26 | TRANSFORMER, PULSE, LOW POWER, TYPE TP5SX2100HJ [VALIDATION DATE: 8404] REVIEWER: 11 | A | 5950 | EC | | 26-JUN-78 | ER | EC | 85 | |
| | | MIL-T-21038/27C | TRANSFORMERS, PULSE, LOW POWER, TYPE TP7SXNNNNKZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS | A | 5950 | EC | | 04-JAN-89 | ER | EC | 85 | |
| L | | MIL-M-21039B | MAGNIFIER, MEASURING TUBE TYPE, SEVEN POWER AR-60( ) [VALIDATION DATE: 8505] USER: ME | A | 6650 | AS | | 11-JUN-79 | | AS | | |
| | | MIL-H-21040C | HONEYCOMB MATERIALS, WATER MIGRATION RESISTANT TYPE, STRUCTURAL, PAPER BASE [VALIDATION DATE: 8207] | A | 5680 | 84 | | 16-JUL-74 | | EC | 99 | |
| D | | MIL-S-21041C | SLOTTED METAL FRAMING, ANGLES AND PANELS [VALIDATION DATE: 8403] REVIEWER: 69 | A | 7125 | 84 | | 06-JAN-75 | GL | YD1 | 99 | |
| A | L | MIL-S-21042C | SLING, FLAGSTAFF: LEATHER, WHITE: WITH BRASS SOCKET ..... | A | 8345 | CT | | 02-JAN-90 | | MC | | CT |
| | | MIL-C-21048D | CARTRIDGE, DELAY, MARK 3 MOD 0 AND MARK 86 MOD 0 [VALIDATION DATE: 8410] .. | A | 1377 | AS | | 27-AUG-70 | ME | AS | | |
| Q | | MIL-C-21049F | COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS REVIEWER: 71 99 | A | 1660 | AS | | 31-DEC-90 | | AS | 11 | |
| L | | MIL-A-21059A | AEROLOGICAL DISPLAY EQUIPMENT REVIEWER: 99 GS ..... | A | 6660 | AS | | 10-DEC-81 | | AS | | |
| | | MIL-V-21064A | VARNISH, FINISHING, BAKING FOR ROLLER COAT APPLICATION [VALIDATION DATE: 8204] | A | 8010 | AR | | 31-JUL-74 | AR | OS | | |
| L | | MIL-H-21065 NOTICE 2 | HARNESS, SAFETY, SWIMMERS [VALIDATION DATE: 7010] REVIEWER: GS ..... | A | 4240 | CG | | 28-AUG-57 | | CG | | |
| A | L | MIL-C-21067C | COATING COMPOUND, SYNTHETIC RUBBER, FOR EXPOSED STEEL SURFACES USER: AR CR ER GL ME REVIEWER: MR | A | 8030 | MI | | 28-AUG-92 | MI | | | |
| L | | MIL-I-21070B(1) | INSULATION SHEET AND TAPE, ELECTRICAL, REINFORCED MICA PAPER [VALIDATION DATE: 8104] REVIEWER: GS | A | 5970 | SH | | 06-MAY-66 | | SH | | |
| | | MIL-A-21071B | ANTIFOGGING COMPOUND, TRANSPARENT AIRCRAFT ENCLOSURES [VALIDATION DATE: 8508] REVIEWER: GS | A | 6850 | AS | | 02-MAR-73 | | AS | 11 | |
| L | | MIL-R-21073A(1) | RECORDER, MAGNETIC DISTORTION, RO-32/ASQ [VALIDATION DATE: 8509] ..... | A | 6655 | AS | | 14-AUG-61 | | AS | | |
| A | L | MIL-C-21082B | COVERS, AUTOMOBILE DISTINGUISHING PLATE, COMMANDANT AND GENERAL OFFICERS (USMC) | A | 8345 | CT | | 14-MAR-90 | | MC | | CT |
| L | | MIL-C-21083C(1) | COAT, MAN'S: SERVICE, OFFICER'S, USMC ..... | A | 8405 | MC | | 28-MAR-91 | | MC | | |
| L | | MIL-C-21088C | COAT, MAN S, WHITE, DRESS (OFFICER S) ..... | A | 8405 | MC | | 03-MAY-83 | | | | |
| QL | | MIL-R-21091E(1) | RECORDER REPRODUCER SET, SOUND AN/UNQ-7() ..... | A | 5835 | SH | | 31-JAN-84 | | SH | | |
| Q | | MIL-C-21097E | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD, GENERAL PURPOSE GENERAL SPECIFICATION FOR USER: AT AV MC ME REVIEWER: 11 AS EA ES MI OS | A | 5935 | EC | | 14-JAN-86 | CR | EC | 17 | |
| | | MIL-C-21097/2E | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD COMPOSITE, RECEPTACLE, CONTACT SPACING (.200) SINGLE ROW, TYPE CR [VALIDATION DATE: 8204] USER: AT AV MC ME OS SH REVIEWER: 11 AR AS ES MI | A | 5935 | EC | | 29-MAR-76 | CR | EC | 17 | |
| | | MIL-C-21097/3E | CONNECTOR, COMPOSITE, ADOPTER, CONTACT SPACING (.200), INDIVIDUAL CONTACTS, TYPE CS [VALIDATION DATE: 8204] USER: AR AT MC ME OS SH REVIEWER: 11 AS EA ES MI | A | 5935 | EC | | 29-MAR-76 | CR | EC | 17 | |
| | | MIL-C-21097/4E(1) | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD COMPOSITE, RECEPTACLE,CONTACT SPACING (.200), ALTERNATE DUAL ROW, TYPE CR USER: AR AT AV MC ME OS REVIEWER: 85 AS ES MI | A | 5935 | EC | | 26-SEP-83 | CR | EC | 11 | |
| | | MIL-C-21097/5E | CONNECTOR, ELECTRICAL,PRINTED WIRING BOARD MALE ADOPTER, CONTACT SPACING (.200) ALTERNATE DUAL ROW, TYPE CS [VALIDATION DATE: 8204] USER: AR AT MC ME OS SH REVIEWER: 11 AS ES MI | A | 5935 | EC | | 29-MAR-76 | CR | EC | 17 | |
| | | MIL-C-21097/11H | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD KEYS, POLARIZING USER: AR AT AV MC ME OS SH REVIEWER: 11 AS ES MI | A | 5935 | EC | | 29-APR-85 | CR | EC | 17 | |
| | | MIL-C-21097/13B | CONNECTOR, COMPOSITE, RECPTACLE, CONTACT SPACING (.200) ALTERNATE DUAL ROW, TYPE CR, REMOVABLE CONTACT [VALIDATION DATE: 8304] USER: AR AT MC ME REVIEWER: AS ES MI | A | 5935 | EC | | 14-JUL-70 | CR | EC | 17 | |
| | | MIL-C-21097/14E | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD MALE ADOPTER, CONTACT SPACING, (.200), ALTERNATE DUAL ROW, TYPE CS BLADE CONTACT (MOUNTING PROVISION A) USER: AR AT MC ME OS REVIEWER: AS ES MI | A | 5935 | EC | | 21-JUL-86 | CR | EC | 17 | |
| | | MIL-C-21097/15F | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD MALE ADAPTER, CONTACT SPACING: 0.200, ALTERNATE DUAL ROW, TYPE CS, BLAND CONTACT (NO MOUNTING PROVISION) USER: AR AT AV MC ME OS SH REVIEWER: AS ES MI | A | 5935 | EC | | 15-FEB-89 | CR | EC | 17 | |
| | | MIL-C-21097/16E | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD CONTACT, CRIMP, REMOVABLE, TYPE CR USER: AR AT MC ME OS REVIEWER: AS ES MI | A | 5935 | EC | | 14-JAN-86 | CR | EC | 17 | |
| | | MIL-C-21097/17D(1) | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD CONTACT, SOLDER, REMOVABLE, TYPE CR USER: AR AT AV MC ME REVIEWER: AS ES MI OS | A | 5935 | EC | | 12-JAN-81 | CR | EC | 17 | |
| | | MIL-C-21097/18C(1) | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD TOOL, CONTACT, REMOVAL, FOR TYPE CR CONNECTOR CONTACTS USER: AR AT MC ME SH REVIEWER: AS AV ES MI OS | A | 5935 | EC | | 12-JAN-81 | CR | EC | 17 | |
| | | MIL-C-21097/19C(1) | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD BLADE SIMULATOR FOR MEASURING ENGAGEMENT AND SEPARATION FORCES FOR TYPE CR CONTACTS USER: AR AT AV MC ME SH REVIEWER: AS ES MI OS | A | 5935 | EC | | 12-JAN-81 | CR | EC | 11 | |
| | | MIL-C-21097/20B(1) NOTICE 1 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (0.050), TYPE AD [VALIDATION DATE: 9108] USER: AR AT MC ME SH REVIEWER: AS ES MI | A | 5935 | CR | | 02-AUG-91 | CR | EC | 19 | |
| | | MIL-C-21097/21A(1) | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.156), TYPES A AND AD [VALIDATION DATE: 8104] USER: AV MC ME OS REVIEWER: 85 AR AT ES MI | A | 5935 | EC | | 22-SEP-75 | CR | EC | 17 | |
| L | | MIL-C-21097/22A | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.125) TYPES A AND AD [VALIDATION DATE: 8312] REVIEWER: ES MI | A | 5935 | 17 | | 14-JUL-72 | | | 17 | |
| | | MIL-C-21097/23B | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.100) TYPE AD USER: AR AT AV MC ME OS SH REVIEWER: 11 AS ES MI | A | 5935 | EC | | 28-JUN-82 | CR | EC | 17 | |
| | | MIL-C-21097/24A | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.125) TYPE AD [VALIDATION DATE: 8505] USER: AR AT AV MC ME OS SH REVIEWER: 11 AS ES MI | A | 5935 | EC | | 11-JUN-79 | CR | EC | 17 | |
| | | MIL-C-21097/25A | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.050), TYPE AD [VALIDATION DATE: 8505] USER: AR MC ME OS REVIEWER: 85 99 AT AV ES MI | A | 5935 | EC | | 03-NOV-78 | | EC | 17 | |

| Action | QPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-R-21098E | REFRIGERATORS; FROZEN FOOD CABINETS; AND COMBINATION REFRIGERATOR-FROZEN FOOD CABINETS, MECHANICALLY REFRIGERATED, COMMERCIAL, SELF-CONTAINED, NAVAL SHIPBOARD REVIEWER: GS | A | 4110 | GL | | 26-SEP-85 | GL | SA | | |
| A | L | | MIL-R-21098E(I2) | REFRIGERATORS; FROZEN FOOD CABINETS; AND COMBINATION REFRIGERATOR-FROZEN FOOD CABINETS, MECHANICALLY REFRIGERATED, COMMERCIAL, SELF-CONTAINED, NAVAL SHIPBOARD | A | 4110 | SA | | 24-APR-92 | | SA | | |
| | QL | | MIL-P-21099(3) | PACKING ASSEMBLY, HYDRAULIC CONICAL AND V TYPES, FIRE RESISTANT TYPE HYDRAULIC FLUIDS [VALIDATION DATE: 8209] REVIEWER: IS | A | 5330 | SH | | 31-JAN-61 | | SH | | |
| | | | MIL-C-21100D | CLEANER, VACUUM INDUSTRIAL, EXTERNAL FILTER TYPE USER: MC REVIEWER: 84 .... | A | 7910 | SH | | 04-OCT-90 | | SH | 99 | |
| | D | | MIL-H-21103E | HAMMER, PILEDRIVER, SELF-POWERED, DIESEL USER: MC ..... | A | 3895 | YD1 | | 24-MAY-89 | ME | YD1 | | |
| | L | | MIL-C-21108C NOTICE 1 | CLOTH, NYLON, RAFT BOTTOM [VALIDATION DATE: 9110] ..... | A | 8305 | AS | | 24-OCT-91 | | AS | | |
| A | L | | MIL-C-21109C | CLOTH, COATED, NYLON, RAFT BOTTOM ..... | A | 8305 | CT | | 20-OCT-88 | | AS | | CT |
| | L | | MIL-G-21110 | GUN BARREL, GENERAL SPECIFICATIONS FOR [VALIDATION DATE: 8503] ..... | A | 1035 | OS | | 05-NOV-57 | | OS | | |
| A | | | MIL-C-21115K | CLOTH, TROPICAL, WOOL, POLYESTER/WOOL REVIEWER: 82 99 MC MD ..... | A | 8305 | CT | | 18-DEC-87 | GL | MU | 11 | CT |
| A | L | | MIL-B-21117E | BADGE, RATING AND QUALIFICATION, DUNGAREE UNIFORM ..... | A | 8455 | CT | | 18-SEP-90 | | MU | | CT |
| | LI | | MIL-M-21124 NOTICE 1 | MINE CASE MARK 25 MOD 1 ..... | A | 1350 | OS | | 27-MAR-92 | | OS | | |
| | | | MIL-P-21143B(2) | PIN, STRAIGHT, HEADLESS (DOWEL) GENERAL SPECIFICATION FOR USER: CE GL REVIEWER: 82 EA IS MC MI | A | 5315 | AR | | 30-MAR-90 | AR | OS | 99 | |
| | D | | MIL-P-21143/1A | PIN, STRAIGHT, HEADLESS (DOWEL) (.0002 OVER SIZE) CRES 303 USER: CE GL MC YD1 REVIEWER: 82 EA ER MI | A | 5315 | AR | | 10-APR-87 | AR | OS | 99 | |
| | D | | MIL-P-21143/2 | PIN, STRAIGHT, HEADLESS, (DOWEL) (.0002 UNDER SIZE), CRES 303 USER: CE GL MC YD1 REVIEWER: 82 EA ER IS MI | A | 5315 | AR | | 20-JUN-84 | AR | OS | 99 | |
| | L | | MIL-T-21150B | TIE DOWN, CARGO AMMUNITION SHIP, 2000-POUND CAPACITY [VALIDATION DATE: 8104] | A | 2090 | SH | | 29-DEC-67 | | SH | | |
| | A | | MIL-B-21154C | BELTS, MILITARY POLICE: COTTON WEBBING; WHITE ..... | A | 8465 | CT | | 08-FEB-91 | GL | MC | 11 | CT |
| A | L | | MIL-H-21155D | HARDWARE: FOR BELT, MILITARY POLICE ..... | A | 8465 | CT | | 16-APR-90 | | MC | | CT |
| | L | | MIL-S-21156A | STEEL BARS, HEAT TREATED (FOR 20MM AND 30MM AIRCRAFT GUN BARRELS) [VALIDATION DATE: 8204] REVIEWER: IS | A | 9510 | OS | | 07-JUL-75 | | OS | | |
| | L | | MIL-W-21157A | WELDMENT, STEEL, CARBON AND LOW ALLOY (YIELD STRENGTH 30,000 - 60,000 PSI [VALIDATION DATE: 8204] USER: ME REVIEWER: MC | A | THJM | OS | | 26-OCT-71 | | OS | | |
| | L | | MIL-B-21160(2) NOTICE 2 | BLADDER, FLOTATION, MK 2 MOD 0 AND MK 2 MOD 1 [VALIDATION DATE: 8509] REVIEWER: CT | A | 2050 | OS | | 08-JUN-78 | | OS | | |
| | Q | | MIL-G-21164D NOTICE 1 | GREASE, MOLYBDENUM DISULFIDE, FOR LOW AND HIGH TEMPERATURES, NATO CODE NUMBER G-353 [VALIDATION DATE: 9110] REVIEWER: 85 AR MI | A | 9150 | AS | | 24-OCT-91 | ME | AS | 11 | |
| | | | MIL-A-21165A | ADAPTER, QUICK DISCONNECT, PASSENGER SEAT TO FLOOR [VALIDATION DATE: 8305] USER: CG REVIEWER: CS | A | 1680 | AS | | 27-AUG-65 | AV | AS | 99 | |
| A | L | | MIL-F-21173C | FLAG, INDIVIDUAL; RAYON, COMMANDANT, USMC ..... | A | 8345 | CT | | 06-FEB-91 | | MC | | CT |
| | | | MIL-A-21180D(1) | ALUMINUM-ALLOY CASTINGS, HIGH STRENGTH USER: ME SH REVIEWER: 70 71 80 82 AR AV EA MI | A | MECA | AS | | 14-DEC-91 | MR | AS | 11 | |
| | L | | MIL-R-21187C | RELAY, SENSITIVE (FOR TORPEDO MARK 37 MODS 0, 0)M(, 1, 2, AND 3) [VALIDATION DATE: 8403] | A | 1355 | OS | | 10-JAN-71 | | OS | | |
| | D | | MIL-G-21196B(1) | GAGE, CYLINDER [VALIDATION DATE: 8303] USER: AT AV CE MC ME MI SH YD1 ..... | A | 5210 | GL | | 26-APR-77 | GL | | 99 | |
| A | I | | MIL-T-21200L NOTICE 2 | TEST EQUIPMENT FOR USE WITH ELECTRONIC AND ELECTRICAL EQUIPMENT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9303] USER: AV REVIEWER: EC MC MI | A | MISC | AS | | 29-MAR-93 | CR | AS | 11 | |
| | QL | | MIL-I-21203A(2) | INDICATOR, ATTITUDE, SPHERICAL, DIRECT READING, FAST ERECTING, ELECTRIC GYRO [VALIDATION DATE: 8303] | A | 6610 | AS | | 15-NOV-69 | | AS | | |
| | QLI | | MIL-T-21205B(1) NOTICE 2 | TRANSMITTER, RATE OF FLOW, FUEL; TRU-12/A (300 - 5000 - 15000 PPH) ..... | A | 6620 | AS | | 03-DEC-90 | | AS | | |
| | QLI | | MIL-I-21206B(1) NOTICE 2 | INDICATOR, RATE OF FLOW, FUEL; EFU-7/A (300-5000-15000 PPH) ..... | A | 6620 | AS | | 03-DEC-90 | | AS | | |
| | L | | MIL-T-21208 | TEST SET, RADIO AN/ARM-32 [VALIDATION DATE: 8307] ..... | A | 6625 | AS | | 15-JAN-58 | | AS | | |
| | L | | MIL-R-21211A | RANGE, ELECTRIC, NAVAL SHIPBOARD [VALIDATION DATE: 8303] REVIEWER: GS ..... | A | 7310 | SH | | 06-NOV-61 | | SH | | |
| | L | | MIL-C-21215A(1) NOTICE 1 | CRATES, PALLETS, AMMUNITION [VALIDATION DATE: 9103] ..... | A | 8140 | OS | | 13-MAR-91 | | OS | | |
| | L | | MIL-F-21241 | FILTER, COLOR, FINISHED (FOR OPTICAL INSTRUMENTS) REVIEWER: MI ..... | A | 6650 | OS | | 04-DEC-58 | | OS | | |
| | | | MIL-R-21248B | RING, RETAINING (TAPERED AND REDUCED SECTION TYPE) [VALIDATION DATE: 8407] USER: MC SH REVIEWER: 11 AV EA MI | A | 5365 | OS | | 01-AUG-69 | AR | OS | 99 | |
| | D | | MIL-P-21251E | PUMPING UNITS, SEWAGE, DUPLEX, CENTRIFUGAL, AUTOMATIC, WET-PIT TYPE USER: CG MC REVIEWER: 84 CE CS | A | 4630 | YD1 | | 31-JAN-91 | ME | YD1 | 99 | |
| | L | | MIL-R-21252B NOTICE 1 | RUBBER SHEET, SOLID, SYNTHETIC, SHIPBOARD WATER EVAPORATOR GASKETING [VALIDATION DATE: 9105] REVIEWER: IS | A | 5330 | SH | | 08-MAY-91 | | SH | | |
| | L | | MIL-S-21257C NOTICE 1 | SHOES, BASKETBALL, FOR RECONNAISSANCE [VALIDATION DATE: 8706] USER: 45 REVIEWER: CT | A | 8430 | MC | | 25-JUN-87 | | MC | | |
| | DQ | | MIL-L-21260D(2) | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, PRESERVATIVE AND BREAK-IN USER: AT OS REVIEWER: 11 AR AS GS MC MI SA SH YD1 | A | 9150 | ME | | 11-OCT-90 | ME | SH | 68 | |
| | L | | MIL-M-21272A | MOTOR UNITS (FOR ARRESTING GEAR CONTROL VALVES) ..... | A | 1710 | AS | | 09-AUG-82 | | AS | | |
| | | | MIL-C-21275C | CORE MATERIAL, METALLIC, HEAT-RESISTING, FOR STRUCTURAL SANDWICH CONSTRUCTION [VALIDATION DATE: 8508] | A | 5680 | AS | | 13-MAR-79 | | AS | 11 | |
| | L | | MIL-G-21296A | GENERATOR SET, DIESEL ENGINE, 450 VOLT, 60 HZ AC, SINGLE AND TWIN ENGINE DRIVEN, NAVAL SHIPBOARD [VALIDATION DATE: 8106] REVIEWER: GS | A | 6115 | SH | | 24-FEB-76 | | SH | | |
| | | | MIL-H-21303D(2) NOTICE 1 | HOT CUPS, LIQUID, ELECTRIC [VALIDATION DATE: 8905] USER: GL REVIEWER: 45 GS MD | A | 7310 | 84 | | 05-MAY-89 | | AS | 99 | |
| | | | MIL-T-21309E NOTICE 1 | TOOLS FOR INSERTING AND EXTRACTING HELICAL COIL WIRE SCREW THREAD INSERTS [VALIDATION DATE: 9203] USER: AS AV MC ME REVIEWER: MI | A | 5120 | GL | | 27-MAR-92 | GL | SH | 99 | |
| A | L | | MIL-C-21318C NOTICE 1 | CLOTH, BEDFORD, CORD [VALIDATION DATE: 9110] REVIEWER: MU ..... | A | 8305 | CT | | 24-OCT-91 | | AS | | CT |
| | D | | MIL-L-21321 | LEAD, ELECTRICAL (STORAGE BATTERY) [VALIDATION DATE: 8110] REVIEWER: GS ... | A | 6140 | ER | | 31-MAR-58 | ER | YD1 | 99 | |
| | L | | MIL-P-21325A | POWER SUPPLY FOR TEST SET MARK 281 MOD 0 [VALIDATION DATE: 8812] REVIEWER: GS | A | 6130 | OS | | 09-DEC-88 | | OS | | |
| | L | | MIL-T-21330E | TREATMENT, INSECT RESISTANT, FOR PAPER [VALIDATION DATE: 8303] USER: EA SS REVIEWER: GS MD | A | 6840 | GL | | 19-AUG-77 | GL | | | |
| | L | | MIL-B-21331C | BOILER, STEAM, HIGH PRESSURE, WATER TUBE, FORCED CIRCULATION TYPE, AUXILIARY, NAVAL SHIPBOARD [VALIDATION DATE: 8106] | A | 4410 | SH | | 19-JUN-67 | | SH | | |
| A | L | | MIL-B-21332E | BAG, LAUNDRY, NYLON [VALIDATION DATE: 8601] USER: 45 ..... | A | 8465 | CT | | 15-SEP-78 | | MU | | CT |
| | | | MIL-N-21337 | NUT, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARINGS [VALIDATION DATE: 8509] USER: MC SH REVIEWER: AR IS MI | A | 3110 | OS | | 10-APR-58 | AT | OS | 99 | |
| | D | | MIL-W-21338A | WASHER, KEY, RETAINING BALL AND ROLLER BEARINGS [VALIDATION DATE: 8204] USER: AS GL MC YD1 REVIEWER: 84 AR AV MI SH | A | 5310 | OS | | 15-JAN-70 | AT | OS | 11 | |
| | QL | | MIL-P-21343(2) | PUMP, CENTRIFUGAL, SUBMARINE TRIM AND DRAIN (SERIES TYPE ONLY) ..... | A | 4320 | SH | | 23-AUG-85 | | SH | | |
| | | | MIL-F-21346B(2) | FUSEHOLDERS, BLOCK, AND SHROUD TYPE, AND ASSOCIATED FUSE CLIPS: GENERAL SPECIFICATION FOR USER: 19 AS AT CG MC REVIEWER: 17 99 AR SA EC MI | A | 5920 | SH | | 29-APR-92 | ER | SH | 85 | |
| | | | MIL-F-21346/1F | FUSE, CLIP, ELECTRICAL STYLES FC21, FC22, FC23, AND FC25 USER: AR AS MC REVIEWER: 17 99 EA EC ES MI | A | 5920 | SH | | 15-MAY-86 | ER | SH | 85 | |
| | | | MIL-F-21346/2B | FUSE CLIP, ELECTRICAL, STYLES FC40 AND FC41 [VALIDATION DATE: 8211] USER: 19 AS AT CG MC REVIEWER: 17 80 99 AR EC ES ME MI | A | 5920 | SH | | 18-OCT-76 | ER | SH | 85 | |
| | | | MIL-F-21346/3C | FUSEHOLDER, BLOCK TYPE STYLES FH20, FH21, FH22, FH23, FH24, FH25, FH30, FH31, AND FH32 USER: 19 AS AT CG MC REVIEWER: 17 99 AR EA EC ES MI | A | 5920 | SH | | 27-MAR-81 | ER | SH | 85 | |
| | | | MIL-F-21346/12 | FUSEHOLDER (SHROUD TYPE) STYLE FH78, 0-30 AMP., 1000 VOLT [VALIDATION DATE: 8211] USER: AT MC ME REVIEWER: 99 EC ES MI | A | 5920 | SH | | 16-MAR-71 | ER | SH | 85 | |
| | | | MIL-F-21346/13 | FUSEHOLDER (SHROUD TYPE), STYLE FH 79 31-100 AMP., 1000 VOLT [VALIDATION DATE: 8211] REVIEWER: 99 ES | A | 5920 | SH | | 16-MAR-71 | ER | SH | 85 | |
| | L | | MIL-G-21352 | GUANIDINE NITRATE [VALIDATION DATE: 8107] ..... | A | 1376 | OS | | 09-JUN-59 | | OS | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | | Custodians | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | Army | Navy | Air Force | DLA |
| LI | MIL-Z-21353 | ZIRCONIUM HYDRIDE ..... | A 1375 | OS | | 15-JUN-89 | | | OS | | | |
| | MIL-A-21366A | ADHESIVE, FOR BONDING PLASTIC TABLE TOP MATERIAL TO ALUMINUM (VALIDATION DATE: 8204) REVIEWER: MI | A 8040 | SH | | 16-FEB-66 | MR | | SH | | | |
| L | MIL-H-21367E SUPPL 1&1 | HULL FITTINGS: CONNECTORS, ADAPTER, END SEALS, AND STUFFING TUBES FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLES (VALIDATION DATE: 9012) REVIEWER: ES | A 5935 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/1 | HULL FITTING, STUFFING TUBE, TYPE MX8208/U FOR FLEXIBLE, SOLID DIELECTRIC, RADIO FREQUENCY CABLE | A 5975 | SH | | 18-OCT-85 | | | SH | | | |
| L | MIL-H-21367/2 | HULL FITTING, STUFFING TUBE, TYPE MX8209/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE | A 5975 | SH | | 18-OCT-85 | | | SH | | | |
| L | MIL-H-21367/3 | HULL FITTING, STUFFING TUBE, TYPE MX8210/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE | A 5975 | SH | | 18-OCT-85 | | | SH | | | |
| L | MIL-H-21367/4 NOTICE 1 | HULL FITTING, STUFFING TUBE, TYPE MX8211/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/5 NOTICE 1 | HULL FITTING, STUFFING TUBE, TYPE MX8212/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/6 NOTICE 1 | HULL FITTING, STUFFING TUBE, TYPE MX8213/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/7 | HULL FITTING, STUFFING TUBE, TYPE MX7637/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE | A 5975 | SH | | 18-OCT-85 | | | SH | | | |
| L | MIL-H-21367/8 NOTICE 1 | HULL FITTINGS, STUFFING TUBE, TYPE MX7637/U, LONG BODY, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/9 NOTICE 1 | HULL FITTINGS, STUFFING TUBE, TYPE MX2327/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/10 NOTICE 1 | HULL FITTING, STUFFING TUBE, TYPE MX2327/U (LONG BODY), FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/11 NOTICE 1 | HULL FITTING, STUFFING TUBE, TYPE MX2326/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/12 NOTICE 1 | HULL FITTING, STUFFING TUBE, TYPE MX2326/U (LONG BODY) FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/13 NOTICE 1 | HULL FITTING, STUFFING TUBE, TYPE MX2646/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/14 NOTICE 1 | HULL FITTING, STUFFING TUBE, TYPE MX2646/U (LONG BODY), FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| | MIL-H-21367/15 | HULL FITTING, CONNECTOR, END SEAL TYPE MX1203/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE | A 5935 | SH | | 18-OCT-85 | | | | | | |
| | MIL-H-21367/16 | HULL FITTING, CONNECTOR, END SEAL TYPE MX2632/U FOR FLEXIBLE, SOLID - DIELECTRIC, RADIO - FREQUENCY CABLE | A 5935 | SH | | 18-OCT-85 | | | | | | |
| L | MIL-H-21367/17 NOTICE 1 | HULL FITTING, BLANKING PLUGS FOR STUFFING TUBES MX2326/U, MS2327/U, AND MX2646/U, FOR FLEXIBLE SOLID-DIELECTRIC RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/18 NOTICE 1 | HULL FITTING, BLANKING PLUGS FOR STUFFING TUBE MX7637/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5975 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/19 NOTICE 1 | HULL FITTING, CONNECTOR, ADAPTER, TYPE UG1404/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5935 | SH | | 17-DEC-90 | | | SH | | | |
| | MIL-H-21367/20 | HULL FITTINGS, CONNECTOR, PLUG, TYPE UG-14 S/U, FOR FLEXIBLE, SOLID - DIELECTRIC, RADIO - FREQUENCY CABLE | A 5935 | SH | | 18-OCT-85 | | | | | | |
| L | MIL-H-21367/21 NOTICE 1 | HULL FITTING, CONNECTOR, RECEPTACLE, TYPE UG-1406/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5935 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/22 NOTICE 1 | HULL FITTING, CONNECTOR, PLUG, TYPE UG-1407/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5935 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/23 | HULL FITTING, CONNECTOR, RECEPTACLE TYPE UG-1408/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE | A 5935 | SH | | 18-OCT-85 | | | SH | | | |
| L | MIL-H-21367/24 NOTICE 1 | HULL FITTING, CONNECTOR, PLUG TYPE UG-1421/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE (VALIDATION DATE: 9012) | A 5935 | SH | | 17-DEC-90 | | | SH | | | |
| L | MIL-H-21367/25 | HULL FITTING, CONNECTOR, PLUG (JACK), TYPE UG-1423/U, FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE | A 5935 | SH | | 18-OCT-85 | | | SH | | | |
| L | MIL-H-21367/26 | HULL FITTING, CONNECTOR, PLUG TYPE UG-1424/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE | A 5935 | SH | | 18-OCT-85 | | | SH | | | |
| | MIL-H-21367/27 | HULL FITTINGS, CONNECTOR, RECEPTACLE, TYPE UG-1439/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE | A 5935 | SH | | 18-OCT-85 | | | | | | |
| | MIL-H-21367/28 | HULL FITTING, CONNECTOR, RECEPTACLE, TYPE UG-1495/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE | A 5935 | SH | | 18-OCT-85 | | | | | | |
| L | MIL-T-21369C | TEST SET MARK 127 MOD 4 ..... | A 4925 | OS | | 18-SEP-90 | | | OS | | | |
| D | MIL-A-21380B(1) NOTICE 1 | ABRASIVE MATERIALS, FOR BLASTING (VALIDATION DATE: 9110) USER: AH CR MC YD1 | A 5350 | AS | | 24-OCT-91 | MR | | AS | 99 | | |
| L | MIL-P-21381B(1) | PLOTTING BOARDS, SHIP S STATUS AND TACTICAL DISPLAY (NAVAL SHIPBOARD USE) (VALIDATION DATE: 8104) | A 6605 | SH | | 13-MAY-63 | | | SH | | | |
| | MIL-M-21383A(1) | MANGANESE DELAY COMPOSITION (VALIDATION DATE: 8307) REVIEWER: AR ..... | A 1375 | OS | | 06-JUN-77 | EA | | OS | | | |
| L | MIL-P-21386E(1) | PAPER, FILTER MEDIA, ROLL-TYPE ..... | A 6640 | SH | | 18-MAY-92 | | | SH | | | |
| QL | MIL-M-21393A(6) | MICROPHONE, DYNAMIC M-92C/U (VALIDATION DATE: 8106) REVIEWER: ES ..... | A 5965 | AS | | 15-NOV-68 | | | AS | | | |
| L | MIL-P-21397C | PROPORTIONING UNIT, CHEMICAL (FOR DISTILLING PLANTS NAVAL SHIPBOARD USE) (VALIDATION DATE: 8106) | A 4620 | SH | | 28-NOV-71 | | | SH | | | |
| L | MIL-I-21400 | INTERVALOMETER, ORDNANCE, RELEASE TD-239/A (VALIDATION DATE: 8205) ..... | A 1280 | AS | | 02-JUN-58 | | | AS | | | |
| L | MIL-C-21402A NOTICE 1 | CABLE ASSEMBLIES, NON-MAGNETIC (ORDNANCE) (VALIDATION DATE: 9203) ..... | A 1075 | OS | | 18-MAR-92 | | | OS | | | |
| D | MIL-B-21408G NOTICE 1 | BOOTS, SAFETY (VALIDATION DATE: 8908) USER: 45 MC YD1 REVIEWER: 11 82 AS .. | A 8430 | CT | | 28-AUG-89 | GL | | | 99 | CT | |
| L | MIL-G-21410A | GOVERNING SYSTEMS, SPEED & LOAD-SENSING NAVAL SHIPBOARD USE ..... | A 6115 | SH | | 23-DEC-91 | | | SH | | | |
| L | MIL-A-21412A NOTICE 1 | ANODES, CORROSION PREVENTIVE, MAGNESIUM ALLOY, CAST OR EXTRUDED SHAPES WITH CAST-IN CORES (VALIDATION DATE: 9103) REVIEWER: IS | A 5340 | SH | | 27-MAR-91 | | | SH | | | |
| L | MIL-P-21415C | PROTECTIVE FINISH AND PAINTING FOR POLARIS FLEET BALLISTIC MISSILE (VALIDATION DATE: 8204) REVIEWER: 99 | A MFFP | OS | | 01-FEB-73 | | | OS | | | |
| L | DOD-R-21417A(1) | RESIN, CHLORINATED ALKYD, SOLUTION (METRIC) ..... | A 8010 | SH | | 20-NOV-86 | | | SH | | | |
| L | MIL-B-21418 | BELTING SYSTEM, AMMUNITION, MARK 2 MOD 0 (FOR 20MM MARK 100 SERIES AMMUNITION) (VALIDATION DATE: 8303) | A 1305 | AS | | 28-MAY-58 | | | AS | | | |
| L | MIL-F-21424A NOTICE 1 | FILTERS, POLARIZING (FOR OPTICAL INSTRUMENTS) (VALIDATION DATE: 8809) ..... | A 1240 | OS | | 07-SEP-88 | | | OS | | | |
| | MIL-W-21425B | WIRE, STEEL, HIGH CARBON, SQUARE, UNCOATED, FOR MECHANICAL SPRINGS (GENERAL PURPOSE) (VALIDATION DATE: 8204) USER: AR MV REVIEWER: GL MI | A 9505 | OS | | 30-MAY-75 | MR | | OS | 99 | | |
| L | MIL-S-21427B(1) | STRAINER, ASSEMBLIES, MAIN STEAM, HIGH PRESSURE (SIZES 4 INCHES AND ABOVE) | A 4730 | SH | | 23-APR-91 | | | SH | | | |
| LI | MIL-A-21430B NOTICE 2 | ACCESSORY SET MARK 1 MOD 1 ..... | A 4930 | OS | | 27-MAR-92 | | | OS | | | |
| L | MIL-M-21431 | MANROPE, COMPOSITION, COVERED (VALIDATION DATE: 8104) ..... | A 2090 | SH | | 03-OCT-58 | | | SH | | | |
| L | MIL-S-21433A(3) | SOCKETS, TURNBUCKLES, AND TURNBUCKLE ASSEMBLIES--WIRE ROPE, WEDGE, AND THREADED LOCK SLEEVE (VALIDATION DATE: 8108) REVIEWER: IS | A 5340 | SH | | 07-JUN-66 | | | SH | | | |
| L | MIL-T-21451(1) NOTICE 1 | TEST SET MARK 77 MOD 0 (VALIDATION DATE: 8704) ..... | A 4925 | OS | | 08-APR-87 | | | OS | | | |
| L | MIL-B-21465 | BUTYL STEARATE - NORMAL (VALIDATION DATE: 8107) ..... | A 6810 | OS | | 15-JUL-58 | | | OS | | | |
| | MIL-S-21472C | SCREW, SHOULDER, HEXAGON SOCKET-HEAD AND SLOTTED-HEAD GENERAL SPECIFICATION FOR REVIEWER: IS ME OS | A 5305 | AR | | 31-OCT-88 | AR | | AS | 99 | | |
| L | MIL-C-21479B NOTICE 1 | CABLE ASSEMBLIES, GENERAL SPECIFICATION FOR (ORDNANCE) (VALIDATION DATE: 9201) | A 1135 | OS | | 08-JAN-92 | | | OS | | | |

| Action | OPR / Gen Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-G-21480A(1) NOTICE 1 | GENERATOR SYSTEM 400 HERTZ, ALTERNATING CURRENT, AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8712] REVIEWER: AV | A | 6115 | | AS | 15-DEC-87 | | AS | 11 | |
| QL | | MIL-G-21480/1B | EMERGENCY GENERATOR, ALTERNATING CURRENT, 3.0 KVA, F-4 AIRCRAFT [VALIDATION DATE: 8407] REVIEWER: GS | A | 6115 | | AS | 18-MAY-78 | | AS | | |
| L | | MIL-G-21480/3B NOTICE 1 | GENERATOR SYSTEM, EMERGENCY, 2.5 KVA, 400 HERTZ, ALTERNATING CURRENT, RAM AIR TURBINE DRIVEN, DETAIL SPECIFICATION FOR [VALIDATION DATE: 8712] REVIEWER: GS | A | 6115 | | AS | 31-DEC-87 | | AS | | |
| QL | | MIL-G-21480/4C NOTICE 1 | GENERATING SYSTEM, 25 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS [VALIDATION DATE: 8711] | A | 6115 | | AS | 30-NOV-87 | | AS | | |
| QL | | MIL-G-21480/7A | GENERATOR SYSTEM, 10 KVA, 400 HZ, AC, INTEGRALLY EXCITED BRUSHLESS TYPE [VALIDATION DATE: 8407] REVIEWER: GS | A | 6115 | | AS | 21-JUL-78 | | AS | | |
| QL | | MIL-G-21480/8A | GENERATOR SYSTEM, 34 KVA, 400 CYCLE, AC, INTEGRALLY EXCITED BRUSHLESS TYPE AND 200 AMPS AT 28 VOLTS, DC [VALIDATION DATE: 8407] REVIEWER: GS | A | 6115 | | AS | 04-NOV-77 | | AS | | |
| QL | | MIL-G-21480/9B NOTICE 1 | GENERATOR SYSTEM, EMERGENCY, 1.7 KVA, 400 HZ, AC, RAM AIR TURBINE DRIVEN REVIEWER: GS | A | 6115 | | AS | 20-NOV-87 | | AS | | |
| QL | | MIL-G-21480/10B | GENERATOR SYSTEM, 20 KVA, 400 HZ, AC, STATICALLY EXCITED, BRUSHTYPE [VALIDATION DATE: 8306] | A | 6115 | | AS | 20-DEC-76 | | AS | | |
| L | | MIL-G-21480/11A | GENERATOR SYSTEM, 10 KVA, 400 CYCLE, AC, INTERGRALLY EXCITED, BRUSHLESS TYPE [VALIDATION DATE: 8508] REVIEWER: GS | A | 6115 | | AS | 05-FEB-79 | | AS | | |
| QL | | MIL-G-21480/12E | GENERATOR SYSTEM, 40 KVA, 400 HZ AC, INTEGRALLY EXCITED, BRUSHLESS TYPE ... | A | 6115 | | AS | 15-JUL-83 | | AS | | |
| L | | MIL-G-21480/13A | GENERATOR SYSTEM, 30 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [VALIDATION DATE: 8407] REVIEWER: GS | A | 6115 | | AS | 20-JAN-78 | | AS | | |
| QL | | MIL-G-21480/16A | GENERATOR SYSTEM, 20 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [VALIDATION DATE: 8407] REVIEWER: GS | A | 6115 | | AS | 22-FEB-78 | | AS | | |
| L | | MIL-G-21480/17A(1) | GENERATOR SYSTEM, 20 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE REVIEWER: 11 | A | 6115 | | AS | 23-JUL-82 | | AS | | |
| L | | MIL-G-21480/18 | GENERATOR SYSTEM, 30 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [VALIDATION DATE: 8306] | A | 6115 | | AS | 20-OCT-76 | | AS | | |
| L | | MIL-G-21480/19A NOTICE 1 | GENERATOR SYSTEM, AIRCRAFT, 400 HZ, 3 PHASE 115/200 VOLT, 50 KVA AND 90 KVA | A | 6115 | | AS | 29-OCT-79 | | AS | | |
| L | | MIL-G-21480/21A | GENERATOR SYSTEM, 30 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE .. | A | 6115 | | AS | 05-AUG-83 | | AS | | |
| L | | MIL-G-21480/23 | GENERATOR SYSTEM, AIRCRAFT 400 HZ,3 PHASE 115/200 VOLT, 30/45 KVA ..... | A | 6115 | | AS | 03-MAY-84 | | AS | | |
| L | | MIL-C-21496D | CARTRIDGE, IMPULSE, MARK 104 MOD 0 [VALIDATION DATE: 8508] ..... | A | 1377 | | AS | 05-OCT-72 | | AS | | |
| L | | MIL-C-21499A NOTICE 1 | CHEMICAL PACKET, POTASSIUM IODATE, POTASSIUM IODIDE, AND SODIUM BICARBONATE [VALIDATION DATE: 8203] REVIEWER: GS | F | 6810 | | SH | 19-JUN-64 | | SH | | |
| L | | MIL-L-21514C(1) | LAUNCHER TUBE, MISSILE, MARK 4, MODS 0,1, 2, AND 3 AND MARK 8 MODS 0 AND 1 [VALIDATION DATE: 8306] | A | 1440 | | OS | 04-OCT-63 | | OS | | |
| L | | MIL-S-21516B | SUPPORT RING, ASSEMBLY LAUNCHER TUBE, MISSILE [VALIDATION DATE: 8306] ..... | A | 1440 | | OS | 28-MAY-63 | | OS | | |
| L | | MIL-B-21518A | BELLOW ASSEMBLY, FLEXIBLE, FOR LAUNCHING SYSTEM, MISSILE MARK 17 MODS 0, 1, 2 & 3 [VALIDATION DATE: 8508] | A | 1440 | | OS | 04-APR-61 | | OS | | |
| L | | MIL-S-21520C(1) | SEALS, INTERTUBE FOR LAUNCHER TUBE MARK 4 MODS 0, 1, 2 AND 3 AND MARK 8 MODS 0 AND 1 [VALIDATION DATE: 8306] | A | 1440 | | OS | 23-JUL-64 | | OS | | |
| L | | MIL-S-21521A(2) | SPRINGS, LIQUID FOR SHOCK ABSORBER MISSILE LAUNCHER MARK 2 MOD 0 [VALIDATION DATE: 8306] | A | 1440 | | OS | 01-DEC-64 | | OS | | |
| L | | MIL-C-21522(2) | CYLINDER, LOCKOUT FOR SHOCK ABSORBER, MISSILE LAUNCHER MARK 2 MOD 0 [VALIDATION DATE: 8306] | A | 1440 | | OS | 01-AUG-61 | | OS | | |
| L | | MIL-D-21523A(2) | DIAPHRAGM ASSEMBLY [VALIDATION DATE: 8306] ..... | A | 1440 | | OS | 28-APR-64 | | OS | | |
| L | | MIL-C-21526B(2) | CONTROL ASSEMBLY, EJECTOR [VALIDATION DATE: 8306] ..... | A | 1440 | | OS | 15-JAN-65 | | OS | | |
| L | | MIL-F-21527B | FLASK, AIR, LAUNCHER [VALIDATION DATE: 8306] ..... | A | 1440 | | OS | 26-JUN-61 | | OS | | |
| L | | MIL-C-21529D(2) | CABLE ASSEMBLIES, ELECTRICAL [VALIDATION DATE: 8211] ..... | A | 1440 | | OS | 18-NOV-64 | | OS | | |
| L | | MIL-R-21530D(2) | RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM GENERAL SPECIFICATION FOR [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 09-MAR-65 | | OS | | |
| L | | MIL-R-21530/1D(1) | RESOLVER, ELECTRICAL, AC FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R2N4R100A [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 09-MAR-65 | | OS | | |
| L | | MIL-R-21530/2D | RESOLVER, ELECTRICAL, AC FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R2ON4R8A [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 26-FEB-62 | | OS | | |
| L | | MIL-R-21530/3D | RESOLVER, ELECTRICAL, AC FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 25R27N8A [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 26-FEB-62 | | OS | | |
| L | | MIL-R-21530/4D | RESOLVER, ELECTRICAL, AC FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R4ON4R8A [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 26-FEB-62 | | OS | | |
| L | | MIL-R-21530/5D(1) | RESOLVER, ELECTRICAL, AC FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R99N4R8A [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 09-MAR-65 | | OS | | |
| L | | MIL-R-21530/12A(1) | RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R99N4R8X [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 09-MAR-65 | | OS | | |
| L | | MIL-R-21530/13A | RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R40N4R8X [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 26-FEB-62 | | OS | | |
| L | | MIL-R-21530/14A(1) | RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R2N4R100X [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 09-MAR-65 | | OS | | |
| L | | MIL-R-21530/15(1) | RESOLVER, ELECTRICAL, AC, SPECIAL MOUNTING FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 54RU10N8 [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 09-MAR-65 | | OS | | |
| L | | MIL-R-21530/16(2) | RESOLVER, ELECTRICAL, AC, SPECIAL MOUNTING FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 54RU10N8 [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 09-MAR-65 | | OS | | |
| L | | MIL-R-21530/18(1) | RESOLVER, ELECTRICAL, AC, SPECIAL MOUNTING FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 28RU42N8 [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 09-MAR-65 | | OS | | |
| L | | MIL-R-21530/19(2) | RESOLVER, ELECTRICAL, AC, SPECIAL MOUNTING FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 28RU82N8 [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 09-MAR-65 | | OS | | |
| L | | MIL-R-21530/20A(1) | RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 41PU47N8A [VALIDATION DATE: 8510] REVIEWER: ES | A | 5990 | | OS | 09-MAR-65 | | OS | | |
| L | | MIL-M-21488 | MANUAL, TECHNICAL, FBM WEAPON SYSTEM, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8208] | A | TMSS | | OS | 15-DEC-67 | | OS | | |
| L | | MIL-S-21558A | SEAL, OIL, PLAIN OR PLAIN ENCASED [VALIDATION DATE: 8403] REVIEWER: IS MI . | A | 5330 | | OS | 28-SEP-73 | | OS | | |
| QL | | MIL-E-21562E | ELECTRODES AND RODS-WELDING, BARE, NICKEL ALLOY REVIEWER: GS ..... | A | 3439 | | SH | 24-MAR-89 | | SH | | |
| Q | | MIL-P-21563B NOTICE 1 | POINT SYSTEM, FLUORESCENT, FOR AIRCRAT APPLICATION (ASA) [VALIDATION DATE: 8702] REVIEWER: EA MI OS | A | 8010 | | AR | 18-FEB-87 | AR | AS | 99 | |
| QL | | MIL-C-21567A | COMPOUND, SILICONE, SOFT FILM [VALIDATION DATE: 8208] USER: ME REVIEWER: EA GS MI | A | 6850 | | OS | 26-OCT-73 | | OS | | |
| L | | MIL-G-21569B NOTICE 1 | GASKETS, CYLINDER LINER SEAL, SYNTHETIC RUBBER [VALIDATION DATE: 8905] REVIEWER: IS | A | 5330 | | SH | 09-MAY-89 | | SH | | |
| L | | MIL-F-21572 NOTICE 1 | FUZE FUNCTION CONTROL SET AN/AWM-1 [VALIDATION DATE: 8107] REVIEWER: 99 ... | A | 1290 | | AS | 15-JUL-60 | | AS | | |
| L | | MIL-D-21576 | DEHYDRATOR, DESICCANT, ELECTRIC (FOR BAGGED DESICCANT [VALIDATION DATE: 8509] | A | 4440 | | AS | 11-AUG-58 | | AS | | |
| L | | MIL-A-21577A(1) SUPPL 1A1 | AMPLIFIER, AUDIO FREQUENCY, AND AMPLIFIER-CONTROL GROUPS-SHIPBOARD ANNOUNCING | A | 5830 | | SH | 29-OCT-82 | | SH | | |
| L | | MIL-A-21577/1A(1) | AMPLIFIER-OSCILLATOR GROUP AN/SIA-114 ..... | A | 5830 | | SH | 29-OCT-82 | | SH | | |
| L | | MIL-A-21577/2(1) | AMPLIFIER-CONTROL GROUP, AN/SIA-115 ..... | A | 5830 | | SH | 29-OCT-82 | | SH | | |
| L | | MIL-A-21577/3(1) | AMPLIFIER-CONTROL GROUP, AN/SIA-116 ..... | A | 5830 | | SH | 29-OCT-82 | | SH | | |
| L | | MIL-A-21577/4B | AMPLIFIER-OSCILLATOR GROUP, AN/SIA-117 [VALIDATION DATE: 8209] ..... | A | 5830 | | SH | 15-AUG-68 | | SH | | |
| L | | MIL-A-21577/5A(1) | AMPLIFIER-OSCILLATOR GROUP, AN/SIA-118 [VALIDATION DATE: 8209] ..... | A | 5830 | | SH | 15-AUG-68 | | SH | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-A-21577/6A(1) | AMPLIFIER ASSEMBLY, AM-2316/SIA | A | 5830 | SH | | 29-OCT-82 | | SH | | |
| L | MIL-A-21577/7B | AMPLIFIER-CONTROL GROUP, TYPE AM/SIA-119 [VALIDATION DATE: 8209] | A | 5830 | SH | | 15-AUG-68 | | SH | | |
| L | MIL-A-21577/8A | AMPLIFIER-CONTROL GROUP, AM/SIA-120 [VALIDATION DATE: 8210] | A | 5830 | SH | | 27-FEB-67 | | SH | | |
| L | MIL-A-21577/9 | AMPLIFIER-CONTROL GROUP, AM/SIA-122(V) [VALIDATION DATE: 8104] | A | 5830 | SH | | 31-JAN-64 | | SH | | |
| L | MIL-A-21577/10 | AMPLIFIER, AUDIO FREQUENCY-EMERGENCY REPORT SYSTEM [VALIDATION DATE: 8209] | A | 5830 | SH | | 31-JUL-68 | | SH | | |
| L | MIL-A-21577/11(1) | AMPLIFIER, AUDIO FREQUENCY, BOOSTER AMPLIFIER - AUDIO - 20 WATT SHIPBOARD ANNOUNCING | A | 5830 | SH | | 17-JAN-83 | | SH | | |
| L | MIL-T-21578A | TEST EQUIPMENT, HAZARDOUS LOCATION, INSTALLED, BASIC REQUIREMENTS FOR [VALIDATION DATE: 8108] | A | 4920 | AS | | 28-JAN-66 | | AS | | |
| LI | MIL-C-21583(2) NOTICE 1 | CS MECHANISM MARK 1 MODS 3, 4, 9, AND 11 | A | 1350 | OS | | 27-MAR-92 | | OS | | |
| A L | MIL-P-21593D | PANEL MARKERS: RANGE, FLANK, AND DEBARKATION POINT; NYLON, FLUORESCENT | A | 8465 | CT | | 14-FEB-91 | | MC | | CT |
| A LI | MIL-H-21594C NOTICE 1 | HOOKPOINT, AIRCRAFT ARRESTING | A | 1710 | AS | | 06-JUL-92 | | AS | | |
| | MIL-T-21595D(2) | TAPES, PRESSURE-SENSITIVE ADHESIVE, MASKING, NON-STAINING, FOR AIRCRAFT PAINTING APPLICATIONS USER: AR MC REVIEWER: EA | A | 7510 | AS | | 25-SEP-86 | MR | AS | 99 | |
| | MIL-T-0021595C | TAPE, PRESSURE SENSITIVE, PLASTIC, MASKING (FOR PAINT COLOR SEPARATION) | A | 7510 | AS | | 25-FEB-81 | | AS | | |
| QL | MIL-P-21600A | PAINT SYSTEM, FLUORESCENT, REMOVABLE, FOR AIRCRAFT APPLICATION [VALIDATION DATE: 8004] REVIEWER: AV DS MI | A | 8010 | AS | | 26-OCT-62 | | AS | | |
| QL | MIL-S-21604D SUPPL 1A1 | SWITCHES, ROTARY, MULTIPOLE AND SELECTORS: GENERAL SPECIFICATION FOR | A | 5930 | SH | | 30-MAR-92 | | SH | | |
| L | MIL-S-21604/1A | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 1 AMPERE, STYLES JF AND JFM | A | 5930 | SH | | 30-MAR-92 | | SH | | |
| L | MIL-S-21604/2A | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 5 AMPERE, STYLE JK | A | 5930 | SH | | 30-MAR-92 | | SH | | |
| L | MIL-S-21604/3B | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 5 AMPERE, STYLE JL | A | 5930 | SH | | 30-MAR-92 | | SH | | |
| L | MIL-S-21604/4A | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 7-1/2 AMPERE, STYLE JM | A | 5930 | SH | | 30-MAR-92 | | SH | | |
| L | MIL-S-21604/5A | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 10 AMPERE, STYLE JR | A | 5930 | SH | | 30-MAR-92 | | SH | | |
| LI | MIL-S-21604/6A | SWITCH, ASSEMBLIES FOR REMOTE OPERATED SWITCHES, 10 AMPERE, STYLES RJR AND RJRA | A | 5930 | SH | | 30-MAR-92 | | SH | | |
| L | MIL-S-21604/7A | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 10 AMPERE, STYLES JR 304 AND JRM 300 | A | 5930 | SH | | 30-MAR-92 | | SH | | |
| QL | MIL-R-21607E | RESINS, POLYESTER, LOW PRESSURE LAMINATING, FIRE-RETARDANT | A | 9330 | SH | | 25-MAY-90 | | SH | | |
| Q | MIL-F-21608E(1) | FERRULE, SHIELD TERMINATING, CRIMP STYLE USER: AV REVIEWER: 99 MI NS | A | 5940 | AS | | 21-MAY-80 | CR | AS | 85 | |
| L | MIL-G-21610C | GASKETS, HEAT EXCHANGER, VARIOUS CROSS SECTION RINGS, SYNTHETIC RUBBER REVIEWER: 1S | A | 5330 | SH | | 21-NOV-89 | | SH | | |
| L | MIL-G-21615(2) NOTICE 1 | GUN, AIRCRAFT, 20MM MARK 12 MOD 0 & MOD 3 (INACTIVE) [VALIDATION DATE: 8306] | A | 1005 | AS | | 25-FEB-63 | | AS | | |
| QL | MIL-C-21617(1) | CONNECTOR, PLUG AND RECEPTACLE--ELECTRICAL RECTANGULAR, POLARIZED SHELL, MINIATURE TYPE [VALIDATION DATE: 8601] USER: AV REVIEWER: ES MI | A | 5935 | EC | | 05-MAR-59 | | EC | | |
| L | MIL-A-21618B(2) | ADAPTER, PALLET, STEEL FOR CYLINDRICAL CONTAINERS [VALIDATION DATE: 8402] REVIEWER: GS | A | 3990 | OS | | 22-NOV-78 | | OS | | |
| L | MIL-H-21623B | HOLDERS, RADIAC SAMPLE | A | 6665 | SH | | 30-APR-90 | | SH | | |
| | MIL-D-21625F(1) | DESIGN AND EVALUATION OF CARTRIDGES FOR CARTRIDGE ACTUATED DEVICES [VALIDATION DATE: 8407] REVIEWER: MI | A | 1377 | AS | | 29-NOV-77 | | AS | 99 | |
| QL | MIL-D-21631A(1) NOTICE 1 | DECK COVERING, LATEX CONCRETE [VALIDATION DATE: 9012] | A | 5610 | SH | | 26-DEC-90 | | SH | | |
| LI | MIL-W-21632(1) NOTICE 1 | WIRE ROPES, STEEL, BARE AND NYLON COVERED, CORROSION-RESISTING, FLEXIBLE, PREFORMED, OCEANOGRAPHIC AND BATHYTHERMOGRAPHIC REVIEWER: 1S MI | A | 4010 | SH | | 01-APR-91 | | SH | | |
| A | MIL-L-21635D | LAST, FOOTWEAR (SHOE, WOMAN S, OXFORDS) [VALIDATION DATE: 8503] USER: 45 MC REVIEWER: 11 | A | 8335 | CT | | 30-NOV-79 | GL | MU | 99 | CT |
| L | MIL-S-21639 | SEXTANT, BUBBLE AQU-1/A [VALIDATION DATE: 8303] | A | 6605 | AS | | 15-DEC-58 | | AS | | |
| L | MIL-C-21640B | CONTROL, DEGAUSSING COMPASS COMPENSATING TYPE A-1 | A | 1075 | SH | | 08-JUL-88 | | SH | | |
| | MIL-T-21643D | TRUCKS, LIFT, FORK, REACHING AND TIERING, NARROW AISLE, ELECTRIC, 3000 (1360 KG) AND 4000 POUNDS (1820 KG), CAPACITY REVIEWER: AT CS MT | A | 3930 | SA | | 02-OCT-89 | ME | SA | 99 | |
| QL | MIL-M-21649C NOTICE 1 | MOUNT, RESILIENT, TYPE SM10,000-H [VALIDATION DATE: 9103] REVIEWER: IS | A | 5340 | SH | | 27-MAR-91 | | SH | | |
| 1 | MIL-L-21652A(1) NOTICE 3 | LIGHT, BEACON, ANTICOLLISION, AIRCRAFT, GENERAL SPECIFICATION FOR USER: AT REVIEWER: 11 GS | A | 6220 | AS | | 29-MAY-92 | AV | AS | 99 | |
| L | MIL-C-21657A NOTICE 1 | COPPER-BERYLLIUM ALLOY, LOW MAGNETIC EFFECT (FOR SPECIAL PURPOSE TOOLS AND EQUIPMENT) [VALIDATION DATE: 9203] | A | 9530 | OS | | 18-MAR-92 | | OS | | |
| A L | MIL-H-21660A | HOOK, THRUST, JATO, 1000 POUNDS NOMINAL THRUST | A | 1340 | AS | | 30-SEP-92 | | AS | | |
| LI | MIL-T-21671 NOTICE 2 | TEST SET MARK 126 MOD 0 | A | 6625 | OS | | 27-MAR-92 | | OS | | |
| LI | MIL-T-21674(3) NOTICE 1 | TEST SET MARK 177 MOD 0 | A | 6625 | OS | | 21-AUG-90 | | OS | | |
| L | MIL-C-21676(1) NOTICE 1 | MINE CASE MARK 36 MOD 2 (INACTIVE FOR NEW DESIGN) | A | 1350 | OS | | 28-MAY-86 | | OS | | |
| LI | MIL-T-21677 NOTICE 2 | TEST SET MARK 3 MOD 2 | A | 6625 | OS | | 27-MAR-92 | | OS | | |
| L | MIL-C-21679(1) NOTICE 1 | CLOCK DELAY CD-10 MOD 1 MECHANISM (INACTIVE FOR NEW DESIGN [VALIDATION DATE: 8605] | A | 1350 | OS | | 28-MAY-86 | | OS | | |
| LI | MIL-T-21684 NOTICE 2 | TEST SET MARK 96 MOD 1 | A | 6625 | OS | | 27-MAR-92 | | OS | | |
| QL | MIL-I-21685(3) | INDICATOR, COMPASS REPEATER, ROTATING DIAL, TYPE MW-2 [VALIDATION DATE: 8506] | A | 6605 | AS | | 28-MAR-79 | | AS | | |
| L | MIL-M-21688A(1) | MEASURING SYSTEM, FLOAT CURRENT, SUBMARINE STORAGE BATTERY [VALIDATION DATE: 8912] | A | 2090 | SH | | 08-DEC-89 | | SH | | |
| Q | MIL-V-21701B(2) NOTICE 1 | VALVE, CHECK, OXYGEN MASK, INLET [VALIDATION DATE: 9110] | A | 1660 | AS | | 24-OCT-91 | AV | AS | | |
| A L | MIL-T-21704F | TROUSERS, COLD WEATHER REVIEWER: CG | A | 8415 | CT | | 01-JUL-87 | | MU | | CT |
| A L | MIL-T-21705E | TROUSERS, EXTREME COLD WEATHER, IMPERMEABLE USER: 45 CG | A | 8415 | CT | | 24-MAY-84 | | MU | | CT |
| A L | MIL-J-21708G | JACKET, COLD WEATHER USER: CG REVIEWER: SH | A | 8415 | CT | | 01-JUL-87 | | MU | | CT |
| A L | MIL-C-21709E | CAP, COLD WEATHER, PERMEABLE | A | 8415 | CT | | 09-FEB-84 | | MU | | CT |
| A | MIL-S-21711E(1) | SHOES, WOMEN'S USER: 45 CG MC REVIEWER: 11 82 MD | A | 8435 | CT | | 19-OCT-88 | GL | MU | 99 | CT |
| L | MIL-D-21713(2) | AIR DRYER MARK 12 MOD 0 [VALIDATION DATE: 8402] REVIEWER: GS | A | 4440 | OS | | 30-JUN-65 | | OS | | |
| L | MIL-W-21714A | WATER, DRINKING, NONMAGNETIC CANNED, EMERGENCY [VALIDATION DATE: 8208] | A | 8960 | SH | | 10-JUN-68 | | SH | | |
| QL | MIL-I-21718(1) | INDICATOR, AIRSPEED, PITOT STATIC, MAXIMUM ALLOWABLE SPEED, 40-400 KNOTS [VALIDATION DATE: 8410] | A | 6610 | AS | | 09-OCT-59 | | AS | | |
| L | MIL-T-21719 | TEST SET MK 339 MOD 0 [VALIDATION DATE: 8208] | A | 4931 | OS | | 29-JAN-64 | | OS | | |
| A L | MIL-H-21722B | HOOKS, THRUST AND STABILIZING, JATO 4500 POUNDS NOMINAL THRUST | A | 1680 | AS | | 30-SEP-92 | | AS | | |
| L | MIL-C-21723A(1) | COMPOSITION CH-6 [VALIDATION DATE: 8107] | A | 1376 | OS | | 29-NOV-72 | | OS | | |
| L | MIL-W-21733A | WEBBING, TEXTILE, NYLON-PNEUMATIC LIFE PRESERVER [VALIDATION DATE: 8304] REVIEWER: CT | A | 8305 | AS | | 24-JAN-71 | | AS | | |
| QL | MIL-M-21734C | MICROPHONE, DYNAMIC, OXYGEN MASK M-948/A [VALIDATION DATE: 8106] REVIEWER: ES | A | 5965 | AS | | 25-SEP-74 | | AS | | |
| QL | MIL-I-21735A NOTICE 1 | INDICATOR, AIRSPEED AND MACH NUMBER, PITOT STATIC, 60 TO 650 KNOTS [VALIDATION DATE: 8712] | A | 6610 | AS | | 07-DEC-87 | | AS | | |
| L | MIL-P-21755C | PLOTTING SHEET, POLYESTER FILM, 1,000 METER GRID, 1:25,000 SCALE REVIEWER: ME | A | 7530 | GL | | 19-NOV-84 | GL | | | |
| | MIL-D-21757C | DISPENSER, COMPRESSIBLE BOTTLE, CONDIMENT [VALIDATION DATE: 8402] REVIEWER: CG GS | A | 7350 | GL | | 09-JAN-78 | GL | SA | 99 | |
| | MIL-M-21826B | MACHINE, PLASTIC SHEET, THERMOFORMING (FOR PACKAGING APPLICATIONS) [VALIDATION DATE: 8201] USER: MC SH REVIEWER: SH | A | 3540 | GL | | 16-FEB-73 | GL | SA | 99 | |
| A | MIL-F-21840G | FASTENER TAPES, HOOK AND PILE, SYNTHETIC USER: 45 AM AS MC REVIEWER: 05 99 DS EA MD OS | A | 8315 | CT | | 18-FEB-83 | GL | MU | 11 | CT |

| Action | Qpl / Qml, Coordination, Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-C-21850C | COVERALLS, CATAPULT, CREWMEN S [VALIDATION DATE: 8601] USER: 45 AS | A | 8415 | CT | | 13-DEC-79 | | MU | | CT |
| | L | MIL-C-21851E | CLOTH, TWILL, POLYESTER AND COTTON REVIEWER: 82 99 CT MC MD | A | 8305 | MU | | 04-MAY-88 | GL | MU | 11 | |
| A | | MIL-C-21852F | CLOTH, TAFFETA, NYLON USER: CG REVIEWER: 82 99 MC MD | A | 8305 | CT | | 06-FEB-89 | GL | MU | 11 | CT |
| A | L | MIL-G-21854 | GLOVES, PROTECTIVE, FUEL AND OXIDIZER RESISTANT (RESIN MODIFIED BUTYL) [VALIDATION DATE: 8112] USER: 45 | A | 8415 | CT | | 30-AUG-62 | | MU | | CT |
| | | MIL-T-21858D(1) | TRUCK, HAND, SHELF, STOCKPICKER [VALIDATION DATE: 8302] USER: MC REVIEWER: AT GS | A | 3920 | ME | | 15-MAR-78 | ME | SA | 99 | |
| | | MIL-S-21859E | SUPPORT SETS, STACKING, MATERIAL HANDLING PALLET USER: SH REVIEWER: GS | A | 3990 | ME | | 04-FEB-85 | ME | | 84 | |
| | | MIL-M-21861A | MANUAL, TECHNICAL, MATERIALS HANDLING EQUIPMENT USER: ME | A | TMSS | SA | | 03-OCT-89 | | SA | 99 | |
| | | MIL-T-21867C | TRUCK, LIFT, FORK, TELESCOPING MAST, ELECTRIC, SELF PROPELLED (WALKIE) GENERAL SPECIFICATION FOR USER: AS DH MS OS REVIEWER: AT CS MC | A | 3930 | SA | | 31-OCT-89 | ME | SA | 99 | |
| | L | MIL-T-21868C | TRUCKS, LIFT, FORK, DIESEL; SHIPBOARD GENERAL SPECIFICATION FOR REVIEWER: SH | A | 3930 | SA | | 05-DEC-89 | | SA | | |
| | L | MIL-T-21868/3C | TRUCK, LIFT, FORK, DIESEL, SOLID TIRES, 6,000 POUND (2722 KG) CAPACITY, 130 INCH (3300 MM) LIFT, SHIPBOARD REVIEWER: SH | A | 3930 | SA | | 05-DEC-89 | | SA | | |
| | L | MIL-T-21868/4C | TRUCK, LIFT, FORK, DIESEL, PNEUMATIC TIRES, 6,000 POUND (2722 KG) CAPACITY, 130 INCH (3300 MM) LIFT, SHIPBOARD REVIEWER: SH | A | 3930 | SA | | 05-DEC-89 | | SA | | |
| | L | MIL-T-21868/7C | TRUCK, LIFT, FORK, DIESEL, PNEUMATIC TIRES, 15,000 POUND (6803 KG) CAPACITY, 220 INCH (5590 MM) LIFT, SHIPBOARD REVIEWER: SH | A | 3930 | SA | | 05-DEC-89 | | SA | | |
| | L | MIL-T-21868/8C | TRUCK, LIFT, FORK, DIESEL, PNEUMATIC TIRES, 20,000 POUND (9070 KG) CAPACITY, 220 INCH (5590 MM) LIFT, SHIPBOARD REVIEWER: SH | A | 3930 | SA | | 05-DEC-89 | | SA | | |
| | L | MIL-T-21868/9B | TRUCK, LIFT, FORK, DIESEL, SOLID TIRES, 6,000 POUND (2722 KG) CAPACITY, 92 INCH (2335 MM) LIFT, SHIPBOARD, LOW SILHOUETTE REVIEWER: SH | A | 3930 | SA | | 05-DEC-89 | | SA | | |
| | | MIL-T-21869E SUPPL 1A1 | TRUCKS, LIFT, FORK, ELECTRIC, SIT-DOWN, FRONT WHEEL DRIVE, REAR WHEEL STEER: GENERAL SPECIFICATION FOR REVIEWER: CS MC SH | A | 3930 | SA | | 01-DEC-89 | ME | SA | 99 | |
| | | MIL-T-21869/12F | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2,000 POUND (910 KILOGRAM) CAPACITY, 127 INCH (3220 MILLIMETER) LIFT, GENERAL PURPOSE, TYPE "EE" USER: MC REVIEWER: SH | A | 3930 | SA | | 01-DEC-89 | ME | SA | | |
| | L | MIL-T-21869/21G | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 100 INCH (2540 MILLIMETERS) LIFT, SHIPBOARD, TYPE "EE" USER: MC REVIEWER: OS SH | A | 3930 | SA | | 01-DEC-89 | | SA | | |
| | L | MIL-T-21869/22G | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6000 POUND (2730 KILOGRAMS) CAPACITY, 100 INCH (2540 MILLIMETERS) LIFT, SHIPBOARD, TYPE "EE" USER: MC REVIEWER: OS SH | A | 3930 | SA | | 01-DEC-89 | | SA | | |
| | L | MIL-T-21869/32F | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 100 INCH (2540 MILLIMETERS) LIFT, SHIPBOARD, TYPE, "EX" REVIEWER: OS SH | A | 3930 | SA | | 01-DEC-89 | | SA | | |
| | | MIL-T-21869/34G | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2,000 POUND (910 KILOGRAM) CAPACITY, 144 INCH (3660 MILLIMETER) LIFT GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST REVIEWER: CS SH | A | 3930 | SA | | 01-DEC-89 | ME | SA | 99 | |
| | L | MIL-T-21869/37F | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 100 INCH (4570 MILLIMETERS) LIFT, GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST REVIEWER: CS ME | A | 3930 | SA | | 01-DEC-89 | | SA | | |
| | | MIL-T-21869/38F | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOMETERS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST | A | 3930 | SA | | 01-DEC-89 | ME | SA | 99 | |
| | | MIL-T-21869/39F | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAM) CAPACITY, 180 INCH (4570 MILLIMETER) LIFT, GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST | A | 3930 | SA | | 01-DEC-89 | ME | SA | 99 | |
| | | MIL-T-21869/51E | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 10,000 POUND (4540 KILOGRAM) CAPACITY, 110 INCH (2800 MILLIMETER) LIFT, TYPE "EE" | A | 3930 | SA | | 01-DEC-89 | ME | SA | | |
| | L | MIL-T-21869/60A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EE | A | 3930 | SA | | 01-DEC-89 | | SA | | |
| | L | MIL-T-21869/61A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EX | A | 3930 | SA | | 01-DEC-89 | | SA | | |
| | L | MIL-T-21869/62A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EE REVIEWER: CS OS | A | 3930 | SA | | 01-DEC-89 | | SA | | |
| | L | MIL-T-21869/63A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EX REVIEWER: CS OS | A | 3930 | SA | | 01-DEC-89 | | SA | | |
| | L | MIL-T-21869/64A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAMS) CAPACITY, 180 INCH (4570 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EE REVIEWER: CS OS | A | 3930 | SA | | 01-DEC-89 | | SA | | |
| | | MIL-T-21869/65 | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2500 POUND CAPACITY, 185 INCH LIFT GENERAL PURPOSE, TYPE "E" REVIEWER: CS SH | A | 3930 | 84 | | 13-MAR-87 | ME | SA | 99 | |
| | L | MIL-T-21876C | TRUCK, LIFT, FORK, ELECTRIC, SIDELOADER FOUR-DIRECTIONAL, SHIPBOARD, MISSILE-CARRYING, 4000 POUND CAPACITY | A | 3930 | SA | | 02-FEB-91 | | SA | | |
| A | L | MIL-B-21880D | BELT, MILITARY POLICE (WHITE) [VALIDATION DATE: 8312] USER: 45 | A | 8465 | CT | | 13-JUN-78 | | MU | | CT |
| A | | MIL-C-21881G | CLOTH, POPLIN, POLYESTER AND COTTON USER: CG MC REVIEWER: 82 MD | A | 8305 | CT | | 12-JUL-88 | GL | MU | 99 | CT |
| A | L | MIL-C-21883D | CLOTH, SATIN OR CLOTH TWILL, RAYON WARP AND COTTON FILLING USER: 45 | A | 8305 | CT | | 01-OCT-85 | | MU | | CT |
| | L | MIL-G-21893C | GLOVES, CLOTH, NYLON, KNITTED (DRESS, MEN S) [VALIDATION DATE: 8011] USER: CG REVIEWER: CT | A | 8440 | MU | | 30-APR-81 | | MU | | |
| A | | MIL-S-21894F | SHOE, SAFETY (CHUKKA) USER: 45 CG MC MS OS REVIEWER: 11 AS | A | 8430 | CT | | 01-SEP-82 | | MU | 99 | CT |
| A | L | MIL-I-21899D | INSIGNIA, BRANCH OF SERVICE (COLLAR AND SLEEVE) | A | 8455 | CT | | 16-OCT-90 | | MU | | CT |
| | L | MIL-P-21904A NOTICE 1 | PARACHUTES FOR UNDERWATER MINES: GENERAL SPECIFICATION FOR [VALIDATION DATE: 9203] | A | 1350 | OS | | 18-MAR-92 | | OS | | |
| | L | MIL-M-21908(1) NOTICE 1 | MICROBURET, KOCH TYPE (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITY MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) [VALIDATION DATE: 8203] | F | 6640 | SH | | 01-JUN-70 | | SH | | |
| | L | MIL-L-21910(1) | LAUNCHER, ROCKET LAU-10/A (INACTIVE) [VALIDATION DATE: 8304] | A | 1055 | AS | | 15-OCT-63 | | AS | | |
| | LI | MIL-S-21918B NOTICE 1 | SWITCH, HYDROSTATIC, MARK 42 MOD 0 | A | 1350 | OS | | 27-MAR-92 | | OS | | |
| | LI | MIL-S-21920C NOTICE 2 | SWITCH, HYDROSTATIC, MARK 41 MODS 0 AND 1 | A | 1350 | OS | | 27-MAR-92 | | OS | | |
| | | MIL-P-21922B(1) NOTICE 1 | PLASTIC RODS AND TUBES, POLYETHYLENE [VALIDATION DATE: 8803] REVIEWER: AR EA GL GS MI | A | 9330 | MR | | 30-MAR-88 | MR | AS | 11 | |
| | L | MIL-S-21923 NOTICE 2 | SYNTHETIC RUBBER COMPOUND, BUTADIENE-STYRENE TYPE, OZONE RESISTANT, FOR LOW TEMPERATURE SERVICE [VALIDATION DATE: 8307] REVIEWER: GS MR | A | 9320 | OS | | 04-FEB-59 | | OS | | |
| D | | MIL-P-21929C | PLASTIC MATERIAL, CELLULAR POLYURETHANE, FOAM-IN-PLACE, RIGID (2 POUNDS PER CUBIC FOOT) USER: AT REVIEWER: AS AV GL GS MI OS YD | A | 9330 | SH | | 15-JAN-91 | SH | SH | 99 | |
| | LI | MIL-S-21944B NOTICE 2 | SWITCH, THERMOSTATIC, MARK 3 MOD 0 | A | 5930 | OS | | 27-MAR-92 | | OS | | |
| | LI | MIL-M-21945A NOTICE 1 | NONMAGNETIC REQUIREMENTS FOR PARTS FOR MINES MARK 56 AND MARK 57 | A | 1350 | OS | | 27-MAR-92 | | OS | | |
| | L | MIL-S-21946A | STEEL, WROUGHT, MANGANESE - NICKEL, AUSTENITIC (LOW MAGNETIC PERMEABILITY) [VALIDATION DATE: 8208] REVIEWER: IS | A | 9520 | OS | | 18-JUL-72 | | OS | | |
| | L | MIL-S-21952C | STEEL (HY-80 AND HY-100) BARS, ALLOY REVIEWER: IS | A | 9510 | SH | | 10-JAN-90 | | SH | | |
| | L | MIL-P-21960B | PAINTING AND MARKING, WAR HEADS, GUIDED MISSILE [VALIDATION DATE: 8208] REVIEWER: AS | A | 8010 | OS | | 11-MAY-67 | | OS | | |
| | | MIL-W-21965D | WATER COOLING OF SHIPBOARD ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR REVIEWER: EC | A | 4420 | SH | | 05-FEB-88 | | SH | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-E-21981B | ELECTRONICS TYPE DESIGNATIONS, IDENTIFICATION PLATES AND MARKINGS, REQUIREMENTS FOR REVIEWER: MC | A | 9905 EC | 15-AUG-86 | EC | | | |
| | L | MIL-W-21985(2) | WHEEL - CUSHION TREAD (SEMI-PNEUMATIC) FOR MOBILE GROUND SUPPORT EQUIPMENT REVIEWER: CS | A | 2530 AS | 10-FEB-87 | AS | | | |
| | LI | MIL-W-21993B NOTICE 1 | WIRE ROPE ASSEMBLY, MOORING, MARK 1 MOD 1 | A | 1350 OS | 27-MAR-92 | OS | | | |
| | LI | MIL-J-21994B NOTICE 1 | JUNCTION BOX MARK 43 MOD 0 | A | 1350 OS | 27-MAR-92 | OS | | | |
| A | L | MIL-D-22000B(1) | DRY CLEANING PRESSES AND FINISHING EQUIPMENT, COMMERCIAL (SHIPBOARD) | A | 3510 SH | 22-MAR-93 | SH | | | |
| | QL | MIL-M-22001(1) NOTICE 1 | MICROPHONE, CARBON, OXYGEN MASK, AMB-M-C1 [VALIDATION DATE: 9110] | A | 5965 AS | 15-OCT-91 | AS | | | |
| | L | MIL-T-22007A | TEST SET, BATTERY AN/AMM-1 [VALIDATION DATE: 8106] REVIEWER: 99 GS | A | 6660 AS | 28-NOV-73 | AS | | | |
| | L | MIL-T-22012 | TIMER, SEQUENTIAL, BATTERY CONDITIONING, TD-267/U [VALIDATION DATE: 8204] REVIEWER: 99 | A | 4935 OS | 08-JUN-59 | OS | | | |
| | L | MIL-C-22016(3) NOTICE 1 | CARTRIDGE, (STANDARD), MARTIN-BAKER MK5, EJECTION SEAT | A | 1377 AS | 15-APR-87 | AS | | | |
| | DQ | MIL-B-22019C(2) | BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORROSION INHIBITOR TREATED USER: AV CG CS MC REVIEWER: EA ME MI SA SH SM YD1 | A | 8135 AS | 28-NOV-86 | GL | AS | 69 | |
| | D | MIL-B-22020D | BAGS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORROSION INHIBITOR TREATED USER: CS MC MI REVIEWER: 71 84 AT ES ME OS SA SH SM YD1 | A | 8105 AS | 02-MAY-90 | GL | AS | 69 | |
| | D | MIL-I-22023D(1) | INSULATION FELT, THERMAL AND SOUND ABSORBING FELT, FIBROUS GLASS, FLEXIBLE REVIEWER: MI YD1 | A | 5640 SH | 21-FEB-84 | ME | SH | 99 | |
| | L | MIL-I-22027 | IGNITER, JET ENGINE, MK 243 MOD 2 [VALIDATION DATE: 8204] | A | 1375 AS | 13-MAY-59 | | AS | | |
| | QLI | MIL-T-22030(1) NOTICE 3 | TRANSMITTER, RATE OF FLOW, FUEL; TRU-26/A (300 TO 10,000 PPH) | A | 6620 AS | 03-DEC-90 | | AS | | |
| | QL | MIL-B-22036D | BRIDLE AND PENDANT ASSEMBLIES AIRCRAFT LAUNCHING | A | 1720 AS | 20-SEP-91 | | AS | | |
| | L | MIL-R-22040(2) | RANGEFINDER MARK 75 MOD 1 | A | 1240 OS | 27-JAN-87 | | OS | | |
| | L | MIL-C-22043 | COVER, COATED, NYLON (FOR NAVAL ORDNANCE EQUIPMENT) [VALIDATION DATE: 8403] | A | 10GP OS | 22-APR-60 | | OS | | |
| | LI | MIL-P-22046(1) NOTICE 1 | POWER SUPPLY MARK 20 MOD 1 | A | 6625 OS | 21-AUG-90 | | OS | | |
| | LI | MIL-T-22047(1) NOTICE 1 | TEST SET MARK 27 MOD 1 | A | 6625 OS | 21-AUG-90 | | OS | | |
| M | L | MIL-G-22050D | GASKET AND PACKING MATERIAL, RUBBER, FOR USE WITH POLAR FLUIDS, STEAM, AND AIR AT MODERATELY HIGH TEMPERATURES | A | 5330 SH | 07-MAY-93 | | SH | | |
| | QL | MIL-V-22052D | VALVE, STOP AND STOP CHECK, GLOBE, ANGLE, AND Y PATTERN, CAST OR FORGED CARBON OR ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER) REVIEWER: CS | A | 4820 SH | 20-MAR-78 | | SH | | |
| | L | MIL-T-22053A | TEST CHAMBER, RADIAC DETECTOR, TS-1189/PD [VALIDATION DATE: 8104] | A | 6625 SH | 11-FEB-69 | | SH | | |
| | L | MIL-I-22054A | INDICATOR, PRESSURE, SYNCHRO, DUAL, GENERAL PURPOSE [VALIDATION DATE: 8203] | A | 6620 AS | 01-NOV-64 | | AS | | |
| | L | MIL-A-22055(3) NOTICE 1 | AMPLIFIER MARK 140 MODS 0, 1, AND 2 [VALIDATION DATE: 8902] | A | 1290 OS | 23-FEB-89 | | OS | | |
| | QL | MIL-I-22062A(2) | INTERCONNECTING BOX J-1013A/AIC | A | 5831 AS | 15-MAY-90 | | AS | | |
| | QL | MIL-H-22072C NOTICE 1 | HYDRAULIC FLUID, CATAPULT, NATO CODE NUMBER H-579 [VALIDATION DATE: 9110] | A | 9150 AS | 24-OCT-91 | | AS | | |
| | QL | MIL-I-22075C | INDICATOR, BEARING-DISTANCE-HEADING ID-663/U | A | 6605 AS | 26-NOV-84 | | AS | | |
| | Q | MIL-I-22076B(1) | INSULATION TUBING, ELECTRICAL NONRIGID, VINYL, VERY LOW TEMPERATURE GRADE REVIEWER: 99 EC GS MI | A | 5970 SH | 02-APR-84 | ER | SH | 85 | |
| | L | MIL-G-22077B | GENERATOR SETS, GAS TURBINE, DIRECT-AND ALTERNATING-CURRENT, NAVAL SHIPBOARD USE [VALIDATION DATE: 8301] REVIEWER: GS | A | 6115 SH | 01-AUG-77 | | SH | | |
| | L | MIL-C-22079C | CARTRIDGE, IMPULSE, MARK 17 MOD 1 | A | 1377 AS | 10-DEC-85 | | AS | | |
| | Q | MIL-T-22085D(2) | TAPES, PRESSURE-SENSITIVE, ADHESIVE, PRESERVATION AND SEALING USER: ME REVIEWER: 43 99 AR EA MR SH | A | 7510 AS | 10-SEP-85 | GL | AS | 69 | |
| | D | MIL-T-22085D(13) | TAPES, PRESSURE - SENSITIVE, ADHESIVE, PRESERVATION AND SEALING USER: ME REVIEWER: 43 84 99 AR EA MR SH YD1 | A | 7510 AS | 30-SEP-86 | GL | AS | 69 | |
| M | L | MIL-P-22088B | PURIFIERS, JET FUEL CENTRIFUGAL, NAVAL SHIPBOARD | A | 4330 SH | 15-APR-93 | | SH | | |
| | Q | MIL-R-22097F(5) SUPPL 1A1, NOTICE 1 | RESISTOR, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPES), GENERAL SPECIFICATION FOR [VALIDATION DATE: 8702] USER: 19 AT CG MC ME REVIEWER: 11 17 99 AR AS EA ES MI OS | A | 5905 8S | 06-AUG-82 | ER | EC | 85 | |
| M | I | MIL-R-22097/1G NOTICE 2 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ11 [VALIDATION DATE: 9304] USER: 19 AT AV MC ME REVIEWER: 17 AR ES MI OS | A | 5905 8S | 29-APR-93 | ER | EC | 85 | |
| M | I | MIL-R-22097/2F(1) NOTICE 2 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ12 [VALIDATION DATE: 9304] USER: 19 AT MC ME REVIEWER: 11 17 80 AR AS ES MI OS | A | 5905 8S | 29-APR-93 | ER | EC | 85 | |
| M | I | MIL-R-22097/3G NOTICE 2 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ22 [VALIDATION DATE: 9304] USER: 19 AT AV MC ME REVIEWER: 11 17 99 EA ES MI OS | A | 5905 8S | 29-APR-93 | ER | EC | 85 | |
| M | I | MIL-R-22097/4D NOTICE 2 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ24 [VALIDATION DATE: 9304] USER: 19 AT AV MC ME REVIEWER: 11 17 99 EA ES MI OS | A | 5905 8S | 29-APR-93 | ER | EC | 85 | |
| M | I | MIL-R-22097/5C(1) NOTICE 2 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ26 [VALIDATION DATE: 9304] USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR AS MI OS | A | 5905 8S | 29-APR-93 | ER | EC | 85 | |
| M | I | MIL-R-22097/6E(1) NOTICE 2 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, SINGLE TURN), STYLE RJ50 [VALIDATION DATE: 9304] USER: 19 AT MC ME REVIEWER: 11 17 80 AR AS ES MI OS | A | 5905 8S | 29-APR-93 | ER | EC | 85 | |
| | DQ | MIL-I-22110C | INHIBITOR, CORROSION, VOLATILE, CRYSTALLINE POWDER USER: MC REVIEWER: 99 AR AT GS OS SA SH SM YD1 | A | 6850 AS | 26-SEP-85 | EA | AS | 69 | |
| A | L | MIL-G-22112B | GLASS, DARK ADAPTATION [VALIDATION DATE: 8401] | A | 8465 CT | 03-JUL-69 | | AS | | CT |
| | L | MIL-E-22118B | ENAMEL, ELECTRICAL-INSULATING [VALIDATION DATE: 8204] REVIEWER: OS MI | A | 8010 OS | 09-JUL-74 | | OS | | |
| | QL | MIL-I-22126B(2) | INDICATOR, TORQUEMETER, ENGINE, TURBOPROP [VALIDATION DATE: 8410] | A | 6620 AS | 11-JAN-74 | | AS | | |
| | L | MIL-S-22128A(2) NOTICE 1 | SQUIB, ELECTRIC, MARK 2 MODS [VALIDATION DATE: 8006] | A | 1340 OS | 20-AUG-71 | | OS | | |
| | | MIL-I-22129C(2) | INSULATION TUBING, ELECTRICAL, POLYTETRAFLUOROETHYLENE RESIN, NONRIGID USER: ME MI REVIEWER: 99 AR EA GS | A | 5970 SH | 30-AUG-89 | ER | SH | 85 | |
| | L | MIL-S-22135C(1) | SWITCH, FIRING, MARK 9 MOD 0 (FOR EXPLODER MECHANISM MARK 19 SERIES) [VALIDATION DATE: 8506] | A | 1355 OS | 11-APR-73 | | OS | | |
| | I | MIL-S-22141B(1) NOTICE 1 | STEEL, INVESTMENT CASTINGS ALLOY AND CARBON [VALIDATION DATE: 9111] REVIEWER: AR AS EA | A | MECA OS | 06-NOV-91 | MR | OS | | |
| | L | MIL-T-22143A(3) NOTICE 1 | TELETYPEWRITER, TT-264/AG [VALIDATION DATE: 9110] | A | 5815 AS | 15-OCT-91 | | AS | | |
| A | L | MIL-A-22145C | ACCELEROMETER GROUP, COUNTING (MS25447 AND MS25448) | A | 6610 AS | 13-NOV-92 | | AS | | |
| | QL | MIL-A-22165(5) | AMPLIFIER, COMPASS, SERVO (TYPE MF-1 COMPASS) [VALIDATION DATE: 8304] | A | 6605 AS | 15-MAY-61 | | AS | | |
| | QL | MIL-G-22169(2) | GYRO, VERTICAL AND MOUNT [VALIDATION DATE: 8303] | A | 6605 AS | 01-DEC-60 | | AS | | |
| | Q | MIL-W-22176A(4) | WATCH, WRIST, SUBMERSIBLE (400-FOOT), NON-MAGNETIC REVIEWER: GS | A | 6645 SH | 22-JUL-87 | | SH | 99 | |
| | QL | MIL-M-22179(6) | MICROPHONE, DYNAMIC M-96B/A [VALIDATION DATE: 8307] REVIEWER: ES | A | 5965 AS | 15-AUG-69 | | AS | | |
| | DQ | MIL-B-22191D(1) | BARRIER MATERIAL, TRANSPARENT, FLEXIBLE, HEAT SEALABLE USER: AT MC SS REVIEWER: 84 99 EA ES ME MI OS SA SH SM YD1 | A | 8135 AS | 24-MAY-85 | GL | AS | 69 | |
| | DQ | MIL-E-22200G SUPPL 1A1 | ELECTRODES, WELDING, COVERED: GENERAL SPECIFICATION FOR USER: AT MC OS REVIEWER: EA GS MR YD1 | A | 3439 SH | 03-MAY-89 | AR | SH | 84 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MRCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-E-22200/1E | ELECTRODE, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN MEDIUM AND HIGH TENSILE STEEL, AS WELDED OR STRESS-RELIEVED WELD APPLICATION [VALIDATION DATE: 7911] USER: AT REVIEWER: EA GS MI OS | A | 3439 | SH | 03-OCT-73 | AR | SH | 11 | |
| | L | MIL-E-0022200/1F(1) | ELECTRODE, WELDING, MINERAL COVERED, IRON POWDER, LOW HYDROGEN MEDIUM & HIGH TENSILE STEEL, AS WELDED OR STRESS RELIEVED WELD APPLICATION | A | 3439 | SH | 14-AUG-85 | | SH | | |
| | D | MIL-E-22200/2D | ELECTRODE, WELDING COVERED (AUSTENITIC CHROMIUM-NICKEL STEEL, FOR CORROSIVE AND HIGH TEMPERATURE SERVICES) USER: AR MC OS YD1 REVIEWER: GS | A | 3439 | SH | 19-SEP-86 | AL | SH | 11 | |
| | D | MIL-E-22200/3F | ELECTRODES, WELDING, COVERED, NICKEL BASE ALLOY, AND COBALT BASE ALLOY USER: MC OS YD1 REVIEWER: GS | A | 3439 | SH | 19-SEP-86 | MR | SH | 11 | |
| | | MIL-E-22200/4D | ELECTRODES, WELDING, COVERED, COPPER-NICKEL ALLOY USER: MC OS REVIEWER: AT MR | A | 3439 | SH | 29-AUG-91 | AL | SH | 99 | |
| | | MIL-E-22200/5C | ELECTRODE, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN, HIGHTENSILE LOW ALLOY STEEL-HEAT-TREATABLE ONLY USER: AT REVIEWER: GS | A | 3439 | SH | 01-MAR-84 | AR | SH | 11 | |
| | L | MIL-E-0022200/5B | ELECTRODE, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN, LOW-ALLOY STEEL FOR HARDENING AND TEMPERING HEAT TREATMENT APPLICATIONS ONLY [VALIDATION DATE: 7911] REVIEWER: GS | A | 3439 | SH | 11-JUN-71 | | SH | | |
| | D | MIL-E-22200/8B(1) | ELECTRODES, WELDING, COVERED, LOW - HYDROGEN, & IRON - POWDER LOW - HYDROGEN, CHROMIUM - MOLYBDENUM ALLOY STEEL & CORROSION RESISTING STEEL USER: AT MC OS REVIEWER: AL EA GS MR YD1 | A | 3439 | SH | 20-JUN-84 | AR | SH | 11 | |
| | L | MIL-E-22200/9B(1) | ELECTRODE, WELDING, MINERAL COVERED, LOW HYDROGEN, NICKEL MAGANESE CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY-130 WELDMENTS FOR AS WELDED APPLICATION | A | 3439 | SH | 26-MAR-87 | | SH | | |
| | L | MIL-E-22200/10B(2) | ELECTRODES, WELDING, MINERAL COVERED, IRON POWDER, LOW-HYDROGEN, MEDIUM, HIGH TENSILE AND HIGHER-STRENGTH LOW ALLOY STEELS | A | 3439 | SH | 14-NOV-90 | | SH | | |
| | L | MIL-E-0022200/10A(2) | ELECTRODES, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN MEDIUM, HIGH TENSILE AND HIGHER-STRENGTH LOW ALLOY STEELS REVIEWER: GS | A | 3439 | SH | 25-OCT-84 | | SH | | |
| | L | MIL-E-22200/11A | ELECTRODES, WELDING, MINERAL-COVERED, IRON-POWER, LOW-HYDROGEN, FOR PRODUCING HY-130 WELDMENTS TO BE HEAT-TREATED REVIEWER: GS | A | 3439 | SH | 25-APR-89 | | SH | | |
| | | MIL-M-22202C | MANUAL, TECHNICAL, AIRCRAFT CROSS SERVICING GUIDE, PREPARATION OF [VALIDATION DATE: 8304] | A | TMSS | AS | 08-JUL-77 | TM | AS | 16 | |
| | | MIL-P-22203 | PERFORMANCE DATA REPORT FOR STANDARD AIRCRAFT CHARACTERISTICS CHARTS FOR PILOTED AIRCRAFT [VALIDATION DATE: 8107] | A | TMSS | AS | 21-SEP-59 | AV | AS | | |
| | L | MIL-A-22212(1) | ANTENNAS, AT-500 (*)/AP AND AT-929(*)/AP, AND ANTENNA BASE AB 117(*)/AP [VALIDATION DATE: 8307] REVIEWER: ES | A | 5985 | AS | 30-JAN-70 | | AS | | |
| | L | MIL-T-22214B(1) | TUBE, CONDENSER AND HEAT EXCHANGER WITH INTEGRAL FINS (UNS ALLOY NOS C71500, C70600, C12200) | A | 4710 | SH | 05-NOV-90 | | SH | | |
| | LI | MIL-S-22219 NOTICE 1 | STAND, BOOSTER TEST, MK 12 MOD 0 | A | 4935 | OS | 20-MAY-92 | | OS | | |
| | LI | MIL-S-22220 NOTICE 1 | STAND, SUSTAINER TEST MK 13 MOD 0 | A | 4935 | OS | 20-MAY-92 | | OS | | |
| | LI | MIL-S-22224 NOTICE 2 | SENSITIVITY SWITCH MARK 5 MOD 1 | A | 5930 | OS | 27-MAR-92 | | OS | | |
| | L | MIL-C-22226A | COPPER NICKEL MANGANESE ALLOY BARS, PLATES, AND SHEETS, LOW MAGNETIC EFFECT (FOR SPECIAL PURPOSE TOOLS AND EQUIPMENT) [VALIDATION DATE: 8204] | A | 9530 | OS | 22-FEB-73 | | OS | | |
| | Q | MIL-B-22227A | BEARING, BALL, ANNULAR, GENERATOR AND MOTOR-GENERATOR [VALIDATION DATE: 8101] REVIEWER: 11 1S MI | A | 3110 | AS | 23-JAN-76 | AV | AS | | |
| | L | MIL-B-0022227B | BEARING, BALL, ANNULAR, GENERATOR AND MOTOR GENERATOR [VALIDATION DATE: 8509] | A | 3110 | AS | 14-AUG-79 | | AS | | |
| A | L | MIL-C-22230B(1) | CLEANING COMPOUND, FUEL TANK AND BILGE | A | 6850 | SH | 20-NOV-92 | | SH | | |
| | L | MIL-I-22231(1) NOTICE 1 | INDICATOR, AZIMUTH-ELEVATION-RANGE IP-446/APG-53A [VALIDATION DATE: 8509] | A | 5841 | AS | 20-FEB-61 | | AS | | |
| | D | MIL-D-22233D | DRILL RODS, COUPLING, SHANKS, ROCK BITS, AND EXTRACTOR, FOR DRIFTER DRILLS USER: MC REVIEWER: AT CS | A | 3820 | YD1 | 21-JUN-91 | ME | YD1 | | |
| | L | MIL-T-22238H(1) | TANK, LIQUID STORAGE, METAL, FOR PETROLEUM PRODUCTS, HORIZONTAL WITH SKIDS, 500-GALLON, LOW PROFILE REVIEWER: AT CS | A | 5430 | ME | 18-OCT-88 | ME | | | |
| | L | MIL-T-0022238J(1) | TANK, FUEL DISPENSING, METAL, FOR PETROLEUM PRODUCTS, HORIZONTAL, WITH SKIDS, 525-GALLON AND 600-GALLON CAPACITY REVIEWER: AT CS | A | 5430 | ME | 16-OCT-91 | ME | | | |
| | L | MIL-N-22239C(1) | NAVIGATIONAL SET, TACAN AN/ARN-52 (V) [VALIDATION DATE: 8307] | A | 5826 | AS | 15-JAN-70 | | AS | | |
| | L | MIL-H-22240F(1) | HOSE, RUBBER, PETROLEUM BASED FUELS & WATER SERVICES, DISCHARGE ONLY, SMOOTH BORE LIGHTWEIGHT BUOYANT TYPE REVIEWER: CS | A | 4720 | SH | 15-FEB-89 | | SH | | |
| | | MIL-P-22241B NOTICE 1 | PLASTIC SHEE FILM) POLYTETRAFLUORDETHYLENE (TFE-FLUOROCARBON RESIN) [VALIDATI 8702] REVIEWER: DS EA EC EL GL GS ME MI OS | A | 9330 | MR | 10-FEB-87 | MR | SH | 11 | |
| | | MIL-C-22244C | CARTRIDGE, MARK 23 MOD 0 | A | 1377 | AS | 10-DEC-85 | | AS | | |
| | | MIL-W-22248A(2) | WELDMENTS, ALU AND ALUMINUM ALLOY USER: ME | A | THJM | OS | 06-JUN-85 | EA | OS | 11 | |
| | L | MIL-C-22249B SUPPL 1A1 | CONNECTOR SETS, ELECTRICAL, HERMETICALLY SEALED, SUBMARINE GENERAL SPECIFICATION FOR | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/1A | CONNECTOR SETS, PLUG ASSEMBLY, 15-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/2A | CONNECTOR SETS, PLUG ASSEMBLY, 15-PIN, MISSILE SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/3A | CONNECTOR SETS, HEADER ASSEMBLY, 15-PIN | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/4A | CONNECTOR SETS, PLUG ASSEMBLY, 44-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/5A | CONNECTOR SETS, PLUG ASSEMBLY, 44-PIN, MISSILE SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/6A | CONNECTOR SETS, HEADER ASSEMBLY, 44-PIN | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/7B | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/8A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/9A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/10A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/11A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/12A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/13A | CONNECTOR SETS, HEADER ASSEMBLY, 72-PIN | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/14A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/15A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/16A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, MISSILE SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/17A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, MISSILE SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/18A | CONNECTOR SETS, HEADER ASSEMBLY, 138-PIN | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/19A | CONNECTOR SETS, PLUG ASSEMBLY, 175-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/20A | CONNECTOR SETS, PLUG ASSEMBLY, 175-PIN, MISSILE SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/21A | CONNECTOR SETS, HEADER ASSEMBLY, 175-PIN | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/23A | CONNECTOR SETS, SPANNER WRENCH ASSEMBLY FOR 44- AND 72-PIN UMBILICAL PLUG COUPLING NUTS | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/24A | CONNECTOR SETS, SPANNER WRENCH ASSEMBLY FOR 138- AND 175-PIN UMBILICAL PLUG COUPLING NUTS | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/25A | CONNECTOR SETS, WATERTIGHT HEADER COVER ASSEMBLY FOR 15-PIN UMBILICAL PLUG | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/26B | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/27B | CONNECTOR SETS, HEADER ASSEMBLY, 208-PIN (45 DEG. ORIENTATION) | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/28C | CONNECTOR SETS, HEADER ASSEMBLY, 208-PIN (310 DEG. ORIENTATION) | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/29B | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, MISSILE SIDE (45 DEG. ORIENTATION) | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/30B | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, MISSILE SIDE, (310 DEG. ORIENTATION) REVIEWER: ES | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/31B | CONNECTOR SETS, PLUG ASSEMBLY, 3-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/32B | CONNECTOR SETS, HEADER ASSEMBLY, 3-PIN | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/33B | CONNECTOR SETS, PLUG ASSEMBLY, 3-PIN, MISSILE SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/34C | CONNECTOR SETS, PLUG ASSEMBLY, 19-PIN, COMPARTMENT SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/35A | CONNECTOR SETS, HEADER ASSEMBLY, 19-PIN | A | 5935 | SH | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/36C | CONNECTOR SETS, PLUG ASSEMBLY, 19-PIN, MISSILE SIDE | A | 5935 | SH | 29-SEP-89 | | SH | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Obsl / Obsl, Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-C-22249/37B | CONNECTOR SETS, HEADER ASSEMBLY, 12-PIN, COMPARTMENT SIDE | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/38A | CONNECTOR SETS, HEADER ASSEMBLY, 12-PIN | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/39B | CONNECTOR SETS, PLUG ASSEMBLY, 12-PIN, MISSILE SIDE | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/40B | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, COMPARTMENT SIDE REVIEWER: ES | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/41A | CONNECTOR SETS, HEADER ASSEMBLY, 6-PIN REVIEWER: ES | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/42B | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE REVIEWER: ES | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/43A | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE, RIGHT ANGLE REVIEWER: ES | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/44A | CONNECTOR SETS, SPANNER WRENCH FOR 208-PIN PLUG REVIEWER: ES | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/45C | CONNECTOR SETS, SPANNER WRENCH, FOR 3-, 6-, 12-, AND 19-PIN PLUG, MISSILE SIDE REVIEWER: ES | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/46B | CONNECTOR SETS, WATERTIGHT COVER ASSEMBLY, 208-PIN, HEADER ASSEMBLY REVIEWER: ES | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/47 | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE, THREE-CABLE TYPE | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/48 | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE, RIGHT ANGLE | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/49 | CONNECTOR SETS, PLUG ASSEMBLY, 12-PIN, MISSILE SIDE, RIGHT ANGLE | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-C-22249/50 | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE, FIVE CABLE TYPE | A | 5935 | SH | | 29-SEP-89 | | SH | | |
| | L | MIL-H-22251<br>NOTICE 1 | HYDRAZINE SOLUTION (22-PERCENT) [VALIDATION DATE: 8304] REVIEWER: GS | F | 6810 | SH | | 05-NOV-59 | | SH | | |
| | QL | MIL-A-22262A(2) | ABRASIVE BLASTING MEDIA SHIP HULL BLAST CLEANING | A | 5350 | SH | | 14-FEB-89 | | SH | | |
| | | MIL-C-22263B | COUPLING FUEL LINE, FLEXIBLE, 125 PSI, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8509] REVIEWER: 82 CS | A | 4730 | AS | | 28-JUN-72 | AV | AS | 99 | |
| | | MIL-C-22263/1<br>NOTICE 1 | COUPLING, TYPE I, ROLLED BEAD CONNECTING FLUID LINE, FLEXIBLE, MAXIMUM ENVELOPE AND WEIGHT [VALIDATION DATE: 9108] REVIEWER: CS | A | 4730 | AS | | 12-AUG-91 | AV | AS | 11 | |
| | | MIL-C-22263/2<br>NOTICE 1 | COUPLING, TYPE II, SWAGED FERRULE CONNECTING FLUID LINE, FLEXIBLE, MAX. ENVELOPE AND WEIGHT [VALIDATION DATE: 9108] REVIEWER: CS | A | 4730 | AS | | 12-AUG-91 | AV | AS | 11 | |
| | | MIL-C-22263/3<br>NOTICE 1 | SWAGE END FERRULE, VARIABLE CAVITY [VALIDATION DATE: 9108] | A | 4730 | AS | | 12-AUG-91 | AV | AS | 11 | |
| | L | MIL-P-22264A(1) | POWDER, IGNITION, GASLESS, A-1A | A | 1375 | AS | | 28-SEP-88 | | AS | | |
| | | MIL-I-22266C(1) | INSULATING COMPOUND, ELECTRICAL (FOR FIELD SPLICING APPLICATIONS) [VALIDATION DATE: 8004] USER: ME REVIEWER: 85 99 GS MI SH | A | 5970 | AS | | 15-NOV-73 | ER | AS | 11 | |
| | | MIL-E-22267A<br>NOTICE 1 | EXPLOSIVE COMPOSITION, HBX TYPE [VALIDATION DATE: 8804] USER: MC MI REVIEWER: 99 | A | 1376 | AR | | 22-APR-88 | AR | OS | | |
| | QL | MIL-V-22272D(1)<br>NOTICE 1 | VISORS, NEODYMIUM LASER, PROTECTIVE FOR AIRCREWMAN'S HELMET [VALIDATION DATE: 9110] | A | 8475 | AS | | 24-OCT-91 | | AS | | |
| | L | MIL-C-22284A | CONTAINER, AIRCRAFT FIRE EXTINGUISHING SYSTEM, BROMOTRIFLUOROMETHANE, CF3BR [VALIDATION DATE: 8410] REVIEWER: 99 AV | A | 1680 | AS | | 07-SEP-65 | | AS | | |
| | L | MIL-E-22285(1) | EXTINGUISHING SYSTEM, FIRE, AIRCRAFT, HIGH-RATE DISCHARGE TYPE, INSTALLATION AND TEST OF [VALIDATION DATE: 8410] REVIEWER: AV | A | 1680 | AS | | 27-APR-60 | | AS | | |
| A | | MIL-P-22295C<br>NOTICE 1 | PROTECTOR, TROUSERS, PISTOL HOLSTER [VALIDATION DATE: 8710] | A | 8465 | CT | | 10-APR-87 | GL | MC | | CT |
| | | MIL-P-22699B<br>NOTICE 1 | PLASTIC TUBES AND TUBING, POLYTETRAFLUORDETHYLENE, (TFEFLUOROCARBON RESIN), HEAVY WALLED [VALIDATION DATE: 8702] USER: 17 ME REVIEWER: EA GL GS MI | A | 9330 | MR | | 10-FEB-87 | MR | | 11 | |
| | L | MIL-P-22302A | PUMPS, CENTRIFUGAL, BOILER FEED, SINGLE STAGE, NAVAL SHIPBOARD USE | A | 4320 | SH | | 19-APR-91 | | SH | | |
| | QL | MIL-A-22305C(7)<br>NOTICE 1 | AMPLIFIER, DISTRIBUTION AM-2123(V)/U [VALIDATION DATE: 8612] | A | 5820 | EC | | 18-DEC-86 | | EC | | |
| A | L | MIL-R-22307D | RADIAC SET AN/PDR-43( ) | A | 6665 | SH | | 17-SEP-92 | | SH | | |
| D | | MIL-S-22308D | SPRAYER, INSECTICIDE, ELECTRIC MOTOR DRIVEN, HAND CARRIED, ONE QUART TO ONE-&-A-HALF GALLON CAPACITY REVIEWER: MD | A | 3740 | CS | | 10-OCT-80 | ME | YD1 | | CS |
| | | MIL-T-22309A | TELEVISION SYSTEM (HIGH DEFINITION FOR CIC DATA PICKUP, DISTRIBUTION AND DISPLAY) [VALIDATION DATE: 8204] USER: AS MC OS REVIEWER: 99 | A | 5820 | EC | | 03-APR-63 | CR | EC | 11 | |
| | L | DOD-C-22325A | COLOR, TINTING, FOR INTERIOR NONFLAMING (DRY) PAINTS (METRIC) | A | 8010 | SH | | 25-JUL-88 | | SH | | |
| | L | MIL-C-22325B | COLORS, TINTING, FOR INTERIOR NONFLAMING (DRY) PAINTS (METRIC) | A | 8010 | SH | | 25-JUL-88 | | SH | | |
| | L | MIL-C-22328A(2)<br>NOTICE 1 | CARTRIDGE, DELAY, MK 31 MOD 0 [VALIDATION DATE: 8704] | A | 1377 | AS | | 26-SEP-66 | | AS | | |
| | Q | MIL-P-22332B(1) | PAINT, PRIMING, EXTERIOR AND INTERIOR (FOR AMMUNITION) [VALIDATION DATE: 8204] REVIEWER: AR | A | 8010 | OS | | 18-JAN-73 | MR | OS | 99 | |
| | L | MIL-A-22334(2) | AMPLIFIER, SYNCHRO SERVO, 6 WATT 400 CYCLE | A | 1290 | OS | | 27-JAN-87 | | OS | | |
| | L | MIL-A-22335(2) | AMPLIFIER, VARIABLE GAIN | A | 1290 | OS | | 27-JAN-87 | | OS | | |
| | L | MIL-A-22336B<br>NOTICE 1 | AMPLIFIER, SYNCHRO SERVO, 6 WATT, 60 HZ [VALIDATION DATE: 8701] | A | 1290 | OS | | 27-JAN-87 | | OS | | |
| | L | MIL-A-22337(2) | AMPLIFIER, RESOLVER ISOLATION | A | 1290 | OS | | 27-JAN-87 | | OS | | |
| | L | MIL-A-22338(2) | AMPLIFIER, SOLUTION SERVO, 400 CYCLE | A | 1290 | OS | | 27-JAN-87 | | OS | | |
| | L | MIL-A-22339(2) | AMPLIFIER, COMPUTATION | A | 1290 | OS | | 27-JAN-87 | | OS | | |
| | L | MIL-P-22340(2) | POWER SUPPLY DIODE AND CAPACITOR ASSEMBLY | A | 1290 | OS | | 27-JAN-87 | | OS | | |
| D | L | MIL-B-22342D | BROWS, ALUMINUM, BEAM AND TRUSS | A | 2090 | YD1 | | 26-MAY-89 | | YD1 | | |
| | L | MIL-H-22343A(2) | HOSE ASSEMBLIES, METAL, LIQUID OXYGEN | A | 4720 | AS | | 20-NOV-81 | | AS | | |
| | | MIL-I-22344D | INSULATION, PIPE, THERMAL, FIBROUS GLASS | A | 5640 | SH | | 15-AUG-91 | | SH | 99 | |
| | L | MIL-E-22345(1) | EXTINGUISHER, FIRE, DRY CHEMICAL, WHEELED, 150-POUND CAPACITY [VALIDATION DATE: 8410] REVIEWER: CS | A | 4210 | AS | | 18-SEP-63 | | AS | | |
| | L | MIL-D-22346B | DI NORMAL PROPYL ADIPATE (DNPA) [VALIDATION DATE: 8107] | A | 6810 | OS | | 19-MAR-73 | | OS | | |
| | L | MIL-I-22352D(1)<br>SUPPL 1A1 | INTERCOMMUNICATION SETS AN/AIC-14A + AN/AIC-14, GENERAL SPECIFICATION FOR | A | 5831 | AS | | 15-AUG-86 | | AS | | |
| | L | MIL-I-22352/2 | INTERCOMMUNICATION SETS AN/AIC-14 + AN/AIC-14A AMPLIFIER MODULE (INACTIVE) | A | 5831 | AS | | 10-AUG-84 | | AS | | |
| | L | MIL-I-22352/5<br>NOTICE 1 | INTERCOMMUNICATION SETS AN/AIC-14A AND AN/AIC-14A LAMP DRIVER MODULE [VALIDATION DATE: 9110] | A | 5831 | AS | | 15-OCT-91 | | AS | | |
| | L | MIL-I-22352/6(1) | INTERCOMMUNICATION SETS, AN/AIC-14 & AN/AIC-14A VOX MODULE (INACTIVE | A | 5831 | AS | | 15-AUG-86 | | AS | | |
| | L | MIL-I-22352/7(1) | INTERCOMMUNICATION SETS, AN/AIC-14 & AN/AIC-14A VOX MODULE | A | 5831 | AS | | 15-AUG-86 | | AS | | |
| | L | MIL-I-22352/9<br>NOTICE 1 | INTERCOMMUNICATIONS SETS, AN/AIC-14 AND AN/AIC-14A MONITOR AMPLIFIER MODULE [VALIDATION DATE: 9110] | A | 5831 | AS | | 15-OCT-91 | | AS | | |
| | L | MIL-I-22352/11 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2642A/AIC-14 (INACTIVE USE MIL-I-22352/17 OR MIL-I-22352/11) | A | 5831 | AS | | 10-AUG-84 | | AS | | |
| | L | MIL-I-22352/12 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2644/AIC-14 (INACTIVE MIL-I-22352/17 OR MIL-L-22352/18) | A | 5831 | AS | | 10-AUG-84 | | AS | | |
| | L | MIL-I-22352/14 | INTERCOMMUNICATION SETS AN/AIC-14 AND AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2647A/AIC-14 (INACTIVE FOR NEW DESIGN AFTER 10 AUG 1984 - FOR NEW DESIGN USE MIL-I-22352/17 OR /18) | A | 5831 | AS | | 10-AUG-84 | | AS | | |
| | L | MIL-I-22352/16 | PASSIVE INTERPHONE CONTROL PANEL C-2648B/AIC-14 (INACTIVE USE MIL-I-22352/17 OR /18 | A | 5831 | AS | | 10-AUG-84 | | AS | | |
| | L | MIL-I-22352/18<br>NOTICE 1 | INTERCOMMUNICATION SETS, AN/AIC-14 AND AN/AIC-14A R/T INTERPHONE CONTROL PANEL C-4952A/AIC-14A [VALIDATION DATE: 9110] | A | 5831 | AS | | 15-OCT-91 | | AS | | |
| | L | MIL-I-22352/21 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A MASTER INTERPHONE CONTROL PANEL C-2645C/AIC-14 (INACTIVE USE MIL-I-22352/22) | A | 5831 | AS | | 10-AUG-84 | | AS | | |
| | L | MIL-I-22352/23(2) | INTERCOMMUNICATION SETS, AN/AIC-14 AND AN/AIC-14A STATION INTERPHONE CONTROL PANEL C-4951/AIC-14A | A | 5831 | AS | | 13-OCT-89 | | AS | | |
| | L | MIL-I-22352/25<br>NOTICE 1 | INTERCOMMUNICATIONS SETS, AN/AIC-14 AND AN/AIC-14A MOUNTING PLATE MT-2075/AIC-14 [VALIDATION DATE: 9110] | A | 5831 | AS | | 15-OCT-91 | | AS | | |
| | L | MIL-I-22352/26 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2643/AIC-14 (INACTIVE USE MIL-I-22352/17 OR MIL-I-22352/18) | A | 5831 | AS | | 10-AUG-84 | | AS | | |
| D | L | MIL-B-22353D | BATCHING PLANT, AGGREGATE, (WHEEL-MOUNTED, 30-TON CAPACITY) | A | 3895 | YD1 | | 17-NOV-88 | | YD1 | | |
| | L | MIL-A-22354A(1)<br>NOTICE 1 | ANTENNA AT-948/U [VALIDATION DATE: 9110] | A | 5985 | AS | | 15-OCT-91 | | AS | | |

| Action | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-B-22356F | BATHYTHERMOGRAPH - TRANSMITTER SET AN/SSQ-36 [VALIDATION DATE: 8509] REVIEWER: GS | A | 5845 | AS | | 20-FEB-85 | | AS | | |
| LI | MIL-I-22357 | INTEGRATOR, BALL AND DISC | A | 1290 | OS | | 23-FEB-89 | | OS | | |
| LI | MIL-M-22358 | MOTOR, CONTROL REVIEWER: GS | A | 1290 | OS | | 23-FEB-89 | | OS | | |
| D | MIL-T-22361(1) | THREAD COMPOUND, ANTISEIZE, ZINC DUST-PETROLATUM [VALIDATION DATE: 8410] USER: ME REVIEWER: DS MI YD1 | A | 8030 | AS | | 06-JUL-64 | | AS | | 99 |
| L | MIL-C-22362D | CARTRIDGE, IMPULSE, MK 18 MOD 0 | A | 1377 | AS | | 15-APR-87 | | AS | | |
| LI | MIL-M-22387 | MOTOR, ALTERNATING CURRENT REVIEWER: GS | A | 1290 | OS | | 23-FEB-89 | | OS | | |
| L | MIL-R-22388A | RESOLVER, BALL, 1 INCH, ASSEMBLY | A | 1290 | OS | | 20-JUN-89 | | OS | | |
| L | MIL-T-22393B | TEST SET MARK 292 MOD 1 [VALIDATION DATE: 8506] | A | 4921 | OS | | 21-SEP-73 | | OS | | |
| | MIL-C-22395B | COMPOUND, END SEALING, THERMAL INSULATION PIPE COVERING-FIRE-, WATER-, AND WEATHER-RESISTANT [VALIDATION DATE: 8907] USER: MR | A | 8030 | SH | | 25-JUL-89 | ME | SH | | |
| Q | MIL-A-22397 NOTICE 1 | ADHESIVE, PHENOL AND RESORCINOL RESIN BASE (FOR MARINE SERVICE (SE) [VALIDATION DATE: 8910] USER: AT ME MI REVIEWER: 11 | A | 8040 | SH | | 03-OCT-89 | MR | SH | | 99 |
| L | MIL-A-22424A | ADAPTERS, COMPENSATING, MS28107, MA-1 COMPASS SYSTEM [VALIDATION DATE: 8102] | A | 6605 | AS | | 14-JAN-67 | | AS | | |
| | MIL-S-22432A | SERVOMOTOR, GENERAL SPECIFICATION FOR REVIEWER: 99 AV ER GS MI SH | A | 6105 | AS | | 28-NOV-90 | AR | AS | | 11 |
| | MIL-S-22432/6B NOTICE 1 | SERVOMOTOR, TYPE MARK 7 MOD 7 [VALIDATION DATE: 9111] USER: AV CG MC ME REVIEWER: 82 EC ER MI OS SH | A | 6105 | AS | | 05-NOV-91 | AR | AS | | 11 |
| | MIL-S-22432/9E | SERVOMOTOR, TYPE 18SM4C USER: AV CG MC REVIEWER: 99 EC ER GS ME MI OS SH | A | 6105 | AS | | 28-NOV-90 | AR | AS | | 11 |
| | MIL-S-22432/31D | SERVOMOTOR, TYPE 11SM4C USER: AV CG MC ME REVIEWER: 99 EC ER GS MI OS SH | A | 6105 | AS | | 28-NOV-90 | AR | AS | | 11 |
| L | MIL-S-22432/34 NOTICE 1 | SERVOMOTOR, TYPE 18SM4 (7631932 [VALIDATION DATE: 8603] REVIEWER: GS | A | 6105 | AR | | 28-MAR-86 | AR | | | |
| L | MIL-S-22432/35A | SERVOMOTOR TYPE 18SM6 (GEARHEADED) [VALIDATION DATE: 8502] REVIEWER: GS | A | 6105 | ER | | 03-AUG-70 | ER | | | |
| LI | MIL-A 22434A NOTICE 1 | ADHESIVE, POLYESTER, THIXOTROPIC | A | 8040 | OS | | 06-NOV-91 | | OS | | |
| L | MIL-E-22437E NOTICE 2 | EQUIPMENT, DEGAUSSING, FOR MCM SHIPS [VALIDATION DATE: 9103] REVIEWER: MI | A | 1075 | SH | | 21-MAR-91 | | SH | | |
| L | MIL-P-22438B | PANEL, RECEPTACLE, FOR ELECTRICAL AND ELECTRONICS TEST AND MAINTENANCE TABLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8301] REVIEWER: GS | A | 6110 | SH | | 10-MAY-77 | | SH | | |
| L | MIL-P-22438/1B | PANEL, RECEPTACLE, ELECTRICAL AND ELECTRONIC (SYMBOL NO. 754.2) [VALIDATION DATE: 8906] REVIEWER: GS | A | 6110 | SH | | 22-JUN-89 | | SH | | |
| L | MIL-P-22438/2B NOTICE 1 | PANEL, RECEPTACLE, ENCLOSED, ELECTRICAL AND ELECTRONIC (SYMBOL NO. 755.3) [VALIDATION DATE: 9104] REVIEWER: GS | A | 6110 | SH | | 19-APR-91 | | SH | | |
| | MIL-R-22440 | ROLLER, BEARING, NEEDLE, FERROUS, SOLID [VALIDATION DATE: 8204] USER: ME REVIEWER: 84 IS | A | 3110 | OS | | 02-JUN-60 | AT | OS | | 99 |
| Q | MIL-C-22442D(1) SUPPL 1A1 | CABLE ASSEMBLIES, RADIO FREQUENCY (AIRCRAFT AUDIO) GENERAL SPECIFICATION FOR REVIEWER: 11 99 ES | A | 5995 | AS | | 24-MAY-91 | CR | AS | | 85 |
| L | MIL-C-22442/1B(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), SWITCH ASSEMBLY | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| A LI | MIL-C-22442/2C | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), MOLDED RUBBER CONNECTOR (QUICK DISCONNECT) | A | 5995 | AS | | 18-FEB-92 | | AS | | |
| L | MIL-C-22442/3A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CABLE (RETRACTILE) | A | 5995 | AS | | 30-SEP-91 | | AS | | |
| L | MIL-C-22442/4B(1) | CABLE ASSEMBLY, RADIO FREQUENCY, (AIRCRAFT AUDIO), CONNECTOR (U-61/U) | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| L | MIL-C-22442/5A(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CONNECTOR | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| | MIL-C-22442/6 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) QUALIFICATION BY SIMILARITY REVIEWER: 11 99 | A | 5995 | AS | | 10-AUG-90 | CR | AS | | 85 |
| | MIL-C-22442/8A(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CLOTHING CLIP REVIEWER: 11 99 ES | A | 5995 | AS | | 24-MAY-91 | CR | AS | | 85 |
| LI | MIL-C-22442/10D | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4620/AR | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| LI | MIL-C-22442/11B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4621/AR | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| L | MIL-C-22442/12B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4622/AR | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| LI | MIL-C-22442/13D | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4623/AR | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| LI | MIL-C-22442/14B(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4831/AR | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| LI | MIL-C-22442/15D(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-4832A/AR | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| LI | MIL-C-22442/16B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-7888/AIC-22(V) | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| LI | MIL-C-22442/17C | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-7889/AIC-22(V), CX-7890/AIC-22(V), AND CX-11754 | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| L | MIL-C-22442/19C(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-12972/AR | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| L | MIL-C-22442/20B(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-12973/AR | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| L | MIL-C-22442/21B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-12974/AR | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| L | MIL-C-22442/22B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-12987/AR | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| L | MIL-C-22442/23B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-12988/AR | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| L | MIL-C-22442/24B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-13017/AR | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| A L | MIL-C-22442/25A(1) | CABLE ASSEMBLY, AIRCRAFT AUDIO, MOLDED RUBBER CONNECTOR MECHANICAL GAUGES | A | 5995 | AS | | 18-FEB-92 | | AS | | |
| A L | MIL-C-22442/26D | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-13126A/A | A | 5995 | AS | | 18-FEB-92 | | AS | | |
| L | MIL-C-22442/27B(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-13127/A | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| L | MIL-C-22442/29A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-13154/A | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| L | MIL-C-22442/30A(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-13155/A AND CX-13164/A | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| L | MIL-C-22442/31A(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| | MIL-C-22442/32A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), ASSOCIATED PARTS REVIEWER: 11 99 ES | A | 5995 | AS | | 02-AUG-91 | CR | AS | | 85 |
| | MIL-C-22442/33A(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-4707C/AIC REVIEWER: 11 99 ES | A | 5995 | AS | | 24-MAY-91 | CR | AS | | 85 |
| LI | MIL-C-22442/34A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CABLE | A | 5995 | AS | | 30-SEP-91 | | AS | | |
| | MIL-C-22442/35A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CABLE REVIEWER: 11 99 | A | 5995 | AS | | 30-SEP-91 | CR | AS | | 85 |
| | MIL-C-22442/36A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) REVIEWER: 11 99 | A | 5995 | AS | | 02-SEP-88 | CR | AS | | 85 |
| | MIL-C-22442/37A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-4708A/AIC REVIEWER: 11 99 ES | A | 5995 | AS | | 12-JAN-90 | CR | AS | | 85 |
| | MIL-C-22442/38A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) REVIEWER: 11 99 | A | 5995 | AS | | 02-SEP-88 | CR | AS | | 85 |
| L | MIL-C-22442/39 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) EA-3B ADAPTER CABLE | A | 5995 | AS | | 02-SEP-88 | | AS | | |
| L | MIL-C-22442/40(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) | A | 5995 | AS | | 24-MAY-91 | | AS | | |
| L | MIL-C-22442/42 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), S-3A CABLE ADAPTER | A | 5995 | AS | | 14-NOV-88 | | AS | | |
| LI | MIL-C-22442/47 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), ADAPTER ASSEMBLY | A | 5995 | AS | | 14-NOV-88 | | AS | | |
| LI | MIL-C-22442/52 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), AH-1W | A | 5995 | AS | | 14-NOV-88 | | AS | | |
| L | MIL-C-22442/57 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-13165/A AH-1T & AH-1W | A | 5995 | AS | | 14-NOV-88 | | AS | | |
| L | MIL-I-22444C NOTICE 1 | INSULATION TAPE, ELECTRICAL, SELF BONDING, SILICONE RUBBER TREATED BIAS WEAVE OR SINUSOIDAL WEAVE GLASS, CABLE SPLICING, NAVAL SHIPBOARD [VALIDATION DATE: 8810] REVIEWER: GS MI | A | 5970 | SH | | 28-OCT-88 | | SH | | |
| L | MIL-B-22446 | BEARING, ANNULAR BALL, HIGH GRADE [VALIDATION DATE: 8509] REVIEWER: IS MI | A | 3110 | OS | | 01-SEP-64 | | OS | | |
| L | MIL-M-22447 | MOTOR-TACHOMETER GENERATOR [VALIDATION DATE: 8303] | A | 1290 | AS | | 15-OCT-63 | | AS | | |
| L | MIL-T-22448(1) NOTICE 1 | TRANSFORMER, VARIABLE, PRECISION [VALIDATION DATE: 8701] REVIEWER: MI | A | 1290 | OS | | 21-JAN-87 | | OS | | |
| A LI | MIL-B-22450C(1) NOTICE 2 | BOOSTER, GUIDED MISSILE, MARK 12 MOD 0 (LOADED ASSEMBLY) | A | 1336 | OS | | 20-MAY-92 | | OS | | |
| M | MIL-S-22473E(6) | SEALING, LOCKING, AND RETAINING COMPOUNDS: (SINGLE-COMPONENT) REVIEWER: 84 99 DS ER MD ME MI OS SH | A | 8030 | MR | | 22-APR-93 | MR | AS | | 11 |
| L | MIL-P-22497C | POWER SUPPLIES, TYPE IV (TORPEDO TESTING) [VALIDATION DATE: 8204] | A | 4921 | OS | | 10-JUN-70 | | OS | | |
| | MIL-S-22499C(1) | SHIM STOCK, LAMINATED USER: AT MC ME REVIEWER: AR CS EA IS MI SH | A | 9535 | AS | | 06-MAY-90 | MR | AS | | |
| M | MIL-S-22499/1A | SHIM STOCK, LAMINATED, ALUMINUM ALLOY USER: AT MC ME REVIEWER: AR CS EA IS MI | A | 9535 | AS | | 20-MAY-93 | MR | AS | | |
| | MIL-S-22499/2 | SHIM STOCK, LAMINATED, BRASS USER: AT MC REVIEWER: AR CS EA IS MI | A | 9535 | AS | | 01-SEP-89 | MR | AS | | |
| | MIL-S-22499/3 | SHIM STOCK, LAMINATED, CRES USER: AT MC REVIEWER: AR CS EA IS MI | A | 9515 | AS | | 01-SEP-89 | MR | AS | | |
| | MIL-S-22499/4 | SHIM STOCK, LAMINATED, CARBON STEEL USER: AT MC REVIEWER: AR CS EA IS MI | A | 9515 | AS | | 01-SEP-89 | MR | AS | | |

| Action | Opt. / Obsl. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-S-22518A(1) | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR | A | 2995 | AS | | 22-NOV-82 | | AS | | |
| | L | MIL-S-22518/1 NOTICE 1 | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL ATS/AD-1 [VALIDATION DATE: 8910] | A | 2995 | AS | | 01-OCT-89 | | AS | | |
| | L | MIL-S-22518/2 NOTICE 1 | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL ATS/AD-2 [VALIDATION DATE: 8910] | A | 2995 | AS | | 01-OCT-89 | | AS | | |
| | L | MIL-S-22518/3 NOTICE 1 | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL ATS/AD-3 [VALIDATION DATE: 8910] | A | 2995 | AS | | 01-OCT-89 | | AS | | |
| | | MIL-C-22520F(1) | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, AND TOOL KITS GENERAL USER: AT GL MC ME REVIEWER: 12 17 AV EC MI SH | A | 5120 | AS | | 09-AUG-85 | CR | AS | 85 | |
| | | MIL-C-22520/1C(2) | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 12 THROUGH 20 USER: AT MC ME REVIEWER: 11 12 17 99 AR AV EC MI OS SH | A | 5120 | AS | | 06-JUL-81 | CR | AS | 85 | |
| | Q | MIL-C-22520/2C(1) | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 20 THROUGH 28 USER: AT MC ME REVIEWER: 11 12 17 99 AR AV EC MI OS SH | A | 5120 | AS | | 28-NOV-80 | CR | AS | 85 | |
| | Q | MIL-C-22520/3D | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, IN-SERVICE INSPECTION GAGES USER: GL MC ME REVIEWER: 11 12 17 99 AR AV EC ES MI OS SH | A | 5220 | AS | | 06-FEB-81 | CR | AS | 85 | |
| | Q | MIL-C-22520/4A | CRIMPING TOOL, CONTACT, ELECTRIC, HAND FOR SHIELDED OUTER CONTACTS [VALIDATION DATE: 8205] | A | 5120 | AS | | 19-MAR-76 | AR | AS | 85 | |
| | Q | MIL-C-22520/5D | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS USER: AT ME REVIEWER: 12 17 99 AR AV EC MI OS SH | A | 5120 | AS | | 31-MAY-83 | CR | AS | 85 | |
| | L | MIL-C-0022520/5E | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS | A | 5120 | 85 | | 15-MAY-87 | | | 85 | |
| | QL | MIL-C-22520/6B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, IN-SERVICE INSPECTION GAGES FOR USER: 11 REVIEWER: 99 EC | A | 5220 | AS | | 06-FEB-81 | | AS | | |
| | Q | MIL-C-22520/7B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 16, 20 AND 22 [VALIDATION DATE: 8205] REVIEWER: EC | A | 5120 | AS | | 19-MAR-76 | CR | AS | 85 | |
| | | MIL-C-22520/10D | CRIMPING TOOL, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS USER: AT ME REVIEWER: 12 99 AR AV EC MI OS SH | A | 5120 | AS | | 18-JUN-86 | CR | AS | 85 | |
| | | MIL-C-22520/17B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR CRIMP TYPE REMOVABLE CONTACTS, ELECTRIC CONNECTORS REVIEWER: EC | A | 5120 | AS | | 25-APR-90 | CR | AS | 85 | |
| | L | MIL-C-22520/18A | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION IN-SERVICE INSPECTION GAGE FOR MIL-C-22520/17 CRIMPING TOOL [VALIDATION DATE: 8205] REVIEWER: EC | A | 5220 | AS | | 19-MAR-76 | | AS | | |
| | | MIL-C-22520/19 | CRIMPING TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (OUTER CONTACT) [VALIDATION DATE: 8207] USER: 70 MC ME REVIEWER: 17 80 82 AR AV EC ES MI OS SH | A | 5120 | AS | | 19-MAR-76 | CR | AS | 85 | |
| | | MIL-C-22520/20 | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (SHIELD CRIMP SLEEVE) [VALIDATION DATE: 8207] | A | 5120 | AS | | 19-MAR-76 | CR | AS | 85 | |
| | | MIL-C-22520/21 | CRIMP TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (OUTER CONTACT) [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 12 17 80 99 AR AV EC ES MI OS SH | A | 5120 | AS | | 19-MAR-76 | CR | AS | 85 | |
| | | MIL-C-22520/22 | CRIMP TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (SHIELDED CRIMP SLEEVE) [VALIDATION DATE: 8207] USER: 70 AT ME REVIEWER: 17 80 82 AR AV EC ES MI OS SH | A | 5120 | AS | | 19-MAR-76 | CR | AS | 85 | |
| | | MIL-C-22520/23 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 0000 THROUGH 8 [VALIDATION DATE: 8509] USER: 19 AT MC REVIEWER: 11 12 17 99 AR AV EC GL MI OS SH | A | 5130 | AS | | 02-JAN-79 | CR | AS | 85 | |
| | L | MIL-C-22520/24A | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, TOOL, FOR LUG TERMINAL AND EXTERNAL POWER PLUG SOCKET CONTACTS, SIZE 22-10 USER: MC REVIEWER: EC ES OS SH | A | 5120 | AS | | 09-AUG-85 | | AS | | |
| | | MIL-C-22520/28 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 2[illegible] THROUGH 28 [VALIDATION DATE: 8410] USER: 19 MC REVIEWER: 11 17 99 AR AV EC GL MI OS SH | A | 5130 | AS | | 10-NOV-77 | CR | AS | 85 | |
| | | MIL-C-22520/29 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 12 THROUGH 20 [VALIDATION DATE: 8410] USER: 19 MC REVIEWER: 11 12 17 99 AR AV EC GL MI OS SH | A | 5130 | AS | | 10-NOV-77 | CR | AS | 85 | |
| | | MIL-C-22520/30 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, ACCESSORY HARDWARE FOR MIL-C-22520/28 AND MIL-C-22520/29 TOOLS [VALIDATION DATE: 8410] | A | 5130 | AS | | 10-NOV-77 | EL | AS | 85 | |
| | | MIL-C-22520/31 | CRIMPING TOOL, TERMINAL, HAND, FOR SHIELDED SIZE 12 OUTER CONTACTS USER: AT EC MC ME OS SH REVIEWER: 11 12 17 99 AR AV ES MI | A | 5120 | AS | | 28-NOV-80 | CR | AS | 85 | |
| | L | MIL-C-22520/32 NOTICE 1 | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR CONNECTORS, ELECTRICAL, FLAT CABLE (TYPE 2) [VALIDATION DATE: 9107] REVIEWER: 12 17 84 99 ES | A | 5120 | 85 | | 18-JUL-91 | | | 85 | |
| | L | MIL-C-22520/34B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, FOR CRIMP TYPE REMOVABLE CONTACTS FOR MIL-C-28840 CONNECTORS USER: MC REVIEWER: OS SH | A | 5120 | EC | | 06-MAR-87 | | EC | | |
| | L | MIL-C-22520/35C | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN- SERVICE INSPECTION GAGES FOR MIL-C-22520/34 CRIMP TOOLS USER: CG REVIEWER: ES SH | A | 5220 | EC | | 06-MAR-87 | | EC | | |
| | | MIL-C-22520/36C | COMPRESSION TOOL, HAND, TYPE 2 FOR SEMIRIGID COAXIAL CABLE (CATEGORY F CONNECTORS) USER: 19 REVIEWER: 12 99 AR AV EC ES MI TD | A | 5120 | 85 | | 31-JUL-90 | CR | AS | 85 | |
| | L | MIL-C-22521A(1) | CHAIN, OPEN LINK, STEEL, WELDED (FOR MOORING BUOYS) [VALIDATION DATE: 7802] | A | 4010 | CG | | 10-OCT-63 | | CG | | |
| | L | MIL-A-22523E NOTICE 1 | ANALYZER-INDICATOR, DEAD RECKONING (DRAI) (NAVAL SHIPBOARD) [VALIDATION DATE: 8906] | A | 6605 | SH | | 22-JUN-89 | | SH | | |
| | L | MIL-M-22525B NOTICE 1 | MINE FIELD MARKER, BFMK 3 MOD 0, WM (HIGH INTENSITY FLASHING BEACON LIGHT) (INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 8106] REVIEWER: GS | A | 6210 | SH | | 15-MAY-72 | | SH | | |
| | L | MIL-R-22527(2) NOTICE 1 | RELAY, ARMATURE [VALIDATION DATE: 8902] REVIEWER: MI ..... | A | 5945 | OS | | 23-FEB-89 | | OS | | |
| | L | MIL-R-22528 NOTICE 1 | RESISTORS, VARIABLE, PRECISION [VALIDATION DATE: 8902] REVIEWER: ES MI .... | A | 1290 | OS | | 23-FEB-89 | | OS | | |
| | L | MIL-G-22529B NOTICE 1 | GROMMET; PLASTIC [VALIDATION DATE: 9109] REVIEWER: IS MI ..... | A | 5325 | AS | | 25-SEP-91 | | AS | | |
| A | | MIL-G-22529/1 | GROMMET, COMPOSITE, EDGING ..... | A | 5325 | 99 | | 31-JUL-92 | | AS | 99 | |
| | L | MIL-D-22531A(2) | DISPLAY-PLOTTING BOARD GROUP OA-1768/ASA-13 [VALIDATION DATE: 8307] ..... | A | 6605 | AS | | 01-JUN-64 | | AS | | |
| | QL | MIL-C-22542B | CLEANING COMPOUND, HIGH PRESSURE CLEANER, LIQUID REVIEWER: GS ..... | A | 6850 | AS | | 26-AUG-87 | | AS | | |
| | L | MIL-V-22549D(1) | VALVE, ANGLE, RELIEF, FOR GAS AND OXYGEN SERVICE (SIZES 2 INCHES LPS AND BELOW), NAVAL SHIPBOARD [VALIDATION DATE: 8212] REVIEWER: CS | A | 4820 | SH | | 13-APR-77 | | SH | | |
| | L | MIL-C-22553(3) | CONVERTER, SIGNAL DATA CV-1053A/ARC [VALIDATION DATE: 8103] ..... | A | 5895 | AS | | 28-MAR-73 | | AS | | |
| | L | MIL-I-22560B(1) | INTERCOMMUNICATION STATIONS (HANDS-FREE OPERATED REPLY REPRODUCER) NAVAL SHIPBOARD | A | 5835 | SH | | 02-SEP-86 | | SH | | |
| D | L | MIL-P-22561C | PIPE AND PIPE FITTINGS, ACID RESISTANT ..... | A | 4710 | YD1 | | 10-MAY-82 | | YD1 | | |
| | L | MIL-L-22569A NOTICE 1 | LIGHT, ULTRA-VIOLET, FLUORESCENT, POTABLE [VALIDATION DATE: 9012] REVIEWER: GS | A | 6230 | SH | | 18-DEC-90 | | SH | | |
| | L | MIL-T-22576(1) | TERMINAL, AIR, DIFFUSING, CIRCULAR [VALIDATION DATE: 8204] REVIEWER: GS ... | A | 4130 | SH | | 10-JAN-64 | | SH | | |
| D | | MIL-H-22577C NOTICE 1 | HEATING ELEMENTS ELECTRICAL: CARTRIDGE, STRIP AND TUBULAR TYPE [VALIDATION DATE: 8807] USER: MC YD1 REVIEWER: CS MD MI MS | A | 4540 | SH | | 08-JUL-88 | ME | SH | 99 | |
| | L | MIL-R-22578B | RESORCINOL [VALIDATION DATE: 8107] REVIEWER: GS ..... | A | 6810 | OS | | 19-FEB-64 | | OS | | |
| | L | MIL-P-22581C | PLASTIC TILES, VIBRATION DAMPING, TYPE III ..... | A | 9330 | SH | | 23-OCT-91 | | SH | | |
| | L | MIL-C-22585A | COMPUTER, PRESSURE REDUCTION, METEOROLOGICAL CP-402/UM ..... | A | 6660 | AS | | 24-MAY-84 | | AS | | |
| | Q | MIL-C-22587B | CARTRIDGE, GREASE, 14 OUNCE (FOR CARTRIDGE-TYPE GREASE GUN) USER: AR MC REVIEWER: CS PS | A | 4930 | AS | | 17-AUG-83 | ME | AS | 99 | |
| | L | MIL-L-22589D | LAUNCHING SYSTEM, NOSE GEAR TYPE, AIRCRAFT ..... | A | 1720 | AS | | 10-SEP-91 | | AS | | |
| | | MIL-I-22590C NOTICE 1 | IMPREGNATED WADDING, METAL POLISH [VALIDATION DATE: 9110] REVIEWER: MD .... | A | 7920 | AS | | 24-OCT-91 | GL | AS | | |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-H-22594A(1) | HEATERS, DUCT TYPE, ELECTRIC (VALIDATION DATE: 8904) REVIEWER: CS | A | 4520 | SH | | 21-APR-89 | | SH | | |
| | QL | MIL-I-22596C | INDICATOR, TACHOMETER, ELECTRIC, 0-120 PERCENT RPM, 2-INCH SIZE USER: 99 CG REVIEWER: GS | A | 6620 | AS | | 17-MAR-82 | | AS | | |
| | L | MIL-I-22598B | INTERPRETATION KIT, PHOTOGRAPHIC, POCKET-SIZE BS-5( ) REVIEWER: GS MC | A | 6675 | AS | | 29-DEC-89 | | AS | | |
| A | L | MIL-F-22606C | FLASK COMPRESSED GAS AND END PLUGS FOR AIR, OXYGEN AND NITROGEN REVIEWER: GS | A | 8120 | SH | | 11-AUG-92 | | SH | | |
| | | MIL-C-22608B | COMPOUND, INSULATING, HIGH, TEMPERATURE (VALIDATION DATE: 8407) USER: MI REVIEWER: OS | A | 5640 | AS | | 09-SEP-66 | | AS | 99 | |
| | L | MIL-D-22612C(1) | DETECTOR, CONTAMINATED FUEL | A | 6630 | AS | | 26-SEP-83 | | AS | | |
| | L | MIL-C-22613 NOTICE 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL; SHIELDED (SHIPBOARD USE) (VALIDATION DATE: 8902) | A | 6145 | OS | | 23-FEB-89 | | OS | | |
| | L | MIL-S-22614 NOTICE 1 | SWITCHES, SENSITIVE (VALIDATION DATE: 8902) REVIEWER: ES MI | A | 1290 | OS | | 23-FEB-89 | | OS | | |
| | L | MIL-C-22617 NOTICE 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL, NON-SHIELDED (SHIPBOARD USE) (VALIDATION DATE: 8902) | A | 6145 | OS | | 23-FEB-89 | | OS | | |
| | L | MIL-R-22618(1) | RELEASE, BOMB SHACKLE, AERO 7A, SERIES AND RELEASE, BOMB RACK AERO 7B SERIES (VALIDATION DATE: 8304) | A | 1095 | AS | | 15-AUG-63 | | AS | | |
| | | MIL-L-22620D(3) | LAUNCHER, GUIDED MISSILE, LAU-7 SERIES REVIEWER: 84 | A | 1055 | AS | | 31-AUG-84 | | AS | 99 | |
| | L | MIL-R-22622A | RACK, BOMB EJECTOR, AIRCRAFT, AERO 7A AND AERO 7B SERIES | A | 1095 | AS | | 25-APR-80 | | AS | | |
| | L | MIL-R-22623A(1) | RACK, BOMB EJECTOR, AIRCRAFT, AERO 20A AND AERO 20B SERIES | A | 1095 | AS | | 15-SEP-80 | | AS | | |
| | L | MIL-L-22624A(2) | LINK, AMMUNITION, 20MM, MARK 6 MODS 4, 5 AND 6 (VALIDATION DATE: 8507) | A | 1305 | AS | | 04-APR-66 | | AS | | |
| | L | MIL-C-22625 | CARTRIDGE, DUMPER VALVE, MARK 22 MOD 0 (VALIDATION DATE: 8203) | A | 1375 | AS | | 31-AUG-60 | | AS | | |
| | L | MIL-Q-22631B(2) NOTICE 1 | QUALITY CONTROL OF METAL WROUGHT PRODUCTS EXCEPT FORGINGS PROCURED TO NON-GOVERNMENTAL SPECIFICATIONS (VALIDATION DATE: 9110) | A | QC1? | AS | | 09-OCT-91 | | AS | | |
| | | MIL-A-22641C(3) SUPPL 1A1 | ADAPTER, COAXIAL TO WAVEGUIDE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8404) USER: AR AS MC REVIEWER: 11 17 99 ES GL MI OS | A | 5985 | EC | | 21-SEP-78 | ER | EC | 85 | |
| | | MIL-A-22641/16F | ADAPTER, COAXIAL TO WAVEGUIDE (SERIES N TO WAVEGUIDE CLASS I) (VALIDATION DATE: 8505) USER: AR AS MC REVIEWER: 11 17 99 ES GL MI OS | A | 5985 | EC | | 21-SEP-78 | ER | EC | 85 | |
| | | MIL-A-22641/17A NOTICE 1 | ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 3 - 7/8 INCH) TYPES UG-405/U, UG-522/U, UG-1622/U AND UG-1663/U (VALIDATION DATE: 8710) USER: AS AV MC REVIEWER: 17 99 ES MI | A | 5985 | EC | | 27-OCT-87 | ER | EC | 85 | |
| | | MIL-A-22641/18 NOTICE 1 | ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 2 - 5/8 INCH), TYPES UG-403/U, UG-404/U, UG-445/U, UG-520/U, UG-521/U, UG-523/U, UG-1647/U THRU UG-1652/U (VALIDATION DATE: 8710) USER: AS AV MC REVIEWER: 17 99 ES MI | A | 5985 | EC | | 27-OCT-87 | ER | EC | 85 | |
| | | MIL-A-22641/19 | ADAPTER, COAXIAL TO WAVEGUIDE (TNC TO WAVEGUIDE - CLASS 4) (VALIDATION DATE: 8404) USER: AS MC OS REVIEWER: 11 17 99 ES MI | A | 5985 | EC | | 02-MAY-72 | ER | EC | 85 | |
| | | MIL-A-22641/20B | ADAPTER, COAXIAL TO WAVEGUIDE (SMA TO WAVEGUIDE - CLASS 5) (VALIDATION DATE: 8404) USER: AS MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | EC | | 21-SEP-78 | ER | EC | 85 | |
| | L | MIL-A-22641/21 | ADAPTER, COAXIAL TO WAVEGUIDE (SERIES N TO WAVEGUIDE - CLASS 1), PRESSURIZABLE (VALIDATION DATE: 8204) | A | 5985 | EC | | 24-JUN-76 | | EC | | |
| | | MIL-A-22641/22 | ADAPTER, COAXIAL TO WAVEGUIDE (DOUBLE RIDGE) (BANDWIDTH RATIO 2.4 1) (SERIES SMA TO WAVEGUIDE - CLASS 5) (VALIDATION DATE: 8404) USER: AR AS MC REVIEWER: 11 17 99 ES GL MI OS | A | 5985 | EC | | 21-SEP-78 | ER | EC | 85 | |
| | | MIL-A-22641/23 | ADAPTER, COAXIAL TO WAVEGUIDE (DOUBLE RIDGE) (BANDWIDTH RATIO 2.4.1) (SERIES N TO WAVEGUIDE - CLASS 1) (VALIDATION DATE: 8404) USER: AR AS MC REVIEWER: 11 17 99 ES GL MI OS | A | 5985 | EC | | 21-SEP-78 | ER | EC | 85 | |
| | L | MIL-P-22643B | PUMPING UNITS, HYDRAULIC MX-3196/APQ-83 AND MX-3197A/APQ-83 (VALIDATION DATE: 8410) | A | 4320 | AS | | 03-APR-63 | | AS | | |
| | L | MIL-C-22650(3) NOTICE 1 | CONTROL-MONITOR DCU-77/A (VALIDATION DATE: 9108) | A | 1135 | AS | | 20-AUG-91 | | AS | | |
| | L | MIL-C-22653C | CARTRIDGE, IMPULSE, MARK 19 MOD 0 | A | 1377 | AS | | 10-DEC-85 | | AS | | |
| A | L | MIL-P-22655C | PANEL MARKERS: AERIAL LIAISON: NYLON: FLUORESCENT | A | 8345 | CT | | 28-MAR-91 | | MC | | CT |
| | L | MIL-C-22656B | CARTRIDGE, IMPULSE, MARK 14 MOD 0 (VALIDATION DATE: 8407) | A | 1377 | AS | | 22-FEB-71 | | AS | | |
| | L | MIL-R-22659D NOTICE 1 | RADIO SETS AN/ARC-51A, AN/ARC-51B, AN/ARC-51AX, AND AN/ARC-51BX (VALIDATION DATE: 8706) USER: MC REVIEWER: CR | A | 5821 | AS | | 19-JUN-87 | | AS | | |
| | L | MIL-H-22663(3) | HEATER, SPACE, ELECTRIC, BLOWER, RADIANT AND TURRET (NAVAL SHIPBOARD) (VALIDATION DATE: 8106) REVIEWER: CS | A | 4520 | SH | | 07-JAN-65 | | SH | | |
| | L | MIL-S-22664B(1) | STEEL, STRUCTURAL SHAPES ALLOY, HIGH YIELD STRENGTH (HY-80 AND HY-100) (METRIC) | A | 9520 | SH | | 23-APR-91 | | SH | | |
| | L | MIL-C-22667B NOTICE 1 | CABLE, SPECIAL PURPOSE, BUOYANT, ELECTRICAL, TYPE RG-298/U (SUBMARINE USE) (VALIDATION DATE: 9104) REVIEWER: IS | A | 6145 | SH | | 19-APR-91 | | SH | | |
| | L | MIL-I-22668A(4) | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-57, AN/ASQ-57A, AN/ASQ-57B, AN/ASQ-109, AN/ASQ-58, AN/ASQ-58A, AN/ASQ-58B AND AN/ASQ-110 (VALIDATION DATE: 8103) | A | 5895 | AS | | 28-SEP-67 | | AS | | |
| | L | MIL-A-22669(1) | AMPLIFIER-POWER SUPPLY-RECEIVER AM-2310(*)/ASQ AND ANTENNA AS-909(*)/ARA-48 (VALIDATION DATE: 8103) | A | 5895 | AS | | 15-DEC-61 | | AS | | |
| | L | MIL-C-22672B(2) | CODER-RECEIVER-TRANSMITTER KY-533(*)/ASQ (VALIDATION DATE: 8010) | A | 5895 | AS | | 15-AUG-66 | | AS | | |
| | L | MIL-M-22673(2) | MOUNTING-PLENUM MT-2243(*)/ASQ-56 (VALIDATION DATE: 8103) REVIEWER: IS | A | 5340 | AS | | 15-FEB-68 | | AS | | |
| | L | MIL-M-22674A | MOUNTING-PLENUMS MT-2244(*)/ASQ AND MT-3659(*)/ASQ (VALIDATION DATE: 8304) REVIEWER: IS | A | 5340 | AS | | 15-AUG-66 | | AS | | |
| | L | MIL-R-22678(4) NOTICE 1 | RECEIVER-TRANSMITTER RADIO RT-542/ASQ AND RT-542A/ASQ (VALIDATION DATE: 9110) | A | 5821 | AS | | 15-OCT-91 | | AS | | |
| | L | MIL-R-22679(4) NOTICE 1 | RECEIVER-TRANSMITTER RADIO RT-559/ASQ-58 AND RT-559A/ASQ-58 (VALIDATION DATE: 9110) | A | 5821 | AS | | 15-OCT-91 | | AS | | |
| | QL | MIL-A-22681C(1) SUPPL 1A1 | ARRESTER, FLASH, MAIN STORAGE BATTERY, (SUBMARINE USE), GENERAL SPECIFICATION FOR REVIEWER: GS | A | 6140 | SH | | 01-DEC-89 | | SH | | |
| | L | MIL-A-22681/1C | ARRESTER, FLASH, SUBMARINE MAIN STORAGE BATTERY, TYPE I (VALIDATION DATE: 8910) REVIEWER: GS | A | 6140 | SH | | 02-OCT-89 | | SH | | |
| | L | MIL-A-22681/2C NOTICE 1 | ARRESTER, FLASH, SUBMARINE MAIN STORAGE BATTERY, TYPE II (VALIDATION DATE: 8910) REVIEWER: GS | A | 6140 | SH | | 02-OCT-89 | | SH | | |
| | L | MIL-V-22682A(2) | VALVE, ASTERN (FOR SHIPBOARD USE) (VALIDATION DATE: 8007) REVIEWER: CS | A | 4820 | SH | | 15-AUG-63 | | SH | | |
| | Q | MIL-R-22684C(3) SUPPL 1A1, NOTICE 1 | RESISTORS, FIXED, FILM, INSULATED, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9110) USER: 19 AT CG MC ME REVIEWER: 11 17 99 AR AS EA OS | A | 5905 | ER | | 25-OCT-91 | ER | EC | 85 | |
| | I | MIL-R-22684/1A(1) | RESISTORS, FIXED, FILM, INSULATED, STYLE RL07 USER: 19 REVIEWER: 11 17 99 AR ES MI | A | 5905 | ER | | 08-AUG-89 | ER | EC | 85 | |
| | I | MIL-R-22684/2B(2) | RESISTORS, FIXED, FILM, INSULATED, STYLE RL20 REVIEWER: 11 17 99 AR ES MI | A | 5905 | ER | | 08-AUG-89 | ER | EC | 85 | |
| | I | MIL-R-22684/3B(1) NOTICE 1 | RESISTORS, FIXED, FILM, INSULATED, STYLE RL32 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR DH EA ES OS | A | 5905 | ER | | 08-AUG-89 | ER | EC | 85 | |
| | I | MIL-R-22684/4A(2) | RESISTORS, FIXED, FILM, INSULATED, STYLE RL42 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS AV ES OS | A | 5905 | ER | | 08-AUG-89 | ER | EC | 85 | |
| M | | MIL-R-22684/8B(2) NOTICE 2 | RESISTORS, FIXED, FILM, INSULATED, STYLE RL42....TX (VALIDATION DATE: 9305) USER: 19 AT CG MC ME REVIEWER: 11 17 99 AR AS AV ES OS | A | 5905 | 85 | | 14-MAY-93 | ER | EC | 85 | |
| | QL | MIL-V-22687C | VALVE, BALL, NAVAL SHIPBOARD, FOR AIR, NITROGEN, HELIUM OR HYDRAULIC SERVICE (SIZE 2 1/2 INCHES IPS AND BELOW) | A | 4820 | SH | | 29-MAR-88 | | SH | | |
| | L | MIL-L-22690(1) | LUBRICATION CHARTS, PLATES, AND MANUALS, PREPARATION AND PRODUCTION OF (VALIDATION DATE: 8502) | A | TMSS | MC | | 06-JUL-67 | | MC | | |
| | L | MIL-L-22692A | LOCATOR, ORDNANCE, MARK 9 MOD 0 (VALIDATION DATE: 8204) | A | 6665 | OS | | 07-AUG-68 | | OS | | |
| | L | MIL-S-22698C(1) | STEEL PLATE, SHAPES AND BARS, WELDABLE ORDINARY STRENGTH AND HIGHER STRENGTH; STRUCTURAL REVIEWER: IS | A | 9515 | SH | | 19-DEC-88 | | SH | | |
| | L | MIL-C-22699 | CASE, CARRYING, INSPECTION EQUIPMENT, COTTON DUCK (VALIDATION DATE: 7005) USER: 45 REVIEWER: CT | A | 8465 | CG | | 03-NOV-60 | | CG | | |
| | L | MIL-B-22700 | BRIDLE, CHAIN, BUOY (VALIDATION DATE: 7005) | A | 2050 | CG | | 03-NOV-60 | | CG | | |
| | L | MIL-C-227048 | COMPUTER SET, NAVIGATIONAL AN/AYK-2 (*) (VALIDATION DATE: 8304) | A | 6605 | AS | | 15-FEB-85 | | AS | | |
| | QL | MIL-D-22706F | DUCT AND SCUFF COVER, PNEUMATIC, FLEXIBLE | A | 4720 | AS | | 08-JUL-91 | | AS | | |

| Action OR / Old Cancellation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| AQ | MIL-S-22710E(7) SUPPL 1A1 | SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), THUMBWHEEL AND PUSHBUTTON, GENERAL SPECIFICATION FOR USER: AS MC MD OS REVIEWER: 99 AV ES ME MI SM | A 5930 EC 08-FEB-93 | ER | EC | 85 | |
| | MIL-S-22710/11E | SWITCH, ROTARY (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, INTEGRAL BEZEL, NONSEALED, ILLUMINATED OR NONILLUMINATED), STYLE SRCP11 USER: 11 MC ME OS REVIEWER: 17 AS ES MI SM | A 5930 EC 04-OCT-82 | ER | EC | 85 | |
| N | MIL-S-22710/12E(1) NOTICE 1 | SWITCH, ROTARY (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULE, ILLUMINATED OR NONILLUMINATED), (TOP RELAMPABLE), STYLE SRPC12 [VALIDATION DATE: 9305] USER: 11 MC ME OS REVIEWER: 17 99 AS ES MI SM | A 5930 85 21-MAY-93 | ER | EC | 85 | |
| N | MIL-S-22710/14E(1) NOTICE 1 | SWITCH, ROTARY (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, INTEGRAL BEZEL, NONSEALED, NONILLUMINATED), STYLE SRPC14 [VALIDATION DATE: 9305] USER: 11 MC ME OS REVIEWER: 17 99 AS ES MI SM | A 5930 85 21-MAY-93 | ER | EC | 85 | |
| N | MIL-S-22710/15G NOTICE 1 | SWITCH, CODE INDICATING WHEEL (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULE, ILLUMINATED OR NONILLUMINATED), (TOP, BOTTOM, OR REAR RELAMPABLE), STYLE SRPC15 [VALIDATION DATE: 9305] USER: 11 MC ME OS REVIEWER: 17 99 AS ES MI SM | A 5930 85 21-MAY-93 | ER | EC | 85 | |
| N | MIL-S-22710/17H NOTICE 1 | SWITCH, ROTARY, PRINTED CIRCUIT, PUSH BUTTON, SEALED, ILLUMINATED AND NONILLUMINATED, STYLE SRPC17 [VALIDATION DATE: 9305] USER: 11 MC ME OS REVIEWER: 17 99 AS ES MI SM | A 5930 85 21-MAY-93 | ER | EC | 85 | |
| | MIL-S-22710/18F | SWITCH, CODING INDICATING WHEEL (PRINTED CIRCUIT) (PUSHBUTTON, BIDIRECTIONAL, SEALED OR UNSEALED, ILLUMINATED & NONILLUMINATED) STYLE SRPC18-1 & -2 USER: 11 17 AL AS MC ME REVIEWER: 99 ES SM | A 5930 EC 30-SEP-86 | ER | EC | 85 | |
| | MIL-S-22710/20C | SWITCH, ROTARY (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULES, DUAL ILLUMINATED), (RFI SHIELDED) (TOP + BOTTOM RELAMPABLE), STYLESRPC20 USER: 11 MC ME OS REVIEWER: 17 AS ES MI SM | A 5930 85 04-OCT-82 | CR | EC | 85 | |
| | MIL-S-22710/23C | SWITCH, ROTARY (PRINTED CIRCUIT), (PUSHBUTTON, UNIDIRECTIONAL, SEALED OR UNSEALED, ILLUMINATED )SIDE RELAMPABLE( OR NONILLUMINATED), STYLE SRPC23 USER: 11 17 AR MC ME REVIEWER: 99 AS ES SM | A 5930 EC 30-SEP-86 | ER | EC | 85 | |
| | MIL-S-22710/24A(2) | SWITCH, ROTARY (PRINTED CIRCUIT) (TOGGLE, BIDIRECTIONAL, SEALED, ILLUMINATED OR NONILLUMINATED) STYLE SRPC24 USER: 11 MC ME REVIEWER: 17 99 AR ES MI SM | A 5930 EC 18-FEB-83 | ER | EC | 85 | |
| | MIL-S-22710/30 | SWITCHES, ROTARY (PRINTED CIRCUIT), PUSHBUTTON BIDIRECTIONAL, SEALED, HIGH SHOCK, RFI SHIELDED, ILLUMINATED OR NONILLUMINATED, LOW LEVEL, STYLE SRPC30 USER: 11 17 AL AS MC ME REVIEWER: 99 ES SM | A 5930 EC 25-NOV-83 | ER | EC | 85 | |
| LI | MIL-R-22717(3) NOTICE 1 | RECORDER-REPRODUCER, SOUND PORTABLE, MAGNETICALLY COATED TAPE ..... | A 5835 SH 26-DEC-90 | | SH | | |
| L | MIL-C-22720(1) | COUPLER, MONITOR CU-737/URC [VALIDATION DATE: 8204] REVIEWER: SH ..... | A 5895 EC 11-JUN-63 | | EC | | |
| | MIL-F-22735C | FILM, ELASTOMERIC, FLUORESCENT, FOR WEAPONS SYSTEM (ASG) REVIEWER: 69 GS MR | A 9330 AS 03-NOV-80 | | AS | 11 | |
| Q | MIL-C-22750E(1) | COATING, EPOXY, VOC - COMPLIANT REVIEWER: AR AV CR EA MC MI MR OS ..... | A 8010 AS 20-JAN-92 | ME | AS | | |
| LI | MIL-R-22754 NOTICE 1 | RECORDER-REPRODUCER, SOUND (MAGNETIC TAPE), TYPE RD-219( )/U ..... | A 5835 SH 26-DEC-90 | | SH | | |
| L | MIL-T-22755B NOTICE 1 | TAPE, REPAIR: MAGNETIC MINESWEEPING CABLE SHEATH [VALIDATION DATE: 8810] REVIEWER: GS | A 5970 SH 19-OCT-88 | | SH | | |
| Q | MIL-W-22759E(1) SUPPL 1A1 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY USER: 11 AT MC REVIEWER: 80 AR AV IS ME MI OS | A 6145 AS 07-MAY-91 | CR | AS | 85 | |
| A | MIL-W-22759/1F | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, PTFE AND PTFE COATED GLASS, SILVER-COATED COPPER CONDUCTOR, 600-VOLT USER: AT AV MC REVIEWER: 99 AR EC IS ME MI OS | A 6145 AS 18-SEP-92 | CR | AS | 85 | |
| A | MIL-W-22759/2F | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, NICKLE-COATED COPPER CONDUCTOR, 600-VOLT REVIEWER: 99 AR EC IS ME MI OS | A 6145 AS 18-SEP-92 | CR | AS | 85 | |
| | MIL-W-22759/3D | WIRE, ELECTRIC, FLUOROCARBON INSULATED, TFE GLASS TFE, MEDIUM WEIGHT, NICKLE COATED COPPER, 600 VOLT [VALIDATION DATE: 8203] USER: 11 AT MC REVIEWER: AR AV EC IS ME MI OS | A 6145 AS 10-SEP-76 | CR | AS | 85 | |
| | MIL-W-22759/4C | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-FEP, MEDIUM WEIGHT, SILVER-COATED COPPER CONDUCTOR, 600-VOLT USER: AT AV MC REVIEWER: 99 EC IS ME MI OS | A 6145 AS 10-APR-92 | CR | AS | 85 | |
| | MIL-W-22759/5B(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600 VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS | A 6145 AS 31-DEC-90 | CR | AS | 85 | |
| | MIL-W-22759/6B(1) | WIRE, ELECTRICAL, FLUOROCARBON-INSULATED, ABRASION RESISTANT, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS | A 6145 AS 31-DEC-90 | CR | AS | 85 | |
| | MIL-W-22759/7B(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT, EXTRUDED TFE, MEDIUM WEIGHT, SILVER-COATED CONDUCTOR, 600-VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS | A 6145 AS 31-DEC-90 | CR | AS | 85 | |
| | MIL-W-22759/8B(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED TFE, MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS | A 6145 AS 31-DEC-90 | CR | AS | 85 | |
| | MIL-W-22759/9B(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 1000-VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS | A 6145 AS 31-DEC-90 | CR | AS | 85 | |
| | MIL-W-22759/10B(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 1000-VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS | A 6145 AS 31-DEC-90 | CR | AS | 85 | |
| | MIL-W-22759/11F(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600-VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS | A 6145 AS 31-DEC-90 | CR | AS | 85 | |
| | MIL-W-22759/12F(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT USER: 11 MC VO REVIEWER: 80 99 AR EC IS ME OS | A 6145 AS 31-DEC-90 | CR | AS | 85 | |
| | MIL-W-22759/13D | WIRE, ELECTRIC, FLUOROCARBON INSULATED, FEP-PVF2 MEDIUM WEIGHT, TIN COATED COPPER, 600 VOLT [VALIDATION DATE: 8509] USER: AT AV MC REVIEWER: 11 AR EC IS ME MI OS | A 6145 AS 29-JUN-73 | CR | AS | 85 | |
| | MIL-W-22759/14B | WIRE, ELECTRIC, FLUOROCARBON-INSULATED, FEP-PVF2, LIGHTWEIGHT, TIN-COATED COPPER, 600 VOLT [VALIDATION DATE: 8509] USER: 11 AT AV MC REVIEWER: AR EC IS ME MI OS | A 6145 AS 29-JUN-73 | CR | AS | 85 | |
| | MIL-W-22759/15B | WIRE, ELECTRIC, FLUOROCARBON - INSULATED, FEP-PVF2 LIGHTWEIGHT, SILVER PLATED HIGH STRENGTH COPPER ALLOY, 600 VOLT [VALIDATION DATE: 8509] USER: AT AV MC REVIEWER: 11 AR EC IS ME MI OS | A 6145 AS 29-JUN-73 | CR | AS | 85 | |
| | MIL-W-22759/16A | WIRE, ELECTRIC, FLUOROPOLYMER INSULATED, EXTRUDED ESTFE, MEDIUM WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLT, 150 DEG C USER: 11 AT EC REVIEWER: 99 AR AV IS MC ME MA OS | A 6145 AS 10-MAR-81 | CR | AS | 85 | |
| | MIL-W-22759/17A | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT, 150 DEG. C USER: EC REVIEWER: 11 99 AR AT AV IS MC ME OS | A 6145 AS 10-MAR-81 | CR | AS | 85 | |
| | MIL-W-22759/18A | WIRE, ELECTRIC, FLUOROPOLYMER INSULATED, EXTRUDED ESTFE, LIGHT WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLT, 150 DEG. C | A 6145 AS 10-MAR-81 | CR | AS | 85 | |
| | MIL-W-22759/19A | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT, 150 DEG C USER: 11 AT EC REVIEWER: 99 AR AV IS MC ME OS | A 6145 AS 10-MAR-81 | CR | AS | 85 | |
| | MIL-W-22759/20(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT USER: 11 REVIEWER: 80 99 | A 6145 AS 31-DEC-90 | | AS | 85 | |
| | MIL-W-22759/21(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT USER: 11 REVIEWER: 80 99 | A 6145 AS 31-DEC-90 | | AS | 85 | |

| Action | OPR / DRM Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-W-22759/22 | WIRE, ELECTRIC, FLUOROPOLYMER INSULATED, EXTRUDED TFE NICKLE COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT [VALIDATION DATE: 8709] USER: 11 REVIEWER: 80 99 | A | 6145 AS | 28-JAN-74 | AS | | | |
| L. | | MIL-W-22759/23(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT USER: 11 REVIEWER: 80 99 | A | 6145 AS | 31-DEC-90 | AS | 85 | | |
| | | MIL-W-22759/28(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED CONDUCTOR, 600-VOLT USER: 11 REVIEWER: 80 99 | A | 6145 AS | 31-DEC-90 | AS | 85 | | |
| | | MIL-W-22759/29(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT USER: 11 REVIEWER: 80 99 | A | 6145 AS | 31-DEC-90 | AS | 85 | | |
| | | MIL-W-22759/30(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE-COATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT USER: 11 REVIEWER: 80 99 | A | 6145 AS | 31-DEC-90 | AS | 85 | | |
| | | MIL-W-22759/31(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT USER: 11 REVIEWER: 80 99 | A | 6145 AS | 31-DEC-90 | AS | 85 | | |
| | | MIL-W-22759/32C | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, TIN-COATED COPPER, 150 DEG. C, 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR IS MI | A | 6145 85 | 09-SEP-88 AV | AS | 85 | | |
| | | MIL-W-22759/33C | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 DEG. C, 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR IS MI | A | 6145 85 | 09-SEP-88 AV | AS | 85 | | |
| | | MIL-W-22759/34D | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, TIN-COATED COPPER, 150 DEG. C, 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR IS MI | A | 6145 85 | 09-SEP-88 AV | AS | 85 | | |
| | | MIL-W-22759/35D | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 DEG. C, 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR IS MI | A | 6145 85 | 09-SEP-88 AV | AS | 85 | | |
| | | MIL-W-22759/41C | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED COPPER, 200 DEG. C, 600 VOLT USER: EC OS SH REVIEWER: 11 19 70 99 CR ES IS MI | A | 6145 85 | 09-SEP-88 AV | AS | 85 | | |
| | | MIL-W-22759/42B | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200 DEG. C, 600 VOLT USER: EC OS SH REVIEWER: 11 99 CR IS MI | A | 6145 85 | 09-SEP-88 AV | AS | 85 | | |
| | | MIL-W-22759/43C | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED COPPER, 200 DEG. C, 600 VOLT USER: SH REVIEWER: 11 70 99 AV ES IS MI | A | 6145 85 | 09-SEP-88 CR | AS | 85 | | |
| | | MIL-W-22759/44A | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED COPPER, 200 DEG. C, 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR IS MI | A | 6145 85 | 09-SEP-88 AV | AS | 85 | | |
| | | MIL-W-22759/45A | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED COPPER, 200 DEG. C, 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR IS MI | A | 6145 85 | 09-SEP-88 AV | AS | 85 | | |
| | | MIL-W-22759/46A | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200 DEG. C, 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR IS MI | A | 6145 85 | 09-SEP-88 AV | AS | 85 | | |
| A L | | MIL-S-22760C | SUPPORT, CROWN, SERVICE CAP; AND SUPPORT HOLDER | A | 8405 CT | 28-MAR-91 | MC | | | CT |
| L | | MIL-R-22762(5) NOTICE 1 | RECEIVER-TRANSMITTER RADIO RT-546/ASQ-19, RT-546A/ASQ-19, RT-853/ASQ-19 AND RT-546B/ASQ-19 [VALIDATION DATE: 9110] | A | 5821 AS | 15-OCT-91 | AS | | | |
| L | | MIL-R-22763(2) | RECEIVER-TRANSMITTER, RADIO RT-547(*)/ ASQ-19 AND DECODER, PULSE KY-312(*)/ASQ-19 [VALIDATION DATE: 8410] | A | 5895 AS | 01-APR-65 | AS | | | |
| L | | MIL-C-22764C(2) NOTICE 1 | CODER RECEIVER TRANSMITTER KGV532A/ASQ [VALIDATION DATE: 8010] | A | 5895 AS | 15-AUG-66 | AS | | | |
| L | | MIL-A-22765(2) NOTICE 1 | AMPLIFIER-POWER SUPPLY-RECEIVER AM-2349/ASQ-19 AND AM-2349A/ASQ-19 AND ANTENNA AS-909/ARA-48 AND AS-909A/ARA-48 [VALIDATION DATE: 9110] | A | 5821 AS | 15-OCT-91 | AS | | | |
| L | | MIL-C-22766(2) NOTICE 1 | CONTROLS, CENTRAL C-3076(*)/ASQ-19 AND C-6248(*)/ASQ-88 [VALIDATION DATE: 9111] | A | 5841 AS | 15-NOV-91 | AS | | | |
| L | | MIL-I-22767A NOTICE 1 | INTERCOMMUNICATION STATIONS LS-459(*)/AIC AND LS-460(*)/AIC [VALIDATION DATE: 9110] | A | 5831 AS | 15-OCT-91 | AS | | | |
| L | | MIL-I-22768(2) | INDICATORS, FREQUENCY CHANNEL ID-808(*)/ASQ AND ID-1311(*)/ASQ [VALIDATION DATE: 8010] | A | 5895 AS | 15-FEB-66 | AS | | | |
| L | | MIL-L-22769A(1) | LAUNCHER, WEAPONS, AIRBORNE AND ASSOCIATED EQUIPMENT GENERAL SPECIFICATION FOR | A | 10GP AS | 10-NOV-83 | AS | | | |
| L | | MIL-C-22770H | COIL, WIRE [VALIDATION DATE: 8403] | A | 1355 OS | 17-AUG-77 | OS | | | |
| | | MIL-A-22771D | ALUMINUM ALLOY FORGINGS, HEAT TREATED USER: OS REVIEWER: MI | A | FORG AS | 30-JAN-84 MR | AS | 11 | | |
| L | | MIL-I-22772(2) NOTICE 1 | INSECTICIDE, 2-PERCENT DIAZINON DUST [VALIDATION DATE: 8711] REVIEWER: GS . | A | 6840 GL | 13-JUN-75 GL | | | | |
| A | | MIL-C-22775D | CLOTH, BUNTING, ACRYLIC USER: CG OS SH REVIEWER: IH | A | 8305 CT | 06-JAN-84 GL | MU | | | CT |
| A | | MIL-S-22777F | SOLES AND HEELS, RUBBER, TRACTION TREAD, SHOE USER: 45 CG MC REVIEWER: 82 99 AS MD | A | 8335 CT | 18-OCT-82 GL | MU | 11 | | CT |
| A L | | MIL-I-22782E | INSIGNIA, SHOULDER SLEEVE, AND BREAST USER: CG | A | 8455 CT | 13-NOV-85 | MU | | | CT |
| | | MIL-S-22783C(1) | SEALING MACHINES, ELECTRICAL IMPULSE (JAW TYPE) [VALIDATION DATE: 8201] USER: AR MC SH REVIEWER: ME SM | A | 3540 GL | 02-APR-76 GL | SA | 99 | | |
| D | | MIL-C-22785B | CAN, BEVERAGE, DISPENSER [VALIDATION DATE: 8402] USER: MC YD1 REVIEWER: GS | A | 7310 SH | 28-DEC-77 | SH | 99 | | |
| D | | MIL-G-22786A NOTICE 1 | GRATER, FOOD, (NON-MECHANICAL) [VALIDATION DATE: 8708] USER: CG MC YD1 REVIEWER: MD MS | A | 7330 GL | 03-AUG-87 GL | SA | | | |
| A | | MIL-C-22787D | CLOTH, COATED, FUEL AND FLAME RESISTANT USER: 45 REVIEWER: 82 | A | 8305 CT | 08-DEC-87 | MU | 99 | | CT |
| L | | MIL-P-22798(2) | PUMP, CENTRIFUGAL, GASOLINE-ENGINE-DRIVEN, 60 G.P.M. [VALIDATION DATE: 6704] | A | 4320 CG | 20-FEB-62 | CG | | | |
| L | | MIL-C-22802(2) | CONTROL MONITOR DCU-75/A [VALIDATION DATE: 8307] | A | 5821 AS | 20-SEP-61 | AS | | | |
| M | | MIL-S-22805B | SPRAY KIT, SELF PRESSURIZED USER: AV ER SH YD1 REVIEWER: 82 CS OS | A | 4940 AS | 31-MAR-93 AL | AS | 99 | | |
| L | | MIL-C-22809(1) NOTICE 1 | COOLING-PUMPING GROUP AN/AMA-6 [VALIDATION DATE: 8708] | A | 4320 AS | 25-AUG-87 | AS | | | |
| L | | MIL-I-22814 NOTICE 1 | AN/APM-132 INCLINOMETER SET [VALIDATION DATE: 9109] | A | 4931 AS | 25-SEP-91 | AS | | | |
| L | | MIL-T-22815 | AN/APM-131 TEST HARNESS, RADAR [VALIDATION DATE: 8103] | A | 4931 AS | 15-MAY-62 | AS | | | |
| | | MIL-S-22820B | SERVOMOTOR-TACHOMETER GENERATOR, AC; GENERAL SPECIFICATION FOR USER: MC REVIEWER: 79 ER MI | A | 6105 AS | 28-NOV-90 AR | AS | | | |
| | | MIL-S-22820/7C | SERVOMOTOR-TACHOMETER GENERATOR, TYPE 18SM-RG40 USER: MC REVIEWER: 17 ER MI | A | 6105 AS | 28-NOV-90 AR | AS | 11 | | |
| L | | MIL-S-22820/34C | SERVOMOTOR-TACHOMETER GENERATOR, TYPE 15SM-1H4A (HEAT COMPENSATED) REVIEWER: GS | A | 6105 AS | 28-NOV-90 | AS | | | |
| | | MIL-T-22821C | TACHOMETER GENERATOR, AC; GENERAL SPECIFICATION FOR USER: CG MC REVIEWER: 99 ES GS | A | 6680 AS | 28-NOV-90 AR | AS | | | |
| | | MIL-T-22821/1B | TACHOMETER GENERATOR, TYPE 15IH4A (HEAT COMPENSATED) USER: CG MC REVIEWER: 99 ES GS | A | 6680 AS | 28-NOV-90 AR | AS | | | |
| | | MIL-T-22821/2C | TACHOMETER GENERATOR, TYPE 15RG4A USER: CG MC REVIEWER: 99 ES GS | A | 6680 AS | 28-NOV-90 AR | AS | | | |
| D L | | MIL-S-22824D | SLINGS, MULTIPLE LEG, VEHICLE (SHIPBOARD LOADING) USER: CG REVIEWER: MC SH | A | 3940 YD1 | 24-JUL-89 | YD1 | | | |
| D L | | MIL-S-22824D(1) | SLINGS, MULTIPLE LEG, VEHICLE (SHIPBOARD LOADING) USER: CG REVIEWER: GS MC MT SH | A | 3940 YD1 | 15-AUG-91 | YD1 | | | |
| D | | MIL-D-22825C NOTICE 1 | DEHYDRATORS, DESICCANT, REFRIGERANT 12 [VALIDATION DATE: 8710] USER: MC REVIEWER: CE GS MD SH | A | 4130 GL | 01-OCT-87 GL | YD1 | 99 | | |
| D | | MIL-R-22827E | REFUSE CONTAINER, HOISTING UNITS USER: MC REVIEWER: GS | A | 3990 YD1 | 30-JUN-89 ME | YD1 | | | |
| D | | MIL-H-22832B NOTICE 1 | HEAT INTERCHANGER, REFRIGERANT 12 [VALIDATION DATE: 8710] USER: CE MC REVIEWER: GS ME | A | 4130 GL | 01-OCT-87 GL | YD1 | 82 | | |

| Action | GRL / QML Cross-reference Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-S-22833C NOTICE 1 | STRAINERS, SEDIMENT, REFRIGERANT 12 (VALIDATION DATE: 8806) USER: ME SH REVIEWER: GS | A | 4130 GL | 30-JUN-88 | GL | YD1 | 99 | |
| L | | MIL-I-22834A(1) | INSULATION, ELECTRICAL, DIELECTRIC BARRIER, LAMINATED, PLASTIC FILM AND SYNTHETIC FIBER MAT (VALIDATION DATE: 8104) USER: ME REVIEWER: GS MI | A | 5970 SH | 27-APR-64 | | SH | | |
| D | | MIL-F-22839D | FURNITURE, MODULAR TYPE, STEEL, FIELD OFFICE USER: OS REVIEWER: 84 ..... | A | 7110 YD1 | 17-NOV-88 | GL | YD1 | 99 | |
| L | | MIL-C-22845A NOTICE 1 | CARTRIDGE, DELAY, MARK 35 MOD 0 (VALIDATION DATE: 8704) ..... | A | 1377 AS | 10-APR-87 | | AS | | |
| L | | MIL-A-22847(1) | AIR REFUELING STORE SYSTEM, D-704 (VALIDATION DATE: 8407) ..... | A | 1680 AS | 31-MAY-61 | | AS | | |
| L | | MIL-C-22848B | CARTRIDGE, IMPULSE, MARK 37 MOD 0 (VALIDATION DATE: 8407) ..... | A | 1377 AS | 27-OCT-70 | | AS | | |
| Q | | MIL-L-22851D | LUBRICATING OIL, AIRCRAFT PISTON ENGINE (ASHLESS DISPERSANT) USER: MC REVIEWER: 68 AV OS PS | A | 9150 AS | 01-DEC-90 | MR | AS | 11 | |
| QL | | MIL-A-22858A(5) | ATTITUDE INDICATING SYSTEM, REMOTE, STANDBY, TWO INCH (VALIDATION DATE: 8303) REVIEWER: GS | A | 6610 AS | 20-JUL-73 | | AS | | |
| L | | MIL-I-22867 | INSIGNIA, SLEEVE, SHIELD, PRINTED (VALIDATION DATE: 7005) USER: 45 REVIEWER: CT | A | 8455 CG | 29-MAR-61 | | CG | | |
| L | | MIL-H-22868 | HYDROGEN PEROXIDE, E-STABILIZED, 70 PERCENT AND 90 PERCENT (FOR TORPEDO USE) (VALIDATION DATE: 8107) | A | 6810 OS | 21-MAR-61 | | OS | | |
| L | | MIL-C-22869 | COMPUTER, HELICOPTER PERFORMANCE (VALIDATION DATE: 8410) ..... | A | 6605 AS | 19-JAN-61 | | AS | | |
| L | | MIL-P-22871A | PROBES, CAPACITOR TYPE, FUEL QUANTITY GAGE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8203) REVIEWER: GS | A | 6680 AS | 30-JAN-62 | | AS | | |
| L | | MIL-C-22873A | CONVERTER - SHIFT REGISTER GROUP AN/UGA-3 () (VALIDATION DATE: 8104) ..... | A | 5815 EC | 17-SEP-68 | | EC | | |
| L | | MIL-H-22881D | HEATER, WATER, STEAM HEATED, NON-STORAGE TYPE (COMPLETE WITH CONTROL ACCESSORIES) (VALIDATION DATE: 8106) REVIEWER: CS | A | 4520 SH | 13-OCT-71 | | SH | | |
| Q | | MIL-S-22885E SUPPL 1A1 | SWITCHES, PUSHBUTTON, ILLUMINATED, MOMENTARY AND PUSH-PULL, 2 CIRCUIT, 5 AMPERES USER: 19 AR MC SH REVIEWER: 99 AS AV ES MI OS | A | 5930 EC | 11-MAR-92 | ER | EC | 85 | |
| | | MIL-S-22885/1G | SWITCH, PUSH BUTTON, ILLUMINATED LENSES (SCREW-IN, T-1-3/4 MFB LAMP) (VALIDATION DATE: 9103) USER: 19 AS AT AV MC ME OS SH REVIEWER: 17 85 AR ES | A | 5930 EC | 22-MAR-91 | ER | EC | 11 | |
| A | | MIL-S-22885/8G | SWITCH, PUSH BUTTON, ILLUMINATED, MOMENTARY AND PUSH-PULL, 2 CIRCUIT, 5 AMPERES USER: 19 AR AS AT AV MC ME SH REVIEWER: 99 ES MI | A | 5930 EC | 23-APR-93 | ER | EC | 85 | |
| | | MIL-S-22885/9K(1) | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, (MODULAR CONSTRUCTED) (VALIDATION DATE: 9103) USER: 19 MC OS SH REVIEWER: 17 99 AS AV ES MI | A | 5930 EC | 22-MAR-91 | ER | EC | 85 | |
| | | MIL-S-22885/10G(1) | SWITCH, PUSH BUTTON, ILLUMINATED INDICATOR LIGHT FOR, MODULAR, 4-LAMP (VALIDATION DATE: 9103) USER: 19 AR MC OS SH REVIEWER: 17 99 AS AV ES MI | A | 5930 EC | 22-MAR-91 | ER | EC | 85 | |
| M | | MIL-S-22885/11G | SWITCH, PUSH BUTTON, ILLUMINATED, MODULAR SWITCH ASSEMBLIES FOR USER: 19 AR AT AV MC ME SH REVIEWER: 99 AS ES MI | A | 5930 EC | 14-MAY-93 | ER | EC | 85 | |
| | | MIL-S-22885/12E | SWITCH SUBASSEMBLY, COLOR FILTERS (FOR SWITCH, PUSH BUTTON, ILLUMINATED) USER: AT AV MC ME OS SH REVIEWER: 99 AS ES MI | A | 5930 EC | 04-DEC-87 | ER | EC | 17 | |
| | | MIL-S-22885/13G | SWITCH, PUSH BUTTON, ILLUMINATED PANEL SEAL FOR USER: 17 AR MC ME OS SH REVIEWER: 85 AS ES MI | A | 5930 EC | 04-DEC-87 | ER | EC | 11 | |
| | | MIL-S-22885/15D(1) | SWITCHES, PUSH, ILLUMINATED, 4 - LAMP, CLIP MOUNTED (MODULAR CONSTRUCTED) USER: 19 AR AS AT AV MC OS SH REVIEWER: 99 ES MI | A | 5930 EC | 22-AUG-91 | ER | EC | 85 | |
| | | MIL-S-22885/16D | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, CLIP MOUNTED, LIGHT MODULE FOR (VALIDATION DATE: 9103) USER: 19 AR AS AT AV MC ME OS SH REVIEWER: 11 17 99 ES MI | A | 5930 EC | 22-MAR-91 | ER | EC | 85 | |
| | | MIL-S-22885/18G | SWITCH, PUSH BUTTON, ILLUMINATED, DRIP PROOF SEAL, MOMENTARY AND ALTERNATE ACTION (DPDT/TWO CIRCUIT - 2 AMPERES) USER: 19 AS MC SH REVIEWER: 17 99 AV ES MI OS | A | 5930 EC | 20-JUL-88 | ER | EC | 85 | |
| I | | MIL-S-22885/19G | SWITCH, PUSH BUTTON, ILLUMINATED, LENSES FOR (SNAP-IN, T-1-3/4 MFB LAMP) (INACTIVE FOR NEW DESIGN) USER: 19 AR AT AV MC ME OS SH REVIEWER: 17 99 AS ES | A | 5930 EC | 20-JUL-88 | ER | EC | 85 | |
| I | | MIL-S-22885/22E | SWITCH, PUSH BUTTON, ILLUMINATED, LENSES FOR (SCREW-IN, T-1-3/4 MFB LAMP) (INACTIVE FOR NEW DESIGN) USER: 19 AR AS AT MC ME REVIEWER: 11 17 ES OS SH | A | 5930 EC | 20-JUL-88 | ER | EC | 85 | |
| I | | MIL-S-22885/26A | SWITCH ASSEMBLIES, STYLE-SL07 (10 AMPERE - DOUBLE BREAK) (VALIDATION DATE: 9103) USER: 14 19 AT AV ME REVIEWER: 11 17 AS ES MI OS SH | A | 5930 EC | 22-MAR-91 | ER | EC | 85 | |
| I | | MIL-S-22885/27C | SWITCH, PUSH BUTTON, ILLUMINATED, SWITCH HOUSINGS FOR, 10 AMPERES, DOUBLE BREAK (VALIDATION DATE: 9103) USER: 19 AT AV MC ME OS SH REVIEWER: 17 AS ES MI | A | 5930 EC | 22-MAR-91 | ER | EC | 85 | |
| I | | MIL-S-22885/28B | SWITCH, PUSH BUTTON, ILLUMINATED LENSES, STYLE L15 (VALIDATION DATE: 9103) USER: 19 AT MC ME REVIEWER: 11 17 99 AS ES MI OS SH | A | 5930 EC | 22-MAR-91 | ER | EC | 85 | |
| A | | MIL-S-22885/52B | SWITCH, PUSHBUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH PLANAR COLOR FILTERS) USER: 19 AR AS MC ME OS REVIEWER: 99 ES MI SH | A | 5930 EC | 19-FEB-93 | ER | EC | 85 | |
| A | | MIL-S-22885/53C | SWITCH, PUSHBUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH LAMP-CAP COLOR FILTERS) USER: 19 AR AS MC ME OS REVIEWER: 99 ES MI SH | A | 5930 EC | 19-FEB-93 | ER | EC | 85 | |
| A | | MIL-S-22885/54C | SWITCH, PUSHBUTTON, ILLUMINATED, COLOR FILTER FOR, PLANAR DESIGN USER: 19 AR AS MC ME OS REVIEWER: 99 ES MI SH | A | 5930 EC | 19-FEB-93 | ER | EC | 85 | |
| A | | MIL-S-22885/55E | SWITCH, PUSHBUTTON, ILLUMINATED CAP, COLOR FILTER FOR, LAMP-CAP DESIGN USER: 19 AR AS MC ME OS REVIEWER: 99 ES MI SH | A | 5930 EC | 19-FEB-93 | ER | EC | 85 | |
| | | MIL-S-22885/56F(1) | SWITCH, PUSH BUTTON, ILLUMINATED, 2PDT, 4PDT AND INDICATOR ASSEMBLIES, 4-LAMP, SOLID MOUNTING USER: 19 AR AS MC ME OS REVIEWER: 99 ES MI SH | A | 5930 EC | 22-AUG-91 | ER | EC | 85 | |
| | | MIL-S-22885/58F(1) | SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, SOLID MOUNT, 3 AMPERES, UNSEALED USER: MC OS SH REVIEWER: 19 99 AS AV ES MI | A | 5930 EC | 19-JUL-91 | ER | EC | 85 | |
| | | MIL-S-22885/59C | SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, LENS ARRANGEMENTS FOR USER: MC OS SH REVIEWER: 17 19 99 AS AV ES MI | A | 5930 EC | 20-DEC-89 | ER | EC | 85 | |
| | | MIL-S-22885/67F | SWITCH, PUSHBUTTON, ILLUMINATED, 4 LAMP, 0.75 SQUARE, 7 AMPERES, ELECTROMAGNETIC INTERFERENCE SHIELDED (VALIDATION DATE: 8601) USER: 19 AR MC SH REVIEWER: 17 99 AS AV ES MI OS | A | 5930 EC | 25-OCT-79 | ER | EC | 85 | |
| M | | MIL-S-22885/71B NOTICE 1 | SWITCH, PUSH, ILLUMINATED, 4 LAMP, RFI SHIELDED (VALIDATION DATE: 9305) USER: 11 70 84 SA REVIEWER: 99 ES MI SH | A | 5930 85 | 28-MAY-93 | ER | EC | 85 | |
| | | MIL-S-22885/74F | SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, PLUG-IN MODULE (INSERTABLE TYPE TERMINATION) (VALIDATION DATE: 9103) USER: 19 AR AS MC OS SH REVIEWER: 17 99 AV ES MI | A | 5930 EC | 22-MAR-91 | ER | EC | 85 | |
| | | MIL-S-22885/75D | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.87 SQUARE, 7 AMPERES, ELECTROMAGNETIC INTERFERENCE SHIELDED USER: 11 AR MC REVIEWER: 99 AS AV ES ME OS SH | A | 5930 EC | 25-JUL-90 | ER | EC | 85 | |
| | | MIL-S-22885/77C(1) | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.75 SQUARE, 7.5 AMPERES, AND LOW LEVEL INTEGRATED WIRE TERMINATION, ELECTROMAGNETIC INTERFERENCE SHIELDED, SUNLIGHT READABLE USER: 19 AR MC SH REVIEWER: 17 99 AS AV ES MI OS | A | 5930 EC | 26-MAR-91 | ER | EC | 85 | |
| LI | | MIL-S-22885/78A | SWITCH, PUSHBUTTON, ILLUMINATED, COLOR FILTER FOR REVIEWER: ES ..... | A | 5930 EC | 20-DEC-89 | | EC | | |
| | | MIL-S-22885/79C | SWITCHES, PUSH BUTTON, ILLUMINATED, MOMENTARY, SPDT AND DPDT, ONE LAMP, 7 AMPERE SILVER CONTACTS, 1 AMPERE GOLD CONTACT (VALIDATION DATE: 9103) USER: 19 AR MC REVIEWER: 17 99 AS AV ES MI OS | A | 5930 EC | 22-MAR-91 | ER | EC | 85 | |
| A | | MIL-S-22885/80E(3) | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK RESISTANT USER: 19 AR AS MC OS SH REVIEWER: 99 AV DS ES MI | A | 5930 EC | 24-FEB-93 | ER | EC | 85 | |
| M | | MIL-S-22885/81A NOTICE 1 | SWITCHES, PUSH BUTTON, ILLUMINATED, 5 AMPERES, 1 LAMP, DRIPPROOF (VALIDATION DATE: 9305) USER: 11 70 84 SA REVIEWER: 99 ES MI SH | A | 5930 85 | 28-MAY-93 | ER | EC | 85 | |
| L | | MIL-S-22885/82B | SWITCH, PUSH BUTTON, ILLUMINATED, LENS ASSEMBLIES FOR, .665 SQ AND .916 LG X .665 WIDE | A | 5930 EC | 05-FEB-90 | | EC | | |
| LI | | MIL-S-22885/83D NOTICE 1 | SWITCH, PUSH BUTTON, ILLUMINATED, (2.330 LONG X .750 SQUARE) REVIEWER: 99 ES | A | 5930 85 | 27-JUN-90 | | | 85 | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-S-22885/84B NOTICE 1 | SWITCH, PUSHBUTTON, ILLUMINATED, MOMENTARY AND ALTERNATE ACTION, 4 LAMP, 7 AMPERES (2.43 LONG X .875 SQUARE) [VALIDATION DATE: 8809] REVIEWER: 99 | A | 5930 | 85 | 30-SEP-88 | | 85 | | |
| | | MIL-S-22885/85C | SWITCH, PUSH BUTTON, ILLUMINATED, LENS PLATE FOR, 1.030 LONG X .730 WIDE [VALIDATION DATE: 9103] USER: 19 AR MC OS SH REVIEWER: 17 99 AS AV ES MI | A | 5930 | EC | 22-MAR-91 | ER | EC | 85 | |
| L | | MIL-S-22885/86B | SWITCH, PUSH BUTTON, ILLUMINATED, 4 LAMP, .870 SQUARE, 2 AMPERES, 2PDT AND 4PDT, PLUG-IN MODULE, EMI/RFI SHIELDING | A | 5930 | EC | 21-DEC-89 | | EC | | |
| | | MIL-S-22885/87B | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, MODULAR CONSTRUCTED, HIGH IMPACT SHOCK USER: 19 AS AT AV MC ME OS SH REVIEWER: 17 99 ES | A | 5930 | EC | 08-NOV-91 | ER | EC | 85 | |
| | | MIL-S-22885/88A | SWITCH, PUSH BUTTON, ILLUMINATED, HIGH IMPACT SHOCK, MODULAR SWITCH ASSEMBLIES FOR [VALIDATION DATE: 9103] USER: 19 AR AT AV MC ME REVIEWER: 17 99 AS ES MI OS SH | A | 5930 | EC | 22-MAR-91 | ER | EC | 85 | |
| L | | MIL-S-22885/89A NOTICE 1 | SWITCH, PUSHBUTTON, ILLUMINATED, SINGLE LAMP, 7 AMPERES, MOMENTARY ACTION [VALIDATION DATE: 8905] REVIEWER: 99 MI | A | 5930 | 85 | 31-MAY-89 | | 85 | | |
| | | MIL-S-22885/90B | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, LOW LEVEL TO 7 AMPERES, (DRIPPROOF, EMI/RFI SHIELDING, NIGHT VISION GOGGLE COMPATIBLE) USER: 19 AR MC OS SH REVIEWER: 17 99 AS AV OS ES MI | A | 5930 | EC | 23-JUN-89 | ER | EC | 85 | |
| | | MIL-S-22885/91B | SWITCH, PUSH BUTTON, ILLUMINATED, ROCKER, PADDLE, SOLID STATE HALL EFFECT, UNSEALED [VALIDATION DATE: 9103] USER: 13 OS REVIEWER: 11 99 ES MI | A | 5930 | EC | 22-MAR-91 | ER | EC | 85 | |
| | | MIL-S-22885/92A(2) | SWITCH, PUSHBUTTON, ILLUMINATED, ROCKER, PADDLE, POWER DUTY, UNSEALED USER: 13 OS REVIEWER: 99 ES | A | 5930 | EC | 27-SEP-91 | | EC | 85 | |
| | | MIL-S-22885/93B(1) | SWITCH, PUSH BUTTON, ILLUMINATED, ROCKER, PADDLE, LOGIC LOAD TO 3 AMPERES, UNSEALED [VALIDATION DATE: 9103] USER: 13 OS REVIEWER: 11 99 ES MI | A | 5930 | EC | 22-MAR-91 | ER | EC | 85 | |
| M L | | MIL-S-22885/96B(1) | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, RFI SHIELDED REVIEWER: ES ..... | A | 5930 | EC | 04-JUN-93 | | EC | | |
| | | MIL-S-22885/99(1) | SWITCH, PUSH BUTTON, ILLUMINATED, PUSH BUTTONS FOR (SNAP-IN AND SCREW-IN) USER: 19 AS MC SH REVIEWER: 99 AV ES MI OS | A | 5930 | EC | 25-JUN-92 | ER | EC | 85 | |
| L | | MIL-S-22885/100(1) NOTICE 1 | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SPDT & DPDT, 7.5 AMPERES, SILVER CONTACTS, 1 AMPERE, GOLD CONTACTS (DRIPPROOF, SUNLIGHT READABLE, RFI SHIELDED) [VALIDATION DATE: 8905] | A | 5930 | 85 | 31-MAY-89 | | 85 | | |
| L | | MIL-S-22885/101B | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SPDT AND DPDT, 5.0 AMPERES SILVER CONTACTS, 1 AMPERE MAX, GOLD CONTACTS, DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED, NVIS COMPATIBLE USER: 19 REVIEWER: 99 | A | 5930 | 85 | 11-DEC-90 | | 85 | | |
| L | | MIL-S-22885/102A NOTICE 1 | SWITCH, PUSHBUTTON, 4-LAMP, PUSHBUTTON & LENS ASSEMBLIES FOR, .610 SQUARE (DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED) [VALIDATION DATE: 8905] | A | 5930 | 85 | 31-MAY-89 | | 85 | | |
| L | | MIL-S-22885/103(1) | SWITCHES, PUSHBUTTON, ILLUMINATED, 2 AMPERES, 2PDT, 4PDT AND INDICATOR, 4 LAMP, SUNLIGHT READABLE (EMI/RFI SHIELDING, MODULAR CONSTRUCTION) | A | 5930 | EC | 19-JUN-92 | | EC | | |
| L | | MIL-S-22885/104A | SWITCH, PUSHBUTTON, ILLUMINATED, 4 LAMP, SUNLIGHT READABLE (FOR ILLUMINATED PUSHBUTTON SWITCH) | A | 5930 | EC | 10-OCT-89 | | EC | | |
| L | | MIL-S-22885/105(1) | SWITCH, PUSHBUTTON, ILLUMINATED, PLUG-IN, SWITCH MODULE FOR, 2PDT, 4PDT ... | A | 5930 | EC | 19-JUN-92 | | EC | | |
| | | MIL-S-22885/108B | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, SPDT, DPDT, 4PDT SILVER CONTACTS - 2 CIRCUIT (5 AMPERES) OR SPDT (7.5 AMPERES); GOLD CONTACTS - LOW LEVEL TO 1 AMPERE, SUNLIGHT READABLE DISPLAY (DRIPPROOF, WATERTIGHT, SPLASHPROOF, EMI/RFI SHIELDING, HIGH IMPACT SHOCK RESISTANT, COMMON TERMINATION SYSTEM, NIGHT VISION (GOGGLE COMPATIBLE) USER: AT REVIEWER: 99 MI | A | 5930 | EC | 10-DEC-91 | ER | EC | 85 | |
| | | MIL-S-22885/109A | SWITCHES, PUSH BUTTON, ILLUMINATED 4-LAMP, .75 SQUARE, 4PDT AND DPDT, 7 AMPERES, SUNLIGHT READABLE DISPLAY OPTION, NVIS COMPATIBLE OPTION, MOMENTARY AND ALTERNATE HOLDDOWN, LOW TOUCH TEMPERATURE, CONNECTOR MODULE TERMINATION OPTION | A | 5930 | 85 | 16-FEB-90 | | | 99 | ES |
| L | | MIL-S-22885/110 | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SUNLIGHT READABLE, NIGHT VISION IMAGING SYSTEM COMPATIBLE, EMI/RFI SHIELDED, DRIPPROOF, SNAP ACTION, 4PDT, MOMENTARY, ALTERNATE REVIEWER: 99 ES | A | 5930 | 85 | 31-MAR-92 | | | 85 | |
| A L | | MIL-S-22885/111 | SWITCHES, PUSHBUTTON, LIGHT EMITTING DIODE (LED) ILLUMINATED, STANDARD, NIGHT VISION IMAGING SYSTEM (NVIS) AND SUNLIGHT READABLE DISPLAYS, SPDT AND DPDT, LOW LEVEL TO 7 AMPERES, SEALED AND UNSEALED, SOLDER AND COMMON TERMINATION SYSTEM (CTS) TERMINATIONS REVIEWER: ES | A | 5930 | EC | 14-AUG-92 | | EC | | |
| L | | MIL-A-22889(2) | AMPLIFIER, ERROR LEVEL, ASSEMBLY ..... | A | 1290 | OS | 27-JAN-87 | | OS | | |
| L | | MIL-R-22890(2) | RECTIFIER, ERROR METER, ASSEMBLY ..... | A | 1290 | OS | 27-JAN-87 | | OS | | |
| L | | MIL-A-22891(2) | AMPLIFIER, ERROR LIGHT, ASSEMBLY ..... | A | 1290 | OS | 27-JAN-87 | | OS | | |
| D | | MIL-C-22894F | CLEANER, STEAM, PRESSURE JET, WHEEL-MOUNTED USER: MC REVIEWER: CS ..... | A | 4940 | YD1 | 26-JUL-89 | AL | YD1 | 99 | |
| L | | MIL-C-22896A(1) | CONTACTOR [VALIDATION DATE: 8204] ..... | A | 1355 | OS | 23-DEC-69 | | OS | | |
| QL | | MIL-W-22900A(2) | WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE F [VALIDATION DATE: 8103] REVIEWER: 99 GS | A | 6660 | AS | 26-JUL-68 | | AS | | |
| | | MIL-C-22909B SUPPL 1A1 | CRIMPING TOOL, TERMINAL AND CONNECTOR CONTACT, HYDRAULIC OPERATED [VALIDATION DATE: 8207] USER: OS REVIEWER: 85 EC GL | A | 5130 | AS | 04-DEC-72 | CR | AS | 11 | |
| L | | MIL-E-22911D(2) NOTICE 1 | ELECTRONIC PANEL (FOR TORPEDO MARK 37 MOD 2)(INACTIVE FOR NEW DESIGN) ..... | A | 1355 | OS | 31-OCT-86 | | OS | | |
| L | | MIL-C-22912B | CONTROLLER, STEERING (FOR TORPEDO MARK 37 MOD 2) [VALIDATION DATE: 8403) .. | A | 1355 | OS | 09-SEP-70 | | OS | | |
| L | | MIL-T-22913C NOTICE 1 | TIMER (FOR TORPEDO MARK 37 MOD 2) (INACTIVE FOR NEW DESIGN) ..... | A | 1355 | OS | 31-OCT-86 | | OS | | |
| | | MIL-R-22928B NOTICE 1 | RECEIVER, LIQUID REFRIGERANT 12 [VALIDATION DATE: 8708] USER: MC REVIEWER: GS MD ME SS | A | 4130 | GL | 03-AUG-87 | GL | | | |
| | | MIL-C-22931B(1) SUPPL 1A1 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8304] USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 AR AV IS MI | A | 6145 | EC | 16-DEC-76 | CR | EC | 85 | |
| | | MIL-C-22931/9 | CABLE, RADIO FREQUENCYSEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .500 AND .530 INCH OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 8601] USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 AR ES IS | A | 6145 | EC | 10-FEB-68 | CR | EC | 85 | |
| | | MIL-C-22931/10 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .500 INCH OUTSIDE DIAMETER, 75 OHMS [VALIDATION DATE: 8601] USER: 19 AS AT MC ME OS REVIEWER: 11 17 AR ES IS | A | 6145 | EC | 10-FEB-68 | CR | EC | 85 | |
| | | MIL-C-22931/11A | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .875 TO 1.005 INCHES OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 8404] USER: 19 AS AT MC ME OS REVIEWER: 11 17 AR ES IS MI | A | 6145 | EC | 20-JAN-72 | CR | EC | 85 | |
| | | MIL-C-22931/12 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .875 TO 1.005 INCHES OUTSIDE DIAMETER, 75 OHMS [VALIDATION DATE: 8601] USER: 19 AT AV MC ME OS REVIEWER: 11 17 ES IS | A | 6145 | EC | 10-FEB-68 | CR | EC | 85 | |
| | | MIL-C-22931/13A | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 1.625 TO 1.830 INCHES OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 8404] USER: 19 AS AT MC ME OS REVIEWER: 11 17 ES IS MI | A | 6145 | EC | 20-JAN-72 | CR | EC | 85 | |
| | | MIL-C-22931/14 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 1.625 INCHES OUTSIDE DIAMETER, 75 OHMS [VALIDATION DATE: 8601] USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 ES | A | 6145 | EC | 10-FEB-68 | CR | EC | 85 | |
| | | MIL-C-22931/15A(2) | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 2.850 AND 3.125 INCHES OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 8304] USER: 19 AS AT MC ME OS REVIEWER: 11 17 AR ES IS MI | A | 6145 | EC | 11-FEB-77 | CR | EC | 85 | |
| | | MIL-C-22931/16 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC 3.125 INCHES OUTSIDE DIAMETER, 75 OHMS [VALIDATION DATE: 8601] USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 AR ES IS | A | 6145 | EC | 10-FEB-68 | CR | EC | 85 | |
| A L | | MIL-C-22931/17 NOTICE 2 | CABLES, RADIO FREQUENCY SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .495 INCH OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 9301] REVIEWER: 17 | A | 6145 | 85 | 20-JAN-93 | | | 11 | |
| A L | | MIL-C-22931/18 NOTICE 2 | CABLES, RADIO FREQUENCY SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC 0.620 INCH OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 9301] | A | 6145 | 85 | 20-JAN-93 | | | 11 | |
| L | | MIL-C-22937 NOTICE 1 | CONTROL-MONITOR DCU-74/A [VALIDATION DATE: 9110] ..... | A | 5821 | AS | 16-OCT-91 | | AS | | |

| Action | Qty / Date Cancellation Notice | Document Number | Document Title | Date, Status, FSC / Area, MCA, Symbol, Preparing Activity, Date | | | Cust Army | Cust Navy | Cust Air Force | Cust DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-T-22939B(1) NOTICE 1 | TEST SET, TORPEDO, MARK 393 MOD 0 (INACTIVE FOR NEW DESIGN) [VALIDATION | A 4921 | OS | 08-SEP-75 | | OS | | |
| D L | | MIL-C-22948D | COOLERS, AIR, EVAPORATIVE | A 4120 | YD1 | 10-JUL-89 | | YD1 | | |
| L | | MIL-I-22951 | TEST HARNESS, RADIO SET AN/ARM-46(*) [VALIDATION DATE: 8103] REVIEWER: CS | A 4940 | AS | 24-JUL-61 | | AS | | |
| L | | MIL-C-22954B(1) | CONTROL, RADIO SET C-1138()/UR [VALIDATION DATE: 8404] | A 5820 | EC | 08-AUG-78 | | EC | | |
| D L | | MIL-M-22957E | MIXER, PLASTER, & MORTAR, WHEEL-MOUNTED, 5-1/2 CUBIC FOOT MINIMUM CAPACITY | A 3895 | YD1 | 19-NOV-88 | | YD1 | | |
| L | | MIL-C-22959(1) | CONTROL, RADIO SET C-1207()/UR [VALIDATION DATE: 8204] REVIEWER: SH | A 5820 | EC | 09-APR-62 | | EC | | |
| L | | MIL-I-22960A | RADAR INDICATORS FOR NAVAL SURFACE SHIPS, SUBMARINES AND SHORE INSTALLATIONS REVIEWER: EC | A 5840 | SH | 08-JAN-87 | | SH | | |
| L | | MIL-D-22962 | DIVING APPARATUS, SELF CONTAINED DEMAND TYPE [VALIDATION DATE: 8104] | A 4220 | SH | 20-SEP-61 | | SH | | |
| L | | MIL-F-22963B(1) | FILTER, AIR, ELECTROSTATIC (PRECIPITATOR) [ POWER SUPPLY FOR ENVIRONMENTAL CONTROL SYSTEMS USER: | A 4460 | SH | 08-JUL-85 | | SH | | |
| L | | MIL-P-22968B | PAPER, RECORDING, HEAT SENSITIVE | A 7530 | AS | 05-NOV-84 | | AS | | |
| D | | MIL-C-22972E | CRANES, TRUCK MOUNTED, TWO-ENGINE [ CE TYPE BOOM,DED USER: MC REVIEWER: CS | A 3810 | YD1 | 30-OCT-87 | | YD1 | | 99 |
| Q | | MIL-F-22978A | FASTENER, ROTARY, QUICK-OPERATING, HIGH-STRENGTH (ASG) [VALIDATION DATE: 8204] REVIEWER: 82 IS MI | A 5325 | AS | 10-JUN-63 | | AS | | 99 |
| 9Q | | MIL-C-22992E(5) SUPPL 1A1 | CONNECTOR, PLUGS AND RECEPTACLES, ELECTRICAL, WATERPROOF, QUICK DISCONNECT, HEAVY DUTY TYPE GENERAL SPECIFICATION FOR USER: 14 19 MC ME OS SH REVIEWER: 11 AR AS ES MI YD1 | A 5935 | EC | 30-SEP-86 | CR | EC | | 85 |
| QL | | MIL-S-22999B | STARTER, AIRCRAFT ENGINE, HYDRAULIC GENERAL SPECIFICATION FOR REVIEWER: 99 | A 2995 | AS | 15-JUN-81 | | AS | | |
| L | | MIL-S-22999/1 | STARTER, AIRCRAFT ENGINE, HYDRAULIC FOR T58 ENGINE [VALIDATION DATE: 8707] | A 2995 | AS | 07-JUL-87 | | AS | | |
| L | | MIL-S-22999/2A | STARTER, AIRCRAFT ENGINE, HYDRAULIC FOR T64 ENGINE | A 2995 | AS | 06-JUN-86 | | AS | | |
| L | | MIL-D-23000(2) | DECODER GROUP OA-3369(*)/APX-7 [VALIDATION DATE: 8103] | A 5895 | AS | 15-JUN-63 | | AS | | |
| N | | MIL-E-23001B | ELECTRIC GENERATING SYSTEM, VARIABLE SPEED CONSTANT FREQUENCY, AIRCRAFT - GENERAL SPECIFICATION FOR [VALIDATION DATE: 8203] REVIEWER: AV GS | A 6115 | AS | 28-JUN-76 | | AS | | 11 |
| QL | | MIL-E-23001/3D(1) | ELECTRIC GENERATING SYSTEM, AIRCRAFT, VSCF, 20 KVA, 115/200 VOLT, 3 PHASE, 400 HZ [VALIDATION DATE: 8306] REVIEWER: GS | A 6115 | AS | 25-MAR-77 | | AS | | |
| DQL | | MIL-D-23003A(1) | DECK COVERING COMPOUND, NONSLIP, ROLLABLE USER: YD1 | A 5610 | SH | 17-APR-89 | | SH | | |
| L | | MIL-P-23004A NOTICE 1 | POD (FOR GUN POD MARK 4 MOD 0) (INACTIVE) [VALIDATION DATE: 8304] | A 1005 | AS | 13-MAY-64 | | AS | | |
| L | | MIL-S-23008D | STEEL CASTINGS, ALLOY, HIGH YIELD STRENGTH (HY-80 AND HY-100) | A MECA | SH | 25-JUN-88 | | SH | | |
| L | | MIL-S-23009C | STEEL FORGINGS, ALLOY, HIGH YIELD STRENGTH (HY-80 AND HY-100) REVIEWER: IS | A FORG | SH | 10-DEC-87 | | SH | | |
| L1 | | MIL-C-23010A | GUN MECHANISM, 20MM, MARK 11 MOD 5 (ASSEMBLY) | A 1005 | AS | 21-AUG-89 | | AS | | |
| | | MIL-I-23011C | IRON NICKEL ALLOYS FOR SEALING TO GLASSES AND CERAMICS [VALIDATION DATE: 8003] USER: 17 AT AV MI OS REVIEWER: 99 ME | A 9505 | AS | 29-MAY-74 | MW | AS | | 11 |
| L | | MIL-S-23012A(1) | SUBMARINE INTERCOMMUNICATION SYSTEM AN/WIC-(V) [VALIDATION DATE: 8104] | A 5830 | SH | 25-FEB-66 | | SH | | |
| L | | MIL-R-23014 NOTICE 1 | RELAY ASSEMBLY, ARMING, MAGNETIC MYU-7(*)/A24 AND HACK, ELECTRICAL EQUIPMENT MTU-6(*)/A24 [VALIDATION DATE: 8203] REVIEWER: GS | A 5895 | AS | 22-DEC-61 | | AS | | |
| L | | MIL-R-23016(3) NOTICE 1 | RADIO SET AN/ARC-94 [VALIDATION DATE: 9110] | A 5821 | AS | 16-OCT-91 | | AS | | |
| L | | MIL-M-23017 NOTICE 1 | MOTOR-TACHOMETER GENERATOR, TEMPERATURE COMPENSATED [VALIDATION DATE: 8701] | A 1290 | OS | 21-JAN-87 | | OS | | |
| D L | | MIL-F-23019E | FINISHING MACHINES, CONCRETE, ROTARY, POWER DRIVEN, HAND CONTROLLED | A 3895 | YD1 | 27-NOV-91 | | YD1 | | |
| L | | MIL-C-23020B SUPPL 1A1 | CABLE, COAXIAL (FOR SUBMARINE USE) [VALIDATION DATE: 8304] REVIEWER: IS | A 6145 | EC | 12-APR-66 | | EC | | |
| L | | MIL-C-23020/1A | CABLE, COAXIAL (FOR SUBMARINE USE) TYPE RG-293A/U [VALIDATION DATE: 8601] REVIEWER: IS | A 6145 | EC | 03-JUN-68 | | EC | | |
| L | | MIL-C-23020/2A | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-294A/U [VALIDATION DATE: 8601] | A 6145 | EC | 03-JUN-68 | | EC | | |
| L | | MIL-C-23020/3 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-295/U [VALIDATION DATE: 8304] REVIEWER: IS | A 6145 | EC | 12-APR-66 | | EC | | |
| L | | MIL-C-23020/4A(1) | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-264C/U REVIEWER: IS | A 6145 | EC | 17-JUL-86 | | EC | | |
| L | | MIL-C-23020/5A | CABLE, COAXIAL (FOR SUBMARINE USE) TYPE RG-317/U [VALIDATION DATE: 8404] REVIEWER: IS | A 6145 | EC | 21-JAN-86 | | EC | | |
| L | | MIL-C-23020/6 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-14A/U [VALIDATION DATE: 8304] REVIEWER: IS | A 6145 | EC | 12-APR-66 | | EC | | |
| L | | MIL-C-23020/7B | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-17A/U [VALIDATION DATE: 8601] | A 6145 | EC | 03-JUN-68 | | EC | | |
| L | | MIL-R-23021B | ROCKET MOTOR, MANUFACTURING INERT PARTS FOR, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8504] | A 1336 | OS | 17-JUL-69 | | OS | | |
| L | | MIL-C-23024A(4) | CARTRIDGE, DELAY, MARK 36 MOD 0 [VALIDATION DATE: 8407] | A 1377 | AS | 20-MAR-78 | | AS | | |
| L | | MIL-C-23044A(2) NOTICE 1 | CHEST, COLLAPSIBLE TANK [VALIDATION DATE: 8605] USER: ME | A 4930 | MC | 30-MAY-86 | | MC | | |
| D | | MIL-J-23049C | JUG, VACUUM OR INSULATED, THERMAL EFFICIENT USER: 84 YD1 REVIEWER: MC MD TS | A 7330 | GL | 30-SEP-86 | GL | SA | | 99 |
| | | MIL-I-23053D(1) | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR REVIEWER: 80 AR DS EA EC GS MI | A 5970 | AS | 22-MAY-87 | ER | AS | | 85 |
| | | MIL-I-23053/1B NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYCHLOROPRENE, FLEXIBLE [VALIDATION DATE: 9110] REVIEWER: 99 EA EC GS MI | A 5970 | AS | 24-OCT-91 | ER | AS | | 85 |
| | | MIL-I-23053/2C(1) NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, FLEXIBLE, CROSSLINKED AND NON-CROSSLINKED (INACTIVE FOR NEW DESIGN) REVIEWER: 99 EA EC GS MI | A 5970 | AS | 01-MAY-86 | ER | AS | | 85 |
| | | MIL-I-23053/3A(1) NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI RIGID, CROSSLINKED AND NON-CROSSLINKED (INACTIVE FOR NEW DESIGN) REVIEWER: 99 AR EA EC GS MI | A 5970 | AS | 01-MAY-86 | ER | AS | | 85 |
| | | MIL-I-23053/4C(1) | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, DUAL-WALL, RIGID (OUTER WALL CROSSLINKED) USER: MC ME REVIEWER: 80 99 EC GS MI | A 5970 | AS | 29-APR-88 | ER | AS | | 85 |
| | | MIL-I-23053/5B NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE, CROSSLINKED [VALIDATION DATE: 9110] USER: MC ME REVIEWER: 99 AR EC GS MI | A 5970 | AS | 28-OCT-91 | ER | AS | | 85 |
| | | MIL-I-23053/6C NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, SEMI-RIGID, CROSSLINKED [VALIDATION DATE: 9110] USER: MC ME REVIEWER: 99 EA EC GS MI | A 5970 | AS | 28-OCT-91 | ER | AS | | 85 |
| | | MIL-I-23053/7B NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYETHYLENE TEREPHTHALATE, NON-CROSSLINKED [VALIDATION DATE: 9110] REVIEWER: 99 EA EC GS | A 5970 | AS | 28-OCT-91 | ER | AS | | 85 |
| | | MIL-I-23053/8B(1) | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYLIDENE FLUORIDE, SEMI-RIGID, CROSSLINKED REVIEWER: 99 EC GS | A 5970 | AS | 30-SEP-[illegible] | ER | AS | | 85 |
| | | MIL-I-23053/10C NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, SILICONE RUBBER, FLEXIBLE [VALIDATION DATE: 9110] USER: MC REVIEWER: 99 AR EC GS MI SH | A 5970 | AS | 28-OCT-91 | ER | AS | | 85 |
| | | MIL-I-23053/11B NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLUORINATED ETHYLENE PROPYLENE, NON-CROSSLINKED [VALIDATION DATE: 9110] USER: SH REVIEWER: 99 EC GS MI | A 5970 | AS | 28-OCT-91 | ER | AS | | 85 |
| | | MIL-I-23053/12B NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYTETRAFLUOROETHYLENE [VALIDATION DATE: 9110] REVIEWER: 99 EC GS MI | A 5970 | AS | 28-OCT-91 | ER | AS | | 85 |
| | | MIL-I-23053/13A NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLUOROELASTOMER, FLEXIBLE [VALIDATION DATE: 9110] REVIEWER: 99 EC GS MI | A 5970 | AS | 28-OCT-91 | ER | AS | | 85 |
| | | MIL-I-23053/14A NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, ETHYLENE-TETRAFLUOROETHYLENE FLUOROPOLYMER, SEMI-RIGID [VALIDATION DATE: 9110] REVIEWER: 99 EA EC GS MI | A 5970 | AS | 28-OCT-91 | ER | AS | | 85 |
| | | MIL-I-23053/15A NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE POLYOLEFIN, HEAVY-WALL, COATED, FLEXIBLE, OUTER WALL CROSSLINKED [VALIDATION DATE: 9110] | A 5970 | AS | 28-OCT-91 | ER | AS | | 85 |
| | | MIL-I-23053/16A(1) | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, CROSSLINKED, ELASTOMERIC POLYOLEFIN, FLEXIBLE USER: MC ME REVIEWER: 99 AR EC GS MI | A 5970 | AS | 29-APR-88 | ER | AS | | 85 |
| L | | MIL-I-23053/17A NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLAME RETARDED, MODIFIED, POLYOLEFIN, FLEXIBLE, CROSSLINKED [VALIDATION DATE: 9110] | A 5970 | AS | 28-OCT-91 | | AS | | |

| Action | OPR / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-I-23053/18A | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, MODIFIED FLUOROPOLYMER, CROSSLINKED USER: MC ME REVIEWER: 80 99 AR EC MI | A | 5970 | AS | ER | 31-MAY-90 | ER | AS | 85 | |
| | L | | MIL-A-23054A(1) NOTICE 1 | ACOUSTICAL ABSORPTIVE BOARD, FIBROUS GLASS PERFORATED FIBROUS GLASS CLOTH FACED (VALIDATION DATE: 9012) | A | 5640 | SH | | 24-DEC-90 | | SH | | |
| | L | | MIL-R-23057(1) | REGULATOR, COMPRESSED AIR, HIGH PRESSURE (3500 PSI) (VALIDATION DATE: 8112) | A | 4310 | AS | | 17-SEP-62 | | AS | | |
| | L | | MIL-I-23062(2) | IGNITER, MARK 247 MOD 0 (VALIDATION DATE: 8204) | A | 1336 | OS | | 22-JUL-76 | | OS | | |
| | L | | MIL-S-23069A | SAFETY REQUIREMENTS, MINIMUM, FOR AIR LAUNCHED GUIDED MISSILES | A | 1410 | AS | | 29-JUL-83 | | AS | | |
| A | | | MIL-C-23070B | CLOTH, LAMINATED, AND TAPE, COATED CLOTH, POLYISOPRENE, NATURAL OR SYNTHETIC, RUBBER ON NYLON (VALIDATION DATE: 8410) USER: 45 REVIEWER: 82 | A | 8305 | CT | GL | 30-AUG-72 | GL | AS | 99 | CT |
| AQ | | | MIL-B-23071C(3) | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT GENERAL SPECIFICATION FOR USER: 11 17 MC OS REVIEWER: AS ES GS MI SH | A | 4140 | EC | | 23-MAR-93 | ME | EC | 99 | |
| | | | MIL-B-23071/1D(1) NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT, TUBE AXIAL (26 AND 35 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 17 REVIEWER: 11 AS ES GS MI | A | 4140 | EC | | 11-FEB-91 | ME | EC | 99 | |
| | | | MIL-B-23071/2B NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (105 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 REVIEWER: AS GS MI | A | 4140 | EC | | 11-FEB-91 | ME | EC | 82 | |
| | | | MIL-B-23071/3B NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (50 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 REVIEWER: AS GS MI | A | 4140 | EC | | 11-FEB-91 | ME | EC | 82 | |
| | | | MIL-B-23071/7C NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (14, 40, 17 AND 39 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 OS SH REVIEWER: 82 AS GS MI | A | 4140 | EC | | 11-FEB-91 | ME | EC | 99 | |
| | | | MIL-B-23071/8C(1) | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBE AXIAL (69 AND 60 WATTS INPUT POWER) USER: 17 70 REVIEWER: 11 82 AS ES GS SH | A | 4140 | EC | | 28-MAY-92 | ME | EC | 99 | |
| | | | MIL-B-23071/9E NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (138 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 AS SH REVIEWER: 82 GS | A | 4140 | EC | | 11-FEB-91 | ME | EC | 99 | |
| | I | | MIL-B-23071/11B NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (9.8 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 REVIEWER: AS GS MI | A | 4140 | EC | | 11-FEB-91 | ME | EC | 82 | |
| | | | MIL-B-23071/12 NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT VANEAXIAL, (9.2 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 AS AT MC OS SH REVIEWER: 13 GS | A | 4140 | EC | | 11-FEB-91 | ME | EC | 82 | |
| | | | MIL-B-23071/25 NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (6.3, 19, 12, 12/23, 6.5/19, 16, AND 13 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 AS CS ER REVIEWER: ES GS | A | 4140 | EC | | 11-FEB-91 | ME | EC | 99 | |
| | | | MIL-B-23071/26 NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (6.5, 18, 8.2, 30, 9/15, 14, 9, AND 26 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 AS ER OS REVIEWER: ES GS | A | 4140 | EC | | 11-FEB-91 | ME | EC | 99 | |
| | | | MIL-B-23071/27 NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (9.5, 18, 12, 25, 13/22, 14, AND 24 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 AS ER OS REVIEWER: ES GS | A | 4140 | EC | | 11-FEB-91 | ME | EC | 99 | |
| | | | MIL-B-23071/29(1) NOTICE 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (30 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: AS SH REVIEWER: GS | A | 4140 | EC | | 11-FEB-91 | ME | EC | 99 | |
| | QL | | MIL-B-23072 | BLOWER, ANTI-EXPOSURE SUIT VENTILATION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8505) | A | 1660 | AS | | 27-OCT-61 | | AS | | |
| | L | | MIL-R-23074C | RUBBER TILE, RUBBER-AIR-LEAD-TYPE (RAL) | A | 9320 | SH | | 22-MAY-90 | | SH | | |
| | L | | MIL-T-23080(6) | TEST SET, D.C. POWER SUPPLY, MARK 366 MOD 1 (VALIDATION DATE: 8204) | A | 1045 | OS | | 20-FEB-70 | | OS | | |
| | L | | MIL-G-23081C(1) | GYROSCOPE INDICATOR SYSTEM, VERTICAL (VALIDATION DATE: 8103) | A | 6610 | AS | | 15-MAR-75 | | AS | | |
| | L | | MIL-G-23083C | GYROSCOPE, RATE SWITCHING MS 17399 (VALIDATION DATE: 8410) | A | 6610 | AS | | 15-JAN-72 | | AS | | |
| | L | | MIL-S-23086 | SEA ANCHOR (VALIDATION DATE: 6705) | A | 2040 | CG | | 08-NOV-61 | | CG | | |
| | L | | MIL-A-23088A | AMPLIFIER, AUDIO FREQUENCY AM-3198()/URC (VALIDATION DATE: 8204) | A | 5820 | EC | | 24-JUN-63 | | SH | | |
| | L | | MIL-C-23092B NOTICE 1 | CEMENT, NATURAL RUBBER; MAGNETIC MINESWEEPING CABLE REPAIR (VALIDATION DATE: 9102) USER: ME | A | 8040 | SH | | 07-FEB-91 | | SH | | |
| | QL | | MIL-R-23098A(6) | REGULATOR, LINE VOLTAGE, SINGLE PHASE, 400 HERTZ A.C. NAVAL SHIPBOARD (VALIDATION DATE: 8204) REVIEWER: GS | A | 6110 | SH | | 14-JUL-76 | | SH | | |
| | L | | MIL-P-23108(1) | PLUG-IN UNIT FOR TEST SET, ECHO SIMULATOR (U) (VALIDATION DATE: 7907) | A | 1355 | OS | | 09-AUG-63 | | OS | | |
| A | | | MIL-D-23119G | DRUMS, FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY USER: MC REVIEWER: 99 AT GS | A | 8110 | ME | | 15-JUL-92 | ME | SA | 69 | |
| | | | MIL-A-23121C | AIRCREW ENVIRONMENTAL, ESCAPE AND SURVIVAL COCKPIT CAPSULE SYSTEM, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8402) | A | 1680 | AS | | 23-JUN-70 | AV | AS | | |
| D | | | MIL-C-23122B NOTICE 1 | CONDENSERS, AIR COOLED, REFRIGERANT-12 (VALIDATION DATE: 9203) USER: MC REVIEWER: GS ME | A | 4130 | GL | | 27-MAR-92 | GL | YD1 | 99 | |
| | L | | MIL-T-23132A(1) NOTICE 1 | TUNGSTEN DELAY COMPOSITION (VALIDATION DATE: 9109) | A | 1375 | AS | | 25-SEP-91 | | AS | | |
| | L | | MIL-D-23134A | DECK UNDERLAY AND COVERING, INSULATING, MAGNESIA AGGREGATE MIXTURE | A | 5610 | SH | | 14-SEP-88 | | SH | | |
| | | | MIL-C-23136B | CONDENSER, REFRIGERATING, WATER COOLED, REFRIGERANT 12 (VALIDATION DATE: 8303) USER: MC MD REVIEWER: GS ME | A | 4130 | GL | | 09-JUN-77 | GL | | 99 | |
| | L | | MIL-F-23138 | FLARE, TRACKING, MK 23 MOD 0 (VALIDATION DATE: 8410) | A | 1370 | AS | | 03-JAN-62 | | AS | | |
| | L | | MIL-R-23139B | ROCKET MOTORS, SURFACE LAUNCHED, DEVELOPMENT AND QUALIFICATION REQUIREMENTS FOR (VALIDATION DATE: 8505) USER: ME | A | 1336 | OS | | 18-AUG-65 | | OS | | |
| | L | | MIL-D-23140D | DRAWINGS, INSTALLATION CONTROL, FOR ELECTRONIC EQUIPMENT | A | DRPR | SH | | 30-APR-92 | | SH | | |
| | L | | MIL-P-23141D(1) | PLOTTING TABLE, ANTI-SUBMARINE AND DEAD RECKONING (NAVAL SHIPBOARD) (VALIDATION DATE: 8104) | A | 6605 | SH | | 15-AUG-68 | | SH | | |
| | | | MIL-T-23142B NOTICE 1 | TAPE, PRESSURE-SENSITIVE ADHESIVE, FOR DISSIMILAR METAL SEPARATION (VALIDATION DATE: 9110) USER: ME REVIEWER: 69 MI | A | 7510 | AS | | 28-OCT-91 | GL | AS | 99 | |
| | L | | MIL-D-23143A | DATA, TECHNICAL AIRCRAFT, FOR DESIGN OF AVIATION TRAINING DEVICES REVIEWER: AS | A | 69GP | TD | | 15-MAR-82 | | TD | | |
| D | | | MIL-I-23145B(3) | INFLATION ASSEMBLIES, LIFE PRESERVER USER: MC YD1 REVIEWER: 11 84 AV CS SH | A | 4220 | AS | | 16-OCT-85 | ME | AS | 99 | |
| | QL | | MIL-V-23151B(4) | VOLTMETER, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE) REVIEWER: MI | A | 6625 | SH | | 03-DEC-90 | | SH | | |
| | QL | | MIL-E-23155C | ESCAPE APPLIANCE, HOODED, AIR INFLATABLE, WITH POUCH, SUBMARINE PERSONNEL USER: CS | A | 4220 | SH | | 14-SEP-81 | | SH | | |
| A | | | MIL-C-23157D | CLIPBOARD, PILOT'S, MXU-163/P, AND MARK 2A USER: 45 AV | A | 8465 | CT | | 23-JUL-79 | | AS | 99 | CT |
| | L | | MIL-C-23157D(13) | CLIPBOARD, PILOT'S, MXU-163/P AND MARK 2A | A | 8465 | AS | | 30-JAN-85 | | AS | | |
| | QL | | MIL-M-23167B(1) | METER FREQUENCY, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SWITCHBOARD USE) (VALIDATION DATE: 8312) REVIEWER: ES MI | A | 6625 | SH | | 20-OCT-78 | | SH | | |
| | | | MIL-N-23182A(1) | NETWORKS, PULSE FORMING, RADAR, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8505) | A | 5915 | EC | | 30-APR-79 | ER | EC | 85 | |
| | | | MIL-N-23182/1A(1) | NETWORK, PULSE FORMING, RADAR, TYPE PN3E202C262Q500 (VALIDATION DATE: 8505) USER: 19 AS MC MI OS SH REVIEWER: 11 17 99 AR SH | A | 5915 | EC | | 30-APR-79 | ER | EC | 85 | |
| | | | MIL-N-23182/2A(1) | NETWORK, PULSE FORMING, RADAR, TYPE PN4E331J142Q350 (VALIDATION DATE: 8505) USER: 19 AS MC MI OS SH REVIEWER: 11 17 99 AR SH | A | 5915 | EC | | 30-APR-79 | ER | EC | 85 | |
| | | | MIL-N-23182/3A(1) | NETWORK, PULSE FORMING, RADAR, TYPE PN2E302M361Q500 (VALIDATION DATE: 8505) USER: 19 AS MC MI OS SH REVIEWER: 11 17 99 AR SH | A | 5915 | EC | | 30-APR-79 | ER | EC | 85 | |
| | | | MIL-N-23182/4(1) | NETWORK, PULSE FORMING, RADAR, TYPE PN8E122J152Q150 (VALIDATION DATE: 8505) USER: 19 AS MC MI OS SH REVIEWER: 11 17 99 AR SH | A | 5915 | EC | | 30-APR-79 | ER | EC | 85 | |
| | | | MIL-N-23182/5(1) | NETWORK, PULSE FORMING, RADAR, TYPE PN3E571J202Q500 (VALIDATION DATE: 8505) USER: AS MC MI OS SH REVIEWER: 11 17 99 | A | 5915 | EC | | 30-APR-79 | ER | EC | 85 | |
| | Q | | MIL-C-23183B(1) SUPPL 1A1 | CAPACITOR, FIXED OR VARIABLE, VACUUM OR GAS DIELECTRIC, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8404) USER: 19 AS MC OS REVIEWER: 17 80 AR ES | A | 5910 | EC | | 02-SEP-82 | ER | EC | 85 | |
| | | | MIL-C-23183/5A | CAPACITOR, VARIABLE, VACUUM DIELECTRIC STYLE CG60 (VALIDATION DATE: 8404) USER: 19 AS MC OS REVIEWER: 17 ES | A | 5910 | EC | | 07-APR-72 | ER | EC | 85 | |

| Action Code | Obsl. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-23183/7B(1) | CAPACITOR, VARIABLE, VACUUM OR GAS DIELECTRIC STYLES CG65 AND CG66 (VALIDATION DATE: 8404) USER: 19 AS MC OS REVIEWER: 11 17 AR ES | A | 5910 | EC | 14-AUG-78 | ER | EC | 85 | |
| Q | | MIL-S-23190E(1) | STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLEHARNESS TYING AND SUPPORT USER: 11 AR MC ME OS SH REVIEWER: 99 AV EA EC GS MI | A | 5975 | AS | 30-DEC-87 | ER | AS | 85 | |
| | | MIL-S-23190/1A | STRAP, CLAMPS, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT (VALIDATION DATE: 8108) USER: AV EC MC ME MI OS SH REVIEWER: 99 EA | A | 5340 | AS | 27-SEP-74 | EL | AS | 85 | |
| | | MIL-S-23190/2 | STRAPS, CLAMPS, PLASTIC AND METAL, MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT CLAMP, LOOP, METAL, CUSHIONED, ADJUSTABLE, WIRE SUPPORT, TYPE V, CLASS 1 REVIEWER: 80 99 GS MS | A | 5975 | AS | 28-MAR-86 | CR | AS | 85 | |
| | | MIL-S-23190/3 | STRAP, CLAMPS, & MOUNTING HARDWARE, PLASTIC & METAL FOR CABLE HARNESS TYING & SUPPORT STRAP, TIE DOWN, ADJUSTABLE, CORROSION RESISTANT STEEL TYPE VI, CLASS 1 USER: AV MC ME OS SH REVIEWER: 80 99 AR EC GS MI MS | A | 5975 | AS | 28-MAR-86 | CR | AS | 85 | |
| L | | MIL-S-23192 | SPRING, HELICAL, AGE-HARDENABLE NICKEL CHROMIUM IRON ALLOY (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) REVIEWER: IS | A | 5360 | SH | 11-MAR-86 | | SH | | | |
| L | | MIL-S-23193D | STEEL, CORROSION RESISTANT: CASTINGS - ISSUE CONTROLLED (REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA NAVAL SEA SYSTEMS COM. CODE 09B2) | F | MECA | SH | 10-APR-87 | | SH | | | |
| L | | MIL-S-23194G | STEEL FORGINGS, CARBON & ALLOY (ISSE CONTROLLED FURTHER DISSEMINATION ONLY AS DIRECTED BY NAVAL SEASYSCOM (SEA 09B2) | F | FORG | SH | 14-AUG-87 | | SH | | | |
| L | | MIL-S-23195D(1) NOTICE 1 | STEEL BARS AND FORGINGS CORROSION RESISTANT (CONTROLLED DISTRIBUTION) REVIEWER: IS | F | 9510 | SH | 13-APR-84 | | SH | | | |
| L | | MIL-S-23196C(1) NOTICE 1 | STEEL PLATE, SHEET AND STRIP, CORROSION RESISTANT (ISSUE CONTROLLED-REQSTS BY OTHER THAN DOD ACTYS MUST BE SUBMTD VIA THE PREPARING ACTY OF THE SPEC) REVIEWER: IS | F | 9515 | SH | 13-APR-84 | | SH | | | |
| M L | | MIL-P-23199D | PACKAGING AND PACKING REQUIREMENTS FOR SPECIAL PURPOSE COMPONENTS AND REPAIRS PARTS | A | PACK | SH | 18-NOV-92 | | SH | | | |
| D | | MIL-I-23208A(1) NOTICE 1 | INDICATOR, SIGHT, LIQUID, REFRIGERANT USER: MC SH REVIEWER: 11 ..... | A | 6680 | GL | 15-APR-87 | GL | YD1 | | | |
| D | | MIL-P-23210E | PLATFORMS, ALUMINUM AND STEEL: AND ACCESSORIES (FOR SHIPS BROWS) ..... | A | 2090 | YD1 | 05-FEB-91 | ME | YD1 | | | |
| L | | MIL-C-23212B | COMMUNICATION SYSTEM, FLIGHT DECK, AN/SRC-22(V) (VALIDATION DATE: 8304) ... | A | 5820 | EC | 05-MAR-71 | | EC | | | |
| | | MIL-C-23217B(1) | COATING, ALUMINUM, VACUUM DEPOSITED (ASG) (VALIDATION DATE: 8304) REVIEWER: MI | A | MFFP | AS | 10-MAR-71 | MH | AS | 11 | | |
| L | | MIL-C-23218C | CONVEYOR, VERTICAL, TRAY TYPE, 100 POUND PACKAGE TRAY CAPACITY (SHIPBOARD USE) | A | 3910 | SH | 13-NOV-85 | | SH | | | |
| L | | MIL-V-23219 | VALVE MANIFOLDS, HIGH PRESSURE AIR REDUCING (VALIDATION DATE: 8109) ..... | A | 4730 | SH | 26-MAR-62 | | SH | | | |
| L | | MIL-D-23222A(1) | DEMONSTRATION REQUIREMENTS FOR HELICOPTERS ..... | A | 1520 | AS | 30-JUN-83 | | AS | | | |
| A L | | MIL-W-23223B | WEBBING, NYLON, SLOTTED USER: 45 ..... | A | 8305 | CT | 08-JAN-88 | | SH | | | CT |
| L | | MIL-D-23224A NOTICE 1 | DOLLY, HANDLING, MK 24 MOD 1 (VALIDATION DATE: 8809) REVIEWER: OS ..... | A | 1398 | OS | 30-SEP-88 | | OS | | | |
| | | MIL-L-23225C | LATHE, PRECISION, INSTRUMENT REVIEWER: 84 GS ..... | A | 3416 | IP | 22-APR-85 | AL | SH | 99 | | |
| L | | MIL-T-23226E(1) | TUBE AND PIPE, CORROSION-RESISTANT STEEL, SEAMLESS (ISSUE CONTROLLED-REQSTS BY OTHER THAN DOD ACTYS MUST BE SUBMTD VIA THE PREPARING ACTY OF THE SPEC) (VALIDATION DATE: 9202) REVIEWER: CS | A | 4710 | SH | 28-AUG-85 | | SH | | | |
| L | | MIL-T-23227E | TUBE & PIPE, NICKEL-CHROMIUM-IRON ALLOY (ISSUE CONTROLLED REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITED VIA THE PREPARING ACTIVITY) | A | 4710 | SH | 27-FEB-84 | | SH | | | |
| L | | MIL-N-23228C | NICKEL CHROMIUM IRON ALLOY PLATE, SHEET & STRIP (CONTROLLED DISTRIBUTION) REVIEWER: IS | B | 9535 | SH | 23-DEC-83 | | SH | | | |
| L | | MIL-N-23229C | NICKEL - CHROMIUM -IRON ALLOU ABARS & FORGINS (ISSUE CONTROLLED (REQUESTS BY OTHER THAN DOD ACT. MUST BE SUBMITTED VIA NAVAL SEA SYSTEMS COM. SEA 09B2) REVIEWER: IS | F | 9535 | SH | 12-JUN-86 | | SH | | | |
| A L | | MIL-C-23233A | COUPLINGS FOR PROPULSION UNITS, AUXILIARY TURBINES AND LINE SHAFTS, NAVAL SHIPBOARD | A | 2010 | SH | 25-NOV-92 | | SH | | | |
| L | | MIL-T-23234C | THERMOCOUPLES, CORROSION-RESISTANT, METAL SHEATHED (CONTROLLED DISTRIBUTION) | B | 6685 | SH | 11-JUL-85 | | SH | | | |
| QL | | MIL-P-23236B(2) | PAINT COATING SYSTEMS, FUEL AND SALT WATER BALLAST TANKS (METRIC) ..... | A | 8030 | SH | 30-APR-90 | | SH | | | |
| L | | MIL-P-23242B | PLASTIC COATING COMPOUND, STRIPPABLE - ELECTROPLATING ..... | A | 8030 | AS | 22-MAR-82 | | AS | | | |
| | | MIL-S-23244D | SHEARING MACHINES, METAL SQUARING, MANUALLY OPERATED USER: MC SH REVIEWER: 84 AL GS SH | A | 3445 | IP | 29-MAR-91 | | | 99 | IP | |
| | | MIL-L-23249D(3) | LATHE, ENGINE & TOOL ROOM 13 THROUGH 17 INCH USER: SH REVIEWER: GS MC ..... | A | 3416 | IP | 13-JUN-86 | AL | SH | 99 | | |
| | | MIL-L-23251E | LATHES, ENGINE AND TOOLROOM 2516 AND 3220 USER: MC REVIEWER: 84 GS ..... | A | 3416 | IP | 29-SEP-89 | AL | SH | 99 | IP | |
| L | | MIL-I-23252B NOTICE 2 | INDICATOR, PRESSURE (VALIDATION DATE: 8712) ..... | A | 6685 | AS | 07-DEC-87 | | AS | | | |
| L | | MIL-V-23254C(1) | VALVE, CONTROL REVIEWER: MI ..... | A | 1055 | AS | 14-MAY-87 | | AS | | | |
| L | | MIL-V-23255B | VALVE, PRESSURE RELIEF REVIEWER: CS ..... | A | 4820 | AS | 03-FEB-81 | | AS | | | |
| L | | MIL-V-23256B | VALVE ASSEMBLY, SEAL REVIEWER: CS ..... | A | 4820 | AS | 03-FEB-81 | | AS | | | |
| | | MIL-L-23257E | LATHES, ENGINE AND TOOLROOM, SIZES 1609 AND 2013 USER: MC WV REVIEWER: 84 GS | A | 3416 | IP | 30-JUN-89 | AL | SH | 99 | IP | |
| L | | MIL-C-23261(1) | COMPUTER, DITCH HEADING (VALIDATION DATE: 7412) ..... | A | 6605 | CG | 22-MAY-62 | | CG | | | |
| | | MIL-I-23264A SUPPL 1A1, NOTICE 1 | INSULATORS, CERAMIC, ELECTRICAL AND ELECTRONIC, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI SH | A | 5970 | EC | 25-FEB-91 | CR | EC | 85 | | |
| | | MIL-I-23264/1A NOTICE 1 | INSULATORS, STANDOFF (STYLES 01, 02, 03, 04, AND 06) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 | EC | 25-FEB-91 | CR | EC | 85 | | |
| | | MIL-I-23264/2A NOTICE 1 | INSULATORS, STANDOFF (STYLES 10, 11, 12, 13, AND 14) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 | EC | 25-FEB-91 | CR | EC | 85 | | |
| | | MIL-I-23264/3A NOTICE 1 | INSULATORS, STANDOFF (STYLE 19 AND 20) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 | EC | 25-FEB-91 | CR | EC | 85 | | |
| | | MIL-I-23264/4A NOTICE 1 | INSULATORS, STANDOFF (STYLE 21) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 ES GS MI | A | 5970 | EC | 25-FEB-91 | CR | EC | 85 | | |
| | | MIL-I-23264/5A NOTICE 1 | INSULATORS, STANDOFF (STYLE 26) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI SH | A | 5970 | EC | 25-FEB-91 | ER | EC | 85 | | |
| | | MIL-I-23264/6A NOTICE 1 | INSULATORS, STANDOFF (STYLE 27) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 ES GS MI | A | 5970 | EC | 25-FEB-91 | CR | EC | 85 | | |
| | | MIL-I-23264/7A | INSULATORS, STANDOFF (STYLE 28) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 | EC | 25-FEB-91 | CR | EC | 85 | | |
| | | MIL-I-23264/8A NOTICE 1 | INSULATORS, STANDOFF (STYLE 29) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 ES GS MI | A | 5970 | EC | 25-FEB-91 | CR | EC | 85 | | |
| | | MIL-I-23264/9A NOTICE 1 | INSULATORS, FEEDTHRU (STYLE 30) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 | EC | 25-FEB-91 | ER | EC | 85 | | |
| | | MIL-I-23264/10A NOTICE 1 | INSULATORS, FEEDTHRU (STYLE 31) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 | EC | 25-FEB-91 | ER | EC | 85 | | |
| | | MIL-I-23264/11A NOTICE 1 | INSULATORS, FEEDTHRU (STYLE 32) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 | EC | 25-FEB-91 | ER | EC | 85 | | |
| | | MIL-I-23264/12A NOTICE 1 | INSULATORS, FEEDTHRU (STYLE 33) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 ES GS MI | A | 5970 | EC | 25-FEB-91 | ER | EC | 85 | | |
| | | MIL-I-23264/13A NOTICE 1 | INSULATORS, FEEDTHRU (STYLE 34) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 ES GS MI | A | 5970 | EC | 25-FEB-91 | ER | EC | 85 | | |
| | | MIL-I-23264/14A NOTICE 1 | INSULATORS, FEEDTHRU (STYLES 35 AND 36) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 | EC | 25-FEB-91 | ER | EC | 85 | | |
| | | MIL-I-23264/15A NOTICE 1 | INSULATORS, FEEDTHRU (STYLE 37) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 ES GS MI | A | 5970 | EC | 25-FEB-91 | ER | EC | 85 | | |
| | | MIL-I-23264/16A NOTICE 1 | INSULATORS, BUSHING (STYLES 40, 41, AND 42) (VALIDATION DATE: 9102) USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 | EC | 25-FEB-91 | ER | EC | 85 | | |

| Action | Ofc. / Cmt. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-I-23264/17A NOTICE 1 | INSULATORS, BUSHING (STYLE 43) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 ES GS MI | A | 5970 EC | 25-FEB-91 | ER | EC | 85 | |
| | | MIL-I-23264/18A NOTICE 1 | INSULATORS, BOWL (STYLES 55, 56, AND 57) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 ES GS MI | A | 5970 EC | 25-FEB-91 | ER | EC | 85 | |
| | | MIL-I-23264/19A NOTICE 1 | INSULATORS, BOWL (STYLE 58) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 ES GS MI | A | 5970 EC | 25-FEB-91 | ER | EC | 85 | |
| | | MIL-I-23264/20A NOTICE 1 | INSULATORS, STRAIN (STYLES 64, 65, 66, AND 67) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 ES GS MI | A | 5970 EC | 25-FEB-91 | ER | EC | 85 | |
| | | MIL-I-23264/21B(1) | INSULATORS, STRAIN (STYLES 68, 69, 70, AND 71) USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 EC | 22-MAY-91 | ER | EC | 85 | |
| | | MIL-I-23264/22A NOTICE 1 | INSULATORS, STRAIN (STYLES 60, 61, 73, 74, AND 75) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 EC | 25-FEB-91 | ER | EC | 85 | |
| | | MIL-I-23264/23A NOTICE 1 | INSULATORS, SPREADER (STYLE 76) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI SH | A | 5970 EC | 25-FEB-91 | ER | EC | 85 | |
| | | MIL-I-23264/24B | INSULATOR, PIN, STYLE 82 [VALIDATION DATE: 8404] USER: MC ME REVIEWER: 99 AS ES GS | A | 5970 EC | 16-FEB-72 | ER | EC | 85 | |
| | | MIL-I-23264/25A NOTICE 1 | INSULATORS, PIN (STYLE 81) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI | A | 5970 EC | 25-FEB-91 | ER | EC | 85 | |
| AQ | | MIL-C-23269E | CAPACITORS, FIXED, GLASS DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| A | | MIL-C-23269/1F | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR10 USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| A | | MIL-C-23269/2F | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR15 USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| A | | MIL-C-23269/3F | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR20 USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| A | | MIL-C-23269/4F | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR30 USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| A | 1 | MIL-C-23269/5E | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR13 USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| A | 1 | MIL-C-23269/6E | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR17 USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| A | 1 | MIL-C-23269/7D | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR22 USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| A | 1 | MIL-C-23269/8D | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR32 USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| A | 1 | MIL-C-23269/9C | CAPACITORS, FIXED, GLASS DIELECTRIC, (RADIAL OR AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLES CYR41, CYR42, AND CYR43 USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| A | | MIL-C-23269/10B | CAPACITORS, FIXED, GLASS DIELECTRIC, (RADIAL OR AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLES CYR51, CYR52, AND CYR53 USER: 19 AS CG MC OS SH REVIEWER: 17 ES | A | 5910 EC | 04-FEB-93 | ER | EC | 85 | |
| | L | MIL-B-23276C(2) | BALL, WRECKING REVIEWER: AT CS | A | 3815 ME | 30-JAN-86 | ME | | | |
| | L | MIL-C-23280A | CABINET, ELECTRICAL EQUIPMENT CY-2675 [VALIDATION DATE: 8003] REVIEWER: GS | A | 5975 EC | 26-NOV-62 | | EC | | |
| | L | MIL-P-23281(2) | PRIMER, VINYL-RED LEAD (FOR BRUSH OR SPRAY) [VALIDATION DATE: 6904] | A | 8010 CG | 11-APR-69 | | CG | | |
| | L | MIL-A-23282B(4) | ACTUATOR [VALIDATION DATE: 8304] | A | 1355 OS | 02-FEB-77 | | OS | | |
| | L | MIL-S-23284A | STEEL FORGINGS, CARBON AND ALLOY, FOR SHAFTS, SLEEVES, PROPELLER NUTS, COUPLINGS, AND STOCKS (RUDDERS AND DIVING PLANES) | A | FORG SH | 15-JUN-90 | | SH | | |
| Q | | MIL-R-23285B(5) SUPPL 1&1 | RESISTOR, VARIABLE, NONWIRE-WOUND GENERAL SPECIFICATION FOR [VALIDATION DATE: 8110] USER: 19 AT AV MC ME REVIEWER: 17 AS ES MI OS | A | 5905 ER | 05-AUG-75 | ER | EC | 85 | |
| | L | MIL-R-23285/1A | RESISTOR, VARIABLE, METAL FILM (GERMET), STYLE RVC4 [VALIDATION DATE: 8404] REVIEWER: ES | A | 5905 EC | 22-NOV-65 | | EC | | |
| | | MIL-R-23285/2D | RESISTOR, VARIABLE, NONWIRE&WOUND, STYLE RVC5 [VALIDATION DATE: 8110] USER: 19 AT MC ME REVIEWER: 17 ES MI OS | A | 5905 ER | 05-AUG-75 | ER | EC | 85 | |
| | | MIL-R-23285/3C | RESISTOR, VARIABLE, NONWIRE-WOUND, STYLE RVC6 [VALIDATION DATE: 8110] USER: 19 AT AV ME REVIEWER: 17 AR ES MI | A | 5905 ER | 20-FEB-74 | ER | EC | 85 | |
| | L | MIL-B-23287(4) | BATTERY SECTION ASSEMBLY [VALIDATION DATE: 8204] REVIEWER: 11 | A | 1355 OS | 13-AUG-65 | | OS | | |
| | L | MIL-C-23288C | CUTTER, POWDER ACTUATED FACE CURTAIN CABLE, MARK 4 MOD 0 | A | 1377 AS | 24-DEC-85 | | AS | | |
| | | MIL-V-23289B | VALVE, SOLENOID, REFRIGERANT-12 [VALIDATION DATE: 8710] REVIEWER: GS MI | A | 4130 GL | 01-OCT-87 | GL | | | 82 |
| | L | MIL-D-23296A | DIETHYLENE GLYCOL [VALIDATION DATE: 8107] | A | 6810 OS | 14-JUN-72 | | OS | | |
| | LI | MIL-B-23297B(3) NOTICE 1 | BOOSTER, GUIDED MISSILE, MARK 12 MOD 1 (LOADED ASSEMBLY) | A | 1336 OS | 20-MAY-92 | | OS | | |
| | L | MIL-I-23298A(2) | IGNITER, ROCKET MOTOR, LOADED MK 181 MOD 0 AND MK 200 MOD 0 | A | 1337 OS | 10-DEC-82 | | OS | | |
| A | | MIL-V-23300C NOTICE 2 | VALVE, REGULATING, FLUID PRESSURE, CRANKCASE, REFRIGERANT-12 [VALIDATION DATE: 9208] REVIEWER: CE CS GS | A | 4820 GL | 31-AUG-92 | GL | | | 99 |
| | L | MIL-M-23305(1) | MANUAL, TECHNICAL OPERATION, MAINTENANCE, AND OVERHAUL INSTR WITH ILL PARTS BREAKDOWN (FOR AIRCRAFT LAUNCHING AND RECOVERY EQUIPMENT), PREPARATION OF [VALIDATION DATE: 8106] | A | TMSS AS | 07-JUL-75 | | AS | | |
| | L | MIL-B-23306B | BINOCULAR, SHIP, 20-POWER, AND ACCESSORIES | A | 6650 SH | 15-JUL-85 | | SH | | |
| DQL | | MIL-I-23310B | INHIBITOR, CORROSION, VOLATILE, OIL TYPE REVIEWER: GS OS YD1 | A | 6850 AS | 09-OCT-84 | | AS | | |
| | L | MIL-S-23311A NOTICE 1 | SIGNAL, UNDERWATER SOUND, MARK 61 MOD 0 AND MARK 64 MOD 0 [VALIDATION DATE: 9109] | A | 1361 AS | 25-SEP-91 | | AS | | |
| | | MIL-P-23312C NOTICE 1 | PALLETS, MATERIAL HANDLING, METAL (FOR ORDNANCE ITEMS), MARK 3 MOD 0, MARK 12 MOD 0 AND MARK 12 MOD 1 [VALIDATION DATE: 9203] USER: MC ME MI SH SM REVIEWER: AR AS | A | 3990 OS | 18-MAR-92 | | OS | 99 | |
| D | | MIL-R-23314E | RAILWAY CAR SPOTTER, SELF-PROPELLED, GED OR DED REVIEWER: 84 MT | A | 2210 YD1 | 28-JUN-85 | ME | YD1 | 99 | |
| | L | MIL-I-23322(2) | IGNITER, MARK 173 MOD 1 (INERT ASSEMBLY) [VALIDATION DATE: 8506] | A | 1340 AS | 25-MAR-71 | | AS | | |
| | L | MIL-T-23326A | THIMBLE, SYNTHETIC ROPE REVIEWER: IS | A | 4030 SH | 28-DEC-84 | | SH | | |
| | LI | MIL-C-23331(1) NOTICE 1 | CORES FOR SEARCH COIL ASSEMBLIES | A | 1350 OS | 27-MAR-92 | | OS | | |
| | | MIL-C-23333B | CARTRIDGE, IMPULSE, MARK 38 MOD 0 [VALIDATION DATE: 8407] | A | 1377 AS | 04-FEB-69 | | AS | 99 | |
| | L | MIL-C-23334B(2) | CARTRIDGE, IMPULSE, MARK 33 MOD 1 [VALIDATION DATE: 8407] | A | 1377 AS | 12-SEP-66 | | AS | | |
| | | MIL-G-23337(3) NOTICE 1 | GAGES, PRESSURE, DIAL INDICATING [VALIDATION DATE: 9110] | A | 6685 AS | 16-OCT-91 | | AS | 99 | |
| | L | MIL-C-23339(2) | CLOCK, ELECTRIC, INTERNALLY-ILLUMINATED, WALL-MOUNTED [VALIDATION DATE: 8412] REVIEWER: GS | A | 6645 SH | 09-OCT-63 | | SH | | |
| | L | MIL-M-23346(2) NOTICE 1 | MOTOR FIRE CONNECTOR ASSEMBLY [VALIDATION DATE: 9109] | A | 1338 AS | 25-SEP-91 | | AS | | |
| | | MIL-W-23351A | WAVEGUIDE, SINGLE RIDGE AND DOUBLE RIDGE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8404] USER: 19 AR AS MC REVIEWER: 11 17 99 ES OS SH | A | 5985 EC | 20-OCT-77 | ER | EC | 85 | |
| | | MIL-W-23351/1B | WAVEGUIDE, SINGLE RIDGED (BANDWITH RATIO 3.6.1) [VALIDATION DATE: 8404] USER: 14 19 AR AS MC REVIEWER: 11 17 99 ES OS SH | A | 5985 EC | 20-OCT-77 | ER | EC | 85 | |
| | | MIL-W-23351/2B | WAVEGUIDE, DOUBLE RIDGED (BANDWIDTH RATIO 3.6.1) [VALIDATION DATE: 8404] USER: 14 19 AR AS MC REVIEWER: 11 17 99 ES OS SH | A | 5985 EC | 20-OCT-77 | ER | EC | 85 | |
| | | MIL-W-23351/3B | WAVEGUIDE, SINGLE RIDGED (BANDWIDTH RATIO 2.4.1) [VALIDATION DATE: 8404] USER: 14 19 AR AS MC REVIEWER: 11 17 99 ES OS SH | A | 5985 EC | 20-OCT-77 | ER | EC | 85 | |

| Action Code | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-W-23351/48 | WAVEGUIDE, DOUBLE RIDGED (BANDWIDTH RATIO 2.4:1) [VALIDATION DATE: 8404] USER: 14 19 AR AS MC REVIEWER: 11 17 99 ES OS SH | A | 5985 | EC | 20-OCT-77 | ER | EC | 85 | |
| | MIL-D-23359F(1) | DETECTING SET, MINE, PORTABLE, METALLIC REVIEWER: 82 | A | 6665 | ME | 21-DEC-84 | ME | MC | 99 | |
| L | MIL-D-0023359G | DETECTING SET, METALLIC-MINE, PORTABLE | A | 6665 | ME | 23-MAR-90 | ME | | | |
| L | MIL-D-0023359G(11) | DETECTING SET, METALLIC-MINE, PORTABLE | A | 6665 | ME | 19-JUN-90 | ME | | | |
| | MIL-B-23360B NOTICE 1 | BOMB, INCENDIARY, TH3, 4-POUND, M126 [VALIDATION DATE: 9109] | A | 1325 | AS | 25-SEP-91 | AR | AS | 99 | |
| L | MIL-C-23361C(1) | CARRIER TELEGRAPH TERMINAL EQUIPMENT AN/UCC-1C(V) [VALIDATION DATE: 8204] | A | 5805 | EC | 10-MAR-70 | | EC | | |
| D | MIL-C-23365C NOTICE 1 | COMPRESSOR, HERMETIC, FOR USE WITH REFRIGERANT 12 [VALIDATION DATE: 8710] USER: SH REVIEWER: GS | A | 4130 | GL | 09-JUN-76 | GL | YD1 | 99 | |
| | MIL-I-23366B | INDICATOR, HORIZONTAL SITUATION ID-1013(*)/A | A | 6610 | AS | 27-APR-87 | AV | AS | | |
| L | MIL-C-23367 | COMPUTER, FLIGHT DIRECTOR, AIRCRAFT [VALIDATION DATE: 7402] | A | 6605 | AS | 01-APR-63 | | AS | | |
| | MIL-G-23368D | GRINDING MACHINES, CYLINDRICAL, EXTERNAL, PLAIN, POWER REVIEWER: 84 AS GS OS | A | 3415 | IP | 25-MAY-89 | AL | SH | 99 | IP |
| L | MIL-T-23369B(1) NOTICE 1 | TRANSMITTER GROUP, TELEMETRIC DATA OA-1208( )/DPN [VALIDATION DATE: 9110] | A | 5821 | AS | 16-OCT-91 | | AS | | |
| | MIL-S-23375D NOTICE 1 | SHAPER, METAL CUTTING, HORIZONTAL RAM, HYDRAULIC PLAIN AND UNIVERSAL TABLE, SIZES 24 AND 28 [VALIDATION DATE: 8906] USER: AS SH WV REVIEWER: 84 GS | A | 3418 | IP | 19-JUN-89 | AL | SH | 99 | IP |
| Q | MIL-P-23377F | PRIMER COATINGS: EPOXY, CHEMICAL AND SOLVENT RESISTANT USER: CG EC MC REVIEWER: AR AV DS EA MI OS SH | A | 8010 | AS | 05-MAY-89 | MR | AS | 11 | |
| QL | MIL-P-23377E(11) | PRIMER COATINGS: EPOXY-POLYAMIDE, CHEMICAL AND SOLVENT RESISTANT | A | 8010 | MI | 07-JUL-87 | MI | | | |
| | MIL-S-23378D | SCREW MACHINE, AUTOMATIC, SINGLE SPINDLE 1/2 INCH THROUGH 2-3/8 INCH SPINDLE CAPACITY USER: AS MC REVIEWER: 84 | A | 3416 | IP | 22-JAN-88 | AL | SH | 99 | |
| | MIL-B-23388A NOTICE 1 | BUNSTERS FOR WP FILLED 5 INCH 54 CALIBER AND 6 INCH 47 CALIBER PROJECTILES, LOADING AND PACKING | A | 1320 | EA | 10-JUL-86 | EA | OS | 99 | |
| | MIL-S-23389B NOTICE 1 | SHIPPING AND STORAGE CONTAINER, CARTRIDGE, 20MM, M548 [VALIDATION DATE: 8807] | A | 8140 | AR | 15-JUL-88 | AR | | 99 | |
| L | MIL-B-23394B(5) NOTICE 1 | BATTERY MARK 46 MOD 1 PRIMARY TYPE, SILVER-ZINC-ALKALI [VALIDATION DATE: 8802] | A | 6135 | OS | 22-FEB-88 | | OS | | |
| | MIL-T-23397B(2) | TAPE, PRESSURE-SENSITIVE ADHESIVE, FOR MASKING DURING PAINT STRIPPING OPERATIONS USER: GL | A | 8010 | AS | 16-JUL-80 | MR | AS | 99 | |
| Q | MIL-L-23398D(1) | LUBRICANT, SOLID FILM, AIR-CURED, CORROSION INHIBITING, NATO CODE NUMBER S-749 REVIEWER: AR AT AV DS MI SM | A | 9150 | AS | 24-SEP-90 | ME | AS | 11 | |
| | MIL-L-23400E(1) | LATH, ENGINE & TOOL ROOM, 19, 20 + 25 INCH 7-1/2 TO 15 HP USER: AS MC ME SM REVIEWER: 84 GS | A | 3416 | IP | 20-FEB-87 | AL | SH | 99 | |
| L | MIL-B-23401E | BURNER, CARBON MONOXIDE AND HYDROGEN, CATALYTIC TYPE (MARK IV E) NAVAL SUBMARINE USE | A | 4460 | SH | 24-APR-89 | | SH | | |
| L | MIL-A-23404A NOTICE 1 | ADAPTER KIT, MARINE MARKER MK 34 MOD 0 [VALIDATION DATE: 9109] | A | 1370 | AS | 25-SEP-91 | | AS | | |
| L | MIL-P-23405B NOTICE 1 | PLOTTER MK 19 MODS 0 THROUGH 8 [VALIDATION DATE: 8701] | A | 1260 | OS | 27-JAN-87 | | OS | | |
| L | MIL-N-23407B(1) NOTICE 1 | NAVIGATION SET, RADAR AN/APN-153(V) [VALIDATION DATE: 8804] | A | 5841 | AS | 15-APR-88 | | AS | | |
| | MIL-P-23408B NOTICE 1 | PLATING: TIN-CADMIUM (ELECTRODEPOSITED) [VALIDATION DATE: 9110] USER: MC SH REVIEWER: AR CR IS OS | A | MFFP | AS | 28-OCT-91 | MR | AS | 11 | |
| L | MIL-P-23409B(1) NOTICE 1 | POTASSIUM TETRABORATE TETRAHYDRATE (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) [VALIDATION DATE: 8203] REVIEWER: GS | F | 6810 | SH | 14-AUG-81 | | SH | | |
| L | MIL-I-23413C | INSERTS, WELDING, FILLER MATERIAL, COILED AND SOLID RINGS | A | 3439 | SH | 04-AUG-81 | | SH | | |
| L | MIL-M-23416(1) | MEASURING SET, DEPTH-SOUND SPEED AN/BQH-1( ) [VALIDATION DATE: 8106] | A | 6625 | SH | 25-FEB-65 | | SH | | |
| | MIL-R-23417B SUPPL 1B1 | RESOLVERS, ELECTRICAL, AC GENERAL SPECIFICATION FOR USER: 14 19 AV CG MC ME REVIEWER: 11 17 99 EC ER ES MI OS TD | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/1A | RESOLVER, ELECTRICAL, AC TYPE 11R7M4A USER: 14 19 CG MC MI REVIEWER: 11 17 99 EC ES | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/2A | RESOLVER, ELECTRICAL, AC TYPE 11R17M4A USER: 14 19 CG MC MI REVIEWER: 11 17 99 EC ES | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/3A | RESOLVER, ELECTRICAL, AC TYPE 11R23M4A USER: 19 CG MC ME REVIEWER: 11 17 99 EC ES MI | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/4A | RESOLVER, ELECTRICAL, AC TYPE 15R2M4A USER: 14 19 AT AV CG MC ME MI REVIEWER: 17 99 EC ES OS | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/5A | RESOLVER, ELECTRICAL, AC TYPE 15R8M4A USER: 14 19 AT AV CG MC ME MI REVIEWER: 17 99 EC ES OS | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/6 | RESOLVER, ELECTRICAL, MK4 MOD 0 [VALIDATION DATE: 8108] REVIEWER: 99 EC ES | A | 5990 | AS | 23-DEC-65 | | AS | 85 | |
| | MIL-R-23417/9A | RESOLVER, ELECTRICAL, AC TYPE 15R28M4A USER: 14 19 AT AV CG MC ME MI REVIEWER: 17 99 EC ES OS | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/12A | RESOLVER, ELECTRICAL, AC TYPE 15R28M4A USER: 19 CG MC ME MI REVIEWER: 11 17 99 EC ES | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/17A | RESOLVER, ELECTRICAL, AC TYPE 23R32M4A USER: 14 19 AT CG MC ME MI REVIEWER: 11 17 99 EC ES OS | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/19A | RESOLVER, ELECTRICAL, AC TYPE 23R58M4A USER: 14 19 AT AV CG MC ME MI REVIEWER: 99 EC OS | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/20A | RESOLVER, ELECTRICAL, AC TYPE 23R58M4A REVIEWER: 99 EC | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| L | MIL-R-23417/23A | RESOLVER TRANSMITTER, TYPE 26V-11R15M4B [VALIDATION DATE: 8307] REVIEWER: EC ES | A | 5990 | AS | 05-NOV-68 | | AS | | |
| | MIL-R-23417/24A | RESOLVER TRANSMITTER, TYPE 26V-11R5M4A [VALIDATION DATE: 8307] REVIEWER: 99 EC ES | A | 5990 | AS | 05-NOV-68 | | AS | 85 | |
| | MIL-R-23417/25A | RESOLVER TRANSMITTER, TYPE 9V-11R41M40A [VALIDATION DATE: 8108] REVIEWER: 99 EC ES | A | 5990 | AS | 05-NOV-68 | | AS | 85 | |
| | MIL-R-23417/26A | RESOLVER, ELECTRICAL, AC TYPE 15R11M4A USER: 14 19 AT AV CG MC ME MI REVIEWER: 11 17 99 EC ES OS | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/27A | RESOLVER, ELECTRICAL, AC TYPE 15R26M4A USER: 14 19 AT CG MC ME MI REVIEWER: 17 99 EC ES OS | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/29A | RESOLVER, ELECTRICAL, AC TYPE 11R20M4A USER: 14 19 CG MC MI REVIEWER: 11 17 99 EC ES | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| | MIL-R-23417/30A | RESOLVER, ELECTRICAL, AC TYPE 11R20M4A USER: 14 19 CG MC REVIEWER: 11 17 99 EC ES MI | A | 5990 | AR | 25-APR-91 | AR | AS | 85 | |
| N | MIL-R-23417/31A NOTICE 1 | RESOLVER, ELECTRICAL TYPE 11R2M4B [VALIDATION DATE: 9305] REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | 03-MAY-93 | ER | AS | 85 | |
| N | MIL-R-23417/32A NOTICE 1 | RESOLVER, ELECTRICAL TYPE 11R1M4B [VALIDATION DATE: 9305] REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | 03-MAY-93 | ER | AS | 85 | |
| N | MIL-R-23417/33A NOTICE 1 | RESOLVER, ELECTRICAL TYPE 11R21M4B [VALIDATION DATE: 9305] REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | 03-MAY-93 | ER | AS | 85 | |
| N | MIL-R-23417/34A NOTICE 1 | RESOLVER, ELECTRICAL TYPE 08R6M4B [VALIDATION DATE: 9305] REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | 03-MAY-93 | ER | AS | 85 | |
| N | MIL-R-23417/35A NOTICE 1 | RESOLVER, ELECTRICAL TYPE 08R3M4B [VALIDATION DATE: 9305] REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | 03-MAY-93 | ER | AS | 85 | |
| N | MIL-R-23417/36A NOTICE 1 | RESOLVER, ELECTRICAL TYPE 08R10M4A [VALIDATION DATE: 9305] REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | 03-MAY-93 | ER | AS | 85 | |
| N | MIL-R-23417/37A NOTICE 1 | RESOLVER, ELECTRICAL TYPE 08R21M4B [VALIDATION DATE: 9305] REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | 03-MAY-93 | ER | AS | 85 | |
| N | MIL-R-23417/38A NOTICE 1 | RESOLVER, ELECTRICAL TYPE 08R7M4A [VALIDATION DATE: 9305] REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | 03-MAY-93 | ER | AS | 85 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | ORL / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| AQ | | MIL-F-23419E SUPPL 1B1 | FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR USER: ME OS SH REVIEWER: 19 AR ES MI | A | 5920 EC | 01-AUG-92 | ER | EC | 85 | |
| | | MIL-F-23419/1H | FUSE, INSTRUMENT TYPE, STYLE FM01 (INDICATING) USER: 19 AR MC ME OS REVIEWER: 11 17 99 AS ES MI SH | A | 5920 EC | 22-NOV-85 | ER | EC | 85 | |
| | | MIL-F-23419/2H | FUSES, INSTRUMENT TYPE, STYLE FM02 (INDICATING) USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES MI SH | A | 5920 EC | 12-JAN-88 | ER | EC | 85 | |
| | | MIL-F-23419/4F | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM04 (NONINDICATING) USER: AL ME REVIEWER: 11 17 99 AR AS ES MI SH | A | 5920 EC | 17-AUG-89 | ER | EC | 85 | |
| | | MIL-F-23419/7F | FUSES, CARTRIDGE, STYLE FM07, (SUBMINIATURE - HIGH PERFORMANCE) USER: 19 REVIEWER: 99 AR AS AT AV ES MI NS | A | 5920 EC | 23-JUL-90 | ER | EC | 85 | |
| | | MIL-F-23419/8F | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM08 (SUBMINIATURE - HIGH PERFORMANCE) USER: 19 REVIEWER: 11 99 AS ES MI NS | A | 5920 EC | 17-AUG-89 | ER | EC | 85 | |
| A | | MIL-F-23419/9A(1) | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM09, (NONINDICATING) USER: 19 AR MC ME OS REVIEWER: 99 AS ES MI NA SH | A | 5920 EC | 08-FEB-93 | | EC | 85 | |
| | | MIL-F-23419/10 | FUSES, CARTRIDGE, INSTRUMENT TYPE, STYLE FM10 (NONINDICATING) USER: 19 AL MC ME OS REVIEWER: 11 17 99 AR AS ES MI SH | A | 5920 EC | 23-JUN-87 | ER | EC | 85 | |
| A L | | MIL-F-23419/11A | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM11 (SUBMINIATURE - HIGH PERFORMANCE) | A | 5920 NA | 23-NOV-92 | | | | |
| A L | | MIL-F-23419/12 | FUSES, CARTRIDGE, INSTRUMENT TYPE, STYLE FM12 (SUBMINIATURE - HIGH PERFORMANCE) REVIEWER: ES | A | 5920 NA | 11-JAN-93 | | | | |
| D | | MIL-M-23421D | MOWER, LAWN, FLAIL TYPE, TOWED AND TRACTOR MOUNTING USER: CE | A | 3750 84 | 29-JUN-84 | ME | YD1 | 99 | |
| L | | MIL-C-23422D | CHROMIUM PLATING, ELECTRODEPOSITED (ISSUE CONTROLLED-REQSTS BY OTHER THAN DOD ACTYS MUST BE SUBMITTED VIA THE PREPARING ACTY OF THE SPEC) | A | MFFP SH | 27-APR-83 | | SH | | |
| QL | | MIL-T-23426D | TENSION BAR/RELEASE ELEMENT, AIRCRAFT LAUNCHING | A | 1720 AS | 27-OCT-86 | | AS | | |
| M L | | MIL-B-23431B | BEACON, RADAR AN/APN-154(V) | A | 5841 AS | 30-APR-93 | | AS | | |
| D | | MIL-T-23435F | TRUCK, TANK: SEWAGE OR WASTE COLLECTION, COMMERCIAL 4 BY 2 USER: MC REVIEWER: 84 | A | 2320 YD1 | 13-MAY-91 | AT | YD1 | 99 | |
| L | | MIL-C-23437E | CABLE, SPECIAL PURPOSE, ELECTRICAL | A | 6145 EC | 09-MAR-87 | | EC | | |
| QL | | MIL-T-23439A | TOWLINES, AERIAL TARGET, CONSTANT AND STEPPED DIAMETER WIRE AND STRAND (VALIDATION DATE: 8205) | A | 1680 AS | 12-AUG-63 | | AS | | |
| L | | MIL-A-23442A(1) | AMMONIUM PERCHLORATE (VALIDATION DATE: 8504) REVIEWER: GS MI | A | 6810 OS | 18-APR-85 | | OS | | |
| | | DOD-D-23443B(1) | DI-(2 - ETHYLHEXYL) ADIPATE, TECHNICAL | A | 6810 OS | 23-SEP-85 | AR | OS | 68 | |
| LI | | MIL-H-23444A NOTICE 1 | RESIN, POLYVINYL CHLORIDE, PLASTISOL GRADE | A | 9330 OS | 20-MAY-92 | | OS | | |
| L | | MIL-F-23447 | FIRE WARNING SYSTEMS, AIRCRAFT, RADIATION SENSING TYPE, TEST AND INSTALLATION OF (VALIDATION DATE: 8408) REVIEWER: AV | A | 6340 AS | 14-SEP-62 | | AS | | |
| L | | MIL-T-23449A(1) | TRANSMITTING SET, RADIO AN/PRT-5(*) (VALIDATION DATE: 8307) | A | 5820 AS | 20-OCT-69 | | AS | | |
| A | | MIL-V-23450C NOTICE 2 | VALVE, EXPANSION, THERMOSTATIC, REFRIGERANT 12 AND REFRIGERANT 22 (VALIDATION DATE: 9208) USER: MC REVIEWER: GS ME | A | 4820 GL | 31-AUG-92 | GL | | 99 | |
| L | | MIL-R-23452A(1) | ROCKET MOTOR MARK 25 MODS 0, 1, & 2 | A | 1340 AS | 13-NOV-86 | | AS | | |
| L | | MIL-I-23453(3) | IGNITER, MARK 188 MOD 0 | A | 1340 AS | 27-MAR-84 | | AS | | |
| D | | MIL-W-23455D | WASHING AND SCREENING PLANT, AGGREGATE AND SAND, ELECTRIC-MOTOR-DRIVEN, TRAILER MOUNTED, 150 TONS PER HOUR USER: CE REVIEWER: AT | A | 3820 YD1 | 04-JAN-89 | ME | YD1 | | |
| L | | MIL-E-23457B(1) | ENGINES, DIESEL MARINE, PROPULSION AND AUXILIARY, MEDIUM SPEED REVIEWER: CS | A | 2815 SH | 16-OCT-90 | | SH | | |
| D L | | MIL-B-23459D | BUOY, HOSE SUPPORT, INFLATABLE | A | 2050 YD1 | 13-SEP-88 | | YD1 | | |
| Q | | MIL-P-23460E SUPPL 1B1 | PIN, QUICK-RELEASE, SELF-RETAINING, POSITIVE-LOCKING REVIEWER: IS | A | 5340 AS | 20-NOV-91 | AV | AS | 99 | |
| L | | MIL-R-23461A | RESIN COMPOUND, THERMOSETTING, ROOM TEMPERATURE CURING, FOR METAL COATING REVIEWER: GS MR | A | 9330 SH | 26-JUN-87 | | SH | | |
| L | | MIL-F-23467F | FITTING AND FLANGES, WROUGHT, SEAMLESS, BUTT AND SOCKET WELDING, AUSTENITIC CORROSION-RESISTANT STEEL (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTYS MUST BE SUBMITTED VIA THE PREPARING ACTY OF THE SPEC) REVIEWER: CS | A | 4730 SH | 11-MAR-85 | | SH | | |
| A L | | MIL-P-23469D | PIN-RIVET, GROOVED AND COLLAR, GROOVED PIN-RIVET, SWAGE-LOCKED (LOCKPIN) GENERAL SPECIFICATION FOR | A | 5320 SH | 22-DEC-92 | | SH | | |
| L | | MIL-P-23469/1B | PINS AND COLLARS, SWAGE-LOCKING, REGULAR HEIGHT, FLANGED AND LOW PROFILE, ALUMINUM ALLOY, CORROSION RESISTANT STEEL, CARBON STEEL AND ALLOY STEEL (VALIDATION DATE: 8104) | A | 5320 SH | 31-MAY-67 | | SH | | |
| L | | MIL-P-23469/2B | PIN-RIVET, GROOVED, BRAZIER HEAD, STRAIGHT SHANK, SIX LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT & CARBON STEELS (VALIDATION DATE: 8104) | A | 5320 SH | 31-MAY-67 | | SH | | |
| A L | | MIL-P-23469/4B(1) | PIN-RIVET, GROOVED, ROUND HEAD; STRAIGHT SHANK, MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS | A | 5320 SH | 22-DEC-92 | | SH | | |
| A L | | MIL-P-23469/5B(1) | PIN-RIVET, GROOVED, TRUSS HEAD; STRAIGHT SHANK, SIX LOCKING GROOVES AND MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS | A | 5320 SH | 22-DEC-92 | | SH | | |
| A L | | MIL-P-23469/6B(1) | PIN-RIVET, GROOVED, FLAT 90 DEG. COUNTERSUNK HEAD; STRAIGHT SHANK, SIX LOCKING GROOVES AND MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS | A | 5320 SH | 22-DEC-92 | | SH | | |
| A L | | MIL-P-23469/7B(1) | PIN-RIVET, GROOVED, OVAL 60 DEG. COUNTERSUNK HEAD; TAPERED-SECTION SHANK, MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT STEEL AND CARBON STEELS | A | 5320 SH | 22-DEC-92 | | SH | | |
| L | | MIL-S-23471(1) NOTICE 1 | SWIVEL, BALL-BEARING OR ROLLER-BEARING (SPECIAL, WATER-TIGHT) (VALIDATION DATE: 9102) REVIEWER: IS | A | 4030 SH | 07-FEB-91 | | SH | | |
| Q | | MIL-I-23479B(1) NOTICE 2 | INDICATOR, PRESSURE, 1 1/2-INCH, INTEGRALLY LIGHTED (VALIDATION DATE: 9110) REVIEWER: 82 | A | 6620 AS | 16-OCT-91 | AV | AS | 99 | |
| A L | | MIL-T-23480A(1) | TUMBLER-DRYER, LAUNDRY, STEAM, AND ELECTRIC, MODIFIED COMMERCIAL (SHIPBOARD) | A | 3510 SH | 26-JUN-92 | | SH | | |
| LI | | MIL-R-23481B(1) NOTICE 1 | ROCKET MOTOR, MARK 30 MODS 1 AND 2 | A | 1340 OS | 20-MAY-92 | | OS | | |
| A L | | MIL-C-23486B | COLLAR, COAT, MAN'S: POLYESTER/WOOL, GABARDINE, BLUE | A | 8315 CT | 02-JUN-89 | | MC | | CT |
| L | | MIL-I-23488(1) NOTICE 1 | IGNITION ELEMENT, ELECTRIC, MARK 10 MOD 0 (VALIDATION DATE: 8705) | A | 1375 AS | 14-MAY-87 | | AS | | |
| L | | MIL-R-23489A | RECEIVER, INFRARED (VIEWING SET), AN/SAR-7( ) (VALIDATION DATE: 8204) | A | 5850 EC | 12-MAY-70 | | EC | | |
| Q | | MIL-S-23492B(3) | SCALER, NEEDLE TYPE, PNEUMATIC, PORTABLE (VALIDATION DATE: 8301) USER: GL | A | 5130 ME | 22-SEP-78 | | SH | 99 | |
| L | | MIL-P-23504 | PUMP, VACUUM, COMPOUND, ROTARY, MOTOR DRIVEN, 12 CFM (VALIDATION DATE: 8112) | A | 4310 AS | 19-NOV-62 | | AS | | |
| L | | MIL-F-23508D(1) | FITTING & FLANGES, WROUGHT, SEAMLESS, BUTT & SOCKET WELDING, NICKEL CHROMIUM IRON ALLOY (ISSUE CONTROLLED REQUEST BY OTHER THAN DOD ACTYS MUST BE SUBMITTED VIA THE PREPARING ACTY OF THE SPEC) | A | 4730 SH | 08-SEP-81 | | | | |
| L | | MIL-F-23509F | FITTINGS & FLANGES, WROUGHT, SEAMLESS BUTT & SOCKET WELDING, NICKEL-COPPER ALLOY (NO FORM REL TO OTHER THAN DOD ACT REQ PR APPR OF NAV SEA SYS COM) | A | 4730 SH | 04-JAN-85 | | SH | | |
| L | | MIL-T-23520C(1) | TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS, AIR MELTED (CONTROLLED DISTRIBUTION) USER: ME | B | 4710 SH | 04-SEP-84 | | SH | | |
| A L | | MIL-D-23523D(1) | DEHYDRATOR, LOW PRESSURE AIR, FOR SPECIAL APPLICATIONS | A | 4460 SH | 05-APR-93 | | SH | | |
| L | | MIL-I-23524A | INDICATOR, ATTITUDE-DIRECTOR, REMOTE, ID 1329A (V) | A | 6610 AS | 10-MAR-86 | | AS | | |
| L | | MIL-C-23525A | CONTAINER, REUSABLE, ALUMINUM, HAND PORTABLE REVIEWER: MI | A | 8140 OS | 12-MAY-87 | | OS | | |
| L | | MIL-M-23530A NOTICE 1 | MOCK-UP OF MAIN AND AUXILIARY SHIPBOARD MACHINERY SPACES (VALIDATION DATE: 8802) | A | MISC SH | 09-FEB-88 | | SH | | |
| L | | MIL-S-23535 | SYSTEM, INTEGRATED FLIGHT INSTRUMENTATION (VALIDATION DATE: 8410) | A | 6610 AS | 01-APR-63 | | AS | | |
| L | | MIL-P-23536A NOTICE 1 | POLYETHYLENE PLASTIC SHEETS, VIRGIN AND BORATED (CONTROLLED DISTRIBUTION) (VALIDATION DATE: 8106) USER: ME REVIEWER: GS MI | B | 9330 SH | 15-OCT-68 | | SH | | |
| L | | MIL-A-23547E | ANTENNA COUPLER CU-937()/UR (VALIDATION DATE: 8404) REVIEWER: ES | A | 5985 EC | 28-OCT-77 | | EC | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| L | | MIL-I-23548(2) | ITEM IDENTIFICATION DATA FROM SUPPLIERS REVIEWER: GS | A MISC CG 01-FEB-71 | CG | | | |
| Q | | MIL-G-23549C | GREASE, GENERAL PURPOSE USER: OS REVIEWER: GS PS SH | A 9150 AS 31-MAR-81 | | AS | 11 | |
| | | MIL-C-23553B(1) | CABLES, ELECTRICAL, ALUMINUM FOIL SHIELDED PAIRS USER: 19 AR REVIEWER: 80 99 IS MI | A 6145 EC 21-FEB-85 | CR | EC | 85 | |
| L | | MIL-M-23554C | WASHER EXTRACTOR, LAUNDRY (SHIPBOARD) REVIEWER: GS MI | A 3510 SH 16-MAR-84 | | SH | | |
| L | | MIL-O-23560C(2) | OSCILLOGRAPHS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8405] | A 1355 OS 16-SEP-71 | | OS | | |
| L | | MIL-O-23560/4A(1) | OSCILLOGRAPH, TYPE IV (FOR TORPEDO MARK 37 MOD 1) [VALIDATION DATE: 8405] | A 1355 OS 30-DEC-65 | | OS | | |
| L | | MIL-O-23560/5(1) | OSCILLOGRAPH, TYPE V (FOR TORPEDO MARK 46 MOD 0) [VALIDATION DATE: 8405] | A 1355 OS 30-DEC-65 | | OS | | |
| D | | MIL-C-23565E | COUNTER, DISH-TRAY CONVEYOR USER: CE REVIEWER: GS MD SA | A 7320 YD1 14-JAN-89 | GL | YD1 | 99 | |
| L | | MIL-S-23566A(2) | SINK, SANITIZING (SUBMARINE SERVICE) [VALIDATION DATE: 8310] REVIEWER: CS SH | A 4510 SA 22-APR-69 | | SA | | |
| L | | MIL-M-23573B NOTICE 1 | MONOETHANOLAMINE CHELATING AGENT SOLUTION [VALIDATION DATE: 9106] REVIEWER: GS | A 6810 SH 07-JUN-91 | | SH | | |
| A L | | MIL-T-23581A | TUMBLER, DRYING, LAUNDRY, COMMERCIAL (SUBMARINE SERVICE) | A 3510 SH 03-AUG-92 | | SH | | |
| | | MIL-S-23586E | SEALING COMPOUND, ELECTRICAL, SILICONE RUBBER, ACCELERATOR REQUIRED USER: OS REVIEWER: 99 AR AV EC ER MI | A 8030 AS 10-JUL-87 | MR | AS | 11 | |
| L | | MIL-T-23588C | TRANSDUCER, PRESSURE [VALIDATION DATE: 8507] | A 1355 OS 23-MAY-74 | | OS | | |
| L | | MIL-C-23590A | CARTRIDGE, IMPULSE MARK 40 MOD 0 [VALIDATION DATE: 8407] | A 1377 AS 25-MAR-71 | | AS | | |
| L | | MIL-T-23592 | TEST SET, INFRARED DETECTING SET AN/AAM-6 [VALIDATION DATE: 8106] | A 1290 AS 23-JAN-63 | | AS | | |
| | | MIL-I-23594C | INSULATION TAPE, ELECTRICAL, HIGH TEMPERATURE, POLYTETRAFLUOROETHYLENE, PRESSURE-SENSITIVE USER: ME OS SH REVIEWER: 99 DS EC GS MI | A 5970 AS 31-MAR-88 | ER | AS | 85 | |
| QL | | MIL-A-23595C(2) | AMPLIFIER, AUDIO FREQUENCY | A 5831 AS 27-NOV-89 | | AS | | |
| L | | MIL-A-23595/1A(1) | AMPLIFIER, AUDIO FREQUENCY, AM-3597C/A | A 5831 AS 17-MAR-89 | | AS | | |
| L | | MIL-A-23595/2A(1) | AMPLIFIER, AUDIO FREQUENCY, AM 4326B/A | A 5831 AS 17-MAR-89 | | AS | | |
| L | | MIL-A-23595/3B(2) | AMPLIFIER, AUDIO FREQUENCY, AM-7067A/A | A 5831 AS 23-MAY-90 | | AS | | |
| L | | MIL-H-23599A | HOOK, HELICOPTER RESCUE [VALIDATION DATE: 8205] | A 4030 AS 05-JUN-69 | | AS | | |
| L | | MIL-L-23614B(1) | LIGHT, MARKER, DISTRESS, AIRCREW [VALIDATION DATE: 8307] USER: CG ME REVIEWER: SH | A 6230 AS 18-MAR-77 | | AS | | |
| L | | MIL-D-23615B(2) | DESIGN AND EVALUATION OF CARTRIDGE ACTUATED DEVICES | A 1377 AS 15-OCT-90 | | AS | | |
| L | | MIL-M-23618G | MANUALS, TECHNICAL: PERIODIC MAINTENANCE REQUIREMENTS: PREPARATION & PRINTING OF | A TMSS AS 12-JUN-87 | | AS | | |
| QLI | | MIL-A-23622 NOTICE 1 | ACTUATOR, AIRCRAFT, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT | A 1680 AS 03-DEC-90 | | AS | | |
| L | | MIL-T-23624(1) | TOLYLENE - 2, 4 - DIISOCYANATE [VALIDATION DATE: 8004] | A 6810 OS 02-APR-74 | | AS | | |
| L | | MIL-P-23625(2) | PBXN-4 EXPLOSIVE [VALIDATION DATE: 8204] | A 1376 OS 14-MAR-73 | | OS | | |
| L | | MIL-R-23637J | RECEIVER, RADIO R-1051( )/URR | A 5820 EC 29-NOV-85 | | EC | | |
| L | | MIL-S-23639C | STOWAGE AND CHARGING UNIT FOR LIQUID OXYGEN AND LIQUID NITROGEN (SHIPBOARD TYPE) REVIEWER: GS | A 3655 SH 28-AUG-90 | | SH | | |
| L | | MIL-O-23641 | OUTLET, SHORE POWER [VALIDATION DATE: 6803] REVIEWER: GS | A 5975 CG 06-FEB-63 | | CG | | |
| L | | MIL-T-23643(2) | TEST SET, TARGET CONTROL SYSTEM AN/SRM SERIES (AN/SRM-2, AN/SRM-3, AN/SRM-4, AN/SRM-5, AND AN/SRM-6) [VALIDATION DATE: 8410] | A 6625 AS 08-DEC-64 | | AS | | |
| L | | MIL-T-23645H | TRANSMITTER T-827( )/URT | A 5820 EC 29-NOV-85 | | EC | | |
| MQ | | MIL-T-23648C(1) SUPPL 1&1 | RESISTOR, THERMAL, (THERMALLY SENSITIVE RESISTOR) INSULATED, GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS | A 5905 85 15-APR-93 | ER | EC | 85 | |
| M | | MIL-T-23648/1C(2) | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH06 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 EC 15-APR-93 | ER | EC | 85 | |
| M | | MIL-T-23648/2C(2) | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH08 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 EC 15-APR-93 | ER | EC | 85 | |
| M | | MIL-T-23648/3C(2) | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH10 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 EC 15-APR-93 | ER | EC | 85 | |
| | | MIL-T-23648/6A | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH16 USER: 19 AS AT AV CG MC ME SH REVIEWER: 11 17 99 AR ES OS | A 5905 EC 15-JUL-88 | ER | EC | 85 | |
| | | MIL-T-23648/7A | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH18 USER: 19 CG MC REVIEWER: 11 17 99 AT AV ES ME MU OS | A 5905 EC 15-JUL-88 | ER | EC | 85 | |
| M | | MIL-T-23648/8A(1) | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED POSITIVE TEMPERATURE COEFFICIENT STYLE RTH20 USER: 19 AT AV CG MC ME REVIEWER: 11 17 99 AR AS ES OS | A 5905 EC 15-APR-93 | ER | EC | 85 | |
| | | MIL-T-23648/9A(1) | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED POSITIVE TEMPERATURE COEFFICIENT STYLE RTH22 USER: 12 19 CG MC REVIEWER: 17 AR AS ES OS | A 5905 EC 19-JUN-86 | ER | EC | 85 | |
| | | MIL-T-23648/10B(1) | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH24 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS OS | A 5905 EC 19-SEP-90 | ER | EC | 85 | |
| | | MIL-T-23648/11B(1) | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH26 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS OS | A 5905 EC 19-SEP-90 | ER | EC | 85 | |
| | | MIL-T-23648/12B | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH28 USER: 11 19 99 AS AT AV CG MC ME REVIEWER: 17 AR ES OS | A 5905 EC 15-JUL-88 | ER | EC | 85 | |
| | | MIL-T-23648/13B | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH30 USER: 19 AT AV CG MC ME REVIEWER: 11 17 99 AR ES OS | A 5905 EC 15-JUL-88 | ER | EC | 85 | |
| | | MIL-T-23648/19A(1) | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), HERMETICALLY SEALED, POSITIVE TEMPERATURE COEFFICIENT STYLE RTH42 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS AV ES OS | A 5905 EC 19-JUN-86 | ER | EC | 85 | |
| | | MIL-T-23648/20A | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH44 USER: CG MC REVIEWER: 99 AR ES SH | A 5905 EC 15-JUL-88 | ER | EC | 85 | |
| QL | | MIL-P-23653C | PLASTIC TILES, VIBRATION DAMPING [VALIDATION DATE: 8106] REVIEWER: GS | A 9330 SH 21-SEP-72 | | SH | | |
| | | MIL-I-23659C NOTICE 1 | INITIATOR, ELECTRIC, GENERAL DESIGN SPECIFICATION [VALIDATION DATE: 8704] REVIEWER: AV MI OS | A 1377 AS 31-AUG-72 | AR | AS | | |
| L | | MIL-D-23660A | DATA, TECHNICAL FOR ROCKET MOTORS [VALIDATION DATE: 8509] | A 1336 AS 15-SEP-66 | | AS | | |
| L | | MIL-C-23661A | CARTRIDGE, IMPULSE, MARK 45 MOD 0 | A 1377 AS 10-DEC-85 | | AS | | |
| L | | MIL-S-23665A(2) | SONOBUOY, DETECTION DEVICES, PRESERVATION, PACKAGING AND PACKING, PROCEDURES FOR [VALIDATION DATE: 8309] REVIEWER: SH | A 5845 AS 01-SEP-72 | | AS | | |
| L | | MIL-A-23670A(3) | ATTITUDE HEADING REFERENCE SYSTEM AN/ASN-50(*) [VALIDATION DATE: 8506] | A 6605 AS 12-OCT-72 | | AS | | |
| QL | | MIL-I-23671B | INDICATOR, MS-17264, AIRSPEED AND MACH NUMBER, INTEGRALLY LIGHTED, PITOT-STATIC, 80 TO 850 KNOTS | A 6610 AS 13-OCT-83 | | AS | | |
| L | | MIL-C-23672A | CARTRIDGE, IMPULSE, MARK 42 MOD 0 [VALIDATION DATE: 8407] | A 1377 AS 03-DEC-71 | | AS | | |
| L | | MIL-C-23673A | CARTRIDGE, IMPULSE, MARK 43 MOD 0 [VALIDATION DATE: 8407] | A 1377 AS 03-DEC-71 | | AS | | |
| L | | MIL-G-23676(2) NOTICE 1 | GAGE, PRESSURE, DIAL INDICATING OXYGEN, HIGH PRESSURE [VALIDATION DATE: 9110] | A 6685 AS 28-OCT-91 | | AS | | |
| L | | MIL-M-23677A NOTICE 1 | METER, AMPERE-HOUR (NONMERCURY TYPE) [VALIDATION DATE: 9103] REVIEWER: GS | A 6625 SH 08-MAR-91 | | SH | | |
| | | MIL-O-23678B(1) | OXYGEN SYSTEMS, PORTABLE, HIGH PRESSURE, AIRCRAFT | A 1660 AS 18-APR-86 | AV | AS | | |
| L | | DOD-R-23679F | REAGENT, STANDARD, WATER TEST CHEMICALS (METRIC) | A 6810 SH 08-AUG-86 | | SH | | |
| | | MIL-M-23680E | STUD WELDING SYSTEMS, DC, INTEGRAL POWER SOURCE AND CONTROL UNIT, ELECTRIC ARC AND CAPACITOR DISCHARGE USER: AV CE CG REVIEWER: AS GS | A 3431 1P 18-OCT-89 | AL | SH | 99 | 1P |
| | | MIL-G-23681C NOTICE 1 | GRINDING MACHINES, JIG, VERTICAL [VALIDATION DATE: 9001] USER: MC OS REVIEWER: 84 AV GS | A 3415 1P 26-JAN-90 | AL | SH | 99 | 1P |
| LI | | MIL-E-23683A NOTICE 1 | EXPLOSIVE FITTING MARK 19 MOD 1 | A 1351 OS 27-MAR-92 | | OS | | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-A-23685B | ADAPTER, PALLET, STEEL FOR PROJECTILES, ROCKET HEADS, CARTRIDGE CONTAINERS AND BOMB FINS [VALIDATION DATE: 8301] | A | 3990 | | OS | 27-MAY-77 | | OS | | |
| L | | | MIL-T-23693 | TEST HARNESS, RADAR SET AN/APN-153(*) [VALIDATION DATE: 8103] REVIEWER: CS | A | 4940 | | AS | 15-MAY-63 | | AS | | |
| L | | | MIL-C-23697(2) | COMPUTER SET, NAVIGATIONAL AN/ASN-42(*) [VALIDATION DATE: 8509] | A | 6605 | | AS | 01-JAN-67 | | AS | | |
| Q | | | MIL-L-23699D | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE, NATO CODE NUMBER O-156 USER: AR REVIEWER: 68 AV GS SH | A | 9150 | | AS | 09-OCT-90 | ME | AS | 11 | |
| | | | MIL-K-23714C | KITS, SAMPLING, FOR AVIATION FUELS, REUSABLE REVIEWER: 82 AV MC SH | A | 8115 | | AS | 04-SEP-89 | GL | AS | 69 | |
| L | | | MIL-C-23716A | COMPUTER SET, BOMB RELEASE, LOFT, AN/AJB-3 [VALIDATION DATE: 8103] | A | 1280 | | AS | 01-OCT-66 | | AS | | |
| L | | | MIL-G-23723(2) NOTICE 1 | GYROSCOPE, RATE SWITCHING CM-495/AJB-3 [VALIDATION DATE: 8712] | A | 6615 | | AS | 07-DEC-87 | | AS | | |
| L | | | MIL-C-23727A(2) | COMPUTER SET, LOFT BOMB RELEASE AN/AJB-3A [VALIDATION DATE: 8410] | A | 1280 | | AS | 26-AUG-70 | | AS | | |
| L | | | MIL-T-23733A | TRANSMITTER, RATE GYROSCOPE T-751( )/AJB-3 [VALIDATION DATE: 8102] | A | 6615 | | AS | 15-JAN-68 | | AS | | |
| L | | | MIL-C-23742(3) | CONTROL CENTERS, ALTERNATING CURRENT NAVAL SHIPBOARD [VALIDATION DATE: 8104] REVIEWER: GS | A | 6110 | | SH | 08-JUL-66 | | SH | | |
| QL | | | MIL-R-23750A(1) | RATE INTEGRATING GYRO MS 3391 | A | 1420 | | AS | 28-FEB-83 | | AS | | |
| L | | | MIL-T-23752E | TRITIUM AIR MONITOR, PORTABLE OR FIXED | A | 6665 | | SH | 04-MAY-92 | | SH | | |
| | | | MIL-B-23755D | BRAKE MACHINES, SHEET METAL, MANUALLY OPERATED, STANDARD AND BOX-PAN TYPE USER: AR SH REVIEWER: GS | A | 3441 | | IP | 29-MAR-91 | AL | | 99 | IP |
| L | | | MIL-R-23757C | RADAR IDENTIFICATION TRANSPONDER SET AN/APX-71A [VALIDATION DATE: 8208] | A | 5895 | | AS | 03-FEB-75 | | AS | | |
| D | | | MIL-T-23759D | TANK, ASPHALT STORAGE, WHEEL MOUNTED | A | 5430 | | YD1 | 28-FEB-89 | ME | YD1 | | |
| | | | MIL-C-23760D | COATING, SPRAYABLE, STRIPPABLE, PROTECTIVE, FOR PACKAGING OF WEAPONS SYSTEMS & COMPONENTS, APPLICATION OF REVIEWER: 99 AL AT AV MI SH | A | 8030 | | AS | 04-OCT-83 | MR | AS | 69 | |
| Q | | | MIL-R-23761B | REGULATOR, VOLTAGE, AND CONTROL PANELS AIRCRAFT, DIRECT CURRENT GENERATOR, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8202] REVIEWER: 80 99 GS | A | 6110 | | AS | 01-OCT-75 | AV | AS | 11 | |
| L | | | MIL-R-23761/1A(1) | REGULATOR CONTROL PANEL, AIRCRAFT DIRECT CURRENT GENERATOR, 28 VOLT [VALIDATION DATE: 8410] REVIEWER: GS | A | 6110 | | AS | 15-MAY-78 | | AS | | |
| L | | | MIL-R-23761/2B | REGULATORS, VOLTAGE, AIRCRAFT DIRECT CURRENT GENERATOR, 28-VOLT | A | 6110 | | AS | 08-FEB-91 | | AS | | |
| QL | | | MIL-E-23765B(1) SUPPL 1A1 | ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, GENERAL SPECIFICATION FOR USER: MI REVIEWER: EA GS | A | 3439 | | SH | 15-SEP-89 | | SH | | |
| L | | | MIL-E-23765/1E(1) | ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, ORDINARY STRENGTH AND LOW ALLOY STEEL | A | 3439 | | SH | 15-SEP-89 | | SH | | |
| L | | | MIL-E-23765/2D(1) | ELECTRODES AND RODS - WELDING, BARE, SOLID, OR ALLOYED CORED, LOW ALLOY STEEL | A | 3439 | | SH | 23-OCT-90 | | SH | | |
| L | | | MIL-E-23765/3A | ELECTRODE, AND RODS - WELDING, BARE, SOLID COPPER ALLOY | A | 3439 | | SH | 11-MAR-86 | | SH | | |
| QL | | | MIL-E-23765/4 | ELECTRODES - WELDING, BARE, SOLID; AND FLUXES, SUBMERGED ARC WELDING, CARBON AND LOW ALLOY STEELS REVIEWER: 11 99 AR IS | A | 3439 | | SH | 15-SEP-89 | | SH | | |
| L | | | MIL-A-23766B | ANTENNA, AS-1018A/URC ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA COMDR,, (SPAWAR-003-121), WASH, DC 20363-5100) REVIEWER: ES | C | 5985 | | EC | 16-FEB-87 | | EC | | |
| L | | | MIL-R-23767B(1) | RECEIVING SET, RADIO AN/ARR-69 AND AN/ARR-69A [VALIDATION DATE: 8103] | A | 5821 | | AS | 03-JAN-72 | | AS | | |
| L | | | MIL-C-23768A(1) | CONTROL, INTEGRATED ELECTRONIC CENTRAL C-4850( * )/ASQ-85 [VALIDATION DATE: 8107] | A | 5895 | | AS | 08-NOV-71 | | AS | | |
| L | | | MIL-C-23771A | CONTROL UNIT (FOR MK-7 RETRACTABLE DECK SHEAVE) [VALIDATION DATE: 8204] | A | 1710 | | AS | 10-AUG-73 | | AS | | |
| L | | | MIL-S-23772(3) NOTICE 1 | SWITCH, HYDROSTATIC, MARK 63 MOD 0 AND MOD 1 [VALIDATION DATE: 9203] | A | 1350 | | OS | 18-MAR-92 | | OS | | |
| L1 | | | MIL-A-23773A(1) NOTICE 1 | ANCHOR, UNDERWATER MINE, MARK 56 MOD 4 AND MOD 5 | A | 1350 | | OS | 27-MAR-92 | | OS | | |
| L | | | MIL-Q-23774 | QUARTZITE AGGREGATE [VALIDATION DATE: 8204] | A | 5610 | | OS | 25-JUN-63 | | OS | | |
| L | | | MIL-I-23775 NOTICE 1 | INERT LOAD BINDER FOR DRILL MINES [VALIDATION DATE: 9203] | A | 5610 | | OS | 18-MAR-92 | | OS | | |
| L | | | MIL-M-23782C | MANUALS, TECHNICAL, WORK UNIT CODE, PREPARATION OF | A | TMSS | | AS | 02-NOV-83 | | AS | | |
| L | | | MIL-F-23788A | FENDERS, MARINE, VINYL, AIR FILLED | A | 2040 | | SH | 02-JAN-91 | | SH | | |
| L | | | MIL-A-23798B | AIR CONDITIONER, FAN-COIL ASSEMBLY [VALIDATION DATE: 8106] REVIEWER: GS | A | 4120 | | SH | 29-MAY-73 | | SH | | |
| QL | | | MIL-H-23799(1) | HOSE ASSEMBLY, METAL, TRANSFER, LIQUID OXYGEN [VALIDATION DATE: 7910] | A | 4720 | | AS | 10-MAR-66 | | AS | | |
| L | | | MIL-C-23806A(2) | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, GENERAL SPECIFICATION REVIEWER: IS | A | 6145 | | EC | 04-APR-84 | | EC | | |
| | | | MIL-C-23806/1C | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 1/2 INCH, 50 AND 75 OHM, (RG-231A/U, RG-331/U, RG-334/U AND RG-335/U) | A | 6145 | | EC | 20-FEB-90 | | EC | 85 | |
| | | | MIL-C-23806/2C | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 7/8 INCH, 50 AND 75 OHM, (RG-332/U, RG-333/U, RG-336/U, AND RG-306A/U) | A | 6145 | | EC | 20-FEB-90 | | EC | 85 | |
| | | | MIL-C-23806/3C | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 3/4 INCH, 50 OHM, JACKETED (RG-360/U) | A | 6145 | | EC | 20-FEB-90 | | EC | 85 | |
| L | | | MIL-F-23808 | FILING MACHINE, SAW BLADE, BAND AND CIRCULAR, AUTOMATIC [VALIDATION DATE: 8105] REVIEWER: GS | A | 3419 | | SH | 30-AUG-63 | | SH | | |
| L | | | MIL-S-23809C NOTICE 1 | SECTION, EXERCISE, TORPEDO, MARK 64 MOD 2 (FOR TORPEDO MARK 37 MODS 2 AND 3) (INACTIVE FOR NEW DESIGN) | A | 1355 | | OS | 31-OCT-86 | | OS | | |
| L | | | MIL-P-23810A(3) | PANEL, COMPONENT, RECORDING (FOR TORPEDO EXERCISE SECTION MARK 64 MOD 2 [VALIDATION DATE: 8403] | A | 1355 | | OS | 26-OCT-70 | | OS | | |
| L | | | MIL-R-23811(3) | RECORDER ASSEMBLY (FOR TORPEDO EXERCISE SECTION MARK 64 MOD 2) [VALIDATION DATE: 8403] | A | 1355 | | OS | 25-SEP-69 | | OS | | |
| L | | | MIL-C-23812B | CABLE, ELECTRONIC, TOW, FOR SUBMARINE APPLICATION [VALIDATION DATE: 8304] REVIEWER: IS | A | 6145 | | EC | 24-JUL-69 | | EC | | |
| | | | MIL-M-23813A | MICROPHONE, INTERCOMMUNICATION AND ANNOUNCING SYSTEM, NAVAL SHIPBOARD [VALIDATION DATE: 8104] USER: MC | A | 5830 | | SH | 21-DEC-64 | CR | SH | | |
| L | | | MIL-R-23818 | RACK, BOMB, MULTIPLE PRACTISE A/A 37B-3 [VALIDATION DATE: 8407] | A | 1095 | | AS | 15-AUG-64 | | AS | | |
| L | | | MIL-S-23821A | SIMULATOR OWN SHIP S MOTION (OSMOS) (NAVAL SHIPBOARD) [VALIDATION DATE: 8104] | A | 6930 | | SH | 20-SEP-65 | | SH | | |
| L | | | MIL-L-23822C NOTICE 1 | LIQUID PROPELLANT ROCKET ENGINE LR64 FOR AQM-37A MISSILE TARGET SYSTEM | A | 1430 | | AS | 10-APR-87 | | AS | | |
| | | | MIL-G-23823E | GRINDING MACHINES, CYLINDRICAL, EXTERNAL, CENTER TYPE UNIVERSAL, TRAVELING TABLE USER: AR MC WV REVIEWER: AS GS | A | 3415 | | IP | 16-APR-91 | AL | SH | 99 | IP |
| L | | | MIL-T-23824A(1) | TORPEDO BEACON LIGHT (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8506] | A | 1355 | | OS | 04-NOV-71 | | OS | | |
| Q | | | MIL-G-23827B(1) | GREASE, AIRCRAFT AND INSTRUMENT, GEAR AND ACTUATOR SCREW USER: AV OS REVIEWER: DS EA GS PS | A | 9150 | | AS | 07-APR-88 | ME | AS | 11 | |
| D | | | MIL-D-23828C NOTICE 1 | DISPENSERS, SILVERWARE [VALIDATION DATE: 9203] REVIEWER: 84 GS MC MD TS | A | 7320 | | GL | 27-MAR-92 | GL | YD1 | 99 | |
| L | | | MIL-I-23830C(3) | INDICATOR, MULTI-VOLTAGE, MULTI-FREQUENCY AND POLARITY, HAND, PORTABLE REVIEWER: 99 | A | 6625 | | SH | 30-APR-86 | | SH | | |
| L | | | MIL-I-23832A | INDICATOR, TACHOMETER, TRIPLE POINTER, HELICOPTER | A | 6620 | | AS | 25-JUN-80 | | AS | | |
| L | | | MIL-A-23836 | ANTENNA SYSTEMS, SUBMARINE, DESIGN, LOCATION, AND INSTALLATION, GENERAL SPECIFICATION [VALIDATION DATE: 7903] REVIEWER: ES | A | 5985 | | EC | 03-SEP-63 | | EC | | |
| | | | MIL-R-23837B | RADIAC SET AN/PDR-65() | A | 6665 | | SH | 04-MAY-92 | | SH | | |
| L | | | MIL-C-23842A | CONVEYOR, VERTICAL, TRAY TYPE, FOR 3000 POUND PALLETIZED LOADS (SHIPBOARD USE) | A | 3910 | | SH | 22-JUN-82 | | SH | | |
| D L | | | MIL-P-23857B | PUMPING ASSEMBLIES, ASPHALT, BULK TRANSFER | A | 4320 | | YD1 | 08-NOV-82 | | YD1 | | |
| I | | | MIL-D-23859C SUPPL 1A1, NOTICE 1 | DELAY LINES, PULSE, ELECTROMAGNETIC, FIXED GENERAL SPECIFICATION FOR USER: MC MI REVIEWER: 17 99 AR AS OS SH | A | 5999 | | 85 | 12-OCT-90 | ER | EC | 85 | |
| I | | | MIL-D-23859/23C NOTICE 1 | DELAY LINES, PULSE, ELECTROMAGNETIC, LUMPED CONSTANT USER: MC MI REVIEWER: 17 AR AS OS SH | A | 5999 | | 85 | 12-OCT-90 | ER | EC | 85 | |
| QL | | | MIL-R-23864B | RADAR TRANSPONDER AN/DPN-77() [VALIDATION DATE: 8107] | A | 5895 | | AS | 20-NOV-72 | | AS | | |
| L | | | MIL-A-23865A(1) NOTICE 1 | ANTENNA GROUP AN/SRA-28() [VALIDATION DATE: 8610] REVIEWER: ES | A | 5985 | | EC | 15-OCT-86 | | EC | | |
| L | | | MIL-C-23866A(1) NOTICE 1 | CONTROL SET, APPROACH POWER AN/ASM-54 (V) | A | 5825 | | AS | 26-JUL-91 | | AS | | |

| Action | OPR / Civil Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-I-23870(1) | INDICATOR, FUEL RATE OF FLOW, 0 TO 15 GPM [VALIDATION DATE: 8103] REVIEWER: GS | A | 6680 | AS | 29-JAN-64 | AS | | | |
| D | | MIL-C-23880D | CABINET, FOOD WARMING, ELECTRIC, PASS-THROUGH AND REACH-IN USER: CE MC REVIEWER: GS MD MS | A | 7310 | YD1 | 23-DEC-83 GL | YD1 | 99 | | |
| | QL | MIL-L-23886B | LIQUID LEVEL INDICATING EQUIPMENT (ELECTRICAL) REVIEWER: GS | A | 6680 | SH | 14-APR-89 | SH | | | |
| | L | MIL-A-23887A(1) | ALTIMETER SET, ELECTRONIC AN/APM-141(V) [VALIDATION DATE: 8509] | A | 5841 | AS | 01-MAR-66 | AS | | | |
| D | | MIL-S-23891C | SPRAYER DUSTER, BACK PACK TYPE, GED BLOWER (COMMERCIAL) REVIEWER: CE CG MD MS | A | 3740 | CS | 30-JAN-85 ME | YD1 | 99 | CS | |
| | L | MIL-A-23894 | ALPHA-NITRONAPHTHALENE (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8204] REVIEWER: GS | A | 6810 | OS | 17-OCT-63 | OS | | | |
| | L | MIL-S-23895(1) | SHACKLE, BOMB, MARK 8 MOD 5 [VALIDATION DATE: 8005] | A | 1095 | AS | 15-DEC-65 | AS | | | |
| D | L | MIL-T-23896F | TRUCKS, TIRE SERVICING: GASOLINE AND DIESEL ENGINE DRIVEN, 19,000 AND 24,000 POUNDS GVW, 4 BY 2, AND 4 BY 4 REVIEWER: AT MC | A | 2320 | YD1 | 14-MAR-91 | YD1 | | | |
| DQL | | MIL-A-23899B | AURAL PROTECTOR, SOUND USER: ME YD1 REVIEWER: GS MD | A | 4240 | AS | 17-AUG-84 | AS | | | |
| | | MIL-S-23910B NOTICE 2 | SHAPER, METAL CUTTING, HORIZONTAL RAM, MECHANICAL, PLAIN AND UNIVERSAL TABLE, 16, 20, 24, 28 AND 32 INCH STROKE USER: MC SH REVIEWER: GS | A | 3418 | IP | 05-FEB-87 AL | SH | 99 | IP | |
| | L | MIL-P-23917(2) | PRECIPITATOR (..LECTROSTATIC), VENT FOG,SHIPBOARD USE [VALIDATION DATE: 8106] | A | 4460 | SH | 21-JUN-67 | SH | | | |
| | L | MIL-E-23919A NOTICE 1 | ELECTRODES, REFERENCE, CIRCULAR, CORROSION PREVENTIVE, (FLUSH TYPE): SILVER-SILVER CHLORIDE [VALIDATION DATE: 9003] | A | 2090 | SH | 22-MAR-90 | SH | | | |
| D | | MIL-S-23923D | SPRAYER & DUSTER UNITS, INSECTICIDE, MIST DUST BLOWER TYPE, GED, 30 TO 100 GAL/H LIQUID, 30 TO 300 LB/H DUST (COMMERCIAL) USER: CG MC REVIEWER: 84 ME MS | A | 3740 | CS | 21-JUN-84 | YD1 | 99 | CS | |
| | L | MIL-P-23928D SUPPL 1A1 | PANELS, ELECTRICAL, POWER DISTRIBUTION AND MANUAL TRANSFER, CIRCUIT BREAKER TYPE REVIEWER: ES | A | 5925 | SH | 05-DEC-88 | SH | | | |
| | L | MIL-P-23928/1B | PANEL, ELECTRICAL, 125 VOLTS, POWER DISTRIBUTION FOR ALB-1 AND NLB-1 CIRCUIT BREAKERS, 4-20 CIRCUITS, DRIPPROOF TOTALLY ENCLOSED AND WATERTIGHT | A | 5925 | SH | 05-DEC-88 | SH | | | |
| | L | MIL-P-23928/2B | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR AQB-A50 AND NQB-A50 CIRCUIT BREAKERS BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT | A | 5925 | SH | 05-DEC-88 | SH | | | |
| | L | MIL-P-23928/3A NOTICE 1 | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR SINGLE AQB-A101 AND NQB-A101 CIRCUIT BREAKER, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [VALIDATION DATE: 8912] | A | 5925 | SH | 11-DEC-89 | SH | | | |
| | L | MIL-P-23928/4B | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR DOUBLE AQB-A101 AND NQB-A101 CIRCUIT BREAKERS, 2-12 CIRCUITS, WITH AND WITHOUT MANUAL TRANSFER, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT | A | 5925 | SH | 05-DEC-88 | SH | | | |
| | L | MIL-P-23928/5A NOTICE 1 | PANEL, ELECTRICAL, MANUAL TRANSFER FOR DOUBLE NQB-A101 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [VALIDATION DATE: 8912] | A | 5925 | SH | 11-DEC-89 | SH | | | |
| | L | MIL-P-23928/6A NOTICE 1 | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR SINGLE AQB-A250 AND NQB-A250 CIRCUIT BREAKER, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [VALIDATION DATE: 8912] | A | 5925 | SH | 11-DEC-89 | SH | | | |
| | L | MIL-P-23928/7A NOTICE 1 | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR DOUBLE AQB-A250 AND NQB-A250 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [VALIDATION DATE: 8912] | A | 5925 | SH | 11-DEC-89 | SH | | | |
| | L | MIL-P-23928/8A NOTICE 1 | PANEL, ELECTRICAL, MANUAL TRANSFER FOR DOUBLE NQB-A250 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [VALIDATION DATE: 8912] | A | 5925 | SH | 11-DEC-89 | SH | | | |
| | L | MIL-P-23928/9C | PANEL, ELECTRICAL, SYMBOL 579, SUBMERSIBLE ENCLOSURE (15 FEET) | A | 5925 | SH | 05-DEC-88 | SH | | | |
| | | MIL-P-23929A NOTICE 1 | PROPELLANT, MB [VALIDATION DATE: 9008] REVIEWER: 14 | A | 1375 | AR | 27-AUG-90 AR | OS | 99 | | |
| | L | MIL-C-23931D(2) | CARTRIDGE, IMPULSE, MARK 9 MOD 0 | A | 1377 | AS | 31-JUL-91 | AS | | | |
| | L | MIL-C-23933A | CARTRIDGE, IMPULSE, MARK 44 MOD 0 [VALIDATION DATE: 8407] | A | 1377 | AS | 20-DEC-71 | AS | | | |
| | L | MIL-C-23934A | CARTRIDGE, IMPULSE, MARK 49 MOD 0 [VALIDATION DATE: 8407] | A | 1377 | AS | 13-JAN-71 | AS | | | |
| | L | MIL-C-23935A | CARTRIDGE, IMPULSE, MARK 47 MOD 0 [VALIDATION DATE: 8407] | A | 1377 | AS | 02-AUG-71 | AS | | | |
| | L | MIL-F-23938A | FERRIC OXIDE [VALIDATION DATE: 8509] | A | 1336 | AS | 01-SEP-66 | AS | | | |
| | L | MIL-P-23942(1) | POLYBUTADIENE, LINEAR, CARBOXYL TERMINATED [VALIDATION DATE: 8509] REVIEWER: OS | A | 1336 | AS | 01-SEP-66 | AS | | | |
| | L | MIL-A-23946(1) NOTICE 1 | AMMONIUM PERCHLORATE FOR SOLID PROPELLANT GRAINS [VALIDATION DATE: 8712] .. | A | 1336 | AS | 23-DEC-87 | AS | | | |
| | L | MIL-C-23947(1) | COMPOUNDING OIL [VALIDATION DATE: 8509] REVIEWER: OS | A | 1336 | AS | 01-SEP-66 | AS | | | |
| | L | MIL-A-23948(1) NOTICE 1 | AMMONIUM PERCHLORATE SPECIAL COARSE GRADE FOR SOLID PROPELLANT GRAINS [VALIDATION DATE: 8712] | A | 1336 | AS | 23-DEC-87 | AS | | | |
| | L | MIL-G-23949(1) NOTICE 1 | GRAINS, TUBULAR, PYROTECHNIC [VALIDATION DATE: 9109] | A | 1336 | AS | 25-SEP-91 | AS | | | |
| | L | MIL-A-23950A(1) | ALUMINUM POWDER, SPHERICAL | A | 1336 | AS | 13-MAR-84 | AS | | | |
| | L | MIL-I-23951(1) NOTICE 1 | IGNITION MATERIAL, PELLETED, PYROTECHNIC [VALIDATION DATE: 9109] | A | 1336 | AS | 25-SEP-91 | AS | | | |
| A | L | MIL-C-23952C | CONTROL EQUIPMENT AUTOMATIC DEGAUSSING (AUTO DEG), TYPE SSM | A | 1075 | SH | 18-NOV-92 | SH | | | |
| | QL | MIL-V-23953C | VALVES, COMBINED VENT-CHECK, FOR SUBMARINE MBT BLOW LINES (SIZES 1-1/2 TO 2-1/2 INCHES) REVIEWER: CS | A | 4820 | SH | 11-MAY-90 | SH | | | |
| | L | MIL-L-23956A(2) | LAUNCHING GROUP MARK 16 MOD 4 [VALIDATION DATE: 8204] | A | 1055 | OS | 10-JUL-75 | OS | | | |
| | L | MIL-P-23957A | POWER DRIVE, TRAIN, MK 61 MOD 2 POWER DRIVE, ELEVATION, MK 62 MOD 2 CHASSIS, AMPLIFIER, LD 272613 [VALIDATION DATE: 8402] | A | 1055 | OS | 18-SEP-69 | OS | | | |
| | | MIL-B-23958A(1) | BRUSH, CLEANING, AIRCRAFT, METAL BRIGHTENING [VALIDATION DATE: 8304] | A | 7920 | AS | 12-NOV-75 GL | AS | 99 | | |
| | L | MIL-C-23961A(1) | COMPRESSOR, HIGH PRESSURE AIR, 100 CFM, NAVAL SHIPBOARD SERVICE [VALIDATION DATE: 8402] | A | 4310 | SH | 22-AUG-66 | SH | | | |
| | Q | MIL-B-23964D(1) | BOLT, SELF-RETAINING, POSITIVE LOCKING REVIEWER: 82 | A | 5306 | AS | 26-MAR-91 | AS | 99 | | |
| | L | MIL-S-23965(1) | SHORES, DAMAGE CONTROL, AUTOMATIC, ADJUSTABLE TELESCOPING STEEL | A | 2090 | SH | 01-JUL-88 | SH | | | |
| | L | MIL-I-23970A | INDICATOR, OWN SHIP S POSITION (NAVAL SHIPBOARD) [VALIDATION DATE: 8104] .. | A | 6320 | SH | 15-MAY-64 | SH | | | |
| | | MIL-P-23971B SUPPL 1A1, NOTICE 1 | POWDER DIVIDERS, POWER COMBINERS, AND POWER DIVIDER/COMBINERS GENERAL SPECIFICATION FOR | A | 5985 | EC | 27-OCT-87 ER | EC | 85 | | |
| | | MIL-P-23971/1 | POWER DIVIDER, 4 PORT QUADRATURE, SOLDER TERMINALS [VALIDATION DATE: 8301] USER: AS MC OS | A | 5985 | ER | 02-DEC-77 ER | EC | 85 | | |
| | | MIL-P-23971/2A(1) | POWER DIVIDER, 4 PORT QUADRATURE, SMA CONNECTORS USER: AS MC OS REVIEWER: ES | A | 5985 | ER | 21-SEP-81 ER | EC | 85 | | |
| | | MIL-P-23971/3 | POWER DIVIDER, 4 PORT QUADRATURE, PLUG IN TERMINALS [VALIDATION DATE: 8301] USER: AS MC OS | A | 5985 | ER | 02-DEC-77 ER | EC | 85 | | |
| | | MIL-P-23971/4 | POWER DIVIDER, 3 PORT QUADRATURE, SOLDER TERMINALS [VALIDATION DATE: 8301] USER: AS MC OS | A | 5985 | ER | 02-DEC-77 ER | EC | 85 | | |
| | | MIL-P-23971/5A | POWER DIVIDER, N-WAY, 0 DEGREES, FLAT PACK USER: AS MC OS REVIEWER: ES | A | 5985 | ER | 22-FEB-80 ER | EC | 85 | | |
| | | MIL-P-23971/6A | POWER DIVIDER/COMBINERS, N-WAY, 0 DEGRESS, TO 5 USER: AS MC OS REVIEWER: ES | A | 5985 | ER | 22-FEB-80 ER | EC | 85 | | |
| | | MIL-P-23971/7 NOTICE 1 | POWER DIVIDER, 4 PORT QUADRATURES, N CONNECTORS [VALIDATION DATE: 8712] USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 27-OCT-87 ER | EC | 85 | | |
| | | MIL-P-23971/8 | POWER DIVIDERS, QUADRATURE, FLAT PACK [VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 27-OCT-87 ER | EC | 85 | | |
| | | MIL-P-23971/9 NOTICE 1 | POWER DIVIDER, N WAY, 0 DEGREES, SMA CONNECTORS [VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 27-OCT-87 ER | EC | 85 | | |
| | | MIL-P-23971/10 NOTICE 1 | POWER DIVIDER/COMBINERS, QUADRATURE, RECTANGULAR, PC PINS [VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 27-OCT-87 ER | EC | 85 | | |
| | | MIL-P-23971/11 NOTICE 1 | POWER DIVIDER/COMBINERS, QUADRATURE, TO 5 [VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 27-OCT-87 ER | EC | 85 | | |
| | | MIL-P-23971/12 NOTICE 1 | POWER DIVIDER/COMBINERS, QUADRATURE, STRIPLINE [VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 27-OCT-87 ER | EC | 85 | | |
| | | MIL-P-23971/13 NOTICE 1 | POWER DIVIDER/COMBINERS, 2 WAY, 180 DEGREES, SMA CONNECTORS [VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 27-OCT-87 ER | EC | 85 | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-P-23971/14(1) | POWER DIVIDER/COMBINERS, N WAY, 0 DEGREES, FLAT PACK USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 24-NOV-81 | ER | EC | 85 | | |
| | | | | MIL-P-23971/15 NOTICE 1 | POWER DIVIDER/COMBINERS, N WAY, 0 DEGREES, RECTANGULAR, PC PINS [VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 27-OCT-87 | ER | EC | 85 | | |
| | | | | MIL-P-23971/16(1) | POWER DIVIDER/COMBINERS, N WAY, 0 DEGREES, SMA CONNECTORS USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 12-JAN-84 | ER | EC | 85 | | |
| | | | | MIL-P-23971/17 | POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, TNC CONNECTORS [VALIDATION DATE: 8601] USER: AS MC OS REVIEWER: ES | A | 5985 | EC | 22-FEB-80 | ER | EC | 85 | | |
| | L | | | MIL-D-23973(3) | DUMMY LOAD, ELECTRICAL, 600 WATTS D.C. TO 3000 MC. [VALIDATION DATE: 8404] USER: MC REVIEWER: ES | A | 5985 | EC | 30-JUN-66 | | EC | | | |
| A | L | | | MIL-G-23983A | GASKET AND PACKING MATERIAL, OIL RESISTANT RUBBER, ACCESS HULL APPLICATIONS | A | 5330 | SH | 17-SEP-92 | | SH | | | |
| D | L | | | MIL-A-23987A | A-FRAME, PONTOON TUG: PREFABRICATED, KNOCKED DOWN | A | 2020 | YD1 | 12-JAN-89 | | YD1 | | | |
| | | | | MIL-T-23991E | TRAINING DEVICES, MILITARY: GENERAL SPECIFICATION FOR USER: MC SH REVIEWER: 70 99 AS MI OS | A | 69GP | TD | 20-FEB-74 | AV | TD | 11 | | |
| | L | | | MIL-T-23991E(12) | TRAINING DEVICES, MILITARY: GENERAL SPECIFICATION FOR | A | 69GP | TD | 01-MAR-79 | | TD | | | |
| | L | | | MIL-P-24002 NOTICE 1 | PARACHUTE PACKS; GENERAL SPECIFICATION FOR [VALIDATION DATE: 9203] | A | 1350 | OS | 18-MAR-92 | | OS | | | |
| | L | | | MIL-P-24003(2) NOTICE 1 | PARACHUTE RELEASE MECHANISMS: GENERAL SPECIFICATION FOR [VALIDATION DATE: 9203] | A | 1350 | OS | 18-MAR-92 | | OS | | | |
| D | | | | MIL-R-24005F | ROLLERS, MOTORIZED, VIBRATING, TANDEM USER: MC REVIEWER: 84 ME | A | 3895 | YD1 | 29-JUN-92 | | YD1 | 99 | | |
| | L | | | MIL-R-24008 | RECEIVER, RADIO R-1047A/A [VALIDATION DATE: 8203] | A | 5826 | AS | 23-JAN-64 | | AS | | | |
| | L | | | MIL-R-24011A | RADAR ALTIMETER WARNING SET AN/APQ-107(*) [VALIDATION DATE: 8409] | A | 5841 | AS | 15-MAR-65 | | AS | | | |
| | L | | | MIL-T-24015B | TRANSMITTING SET, TELEMETRY DATA AN/AKT-21 [VALIDATION DATE: 8106] | A | 5821 | AS | 18-SEP-70 | | AS | | | |
| | | | | MIL-C-24016C(1) | CARTRIDGE, IMPULSE, MARK 51 MOD 1 [VALIDATION DATE: 8407] | A | 1377 | AS | 29-NOV-77 | | AS | 99 | | |
| | L | | | MIL-C-24017B(1) | CARTRIDGE, IMPULSE, MARK 8 MOD 0 | A | 1377 | AS | 28-SEP-88 | | AS | | | |
| N | | | | MIL-E-24021J | ELECTRIC POWER MONITOR, EXTERNAL, AIRCRAFT REVIEWER: 11 80 GS | A | 6110 | AS | 30-JUN-86 | AV | AS | 99 | | |
| | L | | | MIL-E-0024021H | ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT | A | 6110 | AS | 13-DEC-85 | | AS | | | |
| Q | L | | | MIL-E-24021J(11) | ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT | A | 6110 | AS | 10-APR-87 | | AS | | | |
| | L | | | MIL-F-24032A | FLASK, SEPARATOR, 3000 PSI, K-MONEL | A | 8120 | SH | 19-OCT-89 | | SH | | | |
| | | | | MIL-S-24034E | SAWS, BAND, METAL CUTTING, CONTOUR, POWER FEEDING TABLE, 19, 26, 35, AND 60 INCH THROAT WIDTHS USER: MC ME REVIEWER: 84 GS | A | 3405 | IP | 29-APR-88 | AL | SH | 99 | IP | |
| | | | | MIL-S-24035E | SAWS, BAND, CUTOFF, TRAVELING, TILTING, VERTICAL COLUMN REVIEWER: 84 GS | A | 3405 | IP | 19-MAY-88 | | SH | 99 | | |
| | | | | MIL-S-24036E | SAWS, BAND, CUTOFF, HORIZONTAL, NON-ADJUSTABLE AND ADJUSTABLE CUTTING ANGLE USER: MC SM REVIEWER: 84 | A | 3405 | IP | 25-OCT-89 | AL | SH | 99 | IP | |
| | | | | MIL-R-24037A(4) SUPPL 1A; | RADIACMETER, QUARTZ FIBER SELF INDICATING, GENERAL SPECIFICATION FOR REVIEWER: CG CR MC | A | 6665 | SH | 21-DEC-84 | ER | EC | | | |
| | | | | MIL-R-24037/1A(1) | RADIACMETER IM-9( )/PD REVIEWER: CG MC | A | 6665 | EC | 07-AUG-70 | ER | EC | 82 | | |
| | L | | | MIL-R-24037/3 | RADIACMETER - IM-107( )/PD [VALIDATION DATE: 8104] | A | 6665 | SH | 29-MAY-64 | | SH | | | |
| | L | | | MIL-R-24037/4A | RADIACMETER - IM-135( )/PD [VALIDATION DATE: 8104] REVIEWER: 99 | A | 6665 | EC | 09-JUN-67 | | EC | | | |
| | L | | | MIL-R-24037/5A | RADIACMETER - IM-143( )/PD | A | 6665 | SH | 21-DEC-84 | | SH | | | |
| | L | | | MIL-R-24037/6C | RADIACMETER, QUARTZ FIBER SELF INDICATING RADIACMETER - IM-181( )/PD [VALIDATION DATE: 8404] | A | 6665 | SH | 30-MAR-72 | | SH | | | |
| | L | | | MIL-T-24038D | TRANSMITTER, RADIO AN/URT-24( ) [VALIDATION DATE: 8404] | A | 5820 | EC | 28-OCT-77 | | EC | | | |
| A | L | | | MIL-C-24040B | COMPUTER-INDICATOR (SCALER), RADIAC, CP-792()/UD | A | 6665 | SH | 19-JAN-93 | | SH | | | |
| Q | | | | MIL-M-24041C | MOLDING AND POTTING COMPOUND, CHEMICALLY CURED, POLYURETHANE [VALIDATION DATE: 8812] USER: AT AV CG REVIEWER: AR AS EC GS MI | A | 9320 | SH | 20-DEC-88 | MR | SH | 11 | | |
| | | | | MIL-F-24044 | FLANGE, COAXIAL LINE, RIGID AIR DIELECTRIC, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] USER: MC REVIEWER: 11 17 ES | A | 5985 | EC | 18-MAR-64 | ER | EC | 85 | | |
| | | | | MIL-F-24044/1A NOTICE 1 | FLANGE, FIXED, COAXIAL LINE, RIGID [VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: 11 17 AR ES | A | 5985 | EC | 27-OCT-87 | ER | EC | 85 | | |
| | | | | MIL-F-24044/2 | FLANGE, ROTATABLE, COAXIAL LINE, RIGID [VALIDATION DATE: 8104] USER: AS MC REVIEWER: 11 17 ES | A | 5985 | EC | 18-MAR-64 | ER | EC | 85 | | |
| | | | | MIL-R-24049B | ROPE, POLYPROPYLENE USER: MD REVIEWER: 99 | A | 4020 | SH | 14-JUN-91 | GL | SH | 69 | | |
| M | | | | MIL-R-24050D(1) | ROPE, FIBROUS, DOUBLE-BRAIDED (NYLON) USER: CG MC YD1 REVIEWER: 82 AS | A | 4020 | SH | 31-MAR-93 | GL | SH | 99 | | |
| | L | | | MIL-A-24058A(1) | ASBESTOS PACKING & GASKETING MATERIAL, IMPREGNATED (CONTROLLED DISTRIBUTION) REVIEWER: ES IS | F | 5330 | SH | 19-APR-85 | | SH | | | |
| | L | | | MIL-I-24063B(1) NOTICE 1 | INSERT SETS, SOUND ISOLATION FOR RISIC-1 FLEXIBLE CONNECTORS [VALIDATION DATE: 9104] | A | 4730 | SH | 19-APR-91 | | SH | | | |
| A | L | | | MIL-C-24066C(1) | CLIP, COMPONENT, NON-ELECTRICAL, GENERAL SPECIFICATION FOR REVIEWER: AS IS | A | 5340 | EC | 11-AUG-92 | | EC | | | |
| | L | | | MIL-C-24066/2E | CLIP, SOLID, SPRING TENSION REVIEWER: AS AV GS | A | 5340 | EC | 09-OCT-86 | | EC | | | |
| | L | | | MIL-C-24066/3C | CLIP, SINGLE SLOT, SPRING TENSION REVIEWER: AS EA GS MI | A | 5340 | EC | 09-OCT-86 | | EC | | | |
| | L | | | MIL-C-24066/4D | CLIP, DOUBLE SLOT, SPRING TENSION REVIEWER: AS AV | A | 5340 | EC | 09-OCT-86 | | EC | | | |
| | L | | | MIL-S-24067(2) | SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH ELECTRONIC COUNTERMEASURES EQUIPMENT), GENERAL SPECIFICATION [VALIDATION DATE: 8404] REVIEWER: ES MI | A | 5985 | EC | 19-NOV-65 | | EC | | | |
| | L | | | MIL-S-24067/1B | SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH ELECTRONIC COUNTERMEASURES EQUIPMENT) SINGLE POLE DOUBLE THROW, TYPE 1 [VALIDATION DATE: 8404] REVIEWER: ES | A | 5985 | EC | 21-JUL-65 | | EC | | | |
| | L | | | MIL-S-24067/2B | SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH ELECTRONIC COUNTERMEASURES EQUIPMENT) DOUBLE POLE, DOUBLE THROW, TYPE 2 [VALIDATION DATE: 8404] REVIEWER: ES | A | 5985 | EC | 21-JUL-65 | | EC | | | |
| | L | | | MIL-P-24074B NOTICE 1 | POLYTETRAFLUOROETHYLENE PARTS & COATINGS & POLYAMIDE PARTS (CONTROLLED DISTRIBUTION) [VALIDATION DATE: 9005] REVIEWER: EA IS MI | B | 5330 | SH | 02-MAY-90 | | SH | | | |
| | L | | | MIL-T-24075B | TRANSMITTING SET, INFRARED AN/UAT-2 [VALIDATION DATE: 8204] | A | 5850 | EC | 21-JAN-71 | | EC | | | |
| L | I | | | MIL-I-24078(1) NOTICE 1 | INTERCOMMUNICATION STATIONS NAVAL SHIPBOARD | A | 5835 | SH | 26-DEC-90 | | SH | | | |
| | L | | | MIL-P-24082D | PLANT, CARBON DIOXIDE REMOVAL, LIQUID ABSORBENT TYPE (MARK IIIB) (FOR SUBMARINES) | A | 4460 | SH | 09-JUN-89 | | SH | | | |
| | L | | | MIL-R-24085A(1) | REFRIGERATING UNIT, CENTRIFUGAL FOR AIR CONDITIONING [VALIDATION DATE: 8204] REVIEWER: GS | A | 4130 | SH | 17-OCT-75 | | SH | | | |
| | L | | | MIL-R-24086B | RADIAC SET AN/PDR-45( ) [VALIDATION DATE: 8404] | A | 6665 | SH | 16-MAY-72 | | SH | | | |
| | L | | | MIL-D-24090 NOTICE 3 | DISODIUM ETHYLENEDIAMINETETRAACETATE, DIHYDRATE (VALIDATION DATE: 8204) REVIEWER: GS | F | 6810 | SH | 05-OCT-64 | | SH | | | |
| | L | | | MIL-E-24091C(1) | EXTINGUISHER, FIRE PORTABLE, POTASSIUM BICARBONATE, DRY CHEMICAL, CARTRIDGE-OPERATED TYPE REVIEWER: CS | A | 4210 | SH | 21-SEP-90 | | SH | | | |
| DQ | | | | MIL-I-24092C(1) SUPPL 1A] | INSULATING VARNISHES AND SOLVENTLESS RESINS FOR APPLICATION BY THE DIP PROCESS USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS YD1 | A | 5970 | SH | 24-AUG-90 | ER | SH | 11 | | |
| | | | | MIL-I-24092/1 | INSULATING VARNISH, SOLVENT CONTAINING, AIR-DRY FOR SPOT PATCHING AND EMERGENCY REPAIRS USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A | 5970 | SH | 04-MAY-89 | ER | SH | 11 | | |
| D | | | | MIL-I-24092/2 | INSULATING VARNISH, SOLVENT CONTAINING, BAKING, FLEXIBLE, FOR DIP PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS YD1 | A | 5970 | SH | 04-MAY-89 | ER | SH | 11 | | |
| D | | | | MIL-I-24092/3 | INSULATING VARNISH, SOLVENT CONTAINING, BAKING, SEMI-RIGID, FOR DIP PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS YD1 | A | 5970 | SH | 04-MAY-89 | ER | SH | 11 | | |
| | | | | MIL-I-24092/4 | INSULATING VARNISH, SOLVENT CONTAINING, BAKING, SILICONE FOR DIP PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A | 5970 | SH | 04-MAY-89 | ER | SH | 11 | | |
| D | | | | MIL-I-24092/5 | INSULATING RESIN, SOLVENTLESS, BAKING, FLEXIBLE, FOR DIP PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS YD1 | A | 5970 | SH | 04-MAY-89 | ER | SH | 11 | | |
| | | | | MIL-I-24092/6 | INSULATING RESIN, SOLVENTLESS, THIXOTROPIC, BAKING, FLEXIBLE, FOR DIP PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A | 5970 | SH | 04-MAY-89 | ER | SH | 11 | | |
| | | | | MIL-I-24092/7 | INSULATING RESIN, SOLVENTLESS, BAKING, SEMI-RIGID, FOR DIP PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A | 5970 | SH | 04-MAY-89 | ER | SH | 11 | | |
| | | | | MIL-I-24092/8 | INSULATING RESIN, SOLVENTLESS, THIXOTROPIC, BAKING, SEMI-RIGID, FOR DIP PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A | 5970 | SH | 04-MAY-89 | ER | SH | 11 | | |

| Action | QPL / QML / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MICA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | MIL-I-24092/9 | INSULATING RESIN, SOLVENTLESS, SILICONE, BAKING, FOR DIP PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS YD1 | A 5970 SH 04-MAY-89 | ER | SH | 11 | |
| | | MIL-I-24092/10 | INSULATING VARNISH, WATER BASE, BAKING, FLEXIBLE, FOR DIP PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A 5970 SH 04-MAY-89 | ER | SH | 11 | |
| | | MIL-I-24092/11 | INSULATING VARNISH, WATER BASE, BAKING, SEMI-RIGID, FOR DIP PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A 5970 SH 04-MAY-89 | ER | SH | 11 | |
| | | MIL-I-24092/12 | INSULATING RESIN, SOLVENTLESS, TWO COMPONENT, REACTIVE, FOR SPOT PATCHING AND EMERGENCY REPAIRS USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A 5970 SH 04-MAY-89 | ER | SH | 11 | |
| L | | MIL-S-24093A | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED ..... | A FORG SH 05-NOV-91 | | SH | | |
| L | | MIL-S-24093/1 | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED (CLASS B, ALLOY STEEL, ROUND BAR) | A FORG SH 05-NOV-91 | | SH | | |
| L | | MIL-S-24093/2 | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED (CLASS H, CARBON STEEL, HEXAGONAL BAR) | A FORG SH 05-NOV-91 | | SH | | |
| L | | MIL-S-24093/3 | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED (CLASS B, ALLOY STEEL, HEXAGONAL BAR) | A FORG SH 05-NOV-91 | | SH | | |
| QL | | MIL-C-24095B(2) | CHARGER, BATTERY, AUTOMATIC, PORTABLE, RECTIFIER TYPE REVIEWER: GS ..... | A 6130 SH 18-MAR-86 | | SH | | |
| L | | MIL-R-24098 | RADAR DATA DISTRIBUTION GROUPS AN/GPA-106() (RADAR SITE) AN/GPA-107(V) (OPERATIONS SITE) [VALIDATION DATE: 8304] | A 5840 EC 15-SEP-64 | | EC | | |
| | | MIL-M-24100C | MANUALS, TECHNICAL: FUNCTIONALLY ORIENTED MAINTENANCE MANUALS (FOMM) FOR ELECTRONIC, ELECTROMECHANICAL, AND ORDNANCE EQUIPMENT, SYSTEMS, AND PLATFORMS USER: OS REVIEWER: 10 AT AV CE CG EC MC ME | A TMSS SH 22-FEB-91 | TM | SH | | |
| L | | MIL-T-24103(1) SUPPL 1A1 | THERMOMETER, SELF-INDICATING, 5-INCH SCALE SIZE, LIQUID-IN-GLASS, MERCURY [VALIDATION DATE: 8204] REVIEWER: GS | A 6685 SH 22-SEP-65 | | SH | | |
| QL | | MIL-C-24105C | CONVERTER, SYNCHRO SIGNAL (PANEL MOUNTED) REVIEWER: GS OS ..... | A 6125 SH 28-SEP-84 | | SH | | |
| L | | MIL-M-24106B(2) | NICKEL COPPER ALLOY BARS, RODS, AND FORGINGS (CONTROLLED DISTRIBUTION) REVIEWER: IS | B 9530 SH 13-APR-84 | | SH | | |
| D | L | MIL-T-24107B | TUBE, COPPER (SEAMLESS) (COPPER ALLOY NUMBERS C10100, C10200, C10300, C10800, C12000, C12200, AND C14200) REVIEWER: 84 CS MC YD1 | A 4710 SH 16-OCT-87 | | SH | | |
| DQL | | MIL-V-24109A | VALVE, GLOBE, ANGLE, QUICK CHANGE CARTRIDGE TRIM, HIGH PRESSURE (H-P.) HYDRAULIC AND PNEUMATIC (SIZES 1/8- 1 1/4 INCHES) [VALIDATION DATE: 8007] USER: YD1 | A 4820 SH 31-AUG-71 | | SH | | |
| L | | MIL-C-24111B | CHROMIUM-NICKEL ALLOY STEEL BARS, RODS AND FORGINGS, CORROSION RESISTANT (CONTROLLED DISTRIBUTION) [VALIDATION DATE: 8301] REVIEWER: IS MI | B 9530 SH 24-AUG-77 | | SH | | |
| L | | MIL-N-24114D | NICKEL-CHROMIUM-IRON AGE-HARDENABLE ALLOY BARS, RODS AND FORGINGS (CONTROLLED DISTRIBUTION) | B 9530 SH 28-AUG-87 | | SH | | |
| L | | MIL-M-24116B(1) | MONITOR, VOLTAGE AND FREQUENCY, 400 CYCLES A.C., ELECTRIC POWER (NAVAL SHIPBOARD USE) REVIEWER: ES | A 5920 SH 29-OCT-85 | | SH | | |
| L | | MIL-W-24126(1) | WOOD LAMINATES, SOUTHERN PINE (FOR SHIP AND BOAT USE) [VALIDATION DATE: 8108] REVIEWER: CS | A 5510 SH 01-DEC-65 | | SH | | |
| L | | MIL-E-24127(1) NOTICE 1 | EDUCTORS: GASOLINE, OIL, OR WATER [VALIDATION DATE: 8912] ..... | A 4420 SH 21-DEC-89 | | SH | | |
| L | | MIL-L-24128C | LOW CARBON CHROMIUM STEEL BARS, RODS & FORGINGS (CONTROLLED DISTRIBUTION) . | B 9510 SH 26-DEC-84 | | SH | | |
| L | | MIL-M-24130B(1) | METALLIC SEAL RINGS, NON-INTEGRAL GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION) | B 5330 SH 14-SEP-83 | | SH | | |
| L | | MIL-M-24130/1C | METALLIC SEAL RINGS, NON INTEGRAL NICKEL CHROMIUM IRON ALLOY (CONTROLLED DISTRIBUTION) | F 5330 SH 29-DEC-83 | | SH | | |
| L | | MIL-M-24130/2C NOTICE 1 | METALLIC SEAL RINGS, NON-INTEGRAL STEEL, CORROSION-RESISTANT (CONTROLLED DISTRIBUTION) [VALIDATION DATE: 9005] | B 5330 SH 02-MAY-90 | | SH | | |
| L | | MIL-M-24130/3B | METALLIC SEAL RINGS, NON-INTEGRAL NICKEL COPPER ALLOY (CONTROLLED DISTRIBUTION) | B 5330 SH 09-JAN-86 | | SH | | |
| QL | | MIL-L-24131B NOTICE 1 | LUBRICANT, COLLOIDAL GRAPHITE IN ISOPROPANOL [VALIDATION DATE: 9005] REVIEWER: GS PS | A 9150 SH 02-MAY-90 | | SH | | |
| L | | MIL-H-24134A NOTICE 1 | HEATER, BOLT, ELECTRIC, FOR BOLTS AND STUDS (CONTROLLED DISTRIBUTION) [VALIDATION DATE: 8105] REVIEWER: CS | F 4940 SH 07-APR-77 | | SH | | |
| QL | | MIL-H-24135A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, & END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES | A 4720 SH 18-JUL-86 | SH | | | |
| L | | MIL-H-24135/1 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, ANDEND FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLY (DOUBLE-WIRE BRAID OR TWO-SPIRAL AND ONE-WIRE BRAID HIGH PRESSURE SIZES-4 THROUGH-32) | A 4720 SH 18-JUL-86 | | SH | | |
| L | | MIL-H-24135/2 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, ANDEND FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES, SPIRAL-WRAPPED OR TWO PLIES, SPIRAL-WRAPPED AND ONE PLY, BRAIDED HIGH PRESSURE SIZES-6 THROUGH-16) | A 4720 SH 18-JUL-86 | | SH | | |
| L | | MIL-H-24135/3 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, ANDEND FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES, SPIRAL-WRAPPED, BRAIDED HIGH PRESSURE SIZES-16 THROUGH-32) | A 4720 SH 18-JUL-86 | | SH | | |
| L | | MIL-H-24135/4(1) | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, AND END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE-WIRE BRAID FOR MEDIUM PRESSURE SIZES -40, -48, AND -64) | A 4720 SH 18-DEC-90 | | SH | | |
| L | | MIL-H-24135/5 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, ANDEND FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE-WIRE,BRAID, PERFORATED COVER, FOR HIGH PRESSURE AIR SIZES -4 THROUGH -32) | A 4720 SH 18-JUL-86 | | SH | | |
| L | | MIL-H-24135/6 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, ANDEND FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE-WIRE BRAID OR TWO-SPIRAL AND ONE WIRE BRAID, HIGHPRESSURE, SIZES -4 THROUGH -32, FOR PHOSOPHATE-ESTER BASE HYDRAULIC FLUIDS | A 4720 SH 18-JUL-86 | | SH | | |
| L | | MIL-H-24135/7 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, ANDEND FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES: (FOUR HEAVY SPIRAL WIRE FOR HIGH PRESSURE PHOSPHATE ESTER IN SIZES -20, -24, AND -32) | A 4720 SH 18-JUL-86 | | SH | | |
| L | | MIL-H-24135/8 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, ANDEND FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES: (FOUR PLIES,SPIRAL WRAPPED WIRE, HIGH PRESSURE, FOR PHOSPHATE ESTER BASE FLUIDS, SIZES -6 THROUGH -16) | A 4720 SH 18-JUL-86 | | SH | | |
| L | | MIL-H-24135/9 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, AMDEND FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES, HEAVY SPIRAL WRAPPED WIRE, HIGH PRESSURE SIZES -8 THROUGH -32) | A 4720 SH 18-JUL-86 | | SH | | |
| L | | MIL-H-24135/10(1) | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, AND END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES (SINGLE OR DOUBLE WIRE BRAID, MEDIUM PRESSURE SIZES -4 THROUGH -48) | A 4720 SH 18-DEC-90 | | SH | | |
| QL | | MIL-H-24136A(3) | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, AND END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR | A 4730 SH 29-OCT-91 | | SH | | |
| L | | MIL-H-24136/1(2) | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, AND END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES (LOW PRESSURE SIZES -80 THROUGH -192) AND ADAPTERS | A 4730 SH 28-OCT-91 | | SH | | |
| L | | MIL-H-24136/2(1) | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, & END FITTINGS,REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES(HIGH PRESSURE SIZES -4 THROUGH -32 | A 4730 SH 30-JUL-85 | | SH | | |
| L | | MIL-H-24136/3 | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, & END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES (LOW PRESSURE SIZES -4 THROUGH -32) | A 4730 SH 18-JUN-84 | | SH | | |
| L | | MIL-H-24136/4(1) | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, AND END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES (LOW PRESSURE SIZES -40, -48 AND -64) AND ADAPTERS | A 4730 SH 03-APR-91 | | SH | | |
| L | | MIL-P-24138A | PASSIVATOR COMPOUND, NAVY BOILER REVIEWER: GS ..... | A 6850 SH 30-JUN-86 | | SH | | |
| QL | | MIL-G-24139A(3) | GREASE, MULTIPURPOSE, WATER RESISTANT REVIEWER: GS PS ..... | A 9150 SH 12-MAR-87 | | SH | | |
| L | | MIL-B-24141A | BLOCKS, TACKLE, WIRE ROPE ..... | A 3940 SH 09-NOV-90 | | SH | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-E-24142B(1) SUPPL 1A1, NOTICE 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9012) REVIEWER: 99 GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/1C NOTICE 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, SIZE 4 BY 4 (15-FOOT) (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/2C NOTICE 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE (15-FOOT), SIZE 3 BY 5 (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/3C NOTICE 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, SIZE 6 BY 9 (15-FOOT) (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/4C NOTICE 1 | ENCLOSURE, SUBMERSIBLE (15-FOOT) SIZE 4 BY 7 (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/5C(1) NOTICE 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, (15-FOOT), SIZES 3R, 4R AND 5R (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/6G NOTICE 1 | ENCLOSURE, SUBMERSIBLE (15-FOOT), SIZES 8 BY 10 AND THROUGH 14 BY 26 (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/7E NOTICE 1 | ENCLOSURES, SUBMERSIBLE (15-FOOT), SIZE 20 BY 24 (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/8C NOTICE 1 | ENCLOSURE, TOTALLY ENCLOSED, SIZE 2-1/4 BY 2-7/8 (OCTAGON), NONWATERTIGHT (VALIDATION DATE: 9012) REVIEWER: GS MI | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/9B NOTICE 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE (15-FOOT), SIZE 2-1/8 BY 3 (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/10B NOTICE 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES SUBMERSIBLE (15-FOOT), SIZE 2-1/8 BY 4-1/2 (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/11 NOTICE 1 | ENCLOSURES-PLASTIC, SUBMERSIBLE, (15-FOOT) 3 AND 4 - INCHES ROUND, GROUNDED (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/14A NOTICE 1 | ENCLOSURE, SINGLE COVER, SIZES 10 BY 10 THROUGH 12 BY 12, TOTALLY ENCLOSED, NONWATERTIGHT (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/15A NOTICE 1 | ENCLOSURE, WITH FUSE COVER, SIZES 10 BY 10 THROUGH 12 BY 12, TOTALLY ENCLOSED, NONWATERTIGHT (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/16A NOTICE 1 | ENCLOSURE, SINGLE COVER, SIZES 10 BY 14 THROUGH 12 BY 20, TOTALLY ENCLOSED, NONWATERTIGHT (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/17A NOTICE 1 | ENCLOSURE WITH FUSE COVER, SIZES 10 BY 14 THROUGH 12 BY 20, TOTALLY ENCLOSED, NONWATERTIGHT (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/18A NOTICE 1 | ENCLOSURES, SINGLE COVER, SIZES 10 BY 20 THROUGH 18 BY 22, TOTALLY ENCLOSED, NONWATERTIGHT (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/19A NOTICE 1 | ENCLOSURE, WITH FUSE COVER, SIZE 10 BY 20 THROUGH 12 BY 22, TOTALLY ENCLOSED, NONWATERTIGHT (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| L | | | | MIL-E-24142/20A NOTICE 1 | ENCLOSURES, WITH FUSE COVER, SIZE 10 BY 20, THROUGH 12 BY 22, TOTALLY ENCLOSED, NONWATERTIGHT (VALIDATION DATE: 9012) REVIEWER: GS | A | 5975 | SH | | 17-DEC-90 | | SH | | |
| QL | | | | MIL-M-24144D | MONITORS, FROST-POINT/DEW-POINT, COMPRESSED AIR, SEMI-PORTABLE REVIEWER: GS | A | 6685 | SH | | 25-APR-88 | | SH | | |
| | | | | MIL-H-24146 | HEAD, SPRINKLER, FIRE PROJECTION, FOAM WATER (VALIDATION DATE: 8109) USER: MC REVIEWER: CS | A | 4210 | SH | | 02-JUN-65 | ME | SH | 11 | |
| QL | | | | MIL-G-24147(1) | GAGE, DEPTH, HYDROGRAPHIC, NON-MAGNETIC SELF-LUMINOUS DIAL ..... | A | 4220 | SH | | 29-JUL-87 | | SH | | |
| L | * | | | MIL-S-24149C SUPPL 1A1 | STUDS, WELDING, AND ARC SHIELDS (FERRULES), GENERAL SPECIFICATION FOR USER: AR ER MI REVIEWER: IS | A | 5307 | SH | | 27-MAR-89 | | SH | | |
| L | | | | MIL-S-24149/1D | STUD, WELDING, AND ARC SHIELDS (FERRULES): TYPE I, CLASS 1, 2, 3, AND TYPE II, CLASS 1, 4, 5, 5A, 6, CARBON STEEL, FOR DIRECT ENERGY, ARC WELDING USER: AR ER REVIEWER: IS | A | 5307 | SH | | 10-JUN-88 | | SH | | |
| L | | | | MIL-S-24149/2D | STUDS, WELDING, AND ARC SHIELDS (FERRULES): TYPE III, CLASS 1, 2, 3, AND TYPE IV, CLASS 1, 2, 3, 4, 5, 6, ALUMINUM ALLOY, FOR DIRECT ENERGY ARC WELDING USER: MI REVIEWER: EA | A | 5307 | SH | | 27-MAR-89 | | SH | | |
| L | | | | MIL-S-24149/3D | STUDS, WELDING, & ARC SHIELDS (FERRULES): TYPE V, CLASS 1, 4, 5, 5A, CORROSION-RESISTANT STEEL, FOR DIRECT ENERGY ARC WELDING REVIEWER: IS | A | 5307 | SH | | 27-MAR-89 | | SH | | |
| L | | | | MIL-S-24149/4C | STUDS, WELDING, TYPE VI, CLASS 1, 2, 3, CARBON STEEL, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING USER: EL MI REVIEWER: IS | A | 5307 | SH | | 27-MAR-89 | | SH | | |
| L | | | | MIL-S-24149/5C | STUDS, WELDING, TYPE VII, CLASS 1, 2, 3, ALUMINUM ALLOY, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING USER: AR ER MI REVIEWER: IS | A | 5307 | SH | | 27-MAR-89 | | SH | | |
| L | | | | MIL-S-24149/6C | STUDS, WELDING, TYPE VIII, CLASS 1, 2, 3, CORROSION-RESISTANT STEEL FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING USER: MI REVIEWER: IS | A | 5307 | SH | | 27-MAR-89 | | SH | | |
| L | | | | MIL-D-24151A | DOORS, ROLLING, CURTAIN, AND THEIR OPERATING EQUIPMENT ..... | A | 2040 | SH | | 10-MAY-90 | | SH | | |
| L | | | | MIL-S-24154A(2) | SYNTACTIC BUOYANCY MATERIAL FOR HIGH HYDROSTATIC PRESSURES REVIEWER: GS ... | A | 9330 | SH | | 06-FEB-91 | | SH | | |
| L | | | | MIL-B-24155B | BOILER SCALE REMOVING COMPOUND REVIEWER: GS ..... | A | 6850 | SH | | 27-OCT-86 | | SH | | |
| L | | | | MIL-R-24159A | RECEPTACLE, CANISTER, CO2 ABSORBENT (VALIDATION DATE: 8902) ..... | A | 4240 | SH | | 06-FEB-89 | | SH | | |
| L | | | | MIL-C-24166B | COOLER, DRINKING WATER, MECHANICALLY REFRIGERATED, SELF-CONTAINED, NAVAL SHIPBOARD REVIEWER: GS | A | 4110 | SH | | 18-JUL-91 | | SH | | |
| L | | | | MIL-S-24167A | SYNTACTIC MATERIAL, RIGID, POUR-IN-PLACE, STRUCTURAL VOID FILLING (VALIDATION DATE: 8204) USER: ME REVIEWER: GS MR | A | 9330 | SH | | 06-DEC-72 | | SH | | |
| D L | | | | MIL-I-24172A | INSULATION, PLASTIC, CELLULAR POLYURETHANE, RIGID, PREFORMED & FOAM IN PLACE USER: YD1 | A | 5640 | SH | | 19-NOV-86 | | SH | | |
| L | | | | MIL-C-24174A | CONTROL, NAVIGATION LIGHTS, GENERAL SPECIFICATION FOR REVIEWER: GS ..... | A | 6110 | SH | | 02-OCT-87 | | SH | | |
| L | | | | MIL-C-24174/3A | CONTROL (BLINKER) KEY, NAVIGATOR LIGHTS SYMBOL NO. 978.2 REVIEWER: GS ..... | A | 6110 | SH | | 02-OCT-87 | | SH | | |
| L | | | | MIL-C-24174/4A | CONTROLS, PULSATOR, SUBMARINE IDENTIFICATION LIGHT, A.C. 125 VOLTS, SYMBOL NO. 932 | A | 6110 | SH | | 02-OCT-87 | | SH | | |
| L | | | | MIL-P-24175(3) SUPPL 1A1 | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8104) REVIEWER: GS | A | 6110 | SH | | 27-AUG-71 | | SH | | |
| L | | | | MIL-P-24175/1B | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, D.P., NON MAGNETIC, 10 AMPERES, 120 VOLTS, A.C., 60 HERTZ, 3 PHASE BUS, 6 CIRCUITS, SYMBOL NO. 944.2 (VALIDATION DATE: 8104) REVIEWER: GS | A | 6110 | SH | | 27-AUG-71 | | SH | | |
| L | | | | MIL-P-24175/2A | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, N.W.T., 10 AMPERES, 120 VOLTS A.C., 60 HERTZ 3 PHASE BUS, 8 CIRCUITS, SYMBOL NO. 940.1 (VALIDATION DATE: 8104) REVIEWER: GS | A | 6110 | SH | | 27-AUG-71 | | SH | | |
| L | | | | MIL-P-24175/3A | PANEL, POWER SUPPLY AND CONTROL FOR NA IGATION LIGHTS, N. W. T., 10 AMPERES, 120 VOLTS D.C. D.P. BUS, 8 CIRCUITS, SYMBOL NO. 945.1 (VALIDATION DATE: 8104) REVIEWER: GS | A | 6110 | SH | | 27-AUG-71 | | SH | | |
| L | | | | MIL-P-24175/4A | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, N.W.T., 10 AMPERES, 120 VOLTS, D.C. D.P. BUS, 10 CIRCUIT, SYMBOL NO. 942.1 (VALIDATION DATE: 8104) REVIEWER: GS | A | 6110 | SH | | 27-AUG-71 | | SH | | |
| L | | | | MIL-P-24175/5B | PANEL, POWER SUPPLY AND CONTROL FOR SUBMARINE NAVIGATION LIGHTS, 10 AMPERES, 120 VOLTS A.C., 60 HZ T.E. SYMBOL NO. 2550.1 (VALIDATION DATE: 8104) REVIEWER: GS | A | 6110 | SH | | 27-AUG-71 | | SH | | |
| L | | | | DOD-C-24176B(1) | CEMENT, EPOXY, METAL REPAIR AND HULL SMOOTHING (METRIC) USER: ME ..... | A | 8030 | SH | | 22-AUG-83 | | SH | | |
| L | | | | MIL-I-24178 NOTICE 1 | INSULATION TAPE, ELECTRICAL, SEMI-CURED THERMOSETTING RESIN TREATED GLASS, ARMATURE BANDING, NAVAL SHIPBOARD (VALIDATION DATE: 8810) USER: ME REVIEWER: GS | A | 5970 | SH | | 28-OCT-88 | | SH | | |
| QL | | | | MIL-A-24179A(2) NOTICE 1 | ADHESIVE, FLEXIBLE UNICELLULAR-PLASTIC THERMAL INSULATION (VALIDATION DATE: 8706) | A | 8040 | SH | | 22-JUN-87 | | SH | | |
| L | | | | MIL-T-24180A | TILE, RUBBER, UNDERWATER ACOUSTIC DECOUPLER ..... | A | 9320 | SH | | 15-SEP-88 | | SH | | |
| L | | | | MIL-R-24182A | RADIO SETS AN/SRC-20A AND AN/SRC-21A (INCLUDING RADIO SET AN/URC-9A AND *RADIO SET CONTROL C-3866/SRC*) (VALIDATION DATE: 8404) | A | 5820 | EC | | 22-NOV-71 | | EC | | |
| L | | | | MIL-R-24183A | ROPE AND YARN, PLIED, SYNTHETIC FIBER REVIEWER: IS ..... | A | 4020 | SH | | 05-AUG-88 | | SH | | |
| L | | | | MIL-S-24186B NOTICE 1 | SAMPLER, AIR PARTICLE, HD-732/UD (VALIDATION DATE: 9106) ..... | A | 6625 | SH | | 07-JUN-91 | | SH | | |
| QL | | | | MIL-S-24187E SUPPL 1A1 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, GENERAL SPECIFICATION FOR | A | 5930 | SH | | 22-MAR-91 | | SH | | |

| Action | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| L | MIL-S-24187/1A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE LS . | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/2B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 3 BLS | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/3B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATION, STYLE CLS ..... | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/4B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 3DLS | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/5A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATION, STYLE JLS ..... | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/6A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, SNAP-ACTION, STYLE SLS | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/7B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATIONS, STYLE KLS ..... | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/8A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, REMOTE OPERATION, TYPE R3DLSO-S3A3 MANUAL AND REMOTE OPERATION, STYLE DLS, TYPE R3DLSO-S3A4 | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/9A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 5DLS | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/10A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, REMOTE OPERATION, STYLE 5DLS, TYPE R5DLSO-S1A1 | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/11 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATIONS, STYLE 5BLS | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/12 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE LLS TYPE 5LLSO-1C AND 5 LLSO-S1C1 | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24187/13 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE VLLS TYPE 5VLLSO-1C | A 5930 SH 22-MAR-91 | | SH | | |
| L | MIL-S-24188 | SYNCHRONIZING CONTROL EQUIPMENT, 60 CYCLES, 450 VOLTS, NAVAL SHIPBOARD (VALIDATION DATE: 8104) REVIEWER: GS | A 6110 SH 01-DEC-66 | | SH | | |
| L | MIL-P-24191C NOTICE 1 | PLASTIC SHEET, CAST, ACRYLIC, SHIPBOARD APPLICATION (ILLUMINATION AND SIGNAL LIGHTING) (VALIDATION DATE: 8808) REVIEWER: GS | A 9330 SH 29-AUG-88 | | SH | | |
| L | MIL-D-24194(1) | DISHWASHING MACHINE, COMMERCIAL (SUBMARINE USE) ..... | A 7320 SH 22-MAY-92 | | SH | | |
| L | MIL-R-24195(3) | RECEIVER-COMPARATOR R-1407( )/URQ (VALIDATION DATE: 8204) ..... | A 5820 EC 30-JAN-70 | | EC | | |
| L | MIL-C-24196A(1) | CLEANING SYSTEM, ULTRASONIC REVIEWER: CS ..... | A 4940 SH 22-JAN-91 | | SH | | |
| L | MIL-C-00241968 | CLEANING SYSTEM, ULTRASONIC REVIEWER: CS ..... | A 4940 82 28-JUN-91 | | | 99 | |
| L | MIL-F-24202(1) | FITTING, BUTT WELDING, SEAMLESS OR WELDED, 70-30 COPPER-NICKEL ALLOY 700 PSI, 200 DEG. F. REVIEWER: MI | A 4730 SH 26-JUL-85 | | SH | | |
| QL | MIL-I-24204A | INSULATION, ELECTRICAL, HIGH TEMPERATURE, BONDED, SYNTHETIC FIBER PAPER (VALIDATION DATE: 8104) REVIEWER: GS | A 5970 SH 15-AUG-75 | | SH | | |
| | MIL-G-24211 | GASKET, WAVEGUIDE FLANGE GENERAL SPECIFICATION FOR (VALIDATION DATE: 8104) USER: 19 AS CG MC REVIEWER: 17 ES MI | A 5985 EC 28-MAR-66 | ER | EC | 85 | |
| | MIL-G-24211/1A | GASKET, WAVEGUIDE FLANGE (COVER) (VALIDATION DATE: 8304) USER: 14 19 REVIEWER: 11 17 ES MI OS | A 5985 EC 28-FEB-69 | ER | EC | 85 | |
| | MIL-G-24211/2B(1) | GASKET, WAVEGUIDE FLANGE (FLAT FACE) (VALIDATION DATE: 8404) USER: 14 AR AS CG MC REVIEWER: 11 17 19 ES OS SH | A 5985 EC 09-DEC-77 | ER | EC | 85 | |
| QL | MIL-P-24212C(1) | PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) ..... | A 6685 SH 12-DEC-91 | | SH | | |
| | MIL-A-24215A SUPPL 1A1 | ATTENUATOR, VARIABLE (COAXIAL AND WAVEGUIDE) GENERAL SPECIFICATION FOR (VALIDATION DATE: 8505) USER: 19 CG MC REVIEWER: 17 99 AS AV ES MI OS | A 5985 EC 17-SEP-73 | ER | EC | 85 | |
| | MIL-A-24215/4B | ATTENUATOR, VARIABLE (WAVEGUIDE) CLASS 14 (VALIDATION DATE: 8104) USER: 19 AV CG MC SH REVIEWER: 11 17 99 AS ES OS | A 5985 EC 27-JUN-75 | ER | EC | 85 | |
| | MIL-A-24215/5B | ATTENUATOR, VARIABLE (WAVEGUIDE, ROTATING VANE) CLASS 14 (VALIDATION DATE: 8104) USER: 19 AV CG MC SH REVIEWER: 11 17 99 AS ES OS | A 5985 EC 27-JUN-75 | ER | EC | 85 | |
| | MIL-A-24215/6A(2) | ATTENUATOR, VARIABLE (COAXIAL, STEP) CLASS 7 (VALIDATION DATE: 8505) USER: 19 AV CG MC SH REVIEWER: 11 17 99 AS ES OS | A 5985 EC 16-MAY-79 | ER | EC | 85 | |
| | MIL-A-24215/8 NOTICE 1 | ATTENUATOR, VARIABLE (COAXIAL), FREQUENCY RANGE DC TO 2 GHZ (VALIDATION DATE: 8710) REVIEWER: 99 AR ES MI | A 5985 EC 27-OCT-87 | ER | EC | 85 | |
| | MIL-A-24215/9B(2) | ATTENUATOR, VARIABLE (COAXIAL), CLASS 5 (SMA) USER: AS MC OS SH REVIEWER: 99 AR ES MI | A 5985 EC 02-JUL-86 | ER | EC | 85 | |
| | MIL-A-24215/10 | ATTENUATOR, VARIABLE (STEP) COAXIAL, CLASS 7 (BNC) (VALIDATION DATE: 8104) USER: AS MC OS SH REVIEWER: 11 99 AR ES MI | A 5985 EC 27-JUN-75 | ER | EC | 85 | |
| | MIL-A-24215/11 | ATTENUATOR, VARIABLE (COAXIAL), FREQUENCY RANGE DC TO 1 MHZ (LOW FREQUENCY) (VALIDATION DATE: 8104) REVIEWER: 11 AR MI SH | A 5985 EC 27-JUN-75 | ER | EC | 85 | |
| | MIL-A-24215/12A | ATTENUATOR, VARIABLE (COAXIAL), CLASS 1 (N) (VALIDATION DATE: 8104) USER: AS MC OS SH REVIEWER: 11 99 AR ES MI | A 5985 EC 22-SEP-75 | ER | EC | 85 | |
| | MIL-A-24215/13 NOTICE 1 | ATTENUATOR, VARIABLE (COAXIAL, STEP) CLASS 5 (SMA) (VALIDATION DATE: 8710) USER: AS MC OS REVIEWER: 11 AR ES MI | A 5985 EC 27-OCT-87 | ER | EC | 85 | |
| | MIL-A-24215/14 NOTICE 1 | ATTENUATOR, VARIABLE (COAXIAL, STEP) CLASS 4 (TNC) (VALIDATION DATE: 8710) USER: AS MC OS REVIEWER: 11 AR ES MI | A 5985 EC 27-OCT-87 | ER | EC | 85 | |
| L | MIL-P-24216B | POLYPROPYLENE CORES, STRAND CENTERS, AND SUBSTRANDS FOR WIRE ROPE REVIEWER: IS | A 4020 SH 27-APR-90 | | SH | | |
| L | MIL-C-24217A(1) SUPPL 1A1 | CONNECTORS, ELECTRICAL, DEEP SUBMERGENCE, SUBMARINE REVIEWER: ES ..... | A 5935 SH 17-JAN-89 | | SH | | |
| L | MIL-R-24217/1 NOTICE 1 | RECEPTACLE ASSEMBLY (WELDED TYPE) (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-R-24217/2 NOTICE 1 | RECEPTACLE ASSEMBLY (FLANGED - WELDED TYPE) (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-R-24217/3 NOTICE 1 | RECEPTACLE ASSEMBLY (IN LINE TYPE) (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-R-24217/4 NOTICE 1 | RECEPTACLE ASSEMBLY (MID-FLANGE BOLTED TYPE) (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-R-24217/5 NOTICE 1 | RECEPTACLE ASSEMBLY (END-FLANGED BOLTED TYPE) (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-R-24217/6 NOTICE 1 | RECEPTACLE ASSEMBLY (LOCKNUT FLANGE TYPE) (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-P-24217/7 NOTICE 1 | PLUG ASSEMBLIES, STRAIGHT (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-P-24217/8 NOTICE 1 | PLUG ASSEMBLIES, RIGHT ANGLE (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-P-24217/9 NOTICE 1 | PRESSURE PROOF PLUG CAP ASSEMBLY (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-P-24217/10 NOTICE 1 | PRESSURE PROOF RECEPTACLE CAP ASSEMBLY (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-R-24217/11 NOTICE 1 | RECEPTACLE ASSEMBLY (UNION TYPE) (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-R-24217/12 NOTICE 1 | RECEPTACLE ASSEMBLY (MID-FLANGE, BOLTED, UNION TYPE) (VALIDATION DATE: 8910) | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-R-24217/13 NOTICE 1 | RECEPTACLE ASSEMBLY (MID-FLANGE, LOCKNUT, UNION TYPE) (VALIDATION DATE: 8910) | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-U-24217/14 NOTICE 1 | UNION PLUG ASSEMBLIES, STRAIGHT (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-U-24217/15 NOTICE 1 | UNION PLUG ASSEMBLIES, RIGHT ANGLE (VALIDATION DATE: 8910) ..... | A 5935 SH 03-OCT-89 | | SH | | |
| L | MIL-P-24218 | POWER SUPPLY P P( )/URC-9 (VALIDATION DATE: 8404) ..... | A 5820 EC 27-MAY-66 | | EC | | |
| L | MIL-C-24219A(1) | COUPLER, ANTENNA, AM/SRA-33, FOUR CHANNEL, AUTOMATICALLY TUNED (VALIDATION DATE: 8710) REVIEWER: ES | A 5985 EC 27-OCT-87 | | EC | | |
| L | MIL-B-24220 | BLOCKS, TACKLE, SYNTHETIC ROPE ..... | A 3940 SH 09-NOV-90 | | SH | | |
| QL | MIL-L-24223C | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS GENERAL SPECIFICATION FOR ..... | A 5965 SH 22-OCT-86 | | SH | | |
| L | MIL-L-24223/1A | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 1 TO 5 VOLT AMPERES | A 5965 SH 22-OCT-86 | | SH | | |

| Action | Obsl / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol | Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-L-24223/2A | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 6 TO 15 VOLT AMPERES | A | 5965 | SH | 22-OCT-86 | | SH | | |
| | L | MIL-L-24223/3A | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 80 VOLT AMPERES | A | 5965 | SH | 22-OCT-86 | | SH | | |
| | L | MIL-L-24223/4A | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, HIGH POWER, ROTATIONAL 70.7 VOLT | A | 5965 | SH | 22-OCT-86 | | SH | | |
| | L | MIL-C-24224B NOTICE 1 | CARTRIDGE, GAS PRESSURE, FOR PRESSURIZING DRY CHEMICAL FIRE EXTINGUISHERS (VALIDATION DATE: 9012) REVIEWER: CS | A | 4210 | SH | 10-DEC-90 | | SH | | |
| | L | MIL-M-24225A | MONITOR, FREQUENCY, 60 CYCLES, A.C., 1 PHASE ELECTRIC POWER (NAVAL SHIPBOARD USE) REVIEWER: ES | A | 5925 | SH | 30-MAR-87 | | SH | | |
| | L | MIL-F-24227(2) | FITTINGS AND FLANGES, CAST BRONZE, SILVER-BRAZING SUITABLE FOR ULTRASONIC INSPECTION | A | 4730 | SH | 20-MAY-88 | | SH | | |
| | LI | MIL-C-24230 NOTICE 1 | CIRCLE, AZIMUTH (MARK 4 MOD 1) AND CIRCLE, BEARING (MARK 2 MOD 1) FOR 6-INCH INDICATORS | A | 6605 | SH | 18-JAN-90 | | SH | | |
| | L | MIL-C-24231D(2) SUPPL 1A1 | CONNECTORS, PLUGS, RECEPTACLES, ADAPTERS, HULL INSERTS, AND HULL INSERT PLUGS, PRESSURE-PROOF, GENERAL SPECIFICATION FOR | A | 5935 | SH | 07-AUG-89 | | SH | | |
| | L | MIL-C-24231/1D | CONNECTOR, PLUG, TYPE I, MOLDED, THREE-, FOUR-, & FIVE-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/2D | CONNECTOR, PLUG, TYPE | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/3D | CONNECTOR, PLUG, TYPE I, MOLDED, SEVEN- & NINE-CONDUCTOR (STRAIGHT & 90 DEGREES) | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/4D | CONNECTOR, PLUG, TYPE I, MOLDED, 14-, 24-, 30-, OR 40-CONDUCTOR (STRIAGHT & 90 DEGREES) | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/5D | CONNECTOR, SINGLE CABLE, TYPE III, THREE-, FOUR- OR FIVE-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/6E | CONNECTOR, SINGLE CABLE, TYPE III, FOR DSS-3 CABLE | A | 5935 | SH | 15-MAY-87 | | EC | | |
| | L | MIL-C-24231/7E | CONNECTOR, SINGLE CABLE, TYPE III, SEVEN-SONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/8D | CONNECTOR, SINGLE CABLE, TYPE III, SEVEN-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/9D | CONNECTOR, SINGLE CABLE, TYPE III, SEVEN- & NINE-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/10D(1) | CONNECTORS, SINGLE CABLE, TYPE III, 14-, 24-, 30-, OR 40-CONDUCTOR | A | 5935 | SH | 02-MAR-92 | | SH | | |
| | L | MIL-C-24231/11D | CONNECTOR, MULTIPLE CABLE | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/12D(1) | CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, THREE-, FOUR-, AND FIVE-CONDUCTOR | A | 5935 | SH | 02-MAR-92 | | SH | | |
| | L | MIL-C-24231/13D | CONNECOTRS, RECEPTACLE, MULTI-PIN, TYPE V, SEVEN- AND NINE-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/14D | CONNECTORS, RECEPTACLE, MULTI-PIN, TYPE V, 14-, 24-, 30-, AND 40-CONDUCTOR REVIEWER: ES | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/15D | CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, THREE- AND FOUR-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/16D | CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, SEVEN-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/17D | CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, NINE-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | EC | | |
| | L | MIL-C-24231/18D | CONNECTOR, PLUG, TYPE I, MOLDED, 65-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/19D | CONNECTOR, SINGLE CABLE, TYPE III, 65-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/20D | CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, 65-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/21D | CONNECTOR, PLUG, TYPE I, MOLDED, 80-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/22D | CONNECTOR, RECEPTACLE, TYPE IV, 80-CONDUCTOR | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/23F | CONNECTOR, PLUG, TYPE I, MOLDED, THREE-CONDUCTOR, FOR THDF-9 CABLE | A | 5935 | SH | 20-FEB-92 | | SH | | |
| | L | MIL-C-24231/24D | CONNECTOR, SINGLE CABLE, TYPE III, THREE-CONDUCTOR, FOR THDF-9 CABLE | A | 5935 | SH | 15-MAY-87 | | SH | | |
| A | L | MIL-C-24231/25D(1) | CONNECTOR, HULL INSERTS, TYPE VII | A | 5935 | SH | 02-APR-93 | | SH | | |
| | L | MIL-C-24231/26D | CONNECTOR, SINGLE CABLE, TYPE III, FOR TYPE 2SWF CABLES | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/27E | CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, FOR TYPE 2SWF CABLES | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/28B | CONNECTOR, PLUG, FOR HULL INSERTS, TYPE VI | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | | MIL-C-24231/29 | CONNECOTR, PREFORM MOLDED INSERTS, FOR MOLDED PLUGS, TYPE I | A | 5935 | SH | 15-MAY-87 | | SH | | |
| | L | MIL-C-24231/30 | CONNECTOR, PLUG, GLASS REINFORCED POLYMER, TYPE I MOLDED, THREE- AND FOUR-CONDUCTOR | A | 5935 | SH | 18-FEB-92 | | SH | | |
| | L | MIL-V-24232A(1) | VALVE, PNEUMATIC 4-WAY, 2-POSITION, MANUALLY OPERATED REVIEWER: CS | A | 4820 | SH | 09-APR-84 | | SH | | |
| | L | MIL-A-24233B | ANTENNA, AS-1735( )/SRC REVIEWER: ES | A | 5985 | EC | 31-MAR-89 | | EC | | |
| A | L | MIL-S-24235C SUPPL 1A1 | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/1F | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BULKHEAD, PRESSUREPROOF | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/2C | STUFFING TUBE, PACKING ASSEMBLIES FOR PRESSUREPROOF BULKHEAD | A | 5975 | SH | 28-DEC-92 | | SH | | |
| | L | MIL-S-24235/3A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BULKHEAD, FOR BALLAST TANKS REVIEWER: GS | A | 5975 | SH | 21-AUG-89 | | SH | | |
| A | L | MIL-S-24235/4C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, PACKING ASSEMBLIES FOR BULKHEAD (BALLAST TANKS) | A | 5975 | SH | 28-DEC-92 | | SH | | |
| | L | MIL-S-24235/5A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BALLAST TANK REVIEWER: GS | A | 5975 | SH | 21-AUG-89 | | SH | | |
| A | L | MIL-S-24235/6C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, PACKING ASSEMBLIES FOR BALLAST TANK | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/7B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR CAST ENCLOSURES, PRESSUREPROOF | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/8B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR SHEET METAL ENCLOSURES, PRESSUREPROOF | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/9E | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BRASS AND STEEL, FOR DECKS AND BULKHEADS WITH PIPE PROTECTION | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/10B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, STEEL, FOR DECKS AND BULKHEADS WITHOUT PIPE PROTECTION | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/11C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, OUTLET, WEATHER DECK, NONMAGNETIC | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/12B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SPLIT | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/13C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR CAST ENCLOSURES | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/14C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR SHEET METAL ENCLOSURES | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/15B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FITTERS FOR | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/16B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, CABLE, SHEARING VALVE, HULL, PRESSUREPROOF, SYMBOLS 512, 512.1, 513, AND 513.1 | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/17B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SWAGE TYPE, STEEL AND ALUMINUM, FOR DECK AND BULKHEADS WITH PIPE PROTECTION | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/18A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SWAGE TYPE, REDUCED DIAMETER, STEEL AND ALUMINUM, FOR DECK AND BULKHEADS WITH PIPE PROTECTION | A | 5975 | SH | 28-DEC-92 | | SH | | |
| A | L | MIL-S-24235/19A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SEALING PLUG FOR UNUSED STUFFING TUBES | A | 5975 | SH | 28-DEC-92 | | SH | | |
| | Q | MIL-S-24236B(4) SUPPL 1B1 | SWITCHES, THERMOSTATIC, (METALLIC AND BIMETALLIC), GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME SH REVIEWER: 99 AR AS ES MI OS | A | 5930 | EC | 03-JUN-91 | ER | EC | 85 | |
| | | MIL-S-24236/1J | SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 5 AMPERES, AND LOW LEVEL USER: 11 19 AT AV MC OS REVIEWER: 17 99 AR AS ES MI | A | 5930 | EC | 25-JUL-90 | ER | EC | 85 | |
| | | MIL-S-24236/2G | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, SINGLE POLE, SINGLE THROW (SPST), 5 AMPERES USER: 17 19 AS MC SH REVIEWER: 99 AR AT AV ES | A | 5930 | EC | 27-MAR-92 | ER | EC | 85 | |
| | | MIL-S-24236/11F | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE USER: AT AV MC OS REVIEWER: 99 AR AS ES MI | A | 5930 | EC | 20-MAY-92 | ER | EC | 85 | |

| Action | Ctrl. / Orig. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| A | | MIL-S-24236/13F(1) | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE AND LOW LEVEL USER: AT AV MC OS REVIEWER: 99 AR AS ES MI | A 5930 EC 16-APR-93 | ER | EC | 85 | |
| A | | MIL-S-24236/15E | SWITCH, THERMOSTATIC (METALLIC), TYPE II, OVERHEAT DETECTOR, ADJUSTABLE, SINGLE TERMINAL, 3 AMPERES USER: 19 AT AV CG MC MR SH SM REVIEWER: 17 99 AR AS ES MI OS | A 5930 85 30-SEP-92 | ER | EC | 85 | |
| A | | MIL-S-24236/16E | SWITCH, THERMOSTATIC (METALLIC), TYPE II, OVERHEAT DETECTOR, ADJUSTABLE, DUAL TERMINAL, 3 AMPERES USER: 19 AT AV CG MC MR SH SM REVIEWER: 17 99 AR AS ES MI OS | A 5930 85 30-SEP-92 | ER | EC | 85 | |
| | | MIL-S-24236/19H | SWITCHES, THERMOSTATIC, (BIMETALLIC), (SUBMINIATURE), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE AND LOW LEVEL USER: AS AT AV MC OS SH REVIEWER: 11 17 99 AR ES MI | A 5930 EC 25-JUL-90 | ER | EC | 85 | |
| | | MIL-S-24236/20H | SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 2 AMPERES AND LOW LEVEL USER: 19 AS AT AV CG MC ME SH REVIEWER: 17 99 AR ES MI OS | A 5930 EC 27-APR-90 | ER | EC | 85 | |
| A | | MIL-S-24236/24C(1) | SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE I, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW (SPDT), 2 AMPERES AND LOW LEVEL USER: AR AT AV MC ME MI OS REVIEWER: 99 AS ES | A 5930 EC 31-DEC-92 | ER | EC | 85 | |
| A | | MIL-S-24236/25B | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE 1, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 2 AMPERES USER: AT AV MC REVIEWER: 99 AR ES MI SH | A 5930 EC 04-AUG-92 | ER | EC | 85 | |
| | | MIL-S-24236/26B | SWITCHES, THERMOSTATIC, (BIMETALLIC) TYPE 1, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST) AND SINGLE POLE, DOUBLE THROW (SPDT), 2 AMPERES USER: 19 AR AS AV MC SH REVIEWER: 17 99 ES | A 5930 EC 27-AUG-91 | ER | EC | 85 | |
| L | | MIL-S-24238D | STEEL PLATE CARBON AND LOW ALLOY (CONTROLLED DISTRIBUTION) REVIEWER: IS ... | B 9515 SH 03-SEP-87 | | SH | | |
| L | | MIL-H-24239(2) | HOSE ASSEMBLIES, HYDRAULIC, NONMAGNETIC, FOR MINESWEEPING TENSIOMETERS [VALIDATION DATE: 8104] | A 1075 SH 22-MAY-67 | | SH | | |
| | | MIL-R-24243B | RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL GENERAL SPECIFICATION FOR USER: ME NS REVIEWER: 11 82 AV MI | A 5320 AS 21-SEP-87 | AR | AS | 99 | |
| | | MIL-R-24243/1D | RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, ALUMINUM ALLOY, CARBON STEEL, CORROSION RESISTANT STEEL USER: NS REVIEWER: 11 82 AV MI | A 5320 AS 21-SEP-87 | AR | AS | 99 | |
| | | MIL-R-24243/2B | RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, NICKEL-COPPER ALLOY USER: NS REVIEWER: 11 82 AV MI | A 5320 AS 21-SEP-87 | AR | AS | 99 | |
| | | MIL-R-24243/3C | RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 3D DOMED HEAD, ALUMINUS ALLOY, CARBON STEEL USER: NS REVIEWER: 11 82 AV MI | A 5320 AS 21-SEP-87 | AR | AS | 99 | |
| | | MIL-R-24243/4C | RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 100 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY USER: NS REVIEWER: 11 82 AV MI | A 5320 AS 21-SEP-87 | AR | AS | 99 | |
| | | MIL-R-24243/5C | RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY, CARBON STEEL, NICKEL-COPPER ALLOY USER: NS REVIEWER: 11 82 AV MI | A 5320 AS 21-SEP-87 | AR | AS | 99 | |
| | | MIL-R-24243/6D | RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, DOMED HEAD, ALUMINUM ALLOY USER: NS REVIEWER: 11 82 AV MI | A 5320 AS 21-SEP-87 | AR | AS | 99 | |
| | | MIL-R-24243/7C | RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY USER: NS REVIEWER: 11 82 AV MI | A 5320 AS 21-SEP-87 | AR | AS | 99 | |
| | | MIL-R-24243/8C | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, SNAP HEAD, ALUMINUM ALLOY USER: NS REVIEWER: 11 82 AV MI | A 5320 AS 17-DEC-90 | AR | AS | 99 | |
| | | MIL-R-24243/9C | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 120 DEGREE COUNTERSUNK HEAD, ALUMINUM ALLOY USER: NS REVIEWER: 11 82 AV MI | A 5320 AS 17-DEC-90 | AR | AS | 99 | |
| | | MIL-R-24243/10C | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, ALUMINUM ALLOY USER: NS REVIEWER: 11 82 AV MI | A 5320 AS 17-DEC-90 | AR | AS | 99 | |
| L | | MIL-I-24244C | INSULATION MAT'L, WITH SPECIAL CORROSION, CHLORIDE, & FLUORIDE REQUIREMENTS (ISSE CONTROLLED FURTHER DISSEMINATION ONLY AS DIRECTED BY NAVSEASYSCOOM (SEA 9 82) | F 5640 SH 21-SEP-87 | | SH | | |
| L | | MIL-P-24245 | POWER SUPPLY CONSTANT FREQUENCY, FOR CLOCKS [VALIDATION DATE: 8412] ..... | A 6645 SH 30-NOV-66 | | SH | | |
| L | | MIL-C-24246A | COIL ASSEMBLY, COMPASS COMPENSATING (DEGAUSSING), TYPE "K-2" REVIEWER: ES . | A 5950 SH 06-OCT-89 | | SH | | |
| QL | | MIL-L-24247C | LIFE PRESERVER, VEST TYPE, U.S. NAVY, MARK 1 REVIEWER: CS ..... | A 4220 SH 26-JAN-90 | | SH | | |
| L | | MIL-C-24248B(1) NOTICE 1 | COBALT ALLOY CASTINGS, WEAR AND CORROSION RESISTANT (CONTROLLED DISTRIBUTION) | F MECA SH 06-APR-84 | | SH | | |
| AQL | | MIL-P-24249A(1) | PLASTIC MATERIAL, CELLULAR POLYURETHANE, RIGID, VOID FILLER, FOAM-IN-PLACE, LARGE SCALE AND INSTALLATION OF | A 9330 SH 30-OCT-92 | | SH | | |
| | | MIL-S-24251B(2) SUPPL 1B1 | SHIELDS, RETAINERS (BASES), AND ADAPTERS, ELECTRON TUBE, HEAT DISSIPATING GENERAL SPECIFICATION FOR USER: AR AS CG MC REVIEWER: 17 99 ES | A 5960 EC 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-24251/1A(2) NOTICE 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (CLAM SHELL) [VALIDATION DATE: 8710] USER: 19 AS CG MC OS REVIEWER: 17 ES MI | A 5960 EC 13-OCT-87 | ER | EC | 85 | |
| | | MIL-S-24251/2A(2) | SHIELD, ELECTRONIC TUBE, RETAINER (BASE) HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE [VALIDATION DATE: 8304] USER: AR AS CG MC REVIEWER: 11 17 99 ES MI | A 5960 EC 03-OCT-79 | ER | EC | 85 | |
| | | MIL-S-24251/3A | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (SPLIT SHELL) [VALIDATION DATE: 8104] USER: 19 CG MC REVIEWER: 17 ES MI | A 5960 EC 01-JUL-68 | ER | EC | 85 | |
| | | MIL-S-24251/4A(1) | SHIELD, RETAINER (BASE), AND ADAPTER, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 17 ES MI | A 5960 EC 11-JUN-70 | ER | EC | 85 | |
| | | MIL-S-24251/5A(1) | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (OPEN SIDES) [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 17 ES MI | A 5960 EC 11-JUN-70 | ER | EC | 85 | |
| | | MIL-S-24251/6B(1) NOTICE 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (RETROFIT TYPE ONLY) USER: 19 AS AV CG MC OS SH REVIEWER: 17 99 AR ES MI | A 5960 EC 15-JUL-88 | ER | EC | 85 | |
| | | MIL-S-24251/7A(2) NOTICE 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T9 (SPLIT SHELL) [VALIDATION DATE: 8710] USER: AR AS CG MC REVIEWER: 11 17 99 ES MI | A 5960 EC 13-OCT-87 | ER | EC | 85 | |
| | | MIL-S-24251/8A(2) | RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T9 [VALIDATION DATE: 8601] | A 5960 EC 03-OCT-79 | ER | EC | 85 | |
| | | MIL-S-24251/9A(2) NOTICE 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T11 (SPLIT SHELL [VALIDATION DATE: 8710] USER: AR AS CG MC REVIEWER: 11 17 ES MI | A 5960 EC 13-OCT-87 | ER | EC | 85 | |
| | | MIL-S-24251/10A(2) | SHIELD, RETAINER (BASE) ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T11 [VALIDATION DATE: 8304] USER: AR AS CG MC REVIEWER: 11 17 99 ES MI | A 5960 EC 03-OCT-79 | ER | EC | 85 | |
| | | MIL-S-24251/11A(2) NOTICE 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE DIAMETER 1.50 INCHES) (SPLIT SHELL) [VALIDATION DATE: 8710] USER: AR AS CG MC REVIEWER: 17 99 ES MI | A 5960 EC 13-OCT-87 | ER | EC | 85 | |
| | | MIL-S-24251/12A(2) NOTICE 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE DIAMETER 1.70 INCHES )SPLIT SHELL( [VALIDATION DATE: 8710] USER: AR AS CG MC REVIEWER: 11 17 99 ES MI | A 5960 EC 13-OCT-87 | ER | EC | 85 | |
| | | MIL-S-24251/13A(2) NOTICE 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE DIAMETER 1.65 INCHES) (SPLIT SHELL) [VALIDATION DATE: 8710] USER: AR AS CG MC REVIEWER: 11 17 99 ES MI | A 5960 EC 13-OCT-87 | ER | EC | 85 | |
| | | MIL-S-24251/14A(2) NOTICE 1 | SHIELD, RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T12 [VALIDATION DATE: 8710] USER: AR AS CG MC OS REVIEWER: 11 17 99 ES MI | A 5960 EC 13-OCT-87 | ER | EC | 85 | |
| | | MIL-S-24251/16A(2) | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T16 (SPLIT SHELL) [VALIDATION DATE: 8710] USER: AR AS CG MC REVIEWER: 11 17 99 ES MI | A 5960 EC 13-OCT-87 | ER | EC | 85 | |
| | | MIL-S-24251/17A(2) NOTICE 1 | SHIELD, RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING OCTAL, T14 AND T16 [VALIDATION DATE: 8710] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI | A 5960 EC 03-OCT-79 | ER | EC | 85 | |
| L | | MIL-C-24252B | COBALT-CHROMIUM-TUNGSTEN-NICKEL & COBALT-CHROMIUM-TUNGSTEN ALLOY BARS & FORGINGS (CONTROLLED DISTRIBUTION) | F 9530 SH 14-OCT-85 | | SH | | |
| L | | MIL-F-24259A | FLUID FLOWMETER, VOLUME VELOCITY TYPE REVIEWER: GS ..... | A 6680 SH 14-DEC-87 | | SH | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-E-24269B(1) | EXTINGUISHER, FIRE, CARBON DIOXIDE, 15 POUND, PORTABLE, PERMANENT SHUTOFF, NAVY SHIPBOARD USE REVIEWER: CS | A | 4210 | | SH | 08-OCT-90 | | SH | | |
| L | | MIL-T-24270B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS GENERAL SPECIFICATION FOR REVIEWER: GS | A | 6685 | | SH | 02-SEP-83 | | SH | | |
| L | | MIL-T-24270/1B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS REVIEWER: GS | A | 6685 | | SH | 02-SEP-83 | | SH | | |
| L | | MIL-T-24270/2B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 3/32 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS REVIEWER: GS | A | 6685 | | SH | 02-SEP-83 | | SH | | |
| L | | MIL-T-24270/3B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS REVIEWER: GS | A | 6685 | | SH | 02-SEP-83 | | SH | | |
| L | | MIL-T-24270/4B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 3/32 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS REVIEWER: GS | A | 6685 | | SH | 02-SEP-83 | | SH | | |
| L | | MIL-T-24270/7D | THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 5-1/2 INCHES OR 3-1/2 INCHES, CONNECTION - BUTT WEL D REVIEWER: GS | A | 6685 | | SH | 02-SEP-83 | | SH | | |
| L | | MIL-T-24270/12B | THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED 1-1/8 INCH O.D. REVIEWER: GS | A | 6685 | | SH | 02-SEP-83 | | SH | | |
| L | | MIL-T-24270/13B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 1-1/8 INCH O.D. REVIEWER: GS | A | 6685 | | SH | 02-SEP-83 | | SH | | |
| L | | MIL-T-24270/18B | THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH,AS REQ, CONNECTION - BUTT WELD REVIEWER: GS | A | 6685 | | SH | 02-SEP-83 | | SH | | |
| L | | MIL-T-24270/21D | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS; INSERTION LENGTH - 2 INCHES, BORE - 1/4 INCH, CONNECTION - O-RING 1-5/16 - 12 UNS-2A S/S MIL-W-24270/21C 28 FEB 73 & MIL-W-24270/23 13MAY 71 | A | 6685 | | SH | 02-SEP-83 | | | | |
| L | | MIL-T-24270/22B | THERMOWELLS FOR THERMOMETERS AND ELECTRICAL TEMPERATURE SENSORS; INSERTION LENGTH - 2 INCHES, BORE - 3/8-INCH, CONNECTION - O-RING SEAL 1-5/16 - 12 UNS-2A S/S MIL-W-24720/22A 13 MAY 71 | A | 6685 | | SH | 02-SEP-83 | | | | |
| L | | MIL-T-24270/25B | THERMOWELL, ADAPTOR, THERMOWELL EXTENSION, FOR USE WITH BIMETALLICTEMPERATURE INDICATORS | A | 6685 | | SH | 02-SEP-83 | | | | |
| L | | MIL-N-24271A NOTICE 1 | NICKEL-CHROMIUM-IRON ALLOY CASTINGS (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTYS MUST BE SUBMITTED VIA PREPARING ACTY OF THE SPEC) [VALIDATION DATE: 8204] | F | MECA | | SH | 10-OCT-74 | | SH | | |
| L | | MIL-V-24272B | VALVE MANIFOLD, HIGH PRESSURE GAS REDUCING REVIEWER: CS | A | 4820 | | SH | 30-AUG-85 | | SH | | |
| L | | MIL-A-24280A | ANCHOR, MARINE FLUKED, LIGHT WEIGHT TYPE (LWT), (30 DEGREES AND 50 DEGREES FLUKE ANGLES WITH WEDGE BLOCK ADAPTERS), HIGH STRENGTH CAST STEEL [VALIDATION DATE: 8104] | A | 2040 | | SH | 11-DEC-72 | | SH | | |
| L | | MIL-L-24282 | LIGHT, SIGNAL, MULTIPURPOSE, KIT, NONMAGNETIC, SYMBOL 106.1 [VALIDATION DATE: 8108] | A | 5850 | | SH | 03-JUL-68 | | SH | | |
| L | | MIL-S-24287C | STUD, BOLT-STUD, BOLTS, NUTS, ALLOY STEEL (FOR SERVICE TO 700 DEGREES F AND FATIGUE APPLICATION (CONTROLLED DISTRIBUTION) | F | 5307 | | SH | 11-APR-85 | | SH | | |
| L | | MIL-F-24291C | FLOWMETER, FLUID ELECTROMAGNETIC TYPE | A | 6680 | | SH | 30-MAR-90 | | SH | | |
| L | | MIL-P-24293A NOTICE 1 | PACKING, HYDRAULIC, LEATHER, CATTLEHIDE, MINERAL-TANNED, IMPREGNATED [VALIDATION DATE: 9103] | A | 5330 | | SH | 27-MAR-91 | | SH | | |
| L | | MIL-T-24297 NOTICE 1 | TUB, STATIONARY, LAUNDRY [VALIDATION DATE: 9102] | A | 4510 | | SH | 19-FEB-91 | | SH | | |
| L | | MIL-S-24298A NOTICE 1 | SAFTY BELT AND HARNESS, SUBMARINE PERSONNEL [VALIDATION DATE: 9106] REVIEWER: GS | A | 4240 | | SH | 07-JUN-91 | | SH | | |
| L | | MIL-C-24301B | CABLE, SPECIAL PURPOSE, RADIO FREQUENCY, BUOYANT, TYPE RG-374/U [VALIDATION DATE: 8304] REVIEWER: IS | A | 6145 | | EC | 03-OCT-69 | | EC | | |
| QL | | MIL-D-24304B(2) | DIFFERENTIAL PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE) REVIEWER: GS | A | 6685 | | SH | 22-FEB-91 | | SH | | |
| MQ | | MIL-C-24308C(1) SUPPL 1B1 | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR USER: AT CG MC ME OS REVIEWER: 11 99 AR AS AV ES MI | A | 5935 | | EC | 26-JAN-90 | CR | EC | 85 | |
| | | MIL-C-24308/1F | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, GENERAL PURPOSE, CLASS D AND G, SOLDER TYPE USER: CG MC ME SH REVIEWER: 11 99 AS AV ES MI | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MIL-C-24308/2N | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACT, GENERAL PURPOSE, CLASS D AND G, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI SH | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MIL-C-24308/3E | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, GENERAL PURPOSE, CLASS D AND G SOLDER TYPE USER: CG MC ME REVIEWER: 11 99 AS AT AV ES MI SH | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MIL-C-24308/4K | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, GENERAL PURPOSE, CLASS D AND G, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI SH | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MIL-C-24308/5G | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACT, NONMAGNETIC, CLASS M AND N, SOLDER TYPE USER: AT CG MC ME SH REVIEWER: 11 99 AS ES MI | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MIL-C-24308/6K | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, NONMAGNETIC, CLASS M AND N, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI SH | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MIL-C-24308/7E | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, NONMAGNETIC, CLASS M AND N, SOLDER TYPE USER: CG MC ME SH REVIEWER: 11 99 AS AT ES MI | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MIL-C-24308/8K | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, NONMAGNETIC, CLASS M AND N, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI SH | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MIL-C-24308/9E | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PLUG, PIN CONTACTS, HERMETIC, CLASS H AND K USER: AT CG MC ME REVIEWER: 11 99 AS ES MI SH | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MIL-C-24308/23B | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SOCKET CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES USER: AT CG MC MI SH REVIEWER: 11 99 AS AV ES | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MIL-C-24308/24C | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES USER: AT CG MC ME SH REVIEWER: 11 99 AS AV ES MI | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |
| A | | MIL-C-24308/25F | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SCREW-LOCK ASSEMBLY, MALE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI SH | A | 5935 | | EC | 19-JAN-93 | CR | EC | 85 | |
| A | | MIL-C-24308/26G | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SCREW-LOCK ASSEMBLY, FEMALE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI | A | 5935 | | EC | 19-JAN-93 | CR | EC | 85 | |
| | | MIL-C-24308/27A | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK & PANEL, INSULATION DISPLACEMENT, SOCKET CONTACTS, NONENVIRONMENTAL USER: AT CG MC ME OS REVIEWER: 11 99 AS ES MI MR | A | 5935 | | EC | 26-JAN-89 | CR | EC | 85 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Customers: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-C-24308/28A | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, INSULATION DISPLACEMENT, PIN CONTACT, NONENVIRONMENTAL, CLASS G USER: AT CG MC ME OS REVIEWER: 11 99 AS ES MI MN | A | 5935 | EC | 26-JAN-89 | CR | EC | 85 | | |
| L | | | | MIL-P-24310(1) | PROVISIONING MONITORING SYSTEM PROCEDURES FOR NAVAL SHIPBOARD ELECTRICAL AND MECHANICAL EQUIPMENT AND COMPONENTS [VALIDATION DATE: 8204] | A | 1905 | SH | 06-NOV-67 | | SH | | | |
| L | | | | MIL-O-24312B | OPERATIONAL STATIONS BOOK (OSB) | A | TMSS | SH | 16-SEP-87 | | SH | | | |
| L | | | | MIL-M-24315 NOTICE 1 | MANIFOLD, SCUBA, NONMAGNETIC, SINGLE CYLINDER [VALIDATION DATE: 8104] | A | 4220 | SH | 17-JUN-68 | | SH | | | |
| L | | | | MIL-C-24316A NOTICE 1 | CYLINDER, COMPRESSED GAS, DIVER'S, FOR DEMAND OPEN CIRCUIT SCUBA [VALIDATION DATE: 9010] | A | 4220 | SH | 05-OCT-90 | | SH | | | |
| Q | | | | MIL-S-24317 SUPPL 1A1 | SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED AND NON-ILLUMINATED), GENERAL SPECIFICATION FOR [VALIDATION DATE: 8601] USER: MC ME REVIEWER: 11 17 99 AS AV CE ES MI OS | A | 5930 | EC | 15-MAR-68 | ER | EC | 85 | | |
| A | L | | | MIL-S-24317/8B(2) | SWITCHES, MULTISTATION, PUSH BUTTON, (ILLUMINATED MATRIX ARRANGEMENT), RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK, STYLE SM08 | A | 5930 | EC | 24-FEB-93 | | EC | | | |
| | | | | MIL-S-24317/9A | SWITCHES, MULTISTATION, PUSH BUTTON, ILLUMINATED MATRIX ARRANGEMENT PLUG-IN MODULE, 2 AMPERES, UNSEALED, TYPE SM09L1 REVIEWER: 99 AS SH | A | 5930 | EC | 21-DEC-89 | | EC | 85 | | |
| L | | | | MIL-S-24317/11B | SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED MATRIX ARRANGEMENT) PLUG-IN MODULE, EMI/RFI SHIELDED, DRIPPROOF, STYLE SM11 USER: 19 REVIEWER: 11 99 | A | 5930 | 85 | 25-JUL-88 | | | 85 | | |
| L | | | | MIL-S-24317/12(2) | SWITCH, MULTISTATION, PUSHBUTTON, ILLUMINATED MATRIX ARRANGEMENT, SUNLIGHT READABLE, 4 LAMP, PLUG-IN MODULE, STYLE SM12L1 | A | 5930 | EC | 20-SEP-91 | | EC | | | |
| L | | | | MIL-A-24319B(5) | ANTENA, WHIP, 10.67 METER (35 F EET), AS-2537 ( )/SR | A | 5985 | EC | 24-JAN-86 | | EC | | | |
| A | L | | | MIL-C-24320A | CLOTH, ACETATE, FLUORESCENT | A | 8305 | CT | 11-APR-90 | | SH | | | CT |
| L | | | | MIL-D-24322 | DEHUMIDIFIERS, ROTARY, DESICCANT, ELECTRIC (FOR SHIPBOARD USE) [VALIDATION DATE: 8106] | A | 4440 | SH | 02-FEB-68 | | SH | | | |
| L | | | | MIL-I-24330(1) | INSULATION SHEET, ELECTRICAL, LIGNO-CELLULOSIC, HIGH DENSITY, HARDBOARD [VALIDATION DATE: 8505] USER: ME REVIEWER: GS | A | 5970 | SH | 01-NOV-68 | | SH | | | |
| L | | | | MIL-V-24332(2) | VALVE, ANGLE RELIEF, FOR LIQUID SERVICE (NAVAL SHIPBOARD [VALIDATION DATE: 8301] REVIEWER: CS | A | 4820 | SH | 06-FEB-74 | | SH | | | |
| L | | | | MIL-V-24336A | VALVES, PRESSURE REDUCING, FOR OXYGEN SERVICE | A | 4820 | SH | 08-JUL-88 | | SH | | | |
| L | | | | MIL-R-24337A | ROPE, NYLON, EIGHT STRAND PLAITED | A | 4020 | SH | 29-MAR-90 | | SH | | | |
| L | | | | MIL-P-24338A | PIPE, CARBON STEEL, SEAMLESS (CONTROLLED DISTRIBUTION) | B | 4710 | SH | 10-OCT-85 | | SH | | | |
| L | | | | MIL-F-24339C | FITTINGS AND FLANGES, WROUGHT, SEAMLESS, BUTT AND SOCKET WELDING CARBON STEEL (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC) | A | 4730 | SH | 22-OCT-85 | | SH | | | |
| QL | | | | MIL-S-24340A | SEALING COMPOUND, DECK, POLYURETHANE (POLYETHER BASE) | A | 8030 | SH | 14-SEP-88 | | SH | | | |
| L | | | | MIL-F-24342C | FITTING AND FLANGE, WROUGHT SEAMLESS, BUTT AND SOCKET WELDING, 70-30 COPPER NICKEL ALLOY (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC) | A | 4730 | SH | 27-MAR-85 | | SH | | | |
| L | | | | MIL-P-24344C | PRODUCER, LIQUID OXYGEN AND LIQUID NITROGEN (SHIPBOARD TYPE-LOW PRESSURE) | A | 3655 | SH | 02-JAN-91 | | SH | | | |
| L | | | | MIL-M-24347A | MONITOR, AVAILABLE LOAD, 60 AND 400 HERTZ, A.C., 1 PHASE, ELECTRICAL POWER (NAVAL SHIPBOARD USE) | A | 5925 | SH | 10-FEB-89 | | SH | | | |
| L | | | | MIL-M-24350B(2) | MONITORS, REVERSE POWER AND POWER-SENSING, ELECTRICAL POWER (NAVAL SHIPBOARD USE) (METRIC) | A | 5925 | SH | 16-APR-92 | | SH | | | |
| D | L | | | MIL-P-24351A | PRIMER COATING, ALKYD, BLUE (FORMULA NO. 6M35-2) USER: YD1 | A | 8010 | SH | 27-AUG-85 | | SH | | | |
| L | | | | MIL-S-24354E | STUD, BOLT STUD NUT CORROSION-RESISTANT AND NON-FERROUS MATERIALS FOR FATIGUE APPLICATION (CONTROLLED DISTRIBUTION) | F | 5307 | SH | 03-APR-85 | | SH | | | |
| | | | | MIL-E-24355B(1) | ELECTRODES, WELDING, BARE, SOLID NICKEL MANGANESE CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY 130 WELDMENTS FOR ASWELDED APPLICATIONS | A | 3439 | SH | 26-MAR-87 | | | | | |
| D | L | | | MIL-C-24356A(2) | COUPLING, SEGMENTED, & SPLIT CLAMPS REATTACHABLE, 2-1/2-, 4-, 6- & 7-INCH, FOR REFUELING-AT-SEA HOSE USER: YD1 | A | 4730 | SH | 01-MAR-88 | | SH | | | |
| L | | | | MIL-M-24359 | METER, MILLIAMMETERS, DIRECT CURRENT PANEL MOUNTING (EDGEWISE TYPES) [VALIDATION DATE: 8106] REVIEWER: EC MI | A | 6625 | SH | 05-FEB-69 | | SH | | | |
| L | | | | MIL-C-24367 NOTICE 1 | CONTROLLER, MOTOR, DIRECT CURRENT, NONMAGNETTC, WATERTIGHT MARK 6(8), MOD 2 (MINESWEEPING) (INACTIVE FOR NEW DESIGN) | A | 1075 | SH | 27-JAN-88 | | SH | | | |
| QL | | | | MIL-C-24368B SUPPL 1A1 | CONNECTOR ASSEMBLIES; PLUGS AND RECEPTACLES, ELECTRIC POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR USER: EC | A | 5935 | SH | 25-MAR-87 | | SH | | | |
| L | | | | MIL-C-24368/1B | CONNECTOR ASSEMBLIES; PLUG, POWER TRANSFER, SHORE TO SHIP AND SHIPTO SHIP, 500 VOLTS, 500 AMPERES, 60 HERTZ, SYMBOL NUMBER 1160 USER: EC | A | 5935 | SH | 25-MAR-87 | | SH | | | |
| L | | | | MIL-C-24368/2B | CONNECTOR ASSEMBLIES; RECEPTACLE, AND RECEPTACLE - CABLED, POWER TRANSFER, SHORE TO SHIPAND SHIP TO SHIP, 500 VOLTS, 500 AMPERES, 60HERTZ, SYMBOL NUMBER 1161 USER: EC | A | 5935 | SH | 25-MAR-87 | | SH | | | |
| D | L | | | MIL-C-24368/4A | CONNECTOR ASSEMBLIES; PLUGS & RECEPTACLES, ELECTRIC, POWER TRANSFER, SHORE TO SHIP & SHIP TO SHIP, 500 VOLTS, 500 AMPERES, 60 HERTZ, SYMBOL NUMBERS 1162.1, 1162.2 & 1162.3 USER: EC | A | 5935 | SH | 25-MAR-87 | | YD1 | | | |
| L | | | | MIL-C-24368/6 | CONNECTOR ASSEMBLIES; DUAL PURPOSE, SUBMARINE SHORE POWER TRANSFER (AC) AND DSRV BATTERY CHARGING (DC), 500 VOLTS, 400 AMPERES, 60 HERTZ, THREE-PHASE, SYMBOLS 1150 AND 1150.1 USER: EC | A | 5935 | SH | 25-MAR-87 | | SH | | | |
| L | | | | MIL-S-24371B | STEEL PLATE, STRUCTURAL, HIGH YIELD STRENGTH (HY-130) | A | 9515 | SH | 02-AUG-89 | | SH | | | |
| | | | | MIL-P-24377A NOTICE 1 | PACKING MATERIAL, ASBESTOS, BRAIDED, IMPREGNATED WITH PTFE (POLYTETRAFLUOROETHYLENE), SURFACE LUBRICATED [VALIDATION DATE: 8805] REVIEWER: ME | A | 5330 | SH | 31-MAY-88 | AR | SH | 99 | | |
| L | | | | MIL-P-24380B | PAINT, ANCHOR CHAIN, SOLVENT TYPE, GLOSS BLACK (METRIC) | A | 8010 | SH | 25-JAN-89 | | SH | | | |
| L | | | | MIL-T-24381(1) SUPPL 1A1, NOTICE 1 | TERMINAL, CASUALTY POWER SYSTEMS, GENERAL SPECIFICATION FOR (INACTIVE) REVIEWER: GS | A | 5940 | SH | 20-JUN-80 | | SH | | | |
| L | | | | MIL-T-24381/1(1) NOTICE 1 | TERMINAL, CASUALTY POWER, BULKHEAD, 200 AMPERE, 500 VOLT, THREE PHASE, ALTERNATING CURRENT, SYMBOL NUMBER, 1025 (INACTIVE) REVIEWER: GS | A | 5940 | SH | 20-JUN-80 | | SH | | | |
| L | I | | | MIL-T-24381/2(1) NOTICE 1 | TERMINALS, CASUALTY POWER, RISER, 200-AMPERE, 500-VOLT, THREE-PHASE, ALTERNATING CURRENT SYMBOL NUMBERS 1032, 1033, AND 1034 REVIEWER: GS | A | 5940 | SH | 15-MAR-91 | | SH | | | |
| L | I | | | MIL-T-24381/3 NOTICE 1 | TERMINAL, CASUALTY POWER, TERMINAL BLOCK, SINGLE POLE, 200-AMPERE, 120-VOLT, DIRECT CURRENT, SYMBOL NUMBER 1035 REVIEWER: GS | A | 5940 | SH | 31-MAY-88 | | SH | | | |
| L | I | | | MIL-T-24381/4 NOTICE 1 | TERMINAL, CASUALTY POWER, BULKHEAD, 200-AMPERE, 120-VOLT, DIRECT CURRENT, SYMBOL NUMBER 1024 REVIEWER: GS | A | 5940 | SH | 15-MAR-91 | | SH | | | |
| L | I | | | MIL-T-24381/5 | TERMINAL, CASUALTY POWER, SWITCH, PORTABLE 60-AMPERE, 500-VOLT, THREE-PHASE, ALTERNATING CURRENT, SYMBOL NUMBER 1041 REVIEWER: GS | A | 5940 | SH | 31-MAY-88 | | SH | | | |
| L | | | | MIL-T-24381/6 NOTICE 1 | TERMINAL, CASUALTY POWER, CANVAS COVER (FOR RISER TERMINALS, SYMBOL NUMBERS 1032, 1033 & 1034) (INACTIVE) [VALIDATION DATE: 7905] REVIEWER: GS | A | 5940 | SH | 21-SEP-72 | | SH | | | |
| L | | | | MIL-T-24381/7 NOTICE 1 | TERMINAL, CASUALTY POWER, ALTERNATING CURRENT, ENCLOSURE ASSEMBLY FOR, SYMBOL NUMBER 1038 (INACTIVE) [VALIDATION DATE: 8105] | A | 5940 | SH | 21-SEP-72 | | SH | | | |
| L | I | | | MIL-T-24381/8 NOTICE 1 | TERMINAL, CASULTY POWER, GUARD, SYMBOL NUMBER 1044 (FOR BULKHEAD TERMINAL, SYMBOL NUMBER 1024) REVIEWER: GS | A | 5940 | SH | 15-MAR-91 | | SH | | | |
| L | I | | | MIL-T-24381/9 NOTICE 1 | TERMINAL, CASUALTY POWER, TERMINAL GUARD, SYMBOL NUMBER 1037 (FOR TERMINAL BLOCK SYMBOL NUMBER 1035) | A | 5940 | SH | 15-MAR-91 | | SH | | | |
| L | | | | MIL-T-24381/10 NOTICE 1 | TERMINAL, CASUALTY POWER, CANVAS COVER (FOR BULKHEAD TERMINAL, SYMBOL NUMBER 1025) (INACTIVE) [VALIDATION DATE: 8105] | A | 5940 | SH | 21-SEP-72 | | SH | | | |
| L | | | | MIL-C-24382A(1) | CANISTER, OXYGEN BREATHING APPARATUS, TYPE A-4 TRAINING KIT | A | 4240 | SH | 17-MAY-90 | | SH | | | |
| D | L | | | MIL-V-24384B | VALVE, PRESSURE REGULATING, FOR LOW PRESSURE AIR OR NITROGEN SYSTEMS USER: YD1 | A | 4820 | SH | 17-FEB-88 | | SH | | | |
| QL | | | | MIL-F-24385F | FIRE EXTINGUISHING AGENT, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE, FOR FRESH AND SEA WATER | A | 4210 | SH | 07-JAN-92 | | SH | | | |
| QL | | | | MIL-T-24387A(3) | TEMPERATURE MEASUREMENT EQUIPMENT SIGNAL CONDITIONER AND POWER SUPPLY (ELECTRICAL) NAVAL SHIPBOARD USE [VALIDATION DATE: 8412] REVIEWER: GS | A | 6685 | SH | 10-APR-79 | | SH | | | |
| QL | | | | MIL-T-24388C SUPPL 1A1 | THERMOCOUPLE AND RESISTANCE TEMPERATURE DETECTOR ASSEMBLIES, GENERAL SPECIFICATION FOR (NAVAL SHIPBOARD) | A | 6685 | SH | 30-MAR-90 | | SH | | | |

| Action | OPR / QMR Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MIL-M-24390B(1) | NICKEL MOLYBDENUM CHROMIUM IRON SHEET & LOW CARBON, LOW SILICON NICHOLMOLYBDENUM CHROMIUM IRON PLATE (CONTROLLED DISTRIBUTION) | B | 9535 | | SH | 07-OCT-85 | | SH | | |
| | DQ | | MIL-I-24391C(1) | INSULATION TAPE, ELECTRICAL, PLASTIC, PRESSURE-SENSITIVE USER: CG MC ME YD1 REVIEWER: DS EA EC GS OS | A | 5970 | | SH | 05-AUG-91 | ER | SH | 11 | |
| | L | | MIL-V-24394(1) | VALVE, AUTOMATIC SHUT OFF, FOR GAS SERVICE (SIZES 1/4 TO 2 INCHES IPS) [VALIDATION DATE: 8401] REVIEWER: CS | A | 4820 | | SH | 28-MAR-78 | | SH | | |
| | L | | MIL-P-24395 | PANEL, GROUND DETECTOR, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] REVIEWER: GS | A | 6110 | | SH | 02-MAY-72 | | SH | | |
| A | L | | MIL-P-24395/1B | PANEL, GROUND DETECTOR, 120 VOLTS (SYMBOL 1005.1) AND 450 VOLTS (SYMBOL 1005.2) ALTERNATING CURRENT, THREE PHASE, 60 OR 400 HERTZ, DRIPPROOF | A | 6110 | | SH | 23-FEB-93 | | SH | | |
| | L | | MIL-P-24395/2 NOTICE 1 | PANEL, GROUND DETECTOR, 120-VOLT (SYMBOL 1005.3) AND 240 VOLT (SYMBOL 1005.4) DIRECT CURRENT, DRIPPROOF [VALIDATION DATE: 9104] REVIEWER: GS | A | 6110 | | SH | 19-APR-91 | | SH | | |
| | L | | MIL-P-24396 NOTICE 1 | PACKING MATERIAL, BRAIDED TFE (POLYTETRAFLUOROETHYLENE) [VALIDATION DATE: 8905] | A | 5330 | | SH | 09-MAY-89 | | SH | | |
| | L | | MIL-T-24398(2) | TURBINE, STEAM AND REDUCTION GEAR, AUXILIARY, GENERATOR-DRIVE (NAVAL SHIPBOARD USE) | A | 2825 | | SH | 14-FEB-83 | | SH | | |
| | AQ | | MIL-F-24402E(1) | FILTERS (HYDRAULIC), FILTER ELEMENTS (HIGH EFFICIENCY), AND FILTER DIFFERENTIAL PRESSURE INDICATORS, GENERAL SPECIFICATION FOR REVIEWER: 84 CS | A | 4330 | | SH | 07-JUL-92 | | SH | 99 | |
| | A | | MIL-F-24402/1(1) | FILTER HOUSINGS, HYDRAULIC, SINGLE ELEMENT REVIEWER: 84 CS | A | 4330 | | SH | 07-JUL-92 | | SH | 99 | |
| | A | | MIL-F-24402/2(1) | FILTER HOUSINGS, HYDRAULIC, DUPLEX REVIEWER: 84 CS | A | 4330 | | SH | 07-JUL-92 | | SH | 99 | |
| | L | | MIL-F-24402/3 | FILTER HOUSINGS, HYDRAULIC, THREE ELEMENTS | A | 4330 | | SH | 03-APR-90 | | SH | | |
| | L | | MIL-F-24402/4 | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE | A | 4330 | | SH | 03-APR-90 | | SH | | |
| | L | | MIL-F-24402/5A | FILTER INDICATORS, DIFFERENTIAL PRESSURE, HYDRAULIC | A | 4330 | | SH | 10-FEB-92 | | SH | | |
| | QL | | MIL-E-24403A(1) | ELECTRODE - WELDING, FLUX CORED GENERAL SPECIFICATION FOR REVIEWER: GS | A | 3439 | | SH | 30-AUG-83 | | SH | | |
| | L | | MIL-E-24403/1D | ELECTRODES - WELDING, FLUX CORED, ORDINARY STRENGTH & LOW ALLOY STEEL REVIEWER: GS | A | 3439 | | SH | 14-NOV-85 | | SH | | |
| | QL | | MIL-E-24403/2C | ELECTRODES - WELDING, FLUX CORED, LOW-ALLOY STEEL | A | 3439 | | SH | 07-JUL-89 | | SH | | |
| | L | | MIL-C-24404 SUPPL 1A1 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (NAVAL SHIPBOARD USE) GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] | A | 1075 | | SH | 01-SEP-71 | | SH | | |
| | L | | MIL-C-24404/1 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 477.1 AND 477.2) [VALIDATION DATE: 8104] | A | 1075 | | SH | 01-SEP-71 | | SH | | |
| | L | | MIL-C-24404/2 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 478.2, 478.3, 478.4) [VALIDATION DATE: 8104] | A | 1075 | | SH | 01-SEP-71 | | SH | | |
| | L | | MIL-C-24404/3 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 479.1 AND 479.2) [VALIDATION DATE: 8104] | A | 1075 | | SH | 01-SEP-71 | | SH | | |
| | L | | MIL-C-24404/4 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 480.3, 480.4, 480.5, 480.6, 480.7) [VALIDATION DATE: 8104] | A | 1075 | | SH | 01-SEP-71 | | SH | | |
| A | L | | MIL-N-24408D | NOZZLES, FIRE HOSE, COMBINATION AQUEOUS FILM FORMING FOAM, WATER SPRAY, ADJUSTABLE PATTERN (SHIPBOARD USE) | A | 4210 | | SH | 05-FEB-93 | | SH | | |
| | L | | MIL-R-24414D | REELS AND GUIDES, HOSE, FIREFIGHTING MANUALLY OPERATED | A | 4210 | | SH | 19-NOV-91 | | SH | | |
| | L | | MIL-E-24416B | EXTINGUISHING SYSTEM, FIRE, FIXED, AQUEOUS POTASSIUM CARBONATE | A | 4210 | | SH | 08-FEB-91 | | SH | | |
| | L | | MIL-N-24422(3) NOTICE 1 | NICKEL CHROMIUM BORON AND NICKEL CHROMIUM CARBON ALLOY CASTINGS, WEAR AND CORROSION RESISTANT (CONTROLLED DISTRIBUTION) | F | MECA | | SH | 25-MAR-83 | | SH | | |
| | L | | MIL-P-24423(1) | PROPULSION AND AUXILIARY CONTROL CONSOLES AND ASSOCIATED CONTROL AND INSTRUMENTATION EQUIPMENT, NAVAL SHIPBOARD USE, BASIC DESIGN REQUIREMENTS | A | 2030 | | SH | 30-JAN-78 | | SH | | |
| | QL | | MIL-V-24439A(1) | VALVE, OXYGEN, HELIUM AND HELIUM OXYGEN MIXTURE, HIGH PRESSURE FOR GAS SERVICES REVIEWER: CS | A | 4820 | | SH | 07-JAN-88 | | SH | | |
| | QL | | MIL-P-24441B(1) SUPPL 1A1 | PAINT, EPOXY-POLYAMIDE GENERAL SPECIFICATION FOR | A | 8010 | | SH | 28-FEB-92 | | SH | | |
| | L | | MIL-P-24441/1C | PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE I | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/2C | PAINT, EPOXY-POLYAMIDE, EXTERIOR TOPCOAT, HAZE GRAY, FORMULA 151, TYPE I | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/3C | PAINT, EPOXY-POLYAMIDE, TOPCOAT, WHITE, FORMULA 152, TYPE I | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/4C | PAINT, EPOXY-POLYAMIDE, EXTERIOR TOPCOAT, BLACK, FORMULA 153-RO * 1.8, TYPE I | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/5C | PAINT, EPOXY-POLYAMIDE, EXTERIOR TOPCOAT, DARK GRAY, FORMULA 154-RO * 36.6, TYPE I | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/6C | PAINT, EPOXY-POLYAMIDE, EXTERIOR TOPCOAT, DARK GRAY, FORMULA 155-RO * 6, TYPE I | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| D | L | | MIL-P-24441/7C | PAINT, EPOXY-POLYAMIDE, TOPCOAT, RED, FORMULA 156, TYPE I USER: YD1 | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/8B | PAINT, EPOXY-POLYAMIDE, TOPCOAT, NO. 50 GRAY, FORMULA 157, TYPE I | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| D | L | | MIL-P-24441/9A | PAINT, EPOXY POLYAMIDE, PRIMER, YELLOW, FORMULA 158, TYPE I USER: YD1 | A | 8010 | | SH | 15-MAY-86 | | SH | | |
| D | L | | MIL-P-24441/10A | PAINT, EPOXY POLYAMIDE, GREEN PRIMER, FORMULA 150R66, TYPE II USER: YD1 | A | 8010 | | SH | 15-MAY-86 | | SH | | |
| D | L | | MIL-P-24441/11A | PAINT, EPOXY POLYAMIDE, EXTERIOR TOPCOAT, HAZE GRAY, FORMULA 151R66, TYPE II USER: YD1 | A | 8010 | | SH | 15-MAY-86 | | SH | | |
| D | L | | MIL-P-24441/12A | PAINT, EPOXY POLYAMIDE, TOPCOAT, WHITE, FORMULA 152R66, TYPE II USER: YD1 | A | 8010 | | SH | 15-MAY-86 | | SH | | |
| D | L | | MIL-P-24441/13A | PAINT, EPOXY POLYAMIDE, EXTERIOR TOPCOAT, BLACK, FORMULA 153R66-RO EQUAL 1.8, TYPE II USER: YD1 | A | 8010 | | SH | 15-MAY-86 | | SH | | |
| D | L | | MIL-P-24441/14A | PAINT, EPOXY POLYAMIDE, EXTERIOR TOPCOAT, DARK GRAY, FORMULA 154R66-RO EQUAL 3.6, TYPE II USER: YD1 | A | 8010 | | SH | 15-MAY-86 | | SH | | |
| D | L | | MIL-P-24441/15A | PAINT, EPOXY POLYAMIDE, EXTERIOR TOPCOAT, DARK GRAY, FORMULA 155R66-RO EQUAL 6, TYPE II USER: YD1 | A | 8010 | | SH | 15-MAY-86 | | SH | | |
| D | L | | MIL-P-24441/16A | PAINT, EPOXY POLYAMIDE, TOPCOAT, RED, FORMULA 156R66, TYPE II USER: YD1 | A | 8010 | | SH | 15-MAY-86 | | SH | | |
| D | L | | MIL-P-24441/17A | PAINT, EPOXY POLYAMIDE, TOPCOAT, NO. 50 GRAY, FORMULA 157R66, TYPE II USER: YD1 | A | 8010 | | SH | 15-MAY-86 | | SH | | |
| D | L | | MIL-P-24441/18A | PAINT, EPOXY POLYAMIDE, PRIMER, YELLOW, FORMULA 158R66, TYPE II USER: YD1 | A | 8010 | | SH | 15-MAY-86 | | SH | | |
| | L | | MIL-P-24441/19A | PAINT, EPOXY-POLYAMIDE, ZINC PRIMER, FORMULA 159, TYPE II | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/20 | PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE III | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/21 | PAINT, EPOXY-POLYAMIDE, HAZE GRAY, FORMULA 151, TYPE III | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/22 | PAINT, EPOXY-POLYAMIDE, WHITE, FORMULA 152, TYPE III | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/23 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO1.8, FORMULA 153, TYPE III | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/24 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO3.6, FORMULA 154, TYPE III | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/25 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO6, FORMULA 155, TYPE III | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/26 | PAINT, EPOXY-POLYAMIDE, RED, FORMULA 156, TYPE III | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/27 | PAINT, EPOXY-POLYAMIDE, NO. 50 GRAY, FORMULA 157, TYPE III | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/28 | PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 158, TYPE III | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/29 | PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/30 | PAINT, EPOXY-POLYAMIDE, HAZE GRAY, FORMULA 151, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/31 | PAINT, EPOXY-POLYAMIDE, WHITE, FORMULA 152, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/32 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO1.8, FORMULA 153, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/33 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO3.6, FORMULA 154, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/34 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO6, FORMULA 155, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/35 | PAINT, EPOXY-POLYAMIDE, RED, FORMULA 156, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/36 | PAINT, EPOXY-POLYAMIDE, NO. 50 GRAY, FORMULA 157, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/37 | PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 158, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/38 | PAINT, EPOXY-POLYAMIDE, BLACK, FORMULA 160, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/39 | PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 161, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/40 | PAINT, EPOXY-POLYAMIDE, RED, FORMULA 162, TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-P-24441/42 | PAINT, EPOXY-POLYAMIDE, BLACK ABRASIVE NONSLIP, FORMULA 164, GENERAL PURPOSE TYPE IV | A | 8010 | | SH | 23-JUL-91 | | SH | | |
| | L | | MIL-J-24445A | JOINT, BIMETALLIC BONDED, ALUMINUM TO STEEL [VALIDATION DATE: 8301] | A | 9535 | | SH | 25-JUL-77 | | SH | | |
| | L | | MIL-T-24448A | TORSIONMETER (FOR MEASUREMENT OF TORQUE DEFLECTION OF PROPELLER PROPULSION SHAFTS OF NAVAL SHIPS) [VALIDATION DATE: 8204] REVIEWER: GS | A | 6695 | | SH | 20-APR-71 | | SH | | |

| Action | Ofc / Ofcl. Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-C-24449A NOTICE 1 | CAST POLYMETHYL METHACRYLATE FOR SHEET STOCK, CUSTOM CASTINGS, AND FINISHED WINDOWS [VALIDATION DATE: 8812] REVIEWER: GS MR | A | 9330 | SH | | 20-DEC-88 | | SH | | |
| L | | | MIL-S-24451A | STEEL HEAT TREATED HEADS, ALLOY STRUCTURAL, HIGH YIELD STRENGTH (HY-80 AND HY-100) | A | 9515 | SH | | 31-JUL-90 | | SH | | |
| QL | | | MIL-I-24453A | INHIBITOR, CORROSION, SOLUBLE-OIL REVIEWER: GS | A | 6850 | SH | | 11-DEC-86 | | SH | | |
| L | | | MIL-E-24455 | ENGINE, DIESEL, PROPULSION AND AUXILIARY, HIGH SPEED, NAVAL SHIPBOARD [VALIDATION DATE: 8204] REVIEWER: 26 CS | A | 2815 | SH | | 24-SEP-71 | | SH | | |
| QL | | | MIL-A-24456(3) | ADHESIVE FOR PLASTIC VIBRATION-DAMPING TILE [VALIDATION DATE: 8406] | A | 8040 | SH | | 15-JUN-79 | | SH | | |
| L | | | MIL-C-24457A | CONTAINER, SHIPPING & STORAGE, METAL REUSABLE (CONTROLLED DISTRIBUTION) | B | 8115 | SH | | 30-SEP-82 | | SH | | |
| L | | | MIL-C-24458 | CONTAINER, METAL REUSABLE, SHIPPING, INSPECTION AND REFURBISHMENT OF (CONTROLLED DISTRIBUTION) USER: GL | B | 8115 | SH | | 01-FEB-72 | | SH | | |
| D L | | | MIL-H-24460B | HARNESS, SAFETY: AND LANYARDS, SAFETY AND WORKING USER: YD1 REVIEWER: GS | A | 4240 | SH | | 28-DEC-88 | | SH | | |
| L | | | MIL-G-24464A | GENERATOR SET, GAS TURBINE, MAGNETIC MINESWEEPING, 1750 KW [VALIDATION DATE: 8307] | A | 1075 | SH | | 20-JAN-78 | | SH | | |
| L | | | MIL-C-24465A | CONTAINER, SHIPPING AND STORAGE, METAL REUSEABLE (CONTROLLED DISTRIBUTION) | B | 8115 | SH | | 01-JUL-82 | | SH | | |
| L | | | MIL-P-24466 | POLYETHYLENE BAGS, SHEET, AND TUBING, GREEN (CONTROLLED DISTRIBUTION) | B | 9330 | SH | | 14-JUL-72 | | SH | | |
| L | | | MIL-P-24468A | POLYBUTADINE-POLYETHYLENE COPOLYMER SHEETS, VIRGIN AND BORATED (CONTROLLED DISTRIBUTION) REVIEWER: MR | A | 9330 | SH | | 18-APR-86 | | SH | | |
| L | | | MIL-V-24474 | VALUE ENGINEERING PROGRAM REQUIREMENTS (NAVAL SHIP SYSTEMS COMMAND) INACTIVE FOR NEW DESIGN [VALIDATION DATE: 8104] | A | MISC | SH | | 27-OCT-72 | | SH | | |
| L | | | MIL-P-24475(1) | PUMP, CENTRIFUGAL, SEWAGE SERVICE FOR USE ON NAVAL SHIPS | A | 4320 | SH | | 23-AUG-84 | | SH | | |
| L | | | MIL-M-24476A | MOUNT, RESILIENT, TYPES 7M50, 6M150, 6M450 AND 6M900 [VALIDATION DATE: 8208] | A | 5340 | SH | | 10-FEB-77 | | SH | | |
| L | | | MIL-G-24477 | GENERATOR SET, DIESEL ENGINE ALTERNATING CURRENT (NAVAL SUBMARINE USE) [VALIDATION DATE: 8106] REVIEWER: GS | A | 6115 | SH | | 08-DEC-72 | | SH | | |
| L | | | MIL-L-24478C | LUBRICANT, MOLYBDENUM DISULFIDE IN ISOPROPANOL | A | 9150 | SH | | 12-DEC-90 | | SH | | |
| L | | | MIL-L-24479C | LUBRICANT, RED LEAD AND GRAPHITE IN MINERAL OIL | A | 9150 | SH | | 12-DEC-90 | | SH | | |
| L | | | MIL-B-24480A NOTICE 1 | BRONZE, NICKEL-ALUMINUM (UNS NO. C95800) CASTINGS FOR SEAWATER SERVICE [VALIDATION DATE: 9103] | A | MECA | SH | | 26-MAR-91 | | SH | | |
| QL | | | MIL-D-24483A(3) | DECK COVERING, SPRAY-ON, NONSLIP | A | 5610 | SH | | 17-APR-89 | | SH | | |
| L | | | MIL-T-24487A | TILE, RUBBER VIBRATION DAMPING, TYPE V | A | 9320 | SH | | 25-MAY-90 | | SH | | |
| QL | | | MIL-L-24489B(1) | LIFEBOAT, INFLATABLE, MARK 6, 25-PERSON CAPACITY | A | 1940 | SH | | 20-AUG-86 | | SH | | |
| L | | | MIL-I-24490B(1) NOTICE 1 | INFLATION SYSTEM EQUIPMENT, COMPRESSED AIR, FOR MARK 5, MOD 2 (15 PERSON) AND MARK 6 (25-PERSON) INFLATABLE LIFEBOATS [VALIDATION DATE: 9103] | A | 1940 | SH | | 26-MAR-91 | | SH | | |
| L | | | MIL-C-24491B(1) | CONTAINER, FIBERGLASS REINFORCED PLASTIC, FOR INFLATABLE LIFEBOATS, MARK 5, MOD 2, AND MARK 6 | A | 1940 | SH | | 29-JAN-86 | | SH | | |
| L | | | MIL-N-24492A NOTICE 1 | NICKEL-CHROMIUM-IRON-COLUMBIUM AGE-HARDENABLE ALLOY BARS, REFORGING STOCK, & FORGINGS (ALLOY 718) (CONTROLLED DISTRIBUTION) | F | 9530 | SH | | 09-NOV-84 | | SH | | |
| L | | | MIL-W-24493B | WIRE, COLD DRAWN, AGE HARDENABLE NICKEL CHROMIUM IRON ALLOY (CONTROLLED DISTRIBUTION) | F | 9505 | SH | | 11-MAR-86 | | SH | | |
| L | | | MIL-T-24494B | TETRA-, TRI-, AND DISODIUM SALTS OF ETHYLENEDIAMINETETRAACETIC ACID (EDTA) WATER TREATMENT CHEMICALS, BOILER, SHIPBOARD USE REVIEWER: GS | A | 6810 | SH | | 19-OCT-88 | | SH | | |
| L | | | MIL-C-24495 | CHAIR, STACKING, STEEL, NAVAL SHIPBOARD USE [VALIDATION DATE: 8104] | A | 2090 | SH | | 26-DEC-73 | | SH | | |
| L | | | MIL-A-24496A | ACTIVATED, HIGH PURITY (U) (NORFORN - FURTHER DISSEMINATION ONLY AS DIRECTED BY NAVAL SEA SYSTEMS COMMAND (SEA 09T) | A | 6810 | SH | | 31-AUG-90 | | SH | | |
| L | | | MIL-M-24497 NOTICE 1 | HYDROXYETHYL ETHYLENEDIAMINE TRIACETIC ACID (HEDTA) [VALIDATION DATE: 8203] REVIEWER: GS | F | 6810 | SH | | 20-FEB-74 | | SH | | |
| A L | | | MIL-C-24500A | CLOTH, DRAPERY, BUNK CURTAIN, SLIPCOVERS, AND LABELS, FIRE RETARDANT | A | 8305 | CT | | 26-MAR-90 | | SH | | CT |
| L | | | MIL-S-24502B(1) | STEEL, CHROMIUM MOLYBDEMUM VANADIUM BARS (CONTROLLED DISTRIBUTION) | B | 9510 | SH | | 19-AUG-87 | | SH | | |
| L | | | MIL-P-24503B | PACKING MATERIAL, GRAPHITIC, CORRUGATED RIBBON OR TEXTURED TAPE AND PREFORMED RING | A | 5330 | SH | | 22-AUG-91 | | SH | | |
| L | | | DOD-B-24505C | BATTERY, STORAGE, SILVER ZINC ALKALINE TYPE (FOR DSRV) (METRIC) | A | 6140 | SH | | 08-JUL-80 | | SH | | |
| L | | | DOD-B-24507B(1) | BATTERY CELL, STORAGE, SILVER ZINC ALKALINE TYPE (FOR NR-1) (METRIC) [VALIDATION DATE: 8411] REVIEWER: GS | A | 6140 | SH | | 21-NOV-79 | | SH | | |
| | | | DOD-G-24508A(3) | GREASE, HIGH PERFORMANCE, MULTI-PURPOSE (MERTIC) REVIEWER: AS DS | A | 9150 | SH | | 12-MAR-87 | | SH | | |
| A L | | | MIL-V-24509A | VALVES, FLANGED, BALL AND PLUG FOR SEWAGE AND SEA WATER SERVICE | A | 4820 | SH | | 24-DEC-92 | | SH | | |
| L | | | MIL-S-24512 | STEEL FORGINGS, ALLOY, STRUCTURAL, HIGH YIELD STRENGTH (HY-130) [VALIDATION DATE: 8106] | A | FORG | SH | | 04-SEP-75 | | SH | | |
| QL | | | MIL-V-24517(2) | VALVE, STEAM PRESSURE REDUCING, QUIET DESIGN [VALIDATION DATE: 8212] | A | 4820 | SH | | 10-FEB-77 | | SH | | |
| L | | | MIL-L-24518 | LAMINATE, VINYL FILM-ALUMINUM, DECORATIVE [VALIDATION DATE: 8106] REVIEWER: GS | A | 9330 | SH | | 12-MAR-75 | | SH | | |
| QL | | | MIL-M-24519E | MOLDING PLASTICS, ELECTRICAL, THERMOPLASTIC USER: AS MC | A | 5970 | SH | | 03-MAR-92 | | SH | | |
| L | | | MIL-S-24521A | SODIUM NITRITE, TECHNICAL REVIEWER: GS | A | 6810 | SH | | 20-JUN-86 | | SH | | |
| L | | | MIL-S-24522(1) | SEALER, DECK COVERING | A | 8030 | SH | | 17-NOV-81 | | SH | | |
| L | | | MIL-C-24524 | CABLE ASSEMBLIES, MAGNETIC MINESWEEPING, TYPE CL2B [VALIDATION DATE: 8104] | A | 1075 | SH | | 18-SEP-75 | | SH | | |
| L | | | MIL-C-24526A | CONDITIONER SOLID STATE (NAVAL SHIPBOARD) (U) (CONTROLLED DISTRIBUTION) | B | 6110 | SH | | 17-JUL-91 | | SH | | |
| L | | | MIL-C-24527A | CHROMIUM NICKEL ALLOY STEEL BARS, RODS, AND FORGINGS, CORROSION RESISTANT, PRECIPITATION HARDENING (CONTROLLED DISTRIBUTION) | B | 9530 | SH | | 28-FEB-85 | | SH | | |
| L | | | MIL-S-24528B(2) | STEEL BARS AND FORGINGS, CHROMIUM-NICKEL-MOLYBDENUM (CONTROLLED DISTRIBUTION) | F | 9510 | SH | | 05-MAR-87 | | SH | | |
| L | | | DOD-C-24529(6) | CHARGES, BATTERY, LIFT TRUCK AND PALLET TRANSPORTER BATTERY SERVICE (METRIC) | A | 6130 | SH | | 06-SEP-83 | | SH | | |
| L | | | DOD-B-24531(1) SUPPL 1A1 | BATTERY, STORAGE, SILVER-ZINC ALKALINE (EMERGENCY), GENERAL SPECIFICATION FOR (METRIC) [VALIDATION DATE: 8212] REVIEWER: GS | A | 6140 | SH | | 19-DEC-77 | | SH | | |
| L | | | DOD-B-24531/2(1) | BATTERY, STORAGE, SILVER ZINC ALKALINE (EMERGENCY), FOR DSVR, TYPE 25 V - 70 AH (METRIC [VALIDATION DATE: 8310] REVIEWER: GS | A | 6140 | SH | | 19-DEC-77 | | SH | | |
| L | | | DOD-B-24531/5 | BATTERY, STORAGE, SILVER-ZINC ALKALINE (EMERGENCY), FOR DSV: TYPE 27 V - 30 AH (METRIC) | A | 6140 | SH | | 19-DEC-77 | | SH | | |
| L | | | MIL-B-24531/5 | BATTERY, STORAGE, SILVER ZINC ALKALINE (EMERGENCY), FOR DSV, TYPE 27 V - 30 AH (METRIC) [VALIDATION DATE: 8310] | A | 6140 | SH | | 19-DEC-77 | | SH | | |
| A L | | | MIL-A-24533B | ACTUATORS, ROTARY, HYDRAULIC, RACK AND PINION | A | 3010 | SH | | 01-APR-93 | | SH | | |
| A L | | | MIL-A-24533/1 | ACTUATOR, ROTARY, HYDRAULIC, 2-POSITION, RACK-AND-PINION TYPE 3,000 TO 35,000 INCH-POUNDS TORQUE 2-BOLT MOUNTING | A | 3010 | SH | | 01-APR-93 | | SH | | |
| A L | | | MIL-A-24533/2 | ACTUATOR, ROTARY, HYDRAULIC 2-POSITION, RACK-AND-PINION TYPE 5,000 TO 92,000 INCH-POUNDS TORQUE 4-BOLT MOUNTING | A | 3010 | SH | | 01-APR-93 | | SH | | |
| L | | | MIL-P-24534A NOTICE 1 | PLANNED MAINTENANCE SYSTEM: DEVELOPMENT OF MAINTENANCE REQUIREMENT CARDS, MAINTENANCE INDEX PAGES, AND ASSOCIATED DOCUMENTATION [VALIDATION DATE: 9103] REVIEWER: EC OS | A | MNTY | SH | | 21-MAR-91 | | SH | | |
| L | | | MIL-B-24535A | BURNER, CARBON MONOXIDE AND HYDROGEN, CATALYTIC TYPE (MARK V) | A | 4460 | SH | | 22-MAR-89 | | SH | | |
| L | | | MIL-R-24536 | ROPE, FIBROUS, DOUBLE BRAIDED, CONTINUOUS POLYESTER FILAMENT WITH A STAPLE WRA [VALIDATION DATE: 8306] | A | 4020 | SH | | 18-APR-78 | | SH | | |
| L | | | MIL-R-24537 | ROPE, FIBROUS, PLAITED, CONTINUOUS POLYESTER FILAMENT WITH A STAPLE WRAP [VALIDATION DATE: 8306] | A | 4020 | SH | | 18-APR-78 | | SH | | |
| L | | | MIL-S-24538A NOTICE 1 | STEEL BARS, RODS, & FORGINGS, HIGH CARBON, MARTENSITIC, CORROSION RESISTING (CONTROLLED DISTRIBUTION) | F | 9510 | SH | | 23-NOV-83 | | SH | | |
| L | | | MIL-P-24540A | PLANT, CARBON DIOXIDE REMOVAL, LIQUID ABSORBENT TYPE (MARK IV) | A | 4460 | SH | | 31-AUG-89 | | SH | | |
| L | | | DOD-B-24541A(1) | BATTERY CELLS AND ELEMENTS, LEAD-ACID, MAIN STORAGE, SUBMARINE: GENERAL SPECIFICATION FOR (METRIC) | A | 6140 | SH | | 01-SEP-88 | | SH | | |
| L | | | DOD-B-24541/2A | BATTERY CELLS AND ELEMENTS, LEAD-ACID,LMAIN STORAGE, SUBMARINE, TYPE GUPPY 1, MOD C (METRIC) | A | 6140 | SH | | 24-NOV-82 | | | | |
| L | | | DOD-B-24541/3A | BATTERY CELLS AND ELEMENTS, LEAD-ACID,LMAIN STORAGE, SUBMARINE, TYPE TRIDENT (METRIC) | A | 6140 | SH | | 24-NOV-82 | | SH | | |
| L | | | MIL-D-24542B | DIVING OUTFIT, LIGHTWEIGHT | A | 4220 | SH | | 15-SEP-88 | | SH | | |

| Action | Doc. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-V-24545 NOTICE 1 | VALVE, DISTILLING PLANT, STEAM PRESSURE REDUCING, QUIET DESIGN, FOR SUBMARINE SYSTEMS [VALIDATION DATE: 9104] | A | 4820 SH | 19-APR-91 | | SH | | |
| L | | MIL-P-24548A | PENETRATING FLUID [VALIDATION DATE: 9004] ..... | A | 6850 SH | 24-APR-90 | | SH | | |
| L | | MIL-N-24549A | NICKEL-COPPER-ALUMINUM ALLOY, AGE HARDENABLE, BARS AND RODS (CONTROLLED DISTRIBUTION) | F | 9530 SH | 16-DEC-83 | | SH | | |
| L | | MIL-S-24550B NOTICE 1 | STEEL BAR, ROD & FORGING, AUSTENITIC, CORROSION RESISTANT, PRECIPITATION HARDENING (CONTROLLED DISTRIBUTION) | F | 9520 SH | 21-DEC-84 | | SH | | |
| L | | MIL-T-24552A(1) | TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER SYSTEMS, RECEPTACLE TYPE, GENERAL SPECIFICATION | A | 5940 SH | 17-JUN-87 | | SH | | |
| L | | MIL-T-24552/1A | TERMINAL, CASUALTY POWER, RECEPTACLE TYPE, BACK CONNECTED 200 AMPERE, 450VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1046 | A | 5940 SH | 03-NOV-86 | | SH | | |
| L | | MIL-T-24552/2A | TERMINAL, CASUALTY POWER, RECEPTACLE TYPE, UPPER AND LOWER RISER 200 AMPERE, 450 VOLT, ALTERNATING CURRENT, THREE PHASE, SYMBOL NO. 1047 | A | 5940 SH | 03-NOV-86 | | SH | | |
| L | | MIL-T-24552/3A | TERMINAL, CASUALTY POWER, SEAL, SYMBOL NO. 1048 ..... | A | 5940 SH | 03-NOV-86 | | SH | | |
| L | | MIL-T-24552/4A | TERMINAL, CASUALTY POWER, PLUG, 100 AMPERES, 450 VOLT, ALTERNATING CURRENT, THREE PHASE, SYMBOL NO. 1049 | A | 5940 SH | 03-NOV-86 | | SH | | |
| L | | MIL-T-24552/5 | TERMINALS & SEALS, PLUGS & SWITCH, CASUALTY POWER, SWITCH, PORTABLE 100-AMPERE, 450-VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1041.1 | A | 5940 SH | 03-NOV-86 | | SH | | |
| L | | DOD-P-24555(1) | PAINT, ALUMINUM, HEAT-RESISTING (650 DEG. C), LOW-EMISSIVITY (0.40 OR LESS) (METRIC) | A | 8010 SH | 12-FEB-91 | | SH | | |
| L | | MIL-P-24555(1) NOTICE 2 | PAINT, ALUMINUM, HEAT-RESISTING (650 DEG. C) LOW-EMISSIVITY (0.40 OR LESS) METRIC | A | 8010 SH | 24-JAN-83 | | SH | | |
| L | | DOD-C-24556(2) NOTICE 1 | CURTAIN, TRACK AND SUSPENSION SYSTEM, BERTH (SHIPBOARD USE) (METRIC) [VALIDATION DATE: 9103] | A | 7230 SH | 08-MAR-91 | | SH | | |
| L | | MIL-T-24558 SUPPL 1A1, NOTICE 1 | TERMINAL BOXES, CONNECTION, FOR ELECTRICAL AND ELECTRONIC SYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8901] | A | 5940 SH | 13-JAN-89 | | SH | | |
| L | | MIL-T-24558/1 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), SIX-TERMINAL, 18-WIRE, 600 VOLTS, SYMBOL NO. 520.1 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/2 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), EIGHT-TERMINAL, 32-WIRE, 600 VOLTS, SYMBOL NO. 435.1 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/3 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 10-TERMINAL, 30-WIRE, 600 VOLTS, SYMBOL NO. 526 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/4 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 20-TERMINAL, 80-WIRE, 600 VOLTS, SYMBOL 432.1 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/5 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 30-TERMINAL, 90-WIRE, 600 VOLTS, SYMBOL NO. 434 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/6 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 40-TERMINAL, 160-WIRE, 600 VOLTS, SYMBOL NO. 433.1 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/7 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 48-TERMINAL, 144-WIRE, 600 VOLTS, SYMBOL NO. 522.1 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/8 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 60-TERMINAL, 240-WIRE, 600 VOLTS, SYMBOL NO. 446 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/9 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 72 TERMINAL, 216-WIRE, 600 VOLTS, SYMBOL NO. 525 [VALIDATION DATE: 8910] | A | 5940 SH | 04-OCT-89 | | SH | | |
| L | | MIL-T-24558/10 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 80-TERMINAL, 320-WIRE, 600 VOLTS, SYMBOL NO. 438 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/11 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 96-TERMINAL, 288-WIRE, 600 VOLTS, SYMBOL NO. 523.1 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/12 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 120-TERMINAL, 480-WIRE, 600 VOLTS, SYMBOL NO. 450 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/13 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 144-TERMINAL, 432-WIRE, 600 VOLTS, SYMBOL NO. 524.1 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/14 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 192-TERMINAL, 576-WIRE, 600 VOLTS, SYMBOL NO. 451 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/15 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 200-TERMINAL, 800-WIRE, 600 VOLTS, SYMBOL NO. 452 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/16 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 288-TERMINAL, 864-WIRE, 600 VOLTS, SYMBOL NO. 453 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/17 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 384-TERMINAL, 1152-WIRE, 600 VOLTS, SYMBOL NO. 454 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/18 NOTICE 1 | TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 600 VOLTS, 4-TERMINAL, 8-WIRE, SYMBOLS 400.1 AND 400.4, 4-TERMINAL, 12-WIRE, SYMBOLS 400.2 AND 400.3 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/19 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 4-TERMINAL, 8-WIRE 1000 VOLTS, SYMBOL NO. 444 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/20 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15 FOOT), 10-TERMINAL, 20-WIRE, 1000 VOLTS, SYMBOL NO. 529 [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/21 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, SYMBOL 476.1, 24 LUGS FOR TWELVE 2-CONDUCTOR 23 MCM CABLES OR EIGHT 3-CONDUCTOR 23 MCM CABLES [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/22 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, SINGLE PHASE SYMBOL 415 - TWO 75 MCM CABLES, SYMBOL 415.1 - TWO 100 MCM CABLES, SYMBOL 415.2 - TWO 125 MCM CABLES, SYMBOL 415.3 - TWO 150 MCM CABLES AND SYMBOL 415.4 - TWO 200 MCM CABLES [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/23 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 403.1, TWO-CIRCUIT - THREE-PHASE BUS LUGS FOR TWO 75 MCM CABLES [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/24 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 416, TWO-CIRCUIT, THREE-PHASE BUS LUGS FOR TWO 75 MCM CABLES [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/25 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 418.1, SIX BUS LUGS FOR TWO 3-CONDUCTOR 250 MCM CABLE; SYMBOL 418.2, SIX BUS LUGS FOR TWO 3-CONDUCTOR 300 MCM CABLE; SYMBOL 418.3, SIX BUS LUGS FOR TWO 3-CONDUCTOR 400 MCM CABLE [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/26 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 572.1, SIX BRANCH LUGS FOR TWO 3-CONDUCTOR 40 MCM CABLES, SIX BUS LUGS FOR TWO 3-CONDUCTOR 75 MCM CABLES [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/27A NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 573.1, TWELVE BRANCH TERMINALS FOR FOUR 3-CONDUCTOR 40 MCM CABLES; SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES [VALIDATION DATE: 8910] | A | 5940 SH | 04-OCT-89 | | SH | | |
| L | | MIL-T-24558/28 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 574.1, EIGHTEEN BRANCH TERMINALS FOR SIX 3-CONDUCTOR 40 MCM CABLES, SIX MAIN BUS TERMINALS FOR TWO 3 CONDUCTOR 75 MCM CABLES [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/29 NOTICE 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 575.1, SIX BRANCH TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 200 MCM CABLES [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |
| L | | MIL-T-24558/30 NOTICE 1 | TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 576.1-TWO CKTS FOR 150 MCM CABLE, ONE CKT FOR 200 MCM CABLE AND ONE CKT FOR 400 MCM CABLE SYMBOL 577.1-ONE CKT FOR 150 MCM CABLE, ONE CKT FOR 200 MCM CABLE AND TWO CKTS FOR 250 MCM CABLE [VALIDATION DATE: 8901] | A | 5940 SH | 12-JAN-89 | | SH | | |

| Action | Obsl./Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC/Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-L-24560(1) SUPPL 1B1 | LIGHTS AND GLASSWARE FOR NAVIGATION, SIGNAL, AND WARNING, NAVAL SHIPBOARD USE, GENERAL SPECIFICATION FOR | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/1A | LIGHT, AIRCRAFT WARNING, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 160.1 (VALIDATION DATE: 8902) | A | 6220 SH | 06-FEB-89 | | SH | | |
| M | L' | MIL-L-24560/2B NOTICE 1 | LIGHTS, NAVIGATION, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 114.1, 115.1, 116.1, 117.1 AND 118.1 (VALIDATION DATE: 9305) | A | 6220 SH | 25-MAY-93 | | SH | | |
| | L | MIL-L-24560/3A | LIGHT, APPROACH (HULL CONTOUR), BLUE, 120 VOLTS, 25 WATTS, ONE LAMP, SYMBOL 164.3 (VALIDATION DATE: 8902) | A | 6220 SH | 06-FEB-89 | | SH | | |
| | L | MIL-L-24560/4A | LIGHT, SIGNAL, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 190.1 | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/5A | LIGHT, YARDARM BLINKER, CLEAR, 120 VOLTS, 180 WATTS, TWELVE LAMPS, SYMBOL 191.2 | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/6B | LIGHT, SIGNAL, CLEAR, 120 VOLTS, 45 WATTS, THREE LAMPS, SYMBOL 192.1 | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/7A(1) | LIGHT, NAVIGATION, RED AND CLEAR SYMBOL 193.1, RED AND GREEN-SYMBOL 194, 120 VOLTS, 135 WATTS, NINE LAMPS | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/8A(1) | LIGHTS, NAVIGATION, STERN, CLEAR, BLUE AND YELLOW, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 196.3, 196.4, AND 197.2 | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/9B | LIGHTS, NAVIGATION, SIDE, RED AND GREEN, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 182.2 AND 183.2 | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/10B | LIGHT, NAVIGATION, MASTHEAD, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 172.2 | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/11A(1) | LIGHT, WAKE, WHITE, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 200.2 | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/12B(1) | LIGHT, NAVIGATION, IDENTIFICATION (SUBMARINE), YELLOW, 120 VOLTS, 500 WATTS, ONE LAMP, SYMBOL 233.1 | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/13C | LIGHTS, NAVIGATION, SUBMARINE, CLEAR, CLEAR (MASKED), RED AND GREEN, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 174.4, 174.5, 188.3, AND 189.3 | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/15B | LIGHT, LENS, FRESNEL, GLOBE, CLASS 3, TRANSPARENT (CLEAR, CLEAR MASKED, RED, GREEN, BLUE AND YELLOW) | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/16A | LIGHT, LENS, FRESNEL, CLASS 1, CLEAR, RED, AND GREEN | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/17A | LIGHT, LENS, CYLINDRICAL, CLASS 2, CLEAR | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/18A | LIGHT, LENS, DISK SHAPED, CLASS 2, CLEAR | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/19A | LIGHT, LENS, GLOBE, CLASS 2, MASKED, BLUE | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/20A | LIGHT, LENS, ROUNDEL, CLASS 2, TRANSPARENT (RED, GREEN, AND YELLOW) | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/21 | LIGHT, NAVIGATION, TRAFFIC CONTROL (AIRCRAFT CARRIERS), 120 VOLTS, 90 WATTS, SIX LAMPS, RED AND GREEN, SYMBOL 221 (VALIDATION DATE: 8902) | A | 6220 SH | 06-FEB-89 | | SH | | |
| | L | MIL-L-24560/22 | LIGHT, NAVIGATION, TRAFFIC LIGHT (LST'S), 120 VOLTS, 90 WATTS, SIX LAMPS, RED, YELLOW, GREEN, SYMBOL 222 (VALIDATION DATE: 8902) | A | 6220 SH | 06-FEB-89 | | SH | | |
| | L | MIL-L-24560/23 | LIGHT, NAVIGATION, ANCHOR AND BOOM, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 161.4 (VALIDATION DATE: 8902) | A | 6220 SH | 06-FEB-89 | | SH | | |
| | L | MIL-L-24560/24A | LIGHT, NAVIGATION, PORTABLE TOWING, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 206.2 (VALIDATION DATE: 8902) | A | 6220 SH | 06-FEB-89 | | SH | | |
| | L | MIL-L-24560/25 | LIGHT, TASK, AND SHIELD ASSEMBLY, FOR USE WITH SYMBOL 114.1 AND 115.1 PLASTIC LIGHT FIXTURES | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-L-24560/26 | LIGHT, TASK, AND SHIELD ASSEMBLY, FOR USE WITH SYMBOL 190.1 AND 192.1 BRASS LIGHT FIXTURES | A | 6220 SH | 17-AUG-90 | | SH | | |
| | L | MIL-S-24561 | SENSING AND SIGNALING DEVICE, CURRENT-TIME (CTS) (NAVAL SHIPBOARD USE) (VALIDATION DATE: 8301) | A | 6110 SH | 15-AUG-77 | | SH | | |
| | L | DOD-P-24562A | PROPELLER, SHIP, CONTROLLABLE PITCH (METRIC) | A | 2010 SH | 01-NOV-82 | | SH | | |
| | L | MIL-H-24565(1) | HOSE AND FITTINGS, OIL AND TURBINE FUEL, SMOOTH BORE, CORRUGATED COVER, 7-INCH | A | 4720 SH | 19-AUG-87 | | SH | | |
| | L | MIL-P-24568A | POWER SUPPLY, D.C., FOR OXYGEN GENERATOR | A | 6130 SH | 28-FEB-86 | | SH | | |
| A | L | MIL-V-24569(3) | VALVE, QUICK-CLOSING, FOR FUEL OIL AND AUXILIARY STEAM EMERGENCY SHUTDOWN | A | 4820 SH | 02-NOV-92 | | SH | | |
| | L | MIL-M-24570 | MANUAL, TECHNICAL, COMBAT SYSTEM TECHNICAL OPERATIONS, REQUIREMENTS FOR (VALIDATION DATE: 8307) | A | TMSS SH | 30-JUN-78 | | SH | | |
| | L | MIL-M-24571(1) | MANUALS, TECHNICAL, TRAINING AID BOOKLET (TAB), FOR NAVAL SHIPS SYSTEMS | A | TMSS SH | 16-SEP-88 | | SH | | |
| | QL | MIL-E-24572B | EXTINGUISHER, FIRE, BROMOTRIFLUOROMETHANE (HALON 1301) SYSTEM COMPONENTS (FIXED PIPE, PNEUMATICALLY ACTUATED, NAVAL SHIPBOARD USE) | A | 4210 SH | 17-MAR-92 | | SH | | |
| | QL | DOD-L-24574(2) | LUBRICATING FLUID FOR LOW AND HIGH PRESSURE OXIDIZING GAS MIXTURES | A | 9150 SH | 12-MAR-87 | | SH | | |
| A | L | MIL-C-24576A(1) | CLOTH, SILICA GLASS, CLOTH, COATED, GLASS, SILICONE RUBBER COATED | A | 8305 CT | 13-JAN-88 | | SH | | CT |
| | L | DOD-D-24577(2) | DISTILLER SCALE PREVENTIVE TREATMENT FORMULATIONS (METRIC) | A | 6850 SH | 19-DEC-86 | | SH | | |
| | L | MIL-V-24578B | VALVE, GLOBE, PRESSURE INSTRUMENT, STEM TEST CONNECTION, UNION END REVIEWER: CS | A | 4820 SH | 27-MAY-88 | | SH | | |
| | L | MIL-M-24579A | MEASURING SYSTEM, SUBMARINE STORAGE BATTERY CURRENT (METRIC) | A | 6625 SH | 17-AUG-88 | | SH | | |
| | L | MIL-H-24580(2) NOTICE 1 | HOSE ASSEMBLIES, SYNTHETIC RUBBER, NONCOLLAPSIBLE, FIRE FIGHTING (VALIDATION DATE: 9012) | A | 4210 SH | 10-DEC-90 | | SH | | |
| D | L | DOD-A-24581 | ANCHOR, NAVY STOCKLESS TYPE (METRIC) (VALIDATION DATE: 9103) REVIEWER: YD1 | A | 2040 SH | 21-MAR-91 | | SH | | |
| | L | DOD-A-24582 NOTICE 1 | ANCHOR, TWO-FLUKE, BALANCED FLUKE (METRIC) (VALIDATION DATE: 9103) | A | 2040 SH | 21-MAR-91 | | SH | | |
| | L | MIL-P-24583B | PACKING MATERIAL, GRAPHITIC OR CARBON BRAIDED YARN | A | 5330 SH | 22-AUG-91 | | SH | | |
| | L | MIL-S-24584 | STOPPERS, CARPENTER AND ASSOCIATED BRIDLES (WIRE ROPE AND CHAIN LINK) (VALIDATION DATE: 8312) | A | 4010 SH | 01-DEC-78 | | SH | | |
| | L | MIL-T-24585A | TITANIUM ALLOY ROD, DISCS AND UPSET FORGINGS COMPOSITION TI-6AL-6V-2SN (CONTROLLED DISTRIBUTION) | F | FORG SH | 19-SEP-86 | | SH | | |
| | L | MIL-V-24586A NOTICE 1 | VALVE, NEEDLE, SIZE 1/4-INCH AND 1/2-INCH, UNION BONNET CONSTRUCTION (VALIDATION DATE: 9108) REVIEWER: CS MI | A | 4820 SH | 29-AUG-91 | | SH | | |
| | L | MIL-P-24589A | PROPORTIONER SYSTEMS, BALANCED PRESSURE, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE | A | 4210 SH | 20-MAY-92 | | SH | | |
| | L | MIL-N-24590A | NICKEL CHROMIUM IRON ALLOY HEAT TRANSFER TUBING (CONTROLLED DISTRIBUTION) | B | 4710 SH | 01-SEP-83 | | SH | | |
| | L | MIL-H-24591A | HOISTS, CHAIN, PNEUMATIC, LOW HEADROOM, TROLLEY TYPE | A | 3950 SH | 19-AUG-87 | | SH | | |
| | L | MIL-H-24592(1) NOTICE 1 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE TUBE, NONCOLLAPSIBLE, HIGH TEMPERATURE (VALIDATION DATE: 9103) | A | 4720 SH | 26-MAR-91 | | SH | | |
| | L | MIL-C-24593A(1) | CLEANER, VACUUM, ASBESTOS REMOVAL | A | 7910 SH | 08-JUN-90 | | SH | | |
| | L | DOD-C-24594(1) | CELL, STORAGE, SILVER ZINC ALKALINE TYPE (FOR DEEP SUBMERGENCE APPLICATIONS) (METRIC) | A | 6140 SH | 01-SEP-82 | | SH | | |
| | L | MIL-H-24595 NOTICE 1 | HOSE, WIRE-REINFORCED LARGE-DIAMETER WITH REUSEABLE END FITTINGS FOR FLEXIBLE CONNECTIONS (VALIDATION DATE: 8806) | A | 4720 SH | 15-JUN-88 | | SH | | |
| | L | DOD-C-24596(4) | COATING COMPOUNDS, NONFLAMING, FIRE PROTECTIVE (METRIC) | A | 8010 SH | 23-AUG-85 | | SH | | |
| | L | MIL-V-24598 NOTICE 1 | VALVE, LITHIUM BROMIDE STEAM CONTROL, QUIET OPERATION (VALIDATION DATE: 9104) | A | 4730 SH | 19-APR-91 | | SH | | |
| | L | MIL-S-24603A | SEWAGE COMMINUTOR, AND ASSOCIATED MOTOR, CONTROLLER, AND DRIVE MECHANISM FOR SHIPBOARD USE | A | 4630 SH | 05-OCT-88 | | SH | | |
| | L | MIL-C-24604 NOTICE 1 | CYLINDER, HIGH PRESSURE AIR, FIBERGLASS REINFORCED PLASTIC (FRP), METAL LINED (VALIDATION DATE: 8706) | A | 1940 SH | 22-JUN-87 | | SH | | |
| | L | MIL-M-24605A | MONITOR, HEAT STRESS | A | 6665 SH | 21-JUN-88 | | SH | | |
| | L | MIL-H-24606A(1) | HOSE ASSEMBLIES, CHLOROSULFONATED POLYETHYLENE IMPREGNATED, DOUBLE SYNTHETIC JACKET, WITH COUPLINGS, FIRE FIGHTING AND OTHER WATER SERVICE | A | 4210 SH | 28-JUN-91 | | SH | | |
| D | | DOD-E-24607A | ENAMEL, INTERIOR, NONFLAMING (DRY), CHLORINATED ALKYD RESIN, SEMIGLOSS (METRIC) USER: CG MC OS REVIEWER: MR YD1 | A | 8010 SH | 31-JUL-87 | ME | SH | 99 | |
| | | MIL-P-24608A | PIPE, FITTINGS, & ADHESIVE KITS, GLASS REINFORCED THERMOSETTING EPOXY RESIN FOR SHIPBOARD PIPING SYSTEMS | A | 4710 SH | 05-JUN-87 | | SH | | |
| | | DOD-F-24610 | FIXANT, HOLD DOWN REVIEWER: SH | A | 4210 AS | 19-MAR-82 | | AS | 99 | |
| | L | MIL-L-24611A | LIFE PRESERVER SUPPORT PACKAGE FOR LIFE PRESERVER, MK 4 | A | 4220 SH | 30-NOV-90 | | SH | | |
| | L | MIL-F-24612 NOTICE 1 | FLOWMETER, DIFFERENTIAL PRESSURE (INFORM PRIOR APPROVAL OF THE NAVAL SEA SYS COMD) (VALIDATION DATE: 9006) | F | 6685 SH | 28-JUN-90 | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| QL | | MIL-D-24613(2) NOTICE 1 | DECK COVERING MATERIALS, INTERIOR, COSMETIC POLYMERIC [VALIDATION DATE: 9012] | A | 5610 | SH | 26-DEC-90 | | SH | | |
| | | DOD-M-24614 | METERING SYSTEM, STORAGE BATTERY CURRENT & AMPERE HOUR, DIGITAL (METRIC) .. | A | 6625 | SH | 21-JAN-83 | | SH | | |
| A | L | MIL-M-24614A | METERING SYSTEM, STORAGE BATTERY CURRENT AND AMPERE-HOUR, DIGITAL (METRIC, NONMERCURY TYPE) | A | 6625 | SH | 12-FEB-93 | | SH | | |
| | L | MIL-C-24615A | CASTINGS, NICKEL-CHROMIUM-MOLYBDENUM-COLUMBIUM ALLOY ..... | A | NECA | SH | 14-OCT-88 | | SH | | |
| A | L | MIL-M-24616 | HELMET, PHONETALKER MK 4 MOD 0 ..... | A | 8470 | CT | 26-JAN-83 | | SH | | CT |
| | L | MIL-B-24617 | BOILER FEEDWATER & BOILER WATER EDTA HARDNESS TEST KIT & COMPONENTS ..... | A | 6630 | SH | 10-MAR-83 | | SH | | |
| | L | DOD-E-24618 NOTICE 1 | ELECTRODES, SILVER-SILVER CHLORIDE, REFERENCE TYPE PORTABLE CELLS AND REPLACEMENT ELEMENTS (METRIC) [VALIDATION DATE: 9003] | A | 2040 | SH | 22-MAR-90 | | SH | | |
| | L | MIL-V-24619(1) | VALVE, QUICK CLOSING, FOR SATURATED STEAM SERVICE REVIEWER: CS ..... | A | 4820 | SH | 17-AUG-90 | | SH | | |
| | | DOD-D-24620A | DETECTORS, PIN, AND APD FIBER OPTIC, (METRIC) USER: CG MC REVIEWER: EC ES . | A | 6030 | SH | 02-JUN-89 | CR | SH | 85 | |
| N | | MIL-D-24620A | DETECTORS, PIN AND APD, FIBER OPTIC, GENERAL SPECIFICATION FOR USER: 13 14 CG MC REVIEWER: 11 17 19 80 90 99 AS AV EC ES | A | 6030 | SH | 02-JUN-89 | CR | SH | 85 | |
| | | MIL-D-24620/2 | DETECTOR, PIN, FIBER OPTIC, TYPES A AND B, CLASS 1, STYLE 3 USER: 13 14 CG MC REVIEWER: 11 17 19 AS EC ES MA | A | 6030 | 85 | 26-DEC-88 | CR | SH | 85 | |
| | | MIL-D-24620/3 | DETECTOR, APD, FIBER OPTIC, TYPE A AND B, CLASS 1, STYLE 3 USER: 13 14 CG MC REVIEWER: 11 17 19 80 90 99 AS EC ES | A | 6030 | 85 | 26-DEC-88 | CR | SH | 85 | |
| | | MIL-D-24620/4A | DETECTOR, PINFET, FIBER OPTIC, 1100-1600 NANOMETERS, GLASS PIGTAILED, HERMETICALLY SEALED, DUAL IN-LINE PACKAGE (DIP) REVIEWER: ES | A | 6030 | CR | 30-JUN-89 | CR | SH | 85 | |
| Q | | DOD-C-24621 | COUPLERS, PASSIVE, FIBER OPTIC, GENERAL SPECIFICATION FOR (METRIC) USER: CG MC REVIEWER: 11 17 19 80 99 AS EC ES | A | 6060 | SH | 31-AUG-84 | CR | SH | 85 | |
| N | | MIL-C-24621B | COUPLERS, PASSIVE, FIBER OPTIC, GENERAL SPECIFICATION FOR (METRIC) USER: CG MC REVIEWER: 11 17 19 80 99 AS EC ES | A | 6005 | SH | 06-JUN-91 | CR | SH | 85 | |
| | L | MIL-C-0024621A | COUPLERS, PASSIVE, FIBER OPTIC, GENERAL SPECIFICATION FOR ..... | A | 6060 | SH | 16-MAY-89 | | SH | | |
| | L | DOD-C-24621/1 | COUPLER, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE GLASS-CONNECTORIZED OUTPUT: TYPE I 820 TO 910 NANOMETERS WAVELENGTH RANGE, 2 X 2 SYMMETRICAL TRANSMISSION STAR, 50/125 MICROMETER FIBER, GRADED INDEX MULTI-MODE BIDIRECTIONAL (METRIC) [VALIDATION DATE: 9104] USER: CG MC REVIEWER: AS EC ES | A | 6060 | SH | 01-APR-91 | | SH | | |
| | L | MIL-C-24621/1 NOTICE 1 | COUPLER, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE GLASS CONNECTORIZED OUTPUT, TYPE I 820 TO 910 NANOMETERS WAVELENGTHRANGE, 2X2 SYMMETRICAL TRANSMISSION STAR, 50/125 MICROMETER FIBER, GRADED INDEX MULTI MODE BIDIRECTIONAL (METRIC) [VALIDATION DATE: 9104] | A | 6060 | SH | 01-APR-91 | | SH | | |
| | | DOD-C-24621/2 NOTICE 1 | COUPLER, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE GLASS-PIGTAILED OUTPUT: TYPE II 820 TO 910 NANOMETERS WAVELENGTH RANGE, 4 X 4 SYMMETRICAL TRANSMISSION STAR, 50/125 MICROMETER FIBER, GRADED INDEX MULTI-MODE BIDIRECTIONAL (METRIC) [VALIDATION DATE: 9106] USER: CG MC REVIEWER: 11 17 19 80 99 AS EC ES | A | 6060 | SH | 12-JUN-91 | CR | SH | 85 | |
| | | DOD-C-24621/3 | COUPLERS, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE, GLASS-PIGTAILED OUTPUT: TYPE II, 820 TO 910 NANOMETERS WAVELENGTH RANGE, 20 X 20 PORT TRANSMISSION STAR, 100/140 AND 50/125 MICROMETER FIBER USER: CG MC REVIEWER: 11 17 19 80 99 AS EC ES | A | 6060 | SH | 23-JUL-86 | CR | SH | 85 | |
| | | DOD-C-24621/4 | COUPLERS, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE, GLASS-PIGTAILED OUTPUT: TYPE II, 820 TO 910 NANOMETERS WAVELENGTH RANGE, 5 X 5 PORT TRANSMISSION STAR, 50/125 AND 100/140 MICROMETER FIBER USER: CG MC REVIEWER: 11 17 19 80 99 AS EC ES | A | 6060 | SH | 23-JUL-86 | CR | SH | 85 | |
| | | MIL-C-24621/5A | COUPLERS, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE GLASS-PIGTAILED OUTPUT, TYPE II, 1280 TO 1360 NANOMETER WAVELENGTH RANGE, 2 X 2 SYMMETRICAL TRANSMISSION STAR, 62.5/125 MICROMETER FIBER, BIDIRECTIONAL USER: CG MC REVIEWER: 11 17 19 80 99 AS EC ES | A | 6005 | SH | 06-JUN-91 | CR | SH | 85 | |
| | | DOD-S-24622A | SOURCES, LIGHT EMITTING DIODE (LED), FIBER OPTIC, GENERAL SPECIFICATION FOR USER: CG MC REVIEWER: 11 17 19 80 99 AS EC ES | A | 6030 | SH | 02-JUN-89 | CR | SH | 85 | NA |
| N | | MIL-S-24622A | SOURCES, LIGHT EMITTING DIODE (LED), FIBER OPTIC, GENERAL SPECIFICATION FOR USER: 13 14 CG MC REVIEWER: 11 17 19 80 90 99 AS AV EC ES | A | 6030 | SH | 02-JUN-89 | CR | SH | 85 | |
| | | MIL-S-24622/2 | SOURCES, LED, FIBER OPTIC, TYPE A, CLASS 1, STYLE 3 USER: 13 14 CG MC REVIEWER: 11 17 19 80 90 99 AS EC ES | A | 6030 | 85 | 26-DEC-88 | CR | SH | 85 | |
| | | MIL-S-24622/3A | SOURCE, LED, FIBER OPTIC, 1290 NANOMETERS, GLASS PIGTAILED, HERMETICALLY SEALED, DUAL IN-LINE PACKAGE (DIP) REVIEWER: ES | A | 6030 | CR | 30-JUN-89 | CR | SH | 85 | |
| | | DOD-S-24623 | SPLICE, FIBER OPTIC CABLE GENERAL SPECIFICATION FOR (METRIC) USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC ES MI | A | 6060 | SH | 25-MAR-85 | CR | SH | 85 | |
| N | | MIL-S-24623B | SPLICE, FIBER OPTIC CABLE GENERAL SPECIFICATION FOR (METRIC) USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC MI | A | 6060 | SH | 10-JUN-91 | CR | SH | 85 | |
| | L | MIL-S-0024623A | SPLICE, FIBER OPTIC, SHIPBOARD, GENERAL SPECIFICATION FOR ..... | A | 6060 | SH | 26-JUN-89 | | SH | | |
| | | DOD-S-24623/1 NOTICE 1 | SPLICE, FIBER OPTIC CABLE, FIBER SPLICE (METRIC) [VALIDATION DATE: 9106] USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC ES MI | A | 6060 | SH | 12-JUN-91 | CR | SH | 85 | |
| | | DOD-S-24623/2 | SPLICE, FIBER OPTIC CABLE, FIBER SPLICE ENCLOSURE (METRIC) USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC ES MI | A | 6060 | SH | 25-MAR-85 | CR | SH | | |
| | L | DOD-S-24623/3 | SPLICE, FIBER OPTIC, CABLE/FIBER USER: CG MC REVIEWER: AS EC ..... | A | 6060 | SH | 28-AUG-86 | | SH | | |
| | | MIL-S-24623/4A | SPLICE, FIBER OPTIC, HOUSING, FIBER REVIEWER: EC ..... | A | 6060 | SH | 10-JUN-91 | CR | SH | 85 | |
| D | | MIL-S-24623/5A | SPLICE, FIBER OPTIC, CABLE HOUSING REVIEWER: EC YD1 ..... | A | 6060 | SH | 10-JUN-91 | CR | SH | 85 | |
| QL | | MIL-V-24624(1) | VALVE, BUTTERFLY, WAFER & LUG STYLE, SHIPBOARD SERVICE REVIEWER: CS ..... | A | 4820 | SH | 13-FEB-84 | | SH | | |
| | L | MIL-A-24625 NOTICE 1 | ANODES, CORROSION PREVENTIVE, PLATINUM PLATED NIOBIUM WIRE TYPE, CATHODIC PROTECTION [VALIDATION DATE: 9001] | A | 5340 | SH | 10-JAN-90 | | SH | | |
| | | MIL-H-24626 | HARNESS ASSEMBLIES, CABLE, PRESSURE-PROOF, FIBER OPTIC REVIEWER: AS CG EC ES MC | A | 6020 | SH | 27-NOV-87 | | SH | | |
| | | MIL-H-24626/1 | HARNESS ASSEMBLIES, CARLE, PRESSURE-PROOF, FIBER OPTIC USER: CG MC REVIEWER: AS EC ES | A | 6020 | SH | 27-NOV-87 | | SH | | |
| | L | MIL-P-24627 NOTICE 1 | PENETRATORS, BULKHEAD, CONNECTORIZED, FIBER OPTIC, (FOR INBOARD USE ON NAVY SHIPS AND SUBMARINES) GENERAL SPECIFICATION FOR [VALIDATION DATE: 9104] USER: CG MC REVIEWER: AS EC ES | A | 6060 | SH | 01-APR-91 | | SH | | |
| | L | MIL-P-24627/1 NOTICE 1 | PENETRATOR, BULKHEAD, CONNECTORIZED, FIBER OPTIC, 32 CHANNEL (FOR INBOARD USE ON NAVY SHIPS AND SUBMARINES) [VALIDATION DATE: 9104] USER: CG MC REVIEWER: AS EC ES | A | 6060 | SH | 01-APR-91 | | SH | | |
| | L | MIL-P-24628 | PENETRATORS, HULL, CONNECTORIZED, CONNECTORS, PRESSURE-PROOF, FIBER OPTIC, SUBMARINE USER: CG MC REVIEWER: AS EC ES | A | 6060 | SH | 31-AUG-84 | | SH | | |
| | L | MIL-P-24628/1 NOTICE 1 | PENETRATORS, HULL, CONNECTORIZED, CONNECTORS, PRESSURE-PROOF, FIBER OPTIC, SUBMARINE PLUG CONNECTOR, 32 CHANNEL, TYPE 1 [VALIDATION DATE: 9104] USER: CG MC REVIEWER: AS EC ES | A | 6060 | SH | 01-APR-91 | | SH | | |
| | L | MIL-C-24629 | COMMUNICATIONS SYSTEMS INTEGRATED VOICE ..... | A | 5830 | SH | 21-FEB-84 | | SH | | |
| | L | MIL-V-24630(3) | VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID REVIEWER: CS | A | 4820 | SH | 29-JUN-90 | | SH | | |
| | L | MIL-V-24630/1A(1) | VALVES, CHECK, IN-LINE, NON-REVERSIBLE INSTALLATION FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID REVIEWER: CS | A | 4820 | SH | 15-SEP-88 | | SH | | |
| | L | MIL-V-24630/2A(1) | VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID REVIEWER: CS | A | 4820 | SH | 15-SEP-88 | | SH | | |
| | L | DOD-P-24631(1) | PAINT, CAMOUFLAGE FOR SUBMARINES, GENERAL SPECIFICATION FOR (METRIC) ..... | A | 8010 | SH | 16-OCT-87 | | SH | | |
| | L | DOD-P-24631/1B | PAINT, EPOXY, BLACK, NAVY FORMULA 184, TYPE I (METRIC) ..... | A | 8010 | SH | 03-FEB-92 | | SH | | |
| | L | DOD-P-24631/2A | PAINT, EPOXY, DARK GREY, NAVY FORMULA 185, TYPE II (METRIC) ..... | A | 8010 | SH | 13-APR-84 | | SH | | |
| | L | DOD-P-24631/3A | PAINT, EPOXY, WHITE, NAVY FORMULA 186, TYPE III (METRIC) ..... | A | 8010 | SH | 16-OCT-87 | | SH | | |
| D | | MIL-C-24633A | CHAIN, STUD LINK, ANCHOR, LOW ALLOY STEEL, FLASH BUTT WELDED USER: CG YD1 REVIEWER: 82 TS | A | 4010 | SH | 24-APR-90 | | SH | 99 | |
| | L | MIL-T-24634 | TREAD, COMPOUND FILLED, FOR INCLINED LADDERS ..... | A | 2040 | SH | 25-JUL-84 | | SH | | |
| QL | | MIL-E-24635A | ENAMEL, SILICONE ALKYD COPOLYMER (METRIC) ..... | A | 8010 | SH | 19-JUN-91 | | SH | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCAL Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | DOD-E-24636 | ELECTRODE, PH, COMBINATION SEALED | A | 6630 | SH | 15-JUL-84 | | | SH | | |
| L | MIL-F-24638<br>NOTICE 1 | FREQUENCY CHANGER, SOLID STATE, AIR COOLED (NAVAL SHIPBOARD) [VALIDATION DATE: 8912] | A | 6130 | SH | 21-DEC-89 | | | SH | | |
| Q | MIL-C-24640(3)<br>SUPPL 1A1 | CABLE, ELECTRICAL, LIGHTWEIGHT FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR USER: AR ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/1B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, TWO CONDUCTOR, POWER, TYPE DX (INCLUDING VARIATION TYPE DXA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/2B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, THREE CONDUCTOR, POWER, TYPE TX (INCLUDING VARIATION TYPE TXA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/3B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, FOUR CONDUCTOR, POWER, TYPE FX (INCLUDING VARIATION TYPE FXA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/4B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR AWG 20, TYPE TTX (INCLUDING VARIATION TYPE TTXA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/5B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR AWG 20, TYPE TTXS (INCLUDING VARIATION TYPES TTXSA AND TTXSO) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/6B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AWG 22, TYPE 2XAO USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/7B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-CONDUCTOR, AWG 22, TYPE 1XMSO USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/8B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-CONDUCTOR, AWG 20, TYPE MXO USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/9B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AWG 22, TYPE 2XS (INCLUDING VARIATION TYPES 2XSA AND 2XSO) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/10B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-CONDUCTOR, AWG 16, TYPE MXSO USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/11B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-TRIAD, AWG 18, TYPE 3XS (INCLUDING VARIATION TYPE 3XSA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/12B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AWG 26, TYPE 2XO USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/13B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AWG 26, TYPE 2XSXO USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/14B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-CONDUCTOR, AWG 22, TYPE 1XSOW USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/15B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AWG 22, TYPE 2XSAW (INCLUDING VARIATION TYPES 2XSAOW AND 2XSAWA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/16B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AWG 18, TYPE 2XSW (INCLUDING VARIATION TYPES 2XSOW AND 2XSWA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/17B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AWG 26, TYPE 2XOW USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/18B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-TRIAD, AWG 18, TYPE 3XSW (INCLUDING VARIATION TYPES 3XSOW AND 3XSWA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | 85 | | |
| | MIL-C-24640/19B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, TWO CONDUCTOR, POWER, TYPE DXW (INCLUDING VARIATION TYPES DXOW AND DXWA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | | | |
| | MIL-C-24640/20B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, THREE CONDUCTOR, POWER, TYPE TWX (INCLUDING VARIATION TYPE TXWA AND TXOW) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | | | |
| | MIL-C-24640/21B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, FOUR CONDUCTOR, POWER, TYPE FXW (INCLUDING VARIATION TYPE FXWA AND FXOW) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | | | |
| | MIL-C-24640/22B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, SEVEN CONDUCTOR, POWER, TYPE 7XW (INCLUDING VARIATION TYPE 7XWA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | | | |
| | MIL-C-24640/23B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-CONDUCTOR, AWG 18, TYPE MXOW (INCLUDING VARIATION TYPES MXCOW AND MXCWA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | | | |
| | MIL-C-24640/24B | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AWG 22, TYPE TTXW (INCLUDING VARIATION TYPES TTXOW AND TTXWA) USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 31-JUL-89 | MI | SH | | | |
| L | MIL-A-24641A | ACID, HYDROFLUORIC: TECHNICAL | A | 6810 | SH | 27-OCT-86 | | | SH | | |
| L | MIL-V-24642<br>NOTICE 1 | VALVE, 2-INCH NPS, AUXILIARY TURBINE OVERSPEED TRIP, SOLENOID ACTIVATED [VALIDATION DATE: 9104] | A | 4810 | SH | 19-APR-91 | | | SH | | |
| Q | MIL-C-24643(3)<br>SUPPL 1A1 | CABLE & CORD, ELECTRICAL, LOW SMOKE, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR USER: AR AV CG ME REVIEWER: 99 CR EC ER IS | A | 6145 | SH | 28-SEP-84 | MI | SH | 85 | | |
| | MIL-C-24643/1B | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSCVSF USER: AR AV CG ME REVIEWER: CR EC ER IS | A | 6145 | SH | 03-OCT-86 | MI | SH | | | |
| | MIL-C-24643/2B<br>NOTICE 1 | CORD, ELECTRICAL, 300 VOLTS, TYPES LSDCOP AND LSTCOP [VALIDATION DATE: 9103] USER: AL AR CG REVIEWER: 99 AV CR ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/3B<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, TYPES LSSHOF, LSDHOF, LSTHOF, AND LSFHOF [VALIDATION DATE: 9103] USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/4B<br>NOTICE 1 | CORD, ELECTRICAL, 600 VOLTS, TYPE LSMCOS [VALIDATION DATE: 9103] USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/5B<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSMDU [VALIDATION DATE: 9103] USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-0024643/5C | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSMDU | A | 6145 | SH | 29-MAY-87 | MI | SH | | | |
| | MIL-C-24643/6B<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, A.C., TYPE LSMDY USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 03-OCT-86 | MI | SH | | | |
| L | MIL-C-0024643/6C | CABLE, ELECTRICAL, 600 VOLTS, A.C., TYPE LSMDY | A | 6145 | SH | 29-MAY-87 | | | SH | | |
| | MIL-C-24643/7B<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSMHOF [VALIDATION DATE: 9103] USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/8B<br>NOTICE 1 | CORD, ELECTRICAL, 300 VOLTS, TYPE LSMHOP [VALIDATION DATE: 9103] USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/9B<br>NOTICE 1 | CORD, ELECTRICAL, TYPE LSMRI [VALIDATION DATE: 9103] USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/10<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LSPBTMU (INCLUDING VARIATION LSPBTM) [VALIDATION DATE: 9103] USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/11B<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSSSF [VALIDATION DATE: 9103] USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/12B<br>NOTICE 1 | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTOP [VALIDATION DATE: 9103] USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/13B<br>NOTICE 1 | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTRS (INCLUDING VARIATION LSTTRSA) [VALIDATION DATE: 9103] USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/14B<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSSSGU (INCLUDING VARIATION LSSSGA) [VALIDATION DATE: 9103] USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/15B<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSDSGU (INCLUDING VARIATION LSDSGA) [VALIDATION DATE: 9103] USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/16B<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSTSGU (INCLUDING VARIATION LSTSGA) [VALIDATION DATE: 9103] USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |
| | MIL-C-24643/17B<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSFSGU (INCLUDING VARIATION LSFSGA) [VALIDATION DATE: 9103] USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | | |

| Action | OPR / QMAL Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-C-24643/188<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSMSCU (INCLUDING VARIATIONS LSMSCA AND LSMSCS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/198<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LS6SGU (INCLUDING VARIATION LS6SGA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/208<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LS7SGU (INCLUDING VARIATION LS7SGA) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/218<br>NOTICE 1 | CABLE, ELECTRICAL, TYPES LSTCJU AND LSTCTU (INCLUDING VARIATIONS LSTCJA AND LSTCTA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/228<br>NOTICE 1 | CABLE, ELECTRICAL, 5000 VOLTS, TYPE LS5KVTSGU (INCLUDING VARIATION LS5KVTSGA) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/238<br>NOTICE 1 | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTSU (INCLUDING VARIATION LSTTSA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-0024643/23C | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTSU (INCLUDING VARIATION LSTTSA USER: AL AR CG ME REVIEWER: AV EC IS | A | 6145 | SH | 25-NOV-87 | MI | SH | | |
| | | | MIL-C-24643/24<br>NOTICE 1 | CABLE, ELECTRICAL, TYPES LSTCJX, LSTCKX AND LSTCTX (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/258<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LSPI (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/268<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, TYPES LSDPS, LSFPS, LSTPS AND LS7PS (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/278<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, TYPE LS2AU (INCLUDING VARIATIONS LS2A AND LS2AUS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/288<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS1S5OMU (INCLUDING VARIATIONS LS1S5OMA AND LS1S5OMUS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/298<br>NOTICE 1 | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSMU (INCLUDING VARIATIONS LSMA AND LSMUS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/308<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS1SWU (INCLUDING VARIATION LS1SWA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/318<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS2SU (INCLUDING VARIATIONS LS2SA AND LS2SUS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/328<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS2SWAU (INCLUDING VARIATION LS2SWA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/338<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS2SWU (INCLUDING VARIATION LS2SWUA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/348<br>NOTICE 1 | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSMS (INCLUDING VARIATION LSMSA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/35<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS3SU (INCLUDING VARIATIONS LS3SA AND LS3SUS) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/368<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS3SWU (INCLUDING VARIATIONS LS3SWA AND LS3SWUS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/378<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS3U (INCLUDING VARIATION LS3UA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/388<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSECM (INCLUDING VARIATION LSECMA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/398<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS1S75MU (INCLUDING VARIATION LS1S75MA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: 99 AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/408<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS1SMU (INCLUDING VARIATION LS1SMA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/41<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS1SAU (INCLUDING VARIATION LS1SA) (VALIDATION DATE: 9103) USER: AL AR CG REVIEWER: 99 AV CR EC ER IS | A | 6145 | SH | 26-MAR-91 | MI | SH | 85 | |
| | | | MIL-C-24643/42<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS1SU (INCLUDING VARIATION LS1SUA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/438<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, TYPES LS2SJ, LS3SJ, AND LS4SJ (INCLUDING VARIATIONS LS2SJA, LS3SJA, AND LS4SJA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/448<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, TYPE LS3SF (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/458<br>NOTICE 1 | CABLE, ELECTRICAL, 300 VOLTS, TYPE LS2U (INCLUDING VARIATION LS2UA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/468<br>NOTICE 1 | CABLE, ELECTRICAL, 600 VOLTS, TYPE LS2WAU (INCLUDING VARIATION LS2WA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/47<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS1SMWU (INCLUDING VARIATION LS1SMWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/488<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, TWO CONDUCTOR, TYPE LSDMW (INCLUDING VARIATION LSDMWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/498<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, THREE CONDUCTOR, TYPE LSTMW (INCLUDING VARIATION LSTMWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/508<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, FOUR CONDUCTOR, TYPE LSFMW (INCLUDING VARIATION LSFMWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/518<br>NOTICE 1 | CABLE, ELECTRICAL, 1000 VOLTS, MULTICONDUCTOR, TYPE LSMMW (INCLUDING VARIATION LSMMWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/528<br>NOTICE 1 | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTPMW (INCLUDING VARIATION LSTPMWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/538<br>NOTICE 1 | CABLE, ELECTRICAL, 3000 VOLTS, TYPES LSSRW, LSDRW, AND LSTRW (INCLUDING VARIATIONS LSSRWA, LSDRWA, AND LSTRWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/548<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS8MW6 (INCLUDING VARIATION LS8MWA6) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/558<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS4MW8 (INCLUDING VARIATION LS4MWA8) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/568<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE LS2SWL-7 (INCLUDING VARIATION LS2SWLA-7) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/578<br>NOTICE 1 | CABLE, ELECTRICAL, TYPE AND SIZE LS2UW-42 (INCLUDING VARIATIONS LS2UWA-42 AND LS2UWS-42) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | MIL-C-24643/588<br>NOTICE 1 | CABLE, ELECTRICAL, 300 VOLTS, TYPE LS2CS (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC IS | A | 6145 | SH | 26-MAR-91 | MI | SH | | |
| | | | DOD-W-24644 | WELDING MACHINE, ARC, DIRECT CURRENT, 300 AMPERE, VARIABLE VOLTAGE, TRANSFORMER RECTIFIER TYPE DAMAGE CONTROL, LIGHT WEIGHT, PORTABLE (METRIC) | A | 3431 | SH | 11-SEP-84 | | SH | | |
| L | | | MIL-S-24645A(1) | STEEL PLATE, SHEET, OR COIL, AGE-HARDENING ALLOY, STRUCTURAL, HIGH YIELD STRENGTH (HSLA-80 AND HSLA-100) | A | 9515 | SH | 24-SEP-90 | | SH | | |
| L | | | MIL-F-24646 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 609, 610 & 611 | A | 5920 | SH | 30-NOV-84 | | SH | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Army | Navy | Air Force | DLA | |
| L | MIL-F-24646/1 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 600, 601, 612.1, 613, 613.1 AND 614 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/2 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 609, 610 AND 611 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/3 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0.30 AMPERE FUSES, SYMBOLS 540, 541 AND 542 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/4 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 450 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 543, 544, 545, 546 AND 547 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/5 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 500 VOLTS, DIRECT CURRENT, TWO WIRE BUSES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 626 AND 627 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/6 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, TOTALLY ENCLOSED, 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE AND DOUBLE FEEDER, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES AND SNAP SWITCHES, SYMBOLS 602, 603, 604, 605, 606, 615, AND 617 (VALIDATION DATE: 9012) | A | 6110 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/7 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 125 VOLTS, ALTERNATING CURRENT, SINGLE PHASE BUSES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 635.1, 653.1 AND 654.1 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/8 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 125 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 646.1 AND 647.1 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/9 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 250 VOLTS, ALTERNATING CURRENT, SINGLE PHASE BUSES, 0-30 AMPERE FUSES, SYMBOLS 555.1M, 556.1, 557.1, 558.1 AND 559.1 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/10 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 250 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AMPERE FUSES, SYMBOL 560.1, 561.1, 562.1 AND 563.1 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/11 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, WATERTIGHT (3 FEET), 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE AND DOUBLE FEEDERS, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, AND SNAP SWITCHES, SYMBOLS 645, 645.1, 649.1 AND 650.1 (VALIDATION DATE: 9012) | A | 6110 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/12 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, WATERTIGHT (3 FEET), 125 VOLTS, ALTERNATING CURRENT, SINGLE OR THREE PHASE BUSES, SINGLE PHASE BRANCHES, INTERLOCKING FUZE COVER, 0-30 AMPERE FUSES, AND SNAP SWITCHES, SYMBOLS 644 AND 648.1 (VALIDATION DATE: 9012) | A | 6110 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/13 NOTICE 1 | FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 500 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AMPERE FUSES WITH FUSE PULLER, SYMBOLS 568.1, 569.1, 570.1 AND 571.1 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/14 NOTICE 1 | FUSE BOXES, FEEDER JUNCTION, TOTALLY ENCLOSED, 250 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 680 AND 681.1 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/15 NOTICE 1 | FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE, (15 FEET), 250 VOLTS, ALTERNATING CURRENT, FEED THROUGH TWIN CONDUCTORS, SINGLE AND THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 685.1, 686.1, 691.1 AND 692.1 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/16 NOTICE 1 | FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE, (15 FEET), 250 VOLTS, ALTERNATING CURRENT, SINGLE PHASE BUSES, 0-30, 31-60, 61-100 AND 101-200 AMPERE FUSES, SYMBOLS 687.1, 688.1, 689.1 AND 690.1 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/17 NOTICE 1 | FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE, (15 FEET), 500 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, 0.30 AMPERE, FUSES, SYMBOL 693.1 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| L | MIL-F-24646/18 NOTICE 1 | FUSE BOXES, BRANCH JUNCTION, SUBMERSIBLE (15 FEET), 125 VOLTS, TWO CONDUCTORS, 0.30 AMPERE MIDGET FUSES, SYMBOL 671.1 (VALIDATION DATE: 9012) | A | 5920 | SH | 27-DEC-90 | | SH | | | |
| D | MIL-P-24647B | PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL USER: CG YD1 REVIEWER: MR | A | 8010 | SH | 02-APR-91 | ME | SH | | | |
| D | DOD-P-24648(1) | PRIMER COATING, ZINC DUST PIGMENTED FOR EXTERIOR STEEL SURFACES (METRIC) USER: CG MC REVIEWER: AS MR YD1 | A | 8010 | SH | 05-MAR-91 | ME | SH | 99 | | |
| L | MIL-J-24649(2) | JACKBOX, JACK AND PLUG FOR TELEPHONE, SOUND POWERED | A | 5935 | SH | 29-MAY-90 | | SH | | | |
| | DOD-G-24650 NOTICE 1 | GREASE, FOOD GRADE, FOOD PROCESSING EQUIPMENT (METRIC) (VALIDATION DATE: 9102) REVIEWER: GS | A | 9150 | SH | 07-FEB-91 | ME | SH | 68 | | |
| | DOD-L-24651 NOTICE 1 | LUBRICATING OIL, FOOD GRADE, FOOD PROCESSING EQUIPMENT (METRIC) (VALIDATION DATE: 9105) REVIEWER: GS | A | 9150 | SH | 20-MAY-91 | ME | SH | 68 | | |
| L | MIL-E-24652(1) | EXTINGUISHER, FIRE, AQUEOUS FILM FORMING FOAM, (AFFF), 2-1/2 GALLON | A | 4210 | SH | 25-SEP-86 | | SH | | | |
| L | MIL-H-24653 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK. | A | 5340 | SH | 30-MAY-85 | | SH | | | |
| L | MIL-H-24653/1 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 1 | A | 5340 | SH | 30-MAY-85 | | SH | | | |
| L | MIL-H-24653/2 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 2 | A | 5340 | SH | 30-MAY-85 | | SH | | | |
| L | MIL-H-24653/3 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 3 | A | 5340 | SH | 30-MAY-85 | | SH | | | |
| L | MIL-H-24653/4 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 4 | A | 5340 | SH | 30-MAY-85 | | SH | | | |
| L | MIL-H-24653/5 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 5 | A | 5340 | SH | 30-MAY-85 | | SH | | | |
| L | MIL-H-24653/6 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 6 | A | 5340 | SH | 30-MAY-85 | | SH | | | |
| D | DOD-C-24654 | COATINGS, EPOXY, PORTABLE WATER TANKS (METRIC) USER: CG MC ME REVIEWER: 50 84 MS YD1 | A | 8010 | SH | 25-JUL-85 | | SH | 99 | | |
| | MIL-S-24656 | SEXTANT, MARINE REVIEWER: 71 | A | 6605 | SH | 16-AUG-85 | ME | SH | 99 | | |
| L | DOD-V-24657 NOTICE 1 | VALVE ACTUATOR, DIRECT COUPLED, GEAR DRIVEN ELECTRICALLY POWERED FOR NAVAL SHIPBOARD PROPULSION AND AUXILIARY SYSTEMS (METRIC) (VALIDATION DATE: 9104) | A | 4810 | SH | 19-APR-91 | | SH | | | |
| L | MIL-V-24658 NOTICE 1 | VALVE MANIFOLDS, QUIET DESIGN, HIGH PRESSURE GAS REDUCING (VALIDATION DATE: 9104) REVIEWER: CS | A | 4820 | SH | 19-APR-91 | | SH | | | |
| L | MIL-G-24659(1) | GAUGE, DIFFERENTIAL, DIAL INDICATING | A | 6685 | SH | 12-AUG-87 | | SH | | | |
| L | MIL-S-24660 NOTICE 1 | SPRINKLER HEAD, 180 DEGREES FULL COME (VALIDATION DATE: 9012) | A | 4210 | SH | 10-DEC-90 | | SH | | | |
| L | MIL-R-24661 NOTICE 1 | RING BUOY, LIFESAVING, AUTO-INFLATABLE (VALIDATION DATE: 9012) | A | 4220 | SH | 10-DEC-90 | | SH | | | |
| L | MIL-D-24662 | DIVERS HELMET, UNDERWATER BREATHING APPARATUS MK-12 | A | 4220 | SH | 13-MAY-86 | | | | | |
| L | MIL-A-24663 | ADAPTER, FIXED PLANT, FOR TSEC/KG-84 | A | 5810 | EC | 20-DEC-90 | | EC | | | |
| L | MIL-T-24664 | TEST SET, RADAR, AN/UPM-() | A | 6625 | EC | 28-MAY-86 | | EC | | | |
| L | MIL-W-24665 | WIPERS, WINDOW, ELECTRIC, SPINNING (MARINE SERVICE, HEAVY DUTY) | A | 2090 | SH | 17-MAR-86 | | SH | | | |

| Action | OPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | | MIL-F-24666(1) | FILTER ELEMENT, SHIP FUEL SYSTEM PRE-FILTER, NON-CLEANABLE, HIGH EFFICIENCY | A | 4330 | | SH | 02-NOV-92 | | SH | | |
| DQL | | | DOD-C-24667(2) | COATING SYSTEM, NONSKID, FOR ROLL OR SPRAY APPLICATION (METRIC) USER: YD1 . | A | 8010 | | SH | 09-FEB-87 | | SH | | |
| AQL | | | MIL-C-24667A | COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION (METRIC) REVIEWER: AS | A | 8010 | | SH | 14-AUG-92 | | SH | | |
| | L | | DOD-B-24668 | BEARING UNIT, MAIN THRUST, SUBMARINE PROPULSION SYSTEM | A | 3130 | | SH | 27-AUG-86 | | SH | | |
| | | | DOD-F-24669 | FORGINGS AND FORGING STOCK, STEEL BARS, BILLETS AND BLOOMS, GENERAL SPECIFICATION FOR (METRIC) REVIEWER: 84 AR AS GL MC MI OS | A | FORG | | SH | 07-JUL-86 | MR | SH | 99 | |
| | | | DOD-F-24669/1 | FORGINGS AND FORGING STOCK, STEEL (CARBON AND ALLOY) BLOOMS, BARS,BILLETS AND SLABS (METRIC) REVIEWER: 84 AR AS GL MC MI OS | A | FORG | | SH | 07-JUL-86 | MR | SH | 99 | |
| | | | DOD-F-24669/2(1) | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS - CHROMIUM-MOLYBDENUM ALLOY (METRIC) USER: MC REVIEWER: 84 AR AS GL MI OS | A | FORG | | SH | 02-OCT-87 | MR | SH | 99 | |
| | | | DOD-F-24669/3 | FORGINES AND FORGING STOCK, STEEL BARS AND BILLETS FOR NITRIDING (METRIC) USER: MC REVIEWER: 84 AR AS GL MI OS | A | FORG | | SH | 07-JUL-86 | MR | SH | 99 | |
| | | | DOD-F-24669/4 | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS, NICKEL AND NICKEL-MOLYBDENUM MODIFIED HADFIELD; LOW MAGNETIC PERMEABILITY (METRIC) USER: MC REVIEWER: 84 AR AS GL MI OS | A | FORG | | SH | 07-JUL-86 | MR | SH | 99 | |
| | | | MIL-F-24669/4 | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS, NICKEL AND NICKEL-MOLYBDENUM MODIFIED HADFIELD; LOW MAGNETIC PERMEABILITY (METRIC) USER: MC REVIEWER: 84 AR AS GL MI OS | A | FORG | | SH | 07-JUL-86 | MR | SH | 99 | |
| | | | DOD-F-24669/5 | FORGINGS AND FORGING STOCK, STEEL BARS, BILLETS AND WIRE (CHROMIUM-NICKEL-PHOSPHOROUS AND CHROMIUM-NICKEL-MANGANESE-PHOSPHOROUS) LOW MAGNETIC PERMEABILITY (METRIC) USER: MC REVIEWER: 84 AR AS GL MI OS | A | FORG | | SH | 07-JUL-86 | MR | SH | 99 | |
| | | | DOD-F-24669/6 | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS, CORROSION RESISTING: FOR REFORGING (METRIC) USER: MC REVIEWER: 84 AR AS GL MI OS | A | FORG | | SH | 07-JUL-86 | MR | SH | 99 | |
| | | | DOD-F-24669/7 | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS, CORROSION RESISTING; NAVAL STEAM TURBINE PARTS USE (METRIC) USER: MC REVIEWER: 84 AR AS GL MI OS | A | FORG | | SH | 07-JUL-86 | MR | SH | 99 | |
| | | | MIL-F-24669/8 | FORGINGS AND FORGING STOCK, STEEL FOR INTEGRAL STEAM TURBINE ROTORS | A | FORG | | SH | 02-MAY-91 | MR | SH | 99 | |
| A | L | | MIL-C-24671A | CLOTH, LINT-FREE, FLUSHING AND CLEANING | A | 8305 | | CT | 25-APR-91 | | SH | | CT |
| | L | | DOD-M-24672 SUPPL 1A1 | MOLDS, AND MOLD HEATING PLATEN FOR MOLDING ELECTRICAL CONNECTORS AND CABLES (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | L | | DOD-M-24672/1 | MOLDS, SPLIT-CAVITY FOR MOLDING PLUGS (SYMBOLS 713, 713.1, 713.2, 713.3, 713.4, 713.6, 713.7, 713.9, AND 713.10) (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | L | | DOD-M-24672/2 | MOLD, SPLIT-CAVITY FORMOLDING 90 DEGREE PLUGS SYMBOLS 713.5, AND 713.8 (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | L | | DOD-M-24672/3 | MOLD HEATING PLATEN, FOR SPLIT-CAVITY MOLDS FOR PLUGS SYMBOLS 713 THROUGH 713.10 (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | L | | DOD-M-24672/4 | MOLDS-SPLIT-CAVITY-FORMOLDING LIMIT SWITCH PLUG, SYMBOL 1223 FOR 5-PIN CONNECTORS USING 1SWP-2 (SYMBOL 1245.1)AND FSS-2 CABLE (SYMBOL 1245.2) (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | L | | DOD-M-24672/5 | MOLDS-SPLIT CAVITY-FORMOLDING PLUGS OF THREE, FIVE, NINE, FOURTEENAND TWENTY-FOUR NUMBERSIXTEEN CONTACTS -ELECTRICAL, WATERTIGHT, SUBMARINE (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | L | | DOD-M-24672/6 | MOLDS - SPLIT CAVITY FOR MOLDING PLUGS SYMBOLS 1170.1, 1171.1, 1173.1, 1174.1, 1175.1, 1176.1, 1177, 1177.1, 1177.2, 1178, 1229, 1230, TYPE FHOF-9 AND RG-130/U CABLE (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | L | | DOD-M-24672/7 | MOLD - SPLIT CAVITY - FOR UNGROUNDED RG-17A/U HULL FITTING PLUG - SYMBOL 1225 (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | L | | DOD-M-24672/8 | MOLD-SPLIT CAVITY FOR MOLDING 90-DEGREE PLUGS - SYMBOL 1224.1 HAVING EIGHT NUMBER 16 CONTACTS (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | L | | DOD-M-24672/9 | MOLDS - SPLIT CAVITY FOR MOLDING 90 DEGREE PLUGS (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | L | | DOD-M-24672/10 | MOLD - SPLIT CAVITY FOR MOLDING 90-DEGREE PLUGS SYMBOL 1224 USED WITH RESISTANCE TEMPERATURE DETECTORS (METRIC) | A | 5935 | | SH | 27-OCT-86 | | SH | | |
| | | | DOD-B-24673 | BELLS, SHIPS AND SMALL CRAFT | A | 6350 | | SH | 31-JUL-86 | ME | SH | | |
| | L | | DOD-K-24674 | KIT, DISSOLVED OXYGEN (METHOD C), NAVAL SHIPBOARD (METRIC) | A | 6630 | | SH | 21-AUG-86 | | SH | | |
| | L | | DOD-V-24675 | VALVES, BOILER BLOW SERVICE, MONEL, SHIPBOARD USE | A | 4820 | | SH | 18-AUG-86 | | SH | | |
| | L | | MIL-V-24675 | VALVES, BOILER BLOW SERVICE, MONEL, SHIPBOARD USE | A | 4820 | | SH | 18-AUG-86 | | SH | | |
| M | | | MIL-R-24677A(1) | ROPE, FIBROUS, DOUBLE-BRAIDED (POLYESTER) USER: CG MC REVIEWER: 82 | A | 4020 | | SH | 31-MAR-93 | GL | SH | 99 | |
| | | | MIL-M-24678 | MONITORS, MOTOR INSULATION RESISTANCE, SHIPBOARD USE (METRIC) | A | 6625 | | SH | 24-FEB-88 | | | | |
| | L | | MIL-C-24679 | COPPER-NICKEL ALLOY FORGINGS AND FORGING STOCK | A | FORG | | SH | 06-MAY-88 | | SH | | |
| | LI | | DOD-L-24681 NOTICE 1 | LOUDSPEAKER, CONTROL OF VOLUME, AUTOMATIC (METRIC) | A | 5830 | | SH | 18-JAN-91 | | SH | | |
| | L | | DOD-A-24682 | ADDITIVE, FUEL OIL STABILIZER | A | 6850 | | SH | 18-AUG-87 | | | | |
| | L | | MIL-I-24683A | INSULATION ELECTRICAL, HIGH TEMPERATURE INORGANIC PAPER | A | 5970 | | SH | 26-NOV-90 | | SH | | |
| | L | | DOD-D-24684 | DIVERS CABLE ASSEMBLY COMMUNICATIONS AND STRENGTH | A | 4220 | | SH | 06-MAR-87 | | SH | | |
| | QL | | MIL-F-24685 | FINISH, DECK, WATER EMULSION (FOR USE IN CONTROLLED ATMOSPHERE ENVIRONMENTS) (METRIC) | A | 7930 | | SH | 14-OCT-87 | | SH | | |
| | L | | MIL-S-24686A | SPRINKLER, AUTOMATIC, QUICK RESPONSE | A | 4210 | | SH | 19-MAY-92 | | SH | | |
| | L | | MIL-M-24687 | NICKEL-CHROMIUM-MOLYBDENUM-IRON-COLUMBIUM ALLOY BARS & FORGINGS (CONTROLLED DISTRIBUTION) | A | FORG | | SH | 20-OCT-87 | | SH | | |
| D | | | DOD-I-24688 | INSULATION PANEL, THERMAL AND ACOUSTIC ABSORPTIVE, OPEN-CELL POLYIMIDE FOAM USER: CG MI MR REVIEWER: 84 CE YD1 | A | 5640 | | SH | 18-AUG-87 | ME | SH | 99 | |
| A | | | MIL-C-24689B | COBALT ALLOY CASTINGS, WEAR AND CORROSION RESISTANT REVIEWER: AR AS IS ME MI | A | MECA | | SH | 23-APR-92 | MR | SH | 11 | |
| | L | | MIL-V-24690 | VEST INTEGRATED DIVERS | A | 4220 | | SH | 28-SEP-87 | | SH | | |
| | | | MIL-P-24691(2) | PIPE AND TUBE, CARBON, ALLOY AND STAINLESS STEEL, SEAMLESS AND WELDED, GENERAL SPECIFICATION FOR | A | 4710 | | SH | 04-FEB-91 | ME | SH | | |
| | | | MIL-P-24691/1(1) | PIPE AND TUBE, CARBON STEEL, SEAMLESS USER: MC REVIEWER: AR AS CS EA GL MI MR | A | 4710 | | SH | 04-FEB-91 | ME | SH | | |
| | | | MIL-P-24691/2(1) | PIPE AND TUBE, CHROMIUM-MOLYBDENUM STEEL, SEAMLESS USER: MC REVIEWER: AR AS CS EA GL MI MR | A | 4710 | | SH | 04-FEB-91 | ME | SH | | |
| | | | MIL-P-24691/3(1) | PIPE AND TUBE, CORROSION-RESISTANT, STAINLESS STEEL, SEAMLESS OR WELDED USER: MC REVIEWER: AR AS CS EA GL MI MR | A | 4710 | | SH | 04-FEB-91 | ME | SH | | |
| | | | MIL-B-24692 | BREATHING APPARATUS, OXYGEN GENERATING, TYPE A-4 (METRIC) REVIEWER: 84 GS . | A | 4240 | | SH | 26-OCT-87 | EA | SH | 69 | |
| M | L | | MIL-D-24693(1) | DEHYDRATOR, CONDENSER-FILTER LOW PRESSURE AIR, FOR SPECIAL APPLICATIONS | A | 4440 | | SH | 02-APR-93 | | SH | | |
| | L | | MIL-V-24694 | VALVE, HYDRAULIC RELIEF, 1.5 - 35 BARS (22 -500 POUNDS PER SQUARE INCH) CARTRIDGE TYPE, GENERAL SPECIFICATION (METRIC) | A | 4810 | | SH | 28-OCT-87 | | SH | | |
| | L | | MIL-V-24694/1 | VALVE, HYDRAULIC RELIEF, 1.5 - 35 BAR, 150 LPM CARTRIDGE TYPE (METRIC) | A | 4810 | | SH | 28-OCT-87 | | SH | | |
| | | | MIL-V-24694/2 | VALVE, HYDRAULIC RELIEF, 1.5 - 35 BAR, 10 LPM CARTRIDGE TYPE (METRIC) | A | 4810 | | SH | 28-OCT-87 | | SH | | |
| | ML | | MIL-V-24695A | VALVE, HOSE ASSEMBLY, AND ADAPTER, VENT AND TEST HYDRAULIC SERVICE, GENERAL SPECIFICATION FOR (METRIC) | A | 4810 | | SH | 23-DEC-91 | | SH | | |
| A | L | | MIL-V-24695/1A(1) | VALVE, VENT AND TEST HYDRAULIC SERVICE | A | 4810 | | SH | 23-JUL-92 | | SH | | |
| A | L | | MIL-V-24695/2A(1) | VENT AND TEST VALVE HOSE ASSEMBLY HYDRAULIC SERVICE | A | 4810 | | SH | 23-JUL-92 | | SH | | |
| | L | | MIL-A-24695/3 | ADAPTER, VENT AND TEST VALVE HOSE ASSEMBLY | A | 4810 | | SH | 23-DEC-91 | | SH | | |
| AML | | | MIL-G-24696A | GASKET, SHEET, NON-ASBESTOS | A | 5330 | | SH | 30-DEC-92 | | SH | | |
| A | L | | MIL-G-24696/1 | GASKET, SHEET NON-ASBESTOS SIZES AND TOLERANCES | A | 5330 | | SH | 30-DEC-92 | | SH | | |
| | L | | MIL-C-24697 | CABINETS, MODULAR DRAWER STORAGE (MDS) | A | 7125 | | SH | 28-FEB-88 | | SH | | |
| | L | | MIL-I-24698 | INFRARED THERMAL IMAGING SYSTEMS NMETRIC) | A | 5855 | | SH | 12-FEB-88 | | SH | | |
| | L | | MIL-A-24699 | ACOUSTICAL TRANSMISSION LOSS BARRIER MATERIAL | A | 5640 | | SH | 24-FEB-88 | | SH | | |
| | L | | MIL-S-24700 | STUFFING TUBES FOR REFERENCE ELECTRODES, IMPRESSED CURRENT CATHODIC PROTECTION (METRIC) | A | 5975 | | SH | 12-FEB-88 | | SH | | |
| | | | MIL-F-24701 | FLOWMETER, LIQUID, ULTRASONIC, NON INTRUSIVE | A | 6680 | | SH | 23-MAR-88 | | SH | | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| QL | | MIL-F-24702(1) | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE, GENERAL SPECIFICATION FOR (METRIC) | A | 4330 | SH | | 02-MAY-91 | | SH | | |
| L | | MIL-F-24702/1(1) | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE (METRIC) | A | 4330 | SH | | 02-MAY-91 | | SH | | |
| | | MIL-I-24703 | INSULATION, PIPE, POLYPHOSPHAZENE, SHEET & TUBULAR USER: MC ME OS REVIEWER: EA GS MI | A | 5640 | SH | ER | 05-APR-88 | | SH | | 11 |
| L | | MIL-F-24704A | FLANGES, FOUR BOLT SQUARE, HYDRAULIC GENERAL SPECIFICATION FOR | A | 4810 | SH | | 23-MAR-92 | | SH | | |
| L | | MIL-F-24704/1A | FLANGES, FOUR BOLT SQUARE, SOCKET WELD FOR HYDRAULIC SYSTEMS | A | 4810 | SH | | 23-MAR-92 | | SH | | |
| L | | MIL-F-24704/2A | FLANGES, FOUR BOLTS SQUARE, BUTT WELD FOR HYDRAULIC SYSTEMS | A | 4810 | SH | | 23-MAR-92 | | SH | | |
| L | | MIL-F-24704/4A | FLANGES, FOUR BOLT SQUARE, BLIND FOR HYDRAULIC SYSTEMS | A | 4810 | SH | | 23-MAR-92 | | SH | | |
| L | | MIL-F-24704/5A | FLANGES, FOUR BOLT, INSERT SLEEVES FOR HYDRAULIC SYSTEMS | A | 4810 | SH | | 23-MAR-92 | | SH | | |
| AML | | MIL-P-24705A | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR | A | 5975 | SH | | 19-JUL-92 | | SH | | |
| A L | | MIL-P-24705/1A | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, RECTANGULAR METAL FRAME, FOR SQUARE-FACED BLOCKS | A | 5975 | SH | | 19-JUL-92 | | SH | | |
| L | | MIL-P-24705/2 | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, NOTCHED RECTANGULAR METAL FRAME, FOR RECTANGULAR-FACED BLOCKS | A | 5975 | SH | | 07-JUN-90 | | SH | | |
| L | | MIL-P-24705/3 | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, ROUND FRAME, FOR SQUARE-FACED BLOCKS | A | 5975 | SH | | 07-JUN-90 | | SH | | |
| L | | MIL-C-24706 | COUPLING, PIPE, HEAT-RECOVERABLE | A | 4730 | SH | | 13-JUL-88 | | SH | | |
| | | MIL-C-24707 SUPPL 1A1 | CASTINGS, FERROUS, GENERAL SPECIFICATION FOR USER: ME | A | MECA | SH | MR | 27-JAN-89 | | SH | | 11 |
| | | MIL-C-24707/1 | CASTINGS, FERROUS, FOR MACHINERY AND STRUCTURAL APPLICATIONS USER: ME | A | MECA | SH | MR | 27-JAN-89 | | SH | | 11 |
| | | MIL-C-24707/2 | CASTINGS, FOR PRESSURE CONTAINING PARTS SUITABLE FOR HIGH TEMPERATURE SERVICE USER: MC ME REVIEWER: 84 AR AS MI OS | A | MECA | SH | MR | 27-JAN-89 | | SH | | 11 |
| | | MIL-C-24707/3 | CASTINGS, FERROUS, CORROSION-RESISTANT, AUSTENITIC, CHROMIUM-NICKEL USER: MC ME REVIEWER: 84 AR AS MI OS | A | MECA | SH | MR | 27-JAN-89 | | SH | | 11 |
| | | MIL-C-24707/4 | CASTINGS, FERROUS, AUSTENITIC MANGANESE (HADFIELD MANGANESE), (LOW MAGNETIC PERMEABILITY AND/OR WEAR RESISTANT) USER: MC ME REVIEWER: 84 AR AS MI OS | A | MECA | SH | MR | 27-JAN-89 | | SH | | 11 |
| | | MIL-C-24707/5 | CASTINGS, DUCTILE IRON AND AUSTENITIC DUCTILE IRON USER: MC REVIEWER: 84 AR AS MI OS | A | MECA | SH | MR | 27-JAN-89 | | SH | | 11 |
| | | MIL-C-24707/6 | CASTINGS, FERROUS, CHROMIUM STEEL, FOR PRESSURE-CONTAINING PARTS SUITABLE FOR HIGH-TEMPERATURE SERVICE USER: MC ME REVIEWER: 84 AR AS MI OS | A | MECA | SH | MR | 27-JAN-89 | | SH | | 11 |
| L | | MIL-T-24708 | THERMAL/ACOUSTIC INSULATION BARRIER MATERIAL: POLYIMIDE FOAM | A | 5640 | SH | | 29-JUL-88 | | SH | | |
| L | | MIL-D-24709 | DISTRIBUTED ISOLATION MATERIAL TYPE R-50-21/64 | A | 5330 | SH | | 04-NOV-88 | | SH | | |
| L | | MIL-P-24710 | PURIFIERS, SOLIDS EJECTING (SELF CLEANING), CENTRIFUGAL, FUEL AND LUBE OIL | A | 4330 | SH | | 12-DEC-88 | | SH | | |
| A L | | MIL-S-24711(2) | SWITCH, PROXIMITY, SOLID-STATE | A | 5930 | SH | | 17-SEP-92 | | SH | | |
| | | MIL-C-24712 | COATINGS, POWDERED EPOXY (METRIC) USER: CG MC REVIEWER: 84 AS MR | A | 8010 | SH | | 21-FEB-89 | ME | SH | | 99 |
| L | | MIL-F-24713 | FREQUENCY CHANGER, STATIC, AIR COOLED (NAVAL SHIPBOARD) | A | 6130 | SH | | 21-FEB-89 | | SH | | |
| L | | MIL-C-24714 | CONNECTOR TUBES, HYDRAULIC COMPONENT, GENERAL SPECIFICATION FOR | A | 4810 | SH | | 27-JAN-89 | | SH | | |
| L | | MIL-C-24714/1 | CONNECTOR TUBES, PREFERRED SIZES, VALVES AND SUBPLATES | A | 4810 | SH | | 27-JAN-89 | | SH | | |
| D | | MIL-E-24715 | EXTINGUISHERS, FIRE, VAPORIZING LIQUID (BROMOCHLORODIFLUOROMETHANE, HALON 1211) USER: YD1 REVIEWER: 84 AS CS | A | 4210 | SH | | 10-MAR-89 | ME | SH | | 99 |
| M L | | MIL-G-24716A | GASKETS, METALLIC-FLEXIBLE GRAPHITE, SPIRAL WOUND | A | 5330 | SH | | 05-APR-93 | | SH | | |
| L | | MIL-G-24717 | GASKET, SHEET, REFRIGERATION, NON-ASBESTOS | A | 5330 | SH | | 31-MAR-89 | | SH | | |
| D | | MIL-I-24718 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING; GENERAL SPECIFICATION FOR USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS YD1 | A | 5970 | SH | ER | 06-APR-90 | ER | SH | | 11 |
| | | MIL-I-24718/1 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING EPOXY-LEWIS ACID, SLIGHTLY THIXOTROPIC USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A | 5970 | SH | ER | 06-APR-90 | ER | SH | | 11 |
| | | MIL-I-24718/2 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING REPLENISHMENT RESIN, EPOXY-LEWIS ACID, SLIGHTLY THIXOTROPIC USER: AS MC ME REVIEWER: 99 AR OS EC GS MI OS | A | 5970 | SH | ER | 06-APR-90 | ER | SH | | 11 |
| | | MIL-I-24718/3 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING POLYESTER DIALLYL PHTHALATE, SLIGHTLY THIXOTROPIC USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A | 5970 | SH | ER | 06-APR-90 | ER | SH | | 11 |
| | | MIL-I-24718/4 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING REPLENISHMENT RESIN, POLYESTER DIALLY PHTHALATE, SLIGHTLY THIXOTROPIC USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS | A | 5970 | SH | ER | 06-APR-90 | ER | SH | | 11 |
| L | | MIL-R-24719 | RESINS, VINYL ESTER, LOW PRESSURE LAMINATING | A | 9330 | SH | | 04-MAY-89 | | SH | | |
| L | | MIL-R-24720 | RECEIVERS, DIGITAL, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR REVIEWER: EC | A | 6026 | SH | | 07-JUL-89 | | SH | | |
| D L | | MIL-R-24720/1 | RECEIVER, DIGITAL, FIBER OPTIC, SHIPBOARD, 0.5 TO 16 MBPS (MANCHESTER ENCODED) (METRIC) REVIEWER: EC YD1 | A | 6026 | SH | | 07-JUL-89 | | SH | | |
| L | | MIL-T-24721 | TRANSMITTERS, LIGHT SIGNAL, DIGITAL, FIBER OPTIC, SHIPBOARD (METRIC) GENERAL SPECIFICATION FOR | A | 6025 | SH | | 27-JUN-89 | | SH | | |
| L | | MIL-T-24721/1 | TRANSMITTER, DIGITAL, FIBER OPTIC, SHIPBOARD, DC TO 16 MBPS (MANCHESTER ENCODED) (METRIC) REVIEWER: EC | A | 6025 | SH | | 27-JUN-89 | | SH | | |
| L | | MIL-V-24722 | VALVE AND SUBPLATE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC, GENERAL SPECIFICATION FOR | A | 4810 | SH | | 15-JUN-90 | | SH | | |
| L | | MIL-V-24722/1 | VALVE AND SUBPLATE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC FOR 0 TO 50 GALLONS PER MINUTE (GPM) AND 0 TO 80 GPM FLOW RANGES | A | 4810 | SH | | 15-JUN-90 | | SH | | |
| L | | MIL-V-24722/2 | VALVE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC FOR 0 TO 10 GPM FLOW RANGE | A | 4810 | SH | | 15-JUN-90 | | SH | | |
| L | | MIL-V-24722/3 | VALVE AND SUBPLATE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC FOR 0 TO 80 GPM | A | 4810 | SH | | 15-JUN-90 | | SH | | |
| | | MIL-C-24723 | CASTINGS, NICKEL-COPPER ALLOY USER: ER GL MC ME REVIEWER: 99 AR IS | A | MECA | SH | MR | 07-JUN-89 | | SH | | 11 |
| AML | | MIL-F-24724(2) | FILTER HOUSING (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS, GENERAL SPECIFICATION FOR | A | 4330 | SH | | 16-OCT-92 | | SH | | |
| L | | MIL-F-24724/1(1) | FILTER HOUSINGS (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS (1, 2, 3 ELEMENTS) REVIEWER: CS | A | 4330 | SH | | 02-JUN-92 | | SH | | |
| L | | MIL-F-24724/2(1) | FILTER HOUSINGS (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS (4 AND 6 ELEMENTS) REVIEWER: CS | A | 4330 | SH | | 02-JUN-92 | | SH | | |
| L | | MIL-S-24725 | SWITCHES, FIBER OPTIC, SHIPBOARD, (METRIC), GENERAL SPECIFICATION FOR | A | 6021 | SH | | 03-AUG-89 | | SH | | |
| L | | MIL-S-24725/1 | SWITCH, FIBER OPTIC, SHIPBOARD, ELECTRICAL NONLATCHING; BYPASS, MULTIMODE CABLE, STAND-ALONE (METRIC) REVIEWER: EC | A | 6021 | SH | | 03-AUG-89 | | SH | | |
| L | | MIL-A-24726 | ATTENUATORS, FIBER OPTIC, SHIPBOARD GENERAL SPECIFICATION FOR REVIEWER: EC | A | 6006 | SH | | 15-AUG-89 | | SH | | |
| L | | MIL-A-24726/1 | ATTENUATOR, FIBER OPTIC, SHIPBOARD, FIXED, CONNECTORIZED, SINGLE-MODE, STAND-ALONE REVIEWER: EC | A | 6006 | SH | | 15-AUG-89 | | SH | | |
| L | | MIL-R-24727 | ROTARY JOINTS, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR REVIEWER: AS EC | A | 6004 | SH | | 31-AUG-89 | | SH | | |
| L | | MIL-R-24727/1 | ROTARY JOINTS, FIBER OPTIC, SHIPBOARD, SINGLE FIBER, ON-AXIS, MULTIMODE CABLE PIGTAIL (METRIC) REVIEWER: AS EC | A | 6004 | SH | | 31-AUG-89 | | SH | | |
| L | | MIL-R-24727/2 | ROTARY JOINTS, FIBER OPTIC, SHIPBOARD, MULTIPLE FIBERS, ON-AXIS, MULTIMODE CABLE PIGTAIL (METRIC) REVIEWER: AS EC | A | 6004 | SH | | 31-AUG-89 | | SH | | |
| DM | | MIL-I-24728A | INTERCONNECTION BOX, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC ES MI YD1 | A | 6099 | SH | | 23-JUL-92 | OR | SH | | 85 |
| D | | MIL-I-24728/1A | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 254 X 330 MM USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC ES MI YD1 | A | 6099 | SH | | 23-JUL-92 | OR | SH | | 85 |
| D | | MIL-I-24728/2A | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 304.8 X 609.6 MM USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC ES MI YD1 | A | 6099 | SH | | 23-JUL-92 | OR | SH | | 85 |
| L | | MIL-H-24729 | HARNESS, SAFETY, SWIMMERS | A | 4240 | SH | | 26-JAN-90 | | SH | | |
| | | MIL-R-24730 | ROPE, FIBROUS POLYESTER, EIGHT STRAND PLAITED USER: MC REVIEWER: 82 AS IS | A | 4020 | SH | | 27-APR-90 | GL | SH | | 99 |
| L | | MIL-M-24731 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMULTIPLEXERS (MULDEMS), FREQUENCY-DIVISION, FIBER OPTIC INTERFACEABLE, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR REVIEWER: AS EC | A | 6008 | SH | | 31-AUG-89 | | SH | | |

| Action | Obsl / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | MIL-M-24731/1 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMULTIPLEXERS (MULDEMS), MULTIPLEXER, FREQUENCY-DIVISION, FIBER OPTIC, SHIPBOARD, 4:1 CHANNELS, 30 MHZ (DOUBLE SIDEBAND) (METRIC) REVIEWER: AS EC YD1 | A | 6008 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-M-24731/2 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMULTIPLEXERS (MULDEMS), DEMULTIPLEXER, FREQUENCY-DIVISION, FIBER OPTIC, SHIPBOARD, 1:4 CHANNELS, 30 MHZ (DOUBLE SIDEBAND) (METRIC) REVIEWER: AS EC | A | 6008 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-L-24732 | LIGHT SOURCE, RIGID AND FLEXIBLE FIBERSCOPE, FIBER OPTIC (METRIC), GENERAL SPECIFICATION FOR REVIEWER: AS EC | A | 6032 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-L-24732/1 | LIGHT SOURCE, FIBERSCOPE, FIBER OPTIC, 150 WATT (METRIC) REVIEWER: AS EC .. | A | 6032 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-C-24733 | CONTROLLER INTERFACE UNIT, FIBER OPTIC (METRIC), GENERAL SPECIFICATION FOR REVIEWER: AS EC | A | 6030 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-C-24733/1 | CONTROLLER INTERFACE UNIT, FIBER OPTIC, 2 FIBER CHANNELS, MULTIMODE FIBER (METRIC) REVIEWER: AS EC | A | 6030 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-F-24734 | FIBERSCOPE, FIBER OPTIC (METRIC), GENERAL SPECIFICATION FOR REVIEWER: AS EC | A | 6035 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-F-24734/1 | FIBERSCOPE, FIBER OPTIC TYPE F, STYLE 1, CLASS 1, OPTIONS F (METRIC) REVIEWER: AS EC | A | 6035 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-F-24734/2 | FIBERSCOPE, FIBER OPTIC TYPE R, STYLE 4, CLASS 1, OPTIONS S (METRIC) REVIEWER: AS EC | A | 6035 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-T-24735 | TRANSMITTERS, LIGHT SIGNAL, ANALOG, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR REVIEWER: AS EC | A | 6025 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-T-24735/1 | TRANSMITTER, ANALOG, FIBER OPTIC, SHIPBOARD, 0.5 TO 60 MHZ (0.5 DB PASSBAND) (METRIC) REVIEWER: AS EC | A | 6025 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-M-24736 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMULTIPLEXERS (MULDEMS), TIME-DIVISION, FIBER OPTIC INTERFACEABLE, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR REVIEWER: AS EC | A | 6008 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-M-24736/1 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMULTIPLEXERS (MULDEMS), MULTIPLEXER, TIME-DIVISION, FIBER OPTIC INTERFACEABLE, SHIPBOARD, 8:1 CHANNELS, 311 MBPS PER INPUT CHANNEL (METRIC) REVIEWER: EC | A | 6008 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-M-24736/2 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMULTIPLEXERS (MULDEMS), DEMULTIPLEXER, TIME-DIVISION, FIBER OPTIC INTERFACEABLE, SHIPBOARD, 1:8 CHANNELS, 311 MBPS PER OUTPUT CHANNEL (METRIC) REVIEWER: AS EC | A | 6008 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-R-24737 | RECEIVERS, LIGHT SIGNAL, ANALOG, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR REVIEWER: AS EC | A | 6026 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-R-24737/1 | RECEIVER, LIGHT SIGNAL, ANALOG, FIBER OPTIC, SHIPBOARD, 0.5 TO 60 MHZ (0.5 DB PASSBAND) (METRIC) REVIEWER: AS EC | A | 6026 | SH | 31-AUG-89 | | SH | | |
| | L | MIL-M-24738 | MONITORS, HIGH TEMPERATURE MOTOR PROTECTION ..... | A | 6625 | SH | 11-JAN-90 | | SH | | |
| | L | MIL-I-24739A(1) | INFLATION ASSEMBLY, AUTOMATIC/MANUAL, LIFE PRESERVER ..... | A | 4220 | SH | 24-MAY-91 | | SH | | |
| | L | MIL-V-24740 | VALVE, SAFETY: BOILER, REMOTE PILOT OPERATED, FOR SHIPBOARD USE ..... | A | 4820 | SH | 31-MAY-90 | | SH | | |
| N | | MIL-A-24741 | ASSEMBLIES, METAL ELECTRICAL BACKPLANE, ONE AND TWO LAYER, GENERAL SPECIFICATION FOR | A | 5998 | SH | 19-JAN-90 | ER | SH | 85 | |
| | L | MIL-T-24742 | TRANSDUCER, PRESSURE AND DIFFERENTIAL PRESSURE, MINIATURE (ELECTRICAL) (NAVAL SHIPBOARD USE) | A | 6685 | SH | 26-APR-90 | | SH | | |
| | | MIL-E-24743 | ENCLOSURE, COMMON ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR REVIEWER: GS | A | 5975 | MW | 29-NOV-91 | ER | MW | 85 | |
| | L | MIL-S-24744 | SCRUBBING MACHINE, DECK, SELF PROPELLED, SHIPBOARD ..... | A | 3825 | SH | 14-NOV-90 | | SH | | |
| | L | MIL-G-24745 | GOVERNORS, STEAM DRIVEN PUMP, PRESSURE REGULATING, NAVAL SHIPBOARD, 600 POUNDS PER SQUARE INCH STEAM SERVICE | A | 4820 | SH | 04-SEP-90 | | SH | | |
| | L | MIL-C-24746 | COOLERS, UNIT FORCED AIR FOR SHIP'S REFRIGERATED STORES ..... | A | 4110 | SH | 31-DEC-90 | | SH | | |
| | L | MIL-T-24747 | TECHNICAL REPAIR STANDARDS (TRS) MANUAL: PREPARATION OF ..... | A | TMSS | SH | 27-FEB-91 | | SH | | |
| | L | MIL-G-24748 | GASKETS, METALLIC AND RUBBER, FOR USE IN UNION PIPE FITTINGS 1/4 TO 2-INCH NPS WITH VARIOUS FLUIDS FROM -30 DEG. F (-34 DEG. C) TO 425 DEG. F (218 DEG. C) | A | 5330 | SH | 30-NOV-90 | | SH | | |
| | L | MIL-S-24749 | STRAPS, ELECTRICAL GROUNDING (METRIC) GENERAL SPECIFICATION FOR ..... | A | 5975 | SH | 13-AUG-90 | | SH | | |
| | | MIL-R-24750 | ROPE, FIBROUS, SINGLE-BRAIDED 12 STRAND POLYESTER REVIEWER: 82 ..... | A | 4020 | SH | 30-AUG-90 | GL | SH | 99 | |
| | L | MIL-F-24751 | FANS, VANEAXIAL GAS TURBINE ENCLOSURE COOLING NAVAL SHIPBOARD ..... | A | 4140 | SH | 01-NOV-90 | | SH | | |
| | L | MIL-P-24752 | PACKING MATERIAL, FLAX OR HEMP ..... | A | 5330 | SH | 01-OCT-90 | | SH | | |
| | L | MIL-W-24753 | WASHER, HIGH PRESSURE, DIESEL POWERED ..... | A | 4940 | SH | 22-JAN-91 | | SH | | |
| | L | MIL-W-24754 | WASHER, HIGH PRESSURE, ELECTRIC ..... | A | 4940 | SH | 06-NOV-90 | | SH | | |
| | L | MIL-F-24755 | FANS, VANEAXIAL, HIGH PRESSURE, NAVAL SHIPBOARD ..... | A | 4140 | SH | 27-DEC-90 | | SH | | |
| | L | MIL-C-24756 | CURTAINS AND BLANKETS, SMOKE, PORTABLE ..... | A | 4210 | SH | 09-NOV-90 | | SH | | |
| | L | MIL-C-24757 | CLOTH, FIBERGLASS, COATED ..... | A | 4210 | SH | 09-NOV-90 | | SH | | |
| | | MIL-C-24758 SUPPL 1A1 | CONDUIT, FLEXIBLE, WEATHERPROOF, AND ASSOCIATED FITTINGS GENERAL SPECIFICATION FOR | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/1 | CONDUIT, FLEXIBLE, WEATHERPROOF ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/2 | CONDUIT, FLEXIBLE, WEATHERPROOF, STRAIGHT CONDUIT FITTING ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/3 | CONDUIT, FLEXIBLE, WEATHERPROOF, 45 DEGREE CONDUIT FITTING ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/4 | CONDUIT, FLEXIBLE, WEATHERPROOF, 90 DEGREE CONDUIT FITTING ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/5 | CONDUIT, FLEXIBLE, WEATHERPROOF, CONDUIT-TO-PANEL FITTING ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/6 | CONDUIT, FLEXIBLE, WEATHERPROOF, CONDUIT-TO-PIPE EXTERNALLY THREADED (TAPERED) FITTING | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/7 | CONDUIT, FLEXIBLE, WEATHERPROOF, CONDUIT-TO-STUFFING TUBE (MIL-S-24235) FITTING | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/8 | CONDUIT, FLEXIBLE, WEATHERPROOF, CONDUIT-TO-CONDUIT FITTING ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/9 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MIL-C-5015 CONNECTORS ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/10 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR TRIAXIAL CONNECTORS ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/11 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR COAXIAL CONNECTORS ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/12 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MIL-C-26482 CONNECTORS ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/13 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MS3155-TYPE CONNECTORS ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/14 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MIL-C-28840 (EC) BACKSHELLS .. | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/15 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MIL-S-24235 STUFFING TUBES ... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/16 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MISCELLANEOUS THREADED FITTINGS | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/17 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR PIPE THREAD (TAPERED) ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/18 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR PIPE THREAD (STRAIGHT) ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-C-24758/19 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR PANEL TERMINATION ..... | A | 5975 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-E-24759 | EDUCTOR ASSEMBLY, IN-LINE, 90 GALLONS PER MINUTE, PORTABLE AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE | A | 4210 | SH | 05-AUG-91 | | SH | | |
| | L | MIL-S-24760 | STEAM TURBINE ELECTRONIC OVERSPEED PROTECTION SYSTEM ..... | A | 2820 | SH | 27-JAN-92 | | SH | | |
| | L | MIL-V-24761 | VENTILATING SETS, PORTABLE DAMAGE CONTROL ..... | A | 4140 | SH | 17-JUN-91 | | SH | | |
| | L | MIL-E-24762 | ENCLOSURES FOR ELECTRONIC EQUIPMENT, SURVIVABLE, NAVAL SHIPBOARD USE ..... | A | 59GP | SH | 28-MAY-91 | | SH | | |
| | L | MIL-E-24763 | ENAMEL, EMULSION TYPE, FOR SHIPBOARD USE ..... | A | 8010 | SH | 08-OCT-91 | | SH | | |
| N | | MIL-P-24764 | POWER SUPPLIES, SHIPBOARD, ELECTRONIC GENERAL SPECIFICATION FOR REVIEWER: GS | A | 6130 | SH | 29-NOV-91 | ER | SH | 99 | |
| M | | MIL-P-24764/1(1) | POWER SUPPLIES, SHIPBOARD, ELECTRONIC 5 VOLTS, KEY CODE AA3A REVIEWER: GS . | A | 6130 | MW | 31-MAR-93 | ER | SH | 99 | |
| A | | MIL-P-24764/2 | POWER SUPPLIES, SHIPBOARD, ELECTRONIC 5 VOLTS AND PLUS SIGN OR MINUS 15 VOLTS, KEY CODE B83A REVIEWER: GS | A | 6130 | MW | 16-DEC-92 | ER | SH | 99 | |
| N | | MIL-P-24764/3 | POWER SUPPLIES, SHIPBOARD, ELECTRONIC 28 VOLTS, KEY CODE CC3A REVIEWER: GS | A | 6130 | MW | 31-MAR-93 | ER | MW | 99 | |
| D | L | MIL-P-24765 | POWER SUPPLY, UNINTERRUPTIBLE, STATIC (NAVAL SHIPBOARD) REVIEWER: EC YD1 .. | A | 6130 | SH | 19-NOV-91 | | SH | | |
| D | | MIL-T-24766 | TITANIUM FORGINGS AND FORGINGS STOCK, HIGH QUALITY FOR SHIPS SERVICE REVIEWER: 20 ME YD1 | A | FORG | SH | 02-MAR-92 | MR | SH | 99 | |
| A | | MIL-I-24768(2) SUPPL 1A1 | INSULATION, PLASTICS, LAMINATED, THERMOSETTING: GENERAL SPECIFICATION FOR USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 08-DEC-92 | ER | SH | 11 | |

| Action | OPR / Orig. Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | | MIL-I-24768/1(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, MELAMINE-RESIN (GME) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 08-DEC-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/2(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEE) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 08-DEC-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/3(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEB) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 08-DEC-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/4 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-1) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/5 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-2) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/6 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-3) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/7(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, POLYTETRAFLUOROETHYLENE-RESIN (GTE) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 08-DEC-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/8 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, MELAMINE-RESIN (GMG) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/9 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, NYLON-FABRIC-BASE, PHENOLIC-RESIN (NPG) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/10 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/11 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/12 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/13 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBE) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/14 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBG) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/15 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBI) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/16 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBM) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/17 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, SILICONE-RESIN (GSG) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/18 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, PHENOLIC-RESIN (GPG) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/19 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/20 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-PC) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/21 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG-P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/22 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG-P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/23 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE-PC) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/24 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-PF) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/25 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE-PCF) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/26 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, EPOXY-RESIN (PEE) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/27(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEE-F) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 08-DEC-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/28(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEB-F) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 08-DEC-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/29(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, CONTINUOUS FILAMENT, GLASS-CLOTH, EPOXY-RESIN (CEM-1) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 08-DEC-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/30(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, CONTINUOUS FILAMENT, GLASS-CLOTH, EPOXY-RESIN (CEM-3) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 08-DEC-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/31 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-1P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/32 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-2P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| A | | | MIL-I-24768/33 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-3P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS | A | 5970 | SH | 25-FEB-92 | ER | SH | 11 | | |
| | L | | MIL-C-24769 | CRANE, ROTATING SHIPBOARD | A | 3950 | SH | 16-MAR-92 | | SH | | | |
| | L | | MIL-C-24770 | CARTRIDGES, BROMINE, FOR POTABLE WATER DISINFECTION | A | 4610 | SH | 20-MAR-92 | | SH | | | |
| | L | | MIL-S-24771 | SENSOR, LEVEL, FLOAT TYPE, SHIPBOARD SEWAGE SYSTEMS | A | 5930 | SH | 08-APR-92 | | SH | | | |
| | L | | MIL-I-24772 | INDICATOR, OXYGEN, COMBUSTIBLE GAS, CARBON MONOXIDE, AND HYDROGEN SULFIDE, PORTABLE (METRIC) | A | 5665 | SH | 17-MAR-92 | | SH | | | |
| M | L | | MIL-L-24773A | LITHIUM BROMIDE ANHYDROUS AND LITHIUM BROMIDE BRINE | A | 6810 | SH | 25-MAY-93 | | SH | | | |
| A | L | | MIL-C-24774 | CHAIN, STUD LINK, ANCHOR, FLASH BUTT WELDED, NONMAGNETIC | A | 4010 | SH | 07-JUL-92 | | SH | | | |
| A | L | | MIL-A-24775 | AIR CONDITIONING FAN COIL UNITS, HORIZONTAL AND VERTICAL TYPES, NAVAL SHIPBOARD | A | 4120 | SH | 13-JUL-92 | | SH | | | |
| | L | | MIL-H-24776 | HYDRAZINE TEST KIT, NAVAL SHIPBOARD (METRIC) | A | 6810 | SH | 08-JUN-92 | | SH | | | |
| A | L | | MIL-L-24778 | LIFE PRESERVER, UTILITY, AUTO-INFLATABLE, MK 5, MOD 0 | A | 4220 | SH | 17-DEC-92 | | SH | | | |
| A | L | | MIL-A-24780 | ACTUATING ASSEMBLY, SINGLE LINEAR MOTION, FOR THE REMOTE ACTUATION OF QUICK ACTING VALVES, GENERAL SPECIFICATION FOR | A | 4820 | SH | 30-OCT-92 | | SH | | | |
| A | L | | MIL-B-24781 | BATTERBOARD SYSTEMS, SYNTHETIC | A | 2040 | SH | 04-JAN-93 | | SH | | | |
| N | L | | MIL-I-24783 | ISOLATOR, RING TYPE, PRESSURE, FOR SHIPBOARD SEWAGE SERVICE | A | 4730 | SH | 15-APR-93 | | SH | | | |
| A | L | | MIL-H-24900A | HAT, COMBINATION, WOMAN'S (COAST GUARD) USER: CG | A | 8410 | CT | 06-NOV-89 | | NU | | | CT |
| A | L | | MIL-C-24903B | CLOTH, ELASTIQUE, POLYESTER/WOOL REVIEWER: CG | A | 8305 | CT | 07-SEP-90 | | NU | | | CT |
| A | | | MIL-G-24909A | GLOVE, LEATHER USER: 45 CG REVIEWER: 82 99 MC | A | 8440 | CT | 13-NOV-86 | GL | NU | 11 | CT | |
| A | | | MIL-C-24910B | CLOTH, TROPICAL: POLYESTER AND WOOL REVIEWER: MD | A | 8305 | CT | 27-JAN-92 | GL | NU | | | CT |
| A | L | | MIL-H-24913 | MASK, EXTREME COLD WEATHER, DRY AND WET COLD USER: MC REVIEWER: SH | A | 8415 | CT | 06-JAN-84 | | NU | | | CT |
| A | L | | MIL-A-24914 | ARM SLEEVE, RADIOACTIVE CONTAMINANTS, PROTECTIVE | A | 8415 | CT | 22-MAY-84 | | NU | | | CT |
| A | L | | MIL-C-24915A NOTICE 1 | CLOTH, DENIM, COTTON (FLAME RETARDANT TREATED) REVIEWER: MD | A | 8305 | CT | 06-FEB-91 | | NU | | | CT |
| A | | | MIL-C-24916A | CLOTH, CHAMBRAY, COTTON (FLAME RETARDANT TREATED) | A | 8305 | CT | 09-JAN-91 | GL | NU | 99 | CT | |
| A | | | MIL-S-24917 | SOCK,MENS, ACRYLIC NY LON, RIBBED, STRETCH TYPE USER: 45 REVIEWER: 82 99 | A | 8440 | CT | 09-JAN-85 | | NU | 11 | CT | |
| A | | | MIL-R-24918B | COAT, ALL-WEATHER, MAN'S, W/REMOVABLE LINER REVIEWER: 82 89 | A | 8405 | CT | 17-MAR-92 | | | 11 | CT | |
| A | L | | MIL-R-24919A | RAINCOAT, WOMEN'S, W/REMOVABLE LINER (CG) REVIEWER: CG | A | 8410 | CT | 15-NOV-88 | | NU | | | CT |
| A | | | MIL-C-24920A | COAT, ALL WEATHER, MAN S, WITH REMOVABLE LINER | A | 8405 | CT | 15-JAN-88 | | | | | CT |
| A | | | MIL-C-24921A | COAT, ALL WEATHER, WOMANS, WITH REMOVABLE LINER | A | 8410 | CT | 15-JAN-88 | | | | | CT |
| A | L | | MIL-S-24922 | SWEATER, MAN S (FLAME RETARDANT) | A | 8405 | CT | 17-MAY-85 | | NU | | | CT |
| A | L | | MIL-S-24923 | SHIRT, UTILITY, WOMAN S, POLYESTER/COTTON (CG) REVIEWER: CG | A | 8410 | CT | 29-JUL-85 | | NU | | | CT |
| A | | | MIL-H-24925 | HOOD, FIREMAN'S ALUMINIZED, PROXIMITY, WITH LIFT-UP VISOR | A | 8415 | CT | 14-SEP-87 | GL | NU | 99 | CT | |
| A | L | | MIL-O-24926A | OVERCOAT, WOMAN'S, ENLISTED | A | 8410 | CT | 03-APR-90 | | NU | | | CT |
| A | L | | MIL-C-24927A | CLOTH, TWILL, POLYESTER/COTTON (DURABLE PRESS) USER: MC | A | 8305 | CT | 01-OCT-91 | | NU | | | CT |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | MIL-C-24929A(1) | CLOTH, LAMINATED, ALUMINIZED (PARA-ARAMID BASE) USER: CG REVIEWER: 50 82 MC MD | A | 8305 | CT | 04-JAN-93 | GL | MU | 99 | CT | |
| A L | MIL-C-24930 | CAP, COLD WEATHER | A | 8415 | CT | 01-JUL-87 | | MU | | CT | |
| A | MIL-C-24931 | CLOTH, PLAIN WEAVE, ARAMID, WATER REPELLENT USER: MC REVIEWER: 82 | A | 8305 | CT | 15-JUL-87 | GL | MU | 99 | CT | |
| A | MIL-C-24932 | CLOTH, KNITTED, FLAME RESISTANT RAYON/WOOL PILE USER: MC REVIEWER: 82 | A | 8305 | CT | 16-JUL-87 | | MU | 99 | CT | |
| A | MIL-C-24933 | CLOTH, FLANNEL, COTTON(FLAME RETARDANT TREATED) REVIEWER: 82 MD | A | 8305 | CT | 23-JUN-87 | | | 99 | CT | |
| A L | MIL-G-24934 | GLOVES, FIREMEN'S | A | 8415 | CT | 20-SEP-88 | | MU | | CT | |
| A L | MIL-C-24935 | COVERALLS, FIREMEN'S REVIEWER: CG | A | 8415 | CT | 22-DEC-88 | | MU | | CT | |
| A | MIL-H-24936 | HOOD, ANTI-FLASH, FLAME RESISTANT REVIEWER: 82 | A | 8415 | CT | 01-JUL-87 | GL | MU | 99 | CT | |
| A L | MIL-C-24937 | CAP, COMBINATION, MAN'S, (CG) REVIEWER: CG | A | 8405 | CT | 24-SEP-87 | | MU | | CT | |
| A | MIL-C-24938 | COATS, FIREMEN'S, STRUCTURAL/ALUMINIZED PROXIMITY USER: 45 CG SH REVIEWER: 50 82 MC MD | A | 8415 | CT | 30-SEP-88 | GL | MU | 99 | CT | |
| A | MIL-C-24939 | CLOTH, RIPSTOP, PARA-ARAMID/PBI, WATER REPELLENT USER: 45 REVIEWER: 50 82 AS MC SH | A | 8305 | CT | 30-SEP-88 | | MU | 99 | CT | |
| A | MIL-T-24940 | TROUSERS, FIREMEN'S, STRUCTURAL/ALUMINIZED PROXIMITY USER: SH REVIEWER: 82 MC MD | A | 8415 | CT | 30-SEP-88 | GL | MU | 99 | CT | |
| A | MIL-C-24941 | CLOTH, LAMINATED, ALUMINIZED (PARA-ARAMID/PBI BASE) USER: 45 CG REVIEWER: 50 82 MC MD | A | 8305 | CT | 30-SEP-88 | GL | MU | 99 | CT | |
| A | MIL-L-24942 | LINER, FIREMAN'S TROUSER, QUILTED USER: 45 CG SH REVIEWER: 50 82 MC | A | 8415 | CT | 27-SEP-88 | | MU | 99 | CT | |
| A | MIL-L-24943 | LINER, FIREMAN'S COAT, QUILTED USER: 45 CG SH REVIEWER: 50 82 MC | A | 8415 | CT | 27-SEP-88 | | MU | 99 | CT | |
| A L | MIL-C-24945 | COVERALLS, FLAME RESISTANT (COTTON FRT) | A | 8415 | CT | 15-JUN-88 | | MU | | CT | |
| A | MIL-C-24946 | CLOTH, TWILL, COTTON (FLAME RETARDANT TREATED) USER: CG MC REVIEWER: MD | A | 8305 | CT | 13-JUN-88 | GL | MU | | CT | |
| A | MIL-B-24947 | BADGE, BREAST, IDENTIFICATION (U.S. COAST GUARD USER: CG | A | 8455 | CT | 14-JUN-88 | | | | CT | |
| A | MIL-S-24948A | SLACKS, WOMEN'S (WITH SIDE POCKETS) | A | 8410 | CT | 10-FEB-93 | | MU | | CT | |
| A L | MIL-J-24949 | JUMPER, WOMAN'S, WHITE | A | 8410 | CT | 17-JUL-89 | | MU | | CT | |
| A L | MIL-S-24950 | SHIRT, MAN'S DRESS WHITE, LONG SLEEVE (CG) | A | 8405 | CT | 11-OCT-89 | | MU | | CT | |
| L | MIL-F-24951 | FUEL OIL RECLAIMED | A | 9140 | SA | 01-FEB-83 | | SA | | | |
| | MIL-T-24960 | TRUCKS, LIFT, DIESEL ENGINE DRIVEN, PNEUMATIC RUBBER TIRES WITH TELESCOPING TOPHANDLER FOR HANDLING ISO & MILITARY CARGO CONTAINERS USER: MC SH REVIEWER: CS MT OS SM | A | 3930 | SA | 07-MAR-88 | ME | SA | 84 | | |
| Q | MIL-G-25013E NOTICE 1 | GREASE, AIRCRAFT, BALL AND ROLLER BEARING, NATO CODE NUMBER G-372, METRIC [VALIDATION DATE: 9110] USER: OS REVIEWER: 68 PS SH | A | 9150 | AS | 28-OCT-91 | ME | AS | 11 | | |
| Q | MIL-I-25017E | INHIBITOR, CORROSION/LUBRICITY IMPROVER, FUEL SOLUBLE (METRIC) USER: AT REVIEWER: 68 AV EA GS MD SH | A | 6850 | 11 | 15-JUN-89 | ME | AS | 11 | | |
| Q | MIL-V-25023B(2) | VALVE, FUEL DRAIN, SELF-LOCKING [VALIDATION DATE: 8209] REVIEWER: MI | A | 4820 | 82 | 08-JUL-69 | AV | AS | 99 | | |
| QL | MIL-I-25026B | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-4 REVIEWER: GS | A | 6685 | 82 | 15-FEB-85 | | | 99 | | |
| Q | MIL-N-25027E(5) SUPPL 1A1 | NUT, SELF-LOCKING, 250 DEG. F, 450 DEG. F, AND 800 DEG. F REVIEWER: 82 AV 15 MI OS SH | A | 5310 | AS | 06-AUG-90 | AR | AS | 99 | | |
| L | MIL-N-25027/1 | NUT, SELF-LOCKING, HEAVY HEX, (NON-METALLIC INSERT) 250 DEG. F, UNJC-3B, 1/4 THROUGH 2-1/2 INCH NOMINAL DIAMETERS, NICKEL-COPPER ALLOY | A | 5310 | SH | 14-JUL-89 | | SH | | | |
| Q | MIL-W-25038E NOTICE 1 | WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8811] USER: ME OS REVIEWER: 11 99 AR AV IS MI | A | 6145 | 85 | 03-NOV-88 | CR | AS | 85 | | |
| | MIL-W-25038/1C | WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, NORMAL WEIGHT USER: AV OS REVIEWER: 99 AR ES MI | A | 6145 | 85 | 20-SEP-91 | CR | AS | 85 | | |
| | MIL-W-25038/3B | WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, LIGHT WEIGHT, SMALL DIAMETER USER: AV OS REVIEWER: 99 AR ES MI | A | 6145 | 85 | 20-SEP-91 | CR | AS | 85 | | |
| | MIL-R-25042B | RESIN, POLYESTER, HIGH TEMPERATURE RESISTANT, LOW PRESSURE LAMINATING, [VALIDATION DATE: 8004] USER: AT AV ME REVIEWER: 17 GS OS | A | 9330 | AS | 12-SEP-67 | MR | AS | 11 | | |
| | MIL-S-25043C | STEEL PLATE, SHEET, AND STRIP, 17-7 PH, CORROSION RESISTANT, PRECIPITATION HARDENING [VALIDATION DATE: 8407] USER: AT REVIEWER: EA IS MI | A | 9515 | AS | 05-NOV-65 | MR | AS | 11 | | |
| Q | MIL-K-25049C | KNOB, CONTROL, ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR REVIEWER: 82 99 AR AV IS MI OS SH | A | 5355 | AS | 28-MAR-84 | ER | AS | 11 | | |
| | MIL-C-25050A(2) | COLORS, AERONAUTICAL LIGHTS AND LIGHTING EQUIPMENT, GENERAL SPECIFICATION FOR USER: ME REVIEWER: 99 GS MI | A | 6220 | AS | 30-MAR-89 | AV | AS | 11 | | |
| | MIL-P-25062B(1) | PARACHUTE RECOVERY SYSTEM, MISSILE AND DRONE, GENERAL REQUIREMENT FOR DEVELOPEMENT OF [VALIDATION DATE: 8205] REVIEWER: 99 | A | 1670 | AS | 27-MAY-71 | MI | AS | | | |
| | MIL-S-25073A | SEAT, AIRCRAFT [VALIDATION DATE: 8908] | A | 1680 | 82 | 25-AUG-89 | AV | | 99 | | |
| L | MIL-R-25085C(3) | ROCK, BOMB, AIRCRAFT, ELECTRIC, TYPE MB&3A | A | 1095 | 84 | 19-MAR-82 | | | 99 | | |
| QL | MIL-I-25091B | INDICATOR, CABIN AIR PRESSURE, PRESSURIZED AIRCRAFT, 1-7/8 INCH DIAL, TYPE MA-2 REVIEWER: GS | A | 6685 | 82 | 25-MAR-85 | | | 99 | | |
| L | MIL-C-25107B NOTICE 1 | CARBON REMOVAL COMPOUND, ORTHODICHLOROBENZENE, FOR ENGINE PARTS [VALIDATION DATE: 8707] REVIEWER: GS OS | A | 6850 | 11 | 30-JUL-87 | | | 11 | | |
| L | MIL-E-25109 NOTICE 1 | ENGINE, AIRCRAFT, RECIPROCATING, GENERAL SPECIFACTION FOR [VALIDATION DATE: 8708] | A | 2810 | AS | 25-AUG-87 | | AS | | | |
| L | MIL-E-25110 NOTICE 2 | ENGINE, AIRCRAFT, RECIPOCATING, MODEL SPECIFICATION FOR (OUTLINE AND INSTRUCTIONS F OR PREPARATION) [VALIDATION DATE: 8708] | A | 2810 | AS | 25-AUG-87 | | AS | | | |
| L | MIL-E-25112 NOTICE 1 | ENGINE, AIRCRAFT, RECIPROCATING,ACCEPTANCE TESTS FOR [VALIDATION DATE: 8509] REVIEWER: 99 | A | 2810 | AS | 07-FEB-55 | | AS | | | |
| L | MIL-E-25113 NOTICE 2 | ENGINE, AIRCRAFT, RECIPOCATING, PRELIMINARY FLIGHT RATING TEST FOR [VALIDATION DATE: 8708] | A | 2810 | AS | 25-AUG-87 | | AS | | | |
| M L | MIL-I-25120C | INDICATOR, INSTRUMENT LANDING, AIRPORT RUNWAY | A | 6610 | 71 | 01-JUN-93 | | | 99 | | |
| QL | MIL-I-25130B NOTICE 1 | INDICATOR, PHESSURE, OIL, 0-300 PSI, TYPE MO-1 [VALIDATION DATE: 9110] | A | 6620 | AS | 16-OCT-91 | | AS | | | |
| QL | MIL-R-25134B(2) | REMOVER, PAINT AND LACQUER, SOLVENT TYPE | A | 8010 | 84 | 10-SEP-79 | | | 99 | | |
| Q | MIL-I-25135E | INSPECTION MATERIALS, PENETRANTS USER: ME REVIEWER: 68 99 DS EA GS OS SH | A | 6850 | 11 | 26-JUN-89 | | AS | 11 | | |
| L | MIL-W-25136(1) NOTICE 2 | WIRE W-106 AND W-106-A [VALIDATION DATE: 7903] REVIEWER: 11 IS | A | 6145 | 85 | 10-JAN-63 | | | 85 | | |
| | MIL-W-25140B | WEIGHT AND BALANCE CONTROL SYSTEM (FOR AIRCRAFT AND ROTORCRAFT [VALIDATION DATE: 8410] | A | 1500 | AS | 31-OCT-77 | AV | AS | 11 | | |
| Q | MIL-N-25161C(3) | NOZZLE, AERIAL PRESSURE REFUELING, TYPE MA-2 | A | 1680 | 82 | 12-FEB-81 | | AS | 99 | | |
| Q | MIL-C-25162B(1) | COUPLING, RECEPTION, FLIGHT PRESSURE REFUELING, TYPE MA-2 REVIEWER: 82 | A | 1680 | AS | 14-AUG-85 | | AS | 99 | | |
| L | MIL-R-25170B NOTICE 1 | RELEASE, AUTOMATIC, AIRCRAFT SAFETY LAP BELT [VALIDATION DATE: 8909] | A | 1680 | 82 | 27-SEP-89 | | | 99 | | |
| L | MIL-F-25173A(2) | FASTENER, CONTROL PANEL, AIRCRAFT EQUIPMENT [VALIDATION DATE: 7208] REVIEWER: 99 IS MI | A | 5325 | AS | 23-NOV-59 | | AS | | | |
| A L | MIL-A-25175C(1) | AIR TRANSPORT, NONTACTICAL, PACKING FOR [VALIDATION DATE: 8112] REVIEWER: 99 EA MT SH | A | PACK | 69 | 03-MAY-76 | | | 69 | | |
| | MIL-T-25186A(3) | TOILET, AIRCRAFT, CHEMICAL REVIEWER: CS | A | 4510 | 84 | 10-SEP-82 | | AS | 99 | | |
| L | MIL-T-25193B | TRANSMITTER, REMOTE COMPASS, TYPE C-2 (UNSTABILIZED) [VALIDATION DATE: 8304] REVIEWER: 99 | A | 6605 | AS | 27-MAR-61 | | AS | | | |
| L | MIL-C-25200B NOTICE 1 | CABLE ASSEMBLY, SPECIAL WEAPON, ELECTRICAL, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8602] REVIEWER: 79 | A | 1190 | 15 | 12-FEB-86 | | | 15 | | |
| A LI | MIL-L-25242B NOTICE 2 | LOADING DEVICE, PRACTICE BOMB, TYPE MD-1 | A | 1190 | 79 | 26-MAR-93 | | | 79 | | |
| | MIL-T-25307D | TRANSMITTER, PHESSURE, HYDRAULIC, TYPE MJ&1 | A | 6685 | 82 | 21-AUG-85 | AV | AS | 99 | | |
| QL | MIL-G-25308B(2) | GAGE, PRESSURE, DIAL INDICATING, HYDRAULIC, TYPE ME&1 REVIEWER: GS | A | 6685 | 82 | 21-OCT-74 | | | 99 | | |
| L | MIL-I-25324C | INDICATOR, RATE OF FLOW, FUEL, 0-12,000 PPH | A | 6620 | 71 | 15-JUN-92 | | | 99 | | |
| L | MIL-I-25325A(1) NOTICE 3 | INDICATOR, RATE OF FLOW, FUEL, TOTALIZING, 0-100,000 PPH, TYPE MA-8 [VALIDATION DATE: 9110] | A | 6620 | AS | 16-OCT-91 | | AS | | | |
| L | MIL-B-25337B(1) | BOTTLE ASSEMBLIES, VACUUM, AIRCRAFT REVIEWER: 03 | A | 7330 | 84 | 08-SEP-82 | | | 99 | | |
| M L | MIL-I-25356B | INDICATOR, INSTRUMENT LANDING, AIRPORT RUNWAY | A | 6610 | 71 | 01-JUN-93 | | | 99 | | |
| A | MIL-W-25361E | WEBBING, TEXTILE, POLYESTER, LOW ELONGATION USER: 45 REVIEWER: MI | A | 8305 | CT | 09-APR-90 | GL | | 99 | CT | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Doc. Number | Document Title | Date, Simp. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| L | MIL-A-25367B | ANTENNA AT&536-ARN | A 5826 | 84 | 25-MAY-88 | | | 99 | |
| | MIL-C-25369C | CYLINDER, CARBON DIOXIDE, FOR INFLATION OF PNEUMATIC LIFE PRESERVERS REVIEWER: 11 84 AS CS | A 4220 | 82 | 23-AUG-83 | ME | SH | 99 | |
| L | MIL-L-25370D | LIFE PRESERVER INFLATING ASSEMBLY, MA-1 (VALIDATION DATE: 7305) REVIEWER: CS | A 4220 | 82 | 04-OCT-66 | | | 99 | |
| Q | MIL-P-25374B | PLASTIC SHEET, ACRYLIC, MODIFIED, LAMINATED REVIEWER: GS | A 9330 | AS | 20-NOV-85 | MR | AS | 11 | |
| L | MIL-F-25381A NOTICE 1 | FLIGHT TESTING, ELECTRIC SYSTEM, PILOTED AIRCRAFT AND GUIDED MISSILE, GENERAL REQUIREMENTS FOR (VALIDATION DATE: 8802) REVIEWER: 99 | A MISC | 11 | 26-FEB-88 | | | 11 | |
| | MIL-S-25392B | SANDWICH CONSTRUCTION, PLASTIC RESIN, GLASS FABRIC BASE, LAMINATED FACINGS AND POLYURETHANE FOAMED-IN-PLACE CORE, FOR AIRCRAFT STRUCTURAL APPLICATIONS (VALIDATION DATE: 8004) REVIEWER: 99 GS | A 9330 | AS | 08-MAY-68 | | AS | 11 | |
| | MIL-P-25395B | PLASTIC MATERIAL, HEAT RESISTANT, LOW PRESSURE LAMINATED GLASS FIBER BASE, POLYESTER RESIN REVIEWER: GS | A 9330 | AS | 25-MAR-86 | | AS | 11 | |
| L | MIL-R-25410G | REGULATORS, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE BREATHING REVIEWER: AV GS | A 1660 | AS | 15-APR-91 | | AS | | |
| | MIL-P-25421B NOTICE 1 | PLASTIC MATERIALS, GLASS FIBER BASE - EPOXY RESIN, LOW PRESSURE LAMINATED (VALIDATION DATE: 9110) USER: 17 EC REVIEWER: 84 ER GS MI MR OS SH | A 9330 | AS | 28-OCT-91 | AV | AS | 11 | |
| Q | MIL-C-25427A(1) | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT (VALIDATION DATE: 8304) REVIEWER: AT CS MI | A 4730 | AS | 08-JAN-63 | | AS | 99 | |
| | MIL-T-25435B(1) | TRANSMITTER, PRESSURE, AIRCRAFT VARIABLE RELUCTANCE TYPE, GENERAL SPECIFICATION FOR | A 6620 | 71 | 13-JUN-88 | AV | AS | 99 | |
| L | MIL-I-25437B(1) | INDICATOR, AIRCRAFT, PRESSURE, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR REVIEWER: 99 GS | A 6685 | 82 | 22-JUN-87 | | | 11 | |
| QL | MIL-I-25438D NOTICE 1 | INDICATOR, PRESSURE, TYPE MD-2 | A 6620 | 71 | 11-JAN-88 | | | 99 | |
| QL | MIL-T-25439A(1) | TRANSMITTER, RATE OF FLOW, IN FLIGHT REFUELING, 0-10,000 PPH, TYPE MB-3 REVIEWER: GS | A 6680 | 82 | 24-JUL-81 | | | 99 | |
| QL | MIL-T-25446D | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE REVIEWER: GS | A 6685 | 82 | 12-NOV-86 | | | 99 | |
| L | MIL-T-25456B(1) NOTICE 1 | TESTER, HOSE ASSEMBLIES, HYDRAULIC, PNEUMATIC, HYDROCARBON FUEL AND OIL, AIRCRAFT AND MISSILE REVIEWER: CS | A 4940 | AV | 03-AUG-87 | AV | | | |
| Q | MIL-A-25463B NOTICE 1 | ADHESIVE, FILM FORM, METALLIC STRUCTURAL SANDWICH CONSTRUCTION (VALIDATION DATE: 9110) USER: AT OS SH REVIEWER: 11 AR AV ER ME | A 8040 | AS | 28-OCT-91 | MR | AS | 99 | |
| | MIL-L-25467D | LIGHTING, INTEGRAL, RED, AIRCRAFT INSTRUMENT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8304) REVIEWER: 99 | A 6220 | AS | 12-JUL-77 | AV | AS | 11 | |
| Q | MIL-V-25469H | VALVES, FILLER, LIQUID OXYGEN, AIRCRAFT TYPE REVIEWER: CS | A 4820 | 71 | 17-AUG-90 | | AS | 99 | |
| | MIL-H-25475B | HYDRAULIC SYSTEM, MISSILE, DESIGN, INSTALLATION TESTS, AND DATE REQUIREMENTS, GENERAL REQUIREMENTS FOR (VALIDATION DATE: 8304) | A 1410 | AS | 29-APR-71 | MI | AS | 99 | |
| | MIL-C-25478A(2) | COOLER, LUBRICATING OIL, AIRCRAFT ENGINE, SYNTHETIC OIL, GENERAL SPECIFICATION FOR | A 2935 | 71 | 04-AUG-86 | | | 99 | |
| L | MIL-I-25479A | INDICATOR, MACH NUMBER, SENSITIVE, SERVOED, RANGE .5 TO 1.0, TYPE ML-5 | A 6610 | 71 | 26-OCT-87 | | | 99 | |
| QL | MIL-I-25482C | INDICATOR, THRUST, SYNCHRO STYLE, PRESSURE RATIO SENSITIVE, 1.1-3.4 UNITS, 2 INCH SIZE, TYPE MR-2 | A 6620 | 71 | 18-DEC-86 | | | 99 | |
| L | MIL-T-25485C(2) | TRANSMITTER, THRUST, SINGLE SYNCHRO STYLE, PRESSURE RATIO, TYPE MK-2 | A 6620 | 71 | 30-MAY-92 | | | 99 | |
| L | MIL-A-25487B | ANTENNA AT&172()-ARN&14 | A 5826 | 84 | 16-MAY-87 | | | 99 | |
| | MIL-E-25499C(1) NOTICE 1 | ELECTRICAL SYSTEM, AIRCRAFT, DESIGN AND INSTALLATION OF, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8809) REVIEWER: 99 CR ER | A MISC | 11 | 30-SEP-88 | AV | AS | 11 | |
| L | MIL-M-25500B NOTICE 1 | MOCKUP TESTING, ELECTRIC SYSTEM, PILOTED AIRCRAFT AND GUIDED MISSILE, GENERAL REQUIREMENTS FOR (VALIDATION DATE: 8802) REVIEWER: 99 | A MISC | 11 | 26-FEB-88 | | | 11 | |
| | MIL-R-25506C(1) NOTICE 1 | RESIN SOLUTION, SILICONE, LOW-PRESSURE LAMINATING (VALIDATION DATE: 9110) REVIEWER: 99 AR AV GS MI | A 9330 | AS | 28-OCT-91 | MR | AS | 11 | |
| L | MIL-G-25507B | GAGE, PRESSURE, DIAL INDICATION, OXYGEN 0-2000 PSI, TYPE MF-2 | A 6685 | AS | 15-APR-91 | | AS | | |
| | MIL-P-25508E(3) NOTICE 1 | PROPELLANT, OXYGEN (VALIDATION DATE: 8808) REVIEWER: 19 | A 9135 | 68 | 22-AUG-88 | MI | AS | 68 | |
| L | MIL-V-25513E NOTICE 1 | VALVE, CHECK, FOR 300 PSI LIQUID OXYGEN CONVERTER SYSTEMS, TYPE MH-1 REVIEWER: 82 CS | A 4820 | 71 | 05-MAY-86 | | | 99 | |
| | MIL-P-25515C NOTICE 1 | PLASTIC MATERIALS, PHENOLIC RESIN, GLASS-FIBER BASE, LAMINATED (VALIDATION DATE: 9110) REVIEWER: 84 85 AR AV MI | A 9330 | AS | 28-OCT-91 | MR | AS | 11 | |
| AQ | MIL-C-25516D(6) SUPPL 1A1, NOTICE 1 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9302) REVIEWER: 99 AS ES | A 5935 | 85 | 03-FEB-93 | | EC | 85 | |
| | MIL-C-25516/16C NOTICE 1 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PRESSURIZED RECEPTACLE, SERIES IV, CLASS G, TYPE 4 (VALIDATION DATE: 8702) REVIEWER: SH | A 5935 | 85 | 27-FEB-87 | | EC | 85 | |
| | MIL-C-25516/17D NOTICE 1 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS H, TYPE 4 (VALIDATION DATE: 8702) REVIEWER: 99 AS ES | A 5935 | 85 | 27-FEB-87 | | EC | 85 | |
| | MIL-C-25516/18D NOTICE 1 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL STRAIGHT, HERMETICALLY SEALED PANEL ADAPTER, TWO JACK ENDS, SERIES III, CLASS Y, TYPE 5 (VALIDATION DATE: 8811) REVIEWER: 99 AS ES | A 5935 | 85 | 03-NOV-88 | | EC | 85 | |
| | MIL-C-25516/19C(1) NOTICE 1 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PRESSURIZED RECEPTACLE, SERIES I, CLASS G, TYPE 1 (VALIDATION DATE: 8702) REVIEWER: 99 AS ES | A 5935 | 85 | 27-FEB-87 | | EC | 85 | |
| | MIL-C-25516/20C(2) NOTICE 1 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL, PLUG, SERIES I, CLASS G, TYPE 1 (VALIDATION DATE: 8702) REVIEWER: 99 AS ES | A 5935 | 85 | 27-FEB-87 | | EC | 85 | |
| | MIL-C-25516/21C | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, ISOLATED HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS H, TYPE 2 REVIEWER: 99 AS ES | A 5935 | 85 | 19-MAY-80 | | EC | 85 | |
| | MIL-C-25516/22D NOTICE 1 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, TRIAXIAL HERMETIC ADAPTER, ISOLATED GROUND, SERIES III, CLASS Y, TYPE 6 (VALIDATION DATE: 8811) REVIEWER: 99 AS ES | A 5935 | 85 | 03-NOV-88 | | EC | 85 | |
| | MIL-C-25516/23 NOTICE 1 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE COAXIAL PLUG, TYPE 25516/23 (VALIDATION DATE: 8702) REVIEWER: 99 ES | A 5935 | 85 | 27-FEB-87 | | EC | 85 | |
| | MIL-C-25516/24 NOTICE 2 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE COAXIAL PRESSURIZED RECEPTACLE, TYPE 25516/24 (VALIDATION DATE: 9110) | A 5935 | AS | 16-OCT-91 | | AS | 85 | |
| | MIL-C-25516/25B NOTICE 1 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL HERMETICALLY SEALED RECEPTACLE, SERIES I, CLASS H, TYPE 1 (VALIDATION DATE: 8811) REVIEWER: 99 AS ES | A 5935 | 85 | 03-NOV-88 | | EC | 85 | |
| | MIL-C-25516/26A | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PLUG, SERIES I, CLASS G, TYPE 3 (VALIDATION DATE: 8702) REVIEWER: 99 AS ES | A 5935 | 85 | 27-FEB-87 | | EC | 85 | |
| Q | MIL-C-25516/27A | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS H, TYPE 4 (VALIDATION DATE: 8702) REVIEWER: 99 AS ES | A 5935 | 85 | 27-FEB-87 | | EC | 85 | |
| | MIL-C-25516/28B NOTICE 1 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, PLUG (LANYARD RELEASE), SERIES I, CLASS G, TYPE 1 (VALIDATION DATE: 8811) USER: ME OS REVIEWER: 99 AS ES SH | A 5935 | 85 | 03-NOV-88 | | EC | 85 | |
| | MIL-C-25516/29A | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS G, TYPE 4 (VALIDATION DATE: 8811) REVIEWER: 99 AS ES | A 5935 | 85 | 03-NOV-88 | | EC | 85 | |
| | MIL-P-25518B | PLASTIC MATERIALS, SILICONE RESIN, GLASS FIBER BASE, LOW PRESSURE LAMINATED USER: MC OS SH REVIEWER: 99 AV GS MI | A 9330 | AS | 29-SEP-81 | MR | AS | 11 | |
| L | MIL-G-25520B | GAGE, PRESSURE, DIAL INDICATION, OXYGEN 0-500 PSI, TYPE MF-3 | A 6685 | AS | 15-APR-91 | | AS | | |
| L | MIL-T-25524C(3) | TURBINE FUEL, AVIATION, THERMALLY STABLE REVIEWER: 68 PS | A 9130 | 11 | 07-NOV-86 | | | 11 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Q | MIL-C-25531D NOTICE 1 | COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW PRESSURE REVIEWER: CS | A | 4730 | 82 | | 21-MAR-86 | | AS | 99 | |
| L | MIL-C-25531/1 NOTICE 1 | COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW PRESSURE, DIRECT RELEASE [VALIDATION DATE: 9109] | A | 4730 | AS | | 25-SEP-91 | | AS | | |
| L | MIL-R-25532A(2) | ROCKET MOTOR, AERONAUTICAL, QUALIFICATION TEST FOR [VALIDATION DATE: 8204] REVIEWER: 14 19 99 MI | A | 1337 | 12 | | 05-MAR-65 | | | 12 | |
| L | MIL-R-25533A(1) | ROCKET MOTOR, AERONAUTICAL, MODEL SPECIFICATION FOR (OUTLINE AND INSTRUCTIONS FOR PREPARATION) [VALIDATION DATE: 8204] REVIEWER: 14 19 99 MI | A | 1336 | 12 | | 26-JUN-59 | | | 12 | |
| L | MIL-R-25534A(1) | ROCKET MOTOR, AERONAUTICAL, QUALIFICATION TEST FOR [VALIDATION DATE: 8204] REVIEWER: 19 99 MI | A | 1336 | 12 | | 26-JUN-59 | | | 12 | |
| L | MIL-R-25535A(1) | ROCKET MOTOR, AERONAUTICAL, PRELIMINARY FLIGHT RATING TEST FOR [VALIDATION DATE: 8204] REVIEWER: 19 99 MI | A | 1336 | 12 | | 26-JUN-59 | | | 12 | |
| L | MIL-R-25536A(1) | ROCKET MOTOR, AERONAUTICAL, ACCEPTANCE TEST FOR [VALIDATION DATE: 8204] REVIEWER: 14 19 99 MI | A | 1336 | 12 | | 26-JUN-59 | | | 12 | |
| Q | MIL-G-25537C(1) | GREASE, AIRCRAFT, HELICOPTER OSCILLATING BEARING, NATO CODE NUMBER G-366, METRIC REVIEWER: 68 AV GS PS | A | 9150 | AS | | 08-APR-88 | ME | AS | 11 | |
| L | MIL-C-25539B | CANDLE, ILLUMINATING, SORVIVAL, HIGH MELTING POINT [VALIDATION DATE: 8212] REVIEWER: GL GS | A | 6260 | 82 | | 21-JUL-76 | | | 99 | |
| L | MIL-A-25546C(1) NOTICE 1 | AMPLIFIER, AUDIO FREQUENCY AM-944/AIC-13 | A | 5831 | 84 | | 04-AUG-86 | | | 99 | |
| M | MIL-L-25547B(1) NOTICE 1 | LOUDSPEAKER, PERMANENT MAGNET LS-211/AIC-13 [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 ES | A | 5965 | 85 | | 24-JAN-92 | CR | EC | 85 | |
| ML | MIL-L-25547B(12) | LOUDSPEAKER, PERMANENT MAGNET, LS-211/AIC-13 [VALIDATION DATE: 8206] REVIEWER: 99 ES | A | 5965 | 85 | | 03-OCT-77 | | | 85 | |
| L | MIL-C-25548C(1) NOTICE 1 | CONTROL, PUBLIC ADDRESS SET C&I614-AIC&13 [VALIDATION DATE: 8608] | A | 5831 | 84 | | 12-AUG-86 | | | 99 | |
| L | MIL-G-25561A(3) | GRIP ASSEMBLY, CONTROLLER, AIRCRAFT, TYPE MC&2 | A | 1680 | 82 | | 14-OCT-83 | | | 99 | |
| L | MIL-R-25565E | RELEASE, PARACHUTE RIPCORD, AUTOMATIC, TYPES F-1B AND FF-1 [VALIDATION DATE: 8404] USER: GL REVIEWER: 11 | A | 1670 | 82 | | 13-AUG-74 | | | 99 | |
| | MIL-L-25567D(1) | LEAK DETECTION COMPOUND, OXYGEN SYSTEMS (METRIC) REVIEWER: 11 EA GS MI | A | 6850 | 68 | | 13-NOV-84 | AV | AS | 68 | |
| LI | MIL-R-25572A(1) NOTICE 2 | REGULATOR, OXYGEN, BAROMETRIC DEMAND, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8805] | A | 1660 | 71 | | 23-MAY-88 | | | 99 | |
| | MIL-P-25576C(2) | PROPELLANT, KEROSENE REVIEWER: 14 19 68 EA MI PS | A | 9130 | 11 | | 15-JUN-82 | ME | AS | 11 | |
| Q | MIL-H-25579E | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE MEDIUM PRESSURE, GENERAL REQUIREMENTS FOR USER: SH REVIEWER: 69 AR EA GL ME | A | 4720 | 82 | | 24-JAN-85 | AV | AS | 99 | |
| L | MIL-G-25591E(1) | GYROSCOPE, RATE, SWITCHING, TYPE MG&1 | A | 6615 | 71 | | 04-MAY-87 | | | 99 | |
| | MIL-K-25594D | KNIFE, POCKET, HOOK BLADE AND SNAP BLADE MC-1 REVIEWER: 11 GS | A | 5110 | 84 | | 14-DEC-88 | GL | | 99 | |
| QL | MIL-G-25597D(4) | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH,TYPE MD&1 | A | 6615 | 71 | | 04-AUG-86 | | | 99 | |
| L | MIL-C-25601C(2) | COUPLER, ANTENNA CU-308D/U [VALIDATION DATE: 8403] | A | 5985 | 84 | | 26-JAN-71 | | | 99 | |
| | MIL-P-25604D(1) | PROPELLANT, UNS-DIMETHYLHYDRAZINE [VALIDATION DATE: 8512] USER: SH REVIEWER: 12 19 OS | A | 9135 | 68 | | 10-APR-78 | MI | AS | 68 | |
| | MIL-C-25613D(1) | CONTROL, ALARM, AIRSPEED AND LANDING GEAR WARNING, TYPE MJ-3 [VALIDATION DATE: 8506] | A | 6340 | 82 | | 28-JUN-78 | | AS | 99 | |
| L | MIL-T-25620C | TESTER, OXYGEN MASK, HEADSET AND MICROPHONE, TYPE MQ-1A REVIEWER: GS | A | 6695 | 82 | | 23-JUL-87 | | | 99 | |
| Q | MIL-I-25623A(3) | INDICATOR, ELECTRICAL TACHOMETER, AIRCRAFT TURBO SPEED, 0-110 PERCENT RPM, 2 INCH SIZE, TYPE MU-1 (ASG) REVIEWER: 11 80 | A | 6620 | 71 | | 30-JUN-83 | | AS | 99 | |
| Q | MIL-T-25624F | TRANSMITTER, PRESSURE TRU-80/A, OIL, ENGINE-MOUNTED, 0-100 PSI [VALIDATION DATE: 8708] | X | 6620 | 71 | | 01-AUG-87 | | AS | 99 | |
| QL | MIL-T-25627C(2) | TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OR SIDESLIP | A | 6610 | 71 | | 06-NOV-87 | | | 99 | |
| L | MIL-I-25645D(2) | INDICATOR, LIQUID OXYGEN QUANTITY, CAPACITANCE TYPE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8304] REVIEWER: 99 GS | A | 6680 | 82 | | 26-JUL-77 | | | 11 | |
| L | MIL-C-25666E NOTICE 1 | CONVERTER, LIQUID OXYGEN, CAPACITANCE TYPE GAGING, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8603] | A | 1660 | 71 | | 07-MAR-86 | | | 99 | |
| | MIL-G-25667B(1) NOTICE 1 | GLASS, MONOLITHIC, AIRCRAFT GLAZING [VALIDATION DATE: 8901] REVIEWER: 99 GS | A | 9340 | 11 | | 20-JAN-89 | MR | AS | 11 | |
| QL | MIL-E-25670A(1) NOTICE 1 | EARPHONE ELEMENTS GENERAL SPECIFICATION FOR REVIEWER: 99 ES | A | 5965 | 85 | | 27-FEB-87 | | | 85 | |
| L | MIL-E-25670/1A NOTICE 1 | EARPHONE ELEMENTS, H-136/AIC [VALIDATION DATE: 8702] REVIEWER: 99 ES | A | 5965 | 85 | | 27-FEB-87 | | | 85 | |
| L | MIL-E-25670/2B NOTICE 1 | EARPHONE ELEMENT, H-143/AIC [VALIDATION DATE: 8702] REVIEWER: 99 ES | A | 5965 | 85 | | 27-FEB-87 | | | 85 | |
| QL | MIL-C-25674C NOTICE 1 | CONVERTER, LIQUID OXYGEN, TYPE ME-3 REVIEWER: 11 | A | 1660 | 71 | | 17-MAR-86 | | | 99 | |
| Q | MIL-V-25675B(5) | VALVE, CHECK, MINIATURE, HYDRAULIC, AIRCRAFT AND MISSILE [VALIDATION DATE: 8202] REVIEWER: CS MI | A | 4820 | 71 | | 02-MAY-72 | AV | AS | 99 | |
| Q | MIL-A-25676D | ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT | A | 4730 | 82 | | 27-JUL-83 | | AS | 99 | |
| Q | MIL-N-25677C | NOZZLE, PRESSURE LUBRICATING OIL SERVICING, LOCKING [VALIDATION DATE: 8209] | A | 4930 | 82 | | 18-OCT-68 | | AS | 99 | |
| | DOD-L-25681D NOTICE 2 | LUBRICANT MOLYBDENUM DISULFIDE, SILICONE [VALIDATION DATE: 9105] REVIEWER: AR DS GS MI PS | A | 9150 | 11 | | 01-MAY-91 | ME | AS | 68 | |
| L | MIL-I-25685A | INDICATOR, ELECTRICAL TACHOMETER ERU-4/A CRANKSHAFT SPEED, 500-4,000 RPM, 2 INCH SIZE REVIEWER: GS | A | 6620 | 71 | | 23-SEP-88 | | | 99 | |
| AQ | MIL-P-25690B | PLASTIC, SHEET AND FORMED PARTS, MODIFIED ACRYLIC BASE, MONOLITHIC, CRACK PROPAGATION RESISTANT REVIEWER: AV GS | A | 9330 | AS | | 29-JAN-93 | ME | AS | 11 | |
| A L | MIL-C-25694B NOTICE 1 | CLOTH, NYLON, METALIZED [VALIDATION DATE: 8707] USER: 45 REVIEWER: 99 MU | A | 8305 | CT | | 30-JUL-87 | | SA | 11 | CT |
| L | MIL-A-25707D NOTICE 1 | ANTENNA, FLUSH MOUNT, L-BAND, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8701] REVIEWER: 11 99 | A | 5985 | 85 | | 30-JAN-87 | | | 85 | |
| L | MIL-A-25707/1A NOTICE 1 | ANTENNA, FLUSH MOUNT, TYPE AT-740/A [VALIDATION DATE: 8701] REVIEWER: 11 99 | A | 5985 | 85 | | 30-JAN-87 | | | 85 | |
| L | MIL-A-25707/2A NOTICE 1 | ANTENNA, FLUSH MOUNT (RADIUS OF CURVATURE - 14.90 INCHES) [VALIDATION DATE: 8701] REVIEWER: 11 99 | A | 5985 | 85 | | 30-JAN-87 | | | 85 | |
| L | MIL-A-25707/3A NOTICE 1 | ANTENNA, FLUSH MOUNT (RADIUS OF CURVATURE - 66.50 INCHES) [VALIDATION DATE: 8701] REVIEWER: 11 99 | A | 5985 | 85 | | 30-JAN-87 | | | 85 | |
| Q | MIL-A-25708C NOTICE 1 | ANTENNA, BLADE, L-BAND, GENERAL SPECIFICATION FOR REVIEWER: 11 99 AV ES | A | 5985 | 85 | | 02-MAR-87 | ER | AS | 85 | |
| L | MIL-A-25708/1D | ANTENNA, BLADE, AT-741B/B (MH CONNECTOR) USER: 70 71 84 REVIEWER: 11 80 AV ES | A | 5985 | 85 | | 27-DEC-85 | ER | AS | 85 | |
| L | MIL-A-25708/2A NOTICE 1 | ANTENNA, BLADE, AS-2685/A [VALIDATION DATE: 8701] REVIEWER: 11 99 ES | A | 5985 | 85 | | 30-JAN-87 | | | 85 | |
| | MIL-A-25708/3B NOTICE 1 | ANTENNA, BLADE, AS-2686/A (MH CONNECTOR) REVIEWER: 11 99 AV ES | A | 5985 | 85 | | 02-MAR-87 | ER | AS | 85 | |
| | MIL-A-25708/5A NOTICE 1 | ANTENNA, BLADE, L-BAND (4 HOLE MOUNT, N-CONNECTOR) REVIEWER: 99 AV ES | A | 5985 | 85 | | 02-MAR-87 | ER | AS | 85 | |
| L | MIL-J-25718B(4) | JUG, INSULATED, TYPE CMU-2/C | A | 7330 | 84 | | 14-SEP-87 | | | 99 | |
| L | MIL-A-25719A(2) | ACCELEROMETER, MECHANICAL, AIRCRAFT, PILOTS WARNING, TYPE MA-1 | A | 6610 | 71 | | 09-FEB-84 | | | 99 | |
| | MIL-P-25726B(3) | PROBE, TOTAL TEMPERATURE, TYPE MA-1 REVIEWER: 11 GS | A | 6685 | 82 | | 05-APR-67 | | AS | 99 | |
| | MIL-A-25730C | ANTENNA SUBSYSTEMS FOR AIRBORNE IDENTIFICATION AND NAVIGATION EQUIPMENTS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8205] REVIEWER: 85 ES SC | A | 5985 | 11 | | 07-JUN-76 | AV | | 11 | |
| Q I | MIL-P-25732C(1) NOTICE 1 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, LIMITED SERVICE AT 275 DEG. F (135 DEG. C) USER: ME OS REVIEWER: 82 99 IS MR SH | A | 5330 | 11 | | 15-NOV-89 | AV | AS | 11 | |
| A | MIL-H-25754B(1) | HOOD, WINTER, KNIT, WOOL USER: 45 | A | 8415 | CT | | 20-OCT-86 | | | 99 | CT |
| QL | MIL-C-25777C(3) | CONVERTER, LIQUID OXYGEN GCU-2A/A REVIEWER: 11 | A | 1660 | 71 | | 08-APR-86 | | | 99 | |

| Action | Qty / Cmbt Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| QL | | MIL-C-25781C(1) | CONVERTER, LIQUID OXYGEN GCU-3/A REVIEWER: 11 | A | 1660 | 71 | | 17-NOV-86 | | 99 | | | |
| QL | | MIL-L-25798D | LIFE PRESERVER, UNDERARM, CASUALTY, TYPE MB-1 | A | 4220 | 82 | | 18-MAR-84 | | 99 | | | |
| L | | MIL-M-25802F NOTICE 1 | MANUAL TECHNICAL: LOADING & TRANSPORT OF NUCLEAR WEAPON CARGO IN CARGO AIRCRAFT, PREPARATION OF (VALIDATION DATE: 8603) REVIEWER: 01 10 79 | A | TMSS | 16 | | 10-JUL-86 | | 16 | | | |
| A | LI | MIL-T-25821B NOTICE 2 | TEST SET, ARMAMENT WIRING SYSTEM, SPECIAL WEAPON AN/GWM-4 REVIEWER: 15 .... | A | 1190 | 79 | | 31-AUG-92 | | 79 | | | |
| A | LI | MIL-C-25830A(2) NOTICE 2 | CLIP-IN SUBASSEMBLY M4U-20/C ..... | A | 1190 | 79 | | 31-AUG-92 | | 79 | | | |
| L | | MIL-M-25848B NOTICE 1 | TECHNICAL MANUAL, AIRCREW, SPECIAL WEAPON, AIR-TO-GROUND MISSILE DELIVERY, STRATEGIC BOMBER AIRCRAFT, PREPARATION OF (VALIDATION DATE: 8607) REVIEWER: 10 | A | TMSS | 16 | | 10-JUL-86 | | 16 | | | |
| QL | | MIL-I-25852B(1) | INDICATOR, TEMPERATURE, THERMOCOUPLE EMU-4/A REVIEWER: GS ..... | A | 6685 | 82 | | 15-FEB-83 | | 99 | | | |
| QL | | MIL-I-25859B(3) | INDICATOR, THRUST AEU-2/A, SYNCHRO STYLE, PRESSURE RATIO 1.2-3.4 UNITS, INTEGRALLY LIGHTED | A | 6620 | 71 | | 17-MAR-87 | | 99 | | | |
| QL | | MIL-I-25861D(3) | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI, INTEGRALLY LIGHTED REVIEWER: GS | A | 6685 | 82 | | 24-JUL-81 | | 99 | | | |
| Q | | MIL-I-25863D | INDICATOR, ELECTRICAL TACHOMETER 0-110 PERCENT RPM, 2 INCH SIZE, INTEGRALLY LIGHTED | A | 6620 | 71 | | 15-AUG-90 | | AS | 99 | | |
| L | | MIL-L-25866B(1) NOTICE 1 | LIGHT, EMERGENCY EXIT, AIRCRAFT LEU-1/A (VALIDATION DATE: 9103) REVIEWER: AV GS | A | 6220 | 82 | | 15-MAR-91 | | | 99 | | |
| QL | | MIL-G-25867C | GAGE, PRESSURE, DIAL INDICATING, PNEUMATIC REVIEWER: MI ..... | A | 6685 | 82 | | 03-MAY-79 | | | 99 | | |
| | | MIL-G-25871B(1) | GLASS, LAMINATED, AIRCRAFT GLAZING REVIEWER: GS ..... | A | 9340 | 11 | | 30-DEC-85 | | SH | 11 | | |
| QL | | MIL-S-25879C(1) | SWITCH, RADIO FREQUENCY TRANSMISSION LINE SA-521A/A (VALIDATION DATE: 8206) REVIEWER: 11 99 AV ES OS | A | 5985 | 85 | | 01-AUG-76 | | | 85 | | |
| L | | MIL-A-25895 NOTICE 1 | ANTENNA AT&SDS-AP (VALIDATION DATE: 8701) REVIEWER: ES ..... | A | 5985 | 85 | | 30-JAN-87 | | | 85 | | |
| Q | | MIL-A-25896E | ADAPTER, PRESSURE FUEL SERVICING, NOMINAL 2.5-INCH DIAMETER (VALIDATION DATE: 8912) | A | 1560 | 84 | | 28-DEC-89 | AV | AS | 99 | | |
| L | | MIL-T-25905C | TRANSMITTER, RATE OF FLOW, TRU-7/A FUEL, 0-15,000 PPH ..... | A | 6620 | 71 | | 30-OCT-90 | | | 99 | | |
| L | | MIL-I-25906C | INDICATOR, RATE OF FLOW EFU-3-A, FUEL, 0-15,000 PPH ..... | A | 6620 | 71 | | 31-OCT-86 | | | 99 | | |
| L | | MIL-I-25907B | INDICATOR, RATE OF FLOW EFU-4/A, FUEL TOTALIZING 500-15,000 PPH ..... | A | 6620 | 71 | | 04-FEB-86 | | | 99 | | |
| L | | MIL-I-25908C | INDICATOR, RATE OF FLOW EFU-5/A, FUEL TOTALIZING, 0-120,000 PPH ..... | A | 6620 | 71 | | 11-MAY-87 | | | 99 | | |
| L | | MIL-A-25915A(2) | ACCELEROMETER, AIRCRAFT, PILOT'S MARKING, TYPE MA-2 ..... | A | 6610 | 71 | | 28-OCT-88 | | | 99 | | |
| QL | | MIL-R-25916A(1) NOTICE 1 | REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC PRESSURE BREATHING, (INACTIVE USE MIL-R- 83178) | A | 1660 | 71 | | 05-JAN-88 | | | 99 | | |
| QL | | MIL-A-25933B | ALTIMETER, PRESSURIZED COMPARTMENT, INTEGRALLY LIGHTED 0-50,000 FEET, 1-7/8 INCH DIAL REVIEWER: GS | A | 6685 | 82 | | 29-MAR-85 | | | 99 | | |
| | | MIL-I-25941D | INDICATOR, TURN AND SLIP, 2-INCH SIZE, INTEGRALLY LIGHTED ..... | A | 6610 | 71 | | 17-OCT-86 | | AS | 99 | | |
| L | | MIL-P-25945B | PITOT TUBE, ELECTRICALLY HEATED, TEMPERATURE CONTROLLED (VALIDATION DATE: 8410) | A | 6610 | AS | | 29-APR-59 | | AS | | | |
| A | | MIL-S-25948J(1) | SUNGLASSES, HGU-4/P (WITH CASE) USER: 45 REVIEWER: 82 MD MS ..... | A | 8465 | CT | | 28-AUG-86 | GL | AS | 99 | | CT |
| | | MIL-A-25949E(2) | ACCELEROMETER, AIRCRAFT RANGE -5 TO PLUS 10G UNITS, INTEGRALLY LIGHTED .... | A | 6610 | 71 | | 19-JUN-85 | | AS | 99 | | |
| QL | | MIL-I-25950B(3) | INDICATOR, PRESSURE, OIL, 0-100 PSI ..... | A | 6620 | 71 | | 12-SEP-86 | | | 99 | | |
| QL | | MIL-C-25955(3) NOTICE 1 | CONNECTOR, ELECTRICAL, ENVIRONMENT RESISTING MINIATURE, WITH SNAP-IN CONTACTS (VALIDATION DATE: 8702) USER: MI REVIEWER: 11 99 ES | A | 5935 | 85 | | 15-FEB-87 | | | 85 | | |
| Q | | MIL-T-25959C(2) NOTICE 1 | TIE DOWNS, CARGO, AIRCRAFT (VALIDATION DATE: 9012) USER: ME REVIEWER: AV .. | A | 1670 | 82 | | 19-DEC-90 | GL | AS | 99 | | |
| Q | | MIL-V-25961E(1) | VALVE, FILL-BUILDUP-VENT, LIQUID OXYGEN CONVERTER, CRU-50/A (VALIDATION DATE: 8801) REVIEWER: 99 CS | A | 4820 | 71 | | 21-JAN-88 | | AS | 11 | | |
| QL | | MIL-V-25962C | VALVE, LIQUID OXYGEN DRAIN REVIEWER: CS ..... | A | 4820 | 71 | | 31-OCT-88 | | | 99 | | |
| L | | MIL-L-25971B(1) | LIGHT, AIRPORT TRAFFIC REVIEWER: 11 AS GS ..... | A | 6210 | 82 | | 27-JAN-84 | | | 99 | | |
| L | | MIL-C-25972C | CONVERTER, LIQUID OXYGEN GCU-11/A ..... | A | 1660 | 71 | | 31-OCT-83 | | | 99 | | |
| QL | | MIL-C-25973B(4) | CONVERTER, LIQUID OXYGEN, GCU-12A/A ..... | A | 1660 | 71 | | 05-SEP-86 | | | 99 | | |
| QL | | MIL-C-25974D(1) | CONVERTER, LIQUID OXYGEN, GCU-10-A (VALIDATION DATE: 8901) ..... | A | 1660 | 71 | | 13-JAN-89 | | | 99 | | |
| L | | MIL-S-25980A | SWITCH, FLOAT, AIRCRAFT FUEL LEVEL, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8306) | A | 2915 | 82 | | 15-JUN-65 | | | 99 | | |
| A | | MIL-R-25988B NOTICE 2 | RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, SHEETS, STRIPS, MOLDED PARTS, AND EXTRUDED SHAPES (VALIDATION DATE: 9212) USER: SH REVIEWER: 82 99 IS MI OS | A | 5330 | 11 | | 10-DEC-92 | MR | AS | 11 | | |
| A | L | MIL-R-25988/1A NOTICE 2 | RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 70 (VALIDATION DATE: 9212) REVIEWER: MI OS | A | 5330 | 11 | | 10-DEC-92 | | | 11 | | |
| A | L | MIL-R-25988/2(1) NOTICE 2 | RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL RESISTANT, O-RINGS, CLASS 3 (VALIDATION DATE: 9212) REVIEWER: OS | A | 5330 | 11 | | 10-DEC-92 | | | 11 | | |
| A | L | MIL-R-25988/3(1) NOTICE 2 | RUBBER, FLUOROSILICONE ELASTOMER, OIL- AND FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 60 (VALIDATION DATE: 9212) REVIEWER: OS | A | 5330 | 11 | | 10-DEC-92 | | | 11 | | |
| A | L | MIL-R-25988/4(1) NOTICE 2 | RUBBER, FLUOROSILICONE ELASTOMER, OIL- AND FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 80 (VALIDATION DATE: 9212) REVIEWER: 99 OS | A | 5330 | 11 | | 10-DEC-92 | | | 11 | | |
| L | | MIL-I-25992A(5) | INDICATOR, BEARING DISTANCE HEADING ID-526A/ARN AND ID-798/ARN ..... | A | 6605 | 71 | | 01-DEC-86 | | | 99 | | |
| D | L | MIL-P-25995B | PIPE, ALUMINUM ALLOY, DRAWN OR EXTRUDED USER: ME REVIEWER: CS EA YD1 ..... | A | 4710 | 82 | | 02-MAR-82 | | | 99 | | |
| | | MIL-S-26000C | STAND, TEST, AIRCRAFT HYDRAULIC SYSTEM, ELECTRIC MOTOR DRIVEN, TYPE MK&1 .. | A | 4920 | 82 | | 01-APR-87 | AV | | 99 | | |
| L | | MIL-T-26017C NOTICE 1 | TEST STAND HYDRAULIC SYSTEM COMPONENTS TYPE MK-3A (VALIDATION DATE: 8808) . | A | 4920 | 82 | | 31-AUG-88 | | | 99 | | |
| L | | MIL-T-26025E | TRACTOR, AIRCRAFT TOWING, DIESEL ENGINE DRIVEN (DED), 4X4, 4 WHEEL STEER, 10,300 POUNDS DRAWBAR PULL, PNEUMATIC RUBBER TIRED | A | 1740 | 84 | | 28-DEC-88 | | | 99 | | |
| QL | | MIL-B-26026B(1) | BATTERY, STORAGE, AIRCRAFT, TYPE MA-2-1 REVIEWER: GS ..... | A | 6140 | 80 | | 24-JUL-79 | | | 99 | | |
| QL | | MIL-C-26058C(2) | CARTRIDGE, GAS PURIFIER, EXTREMELY LOW DEWPOINT, TYPE MA&2 REVIEWER: CS ... | A | 4440 | 84 | | 17-MAR-81 | | | 99 | | |
| L | | MIL-T-26069C | TRAILER, COMPRESSED GAS CYLINDER AF-M32H&3, HIGH PRESSURE 2 WHEEL 6 CYLINDER CAPACITY (VALIDATION DATE: 7507) REVIEWER: GS | A | 3655 | 82 | | 10-JUN-69 | | | 99 | | |
| A | | MIL-G-26071B | GOGGLES, SUN, GLOBAL SURVIVAL, TYPE MA&1 USER: 45 REVIEWER: 85 ..... | A | 8465 | CT | | 17-OCT-84 | | | 99 | | CT |
| | | MIL-C-26074E | COATINGS, ELECTROLESS NICKEL REQUIREMENTS FOR USER: ME OS REVIEWER: 68 84 99 AR MI SH | A | MFFP | 11 | | 30-OCT-90 | MR | AS | 11 | | |
| | | MIL-L-26087B(1) NOTICE 2 | LUBRICATING OIL, RECIPROCATING COMPRESSOR, GROUND SUPPORT (VALIDATION DATE: 9105) REVIEWER: AR AT EA GS PS | A | 9150 | 68 | | 25-MAY-91 | MR | AS | 68 | | |
| | | MIL-C-26094E | CAN, HERMETIC SEALING, ALUMINUM, TWO-PIECE USER: SH REVIEWER: 99 EA GS MI SH | A | 8110 | 69 | | 14-JUL-86 | GL | SA | 69 | | |
| L | | MIL-A-26107D | AIR CONDITIONER, TRAILER-MOUNTED, FREON CYCLE, 1181-2 TON REFRIGERATING CAPACITY, TYPE MA&3 REVIEWER: GS | A | 4120 | 82 | | 05-OCT-60 | | | 99 | | |
| L | | MIL-R-26126A NOTICE 1 | RELAYS, ELECTRICAL, OVERVOLTAGE DC GENERAL SPECIFICATION FOR REVIEWER: 99 AV ES | A | 5945 | 80 | | 08-FEB-73 | | | 80 | | |
| L | | MIL-R-26128/2A | RELAY, ELECTRICAL, OVERVOLTAGE, TYPE II, HYBRID, SEALED REVIEWER: 99 ES ... | A | 5945 | 85 | | 09-APR-78 | | | 85 | | |
| L | | MIL-T-26139B | TESTER, PRESSURIZED CABIN LEAKAGE, AIRCRAFT AF-M24T&3 ..... | A | 4920 | 82 | | 15-JUN-83 | | | 99 | | |
| L | | MIL-T-26141D | TESTER, PRESSURIZED CABIN LEAKAGE, AIRCRAFT AF/M32T-1 ..... | A | 4920 | 82 | | 15-JUN-85 | | | 99 | | |
| | | MIL-J-26149E NOTICE 1 | JACK, HYDRAULIC, AIRCRAFT MAINTENANCE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9109) USER: MC REVIEWER: 11 82 | A | 1730 | AS | | 25-SEP-91 | AV | AS | 99 | | |
| L | | MIL-C-26165D(1) | COMPRESSOR, AIR, ELECTRIC MOTOR DRIVEN, 30 CFM, 400 PSI, SKID MOUNTED TYPE AF/E32A-1 | A | 4310 | 84 | | 06-DEC-79 | | | 99 | | |
| L | | MIL-P-26191B(1) | PUMPING UNIT, HYDRAULIC AF/M27M-1 AND F/M27M-2 (VALIDATION DATE: 8505) .... | A | 1730 | 82 | | 15-NOV-78 | | | 99 | | |
| D | | MIL-B-26195C | BOX, WOOD-CLEATED, SKIDDED, LOAD-BEARING BASE USER: AV CE MC MI REVIEWER: 70 71 AS AT SH YD1 | A | 8115 | 69 | | 15-MAY-87 | GL | SA | 69 | | |
| DQ | | MIL-L-26202D(2) | LIGHT, MARKER, AIRPORT, SEMIFLUSH, GENERAL SPECIFICATION FOR (VALIDATION DATE: 7305) USER: YD1 REVIEWER: 11 GS | A | 6210 | 82 | | 02-AUG-66 | | AS | 99 | | |
| L | | MIL-W-26217B(1) | WINCH, DRUM, POWER OPERATED AF/E24M-1,CARGO LOADING, 4000 POUND CAPACITY, VARIABLE SPEED, 28V DC PORTABLE REVIEWER: CS | A | 3950 | 84 | | 14-NOV-67 | | | 99 | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Q | | MIL-T-26219A(1) | TEST SET, INDICATOR-GENERATOR, TACHOMETER TTU-27/E, AIRCRAFT INSTRUMENTS, FIELD | A | 4920 | AS | 02-FEB-87 | AV | AS | | |
| Q | | MIL-B-26220D(4) | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, GENERAL SPECIFICATION FOR REVIEWER: 11 GS | A | 6140 | 80 | 26-FEB-85 | AV | | 99 | |
| L | | MIL-T-26225A | TRAILER, LIFT, AIRCRAFT & MISSILE ENGINE ETU&B-E (VALIDATION DATE: 7603) .. | A | 1730 | 82 | 03-SEP-59 | | | 99 | |
| L | | MIL-C-26237C | CRADLE, AIRCRAFT&MISSILE COMPONENTS MMU&1-E ..... | A | 1730 | 82 | 10-MAY-83 | | | 99 | |
| L | | MIL-P-26292C(3) NOTICE 1 | PITOT AND STATIC PRESSURE SYSTEMS, INSTALLATION AND INSPECTION OF (VALIDATION DATE: 8809) REVIEWER: 99 | A | 6610 | 11 | 30-SEP-88 | | | 11 | |
| Q | | MIL-T-26298E(2) | TRANSMITTER, RATE OF FLOW TRU-6/A, 0-5,000 PPH ..... | A | 6620 | 71 | 20-AUG-87 | | AS | 99 | |
| | | MIL-I-26299G | INDICATOR, RATE OF FLOW, 0-5000 PPH, INTEGRALLY LIGHTED (CONTROLLED DISTRIBUTION) | B | 6620 | 71 | 16-JAN-90 | | AS | 99 | |
| | | MIL-F-26301E SUPPL 1A1 | FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT, GENERAL SPECIFICATION FOR USER: MC REVIEWER: 11 99 EM ES | A | 5945 | 85 | 15-APR-91 | AV | AS | 85 | |
| L | | MIL-H-26312A | HEADSET&MICROPHONE H&157-AIC (VALIDATION DATE: 7801) REVIEWER: 99 ES ..... | A | 5965 | 85 | 20-DEC-62 | | | 85 | |
| L | | MIL-A-26336(2) | ANTENNA AT&840-ARC (VALIDATION DATE: 7602) REVIEWER: ES ..... | A | 5985 | 84 | 20-FEB-59 | | | 99 | |
| D | | MIL-C-26339C | CARRIER, CARGO, ARCTIC TRACKLAYING, CARGO AND PASSENGER, OVER-THE-SNOW TYPE | A | 2320 | 84 | 08-DEC-82 | AT | YD1 | 99 | |
| L | | MIL-P-26342B(1) | PALLET BOX, FIBERBOARD, EXPENDABLE, FOR AIR SHIPMENT USER: GL REVIEWER: 99 SM | A | 8115 | 69 | 16-SEP-87 | | | 69 | |
| L | | MIL-A-26360B(1) | AMPLIFIER, ELECTRICAL CONTROL ASU&3-A ..... | A | 6610 | 71 | 12-NOV-86 | | | 99 | |
| | | MIL-P-26366A(1) | PROPELLER SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: 99 ..... | A | 1610 | AV | 22-MAY-84 | AV | AS | | |
| D | | MIL-P-26367A NOTICE 1 | PROPELLER SYSTEMS, AIRCRAFT, MODEL SPECIFICATION FOR (OUTLINE AND INSTRUCTIONS FOR PREPARATION) (VALIDATION DATE: 8808) | A | 1610 | AV | 30-AUG-88 | AV | YD1 | 11 | |
| QL | | MIL-I-26380B(1) | INDICATOR, LIQUID OXYGEN QUANTITY CRU-5/A REVIEWER: 11 GS ..... | A | 6680 | 82 | 25-SEP-68 | | | 99 | |
| QL | | MIL-I-26382B | INDICATOR SET, LIQUID OXYGEN QUANTITY, A-A24J&4 REVIEWER: GS ..... | A | 6680 | 82 | 25-MAR-85 | | | 99 | |
| | | MIL-H-26385D(3) | HOSE, OXYGEN AND PRESSURIZATION, OZONE RESISTANT REVIEWER: 11 CS ..... | A | 4720 | 71 | 23-JUN-92 | AT | | 99 | |
| L | | MIL-D-26392B(1) | DUMMY CONVERTER, LIQUID OXYGEN INDICATOR SYSTEM, 10 LITER CRU-23/A REVIEWER: 11 | A | 1660 | 71 | 19-DEC-86 | | | 99 | |
| L | | MIL-D-26393B(1) | DUMMY CONVERTER, LIQUID OXYGEN INDICATOR SYSTEM, 25 LITER, CRU-24/A REVIEWER: 11 | A | 1660 | 71 | 21-OCT-86 | | | 99 | |
| | | MIL-T-26398D(1) | TEST STAND, AIRCRAFT HYDRAULIC SYSTEM, TRAILER-MOUNTED, A/M27T-2, ELECTRIC-MOTOR-DRIVEN, TRIPLE SYSTEM (VALIDATION DATE: 7305) | A | 4920 | 82 | 30-JUN-67 | AV | | 99 | |
| A L | | MIL-A-26442 NOTICE 2 | ADAPTERS, WAVEGUIDE-TO-COAXIAL (VALIDATION DATE: 9301) ..... | A | 5935 | 85 | 29-JAN-93 | | | 85 | |
| | | MIL-C-26460/12 | CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AWG 26, TYPE 2XQ USER: AR CG ME REVIEWER: 99 EC IS | A | 6145 | SH | 10-AUG-84 | MI | SH | 85 | |
| Q | | MIL-C-26482G(5) SUPPL 1A1 | CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR USER: AV REVIEWER: 17 99 AR EC ES SH TD | A | 5935 | CR | 03-JAN-91 | CR | AS | 85 | |
| | | MIL-W-26497C NOTICE 1 | WRENCH, TORQUE, SCREWDRIVER TYPE (VALIDATION DATE: 9203) USER: AR REVIEWER: AV | A | 5120 | GL | 27-MAR-92 | GL | AS | 99 | |
| Q | | MIL-H-26499C | HOSE ASSEMBLY, METAL, FLEXIBLE, BREATHING OXYGEN REVIEWER: CS ..... | A | 4720 | 82 | 10-APR-89 | AV | AS | 99 | |
| QLI | | MIL-C-26500E(4) SUPPL 1B1 | CONNECTORS, GENERAL PURPOSE, ELECTRICAL, MINIATURE, CIRCULAR, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR REVIEWER: 99 ES | A | 5935 | 85 | 30-SEP-88 | | | 85 | |
| L | | MIL-T-26510E | TRUCK, TANK A-S32A-2 ..... | A | 2320 | 84 | 28-DEC-87 | | | 99 | |
| D | | MIL-P-26514F | POLYURETHANE FOAM, RIGID OR FLEXIBLE, FOR PACKAGING USER: AT MC ME OS PA YD1 REVIEWER: 99 AV DS SA SM | A | 8135 | 69 | 18-DEC-87 | GL | AS | 69 | |
| L | | MIL-C-26516 | CAP, LUBRICATION FITTING, PROTECTIVE (VALIDATION DATE: 8503) REVIEWER: CS . | A | 4730 | AR | 18-JUL-58 | AR | | | |
| Q | | MIL-P-26517A(5) | POWER SUPPLY, TRANSFORMER-RECTIFIER, AIRCRAFT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8209) REVIEWER: 11 GS | A | 6130 | 80 | 13-OCT-71 | AV | | 99 | |
| QL | | MIL-C-26518B(3) | CONNECTOR, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTING, 200 DEGREES C AMBIENT TEMPERATURE (INACTIVE FOR NEW DESIGN )USE MIL-C-83733( REVIEWER: 11 99 ES | A | 5935 | 85 | 22-APR-88 | | | 85 | |
| D L | | MIL-H-26521G | HOSE ASSEMBLY, NONMETALLIC, FUEL, COLLAPSIBLE, LOW TEMPERATURE WITH NON-REUSABLE COUPLINGS REVIEWER: AR AV CS YD1 | A | 4720 | 82 | 31-JAN-92 | | | 99 | |
| Q | | MIL-I-26525F | INDICATOR, VOLTAGE, BATTERY GENERATOR 28 VOLT DC (NOMINAL) USER: MC REVIEWER: ME | A | 6625 | AT | 24-FEB-88 | AT | | 99 | |
| | | MIL-P-26536D | PROPELLANT, HYDRAZINE REVIEWER: 12 19 OS ..... | A | 9135 | 68 | 27-JUL-87 | | | 68 | |
| | | MIL-P-26539D(1) | PROPELLANTS, NITROGEN TETROXIDE REVIEWER: 12 14 19 ..... | A | 9135 | 68 | 12-MAR-91 | MI | AS | 68 | |
| | | MIL-M-26542D(1) | MICROPHONE, DYNAMIC GENERAL SPECIFICATION FOR USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 14-JUN-85 | CL | EC | 85 | |
| | | MIL-M-26542/1C NOTICE 1 | MICROPHONE, M26542/1-01 (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CL | EC | 85 | |
| | | MIL-M-26542/2C NOTICE 1 | MICROPHONES, MB7/AIC, M26542/2-01, M26542/2-02, AND M26542/2-03 (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CR | EC | 85 | |
| | | MIL-M-26542/3B NOTICE 1 | MICROPHONE, M-100/AIC (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CR | EC | 85 | |
| | | MIL-M-26542/4B NOTICE 1 | MICROPHONE ELEMENT, M-101/AIC (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CR | EC | 85 | |
| | | MIL-M-26542/5B NOTICE 1 | MICROPHONE, DYNAMIC M-102/AIC (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CR | EC | 85 | |
| | | MIL-M-26542/6B NOTICE 1 | MICROPHONE, M-103/AIC (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CR | EC | 85 | |
| | | MIL-M-26542/7A NOTICE 1 | MICROPHONE, M-94B/A (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CR | EC | 85 | |
| | | MIL-M-26542/8A NOTICE 1 | MICROPHONE, DYNAMIC, M-116( )/G (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CR | EC | 85 | |
| | | MIL-M-26542/9A NOTICE 1 | MICROPHONE DYNAMIC, M-133/U (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CR | EC | 85 | |
| | | MIL-M-26542/10A | MICROPHONE, M-138/G USER: AR AS AT AV ME OS REVIEWER: ES ..... | A | 5965 | 85 | 29-MAR-85 | CL | EC | 85 | |
| | | MIL-M-26542/11 NOTICE 1 | MICROPHONE, M26542/11-01 (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CR | EC | 85 | |
| | | MIL-M-26542/12 NOTICE 1 | MICROPHONE, M-169/AIC (VALIDATION DATE: 9201) USER: AR AT AV ME OS REVIEWER: 99 AS ES | A | 5965 | 85 | 20-JAN-92 | CR | EC | 85 | |
| Q | | MIL-S-26547C | STARTER-GENERATOR ENGINE STU-6A ..... | A | 2925 | 82 | 26-JUL-85 | AV | AS | 99 | |
| QL | | MIL-D-26549A(1) NOTICE 1 | DESCALING COMPOUND, ALKALINE, HOT SECTION JET ENGINE PARTS (VALIDATION DATE: 8707) REVIEWER: 68 GS | A | 6850 | 11 | 30-JUL-87 | | | 11 | |
| L | | MIL-T-26561C | TESTER, TYPE MA&2 RECEPTION COUPLING BREAK&AWAY FORCE, PORTABLE ..... | A | 4920 | 82 | 21-NOV-84 | | | 99 | |
| L | | MIL-T-26609B | TRANSMITTER, POSITION ..... | A | 6610 | 71 | 23-SEP-87 | | | 99 | |
| Q | | MIL-G-26611C(1) | GENERATOR, TACHOMETER GEU-7/A, MINIATURE ..... | X | 6620 | 71 | 23-APR-86 | AV | AS | 99 | |
| L | | MIL-A-26624B | AIR CONDITIONER, H/M32C-5, TRAILER MOUNTED, VAPOR CYCLE, ELECTRIC MOTOR DRIVEN REVIEWER: GS | A | 4120 | 82 | 10-SEP-81 | | | 99 | |
| | | MIL-H-26626C | HOSE ASSEMBLY, NON METALLIC TETRAFLUOROETHYLENE, OXYGEN ..... | A | 4720 | 71 | 05-OCT-87 | AV | AS | 99 | |
| QL | | MIL-H-26633C | HOSE ASSEMBLY, POLYETRAFLUORETHYLENE, OXYGEN USER: 11 REVIEWER: CS ..... | A | 4720 | 82 | 10-JUN-85 | | | 99 | |
| A L | | MIL-C-26637A NOTICE 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES LT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9301) USER: 11 REVIEWER: 99 | A | 5935 | 85 | 29-JAN-93 | | | 85 | |
| A L | | MIL-C-26637/1 NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES LT, CABLED, CLASS 2 (VALIDATION DATE: 9301) USER: 11 REVIEWER: 99 | A | 5935 | 85 | 29-JAN-93 | | | 85 | |
| A L | | MIL-C-26637/2 NOTICE 1 | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES LT, ADAPTER, 90 DEG. (VALIDATION DATE: 9302) USER: 11 REVIEWER: 99 | A | 5935 | 85 | 03-FEB-93 | | | 85 | |
| A L | | MIL-C-26637/3 NOTICE 1 | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES LT, CLASS 2, ADAPTER, 45 DEG. (VALIDATION DATE: 9302) USER: 11 REVIEWER: 99 | A | 5935 | 85 | 03-FEB-93 | | | 85 | |
| | | MIL-T-26639C(4) | TESTER, TORQUE WRENCH USER: CE MC OS REVIEWER: AV ..... | A | 6635 | 82 | 17-NOV-89 | GL | AS | 99 | |

| Action | Document Number | Document Title | Dist Stmt | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| D | MIL-H-26666D(1) | HOSE ASSEMBLY, PNEUMATIC, HIGH PRESSURE (VALIDATION DATE: 8405) USER: ME REVIEWER: CS MI YD1 | A | 4720 82 | 03-JUL-78 | AR | SH | 99 | |
| L | MIL-R-26672A | RIFLE, .22 HORNET AND .22 CALIBER LONG RIFLE RIM FIRE, SURVIVAL, TYPE MA-1 (VALIDATION DATE: 8909) | A | 1005 84 | 05-SEP-89 | | | 99 | |
| L | MIL-S-26688(1) | SEAT, PASSENGER, AFT FACING, TRANSPORT AIRCRAFT (VALIDATION DATE: 8405) ... | A | 1680 82 | 05-SEP-78 | | | 99 | |
| QL | MIL-I-26689C(1) | INDICATOR, HORIZONTAL SITUATION, AQU-2/A REVIEWER: 11 ..... | A | 6610 71 | 13-NOV-87 | | | 99 | |
| L | MIL-P-26694B(2) | PROPELLANT, UNS-DIMENTHYLHYDRAZINE - JET FUEL (VALIDATION DATE: 8211) ..... | A | 9130 12 | 01-DEC-70 | | | 12 | |
| | MIL-B-26701E(1) | BOTTLE, SCREW CAP AND CARBOYS, POLYETHYLENE PLASTIC USER: AS MC REVIEWER: 99 AR GS MD SM | A | 8125 69 | 03-JUL-84 | GL | SA | 69 | |
| A | MIL-C-26712B | CLOTH, COATED, NYLON, CHLOROPRENE COATED REVIEWER: 99 ..... | A | 8305 CT | 26-FEB-82 | | AS | 11 | CT |
| L | MIL-S-26716A NOTICE 1 | STAND, TEST, AIRCRAFT HYDRAULIC SYSTEMS, NON-PORTABLE (VALIDATION DATE: 8808) | A | 4920 82 | 31-AUG-88 | | | 99 | |
| | MIL-S-26753D | SANDER, DISK AND SPINDLE, WOODWORKING USER: AV CE MC REVIEWER: 84 GS ..... | A | 3220 1P | 06-AUG-90 | AL | SH | 99 | IP |
| L | MIL-G-26762B | GAGE, DIAL BORE ..... | A | 5210 84 | 09-MAY-88 | | | 99 | |
| D | MIL-L-26764B | LIGHT, MARKER, AIRPORT APPROACH, HIGH INTENSITY, TYPE MB-2 (VALIDATION DATE: 7603) USER: YD1 REVIEWER: GS | A | 6210 82 | 04-MAR-70 | | AS | 99 | |
| | MIL-P-26767C(1) NOTICE 1 | PRINTER, CONTACT, PHOTOGRAPHIC CONTINUOUS EN-6B (VALIDATION DATE: 8803) REVIEWER: GS | A | 6740 CR | 17-MAR-88 | CR | AS | 99 | |
| | MIL-T-26772F | TRAILER, COMPRESSED GAS CYLINDER, AIR OR NITROGEN SERVICING, 2&WHEEL, 6&CYLINDER 3500 PSI, TYPE MD&3 (VALIDATION DATE: 7709) REVIEWER: GS | A | 3655 82 | 19-MAY-70 | AV | | 99 | |
| | MIL-T-26780C(1) | TIE DOWN, CARGO, AIRCRAFT, NYLON WEB NET USER: MC ..... | A | 1670 82 | 15-JUL-83 | | AS | 99 | |
| L | MIL-P-26795C | PUMP, ROTARY, POWER DRIVEN, 40 GPM CAP., TWO WHEELED HAND CART, TYPE MC-1 . | A | 4320 84 | 02-NOV-90 | | | 99 | |
| L | MIL-C-26805G(2) | COMPRESSOR UNITS, AIR/GAS, GENERAL REQUIREMENTS FOR ..... | A | 4310 84 | 10-MAR-82 | | | 99 | |
| L | MIL-C-26811C | COMPRESSOR, POWER DRIVEN, AIR, TYPE MB&B (VALIDATION DATE: 8410) ..... | A | 4310 84 | 21-OCT-70 | | | 99 | |
| L | MIL-H-26827(1) NOTICE 1 | HANDSET-HEADSET H-108( )/H AND CORD CX-1245( )/U (7 FT 6 IN) (VALIDATION DATE: 9201) | A | 5965 85 | 02-JAN-92 | | | 85 | |
| L | MIL-T-26831B(3) | TELEPHONE CENTRAL OFFICE GROUP, MANUAL AN/GTA-6( ) ..... | A | 5805 80 | 10-JUN-83 | | | 99 | |
| L | MIL-A-26846B | AIR CONDITIONER, A/M32C-4, TRAILER MOUNTED, VAPOR CYCLE, ELECTRIC MOTOR DRIVEN REVIEWER: GS | A | 4120 82 | 14-MAY-84 | | | 99 | |
| L | MIL-S-26851B | STAIRCASE, AIRCRAFT BOARDING, MOBILE, TYPE MA&1 ..... | A | 1730 82 | 30-MAR-83 | | | 99 | |
| D | MIL-I-26860B(2) | INDICATOR, HUMIDITY, PLUG, COLOR CHANGE (VALIDATION DATE: 8011) USER: AV EA GL MI REVIEWER: 11 GS OS SA YD1 | A | 6685 82 | 25-APR-74 | | AS | 99 | |
| D | MIL-C-26861C | CUSHIONING MATERIAL, RESILIENT TYPE, GENERAL USER: 15 MC SA YD1 REVIEWER: 99 AR AT EA MD OS SM | A | 8135 69 | 09-JUN-88 | GL | AS | 69 | |
| L | MIL-F-26862B(2) | FIBERBOARD, SOLID, NON-CORROSIVE, FUNGI-RESISTANT FOR INTERIOR BLOCKING APPLICATIONS REVIEWER: OS | A | 8135 AR | 10-APR-89 | AR | | | |
| D | MIL-G-26869D | GROOVING MACHINE, SHEET METAL, FLOOR MOUNTING TYPE, POWER OPERATED, ELECTRIC MOTOR DRIVEN USER: AR YD1 REVIEWER: GS | A | 3441 1P | 21-APR-89 | AL | | 99 | IP |
| | MIL-J-26870C | JOINT, SWIVEL, AIRCRAFT FUEL REVIEWER: CS ME ..... | A | 4730 82 | 25-MAR-74 | | AS | 99 | |
| L | MIL-S-26873C | SUPPRESSOR, SURGE, FUEL TRANSFER TRAILER (VALIDATION DATE: 7105) REVIEWER: CS | A | 4930 82 | 13-APR-65 | | | 99 | |
| L | MIL-A-26891C | AIR ELIMINATOR ASSEMBLY, RECESSED, AIRCRAFT FUEL FILTER ..... | A | 4930 82 | 07-JUL-70 | | | 99 | |
| L | MIL-H-26894C | HOSE ASSEMBLY, RUBBER, GASOLINE, REFUELING, LOW TEMPERATURE (VALIDATION DATE: 8203) REVIEWER: CS | A | 4720 82 | 13-JUL-76 | | | 99 | |
| | MIL-T-26898B | TEST SET, AIRFIELD LIGHTING SYSTEMS, TYPE MM-1 (VALIDATION DATE: 7507) .... | A | 6625 82 | 21-FEB-68 | CR | AS | 99 | |
| A | MIL-P-26915C | PRIMER COATING, ZINC DUST PIGMENTED, FOR STEEL SURFACES USER: 70 71 80 REVIEWER: 82 | A | 8010 84 | 20-MAR-92 | | AS | 99 | |
| L | MIL-T-26922D(1) | TEST SET, ELECTRICAL POWER A/M24T-8( ) (VALIDATION DATE: 8510) ..... | A | 6625 82 | 15-MAY-78 | | | 99 | |
| L | MIL-P-26958A(1) | PUMP, ROTARY, POWER DRIVE, 60 GPM CAPACITY MOBILE , TYPE MC&2 (VALIDATION DATE: 7802) | A | 4320 84 | 02-FEB-60 | | | 99 | |
| L | MIL-T-26963D | TESTER, PRESSURE GAGE, HYDRAULIC, PORTABLE, TYPE MP-1 REVIEWER: GS ..... | A | 6685 82 | 30-APR-92 | | | 99 | |
| | MIL-G-26988C(1) NOTICE 1 | GAGE, LIQUID QUANTITY, CAPACITOR TYPE TRANSISTORIZED, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8809) REVIEWER: 99 GS | A | 6680 11 | 30-SEP-88 | AV | AS | 11 | |
| D | MIL-L-26990B(2) | LIGHT, MARKER, AIRPORT APPROACH, HIGH INTENSITY, TYPE MB-1 USER: YD1 REVIEWER: GS | A | 6210 82 | 04-AUG-78 | | AS | 99 | |
| | MIL-W-27000A NOTICE 1 | BOMB, PRACTICE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8602) REVIEWER: 79 | A | 11GP 15 | 12-FEB-86 | | OS | 15 | |
| A LI | MIL-A-27015 NOTICE 2 | ADAPTER, TEST TS-1371/GMM-4 ..... | A | 1190 79 | 31-AUG-92 | | | 79 | |
| L | MIL-T-27018E(1) NOTICE 1 | TECHNICAL MANUAL, WEAPON LOADING PROCEDURES, AIR DEFENSE FIGHTER-INTERCEPTOR AIRCRAFT, PREPARATION OF (VALIDATION DATE: 8201) REVIEWER: 79 | A | TMSS 15 | 25-MAR-68 | | | 15 | |
| A LI | MIL-C-27022A NOTICE 4 | CRADLE, BOMB HANDLING, MHU-27A/E ..... | A | 1190 79 | 31-AUG-92 | | | 79 | |
| L | MIL-M-27026E NOTICE 1 | MANUAL, TECHNICAL, AND CHECKLIST, NUCLEAR DELIVERY, LEVEL, STRATEGIC BOMBER AIRCRAFT, PREPARATION OF (VALIDATION DATE: 8607) REVIEWER: 01 10 79 | A | TMSS 16 | 10-JUL-86 | | | 16 | |
| M LI | MIL-C-27027(3) NOTICE 1 | CLIP-IN SUBASSEMBLY MHU-29/C REVIEWER: 15 ..... | A | 1190 79 | 31-MAR-93 | | | 79 | |
| A LI | MIL-J-27028A(1) NOTICE 1 | JACK KIT, HYDRAULIC, HAND MHU-128/E REVIEWER: 15 ..... | A | 1190 79 | 31-MAR-93 | | | 79 | |
| L | MIL-C-27029A(1) NOTICE 1 | CARTRIDGE, BOMB EJECTION MLU-11/C AND CARTRIDGE KIT, BOMB EJECTION MLU-12/C (VALIDATION DATE: 8810) | A | 1377 70 | 26-OCT-88 | | | 99 | |
| L | MIL-B-27036A(1) | BOMB, LOADING PRACTICE BDU-9/E REVIEWER: 15 ..... | A | 1105 79 | 01-APR-90 | | | 79 | |
| | MIL-C-27072B SUPPL 1&1, NOTICE 1 | CABLE, POWER, ELECTRICAL AND CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR AND SINGLE SHIELDED GENERAL SPECIFICATION FOR REVIEWER: IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/1B NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NON-SHIELDED, TYPE 1, STYLE 1, 3 CONDUCTORS (NO. 16 AWG) (VALIDATION DATE: 8702) REVIEWER: IS | A | 6145 85 | 27-FEB-87 | | | 85 | |
| L | MIL-C-27072/4B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS)AND SINGLE SHIELDED M27072/4JDCD REVIEWER: IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/5B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS)AND SINGLE SHIELDED M27072/5MDDD REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/7B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS)AND SINGLE SHIELDED M27072/7MDDD REVIEWER: IS | A | 6145 85 | 24-SEP-87 | | | 85 | |
| L | MIL-C-27072/8B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) M27072/8KBCX* REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/9B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) & SINGLE SHIELDED M27072/9MBKB* REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/12B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/12MDDD* REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/15B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) & SINGLE SHIELDED M27072/15JAKA* REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/16B NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) M27072/16DMAA* REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/17B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/17LACA* REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| | MIL-C-27072/19B NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/19MDDD REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/21A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/21LDDA* REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/24A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/24FBCA* REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |
| L | MIL-C-27072/25A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/25JDCA* REVIEWER: 99 IS | A | 6145 85 | 24-SEP-87 | CR | SH | 85 | |

| Action | Opt. / Cond. | Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-C-27072/26A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS)AND SINGLE SHIELDED M27072/26JACA REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/27A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (20 CONDUCTORS) M27072/27JDAB REVIEWER: 99 ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/28A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS)AND SINGLE SHIELDED M27072/28KACA REVIEWER: 99 ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/29A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (12 CONDUCTORS) AND SINGLE SHIELDED M27072/29MACA REVIEWER: 99 ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/32A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (33 CONDUCTORS) M27072/32FBMA REVIEWER: 99 ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/33A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS)AND SINGLE SHIELDED M27072/33KBCA REVIEWER: 99 ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/34A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS)AND SINGLE SHIELDED M27072/34LACA REVIEWER: 99 ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/35A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS)AND SINGLE SHIELDED M27072/36F8CA REVIEWER: 99 ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| | | | | MIL-C-27072/36A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SHIELDED M27072/36GBCA REVIEWER: 99 ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/41 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS)AND SINGLE SHIELDED M27072/41FACA REVIEWER: IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/42A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS)AND SINGLE SHIELDED M27072/42JBCA REVIEWER: 99 ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/43 NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS)AND SINGLE SHIELDED M27072/43LDDD REVIEWER: 99 ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| | | | | MIL-C-27072/44A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/44MAAA REVIEWER: ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| | | | | MIL-C-27072/45A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/45HACA REVIEWER: ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/47A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (12 SHIELDED PAIRS) AND SINGLE SHIELDED M27072/47MAMA REVIEWER: ES IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| | | | | MIL-C-27072/48A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED M27072/48JDDD REVIEWER: IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/49 NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072(49HBCK | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/51A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/51JACA REVIEWER: IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/53A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (26 CONDUCTORS) M27072/53MDMC REVIEWER: IS | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/54A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/53MADA REVIEWER: IS | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/55A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/55HBDA REVIEWER: 99 | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/56B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/56MADA | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/57A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR & SINGLE SHIELDED M27072/57MACA REVIEWER: IS | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/58A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR & SINGLE SHIELDED M27072/58MAAA | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/59A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/59MADA | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/61A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/61GEDD | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/62A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/62JEDD | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/63A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/63SDDD | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/64A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (8 CONDUCTORS) M27072/64DBAA REVIEWER: 99 | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/65A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (10 CONDUCTORS) & SINGLE SHIELDED M27072/65MACA | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/66A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) & SINGLE SHIELDED M27072/66LDDD | A | 6145 | | 85 | 24-SEP-87 | | | | 85 |
| L | | | | MIL-C-27072/67 NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/67FEDD* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/68A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (21 CONDUCTORS) & SINGLE SHIELDED M27072/68KACA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/70 NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) & SINGLE SHIELDED M27072/70MACA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/73A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS ) & SINGLE SHIELDED M27072/73FDDD* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/75B NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (6 CONDUCTORS) M27072/75JACA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/76A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (1 SHIELDED PAIR & 8 WIRES UNDER A DOUBLE SHIELD) M27072/76SACA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/77A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 SHIELDED CABLES & 19 WIRES UNDER A DOUBLE SHIELD) M27072/77MACA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/78A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/78KBCA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/79A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) M27072/79KAAA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/80A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (6 CONDUCTORS) & SINGLE SHIELDED M27072/80KACA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/81B NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/81EBCK REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/82A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (5 CONDUCTORS) & SINGLE SHIELDED M27072/82GACA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/83A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) & SINGLE SHIELDED M27072/83MACA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/84A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (6 CONDUCTORS) M27072/84FAAC* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| L | | | | MIL-C-27072/85A NOTICE 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (11 CONDUCTORS) M27072/85KAAA* REVIEWER: 99 IS | A | 6145 | | 85 | 24-SEP-87 | CR | SH | | 85 |
| A | I | | | MIL-C-27072/88B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED REVIEWER: ES IS | A | 6145 | | 85 | 23-MAR-93 | CR | SH | | 85 |
| A | I | | | MIL-C-27072/89B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED REVIEWER: ES IS | A | 6145 | | 85 | 23-MAR-93 | CR | SH | | 85 |
| A | I | | | MIL-C-27072/94B | CABLE, SPECIAL PURPOSE, ELECTRICAL, SINGLE CONDUCTOR, SINGLE SHIELDED MS27072/94*DDE* REVIEWER: 85 ES | A | 6145 | | 85 | 23-MAR-93 | CR | SH | | 85 |
| | | | | MIL-L-27160C(1) NOTICE 1 | LIGHTING, INSTRUMENT, INTEGRAL, WHITE, GENERAL SPECIFICATION FOR REVIEWER: 99 EC | A | 6620 | | 11 | 26-FEB-88 | AV | | | 11 |
| | | | | MIL-V-27166C(1) | VALVE, PRESSURE EQUALIZING, GASEOUS PRODUCTS USER: AV OS REVIEWER: 18 82 99 AR CS | A | 4820 | | 69 | 07-MAY-87 | MI | | AS | 69 |
| L | | | | MIL-C-27171 NOTICE 1 | CHART, STANDARD MISSILE CHARACTERISTICS, PREPARATION OF ..... | A | MISC | | 11 | 26-FEB-88 | | | | 11 |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-S-271748 | SEAT, TROOP, VARIABLE SEATING WIDTH | A | 1680 | 82 | | 29-JUN-85 | | | 99 | |
| D | | MIL-S-27178G | SWEEPER, ROTARY, TOWED A/M32U-5A, SNOW, AIR BLAST USER: 11 CE | A | 3825 | 84 | | 17-DEC-82 | ME | YD1 | 99 | |
| L | | MIL-S-002717BH | SNOW SWEEPER, TOWED, ROTARY, AIRBLAST | A | 3825 | 84 | | 10-JAN-89 | | | 99 | |
| QL | | MIL-T-271798(3) | TRANSMITTER, RATE OF FLOW TRU-27/A, ENGINE | A | 6620 | 71 | | 24-APR-87 | | | 99 | |
| L | | MIL-H-27186(1) NOTICE 1 | HEADSET-MICROPHONE, SOUND POWERED H-159/GIC/10 [VALIDATION DATE: 9201] | A | 5965 | 85 | | 24-JAN-92 | | | 85 | |
| QL | | MIL-I-27188A(3) | INDICATOR, PRESSURE EGU-2/A, OIL, 0-100 PSI | A | 6620 | 71 | | 15-SEP-86 | | | 99 | |
| QL | | MIL-I-27189C(1) | INDICATOR, PRESSURE OIL | A | 6620 | 71 | | 06-AUG-86 | | | 99 | |
| QL | | MIL-I-27190B | INDICATOR, PRESSURE AGU&3-A, HYDRAULIC, 0&4,000 PSI [VALIDATION DATE: 8205] REVIEWER: 99 GS | A | 6685 | 82 | | 31-OCT-67 | | | 82 | |
| QL | | MIL-I-27191B(1) | INDICATOR, POSITION, VARIABLE NOZZLE | A | 6620 | 71 | | 20-FEB-87 | | | 99 | |
| Q | | MIL-I-27193B(3) | INDICATOR, ATTITUDE AKU-2B/A | X | 6610 | 71 | | 10-MAR-83 | AV | | 99 | |
| L | | MIL-A-27195A | ACCELEROMETER, AIRCRAFT, MECHANICAL ABU-6/A | A | 6610 | 71 | | 10-AUG-89 | | | 99 | |
| L | | MIL-I-27196C | INDICATOR, VERTICAL VELOCITY AAU-9/A, INTEGRALLY LIGHTED | A | 6610 | 71 | | 11-MAR-88 | | | 99 | |
| QL | | MIL-I-27197C(1) | INDICATOR, AIRSPEED, MACH NUMBER AND MAXIMUM ALLOWABLE SPEED | A | 6610 | 71 | | 16-OCT-87 | | | 99 | |
| L | | MIL-A-27198B | ALTIMETER, PRESSURE AAU-7-A | A | 6610 | 71 | | 29-DEC-87 | | | 99 | |
| QL | | MIL-T-27200C(4) | TRANSMITTER, RATE GYROSCOPE TRU-2A/A REVIEWER: 11 | A | 6615 | 71 | | 29-APR-87 | | | 99 | |
| | | MIL-P-27201B NOTICE 1 | PROPELLANT, HYDROGEN [VALIDATION DATE: 8808] REVIEWER: 12 19 | A | 9135 | 68 | | 22-AUG-88 | MI | AS | 68 | |
| QL | | MIL-I-27202A(1) | INDICATOR, ELECTRICAL TACHOMETER, 0-110 PERCENT RPM, 2 INCH SIZE, INTEGRALLY LIGHTED | A | 6620 | 71 | | 07-FEB-83 | | | 99 | |
| QL | | MIL-I-27203B | INDICATOR, POSITION, WING FLAP | A | 6610 | 71 | | 19-DEC-87 | | | 99 | |
| AQ | | MIL-R-27208D | RESISTOR, VARIABLE, WIRE-WOUND, NONPERCISION, GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 17 80 AR AS MI OS | A | 5905 | 85 | | 24-AUG-92 | ER | EC | 85 | |
| | | MIL-R-27208/2E NOTICE 1 | RESISTOR, VARIABLE, WIREWOUND (LEAD SCREW ACTUATED), STYLE RT10 USER: 19 AT AV MC ME REVIEWER: 11 17 99 ES MI OS | A | 5905 | 85 | | 27-FEB-87 | ER | EC | 85 | |
| | | MIL-R-27208/4G NOTICE 1 | RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT 22 USER: 19 MC REVIEWER: 17 99 AR AT AV ES ME MI OS | A | 5905 | 85 | | 27-FEB-87 | ER | EC | 85 | |
| | | MIL-R-27208/8F NOTICE 1 | RESISTOR, VARIABLE, WIRE WOUND (ADJUSTMENT TYPE, LEAD SCREW ACTUATED), STYLE RT12 USER: 19 AT AV MC ME REVIEWER: 11 17 99 ES MI OS | A | 5905 | 85 | | 27-FEB-87 | ER | EC | 85 | |
| | | MIL-R-27208/9E | RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT24 (INACTIVE FOR DESIGN USE MIL-R-39015/3) USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR ES MI OS | A | 5905 | 85 | | 27-FEB-87 | ER | EC | 85 | |
| | | MIL-R-27208/10A NOTICE 1 | RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT26 USER: 19 AT AV MC ME REVIEWER: 17 99 AR ES MI OS | A | 5905 | 85 | | 27-FEB-87 | ER | EC | 85 | |
| L | | MIL-R-27208/11B | RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT27 REVIEWER: 11 17 99 ES | A | 5905 | 85 | | 27-FEB-87 | | | 85 | |
| Q | | MIL-I-27209C(2) | INDICATOR, TEMPERATURE, THERMOCOUPLE, SELF-BALANCING, POTENTIOMETER TYPE (ASG) [VALIDATION DATE: 8109] REVIEWER: GS | A | 6685 | 82 | | 29-AUG-67 | | AS | 99 | |
| | | MIL-O-27210F | OXYGEN, AVIATON'S BREATHING, LIQUID AND GAS USER: ME REVIEWER: GS | A | 6830 | 68 | | 01-AUG-90 | | AS | 68 | |
| A | L | MIL-C-27212B(1) NOTICE 2 | CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING CONTROL [VALIDATION DATE: 9301] REVIEWER: 11 19 | A | 6145 | 85 | | 22-JAN-93 | | | 85 | |
| L | | MIL-T-27213D | TRUCK, CRASH FIRE RESCUE, 3,000 GALLON CAPACITY, A/S32P-23 | A | 4210 | 84 | | 14-OCT-88 | | | 99 | |
| L | | MIL-T-27233C | TEST SET, PRESSURE INDICATING SYSTEM T1U&26-E, VARIABLE RELUCTANCE, FIELD REVIEWER: GS | A | 6685 | 82 | | 07-NOV-85 | | | 99 | |
| | | MIL-P-27235A | PIN, STRAIGHT, HEADED (CLEVIS PINS) [VALIDATION DATE: 8203] USER: AV CE MC ME OS REVIEWER: 82 IS MI | A | 5315 | AR | | 27-NOV-68 | AR | | 99 | |
| QL | | MIL-I-27247C | INDICATOR, TEMPERATURE, SYNCHRO REVIEWER: GS | A | 6685 | 82 | | 20-MAR-85 | | | 99 | |
| L | | MIL-C-27259A NOTICE 1 | CHARACTERISTICS CHARTS (ORANGE BOOK) USAF GUIDE MR. 4 FOR USAF TRAINING EQUIPMENT [VALIDATION DATE: 8809] | A | 6930 | 11 | | 30-SEP-88 | | | 11 | |
| AQ | | MIL-T-27260B(2) | TIE DOWN, CARGO, AIRCRAFT, CGU-1/B USER: ME MT REVIEWER: AV | A | 1670 | 82 | | 23-JUN-92 | GL | AS | 99 | |
| L | | MIL-A-27261A(4) | ACCELEROMETER, AIRCRAFT | A | 6610 | 71 | | 09-FEB-87 | | | 99 | |
| A | | MIL-W-27265E | WEBBING, TEXTILE, WOVEN NYLON IMPREGNATED USER: 45 MC SH REVIEWER: 82 AR EA MD MU OS | A | 8305 | CT | | 27-JUN-88 | GL | AS | 99 | CT |
| L | | MIL-S-27266A(1) | STARTER, ENGINE, CARTRIDGE/PNEUMATIC SHAFT DRIVE, GENERAL SPECIFICATION FOR REVIEWER: AV | A | 2995 | 71 | | 18-AUG-88 | | | 99 | |
| Q | | MIL-H-27267B | HOSE TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE USER: MI REVIEWER: CS GL ME | A | 4720 | 82 | | 30-MAY-84 | AV | AS | 99 | |
| L | | MIL-H-27269A(3) | HORIZONTAL SITUATION INDICATOR GROUP AF/A24J-1 | A | 6605 | 71 | | 27-JAN-89 | | | 99 | |
| Q | | MIL-F-27272B SUPPL 1A1 | FITTINGS, TETRAFLUOROETHYLENE HOSE HIGH TEMPERATURE, MEDIUM PRESSURE GENERAL SPECIFICATION FOR USER: MI REVIEWER: 11 69 AS AV CS | A | 4730 | 82 | | 20-AUG-91 | ME | SH | 99 | |
| Q | | MIL-I-27273A(3) | INVERTER, POWER, STATIC, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8210] REVIEWER: ER GS | A | 6130 | 80 | | 12-MAR-70 | AV | | 99 | |
| L | | MIL-M-27274D(1) | MASK, OXYGEN MBU-5/P REVIEWER: 11 | A | 1660 | 82 | | 20-JUN-74 | | | 99 | |
| L | | MIL-C-27278B(3) NOTICE 1 | CHECK LIST, FLIGHT CREW REVIEWER: 10 99 | A | TMSS | 11 | | 26-FEB-88 | | | 11 | |
| QLI | | MIL-C-27287(3) NOTICE 1 | CAPACITORS, FIXED, PLASTIC DIELECTRIC, DC (NONMETALLIC CASES), GENERAL SPECIFICATION FOR REVIEWER: 99 ES MI | A | 5910 | 85 | | 16-APR-91 | | | 85 | |
| L | | MIL-C-27287/1(1) NOTICE 1 | CAPACITOR, FIXED, PLASTIC (NON-METALLIC CASE) STYLE CTM- CHARACTERISTIC V REVIEWER: 99 AR ES | A | 5910 | 85 | | 27-FEB-87 | | | 85 | |
| Q | | MIL-V-27296B | VALVE, OXYGEN MASK, COMBINATION INHALATATION AND EXHALATION | A | 1660 | 82 | | 25-JUL-83 | AV | AS | 99 | |
| L | | MIL-C-27298B NOTICE 1 | CLOCK, AIRCRAFT, MECHANICAL ABU&9-A [VALIDATION DATE: 8706] REVIEWER: GS | A | 6645 | AS | | 19-JUN-87 | | AS | | |
| L | | MIL-H-27301D(1) | HOSE ASSEMBLY, METAL, CRYOGENIC LIQUID, TRANSFER REVIEWER: 99 | A | 4720 | 68 | | 30-NOV-78 | | | 68 | |
| L | | MIL-I-27304E(3) | INDICATOR, RATE OF FLOW | A | 6620 | 71 | | 15-MAY-91 | | | 99 | |
| L | | MIL-T-27305C(1) | TRANSMITTER, RATE OF FLOW REVIEWER: 11 | A | 6620 | 71 | | 09-DEC-88 | | | 99 | |
| LI | | MIL-A-27328(6) NOTICE 1 | AMPLIFIER-INDICATOR GROUP, ALTITUDE-VERTICAL SPEED A/A24G-7 | A | 6610 | 71 | | 20-MAR-92 | | | 99 | |
| QL | | MIL-A-27330B | ACCELEROMETER, ELECTRICAL, LINEAR TRU-3/A | A | 6610 | 71 | | 25-MAR-87 | | | 99 | |
| L | | MIL-S-27332B | SEAT CUSHION INSERT, POLYURETHANE FOAM, PLASTIC, GENERAL SPECIFICATION FOR | A | 1660 | 82 | | 26-OCT-83 | | | 99 | |
| L | | MIL-O-27335B | OXYGEN SYSTEM, SURVIVAL CONTAINER&OXYGEN KIT, GENERAL SPECIFICATION FOR REVIEWER: 11 | A | 1660 | 71 | | 29-SEP-86 | | | 99 | |
| QL | | MIL-C-27336B(2) | CONVERTER, LIQUID OXYGEN TYPE GCU-17/A | A | 1660 | 71 | | 21-OCT-86 | | | 99 | |
| L | | MIL-G-27369A | GENERATOR, HYDROGEN ML-539/TM [VALIDATION DATE: 8001] REVIEWER: GS | A | 3655 | 13 | | 03-APR-62 | | | 13 | |
| D | | MIL-R-27384B | RIVET, BLIND, DRIVE TYPE [VALIDATION DATE: 8504] USER: AT GL MC REVIEWER: AV IS ME | A | 5320 | AR | | 28-OCT-70 | AR | YD1 | 99 | |
| L | | MIL-S-27396B(1) | STAIRCASE, AIRCRAFT BOARDING, TRUCK MOUNTED A-S32S-3 [VALIDATION DATE: 8505] | A | 1730 | 82 | | 07-MAY-79 | | | 99 | |
| | | MIL-P-27401C NOTICE 1 | PROPELLANT, PRESSURIZING AGENT, NITROGEN [VALIDATION DATE: 8808] USER: OS REVIEWER: 12 19 | A | 9135 | 68 | | 22-AUG-88 | MI | AS | 68 | |
| | | MIL-P-27402B(1) NOTICE 1 | PROPELLANT, HYDRAZINE - UNS-DIMETHYLHYDRAZINE (50 PERCENT N2H4 - 50 PERCENT UDMH) REVIEWER: 12 14 19 OS | A | 9135 | 68 | | 15-JUN-89 | MI | AS | 68 | |
| | | MIL-P-27404B | PROPELLANT, MONOMETHYLHYDRAZINE [VALIDATION DATE: 8512] REVIEWER: 12 19 | A | 9135 | 68 | | 22-MAY-79 | MI | AS | 68 | |
| | | MIL-P-27405(2) NOTICE 1 | PROPELLANT, FLUORINE [VALIDATION DATE: 8808] REVIEWER: 12 19 23 | A | 9135 | 68 | | 22-AUG-88 | MI | AS | 68 | |
| L | | MIL-P-27407A(1) | PROPELLANT PRESSURIZING AGENT HELIUM USER: SH REVIEWER: 12 19 | A | 9135 | 68 | | 17-JUN-88 | | | 68 | |
| L | | MIL-P-27409(1) | PROPELLANT FEED SYSTEM, ROCKET PROPULSION, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8204] REVIEWER: 14 19 99 | A | 2845 | 12 | | 16-JUN-69 | | | 12 | |
| L | | MIL-C-27410(1) | COMPONENTS, ROCKET PROPULSION FLUID SYSTEM, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8204] REVIEWER: 14 19 99 | A | 2845 | 12 | | 16-JUN-69 | | | 12 | |
| L | | MIL-P-27415 | PROPELLANT, PRESSURIZING AGENT, ARGON [VALIDATION DATE: 8808] REVIEWER: 12 | A | 9135 | 68 | | 22-AUG-88 | | | 68 | |
| L | | MIL-P-27418(1) | PLATING, SOFT NICKEL (ELECTRODEPOSITED, SULFAMATE BATH REVIEWER: 11 19 85 | A | MFFP | 12 | | 14-JUL-67 | | | 12 | |
| L | | MIL-S-27419 | STEEL BILLET, CORROSION RESISTANT, ANNEALED, PREMIUM QUALITY [VALIDATION DATE: 8204] REVIEWER: 11 19 | A | 9640 | 82 | | 24-JAN-68 | | | 99 | |

| Action | DPL / ONL | Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-A-27420 | AIR, LIQUID, FOR BREATHING PURPOSES [VALIDATION DATE: 8211] REVIEWER: 19 68 99 GS | A | 6830 | 12 | 30 | APR-70 | | | 12 | |
| | | | | MIL-T-27422B(1) | TANK, FUEL, CRASH&RESISTANT, AIRCRAFT [VALIDATION DATE: 7712] ..... | A | 1560 | AV | 13 | APR-71 | AV | AS | | |
| . | | | | MIL-R-27426A | RING, RETAINING, SPIRAL (UNIFORM CROSS SECTION) [VALIDATION DATE: 8204] USER: MC ME SH REVIEWER: 1S MI | A | 5365 | OS | 01 | MAY-72 | AR | OS | 99 | |
| L | | | | MIL-P-27431B | PURGING KIT, CONVERTER SYSTEM, LIQUID OXYGEN KMU&78-E REVIEWER: 82 ..... | A | 1730 | 71 | 10 | JAN-86 | | | 99 | |
| I | | | | MIL-A-27434A(2) SUPPL 1D1, NOTICE 2 | ADAPTERS, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES AND WITHIN SERIES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9109] USER: 19 AS AT MC ME OS REVIEWER: 17 99 AR ES MI | A | 5935 | CR | 12 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/5 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-637/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/6 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-217A/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/7 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-218A/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/8 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-259A/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/9 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-270A/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/10 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-271A/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/11 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-327A/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/13 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-497A/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/15 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-559B/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/16 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-5868/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/18 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-605/U [VALIDATION DATE: 9109] REVIEWER: 99 | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/20 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-690/U [VALIDATION DATE: 9109] REVIEWER: 11 99 ES SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/21 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-691/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/22A NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-966A/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/23A NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-970/U [VALIDATION DATE: 9109] USER: 14 19 AS MC ME REVIEWER: 11 17 AR MI SH | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/24 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-971/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/25A NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-977C/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/26 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES TYPE UG-1013A/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/28 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1136/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/30 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1142/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/32A NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1144/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/33 NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1146/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/36A NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1088A/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| I | | | | MIL-A-27434/38A NOTICE 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-213A/U [VALIDATION DATE: 9109] | A | 5935 | CR | 11 | SEP-91 | CR | EC | 85 | |
| A L | | | | MIL-C-27438G | COAT, MAN S, SERVICE USER: 45 REVIEWER: 99 ..... | A | 8405 | CT | 30 | JAN-87 | | | 11 | CT |
| D L | | | | MIL-P-27443E | PALLET, CARGO, AIRCRAFT, TYPE MCU-6/E, MCU-12/E, AND MCU-10/C [VALIDATION DATE: 8204] USER: YD1 REVIEWER: MT | A | 1670 | 84 | 24 | FEB-67 | | | 99 | |
| L | | | | MIL-N-27444D | NET, CARGO TIEDOWN, PALLETS, MCU-7/E, MCU-15/C, MCU-11/C, AND MCU-16/C REVIEWER: MT | A | 1670 | 84 | 02 | JAN-86 | | | 99 | |
| L | | | | MIL-S-27447A(1) | SURVIVAL KIT, PARACHUTE PACK SRU-16/P REVIEWER: 11 ..... | A | 4240 | 84 | 22 | JAN-79 | | | 99 | |
| L | | | | MIL-H-27467A NOTICE 1 | HEADSET ELECTRICAL H-154/AIC GENERAL SPECIFICATION FOR [VALIDATION DATE: 8702] REVIEWER: 99 ES | A | 5965 | 85 | 27 | FEB-87 | | | 85 | |
| L | | | | MIL-A-27471B(1) | ADAPTER, PRESSURE-REDUCER, IN-LINE CRU-43/A REVIEWER: 11 ..... | A | 1660 | 82 | 26 | AUG-75 | | | 99 | |
| L | | | | MIL-T-27483F | TANK, STORAGE, LIQUID OXYGEN TMU-20/E REVIEWER: 99 ..... | A | 3655 | 68 | 30 | AUG-85 | | | 68 | |
| A | | | | MIL-B-27486C | BOOTS, FLYING, FMU-3/P USER: 11 45 ..... | A | 8430 | CT | 04 | OCT-85 | GL | | 99 | CT |
| D | | | | MIL-C-27487G SUPPL 1D1 | COUPLING HALVES, QUICK-DISCONNECT, CAM-LOCKING TYPE USER: AT MC REVIEWER: 82 AV CS GL | A | 4730 | ME | 25 | NOV-92 | ME | YD1 | 99 | |
| | | | | MIL-T-27493A NOTICE 1 | TRANSFORMER, VARIABLE, SINGLE PHASE, 400 CYCLES GENERAL SPECIFICATIONS FOR [VALIDATION DATE: 8804] REVIEWER: 11 ES MI | A | 5950 | 85 | 15 | APR-88 | | AS | 85 | |
| | | | | MIL-B-27497C | BEARING, JEWEL, SAPPHIRE OR RUBY, SYNTHETIC [VALIDATION DATE: 8406] USER: MC REVIEWER: AS ER GS MI | A | 6695 | 82 | 27 | APR-78 | AR | SH | 99 | |
| | | | | MIL-C-27500G(1) | CABLE, POWER, ELECTRICAL AND CABLE SPECIAL PURPOSE, ELECTRICAL SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR REVIEWER: 11 99 AR IS MI | A | 6145 | 85 | 23 | FEB-90 | CR | AS | 85 | |
| | | | | MIL-L-27502(1) | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, ESTER BASE REVIEWER: 68 AV GS MI | A | 9150 | 11 | 26 | FEB-88 | ME | AS | 11 | |
| L | | | | MIL-C-27505B(2) NOTICE 1 | CARTRIDGE, ENGINE STARTER MXU-4A/A [VALIDATION DATE: 8810] ..... | A | 1377 | 70 | 26 | OCT-88 | | | 99 | |
| L | | | | MIL-H-27507C(1) | HEATER, DUCT TYPE, PORTABLE, TRAILER MOUNTED, MDU-13/M REVIEWER: CS ..... | A | 4520 | 84 | 27 | JAN-89 | | | 99 | |
| D | | | | MIL-H-27516D | HOSE AND HOSE ASSEMBLY, NONMETALLIC, SUCTION AND DISCHARGE REVIEWER: AV CS GS | A | 4720 | 82 | 03 | AUG-77 | ME | YD1 | 99 | |
| L | | | | MIL-R-27521A(1) NOTICE 1 | RECEPTACLE, FLYING BOOM, AERIAL REFUELING GENERAL SPECIFICATION FOR [VALIDATION DATE: 8908] | A | 1680 | 82 | 25 | AUG-89 | | | 99 | |
| A | | | | MIL-M-27529B NOTICE 1 | MITTENS, EXTREME COLD WEATHER SURVIVAL, SRU-10/P [VALIDATION DATE: 8910] .. | A | 8415 | CT | 31 | OCT-89 | | | 99 | CT |
| A L | | | | MIL-F-27531A(1) | FOOT SACK, EXTREME COLD WEATHER SURVIVAL TYPE SRU-12/P [VALIDATION DATE: 8404] REVIEWER: 45 | A | 8415 | CT | 06 | SEP-78 | | | | CT |
| A L | | | | MIL-F-27532A(1) | FOOTWEAR COVERS, EXTREME COLD WEATHER SURVIVAL SRU-13/P [VALIDATION DATE: 8403] REVIEWER: 11 45 | A | 8430 | CT | 07 | AUG-78 | | | | CT |
| DQ | | | | MIL-T-27535A(2) SUPPL 1A1 | TRANSFORMER, POWER, ISOLATION: SERIES CIRCUIT, AIRPORT LIGHTING, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8804] REVIEWER: 11 99 ES MI YD1 | A | 5950 | 85 | 15 | APR-88 | | AS | 85 | |
| Q | | | | MIL-C-27536B | COUPLING, CLAMP, GROOVED, V-BAND REVIEWER: 11 1S ..... | A | 5340 | 82 | 13 | MAR-87 | | AS | 99 | |
| QL | | | | MIL-I-27544C | INDICATOR, LIQUID OXYGEN QUANTITY REVIEWER: 11 AS GS ..... | A | 6680 | 82 | 05 | APR-85 | | | 99 | |
| | | | | MIL-K-27545B | KEY, WOODRUFF, ALLOY STEEL REVIEWER: 82 AV 1S ..... | A | 5315 | AR | 23 | JUN-89 | AR | OS | 99 | |
| A | | | | MIL-L-27546D | LINER: FLYER'S JACKET, AND FLYER'S, TROUSERS, CWU-9/P USER: 45 REVIEWER: DP | A | 8415 | CT | 23 | APR-91 | | | 99 | CT |
| QL | | | | MIL-I-27552B(2) | INDICATOR, TEMPERATURE, THERMOCOUPLE CMU-15A/A, POTENTIOMETER TYPE, WHITE LIGHTED REVIEWER: GS | A | 6685 | 82 | 25 | SEP-68 | | | 99 | |
| L | | | | MIL-C-27556A NOTICE 1 | CARTRIDGE KIT, PARACHUTE EJECTION MLU-14/B AND CARTRIDGE KIT, PARACHUTE EJECTION MLU-15/B [VALIDATION DATE: 8603] | A | 1377 | 70 | 28 | MAR-86 | | | 99 | |
| A LI | | | | MIL-A-27582A(1) NOTICE 2 | ADAPTER, TEST MX-6050/PSM-6 REVIEWER: 15 ..... | A | NUOR | 79 | 31 | AUG-92 | | | 79 | |
| A LI | | | | MIL-T-27584A NOTICE 2 | TRAINER, TEST SET TAU-62/E REVIEWER: 15 ..... | A | 1190 | 79 | 31 | AUG-92 | | | 79 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-M-27586C NOTICE 1 | MANUAL, TECHNICAL AND CHECKLIST, NUCLEAR MUNITIONS LOADING PROCEDURES, STRATEGIC BOMBER AIRCRAFT, PREPARATION OF (VALIDATION DATE: 8607) REVIEWER: 01 10 79 | A | TMSS | 16 | | 10-JUL-86 | | 16 | | |
| L | MIL-T-27594A(2) NOTICE 1 | TECHNICAL MANUAL AND CHECKLIST ASSEMBLY, TEST, AND STORAGE PROCEDURES, MISSILE/WARHEAD MATING, PREPARATION OF (VALIDATION DATE: 8609) REVIEWER: 01 10 79 | A | TMSS | 16 | | 30-SEP-86 | | 16 | | |
| QL | MIL-C-27599B NOTICE 1 | CONNECTOR, ELECTRICAL, MINIATURE, QUICK DISCONNECT (FOR WEAPONS SYSTEMS) ESTABLISHED RELIABILITY REVIEWER: 11 17 99 | A | 5935 | 85 | | 27-MAR-87 | | 85 | | |
| QL | MIL-H-27601A(1) NOTICE 1 | HYDRAULIC FLUID, PETROLEUM BASE, HIGH TEMPERATURE, FLIGHT VEHICLE (VALIDATION DATE: 8901) REVIEWER: GS | A | 9150 | 11 | | 20-JAN-89 | | 11 | | |
| A | MIL-C-27613A(1) NOTICE 1 | COVERALLS, ROCKET FUEL HANDLERS, CWU-2/P (VALIDATION DATE: 8910) ..... | A | 8415 | CT | | 31-OCT-89 | | 99 | | CT |
| A | MIL-H-27614A NOTICE 1 | HOOD, ROCKET FUEL HANDLERS, HGU-11/P (VALIDATION DATE: 8910) ..... | A | 8415 | CT | | 31-OCT-89 | | 99 | | CT |
| Q | MIL-G-27617D | GREASE, AIRCRAFT AND INSTRUMENT, FUEL AND OXIDIZER RESISTANT USER: MI SH REVIEWER: AR | A | 9150 | 11 | | 14-NOV-84 | ME | AS | 11 | |
| QL | MIL-G-27617D(11) | GREASE, AIRCRAFT AND INSTRUMENT, FUEL AND OXIDIZER RESISTANT ..... | A | 9150 | 11 | | 30-APR-87 | | | 11 | |
| Q | MIL-I-27619G(3) | INDICATORS, ATTITUDE DIRECTOR ..... | A | 6610 | 71 | | 22-FEB-90 | | AS | 99 | |
| Q | MIL-I-27623C(3) | INDICATOR, ATTITUDE, REMOTE STANDBY, 2 INCH ..... | A | 6610 | 71 | | 06-JUN-86 | AV | AS | 99 | |
| L | MIL-S-27626D(1) | SAMPLER, CRYOGENIC LIQUID REVIEWER: 12 99 ..... | A | 6695 | 68 | | 24-APR-81 | | | 68 | |
| D L | MIL-F-27629D(2) | FILTER-SEPARATOR, LIQUID FUEL FFU-1/E USER: YD1 ..... | A | 4330 | 84 | | 13-MAY-81 | | | 99 | |
| D L | MIL-F-27630D(2) | FILTER-SEPARATOR, LIQUID FUEL FFU-2/E USER: YD1 ..... | A | 4330 | 84 | | 12-MAY-81 | | | 99 | |
| L | MIL-L-27639C(2) | LIFE PRESERVER INFLATING ASSEMBLY FLU-1A/P ..... | A | 4220 | 82 | | 18-SEP-70 | | | 99 | |
| QL | MIL-C-27652D NOTICE 1 | CONVERTER, LIQUID OXYGEN GCU-20/A (VALIDATION DATE: 8712) ..... | A | 1660 | 71 | | 18-DEC-87 | | | 99 | |
| QL | MIL-F-27656C(1) | FILTER UNIT, FLUID, PRESSURE, MXU-408/M, ABSOLUTE, 5 MICRON, HYDRAULIC REVIEWER: 82 | A | 4330 | 84 | | 26-JAN-90 | | | 99 | |
| L | MIL-F-27660G(1) | FILTER ELEMENT, FLUID, PRESSURE FFU-3/E REVIEWER: CS ..... | A | 4330 | 84 | | 18-MAR-81 | | | 99 | |
| D | MIL-S-27661C | STRAINER, SEDIMENT, JET FUEL UNIT, 600 GPM ..... | A | 4730 | 82 | | 03-OCT-84 | | YD1 | 99 | |
| L | MIL-I-27665B | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE ABU-10/A, MINUS 50 DEG TO PLUS 50 DEG C REVIEWER: GS | A | 6685 | 82 | | 01-OCT-84 | | | 99 | |
| L | MIL-I-27667C | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE REVIEWER: GS ..... | A | 6685 | 82 | | 16-NOV-90 | | | 99 | |
| L | MIL-E-27669B(5) | ENGINE INSTRUMENTATION SYSTEM, AIRCRAFT A/A24S-11 REVIEWER: 11 ..... | A | 6620 | 71 | | 25-APR-88 | | | 99 | |
| L | MIL-A-27670C(3) | AMPLIFIER-INDICATOR GROUP, INDICATED AIRSPEED A/A24G-10 ..... | A | 6610 | 71 | | 01-DEC-86 | | | 99 | |
| L | MIL-A-27671B(3) | AMPLIFIER-INDICATOR GROUP, ALTITUDE-VERTICAL SPEED A/A24G-11 ..... | A | 6610 | 71 | | 06-AUG-86 | | | 99 | |
| L | MIL-I-27672B | INDICATOR, POSITION ALU-4/1, HORIZONTAL STABILIZER REVIEWER: OS ..... | A | 6610 | 71 | | 03-SEP-87 | | | 99 | |
| A L | MIL-I-27673C | INDICATOR, TRUE AIRSPEED AVU-15/A ..... | A | 6610 | 71 | | 12-FEB-93 | | | 99 | |
| L | MIL-I-27674B(1) | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE MULTIFUNCTION, MINUS 50 DEG TO PLUS 200 DEG C REVIEWER: GS | A | 6685 | 82 | | 01-FEB-83 | | | 99 | |
| QL | MIL-E-27675B(2) NOTICE 1 | ENGINE PRESSURE RATIO SYSTEM, TURBOFAN ENGINE A/A24J-13 (VALIDATION DATE: 8806) | A | 6620 | 71 | | 13-JUN-88 | | | 99 | |
| L | MIL-I-27676B(1) | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE (VALIDATION DATE: 7603) REVIEWER: 11 GS | A | 6685 | 82 | | 22-APR-70 | | | 99 | |
| L | MIL-I-27677E | INDICATOR, LIQUID QUANTITY OXYGEN REVIEWER: GS ..... | A | 6680 | 82 | | 18-MAY-90 | | | 99 | |
| QL | MIL-I-27680C(2) | INDICATOR, ALTITUDE ARU-12/A, REMOTE REVIEWER: 99 ..... | A | 6610 | AV | | 30-SEP-86 | AV | | | |
| | MIL-I-27686F | INHIBITOR, ICING, FUEL SYSTEM REVIEWER: AV GS ..... | A | 6850 | 11 | | 10-JUN-91 | MR | AS | 11 | |
| L | MIL-F-27707H(2) | FILTER ELEMENT, FLUID, PRESSURE FFU-5/E REVIEWER: CS ..... | A | 4330 | 84 | | 24-APR-80 | | | 99 | |
| Q | MIL-I-27710C | INDICATOR, ATTITUDE, REMOTE (VALIDATION DATE: 8205) ..... | X | 6610 | 71 | | 18-AUG-76 | AV | | 11 | |
| QL | MIL-C-27715(1) | CIRCUIT BREAKER, TRIP-FREE, HIGH TEMPERATURE, AIRCRAFT GENERAL SPECIFICATION FOR REVIEWER: 99 ES MI | A | 5925 | 85 | | 06-OCT-86 | | | 85 | |
| L | MIL-C-27718D | CRANE, HYDRAULIC, TRUCK MOUNTED, A/S32A-16 16,500 POUND CRANE CAPACITY, 6X4, DED REVIEWER: CS | A | 3810 | 84 | | 06-AUG-84 | | | 99 | |
| L | MIL-T-27720D(2) | TANK, STORAGE, LIQUID OXYGEN/LIQUID NITROGEN, TMU-24/E REVIEWER: 11 99 .... | A | 3655 | 68 | | 03-AUG-82 | | | 68 | |
| | MIL-P-27723E | PROBE, TOTAL TEMPERATURE, DEICEABLE REVIEWER: GS ..... | A | 6685 | 82 | | 15-MAR-85 | | AS | 99 | |
| Q | MIL-C-27725B NOTICE 1 | COATING, CORROSION PREVENTIVE, FOR AIRCRAFT INTEGRAL FUEL TANKS (VALIDATION DATE: 8707) REVIEWER: 99 | A | 8030 | 11 | | 30-JUL-87 | | AS | 11 | |
| D L | MIL-T-27730A | TAPE, ANTISEIZE, TETRAFLUOROETHYLENE, WITH DISPENSER (VALIDATION DATE: 7505) USER: ME YD1 REVIEWER: DS MI OS | A | 8030 | 84 | | 15-APR-64 | | | 99 | |
| L | MIL-M-27733B(1) | MODIFICATION & MARKING PROCEDURES FOR TEST EQUIPMENT IN AEROSPACE VEHICLES (CLASS II MODIFICATION) | A | 1500 | 11 | | 03-MAY-85 | | | 11 | |
| | MIL-R-27777B(1) NOTICE 1 | RELAY, TELEGRAPH, PASSIVE, SOLID-STATE GENERAL SPECIFICATION FOR (VALIDATION DATE: 8803) USER: 14 AS MC OS REVIEWER: 11 13 89 99 AR ES MI | A | 5945 | 85 | | 31-MAR-88 | ER | EC | 85 | |
| | MIL-R-27777/1 NOTICE 1 | RELAY, TELEGRAPH, PASSIVE, SOLID STATE (OCTAL BASE) (VALIDATION DATE: 8803) USER: 19 MC REVIEWER: 11 13 89 AR AS ES MI OS | A | 5945 | 85 | | 31-MAR-88 | ER | EC | 17 | |
| | MIL-R-27777/2 NOTICE 1 | RELAY, TELEGRAPH, PASSIVE, SOLID STATE (255 BASE) (VALIDATION DATE: 8803) USER: 19 MC REVIEWER: 11 13 89 AS ES MI OS | A | 5945 | 85 | | 31-MAR-88 | ER | EC | 85 | |
| | MIL-R-27777/3 NOTICE 1 | RELAY, TELEGRAPH, PASSIVE, SOLID STATE,UNIVERSAL (202 BASE) (VALIDATION DATE: 8803) USER: 19 MC REVIEWER: 11 13 89 AR AS ES MI OS | A | 5945 | 85 | | 31-MAR-88 | ER | EC | 85 | |
| | MIL-R-27777/4A NOTICE 1 | RELAY, TELEGRAPH, PASSIVE, SOLID STATE RELAY, ELECTRONIC, SPECIAL PURPOSE REVIEWER: ES | A | 5945 | 85 | | 31-MAR-88 | | EC | 85 | |
| A | MIL-C-27845C NOTICE 1 | COVERALLS, MEN'S CWU-3/P (VALIDATION DATE: 8910) REVIEWER: MD ..... | A | 8405 | CT | | 31-OCT-89 | GL | | 99 | CT |
| Q | MIL-I-27848A(6) | INDICATOR, HORIZONTAL SITUATION AQU-4/A ..... | A | 6610 | 71 | | 02-SEP-88 | AV | AS | 99 | |
| QL | MIL-V-27853B(3) | VALVE, FEMALE FILLER, LIQUID NITROGEN MRU-2/E REVIEWER: 99 ..... | A | 3655 | 68 | | 24-APR-81 | | | 68 | |
| | MIL-H-27856D NOTICE 1 | HELMET, FLYING HGU-7/P (VALIDATION DATE: 8805) REVIEWER: 11 CT ..... | A | 8475 | 82 | | 27-MAY-88 | AV | AS | 99 | |
| QL | MIL-I-27882A(1) | INDICATOR, LIQUID OXYGEN QUANTITY GMU-37/A (VALIDATION DATE: 8304) REVIEWER: GS | A | 6680 | 82 | | 25-SEP-68 | | | 99 | |
| A | MIL-L-27885C | LAST, FOOTWEAR FWU-5/P USER: 45 ..... | A | 8335 | CT | | 25-NOV-85 | | | 99 | CT |
| | MIL-W-27888B NOTICE 1 | WEIGHT, PARACHUTE PACKING (VALIDATION DATE: 9006) REVIEWER: 82 AV ..... | A | 1670 | GL | | 19-JUN-90 | GL | AS | 99 | |
| | MIL-T-27892F(3) | TANK, STORAGE, LIQUID OXYGEN TMU-7A/E REVIEWER: 99 ..... | A | 3655 | 68 | | 09-APR-85 | | AS | 68 | |
| L | MIL-H-27893E | HARNESSES, PARACHUTIST'S, INDIVIDUAL EQUIPMENT PACK ("H" - TYPE) REVIEWER: AV MD | A | 1670 | GL | | 10-APR-89 | GL | | | |
| L | MIL-P-27965 | PLOTTING SET, THEODOLITE ML-625/GM (VALIDATION DATE: 8001) REVIEWER: GS ... | A | 6660 | 13 | | 21-SEP-67 | | | 99 | |
| D | MIL-D-28000A(1) | DIGITAL REPRESENTATION FOR COMMUNICATION OF PRODUCT DATA: IGES APPLICATION SUBSETS AND IGES APPLICATION PROTOCOLS USER: 11 13 14 17 18 19 68 79 99 AL AS AT AV EA EC ER GL ME MI MR OS SA SM TE TM YD1 REVIEWER: 01 02 AM | A | IPSC | DO | | 14-DEC-92 | CR | SH | 16 | DH |
| D | MIL-M-28001A(1) | MARKUP REQUIREMENTS AND GENERIC STYLE SPECIFICATION FOR ELECTRONIC PRINTED OUTPUT AND EXCHANGE OF TEXT USER: 11 13 14 17 18 19 68 79 99 AL AS AT AV EA EC ER GL ME MI MR OS SA SM TE TM YD1 REVIEWER: 24 AM | A | ILSS | CL | | 01-OCT-91 | CR | SH | 16 | DH |
| D | MIL-R-28002B | RASTER GRAPHICS REPRESENTATION IN BINARY FORMAT, REQUIREMENTS FOR USER: 11 13 14 17 18 19 68 79 99 AL AS AT AV EA EC ER GL ME MI OS SA SM TE TM YD1 REVIEWER: 01 02 AM | A | IPSC | DO | | 14-DEC-92 | CR | SH | 16 | DH |
| D | MIL-D-28003A(1) | DIGITAL REPRESENTATION FOR COMMUNICATION OF ILLUSTRATION DATA: CGM APPLICATION PROFILE USER: 11 13 14 17 18 19 68 79 99 AL AS AT AV EA EC ER GL ME MI MR OS SA SM TE TM YD1 REVIEWER: 01 02 AM | A | ILSS | CL | | 14-AUG-92 | CR | SH | 24 | DH |
| D L | MIL-P-28501C | PUMP ASSEMBLIES, DEEP-WELL, ELECTRIC-MOTOR-DRIVEN ..... | A | 4320 | YD1 | | 02-JAN-92 | | YD1 | | |
| D L | MIL-W-28517B | WATER SUPPLY SYSTEM, AUTOMATIC ..... | A | 4320 | YD1 | | 20-NOV-91 | | YD1 | | |
| D L | MIL-P-28520C | PUMPING ASSEMBLY, FLAMMABLE LIQUID, BULK TRANSFER, 600 GALLONS PER MINUTE, DIESEL-ENGINE-DRIVEN | A | 4320 | YD1 | | 15-JAN-92 | | YD1 | | |
| D L | MIL-H-28523B | HOSE ASSEMBLY, RUBBER, HYDRAULIC AND PNEUMATIC, JETTING (400 PSI WORKING PRESSURE) USER: SH REVIEWER: CS | A | 4720 | YD1 | | 09-JAN-90 | | YD1 | | |

| Action | OPR / GMR Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol Preparing Activity | | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | MIL-K-28532C | KETTLES, HEATING, BITUMEN | A | 3895 | YD1 | 18-NOV-91 | | YD1 | | |
| D | | MIL-B-28536C | BUILDING, PREFABRICATED, READY CUT, METAL, RIGID FRAME 40 X 100 FEET REVIEWER: 84 CS MC | A | 5410 | YD1 | 30-JAN-89 | GL | YD1 | 99 | |
| D | L | MIL-S-28550D | SEMITRAILER, STAKE: COMMERCIAL, DROP FRAME, TANDEM AXLE, 20 TON | A | 2330 | YD1 | 25-JUL-91 | | YD1 | | |
| D | L | MIL-T-28553D | TRUCKS, TIRE SERVICING; 10,000 POUNDS GROSS VEHICLE WEIGHT, 4 BY 2 AND 4 BY 4 | A | 2320 | YD1 | 19-AUG-88 | | YD1 | | |
| D | | MIL-G-28554C(1) | GENERATOR SETS, MOBILE ELECTRIC POWER AND SUPPLEMENTAL EQUIPMENT: PACKAGING OF USER: SH REVIEWER: 71 80 GL GS MC MI OS SA SH | A | PACK | YD1 | 01-APR-91 | ME | YD1 | 69 | |
| D | L | MIL-D-28561C | DITCHING MACHINE, LADDER-TYPE, LIGHT DUTY, 4-WHEEL-DRIVE, PNEUMATIC-TIRED, GED REVIEWER: CS | A | 3805 | YD1 | 28-JAN-85 | | YD1 | | |
| D | L | MIL-C-28562C | CENTRAL MIX PLANT, CONCRETE, MOBILE 100 CUBIC YARDS PER HOUR CAPACITY | A | 3895 | YD1 | 19-JUN-89 | | YD1 | | |
| D | L | MIL-S-28566C | SWEEPER, ROTARY, TOWED, COMMERCIAL, BLOWER TYPE | A | 3825 | YD1 | 19-JUN-91 | | YD1 | | |
| D | L | MIL-R-28567C | ROLLER, MOTORIZED, VIBRATING DRUM, ARTICULATED, PNEUMATIC TIRE | A | 3895 | YD1 | 08-MAR-89 | | YD1 | | |
| D | L | MIL-T-28571G | TRUCK, FIREFIGHTING, STRUCTURAL, 1,000 GPM, 4 BY 2 USER: MC | A | 4210 | YD1 | 20-SEP-91 | | YD1 | | |
| D | L | MIL-S-28574C | SCREED, VIBRATORY, CONCRETE, MANUALLY OPERATED | A | 3895 | YD1 | 28-MAR-91 | | YD1 | | |
| D | L | MIL-L-28576A | LOCKER, BOX, PERSONAL EQUIPMENT, OPEN FRONT, STEEL USER: GL | A | 7125 | YD1 | 06-NOV-87 | | YD1 | | |
| D | L | MIL-P-28577B | PRIMER, WATER REDUCIBLE, CORROSION RESISTANT, FOR METAL SURFACES | A | 8010 | YD1 | 07-JUL-88 | | YD1 | | |
| D | L | MIL-P-28578B | PAINT, WATER REDUCIBLE, SEMI-GLOSS EXTERIOR AND INTERIOR | A | 8010 | YD1 | 07-JUL-88 | | YD1 | | |
| D | L | MIL-C-28580C | CABINET, STORAGE; WARDROBE, THREE DRAWER | A | 7105 | YD1 | 18-MAR-91 | | YD1 | | |
| D | L | MIL-W-28581B | WARDROBE, CLOTHING, COMPOSITE WOOD AND METAL | A | 7105 | YD1 | 04-MAR-85 | | YD1 | | |
| D | L | MIL-P-28582 NOTICE 1 | PRIMER COATING, EXTERIOR, LEAD PIGMENT-FREE, (UNDERCOAT FOR WOOD, READY-MIXED, WHITE AND TINTS) (VALIDATION DATE: 8706) | A | 8010 | YD1 | 15-JUN-87 | | YD1 | | |
| D | L | MIL-L-28583C | LIGHT, BED, FLEXIBLE ARM, HEAVY DUTY | A | 6230 | YD1 | 05-SEP-86 | | YD1 | | |
| D | | MIL-P-28584B | PIPE AND PIPE FITTINGS, GLASS FIBER REINFORCED PLASTIC, ADHESIVE BONDED JOINT TYPE, FOR CONDENSATE RETURN LINES | A | 4710 | YD1 | 03-MAR-89 | CE | YD1 | 11 | |
| D | | MIL-D-28594B | DEHUMIDIFIER, ROTARY, DRY-DESICCANT TYPE, AUTOMATIC, CONTINUOUS DUTY USER: CE GL MC | A | 4440 | YD1 | 25-MAR-89 | ME | YD1 | 99 | |
| D | L | MIL-H-28596B(2) | HOSE & HOSE ASSEMBLY, RUBBER, STEAM REVIEWER: CG CS EA SH | A | 4720 | YD1 | 10-JUN-88 | | YD1 | | |
| D | L | MIL-B-28599C | BAG, LINEMAN'S, GLOVE | A | 4240 | YD1 | 25-AUG-88 | | YD1 | | |
| D | L | MIL-H-28604B | HOOK, DHAMBAR LOGGING REVIEWER: CS | A | 3695 | YD1 | 30-JAN-89 | | YD1 | | |
| D | L | MIL-S-28611D | SEMITRAILERS, REAR DUMP; SINGLE AXLE AND TANDEM AXLE | A | 2330 | YD1 | 25-JUL-91 | | YD1 | | |
| D | L | MIL-T-28612E NOTICE 1 | TRUCK, TANK; AIRCRAFT REFUELING, 5,000 GALLON, AVGAS OR JET FUEL, 6 BY 4, GED (VALIDATION DATE: 9203) | A | 2320 | YD1 | 20-MAR-92 | | YD1 | | |
| D | L | MIL-A-28619B | ANCHOR, STATIO MOORING, 200 TO 15,000 POUNDS USER: SH | A | 2040 | YD1 | 19-AUG-87 | | YD1 | | |
| D | L | MIL-T-28623B | TAMPER, VIBRATING TYPE, GED | A | 3895 | YD1 | 31-MAY-84 | | YD1 | | |
| D | | MIL-L-28627C | LOADER, SKID STEER, FOUR-WHEEL HYDROSTATIC OR MECHANICAL DRIVE, 10 CUBIC FOOT HEAPED CAPACITY REVIEWER: 84 CS | A | 3805 | YD1 | 31-AUG-88 | | YD1 | 99 | |
| D | L | MIL-C-28628C | CAMEL, WOOD, MARINE: SINGLE LOG CONFIGURATION, UNTREATED AND TREATED | A | 1945 | YD1 | 08-JUL-91 | | YD1 | | |
| D | L | MIL-S-28633C | SHELTER, EQUIPMENT, MULTIPURPOSE USER: CE | A | 5410 | YD1 | 20-MAY-88 | | YD1 | | |
| D | | MIL-B-28635D | BOOKSHELF FOR BUNK BED USER: GL REVIEWER: 84 | A | 7105 | YD1 | 31-JUL-90 | | YD1 | 99 | |
| D | | MIL-P-28636B NOTICE 1 | PANEL FOR BUNK BED (VALIDATION DATE: 9104) REVIEWER: MC MD | A | 7105 | YD1 | 01-APR-91 | GL | YD1 | | |
| D | L | MIL-V-28639A NOTICE 1 | VANITY; WOOD, OR WOOD AND STEEL (VALIDATION DATE: 9104) | A | 6530 | YD1 | 01-APR-91 | | YD1 | | |
| D | | MIL-B-28644A | BED, BUNK, STEEL, SQUARE TUBE, WITH END PANELS, SINGLE AND DOUBLE-DECK REVIEWER: MC MD | A | 7105 | YD1 | 19-NOV-88 | GL | YD1 | 99 | |
| D | | MIL-R-28653C | REVETMENT KIT, PREFABRICATED MODULAR TYPE; CORRUGATED STEEL PANELS | A | 5450 | YD1 | 14-MAR-90 | | YD1 | 99 | |
| D | L | MIL-L-28654C | LIFTING, LAUNCHING, AND SIDE CARRYING EQUIPMENT FOR PONTOONS ON 1179 CLASS LST VESSELS | A | 4010 | YD1 | 30-SEP-88 | | YD1 | | |
| D | | MIL-B-28658E | BUILDING COMPONENTS, PANELIZED, PREFABRICATED, READY-CUT, RELOCATABLE USER: CE | A | 5410 | YD1 | 25-MAR-91 | GL | YD1 | | |
| D | L | MIL-C-28663B | COMPACTOR, SELF-PROPELLED, EMBANKMENT, COMMERCIAL (ROLLER, SEGMENTED, MOTORIZED, WITH LEVELING BLADE) | A | 3895 | YD1 | 09-JUN-89 | | YD1 | | |
| D | | MIL-G-28673B | GANTRIES, HOIST, PORTABLE (SHOP TYPE) USER: ME REVIEWER: CS | A | 3950 | YD1 | 17-FEB-87 | | YD1 | 99 | |
| | L | MIL-F-28675B NOTICE 2 | FITTINGS, CONDUIT, EXPLOSION PROOF (COUPLINGS, SEALS, UNIONS, ELBOWS) | A | 5975 | ME | 05-FEB-92 | ME | | | |
| D | | MIL-T-28681B NOTICE 1 | TIP, DRIVING, STEEL PILE (VALIDATION DATE: 9110) REVIEWER: 84 | A | 5680 | YD1 | 15-OCT-91 | ME | YD1 | 99 | |
| D | | DOD-P-28682 | CONCRETE PLANT, MOBILE, SEMITRAILER MOUNTED, 6 CUBIC METERS BULK MATERIAL CAPACITY (METRIC) | A | 3895 | YD1 | 05-NOV-87 | | YD1 | | |
| D | | MIL-S-28683 | STOKERS, MECHANICAL: FOR PACKAGED BOILERS FIRED ON COAL OR A COMBINATION OF COAL-GAS, COAL-OIL, OR COAL-GAS-OIL (2,000,000 TO 50,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: CE | A | 4530 | YD1 | 25-JUL-90 | ME | YD1 | | |
| D | | MIL-B-28684 | BOILERS, STEAM AND HOT WATER, VERTICAL FIRETUBE AND VERTICAL TUBELESS, PACKAGED TYPE (40,000 TO 10,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: CE MC REVIEWER: 84 SA | A | 4410 | YD1 | 12-SEP-90 | ME | YD1 | 99 | |
| D | | MIL-B-28685 | BAGHOUSE, REVERSE PULSE JET; FOR PACKAGED BOILERS FIRED ON COAL OR A COMBINATION OF COAL AND GAS, COAL AND OIL, OR COAL-GAS-OIL (2,000,000 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: 84 | A | 4460 | YD1 | 09-AUG-90 | | YD1 | 99 | |
| D | | MIL-B-28686 | BOILERS, HOT WATER, WATERTUBE, (BENT TUBE, MULTI-DRUM AND CROSS DRUM) PACKAGED TYPE (320,001 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: 84 MD | A | 4410 | YD1 | 11-SEP-90 | ME | YD1 | 99 | |
| D | | MIL-F-28687 | FRAME, MOBILE, HOSPITAL LABORATORIES AND PHARMACIES (FOR MOVEABLE AND MODULAR CASE WORK) REVIEWER: 82 CS | A | 6530 | YD1 | 19-MAY-89 | MD | YD1 | 03 | |
| D | | MIL-C-28688 | CABLE, FIBER OPTIC; PACKAGING OF USER: MC SH REVIEWER: 99 AR AS AT ES ME MI OS SA SH | A | PACK | YD1 | 01-FEB-90 | CR | YD1 | 85 | |
| M | L | MIL-C-28689B | CONTAINERS, SHIPPING AND STORAGE, STEEL WALL (WITH AND WITHOUT CABINETRY) | A | 8145 | YD1 | 21-MAY-93 | | YD1 | | |
| D | L | MIL-T-28690 | TRUCK, FIREFIGHTING, STRUCTURAL, 1,000 GPM, 4 BY 2 WITH 50 FOOT TELESCOPING BOOM ESCAPE LADDER AND WATER TOWER | A | 4210 | YD1 | 28-OCT-91 | | YD1 | | |
| D | L | MIL-T-28691 | TRUCK, FIREFIGHTING, STRUCTURAL, 1,000 GPM, 4 BY 2 WITH 65 FOOT TELESCOPINGBOOM ESCAPE LADDER AND WATER TOWER | A | 4210 | YD1 | 06-NOV-91 | | YD1 | | |
| D | L | MIL-H-28692 | HOSE, NONMETALLIC, PORTABLE WATER DISCHARGE, SMOOTH-BORE, LIGHTWEIGHT, 4 INCH, WITH REATTACHABLE COUPLINGS | A | 4720 | YD1 | 06-APR-93 | | YD1 | | |
| D | L | MIL-H-28693 | HOSE, RUBBER, OIL AND GASOLINE DISCHARGE, SMOOTH BORE, LIGHTWEIGHT BUOYANT TYPE, LONGITUDINALLY REINFORCED, 6 INCH | A | 4720 | YD1 | 29-MAR-93 | | YD1 | | |
| | L | MIL-P-28701(1) | POWER SUPPLY, TELETYPEWRITER PP-1767 ( )/UG (VALIDATION DATE: 8104) | A | 5815 | EC | 23-APR-69 | | EC | | |
| | | MIL-R-28704 | RADIO RELAY EQUIPMENT, TRANSHORIZON (TROPOSPHERIC SCATTER) AN/TRC-97 (VALIDATION DATE: 8204) | A | 5820 | EC | 05-SEP-69 | | EC | 99 | |
| | L | MIL-T-28706F | TRANSMITTER, RADIO AN/URT-23(V) | A | 5820 | EC | 29-NOV-85 | | EC | | |
| | L | MIL-R-28707C | RADIO SET AN/URC-35( ) (VALIDATION DATE: 8404) | A | 5820 | EC | 28-OCT-77 | | EC | | |
| | L | MIL-T-28709 | TERMINAL, TELEGRAPH, TRANSISTORIZED VOICE FREQUENCY CARRIER (VALIDATION DATE: 8104) | A | 5805 | EC | 15-NOV-68 | | EC | | |
| | L | MIL-P-28711(1) | POWER SUPPLY, TELETYPEWRITER PP4473()/UG (VALIDATION DATE: 8204) | A | 5815 | EC | 08-JAN-70 | | EC | | |
| | L | MIL-R-28713A | RADIO SET, PORTABLE, SEARCH AND RESCUE OPERATION AN/PRC-96( ) (VALIDATION DATE: 8505) | A | 5820 | EC | 07-FEB-79 | | EC | | |
| | L | MIL-S-28714A | SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), GENERAL SPECIFICATION FOR | A | 5930 | EC | 25-NOV-80 | | EC | | |
| | L | MIL-S-28714/1B NOTICE 1 | SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), SWITCH ASSEMBLY (VALIDATION DATE: 9107) REVIEWER: ES | A | 5930 | EC | 30-JUL-91 | | EC | | |
| A | L | MIL-S-28714/2C NOTICE 2 | SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), DRIVER UNIT | A | 5930 | EC | 06-AUG-92 | | EC | | |
| | L | MIL-S-28714/3B NOTICE 1 | SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), SWITCH SECTION ASSEMBLY (VALIDATION DATE: 9107) REVIEWER: ES | A | 5930 | EC | 30-JUL-91 | | EC | | |
| | L | MIL-R-28715 | RECEIVING SET, RADIO-AN/WRR-3( ) (VALIDATION DATE: 8204) | A | 5820 | EC | 15-DEC-69 | | EC | | |

| Action | OPR / Orig. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-A-28716(1) | AMPLIFIER, AUDIO FREQUENCY, AM-3729( )/SR [VALIDATION DATE: 8304] ..... | A | 5820 | | EC | 28-MAR-77 | | EC | | |
| | | | MIL-H-28719 | HEADER, HERMETICALLY SEALED [VALIDATION DATE: 8104; USER: AT MC ME REVIEWER: 11 99 AR GS OS | A | 5940 | | EC | 31-MAR-70 | ER | EC | 85 | |
| L | | | MIL-T-28721B(2) | TELEPHONE SET, TA-840/U [VALIDATION DATE: 8104] ..... | A | 5805 | | EC | 03-SEP-74 | | EC | | |
| L | | | MIL-P-28722 | POWER SUPPLY, TELETYPEWRITER, LOW LEVEL [VALIDATION DATE: 8204] ..... | A | 5815 | | EC | 01-DEC-69 | | EC | | |
| L | | | MIL-C-28724A(1) NOTICE 1 | CONTROL, REMOTE SWITCHING, C-7594( )/U AND C-7595( )/U GENERAL SPECIFICATION FOR [VALIDATION DATE: 8610] | A | 5840 | | EC | 15-OCT-86 | | EC | | |
| L | | | MIL-C-28726(2) | CABLE, SPECIAL PURPOSE, RADIO FREQUENCY, BUOYANT, COAXIAL TYPE RG-384/U [VALIDATION DATE: 8304] | A | 6145 | | EC | 18-FEB-71 | | EC | | |
| | | | MIL-D-28728B | DIAL, CONTROL, MULTI-TURN COUNTERS GENERAL SPECIFICATION FOR USER: AR ME REVIEWER: 17 82 99 AS AV MI OS SH | A | 5355 | | EC | 03-SEP-86 | ER | EC | 11 | |
| | | | MIL-D-28728/1B | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.81 DIAMETER USER: 17 AS ME OS SH REVIEWER: 80 82 99 ES MI | A | 5355 | | EC | 03-SEP-86 | ER | EC | 11 | |
| | | | MIL-D-28728/2B NOTICE 1 | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.75 DIAMETER [VALIDATION DATE: 9102] USER: AR ME OS REVIEWER: 17 80 82 99 AS AV IS MI SH | A | 5355 | | EC | 25-FEB-91 | ER | EC | 11 | |
| | | | MIL-D-28728/3A NOTICE 1 | DIAL, CONTROL, MULTITURN COUNTERS 10-TURN COUNTER, CONCENTRIC (1.810-INCH DIAMETER) [VALIDATION DATE: 9102] USER: 17 ME OS REVIEWER: 82 99 ES MI | A | 5355 | | EC | 25-FEB-91 | ER | EC | 11 | |
| | | | MIL-D-28728/4B | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.16 DIAMETER USER: AR ME REVIEWER: 17 80 82 99 AS AV IS MI OS SH | A | 5355 | | EC | 03-SEP-86 | ER | EC | 11 | |
| | | | MIL-D-28728/5B | DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS USER: 17 AR AS ME REVIEWER: 80 82 99 AV IS MI OS SH | A | 5355 | | CR | 03-SEP-86 | ER | EC | 11 | |
| | | | MIL-D-28728/6B | DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS, ILLUMINATED AND NONILLUMINATED USER: 17 AR MC ME REVIEWER: 80 82 99 AS AV IS MI OS SH | A | 5355 | | EC | 03-SEP-86 | ER | EC | 11 | |
| | | | MIL-D-28728/7 NOTICE 1 | DIAL, CONTROL, MULTITURN COUNTERS 100-TURN COUNTERS, 4-DIGIT [VALIDATION DATE: 9102] USER: 17 AS MC ME REVIEWER: 82 99 ES MI OS | A | 5355 | | EC | 25-FEB-91 | CR | EC | 11 | |
| | | | MIL-D-28728/8B | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, .88 DIAMETER USER: 17 AR MC ME REVIEWER: 80 82 99 AS AV IS MI OS SH | A | 5355 | | EC | 03-SEP-86 | ER | EC | 11 | |
| L | | | MIL-A-28729B(2) | ANTENNA COUPLER GROUP, CU-1382( ) (HF BROADBAND, WIDE DYNAMIC RANGE) REVIEWER: ES | A | 5985 | | EC | 26-MAY-81 | | EC | | |
| Q | | | MIL-C-28731D(2) | CONNECTORS, ELECTRICAL, RECTANGULAR, REMOVABLE CONTACT, FORMED BLADE, FORK TYPE (FOR RACK AND PANEL AND OTHER APPLICATIONS) GENERAL SPECIFICATION FOR REVIEWER: 11 99 AR AS AT ES MI OS SH | A | 5935 | | EC | 11-OCT-91 | CR | EC | 85 | |
| | | | MIL-C-28731/1F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREWLOCK, FOR 75 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 21-JUL-88 | CR | EC | 85 | |
| | | | MIL-C-28731/2D | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI SH | A | 5935 | | EC | 25-MAY-84 | CR | EC | 85 | |
| | | | MIL-C-28731/3F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 100 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 21-JUL-88 | ER | EC | 85 | |
| | | | MIL-C-28731/4E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 100 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/5F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 130 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 21-JUL-88 | CR | EC | 85 | |
| | | | MIL-C-28731/6E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 130 REMOVABLE CONTACTS USER: 19 AV MC ME REVIEWER: 11 17 80 99 AR AS AT ES MI OS SH | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/7C | CONNECTOR, ELECTRICAL, SHIELD, RECTANGULAR FOR 75, 100 OR 130 REMOVABLE CONTACTS [VALIDATION DATE: 8601] USER: 19 AV MC ME OS REVIEWER: 11 17 80 99 AR AS AT ES MI | A | 5935 | | EC | 19-SEP-79 | CR | EC | 85 | |
| | | | MIL-C-28731/9F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 20 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT MI | A | 5935 | | EC | 08-FEB-88 | CR | EC | 85 | |
| | | | MIL-C-28731/10F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 20 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 08-FEB-88 | CR | EC | 85 | |
| | | | MIL-C-28731/11E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 38 REMOVABLE CONTACTS USER: 19 AV ME OS REVIEWER: 11 17 80 99 AR AS AT ES MC MI SH | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/12E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 38 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 80 99 AR AS AT ES MI | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/13F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 56 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 27-NOV-90 | CR | EC | 85 | |
| | | | MIL-C-28731/14E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 56 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 80 99 AR AS AT ES MI SH | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/15E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 90 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 80 99 AR AS AT ES MI | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/16E(1) | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 90 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 27-NOV-90 | CR | EC | 85 | |
| | | | MIL-C-28731/17E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 120 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/18E(1) | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 120 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 20-FEB-87 | CR | EC | 85 | |
| | | | MIL-C-28731/19D(1) | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR 20, 38, 56, 90, OR 120 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AP AS AT MI | A | 5935 | | EC | 27-NOV-90 | CR | EC | 85 | |
| | | | MIL-C-28731/20D | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, CRIMP REMOVABLE (8.5 AMPERES) USER: 19 AV MC ME OS REVIEWER: 11 17 80 99 AR AS AT ES MI | A | 5935 | | EC | 25-MAY-84 | CR | EC | 85 | |
| A | | | MIL-C-28731/23F | CONNECTOR ELECTRICAL, CONTACT, FORK TYPE, REMOVEABLE, DOUBLE WIRE CRIMP USER: 19 AL AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 29-OCT-92 | CR | EC | 85 | |
| | | | MIL-C-28731/24C | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR 120 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT MI | A | 5935 | | EC | 25-MAY-84 | CR | EC | 85 | |
| | | | MIL-C-28731/25B | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, WIRE HOLE REMOVABLE USER: 19 AL AV MC ME OS REVIEWER: 11 17 99 AS AT ES | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/26B | CONNECTORS, ELECTRICAL, CONTACT, FORK TYPE, WRAPPOST, REMOVAB'E USER: 19 AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/27B | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 33 REMOVABLE TYPE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/28B | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 33 REMOVABLE TYPE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |
| | | | MIL-C-28731/29B | CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE TYPE CONTACTS USER: 19 AL AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI | A | 5935 | | EC | 04-JUN-85 | CR | EC | 85 | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-C-28731/30B | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE TYPE CONTACTS USER: 19 AL AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI | A | 5935 | EC | 04-JUN-85 | CR | EC | 85 | |
| | MIL-C-28731/31B | CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 117 REMOVABLE TYPE CONTACTS USER: 19 AL AV MC OS REVIEWER: 11 17 99 AM AS AT ES MI | A | 5935 | EC | 04-JUN-85 | CR | EC | 85 | |
| | MIL-C-28731/32B | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 117 REMOVABLE TYPE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | EC | 04-JUN-85 | CR | EC | 85 | |
| | MIL-C-28731/33C | CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 165 REMOVABLE TYPE CONTACTS USER: 19 AL AV MC OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | EC | 21-JUL-88 | CR | EC | 85 | |
| | MIL-C-28731/34B | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 165 REMOVABLE TYPE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | EC | 04-JUN-85 | CR | EC | 85 | |
| | MIL-C-28731/35B | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, CRIMP REMOVABLE (5.0 AMPERES) USER: 19 AV MC ME OS REVIEWER: 11 17 99 AM AS AT ES MI | A | 5935 | EC | 04-JUN-85 | CR | EC | 85 | |
| | MIL-C-28731/36B | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, WRAPPOST REMOVABLE (3.0 AMPERES) USER: 19 AL AV MC OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | EC | 04-JUN-85 | CR | EC | 85 | |
| | MIL-C-28731/37 | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR FEMALE RECTANGULAR 165 REMOVABLE TYPE CONTACTS USER: AL AV ME OS REVIEWER: 11 17 99 AR AT ES MC | A | 5935 | EC | 21-FEB-85 | CR | EC | 85 | |
| | MIL-C-28731/38 | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR USE WITH MIL-C-28731/32 USER: 19 AL AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES | A | 5935 | EC | 15-JAN-86 | CR | EC | 85 | |
| | MIL-T-28732C | TRANSFORMER, IMPEDANCE MATCHING, BALANCE TO UNBALANCE (BALUN) ..... | A | 5950 | EC | 06-APR-84 | | EC | | |
| L | MIL-D-28736B(5) | DECODER GROUP, AN/UPA-59(V) IFF MK XII (SIF), WITH ACTIVE READOUT AND ASSOCIATED MODIFICATION TO INDICATORS (PPI) [VALIDATION DATE: 8304] | A | 5895 | EC | 10-JUN-77 | | EC | | |
| L | MIL-A-28737A(1) | ANTENNA, IFF, AS-1288( ) (3 METERS) (10 FEET), AS.2189 (1.8 METERS )6 FEET() [VALIDATION DATE: 8505] REVIEWER: ES | A | 5985 | EC | 16-DEC-78 | | EC | | |
| L | MIL-S-28738C(1) | SWITCHING GROUP, RF, AN/UPA-61( ) [VALIDATION DATE: 8404] REVIEWER: ES .... | A | 5985 | EC | 10-FEB-78 | | EC | | |
| L | MIL-P-28739(2) | PEDESTAL GROUP, ANTENNA, FOR IFF ANTENNAS AN/UPA-57 [VALIDATION DATE: 8304] REVIEWER: ES | A | 5985 | EC | 01-JUN-70 | | EC | | |
| L | MIL-C-28741A | CONTROL MONITOR, C-8430/UPX [VALIDATION DATE: 8404] REVIEWER: ES ..... | A | 5985 | EC | 27-JUN-72 | | EC | | |
| L | MIL-C-28742A NOTICE 1 | CONTROL ENCLOSURE CY-6816/APX-72 FOR TRANSPONDER SET CONTROL C-6280( )(P)/APX [VALIDATION DATE: 8610] | A | 5840 | EC | 15-OCT-86 | | EC | | |
| L | MIL-M-28743A | MIXER, TRANSPONDER SUPPRESSION TD-937( )/SPX [VALIDATION DATE: 8104] ..... | A | 5825 | EC | 08-MAY-74 | | EC | | |
| L | MIL-G-28744A | GENERATOR, AIMS PRETRIGGER SG-841( )/UPX [VALIDATION DATE: 8404] ..... | A | 5840 | EC | 22-MAR-78 | | EC | | |
| L | MIL-A-28745A(2) | ANTENNA ASSEMBLY, OMNIDIRECTIONAL AS-177B/UPX [VALIDATION DATE: 8505] REVIEWER: ES | A | 5985 | EC | 18-OCT-72 | | EC | | |
| Q | MIL-C-28748B | CONNECTOR, PLUG AND RECEPTACLE, RECTANGULAR, RACK AND PANEL SOLDER TYPE AND CRIMP TYPE CONTACTS GENERAL SPECIFICATION FOR USER: AV MC ME REVIEWER: 11 17 99 AR AS AT ES MI OS SH | A | 5935 | EC | 20-SEP-91 | CR | EC | 85 | |
| | MIL-C-28748/1C | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 16 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI | A | 5935 | EC | 30-NOV-81 | CR | EC | 85 | |
| | MIL-C-28748/2C | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET CONTACTS, SIZE 16 USER: AR AV MC ME REVIEWER: 11 17 99 AS AT ES MI OS SH | A | 5935 | EC | 30-NOV-81 | CR | EC | 85 | |
| | MIL-C-28748/3D | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZES 16 AND 20 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI | A | 5935 | EC | 04-FEB-85 | CR | EC | 85 | |
| | MIL-C-28748/4D | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZES 16 AND 20 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI | A | 5935 | EC | 18-MAR-85 | CR | EC | 85 | |
| A | MIL-C-28748/5D | CONNECTORS, ELECTRICAL RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 20 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI | A | 5935 | EC | 25-MAR-93 | CR | EC | 85 | |
| A | MIL-C-28748/6D | CONNECTORS, ELECTRICAL RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET TYPE CONTACTS, SIZE 20 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI | A | 5935 | EC | 25-MAR-93 | CR | EC | 85 | |
| A | MIL-C-28748/7E | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 22 USER: AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI SH | A | 5935 | EC | 01-APR-93 | CR | EC | 85 | |
| A | MIL-C-28748/8E | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET CONTACTS, SIZE 22 USER: AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI SH | A | 5935 | EC | 01-APR-93 | CR | EC | 85 | |
| | MIL-C-28748/9E | CONNECTORS, RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK AND PANEL, POLARIZED CENTER JACKSCREW OR GUIDEPIN STYLE, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZE 16 USER: AV MC ME REVIEWER: 11 99 AR AS AT ES MI OS SH | A | 5935 | EC | 26-JAN-87 | CR | EC | 85 | |
| | MIL-C-28748/10E | CONNECTORS, RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK AND PANEL, POLARIZED CENTER JACKSCREW OR GUIDEPIN STYLE, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZE 16 USER: AV MC ME REVIEWER: 11 99 AR AS AT ES MI OS SH | A | 5935 | EC | 26-JAN-87 | CR | EC | 85 | |
| | MIL-C-28748/13B | CONNECTORS, PLUG, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZE 22 USER: AR AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI SH | A | 5935 | EC | 09-FEB-87 | CR | EC | 85 | |
| | MIL-C-28748/14(1) | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZE 22 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI | A | 5935 | EC | 20-AUG-81 | CR | EC | 85 | |
| AQ | MIL-R-28750C SUPPL 1A1 | RELAY, SOLID STATE, GENERAL SPECIFICATION FOR USER: 19 AR AS AT MC ME SH REVIEWER: 17 99 ES MI OS | A | 5945 | 85 | 16-FEB-93 | ER | EC | 85 | |
| A | MIL-R-28750/5D(2) | RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, PLUS OR MINUS 50 MA, PLUS OR MINUS 40 V, AC OR DC, ANALOG SIGNAL SWITCHING, SPST (N.O.) USER: 19 AM AS AT MC ME SH REVIEWER: 17 99 ES MI MA OS | A | 5945 | EC | 16-FEB-93 | ER | EC | 85 | |
| A | MIL-R-28750/6D(2) | RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, 250 MA, 40 V D C, SIGNAL SWITCHING, SPST (N.O.) USER: 19 AR AS AT MC ME SH REVIEWER: 17 99 ES MI MA OS | A | 5945 | EC | 16-FEB-93 | ER | EC | 85 | |
| A | MIL-R-28750/7C(2) | RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, 100 MA, 250 V DC, SIGNAL SWITCHING, SPST (N.O.) USER: 19 AR AS AT MC ME SH REVIEWER: 17 99 ES MI OS | A | 5945 | EC | 16-FEB-93 | ER | EC | 85 | |
| A | MIL-R-28750/8B(1) | RELAY, SOLID STATE, HERMETICALLY SEALED, OPTICALLY ISOLATED, 600 MA, 50 V DC, SIGNAL SWITCHING, SPST (N.O.) USER: 19 REVIEWER: ES OS | A | 5945 | EC | 16-FEB-93 | | EC | 85 | |
| A | MIL-R-28750/9B(1) | RELAY, SOLID STATE, HERMETICALLY SEALED, OPTICALLY ISOLATED, ZERO VOLTAGE TURN ON, 1 AMPERE (2 AMPERES WITH HEAT SINK), 40 - 440 HZ, POWER SWITCHING, SPST (N.O.) REVIEWER: ES | A | 5945 | EC | 16-FEB-93 | | EC | 85 | |
| A | MIL-R-28750/10B(1) | RELAYS, SOLID STATE, HERMETICALLY SEALED, OPTICALLY ISOLATED, ZERO VOLTAGE TURN ON 25 AMPERES, 250 VOLTS MAXIMUM, 45-440 HZ, POWER SWITCHING, SPST (N.O.) REVIEWER: ES | A | 5945 | EC | 16-FEB-93 | | EC | 85 | |
| L | MIL-C-28751(1) | CABLE, RADIO FREQUENCY RG-373/U [VALIDATION DATE: 8304] ..... | A | 6145 | EC | 18-FEB-71 | | EC | | |
| AQ | MIL-C-28754D SUPPL 1A1 | CONNECTORS, ELECTRICAL, MODULAR, AND COMPONENT PARTS GENERAL SPECIFICATION FOR USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | 21-APR-89 | CR | MW | 85 | |
| A | MIL-C-28754/6C(1) | CONNECTOR, ELECTRICAL, MODULAR, TYPE IV 40 PIN, STRAIGHT THROUGH USER: AS REVIEWER: 11 17 99 AR ES MC MI | A | 5935 | MW | 11-MAY-84 | CR | MW | 85 | |
| D | MIL-C-28754/7C(1) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, SINGLE SPAN, CONNECTOR ASSEMBLY [VALIDATION DATE: 9001] USER: AR AS MI YD1 REVIEWER: 11 17 99 ES MC | A | 5935 | SH | 12-JAN-90 | CR | SH | 85 | |
| A | MIL-C-28754/8C | CONNECTORS ELECTRICAL, MODULAR, TYPE IV, 40 CONTACT, RIGHT ANGLE (FOR DIE CAST FRAME) USEN: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | MW | 01-OCT-90 | CR | MW | 85 | |
| A | MIL-C-28754/9D | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, DOUBLE SPAN, CONNECTOR ASSEMBLY, (DIP FRAME) USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | MW | 26-JUL-91 | CR | MW | 85 | |
| A | MIL-C-28754/10C(1) | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR, TYPE IV, PIN, CONTACT TAILS ON 0.50 USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | 11-JUN-84 | CR | MW | 85 | |

| Action | OPR / Orig. Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-28754/11E | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, 40 CONTACT, RIGHT ANGLE (FOR SOLID OR DIP FRAME) USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | MW | | 01-OCT-90 | CR | MW | 85 | |
| A | | MIL-C-28754/12F | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN (FOR SOLID OR DIP FRAME) USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | MW | | 26-JUL-91 | CR | MW | 85 | |
| A | I | MIL-C-28754/13C(1) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN (WITHOUT GUIDE RIBS) USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 19-FEB-91 | CR | MW | 85 | |
| A | | MIL-C-28754/14C | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE IV, 20 CONTACT, RIGHT ANGLE (FOR DIE CAST FRAME) USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | MW | | 01-OCT-90 | CR | MW | 85 | |
| A | | MIL-C-28754/15A(1) | CONNECTOR, ELECTRICAL, MODULAR, CRIMP, CONTACT, TYPE V USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 11-MAY-84 | CR | MW | 85 | |
| A | | MIL-C-28754/16C NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, BLOCK, 40 PIN, TYPE V, STRAIGHT THROUGH (VALIDATION DATE: 9008) USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | MW | | 17-AUG-90 | CR | MW | 85 | |
| A | | MIL-C-28754/17C(1) | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE 1, CONTACT TAILS ON .100 CENTERS USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 11-MAY-84 | CR | MW | 85 | |
| D | | MIL-C-28754/18A(2) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, SINGLE SPAN (VALIDATION DATE: 9111) USER: AR AS MI YD1 REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 19-NOV-91 | CR | MW | 85 | |
| D | | MIL-C-28754/19A(1) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, SINGLE SPAN (VALIDATION DATE: 9112) USER: AR AS MI YD1 REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 03-DEC-91 | CR | MW | 85 | |
| A | | MIL-C-28754/20A(1) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, DOUBLE SPAN (VALIDATION DATE: 9008) USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 17-AUG-90 | CR | MW | 85 | |
| A | | MIL-C-28754/21E | CONNECTORS, ELECTRICAL, MODULAR, FRAME, CASTING, TYPE IV, DOUBLE SPAN USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | MW | | 29-OCT-91 | CR | MW | 85 | |
| A | | MIL-C-28754/22G | CONNECTORS, ELECTRICAL, MODULAR, FRAME, CASTING, TYPE IV, SINGLE SPAN USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | MW | | 29-NOV-91 | CR | MW | 85 | |
| A | | MIL-C-28754/23F | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | MW | | 29-NOV-91 | CR | MW | 85 | |
| A | | MIL-C-28754/24B(1) | CONNECTOR, ELECTRICAL, MODULAR, PIN, KEYING USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 11-MAY-84 | CR | MW | 85 | |
| A | I | MIL-C-28754/25A NOTICE 2 | CONNECTORS, ELECTRICAL, MODULAR, GUIDE, RETAINING (VALIDATION DATE: 9102) USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 19-FEB-91 | CR | MW | 85 | |
| D | | MIL-C-28754/31C(1) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, 40-PIN, TWO PIECE INSERT, AND 20-PIN, ONE HALF, ONE PIECE INSERT (VALIDATION DATE: 9209) USER: AR MI YD1 REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 30-SEP-92 | CR | MW | 85 | |
| D | | MIL-C-28754/32D(1) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE 1, SLIP LOCK COVER PLATE (VALIDATION DATE: 9209) USER: AR MI YD1 REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 30-SEP-92 | CR | MW | 85 | |
| D | | MIL-C-28754/33D(1) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE III SLIP LOCK COVER PLATE (VALIDATION DATE: 9209) USER: AR MI YD1 REVIEWER: 11 17 99 AS ES MC OS | A | 5935 | MW | | 30-SEP-92 | CR | MW | 85 | |
| A | | MIL-C-28754/34C | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR TYPE III, FEMALE CONTACT AND INSULATOR BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL USER: AR AS MI REVIEWER: 11 17 99 ES MC TD | A | 5935 | MW | | 07-AUG-84 | CR | MW | 85 | |
| A | | MIL-C-28754/35D | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR TYPE III, MALE CONTACT AND INSULATOR BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 07-AUG-84 | CR | MW | 85 | |
| A | | MIL-C-28754/36C | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, FEMALE CONTACT AND GROUNDING BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL USER: AR AS MI REVIEWER: 11 17 99 ES MC TD | A | 5935 | MW | | 07-AUG-84 | CR | MW | 85 | |
| A | | MIL-C-28754/37C | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, FEMALE CONTACT AND POLARIZING BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL USER: AR AS MI REVIEWER: 11 17 99 ES MC TD | A | 5935 | MW | | 07-AUG-84 | CR | MW | 85 | |
| A | | MIL-C-28754/38C | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, WRAPPOST CONTACT AND GROUNDING BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL USER: AR AS MI REVIEWER: 11 17 99 ES MC TD | A | 5935 | MW | | 07-AUG-84 | CR | MW | 85 | |
| A | | MIL-C-28754/39B | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, KEYING PEGS USER: AR AS MI REVIEWER: 11 17 99 ES MC TD | A | 5935 | MW | | 07-AUG-84 | CR | MW | 85 | |
| A | | MIL-C-28754/40B(1) | CONNECTOR, ELECTRICAL MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SCREW USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 11-MAY-84 | CR | MW | 85 | |
| A | | MIL-C-28754/41B(1) | CONNECTOR, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SCREW, INSERT USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 11-MAY-84 | CR | MW | 85 | |
| A | L | MIL-C-28754/42C | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON 050 CENTERS USER: AS REVIEWER: MC | A | 5935 | MW | | 29-APR-85 | | MW | | |
| A | | MIL-C-28754/43B(1) | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 PIN, DOUBLE SPAN CONTACT TAILS ON .050 CENTERS USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 11-MAY-84 | CR | MW | 85 | |
| A | I | MIL-C-28754/44B(1) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, 100 PIN, STRAIGHT, CONTACT TAILS ON .100 CENTERS USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 19-FEB-91 | CR | MW | 85 | |
| A | I | MIL-C-28754/45A(1) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 19-FEB-91 | CR | MW | 85 | |
| A | I | MIL-C-28754/46B(1) NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 PIN, DOUBLE SPAN USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 19-FEB-91 | CR | MW | 85 | |
| A | L | MIL-C-28754/47B | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, RIGHT ANGLE CONTACT TAILS ON 100 CENTERS USER: AS | A | 5935 | MW | | 29-APR-85 | | MW | | |
| A | | MIL-C-28754/48B(1) | CONNECTOR, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SINGLE SPAN USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 11-MAY-84 | CR | MW | 85 | |
| A | | MIL-C-28754/49(1) | CONNECTOR, ELECTRICAL, MODULAR, HOUSING USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 11-MAY-84 | CR | MW | 85 | |
| A | | MIL-C-28754/50A(1) | CONNECTOR, ELECTRICAL, MODULAR, INSERT, TOP USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 11-MAY-84 | CR | MW | 85 | |
| A | | MIL-C-28754/51A(1) | CONNECTOR, ELECTRICAL, MODULAR, INSERT, BOTTOM USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 11-MAY-84 | CR | MW | 85 | |
| A | | MIL-C-28754/52A(1) NOTICE 1 | CONNECTOR, ELECTRICAL, MODULAR, HOUSING, CONNECTOR ASSEMBLY, STYLE 1 (VALIDATION DATE: 9008) USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 17-AUG-90 | CR | MW | 85 | |
| D | | MIL-C-28754/53A(1) NOTICE 1 | CONNECTOR, ELECTRICAL, MODULAR, HOUSING, CONNECTOR ASSEMBLY, STYLE II (VALIDATION DATE: 9008) USER: AR AS MI YD1 REVIEWER: 11 17 99 ES MC | A | 5935 | MW | | 17-AUG-90 | CR | MW | 85 | |
| A | | MIL-C-28754/54A | EXTRACTOR, ELECTRICAL CARD MODULE, SINGLE AND DOUBLE SPAN STYLES I AND II USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | MW | | 25-OCT-88 | CR | MW | 85 | |
| A | | MIL-C-28754/55 | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, CABLE CONNECTOR, 100 PIN, CONACTS ON .100 CENTERS REVIEWER: 11 17 99 AR AS ES MC MI | A | 5935 | MW | | 07-DEC-84 | CR | MW | 85 | |
| A | L | MIL-C-28754/56 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON 050 CENTERS (CERAMIC COMPATIBLE) USER: AS | A | 5935 | MW | | 29-APR-85 | | MW | | |
| A | LI | MIL-C-28754/57 NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME, CERAMIC COMPATIBLE) USER: AS | A | 5935 | MW | | 19-FEB-91 | | MW | | |
| A | LI | MIL-C-28754/58 NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME) USER: AS | A | 5935 | MW | | 19-FEB-91 | | MW | | |
| A | L | MIL-C-28754/59 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CONTACT TAILS ON 100 CENTERS (CERAMIC COMPATIBLE) USER: AS | A | 5935 | MW | | 29-APR-85 | | MW | | |
| A | LI | MIL-C-28754/60 NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CONTACT TAILS ON .100 CENTERS USER: AS | A | 5935 | MW | | 19-FEB-91 | | MW | | |
| A | L | MIL-C-28754/61 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER, CROSSOVER, CONTACT TAILS ON 050 CENTERS (CERAMIC COMPATIBLE) USER: AS | A | 5935 | MW | | 29-APR-85 | | MW | | |

| Action | Obsl / Canc / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area / NCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | LI | MIL-C-28754/62 NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CROSSOVER, CONTACT TAILS ON .050 CENTERS USER: AS | A | 5935 | NW | 19-FEB-91 | | NW | | |
| A | LI | MIL-C-28754/63 NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, OFFSET, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE) USER: AS | A | 5935 | NW | 19-FEB-91 | | NW | | |
| A | LI | MIL-C-28754/64 NOTICE 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, OFFSET, CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME, CERAMIC COMPATIBLE) USER: AS | A | 5935 | NW | 19-FEB-91 | | NW | | |
| A | L | MIL-C-28754/65 | CONNECTOR, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, CENTER CONTACT TAILS ON .100 CENTERS (CERAMIC COMPATIBLE) USER: AS | A | 5935 | NW | 29-APR-85 | | NW | | |
| A | L | MIL-C-28754/66 | CONNECTOR, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, CROSSOVER, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE) USER: AS | A | 5935 | NW | 29-APR-85 | | NW | | |
| A | L | MIL-C-28754/67 | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, CENTER USER: AS | A | 5935 | NW | 29-APR-85 | | NW | | |
| A | L | MIL-C-28754/68 | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE ..... | A | 5935 | NW | 29-APR-85 | | NW | | |
| A | L | MIL-C-28754/69 | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, OFFSET | A | 5935 | NW | 29-APR-84 | | NW | | |
| A | L | MIL-C-28754/70 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLESPAN, CENTER | A | 5935 | NW | 29-APR-85 | | NW | | |
| A | L | MIL-C-28754/71 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLE SPAN, OFFSET | A | 5935 | NW | 29-APR-85 | | NW | | |
| A | L | MIL-C-28754/72 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLE SPAN, T-DIP | A | 5935 | NW | 29-APR-85 | | NW | | |
| A | | MIL-C-28754/73A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, DIP USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | NW | 26-JUL-91 | CR | NW | 85 | |
| A | | MIL-C-28754/74A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, CENTER USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | NW | 26-JUL-91 | CR | NW | 85 | |
| A | | MIL-C-28754/75A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, OFFSET USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | NW | 26-JUL-91 | CR | NW | 85 | |
| A | | MIL-C-28754/76A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, CENTER USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | NW | 26-JUL-91 | CR | NW | 85 | |
| A | | MIL-C-28754/77A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, OFFSET USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | NW | 26-JUL-91 | CR | NW | 85 | |
| A | | MIL-C-28754/78A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, DUAL INLINE PACKAGE (DIP) USER: AR AS MI REVIEWER: 11 99 ES MC | A | 5935 | NW | 26-JUL-91 | CR | NW | 85 | |
| A | L | MIL-C-28754/79 | CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND INSULATOR BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL USER: AS | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/80 | CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND GROUNDING BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL USER: AS | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/81 | CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND POLARIZING BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL USER: AS | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/82 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, FASTENER USER: AS | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/83 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.6 PITCH, 250 CONTACT, CENTER USER: AS | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/84 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.3 PITCH, 100 CONTACT, OFFSET USER: AS | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/85 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.3 PITCH, 100 CONTACT, DUAL INLINE PACKAGE (DIP) USER: AS | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/86 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DUAL INLINE PACKAGE (DIP) USER: AS | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/87 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER USER: AS | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/88 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET, (0.050 THICKNESS) USER: AS | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/89 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET, (0.071 THICKNESS) USER: SH | A | 5935 | NW | 21-APR-89 | | NW | | |
| A | L | MIL-C-28754/90 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.4 PITCH, FORMAT C USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/91 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.5 PITCH, FORMAT C AND E USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/92 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.6 PITCH, FORMAT C AND E USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/93 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DIP, 0.3 PITCH, FORMAT C USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/94 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DIP, 0.4 PITCH, FORMAT C, D AND E USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/95 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET FIN, 0.3 PITCH, FORMAT C USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/96 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.4 PITCH, FORMAT C AND E USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/97 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, RIGHT ANGLE, CONTACT TAILS ON 0.100 CENTERS USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/98 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, CENTER, CONTACT TAILS ON 0.100 CENTERS USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/99 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, OFFSET USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/100 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 200 CONTACT, CENTER USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| A | L | MIL-C-28754/101 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.6 PITCH, 250 CONTACT, CENTER USER: AS | A | 5935 | NW | 31-OCT-89 | | NW | | |
| | L | MIL-D-28755(3) NOTICE 1 | DECODER GROUP, AN/UPA-60 (V) IFF MK XII (SIF), WITH ACTIVE READOUT AND ASSOCIATED FUNCTIONS [VALIDATION DATE: 8610] | A | 5895 | EC | 15-OCT-86 | | EC | | |
| | L | MIL-T-28757 | TELEGRAPH TERMINAL, TRANSISTORIZED VOICE FREQUENCY CARRIER AN/FCC-66( ) [VALIDATION DATE: 8304] | A | 5805 | EC | 14-DEC-70 | | EC | | |
| | L | MIL-T-28758 | TELEGRAPH TERMINAL, TRANSISTORIZED FREQUENCY CARRIER AN/FCC-67( ) [VALIDATION DATE: 8304] | A | 5805 | EC | 14-DEC-70 | | EC | | |
| | L | MIL-M-28762C | MONITOR, PUMP NOISE, AN/WSQ-3 (METRIC) ..... | A | 6665 | SH | 01-AUG-90 | | SH | | |
| | L | MIL-I-28763C(2) | INTERROGATOR SET, AN/UPX-27 ..... | A | 5895 | EC | 30-AUG-85 | | EC | | |
| | L | MIL-P-28766(1) | POLE, STRUCTURAL WOODEN, FOR HIGH FREQUENCY (HF) ANTENNAS [VALIDATION DATE: 8304] REVIEWER: CS | A | 5510 | EC | 24-AUG-72 | | EC | | |
| | L | MIL-T-28767 | TRANSFORMER, IMPEDANCE MATCHING (BALUN), RECEIVE ONLY [VALIDATION DATE: 8304] REVIEWER: ES | A | 5950 | EC | 26-MAR-71 | | EC | | |
| | L | MIL-A-28768B(2) | ANTENNA, FIXED HIGH FREQUENCY GENERAL SPECIFICATION FOR USER: CS ..... | A | 5985 | EC | 18-SEP-86 | | EC | | |
| | L | MIL-A-28768/1B | ANTENNA, FIXED, HIGH FREQUENCY, VERTICAL OMNIDIRECTIONAL BROADBAND REVIEWER: ES | A | 5985 | EC | 30-MAR-84 | | EC | | |
| | L | MIL-A-28768/2A | ANTENNA, FIXED HIGH FREQUENCY, HIGH TAKE-OFF ANGLE [VALIDATION DATE: 8505] REVIEWER: ES | A | 5985 | EC | 15-DEC-72 | | EC | | |
| | L | MIL-A-28768/3 NOTICE 1 | ANTENNA, FIXED HIGH FREQUENCY, VERTICAL LOG PERIODIC (DIPOLE) [VALIDATION DATE: 8610] | A | 5985 | EC | 15-OCT-86 | | EC | | |
| | L | MIL-A-28768/4(2) | ANTENNA, FIXED, HIGH FREQUENCY, HORIZONTAL OMNIDIRECTIONAL BROADBAND ..... | A | 5985 | EC | 18-SEP-86 | | EC | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action Code | Cancellation / Inactive | Document Number | Document Title | Distr. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-A-28768/5 | ANTENNA, FIXED, HIGH FREQUENCY, VERTICAL POLARIZATION, OMNIDIRECTIONAL, BROADBAND | A 5985 | EC | 20-FEB-87 | | EC | | |
| L | | MIL-C-28771B | COMMUNICATIONS CONTROL MONITOR GROUP, AIR TRAFFIC CONTROL AN/FSA-58(V) [VALIDATION DATE: 8304] | A 5895 | EC | 07-MAR-77 | | EC | | |
| L | | MIL-A-28772C | ANTENNA, HIGH FREQUENCY (HF) FIXED ROTATABLE LOG PERIODIC REVIEWER: ES .... | A 5985 | EC | 19-JUN-84 | | EC | | |
| AQ | | MIL-R-28776B(4) SUPPL 1A1 | RELAYS, HYBRID, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AR AS ME OS SH REVIEWER: 17 ES MI | A 5945 | EC | 17-SEP-92 | ER | EC | 85 | |
| A | | MIL-R-28776/1E(3) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) USER: 19 AR AS ME OS SH REVIEWER: 17 99 ES MI | A 5945 | EC | 29-OCT-92 | ER | EC | 85 | |
| A | | MIL-R-28776/3E(3) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, COIL OPERATE POWER AT 25 DEG. C) (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION USER: 19 AR AS ME OS SH REVIEWER: 17 99 ES MI | A 5945 | EC | 29-OCT-92 | ER | EC | 85 | |
| A | | MIL-R-28776/4E(4) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, COIL OPERATE POWER AT 25 DEG. C) (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION USER: 19 AR AS ME OS SH REVIEWER: 17 99 ES MI | A 5945 | EC | 29-OCT-92 | ER | EC | 85 | |
| A | | MIL-R-28776/5E(4) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION USER: 19 AR AS ME OS SH REVIEWER: 17 99 ES MI | A 5945 | EC | 29-OCT-92 | ER | EC | 85 | |
| | | MIL-R-28776/6C(3) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE INTERNAL MOSFET DRIVE WITH ZENER DIODE GATE PROTECTION, (ELECTROMECHANICAL OUTPUT), DIODE COIL SUPPRESSION AND TERMINALS WITH 0.100 GRID LEAD SPACING REVIEWER: ES | A 5945 | EC | 13-APR-92 | | EC | 85 | |
| | | MIL-R-28776/7D(3) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE COIL OPERATE POWER AT 25 DEG. C), INTERNAL MOSFET DRIVER WITH ZENER DIODE GATE PROTECTION (ELECTROMECHANICAL OUTPUT), DIODE COIL SUPPRESSION AND TERMINALS WITH 0.100 GRID LEAD SPACING REVIEWER: ES | A 5945 | EC | 13-APR-92 | | EC | 85 | |
| | | MIL-C-28777A SUPPL 1A1 | CABLE ASSEMBLY, ELECTRONIC TEST EQUIPMENT, (3 WIRES, 125 AND 250 VOLTS AC AND 28 VOLTS DC) GROUNDING PLUG CONNECTOR GENERAL SPECIFICATION FOR [VALIDATION DATE: 8404] REVIEWER: 11 85 AS MC | A 6150 | EC | 03-APR-78 | EL | EC | 99 | |
| L | | MIL-C-28777/1C | CABLE ASSEMBLY, (TYPE I) ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND MIL-C-5015 CONNECTOR WITH CABLE CLAMP REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| L | | MIL-C-28777/2B | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND TERMINAL LUGS REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| L | | MIL-C-28777/3C | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND 90 DEGREE MOLDED MIL-C-5015 CONNECTOR REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| | | MIL-C-28777/4C | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50/60 HERTZ), GROUNDING PLUG CONNECTOR AND STRAIGHT MOLDED MIL-C-5015 CONNECTOR REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| | | MIL-C-28777/5B | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUND, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| | | MIL-C-28777/6A | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND LEFT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| | | MIL-C-28777/7A | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND RIGHT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| | | MIL-C-28777/8A | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND STRAIGHT MOLDED TYPE II EQUIPMENT CONNECTOR REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| | | MIL-C-28777/9A | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND LEFT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| | | MIL-C-28777/10A | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND RIGHT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| | | MIL-C-28777/11A | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND STRAIGHT MOLDED TYPE II EQUIPMENT CONNECTOR REVIEWER: 11 85 AS ES GS MC | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| | | MIL-C-28777/12A | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND TYPE I EQUIPMENT CONNECTOR (THIS SPECIFICATION INACTIVE FOR NEW DESIGN AFTER 17 JULY 1985) REVIEWER: ES | A 6150 | EC | 17-JUL-85 | CR | EC | 99 | |
| | | MIL-C-28777/13A | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND TYPE I EQUIPMENT CONNECTOR REVIEWER: 11 85 AS GS MC | A 6150 | EC | 17-JUL-85 | EL | EC | 99 | |
| | | MIL-C-28777/14 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (3 WIRES, 7 PRONGS, 28 VOLTS DC), TYPE I PLUG CONNECTOR AND EQUIPMENT CONNECTOR [VALIDATION DATE: 8404] REVIEWER: 11 85 AS GS MC | A 6150 | EC | 03-APR-78 | EL | EC | 99 | |
| | | MIL-C-28777/15 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (3 WIRES, 125 VOLTS, 400 HERTZ, 1 PHASE), GROUNDING CONNECTOR ADAPTER [VALIDATION DATE: 8404] REVIEWER: 11 85 AS GS MC | A 6150 | EC | 03-APR-78 | EL | EC | 99 | |
| L | | MIL-T-28778 | TRANSFORMER, POWER, STEPUP, 3 PHASE [VALIDATION DATE: 8404] REVIEWER: ES .. | A 5950 | EC | 01-FEB-72 | | EC | | |
| L | | MIL-C-28779B | COMBINER, EXTENDED FREQUENCY RANGE CU-2007( )/SRR [VALIDATION DATE: 8404] REVIEWER: ES | A 5985 | EC | 31-MAR-72 | | EC | | |
| L | | MIL-C-28781B | CABLE, ELECTRICAL, SPECIAL PURPOSE, SAORE USE [VALIDATION DATE: 8304] ..... | A 6145 | EC | 18-JAN-77 | | EC | | |
| L | | MIL-A-28782(1) | ADAPTER UNIT, INPUT, NTDS INTERFACE [VALIDATION DATE: 7903] ..... | A 5895 | EC | 14-DEC-72 | | EC | | |
| L | | MIL-T-28783B(1) | TRANSMITTING SET, RADIO, AN/FRT-84B(V) ..... | A 5840 | EC | 10-NOV-82 | | EC | | |
| L | | MIL-T-28784(2) | TRANSMITTER, RADIO, AN/FRT-85(V) 40 KW PEP HIGH FREQUENCY, HIGH STABILITY INDEPENDENT SIDEBAND [VALIDATION DATE: 8404] | A 5820 | EC | 02-MAY-72 | | EC | | |
| L | | MIL-P-28785(2) | POWER SUPPLY, VARIABLE OUTPUT (0 TO 50 VOLTS, 0 TO 5 AMPERES) [VALIDATION DATE: 8505] | A 5820 | EC | 29-AUG-73 | | EC | | |
| | | MIL-S-28786B | SWITCHES, ELECTRICAL AND FIBER OPTIC, PACKAGING OF USER: MC MI REVIEWER: AS SH SM | A PACK | EC | 08-MAR-90 | CR | EC | 99 | ES |
| AQL | | MIL-M-28787D SUPPL 1A1 | MODULES, STANDARD ELECTRONIC GENERAL SPECIFICATION FOR REVIEWER: 13 17 19 AS AT AV ES MC | A 5963 | MM | 30-MAR-89 | | MM | | |
| L | | MIL-M-28787/1C(3) | MODULES, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE GDJ [VALIDATION DATE: 9203] | A 5963 | MM | 30-MAR-92 | | MM | | |
| M I | | MIL-M-28787/2B(1) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GDE REVIEWER: 13 19 AS AT ES MC | A 5963 | MM | 31-DEC-92 | ER | MM | 85 | |
| A LI | | MIL-M-28787/3B(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDA ..... | A 5963 | MM | 29-MAR-91 | | MM | | |

| Action | Qlfy / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | | MIL-M-28787/48(1) | MODULES, STANDARD ELECTRONIC GATE, EXCLUSIVE-DIGITAL, KEY CODE GDK ..... | A | 5963 | MW | | 14-FEB-86 | | MW | | |
| A | L | | MIL-M-28787/58(1) | MODULE, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BDL ..... | A | 5963 | MW | | 01-NOV-82 | | MW | | |
| A | | | MIL-M-28787/6C(2) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, SYNCHRONOUS, DIGITAL, KEY CODE FDA REVIEWER: 13 19 AS AT ES MC | A | 5963 | SH | | 31-DEC-92 | ER | SH | 85 | |
| A | L | | MIL-M-28787/7C(4) | MODULES, STANDARD ELECTRONIC DECODER, BINARY, DIGITAL, KEY CODE GDN ..... | A | 5963 | MW | | 18-DEC-91 | | MW | | |
| M | I | | MIL-M-28787/88(1) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDC REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| M | | | MIL-M-28787/98(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDP REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| M | I | | MIL-M-28787/108(1) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDB REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| A | L | | MIL-M-28787/11A(3) | MODULES, STANDARD ELECTRONIC ADDER, DIGITAL, KEY CODE KDL ..... | A | 5963 | MW | | 27-NOV-91 | | MW | | |
| A | L | | MIL-M-28787/12B(1) | MODULES, STANDARD ELECTRONIC ARITHMETIC LOGIC UNIT, DIGITAL, KEY CODE KDJ . | A | 5963 | MW | | 16-DEC-92 | | MW | | |
| A | | | MIL-M-28787/14B(1) | MODULES, STANDARD ELECTRONIC TERMINATOR, RESISTER-CAPACITOR, LINEAR, KEY CODE JBD REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-DEC-92 | ER | MW | 85 | |
| A | L | | MIL-M-28787/16A(1) | MODULE, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE JDK .... | A | 5963 | MW | | 01-NOV-82 | | MW | | |
| A | L | | MIL-M-28787/17A(2) | MODULE, STANDARD ELECTRONIC GATE, AND OR INVERT, DIGITAL, KEY CODE LDJ .... | A | 5963 | MW | | 11-DEC-85 | | MW | | |
| A | L | | MIL-M-28787/18B(1) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDQ ..... | A | 5963 | MW | | 29-JUN-90 | | MW | | |
| | L | | MIL-M-28787/19B(1) NOTICE 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDN (VALIDATION DATE: 9203) | A | 5963 | MW | | 30-MAR-92 | | MW | | |
| A | L | | MIL-M-28787/20A(2) | MODULE, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE LDC ..... | A | 5963 | MW | | 06-MAR-86 | | MW | | |
| | L1 | | MIL-M-28787/21B(1) NOTICE 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE WDU (VALIDATION DATE: 9203) | A | 5963 | MW | | 30-MAR-92 | | MW | | |
| A | L | | MIL-M-28787/22C(1) | MODULES, STANDARD ELECTRONIC DIODE, PROGRAMMABLE, DIGITAL, KEY CODE ABE ... | A | 5963 | MW | | 30-OCT-84 | | MW | | |
| A | L | | MIL-M-28787/23B(1) | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE SBT ... | A | 5963 | MW | | 20-SEP-83 | | MW | | |
| M | L | | MIL-M-28787/24A(2) NOTICE 1 | MODULES, STANDARD ELECTRONIC RECTIFIER, LOW CURRENT, POWER, KEY CODE GPR (VALIDATION DATE: 9303) | A | 5963 | MW | | 31-MAR-93 | | MW | | |
| A | L | | MIL-M-28787/27A(2) | MODULES, STANDARD ELECTRONIC COUNTER, UP & DOWN, DIGITAL, KEY CODE GDM .... | A | 5963 | MW | | 28-FEB-84 | | MW | | |
| M | I | | MIL-M-28787/28A(2) | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE PDM REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| A | L1 | | MIL-M-28787/29B NOTICE 1 | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE FDH (VALIDATION DATE: 9209) | A | 5963 | MW | | 30-SEP-92 | | MW | | |
| M | | | MIL-M-28787/30B(1) | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, KEY CODE BBA REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| M | | | MIL-M-28787/31B(2) | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BCD, PRESSETTABLE, KEY CODE JDD REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| A | L1 | | MIL-M-28787/32B | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FLIP-FLOP, D-TYPE, DIGITAL, KEY CODE KBH | A | 5963 | MW | | 15-JUN-82 | | MW | | |
| A | L | | MIL-M-28787/33B(3) | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE JDJ ..... | A | 5963 | MW | | 19-JUN-91 | | MW | | |
| A | | | MIL-M-28787/34B(2) | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE JBH REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 16-DEC-92 | ER | MW | 85 | |
| A | L | | MIL-M-28787/38B(1) | MODULES, STANDARD ELECTRONIC RELAY, DPDT, POWER, KEY CODE MPM ..... | A | 5963 | MW | | 28-DEC-82 | | MW | | |
| A | L | | MIL-M-28787/39B | MODULE, STANDARD ELECTRONIC ADDER, DIGITAL, KEY CODE KBC (VALIDATION DATE: 8304) | A | 5963 | MW | | 14-DEC-82 | | MW | | |
| M | I | | MIL-M-28787/40B(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KBL REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 28-APR-93 | ER | MW | 85 | |
| A | L | | MIL-M-28787/41B(2) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE EBL ..... | A | 5963 | MW | | 08-MAR-91 | | MW | | |
| A | L1 | | MIL-M-28787/42B(2) | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JBK . | A | 5963 | MW | | 19-MAR-92 | | MW | | |
| A | L1 | | MIL-M-28787/44B(1) | MODULE, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE GBL ..... | A | 5963 | MW | | 15-FEB-85 | | MW | | |
| M | I | | MIL-M-28787/45B(2) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY CODED DECIMAL, DIGITAL, KEY CODE ZBZ REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 28-APR-93 | ER | MW | 85 | |
| A | L1 | | MIL-M-28787/46C(2) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE ZBY ..... | A | 5963 | MW | | 07-JAN-92 | | MW | | |
| M | L | | MIL-M-28787/47B(3) | MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, KEY CODE BBB REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 28-APR-93 | ER | MW | 85 | |
| A | L | | MIL-M-28787/48A(2) | MODULES, STANDARD ELECTRONIC DRIVER, TRANSLATE, DIGITAL, KEY CODE MDP ..... | A | 5963 | MW | | 19-JUL-91 | | MW | | |
| A | L | | MIL-M-28787/49A(2) | MODULE, STANDARD ELECTRONIC DIODE, PAIRS, DIGITAL, KEY CODE KDF ..... | A | 5963 | MW | | 21-OCT-82 | | MW | | |
| A | L | | MIL-M-28787/51B(1) | MODULES, STANDARD ELECTRONIC RECEIVER, TRANSLATE, DIGITAL, KEY CODE MDQ ... | A | 5963 | MW | | 19-JUL-91 | | MW | | |
| A | L | | MIL-M-28787/53B(3) | MODULES, STANDARD ELECTRONIC RECEIVER, DIFFERENTIAL LINE, DIGITAL, KEY CODE KDN | A | 5963 | MW | | 14-JAN-92 | | MW | | |
| A | | | MIL-M-28787/54B(1) | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE QDH REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 16-DEC-92 | ER | MW | 85 | |
| A | L | | MIL-M-28787/55B(3) | MODULES, STANDARD ELECTRONIC DRIVER, DIFFERENTIAL LINE, DIGITAL, KEY CODE KDM | A | 5963 | MW | | 08-MAR-91 | | MW | | |
| M | L | | MIL-M-28787/57A(4) | MODULES, STANDARD ELECTRONIC SWITCH, ANALOG, ANALOG, KEY CODE TTY REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 28-APR-93 | ER | MW | 85 | |
| A | L | | MIL-M-28787/58C | MODULE, STANDARD ELECTRONIC COUNTER, BINARY CODED DECIMAL, DIGITAL, KEY CODE ADK | A | 5963 | MW | | 03-AUG-83 | | MW | | |
| A | L | | MIL-M-28787/59B(2) | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE KDP ..... | A | 5963 | MW | | 08-MAR-91 | | MW | | |
| A | L | | MIL-M-28787/60B(2) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KDQ ..... | A | 5963 | MW | | 19-MAR-92 | | MW | | |
| A | L | | MIL-M-28787/61B(1) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, D TYPE, DIGITAL, KEY CODE KDR ..... | A | 5963 | MW | | 13-SEP-85 | | MW | | |
| M | L | | MIL-M-28787/62C(3) NOTICE 1 | MODULES, STANDARD ELECTRONIC COMPARATOR, ANALOG, KEY CODE CHA (VALIDATION DATE: 9303) | A | 5963 | MW | | 31-MAR-93 | | MW | | |
| A | | | MIL-M-28787/64A(3) | MODULES, STANDARD ELECTRONIC GATE, AND-OR-INVERT, DIGITAL, KEY CODE LHJ REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-DEC-92 | ER | SH | 85 | |
| A | L | | MIL-M-28787/65A(1) | MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE AHA ..... | A | 5963 | MW | | 20-DEC-83 | | MW | | |
| A | L | | MIL-M-28787/66B(2) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BHL ..... | A | 5963 | MW | | 26-OCT-90 | | MW | | |
| A | L | | MIL-M-28787/67B(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE JHD ..... | A | 5963 | MW | | 19-JUN-91 | | MW | | |
| A | | | MIL-M-28787/68A(1) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LMH REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-DEC-92 | ER | MW | 85 | |
| A | L | | MIL-M-28787/69A(2) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, D TYPE, DIGITAL, KEY CODE KHR ..... | A | 5963 | MW | | 19-JUL-91 | | MW | | |
| A | L | | MIL-M-28787/70B(1) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE FHA ..... | A | 5963 | MW | | 07-JUN-91 | | MW | | |
| A | L | | MIL-M-28787/71C(5) | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE CHF ..... | A | 5963 | MW | | 23-MAR-92 | | MW | | |
| A | L | | MIL-M-28787/72B(2) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KHQ ..... | A | 5963 | MW | | 24-AUG-90 | | MW | | |
| A | | | MIL-M-28787/73A(1) | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE JHK REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-DEC-92 | ER | MW | 85 | |
| A | L | | MIL-M-28787/74(4) | MEMORY, READ ONLY, DIGITAL ..... | A | 5963 | MW | | 17-JUL-84 | | MW | | |
| A | | | MIL-M-28787/75A(1) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LMP REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-DEC-92 | ER | SH | 85 | |
| A | | | MIL-M-28787/76A(1) | MODULES, STANDARD ELECTRONIC ENCODER, PRIORITY, DIGITAL, KEY CODE MML REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 16-DEC-92 | ER | MW | 85 | |
| A | L | | MIL-M-28787/77A(1) | MODULE, STANDARD ELECTRONIC ENCODER, PARITY, DIGITAL, KEY CODE MHK ..... | A | 5963 | MW | | 30-OCT-84 | | MW | | |
| A | L | | MIL-M-28787/78A(2) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE AHD ..... | A | 5963 | MW | | 08-MAR-91 | | MW | | |
| A | | | MIL-M-28787/79A(3) | MODULES, STANDARD ELECTRONIC LOGIC UNIT, ARITHMETIC, DIGITAL, KEY CODE RDH REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 16-DEC-92 | ER | MW | 85 | |
| A | L | | MIL-M-28787/80A(1) | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE BYF . | A | 5963 | MW | | 24-AUG-90 | | MW | | |
| A | L | | MIL-M-28787/81A(2) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KHR ..... | A | 5963 | MW | | 30-MAR-92 | | MW | | |
| A | L | | MIL-M-28787/82A(1) | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE HBG ..... | A | 5963 | MW | | 14-NOV-83 | | MW | | |
| A | L | | MIL-M-28787/83B | MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE RBF ..... | A | 5963 | MW | | 31-JAN-83 | | MW | | |
| M | | | MIL-M-28787/84A(1) | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE CBF REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| M | I | | MIL-M-28787/85A(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BDN REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 28-APR-93 | ER | MW | 85 | |
| A | | | MIL-M-28787/86B | MODULES, STANDARD ELECTRONIC RELAY, POWER, KEY CODE ERH REVIEWER: 13 19 AS AT AV ES MC | A | 5963 | MW | | 27-NOV-91 | ER | MW | 85 | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | Army | Navy | Air Force | DLA |
| A | L | MIL-M-28787/87B(2) NOTICE 1 | MODULES, STANDARD ELECTRONIC REGULATOR, POSITIVE, POWER, KEY CODE ARM [VALIDATION DATE: 9303] | A | 5963 | MW | | 17-MAR-93 | | MW | | |
| A | L | MIL-M-28787/88A(3) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE SEX ..... | A | 5963 | MW | | 29-MAR-91 | | MW | | |
| A | L | MIL-M-28787/109B(1) | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE MDL ..... | A | 5963 | MW | | 18-DEC-91 | | MW | | |
| A | L | MIL-M-28787/110A(3) | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE MDM ... | A | 5963 | MW | | 19-FEB-85 | | MW | | |
| A | L | MIL-M-28787/111A(3) | MODULES, STANDARD ELECTRONIC TERMINATOR, INTERFACE, DIGITAL, KEY CODE MDN . | A | 5963 | MW | | 16-DEC-92 | | MW | | |
| A | | MIL-M-28787/112C(1) | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, SERIAL AND PARALLEL, DIGITAL, KEY CODE PDL REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 16-DEC-92 | ER | MW | 85 | |
| A | L | MIL-M-28787/113A(2) NOTICE 1 | MODULES, STANDARD ELECTRONIC SWITCH, ANALOG, KEY CODE FAG [VALIDATION DATE: 9209] | A | 5963 | MW | | 30-SEP-92 | | MW | | |
| A | LI | MIL-M-28787/114A(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDA ..... | A | 5963 | MW | | 04-JUN-84 | | MW | | |
| A | LI | MIL-M-28787/115A(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDB REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-DEC-92 | ER | MW | 85 | |
| A | I | MIL-M-28787/116A(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDC REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-DEC-92 | ER | MW | 85 | |
| M | I | MIL-M-28787/117A(1) | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BDD REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 28-APR-93 | ER | MW | 85 | |
| A | LI | MIL-M-28787/118B | MODULE, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BDE (INACTIVE) | A | 5963 | MW | | 31-AUG-82 | | MW | | |
| | LI | MIL-M-28787/119A(2) NOTICE 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, POWER, DIGITAL, KEY CODE BDH [VALIDATION DATE: 9203] | A | 5963 | MW | | 30-MAR-92 | | MW | | |
| M | I | MIL-M-28787/120B(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, POWER, DIGITAL, KEY CODE CDB REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| A | LI | MIL-M-28787/121B(1) | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE CDD | A | 5963 | MW | | 08-MAR-91 | | MW | | |
| A | LI | MIL-M-28787/122B(2) | MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE CDE ..... | A | 5963 | MW | | 07-JUN-91 | | MW | | |
| A | LI | MIL-M-28787/123A(2) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE ADH ..... | A | 5963 | MW | | 24-AUG-90 | | MW | | |
| A | LI | MIL-M-28787/124A(1) | MODULES, STANDARD ELECTRONIC TEST POINT, DIGITAL, KEY CODE CMH ..... | A | 5963 | MW | | 14-NOV-83 | | MW | | |
| A | LI | MIL-M-28787/125A(1) | MODULE, STANDARD ELECTRONIC EXTENDER, TEST POINT, & RESISTOR, MISCELLANEOUS, KEY CODE FLA | A | 5963 | MW | | 14-NOV-83 | | MW | | |
| A | L | MIL-M-28787/126A(2) | MODULES, STANDARD ELECTRONIC LOAD, RESISTOR, STANDARD, ANALOG, KEY CODE FLB | A | 5963 | MW | | 19-JUL-91 | | MW | | |
| A | LI | MIL-M-28787/127D(1) | MODULE, STANDARD ELECTRONIC CAPACITOR, DIGITAL, KEY CODE FLE ..... | A | 5963 | MW | | 04-JUN-84 | | MW | | |
| A | L | MIL-M-28787/128B(1) | MODULE, STANDARD ELECTRONIC TRANSFORMER, ANALOG, KEY CODE CTH ..... | A | 5963 | MW | | 06-OCT-83 | | MW | | |
| A | L | MIL-M-28787/129A(1) NOTICE 1 | MODULES, STANDARD ELECTRONIC ISOLATION MODULE, DIGITAL, KEY CODE EMH [VALIDATION DATE: 9212] | A | 5963 | MW | | 16-DEC-92 | | MW | | |
| A | L | MIL-M-28787/130A(1) | MODULE, STANDARD ELECTRONIC NETWORK, MISCELLANEOUS, POWER, KEY CODE QPL ... | A | 5963 | MW | | 30-NOV-83 | | MW | | |
| M | LI | MIL-M-28787/132A(1) NOTICE 1 | MODULES, STANDARD ELECTRONIC OSCILLATOR, SQUARE WAVE, ANALOG, KEY CODE MVJ [VALIDATION DATE: 9303] | A | 5963 | MW | | 31-MAR-93 | | MW | | |
| M | L | MIL-M-28787/133B(2) NOTICE 1 | MODULES, STANDARD ELECTRONIC RELAY, 4PDT, ANALOG, KEY CODE MRN [VALIDATION DATE: 9304] | A | 5963 | MW | | 28-APR-93 | | MW | | |
| A | L | MIL-M-28787/135A(2) | MODULES, STANDARD ELECTRONIC INDUCTOR, 1.5 AMPERE, POWER, KEY CODE QPM .... | A | 5963 | MW | | 19-JUL-91 | | MW | | |
| M | L | MIL-M-28787/136A(1) NOTICE 1 | MODULES, STANDARD ELECTRIC TRANSFORMER, POWER, KEY CODE RPN [VALIDATION DATE: 9303] | A | 5963 | MW | | 31-MAR-93 | | MW | | |
| M | L | MIL-M-28787/137A NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM INDUCTOR, POWER, KEY CODE VPX [VALIDATION DATE: 9303] | A | 5963 | MW | | 31-MAR-93 | | MW | | |
| M | | MIL-M-28787/140B(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE AGD REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| A | | MIL-M-28787/141B(2) | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE GYB REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 16-DEC-92 | ER | MW | 85 | |
| A | L | MIL-M-28787/142B(1) | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JDB . | A | 5963 | MW | | 30-MAR-92 | | MW | | |
| A | L | MIL-M-28787/143B(1) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GBB ..... | A | 5963 | MW | | 19-JUN-91 | | MW | | |
| A | L | MIL-M-28787/147A | MODULE, STANDARD ELECTRONIC OSCILLATOR, DIGITAL, KEY CODE HVA [VALIDATION DATE: 8601] | A | 5963 | MW | | 23-JAN-80 | | MW | | |
| A | | MIL-M-28787/152A(2) | MODULES, STANDARD ELECTRONIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE ABF REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 30-SEP-92 | ER | MW | 85 | |
| A | L | MIL-M-28787/153B(2) | MODULES, STANDARD ELECTRONIC RELAY, RELAY, KEY CODE HRF ..... | A | 5963 | MW | | 19-JUL-91 | | MW | | |
| A | L | MIL-M-28787/154A(1) NOTICE 1 | MODULES, STANDARD ELECTRONIC LOGIC CONVERTER, ANALOG TO DIGITAL, KEY CODE DBA [VALIDATION DATE: 9303] | A | 5963 | MW | | 17-MAR-93 | | MW | | |
| A | I | MIL-M-28787/155A(1) | MODULES, STANDARD ELECTRONIC LOGIC CONVERTER, DIGITAL TO ANALOG, KEY CODE DBC REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 16-DEC-92 | ER | MW | 85 | |
| A | LI | MIL-M-28787/156A | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM GATE, INVERTER, DIGITAL, KEY CODE DBE | A | 5963 | MW | | 08-JUN-82 | | MW | | |
| A | LI | MIL-M-28787/157A | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM GATE, NAND, DIGITAL, KEY CODE DBF | A | 5963 | MW | | 08-JUN-82 | | MW | | |
| M | | MIL-M-28787/158A(2) | MODULE, STANDARD ELECTTRONIC GATE, NAND, DIGITAL, KEY CODE DBG REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-DEC-92 | ER | MW | 85 | |
| A | LI | MIL-M-28787/159A | MODULE, STANDARD ELECTRIC GATE, NAND, DIGITAL, KEY CODE DBH ..... | A | 5963 | MW | | 04-JUN-82 | | MW | | |
| A | LI | MIL-M-28787/160A(2) | MODULES, STANDARD ELECTRONIC REGISTER, SHIFT, DIGITAL, KEY CODE EBH ..... | A | 5963 | MW | | 19-MAR-92 | | MW | | |
| M | | MIL-M-28787/161A(1) | MODULES, STANDARD ELECTRONIC TERMINATOR, NETWORK, LINEAR, KEY CODE AKE REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| A | L | MIL-M-28787/162(2) | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE EKB ..... | A | 5963 | MW | | 16-MAY-84 | | MW | | |
| A | L | MIL-M-28787/163A(1) | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE EKC ..... | A | 5963 | MW | | 23-MAR-92 | | MW | | |
| A | LI | MIL-M-28787/166B(2) | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, DIGITAL, KEY CODE BBJ | A | 5963 | MW | | 24-SEP-90 | | MW | | |
| A | L | MIL-M-28787/168A(3) | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, PROGRAMMABLE, DIGITAL, KEY CODE GYC | A | 5963 | MW | | 30-JUL-91 | | MW | | |
| A | L | MIL-M-28787/169B(1) | MEMORY, READ ONLY, PROGRAMMABLE, DIGITAL, KEY CODE GYF ..... | A | 5963 | MW | | 20-SEP-83 | | MW | | |
| A | LI | MIL-M-28787/170A | MODULE, STANDARD ELECTRONIC GATE, AND OR INVERT, DIGITAL, KEY CODE EBA .... | A | 5963 | MW | | 01-JUN-82 | | MW | | |
| A | LI | MIL-M-28787/171A(1) | MODULES, STANDARD ELECTRONIC GATE, EXCLUSIVE OR, DIGITAL, KEY CODE EBB .... | A | 5963 | MW | | 29-MAR-91 | | MW | | |
| M | I | MIL-M-28787/172A(1) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE EBC REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 28-APR-93 | ER | MW | 85 | |
| M | I | MIL-M-28787/173A(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE EBE REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 28-APR-93 | ER | MW | 85 | |
| M | I | MIL-M-28787/174A(3) | MODULES, STANDARD ELECTRONIC ARITHMETIC LOGIC UNIT, DIGITAL, KEY CODE FBA REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| A | L | MIL-M-28787/175A(1) | MODULES, STANDARD ELECTRONIC ADDER, DISCRETE SUM, DIGITAL, KEY CODE FBG ... | A | 5963 | MW | | 24-AUG-90 | | MW | | |
| A | I | MIL-M-28787/176B(1) | MODULES, STANDARD ELECTRONIC REGISTER, PROGRAMMABLE, DIGITAL, KEY CODE FBH REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-DEC-92 | ER | SH | 85 | |
| A | L | MIL-M-28787/177C(1) | MODULES, STANDARD ELECTRONIC AMPLIFIER, OPERATIONAL, ANALOG, KEY CODE FGC . | A | 5963 | MW | | 30-SEP-92 | | MW | | |
| M | | MIL-M-28787/178B(2) | MODULES, STANDARD ELECTRONIC DRIVER, FET, SWITCH, DIGITAL, KEY CODE GDP REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-MAR-93 | ER | MW | 85 | |
| A | L | MIL-M-28787/179B | MODULE, STANDARD ELECTRONIC CAPACITOR, PROGRAMMABLE, ANALOG, KEY CODE GGD . | A | 5963 | MW | | 12-OCT-83 | | MW | | |
| A | L | MIL-M-28787/180A(1) NOTICE 1 | MODULES, STANDARD ELECTRONIC NETWORK, RESISTOR, PROGRAMMABLE, ANALOG, KEY CODE GGG [VALIDATION DATE: 9303] | A | 5963 | MW | | 17-MAR-93 | | MW | | |
| A | | MIL-M-28787/182A(1) | MODULES, STANDARD ELECTRONIC DEMULTIPLEXER, ANALOG, KEY CODE VGS REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 30-SEP-92 | ER | MW | 85 | |
| M | L | MIL-M-28787/183A(1) NOTICE 1 | MODULE, STANDARD ELECTRONIC SWITCH, ANALOG, ANALOG, KEY CODE ZSW [VALIDATION DATE: 9303] | A | 5963 | MW | | 31-MAR-93 | | MW | | |
| A | | MIL-M-28787/184B(1) | MODULES, STANDARD ELECTRONIC AMPLIFIER, POWER, ANALOG, KEY CODE SES REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 16-DEC-92 | ER | MW | 85 | |
| M | L | MIL-M-28787/185B(1) NOTICE 1 | MODULES, STANDARD ELECTRONIC TRANSFORMER, SCOTT-T, ANALOG, KEY CODE STT [VALIDATION DATE: 9303] | A | 5963 | MW | | 31-MAR-93 | | MW | | |

| Action | Opt / Obsl Coordination Inactive | Document Number | Document Title | Dist Stmt | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-M-28787/186B(2) | MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, MSB, ANALOG, KEY CODE SMY REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 16-DEC-92 | ER | MM | 85 | |
| | L | MIL-M-28787/187B(1) NOTICE 1 | MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, LSB, ANALOG, KEY CODE SHU [VALIDATION DATE: 9203] | A | 5963 | MM | 30-MAR-92 | | MM | | |
| A | L | MIL-M-28787/188B(1) | MODULES, STANDARD ELECTRONIC OCTANT/QUADRANT, ANALOG, KEY CODE SHV ..... | A | 5963 | MM | 19-MAR-92 | | MM | | |
| A | L | MIL-M-28787/189C | MODULE, STANDARD ELECTRONIC PROCESSOR, ERROR, S/D, ANALOG, KEY CODE SHX ... | A | 5963 | MM | 21-NOV-80 | | MM | | |
| M | | MIL-M-28787/190A(1) | MODULES, STANDARD ELECTRONIC BUFFER LIMITER, ANALOG, KEY CODE BAC REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 31-MAR-93 | ER | MM | 85 | |
| A | | MIL-M-28787/191B(1) | MODULES, STANDARD ELECTRONIC SAMPLE AND HOLD, ANALOG, KEY CODE PEE REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 30-SEP-92 | ER | MM | 85 | |
| A | L | MIL-M-28787/192B(2) NOTICE 1 | MODULES, STANDARD ELECTRONIC REGUALTOR, NEGATIVE, POWER, KEY CODE ARN [VALIDATION DATE: 9303] | A | 5963 | MM | 17-MAR-93 | | MM | | |
| A | L | MIL-M-28787/193A(4) | MODULE, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE SYT .. | A | 5963 | MM | 02-AUG-85 | | MM | | |
| M | | MIL-M-28787/194A(2) | MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, DIGITAL, KEY CODE UHX REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 31-MAR-93 | ER | MM | 85 | |
| A | L | MIL-M-28787/196A(2) | MODULES, STANDARD ELECTRONIC RECEIVER, LINE, DIGITAL, KEY CODE BDM ..... | A | 5963 | MM | 24-AUG-90 | | MM | | |
| A | L | MIL-M-28787/197A(3) | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE EBD ..... | A | 5963 | MM | 24-AUG-90 | | MM | | |
| M | | MIL-M-28787/200(1) | MODULES, STANDARD ELECTRONIC REGISTER, MULTIPORT, KEY CODE QQA REVIEWER: 13 19 AS AT SS MC | A | 5963 | MM | 31-MAR-93 | ER | MM | 85 | |
| A | L | MIL-M-28787/202B(1) | MODULES, STANDARD ELECTRONIC DRIVER, ANALOG, KEY CODE MAD ..... | A | 5963 | MM | 19-JUL-91 | | MM | | |
| M | L | MIL-M-28787/204A NOTICE 1 | MODULE, STANDARD ELECTRONIC NETWORK, RESISTOR, POWER, KEY CODE RUM [VALIDATION DATE: 9303] | A | 5963 | MM | 31-MAR-93 | | MM | | |
| A | L | MIL-M-28787/205A(2) | MODULE, STANDARD ELECTRONIC AMPLIFIER, SUMMING, ANALOG, KEY CODE BED ..... | A | 5963 | MM | 29-SEP-82 | | MM | | |
| M | | MIL-M-28787/206A(1) | MODULES, STANDARD ELECTRIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE FQB REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 31-MAR-93 | ER | MM | 85 | |
| M | | MIL-M-28787/208(4) | MODULES, STANDARD ELECTRONIC PROGRAMMABLE TIMER, DIGITAL, KEY CODE HQE REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 31-MAR-93 | ER | MM | 85 | |
| A | L | MIL-M-28787/209B NOTICE 1 | MODULES, STANDARD ELECTRONIC FUSE, KEY CODE GZC [VALIDATION DATE: 9212] ... | A | 5963 | MM | 16-DEC-92 | | MM | | |
| A | L | MIL-M-28787/210A(1) | MODULES, STANDARD ELECTRONIC TEST POINT, KEY CODE CZH [VALIDATION DATE: 8505] | A | 5963 | MM | 19-JUN-79 | | MM | | |
| A | L | MIL-M-28787/211A(2) | MODULES, STANDARD ELECTRONIC TEST POINT, ISOLATED, MISCELLANEOUS, KEY CODE FZJ | A | 5963 | MM | 23-MAR-92 | | MM | | |
| A | L | MIL-M-28787/212A(1) | MODULES, STANDARD ELECTRONIC STANDARD SERIAL OUTPUT, DIGITAL, KEY CODE DQD | A | 5963 | MM | 08-MAR-91 | | MM | | |
| A | L | MIL-M-28787/213A(1) | MODULES, STANDARD ELECTRONIC CONVERTER, PARALLEL/SERIAL, KEY CODE EQG ..... | A | 5963 | MM | 08-MAR-91 | | MM | | |
| A | L | MIL-M-28787/214(3) | MODULES, STANDARD ELECTRONIC CONVERTER, SERIAL/PARALLEL, DIGITAL, KEY CODE EQF | A | 5963 | MM | 06-JAN-92 | | MM | | |
| A | L | MIL-M-28787/215A(1) | MODULES, STANDARD ELECTRONIC STANDARD SERIAL INPUT, DIGITAL, KEY CODE EQJ . | A | 5963 | MM | 24-AUG-90 | | MM | | |
| A | L | MIL-M-28787/216B(1) | MODULE, STANDARD ELECTRONIC RESISTOR, PULLUP, POWER, KEY CODE ADL ..... | A | 5963 | MM | 19-JUL-91 | | MM | | |
| A | L | MIL-M-28787/218A(1) | MODULES, STANDARD ELECTRONIC FILTER, LOW PASS, ACTIVE, ANALOG, KEY CODE EEE | A | 5963 | MM | 19-NOV-90 | | MM | | |
| A | L | MIL-M-28787/219B(1) | MODULES, STANDARD ELECTRONIC AMPLIFIER, POWER, ANALOG, KEY CODE HEE ..... | A | 5963 | MM | 27-NOV-91 | | MM | | |
| M | L | MIL-M-28787/220A NOTICE 1 | MODULES, STANDARD ELECTRONIC MODULATOR, SYNCHRONOUS, ANALOG, KEY CODE KAD [VALIDATION DATE: 9303] | A | 5963 | MM | 31-MAR-93 | | MM | | |
| A | L | MIL-M-28787/221A(1) | MODULE, STANDARD ELECTRONIC AMPLIFIER, PHASE SHIFT, ANALOG, KEY CODE LEE .. | A | 5963 | MM | 19-NOV-90 | | MM | | |
| A | | MIL-M-28787/222A(1) | MODULES, STANDARD ELECTRONIC NAND/SCHMITT, DIGITAL, KEY CODE JQM REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 30-SEP-92 | ER | MM | 85 | |
| A | L | MIL-M-28787/223A(2) | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM MULTIPLEXER, DIGITAL, KEY CODE KDC | A | 5963 | MM | 06-JUL-83 | | MM | | |
| M | I | MIL-M-28787/224A(4) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE JDF REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 28-APR-93 | ER | MM | 85 | |
| A | L | MIL-M-28787/225B | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM SWITCH, S/D MULTISPEED, ANALOG, KEY CODE HUH | A | 5963 | MM | 25-OCT-83 | | MM | | |
| M | L | MIL-M-28787/226A(1) NOTICE 1 | MODULES, STANDARD ELECTRONIC TRANSFORMER, SCOTT-T, ANALOG, KEY CODE PTE [VALIDATION DATE: 9303] | A | 5963 | MM | 31-MAR-93 | | MM | | |
| M | L | MIL-M-28787/227A(2) NOTICE 1 | MODULES, STANDARD ELECTRONIC TRANSFORMER, RESOLVER, ANALOG, KEY CODE PTF [VALIDATION DATE: 9304] | A | 5963 | MM | 28-APR-93 | | MM | | |
| M | LI | MIL-M-28787/228A(3) NOTICE 1 | MODULES, STANDARD ELECTRONIC INTEGRATOR, S/D, ANALOG, KEY CODE PEG [VALIDATION DATE: 9303] | A | 5963 | MM | 31-MAR-93 | | MM | | |
| A | L | MIL-M-28787/229A NOTICE 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, SUMMING, ANALOG, KEY CODE BEE [VALIDATION DATE: 9209] | A | 5963 | MM | 30-SEP-92 | | MM | | |
| A | | MIL-M-28787/231A(1) | MODULES, STANDARD ELECTRONIC COMPARATOR, ANALOG, KEY CODE GEE REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 16-DEC-92 | ER | MM | 85 | |
| M | L | MIL-M-28787/232A(2) NOTICE 1 | MODULES, STANDARD ELECTRONIC CONVERTER, ANALOG/DIGITAL, KEY CODE QQQ [VALIDATION DATE: 9303] | A | 5963 | MM | 31-MAR-93 | | MM | | |
| A | L | MIL-M-28787/233B(2) | MODULES, STANDARD ELECTRONIC AMPLIFIER, CLIPPER, ANALOG, KEY CODE FBE ..... | A | 5963 | MM | 30-MAR-92 | | MM | | |
| A | L | MIL-M-28787/234A(1) | MODULE, STANDARD ELECTRONICS OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE GVQ ... | A | 5963 | MM | 25-MAY-82 | | MM | | |
| A | L | MIL-M-28787/235A NOTICE 1 | MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE QVG [VALIDATION DATE: 9209] | A | 5963 | MM | 30-SEP-92 | | MM | | |
| M | L | MIL-M-28787/236A NOTICE 1 | MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE QVQ [VALIDATION DATE: 9303] | A | 5963 | MM | 31-MAR-93 | | MM | | |
| A | L | MIL-M-28787/237A(1) | MODULE, STANDARD ELECTRIC MICROPROCESSOR, DIGITAL KEY CODE HRH ..... | A | 5963 | MM | 03-JUN-85 | | MM | | |
| A | L | MIL-M-28787/238A(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, KEY CODE GHM ..... | A | 5963 | MM | 08-MAR-91 | | MM | | |
| A | L | MIL-M-28787/239A(1) | MODULE, STANDARD ELECTRONIC DRIVER, NTDS SLOW, DIGITAL, KEY CODE QBQ ..... | A | 5963 | MM | 12-DEC-83 | | MM | | |
| A | L | MIL-M-28787/240A(2) NOTICE 1 | MODULES, STANDARD ELECTRONIC TRANSFORMER, SIGNAL, ANALOG, KEY CODE CGR [VALIDATION DATE: 9303] | A | 5963 | MM | 17-MAR-93 | | MM | | |
| A | | MIL-M-28787/241(1) | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, NTDS (ANEW), KEY CODE QDH REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 16-DEC-92 | ER | MM | 85 | |
| A | | MIL-M-28787/242A(1) | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, NTDS (ANEW), DIGITAL, KEY CODE QDF REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 16-DEC-92 | ER | MM | 85 | |
| A | L | MIL-M-28787/243A(2) | MODULES, STANDARD ELECTRONIC GATE, AND DIGITAL, KEY CODE DQK ..... | A | 5963 | MM | 08-MAR-91 | | MM | | |
| A | | MIL-M-28787/244A(1) | MODULES, STANDARD ELECTRONIC GATE, AND, DIGITAL, KEY CODE DQJ REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 30-SEP-92 | ER | MM | 85 | |
| A | L | MIL-M-28787/245A(1) | MODULES, STANDARD ELECTRONIC AMPLIFIER, AGC, ANALOG, KEY CODE DPA ..... | A | 5963 | MM | 19-NOV-90 | | MM | | |
| | L | MIL-M-28787/246B NOTICE 1 | MODULES, STANDARD ELECTRONIC OPTICAL ISOLATOR, DIGITAL, KEY CODE MUM [VALIDATION DATE: 9203] | A | 5963 | MM | 30-MAR-92 | | MM | | |
| A | L | MIL-M-28787/248A(2) | MODULES, STANDARD ELECTRONIC BUFFER, NON-INVERTING, DIGITAL, KEY CODE AMC . | A | 5963 | MM | 18-DEC-91 | | MM | | |
| A | L | MIL-M-28787/249A | MODULE, STANDARD ELECTRONIC GATE, NOR, KEY CODE AME ..... | A | 5963 | MM | 03-AUG-83 | | MM | | |
| M | | MIL-M-28787/250(2) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE AMF REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 28-APR-93 | ER | MM | 85 | |
| A | L | MIL-M-28787/251(2) | MODULE, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE AMG ..... | A | 5963 | MM | 25-OCT-85 | | MM | | |
| M | | MIL-M-28787/252(2) | MODULES, STANDARD ELECTRONIC GATE, AND-OR-INVERT, DIGITAL, KEY CODE AMH REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 28-APR-93 | ER | MM | 85 | |
| M | | MIL-M-28787/253(2) | MODULES, STANDARD, ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BMA REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 28-APR-93 | ER | MM | 85 | |
| A | L | MIL-M-28787/254(1) | MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BMB ..... | A | 5963 | MM | 12-MAY-83 | | MM | | |
| A | L | MIL-M-28787/255(1) | MODULE, STANDARD ELECTRONIC GATE, EXCLUSIVE OR, DIGITAL, KEY CODE BMC ..... | A | 5963 | MM | 06-JUL-83 | | MM | | |
| M | | MIL-M-28787/256(2) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, D-TYPE, DIGITAL, KEY CODE BMD REVIEWER: 13 19 AS AT ES MC | A | 5963 | MM | 28-APR-93 | ER | MM | 85 | |
| A | L | MIL-M-28787/257(1) | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BME | A | 5963 | MM | 03-AUG-83 | | MM | | |
| A | L | MIL-M-28787/258A(1) | MODULE, STANDARD ELECTRONIC DECODER, BCD TO DECIMAL, DIGITAL, KEY CODE BMH | A | 5963 | MM | 13-JUL-83 | | MM | | |
| A | L | MIL-M-28787/259(2) | MODULE, STANDARD ELECTRONIC GATE, NOR, DIGITAL, KEY CODE EMJ ..... | A | 5963 | MM | 16-SEP-85 | | MM | | |
| A | L | MIL-M-28787/260(1) | MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE EMK ..... | A | 5963 | MM | 06-JUL-83 | | MM | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| A | L | MIL-M-28787/261(1) | MODULE, STANDARD ELECTRONIC GATE, INVERTER, DIGITAL, KEY CODE EMM | A 5963 MW 06-JUL-83 | | MW | | |
| A | L | MIL-M-28787/262(2) | MODULE, STANDARD ELECTRONIC INVERTER, BUFFER, DIGITAL, KEY CODE EMN | A 5963 MW 31-JUL-86 | | MW | | |
| A | L | MIL-M-28787/263(1) | MODULE, STANDARD ELECTRONIC GATE, NOR, DIGITAL, KEY CODE EMP | A 5963 MW 13-JUL-83 | | MW | | |
| A | L | MIL-M-28787/264A | MODULES, STANDARD ELECTRONIC FLIP FLOP, JK, DIGITAL, KEY CODE EMQ | A 5963 MW 21-JUL-83 | | MW | | |
| A | | MIL-M-28787/265A(3) | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, DIGITAL REVIEWER: 13 19 AS AT ES MC | A 5963 MW 30-SEP-92 | ER | MW | | 85 |
| A | L | MIL-M-28787/266B(2) | MODULES, STANDARD ELECTRONIC DRIVER, BUS, DIGITAL, KEY CODE GQB | A 5963 MW 23-MAR-92 | | MW | | |
| M | | MIL-M-28787/267B(1) | MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, KEY CODE YBZ REVIEWER: 13 19 AS AT ES MC | A 5963 MW 31-MAR-93 | ER | MW | | 85 |
| M | | MIL-M-28787/268A(1) | MODULES, STANDARD ELECTRONIC MULTIPLIER, DIGITAL, KEY CODE AGA REVIEWER: 13 19 AS AT ES MC | A 5963 MW 31-MAR-93 | ER | MW | | 85 |
| A | L | MIL-M-28787/269A | MODULES, STANDARD ELECTRONIC AMPLIFIER, DIFFERENTIAL, ANALOG, KEY CODE FGH | A 5963 MW 19-NOV-90 | | MW | | |
| A | L | MIL-M-28787/270(2) | MODULE, STANDARD ELECTRONIC RELAY, ANALOG, KEY CODE ZRX | A 5963 MW 30-OCT-84 | | MW | | |
| M | | MIL-M-28787/271A(1) | MODULES, STANDARD ELECTRONIC CONVERTER, BINARY/BCD, DIGITAL, KEY CODE RQB REVIEWER: 13 19 AS AT ES MC | A 5963 MW 31-MAR-93 | ER | MW | | 85 |
| M | | MIL-M-28787/272A(2) | MODULES, STANDARD ELECTRONIC CONVERTER, BCD/BINARY, DIGITAL, KEY CODE ZEZ REVIEWER: 13 19 AS AT ES MC | A 5963 MW 31-MAR-93 | ER | MW | | 85 |
| A | L | MIL-M-28787/273A(1) | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE SJS | A 5963 MW 04-DEC-85 | | MW | | |
| A | L | MIL-M-28787/274B(1) | MODULES, STANDARD ELECTRONIC TIMER, DIGITAL, KEY CODE YKV | A 5963 MW 29-MAR-91 | | MW | | |
| A | L | MIL-M-28787/275A | MODULE, STANDARD ELECTRONIC COUNTER, BINARY/BCD, DIGITAL, KEY CODE BMG | A 5963 MW 10-NOV-83 | | MW | | |
| A | L | MIL-M-28787/277(1) | MODULE, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE EML | A 5963 MW 30-OCT-84 | | MW | | |
| A | L | MIL-M-28787/278A(1) | MODULES, STANDARD ELECTRONIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE FQD | A 5963 MW 18-MAR-92 | | MW | | |
| M | | MIL-M-28787/279(2) | MODULES, STANDARD ELECTRONIC RELAY, ANALOG, KEY CODE RRF REVIEWER: 13 19 AS AT ES MC | A 5963 MW 31-MAR-93 | ER | MW | | 85 |
| A | L | MIL-M-28787/286(2) | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE KYF | A 5963 MW 23-SEP-83 | | MW | | |
| M | | MIL-M-28787/287A(3) | MODULES, STANDARD ELECTRONIC BUFFER, BIDIRECTIONAL, DIGITAL, KEY CODE HRL REVIEWER: 13 19 AS AT ES MC | A 5963 MW 28-APR-93 | ER | MW | | 85 |
| A | L | MIL-M-28787/288A(3) | MODULE, STANDARD ELECTRONIC CLOCK, MICROPROCESSOR, DIGITAL, KEY CODE JRH | A 5963 MW 27-APR-83 | | MW | | |
| A | L | MIL-M-28787/291A | MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE AFA | A 5963 MW 25-OCT-82 | | MW | | |
| M | | MIL-M-28787/292A(3) | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, DIGITAL, KEY CODE BHA REVIEWER: 13 19 AS AT ES MC | A 5963 MW 31-MAR-93 | ER | MW | | 85 |
| A | L | MIL-M-28787/293(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE CHH | A 5963 MW 26-NOV-91 | | MW | | |
| A | L | MIL-M-28787/294A | MODULES, STANDARD ELECTRONIC, GATE, NAND, DIGITAL, KEY CODE CHP | A 5963 MW 02-AUG-83 | | MW | | |
| M | | MIL-M-28787/295A(2) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE FEA REVIEWER: 13 19 AS AT ES MC | A 5963 MW 28-APR-93 | ER | MW | | 85 |
| A | | MIL-M-28787/296A(4) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GHK REVIEWER: 13 19 AS AT ES MC | A 5963 MW 16-DEC-92 | ER | MW | | 85 |
| A | L | MIL-M-28787/297A(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE RHF | A 5963 MW 03-DEC-91 | | MW | | |
| A | | MIL-M-28787/298A(2) | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE RHG REVIEWER: 13 19 AS AT ES MC | A 5963 MW 30-SEP-92 | ER | MW | | 85 |
| M | | MIL-M-28787/300A(2) | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE HFB REVIEWER: 13 19 AS AT ES MC | A 5963 MW 28-APR-93 | ER | MW | | 85 |
| A | L | MIL-M-28787/301A(2) | MODULE, STANDARD ELECTRONIC MICROPROCESSOR, KEY CODE ERD | A 5963 MW 07-MAY-85 | | MW | | |
| A | L | MIL-M-28787/302A(3) | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, KEY CODE ZJS | A 5963 MW 11-MAR-85 | | MW | | |
| A | L | MIL-M-28787/303A(2) | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, KEY CODE ZJT | A 5963 MW 06-JAN-92 | | MW | | |
| M | | MIL-M-28787/304A(4) | MODULES, STANDARD ELECTRONIC MICROPROGRAM CONTROLLER, KEY CODE ZJU REVIEWER: 13 19 AS AT ES MC | A 5963 MW 28-APR-93 | ER | MW | | 85 |
| A | L | MIL-M-28787/305A(2) | MODULES, STANDARD ELECTRONIC CONTROLLER, INTERRUPT, DIGITAL, KEY CODE ZJX | A 5963 MW 14-JAN-92 | | MW | | |
| A | L | MIL-M-28787/306A(2) | MODULE, STANDARD ELECTRONIC MICROPROCESSOR, KEY CODE MJA | A 5963 MW 13-JUL-83 | | MW | | |
| M | L | MIL-M-28787/307A NOTICE 1 | MODULES, STANDARD ELECTRONIC REGULATOR, CURRENT, PROGRAMMABLE, ANALOG, KEY CODE MJB [VALIDATION DATE: 9303] | A 5963 MW 31-MAR-93 | | MW | | |
| A | L | MIL-M-28787/308A(2) | MODULE, STANDARD ELECTRONIC PROGRAM CONTROL UNIT, KEY CODE MJC | A 5963 MW 11-FEB-86 | | MW | | |
| M | L | MIL-M-28787/309A NOTICE 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, OPERATIONAL, ANALOG, KEY CODE DAA [VALIDATION DATE: 9303] | A 5963 MW 31-MAR-93 | | MW | | |
| A | L | MIL-M-28787/310B(2) | MODULES, STANDARD ELECTRONIC COMPONENTS, MISCELLANEOUS, KEY CODE FMD | A 5963 MW 19-MAR-92 | | MW | | |
| M | L | MIL-M-28787/311A NOTICE 1 | MODULES, STANDARD ELECTRONIC RELAY, SIGNAL, KEY CODE HRQ [VALIDATION DATE: 9303] | A 5963 MW 31-MAR-93 | | MW | | |
| A | L | MIL-M-28787/312(2) | MODULES, STANDARD ELECTRONIC DRIVER, TRANSLATOR, DIGITAL, KEY CODE DLB | A 5963 MW 24-AUG-90 | | MW | | |
| A | L | MIL-M-28787/313A(1) | MODULES, STANDARD ELECTRONIC RECEIVER, TRANSLATOR, DIGITAL, KEY CODE DLC | A 5963 MW 29-MAR-91 | | MW | | |
| M | | MIL-M-28787/314(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE FRC REVIEWER: 13 19 AS AT ES MC | A 5963 MW 31-MAR-93 | ER | MW | | 85 |
| M | | MIL-M-28787/315(1) | MODULES, STANDARD ELECTRONIC FLIP FLOP, JK, DIGITAL, KEY CODE FRE REVIEWER: 13 19 AS AT ES MC | A 5963 MW 28-APR-93 | ER | MW | | 85 |
| A | | MIL-M-28787/316A(1) | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, DIGITAL REVIEWER: 13 19 AS AT ES MC | A 5963 MW 17-JUN-92 | ER | MW | | 85 |
| A | | MIL-M-28787/317A(1) | MODULES, STANDARD ELECTRONIC REGISTER, DIGITAL, KEY CODE PJB REVIEWER: 13 19 AS AT ES MC | A 5963 MW 16-DEC-92 | ER | MW | | 85 |
| A | L | MIL-M-28787/318A(1) | MODULE, STANDARD ELECTRONIC RESISTOR, ANALOG, KEY CODE GRB | A 5963 MW 03-NOV-82 | | MW | | |
| A | | MIL-M-28787/319A(2) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE NZC REVIEWER: 13 19 AS AT ES MC | A 5963 MW 16-DEC-92 | ER | MW | | 85 |
| A | L | MIL-M-28787/320B(1) NOTICE 1 | MODULES, STANDARD ELECTRONIC SWITCH, CROSSPOINT, KEY CODE LZN [VALIDATION DATE: 9303] | A 5963 MW 17-MAR-93 | | MW | | |
| A | L | MIL-M-28787/321A | MODULE, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE RRB | A 5963 MW 14-MAR-85 | | MW | | |
| A | L | MIL-M-28787/322A(1) | MODULE, STANDARD ELECTRONIC CONVERTER, D/A, KEY CODE DBK | A 5963 MW 25-SEP-85 | | MW | | |
| A | | MIL-M-28787/323(1) | MODULES, STANDARD ELECTRONIC AMPLIFIER, VIDEO, ANALOG, KEY CODE MFR REVIEWER: 13 19 AS AT ES MC | A 5963 MW 16-DEC-92 | ER | MW | | 85 |
| A | | MIL-M-28787/324(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE NGP REVIEWER: 13 19 AS AT ES MC | A 5963 MW 30-SEP-92 | ER | MW | | 85 |
| A | L | MIL-M-28787/325 | MODULE, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE NQD | A 5963 MW 12-OCT-83 | | MW | | |
| A | | MIL-M-28787/327(1) | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JHB REVIEWER: 13 19 AS AT ES MC | A 5963 MW 16-DEC-92 | ER | MW | | 85 |
| A | L | MIL-M-28787/328(1) | MODULES, STANDARD ELECTRONIC INTERFACE, MICROPROCESSOR, KEY CODE NGK | A 5963 MW 14-SEP-84 | | MW | | |
| A | L | MIL-M-28787/329 | MODULE, STANDARD ELECTRONIC FLIP FLOP, JK, DIGITAL, KEY CODE QHK | A 5963 MW 17-AUG-83 | | MW | | |
| M | L | MIL-M-28787/330 NOTICE 1 | MODULES, STANDARD ELECTRONIC CONTROLLER, MICROPROCESSOR, KEY CODE RRA [VALIDATION DATE: 9303] | A 5963 MW 31-MAR-93 | | MW | | |
| M | | MIL-M-28787/331A(1) | MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE YBS REVIEWER: 13 19 AS AT ES MC | A 5963 MW 31-MAR-93 | ER | MW | | 85 |
| A | L | MIL-M-28787/332 | MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE MFP | A 5963 MW 21-JUL-83 | | MW | | |
| A | | MIL-M-28787/333(2) | MODULES, STANDARD ELECTRONIC CONVERTER, D/A, KEY CODE MCR REVIEWER: 13 19 AS AT ES MC | A 5963 MW 16-DEC-92 | ER | MW | | 85 |
| A | | MIL-M-28787/335 | MODULES, DIGITAL, STANDARD ELECTRONIC DIRECT MEMORY ACCESS MODULE, KEY CODE MBP REVIEWER: 13 19 AS AT ES MC | A 5963 MW 19-NOV-90 | ER | MW | | 85 |
| A | L | MIL-M-28787/336A | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, MICROPROCESSOR MODULE, KEY CODE MBQ | A 5963 MW 22-JAN-91 | | MW | | |
| A | L | MIL-M-28787/337A(1) | MODULES, STANDARD ELECTRONIC CONVERTER, S/D, KEY CODE JWP | A 5963 MW 24-AUG-90 | | MW | | |
| A | L | MIL-M-28787/338(1) | MODULE, STANDARD ELECTRONIC ENCODER, PRIORITY, KEY CODE | A 5963 MW 22-AUG-86 | | MW | | |
| A | L | MIL-M-28787/340 | MODULES, STANDARD ELECTRONIC AMPLIFIER, ANALOG, KEY CODE EAP | A 5963 MW 03-MAY-84 | | MW | | |
| A | L | MIL-M-28787/341 | MODULE, STANDARD ELECTRONIC INTERFACE BUS, KEY CODE CMP | A 5963 MW 25-OCT-82 | | MW | | |
| | L | MIL-M-28787/343(2) NOTICE 1 | MODULES, STANDARD ELECTRONIC RELAY, LATCHING, KEY CODE MFD [VALIDATION DATE: 9203] | A 5963 MW 30-MAR-92 | | MW | | |
| A | L | MIL-M-28787/344(1) | MODULE, STAND ELECTRONIC ENCODER, FAULT ISOLATION, KEY CODE MFG | A 5963 MW 17-JUL-84 | | MW | | |
| A | | MIL-M-28787/345(1) | MODULES, STANDARD ELECTRONIC CONVERTER, S/D, KEY CODE JAP REVIEWER: 13 19 AS AT ES MC | A 5963 MW 30-SEP-92 | ER | MW | | 85 |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-M-28787/346 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERRUPT CONTROL UNIT MODULE, KEY CODE SQV REVIEWER: 13 19 AS AT AV ES MC | A | 5963 | MW | | 26-OCT-90 | ER | MW | 85 | |
| A | L | MIL-M-28787/347 | MODULES, DIGITAL, STANDARD ELECTRONIC CLOCK, MICROPROCESSOR MODULE, KEY CODE TRU | A | 5963 | MW | | 26-OCT-90 | | MW | | |
| A | L | MIL-M-28787/348 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 DUMB RTU MODULE, KEY CODE UKT ... | A | 5963 | MW | | 05-DEC-89 | | MW | | |
| A | L | MIL-M-28787/349 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 RTU PROTOCOL MODULE, KEY CODE UKU | A | 5963 | MW | | 31-JAN-90 | | MW | | |
| A | L | MIL-M-28787/350 | MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, MODULE, KEY CODE YEZ | A | 5963 | MW | | 28-APR-89 | | MW | | |
| A | | MIL-M-28787/351(1) | MODULES, DIGITAL, STANDARD ELECTRONIC 68000 SUPPORT MODULE, KEY CODE ASC REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 17-JUN-92 | ER | MW | 85 | |
| A | | MIL-M-28787/352 | MODULES, DIGITAL, STANDARD ELECTRONIC 68000 CONTROL/MAINTENANCE MODULE, KEY CODE ADP REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | MW | | 31-OCT-89 | ER | MW | 85 | |
| A | L | MIL-M-28787/353 | MODULES, DIGITAL, STANDARD ELECTRONIC MICROPROCESSOR, 68000 MODULE, KEY CODE MAH | A | 5963 | MW | | 20-FEB-90 | | MW | | |
| A | | MIL-M-28787/354 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, BUS MODULE, KEY CODE AFG REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 23-JUL-90 | ER | MW | 85 | |
| A | | MIL-M-28787/355 | MODULES, STANDARD ELECTRONIC PROGRAMMABLE READ ONLY MEMORY MODULE REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 31-JUL-90 | ER | MW | 85 | |
| A | | MIL-M-28787/356 | MODULES, DIGITAL, STANDARD ELECTRONIC SUPPORT, MPU COMMUNICATIONS MODULE, KEY CODE AMM REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 29-MAR-91 | ER | MW | 85 | |
| A | | MIL-M-28787/357 | MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER, DMA MODULE, KEY CODE FUM REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 29-MAR-91 | ER | MW | 85 | |
| A | | MIL-M-28787/358 | MODULES, DIGITAL, STANDARD ELECTRONIC DMA SUPPORT MODULE, KEY CODE FUN REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | MW | | 26-OCT-90 | ER | MW | 85 | |
| A | L | MIL-M-28787/359 | MODULES, DIGITAL, STANDARD ELECTRONIC FLIP/FLOP, D TYPE MODULE, KEY CODE KLR | A | 5963 | MW | | 09-MAR-90 | | MW | | |
| A | L | MIL-M-28787/360 | MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER, DATA MODULE, KEY CODE DFH | A | 5963 | MW | | 29-JUN-90 | | MW | | |
| A | L | MIL-M-28787/361 | MODULES, STANDARD ELECTRONIC DYNAMIC RANDOM ACCESS MEMORY MODULE, KEY CODE CJK | A | 5963 | MW | | 10-MAY-91 | | MW | | |
| A | | MIL-M-28787/362 | MODULES, DIGITAL, STANDARD ELECTRONIC DRIVER/RECEIVER DIFFERENTIAL MODULE, KEY CODE HJN REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 26-OCT-90 | ER | MW | 85 | |
| A | | MIL-M-28787/363 | MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER/TIMING MODULE, KEY CODE CEM REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | MW | | 23-JUL-90 | ER | MW | 85 | |
| A | | MIL-M-28787/364 | MODULES, DIGITAL, STANDARD ELECTRONIC REGISTER MODULE, KEY CODE DGJ REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | MW | | 23-JUL-90 | ER | MW | 85 | |
| A | | MIL-M-28787/365 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE MODULE, KEY CODE DGP REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | MW | | 26-OCT-90 | ER | MW | 85 | |
| A | L | MIL-M-28787/366 | MODULES, DIGITAL, STANDARD ELECTRONIC STATIC RANDOM ACCESS MEMORY MODULE, KEY CODE DGG | A | 5963 | MW | | 24-AUG-90 | | MW | | |
| A | L | MIL-M-28787/367 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 BUS CONTROLLER MODULE, KEY CODE UKS | A | 5963 | MW | | 13-DEC-89 | | MW | | |
| A | L | MIL-M-28787/368 | MODULES, DIGITAL, STANDARD ELECTRONIC DYNAMIC RAM CONTROLLER MODULE, KEY CODE FER | A | 5963 | MW | | 31-JUL-90 | | MW | | |
| A | | MIL-M-28787/369 | MODULES, STANDARD ELECTRONIC CONVERTER, ANALOG/DIGITAL, KEY CODE CKA REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 29-MAR-91 | ER | MW | 85 | |
| A | | MIL-M-28787/370 | MODULE, STANDARD ELECTRONIC NETWORK, SPECIAL, KEYCODE HJL REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | MW | | 26-OCT-90 | ER | MW | 85 | |
| A | | MIL-M-28787/371 | MODULES, ANALOG, STANDARD ELECTRONIC INTERFACE, DISCRETE MODULE, KEY CODE TAV REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 29-MAR-91 | ER | MW | 85 | |
| A | | MIL-M-28787/393 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, BUS MODULE, KEY CODE AMJ . | A | 5963 | MW | | 24-AUG-90 | ER | MW | 85 | |
| A | L | MIL-M-28787/394 | MODULE, STANDARD ELECTRONIC MICROPROCESSOR MODULE, KEY CODE MHA ..... | A | 5963 | MW | | 13-JAN-86 | | MW | | |
| A | | MIL-M-28787/419 | MODULES, STANDARD ELECTRONIC CONVERTER, A/D MODULE, KEY CODE JFJ REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 24-OCT-91 | ER | MW | 85 | |
| A | | MIL-M-28787/420 | MODULES, STANDARD ELECTRONIC CONVERTER, D/A MODULE, KEY CODE JFK REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 24-OCT-91 | ER | MW | 85 | |
| A | | MIL-M-28787/421 | MODULES, STANDARD ELECTRONIC NATO-STD-4156 (MODIFIED) CHANNEL CONTROL MODULE KEY CODE ATK | A | 5963 | MW | | 17-MAY-91 | ER | MW | 85 | |
| A | | MIL-M-28787/428 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 SUBSYSTEM ADAPTER CARD MODULE KEY CODE GMA REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 26-NOV-91 | ER | MW | 85 | |
| A | | MIL-M-28787/429 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 COMMON BUS INTERFACE MODULE, KEY CODE GMB REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 05-AUG-91 | ER | MW | 85 | |
| A | | MIL-M-28787/432 | MODULES, STANDARD ELECTRONIC MEMORY ARRAY, 128K DYNAMIC RANDOM ACCESS MODULE KEY CODE JEJ REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 17-MAY-91 | ER | MW | 85 | |
| A | | MIL-M-28787/433(1) | MODULES, STANDARD ELECTRONIC MEMORY TIMING MODULE, KEY CODE JEQ REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 17-JUN-92 | ER | MW | 85 | |
| A | | MIL-M-28787/434 | MODULES, STANDARD ELECTRONIC MEMORY DATA MODULE, KEY CODE JML ..... | A | 5963 | MW | | 17-MAY-91 | ER | MW | 85 | |
| A | L | MIL-M-28787/435 | MODULES, STANDARD ELECTRONIC MEMORY ADDRESS MODULE, KEY CODE JMM ..... | A | 5963 | MW | | 29-MAR-91 | | MW | | |
| A | | MIL-M-28787/436 | MODULES, STANDARD ELECTRONIC MEMORY CONTROL MODULE, KEY CODE JMN ..... | A | 5963 | MW | | 17-MAY-91 | ER | MW | 85 | |
| A | | MIL-M-28787/437 | MODULES, STANDARD ELECTRONIC MAINTENANCE PROCESSOR SERIAL INTERFACE MODULE, KEY CODE MRAA REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 06-AUG-91 | ER | MW | 85 | |
| A | | MIL-M-28787/438 | MODULES, STANDARD ELECTRONIC BREAKPOINT, ROM MODULE, KEY CODE GTC REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 26-NOV-91 | ER | MW | 85 | |
| A | L | MIL-M-28787/458 | MODULES, DIGITAL, STANDARD ELECTRONIC ULTRAVIOLET LIGHT ERASABLE PROGRAMMABLE READ ONLY MEMORY (UV EPROM) MODULE | A | 5963 | MW | | 26-OCT-90 | | MW | | |
| A | | MIL-M-28787/459 | MODULES, STANDARD ELECTRONIC ENCODER, PARITY, DIGITAL, MODULE, KEY CODE JPJ REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 03-DEC-91 | ER | MW | 85 | |
| A | | MIL-M-28787/462 | MODULES, STANDARD ELECTRONIC SEMICONDUCTOR MEMORY ARRAY, DYNAMIC RAM, 1M MODULE, KEY CODE JKJ REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 10-MAY-91 | ER | MW | 85 | |
| A | | MIL-M-28787/463 | MODULES, STANDARD ELECTRONIC SEMICONDUCTOR MEMORY ARRAY, STATIC RAM, 256K MODULE, KEY CODE JMJ REVIEWER: 13 19 AS AT ES MC | A | 5963 | MW | | 22-MAY-91 | ER | MW | 85 | |
| A | L | MIL-M-28787/500 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 PARALLEL CHANNEL CONTROL MODULE, KEY CODE AWB | A | 5963 | MW | | 29-DEC-89 | | MW | | |
| A | L | MIL-M-28787/501 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE A/PIC MODULE, KEY CODE AWC | A | 5963 | MW | | 16-NOV-89 | | MW | | |
| A | L | MIL-M-28787/502 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE B/PIC MODULE, KEY CODE AGL | A | 5963 | MW | | 29-DEC-89 | | MW | | |
| A | L | MIL-M-28787/503 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE C/PIC, MODULE, KEY CODE AHL | A | 5963 | MW | | 18-AUG-89 | | MW | | |
| A | L | MIL-M-28787/504 | MODULES, STANDARD ELECTRONIC IOC CONTROL MEMORY MODULE, KEY CODE AMF ..... | A | 5963 | MW | | 10-MAY-89 | | MW | | |
| A | L | MIL-M-28787/505 | MODULES, STANDARD ELECTRONIC IOC DATA BUS LOWER MODULE, KEY CODE AMG ..... | A | 5963 | MW | | 23-JUN-89 | | MW | | |
| A | L | MIL-M-28787/506 | MODULES, STANDARD ELECTRONIC IOC CHANNEL CONTROL MODULE, KEY CODE AMH ..... | A | 5963 | MW | | 18-AUG-89 | | MW | | |
| A | L | MIL-M-28787/507 | MODULES, STANDARD ELECTRONIC IOC SEQUENCER MODULE, KEY CODE BMAA ..... | A | 5963 | MW | | 21-APR-89 | | MW | | |
| A | L | MIL-M-28787/508 | MODULES, STANDARD ELECTRONIC CENTRAL PROCESSOR SEQUENCER MODULE, KEY CODE BMAC | A | 5963 | MW | | 21-APR-89 | | MW | | |
| A | L | MIL-M-28787/509 | MODULES, STANDARD ELECTRONIC BUS ARBITRATOR MODULE, KEY CODE BMD ..... | A | 5963 | MW | | 05-MAY-89 | | MW | | |
| A | L | MIL-M-28787/510 | MODULES, STANDARD ELECTRONIC ARITHMETIC-LOGIC UNIT MODULE, KEY CODE BME ... | A | 5963 | MW | | 21-APR-89 | | MW | | |
| A | L | MIL-M-28787/511 | MODULES, STANDARD ELECTRONIC IOC COMMON BUS CONTROL MODULE, KEY CODE BMF .. | A | 5963 | MW | | 23-JUN-89 | | MW | | |
| A | | MIL-M-28787/512 | MODULES, STANDARD ELECTRONIC MEMORY MAPPED I/O MODULE, KEY CODE BMG REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | MW | | 15-SEP-89 | ER | MW | 85 | |
| A | | MIL-M-28787/514 | MODULES, STANDARD ELECTRONIC MEMORY MAPPED I/O BUS INTERFACE MODULE, KEY CODE CMA REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | MW | | 15-DEC-89 | ER | MW | 85 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Qty / Cmtl Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | | MIL-M-28787/517 | MODULES, STANDARD ELECTRONIC SHIFT MATRIX AND GENERAL REGISTER MODULE, KEY CODE CWE | A | 5963 | | MM | 05-MAY-89 | | MM | | |
| A | L | | MIL-M-28787/518 | MODULES, STANDARD ELECTRONIC BOOTSTRAP MEMORY/RTC MODULE, KEY CODE CWAF ... | A | 5963 | | MM | 05-MAY-89 | | MM | | |
| AML | | | MIL-M-28787/519 | MODULES, STANDARD ELECTRONIC MEMORY INTERFACE I MODULE, KEY CODE CWG ..... | A | 5963 | | MM | 13-NOV-89 | | MM | | |
| A | L | | MIL-M-28787/520 | MODULES, STANDARD ELECTRONIC BIT ELECTRONICS MODULE, KEY CODE CWN ..... | A | 5963 | | MM | 27-DEC-89 | | MM | | |
| A | L | | MIL-M-28787/521 | MODULES, STANDARD ELECTRONIC MIL-STD-188C/RS232C ASYNCHRONOUS SERIAL CONTROL MODULE, KEY CODE AEK | A | 5963 | | MM | 20-SEP-89 | | MM | | |
| A | L | | MIL-M-28787/522 | MODULES, STANDARD ELECTRONIC SYNCHRONOUS SERIAL CONTROL MODULE, KEY CODE AFK | A | 5963 | | MM | 22-DEC-89 | | MM | | |
| A | L | | MIL-M-28787/523 | MODULES, STANDARD ELECTRONIC MULTIPLY/MATH PACKAGE MODULE, KEY CODE DWAE .. | A | 5963 | | MM | 21-APR-89 | | MM | | |
| A | | | MIL-M-28787/524 | MODULES, STANDARD ELECTRONIC NATO-STD-4156 (MODIFIED) CHANNEL ADAPTER MODULE, KEY CODE ATL REVIEWER: 13 19 AS AT ES MC | A | 5963 | | MM | 26-NOV-91 | ER | MM | | 85 |
| A | L | | MIL-M-28787/525 | MODULES, STANDARD ELECTRONIC MEMORY ADDRESS EXPANSION MODULE, KEY CODE DWF | A | 5963 | | MM | 15-SEP-89 | | MM | | |
| A | | | MIL-M-28787/526 | MODULES, STANDARD ELECTRONIC DIRECT MEMORY INTERFACE I MODULE, KEY CODE DWG REVIEWER: 13 19 AS AT ES MC | A | 5963 | | MM | 29-MAR-91 | ER | MM | | 85 |
| A | | | MIL-M-28787/527 | MODULES, STANDARD ELECTRONIC DIRECT MEMORY ACCESS II MODULE, KEY CODE DWH REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | | MM | 29-DEC-89 | ER | MM | | 85 |
| A | | | MIL-M-28787/528 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 TYPE D/E SERIAL CONTROL MODULE, KEY CODE AJK | A | 5963 | | MM | 17-MAY-91 | ER | MM | | 85 |
| A | | | MIL-M-28787/529 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 SERIAL INTERFACE ADAPTER MODULE, KEY CODE AJL REVIEWER: 13 19 AS AT ES MC | A | 5963 | | MM | 24-OCT-91 | ER | MM | | 85 |
| A | | | MIL-M-28787/534 | MODULES, STANDARD ELECTRONIC TEMPERATURE SENSOR MODULE, KEY CODE EWB REVIEWER: 13 19 AS AT ES MC | A | 5963 | | MM | 30-MAR-92 | ER | MM | | 85 |
| A | L | | MIL-M-28787/535 | MODULES, STANDARD ELECTRONIC IOC DATA BUS UPPER MODULE, KEY CODE EWC ..... | A | 5963 | | MM | 20-SEP-89 | | MM | | |
| A | L | | MIL-M-28787/536 | MODULES, STANDARD ELECTRONIC MEMORY INTERFACE II MODULE, KEY CODE EWD ..... | A | 5963 | | MM | 15-SEP-89 | | MM | | |
| A | L | | MIL-M-28787/537 | MODULES, STANDARD ELECTRONIC RS 232C INTERFACE ADAPTER MODULE, KEY CODE AML | A | 5963 | | MM | 20-OCT-89 | | MM | | |
| A | L | | MIL-M-28787/538 | MODULES, STANDARD ELECTRONIC MIL-STD-188C/VACALES INTERFACE ADAPTER MODULE, KEY CODE APC | A | 5963 | | MM | 27-DEC-89 | | MM | | |
| A | L | | MIL-M-28787/539 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE ADDRESS GENERATION MODULE, KEY CODE CWK | A | 5963 | | MM | 05-MAY-89 | | MM | | |
| A | L | | MIL-M-28787/540 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION, CONTROL I, KEY CODE EWAH | A | 5963 | | MM | 10-MAY-89 | | MM | | |
| A | L | | MIL-M-28787/541 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION CONTROL II MODULE, KEY CODE FWA | A | 5963 | | MM | 05-MAY-89 | | MM | | |
| A | L | | MIL-M-28787/542 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION CONTROL III MODULE, KEY CODE FWB | A | 5963 | | MM | 05-MAY-89 | | MM | | |
| Q | | | MIL-S-28788A | SWITCH, AIR AND LIQUID FLOW, SENSING GENERAL SPECIFICATION FOR [VALIDATION DATE: 8601] USER: 11 19 AR AS AI AV ME REVIEWER: 17 99 ES MI OS | A | 5930 | | 8S | 12-SEP-79 | ER | EC | | 85 |
| | | | MIL-S-28788/1B | SWITCH, LIQUID FLOW, SINGLE POLE, DOUBLE THROW (SPDT), 3 AMPERES, OPERATING TEMPERATURE (32 DEG. F TO 185 DEG. F) USER: 19 AT AV ME REVIEWER: 17 80 AS ES MI OS | A | 5930 | | 8S | 04-JUN-84 | ER | EC | | 85 |
| | | | MIL-C-28790 SUPPL 1A1 | CIRCULATOR, RADIO FREQUENCY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8505] USER: MC OS REVIEWER: 11 99 ES | A | 59GP | | EC | 10-JAN-73 | ER | EC | | 85 |
| | | | MIL-C-28790/1A NOTICE 1 | CIRCULATOR, RADIO FREQUENCY, COAXIAL (SERIES SMA), THREE PORTS [VALIDATION DATE: 8710] USER: MC OS SH REVIEWER: 11 ES | A | 5985 | | EC | 27-OCT-87 | ER | EC | | 85 |
| | L | | MIL-C-28790/2 | CIRCULATOR, RADIO FREQUENCY, COAXIAL, (3 PORTS, FREQUENCY RANGE - .15 TO .18 GHZ) [VALIDATION DATE: 8204] | A | 5985 | | EC | 24-SEP-76 | | EC | | |
| | L | | MIL-C-28790/3 | CIRCULATOR, RADIO FREQUENCY, COAXIAL, (4 PORTS, FREQUENCY RANGE - .60 TO .80 GHZ) [VALIDATION DATE: 8204] | A | 5985 | | EC | 24-SEP-76 | | EC | | |
| | | | MIL-C-28790/6 NOTICE 1 | CIRCULATION, RADIO FREQUENCY, WAVEGUIDE, THREE PORTS [VALIDATION DATE: 8710] USER: MC OS REVIEWER: 11 ES | A | 5985 | | EC | 27-OCT-87 | ER | EC | | 85 |
| | | | MIL-I-28791 SUPPL 1A1 | ISOLATOR, RADIO FREQUENCY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8505] USER: MC OS REVIEWER: 11 99 ES | A | 5985 | | EC | 10-JAN-73 | ER | EC | | 85 |
| | | | MIL-I-28791/1A(1) | ISOLATOR, RADIO FREQUENCY, COAXIAL USER: AS MC OS SH REVIEWER: 11 99 ES ... | A | 5985 | | EC | 18-DEC-81 | ER | EC | | 85 |
| | L | | MIL-I-28791/4 | ISOLATOR, RADIO FREQUENCY, COAXIAL FREQUENCY RANGE - .85 TO 1.05 GHZ [VALIDATION DATE: 8110] USER: AR REVIEWER: ES | A | 5985 | | ER | 29-SEP-76 | ER | | | |
| | L | | MIL-C-28792A | CONTROL SYSTEM, REMOTE,AN/FSQ-98(A)(V) [VALIDATION DATE: 8505] ..... | A | 5820 | | EC | 03-AUG-84 | | EC | | |
| | L | | MIL-C-28793 | CABLE, ELECTRICAL, SPECIAL PURPOSE, SHIP AND SHORE USE [VALIDATION DATE: 8505] | A | 6145 | | EC | 16-MAY-73 | | EC | | |
| | L | | MIL-C-28794 | CABINET, ELECTRONIC EQUIPMENT (SINGLE BAY) REVIEWER: GS ..... | A | 5975 | | EC | 18-JUN-73 | | EC | | |
| | L | | MIL-D-28795(1) | DIGITIZER, VOICE, FULL AND HALF DUPLEX SPEECH COMPRESSION AND DIGITAL ENCODING [VALIDATION DATE: 8104] | A | 5895 | | EC | 04-FEB-75 | | EC | | |
| | L | | MIL-L-28796 SUPPL 1A1 | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION GENERAL SPECIFICATION FOR [VALIDATION DATE: 8505] USER: MC REVIEWER: AS OS SH | A | 5985 | | EC | 10-AUG-73 | | EC | | |
| | L | | MIL-L-28796/1A | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH ELBOWS ..... | A | 5985 | | EC | 07-JUN-82 | | EC | | |
| | L | | MIL-L-28796/2 | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH ELBOWS [VALIDATION DATE: 8505] USER: MC REVIEWER: AS OS SH | A | 5985 | | EC | 10-AUG-73 | | EC | | |
| | L | | MIL-L-28796/3A | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH GAS BARRIER USER: MC REVIEWER: AS OS SH | A | 5985 | | EC | 07-JUN-82 | | EC | | |
| | L | | MIL-L-28796/4A | LINE ASSEMBLIES, RADIO FREQUENCY TRANS ISSION 3 1/8 INCH GAS BARRIER [VALIDATION DATE: 8304] USER: MC REVIEWER: AS OS SH | A | 5985 | | EC | 22-APR-77 | | EC | | |
| | L | | MIL-L-28796/5A | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1-5/8 INCH STRAIGHT SECTIONS FLANGED USER: MC REVIEWER: AS OS SH | A | 5985 | | EC | 07-JUN-82 | | EC | | |
| | L | | MIL-L-28796/6 | LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH STRAIGHT SECTIONS, FLANGED [VALIDATION DATE: 8104] USER: MC REVIEWER: AS OS SH | A | 5985 | | EC | 31-MAR-75 | | EC | | |
| | L | | MIL-L-28796/7A | LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH STRAIGHT FLEXIBLE SECTIONS, FLANGED USER: AS MC REVIEWER: OS SH | A | 5985 | | EC | 07-JUN-82 | | EC | | |
| | L | | MIL-L-28796/8 | LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 3 1/8 INCH STRAIGHT FLEXIBLE SECTIONS, FLANGED [VALIDATION DATE: 8104] USER: AS MC REVIEWER: OS SH | A | 5985 | | EC | 22-SEP-75 | | EC | | |
| | L | | MIL-L-28796/9A | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION REDUCER, FLANGE TYPE, 3-1/8 TO 1-5/8 INCH 50 OHM USER: AS MC REVIEWER: OS SH | A | 5985 | | EC | 07-JUN-82 | | EC | | |
| | L | | MIL-B-28799(1) | BUOY, RADIO TRANSMITTING T-616( )/SRT [VALIDATION DATE: 8304] ..... | A | 5820 | | EC | 14-MAR-77 | | EC | | |
| D | | | MIL-T-28800E | TEST EQUIPMENT FOR USE WITH ELECTRICAL AND ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR USER: 10 15 18 CE MD SC YD1 REVIEWER: 13 17 19 99 AL AR AS AV EA MC MI OS TE | A | 6625 | | SH | 03-SEP-91 | CR | SH | | 11 |
| Q | | | MIL-D-28803A | DISPLAY, OPTOELECTRIC, READOUTS, BACKLIGHTED SEGMENTED, GENERAL SPECIFICATION FOR USER: AR AT AV MC ME MI OS SH REVIEWER: 11 17 99 AS ES | A | 5980 | | EC | 03-AUG-90 | ER | EC | | 85 |
| | | | MIL-D-28803/1D | DISPLAY, OPTOELECTRONIC, SEGMENTED READOUT, BACKLIGHTED, STYLE II (LIGHT EMITTING DIODES), RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK, TYPE R01 USER: AR AT AV MC ME MI OS REVIEWER: 11 17 82 99 AS ES | A | 5980 | | EC | 11-JUL-88 | ER | EC | | 85 |
| | | | MIL-R-28803/2 | READOUT, SEGMENTED, STYLE I (RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK) TYPE R02 [VALIDATION DATE: 8304] USER: AR AT AV MC ME MI OS SH REVIEWER: 17 99 AS ES | A | 6240 | | EC | 15-APR-77 | EL | EC | | 11 |
| | | | MIL-I-28803/3B | INDICATOR, DIGITAL DISPLAY, INCANDESCENT (STYLE I), SEGMENTED, DOT PATTERN AND BAR PATTERN, RFI SHIELDED, MOISTURE SEALED, TYPE R03 USER: AR AT AV MC ME MI OS SH REVIEWER: 17 99 AS ES | A | 6240 | | EC | 14-AUG-85 | | EC | | 11 |
| | | | MIL-I-28803/4B | INDICATOR, DIGITAL DISPLAY, INCANDESCENT (STYLE I), SEGMENTED, DOT PATTERN AND BAR PATTERN, TYPE R04 (REPLACEMENT PARTS FOR TYPE R03 INDICATOR ASSEMBLY) USER: AR AT AV MC ME MI OS SH REVIEWER: 17 99 AS ES | A | 6240 | | EC | 14-AUG-85 | | EC | | 11 |
| Q | | | MIL-C-28804C SUPPL 1A1 | CONNECTORS, PLUG AND RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, GENERAL SPECIFICATION FOR USER: AM AR MC ME REVIEWER: 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | | 85 |

| Action | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-C-28804/1D | CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS G USER: AM AR MC ME REVIEWER: 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 85 | |
| | MIL-C-28804/2D | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS G USER: AM AR MC ME REVIEWER: 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 85 | |
| | MIL-C-28804/3D | CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS E USER: AM AR MC ME REVIEWER: 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 85 | |
| | MIL-C-28804/4D | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS E USER: AM AR MC ME REVIEWER: 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 85 | |
| | MIL-C-28804/5D | CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS P USER: AM AR MC ME REVIEWER: 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 85 | |
| | MIL-C-28804/6D | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS P USER: AM AR MC ME REVIEWER: 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 85 | |
| | MIL-C-28804/7D | CONNECTOR, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SOLDER SOCKET CONTACTS, CLASS S USER: AM AR MC ME REVIEWER: 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 85 | |
| | MIL-C-28804/8D | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SOLDER PIN CONTACTS, CLASS S USER: AM AR MC ME REVIEWER: 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 85 | |
| | MIL-C-28804/9D | CONNECTORS, PIN CONTACT, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SIZE 22, CRIMP REMOVABLE USER: AM AR MC ME REVIEWER: 85 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 11 | |
| | MIL-C-28804/10D | CONNECTORS, SOCKET CONTACT, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SIZE 22, CRIMP REMOVABLE USER: AM AR MC ME REVIEWER: 85 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 11 | |
| | MIL-C-28804/11D | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, INTERFACIAL SEAL, SOLDER PIN CONTACTS, CLASS SE USER: AM AR MC ME REVIEWER: 99 AS AT ES MI | A | 5935 | | EC | 12-APR-91 | CR | EC | 85 | |
| L | MIL-C-28806 | COUPLER GROUP, ANTENNA, AN/URA-38( ) [VALIDATION DATE: 8104] | A | 5985 | | EC | 24-MAR-75 | | EC | | |
| L | MIL-P-28808A | PRINTER, HIGH SPEED, DIGITAL DATA, TT624(V)/UG | A | 5815 | | EC | 30-APR-87 | | EC | | |
| | MIL-C-28809B | CIRCUIT CARD ASSEMBLIES, RIGID, FLEXIBLE, & RIGID FLEX USER: 11 REVIEWER: 20 99 AR AS AT ES ME MI NS OS SH | A | 5999 | | EC | 13-MAY-88 | ER | EC | 85 | |
| L | MIL-F-28811A | FREQUENCY STANDARD, CESIUM BEAM TUBE | A | 6625 | | EC | 26-APR-85 | | EC | | |
| L | MIL-R-28812 | RADIO SET AN/SRC-23A [VALIDATION DATE: 8104] | A | 5820 | | EC | 18-MAR-75 | | EC | | |
| L | MIL-A-28813 | ANTENNA COUPLER GROUP AN/SKA-34A(V) [VALIDATION DATE: 8104] | A | 5985 | | EC | 18-MAR-75 | | EC | | |
| L | MIL-T-28815 | TEST SET, ELECTRONIC CIRCUIT PLUG-IN UNIT [VALIDATION DATE: 8104] | A | 6625 | | SH | 18-MAR-75 | | SH | | |
| L | MIL-T-28816(1) | TIME-FREQUENCY STANDARD, DISCIPLINED, AN/URQ-23, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] | A | 6625 | | SH | 25-APR-75 | | SH | | |
| L | MIL-R-28819(1) | RADIO NAVIGATION RECEIVING SET, OMEGA, AN/BRN-7, AN/SRN-17 | A | 5825 | | EC | 03-JAN-83 | | EC | | |
| L | MIL-F-28821(1) | FILTER UNIT, NOTCH [VALIDATION DATE: 8601] | A | 5915 | | EC | 02-JAN-80 | | EC | | |
| L | MIL-P-28824A | PUMP, VACUUM, POSITIVE DISPLACEMENT, AIR ROTARY VANE | A | 4310 | | SH | 28-SEP-84 | | SH | | |
| L | MIL-P-28824/1A | PUMP, VACUUM, POSITIVE DISPLACEMENT, AIR ROTARY VANE, TYPE 1, CAST IRON | A | 4310 | | SH | 28-SEP-84 | | SH | | |
| L | MIL-P-28824/2 | PUMP, VACUUM, POSITIVE DISPLACEMENT, AIR ROTARY VANE, TYPE 2 CAST ALUMINUM | A | 4310 | | SH | 28-SEP-84 | | SH | | |
| L | MIL-S-28825(1) | SWITCHBOARD, AUDIO, DESIGN, TEST AND MANUFACTURE OF [VALIDATION DATE: 8204] | A | 5820 | | EC | 11-FEB-76 | | EC | | |
| L | MIL-A-28826 | ANTENNA SYSTEM, BROADBAND IDENTIFICATION FRIEND OR FOE [VALIDATION DATE: 8204] | A | 5985 | | EC | 03-MAY-76 | | EC | | |
| L | MIL-S-28827A | SWITCH, THERMOSTATIC, (VOLATILE LIQUID), HERMETICALLY SEALED GENERAL SPECIFICATION FOR [VALIDATION DATE: 8601] USER: AS MC OS REVIEWER: 11 17 99 AV ES SH | A | 5930 | | EC | 12-SEP-79 | ER | EC | 85 | |
| L | MIL-S-28827/1A | SWITCH, THERMOSTATIC (VOLATILE LIQUID), HERMETIC SEALED, SINGLE POLE DOUBLE THROW (SPDT), MEDIUM RESPONSE TIME | A | 5930 | | EC | 20-NOV-90 | | EC | | |
| Q | MIL-C-28830B | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, GENERAL SPECIFICATION FOR USER: 19 SH REVIEWER: 17 99 AS IS MC | A | 6145 | | EC | 27-JAN-82 | CR | EC | 85 | |
| | MIL-C-28830/1 | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGRID, CORRUGATED OUTER CONDUCTOR, FOAM DIELECTRIC, 1/2 INCH, NOMINAL 50 OHMS [VALIDATION DATE: 8404] REVIEWER: AS ES IS MC | A | 6145 | | EC | 04-MAY-78 | | EC | 85 | |
| | MIL-C-28830/2 | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, FOAM DIELECTRIC, 7/8 INCH, NOMINAL 50 OHMS [VALIDATION DATE: 8404] REVIEWER: AS ES IS MC | A | 6145 | | EC | 04-MAY-78 | | EC | 85 | |
| | MIL-C-28830/3B | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/2 INCH NOMINAL, 50 OHMS USER: 19 SH REVIEWER: 17 99 AS IS MC | A | 6145 | | EC | 30-SEP-82 | CR | EC | 85 | |
| L | MIL-C-28830/4B | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 7/8 INCH NOMINAL, 50 OHMS USER: 19 SH REVIEWER: 17 99 AS IS MC | A | 6145 | | EC | 30-SEP-82 | | EC | | |
| | MIL-C-28830/5B | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1-5/8 INCH NOMINAL, 50 OHMS USER: 19 SH REVIEWER: 17 99 AS IS MC | A | 6145 | | EC | 12-JUN-89 | CR | EC | 85 | |
| | MIL-M-28837(1) SUPPL 1A1 | MIXER STAGES, RADIO FREQUENCY GENERAL SPECIFICATION FOR USER: 14 19 AR AS CG MC REVIEWER: 11 17 ES MI OS | A | 5985 | | EC | 07-FEB-85 | ER | EC | 85 | |
| | MIL-M-28837/1B | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, PIN PLUG IN TERMINATION USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | | EC | 07-FEB-85 | ER | EC | 85 | |
| | MIL-M-28837/2B | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, SOLDER LEADS USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | | EC | 07-FEB-85 | ER | EC | 85 | |
| | MIL-M-28837/3 | MIXER STAGES, RADIO FREQUENCY, BALANCED, SMA FEMALE CONNECTORS [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | | EC | 02-SEP-77 | ER | EC | 85 | |
| | MIL-M-28837/4 | MIXER STAGES, RADIO FREQUENCY, SINGLE BALANCED, TYPE N, BNC CONNECTORS [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | | EC | 02-SEP-77 | ER | EC | 85 | |
| | MIL-M-28837/5A | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, SMA FEMALE CONNECTORS USER: 14 19 99 AR AS CG MC REVIEWER: 11 17 MI OS | A | 5985 | | EC | 07-FEB-85 | ER | EC | 85 | |
| | MIL-M-28837/6 | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, BNC FEMALE CONNECTORS [VALIDATION DATE: 8505] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | | EC | 01-JUN-79 | ER | EC | 85 | |
| | MIL-M-28837/7(1) | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, TO-5 CONFIGURATION USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | | EC | 26-MAY-81 | ER | EC | 85 | |
| | MIL-M-28837/8 | MIXER STAGES, RADIO FREQUENCY, SINGLE BALANCED, PC MOUNTED [VALIDATION DATE: 8505] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | | EC | 01-JUN-79 | ER | EC | 85 | |
| | MIL-M-28837/9 | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, TO CONFIGURATION USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS | A | 5985 | | EC | 07-FEB-85 | ER | EC | 85 | |
| L | MIL-C-28838C(2) | COMMUNICATIONS SETS, UHF AN/WSC-3(V) SATELLITE AND LOS VERSIONS | A | 5820 | | EC | 10-NOV-87 | | EC | | |
| | MIL-W-28839 | WAVEGUIDES, ELLIPTICAL GENERAL SPECIFICATION FOR [VALIDATION DATE: 8404] REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | | EC | 13-MAR-78 | ER | EC | 85 | |
| | MIL-W-28839/1 | WAVEGUIDES, ELLIPTICAL, SEMIRIGID [VALIDATION DATE: 8404] REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | | EC | 13-MAR-78 | ER | EC | 85 | |
| DQL | MIL-C-28840A(4) SUPPL 1A1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D GENERAL SPECIFICATION FOR USER: OS YD1 REVIEWER: SH | A | 5935 | | EC | 01-APR-93 | | EC | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | | | MIL-C-28840/1B | CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, STRAIGHT, OPEN FOR ELECTRICAL CONNECTORS | A | 5935 | | EC | 09-FEB-93 | | EC | | |
| A | L | | | MIL-C-28840/2B | CONNECTOR, ACCESSORIES, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, 90 DEG., OPEN FOR ELECTRICAL CONNECTORS | A | 5935 | | EC | 09-FEB-93 | | EC | | |
| A | L | | | MIL-C-28840/3B | CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, 45 DEG., OPEN FOR ELECTRICAL CONNECTORS | A | 5935 | | EC | 09-FEB-93 | | EC | | |
| | L | | | MIL-C-28840/4<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT FOR EMI SHIELDING (VALIDATION DATE: 9206) | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/5A | CONNECTOR, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, STRAIGHT, METAL CONDUIT FOR EMI SHIELDING | A | 5935 | | EC | 26-MAY-81 | | EC | | |
| | L | | | MIL-C-28840/6B | CONNECTOR, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, STRAIGHT, CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC USER: OS SH | A | 5935 | | EC | 04-JAN-83 | | EC | | |
| | L | | | MIL-C-28840/7B<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CRIMP CONTACTS DUMMY RECEPTACLE, WALL MOUNTING (VALIDATION DATE: 9206) USER: OS REVIEWER: SH | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/8B<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 90 DEG., CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC (VALIDATION DATE: 9206) | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/9D<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 45 DEG., CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC (VALIDATION DATE: 9206) | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/10B(1)<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD CRIMP CONTACTS RECEPTACLE, WALL MOUNTING, CLASSES D AND DS (VALIDATION DATE: 9206) USER: OS REVIEWER: SH | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/11A<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, RECEPTACLE, CABLE CONNECTING, CLASSES D AND DS (VALIDATION DATE: 9206) | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| M | L | | | MIL-C-28840/12C(1) | CONNECTORS, ELECTRICAL, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, BOX MOUNTING, CLASSES D AND DS | A | 5935 | | EC | 20-APR-93 | | EC | | |
| | L | | | MIL-C-28840/13C<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, COVER, RECEPTACLE (VALIDATION DATE: 9206) USER: OS SH REVIEWER: ES | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/14D<br>NOTICE 2 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, JAM NUT MOUNTING, CLASSES D AND DS (VALIDATION DATE: 9206) USER: OS SH | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/15B<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, DUST COVER, PLUG (VALIDATION DATE: 9206) USER: OS SH REVIEWER: ES | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/16A | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, CLASSES D AND DS | A | 5935 | | EC | 26-MAY-81 | | EC | | |
| | L | | | MIL-C-28840/17B | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, PLUG, ASSEMBLY OPEN WIRE CLASSES D AND DS | A | 5935 | | EC | 16-JUL-86 | | EC | | |
| | L | | | MIL-C-28840/18B | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASSEMBLY, OPEN WIRE, 90 DEG., CLASSED D AND DS | A | 5935 | | EC | 16-JUL-86 | | EC | | |
| | L | | | MIL-C-28840/19B | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASSEMBLY, OPEN WIRE 45 DEG., CLASSES D AND DS | A | 5935 | | EC | 16-JUL-86 | | EC | | |
| | L | | | MIL-C-28840/20E | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, WALL MOUNTING, ASSEMBLY, STRAIGHT CLASSES DJ & DJS | A | 5935 | | EC | 16-JUL-86 | | EC | | |
| | L | | | MIL-C-28840/21D | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, CABLE CONNECTING ASSEMBLY, STRAIGHT CLASSES DJ & DJS | A | 5935 | | EC | 16-JUL-86 | | EC | | |
| | L | | | MIL-C-28840/22A<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT BUSHING (VALIDATION DATE: 9206) | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/23A<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, GLAND NUT, WIRING, ELECTRIC CONNECTOR (VALIDATION DATE: 9206) | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/24B<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS GASKET, FLANGE MOUNTING (VALIDATION DATE: 9206) USER: OS REVIEWER: SH | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/25A(1)<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 90 DEG., METAL CONDUIT FOR EMI SHIELDING (VALIDATION DATE: 9206) | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/26B | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD,CRIMP CONTACTS, PLUG ASSEMBLY, STRAIGHT CLASSES DJ AND DJS | A | 5935 | | EC | 16-JUL-86 | | EC | | |
| | L | | | MIL-C-28840/27A(1)<br>NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 45 DEG., METAL CONDUIT FOR EMI SHIELDING (VALIDATION DATE: 9206) | A | 5935 | | EC | 03-JUN-92 | | EC | | |
| | L | | | MIL-C-28840/28D | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASEMBLY, 90 DEG., CLASSES DJ AND DJS | A | 5935 | | EC | 16-JUL-86 | | EC | | |
| | L | | | MIL-C-28840/29D | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD,CRIMP CONTACTS, PLUG, ASSEMBLY, 45 DEG., CLASSES DJ AND DJS | A | 5935 | | EC | 16-JUL-86 | | EC | | |
| | L | | | MIL-C-28840/30A | CONNECTOR, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT COUPLING | A | 5935 | | EC | 26-MAY-81 | | EC | | |
| | L | | | MIL-T-28842A(2) | TELEPHONE SETS, TA-970/U, TA-980/U, & TA-990/U | A | 5805 | | EC | 25-JUN-82 | | EC | | |
| | L | | | MIL-C-28843A<br>NOTICE 1 | CONTROL UNITS, REMOTE SWITCHING, C-10315/U AND C-10979/U (VALIDATION DATE: 8705) | A | 5840 | | EC | 08-MAY-87 | | EC | | |
| | | | | MIL-A-28844A | ANTIFOGGING COMPOUND 3 MEPT | A | 6850 | | SH | 19-DEC-86 | | EC | | |
| | L | | | MIL-R-28848(2) | RADIO SET AM/URC-94(V) | A | 5820 | | EC | 16-DEC-85 | | EC | | |
| | L | | | MIL-T-28849(2) | TRANSCEIVER, VHF/UHF (VALIDATION DATE: 8505) | A | 5820 | | EC | 13-JUL-79 | | EC | | |
| | L | | | MIL-B-28850(7) | BLANKERS, INTERFERENCE, MX-8757/UPX, MX-8758/UPX, AND MX-8758A/UPX | A | 5840 | | EC | 15-SEP-86 | | EC | | |
| | L | | | MIL-S-28851B | SWITCHBOARD, TELETYPEWRITER SIGNAL, SECURE SB-3917/BGC AND RECEIVER AUDIO SB-3918/BRR | A | 5895 | | EC | 28-FEB-83 | | EC | | |
| | L | | | MIL-S-28852A | SWITCHBOARD, TELETYPEWRITER SIGNAL DISTRIBUTION, SB-3959/BGC | A | 5815 | | EC | 28-FEB-83 | | EC | | |
| | L | | | MIL-S-28853A | SWITCHBOARD, TRANSMITTER CONTROL, SB-3916/BRT | A | 5820 | | EC | 28-FEB-83 | | EC | | |
| | L | | | MIL-S-23854(2) | SWITCHING GROUP, TRANSMITTER ANTENNA OK-261/BRC | A | 5820 | | EC | 30-MAR-84 | | EC | | |
| | L | | | MIL-C-28855<br>NOTICE 1 | CU-2113( )/SRC COUPLER ISOLATOR (VALIDATION DATE: 8712) | A | 5825 | | EC | 18-DEC-86 | | EC | | |
| | L | | | MIL-S-28856A | SYNCHRONIZER, VIDEO, SN-501/UPX | A | 5840 | | EC | 06-AUG-82 | | EC | | |
| | L | | | MIL-B-28857 | BATTERY, PRIMARY, LITHIUM SULFUR DIOXIDE (FOR AN/PRC 96 RADIO TRANSCEIVER) (VALIDATION DATE: 8601) | A | 6135 | | EC | 28-SEP-79 | | EC | | |
| | L | | | MIL-C-28858A(2) | COUPLER GROUP, ANTENNA, OA-9123/SRC | A | 5985 | | EC | 20-JUL-89 | | EC | | |
| AQ | | | | MIL-C-28859B | CONNECTOR COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR USER: MC REVIEWER: ES | A | 5935 | | MW | 19-JAN-90 | CR | MW | 85 | |
| A | L | | | MIL-C-28859/1B | CONNECTOR COMPONENT PART, ELECTRICAL BACK PLANE, PRINTED WIRING COMPLIANT PIN REVIEWER: ES | A | 5935 | | MW | 16-APR-82 | | MW | | |
| A | L | | | MIL-C-28859/2C(2) | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPANEL, PRINTED WIRING, HOUSING . | A | 5935 | | MW | 23-JUL-85 | | MW | | |

| Action | ORL / Ckld. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-C-28859/3C | CONNECTOR, COMPONENT PART, ELECTRICAL BACK PLANE, PRINTED WIRING, COMPLIANT PIN, FEED THROUGH REVIEWER: ES | A | 5935 | | MM | 04-DEC-84 | | MM | | |
| A | L | MIL-C-28859/4D | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, COMPLIANT PIN, FEED-TO REVIEWER: ES | A | 5935 | | MM | 25-OCT-83 | | MM | | |
| A | L | MIL-C-28859/5 | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, LOW INSERTION FORCE (LIF), COMPLIANT CONTACT USER: AS | A | 5935 | | MM | 19-FEB-90 | | MM | | |
| Q | | MIL-F-28861A SUPPL 1A1 | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, GENERAL SPECIFICATION FOR USER: 19 AS AT AV CG MC ME OS REVIEWER: 17 99 AR ES MI SH | A | 59GP | | EC | 03-AUG-90 | ER | EC | 85 | |
| | | MIL-F-28861/1B | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLES FS10 AND FS11 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH | A | 59GP | | EC | 25-MAY-90 | ER | EC | 85 | |
| | | MIL-F-28861/2A | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS20 USER: 19 AS AT AV CG MC ME OS REVIEWER: 17 99 AR ES MI SH | A | 5915 | | EC | 02-NOV-88 | ER | EC | 85 | |
| | | MIL-F-28861/3A | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS30 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH | A | 5915 | | EC | 02-NOV-88 | ER | EC | 85 | |
| | | MIL-F-28861/4A | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS40 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH | A | 5915 | | EC | 02-NOV-88 | ER | EC | 85 | |
| | | MIL-F-28861/5A | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS50 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH | A | 5915 | | EC | 02-NOV-88 | ER | EC | 85 | |
| | | MIL-F-28861/6B(2) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, NONHERMETICALLY SEALED, STYLE FS60 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI | A | 59GP | | EC | 06-MAR-92 | ER | EC | 85 | |
| | | MIL-F-28861/7C(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, NONHERMETICALLY SEALED, STYLE FS61 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI | A | 59GP | | EC | 06-MAR-92 | ER | EC | 85 | |
| | | MIL-F-28861/8D | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS62 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI | A | 59GP | | EC | 02-JUN-89 | ER | EC | 85 | |
| | | MIL-F-28861/9C(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, NONHERMETICALLY SEALED, STYLE FS63 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI | A | 59GP | | EC | 06-MAR-92 | ER | EC | 85 | |
| | | MIL-F-28861/10D | FILTERS AND CAPICITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS64 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI | A | 59GP | | EC | 02-JUN-89 | ER | EC | 85 | |
| | | MIL-F-28861/12C(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS70 USER: AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI | A | 59GP | | EC | 19-OCT-90 | ER | EC | 85 | |
| | | MIL-F-28861/13A(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS72 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 99 AR ES MI | A | 59GP | | EC | 12-OCT-90 | ER | EC | 85 | |
| | | MIL-F-28861/14A(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS73 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 99 AR ES MI | A | 59GP | | EC | 12-OCT-90 | ER | EC | 85 | |
| | | MIL-F-28861/15A(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS74 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 99 AR ES MI | A | 59GP | | EC | 12-OCT-90 | ER | EC | 85 | |
| | | MIL-F-28861/16 | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESION, HERMETICALLY SEALED, STYLE FS66 USER: AS AT AV CG MC ME OS SH REVIEWER: 11 17 99 AR ES MI | A | 59GP | | EC | 29-AUG-86 | ER | EC | 85 | |
| A | | MIL-F-28861/17 | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS67 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 17 99 AR ES MI | A | 59GP | | EC | 29-AUG-86 | ER | EC | 85 | |
| A | | MIL-F-28861/18 | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS68 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 99 AR ES MI | A | 59GP | | EC | 26-JUN-92 | ER | EC | 85 | |
| L | | MIL-C-28863A | CONTROL GROUP, COMMUNICATION SECURITY, INTEGRATION & HOUSING GROUP COMPONENTS | A | 5810 | | EC | 31-JUL-85 | | EC | | |
| L | | MIL-A-28865A | ANTENNA GROUP, OE-82( )/WSC-1(V) | A | 5985 | | EC | 30-NOV-87 | | EC | | |
| L | | MIL-R-28866A | RECEIVING SET, SATELLITE SIGNAL, AN/SSR-1A | A | 5820 | | EC | 23-DEC-87 | | EC | | |
| L | | MIL-S-28868 | SWITCH BOX, SA 1997/U | A | 5805 | | EC | 10-NOV-81 | | EC | | |
| L | | MIL-C-28869(1) | CONVERTER, INTERFACE UNIT, CV-3507/USQ-74 | A | 7025 | | EC | 25-JUL-86 | | EC | | |
| Q | | MIL-A-28870A | ASSEMBLIES, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR USER: AS CG MC REVIEWER: ES | A | 5998 | | MM | 19-JAN-90 | ER | MM | 85 | |
| L | | MIL-C-28872 | CABINET, ELECTRONIC EQUIPMENT C Y-45, JC/S ( ) | A | 5975 | | EC | 17-MAR-83 | | EC | | |
| L | | MIL-F-28874(1) | FIELD CHANGE KIT FOR VARIABLE OUTPUT POWER CAPABILITY FOR TRANSMITTER AN/URT-23(C) | A | 5820 | | EC | 30-APR-84 | | EC | | |
| Q | | MIL-A-28875 SUPPL 1A1 | AMPLIFIER, RADIO FREQUENCY AND MICROWAVE, SOLID STATE, GENERAL SPECIFICATION FOR USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/1 | AMPLIFIER, RADIO FREQUENCY & MICROWAVE, SOLID STATE, NARROWBAND, OIP CONFIGURATION USER: AS AV MC REVIEWER: 11 19 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/2 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, NARROWBAND, COAXIAL CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/3 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, LOW NOISE, NARROWBAND, COAXIAL CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/4 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE LOGARITHMIC, COAXIAL CONFIGURATION USER: 19 AS AV MC REVIEWER: 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/5 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, LOW NOISE, WIDEBAND, TO CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/6 | AMPLIFIER RADIO FREQUENCY & MICROWAVE, SOLID STATE, LOW NOISE, WIDEBAND, COAXIAL CONFIGURATION USER: 19 AV MC REVIEWER: 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/7 | AMPLIFIER, RADIO FREQUENCY & MICROWAVE, SOLID STATE, LOW NOISE, WIDEBAND, FLATPACK CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/8 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, POWER, WIDEBAND, TO CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/9 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, POWER, WIDEBAND, COAXIAL CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/10 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, WIDEBAND, TO CONFIGURATION USER: 19 AS AV MC REVIEWER: 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | ES | |
| | | MIL-A-28875/11 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, WIDEBAND, COAXIAL CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| | | MIL-A-28875/12 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, WIDEBAND, LOW PROFILE, TO CONFIGURATION USER: 19 AS AV MC REVIEWER: 17 99 ES MI OS SH | A | 5985 | | EC | 27-JUL-83 | ER | EC | 85 | |
| DQ | | MIL-C-28876D | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, GENERAL SPECIFICATION FOR USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A | 6060 | | SH | 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/1D | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITHOUT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A | 6060 | | SH | 09-JUL-92 | CR | SH | 85 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | MIL-C-28876/20 | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/30 | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH 45 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/40 | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH 90 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/50 | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/60 | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITHOUT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/70 | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/80 | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH 45 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/90 | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH 90 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/100 | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, DUST COVER, SCREW THREADS, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/110 | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING, WITHOUT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/120 | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/130 | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING, WITH 45 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/140 | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING WITH 90 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/150 | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, DUST COVER, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/26C | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH SHORT BACKSHELL, NON-ENVIRONMENT USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/27C | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, STRAIGHT BACKSHELL, STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/28C | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, 45 DEG. BACKSHELL, SCREW THREADS, WITH STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| D | | MIL-C-28876/29D | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, 90 DEG. BACKSHELL, SCREW THREADS, WITH STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS ES MC MI | A 6060 SH 09-JUL-92 | CR | SH | 85 | |
| L | | MIL-R-28877 | RECEIVER, PROGRAMMABLE SCANNING COMMUNICATIONS | A 5820 EC 17-FEB-84 | | | | |
| L | | MIL-A-28879A | ANTENNA ASSEMBLY, BUOYANT CABLE, AS-2629B/BRR | A 5985 EC 10-JUN-85 | | EC | | |
| L | | MIL-A-28880(1) | ANTENNA COUPLER GROUP, AN/SRA-49( ) | A 5985 EC 20-DEC-84 | | EC | | |
| L | | MIL-R-28881(2) | RADIACMETER, IM-239/MDQ | A 6665 SH 31-JAN-86 | | SH | | |
| L | | MIL-D-28882 | DOSIMETER, THERMOLUMINESCENT, DT-526/PD | A 6665 SH 20-APR-84 | | SH | | |
| L | | MIL-T-28885 | TRANSMITTER, RADIO, AN/FRT-83(B) 1000 WATTS PEAK ENVELOPE POWER & AVERAGE, HIGH FREQUENCY, INDEPENDENT SIDEBAND | A 5820 EC 06-AUG-84 | | EC | | |
| L | | MIL-R-28886A | RECEIVER, LOW FREQUENCY, MEDIUM FREQUENCY, AND HIGH FREQUENCY COMMUNICATIONS | A 5820 EC 23-MAY-85 | | EC | | |
| L | | MIL-R-28887 | RADIO GROUP, VLF, LF, MF, AND HF | A 5820 EC 05-OCT-84 | | EC | | |
| L | | MIL-A-28890 | ANTENNA GROUP, OE-207/BR | A 5985 EC 10-DEC-84 | | | | |
| L | | MIL-I-28892A | INTERFACE ADAPTER UNIT | A 5810 EC 16-SEP-85 | | EC | | |
| L | | MIL-A-28893 | ANTENNA COUPLER GROUP,AN/SRA-56, AN/SRA-57, AND AN/SRA-58 | A 5985 EC 02-JUN-85 | | EC | | |
| L | | MIL-A-28895(1) | ANTENNA ELEMENTS, AS-3435/BRC & AS-3436/BRC | A 5985 EC 15-NOV-85 | | EC | | |
| L | | MIL-A-28896(1) | ANTENNA, TRANSMISSION LINE, AS-3437/BRC | A 5985 EC 27-MAR-87 | | EC | | |
| L | | MIL-A-28897(2) | AMPLIFIER, RADIO FREQUENCY, AM-7074/BRC | A 5985 EC 12-FEB-88 | | EC | | |
| L | | MIL-A-28898 | ADAPTER, RADIO FREQUENCY, MX-10158/BRC | A 5985 EC 15-NOV-85 | | EC | | |
| L | | MIL-C-28899 | CABLE ASSEMBLIES, RF, CG 3820/BRC, CG 3819/BRC | A 5995 EC 15-NOV-85 | | | | |
| | | MIL-C-28901 SUPPL 1A1 | CONNECTOR, ELECTRICAL, PLUGS, TIP (TEST POINT PLUG, BANANA PLUG) GENERAL SPECIFICATION FOR USER: AR AS CG MC MI OS REVIEWER: 11 17 19 99 ES ME | A 5935 EC 10-APR-80 | CR | EC | 85 | |
| | | MIL-C-28901/1 | CONNECTOR, ELECTRICAL, PLUGS, TIP SINGLE (BANANA PLUG) USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME | A 5935 EC 10-APR-80 | CR | EC | 85 | |
| | | MIL-C-28901/2 | CONNECTOR, ELECTRICAL, PLUGS, TIP, DUAL (BANANA PLUG) USER: 19 AR AS CG EA MC MI OS REVIEWER: 11 17 99 ES ME | A 5935 EC 10-APR-80 | CR | EC | 85 | |
| | | MIL-C-28901/3 | CONNECTOR, ELECTRICAL, PLUGS, TIP, DUAL (BANANA PLUG) USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME | A 5935 EC 10-APR-80 | CR | EC | 85 | |
| | | MIL-C-28901/4 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, RIGHT ANGLE (BANANA PLUG) USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME | A 5935 EC 10-APR-80 | CR | EC | 85 | |
| | | MIL-C-28901/5 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, MINIATURE, (TEST POINT PLUG), .080 USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME | A 5935 EC 10-APR-80 | CR | EC | 85 | |
| | | MIL-C-28901/6 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, RIGHT ANGLE, (TEST POINT PLUG), .080 USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME | A 5935 EC 10-APR-80 | CR | EC | 85 | |
| | | MIL-C-28901/7 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, (TEST POINT PLUG), .080, SOLDERLESS USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME | A 5935 EC 10-APR-80 | CR | EC | 85 | |
| | | MIL-C-28901/8 | CONNECTOR, ELECTRICAL, PLUGS, TIP, DUAL (TEST POINT PLUG), .080, SOLDERLESS USER: 11 17 19 99 AR AS CG MC MI OS REVIEWER: EA ES ME | A 5935 EC 10-APR-80 | CR | EC | 85 | |
| | | MIL-C-28901/9 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, (TEST POINT PLUG TO BANANA PLUG) USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME | A 5935 EC 10-APR-80 | ER | EC | 85 | |
| | | MIL-C-28901/10 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, (BANANA PLUG TO TEST POINT PLUG) USER: 19 AR AS MC MI OS SH REVIEWER: 11 17 99 EA ES ME | A 5935 EC 10-APR-80 | CR | EC | 85 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-C-28901/11 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME | A | 5935 | EC | 10-APR-80 | CR | EC | 85 | |
| | | | | MIL-C-28901/12 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE .040 DIAMETER USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME | A | 5935 | EC | 10-APR-80 | CR | EC | 85 | |
| | L | | | MIL-T-28902A | TROUSERS, MEN S, MUSICIANS USER: 45 REVIEWER: CT | A | 8405 | MC | 18-AUG-81 | | MC | | |
| | L | | | MIL-C-28914(1) | CONTROL UNIT-RECTIFIER, C-7673/PCC-1 [VALIDATION DATE: 8501] | A | 5805 | MC | 30-JUL-69 | | MC | | |
| | L | | | MIL-M-28915(1) | MODEM, TELEGRAPH TELEPHONE, MD-791/GCC [VALIDATION DATE: 8501] | A | 5805 | MC | 10-SEP-69 | | MC | | |
| | L | | | MIL-T-28916(1) | TERMINAL, TELEGRAPH-TELEPHONE, TH-81/GCC [VALIDATION DATE: 8501] | A | 5805 | MC | 30-JUL-69 | | MC | | |
| | L | | | MIL-C-28917(2) | CONTROL, POWER SUPPLY, C-7674/VCC, AND CONTROL, TERMINAL SET, C-7827/VCC [VALIDATION DATE: 8501] | A | 5805 | MC | 05-JUN-70 | | MC | | |
| | L | | | MIL-T-28919(1) NOTICE 1 | TROUSERS, MEN S, SERVICE, SUMMER AND WINTER (OFFICER S) [VALIDATION DATE: 8706] REVIEWER: CT | A | 8405 | MC | 25-JUN-87 | | MC | | |
| | L | | | MIL-T-28920A NOTICE 1 | TROUSERS, MEN S, DRESS (OFFICER S) [VALIDATION DATE: 8706] | A | 8405 | MC | 25-JUN-87 | | MC | | |
| | L | | | MIL-S-28921A NOTICE 1 | SWORD AND SCABBARD, .OFFICER S, WITH CASE [VALIDATION DATE: 8710] REVIEWER: CT | A | 8465 | MC | 13-OCT-87 | | MC | | |
| | L | | | MIL-S-28933A | SLING, SWORD, SHOULDER: NYLON WEBBING, WHITE USER: 45 REVIEWER: CT | A | 8465 | MC | 26-MAY-88 | | MC | | |
| A | L | | | MIL-I-28934A | INSIGNIA, GRADE, MARINE CORPS JUNIOR RESERVE OFFICERS TRAINING CORPS, (EMBROIDERED) | A | 8455 | CT | 15-OCT-80 | | MC | | CT |
| | L | | | MIL-V-28936 NOTICE 1 | VEST, MAN S DRESS, WHITE (OFFICER S) [VALIDATION DATE: 8710] REVIEWER: CT | A | 8405 | MC | 23-OCT-87 | | MC | | |
| | L | | | MIL-U-28946A(1) NOTICE 1 | UNIFORM, WOMAN S WHITE, DRESS (OFFICER | A | 8410 | MC | 02-FEB-88 | | MC | | |
| M | L | | | MIL-I-28947C | ILLUSTRATIONS FOR STOCK LIST PUBLICATIONS: PREPARATION OF | A | TMSS | MC | 19-MAY-93 | | MC | | |
| | L | | | MIL-L-28948A | LANTERN, ELECTRIC, FLUORESCENT, HAND REVIEWER: GS | A | 6230 | MC | 01-SEP-82 | | MC | | |
| | L | | | MIL-C-28950A NOTICE 1 | COAT, MAN S, DRESS, BLUE (OFFICER S) [VALIDATION DATE: 8710] REVIEWER: CT | A | 8405 | MC | 23-OCT-87 | | MC | | |
| | L | | | MIL-C-28962 NOTICE 1 | CAPE, MAN S, U.S. MARINE CORPS BAND [VALIDATION DATE: 8710] REVIEWER: CT | A | 8405 | MC | 23-OCT-87 | | MC | | |
| A | L | | | MIL-I-28964B NOTICE 1 | INSIGNA, GRADE, PLASTIC [VALIDATION DATE: 8710] USER: 45 | A | 8455 | CT | 23-OCT-87 | | MC | | CT |
| | L | | | MIL-J-28978 | JACKET, MAN S EVENING DRESS (STAFF, NONCOMMISSIONED OFFICER S) [VALIDATION DATE: 8306] USER: 45 REVIEWER: CT | A | 8405 | MC | 01-DEC-71 | | MC | | |
| | L | | | MIL-C-28981(1) | CASE, SMALL ARMS AMMUNITION, 30 ROUND MAGAZINE M-16 RIFLE [VALIDATION DATE: 8710] USER: 45 REVIEWER: CT | A | 8465 | MC | 23-OCT-87 | | MC | | |
| A | L | | | MIL-S-28982A | STAND, FLAGSTAFF; WOOD | A | 8345 | CT | 06-MAR-91 | | MC | | CT |
| A | L | | | MIL-P-28983A(1) | POLE, BEACH, PANEL MARKER; METAL | A | 8345 | CT | 30-MAR-88 | | MC | | CT |
| | L | | | MIL-A-28988B | AMPLIFIER, RADIO FREQUENCY, AM-6545/GRC-193 | A | 5820 | MC | 07-DEC-82 | | MC | | |
| | L | | | MIL-C-28989B | COUPLER, ANTENNA: CU-2064/GRC-193 | A | 5820 | MC | 07-DEC-82 | | MC | | |
| | L | | | MIL-P-28991 | PUBLIC ADDRESS SET, AN/UIQ-10 [VALIDATION DATE: 8503] | A | 5830 | MC | 22-DEC-72 | | MC | | |
| | L | | | MIL-C-28998A | CLEANER-DRYER, ELECTRONIC TEST INSTRUMENT, PORTABLE REVIEWER: CS | A | 4940 | MC | 16-SEP-80 | | MC | | |
| | L | | | MIL-P-28999B | PUBLICATIONS, TECHNICAL, INSTRUCTION-TYPE: PREPARATION OF | A | TMSS | MC | 14-DEC-89 | | MC | | |
| | L | | | MIL-P-29005B | PUBLICATIONS, PLANNED MAINTENANCE SYSTEM, FOR TRAINING DEVICES | A | TMSS | TD | 19-JAN-89 | | TD | | |
| | L | | | MIL-G-29011(1) NOTICE 2 | GUIDE, OPERATION AND MAINTENANCE, FOR TRAINING AIDS, FOR PREPARATION OF | A | TMSS | TD | 15-JUN-84 | | TD | | |
| | L | | | MIL-C-29025A | COMMUNICATION SYSTEMS FOR TRAINING DEVICES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8406] | A | 69GP | TD | 14-SEP-78 | | TD | | |
| D | L | | | MIL-F-29046(2) | FLOORING, RAISED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8405] USER: YD1 | A | 69GP | TD | 01-MAR-77 | | TD | | |
| | L | | | MIL-M-29049(1) | MANUAL, TECHNICAL: FUNCTIONALLY ORIENTED FOR TRAINING DEVICES (FOTM) | A | TMSS | TD | 16-NOV-90 | | TD | | |
| | L | | | DOD-T-29055 NOTICE 1 | TRAINING DEVICES PHOTOGRAPHY REQUIREMENTS: GENERAL SPECIFICATION FOR [VALIDATION DATE: 9006] | A | 6910 | TD | 26-JUN-90 | | TD | | |
| A | L | | | MIL-H-29101C | HOODS, EXTREME COLD WEATHER, IMPERMEABLE USER: 45 CG | A | 8415 | CT | 03-OCT-88 | | MU | | CT |
| A | L | | | MIL-C-29106B | COAT, MAN S, WOOL, WINTER | A | 8405 | CT | 01-MAR-82 | | MU | | CT |
| A | L | | | MIL-C-29107C | COAT, MAN'S, POLYESTER/WOOL | A | 8405 | CT | 07-JUN-89 | | MU | | CT |
| A | L | | | MIL-S-29108A | SHAPE, DAY SIGNAL, MARITIME [VALIDATION DATE: 8312] USER: 45 REVIEWER: SH | A | 8345 | CT | 15-MAR-78 | | MU | | CT |
| A | L | | | MIL-C-29109B | COVERALLS, ANTI EXPOSURE USER: 45 SH | A | 8415 | CT | 28-JUN-88 | | MU | | CT |
| A | L | | | MIL-B-29110B | BAG, LAUNDRY, SUBMARINE [VALIDATION DATE: 8011] USER: 45 | A | 8465 | CT | 25-FEB-81 | | MU | | CT |
| A | | | | MIL-C-29111B | COVERALLS, EXPLOSIVE HANDLERS (WOMEN S) [VALIDATION DATE: 8601] USER: 45 REVIEWER: MD OS | A | 8415 | CT | 21-JAN-80 | GL | MU | | CT |
| A | L | | | MIL-T-29112C | TRUNKS, SWIMMERS USER: 45 OS SH | A | 8415 | CT | 03-MAR-87 | | MU | | CT |
| A | L | | | MIL-N-29113B | NECKTIE, WOMAN S (BOW, BLACK) [VALIDATION DATE: 8601] USER: 45 | A | 8445 | CT | 08-NOV-78 | | MU | | CT |
| A | | | | MIL-G-29114A | GLOVES, CLOTH, VINYL COATED, MEN S AND WOMEN S [VALIDATION DATE: 8211] USER: 45 OS REVIEWER: 82 | A | 8415 | CT | 13-APR-77 | | MU | 99 | CT |
| D | | | | MIL-C-29118A | CLOTH, TWILL, COTTON [VALIDATION DATE: 8201] USER: 45 CG OS YD1 REVIEWER: 99 MS SH | A | 8305 | CT | 28-MAY-76 | GL | MU | 11 | CT |
| A | L | | | MIL-S-29122D | SKIRT, WOMAN'S, BLUE, DRESS | A | 8410 | CT | 18-OCT-88 | | MU | | CT |
| A | L | | | MIL-C-29124D | COAT, WOMAN S, BLUE, DRESS | A | 8410 | CT | 08-JAN-88 | | MU | | CT |
| | L | | | MIL-C-29126A | COVER, BEDDING, FLAMEPROOF [VALIDATION DATE: 8601] USER: SH REVIEWER: CT | A | 7210 | MU | 15-AUG-79 | | MU | | |
| A | L | | | MIL-C-29127A NOTICE 1 | CLOTH, TWILL, POLYESTER/COTTON (CREASE RESISTANT FINISH) [VALIDATION DATE: 8607] USER: 45 | A | 8305 | CT | 03-JUL-86 | | MU | | CT |
| A | L | | | MIL-S-29130A | SHORTS, MEN S, POLYESTER/COTTON [VALIDATION DATE: 8601] USER: 45 | A | 8405 | CT | 26-JUL-78 | | MU | | CT |
| A | | | | MIL-A-29131B | ANKLETS, WOMAN S ACRYLIC AND NYLON, RIBBED, STRETCH TYPE USER: 45 CG REVIEWER: 82 | A | 8445 | CT | 17-MAR-86 | | MU | 99 | CT |
| A | L | | | MIL-C-29133A | COVERALLS, DISPOSABLE, GENERAL PURPOSE USER: 45 REVIEWER: SH | A | 8415 | CT | 23-OCT-80 | | MU | | CT |
| A | L | | | MIL-S-29134A | SHAPE, DAY, MARITIME, DIAMOND & DOUBLE FRUSTRUM USER: CG REVIEWER: SH | A | 8345 | CT | 07-APR-81 | | MU | | CT |
| A | | | | MIL-C-29135A | CLOTH, KNITTED, NYLON, SIMPLEX [VALIDATION DATE: 8403] USER: 45 CG REVIEWER: MC MD MS | A | 8305 | CT | 14-AUG-80 | GL | MU | 11 | CT |
| A | L | | | MIL-C-29136 | CAP, FOOD HANDLER S [VALIDATION DATE: 8101] USER: 45 | A | 8415 | CT | 16-DEC-74 | | MU | | CT |
| A | | | | MIL-C-29137A | CLOTH, FELT FABRIC COMPOSITE, UNDERCOLLAR [VALIDATION DATE: 8406] REVIEWER: 45 99 CG MC MD | A | 8305 | CT | 06-MAR-79 | GL | MU | 11 | CT |
| A | L | | | MIL-S-29138A(1) | SWEATER, WOMAN S, ACRYLIC USER: MC | A | 8410 | CT | 29-JAN-86 | | MU | | CT |
| A | L | | | MIL-I-29139C | INSIGNIA, EMBROIDERED | A | 8455 | CT | 30-JUN-89 | | MU | | CT |
| A | L | | | MIL-C-29140B | CLOTH, BASKET WEAVE, POLYESTER AND COTTON (CREASE RESISTANT FINISH) REVIEWER: CG | A | 8305 | CT | 02-JUN-88 | | MU | | CT |
| A | | | | MIL-C-29145B | COAT, FIREMAN S, ALUMINIZED, PROXIMITY USER: 45 AS CG SH REVIEWER: 50 82 MC MD | A | 8415 | CT | 02-JUL-84 | GL | MU | 99 | CT |
| A | | | | MIL-T-29146B | TROUSERS, FIREMAN S, ALUMINIZED, PROXIMITY USER: 45 AS CG MC SH REVIEWER: 99 MD | A | 8415 | CT | 02-JUL-84 | GL | MU | 11 | CT |
| A | L | | | MIL-C-29147A | CLOTH, PLAIN WEAVE, POLYESTER AND RAYON, CREASE-RESISTANT FINISH [VALIDATION DATE: 8607] USER: 45 REVIEWER: CG | A | 8305 | CT | 03-JUL-86 | | MU | | CT |
| A | L | | | MIL-S-29149C | SHIRT, MAN'S, POLYESTER AND WOOL, LONG SLEEVE USER: 45 | A | 8405 | CT | 12-JUL-88 | | MU | | CT |
| D | L | | | MIL-T-29152C | TRUCK, FIREFIGHTING, TRACTOR TRAILER TYPE, 100 FOOT AERIAL LADDER, DED 131274 | A | 4210 | YD1 | 27-JUN-88 | | YD1 | | |
| D | L | | | MIL-M-29157B | MIXING PLANT, ASPHALT, BATCH MIX, SELF ERECTING, MANUAL OPERATING, PORTABLE, ELECTRIC MOTOR DRIVEN, 120 TNH PER HOUR CAPACITY | A | 3895 | YD1 | 27-FEB-87 | | YD1 | | |
| D | L | | | MIL-W-29158B | WINCHES, DRUMS, POWER-OPERATED, DIESEL-ENGINE-DRIVEN | A | 3950 | YD1 | 11-JUL-89 | | YD1 | | |
| D | L | | | MIL-B-29159A | BOAT SYSTEM, UTILITY, NOMINAL, 20-FOOT REINFORCED PLASTIC WITH 100-HORSEPOWER OUTBOARD ENGINE AND TRAILER | A | 1940 | YD1 | 13-JAN-89 | | YD1 | | |
| D | L | | | MIL-F-29161C | FLOODLIGHT SET, ELECTRIC, DIESEL ENGINE DRIVEN, TRAILER MOUNTED USER: MC REVIEWER: GS | A | 6230 | YD1 | 21-JUN-85 | | YD1 | | |
| D | L | | | MIL-B-29163B | BUOYS, MARKER (METRIC) | A | 2050 | YD1 | 21-MAR-91 | | YD1 | | |
| D | L | | | MIL-G-29170B | GASKETS, SYNTHETIC RUBBER, REINFORCED (FOR DRYDOCK CAISSONS) | A | 5330 | YD1 | 28-OCT-88 | | YD1 | | |
| D | L | | | MIL-B-29171B | BUILDINGS, RELOCATABLE, INSULATED, METAL, FOLDING FRAME | A | 5410 | YD1 | 29-MAR-91 | | YD1 | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Class. Serial FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | MIL-B-29172B | BUILDING, PORTABLE, SKID MOUNTED, KNOCKDOWN REVIEWER: CE | A 5410 YD1 22-MAR-91 | GL | YD1 | | |
| D | L | MIL-B-29176A | BUILDING, PREFABRICATED, STEEL ARCH, DECONTAMINATION CENTER | A 5410 YD1 13-JAN-84 | | YD1 | | |
| D | L | MIL-M-29179 | MOORING SYSTEM, LIGHTWEIGHT (FOR USE WITH HARBOR FLOATING OIL BARRIER BOOM) [VALIDATION DATE: 8205] | A 2040 YD1 06-NOV-78 | | YD1 | | |
| | L | MIL-S-29180A | SCAFFOLDING COMPONENTS, STEE (PIPE, TUBE, & COUPLER) | A 5440 SH 10-DEC-81 | | SH | | |
| D | L | MIL-H-29181A | HASP, HIGH SECURITY, SHROUDED, FOR HIGH AND MEDIUM SECURITY PADLOCK GENERAL SPECIFICATION FOR | A 5340 YD1 21-DEC-87 | | YD1 | | |
| D | L | MIL-T-29182B | TRAILER, CARGO; 4,000 POUNDS PAYLOAD, TANDEM AXLE, COMMERCIAL | A 2330 YD1 25-JUN-90 | | YD1 | | |
| D | | MIL-P-29183B SUPPL 1A1 | PANELBOARDS, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, GENERAL SPECIFICATION REVIEWER: 80 GS MC MS | A 6110 YD1 18-JUN-90 | ME | YD1 | 99 | |
| D | L | MIL-P-29183/1A | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1, 208Y/120 VOLT, 10 KILOWATT, WITHOUT MAIN BREAKERS, WITH FEEDTHROUGH CONNECTOR REVIEWER: MC | A 6110 YD1 24-MAY-85 | | YD1 | | |
| D | L | MIL-P-29183/2A NOTICE 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 2: 208Y/120 VOLT, 15 KILOWATT [VALIDATION DATE: 9005] REVIEWER: MC | A 6110 YD1 23-MAY-90 | | YD1 | | |
| D | L | MIL-P-29183/3A NOTICE 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 3: 208Y/120 VOLT, 30 KILOWATT [VALIDATION DATE: 9005] REVIEWER: MC | A 6110 YD1 23-MAY-90 | | YD1 | | |
| D | | MIL-P-29183/4B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 2, CLASS 1, CONFIGURATION 1: 150 KILOWATT, 15 KVA TRANSFORMER REVIEWER: GS MC MS | A 6110 YD1 18-JUN-90 | ME | YD1 | 80 | |
| D | | MIL-P-29183/5B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 2, CLASS 1, CONFIGURATION 2: 150 KILOWATT, 30 KVA TRANSFORMER REVIEWER: MC MS | A 6110 YD1 18-JUN-90 | ME | YD1 | 99 | |
| D | L | MIL-P-29183/6A NOTICE 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 100 KILOWATT [VALIDATION DATE: 9005] REVIEWER: MC | A 6110 YD1 23-MAY-90 | | YD1 | | |
| D | L | MIL-P-29183/7A NOTICE 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 5: 480 OR 208 VOLT, 120 KILOWATT, TERMINAL TYPE CONNECTORS [VALIDATION DATE: 9005] REVIEWER: MC | A 6110 YD1 23-MAY-90 | | YD1 | | |
| D | L | MIL-P-29183/8A NOTICE 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 6: 480 OR 208 VOLT, 240 KILOWATT TERMINAL TYPE CONNECTORS [VALIDATION DATE: 9005] REVIEWER: MC | A 6110 YD1 23-MAY-90 | | YD1 | | |
| D | L | MIL-P-29183/9A NOTICE 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 7: 480 OR 208 VOLT, 400 KILOWATT, TERMINAL TYPE CONNECTORS [VALIDATION DATE: 9005] REVIEWER: MC | A 6110 YD1 23-MAY-90 | | YD1 | | |
| D | | MIL-P-29183/15 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 2: 208Y/120 VOLT, 15 KILOWATT REVIEWER: MC MS | A 6110 YD1 18-JUN-90 | ME | YD1 | 99 | |
| D | | MIL-P-29183/16 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1: 208Y/120 VOLT, 60 KILOWATT REVIEWER: 80 GS MC MS | A 6110 YD1 18-JUN-90 | ME | YD1 | 99 | |
| D | | MIL-P-29183/17 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 100 KILOWATT REVIEWER: 80 GS MC MS | A 6110 YD1 18-JUN-90 | ME | YD1 | 99 | |
| D | | MIL-P-29183/18 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 200 KILOWATTS REVIEWER: 80 GS MC MS | A 6110 YD1 18-JUN-90 | ME | YD1 | 99 | |
| D | | MIL-P-29183/19 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 5: 208Y/120 VOLT, 100 KILOWATT REVIEWER: 80 GS MC MS | A 6110 YD1 18-JUN-90 | ME | YD1 | 99 | |
| D | L | MIL-P-29183/20 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1: 208Y/120 VOLT, 25 KILOWATT REVIEWER: 80 GS MC MS | A 6110 YD1 18-JUN-90 | | YD1 | | |
| D | | MIL-C-29184B SUPPL 1A1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS, GENERAL SPECIFICATION FOR REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-C-29184/1B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE I, CLASS 1, 350 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-C-29184/2B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 100 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-C-29184/3B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 60 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-C-29184/4B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 30 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-C-29184/5B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 20 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | L | MIL-C-29184/6A | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS, TYPE 2, CLASS 2, 20 AMPERE | A 6150 YD1 03-DEC-84 | | YD1 | | |
| D | | MIL-C-29184/7B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 100 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-C-29184/8B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 60 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-C-29184/9B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 100 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-C-29184/10B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 60 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-C-29184/11B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 30 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-C-29184/12B | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 20 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | L | MIL-C-29184/13A | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS, TYPE 4, CLASS 2, 20 AMPERE REVIEWER: MC | A 6150 YD1 03-DEC-84 | | YD1 | | |
| D | L | MIL-C-29184/14 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE 2, CLASS 2, 100 AMPERE | A 6150 YD1 08-NOV-84 | | YD1 | | |
| D | | MIL-C-29184/16A | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 40 AMPERE REVIEWER: 80 GS MC MS | A 6150 YD1 09-DEC-91 | ME | YD1 | 99 | |
| D | | MIL-T-29185B | TRUCK, FIREFIGHTING: BRUSH/GRASS, 18,000 POUNDS GVW, 4 BY 4, COMMERCIAL CHASSIS USER: MC | A 4210 YD1 19-SEP-89 | ME | YD1 | | |
| D | L | MIL-M-29190A NOTICE 1 | MONITORING DEVICES, EMISSION; STACK RELATED [VALIDATION DATE: 9107] | A 6630 YD1 25-JUL-91 | | YD1 | | |
| D | L | MIL-P-29191A | PLATFORM, PONTOON, WORKBOAT (OIL CONTAINMENT BOOM HANDLING) | A 1945 YD1 13-JAN-89 | | YD1 | | |
| D | L | MIL-V-29192B | VAN, RECRUITING/EXHIBIT, FORWARD CONTROL, 4 BY 2 | A 2320 YD1 27-SEP-90 | | YD1 | | |
| D | L | MIL-B-29194A | BUILDING ADDITION, PREFABRICATED, READY CUT, METAL RIGID FRAME, FOR 40 BY 100 FOOT BUILDING | A 5410 YD1 24-JUN-88 | | YD1 | | |
| D | L | MIL-P-29196B | PAVING MACHINES, BITUMINOUS MATERIAL, CRAWLER-OR RUBBER TIRE-MOUNTED, SELF-PROPELLED | A 3895 YD1 20-JUN-91 | | YD1 | | |
| D | L | MIL-T-29197A | TRUCK, CLEANER, CATCH BASIN, VACUUM-PRESSURE JET, DED | A 2320 YD1 15-AUG-88 | | YD1 | | |
| D | L | MIL-C-29202B | COACH RECRUITER, FORWARD CONTROL, 4 BY 2 | A 2320 YD1 04-APR-91 | | YD1 | | |
| D | | MIL-B-29205A | BOILERS, FLUIDIZED BED, STEAM AND HOT WATER, PACKAGED TYPE (330 TO 51,500 POUNDS PER HOUR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: 84 CE | A 4410 YD1 17-SEP-90 | ME | YD1 | 99 | |
| D | | MIL-P-29206A(2) | PIPE AND PIPE FITTINGS, GLASS FIBER REINFORCED PLASTIC, FOR LIQUID PETROLEUM LINES USER: 04 CE REVIEWER: CS SH | A 4710 YD1 07-AUG-92 | ME | YD1 | | |
| D | L | MIL-S-29208B | SPREADER, MATERIAL, POWER DRIVEN, TRUCK MOUNTED, COMMERCIAL | A 3895 YD1 17-JAN-92 | | YD1 | | |
| D | L | MIL-H-29210A(2) | HOSE ASSEMBLY, RUBBER, METAL LINED, WIRE REINFORCED, 250 PSI, SATURATED AND SUPERHEATED STEAM SERVICE | A 4720 YD1 10-JUN-88 | | YD1 | | |
| D | | MIL-M-29212B | MIXING PLANT, ASPHALT, DRUM TYPE, PORTABLE, ELECTRIC MOTOR DRIVEN, 120 TONS PER HOUR CAPACITY | A 3895 YD1 29-JAN-89 | ME | YD1 | 99 | |
| D | L | MIL-C-29213A | CONCRETE PLACING BOOM, TRUCK MOUNTED, 6 X 4, DIESEL ENGINE DRIVEN, COMMERCIAL | A 3895 YD1 15-DEC-87 | | YD1 | | |
| D | L | MIL-C-29216B | COMPRESSOR, AIR, HIGH PRESSURE | A 4310 YD1 30-MAY-91 | | YD1 | | |
| D | L | MIL-T-29218A | TRUCK, LIFT, PLATFORM, GASOLINE-ENGINE-DRIVEN, TELESCOPING BOOM | A 3930 YD1 29-AUG-89 | | YD1 | | |

| Action | QPL / QML Coordination | Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | | MIL-M-29219A | MIXING PLANT, ASPHALT, DRUM TYPE, PORTABLE, DED, 70 TPH CAPACITY | A | 3895 | YD1 | | 19-FEB-88 | YD1 | | | |
| D | L | | MIL-C-29221A | CRUSHER, JAW, PORTABLE, PRIMARY AGGREGATE PLANT, MOBILE, 75-TON PER HOUR CAPACITY | A | 3820 | YD1 | | 13-SEP-88 | YD1 | | | |
| D | L | | MIL-C-29222A | CLEANER, PRESSURE, HOT-WATER, SKID-MOUNTED REVIEWER: CS | A | 4940 | YD1 | | 31-JUL-89 | YD1 | | | |
| D | L | | MIL-L-29223A | LAUNDRY UNIT, SKID-MOUNTED, 100 POUNDS (DRY WEIGHT) PER HOUR | A | 3510 | YD1 | | 31-JAN-89 | YD1 | | | |
| D | L | | MIL-D-29224A | DISTRIBUTOR, WATER, TANK TYPE, SEMITRAILER TRACTOR MOUNTED 7,000 GALLON CAPACITY, DED REVIEWER: 99 | A | 3825 | YD1 | | 22-MAY-89 | YD1 | | | |
| D | L | | MIL-D-29226A | DRILL, HYDRAULIC DRIFTER, SELF-PROPELLED, CRAWLER MOUNTED | A | 3820 | YD1 | | 18-JUL-88 | YD1 | | | |
| D | L | | MIL-D-29227A | DITCHING MACHINE, WHEEL TYPE TRENCHER, CRAWLER-MOUNTED, DIESEL-ENGINE-DRIVEN REVIEWER: CS | A | 3805 | YD1 | | 28-OCT-88 | YD1 | | | |
| D | L | | MIL-P-29228A | PILE EXTRACTOR, AIR OPERATED | A | 3895 | YD1 | | 20-NOV-91 | YD1 | | | |
| D | L | | MIL-S-29229A | SWITCHES AND FROGS, TRACK, FABRICATED, FOR PORTAL CRANES | A | 2250 | YD1 | | 12-FEB-90 | YD1 | | | |
| D | L | | MIL-R-29231A | ROLLER, TANDEM, SELF-PROPELLED, WITH RETRACTABLE TRANSPORT WHEELS USER: MC | A | 3895 | YD1 | | 20-JAN-91 | YD1 | | | |
| D | L | | MIL-T-29233A | TRAILER, EQUIPMENT, ELEVATING BODY, 4-WHEEL | A | 2330 | YD1 | | 05-JUL-91 | YD1 | | | |
| D | L | | MIL-T-29234A | TRUCK, MULTISTOP DELIVERY: WINDOW SERVICE, FOOD, FORWARD CONTROL, 4 BY 2 | A | 2320 | YD1 | | 24-JUL-90 | YD1 | | | |
| D | | | MIL-C-29240 NOTICE 1 | CASEWORK, MOVEABLE AND MODULAR, FOR HOSPITAL LABORATORIES AND PHARMACIES, PERFORMANCE SPECIFICATIONS FOR (VALIDATION DATE: 9104) | A | 6530 | YD1 | | 01-APR-91 | MD | YD1 | 03 | |
| D | | | MIL-M-29241 NOTICE 1 | MATERIAL HANDLING UNITS FOR MEDICAL FACILITIES, PERFORMANCE SPECIFICATIONS FOR (VALIDATION DATE: 9104) | A | 6530 | YD1 | | 01-APR-91 | MD | YD1 | 03 | |
| D | L | | MIL-P-29242 NOTICE 1 | PANELS, FIBER - REINFORCED PLASTIC FOR RAPID RUNWAY REPAIR (VALIDATION DATE: 8908) | A | 5680 | YD1 | | 10-AUG-89 | | YD1 | | |
| D | L | | MIL-T-29243A | TRUCK, TIRE SERVICING: DIESEL ENGINE DRIVEN, 46,000 POUNDS GVW, 6 X 6 | A | 2320 | YD1 | | 14-FEB-91 | | YD1 | | |
| D | L | | MIL-C-29244A | CRANE, CONTAINER HANDLING, AIR TRANSPORTABLE | A | 3810 | YD1 | | 21-FEB-92 | | YD1 | | |
| D | L | | MIL-F-29248 | FENDERS, MARINE, FOAM FILLED, NETLESS | A | 2040 | YD1 | | 21-NOV-86 | | YD1 | | |
| D | L | | MIL-L-29250A(1) | LOADING JACK SYSTEM, ISO CONTAINER | A | 3950 | YD1 | | 09-SEP-88 | | YD1 | | |
| | L | | MIL-C-29352(2) | CRANE, WHEEL MOUNTED, HYDRAULIC, ROUGH TERRAIN, 30 TON CAPACITY, FULL REVOLVING, 4 BY 4, DED (VALIDATION DATE: 8104) REVIEWER: CS | A | 3810 | MC | | 31-DEC-74 | | MC | | |
| | L | | MIL-S-29354B | SWITCHBOARD, TELEPHONE, SB-3614/TT, AUTOMATIC | A | 5805 | MC | | 27-JAN-86 | | MC | | |
| | L | | MIL-M-29355(3) | MANUAL, TECHNICAL, OPERATION AND MAINTENANCE INSTRUCTIONS FOR OPERATORS OF VARIOUS TYPES OF EQUIPMENT, PREPARATION OF (VALIDATION DATE: 8502) | A | TMSS | MC | | 16-JUN-77 | | MC | | |
| | L | | MIL-T-29357(1) | TRANSPONDER SET, FORWARD AIR CONTROL, AN/PPN-18 REVIEWER: CR | A | 5895 | MC | | 13-JUN-80 | | MC | | |
| | L | | MIL-M-29358 | MODIFICATION KIT, RADIO RELAY EQUIPMENT AN/GRC-201 (VALIDATION DATE: 8501) | A | 5820 | MC | | 10-JUN-76 | | MC | | |
| | LI | | MIL-D-29359 NOTICE 1 | OVERHAUL OF RADAR SET AN/TPS-32 | A | 5840 | MC | | 29-OCT-89 | | MC | | |
| | L | | MIL-B-29361/1 | BATTERY, STORAGE, SILVER-ZINC, VENTED, BB-560( )/PRC-104, 6 VDC (NOMINAL) (VALIDATION DATE: 8501) | A | 6140 | MC | | 28-JUL-77 | | MC | | |
| | L | | MIL-D-29362B | DECALS (HEAT TRANSFER): USMC | A | 7690 | MC | | 04-DEC-91 | | MC | | |
| D | L | | MIL-C-29365A | CLOTH, NONWOVEN, INTERLINING, FUSIBLE, NYLON AND POLYESTER, POLYAMID USER: YD1 REVIEWER: SA | A | 8305 | MC | | 21-JUN-78 | GL | MC | 11 | |
| D | L | | MIL-C-29366B | CAP, UTILITY: CAMOUFLAGE USER: YD1 REVIEWER: SA | A | 8405 | CT | | 29-DEC-88 | | MC | | CT |
| A | L | | MIL-N-29367D(1) | NECK TAB, WOMEN'S SHIRT USER: MU | A | 8445 | CT | | 20-JUN-90 | | MC | | CT |
| A | L | | MIL-S-29368C | SHIRTS, WOMEN'S: LONG AND SHORT SLEEVES | A | 8410 | CT | | 02-JUN-88 | | MC | | CT |
| D | L | | MIL-E-29372(3) NOTICE 1 | EXCAVATOR, MULTIPURPOSE, WHEEL MOUNTED, FOUR WHEEL DRIVE, UNIVERSAL BOOM (VALIDATION DATE: 8603) REVIEWER: CS YD1 | A | 3805 | MC | | 27-MAR-86 | | MC | | |
| A | L | | MIL-C-29374(1) NOTICE 1 | CLOTH, SERGE, POLYESTER/WOOL (VALIDATION DATE: 8710) USER: 45 CG SA REVIEWER: GL | A | 8305 | CT | | 23-OCT-87 | | MC | | CT |
| A | L | | MIL-T-29375A NOTICE 1 | TUNIC: WOMAN'S MATERNITY USER: 45 | A | 8410 | CT | | 02-JUN-88 | | MC | | CT |
| A | L | | MIL-S-29376A NOTICE 1 | SKIRT: WOMAN'S MATERNITY | A | 8410 | CT | | 01-JUN-88 | | MC | | CT |
| A | L | | MIL-S-29377A | SLACKS: WOMAN'S MATERNITY | A | 8410 | CT | | 20-DEC-88 | | MC | | CT |
| | L | | MIL-B-29378(1) | BELT, MAN'S: CEREMONIAL, OFFICERS USER: 45 | A | 8440 | MC | | 21-NOV-85 | | MC | | |
| A | | | MIL-C-29380D | COAT, ALL-WEATHER, MEN'S | A | 8405 | CT | | 10-SEP-90 | GL | MC | | CT |
| A | | | MIL-C-29381C | COAT, ALL WEATHER, WOMEN'S | A | 8410 | CT | | 10-SEP-90 | GL | MC | | CT |
| | L | | MIL-W-29383A | WELDING SET, ARC, AC/DC, MOBILE MULTIPROCESS, DIESEL ENGINE DRIVEN | A | 3431 | MC | | 28-JUN-82 | | MC | | |
| | L | | MIL-V-29384 NOTICE 1 | VEST, WOMEN S, SCARLET, DRESS (GENERAL OFFICER S) (VALIDATION DATE: 8710) | A | 8410 | MC | | 23-OCT-87 | | MC | | |
| | L | | MIL-R-29385A | ROLLER, MOTORIZED, COMPACTOR, VIBRATORY, ARTICULATED, DIESEL ENGINE DRIVEN | A | 3895 | MC | | 22-APR-81 | | MC | | |
| A | L | | MIL-C-29386 | CAP, DRESS, WOMEN S (VALIDATION DATE: 8710) | A | 8410 | CT | | 23-OCT-87 | | MC | | CT |
| | L | | MIL-N-29387A | NECKTIE, WOMEN'S: GENERAL OFFICER | A | 8445 | MC | | 26-NOV-90 | | MC | | |
| A | L | | MIL-S-29388B(1) | SHIRTS, WOMEN'S: MATERNITY, LONG AND SHORT SLEEVES | A | 8410 | CT | | 28-MAR-91 | | MC | | CT |
| | L | | MIL-V-29389 | VEST, MAN S, SCARLET, DRESS (GENERAL OFFICER S) | A | 8405 | MC | | 17-NOV-80 | | MC | | |
| | L | | MIL-C-29391A | COAT, WOMAN'S: WOOL GABARDINE: DRESS BLUE CEREMONIAL | A | 8410 | MC | | 06-DEC-90 | | MC | | |
| | L | | MIL-C-29393(1) NOTICE 1 | COAT, WOMEN S, FULL DRESS SCARLET, U. S. MARINE BAND, MUSICIAN (VALIDATION DATE: 8710) | A | 8410 | MC | | 23-OCT-87 | | MC | | |
| | L | | MIL-S-29394A NOTICE 1 | SKIRT, WOMEN S, EVENING DRESS, U. S. MARINE BAND (MUSICIAN S) (VALIDATION DATE: 8710) | A | 8410 | MC | | 23-OCT-87 | | MC | | |
| | L | | MIL-S-29395 NOTICE 1 | SLACKS, WOMEN)S, MUSICIANS (VALIDATION DATE: 8710) | A | 8410 | MC | | 23-OCT-87 | | | | |
| | L | | MIL-J-29396 NOTICE 1 | JACKET, WOMANS SPECIAL FULL DRESS SCARLET, U. S. MARINE BAND, MUSICIAN (VALIDATION DATE: 8710) | A | 8410 | MC | | 23-OCT-87 | | MC | | |
| | L | | MIL-J-29397 NOTICE 1 | JACKET, WOMANS FULL DRESS SCARLET, U. S. MARINE BAND, MUSICIAN (VALIDATION DATE: 8710) | A | 8410 | MC | | 23-OCT-87 | | MC | | |
| | L | | MIL-S-29398C(2) | SLING SYSTEM, HELICOPTER: EXTERNAL CARGO, 40,000 POUND CAPACITY | A | 1670 | MC | | 18-APR-85 | | MC | | |
| | | | MIL-M-29399 | MINE CLEARENCE SYSTEM KIT (MCSK) FOR LANDING VEHICLE TRACKED PERSONNEL, MODEL 7201 (LVTP7A1) | A | 1055 | MC | | 16-MAR-82 | AR | OS | 99 | |
| | L | | MIL-L-29400B | LAUNCHER, MINE CLEARENCE, MARK 155 | A | 1055 | MC | | 26-JUL-84 | | MC | | |
| | L | | MIL-R-29401B | RADIO SET: AN/PRC-68A | A | 5820 | MC | | 31-MAR-86 | | MC | | |
| | L | | MIL-T-29402 | TEST SET TS-3354/PRC-68 | A | 6625 | MC | | 25-MAY-82 | | MC | | |
| | L | | MIL-C-29403A(1) | COMPASS UNIT, GYRO MX-18204/GSQ | A | 1270 | MC | | 10-SEP-85 | | MC | | |
| A | | | MIL-C-29404B | CLOTH, TROPICAL: POLYESTER AND WOOL | A | 8305 | CT | | 10-JUN-92 | | MC | | CT |
| A | L | | MIL-C-29405 | CLOTH, BROADCLOTH: WOOL AND WOOL/NYLON | A | 8305 | CT | | 01-MAR-85 | | MC | | CT |
| | L | | MIL-E-29406(2) | EXTINGUISHER, FIRE, DRY CHEMICAL AND AQUEOUS FILM FORMING FOAM: SELF-CONTAINED | A | 4210 | MC | | 26-JUL-84 | | MC | | |
| A | | | MIL-B-29407A | BELT: ALL WEATHER, COAT, MEN'S | A | 8405 | CT | | 06-SEP-90 | GL | MC | | CT |
| A | | | MIL-B-29408A | BELT, ALL WEATHER COAT WOMEN'S | A | 8410 | CT | | 06-SEP-90 | GL | MC | | CT |
| | L | | MIL-S-29409A | SHELTER ASSEMBLY, KNOCKDOWN REVIEWER: CS | A | 5411 | MC | | 22-MAR-85 | | MC | | |
| | L | | MIL-S-29410B | SHELTER ASSEMBLY, RIGID, GENERAL PURPOSE REVIEWER: CS | A | 5411 | MC | | 02-FEB-88 | | MC | | |
| | L | | MIL-S-29411B | SHELTER ASSEMBLIES, 10 FOOT & 20 FOOT, ELECTROMAGNETIC INTERFERENCE REVIEWER: CS | A | 5411 | MC | | 20-JAN-88 | | MC | | |
| | L | | MIL-S-29412B | SHELTER, COMPLEXING KIT FOR REVIEWER: CS | A | 5411 | MC | | 20-JAN-88 | | MC | | |
| | L | | MIL-S-29413B | SHELTER, JOINING CORRIDOR FOR REVIEWER: CS | A | 5411 | MC | | 20-JAN-88 | | MC | | |
| | L | | MIL-M-29414(1) | MODULE, WATER TANK (SIXCON) | A | 5430 | MC | | 14-MAR-90 | | MC | | |
| A | L | | MIL-S-29415A | SWEATER: SERVICE, WOOL | A | 8405 | CT | | 18-MAR-88 | | MC | | CT |
| | L | | MIL-M-29416(1) | MODULE, FUEL TANK (SIXCON) | A | 2910 | MC | | 14-MAR-90 | | MC | | |
| | L | | MIL-M-29417(1) | MODULE, FUEL PUMP (SIXCON) | A | 5430 | MC | | 14-MAR-90 | | MC | | |
| | L | | MIL-R-29418(1) | RADIO SET: AN/PRC-104(V) | A | 5820 | MC | | 18-NOV-86 | | MC | | |
| | L | | MIL-F-29419 | FRAME, SHIPPING (SIXCON) | A | 8145 | MC | | 02-MAY-85 | | MC | | |
| | L | | MIL-A-29420 | AMPLIFIER CONVERTER - AM-6879/URC | A | 5820 | MC | | 22-OCT-85 | | MC | | |
| | L | | MIL-R-29421 | RECEIVER TRANSMITTER - RT-1209/URC | A | 5820 | MC | | 22-OCT-85 | | MC | | |
| | | | MIL-A-29423(1) | ANTENNA, AS-()/GRC, MICROWAVE | A | 5985 | MC | | 02-JUN-86 | | | | |
| | | | MIL-C-29424A(1) | COAT, MAN'S: POLYESTER/WOOL, GABARDINE, GREEN (WITH BELT) | A | 8405 | CT | | 06-JAN-92 | | MC | | CT |
| | L | | MIL-C-29425 | CRANE: HIGH-SPEED, HIGH MOBILITY REVIEWER: CS | A | 3810 | MC | | 21-NOV-86 | | MC | | |
| | L | | MIL-A-29426 | ANTENNA: AS-3569/VRC | A | 5985 | MC | | 27-JAN-87 | | MC | | |

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-29427A(1) | COATS, WOMEN'S | A 8410 | CT | 24-DEC-91 | MC | | | CT |
| A L | | MIL-S-29428A | SCARF: HEADOVER, WOOL | A 8440 | CT | 06-MAY-91 | MC | | | CT |
| A L | | MIL-S-29429A | SKIRTS, WOMEN'S | A 8410 | CT | 21-DEC-90 | MC | | | CT |
| L | | MIL-C-29430 | CAP, EXTREME COLD WEATHER: WITH EXTENSION FLAP | A 8415 | MC | 01-MAY-87 | MC | | | |
| L | | MIL-C-29431 | CAPS, GARRISON: WOMEN'S | A 8410 | MC | 04-JUN-87 | MC | | | |
| A L | | MIL-S-29432A | SLACKS, WOMEN'S | A 8410 | CT | 14-NOV-90 | MC | | | CT |
| L | | MIL-C-29433 | CAPS, GARRISON: MEN'S | A 8405 | MC | 08-JUN-87 | MC | | | |
| | | MIL-S-29434 | SHELTER ASSEMBLY, 10 FOOT RIGID, GENERAL PURPOSE REVIEWER: CS | A 5411 | MC | 20-JAN-88 | | | | |
| L | | MIL-S-29435 | SHELTER, ELECTRONICS MAINTENANCE COMPLEX (EMC): 10 FT, ELECTROMAGNETIC INTERFERENCE, 20 FT, ELECTROMAGNETIC INTERFERENCE, 10 FT, RIGID-20 FT, RIGID REVIEWER: CS | A 5411 | MC | 20-JAN-88 | MC | | | |
| L | | MIL-M-29436 | MODULE ASSEMBLY, PALLET TYPE, STORAGE | A 7125 | MC | 20-JAN-88 | MC | | | |
| L | | MIL-M-29437 | MODULE ASSEMBLY, UNIVERSAL STORAGE | A 7125 | MC | 20-JAN-88 | MC | | | |
| L | | MIL-M-29438 | MODULE ASSEMBLY, STORAGE, SHELF TYPE | A 7125 | MC | 20-JAN-88 | MC | | | |
| L | | MIL-M-29439 | MODULE ASSEMBLY, STORAGE, DUAL SHELF | A 7125 | MC | 20-JAN-88 | MC | | | |
| L | | MIL-M-29440 | MODULE ASSEMBLY, WORKBENCH | A 7125 | MC | 20-JAN-88 | MC | | | |
| L | | MIL-M-29441 | MODULE ASSEMBLY, DESK | A 7110 | MC | 20-JAN-88 | MC | | | |
| L | | MIL-M-29442 | MODULE ASSEMBLY, PERSONNEL STORAGE | A 7125 | MC | 20-JAN-88 | MC | | | |
| L | | MIL-M-29443 | MODULE ASSEMBLY, SECURITY | A 7125 | MC | 20-JAN-88 | MC | | | |
| L | | MIL-C-29444 | CONTAINER, PALLET (PALCON) | A 8145 | MC | 25-JAN-88 | MC | | | |
| L | | MIL-C-29445 | CONTAINER, QUADRUPLE (QUADCON) | A 8145 | MC | 25-JAN-88 | MC | | | |
| L | | MIL-C-29446 | CONTAINER, INSERT (INSERT) | A 8145 | MC | 25-JAN-88 | MC | | | |
| L | | MIL-C-29447 | CONTAINER RACK, PALLET (PALCON RACK | A 7125 | MC | 25-JAN-88 | MC | | | |
| L | | MIL-C-29448 | CONTAINER RACK, QUADRUPLE (QUADCON RACK) | A 7125 | MC | 25-JAN-88 | MC | | | |
| L | | MIL-C-29449 | CONTAINER CONNECTOR, HORIZONTAL (CONNECTOR) | A 8145 | MC | 25-JAN-88 | MC | | | |
| L | | MIL-C-29450 | CHEST, GASOLINE LANTERN: ILLUMINATING EQUIPMENT, EMPTY | A 6260 | MC | 21-DEC-87 | MC | | | |
| L | | MIL-J-29451 | JACKET, MEN S: INTERMEDIATE WEIGHT, POLYESTER/WOOL | A 8405 | MC | 29-DEC-87 | MC | | | |
| A | | MIL-T-29452 | TROUSERS, MEN'S POLYESTER/WOOL | A 8405 | CT | 20-JAN-88 | MC | | | CT |
| A L | | MIL-C-29453A | COAT, WOMEN'S: WOOL/POLYESTER: GABARDINE, BLUE | A 8410 | CT | 09-OCT-90 | MC | | | CT |
| A | | MIL-C-29454 | CAPS, SERVICE: WOMEN S, POLYESTER/WOOL, WOOL | A 8410 | CT | 19-FEB-88 | MC | | | CT |
| L | | MIL-C-29455 | CONTROL INTERCOMMUNICATION SET C-11133/VIC-2(V) AND C-11135/VIC-2(V) | A 5830 | MC | 23-MAY-88 | MC | | | |
| L | | MIL-C-29456 | CONTROL, INTERCOMMUNICATION SET C-11134/VIC-2 (V) | A 5830 | MC | 23-MAY-88 | | | | |
| L | | MIL-A-29457 | AMPLIFIER, AUDIO FREQUENCY AM-7162/VIC-2(V) | A 5830 | MC | 23-MAY-88 | MC | | | |
| L | | MIL-M-29460 | MODULE, WATER PUMP (SIXCON) | A 5430 | MC | 04-APR-90 | MC | | | |
| A | | MIL-S-29461(1) | SUIT, CHEMICAL AND BIOLOGICAL PROTECTIVE (CARBON SPHERE) | A 8415 | CT | 07-APR-92 | MC | | | CT |
| A | | MIL-C-29462 | CLOTH, LAMINATED, POLYESTER, TRICOT KNIT, ACTIVATED CARBON SPHERE, CHEMICAL PROTECTIVE | A 8305 | CT | 15-APR-92 | MC | | | CT |
| L | | MIL-I-29500 | TERMINAL, VOICE FREQUENCY CARRIER TELEGRAPH (VFCT), AN/UCC-1 (V) | A 5805 | EC | 10-MAR-86 | | EC | | |
| | | DOD-C-29501 | CAPACITORS, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON (METRIC) GENERAL SPECIFICATION FOR USER: 19 AS CG MC MI OS REVIEWER: 17 85 99 AV ES SH | A 5910 | EC | 09-JUN-86 | ER | EC | 11 | |
| | | DOD-C-29501/1 | CAPACITOR, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON, (NONPOLARIZED), STYLE DL01 (METRIC) USER: 19 AS CG MC OS REVIEWER: 17 85 99 AV ES SH | A 5910 | EC | 09-JUN-86 | ER | EC | 11 | |
| | | DOD-C-29501/2 | CAPACITOR, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON, (POLARIZED),STYLE DL02 (METRIC) USER: 19 AS CG MI MS OS REVIEWER: 17 85 99 AV ES SH | A 5910 | EC | 09-JUN-86 | ER | EC | 11 | |
| | | DOD-C-29501/3 | CAPACITOR, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON, (POLARIZED) STYLE DL03 (METRIC) USER: 19 AS CG MC MI OS REVIEWER: 17 85 99 AV ES SH | A 5910 | EC | 09-JUN-86 | ER | EC | 11 | |
| L | | MIL-I-29502(1) | INTERCONNECTING GROUP,ON-143(V)6/USQ | A 5820 | EC | 20-NOV-86 | | EC | | |
| L | | MIL-I-29503 | INTERCONNECTING GROUP,ON-143(V) 9/USQ | A 5820 | EC | 21-APR-86 | | EC | | |
| Q | | MIL-T-29504A SUPPL 1A1 | TERMINI, FIBER OPTIC CONNECTOR, REMOVABLE, GENERAL SPECIFICATION FOR USER: 13 14 84 AV CG MC SH REVIEWER: 11 17 AS ES MI OS | A 6060 | EC | 19-DEC-89 | CR | EC | 85 | |
| D | | MIL-T-29504/1A | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 2, TYPE II, STYLE A, PIN TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) USER: 13 14 84 AV CG OS YD1 REVIEWER: 11 17 ES MC MI SH | A 6060 | EC | 19-DEC-89 | CR | EC | 85 | |
| | | MIL-T-29504/2A | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 2, TYPE II, STYLE A, SOCKET TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) USER: 13 14 84 AV CG OS REVIEWER: 11 17 ES MC MI SH | A 6060 | EC | 19-DEC-89 | CR | EC | 85 | |
| D | | MIL-T-29504/3A | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 2, TYPE II, STYLE A, DUMMY TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) USER: 13 14 84 AV CG OS YD1 REVIEWER: 11 17 ES MC MI SH | A 6060 | EC | 19-DEC-89 | CR | EC | 85 | |
| | | MIL-T-29504/4B | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, REAR RELEASE MIL-C-38999, SERIES I, III, AND IV USER: CG REVIEWER: 11 17 19 70 80 AS ES MC MI SH | A 6060 | 85 | 07-JUN-91 | CR | EC | 85 | |
| D | | MIL-T-29504/5B | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, REAR RELEASE MIL-C-38999, SERIES I, III, AND IV USER: AV CG OS YD1 REVIEWER: 11 17 19 70 80 ES MC MI SH | A 6060 | 85 | 07-JUN-91 | CR | EC | 85 | |
| D | | MIL-T-29504/6 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, REAR RELEASE DOD-C-83527 USER: OS YD1 REVIEWER: 11 17 19 80 90 99 MC SH | A 6060 | 95 | 31-JAN-89 | CR | EC | 85 | |
| D | | MIL-T-29504/7 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, REAR RELEASE DOD-C-83527 USER: OS YD1 REVIEWER: 11 17 19 80 90 99 MC SH | A 6060 | 85 | 31-JAN-89 | CR | EC | 85 | |
| D | | MIL-T-29504/8 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, FRONT RELEASE MIL-C-28840 USER: OS YD1 REVIEWER: MC SH | A 6060 | EC | 21-OCT-88 | CR | EC | 85 | |
| D | | MIL-T-29504/9 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, FRONT RELEASE MIL-C-28840 USER: OS YD1 REVIEWER: MC SH | A 6060 | EC | 21-OCT-88 | CR | EC | 85 | |
| D | | MIL-T-29504/10 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, REAR RELEASE MIL-C-83723, SERIES III, MIL-C-83733, MIL C-26482, SERIES II USER: OS YD1 REVIEWER: 11 17 19 80 90 99 MC SH | A 6060 | 85 | 31-JAN-89 | CR | EC | 85 | |
| D | | MIL-T-29504/11 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, REAR RELEASE MIL-C-83723, SERIES III, MIL-C-83733, MIL-C-26482, SERIES II USER: OS YD1 REVIEWER: 11 17 19 80 90 99 MC SH | A 6060 | 85 | 31-JAN-89 | CR | EC | 85 | |
| D | | MIL-T-29504/12 | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, FRONT RELEASE, STAINLESS STEEL (FOR MIL-C-28876 CONNECTORS) USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS MC MI | A 6060 | SH | 21-MAY-92 | CR | SH | 85 | |
| D | | MIL-T-29504/13 | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, FRONT RELEASE STAINLESS STEEL (FOR MIL-C-28876 CONNECTORS) USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS MC MI | A 6060 | SH | 21-MAY-92 | CR | SH | 85 | |
| D | | MIL-T-29504/14 | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, FRONT RELEASE CERAMIC GUIDE BUSHING (FOR MIL-C-28876 CONNECTORS) USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS MC MI | A 6060 | SH | 21-MAY-92 | CR | SH | 85 | |
| D | | MIL-T-29504/15 | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, FRONT RELEASE, CERAMIC GUIDE BUSHING (FOR MIL-C-28876 CONNECTORS) USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS MC MI | A 6060 | SH | 21-MAY-92 | CR | SH | 85 | |
| L | | MIL-A-29505 | ANTENNA GROUP, TACAN, OE-273(V)/URN | A 5985 | EC | 30-JUN-86 | | EC | | |
| L | | MIL-M-29510 | NAVIGATIONAL SET, AN/URN-25, TACAN | A 5825 | EC | 12-SEP-86 | | EC | | |
| L | | MIL-B-29511 | BUOY INTERFACE UNIT (BIU), J-3958/BRT-6 | A 5820 | EC | 26-JAN-88 | | EC | | |

| Action | Obsl / Obsl Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-C-29512 | CHARGER, BATTERY, PP-7806/BRT-6 | A | 5820 | EC | | 26-JAN-88 | | EC | | |
| | | MIL-M-29515 | MODEM, DIGITAL DATA, MD-1030A(V) | A | 5820 | EC | | 29-APR-88 | | EC | | |
| L | | MIL-T-29516 | TRANSCEIVER, SECURE, AND ANCILLARY EQUIPMENT | A | 5820 | EC | | 15-JAN-88 | | EC | | |
| L | | MIL-A-29517 | ANTENNA, GROUP, OE-417(V)/SRC 2-MHZ TO 30-MHZ TRANSMITTING WHIP (TILTING) | A | 5985 | EC | | 29-JAN-88 | | EC | | |
| L | | MIL-A-29518 | ANTENNA GROUP, OE-418(V)/SRC 10-MHZ TO 30-MHZ TRANSMITTING TWIN WHIP | A | 5985 | EC | | 29-JAN-88 | | EC | | |
| L | | MIL-A-29519 | ANTENNA GROUP, OE-415(V)/SRC 4-MHZ TO 12-MHZ TRANSMITTING TWIN WHIP | A | 5985 | EC | | 29-JAN-88 | | EC | | |
| L | | MIL-A-29520 | ANTENNA GROUP, OE-416(V)/SRC, 4-MHZ TO 30-MHZ RECEIVING TWIN WHIP | A | 5985 | EC | | 29-JAN-88 | | EC | | |
| L | | MIL-A-29521(2) | ANTENNA GROUP, AN/BRA-34(V), AN/BRA(V), AN/BRA-34B(V) | A | 5985 | EC | | 18-JAN-89 | | EC | | |
| L | | MIL-R-29530 | RECORDER-REPRODUCER, DIGITAL RD-433( )/SSH | A | 7025 | EC | | 20-OCT-89 | | EC | | |
| L | | MIL-M-29532 | MASTER LIBRARY DATA ELEMENTS (FOR TECHNICAL PUBLICATIONS) REVIEWER: AS SH | A | TMSS | EC | | 28-OCT-88 | | EC | | |
| L | | MIL-R-29533 | RADIO SET, AN/URC-() | A | 5820 | EC | | 14-JUL-89 | | EC | | |
| L | | MIL-A-29563 | ANTENNA SYSTEM, AIMS SHIPBOARD, ELECTRONICALLY STEERED OE-120/UPX | A | 5985 | AS | | 24-FEB-89 | | AS | | |
| L | | MIL-R-29565A | ROCKET MOTOR, MK 125 MOD 1 | A | 1340 | AS | | 30-NOV-90 | | AS | | |
| L | | MIL-S-29566 | SOCKS, FLYER'S ANTI-EXPOSURE, CWU-75/P | A | 8475 | AS | | 19-OCT-90 | | AS | | |
| A | | MIL-C-29567 | CLOTH, LAMINATED, STRETCHABLE, WATERPROOF AND MOISTURE VAPOR PERMEABLE REVIEWER: 11 82 | A | 8305 | CT | | 30-MAR-89 | | AS | 99 | CT |
| L | | MIL-S-29574 | SEALING COMPOUND, POLYTHIOETHER, FOR AIRCRAFT STRUCTURES, FUEL AND HIGH TEMPERATURE RESISTANT, FAST CURING AT AMBIENT AND LOW TEMPERATURE | A | 8030 | AS | | 04-DEC-89 | | AS | | |
| L | | MIL-L-29575 | LIGHT, WAVE-OFF, FLASHING, CAPACITANCE-DISCHARGE | A | 6210 | AS | | 31-MAY-89 | | AS | | |
| AQ | | MIL-C-29576A | CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE, WELDED, REVIEWER: 11 71 GS | A | 8120 | AS | | 02-SEP-92 | AV | AS | 99 | |
| | | MIL-S-29580A(1) | SPECTACLES, AVIATOR'S, MULTIPLE WAVE LENGTH LASER PROTECTIVE, EDU-5/P (WITH CASE) | A | 8465 | AS | | 01-APR-92 | GL | AS | 99 | |
| NL | | MIL-E-29581 | EARCUP, UNIT ACTIVE NOISE REDUCTION SYSTEM GENERAL SPECIFICATION FOR | A | 5965 | AS | | 21-JUN-91 | | AS | | |
| L | | MIL-E-29581/1 | EARCUP, UNIT ACTIVE NOISE REDUCTION SYSTEM, MH-53E AIRCRAFT | A | 5965 | AS | | 21-JUN-91 | | AS | | |
| A L | | MIL-R-29583 | RADIO SET, AN/ARC-210(V) | A | 5821 | AS | | 01-JUN-92 | | AS | | |
| L | | MIL-C-29584(1) | COMPOUND, CLEANING, WATER MISCIBLE FOR AIRCRAFT AUTOMATIC WEAPONS AND AIRCRAFT AUTOMATIC GUN SYSTEMS | A | 6850 | AS | | 04-JAN-91 | | AS | | |
| NL | | MIL-R-29585 | REGULATOR, OXYGEN, CHEST MOUNTED, DILUTER-DEMAND, AUTOMATIC-PRESSURE BREATHING | A | 1660 | AS | | 15-MAY-91 | | AS | | |
| NL | | MIL-T-29586 | THERMOSETTING POLYMER MATRIX, UNIDIRECTIONAL CARBON FIBER REINFORCED PREPREG TAPE (WIDTHS UP TO 60 INCHES), GENERAL SPECIFICATION FOR | A | CMPS | AS | | 30-APR-91 | | AS | | |
| L | | MIL-T-29586/1 | THERMOSETTING POLYMER (EPOXY) MATRIX, 350 DEG. F(177 DEG. C) CURE, INTERMEDIATE MODULUS CARBON FIBER REINFORCED PREPREG TAPE, (WIDTHS UP TO 60 INCHES) | A | CMPS | AS | | 30-APR-91 | | AS | | |
| L | | MIL-I-29589 | INTERROGATOR SET, AN/UPX-24(V) | A | 5895 | AS | | 26-JUL-91 | | AS | | |
| N | | MIL-P-29590 | POWER SUPPLIES, AIRBORNE, ELECTRONIC GENERAL SPECIFICATION FOR REVIEWER: GS | A | 6130 | AS | | 29-NOV-91 | ER | AS | 99 | |
| | | MIL-P-29590/1 | POWER SUPPLIES, AIRBORNE, ELECTRONIC 5.0 VOLT, 40 AMPERE, KEY CODE A88UC REVIEWER: GS | A | 6130 | AS | | 29-NOV-91 | ER | AS | 99 | |
| ANL | | MIL-V-29591 | VISOR ASSEMBLY, AVIATOR'S SEVEN WAVELENGTH LASER PROTECTIVE, GENERAL SPECIFICATION FOR | A | 8475 | AS | | 17-JUL-92 | | AS | | |
| A L | | MIL-V-29591/1 | VISOR ASSEMBLY, AVIATOR'S, SEVEN WAVELENGTH LASER PROTECTIVE, EEU-8/P | A | 8475 | AS | | 17-JUL-92 | | AS | | |
| A L | | MIL-V-29591/2 | VISOR ASSEMBLY, AVIATOR'S, SEVEN WAVELENGTH LASER PROTECTIVE, EEU-9/P | A | 8475 | AS | | 17-JUL-92 | | AS | | |
| A L | | MIL-V-29592 | VALVE, AIR VENT, AUTOMATIC, HYDRAULIC, LOW PRESSURE TYPE II SYSTEMS, GENERAL SPECIFICATION FOR | A | 1650 | AS | | 04-JAN-93 | | AS | | |
| A L | | MIL-V-29592/1 | VALVE, AIR VENT, AUTOMATIC, LOW PRESSURE, MANIFOLD MOUNT | A | 1650 | AS | | 04-JAN-92 | | AS | | |
| A L | | MIL-S-29593 | SONOBUOY, AN/SSQ-110 (XJ-1) *GENERAL SPECIFICATION FOR* | C | 5845 | AS | | 09-DEC-92 | | AS | | |
| NNL | | MIL-S-29594(1) | SPECTACLES, AVIATOR'S, SEVEN WAVELENGTH LASER EYE PROTECTIVE | A | 8465 | AS | | 31-MAR-93 | | AS | | |
| A L | | MIL-P-29596 | PACKAGING MATERIAL, KRAFT PAPER, 3-PLY, FLEXIBLE, GENERAL SPECIFICATION FOR REVIEWER: SA | A | 8135 | AS | | 15-JAN-93 | | AS | | |
| N | | MIL-C-29600(2) SUPPL 1A1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, ASSOCIATED HARDWARE GENERAL SPECIFICATION FOR USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 04-MAY-90 | CR | AS | 85 | |
| | | MIL-C-29600/1 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, SEALING PLUG, SIZE 8, (SERIES A) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 22-FEB-90 | CR | AS | 85 | |
| | | MIL-C-29600/2 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL, SHIELD TERMINATING, (SERIES A AND B) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 22-FEB-90 | CR | AS | 85 | |
| | | MIL-C-29600/3 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL 90 DEG., SELF LOCKING (SERIES A AND B) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 22-FEB-90 | CR | AS | 85 | |
| | | MIL-C-29600/4 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL 45 DEG., SELF LOCKING (SERIES A AND B) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 22-FEB-90 | CR | AS | 85 | |
| | | MIL-C-29600/5 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, SELF LOCKING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, DUST COVER (SERIES A) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 22-FEB-90 | CR | AS | 85 | |
| | | MIL-C-29600/6 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, STOWAGE RECEPTACLE (SERIES B) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 22-FEB-90 | CR | AS | 85 | |
| | | MIL-C-29600/7 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, THREADED, ENVIRONMENT, RESISTANT, REMOVABLE CRIMP CONTACTS, NUT, HEXAGON, CONNECTOR MOUNTING USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 22-FEB-90 | CR | AS | 85 | |
| | | MIL-C-29600/10 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES A) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 20-DEC-89 | CR | AS | 85 | |
| | | MIL-C-29600/11 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES A) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 20-DEC-89 | CR | AS | 85 | |
| | | MIL-C-29600/12 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES A) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 20-DEC-89 | CR | AS | 85 | |
| L | | MIL-C-29600/20 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES B) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 20-DEC-89 | | AS | | |
| L | | MIL-C-29600/21 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES B) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 20-DEC-89 | | AS | | |
| L | | MIL-C-29600/22 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES B) USER: MC MI SH REVIEWER: 15 AV EC ES NA | A | 5935 | AS | | 20-DEC-89 | | AS | | |
| L | | MIL-C-29600/23 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-29600 SERIES B) | A | 5935 | AS | | 22-FEB-90 | | AS | | |
| L | | MIL-C-29600/24 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, PIN, CRIMP REMOVABLE, (SERIES B) | A | 5935 | AS | | 22-FEB-90 | | AS | | |

| Action | Obsolescence / Cancellation / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-C-29627 | COVERALLS, CATAPULT CREWMEN'S (FLAME RESISTANT) USER: AS | A | 8415 | CT | | 31-JAN-90 | | MU | | CT |
| A | L | MIL-C-29628 | COAT, WOMAN'S, BLUE, DRESS | A | 8410 | CT | | 02-JUL-91 | | MU | | CT |
| A | L | MIL-S-29629 | SKIRT, WOMAN'S (WITH WELT POCKETS) | A | 8410 | CT | | 01-FEB-90 | | MU | | CT |
| A | L | MIL-S-29630 | SLACKS, WOMEN'S | A | 8410 | CT | | 05-MAR-91 | | MU | | CT |
| A | L | MIL-S-29631 | SKIRT, WOMAN'S, BLUE, DRESS | A | 8410 | CT | | 03-JUN-91 | | MU | | CT |
| A | L | MIL-C-29632 | COAT, MAN'S, POLYESTER/WOOL, SERGE, FUSIBLE (COAST GUARD) REVIEWER: CG | A | 8405 | CT | | 20-MAR-90 | | MU | | CT |
| A | L | MIL-S-29633A | SHIRT, WOMAN'S, DRESS, SHORT AND LONG SLEEVE (COAST GUARD) REVIEWER: CG | A | 8410 | CT | | 10-SEP-91 | | MU | | CT |
| A | L | MIL-J-29634 | JERSEY, FLIGHT DECK CREWMAN'S (FLAME-RESISTANT) USER: SH REVIEWER: AS CG | A | 8415 | CT | | 19-MAY-92 | | MU | | CT |
| A | | MIL-G-29635 | GLOVES, FIREMEN'S, STRUCTURAL/ALUMINIZED PROXIMITY USER: 45 AS CG SH REVIEWER: 11 50 82 MC MD | A | 8415 | CT | | 20-NOV-90 | GL | MU | 99 | CT |
| | | MIL-R-305008(2) NOTICE 1 | ROPE, POLYESTER USER: ME REVIEWER: IS | A | 4020 | GL | | 27-FEB-87 | GL | SH | 82 | |
| | | MIL-T-30502B | TONG, MATERIAL LIFTING REVIEWER: IS | A | 3940 | ML | | 19-JUL-83 | ME | | 99 | |
| D | | MIL-S-30506C | SHACKLE, SHACKLE FITTING, AND SWIVEL, BUOY [VALIDATION DATE: 7903] REVIEWER: 99 IS | A | 4030 | CG | | 15-SEP-64 | | YD1 | 67 | |
| D | | MIL-B-30510B | BLOCK AND TACKLE SET, LINEMAN,S, WITH SNUBBING HOOK USER: MC REVIEWER: IS | A | 3940 | ME | | 18-AUG-83 | ME | YD1 | 99 | |
| D | | MIL-T-31000 | TECHNICAL DATA PACKAGES, GENERAL SPECIFICATION FOR REVIEWER: 10 11 19 26 AR AS AT AV CE CR EC MS SA SH YD1 | A | CHAN | DO | | 15-DEC-89 | MI | OS | 16 | DH |
| | L | MIL-T-31000(12) | TECHNICAL DATA PACKAGES, GENERAL SPECIFICATION FOR | A | CHAN | MI | | 30-SEP-91 | MI | | | |
| | | MIL-V-31001 | VEST, AMMUNITION CARRYING REVIEWER: GL | A | 8515 | CT | | 25-FEB-92 | | MC | | CT |
| | | MIL-C-31002 | CAP, GARRISON, MAN'S (COAST GUARD) | A | 8405 | CT | | 30-MAR-92 | | CG | | CT |
| A | | MIL-C-31003 | COVERALLS, UTILITY USER: MC REVIEWER: 11 45 CG MD | A | 8415 | CT | | 01-JAN-93 | GL | MU | 99 | CT |
| | | MIL-B-35023H | BEVERAGE BASE, POWDERED - (OPERATIONAL RATIONS COMPONENT) REVIEWER: MC MD SS TS | A | 8960 | GL | | 06-SEP-88 | GL | SA | 50 | |
| | | MIL-D-35033E | DESSERT POWDER, PUDDING, INSTANT, REVIEWER: MC MD SS TS | A | 8940 | GL | | 21-NOV-89 | GL | SA | 50 | |
| | | MIL-A-35045D | APPLESAUCE, INSTANT [VALIDATION DATE: 8501] REVIEWER: MC MD MS SS | A | 8915 | GL | | 13-DEC-78 | GL | SA | 50 | |
| | | MIL-S-35046C NOTICE 1 | SOUP, DEHYDRATED, ONION [VALIDATION DATE: 8710] REVIEWER: MC MD SS | A | 8935 | GL | | 01-OCT-87 | GL | SA | 45 | |
| | | MIL-J-35049E | JUICE, ORANGE, INSTANT REVIEWER: MC MD TS | A | 8915 | GL | | 02-MAR-87 | GL | SA | 50 | |
| | | MIL-J-35050C | JUICE, GRAPEFRUIT, INSTANT REVIEWER: MC MD SS | A | 8915 | GL | | 10-SEP-85 | GL | SA | 50 | |
| | | MIL-S-35051D | SOUP, DEHYDRATED, TOMATO-VEGETABLE, WITH NOODLES REVIEWER: MC MD QM SS | A | 8935 | GL | | 24-SEP-91 | GL | SA | 50 | |
| | | MIL-C-35053D | CHEESE, AMERICAN, PROCESSED, DEHYDRATED REVIEWER: MC MD QM SS | A | 8910 | GL | | 30-APR-90 | GL | SA | 50 | |
| | | MIL-C-35074G | CEREAL BAR, SURVIVAL TYPE REVIEWER: MC MD MS SS TS | A | 8920 | GL | | 17-APR-87 | GL | SA | 50 | |
| | | MIL-L-35078M SUPPL 1A1 | LOADS, UNIT: PREPARATION OF SEMIPERISHABLE SUBSISTENCE ITEMS; CLOTHING, PERSONAL EQUIPMENT AND EQUIPAGE; GENERAL SPECIFICATION FOR USER: MC SS REVIEWER: 45 MD MS | A | PACK | GL | | 18-MAY-90 | GL | SA | 50 | |
| | | MIL-L-35078/1C | LOADS, UNIT: TYPE I, CLASS A - PALLETIZED, STRAPPED OR FILM BONDED LOAD USER: MC REVIEWER: 45 MD MS SS | A | PACK | GL | | 18-MAY-90 | GL | SA | 50 | |
| | | MIL-L-35078/2C | LOADS, UNIT: TYPE I, CLASS B - PALLETIZED, STRAPPED LOAD WITH CAP USER: MC REVIEWER: 45 MD MS SS | A | PACK | GL | | 18-MAY-90 | GL | SA | 50 | |
| | | MIL-L-35078/3C | LOADS, UNIT: TYPE I, CLASS C - PALLETIZED, STRAPPED LOAD WITH SHEATHING AND CAP USER: MC REVIEWER: 45 MD MS SS | A | PACK | GL | | 18-MAY-90 | GL | SA | 50 | |
| | | MIL-L-35078/4C | LOADS, UNIT: TYPE I, CLASS D - PALLETIZED, STRAPPED LOAD WITH SHROUD, SHEATHING AND CAP USER: MC REVIEWER: 45 MD MS SS | A | PACK | GL | | 18-MAY-90 | GL | SA | 50 | |
| | | MIL-L-35078/5C | LOADS, UNIT: TYPE II, CLASS E - CONTAINERIZED UNIT LOAD, FIBERBOARD BOX ON PALLET WITH CAP, AND NONMETALLIC STRAPPING ONLY USER: MC REVIEWER: MD MS SS | A | PACK | GL | | 18-MAY-90 | GL | SA | 50 | |
| | | MIL-L-35078/6C | LOADS, UNIT: TYPE II, CLASS F - CONTAINERIZED UNIT LOAD, WOOD CLEATED OR WIREBOUND PLYWOOD BOXES WITH METALLIC STRAPPING ONLY USER: MC REVIEWER: 45 MD MS SS | A | PACK | GL | | 18-MAY-90 | GL | SA | 50 | |
| | | MIL-L-35078/7D | LOADS, UNIT: TYPE III, CLASSES G AND H - COMMERCIAL LOADS, CLASS G, PALLETIZED; CLASS H, LOAD BASE USER: MC REVIEWER: 45 MD MS SS | A | PACK | GL | | 18-MAY-90 | GL | SA | 50 | |
| | | MIL-F-35081E | FAT, HYDROGENATED, VEGETABLE REVIEWER: MC MD MS TS | A | 8945 | GL | | 31-DEC-84 | GL | SA | 50 | |
| | | MIL-M-35082B(2) | MILK (PLAIN OR CHOCOLATE FLAVORED), CREAM, HALF AND HALF, FILLED AND CHEESE, COTTAGE, CREAMED, AND FILLED [VALIDATION DATE: 8101] REVIEWER: MC MS SS | A | 8910 | GL | | 10-DEC-74 | GL | SA | 50 | |
| | | MIL-R-35084A | RICE, INSTANT, ENRICHED [VALIDATION DATE: 8402] REVIEWER: MC MD SS | A | 8920 | GL | | 16-JUN-66 | GL | SA | 50 | |
| | | MIL-F-35100B | FLAVORED DAIRY DRINK, DRY, CHOCOLATE-COFFEE FLAVORED [VALIDATION DATE: 8402] REVIEWER: MC MD MS SS | A | 8910 | GL | | 09-NOV-71 | GL | SA | 50 | |
| | | MIL-T-36012A NOTICE 1 | TRAY, OPHTHALMIC SHOP [VALIDATION DATE: 9008] | A | 6540 | MB | | 30-AUG-90 | MD | MS | 03 | |
| | | MIL-I-36013B | ILLUMINATOR, X-RAY FILM, COLLAPSIBLE | A | 6525 | DM | | 13-JUL-72 | MD | MS | 03 | DM |
| | | MIL-T-36015A | TABLE, BEDSIDE, METAL, FOLDING LEGS | A | 6530 | DM | | 05-JUN-70 | MD | MS | 03 | DM |
| | | MIL-S-36017 NOTICE 1 | STRAP, WEBBING, LITTER CARRYING, OLIVE DRAB [VALIDATION DATE: 8906] | A | 6530 | MB | | 15-JUN-89 | MD | MS | 03 | |
| | | MIL-S-36019A | STRAP, WEBBING, PATIENT SECURING REVIEWER: MB | A | 6530 | DM | | 07-SEP-78 | MD | MS | 03 | DM |
| | | MIL-C-36020 NOTICE 1 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NONRIGID, NO. 5, EMPTY [VALIDATION DATE: 9010] | A | 6545 | MB | | 15-OCT-90 | MD | MS | 03 | |
| | | MIL-T-36022B NOTICE 1 | TABLE, OPHTHALMIC LABORATORY [VALIDATION DATE: 9008] | A | 6540 | MB | | 30-AUG-90 | MD | MS | 03 | |
| | | MIL-R-36025B | ROD, IRRIGATOR SUPPORTING | A | 6530 | DM | | 17-SEP-76 | MD | MS | 03 | DM |
| | | MIL-C-36031 NOTICE 1 | CASE, DENTAL INSTRUMENT AND SUPPLY SET, EMPTY [VALIDATION DATE: 9010] | A | 6545 | MB | | 15-OCT-90 | MD | MS | 03 | |
| | | MIL-C-36033A NOTICE 1 | CHEST, MEDICAL INSTRUMENT AND SUPPLY SET, RIGID, EMPTY [VALIDATION DATE: 9010] | A | 6545 | MB | | 15-OCT-90 | MD | MS | 03 | |
| | | MIL-A-0036035A | ADAPTOMETER, RADIOACTIVE PLAQUE, NIGHT VISION | A | 6540 | DM | | 10-AUG-83 | MD | MS | 03 | |
| | | MIL-C-36036B NOTICE 1 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 7 [VALIDATION DATE: 9010] | A | 6545 | MB | | 15-OCT-90 | MD | MS | 03 | |
| | | MIL-R-36037B NOTICE 2 | RACK, DRYING, CLINICAL UTENSILS [VALIDATION DATE: 8106] | A | 6530 | DM | | 25-OCT-67 | MD | MS | 03 | |
| | | MIL-B-36039B | BAG, GUN CREW FIRST AID KIT | A | 6545 | MB | | 30-JUN-89 | MD | MS | 03 | |
| | | MIL-S-36042 NOTICE 1 | STRAPS, SPLINT [VALIDATION DATE: 8906] | A | 6515 | MB | | 15-JUN-89 | MD | MS | 03 | |
| | | MIL-F-36043D | FIRST AID KIT, EYE DRESSING | A | 6545 | DM | | 22-JUN-92 | MD | MS | 03 | DM |
| | | MIL-T-36045 NOTICE 1 | TOURNIQUET, NONPNEUMATIC, CAMOUFLAGED 1-1/2 BY 42 INCHES [VALIDATION DATE: 8908] | A | 6515 | MB | | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-I-36050A NOTICE 1 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST PLASTIC DRAWERS [VALIDATION DATE: 9010] | A | 6545 | MB | | 15-OCT-90 | MD | MS | 03 | |
| | | MIL-F-36060C(1) | FORCEPS, UTERINE, CURVED, SKENE [VALIDATION DATE: 8406] | A | 6515 | DM | | 04-FEB-72 | MD | MS | 03 | |
| | | MIL-C-36069A | CONDUCTOR, BONE CUTTING WIRE SAW, BAILEY [VALIDATION DATE: 8106] | A | 6515 | DM | | 03-NOV-64 | MD | MS | 03 | |
| | | MIL-T-36072C | TABLE, FOLDING LEGS, LABORATORY USER: GL | A | 7105 | MB | | 15-JUN-89 | MD | MS | 03 | |
| | | MIL-A-36080C NOTICE 1 | ANESTHESIA SET, ENDOTRACHEAL [VALIDATION DATE: 8808] | A | 6515 | MB | | 22-AUG-88 | MD | MS | 03 | |
| | | MIL-E-0036083A | ELECTRON TUBE, RECTIFIER, X-RAY GENERATOR [VALIDATION DATE: 8106] REVIEWER: ES | A | 5960 | DM | | 13-NOV-70 | MD | MS | 03 | |
| | | MIL-S-36102 | SYRINGE AND CANNULA, LARYNGEAL, LUKENS [VALIDATION DATE: 8106] | A | 6515 | DM | | 07-SEP-61 | MD | MS | 03 | |
| | | MIL-L-36115 | LATRINE BOX, PREFABRICATED, PORTABLE, M-2 [VALIDATION DATE: 8106] | A | 5450 | DM | | 13-FEB-62 | MD | MS | 03 | |
| | | MIL-B-36120 | BACK REST, LITTER, NONADJUSTABLE [VALIDATION DATE: 8406] | A | 6530 | DM | | 08-MAY-62 | MD | MS | 03 | |
| | | MIL-L-36142 | LITTER EXTENSION, PATIENT S PILLOW SUPPORT-BACKREST [VALIDATION DATE: 8406] | A | 6530 | DM | | 15-JUL-63 | MD | MS | 03 | |
| | | MIL-N-36149A | NEEDLE, HYPODERMIC, TONSIL [VALIDATION DATE: 8406] | A | 6515 | DM | | 13-MAR-68 | MD | MS | 03 | |
| | | MIL-B-36162C | BLADES, LARYNGOSCOPE, MILLER | A | 6515 | MB | | 03-NOV-87 | MD | MS | 03 | |
| | | MIL-C-36165B NOTICE 1 | COVER, MATRESS, PLASTIC [VALIDATION DATE: 8812] REVIEWER: CT | A | 7210 | DM | | 13-DEC-88 | MD | MS | 03 | DM |

| Action | OPR / QPL Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-P-36174A | PILLOW, PNEUMATIC [VALIDATION DATE: 8906] REVIEWER: CT | A | 7210 | MB | 19 | JUN-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-D-0036180A | DIAPER, INFANT S, COTTON, BIRDSEYE [VALIDATION DATE: 8406] | A | 6532 | DM | 29 | MAR-78 | | | | DM |
| | | | MIL-A-36188B | APRON, DENTAL, PLASTIC | A | 6532 | MB | 30 | JUN-89 | MD | MS | 03 | |
| | | | MIL-T-36192A(4) | TUBE, CONNECTING, SYRINGE AND NEEDLE, DISPOSABLE (WITH TWO INJECTION SITES) [VALIDATION DATE: 8810] | A | 6515 | DM | 12 | OCT-88 | MD | MS | 03 | DM |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-T-36202B | TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING [VALIDATION DATE: 8406] | A | 6530 | DM | 18 | AUG-77 | MD | MS | 03 | |
| | | | MIL-I-36207C | INSERT, OPTIONAL, CHEMICAL-BIOLOGICAL MASK,M-17 | A | 6540 | MB | 15 | MAY-87 | MD | MS | 03 | |
| | | | MIL-P-36215A | PILLOWCASE, PAPER, WHITE, DISPOSABLE [VALIDATION DATE: 8906] | A | 6532 | MB | 15 | JUN-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-M-36226 | MATTRESS, PNEUMATIC, FIELD HOSPITAL FOLDING COT [VALIDATION DATE: 8906] REVIEWER: CT | A | 7210 | MB | 19 | JUN-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-36228A | CHART SET, VISION ACUITY TESTING, CLINICAL AND SCREENING, DISTANT VISION [VALIDATION DATE: 8908] | A | 6540 | MB | 04 | AUG-89 | MD | MS | 03 | |
| | | | MIL-M-36233 | MARKER, CASUALTY, ARCTIC, CLOTH [VALIDATION DATE: 8906] | A | 6530 | MB | 15 | JUN-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-F-36240A | FRAME, CLOTH BASKET [VALIDATION DATE: 8906] USER: GL | A | 7240 | MB | 15 | JUN-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-W-36241C | WASHCLOTH, HOSPITAL PATIENT, DISPOSABLE [VALIDATION DATE: 8812] REVIEWER: CT | A | 7210 | DM | 13 | DEC-88 | MD | MS | 03 | DM |
| | | | MIL-M-36249 | MOUNTING BOARD, ELECTROCARDIOGRAPH RECORDS [VALIDATION DATE: 8906] | A | 6515 | MB | 15 | JUN-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-I-36254A | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, COMPARTMENTED, 7 DRAWER, WITH FOUR LEGS, TWO SPACERS AND TWO TIE DOWN RODS [VALIDATION DATE: 8202] | A | 6545 | MB | 07 | JAN-64 | MD | MS | 03 | |
| | | | MIL-W-36258D | WATER TESTING KIT, BACTERIOLOGICAL [VALIDATION DATE: 8202] | A | 6665 | DM | 27 | SEP-76 | MD | MS | 03 | |
| | | | MIL-D-36259A | DIVIDERS, TRAY CHEST [VALIDATION DATE: 9010] | A | 6545 | MB | 15 | OCT-90 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-36262 | SHELF ASSEMBLY, MEDICINE CART, CORROSION-RESISTING STEEL | A | 6530 | DM | 15 | AUG-64 | MD | MS | 03 | DM |
| | | | MIL-T-36263A | TRAYS, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [VALIDATION DATE: 9010] | A | 6545 | MB | 15 | OCT-90 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-M-36278B | MOULAGE SET, WAR WOUNDS, SET OF 19 [VALIDATION DATE: 8906] USER: DP | A | 6910 | MB | 15 | JUN-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-36280B | STAND, SURGICAL INSTRUMENT [VALIDATION DATE: 8908] USER: DM REVIEWER: 82 ME OS | A | 6530 | MB | 04 | AUG-89 | MD | MS | 03 | |
| | | | MIL-S-36299 | SUCTION APPARATUS, SURGICAL, AUTOMATIC, THERMOTIC, PORTABLE, 110 VOLT, AC-DC [VALIDATION DATE: 8908] | A | 6515 | MB | 04 | AUG-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-36332B | CASE, SPECTACLE, ENVELOPE TYPE [VALIDATION DATE: 9008] | A | 6540 | MB | 30 | AUG-90 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-36337B | COOLER, X-RAY FILM PROCESSING UNIT [VALIDATION DATE: 8810] REVIEWER: MB | A | 6525 | DM | 31 | OCT-88 | MD | MS | 03 | DM |
| | | | NOTICE 1 | | | | | | | | | | |
| A | | | MIL-B-36341A | BURET, GAS, 100 ML [VALIDATION DATE: 9211] | A | 6630 | MB | 02 | NOV-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-36346 | COMPARATOR, VISCOSITY, OIL, 200 - 2000 SAYBOLT SECONDS [VALIDATION DATE: 8106] | A | 6630 | DM | 02 | DEC-64 | MD | MS | 03 | |
| | | | MIL-T-0036347A | TEST BRIDGE [VALIDATION DATE: 8106] | A | 6630 | DM | 24 | AUG-73 | MD | MS | 03 | |
| | | | MIL-H-36364B | HOLDER, RADIAC DETECTING ELEMENT, FILM BADGE TYPE | A | 6665 | MB | 15 | JUN-90 | MD | MS | 03 | |
| A | | | MIL-X-36386A | X-RAY APPARATUS, DENTAL, WALL MOUNTED, 15 MA, 90 PKV, 100-130 VOLTS, 50-60 HZ, A.C. | A | 6525 | MB | 03 | DEC-92 | MD | MS | 03 | |
| | | | NOTICE 3 | | | | | | | | | | |
| | | | MIL-S-36390 | SHIELD, HEAT, DISTILLING FLASK, COMPRESSED ASBESTOS AND CEMENT [VALIDATION DATE: 8106] | A | 6640 | DM | 16 | FEB-65 | MD | MS | 03 | |
| | | | MIL-C-36398A | COVER, SURGICAL INSTRUMENT STAND (BAG TYPE) | A | 6530 | MB | 15 | JUN-89 | MD | MS | 03 | |
| | | | MIL-I-36409A | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [VALIDATION DATE: 9010] | A | 6545 | MB | 15 | OCT-90 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-36423A | STAND, BASIN, FOLDING, SINGLE, ALUMINUM | A | 6530 | MB | 15 | JUN-90 | MD | MS | 03 | |
| | | | MIL-I-36436 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, SPECTACLE FRAME, 4 DRAWER [VALIDATION DATE: 9010] | A | 6545 | MB | 15 | OCT-90 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-D-36449A | DRIER, X-RAY FILM, PORTABLE [VALIDATION DATE: 8810] | A | 6525 | DM | 31 | OCT-88 | MD | MS | 03 | DM |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-36465A | COT, FOLDING, HOSPITAL ALUMINUM | A | 6530 | MB | 25 | JUN-89 | MD | MS | 03 | |
| | | | MIL-S-36468A | SPRAY BOTTLE, PLASTIC REVIEWER: MB | A | 6530 | DM | 06 | OCT-78 | MD | MS | 03 | |
| | | | MIL-E-36478B | ENVELOPE, STERILIZATION, PAPER, SELF-SEALING [VALIDATION DATE: 8406] | A | 6530 | DM | 20 | OCT-76 | MD | MS | 03 | |
| | | | MIL-C-36493 | CASE, VETERINARY FOOD INSPECTION SET [VALIDATION DATE: 9010] | A | 6545 | MB | 15 | OCT-90 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-36501B | CHART, RECORDING AUDIOMETER [VALIDATION DATE: 8202] | A | 6515 | DM | 19 | AUG-76 | MD | MS | 03 | |
| | | | MIL-T-36503A | TRACTION APPLIANCE, CERVICAL INJURY [VALIDATION DATE: 8908] | A | 6530 | MB | 04 | AUG-89 | MD | MS | 03 | |
| | | | MIL-H-36505(2) | HYPODERMIC INJECTION APPARATUS, JET, AUTOMATIC [VALIDATION DATE: 8808] | A | 6515 | MB | 22 | AUG-88 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-T-36522B | TABLE, ANESTHETIST S [VALIDATION DATE: 8202] | A | 6530 | DM | 26 | AUG-76 | MD | MS | 03 | |
| | | | MIL-S-36524A | SPLINT, WRAP AROUND [VALIDATION DATE: 8406] REVIEWER: MB | A | 6515 | DM | 27 | SEP-78 | MD | MS | 03 | |
| | | | MIL-L-36531A | LIGHT, SURGICAL, FIELD [VALIDATION DATE: 8406] | A | 6530 | DM | 19 | SEP-77 | MD | MS | 03 | |
| | | | MIL-R-36540B | RAZOR, SURGICAL PREPARATION (FOR FIELD USE) | A | 6515 | MB | 05 | NOV-85 | MD | MS | 03 | |
| | | | MIL-S-36545A | SUPPORT, LITTER [VALIDATION DATE: 8406] | A | 6530 | DM | 29 | MAR-77 | MD | MS | 03 | |
| D | | | MIL-B-36558B | BEDS, ADJUSTABLE REVIEWER: SO TM YD1 | A | 6530 | MB | 24 | JAN-92 | MD | MS | 03 | |
| | | | MIL-A-36561 | ALBUMIN, NORMAL HUMAN SERUM, WITH INJECTION APPARATUS [VALIDATION DATE: 8802] | A | 6505 | MB | 26 | FEB-88 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-G-36565A | GOWNS, OPERATING, SURGICAL, COTTON, VEST-TYPE, GREEN [VALIDATION DATE: 8908] | A | 6532 | MB | 04 | AUG-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-36567A | STERILIZER, SURGICAL INSTRUMENT AND DRESSING [VALIDATION DATE: 8906] | A | 6530 | MB | 15 | JUN-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-36570 | CHAIR [VALIDATION DATE: 8906] | A | 6530 | MB | 15 | JUN-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-D-36572A | DESK, FLAT TOP [VALIDATION DATE: 8908] | A | 6530 | MB | 04 | AUG-89 | MD | MS | 03 | |
| | | | MIL-S-36573B(2) | SMOCK, DENTAL OPERATING [VALIDATION DATE: 8106] | A | 6532 | DM | 24 | MAR-75 | MD | MS | 03 | |
| | | | MIL-G-36592(3) | GLOVE, PATIENT EXAMINING AND TREATMENT, RUBBER LATEX, NON-STERILE [VALIDATION DATE: 8808] | A | 6515 | MB | 22 | AUG-88 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-P-0036599 | PIPET, PLASTIC, DI SABLE, STERILE [VALIDATION DATE: 8406] | A | 6640 | DM | 21 | NOV-69 | MD | MS | 03 | |
| | | | MIL-T-36606 | TABLE, OBSTETRICA AD GYNECOLOGICAL [VALIDATION DATE: 8406] | A | 6530 | DM | 12 | OCT-69 | MD | MS | 03 | |
| | | | MIL-S-36609B | SURVIVAL KIT, INDIVIDUAL, TROPICAL, TACTICAL AIR CREW [VALIDATION DATE: 9010] | A | 6545 | MB | 15 | OCT-90 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-L-36628C | LARYNGOSCOPE SET, MACINTOSH | A | 6515 | MB | 06 | MAR-92 | MD | MS | 03 | |
| | | | MIL-S-36642C | STERILIZER, SURGICAL INSTRUMENT AND DRESSING [VALIDATION DATE: 8106] | A | 6530 | DM | 18 | SEP-75 | MD | MS | 03 | |
| | | | MIL-G-36645A(1) | GOWN, HOSPITAL, COTTON [VALIDATION DATE: 8106] | A | 6532 | DM | 18 | FEB-81 | MD | MS | 03 | |
| | | | MIL-A-36665 | ADAPTER, CONDUCTIVE NEOPRENE, ENDOTRACHEAL ANESTHESIA SET [VALIDATION DATE: 8202] | A | 6515 | DM | 22 | APR-70 | MD | MS | 03 | |
| | | | MIL-T-36673B | TUBE, EXTENSION, INJECTION SET | A | 6515 | MB | 22 | JUL-87 | MD | MS | 03 | |
| | | | MIL-G-0036683A | GAGE, FRUIT AND VEGETABLE SIZING [VALIDATION DATE: 8106] REVIEWER: GS | A | 6695 | MB | 03 | JAN-73 | MD | MS | 03 | |
| | | | MIL-L-36696B | LARYNGOSCOPE, CHILD-ADULT, WISCONSIN | A | 6515 | MB | 21 | AUG-89 | MD | MS | 03 | |
| | | | MIL-I-36708A | INTRAVENOUS INJECTION SET, WITH METERING CHAMBER, WITHOUT NEEDLE, DISPOSABLE | A | 6515 | DM | 24 | SEP-85 | MD | MS | 03 | |
| | | | MIL-P-36714B | PLUG, EAR, NOISE PROTECTION, TRIPLE FLANGE [VALIDATION DATE: 8406] | A | 6515 | DM | 06 | OCT-76 | MD | MS | 03 | |
| | | | MIL-T-36736 | TRACTION DEVICE [VALIDATION DATE: 8406] | A | 6530 | DM | 11 | MAR-71 | MD | MS | 03 | |
| | | | MIL-P-36744 | SURGICAL PACK, DISPOSABLE, PREOPERATIVE PREPARATION, NONSTERILE | A | 6530 | MB | 26 | JAN-71 | MD | MS | 03 | |
| | | | MIL-P-36745 | PAPER, FILTER QUALITATIVE (SWIPE MATERIAL) [VALIDATION DATE: 8406] | A | 6640 | DM | 15 | MAR-71 | MD | MS | 03 | |

| Action | Doc. / Oblt. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-P-36745(11) | PAPER, FILTER, QUALITATIVE (SWIPE MATERIAL) [VALIDATION DATE: 8406] ..... | A | 6640 | DM | 19-MAR-74 | MD | MS | 03 | |
| | | MIL-H-36746A | HUMIDIFIER, OXYGEN, DIFFUSER TYPE [VALIDATION DATE: 8908] ..... | A | 6515 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | | | |
| L | | MIL-W-36775A | WET BULB-GLOBE TEMPERATURE KIT ..... | A | 6665 | DM | 28-FEB-79 | | | | DM |
| | | MIL-I-36783 | INSERT, OPTICAL, CHEMICAL BIOLOGICAL MASK, UNIVERSAL SIZE [VALIDATION DATE: 8908] | A | 6540 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-R-36787(1) | RACK, SUTURE NEEDLE [VALIDATION DATE: 8106] ..... | A | 6515 | DM | 01-MAR-73 | MD | MS | 03 | |
| | | MIL-O-36788(3) | OXYGEN, USP, WITH TUBE AND FACE MASK 24 GAL. (90 LITER) [VALIDATION DATE: 8106] | A | 6515 | DM | 07-DEC-73 | MD | MS | 03 | |
| | | MIL-W-36795(2) | WAX, BONE [VALIDATION DATE: 8106] ..... | A | 6515 | DM | 01-NOV-73 | MD | MS | 03 | |
| | | MIL-O-36811A | OTOSCOPE AND OPHTHALMOSCOPE SET, BATTERY TYPE, POCKET SIZE [VALIDATION DATE: 8406] REVIEWER: MB | A | 6515 | DM | 21-SEP-78 | MD | MS | 03 | |
| | | MIL-P-36816A | PAD, LITTER [VALIDATION DATE: 8202] ..... | A | 6530 | DM | 06-JUL-76 | MD | MS | 03 | |
| | | MIL-F-36825(3) | FORCEPS, ENDOTRACHEAL TUBE, MAGILL [VALIDATION DATE: 8908] ..... | A | 6515 | MB | 17-AUG-89 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-C-36828A | CASE, SPECTACLE, ENVELOPE TYPE, SOFT FABRIC LINING [VALIDATION DATE: 9008] | A | 6540 | MB | 30-AUG-90 | MD | MS | 03 | |
| | | MIL-B-36836 | BALANCE, TORSION, 500 GRAM CAPACITY [VALIDATION DATE: 7906] USER: GL ..... | A | 6670 | DM | 04-OCT-73 | MD | MS | 03 | |
| | | MIL-I-36854A | INSERT, FIRST AID KIT CASE, PLASTIC, OLIVE DRAB, 4-3/4 INCHES LONG BY 2-3/8 INCHES WIDE BY 4-1/2 INCHES HIGH | A | 6545 | DM | 16-DEC-85 | MD | MS | 03 | |
| | | MIL-C-36856(1) | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 3 ..... | A | 6545 | DM | 12-DEC-86 | MD | MS | 03 | |
| | | MIL-E-36890(2) | ESOPHAGOSCOPE, JESBERG, FIBER OPTIC, OVAL [VALIDATION DATE: 8908] ..... | A | 6515 | MB | 16-AUG-89 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-C-36891(1) | CATHETER, URETHAL, SILICONIZED RUBBER, DISPOSABLE, FOLEY, ROUND TIP, VALVE TYPE [VALIDATION DATE: 8106] | A | 6515 | DM | 07-JAN-74 | MD | MS | 03 | |
| | | MIL-L-36896 | LARYNGOSCOPE, FIBER OPTICS (HOLINGER AND JACKSON DESIGNS) [VALIDATION DATE: 8905] | A | 6515 | MB | 04-MAY-89 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-F-36901A(2) | FABRICS, NONWOVEN, SURGICAL PACKS, DISPOSABLE [VALIDATION DATE: 8908] ..... | A | 6530 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-S-36903 | SCISSORS, GENERAL SURGICAL, CURVED, 6-1/2 INCH [VALIDATION DATE: 8106] .... | A | 6515 | DM | 11-OCT-72 | MD | MS | 03 | |
| D | | MIL-C-36904C | COATS AND TROUSERS, PAJAMA, COTTON-POLYESTER REVIEWER: 50 TM YD ..... | A | 6532 | MB | 15-JAN-93 | MD | MS | 03 | |
| | | MIL-C-0036904B | COAT AND TROUSERS, PAJAMA, COTTON POLYESTER [VALIDATION DATE: 8202] ..... | A | 6532 | DM | 25-AUG-76 | MD | MS | 03 | |
| | | MIL-F-36911A(1) | FABRIC, NONWOVEN, BED SHEETS AND GOWNS, DISPOSABLE [VALIDATION DATE: 8202] | A | 6532 | DM | 26-FEB-76 | MD | MS | 03 | |
| | | MIL-D-36917(1) | DRAPES, SURGICAL, DISPOSABLE, NONWOVEN FABRIC [VALIDATION DATE: 8202] ..... | A | 6530 | DM | 23-OCT-75 | MD | MS | 03 | |
| | | MIL-C-36953 | CANNULA, BRONCHIAL, OPEN END, WARNING STOP AT 40 CM. [VALIDATION DATE: 8106] | A | 6515 | DM | 14-MAR-73 | MD | MS | 03 | |
| | | MIL-C-36961A | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, PLASTIC, RIGID [VALIDATION DATE: 8907] | A | 6545 | MB | 28-JUL-89 | MD | MS | 03 | |
| | | MIL-B-36964B | BLANKET, COMBAT, CASUALTY LIGHTWEIGHT, WATERPROOF, ALUMINIZED PLASTIC [VALIDATION DATE: 8106] REVIEWER: CT | A | 7210 | DM | 27-AUG-73 | MD | MS | 03 | |
| | | MIL-R-36967 | RUBBER STAMP, FIXED AND REMOVABLE TYPE, DEPARTMENT OF DEFENSE, SURVEILLANCE INSPECTION, MEDICAL SERVICE [VALIDATION DATE: 9010] USER: GL | A | 7520 | MB | 31-OCT-90 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-B-36970A | BOX, BLOOD PRODUCTS SHIPPING REVIEWER: GL ..... | A | 8115 | MB | 29-OCT-91 | MD | MS | 03 | |
| | | MIL-G-36972(1) | GOWN, OPERATING, SURGICAL [VALIDATION DATE: 8908] ..... | A | 6532 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-F-36975(1) | FORCEPS, UTERINE PACKING, CURVED, BOZEMAN, 10 INCH [VALIDATION DATE: 8905] | A | 6515 | MB | 05-MAY-89 | MD | MS | 03 | |
| | | MIL-I-36996(2) | INTRAVENOUS INJECTION SET [VALIDATION DATE: 8106] ..... | A | 6515 | DM | 10-OCT-74 | MD | MS | 03 | |
| | | MIL-I-0036996A | INTRAVENOUS INJECTION SET ..... | A | 6515 | MB | 10-SEP-85 | MD | MS | 03 | |
| | | MIL-B-36998B | BANDAGE, COTTON, ELASTIC RUBBER WARP THREADS [VALIDATION DATE: 8406] REVIEWER: MB | A | 6510 | DM | 21-SEP-77 | MD | MS | 03 | |
| | | MIL-C-37021 | CHAIR AND STOOL UNIT, DENTAL OPERATING, PORTABLE, IN CARRYING CASE [VALIDATION DATE: 8202] | A | 6520 | DM | 07-JAN-74 | MD | MS | 03 | |
| | | MIL-S-37025(2) | SPLINT, PNEUMATIC, ADULT, ZIPPER CLOSURE [VALIDATION DATE: 8202] ..... | A | 6515 | DM | 24-MAY-76 | MD | MS | 03 | |
| | | MIL-T-37030(1) | TROUSERS, OPERATING, SURGICAL, MEN'S COTTON-POLYESTER, STATIC RESISTANT [VALIDATION DATE: 8908] | A | 6532 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-S-37039(1) | SHIRTS, OPERATING, SURGICAL, MAN'S COTTON-POLYESTER STATIC RESISTANT | A | 6532 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | NOTICE 1 | [VALIDATION DATE: 8908] | | | | | | | | |
| | | MIL-T-37046(1) | TROUSERS, OPERATING, SURGICAL, WOMEN'S, COTTON-POLYESTER, STATIC RESISTANT [VALIDATION DATE: 8908] | A | 6532 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-P-37055(1) | PLUG, EAR, HEARING PROTECTION, CYLINDRICAL, SILICONE BASE [VALIDATION | A | 6515 | MB | 16-AUG-89 | MD | MS | 03 | |
| | | NOTICE 1 | DATE: 8908] | | | | | | | | |
| | | MIL-G-37061(1) | GUIDES, CIRCUMCISION, PLASTIC, DISPOSABLE [VALIDATION DATE: 8908] ..... | A | 6515 | MB | 18-AUG-89 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-T-37064 | TUNICS, OPERATING, SURGICAL, WOMAN'S, COTTON-POLYESTER, STATIC RESISTANT, LONG SLEEVES [VALIDATION DATE: 8908] | A | 6532 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-C-37066 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 6 | A | 6545 | MB | 15-OCT-90 | MD | MS | 03 | |
| | | NOTICE 1 | [VALIDATION DATE: 9010] | | | | | | | | |
| | | MIL-T-37069 | TUNICS, OPERATING, SURGICAL, WOMAN'S, COTTON-POLYESTER, STATIC RESISTANT, SHORT SLEEVES [VALIDATION DATE: 8908] | A | 6532 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-S-37071 | SCALE, DIAL INDICATING, EGG, PLATFORM [VALIDATION DATE: 7906] USER: GL .... | A | 6670 | DM | 25-JAN-74 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | | | |
| | | MIL-H-37082 | HYDROMETER, GRADUATED SCALE, SPECIFIC GRAVITY RANGE 1.196 TO 1.286 [VALIDATION DATE: 8202] | A | 6630 | DM | 16-SEP-74 | MD | MS | 03 | |
| | | MIL-P-37083A | PLIERS, DENTAL ..... | A | 6520 | DM | 15-JUN-87 | MD | MS | 03 | MB |
| | | MIL-H-37084 | HYPODERMIC INJECTION APPARATUS, JET, FOOT OPERATED [VALIDATION DATE: 8202] | A | 6515 | DM | 11-JUN-75 | MD | MS | 03 | |
| | | MIL-S-37092 | SPONGE, ABSORABLE GLETIN, USP [VALIDATION DATE: 8202] ..... | A | 6510 | DM | 09-APR-75 | MD | MS | 03 | |
| | | MIL-R-371038 | RETRACTOR, HEMILAMINECTOMY, HAVERFIELD-SCOVILLE AND BLADES, RETRACTOR, INTERCHANGEABLE | A | 6515 | MB | 20-DEC-85 | MD | MS | 03 | |
| | | MIL-C-37106 | CASE, MEDICAL LABORATORY EQUIPMENT SET [VALIDATION DATE: 8907] ..... | A | 6545 | MB | 28-JUL-89 | MD | MS | 03 | |
| | | MIL-C-37117A | CASE, EAR PLUG ..... | A | 6515 | DM | 07-NOV-85 | MD | MS | 03 | |
| | | MIL-S-37123A | SOUND CHAMBERS AND CUFF, BLOOD PRESSURE, CONDUCTIVE [VALIDATION DATE: 8202] | A | 6515 | DM | 27-SEP-76 | MD | MS | 03 | |
| | | MIL-S-37129 | SHIRTS, OPERATING, SURGICAL, MAN'S, COTTON, SLEEVELESS, STYLE A | A | 6532 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | NOTICE 1 | [VALIDATION DATE: 8908] | | | | | | | | |
| | | MIL-S-37130 | SHIRTS, OPERATING, SURGICAL, MAN'S, COTTON, QUARTER LENGTH SLEEVES, STYLE | A | 6532 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | NOTICE 1 | B [VALIDATION DATE: 8908] | | | | | | | | |
| | | MIL-T-37131 | TROUSERS, OPERATING, SURGICAL, MAN'S, COTTON, GREEN [VALIDATION DATE: 8908] | A | 6532 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-D-37165(2) | DRESSING, FIRST AID, FIELD, INDIVIDUAL TROOP [VALIDATION DATE: 8202] ..... | A | 6510 | DM | 19-MAR-76 | MD | MS | 03 | |
| | | MIL-S-37172 | SPONGE, SURGICAL, GAUZE [VALIDATION DATE: 8202] ..... | A | 6510 | DM | 13-MAY-75 | MD | MS | 03 | |
| | | MIL-B-37173 | BOX, SETUP, MAILING, DENTAL [VALIDATION DATE: 8202] ..... | A | 8115 | DM | 15-APR-75 | GL | MS | 03 | |
| | | MIL-S-37180A | SATCHEL, PHYSICIAN'S, BOSTON STYLE, THREE COMPARTMENT [VALIDATION DATE: 8908] | A | 6532 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-C-37183(1) | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NON-RIGID, NO. 8 ..... | A | 6545 | DM | 22-OCT-86 | MD | MS | 03 | |
| | | MIL-C-371868 | COATS, MEDICAL ATTENDANT'S, MAN'S, WHITE, COTTON-POLYESTER, DURABLE PRESS [VALIDATION DATE: 8406] | A | 6532 | DM | 30-NOV-76 | MD | MS | 03 | |
| L | | MIL-B-0037189A | BAGS, URINE COLLECTION ..... | A | 6530 | DM | 22-FEB-91 | | | | DM |
| | | NOTICE 2 | | | | | | | | | |
| | | MIL-I-37195 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, 5 DRAWER [VALIDATION DATE: 8907] | A | 6545 | MB | 28-JUL-89 | MD | MS | 03 | |
| | | MIL-I-37196 | INSERT, CABINET MEDICAL INSTRUMENT AND SUPPLY SET CHEST, OPTHALMIC LENS, 10 DRAWER [VALIDATION DATE: 8907] | A | 6545 | MB | 28-JUL-89 | MD | MS | 03 | |
| | | MIL-P-37199 | PUMP AND FILLER, PRESCRIPTION BOTTLE [VALIDATION DATE: 8202] ..... | A | 6530 | DM | 05-SEP-75 | MD | MS | 03 | |
| | | MIL-T-37202 | TAG, MEDICAL WARNING [VALIDATION DATE: 8908] ..... | A | 6530 | MB | 04-AUG-89 | MD | MS | 03 | |
| | | MIL-C-37203A | CATHETER AND NEEDLE UNIT, INTRAVENOUS, RADIOPAQUE, DISPOSABLE (CATHETER INTO NEEDLE) [VALIDATION DATE: 8406] | A | 6515 | DM | 25-FEB-77 | MD | MS | 03 | |
| | | MIL-S-37205 | SURVIVAL KIT, INDIVIDUAL [VALIDATION DATE: 9010] ..... | A | 6545 | MB | 15-OCT-90 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | | | |

| Action | Doc. Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-D-37215 | DRILL, HAND, BONE, SMEDBERG [VALIDATION DATE: 8202] | A | 6515 | DM | | 24-OCT-75 | MD | MS | 03 | |
| | MIL-S-37223 | STAND, SURGICAL INSTRUMENT [VALIDATION DATE: 8202] | A | 6530 | DM | | 11-JUN-76 | MD | MS | 03 | |
| | MIL-I-37225A | INTRAVENOUS INJECTION SET, WITH FLEXIBLE DRIP CHAMBER, DISPOSABLE [VALIDATION DATE: 8202] | A | 6515 | DM | | 31-JUL-75 | MD | MS | 03 | |
| | MIL-I-37238 | INSERT SHELF UNIT, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [VALIDATION DATE: 8907] | A | 6545 | MB | | 28-JUL-89 | MD | MS | 03 | |
| | MIL-I-37239(1) | INSERT MOUNTING UNIT, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [VALIDATION DATE: 8907] | A | 6545 | MB | | 28-JUL-89 | MD | MS | 03 | |
| | MIL-T-37240 | TABLE, SURGICAL INSTRUMENT, AND SURGICAL DRESSING [VALIDATION DATE: 8908] | A | 6530 | MB | | 04-AUG-89 | MD | MS | 03 | |
| | MIL-B-37246 | BRACE, BIT, BONE, CRANIAL, HUDSON, AND BURS, DRILL, AND EXTENSION [VALIDATION DATE: 8202] | A | 6515 | DM | | 15-JUL-75 | MD | MS | 03 | |
| | MIL-A-37251 | ANTIDOTE, NERVE AGENTS, INJECTOR [VALIDATION DATE: 8802] | A | 6505 | MB | | 26-FEB-88 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| L | MIL-A-37251(11) | ANTIDOTE, NERVE AGENTS, INJECTOR [VALIDATION DATE: 8802] | A | 6505 | MB | | 26-FEB-88 | | | | |
| | MIL-C-37268 | CAPS, OPERATING, SURGICAL, WOMAN S ADJUSTABLE, DISPOSABLE [VALIDATION DATE: 8202] | A | 6532 | DM | | 11-MAR-76 | MD | MS | 03 | |
| | MIL-B-37295A | BATH, WATER, DENTAL IMPRESSION MATERIAL, LOW TEMPERATURE [VALIDATION DATE: 8406] REVIEWER: MB | A | 6520 | DM | | 17-AUG-78 | MD | MS | 03 | |
| | MIL-G-37300 | GOWN, PATIENT EXAMINING, DISPOSABLE [VALIDATION DATE: 8906] | A | 6532 | MB | | 15-JUN-89 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-L-37313A | LIGHT, SURGICAL, CEILING [VALIDATION DATE: 8406] REVIEWER: MB | A | 6530 | DM | | 21-AUG-78 | MD | MS | 03 | |
| | MIL-P-37361 | PLIERS, DENTAL, CONTOURING AND CRIMPING, NO. 137 [VALIDATION DATE: 8406] | A | 6520 | DM | | 04-FEB-77 | MD | MS | 03 | |
| | MIL-I-37365B | INTRAVENOUS INJECTION SET, WITH METERING CHAMBER, WITHOUT NEEDLE, DISPOSABLE | A | 6515 | DM | | 24-AUG-87 | MD | MS | 03 | |
| | MIL-M-37374 | MEPIVACAINE HYDROCHLORIDE INJECTION, U.S.P. [VALIDATION DATE: 8202] | A | 6505 | DM | | 28-MAY-76 | MD | MS | 03 | |
| | MIL-Q-37379 | QUINIDINE SULFATE TABLETS, U.S.P. [VALIDATION DATE: 8202] | A | 6505 | DM | | 04-JUN-76 | MD | MS | 03 | |
| | MIL-Q-37379(11) | QUINIDINE SULFATE TABLETS, USP [VALIDATION DATE: 8202] | A | 6505 | DM | | 22-JUL-76 | MD | MS | 03 | |
| | MIL-M-37397 | MEPIVACAINE HYDROCHLORIDE INJECTION, U.S.P. [VALIDATION DATE: 8908] | A | 6505 | MB | | 14-AUG-89 | MD | MS | 03 | |
| | MIL-M-37401 | METHYSERGIDE MALEATE TABLETS, U.S.P. [VALIDATION DATE: 8908] | A | 6505 | MB | | 14-AUG-89 | MD | MS | 03 | |
| | MIL-T-37402 | TESTER, *ANTIFREEZE SOLUTIONS* [VALIDATION DATE: 8406] | A | 6630 | DM | | 06-APR-77 | MD | MS | 03 | |
| | MIL-P-37407B | PLUG, EAR, HEARING PROTECTION, UNIVERSAL SIZE, YELLOW, VINYL FOAM | A | 6515 | MB | | 08-NOV-85 | MD | MS | 03 | |
| | MIL-B-37409 | BOX, INSECT, SPECIMEN [VALIDATION DATE: 8202] | A | 6640 | DM | | 12-MAY-76 | MD | MS | 03 | |
| | MIL-F-37418A | FLUKANDRENOLIDE LOTION, U.S.P. [VALIDATION DATE: 8406] | A | 6505 | DM | | 25-JUL-77 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-S-37442 | SMOCK, PHYSICIAN S, MAN S, WHITE, COTTON-POLYESTER, DURABLE PRESS [VALIDATION DATE: 8406] | A | 6532 | DM | | 12-NOV-76 | MD | MS | 03 | |
| | MIL-I-37443 | ISOPROPYL ALCOHOL, N.F. [VALIDATION DATE: 8908] | A | 6505 | MB | | 04-AUG-89 | MD | MS | 03 | |
| | MIL-C-37458 | CUPRIC SULFATE, NF [VALIDATION DATE: 8202] | A | 6505 | DM | | 01-SEP-76 | MD | MS | 03 | |
| | MIL-O-37492 | ORPHENADRINE CITRATE, ASPIRIN, CAFFEINE, AND PHENACETIN TABLETS [VALIDATION DATE: 8406] | A | 6505 | DM | | 01-OCT-77 | MD | MS | 03 | |
| | MIL-S-37499A | SPLINT, PNEUMATIC, ADULT, SLIP-ON [VALIDATION DATE: 8406] | A | 6515 | DM | | 21-DEC-76 | MD | MS | 03 | |
| | MIL-S-37505 | SINK SERVICE UNIT, CLINICAL LABORATORY [VALIDATION DATE: 8901] | A | 6545 | MB | | 09-JAN-89 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-M-37537 | MEPERIDINE HYDROCHLORIDE INJECTION, USP [VALIDATION DATE: 8908] | A | 6505 | MB | | 14-AUG-89 | MD | MS | 03 | |
| | MIL-T-37538A | TRIMMER, DENTAL MODEL: WHEEL, ABRASIVE, SILICON CARBIDE, DENTAL MODEL TRIMMING | A | 6520 | DM | | 24-SEP-87 | MD | MS | 03 | |
| | MIL-P-37564 | PLUGS, EAR, HEARING PROTECTION, UNIVERSAL SIZE, SINGLE FLANGE WITH HEADBAND | A | 6515 | DM | | 08-FEB-77 | MD | MS | 03 | |
| | MIL-P-0037564A | PLUGS, EAR, HEARING PROTECTION, UNIVERSAL SIZE, *WITH HEADBAND* [VALIDATION DATE: 9001] | A | 6515 | MB | | 05-JAN-90 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-F-37568 | FILE, VISIBLE INDEX, BOOK UNIT [VALIDATION DATE: 8202] | A | 7460 | DM | | 24-MAR-77 | MD | MS | 03 | |
| | MIL-E-37579 | ENVELOPE, DRUG DISPENSING, 100S [VALIDATION DATE: 8406] | A | 8105 | DM | | 17-JAN-77 | MD | MS | 03 | |
| | MIL-S-37581 | SPLINT, LEG, PNEUMATIC, ADULT, WRAP-AROUND, HOOK AND CORD CLOSURE [VALIDATION DATE: 8406] | A | 6515 | DM | | 09-SEP-77 | MD | MS | 03 | |
| | MIL-C-37586 | CAP, STERILE FLUID STORAGE BOTTLE [VALIDATION DATE: 8406] REVIEWER: MB | A | 6530 | DM | | 29-SEP-77 | MD | MS | 03 | |
| | MIL-P-37599 | PLAGUE VACCINE, USP [VALIDATION DATE: 8908] | A | 6505 | MB | | 21-AUG-89 | MD | MS | 03 | |
| | MIL-S-37607 | SYRINGE, CARTRIDGE, ASPIRATING, THUMB RING HANDLE [VALIDATION DATE: 8406] REVIEWER: MB | A | 6515 | DM | | 29-AUG-77 | MD | MS | 03 | |
| | MIL-T-37613 | THROMBIN, USP [VALIDATION DATE: 8908] | A | 6505 | MB | | 30-AUG-89 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-F-37618B | FRAME, SPECTACLE, GOLD PLATED, BAYONET TEMPLES | A | 6540 | MB | | 15-JUN-90 | MD | MS | 03 | |
| | MIL-R-37624 | RACK, TEST TUBE, LABORATORY, WINTROBE, ENAMELED STEEL, 10 TUBE [VALIDATION DATE: 8406] REVIEWER: MB | A | 6640 | DM | | 30-SEP-77 | MD | MS | 03 | |
| | MIL-T-37637A | TABLE, OPERATING, FIELD | A | 6530 | MB | | 01-OCT-90 | MD | MS | 03 | |
| | MIL-R-37640 | RACK, TEST TUBE, LABORATORY, EPOXY COATED WIRE, 40 TUBE [VALIDATION DATE: 8406] | A | 6640 | DM | | 09-FEB-77 | MD | MS | 03 | |
| | MIL-P-37646 | PROTECTORS, ORTHOPEDIC CAST [VALIDATION DATE: 8406] | A | 6515 | DM | | 31-MAR-77 | MD | MS | 03 | |
| | MIL-D-37651 | DICHLOROTETRAFLUOROETHANE, NF [VALIDATION DATE: 8803] | A | 6505 | MB | | 29-MAR-88 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-T-37659 | TRIAMTERENE CAPSULES, USP [VALIDATION DATE: 8908] | A | 6505 | MB | | 21-AUG-89 | MD | MS | 03 | |
| | MIL-Y-37687A | YOKE-ADAPTER, COMPRESSED GAS CYLINDER | A | 8120 | MB | | 21-FEB-92 | MD | MS | 03 | |
| | MIL-T-37702 | TABLE, OPERATING, HOSPITAL, PEDESTAL [VALIDATION DATE: 8406] REVIEWER: MB | A | 6530 | DM | | 27-APR-78 | MD | MS | 03 | |
| | MIL-S-37716 | SODIUM CHLORIDE TABLETS, USP [VALIDATION DATE: 8908] | A | 6505 | MB | | 30-AUG-89 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-S-37721 | SINK, CLINICAL LABORATORY, LIGHTWEIGHT [VALIDATION DATE: 8901] | A | 6545 | MB | | 09-JAN-89 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-R-37725B | REBREATHING BAG, GAS ANESTHESIA APPARATUS, DISPOSABLE | A | 6515 | MB | | 23-JUN-81 | MD | MS | 03 | |
| | MIL-D-37727 | DIPHENHYDRAMINE HYDROCHLORIDE SYRUP [VALIDATION DATE: 8803] | A | 6505 | MB | | 29-MAR-88 | MD | MS | 03 | |
| | NOTICE 2 | | | | | | | | | | |
| | MIL-C-37734 | COVER, MATTRESS PAD [VALIDATION DATE: 8908] | A | 7210 | MB | | 19-JUN-89 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-P-37735 | PAD, MATTRESS, HOSPITAL BED [VALIDATION DATE: 8906] | A | 7210 | MB | | 19-JUN-89 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-T-37742 | TROUSERS, PNEUMATIC, ANTI-SHOCK, UNIVERSAL SIZE, BLUE [VALIDATION DATE: 8406] | A | 6515 | DM | | 28-MAR-78 | | | | DM |
| | MIL-L-37745 | LIGHT, SURGICAL, CEILING [VALIDATION DATE: 8406] REVIEWER: MB | A | 6530 | DM | | 27-SEP-78 | MD | MS | 03 | |
| | MIL-E-37816 | ENVELOPE, RADIOGRAPHIC FILM MOUNT, DENTAL [VALIDATION DATE: 8406] REVIEWER: MB | A | 7530 | DM | | 28-NOV-77 | MD | MS | 03 | |
| | MIL-S-37826 | STAND, BED SERVICE [VALIDATION DATE: 8406] REVIEWER: MB | A | 6530 | DM | | 25-AUG-78 | MD | MS | 03 | |
| | MIL-C-37827 | COVER, BED FRAME [VALIDATION DATE: 8906] | A | 7210 | MB | | 19-JUN-89 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-R-37828 | ROD, INSECT BAR [VALIDATION DATE: 8906] USER: 45 | A | 7210 | MB | | 19-JUN-89 | MD | MS | 03 | |
| | NOTICE 1 | | | | | | | | | | |
| | MIL-B-37829 | BAG, PERSONAL EFFECTS [VALIDATION DATE: 8906] | A | 8465 | MB | | 19-JUN-89 | MD | MS | 03 | |
| L | MIL-M-37869 | MICROSCOPE, OPTICAL, BINOCULAR [VALIDATION DATE: 8406] | A | 6650 | DM | | 28-APR-78 | | | | DM |
| L | MIL-P-37920 | PASTE, PERIODONTAL PROTECTIVE, SURGICAL, SOFT DRESSING | A | 6520 | DM | | 29-DEC-78 | | | | |
| | MIL-T-37923 | *HYPODERMIC* AUTO INJECTOR, DEMONSTRATION | A | 6910 | DM | | 31-OCT-78 | | | | |
| | MIL-O-37945A | OPERATING AND TREATMENT UNIT, DENTAL, FIELD | A | 6520 | MB | | 19-JUN-89 | MD | MS | 03 | |
| L | MIL-O-37945(11) | DENTAL OPERATING AND TREATMENT UNIT, FIELD, PORTABLE, AIR OPERATED | A | 6520 | MB | | 13-APR-87 | | | | |
| | MIL-C-37946 | CASE, SPLINT SET, TELESCOPIC SPLINTS, COTTON DUCK, 36 INCHES LONG BY 12 INCHES WIDE BY 7 INCHES DEEP [VALIDATION DATE: 8901] | A | 6545 | DM | | 03-JAN-89 | MD | MS | 03 | DM |
| | NOTICE 1 | | | | | | | | | | |
| L | MIL-P-37948A | PRALIDOXIME CHLORIDE INJECTION | A | 6505 | DM | | 17-MAR-84 | | | | |
| A | MIL-F-37950B | FRAME, SPECTACLE, AVIATOR, METAL WIRE | A | 6540 | MB | | 15-JAN-93 | MD | MS | 03 | |
| | MIL-S-0037951 | SMOCK, MEDICAL ASSISTANT S, MAN S, WHITE, COTTON-POLYESTER, DURABLE PRESS | A | 6532 | DM | | 08-FEB-84 | MD | MS | 03 | DM |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MIL-S-37952 | SPINEBOARD | A 6530 | DM 03-JUN-83 | MD | MS | 03 | |
| | | MIL-A-37953 | AMESTHESIA APPARATUS, GAS, NITROUS OXIDE | A 6515 | MB 15-APR-83 | MD | MS | 03 | |
| A | | MIL-S-37954B | SPECTACLE FRAME, FRONTS AND TEMPLES, CELLULOSE ACETATE | A 6540 | MB 15-AUG-90 | MD | MS | 03 | |
| | | MIL-S-0037954A | SPECTACLE FRAME, FRONTS AND TEMPLES, CELLULOSE ACETATE | A 6540 | MB 16-MAR-87 | MD | MS | 03 | |
| | | MIL-F-37956 | FILTER ELEMENT, AGENT SAMPLING EXTRACTOR [VALIDATION DATE: 8907] | A 6640 | DM 13-JUL-89 | EA | SH | 99 | DM |
| | | MIL-L-37957A | LITTERS, RIGID, STOKES USER: AS AV CG MC SH | A 6530 | MB 24-JAN-92 | MD | MS | 03 | |
| | | MIL-B-0037958 | BAG, PROTECTIVE, CASE, MEDICAL INSTRUMENT AND SUPPLY SET NO. 17 | A 6545 | MB 15-FEB-84 | MD | MS | 03 | |
| L | | MIL-B-37959 | BURS, SURGICAL, TUNGSTEN CARBIDE, GENERAL REQUIREMENTS FOR | A 6515 | MB 14-FEB-84 | | | | |
| | | MIL-B-37959/1 | BUR, SURGICAL, TUNGSTEN CARBIDE, 2 MM BY 19 MM, SIDE CUTTING, TAPERED (SHAPE C), LONG SHANK (LENGTH 3) | A 6515 | MB 16-FEB-84 | | | | |
| | | MIL-B-37959/2 | BUR, SURGICAL, TUNGSTEN CARBIDE, 1.5 MM, ROUND CUTTING (SHAPE A), LONG SHANK (LENGTH 3) | A 6515 | MB 16-FEB-84 | | | | |
| | | MIL-B-37959/3 | BUR, SURGICAL, TUNGSTEN CARBIDE, 2MM, ROUND CUTTING (SHAPE A), LONG SHANK (LENGTH 3) | A 6515 | MB 16-FEB-84 | | | | |
| | | MIL-B-37959/4 | BUR, SURGICAL, TUNGSTEN CARBIDE, 2MM, ROUND CUTTING (SHAPE A), MEDIUM SHANK (LENGTH 2) | A 6515 | MB 16-FEB-84 | | | | |
| L | | MIL-B-37959/5 | BUR, SURGICAL, TUNGSTEN CARBIDE, 2 MM BY 7.5 MM HEAD, SIDE CUTTING, TAPERED (SHAPE C), MEDIUM SHANK (LENGTH 2) | A 6515 | MB 23-FEB-84 | | | | |
| L | | MIL-B-37959/6 | BUR, SURGICAL, TUNGSTEN CARBIDE, 2MM, BY 19 MM HEAD, SIDE CUTTING, TAPERED (SHAPE C), MEDIUM SHANK (LENGTH 2) | A 6515 | MB 23-FEB-84 | | | | |
| L | | MIL-B-37959/7 | BUR, SURGICAL, TUNGSTEN CARBIDE, 1.5 MM, ROUND CUTTING (SHAPE A), MEDIUM SHANK (LENGTH 2) | A 6515 | MB 23-FEB-84 | | | | |
| | | MIL-B-37959/8 | BUR, SURGICAL, TUNGSTEN CARBIDE, 2MM BY 7.5 MM HEAD, SIDE CUTTING, TAPERED (SHAPE C), LONG SHANK (LENGTH 3) | A 6515 | MB 23-FEB-84 | | | | |
| | | MIL-B-37959/9 | BUR, SURGICAL, TUNGSTEN CARBIDE, 4 MM HEAD DIAMETER, 8 MM HEAD LENGTH, OVAL CUTTING (SHAPE D), MEDIUM SHANK (LENGTH 2) | A 6515 | MB 27-FEB-84 | | | | |
| | | MIL-B-37959/10 | BUR, SURGICAL, TUNGSTEN CARBIDE, 5.5 MM HEAD DIAMETER, 10 MM HEAD LENGTH, OVAL CUTTING (SHAPE D), MEDIUM SHANK (LENGTH 2) | A 6515 | MB 27-FEB-84 | | | | |
| | | MIL-B-37959/11 | BUR, SURGICAL, TUNGSTEN CARBIDE, 4 MM HEAD DIAMETER, 8 MM HEAD LENGTH, OVAL CUTTING (SHAPE D), LONG SHANK (LENGTH 3) | A 6515 | MB 27-FEB-84 | | | | |
| | | MIL-B-37959/12 | BUR, SURGICAL, TUNGSTEN CARBIDE, 5.5 MM HEAD DIAMETER, 10 MM HEAD LENGTH, OVAL CUTTING (SHAPE D), LONG SHANK (LENGTH 3) | A 6515 | MB 27-FEB-84 | | | | |
| | | MIL-B-37959/13 | BUR, SURGICAL, TUNGSTEN CARBIDE, 1 MM HEAD DIAMETER, 5 MM HEAD LENGTH, SIDE CUTTING, STRAIGHT (SHAPE B), MEDIUM SHANK (LENGTH 2) | A 6515 | MB 28-FEB-84 | | | | |
| | | MIL-B-37959/14 | BUR, SURGICAL, TUNGSTEN CARBIDE, 2 MM HEAD DIAMETER, 10 MM HEAD LENGTH, BARREL CUTTING (SHAPE E), MEDIUM SHANK (LENGTH 2) | A 6515 | MB 28-FEB-84 | | | | |
| | | MIL-B-37959/15 | BUR, SURGICAL, TUNGSTEN CARBIDE, 2 MM HEAD DIAMETER, 10 MM HEAD LENGTH, BARREL CUTTING (SHAPE E), LONG SHANK (LENGTH 3) | A 6515 | MB 28-FEB-84 | | | | |
| | | MIL-B-37959/16 | BUR, SURGICAL, TUNGSTEN CARBIDE, 3 MM HEAD DIAMETER, ROUND CUTTING (SHAPE A), LONG SHANK (LENGTH 3) | A 6515 | MB 29-FEB-84 | | | | |
| | | MIL-B-37959/18 | BUR, SURGICAL, TUNGSTEN CARBIDE, 5 MM, ROUND CUTTING (SHAPE A) LONG SHANK (LENGTH 3) | A 6515 | MB 15-MAR-84 | | | | |
| | | MIL-B-37959/19 | BUR, SURGICAL, TUNGSTEN CARBIDE, 4 MM, ROUND CUTTING (SHAPE A) LONG SHANK (LENGTH 3) | A 6515 | MB 15-MAR-84 | | | | |
| L | | MIL-B-37959/20 | BUR, SURGICAL, TUNGSTEN CARBIDE, 4 MM, ROUND CUTTING (SHAPE A), MEDIUM SHANK (LENGTH 2) | A 6515 | MB 19-MAR-84 | | | | |
| L | | MIL-B-37959/21 | BUR, SURGICAL, TUNGSTEN CARBIDE, 1.5 MM BY 4.5 MM HEAD, SIDE CUTTING, STRAIGHT (SHAPE B), MEDIUM (LENGTH 2) | A 6515 | MB 19-MAR-84 | | | | |
| | | MIL-B-37959/23 | BUR, SURGICAL, TUNGSTEN CARBIDE, 1.7 MM BY 12 MM HEAD, SIDE CUTTING, TAPERED (SHAPE C), LONG SHANK (LENGTH 3) | A 6515 | MB 14-MAY-84 | | | | |
| | | MIL-B-37960 | BURS, SURGICAL, DIAMOND, GENERAL REQUIREMENTS FOR | A 6515 | MB 23-FEB-84 | | | | |
| | | MIL-B-37960/1 | BUR, SURGICAL, DIAMOND, 2 MM, ROUND HEAD (SHAPE B), LONG SHANK (LENGTH 3) | A 6515 | MB 03-APR-84 | | | | |
| | | MIL-B-37960/2 | BUR, SURGICAL, DIAMOND, 3 MM, ROUND HEAD (SHAPE B), LONG SHANK (LENGTH 3) | A 6515 | MB 03-APR-84 | | | | |
| | | MIL-B-37960/3 | BUR, SURGICAL, DIAMOND, 5 MM, ROUND HEAD (SHAPE A), LONG SHANK (LENGTH 3) | A 6515 | MB 03-APR-84 | | | | |
| | | MIL-B-37960/4 | BUR, SURGICAL, DIAMOND, 5 MM, ROUND HEAD (SHAPE A), LONG SHANK (LENGTH 3) | A 6515 | MB 03-APR-84 | | | | |
| | | MIL-B-37960/5 | BUR, SURGICAL, DIAMOND, 4 MM, ROUND HEAD (SHAPE B), LONG SHANK (LENGTH 3) | A 6515 | MB 04-APR-84 | | | | |
| | | MIL-B-37960/7 | BUR, SURGICAL, DIAMOND, 4 MM, DERMABRADER HEAD (SHAPE E), MEDIUM SHANK (LENGTH 2) | A 6515 | MB 04-APR-84 | | | | |
| | | MIL-S-37963 | SPLINT, LEG THOMAS, HALF-RING, TELESCOPING | A 6515 | MB 16-NOV-84 | | | | |
| L | | MIL-C-37964 | CONTAINER, ENVIRONMENTAL PROTECTION MEDICAL SUPPLIES | A 6530 | DM 25-OCT-85 | | | | DM |
| | | MIL-T-37968 | TOWEL, PAPER (DISPOSABLE, DENTAL | A 8540 | MB 12-MAY-86 | MD | MS | 03 | |
| | | MIL-S-37988 | SURVIVAL KIT, INDIVIDUAL, TROPICAL, TACTICAL AIR CREW, IN PLASTIC BAG | A 6545 | DM 02-OCT-85 | MD | MS | 03 | DM |
| | | MIL-N-37996 | NITROUS OXIDE GAS, USPHIGH PRESSURE, CYLINDER REVIEWER: 68 ME SH | A 6505 | MB 24-DEC-85 | MD | MS | 03 | |
| | | MIL-O-37997 | OXYGEN GAS, USP, HIGH PRESSURE, CYLINDER REVIEWER: 68 ME SH | A 6505 | MB 18-DEC-85 | MD | MS | 03 | |
| | | MIL-C-37999 | CABINETRY SYSTEM, MEDICAL & PHARMACUTICAL, DEPLOYABLE | A 6530 | DM 15-JUN-87 | MD | MS | 03 | |
| A L | | MIL-S-38004C | SOCKS, EXTREME COLD WEATHER USER: 4S SA REVIEWER: 11 | A 8415 | CT 26-FEB-85 | | | 99 | CT |
| L | | MIL-F-38007D(2) | FILTER ELEMENT, FLUID, PRESSURE MXL-233/E REVIEWER: CS | A 4330 | 84 24-APR-80 | | | 99 | |
| | | MIL-F-38009F(1) | FILTER/SEPARATOR ELEMENT KIT, LIQUID FUEL FFU-11/E REVIEWER: CS | A 4330 | 84 13-MAY-81 | ME | | 99 | |
| L | | MIL-I-38021A | INDICATOR, LIQUID OXYGEN QUANTITY GMU-39/A [VALIDATION DATE: 7408] REVIEWER: GS | A 6680 | 82 28-JAN-63 | | | 99 | |
| A | | MIL-D-38024B(1) NOTICE 1 | DROGUE, PARACHUTE STATIC LINE [VALIDATION DATE: 9208] REVIEWER: CE CS GS | A 1670 | GL 31-AUG-92 | GL | | 99 | |
| OL | | MIL-P-38026A(4) NOTICE 1 | POWER SUPPLY ECU-23/A REVIEWER: GS | A 6130 | 80 04-FEB-87 | | | 99 | |
| L | | MIL-P-38027A | PRESSURE INDICATING SYSTEM, HYDRAULIC A/A27J-1 | A 6685 | 82 12-NOV-73 | | | 99 | |
| L | | MIL-I-38038A NOTICE 1 | INSTRUMENT LIGHTING SYSTEM, ELECTROLUMINESCENT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8809] REVIEWER: 99 | A 66GP | 11 30-SEP-88 | | | 11 | |
| | | MIL-S-38039B NOTICE 1 | SYSTEM, ILLUMINATED, WARNING, CAUTION, AND ADVISORY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8604] REVIEWER: AV | A 6340 | 82 11-APR-86 | ME | AS | 99 | |
| L | | MIL-S-38043(3) | STARTER, ENGINE, AIR TURBINE STU-16/A | A 2995 | 71 21-AUG-86 | | | 99 | |
| L | | MIL-T-38045B | TRUCK, AIRCRAFT, CARGO LOADING-UNLOADING, 25,000 POUNDS CAPACITY A/S32H-5 REVIEWER: CS | A 3930 | 84 11-APR-88 | | | 99 | |
| L | | MIL-I-38120A(3) | INDICATOR, RATE OF FLOW AND TRANSFER EFU-20/A REVIEWER: GS | A 6680 | 82 16-AUG-82 | | | 99 | |
| OL | | MIL-I-38121C | INDICATOR, RATIO, ENGINE PRESSURE, EGU-9A (CONTROLLED DISTRIBUTION) | B 6620 | 71 30-NOV-89 | | | 99 | |
| OL | | MIL-I-38133A | INDICATOR, PRESSURE, OIL [VALIDATION DATE: 8203] REVIEWER: GS | A 6620 | AS 14-NOV-67 | | AS | | |
| ML | | MIL-D-38134A(2) | DETECTOR, MAGNETIC AZIMUTH DSU-4/A, HIGH TEMPERATURE [VALIDATION DATE: 8103] | A 6605 | AS 18-SEP-72 | | AS | | |
| L | | MIL-D-00381348 | DETECTOR, MAGNETIC AZIMUTH DSU-4A/A, HIGH TEMPERATURE [VALIDATION DATE: 8410] | A 6605 | AS 01-APR-78 | | AS | | |
| A L | | MIL-I-38135B(3) | INDICATOR, INDICATED AIRSPEED AVU-19/A, STANDBY | A 6610 | 71 10-AUG-92 | | | 99 | |
| L | | MIL-I-38139C(3) | INDICATOR, VERTICAL VELOCITY AAU-18/A, INTEGRALLY LIGHTED | A 6610 | 71 16-AUG-88 | | | 99 | |
| L | | MIL-I-38143D | INDICATOR, RATE OF FLOW, FUEL REVIEWER: 11 | A 6620 | 71 30-MAY-92 | | | 99 | |
| OL | | MIL-T-38144C(1) | TRANSMITTER, RATE OF FLOW, FUEL REVIEWER: 11 | A 6620 | 71 10-JUL-87 | | | 99 | |
| A L | | MIL-C-38149C | CLOTH, COATED, CHLOROBUTYL, ARAMID, FUEL AND OXIDIZER RESISTANT [VALIDATION DATE: 8901] USER: 70 | A 8305 | CT 20-JAN-89 | | | 11 | CT |
| L | | MIL-C-38159B | CONNECTORS, ELECTRIC, RAMP POWER, 480/277 VOLTS, GENERAL SPECIFICATION FOR REVIEWER: 11 99 | A 5935 | 85 24-JAN-92 | | | 85 | |
| L | | MIL-C-38159/1 | CONNECTORS, PLUG, ELECTRICAL, SERIES 1, NON-HAZARDOUS REVIEWER: 11 99 | A 5935 | 85 24-JAN-92 | | | 85 | |
| L | | MIL-C-38159/2 | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, NON-HAZARDOUS REVIEWER: 11 99 | A 5935 | 85 24-JAN-92 | | | 85 | |
| L | | MIL-C-38159/3 | CONNECTORS, PLUG, ELECTRICAL, SERIES 2, HAZARDOUS REVIEWER: 11 99 | A 5935 | 85 24-JAN-92 | | | 85 | |
| L | | MIL-C-38159/4 | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 2, HAZARDOUS REVIEWER: 11 99 | A 5935 | 85 24-JAN-92 | | | 85 | |
| L | | MIL-S-38160B(3) | SELECTOR, ANTENNA C-4808/ARC | A 5821 | 84 15-DEC-86 | | | 99 | |
| L | | MIL-R-38162B(1) | RADIOSONDE SET AN/AMT-13 ( ) REVIEWER: GS | A 6660 | 80 03-MAY-79 | | | 99 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | OPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-L-38169(6) NOTICE 2 | LENSES, GOGGLE AND VISOR, HELMET, OPTICAL CHARACTERISTICS, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 99 CT | A | 8475 | 82 | | 25-FEB-91 | | 82 | | |
| L | | | MIL-T-38170F(1) | TANK, MOBILE STORAGE, LIQUID OXYGEN TMU-27/M REVIEWER: 99 | A | 3655 | 68 | | 05-MAR-82 | | 68 | | |
| A | | | MIL-C-38182C | COVER, SERVICE CAP, MAN'S, WATER REPELLENT USER: 45 REVIEWER: 82 99 | A | 8405 | CT | | 02-FEB-90 | | 11 | CT | |
| A | | | MIL-P-38184C NOTICE 1 | PARKA, EXTREME COLD WEATHER CWU-8/P (VALIDATION DATE: 8910) REVIEWER: 11 | A | 8415 | CT | | 31-OCT-89 | | 99 | CT | |
| L | | | MIL-A-38187A(1) NOTICE 1 | ANTENNA AT-983/ARN AND ANTENNA AT-983A/ARN (VALIDATION DATE: 8605) | A | 5826 | 84 | | 02-MAY-86 | | 99 | | |
| L | | | MIL-T-38191F(1) | TEST SET, PRESSURE TEMPERATURE TTU-205C/E | A | 4920 | 82 | | 10-AUG-78 | | 99 | | |
| L | | | MIL-P-38193B | PUMPING ASSEMBLY, FLAMMABLE LIQUID, BULK TRANSFER PMU-27/M (VALIDATION DATE: 7709) | A | 4320 | 84 | | 23-APR-69 | | 99 | | |
| D | | | MIL-G-38195C(2) | GENERATOR SET, GAS TURBINE ENGINE, 60 KW 400 HERTZ, GENERAL PURPOSE | A | 6115 | 80 | | 14-NOV-85 | | YD1 99 | | |
| | | | MIL-P-38199B NOTICE 1 | PAD, PARACHUTE HARNESS, QUICK RELEASE (VALIDATION DATE: 9006) REVIEWER: 11 82 AV | A | 1670 | GL | | 19-JUN-90 | GL | AS 99 | | |
| L | | | MIL-V-38201C(3) | VALVE, FILLER, LIQUID OXYGEN FEMALE CRU-59/E USER: ME REVIEWER: 11 99 | A | 3655 | 68 | | 18-JUN-81 | | 68 | | |
| L | | | MIL-A-38202C(1) | AIRCRAFT ARRESTING SYSTEM BAK-12A/E32A, PORTABLE, ROTARY FRICTION (VALIDATION DATE: 8609) USER: 11 | A | 1710 | 82 | | 02-SEP-86 | | 99 | | |
| L | | | MIL-O-38205A(1) | OVEN, FOOD WARMING, ELECTRIC MDU-2/B AND MDU-23/B REVIEWER: GS | A | 7310 | 84 | | 19-MAY-82 | | 99 | | |
| Q | | | MIL-C-38207A(2) NOTICE 1 | CLOCK, AIRCRAFT, MECHANICAL ABU-11/A (VALIDATION DATE: 8812) REVIEWER: GS | A | 6645 | 82 | | 15-DEC-88 | AV | AS 99 | | |
| D | L | | MIL-H-38209B | HOSE REEL ASSEMBLY, FUEL SERVICING, GENERAL REQUIREMENTS FOR (VALIDATION DATE: 8304) USER: YD1 REVIEWER: 99 | A | 4930 | 82 | | 07-MAY-71 | | 11 | | |
| A | L | | MIL-R-38213B(1) NOTICE 1 | RAINCOAT, MAN'S, LIGHTWEIGHT, BLUE (VALIDATION DATE: 8902) USER: 45 REVIEWER: 99 | A | 8405 | CT | | 14-FEB-89 | | 11 | CT | |
| L | | | MIL-C-38214B(4) | COMPASS, MAGNETIC, MOUNTED USER: ME | A | 6605 | 71 | | 10-OCT-88 | | 99 | | |
| D | | | MIL-L-38217D(2) | LIGHT, MARKER DISTRESS USER: YD1 REVIEWER: GS ME SH | A | 6230 | 82 | | 21-SEP-83 | | AS 99 | | |
| L | | | MIL-T-38219B(1) | TURBINE FUEL, LOW VOLATILITY, JP-7 REVIEWER: 68 | A | 9130 | 11 | | 30-NOV-87 | | 11 | | |
| A | | | MIL-G-38227A | GLOVE, SHELLS FLYERS REVIEWER: MD | A | 8415 | CT | | 04-FEB-71 | GL | AS | | CT |
| L | | | MIL-S-38228(2) NOTICE 1 | SEALING COMPOUND, ENVIRONMENTAL, FOR AIRCRAFT SURFACES (VALIDATION DATE: 8707) REVIEWER: 99 | A | 8030 | 11 | | 08-MAY-67 | | 11 | | |
| Q | | | MIL-T-38230B | TRANSMITTER, PRESSURE OIL, VARIABLE RELUCTANCE | A | 6620 | 71 | | 15-APR-86 | | AS 99 | | |
| L | | | MIL-C-38240/24B NOTICE 1 | COMPUTER, ALTITUDE, ALTITUDE ENCODING CPU-66/A-24, T-2B (VALIDATION DATE: 8704) | A | 6610 | 71 | | 06-APR-87 | | 99 | | |
| L | | | MIL-S-38249(3) NOTICE 1 | SEALING COMPOUND, FIREWALL (VALIDATION DATE: 8707) REVIEWER: 99 | A | 8030 | 11 | | 30-JUL-87 | | 11 | | |
| L | | | MIL-I-38258(3) | INDICATOR, ATTITUDE ARU-18/A, DIRECTOR | A | 6610 | 71 | | 12-JUN-87 | | 99 | | |
| L | | | MIL-T-38266C | TANK AND PUMP UNIT PMU-29/E, JET OIL SERVICING, 3 GALLON CAPACITY, PORTABLE | A | 4930 | 82 | | 10-JUL-87 | | 99 | | |
| | | | MIL-A-38267A NOTICE 1 | APPLICATION OF POLYURETHANE FUEL TANK COATINGS REVIEWER: 99 | A | 8030 | 11 | | 30-JUL-87 | | AS 11 | | |
| OQ | | | MIL-P-38268C | AURAL PROTECTORS, SOUND USER: YD1 REVIEWER: GS | A | 4240 | 84 | | 02-AUG-88 | EA | MS 84 | | |
| AQL | | | MIL-C-38271A(4) | CONNECTOR, OXYGEN MASK TO REGULATOR CRU-60/P REVIEWER: 11 | A | 1660 | 99 | | 11-DEC-92 | | 99 | | |
| L | | | MIL-C-38286A | COMPUTER, FLIGHT DIRECTOR CPU-65/A (VALIDATION DATE: 8302) REVIEWER: 01 | X | 6610 | 71 | | 15-DEC-77 | | 99 | | |
| L | | | MIL-F-38299B(2) NOTICE 1 | FLUID, PURGING, FOR PRESERVING FUEL TANKS OF JET AIRCRAFT (VALIDATION DATE: 8808) | A | 6850 | 68 | | 22-AUG-88 | | 68 | | |
| L | | | MIL-A-38307A(1) | ACCELEROMETER, AIRCRAFT MX-6663/AJB-7 | A | 6610 | 71 | | 05-JUN-87 | | 99 | | |
| A | L | | MIL-M-38311B NOTICE 1 | MANUALS, TECHNICAL: OPERATION AND ASSOCIATED CHECKLIST (INTERCONTINENTAL BALLISTIC MISSILE) PREPARATION OF (VALIDATION DATE: 9302) REVIEWER: 16 99 | A | TMSS | 19 | | 17-FEB-93 | | 19 | | |
| A | L | | MIL-M-38312B | MANUALS, EQUIPMENT, REAL PROPERTY INSTALLED EQUIPMENT, PREPARATION OF REVIEWER: 18 | A | TMSS | 19 | | 15-SEP-88 | | 19 | | |
| A | L | | MIL-M-38313C | MANUALS, SYSTEM, REAL PROPERTY INSTALLED EQUIPMENT, PREPARATION OF USER: 14 | A | TMSS | 19 | | 15-SEP-88 | | 19 | | |
| L | | | MIL-R-38327B(1) | RECEIVING SET, LORAN AN/ARN-78 (VALIDATION DATE: 8112) | A | 5826 | 13 | | 02-FEB-87 | | 13 | | |
| A | | | MIL-T-38328B(1) | TAPE, TEXTILE, NYLON, AROMATIC, NONMELTING, REINFORCING REVIEWER: 99 | A | 8315 | CT | | 09-AUG-82 | | SA 11 | CT | |
| QL | | | MIL-C-38334A(2) NOTICE 1 | CORROSION REMOVING COMPOUND, PREPAINT, FOR AIRCRAFT ALUMINUM SURFACES REVIEWER: 68 99 GS | A | 6850 | 11 | | 30-JUL-87 | | 11 | | |
| L | | | MIL-P-38336(1) NOTICE 1 | PRIMER COATING, INORGANIC, ZINC DUST PIGMENTED, SELF-CURING, FOR STEEL SURFACES | A | 8010 | 11 | | 30-JUL-87 | | 11 | | |
| | | | MIL-I-38338D | INDICATOR, OIL QUANTITY, CONTINUOUS TRANSMISSION, NUCLEONIC REVIEWER: GS | A | 6680 | 82 | | 09-JAN-91 | AV | 99 | | |
| A | | | MIL-J-38349B | JACKET, PARARESCUE SUIT CWU-14/P (VALIDATION DATE: 8301) | A | 8415 | CT | | 11-DEC-73 | | 82 | CT | |
| A | | | MIL-T-38350D | TROUSERS PARARESCUE CWU-15/P REVIEWER: 45 82 | A | 8415 | CT | | 24-APR-92 | | 99 | CT | |
| A | L | | MIL-C-38351A(1) | CLOTH, PARACHUTE, NYLON, AROMATIC, NONMELTING REVIEWER: 11 | A | 8305 | CT | | 31-OCT-91 | | 99 | CT | |
| | | | MIL-T-38354D(2)(2) NOTICE 2 | TANK, STORAGE, LIQUID NITROGEN, TMU-35/E REVIEWER: 82 99 | A | 3655 | 68 | | 18-JUN-81 | | 68 | | |
| L | | | MIL-I-38357A(3) | INDICATOR, BEARING-DISTANCE-HEADING ID-1103/ARN (VALIDATION DATE: 8703) REVIEWER: 11 | A | 5826 | 84 | | 03-MAR-87 | | 99 | | |
| QL | | | MIL-C-38359A NOTICE 1 | CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE XLP (VALIDATION DATE: 9112) REVIEWER: 99 IS | A | 6145 | 85 | | 27-DEC-91 | | 85 | | |
| A | | | MIL-C-38373B(2) | CAP, FLUID TANK FILLER REVIEWER: 11 AV | A | 1560 | 70 | | 21-OCT-85 | | AS 99 | | |
| L | | | MIL-S-38380B | SURVIVAL KIT CONTAINER, CMU-68B/P AND CMU-155/P (VALIDATION DATE: 8008) | A | 4220 | 82 | | 05-MAY-70 | | 99 | | |
| | | | MIL-T-38381B(1) NOTICE 1 | TEST STAND, AIRCRAFT HYDRAULIC SYSTEM TTU-228/E, TRAILER-MOUNTED, GASOLINE-ENGINE-DRIVEN, TRIPLE SYSTEM (VALIDATION DATE: 8901) | A | 4920 | 82 | | 16-JAN-89 | AV | AS 99 | | |
| A | L | | MIL-M-38384C | MANUALS, TECHNICAL AND CHECKLISTS: WEAPON DELIVERY AND AIRCREW PROCEDURES, NUCLEAR AND NONNUCLEAR, PREPARATION OF USER: 11 18 70 71 80 82 REVIEWER: 01 10 15 79 99 | A | TMSS | 16 | | 13-JAN-93 | | 16 | | |
| L | | | MIL-D-38386E | DUCT ASSEMBLY, GROUND, CONDITIONED AIR, INSULATED, FLEXIBLE REVIEWER: CS | A | 4720 | 82 | | 28-AUG-89 | | 99 | | |
| L | | | MIL-W-38387B NOTICE 1 | WEIGHT AND BALANCE SYSTEM, AIRCRAFT, INTEGRAL, A/A 32H-8 (VALIDATION DATE: 8808) | A | 1680 | 82 | | 10-AUG-88 | | 82 | | |
| L | | | MIL-H-38390C | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, PNEUMATIC, HIGH PRESSURE USER: ME REVIEWER: CS | A | 4720 | 82 | | 27-JAN-84 | | 99 | | |
| L | | | MIL-I-38391(4) | INDICATOR, ELECTRICAL TACHOMETER, ERU-12/A 0-350 RPM (ROTOR), 0-700 RPM (ENGINE) | A | 6620 | 71 | | 30-SEP-91 | | 99 | | |
| L | | | MIL-C-38392A(1) | COMPRESSOR, HERMETIC, AIR CONDITIONING, GENERAL SPECIFICATION FOR (VALIDATION DATE: 7603) REVIEWER: GS MC | A | 4130 | 82 | | 09-MAR-70 | | 99 | | |
| QL | | | MIL-T-38394C | TRANSMITTER, PRESSURE, TRU-81/A OIL, 0-500 PSI | A | 6620 | 71 | | 30-MAY-93 | | 99 | | |
| L | | | MIL-V-38398A(2) | VALVE, STARTER CONTROL, PNEUMATIC, AIRCRAFT ENGINE GENERAL SPECIFICATION FOR | A | 2995 | 71 | | 15-MAY-92 | | 99 | | |
| L | | | MIL-S-38399A(2) | STARTER, PNEUMATIC, AIRCRAFT ENGINE GENERAL SPECIFICATION FOR | A | 2995 | 71 | | 04-AUG-90 | | 99 | | |
| A | L | I | MIL-B-38401A NOTICE 1 | BEACON SET, RADIO AN/URT-33 | A | 5821 | 82 | | 07-JUL-92 | | 99 | | |
| L | | | MIL-D-38402A | DIRECTION FINDER GROUP AN/ARA-50 | A | 5826 | 84 | | 23-APR-87 | | 99 | | |
| L | | | MIL-T-38403A | TRAILER, RAIL TYPE, LIFT ETU-77/E, 3,000 POUND CAPACITY | A | 1730 | 82 | | 19-MAR-84 | | 99 | | |
| A | L | | MIL-C-38404E | COUPLINGS, HOSE, REATTACHABLE SCREW-ON REVIEWER: AV CS ME | A | 4730 | 82 | | 16-OCT-92 | | 99 | | |
| L | | | MIL-M-38413C | MANUAL AND AIRCREW CHECKLIST FOR AIR REFUELING PROCEDURES, PREPARATION OF | A | TMSS | 11 | | 14-AUG-87 | | 11 | | |
| L | | | MIL-C-38418E(2) | CONTROL ASSEMBLY, GYROSCOPE, ATTITUDE A/A24G-39 REVIEWER: 99 | A | 6610 | AS | | 21-MAR-85 | | AS | | |
| A | | | MIL-S-38430(1) NOTICE 1 | SLEEPING BAG-CONTAINER, PARACHUTE BAILOUT SRU-15/P (VALIDATION DATE: 8910) USER: AS REVIEWER: 11 45 MC MD | A | 8465 | CT | | 31-OCT-89 | | SA 99 | CT | |
| L | | | MIL-P-38447B(1) | PUMPING ASSEMBLY, FLAMMABLE LIQUID, BULK TRANSFER, TRAILER MOUNTED A/M32H-22 DIESEL ENGINE, 600 GPM (VALIDATION DATE: 7709) | A | 4320 | 84 | | 11-AUG-70 | | 99 | | |
| ML | | | MIL-S-38449C NOTICE 2 | SIGNAL AND SIGNAL/INTERCOMMUNICATION AMPLIFIERS, UNIVERSAL, AERIAL REFUELING | A | 5821 | 11 | | 31-JUL-89 | | 99 | | |
| L | | | MIL-T-38454A(2) | TRACTOR, WHEELED, AIRCRAFT TOWING A/S32U-30, FOR 500,000 TO 750,000 POUNDS GROSS WEIGHT AIRCRAFT | A | 1740 | 82 | | 30-AUG-90 | | 99 | | |
| L | | | MIL-T-38457B | TRAILER, PALLETIZED CARGO A/M32H-6, 10,000-POUND REVIEWER: 85 | A | 3920 | 84 | | 23-APR-90 | | 99 | | |

| Action | Doc. / Cmbl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-W-38461C NOTICE 2 | WEBBING, NYLON, AIRCRAFT ARRESTING | A | 1710 | 82 | | 30-OCT-89 | | 99 | | |
| L | | MIL-A-38462B(1) | AIR CONDITIONER A/E32C-30 REVIEWER: 17 GS | A | 4120 | 82 | | 14-NOV-77 | | 99 | | |
| L | | MIL-N-38466 | NAVIGATION SET, LORAN AN/ARN-85(V) [VALIDATION DATE: 8112] | A | 5826 | 13 | | 22-MAR-66 | | 13 | | |
| QL | | MIL-I-38468A | INDICATOR, LIQUID OXYGEN QUANTITY GMU-59/A REVIEWER: GS | A | 6680 | 82 | | 02-MAY-83 | | 99 | | |
| A | | MIL-H-38471B NOTICE 1 | HAT AND INSECT NET HGU-18/P [VALIDATION DATE: 8910] REVIEWER: 11 | A | 8415 | CT | | 31-OCT-89 | | 99 | CT | |
| L | | MIL-T-38473A(2) | TIMER, PRECISION, BOMBING, 0 - 30 MINUTES REVIEWER: 11 GS | A | 6645 | 82 | | 15-FEB-85 | | 99 | | |
| L | | MIL-P-38477A NOTICE 1 | PLASTIC MATERIAL, PRESSURE SENSITIVE ADHESIVE, FOR AEROSPACE IDENTIFICATION AND MARKING REVIEWER: EA GS OS | A | 9330 | 11 | | 30-JUL-87 | | 11 | | |
| L | | MIL-L-38484(5) NOTICE 1 | LIFE PRESERVERS, UNDERARM, PNEUMATIC [VALIDATION DATE: 9112] REVIEWER: 11 84 | A | 4220 | 82 | | 02-DEC-91 | | 99 | | |
| | | MIL-C-38488A(1) | COVERALL, FLYING, ANTI-EXPOSURE, QUICK DONNING CWU-16/P USER: CT REVIEWER: 11 | A | 8475 | 82 | | 19-JUL-78 | GL | AS | 99 | |
| L | | MIL-T-38491A(1) NOTICE 1 | TEST SET, GUIDED MISSILE LAUNCHER A/E24T-81 [VALIDATION DATE: 8606] | A | 4935 | 84 | | 10-JUN-86 | | 99 | | |
| AQ | | MIL-M-38510J(1) | MICROCIRCUITS, GENERAL SPECIFICATION FOR USER: 13 AS CG OS SH SM REVIEWER: 19 85 99 AR ES MC MI TD | A | 5962 | 17 | | 01-JUL-92 | ER | EC | 17 | |
| A | | MIL-M-38510/1E(3) | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | | 03-DEC-92 | ER | EC | 17 | |
| | | MIL-M-38510/2E(7) | MICROCIRCUIT, DIGITAL, TTL, FLIP-FLOPS MONOLITHIC SILICON USER: 19 AS CG MC SH REVIEWER: 11 99 AR AV ES MI MA | A | 5962 | 17 | | 19-NOV-84 | ER | EC | 17 | |
| | | MIL-M-38510/3F(1) | MICROCIRCUIT, DIGITAL, TTL, NAND BUFFERS MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 85 99 AR MI OS SH | A | 5962 | 17 | | 16-NOV-87 | ER | EC | 17 | |
| | | MIL-M-38510/4C | MICROCIRCUIT, DIGITAL, TTL, MULTIPLE NOR GATES MONOLITHIC SILICON [VALIDATION DATE: 8212] USER: 19 AS CG MC SH REVIEWER: 11 85 99 AR AV ES MI OS | A | 5962 | 17 | | 25-FEB-77 | ER | EC | 17 | |
| | | MIL-M-38510/5C(1) | MICROCIRCUIT, DIGITAL, TTL, AND-OR-INVERT GATES MONOLITHIC SILICON USER: AS CG MC REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 06-NOV-87 | ER | EC | 17 | |
| | | MIL-M-38510/6C(2) NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, BINARY FULL ADDERS, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: 19 AS CG MC SH REVIEWER: 11 99 AR ES MI | A | 5962 | 17 | | 30-NOV-88 | ER | EC | 17 | |
| | | MIL-M-38510/7B(2) NOTICE 1 | MICROCIRCUIT, DIGITAL, TTL, EXCLUSIVE-OR GATES MONOLITHIC SILICON USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 12-MAY-88 | ER | EC | 17 | |
| | | MIL-M-38510/8D(1) | MICROCIRCUIT, DIGITAL, TTL, BUFFERS/DRIVERS, OPEN COLLECTOR OUTPUT, HIGH VOLTAGE, MONOLITHIC SILICON USER: 19 AS CG MC OS SH SM REVIEWER: 11 85 99 AR ES MI | A | 5962 | 17 | | 08-DEC-87 | ER | EC | 17 | |
| A | | MIL-M-38510/9D(6) | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, SHIFT REGISTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | | 14-DEC-92 | ER | EC | 17 | |
| | | MIL-M-38510/10C | MICROCIRCUIT, DIGITAL,BIPOLAR, TTL, DECODERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 03-MAR-86 | ER | EC | 17 | |
| | | MIL-M-38510/11C | MICROCIRCUIT, DIGITAL, TTL ARITHMETIC LOGIC UNITS/FUNCTION GENERATORS MONOLITHIC SILICON [VALIDATION DATE: 8312] USER: AS CG MC SH REVIEWER: 11 19 85 99 AR ES MI MA | A | 5962 | 17 | | 19-MAY-78 | ER | EC | 17 | |
| A | | MIL-M-38510/12G(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | | 17-NOV-92 | ER | EC | 17 | |
| | | MIL-M-38510/13F(5) | MICROCIRCUIT DIGITAL TTL, COUNTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 31-MAY-85 | ER | EC | 17 | |
| | | MIL-M-38510/14D(2) | MICROCIRCUITS, DIGITAL, TTL, DATA SELECTORS/MULTIPLEXERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 21-FEB-85 | ER | EC | 17 | |
| | | MIL-M-38510/15A(1) NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, BISTABLE LATCHES, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: 19 AS CG MC SH SM REVIEWER: 11 85 99 AR MI | A | 5962 | 17 | | 30-NOV-88 | ER | EC | 17 | |
| L | | MIL-M-38510/16(2) | MICROCIRCUIT, DIGITAL, TTL, AND GATES, MONOLITHIC SILICON [VALIDATION DATE: 8212] USER: 19 REVIEWER: 11 85 99 AV ES | A | 5962 | 17 | | 28-JUN-76 | | | 17 | |
| L | | MIL-M-38510/17A(4) | MICROCIRCUIT, DIGITAL, TTL, FLIP-FLOPS, MONOLITHIC SILICON USER: 19 REVIEWER: 11 85 99 AV | A | 5962 | 17 | | 24-OCT-84 | | | 17 | |
| I | | MIL-M-38510/18A NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, REGISTER FILE, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 30-NOV-88 | ER | EC | 17 | |
| L | | MIL-M-38510/19(3) | MICROCIRCUIT, DIGITAL TTL, PARITY GENERATORS/CHECKERS, MONOLITHIC SILICON [VALIDATION DATE: 8312] USER: 19 REVIEWER: 11 99 ES | A | 5962 | 17 | | 31-MAY-78 | | | 17 | |
| | | MIL-M-38510/20A(2) | MICROCIRCUIT, DIGITAL, TTL, LOW POWER, NAND GATES MONOLITHIC SILICON [VALIDATION DATE: 8212] USER: 13 15 AS CG MC REVIEWER: 11 19 85 ES MI | A | 5962 | 17 | | 17-JUN-76 | ER | EC | 17 | |
| A | | MIL-M-38510/21D(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, LOW POWER, FLIP-FLOPS MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | | 05-OCT-92 | ER | EC | 17 | |
| | | MIL-M-38510/22C | MICROCIRCUITS, DIGITAL, BIPOLAR, HIGH-SPEED, TTL, FLIP-FLOPS MONOLITHIC SILICON USER: AS CG MC REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 27-FEB-89 | ER | EC | 17 | |
| | | MIL-M-38510/23A(4) | MICROCIRCUIT, DIGITAL, TTL, HIGH SPEED, NAND GATES, MONOLITHIC SILICON [VALIDATION DATE: 8212] USER: 15 AR AS CG MC SH REVIEWER: 11 85 99 ES MI | A | 5962 | 17 | | 01-JUN-77 | ER | EC | 17 | NA |
| | | MIL-M-38510/24A | MICROCIRCUIT, DIGITAL, TTL, NAND BUFFERS, HIGH SPEED, MONOLITHIC SILICON (INACTIVE) USER: 19 AS CG REVIEWER: 11 85 99 ES MI | A | 5962 | 17 | | 05-APR-84 | ER | EC | 17 | |
| | | MIL-M-38510/25D | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, LOW POWER, COUNTERS, MONOLITHIC SILICON USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR ES MI | A | 5962 | 17 | | 08-AUG-86 | ER | EC | 17 | NA |
| L | | MIL-M-38510/26(4) | MICROCIRCUIT: DIGITAL, TIL, LOW POWER EXCLUSIVE-OR GATES, MONOLITHIC SILICON [VALIDATION DATE: 8212] USER: 19 REVIEWER: 11 85 ES | A | 5962 | 17 | | 17-JUN-76 | | | 17 | |
| L | | MIL-M-38510/27(3) | MICROCIRCUIT, DIGITAL, TTL, LOW-POWER, MULTIPLE NOR GATES, MONOLITHIC SILICON [VALIDATION DATE: 8212] REVIEWER: 11 19 99 ES | A | 5962 | 17 | | 17-JUN-76 | | | 17 | |
| L | | MIL-M-38510/28B(2) | MICROCIRCUIT, DIGITAL TTL, LOW POWER SHIFT REGISTERS MONOLITHIC SILICON [VALIDATION DATE: 8212] REVIEWER: ES | A | 5962 | 17 | | 17-JUN-76 | | | 17 | |
| | | MIL-M-38510/29C | MICROCIRCUIT, DIGITAL, TTL, LOW POWER DECODERS, MONOLITHIC SILICON (INACTIVE) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 16-APR-84 | ER | EC | 17 | |
| | | MIL-M-38510/30A(1) | MICROCIRCUIT, DIGITAL, DTL NAND GATES, MONOLITHIC SILICON [VALIDATION DATE: 8212] USER: AS CG REVIEWER: 11 19 85 ES MI | A | 5962 | 17 | | 19-JUL-76 | ER | EC | 17 | |
| | | MIL-M-38510/31A NOTICE 1 | MICROCIRCUITS, DIGITAL, DTL, NAND BUFFER/EXTENDER, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AR AS CG MC SM REVIEWER: 11 19 85 99 ES MI SH | A | 5962 | 17 | | 30-NOV-88 | ER | EC | 17 | |
| I | | MIL-M-38510/32A NOTICE 1 | MICROCIRCUITS, DIGITAL, DTL, MONOSTABLE MULTIVIBRATOR, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 30-NOV-88 | ER | EC | 17 | |
| I | | MIL-M-38510/33A NOTICE 1 | MICROCIRCUITS, DIGITAL, DTL, FLIP FLOPS, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG REVIEWER: 11 85 99 ES MI | A | 5962 | 17 | | 30-NOV-88 | ER | EC | 17 | |
| I | | MIL-M-38510/35B NOTICE 1 | MICROCIRCUITS, DIGITAL, CLOCK DRIVERS, MONOLITHIC SILICON [VALIDATION DATE: 8907] USER: AS CG MC SM REVIEWER: 11 19 70 85 99 AR ES MI SH | A | 5962 | 17 | | 31-JUL-89 | ER | EC | . | |
| | | MIL-M-38510/40A | MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, & OR INVERT GATES, MONOLITHIC SILICON (INACTIVE) USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR ES MI SH | A | 5962 | 17 | | 13-APR-84 | ER | ^ | 17 | |
| I | | MIL-M-38510/41C NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, LOW-POWER, AND-OR-INVERT GATES, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 ES SH | A | 5962 | 17 | | 30-NOV-88 | ER | C | 17 | |
| | | MIL-M-38510/42C NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON [VALIDATION DATE: 8805] USER: AS CG MC SH | A | 5962 | 17 | | 12-MAY-88 | ER | EC | 17 | NA |
| I | | MIL-M-38510/43B NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER, PRIORITY ENCODERS, MONLITHIC SILICON [VALIDATION DATE: 8907] USER: AS CS MC SM REVIEWER: 11 19 85 99 AR ES ME SH | A | 5962 | 17 | | 31-JUL-89 | ER | EC | 17 | |
| I | | MIL-M-38510/44B NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER, COMPARATORS, MONOLITHIC SILICON [VALIDATION DATE: 8907] USER: 19 AS CG MC REVIEWER: 11 85 99 AR ES MI SH SM | A | 5962 | 17 | | 31-JUL-89 | ER | EC | 17 | |

| Action | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| | MIL-M-38510/458 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER, BISTABLE LATCHES, MONOLITHIC SILICON (INACTIVE FOR NEW DESIGN AFTER DATE OF THIS REVISION) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A 5962 17 05-APR-84 | ER | EC | 17 | MA |
| I | MIL-M-38510/468 NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER, DATA SELECTORS/MULTIPLEXERS, MONOLITHIC SILICON [VALIDATION DATE: 8907] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A 5962 17 31-JUL-89 | ER | EC | 17 | |
| | MIL-M-38510/50E(2) | MICROCIRCUITS, DIGITAL, CMOS, NAND GATES MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI | A 5962 MA 16-AUG-88 | ER | EC | 17 | |
| | MIL-M-38510/51E(2) | MICROCIRCUITS, DIGITAL, CMOS, FLIP-FLOPS & LATCHETS, MONOLITHIC SILICON USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI | A 5962 MA 31-AUG-88 | ER | EC | 17 | |
| | MIL-M-38510/52D(2) | MICROCIRCUITS, DIGITAL, CMOS, NOR GATES, MONLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI | A 5962 MA 30-SEP-88 | ER | EC | 17 | |
| | MIL-M-38510/53E(1) | MICROCIRCUITS, DIGITAL, CMOS, COMPLEMENTARY PAIR PLUS INVERTER, AND OR SELECT EXCLUSIVE OR GATES, EXPANDABLE 8-INPUT GATE, MONOLITHIC SILICON USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI | A 5962 MA 16-AUG-88 | ER | EC | 17 | |
| | MIL-M-38510/54D(2) | MICROCIRCUITS, DIGITAL, CMOS, POSITIVE LOGIC, FOUR-BIT FULL ADDER, MONOLITHIC SILICON USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI | A 5962 MA 30-SEP-88 | ER | EC | 17 | |
| | MIL-M-38510/55F(2) | MICROCIRCUIT, DIGITAL, CMOS, BUFFER/CONVERTER, TRUE/COMPLEMENT BUFFER, MONOLITHIC SILICON USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 AV ES MI | A 5962 MA 30-SEP-88 | ER | EC | 17 | |
| | MIL-M-38510/56F | MICROCIRCUITS, DIGITAL, CMOS, COUNTERS/DIVIDERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI | A 5962 MA 30-APR-84 | ER | EC | 17 | MA |
| | MIL-M-38510/57E(1) | MICROCIRCUITS, DIGITAL, POSITIVE LOGIC CMOS, STATIC SHIFT REGISTER, MONOLITHIC SILICON USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI | A 5962 MA 30-SEP-88 | ER | EC | 17 | |
| | MIL-M-38510/58C(3) | MICROCIRCUITS, DIGITAL, CMOS, SWITCHES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 MI | A 5962 MA 16-AUG-88 | ER | EC | 17 | |
| | MIL-M-38510/59C(2) | MICROCIRCUITS, DIGITAL, CMOS, DECODER, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SH REVIEWER: 11 19 85 99 ES MI SM | A 5962 MA 30-SEP-88 | ER | EC | 17 | |
| | MIL-M-38510/60A | MICROCIRCUIT, DIGITAL, ECL, MULTIPLE NOR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A 5962 17 05-AUG-85 | ER | EC | 17 | |
| | MIL-M-38510/61B | MICROCIRCUIT, DIGITAL, ECL, FLIP FLOPS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A 5962 17 15-JUL-85 | ER | EC | 17 | |
| | MIL-M-38510/62A | MICROCIRCUIT, DIGITAL, ECL, AND/NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A 5962 17 17-JUN-85 | ER | EC | 17 | |
| | MIL-M-38510/63A | MICROCIRCUIT, DIGITAL, ECL, QUAD TRANSLATOR, MONOLITHIC SILICON REVIEWER: 11 19 85 99 | A 5962 17 17-JUN-85 | ER | EC | 17 | |
| A | MIL-M-38510/708(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 19-NOV-92 | ER | EC | 17 | |
| A | MIL-M-38510/71C(5) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 19-NOV-92 | ER | EC | 17 | |
| A | MIL-M-38510/72B(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, NAND BUFFERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 23-NOV-92 | ER | EC | 17 | |
| A | MIL-M-38510/73A(3) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, MULTIPLE NOR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 19-NOV-92 | ER | EC | 17 | |
| A | MIL-M-38510/74B(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, AND-OR-INVERT GATES MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 19-NOV-92 | ER | EC | 17 | |
| A | MIL-M-38510/75B(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, EXCLUSIVE-OR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 19-NOV-92 | ER | EC | 17 | |
| | MIL-M-38510/76B | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, SHIFT REGISTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A 5962 17 09-JUL-85 | ER | EC | 17 | |
| A | MIL-M-38510/77A(5) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 01-DEC-92 | ER | EC | 17 | |
| A | MIL-M-38510/78A(4) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, ARITHMETIC LOGIC UNIT/FUNCTION GENERATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 23-NOV-92 | ER | EC | 17 | |
| A | MIL-M-38510/79C(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, DATA SELECTORS/MULTIPLEXERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 19-NOV-92 | ER | EC | 17 | |
| A | MIL-M-38510/80D(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 19-OCT-92 | ER | EC | 17 | |
| A | MIL-M-38510/81C(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, LINE DRIVERS MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 23-NOV-92 | ER | EC | 17 | |
| A | MIL-M-38510/82B(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, MAGNITUDE COMPARATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A 5962 17 01-DEC-92 | ER | EC | 17 | |
| | MIL-M-38510/101G(1) | MICROCIRCUITS, LINEAR, OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MD MI MA SH | A 5962 17 03-MAR-89 | ER | EC | 17 | |
| | MIL-M-38510/102B(1) | MICROCIRCUITS, LINEAR, VOLTAGE REGULATOR, MONOLITHIC SILICON USER: 19 REVIEWER: 11 99 AV ES MI | A 5962 17 27-JAN-89 | ER | EC | 17 | |
| L | MIL-M-38510/103D | MICROCIRCUITS, LINEAR, VOLTAGE COMPARATOR MONOLITHIC SILICON USER: AS CG OS SH SM REVIEWER: 11 19 85 99 AR ES MC MI | A 5962 17 24-JUN-88 | ER | EC | 17 | MA |
| | MIL-M-38510/104B(1) | MICROCIRCUIT, LINEAR, LINE DRIVERS AND RECEIVERS MONOLITHIC SILICON USER: AS CG DS MC SM REVIEWER: 11 19 85 99 AR ES MD MI OS SH | A 5962 17 20-JUN-88 | ER | EC | 17 | |
| | MIL-M-38510/105(3) | MICROCIRCUIT, LINEAR, CMOS, HIGH LEVEL ANALOG SWITCH WITH DRIVER, MONOLITHIC SILICON USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR ES MI SH | A 5962 17 17-OCT-85 | ER | EC | 17 | MA |
| | MIL-M-38510/106A(4) | MICROCIRCUITS, LINEAR, VOLTAGE FOLLOWER OPERATIONAL AMPLIFIERS MONOLITHIC SILICON [VALIDATION DATE: 8504] USER: 19 AR AS CG MC REVIEWER: 11 85 99 AV ES MI | A 5962 17 07-MAR-79 | ER | EC | 17 | |
| | MIL-M-38510/107C | MICROCIRCUITS, LINEAR, POSITIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A 5962 17 29-MAY-89 | ER | EC | 17 | |
| L | MIL-M-38510/108(2) | MICROCIRCUITS, LINEAR, TRANSISTOR ARRAYS, MONOLITHIC SILICON USER: 19 REVIEWER: 11 80 85 | A 5962 17 26-SEP-86 | | | 17 | |
| L | MIL-M-38510/109A(3) | MICROCIRCUIT, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR AV ES MI | A 5962 17 20-MAR-87 | ER | EC | 17 | MA |
| | MIL-M-38510/110B | MICROCIRCUITS, LINEAR, QUAD OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MD MI MA SH | A 5962 17 11-SEP-89 | ER | EC | 17 | |
| A | MIL-M-38510/111(7) | MICROCIRCUITS, ANALOG SWITCH WITH DRIVER, MONOLITHIC AND MULTI-CHIP SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH | A 5962 17 07-JUL-92 | ER | EC | 17 | |
| | MIL-M-38510/112A(2) | MICROCIRCUIT, LINEAR, VOLTAGE COMPARATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A 5962 17 23-MAR-87 | ER | EC | 17 | MA |
| | MIL-M-38510/113(6) | MICROCIRCUITS, LINEAR, 8 BIT, DIGITAL TO ANALOG CONVERTERS, MONOLITHIC SILICON USER: 19 AS CG MC REVIEWER: 11 85 99 AR MI MA SH | A 5962 17 22-AUG-84 | ER | EC | 17 | |
| | MIL-M-38510/114A(6) NOTICE 1 | MICROCIRCUITS, LINEAR, BI-FET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SH SM REVIEWER: 99 AR AV MI MS | A 5962 17 30-NOV-88 | ER | EC | 17 | |
| | MIL-M-38510/115A | MICROCIRCUITS, LINEAR, NEGATIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON USER: AR AS CG MC OS SH REVIEWER: 11 19 99 DS ES MI | A 5962 17 04-SEP-89 | ER | EC | 17 | |
| | MIL-M-38510/116(5) NOTICE 1 | MICROCIRCUITS, CMOS, ANALOG SWITCH WITH DRIVER, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI MA SH | A 5962 17 30-NOV-88 | ER | EC | 17 | |
| | MIL-M-38510/117A(3) | MICROCIRCUIT, LINEAR, ADJUSTABLE, POSITIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI MS SH | A 5962 17 17-JUL-87 | ER | EC | 17 | MA |
| | MIL-M-38510/118(4) | MICROCIRCUIT, LINEAR, ADJUSTABLE, NEGATIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI MS OS SH | A 5962 17 20-NOV-87 | ER | EC | 17 | MA |
| | MIL-M-38510/119A | MICROCIRCUIT, LINEAR, LOW POWER, LOW NOISE, BI-FET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A 5962 17 07-AUG-87 | ER | EC | 17 | MA |

| Action | Old / New Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | I | MIL-M-38510/120B | MICROCIRCUITS, LINEAR, HYBRID, 12 BIT ANALOG-TO-DIGITAL CONVERTERS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 18-APR-90 | ER | EC | 17 | |
| | | MIL-M-38510/121A(3) | MICROCIRCUIT, LINEAR MONLITHIC & MULTICHIP, SILICON 12 BIT DIGITAL TO ANALOG CONVERTERS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 12-DEC-86 | ER | EC | 17 | MA |
| | | MIL-M-38510/122A | MICROCIRCUITS, LINEAR, HIGH SLEW RATE OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON USER: 19 AS CG MC SH SM REVIEWER: 11 99 AR ES MI | A | 5962 | MA | | 15-SEP-89 | ER | EC | 17 | |
| | | MIL-M-38510/123A(2) | MICROCIRCUIT, LINEAR, CMOS NEGATIVE LOGIC, ANALOG SWITCH, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | MA | | 27-JUN-83 | ER | EC | 17 | MA |
| | | MIL-M-38510/124C | MICROCIRCUITS, LINEAR, PRECISION VOLTAGE REFERENCES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 20-NOV-89 | ER | EC | 17 | |
| | | MIL-M-38510/125(1) | MICROCIRCUIT, LINEAR, SAMPLE & HOLD CIRCUITS, MONOLITHIC SILICON ..... | A | 5962 | 17 | | 10-FEB-88 | ER | EC | 17 | |
| | | MIL-M-38510/126B | MICROCIRCUITS, LINEAR, REGULATING, PULSE-WIDTH MODULATOR, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 ES | A | 5962 | 17 | | 30-DEC-88 | ER | EC | 17 | |
| | | MIL-M-38510/127A(1) | MICROCIRCUITS, LINEAR, CMOS MULTIPLYING D/A CONVERTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 20-JUN-86 | ER | EC | 17 | |
| | | MIL-M-38510/128B(3) | MICROCIRCUITS, LINEAR, PROGRAMMABLE VOLTAGE REFERENCES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 04-AUG-87 | ER | EC | 17 | MA |
| | | MIL-M-38510/129A(2) | MICROCIRCUIT, MONOLITHIC SILICON INTERFACES DUAL PERIPHERAL DRIVERS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH TD | A | 5962 | 17 | | 20-NOV-86 | ER | EC | 17 | |
| | | MIL-M-38510/130B(2) | MICROCIRCUIT, MONOLITHIC SILICON, BIPOLAR, INTERFACE, MEMORY CORE DRIVERS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 22-DEC-87 | ER | EC | 17 | |
| | | MIL-M-38510/131(1) | MICROCIRCUIT, LINEAR, LOW NOISE OPERATIONAL AMPLIFIERS MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 14-AUG-84 | ER | EC | 17 | MA |
| | | MIL-M-38510/133A(1) | MICROCIRCUIT, LINEAR, 10 BIT DIGITAL TO ANALOG CONVERTER, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 25-MAR-87 | ER | EC | 17 | MA |
| | | MIL-M-38510/134(1) | MICROCIRCUITS, LINEAR, ANALOG-TO-DIGITAL CONVERTERS WITH 3-STATE BUFFERED 10 BIT OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 09-MAR-87 | ER | EC | 17 | MA |
| | | MIL-M-38510/135B | MICROCIRCUIT, LINEAR, LOW OFFSET OPERATIONAL AMPLIFIERS MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 10-JUL-85 | ER | EC | 17 | |
| A | I | MIL-M-38510/136A | MICROCIRCUITS, LINEAR, PRECISION VOLTAGE REFERENCES, HYBRID SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 05-MAR-92 | ER | EC | 17 | |
| | L | MIL-M-38510/137A | MICROCIRCUIT, LINEAR, VOLTAGE OUTPUT 12 BIT DIGITAL-TO-ANALOG CONVERTERS, HYBRID & MONOLITHIC SILICON USER: AS MC SM REVIEWER: 11 19 80 85 99 AR ES MI OS SH | A | 5962 | 17 | | 17-SEP-86 | ER | EC | 17 | |
| | | MIL-M-38510/138 | MICROCIRCUITS, LINEAR, VOLTAGE-TO-FREQUENCY CONVERTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | | 27-AUG-87 | ER | EC | 17 | |
| | | MIL-M-38510/139B(2) | MICROCIRCUITS, LINEAR, INTERNALLY TRIMMED ANALOG MULTIPLIER, HYBRID AND MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 80 85 99 AR ES MI SH | A | 5962 | 17 | | 16-MAY-88 | ER | EC | 17 | |
| | | MIL-M-38510/140 | MICROCIRCUITS, LINEAR, MONOLITHIC & HYBRID SILICON, MICROPROCESSOR COMPATIBLE, (2 BIT ANALOG-TO-DIGITAL CONVERTERS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI MA OS SH | A | 5962 | 17 | | 31-OCT-86 | ER | EC | 17 | |
| | | MIL-M-38510/141A | MICROCIRCUITS, DARLINGTON TRANSISTOR ARRAY, SEVEN GATE, MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 80 85 99 AR ES MI OS SH TD | A | 5962 | 17 | | 04-MAY-88 | ER | EC | 17 | MA |
| | | MIL-M-38510/142 | MICROCIRCUITS, LINEAR, HIGH SPEED TRACK AND HOLD AMPLIFIER, HYBRID, SILICON USER: AS CG SM REVIEWER: 11 19 85 99 ES MI OS SH TD | A | 5962 | 17 | | 17-AUG-88 | ER | EC | 17 | |
| | | MIL-M-38510/143 | MICROCIRCUITS, LINEAR, INSTRUMENTATION AMPLIFIERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 03-APR-87 | ER | EC | 17 | MA |
| | | MIL-M-38510/144 | MICROCIRCUITS, LINEAR, MICROPROCESSOR COMPATIBLE 8-BIT DIGITAL-TO-ANALOG CONVERTER, MONOLITHIC SILICON USER: 80 AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 22-JUL-87 | ER | EC | 17 | |
| | | MIL-M-38510/148A | MICROCIRCUITS, LINEAR, ADJUSTABLE, PRECISION VOLTAGE REFERENCE, SHUNT REGULATOR, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR AV ES MI OS SH | A | 5962 | 17 | | 05-SEP-89 | ER | EC | 17 | |
| | | MIL-M-38510/149 | MICROCIRCUITS, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 07-APR-89 | ER | EC | 17 | |
| A | | MIL-M-38510/150C(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, MAGNITUDE COMPARATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | | 01-DEC-92 | ER | EC | 17 | |
| | L | MIL-M-38510/151A(1) | MICROCIRCUITS, DIGITAL, TTL, SCHMITT-TRIGGER NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 20-OCT-87 | ER | EC | 17 | |
| | L | MIL-M-38510/152B | MICROCIRCUITS, DIGITAL, TTL, DATA DECODERS/DEMULTIPLEXERS, MONOLITHIC SILICON (INACTIVE FOR NEW DESIGN AFTER 21 JULY 86) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | | 21-JUL-86 | ER | EC | 17 | |
| | L | MIL-M-38510/153A | MICROCIRCUIT, DIGITAL, TTL, QUADRUPLE BUS BUFFER GATES WITH THREE STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 11-MAR-85 | ER | EC | 17 | |
| | I | MIL-M-38510/155B NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, AND GATES MONOLITHIC SILICON [VALIDATION DATE: 8907] USER: AS CG MC SM REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | | 31-JUL-89 | ER | EC | 17 | |
| | L | MIL-M-38510/156B | MICROCIRCUITS, DIGITAL, TLL, DATA ENCODERS, MONOLITHIC SILICON REVIEWER: 11 19 85 99 AR AS CG ES MI SH TD | A | 5962 | 17 | | 01-MAR-85 | ER | EC | 17 | |
| | I | MIL-M-38510/157A NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, MULTIPLE PORT REGISTERS, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 30-NOV-88 | ER | EC | 17 | |
| | | MIL-M-38510/158A | MICROCIRCUIT, DIGITAL, TTL, DECODERS, MONOLITHIC SILICON (INACTIVE) USER: AS CG MC SM REVIEWER: 11 19 70 85 99 AR ES MI SH | A | 5962 | 17 | | 23-APR-84 | ER | EC | 17 | |
| | | MIL-M-38510/159B | MICROCIRCUITS, DIGITAL, TTL, SHIFT REGISTERS, MONOLITHIC SILICON (INACTIVE FOR NEW DESIGN AFTER 21 JULY 86) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI MA SH | A | 5962 | 17 | | 21-JUL-86 | ER | EC | 17 | |
| | I | MIL-M-38510/160A NOTICE 1 | MICROCIRCUITS, DIGITAL, TTL, ADDRESSABLE LATCHES, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 30-NOV-88 | ER | EC | 17 | |
| A | L | MIL-M-38510/161(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, COMMON OR GATES, MONOLITHIC SILICON REVIEWER: 19 85 99 ES | A | 5962 | 17 | | 02-DEC-92 | | | 17 | |
| | | MIL-M-38510/162A | MICROCIRCUIT, DIGITAL, SCHOTTKY, CLOCK GENERATOR & DRIVER, MONOLITHIC SILICON (INACTIVE) [VALIDATION DATE: 8312] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | | 09-AUG-83 | ER | EC | 17 | |
| A | | MIL-M-38510/163A(3) | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, HEX BUS DRIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | | 03-DEC-92 | ER | EC | 17 | |
| | | MIL-M-38510/170B(1) | MICROCIRCUITS, DIGITAL, CMOS, AND GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | MA | | 04-OCT-88 | ER | EC | 17 | |
| | | MIL-M-38510/171B(1) | MICROCIRCUITS, DIGITAL, CMOS, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | MA | | 04-OCT-88 | ER | EC | 17 | |
| | | MIL-M-38510/172B(1) | MICROCIRCUITS, DIGITAL, CMOS, AND-OR-INVERT, EXCLUSIVE-OR, EXCLUSIVE-NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | MA | | 31-AUG-88 | ER | EC | 17 | |
| | | MIL-M-38510/173B | MICROCIRCUIT, DIGITAL, CMOS, DECODERS, ENCODER, AND DEENCODERS/DEMULTIPLEXERS MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | MA | | 30-APR-84 | ER | EC | 17 | MA |
| | | MIL-M-38510/174A(3) | MICROCIRCUITS, DIGITAL, CMOS, INVERTER, NAND BUFFER DRIVER, STROBED HEX INVERTER/BUFFER, VOLTAGE LEVEL SHIFTER MONOLITHIC, SILICON, POSITIVE LOGIC USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | MA | | 04-OCT-88 | ER | EC | 17 | |
| | | MIL-M-38510/175B(3) | MICROCIRCUITS, DIGITAL, CMOS, POSITIVE LOGIC, FLIP-FLOPS AND MONOSTABLE MULTIVIBRATOR, MONOLITHIC SILICON USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | MA | | 04-OCT-88 | ER | EC | 17 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-M-38510/176A(1) | MICROCIRCUITS, DIGITAL, CMOS, LATCHES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR CG MC SH SM REVIEWER: 11 19 85 99 AS ES MI | A | 5962 | NA | 04 | OCT-88 | ER | EC | 17 | |
| | MIL-M-38510/177B | MICROCIRCUIT, DIGITAL, CMOS, SCHMITT TRIGGERS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | NA | 30 | APR-84 | ER | EC | 17 | NA |
| | MIL-M-38510/178A | MICROCIRCUIT, DIGITAL, CMOS MULTIPLEXERS DEMULTIPLEXERS MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | NA | 30 | APR-84 | ER | EC | 17 | NA |
| | MIL-M-38510/190C | MICROCIRCUITS, LINEAR, CMOS/ANALOG MULTIPLEXERS/DEMULTIPLEXERS WITH OVERVOLTAGE PROTECTION, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | NA | 22 | OCT-86 | ER | EC | 17 | |
| | MIL-M-38510/201C | MICROCIRCUIT, DIGITAL, 512 BIT, BIPOLAR, PROGRAMMABLE READ ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AS MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 24 | MAR-86 | ER | EC | 17 | |
| | MIL-M-38510/202B | MICROCIRCUIT, DIGITAL, 1024 BIT BIPOLAR PROGRAMMABLE READ ONLY MEMORY (P-ROM), MONOLITHIC SILICON (INACTIVE) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 25 | MAY-84 | ER | EC | 17 | NA |
| | MIL-M-38510/203C | MICROCIRCUITS, DIGITAL1024 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AR AS CG MC SH SM REVIEWER: 11 19 80 85 99 ES MI | A | 5962 | 17 | 27 | NOV-85 | ER | EC | 17 | |
| | MIL-M-38510/204D | MICROCIRCUIT, DIGITAL, 2048 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ ONLY MEMORY (PROM) MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH TD | A | 5962 | 17 | 06 | FEB-86 | ER | EC | 17 | |
| | MIL-M-38510/206C | MICROCIRCUIT, DIGITAL, 4096 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | 17 | 10 | SEP-86 | ER | EC | 17 | |
| | MIL-M-38510/207B(1) | MICROCIRCUITS, DIGITAL, 256 BIT, SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | 28 | OCT-88 | ER | EC | 17 | |
| | MIL-M-38510/208C NOTICE 1 | MICROCIRCUITS, DIGITAL, 4096-BIT SCHOTTKY BIPOLAR PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON (VALIDATION DATE: 8906) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 01 | JUN-89 | ER | EC | 17 | |
| | MIL-M-38510/209D(1) | MICROCIRCUITS, DIGITAL, 8192-BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 11 | OCT-88 | ER | EC | 17 | |
| | MIL-M-38510/210D | MICROCIRCUIT, DIGITAL, 16,384 BIT SCHOTTKY BIPOLAR PROGRAMMABLE READY ONLY MEMORY (PROM) MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 ES MI SH | A | 5962 | 17 | 16 | MAY-86 | ER | EC | 17 | |
| | MIL-M-38510/211 | MICROCIRCUITS, DIGITAL, 32,768 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON REVIEWER: 11 19 AR MI OS SH TD | A | 5962 | 17 | 01 | APR-87 | ER | EC | 17 | |
| | MIL-M-38510/212 | MICROCIRCUITS, DIGITAL, 65,536 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 12 | NOV-87 | ER | EC | 17 | |
| L | MIL-M-38510/219A | MICROCIRCUITS, DIGITAL, 4096 BIT, CMOS, ULTRAVIOLET ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EPROM), MONOLITHIC SILICON (VALIDATION DATE: 8904) REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 14 | APR-89 | | | 17 | |
| L | MIL-M-38510/220A NOTICE 1 | MICROCIRCUITS, DIGITAL, 8192 BIT, MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON (VALIDATION DATE: 8904) REVIEWER: 11 19 85 99 ES MI | A | 5962 | 17 | 14 | APR-89 | | | 17 | |
| L | MIL-M-38510/221A NOTICE 1 | MICROCIRCUITS, DIGITAL, 16,384 BIT, MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM), MONOLITHIC SILICON (VALIDATION DATE: 8904) REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 14 | APR-89 | | | 17 | |
| L | MIL-M-38510/222A NOTICE 1 | MICROCIRCUIT, DIGITAL, 32,768 BIT MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON (VALIDATION DATE: 8904) REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 14 | APR-89 | | | 17 | |
| | MIL-M-38510/224 | MICROCIRCUIT, DIGITAL, 262,144 BIT, MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 09 | JUN-86 | ER | EC | 17 | |
| | MIL-M-38510/226A | MICROCIRCUITS, DIGITAL, NMOS 16,384 BIT, ELECTRICALLY ERASABLE PROGRAMMABLE READ ONLY MEMORY (EEPROM) MONOLITHIC SILICON | A | 5962 | 17 | 15 | MAY-86 | ER | EC | 17 | |
| | MIL-M-38510/227 | MICROCIRCUITS, DIGITAL, NMOS, 16,384 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLYMEMORY (EEPROM), MONOLITHIC SILICON USER: AS CG MC SM | A | 5962 | 17 | 27 | MAR-87 | ER | EC | 17 | |
| | MIL-M-38510/228 | MICROCIRCUITS, DIGITAL, NMOS 8K X 8 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM) MONOLITHIC SILICON USER: AS CG MC SH REVIEWER: 11 19 85 99 AR MI OS | A | 5962 | 17 | 22 | SEP-87 | ER | EC | 17 | |
| L | MIL-M-38510/230A | MICROCIRCUIT, DIGITAL, BIPOLAR 256 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES NA | A | 5962 | 17 | 04 | SEP-84 | | | 17 | |
| | MIL-M-38510/231B(3) | MICROCIRCUIT, DIGITAL, SCHOTTKY TTL, 1024 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | 17 | 27 | JUL-87 | ER | EC | 17 | |
| L | MIL-M-38510/232 NOTICE 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, 576 BIT RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON (VALIDATION DATE: 8811) REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 30 | NOV-88 | | | 17 | |
| L | MIL-M-38510/233A | MICROCIRCUIT, DIGITAL, TTL, 4096 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI NA OS SH TD | A | 5962 | 17 | 20 | OCT-87 | ER | EC | 17 | |
| | MIL-M-38510/235C | MICROCIRCUIT, DIGITAL, MOS, 4096 BIT RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON (INACTIVE) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 25 | MAY-84 | ER | EC | 17 | NA |
| | MIL-M-38510/236A | MICROCIRCUITS, DIGITAL, MOS, 4096 BIT RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES NA | A | 5962 | 17 | 04 | SEP-84 | ER | EC | 17 | |
| | MIL-M-38510/237B | MICROCIRCUIT, DIGITAL, MOS, 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON (INACTIVE) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 25 | MAY-84 | | | 17 | |
| | MIL-M-38510/238A(2) | MICROCIRCUIT, DIGITAL, MOS, 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON USER: 19 AS CG MC SH SM REVIEWER: 11 85 99 AR ES MI | A | 5962 | 17 | 06 | MAR-84 | ER | EC | 17 | |
| L | MIL-M-38510/239B | MICROCIRCUITS, DIGITAL, CMOS 1024 BIT RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI NA OS SH | A | 5962 | 17 | 04 | SEP-84 | ER | EC | 17 | |
| | MIL-M-38510/240A | MICROCIRCUITS, MEMORY, DIGITAL, NMOS, 16,384 BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLYTHIC SILICON REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 11 | MAY-89 | ER | EC | 17 | |
| L | MIL-M-38510/244B(2) | MICRCIRCUITS, DIGITAL, NMOS, 65,536 BIT, DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 12 | AUG-85 | | | 17 | |
| A | MIL-M-38510/245A(2) | MICROCIRCUITS MEMORY, DIGITAL, CMOS, 4096 BIT, STATIC RANDOM ACCESS MEMORY (SRAM), BULK SILICON AND SILICON ON SAPPHIRE USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 24 | FEB-93 | ER | EC | 17 | |
| | MIL-M-38510/246(1) | MICROCIRCUITS, DIGITAL, NMOS, 246,144-BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 25 | JUN-87 | ER | EC | 17 | NA |
| | MIL-M-38510/249A | MICROCIRCUITS, MEMORY, DIGITAL, CMOS, 1,048,576/1-BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR MI OS SH TD | A | 5962 | 17 | 13 | FEB-90 | ER | EC | 17 | |
| | MIL-M-38510/250 | MICROCIRCUITS, DIGITAL, CMOS, 512 X 9 BIT, FIRST IN - FIRST OUT DUAL PORT MEMORY (FIFO), MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 30 | OCT-86 | ER | EC | 17 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-M-38510/260 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS 8K X 8 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM) MONOLITHIC SILICON USER: AS CG REVIEWER: 11 19 85 99 AR MI OS SH TD | A | 5962 | 17 | 06-JAN-89 | ER | EC | 17 | |
| | MIL-M-38510/261 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS 32K X 8-BIT, ELECTRICALLY ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 27-MAR-89 | ER | EC | 17 | |
| | MIL-M-38510/265 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS 524,288 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 12-JUL-90 | ER | EC | 17 | |
| | MIL-M-38510/274 | MICROCIRCUIT, MEMORY, DIGITAL, 65,536 BIT, CMOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (UVEPROM) MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 13-DEC-88 | ER | EC | 17 | |
| | MIL-M-38510/275 | MICROCIRCUITS, MEMORY, DIGITAL, 65,536 BIT, CMOS, ULTRAVIOLET ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (UVEPROM), MONOLITHIC SILICON | A | 5962 | 17 | 13-DEC-88 | ER | EC | 17 | |
| | MIL-M-38510/276 | MICROCIRCUIT, MEMORY, DIGITAL, 262,144 BIT, CMOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (UVEPROM) MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | 12-DEC-88 | ER | EC | 17 | |
| | MIL-M-38510/289(2) | MICROCIRCUITS, DIGITAL, CMOS 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 09-MAY-91 | ER | EC | 17 | |
| | MIL-M-38510/291A | MICROCIRCUITS, DIGITAL, CMOS 16,384-BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON USER: AS CG ES MC SM REVIEWER: 11 19 85 99 AR MI | A | 5962 | 17 | 12-SEP-88 | ER | EC | 17 | |
| | MIL-M-38510/292 | MICROCIRCUITS, DIGITAL, CMOS, 65,536-BIT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 30-SEP-87 | ER | EC | 17 | |
| A | MIL-M-38510/293A(1) | MICROCIRCUITS, MEMORY, DIGITAL, CMOS, 262,144-BIT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 09-SEP-92 | ER | EC | 17 | |
| A | MIL-M-38510/300D(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY, TTL, NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 08-SEP-92 | ER | EC | 17 | |
| | MIL-M-38510/301D | MICROCIRCUIT; DIGITAL, LOW POWER SCHOTTKY TTL, FLIP FLOP MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 08-APR-88 | ER | EC | 17 | |
| | MIL-M-38510/302C(2) | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, LOW POWER BUFFERS MONOLITHIC SILICON REVIEWER: 11 19 85 99 AV ES | A | 5962 | 17 | 16-OCT-85 | ER | | 17 | |
| A | MIL-M-38510/303C(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 21-AUG-92 | ER | EC | 17 | |
| | MIL-M-38510/304B(2) | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, AND OR INVERT GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | 23-OCT-85 | ER | EC | 17 | |
| | MIL-M-38510/305B(2) | MICROCIRCUITS, DIGITALBIPOLAR, LOW POWER SCHMOTTKY TTL, OR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH TD | A | 5962 | 17 | 30-NOV-87 | ER | EC | 17 | |
| A | MIL-M-38510/306D(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, SHIFT REGISTERS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 04-DEC-92 | ER | EC | 17 | |
| | MIL-M-38510/307C | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 05-NOV-87 | ER | EC | 17 | |
| | MIL-M-38510/308A(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, ARITHMETIC LOGIC UNITS/FUNCTION GENERATORS, MONOLITHIC SILICON USER: AS CG MC REVIEWER: 11 19 85 99 AR ES MI MA SH | A | 5962 | 17 | 13-SEP-85 | ER | EC | 17 | |
| A | MIL-M-38510/309D(4) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, DATA SELECTOR/MULTIPLEXER WITH THREE-STATE OUTPUTS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 06-MAR-92 | ER | EC | 17 | |
| A | MIL-M-38510/310C(1) | MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 09-DEC-92 | ER | EC | 17 | |
| | MIL-M-38510/311B(3) | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, MAGNITUDE COMPARATORS MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 08-DEC-87 | ER | EC | 17 | |
| | MIL-M-38510/312B(1) | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, 4 BIT BINARY FULL ADDERS WITH FAST CARRY MONOLITHIC SILICON USER: AS CG ES MC SM REVIEWER: 11 19 85 99 AR MI SH | A | 5962 | 17 | 10-JUN-85 | ER | EC | 17 | |
| | MIL-M-38510/313A(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, SCHMITT-TRIGGER POSITIVE-NAND GATES AND INVERTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 08-DEC-87 | ER | EC | 17 | |
| | MIL-M-38510/314B(1) | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY, TTL, MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 01-MAR-85 | ER | EC | 17 | |
| A | MIL-M-38510/315C(3) | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, COUNTERS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 21-AUG-92 | ER | EC | 17 | |
| | MIL-M-38510/316D | MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, LATCHES, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 10-DEC-87 | ER | EC | 17 | |
| L | MIL-M-38510/318A(1) | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, BINARY MULTIPLIER, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 10-JUN-85 | | | 17 | |
| | MIL-M-38510/319B(2) | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, 4 BY 4 REGISTER FILE, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 11-AUG-86 | ER | EC | 17 | |
| | MIL-M-38510/320C(1) | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, COUNTERS, MONLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 08-MAR-88 | ER | EC | 17 | |
| | MIL-M-38510/321B NOTICE 1 | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, BUFFERS/DRIVERS, OPEN COLLECTOR OUTPUT, HIGH VOLTAGE, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 30-NOV-88 | ER | EC | 17 | |
| A | MIL-M-38510/322B(5) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, HEX BUS DRIVERS WITH 3-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 05-JUN-92 | ER | EC | 17 | |
| A | MIL-M-38510/323C(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, QUADRUPLE BUS BUFFER GATES WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 24-FEB-92 | ER | EC | 17 | |
| A | MIL-M-38510/324C(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY, TTL, OCTAL BUFFER GATES WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 09-DEC-92 | ER | EC | 17 | |
| A | MIL-M-38510/325C(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 31-JUL-92 | ER | EC | 17 | |
| | MIL-M-38510/326B(2) | MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, DEMULTIPLEXERS, MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI SH TD | A | 5962 | 17 | 31-MAY-85 | ER | EC | 17 | |
| | MIL-M-38510/327A(4) | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY, TTL, COUNTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 31-JAN-92 | ER | EC | 17 | |
| | MIL-M-38510/328B(4) | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 29-SEP-87 | ER | EC | 17 | |
| | MIL-M-38510/329A(1) | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, PARITY CHECKER, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR MI SH | A | 5962 | 17 | 11-MAY-87 | ER | EC | 17 | |
| | MIL-M-38510/330B(2) | MICROCIRCUIT, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 27-OCT-87 | ER | EC | 17 | |
| L | MIL-M-38510/331A(1) | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 22-JUL-86 | ER | EC | 17 | |
| A | MIL-M-38510/332B(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, OCTAL BUFFERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 15-OCT-92 | ER | EC | 17 | |
| A | MIL-M-38510/333B(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 29-OCT-92 | ER | EC | 17 | |

| Action | Obsl. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-M-38510/334B(4) | MICROCIRCUIT, DIGITAL,BIPOLAR ADVANCED SCHOTTKY TTL, AND-OR-INVERTGATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 AR ES MI SH | A | 5962 17 | 10-SEP-87 | ER | EC | 17 | |
| | | MIL-M-38510/335B(1) | MICROCIRCUIT, DIGITAL, ADVANCED SCHOTTKY TTL, QUADRUPLE, 2 INPUT OR GATES, MONOLITHIC SILICON USER: SM REVIEWER: 11 19 85 99 AR ES MI SH TD | A | 5962 17 | 08-DEC-87 | ER | EC | 17 | |
| | | MIL-M-38510/336A(3) | MICROCIRCUIT, DIGITAL, ADVANCED SCHOTTKY TTL, SHIFT REGISTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 17 | 27-OCT-87 | ER | EC | 17 | |
| | | MIL-M-38510/337A(2) | MICROCIRCUIT, DIGITAL, ADVANCED SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON USER: CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 30-NOV-87 | ER | EC | 17 | |
| A | | MIL-M-38510/338A(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, ARITHMETIC LOGIC UNITS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 26-OCT-92 | ER | EC | 17 | |
| A | | MIL-M-38510/339C(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, DATA SELECTORS/MULTIPLEXERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 07-JUL-92 | ER | EC | 17 | |
| A | | MIL-M-38510/340C(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 16-OCT-92 | ER | EC | 17 | |
| A | | MIL-M-38510/341E(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 26-OCT-92 | ER | EC | 17 | |
| L | | MIL-M-38510/342(2) | MICROCIRCUITS, DIGITAL, ADVANCED SCHOTTKY TTL, 4-BIT BINARY FULL ADDERS WITH FAST CARRY, MONOLITHIC SILICON USER: SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 17 | 10-SEP-87 | | | 17 | |
| A | | MIL-M-38510/343A(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, BINARY COUNTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 07-OCT-92 | ER | EC | 17 | |
| A | | MIL-M-38510/344(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, DECADE COUNTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 16-NOV-92 | ER | EC | 17 | |
| | | MIL-M-38510/345B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, EXCLUSIVE OR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 ES MI MR SH | A | 5962 17 | 16-DEC-87 | ER | EC | 17 | |
| A | | MIL-M-38510/346B(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, TRANSPARENT AND OCTAL D TYPE LATCHES, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 06-NOV-92 | ER | EC | 17 | |
| | | MIL-M-38510/347(2) | MICROCIRCUITS, DIGITAL, ADVANCED SCHOTTKY TTL, 8-BIT IDENTITY COMPARATOR MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 17 | 06-NOV-87 | ER | EC | 17 | |
| | | MIL-M-38510/348B | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 17 | 10-NOV-88 | ER | EC | 17 | |
| | | MIL-M-38510/349A(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, PARITY CHECKER, MONOLITHIC SILICON USER: CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 22-OCT-87 | ER | EC | 17 | |
| | | MIL-M-38510/350 | MICROCIRCUITS, DIGITAL, ADVANCED SCHOTTY TTL, QUAD 2-PORT REGISTERS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 17 | 24-JUN-85 | ER | EC | 17 | |
| | | MIL-M-38510/351 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, HEX BUS DRIVERS WITH 3-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 28-OCT-87 | ER | EC | 17 | |
| | | MIL-M-38510/352 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, NAND BUFFERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 17 | 07-AUG-87 | ER | EC | 17 | NA |
| | | MIL-M-38510/360A(2) | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY, TTL, PRIORITY ENCODERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 17 | 10-JUN-85 | ER | EC | 17 | |
| L | | MIL-M-38510/361A | MICROCIRCUTS, DIGITAL, LOW POWER SCHOTTKY ITL, REGISTERS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 17 | 10-JUN-85 | ER | EC | 17 | |
| A L | | MIL-M-38510/370(3) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON REVIEWER: 19 85 99 ES | A | 5962 17 | 15-JUN-92 | | | 17 | |
| A | | MIL-M-38510/371A(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 18-JUN-92 | ER | EC | 17 | |
| A | | MIL-M-38510/372A(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 24-MAR-92 | ER | EC | 17 | |
| A | | MIL-M-38510/373(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 24-MAR-92 | ER | EC | 17 | |
| A L | | MIL-M-38510/374(2) | MICROCIRCUITS, DIGITAL, ADVANCED LOW POWER SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON REVIEWER: 19 85 99 ES | A | 5962 17 | 17-JUN-92 | | | 17 | |
| A L | | MIL-M-38510/375(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, OR GATES, MONOLITHIC SILICON REVIEWER: 19 85 99 ES | A | 5962 17 | 20-JUL-92 | | | 17 | |
| L | | MIL-M-38510/376(2) | MICRDCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, SHIFT REGISTERS, CASCADABLE, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES | A | 5962 17 | 21-APR-87 | | | 17 | |
| A L | | MIL-M-38510/377(2) | MICROCIRCUITS, DIGITAL, ADVANCED LOW-POWER SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON REVIEWER: 19 85 99 ES | A | 5962 17 | 18-JUN-92 | | | 17 | |
| | | MIL-M-38510/379A | MICROCIRCUITS, DIGITAL, ADVANCED LOW POWER SCHOTTKY TTL, UNIVERSAL MULTIPLEXER WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 01-MAY-85 | ER | EC | 17 | |
| A | | MIL-M-38510/380A(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, BINARY COUNTERS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 25-MAR-92 | ER | EC | 17 | |
| L | | MIL-M-38510/381(2) | MICROCIRCUITS, DIGITALBIPOLAR, ADVANCED LOW-POWER SCHOTTKY, TTL, CASCADABLE, DECADE COUNTERS, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES | A | 5962 17 | 25-JAN-88 | | | 17 | |
| A | | MIL-M-38510/382A(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, D-TYPE LATCHES, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 13-JUL-92 | ER | EC | 17 | |
| A | | MIL-M-38510/383A(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY, TTL, OCTAL BUFFER GATES WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 28-JUL-92 | ER | EC | 17 | |
| A L | | MIL-M-38510/384(1) | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED LOW POWER SCHOTTKY TTL, AND, OR, NAND, AND NOR GATES, MONOLITHIC SILICON REVIEWER: 19 85 99 ES | A | 5962 17 | 15-JUN-92 | | | 17 | |
| A | | MIL-M-38510/385A(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 17 | 29-OCT-92 | ER | EC | 17 | |
| I | | MIL-M-38510/400A NOTICE 1 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON-GATE MONOLITHIC 8 BIT MICROPROCESSOR (FIXED INSTRUCTION) [VALIDATION DATE: 8811] REVIEWER: 11 19 85 99 ES | A | 5962 17 | 30-NOV-88 | ER | EC | 17 | |
| I | | MIL-M-38510/401A NOTICE 1 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON-GATE, MONOLITHIC PERIPHERAL INTERFACE ADAPTER [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 17 | 30-NOV-88 | ER | EC | 17 | |
| I | | MIL-M-38510/402A NOTICE 1 | MICROCIRCUITS, DIGITAL, MOS, 1024-BIT STATIC RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR ES MI SH | A | 5962 17 | 30-NOV-88 | ER | EC | 17 | |
| I | | MIL-M-38510/403A NOTICE 1 | MICROCIRCUITS, DIGITAL, NMOS, 2048-WORD X 8-BIT STATIC READ ONLY MEMORY (ROM), MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 17 | 30-NOV-88 | ER | EC | 17 | |
| | | MIL-M-38510/420A(2) | MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 8 BIT MICROPROCESSOR (FIXED INSTRUCTION USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 17 | 08-NOV-85 | ER | EC | 17 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| I | MIL-M-38510/421A NOTICE 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY TLL, INPUT/OUTPUT PORT WITH THREE-STATE OUTPUT, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 30 | NOV-88 | ER | EC | 17 | |
| | MIL-M-38510/422A NOTICE 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, CLOCK GENERATOR AND DRIVER, MONOLITHIC SILICON [VALIDATION DATE: 8811] REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 30 | NOV-88 | ER | EC | 17 | |
| I | MIL-M-38510/423A NOTICE 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, SYSTEM CONTROLLER AND BUS DRIVER, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR MI SH | A | 5962 | 17 | 30 | NOV-88 | ER | EC | 17 | |
| | MIL-M-38510/440C | MICROCIRCUIT, DIGITAL, FOUR BIT MICROPROCESSOR SLICE MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 17 | JUL-86 | ER | EC | 17 | MA |
| | MIL-M-38510/441A NOTICE 1 | MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, BUS TRANSCEIVER, MONLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 30 | NOV-88 | ER | EC | 17 | |
| I | MIL-M-38510/442A NOTICE 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY, TTL, D-TYPE REGISTER, WITH THREE-STATE OUTPUT, MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 30 | NOV-88 | ER | EC | 17 | |
| L | MIL-M-38510/460A | MICROCIRCUIT, DIGITAL, INTEGRATED INJECTION LOGIC (I2L), PARALLEL 16 BIT MICROPROCESSOR, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES MI | A | 5962 | 17 | 29 | JUN-84 | | | 17 | |
| L | MIL-M-38510/465A | MICROCIRCUIT, DIGITAL, INTEGRATED INJECTION LOGIC (I2L), PARALLEL 16- BIT MICROPROCESSOR, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 08 | AUG-86 | ER | EC | 17 | |
| L | MIL-M-38510/470A | MICROCIRCUITS, DIGITAL, CMOS MONOLITHIC 8-BIT MICROPROCESSOR (FIXED INSTRUCTION) (INACTIVE) | A | 5962 | NA | 30 | SEP-83 | | | | NA |
| | MIL-M-38510/471A | MICROCIRCUITS, DIGITAL, CMOS/SOS 1024 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON (INACTIVE) USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 ES MI | A | 5962 | NA | 30 | SEP-83 | ER | EC | 17 | |
| L | MIL-M-38510/472A | MICROCIRCUIT, DIGITAL,CMOS, 512 WORD X 8-BIT STATIC READ ONLY MEMORY (ROM) MONOLITHIC SILICON (INACTIVE) | A | 5962 | NA | 09 | AUG-83 | | | | NA |
| L | MIL-M-38510/473A | MICROCIRCUITS, DIGITAL, CMOS, MONOLITHIC 8-BIT INPUT/OUTPUT PORT (INACTIVE) REVIEWER: ES | A | 5962 | NA | 30 | SEP-83 | | | | NA |
| L | MIL-M-38510/474A | MICROCIRCUIT, DIGITAL, CMOS, MONOLITHIC N-BIT ONE OF EIGHT DECODER (INACTIVE) REVIEWER: ES | A | 5962 | NA | 30 | SEP-83 | | | | NA |
| L | MIL-M-38510/476A | MICROCIRCUIT, DIGITAL, CMOS 4-BIT BUS BUFFER/SEPARATOR, MONOLITHIC SILICON REVIEWER: ES | A | 5962 | NA | 09 | AUG-83 | | | | NA |
| | MIL-M-38510/4808(2) | MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 8 BIT MICROPROCESSOR USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 06 | OCT-85 | ER | EC | 17 | |
| L | MIL-M-38510/481A | MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC DUAL SERIAL INPUT/OUTPUT CONTROLLER (INACTIVE) USER: 11 19 85 99 ES | A | 5962 | 17 | 18 | JUN-84 | | | 17 | |
| L | MIL-M-38510/482A | MICROCUIT DIGITAL N CHANNEL, SILICON GATE MONOLITHIC DIRECT MEMORY ACCESS CONTROLLER REVIEWER: 11 19 85 99 | A | 5962 | 17 | 18 | JUN-84 | | | 17 | |
| L | MIL-M-38510/483A | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC COUNTER/TIMER UNIT (INACTIVE FOR NEW DESIGN AFTER DATE OF THIS REVISION) REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 15 | JUN-84 | | | 17 | |
| L | MIL-M-38510/484A | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE, MONOLITHIC, PARALLEL INPUT/OUTPUT CONTROLLER (INACTIVE FOR NEW DESIGN AFTER DATE OFTHIS REVISION) REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 29 | JUN-84 | | | 17 | |
| | MIL-M-38510/485 | MICROCIRCUITS, DIGITAL, CMOS, SILICON GATE, MONOLITHIC, 8-BIT MICROPROCESSOR USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 30 | MAR-89 | ER | EC | 17 | |
| | MIL-M-38510/486 | MICROCIRCUITS, DIGITAL, CMOS, SERIAL COMMUNICATIONS CONTROLLER, MONOLITHIC SILICON USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 99 AR ES MI NA SH | A | 5962 | 17 | 16 | AUG-89 | ER | EC | 17 | |
| L | MIL-M-38510/490A | MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE, MONOLITHIC, 8-BIT MICROCOMPUTER (INACTIVE) REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 11 | SEP-86 | | | 17 | |
| L | MIL-M-38510/500B | MICROCIRCUIT, DIGITAL TTL, MULTIPLIER ACCUMULATORS/MULTIPLIERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 04 | AUG-86 | ER | EC | 17 | MA |
| L | MIL-M-38510/502 NOTICE 1 | MICROCIRCUITS, DIGITAL, BIPOLAR FIELD PROGRAMMABLE LOGIC ARRAY (FPLA) 16 X 48 X 8, MONOLITHIC SILICON [VALIDATION DATE: 8811] REVIEWER: 11 19 85 99 ES MI | A | 5962 | 17 | 30 | NOV-88 | | | 17 | |
| L | MIL-M-38510/503B | MICROCIRCUITS, DIGITAL, BIPOLAR, PROGRAMMABLE LOGIC, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 24 | MAY-85 | | | 17 | |
| L | MIL-M-38510/504A(2) | MICROCIRCUIT, DIGITAL BIPOLAR PROGRAMMABLE LOGIC, MONOLILTHIC SILICON REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 11 | SEP-86 | | | 17 | |
| M | MIL-M-38510/505A | MICROCIRCUITS, DIGITAL, BIPOLAR PROGRAMMABLE LOGIC, MONOLITHIC SILICON REVIEWER: 19 85 99 ES | A | 5962 | 17 | 10 | MAR-93 | ER | EC | 17 | |
| | MIL-M-38510/506(1) | MICROCIRCUITS, DIGITAL, BIPOLAR, PROGRAMMABLE LOGIC, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 31 | MAR-87 | ER | EC | 17 | |
| | MIL-M-38510/507A | MICROCIRCUITS, MEMORY, DIGITAL, CMOS ULTRAVIOLET ERASABLE PROGRAMMABLE ARRAY LOGIC, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 26 | MAR-92 | ER | EC | 17 | |
| A | MIL-M-38510/508(1) | MICROCIRCUITS, MEMORY, DIGITAL, CMOS ONE-TIME PROGRAMMABLE ARRAY LOGIC, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 20 | FEB-92 | ER | EC | 17 | |
| | MIL-M-38510/5208(2) | MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16 BIT MICROPROCESSOR USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | 17 | 23 | AUG-85 | ER | EC | 17 | |
| L | MIL-M-38510/530(4) | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16 BIT MICROPROCESSOR, (FIXED INSTRUCTION) REVIEWER: 11 19 85 99 ES | A | 5962 | 17 | 25 | MAR-85 | | | 17 | |
| | MIL-M-38510/540B | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16-BIT MICROPROCESSOR USER: AS CG MC SM REVIEWER: 11 19 85 99 AR MI OS SH | A | 5962 | 17 | 20 | APR-89 | ER | EC | 17 | |
| | MIL-M-38510/552 | MICROCIRCUITS, DIGITAL, CMOS, TIMING CONTROL UNIT, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH TD | A | 5962 | 17 | 20 | JAN-89 | ER | EC | 17 | |
| | MIL-M-38510/555A | MICROCIRCUITS, DIGITAL, CMOS, REMOTE TERMINAL INTERFACE MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 20 | MAR-91 | ER | EC | 17 | |
| | MIL-M-38510/600(2) | MICROCIRCUITS, DIGITAL, BIPOLAR, SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON USER: CG SM REVIEWER: 11 19 85 99 AR AS ES MI OS SH TD | A | 5962 | 17 | 09 | NOV-89 | ER | EC | 17 | |
| | MIL-M-38510/605B | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 29 | JAN-92 | ER | EC | 17 | |
| | MIL-M-38510/606B | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 29 | JAN-92 | ER | EC | 17 | |
| | MIL-M-38510/607A | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 29 | JAN-92 | ER | EC | 17 | |
| | MIL-M-38510/608A | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | 20 | SEP-91 | ER | EC | 17 | |
| | MIL-M-38510/610A | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 65,536-BIT SELECTABLE MODE, STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON (CONTROLLED DISTRIBUTION) USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | B | 5962 | ER | 13 | MAY-88 | ER | EC | 17 | |
| | MIL-M-38510/613 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 65,536-BIT SELECTABLE MODE, STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | 17 | 12 | MAY-88 | ER | EC | 17 | |
| | MIL-M-38510/615 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 4096-BIT, 4-PORT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON (CONTROLLED DISTRIBUTION) USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | B | 5962 | ER | 24 | NOV-87 | ER | EC | 17 | |
| | MIL-M-38510/616 | MICROCIRCUITS, DIGITAL, BIPOLAR, VHSIC, ADDRESS GENERATOR, MONOLITHIC SILICON (CONTROLLED DISTRIBUTION) USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | B | 5962 | ER | 24 | NOV-87 | ER | EC | 17 | |
| | MIL-M-38510/620 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, SIGNAL PROCESSING ELEMENT, MONOLITHIC SILICON (CONTROLLED DISTRIBUTION) USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | B | 5962 | ER | 21 | DEC-87 | ER | EC | 17 | |

| Action | CIR / CML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-M-38510/630 | MICROCIRCUITS, DIGITAL, CMOS, FFT PROCESSOR MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | ER | 11-DEC-87 | ER | EC | 17 | |
| | | | MIL-M-38510/650A | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, NAND GATES MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 22-MAY-87 | | EC | 17 | MA |
| | | | MIL-M-38510/651A | MICROCIRCUIT, DIGITAL, HIGH SPEED, CMOS, NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 15-MAY-87 | ER | EC | 17 | MA |
| | | | MIL-M-38510/652A | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, AND GATES, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OC SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 15-MAY-87 | ER | EC | 17 | |
| | | | MIL-M-38510/653A | MICROCIRCUIT, DIGITAL, HIGH SPEED, CMOS FLIP-FLOPS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 31-MAR-86 | ER | EC | 17 | MA |
| | | | MIL-M-38510/654 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS LATCHES, MONOLITHIC SILICON USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 19-DEC-86 | ER | EC | 17 | MA |
| | | | MIL-M-38510/655(1) | MICROCIRCUITS DIGITAL, HIGH SPEED, CMOS BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC OC SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 29-JAN-88 | ER | EC | 17 | |
| A | | | MIL-M-38510/656(2) | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, FLIP-FLOPS MONOLITHIC SILICON USER: AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 31-MAR-92 | ER | EC | 17 | |
| A | | | MIL-M-38510/657(1) | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, BUFFER GATES, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 21-DEC-92 | ER | EC | 17 | |
| | | | MIL-M-38510/658 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, DECODERS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 19-DEC-86 | ER | EC | 17 | |
| | | | MIL-M-38510/662 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS DATA SELECTORS/MULTIPLEXE ..... | A | 5962 | 17 | | 31-MAR-88 | ER | EC | 17 | MA |
| | | | MIL-M-38510/663 | MIRCOCIRCUITS, DIGITAL, HIGH SPEED, CMOS, COUNTERS, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 30-SEP-87 | ER | EC | 17 | |
| | | | MIL-M-38510/665 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, SHIFT REGISTER, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 31-AUG-88 | ER | EC | 17 | |
| | | | MIL-M-38510/702 | MICROCIRCUITS, LINEAR, REGULATING PULSE-WIDTH, MODULATORS, MONOLITHIC SILICON USER: 19 AS CG MC REVIEWER: 11 99 AV ES MI OS SH | A | 5962 | 17 | | 29-SEP-89 | ER | EC | 17 | |
| | | | MIL-M-38510/706A | MICROCIRCUITS, LINEAR, BIPOLAR, SEMICUSTOM (CELL ARRAY) DEVICES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD | A | 5962 | 17 | | 29-OCT-91 | ER | EC | 17 | |
| A | | | MIL-M-38510/750A(1) | MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, NAND GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 29-DEC-92 | ER | EC | 17 | |
| A | | | MIL-M-38510/751A(1) | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, NOR GATES, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 29-DEC-92 | ER | EC | 17 | |
| A | | | MIL-M-38510/752A(1) | MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, AND GATES, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 29-DEC-92 | ER | EC | 17 | |
| A | | | MIL-M-38510/753(1) | MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, FLIP-FLOPS, POSITIVE LOGIC, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 15-APR-92 | ER | EC | 17 | |
| A | | | MIL-M-38510/754A(1) | MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, LATCHES, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 29-DEC-92 | ER | EC | 17 | |
| A | | | MIL-M-38510/755A(1) | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, TRANSCEIVERS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 29-DEC-92 | ER | EC | 17 | |
| A | | | MIL-M-38510/756(1) | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, FLIP-FLOPS, MONOLITHIC SILICON USER: AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 15-APR-92 | ER | EC | 17 | |
| A | | | MIL-M-38510/757A(1) | MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, BUFFER GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 29-DEC-92 | ER | EC | 17 | |
| | | | MIL-M-38510/758 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, DECODER/DEMULTIPLEXER, MONOLITHIC SILICON, POSITIVE LOGIC USER: SM REVIEWER: 11 19 85 99 AR ES MI | A | 5962 | 17 | | 28-DEC-89 | ER | EC | 17 | |
| | | | MIL-M-38510/762 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, MULTIPLEXERS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OC SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 28-AUG-90 | ER | EC | 17 | |
| | | | MIL-M-38510/763(1) | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, COUNTERS, MONOLITHIC SILICON USER: AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 15-JAN-92 | ER | EC | 17 | |
| | | | MIL-M-38510/765 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, SHIFT REGISTERS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OC SH REVIEWER: 19 85 99 AR ES MI | A | 5962 | 17 | | 25-FEB-91 | ER | EC | 17 | |
| | L | | MIL-R-38522B(2) | RADOME CW-860/GPS( ) REVIEWER: 85 ES ..... | A | 5985 | 80 | | 11-SEP-84 | | | 99 | |
| A | | | MIL-M-38527D SUPPL 1D1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, GENERAL SPECIFICATION FOR USER: AS CG MC SH REVIEWER: 19 99 ES | A | 5999 | 85 | | 06-NOV-92 | ER | EC | 85 | |
| | | | MIL-M-38527/1B(1) | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .100 DIAMETER PIN CENTER USER: CG MC REVIEWER: 11 19 99 AS ES SH | A | 5999 | 85 | | 17-OCT-91 | ER | EC | 85 | |
| | | | MIL-M-38527/2B(2) | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .200 OR .230 DIAMETER PIN CENTER USER: AS CG MC SH REVIEWER: 19 99 ES | A | 5999 | 85 | | 01-JUN-92 | ER | EC | 85 | |
| | | | MIL-M-38527/3B(2) | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .100 DIAMETER PIN CENTER TO A LARGER DIAMETER USER: AS CG MC SH REVIEWER: 11 19 99 ES | A | 5999 | 85 | | 03-JUL-91 | ER | EC | 85 | |
| | | | MIL-M-38527/4B(2) | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 OR .230 DIAMETER PIN CENTER TO A LARGER DIAMETER USER: AS CG MC SH REVIEWER: 19 99 ES | A | 5999 | 85 | | 27-JAN-92 | ER | EC | 85 | |
| | | | MIL-M-38527/5D(1) | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 OR .230 DIAMETER PIN CENTER TO A GRID PATTERN USER: AS CG MC SH REVIEWER: 11 17 19 99 ES | A | 5999 | 85 | | 13-NOV-91 | ER | EC | 85 | |
| | | | MIL-M-38527/6D | MOUNTING PAD, ELECTRICAL-ELECTRONIC COMPONENT, RELAY AND DISCRETE COMPONENT USER: AS CG MC SH REVIEWER: 19 99 | A | 5999 | 85 | | 27-JAN-92 | ER | EC | 85 | |
| | | | MIL-M-38527/7A(1) NOTICE 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, MULTIPLE APPLICATIONS (VALIDATION DATE: 9112) USER: AS CG MC SH REVIEWER: 11 19 99 ES | A | 5999 | 85 | | 27-DEC-91 | ER | EC | 85 | |
| A | I | | MIL-M-38527/8B NOTICE 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .002, .005, AND .010 INCH THICK USER: AS CG MC SH REVIEWER: 11 19 99 ES | A | 5999 | 85 | | 25-SEP-92 | ER | EC | 85 | |
| A | I | | MIL-M-38527/9A NOTICE 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, HARDWARE FOR MOUNTING USER: AS CG MC SH REVIEWER: 11 19 99 ES | A | 5999 | 85 | | 29-SEP-92 | ER | EC | 85 | |
| | | | MIL-M-38527/10B | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 DIAMETER PIN CENTER USER: AS CG MC SH REVIEWER: 11 19 99 ES | A | 5999 | 85 | | 19-MAY-89 | ER | EC | 85 | |
| | | | MIL-M-38527/11 NOTICE 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, VERTICLE TYPE (VALIDATION DATE: 9112) USER: AS CG MC SH REVIEWER: 11 19 99 ES | A | 5999 | 85 | | 27-DEC-91 | ER | EC | 85 | |
| | L | | MIL-T-38531(3) NOTICE 1 | TRANSDUCER, MOTIONAL PICKUP TR-299/G( ) (VALIDATION DATE: 8812) ..... | A | 6350 | 82 | | 12-DEC-88 | | | 99 | |
| | | | MIL-S-38533A | SOCKET, CHIP CARRIER, GENERAL SPECIFICATION FOR USER: 19 AS AT MC ME REVIEWER: 11 85 99 AR ES MI SH | A | 5935 | 17 | | 14-JAN-85 | CR | EC | 17 | |
| | | | MIL-S-38533/1A | SOCKETS, CHIP CARRIER, CERAMIC, FOR USE WITH CHIP CARRIER, JEDEC, .050 CENTER, LEADLESS TYPES A, B, AND D USER: 19 AS AT AV MC ME REVIEWER: 11 85 99 AR ES MI SH | A | 5935 | 17 | | 14-JAN-85 | CR | EC | 17 | |
| AQ | | | MIL-H-385348 | HYBRID MICROCIRCUITS, GENERAL SPECIFICATION FOR USER: AS CG OS SH SM REVIEWER: 19 85 99 AR ES MC MI | A | 5962 | 17 | | 26-AUG-92 | ER | EC | 17 | |
| AQ | | | MIL-I-38535A(1) | INTEGRATED CIRCUITS (MICROCIRCUITS) MANUFACTURING, GENERAL SPECIFICATION FOR USER: 13 AS CG OS SH SM REVIEWER: 19 85 99 AR ES MC MI TD | A | 5962 | 17 | | 24-AUG-92 | ER | EC | 17 | |
| | L | | MIL-C-38612A | CONTAINER, SHIPPING AND STORAGE, CMU-77/E23 (VALIDATION DATE: 8006) REVIEWER: 18 SM | A | 1040 | EA | | 06-FEB-67 | EA | | | |
| | L | | MIL-P-38633C NOTICE 1 | PRIMER, STAB, FOR WDU-4/A WARHEAD (VALIDATION DATE: 8604) ..... | A | 1390 | 70 | | 04-APR-86 | | | 99 | |
| | L | | MIL-D-38636A(2) | DISPENSER, BOMB AND ROCKET, SUU-20B/A, TRAINING TYPE AND GUN ASSEMBLY, BOMB EJECTOR, SUU-20B/A | A | 1095 | 84 | | 09-DEC-86 | | | 99 | |
| | L | | MIL-T-38646B | TRUCK, LIFT, AERIAL STORES, 7000 POUND CAPACITY MHU-83A/E REVIEWER: 99 .... | A | 1730 | 18 | | 05-FEB-76 | | | 18 | |
| | L | | MIL-T-38676(1) NOTICE 1 | TRAILER, MUNITION'S HANDLING MHU-110/M (VALIDATION DATE: 8909) ..... | A | 1740 | 82 | | 05-SEP-89 | | | 99 | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-S-38714B | PACKAGING AND PACKING OF TWO COMPONENT MATERIALS IN SEMKITS | A | 8030 | 84 | | 14-MAY-87 | | 99 | | |
| L | MIL-I-38715A(1) | INDICATOR, COMBUSTIBLE GAS AND TOXIC GAS | A | 6665 | 82 | | 20-APR-71 | | 99 | | |
| L | MIL-B-38721B | BOXES, CONSOLIDATION, FIBERBOARD AND POLYOLEFIN (NO S/S DOCUMENT) USER: GL REVIEWER: 11 43 99 EA SM | A | 8115 | 69 | | 27-APR-89 | | 69 | | |
| | MIL-S-38725A | SCRUBBING MACHINE, PAVEMENT SELF-PROPELLED, RIDER OPERATED [VALIDATION DATE: 7302] USER: CE REVIEWER: ME | A | 3825 | 84 | | 03-FEB-67 | AT | 99 | | |
| L | MIL-S-00387258 | SCRUBBING MACHINE, SELF-PROPELLED HEAVY DUTY, CYLINDRICAL BRUSH OPPOSED DIRECTION TYPE | A | 3825 | 84 | | 14-JAN-89 | | 99 | | |
| Q | MIL-A-38726(3) | ADAPTER ASSEMBLY, REUSABLE, FLEXIBLE HOSE, LOW PRESSURE REVIEWER: CS | A | 4730 | 82 | | 21-SEP-83 | ME | AS | 99 | |
| L | MIL-C-38736B | COMPOUND, SOLVENT, FOR USE IN INTEGRAL FUEL TANKS REVIEWER: 99 GS | A | 6850 | 68 | | 23-FEB-84 | | 68 | | |
| L | MIL-B-38741(2) | BROMOCHLORODIFLUOROMETHANE, TECHNICAL REVIEWER: GS | A | 6830 | 68 | | 09-APR-84 | | 68 | | |
| | MIL-C-38747A | COVERING, FLOOR, MILITARY AIRCRAFT, GENERAL SPECIFICATION FOR | A | 1680 | 82 | | 21-JUN-87 | AR | AS | 99 | |
| | MIL-M-38748A(1) | MICROFICHE, FOR ENGINEERING/TECHNICAL DATA, REPORTS, STUDIES AND RELATED DATA, REQUIREMENTS FOR [VALIDATION DATE: 8201] USER: GL MC REVIEWER: AR AT AV EC MI OS SS | A | EDRS | 16 | | 20-MAY-77 | ER | AS | 16 | DH |
| | MIL-T-38760 | TENSIOMETER DIAL INDICATING USER: EL GL REVIEWER: GS MI | A | 6635 | 82 | | 01-APR-66 | | AS | 99 | |
| | MIL-M-38761A | MICROFILMING AND PHOTOGRAPHING OF ENGINEERING/TECHNICAL DATA AND RELATED DOCUMENTS, PCAM CARD PREPARATION, ENGINEERING DATA MICRO-REPRODUCTION SYSTEM, GENERAL REQUIREMENTS FOR, PREPARATION OF [VALIDATION DATE: 8207] USER: MC REVIEWER: 44 AG AR AT AV EC MI OS SA | A | EDRS | 16 | | 26-AUG-77 | ER | AS | 16 | DH |
| L | MIL-M-38761/1A | MICROFILM AND TABULATING CARDS USED FOR RECORDING ENGINEERING DRAWINGS AND ASSOCIATED DATA REVIEWER: AC | A | EDRS | AS | | 01-MAY-82 | | AS | | |
| L | MIL-M-38761/2A | MICROFILM APERTURE, TABULATING CARDS ANS SHIPS DRAWING INDEXES FOR NAVAL SEA SYSTEMS COMMAND SHIPS, SYSTEMS, AND EQUIPMENT, PREPARATION OF | A | EDRS | SH | | 23-JUL-90 | | SH | | |
| L | MIL-F-38762(1) | FLUORESCENT PENETRANT INSPECTION UNITS USER: GL REVIEWER: GS | A | 6635 | 82 | | 10-JUN-68 | | 99 | | |
| L | MIL-T-38767A NOTICE 1 | TRACTOR, WHEELED, WAREHOUSE, ELECTRIC MOTOR DRIVEN, WALKING TYPE, 700 POUNDS DRAWBAR PULL [VALIDATION DATE: 8804] REVIEWER: CS | A | 3930 | 84 | | 27-APR-88 | | 99 | | |
| | MIL-M-38769C | MANUALS, TECHNICAL WORK CODE USER: 11 13 80 82 84 | A | TMSS | 16 | | 22-OCT-82 | | | | |
| L | MIL-L-38779(1) | LAVATORY AND ACCESSORIES, AIRCRAFT REVIEWER: CS | A | 4510 | 84 | | 25-JAN-82 | | 99 | | |
| L | MIL-M-38781E | MANUAL, CHECKLISTS AND SOURCE DATA, STORAGE AND MAINTENANCE PROCEDURES (FOR NONNUCLEAR AND CHEMICAL MUNITIONS/BIOLOGICAL RESEARCH AGENTS) REVIEWER: 01 10 11 19 99 | A | TMSS | 16 | | 21-AUG-84 | | 16 | | |
| D | MIL-M-38784C(3) | MANUALS, TECHNICAL: GENERAL STYLE AND FORMAT REQUIREMENTS REVIEWER: 01 10 99 AR AS AT AV CE CR CS EC ER GS IS MC ME MI SA SC SH TD YD1 | A | TMSS | 16 | | 09-DEC-92 | TM | OS | 16 | |
| | MIL-P-38790B | PRINTING PRODUCTION OF TECHNICAL MANUALS: GENERAL REQUIREMENTS FOR USER: 11 13 CG IP REVIEWER: 01 10 99 AS AT AV CE CS CT EC ER GS MC MI OS | A | TMSS | 16 | | 12-OCT-90 | TM | SA | 16 | DH |
| A | MIL-M-38793A | MANUALS, TECHNICAL: CALIBRATION PROCEDURES PREPARATION OF | A | TMSS | 16 | | 04-MAR-93 | TM | OS | 16 | |
| L | MIL-M-38793/1A | MANUAL, TECHNICAL, CALIBRATION PROCEDURES, SUBMISSION OF [VALIDATION DATE: 8404] | A | TMSS | SH | | 17-DEC-71 | | SH | | |
| L | MIL-S-38794B NOTICE 1 | SOURCE DATA: PREPARATION OF (FOR NON-NUCLEAR MUNITIONS DISPOSAL PROCEDURES MANUALS, LOADING PROCEDURES, MANUALS, AND POSITIONING AND TIEDOWN MANUALS) [VALIDATION DATE: 8909] REVIEWER: 01 10 | A | 13GP | 70 | | 22-SEP-89 | | 99 | | |
| L | MIL-T-38804B | TIME COMPLIANCE TECHNICAL ORDERS, PREPARATION OF REVIEWER: 01 10 99 | A | TMSS | 16 | | 10-MAY-91 | | 16 | | |
| A L | MIL-M-38807B(1) | MANUALS, TECHNICAL: ILLUSTRATED PARTS BREAKDOWN, PREPARATION OF REVIEWER: 10 11 13 15 68 79 99 | A | TMSS | 16 | | 28-MAR-92 | | 16 | | |
| L | MIL-M-38811A | MANUALS, TECHNICAL: METHODS AND PROCEDURES TECHNICAL MANUALS, PREPARATION OF | A | TMSS | 16 | | 10-APR-91 | | 16 | | |
| OL | MIL-R-38953C(1) | RACK, BOMB EJECTOR, AIRCRAFT MAU&12B/A [VALIDATION DATE: 8403] | A | 1095 | 84 | | 08-OCT-76 | | 99 | | |
| OL | MIL-R-38956C(2) | RACK, BOMB EJECTOR, AIRCRAFT MAU-50/A [VALIDATION DATE: 8403] | A | 1095 | 84 | | 19-OCT-76 | | 99 | | |
| OL | MIL-R-38957C(2) | RACK, BOMB EJECTOR, AIRCRAFT MAU-40/A [VALIDATION DATE: 8403] | A | 1095 | 84 | | 19-OCT-76 | | 99 | | |
| A LI | MIL-T-38964 NOTICE 2 | TEST SET, WEAPON ELECTRICAL WIRING SYSTEMS AN/AWM-13A REVIEWER: 15 | A | MUOR | 79 | | 26-MAR-93 | | 79 | | |
| L | MIL-C-38965(1) | CONTROL-MONITOR DCU-116/A REVIEWER: 15 | A | 1190 | 79 | | 01-APR-90 | | 79 | | |
| L | MIL-C-38972 | CARTRIDGE, BOMB EJECTION CCU-9/B | A | 1377 | 18 | | 01-JUN-70 | | 18 | | |
| L | MIL-C-38973 | CARTRIDGE, BOMB EJECTION CCU-10/B | A | 1377 | 18 | | 26-JUN-70 | | 18 | | |
| A LI | MIL-S-38975(5) NOTICE 2 | SIMULATOR, SELECTOR, BOMB-ROCKET DISPENSER SMU-75/A REVIEWER: 15 | A | 1190 | 79 | | 31-MAR-93 | | 79 | | |
| L | MIL-B-38977(3) | BOMB, PRACTICE BDU-38/B REVIEWER: 15 | A | 1105 | 79 | | 31-AUG-91 | | 79 | | |
| L | MIL-C-38979A NOTICE 1 | CARTRIDGE, BOMB EJECTION CCU-1/B [VALIDATION DATE: 8602] | A | 1377 | 70 | | 21-FEB-86 | | 99 | | |
| L | MIL-R-38980A | RACK, BOMB EJECTOR, AIRCRAFT BRU-4/A | A | 1095 | 18 | | 25-MAR-70 | | 18 | | |
| A LI | MIL-S-38981(3) NOTICE 2 | SIMULATOR, SWITCH BOX, BOMB AND ROCKET DISPENSER SMU-64/A REVIEWER: 15 | A | 1190 | 79 | | 31-MAR-93 | | 79 | | |
| A LI | MIL-T-38982(1) NOTICE 2 | TEST SET, SIMULATOR TTU-291/E REVIEWER: 15 | A | 1190 | 79 | | 31-MAR-93 | | 79 | | |
| A | MIL-C-38983A | CARTRIDGE, IMPULSE, CCU-11/B | A | 1377 | OS | | 23-JUN-92 | | OS | 99 | |
| Q | MIL-C-38999J SUPPL 1D1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | | 06-APR-90 | CR | AS | 85 | |
| | MIL-C-38999/9 NOTICE 1 | CONNECTOR ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED & BREECH COUPLING), ENVR. RESISTANT REMOVABLE CRIMP & HERMETIC SOLDER CONTACTS RECEPTACLE DUMMY STOWAGE, BAYONET COUPLING [VALIDATION DATE: 8612] REVIEWER: 11 15 17 99 EC ES MC MI OS | A | 5935 | 85 | | 30-DEC-86 | CR | AS | 85 | |
| | MIL-C-38999/10 NOTICE 1 | CONNECTOR, RECEPTACLE, DUMMY STOWAGE, BAYONET COUPLING, (MIL-C-27599, SERIES 11 & MIL-C-38999, SERIES 11) [VALIDATION DATE: 8612] REVIEWER: 11 15 17 99 EC ES MC MI OS | A | 5935 | 85 | | 30-DEC-86 | CR | AS | 85 | |
| | MIL-C-38999/20D | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, WALL MOUNTING FLANGE REMOVABLE CRIMP CONTACTS, SERIES III, METRIC REVIEWER: 11 15 99 AR EC ES MC MI OS | A | 5935 | 85 | | 07-MAY-90 | CR | AS | 85 | |
| | DOD-C-38999/21A | CONNECTORS, ELEC, CIR,MIN, HIGH DENSITY QUICK DISCONNECT (BAYONET, THREAD, & BREECH COUP) ENVIRONMENT RESISTANT, REMOVABLE CRIMP & HERMETIC SOLDER CONTACTS, RECEPTACLE, BOX MOUNT FLANGE HERMETIC, TRIPLE START THREAD COUP, HERMETIC SOLDER CONTACTS SER REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | | 15-JUN-84 | CR | AS | 85 | |
| | MIL-C-38999/22C | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, DUMMY STOWAGE, (MIL-C-38999, SERIES III), METRIC REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | | 07-MAY-90 | CR | AS | 85 | |
| | DOD-C-38999/23A NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, JAM-NUT MOUNTING, HERMETIC, TRIPLE START THREADED COUPLING, HERMETIC SOLDER CONTACTS, SERIES III, METRIC [VALIDATION DATE: 8901] REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | | 13-JAN-89 | CR | AS | 85 | |
| | MIL-C-38999/24D | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, JAM-NUT MOUNTING, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC REVIEWER: 11 15 99 AR EC ES MC MI OS | A | 5935 | 85 | | 07-MAY-90 | CR | AS | 85 | |
| | DOD-C-38999/25 NOTICE 1 | CONNECTOR, ELEC CIR MIN HIGH DENSITY QUICK DISCONNECT BAYONET THREAD & BREECH COUP, RECEPTACLE SOLDER MOUNT HERMETIC TRI START THREAD COUP SOLDER CONTACTS, SERIES III, METRIC [VALIDATION DATE: 8612] REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | | 30-DEC-86 | CR | AS | 85 | |
| | MIL-C-38999/26D | CONNECTORS, ELECTRICAL, PLUG, CIRCULAR, STRAIGHT, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC REVIEWER: 11 15 99 AR EC ES MC MI OS | A | 5935 | 85 | | 07-MAY-90 | CR | AS | 85 | |
| | DOD-C-38999/27A | CONNECTORS, ELEC, CIR, MIN, HIGH DENSITY, QUICK DISCONNECT (BAYONET), THREAD, AND BREECH COUP, ENVIRONMENT RESISTANT, REMOVABLE CRIMP & HERMETIC SOLDER CONTACTS, RECEPTACLE, WELD MOUNT, HERMETIC, TRIPLE START THREAD COUP, HERMETIC SOLDER CONTACTS SER REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | | 15-JUN-84 | CR | AS | 85 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-38999/28E | CONNECTORS, ELECTRICAL, CIRCULAR, NUT, HEXAGON, CONNECTOR MOUNTING, SERIES III AND IV, METRIC REVIEWER: 11 15 99 AR EC ES MC MI SH | A | 5935 | 85 | 28-JUN-90 | CR | AS | 85 | |
| | | DOD-C-38999/29A | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT, ETC. PINS, SERIES III, METRIC REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 15-AUG-85 | CR | AS | 85 | |
| | | DOD-C-38999/30A NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, LANYARD RELEASE, FAIL-SAFE, TRIPLE START THREADED COUPLING, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | DOD-C-38999/31A | CONNECTORS, ELECTRICAL, CIRCULAR, PLUG, LANYARD RELEASE, FAIL-SAFE, REMOVABLE CRIMP CONTACTS, PINS, SERIES III, SHELL SIZE 25, METRIC FOR MIL-STD-1760 APPLICATIONS USER: 80 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 13-NOV-87 | CR | AS | 85 | |
| | | MIL-C-38999/31B | CONNECTORS, ELECTRICAL, CIRCULAR, PLUG, LANYARD RELEASE, FAIL-SAFE REMOVABLE CRIMP CONTACTS, PINS, SERIES III, SHELL SIZE 25, METRIC USER: 80 REVIEWER: 11 15 99 EC ES MC MI OS | A | 5935 | 85 | 10-JUN-92 | CR | AS | 85 | |
| | | MIL-C-38999/32B | CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, PLUG (MIL-C-38999 SERIES III), METRIC REVIEWER: 11 15 17 99 EC ES MC MI OS | A | 5935 | 85 | 07-MAY-90 | CR | AS | 85 | |
| | | MIL-C-38999/33B | CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, RECEPTACLE, (MIL-C-38999 SERIES III), METRIC REVIEWER: 11 15 17 99 EC ES MC MI OS | A | 5935 | 85 | 07-MAY-90 | CR | AS | 85 | |
| L | | MIL-C-38999/34 | CONNECTOR, RECEPTACLE, ELECTRICAL, CIRCULAR, BREAKAWAY, JAMNUT MOUNTING, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, SHELL SIZE 25, METRIC REVIEWER: 11 15 99 | A | 5935 | 85 | 21-APR-89 | | | 85 | |
| L | | MIL-C-38999/35 | CONNECTOR, RECEPTACLE, ELECTRICAL, CIRCULAR, BREAKAWAY, WALL MOUNTING FLANGE, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, SHELL SIZE 25, METRIC REVIEWER: 11 15 99 | A | 5935 | 85 | 21-APR-89 | | | 85 | |
| | | DOD-C-38999/40(3) NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, WALL MOUNTING FLANGE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 AR EC ES MC MI | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | DOD-C-38999/41 NOTICE 2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, BOX MOUNTING FLANGE, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 AR EC ES MI MS OS | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | DOD-C-38999/42(1) NOTICE 2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, BOX MOUNTING FLANGE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | DOD-C-38999/43 NOTICE 2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, JAM NUT MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | DOD-C-38999/44A | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVT REST, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTABLE, JAM-NUT MOUNTING, BREECH COUPLING,REMOVABLE CRIMP CONTACTS, SERI REVIEWER: 11 15 17 99 AR EC ES MC OS | A | 5935 | AS | 16-OCT-86 | CR | AS | 85 | |
| | | DOD-C-38999/45 NOTICE 2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, SOLDER MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 AR EC ES MI MS OS | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | DOD-C-38999/46(2) NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, BREECH COUPLING, EMI GROUNDING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 AR EC ES MC MI | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | DOD-C-38999/47 NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | DOD-C-38999/48(2) NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE WELD MOUNTING HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS SERIES IV, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | DOD-C-38999/49(1) NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, IN LINE CABLE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 AR EC ES MI MS OS | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | DOD-C-38999/50A NOTICE 1 | CONNECTORS, ELECTRICAL, RECEPTACLE, DUMMY STOWAGE, BREECH COUPLING (MIL-C-38999, SERIES IV) METRIC [VALIDATION DATE: 9110] REVIEWER: 11 15 17 99 EC ES MC MI OS | A | 5935 | AS | 16-OCT-91 | CR | AS | 85 | |
| | | MIL-F-39000A | FLANGES, WAVEGUIDE, RIDGE GENERAL SPECIFICATION FOR [VALIDATION DATE: 8404] USER: 19 AR AS AV MC OS REVIEWER: 11 ES SH | A | 5985 | EC | 21-OCT-77 | ER | EC | 85 | |
| | | MIL-F-39000/1B | FLANGES, WAVEGUIDE, SINGLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1) [VALIDATION DATE: 8404] USER: 14 19 AR AS AV CG MC REVIEWER: 11 99 ES OS | A | 5985 | EC | 21-OCT-77 | ER | EC | 85 | |
| | | MIL-F-39000/2B | FLANGES, WAVEGUIDE, SINGLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 3.6 TO 1) [VALIDATION DATE: 8404] USER: 14 19 AR AS AV CG MC OS REVIEWER: 11 99 ES | A | 5985 | EC | 21-OCT-77 | ER | EC | 85 | |
| | | MIL-F-39000/3B(1) | FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1) USER: 19 AR AS AV CG MC OS REVIEWER: 11 99 ES | A | 5985 | EC | 18-JUL-80 | ER | EC | 85 | |
| | | MIL-F-39000/4B | FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 3.6 TO 1) [VALIDATION DATE: 8404] | A | 5985 | EC | 21-OCT-77 | ER | EC | 85 | |
| Q | | MIL-C-39001B | CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 REVIEWER: 17 99 ES | A | 5910 | ER | 02-APR-92 | ER | EC | 11 | |
| | | MIL-C-39001/5B(3) NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY STYLES CMR03, CMR05, CMR06, CMR07 AND CMR08 [VALIDATION DATE: 9110] USER: MC REVIEWER: 17 19 AV ES MI | A | 5910 | ER | 23-OCT-91 | ER | EC | 85 | |
| | | MIL-C-39001/6(3) | CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CMR16 USER: 19 MC REVIEWER: 99 ES | A | 5910 | ER | 30-APR-91 | ER | EC | 85 | |
| Q | | MIL-R-39002(4) SUPPL 1A1, NOTICE 1 | RESISTORS, VARIABLE, WIREWOUND, SEMI-PRECISION, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8906] USER: 19 AT CG MC ME REVIEWER: AR AS AV ES MI OS | A | 5905 | ER | 16-JUN-89 | ER | EC | 85 | |
| | | MIL-R-39002/1D(1) NOTICE 1 | RESISTOR, VARIABLE, WIRE-WOUND, SEMI-PRECISION, STYLE RKO9 [VALIDATION DATE: 9111] USER: 19 AT AV CG MC ME REVIEWER: 17 99 MI | A | 5905 | ER | 11-NOV-91 | ER | EC | 85 | |

| Action | QPL / QML Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-R-39002/3 NOTICE 2 | RESISTOR, VARIABLE, WIRE-WOUND SEMI-PRECISION, STYLE RK11 (VALIDATION DATE: 9208) USER: AR REVIEWER: ES | A | 5905 | | ER | 27-AUG-92 | ER | | | |
| MQ | | MIL-C-39003H(1) SUPPL 1A1 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS MC REVIEWER: 17 99 ES OS SH | A | 5910 | | EC | 07-MAY-93 | ER | EC | 85 | |
| | | MIL-C-39003/16 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR13 USER: 19 AS MC REVIEWER: 17 99 ES OS SH | A | 5910 | | EC | 31-JAN-92 | ER | EC | 85 | |
| M | I | MIL-C-39003/2E | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR09 USER: 19 AS MC OS REVIEWER: 17 85 99 ES SH | A | 5910 | | EC | 10-JUN-93 | ER | EC | 11 | |
| M | I | MIL-C-39003/3D(2) | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR23 USER: 19 AS MC REVIEWER: 17 99 ES OS SH | A | 5910 | | EC | 10-JUN-93 | ER | EC | 85 | |
| | | MIL-C-39003/4C(3) | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR91 USER: 11 19 AS MC OS REVIEWER: 17 99 ES SH | A | 5910 | | 85 | 03-APR-87 | ER | EC | 85 | |
| M | I | MIL-C-39003/6B(3) | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR33 USER: 19 AS MC REVIEWER: 17 99 ES OS SH | A | 5910 | | EC | 10-JUN-93 | ER | EC | 85 | |
| M | I | MIL-C-39003/9C(2) | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), HIGH FREQUENCY, ESTABLISHED RELIABILITY, STYLE CSR21 USER: 19 AS MC REVIEWER: 17 99 ES OS SH | A | 5910 | | EC | 10-JUN-93 | ER | EC | 85 | |
| | | MIL-C-39003/10(4) | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLES CSS13 AND CSS33 (HIGH RELIABILITY APPLICATIONS) USER: AS MC OS REVIEWER: 11 17 85 99 ES SH | A | 5910 | | 19 | 08-AUG-89 | ER | EC | 19 | |
| | | MIL-C-39004 NOTICE 1 | COUPLING ASSEMBLIES, QUICK-DISCONNECT, GENERAL PURPOSE, FOR SUBMINIATURE WAVEGUIDE FLANGES, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8710) USER: AS MC REVIEWER: 11 17 99 ES MI | A | 5985 | | 85 | 27-OCT-87 | ER | EC | 85 | |
| | | MIL-C-39004/1 | COUPLING ASSEMBLIES, QUICK-DISCONNECT, GENERAL PURPOSE, FOR SUBMINIATURE WAVEGUIDE FLANGES (VALIDATION DATE: 8104) REVIEWER: 99 AV ES | A | 5985 | | 85 | 01-MAY-64 | ER | EC | 85 | |
| | | MIL-C-39004/2 | COUPLING ASSEMBLY, QUICK DISCONNECT, FOR SUBMILLIMETER WAVEGUIDE FLANGES (VALIDATION DATE: 8204) USER: AS MC ME REVIEWER: 11 99 AR ES MI OS | A | 5985 | | 85 | 17-DEC-75 | ER | EC | 85 | |
| Q | | MIL-R-39005D(1) SUPPL 1A1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | | ER | 31-MAR-92 | ER | EC | 85 | |
| | | MIL-R-39005/1D | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR52 USER: 19 AT MC ME REVIEWER: 17 AR AS AV ES MI OS | A | 5905 | | ER | 06-NOV-89 | ER | EC | 85 | |
| | | MIL-R-39005/2D | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR53 USER: 19 AT MC ME REVIEWER: 17 AR AS AV ES MI OS | A | 5905 | | ER | 06-NOV-89 | ER | EC | 85 | |
| | | MIL-R-39005/3D | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR54 USER: 19 AT AV MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | | ER | 06-NOV-89 | ER | EC | 85 | |
| | | MIL-R-39005/4E | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR55 USER: 19 AS AT AV MC ME OS REVIEWER: 17 AR ES MI | A | 5905 | | ER | 06-NOV-89 | ER | EC | 85 | |
| | | MIL-R-39005/5F | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR56 USER: 19 AT AV MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | | ER | 06-NOV-89 | ER | EC | 85 | |
| | | MIL-R-39005/6D NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR71 (VALIDATION DATE: 9111) USER: 19 AT MC ME REVIEWER: 17 AV MI | A | 5905 | | ER | 11-NOV-91 | ER | EC | 85 | |
| | | MIL-R-39005/7B | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR57 USER: 19 AT AV MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | | ER | 06-NOV-89 | ER | EC | 85 | |
| | L | MIL-R-39005/8A | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR74 USER: 19 REVIEWER: 17 ES | A | 5905 | | 85 | 27-DEC-89 | | | 85 | |
| | | MIL-R-39005/9A | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR75 USER: 19 AT AV MC ME REVIEWER: 17 AR ES MI | A | 5905 | | ER | 06-NOV-89 | ER | EC | 85 | |
| | L | MIL-R-39005/10A | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR76 USER: 19 REVIEWER: 17 ES | A | 5905 | | 85 | 27-DEC-89 | | | 85 | |
| | L | MIL-R-39005/11A | RESISTOR, FIXED, WIRE&WOUND (ACCURATE) ESTABLISHED RELIABILITY STYLES RBR80 AND RBR81 (VALIDATION DATE: 8204) | A | 5905 | | 85 | 13-JAN-76 | | | 85 | |
| AQ | | MIL-C-39006D SUPPL 1A1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS MC OS REVIEWER: 17 99 AR ES SH | A | 5910 | | EC | 23-DEC-92 | ER | EC | 85 | |
| | | MIL-C-39006/1C(8) | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, ETCHED FOIL), 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), ESTABLISHED RELIABILITY, STYLE CLR25 USER: 19 AS MC OS REVIEWER: 17 99 AR ES | A | 5910 | | 85 | 10-MAY-85 | ER | EC | 85 | |
| | | MIL-C-39006/2C(5) | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, ETCHED FOIL), 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C) STYLE CLR27 USER: 19 AS MC OS REVIEWER: 17 99 AR ES | A | 5910 | | 85 | 03-SEP-82 | ER | EC | 85 | |
| A | | MIL-C-39006/3D | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, PLAIN FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR35 USER: 19 AS MC OS REVIEWER: 17 99 AR ES SH | A | 5910 | | EC | 23-DEC-92 | ER | EC | 85 | |
| A | | MIL-C-39006/4D | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, PLAIN FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR37 USER: 19 AS MC OS REVIEWER: 17 99 AR ES | A | 5910 | | EC | 23-DEC-92 | ER | EC | 85 | |
| | | MIL-C-39006/9D(2) NOTICE 2 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLARIZED SINTERED SLUG 85 DEG C) (VOLT DERATED TO 125 DEG C) EST REL STYLE CLR 65 (INACT NEW DESIGN 6/23/81 USE MIL C 39006/22) | A | 5910 | | 85 | 07-MAR-85 | ER | EC | 85 | |
| | | MIL-C-39006/16A(7) | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, HIGH ETCHED FOIL), 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), ESTABLISHED RELIABILITY, STYLE CLR71 USER: 19 AS OS REVIEWER: 11 17 99 AR ES | A | 5910 | | 85 | 10-MAY-85 | ER | EC | 85 | |
| | | MIL-C-39006/17A(5) | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, HIGH ETCHED FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR73 USER: 19 AS MC OS REVIEWER: 17 99 AR ES | A | 5910 | | 85 | 03-SEP-82 | ER | EC | 85 | |
| | I | MIL-C-39006/18(2) NOTICE 2 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR10 USER: 19 AS MC OS REVIEWER: 17 85 ES | A | 5910 | | EC | 11-JUN-82 | ER | EC | 11 | |
| | | MIL-C-39006/19(2) NOTICE 2 | CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLARIZED SINTERED SLUG 85 DEG C) (VOLTAGE DERATED TO 125 DEG C) ESTB RELIABILITY STYLE CLR 14 (INAC FOR NEW DESIGN 23 JUN 81 USE MIL C 39006/22) (VALIDATION DATE: 8304) USER: 19 AS MC OS REVIEWER: 17 ES | A | 5910 | | 85 | 11-JUN-82 | ER | EC | 85 | |
| | | MIL-C-39006/20(3) NOTICE 2 | CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLARIZED SINTERED SLUG 83 DEG C) (VOLTAGE DERATED TO 125 DEG C) ESTB RELIABILITY STYLE CLR 17 (INAC FOR NEW DESIGN 23 JUN 81 USE MIL C 39006/22) USER: 19 AS MC OS REVIEWER: 17 99 AR ES MI SH | A | 5910 | | 85 | 27-MAY-76 | ER | EC | 85 | |
| | | MIL-C-39006/21(5) NOTICE 2 | CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLORIZED SINTERED SLUG 85 DEG C) (EXT RANGE) (VOLTAGE DERATED TO 125 DEG C) ESTB RELIABILITY STYLE CLR 69 (INA FOR NEW DESIGN USE MIL C 39006/22) USER: 19 AS MC OS REVIEWER: 17 99 AR ES SH | A | 5910 | | 85 | 07-MAR-85 | ER | EC | 85 | |
| A | | MIL-C-39006/22E | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR79 USER: 19 AS MC OS REVIEWER: 17 99 AR ES | A | 5910 | | 85 | 05-FEB-93 | ER | EC | 85 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-39006/25A | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG) (EXTENDED RANGE), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR81 USER: 19 AS MC OS REVIEWER: 17 99 AR ES | A 5910 EC 23-DEC-92 | ER | EC | 85 | |
| A L | * | MIL-C-39006/28 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), HIGH RELIABILITY, STYLE CLS79 REVIEWER: 85 EC ER ES | A 5910 19 25-SEP-92 | | | 19 | |
| A L | | MIL-C-39006/29 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG) (EXTENDED RANGE), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), HIGH RELIABILITY, STYLE CLS81 REVIEWER: 85 EC ER ES | A 5910 19 25-SEP-92 | | | 19 | |
| AQ | | MIL-R-39007G(1) SUPPL 1A1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 CG MC REVIEWER: 17 80 85 AR AS ES MI OS | A 5905 ER 23-MAR-93 | ER | EC | 85 | |
| I | | MIL-R-39007/5G(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY, STYLE RWR71 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 ER 04-OCT-90 | ER | EC | 85 | |
| I | | MIL-R-39007/6F(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RWR74 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 ER 04-OCT-90 | ER | EC | 85 | |
| | | MIL-R-39007/7F(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RWR78 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 ER 04-OCT-90 | ER | EC | 85 | |
| | | MIL-R-39007/8J(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RWR80 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 ER 04-OCT-90 | ER | EC | 85 | |
| | | MIL-R-39007/9G(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RWR81 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 ER 04-OCT-90 | ER | EC | 85 | |
| | | MIL-R-39007/10F(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RWR84 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 ER 04-OCT-90 | ER | EC | 85 | |
| | | MIL-R-39007/11G(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RWR89 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 ER 04-OCT-90 | ER | EC | 85 | |
| | | MIL-R-39007/12D(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RWR82 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 ER 04-OCT-90 | ER | EC | 85 | |
| MQ | | MIL-R-39008C(1) SUPPL 1A1 | RESISTORS, FIXED, COMPOSITION (INSULATED) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 99 AR AS MI OS | A 5905 ER 05-MAY-93 | ER | EC | 85 | |
| | | MIL-R-39008/1F | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR07 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS TD | A 5905 ER 23-AUG-89 | ER | EC | 85 | |
| | | MIL-R-39008/2F(1) | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR20 USER: 19 80 AT AV MC ME REVIEWER: 11 AR AS ES MI OS | A 5905 ER 02-APR-91 | ER | EC | 85 | |
| | | MIL-R-39008/3D | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR32 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS TD | A 5905 ER 23-AUG-89 | ER | EC | 85 | |
| | | MIL-R-39008/4F | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR05 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS TD | A 5905 ER 23-AUG-89 | ER | EC | 85 | |
| | | MIL-R-39008/5B | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR42 USER: 19 AT MC ME REVIEWER: 11 17 99 AR AS EA ES MI OS | A 5905 ER 23-AUG-89 | ER | EC | 85 | |
| Q | | MIL-R-39009C SUPPL 1A1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AV CG MC ME REVIEWER: 80 AR AS ES MI OS | A 5905 ER 18-DEC-90 | ER | EC | 85 | |
| | | MIL-R-39009/1B NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), ESTABLISHED RELIABILITY, STYLES RER60, RER65, RER70, AND R 75 [VALIDATION DATE: 9111] USER: 19 AR CG MC REVIEWER: 17 85 AT AV ME MI L | A 5905 ER 11-NOV-91 | ER | EC | 11 | |
| | | MIL-R-39009/2A NOTICE 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), ESTABLISHED RELIABILITY, STYLES RER40, RER45, RER50, AND RER55 [VALIDATION DATE: 9111] USER: 19 CG MC MI REVIEWER: 17 85 AT AV ME OS | A 5905 ER 11-NOV-91 | ER | EC | 11 | |
| Q | | MIL-C-39010C(2) SUPPL 1A1 | COILS, FIXED RADIOFREQUENCY, MOLDED, ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR USER: 19 AS CG MC ME REVIEWER: 17 99 AR MI OS SH | A 5950 ER 04-DEC-91 | ER | EC | 85 | |
| | | MIL-C-39010/1C NOTICE 1 | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (PHENOLIC CORE -IRON SLEEVE), ESTABLISHED RELIABILITY [VALIDATION DATE: 9111] USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | A 5950 ER 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-39010/2C NOTICE 1 | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (IRON CORE-IRON SLEEVE), ESTABLISHED RELIABILITY [VALIDATION DATE: 9111] USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | A 5950 ER 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-39010/3C(1) | COILS, FIXED, RADIOFREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE), ESTABLISHED RELIABILITY USER: 19 AR AS CG MC ME SH REVIEWER: 17 99 ES MI OS | A 5950 ER 11-SEP-90 | ER | EC | 85 | |
| | | MIL-C-39010/4C NOTICE 1 | COILS, FIXED, RADIO FREQUENCY, MOLDED, SUB-MINIATURE (PHENOLIC CORE), ESTABLISHED RELIABILITY [VALIDATION DATE: 9111] USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | A 5950 ER 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-39010/5C NOTICE 1 | COILS, FIXED, RADIO FREQUENCY, MOLDED, SUB-MINIATURE (POWDERED IRON CORE), ESTABLISHED RELIABILITY [VALIDATION DATE: 9111] USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | A 5950 ER 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-39010/6C NOTICE 1 | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICRO-MINIATURE (PHENOLIC CORE), ESTABLISHED RELIABILITY [VALIDATION DATE: 9111] USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | A 5950 ER 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-39010/7C NOTICE 1 | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICRO-MINIATURE (POWDERED IRON CORE) ESTABLISHED RELIABILITY [VALIDATION DATE: 9111] USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | A 5950 ER 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-39010/8A NOTICE 1 | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICRO-MINIATURE (PHENOLIC CORE), ESTABLISHED RELIABILITY [VALIDATION DATE: 9111] USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | A 5950 ER 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-39010/9A NOTICE 1 | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICRO-MINIATURE (IRON CORE), ESTABLISHED RELIABILITY [VALIDATION DATE: 9111] USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | A 5950 ER 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-39010/10A NOTICE 1 | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICRO-MINIATURE, (FERRITE CORE), ESTABLISHED RELIABILITY [VALIDATION DATE: 9111] USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | A 5950 ER 11-NOV-91 | ER | EC | 85 | |
| Q | | MIL-C-39012C(5) SUPPL 1A1, NOTICE 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR USER: 19 AS AT MC SH REVIEWER: 11 99 AR ES MI OS | A 5935 CR 26-APR-91 | CR | EC | 85 | |
| | | MIL-C-39012/1F(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED), PIN CONTACT, CLASS 2 ) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A 5935 CR 22-NOV-88 | CR | EC | 85 | |
| | | MIL-C-39012/2F(1) | CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SIES N (CABLED), FLANGE MOUNTED, SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A 5935 CR 22-NOV-88 | CR | EC | 85 | |
| | | MIL-C-39012/3F(1) | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED) JAM NUT MOUNTED, SOCKET CONTACT, CLASS 2 ) USER: 19 AS AT MC SH REVIEWER: 11 17 99 AR ES MI OS | A 5935 CR 22-NOV-88 | CR | EC | 85 | |
| | | MIL-C-39012/4C(2) NOTICE 1 | CONNECTOR, COAXIAL, RADIO FREQUENCY (SERIES N (UNCABLED) - RECEPTACLES JAM NUT AND FLANGE MOUNTED, SOCKET CONTACT, CLASS 2) [VALIDATION DATE: 8808] USER: 19 AS AT MC ME OS SH REVIEWER: 11 17 99 ES MI SH | A 5935 CR 16-AUG-88 | CR | EC | 85 | |
| | | MIL-C-39012/5F(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED), RIGHT ANGLE, PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A 5935 CR 22-NOV-88 | CR | EC | 85 | |
| | | MIL-C-39012/6D | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), MALE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A 5935 CR 14-DEC-87 | CR | EC | 85 | |
| | | MIL-C-39012/7D(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C (CABLED), FEMALE, CLASS 2 ) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A 5935 CR 17-OCT-88 | CR | EC | 85 | |

| Action Code / Cancellation / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-C-39012/8D(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), FEMALE, FLANGE MOUNTED, REAR MOUNTED, CLASS 2 ) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 17-OCT-88 | CR | EC | 85 | |
| | MIL-C-39012/9C | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES C (CABLED RECEPTACLE, FEMALE, JAM NUT, FRONT MOUNTED, CLASS 2) USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI OS | A | 5935 | | CR | 03-OCT-86 | CR | EC | 85 | |
| | MIL-C-39012/10D(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), MALE, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 05-JUN-89 | CR | EC | 85 | |
| | MIL-C-39012/11D | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLE) FEMALE, JAM NUT, REAR MOUNTED, PRESSURIZED, CLASS 2 ) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 14-DEC-87 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/12B(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, FLANGE MOUNTED, REAR MOUNTED, CLASS 2) [VALIDATION DATE: 8808] USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/13B | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, JAM NUT MOUNTED, FRONT MOUNTED, PRESSURIZED, CLASS 2) [VALIDATION DATE: 8808] USER: 19 AS AT AV MC ME SH REVIEWER: 11 17 99 AR ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/14B(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, JAM NUT MOUNTED, HERMETIC SEAL, CLASS 2) [VALIDATION DATE: 8808] USER: 19 AM AS AT MC ME REVIEWER: 11 17 99 ES MI OS | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| | MIL-C-39012/15D | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED) MALE, CLASS 2 ) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 03-OCT-86 | CR | EC | 85 | |
| | MIL-C-39012/16F(2) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 12-OCT-89 | CR | EC | 85 | |
| | MIL-C-39012/17F | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC, (CABLED), SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 14-DEC-87 | CR | EC | 85 | |
| | MIL-C-39012/18F(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 17-OCT-88 | CR | EC | 85 | |
| | MIL-C-39012/19F(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 17-OCT-88 | CR | EC | 85 | |
| | MIL-C-39012/20F(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 17-OCT-88 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/21A | CONNECTORS, COAXIAL, RADIO FREQUENCY (SERIES BNC (UNCABLED) - RECEPTACLES, FEMALE, JAM NUT MOUNTED, CLASS 11) [VALIDATION DATE: 9107] USER: 19 AS AT OS REVIEWER: 11 17 99 AR ES MI | A | 5935 | | CR | 25-JUL-91 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/22C(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, (SERIES BNC (UNCABLED) - RECEPTACLES, FEMALE, FLANGE MOUNTED, CLASS 11) [VALIDATION DATE: 9107] USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI | A | 5935 | | CR | 25-JUL-91 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/23A | CONNECTORS, COAXIAL, RADIO FREQUENCY, (SERIES BNC (UNCABLED) - RECEPTACLES, FEMALE, RIGHT ANGLE, CLASS 11) [VALIDATION DATE: 9107] USER: 19 AS AT ME OS REVIEWER: 11 17 99 AR ES MI | A | 5935 | | CR | 25-JUL-91 | CR | EC | 85 | |
| | MIL-C-39012/24C | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (UNCABLED) - FEMALE, HERMETIC SEALED, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT AV ME OS REVIEWER: 11 17 99 AR ES MI | A | 5935 | | CR | 07-FEB-85 | CR | EC | 85 | |
| | MIL-C-39012/25E | CONNECTORS, COAXIAL, RADIOFREQUENCY (HARDWARE FOR RADIOFREQUENCY COAXIAL CONNECTORS) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 AR EA ES MI SH | A | 5935 | | CR | 23-JUL-91 | CR | EC | 85 | |
| | MIL-C-39012/26F(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 17-OCT-88 | CR | EC | 85 | |
| | MIL-C-39012/27F(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 17-OCT-88 | CR | EC | 85 | |
| | MIL-C-39012/28F(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 17-OCT-88 | CR | EC | 85 | |
| | MIL-C-39012/29F(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 99 EA ES MI | A | 5935 | | CR | 12-JAN-90 | CR | EC | 85 | |
| | MIL-C-39012/30F(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 17-OCT-88 | CR | EC | 85 | |
| | MIL-C-39012/31B | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, JAM NUT MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI | A | 5935 | | CR | 22-DEC-83 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/32A(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TNC (UNCABLED-RECEPTACLE, SOCKET, FLANGE MOUNTED, CLASS 2) [VALIDATION DATE: 8808] USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/33A(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, RIGHT ANGLE, CLASS 2) [VALIDATION DATE: 9107] USER: 19 AS AT AV MC ME OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 25-JUL-91 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/34A(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, HERMETIC SEALED, JAM NUT MOUNTED, CLASS 2) [VALIDATION DATE: 9107] USER: 19 AS AT AV MC ME OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 25-JUL-91 | CR | EC | 85 | |
| | MIL-C-39012/35F(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 02-MAR-89 | CR | EC | 85 | |
| | MIL-C-39012/36F(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC, (CABLED), SOCKET CONTACT, CLASS 2) USER: AS AT AV MC OS SH REVIEWER: 11 17 19 99 EA ES MI | A | 5935 | | CR | 02-MAR-89 | CR | EC | 85 | |
| | MIL-C-39012/38F(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, REAR MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 02-MAR-89 | CR | EC | 85 | |
| | MIL-C-39012/39F | CONNECTOR, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 14-DEC-87 | CR | EC | 85 | |
| | MIL-C-39012/40F(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), SOCKET CONTACT, JAM NUT, REAR MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 02-MAR-89 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/41A(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES SC (UNCABLED-RECEPTACLE, FEMALE, FLANGE, REAR MOUNTED, CLASS 2) [VALIDATION DATE: 8808] USER: 19 AM AS AT AV MC ME OS REVIEWER: 17 99 ES MI | A | 5935 | | CR | 31-AUG-88 | CR | EC | 85 | |
| NOTICE 1 | MIL-C-39012/42A(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES SC (UNCABLED - RECEPTACLE, FEMALE, JAM NUT MOUNTED, FRONT MOUNTED, CLASS 2) [VALIDATION DATE: 9107] USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | | CR | 25-JUL-91 | CR | EC | 85 | |
| | MIL-C-39012/55F | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - PLUG, PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH | A | 5935 | | CR | 27-JAN-92 | CR | EC | 85 | |

| Action | Action Old / Old Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCCA Symbol | Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-39012/56E | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - PLUG, PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | CR | | 27-JAN-92 | CR | EC | | 85 |
| | | MIL-C-39012/57F | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH | A | 5935 | CR | | 27-JAN-92 | CR | EC | | 85 |
| | | MIL-C-39012/58F | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH | A | 5935 | CR | | 27-JAN-92 | CR | EC | | 85 |
| | | MIL-C-39012/59F | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH | A | 5935 | CR | | 27-JAN-92 | CR | EC | | 85 |
| | | MIL-C-39012/60A(2) | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI SH | A | 5935 | CR | | 24-SEP-86 | CR | EC | | 85 |
| | | MIL-C-39012/61A(2) | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI SH | A | 5935 | CR | | 24-SEP-86 | CR | EC | | 85 |
| | | MIL-C-39012/62A(2) | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AS AT ME OS REVIEWER: 11 17 99 AR ES MI | A | 5935 | CR | | 24-SEP-86 | CR | EC | | 85 |
| | | MIL-C-39012/63B | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC (CABLED, PIN CONTACT, CLASS 2) INACTIVE FOR NEW DESIGN AFTER 3 OCT 1986 USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 03-OCT-86 | CR | EC | | 85 |
| | | MIL-C-39012/64C | CONNECTOR, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC (CABLED, SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 03-OCT-86 | CR | EC | | 85 |
| | | MIL-C-39012/65B | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QNC, (CABLED, PIN CONTACT, CLASS 2) INACTIVE FOR NEW DESIGN AFTER 3 OCT 1986 USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 03-OCT-86 | CR | EC | | 85 |
| | | MIL-C-39012/66B | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QNC (CABLED, SOCKET CONTACT, CLASS 2) INACTIVEFOR NEW DESIGN AFTER 3OCT 86 USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH | A | 5935 | CR | | 03-OCT-86 | CR | EC | | |
| | | MIL-C-39012/67B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED, SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH | A | 5935 | CR | | 17-OCT-88 | CR | EC | | 85 |
| | | MIL-C-39012/68B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH | A | 5935 | CR | | 17-OCT-88 | CR | EC | | 85 |
| | | MIL-C-39012/69B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED, SOCKET CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 17-OCT-88 | CR | EC | | 85 |
| | | MIL-C-39012/70B(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB, (CABLED, PIN CONTACT, JAM NUT MOUNTED, REAR MOUNTED, CLASS 2 ) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 17-OCT-88 | CR | EC | | 85 |
| | | MIL-C-39012/71A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED RECEPTACLE, MALE, JAMNUT MOUNTED, CLASS 2) [VALIDATION DATE: 8204] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 ES MI OS | A | 5935 | CR | | 22-JUN-71 | CR | EC | | 85 |
| | | MIL-C-39012/73B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, (CABLED, SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 17-OCT-88 | CR | EC | | 85 |
| | | MIL-C-39012/74B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, (CABLED, PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | CR | | 17-OCT-88 | CR | EC | | 85 |
| | | MIL-C-39012/75B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (CABLED, SOCKET CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | CR | | 17-OCT-88 | CR | EC | | 85 |
| | | MIL-C-39012/76B(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC,(CABLED, PIN CONTACT, JAMNUT MOUNTED, REAR MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI | A | 5935 | CR | | 17-OCT-88 | CR | EC | | 85 |
| | | MIL-C-39012/77A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (UNCABLED, MALE, JAMNUT MOUNTED, CLAS2) USER: 19 AS AT MC ME REVIEWER: 11 17 99 AR ES MI OS | A | 5935 | CR | | 24-SEP-86 | CR | EC | | 85 |
| | | MIL-C-39012/79F | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, PIN, CLASS 2, SEMIRIGID CABLE) USER: 19 AM AS AT MC OS REVIEWER: 11 17 99 MI SH | A | 5935 | CR | | 24-JAN-92 | CR | EC | | 85 |
| | | MIL-C-0039012/79B | CONNECTOR,COAXIAL,RAD IO FREQUENCY SERIES S MA(CABLE PLUG, PIN,C LASS 2 SEMIRIGID CABLE USER: 19 REVIEWER: 17 80 ES | A | 5935 | 85 | | 11-MAY-83 | | | | 85 |
| A | | MIL-C-39012/80E(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, PIN RIGHT ANGLE, CLASS 2, SEMIRIGID CABLE) USER: 19 AM AS AT MC OS REVIEWER: 11 17 99 ES MI SH | A | 5935 | CR | | 21-JUL-92 | CR | EC | | 85 |
| | | MIL-C-39012/81F | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, SOCKET, CLASS 2, SEMIRIGID CABLE) USER: AM AS AT MC ME OS REVIEWER: 11 17 19 MI SH | A | 5935 | CR | | 24-JAN-92 | CR | EC | | 85 |
| | | MIL-C-39012/82F | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, (CABLED, SOCKET, FLANGE MOUNTED, CLASS 2, SEMIRIGID CABLE) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 MI SH | A | 5935 | CR | | 24-JAN-92 | CR | EC | | 85 |
| | | MIL-C-39012/83F | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, (CABLED, SOCKET, JAM NUT MOUNTED, CLASS 2, SEMIRIGID CABLE) USER: AM AS AT MC OS REVIEWER: 11 17 99 MI SH | A | 5935 | CR | | 24-JAN-92 | CR | EC | | 85 |
| L | | MIL-C-0039012/83B | CONNECTOR, COAXIAL, R ADIO FREQUENCY SERIES SMA (CABLED RECEPTAC LE, SOCKET, JAM NUT MOUNTED, CLASS 2, SEM RIGID CABLE USER: 19 REVIEWER: 17 80 ES | A | 5935 | 85 | | 11-MAY-83 | | | | 85 |
| | | MIL-C-39012/84B | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC, (CABLED, PIN CONTACT, RIGHT ANGLE, CLASS2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 03-OCT-86 | CR | EC | | 85 |
| | | MIL-C-39012/85B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC, (CABLED, SOCKET CONTACT, JAM NUT MOUNTED, REAR MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 03-OCT-86 | CR | EC | | 85 |
| | | MIL-C-39012/86B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC, (CABLED, SOCKET CONTACT, JAM NUT, FRONT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 03-OCT-86 | CR | EC | | 85 |
| | NOTICE 1 | MIL-C-39012/87 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES QSC (UNCABLED - RECEPTACLE, SOCKET CONTACT, HERMETIC SEALED, JAM NUT, FRONT AND REAR MOUNTED, CLASS 2) [VALIDATION DATE: 8808] USER: AT AV REVIEWER: 99 AR ES MI | A | 5935 | CR | | 16-AUG-88 | CR | EC | | 85 |
| | | MIL-C-39012/88B | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QNC, (CABLED, PIN CONTACT, RIGHT ANGLE, CLASS2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 03-OCT-86 | CR | EC | | 85 |
| | | MIL-C-39012/89B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QNC, (CABLED, SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A | 5935 | CR | | 03-OCT-86 | CR | EC | | 85 |
| | NOTICE 1 | MIL-C-39012/90(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES QNC (UNCABLED) - RECEPTACLE, SOCKET CONTACT, JAM NUT, FRONT AND REAR MOUNTED, CLASS 2) [VALIDATION DATE: 8808] USER: 19 AM AS AT AV MC ME OS REVIEWER: 11 17 99 ES MI SH | A | 5935 | CR | | 16-AUG-88 | CR | EC | | 85 |

| Action | Orig / Chg Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-39012/92C(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, CLASS 2, WITHOUT CONTACT, .141 SEMIRIGID CABLE) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES MI SH | A 5935 CR 07-APR-93 | CR | EC | 85 | |
| | | MIL-C-39012/93A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, FEMALE, PRINTED CIRCUIT, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 AV ES MI | A 5935 CR 24-SEP-86 | CR | EC | 85 | |
| | | MIL-C-39012/94A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL,RADIO FREQUENCY, SERIES SMA (UNCABLED, FEMALE, PRINTED CIRCUIT, RIGHT ANGLE, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI SH | A 5935 CR 24-SEP-86 | CR | EC | 85 | |
| | | MIL-C-39012/95A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES SMB (RECEPTACLE, MALE, PRINTED CIRCUIT, CLASS 2) USER: 19 AR AT MC ME REVIEWER: 11 17 99 ES MI | A 5935 CR 24-SEP-86 | CR | EC | 85 | |
| | | MIL-C-39012/96A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED, MALE, PRINTED CIRCUIT, RIGHT ANGLE, CLASS 2 USER: 19 AR AT AV MC ME REVIEWER: 11 17 99 ES MI | A 5935 CR 24-SEP-86 | CR | EC | 85 | |
| | | MIL-C-39012/100A | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES MHV (CABLED) PLUG, PIN CONTACT, CLASS 2 USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI | A 5935 CR 14-DEC-87 | CR | EC | 85 | |
| | | MIL-C-39012/103(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, (SERIES MHV (UNCABLED) RECEPTACLES, FEMALE, FLANGE MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI | A 5935 CR 17-SEP-82 | CR | EC | 85 | |
| | | MIL-C-39012/105(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (CABLED) - PLUG, SOCKET CONTACT, CLASS 2) USER: 19 20 AR AS AT MC ME REVIEWER: 11 17 99 ES MI | A 5935 CR 22-MAY-87 | ER | | 85 | |
| | | MIL-C-39012/106(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (CABLED) PLUG, SOCKET CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES MI | A 5935 CR 22-MAY-87 | CR | EC | 85 | |
| | | MIL-C-39012/107(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (CABLED) - RECEPTACLES, PIN CONTACT, CLASS 2) USER: AR AS AT MC ME OS REVIEWER: 11 17 19 99 ES MI | A 5935 CR 22-MAY-87 | CR | EC | 85 | |
| | | MIL-C-39012/108(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (CABLED) RECEPTACLES, PIN CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES MI | A 5935 CR 22-MAY-87 | CR | EC | 85 | |
| | | MIL-C-39012/109(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (UNCABLED) - RECEPTACLES, PIN CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES MI | A 5935 CR 22-MAY-87 | CR | EC | 85 | |
| | | MIL-C-39012/110(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (UNCABLED) RECEPTACLES, PIN CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AR AS AT ME OS REVIEWER: 11 17 99 ES MI | A 5935 CR 22-MAY-87 | CR | EC | 85 | |
| | | MIL-C-39012/111(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (CABLED) - RECEPTACLES, PIN CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI | A 5935 CR 22-MAY-87 | CR | EC | 85 | |
| | | MIL-C-39012/112A | CONNECTOR, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - PLUG, PIN CONTACT, CLASS 2) FOR SEMI-RIGID CABLE USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 ES | A 5935 CR 03-OCT-86 | CR | EC | 85 | |
| | | MIL-C-39012/113A | CONNECTOR, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED)-PLUG, SOCKET CONTACT, CLASS 2) FOR SEMI-RIGID CABLE USER: AS MC ME OS REVIEWER: 11 17 99 ES | A 5935 CR 03-OCT-86 | CR | EC | 85 | |
| | | MIL-C-39012/114A | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - PIN CONTACT, RIGHT ANGLE, CLASS 2) FOR SEMI-RIGID CABLE USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 ES | A 5935 CR 03-OCT-86 | CR | EC | 85 | |
| | | MIL-C-39012/115A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) FOR SEMI-RIGID CABLE USER: 11 19 AS AT MC ME OS REVIEWER: 17 99 ES | A 5935 CR 03-OCT-86 | CR | EC | 85 | |
| | | MIL-C-39012/116A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) FOR SEMI-RIGID CABLE USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 ES | A 5935 CR 03-OCT-86 | CR | EC | 85 | |
| L | | MIL-C-39012/117(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES N (PLUGS & JACKS, SEMIRIGID CABLE, MALE, CLASS 2) (FOR USE WITH MIL-C-28830/3) | A 5935 EC 13-JAN-83 | | EC | | |
| | | MIL-C-39012/118A | CONNECTOR PLUG, ELEC, COAXIAL, RADIO FREQUENCY, SER.N (SOCKET CONTACT, SEMIRIGID, CABLE,CLASS 2) USE WITH MIL-C-28830/3) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 SH | A 5935 EC 09-DEC-86 | CR | EC | 85 | |
| L | | MIL-C-39012/119A | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES N (PLUGS AND JACKS, SEMIRIGID CABLE, MALE, CLASS 2) (FOR USE WITH MIL-C-28830/4) USER: AM AS AT MC OS REVIEWER: 11 15 99 MI SH | A 5935 EC 09-DEC-86 | CR | EC | 85 | |
| L | | MIL-C-39012/120A | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES N (PLUG & JACKS, SEMIRIGID CABLE, FEMALE, CLASS 2) (FOR USE WITH MIL-C-28830/4) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 MI SH | A 5935 EC 09-DEC-86 | CR | EC | 85 | |
| L | | MIL-C-39012/121A | CONNECTOR, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES N (SOCKET CONTACT, SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/5) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 MI SH | A 5935 EC 09-DEC-86 | CR | EC | 85 | |
| | | MIL-C-39012/122A | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES EIA FLANGE (SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/3) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 SH | A 5935 EC 09-DEC-86 | CR | EC | 85 | |
| L | | MIL-C-39012/123A | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES EIA FLANGE (SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/4) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 MI SH | A 5935 EC 09-DEC-86 | CR | EC | 85 | |
| L | | MIL-C-39012/124A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL,RADIO FREQUENCY, SERIES EIA FLANGE (SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/5) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 MI SH | A 5935 EC 09-DEC-86 | CR | EC | 85 | |
| | | MIL-C-39012/128B | CONNECTORS, RECEPTACLE, ELECTRICAL COAXIAL, RADIO FREQUENCY (SERIES BNC, SOLDER POCKET, SOCKET CONTACT JAM NUT MOUNTED, ISOLATED, CLASS 2) USER: 19 AR AS AT ME MS OS REVIEWER: 11 99 MI SH | A 5935 CR 19-SEP-89 | CR | EC | 85 | |
| | | MIL-C-39012/129 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLED) - PIN CONTACT, CLASS 2) FOR SEMIRIGID CABLE USER: 19 AT AV MC OS REVIEWER: 11 17 80 99 AS EA ES MI SH | A 5935 CR 10-JUL-85 | CR | EC | 85 | |
| | | MIL-C-39012/130 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLED) - RIGHT ANGLE, PIN CONTACT, CLASS 2) FOR SEMIRIGID CABLE USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A 5935 CR 10-JUL-85 | CR | EC | 85 | |
| | | MIL-C-39012/131 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLES) - SOCKET CONTACT,CLASS 2) FOR SEMIR IGID CABLE USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A 5935 CR 10-JUL-85 | CR | EC | 85 | |
| | | MIL-C-39012/132 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLED) - JAM NUT MOUNTED, SOCKET CONTACT, CLASS 2) FOR SEMIRIGID CABLE USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH | A 5935 CR 10-JUL-85 | CR | EC | 85 | |
| | | MIL-C-39012/133 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, PRINTED CIRCUIT BOARD MOUNT USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A 5935 CR 27-JUN-89 | CR | EC | 85 | |
| | | MIL-C-39012/134 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, PRINTED CIRCUIT BOARD MOUNT, RIGHT ANGLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A 5935 CR 27-JUN-89 | CR | EC | 85 | |
| | | MIL-C-39012/135 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SSMB, PRINTED CIRCUIT BOARD MOUNT, RIGHT ANGLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A 5935 CR 27-JUN-89 | CR | EC | 85 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-C-39012/136 | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, FOR SEMIRIGID CABLE, CLASS 2 USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | 27-JUN-89 | CR | EC | 85 | |
| | | | | MIL-C-39012/137 | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, RIGHT ANGLE, PIN CONTACT, FOR SEMIRIGID CABLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | 27-JUN-89 | CR | EC | 85 | |
| | | | | MIL-C-39012/138 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES SSMA, SOCKET CONTACT, FOR SEMIRIGID CABLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | 27-JUN-89 | CR | EC | 85 | |
| | | | | MIL-C-39012/139 | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, FOR FLEXIBLE CABLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | 27-JUN-89 | CR | EC | 85 | |
| | | | | MIL-C-39012/140 | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, RIGHT ANGLE, FOR FLEXIBLE CABLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | 27-JUN-89 | CR | EC | 85 | |
| | | | | MIL-C-39012/141 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SSMB, PRINTED CIRCUIT BOARD MOUNT, STRAIGHT USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | 02-MAR-89 | CR | EC | 85 | |
| MQ | | | | MIL-C-39014E(3) SUPPL 1A1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV MC REVIEWER: 99 AR ES MI | A | 5910 | ER | 21-APR-93 | ER | EC | 85 | |
| A | | | | MIL-C-39014/1F | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR05, NATO TYPE DESIGNATION NCC61 USER: 19 AT AV MC ME REVIEWER: 99 AR ES MI TD | A | 5910 | ER | 13-JAN-93 | ER | EC | 85 | |
| A | | | | MIL-C-39014/2J | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR06, NATO TYPE DESIGNATION NCC62 USER: 19 AT MC ME REVIEWER: 99 AR AV ES MI TD | A | 5910 | ER | 13-JAN-93 | ER | EC | 85 | |
| | I | | | MIL-C-39014/3D(1) NOTICE 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR07 USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR ES MI TD | A | 5910 | ER | 05-JUN-89 | ER | EC | 85 | |
| | | | | MIL-C-39014/5E(4) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR11, CKR12, CKR14, CKR15 AND CKR16 USER: 19 AT MC ME REVIEWER: 17 AR AV ES MI | A | 5910 | ER | 10-APR-89 | ER | EC | 85 | |
| | I | | | MIL-C-39014/6B(1) NOTICE 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR13 (VALIDATION DATE: 9110) USER: 19 AT AV MC ME REVIEWER: 17 99 AR ES MI | A | 5910 | ER | 23-OCT-91 | ER | EC | 85 | |
| | I | | | MIL-C-39014/13B(1) NOTICE 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLES CKR20, CKR17, AND CKR18 (VALIDATION DATE: 9110) USER: 19 AT AV MC ME REVIEWER: 17 99 AR ES MI | A | 5910 | ER | 23-OCT-91 | ER | EC | 85 | |
| | | | | MIL-C-39014/16A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR75 (FEEDTHROUGH) USER: AS MC SH REVIEWER: ES OS TD | A | 5910 | 85 | 14-SEP-84 | ER | EC | 85 | NA |
| | | | | MIL-C-39014/17A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR82 (STANDOFF) USER: AS MC SH REVIEWER: ES OS | A | 5910 | 85 | 14-SEP-84 | ER | EC | 85 | NA |
| | | | | MIL-C-39014/18A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR76 (FEEDTHROUGH) USER: AS MC SH REVIEWER: ES MI OS | A | 5910 | 85 | 14-SEP-84 | ER | EC | 85 | NA |
| | | | | MIL-C-39014/19A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR83 (STANOFF) USER: AS MC SH REVIEWER: AR ES OS TD | A | 5910 | 85 | 14-SEP-84 | ER | EC | 85 | NA |
| | | | | MIL-C-39014/20C(1) - | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR08 REVIEWER: ES | A | 5910 | EC | 08-SEP-89 | | EC | 85 | |
| | L | | | MIL-C-39014/21(2) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLES CKR31 AND CKR32 REVIEWER: 17 99 ES | A | 5910 | 85 | 09-MAY-89 | | | 85 | |
| M | | | | MIL-C-39014/22C | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR22, CKR23, AND CKR24 USER: 19 AT AV MC ME REVIEWER: 17 99 AR ES MI | A | 5910 | ER | 06-MAY-93 | ER | EC | 85 | |
| | | | | MIL-C-39014/23(2) NOTICE 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR04 (VALIDATION DATE: 9110) USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR ES MI | A | 5910 | ER | 23-OCT-91 | ER | EC | 85 | |
| | | | | MIL-C-39014/24A | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) ESTABLISHED RELIABILITY, STYLE CKR03 USER: 19 AT AV MC ME REVIEWER: 17 AR ES MI | A | 5910 | 85 | 06-AUG-85 | ER | EC | 85 | |
| | | | | MIL-C-39014/25(1) | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) ESTABLISHED RELIABILITY STYLES CKR25, CKR26, & CKR27 USER: 19 AT AV MC ME REVIEWER: 17 AR ES MI | A | 5910 | 85 | 06-AUG-85 | ER | EC | 85 | |
| MQ | | | | MIL-R-39015C(2) | RESISTOR, VARIABLE, WIRE-WOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | ER | 27-APR-93 | ER | EC | 85 | |
| | | | | MIL-R-39015/1F NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RTR12 (VALIDATION DATE: 9111) USER: 19 AT AV ME SH REVIEWER: 17 AR MI | A | 5905 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | | | MIL-R-39015/2G(2) NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RTR22 (VALIDATION DATE: 9111) USER: 19 AT AV MC ME REVIEWER: 17 AR AS MI OS | A | 5905 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | | | MIL-R-39015/3K NOTICE 1 | RESISTORS, VARIABLE, WIRE-WOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RTR24 (VALIDATION DATE: 8808) USER: 19 AT ME REVIEWER: 17 AR AV ES MI OS | A | 5905 | ER | 18-AUG-88 | ER | EC | 11 | |
| Q | | | | MIL-R-39016D(3) SUPPL 1A1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 11 19 AR AS MC REVIEWER: 17 99 ES MI OS | A | 5945 | EC | 03-DEC-91 | ER | EC | 85 | |
| A | | | | MIL-R-39016/6K(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING) USER: 19 MC OS SH REVIEWER: 99 AR AS ES | A | 5945 | EC | 10-JUL-92 | ER | EC | 85 | |
| A | | | | MIL-R-39016/7F(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1 AMPERE USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A | 5945 | EC | 21-SEP-92 | ER | EC | 85 | |
| A | | | | MIL-R-39016/8F(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A | 5945 | EC | 21-SEP-92 | ER | EC | 85 | |
| A | | | | MIL-R-39016/9M(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE USER: 19 AR MC OS SH REVIEWER: 99 AS ES | A | 5945 | EC | 21-SEP-92 | ER | EC | 85 | |
| A | | | | MIL-R-39016/10F(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A | 5945 | EC | 21-SEP-92 | ER | EC | 85 | |
| A | | | | MIL-R-39016/11F(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A | 5945 | EC | 21-SEP-92 | ER | EC | 85 | |
| A | | | | MIL-R-39016/12F(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A | 5945 | EC | 21-SEP-92 | ER | EC | 85 | |
| A | | | | MIL-R-39016/13H(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) USER: 19 AR AS MC OS SH REVIEWER: 17 ES | A | 5945 | EC | 10-JUL-92 | ER | EC | 85 | |
| A | | | | MIL-R-39016/14D(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A | 5945 | EC | 10-JUL-92 | ER | EC | 85 | |
| A | | | | MIL-R-39016/15J(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: 19 MC OS SH REVIEWER: 17 99 AR AS ES | A | 5945 | EC | 21-SEP-92 | ER | EC | 85 | |
| A | | | | MIL-R-39016/16F(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 60 MILLIWATTS) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A | 5945 | EC | 21-SEP-92 | ER | EC | 85 | |
| | | | | MIL-R-39016/17G(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN USER: MC REVIEWER: 99 AR AS ES OS SH | A | 5945 | EC | 21-JAN-92 | ER | EC | 85 | |

| Action | CR / CNL Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / NIIN MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MIL-R-39016/18G(5) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN USER: MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 21-JAN-92 | ER | EC | 85 |
| A | | MIL-R-39016/19G(5) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION, TERMINALS 0.100-INCH GRID PATTERN USER: MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 11-AUG-92 | ER | EC | 85 |
| A | | MIL-R-39016/20H(5) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: 19 MC REVIEWER: 17 99 AR AS ES OS SH | A 5545 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/21F(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE 60 MILLIWATTS) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/22D(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING) COIL TRANSIENT SUPPRESSED USER: 19 MC REVIEWER: 99 AR AS CR ES OS SH | A 5945 EC 10-JUL-92 | ER | EC | 85 |
| A | | MIL-R-39016/23E(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/24E(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/25E(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS) WITH AN INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/26E(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: 19 AV MC ME REVIEWER: 99 AR AS ES OS SH | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/27E(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, S[illegible] LOW LEVEL TO 0.5 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/28E(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/29F(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/30E(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: 19 AV MC ME REVIEWER: 99 AL AR AS AT ES MI OS SH | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/31B(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING USER: 19 MC REVIEWER: AR AS ES OS SH | A 5945 EC 10-JUL-92 | ER | EC | 85 |
| A | | MIL-R-39016/32D(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (LATCHING) USER: AV ME OS SH REVIEWER: 99 AR AT ES MI | A 5945 EC 10-JUL-92 | ER | EC | 85 |
| | | MIL-R-39016/33E | RELAYS, RADIO FREQUENCY, (COAXIAL), ESTABLISHED RELIABILITY, ELECTRICAL, HERMETICALLY SEALED, SPDT AND DPDT, DC TO 1 GHZ | A 5945 EC 20-JUL-88 | | EC | 85 |
| M | I | MIL-R-39016/34E(2) | RELAYS, ELECTROMAGNETIC, DPDT, LOW LEVEL TO 1.0 AMPERE, (0.100-INCH TERMINAL SPACING) USER: AR AV REVIEWER: 99 AS AT ES ME MI OS SH | A 5945 EC 29-MAR-93 | ER | EC | 85 |
| A | | MIL-R-39016/35B(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING, WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS CR ES OS SH | A 5945 EC 10-JUL-92 | ER | EC | 85 |
| A | | MIL-R-39016/36B(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING, WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION USER: 19 MC REVIEWER: 99 AR AS CR ES OS SH | A 5945 EC 10-JUL-92 | ER | EC | 85 |
| A | | MIL-R-39016/37B(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS CR ES OS SH | A 5945 EC 10-JUL-92 | ER | EC | 85 |
| A | | MIL-R-39016/38B(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 10-JUL-92 | ER | EC | 85 |
| A | | MIL-R-39016/39D(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW-LEVEL TO 3 AMPERES (400 MILLIWATTS) USER: AV ME REVIEWER: AR AT ES MI SH | A 5945 EC 22-JUN-92 | ER | EC | 85 |
| M | I | MIL-R-39016/40F(1) | RELAYS, ELECTROMAGNETIC, 4PDT, LOW LEVEL TO 2.0 AMPERES (0.100-INCH TERMINAL SPACING) USER: AV SH REVIEWER: AS AT ES ME OS | A 5945 EC 29-MAR-93 | ER | EC | 85 |
| | | MIL-R-39016/41D(6) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) REVIEWER: 99 AS ES | A 5945 EC 21-JAN-92 | ER | EC | 85 |
| | | MIL-R-39016/42D(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) USER: 19 MC OS SH REVIEWER: 99 AR ES | A 5945 EC 09-SEP-91 | ER | EC | 85 |
| A | | MIL-R-39016/43D(5) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS COIL OPERATE POWER AT 25 DEG. C) USER: MC OS SH REVIEWER: 99 AR ES | A 5945 EC 11-AUG-92 | ER | EC | 85 |
| A | | MIL-R-39016/44D(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES, TERMINALS 0.200-INCH GRID PATTERN (SENSITIVE, 100/125 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) REVIEWER: AS ES OS SH | A 5945 EC 10-JUL-92 | ER | EC | 85 |
| A | | MIL-R-39016/45B(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2.0 AMPERES (LATCHING) USER: 19 MC OS SH SM REVIEWER: AR AS AT AV ES ME MI | A 5945 EC 10-JUL-92 | ER | EC | 85 |
| | | MIL-R-39016/47B | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 0.5 AMPERE (.100 D.I.P. TERMINAL SPACING) ONE-TENTH SIZE, SENSITIVE, BI-STABLE, LATCHING USER: 11 | A 5945 EC 20-JUL-88 | ER | EC | 85 |
| | | MIL-R-39016/48B | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 0.5 AMPERE (.100 D.I.P. TERMINAL SPACING) ONE-TENTH SIZE, SENSITIVE, MONOSTABLE | A 5945 EC 20-JUL-88 | ER | EC | 85 |
| A | | MIL-R-39016/49B(1) | RELAYS, ELECTROMAGNETIC, HIGH SHOCK AND HIGH VIBRATION, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE USER: 11 | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/50B(1) | RELAYS, ELECTROMAGNETIC, HIGH SHOCK AND HIGH VIBRATION, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: AR MC OS SH REVIEWER: 99 AS ES | A 5945 EC 21-SEP-92 | ER | EC | 85 |
| A | | MIL-R-39016/53B(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 22-JUN-92 | ER | EC | 85 |

| Action | Cat. / Class Configuration Inactive | Document Number | Document Title | Class. Symb. FSC / Area MCCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| A | | MIL-R-39016/54C(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION USER: 19 MC REVIEWER: 99 AR AS ES OS SH | A 5945 85 22-JUN-92 | ER | EC | 85 |
| | | MIL-R-39016/55A | RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING), WITH INTERNAL DIODE FOR COIL TRANSIENT SUPRESSION USER: 11 19 MC OS SH REVIEWER: 99 AR AS ES | A 5945 EC 15-FEB-91 | ER | EC | 85 |
| | | MIL-R-39016/606 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING), INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: MC REVIEWER: 99 AR AS ES | A 5945 EC 24-AUG-89 | ER | EC | 85 |
| | | MIL-R-39016/609 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE, INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: AS CG MC OS SH REVIEWER: 11 19 AR AV ES MI | A 5945 EC 20-SEP-89 | ER | EC | 85 |
| | | MIL-R-39016/612 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING), INSPECTIONS OF APPENDIXES A AND B USER: AS CG MC OS SH REVIEWER: 11 19 AR AV ES MI | A 5945 EC 20-SEP-89 | ER | EC | 85 |
| | | MIL-R-39016/614 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 99 AR AS OS SH | A 5945 EC 24-AUG-89 | ER | EC | 85 |
| | | MIL-R-39016/615 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 17 19 AR AS ES | A 5945 EC 24-AUG-89 | ER | EC | 85 |
| | | MIL-R-39016/617(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN, INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 19 MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 24-APR-90 | ER | EC | 85 |
| | | MIL-R-39016/618(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN, INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 REVIEWER: 99 AR AS OS SH | A 5945 EC 24-APR-90 | ER | EC | 85 |
| | | MIL-R-39016/619(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION, TERMINALS 0.100-INCH GRID PATTERN INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 MC REVIEWER: 99 AR AS ES OS SH | A 5945 EC 24-APR-90 | ER | EC | 85 |
| | | MIL-R-39016/620 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION, INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 99 AR AS OS SH | A 5945 EC 24-AUG-89 | ER | EC | 85 |
| | | MIL-R-39016/629 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION, INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 99 AR AS OS SH | A 5945 EC 24-AUG-89 | ER | EC | 85 |
| | | MIL-R-39016/630 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION, INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: AS CG MC OS SH REVIEWER: 11 19 AR AV ES MI | A 5945 EC 20-SEP-89 | ER | EC | 85 |
| | | MIL-R-39016/641(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 19 REVIEWER: 99 AR AS ES MS OS SH | A 5945 EC 24-APR-90 | ER | EC | 85 |
| | | MIL-R-39016/642(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 19 AR MC OS SH REVIEWER: AS ES MS | A 5945 EC 24-APR-90 | ER | EC | 85 |
| | | MIL-R-39016/643(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS COIL OPERATE POWER AT 25 DEG. C) INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 AR MC OS SH REVIEWER: 99 AS ES MS | A 5945 EC 24-APR-90 | ER | EC | 85 |
| | | MIL-R-39016/653 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 99 AR AS OS SH | A 5945 EC 24-AUG-89 | ER | EC | 85 |
| | | MIL-R-39016/654 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION, INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 99 AR AS OS SH | A 5945 EC 24-AUG-89 | ER | EC | 85 |
| AQ | | MIL-R-39017E(1) SUPPL 1A1 | RESISTORS, FIXED, FILM (INSULATED) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A 5905 ER 07-JAN-93 | ER | EC | 85 |
| A | | MIL-R-39017/1M(1) | RESISTORS, FIXED, FILM (INSULATED), ESTABLISHED RELIABILITY STYLE RLR07 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS OS | A 5905 ER 07-JAN-93 | ER | EC | 85 |
| A | | MIL-R-39017/2J(1) | RESISTORS, FIXED, FILM, (INSULATED), ESTABLISHED RELIABILITY STYLE RLR20 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS OS | A 5905 ER 07-JAN-93 | ER | EC | 85 |
| A | | MIL-R-39017/3G(1) | RESISTORS, FIXED, FILM, (INSULATED), ESTABLISHED RELIABILITY STYLE RLR32 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS OS | A 5905 ER 07-JAN-93 | ER | EC | 85 |
| | | MIL-R-39017/4D | RESISTOR, FIXED, FILM, (INSULATED), ESTABLISHED RELIABILITY STYLE RLR42 USER: 19 AT CG MC ME REVIEWER: 17 AR AS AV ES MI OS | A 5905 85 06-APR-87 | ER | EC | 85 |
| A | | MIL-R-39017/5L(1) | RESISTORS, FIXED, FILM, (INSULATED), ESTABLISHED RELIABILITY STYLE RLR05 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS OS | A 5905 ER 07-JAN-93 | ER | EC | 85 |
| Q | | MIL-C-39018C SUPPL 1A1 | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS CG MC OS REVIEWER: 17 99 ES MI SH | A 5910 EC 07-JAN-91 | ER | EC | 85 |
| A | | MIL-C-39018/1E | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY STYLES CU12 (UNINSULATED), CU13 (INSULATED), AND CUR13 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH | A 5910 EC 16-JUL-92 | ER | EC | 85 |
| | | MIL-C-39018/2C | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (NONPOLARIZED), STYLES CU14 (UNINSULATED) AND CU15 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH | A 5910 EC 07-JAN-91 | ER | EC | 85 |
| | | MIL-C-39018/3D(2) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CU16 (UNINSULATED), CU17 (INSULATED), AND CUR17 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 AV ES SH | A 5910 EC 07-JAN-91 | ER | EC | 85 |
| | | MIL-C-39018/4B(2) | CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE CU71 (INSULATED) AND CUR71 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 AV ES SH | A 5910 85 24-FEB-82 | ER | EC | 85 |
| | | MIL-C-39018/5A(2) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), (STACKED FOIL), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CU81 (INSULATED) AND CUR81 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 AV ES SH | A 5910 EC 07-JAN-91 | ER | EC | 85 |
| | | MIL-C-39018/6A(1) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR91 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH | A 5910 EC 07-JAN-91 | ER | EC | 85 |

| Action | DPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-C-39018/7(3) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), (FOUR-TERMINAL), ESTABLISHED RELIABILITY, STYLE CUR19 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH | A | 5910 | EC | 07-JAN-91 | ER | EC | 85 | |
| | | | MIL-C-39018/8B | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CU01 (INSULATED) AND CUR01 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH | A | 5910 | EC | 07-JAN-91 | ER | EC | 85 | |
| | | | MIL-C-39018/9B | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR02 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH | A | 5910 | EC | 07-JAN-91 | ER | EC | 85 | |
| | | | MIL-C-39018/10(1) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR92 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH | A | 5910 | EC | 07-JAN-91 | ER | EC | 85 | |
| | | | MIL-C-39018/11 | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLES CUR03 (INSULATED) AND CUR04 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH | A | 5910 | EC | 07-JAN-91 | ER | EC | 85 | |
| | | | MIL-C-39019C | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP FREE, GENERAL SPECIFICATION FOR USER: 19 AR AS MC SH REVIEWER: 11 17 99 AV ES MI OS SC | A | 5925 | ER | 13-OCT-87 | ER | EC | 85 | |
| | | | MIL-C-39019/1F(1) | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE ONE-POLE USER: 19 AS AT AV MC REVIEWER: 99 ES MI | A | 5925 | ER | 24-MAR-92 | ER | EC | 85 | |
| | | | MIL-C-39019/2F(1) | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE ONE-POLE, AUXILIARY CONTACTS USER: 19 AS AT AV MC REVIEWER: 99 ES MI | A | 5925 | ER | 24-MAR-92 | ER | EC | 85 | |
| | | | MIL-C-39019/3F(1) | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE TWO-POLE USER: 19 AS AT AV MC REVIEWER: 99 ES MI | A | 5925 | ER | 24-MAR-92 | ER | EC | 85 | |
| | | | MIL-C-39019/4F(1) | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE TWO-POLE, AUXILIARY CONTACTS USER: 19 AS AT AV MC REVIEWER: 99 ES MI | A | 5925 | ER | 24-MAR-92 | ER | EC | 85 | |
| | | | MIL-C-39019/5F(1) | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE THREE-POLE USER: 19 AS AT AV MC REVIEWER: 99 ES MI | A | 5925 | ER | 24-MAR-92 | ER | EC | 85 | |
| | | | MIL-C-39019/6F(1) | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE THREE-POLE, AUXILIARY CONTACTS USER: 19 AS AT AV MC REVIEWER: 99 ES MI | A | 5925 | ER | 24-MAR-92 | ER | EC | 85 | |
| Q | | | MIL-O-39021A(1) SUPPL 1A1 | OVEN, CRYSTAL, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8003) USER: 14 19 AS MC REVIEWER: 11 AR ES MI OS | A | 5955 | ER | 20-MAY-75 | ER | EC | 85 | |
| AQ | | | MIL-C-39022E(2) SUPPL 1A1 | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL OR CERAMIC CASES), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS CG MC OS SH REVIEWER: AR ES | A | 5910 | EC | 26-OCT-92 | ER | EC | 85 | |
| | | | MIL-C-39022/1C(3) | CAPACITOR, FIXED, METALLIZED-PAPER, PAPER PLASTIC FILM, OR-PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CH09 (INSULATED) USER: 19 AS CG MC OS SH REVIEWER: 17 99 AR ES | A | 5910 | 85 | 20-JUL-83 | ER | EC | 11 | |
| | | | MIL-C-39022/2C(3) | CAPACITOR, FIXED, METALLIZED, PAPER PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR19 (INSULATED) USER: 19 AS CG MC OS SH REVIEWER: 17 99 AR ES | A | 5910 | 85 | 15-JUL-85 | ER | EC | 85 | |
| LI | | | MIL-C-39022/4A(4) NOTICE 1 | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR29 (INSULATED) | A | 5910 | 85 | 06-MAY-91 | | | 85 | |
| | | | MIL-C-39022/7C(1) | CAPACITOR, FIXED, PLASTIC DIELECTRIC (METALLIZED PLASTIC FILM), ALTERNATING CURRENT (RMS) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR49 (UNINSULATED) USER: 19 AS CG MC OS SH REVIEWER: 17 99 AR ES | A | 5910 | 85 | 28-JAN-85 | ER | EC | 85 | |
| | | | MIL-C-39022/8B(4) | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR12 (UNINSULATED) USER: 19 AS CG MC OS SH REVIEWER: 17 99 ES | A | 5910 | EC | 25-JUL-89 | ER | EC | 85 | |
| LI | | | MIL-C-39022/9C(7) | CAPACITORS, FIXED METALLIZED PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLES CHR01A, CHR01B, CHR01C, CHR01D, CHR01E, CHR01F, CHR01G, CHR01H, CHR01J, CHR01K, CHR01L, CHR01M, CHR01N, CHR01P, AND CHR01R (INSULATED) | A | 5910 | 85 | 17-MAR-89 | | | 85 | |
| L | | | MIL-C-39022/10(5) | CAPACITOR, FIXED, METALLIZED, PAPER PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY STYLE CHR10 (INSULATED) | A | 5910 | 85 | 20-JUL-83 | | EC | 85 | |
| L | | | MIL-C-39022/11A(1) | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DIRECT-CURRENT, HERMETICALLY SEALED, STYLES CHR20, CHR21, CHR22, CHR23, CHR24, CHR25 | A | 5910 | ER | 07-NOV-91 | ER | | | |
| Q | | | MIL-R-39023A(1) SUPPL 1A1, NOTICE 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION GENERAL SPECIFICATION FOR (VALIDATION DATE: 9111) USER: 19 AS AV CG MC ME MI REVIEWER: 17 AR OS | A | 5905 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | | MIL-R-39023/1A(2) | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ090 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | ER | 27-MAR-91 | ER | EC | 85 | |
| | | | MIL-R-39023/2B(1) | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ110 USER: 19 AT AV CG MC REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | ER | 27-MAR-91 | ER | EC | 85 | |
| | | | MIL-R-39023/3A(1) NOTICE 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION, STYLE RQ150 (VALIDATION DATE: 9111) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | | MIL-R-39023/4A(1) NOTICE 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND PRECISION STYLE RQ200 (VALIDATION DATE: 9111) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | | MIL-R-39023/5A(1) NOTICE 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ300 (VALIDATION DATE: 9111) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS | A | 5905 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | | MIL-R-39023/6A(2) NOTICE 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ100 USER: 19 AT AV CG MC REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | ER | 27-MAR-91 | ER | EC | 85 | |
| | | | MIL-R-39023/7A(1) NOTICE 1 | RESISTOR, VARIABLE, NON-WIRE-WOUND, PRECISION, STYLE RQ160 (VALIDATION DATE: 8704) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | 85 | 13-APR-79 | ER | EC | 85 | |
| | | | MIL-R-39023/8A(1) NOTICE 1 | RESISTOR, VARIABLE, NON WIRE WOUND, PRECISION, STYLE RQ210 (VALIDATION DATE: 8704) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | 85 | 13-APR-79 | ER | EC | 85 | |
| L | | | MIL-R-39023/9(1) | RESISTOR, VARIABLE, NON WIRE WOUND, PRECISION, STYLE RQ091 (VALIDATION DATE: 8503) USER: 19 REVIEWER: 17 ES | A | 5905 | 85 | 09-APR-79 | | | 85 | |
| L | | | MIL-R-39023/10A NOTICE 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ051 (VALIDATION DATE: 9111) REVIEWER: AR MI | A | 5905 | ER | 11-NOV-91 | ER | | | |
| Q | | | MIL-C-39024A(5) SUPPL 1A1 | JACK, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR USER: 14 19 AR AS CG MC MI REVIEWER: 11 17 ES ME | A | 5935 | EC | 19-JUL-88 | CR | EC | 85 | |
| | | | MIL-C-39024/1C | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (THREADED), LOW VOLTAGE USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 99 ES ME MI | A | 5935 | EC | 14-AUG-91 | CR | EC | 85 | |
| | | | MIL-C-39024/2C | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (THREADED), HIGH VOLTAGE USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 99 ES ME MI | A | 5935 | EC | 14-AUG-91 | CR | EC | 85 | |
| | | | MIL-C-39024/3B | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING; SINGLE TEST POINT (RIGHT ANGLE, 2-LEG MOUNTING), LOW VOLTAGE USER: 14 19 AR AS CG MC MI OS REVIEWER: 17 99 ES ME | A | 5935 | EC | 14-AUG-91 | CR | EC | 85 | |
| | | | MIL-C-39024/4C | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE; SINGLE TEST POINT (RIGHT ANGLE, 3-LEG MOUNTING), LOW VOLTAGE USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 ES ME MI | A | 5935 | EC | 14-AUG-91 | CR | EC | 85 | |
| | | | MIL-C-39024/5C | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (HOLE MOUNTING, PUSH-FIT), LOW VOLTAGE USER: 14 19 AR AS CG MC MI OS REVIEWER: 11 17 99 ES ME | A | 5935 | EC | 14-AUG-91 | CR | EC | 85 | |
| | | | MIL-J-39024/10D | JACK, TIP (TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (THREADED), LOW VOLTAGE, .080) USER: 19 AS CG MC MI OS REVIEWER: 11 17 99 AR EA ES ME | A | 5935 | EC | 25-MAY-84 | CR | EC | 85 | |

| Action | Qual / Cont. Coordination Inactive | Document Number | Document Title | Doc. Strat. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-J-39024/11F | JACK, TIP, TEST POINT TYPE, PRINTED WIRING TYPE, SINGLE TEST POINT, RIGHT ANGLE, 2-LEG MOUNTING, LOW VOLTAGE, .080 USER: 19 AR AS CG MC MI YD1 REVIEWER: 11 99 ES ME | A 5935 EC | 13-APR-93 | CR | EC | 85 | |
| | | MIL-C-39024/12D | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (HOLE MOUNTING, PUSH-FIT), LOW VOLTAGE USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 ES ME | A 5935 EC | 14-AUG-91 | CR | EC | 85 | |
| | | MIL-C-39024/13A | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE, SINGLE TEST POINT (RIGHT ANGLE, 2 LEG MOUNTING), LOW VOLTAGE, .080 [VALIDATION DATE: 8404] USER: 14 19 AR AS CG MC MI OS REVIEWER: 11 17 99 ES ME MI | A 5935 EC | 09-JUN-78 | CR | EC | 85 | |
| | | MIL-C-39024/14A | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PANEL TYPE, SINGLE TEST POINT, SUBMINIATURE (PUSH-IN), LOW VOLTAGE, .080 [VALIDATION DATE: 8404] USER: 14 19 AR AS CG MC MI OS REVIEWER: 11 17 99 ES ME | A 5935 EC | 09-JUN-78 | CR | EC | 85 | |
| | | MIL-C-39024/15A | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE, SINGLE TEST POINT, LOW VOLTAGE, .080 [VALIDATION DATE: 8404] REVIEWER: 99 ES MI | A 5935 EC | 09-JUN-78 | CR | EC | 85 | |
| | | MIL-C-39024/18D | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE: MICRO-MINIATURE, SINGLE TEST POINT (2-LEG MOUNTING), LOW VOLTAGE, .080 INCH USER: 14 19 AR AS CG MC MI REVIEWER: 17 99 ES ME | A 5935 EC | 19-JUL-88 | CR | EC | 85 | |
| Q | | MIL-R-39027A SUPPL 1A1 | READOUTS, INCANDESCENT TYPE [VALIDATION DATE: 8304] REVIEWER: AS ES MI .... | A 6625 OS | 23-JUN-70 | ER | OS | | |
| | | MIL-C-39028C | CAPACITORS, PACKAGING OF USER: 11 REVIEWER: AR AS SH SM ..... | A PACK EC | 01-FEB-90 | CR | EC | 99 | ES |
| Q | | MIL-C-39029 SUPPL 1A1, NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] USER: 11 OS REVIEWER: 99 AR EC ES MC MI SH | A 5935 AS | 16-OCT-91 | ER | AS | 85 | |
| | | MIL-C-39029/1F | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-T-81714 TERMINAL JUNCTION SYSTEMS) USER: OS REVIEWER: 11 17 99 AR AV EC ES MC MI SH | A 5935 AS | 12-MAR-82 | CR | AS | 85 | |
| | | MIL-C-39029/2B | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 1 CONNECTORS) [VALIDATION DATE: 8207] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 02-AUG-76 | CR | AS | 85 | |
| | | MIL-C-39029/3B | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 1 CONNECTORS) [VALIDATION DATE: 8207] REVIEWER: 11 17 99 AR EC ES MC MI OS SH | A 5935 AS | 02-AUG-76 | CR | AS | 85 | |
| | | MIL-C-39029/4F NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES I AND III, AND MIL-C-83733 CONNECTORS) [VALIDATION DATE: 9110] USER: 80 OS REVIEWER: 11 99 AR EC ES MC MI SH | A 5935 AS | 16-OCT-91 | CR | AS | 85 | |
| | | MIL-C-39029/5G NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES I AND III, AND MIL-C-83733 CONNECTORS AND MIL-S-12883/40 AND /41 RELAY SOCKETS) [VALIDATION DATE: 9110] USER: 80 OS REVIEWER: 11 99 AR EC ES MC MI SH | A 5935 AS | 16-OCT-91 | CR | AS | 85 | |
| | | MIL-C-39029/6A | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS) [VALIDATION DATE: 8207] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 02-AUG-76 | CR | AS | 85 | |
| | | MIL-C-39029/7B | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES CONNECTORS) [VALIDATION DATE: 8205] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 02-AUG-76 | CR | AS | 85 | |
| | | MIL-C-39029/8B | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES 3 CONNECTORS) [VALIDATION DATE: 8205] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 02-AUG-76 | CR | AS | 85 | |
| | | MIL-C-39029/9E | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 3, AND MIL-C-83733 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 19-OCT-82 | CR | AS | 85 | |
| | | MIL-C-39029/10E(1) | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 3, AND MIL-C-83733 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 19-OCT-82 | CR | AS | 85 | |
| | | MIL-C-39029/11J | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 2 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 25-APR-80 | CR | AS | 85 | |
| | | MIL-C-39029/12J | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 2 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI | A 5935 AS | 25-APR-80 | CR | AS | 85 | |
| L | | MIL-C-39029/13A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 1 CONNECTORS) [VALIDATION DATE: 8207] USER: OS REVIEWER: EC ES MC SH | A 5935 AS | 02-AUG-75 | | AS | | |
| L | | MIL-C-39029/14A | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 2 CONNECTORS) [VALIDATION DATE: 8207] USER: OS REVIEWER: EC MC SH | A 5935 AS | 02-AUG-76 | | AS | | |
| L1 | | MIL-C-39029/16C NOTICE 2 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 4 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: EC ES MC SH | A 5935 AS | 17-OCT-91 | | AS | | |
| L | | MIL-C-39029/17C NOTICE 1 | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 3 CONNECTORS) [VALIDATION DATE: 8709] USER: OS REVIEWER: EC ES MC SH | A 5935 AS | 25-APR-80 | | AS | | |
| L1 | | MIL-C-39029/18C NOTICE 2 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: EC ES MC SH | A 5935 AS | 17-OCT-91 | | AS | | |
| L | | MIL-C-39029/19A | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS) [VALIDATION DATE: 8207] USER: OS REVIEWER: 99 EC ES MC SH | A 5935 AS | 02-AUG-76 | | AS | | |
| L | | MIL-C-39029/20A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 3 CONNECTORS) [VALIDATION DATE: 8207] | A 5935 AS | 02-AUG-76 | | AS | | |
| L | | MIL-C-39029/21A | CONTRACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 4 CONNECTORS) [VALIDATION DATE: 8207] USER: OS REVIEWER: 99 EC ES MC SH | A 5935 AS | 02-AUG-76 | | AS | | |
| | | MIL-C-39029/22B | CONTACTS, ELECTRICAL, CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-T-81714 TERMINAL JUNCTION SYSTEM SERIES II AND MIL-C-81511 SERIES 3 AND 4 CLASS L CONNECTORS) USER: OS REVIEWER: EC ES MC | A 5935 AS | 03-NOV-89 | ER | AS | 85 | |
| | | MIL-C-39029/23B NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-26482 SERIES 1 CONNECTORS) [VALIDATION DATE: 8709] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 25-APR-80 | CR | AS | 85 | |
| | | MIL-C-39029/24B NOTICE 1 | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS) [VALIDATION DATE: 8709] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 25-APR-80 | CR | AS | 85 | |
| I | | MIL-C-39029/25C NOTICE 2 | CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 17-OCT-91 | CR | AS | 85 | |
| I | | MIL-C-39029/26C NOTICE 1 | CONTACTS, ELECTRICAL CONNECTORS, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A 5935 AS | 17-OCT-91 | CR | AS | 85 | |
| | | MIL-C-39029/27C(1) | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-38999 SERIES II CONNECTORS) REVIEWER: 11 15 17 99 AR EC ES MC OS | A 5935 85 | 03-SEP-81 | CR | AS | 85 | |
| | | MIL-C-39029/28C(2) | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP, REMOVABLE, SHIELDED, SIZE 12, (FOR MIL-C-38999 SERIES I, II, III, & IV CONNECTORS [VALIDATION DATE: 8702] REVIEWER: 11 15 17 99 AR EC ES MC OS | A 5935 85 | 13-FEB-87 | CR | AS | 85 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-C-39029/29B<br>NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-5015 SERIES MS3450 AND MIL-C-83723 SERIES 2 CONNECTORS) [VALIDATION DATE: 9110] USER: 99 OS SH REVIEWER: 11 17 AR EC ES | A | 5935 | AS | | 17-OCT-91 | CR | AS | 85 | |
| | MIL-C-39029/30A<br>NOTICE 2 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES II CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A | 5935 | AS | | 17-OCT-91 | CR | AS | 85 | |
| | MIL-C-39029/31B<br>NOTICE 2 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-26482 SERIES 1, MIL-C-26500 AND MIL-C-26518 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A | 5935 | AS | | 17-OCT-91 | CR | AS | 85 | |
| | MIL-C-39029/32B(1)<br>NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-26482 SERIES 1, MIL-C-26500 AND MIL-C-26518 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A | 5935 | AS | | 17-OCT-91 | CR | AS | 85 | |
| | MIL-C-39029/33C(1) | CONTACTS, ELECTRICAL, PIN, CRIMP, REMOVABLE (FOR MIL-C-81511 SERIES 1 & 2 CONNECTORS) USER: OS REVIEWER: 99 EC ES MC SH TD | A | 5935 | AS | | 21-AUG-87 | CR | AS | 85 | |
| | MIL-C-39029/34B(1)<br>NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-28748/3 AND MIL-C-28478/13 CONNECTORS) [VALIDATION DATE: 8909] USER: AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI SH | A | 5935 | EC | | 29-SEP-89 | CR | EC | 85 | |
| | MIL-C-39029/35C | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-28748/4 AND MIL-C-28748/14 CONNECTORS) USER: AV MC ME OS REVIEWER: 11 99 AR AS AT ES MI | A | 5935 | EC | | 02-MAR-92 | CR | EC | 85 | |
| | MIL-C-39029/36A(1)<br>NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-28748/9 CONNECTORS) [VALIDATION DATE: 8909] USER: AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI SH | A | 5935 | EC | | 29-SEP-89 | CR | EC | 85 | |
| | MIL-C-39029/37A(1)<br>NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-28748/10 CONNECTORS) [VALIDATION DATE: 8909] USER: AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI SH | A | 5935 | EC | | 29-SEP-89 | CR | EC | 85 | |
| | MIL-C-39029/44D(2) | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-5015 SERIES MS3400 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A | 5935 | AS | | 31-DEC-90 | CR | AS | 85 | |
| | MIL-C-39029/45D(1) | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-5015 SERIES MS3400 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI | A | 5935 | AS | | 15-SEP-89 | CR | AS | 85 | |
| I | MIL-C-39029/46C(1)<br>NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 2 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 99 EC ES MC SH TD | A | 5935 | AS | | 17-OCT-91 | CR | AS | 85 | |
| I | MIL-C-39029/47C(1)<br>NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 99 EC ES MC SH TD | A | 5935 | AS | | 17-OCT-91 | CR | AS | 85 | |
| | MIL-C-39029/48D | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-22992 CLASS L CONNECTORS) USER: AT OS SH REVIEWER: 11 17 99 AS ES MC MI | A | 5935 | EC | | 16-SEP-85 | CR | EC | 85 | |
| | MIL-C-39029/49D | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-22992 CLASS L CONNECTORS) USER: AT OS REVIEWER: 11 17 99 AS ES MC MI | A | 5935 | EC | | 16-SEP-85 | CR | EC | 85 | |
| | MIL-C-39029/50A<br>NOTICE 1 | CONTRACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-83733 CONNECTORS) [VALIDATION DATE: 8701] USER: OS REVIEWER: 11 17 99 AR EC MC MI SH | A | 5935 | 85 | | 30-JAN-87 | CR | AS | 85 | |
| | MIL-C-39029/51A<br>NOTICE 1 | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE SHIELDED, (FOR MIL-C-83733 CONNECTORS) [VALIDATION DATE: 8608] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A | 5935 | 85 | | 25-APR-80 | CR | AS | 85 | |
| L | MIL-C-39029/54B<br>NOTICE 1 | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26500)USAF( AND MIL-C-26518)USAF( CONNECTORS) [VALIDATION DATE: 8701] REVIEWER: 11 17 99 ES | A | 5935 | 85 | | 30-JAN-87 | | | 85 | |
| L | MIL-C-39029/55B<br>NOTICE 1 | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26500)USAF( AND MIL-C-26518)USAF( CONNECTORS) [VALIDATION DATE: 8701] REVIEWER: 11 17 99 | A | 5935 | 85 | | 30-JAN-87 | | | 85 | |
| | MIL-C-39029/56D | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III AND IV CONNECTORS USER: AT OS REVIEWER: 11 15 17 99 EC ES MC MI SH | A | 5935 | 85 | | 12-APR-84 | CR | AS | 85 | |
| | MIL-C-39029/57B<br>NOTICE 1 | CONTACT, ELECTRICAL CONNECTORS, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-24308, MIL-C-55302/68, /71, /72, /75, MIL-C-38999 SERIES II AND MIL-C-83733 CONNECTORS) [VALIDATION DATE: 8608] USER: AT OS REVIEWER: 11 15 17 99 EC ES MC MI SH | A | 5935 | 85 | | 22-APR-80 | CR | AS | 85 | |
| | MIL-C-39029/58D | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-24308, MIL-C-38999 SERIES I, II, III, IV & MIL-C-55302/69 & MIL-C-83733CONNECTORS) USER: AT OS REVIEWER: 11 15 17 99 EC ES MC MI SH | A | 5935 | 85 | | 12-APR-84 | CR | AS | 85 | |
| | MIL-C-39029/59D | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS) USER: AT OS REVIEWER: 11 15 99 EC ES MC SH | A | 5935 | 85 | | 26-DEC-88 | CR | AS | 85 | |
| | MIL-C-39029/60D | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS) USER: AT OS REVIEWER: 11 15 99 EC ES MC SH | A | 5935 | 85 | | 26-DEC-88 | CR | AS | 85 | |
| | MIL-C-39029/63B | CONTACT, ELECTRICAL CONNECTOR, SOCKET CRIMP REMOVABLE, (FOR MIL-C-24308 CONNECTORS) USER: AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI | A | 5935 | EC | | 27-JUL-87 | CR | EC | 85 | |
| | MIL-C-39029/64C | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-24308 CONNECTORS) USER: AV MC ME OS REVIEWER: 11 99 AR AS AT ES MI SH | A | 5935 | EC | | 10-FEB-92 | CR | EC | 85 | |
| L | MIL-C-39029/69B<br>NOTICE 1 | CONNECTOR CONTACT, ELECTRICAL SOCKET, CRIMP REMOVABLE, FOR MIL-C-85028(AS) CONNECTORS [VALIDATION DATE: 8903] REVIEWER: EC ES | A | 5935 | AS | | 31-MAR-89 | | AS | | |
| L | MIL-C-39029/70B<br>NOTICE 1 | CONNECTOR CONTACT, ELECTRICAL PIN, CRIMP REMOVABLE, FOR MIL-C-85028(AS) CONNECTORS [VALIDATION DATE: 8903] REVIEWER: EC ES | A | 5935 | AS | | 31-MAR-89 | | AS | | |
| | MIL-C-39029/71C | CONTACTS, ELECTRICAL CONNECTOR, PIN, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-C-38999 SERIES I, II, III AND IV, MIL-C-24308, MIL-C-83733, AND MIL-C-55302/69 CONNECTORS) USER: OS REVIEWER: 11 15 99 AR EC ES MC MI SH | A | 5935 | 85 | | 19-AUG-88 | CR | AS | 85 | |
| | MIL-C-39029/72D | CONTACTS, ELECTRICAL CONNECTOR SOCKET, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-C-38999 SERIES I, II, III, AND IV, MIL-C-24308, AND MIL-C-55302/68, /71, AND /75 CONNECTORS) USER: 80 OS REVIEWER: 11 15 99 AR EC ES MC MI SH | A | 5935 | 85 | | 19-AUG-88 | CR | AS | 85 | |
| | MIL-C-39029/73C | CONTACT, ELECTRICAL CONNECTORS, SOCKET, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-83723 SERIES III, MIL-C-26482 SERIES 2, MIL-C-83733, & DOD-C-83527 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI | A | 5935 | 85 | | 29-AUG-86 | CR | AS | 85 | |
| | MIL-C-39029/74C | CONTACT, ELECTRICAL CONNECTORS, PIN, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-83723 SERIES III, MIL-C-26482 SERIES 2, MIL-C-83733 & DOD-C-83527CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI | A | 5935 | 85 | | 29-AUG-86 | CR | AS | 85 | |
| | MIL-C-39029/75A(2) | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12, (FOR MIL-C-38999 SERIES I,III, & IV CONNECTORS REVIEWER: 11 15 17 99 AR EC ES MC OS | A | 5935 | 85 | | 24-AUG-82 | CR | AS | 85 | |
| | MIL-C-39029/76A(1)<br>NOTICE 1 | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 16, (FOR MIL-C-38999 SERIES I, II, III, IV & MIL-C-24308 CONNECTORS) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 AR EC ES MC OS | A | 5935 | 85 | | 30-JAN-87 | CR | AS | 85 | |
| | MIL-C-39029/77B | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-C-38999 SERIES I, III AND IV CONNECTORS) REVIEWER: 11 15 17 99 AR EC ES MC OS | A | 5935 | 85 | | 22-NOV-85 | CR | AS | 85 | |
| | MIL-C-39029/78B | CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-C-38999 SERIES II & MIL-C-24308 CONNECTORS) REVIEWER: 11 15 99 AR EC ES MC OS | A | 5935 | 85 | | 22-NOV-85 | CR | AS | 85 | |
| | MIL-C-39029/79A | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-28748/9 CONNECTORS) USER: AV OS REVIEWER: 11 17 99 AS ES MC MI | A | 5935 | EC | | 28-JUL-86 | CR | EC | 85 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-C-39029/80A | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-28748/10 CONNECTORS) USER: AV OS REVIEWER: 11 17 99 AS ES MC MI | A | 5935 | | EC | 28-JUL-86 | CR | EC | | 85 |
| L | | | | MIL-C-39029/83C | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-28840 CONNECTORS) USER: OS | A | 5935 | | EC | 16-SEP-85 | | EC | | |
| L | | | | MIL-C-39029/84D | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-28840 CONNECTORS) USER: OS | A | 5935 | | EC | 16-SEP-85 | | EC | | |
| | | | | MIL-C-39029/85C | CONTRACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES 2 CONNECTORS) USER: OS SH REVIEWER: 11 15 99 AR EC ES | A | 5935 | | 85 | 19-APR-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/86C | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES II CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH | A | 5935 | | 85 | 19-APR-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/87C | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-38999 SERIES I, II, III, & IV, MIL-C-24308, & MIL-C-83733) USER: OS SH REVIEWER: 11 99 AR EC ES | A | 5935 | | 85 | 19-APR-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/88A NOTICE 1 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-38999 SERIES I, III AND IV CONNECTORS) [VALIDATION DATE: 8901] USER: ES OS SH REVIEWER: 11 17 99 AR EC | A | 5935 | | 85 | 13-JAN-89 | CR | AS | | 85 |
| | | | | MIL-C-39029/89C | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (THERMOCOUPLE FOR MIL-C-38999 SERIES II, MIL-C-83733, & MIL-C-24308 CONNECTORS) USER: OS SH REVIEWER: 11 17 99 AR EC ES | A | 5935 | | 85 | 19-APR-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/90A | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8 USER: AT OS REVIEWER: 11 1, 17 99 EC ES MC SH | A | 5935 | | AS | 18-JAN-85 | CR | AS | | 85 |
| | | | | MIL-C-39029/91A | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SIZE 8 USER: AT OS REVIEWER: 11 15 17 99 EC ES MC SH | A | 5935 | | AS | 18-JAN-85 | CR | AS | | 85 |
| | | | | MIL-C-39029/92B | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-R-6106 ANDMIL-S-12883/40 AND /41 RELAY SOCKETS) USER: AT AV ME REVIEWER: 99 AR ES MI | A | 5935 | | CR | 02-MAR-89 | CR | EC | | 85 |
| | | | | MIL-C-39029/93A | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR DOD-C-83527 CONNECTOR) USER: OS REVIEWER: 11 99 AR EC ES MC MI SH | A | 5935 | | 85 | 09-DEC-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/94A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR DOD-C-83527, CONNECTOR) USER: OS REVIEWER: 11 99 AR EC ES MC MI SH | A | 5935 | | 85 | 09-DEC-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/95 | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR DOD - C - 83527, CONNECTOR) USER: AT OS REVIEWER: 11 15 17 99 EC ES MC SH | A | 5935 | | 85 | 08-AUG-85 | CR | AS | | 85 |
| | | | | MIL-C-0039029/95 | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR DOD-C-83527, CONNECTOR) | A | 5935 | | 85 | 15-MAY-87 | | | | 85 |
| | | | | MIL-C-39029/96 | CONTACT, ELECTRICAL CONNECTOR CONCENTRIC TWINAX, PIN, SIZE 8 (FOR DOD - C - 83527 CONNECTOR) USER: AT OS REVIEWER: 11 15 17 99 EC ES MC SH | A | 5935 | | 85 | 08-AUG-85 | CR | AS | | 85 |
| L | | | | MIL-C-0039029/96 | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SHIELDED, SIZE 8 (FOR DOD-C-83527 CONNECTOR) | A | 5935 | | 85 | 15-MAY-87 | | | | 85 |
| | | | | MIL-C-39029/97A | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS) USER: AT OS REVIEWER: 11 99 AR EC ES MC MI SH | A | 5935 | | 85 | 09-DEC-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/98A | CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS) USER: AT OS REVIEWER: AR EC MC MI SH | A | 5935 | | 85 | 09-DEC-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/99A | CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE, COAXIAL, SIZE 5 (FOR DOD-C-83527 CONNECTORS) USER: AT OS REVIEWER: 11 99 AR EC ES MC MI SH | A | 5935 | | 85 | 09-DEC-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/100A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 5 (FOR DOD-C-83527 CONNECTORS) USER: AT OS REVIEWER: 11 99 AR EC ES MC MI SH | A | 5935 | | 85 | 09-DEC-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/101A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-S-12883/44, MIL-S-12883/45, MIL-S-12883/46 AND MIL-R-6106/23 RELAY) USER: AT AV ME OS REVIEWER: 11 15 17 99 AR EC ES MC SH | A | 5935 | | 85 | 10-MAR-89 | CR | AS | | 85 |
| | | | | MIL-C-39029/102A | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III & IV CONNECTORS) USER: 19 REVIEWER: 11 15 17 99 AR AV EC MC OS | A | 5935 | | 85 | 31-MAR-88 | ER | AS | | 85 |
| | | | | MIL-C-39029/103A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III & IV CONNECTORS) USER: 19 REVIEWER: 11 15 17 99 AR AV EC ES MC OS | A | 5935 | | 85 | 31-MAR-88 | CR | AS | | 85 |
| | | | | MIL-C-39029/104 | CONTACTS, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SHIELDED, SIZE 8 (FOR MIL-C-28840) USER: 11 OS REVIEWER: AS ES MC | A | 5935 | | EC | 09-NOV-87 | CR | EC | | 85 |
| | | | | MIL-C-39029/105 | CONTACTS, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR MIL-C-28840) USER: 11 OS REVIEWER: AS ES MC | A | 5935 | | EC | 09-NOV-87 | CR | EC | | 85 |
| | | | | MIL-C-39029/106A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III AND IV AND MIL-C-29600 SERIES A CONNECTORS) USER: MC MI SH REVIEWER: 15 AV EC ES | A | 5935 | | AS | 21-SEP-90 | CR | AS | | 85 |
| | | | | MIL-C-39029/107A | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, JJJ AND IV AND MIL-C-29600 SERIES A CONNECTORS) USER: MC MI SH REVIEWER: 15 AV EC ES | A | 5935 | | AS | 21-SEP-90 | CR | AS | | 85 |
| L | | | | MIL-C-39029/108 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SOCKET, SINGLE WIRE | A | 5935 | | AT | 30-APR-90 | AT | | | |
| L | | | | MIL-C-39029/109 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SOCKET, MULTIPLE WIRES | A | 5935 | | AT | 30-APR-90 | AT | | | |
| Q | | | | MIL-D-390308(1) SUPPL 1A1 | DUMMY LOADS, ELECTRICAL, COAXIAL AND STRIPLINE, GENERAL SPECIFICATION FOR USER: 19 REVIEWER: 11 ES MI OS SH | A | 5985 | | EC | 16-DEC-86 | ER | EC | | 85 |
| | | | | MIL-D-39030/1A NOTICE 1 | DUMMY LOADS, ELECTRICAL, COAXIAL FREQUENCY RANGE, DC TO 5 GHZ [VALIDATION DATE: 8710] USER: 19 AS AV MC REVIEWER: 17 MI OS | A | 5985 | | 85 | 27-OCT-87 | ER | EC | | 85 |
| | | | | MIL-D-39030/2A NOTICE 1 | DMY LOADS, ELECTRICAL, COAXIAL FREQUENCY RANGE, DC TO 3.5 GHZ [VALIDATION DATE: 8710] USER: 19 AV MC REVIEWER: 17 ES MI OS | A | 5985 | | 85 | 27-OCT-87 | ER | EC | | 85 |
| | | | | MIL-D-39030/3A(2) | DUMMY LOADS, ELECTRICAL, COAXIAL TYPE I (SMA), LOW POWER USER: 19 AS AV REVIEWER: 17 ES MI OS SH | A | 5985 | | 85 | 13-DEC-82 | ER | EC | | 85 |
| | | | | MIL-D-39030/4 | DUMMY LOADS, ELECTRICAL COAXIAL TYPE I (SMA), MEDIUM POWER [VALIDATION DATE: 8104] USER: 19 AS AV MC REVIEWER: 17 99 ES MI OS SH | A | 5985 | | 85 | 27-JUN-75 | ER | EC | | 85 |
| | | | | MIL-D-39030/5A(1) | DUMMY LOADS, ELECTRICAL, COAXIAL TYPE IV (TNC), LOW POWER USER: 19 AS AV REVIEWER: 17 ES MI OS SH | A | 5985 | | 85 | 21-SEP-81 | ER | EC | | 85 |
| | | | | MIL-D-39030/6A(2) | DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE V (N), LOW POWER USER: 19 AR REVIEWER: 11 99 ES MI | A | 5985 | | EC | 19-DEC-90 | ER | EC | | 85 |
| | | | | MIL-D-39030/7 | DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE III (BNC), LOW POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH | A | 5985 | | 85 | 22-DEC-80 | ER | EC | | 85 |
| | | | | MIL-D-39030/8 | DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE IV (TNC), MEDIUM POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH | A | 5985 | | 85 | 22-DEC-80 | ER | EC | | 85 |
| | | | | MIL-D-39030/9 | DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE IV (TNC), HIGH POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH | A | 5985 | | 85 | 22-DEC-80 | ER | EC | | 85 |
| | | | | MIL-D-39030/10 | DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE V (N), MEDIUM POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH | A | 5985 | | 85 | 22-DEC-80 | ER | EC | | 85 |
| | | | | MIL-D-39030/11 | DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE V (N), HIGH POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH | A | 5985 | | 85 | 22-DEC-80 | ER | EC | | 85 |
| | | | | MIL-D-39030/12 | DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE VI (C), MEDIUM POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH | A | 5985 | | 85 | 22-DEC-80 | ER | EC | | 85 |
| | | | | MIL-D-39030/13A | DUMMY LOAD, ELECTRICAL, TYPE XIV (SOCKET CONTACT), STRIPLINE, LOW POWER USER: 19 AS REVIEWER: 17 AV OS SH | A | 5985 | | 85 | 19-NOV-85 | ER | EC | | 85 |
| | | | | MIL-D-39030/14A | DUMMY LOAD, ELECTRICAL, TYPE XIV (BIFURCATED CONTACT), STRIPLINE, LOW POWER USER: 19 AS REVIEWER: 17 AV ES OS SH | A | 5985 | | 85 | 19-NOV-85 | ER | EC | | 85 |
| | | | | MIL-D-39030/15A | DUMMY LOAD, ELECTRICAL, TYPE XIV (BIFORCATED CONTACT), STRIPLINE, HIGH POWER USER: 19 AS REVIEWER: 17 AV ES OS SH | A | 5985 | | 85 | 19-NOV-85 | ER | EC | | 85 |

| Action | OPR / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-D-39030/16A | DUMMY LOAD, ELECTRICAL, TYPE XIV (BIFURCATED CONTACT), STRIPLINE, LOW POWER USER: 19 AS REVIEWER: 17 AV ES OS SH | A | 5985 | | 85 | 19-NOV-85 | ER | EC | 85 | |
| | | | MIL-D-39030/17A | DUMMY LOAD, ELECTRICAL, TYPE XIV (TAB CENTER CONTACT), STRIPLINE, LOW POWER USER: 19 AS REVIEWER: 17 AV ES OS SH | A | 5985 | | 85 | 19-NOV-85 | ER | EC | 85 | |
| | | | MIL-D-39030/18 | DUMMY LOAD, ELECTRICAL, TYPE XIV (PIN CONTACT), STRIPLINE, LOW POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH | A | 5985 | | 85 | 22-DEC-80 | ER | EC | 85 | |
| | | | MIL-D-39030/19(2) | DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CENTER CONTACT), STRIPLINE, HIGH POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH | A | 5985 | | 85 | 13-DEC-82 | ER | EC | 85 | |
| | | | MIL-D-39030/20A | DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, LOW POWER USER: 19 AS REVIEWER: 17 AV ES OS SH | A | 5985 | | 85 | 19-NOV-85 | ER | EC | 85 | |
| | | | MIL-D-39030/21(1) | DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, MEDIUM POWER REVIEWER: 11 | A | 5985 | | 85 | 19-MAY-86 | ER | EC | 85 | |
| | | | MIL-D-39030/22 | DUMMY LOAD, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, HIGH POWER REVIEWER: 11 | A | 5985 | | 85 | 22-DEC-80 | ER | EC | 85 | |
| | | | MIL-R-39020 | RESISTORS, PACKAGING OF USER: 17 AT REVIEWER: 99 AR CR MI SH SM ..... | A | PACK | | ER | 11-FEB-91 | ER | EC | 85 | ES |
| MQ | | | MIL-R-39035C(1) SUPPL 1A1 | RESISTOR, VARIABLE, NON-WIRE-WOUND (ADJUSTMENT TYPE), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | | 85 | 10-MAY-93 | ER | EC | 85 | |
| | | | MIL-R-39035/1B(1) | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RJR12 USER: 19 99 AT MC ME REVIEWER: 17 AR AS AV ES MI OS | A | 5905 | | 85 | 28-AUG-89 | ER | EC | 85 | |
| | | | MIL-R-39035/2E(1) | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RJR24 USER: 19 AT MC ME REVIEWER: 17 99 AR AS AV ES MI OS | A | 5905 | | 85 | 28-AUG-89 | ER | EC | 85 | |
| | | | MIL-R-39035/3B(2) | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RJR26 USER: 19 AT MC ME REVIEWER: 17 99 AR AS AV ES MI OS | A | 5905 | | 85 | 28-AUG-89 | ER | EC | 85 | |
| | | | MIL-R-39035/4D(2) | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, SINGLE TURN), ESTABLISHED RELIABILITY, STYLE RJR50 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | | 85 | 28-AUG-89 | ER | EC | 85 | |
| | | | MIL-R-39035/5B | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RJR28 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS | A | 5905 | | 85 | 30-SEP-90 | ER | EC | 85 | |
| | | | MIL-R-39035/7A NOTICE 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY, STYLE RJR32 (INACTIVE FOR NEW DESIGN) USER: 19 AT AV MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | | 85 | 25-SEP-84 | ER | EC | 85 | |
| L | | | MIL-P-39500(2) | POLYURETHANE FOAM KIT, RIGID REVIEWER: DS ..... | A | 1195 | | AR | 01-JUN-82 | AR | | | |
| A | | | MIL-T-40001E | TENT, OBSERVING, TRIANGULATION, GROUND TYPE, COMPLETE WITH FRAME USER: 45 ME REVIEWER: 82 MD | A | 8340 | | CT | 29-JUL-88 | GL | | 99 | CT |
| A | | | MIL-C-40004C | CLOTH, KNITTED, COTTON, SIMPLEX REVIEWER: 82 MC MD SA ..... | A | 8305 | | CT | 26-APR-90 | GL | MU | 11 | CT |
| A | L | | MIL-B-40006D | BUCKLE, GENERAL OFFICERS' BELT, GOLD PLATED REVIEWER: CT GL ..... | A | 8315 | | IH | 29-SEP-92 | IH | | | |
| | | | MIL-C-40008D(1) | CABINET, SAW AND FILE REVIEWER: 84 GS ..... | A | 3460 | | AL | 10-MAR-88 | AL | | 99 | |
| | | | MIL-C-40009E | CABINETS, STORAGE, REPAIR PARTS AND TOOLS USER: AV CE REVIEWER: 84 GS ..... | A | 7125 | | GL | 29-MAR-91 | GL | MC | 99 | |
| | L | | MIL-T-40019C | TANK, SHIPPING AND STORAGE, DRY ICE (VALIDATION DATE: 8302) REVIEWER: GS MD | A | 3655 | | ME | 28-APR-78 | ME | | 99 | |
| A | | | MIL-S-40022E | SHOULDER STRAP, SIDE ARM, MILITARY POLICE, LEATHER, BLACK REVIEWER: 11 45 MD | A | 8465 | | CT | 07-MAR-85 | GL | | 99 | CT |
| | | | MIL-P-40023D NOTICE 1 | PAPER, TELETYPEWRITER, CONTINUOUS FLATFOLD USER: MC SA ..... | A | 7530 | | GL | 25-JAN-88 | GL | | 99 | |
| | | | MIL-B-40028B | BAG, BARRIER, WITH VOLATILE CORROSION INHIBITOR TREATED LINERS (VALIDATION DATE: 8302) REVIEWER: SM | A | 8105 | | AR | 12-APR-76 | AR | AS | 99 | |
| A | | | MIL-P-40029B NOTICE 1 | PANEL MARKER, AERIAL LIAISON, COTTON DUCK, PANEL AL-125 (VALIDATION DATE: 9210) USER: 45 CG REVIEWER: 82 99 CT | A | 8345 | | IH | 02-OCT-92 | IH | | 11 | |
| | | | MIL-D-40030A(1) NOTICE 1 | DRUMS, PLASTIC, MOLDED POLYETHYLENE (VALIDATION DATE: 9104) REVIEWER: GS SM | A | 8110 | | EA | 29-APR-91 | EA | | 69 | |
| A | | | MIL-T-40031E | TENT, OBSERVING, ASTRONOMIC, COMPLETE WITH FLY AND FRAME. USER: ME REVIEWER: 82 MD | A | 8340 | | CT | 31-MAR-87 | GL | | 99 | CT |
| A | | | MIL-A-40032E | APRON, MEATCUTTER S REVIEWER: 82 MD ..... | A | 8415 | | CT | 30-MAY-86 | GL | | 99 | CT |
| | L | | MIL-S-40034B(1) | SCREEN, HALFTONE, CONTACT, FOR PHOTOLITHOGRAPHY (VALIDATION DATE: 8411) REVIEWER: GS | A | 3610 | | ME | 25-AUG-80 | ME | | | |
| A | | | MIL-C-40039D | CLOTH, COATED, NYLON, VINYL COATED REVIEWER: MC MD ..... | A | 8305 | | CT | 20-OCT-81 | GL | MU | 99 | CT |
| A | | | MIL-B-40042E | BOX, MATCH, WATERPROOF USER: 45 REVIEWER: 82 MS ..... | A | 8465 | | CT | 22-JAN-88 | GL | MC | 99 | CT |
| A | | | MIL-S-40043D | SOLES, RUBBER, SHOE USER: CG MC MS REVIEWER: 82 MD ..... | A | 8335 | | CT | 15-MAR-91 | GL | SA | 99 | CT |
| A | L | | MIL-F-40045C NOTICE 1 | FLAG SET, SIGNAL, M-238 (TANK) (VALIDATION DATE: 9210) USER: MC REVIEWER: CT | A | 8345 | | IH | 02-OCT-92 | IH | | | |
| A | | | MIL-S-40046D | SLING, FLAGSTAFF (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CG MC ... | A | 8345 | | CT | 20-NOV-92 | IH | MU | 11 | CT |
| | | | MIL-F-40047C | FLAG, SIGNAL, RED, VEHICLE, DANGER USER: MC REVIEWER: CT ..... | A | 8455 | | IH | 12-MAY-92 | IH | MU | | |
| A | | | MIL-F-40048C NOTICE 1 | FLAGSTAFFS AND INSIGNIA, FLAGSTAFF HEADS, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8345 | | IH | 20-NOV-92 | IH | MU | 11 | |
| | | | MIL-F-00400488 | FLAGSTAFFS AND INSIGNIA, FLAGSTAFF HEADS GENERAL SPECIFICATION FOR (VALIDATION DATE: 8407) USER: 45 | A | 8345 | | IH | 03-JUN-77 | IH | | | |
| A | | | MIL-L-40051E | LEATHER, CATTLEHIDE, FOR GLOVES USER: MC REVIEWER: MD ..... | A | 8330 | | CT | 29-MAR-91 | GL | MU | 99 | CT |
| A | | | MIL-F-40054B NOTICE 1 | FLAG SET, M-133 (VALIDATION DATE: 9210) USER: 45 REVIEWER: 82 99 CT MC .... | A | 8345 | | IH | 14-OCT-92 | IH | MU | 11 | |
| A | | | MIL-F-40055A NOTICE 1 | FLAG SET M-113 (VALIDATION DATE: 9210) USER: CG REVIEWER: 82 99 CT MC ..... | A | 8345 | | IH | 14-OCT-92 | IH | MU | 11 | |
| | L | | MIL-T-40057B | TABLE, WRAPPING, PLYWOOD, ALUMINUM TOP. (VALIDATION DATE: 8104) USER: SM .. | A | 7195 | | GL | 19-MAR-69 | GL | | | |
| | L | | MIL-C-40058A(1) | CABINETS, STORAGE, PRESERVATION AND PACKAGING EQUIPMENT. (VALIDATION DATE: 8201) | A | 7125 | | GL | 26-JUN-68 | GL | | | |
| A | | | MIL-S-40059E(1) | SEPARATORS, SUSPENSION LINE, PARACHUTE USER: MC REVIEWER: 82 TH ..... | A | 1670 | | GL | 16-DEC-92 | GL | AS | 99 | |
| | L | | MIL-C-40060C(1) SUPPL 2A1, NOTICE 1 | CABINET, STORAGE, STEEL, MAP REPRODUCTION, PHOTOMAPPING, AND SURVEYING EQUIPMENT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8801) | A | 7125 | | GL | 25-JAN-88 | GL | | | |
| | L | | MIL-C-40060/1 | CABINET, STORAGE, STEEL, MAP REPRODUCTION, DOUBLE DOOR, WALL, TYPE I (VALIDATION DATE: 8201) REVIEWER: ME MS | A | 7125 | | GL | 30-DEC-70 | GL | | | |
| | L | | MIL-C-40060/2 | CABINET, STORAGE, STEEL, MAP REPRODUCTION, SINGLE DOOR, WALL, TYPE II (VALIDATION DATE: 8201) REVIEWER: ME MS | A | 7125 | | GL | 30-DEC-70 | GL | | | |
| | L | | MIL-C-40060/3 NOTICE 1 | CABINET, STORAGE, STEEL, PHOTOMAPPING EQUIPMENT, TYPE III REVIEWER: ME MS . | A | 7125 | | GL | 25-JAN-88 | GL | | | |
| | L | | MIL-C-40060/4 NOTICE 1 | CABINET, STORAGE, STEEL, GENERAL SUPPLIES - 1-DOOR, TYPE IV REVIEWER: ME MS | A | 7125 | | GL | 25-JAN-88 | GL | | | |
| | L | | MIL-C-40060/5 | CABINET, STORAGE, STEEL, GENERAL SUPPLIES - 2 DOOR, TYPE V REVIEWER: ME MS | A | 7125 | | GL | 25-JAN-88 | GL | | | |
| | L | | MIL-C-40060/6 NOTICE 1 | CABINET, STORAGE, STEEL, ROLLED MATERIAL, TYPE VI (VALIDATION DATE: 8801) REVIEWER: ME MS | A | 7125 | | GL | 25-JAN-88 | GL | | | |
| | L | | MIL-C-40060/7 NOTICE 1 | CABINET, STORAGE, STEEL, GENERAL SUPPLIES, TYPE VII (VALIDATION DATE: 8801) REVIEWER: ME MS | A | 7125 | | GL | 25-JAN-88 | GL | | | |
| | L | | MIL-C-40060/8 NOTICE 1 | CABINET, STORAGE, STEEL, MULTIPLEX SUPPLIES, TYPE VIII (VALIDATION DATE: 8801) REVIEWER: ME MS | A | 7125 | | GL | 25-JAN-88 | GL | | | |
| | L | | MIL-C-40060/9 NOTICE 1 | CABINET, STORAGE, STEEL, MULTIPLEX LABORATORY SUPPLIES, TYPE IX (VALIDATION DATE: 8801) REVIEWER: ME MS | A | 7125 | | GL | 25-JAN-88 | GL | | | |
| | L | | MIL-C-40060/10 NOTICE 1 | CABINET, STORAGE, STEEL, RECTIFIER EQUIPMENT, TYPE X (VALIDATION DATE: 8801) REVIEWER: ME MS | A | 7125 | | GL | 25-JAN-88 | GL | | | |
| | L | | MIL-C-40060/11 NOTICE 1 | CABINET, STORAGE, STEEL, PHOTOGRAPHIC PAPER, TYPE XI (VALIDATION DATE: 8801) REVIEWER: ME MS | A | 7125 | | GL | 25-JAN-88 | GL | | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-C-40060/12 NOTICE 1 | CABINET, STORAGE, STEEL, MAP, LAYOUT, UTILITY AND STORAGE, ASSEMBLY, TYPE XII (VALIDATION DATE: 8801) REVIEWER: ME MS | A 7125 | GL | 25-JAN-88 GL | | | | |
| | L | MIL-C-40060/13 NOTICE 1 | CABINET, STORAGE, STEEL, RECTIFIER, LABORATORY SUPPLIES, TYPE XIII (VALIDATION DATE: 8801) REVIEWER: ME MS | A 7125 | GL | 25-JAN-88 GL | | | | |
| | L | MIL-C-40060/14 NOTICE 1 | CABINET, STORAGE, STEEL, CARTOGRAPHIC SUPPLIES, TYPE XIV (VALIDATION DATE: 8801) REVIEWER: ME MS | A 7125 | GL | 25-JAN-88 GL | | | | |
| | L | MIL-C-40060/15 NOTICE 1 | CABINET, STORAGE, STEEL, PHOTOLITHOGRAPHIC SUPPLIES, FLOOR 5 DRAWERS, TYPE XV (VALIDATION DATE: 8801) REVIEWER: ME MS | A 7125 | GL | 25-JAN-88 GL | | | | |
| | L | MIL-C-40060/16 NOTICE 1 | CABINET, STORAGE, STEEL, PHOTOLITHOGRAPHIC SUPPLIES, FLOOR, 1-DRAWER, 2-DOOR, TYPE XVI REVIEWER: ME MS | A 7125 | GL | 25-JAN-88 GL | | | | |
| A | L | MIL-C-40060/17A | CABINET, STORAGE STEEL: LITHOGRAPHIC, COMBINATION STORAGE AND INSPECTION STAND: TYPE XVII REVIEWER: ME | A 7125 | GL | 19-NOV-92 GL | | | | |
| | L | MIL-C-40060/20 NOTICE 1 | CABINET, STORAGE STEEL, BOOKCASE, VEHICULAR MOUNTING, TYPE XX (VALIDATION DATE: 8201) REVIEWER: ME MS | A 7125 | GL | 30-DEC-70 GL | | | | |
| | L | MIL-C-40060/21 NOTICE 3 | CABINET, STORAGE, STEEL, ADJUSTABLE SHELVES, VEHICULAR MOUNTING (FOR SURVEYING EQUIPMENT), TYPE XXI (VALIDATION DATE: 8104) REVIEWER: ME MS | A 7125 | GL | 30-DEC-70 GL | | | | |
| | L | MIL-C-40060/22 NOTICE 1 | CABINET, STORAGE, STEEL, THREE PARTITIONS, VEHICULAR MOUNTING, (FOR SURVEYING EQUIPMENT), TYPE XXII REVIEWER: ME MS | A 7125 | GL | 25-JAN-88 GL | | | | |
| A | | MIL-P-40061B(1) NOTICE 1 | PANEL MARKER, AERIAL LIAISON, VS-17/GVX (VALIDATION DATE: 9210) USER: 45 REVIEWER: 82 99 CT | A 8345 | IH | 02-OCT-92 IH | MC | 11 | | |
| | | MIL-L-40064E | LOADING PLATES, STEEL, AND ALUMINUM USER: SH REVIEWER: A1 GS | A 3990 | ME | 20-FEB-86 ME | OS | | | |
| | L | MIL-M-40065C(2) | MEASURING AND CUTTING MACHINES, PAPER AND POLYETHYLENE FILM (VALIDATION DATE: 8104) USER: MD | A 3540 | GL | 01-MAR-73 GL | | | | |
| A | | MIL-L-40069D NOTICE 1 | LEATHER, CATTLEHIDE, CHROME-TANNED, COLD-CLIMATE (VALIDATION DATE: 8708) USER: AR MC REVIEWER: EA MD | A 8330 | CT | 05-AUG-87 GL | MU | 99 | CT | |
| | L | MIL-C-40070(2) | CLOTH, ACRYLIC, RAYON (FOR CARTRIDGE BAGS). (VALIDATION DATE: 8201) REVIEWER: 99 MH OS | A 8305 | AR | 28-MAY-76 AR | | | | |
| A | | MIL-L-40074E | LEATHER, CALFSKIN AND KIP, FOR HEADBANDS USER: MC REVIEWER: 82 99 MD | A 8330 | CT | 29-MAR-91 GL | MU | 11 | CT | |
| | | MIL-R-40075C | REFLECTOR, LIGHT, GASOLINE LANTERN REVIEWER: GS MD | A 6260 | GL | 17-AUG-82 GL | MC | 99 | | |
| | | MIL-C-40077E | CABINET, GASOLINE FIELD RANGE OUTFIT MODEL 59, AND CRADLE, COOK POT USER: MC ME REVIEWER: 84 GS MD | A 73GP | GL | 30-DEC-85 GL | | 99 | | |
| | L | MIL-R-40080C | RAMP, LOADING, VEHICLE, PORTABLE, FOUR SECTION 12,000 POUND CAPACITY (VALIDATION DATE: 8303) USER: MT REVIEWER: GS | A 3990 | ME | 21-MAY-75 ME | | | | |
| A | | MIL-H-40082B | HUBS AND DIES FOR HERALDIC ITEMS USER: 45 REVIEWER: 82 99 CT MC | A 8455 | IH | 17-SEP-92 IH | MU | 11 | | |
| | | MIL-C-40084C | CORROSION PREVENTIVE COMPOUND, WATER-EMULSIFIABLE, OIL TYPE USER: AR MC SA SH REVIEWER: A1 AV GL ME | A 8030 | MR | 08-JUN-90 MR | AS | | | |
| | | MIL-L-40085F | LINK ASSEMBLY, TYPE IV, AIR DELIVERY REVIEWER: 11 AV MC | A 1670 | GL | 27-MAR-89 GL | AS | 99 | | |
| | L | MIL-C-40088A(1) | CORD, ACRYLIC, LACING | A 4020 | AR | 08-MAR-84 AR | | | | |
| A | | MIL-B-40092D | BRAID, TEXTILE, CORD EDGE, POLYESTER USER: MC REVIEWER: 82 99 MD | A 8315 | CT | 27-MAR-87 GL | MU | 11 | CT | |
| | | MIL-P-40096C(1) | POLISHER, PORTABLE, ELECTRIC (VALIDATION DATE: 8904) USER: CE REVIEWER: ME | A 5130 | GL | 22-APR-89 GL | | 99 | | |
| D | | MIL-T-40097B NOTICE 1 | TONGS, FOOD SERVING (VALIDATION DATE: 8708) USER: YD1 | A 7330 | GL | 05-AUG-87 GL | SA | 99 | | |
| D | | MIL-B-40098H | BURNER UNIT, GASOLINE, FIELD RANGE OUTFIT, M2A USER: MC REVIEWER: GS MD | A 7310 | GL | 26-JUN-89 GL | YD1 | | | |
| A | | MIL-D-40099H | DRAWERS, MEN'S, BOXER STYLE USER: 45 MC REVIEWER: 82 MD | A 8420 | CT | 26-JAN-89 GL | MU | 99 | CT | |
| D | | MIL-C-40100C | CABINET, DOUGH PROOFING, PORTABLE, INSULATED, 12 PAN CAPACITY (VALIDATION DATE: 8201) USER: ME MS YD1 REVIEWER: GS MD | A 7320 | GL | 02-OCT-73 GL | MC | 99 | | |
| | | MIL-L-40101D | LOADING STANDARDS, LIQUID TRANSFER, BULK, PORTABLE, 2 INCH USER: MT | A 3990 | ME | 05-DEC-84 | | | | |
| | | MIL-S-40104B NOTICE 1 | STRAINER, POT, CORROSION&RESISTING STEEL (VALIDATION DATE: 8708) USER: MC REVIEWER: MD | A 7330 | GL | 05-AUG-87 GL | SA | 99 | | |
| | | MIL-T-40106 NOTICE 4 | TESTER, PLIABILITY (VALIDATION DATE: 9008) REVIEWER: GS | A 6635 | GL | 08-AUG-90 GL | AS | | | |
| D | | MIL-W-40110C | WAFFLE IRON, ELECTRIC (VALIDATION DATE: 8103) REVIEWER: GS SH | A 7310 | GL | 29-JUN-76 GL | YD1 | 99 | | |
| D | | MIL-T-40112B(1) | TABLE, KITCHEN, DROP&LEAF, PLASTIC TOP (VALIDATION DATE: 8104) REVIEWER: MD | A 7105 | GL | 30-SEP-68 GL | YD1 | 99 | | |
| A | L | MIL-T-40113(1) NOTICE 1 | TROPHY, NATIONAL GUARD, EISENHOWER AWARD (VALIDATION DATE: 9210) REVIEWER: CT | A 9910 | IH | 02-OCT-92 IH | | | | |
| | | MIL-C-40115B | CUTTER, DOUGHNUT, 3-INCH (VALIDATION DATE: 8201) USER: MC MS REVIEWER: 45 MD | A 7330 | GL | 26-SEP-67 GL | SA | 99 | | |
| D | | MIL-B-40119D | BROILER-TOASTER-GRIDDLE, GAS FIRED (VALIDATION DATE: 8708) REVIEWER: GS MD | A 7310 | GL | 05-AUG-87 GL | YD1 | 99 | | |
| A | | MIL-C-40121D NOTICE 1 | CASE, HANDCUFFS, LEATHER, BLACK (VALIDATION DATE: 8904) USER: 45 MC REVIEWER: 82 | A 8465 | CT | 22-APR-89 GL | MU | 99 | CT | |
| D | | MIL-D-40123C | DOUGH TROUGH, FERMENTATION, FIELD USER: MC REVIEWER: 84 GS MD SA | A 7320 | GL | 14-JUN-83 GL | YD1 | 99 | | |
| A | | MIL-C-40124E(2) | CANTEEN, WATER, INSULATED, CORROSION-RESISTING STEEL, WITHOUT CUP AND COVER USER: 45 REVIEWER: 82 MC MD | A 8465 | CT | 20-APR-90 GL | MU | 99 | CT | |
| A | | MIL-C-40126F | CUP, WATER CANTEEN (FOR INSULATED CANTEEN) USER: 45 MC REVIEWER: 82 MD | A 8465 | CT | 29-JUL-88 GL | MU | 99 | CT | |
| A | | MIL-P-40130D NOTICE 1 | PADDLE, PARACHUTE PACKING, ALUMINUM (VALIDATION DATE: 9203) REVIEWER: 82 AV MC | A 1670 | GL | 27-MAR-92 GL | AS | 99 | | |
| A | | MIL-C-40131C | COVER, WATER CANTEEN, INSULATED, COTTON DUCK USER: 45 MC REVIEWER: MD | A 8465 | CT | 15-SEP-86 GL | SA | 99 | CT | |
| A | | MIL-F-40132G | FRAME SECTIONS, TENT, MAINTENANCE, MEDIUM, LIGHT METAL REVIEWER: 82 MD | A 8340 | CT | 30-SEP-85 GL | | 99 | CT | |
| | | MIL-H-40134D | HOOK, PARACHUTE PACKING USER: MC REVIEWER: AV | A 1670 | GL | 30-SEP-86 GL | AS | | | |
| | L | MIL-T-40136H(4) | TANK AND PUMP UNIT, LIQUID DISPENSING, FOR TRUCK MOUNTING AND TANK UNIT, LIQUID DISPENSING, FOR TRAILER MOUNTING REVIEWER: 82 | A 4930 | ME | 22-NOV-88 ME | | | | |
| | | MIL-C-40137E NOTICE 1 | CLEVISES, RIGGING, AIR DELIVERY TYPE: GENERAL SPECIFICATION FOR (VALIDATION DATE: 9008) USER: AS MC REVIEWER: 82 99 AV | A 1670 | GL | 08-AUG-90 GL | | 11 | | |
| | | MIL-L-40138D | LOAD COUPLERS-8 AND 12 SPOOL REVIEWER: 11 82 AV | A 1670 | GL | 31-DEC-85 GL | | 99 | | |
| | | MIL-R-40141C | RACK, INSERT, BAKING AND ROASTING PAN (VALIDATION DATE: 8201) | A 7330 | GL | 22-SEP-70 GL | SA | 99 | | |
| D | | MIL-S-40144E(2) | SHELVING, STORAGE, STATIONARY AND MOBILE, FOOD SERVICE (VALIDATION DATE: 8601) USER: CG MC YD1 REVIEWER: MD | A 7125 | GL | 17-APR-80 GL | | 99 | | |
| | | MIL-W-40145C | WRENCHES, CROWFOOT, SPECIAL USER: MI REVIEWER: 84 AL ME | A 5120 | GL | 11-OCT-91 GL | | 99 | | |
| D | | MIL-P-40148F | POLE, TENT, TELESCOPIC, ADJUSTABLE, ALUMINUM USER: 45 YD1 REVIEWER: 82 MD | A 8340 | CT | 09-JAN-87 GL | MU | 99 | CT | |
| | | MIL-C-40153L | CLOTHING REPAIR SHOP, TRAILER MOUNTED USER: MC REVIEWER: 84 GS TR | A 3530 | GL | 30-SEP-91 GL | | 99 | | |
| D | | MIL-O-40155C | OPENER, CAN, ELECTRIC, HEAVY-DUTY (VALIDATION DATE: 8201) USER: MC MS YD1 REVIEWER: MD | A 7330 | GL | 27-SEP-71 GL | SA | 99 | | |
| A | | MIL-F-40165C NOTICE 2 | FIELD PACK, CANVAS, COMBAT, M&1961 USER: 45 REVIEWER: 82 MD | A 8465 | CT | 05-AUG-87 GL | | 99 | CT | |
| | | MIL-D-40167D | DOUGH PROOFING BOXES, STEAM HEATED (STEAM, OR STEAM AND WATER, HUMIDIFIED) USER: MS REVIEWER: 84 GS MC MD | A 7320 | GL | 31-DEC-91 GL | SA | 99 | | |
| D | | MIL-M-40600D | MIXER, FLUID, ELECTRIC (VALIDATION DATE: 8103) USER: CE REVIEWER: MD | A 7320 | GL | 01-FEB-73 GL | YD1 | 84 | | |
| | | MIL-S-40601D(3) | SAW, BAND, MEAT-CUTTING USER: MC REVIEWER: GS TS | A 7320 | GL | 30-SEP-88 GL | | 99 | | |
| A | L | MIL-S-40601D(14) | SAWS, BAND, MEAT-CUTTING | A 7320 | SH | 16-JUL-92 | SH | | | |
| D | L | MIL-C-40602B NOTICE 2 | COOKIE CUTTING MACHINE, ELECTRIC (VALIDATION DATE: 8105) USER: YD1 REVIEWER: GS | A 7320 | GL | 29-DEC-67 GL | | | | |
| D | | MIL-D-40605C | DISPLAY CASES, MECHANICALLY REFRIGERATED, SELF&SERVICE USER: MC REVIEWER: GS MD ME | A 4110 | GL | 05-DEC-78 GL | YD1 | 99 | | |
| | L | MIL-D-00406050 | DISPLAY CASES, MECHANICALLY REFRIGERATED, SELF-SERVICE REVIEWER: GS MD ME | A 4110 | GL | 26-JUN-89 GL | | | | |
| D | | MIL-R-40607D | RACK, CUTLERY USER: SA REVIEWER: 84 GS MC MD MS TS | A 7320 | GL | 17-JUN-86 GL | YD1 | 99 | | |
| D | L | MIL-S-40608D NOTICE 1 | STOVE, GASOLINE, 2-BURNER (VALIDATION DATE: 9006) USER: YD1 REVIEWER: MD | A 7310 | GL | 19-JUN-90 GL | | | | |
| | L | MIL-B-40611C | BAGGING MACHINE, FRUIT AND PRODUCE (VALIDATION DATE: 8106) REVIEWER: MD | A 3540 | GL | 01-NOV-72 GL | | | | |
| | | MIL-T-40612B(1) | TYING MACHINES, BAG INDUSTRIAL (VALIDATION DATE: 8201) REVIEWER: MC MD ME MS SH | A 3540 | GL | 07-JUN-72 GL | SA | 99 | | |
| | | MIL-W-40614C | WRAPPING MACHINE, MEAT AND PRODUCE, AUTOMATIC, SHRINK FILM (VALIDATION DATE: 8201) REVIEWER: MD MS | A 3540 | GL | 30-JUN-76 GL | SA | | | |
| | | MIL-S-40615D(1) | SHOE REPAIR SHOP, TRAILER MOUNTED (VALIDATION DATE: 8501) REVIEWER: GS | A 3520 | GL | 26-JAN-79 GL | | 99 | | |

| Action | Qtr. / Qtrly. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-P-40619B(1) | PLASTIC MATERIAL, CELLULAR, POLYSTYRENE (FOR BUOYANCY APPLICATIONS) ..... | A | 9330 | MI | MI | 05-MAR-92 | MI | | | |
| | | | MIL-T-40620A | TAPE, PRESSURE&SENSITIVE ADHESIVE, LITHOGRAPH [VALIDATION DATE: 8104] USER: MC SA REVIEWER: 69 | A | 7510 | GL | GL | 06-JUN-66 | GL | | 99 | |
| D | | | MIL-T-40624B NOTICE 1 | TARPAULIN, LAUNDRY, TRAILER MOUNTED, SINGLE TRAILER TYPE M-532 [VALIDATION DATE: 8802] USER: MC REVIEWER: GS | A | 3510 | GL | GL | 12-FEB-88 | GL | YD1 | 99 | |
| | | | MIL-T-40625A NOTICE 2 | TUBING, BIAS SEWN (BURLAP OR OSNABURG) CLOTH [VALIDATION DATE: 8201] USER: MC REVIEWER: GS | A | 8135 | GL | GL | 27-DEC-65 | GL | SA | 69 | |
| L | | | MIL-S-40626C(1) | SIGN KIT, VEHICLE CLASS USER: AT MC REVIEWER: GS MD ME ..... | A | 9905 | GL | GL | 07-NOV-80 | GL | | | |
| | | | MIL-T-40627B | TIEDOWN ASSEMBLY, CHAIN TYPE, FOR DRUM(S), FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY USER: MC REVIEWER: GS MT | A | 8110 | ME | ME | 08-JUN-92 | ME | | 69 | |
| | | | MIL-Y-40628D | YOKE, TOWING AND LIFTING, FOR DRUMS, FABRIC, COLLAPSIBLE [VALIDATION DATE: 8501] USER: MC REVIEWER: 99 GL GS | A | 8110 | ME | ME | 17-OCT-80 | ME | | 69 | |
| L | | | MIL-T-40629B | TRUCK, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE, ELECTRIC, NON PALLET STRADDLING SHIPBOARD GENERAL SPECIFICATION FOR REVIEWER: CS MC | A | 3930 | SA | SA | 03-OCT-85 | | SA | | |
| | | | MIL-T-40629/1 | TRUCK, LIFT, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE 4,000 POUND CAPACITY, 50 INCH LIFT, ELECTRIC SHIPBOARD, TYPE (EE) USER: SH REVIEWER: CS MC | A | 3930 | SA | SA | 03-OCT-85 | | SA | | |
| | | | MIL-T-40629/2 | TRUCK, LIFT, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE 4,000 POUND CAPACITY, 68 INCH LIFT, ELECTRIC SHIPBOARD, TYPE (EE) USER: SH REVIEWER: MC | A | 3930 | SA | SA | 03-OCT-85 | | SA | | |
| D | | | MIL-D-40631G | DISPENSER, TABLEWARE, SELF LEVELING USER: MC REVIEWER: 82 GS MD SA ..... | A | 7320 | GL | GL | 31-DEC-84 | GL | YD1 | 99 | |
| | | | MIL-T-40632(1) | TRUCK, LIFT, FORK, DIESEL, PNEUMATIC-TIRED, GENERAL PURPOSE, 6,000-POUND CAPACITY AT 24-INCH LOAD CENTER [VALIDATION DATE: 7901] USER: MS REVIEWER: CS MC | A | 3930 | GL | GL | 23-NOV-65 | GL | SA | | |
| | | | MIL-T-0040632A | TRUCK, LIFT, FORK, DIESEL, PNEUMATIC-TIRED, GENERAL PURPOSE, 6,000-POUND CAPACITY AT 24-INCH LOAD CENTER [VALIDATION DATE: 7901] REVIEWER: CS MC | A | 3930 | SA | SA | 09-JUN-67 | ME | SA | 84 | |
| D | | | MIL-T-0040632A(12) | TRUCK, LIFT, FORK, DIESEL, PNEUMATIC-TIRED, GENERAL PURPOSE, 6,000-POUND CAPACITY AT 24-INCH LOAD CENTER [VALIDATION DATE: 8901] REVIEWER: 85 MC OS YD1 | A | 3930 | SA | SA | 24-MAR-69 | | SA | 84 | |
| | | | MIL-R-40633C | REFRIGERATION UNITS, MECHANICAL (REMOTE TYPE ) FOR REFRIGERATOR, PREFABRICATED,PANEL TYPE [VALIDATION DATE: 8303] USER: CS MI REVIEWER: CE GS MD ME | A | 4110 | GL | GL | 23-SEP-77 | GL | | 99 | |
| | | | MIL-R-40634(1) | RACK, MAILBAG, FOLDING TYPE, METAL, 6&BAG CAPACITY [VALIDATION DATE: 8104] USER: MC SA | A | 7110 | GL | GL | 24-NOV-67 | GL | | 99 | |
| D | | | MIL-L-40635E(3) | LAUNDRY UNIT, TRAILER MOUNTED, AND LAUNDRY UNITS SKID MOUNTED [VALIDATION DATE: 8501] REVIEWER: GS MD | A | 3510 | GL | GL | 24-MAY-79 | GL | YD1 | 99 | |
| D | | | MIL-P-40636A NOTICE 2 | POTS, COOKING, ALUMINUM, RECTANGULAR [VALIDATION DATE: 9302] USER: CG MC REVIEWER: MD MS YD1 | A | 7330 | GL | GL | 26-FEB-93 | GL | SA | 99 | |
| | | | MIL-C-40638D NOTICE 1 | CANDLE, ECCLESIASTICAL (AND TAPER, CANDLELIGHTER) [VALIDATION DATE: 8101] REVIEWER: GS | A | 9925 | GL | GL | 30-APR-73 | GL | PE | 28 | |
| | | | MIL-C-40643B NOTICE 1 | CLIP, FASTENER, CONTAINER [VALIDATION DATE: 8801] USER: CG MC REVIEWER: 11 99 GS SM | A | 8135 | GL | GL | 25-JAN-88 | GL | SA | 69 | |
| A | | | MIL-L-41800G | LINER, GROUND TROOP S - PARACHUTIST S HELMET USER: 45 REVIEWER: 82 MC MD .. | A | 8470 | CT | CT | 31-DEC-85 | GL | AS | 99 | CT |
| A | | | MIL-H-41802E | HEADBAND AND NECKBAND, GROUND TROOPS, PARACHUTISTS, HELMET LINER USER: MC REVIEWER: MD | A | 8470 | CT | CT | 03-OCT-86 | GL | MU | 99 | CT |
| A | | | MIL-N-41804E | NECKTIES, MEN S, FOUR IN HAND USER: 45 REVIEWER: 82 99 MC MD ..... | A | 8440 | CT | CT | 20-AUG-87 | GL | MU | 11 | CT |
| | | | MIL-B-41809C SUPPL 1A1, NOTICE 1 | BADGES AND INSIGNIA, IDENTIFICATION, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | IH | 29-MAY-92 | IH | | 11 | |
| | | | MIL-B-41809/1C | BADGE, IDENTIFICATION, PRESIDENTIAL SERVICE USER: 45 REVIEWER: CT MC ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | MU | 11 | |
| | | | MIL-B-41809/2F | BADGE, IDENTIFICATION, JOINT CHIEFS OF STAFF USER: 45 REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 10-FEB-92 | IH | MU | 11 | |
| | | | MIL-B-41809/3E | BADGE, IDENTIFICATION: RECRUITING SERVICE, AIR FORCE USER: 45 REVIEWER: 99 CT | A | 8455 | IH | IH | 19-OCT-90 | IH | | 11 | |
| | | | MIL-B-41809/4G | BADGE, IDENTIFICATION AND INSIGNIA, SERVICE CAP, CIVILIAN POLICE AND CIVILIAN GUARD, DOD USER: 45 REVIEWER: 82 CT MU | A | 8455 | IH | IH | 14-SEP-90 | IH | | 99 | |
| L | | | MIL-B-41809/5D | BADGE, IDENTIFICATION, ARMY STAFF, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 30-APR-92 | IH | | | |
| | | | MIL-B-41809/6B | BADGE, IDENTIFICATION, OFFICE OF THE SECRETARY OF DEFENSE USER: 45 CG REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 10-FEB-92 | IH | MU | 11 | |
| L | | | MIL-B-41809/7C | BADGE, IDENTIFICATION, HONOR GUARD, TOMB OF THE UNKNOWN SOLDIER, ARMY REVIEWER: CT | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| | | | MIL-B-41809/8M | BADGE, IDENTIFICATION, SECURITY POLICE, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | IH | 06-MAR-91 | IH | | 11 | |
| L | | | MIL-B-41809/9F | BADGE, IDENTIFICATION, DRILL SERGEANT, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 30-APR-92 | IH | | | |
| L | | | MIL-B-41809/11H | BADGE, IDENTIFICATION, U.S. ARMY RECRUITER, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 30-APR-92 | IH | | | |
| | | | MIL-B-41809/12E | BADGE, IDENTIFICATION, PERMANENT PROFESSOR, U.S. AIR FORCE ACADEMY REVIEWER: 82 99 CT | A | 8455 | IH | IH | 13-SEP-91 | IH | | 11 | |
| | | | MIL-B-41809/13C | BADGE, IDENTIFICATION, RECRUITING SERVICE, NAVY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | SA | | |
| | | | MIL-B-41809/14G | BADGE, IDENTIFICATION, INSTRUCTOR AND MASTER INSTRUCTOR AIR FORCE TRAINING COMMAND USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | IH | 13-SEP-91 | IH | | 11 | |
| | | | MIL-B-41809/15J | BADGE, IDENTIFICATION, FIRE PROTECTION, AIR FORCE USER: 45 REVIEWER: 82 99 CT | A | 8455 | IH | IH | 13-SEP-91 | IH | | 11 | |
| | | | MIL-B-41809/16E | BADGE, IDENTIFICATION, VICE PRESIDENTIAL SERVICE REVIEWER: 82 99 CT MC SA . | A | 8455 | IH | IH | 14-MAY-90 | IH | MU | 11 | |
| L | | | MIL-B-41809/17F | BADGE, IDENTIFICATION, U.S. ARMY NATIONAL GUARD RECRUITER REVIEWER: CT .... | A | 8455 | IH | IH | 30-APR-92 | IH | | | |
| | | | MIL-B-41809/18C | BADGE, IDENTIFICATION, COXSWAIN, COAST GUARD REVIEWER: CG CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | SA | | |
| L | | | MIL-B-41809/19B | BADGE, IDENTIFICATION, CAREER COUNSELOR, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| | | | MIL-B-41809/20G | BADGE, IDENTIFICATION, JUNIOR ROTC INSTRUCTOR, AIR FORCE REVIEWER: 82 99 CT | A | 8455 | IH | IH | 06-MAR-92 | IH | | 11 | |
| L | | | MIL-B-41809/21D | BADGE, IDENTIFICATION, MILITARY POLICE, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| L | | | MIL-B-41809/22C | BADGE, IDENTIFICATION, FOREST SERVICE VOLUNTEER REVIEWER: CT ..... | A | 8455 | IH | IH | 14-SEP-90 | IH | | | |
| L | | | MIL-B-41809/24C | BADGE, IDENTIFICATION, OUTDOOR RECREATION SERVICES, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| | | | MIL-B-41809/25C | BADGE, IDENTIFICATION, CUTTERMAN, US COAST GUARD REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | SA | | |
| | | | MIL-B-41809/26B | BADGE, IDENTIFICATION, RECRUIT COMPANY COMMANDER, NAVY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | SA | | |
| | | | MIL-B-41809/27B | BADGE, IDENTIFICATION, CAREER COUNSELOR, NAVY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | SA | | |
| | | | MIL-B-41809/28B | BADGE, IDENTIFICATION, SENIOR ENLISTED ADVISOR, NAVY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | SA | | |
| L | | | MIL-B-41809/29B | BADGE, IDENTIFICATION, US ARMY RESERVE RECRUITER, ARMY REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| L | | | MIL-B-41809/30C | BADGE, IDENTIFICATION, US POSTAL SERVICE, DELIVERY SERVICES EMPLOYEES REVIEWER: CT | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| L | | | MIL-B-41809/31A | BADGE, IDENTIFICATION, ARMY CONTINUING EDUCATION SYSTEM PERSONNEL REVIEWER: CT | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| | | | MIL-B-41809/32A | BADGE, IDENTIFICATION, NAVAL INVESTIGATIVE SERVICE REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | SA | | |
| L | | | MIL-B-41809/33D | BADGE, IDENTIFICATION, OFFICER IN CHARGE, USPHS REVIEWER: CT ..... | A | 8455 | IH | IH | 30-APR-92 | IH | | | |
| L | | | MIL-B-41809/35C | BADGE, IDENTIFICATION, ARMY ROTC NURSE CADET PROGRAM REVIEWER: CT ..... | A | 8455 | IH | IH | 30-APR-92 | IH | | | |
| | | | MIL-B-41809/36B | BADGE, IDENTIFICATION, HONOR GUARD, COAST GUARD USER: CG REVIEWER: CT ..... | A | 8455 | IH | IH | 08-JUL-91 | IH | MU | | |
| L | | | MIL-B-41809/37A | BADGE, IDENTIFICATION, US ARMY NATIONAL GUARD MASTER RECRUITER REVIEWER: CT | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| L | | | MIL-B-41809/38A | BADGE, IDENTIFICATION, CHIEF OF PARTY, NOAA REVIEWER: CT ..... | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| A | L | | MIL-B-41809/39B | BADGE, IDENTIFICATION, DEFENSE MAPPING AGENCY USER: CT ..... | A | 8455 | IH | IH | 30-MAR-93 | IH | | | |
| L | | | MIL-B-41809/40A | BADGE, IDENTIFICATION, REFUGE OFFICER, U.S. FISH AND WILDLIFE REVIEWER: CT | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| L | | | MIL-B-41809/41A | BADGE, IDENTIFICATION, CAP, POLICE, DEFENSE PROTECTIVE SERVICE, DOD REVIEWER: CT | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| L | | | MIL-B-41809/42A | BADGE, IDENTIFICATION, POLICE, DEFENSE PROTECTIVE SERVICE, DOD REVIEWER: CT | A | 8455 | IH | IH | 14-MAY-90 | IH | | | |
| | | | MIL-B-41809/43 | BADGE, IDENTIFICATION: AIR NATIONAL GUARD RECRUITER, AIR FORCE USER: 45 REVIEWER: CT | A | 8455 | IH | IH | 30-JAN-91 | IH | | 11 | |

| Action | Qtr. / Qtrly. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-B-41809/44 | BADGE, IDENTIFICATION, MEDICAL DEPARTMENT RECRUITER, ARMY REVIEWER: CT .... | A | 8455 | IH | IH | 14-JUN-91 | IH | | | |
| A | | MIL-B-41809/45 | BADGE, IDENTIFICATION, UNITED STATES STRATEGIC COMMAND USER: 45 REVIEWER: 82 99 CT MC | A | 8455 | IH | IH | 22-DEC-92 | IH | MU | 11 | |
| A | | MIL-T-41810K | TENT, GENERAL PURPOSE, SMALL USER: 45 REVIEWER: 82 ..... | A | 8340 | CT | IH | 14-MAY-90 | GL | | 99 | CT |
| A | | MIL-T-41812H | TENT LINER SECTIONS, FRAME-TYPE MAINTENANCE, MEDIUM USER: 45 REVIEWER: 82 MD | A | 8340 | CT | IH | 30-JUN-88 | GL | MU | 99 | CT |
| D | | MIL-T-41813F | TENT SECTIONS, FRAME TYPE, MAINTENANCE, MEDIUM USER: 45 MC YD1 REVIEWER: 82 MD | A | 8340 | CT | IH | 20-AUG-87 | GL | MU | 99 | CT |
| A | | MIL-C-41814F | COUNTER, FOOTWEAR USER: MC REVIEWER: 82 MD ..... | A | 8335 | CT | IH | 02-DEC-86 | GL | MU | 99 | CT |
| A | | MIL-L-41815H | LASTS, FOOTWEAR, COMBAT, U.S., MIL-S USER: MC REVIEWER: 82 MD ..... | A | 8335 | CT | IH | 07-APR-86 | GL | MU | 99 | CT |
| A | | MIL-B-41816H | BOOTS, COLD WEATHER, INSULATED, RUBBER (WET-COLD; DRY-EXTREME COLD) USER: 11 MC REVIEWER: MD | A | 8430 | CT | IH | 03-APR-90 | GL | MU | 99 | CT |
| A | | MIL-G-41817E | GLOVES, MEN'S, CLOTH, DRESS, WHITE REVIEWER: 82 99 MC MD ..... | A | 8440 | CT | IH | 06-SEP-90 | GL | MU | 11 | CT |
| A | | MIL-B-41818G | BOOTS, COMBAT, LEATHER, BLACK (MIL-S) USER: 45 CG MC REVIEWER: MD ..... | A | 8430 | CT | IH | 25-JAN-88 | GL | MU | 99 | CT |
| | | NOTICE 1 | | | | | | | | | | |
| | | MIL-R-41819C | RIBBON ATTACHMENTS, DECORATION AND MEDAL GENERAL SPECIFICATION FOR | A | 8455 | IH | IH | 02-JUN-92 | IH | MU | 11 | |
| | | SUPPL 1, NOTICE 1 | [VALIDATION DATE: 9206] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/1B | RIBBON ATTACHMENT; LEGION OF MERIT, CHIEF COMMANDER AND COMMANDER | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/2B | RIBBON ATTACHMENT; LEGION OF MERIT, OFFICER [VALIDATION DATE: 9204] USER: | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/3C | RIBBON ATTACHMENT; LETTER "V" [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/4C | RIBBON ATTACHMENT; OAK LEAF CLUSTER [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 99 | |
| | | NOTICE 1 | REVIEWER: 82 CT MC | | | | | | | | | |
| | | MIL-R-41819/5B | RIBBON ATTACHMENT; SUPERIOR CADET AWARD, ROTC [VALIDATION DATE: 9204] | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/6C | RIBBON ATTACHMENT; ADDITIONAL CIVILIAN AWARDS, AIR FORCE [VALIDATION DATE: | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/7F | RIBBON ATTACHMENT, STAR REVIEWER: 82 99 CG CT MC ..... | A | 8455 | IH | IH | 03-JUN-92 | IH | MU | 11 | |
| | | MIL-R-41819/8D | RIBBON ATTACHMENT; CLASP, GOOD CONDUCT MEDAL [VALIDATION DATE: 9204] USER: | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/9C | RIBBON ATTACHMENT; CLASPS, CAMPAIGN AND SERVICE MEDALS (A, N, MC) | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/10C | RIBBON ATTACHMENT; CLASPS, CAMPAIGN AND SERVICE MEDALS (N, MC, CG) | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/11C | RIBBON ATTACHMENT; ARMED FORCES RESERVE NUMERAL [VALIDATION DATE: 9204] | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/12C | RIBBON ATTACHMENT; ARROWHEAD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/13D | RIBBON ATTACHMENT; BERLIN AIRLIFT [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/14B | RIBBON ATTACHMENT; LETTER "W" [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/15B | RIBBON ATTACHMENT; LETTER "A" [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/16B | RIBBON ATTACHMENT; FLEET MARINE FORCE COMBAT INSIGNIA [VALIDATION DATE: | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/17B | RIBBON ATTACHMENT; CLASP, *ANTARCTICA SERVICE* MEDAL [VALIDATION DATE: 9204] | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/18B | RIBBON ATTACHMENT; DISC, ANTARCTICA SERVICE MEDAL [VALIDATION DATE: 9204] | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/19C | RIBBON ATTACHMENT; ADDITIONAL CIVILIAN AWARDS [VALIDATION DATE: 9204] | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/20B | RIBBON ATTACHMENT; ADDITIONAL AWARDS, NATIONAL AERONAUTICS AND SPACE | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/21E | RIBBON ATTACHMENT; NUMERALS, STRIKE FLIGHT, NAVY AND AIR MEDAL, ARMY | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/22C | RIBBON ATTACHMENT; PALM, VIETNAMESE GALLANTRY CROSS [VALIDATION DATE: | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/23C | RIBBON ATTACHMENT; DATE BAR, REPUBLIC OF VIETNAM CAMPAIGN MEDAL | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/24B | RIBBON ATTACHMENT, BRAVERY, NAVY [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/25D | RIBBON ATTACHMENT; TORCH, ARMY AND AIR FORCE, SROTC [VALIDATION DATE: | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/26C | RIBBON ATTACHMENT; ADDITIONAL AWARDS (LAMP), JROTC, ARMY [VALIDATION DATE: | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/27A | RIBBON ATTACHMENT; HEROISM WREATH [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/28A | RIBBON ATTACHMENT; OPERATIONAL DISTINGUISHING DEVICE, COAST GUARD | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/29A | RIBBON ATTACHMENTS; AFJROTC DRILL TEAM AND COLOR GUARD BARS [VALIDATION | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/30A | RIBBON ATTACHMENT; AFROTC BRONZE CROSS [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/31A | RIBBON ATTACHMENT; NAVY "E" [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/32B | RIBBON ATTACHMENT; LETTER "S" [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/33A | RIBBON, ATTACHMENT, LETTER "E" [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT | | | | | | | | | |
| | | MIL-R-41819/34 | RIBBON ATTACHMENTS; TRIANGLE, NOAA [VALIDATION DATE: 9204] USER: 45 CG | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/35 | RIBBON ATTACHMENT, EXCELLENCE IN COMPETITION, RIFLEMAN, COAST GUARD | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/36 | RIBBON ATTACHMENT, EXCELLENCE IN COMPETITION, PISTOL SHOT, COAST GUARD | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/37 | RIBBON ATTACHMENT, DISTINGUISHED MARKSMAN, COAST GUARD [VALIDATION DATE: | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/38 | RIBBON ATTACHMENT, DISTINGUISHED PISTOL SHOT, COAST GUARD [VALIDATION | A | 8455 | IH | IH | 20-APR-92 | IH | MU | 11 | |
| | | NOTICE 1 | DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC | | | | | | | | | |
| | | MIL-R-41819/39 | RIBBON ATTACHMENT, KUWAIT LIBERATION, KINGDOM OD SAUDI ARABIA REVIEWER: 82 99 CG CT MC | A | 8455 | IH | IH | 26-FEB-92 | IH | MU | 11 | |
| A | | MIL-R-41819/40 | RIBBON ATTACHMENT, LETTER "M" USER: 45 CG REVIEWER: 82 99 CT MC ..... | A | 8455 | IH | IH | 02-FEB-93 | IH | MU | 11 | |
| A | | MIL-C-41820D | CLOTH, GABARDINE, POLYESTER AND RAYON [VALIDATION DATE: 8711] USER: 45 | A | 8305 | CT | IH | 12-NOV-87 | GL | MU | 11 | CT |
| | | NOTICE 1 | REVIEWER: 82 MC MD | | | | | | | | | |
| A | | MIL-S-41821H | SHOE, NONSPARKING, SAFETY, HIGH USER: CG SH REVIEWER: MD ..... | A | 8430 | CT | IH | 12-MAY-88 | GL | MU | 99 | CT |
| A | | MIL-C-41824C | CLIMBERS, SKI, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) USER: 45 ..... | A | 8465 | CT | IH | 28-NOV-89 | GL | MU | | CT |
| A | L | MIL-S-41825F | SLACKS, WOMEN'S ..... | A | 8410 | CT | IH | 30-AUG-88 | | MU | | CT |
| A | | MIL-B-41826G | BATTING, SYNTHETIC FIBERS, POLYESTER, (UNQUILTED AND QUILTED) REVIEWER: 11 82 MD | A | 8320 | CT | IH | 30-JUN-89 | GL | | 99 | CT |
| A | | MIL-T-41828H | TROUSERS, MEN'S, POLYESTER/WOOL USER: 45 REVIEWER: 82 99 ..... | A | 8405 | CT | IH | 22-OCT-87 | | MU | 11 | CT |

| Action | Opt. / Cond. Coordination Inactive | Document Number | Document Title | Date Sheet | FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-A-418290 | APRON, UTILITY, IMPERMEABLE, RUBBER COATED FABRIC (GENERAL PURPOSE) USER: 11 45 MC YD1 REVIEWER: MD | A 8415 | CT | 10-AUG-89 | GL | MU | 99 | CT |
| A L | | MIL-T-41830E | TENT, VEHICLE MAINTENANCE, COMPLETE WITH A-FRAME USER: 82 REVIEWER: MD .... | A 8340 | CT | 30-SEP-86 | GL | | | CT |
| A | | MIL-C-41831B | CLOTH, NYLON, KNITTED, RASCHEL REVIEWER: MD ..... | A 8305 | CT | 15-MAR-85 | GL | MU | | CT |
| A L | | MIL-C-41833E | COVERALL, MECHANIC'S, COLD WEATHER REVIEWER: MD ..... | A 8415 | CT | 30-MAR-90 | GL | | | CT |
| A L | | MIL-T-41834G | TROUSERS, MEN'S, POLYESTER AND COTTON USER: CG ..... | A 8405 | CT | 16-OCT-90 | | MU | | CT |
| A | | MIL-K-41835D | KIT BAG, FLYER S USER: 45 REVIEWER: 11 82 MC ..... | A 8460 | CT | 25-MAR-88 | GL | AS | 99 | CT |
| A | | MIL-C-41836C(1) NOTICE 1 | CLOTH, DUCK, COTTON AND NYLON [VALIDATION DATE: 8711] USER: MC REVIEWER: MD | A 8305 | CT | 12-NOV-87 | GL | MU | 99 | CT |
| A | | MIL-M-41837D | MAINTENANCE KIT, TOXICOLOGICAL AGENTS PROTECTIVE CLOTHING USER: 45 MC REVIEWER: 82 MD MS | A 8415 | CT | 27-JUN-88 | GL | MU | 99 | CT |
| A | | MIL-O-41838D | OVERSHOES, WOMEN S, PLASTIC, GRAY [VALIDATION DATE: 8501] USER: 45 REVIEWER: 99 MC MD | A 8435 | CT | 06-JAN-78 | GL | MU | 11 | CT |
| | | MIL-C-42003 | CHISEL, PERIODONTAL (DOUBLE-ENDED) ..... | A 6520 | MB | 20-JAN-86 | MD | MS | 03 | |
| | | MIL-C-42005A | CHAIR, DENTAL, PATIENT ..... | A 6520 | MB | 24-MAR-87 | MD | MS | 03 | |
| | | MIL-L-42006A | LIGHT, DENTAL, OPERATING ..... | A 6520 | MB | 04-AUG-86 | MD | MS | 03 | |
| | | MIL-D-42007 | DENTAL OPERATING AND TREATMENT UNIT, OVER PATIENT TYPE, CHAIR MOUNTED ..... | A 6520 | MB | 04-SEP-86 | MD | MS | 03 | |
| | | MIL-C-42008 | CART, DENTAL ASSISTANT, MOBILE ..... | A 6520 | MB | 04-SEP-86 | MD | MS | 03 | |
| | | MIL-I-42021 | INTRAVENOUS INJECTION SET, PEDIATRIC, DISPOSABLE ..... | A 6515 | MB | 27-OCT-86 | MD | MS | 03 | |
| | | MIL-C-42028 | COMPRESSOR-DEHYDRATOR, DENTAL EQUIPMENT, PORTABLE, 115 VOLTS, 60 HZ, AC ... | A 6520 | DM | 06-OCT-86 | MD | MS | 03 | |
| | | MIL-D-42034 | DRILL, BONE, PNEUMATIC ..... | A 6515 | MB | 21-NOV-86 | MD | MS | 03 | |
| | | MIL-F-42042 | FORCEPS, EYE, VITREOUS, MICRODEXTRACTOR (NEUBAUER) ..... | A 6515 | MB | 18-FEB-87 | MD | MS | 03 | |
| | | MIL-R-42043 | REGULATOR, OXYGEN ..... | A 6680 | MB | 06-APR-87 | MD | MS | 03 | |
| | | MIL-I-42044A | SEXUAL ASSAULT DETERMINATION KIT ..... | A 6640 | MB | 20-MAY-91 | MD | MS | 03 | |
| | | MIL-D-42048 | DEPLOYABLE MEDICAL SYSTEMS, GENERAL REQUIREMENTS FOR ..... | A 65GP | MB | 26-JUN-87 | MD | MS | 03 | |
| | | MIL-D-42048/1 | LIGHT SET, DENTAL OPERATING, FIELD ..... | A 6520 | MB | 09-NOV-87 | MD | MS | 03 | |
| | | MIL-D-42054A | DEFIBRILLATOR, MONITOR-RECORDER (BATTERY OPERATED, WITH CHARGER) ..... | A 6515 | MB | 30-MAY-89 | MD | MS | 03 | |
| | | MIL-S-42056 | SAW SYSTEM, BONE, ELECTRIC ..... | A 6515 | MB | 02-MAR-88 | MD | MS | 03 | DM |
| | | MIL-W-42059 | WORK BOX, DENTAL LABORATORY ..... | A 6520 | MB | 11-JUL-88 | MD | MS | 03 | |
| | | MIL-W-42062 | WATER BATH, ELECTRIC, 120/230 VOLT, 50/60 HZ AC ..... | A 6640 | MB | 15-AUG-88 | MD | MS | 03 | |
| | | MIL-H-42064 | HOOD, DENTAL LABORATORY GRINDING AND POLISHING MACHINE, COLLAPSIBLE, FIELD | A 6520 | MB | 20-MAR-89 | MD | MS | 03 | |
| | | MIL-H-42065A | HANDPIECE KIT, DENTAL (PORTABLE, BATTERY POWERED) ..... | A 6520 | MB | 20-MAR-92 | MD | MS | 03 | |
| | | MIL-C-42066 | CARRIER, LITTER, WHEELED USER: MC REVIEWER: DM ..... | A 6530 | MB | 15-JUN-89 | MD | MS | 03 | |
| | | MIL-H-42067 | HUMIDIFIER, OPERATING ROOM ..... | A 4520 | MB | 15-JUN-89 | MD | MS | 03 | |
| | | MIL-C-42068 | CHEST, MEDICAL INSTRUMENT AND SUPPLY SET ..... | A 6545 | MB | 25-JUN-89 | MD | MS | 03 | |
| | | MIL-I-42073 | INSERT, OPTICAL, CHEMICAL-BIOLOGICAL MASK, XM-40 ..... | A 6540 | MB | 25-MAY-90 | MD | MS | 03 | |
| | | MIL-C-42074 | CASE, SPECTACLE FITTING AND ADJUSTMENT SET ..... | A 6540 | MB | 15-FEB-91 | MD | MS | 03 | |
| | | MIL-P-42075 | PAD, HEATING, CHEMICAL ..... | A 6530 | MB | 14-FEB-91 | MD | MS | 03 | |
| D | | MIL-H-42076 | HOLDERS, HOSPITAL BED PATIENT IDENTIFICATION CARD REVIEWER: 50 TH YD1 ..... | A 6530 | MB | 06-MAR-92 | MD | MS | 03 | |
| D | | MIL-H-42077 | HOLDER, PATIENT'S BED TRAY CARD REVIEWER: 50 TH YD1 ..... | A 6530 | MB | 06-MAR-92 | MD | MS | 03 | |
| D | | MIL-C-42078 | CRADLES, HOSPITAL BED CLOTHING REVIEWER: 50 TH YD1 ..... | A 6530 | MB | 30-APR-92 | MD | MS | 03 | |
| | | MIL-R-42301 | RETRACTOR, RIB (TUFFIER) ..... | A 6515 | MB | 22-OCT-86 | MD | MS | 03 | |
| D | | MIL-M-43001F | WASHER - EXTRACTORS, LAUNDRY, COMMERCIAL USER: CE MC REVIEWER: GS MD ..... | A 3510 | GL | 30-SEP-87 | GL | YD1 | 84 | |
| D | | MIL-S-43002D | SHIELD, STOVEPIPE, TENT, NONMETALLIC [VALIDATION DATE: 8908] USER: 45 MC YD1 REVIEWER: 82 MD | A 8340 | CT | 11-AUG-89 | GL | MU | 11 | CT |
| | | MIL-R-43003D NOTICE 2 | RELEASE, CARGO PARACHUTE, 5000-POUND CAPACITY REVIEWER: AV MC ..... | A 1670 | GL | 06-JAN-92 | GL | AS | 99 | |
| A | | MIL-R-0043003E | RELEASE, CARGO PARACHUTE, 5000-POUND CAPACITY REVIEWER: AS MC TR ..... | A 1670 | GL | 13-AUG-92 | GL | SA | 82 | |
| A | | MIL-C-43006G | CLOTH & STRIP, LAMINATED OR COATED, VINYL-NYLON OR POLYESTER HIGH STRENGTH, FLEXIBLE USER: 45 AT REVIEWER: 82 MD SH | A 8305 | CT | 10-APR-89 | GL | MU | 99 | CT |
| L | | MIL-R-43010B | REMOLDING SET, SOIL-COMPACTION REVIEWER: GS ..... | A 6635 | ME | 16-JUN-88 | ME | | | |
| L | | MIL-C-43011A NOTICE 1 | CARRYING CASE, TEST SET, SOIL TRAFFICABILITY [VALIDATION DATE: 9011] USER: GL REVIEWER: GS | A 6635 | ME | 02-NOV-90 | ME | | | |
| L | | MIL-S-43012C | SAMPLER, SOIL USER: GL REVIEWER: GS ..... | A 6635 | ME | 24-AUG-81 | ME | | | |
| A | | MIL-S-43013C NOTICE 1 | SLING, UNIVERSAL, INDIVIDUAL LOAD CARRYING REVIEWER: MD ..... | A 8465 | CT | 25-JAN-88 | GL | MC | 99 | CT |
| | | MIL-Q-43015D NOTICE 1 | QUICK RELEASE, TYPE 8-2A [VALIDATION DATE: 8711] USER: 82 99 REVIEWER: MC . | A 1670 | GL | 20-NOV-87 | GL | AS | | |
| A | | MIL-B-43021E | BINDER, LOAD, CARGO TIE-DOWN, 10,000 POUND CAPACITY USER: MC REVIEWER: 11 TH | A 1670 | GL | 11-JUN-92 | GL | | 99 | |
| D | | MIL-R-43024D | REFRIGERATOR, MECHANICAL, COMMERCIAL, PORTABLE, REACH IN, 70 CUBIC FOOT (2 M3) (LESS MECHANICAL UNIT) [VALIDATION DATE: 8303] USER: MC REVIEWER: MD ME | A 4110 | GL | 25-JUL-77 | GL | YD1 | 99 | |
| L | | MIL-R-0043024E | REFRIGERATOR, MECHANICAL, COMMERCIAL, PORTABLE, REACH-IN, 70 CUBIC FOOT (LESS MECHANICAL UNIT) USER: CE MC REVIEWER: 82 GS MD TS | A 4110 | GL | 13-JUN-91 | GL | | | |
| | | MIL-S-43026D NOTICE 1 | SEWING MACHINES, INDUSTRIAL, COMPLETE WITH CARRYING, SHIPPING AND STORAGE CASES [VALIDATION DATE: 8908] USER: MC REVIEWER: 84 MD | A 3530 | GL | 31-AUG-89 | GL | | 99 | |
| | | MIL-P-43027E | PAPER, CHART, MAP AND BOOK, LITHOGRAPHIC FINISH, COATED AND UNCOATED USER: MC ME SA REVIEWER: GS | A 9310 | GL | 31-DEC-90 | GL | | 99 | |
| D | | MIL-R-43031E | REFRIGERATION UNITS, MECHANICAL, PANEL TYPE, 3000 BTU/HR (879 W) CAPACITY [VALIDATION DATE: 8202] USER: MC ME REVIEWER: GS MD | A 4110 | GL | 02-NOV-77 | GL | YD1 | 99 | |
| L | | MIL-R-0043031F | REFRIGERATION UNITS, MECHANICAL, PANEL TYPE, 3000 BTU/HR CAPACITY USER: CE MC REVIEWER: 82 GS MD ME TS | A 4110 | GL | 13-JUN-91 | GL | | | |
| L | | MIL-S-43032A(1) NOTICE 1 | SAW, HAND, CROSSCUT, 24 INCH BLADE [VALIDATION DATE: 8710] ..... | A 5110 | GL | 01-OCT-87 | GL | | | |
| L | | MIL-C-43033(2) | CLOTH, COTTON, WATER REPELLANT REVIEWER: CT GL MR ..... | A 8305 | AR | 09-JUL-85 | AR | | | |
| L | | MIL-C-43035A(1) | CHAIR, STRAIGHT, KITCHEN [VALIDATION DATE: 8201] ..... | A 7105 | GL | 07-JUN-68 | GL | | | |
| A | | MIL-T-43036B(3) | TAPE, PRESSURE-SENSITIVE ADHESIVE, PLASTIC FILM, (FOR SEALING FIBER CONTAINERS AND CANS) USER: MI SA SH REVIEWER: AR GL | A 7510 | AR | 04-JAN-93 | AR | OS | 99 | |
| L | | MIL-P-43038B NOTICE 1 | PLASTIC MOLDING MATERIAL, POLYESTER, LOW-PRESSURE LAMINATING, HIGH TEMPERATURE RESISTANT [VALIDATION DATE: 9104] USER: CE REVIEWER: 99 AR GS MD | A 9330 | MR | 08-APR-91 | MR | | | |
| | | MIL-R-43040B(2) NOTICE 1 | REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT [VALIDATION DATE: 8710] USER: AS AT EL ME MI OS SH REVIEWER: AR EC | A 5120 | GL | 13-OCT-87 | GL | | 84 | |
| L | | MIL-P-43043C | PLASTIC MOLDING MATERIAL, PRE-MIX, POLYESTER, GLASS FIBER REINFORCED [VALIDATION DATE: 8801] REVIEWER: AR ER GS | A 9330 | MR | 19-DEC-78 | MR | | | |
| | | MIL-C-43044C | CONTROL, PRESSURE, FILLING, NONVENTED DRUM USER: MC REVIEWER: 71 99 GL MD . | A 4930 | ME | 08-APR-88 | ME | | 69 | |
| L | | MIL-P-43045B NOTICE 1 | PLASTIC POTTING AND IMPREGNATING MATERIAL, POLYBUTENE [VALIDATION DATE: 9104] REVIEWER: AR ER GS MI | A 9330 | MR | 08-APR-91 | MR | | | |
| D | | MIL-T-43047D | TRUCK, HAND, SHELF, 2 & 4 SHELVES USER: YD1 REVIEWER: 84 GS MD ME TS ..... | A 3920 | GL | 31-DEC-85 | GL | | 99 | |
| L | | MIL-H-43048B | HOOD, FLEXIBLE, GASOLINE RESISTANT, PROTECTIVE [VALIDATION DATE: 8201] USER: AR SS REVIEWER: MD ME SH | A 5430 | GL | 12-JUN-81 | GL | | | |
| A L | | MIL-B-43049D | BACKING PLATES, INSIGNIA, BRANCH OF SERVICE AND CAP, INFANTRY, ARMY REVIEWER: CT | A 8455 | IH | 20-NOV-92 | IH | | | |
| | | MIL-E-43058A NOTICE 1 | ETCHERS, PNEUMATIC, PORTABLE [VALIDATION DATE: 8710] USER: AV ..... | A 5130 | GL | 01-OCT-87 | GL | | 99 | |
| A | | MIL-C-43062D | BEEF AND CARROTS IN GRAVY, THERMOSTABILIZED, TRAY PACK USER: 45 REVIEWER: 82 MD ME SH | A 8305 | CT | 14-MAR-88 | GL | MU | 99 | CT |
| A | | MIL-C-43063F | COVERALLS, ROCKET FUEL HANDLER'S, IMPERMEABLE, FULL PROTECTION USER: 45 REVIEWER: 82 MD | A 8415 | CT | 14-JAN-91 | GL | MU | 99 | CT |
| | | MIL-B-43064C(1) | BINDER, LOOSE LEAF (EQUIPMENT LOGBOOK) USER: AR MC ME SA SH REVIEWER: AV MI | A 7510 | GL | 28-FEB-83 | GL | | 99 | |
| A | | MIL-H-43079F | HOOD, ROCKET FUEL HANDLER'S: IMPERMEABLE, LIMITED PROTECTION USER: 11 REVIEWER: 45 82 MD OS SH | A 8415 | CT | 14-OCT-88 | GL | MU | 99 | CT |

| Action | Old / Obsolete Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-P-43081B NOTICE 1 | PLASTIC MOLDING MATERIAL (POTTING AND IMPREGNATING), POLYETHYLENE, LOW MOLECULAR WEIGHT (VALIDATION DATE: 9104) USER: AT MD REVIEWER: ER GS ME | A | 9330 | MR | MR | 08-APR-91 | MR | | | |
| A | | MIL-C-43082E | COVERALLS, ROCKET FUEL HANDLERS, IMPERMEABLE, LIMITED PROTECTION USER: 45 AS SH REVIEWER: 82 MD | A | 8415 | CT | GL | 31-DEC-84 | GL | MU | 99 | CT |
| D | * | MIL-O-43085C | OVEN, BAKING AND ROASTING, DECK, GASOLINE, 3&COMPARTMENT (VALIDATION DATE: 8303) USER: YD1 REVIEWER: GS MD | A | 7310 | GL | | 13-DEC-76 | GL | MC | | |
| A | | MIL-C-43086C NOTICE 1 | CLOTH, COATED, NYLON, VINYL COATED (FOR AIR SUPPORTED SHELTERS) (VALIDATION DATE: 9007) REVIEWER: MD | A | 8305 | CT | | 30-JUL-90 | GL | MU | | CT |
| A L | | MIL-H-43088E | HOOD, ROCKET FUEL HANDLERS, IMPERMEABLE, FULL PROTECTION USER: 45 REVIEWER: MD | A | 8415 | CT | | 26-DEC-84 | GL | | | CT |
| L | | MIL-P-43090B NOTICE 1 | PLASTIC MOLDING MATERIAL, ASPHALT, ASBESTOS FILLED (VALIDATION DATE: 8803) REVIEWER: AR GS MD | A | 9330 | MR | | 30-MAR-88 | MR | | | |
| L | | MIL-F-43093F | FUEL SYSTEM SUPPLY POINT: PORTABLE REVIEWER: CS | A | 4930 | ME | | 11-APR-89 | ME | | | |
| A | | MIL-F-43097H NOTICE 1 | FEATHERS AND DOWN, WATERFOWL, TAN-O-QUIL TREATED (VALIDATION DATE: 9007) USER: MS REVIEWER: 82 MC MD | A | 8320 | CT | | 30-JUL-90 | GL | MU | 99 | CT |
| A L | | MIL-M-43098B SUPPL 1A1, NOTICE 1 | MEDALLION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9211) REVIEWER: CT | A | 8455 | IH | | 20-NOV-92 | IH | | | |
| | | MIL-M-43098/1A NOTICE 2 | MEDALLIONS, WALTER REED ARMY INSTITUTE OF NURSING AWARD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | | 20-APR-92 | IH | MU | 11 | |
| | | MIL-M-43098/2A NOTICE 2 | MEDALLION, THE GENERAL GEORGE C. MARSHALL AWARD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | | 20-APR-92 | IH | MU | 11 | |
| | | MIL-M-43098/3A NOTICE 2 | MEDALLION, THE GENERAL JOHN J. PERSHING AWARD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | | 20-APR-92 | IH | MU | 11 | |
| | | MIL-M-43098/4A NOTICE 2 | MEDALLION, PAUL A. SIPLE AWARD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | | 20-APR-92 | IH | MU | 11 | |
| | | MIL-M-43098/5A NOTICE 2 | MEDALLION, ARMY SCIENTIFIC ACHIEVEMENT AWARD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | | 20-APR-92 | IH | MU | 11 | |
| | | MIL-M-43098/6A NOTICE 2 | MEDALLION, QUARTERMASTER CORPS (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | | 20-APR-92 | IH | MU | 11 | |
| | | MIL-M-43098/7 NOTICE 2 | MEDALLION, SECRETARY OF THE ARMY'S AWARD FOR OUTSTANDING ACHIEVEMENT IN MATERIEL ACQUISITION (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | | 20-APR-92 | IH | MU | 11 | |
| | | MIL-M-43098/8 NOTICE 2 | MEDALLION, NATIONAL WAR COLLEGE (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | | 20-APR-92 | IH | MU | 11 | |
| | | MIL-M-43098/9B NOTICE 2 | MEDALLION, SURGEON GENERAL'S EXEMPLARY SERVICE PLAQUE (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | | 20-APR-92 | IH | MU | 11 | |
| | | MIL-M-43098/10 NOTICE 2 | MEDALLION, HONORABLE SERVICE, CIA (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC | A | 8455 | IH | | 20-APR-92 | IH | MU | 11 | |
| L | | MIL-F-43101A(1) | FILING CABINET, LETTER SIZE DESIGN, STEEL, OD, ONE DRAWER HIGH, ONE DRAWER WIDE (VALIDATION DATE: 8201) | A | 7110 | GL | | 05-DEC-67 | GL | | | |
| A | | MIL-C-43103D | CANTEEN, WATER, PLASTIC, WITH SCREW CAP USER: 45 REVIEWER: 82 MC MD | A | 8465 | CT | | 15-AUG-88 | GL | MU | 99 | CT |
| D | | MIL-S-43104B NOTICE 1 | STRAPPING AND SEALING KITS, HAND-OPERATED (VALIDATION DATE: 8802) USER: AS CR MC SH YD1 REVIEWER: 85 MD SM | A | 3540 | GL | | 12-FEB-88 | GL | SA | | |
| A | | MIL-W-43105B(1) NOTICE 2 | WRENCHES, SOCKET, WHEEL STUD NUT, DOUBLE END: AND HANDLES BAR (VALIDATION DATE: 9302) USER: AT MC MD | A | 5120 | GL | | 26-FEB-93 | GL | SH | 99 | |
| L | | MIL-C-43108A(1) | CASE, CARRYING, HANDSAW, ONE MAN (VALIDATION DATE: 8104) USER: ME REVIEWER: MD | A | 5140 | GL | | 02-DEC-74 | GL | | | |
| L | | MIL-T-43113A NOTICE 1 | TOOL SET, STUD REMOVER AND SETTER (VALIDATION DATE: 8707) | A | 5180 | AV | | 17-JUL-87 | AV | | | |
| D | | MIL-P-43116A(2) | PIKE, WIRE AND PIKES, POLE (VALIDATION DATE: 8201) | A | 5120 | GL | | 20-MAR-75 | GL | YD1 | 99 | |
| | | MIL-B-43119B(1) NOTICE 1 | BRACKET, M21 REEFING LINE CUTTER, CARGO PARACHUTE CANOPY (VALIDATION DATE: 9008) USER: MC REVIEWER: AV | A | 1670 | GL | | 08-AUG-90 | GL | AS | | |
| A | | MIL-M-43120D | MAINTENANCE KIT, ROCKET FUEL HANDLERS' CLOTHING (RESIN MODIFIED BUTYL RUBBER COATED) USER: 45 82 REVIEWER: MD | A | 8415 | CT | | 28-JUN-88 | GL | | 99 | CT |
| A | | MIL-C-43122G | CLOTH, SATEEN, COTTON, FLAME RETARDANT TREATED USER: 45 ME OS REVIEWER: 11 MD | A | 8305 | CT | | 16-SEP-88 | GL | MU | 99 | CT |
| | | MIL-T-43124C | TRUCK, HAND, PLATFORM, LAUNDRY & DRYCLEANING, SPECIAL DESIGN USER: CE REVIEWER: 84 GS MD | A | 3510 | GL | | 28-SEP-84 | GL | | 99 | |
| A | | MIL-C-43128C | CLOTH, PLAIN WEAVE, NYLON: WATER REPELLENT, OG-106 REVIEWER: MC MD | A | 8305 | CT | | 10-SEP-86 | GL | MU | | CT |
| | | MIL-C-43128C(11) | CLOTH, PLAIN WEAVE, NYLON: WATER REPELLENT, OG-106 REVIEWER: CT MC MD | A | 8305 | GL | | 03-JUN-88 | GL | MU | | |
| A L | | MIL-H-43132E | HAMMOCK, JUNGLE, M-1965 (VALIDATION DATE: 8601) | A | 8465 | CT | | 22-APR-80 | | MU | | CT |
| | | MIL-P-43134B NOTICE 1 | PLATE, TENSION, PARACHUTE PACKING (VALIDATION DATE: 9203) USER: MC REVIEWER: 82 AV | A | 1670 | GL | | 27-MAR-92 | GL | AS | 99 | |
| | | MIL-C-43135H | CHICKEN AND CHICKEN PRODUCTS, COOKED, DEHYDRATED REVIEWER: MC MD SS | A | 8905 | GL | | 30-MAR-81 | GL | SA | 50 | |
| | | MIL-C-00431356 | CHICKEN AND CHICKEN PRODUCTS COOKED, DEHYDRATED (VALIDATION DATE: 8402) | A | 8905 | GL | | 14-APR-78 | GL | SA | 50 | |
| | | MIL-S-43140A NOTICE 1 | STAND, FOLDING, SERVICE TRAY REVIEWER: MD | A | 7195 | GL | | 12-FEB-88 | GL | | 99 | |
| L | | MIL-C-43141D | CUTTER, PAPER, GUILLOTINE, FLOOR MODEL, ELECTRIC-MOTOR-DRIVEN REVIEWER: GL GS | A | 3610 | ME | | 15-NOV-78 | ME | | | |
| | | MIL-F-43142G | FISH SQUARES, RAW, DEHYDRATED REVIEWER: MC MD SS TS | A | 8905 | GL | | 30-JUN-89 | GL | SA | 50 | |
| | | MIL-B-43143E NOTICE 1 | BEEF PATTIES, DEHYDRATED, UNCOOKED (VALIDATION DATE: 8702) REVIEWER: MC MD MS SS | A | 8905 | GL | | 30-JUN-86 | GL | SA | 50 | |
| | | MIL-P-43144E | PORK CHOPS, DEHYDRATED, UNCOOKED (VALIDATION DATE: 8501) REVIEWER: MC MD MS SS | A | 8905 | GL | | 22-MAY-79 | GL | SA | 50 | |
| | | MIL-S-43145E | SHRIMP, DEHYDRATED, COOKED REVIEWER: MC MD MS SS | A | 8905 | GL | | 15-AUG-85 | GL | SA | 50 | |
| | | MIL-A-43146B NOTICE 1 | ACCESSORY SET, PARACHUTE, SCUBA ADAPTING (VALIDATION DATE: 9008) REVIEWER: 82 AV | A | 1670 | GL | | 08-AUG-90 | GL | SH | 99 | |
| L | | MIL-S-43147D | SCALE SYSTEMS, PREPACKAGED FOOD (VALIDATION DATE: 8303) REVIEWER: GS | A | 6670 | GL | | 30-JUN-83 | GL | | | |
| | | MIL-T-43150C(1) | TABLE, PARACHUTE PACKING USER: ME REVIEWER: 84 CS MC | A | 7195 | GL | | 24-APR-92 | GL | AS | 99 | |
| L | | MIL-C-43153(3) | CLOTH, CARTRIDGE, POLYESTER&VISCOSE RAYON (FOR CARTRIDGE BAGS) (VALIDATION DATE: 8101) REVIEWER: CT | A | 8308 | AR | | 31-JAN-75 | AR | | | |
| A | | MIL-B-43154N | BOOTS, HOT WEATHER USER: 45 REVIEWER: 82 MC MD | A | 8430 | CT | | 26-JUN-92 | GL | MU | 99 | CT |
| L | | MIL-P-43155F(1) | PRINTING PLANT, SPECIAL WARFARE, TRANSPORTABLE, (LIGHTWEIGHT) MODEL 800 REVIEWER: MD | A | 3610 | GL | | 29-AUG-85 | GL | | | |
| L | | MIL-C-43157(4) | CLOTH, SPUN VISCOSE RAYON, RESIN IMPREGNATED | A | 8305 | AR | | 02-MAR-90 | AR | | | |
| | | MIL-B-43159D | BOX, TOTE, PLASTIC, HARDWARE (VALIDATION DATE: 8501) USER: 99 REVIEWER: GS | A | 3990 | GL | | 07-FEB-79 | GL | SA | | |
| | | MIL-R-43161C | ROPE, NYLON (SPUN YARN) USER: 82 ME SH REVIEWER: IS MD | A | 4020 | GL | | 17-AUG-90 | GL | | 99 | |
| A L | | MIL-H-43162F | HAT, SERVICE, WOMAN'S, WOOL OR POLYESTER AND WOOL REVIEWER: MD | A | 8410 | CT | | 26-JUL-88 | GL | | | CT |
| L | | MIL-B-43166B NOTICE 1 | BAG, COTTON DUCK, MAIL (VALIDATION DATE: 8708) REVIEWER: MD | A | 8105 | GL | | 25-AUG-87 | GL | | | |
| A | | MIL-B-43172E | BERET, MAN S WOOL REVIEWER: 45 82 99 MD | A | 8405 | CT | | 21-SEP-87 | GL | | 11 | CT |
| A | | MIL-H-43174C | HELMET, PARACHUTIST S, FREE FALL (VALIDATION DATE: 8402) USER: 45 REVIEWER: 82 MC MD | A | 8415 | CT | | 09-NOV-83 | GL | MU | 99 | CT |
| A | | MIL-S-43176C | SCREEN, LATRINE, FIRE, WATER, WEATHER AND MILDEW-RESISTANT TREATED, O.D. | A | 8340 | CT | | 07-OCT-87 | GL | | 99 | CT |
| | | MIL-B-43177B | BALING PRESSES (VALIDATION DATE: 8303) USER: SH | A | 3540 | GL | | 29-AUG-77 | GL | SA | 99 | |
| A | | MIL-H-43178D | HARDWARE: FOR HELMETS, HELMET LINERS, AND BANDS USER: 45 AV MC REVIEWER: 11 82 MD | A | 8470 | CT | | 29-DEC-89 | GL | | 99 | CT |
| | | MIL-C-43179C | CASE, TRANSFER, HUMAN REMAINS USER: MS REVIEWER: GS | A | 9930 | GL | | 30-JUN-89 | GL | MU | 99 | |
| | | MIL-S-43180B | SEALER, STEEL STRAPPING, HAND, NON-POWERED (VALIDATION DATE: 8402) USER: MC REVIEWER: SH | A | 3540 | GL | | 11-JUL-75 | GL | SA | 99 | |
| A | | MIL-H-43181B | NET, MULTIPURPOSE REVIEWER: 82 MC MD | A | 8465 | CT | | 21-MAY-86 | GL | SA | 99 | CT |
| A | | MIL-T-43182D | TENTS, MISSILE SYSTEM EQUIPMENT CONSOLE (HAWK) REVIEWER: 82 MI | A | 8340 | CT | | 09-JAN-89 | GL | | 99 | CT |
| | | MIL-H-43186A(2) | NEEDLE, ETCHING, HAND (VALIDATION DATE: 8402) USER: MC ME | A | 5120 | GL | | 14-DEC-77 | GL | | 99 | |
| L | | MIL-T-43187B | TESTER, LEAK, INSULATED BOOT (VALIDATION DATE: 8501) REVIEWER: GS | A | 3520 | GL | | 15-FEB-79 | GL | | | |

| Action | Ofc. / Activity Coordination | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-B-43188F | BEEFSTEAK, DEHYDRATED, UNCOOKED REVIEWER: MC MD QM SS | A 8905 | GL | 18-JUL-90 GL | SA | 50 | | |
| A | | MIL-C-43191H | CLOTH, WIND RESISTANT SATEEN, COTTON AND NYLON USER: MC REVIEWER: 82 MD | A 8305 | CT | 29-NOV-91 GL | MU | 99 | CT | |
| D | | MIL-S-43194C | STAPLER, BOX (VALIDATION DATE: 8201) USER: MD YD1 REVIEWER: SH | A 3540 | GL | 12-MAR-74 GL | SA | 99 | | |
| A | | MIL-G-43196C | GLOVES, ROCKET FUEL HANDLERS USER: 11 MS OS REVIEWER: 45 82 MD SH | A 8415 | CT | 12-MAR-87 GL | MU | 99 | CT | |
| | | MIL-C-43202A(1) | CLEANER SHEETS, OFFSET PRINTING PRESS ROLLER (VALIDATION DATE: 8201) USER: MD REVIEWER: GS | A 3610 | GL | 11-AUG-72 GL | SA | 99 | | |
| A | L | MIL-C-43204C | CLOTH, SPACER (OLEFIN) REVIEWER: EA MD | A 8305 | CT | 31-DEC-85 GL | | | CT | |
| | | MIL-C-43205G | COOKIE MIX, DRY REVIEWER: MC MD MS SS TS | A 8920 | GL | 30-DEC-80 GL | SA | 50 | | |
| | L | MIL-H-43208A | HANGER, PAPER HOLDING (VALIDATION DATE: 8710) USER: ME REVIEWER: GS | A 3610 | GL | 23-OCT-87 GL | | | | |
| | | NOTICE 1 | | | | | | | | |
| | | MIL-H-43210A(1) | HARNESS, DOG LEADING (LEATHER) (VALIDATION DATE: 8104) USER: MC MD REVIEWER: CS | A 3770 | GL | 27-JUL-72 GL | | 99 | | |
| | L | MIL-C-43214D | CAMERA, COPYING, LITHOGRAPHIC PROCESS, DARKROOM TYPE, 20 BY 24 INCHES (VALIDATION DATE: 8303) REVIEWER: GS | A 3610 | GL | 16-SEP-77 GL | | | | |
| D | | MIL-T-43218D | TRUCK, HAND, PLATFORM, FOUR WHEELED, TILT AND NON-TILT, SOLID RUBBER TIRES OR PLASTIC TIRES USER: CE MC SH YD1 REVIEWER: AT GS | A 3920 | ME | 11-APR-86 ME | SA | 99 | | |
| D | | MIL-P-43219A | PADDINGS AND COVERS FOR FLATWORK IRONER ROLL (VALIDATION DATE: 8802) USER: MC MD REVIEWER: GS | A 3510 | GL | 12-FEB-88 GL | YD1 | 99 | | |
| | | NOTICE 1 | | | | | | | | |
| | | MIL-C-43222B | CHAIR, FOLDING, WOOD, WITH KNEELER (VALIDATION DATE: 8201) REVIEWER: GS | A 9925 | GL | 27-AUG-81 GL | PE | 28 | | |
| | | MIL-H-43224G | HASH, BEEF, DEHYDRATED, COOKED REVIEWER: MC MD MS SS | A 8940 | GL | 18-DEC-81 GL | SA | 50 | | |
| | L | MIL-P-43226A | POLYETHER CUSHIONING MATERIAL FOAM-IN-PLACE, FLEXIBLE | A 8135 | MI | 28-JUN-91 MI | | | | |
| | L | MIL-C-43227A | CUTTERS, PAPER, GUILLOTINE, HAND OPERATED (VALIDATION DATE: 8201) USER: MC MD ME REVIEWER: GS | A 3610 | GL | 11-MAY-73 GL | SA | 99 | | |
| | | MIL-P-43228B | PRINTING PRESSES, LETTERPRESS (PLATEN PRESS) (VALIDATION DATE: 8402) REVIEWER: GS MD | A 3610 | GL | 17-NOV-77 GL | SA | 99 | | |
| A | | MIL-F-43231D | FOOD PACKET, SURVIVAL, GENERAL PURPOSE, PACKAGING AND ASSEMBLY OF REVIEWER: MC MD QM SA SS | A 8970 | GL | 30-SEP-92 GL | | 50 | | |
| | | MIL-C-43232A | COMPOSING MACHINES, PHOTO-PRINTING TYPE, SINGLE LINE AND MULTI LINE (VALIDATION DATE: 8201) REVIEWER: MD ME SS | A 7430 | GL | 19-MAY-71 GL | SA | 99 | | |
| | | MIL-T-43233B | TYING MACHINES, WIRE, HAND (VALIDATION DATE: 8802) USER: MD REVIEWER: SH | A 3540 | GL | 12-FEB-88 GL | SA | 99 | | |
| | | NOTICE 1 | | | | | | | | |
| A | L | MIL-C-43234C | CLOTH, PLAIN WEAVE, ACRYLIC (VALIDATION DATE: 8904) REVIEWER: MD | A 8305 | CT | 22-APR-89 GL | | | CT | |
| | | NOTICE 1 | | | | | | | | |
| | | MIL-T-43238C | TABLE, SHADOW, PARACHUTE CANOPY INSPECTION (VALIDATION DATE: 9203) REVIEWER: AV MC | A 1670 | GL | 27-MAR-92 GL | AS | 99 | | |
| | | NOTICE 1 | | | | | | | | |
| | | MIL-M-43241A | MILK, FILLED, DRY, PLAIN OR CHOCOLATE, FORTIFIED (VALIDATION DATE: 8402) REVIEWER: MC MD SS | A 8910 | GL | 29-DEC-71 GL | SA | 50 | | |
| A | | MIL-S-43243C | SEPARATOR, PARACHUTE REMOVABLE CONNECTOR LINK (VALIDATION DATE: 9302) USER: MC REVIEWER: AV | A 1670 | GL | 26-FEB-93 GL | AS | | | |
| | | NOTICE 2 | | | | | | | | |
| | | MIL-P-43244A(1) | PUNCHING MACHINE, PAPER, ELECTRIC MOTOR DRIVEN (VALIDATION DATE: 8708) REVIEWER: GS | A 3610 | GL | 25-AUG-87 GL | | 99 | | |
| | | NOTICE 1 | | | | | | | | |
| | | MIL-B-43246C(1) | BINDING ASSEMBLY, SNOWSHOE (S/S BY MIL-B-44374) USER: 45 MC MD REVIEWER: CT | A 8465 | GL | 22-MAY-90 GL | MU | 99 | | |
| A | | MIL-C-43247B(1) | CLOTH, KNITTED, NYLON, TUBULAR, STRETCH TYPE (VALIDATION DATE: 8904) USER: SH REVIEWER: 99 MD | A 8305 | CT | 22-APR-89 GL | MU | 11 | CT | |
| | | NOTICE 1 | | | | | | | | |
| D | | MIL-M-43248C | MAT, REINFORCING GLASS FIBER (VALIDATION DATE: 8803) USER: AS YD1 REVIEWER: 99 AR GS MI | A 9340 | MR | 30-MAR-88 MR | | 11 | | |
| | | NOTICE 1 | | | | | | | | |
| A | | MIL-C-43251C(1) | CLOTH, PILE, SYNTHECTIFIBER PILE REVIEWER: 82 MC MD | A 8305 | CT | 08-FEB-85 GL | MU | 99 | CT | |
| | | MIL-S-43252A(1) | SQUEEGEE, SILK SCREEN (VALIDATION DATE: 8402) USER: ME | A 7920 | GL | 14-DEC-77 GL | | 99 | | |
| D | | MIL-P-43253B | PUMP, LUBRICANT TRANSFER (HAND) USER: MC REVIEWER: CS MD | A 4930 | ME | 10-JAN-85 ME | YD1 | 99 | | |
| | | MIL-B-43255A | BAG, PLASTIC, ENTOMOLOGICAL SPECIMENS (VALIDATION DATE: 8702) REVIEWER: 99 MD SH | A 8105 | GL | 27-FEB-87 GL | MS | 69 | | |
| | | NOTICE 1 | | | | | | | | |
| | L | MIL-C-43256D | CORD, FIBROUS, POLYESTER, SOLID BRAID USER: MC ME REVIEWER: IS MD MI | A 4020 | GL | 02-JUL-91 GL | | | | |
| A | | MIL-T-43260B(1) | TRUNK, LOCKER, BAND (VALIDATION DATE: 8104) USER: 45 | A 8460 | CT | 08-JUN-72 GL | | 99 | CT | |
| A | | MIL-D-43261E | DRAWERS, COLD WEATHER, MEN'S REVIEWER: MC MD | A 8415 | CT | 22-JAN-90 GL | MU | | CT | |
| A | | MIL-U-43262D | UNDERSHIRT, COLD WEATHER, MEN S REVIEWER: 11 82 MC MD | A 8415 | CT | 26-JAN-88 GL | MU | 99 | CT | |
| D | | MIL-U-43263E | URN, COFFEE, TWIN AND SINGLE, AUTOMATIC (ELECTRIC, STEAM, AND GAS) USER: CE CG REVIEWER: 82 84 GS MC MD MS TS | A 7310 | GL | 05-MAY-86 GL | YD1 | 99 | | |
| A | L | MIL-U-43263E(11) | URNS, COFFEE, TWIN AND SINGLE, AUTOMATIC (ELECTRIC, STEAM, AND GAS) | A 7310 | SH | 12-JUN-92 | SH | | | |
| | | MIL-D-43266B | DESICCANTS AND DESICCATION, METHOD OF, FOR PACKAGING SUBSISTENCE REVIEWER: MC MD MS SS | A 89GP | GL | 26-MAY-87 GL | SA | 50 | | |
| | L | MIL-D-43268A(1) | DRAIN UNIT, WASTE OIL, PORTABLE REVIEWER: CS | A 4930 | ME | 02-JAN-85 ME | | | | |
| | | MIL-T-43271C | TRAY, MESS, COMPARTMENTED, PLASTIC USER: MC REVIEWER: 50 84 MD MS TS | A 7350 | GL | 10-DEC-91 GL | SA | 99 | | |
| | | MIL-C-43274D | CHEESE, COTTAGE, DEHYDRATED REVIEWER: MC MD MS SS | A 8910 | GL | 28-SEP-87 GL | SA | 50 | | |
| | | MIL-S-43275G | SPAGHETTI WITH MEAT SAUCE, DEHYDRATED, COOKED REVIEWER: MC MD MS SS TS | A 8940 | GL | 31-DEC-84 GL | SA | 50 | | |
| D | | MIL-D-43278A | DISPENSER, GRAPHITE (VALIDATION DATE: 8201) USER: GL MC MD YD1 | A 4930 | ME | 09-MAY-78 ME | | 99 | | |
| A | | MIL-S-43279D | SLING, BAG AND CASE CARRYING, COMMUNICATIONS EQUIPMENT USER: 45 ER MC REVIEWER: 82 MD | A 8465 | CT | 30-AUG-84 GL | MU | 99 | CT | |
| D | | MIL-M-43280(1) | HOLDER, LABEL (VALIDATION DATE: 8402) USER: MC REVIEWER: MD | A 9905 | GL | 28-DEC-77 GL | YD1 | 99 | | |
| | | MIL-B-43282B(2) | BALANCE, TORSION (VALIDATION DATE: 8402) REVIEWER: GS MD | A 6670 | GL | 21-FEB-78 GL | | 99 | | |
| A | | MIL-L-43283B | LEATHER, CALFSKIN, KIP, AND CATTLEHIDE FOR FOOTWEAR UPPERS, CHROME TANNED (VALIDATION DATE: 8709) USER: MC REVIEWER: MD | A 8330 | CT | 01-SEP-87 GL | MU | 99 | CT | |
| | | NOTICE 1 | | | | | | | | |
| A | | MIL-C-43285C | CLOTH, COATED (CHLOROPRENE BASE COATED, CHLOROSULPHONATED POLYETHYLENE TOP COATED) USER: ME REVIEWER: 82 MD | A 8305 | CT | 15-SEP-86 GL | | 99 | CT | |
| A | | MIL-C-43286B | CLOTH, PLAIN WEAVE, NYLON-CLOTH, PLAIN WEAVE, POLYESTER (VALIDATION DATE: 8709) USER: AT ME REVIEWER: MD MI | A 8305 | CT | 01-SEP-87 GL | MU | 99 | CT | |
| | | NOTICE 1 | | | | | | | | |
| | | MIL-C-43287G | CHILI CON CARNE, COOKED, DEHYDRATED REVIEWER: MC MD MS SS | A 8940 | GL | 23-SEP-85 GL | SA | 50 | | |
| | | MIL-C-43289E | CHICKEN WITH RICE, DEHYDRATED, COOKED (VALIDATION DATE: 8601) REVIEWER: MC MD MS SS | A 8940 | GL | 04-SEP-80 GL | SA | 50 | | |
| A | | MIL-B-43290J | BAG, FLYER'S HELMET USER: 11 REVIEWER: 45 82 MD | A 8415 | CT | 22-NOV-89 GL | | 99 | CT | |
| | | MIL-S-43292D | STATIC LINES, CARGO PARACHUTES, GENERAL SPECIFICATION FOR REVIEWER: 11 AV MC | A 1670 | GL | 23-AUG-89 GL | AS | 99 | | |
| | L | MIL-C-43293A | CASE, FIELD, OFFICE MACHINES, SURVEYING EQUIPMENT, STEEL (VALIDATION DATE: 8104) USER: CE REVIEWER: ME | A 7420 | GL | 04-JUN-73 GL | | | | |
| D | | MIL-C-43300G | COLD FOOD COUNTER, MECHANICALLY REFRIGERATED USER: CE MS SA REVIEWER: 84 GS MC MD SH | A 7310 | GL | 04-MAY-88 GL | YD1 | 99 | | |
| | L | MIL-S-43301C | SURVIVAL KIT, INDIVIDUAL, OVER WATER, ARMY (VALIDATION DATE: 8303) REVIEWER: CT MD | A 1680 | GL | 29-APR-77 GL | | | | |
| | L | MIL-S-43302C | SURVIVAL KIT, INDIVIDUAL, HOT CLIMATE, ARMY REVIEWER: AV MD | A 1680 | GL | 09-SEP-81 GL | | | | |
| A | | MIL-C-43303C | CORD, ELASTIC, COTTON USER: MC OS REVIEWER: MD | A 8305 | CT | 22-MAY-90 GL | MU | | CT | |
| A | | MIL-P-43304C | PACK AND HARNESS ASSEMBLY, PARACHUTISTS WEAPONS AND INDIVIDUAL EQUIPMENT USER: MC REVIEWER: MD | A 8465 | CT | 30-MAR-81 GL | AS | | CT | |
| A | L | MIL-S-43306B | SLING, BAG AND CASE CARRYING, ST-33 (VALIDATION DATE: 8105) USER: 45 MC REVIEWER: MD | A 8465 | CT | 05-FEB-74 GL | | | CT | |
| | | MIL-C-43307B | CORD, NYLON, SOLID BRAID, GENERAL PURPOSE (VALIDATION DATE: 8904) USER: MC ME REVIEWER: AR EA MD MI | A 4020 | GL | 22-APR-89 GL | SH | | | |
| | | NOTICE 1 | | | | | | | | |
| | L | MIL-B-43308B | BINDING MACHINE, PLASTIC BINDING ELEMENT, AND PUNCHING MACHINE, PAPER (VALIDATION DATE: 8709) REVIEWER: GS | A 3610 | GL | 01-SEP-87 GL | | | | |
| | | NOTICE 1 | | | | | | | | |
| A | | MIL-T-43309C | TARPAULIN: COTTON DUCK, FOR WIND MEASURING SET (VALIDATION DATE: 9007) REVIEWER: ER | A 8340 | CT | 30-JUL-90 GL | MU | | CT | |
| | | NOTICE 1 | | | | | | | | |
| A | | MIL-F-43310A | FELT SHEET, NYLON, NON-WOVEN (NEEDLE PUNCHED) (VALIDATION DATE: 8711) USER: MD ME | A 8305 | CT | 30-NOV-87 GL | MU | 99 | CT | |
| | | NOTICE 1 | | | | | | | | |
| | | MIL-B-43311E | BEEF, DICED, DEHYDRATED, UNCOOKED REVIEWER: MC MD MS SS TS | A 8905 | GL | 05-JUN-87 GL | SA | 50 | | |
| A | L | MIL-P-43312C | POCKET, AMMUNITION MAGAZINE USER: MC REVIEWER: MD | A 8465 | CT | 23-DEC-85 GL | | | CT | |

| Action | Obsl / Obsl Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-A-43316A(1) | ADHESIVE, PATCHING FOR CHLOROPRENE COATED OR CHLOROSULPHONATED POLYETHYLENE COATED FABRICS [VALIDATION DATE: 8303] USER: ME REVIEWER: MD MR | A 8040 GL | 29-DEC-69 GL | | | | |
| A | L | MIL-S-43317C | SCARF, NECKWEAR, WOMAN'S ACRYLIC | A 8445 CT | 14-JUN-89 | | MU | | CT |
| | | MIL-F-43320A | FAN, TUBE AXIAL, FOR VENTILATING MAINTENANCE TENTS [VALIDATION DATE: 8104] REVIEWER: GS ME | A 4140 GL | 29-NOV-68 GL | | 99 | | |
| | D | MIL-B-43322A | BAKERY PLANT, FIELD, PORTABLE [VALIDATION DATE: 8104] USER: MS REVIEWER: GS MC | A 7360 GL | 30-MAY-75 GL | YD1 | 99 | | |
| | D | MIL-R-43323E | RIFLE BUTT POCKET AND STRAP ASSEMBLY USER: 45 YD1 | A 8465 CT | 26-SEP-86 GL | MC | 99 | | CT |
| | | MIL-P-43325B | PAPER, BOOK REVIEWER: 84 MD ME | A 9310 GL | 31-DEC-90 GL | SA | 99 | | |
| | D | MIL-A-43326A NOTICE 1 | ALTAR, PORTABLE [VALIDATION DATE: 8908] USER: YD1 REVIEWER: GS | A 9925 GL | 31-AUG-89 GL | PE | 28 | | |
| | | MIL-P-43327B | PAPER, BOOK, WATER RESISTANT (TEXT) [VALIDATION DATE: 8403] | A 9310 GL | 18-MAR-77 GL | | 99 | | |
| | | MIL-P-43331A(1) NOTICE 1 | PAPER, MANILA [VALIDATION DATE: 8710] USER: MC REVIEWER: ME | A 9310 GL | 01-OCT-87 GL | SA | 84 | | |
| | D | MIL-T-43333C | TENT LINER, GENERAL PURPOSE, SMALL AND ARCTIC, 10 MAN USER: 45 YD1 REVIEWER: 82 MD | A 8340 CT | 31-OCT-88 GL | MU | 99 | | CT |
| | D | MIL-P-43334C | PACKAGING OF TEXTILE WEBBING AND TAPE USER: 82 AR MC SH YD1 REVIEWER: MD SH | A PACK CT | 30-SEP-86 GL | MU | 99 | | CT |
| | D | MIL-L-43335E(1) | LINER, WET WEATHER, PONCHO USER: 45 MC REVIEWER: 82 MD YD1 | A 8405 CT | 16-JUL-90 GL | MU | 99 | | CT |
| | L | MIL-L-0043335F | LINER, WET WEATHER PONCHO | A 8405 GL | 05-DEC-90 GL | | | | |
| | L | MIL-L-0043335F(11) | LINER, WET WEATHER PONCHO | A 8405 GL | 28-JUN-91 GL | | | | |
| | | MIL-S-43336C | SEALING IRONS AND SEALING PLATES, ELECTRIC, MANUALLY OPERATED [VALIDATION DATE: 8402] USER: MC REVIEWER: SM | A 3540 GL | 03-MAR-78 GL | SA | 99 | | |
| | | MIL-C-43338E | CREAM SUBSTITUTE, DRY, NON DAIRY [VALIDATION DATE: 8601] REVIEWER: 03 MC MD MS SS | A 8940 GL | 19-DEC-79 GL | SA | 50 | | |
| A | | MIL-C-43339D | COVERALLS, INDUSTRIAL: LINT-FREE USER: 45 REVIEWER: 82 84 MD | A 8415 CT | 07-NOV-88 GL | MU | 99 | | CT |
| | | MIL-B-43341B NOTICE 1 | BREADBOX, DELIVERY, ALUMINUM REVIEWER: 82 84 MC MD | A 8115 GL | 27-FEB-87 GL | SA | 69 | | |
| | | MIL-W-43342E(2) | WEBBING ASSEMBLY, GENERAL SPECIFICATION FOR USER: MC REVIEWER: 82 AV | A 1670 GL | 28-JUN-84 GL | AS | 99 | | |
| | D | MIL-C-43343E | CONTROL, FUEL FLOW, OIL BURNER USER: CE MC REVIEWER: 84 CS MD | A 4530 GL | 26-FEB-92 GL | YD1 | 99 | | |
| A | | MIL-C-43347D NOTICE 1 | CLOTH, PLAIN WEAVE, POLYESTER, LOW AIR PERMEABILITY REVIEWER: 45 82 MI | A 8305 CT | 30-NOV-87 GL | | 99 | | CT |
| | L | MIL-C-43348A NOTICE 1 | CHALK, MARKING, REFLECTIVE REVIEWER: MD | A 7510 GL | 06-SEP-90 GL | | | | |
| A | | MIL-C-43352D | CLOTH, NETTING, NYLON, TULLE, TRICOT USER: 45 MC REVIEWER: 82 MD | A 8305 CT | 30-JUN-88 GL | MU | 99 | | CT |
| A | | MIL-S-43355B | STRAP, CHIN, AND SUSPENSION ASSEMBLY, CHIN STRAP USER: 45 CG REVIEWER: MC MD | A 8470 CT | 27-OCT-87 GL | MU | 99 | | CT |
| A | | MIL-S-43357E | SHIRT, SLEEPING, HEAT RETENTIVE AND MOISTURE RESISTANT, NYLON/ACETATE, TRICOT KNIT REVIEWER: 45 82 MC MD | A 8415 CT | 28-SEP-90 GL | MU | 99 | | CT |
| A | | MIL-C-43358B | CLOTH, KNITTED, NYLON/ACETATE, TRICOT, CAMOUFLAGE GREEN 483 USER: MC MS REVIEWER: 82 MD | A 8305 CT | 26-AUG-88 GL | MU | 99 | | CT |
| | D | MIL-K-43359E(1) | KETTLES, STEAM JACKETED, ELECTRICALLY HEATED REVIEWER: GS MC MS SA SH | A 7310 YD1 | 01-APR-88 | | YD1 | | |
| A | L | MIL-K-43359E(13) | KETTLES, STEAM-JACKETED (STAINLESS STEEL), ELECTRICALLY HEATED | A 7310 SH | 28-OCT-92 | | SH | | |
| | | MIL-S-43361B | STRETCHING AND SEALING MACHINE, STRAPPING, HAND [VALIDATION DATE: 8402] USER: AR CR MC ME SH REVIEWER: MI SM | A 3540 GL | 15-DEC-77 GL | SA | 99 | | |
| | L | MIL-D-43362B | DETERGENT, LAUNDRY (ANIONIC, A STANDARD FOR TESTING) USER: MI REVIEWER: MD | A 7930 GL | 27-FEB-87 GL | | | | |
| A | | MIL-B-43366C | BODY ARMOR, FRAGMENTATION PROTECTIVE, GROIN USER: 45 REVIEWER: 11 82 MD | A 8470 CT | 06-MAR-90 GL | MU | 99 | | CT |
| A | L | MIL-C-43368F | COATS, MEN'S, TROPICAL AND SERG, POLYESTER/WOOL, ARMY GREEN 344 REVIEWER: MD | A 8405 CT | 07-OCT-88 GL | | | | CT |
| | | MIL-C-43369A NOTICE 1 | CONTAINER ASSEMBLY, SAMPLE AND SPECIMEN SHIPPING, BOX TYPE, FOR MEAT AND DAIRY PRODUCT SAMPLES REVIEWER: 03 MS | A 8115 GL | 25-JAN-88 GL | SA | 69 | | |
| A | | MIL-H-43371B | HAT, UN, RREVERSIBLE USER: 45 REVIEWER: MD | A 8415 CT | 07-APR-88 GL | | 99 | | CT |
| A | L | MIL-C-43375E | CLOTH, DUCK, NYLON, 12.5 OUNCE REVIEWER: MD ME | A 8305 CT | 18-SEP-90 GL | | | | CT |
| | | MIL-E-43377D | EGG MIX, DEHYDRATED REVIEWER: MC MD SS TS | A 8910 GL | 12-JAN-88 GL | SA | 50 | | |
| A | | MIL-W-43378A NOTICE 1 | WEBBING, TEXTILE, COTTON, SPLINT [VALIDATION DATE: 8702] USER: 45 REVIEWER: 82 MD MS | A 8305 CT | 27-FEB-87 GL | SA | 11 | | CT |
| | | MIL-F-43381 | FLAGON, CRUET AND CRUET TRAY [VALIDATION DATE: 8201] REVIEWER: GS | A 9925 GL | 12-NOV-65 GL | PE | 28 | | |
| | D | MIL-I-43385B NOTICE 1 | ICE CREAM CABINETS, MECHANICALLY REFRIGERATED, DISPENSING, MOBILE, SELF ELEVATING USER: ME REVIEWER: GS MC MD TS | A 4110 GL | 09-SEP-88 GL | YD1 | 99 | | |
| | D | MIL-B-43386B NOTICE 1 | BIN, INGREDIENT, MOBILE, 150 AND 250 POUND CAPACITY REVIEWER: MC MD SA | A 7320 GL | 27-FEB-87 GL | YD1 | 99 | | |
| | | MIL-K-43387(1) NOTICE 1 | KIDDUSH CUP REVIEWER: GS | A 9925 GL | 27-FEB-87 GL | PE | 28 | | |
| A | | MIL-T-43389(1) | TARPAULIN, COTTON DUCK, OLIVE DRAB NO. 7, 20 FEET BY 20 INCHES [VALIDATION DATE: 8402] REVIEWER: MD | A 8340 CT | 29-MAR-78 GL | MC | 99 | | CT |
| | | MIL-F-43392B NOTICE 1 | FOOD CONTAINER, DELIVERY AND STORAGE; DOLLY, FOOD HANDLING EQUIPMENT [VALIDATION DATE: 9203] USER: MS REVIEWER: GS MD SM | A 7330 GL | 27-MAR-92 GL | SA | 99 | | |
| | | MIL-B-43395A NOTICE 1 | BELL, SANCTUS [VALIDATION DATE: 8802] REVIEWER: GS | A 9925 GL | 12-FEB-88 GL | PE | 28 | | |
| | D | MIL-R-43399A(1) NOTICE 1 | RACK, MOBILE (FOR ROLL-THROUGH REFRIGERATORS AND ROLL-THROUGH FOOD WARMERS) [VALIDATION DATE: 8702] REVIEWER: 45 GS MD SA | A 7320 GL | 27-FEB-87 GL | YD1 | 84 | | |
| | D | MIL-F-43402D(2) | FOOD CUTTERS, ELECTRIC USER: 84 REVIEWER: GS MD TS | A 7320 GL | 24-MAR-88 GL | YD1 | 99 | | |
| A | L | MIL-F-43402D(13) | FOOD CUTTER, ELECTRIC | A 7320 SH | 29-OCT-92 | | SH | | |
| | | MIL-B-43404E NOTICE 2 | BEEF STEW, DEHYDRATED, COOKED REVIEWER: MC MD MS SS TS | A 8940 GL | 20-SEP-91 GL | SA | 50 | | |
| | | MIL-P-43406(1) NOTICE 1 | POINTER, TORAH [VALIDATION DATE: 8710] REVIEWER: GS | A 9925 GL | 23-OCT-87 GL | PE | 28 | | |
| | D | MIL-B-43407(1) | BARS, NONSPARKING AND NONMAGNETIC [VALIDATION DATE: 8104] USER: CE MC OS YD1 REVIEWER: AR AS | A 5120 GL | 21-APR-75 GL | SH | 99 | | |
| | D | MIL-C-43410C | CLOTH, COATED: POLYESTER/COTTON, POLYESTER/RAYON; POLYVINYL CHLORIDE OR POLYCHLOROPRENE COATED USER: MR REVIEWER: 45 MD YD1 | A 8305 CT | 28-JUN-89 GL | MU | 99 | | CT |
| | D | MIL-P-43413D | POLE, TENT, LIGHT METAL, SPECIAL USER: YD1 REVIEWER: 82 MD | A 8340 CT | 07-MAY-84 GL | MU | 99 | | CT |
| | | MIL-M-43414(1) | HYMNODY SET, TAPE REVIEWER: GS | A 9925 GL | 04-NOV-69 GL | PE | 28 | | |
| A | | MIL-C-43415C | CAP, SERVICE, MILITARY POLICE, WHITE [VALIDATION DATE: 8511] REVIEWER: 45 99 MD | A 8405 CT | 03-OCT-80 GL | | 11 | | CT |
| A | | MIL-T-43416C | TENT, SUNSHIELD, THEODOLITE USER: 45 REVIEWER: 82 MC MD | A 8340 CT | 29-DEC-88 GL | MU | 99 | | CT |
| A | L | MIL-C-43419E | CAP, GARRISON, MEN'S POLYESTER/WOOL, ARMY GREEN 344 USER: 45 REVIEWER: MD | A 8405 CT | 12-APR-89 GL | | | | CT |
| | | MIL-B-43420A | BASKETS, WOVEN WIRE USER: MC | A 7290 GL | 30-APR-70 GL | | 84 | | |
| | D | MIL-C-43427C NOTICE 1 | CABINETS, FOOD SERVICE, REFRIGERATOR-WARMER, ROLL-THRU, ROLL-IN [VALIDATION DATE: 9203] USER: SA REVIEWER: GS MC MD TS | A 4110 GL | 27-MAR-92 GL | YD1 | 99 | | |
| | L | MIL-C-0043427B | CABINET, FOOD SERVICE, WARMER REFRIGERATOR, ROLL THRU, ROLL IN [VALIDATION DATE: 8201] | A 7320 GL | 09-JUN-77 GL | | | | |
| A | | MIL-P-43432B | PACKAGING OF LEATHER USER: OS SH REVIEWER: 11 82 SM | A PACK CT | 29-JUN-87 GL | MU | 99 | | CT |
| | | MIL-C-43434(1) NOTICE 1 | COMMUNION SET, CHAPEL, CHALICE TYPE [VALIDATION DATE: 8710] | A 9925 GL | 23-OCT-87 GL | PE | 28 | | |
| | | MIL-T-43435B(1) NOTICE 1 | TAPE, LACING AND TYING [VALIDATION DATE: 8904] USER: MC SH REVIEWER: 11 AR AS EA IS MD MI OS | A 4020 GL | 22-APR-89 GL | | 99 | | |
| | D | MIL-B-43436C NOTICE 1 | BAND, MARKER, BLANK [VALIDATION DATE: 8802] USER: MC OS REVIEWER: AR AT AV ME MI | A 9905 GL | 12-FEB-88 GL | YD1 | 99 | | |
| | D | MIL-B-43436/1 NOTICE 1 | BAND MARKER, BLANK, SINGLE CRIMP STYLE BAND [VALIDATION DATE: 8802] USER: AR MC ME OS REVIEWER: AT AV | A 9905 GL | 12-FEB-88 GL | YD1 | 84 | | |
| | D | MIL-B-43436/2 NOTICE 1 | BAND MARKER, BLANK, TWO-PRONG CRIMP STYLE BAND [VALIDATION DATE: 8802] | A 9905 GL | 12-FEB-88 GL | YD1 | 84 | | |

| Action | Qtr. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-B-43436/3 NOTICE 1 | BAND MARKER, BLANK, THREE PRONG CRIMP STYLE BAND [VALIDATION DATE: 8802] USER: AR MC ME OS REVIEWER: AT AV | A | 9905 | GL | GL | 12-FEB-88 | YD1 | 84 | | |
| D | | MIL-B-43436/4 NOTICE 1 | BAND MARKER, BLANK, SINGLE BELT STYLE BAND [VALIDATION DATE: 8802] USER: AR MC ME OS REVIEWER: AT AV | A | 9905 | GL | GL | 12-FEB-88 | YD1 | 84 | | |
| D | | MIL-B-43436/5 NOTICE 1 | BAND MARKER, BLANK, DOUBLE BELT STYLE BAND [VALIDATION DATE: 8802] USER: AR MC ME OS REVIEWER: AT AV | A | 9905 | GL | GL | 12-FEB-88 | YD1 | 84 | | |
| D | | MIL-C-43438D NOTICE 1 | CRIMPER, BLASTING CAP, M2, PLIER TYPE, W/FUSE CUTTER [VALIDATION DATE: 8710] USER: YD1 REVIEWER: AR | A | 5120 | OS | GL | 13-OCT-87 | OS | 99 | | |
| | | MIL-P-43440A NOTICE 1 | PAN, DOG FEEDING, (CORROSION-RESISTING STEEL) [VALIDATION DATE: 8904] USER: MC REVIEWER: CS MD | A | 3770 | GL | GL | 22-APR-89 | | 99 | | |
| D | | MIL-B-43444A NOTICE 1 | BAG, PLASTIC, CONTAMINATED WASTE DISPOSAL [VALIDATION DATE: 8104] REVIEWER: 03 99 AR MD MS SM YD1 | A | 8105 | GL | GL | 30-MAY-75 | SA | 69 | | |
| | | MIL-R-43448A(1) | REELS, STRAPPING COIL AND TRUCKS, HAND, STRAPPING COIL [VALIDATION DATE: 8303] REVIEWER: SM | A | 3540 | GL | GL | 13-JUL-77 | | 99 | | |
| | | MIL-C-43454C | CLEANING COMPOUND, OPTICAL LENS (READY TO USE) USER: AR REVIEWER: GS MD ... | A | 6850 | GL | GL | 17-APR-89 | OS | 68 | | |
| A | | MIL-C-43455J | COAT, COLD WEATHER, FIELD USER: 45 REVIEWER: 82 MC MD ..... | A | 8415 | CT | GL | 21-AUG-91 | MU | 99 | CT | |
| L | | MIL-C-43455H(12) | COAT, COLD WEATHER, FIELD ..... | A | 8415 | GL | GL | 16-OCT-90 | GL | | | |
| L | | MIL-S-43456B | SURVIVAL KIT, INDIVIDUAL, COLD CLIMATE, ARMY [VALIDATION DATE: 8201] REVIEWER: AV MD | A | 1680 | GL | GL | 11-SEP-81 | GL | | | |
| D | | MIL-T-43463B | TABLE, DINING, PEDESTAL BASE [VALIDATION DATE: 8104] REVIEWER: MD MS YD1 .. | A | 7105 | GL | GL | 01-AUG-74 | GL | MC | 99 | |
| L | | MIL-P-43465 | PALLET, MATERIAL HANDLING, WOOD, DOUBLE FACED, (SPECIAL DESIGN FOR USE WITH CONEX CONTAINERS) USER: CE REVIEWER: GS MT SM | A | 3990 | ME | ME | 17-NOV-66 | ME | | | |
| A | | MIL-L-43466C(1) | LINER, EXTREME COLD WEATHER, PARKA USER: MC REVIEWER: MD ..... | A | 8415 | CT | GL | 16-SEP-87 | GL | MU | | CT |
| | | MIL-C-43468H | CLOTH, CAMOUFLAGE PATTERN, WIND RESISTANT POPLIN, COTTON USER: 45 REVIEWER: 82 CT GS MC MD | A | 8305 | GL | GL | 31-MAR-92 | GL | MU | 99 | |
| L | | MIL-C-43468G(11) | CLOTH, CAMOUFLAGE PATTERN: WIND RESISTANT POPLIN, COTTON ..... | A | 8305 | GL | GL | 15-OCT-90 | GL | | | |
| D | | MIL-C-43469B(2) | CHAPLAINS KITS, CATHOLIC AND PROTESTANT [VALIDATION DATE: 8402] USER: YD1 REVIEWER: GS | A | 9925 | GL | GL | 29-APR-77 | GL | PE | 28 | |
| A L | | MIL-J-43470B | JACKET, AIR-TO-GROUND IDENTIFICATION REVIEWER: MD ..... | A | 8415 | CT | GL | 26-JUL-82 | GL | | | CT |
| A | | MIL-C-43473F | CLOTH, COATED, NYLON, POLYURETHANE COATED USER: 45 REVIEWER: 82 MC MD ME .. | A | 8305 | CT | GL | 29-MAR-88 | GL | MU | 99 | CT |
| L | | MIL-C-43473F(11) | CLOTH, COATED, NYLON, POLYURETHANE COATED ..... | A | 8305 | GL | GL | 03-DEC-90 | GL | | | |
| | | MIL-P-43475A | PRIE-DIEU [VALIDATION DATE: 8201] REVIEWER: GS ..... | A | 9925 | GL | GL | 25-AUG-69 | GL | PE | 28 | |
| | | MIL-C-43476A(1) NOTICE 1 | CHAPLAIN S KIT, JEWISH FAITH [VALIDATION DATE: 8710] REVIEWER: GS ..... | A | 9925 | GL | GL | 27-OCT-87 | GL | PE | 28 | |
| L | | MIL-P-43477A NOTICE 1 | PRINTING PRESS, OFFSET, WEB-FED, FOR SPECIAL WARFARE [VALIDATION DATE: 8710] REVIEWER: GS | A | 3610 | GL | GL | 23-OCT-87 | GL | | | |
| L | | MIL-P-43478A(1) | PRINTING PLANT ANNEX, SPECIAL WARFARE, SEMI-TRAILER MOUNTED [VALIDATION DATE: 8201] REVIEWER: GS | A | 3610 | GL | GL | 03-SEP-76 | GL | | | |
| A | | MIL-C-43479D | CLOTH, BROADCLOTH, POLYESTER AND COTTON USER: MC REVIEWER: 82 MD ..... | A | 8305 | CT | GL | 23-MAR-87 | GL | MU | 99 | CT |
| | | MIL-C-43480B | CAMERA, COPYING, LITHOGRAPHIC PROCESS, OVERHEAD, DARKROOM TYPE, 11 BY 14 INCHES (279 BY 356 MM) [VALIDATION DATE: 8303] | A | 3610 | GL | GL | 24-FEB-77 | GL | | 99 | |
| A | | MIL-C-43482D | CLOTH, POPLIN, COTTON & POLYESTER (WATER REPELLENT) REVIEWER: 11 82 CG MC MD | A | 8305 | CT | GL | 20-AUG-87 | GL | MU | 99 | CT |
| L | | MIL-S-43483A | STENCIL DUPLICATING PRINT KIT, HAND STAMP, MAN PACKED REVIEWER: MD ..... | A | 7520 | GL | GL | 28-JAN-86 | GL | | | |
| L | | MIL-P-43484A(2) | PRINTING PLANT, SPECIAL WARFARE, SEMITRAILER MOUNTED [VALIDATION DATE: 8303] REVIEWER: GS MD | A | 3610 | GL | GL | 13-SEP-77 | GL | | | |
| | | MIL-S-43486A NOTICE 1 | SANCTUARY LAMP, VOTIVE GLASS HOLDER, AND VOTIVE GLASS [VALIDATION DATE: 8710] REVIEWER: GS | A | 9925 | GL | GL | 23-OCT-87 | GL | PE | 28 | |
| A | | MIL-C-43487A NOTICE 1 | CLOTH, TAFFETA, POLYESTER REVIEWER: 82 MD ..... | A | 8305 | CT | GL | 30-NOV-87 | GL | MU | 11 | CT |
| A | | MIL-S-43489D | SLING, BAG AND CASE CARRYING: ST-35 REVIEWER: MC MD ..... | A | 8465 | CT | GL | 13-OCT-87 | GL | MU | | CT |
| | | MIL-D-43490A(5) | DOUGH MIXING AND MAKE-UP OUTFIT, TRAILER-MOUNTED, M-534 [VALIDATION DATE: 8103] REVIEWER: GS MD | A | 7320 | GL | GL | 20-APR-76 | GL | MC | 99 | |
| D L | | MIL-T-43492C | TENT SECTIONS, FRAME TYPE, EXPANDABLE USER: 45 MC YD1 REVIEWER: 82 MD ..... | A | 8340 | CT | GL | 01-MAY-86 | GL | MU | 99 | CT |
| D | | MIL-C-43495(1) | CASE, MERCHANDISE DISPLAY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] USER: YD1 | A | 7195 | GL | GL | 17-DEC-74 | GL | | 99 | |
| D | | MIL-C-43495/2 NOTICE 1 | CASE, MERCHANDISE DISPLAY, COUNTER USER: YD1 ..... | A | 7195 | GL | GL | 25-JAN-88 | GL | | 99 | |
| D | | MIL-C-43495/3 NOTICE 1 | CASE, MERCHANDISE DISPLAY, WALL USER: YD1 ..... | A | 7195 | GL | GL | 25-JAN-88 | GL | | 99 | |
| A | | MIL-P-43496F | PARKA, EXTREME COLD WEATHER USER: 45 REVIEWER: 82 MC MD ..... | A | 8415 | CT | GL | 16-APR-90 | GL | MU | 99 | CT |
| A | | MIL-T-43497D(1) | TROUSERS, COLD WEATHER, FIELD, NYLON AND COTTON USER: 45 REVIEWER: 82 MC MD | A | 8415 | CT | GL | 23-AUG-91 | GL | MU | 99 | CT |
| A | | MIL-L-43498D | LINER, COLD WEATHER TROUSERS, FIELD REVIEWER: MC MD ..... | A | 8415 | CT | GL | 12-SEP-90 | GL | MU | | CT |
| | | MIL-C-43499(1) NOTICE 1 | CANDLESTICK, ALTAR, CANDELABRA, CHAPEL, AND MENORAH [VALIDATION DATE: 8802] REVIEWER: GS | A | 9925 | GL | GL | 12-FEB-88 | GL | PE | 28 | |
| D | | MIL-D-43503A(1) | DOUGH MIXING MACHINE, GASOLINE ENGINE DRIVEN [VALIDATION DATE: 8103] USER: MC YD1 REVIEWER: GS MD | A | 7320 | GL | GL | 29-JUN-73 | GL | | 99 | |
| A L | | MIL-S-43505D | SHIRT, WOMAN S, POLYESTER/COTTON REVIEWER: MD ..... | A | 8410 | CT | GL | 10-SEP-82 | GL | | | CT |
| A | | MIL-C-43508 | COLLAR, DOG, CHOKE CHAIN [VALIDATION DATE: 8303] REVIEWER: 85 MD ..... | A | 3770 | 84 | GL | 20-JUN-67 | | MC | 84 | |
| A | | MIL-V-43511C | VISORS, FLYER'S HELMET, POLYCARBONATE REVIEWER: 11 82 AV MD ..... | A | 8415 | CT | GL | 16-JUL-90 | GL | | 99 | CT |
| A | | MIL-T-43512B(1) | TENTS, MISSILE SYSTEM EQUIPMENT CONSOLE, (HIGH-POWER ILLUMINATOR HAWK) USER: 82 MC REVIEWER: MI | A | 8340 | CT | GL | 30-AUG-90 | GL | MU | | CT |
| D | | MIL-F-43514B | FASTENER, PLASTIC, FOR EQUIPAGE ITEMS USER: 45 MS YD1 REVIEWER: 99 MC ..... | A | 8465 | CT | GL | 30-SEP-85 | GL | SA | 11 | CT |
| A L | | MIL-B-43515A NOTICE 1 | BELT, MAN'S, WAIST, BLUE 334 (ARMY BAND UNIFORM) [VALIDATION DATE: 8904] USER: 45 | A | 8405 | CT | GL | 22-APR-89 | GL | | | CT |
| | | MIL-C-43516A NOTICE 1 | CROSS-CRUCIFIX, METAL [VALIDATION DATE: 8802] REVIEWER: GS ..... | A | 9925 | GL | GL | 12-FEB-88 | GL | PE | 28 | |
| A L | | MIL-D-43517A NOTICE 1 | ORNAMENTATION (ARMY BAND) [VALIDATION DATE: 8904] ..... | A | 8455 | CT | GL | 22-APR-89 | GL | | | CT |
| A L | | MIL-R-43518C | RAINCOAT, MAN S, QUARPEL REVIEWER: MD ..... | A | 8405 | CT | GL | 15-JAN-88 | GL | | | CT |
| | | MIL-C-43519A(1) | CONVEYOR, STORAGE AND RETRIEVAL, DRY-CLEANED-GARMENT, MOTORIZED [VALIDATION DATE: 8104] REVIEWER: GS | A | 3510 | GL | GL | 27-NOV-72 | GL | | 99 | |
| D | | MIL-C-43522A | CAN, RADIATOR FILLING AND CAN SPRINKLING, PLASTIC [VALIDATION DATE: 8201] . | A | 7240 | GL | GL | 02-MAY-73 | GL | YD1 | 99 | |
| L | | MIL-C-43528A NOTICE 1 | CONVEYOR, ROLLER, GRAVITY, 1000 LB/FT [VALIDATION DATE: 9203] REVIEWER: CS MD ME | A | 3910 | GL | GL | 27-MAR-92 | GL | | | |
| | | MIL-M-43530A(1) | MEASURES, LIQUID, PLASTIC, GRADUATED [VALIDATION DATE: 8201] USER: CG REVIEWER: MD | A | 7240 | GL | GL | 26-JUL-74 | GL | MC | 84 | |
| | | MIL-M-43531A(2) | WASTE RECEPTACLES, PLASTIC [VALIDATION DATE: 8402] USER: CG MC REVIEWER: MD | A | 7240 | GL | GL | 22-SEP-78 | GL | | 99 | |
| | | MIL-C-43532A(1) | CONVEYOR, LAUNDRY, STORAGE BINS, ELECTRIC POWERED AUTO SELECTIVE [VALIDATION DATE: 8201] REVIEWER: GS | A | 3510 | GL | GL | 27-NOV-72 | GL | | 99 | |
| A | | MIL-L-43536F | LINER, COLD WEATHER COAT USER: 45 REVIEWER: 99 MC MD ..... | A | 8415 | CT | GL | 16-JUN-89 | GL | MU | 11 | CT |
| A L | | MIL-O-43537C | OVERCOAT, MAN S, ARMY GREEN 44, WITH REMOVABLE LINER USER: 45 REVIEWER: MD | A | 8405 | CT | GL | 17-JUN-88 | GL | | | CT |
| L | | MIL-F-43539A | FELT, BALLISTIC, NYLON REVIEWER: 11 82 CT MD ..... | A | 8305 | GL | GL | 20-NOV-86 | GL | | 99 | |
| D | | MIL-M-43540C | HEATER, IMMERSION, M67, LIQUID FUEL FIRED, FOR CORRUGATED CANS USER: AV MC REVIEWER: CS MD | A | 4540 | GL | GL | 15-SEP-88 | GL | YD1 | | |
| A | | MIL-L-43541(3) NOTICE 1 | LEATHER, CATTLEHIDE, FOR VISORS AND CHINSTRAPS [VALIDATION DATE: 8710] REVIEWER: 82 MD | A | 8330 | CT | GL | 30-OCT-87 | GL | | 11 | CT |
| A L | | MIL-V-43544A | CARRIER, BODY ARMOR, AIRCREWMAN, SMALL ARMS PROTECTIVE USER: 45 REVIEWER: MD MR | A | 8470 | CT | GL | 15-AUG-85 | GL | | | CT |
| A | | MIL-C-43549C | CAP, COLD WEATHER, INSULATING, HELMET LINER USER: 45 CG REVIEWER: MC MD ... | A | 8415 | CT | GL | 23-JUN-89 | GL | MU | 99 | CT |
| A L | | MIL-B-43550A | BAG, WATER REPELLENT, SIGNAL EQUIPMENT, BG 102 VALIDATED JUN 1972 [VALIDATION DATE: 8801] USER: 45 | A | 8465 | CT | GL | 13-SEP-79 | GL | | | CT |

| Action | Obs. / Obsl. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-P-43552(4) | PAPER, RECORDING, FACSIMILE (ELECTROSENSITIVE) REVIEWER: GS | A | 7530 | EC | GL | 12-JUL-85 | GL | EC | | |
| A | | MIL-I-43553B | INK, MARKING, EPOXY BASE USER: AL ME REVIEWER: 84 AR EA GL MD OS | A | 7510 | MI | MI | 16-DEC-92 | MI | AS | 99 | |
| A | | MIL-H-43555D | HOOD, EXTREME COLD WEATHER, W/SYNTHETIC FUR RUFF, DG-107 USER: 45 82 MC REVIEWER: MD | A | 8415 | CT | GL | 30-MAR-88 | GL | MU | 99 | CT |
| | L | MIL-H-43555D(11) | HOOD, EXTREME COLD WEATHER, W/SYNTHETIC FUR RUFF, DG-107 | A | 8415 | GL | GL | 28-JUN-91 | GL | | | |
| | | MIL-C-43558A(3) | CHAPLAIN S KIT, CATHOLIC AND PROTESTANT, LIGHTWEIGHT, FOR ACTIVE COMBAT APPLICATION REVIEWER: GS | A | 9925 | GL | GL | 17-JAN-86 | GL | PE | | |
| | | MIL-T-43560A(2) NOTICE 1 | TESTER, SPRING RESILIENCY (VALIDATION DATE: 9008) USER: ME REVIEWER: GS | A | 6635 | GL | GL | 08-AUG-90 | GL | AS | 99 | |
| A | | MIL-T-43566C | TAPE, TEXTILE, COTTON OR POLYESTER, GENERAL PURPOSE, NATURAL OR IN COLORS USER: 45 AR AT REVIEWER: 82 99 AS EA MC MD | A | 8315 | CT | GL | 01-AUG-90 | GL | MU | 11 | CT |
| | L | MIL-R-43567A | RACK, DELIVERY AND STORAGE FOOD CONTAINER (VALIDATION DATE: 8402) REVIEWER: MD | A | 7330 | GL | GL | 01-MAY-78 | GL | | | |
| D | | MIL-F-43569B(1) NOTICE 1 | FOOD CUTTER AND MIXER MACHINES, VERTICAL, HIGH SPEED, ELECTRIC (VALIDATION DATE: 9302) USER: MC REVIEWER: 84 GS MD MS SA TS | A | 7320 | GL | GL | 26-FEB-93 | GL | YD1 | 99 | |
| A | | MIL-C-43570A | COVERALL, SAFETY, INDUSTRIAL | A | 8415 | CT | GL | 18-JUN-85 | GL | | | CT |
| A | L | MIL-F-43572 | FEATHER AND DOWN, WATERFOWL, RECLAIMED AND TAN-O-QUIL-QM TREATED (VALIDATION DATE: 8303) USER: 45 | A | 8320 | CT | GL | 28-FEB-68 | GL | | | CT |
| | L | MIL-F-43573A | FASTENER, SNAP, PLASTIC (VALIDATION DATE: 8104) USER: AT ER MI REVIEWER: ME | A | 5325 | GL | GL | 28-JUN-68 | GL | | | |
| D | | MIL-L-43575A | LAUNDRY PRESS, COMMERCIAL, CABINET TYPE, SINGLE LAY, AND CABINET, DRYING, FOR WASHABLE TROUSERS (VALIDATION DATE: 8201) USER: CE MC REVIEWER: GS | A | 3510 | GL | GL | 01-JUN-70 | GL | YD1 | 99 | |
| D | | MIL-T-43578B | TROUSERS, TOP FORMER (VALIDATION DATE: 8403) USER: MC REVIEWER: GS MD ME | A | 3510 | GL | GL | 21-NOV-78 | GL | YD1 | | |
| A | | MIL-L-43579C(2) | LINER, TROUSERS, CHEMICAL PROTECTIVE USER: CG OS REVIEWER: MC MD | A | 8415 | CT | GL | 26-SEP-89 | GL | MU | | CT |
| | | MIL-F-43581B | FILM, COPYING, THERMOGRAPHIC (PROJECTION TRANSPARENCIES) USER: SA REVIEWER: 84 MD | A | 7530 | GL | GL | 09-MAY-85 | GL | | 99 | |
| A | | MIL-L-43582B(1) | LINER, SHIRT, CHEMICAL PROTECTIVE USER: OS REVIEWER: CG MC MD | A | 8415 | CT | GL | 26-SEP-89 | GL | MU | | CT |
| D | | MIL-C-43584B(4) | COUNTER, CHECKOUT, CONVEYOR REVIEWER: MC MD | A | 7195 | GL | GL | 07-OCT-85 | GL | YD1 | 99 | |
| | L | MIL-C-0043584C | COUNTER, CHECKOUT, CONVEYOR | A | 7195 | GL | GL | 01-OCT-85 | | | | |
| A | | MIL-L-43585D | LAST, FOOTWEAR, SHOE, SAFETY TOE, MAN S, U.S. MIL-7 USER: AS REVIEWER: 82 MD | A | 8335 | CT | GL | 18-JUN-86 | GL | MU | 99 | CT |
| D | | MIL-B-43587C | BAG, CHEMICAL PROTECTIVE CLOTHING OUTFIT USER: AS MC YD1 REVIEWER: 82 MD MS | A | 8465 | CT | GL | 16-JAN-87 | GL | MU | 99 | CT |
| | L | MIL-C-43588 | CORD, POLYESTER, WAXED, CORELESS (VALIDATION DATE: 8104) USER: ME REVIEWER: AR IS MD | A | 4020 | GL | GL | 12-JUL-68 | GL | | | |
| | | MIL-S-43589C | SHAPER, POTATO MIX, FRENCH FRY REVIEWER: GS MC MD SA | A | 7320 | SH | GL | 31-MAR-83 | | SH | 99 | |
| D | | MIL-R-43592A(1) | REFRIGERATOR, MECHANICAL, EXPLOSION-PROOF USER: MS REVIEWER: GS MC MD | A | 4110 | GL | GL | 24-MAR-81 | GL | YD1 | 99 | |
| A | | MIL-H-43595B | HAMMOCK, JUNGLE, NYLON, M-1966 USER: 45 REVIEWER: MD | A | 8465 | CT | GL | 07-AUG-84 | GL | | 99 | CT |
| A | | MIL-C-43603B(1) | CANTEEN, WATER, COLLAPSIBLE, 2 QUART CAPACITY USER: MC REVIEWER: MD | A | 8465 | CT | GL | 16-AUG-82 | GL | MU | 99 | CT |
| | L | MIL-H-43606B | HAND CLEANER, WATERLESS (VALIDATION DATE: 8303) REVIEWER: MD | A | 8520 | GL | GL | 10-JUN-77 | GL | | | |
| D | | MIL-P-43607G(4) | PADLOCK, KEY OPERATED, HIGH SECURITY, SHROUDED SHACKLE USER: CE CG MC OS SH REVIEWER: 82 GL IS | A | 5340 | YD1 | GL | 08-JUN-92 | AR | YD1 | 99 | |
| | | MIL-R-43608A NOTICE 1 | RIP CORD, PARACHUTE, PERSONNEL: GENERAL SPECIFICATION FOR (VALIDATION DATE: 9009) REVIEWER: 82 99 AV MC | A | 1670 | GL | GL | 10-SEP-90 | GL | AS | 11 | |
| A | | MIL-C-43609B NOTICE 1 | CABINETS, FOOD WARMING, ELECTRICALLY HEATED, DRAWER TYPE (VALIDATION DATE: 9212) REVIEWER: MD | A | 7310 | SA | GL | 18-DEC-92 | GL | SA | 99 | |
| D | | MIL-T-43610A NOTICE 1 | TRUCK, HAND, BOX, LAUNDRY, PLASTIC (VALIDATION DATE: 8702) USER: 50 REVIEWER: GS MC MD | A | 3510 | GL | GL | 27-FEB-87 | GL | YD1 | 84 | |
| | | MIL-B-43611B | BAGS, PAPER, WAXED (FIELD BREAD) USER: MD SH REVIEWER: 99 | A | 8105 | GL | GL | 31-DEC-90 | GL | SA | | |
| A | | MIL-F-43612A | FEATHER, LANDFOWL, (WHOLE) AND (CRUSHED), TAN-O-QUIL-QM TREATED USER: MS REVIEWER: 82 MC MD | A | 8320 | CT | GL | 28-MAR-86 | GL | MU | 99 | CT |
| D | | MIL-C-43613C NOTICE 1 | CAN, WATER, MILITARY: PLASTIC, 5-GALLON CAPACITY (VALIDATION DATE: 9203) USER: YD1 REVIEWER: 84 MD | A | 7240 | GL | GL | 27-MAR-92 | GL | | 99 | |
| D | | MIL-L-43615A | LAUNDRY PRESS UNITS, COAT, TWO-OPERATOR (VALIDATION DATE: 8104) USER: 50 CE MC REVIEWER: GS | A | 3510 | GL | GL | 24-JUN-75 | GL | YD1 | 99 | |
| Q | | MIL-C-43616C(2) NOTICE 1 | CLEANING COMPOUNDS, AIRCRAFT SURFACE (VALIDATION DATE: 9110) REVIEWER: AV EA MD MR | A | 6850 | AS | GL | 28-OCT-91 | GL | AS | 68 | |
| | L | MIL-N-43617 NOTICE 1 | NET, CARGO TIEDOWN, AIRCRAFT PLATFORM, ASSEMBLY (VALIDATION DATE: 9203) REVIEWER: MT | A | 1670 | GL | GL | 27-MAR-92 | GL | | | |
| | | MIL-T-43618B NOTICE 1 | TAPE, PRESSURE SENSITIVE ADHESIVE, FOR MENDING NYLON PARACHUTE CANOPIES (VALIDATION DATE: 9008) USER: MC REVIEWER: 82 99 AV MD | A | 1670 | GL | GL | 08-AUG-90 | GL | AS | 11 | |
| A | | MIL-S-43620B | SUSPENSION ASSEMBLY, GROUND TROOPS HELMET LINER USER: 45 REVIEWER: 82 MD | A | 8470 | CT | GL | 06-AUG-85 | GL | MC | 99 | CT |
| A | | MIL-T-43624B | THREAD, POLYESTER, SPUN USER: MC REVIEWER: 99 MD | A | 8310 | CT | GL | 20-FEB-91 | GL | MU | 11 | CT |
| A | | MIL-C-43626A NOTICE 1 | CLOTH, INTERLINING, ACETATE AND COTTON (VALIDATION DATE: 8711) REVIEWER: 82 MD | A | 8305 | CT | GL | 30-NOV-87 | GL | MU | 11 | CT |
| A | | MIL-C-43627D | CLOTH, DUCK, COTTON, PLIED YARNS, FIRE, WATER, WEATHER AND MILDEW RESISTANT TREATED, LIGHTDRY FINISH USER: 45 REVIEWER: 82 MC MD | A | 8305 | CT | GL | 07-NOV-90 | GL | MU | 99 | CT |
| | L | MIL-C-43627D(11) | CLOTH, DUCK, COTTON, PLIED YARNS, FIRE, WATER, WEATHER AND MILDEW RESISTANT TREATED, LIGHTDRY FINISH | A | 8305 | GL | GL | 06-APR-92 | GL | | | |
| | | MIL-T-43630B(2) | TABLES, FOOD PREPARATION, COMMISSARY STORES REVIEWER: 84 GS MD TS | A | 7320 | GL | GL | 31-AUG-88 | GL | | 99 | |
| | L | MIL-C-43631 | CONVEYOR, BELT, POWERED, MEAT LOAF (VALIDATION DATE: 8103) REVIEWER: GS MD | A | 7320 | GL | GL | 31-MAR-69 | GL | | | |
| D | | MIL-O-43633E | OVEN, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC USER: CE MC REVIEWER: GS MD SA SH | A | 7310 | GL | GL | 26-JAN-88 | GL | YD1 | 99 | |
| | | MIL-O-0043633D | OVENS, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC | A | 7310 | GL | GL | 17-OCT-85 | GL | | | |
| | L | MIL-O-43633E(11) | OVENS, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC | A | 7310 | SH | GL | 08-APR-92 | | SH | | |
| | | MIL-S-43634B | STIMULATOR, INTERDENTAL (VALIDATION DATE: 8601) USER: MS SS REVIEWER: 45 MD | A | 8530 | GL | GL | 05-JUN-80 | GL | | 99 | |
| A | | MIL-C-43637D | CLOTH, PLAIN WEAVE, RIPSTOP, NYLON REVIEWER: 82 MC MD | A | 8305 | CT | GL | 28-JAN-92 | GL | MU | 99 | CT |
| D | | MIL-W-43638B | WEBBING, TEXTILE, WOVEN, FOR TENT FRAMING USER: YD1 REVIEWER: MD | A | 8305 | CT | GL | 17-MAY-91 | GL | SA | | CT |
| | | MIL-I-43639A NOTICE 1 | INK, MARKING, NAMETAPE (VALIDATION DATE: 8702) USER: MC ME PE | A | 7510 | GL | GL | 27-FEB-87 | GL | SA | 99 | |
| | | MIL-T-43641 NOTICE 1 | TABLE, EMBALMING, MORTUARY (VALIDATION DATE: 8802) REVIEWER: GS | A | 9930 | GL | GL | 12-FEB-88 | GL | MS | 34 | |
| | L | MIL-W-43644A | WRAPPING, CONVEYING, WEIGHING AND LABELING SYSTEMS, MEAT AND PRODUCE, AUTOMATIC, SHRINK FILM AND STRETCH FILM (VALIDATION DATE: 8303) REVIEWER: MD SH | A | 3540 | GL | GL | 06-JAN-77 | GL | | | |
| | L | MIL-C-43647(1) | CASE, INDIVIDUAL, SURVIVAL KIT, ARMY (VALIDATION DATE: 8501) REVIEWER: AV MD | A | 1680 | GL | GL | 26-JUN-73 | GL | | | |
| | L | MIL-B-43648B | BAGS, TOOL, ENVELOPE TYPE USER: AV MC | A | 5140 | GL | GL | 09-FEB-90 | GL | | | |
| | L | MIL-P-43649B | PARACHUTES, CARGO, 12-, 26-, AND 34- FOOT DIAMETER REVIEWER: AV | A | 1670 | GL | GL | 28-JUN-91 | GL | | | |
| | | MIL-R-43650(1) NOTICE 5 | RATION SUPPLEMENT, BEVERAGE PACK (USE 1L-B-35023) (VALIDATION DATE: 8712) REVIEWER: MC MD SS | A | 8970 | GL | GL | 31-DEC-87 | GL | SA | 50 | |
| | | MIL-I-43653A | ICE MAKING MACHINE, FLAKE (VALIDATION DATE: 8204) REVIEWER: GS MC MD ME MS | A | 4110 | GL | GL | 06-JUN-75 | GL | | 99 | |
| A | | MIL-T-43654D | TROUSERS, SNOW CAMOUFLAGE, WHITE, ARCTIC USER: 45 REVIEWER: 82 MC MD | A | 8415 | CT | GL | 15-APR-91 | GL | MU | 99 | CT |
| | L | MIL-T-0043654E | TROUSERS, SNOW CAMOUFLAGE, WHITE | A | 8415 | GL | GL | 10-FEB-92 | GL | | | |
| | | MIL-B-43655A NOTICE 1 | BRUSHES, INJECTOR, CLEANING AND WIRE, TUBE (VALIDATION DATE: 8710) USER: MC MI REVIEWER: MD | A | 7920 | GL | GL | 30-OCT-87 | GL | | 99 | |
| A | | MIL-C-43656A NOTICE 1 | CLOTH, COATED, POLYESTER, SILICONE RUBBER (VALIDATION DATE: 9007) USER: AS REVIEWER: 82 MC MD | A | 8305 | CT | GL | 30-JUL-90 | GL | MU | 99 | CT |
| D | | MIL-A-43657(1) | ABSORBER, VAPOR, SYNTHETIC SOLVENT DRY CLEANING UNITS (VALIDATION DATE: 8104) USER: GS REVIEWER: EL MD | A | 3510 | GL | GL | 03-APR-75 | GL | YD1 | 99 | |
| D | | MIL-R-43658A | RACK SET, BAKING FOR CABINETS, GASOLINE, FIELD RANGE M1937 AND M1959 (VALIDATION DATE: 8104) USER: MC REVIEWER: 84 GS MD | A | 7360 | GL | GL | 19-SEP-83 | GL | YD1 | 99 | |

| Action | OPR / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | MIL-S-43659 | STOPPER, INFLATING TUBE, PNEUMATIC MATTRESS [VALIDATION DATE: 8911] USER: 11 YD1 REVIEWER: 45 MC | A | 8465 | CT | GL | 06-NOV-89 | GL | SA | 99 | CT |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MIL-T-43660 | TAGGING MACHINE, LAUNDRY MARKING [VALIDATION DATE: 8804] USER: CR ER MC SH REVIEWER: GS | A | 3510 | GL | GL | 05-APR-88 | GL | YD1 | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| A | L | | MIL-B-43663C | BAGS, TOOL, SATCHEL USER: AV MC | A | 5140 | GL | GL | 23-JUL-92 | GL | | | |
| A | | | MIL-T-43664B | TAPE, TEXTILE, NYLON (FOR NAME TAPES) REVIEWER: 82 99 MD | A | 8315 | CT | GL | 09-FEB-88 | GL | | 11 | CT |
| A | | | MIL-C-43665C | CLOTH WOOL, MOTHPROOFING TREATMENT OF REVIEWER: MC MD | A | 8305 | CT | GL | 14-NOV-86 | GL | MU | 99 | CT |
| | | | MIL-B-43666D(1) | BOXES, SHIPPING, CONSOLIDATION USER: AR CR OS SH REVIEWER: AS AT GS MC MD | A | 8115 | GL | GL | 04-JAN-91 | GL | SA | 69 | |
| A | | | MIL-W-43668C | WEBBING, TEXTILE, TEXTURED OR MULTIFILAMENT NYLON USER: MC REVIEWER: 11 MD MU | A | 8305 | CT | GL | 21-NOV-88 | GL | AS | 99 | CT |
| D | | | MIL-S-43669A | STAND, LECTURE, ALUMINUM, FOLDING [VALIDATION DATE: 8104] USER: MC | A | 7195 | GL | GL | 08-AUG-74 | GL | YD1 | 99 | |
| | L | | MIL-P-43670 | PAN, FRANKFURTER ROLLS, AND PANS, SANDWICH ROLLS [VALIDATION DATE: 8201] REVIEWER: MD | A | 7330 | GL | GL | 30-SEP-69 | GL | | | |
| | L | | MIL-A-43671(1) | ADAPTER, REVERSIBLE, QUICK FIT, 1-3/4 INCH [VALIDATION DATE: 8201] | A | 5340 | GL | GL | 15-APR-76 | GL | | | |
| D | | | MIL-L-43672C(1) | LINER, SNOW CAMOUFLAGE TROUSERS: WHITE, ARCTIC, M-65 USER: 45 MC YD1 REVIEWER: MD | A | 8415 | CT | GL | 21-OCT-87 | GL | MU | | CT |
| A | | | MIL-F-43673 | FRAME, RUCKSACK, STEEL USER: 45 REVIEWER: 11 | A | 8465 | CT | GL | 25-JAN-88 | GL | MC | 99 | CT |
| | | | NOTICE 1 | | | | | | | | | | |
| A | L | | MIL-S-43674C | SHOWER PAIL, COLLAPSIBLE, COTTON DUCK, 5-GALLON CAPACITY USER: MS REVIEWER: CG MD | A | 8465 | CT | GL | 25-APR-89 | GL | | | CT |
| A | L | | MIL-C-43675A | CLOTH, INTERLINING, COTTON WARP AND RAYON FILLING [VALIDATION DATE: 8711] | A | 8305 | CT | GL | 30-NOV-87 | GL | | | CT |
| | | | NOTICE 1 | REVIEWER: MD | | | | | | | | | |
| A | L | | MIL-C-43677B(1) | CLOTH, COATED FOR HEAT SEAL PATCHING REVIEWER: MD | A | 8305 | CT | GL | 13-AUG-85 | GL | | | CT |
| | L | | MIL-C-43678A | CORD, FIBROUS, POLYESTER, DIAMOND BRAID [VALIDATION DATE: 8402] REVIEWER: MD ME | A | 4020 | GL | GL | 23-MAR-78 | GL | | | |
| A | L | | MIL-C-43681A | CASE, MAINTENANCE EQUIPMENT, SMALL ARMS, M14A1 USER: AR REVIEWER: MD | A | 8465 | CT | GL | 25-JAN-88 | GL | | | CT |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MIL-I-43682D(2) | ICEMAKER-DISPENSER: WITH WATER DISPENSER ATTACHMENT USER: MC REVIEWER: GS MD MS SA | A | 4110 | GL | GL | 01-FEB-88 | GL | YD1 | | |
| D | | | MIL-I-43684B | INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT USER: MC YD1 | A | 5120 | GL | GL | 30-JUN-89 | GL | SH | 99 | |
| A | L | | MIL-W-43685B | WEBBING AND TAPE, TEXTILE, ARAMID FIBER REVIEWER: AV MD | A | 8305 | CT | GL | 20-SEP-89 | GL | | | CT |
| A | | | MIL-C-43689C | COVER, WATER CANTEEN, 2 QUART, COLLAPSIBLE (WITH PILE LINING) USER: 82 MC REVIEWER: MD | A | 8465 | CT | GL | 31-MAR-87 | GL | MU | | CT |
| | L | | MIL-L-43693A | LOWERING DEVICE, PERSONNEL AND CARGO REVIEWER: AV | A | 1670 | GL | GL | 28-JUN-91 | GL | | | |
| A | L | | MIL-I-43694 | TIEDOWN ASSEMBLIES, FLOOR ANCHORING [VALIDATION DATE: 9302] USER: MT REVIEWER: AV | A | 1670 | GL | GL | 26-FEB-93 | GL | | | |
| | | | NOTICE 2 | | | | | | | | | | |
| A | | | MIL-F-43695B | FRAME SECTION, TENT, FRAME TYPE, EXPANDABLE [VALIDATION DATE: 8402] USER: 45 MC REVIEWER: 82 | A | 8340 | CT | GL | 21-SEP-83 | GL | MU | 99 | CT |
| | | | MIL-D-43699C | DRUMS, FABRIC, COLLAPSIBLE, (DRINKING WATER, 55-, 250- & 500 GALLON CAPACITIES) USER: MC REVIEWER: 99 GL GS MD | A | 8110 | ME | ME | 28-MAY-87 | ME | SA | 69 | |
| D | | | MIL-P-43700C(1) | PONCHO, WET WEATHER USER: 45 YD1 REVIEWER: MC MD | A | 8405 | CT | GL | 16-JUL-90 | GL | MU | 99 | CT |
| | L | | MIL-P-43700D | PONCHO, WET WEATHER | A | 8405 | GL | GL | 04-DEC-90 | GL | | | |
| | L | | MIL-P-43700D(11) | PONCHO, WET WEATHER | A | 8405 | GL | GL | 28-JUN-91 | GL | | | |
| A | | | MIL-C-43701B | CORD, ELASTIC, NYLON OR POLYESTER REVIEWER: 82 MD | A | 8305 | CT | GL | 30-JUL-90 | GL | MU | 99 | CT |
| | | | MIL-D-43703B(2) | DRUM, SHIPPING AND STORAGE, MOLDED POLYETHYLENE USER: AR REVIEWER: 99 AS EA GS MD ME | A | 8110 | GL | GL | 13-JUN-84 | GL | SA | 69 | |
| A | | | MIL-L-43704(1) | LEATHER, CATTLEHIDE, CHROME TANNED, FATLIQUORED [VALIDATION DATE: 8710] REVIEWER: 82 MD | A | 8330 | CT | GL | 30-OCT-87 | GL | MU | 11 | CT |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MIL-I-43705D | ICE CREAM MAKER, SHAKE MAKERS, AND COMBINATION ICE CREAM AND SHAKE MAKERS - SOFT-SERVE REVIEWER: 82 GS MC MD TS | A | 4110 | GL | GL | 09-JAN-86 | GL | YD1 | 99 | |
| | L | | MIL-I-43705D(11) | ICE CREAM MAKERS; SHAKE MAKERS; AND COMBINATION ICE CREAM AND SHAKE MAKERS - SOFT SERVE | A | 4110 | SH | GL | 07-APR-92 | | SH | | |
| | | | MIL-B-43706A | BAG, PLASTIC, BREAD [VALIDATION DATE: 8601] REVIEWER: 99 MD | A | 8105 | GL | GL | 20-MAR-80 | GL | | 69 | |
| A | | | MIL-C-43708B | CLOTH, COATED ORDNANCE, LAMINATED, REFLECTIVE REVIEWER: 82 MD | A | 8305 | CT | GL | 30-SEP-86 | GL | | 99 | CT |
| A | L | | MIL-T-43709B | TAPE, TEXTILE, ARAMID REVIEWER: MD | A | 8315 | CT | GL | 13-NOV-90 | GL | | | CT |
| | | | MIL-B-43711(1) | BARRIER MATERIAL, WATERPROOF, FLEXIBLE; LUMBER PROTECTIVE [VALIDATION DATE: 8904] REVIEWER: 99 GS ME SH | A | 8135 | GL | GL | 22-APR-89 | GL | SA | 69 | |
| | | | MIL-C-43712C | CAN, WATER, MILITARY, PLASTIC, COLLAPSIBLE USER: MC REVIEWER: 84 GS MS | A | 7240 | GL | GL | 22-DEC-86 | GL | | 99 | |
| | | | MIL-B-43714 | BALANCE, TRIP, LABORATORY [VALIDATION DATE: 8710] USER: MS REVIEWER: 03 EA GS ME | A | 6670 | GL | GL | 01-OCT-87 | GL | | 99 | |
| | | | MIL-I-43717D | ICE MILK, MILK SHAKE AND YOGURT MIXES REVIEWER: MC MD MS SS | A | 8910 | GL | GL | 30-JUN-89 | GL | SA | 50 | |
| A | | | MIL-C-43718C | CLOTH, POLYESTER; POLYESTER AND COTTON; POLYESTER AND RAYON, FOR POCKETS REVIEWER: MD | A | 8305 | CT | GL | 17-JUN-88 | GL | MU | 11 | CT |
| A | | | MIL-M-43719C | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; GENERAL SPECIFICATION FOR USER: AR ME OS REVIEWER: 84 AT AV ER GS MC MD | A | 7690 | GL | GL | 30-SEP-92 | GL | AS | 99 | |
| | | | MIL-M-43719/1A | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; LETTERS AND NUMERALS [VALIDATION DATE: 9007] REVIEWER: GS | A | 7690 | GL | GL | 30-JUL-90 | GL | AS | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-M-43719/2A | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED, LEGENDS [VALIDATION DATE: 8710] USER: AR ME SH REVIEWER: AT GS MC | A | 7690 | GL | GL | 23-OCT-87 | GL | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-M-43719/3A | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; SYMBOLS [VALIDATION DATE: 9007] REVIEWER: GS | A | 7690 | GL | GL | 30-JUL-90 | GL | AS | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-M-43719/4 | MARKING MATERIALS & MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED, HAZARDOUS MATERIAL SYMBOLS [VALIDATION DATE: 8710] | A | 7690 | GL | GL | 23-OCT-87 | GL | AS | | |
| | | | NOTICE 1 | | | | | | | | | | |
| A | | | MIL-L-43720C(1) | LINER, FIELD PACK USER: 45 REVIEWER: 82 MC MD | A | 8465 | CT | GL | 19-JUL-90 | GL | MU | 99 | CT |
| A | | | MIL-C-43724C(1) | CAP, HOT WEATHER, OLIVE GREEN 507 [VALIDATION DATE: 8904] USER: 45 REVIEWER: MD | A | 8415 | CT | GL | 14-APR-89 | | SA | 99 | CT |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MIL-I-43728 | INJECTOR, RINSE, AUTOMATIC, FOR COMMERCIAL DISHWASHING MACHINES [VALIDATION DATE: 8801] USER: CE REVIEWER: GS MC MD MS | A | 7320 | GL | GL | 04-JAN-88 | GL | YD1 | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MIL-D-43729A | DISPENSING UNIT, DETERGENT, AUTOMATIC, FOR COMMERCIAL DISHWASHING MACHINES [VALIDATION DATE: 8103] USER: CE REVIEWER: GS MC MD MS | A | 7320 | GL | GL | 31-DEC-70 | GL | YD1 | 99 | |
| A | | | MIL-D-43732F | DRESS, WOMAN'S, HOSPITAL DUTY UNIFORM (HDU) REVIEWER: 82 99 MD | A | 8410 | CT | GL | 30-MAR-90 | GL | | 11 | CT |
| D | | | MIL-C-43734D | CLOTH, DUCK, TEXTURED NYLON USER: YD1 REVIEWER: 82 MC MD | A | 8305 | CT | GL | 20-AUG-87 | GL | MU | 99 | CT |
| D | | | MIL-S-43736A(1) | SLIDE FASTENER UNITS, LACED BOOTS [VALIDATION DATE: 8501] USER: 45 YD1 REVIEWER: 82 MC MD | A | 8430 | CT | GL | 03-APR-79 | GL | MU | 99 | CT |
| A | | | MIL-C-43737B | CASE, MAINTENANCE EQUIPMENT, SMALL ARMS, M16A1 [VALIDATION DATE: 8801] USER: 45 REVIEWER: MD | A | 8465 | CT | GL | 25-JAN-88 | GL | MC | 99 | CT |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MIL-D-43738B(1) | DISPENSER, CARBONATED BEVERAGE, MECHANICALLY REFRIGERATED USER: CE REVIEWER: GS MC MD MS SH | A | 7310 | GL | GL | 01-FEB-88 | GL | YD1 | 84 | |
| A | | | MIL-B-43739A | BOOT, SKI-MOUNTAIN REVIEWER: 11 82 AS MD | A | 8430 | CT | GL | 03-MAR-87 | GL | MU | 99 | CT |
| A | L | | MIL-P-43740C | PERSONNEL IDENTIFICATION BAND KIT WITH COMPONENTS AND CASE REVIEWER: MD | A | 8465 | CT | GL | 04-NOV-91 | GL | | | CT |
| A | | | MIL-H-43741B | NECKERCHIEF, MAN'S, COTTON, KNITTED USER: 45 REVIEWER: 11 82 MD | A | 8440 | CT | GL | 30-AUG-89 | GL | MU | 99 | CT |
| A | | | MIL-C-43742B | COVER, WATER CANTEEN, LC-2 USER: MC REVIEWER: AS MD | A | 8465 | CT | GL | 03-MAR-81 | GL | MU | | CT |
| A | L | | MIL-P-43743B | PANEL MARKER, SURVIVAL, AVIATION PERSONNEL USER: AV REVIEWER: MD | A | 8345 | CT | GL | 29-SEP-88 | GL | | | CT |
| A | | | MIL-C-43745B | CASE, FIELD, FIRST AID DRESSING-UNMOUNTED MAGNETIC COMPASS, LC-1 USER: MC REVIEWER: 82 MD ME | A | 8465 | CT | GL | 09-MAR-81 | GL | MU | 99 | CT |
| A | | | MIL-I-43746B | INSECT NET, HAT, SUN, HOT WEATHER USER: 45 REVIEWER: 82 MD | A | 8415 | CT | GL | 30-MAR-88 | GL | MU | | CT |
| | | | MIL-C-43748A | CUTTER, PAPER, GUILLOTINE, 12 INCH (304.8MM) CAPACITY, BENCH MOUNTED [VALIDATION DATE: 8303] REVIEWER: GS | A | 3610 | GL | GL | 01-FEB-78 | GL | SA | | |
| | | | MIL-E-43749F | ESCALLOPED POTATOES WITH PORK, DEHYDRATED, COOKED REVIEWER: MC MD MS SS TS | A | 8940 | GL | GL | 25-MAR-85 | GL | SA | 50 | |
| | | | MIL-B-43750G | BEEF WITH RICE, DEHYDRATED, COOKED REVIEWER: MC MD MS SS | A | 8940 | GL | GL | 29-JUN-84 | GL | SA | 50 | |
| A | | | MIL-S-43753C | SAFETY CLOTHING, HIGH VISIBILITY USER: 45 MD REVIEWER: 82 | A | 8415 | CT | GL | 25-AUG-87 | GL | MU | 99 | CT |
| | | | MIL-F-43754B | FEED, HIGH CALORIC, MEDICATED, FOR MILITARY WORKING DOGS [VALIDATION DATE: 8710] USER: SS REVIEWER: MD | A | 8710 | GL | GL | 30-OCT-87 | GL | | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| A | | | MIL-P-43756 | PACKBOARD, METAL [VALIDATION DATE: 8601] USER: 45 MC REVIEWER: 99 | A | 8465 | CT | GL | 07-OCT-71 | GL | SA | 11 | CT |

| Action | Ofc. / Div. Coordination | Document Number | Document Title | Dist. Stmt. | FSC / Area | NCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-M-43757A | MODIFICATION KIT, PACKBOARD, RADIO CARRYING USER: MC REVIEWER: 99 MD ..... | A | 8465 | CT | 30-JUL-84 | GL | SA | 11 | CT | |
| A | | MIL-M-43758B | MIDSOLES, LEATHERBOARD USER: MC REVIEWER: 82 99 MD ..... | A | 8335 | CT | 02-JUL-91 | GL | MU | 11 | CT | |
| | L | MIL-A-43759A | ADAPTER, AIR LOCK, MUST REVIEWER: CS MD ..... | A | 5410 | GL | 21-MAY-81 | GL | | | | |
| A | | MIL-C-43761C | CUP, WATER CANTEEN, W/WIRE HANDLE, CORROSION RESISTING STEEL USER: 45 CG REVIEWER: 82 MC MD | A | 8465 | CT | 25-MAR-88 | GL | MU | 99 | CT | |
| | | MIL-L-43762A | LID, RECLOSURE, PLASTIC (VALIDATION DATE: 8402) REVIEWER: GS MD MS ..... | A | 8110 | GL | 09-DEC-77 | GL | SA | 69 | | |
| A | L | MIL-C-43763(1) NOTICE 1 | CLOTH, TROPICAL, POLYESTER/RAYON (DURABLE PRESS) REVIEWER: MD ..... | A | 8305 | CT | 30-NOV-87 | GL | | | CT | |
| D | | MIL-T-43764A | TENTS, CABLE SPLICER REVIEWER: MC YD1 ..... | A | 8340 | CT | 25-JUL-90 | GL | MU | 99 | CT | |
| | L | MIL-S-43766A | SUPPORT ASSEMBLY, ARCH, INFLATABLE SHELTER (MUST) REVIEWER: CS MD ..... | A | 5410 | GL | 26-SEP-88 | GL | | | | |
| | | MIL-R-43767 | RETAINER (BUMPER) MATERIAL, LINER, TRASH CAN (VALIDATION DATE: 8303) USER: CE REVIEWER: MD SH | A | 8105 | GL | 10-MAR-72 | GL | SA | 99 | | |
| A | | MIL-C-43769B | CASE, MAP USER: MC ..... | A | 8460 | CT | 14-OCT-88 | GL | MU | | CT | |
| D | | MIL-S-43770(3) SUPPL 1A1 | SNAP HOOKS GENERAL SPECIFICATION FOR (VALIDATION DATE: 8303) USER: AR AT CG ME SH REVIEWER: AV IS MC | A | 5340 | GL | 27-JAN-77 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/1A NOTICE 1 | SNAP HOOK, WIRE BODY, FIXED LOOP EYE, FLAT SPRING CLOSURE, WITH RETAINER (VALIDATION DATE: 8802) USER: AT CG ME SA REVIEWER: AR AV EA MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/2A | SNAP HOOK, WIRE BODY, FIXED LOOP EYE, SIDE RETAINING CLOSURE (VALIDATION DATE: 8303) USER: AS AT CG ME SH REVIEWER: AR AV EA MC | A | 5340 | GL | 28-JAN-77 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/3 NOTICE 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH (VALIDATION DATE: 8802) USER: AT CG ME MI SA REVIEWER: AR AV MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/4 NOTICE 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH (VALIDATION DATE: 8802) USER: AT CG ME MI SA REVIEWER: AR AV MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/5 NOTICE 1 | SNAP HOOK, CAST BODY, FIXED EYE, SLIDING BOLT CLOSURE (VALIDATION DATE: 8802) USER: AT CG ME MI SA REVIEWER: AV MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/6 NOTICE 1 | SNAP HOOK, CAST BODY, SWIVEL EYE, SLIDING BOLT CLOSURE (VALIDATION DATE: 8802) USER: AT CG ME MI SA REVIEWER: AV IS MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/7 NOTICE 1 | SNAP HOOK, CAST BODY, LOOP EYE SWIVEL USER: AT CG ME MI SA REVIEWER: AV IS MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/8 NOTICE 1 | SNAP HOOK, CAST BODY, ROUND EYE SWIVEL USER: AT CG ME MI SA REVIEWER: AV MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/9 NOTICE 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE, TRIGGER CLOSURE USER: AT CG ME MI SA REVIEWER: AV MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/10 NOTICE 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH (VALIDATION DATE: 8802) USER: AT CG ME MI SA REVIEWER: AV IS MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/11 NOTICE 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, LIGHT DUTY (VALIDATION DATE: 8802) USER: CG MI REVIEWER: AT AV IS MC ME | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/12A NOTICE 1 | SNAP HOOK, CAST BODY, FIXED ROUND EYE W/O ROLLER, FLAT SPRING CLOSURE (VALIDATION DATE: 8802) USER: AT CG ME MI REVIEWER: AV IS MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/13 NOTICE 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH (VALIDATION DATE: 8802) USER: AT CG ME MI REVIEWER: AV | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| D | | MIL-S-43770/14 NOTICE 1 | SNAP HOOK, CAST BODY, OPEN EYE, SLIDING BOLT CLOSURE (VALIDATION DATE: 8802) USER: CG REVIEWER: MC | A | 5340 | GL | 12-FEB-88 | GL | YD1 | | | |
| | | MIL-P-43772A | PANEL, TYPE II MODULAR PLATFORM, AIRDRO USER: MC REVIEWER: 82 AV TS ..... | A | 1670 | GL | 23-OCT-87 | GL | AS | 99 | | |
| A | | MIL-C-43774C | CLOTH, PLAIN OR PAJAMA CHECK WEAVE, ARAMID REVIEWER: MD ..... | A | 8305 | CT | 20-APR-89 | GL | MU | 11 | CT | |
| | | MIL-R-43775(1) | RACK, STORAGE, PIPE AND BAR STOCK, SINGLE AND DOUBLE FACE, ADJUSTABLE CANTILEVER ARMS (VALIDATION DATE: 8303) USER: MC REVIEWER: ME SH | A | 7125 | GL | 12-JUL-72 | GL | SA | 99 | | |
| | L | MIL-T-43779C | TIMER, DELAY, RELEASES, CARGO PARACHUTE, M1 AND M2 REVIEWER: AV ..... | A | 1670 | GL | 25-FEB-88 | GL | | | | |
| A | | MIL-F-43782A | FOOT MEASURING DEVICE, MEN S USER: 45 REVIEWER: 99 ..... | A | 8335 | CT | 06-JUN-81 | GL | MU | 11 | CT | |
| A | | MIL-D-43783F | DRAWERS, MEN'S, BRIEF TYPE USER: 45 REVIEWER: MC MD ..... | A | 8420 | CT | 27-JAN-89 | GL | MU | | CT | |
| | L | MIL-T-43787 | TABLE-BENCH UNIT, DINING, FOLDING LEGS (MUST) (VALIDATION DATE: 8104) REVIEWER: MD ME | A | 7105 | GL | 19-JUN-72 | GL | | | | |
| A | | MIL-C-43791B(1) NOTICE 1 | CLOTH, TWILL, POLYESTER/COTTON (DURABLE PRESS) (VALIDATION DATE: 8711) REVIEWER: 99 MC MD | A | 8305 | CT | 30-NOV-87 | GL | MU | 11 | CT | |
| | | MIL-C-43800A NOTICE 1 | COVERS, PROTECTIVE, AIRDROP HARDWARE AND EQUIPMENT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9203) REVIEWER: 82 99 AV | A | 1670 | GL | 27-MAR-92 | GL | AS | 11 | | |
| | | MIL-M-43803(1) | MARKINGS, INKED OR PAINTED, OPAQUE, ON NONPOROUS SURFACES (VALIDATION DATE: 8201) REVIEWER: AR EA ME | A | 7510 | GL | 30-OCT-75 | GL | | 99 | | |
| | | MIL-R-43804 NOTICE 1 | RAILS, SIDE, PLATFORM: AIRDROP (VALIDATION DATE: 8904) USER: MC REVIEWER: 11 82 AV | A | 1670 | GL | 22-APR-89 | GL | AS | 99 | | |
| A | L | MIL-C-43805(2) NOTICE 1 | CLOTH, NETTING, PARACHUTE SKIRT EXTENSION, NYLON, RASCHEL KNIT ..... | A | 8305 | CT | 30-NOV-87 | GL | | | CT | |
| A | L | MIL-C-43806 NOTICE 1 | CLOTH, FELT, WOOL, PRESSED (JUNIOR R.O.T.C.) (VALIDATION DATE: 8702) REVIEWER: MD | A | 8305 | CT | 27-FEB-87 | GL | | | CT | |
| A | L | MIL-C-43808A NOTICE 1 | CLOTH, COATED, NYLON (VALIDATION DATE: 9007) REVIEWER: MD ..... | A | 8305 | CT | 30-JUL-90 | GL | | | CT | |
| D | | MIL-G-43817A | GRILLS, FRANKFURTERS, ROLLER TYPE, ELECTRIC (VALIDATION DATE: 8303) USER: MC MS REVIEWER: GS MD SA | A | 7310 | GL | 16-DEC-77 | GL | YD1 | 99 | | |
| | L | MIL-G-43817A(II) | GRILLS, FRANKFURTERS, ROLLER TYPE, ELECTRIC (VALIDATION DATE: 8303) REVIEWER: GS | A | 7310 | GL | 24-FEB-81 | GL | | | | |
| D | | MIL-S-43818 | SLICING MACHINE, BUN (VALIDATION DATE: 8103) REVIEWER: GS MD SA ..... | A | 7320 | GL | 29-SEP-72 | GL | YD1 | 99 | | |
| | | MIL-T-43819B | TRAY, MESS, COMPARTMENTED, PAPER USER: MC REVIEWER: 84 DP MD TS ..... | A | 7350 | GL | 26-NOV-91 | GL | SA | 99 | | |
| | L | MIL-A-43820B | AIR LOCK, (MUST) REVIEWER: MD ..... | A | 5410 | GL | 26-JUN-81 | GL | | | | |
| D | L | MIL-T-43821 NOTICE 1 | TIE DOWN ASSEMBLY, CARGO (MUST) (VALIDATION DATE: 8801) REVIEWER: MD YD1 .. | A | 5410 | GL | 25-JAN-88 | GL | | | | |
| D | | MIL-S-43823A NOTICE 1 | SOCKS, MEN'S NYLON, CUSHION SOLE, STRETCH TYPE, OG 106 (VALIDATION DATE: 8904) USER: 45 YD1 REVIEWER: MD | A | 8440 | CT | 22-APR-89 | GL | MU | | CT | |
| A | L | MIL-C-43824A(1) NOTICE 1 | CLOTH, SYNTHETIC FUR, KNITTED (VALIDATION DATE: 9007) REVIEWER: MD ..... | A | 8305 | CT | 30-JUL-90 | GL | | | CT | |
| D | | MIL-R-43825B(2) NOTICE 1 | RACK, TRAY BUSSING, MOBILE USER: YD1 REVIEWER: MC MD ..... | A | 7320 | GL | 23-OCT-87 | GL | SA | 99 | | |
| D | | MIL-B-43826C | BELT, INDIVIDUAL, EQUIPMENT USER: 45 YD1 REVIEWER: 82 MC MD ..... | A | 8465 | CT | 06-SEP-89 | GL | MU | 99 | CT | |
| D | | MIL-C-43827D | CASE, SMALL ARMS AMMUNITION, 30-ROUND MAGAZINE (M-16 RIFLE), LC-1 USER: 45 YD1 REVIEWER: 82 MC MD | A | 8465 | CT | 30-MAR-90 | GL | MU | 99 | CT | |
| D | | MIL-S-43828A(1) | STRAP, WEBBING, CARGO TIE DOWN, LIGHTWEIGHT PACK FRAME, M-1972 USER: 45 YD1 REVIEWER: MC MD | A | 8465 | CT | 11-FEB-86 | GL | MU | | CT | |
| | L | MIL-S-43828A(I2) | STRAP, WEBBING, CARGO TIE DOWN, LIGHTWEIGHT PACK FRAME, M-1972 ..... | A | 8465 | GL | 28-JUN-91 | GL | | | | |
| D | | MIL-S-43829B | SUSPENDERS, INDIVIDUAL EQUIPMENT BELT, LC-1 USER: 45 YD1 REVIEWER: 82 MC MD | A | 8465 | CT | 16-MAY-86 | GL | MU | 99 | CT | |
| | L | MIL-S-43829B(I1) | SUSPENDERS, INDIVIDUAL EQUIPMENT BELT, LC-1 ..... | A | 8465 | GL | 28-JUN-91 | GL | | | | |
| D | | MIL-C-43830B | COVER, FIELD PACK, CAMOUFLAGE, LC-1 USER: 45 YD1 REVIEWER: MC MD ..... | A | 8465 | CT | 12-FEB-85 | GL | MU | | CT | |
| | L | MIL-C-43830B(I1) | COVER, FIELD PACK, CAMOUFLAGE, LC-1 ..... | A | 8465 | GL | 16-OCT-90 | GL | | | | |
| D | | MIL-C-43831B | CARRIER, INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT, PLASTIC, LC-1 USER: 45 YD1 REVIEWER: 82 CT MC MD | A | 8465 | GL | 26-FEB-88 | GL | MU | 99 | | |
| | L | MIL-C-43831B(I1) | CARRIER, INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT, PLASTIC, LC-1 ..... | A | 8465 | GL | 28-JUN-91 | GL | | | | |
| D | | MIL-C-43832C(1) | FIELD PACK, COMBAT, NYLON, LARGE, LC-1 USER: 45 MC YD1 REVIEWER: 82 MD .... | A | 8465 | CT | 23-JUN-86 | GL | MU | 99 | CT | |
| D | | MIL-F-43833D | FIELD PACK, COMBAT, NYLON, MEDIUM, LC-2 USER: 45 MC YD1 REVIEWER: 82 MD ... | A | 8465 | CT | 14-FEB-90 | GL | MU | 99 | CT | |
| D | | MIL-F-43834E | FRAME, FIELD PACK, (RIVETED), AND SHELF, CARGO SUPPORT (LIGHTWEIGHT), LC-1 USER: 45 YD1 REVIEWER: 82 MC MD | A | 8465 | CT | 14-DEC-90 | GL | MU | 99 | CT | |
| D | | MIL-S-43835E | STRAPS, PACK FRAME AND FIELD PACK, GROUND TROOPS USER: YD1 REVIEWER: 45 82 MC MD | A | 8465 | CT | 15-JUN-90 | GL | MU | 99 | CT | |
| | | MIL-C-43836A NOTICE 1 | CLOTH, INTERLINING, NON-WOVEN (S/S BY A-A-50128) REVIEWER: 99 MD ..... | A | 8305 | GL | 20-MAR-91 | GL | SA | 11 | | |

| Action | Obsl. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-R-43837A | RELEASE, CARGO PARACHUTE, AIRDROP, M-1 REVIEWER: AV | A | 1670 | GL | GL | 30-MAR-83 | | | | |
| N | L | MIL-R-43838B | RELEASE, CARGO PARACHUTE, AIRDROP, M-2 REVIEWER: AV | A | 1670 | GL | GL | 25-MAY-93 | | | | |
| D | | MIL-D-43840(2) NOTICE 1 | DISPENSER, CONDIMENT, PUMP TYPE, MANUALLY OPERATED REVIEWER: GS MD TS | A | 7320 | GL | GL | 22-SEP-87 | YD1 | 84 | | |
| A | . | MIL-S-43841A(1) NOTICE 1 | STRAP, CHIN; GROUND TROOPS' HELMET, STEEL, M-1 [VALIDATION DATE: 8904] USER: 45 | A | 8470 | CT | GL | 22-APR-89 | MU | 99 | CT | |
| A | | MIL-C-43842C | CLOTH, OXFORD, ARAMID USER: MC REVIEWER: 82 AS MD | A | 8305 | CT | GL | 11-JUN-92 | MU | 99 | CT | |
| A | | MIL-C-43843A(1) | CLOTH, PLAIN WEAVE, POLYESTER/COTTON, PRECURED, DURABLE PRESS USER: 45 REVIEWER: 82 99 MC MD | A | 8305 | CT | GL | 24-JUN-87 | MU | 11 | CT | |
| D | | MIL-D-43845A | DISPENSER, ICED TEA [VALIDATION DATE: 8402] USER: CE SA REVIEWER: GS MD SH | A | 7310 | GL | GL | 27-JAN-78 | YD1 | 99 | | |
| | L | MIL-D-43845A(11) | DISPENSER, ICE TEA [VALIDATION DATE: 8402] REVIEWER: GS | A | 7310 | GL | GL | 25-FEB-81 | | | | |
| | | MIL-F-43846B(1) | FOOD PACKET, LONG RANGE PATROL [VALIDATION DATE: 8201] REVIEWER: MC MD MS SS | A | 8970 | GL | GL | 22-MAR-76 | SA | 50 | | |
| D | | MIL-S-43852B NOTICE 1 | SANDWICH UNIT, MECHANICALLY REFRIGERATED [VALIDATION DATE: 9203] USER: MC SA REVIEWER: 84 GS MD | A | 7310 | GL | GL | 27-MAR-92 | YD1 | 99 | | |
| | | MIL-T-43856A | TOPPING, DESSERT AND BAKERY PRODUCTS, FROZEN OR DEHYDRATED [VALIDATION DATE: 8402] REVIEWER: MC MD MS SS | A | 8940 | GL | GL | 23-MAY-78 | SA | 50 | | |
| | L | MIL-M-43857 NOTICE 1 | NOTEBOOK, WATER RESISTANT, FOR FIELD USE [VALIDATION DATE: 8702] | A | 7530 | GL | GL | 27-FEB-87 | | | | |
| A | L | MIL-C-43858B | CLOTH, LAMINATED, NYLON TRICOT KNIT, POLYURETHANE FOAM LAMINATE, CHEMICAL PROTECTIVE & FLAME RESISTANT REVIEWER: MD | A | 8305 | CT | GL | 31-DEC-85 | GL | | | CT |
| | L | MIL-C-43859A NOTICE 1 | COUPLING, EXTRACTION FORCE TRANSFER, AIRDROP [VALIDATION DATE: 9008] REVIEWER: AV | A | 1670 | GL | GL | 08-AUG-90 | GL | | | |
| A | | MIL-S-43860D | SHOES, ELECTRICAL HAZARDS PROTECTIVE, HIGH, MEN'S REVIEWER: 11 82 MD | A | 8430 | CT | GL | 31-MAY-90 | GL | MU | 99 | CT |
| | | MIL-B-43861A | BAG, PLASTIC, MORTUARY REVIEWER: DM GS | A | 9930 | GL | GL | 09-JUL-86 | GL | MS | | |
| A | | MIL-C-43865 NOTICE 1 | CLOTH, POPLIN, POLYESTER/COTTON, PRECURED, SOIL RELEASE DURABLE PRESS TREATMENT [VALIDATION DATE: 8711] REVIEWER: MD | A | 8305 | CT | GL | 30-NOV-87 | GL | MU | | CT |
| D | | MIL-B-43866C(1) | BREAD-SLICING MACHINE, ELECTRIC-OPERATED, MULTIPLE KNIFE USER: SA REVIEWER: 84 GS MC MD SH TS | A | 7320 | GL | GL | 30-DEC-87 | GL | YD1 | 99 | |
| | | MIL-C-43867B | COUPLERS, CARGO PARACHUTE EXTRACTION SYSTEM, 2, 4, AND 7 POINT REVIEWER: 11 AV MC | A | 1670 | GL | GL | 17-MAR-89 | GL | AS | 99 | |
| | L | MIL-C-43868B | CONNECTOR, CORRIDOR (MUST) [VALIDATION DATE: 8601] USER: MC REVIEWER: MD | A | 5410 | GL | GL | 03-SEP-80 | GL | | | |
| | L | MIL-S-43869B | SHELTER, INFLATABLE, WITH AIRLOCK AND CONNECTOR, CORRIDOR, INFLATABLE (MUST) [VALIDATION DATE: 8501] | A | 5410 | GL | GL | 20-MAR-79 | GL | | | |
| D | L | MIL-R-43870B | RACK, STORAGE, MIXER BOWLS AND ATTACHMENTS, MOBILE USER: YD1 REVIEWER: 84 GS MD | A | 7320 | GL | GL | 26-NOV-86 | GL | | 99 | |
| | | MIL-B-43871 NOTICE 1 | BRUSH, CLEANING, TOOLS AND PARTS [VALIDATION DATE: 8710] | A | 7920 | GL | GL | 30-OCT-87 | GL | SA | 99 | |
| | | MIL-P-43873A | PEAS, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS | A | 8915 | GL | GL | 30-JUN-86 | GL | SA | 50 | |
| D | | MIL-K-43875(1) | KITCHEN EQUIPMENT, INCLUDING UNIT ASSEMBLIES, REPAIR PARTS AND TOOLS, PREPARATION FOR DELIVERY OF [VALIDATION DATE: 8402] USER: MC REVIEWER: GS SH | A | 7320 | GL | GL | 19-MAY-78 | GL | YD1 | 99 | |
| A | | MIL-C-43876A(1) NOTICE 1 | CLOTH, WIND RESISTANT, OXFORD, NYLON AND COTTON, QUARPEL TREATED [VALIDATION DATE: 8908] USER: 82 REVIEWER: 45 MC MD | A | 8305 | CT | GL | 11-AUG-89 | GL | MU | 99 | CT |
| | | MIL-S-43877 NOTICE 3 | SPINACH, DEHYDRATED, COMPRESSED [VALIDATION DATE: 8712] REVIEWER: MC MD MS SS | A | 8915 | GL | GL | 31-DEC-87 | GL | SA | 50 | |
| D | | MIL-B-43878 NOTICE 4 | BROILER, SELF-CLEANING, ELECTRIC; COUNTER MODEL [VALIDATION DATE: 9302] USER: CE REVIEWER: GS MC MD | A | 7310 | GL | GL | 26-FEB-93 | GL | YD1 | 99 | |
| A | | MIL-M-43879A | HOOD, SLEEPING BAG USER: 45 | A | 8465 | CT | GL | 21-APR-89 | GL | MU | 99 | CT |
| A | | MIL-S-43880C(1) | SLEEPING BAG, EXTREME COLD WEATHER (DOWN AND POLYESTER BATTING USER: 45 REVIEWER: 11 82 MC MD | A | 8465 | CT | GL | 05-SEP-85 | GL | MU | 99 | CT |
| D | | MIL-F-43883A(1) NOTICE 1 | FOOD WARMER, INFRA-RED, ELECTRIC USER: MC REVIEWER: CG MD MS SA | A | 7310 | SH | GL | 27-FEB-87 | | YD1 | | |
| D | | MIL-O-43884 NOTICE 1 | OVEN, PIZZA, COUNTER TOP, ELECTRIC [VALIDATION DATE: 8702] USER: MC REVIEWER: GS MD MS SA | A | 7310 | GL | GL | 27-FEB-87 | GL | YD1 | 84 | |
| D | | MIL-R-43891A(1) | REFRIGERATION UNIT, ELECTRIC, FOR INSULATED MILITARY VAN CONTAINERS [VALIDATION DATE: 8404] REVIEWER: GS MC MD ME MS | A | 4110 | GL | GL | 04-JUN-79 | GL | YD1 | | |
| D | | MIL-R-00438918 | REFRIGERATION UNIT, ELECTRIC, FOR MILITARY VAN CONTAINER, REFRIGERATED, INSULATED USER: CE REVIEWER: 82 GS MC MD ME TS | A | 4110 | GL | GL | 20-MAR-92 | GL | YD1 | 99 | |
| A | | MIL-C-43892A NOTICE 1 | CLOTH, TWILL, COTTON AND NYLON, WATER REPELLENT TREATED [VALIDATION DATE: 9007] USER: 45 MC REVIEWER: 82 99 MD | A | 8305 | CT | GL | 30-JUL-90 | GL | MU | 11 | CT |
| | L | MIL-S-43893A | SHELTER, INFLATABLE, ONE SECTION ASSEMBLY (MUST) [VALIDATION DATE: 8501] REVIEWER: MD | A | 5410 | GL | GL | 24-APR-79 | GL | | | |
| | L | MIL-S-43894 | SHELVING KIT, STORAGE AND DESPLAY, WOOD FOR BOXES, SHIPPING, METAL (CONEX AND MILVAN) [VALIDATION DATE: 8201] REVIEWER: SH | A | 7125 | GL | GL | 19-AUG-74 | GL | | | |
| A | | MIL-H-43895B(1) NOTICE 1 | HEATERS, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING [VALIDATION DATE: 9212] REVIEWER: 84 GS MD SH TS | A | 7320 | SA | GL | 18-DEC-92 | GL | SA | 99 | |
| A | L | MIL-H-43895B(12) | HEATERS, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING | A | 7320 | SH | GL | 18-AUG-92 | | SH | | |
| D | L | MIL-M-43896A | MEAL, HOT FOOD STORAGE, ELECTRIC REVIEWER: GS YD1 | A | 7310 | SH | GL | 27-DEC-84 | | SH | | |
| A | | MIL-S-43897B NOTICE 1 | SHOES, ELECTRICAL HAZARDS PROTECTIVE, OXFORD, MEN'S [VALIDATION DATE: 8908] REVIEWER: 11 45 82 MD MS | A | 8430 | CT | GL | 28-AUG-89 | GL | MU | 99 | CT |
| | L | MIL-S-43898B | SHELTER, MULTI-PURPOSE (MUST) [VALIDATION DATE: 8303] REVIEWER: MD | A | 5410 | GL | GL | 21-JUL-77 | GL | | | |
| | L | MIL-C-43899A NOTICE 1 | COUPLING, EXTRACTION FORCE TRANSFER, PLATFORM [VALIDATION DATE: 9008] USER: 99 REVIEWER: AV GS | A | 1670 | GL | GL | 08-AUG-90 | GL | | | |
| | | MIL-R-43900B NOTICE 1 | REFRIGERATORS, FREEZERS, PREFABRICATED, MECHANICAL, COMMERCIAL, WALK-IN [VALIDATION DATE: 9203] REVIEWER: 82 GS MD ME | A | 4110 | GL | GL | 27-MAR-92 | GL | SA | 99 | |
| | | MIL-O-43901A | ONIONS, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS | A | 8915 | GL | GL | 31-DEC-86 | GL | SA | 50 | |
| | | MIL-J-43904A | JUICE, GRAPE, INSTANT, SWEETENED REVIEWER: MC MD MS SS TS | A | 8915 | GL | GL | 04-SEP-85 | GL | SA | 50 | |
| D | | MIL-M-43905C | HASPS, HIGH SECURITY PADLOCKS USER: AR AS CE CG REVIEWER: 82 ER GL MS MP OS SH | A | 5340 | YD1 | GL | 11-JUL-90 | ME | YD1 | 99 | |
| A | | MIL-C-43906C | CLOTH, COATED, NYLON, POLYURETHANE DOUBLE COATED REVIEWER: 82 MC MD | A | 8305 | CT | GL | 31-MAR-92 | GL | MU | 99 | CT |
| A | | MIL-P-43907D | PARKA AND TROUSERS, WET WEATHER REVIEWER: 45 82 GL MD | A | 8405 | CT | GL | 12-MAR-93 | GL | | 99 | CT |
| | L | MIL-T-43908A(2) | TABLE, HOT FOOD, GAS [VALIDATION DATE: 8402] | A | 7310 | GL | GL | 15-DEC-77 | GL | | | |
| | L | MIL-B-43909A | BELLOWS, EXPANDABLE SHELTER (MUST) REVIEWER: CS MD | A | 5410 | GL | GL | 26-SEP-88 | GL | | | |
| | | MIL-S-43910 NOTICE 1 | SPOT REMOVER, (FOR REMOVAL OF OIL AND GREASE FROM CLOTHING) [VALIDATION DATE: 8711] USER: CG MC REVIEWER: GS MD MS | A | 6850 | GL | GL | 10-NOV-87 | GL | SH | 99 | |
| | L | MIL-K-43911A(4) | KITCHEN, FIELD, TRAILER MOUNTED REVIEWER: GS MD | A | 7360 | GL | GL | 19-DEC-88 | GL | | | |
| A | | MIL-S-43912 | STRAP, CHIN, PARACHUTIST S, HELMET, STEEL, M-1 USER: MC REVIEWER: 45 MD | A | 8470 | CT | GL | 27-OCT-87 | GL | MU | 99 | CT |
| | | MIL-D-43913 NOTICE 1 | DISPENSER, CARBONATED BEVERAGE, MECHANICALLY REFRIGERATED; COUNTERTOP DISPENSING, REMOTE SYSTEM [VALIDATION DATE: 9203] USER: CE REVIEWER: GS MD | A | 7310 | GL | GL | 27-MAR-92 | GL | | 99 | |
| D | | MIL-C-43914D | GOBBLES, SUN, WIND AND DUST, 1974 USER: 46 YD1 REVIEWER: 82 MC MD | A | 8465 | CT | GL | 09-JAN-85 | GL | MU | 99 | CT |
| | L | MIL-C-0043914E | GOBBLES, SUN, WIND AND DUSK: 1974 | A | 8465 | GL | GL | 26-NOV-90 | GL | | | |
| | L | MIL-S-43915A(1) | SHELTER, EXPANDABLEFOR MEDICAL UNIT SELF-CONTAINED, TRANSPORTABLE (MUST) [VALIDATION DATE: 8501] REVIEWER: MD | A | 5410 | GL | GL | 05-APR-79 | GL | | | |
| | L | MIL-D-43916A | DISPENSER, LIQUID, INSULATED REVIEWER: 84 GS MD TS | A | 7320 | GL | GL | 25-FEB-88 | GL | SA | 99 | |
| A | L | MIL-P-43918A NOTICE 1 | PAD, LINER, PARACHUTIST S HELMET [VALIDATION DATE: 8710] USER: 45 MC REVIEWER: MD | A | 8470 | CT | GL | 27-OCT-87 | GL | | | CT |
| | | MIL-S-43919C | SAUCE & GRAVY MIXES, DRY, CANNED REVIEWER: MC MD MS SS TS | A | 8940 | GL | GL | 29-JUN-87 | GL | SA | 50 | |
| A | | MIL-C-43920(2) NOTICE 1 | CLOTH, INTERLINING, COTTON OR SYNTHETIC, AND NYLON [VALIDATION DATE: 8711] REVIEWER: 99 MC MD | A | 8305 | CT | GL | 30-NOV-87 | GL | MU | 11 | CT |
| A | L | MIL-J-43923C | JACKET, FLYER'S, LIGHTWEIGHT, (EXPANDABLE WRISTS AND WAIST) REVIEWER: MD | A | 8415 | CT | GL | 13-APR-90 | GL | | | CT |
| A | | MIL-J-43924E | JACKETS, COLD WEATHER, (HIGH TEMPERATURE RESISTANT) USER: MC REVIEWER: 11 82 MD | A | 8415 | CT | GL | 30-SEP-91 | GL | MU | 99 | CT |
| | L | MIL-J-43924B(11) | JACKET: COLD WEATHER, (HIGH TEMPERATURE RESISTANT) | A | 8415 | GL | GL | 27-NOV-90 | GL | | | |

| Action | Ctrl / Chg Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | | MIL-H-43925D | HELMET, FLYER'S, PROTECTIVE, SPH-4 USER: 45 REVIEWER: 82 MD | A | 8415 | CT | 27-APR-88 | GL | | 99 | CT |
| A | | | MIL-S-43926J | SUIT, CHEMICAL PROTECTIVE USER: 45 REVIEWER: 11 82 EA MD | A | 8415 | CT | 30-AUG-91 | GL | MU | 99 | CT |
| | | | MIL-S-0043926F | SUIT, CHEMICAL PROTECTIVE REVIEWER: 82 99 CT EA MD SH | A | 8415 | GL | 14-AUG-85 | GL | MU | 11 | |
| | L | | MIL-S-43926H(11) | SUIT, CHEMICAL PROTECTIVE | A | 8415 | GL | 18-OCT-90 | GL | | | |
| D | | | MIL-B-43928A | BROILER, CONVEYORIZED, INFRA-RED, ELECTRIC USER: MC REVIEWER: GS MD MS | A | 7310 | YD1 | 18-SEP-87 | | YD1 | 99 | |
| | L | | MIL-B-43928A(11) | BROILER, CONVEYORIZED, INFRARED, ELECTRIC | A | 7310 | SH | 22-MAY-92 | | SH | | |
| A | L | | MIL-S-43929B(1) NOTICE 1 | SHIRT, UTILITY (DURABLE PRESS) [VALIDATION DATE: 8802] REVIEWER: MC | A | 8405 | CT | 26-FEB-88 | | MU | | CT |
| | | | MIL-B-43930B | BEANS, GREEN, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS TS | A | 8915 | GL | 30-JUN-87 | GL | SA | 50 | |
| | | | MIL-S-43931A | SOUP, DEHYDRATED, BEEF FLAVORED, WITH NOODLES AND VEGETABLES REVIEWER: MC MD QM SS | A | 8935 | GL | 25-NOV-91 | GL | SA | 50 | |
| D | L | | MIL-T-43932C(1) NOTICE 1 | TROUSERS, UTILITY, (DURABLE PRESS) [VALIDATION DATE: 8809] USER: YD1 | A | 8405 | CT | 30-SEP-88 | | MU | | CT |
| | | | MIL-P-43940A NOTICE 1 | PANS, STEAM TABLE, RECTANGULAR AND INSETS, STEAM TABLE, ROUND [VALIDATION DATE: 9203] USER: MC SH REVIEWER: 84 GS MD | A | 7310 | GL | 27-MAR-92 | GL | SA | 99 | |
| | | | MIL-R-43942 | ROPE, FIBROUS, POLYESTER/POLYPROPYLENE DUAL FIBER [VALIDATION DATE: 8201] USER: ME REVIEWER: AR IS | A | 4020 | GL | 16-MAR-76 | GL | | 99 | |
| | | | MIL-K-43943A | KETTLES, STEAM JACKETED: TWIN: 5-GALLON, TILTING, CABINET MOUNTED: NATURAL GAS HEATED REVIEWER: GS MD | A | 7310 | GL | 01-DEC-89 | GL | | 99 | |
| A | | | MIL-C-43944(1) NOTICE 1 | CLOTH, LAMINATED, AND CLOTH, COATED (CHLOROPRENE COATED) [VALIDATION DATE: 8711] REVIEWER: 99 EA MD | A | 8305 | CT | 30-NOV-87 | GL | MU | 11 | CT |
| A | | | MIL-M-43945B | MASK, EXTREME COLD WEATHER USER: 45 REVIEWER: 82 MC MD | A | 8415 | CT | 18-JUL-88 | GL | MU | 99 | CT |
| A | | | MIL-M-43946A NOTICE 1 | MAINTENANCE KIT: WET WEATHER CLOTHING [VALIDATION DATE: 8908] REVIEWER: 45 82 MC MD | A | 8405 | CT | 28-AUG-89 | GL | MU | 99 | CT |
| A | | | MIL-P-43948A | PILLOW, BED, POLYESTER FILLED REVIEWER: MD | A | 7210 | CT | 31-DEC-86 | GL | MU | | CT |
| | L | | MIL-C-43949A NOTICE 1 | CLEANING AND SANITIZING MACHINES, SPRAYING HIGH PRESSURE, ELECTRIC [VALIDATION DATE: 9203] REVIEWER: GS | A | 7320 | GL | 27-MAR-92 | GL | | | |
| | | | MIL-P-43950 | PIE FILLING, PREPARED, LEMON, CANNED [VALIDATION DATE: 8201] REVIEWER: MC MD MS SS | A | 8940 | GL | 30-JUN-76 | GL | SA | 50 | |
| D | | | MIL-P-43951A(2) | PADLOCK, KEY OPERATED, MEDIUM SECURITY, REGULAR SHACKLE USE: AL AS CE CG MC SH REVIEWER: 82 AR GL IS | A | 5340 | YD1 | 19-JUN-92 | ME | YD1 | 99 | |
| | | | MIL-R-43952 NOTICE 1 | ROPE, FIBROUS, PLAITED, POLYESTER/POLYPROPYLENE DUAL FIBER [VALIDATION DATE: 8711] USER: AR ME | A | 4020 | GL | 05-NOV-87 | GL | | 99 | |
| | | | MIL-R-43954A | RANGES, CONVECTION OVEN, ELECTRIC REVIEWER: MD SA | A | 7310 | SH | 11-JUN-85 | | SH | | |
| A | L | | MIL-T-43955B | TRUNK, GENERAL PURPOSE, EXERCISER REVIEWER: MD | A | 8415 | CT | 31-DEC-85 | GL | | | CT |
| A | | | MIL-C-43956(1) | CLOTH, TWILL, COTTON, 10.0 OUNCES (339 G) [VALIDATION DATE: 8711] USER: 45 | A | 8305 | CT | 30-NOV-87 | GL | MU | 99 | CT |
| A | L | | MIL-T-43957D | TROUSERS, MEN'S, DRESS, WOOL AND POLYESTER/WOOL REVIEWER: MD | A | 8405 | CT | 16-SEP-91 | GL | | | CT |
| A | L | | MIL-G-43958 NOTICE 1 | GLOVES, CLOTH, BLACK, LINED, GIRL'S, JR. R.O.T.C. [VALIDATION DATE: 8904] USER: 45 | A | 8445 | CT | 22-APR-89 | GL | | | CT |
| A | L | | MIL-S-43959A | SWEAT SHIRT, ZIPPER FRONT [VALIDATION DATE: 8601] USER: 45 REVIEWER: MD | A | 8415 | CT | 24-SEP-79 | GL | | | CT |
| A | L | | MIL-S-43960 NOTICE 1 | SWEAT PANTS, LEG ZIPPER [VALIDATION DATE: 8801] USER: 45 REVIEWER: MD | A | 8415 | CT | 25-JAN-88 | GL | | | CT |
| | L | | MIL-H-43964 NOTICE 1 | HONEYCOMB CORE, NON-METALLIC, SHELTER PANELS [VALIDATION DATE: 8908] | A | 9999 | GL | 31-AUG-89 | GL | | | |
| A | | | MIL-B-43965A NOTICE 1 | BAG, WET WEATHER CLOTHING: (PARKA AND TROUSERS) [VALIDATION DATE: 8910] USER: 45 | A | 8465 | CT | 31-OCT-89 | | | 99 | CT |
| A | | | MIL-J-43967C | JERSEY, REVERSIBLE USER: 82 REVIEWER: MD | A | 8415 | CT | 17-APR-89 | GL | MU | 99 | CT |
| D | | | MIL-M-43968A | MATTRESS, PNEUMATIC, (INSULATED) USER: CG YD1 REVIEWER: MC | A | 8465 | CT | 12-JUL-85 | | SA | | CT |
| | | | MIL-D-43970 | DRY CLEANING, RECOVERY TUMBLER, FOR SYNTHETIC SOLVENT [VALIDATION DATE: 8303] REVIEWER: GS MD | A | 3510 | GL | 27-SEP-77 | GL | | 99 | |
| | | | MIL-D-43971 | DUPLICATING MACHINE, STENCIL PROCESS, TABLE MOUNTED [VALIDATION DATE: 8402] USER: MC REVIEWER: GS | A | 3610 | GL | 19-DEC-77 | GL | SA | 99 | |
| A | L | | MIL-C-43972D | COAT, ALL-WEATHER, WOMAN'S, BLACK WITH REMOVABLE LINER REVIEWER: MD | A | 8410 | CT | 30-AUG-89 | GL | | | CT |
| | L | | MIL-C-43973 | CAMERA, COPYING, LITHOGRAPHIC, VERTICAL [VALIDATION DATE: 8402] REVIEWER: GS | A | 3610 | GL | 19-JAN-78 | GL | | | |
| D | | | MIL-D-43975 NOTICE 1 | DISPENSER, BREAD, FRONT AND REAR LOADING [VALIDATION DATE: 9203] REVIEWER: MD SA | A | 7320 | GL | 27-MAR-92 | GL | YD1 | 99 | |
| A | | | MIL-G-43976C | GLOVES AND GLOVE SET, CHEMICAL PROTECTIVE USER: 45 SH REVIEWER: 82 EA MD | A | 8415 | CT | 05-SEP-90 | GL | MU | 11 | CT |
| A | | | MIL-H-43981D | HANDBAG, WOMEN'S, SYNTHETIC, BLACK USER: 45 REVIEWER: 82 99 MD | A | 8445 | CT | 30-MAR-90 | GL | | 11 | CT |
| A | L | | MIL-C-43983 NOTICE 1 | CLOTH, KNITTED, POLYESTER, RIB KNIT [VALIDATION DATE: 9007] REVIEWER: MD | A | 83[illegible] | CT | 30-JUL-90 | GL | | | CT |
| | L | | MIL-F-43986A(1) | FOLDER FILE, EQUIPMENT RECORD REVIEWER: MD | A | 7510 | GL | 23-JUL-81 | GL | | | |
| A | | | MIL-F-43987A(2) | FOOTWEAR COVER, CHEMICAL PROTECTIVE (OVERBOOTS) USER: OS SH REVIEWER: 45 82 EA | A | 8430 | CT | 16-NOV-84 | GL | MU | 99 | CT |
| | | | MIL-P-43988B | PAPER TOILET TISSUE (PACKET IN SHEET FORM) REVIEWER: 84 MD SS TS | A | 8540 | GL | 29-JUN-88 | GL | SA | 99 | |
| A | L | | MIL-C-43989A | CLOTH, KNITTED, RASCHEL, ARAMID REVIEWER: 11 82 MD | A | 8305 | CT | 19-SEP-86 | GL | | | CT |
| A | | | MIL-C-43992B | CLOTH, BROADCLOTH, POLYESTER/COTTON, DURABLE PRESS REVIEWER: 82 99 CG MC MD | A | 8305 | CT | 28-JUN-89 | GL | MU | 11 | CT |
| A | | | MIL-S-43993C | SWEATBAND, HEADWEAR, ARTIFICIAL LEATHER REVIEWER: 82 99 MD | A | 8405 | CT | 01-APR-88 | GL | | 11 | CT |
| | | | MIL-M-43994C | MARKER, IDENTIFICATION, FIRE, CHEMICAL HAZARD, AND RESTRICTED AREA, REFLECTIVE REVIEWER: 84 MD | A | 7690 | GL | 02-JAN-91 | GL | | 99 | |
| A | | | MIL-O-43995C | OVERSHOES, MEN'S AND WOMEN'S, BOOT, COMBAT USE: 45 MC REVIEWER: 11 82 MD | A | 8460 | CT | 15-SEP-89 | GL | MU | 99 | CT |
| A | L | | MIL-F-43997A | FIELD PACK, TRAINING REVIEWER: MD | A | 8465 | CT | 30-SEP-86 | GL | | | CT |
| A | | | MIL-B-43998D | BATH UNIT, AUTOMATED, MULTI-HEAD USE: MC REVIEWER: 84 CS MD ME TR | A | 4510 | GL | 17-NOV-92 | GL | | 99 | |
| A | | | MIL-C-44001B | COVER, HELMET, CHEMICAL PROTECTIVE USER: 45 MC REVIEWER: 11 82 MD | A | 8415 | CT | 30-MAR-90 | GL | MU | 99 | CT |
| | | | MIL-C-44009A | CHARGER, BATTERY, PP-7562/U REVIEWER: AL | A | 6130 | GL | 28-JAN-82 | GL | | 11 | |
| | L | | MIL-P-44012(1) NOTICE 1 | PACK, PARACHUTIST S, DRAGON MISSILE [VALIDATION DATE: 8711] | A | 1670 | GL | 20-NOV-87 | GL | | | |
| D | | | MIL-G-44013C | GLOVE, HEAT PROTECTIVE USER: MC SH YD1 REVIEWER: MD | A | 8415 | CT | 27-APR-88 | GL | MU | | CT |
| A | L | | MIL-C-44014 | CLOTH, CAMOUFLAGE PATTERN, DUCK, COTTON [VALIDATION DATE: 8511] REVIEWER: MD | A | 8305 | CT | 17-SEP-79 | GL | | | CT |
| | L | | MIL-R-44015(1) | REFRIGERATOR CONTAINER, FIELD, 8 FEET BY 8 FEET BY 10 FEET REVIEWER: MC | A | 4110 | GL | 06-MAY-82 | GL | | | |
| A | | | MIL-S-44016B | SLEEPING BAG, INTERMEDIATE COLD, SYNTHETIC FILLED REVIEWER: MC MD | A | 8465 | CT | 21-JUN-89 | GL | MU | | CT |
| A | L | | MIL-C-44017 | CLOTH, SPACER, POLYETHYLENE AND NYLON [VALIDATION DATE: 8511] REVIEWER: MD | A | 8305 | CT | 20-DEC-79 | GL | | | CT |
| | | | MIL-P-44019A | PIE FILLING MIX, LEMON REVIEWER: MC MD MS SS | A | 8940 | GL | 21-DEC-84 | GL | SA | 50 | |
| A | L | | MIL-S-44021A | SURVIVAL VEST, INDIVIDUAL, OV-1 AIRCRAFT REVIEWER: AV MD | A | 8415 | CT | 22-AUG-89 | GL | | | CT |
| A | | | MIL-S-44022B | STRAP, RETENTION, PARACHUTISTS HELMET USER: 45 MC REVIEWER: 82 MD | A | 8470 | CT | 19-JAN-90 | GL | | 99 | CT |
| | L | | MIL-R-44023A(3) | REPRODUCTION SET, DIAZO PROCESS, FOR FIELD USE REVIEWER: ME | A | 3610 | GL | 29-NOV-90 | GL | | | |
| | L | | MIL-R-44024 | REPAIR KIT, INFLATABLE SHELTER, (MUST) [VALIDATION DATE: 8601] | A | 5410 | GL | 28-MAR-80 | GL | | | |
| A | | | MIL-S-44025(1) | SPECTACLE, LASER PROTECTIVE (WITH CASE) USER: MC REVIEWER: MD | A | 8465 | CT | 05-MAY-81 | GL | MU | | CT |
| A | | | MIL-C-44026 | CASE, LASER PROTECTIVE SPECTACLES [VALIDATION DATE: 8601] USER: MC REVIEWER: MD | A | 8465 | CT | 08-MAY-80 | GL | MU | | CT |
| N | | | MIL-W-44027A | WEDGE KIT, RAMP BUNDLE DELIVERY SYSTEM, C-130 AIRCRAFT REVIEWER: AV | A | 1670 | GL | 12-MAY-93 | GL | | 99 | |
| | L | | MIL-K-44028(1) | KIT, DRIVE-OFF AID, VEHICLE | A | 1670 | GL | 30-AUG-90 | GL | | | |
| | L | | MIL-K-44029(1) | KIT, MODIFICATION, FOR DELAY TIMER, M1 AND M2 CARGO PARACHUTE RELEASE ASSEMBLIES REVIEWER: TR | A | 1670 | GL | 03-FEB-92 | GL | | | |
| A | L | | MIL-C-44030B | COAT, ALL-WEATHER, MAN'S, BLACK, WITH REMOVABLE LINER REVIEWER: MD | A | 8405 | CT | 07-OCT-88 | GL | | | CT |
| A | | | MIL-C-44031D | CLOTH, CAMOUFLAGE PATTERN: WOODLAND, COTTON AND NYLON REVIEWER: 11 82 MC MD | A | 8305 | CT | 22-AUG-89 | GL | MU | 99 | CT |
| | L | | MIL-R-44032 | REPAIR KIT, SEALS, EXPANDABLE AND MULTI-PURPOSE SHELTER (MUST) [VALIDATION DATE: 8601] REVIEWER: MD | A | 5410 | GL | 15-SEP-80 | GL | | | |
| | | | MIL-L-44033A NOTICE 1 | LINES, MULTI-LOOP, CONCENTRIC [VALIDATION DATE: 9006] REVIEWER: 82 99 AV MC | A | 1670 | GL | 19-JUN-90 | GL | AS | 11 | |

| Action | Cat. / Cmtl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-44034D | CLOTH, TWILL, CAMOUFLAGE PATTERN, COTTON AND NYLON FOR DESERT UNIFORM REVIEWER: 82 99 MC MD | A | 8305 | CT | 31-MAR-92 | GL | MU | 11 | CT |
| | L | MIL-C-44034C(11) | CLOTH, TWILL, CAMOUFLAGE PATTERN, COTTON AND NYLON FOR DESERT UNIFORM ..... | A | 8305 | GL | 15-OCT-90 | GL | | | |
| | | MIL-R-44035A | REFRIGERATION UNIT, ELECTRIC FOR REFRIGERATION CONTAINER, FIELD, 8 X 8 X 10 FOOT | A | 4110 | GL | 31-DEC-80 | GL | MC | | |
| | | MIL-T-44036(1) | TIEDOWN ASSEMBLY, CARGO, AERIAL DELIVERY, LOAD BINDER TYPE USE: MC REVIEWER: 11 TR | A | 1670 | GL | 25-FEB-92 | GL | | 99 | |
| | L | MIL-B-44037A | BLENDER, POWERED MIX, MECHANICALLY REFRIGERATED REVIEWER: MC SH ..... | A | 7310 | SA | 08-DEC-86 | | SA | | |
| A | L | MIL-B-44037A(11) | BLENDER, POWERED MIX, MECHANICALLY REFRIGERATED ..... | A | 7310 | SH | 12-JUN-92 | | SH | | |
| D | | MIL-B-44038A | BATTER BREADER MACHINE, ELECTRIC ..... | A | 7320 | YD1 | 28-NOV-86 | | YD1 | | |
| A | L | MIL-S-44039C | SHIRT, MAN'S, LONG SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS REVIEWER: MD | A | 8405 | CT | 10-OCT-90 | GL | | | CT |
| | | MIL-C-44040 NOTICE 1 | CHEESE, PIZZA BLEND (VALIDATION DATE: 8702) REVIEWER: MC MD MS SS ..... | A | 8910 | GL | 27-FEB-87 | GL | SA | 50 | |
| A | L | MIL-S-44041C | SHIRT, MAN'S, SHORT SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS REVIEWER: MD | A | 8405 | CT | 09-OCT-90 | GL | | | CT |
| A | | MIL-L-44042 | LINER, FOOD INSPECTOR S SMOCK ..... | A | 8415 | CT | 17-MAR-81 | GL | MU | 99 | CT |
| A | | MIL-C-44043B | CLOTH, BALLISTIC, NYLON, LIGHTWEIGHT, WATER-REPELLENT TREATED REVIEWER: 82 MD | A | 8305 | CT | 19-DEC-90 | GL | MU | 99 | CT |
| | | MIL-C-44044 | CABINET, STORAGE, MILK SHAKE, MECHANICALLY REFRIGERATED ..... | A | 7320 | SH | 30-MAR-81 | | SH | | |
| | | MIL-C-44046A | CONTAINER, HIGH SPEED, AERIAL DELIVERY ..... | A | 1670 | GL | 18-JUL-89 | GL | AS | | |
| A | | MIL-T-44047E | TROUSERS, CAMOUFLAGE PATTERN, COMBAT REVIEWER: 82 99 MC MD ..... | A | 8415 | CT | 26-JUN-91 | GL | MU | 11 | CT |
| A | | MIL-C-44048F | COATS, CAMOUFLAGE PATTERN, COMBAT REVIEWER: 82 99 MC MD ..... | A | 8415 | CT | 27-AUG-91 | GL | MU | 11 | CT |
| A | | MIL-W-44049A | WEBBING, TEXTILE AND TAPE, TEXTILE, POLYPROPYLENE, GENERAL PURPOSE, NATURAL OR IN COLORS REVIEWER: 82 89 MC MD ME | A | 8305 | CT | 20-APR-89 | GL | MU | 11 | CT |
| A | | MIL-C-44050A | CLOTH, BALLISTIC, ARAMID USER: MC REVIEWER: 99 MD ..... | A | 8305 | CT | 18-AUG-87 | GL | MU | 11 | CT |
| A | | MIL-B-44053A(1) | BODY ARMOR, FRAGMENTATION PROTECTIVE VEST, GROUND TROOPS USER: 45 REVIEWER: 82 MC MD | A | 8470 | CT | 22-JUN-90 | GL | MU | 99 | CT |
| | L | MIL-B-44054B | BOTTLE, OIL SAMPLE, WITH CONTAINER REVIEWER: MD ..... | A | 8125 | GL | 18-JUN-85 | GL | | | |
| | | MIL-B-44059C | BEEF STEW, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD MS SS TS | A | 8940 | GL | 05-OCT-88 | GL | SA | 50 | |
| | | MIL-C-44060D | CHICKEN A LA KING, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS | A | 8940 | GL | 05-MAR-91 | GL | SA | 50 | |
| | | MIL-F-44062B | FRANKFURTERS, BEEF, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD QM SS | A | 8905 | GL | 09-APR-90 | GL | SA | 50 | |
| | | MIL-H-44063D | HAM SLICE, SMOKE FLAVORING ADDED, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD MS SS TS | A | 8905 | GL | 26-OCT-88 | GL | SA | 50 | |
| A | | MIL-F-44067D | FRUITS, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD QM SS .... | A | 8915 | GL | 09-JUN-92 | GL | SA | 50 | |
| | | MIL-C-44068B | CHEESE SPREAD, CHEDDAR; PEANUT BUTTER; AND JELLY, FOR MEAL READY-TO-EAT REVIEWER: MC MD SS TS | A | 8930 | GL | 14-OCT-88 | GL | SA | 50 | |
| | | MIL-F-44070C | FRUITS, FREEZE-DEHYDRATED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD QM SS ... | A | 8915 | GL | 24-APR-91 | GL | SA | 50 | |
| | | MIL-C-44071C | CAKE, THERMOSTABILIZED, FOR MEAL, READY TO EAT REVIEWER: MC MD MS SS TS ... | A | 8920 | GL | 21-MAR-88 | GL | SA | 50 | |
| | | MIL-C-44072C | COOKIES, OATMEAL; AND BROWNIES, CHOCOLATE COVERED REVIEWER: MC MD QM SS ... | A | 8920 | GL | 30-APR-90 | GL | SA | 50 | |
| | | MIL-P-44073D | PACKAGING AND THERMOPROCESSING OF FOODS IN FLEXIBLE POUCHES REVIEWER: MC MD SS TS | A | 89GP | GL | 06-JAN-92 | GL | SA | 50 | |
| A | | MIL-M-44074E | MEAL, READY-TO-EAT, INDIVIDUAL, ASSEMBLY OF REVIEWER: MC MD QM SS ..... | A | 8970 | GL | 31-DEC-92 | GL | SA | 50 | |
| | | MIL-L-44076A | LOWERING LINE ASSEMBLY REVIEWER: AV MC ..... | A | 1670 | GL | 30-JUL-90 | GL | AS | | |
| A | | MIL-C-44077B | COVERALLS, COMBAT VEHICLE CREWMEN'S REVIEWER: MC MD ..... | A | 8415 | CT | 03-NOV-88 | GL | MU | | CT |
| | L | MIL-C-0044077C | COVERALLS, COMBAT VEHICLE CREWMEN'S ..... | A | 8415 | GL | 27-NOV-90 | GL | | | |
| | | MIL-C-44080 | CONTAINER, SHIPPING, MULTIPURPOSE, CANINE (VALIDATION DATE: 8710) REVIEWER: CS MD MS | A | 3770 | GL | 01-OCT-87 | GL | MC | 99 | |
| A | | MIL-P-44081A | PAD, PARACHUTISTS, HELMET USER: 45 MD REVIEWER: 82 ..... | A | 8470 | CT | 31-MAR-86 | GL | MC | 99 | CT |
| A | | MIL-C-44082A | CASE, SMALL ARMS, AMMUNITION, 200-ROUND MAGAZINE REVIEWER: MD ..... | A | 8465 | CT | 16-FEB-90 | GL | MC | | CT |
| A | L | MIL-C-44083A | CARRIER, AN/PRC-68 OR AN/PRC-68A, RADIO SET USER: MC REVIEWER: 82 MD ..... | A | 8465 | CT | 25-APR-85 | GL | MU | 99 | CT |
| | L | MIL-M-44084(1) NOTICE 1 | MAT, SILHOUETTE LAYOUT (VALIDATION DATE: 8908) REVIEWER: GS ..... | A | 7690 | GL | 11-AUG-89 | GL | | | |
| A | | MIL-R-44085A | REPAIR KIT, SKI MILITARY, ALL TERRAIN USER: 45 ..... | A | 8465 | CT | 22-JUN-87 | GL | MC | 99 | CT |
| | | MIL-H-44086B | HEATER, WATER, LIQUID FUEL REVIEWER: 82 CS MD ..... | A | 4520 | GL | 31-MAR-92 | GL | | 99 | |
| A | | MIL-P-44087B | PARKA, NIGHT CAMOUFLAGE, DESERT USER: 45 REVIEWER: MC MD ..... | A | 8415 | CT | 17-APR-89 | GL | MU | | CT |
| | L | MIL-P-44087B(11) | PARKA, NIGHT CAMOUFLAGE, DESERT ..... | A | 8415 | GL | 10-MAY-91 | GL | | | |
| | L | MIL-C-44088 NOTICE 1 | CELERY DEHYDRATED REVIEWER: MD TS ..... | A | 8915 | GL | 12-FEB-88 | GL | | | |
| A | | MIL-L-44089A | LINER, NIGHT CAMOUFLAGE PARKA DESERT USER: 45 REVIEWER: MD ..... | A | 8415 | CT | 14-FEB-84 | GL | MU | 99 | CT |
| A | L | MIL-S-44090C | SHIRT, WOMAN'S, SHORT SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS REVIEWER: MD | A | 8410 | CT | 07-NOV-90 | GL | | | CT |
| A | | MIL-S-44091(1) | STRAP, CHIN, GROUND TROOPS'- PARACHUTISTS' HELMET USER: 45 REVIEWER: 82 MC MD | A | 8470 | CT | 22-JUN-84 | GL | MU | 99 | CT |
| A | L | MIL-S-44092B(1) | SLACKS, WOMEN'S: CLASSIC DESIGN, POLYESTER/WOOL ..... | A | 8410 | CT | 12-SEP-90 | GL | | | CT |
| A | L | MIL-S-44093B | SHIRT, WOMAN'S, LONG SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS REVIEWER: MD | A | 8410 | CT | 08-NOV-90 | GL | | | CT |
| A | | MIL-T-44094B | TROUSERS, NIGHT CAMOUFLAGE, DESERT USER: 45 REVIEWER: 82 MC MD ..... | A | 8415 | CT | 08-JAN-91 | GL | MU | 99 | CT |
| | L | MIL-T-44094B(11) | TROUSERS, NIGHT CAMOUFLAGE, DESERT ..... | A | 8415 | GL | 10-MAY-91 | GL | | | |
| A | L | MIL-S-44095A | SURVIVAL KIT, INDIVIDUAL, VEST TYPE REVIEWER: AV MD ..... | A | 8465 | CT | 19-APR-89 | GL | | | CT |
| A | | MIL-U-44096A(1) | UNDERSHIRT, MANS (QUARTER - SLEEVE) USER: 45 REVIEWER: 82 MC MD ..... | A | 8420 | CT | 09-DEC-87 | GL | MU | 99 | CT |
| A | | MIL-S-44097A | SUSPENSION ASSEMBLY, GROUND TROOPS' - PARACHUTISTS' HELMET USER: 45 REVIEWER: 82 MD | A | 8470 | CT | 18-JAN-90 | GL | MC | 99 | CT |
| A | | MIL-H-44098A | HEADBAND, GROUND TROOPS' - PARACHUTISTS' HELMET USER: 45 REVIEWER: 82 MD .. | A | 8470 | CT | 17-JAN-90 | GL | MC | 99 | CT |
| D | | MIL-H-44099A(1) | HELMET, GROUND TROOPS AND PARACHUTISTS USER: YD1 REVIEWER: 11 82 MC MD .... | A | 8470 | CT | 24-FEB-89 | GL | MU | 99 | CT |
| A | | MIL-T-44100(1) | THREAD, PARA-ARAMID, SPUN, INTERMEDIATE MODULUS REVIEWER: 20 82 AS MD ..... | A | 8310 | CT | 28-SEP-84 | GL | MU | 99 | CT |
| A | L | MIL-C-44101A(1) | COAT, WOMAN'S; CLASSIC DESIGN, POLYESTER/WOOL REVIEWER: MD ..... | A | 8410 | CT | 26-JUL-88 | GL | | | CT |
| A | L | MIL-S-44102B | SKIRT, WOMAN'S, CLASSIC DESIGN, POLYESTER/WOOL REVIEWER: MD ..... | A | 8410 | CT | 13-JUN-89 | GL | | | CT |
| D | | MIL-C-44103C | CLOTH, DUCK, POLYESTER, FIRE, WATER AND WEATHER RESISTANT USER: YD1 REVIEWER: 82 MC MD | A | 8305 | CT | 23-OCT-90 | GL | MU | 99 | CT |
| D | | MIL-M-44104A | MAT, SLEEPING USER: 45 YD1 REVIEWER: MC MD ..... ..... | A | 8465 | CT | 30-OCT-87 | GL | MU | 99 | CT |
| D | | MIL-H-44105B | HATS, SUN, HOT WEATHER USER: 45 YD1 REVIEWER: 82 ML MD ..... | A | 8415 | CT | 04-MAR-92 | GL | MU | 99 | CT |
| | L | MIL-H-44105A(11) | HAT, CAMOUFLAGE PATTERN: DESERT ..... | A | 8415 | GL | 18-OCT-90 | GL | | | |
| A | L | MIL-B-44106B | NECKTAB, WOMAN'S SHIRT REVIEWER: MD ..... | A | 8445 | CT | 03-MAY-89 | GL | | | CT |
| A | | MIL-C-44107C | COVER, GROUND TROOPS-PARACHUTISTS HELMET USER: 45 REVIEWER: 82 MC MD ..... | A | 8415 | CT | 25-NOV-91 | GL | MU | 99 | CT |
| A | L | MIL-G-44108A | GLOVE, COMBAT VEHICLE CREWMAN S SUMMER REVIEWER: MD ..... | A | 8415 | CT | 10-JUN-87 | GL | MU | | CT |
| A | | MIL-O-44109B | OVERALLS, COMBAT VEHICLE CREWMEN'S REVIEWER: 82 MC MD ..... | A | 8415 | CT | 31-DEC-90 | GL | MU | 99 | CT |
| A | | MIL-S-44110B | SLACKS, MATERNITY, UTILITY WORK UNIFORM USER: 45 REVIEWER: 82 99 MD ..... | A | 8410 | CT | 10-JAN-91 | GL | | 11 | CT |
| A | | MIL-C-44111B | COAT, MATERNITY, UTILITY WORK UNIFORM USER: 45 REVIEWER: 82 99 MD ..... | A | 8410 | CT | 28-DEC-90 | GL | | 11 | CT |
| | | MIL-C-44112C | CRACKERS, FOR MEAL, READY-TO-EAT REVIEWER: MC MD MS SS TS ..... | A | 8920 | GL | 18-APR-89 | GL | SA | 50 | |
| | | MIL-P-44115B | PLATFORM, ASSEMBLY, CARGO, AERIAL DELIVERY, TYPE V USER: MC REVIEWER: 11 82 AV | A | 1670 | GL | 31-MAR-92 | GL | AS | 99 | |
| | | MIL-C-44116 | CARROTS, DEHYDRATED, COMPRESSED, DICED OR SHREDDED (VALIDATION DATE: 8908) REVIEWER: MC MD MS SS TS | A | 8915 | GL | 11-AUG-89 | GL | SA | 50 | |
| A | L | MIL-H-44117A(1) | HELMET, COMBAT VEHICLE CREWMAN, BALLISTIC SHELL, DH-132A USER: MC REVIEWER: MD | A | 8470 | CT | 06-MAR-90 | GL | | | CT |
| | | MIL-C-44118 | CORN, YELLOW, DEHYDRATED, COMPRESSED (VALIDATION DATE: 8908) REVIEWER: MC MD MS SS TS | A | 8915 | GL | 11-AUG-89 | GL | SA | 50 | |
| | | MIL-P-44120A | PIE FILLING, PREPARED, APPLE, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS TS | A | 8940 | GL | 10-MAR-88 | GL | SA | 50 | |
| A | | MIL-C-44121(1) | CLOTH, TWILL, POLYESTER USER: MC REVIEWER: 82 99 MD ..... | A | 8305 | CT | 18-FEB-86 | GL | MU | 11 | CT |

| Action | Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-44122 | CABBAGE, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS TS | A | 8915 | GL | GL | 27-MAR-84 | GL | SA | 50 | |
| | | MIL-R-44123B | ROPE, FIBROUS, DOUBLE-BRAIDED, NYLON/POLYESTER COMPOSITE USER: SH REVIEWER: 82 AS IS | A | 4020 | GL | GL | 10-MAY-90 | GL | | 99 | |
| A | | MIL-C-44124B | COVER, BODY ARMOR, FRAGMENTATION PROTECTIVE USER: 45 REVIEWER: 82 MC MD | A | 8470 | GL | CT | 30-SEP-91 | GL | MU | 99 | CT |
| | L | MIL-C-44124A(11) | COVER, BODY ARMOR, FRAGMENTATION PROTECTIVE | A | 8470 | GL | GL | 16-OCT-90 | GL | | | |
| | | MIL-V-44125A | VEAL STEAK, FROZEN, FLAKED, FORMED, BREADED REVIEWER: MC MD MS SS TS | A | 8905 | GL | GL | 30-MAR-87 | GL | SA | 50 | |
| | | MIL-W-44126A | WATER, DRINKING, EMERGENCY, FLEXIBLY PACKAGED REVIEWER: AS MC MD SS TS | A | 8960 | GL | GL | 30-DEC-88 | GL | SA | 50 | |
| A | | MIL-B-44127 | BODY ARMOR, BONNET, FOR EXPLOSIVE ORDNANCE DISPOSAL (EOD) UNITS REVIEWER: 82 MD | A | 8470 | GL | CT | 01-MAY-84 | GL | | 99 | CT |
| A | | MIL-M-44128 | MASK, FACE, COMBAT VEHICLE CREWMENS FLAME, DUST, WIND & FRAGMENTATION PROTECTIVE REVIEWER: 82 MC MD | A | 8470 | GL | CT | 05-JUN-84 | GL | MU | 99 | CT |
| | L | MIL-M-0044128A | MASK, FACE, COMBAT VEHICLE CREWMEN'S FLAME, DUST, WIND AND FRAGMENTATION PROTECTIVE | A | 8470 | GL | GL | 26-OCT-90 | GL | | | |
| | | MIL-B-44129 | BROCCOLI, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS TS | A | 8915 | GL | GL | 20-JUN-84 | GL | SA | 50 | |
| A | L | MIL-C-44130C | CAP, GARRISON, WOMEN'S, POLYESTER/WOOL, AG-344 REVIEWER: MD | A | 8410 | GL | CT | 11-JAN-91 | GL | | | CT |
| | | MIL-P-44131A | PORK STEAK, FLAKED, FORMED, BREADED, FROZEN REVIEWER: MC MD MS SS TS | A | 8905 | GL | GL | 30-MAR-87 | GL | SA | 50 | |
| A | | MIL-V-44132B | VEST, CONDITIONING MICROCLIMATE: AIR USER: MC REVIEWER: MD | A | 8415 | GL | CT | 20-FEB-90 | GL | MU | | CT |
| | L | MIL-B-44133 | BEEF, WITH NATURAL JUICES, CORNED, CHUNKED, FORMED, PRECOOKED, FROZEN | A | 8905 | GL | GL | 29-JUN-84 | GL | | | |
| A | | MIL-B-44134 | BODY ARMOR, SMALL ARMS (HAND GUN) PROTECTIVE, UNDERGARMENT, MP-1 USER: 45 REVIEWER: 82 MD | A | 8470 | GL | CT | 13-AUG-84 | GL | | 99 | CT |
| | L | MIL-B-44135A | BEVERAGE BASE, ORANGE, COMPRESSED - (OPERATIONAL RATION COMPONENT) REVIEWER: MC MD MS SS TS | A | 8960 | GL | GL | 31-AUG-88 | GL | | | |
| | | MIL-O-44136B | OATMEAL COOKIE AND GRANOLA BARS - (OPERATIONAL RATION COMPONENT) REVIEWER: MC MD SS TS | A | 8920 | GL | GL | 07-DEC-88 | GL | SA | 50 | |
| | L | MIL-C-44137 | CHICKEN A LA KING, COOKED, DEHYDRATED - (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS | A | 8940 | GL | GL | 29-MAR-85 | GL | | | |
| | L | MIL-C-44138 | CHICKEN & RICE, COOKED, DEHYDRATED - (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS | A | 8940 | GL | GL | 29-MAR-85 | GL | | | |
| | L | MIL-V-44139 | VERMICELLI WITH MEAT & SAUCE, COOKED, DEHYDRATED (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS | A | 8940 | GL | GL | 27-MAR-85 | GL | | | |
| | L | MIL-B-44140 | BEEF STEW, COOKED, DEHYDRATED (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS | A | 8940 | GL | GL | 28-MAR-85 | GL | | | |
| | L | MIL-E-44141 | ESCALLOPED POTATOES WITH PORK, COOKED, DEHYDRATED (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS | A | 8940 | GL | GL | 28-MAR-85 | GL | | | |
| | L | MIL-L-44142A(1) | LAUNDRY UNIT, TRAILER MOUNTED | A | 3510 | GL | GL | 14-AUG-90 | GL | | | |
| | L | MIL-F-44143 | FOOD PACKET, ASSAULT, ASSEMBLY OF REVIEWER: MD SS TS | A | 8970 | GL | GL | 19-MAR-85 | GL | | | |
| | L | MIL-D-44144A | DRYING TUMBLER, LAUNDRY | A | 3510 | GL | GL | 22-DEC-86 | GL | | | |
| | | MIL-V-44145 | VEGETABLE, MIXED, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS TS | A | 8915 | GL | GL | 24-SEP-84 | GL | SA | 50 | |
| | L | MIL-P-44146 | PACKAGING OF FOOD PACKET, ASSULT COMPONENTS (IN POUCHES) REVIEWER: MD SS TS | A | 89GP | GL | GL | 25-MAR-85 | GL | | | |
| | L | MIL-P-44147 | PUDDING BAR (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS | A | 8940 | GL | GL | 28-MAR-85 | GL | | | |
| | L | MIL-C-44148 | CHICKEN STEW, COOKED, DEHYDRATED - (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS | A | 8940 | GL | GL | 29-MAR-85 | GL | | | |
| A | | MIL-P-44151A | PACKAGING INTO POUCHES AND MEAL ASSEMBLY OF ORAL LIQUID FEEDING POWDERS REVIEWER: MC MD QM SS | A | 8970 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| N | | MIL-B-44152C | BOOTS, COMBAT: MILDEW AND WATER RESISTANT, DMS REVIEWER: 45 82 MC MD | A | 8430 | GL | CT | 28-MAY-93 | GL | MU | 99 | CT |
| A | L | MIL-P-44153A | POCKET, AMMUNITION MAGAZINE, 9 MM | A | 8465 | GL | CT | 26-AUG-85 | GL | | | CT |
| A | | MIL-C-44154B | CLOTH, INSULATION, MULTIPLE LAYER COMPOSITE, QUILTED, FLAME RESISTANT REVIEWER: 82 MD | A | 8305 | GL | CT | 06-SEP-89 | GL | MU | 99 | CT |
| A | | MIL-B-44155B | BODY ARMOR, COAT, FOR EXPLOSIVE ORDNANCE DISPOSAL (EOD) SYSTEM REVIEWER: 82 MC MD | A | 8470 | GL | CT | 15-JAN-91 | GL | MU | 99 | CT |
| | L | MIL-K-44156B | KITCHEN, FIELD FEEDING, COMPANY LEVEL REVIEWER: MD ME TS | A | 7360 | GL | GL | 31-DEC-91 | GL | | | |
| A | | MIL-C-44157A | CLOTH, PLAIN WEAVE, POLYESTER/COTTON FOR POCKETS REVIEWER: 82 MC MD | A | 8305 | GL | CT | 06-AUG-86 | GL | MU | 99 | CT |
| | | MIL-B-44158B | BACON, SLICED, PRECOOKED REVIEWER: MC MD QM SS | A | 8905 | GL | GL | 19-FEB-92 | GL | SA | 50 | |
| | | MIL-H-44159A | HAM CHUNKS, WITH JUICE, CANNED REVIEWER: MC MD MS SS TS | A | 8905 | GL | GL | 31-MAR-87 | GL | SA | 50 | |
| | | MIL-H-0044159B | HAM CHUNKS, WITH JUICES, CANNED REVIEWER: MC MD SS TS | A | 8905 | GL | GL | 11-FEB-88 | GL | SA | 50 | |
| | L | MIL-D-44160(1) | DETERGENT, LAUNDRY (LIQUID-COLD WATER) REVIEWER: CT MD | A | 7930 | GL | GL | 16-JUL-91 | GL | | | |
| A | | MIL-C-44161A | CLOTH, KNITTED, TERRY, SYNTHETIC FIBERS REVIEWER: MC MD | A | 8305 | GL | CT | 09-DEC-87 | GL | MU | | CT |
| A | | MIL-C-44162A | CLOTH, PLAIN WEAVE, POLYESTER/COTTON REVIEWER: 11 82 CG MC MD | A | 8305 | GL | CT | 20-SEP-89 | GL | MU | 99 | CT |
| A | | MIL-S-44163B(1) | SHIRT, COLD WEATHER, SYNTHETIC FIBER PILE REVIEWER: MC MD | A | 8415 | GL | CT | 01-MAY-91 | GL | MU | | CT |
| A | | MIL-U-44164A | UNDERSHIRT, COLD WEATHER, POLYPROPYLENE USER: 45 REVIEWER: MC MD | A | 8415 | GL | CT | 25-JAN-89 | GL | MU | | CT |
| A | | MIL-D-44165A | DRAWERS, COLD WEATHER, POLYPROPYLENE USER: 45 REVIEWER: MC MD | A | 8415 | GL | CT | 25-JAN-89 | GL | MU | | CT |
| | L | MIL-E-44166A | EXTRACTOR, LAUNDRY: HEAVY DUTY, TOP LOADING, TRAILER MOUNTED | A | 3510 | GL | GL | 22-DEC-86 | GL | | | |
| | L | MIL-W-44167B | WASHING MACHINE, LAUNDRY: OPEN END TYPE, TRAILER MOUNTED REVIEWER: TR | A | 3510 | GL | GL | 21-FEB-92 | GL | | | |
| A | | MIL-B-44168A | BAG, CARRYING, PROTECTIVE ENSEMBLE, NUCLEAR, BIOLOGICAL, CHEMICAL (NBC) USER: 82 REVIEWER: MD | A | 8465 | GL | CT | 04-MAY-88 | GL | MU | | CT |
| A | | MIL-S-44170A | SPAGHETTI AND MEAT, WITH SAUCE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-C-44174A | CHILI CON CARNE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-C-44175A | CORN, BUTTERED, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-H-44176A | HOMINY GRITS WITH CHEESE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-P-44182A | POTATOES, MASHED, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-C-44187B | CLOTH, LAMINATED, WATERPROOF AND MOISTURE VAPOR PERMEABLE REVIEWER: MC MD | A | 8305 | CT | GL | 31-MAR-88 | GL | MU | | CT |
| A | | MIL-P-44188C | PARKA, COLD WEATHER, CAMOUFLAGE REVIEWER: MC MD | A | 8415 | CT | GL | 12-JUN-91 | GL | MU | | CT |
| A | | MIL-T-44189C | TROUSERS, COLD WEATHER, CAMOUFLAGE REVIEWER: MC MD | A | 8415 | CT | GL | 08-MAY-91 | GL | MU | | CT |
| | | MIL-L-44190 | LOBSTER TAIL, SPINY, RAW, FROZEN REVIEWER: MC MD MS SS TS | A | 8905 | GL | GL | 27-JUN-85 | GL | SA | 50 | |
| A | | MIL-O-44191A(1) | OVERALLS, COLD WEATHER, SYNTHETIC FIBER PILE | A | 8415 | CT | GL | 01-MAY-91 | GL | MU | | CT |
| | | MIL-C-44192A | CONTAINER, SHIPPING AND STORAGE, COAT (HANGER PACK) REVIEWER: 84 99 CT | A | 8115 | GL | GL | 18-JUL-90 | GL | SA | 69 | |
| A | | MIL-B-44194A | BODY ARMOR, FRAGMENTATION PROTECTIVE, UNDERGARMENT, COMBAT VEHICLE CREWMEN'S USER: 45 REVIEWER: 82 MD | A | 8470 | CT | GL | 04-APR-90 | GL | MC | 99 | CT |
| | | MIL-S-44195A | SHELTER, TACTICAL, EXPANDABLE, TWO-SIDE REVIEWER: 80 | A | 5411 | GL | GL | 30-JUL-91 | GL | MC | 99 | |
| | | MIL-S-44196A | SHELTER, TACTICAL, NON-EXPANDABLE REVIEWER: TR | A | 5411 | GL | GL | 26-SEP-91 | GL | MC | 99 | |
| | | MIL-S-44197A | SHELTER, TACTICAL, EXPANDABLE, ONE-SIDE REVIEWER: 80 | A | 5411 | GL | GL | 30-JUL-91 | GL | MC | 99 | |
| A | L | MIL-P-44198 | POCKET,AMMUNITION MAGAZINE, 9MM (TWO CLIP) | A | 8465 | CT | GL | 16-OCT-85 | GL | | | CT |
| | | MIL-B-44199 | BANDOLEER XM 86 MINE | A | 1345 | GL | GL | 04-NOV-85 | GL | | | |
| | | MIL-E-44200A | ESCALLOPED POTATOES WITH HAM, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD MS SS TS | A | 8940 | GL | GL | 26-OCT-88 | GL | SA | 50 | |
| | | MIL-P-44201A | PORK WITH RICE IN BARBEQUE SAUCE - SMOKE FLAVORING ADDED, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 31-OCT-88 | GL | SA | 50 | |
| | | MIL-O-44202A | OMELET WITH HAM, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 14-OCT-88 | GL | SA | 50 | |
| A | | MIL-M-44203B | MEATBALLS, BEEF AND RICE, IN SPICY TOMATO SAUCE, SMOKE FLAVORING ADDED, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 23-JUL-92 | GL | SA | 50 | |
| | | MIL-C-44204A | CORNED BEEF HASH, THERMOSTABILIZED, FOR MEAL READY-TO-EAT REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 14-OCT-88 | GL | SA | 50 | |
| | | MIL-S-44205A | SPAGHETTI WITH MEAT AND SAUCE, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 30-DEC-88 | GL | SA | 50 | |
| | | MIL-P-44206B | POTATOES AU GRATIN, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 13-OCT-88 | GL | SA | 50 | |
| | | MIL-T-44208A | TUNA WITH NOODLES, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 13-OCT-88 | GL | SA | 50 | |
| | | MIL-C-44209A | CHICKEN STEW, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 03-APR-89 | GL | SA | 50 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Opt. / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-C-44210A | CHICKEN AND RICE, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS | A | 8940 | GL | | 03-APR-89 | GL | SA | 50 | |
| A | L | | MIL-C-44211A(1) | COATS, MEN'S, TROPICAL AND SERGE, POLYESTER/WOOL, ARMY GREEN 489, FUSIBLE REVIEWER: MD | A | 8405 | CT | | 05-OCT-90 | GL | | | CT |
| A | L | | MIL-S-44212A | SWEATSHIRT, HOODED, PHYSICAL FITNESS UNIFORM (PFU) REVIEWER: MD | A | 8415 | CT | | 23-FEB-89 | GL | | | CT |
| A | L | | MIL-T-44213A | TRUNKS, PHYSICAL FITNESS UNIFORM (PFU) | A | 8415 | CT | | 26-JAN-89 | GL | | | CT |
| A | L | | MIL-T-44214A | T-SHIRT, PHYSICAL FITNESS UNIFORM (PFU) REVIEWER: MD | A | 8415 | CT | | 26-JAN-89 | GL | | | CT |
| A | L | | MIL-S-44215A | SWEATPANTS, PHYSICAL FITNESS UNIFORM (PFU) REVIEWER: MD | A | 8415 | CT | | 23-FEB-89 | GL | | | CT |
| A | | | MIL-C-44216A | CANTEEN, WATER, COLLAPSIBLE, 5-QUART CAPACITY | A | 8465 | CT | | 30-JUN-89 | GL | MU | | CT |
| D | | | MIL-C-44217A | CAP, WATER CANTEEN, 5-QUART, COLLAPSIBLE USER: MC YD1 REVIEWER: MD | A | 8465 | CT | | 15-NOV-89 | GL | MU | | CT |
| A | | | MIL-C-44218 | CARRIER AND CANTEEN/COLLAPSIBLE, 5-QUART CAPACITY | A | 8465 | CT | | 28-JAN-86 | GL | | | CT |
| A | | | MIL-C-44219 | CARRIER CANTEEN, COLLAPSIBLE, 5-QUART CAPACITY | A | 8465 | CT | | 28-JAN-86 | GL | | | CT |
| A | L | | MIL-S-44220A | SLEEPING BAG, COLD WEATHER AIRCRAFT SURVIVAL KIT (VACUUM PACKED) REVIEWER: MD | A | 8465 | CT | | 16-JUN-89 | GL | | | CT |
| A | | | MIL-S-44221A | STAND, CANTEEN CUP REVIEWER: MD | A | 8465 | CT | | 03-MAR-89 | GL | SA | 99 | CT |
| A | | | MIL-T-44222A | TENT LINER SECTIONS: INSULATED (TEMPER) REVIEWER: MD | A | 8340 | CT | | 01-MAR-91 | GL | MU | | CT |
| | L | | MIL-C-44223 | COVER, PROTECTIVE, MINE DISPENSER REVIEWER: AR | A | 1095 | GL | | 05-MAY-86 | GL | | | |
| | | | MIL-B-44224B | BEEF IN BARBECUE SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 20-SEP-90 | GL | SA | 50 | |
| | | | MIL-R-44226B | RICE, SPANISH, FLAVORED WITH BACON, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | | 31-DEC-90 | GL | SA | 50 | |
| | | | MIL-B-44228A | BEEF STRIPS WITH GREEN PEPPERS & GRAVY, THERMOSTABILIZED, TRAY PACK - REVIEWER: MC MD MS SS TS | A | 8940 | GL | | 02-JUN-88 | GL | SA | 50 | |
| | | | MIL-B-44229B | BEEF AND CARROTS IN GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 27-SEP-90 | GL | SA | 50 | |
| | | | MIL-B-44230B | BEEF CHUNKS WITH GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 28-MAR-90 | GL | SA | 50 | |
| | | | MIL-E-44231B | ESCALLOPED POTATOES, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 04-APR-90 | GL | SA | 50 | |
| | | | MIL-B-44232B | BACON, CANADIAN-STYLE, CURED, SMOKED, SLICED, IN BRINE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8905 | GL | | 29-NOV-91 | GL | SA | 50 | |
| | | | MIL-P-44233B | PORK SLICES WITH GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 09-APR-90 | GL | SA | 50 | |
| | | | MIL-P-44234A | POTATOES, DICED IN BUTTER SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS | A | 8940 | GL | | 30-JUN-89 | GL | SA | 50 | |
| | | | MIL-C-44235A | CAKES, CANNED, THERMOHYDROSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS | A | 8920 | GL | | 08-JAN-88 | GL | SA | 50 | |
| A | | | MIL-C-44236 | CLOTH, KNITTED, ARAMID, BI-PLY REVIEWER: 82 MC MD | A | 8305 | CT | | 27-AUG-86 | GL | MU | 99 | CT |
| | | | MIL-T-44237B | TURKEY SLICES WITH GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 30-JUN-91 | GL | SA | 50 | |
| | | | MIL-O-44238A | OMELET WITH SMOKED SAUSAGE AND POTATOES, ARTIFICIALLY COLORED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS | A | 8940 | GL | | 14-OCT-88 | GL | SA | 50 | |
| | | | MIL-P-44239B | POTATOES WITH BACON PIECES IN SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 27-NOV-90 | GL | SA | 50 | |
| | | | MIL-P-44241B | POTATOES, SWEET, GLAZED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 28-NOV-90 | GL | SA | 50 | |
| | | | MIL-P-44242B | PORK AND BEANS, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 08-MAY-90 | GL | SA | 50 | |
| A | | | MIL-T-44243A(1) | TENT SECTIONS, TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER) USER: MC REVIEWER: MD | A | 8340 | CT | | 24-FEB-92 | GL | MU | | CT |
| | | | MIL-C-44244B | CHILI CON CARNE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 31-MAR-92 | GL | SA | 50 | |
| | | | MIL-B-44245B | BEANS, GREEN, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8915 | GL | | 30-MAR-90 | GL | SA | 50 | |
| | | | MIL-C-44246B | CHICKEN SLICES IN GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 19-JUN-90 | GL | SA | 50 | |
| | L | | MIL-P-44247(1) | PACK, PARACHUTIST'S, AT4 ROCKET | A | 1670 | GL | | 05-JUN-89 | GL | | | |
| | | | MIL-O-44248A | OMELET WITH BACON AND CHEESE, ARTIFICIALLY COLORED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | | 25-NOV-88 | GL | SA | 50 | |
| | | | MIL-B-44249A | BREAD PUDDING, IMITATION MAPLE FLAVORED, WITH, THERMOSTABLIZED, TRAY PACK REVIEWER: MC MD MS SS TS | A | 8920 | GL | | 17-JUL-88 | GL | SA | 50 | |
| | | | MIL-O-44250A | OMELET WITH BACON PIECES, ARTIFICIALLY COLORED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS | A | 8940 | GL | | 30-MAR-89 | GL | SA | 50 | |
| D | | | MIL-F-44251A | FRAME SECTIONS, TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER) USER: 45 YD1 REVIEWER: 82 | A | 8340 | CT | | 20-FEB-90 | GL | MU | 99 | CT |
| | | | MIL-C-44253A | CORNED BEEF HASH, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS | A | 8940 | GL | | 14-OCT-88 | GL | SA | 50 | |
| | | | MIL-S-44254B | SCRAMBLED EGGS WITH CHEESE, WESTERN-STYLE, ARTIFICIALLY COLORED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 31-DEC-90 | GL | SA | 50 | |
| | | | MIL-A-44255B | APPLE DESSERT, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 30-SEP-91 | GL | SA | 50 | |
| | | | MIL-B-44256C | BLUEBERRY DESSERT, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 05-DEC-90 | GL | SA | 50 | |
| | | | MIL-E-44258A | ELECTRICAL DISTRIBUTION ASSEMBLIES FOR TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER) REVIEWER: 82 GS | A | 6150 | GL | | 30-MAR-90 | GL | | 99 | |
| | | | MIL-L-44259C | LIGHT SET, PORTABLE, FLUORESCENT REVIEWER: 82 GS | A | 6230 | GL | | 19-NOV-90 | GL | | 99 | |
| | L | | MIL-L-00442598(1) | LIGHT SET, PORTABLE, FLUORESCENT | A | 6230 | GL | | 05-APR-90 | GL | | | |
| | | | MIL-P-44260B | PEAS AND MUSHROOMS, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8915 | GL | | 28-DEC-90 | GL | SA | 50 | |
| | | | MIL-V-44261B | VEGETABLES, MIXED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8915 | GL | | 09-APR-90 | GL | SA | 50 | |
| | | | MIL-C-44262A | CARROTS, SLICED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8915 | GL | | 05-JAN-89 | GL | SA | 50 | |
| A | | | MIL-C-44263 | CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE AND FLAME RESISTANT (WT. 3.4 OZ) USER: 45 REVIEWER: 82 99 MC MD | A | 8305 | CT | | 30-SEP-86 | GL | MU | 11 | CT |
| A | | | MIL-A-44264 | ADAPTER KIT, M-1 CAP: FOR CANTEEN, WATER, INSULATED USER: 45 REVIEWER: 82 MC MD | A | 8465 | CT | | 17-DEC-86 | GL | MU | 99 | CT |
| A | | | MIL-H-44265A | HOOD, COMBAT VEHICLE CREWMEN'S, (BALACLAVA) USER: 45 MC REVIEWER: 82 MD | A | 8415 | CT | | 05-FEB-90 | GL | MU | 99 | CT |
| A | | | MIL-B-44266B | BODY ARMOR, TROUSERS, EXPLOSIVE ORDNANCE DISPOSAL (EOD) SYSTEM REVIEWER: 82 MD | A | 8470 | CT | | 10-JAN-91 | GL | | 99 | CT |
| | | | MIL-C-44268A | CARROTS, GLAZED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | | 10-JAN-89 | GL | SA | 50 | |
| | | | MIL-C-44269B | CHERRY DESSERT, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 30-JUN-91 | GL | SA | 50 | |
| A | | | MIL-C-44270 | CLOTH, POLYESTER/ COTTON, FOR HOSPITAL DUTY UNIFORM (HDU) REVIEWER: 82 MD | A | 8305 | CT | | 16-MAR-87 | GL | MU | 99 | CT |
| A | | | MIL-T-44271A | TENTS, EXTENDABLE, MODULAR, PERSONNEL (TEMPER), ASSEMBLY COMPONENTS REVIEWER: MC | A | 8340 | CT | | 24-FEB-92 | GL | MU | | CT |
| | | | MIL-F-44272 | FLAVORING, FRUIT, IODINE COMPATIBLE REVIEWER: MC MD MS SS TS | A | 8960 | GL | | 05-MAY-87 | GL | SA | 50 | |
| A | | | MIL-C-44273 | CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE, AND FLAME RESISTANT (4.6 OZ) USER: MC REVIEWER: 99 MD | A | 8305 | CT | | 01-JUN-87 | GL | MU | 11 | CT |
| A | | | MIL-C-44273(12) | CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE, AND FLAME RESISTANT | A | 8305 | CT | | 17-MAR-92 | GL | | | CT |
| | | | MIL-R-44274A | RICE, WHITE, THERMOSTABILIZED, TRAY PACK | A | 8920 | GL | | 07-APR-89 | GL | SA | 50 | |
| A | | | MIL-B-44275A | BAKERY MIXES, PREPARED REVIEWER: MC MD MS QM SS | A | 8920 | GL | | 21-SEP-92 | GL | SA | 50 | |
| | L | | MIL-P-44276 | PACKAGING OF RATION COLD WEATHER COMPONENTS (IN POUCHES) REVIEWER: 50 MC MD SA TS | A | 89GP | GL | | 30-SEP-87 | GL | | | |
| | L | | MIL-R-44277A | RATION, COLD WEATHER, ASSEMBLY OF REVIEWER: 50 MC MD QM SA SS | A | 8970 | GL | | 15-NOV-90 | GL | | | |
| | | | MIL-O-44278A | OATMEAL, INSTANT (OPERATIONAL RATION COMPONENT) | A | 8920 | GL | | 01-MAY-89 | GL | SA | 50 | |
| | L | | MIL-F-44279 | FRUIT BARS (OPERATIONAL RATION COMPONENTS) REVIEWER: 50 MC MD MS SA SS TS | A | 8920 | GL | | 06-AUG-87 | GL | | | |
| | L | | MIL-N-44280 | NUT RAISIN MIX (OPERATIONAL RATION COMPONENT | A | 8925 | GL | | 10-AUG-87 | GL | | | |
| | L | | MIL-B-44281 | BEVERAGE BASE, POWER, APPLE CIDER, NATURAL & ARTIFICIAL FLAVORED (OPERATIONAL RATION COMPONENT) REVIEWER: 50 MC MD MS SA SS TS | A | 8960 | GL | | 06-AUG-87 | GL | | | |
| | L | | MIL-F-44282 | FRUIT SOUP, ARTIFICIALLY FLAVORED (OPERATIONAL RATION COMPONENT) | A | 8915 | GL | | 25-JUN-87 | GL | | | |
| | L | | MIL-T-44284 | TEA MIX, INSTANT, SWEETENED, LEMON FLAVORED - (OPERATIONAL RATION COMPONENT) | A | 8955 | GL | | 28-SEP-87 | | | | |
| A | | | MIL-D-44285 | DOORS, DOUBLE BUMP THROUGH USER: MC MS REVIEWER: MD | A | 8340 | CT | | 24-JUN-87 | GL | MU | 99 | CT |
| | | | MIL-B-44286A | BEEF, ROAST, CHUNKED AND FORMED WITH MUSHROOM GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 15-FEB-90 | GL | SA | 50 | |
| | | | MIL-P-44287B | PEAS AND CARROTS, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8915 | GL | | 15-JAN-91 | GL | SA | 50 | |
| | | | MIL-C-44288A | CHICKEN STEW, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS | A | 8940 | GL | | 14-OCT-88 | GL | SA | 50 | |
| | | | MIL-C-44289A | CHICKEN A LA KING, THERMOSTABILIZED, TRAY PACK | A | 8940 | GL | | 14-OCT-88 | GL | SA | 50 | |
| A | | | MIL-S-44290 | SMOCK, MAN'S: HOSPITAL DUTY UNIFORM (HDU) REVIEWER: 82 99 MD | A | 8405 | CT | | 30-JUN-87 | GL | | 11 | CT |

| Action | Obsolete / Cancellation / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-T-44291 | TROUSERS, MAN'S: HOSPITAL DUTY UNIFORM (HDU) REVIEWER: 82 99 MD | A | 8405 | CT | GL | 30-JUN-87 | | 11 | CT | |
| A | | MIL-S-44292A | SLACKS, WOMAN'S, HOSPITAL DUTY UNIFORM (HDU) REVIEWER: 82 99 MD | A | 8410 | CT | GL | 30-MAR-90 | | 11 | CT | |
| A | | MIL-T-44293A | TUNIC, WOMAN'S, HOSPITAL DUTY UNIFORM (HDU) USER: 45 REVIEWER: 82 99 MD | A | 8410 | CT | GL | 30-MAR-90 | | 11 | CT | |
| | | MIL-B-44294A | BEEF STEW, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS | A | 8940 | GL | GL | 30-JUN-89 | GL | SA | 50 | |
| | | MIL-C-44295A | CHICKEN BREAST MEAT IN GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 26-JUN-90 | GL | SA | 50 | |
| A | | MIL-C-44296A | CLOTH, FUSIBLES REVIEWER: 82 99 CG MC MD | A | 8305 | CT | GL | 06-SEP-90 | GL | MU | 11 | CT |
| | | MIL-F-44297 | FRANKFURTERS IN BRINE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8905 | GL | GL | 24-SEP-87 | GL | SA | 50 | |
| | | MIL-H-44298A | HAM SLICES IN BRINE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8905 | GL | GL | 09-APR-90 | GL | SA | 50 | |
| A | | MIL-L-44299A | LINER, COMBAT VEHICLE CREWMEN'S COVERALL REVIEWER: MC MD | A | 8415 | CT | GL | 13-JUN-90 | GL | MU | | CT |
| A | | MIL-S-44300 | SKI, MILITARY, ALL RAIN USER: MC REVIEWER: 82 | A | 8465 | CT | GL | 08-OCT-87 | GL | MU | 99 | CT |
| | | MIL-I-44301 | INK, MARKING, DRY FOIL, FOR NAME TAPES REVIEWER: 84 MD | A | 7510 | GL | GL | 21-OCT-87 | GL | | 99 | |
| A | | MIL-H-44302 | HOOD, BALACLAVA, EXTENDED COLD WEATHER USER: 45 MC REVIEWER: 82 MD | A | 8415 | CT | GL | 27-OCT-87 | GL | MU | 99 | CT |
| | | MIL-C-44303 | CLOTH, POROUS, LAMINATED FABRIC SYSTEM USER: MS REVIEWER: CT EA | A | 8305 | MD | GL | 30-JUN-88 | MD | AV | | |
| M | | MIL-C-44304A | CLOTH, COATED: CLOTH, LAMINATED, CHEMICAL PROTECTIVE REVIEWER: 82 99 EA GL | A | 8305 | CT | GL | 28-MAY-93 | MD | MU | 11 | CT |
| | | MIL-P-44305 | PLASTIC FILM, FLEXIBLE, POLYAMIDE AND POLYETHYLENE REVIEWER: MR | A | 9330 | MD | GL | 13-JUN-88 | MD | SH | 99 | |
| A | | MIL-B-44306B | BAG, STUFF, SLEEPING SYSTEM USER: 45 REVIEWER: 82 MC MD | A | 8465 | CT | GL | 30-SEP-91 | GL | | 99 | CT |
| A | | MIL-C-44307B | COVER, BIVY, EXTREME AND INTERMEDIATE COLD WEATHER SLEEPING SYSTEMS | A | 8465 | CT | GL | 15-JAN-91 | GL | | 99 | CT |
| A | L | MIL-H-44308A | HOOD AND SOCKS, EXTREME COLD WEATHER SLEEPING SYSTEM (ECWSS) | A | 8465 | CT | GL | 27-APR-88 | GL | | | CT |
| A | | MIL-S-44309B | SLEEPING BAGS, FOR SLEEPING SYSTEMS USER: 45 REVIEWER: 82 MC MD | A | 8465 | CT | GL | 05-SEP-91 | GL | | 99 | CT |
| | | MIL-M-44310A | MEATBALLS WITH RICE, AND CABBAGE, IN TOMATO SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-MAR-90 | GL | SA | 50 | |
| | | MIL-P-44311A | PORK SAUSAGE LINKS IN BRINE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8905 | GL | GL | 30-MAR-90 | GL | SA | 50 | |
| | | MIL-M-44312 | MILK, DRY, SUBSTITUTE, LOWFAT REVIEWER: MC MD SS TS | A | 8910 | GL | GL | 09-DEC-87 | GL | SA | 50 | |
| | L | MIL-C-44313 | COVER, CHEMICAL PROTECTIVE, PATIENT WRAP REVIEWER: CT MD | A | 8415 | GL | GL | 30-JUN-88 | GL | | | |
| A | | MIL-B-44314 | BODY ARMOR, SMALL ARMS PROTECTIVE, AIRCREWMAN USER: 45 | A | 8470 | CT | GL | 30-DEC-87 | GL | | 11 | CT |
| A | L | MIL-B-44315(1) | BODY ARMOR, CHEST PLATE AND FACE SHIELD, EXPLOSIVE ORDNANCE DISPOSAL | A | 8470 | CT | GL | 28-OCT-88 | GL | | | CT |
| | | MIL-M-44316 | MEATBALLS, SWEDISH, WITH BROWN GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 31-DEC-87 | GL | SA | 50 | |
| A | | MIL-C-44317A | CLOTH, LAMINATED, NYLON, WATER REPELLENT TREATED: FOR INDIVIDUAL MULTIPURPOSE SHELTER (IMPS) REVIEWER: 82 | A | 8305 | CT | GL | 24-AUG-88 | GL | | 99 | CT |
| | L | MIL-P-44318 | PEACH, SEMI-SOLID, THERMOSTABILIZED TUBE PACK REVIEWER: 50 MC MD SA SS TS | A | 8915 | GL | GL | 19-FEB-88 | GL | | | |
| | L | MIL-P-44319 | PEAR, SEMI-SOLID, THERMOSTABILIZED TUBE PACK REVIEWER: 50 MC MD SA SS TS | A | 8915 | GL | GL | 19-FEB-88 | GL | | | |
| | | MIL-P-44320 | PACKAGING & PROCESSING OF FOODS IN COLLAPSIBLE CONTAINERS (TUBES) REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 24-MAR-88 | GL | SA | 50 | |
| | | MIL-A-44321 | APPLESAUCE, SEMI-SOLID, THERMOSTABILIZED TUBE PACK REVIEWER: 50 MC MD SA SS TS | A | 8940 | GL | GL | 19-FEB-88 | GL | | | |
| | L | MIL-A-44322 | APPLE PIE, SEMI-SOLID, THERMOSTABILIZED TUBE PACK | A | 8940 | GL | GL | 19-FEB-88 | GL | | | |
| A | | MIL-V-44323A(1) | VEST, TACTICAL LOAD BEARING USER: 45 REVIEWER: 82 MD | A | 8415 | CT | GL | 31-JAN-89 | GL | MU | 99 | CT |
| A | L | MIL-F-44324A | FIELD PACK, LARGE, WITH INTERNAL FRAME; &, PACK, PATROL, COMBAT | A | 8465 | CT | GL | 15-APR-88 | | | | CT |
| | | MIL-P-44326A | PORK IN BARBECUE SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 09-APR-90 | GL | SA | 50 | |
| | | MIL-O-44327 | OMELET WITH HAM, ARTIFICIALLY COLORED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 04-MAR-88 | GL | SA | 50 | |
| | | MIL-C-44328A | CHICKEN CACCIATORE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 11-JUL-90 | GL | SA | 50 | |
| | L | MIL-K-44329 | KITCHEN, FIELD, MODULAR REVIEWER: MD TS | A | 7360 | GL | GL | 25-NOV-88 | GL | | | |
| | L | MIL-F-44330 | FOOD SANITATION CENTER, FOR USE WITH FIELD KITCHENS | A | 7360 | GL | GL | 28-NOV-88 | GL | | | |
| | | MIL-M-44331 | MACARONI WITH BEEF & SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 15-APR-88 | GL | SA | 50 | |
| A | | MIL-B-44332 | BAG, CARRYING, PROTECTIVE SUIT, EXPLOSIVE ORDINANCE DEVICE (EOD) | A | 8465 | CT | | 12-APR-88 | | | | CT |
| | | MIL-L-44333A | LASAGNA, WITH MEAT SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-APR-90 | GL | SA | 50 | |
| | | MIL-M-44335 | MACARONI SALAD, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 29-APR-88 | GL | SA | 50 | |
| | | MIL-B-44337A | BEEF, GROUND, CREAMED, THERMOSTABILIZED, TRAY PACK REVIEWER: MD QM SS | A | 8940 | GL | GL | 06-JUN-91 | GL | SA | 50 | |
| | | MIL-C-44338A | CORN, WHOLE KERNEL, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8915 | GL | GL | 27-NOV-90 | GL | SA | 50 | |
| | | MIL-C-44339A | CORN, SWEET, CREAM STYLE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8915 | GL | GL | 27-NOV-90 | GL | SA | 50 | |
| | | MIL-C-44340 | CAN, TRAY PACK REVIEWER: 50 MC MD SA SS TS | A | 8110 | GL | GL | 29-JUN-88 | | | | |
| | | MIL-S-44341 | SPAGHETTI WITH MEATBALLS IN SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC SS TS | A | 8940 | GL | GL | 15-JUL-88 | GL | SA | 50 | |
| | | MIL-M-44342 | MACARONI AND CHEESE, ARTIFICIALLY COLORED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 29-DEC-88 | GL | SA | 50 | |
| | L | MIL-M-44343A | MEAL MODULE, TRAY PACK, 18-SOLDIER, ASSEMBLY OF REVIEWER: 50 MC MD QM SA SS | A | 8970 | GL | GL | 30-APR-90 | GL | | | |
| D | | MIL-S-44344 | STOVE, MULTIFUEL SQUAD USER: MC REVIEWER: GS MD TS | A | 7310 | GL | GL | 28-JUN-89 | GL | YD1 | | |
| | | MIL-M-44345 | MEATLOAF WITH MUSHROOM GRAVY, THERMOSTABILIZED, TRAY PACK | A | 8940 | GL | GL | 15-JUL-88 | GL | SA | 50 | |
| A | L | MIL-B-44346 | BATTERY, SYNTHETIC FIBER, MEDIUM DENSITY | A | 8320 | CT | GL | 24-MAY-89 | GL | | | CT |
| A | L | MIL-C-44347 | CARRIER, WATER CANTEEN, COLD WEATHER, CRS REVIEWER: MD | A | 8465 | CT | GL | 17-NOV-88 | GL | | | CT |
| A | L | MIL-C-44348 | CANTEEN, WATER, COLD WEATHER, CRS | A | 8465 | CT | GL | 13-DEC-88 | GL | | | CT |
| A | L | MIL-C-44349 | CUP, WATER CANTEEN, COLD WEATHER, CRS | A | 8465 | CT | GL | 09-DEC-88 | GL | | | CT |
| | L | MIL-C-44350 | CLAM CHOWDER, MANHATTAN STYLE, SEMI-SOLID, TUBE PACK | A | 8935 | GL | GL | 19-SEP-88 | GL | | | |
| | | MIL-B-44351 | BREAD PUDDING, IMITATION MAPLE FLAVORED, WITH SMOKED SAUSAGE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 30-SEP-88 | GL | SA | 50 | |
| A | | MIL-B-44353A | BEEF PATTIES IN BROTH, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-P-44354 | RUFF, PARKA, EXTENDED COLD WEATHER REVIEWER: 82 MD | A | 8415 | CT | GL | 27-SEP-88 | GL | MU | 99 | CT |
| | L | MIL-S-44355 | SIGN MAKING KIT, PORTABLE | A | 9905 | GL | GL | 28-OCT-88 | GL | | | |
| A | | MIL-C-44356A | COAT AND TROUSERS, CHEMICAL PROTECTIVE, AIRCREW, FLAME RESISTANT REVIEWER: MC MD | A | 8415 | CT | GL | 11-MAR-92 | GL | MU | | CT |
| | L | MIL-C-44356(11) | COAT AND TROUSERS, CHEMICAL PROTECTIVE, AIRCREW, FLAME RESISTANT | A | 8415 | GL | GL | 03-OCT-90 | GL | | | |
| | L | MIL-H-44357 | HEATER, RATION, INDIVIDUAL MOUNTED TROOPS REVIEWER: MD | A | 7310 | GL | GL | 29-JUN-89 | GL | | | |
| A | | MIL-C-44358A | COVER, INDIVIDUAL, CAMOUFLAGE USER: 45 REVIEWER: 82 MD | A | 8415 | CT | GL | 07-MAY-91 | GL | MU | 99 | CT |
| | | MIL-B-44359 | BUNS, HAMBURGER, SHELF STABLE REVIEWER: MC MD SS TS | A | 8920 | GL | GL | 17-FEB-89 | GL | SA | 50 | |
| A | | MIL-B-44360A | BREAD, SHELF STABLE, FOR MEAL, READY-TO-EAT REVIEWER: MC MD QM SS | A | 8920 | GL | GL | 11-MAR-93 | GL | SA | 50 | |
| A | L | MIL-S-44361 | SLEEPING BAG SYSTEM, FOR EXTREME COLD WEATHER (ECWSS) | A | 8465 | CT | GL | 21-FEB-89 | GL | | | CT |
| A | L | MIL-V-44362(1) | VEST, GRENADE, CARRIER (FOR 40-MM GRENADES) REVIEWER: MD | A | 8415 | CT | GL | 10-JAN-91 | GL | | | CT |
| | | MIL-P-44363A | POTATOES WITH SMOKED SAUSAGES IN GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 31-DEC-90 | GL | SA | 50 | |
| | | MIL-C-44364 | CHICKEN AND NOODLES, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 10-APR-89 | GL | SA | 50 | |
| | | MIL-P-44365 | PUDDING, CHOCOLATE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 31-MAR-89 | GL | SA | 50 | |
| A | L | MIL-S-44366A | SPECTACLES, PROTECTIVE, LASER, BALLISTIC | A | 8465 | CT | GL | 23-APR-91 | GL | | | CT |
| | | MIL-F-44367 | FOOD PACKET, SUPPLEMENTAL, FOR MEAL, READY-TO-EAT, INDIVIDUAL, ASSEMBLY OF REVIEWER: MC MD SS TS | A | 8970 | GL | GL | 27-APR-89 | GL | SA | 50 | |
| | | MIL-O-44368 | OPENER, CAN, HAND, FOR TRAY PACKS AND ROUND CANS REVIEWER: 84 GS MC MD TS | A | 7330 | GL | GL | 29-JUN-89 | GL | SA | 99 | |
| A | | MIL-P-44369 | PROTECTOR, BLANKET (TOW) REVIEWER: MC | A | 8470 | CT | GL | 13-JUN-89 | GL | MU | | CT |
| A | | MIL-G-44370 | GAITERS, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) REVIEWER: MC MD | A | 8415 | CT | GL | 12-MAY-89 | GL | MU | | CT |
| A | | MIL-C-44371A | COAT, AIRCREW, COMBAT USER: 45 MC REVIEWER: 82 MD | A | 8415 | CT | GL | 30-SEP-91 | GL | MU | 99 | CT |
| | L | MIL-C-44371(12) | COAT, AIRCREW, CAMOUFLAGE PATTERN, COMBAT | A | 8415 | GL | GL | 23-OCT-90 | GL | | | |
| A | | MIL-T-44372A | TROUSERS, AIRCREW, COMBAT USER: 45 MC REVIEWER: 82 MD | A | 8415 | CT | GL | 30-SEP-91 | GL | MU | 99 | CT |
| | L | MIL-T-44372(12) | TROUSERS, AIRCREW, CAMOUFLAGE PATTERN, COMBAT | A | 8415 | GL | GL | 23-OCT-90 | GL | | | |
| | | MIL-P-44373 | PEPPERS, GREEN, HALVES, STUFFED WITH BEEF AND RICE IN SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS | A | 8940 | GL | GL | 19-JUN-89 | GL | SA | 50 | |
| A | | MIL-B-44374 | BINDING ASSEMBLY, SNOWSHOE, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) USER: 45 MC REVIEWER: 82 ES MD | A | 8465 | CT | GL | 06-SEP-89 | GL | MU | 99 | CT |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-R-44375 | REPAIR KIT, SKI, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) USER: MD | A | 8465 | CT | GL | 30-JUN-89 | MC | | | CT |
| A | | MIL-P-44376 | POLE, SKI, ALUMINUM SHAFT, ADJUSTABLE, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) REVIEWER: 82 MD | A | 8465 | CT | GL | 01-AUG-89 | MC | 99 | | CT |
| A | | MIL-S-44377 | SNOWSHOE, TRAIL, MAGNESIUM, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) USER: 45 MC REVIEWER: 82 MD | A | 8465 | CT | GL | 19-OCT-89 | MU | 99 | | CT |
| A | L | MIL-C-44378 | CLOTH, PARACHUTE, NYLON, LOW PERMEABILITY | A | 8305 | CT | GL | 30-JUN-89 | GL | | | CT |
| A | L | MIL-C-44379(1) | COATS, WOMAN'S, CLASSIC DESIGN, POLYESTER/WOOL, ARMY GREEN 489, FUSIBLE REVIEWER: MD | A | 8410 | CT | GL | 05-OCT-90 | GL | | | CT |
| A | L | MIL-C-44380(1) | CLIMBERS' EQUIPMENT SET, SPECIAL OPERATIONS FORCES MOUNTAINEERING EQUIPMENT (SOFME) | A | 8465 | CT | GL | 23-FEB-90 | GL | | | CT |
| | L | MIL-B-44381(1) | BOARD, MAP, COMPLEXING (SICPS) | A | 7195 | GL | GL | 05-FEB-90 | GL | | | |
| | L | MIL-T-44382(1) | TABLE, FIELD, FOLDING LEGS, METAL | A | 7195 | GL | GL | 05-APR-90 | GL | | | |
| D | | MIL-C-44383 | CRADLE, MILITARY FUEL CAN, FIVE GALLON / TWENTY LITER | A | 7240 | GL | GL | 07-NOV-89 | GL | YD1 | 99 | |
| A | | MIL-S-44384(1) | SUIT, CONTAMINATION AVOIDANCE, LIQUID PROTECTION (SCALP) REVIEWER: 11 82 EA MD | A | 8415 | CT | GL | 08-MAY-90 | GL | | 99 | CT |
| | L | MIL-S-0044384A | SUIT, CONTAMINATION AVOIDANCE, LIQUID PROTECTION (SCALP) | A | 8415 | GL | GL | 08-JAN-91 | GL | | | |
| A | | MIL-S-44385 | SUIT, PARACHUTISTS, ROUGH TERRAIN REVIEWER: 11 82 MD | A | 8415 | CT | GL | 22-NOV-89 | GL | MU | 99 | CT |
| | L | MIL-R-44386 | RATION LIGHTWEIGHT, 30-DAY, ASSEMBLY OF REVIEWER: 50 MC MD SA SS | A | 8970 | GL | GL | 29-DEC-89 | GL | | | |
| | L | MIL-E-44387A | ENTREE BARS, RATION LIGHTWEIGHT, 30-DAY REVIEWER: 50 MC MD OM SA SS | A | 8940 | GL | GL | 29-DEC-89 | GL | | | |
| | L | MIL-B-44388 | BREAD CRISP BARS, RATION LIGHTWEIGHT, 30-DAY REVIEWER: 50 MC MD SA SS | A | 8920 | GL | GL | 29-DEC-89 | GL | | | |
| | L | MIL-C-44389 | CEREAL BARS, RATION LIGHTWEIGHT, 30-DAY | A | 8920 | GL | GL | 29-DEC-89 | GL | | | |
| | L | MIL-B-44390 | BEVERAGE BAR, RATION LIGHTWEIGHT, 30-DAY REVIEWER: 50 MC MD SA SS | A | 8960 | GL | GL | 29-DEC-89 | GL | | | |
| | L | MIL-D-44391 | DESSERT BARS, RATION LIGHTWEIGHT, 30-DAY REVIEWER: 50 MC MD SA SS | A | 8940 | GL | GL | 29-DEC-89 | GL | | | |
| | L | MIL-C-44392 | COCOA BEVERAGE BAR, RATION LIGHTWEIGHT, 30-DAY REVIEWER: 50 MC MD SA SS | A | 8940 | GL | GL | 29-DEC-89 | GL | | | |
| | L | MIL-D-44393 | DAIRY BARS, RATION LIGHTWEIGHT, 30-DAY REVIEWER: 50 MC MD SA SS | A | 8940 | GL | GL | 29-DEC-89 | GL | | | |
| | L | MIL-B-44394 | BEEF SNACKS-CURED SAUSAGE, OPERATIONAL RATION COMPONENT REVIEWER: 50 MC MD OM SA SS | A | 8940 | GL | GL | 29-DEC-89 | GL | | | |
| | L | MIL-B-44395 | BAG, PLASTIC (FOR HEATING WATER IN COMBAT VEHICLES) | A | 8105 | GL | GL | 14-DEC-89 | GL | | | |
| A | L | MIL-C-44396 | CLOTH, TWILL, PARA-ARAMID REVIEWER: MD | A | 8305 | CT | GL | 06-FEB-90 | GL | | | CT |
| A | L | MIL-F-44397(1) | FRAME, TENT, (SICPS) | A | 8340 | CT | GL | 05-APR-90 | GL | | | CT |
| | | MIL-R-44398A(1) | RATION SUPPLEMENT, FLAMELESS HEATER, FOR MEAL, READY-TO-EAT REVIEWER: MC MD OM SS | A | 8970 | GL | GL | 19-FEB-92 | GL | SA | 50 | |
| A | L | MIL-T-44400(1) | TENT, FABRIC ASSEMBLIES, STANDARDIZED INTEGRATED COMMAND POST SYSTEM | A | 8340 | CT | GL | 11-FEB-91 | GL | | | CT |
| | L | MIL-P-44401 | PRESS SECTION, MODULAR PRINTING SYSTEM | A | 3610 | GL | GL | 16-FEB-90 | GL | | | |
| | L | MIL-F-44402 | FINISHING SECTION, MODULAR PRINTING SYSTEM | A | 3610 | GL | GL | 16-FEB-90 | GL | | | |
| A | | MIL-P-44403 | PASSAGEWAY, COMPLEXING KIT USER: MC MS REVIEWER: 82 MD | A | 8340 | CT | GL | 16-MAR-90 | GL | MU | 99 | CT |
| | L | MIL-C-44404(1) | COMMAND POST, TENT, STANDARDIZED INTEGRATED COMMAND POST SYSTEM | A | 5410 | GL | GL | 11-FEB-91 | GL | | | |
| A | | MIL-C-44405 | FELT SHEET, POLYESTER, NEEDLE PUNCHED USER: MC OS REVIEWER: 82 MD | A | 8305 | CT | GL | 24-APR-90 | GL | MU | 99 | CT |
| | L | MIL-P-44406 | POUCHES, PLASTIC FILM REVIEWER: CT MD | A | 8105 | GL | GL | 03-MAY-90 | GL | | | |
| A | L | MIL-P-44407 | PACKETS FOR VEST, AIRCREW, SURVIVAL REVIEWER: MD | A | 8465 | CT | GL | 26-FEB-91 | GL | | | CT |
| | L | MIL-S-44408A | SHELTER, NON-EXPANDABLE, RIGID WALL (67 INCHES HIGH BY 84 INCHES WIDE BY 102 INCHES LONG) | A | 5411 | GL | GL | 12-MAR-91 | GL | | | |
| | | MIL-I-44410 | INSECT REPELLENT, CLOTHING APPLICATION, INDIVIDUAL DYNAMIC ABSORPTION APPLICATION (IDAA) KIT REVIEWER: GS MD PM | A | 6840 | GL | GL | 29-JUN-90 | GL | | 68 | |
| | L | MIL-I-44410(11) | INSECT REPELLENT, CLOTHING APPLICATION, INDIVIDUAL DYNAMIC ABSORPTION APPLICATION (IDAA) KIT | A | 6840 | GL | GL | 05-MAR-91 | GL | | | |
| | | MIL-I-44411 | INSECT REPELLANT, PERMETHRIN REVIEWER: EA GS MD PM | A | 6840 | GL | GL | 29-JUN-90 | GL | SH | 68 | |
| | L | MIL-I-44411(11) | INSECT REPELLENT, PERMETHRIN | A | 6840 | GL | GL | 27-FEB-91 | GL | | | |
| D | L | MIL-P-44412 | PACK, PARACHUTIST'S, STINGER MISSILE REVIEWER: AV | A | 8465 | CT | GL | 11-DEC-90 | | | | CT |
| A | | MIL-C-44413 | COVER, NUCLEAR, BIOLOGICAL, AND CHEMICAL PROTECTIVE (NBC-CF) USER: 45 SH REVIEWER: 82 MD | A | 8340 | CT | GL | 09-AUG-90 | GL | MU | 99 | CT |
| | | MIL-D-44414A | DAIRYSHAKE POWDER REVIEWER: MC MD OM SS | A | 8910 | GL | GL | 31-DEC-91 | GL | SA | 50 | |
| | | MIL-I-44415(1) | INSECT REPELLENT, PERSONAL APPLICATION (CREAM LOTION, TUBE) USER: MC MS REVIEWER: GS MD | A | 6840 | GL | GL | 27-FEB-92 | GL | | 68 | |
| A | L | MIL-V-44416 | VEST, AIRCREW, SURVIVAL REVIEWER: MD | A | 8470 | CT | GL | 28-FEB-91 | GL | | | CT |
| A | L | MIL-C-44417 | CARRIER, BODY ARMOR, SMALL ARMS PROTECTIVE, AIRCREW, SURVIVAL REVIEWER: MD | A | 8470 | CT | GL | 21-FEB-91 | GL | | | CT |
| A | L | MIL-B-44418 | BOOT WALL, FABRIC ASSEMBLIES, STANDARDIZED INTEGRATED COMMAND POST SYSTEM (SICPS) REVIEWER: MD | A | 8340 | CT | GL | 28-JUN-91 | GL | | | CT |
| A | | MIL-G-44419 | GLOVES, MEN'S AND WOMEN'S, INTERMEDIATE COLD/WET USER: 45 MC REVIEWER: 11 82 MD | A | 8415 | CT | GL | 09-OCT-90 | GL | MU | 99 | CT |
| A | L | MIL-B-44421 | BODY ARMOR, SMALL ARMS PROTECTIVE, AIRCREW, SURVIVAL REVIEWER: MD | A | 8470 | CT | GL | 21-FEB-91 | GL | | | CT |
| | | MIL-F-44422 | FIBER ROPE ASSEMBLY, INSERTION/EXTRACTION USER: MC REVIEWER: 82 IS | A | 4020 | GL | GL | 27-DEC-90 | GL | SH | 99 | |
| A | L | MIL-F-44423 | CLOTH, COATED, FLAME RESISTANT, LIGHT WEIGHT, REVERSIBLE REVIEWER: MD | A | 8305 | CT | GL | 30-JUL-91 | GL | | | CT |
| A | L | MIL-C-44424 | CLOTH, CHEMICAL PROTECTIVE | A | 8305 | CT | GL | 01-AUG-91 | GL | | | CT |
| A | L | MIL-F-44425 | FRAME SECTION, TENT, FIVE SOLDIER CREW | A | 8340 | CT | GL | 31-JUL-91 | GL | | | CT |
| A | | MIL-B-44426A | BOOTS, INTERMEDIATE COLD/WET REVIEWER: MC MD | A | 8430 | CT | GL | 26-JUN-92 | GL | MU | | CT |
| A | L | MIL-T-44427 | TENT, FIVE SOLDIER CREW | A | 8340 | CT | GL | 29-JUL-91 | GL | | | CT |
| A | | MIL-M-44428A | HOOD, GAS MASK, SPECIAL PURPOSE, TOXICOLOGICAL AGENTS PROTECTIVE, M3 USER: 45 REVIEWER: 11 82 MC MD | A | 8415 | CT | GL | 18-DEC-91 | GL | MU | 99 | CT |
| A | | MIL-S-44429 | SLEEPING BAG SYSTEM, FOR INTERMEDIATE COLD WEATHER REVIEWER: MD | A | 8465 | CT | GL | 05-SEP-91 | GL | MU | 99 | CT |
| | | MIL-B-44430 | BREAD STUFFING, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD OM SS | A | 8940 | GL | GL | 05-SEP-91 | GL | SA | 50 | |
| A | L | MIL-C-44431 | CLOTH, PLAIN WEAVE, NYLON FILAMENT, LIGHTWEIGHT | A | 8305 | CT | GL | 30-SEP-91 | GL | | | CT |
| | | MIL-P-44432 | PORK CHOW MEIN, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD OM SS | A | 8940 | GL | GL | 08-NOV-91 | GL | SA | 50 | |
| | L | MIL-B-44433 | BAG, BARRIER, MULTI-LAYER FILM | A | 8105 | GL | GL | 05-DEC-91 | GL | | | |
| A | L | MIL-F-44434(1) | FLASHLIGHT, LIGHTWEIGHT REVIEWER: GS | A | 6230 | GL | GL | 12-AUG-92 | GL | | | |
| | L | MIL-U-44435 | UNDERWEAR, CHEMICAL PROTECTIVE, TWO PIECE (UNDERSHIRT AND DRAWERS) | A | 8415 | GL | GL | 16-APR-92 | GL | | | |
| A | L | MIL-C-44436 | CLOTH, CAMOFLAGE PATTERN, WIND RESISTANT POPLIN, NYLON/COTTON BLEND REVIEWER: CT MD | A | 8305 | GL | GL | 13-JUL-92 | GL | | | |
| A | | MIL-C-44437 | CHEESECAKE, POWDER (FOR ORAL LIQUID FEEDING) USER: QM REVIEWER: MC MD SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-C-44438 | CORN AND POTATOES, CREAMED, POWDER (FOR ORAL LIQUID FEEDING) USER: QM REVIEWER: MC MD SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-G-44439 | GINGERBREAD, POWDER (FOR ORAL LIQUID FEEDING) USER: QM REVIEWER: MC MD SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-P-44440 | POTATOES, DELMONICO, POWDER (FOR ORAL LIQUID FEEDING) USER: QM REVIEWER: MC MD SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-S-44441 | SQUASH, BUTTERED, POWDER (FOR ORAL LIQUID FEEDING) USER: QM REVIEWER: MC MD SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-C-44442 | CAKE, BLUEBERRY UPSIDE-DOWN, POWDER (FOR ORAL LIQUID FEEDING) USER: QM REVIEWER: MC MD SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-B-44443 | BEANS, BAKED, POWDER (FOR ORAL LIQUID FEEDING) USER: QM REVIEWER: MC MD SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-S-44444 | STRAWBERRY SHORTCAKE POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-A-44445 | APPLE BROWN BETTY, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-B-44446 | BANANA-STRAWBERRY BREAKFAST DRINK, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-C-44447 | CAULIFLOWER AND CHEESE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-E-44448 | ESCALLOPED POTATOES & HAM, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-H-44449 | HAM AND CHEESE SOUFFLE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-O-44450 | OATMEAL WITH MAPLE AND BROWN SUGAR, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-P-44451 | PEA CASSEROLE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |

| Action Code | Cancellation Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-T-44452 | TACO GRANDE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-O-44453 | OMELET, GREEN PEPPER AND HAM, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-C-44454 | CHICKEN BARBECUE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-H-44455 | HAM AND CHEESE FONDUE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-P-44456 | PORK, ORIENTAL AND VEGATABLES, WITH NOODLES, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-R-44457 | RICE, FRIED, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-M-44458 | MEAL MODULE, 10-PATIENT, PACKAGING OF ORAL LIQUID FEEDING POWDERS INTO CANS AND ASSEMBLY OF REVIEWER: MC MD QM SS | A | 8970 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-F-44459 | FARINA WITH PEACHES AND CREAM, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-G-44460 | GREEN BEAN CASSEROLE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-P-44461 | POTATOES, LYONNAISE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-C-44462 | CAKE, CHOCOLATE MOCHA, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS | A | 8940 | GL | GL | 30-SEP-92 | GL | SA | 50 | |
| A | | MIL-S-44463 | SHORTBREAD BAR, FOOD PACKET, SURVIVAL, GENERAL PURPOSE REVIEWER: MC MD QM SA SS | A | 8940 | GL | GL | 30-SEP-92 | GL | | 50 | |
| A | | MIL-W-44464 | WINTERGREEN BAR, FOOD PACKET, SURVIVAL, GENERAL PURPOSE REVIEWER: MC MD QM SA SS | A | 8940 | GL | GL | 30-SEP-92 | GL | | 50 | |
| A | | MIL-P-44465 | PORK RIBS, BONELESS, IMITATION, FLAKED AND FORMED, IN BARBECUE SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 31-DEC-92 | GL | SA | 50 | |
| N | | MIL-C-44467 | CHICKEN CHOW MEIN, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS | A | 8940 | GL | | 23-FEB-93 | GL | SA | 50 | |
| N | | MIL-C-44468 | CHILI CON CARNE, WITHOUT BEANS, CANNED | A | 8940 | GL | | 29-MAR-93 | GL | SA | 50 | |
| | | MIL-M-45000D | MAINTENANCE FIXTURE, RADIATOR, AIR-OPERATED HYDRAULIC REVIEWER: 82 | A | 4910 | AL | | 30-JUL-86 | AL | | 99 | |
| | | MIL-R-45001 NOTICE 1 | RIFLES, U.S., CAL .30, M1, M1C, AND M1D, PACKAGING OF (VALIDATION DATE: 8901) USER: MC | A | PACK | AR | | 24-JAN-89 | AR | OS | 99 | |
| A | L | MIL-C-45003G | CLEANER, STEAM, PRESSURE JET, DIESEL FUEL FIRED, SKID MOUNTED USER: ME REVIEWER: SM | A | 4940 | AL | | 02-APR-93 | AL | | | |
| | | MIL-S-45004E | STAND, MAINTENANCE, AUTOMOTIVE ENGINE USER: AT MR REVIEWER: 82 CS | A | 4910 | AL | | 27-APR-87 | AL | | 99 | |
| | QL | MIL-S-45005C | SEAL, PLAIN, AND SEAL, PLAIN, ENCASED, FLUID, RADIAL, SINGLE AND MULTIPLE LIP SEAL, REVIEWER: AR IS MI | A | 5330 | AT | | 16-FEB-88 | AT | | | |
| | | MIL-G-45006F | GRINDING MACHINE, CRANKSHAFT USER: AT REVIEWER: 82 | A | 4910 | AL | | 19-NOV-85 | AL | | 99 | |
| | L | MIL-C-45010A(4) | COMPOSITION C-4 REVIEWER: MR | A | 1376 | AR | | 02-MAR-90 | AR | | | |
| | L | MIL-T-45011A NOTICE 1 | TELESCOPE, ELBOW M17C (VALIDATION DATE: 8705) | A | 6650 | AR | | 15-MAY-87 | AR | | | |
| | | MIL-R-45012E NOTICE 1 | RIFLE, 7.62MM, M14 (VALIDATION DATE: 8604) USER: MC | A | 1005 | AR | | 17-APR-86 | AR | OS | 99 | |
| | | MIL-M-45013D(2) | MACHINE GUN, 7.62MM: M60 USER: MC REVIEWER: 84 | A | 1005 | AR | | 26-OCT-84 | AR | OS | 99 | |
| A | | MIL-B-45022F | BLAST CLEANING CABINETS | A | 4940 | AL | | 02-NOV-92 | AL | AS | | |
| | | MIL-R-45024D(3) | ROTARY TOOL KITS, ELECTRIC (VALIDATION DATE: 8201) USER: MC ME REVIEWER: MI | A | 5130 | GL | | 21-NOV-75 | GL | | 99 | |
| | L | MIL-R-45036D(1) NOTICE 1 | RUBBER, HARD (EBONITE), NATURAL OR SYNTHETIC, SHEET, STRIP, ROD, TUBING, AND MOLDED PARTS (VALIDATION DATE: 8805) REVIEWER: AT AV GS ME MI | A | 9320 | MR | | 20-MAY-88 | MR | | | |
| | | MIL-P-45042F | PUNCHING, SHEARING, NOTCHING, AND COPING MACHINE, METAL, MECHANICAL DRIVE USER: AV MC REVIEWER: 84 GS | A | 3445 | 1P | | 27-NOV-91 | AL | SH | 99 | 1P |
| D | | MIL-L-45047F | LIFT, VEHICLE DRIVELINE COMPONENTS (2000 POUND CAPACITY) USER: MC REVIEWER: 82 AT CS | A | 4910 | AL | | 23-AUG-89 | AL | YD1 | 99 | |
| D | | MIL-T-45049D | TESTER, DIESEL FUEL INJECTOR USER: ME OS REVIEWER: 82 AT CS MC SH | A | 4910 | AL | | 06-NOV-92 | AL | YD1 | 99 | |
| | L | MIL-P-45051D(1) | PRESS, CONNECTING ROD STRAIGHTENING, HYDRAULIC REVIEWER: CS | A | 4940 | AL | | 09-JAN-86 | AL | | | |
| | | MIL-A-45059C NOTICE 1 | ADHESIVE FOR BONDING CHIPBOARD TO TERNEPLATE, TINPLATE, AND ZINCPLATE (VALIDATION DATE: 8905) REVIEWER: AR | A | 8040 | MR | | 10-MAY-89 | MR | AS | 99 | |
| | L | MIL-F-45060D(1) NOTICE 1 | FUZE, MINE, COMBINATION M605, PARTS FOR (VALIDATION DATE: 8704) | A | 1345 | AR | | 23-APR-87 | AR | | | |
| | L | MIL-F-45061E(2) NOTICE 1 | FUZE, MINE, AT, MM, M606 PARTS FOR (VALIDATION DATE: 8805) | A | 1345 | AR | | 20-MAY-88 | AR | | | |
| | L | MIL-A-45062E(2) NOTICE 1 | ACTIVATOR, M2 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8704) | A | 1345 | AR | | 23-APR-87 | AR | | | |
| | L | MIL-D-45064D | DEGREASER, PORTABLE, SOLVENT TYPE, TANK IMMERSION (FOR CLEANING 20MM GUN COMPONENTS) REVIEWER: CS MD SM | A | 4940 | AL | | 29-NOV-85 | AL | | | |
| | L | MIL-L-45068D | LIGHT, DOME, VEHICULAR, 24 VOLT DC USER: GS | A | 6220 | AT | | 22-JUN-89 | AT | | | |
| | L | MIL-P-45069B(1) NOTICE 1 | PLOTTING BOARD, INDIRECT FIRE: M16 W/E (VALIDATION DATE: 9009) | A | 1220 | AR | | 28-SEP-90 | AR | | | |
| | | MIL-G-45072G | GRINDING MACHINES, DRILL, MANUAL USER: AV MC SH REVIEWER: GS | A | 3415 | 1P | | 10-NOV-88 | AL | SH | 99 | 1P |
| | L | MIL-B-45081E | BLAST CLEANING MACHINE: SELF-CONTAINED TUMBLE TYPE, WITH DUST COLLECTOR REVIEWER: CS | A | 4940 | AL | | 25-MAR-91 | AL | | | |
| D | | MIL-M-45083F | MOUNTER-DEMOUNTER, PNEUMATIC TIRE, STATIONARY | A | 4910 | AL | | 01-MAR-89 | AL | YD1 | 99 | |
| | QL | MIL-C-45085C | OIL COOLER ASSEMBLY: ENGINE & TRANSMISSION | A | 2930 | AT | | 08-SEP-87 | AT | | | |
| | | MIL-W-45087A | WARHEAD, 5 INCH ROCKET, GAS, GB, MK 40 MOD 0, FILING ASSEMBLY (VALIDATION DATE: 8006) | A | 1340 | EA | | 23-JUN-61 | EA | OS | | |
| | L | MIL-T-45088B | TRANSMITTER, SUPERELEVATION, M23 (VALIDATION DATE: 8504) | A | 1265 | AR | | 09-MAR-62 | AR | | | |
| | L | MIL-D-45089A | DRIVE-MOUNT, PERISCOPE, M9 (VALIDATION DATE: 8504) | A | 1290 | AR | | 30-APR-62 | AR | | | |
| | L | MIL-M-45094C | MOUNT, TELESCOPE, M107 (VALIDATION DATE: 8504) REVIEWER: MC | A | 1240 | AR | | 28-FEB-62 | AR | | | |
| | L | MIL-C-45096D(1) NOTICE 1 | CARTRIDGE, 90MM, TP-T, M353A1 ASSEMBLING, MARKING AND PACKING (VALIDATION DATE: 9010) | A | 1315 | AR | | 15-OCT-90 | AR | | | |
| | L | MIL-D-45099E | DEGREASERS, STATIONARY, HIGH VELOCITY, CENTRIFUGAL IMPACT TYPE, OIL FIRED USER: ME REVIEWER: CS CT MC MD SM | A | 4940 | AL | | 27-OCT-91 | AL | | | |
| | L | MIL-M-45105D | MOUNT, PERISCOPE, M104, M104A1 AND M104A2 (VALIDATION DATE: 8504) REVIEWER: MC | A | 1240 | AR | | 20-DEC-66 | AR | | | |
| | L | MIL-S-45108C(1) | SIGHT, INFINITY M44 AND M44C (VALIDATION DATE: 8303) REVIEWER: MC | A | 1240 | AR | | 05-MAY-71 | AR | | | |
| | L | MIL-C-45110B | CARTRIDGE, 90MM, AP-T, M318A1 ASSEMBLING, MARKING AND PACKING (VALIDATION DATE: 8201) | A | 1315 | AR | | 31-MAR-76 | AR | | | |
| | L | MIL-C-45113B(1) | COMPOSITION B-3 | A | 1376 | AR | | 22-JAN-92 | AR | | | |
| | L | MIL-P-45117E(2) NOTICE 1 | PROJECTILE, 20MM, TARGET PRACTICE, M55A2 (VALIDATION DATE: 9010) | A | 1305 | AR | | 31-OCT-90 | AR | | | |
| | L | MIL-M-45122 | MOUNT, TELESCOPE, M30 (VALIDATION DATE: 8101) REVIEWER: MC | A | 1290 | AR | | 24-JUN-58 | AR | | | |
| | L | MIL-M-45131A | MOUNT, PERISCOPE, M105 (VALIDATION DATE: 8202) REVIEWER: MC | A | 1240 | AR | | 29-OCT-63 | AR | | | |
| | | MIL-G-45140B(1) | GUN, SPOTTING, CALIBER .50, M8C REVIEWER: 84 OS | A | 1005 | AR | | 15-MAR-88 | AR | MC | | |
| | L | MIL-F-45144D(2) | FUSE, BLASTING, TIME, M700, AND FUSE, BLASTING, TIME, INERT, LOADING, ASSEMBLING AND PACKING REVIEWER: EA | A | 1375 | AR | | 24-AUG-90 | AR | | | |
| | L | MIL-D-45146A | DRIVE, BALLISTICS, M5A2 (VALIDATION DATE: 8602) | A | 1220 | AR | | 07-DEC-65 | AR | | | |
| | L | MIL-M-45147F(2) NOTICE 1 | MINE, AT, MM, M19 PARTS FOR (VALIDATION DATE: 8805) | A | 1345 | AR | | 20-MAY-88 | AR | | | |
| A | | MIL-C-45150J(2) | CHASSIS, TRAILER 2-WHEEL CART TYPE 1/4 TO 3 1/2 TON USER: CG ME | A | 2330 | AT | | 30-JUL-92 | AT | MC | | |
| N | L | MIL-M-45151C(2) | MOUNT, TRIPOD, MACHINE GUN, CAL. .50, M3 | A | 1005 | AR | | 15-MAR-93 | AR | | | |
| D | | MIL-S-45152H | SEMITRAILERS, LOWBED: COMMERCIAL REVIEWER: 84 | A | 2330 | AT | | 22-JAN-90 | AT | YD1 | 99 | |
| D | | MIL-S-45154J | SEMITRAILERS, REFUSE COLLECTION, COMPACTION TYPE: COMMERCIAL USER: MC | A | 2330 | YD1 | | 28-FEB-89 | AT | YD1 | 99 | |
| A | L | MIL-T-45169E(1) | TANK, PRESSURE, AIR, PORTABLE USER: AT REVIEWER: CS ME SM | A | 4940 | AL | | 04-JAN-93 | AL | | | |
| | L | MIL-I-45170(4) NOTICE 2 | INCREMENTS, PROPELLANT M5, T8 AND T9 | A | 1315 | AR | | 29-JUN-90 | AR | | | |
| | L | MIL-P-45172F(2) NOTICE 1 | PROJECTILE, 20MM, AP1, M53, METAL PARTS | A | 1305 | AR | | 31-OCT-90 | AR | | | |

| Action | OPR / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MIL-M-45174B NOTICE 1 | MINE, ANTIPERSONNEL, M16A1 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8604) | A | 1345 | AR | 09-APR-86 | AR | | | | |
| | L | | MIL-I-45177A NOTICE 2 | INSTRUMENT, TRACER, SURFACE ROUGHNESS (VALIDATION DATE: 8306) | A | 5220 | 84 | 04-AUG-81 | | | 99 | | |
| | L | | MIL-G-45178A NOTICE 1 | GUN, SELF-PROPELLED, FULL TRACKED, TWIN 40MM, M42 AND M42A1, PREPARATION FOR STORAGE AND SHIPMENT OF, REVIEWER: MD SM | A | 2350 | AT | 16-JUL-87 | AT | | | | |
| A | | | MIL-S-45179B NOTICE 1 | STITCHERS, CEMENTING AND VULCANIZING, AND ROLLERS, HAND (VALIDATION DATE: 9203) USER: CE MI REVIEWER: ME | A | 5120 | GL | 27-MAR-92 | GL | | 99 | | |
| D | | | MIL-S-45180D NOTICE 1 | SEALING COMPOUND, GASKET, HYDROCARBON FLUID AND WATER RESISTANT (VALIDATION DATE: 9103) USER: AS YD1 REVIEWER: 84 ME | A | 8030 | MR | 20-MAR-91 | MR | SH | 99 | | |
| | L | | MIL-P-45184D(3) | PERISCOPE, TANK, M28 SERIES (VALIDATION DATE: 8807) | A | 1240 | AR | 11-JUL-88 | AR | | | | |
| | | | MIL-G-45185 | GUN, 20MM, AUTOMATIC, M39A2 AND M39A3 (WITH REPAIR PARTS AND WITHOUT EQUIPMENT OR ACCESSORIES) (VALIDATION DATE: 8705) REVIEWER: 84 | A | 1005 | AR | 28-MAY-87 | AR | | 99 | | |
| | L | | MIL-G-45185(14) | GUN, 20MM, AUTOMATIC, M39A2 AND M39A3 (WITH REPAIR PARTS AND WITHOUT EQUIPMENT OR ACCESSORIES) (VALIDATION DATE: 8705) | A | 1005 | AR | 06-JUN-67 | AR | | | | |
| | | | MIL-C-45192B(1) | CONSTRICTOR, BEAD EXPANDING PNEUMATIC TIRE | A | 4910 | AL | 09-JAN-86 | AL | | | | |
| | | | MIL-H-45193D(1) | HEATER, GUN TYPE, ELECTRIC REVIEWER: 82 CS | A | 4940 | AL | 09-JAN-86 | AL | | 99 | | |
| | | | MIL-L-45194G(1) | LINK, CARTRIDGE, METALLIC BELT, 20MM: M14A2/M14A2N | A | 1305 | AR | 30-MAY-90 | AR | | 99 | | |
| | L | | MIL-C-45195E(2) | CARTRIDGE, 105MM, HE, M1, LOADING ASSEMBLING AND PACKING | A | 1315 | AR | 10-JUN-86 | AR | | | | |
| | L | | MIL-M-45196A(2) NOTICE 2 | MINE, ANTIPERSONNEL, M16A1 PARTS FOR (VALIDATION DATE: 8404) | A | 1345 | AR | 15-DEC-63 | AR | | | | |
| | | | MIL-M-45202C NOTICE 1 | MAGNESIUM ALLOY, ANODIC TREATMENT OF (VALIDATION DATE: 8702) USER: AV REVIEWER: 99 AR MD MI | A | MFFP | MR | 10-FEB-87 | MR | AS | 11 | | |
| | | | MIL-G-45204C(2) | GOLD PLATING, ELECTRODE DEPOSITED USER: EC REVIEWER: AL AR AS CR MI | A | MFFP | MR | 13-MAR-84 | MR | OS | 11 | | |
| D | | | MIL-I-45208A(1) | INSPECTION SYSTEM REQUIREMENTS USER: AT SS YD1 REVIEWER: AV CR MI TD | A | QCIC | AR | 24-JUL-81 | AR | SA | OS | DH | |
| | | | MIL-P-45209B NOTICE 1 | PALLADIUM PLATING, (ELECTRODEPOSITED) (VALIDATION DATE: 8702) USER: 99 CR ER REVIEWER: AR | A | MFFP | MR | 10-FEB-87 | MR | AS | 11 | | |
| | L | | MIL-W-45210A | WELDING, RESISTANCE, SPOT, WELDABLE ALUMINUM ALLOYS (VALIDATION DATE: 8501) USER: AT ME MI REVIEWER: AR | A | THJM | MR | 15-JAN-65 | MR | | | | |
| | L | | MIL-M-45212A(1) NOTICE 1 | MOUNT, GUN; MOUNT, HOWITZER (VALIDATION DATE: 8806) REVIEWER: AT | A | 1010 | AR | 17-JUN-88 | AR | | | | |
| | L | | MIL-P-45213E NOTICE 1 | PRESERVATION AND PACKING OF ROCKET AND MISSILE SYSTEMS EQUIPMENT FOR SHIPMENT (VALIDATION DATE: 9105) REVIEWER: SM | A | PACK | MI | 24-MAY-91 | MI | | | | |
| | | | MIL-D-45217A | DATA ON TRANSPORTATION ENVIRONMENTS, MONITORING CARGO SHIPMENTS FOR ACQUISITION OF | A | EMVR | MT | 01-NOV-82 | MT | SA | 69 | | |
| | L | | MIL-W-45223A | WELDING, SPOT, HARDENABLE STEELS (VALIDATION DATE: 8501) USER: ME REVIEWER: AR AT | A | THJM | MR | 28-JUN-68 | MR | | | | |
| | | | MIL-C-45224D | CABLE AND HARNESS ASSEMBLIES, ELECTRICAL, MISSILE SYSTEM: GENERAL SPECIFICATION FOR USER: AT MC REVIEWER: 19 71 84 AR CR ER | A | 1410 | MI | 27-JUN-91 | MI | | 70 | | |
| | L | | MIL-A-45225E | ALUMINUM ALLOY ARMOR, FORGED (VALIDATION DATE: 8704) USER: ME REVIEWER: AR AT TE | A | FORG | MR | 30-JAN-87 | MR | | | | |
| A | L | | MIL-T-45277 NOTICE 1 | TRANSMITTER, INDUCTION COMPASS T-611( )/ASN (VALIDATION DATE: 8602) | A | 6605 | AV | 14-FEB-86 | AV | | | | |
| | L | | MIL-G-45279 NOTICE 1 | GYRO, DIRECTIONAL CN-998( )/ASN-43 (VALIDATION DATE: 8612) | A | 6615 | ER | 08-DEC-86 | CR | | | | |
| | L | | MIL-G-45280 NOTICE 1 | GYROMAGNETIC COMPASS SET AN/ASN-43() (VALIDATION DATE: 8612) | A | 6605 | ER | 08-DEC-86 | CR | | | | |
| | I | | MIL-F-45289B NOTICE 1 | FILTER, INFRARED INTERFERENCE TYPE (PINK) FOR SEARCHLIGHT, INFRARED, AN/VSS-3, 28 VOLT, 50-60 AMPERE | A | 5855 | CR | 05-OCT-90 | CR | EC | | | |
| D | | | MIL-C-45300B(1) | CAP, FUEL TANK: FOR MILITARY COMBAT AND TACTICAL TRANSPORT VEHICLES USER: YD1 REVIEWER: CS GL MI | A | 2910 | AT | 12-AUG-92 | AT | MC | 99 | | |
| | | | MIL-T-45301D | TREAD ELASTOMER! SOLID TIRE, FOR TRACK LAYING VEHICLES USER: MC REVIEWER: CS | A | 2640 | AT | 22-JUN-87 | AT | | 99 | | |
| | L | | MIL-T-45305C | TRUCK, BOOKMOBILE: DIESEL OR GASOLINE ENGINE DRIVEN, 16,000 POUNDS GVW, 4X2, MODIFIED COMMERCIAL | A | 2320 | AT | 25-APR-91 | AT | | | | |
| | | | MIL-R-45306D | RADIATORS, ENGINE COOLING, INDUSTRIAL REVIEWER: 82 AT CS | A | 2930 | ME | 15-OCT-91 | ME | | 99 | | |
| | L | | MIL-P-45307B | PUMP, HYDRAULIC, AXIAL PISTONS: MANUAL, WITH FIRE-CONTROL SWITCH | A | 2520 | AT | 07-APR-89 | AT | | | | |
| | L | | MIL-T-45308A(4) NOTICE 1 | TANK, MAIN BATTLE, 105MM GUN, M60 (VALIDATION DATE: 8707) | A | 2350 | AT | 16-JUL-87 | AT | | | | |
| | L | | MIL-T-45309E(1) | TANK, COMBAT, FULL TRACKED, 105 MM GUN: M60, M60A1, M60A1 (RISE), AND M60A3: PROCESSING FOR SHIPMENT AND STORAGE OF | A | PACK | AT | 05-SEP-90 | AT | | | | |
| D | | | MIL-S-45310H | SEMITRAILERS, TANK: GASOLINE AND FUEL OIL, COMMERCIAL REVIEWER: MC | A | 2330 | YD1 | 01-MAR-89 | AT | YD1 | | | |
| D | | | MIL-T-45316G(2) | TRAILER, TANK: POTABLE WATER, 400 GALLON, 2 WHEEL, M14942 USER: YD1 REVIEWER: 84 | A | 2330 | AT | 16-FEB-88 | AT | MC | 99 | | |
| | | | MIL-T-45317E | TRUCK, PLATFORM UTILITY 1/2 TON, 4X4, M274 SERIES (VALIDATION DATE: 8503) | A | 2320 | AT | 21-FEB-73 | AT | MC | | | |
| | | | MIL-D-45322F | DOLLY, TRAILER CONVERTORS, M197A1, M198A1, & M354 REVIEWER: MC | A | 2330 | AT | 20-MAY-88 | AT | | | | |
| D | | | MIL-S-45324L | SCOOTERS, MOTOR: GASOLINE ENGINE DRIVEN, THREE- AND FOUR-WHEEL, COMMERCIAL | A | 2340 | AT | 12-DEC-90 | AT | YD1 | | | |
| AQ | I | | MIL-P-45328D NOTICE 1 | PUMP, FUEL, ELECTRICAL: 12 AND 24 VOLT DC REVIEWER: 82 CS ME | A | 2910 | AT | 22-JAN-93 | AT | | 99 | | |
| | L | | MIL-T-45329B | TRANSMISSION, CROSS DRIVE, COMPLETE ASSEMBLY, CENTER SECTION, GEAR ASSEMBLIES, OUTPUT REDUCTION | A | 2520 | AT | 29-AUG-84 | AT | | | | |
| D | | | MIL-T-45331F(2) NOTICE 1 | TRUCK, UTILITY, 1/4 TON, 4X4, M151A2, TRUCK, AMBULANCE, FRONT LINE, 1/4 TON, 4X4 M18A1, TRUCK, UTILITY, 1/4 TON, 4X4 CARRIER FOR 106MM RIFLE M825 (VALIDATION DATE: 8707) USER: ME YD1 | A | 2320 | AT | 16-JUL-87 | AT | MC | 99 | | |
| | L | | MIL-E-45332C(1) NOTICE 1 | ENGINE, GASOLINE, 4 CYLINDER, IN LINE, LIQUID COOLED, 65 HP, M151-2 | A | 2805 | AT | 19-JUN-87 | AT | | | | |
| | L | | MIL-T-45333D(1) NOTICE 1 | TRAILER, FLAT BED, 10 TON 4 WHEEL, M345 (VALIDATION DATE: 8705) | A | 2330 | AT | 18-MAY-87 | AT | | | | |
| | Q | | MIL-C-45334C(2) | COMPRESSOR ASSEMBLIES, AIRBRAKE SYSTEM, WHEELED VEHICLE USER: MC ME MI REVIEWER: 84 CS | A | 2530 | AT | 11-MAR-87 | AT | | 99 | | |
| | | | MIL-S-45337C(1) | SPOTLIGHT: 24 VOLT DIRECT CURRENT | A | 6220 | AT | 07-MAR-89 | AT | MC | 99 | | |
| D | | | MIL-S-45344H | SEMITRAILER, VAN: COMMERCIAL (FURNITURE, PERSONNEL, REFRIGERATOR, CARGO, AND SIDE CURTAIN) 7 TO 35 TON REVIEWER: MC | A | 2330 | YD1 | 04-DEC-91 | AT | YD1 | | | |
| D | | | MIL-S-0045344H | SEMITRAILERS, VAN: MODIFIED COMMERCIAL USER: MC REVIEWER: 84 | A | 2330 | AT | 15-DEC-92 | AT | YD1 | 99 | | |
| | L | | MIL-T-45348(2) NOTICE 1 | TRANSMISSION, CROSS-DRIVE, CD-500 SERIES (VALIDATION DATE: 8707) | A | 2520 | AT | 16-JUL-87 | AT | | | | |
| | L | | MIL-S-45351B(1) | SEAL, ENGINE SHROUD | A | 2930 | AT | 05-DEC-86 | AT | | | | |
| | | | MIL-S-45352F | SEMITRAILER, LOWBED TACTICAL, 12 & 25 TON | A | 2330 | AT | 04-FEB-88 | AT | MC | | | |
| | | | MIL-F-45356B | FILTER, FLUID, PRESSURE AND FILTER ELEMENT, FLUID PRESSURE, FOR GASOLINE, INTERNAL COMBUSTION ENGINES, WITH CARBURETOR USER: MC MI REVIEWER: AV CS | A | 2910 | AT | 25-JUL-84 | AT | SH | 99 | | |
| | Q | | MIL-C-45359B | COIL, STARTING, ENGINE IGNITION WITH FILTER, 24 VOLT DIRECT CURRENT USER: CS MC ME | A | 2920 | AT | 17-FEB-88 | AT | | | | |
| | L | | MIL-C-45360G | CARRIERS, PERSONNEL, FULL-TRACKED: ARMORED, M113A2, AND M113A3; MORTARS, SELF-PROPELLED: 107MM, M106, M106A2, AND 81MM, M125A1 AND M125A2, AND 120MM, M1064; AND SMOKE GENERATOR: M1059; PROCESSING FOR STORAGE AND SHIPMENT OF | A | 2350 | AT | 05-DEC-91 | AT | | | | |
| D | | | MIL-B-45367AA | BUSES, MOTOR: TRANSIT, AMBULANCE CONVERSION, FORWARD CONTROL, WITH HIGH HEADROOM, 30 AND 44 PASSENGER, 2 WHEEL DRIVE REVIEWER: CR ER MC MD | A | 2310 | AT | 15-SEP-90 | AT | YD1 | 99 | | |
| D | | | MIL-B-45371R | BUSES, MOTOR: SUBURBAN AND INTERCITY, 41 TO 53 ADULT PASSENGER, 4X2, 6X2 AND 6X4, COMMERCIAL REVIEWER: MC | A | 2310 | AT | 05-MAR-90 | AT | YD1 | | | |
| AML | | | MIL-H-45374E | HOWITZER, MEDIUM, SELF-PROPELLED, 155-MM: M109, M109A1, M109A1B, M109A2, M109A3, AND M109A5 | A | 2350 | AR | 01-DEC-92 | AR | | | | |
| | L | | MIL-P-45377A NOTICE 1 | POWER SUPPLY, HIGH VOLTAGE, 24 VOLT DIRECT CURRENT | A | 2590 | AT | 15-JUN-87 | AT | | | | |

| Action | Qtr. / Qtrly. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-T-45379D(2) | TANK, COMBAT, FULL-TRACKED, 105 MM GUN, M60A3-TTS | A 2350 AT | 03-JAN-90 AT | | | | |
| | L | MIL-T-45380E | TRUCKS, MAINTENANCE: EARTH AUGER, TURNTABLE BASE, DIESEL ENGINE DRIVEN, 28,000 POUNDS GVW, 4X4, MODIFIED COMMERCIAL | A 2320 AT | 15-MAY-91 AT | | | | |
| D | • | MIL-T-45381E | TRAILER, CABLE REEL USER: MC | A 2330 YD1 | 30-MAR-91 AT | YD1 | 99 | | |
| D | L | MIL-T-45382A(2) | TRAILER, LOWBED, 4 WHEEL 2 TO 7 TON USER: MC | A 2330 AT | 22-JUL-87 AT | YD1 | | | |
| | | NOTICE 1 | | | | | | | |
| | L | MIL-S-45387B(2) | SPRINGS, TORSION BAR, SUSPENSION | A 2530 AT | 15-APR-92 AT | | | | |
| | L | MIL-B-45389A | BULLDOZER, EARTH MOVING, TANK MOUNTING, M9, PREPARATION FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 8411] REVIEWER: SM | A 2590 AT | 16-NOV-79 AT | | | | |
| | L | MIL-B-45390A | BULLDOZER KIT, EARTH MOVING, TANK MOUNTING, M9 | A 2590 AT | 16-MAR-87 AT | | | | |
| D | | MIL-D-45394D | DOLLIES, TRAILER CONVERTER: 9 TO 35 TONS PAYLOAD, COMMERCIAL USE: 84 ER MC | A 2330 AT | 24-SEP-91 AT | YD1 | 99 | | |
| | L | MIL-G-45397D(2) | GUN, FIELD ARTILLERY, SELF PROPELLED, 175MM, M107, HOWITZER, HEAVY, SELF PROPELLED, 8 INCH, M110 AND M110A1 [VALIDATION DATE: 8301] REVIEWER: MC | A 2350 AR | 17-FEB-77 AR | | | | |
| | | MIL-F-45400A(2) | FIN ASSEMBLY, BOMB, 44POUND, M15 [VALIDATION DATE: 8201] | A 1325 AS | 19-MAY-71 AR | | | | |
| | L | MIL-L-45403D(2) | LINK, CARTRIDGE, METALLIC BELT, 7.62MM, M13 USER: MC REVIEWER: 99 | A 1305 AR | 26-SEP-91 AR | | | | |
| | L | MIL-C-45404A(1) | CLIP, CARTRIDGE: 7.62MM, 5-ROUND [VALIDATION DATE: 8806] REVIEWER: MI | A 1305 AR | 06-JUN-88 AR | | | | |
| | | NOTICE 1 | | | | | | | |
| | L | MIL-M-45405C | MINE, AT, M21 LOADING, ASSEMBLING AND PACKING | A 1345 AR | 06-JUN-86 AR | | | | |
| | L | MIL-M-45406C | MINE, AT, M21 PARTS FOR | A 1345 AR | 06-JUN-86 AR | | | | |
| | | MIL-C-45408C | CARTRIDGE, IMPULSE, M44A1 ASSEMBLY REVIEWER: 70 | A 1377 OS | 17-MAR-92 | OS | 99 | | |
| | | MIL-D-45411B | DEMOLITION KIT, PROJECTED CHARGE, M1E1 LOADING, ASSEMBLING AND PACKING | A 1375 AR | 20-MAY-88 AR | | 99 | | |
| | | NOTICE 1 | [VALIDATION DATE: 8805] | | | | | | |
| | | MIL-D-45412B | DEMOLITION KIT, M1E1, CONTAINER AND ACCESSORIES [VALIDATION DATE: 8805] | A 1375 AR | 20-MAY-88 AR | | 99 | | |
| | | NOTICE 1 | | | | | | | |
| | | MIL-D-45413B | DYNAMITE, MILITARY, M1 [VALIDATION DATE: 8101] | A 1375 AR | 30-APR-75 AR | OS | 99 | | |
| | L | MIL-B-45417C | BANDOLEER, APERS, MINE, M7, ASSEMBLY [VALIDATION DATE: 9109] | A 1345 AR | 05-SEP-91 AR | | | | |
| | L | MIL-C-45420G | CAP, BLASTING, ELECTRIC, M4, ASSEMBLY, OR CAP ASSEMBLY, BLASTING, CONNECTOR AND ELECTRIC [VALIDATION DATE: 8805] | A 1375 AR | 20-MAY-88 AR | | | | |
| | L | MIL-F-45421D(6) | FIRING DEVICE, ELECTRICAL, M57 PARTS FOR, ASSEMBLING AND PACKING | A 1345 AR | 29-JUN-90 AR | | | | |
| | | NOTICE 1 | | | | | | | |
| | L | MIL-M-45423C | MINE, APERS, M18A1 (WITH ACCESSORIES) LOADING, ASSEMBLING AND PACKING | A 1345 AR | 05-SEP-91 AR | | | | |
| | | NOTICE 1 | [VALIDATION DATE: 9109] | | | | | | |
| | L | MIL-M-45424D(2) | MINE, ANTIPERSONNEL, M18A1 PARTS FOR [VALIDATION DATE: 9109] | A 1345 AR | 05-SEP-91 AR | | | | |
| | | NOTICE 1 | | | | | | | |
| | L | MIL-S-45428D(2) | SQUIB, ELECTRIC, M2, PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A 1375 AR | 16-DEC-88 AR | | | | |
| | | NOTICE 1 | [VALIDATION DATE: 8812] REVIEWER: EA | | | | | | |
| | L | MIL-F-45429C(1) | FUZE, MINE, AT, M607 LOADING, ASSEMBLING AND PACKING | A 1345 AR | 12-SEP-86 AR | | | | |
| | L | MIL-F-45430C(3) | FUZE, MINE, AT: M607, PARTS FOR | A 1345 AR | 29-JUN-90 AR | | | | |
| M | L | MIL-F-45437D(4) | FUZES, HAND GRENADE, M213 AND M215 PARTS FOR, LOADING, ASSEMBLING AND PACKING | A 1330 AR | 08-MAR-93 AR | | | | |
| | L | MIL-D-45441D(2) | DETONATOR, STAB, M61 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A 1375 AR | 01-APR-92 AR | | | | |
| | L | MIL-C-45443B(1) | CARTRIDGE, 7GMM, TP-T, M340A1E1 LOADING, ASSEMBLING AND PACKING | A 1315 AR | 27-MAY-87 AR | | | | |
| | | NOTICE 1 | [VALIDATION DATE: 8705] | | | | | | |
| A | L | MIL-H-45444B(4) | HBX | A 1376 AR | 09-SEP-92 AR | | | | |
| | L | MIL-O-45445B(1) | OCTOL [VALIDATION DATE: 8301] REVIEWER: MI | A 1376 AR | 14-MAR-77 AR | | | | |
| | L | MIL-P-45446A | POWDER, MOLDING, PBX-9404 [VALIDATION DATE: 8806] | A 1376 AR | 13-JUN-88 AR | | | | |
| | | NOTICE 1 | | | | | | | |
| | L | MIL-P-45447 | POWDER, MOLDING, PBX 9010 [VALIDATION DATE: 8505] | A 1376 AR | 15-JUL-60 AR | | | | |
| A | L | MIL-P-45449B(4) | PALLET, UNITS, WOOD, FOR SHIPMENT OF PROJECTILE METAL PARTS, AND PROJECTILE AMMUNITION | A 8140 AR | 10-NOV-92 AR | | | | |
| | L | MIL-B-45451B(4) | BENITE STRANDS | A 1375 AR | 28-OCT-88 AR | | | | |
| | L | MIL-P-45454B(1) | PRIMER, PERCUSSION, M79 LOADING, ASSEMBLING, AND PACKING | A 1390 OS | 13-DEC-89 | OS | | | |
| | L | MIL-P-45455E | PROJECTILE, 175MM, HE, M437 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8601] | A 1320 AR | 07-NOV-79 AR | | | | |
| | | MIL-L-45456E | LINK, CARTRIDGE, METALLIC BELT, 20MM, M17A2 | A 1305 AR | 06-DEC-85 AR | | 99 | | |
| | L | MIL-C-45459C(3) | CARTRIDGE, 75MM, BLANK, M337A2 LOADING, ASSEMBLING AND PACKING | A 1315 AR | 22-FEB-85 AR | | | | |
| | L | MIL-P-45460A | PROPELLANT, T2 [VALIDATION DATE: 9110] | A 1340 AR | 03-OCT-91 AR | | | | |
| | | NOTICE 1 | | | | | | | |
| | L | MIL-C-45461 | CHARGE, PROPELLING FOR ROCKET MOTOR, M4 [VALIDATION DATE: 8505] | A 1375 AR | 29-JAN-60 AR | | | | |
| | L | MIL-C-45463E | CHARGE, PROPELLING, 175MM, M86A2B1 LOADING, ASSEMBLING, AND PACKING | A 1320 AR | 01-NOV-90 AR | | | | |
| | | NOTICE 1 | [VALIDATION DATE: 9011] | | | | | | |
| | | MIL-T-45464(2) | TRACER ASSEMBLY, M9 PARTS FOR & LOADING, ASSEMBLING & PACKING | A 1315 AR | 23-MAR-60 | OS | | | |
| | L | MIL-F-45465F(2) | FUZE, PD, M524A6 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8601] | A 1390 AR | 15-AUG-80 AR | | | | |
| | L | MIL-C-45467D(7) | CARTRIDGE, 165MM, HEP, M123A1 LOADING, ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION | B 1320 AR | 28-FEB-90 AR | | | | |
| | L | MIL-C-45468E | CAP, BLASTING, ELECTRIC, M6 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING REVIEWER: OS | A 1375 AR | 13-JAN-86 AR | | | | |
| | L | MIL-C-45469E | CAP, BLASTING, NON-ELECTRIC, M7, LOADING, ASSEMBLING AND PACKING | A 1375 AR | 13-JAN-86 AR | | | | |
| | L | MIL-D-45470 | DETONATOR, ELECTRIC, T76, METAL PARTS FOR [VALIDATION DATE: 8504] | A 1375 AR | 28-MAR-60 AR | | | | |
| | L | MIL-D-45472C | DEMOLITION KIT, PROJECTED CHARGE, M157 PARTS, ASSEMBLY AND PACKING [VALIDATION DATE: 8404] | A 1375 AR | 30-APR-65 AR | | | | |
| | L | MIL-C-45474B(1) | CHARGE, SPOTTING, FOR WARHEAD, M38 FOR 762MM ROCKET LOADING, ASSEMBLING | A 1340 AR | 12-SEP-91 AR | | | | |
| | | NOTICE 1 | AND PACKING [VALIDATION DATE: 9109] | | | | | | |
| | L | MIL-W-45475C(3) | WARHEAD, GUIDED MISSILE, HE, XM5E5 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8304] REVIEWER: MI | A 1336 AR | 28-JAN-65 AR | | | | |
| | L | MIL-C-45476B | CHARGE, SPOTTING, FOR WARHEAD, M38 FOR 762MM ROCKET PARTS FOR [VALIDATION DATE: 8203] REVIEWER: MI | A 1340 AR | 24-APR-64 AR | | | | |
| | L | MIL-D-45482B | DETONATOR, STAB M46, PARTS FOR [VALIDATION DATE: 8504] | A 1375 AR | 15-APR-65 AR | | | | |
| | L | MIL-D-45483B(1) | DETONATOR, STAB, M46 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: | A 1375 AR | 16-DEC-88 AR | | | | |
| | | NOTICE 1 | 8812] | | | | | | |
| | L | MIL-P-45486B | PELLET, RDX [VALIDATION DATE: 8704] | A 1375 AR | 27-APR-87 AR | | | | |
| | | NOTICE 1 | | | | | | | |
| | L | MIL-C-45491B(1) | CARTRIDGE, 90MM, HEAT-T, M431A2 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8301] | A 1315 AR | 07-JUN-77 AR | | | | |
| | L | MIL-D-45495A(1) | DETONATOR, ELECTRIC, M84 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A 1330 AR | 31-OCT-90 AR | | | | |
| | | NOTICE 1 | [VALIDATION DATE: 9010] | | | | | | |
| M | | MIL-T-45498C | THRUSTER, CARTRIDGE ACTUATED, M1A2 METAL PARTS ASSEMBLY REVIEWER: 70 | A 1377 OS | 19-MAR-93 | OS | 99 | | |
| M | | MIL-T-45499C | THRUSTER, CARTRIDGE ACTUATED, M1A2 ASSEMBLY REVIEWER: 70 | A 1377 OS | 19-MAR-93 | OS | 99 | | |
| | | MIL-G-45500D(2) | GUN, AUTOMATIC, 20MM: GENERAL SPECIFICATION FOR USER: MC REVIEWER: 84 | A 1005 AR | 03-OCT-88 AR | OS | 99 | | |
| | | MIL-G-45500/1(2) | GUN, AUTOMATIC, 20MM: M61 AND M61A1 USER: MC | A 1005 AR | 03-OCT-88 AR | OS | 99 | | |
| | | MIL-G-45500/2(2) | GUN, AUTOMATIC, 20MM: XM130 USER: MC | A 1005 AR | 03-OCT-88 AR | OS | 99 | | |
| | | MIL-G-45500/3(2) | GUN, AUTOMATIC, 20MM: M168 USER: MC | A 1005 AR | 03-OCT-88 AR | OS | 99 | | |
| | | MIL-G-45500/4(2) | GUN, AUTOMATIC, 20MM: M195 USER: MC | A 1005 AR | 03-OCT-88 AR | OS | 99 | | |
| | | MIL-G-45500/5(3) | GUN, AUTOMATIC, 20MM: THREE-BARREL, HIGH RATE, M197 AND M197E1 USER: MC REVIEWER: 84 | A 1005 AR | 03-OCT-88 AR | OS | 99 | | |
| | | MIL-D-45502B | DRIVE, ELECTRIC, M7 [VALIDATION DATE: 8705] REVIEWER: 84 | A 1005 AR | 28-MAY-87 AR | | 99 | | |
| | | MIL-D-45503A | DRIVE, HYDRAULIC, T46 [VALIDATION DATE: 8705] REVIEWER: 84 | A 1005 AR | 28-MAY-87 AR | | 99 | | |
| | | NOTICE 1 | | | | | | | |
| | L | MIL-C-45504E | CANNON, 105MM GUN: M68 CANNON, 105MM GUN: M68A1 | A 1015 AR | 08-JUN-92 AR | | | | |
| | L | MIL-T-45508B(2) | TARGET HOLDING, MECHANISM, TRAINFIRE, M31A1 [VALIDATION DATE: 8402] | A 6920 AR | 04-APR-78 AR | | | | |
| M | L | MIL-R-45511D | RIFLE, RECOILLESS, 90MM: M67 | A 1015 AR | 20-APR-93 AR | | | | |
| | L | MIL-G-45512A | GENERATOR SET, GASOLINE ENGINE, M25, (WITH SPARE PARTS), [VALIDATION DATE: 8504] | A 1055 AR | 07-DEC-61 AR | | | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-S-45513 NOTICE 1 | SPRING, RING (FOR SMALL ARMS APPLICATION) [VALIDATION DATE: 8604] | A | 1005 | | AR | 17-APR-86 | AR | | | | |
| L | MIL-M-45520(3) NOTICE 1 | HEATING AND TIE-DOWN UNIT, TRUCK MOUNTED 762 MM ROCKET, M78A1 [VALIDATION DATE: 8504] | A | 1055 | | AR | 08-DEC-64 | AR | | | | |
| | MIL-L-45522A NOTICE 1 | LINKER-DELINKER, HAND, 7.62MM, M21A1 [VALIDATION DATE: 8807] REVIEWER: AS MC | A | 4925 | | AR | 26-JUL-88 | AR | OS | 70 | | |
| L | MIL-C-45524D | CANNON, 175MM GUN: M113A1 | A | 1025 | | AR | 21-OCT-87 | AR | | | | |
| L | MIL-C-45525B NOTICE 1 | CANNON, 155MM HOWITZER, M126A1 [VALIDATION DATE: 8701] | A | 1025 | | AR | 27-JAN-87 | AR | | | | |
| L | MIL-C-45526B(1) | CANNON, 105MM HOWITZER, M103 [VALIDATION DATE: 8103] | A | 1015 | | AR | 19-JUL-72 | AR | | | | |
| L | MIL-S-45527A NOTICE 1 | SPRING, STANDARD WIRE, HELICAL COMPRESSION (FOR SMALL ARMS APPLICATION) [VALIDATION DATE: 8604] | A | 1005 | | AR | 17-APR-86 | AR | | 99 | | |
| | MIL-L-45528A | LAUNCHER, GRENADE, M76 [VALIDATION DATE: 8004] REVIEWER: 84 | A | 1005 | | AR | 12-MAR-65 | AR | | 99 | | |
| L | MIL-B-45529B NOTICE 1 | BIPOD, RIFLE, M2 [VALIDATION DATE: 8604] | A | 1005 | | AR | 16-APR-86 | AR | | | | |
| | MIL-B-45530A | BOOSTER, AMMUNITION, ELECTRIC, CALIBER .50 | A | 1005 | | 84 | 13-MAY-88 | AR | | 99 | | |
| LI | MIL-M-45531B NOTICE 1 | METASCOPE, AN/PAS-6 REVIEWER: MC | A | 5855 | | CR | 05-OCT-90 | CR | | | | |
| L | MIL-M-45532B(2) | MOUNT, TRIPOD, MACHINE GUN: M122 | A | 1005 | | AR | 28-JUL-91 | AR | | | | |
| LI | MIL-P-45535A NOTICE 1 | POWER SUPPLY, TRANSISTORIZED, 12-KILOVOLT | A | 5855 | | CR | 05-OCT-90 | CR | | | | |
| LI | MIL-P-45535A(I1) | POWER SUPPLY, TRANSISTORIZED, 12 KILOVOLT REVIEWER: ME | A | 5855 | | CR | 05-OCT-90 | CR | | | | |
| LI | MIL-P-45536A NOTICE 1 | POWER SUPPLY, TRANSISTORIZED, 16-KILOVOLT | A | 5855 | | CR | 05-OCT-90 | CR | | | | |
| L | MIL-S-45537F | SHOP EQUIPMENT, ORGANIZATIONAL REPAIR TRUCK-MOUNTED | A | 4940 | | AL | 07-SEP-90 | AL | | | | |
| D | MIL-S-45538D(1) | SHOP EQUIPMENT, GENERAL-PURPOSE-REPAIR, SEMITRAILER-MOUNTED REVIEWER: CS MC | A | 4940 | | AL | 14-APR-89 | AL | YD1 | | | |
| L | MIL-T-45539 NOTICE 1 | TRIGGER, WINTER (FOR SMALL ARMS) [VALIDATION DATE: 8604] | A | 1005 | | AR | 17-APR-86 | AR | | | | |
| | MIL-T-45540B | TARGET HOLDING MECHANISMS, TRAINFIRE, M30 AND M30A1 [VALIDATION DATE: 8503] USER: MC | A | 6920 | | AR | 31-AUG-73 | AR | TD | 99 | | |
| D | MIL-T-45542D | TOOL SETS, SHOP SETS AND KITS MAINTENANCE, MODIFICATION AND TOOL PACKAGING OF REVIEWER: AV EL GL SM | A | PACK | | AL | 01-JUL-90 | AL | YD1 | 99 | | |
| L | MIL-C-45543 | CALIBRATOR, THERMOMETER [VALIDATION DATE: 8403] REVIEWER: GS | A | 6685 | | AR | 13-SEP-63 | AR | | | | |
| | MIL-B-45544D | BORING, DRILLING AND MILLING MACHINES, HORIZONTAL TABLE TYPE, 4, 5 AND 6 INCH SPINDLE USER: AR AS MC SA REVIEWER: EL ER GS | A | 3411 | | IP | 18-NOV-88 | AL | SH | 99 | IP | |
| | MIL-B-45548D | BEAD BREAKER, PNEUMATIC TIRE, PORTABLE (TIRES SIZES 14.00 X 24 THROUGH 37.50 X 33) | A | 4910 | | AL | 10-MAY-88 | AL | | | | |
| L | MIL-T-45549C(1) | TABLE, FOLDING LEGS, AUTOMOTIVE MAINTENANCE | A | 4910 | | AL | 01-APR-88 | AL | | | | |
| L | MIL-L-45550A(4) NOTICE 1 | LINK, CARTRIDGE, METALLIC BELT, CALIBER .50, M15A2 | A | 1305 | | AR | 18-APR-91 | AR | | | | |
| D | MIL-V-45554D | VULCANIZING EQUIPMENT, INCLUDING RELATED ITEMS, TIRE AND TUBE, REBUILD AND REPAIR: PACKAGING OF REVIEWER: 84 AT SM | A | PACK | | AL | 30-MAY-89 | AL | YD1 | 99 | | |
| L | MIL-T-45555(1) NOTICE 1 | TRAINERS, TANK TURRET: GUNNERY, M26-(M48A2) AND M30A1 (M60A1): PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] REVIEWER: SM | A | PACK | | AT | 28-FEB-92 | AT | | | | |
| | MIL-F-45556A NOTICE 1 | FEEDER, AUTOMATIC GUN, M2A1 [VALIDATION DATE: 8705] USER: MC REVIEWER: 84 | A | 1005 | | AR | 28-MAY-87 | AR | OS | 99 | | |
| | MIL-F-45557B NOTICE 1 | FEEDER, AUTOMATIC GUN, M3A1 [VALIDATION DATE: 8705] USER: AS MC REVIEWER: 84 | A | 1005 | | AR | 28-MAY-87 | AR | | 99 | | |
| L | MIL-A-45559B(1) NOTICE 1 | ARMORED RECONNAISSANCE/AIRBORNE ASSAULT VEHICLE, FULL TRACKED, 152MM, XM551 [VALIDATION DATE: 8706] | A | 2350 | | AT | 19-JUN-87 | AT | | | | |
| L | MIL-D-45561C | DYNAMOMETER, ENGINE RUN-IN, 500 HORSEPOWER CAPACITY USER: AT REVIEWER: ME | A | 4910 | | AL | 26-MAY-87 | AL | | | | |
| D | MIL-W-45562C | WELDING AND SOLDERING EQUIPMENT, SUPPLIES, AND ACCESSORIES, PACKAGING OF REVIEWER: IP SM YD1 | A | PACK | | AL | 15-AUG-92 | AL | SH | 99 | | |
| L | MIL-F-45569C | FIXTURE, LATHE, METAL CUTTING REVIEWER: GS SM | A | 3465 | | AL | 03-JUN-88 | AL | | | | |
| L | MIL-P-45570B | PLUG SET, RADIATOR TEST USER: AT ME | A | 4910 | | AL | 27-AUG-85 | AL | | | | |
| L | MIL-T-45572A(2) | TRAINER, MORTAR, M32A1 | A | 6920 | | AR | 15-SEP-87 | AR | | | | |
| L | MIL-C-45573C | CANNON, 165MM GUN: M135 | A | 1025 | | AR | 14-NOV-91 | AR | | | | |
| L | MIL-C-45574B | CANNON, 152MM GUN-LAUNCHER: M81E1 AND M162 (INCLUDING BREECH MECHANISMS) | A | 1025 | | AR | 20-FEB-91 | AR | | | | |
| | MIL-P-45575 NOTICE 1 | PISTOL, CALIBER .22 AUTOMATIC, GENERAL TRAINING GRADE [VALIDATION DATE: 8604] USER: MC | A | 1005 | | AR | 01-APR-86 | AR | OS | 99 | | |
| L | MIL-S-45578B | SAW, POWER HACK, PORTABLE, PNEUMATIC (2 INCH TO 8 INCH PIPE SIZE CAPACITY) REVIEWER: GS ME | A | 3450 | | AL | 29-APR-85 | AL | | | | |
| L | MIL-C-45579C | CANNON, 105MM HOWITZER: M137A1 | A | 1015 | | AR | 08-MAR-89 | AR | | | | |
| L | MIL-D-45582B | DESOLDERING AND RESOLDERING KITS, ELECTRIC REVIEWER: AT GS | A | 3439 | | AL | 20-MAR-86 | AL | | | | |
| L | MIL-L-45585D NOTICE 1 | LINK CARTRIDGE: METALLIC BELT, 40MM, M16A2 [VALIDATION DATE: 8810] | A | 1310 | | AR | 24-OCT-88 | AR | | | | |
| | MIL-H-45586A(3) | HOWITZER, LIGHT, TOWED, 105MM, M102 [VALIDATION DATE: 8502] | A | 1015 | | AR | 01-FEB-79 | AR | MC | | | |
| A | MIL-R-45587A(3) | RIFLE, 5.56MM: M16 AND M16A1 USER: OS | F | 1005 | | AR | 12-NOV-92 | AR | MC | 99 | | |
| | MIL-L-45589 | LAUNCHER, GRENADE, 40MM, M79 [VALIDATION DATE: 8202] USER: MC | A | 1010 | | AR | 02-FEB-70 | AR | OS | 99 | | |
| | MIL-M-45590A(1) | MACHINE GUN, CALIBER .50: FIXED, M85 [VALIDATION DATE: 8301] USER: MC REVIEWER: 84 | A | 1005 | | AR | 17-FEB-77 | AR | OS | 99 | | |
| L | MIL-M-45590A(I3) | MACHINE GUN, CALIBER .50: FIXED, M85 | A | 1005 | | AR | 29-JUL-91 | AR | | | | |
| L | MIL-P-45592 NOTICE 1 | PISTOL, CALIBER .22, AUTOMATIC, MATCH GRADE [VALIDATION DATE: 8604] | A | 1005 | | AR | 01-APR-86 | AR | | | | |
| | MIL-T-45593 NOTICE 1 | TRIGGER WINTER ASSEMBLY, XM152 [VALIDATION DATE: 8604] | A | 1005 | | AR | 16-APR-86 | AR | | 99 | | |
| D | MIL-W-45595D | WASHER, RECESSED, SADDLE AND SHOULDERED-METAL USER: ER GL OS REVIEWER: AV IS MI | A | 5310 | | AR | 16-AUG-85 | AR | YD1 | | | |
| | MIL-W-45595/1 | WASHER, SHOULDERED, POLYAMIDE (NYLON) USER: EC REVIEWER: 11 82 AV ER IS MS | A | 5310 | | AR | 16-AUG-85 | AR | | 99 | | |
| | MIL-W-45595/2 | WASHER, SHOULDERED, POLYTETRAFLUOROETHYLENE USER: 11 EC REVIEWER: 82 AV ER IS MS | A | 5310 | | AR | 16-AUG-85 | AR | | 99 | | |
| | MIL-W-45595/3 | WASHER, RECESSED, ALUMINUM ALLOY USER: EC REVIEWER: 11 82 AV ER IS MS | A | 5310 | | AR | 16-AUG-85 | AR | | 99 | | |
| | MIL-W-45595/4 | WASHER, SADDLE, STEEL, CARBON USER: MS REVIEWER: 11 82 AV EC ER IS | A | 5310 | | AR | 16-AUG-85 | AR | | 99 | | |
| | MIL-W-45595/5 | WASHER, SADDLE, ALUMINUM ALLOY USER: EC MS REVIEWER: 11 82 AV ER IS | A | 5310 | | AR | 16-AUG-85 | AR | | 99 | | |
| | MIL-W-45595/6 | WASHER, CONVEX, STEEL,ALLOY USER: EC MS REVIEWER: 11 82 AV ER IS | A | 5310 | | AR | 16-AUG-85 | AR | | 99 | | |
| | MIL-W-45595/7 | WASHER, CONCAVE, STEEL, ALLOY USER: EC MS REVIEWER: 11 82 AV ER IS | A | 5310 | | AR | 16-AUG-85 | AR | | 99 | | |
| | MIL-W-45595/8 | WASHER, SHOULDERED, PHENOLIC | A | 5310 | | AR | 12-NOV-85 | AR | | 99 | | |
| A | MIL-W-45595/9 | WASHER, SHOULDERED, GLASS FILLED NYLON USER: 84 90 AV MC MI REVIEWER: 11 82 CR EC IS | A | 5310 | | AR | 21-OCT-92 | AR | SH | 99 | | |
| L | MIL-A-45597A(1) | ANALYZER, ENGINE, ELECTRONIC, CONSOLE TYPE | A | 4910 | | AL | 09-JAN-86 | AL | | | | |
| | MIL-F-45598(1) NOTICE 1 | FEEDER, DELINKING, AIRCRAFT MACHINE GUN, MAU-56/A [VALIDATION DATE: 8705] REVIEWER: 84 | A | 1005 | | AR | 28-MAY-87 | AR | | 99 | | |
| L | MIL-P-45602B(4) | PERISCOPE, BATTERY COMMAND, M65 [VALIDATION DATE: 8506] | A | 6650 | | AR | 15-MAR-85 | AR | | | | |
| L | MIL-P-45605A(2) NOTICE 1 | PLOTTING BOARDS, FLASH RANGING, FIRE CONTROL: M5A2 | A | 1220 | | AR | 17-DEC-90 | AR | | | | |
| L | MIL-I-45607C | INSPECTION EQUIPMENT, ACQUISITION, MAINTENANCE AND DISPOSITION OF USER: AT REVIEWER: MI | A | QCIC | | AR | 31-AUG-87 | AR | | | | |
| L | MIL-Q-45618F | QUADRANT, FIRE CONTROL, ELEVATION, M13 SERIES [VALIDATION DATE: 8303] | A | 1290 | | AR | 26-MAR-71 | AR | | | | |
| L | MIL-M-45628E | MOUNT, PERISCOPE, M115 [VALIDATION DATE: 8504] | A | 1240 | | AR | 31-JUL-72 | AR | | | | |
| L | MIL-R-45633 | RING ASSEMBLY, ELECTRICAL CONTACT 7665497 [VALIDATION DATE: 8504] | A | 1290 | | AR | 24-JUN-59 | AR | | | | |
| L | MIL-S-45635A NOTICE 1 | SCALES, GRAPHICAL FIRING: SITE, M58, M67, M72, AND M86 [VALIDATION DATE: 9009] | A | 1220 | | AR | 28-SEP-90 | AR | | | | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-P-45637B(2) | PERISCOPE, TANK, M19 AND M24 (VALIDATION DATE: 8705) USER: AT REVIEWER: MC | A | 6650 | AR | | 15-MAY-87 | AR | | | |
| L | | | MIL-P-45651B | PERISCOPE, TANK, M31 AND M31C (VALIDATION DATE: 8303) REVIEWER: MC | A | 1240 | AR | | 30-APR-64 | AR | | | |
| L | | | MIL-G-45653(2) | GAGE, CYLINDRICAL PLUG AND RING, PLAIN | A | 5220 | AR | | 08-JUN-83 | AR | | | |
| L | | | MIL-G-45654(3) | GAGE, PLUG AND RING, THREAD | A | 5220 | AR | | 23-AUG-84 | AR | | | |
| L | | | MIL-M-45655A | HOLDER, TELESCOPE MOUNT, XM7 (VALIDATION DATE: 8103) | A | 1240 | AR | | 08-FEB-63 | AR | | | |
| L | | | MIL-D-45657A<br>NOTICE 1 | DRIVE, BALLISTIC, M5A1 | A | 1220 | AR | | 30-MAR-87 | AR | | | |
| L | | | MIL-T-45658F | TELESCOPE, STRAIGHT, M103 (VALIDATION DATE: 8504) | A | 1240 | AR | | 22-JUN-73 | AR | | | |
| L | | | MIL-M-45659C(2) | MOUNT, TELESCOPE, M110 (VALIDATION DATE: 8303) | A | 1240 | AR | | 12-FEB-71 | AR | | | |
| L | | | MIL-M-45664E | MOUNT, PERISCOPE, M18 AND M18E1 (VALIDATION DATE: 8602) | A | 1240 | AR | | 31-JAN-74 | AR | | | |
| L | | | MIL-S-45669A | SIGHT, BORE, OPTICAL M45 (VALIDATION DATE: 8303) | A | 1240 | AR | | 19-FEB-71 | AR | | | |
| L | | | MIL-M-45671E(2) | MOUNT, PERISCOPE, M119 (VALIDATION DATE: 8602) | A | 1240 | AR | | 31-JAN-74 | AR | | | |
| L | | | MIL-C-45675A(2)<br>NOTICE 1 | COMPUTER, BALLISTICS, M13A1D (VALIDATION DATE: 8807) | A | 1220 | AR | | 11-JUL-88 | AR | | | |
| L | | | MIL-D-45676D<br>NOTICE 1 | DRIVE BALLISTICS: M10 SERIES (VALIDATION DATE: 9009) | A | 1220 | AR | | 28-SEP-90 | AR | | | |
| L | | | MIL-R-45677(1) | RANGE-FINDER, FIRE CONTROL, M17C (VALIDATION DATE: 8504) | A | 1240 | AR | | 23-FEB-62 | AR | | | |
| L | | | MIL-P-45678 | POWER UNIT ASSEMBLIES, 8289242 AND 8619600 (VALIDATION DATE: 8002) | A | 1240 | AR | | 25-JUL-60 | AR | | | |
| L | | | MIL-P-45682D(1) | PERISCOPE, TANK, M34 (VALIDATION DATE: 8201) | A | 1240 | AR | | 01-MAY-70 | AR | | | |
| L | | | MIL-P-45685A | PERISCOPE, M23 (VALIDATION DATE: 8602) USER: AT | A | 1240 | AR | | 12-FEB-68 | AR | | | |
| L | | | MIL-F-45687 | FIRE CONTROL ELECTRONIC CALIBRATION STANDARDS, PACKAGING OF (VALIDATION DATE: 8504) REVIEWER: SM | A | 1290 | AR | | 16-FEB-61 | AR | | | |
| L | | | MIL-T-45688D(2) | TELESCOPES, ARTICULATED: M105 SERIES USER: AT | A | 1240 | AR | | 17-JUN-91 | AR | | | |
| L | | | MIL-P-45689D(2) | PERISCOPE, TANK, M36 (VALIDATION DATE: 8601) | A | 1240 | AR | | 15-OCT-79 | AR | | | |
| L | | | MIL-M-45690A(4) | MOUNT, TELESCOPE, M114 USER: AT REVIEWER: MC | A | 1240 | AR | | 31-MAY-85 | AR | | | |
| L | | | MIL-P-45694 | PLOTTING BOARD, M17 (VALIDATION DATE: 8002) | A | 1220 | AR | | 24-FEB-61 | AR | | | |
| I | | | MIL-S-45743E(1)<br>NOTICE 1 | SOLDERING, MANUAL TYPE, HIGH RELIABILITY ELECTRICAL AND ELECTRONIC EQUIPMENT USER: AV MR REVIEWER: 99 AR ER OS | A | SOLD | MI | | 08-SEP-89 | MI | AS | 11 | |
| LI | | | MIL-S-45743E(14) | SOLDERING, MANUAL TYPE, HIGH RELIABILITY, ELECTRICAL AND ELECTRONIC EQUIPMENT | A | SOLD | MI | | 08-SEP-89 | MI | | | |
| L | | | MIL-F-45764C | FLUID LINES AND FITTINGS FOR MISSILES AND RELATED GROUND EQUIPMENT: FABRICATION AND INSTALLATION OF | A | 1410 | MI | | 09-JUN-90 | MI | | | |
| A L | | | MIL-R-45774A | RADIOGRAPHIC INSPECTION, SOUNDNESS REQUIREMENTS FOR FUSION WELDS IN ALUMINUM AND MAGNESIUM MISSILE COMPONENTS | A | NDTI | MI | | 29-JUN-92 | MI | | | |
| L | | | MIL-L-45779C(1) | LOADER - TRANSPORTER, GUIDED MISSILE: XM501E2 AND XM501E3; PROCESSING FOR STORAGE AND SHIPMENT OF | A | PACK | AT | | 04-DEC-90 | AT | | | |
| L | | | MIL-E-45782B(1) | ELECTRICAL WIRING, PROCEDURES FOR USER: AR CG MC OS REVIEWER: EL ER | A | 1430 | MI | | 15-DEC-80 | MI | | | |
| | | | MIL-R-45804D<br>SUPPL 1A1 | ROLLS, TOOLS AND ACCESSORIES, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8104) USER: ME REVIEWER: MD | A | 5140 | GL | | 09-SEP-75 | GL | | 99 | |
| A | | | MIL-R-45804/1<br>NOTICE 2 | ROLLS, TOOLS AND ACCESSORIES: SIZE 1 (VALIDATION DATE: 9302) | A | 5140 | GL | | 26-FEB-93 | GL | | 99 | |
| L | | | MIL-R-45804/2 | ROLLS, TOOLS AND ACCESSORIES: SIZE 6 | A | 5140 | GL | | 27-JAN-89 | GL | | | |
| L | | | MIL-R-45804/3 | ROLLS, TOOLS AND ACCESSORIES: SIZE 9 | A | 5140 | GL | | 27-JAN-89 | GL | | | |
| A | | | MIL-R-45804/4<br>NOTICE 2 | ROLLS, TOOLS AND ACCESSORIES: SIZE 11 (VALIDATION DATE: 9302) | A | 5140 | GL | | 26-FEB-93 | GL | | 99 | |
| | | | MIL-R-45804/5<br>NOTICE 2 | ROLLS, TOOLS AND ACCESSORIES: SIZE 12 | A | 5140 | GL | | 15-AUG-90 | GL | | 99 | |
| L | | | MIL-R-45804/6 | ROLLS, TOOLS AND ACCESSORIES: SIZE 13 | A | 5140 | GL | | 27-JAN-89 | GL | | | |
| | | | MIL-R-45804/7<br>NOTICE 2 | ROLLS, TOOLS AND ACCESSORIES: SIZE 14 | A | 5140 | GL | | 15-AUG-90 | GL | | 99 | |
| | | | MIL-R-45804/8<br>NOTICE 2 | ROLLS, TOOLS AND ACCESSORIES: SIZE 15 | A | 5140 | GL | | 15-AUG-90 | GL | | 99 | |
| | | | MIL-R-45804/9 | ROLLS, TOOLS AND ACCESSORIES: SIZE 16 | A | 5140 | GL | | 27-JAN-89 | GL | | 84 | |
| A | | | MIL-R-45804/10<br>NOTICE 2 | ROLLS, TOOLS AND ACCESSORIES: SIZE 17 (VALIDATION DATE: 9302) | A | 5140 | GL | | 26-FEB-93 | GL | | 99 | |
| | | | MIL-R-45804/11<br>NOTICE 2 | ROLLS, TOOLS AND ACCESSORIES: SIZE 18 | A | 5140 | GL | | 15-AUG-90 | GL | | 99 | |
| | | | MIL-R-45804/12 | ROLLS, TOOLS AND ACCESSORIES: SIZE 19 | A | 5140 | GL | | 27-JAN-89 | GL | | 84 | |
| A | | | MIL-R-45804/13<br>NOTICE 2 | ROLLS, TOOLS AND ACCESSORIES: SIZE 20 (VALIDATION DATE: 9302) | A | 5140 | GL | | 26-FEB-93 | GL | | 99 | |
| L | | | MIL-P-45805C | POLISHING MACHINE, AUTOMOTIVE CRANKSHAFT AND CAM SHAFT USER: AT | A | 4910 | AL | | 04-DEC-85 | AL | | | |
| L | | | MIL-T-45809E | TABLE, WELDING | A | 3436 | AL | | 26-NOV-85 | AL | | | |
| L | | | MIL-G-45811D | GAGE, AIR, LOW PRESSURE, PNEUMATIC FLOATING EQUIPMENT USER: AT | A | 5420 | ME | | 06-FEB-92 | ME | | | |
| L | | | MIL-F-45813(1) | FIXTURE TEST, FINAL INSPECTION, 8237268; PACKAGING OF | A | 4931 | AR | | 21-JUN-90 | AR | | | |
| D | | | MIL-S-45814D | SAW, BAND, CUTOFF, HORIZONTAL, AND COMBINATION HORIZONTAL AND VERTICAL USER: MC REVIEWER: 84 YD1 | A | 3405 | IP | | 29-JUN-87 | AL | SH | 99 | |
| | | | MIL-D-45815E<br>NOTICE 1 | DRILLING MACHINE, RADIAL, BENCH TYPE, SLIDING ARM SWIVELHEAD, HANDFEED USER: AV OS REVIEWER: 84 GS SM | A | 3413 | IP | | 07-AUG-89 | AL | SH | 99 | IP |
| | | | MIL-P-45819D | PANS, DRAIN, AUTOMOTIVE REVIEWER: CS | A | 4910 | AL | | 12-JUN-92 | AL | MC | | |
| L | | | MIL-C-45820D | CABLE ASSEMBLIES, ELECTRICAL REVIEWER: AT CS ER SM | A | 4910 | AL | | 20-JAN-89 | AL | | | |
| L | | | MIL-E-45829A<br>NOTICE 1 | ELECTRODE, WELDING, COPPER, SILICON-DEOXIDIZED, SOLID, BARE (VALIDATION DATE: 9101) USER: MI REVIEWER: GS MR | A | 3432 | AR | | 28-JAN-91 | AR | | | |
| L | | | MIL-W-45844D | WELDING MACHINE, RESISTANCE, SPOT&TYPE PORTABLE, (AUTOMOTIVE REPAIR) REVIEWER: GS MI | A | 3432 | AL | | 30-DEC-87 | AL | | | |
| | | | MIL-G-45851E | GRINDING MACHINE, CYLINDER HEAD (WET TYPE) REVIEWER: 82 MC | A | 4910 | AL | | 03-OCT-91 | AL | | 99 | |
| L | | | MIL-B-45852A(3) | BORESCOPES M1 AND M2 USER: MC MI | A | 6650 | AR | | 23-MAR-87 | AR | | | |
| A | | | MIL-C-45854B(2)<br>NOTICE 2 | CHASERS, THREAD, HAND (THREAD COMB) (VALIDATION DATE: 9302) USER: AT CE MC REVIEWER: AL AV ME | A | 5136 | GL | | 26-FEB-93 | GL | SA | 99 | |
| L | | | MIL-S-45855E | SHOP EQUIPMENT, CONTACT MAINTENANCE, TRUCK MOUNTED REVIEWER: CS | A | 4940 | AL | | 14-MAR-88 | AL | | | |
| | | | MIL-P-45859B | POP-VALVE-TEST BENCH ASSEMBLY (VALIDATION DATE: 8906) REVIEWER: 82 CS | A | 4940 | AT | | 06-JUN-89 | AT | | 99 | |
| | | | MIL-S-45860D | SHRINKING AND STRETCHING MACHINE, SHEET METAL, MANUAL AND POWER OPERATED USER: MC SM REVIEWER: 84 GS | A | 3441 | IP | | 23-MAR-88 | AR | SH | 99 | |
| L | | | MIL-C-45882<br>NOTICE 1 | CONTROL UNIT: LANCE AK (VALIDATION DATE: 8902) | A | NUCR | AR | | 16-FEB-89 | AR | | | |
| L | | | MIL-A-45883<br>NOTICE 1 | ADAPTION KIT, ATOMIC WARHEAD TO GUIDED MISSILE, TRAINING, M246 (TYPE W) (VALIDATION DATE: 8809) | A | 1135 | AR | | 08-SEP-88 | AR | | | |
| L | | | MIL-S-45885 | SWITCH, ROTARY (VALIDATION DATE: 8201) | A | NUCR | AR | | 26-FEB-76 | AR | | | |
| L | | | MIL-T-45886A(1) | TIMER, SEQUENTIAL: M42E2 | A | 1135 | AR | | 05-SEP-90 | AR | | | |
| L | | | MIL-B-45887A(2) | BOLT, TEE | A | NUCR | AR | | 18-MAR-91 | AR | | | |
| L | | | MIL-C-45888(3)<br>NOTICE 1 | CONNECTOR PLUG, THERMAL RELEASING (VALIDATION DATE: 8909) | A | 1190 | AR | | 01-SEP-89 | AR | | | |
| L | | | MIL-T-45890A(1) | TOOLS FOR PROJECTILE, M422 | A | NUCR | AR | | 24-JUL-89 | AR | | | |
| L | | | MIL-R-45906D(1) | RELEASE, TWO POINTS - SINGLE PULL, PARACHUTIST S EQUIPMENT PACK REVIEWER: IS | A | 5340 | GL | | 08-APR-87 | GL | | | |
| L | | | MIL-M-45907A(1) | MOUNT, SHIPPING CONTAINER, RESILIENT - SHOCK AND VIBRATION DAMPING REVIEWER: IS | A | 5340 | AT | | 09-MAR-87 | AT | | | |
| | | | MIL-B-45908B | BOLT, EYE, GENERAL SPECIFICATION FOR USER: ME REVIEWER: AV IS | A | 5306 | AR | | 26-SEP-85 | AR | | 99 | |
| D | | | MIL-S-45909C<br>SUPPL 1A1 | STUD, LOCKED IN, RING LOCKED, SERRATED, GENERAL SPECIFICATION FOR USER: MC ME OS YD1 REVIEWER: 11 82 AT AV ER GL IS MS | A | 5307 | AR | | 27-MAR-89 | AR | AS | 99 | |
| | | | MIL-I-45910C | INSERT, SCREW THREAD LOCKED IN & RING LOCKED) SERRATED GENERAL SPECIFICATION FOR USER: MC OS REVIEWER: 11 82 AT AV ER GL IS MI MS | A | 5340 | AR | | 11-MAR-85 | AR | AS | 99 | |
| | | | MIL-B-45912A(1) | BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL REVIEWER: IS MI | A | 5306 | AR | | 24-MAY-91 | AR | | 99 | |
| | | | MIL-N-45913B<br>NOTICE 1 | NUTS, SELF-LOCKING, HEXAGON, PREVAILING-TORQUE (VALIDATION DATE: 8604) USER: AT AV MC OS REVIEWER: 82 IS MI | A | 5310 | AR | | 02-APR-86 | AR | | 99 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-I-45914A | INSERT, SCREW THREAD - LOCKED IN, KEY LOCKED, GENERAL SPECIFICATION FOR USER: AT ER MC REVIEWER: AV IS MI SH | A | 5340 | AR | | 25-APR-91 | AR | AS | 99 | | |
| | MIL-S-45915A | STUD, LOCKED IN - KEY LOCKED, GENERAL SPECIFICATION FOR USER: GL MC REVIEWER: 82 AT AV IS MI SH | A | 5307 | AR | | 21-AUG-91 | AR | AS | 99 | | |
| | MIL-I-45916B | INSERT, SCREW THREAD - THREAD CUTTING AND THREAD FORMING (VALIDATION DATE: 8101) USER: AV MC ME OS REVIEWER: AT EA IS MI | A | 5340 | AR | | 24-JUL-75 | AR | | 99 | | |
| | MIL-T-45917A NOTICE 1 | TARGET MECHANISM, NIGHT FIRING, SMALL ARMS, M40 (VALIDATION DATE: 8604) ... | A | 6920 | AR | | 10-APR-86 | AR | TD | 99 | | |
| | MIL-C-45918 | CLEVISES AND CONNECTORS (ROD END) (VALIDATION DATE: 8203) USER: GL MC ME REVIEWER: AT AV IS MI SH | A | 5340 | AR | | 04-DEC-68 | AR | AS | 99 | | |
| L | MIL-T-45919 | TARGET, SILHOUETTE, STANDING MAN HOLDING PISTOL AND 1000 INCH (VALIDATION DATE: 8404) | A | 6920 | AR | | 13-DEC-68 | AR | | | | |
| | MIL-M-45920(1) | MACHINE GUN, AIRCRAFT 7.62MM, M134 (GAU-2B/A) (VALIDATION DATE: 8301) ..... | A | 1005 | AR | | 14-DEC-76 | AR | OS | 99 | | |
| L | MIL-M-45920(12) | MACHINE GUN, AIRCRAFT 7.62MM: M134 (GAU-2B/A) ..... | A | 1005 | AR | | 08-MAY-90 | AR | | | | |
| | MIL-S-45921 NOTICE 1 | STOCK, GUN, SHOULDER, ASSEMBLY W/O BUTT PLATE, FIBERGLASS REINFORCED, PLASTIC (PREMIX) (FOR RIFLE, 7.62MM, M14) (VALIDATION DATE: 8604) USER: MC | A | 1005 | AR | | 16-APR-86 | AR | OS | 99 | | |
| L | MIL-L-45923A(4) | LINK, CARTRIDGE, METALLIC BELT, CALIBER .50, M9 ..... | A | 1305 | AR | | 07-JUN-84 | AR | | | | |
| L | MIL-S-45927(2) | SIGHTING STATION (VALIDATION DATE: 8201) ..... | A | 1090 | AR | | 11-JUN-76 | AR | | | | |
| L | MIL-M-45928 NOTICE 1 | MACHINE GUN, 7.62MM, FIXED, M219 (VALIDATION DATE: 8705) ..... | A | 1005 | AR | | 28-MAY-87 | AR | | | | |
| L | MIL-D-45929(2) | DRUM, AMMUNITION, ROTARY, 7.62MM (VALIDATION DATE: 8201) ..... | A | 1090 | AR | | 11-JUN-76 | AR | | | | |
| L | MIL-C-45931A(2) | CLIP, CARTRIDGE, 5.56MM, 10 ROUND (VALIDATION DATE: 8502) ..... | A | 1305 | AR | | 13-MAR-79 | AR | | | | |
| | MIL-I-45932(1) SUPPL 1A1, NOTICE 1 | INSERT, SCREW THREAD, THIN WALL, LOCKED IN: GENERAL SPECIFICATION FOR (VALIDATION DATE: 8604) USER: AS AT MC OS REVIEWER: 82 AV IS ME | A | 5340 | AR | | 02-APR-86 | AR | | 99 | | |
| D | MIL-I-45932/1B | INSERT, SCREW THREAD - THIN WALL, LOCKED IN USER: AT ER MC ME OS YD1 REVIEWER: AV IS MI NS | A | 5340 | AR | | 02-MAR-89 | AR | AS | 99 | | |
| | MIL-I-45932/2B | INSERT, SCREW THREAD - THIN WALL, LOCKED-IN, NON METALLIC LOCKING ELEMENT (-60 DEG. TO PLUS 250 DEG. F) (VALIDATION DATE: 8304) REVIEWER: AV IS | A | 5340 | AR | | 20-SEP-77 | AR | | 99 | | |
| | MIL-I-45932/3A | INSERT, SCREW THREAD - THIN WALL, LOCKED IN, OVERSIZE REPLACER USER: AT MC ME | A | 5340 | AR | | 01-MAR-89 | AR | AS | 99 | | |
| | MIL-S-45933 SUPPL 1A1 | STUD, KEYRING LOCKED, 125 AND 160 KSI, FTU, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8504) USER: GL MC ME REVIEWER: 11 82 AT AV IS | A | 5307 | AR | | 30-JUN-71 | AR | AS | 99 | | |
| | MIL-S-45933/1A | STUD, KEYRING LOCKED, 125 KSI FTU, SINGLE STEP (VALIDATION DATE: 8304) REVIEWER: 82 AV EL IS NS | A | 5307 | AR | | 22-SEP-77 | AR | AS | 99 | | |
| | MIL-S-45933/2A | STUD, KEYRING LOCKED, 160 KSI FTU, MULTIPLE STEP (VALIDATION DATE: 8304) REVIEWER: 82 AV IS | A | 5307 | AR | | 22-SEP-77 | AR | | 99 | | |
| | MIL-S-45933/3A | STUD, KEYRING LOCKED, HOLE DIMENSIONS FOR AND ASSEMBLY OF (VALIDATION DATE: 8304) USER: MC ME REVIEWER: 11 82 AT AV IS | A | 5307 | AR | | 22-SEP-77 | AR | AS | 99 | | |
| | MIL-I-45934 SUPPL 1A1 | INSERT, SCREW THREAD, KEYRING LOCKED, SELF LOCKING AND NON SELF LOCKING, 125, 180, AND 220 KSI FTU, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8504) USER: MC REVIEWER: 11 AT AV EL ER IS | A | 5340 | AR | | 30-JUN-71 | AR | AS | 99 | | |
| | MIL-I-45934/1 | INSERT, SCREW THREAD KEYRING LOCKED, SELF LOCKING AND NON SELF LOCKING, 125 KSI FTU (VALIDATION DATE: 8504) USER: MC REVIEWER: 11 AT AV ER IS | A | 5340 | AR | | 30-JUN-71 | AR | AS | 99 | | |
| | MIL-I-45934/2 | INSERT, SCREW THREAD-KEYRING LOCKED, SELF-LOCKING AND NON SELF-LOCKING, 180 KSI FTU (VALIDATION DATE: 8504) USER: MC REVIEWER: 11 AT AV ER IS | A | 5340 | AR | | 30-JUN-71 | AR | AS | 99 | | |
| | MIL-I-45934/3 | INSERT, SCREW THREAD KEYRING LOCKED, SELF LOCKING, AND NON SELF LOCKING, 220 KSI FTU (VALIDATION DATE: 8504) USER: MC REVIEWER: 11 AT AV ER IS | A | 5340 | AR | | 30-JUN-71 | AR | AS | 99 | | |
| | MIL-I-45934/4 | INSERT, SCREW THREAD, KEYRING LOCKED HOLE DIMENSIONS FOR AND ASSEMBLY OF (VALIDATION DATE: 8504) USER: MC REVIEWER: 11 AT AV ER IS | A | 5340 | AR | | 30-JUN-71 | AR | AS | 99 | | |
| L | MIL-L-45935A(3) | LAUNCHER, GRENADE, 40MM: DETACHABLE, M203 USER: MC ..... | A | 1010 | AR | | 29-MAR-91 | AR | | | | |
| L | MIL-G-45936 | GUN, AIR DEFENSE ARTILLERY 20MM, TOWED M167 (VALIDATION DATE: 8504) ..... | A | 1005 | AR | | 22-MAY-73 | AR | | | | |
| D | MIL-N-45938 SUPPL 1A1, NOTICE 1 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH GENERAL SPECIFICATION FOR (VALIDATION DATE: 8604) USER: AT ER MC YD1 REVIEWER: AV | A | 5310 | AR | | 02-APR-86 | AR | OS | | | |
| | MIL-N-45938/1B | NUT, PLAIN, CLINCH (SELF-CLINCHING, ROUND) USER: MC REVIEWER: AV EA IS .... | A | 5310 | AR | | 02-OCT-84 | AR | OS | | | |
| | MIL-N-45938/2A | NUT, PLAIN, CLINCH & NUT, SELF LOCKING, CLINCH (HEXAGON HEAD & SHANK, SWAGE CLINCH) USER: AT ER MC REVIEWER: AV GL IS | A | 5310 | AR | | 18-AUG-87 | AR | OS | | | |
| | MIL-N-45938/3B | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, 450 DEG. F. AND 600 DEG. F.) USER: AT ER MC SH REVIEWER: AV CR IS MI | A | 5310 | AR | | 04-MAR-88 | AR | AS | | | |
| | MIL-N-45938/4A | NUT, PLAIN, CLINCH (SELF-CLINCHING, FLUSH) USER: AS AT ER MC SH REVIEWER: AV GL IS | A | 5310 | AR | | 18-AUG-87 | AR | OS | | | |
| | MIL-N-45938/5A(2) | NUT, SELF-LOCKING, CLINCH (SWAGE-CLINCHING, KNURLED SHANK, MINIATURE, 250 DEG. F) USER: AS AT ER MC SH REVIEWER: AV GL IS NS | A | 5310 | AR | | 01-FEB-90 | AR | OS | | | |
| | MIL-N-45938/6A | NUT, SELF-LOCKING, CLINCH (SWAGE-CLINCHING, KNURLED SHANK, MINIATURE, 450 DEG F.) USER: AT GL MC REVIEWER: AV IS MI | A | 5310 | AR | | 21-AUG-87 | AR | OS | | | |
| | MIL-N-45938/7B | NUT, PLAIN CLINCH AND NUT, SELF-LOCKING CLINCH, (KNURLED COLLAR, MINIATURE, 450 DEG. F) USER: AT ER MC SH REVIEWER: AV IS MI | A | 5310 | AR | | 18-JUL-88 | AR | OS | | | |
| | MIL-N-45938/8A | NUT, SELF LOCKING, CLINCH (SWAGE CLINCHING, KNURLED SHANK, 250 DEG. F) REVIEWER: MI | A | 5310 | AR | | 20-AUG-85 | AR | OS | | | |
| D L | MIL-N-45938/9A | NUT, SELF LOCKING, CLINCH (SWAGE CLINCHING, KNURLED SHANK, 250 DEG. F, UNJF-3B) USER: AS MC YD1 REVIEWER: 11 82 IS ME NS | A | 5310 | OS | | 27-JUN-85 | | OS | 99 | | |
| | MIL-N-45938/10 NOTICE 1 | NUT, PLAIN, CLINCH AND NUT, SELF LOCKING, CLINCH (SELF CLINCHING) ROUND (VALIDATION DATE: 8704) USER: AV MC REVIEWER: 11 AS AT ER IS MI NS | A | 5310 | AR | | 18-DEC-80 | AR | OS | 99 | | |
| A | MIL-N-45938/11(1) | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (FLOATING, 400 DEG. F) USER: AT MC MI REVIEWER: 11 82 AV NS | A | 5310 | IS | | 01-MAY-93 | AR | OS | 99 | IS | |
| | MIL-N-45938/12B | NUT, PLAIN, SPLINE, ROUND USER: MC MI REVIEWER: 11 82 AV ER IS ..... | A | 5310 | AR | | 21-APR-88 | AR | OS | 99 | | |
| | MIL-N-45938/13 NOTICE 1 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, MINIATURE, FLOATING, 450 DEGREE F AND 600 DEGREE F (VALIDATION DATE: 8906) USER: 82 AS AT MC ME MI SH REVIEWER: 11 AV IS NS | A | 5310 | AR | | 12-JUN-89 | AR | OS | 99 | | |
| | MIL-N-45938/14 NOTICE 1 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, FLOATING, 450 DEG. F 600 DEG. F) (VALIDATION DATE: 8906) USER: 82 AS AT MC ME MI SH REVIEWER: 11 AV IS NS | A | 5310 | AR | | 12-JUN-89 | AR | OS | 99 | | |
| | MIL-F-45939 NOTICE 1 | FEEDER, AUTOMATIC GUN, MAU-57A/A (VALIDATION DATE: 8705) REVIEWER: 84 ..... | A | 1005 | AR | | 28-MAY-87 | AR | OS | 99 | | |
| L | MIL-A-45940 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN, DOOR MOUNTED, LIGHT WEIGHT, M24 (LESS M60D MACHINE GUN) (VALIDATION DATE: 7904) | A | 1005 | AR | | 07-DEC-71 | AR | | | | |
| L | MIL-A-45941 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN, DOOR MOUNTED, LIGHT WEIGHT, M23 (LESS M60D MACHINE GUN) (VALIDATION DATE: 7905) | A | 1005 | AR | | 07-DEC-71 | AR | | | | |
| L | MIL-L-45942A | LINK, CARTRIDGE, METALLIC BELT, 30MM, XM23 (VALIDATION DATE: 8201) ..... | A | 1305 | AR | | 07-SEP-76 | AR | | | | |
| L | MIL-L-45943B | LATHE, ENGINE, FLOOR MOUNTED, 18 INCH SWING USER: AT ..... | A | 3416 | AL | | 01-MAR-88 | AL | | | | |
| L | MIL-S-45944B | SLING, ENGINE AND TRANSMISSION, MOTOR VEHICLE (MECHANICAL TILTING REVIEWER: AT ME | A | 4910 | AL | | 30-OCT-87 | AL | | | | |
| L | MIL-M-45945(2) NOTICE 1 | MACHINE GUN, 7.62MM, M60D (VALIDATION DATE: 9010) USER: MC ..... | A | 1005 | AR | | 12-OCT-90 | AR | | | | |
| | MIL-L-45946A(2) | LINK, CARTRIDGE, METALLIC BELT, 20MM: M22 (VALIDATION DATE: 8908) ..... | A | 1305 | AR | | 02-AUG-89 | AR | | 99 | | |
| L | MIL-A-45947 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN, RAMP MOUNTED, LIGHT WEIGHT, M41 (LESS M60D MACHINE GUN) (VALIDATION DATE: 7904) | A | 1005 | AR | | 11-MAY-72 | AR | | | | |
| L | MIL-D-45950B | DEGREASER, VAPOR SPRAY, STATIONARY, SOLVENT-TYPE, STEAM OR ELECTRICALLY-HEATED USER: ME REVIEWER: CS MD SH | A | 4940 | AL | | 28-FEB-92 | AL | | | | |
| | MIL-P-45952 | PIN, QUICK RELEASE, DETENT GENERAL SPECIFICATION FOR (VALIDATION DATE: 8604) USER: MC ME REVIEWER: 99 AT AV GL IS | A | 5340 | AR | | 05-MAR-73 | AR | OS | 11 | | |
| | MIL-P-45952/1 NOTICE 1 | PIN, QUICK-RELEASE, DETENT (VALIDATION DATE: 8604) USER: MC ME REVIEWER: 99 AT AV GL IS | A | 5340 | AR | | 02-APR-86 | AR | OS | 11 | | |
| L | MIL-F-45955A | FLOW TEST MACHINE, RADIATOR USER: AT ME ..... | A | 4910 | AL | | 05-JUN-85 | AL | | | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-C-45956(2) | CONTROLLER, WEAPONS-GUN SPEED AND LAUNCHER BRAKE, LH [VALIDATION DATE: 8201] | A | 1090 | AR | AR | 11-JUN-76 | AR | | | |
| | MIL-F-45961 NOTICE 1 | FORGING, PREALLOYED STEEL POWDER | A | FORG | AR | AR | 21-MAR-86 | AR | | | |
| L | MIL-E-45962(1) | ELECTRONIC COMPONENTS ASSEMBLY (11691622) [VALIDATION DATE: 8301] | A | 1090 | AR | AR | 11-JAN-77 | AR | | | |
| | MIL-L-45963 NOTICE 1 | LOADER, DELINKING, AIRCRAFT MACHINE GUN, MAU-69A/A [VALIDATION DATE: 8806] USER: AS REVIEWER: 84 | A | 1005 | AR | AR | 13-JUN-88 | AR | OS | | 99 |
| L | MIL-C-45964B(1) | CANNON, 155MM HOWITZER: M185 | A | 1025 | AR | AR | 20-FEB-90 | AR | | | |
| L | MIL-M-45965(1) NOTICE 1 | MORTAR, 60MM: M19 [VALIDATION DATE: 9105] | A | 1010 | AR | AR | 06-MAY-91 | AR | | | |
| | MIL-F-45966(1) | FEEDER, AUTOMATIC GUN, M89 AND M89E1 [VALIDATION DATE: 8301] | A | 1005 | AR | AR | 17-DEC-76 | AR | OS | | |
| L | MIL-P-45969B | POWER SUPPLY, HYDRAULIC AND ELECTRIC, PORTABLE | A | 4933 | AR | AR | 24-AUG-90 | AR | | | |
| D | MIL-L-45973A | LINER MATERIAL, GREASEPROOF [VALIDATION DATE: 8201] USER: MC SA YD1 REVIEWER: 99 DS EA EC GS MI SM WV | A | 8135 | AR | AR | 08-JAN-76 | AR | OS | | 69 |
| L | MIL-M-45974(1) NOTICE 1 | MACHINE GUN, 7.62MM: M60E2 (FIXED) [VALIDATION DATE: 9010] | A | 1005 | AR | AR | 12-OCT-90 | AR | | | |
| L | MIL-C-45975B(1) | CANNON, 155MM HOWITZER: M199 | A | 1025 | AR | AR | 20-FEB-90 | AR | | | |
| L | MIL-M-45976(1) | MOUNT, GUN, M140, M140A1, M150 AND M150A1 | A | 1015 | AR | AR | 08-FEB-82 | AR | | | |
| D | MIL-B-45977B | BINS, CABINETS, SHELVING, AND WORKTABLES, PACKAGING OF REVIEWER: SM | A | PACK | AL | AL | 01-JUL-90 | AL | YD1 | | 99 |
| L | MIL-C-45978A | CANNON, 105MM HOWITZER: M205 | A | 1015 | AR | AR | 12-FEB-92 | AR | | | |
| | MIL-R-45979(1) | RIFLE, 7.62MM, M14, NATIONAL MATCH | A | 1005 | AR | AR | 18-AUG-86 | AR | OS | | |
| L | MIL-G-45980(1) | GUN, AIR DEFENSE ARTILLERY, 20MM, SELF-PROPELLED, M163A1 [VALIDATION DATE: 8301] | A | 2350 | AR | AR | 17-FEB-77 | AR | | | |
| L | MIL-C-45981(1) | GUN, AIR DEFENSE ARTILLERY, 20MM, TOWED,M167A1 [VALIDATION DATE: 8301] | A | 1005 | AR | AR | 17-FEB-77 | AR | | | |
| L | MIL-L-45983 | LUBRICANT, SOLID FILM, HEAT CURED (TEMPERATURE RANGE 125 DEG. TO 250 )51.8 DEG. TO 121 DEG. C() CORROSION INHIBITING [VALIDATION DATE: 8302] REVIEWER: AT AV GS ME MI PS | A | 9150 | AR | AR | 31-AUG-76 | AR | | | |
| L | MIL-H-45984B(1) | HOWITZER, MEDIUM, TOWED, 155MM, M198 REVIEWER: MC | A | 1025 | AR | AR | 27-MAR-85 | AR | | | |
| L | MIL-M-45986(3) NOTICE 1 | MECHANISM, RECOIL, 155MM HOWITZER, M45 | A | 1025 | AR | AR | 22-OCT-84 | AR | | | |
| L | MIL-C-45987A(1) | CARRIAGE, 155MM HOWITZER, M39 | A | 1025 | AR | AR | 31-JAN-86 | AR | | | |
| L | MIL-L-45990A | LATHE, ENGINE, 13-INCH SWING | A | 3416 | AL | AL | 31-MAR-92 | AL | | | |
| L | MIL-W-45991A | WELDING SHOP, TRAILER MOUNTED | A | 3431 | AL | AL | 28-SEP-89 | AL | | | |
| A L | MIL-W-45992A NOTICE 1 | WELDING MACHINE, ARC, DIRECT CURRENT (DC), CONSTANT CURRENT (CC), CONSTANT VOLTAGE (CV), 350 AMPERE, DIESEL ENGINE DRIVEN (DED), BASE MOUNTED [VALIDATION DATE: 9209] | A | 3431 | AL | AL | 29-SEP-92 | AL | | | |
| | MIL-B-45993A | BEAD BREAKER, PNEUMATIC TIRE, PORTABLE AIR OR AIR OVER HYDRAULIC OPERATED USER: ME | A | 4910 | AL | AL | 09-JUN-89 | AL | | | 99 |
| | MIL-D-45994 | DRILLING MACHINE, RADIAL, FLOOR MOUNTED, 11 INCH X 48 INCH | A | 3413 | AL | AL | 09-JUN-86 | AL | | | 84 |
| D | MIL-U-45995 | UNDERCUTTER,ARMATURE MICA, ELECTRICALLY OPERATED USER: YD1 REVIEWER: 82 CS SM | A | 4940 | AL | AL | 25-NOV-86 | AL | | | 99 |
| D L | MIL-C-45996 | CLEANER, STEAM AND HIGH PRESSURE HOT AND COLD WATER JET, TRAILER MOUNTED USER: ME YD1 | A | 4940 | AL | AL | 20-MAR-87 | AL | | | |
| D | MIL-A-45997 | ATTACHMENTS, CUTTING FOR TORCHES, OXYACETYLENE WELDING AND CUTTING REVIEWER: 84 | A | 3433 | AL | AL | 03-APR-87 | AL | YD1 | | 99 |
| D | MIL-H-45998 | HANDLE, OXYACETYLENE WELDING AND CUTTING TORCH REVIEWER: 84 | A | 3433 | AL | AL | 03-APR-87 | AL | YD1 | | 99 |
| L | MIL-L-45999 | LATHE, MEDIUM DUTY, BREAK DRUM AND DISC BREAK ROTORS | A | 4910 | AL | AL | 05-AUG-88 | AL | | | |
| Q | MIL-L-46000C | LUBRICANT, SEMI-FLUID (AUTOMATIC WEAPONS) USER: OS PS SA REVIEWER: GS MD | A | 9150 | AR | AR | 25-FEB-87 | AR | AS | | 68 |
| | MIL-H-46001D | HYDRAULIC FLUIDS, PETROLEUM BASE, FOR MACHINE TOOLS USER: MC SH REVIEWER: AV GS IP MD NS OS SM | A | 9150 | ME | ME | 07-DEC-89 | ME | SA | | 68 |
| L | MIL-P-46002B(3) | PRESERVATIVE OIL, CONTACT AND VOLATILE CORROSION-INHIBITED USER: AT REVIEWER: AR GS MD | A | 9150 | ME | ME | 20-FEB-86 | ME | OS | | |
| QL | MIL-G-46003A | GREASE, RIFLE [VALIDATION DATE: 8302] REVIEWER: GS MC ME PS | A | 9150 | AR | AR | 31-DEC-76 | AR | | | |
| Q | MIL-L-46010B(2) | LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING REVIEWER: AL AR AT AV GS MD SH | A | 9150 | ME | ME | 05-SEP-90 | ME | AS | | 68 |
| | MIL-L-46014 NOTICE 1 | LUBRICATING OIL, SPINDLE [VALIDATION DATE: 8805] REVIEWER: GS | A | 9150 | AR | AR | 05-MAY-88 | AR | | | 68 |
| L | MIL-G-46015B | GASOLINE, AUTOMOTIVE, COMBAT, REFEREE GRADE USER: TE REVIEWER: AT CE PS | A | 9130 | ME | ME | 28-MAR-83 | ME | | | |
| L | MIL-O-46016 NOTICE 1 | OIL, QUENCHING [VALIDATION DATE: 8805] REVIEWER: AV GS | A | 9150 | AR | AR | 05-MAY-88 | AR | | | |
| L | MIL-L-46017(1) NOTICE 1 | LUBRICATING OIL, MACHINE TOOL SLIDEWAYS [VALIDATION DATE: 8805] REVIEWER: GS ME | A | 9150 | AR | AR | 05-MAY-88 | AR | | | |
| L | MIL-N-46025B | NICKEL BAR, FLAT WIRE (RIBBON) AND STRIP (FOR ELECTRONIC USE) [VALIDATION DATE: 8908] USER: AT ME MI REVIEWER: AR IS | A | 9525 | MR | MR | 11-AUG-89 | MR | | | |
| L | MIL-N-46026A | NICKEL ROD AND WIRE (ROUND) (FOR ELECTRONIC USE) [VALIDATION DATE: 8908] USER: AT REVIEWER: AR EA IS MI | A | 9525 | MR | MR | 11-AUG-89 | MR | | | |
| A L | MIL-A-46027H | ARMOR PLATE, ALUMINUM ALLOY, WELDABLE 5083 AND 5456 USER: AT REVIEWER: AL AR AV IS TE | A | 9535 | MR | MR | 10-AUG-92 | MR | | | |
| | MIL-G-46030E NOTICE 1 | GLUE, ANIMAL (PROTECTIVE COLLOID) [VALIDATION DATE: 9103] REVIEWER: 84 AR | A | 8040 | MR | MR | 29-MAR-91 | MR | AS | | 99 |
| L | MIL-F-46032A | FUNGUS RESISTANT TREATMENT FOR SANDBAGS, COPPER PROCESSES [VALIDATION DATE: 8109] USER: ME MI REVIEWER: EA IS | A | 8030 | GL | GL | 26-NOV-71 | GL | | | |
| L | MIL-T-46035B | TITANIUM ALLOY: HIGH STRENGTH, WROUGHT (FOR CRITICAL COMPONENTS) USER: AR REVIEWER: MI | A | FORG | MR | MR | 31-JAN-89 | MR | | | |
| L | MIL-P-46036B | PLASTIC SHEET, RODS, TUBES AND DISCS, POLYCHLOROTRIFLUOROETHYLENE [VALIDATION DATE: 8601] USER: ME REVIEWER: ER GL GS MI | A | 9330 | MR | MR | 23-FEB-73 | MR | | | |
| L | MIL-S-46047E | STEEL, BARS AND BLANKS (1-3/4 INCHES AND OVER IN DIAMETER) FOR BARRELS OF SMALL ARMS WEAPONS REVIEWER: AR IS WV | A | 9510 | MR | MR | 21-SEP-88 | MR | | | |
| L | MIL-F-46048A | FLOOR PLATE, RAISED PATTERN, MAGNESIUM ALLOY (AZ31B), ROLLED [VALIDATION DATE: 8908] USER: ME MI REVIEWER: IS | A | 9535 | MR | MR | 11-AUG-89 | MR | | | |
| L | MIL-S-46049C | STRIP, METAL, CARBON STEEL, COLD ROLLED, HARDENED AND TEMPERED SPRING QUALITY USER: AT OS SH REVIEWER: AV EA IS MI WV | A | 9515 | MR | MR | 06-FEB-87 | MR | | | |
| D | MIL-A-46050C(3) | ADHESIVES, CYANOACRYLATE, RAPID ROOM-TEMPERATURE CURING, SOLVENTLESS USER: AS MC REVIEWER: 84 AR ER GL MD ME MI | A | 8040 | MR | MR | 27-JUL-88 | MR | YD1 | | 11 |
| Q | MIL-I-46058C(6) | INSULATING COMPOUND, ELECTRICAL (FOR COATING PRINTED CIRCUIT ASSEMBLIES) USER: AV MC OS SH REVIEWER: 99 AR AS GS MI | A | 5970 | ER | ER | 08-NOV-82 | ER | EC | | 85 |
| | MIL-M-46062C NOTICE 1 | MAGNESIUM ALLOY CASTINGS, HIGH STRENGTH [VALIDATION DATE: 9102] USER: AL AR OS | A | MECA | MR | MR | 22-FEB-91 | MR | AS | | 11 |
| A | MIL-A-46063G | ARMOR PLATE, ALUMINUM ALLOY, 7039 USER: SH REVIEWER: 84 99 AR AS AT IS TE | A | 9535 | MR | MR | 30-DEC-92 | MR | | | 11 |
| | MIL-L-46064A | LEAD-TIN ALLOY COATING (ELECTRODEPOSITED) [VALIDATION DATE: 8907] REVIEWER: AL AR AT | A | MFFP | MR | MR | 31-JUL-89 | MR | SH | | 11 |
| D L | MIL-B-46066B | BANDS, ROTATING, COPPER ALLOY, CENTRIFUGAL CAST (FOR CRITICAL APPLICATIONS) [VALIDATION DATE: 8810] | A | MECA | AR | AR | 12-OCT-88 | AR | | | |
| L | MIL-P-46067B | PLASTIC EMBEDDING COMPOUND, EPOXY RESIN SYSTEM [VALIDATION DATE: 8601] USER: AT MD ME REVIEWER: GS MI | A | 9330 | MR | MR | 09-FEB-77 | MR | | | |
| L | MIL-S-46070(2) NOTICE 1 | STEEL BAR FOR PROJECTILE STOCK [VALIDATION DATE: 9101] | A | 9510 | AR | AR | 22-JAN-91 | AR | | | |
| L | MIL-T-46072A | TUBE, ROUND, COPPER ALLOY NUMBERS 330, 331, 332, AND 370 (LEADED BRASS), SEAMLESS [VALIDATION DATE: 8501] USER: ME MI REVIEWER: AR CS EA | A | 4710 | MR | MR | 10-SEP-71 | MR | | | |
| L | MIL-L-46075A | LACQUER, RED (FOR AMMUNITION PRIMERS) [VALIDATION DATE: 8101] | A | 8010 | AR | AR | 29-SEP-71 | AR | | | |
| | MIL-A-46077D | ARMOR PLATE, TITANIUM ALLOY, WELDABLE [VALIDATION DATE: 8306] REVIEWER: AS AT AV IS TE | A | 9535 | MR | MR | 28-APR-78 | MR | OS | | 11 |
| Q | MIL-C-46081A | COATING COMPOUND, THERMAL INSULATING (INTUMESCENT) [VALIDATION DATE: 8301] REVIEWER: MA | A | 8010 | SH | ME | 05-AUG-70 | ME | SH | | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Doc. Standardization Area | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-R-46082B(6) | RETAINING COMPOUNDS, SINGLE COMPONENT, ANAEROBIC REVIEWER: ER MD ME MI SH . | A | 8030 | MR | 09-JAN-90 | MR | AS | | |
| | L | | MIL-A-46083C NOTICE 1 | ALUMINUM ALLOY ARMOR, EXTRUDED, WELDABLE USER: AT REVIEWER: AR ME TE ..... | A | FORG | MR | 29-JUL-88 | MR | | | |
| | | | MIL-R-46085B | RHODIUM PLATING, ELECTRODEPOSITED [VALIDATION DATE: 8908] USER: MI REVIEWER: 70 99 AR EA | A | MFFP | MR | 01-AUG-89 | MR | AS | | 11 |
| | L | | MIL-R-46089C | RUBBER, SPONGE, SILICONE, CLOSED CELL REVIEWER: AR ER GS MR ..... | A | 9320 | MI | 28-FEB-91 | MI | | | |
| D | | | MIL-A-46091B NOTICE 1 | ADHESIVE, BRAKE LINING TO METAL [VALIDATION DATE: 8803] USER: ME MI REVIEWER: AL AR MD | A | 8040 | MR | 30-MAR-88 | MR | YD1 | | 99 |
| | L | | MIL-P-46094(1) | PLASTIC FILLER COMPOUND, EPOXY, FOR HONEYCOMB PANELS REVIEWER: GS ..... | A | 9330 | AR | 22-JUN-77 | AR | | | |
| | | | MIL-A-46099C | ARMOR PLATE, STEEL, ROLL-BONDED, DUAL HARDNESS (0.187 INCHES TO 0.700 INCHES INCLUSIVE USER: AT AV REVIEWER: 20 84 AS IS | A | 9515 | MR | 14-SEP-87 | MR | | | 99 |
| | L | | MIL-A-46100D(1) | ARMOR, PLATE, STEEL, WROUGHT, HIGH-HARDNESS REVIEWER: AR AT IS TE ..... | A | 9515 | MR | 29-JUN-90 | MR | | | |
| | | | MIL-A-46103D | ARMOR: LIGHTWEIGHT, CERAMIC-FACED COMPOSITES USER: MC ME REVIEWER: 18 AL AT AV GL OS SH | A | CMPS | MR | 23-JUN-89 | MR | AS | | 11 |
| | QL | | MIL-P-46105 | PRIMER COATING, WELD-THROUGH, ZINC-RICH [VALIDATION DATE: 8302] REVIEWER: EA MR | A | 8010 | ME | 25-MAR-66 | ME | | | |
| D | | | MIL-A-46106B(3) | ADHESIVE-SEALANTS, SILICONE, RTV, ONE-COMPONENT USER: ME SH REVIEWER: AR AT MD MI SM YD1 | A | 8040 | MR | 26-JUN-92 | MR | AS | | 11 |
| | | | MIL-A-46108B | ARMOR, TRANSPARENT, GLASS, GLASS/PLASTIC, PLASTIC LAMINATES (GENERAL SPECIFICATION) USER: AT SH REVIEWER: AV GL MC TE | A | 9340 | MR | 08-AUG-83 | MR | AS | | 11 |
| | | | MIL-C-46110B NOTICE 1 | COATING COMPOUND, OXIDE BLACK [VALIDATION DATE: 8905] USER: AR MC OS SH REVIEWER: ER GS MI SM | A | 6850 | MR | 10-MAY-89 | MR | | | 68 |
| | L | | MIL-P-46111C | PLASTIC FOAM, POLYURETHANE (FOR USE IN AIRCRAFT) [VALIDATION DATE: 8908] USER: ER REVIEWER: AV GS | A | 9330 | MR | 03-AUG-89 | MR | | | |
| | L | | MIL-P-46112B NOTICE 1 | PLASTIC SHEET AND STRIP, POLYIMIDE [VALIDATION DATE: 9104] USER: AV REVIEWER: ER GS MI | A | 9330 | MR | 08-APR-91 | MR | | | |
| | L | | MIL-C-46113B | CUTTING-FLUID CONCENTRATES, TRANSPARENT [VALIDATION DATE: 7901] REVIEWER: GS MD PS | A | 9150 | AR | 09-FEB-73 | AR | | | |
| D | | | MIL-T-46114B(1) NOTICE 1 | TAPE, GLASS-SETTING: RUBBER, UNCURED (FOR SEALING GLASS WINDOWS) [VALIDATION DATE: 8807] USER: AT REVIEWER: GS MD | A | 9320 | MR | 06-JUL-88 | MR | YD1 | | 99 |
| | L | | MIL-P-46115B NOTICE 1 | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYPHENYLENE OXIDE [VALIDATION DATE: 9104] USER: GL ME REVIEWER: ER GS | A | 9330 | MR | 08-APR-91 | MR | | | |
| | L | | MIL-A-46118D | ALUMINUM ALLOY ARMOR, 2219, ROLLED PLATE AND DIE FORGED SHAPES REVIEWER: IS ME TE | A | 9535 | MR | 03-MAY-89 | MR | | | |
| | L | | MIL-S-46119C | STEEL FORGINGS, TUBULAR PARTS FOR CANNON USER: ME REVIEWER: AR ..... | A | FORG | MR | 26-OCT-88 | MR | | | |
| | L | | MIL-P-46120B | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYSULFONE USER: AT REVIEWER: AV EA GS MD ME | A | 9330 | MR | 11-JUL-83 | MR | | | |
| | L | | MIL-P-46121B NOTICE 1 | PLASTIC SHEET AND COATING MATERIAL, PARA-XYLYLENE POLYMERS [VALIDATION DATE: 9104] USER: AT AV REVIEWER: ER GS MI | A | 9330 | MR | 08-APR-91 | MR | | | |
| | L | | MIL-P-46122B NOTICE 1 | PLASTIC MOLDING MATERIAL AND PLASTIC EXTRUSION MATERIAL, POLYVINYLIDENE FLUORIDE POLYMER AND COPOLYMER [VALIDATION DATE: 8803] REVIEWER: GL GS | A | 9330 | MR | 30-MAR-88 | MR | | | |
| | L | | MIL-P-46124B NOTICE 1 | PLASTIC MOLDING AND EXTRUSION MATERIAL, IONOMER RESINS [VALIDATION DATE: 9104] USER: AT ME REVIEWER: GL GS MI | A | 9330 | MR | 08-APR-91 | MR | | | |
| | L | | MIL-P-46125A NOTICE 1 | PROJECTILE CUBES, FRAGMENT-SIMULATING [VALIDATION DATE: 9008] ..... | A | 1305 | MR | 21-AUG-90 | MR | | | |
| | L | | MIL-S-46128B(1) | STEEL, ALLOY, BARS (V-MODIFIED 4330) FOR CRITICAL APPLICATION [VALIDATION DATE: 8712] REVIEWER: IS | A | 9510 | MR | 07-DEC-87 | MR | | | |
| | | | MIL-P-46129A NOTICE 1 | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYPHENYLENE OXIDE, MODIFIED [VALIDATION DATE: 8803] USER: AT REVIEWER: EL ER GS ME | A | 9330 | MR | 30-MAR-88 | MR | | | 99 |
| | | | MIL-M-46130 | MAGNESIUM-LITHIUM ALLOY PLATE, SHEET AND FORGINGS (LA141A, LS141A AND LZ145A) [VALIDATION DATE: 8908] | A | 9535 | MR | 11-AUG-89 | MR | AS | | 11 |
| | | | MIL-P-46131B NOTICE 1 | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYPHENYLENE OXIDE, MODIFIED, GLASS FIBER REINFORCED [VALIDATION DATE: 8803] USER: AT ME OS REVIEWER: GS MI | A | 9330 | MR | 30-MAR-88 | MR | AS | | 11 |
| | L | | MIL-P-46133A NOTICE 1 | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLY(ARYL SULFONE ETHER) RESIN, THERMOPLASTIC [VALIDATION DATE: 8803] USER: AV REVIEWER: AT GS ME MI | A | 9330 | MR | 30-MAR-88 | MR | | | |
| | L | | MIL-P-46140B NOTICE 2 | PLASTIC SHEET (SHEETING), PRESSURE SENSITIVE ADHESIVE COATED, CELLULOSE ACETATE, TRANSPARENT [VALIDATION DATE: 9104] USER: MC ME MI MS REVIEWER: GL GS SM | A | 9330 | MR | 08-APR-91 | MR | | | |
| | L | | MIL-M-46143 | MAGNESIUM LITHIUM ALLOY CASTINGS (LS141A AND LZ145A) [VALIDATION DATE: 8302] REVIEWER: AL AR MI | A | MECA | MR | 26-JAN-71 | MR | | | |
| | | | MIL-P-46144C(1) | PLASTIC SHEET, POLYCARBONATE USER: 15 AR AT MC ME OS REVIEWER: 19 23 29 84 AS ER GL GS SH | A | 9330 | MR | 06-FEB-90 | MR | | | 99 |
| D | | | MIL-A-46146B(3) | ADHESIVES-SEALANTS, SILICONE, RTV, NONCORROSIVE (FOR USE WITH SENSITIVE METALS AND EQUIPMENT) USER: AL CE YD1 REVIEWER: 99 AR AT EA ME MI OS SH SM | A | 8040 | MR | 28-OCT-92 | MR | AS | | 11 |
| AQL | | | MIL-L-46147A | LUBRICANT, SOLID FILM; AIR-CURED (CORROSION-INHIBITING) USER: AV OS REVIEWER: 11 AT GS MD PS | A | 9150 | ME | 30-AUG-90 | ME | | | |
| | L | | MIL-F-46148 | FATTY OIL (FOR METAL WORKING LUBRICANTS) [VALIDATION DATE: 8504] REVIEWER: AV GS MI | A | 9150 | AR | 24-AUG-70 | AR | | | |
| D | | | MIL-C-46149 | CUTTING FLUID, SULFUR-AND CHLORINE-ADDITIVE [VALIDATION DATE: 8504] REVIEWER: GS | A | 9150 | AR | 04-SEP-70 | AR | YD1 | | 68 |
| DQ | | | MIL-L-46150(1) | LUBRICANT, WEAPONS, SEMI-FLUID (HIGH LOAD-CARRYING CAPACITY) USER: MC REVIEWER: 11 AS AV GS MD | A | 9150 | AR | 22-SEP-86 | AR | YD1 | | 68 |
| | | | DOD-T-46151A(2) NOTICE 1 | TAPE, ADHESIVE, RUBBER (METRIC) [VALIDATION DATE: 8807] USER: GS MC OS REVIEWER: SM | A | 9320 | MR | 06-JUL-88 | MR | SH | | 99 |
| D | | | MIL-A-46153C | ANTIFREEZE, ETHYLENE GLYCOL, INHIBITED, HEAVY DUTY, SINGLE PACKAGE USER: MC REVIEWER: AT DS GS MI SM YD1 | A | 6850 | ME | 05-AUG-91 | ME | SH | | 68 |
| | L | | MIL-W-46154 | WELDING, RESISTANCE, SPOT AND PROJECTION FOR FABRICATING ASSEMBLIES OF CARBON STEEL SHEETS [VALIDATION DATE: 8501] REVIEWER: AR ME MI | A | THJM | MR | 20-OCT-70 | MR | | | |
| | | | MIL-C-46156A(1) NOTICE 1 | CORROSION REMOVING COMPOUND, SODIUM HYDROXIDE BASE, FOR IMMERSION APPLICATION [VALIDATION DATE: 9104] USER: SH REVIEWER: AR GS | A | 6850 | MR | 04-APR-91 | MR | | | 68 |
| | L | | MIL-C-46157A | COATING COMPOUND, TEMPORARY PROTECTIVE FOR RETROGRADE MATERIALS [VALIDATION DATE: 8908] REVIEWER: AV SM | A | 8030 | MR | 01-AUG-89 | MR | | | |
| | L | | MIL-A-46158 | ALUMINUM ALLOY STRIP, STAINLESS STEEL CLAD [VALIDATION DATE: 8908] ..... | A | 9535 | MR | 11-AUG-89 | MR | | | |
| AQL | | | MIL-L-46159A(4) | LACQUER, ACRYLIC, LOW REFLECTIVE REVIEWER: AV ..... | A | 8010 | ME | 09-JUL-92 | ME | | | |
| | L | | MIL-P-46161A NOTICE 1 | PLASTIC MOLDING MATERIAL, POLYTEREPHTHALATE THERMOPLASTIC, GLASS FIBER REINFORCED [VALIDATION DATE: 8803] USER: AT ME REVIEWER: ER GL GS | A | 9330 | MR | 30-MAR-88 | MR | | | |
| | L | | MIL-P-46161A(11) | PLASTIC MOLDING MATERIAL, POLYTEREPHTHALATE THERMOPLASTIC, GLASS FIBER REINFORCED | A | 9330 | SA | 01-APR-91 | | SA | | |
| A | L | | MIL-F-46162D(1) | FUEL, DIESEL, REFEREE GRADE USER: CE TE REVIEWER: AT GL PS ..... | A | 9140 | ME | 17-MAR-93 | ME | | | |
| M | | | MIL-S-46163A(2) | SEALING, LUBRICATING, AND WICKING COMPOUNDS: THREAD-LOCKING, ANAEROBIC, SINGLE-COMPONENT REVIEWER: 99 AR CR ER MD ME MI SH | A | 8030 | MR | 07-MAY-93 | MR | AS | | 11 |
| | | | MIL-R-46164C(3) | RUSTPROOFING FOR MILITARY VEHICLES AND TRAILERS REVIEWER: 84 MR ..... | A | MFFP | AT | 31-MAR-89 | AT | | | 99 |
| | L | | MIL-A-46165 | ARMOR: WOVEN GLASS ROVING FABRICS [VALIDATION DATE: 8908] USER: AT GL REVIEWER: AR GS ME | A | 9340 | MR | 03-AUG-89 | MR | | | |
| | L | | MIL-A-46166(2) NOTICE 1 | ARMOR: GLASS REINFORCED PLASTIC LAMINATES REVIEWER: GS ..... | A | 9330 | MR | 08-SEP-88 | MR | | | |
| Q | | | MIL-L-46167B(1) | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, ARCTIC USER: AS MC REVIEWER: AR AT AV GS PS SA | A | 9150 | ME | 12-JUN-89 | ME | SH | | 68 |
| MQL | | | MIL-C-46168D(3) | COATING, ALIPHATIC POLYURETHANE, CHEMICAL AGENT RESISTANT REVIEWER: AR AT AV EA ER MD MI | A | 8010 | ME | 21-MAY-93 | ME | | | |
| QL | | | MIL-C-46168D(12) | COATING, ALIPHATIC POLYURETHANE, CHEMICAL AGENT RESISTANT ..... | A | 8010 | ME | 21-MAR-91 | ME | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-P-46169A | PLASTIC, SHEET MOLDING COMPOUND, POLYESTER, GLASS FIBER REINFORCED (FOR GENERAL PURPOSE APPLICATIONS) [VALIDATION DATE: 8601] REVIEWER: AR AT AV GL GS ME | A | 9330 | MR | MR | 10-NOV-76 | MR | | | |
| Q | | MIL-H-46170B(2) | HYDRAULIC FLUID, RUST INHIBITED, FIRE-RESISTANT, SYNTHETIC HYDROCARBON BASE USER: AL OS REVIEWER: AR AT GS MC MD PS SA SH | A | 9150 | ME | ME | 24-MAR-86 | ME | AS | 68 | |
| L | | MIL-S-46172A(2) | STEEL FORGINGS USER: AT ME WV REVIEWER: AR | A | FORG | MR | MR | 17-JUL-87 | MR | | | |
| L | | MIL-A-46173 | ARMOR, STEEL, PLATE, WROUGHT, (ESR) (3/16 THROUGH 3 LINES, INCLUSIVE) [VALIDATION DATE: 8602] USER: MI REVIEWER: AT | A | 9515 | MR | MR | 03-FEB-76 | MR | | | |
| DQ | | MIL-B-46176A(3) | BRAKE FLUID, SILICONE, AUTOMOTIVE, ALL WEATHER, OPERATIONAL AND PRESERVATIVE, METRIC USER: AS AT OS REVIEWER: AR GS | A | 9150 | ME | ME | 14-SEP-90 | ME | YD1 | 68 | |
| L | | MIL-A-46177B(1) | ARMOR, STEEL PLATE AND SHEET, WROUGHT, HOMOGENEOUS (1/8 TO LESS THAN 1/4 INCH THICK) REVIEWER: AT TE | A | 9515 | MR | MR | 17-JUN-91 | MR | | | |
| L | | MIL-P-46179A | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYAMIDE IMIDE USER: SH REVIEWER: 11 AL AS AT AV GS | A | 9330 | MR | MR | 15-JAN-86 | MR | | | |
| D | L | MIL-I-46182 NOTICE 1 | IRON CASTINGS, SPHEROIDAL GRAPHITE (EXTRA TOUGH) [VALIDATION DATE: 8708] REVIEWER: SH | A | MECA | AR | AR | 31-AUG-87 | AR | | | |
| | | MIL-P-46183(1) | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYETHERETHERKETONE (PEEK) USER: MI SH REVIEWER: 15 AT AV GL MD ME | X | 9330 | MR | MR | 21-JAN-92 | MR | | 11 | |
| L | | MIL-P-46184 NOTICE 1 | PLASTIC MOLDING & EXTRUSION MATERIAL, POLYETHERIMIDE (PE) [VALIDATION DATE: 8803] REVIEWER: 18 AL AV GL ME SH | A | 9330 | MR | MR | 30-MAR-88 | MR | | | |
| | | MIL-P-46185 NOTICE 2 | PLASTIC MOLDING AND EXTRUSION MATERIALS, POLYETHERSULFONE [VALIDATION DATE: 8902] USER: MC OS REVIEWER: 15 23 GL GS MD SH | A | 9330 | MR | MR | 16-FEB-89 | MR | EC | 11 | |
| | | MIL-A-46186 | ARMOR PLATE, STEEL, WROUGHT, HIGH STRENGTH, HIGH QUALITY | A | 9515 | MR | MR | 11-JUN-84 | MR | | | |
| | | MIL-P-46187(1) | PREPREG, UNIDIRECTIONAL TAPE, CARBON (GRAPHITE) FIBER POLYIMIDE (PMR-15) RESIN IMPREGNATED, 316 DEG. C (600 DEG. F) | A | CMPS | MR | MR | 04-FEB-91 | MR | AS | 11 | |
| L | | MIL-S-46188 | STEEL PLATE, WROUGHT, HOMOGENEOUS ELECTROSLAG REMELT (ESR) (4340 ALLOY REVIEWER: AR AT AV IS ME TE | A | 9515 | MR | MR | 16-MAY-85 | MR | | | |
| | | MIL-Z-46189 | ZIRCONIUM USED IN GASLESS MIXTURES USER: MC REVIEWER: 15 79 AR GS MI SH | A | 6810 | MR | MR | 02-OCT-86 | MR | | 99 | |
| | | MIL-P-46190(1) | PREPREGS, WOVEN FABRIC, CARBON FIBER, BISMALEIMIDE (BMI) RESIN IMPREGNATED USER: SH REVIEWER: 82 99 AV MI | A | CMPS | MR | MR | 18-JAN-91 | MR | AS | 11 | |
| L | | MIL-A-46192B | ALUMINUM ALLOY ARMOR ROLLED PLATE (1/2 TO 4 INCHES THICK), WELDABLE (ALLOY 2519) REVIEWER: AR AT IS ME TE | A | 9535 | MR | MR | 01-JUL-91 | MR | | | |
| L | | MIL-A-46193 | ARMOR PLATE, CONTROL ROLLED, STEEL, WROUGHT, HIGH STRENGTH, HIGH QUALITY | A | 9515 | MR | MR | 31-AUG-88 | MR | | | |
| | | MIL-F-46194 | FOAM, RIGID, STRUCTURAL, CLOSED CELL POLYMETHACRYLIMIDE (PMI) | A | CMPS | MR | MR | 18-JUL-88 | MR | AS | | |
| L | | MIL-P-46195(1) | PROGRAM REQUIREMENTS, NONDESTRUCTIVE INSPECTION, FOR WEAPONS SYSTEMS, SUBSYSTEMS, PARTS AND MATERIALS | A | NDTI | MR | MR | 18-AUG-88 | MR | | | |
| | | MIL-M-46196 | METAL MATRIX COMPOSITES (MMC): SILICON CARBIDE (DISCONTINUOUS) REINFORCED (ALUMINUM) REQUEST FOR ISSUE OTHER THAN DOD & DOD CONTRACTORS REFER TO U.S. ARMY MATL TECHNOLOGY LAB, ENGINEERING STANDARDIZATION BRANCH, ARSENAL ST., WATERTOWN, MA 02172-2179 REVIEWER: MI OS SH | A | CMPS | MR | MR | 24-MAY-88 | MR | AS | 11 | |
| L | | MIL-L-46197(1) | LAMINATE: HIGH-STRENGTH GLASS, FABRIC-REINFORCED, POLYESTER RESIN PREIMPREGNATED | A | CMPS | MR | MR | 27-NOV-91 | MR | | | |
| A | | MIL-R-46198(1) | RESIN, POLYIMIDE, HOT PRESSED OR PRESSED AND SINTERED | A | 9330 | MR | MR | 01-JUL-92 | MR | AS | 11 | GS |
| L | | MIL-P-46199 | PLATE: ALUMINUM OXIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) REVIEWER: AT AV GS | A | 9350 | MR | MR | 26-JUN-89 | MR | | | |
| | | MIL-C-46200B | CARTRIDGE, IMPULSE, M42A1 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 15-JAN-92 | | OS | 99 | |
| L | | MIL-D-46208A | DETONATOR, M35, PARTS FOR [VALIDATION DATE: 8202] | A | 1375 | AR | AR | 27-MAR-64 | AR | | | |
| L | | MIL-D-46209C NOTICE 1 | DETONATOR, STAB, M44E1, PARTS FOR, AND LOADING, ASSEMBLING AND PACKING | A | 1375 | AR | AR | 12-MAY-87 | AR | | | |
| L | | MIL-B-46211D NOTICE 1 | BURSTER, INCENDIARY, FIELD, M4 (W/O FUZE) [VALIDATION DATE: 8604] | A | 1345 | AR | AR | 07-APR-86 | AR | | | |
| L | | MIL-E-46215C(3) NOTICE 1 | ELEMENT, IGNITION, ELECTRIC METAL PARTS ASSEMBLY, FOR ELECTRIC PRIMERS, M80A1, M83 AND M120 | A | 1390 | AR | AR | 22-APR-91 | AR | | | |
| L | | MIL-C-46216B(3) NOTICE 1 | CARTRIDGE, 105MM, APDS-T, M392A2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| L | | MIL-D-46219B NOTICE 1 | DETONATOR, STAB, M22 PARTS FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9008] | A | 1375 | AR | AR | 27-AUG-90 | AR | | | |
| A | | MIL-C-46221B | CARTRIDGE, IMPULSE, M37 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 23-JUN-92 | | OS | 99 | |
| L | | MIL-I-46224E | IGNITER, ELECTRIC, PRIMER, M63, PARTS FOR, AND LOADING ASSEMBLING AND PACKING | A | 1390 | AR | AR | 04-FEB-89 | AR | | | |
| L | | MIL-L-46225C(3) | LEAD AZIDE RD-1333 (FOR USE IN AMMUNITION) REVIEWER: EA | A | 1376 | AR | AR | 11-MAY-90 | AR | | | |
| L | | MIL-C-46226 NOTICE 1 | CARTRIDGE, 90MM, HE-T, M71E1, AND 90MM SMOKE, WP-T, M313E1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| L | | MIL-C-46227D | COMPONENTS FOR PROPELLANT ACTUATED DEVICES GENERAL SPECIFICATION FOR | A | 1377 | OS | OS | 02-OCT-89 | | OS | | |
| | | MIL-C-46228B | CARTRIDGE, DELAY, M93 ASSEMBLY | A | 1377 | OS | OS | 23-APR-91 | | OS | 99 | |
| L | | MIL-C-46229C(1) NOTICE 1 | CARTRIDGE, 105MM, BLANK, M395 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| L | | MIL-P-46230C NOTICE 1 | PROPELLANT M6 FOR USE IN CHARGE PROPELLING, 175MM, M199 AND M86A2B1 [VALIDATION DATE: 8812] | A | 1375 | AR | AR | 16-DEC-88 | AR | | | |
| L | | MIL-I-46231B(1) NOTICE 1 | IGNITER, ROCKET MOTOR, T21E2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109] | A | 1340 | AR | AR | 12-SEP-91 | AR | | | |
| M | L | MIL-P-46235A(2) | PROPELLANT, M26 (T28) FOR USE IN CARTRIDGES M344 AND M346, IN 106MM RIFLES | A | 1375 | AR | AR | 23-MAR-93 | AR | | | |
| L | | MIL-C-46236 | CASE, CARTRIDGE, 37MM, M61A2 [VALIDATION DATE: 8503] | A | 1310 | AR | AR | 20-JUN-60 | AR | | | |
| L | | MIL-C-46237(1) | CARTRIDGE, AIRCRAFT EJECTION SEAT, CATAPULT, M30A1 USER: 11 | A | 1377 | OS | OS | 14-OCT-86 | | OS | | |
| L | | MIL-T-46238L(3) NOTICE 1 | TEST SET, ELECTRICAL, M40 PARTS FOR, ASSEMBLING AND PACKING [VALIDATION DATE: 8604] | A | 1345 | AR | AR | 08-APR-86 | AR | | | |
| | | MIL-C-46239C | CARTRIDGE, IMPULSE, M31A2 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 11-JAN-91 | | OS | 99 | |
| L | | MIL-C-46240A(2) | CARTRIDGE, THRUSTER, M67A1 | A | 1377 | OS | OS | 14-OCT-86 | | OS | | |
| | | MIL-C-46241B | CARTRIDGE, IMPULSE, M36A1 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 11-JAN-91 | | OS | 99 | |
| L | | MIL-M-46244B(1) | WARHEAD, GUIDED MISSILE, HE M17A1 PARTS FOR [VALIDATION DATE: 8301] | A | 1336 | AR | AR | 30-SEP-77 | AR | | | |
| L | | MIL-T-46245F(1) NOTICE 1 | TRACER, PROJECTILE M12 ASSEMBLY, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8701] | A | 1315 | AR | AR | 30-JAN-87 | AR | | | |
| L | | MIL-C-46246F NOTICE 1 | CHARGES, DEMOLITION, TNT, BLOCK, 1/4 POUND, 1/2 POUND, AND 1 POUND [VALIDATION DATE: 8812] | A | 1375 | AR | AR | 16-DEC-88 | AR | | | |
| L | | MIL-P-46252C NOTICE 1 | PROPELLANT, M1 FOR USE IN 105MM CARTRIDGE, HEP-T, M393A2, WP-T, M416, AND TP-T, M467 [VALIDATION DATE: 9108] | A | 1376 | AR | AR | 29-AUG-91 | AR | | | |
| L | | MIL-D-46253B | DETONATOR, ELECTRIC, T20E1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8602] | A | 1336 | AR | AR | 11-FEB-74 | AR | | | |
| L | | MIL-D-46256B | DETONATOR STAB M24 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING | A | 1375 | AR | AR | 27-FEB-89 | AR | | | |
| L | | MIL-P-46258C(3) | PROJECTILE, 8 INCH, HE, M106 LOADING, ASSEMBLING, AND PACKING | A | 1320 | AR | AR | 30-JUL-88 | AR | | | |
| L | | MIL-C-46261 NOTICE 1 | CARTRIDGE, 81MM, TP, M362A1, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705] | A | 1315 | AR | AR | 27-MAY-87 | AR | | | |
| L | | MIL-D-46262A(1) NOTICE 1 | DETONATOR, STAB, M20, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8803] | A | 1375 | AR | AR | 22-MAR-88 | AR | | | |
| L | | MIL-M-46263 NOTICE 1 | MAX-2 EXPLOSIVE [VALIDATION DATE: 8704] | A | 1375 | AR | AR | 27-APR-87 | AR | | | |
| L | | MIL-P-46269 NOTICE 1 | PRIMER, PERCUSSION, ELECTRIC, M75 METAL PARTS FOR [VALIDATION DATE: 9010] | A | 1390 | AR | AR | 31-OCT-90 | AR | | | |
| L | | MIL-C-46270B(1) | CARTRIDGE, INITIATOR, DELAY, M71 USER: 11 | A | 1377 | OS | OS | 16-OCT-86 | | OS | | |
| L | | MIL-C-46271A(1) | CARTRIDGE, AIRCRAFT EJECTION SEAT, CATAPULT, M28A1 ASSEMBLY | A | 1377 | OS | OS | 14-OCT-86 | | OS | | |
| | | MIL-C-46272A(1) | CARTRIDGE, INITIATOR, DELAY, M46 USER: 11 | A | 1377 | OS | OS | 14-OCT-86 | | OS | 99 | |
| L | | MIL-C-46273A(1) | CARTRIDGE, DELAY, M70, ASSEMBLY | A | 1377 | OS | OS | 14-OCT-86 | | OS | | |
| A | | MIL-C-46274C | CARTRIDGE, IMPULSE, M94 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 23-JUN-92 | | OS | 99 | |
| L | | MIL-C-46275A(1) | CASE, CARTRIDGE, 105MM, M150 [VALIDATION DATE: 8103] | A | 1315 | AR | AR | 30-JUL-62 | AR | | | |

| Action | Qual / Qual Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-C-46276 | CASE, CARTRIDGE, 105MM, XM115 [VALIDATION DATE: 8004] | A | 1315 | AR | | 30-AUG-60 | AR | | | |
| | L | MIL-C-46277B(2) | CARTRIDGE, 7.62MM: NATO, BALL, M59 | A | 1305 | AR | | 28-APR-92 | AR | | | |
| | L | MIL-P-46279 NOTICE 1 | PRIMER, PERCUSSION, ELECTRIC, M75 LOADING, ASSEMBLING AND PACKING (INCLUDING LOADING OF PERCUSSION-ELECTRIC IGNITION ELEMENT T21E1) [VALIDATION DATE: 9010] | A | 1390 | AR | | 31-OCT-90 | AR | | | |
| | L | MIL-C-46280E NOTICE 1 | CARTRIDGE, IGNITION, M66A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705] | A | 1315 | AR | | 27-MAY-87 | AR | | | |
| | L | MIL-C-46281F | CARTRIDGE, 7.62MM, NATO, TRACER, M62 | A | 1305 | AR | | 24-NOV-87 | AR | | | |
| | L | MIL-D-46282 NOTICE 1 | DETONATOR, STAB, M23 LOADING, ASSEMBLING AND PACKING | A | 1375 | AR | | 12-MAY-87 | AR | | | |
| | L | MIL-F-46283 | FIRING DEVICE, NON-METALLIC, PULL TYPE, T35E1, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8104] | A | 1375 | AR | | 19-SEP-60 | AR | | | |
| | L | MIL-D-46284 NOTICE 1 | DETONATOR, STAB, M45 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A | 1375 | AR | | 09-MAY-90 | AR | | | |
| | L | MIL-D-46285 | DETONATOR, STAB, M45 PARTS FOR [VALIDATION DATE: 8504] | A | 1375 | AR | | 26-SEP-60 | AR | | | |
| | L | MIL-D-46286 NOTICE 1 | DETONATOR, FLASH, M21 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A | 1375 | AR | | 09-MAY-90 | AR | | | |
| | L | MIL-D-46288 | DETONATOR, M23 PARTS FOR [VALIDATION DATE: 8504] | A | 1375 | AR | | 26-SEP-60 | AR | | | |
| | L | MIL-M-46291C(3) NOTICE 1 | WARHEAD, GUIDED MISSILE, ME, M17A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A | 1336 | AR | | 09-MAY-90 | AR | | | |
| | L | MIL-P-46292C(1) NOTICE 1 | PRIMER, PERCUSSION, M18A2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808] | A | 1390 | AR | | 22-AUG-88 | AR | | | |
| | L | MIL-P-46294B NOTICE 1 | PRIMER, PERCUSSION, M58, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1390 | AR | | 31-OCT-90 | AR | | | |
| A | L | MIL-P-46296C(5) | PRIMER, PERCUSSION, M82 LOADING, ASSEMBLING AND PACKING | A | 1390 | AR | | 08-FEB-93 | AR | | | |
| | L | MIL-P-46297C NOTICE 1 | PRIMER, PERCUSSION, M82 METAL PARTS FOR [VALIDATION DATE: 9010] | A | 1390 | AR | | 31-OCT-90 | AR | | | |
| | L | MIL-F-46298(1) | FIRING DEVICE, PULL RELEASE TYPE, M3 PARTS, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8301] | A | 1375 | AR | | 06-MAY-76 | AR | | | |
| | L | MIL-D-46299 | DETONATOR, STAB, M13, PARTS FOR [VALIDATION DATE: 8504] | A | 1375 | AR | | 26-OCT-60 | AR | | | |
| | L | MIL-M-46309B(1) | MOUNT, TELESCOPE, M138 | A | 1240 | AR | | 29-APR-82 | AR | | | |
| | L | MIL-M-46310A NOTICE 1 | MOUNT, TELESCOPE: M137 [VALIDATION DATE: 8805] | A | 1240 | AR | | 16-MAY-88 | AR | | | |
| | L | MIL-T-46311B(2) | TELESCOPE, PANORAMIC: M115 | A | 1240 | AR | | 15-FEB-91 | AR | | | |
| | L | MIL-M-46312B | MOUNT, TELESCOPE, M146 [VALIDATION DATE: 8504] USER: AT | A | 1240 | AR | | 15-AUG-72 | AR | | | |
| | L | MIL-T-46313B(4) NOTICE 1 | TELESCOPE, PANORAMIC: M117 [VALIDATION DATE: 8805] | A | 1240 | AR | | 16-MAY-88 | AR | | | |
| | L | MIL-M-46314B(2) NOTICE 1 | MOUNT, TELESCOPE, M145 [VALIDATION DATE: 8807] | A | 1240 | AR | | 11-JUL-88 | AR | | | |
| | L | MIL-Q-46315C(2) | QUADRANT, FIRE CONTROL-M15 REVIEWER: MC | A | 1290 | AR | | 15-OCT-87 | AR | | | |
| | L | MIL-T-46316B(3) | TELESCOPE, ELBOW, M118 SERIES AND T176E4 | A | 1240 | AR | | 03-JUL-84 | AR | | | |
| | L | MIL-M-46318A | MOUNT, TELELCOPE, M101 [VALIDATION DATE: 8504] | A | 1240 | AR | | 16-FEB-66 | AR | | | |
| | QL | MIL-P-46320C(4) | POWER SUPPLY, 10516158 (TRANSISTORIZED) [VALIDATION DATE: 8504] | A | 1240 | AR | | 25-JAN-72 | AR | | | |
| | L | MIL-P-46322B(1) | PERISCOPE, TANK, XM42 [VALIDATION DATE: 8601] REVIEWER: MC | A | 1240 | AR | | 13-FEB-80 | AR | | | |
| | L | MIL-M-46323A(2) | MOUNT, TELESCOPE, M99 SERIES [VALIDATION DATE: 8504] | A | 1240 | AR | | 21-SEP-72 | AR | | | |
| | L | MIL-T-46324D | TELESCOPE, ELBOW, M109 AND 10548042-2 [VALIDATION DATE: 8303] | A | 1240 | AR | | 17-FEB-71 | AR | | | |
| | L | MIL-M-46325D(3) | MOUNT, TELESCOPE, M128 [VALIDATION DATE: 8101] | A | 1240 | AR | | 03-SEP-68 | AR | | | |
| | L | MIL-P-46329A(3) | PERISCOPE, TANK: M13, M14A1, M17, M17C, M26, M27, M37, M45, PERISCOPE, 15 DEG. UPLOOK AND PERISCOPE, 20 DEG. UPLOOK | A | 1240 | AR | | 04-MAY-90 | AR | | | |
| | L | MIL-A-46330 | AMPLIFIER, VIDEO, AN&1075 A/M [VALIDATION DATE: 8504] | A | 1285 | AR | | 15-FEB-62 | AR | | | |
| | L | MIL-I-46331 | INDICATOR, AZIMUTH RANGE, IP&289/M [VALIDATION DATE: 8504] | A | 1285 | AR | | 15-FEB-62 | AR | | | |
| | L | MIL-T-46333A(1) | TELESCOPE, ELBOW, M101 [VALIDATION DATE: 8504] | A | 1240 | AR | | 25-SEP-73 | AR | | | |
| | L | MIL-B-46334C(1) | BINOCULAR, INFRARED, M18 | A | 6650 | AR | | 16-AUG-85 | AR | | | |
| | L | MIL-T-46335A | TELESCOPE, PANORAMIC, M100, M100C AND M100D [VALIDATION DATE: 8504] | A | 1240 | AR | | 27-DEC-71 | AR | | | |
| | L | MIL-P-46337B(1) | PERISCOPE, TANK, M35 [VALIDATION DATE: 8504] | A | 1240 | AR | | 10-OCT-72 | AR | | | |
| | L | MIL-P-46338B(3) | PERISCOPE TANK, M32 [VALIDATION DATE: 8601] REVIEWER: MC | A | 1240 | AR | | 15-OCT-79 | AR | | | |
| | L | MIL-T-46342A(1) | TELESCOPE, ELBOW, M101C AND M101D [VALIDATION DATE: 8602] | A | 1240 | AR | | 25-SEP-73 | AR | | | |
| | L | MIL-C-46344A(3) | COMPUTERS, BALLISTICS: M13A2, M13A1DE1, AND M13A4 | A | 1220 | AR | | 28-AUG-90 | AR | | | |
| | L | MIL-R-46345A(2) | RANGEFINDER, FIRE CONTROL, M17A1 [VALIDATION DATE: 8301] | A | 1240 | AR | | 13-DEC-76 | AR | | | |
| | L | MIL-M-46346 | HOLDER, TELESCOPE MOUNT, XM5 AND XM6 [VALIDATION DATE: 8002] | A | 1240 | AR | | 15-JUN-62 | AR | | | |
| | L | MIL-S-46347B(1) | SIGHUNIT, M53 [VALIDATION DATE: 8101] | A | 1240 | AR | | 06-JUN-69 | AR | | | |
| | L | MIL-T-46353(1) | TRANSMITTER, SUPERELEVATION, -22 [VALIDATION DATE: 8202] | A | 1265 | AR | | 31-JUL-63 | AR | | | |
| | QL | MIL-M-46354A(2) | HEADREST, OPTICAL INSTRUMENT | A | 1240 | AR | | 07-MAY-86 | AR | | | |
| | L | MIL-P-46356 | PERISCOPE, XM30 AND XM30C [VALIDATION DATE: 8101] | A | 1240 | AR | | 18-SEP-62 | AR | | | |
| | L | MIL-R-46358A(1) | RANGE FINDER, FIRE CONTROL, XM24 [VALIDATION DATE: 8602] | A | 1240 | AR | | 29-JUL-66 | AR | | | |
| | L | MIL-M-46363A | MOUNT, PERISCOPE, M113 [VALIDATION DATE: 8202] | A | 1240 | AR | | 27-JAN-64 | AR | | | |
| | L | MIL-T-46365(4) | TELESCOPE, ELBOW, M92D AND M92F [VALIDATION DATE: 8303] | A | 1240 | AR | | 30-OCT-70 | AR | | | |
| | L | MIL-B-46367A | BANDOLEER, M2 [VALIDATION DATE: 8603] | A | 1305 | AR | | 17-MAR-86 | AR | | | |
| | L | MIL-M-46368B(3) | MOUNT, TELESCOPE, M134 [VALIDATION DATE: 8602] | A | 1240 | AR | | 28-MAR-74 | AR | | | |
| | QL | MIL-C-46369(4) | CONVERTER - REGULATOR, 10553449 [VALIDATION DATE: 8002] | A | 1240 | AR | | 07-MAR-68 | AR | | | |
| | L | MIL-S-46371(3) | SIGHT, INFINITY, 8635466 [VALIDATION DATE: 8602] | A | 1240 | AR | | 24-MAR-72 | AR | | | |
| | L | MIL-C-46372A(4) | COLLIMATOR, INFINITY AIMING REFERENCE, M1 [VALIDATION DATE: 8601] | A | 1240 | AR | | 14-SEP-80 | AR | | | |
| | AQ | MIL-W-46374F(1) | WATCH, WRIST: GENERAL PURPOSE USER: MC REVIEWER: 82 GS | A | 6645 | AR | | 07-SEP-92 | AR | SH | 99 | |
| | L | MIL-F-46375A(2) | FUZE SETTER SET: M63 | A | 1290 | AR | | 10-AUG-88 | AR | | | |
| | L | MIL-M-46377 | MOUNT, ANTIOSCILLATION SIGHT, 10511004 [VALIDATION DATE: 8103] | A | 1240 | AR | | 29-APR-63 | AR | | | |
| | L | MIL-M-46379A | MOUNT SIGHT, INFINITY REFLEX, 10511780 AND 10553489 [VALIDATION DATE: 8602] | A | 1270 | AR | | 03-JUN-68 | AR | | | |
| | | MIL-G-46382 | GAGE, SNAP, THREAD ROLL [VALIDATION DATE: 8002] | A | 5220 | AR | | 28-JUN-63 | AR | OS | 99 | |
| | | MIL-S-463838 | STRAP, WRIST, INSTRUMENT [VALIDATION DATE: 8301] USER: ME REVIEWER: GS | A | 6645 | AR | | 16-SEP-70 | AR | SH | 99 | |
| | L | MIL-T-46385A(2) | TELESCOPE, ELBOW, M114 [VALIDATION DATE: 8602] | A | 1240 | AR | | 20-APR-73 | AR | | | |
| | L | MIL-T-46386A(5) | TELESCOPE, PANORAMIC, M113 | A | 1240 | AR | | 22-MAR-85 | AR | | | |
| | L | MIL-Q-46387A(2) | QUADRANT, FIRE CONTROL: M14 | A | 1290 | AR | | 08-NOV-88 | AR | | | |
| | L | MIL-I-46390 | INTERCONNECTING BOX, 8932942 [VALIDATION DATE: 8202] | A | 1270 | AR | | 01-OCT-63 | AR | | | |
| | L | MIL-R-46391 | RANGE FINDER, FIRE CONTROL, M17B1C [VALIDATION DATE: 8202] | A | 1240 | AR | | 07-OCT-63 | AR | | | |
| | L | MIL-C-46392 NOTICE 1 | CARTRIDGE, REFERENCE, CALIBER .38, SPECIAL, (M41 TYPE) [VALIDATION DATE: 9010] | A | 1305 | AR | | 31-OCT-90 | AR | | | |
| | | MIL-C-46395(4) NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT, M9 ASSEMBLY [VALIDATION DATE: 9108] | A | 1377 | OS | | 14-AUG-91 | | OS | 99 | |
| | L | MIL-C-46396A(3) NOTICE 1 | CARTRIDGE, CALIBER .50 SPOTTER-TRACER, M48A1 USER: MC | A | 1305 | AR | | 21-MAY-87 | AR | | | |
| | L | MIL-C-46397C(2) | CARTRIDGE, 5.56MM, REFERENCE | A | 1305 | AR | | 11-MAY-92 | AR | | | |
| | L | MIL-T-46398(1) | TOOLS FOR THE PRODUCTION OF FIRE CONTROL MATERIEL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8202] | A | 1290 | AR | | 20-NOV-69 | AR | | | |
| | L | MIL-P-464030 | PRIMER, PERCUSSION, M18A2, METAL PARTS FOR [VALIDATION DATE: 8506] | A | 1390 | AR | | 21-DEC-78 | AR | | | |
| | L | MIL-D-46404 NOTICE 1 | DETONATOR, STAB, M13 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A | 1375 | AR | | 09-MAY-90 | AR | | | |
| | L | MIL-D-464058 | DETONATOR, STAB, M18, PARTS FOR [VALIDATION DATE: 8203] | A | 1375 | AR | | 20-FEB-64 | AR | | | |
| | L | MIL-D-46406B(1) NOTICE 1 | DETONATOR, FLASH, M17 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1375 | AR | | 12-MAY-87 | AR | | | |
| | L | MIL-C-464090 | CARTRIDGE, CALIBER .38, SPECIAL, BALL, M41 | A | 1305 | AR | | 10-APR-91 | AR | | | |
| | L | MIL-C-464118(1) NOTICE 1 | CARTRIDGE, 4.2 INCH, SMOKE, WP, M328A1 W/FUZE, PD, M521, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808] | A | 1315 | EA | | 18-AUG-88 | EA | | | |
| | L | MIL-P-46412C | PROJECTILE, 155MM, GAS, M121A1 ASSEMBLING, MARKING AND PACKING [VALIDATION DATE: 8405] | A | 1320 | EA | | 29-JUL-66 | EA | | | |

| Action | Opt / Obst | Coordination | Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-B-46413C | BURSTER, PROJECTILE, M71 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 7905] | A | 1315 | AR | | 29-JUL-66 | AR | | | |
| L | | | | MIL-I-46414A | INITIATOR, BURSTER, T7,(M13) LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8303] | A | 1315 | AR | | 03-MAY-65 | AR | | | |
| L | | | | MIL-B-46415B | BURSTER, PROJECTILE, M35, PARTS FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8601] | A | 1315 | AR | | 05-MAY-66 | AR | | | |
| L | | | | MIL-P-46416A(1) NOTICE 1 | PROJECTILE, 25 MILLIMETER, M379 FOR TRAINER MORTAR M32, ASSEMBLY [VALIDATION DATE: 8811] | A | 1305 | AR | | 02-NOV-88 | AR | | | |
| L | | | | MIL-P-46420B(2) | PRIMER, PERCUSSION, M57, LOADING, ASSEMBLING, AND PACKING. [VALIDATION DATE: 8601] | A | 1390 | AR | | 23-MAY-80 | AR | | | |
| L | | | | MIL-P-46421B NOTICE 1 | PRIMER, PERCUSSION, M57, METAL PARTS FOR. [VALIDATION DATE: 8707] ..... | A | 1390 | AR | | 10-JUL-87 | AR | | | |
| L | | | | MIL-P-46425A NOTICE 1 | PRIMER, PERCUSSION, M35 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A | 1375 | AR | | 09-MAY-90 | AR | | | |
| L | | | | MIL-P-46426A NOTICE 1 | PROPELLANT, M5, FOR USE IN AND CARTRIDGE, 90MM, HEAT, M371 & M371E1 [VALIDATION DATE: 9005] | A | 1375 | AR | | 09-MAY-90 | AR | | | |
| L | | | | MIL-P-46428(2) | PRIMER, ELECTRIC, T104E9, LOADING, ASSEMBLING, AND PACKING (INCLUDING LOADING OF ELECTRIC IGNITION ELEMENT T9E6) [VALIDATION DATE: 8506] | A | 1390 | AR | | 15-JUN-62 | AR | | | |
| L | | | | MIL-P-46431C(1) NOTICE 1 | PRIMER, ELECTRIC, M86 PARTS FOR ..... | A | 1390 | AR | | 05-FEB-87 | AR | | | |
| L | | | | MIL-D-46432B(1) NOTICE 1 | DETONATOR, STAB, M18, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8803] | A | 1375 | AR | | 22-MAR-88 | AR | | | |
| | | | | MIL-B-46433A NOTICE 1 | BOMB, GAS, 500&POUND, MARK 94 MOD 0, GB&FILLED, WITHOUT FUZE AND BURSTER [VALIDATION DATE: 8608] | A | 1325 | EA | | 06-AUG-86 | AR | AS | 99 | |
| L | | | | MIL-I-46434C(1) NOTICE 1 | IGNITER, ELECTRIC, M59, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8701] | A | 1375 | AR | | 30-JAN-87 | AR | | | |
| L | | | | MIL-P-46438A NOTICE 1 | PLUG, CLOSING, FOR ARTILLERY AND MORTAR PROJECTILES [VALIDATION DATE: 9010] | A | 1315 | AR | | 15-OCT-90 | AR | | | |
| L | | | | MIL-P-46439C NOTICE 1 | PRIMER, ELECTRIC, M66 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808] | A | 1390 | AR | | 22-AUG-88 | AR | | | |
| L | | | | MIL-E-46440D | ELEMENT, IGNITION, ELECTRIC, M18, PARTS. [VALIDATION DATE: 8506] ..... | A | 1390 | AR | | 25-JUL-79 | AR | | | |
| L | | | | MIL-R-46448 NOTICE 1 | RELAY, M2, LOADING, ASSEMBLING, & PACKING. ..... | A | 1375 | AR | | 12-MAY-87 | AR | | | |
| L | | | | MIL-R-46449 NOTICE 1 | RELAY, M3, LOADING, ASSEMBLING, & PACKING. [VALIDATION DATE: 8705] ..... | A | 1375 | AR | | 30-DEC-60 | AR | | | |
| L | | | | MIL-R-46450 NOTICE 1 | RELAY, M4, LOADING, ASSEMBLING, & PACKING. ..... | A | 1375 | AR | | 12-MAY-87 | AR | | | |
| L | | | | MIL-R-46451 NOTICE 1 | RELAY, M5, LOADING, ASSEMBLING, & PACKING. ..... | A | 1375 | AR | | 12-MAY-87 | AR | | | |
| L | | | | MIL-R-46453D NOTICE 1 | RELAY, M7, PARTS FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A | 1375 | AR | | 09-MAY-90 | AR | | | |
| L | | | | MIL-P-46458F(3) | PROPELLANT M30 FOR USE IN CARTRIDGE, 105MM, HEAT-T, M456A1 HEAT-T-MP, M456A1E2 (M456A2) AND TP-T, M490 | A | 1376 | AR | | 20-MAR-90 | AR | | | |
| L | | | | MIL-D-46462B(1) NOTICE 1 | DETONATOR, STAB, M19A2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8812] | A | 1375 | AR | | 16-DEC-88 | AR | | | |
| L | | | | MIL-P-46463C(1) NOTICE 1 | PRIMER, PERCUSSION, M71A1 PARTS FOR [VALIDATION DATE: 8809] ..... | A | 1390 | AR | | 01-SEP-88 | AR | | | |
| L | | | | MIL-P-46464A(1) NOTICE 1 | PELLET, TETRYL [VALIDATION DATE: 8701] REVIEWER: EA ..... | A | 1376 | AR | | 30-JAN-87 | AR | | | |
| L | | | | MIL-P-46465A | PRIMER, PERCUSSION, M35, PARTS FOR. [VALIDATION DATE: 8203] ..... | A | 1375 | AR | | 18-FEB-64 | AR | | | |
| L | | | | MIL-C-46477B(3) | CARTRIDGE, 7.62MM, NATO, TEST, HIGH PRESSURE, M60 ..... | A | 1305 | AR | | 28-APR-92 | AR | | | |
| L | | | | MIL-C-46482B(2) | CARTRIDGE, CALIBER .45, BALL, M1911, MATCH GRADE ..... | A | 1305 | AR | | 16-APR-86 | AR | | | |
| L | | | | MIL-P-46484A | PROPELLANT, M6, FOR USE IN CARTRIDGE, 76MM, HEAT TM496 [VALIDATION DATE: 8504] | A | 1376 | AR | | 13-SEP-72 | AR | | | |
| L | | | | MIL-F-46485D | FUZE, BASE DETONATING, M534A1 PARTS-WITH DETONATOR [VALIDATION DATE: 8707] | A | 1390 | AR | | 10-JUL-87 | AR | | | |
| L | | | | MIL-D-46486F NOTICE 1 | DELAY ELEMENT, M2, PARTS FOR, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004] | A | 1375 | AR | | 20-APR-90 | AR | | | |
| L | | | | MIL-C-46487 | CLEANING, PREPARATION AND ORGANIC COATING OF STEEL CARTRIDGE CASES. [VALIDATION DATE: 8505] REVIEWER: OS | A | 1395 | AR | | 06-FEB-61 | AR | | | |
| L | | | | MIL-P-46489C(1) NOTICE 1 | PROPELLANT, M30 FOR USE IN CARTRIDGE, 105MM, APDS-T, M392A2 [VALIDATION DATE: 8705] | A | 1375 | AR | | 28-MAY-87 | AR | | | |
| L | | | | MIL-P-46490F(1) | PROJECTILE, HEAT-FS, 90MM, M431E1, METAL PARTS ASSEMBLY [VALIDATION DATE: 8301] | A | 1315 | AR | | 31-AUG-77 | AR | | | |
| L | | | | MIL-E-46495A(4) | EXPLOSIVE COMPOSITION HTA-3 ..... | A | 1375 | AR | | 08-FEB-90 | AR | | | |
| L | | | | MIL-L-46496(1) NOTICE 1 | LEAD MONONITRORESORCINATE (LMNR) [VALIDATION DATE: 8804] ..... | A | 1376 | AR | | 25-APR-88 | AR | | | |
| L | | | | MIL-I-46497A(1) | INITIATOR, CARTRIDGE ACTUATED, DELAY, M4, M12, M45 AND M49, METAL PARTS ASSEMBLY | A | 1377 | OS | | 21-MAY-87 | | OS | | |
| L | | | | MIL-P-46499(1) | PRIMER, PERCUSSION, M78 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8506] | A | 1390 | AR | | 27-NOV-61 | AR | | | |
| L | | | | MIL-P-46500 | PRIMER, PERCUSSION, M78 PARTS FOR [VALIDATION DATE: 8506] ..... | A | 1390 | AR | | 03-MAR-61 | AR | | | |
| L | | | | MIL-C-46501C NOTICE 1 | CHARGE, DEMOLITION, LINEAR, M96 AND M58 LOADING AND ASSEMBLING [VALIDATION DATE: 9004] | A | 1375 | AR | | 20-APR-90 | AR | | | |
| L | | | | MIL-B-46506D(5) | BOXES, AMMUNITION PACKING WOOD, WIREBOUND REVIEWER: OS ..... | A | 8140 | AR | | 18-MAR-91 | AR | | | |
| L | | | | MIL-E-46510A(2) NOTICE 1 | EXPLOSIVE HARNESS ASSEMBLY MISSILE ROCKET, XM84, PARTS FOR [VALIDATION DATE: 9005] | A | 1336 | AR | | 09-MAY-90 | AR | | | |
| | | | | MIL-P-46512A(1) | PROJECTILE FOR CARTRIDGE, 81&MILLIMETER MORTAR, SMOKE, M370, WP FILLING ASSEMBLY [VALIDATION DATE: 8006] | A | 1315 | EA | | 26-JUN-63 | EA | OS | | |
| L | | | | MIL-C-46513B | CARTRIDGE, 81MM SMOKE, WP, M370, WITH FUZE, PD, M524 (T186E11) FOR 81MM MORTAR, ASSEMBLING, MARKING AND PACKING [VALIDATION DATE: 8302] | A | 1315 | AR | | 20-NOV-64 | AR | | | |
| L | | | | MIL-B-46514B NOTICE 1 | BURSTER, PROJECTILE, M47 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8804] | A | 1315 | AR | | 19-APR-88 | AR | | | |
| A | L | | | MIL-T-46515 NOTICE 2 | TUBE, BURSTER, FOR BURSTER, PROJECTILE, T46E3, INERT ..... | A | 1315 | AR | | 15-SEP-92 | AR | | | |
| L | | | | MIL-P-46518D | PRIMER, ELECTRIC, M73, PARTS FOR [VALIDATION DATE: 8506] ..... | A | 1390 | AR | | 25-JUL-79 | AR | | | |
| L | | | | MIL-P-46519D | PRIMER, ELECTRIC, M73, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8506] | A | 1390 | AR | | 25-JUL-79 | AR | | | |
| L | | | | MIL-I-46520D | IGNITER, PRIMER, ELECTRIC, M74 PARTS FOR [VALIDATION DATE: 8506] ..... | A | 1390 | AR | | 25-JUL-79 | AR | | | |
| L | | | | MIL-I-46521D(1) | IGNITER, PRIMER, ELECTRIC, M74 LOADING, ASSEMBLING AND PACKING ..... | A | 1390 | AR | | 11-APR-91 | AR | | | |
| L | | | | MIL-P-46522(1) NOTICE 1 | PROPELLANT, M17, FOR USE IN CARTRIDGES, 76MM, AP-T, M339 & 76MM, TP-T, M340A1 [VALIDATION DATE: 8806] | A | 1376 | AR | | 13-JUN-88 | AR | | | |
| L | | | | MIL-C-46523B NOTICE 1 | CARTRIDGE, 76MM, AP-T, M339 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | | 15-OCT-90 | AR | | | |
| L | | | | MIL-P-46524A(1) NOTICE 1 | FIRING KIT, DEMOLITION, ELECTRICAL XM 147E1 [VALIDATION DATE: 8805] ..... | A | 1375 | AR | | 20-MAY-88 | AR | | | |
| L | | | | MIL-S-46528E(1) NOTICE 1 | SIMULATOR, ATOMIC EXPLOSION, M142 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1370 | AR | | 31-OCT-90 | AR | | | |
| L | | | | MIL-P-46530D(1) | PROJECTILE, 20MM, TARGET PRACTICE, M99A1 ..... | A | 1305 | AR | | 30-JAN-92 | AR | | | |
| L | | | | MIL-C-46535(1) | CASING, BURSTER, T21, ASSEMBLY [VALIDATION DATE: 7905] ..... | A | 1315 | AR | | 02-OCT-61 | AR | | | |
| | | | | MIL-C-46540B(1) NOTICE 1 | CASE, CARTRIDGE: 20MM, M103 [VALIDATION DATE: 8806] ..... | A | 1305 | AR | | 06-JUN-88 | AR | | 99 | |
| L | | | | MIL-P-46541 | PROJECTILE FOR CARTRIDGE, 105&MILLIMETER, M360, GB&FILLED, WITHOUT FUZE AND BURSTER [VALIDATION DATE: 8006] | A | 1315 | EA | | 06-JUN-61 | EA | | | |
| L | | | | MIL-P-46542A(3) NOTICE 1 | PRIMER, PERCUSSION, M27, PARTS FOR [VALIDATION DATE: 8803] ..... | A | 1375 | AR | | 22-MAR-88 | AR | | | |

| Action | Cancl / Obsl Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-P-46544A | PRIMER, PERCUSSION, M29A1, PARTS FOR [VALIDATION DATE: 8203] REVIEWER: EA . | A | 1375 | | AR | 16-DEC-63 | AR | | |
| L | | MIL-A-46545B | ACTUATOR EXPLOSIVE, LINEAR, M2 PARTS FOR [VALIDATION DATE: 8101] ..... | A | 1375 | | AR | 20-JUN-66 | AR | | |
| | | MIL-C-46546C(2) NOTICE 1 | CARTRIDGE, 20MM, DUMMY: M51A2 [VALIDATION DATE: 8811] ..... | A | 1305 | | AR | 02-NOV-88 | AR | | 70 |
| L | | MIL-P-46547A NOTICE 1 | PROJECTILE, 20MM, DUMMY, M51A2 [VALIDATION DATE: 9010] ..... | A | 1305 | | AR | 31-OCT-90 | AR | | |
| L | | MIL-P-46549A(2) | PROJECTILE, 155-MILLIMETER HOWITZER, M121, AND GUN, M122, GB-FILLED, WITHOUT FUZE AND BURSTER [VALIDATION DATE: 8006] | A | 1320 | | EA | 05-AUG-68 | EA | | |
| L | | MIL-C-46550C(1) | CHARGE, DEMOLITION, SHAPED, 40LB., M3A1 AND M3 PRACTICE METAL PARTS ASSEMBLY | A | 1375 | | AR | 14-JUL-89 | AR | | |
| | | MIL-C-46552C NOTICE 1 | CARTRIDGE, 20MM, TARGET PRACTICE, M55A2 [VALIDATION DATE: 8806] ..... | A | 1305 | | AR | 06-JUN-88 | AR | | 99 |
| | | MIL-C-46553B NOTICE 1 | CARTRIDGE, 20MM, TARGET PRACTICE, M99A1 ..... | A | 1305 | | AR | 21-MAY-87 | AR | | 99 |
| L | | MIL-T-46555B | TRACER, XM10, PARTS FOR, AND LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8603] | A | 1315 | | AR | 17-MAR-86 | AR | | |
| L | | MIL-A-46556B NOTICE 1 | ACTUATOR, EXPLOSIVE, LINEAR, M2 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8804] | A | 1375 | | AR | 22-APR-88 | AR | | |
| L | | MIL-C-46558C NOTICE 1 | CHARGE, DEMOLITION, HE, LINEAR, M58, W/FUZE AND CHARGE, DEMOLITION, INERT, LINEAR, M68, W/INERT FUZE LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8803] | A | 1375 | | AR | 18-MAR-88 | AR | | |
| | | MIL-I-46559B NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, M3A2, METAL PARTS ASSEMBLY ..... | A | 1377 | | OS | 31-JAN-90 | | OS | 99 |
| L | | MIL-R-46560A(1) | REMOVER, AIRCRAFT CANOPY, M3A1, METAL PARTS ASSEMBLY ..... | A | 1377 | | OS | 15-JUL-86 | | OS | |
| L | | MIL-F-46561D NOTICE 1 | FUZE, DUMMY, DEMOLITION KIT, M1134 AND T1302E2 PARTS AND ASSEMBLING [VALIDATION DATE: 8803] | A | 1375 | | AR | 22-MAR-88 | AR | | |
| L | | MIL-P-46562A(1) NOTICE 1 | PRIMERS, PERCUSSION, M28A2 AND M2882 PARTS FOR [VALIDATION DATE: 8707] .... | A | 1390 | | AR | 25-JUN-65 | AR | | |
| L | | MIL-C-46563A(1) | CATAPULT, AIRCRAFT EJECTION SEAT, M3A1, METAL PARTS ASSEMBLY ..... | A | 1377 | | OS | 15-JUL-86 | | OS | |
| L | | MIL-E-46564 | ELEMENT, IGNITION PERCUSSION-ELECTRIC, M4 PARTS FOR [VALIDATION DATE: 8506] | A | 1390 | | AR | 22-AUG-61 | AR | | |
| L | | MIL-P-46565C(3) NOTICE 1 | PRIMERS, PERCUSSION, M28A2 AND M2882 LOADING, ASSEMBLING AND PACKING REVIEWER: EA | A | 1390 | | AR | 30-OCT-87 | AR | | |
| L | | MIL-P-46568D(2) NOTICE 1 | PRIMER, PERCUSSION, M71A1E1 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8809] | A | 1390 | | AR | 01-SEP-88 | AR | | |
| L | | MIL-F-46570D NOTICE 1 | FUZE, DEMOLITION KIT, M1134 WITH DETONATORS PARTS FOR ..... | A | 1375 | | AR | 15-JAN-82 | AR | | |
| | | MIL-F-46571E NOTICE 1 | FUZE, DEMOLITION KIT, M1134 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8803] | A | 1375 | | AR | 23-MAR-88 | AR | | 99 |
| L | | MIL-T-46573B(1) | THRUSTER, CARTRIDGE ACTUATED, M5A2 METAL PARTS ASSEMBLY ..... | A | 1377 | | OS | 15-JUL-86 | | OS | |
| L | | MIL-I-46576(2) NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, M5A2 ASSEMBLY [VALIDATION DATE: 8606] ..... | A | 1377 | | OS | 26-JUN-86 | | OS | |
| | | MIL-C-46577D(1) NOTICE 1 | CARTRIDGE, 20MM, ARMOR PIERCING INCENDIARY, M53 [VALIDATION DATE: 8702] ... | A | 1305 | | AR | 12-FEB-87 | AR | | 99 |
| L | | MIL-C-46578D NOTICE 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M56A3 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1305 | | AR | 31-OCT-90 | AR | | |
| L | | MIL-F-46579D NOTICE 1 | FUZE, POINT DETONATING, M505A3; PARTS FOR [VALIDATION DATE: 9010] ..... | A | 1305 | | AR | 31-OCT-90 | AR | | |
| | | MIL-F-46580C(2) | FUZE, POINT DETONATION, M505A3 ..... | A | 1305 | | AR | 02-FEB-90 | AR | | 70 |
| L | | MIL-D-46582C NOTICE 1 | DETONATORS, STAB, M57A1 AND M57A2 [VALIDATION DATE: 8811] ..... | A | 1305 | | AR | 02-NOV-88 | AR | | |
| A | | MIL-T-46583C | THRUSTER, CARTRIDGE ACTUATED, M3A3 METAL PARTS ASSEMBLY REVIEWER: 70 ..... | A | 1377 | | OS | 21-SEP-92 | | OS | 99 |
| | L | MIL-T-46586C NOTICE 1 | TUBE, IGNITER FOR CHARGE, PROPELLING, 175MM, M86A2 (CELLULAR POLYURETHANE) [VALIDATION DATE: 9010] | A | 1320 | | AR | 15-OCT-90 | AR | | |
| L | | MIL-C-46587A(1) NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT, M3A1, ASSEMBLY [VALIDATION DATE: 8606] .. | A | 1377 | | OS | 20-JUN-86 | | OS | |
| L | | MIL-T-46590B NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M15, METAL PARTS ASSEMBLY ..... | A | 1377 | | OS | 10-MAR-87 | | OS | |
| L | | MIL-T-46591A NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M15 ASSEMBLY [VALIDATION DATE: 8606] ..... | A | 1377 | | OS | 20-JUN-86 | | OS | |
| L | | MIL-D-46592 | DETONATOR, STAB, M58 PARTS FOR [VALIDATION DATE: 8504] ..... | A | 1375 | | AR | 30-SEP-61 | AR | | |
| L | | MIL-P-46593A(1) | PROJECTILE, CALIBERS .22, .30, .50 AND 20 MM FRAGMENT&SIMULATING [VALIDATION DATE: 8304] REVIEWER: AV | A | 1305 | | AR | 12-OCT-64 | AR | | |
| L | | MIL-C-46594B(2) NOTICE 1 | CHARGE, DEMOLITION, SHAPED, 40 LB., M3A1 AND M3 PRACTICE, LOADING, ASSEMBLING AND PACKING | A | 1375 | | AR | 14-JUN-91 | AR | | |
| A | L | MIL-T-46598F | TRACER, PROJECTILE: M13 ..... | A | 1315 | | AR | 30-JUN-92 | AR | | |
| L | | MIL-P-46600C NOTICE 1 | PROPELLANT M30 FOR USE IN CARTRIDGE HEAT-T, M431A2 FOR 90MM GUNS [VALIDATION DATE: 9108] | A | 1376 | | AR | 29-AUG-91 | AR | | |
| L | | MIL-P-46601B(3) | PRIMER, PERCUSSION, M36A2 ..... | A | 1305 | | AR | 06-JUN-86 | AR | | |
| L | | MIL-T-46602A NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M19 METAL PARTS ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 | | OS | 10-MAR-87 | | OS | |
| LI | | MIL-T-46603A | THRUSTER, CARTRIDGE ACTUATED: M19 ASSEMBLY (INACTIVE FOR NEW DESIGN) ..... | A | 1377 | | OS | 15-JUL-88 | | OS | |
| L | | MIL-T-46604A(1) NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M13, ASSEMBLY [VALIDATION DATE: 8703] ..... | A | 1377 | | OS | 23-MAR-87 | | OS | |
| L | | MIL-T-46605A(1) | THRUSTER, CARTRIDGE ACTUATED, M13 METAL PARTS ASSEMBLY ..... | A | 1377 | | OS | 15-JUL-86 | | OS | |
| | | MIL-D-46606B | DELAY ELEMENT, CARTRIDGE, MB ASSEMBLY ..... | A | 1377 | | OS | 23-APR-91 | | OS | 99 |
| L | | MIL-I-46607A NOTICE 1 | IGNITER, BOMB, MK 260, MOD 0 [VALIDATION DATE: 8608] ..... | A | 1325 | | EA | 05-JUN-63 | EA | | |
| L | | MIL-P-46510E(1) | PRIMERS, PERCUSSION, STYPHNATE AND CHLORATE TYPES, FOR SMALL ARMS AMMUNITION | A | 1305 | | AR | 11-JUL-91 | AR | | |
| L | | MIL-W-46611B NOTICE 1 | WARHEAD SECTION, 762 MILLIMETER ROCKET, EMPTY, C4 [VALIDATION DATE: 8608] . | A | 1340 | | EA | 19-AUG-86 | EA | | |
| L | | MIL-C-46614 | CLUSTER, INCENDIARY BOMB, PTV, 750&POUND, M35 (W/O FUZE, FIN, AND WIRE) [VALIDATION DATE: 8006] | A | 1325 | | EA | 22-DEC-61 | EA | | |
| | | MIL-C-46615D | CARTRIDGE, IMPULSE, M29A2 ASSEMBLY ..... | A | 1377 | | OS | 23-APR-91 | | OS | 99 |
| A | | MIL-T-46616C | THRUSTER, CARTRIDGE ACTUATED, M3A3 ASSEMBLY REVIEWER: 70 ..... | A | 1377 | | OS | 21-SEP-92 | | OS | 99 |
| L | | MIL-R-46617A(1) NOTICE 1 | REMOVER, AIRCRAFT CANOPY, M3A1, ASSEMBLY [VALIDATION DATE: 8606] ..... | A | 1377 | | OS | 20-JUN-86 | | OS | |
| | | MIL-C-46618B | CARTRIDGE, IMPULSE, M73 ASSEMBLY ..... | A | 1377 | | OS | 20-MAY-90 | | OS | 99 |
| | | MIL-I-46619A NOTICE 1 | INITIATOR, DELAY, M12A1 ASSEMBLY [VALIDATION DATE: 8703] ..... | A | 1377 | | OS | 15-MAR-87 | | OS | 99 |
| L | | MIL-P-46620C NOTICE 1 | PROJECTILE, 20MM, HEI, M97A2; METAL PARTS [VALIDATION DATE: 9010] ..... | A | 1305 | | AR | 31-OCT-90 | AR | | |
| L | | MIL-C-46621C NOTICE 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M97A2 [VALIDATION DATE: 9010] | A | 1305 | | AR | 31-OCT-90 | AR | | |
| | | MIL-I-46625C NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, M3A2, ASSEMBLY ..... | A | 1377 | | OS | 31-JAN-90 | | OS | 99 |
| L | | MIL-T-46626B NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M2A2 ASSEMBLY [VALIDATION DATE: 8703] ..... | A | 1377 | | OS | 15-MAR-87 | | OS | |
| L | | MIL-C-46627A(1) NOTICE 2 | CATAPULT, AIRCRAFT EJECTION SEAT, M4A1, ASSEMBLY [VALIDATION DATE: 9108] .. | A | 1377 | | OS | 14-AUG-91 | | OS | |
| L | | MIL-C-46628A(1) | CATAPULT, AIRCRAFT EJECTION SEAT, M4A1 METAL PARTS ASSEMBLY ..... | A | 1377 | | OS | 15-JUL-86 | | OS | |
| L | | MIL-R-46630B(2) | REMOVER, AIRCRAFT CANOPY, M1A3, METAL PARTS ASSEMBLY ..... | A | 1377 | | OS | 15-JUL-86 | | OS | |
| L | | MIL-R-46631B | REMOVER, AIRCRAFT CANOPY, M1A3, ASSEMBLY [VALIDATION DATE: 8606] ..... | A | 1377 | | OS | 20-JUN-86 | | OS | |

| Action | Opt. / Qual. Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-T-46632A NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED: M2A2 METAL PARTS ASSEMBLY [VALIDATION DATE: 8902] | A | 1377 | OS | 01-FEB-89 | | | OS | | |
| L | | MIL-D-46634A(1) | DELAY ELEMENT, CARTRIDGE: M5 ASSEMBLY | A | 1377 | OS | 08-MAR-89 | | | OS | | |
| L | | MIL-C-46635C(1) NOTICE 1 | CARTRIDGE, 20MM, HIGH PRESSURE TEST, M54A1 [VALIDATION DATE: 8811] | A | 1305 | AR | 02-[illegible]-88 | AR | | | | |
| L | | MIL-P-46636C NOTICE 1 | PROJECTILE, 20MM, HIGH PRESSURE TEST, M54A1 [VALIDATION DATE: 8705] | A | 1305 | AR | 21-MAY-87 | AR | | | | |
| L | | MIL-P-46642C NOTICE 1 | PRIMER, PERCUSSION, M92E1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8809] | A | 1390 | AR | 01-SEP-88 | AR | | | | |
| L | | MIL-G-46644A | GRENADE, HAND, PRACTICE, M30 W/FUZE M205A2, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8203] | A | 1330 | AR | 01-JUN-64 | AR | | | | |
| L | | MIL-W-46646C | WARHEAD SECTION, 762-MILLIMETER ROCKET, CHEMICAL AGENT, M190, WITHOUT FUZE [VALIDATION DATE: 8006] | A | 1340 | EA | 18-AUG-66 | EA | | | | |
| L | | MIL-D-46647B(1) NOTICE 1 | DETONATOR, STAB, XM58, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8803] | A | 1375 | AR | 22-MAR-88 | AR | | | | |
| L | | MIL-C-46649A NOTICE 1 | CHARGE, PROPELLING, XM85 (WHITE BAG) FOR CARTRIDGE, 105MM, XM482 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | 15-OCT-90 | AR | | | | |
| L | | MIL-P-46651B(1) NOTICE 1 | PROPELLANT M30E1 FOR USE IN PROPELLING CHARGE M85 AND XM121 FOR 105MM HOWITZER [VALIDATION DATE: 8705] | A | 1376 | AR | 28-MAY-87 | AR | | | | |
| L | | MIL-C-46652(2) NOTICE 1 | COMPOSITION B4 [VALIDATION DATE: 9108] REVIEWER: EA | A | 1376 | AR | 29-AUG-91 | AR | | | | |
| L | | MIL-D-46653B NOTICE 1 | DETONATOR, M31A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004] | A | 1375 | AR | 20-APR-90 | AR | | | | |
| L | | MIL-A-46655B(2) NOTICE 1 | ATTACHMENTS, TOW AND PUSH FOR DEMOLITION KIT, PROJECTED CHARGE, M157 PARTS FOR AND PACKING [VALIDATION DATE: 8812] | A | 1375 | AR | 16-DEC-88 | AR | | | | |
| L | | MIL-R-46656A(1) NOTICE 2 | REMOVER, AIRCRAFT CANOPY, M4 ASSEMBLY [VALIDATION DATE: 9108] | A | 1377 | OS | 14-AUG-91 | | | OS | | |
| L | | MIL-F-46657D(1) NOTICE 1 | FIRING DEVICE, DEMOLITION, PULL TYPE, M1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A | 1375 | AR | 09-MAY-90 | AR | | | | |
| L | | MIL-T-46659A(2) NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M5A3 ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 | OS | 10-MAR-87 | | | OS | | |
| L | | MIL-C-46665A(1) NOTICE 1 | CARTRIDGE, 105MM, TP-T, M467 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705] | A | 1315 | AR | 27-MAY-87 | AR | | | | |
| L | | MIL-C-46666B(2) | CARTRIDGE, GRENADE: 7.62MM, NATO, RIFLE, M64 | A | 1305 | AR | 11-MAR-91 | AR | | | | |
| A | L | MIL-B-46667A(3) | BURSTER, PROJECTILE, M83 LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | 30-OCT-92 | AR | | | | |
| QL | | MIL-E-46676A NOTICE 1 | EXPLOSIVE, FLEXIBLE [VALIDATION DATE: 8604] REVIEWER: MI | A | 1376 | AR | 08-APR-86 | AR | OS | 99 | | |
| L | | MIL-P-46678B | PROJECTILE, 8 INCH, GAS, M426 ASSEMBLING, MARKING AND PACKING [VALIDATION DATE: 8603] | A | 1320 | AR | 17-MAR-86 | AR | | | | |
| L | | MIL-C-46679A(1) NOTICE 1 | CHARGE, PROPELLING, DUMMY, M4 [VALIDATION DATE: 8804] | A | 1320 | AR | 18-APR-88 | AR | | | | |
| L | | MIL-C-46680B | CARTRIDGE, CALIBER .30, MATCH, M72 [VALIDATION DATE: 8603] | A | 1305 | AR | 18-MAR-86 | AR | | | | |
| L | | MIL-S-46681C(2) | SKID, LAUNCHING, DEMOLITION CHARGE, M3 PARTS AND ASSEMBLY [VALIDATION DATE: 8101] | A | 1375 | AR | 20-MAY-66 | AP | | | | |
| L | | MIL-T-46682A(1) | THRUSTER, PROPELLANT ACTUATED, XM24 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8505] | A | 1375 | AR | 10-MAY-66 | AR | | | | |
| L | | MIL-P-46683A(1) NOTICE 1 | PROPELLANT, M31(T34), FOR USE IN CHARGE PROPELLING M46, FOR PROJECTILES M356 AND M357, FOR 120MM GUN, M58 [VALIDATION DATE: 8805] | A | 1376 | AR | 05-MAY-88 | AR | | | | |
| L | | MIL-P-46686C NOTICE 1 | PRIMER, PERCUSSION, M92E1 PARTS FOR [VALIDATION DATE: 8809] | A | 1390 | AR | 01-SEP-88 | AR | | | | |
| L | | MIL-D-46688A(2) NOTICE 1 | DEMOLITION KIT, PROJECTED CHARGE, M173, AND PRACTICE, M174 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9008] | A | 1375 | AR | 27-AUG-90 | AR | | | | |
| L | | MIL-C-46689A(3) NOTICE 1 | CHARGE PROPELLING, M82 [VALIDATION DATE: 9010] | A | 1315 | AR | 15-OCT-90 | AR | | | | |
| L | | MIL-G-46690E | GRENADE, HAND-RIFLE, SMOKE, WP, M34 FILLING AND ASSEMBLY | A | 1330 | EA | 23-MAR-76 | EA | | | | |
| L | | MIL-T-46691A(1) NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M16 METAL PARTS ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 | OS | 10-MAR-87 | | | OS | | |
| L | | MIL-T-46692A NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED: M16, ASSEMBLY [VALIDATION DATE: 8902] | A | 1377 | OS | 01-FEB-89 | | | OS | | |
| L | | MIL-G-46693F NOTICE 1 | GRENADE, HAND-RIFLE, SMOKE, WP, M34, INERT COMPONENTS [VALIDATION DATE: 8608] | A | 1330 | EA | 19-AUG-86 | EA | | | | |
| A | L | MIL-C-46694A(6) | CHARGE, PROPELLING, 8 INCH, M1 (GREEN BAG) LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | 07-JUL-92 | AR | | | | |
| M | L | MIL-C-46695B(4) | CHARGE, PROPELLING, 8 INCH, M2, (WHITE BAG) LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | 12-MAR-93 | AR | | | | |
| L | | MIL-M-46696D(4) NOTICE 1 | MINE, ANTIPERSONNEL, M16A1, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109] | A | 1345 | AR | 05-SEP-91 | AR | | | | |
| M | L | MIL-P-46698(1) | PROPELLANT, M1, FOR USE IN CHARGE PROPELLING M1 (GREEN BAG) FOR 8 INCH HOWITZER | A | 1375 | AR | 22-MAR-93 | AR | | | | |
| L | | MIL-P-46699B(1) | PROPELLANT, M1 FOR USE IN CHARGE PROPELLING M2 (WHITE BAG) FOR 8 INCH HOWITZER | A | 1376 | AR | 11-MAY-84 | AR | | | | |
| D | | MIL-T-46701F | TRUCK, TILT-FRAME: CONTAINER HANDLING, WITH TILT CAB, DIESEL ENGINE DRIVEN, 51,000 POUNDS GVW, 6X4, COMMERCIAL; INCLUDING DETACHABLE BODIES AND STATIONARY COMPACTORS REVIEWER: MC | A | 2320 | AT | 27-MAR-90 | AT | YD1 | 99 | | |
| L | | MIL-V-46704A(2) | VALVE, RELAY EMERGENCY, BREAKAWAY & AIR BRAKE USER: ME REVIEWER: CS | A | 2530 | AT | 27-JUN-83 | AT | | | | |
| D | | MIL-T-46705E | TRAILERS, STAKE: WAGON TYPE, 2270 AND 4540 KILOGRAM (5,000 AND 10,000 POUND) CAPACITY, 4-WHEEL, MODIFIED COMMERCIAL REVIEWER: 84 MC | A | 2330 | AT | 19-FEB-93 | AT | YD1 | 99 | | |
| A | L | MIL-H-46709E | HOWITZER, MEDIUM, SELF-PROPELLED: 155-MM, M109A2, M109A3, M109A4, AND M109A5; PROCESSING FOR STORAGE AND SHIPMENT OF USER: MI REVIEWER: AR SM | A | PACK | AT | 12-OCT-92 | AT | | | | |
| L | | MIL-R-46710B NOTICE 1 | RECOVERY VEHICLE, FULL-TRACKED: LIGHT, ARMORED, M578: PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] | A | PACK | AT | 28-FEB-92 | AT | | | | |
| L | | MIL-R-46711D(1) NOTICE 1 | RECOVERY VEHICLE, FULL-TRACKED: LIGHT, ARMORED, M578 [VALIDATION DATE: 8806] REVIEWER: AT | A | 2350 | AR | 06-JUN-88 | AR | | | | |
| L | | MIL-S-46714C | SEMITRAILER VAN: ELECTRONIC, TACTICAL, 6-TON, 2-WHEEL, M373A2 | A | 2330 | AT | 14-AUG-90 | AT | | | | |
| D | | MIL-E-46717G(1) | ENGINES, GASOLINE: AIR-COOLED, INDUSTRIAL-TYPE, 4-CYCLE, MILITARY-DESIGN USER: AT AV GL MC REVIEWER: SM | A | 2805 | ME | 22-FEB-90 | ME | YD1 | | | |
| L | | MIL-T-46719B(1) | TRANSMISSION, HYDRAULIC, MODEL 305 MC | A | 2520 | AT | 24-MAY-84 | AT | | | | |
| L | | MIL-V-46720B | VALVE, SOLENOID | A | 2590 | AT | 19-MAR-86 | AT | | | | |
| L | | MIL-C-46722A | CHASSIS, TRAILER, 1 TO 5 TON, 4 WHEEL GENERAL PURPOSE | A | 2330 | 84 | 28-JUN-86 | | | | 99 | |
| L | | MIL-G-46723C NOTICE 2 | GUN, SELF-PROPELLED, FULL-TRACKED, 175MM, M107 AND HOWITZER, SELF-PROPELLED, FULL-TRACKED, 8-INCH, M110, M110A1, AND M110A2, PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] REVIEWER: AR MC SM | A | PACK | AT | 28-FEB-92 | AT | | | | |
| L | | MIL-V-46725B | VALVE, FOUR-WAY, HYDRAULIC, MANUAL USER: ME REVIEWER: MI | A | 2590 | AT | 29-JUN-87 | AT | | | | |
| L | | MIL-V-46727C | VALVE, THREE POSITION, FOUR WAY, HYDRAULIC, MANUAL USER: ME REVIEWER: CS MI | A | 2590 | AT | 10-OCT-86 | AT | | | | |
| | | MIL-M-46728C(1) | MIRROR ASSEMBLY, REARVIEW, AUTOMOTIVE, EXTERIOR MOUNTING REVIEWER: CS | A | 2540 | AT | 23-MAR-87 | AT | | | | |
| L | | MIL-W-46735A(1) | WINCH, DRUM, VEHICLE MOUNTING | A | 2590 | AT | 22-JUL-87 | AT | | | | |
| L | | MIL-F-46736C | FILTER ELEMENT, INTAKE AIR CLEANER: DRY TYPE | A | 2940 | AT | 12-APR-91 | AT | | | | |
| M | L | MIL-T-46744E | TRAILERS, MAINTENANCE: 454 AND 910 KILOGRAM (1000 AND 2000 POUND) PAYLOAD, TWO WHEEL, MODIFIED COMMERCIAL | A | 2330 | AT | 30-APR-93 | AT | | | | |
| L | | MIL-C-46746D(3) NOTICE 1 | CARRIER, COMMAND POST, LIGHT TRACKED: M577, M577A1, AND M577A2, PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] | A | PACK | AT | 28-FEB-92 | AT | | | | |
| D | | MIL-T-46748H | TRUCKS, REFUSE COLLECTION: WITH FRONT CONTAINER HOIST: 20 200 TO 25 400 KILOGRAMS (44,500 TO 56,000 POUNDS) GVW, 6X4, WITH TILT CAB, MODIFIED COMMERCIAL REVIEWER: 84 MC | A | 2320 | AT | 08-NOV-91 | AT | YD1 | 99 | | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-T-46750D | TRANSMISSION, CROSS DRIVE, HYDRODYNAMIC MODEL XTG411 | A | 2520 | AT | 29-JUL-92 | AT | | | |
| A | L | MIL-T-46750/1 | TRANSMISSION, HYDRAULIC MODEL XTG411-2A | A | 2520 | AT | 29-JUL-92 | AT | | | |
| A | L | MIL-T-46750/2 | TRANSMISSION, HYDRAULIC MODEL XTG411-4 | A | 2520 | AT | 29-JUL-92 | AT | | | |
| D | | MIL-S-46752C(2) | SEMITRAILER, TANK, FUEL, 4 WHEEL, MILITARY DESIGN, M131 SERIES USER: YD1 REVIEWER: SM | A | 2330 | AT | 16-FEB-88 | AT | MC | 99 | |
| | L | MIL-S-46756D(4) | SEMITRAILERS, VAN: 10 TON, 4-WHEEL SERIES | A | 2330 | AT | 08-FEB-91 | AT | | | |
| | L | MIL-R-46762(2) | RUBBER STOCK, UNVULCANIZED, TRACK SHOES, PADS, AND PIN BUSHINGS [VALIDATION DATE: 8308] REVIEWER: CS | A | 2530 | AT | 06-MAR-70 | AT | | | |
| | L | MIL-T-46765D | TRUCKS, TANK: SEWAGE AND WASTE, DUMP TYPE, 4550 AND 7570 LITER (1200 AND 2000 GALLON), MODIFIED COMMERCIAL | A | 2320 | AT | 07-FEB-92 | AT | | | |
| A | L | MIL-T-46768D | TRAILERS, LIVING QUARTERS: SELF-CONTAINED, MODIFIED COMMERCIAL | A | 2330 | AT | 05-NOV-92 | AT | | | |
| D | L | MIL-S-46777C | SEMITRAILERS, DUMP, COMMERCIAL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8906] USER: CE MC YD1 | A | 2330 | AT | 16-JUN-89 | AT | | | |
| D | L | MIL-S-46777/1 | SEMITRAILER, DUMP, COMMERCIAL SIZE 10, REFUSE SPECIAL [VALIDATION DATE: 8906] USER: CE MC YD1 | A | 2330 | AT | 16-JUN-89 | AT | | | |
| D | L | MIL-S-46777/2 | SEMITRAILER, DUMP, COMMERCIAL SIZE 12 [VALIDATION DATE: 8906] USER: CE MC YD1 | A | 2330 | AT | 16-JUN-89 | AT | | | |
| D | L | MIL-S-46777/3 | SEMITRAILER, DUMP, COMMERCIAL SIZE 20 [VALIDATION DATE: 8906] USER: CE MC YD1 | A | 2330 | AT | 16-JUN-89 | AT | | | |
| D | L | MIL-S-46777/4 | SEMITRAILER, DUMP, COMMERCIAL SIZE 25 [VALIDATION DATE: 8906] USER: CE MC YD1 | A | 2330 | AT | 16-JUN-89 | AT | | | |
| D | L | MIL-S-46777/5 | SEMITRAILER, HOPPER BOTTOM DUMP, COMMERCIAL SIZE 30 [VALIDATION DATE: 8906] USER: CE MC YD1 | A | 2330 | AT | 16-JUN-89 | AT | | | |
| | L | MIL-T-46780D(3) | TRUCK, 2 1/2 TON, 6 X 6, MILITARY DESIGN, M44A2 MULTI-FUEL ENGINE SERIES REVIEWER: MC ME | A | 2320 | AT | 14-FEB-85 | AT | | | |
| D | | MIL-T-46786B | TANKS, FUEL, ENGINE: GENERAL REQUIREMENTS FOR USER: MC REVIEWER: AT CS | A | 2910 | ME | 26-OCT-90 | ME | YD1 | | |
| | L | MIL-B-46789B | BLASTING MACHINE, AUXILIARY FIRING, EMERGENCY | A | 2590 | AT | 23-JAN-91 | AT | | | |
| D | | MIL-T-46791D | TRAILERS, CARGO: 500, 2,000 AND 3,000 POUND PAYLOAD, 2 WHEEL, MODIFIED COMMERCIAL REVIEWER: 84 MC | A | 2330 | AT | 11-SEP-91 | AT | YD1 | 99 | |
| | L | MIL-C-46793C | CUPOLA BODY ASSEMBLY FOR ARMORED VEHICLE BRIDGE LAUNCHER, M60A1 AND M48A5 TANK CHASSIS USER: AT | A | 5420 | ME | 24-APR-92 | ME | | | |
| | QL | MIL-G-46795F(1) | GENERATING SYSTEM, ALTERNATOR, RECTIFIER 60 OR 25 AMPERES, 28 VOLTS USER: ME REVIEWER: CS | A | 2920 | AT | 19-APR-83 | AT | | | |
| | L | MIL-E-46796A | ENGINE, DIESEL, 8-CYLINDER, V-TYPE 390 HP REVIEWER: CS | A | 2815 | AT | 06-JUL-87 | AT | | | |
| | L | MIL-T-46797B NOTICE 1 | TRUCK, WITH HIGH LIFT DUMP MECHANISM: DUMP, CARGO AND STAKE BODY TYPES, DIESEL AND GASOLINE ENGINE DRIVEN, 24,000 GVW, 4X2, COMMERCIAL [VALIDATION DATE: 8908] | A | 2320 | AT | 28-AUG-89 | AT | | | |
| | L | MIL-L-46811B | LUBRICATION OF GROUND HANDLING, LAUNCHING AND CONTROL EQUIPMENT FOR GUIDED MISSILES | A | 1440 | MI | 10-SEP-90 | MI | | | |
| | L | MIL-L-46821B(1) | LOADER TRANSPORTER, GUIDED MISSILE, XM501E3 REVIEWER: MI | A | 1450 | AT | 25-APR-85 | AT | | | |
| | L | MIL-R-46837B | RACEWAYS, STEEL, RIGID REVIEWER: GS | A | 5975 | MI | 16-JUL-90 | MI | | | |
| | LI | MIL-P-46843C NOTICE 2 | PRINTED WIRING ASSEMBLIES, PRODUCTION OF USER: AR REVIEWER: ES | A | 5999 | MI | 08-JUL-91 | MI | | | |
| | I | MIL-S-46844C NOTICE 1 | SOLDER BATH SOLDERING OF PRINTED WIRING ASSEMBLIES USER: AV REVIEWER: 17 AR CR MR OS | A | SOLD | MI | 08-SEP-89 | MI | AS | 11 | |
| | L | MIL-R-46846B | RUBBER, SYNTHETIC, HEAT-SHRINKABLE USER: ME REVIEWER: EA GS MR | A | 5970 | MI | 30-APR-92 | MI | | | |
| D | | MIL-M-46849 NOTICE 2 | MICROFILMING OF ENGINEERING AND RELATED DOCUMENTS, 16MM REQUIREMENTS FOR [VALIDATION DATE: 8411] REVIEWER: AR AV CR EC ER GL MC OS SA SH SM TM YD1 | A | EDMS | MI | 06-MAY-83 | MI | AS | 10 | DH |
| | | MIL-S-46850D(1) | STEEL: BAR, PLATE, SHEET, STRIP, FORGINGS, AND EXTRUSIONS, 18 PERCENT NICKEL ALLOY, MARAGING, 200 KSI, 250 KSI, 300 KSI, AND 350 KSI, HIGH QUALITY USER: OS REVIEWER: AR IS MR | A | 9515 | MI | 22-NOV-91 | MI | AS | | |
| | | MIL-F-46851B(1) | FAN, GUIDED MISSILE, GROUND SUPPORT EQUIPMENT, GENERAL SPECIFICATION FOR USER: MC REVIEWER: OS | A | 1450 | MI | 03-SEP-87 | MI | AS | 99 | |
| | | MIL-I-46852C(1) | INSULATION TAPE, ELECTRICAL, SELF ADHERING UNSUPPORTED SILICONE RUBBER REVIEWER: 99 GS | A | 5970 | MI | 22-JUN-92 | MI | | 85 | |
| | | MIL-H-46855B(2) | HUMAN ENGINEERING REQUIREMENTS FOR MILITARY SYSTEMS, EQUIPMENT & FACILITIES REVIEWER: 19 24 AV GL MD MR MS OS PE SH TD | A | HFAC | MI | 05-APR-84 | MI | AS | 11 | |
| | | MIL-G-46858A NOTICE 1 | GUIDANCE AND CONTROL SYSTEMS, MISSILEBORNE, REMOTE CONTROL (COMMAND) GUIDED MISSILES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8712] USER: 15 MC OS REVIEWER: 70 | A | 1420 | MI | 28-DEC-87 | MI | AS | 19 | |
| | I | MIL-S-46860B NOTICE 1 | SOLDERING OF METALLIC RIBBON LEAD MATERIALS TO SOLDER COATED TERMINALS, PROCESS FOR REFLOW USER: AR AV REVIEWER: 17 99 MR OS | A | SOLD | MI | 08-SEP-89 | MI | AS | 11 | |
| | L | MIL-M-46861B | MOLDING MATERIAL, GLASS MAT, EPOXY COATED REVIEWER: GS MR | A | 9330 | MI | 13-FEB-91 | MI | | | |
| | L | MIL-M-46862B | MOLDING MATERIAL, GLASS, EPOXY IMPREGNATED REVIEWER: GS | A | 9330 | MI | 24-FEB-92 | MI | | | |
| | L | MIL-A-46864B | ADHESIVE, EPOXY, MODIFIED, FLEXIBLE, TWO COMPONENT | A | 8040 | MI | 28-MAR-91 | MI | | | |
| | L | MIL-I-46865B | INSULATING COMPOUND, ELECTRICAL, EPOXY, COLLOIDAL SILICA FILLED FOR POTTING AND ENCAPSULATION | A | 5970 | MI | 28-JUN-91 | MI | | | |
| | L | MIL-W-46870 NOTICE 1 | WELDING OF ELECTRONIC CIRCUITRY, PROCESS FOR [VALIDATION DATE: 9009] | A | THJM | MI | 06-SEP-90 | MI | | | |
| | L | MIL-P-46872A | POTTING AND MOLDING OF CABLE ASSEMBLIES, PROCESS FOR USER: AR | A | 14GP | MI | 16-JUL-90 | MI | | | |
| | L | MIL-G-46884(1) NOTICE 2 | GLASS, METAL SEALING | A | 8030 | AR | 31-MAY-91 | AR | | | |
| A | | MIL-G-46886B | GREASE, SILICONE REVIEWER: CD GS PS | A | 9150 | MI | 17-AUG-92 | MI | OS | | |
| | L | MIL-M-46888A | MAGNET MATERIALS, PERMANENT | A | 9535 | MI | 10-DEC-90 | MI | | | |
| | L | MIL-S-46889B | STEEL, SPRING, CHROMIUM-NICKEL ALLOY | A | 9535 | MI | 25-JUL-90 | MI | | | |
| | L | MIL-S-46897B | SEALING COMPOUND, POLYURETHANE FOAM REVIEWER: MR | A | 8030 | MI | 05-OCT-90 | MI | | | |
| | L | MIL-G-46898(1) NOTICE 1 | GASKETING, RF AND PRESSURE [VALIDATION DATE: 9009] USER: AR | A | 5330 | MI | 06-SEP-90 | MI | | | |
| | L | MIL-P-46900A NOTICE 1 | PRIMER, PERCUSSION, M49% PARTS FOR | A | 1390 | AR | 10-JUL-87 | AR | | | |
| | L | MIL-P-46901A NOTICE 1 | PRIMER, PERCUSSION, M49 LOADING, ASSEMBLING AND PACKING | A | 1390 | AR | 10-JUL-87 | AR | | | |
| | L | MIL-R-46903B NOTICE 1 | RELAY, EXPLOSIVE, XM10 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9008] REVIEWER: MI | A | 1375 | AR | 27-AUG-90 | AR | | | |
| | L | MIL-R-46904B | RELAY, EXPLOSIVE, XM10 PARTS FOR [VALIDATION DATE: 8504] REVIEWER: MI | A | 1375 | AR | 13-AUG-85 | AR | | | |
| | L | MIL-G-46905A(2) NOTICE 1 | GROMMETS, PLASTIC, FILAMENT WOUND, (FOR SEPARATE LOADED PROJECTILES) [VALIDATION DATE: 8603] | A | 8140 | AR | 19-MAR-86 | AR | | | |
| | L | MIL-H-46906D NOTICE 1 | HOLDERS, INCREMENT M1A1, M2A1 AND M3 PARTS FOR [VALIDATION DATE: 9010] | A | 1315 | AR | 15-OCT-90 | AR | | | |
| | L | MIL-C-46907B(8) | CHARGE, PROPELLING, M36A1, BAG LOADING ASSEMBLY FOR | A | 1315 | AR | 03-APR-90 | AR | | | |
| | L | MIL-C-46908(3) NOTICE 1 | CHARGE, PROPELLING, 155MM, M3, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1320 | AR | 15-OCT-90 | AR | | | |
| | L | MIL-C-46909D | CHARGE, EXPELLING, FOR PROJECTILE, MC SMOKE, 155 MM, M116A1 | A | 1320 | EA | 12-MAY-87 | EA | | | |
| M | L | MIL-O-46910C(2) | OBTURATING MECHANISM PARTS FOR | A | 1315 | AR | 23-MAR-93 | AR | | | |
| | L | MIL-I-46912(5) | INCREMENT, PROPELLANT, XM90 (M90) | A | 1375 | AR | 19-OCT-90 | AR | | | |
| | L | MIL-C-46915 | CAP, BLASTING, ELECTRIC, M6 INERT ASSEMBLY [VALIDATION DATE: 8203] | A | 1375 | AR | 10-MAY-83 | AR | | | |
| | L | MIL-C-46916C(2) | CAP, BLASTING, NON-ELECTRIC INERT | A | 1375 | AR | 19-APR-91 | AR | | | |
| | L | MIL-P-46917B NOTICE 1 | PRIMER, PERCUSSION, M34 LOADING, ASSEMBLING AND PACKING | A | 1390 | AR | 10-JUL-87 | AR | | | |
| | L | MIL-P-46918A(1) NOTICE 1 | PRIMER, PERCUSSION, M34 PARTS FOR [VALIDATION DATE: 8809] | A | 1390 | AR | 01-SEP-88 | AR | | | |
| | L | MIL-C-46919A(1) NOTICE 1 | CARTRIDGE, ILLUMINATION, M301A2 WITH FUZE, TIME, M84 FOR 81MM MORTARS LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | 15-OCT-90 | AR | | | |
| M | L | MIL-C-46920B(2) | CHARGE, EXPELLING, FOR CARTRIDGE ILLUMINATING, 4.2 INCH, M335A2 | A | 1315 | AR | 23-MAR-93 | AR | | | |

| Action | OPR / Cmtl Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-C-46921<br>NOTICE 1 | CHARGE, PROPELLING DUMMY, M3 FOR CARTRIDGE TRAINING; 105MM, M14 [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| | L | MIL-C-46923A | CHARGE, PROPELLING, FOR 75MM HOWITZER M2A1 AND M3 [VALIDATION DATE: 9010] . | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| | L | MIL-C-46927A | CARTRIDGE, 90MM, PRACTICE, M371 WITH FUZE, PIBD, M530A1 AND MOX-28 PELLET LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| | L | MIL-C-46930(1)<br>NOTICE 1 | CHARGE, PROPELLING, M45 FOR 120MM GUN, M58 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| | L | MIL-C-46931F | CARTRIDGE, 7.62MM: NATO, BALL, M80 ..... | A | 1305 | AR | AR | 29-MAR-91 | AR | | | |
| | L | MIL-C-46932A(3)<br>NOTICE 1 | CARTRIDGE, 7.62MM, NATO, BALL, FRANGIBLE, M160 [VALIDATION DATE: 9010] .... | A | 1305 | AR | AR | 31-OCT-90 | AR | | | |
| A | L | MIL-C-46933A(8) | CARTRIDGE, 7.62MM, NATO, BLANK, M82 ..... | A | 1305 | AR | AR | 29-OCT-92 | AR | | | |
| | L | MIL-C-46934B(6)<br>NOTICE 1 | CARTRIDGE, 7.62MM, NATO, SPECIAL BALL, M118 ..... | A | 1305 | AR | AR | 11-MAR-91 | AR | | | |
| | | MIL-C-46935B | CARTRIDGES, COMMERCIAL ..... | A | 1305 | AR | AR | 14-MAY-90 | AR | | | |
| | L | MIL-C-46936B(3) | CARTRIDGE, 5.56MM, TEST, HIGH PRESSURE, M197 ..... | A | 1305 | AR | AR | 11-MAY-92 | AR | | | |
| | L | MIL-C-46937B(1) | CARTRIDGE, CALIBER .45, BLANK, M9 ..... | A | 1305 | AR | AR | 16-APR-86 | AR | | | |
| | L | MIL-T-46938B<br>NOTICE 1 | TETRACENE [VALIDATION DATE: 9108] ..... | A | 1376 | AR | AR | 29-AUG-91 | AR | | | |
| | L | MIL-C-46939<br>NOTICE 1 | CASE, CARTRIDGE, 90MM, M19 [VALIDATION DATE: 9010] ..... | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| | L | MIL-C-46940(4) | CASE, CARTRIDGE, 105MM, M14 ..... | A | 1315 | AR | AR | 11-APR-90 | AR | | | |
| A | | MIL-C-46941A | CARTRIDGE, IMPULSE, M146 ASSEMBLY REVIEWER: 70 ..... | A | 1377 | OS | | 11-FEB-93 | | OS | 99 | |
| | L | MIL-C-46942(2)<br>NOTICE 2 | CATAPULT, AIRCRAFT EJECTION SEAT, M5A1 ASSEMBLY [VALIDATION DATE: 9108] USER: 11 | A | 1377 | OS | | 14-AUG-91 | | OS | | |
| | L | MIL-C-46943(1)<br>NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT, M5A1 METAL PARTS ASSEMBLY ..... | A | 1377 | OS | | 28-MAR-89 | | OS | | |
| | LI | MIL-C-46944 | CUTTER, POWDER ACTUATED, REEFING LINE, XM23 METAL PARTS ASSEMBLY (INACTIVE FOR NEW DESIGN) | A | 1377 | OS | | 15-JUL-88 | | OS | | |
| | LI | MIL-C-46945(1) | CUTTER, POWER ACTUATED, REEFING LINE, XM23 ASSEMBLY ..... | A | 1375 | OS | | 26-SEP-88 | | OS | | |
| | L | MIL-C-46946A(1) | CARTRIDGE, IMPULSE, M43 ASSEMBLY ..... | A | 1377 | OS | | 16-OCT-86 | | OS | | |
| | L | MIL-T-46947A(1) | THRUSTER, CARTRIDGE ACTUATED M11 METAL PARTS ASSEMBLY ..... | A | 1377 | OS | | 15-JUL-86 | | OS | | |
| | L | MIL-T-46948A(1)<br>NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M11, ASSEMBLY [VALIDATION DATE: 8703] ..... | A | 1377 | OS | | 15-MAR-87 | | OS | | |
| | L | MIL-C-46956B<br>NOTICE 1 | CARTRIDGE, 105MM, WP-T, XM416, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8702] | A | 1315 | EA | | 23-FEB-87 | EA | | | |
| | L | MIL-B-46957B<br>NOTICE 1 | BURSTER, PROJECTILE, M48 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | | 15-OCT-90 | AR | | | |
| | L | MIL-I-46958A(1)<br>NOTICE 1 | IGNITER, ROCKET MOTOR, T21E2 PARTS FOR [VALIDATION DATE: 9109] ..... | A | 1340 | AR | | 12-SEP-91 | AR | | | |
| | L | MIL-L-46959B(2)<br>NOTICE 1 | LUCKY ASSEMBLY, INSULATED, FOR CARTRIDGES 105MM, HEAT-T, M456A1 AND 90MM, HEAT-T, M431A2 PARTS FOR, ASSEMBLING AND PACKING | A | 1315 | AR | | 14-JUN-91 | AR | | | |
| | L | MIL-M-46960D<br>NOTICE 1 | MINE, ANTIPERSONNEL, M16A2 PARTS FOR [VALIDATION DATE: 8803] ..... | A | 1345 | AR | | 22-MAR-88 | AR | | | |
| | L | MIL-P-46964A | PROJECTILE, 8 INCH, CHEMICAL AGENT GB, M426, WITHOUT FUZE AND BURSTER, FILLING OF [VALIDATION DATE: 8006] | A | 1320 | EA | | 06-DEC-65 | EA | | | |
| | L | MIL-C-46965B<br>NOTICE 1 | CARTRIDGE, 105MM, WP-T, M416, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8702] | A | 1315 | EA | | 23-FEB-87 | EA | | | |
| | L | MIL-B-46966<br>NOTICE 1 | BURSTER, BOMB, M32 [VALIDATION DATE: 8608] ..... | A | 1325 | EA | | 19-AUG-86 | EA | | | |
| | L | MIL-B-46967 | BOMB, GAS, NONPERSISTENT, GB, 750-POUND MC-1, INERT COMPONENTS FOR [VALIDATION DATE: 8006] | A | 1325 | EA | | 27-DEC-63 | EA | | | |
| | L | MIL-B-46968<br>NOTICE 1 | BOMB, GAS, NONPERSISTENT, GB, 750-POUND, (WITHOUT FUZE AND BURSTER) MC-1, FILLING ASSEMBLY AND MARKING [VALIDATION DATE: 8608] | A | 1325 | EA | | 19-AUG-86 | EA | | | |
| | L | MIL-C-46971<br>NOTICE 1 | CASTING, PEARLITIC MALLEABLE IRON FOR ARTILLERY AND MORTAR AMMUNITION [VALIDATION DATE: 8803] | A | 1395 | AR | | 22-MAR-88 | AR | | | |
| | L | MIL-C-46982B(2)<br>NOTICE 1 | CARTRIDGE, 4.2 INCH, HE, M329A1 WITH SUPPLEMENTARY CHARGE, WITH FUZE PD, M557, LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | | 19-NOV-82 | AR | | | |
| | L | MIL-M-46984D | MINE, CHEMICAL AGENT, VX, M23 [VALIDATION DATE: 8006] ..... | A | 1345 | EA | | 30-JUN-69 | EA | | | |
| | L | MIL-M-46985D | MINE, CHEMICAL AGENT, VX, M23, INERT COMPONENTS [VALIDATION DATE: 8112] ... | A | 1345 | EA | | 02-JUL-69 | EA | | | |
| | L | MIL-P-46987B | PROJECTILE, 8&INCH, CHEMICAL AGENT VX, M426, WITHOUT FUZE AND BURSTER, FILLING OF [VALIDATION DATE: 8006] | A | 1320 | EA | | 13-DEC-65 | EA | | | |
| | L | MIL-C-46988C(4) | CARTRIDGE, 105MM, TP-T, M490 LOADING, ASSEMBLING AND PACKING ..... | A | 1315 | AR | | 27-JUN-88 | AR | | | |
| | L | MIL-S-46989A | SLEEVE, ENCASEMENT, NYLON, KNITTED [VALIDATION DATE: 8203] ..... | A | 1375 | AR | | 18-DEC-63 | AR | | | |
| | L | MIL-P-46990<br>NOTICE 1 | PROPELLANT, M1 FOR USE IN CHARGE PROPELLING FOR 75MM HOWITZER M1A1 AND M3 [VALIDATION DATE: 8805] | A | 1376 | AR | | 05-MAY-88 | AR | | | |
| | L | MIL-C-46992B<br>NOTICE 1 | CUTTER, DELAY, PROPELLANT ACTUATED, M21 (2 SEC) & M22 (10 SEC) [VALIDATION DATE: 8606] | A | 1377 | OS | | 30-JUN-86 | | OS | | |
| | L | MIL-P-46993 | PROPELLANT M26 (T28) FOR USE IN INCREMENT XM90E1 FOR 81MM MORTAR [VALIDATION DATE: 8303] | A | 1376 | AR | | 15-NOV-63 | AR | | | |
| | L | MIL-P-46994B(3) | PELLETS/GRANULES BORON/POTASSIUM NITRATE ..... | A | 1375 | AR | | 23-SEP-88 | AR | | | |
| | L | MIL-C-46995C(3) | CARTRIDGE, 81MM, HE, M374 LOADING, ASSEMBLING AND PACKING ..... | A | 1315 | AR | | 30-JAN-92 | AR | | | |
| | L | MIL-P-46999B<br>NOTICE 1 | PROPELLANT M30 FOR USE IN CARTRIDGES, TP-T M353A1 AND AP-T M318A1E1 FOR 90MM GUNS [VALIDATION DATE: 8705] | A | 1376 | AR | | 28-MAY-87 | AR | | | |
| | L | MIL-C-47002A | COATING, POLYURETHANE, SINGLE COMPONENT SYSTEM REVIEWER: GS ..... | A | 5970 | MI | | 24-MAY-91 | MI | | | |
| | L | MIL-R-47004<br>NOTICE 1 | RESIN, EPOXY BASE, THIXOTROPIC [VALIDATION DATE: 9009] REVIEWER: GS ..... | A | 5970 | MI | | 05-SEP-90 | MI | | | |
| | L | MIL-P-47005<br>NOTICE 1 | PASTE, COLOR CONCENTRATE, EPOXY RESIN BASE [VALIDATION DATE: 9009] REVIEWER: GS | A | 5970 | MI | | 06-SEP-90 | MI | | | |
| | L | MIL-C-47009B | COMPOUND, SILICONE, HEAT SINK USER: AR REVIEWER: GS ..... | A | 6850 | MI | | 30-JUN-89 | MI | | | |
| | L | MIL-T-47012A(1) | TAPE, PRESSURE-SENSITIVE ADHESIVE, COPPER FOIL ..... | A | 8030 | MI | | 05-NOV-90 | MI | | | |
| | L | MIL-T-47014(1) | TAPE, ALUMINUM FOIL, PRESSURE-SENSITIVE, HEAT REFLECTIVE ..... | A | 8030 | AR | | 19-JUN-87 | AR | | | |
| | L | MIL-T-47023<br>NOTICE 1 | TAPE, HEAT SHRINKABLE [VALIDATION DATE: 9011] REVIEWER: GS MR ..... | A | 9320 | MI | | 05-NOV-90 | MI | | | |
| | L | MIL-R-47025A | RESIN, CASTING, FIRE RETARDANT, EPOXY BASE REVIEWER: GS ..... | A | 9330 | MI | | 05-MAR-91 | MI | | | |
| | L | MIL-G-47032A | GLASS, POTASH SODA BARIUM, LEAD-FREE COMPRESSION SEALING ..... | A | 9340 | MI | | 31-JUL-90 | MI | | | |
| | L | MIL-G-47033A(1) | GLASS, BOROSILICATE USER: AR REVIEWER: GS ..... | A | 9340 | MI | | 02-JUL-90 | MI | | | |
| | L | MIL-G-47035A | GLASS, BARIUM, SODA, POTASH REVIEWER: GS ..... | A | 9340 | MI | | 27-SEP-91 | MI | | | |
| | LI | MIL-M-47037<br>NOTICE 2 | NICKEL ALLOY, HIGH PERMEABILITY, SHIELDING GRADE [VALIDATION DATE: 9202] .. | A | 9535 | MI | | 10-FEB-92 | MI | | | |
| | L | MIL-C-47044<br>NOTICE 1 | COATING, CONFORMAL OF WELDED MODULES, PROCESS REQUIREMENTS FOR (INACTIVE FOR NEW DESIGN) | A | 14GP | MI | | 17-APR-86 | MI | | | |
| | L | MIL-T-47045<br>NOTICE 1 | TWINE, LACING AND TYING, TETRAFLUOROETHYLENE (FOR USE IN ELECTRICAL AND ELECTRONIC EQUIPMENT) (INACTIVE FOR NEW DESIGN) | A | 4020 | MI | | 17-APR-86 | MI | | | |
| | L | MIL-I-47049<br>NOTICE 1 | INSULATION TUBING, SILICONE RUBBER, HEAT SHRINKABLE [VALIDATION DATE: 9009] REVIEWER: GS | A | 5970 | MI | | 06-SEP-90 | MI | | | |
| | L | MIL-T-47051A | TUBING, HEAT SHRINKABLE REVIEWER: GS ..... | A | 5970 | MI | | 22-FEB-91 | MI | | | |
| | L | MIL-T-47052(1)<br>NOTICE 1 | TAPE, EPOXY-GLASS CLOTH, THERMOSETTING, PRESSURE SENSITIVE ADHESIVE [VALIDATION DATE: 9009] REVIEWER: GS | A | 5970 | MI | | 06-SEP-90 | MI | | | |
| | L | MIL-S-47053A(1) | SLEEVING, TEXTILE, BRAIDED, POLYAMIDE ..... | A | 5970 | MI | | 07-OCT-91 | MI | | | |
| | L | MIL-Q-47057A | QUARTZ, FUSED, OPTICAL GRADE ..... | A | 6650 | MI | | 16-JUL-90 | MI | | | |
| | L | MIL-L-47058A | LITHIUM CHLORIDE, PURIFIED GRADE REVIEWER: GS ..... | A | 6810 | MI | | 28-FEB-91 | MI | | | |
| | L | MIL-A-47059 | ACETYL TRIETHYL CITRATE REVIEWER: GS ..... | A | 6810 | AR | | 14-APR-86 | AR | | | |
| | | MIL-M-47061 | N-PHENYLMORPHOLINE [VALIDATION DATE: 7906] ..... | A | 6810 | OS | | 10-MAY-74 | | OS | | |
| | L | MIL-A-47062<br>NOTICE 1 | AMINO PROPYL ALKYL AMINE [VALIDATION DATE: 9009] REVIEWER: GS ..... | A | 6810 | MI | | 06-SEP-90 | MI | | | |

| Action | GPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Symb. | FSC / Area | MCA Symbol | Preparing Activ | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-T-47063A | TRIETHYL CITRATE REVIEWER: GS | A | 6810 | MI | MI | 14-JUN-91 | MI | | | |
| L | | | MIL-T-47064A | TETRAETHYLENEPENTAMINE REVIEWER: GS | A | 6810 | MI | MI | 30-SEP-91 | MI | | | |
| L | | | MIL-P-47067 NOTICE 3 | 2, 4-PENTANEDIONE [VALIDATION DATE: 9202] | A | 6810 | MI | MI | 12-FEB-92 | MI | | | |
| L | | | MIL-C-47069B | COATING, ELECTRICALLY CONDUCTIVE, AIR-DRYING | A | 8030 | MI | MI | 05-JUN-91 | MI | | | |
| A | LI | | MIL-A-47073(1) NOTICE 3 | ADHESIVE, PLASTIC RESIN | A | 8040 | OS | MI | 20-MAY-92 | | OS | | |
| L | | | MIL-P-47075 | PLASTIC, SHEET, POLYOLEFIN, SPUNBONDED | A | 8135 | MI | MI | 03-APR-85 | MI | | | |
| L | | | MIL-F-47076A | FILM, POLYETHYLENE TEREPHTHALATE, METALLIZED | A | 8135 | MI | MI | 24-SEP-90 | MI | | | |
| L | | | MIL-M-47084A | MORTAR, SODIUM SILICATE, HEAT RESISTANT REVIEWER: GS | A | 9350 | MI | MI | 30-OCT-90 | MI | | | |
| L | | | MIL-W-47087 NOTICE 1 | WIRE, MOLYBDENUM, PLATINUM CLAD [VALIDATION DATE: 9009] | A | 9525 | MI | MI | 06-SEP-90 | MI | | | |
| L | | | MIL-L-47088 NOTICE 1 | LAMINATE, ALUMINUM FOIL - POLYETHYLENE TEREPHTHALATE [VALIDATION DATE: 9009] | A | 9535 | MI | MI | 06-SEP-90 | MI | | | |
| A | L | | MIL-W-47091A | WELDING, ARC AND GAS; FOR FABRICATING GROUND EQUIPMENT FOR ROCKETS AND GUIDED MISSILES | A | THJM | MI | MI | 30-JUN-92 | MI | | | |
| L | | | MIL-P-47099A NOTICE 1 | POLYURETHANE FOAM, POLYETHER TYPE, RIGID, FOR PACKAGING AND ENCAPSULATION OF ELECTRONIC COMPONENTS [VALIDATION DATE: 9009] REVIEWER: GS | A | 5970 | MI | MI | 06-SEP-90 | MI | | | |
| L | | | MIL-I-47100 NOTICE 3 | INSULATION SLEEVING, FLEXIBLE, BRAIDED, 200 DEGREES CELSIUS (HIGH TEMPERATURE POLYAMIDE) [VALIDATION DATE: 9203] | A | 5970 | MI | MI | 25-MAR-92 | MI | | | |
| L | | | MIL-C-47116A NOTICE 2 | COATING, EPOXY/AMINE | A | 8010 | MI | MI | 09-APR-91 | MI | | | |
| L | | | MIL-S-47129A NOTICE 1 | SILICON DIOXIDE, MICROFINE [VALIDATION DATE: 9009] REVIEWER: GS MR | A | 9620 | MI | MI | 24-SEP-90 | MI | | | |
| L | | | MIL-P-47170A | PRIMER, SILICONE RUBBER SEALANT | A | 8040 | MI | MI | 30-MAR-92 | MI | | | |
| L | | | MIL-C-47175A(1) NOTICE 1 | COMPOUND, POLYURETHANE, FOR CONFORMAL COATING OF ELECTRONIC CIRCUITRY [VALIDATION DATE: 9010] REVIEWER: GS | A | 9330 | MI | MI | 04-OCT-90 | MI | | | |
| L | | | MIL-P-47184A | PLATING, NICKEL-TUNGSTEN, ELECTRODEPOSIT ON ALUMINUM ALLOYS, BY SELECTIVE (BRUSH) METHOD | A | MFFP | MI | MI | 12-DEC-90 | MI | | | |
| L | | | MIL-R-47195A NOTICE 1 | RIVETS, BLIND, SELF-PLUGGING PREPARATION FOR AND INSTALLATION OF [VALIDATION DATE: 9010] | A | 5320 | MI | MI | 05-OCT-90 | MI | | | |
| L | | | MIL-R-47196A(1) NOTICE 1 | RIVETS, BUCK TYPE, PREPARATION FOR AND INSTALLATION OF [VALIDATION DATE: 8606] | A | 5320 | MI | MI | 13-SEP-77 | MI | | | |
| L | | | MIL-C-47197B(1) NOTICE 2 | GASKET, SHIELDING, ELECTRONIC-ORIENTED WIRES EMBEDDED IN SILICONE RUBBER, PRESSURE SEAL | A | 5999 | MI | MI | 30-SEP-91 | MI | | | |
| L | | | MIL-R-47211A(1) | RUBBER, SILICONE, ROOM TEMPERATURE CURING REVIEWER: GS | A | 9320 | MI | MI | 01-AUG-90 | MI | | | |
| A | L | | MIL-P-47215B | PRIMER, ABLATIVE RESISTANT COATING | A | 8030 | MI | MI | 09-DEC-92 | MI | | | |
| | | | MIL-G-47219A | GREASE, LUBRICATING, HALOGENATED REVIEWER: GS | A | 9150 | 11 | MI | 03-APR-86 | ME | AS | 11 | |
| L | | | MIL-C-47220B | COOLANT FLUID, DIELECTRIC REVIEWER: 68 GS | A | 9160 | 11 | MI | 14-MAY-85 | MI | AS | 11 | |
| A | L | | MIL-C-47224B | COMPOUND, MOLDING, TRANSFER, EPOXY RESIN, SINGLE-COMPONENT REVIEWER: GS | A | 9330 | MI | MI | 04-JAN-93 | MI | | | |
| L | | | MIL-D-47225 | DISC, PLASTIC, POLYETHYLENE TEREPHTHALATE, PRESSURE SENSITIVE, ADHESIVE COATED [VALIDATION DATE: 8303] REVIEWER: GS MR | A | 9330 | AR | MI | 12-JUL-74 | AR | | | |
| L | | | MIL-P-47226A | PLATING, COPPER, ELECTROLESS (FOR NON-CONDUCTING MATERIAL) | A | 95GP | MI | MI | 30-MAR-92 | MI | | | |
| L | | | MIL-E-4723I | ELECTRICAL COMPONENTS, POTTING OF [VALIDATION DATE: 7912] | A | 14GP | AR | MI | 26-JUL-74 | MI | | | |
| L | | | MIL-C-47238A | CABLE, ELECTRICAL, SHIELDED AND JACKETED, SPECIAL PURPOSE USER: AR | A | 6145 | MI | MI | 29-MAY-87 | MI | | | |
| L | | | MIL-A-47240B | AMMONIUM NITRATE (UNCOATED) | A | 6810 | MI | MI | 27-JUL-90 | MI | | | |
| L | | | MIL-C-47244A | COATING, ABLATIVE RESISTANT | A | 8030 | MI | MI | 30-OCT-90 | MI | | | |
| L | | | MIL-C-47246A | COATINGS, ABLATIVE, APPLICATION OF | A | 8030 | MI | MI | 26-NOV-90 | MI | | | |
| L | | | MIL-T-47248A | TAPE, PLASTIC, HEAT-SEALING, PERFORATED | A | 8135 | MI | MI | 13-FEB-91 | MI | | | |
| A | L | | MIL-F-47249A | FILM, POLYAMIDE | A | 8135 | MI | MI | 29-JUN-92 | MI | | | |
| L | | | MIL-C-47257C | COMPOUND, EPOXY, FILAMENT WINDING REVIEWER: GS MR | A | CMPS | MI | MI | 25-MAR-91 | MI | | | |
| A | L | | MIL-C-47269A | CASTINGS, INSPECTION OF (FOR GUIDED MISSILE AND ROCKET MATERIEL) | A | 1420 | MI | MI | 14-DEC-92 | MI | | | |
| L | | | MIL-P-47276B | PRIMER, BONDING | A | 8040 | MI | MI | 25-SEP-91 | MI | | | |
| L | | | MIL-A-47280 | ADHESIVES, EPOXY [VALIDATION DATE: 8303] REVIEWER: MR | A | 8040 | AR | MI | 09-AUG-74 | AR | | | |
| L | | | MIL-A-47284A | ADHESIVE, EPOXY RESIN BASE | A | 8040 | MI | MI | 24-SEP-91 | MI | | | |
| L | | | MIL-T-47287A | TUBE, SPIRAL WRAP, POLYTETRAFLUOROETHYLENE AND POLYAMIDE REVIEWER: GS MR | A | 9330 | AR | MI | 25-SEP-80 | AR | | | |
| L | | | MIL-F-47299A NOTICE 2 | FAIRING, FRANGIBLE, AIRBORNE ROCKET LAUNCHER FOR 2.75 INCH ROCKET SYSTEM [VALIDATION DATE: 8604] | A | 1340 | MI | MI | 18-APR-86 | MI | | | |
| A | L | | MIL-T-47302B | TEST SET, ELECTRICAL, MK III | A | 4927 | MI | MI | 30-SEP-92 | MI | | | |
| A | L | | MIL-T-47303A | TEST SET, ELECTRICAL, MK IV | A | 4927 | MI | MI | 30-SEP-92 | MI | | | |
| L | | | MIL-C-47304A | CHAMBER, CALIBRATION | A | 6636 | MI | MI | 26-OCT-90 | MI | | | |
| L | | | MIL-V-47306B | VALVE, STOP-LIFT-CHECK | A | 4820 | MI | MI | 25-MAR-91 | MI | | | |
| L | | | MIL-V-47308A | VALVE, SERVO, HYDRAULIC FLOW CONTROL | A | 4810 | MI | MI | 18-OCT-91 | MI | | | |
| L | | | MIL-A-47309A | AMPLIFIER, PNEUMATIC | A | 4931 | MI | MI | 18-OCT-91 | MI | | | |
| L | | | MIL-A-47310 | ADHESIVE SYSTEM, ADHESIVE AND PRIMER, FOR BONDING ETHYLENE-PROPYLENE RUBBER TO METAL [VALIDATION DATE: 9103] | A | 8040 | MI | MI | 31-MAR-91 | MI | | | |
| L | | | MIL-V-47311 | VALVE, PNEUMATIC EXHAUST | A | 4820 | MI | MI | 29-DEC-89 | MI | | | |
| A | L | | MIL-A-47312A | ACTUATOR, HYDRAULIC | A | 1420 | MI | MI | 16-DEC-92 | MI | | | |
| L | | | MIL-S-47314 | SWITCH, MOMENTARY, ACCELERATION-SENSITIVE | A | 5930 | MI | MI | 31-JAN-90 | MI | | | |
| L | | | MIL-A-47315A | ADHESIVE, POLYURETHANE | A | 8040 | MI | MI | 27-SEP-91 | MI | | | |
| L | | | MIL-G-47316A | GRAPHITE, MOLDED, FOR HIGH TEMPERATURE APPLICATIONS | A | 9390 | MI | MI | 26-MAY-92 | MI | | | |
| L | | | MIL-A-47318A | ADHESIVE, COPOLYMER POLYURETHANE | A | 8040 | MI | MI | 15-OCT-90 | MI | | | |
| L | | | MIL-S-47319A | STEEL, BAR, BILLET AND FORGINGS COBALT-FREE MARAGING | A | 9515 | MI | MI | 26-NOV-90 | MI | | | |
| L | | | MIL-V-47320A | VALVE, FLUID INJECTION, SOLENOID OPERATED REVIEWER: CS | A | 4810 | MI | MI | 14-DEC-90 | MI | | | |
| L | | | MIL-R-47321(1) | REGULATOR, PRESSURE, WATER PUMPED NITROGEN REVIEWER: CS | A | 4820 | MI | MI | 02-AUG-90 | MI | | | |
| L | | | MIL-T-47325 | TAPE, PRESSURE-SENSITIVE ADHESIVE, ELECTRICAL INSULATION REVIEWER: 82 CT ER MD | A | 5970 | MI | MI | 13-OCT-89 | MI | | | |
| L | | | MIL-T-47326 | TAPE, PRESSURE-SENSITIVE ADHESIVE, ALUMINUM-BACKED, ELECTRICALLY CONDUCTIVE | A | 5999 | MI | MI | 05-JAN-90 | MI | | | |
| LI | | | MIL-T-47500 SUPPL 1A1, NOTICE 1 | TECHNICAL DATA PACKAGE, GENERAL SPECIFICATION FOR REVIEWER: AR AT AV CE CR GL MR SM | A | CMAN | MI | MI | 23-OCT-91 | MI | | | |
| LI | | | MIL-T-47500/1 NOTICE 1 | TECHNICAL DATA PACKAGES, DRAWINGS, DESIGN REVIEWER: AR AT AV CE CR GL ME SM | A | CMAN | MI | MI | 23-OCT-91 | MI | | | |
| LI | | | MIL-T-47500/2 NOTICE 1 | TECHNICAL DATA PACKAGES DRAWINGS, PRODUCT REVIEWER: AR AT AV CE CR GL ME SM | A | CMAN | MI | MI | 23-OCT-91 | MI | | | |
| LI | | | MIL-T-47500/3 NOTICE 1 | TECHNICAL DATA PACKAGES DRAWINGS, COMMERCIAL REVIEWER: AR AT AV CE CR GL ME SM | A | CMAN | MI | MI | 23-OCT-91 | MI | | | |
| LI | | | MIL-T-47500/4 NOTICE 1 | TECHNICAL DATA PACKAGES DRAWINGS, SPECIAL TEST EQUIPMENT (STE), SPECIAL INSPECTION EQUIPMENT (SIE), AND SPECIAL TOOLING REVIEWER: AR AT AV CE CR GL ME SM | A | CMAN | MI | MI | 23-OCT-91 | MI | | | |
| LI | | | MIL-T-47500/5 NOTICE 1 | TECHNICAL DATA PACKAGES SPECIFICATION, TYPES AND FORMS REVIEWER: AR AT AV CE CR GL ME SM | A | CMAN | MI | MI | 23-OCT-91 | MI | | | |
| LI | | | MIL-T-47500/6 NOTICE 1 | TECHNICAL DATA PACKAGES QUALITY ASSURANCE PROVISIONS REVIEWER: AR AT AV CE CR GL ME | A | CMAN | MI | MI | 23-OCT-91 | MI | | | |
| L | | | MIL-P-48005 NOTICE 1 | PACKING, PREFORMED [VALIDATION DATE: 9108] | A | MUOR | AR | MI | 20-AUG-91 | AR | | | |
| L | | | MIL-C-48009(1) NOTICE 1 | CHARGE, PROPELLING, 155MM, XM197 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8603] | A | 1145 | AR | MI | 10-MAR-86 | AR | | | |
| L | | | MIL-P-48011 NOTICE 2 | PACKING, PREFORMED [VALIDATION DATE: 9108] | A | 1110 | AR | MI | 20-AUG-91 | AR | | | |
| L | | | MIL-S-48015 NOTICE 2 | STRAP ASSEMBLY [VALIDATION DATE: 9108] | A | 1125 | AR | MI | 20-AUG-91 | AR | | | |
| L | | | MIL-D-48016(1) NOTICE 1 | DASHPOT ASSEMBLY ATOMIC WEAPON [VALIDATION DATE: 8603] | A | 1110 | AR | MI | 10-MAR-86 | AR | | | |

| Action | OPR / Cont. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-C-48018 NOTICE 2 | CONNECTOR, ELECTRICAL [VALIDATION DATE: 9108] | A | 1110 | AR | | 20-AUG-91 | AR | | | |
| L | | | MIL-C-48019 NOTICE 2 | CONNECTOR, ELECTRICAL [VALIDATION DATE: 9108] | A | 1110 | AR | | 20-AUG-91 | AR | | | |
| L | | | MIL-B-48024(5) | BOXES, AMMUNITION PACKING: WOOD, (W/PLYWOOD TOP AND BOTTOM) NAILED | A | 8140 | AR | | 18-MAR-91 | AR | | | |
| L | | | MIL-D-48025A(2) | DETONATOR, STAB, M99 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1375 | AR | | 09-APR-92 | AR | | | |
| L | | | MIL-A-48027A(1) | ADAPTER BOOSTER, BOMB, NOSE, THERMALLY PROTECTED, M148E1, LOADING, ASSEMBLING AND PACKING | A | 1325 | AS | | 23-OCT-87 | | | | AS |
| L | | | MIL-A-48028A NOTICE 1 | ADAPTER BOOSTER, BOMB, NOSE, M148E1 PARTS FOR [VALIDATION DATE: 8704] | A | 1325 | AS | | 30-JUN-75 | | | | AS |
| L | | | MIL-R-48032 NOTICE 1 | RING LUCKY AND INSULATOR ASSEMBLY FOR CARTRIDGE, 105MM, HEAT-T: M456A1E1 [VALIDATION DATE: 8705] | A | 1315 | AR | | 27-MAY-87 | AR | | | |
| L | | | MIL-F-48033 | FUZE, POINT INITIATING, BASE DETONATING M539, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8506] | A | 1390 | AR | | 22-FEB-72 | AR | | | |
| L | | | MIL-C-48038 | CALCIUM CHROMATE, TECHNICAL [VALIDATION DATE: 8907] REVIEWER: GS | A | 6810 | AR | | 13-JUL-89 | AR | | | |
| L | | | MIL-P-48043A(4) | PROJECTILE, 155MM, ILLUMINATING M485A2, METAL PARTS ASSEMBLY | A | 1320 | AR | | 20-APR-90 | AR | | | |
| L | | | MIL-C-48044 | CARTRIDGE, 40MM, PROOF, XM387E4 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8101] | A | 1310 | AR | | 28-JAN-72 | AR | | | |
| L | | | MIL-C-48045 NOTICE 1 | CARTRIDGE, 40MM, PROOF, XM387E4; BODY ASSEMBLY AND OGIVE FOR METAL PARTS [VALIDATION DATE: 9005] | A | 1310 | AR | | 09-MAY-90 | AR | | | |
| L | | | MIL-D-48046A | DETONATOR, STAB, XM91 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8504] | A | 1375 | AR | | 16-AUG-73 | AR | | | |
| L | | | MIL-G-48047B(3) | GRENADE, GP, M46 BODY ASSEMBLY, TYPE CA, FOR | A | 1330 | AR | | 31-MAR-88 | AR | | | |
| L | | | MIL-F-48048C NOTICE 1 | FLEXIBLE CABLE ASSEMBLY FOR M247 HEAT WARHEAD, ASSEMBLY AND PACKING [VALIDATION DATE: 8804] | A | 1340 | AR | | 18-APR-88 | AR | | | |
| L | | | MIL-P-48051A | PROPELLANT M10 FOR USE IN CARTRIDGES, FOR 57MM RIFLE, M18 AND M18A1 [VALIDATION DATE: 8101] | A | 1375 | AR | | 04-JUN-75 | AR | | | |
| L | | | MIL-C-48052 | CONTAINER, M473 AND M473A1, CLIP, DRAW-IN, FOR [VALIDATION DATE: 8504] | A | 8140 | AR | | 25-FEB-72 | AR | | | |
| L | | | MIL-B-48056(1) | BARRIER MATERIAL, FLEXIBLE, WATERVAPORPROOF, PUNCTURE-RESISTANT, HEAT SEALABLE FOR PACKAGING AMMUNITION [VALIDATION DATE: 8505] USER: GL | A | 8135 | AR | | 31-MAR-72 | AR | | | |
| L | | | MIL-F-48057B(7) | FUZE, ROCKET, PIBD, M438 SUB-ASSEMBLY WITH DETONATOR | A | 1340 | AR | | 19-DEC-84 | AR | | | |
| L | | | MIL-P-48058 | PROPELLANT M6 FOR USE IN CARTRIDGE 105MM, MEP-T, M327 [VALIDATION DATE: 8504] | A | 1375 | AR | | 18-APR-72 | AR | | | |
| L | | | MIL-C-48059 NOTICE 1 | CHARGE, PROPELLING, FOR CARTRIDGE, 105MM, MEP-T, M327 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1320 | AR | | 15-OCT-90 | AR | | | |
| L | | | MIL-C-48060 NOTICE 1 | CARTRIDGE, 105MM, HE, M444E1, FUSIBLE PLUG ASSEMBLY FOR [VALIDATION DATE: 8603] | A | 1315 | AR | | 17-MAR-86 | AR | | | |
| L | | | MIL-C-48061 NOTICE 1 | CELLULOSE NITRATE, PLASTIC SHEETS [VALIDATION DATE: 9108] | A | 1376 | AR | | 29-AUG-91 | AR | | | |
| M | L | | MIL-G-48062C(5) | GRENADE, HE, G.P., M46 LOADING AND ASSEMBLING | A | 1330 | AR | | 12-APR-93 | AR | | | |
| | L | | MIL-L-48063A | LAUNCHER, ROCKET, LAU 68B/A SHIPPING ASSEMBLY [VALIDATION DATE: 8109] | A | 1340 | AS | | 17-AUG-73 | | | | AS |
| | L | | MIL-F-48065B(1) | FUZE, ROCKET, PIBD, M438 LOADING | A | 1340 | AR | | 01-SEP-83 | AR | | | |
| | L | | MIL-L-48066B | LEAD, MULTI-PURPOSE PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8301] | A | 1375 | AR | | 01-APR-77 | AR | | | |
| | L | | MIL-F-48067 NOTICE 1 | FUZE, ROCKET, POINT DETONATING SQ AND DELAY, M440 LOADING, ASSEMBLING AND PACKING | A | 1340 | AR | | 10-APR-87 | AR | | | |
| | L | | MIL-C-48069(3) | CARTRIDGE, 40MM, HIGH VELOCITY, DUMMY ASSEMBLING AND PACKING | A | 1310 | AR | | 07-JUN-91 | AR | | | |
| | L | | MIL-C-48070 NOTICE 1 | CASE, CARTRIDGE ASSEMBLY, 40MM, M169, INERT METAL PARTS FOR [VALIDATION DATE: 9005] | A | 1310 | AR | | 09-MAY-90 | AR | | | |
| | L | | MIL-C-48072 NOTICE 1 | CAP, WINDSHIELD ASSEMBLY, METAL PARTS ASSEMBLY [VALIDATION DATE: 9010] | A | 1320 | AR | | 15-OCT-90 | AR | | | |
| | L | | MIL-F-48076A NOTICE 1 | FIN ASSEMBLY, M158 [VALIDATION DATE: 9010] | A | 1315 | AR | | 15-OCT-90 | AR | | | |
| | L | | MIL-P-48077 NOTICE 1 | PRIMER: M104, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808] | A | 1390 | AR | | 22-AUG-88 | AR | | | |
| | L | | MIL-A-48078A | AMMUNITION, STANDARD QUALITY ASSURANCE PROVISIONS, GENERAL SPECIFICATION FOR | A | 1395 | AR | | 16-DEC-88 | AR | | | |
| | L | | MIL-C-48081 | CHARGE, PROPELLING, 175MM, M199 [VALIDATION DATE: 8504] | A | 1320 | AR | | 02-OCT-72 | AR | | | |
| | L | | MIL-C-48082B(2) | CARTRIDGE, 40MM, HEDP, M433; SPITBACK ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING | A | 1310 | AR | | 01-FEB-90 | AR | | | |
| | L | | MIL-C-48083A NOTICE 1 | CONTAINER, CARTRIDGE FOR 4.2 INCH AMMUNITION [VALIDATION DATE: 9010] | A | 1315 | AR | | 15-OCT-90 | AR | | | |
| | L | | MIL-S-48084A NOTICE 1 | STRIKER NUT ASSEMBLY FOR 4.2 INCH AMMUNITION [VALIDATION DATE: 9010] | A | 1315 | AR | | 15-OCT-90 | AR | | | |
| | L | | MIL-H-48085A NOTICE 1 | HOLDER, PROPELLANT FOR 4.2 INCH AMMUNITION [VALIDATION DATE: 8701] | A | 1315 | AR | | 30-JAN-87 | AR | | | |
| | L | | MIL-I-48086(4) | INCREMENTS, PROPELLANT FOR CHARGE, PROPELLING, M36A2 (MADE FROM PROPELLANT MB) | A | 1376 | AR | | 29-JUN-90 | AR | | | |
| A | L | | MIL-C-48087A(6) | CARTRIDGE, 4.2 INCH, HE, M329A2 W/SUPPLEMENTARY CHARGE LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | | 07-DEC-92 | AR | | | |
| | L | | MIL-B-48088A(2) | BAG LOADING ASSEMBLY FOR M36A2 PROPELLING CHARGE | A | 1315 | AR | | 16-JUL-87 | AR | | | |
| | L | | MIL-P-48089(1) NOTICE 1 | PROPELLANT, M5 (FOR USE IN SPECIAL APPLICATIONS) | A | 1376 | AR | | 30-JAN-87 | AR | | | |
| | L | | MIL-G-48090A(1) | GROMMETS, POLYCARBONATE (FOR SEPARATE LOADED PROJECTILE) | A | 8140 | AR | | 11-APR-91 | AR | | | |
| | L | | MIL-P-48091G(1) | PROJECTILE, 8 INCH; HE: M509A1 LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | | 24-APR-91 | AR | | | |
| | L | | MIL-P-48092B NOTICE 1 | PROJECTILE, 8 INCH, HE M509A1; HARDWARE METALLIC FOR [VALIDATION DATE: 9010] | A | 1320 | AR | | 15-OCT-90 | AR | | | |
| | L | | MIL-P-48093A(3) | PROJECTILE, 8 INCH, HE; M509A1 HARDWARE NON-METALLIC FOR | A | 1320 | AR | | 06-APR-91 | AR | | | |
| | L | | MIL-P-48094B NOTICE 1 | PROJECTILE, 8 INCH, HE, M509A1 HARDWARENON METALLIC [VALIDATION DATE: 8804] | A | 1320 | AR | | 18-APR-88 | AR | | | |
| | L | | MIL-C-48097B NOTICE 1 | CHARGE, SPOTTING, PROJECTILE, CUP FOR [VALIDATION DATE: 8804] | A | 1320 | AR | | 18-APR-88 | AR | | | |
| | L | | MIL-C-48098B(3) NOTICE 1 | CHARGE, SPOTTING, PROJECTILE LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | | 06-APR-91 | AR | | | |
| | L | | MIL-P-48099A NOTICE 1 | PROPELLANT, M10 (FOR USE IN SPECIAL APPLICATIONS) [VALIDATION DATE: 9108] | A | 1376 | AR | | 29-AUG-91 | AR | | | |
| | L | | MIL-S-48102 NOTICE 2 | SCREW, CAP, SOCKET HEAD [VALIDATION DATE: 9108] | A | MUOR | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-C-48103A NOTICE 1 | CONTAINER, METAL, AMMO, FOR FUZE, TRAINING; M555 WITH TEST PLUG [VALIDATION DATE: 8901] | A | MUOR | AR | | 10-JAN-89 | AR | | | |
| A | L | | MIL-I-48110B(2) | IGNITER ASSEMBLY, ROCKET, FOR DEMOLITION KIT, CRATERING, M180 | A | 1375 | AR | | 08-SEP-92 | AR | | | |
| | L | | MIL-D-48111A(2) | DETONATOR, STAB, M94 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1375 | AR | | 01-APR-92 | AR | | | |
| | L | | MIL-S-48112 | SEALING COMPOUND BUTYL RUBBER SEALANT (FOR USE IN AMMUNITION) [VALIDATION DATE: 8505] | A | 8030 | AR | | 16-JUL-72 | AR | | | |
| | L | | MIL-C-48115A(4) | CARTRIDGE, 40MM, HEDP, M430; SPITBACK ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING | A | 1310 | AR | | 01-FEB-90 | AR | | | |
| | L | | MIL-D-48116 | DELAY ELEMENT M2, FOR FUZES M557 AND M524 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8504] | A | 1375 | AR | | 14-NOV-72 | AR | | | |
| | L | | MIL-D-48120A(2) | DETONATOR, ELECTRIC, M100 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1375 | AR | | 16-APR-84 | AR | | | |
| | L | | MIL-P-48127 | PROPELLANT, M9 FOR USE IN CHARGE, PROPELLING, M36A2 [VALIDATION DATE: 8504] | A | 1375 | AR | | 04-OCT-72 | AR | | | |
| | L | | MIL-C-48128(1) NOTICE 1 | CHARGE, PROPELLING, XM195 PARTS FOR [VALIDATION DATE: 8705] | A | 1315 | AR | | 27-MAY-87 | AR | | | |

| Action | OPR / QMR Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MIL-C-48129(1) NOTICE 1 | CHARGE, PROPELLING, XM195 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8705) | A | 1315 | AR | | 27-MAY-87 | AR | | | |
| | L | | MIL-P-48130A(1) NOTICE 1 | PROPELLANT M10 FOR 81MM MORTAR M205 PROPELLING CHARGE (VALIDATION DATE: 8906) | A | 1376 | AR | | 22-JUN-89 | AR | | | |
| | L | | MIL-C-48132 | CARTRIDGE, 106MM, PRACTICE, M344A1, W/INERT PROJECTILE, W/O FUZE LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8505) | A | 1315 | AR | | 30-NOV-72 | AR | | | |
| | L | | MIL-T-48134A NOTICE 1 | TEST SET, BLASTING CAP, M51 PARTS, ASSEMBLING AND PACKING (VALIDATION DATE: 9109) | A | 1345 | AR | | 05-SEP-91 | AR | | | |
| | L | | MIL-C-48135(2) | CARTRIDGE, 105MM, HE M1, (MOD) LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | | 10-JUN-86 | AR | | | |
| | L | | MIL-C-48136(2) NOTICE 1 | CHARGE, PROPELLING ASSEMBLY (SINGLE BAG) 105MM, HOWITZER M137 (MOD) (VALIDATION DATE: 8705) | A | 1315 | AR | | 27-MAY-87 | AR | | | |
| | L | | MIL-F-48137A NOTICE 1 | FUZE, GM, ET, LANCE, XM819 PARTS, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8201) | A | 1336 | AR | | 27-JAN-76 | AR | | | |
| | L | | MIL-C-48139B(1) | CARTRIDGE, 105MM, TPDS-T, M724A1 LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | | 24-JUN-91 | AR | | | |
| | L | | MIL-T-48140(1) NOTICE 1 | TUNGSTEN POWDER (FOR PYROTECHNICS) (VALIDATION DATE: 8604) | A | 1376 | AR | | 08-APR-86 | AR | | | |
| | L | | MIL-C-48141(2) NOTICE 1 | COMPOSITION, TUNGSTEN, DELAY | A | 1376 | AR | | 16-APR-90 | AR | | | |
| | L | | MIL-C-48143C(1) NOTICE 1 | CHARGE, PROPELLING, 8 INCH, M188 LOADING, ASSEMBLING, AND PACKING | A | 1320 | AR | | 22-APR-91 | AR | | | |
| | L | | MIL-I-48145 NOTICE 2 | IGNITER TUBE (VALIDATION DATE: 9010) | A | 1320 | AR | | 15-OCT-90 | AR | | | |
| | L | | MIL-M-48146 | MOLYBDENUM TRIOXIDE (FOR USE IN AMMUNITION) (VALIDATION DATE: 8505) REVIEWER: GS | A | 6810 | AR | | 08-MAR-73 | AR | | | |
| | L | | MIL-C-48147 | CASTINGS, FERRITIC MALLEABLE IRON FOR M151 WARHEAD (VALIDATION DATE: 8704) | A | 1340 | AR | | 01-APR-87 | AR | | | |
| | L | | MIL-T-48149A(4) | TITANIUM DIOXIDE, DRY REVIEWER: GS | A | 6810 | AR | | 05-OCT-89 | AR | | | |
| | L | | MIL-C-48152 | CAP, SPIKE, FOR CARTRIDGE, 105MM, HEAT-T, M456A1E1 (VALIDATION DATE: 8505) | A | 1315 | AR | | 27-MAY-87 | AR | | | |
| | L | | MIL-M-48153 NOTICE 1 | NOSE LUCKY AND INSULATOR ASSEMBLY FOR CARTRIDGE 105MM, HEAT-T, M456A1E1 PARTS FOR, ASSEMBLY AND PACKING (VALIDATION DATE: 8705) | A | 1315 | AR | | 27-MAY-87 | AR | | | |
| A | L | | MIL-P-48154B(3) | PROPELLANT M1 FOR USE IN CARTRIDGE, 105MM, TPDS-T, M724A1 | A | 1376 | AR | | 04-JAN-93 | AR | | | |
| A | L | | MIL-C-48155(4) | CARTRIDGE, IGNITION, XM299 PARTS FOR | A | 1315 | AR | | 04-FEB-93 | AR | | | |
| A | L | | MIL-C-48156(5) | CARTRIDGE, IGNITION, XM299 LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | | 04-FEB-93 | AR | | | |
| | L | | MIL-C-48161B(1) NOTICE 1 | CARTRIDGE, IGNITION, 702 PARTS FOR | A | 1310 | AR | | 12-AUG-88 | AR | | | |
| A | L | | MIL-C-48162B(1) | CARTRIDGE, IGNITION, M702 LOADING, ASSEMBLING AND PACKING | A | 1310 | AR | | 04-NOV-92 | AR | | | |
| | L | | MIL-R-48163(2) | REDUCER, FLASH, M3 FOR 8 INCH HOWITZER M1 AND M2 | A | 1320 | AR | | 28-JUN-91 | AR | | | |
| | L | | MIL-S-48164A(1) | SHIPPING AND STORAGE CONTAINER FOR WARHEAD SECTION, M544 PARTS AND ASSEMBLY FOR (VALIDATION DATE: 8402) | A | 8140 | AR | | 07-APR-78 | AR | | | |
| | L | | MIL-G-48165 NOTICE 1 | GRENADE, G.P.: M43A1 AND BOMB, BLU-18 CONTAINER ASSEMBLY FOR (VALIDATION DATE: 9010) | A | 1330 | AR | | 31-OCT-90 | AR | | | |
| | L | | MIL-P-48166 NOTICE 1 | PRIMER, PERCUSSION, M98 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1390 | AR | | 10-JUL-87 | AR | | | |
| | L | | MIL-F-48167 NOTICE 1 | FLECHETTE, EIGHT GRAIN (VALIDATION DATE: 8603) | A | 1315 | AR | | 12-MAR-86 | AR | | | |
| | L | | MIL-F-48168 NOTICE 1 | FLECHETTE, THIRTEEN GRAIN (VALIDATION DATE: 8603) | A | 1315 | AR | | 10-MAR-86 | AR | | | |
| | L | | MIL-B-48169(1) NOTICE 1 | BAG, DYE, PROPELLANT AND BASE CHARGE, FOR ANTI-PERSONNEL ARTILLERY PROJECTILES (VALIDATION DATE: 8705) | A | 1315 | AR | | 27-MAY-87 | AR | | | |
| | L | | MIL-C-48171(7) | CARTRIDGE, 81MM, HE, M374A3 LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | | 20-MAY-90 | AR | | | |
| | L | | MIL-F-48172(4) | FUZE, PD, M935 LOADING, ASSEMBLING AND PACKING | A | 1390 | AR | | 25-APR-90 | AR | | | |
| | L | | MIL-D-48175B | DETONATOR, ELECTRIC, PATRIOT PARTS, ASSEMBLING, LOADING AND PACKING FOR | A | 1336 | AR | | 04-FEB-87 | AR | | | |
| | L | | MIL-L-48176B(4) | LINER (TITANIUM DIOXIDE AND WAX) FOR USE IN CARTRIDGES | A | 1375 | AR | | 06-FEB-92 | AR | | | |
| | L | | MIL-B-48177 NOTICE 1 | BARIUM SULFATE (VALIDATION DATE: 9108) | A | 1376 | AR | | 29-AUG-91 | AR | | | |
| | L | | MIL-D-48178 NOTICE 1 | DYE, DIETHLYAMINO-AZOBENZENE (FOR COLORED SMOKE MIXTURES) (VALIDATION DATE: 8604) REVIEWER: GS | A | 6810 | AR | | 08-APR-86 | AR | | | |
| | L | | MIL-C-48180 NOTICE 1 | CARTRIDGE, HE, 60MM, M49A4E1 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8705) | A | 1310 | AR | | 21-APR-75 | AR | | | |
| | L | | MIL-P-48181C | PROPELLANT M30A2 FOR USE IN CHARGE PROPELLING, M188 AND M188E1 FOR 8 INCH PROJECTILES (VALIDATION DATE: 8301) | A | 1375 | AR | | 28-JAN-77 | AR | | | |
| A | L | | MIL-M-48183B | MUNITION FOR PROJECTILE, 155MM, M692/M731, DELAY DETONATOR FOR | A | 1375 | AR | | 24-SEP-92 | AR | | | |
| | L | | MIL-M-48184A NOTICE 1 | MUNITION FOR PROJECTILE, 155MM, M692/M731; LEAD CUP ASSEMBLY FOR (VALIDATION DATE: 9109) | A | 1345 | AR | | 05-SEP-91 | AR | | | |
| A | L | | MIL-M-48185B | MUNITION FOR PROJECTILE, 155MM, HE, M692/M731, DETONATING CORD ASSEMBLY FOR | A | 1375 | AR | | 25-SEP-92 | AR | | | |
| | L | | MIL-M-48186B | MUNITION FOR PROJECTILE, 155MM, HE, M692/M731, LOADING AND ASSEMBLING OF | A | 1320 | AR | | 14-NOV-90 | AR | | | |
| | L | | MIL-P-48187C | PROJECTILE, 155MM, HE: M692 AND M731, LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | | 10-APR-92 | AR | | | |
| | L | | MIL-P-48188A | PROJECTILES, 155MM, HE, M692 AND M731 METALLIC HARDWARE FOR | A | 1320 | AR | | 24-APR-92 | AR | | | |
| A | L | | MIL-P-48189D | PROJECTILE, 155MM, HE, M692 AND M731 HOUSING, TIMING AND FUZING FOR | A | 1345 | AR | | 25-AUG-92 | AR | | | |
| | L | | MIL-V-48190(1) NOTICE 2 | VENT ASSEMBLY | A | 1190 | AR | | 14-DEC-90 | AR | | | |
| | L | | MIL-I-48191 NOTICE 1 | INDICATOR, HUMIDITY, PLUG (VALIDATION DATE: 9108) | A | NUOR | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-D-48193 | DRUM ASSEMBLY (VALIDATION DATE: 8503) | A | NUOR | AR | | 02-OCT-72 | AR | | | |
| | L | | MIL-I-48195 | INDICATOR, HUMIDITY, CARD (VALIDATION DATE: 8505) | A | NUOR | AR | | 03-OCT-72 | AR | | | |
| | L | | MIL-K-48196 NOTICE 2 | KEY (VALIDATION DATE: 9108) | A | 1135 | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-I-48199 NOTICE 2 | IGNITER TUBE ASSEMBLY (VALIDATION DATE: 9108) | A | 1110 | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-I-48200 NOTICE 1 | IGNITER ASSEMBLY, LOADING (VALIDATION DATE: 8603) | A | 1110 | AR | | 10-MAR-86 | AR | | | |
| | L | | MIL-B-48201 NOTICE 2 | BREECH BLOCK AND PIN ASSEMBLY (VALIDATION DATE: 9108) | A | 1110 | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-O-48202 NOTICE 2 | OGIVE AND OGIVE (ALTERNATIVE) (VALIDATION DATE: 9108) | A | 1110 | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-C-48203 NOTICE 2 | CRANK ASSEMBLY (VALIDATION DATE: 9108) | A | 1190 | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-G-48204 NOTICE 2 | GROMMET ASSEMBLY (VALIDATION DATE: 9108) | A | 1110 | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-F-48208 NOTICE 2 | FIXTURE, DASHPOT INSPECTION, ASSEMBLY (VALIDATION DATE: 9108) | A | 1190 | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-R-48211 NOTICE 1 | RING, EXTERNAL THREADED (SCREW, RETAINING) (VALIDATION DATE: 9108) REVIEWER: MI | A | NUOR | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-R-48212 NOTICE 1 | RESTRICTOR, FLUID FLOW (VALIDATION DATE: 9108) REVIEWER: MI | A | NUOR | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-C-48214 NOTICE 2 | CAP (TRAINER) (VALIDATION DATE: 9108) | A | 1135 | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-H-48215 | HOOK (MODIFIED) (VALIDATION DATE: 9108) | A | 1190 | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-B-48220 | BREECHBLOCK-FUZE ASSEMBLY, ATOMIC WEAPON, TRAINING (VALIDATION DATE: 9108) | A | 1110 | AR | | 20-AUG-91 | AR | | | |
| | L | | MIL-D-48221 | DETONATOR ELECTRIC M95 (T61) PARTS FOR LOADING, ASSEMBLING, AND PACKING (VALIDATION DATE: 8504) | A | 1375 | AR | | 11-JUN-73 | AR | | | |
| | L | | MIL-E-48223A | ELECTROCOULOMETER, DUAL ANODE, TWO MICROAMPERE HOURS AND NINE HUNDRED AND SIXTY MICROAMPERE HOURS CAPACITY (VALIDATION DATE: 8404) | A | 5999 | AR | | 30-DEC-74 | AR | | | |
| | L | | MIL-P-48224 | PAPER, PRINGING, PLASTIC COATED (VALIDATION DATE: 8505) | A | 8140 | AR | | 29-MAY-73 | AR | | | |

| Action | Qtr. | Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-E-48225 NOTICE 1 | ETHYLENE GLYCOL DINITRATE (EGDN) [VALIDATION DATE: 8604] | A | 1376 | | AR | 08-APR-86 | AR | | | |
| L | | | MIL-G-48226B(2) | GRENADES, GP: M42 AND M46 LEAD CUP ASSEMBLY FOR | A | 1330 | | AR | 01-MAY-90 | AR | | | |
| L | | | MIL-B-48227A NOTICE 1 | BANDOLEER, 40MM AMMUNITION, SUPPORT, PLASTIC FOR [VALIDATION DATE: 8803] | A | 1310 | | AR | 21-MAR-88 | AR | | | |
| L | | | MIL-B-48228A NOTICE 1 | BANDOLEERS FOR CARTRIDGES, 40MM AMMUNITION [VALIDATION DATE: 8803] | A | 1310 | | AR | 21-MAR-88 | AR | | | |
| L | | | MIL-M-48230 | WARHEAD, 2.75 INCH ROCKET, M229 PARTS FOR [VALIDATION DATE: 8003] | A | 1340 | | AR | 07-DEC-73 | AR | | | |
| L | | | MIL-P-48231 | PROPELLANT M6 FOR USE IN CARTRIDGE, 105MM APERS-T, M494 [VALIDATION DATE: 8504] | A | 1375 | | AR | 02-AUG-73 | AR | | | |
| L | | | MIL-R-48233A(4) | ROD, STABILIZING, COATED FOR 2.75 INCH ROCKET MOTOR MK4/MK40 AND MODS | A | 1340 | | MI | 01-FEB-91 | MI | | | |
| L | | | MIL-F-48235(2) NOTICE 1 | FIRING DEVICE, ANTI-PERSONNEL MINE, ELECTRICAL M57E1 PARTS FOR, ASSEMBLING AND PACKING [VALIDATION DATE: 8604] | A | 1345 | | AR | 08-APR-86 | AR | | | |
| L | | | MIL-T-48236(1) NOTICE 1 | TEST SET, ELECTRICAL CIRCUIT, M40E1 PARTS FOR, ASSEMBLING AND PACKING [VALIDATION DATE: 8604] | A | 1345 | | AR | 09-APR-86 | AR | | | |
| L | | | MIL-C-48237(3) | CARTRIDGE, 105MM, APDS-T, M728 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8303] | A | 1315 | | AR | 01-DEC-76 | AR | | | |
| L | | | MIL-W-48238A NOTICE 1 | WRENCH, ARMING M22 [VALIDATION DATE: 8704] | A | 1345 | | AR | 23-APR-87 | AR | | | |
| L | | | MIL-P-48239(1) NOTICE 1 | POWDER, PHOTOFLASH [VALIDATION DATE: 9010] | A | 1370 | | AR | 31-OCT-90 | AR | | | |
| L | | | MIL-P-48240 NOTICE 1 | PYROTECHNIC FIRST FIRE COMPOSITIONS [VALIDATION DATE: 8704] | A | 1370 | | AR | 27-APR-87 | AR | | | |
| L | | | MIL-P-48241(1) NOTICE 1 | PLUG, CLOSING 105MM [VALIDATION DATE: 8705] | A | 1315 | | AR | 27-MAY-87 | AR | | | |
| L | | | MIL-C-48243D NOTICE 1 | CHARGE PROPELLING, 155MM, M203, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9011] | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| L | | | MIL-C-48244 NOTICE 1 | CELLULOSE, POWERED [VALIDATION DATE: 8604] | A | 1395 | | AR | 08-APR-86 | AR | | | |
| L | | | MIL-M-48245B | MOLDING COMPOUND, HOUSING | A | 1345 | | AR | 02-AUG-88 | AR | | | |
| L | | | MIL-G-48246 NOTICE 1 | GLYCERYL ESTER OF 12 HYDROXY STEARIC ACID [VALIDATION DATE: 8604] REVIEWER: GS | A | 6810 | | AR | 08-APR-86 | AR | | | |
| A | L | | MIL-P-48249A(2) | PROJECTILE, 155MM, ILLUMINATING, M485A2 ACCESSORIES FOR, AND ASSEMBLING AND PACKING | A | 1320 | | AR | 22-MAY-91 | AR | | | |
| L | | | MIL-P-48250 NOTICE 1 | PRIMER, STAB, M55 PARTS AND LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8604] | A | 1375 | | AR | 09-APR-86 | AR | | | |
| L | | | MIL-S-48251(1) NOTICE 1 | SIGNALS, ILLUMINATION, AIRCRAFT DOUBLE-STAR AN-M37A2 THROUGH AN-M42A2 (ALTERNATIVE CASE) PARTS, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8804] | A | 1370 | | AR | 07-APR-88 | AR | | | |
| L | | | MIL-I-48252A(1) NOTICE 1 | IGNITER TUBES [VALIDATION DATE: 9011] | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| A | L | | MIL-C-48254A(1) | CHARGES, EXPELLING, FOR PROJECTILE, 155MM, ILLUMINATING, M485A2 LOADING, ASSEMBLING AND PACKING | A | 1320 | | AR | 22-MAY-91 | AR | | | |
| L | | | MIL-C-48258 NOTICE 1 | CARTRIDGE, 40MM, PRACTICE, M407A2, PROJECTILE METAL PARTS FOR [VALIDATION DATE: 8705] | A | 1310 | | AR | 24-MAR-75 | AR | | | |
| L | | | MIL-C-48259 NOTICE 1 | CARTRIDGE, 40MM, PRACTICE, M407A2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705] | A | 1310 | | AR | 24-MAR-75 | AR | | | |
| A | L | | MIL-T-48260(3) NOTICE 1 | TAPE, POLYESTER (FOR USE IN AMMUNITION) [VALIDATION DATE: 9207] | A | 8305 | | AR | 06-JUL-92 | AR | | | |
| L | | | MIL-M-48261(6) | MINES, M718/M741 SYSTEM, METAL PARTS | A | 1345 | | AR | 26-JUL-91 | AR | | | |
| L | | | MIL-N-48263(1) NOTICE 1 | 1-NITRO -2- PROPANOL (NPL) REVIEWER: GS | A | 6810 | | AR | 30-APR-90 | AR | | | |
| L | | | MIL-B-48265 NOTICE 1 | BAND, OBTURATING, FOR 175MM, PROJECTILE [VALIDATION DATE: 8705] | A | 1320 | | AR | 07-DEC-73 | AR | | | |
| L | | | MIL-P-48266A NOTICE 1 | PROPELLANT M30 FOR USE IN CARTRIDGE, 105MM, APDS-T, M728 [VALIDATION DATE: 8705] | A | 1375 | | AR | 28-MAY-87 | AR | | | |
| L | | | MIL-F-48267(2) NOTICE 1 | FUZE TIMER, MINE (INTEGRATED CIRCUIT) [VALIDATION DATE: 8704] | A | 1345 | | AR | 23-APR-87 | AR | | | |
| L | | | MIL-O-48268 NOTICE 1 | OBTURATOR [VALIDATION DATE: 8604] | A | 1345 | | AR | 08-APR-86 | AR | | | |
| L | | | MIL-M-48269(1) | HMX/KEL-F RESIN MOLDING POWER (FOR USE IN AMMUNITION) [VALIDATION DATE: 8803] | A | 1376 | | AR | 23-MAR-88 | AR | | | |
| L | | | MIL-R-48270(1) NOTICE 1 | RDX/KEL-F RESIN MOLDING POWDER (FOR USE IN AMMUNITION) [VALIDATION DATE: 8805] | A | 1376 | | AR | 05-MAY-88 | AR | | | |
| L | | | MIL-W-48271A NOTICE 1 | WARHEAD METAL PARTS ASSEMBLY M251 PARTS AND ASSEMBLING [VALIDATION DATE: 9109] | A | 1340 | | AR | 12-SEP-91 | AR | | | |
| L | | | MIL-W-48272(10) | WARHEAD SECTION, GM, HE: M251, M251A1 & M251 (MOD) WITH LIVE FLSC & INERT BOMBS, DUMMY LOADING, ASSEMBLING & PACKING | A | 1340 | | AR | 02-OCT-87 | AR | | | |
| A | L | | MIL-F-48275 NOTICE 2 | FUZE, PIBD, M550; TEST VEHICLE FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING | A | 1390 | | AR | 30-AUG-91 | AR | | | |
| L | | | MIL-F-48277B(4) | FUZE, POINT DETONATING, M739 LESS BOOSTER PELLET | A | 1390 | | AR | 22-FEB-89 | AR | | | |
| L | | | MIL-I-48279(1) NOTICE 1 | INTERVALOMETER ADAPTER FOR M56 AIRCRAFT SUBSYSTEM [VALIDATION DATE: 8704] | A | 1345 | | AR | 23-APR-87 | AR | | | |
| L | | | MIL-P-48280 NOTICE 1 | POLARITY TEST PLUG [VALIDATION DATE: 8604] | A | 1345 | | AR | 08-APR-86 | AR | | | |
| L | | | MIL-P-48283 NOTICE 1 | CALIBRATION PLUG [VALIDATION DATE: 8604] | A | 1345 | | AR | 08-APR-86 | AR | | | |
| L | | | MIL-A-48284(2) NOTICE 1 | AIRCRAFT CABLE ASSEMBLY [VALIDATION DATE: 8704] | A | 1345 | | AR | 23-APR-87 | AR | | | |
| L | | | MIL-C-48286A(2) NOTICE 1 | CHARGE, MINE EJECTION ASSEMBLY, M198 [VALIDATION DATE: 9109] | A | 1345 | | AR | 09-SEP-91 | AR | | | |
| L | | | MIL-C-48287(1) NOTICE 1 | CYLINDER FOR M56 MINES [VALIDATION DATE: 8805] | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| L | | | MIL-L-48288(1) NOTICE 1 | LEAD ASSEMBLY (FOR MINE, M56 SUBSYSTEM) PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8704] | A | 1345 | | AR | 23-APR-87 | AR | | | |
| L | | | MIL-S-48290 NOTICE 1 | SWITCH, ANTI-DISTURBANCE FOR M56 MINE [VALIDATION DATE: 8604] | A | 1345 | | AR | 08-APR-86 | AR | | | |
| L | | | MIL-T-48291(2) | TEST SET, ELECTRICAL CIRCUIT, BOMB DISPENSER A/E 24T-80 [VALIDATION DATE: 8101] | A | 4925 | | AR | 25-FEB-76 | AR | | | |
| L | | | MIL-M-48292(9) | MINE, ANTI-TANK, METAL PARTS ASSEMBLY FOR M56 MINE [VALIDATION DATE: 8805] | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| L | | | MIL-F-48293A NOTICE 1 | FUZE ASSEMBLY FOR M56 ANTI-TANK MINE [VALIDATION DATE: 8805] | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| L | | | MIL-C-48294(2) NOTICE 1 | CONTAINER, SHIPPING AND STORAGE, MINE CANISTER, M602 [VALIDATION DATE: 8704] | A | 1345 | | AR | 09-JUN-75 | AR | | | |
| L | | | MIL-T-48295 | TEST SET, ELECTRICAL CIRCUIT, BOMB DISPENSER A/E 24T-79 [VALIDATION DATE: 8003] | A | 4925 | | AR | 05-FEB-74 | AR | | | |
| L | | | MIL-P-48296 NOTICE 1 | POLYTETRAFLUOROETHYLENE (PTFE) [VALIDATION DATE: 8604] REVIEWER: GS MR | A | 9330 | | AR | 08-APR-86 | AR | | | |
| L | | | MIL-T-48297(1) NOTICE 1 | TEST SET ASSEMBLY, DISPENSER CONTROL PANEL FOR M56 AIRCRAFT SUBSYSTEM [VALIDATION DATE: 8704] | A | 1345 | | AR | 04-AUG-75 | AR | | | |
| L | I | | MIL-W-48299 NOTICE 1 | WARHEAD, 2.75 INCH ROCKET, FLECHETTE, XM255 WITH AND WITHOUT FUZE, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9110] | A | 1340 | | AR | 03-OCT-91 | AR | | | |
| L | | | MIL-W-48302 NOTICE 2 | WINDOW, OBSERVATION [VALIDATION DATE: 9108] | A | 1110 | | AR | 20-AUG-91 | AR | | | |

| Action | QPL / QML | Cooperation | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-S-48305(1) | SWITCH, SQUIB ACTUATED. M60, 61, 63, 64, 65, 66, 67, 68, 73 (VALIDATION DATE: 8402) | A | 1135 | AR | AR | 18-JUL-78 | AR | | | |
| L | | | | MIL-C-48315 NOTICE 2 | COVER (VALIDATION DATE: 9108) | A | 1135 | AR | AR | 20-AUG-91 | AR | | | |
| L | | | | MIL-T-48321(1) NOTICE 1 | TEST SET, BATTERY, FOR M56 MINE (VALIDATION DATE: 8704) | A | 1345 | AR | AR | 14-JUL-75 | AR | | | |
| L | | | | MIL-P-48322B(8) | PROJECTILE, 8 INCH HE, RA, M650 AFT WARHEAD SECTION & STRIPPABLE COATING ASSEMBLY | A | 1320 | AR | AR | 16-JUN-87 | AR | | | |
| L | | | | MIL-P-48323C(5) | PROJECTILE, 8 INCH, HE, RA, M650 ROCKET MOTOR BODY ASSEMBLY | A | 1320 | AR | AR | 31-MAR-89 | AR | | | |
| L | | | | MIL-I-48331A(2) NOTICE 1 | INTEGRATED CIRCUIT, DIGITAL, CMOS, TIME BASE AND SPECIAL PURPOSE FUNCTION GENERATOR, MONOLITHIC, SILICON (VALIDATION DATE: 8805) | A | 1345 | AR | AR | 20-MAY-88 | AR | | | |
| L | | | | MIL-P-48333 NOTICE 1 | PROPELLANT, LIQUID (VALIDATION DATE: 8704) | A | 1376 | AR | AR | 27-APR-87 | AR | | | |
| L | | | | MIL-P-48335 NOTICE 1 | PROPELLANT, SPHEROIDAL BALL POWDER (VALIDATION DATE: 8704) | A | 1376 | AR | AR | 27-APR-87 | AR | | | |
| A | L | | | MIL-B-48343A | BATTERY, PRIMARY RESERVE, AMMONIA, 5 MILLIAMPERE HOUR CAPACITY | A | 1345 | AR | AR | 11-MAR-93 | AR | | | |
| L | | | | MIL-G-48344(1) NOTICE 1 | GYPSUM, DEAD BURNED REVIEWER: GS | A | 6810 | AR | AR | 30-JAN-87 | AR | | | |
| L | | | | MIL-D-48345 | DISPENSER, BOMB, SUU-13-D/A (VALIDATION DATE: 8301) | A | 1345 | AR | AR | 02-DEC-76 | AR | | | |
| L | | | | MIL-M-48347(1) NOTICE 1 | WARHEAD, 2.75 INCH ROCKET, PRACTICE WTU-1/B (VALIDATION DATE: 8804) | A | 1340 | AR | AR | 22-APR-88 | AR | | | |
| L | | | | MIL-P-48348 | PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, XM164 (VALIDATION DATE: 8101) | A | 1375 | AR | AR | 24-OCT-74 | AR | | | |
| L | | | | MIL-P-48349 NOTICE 1 | PROPELLANT M30A1 FOR USE IN 155M PROPELLING CHARGES (VALIDATION DATE: 8803) | A | 1376 | AR | AR | 21-MAR-88 | AR | | | |
| L | | | | MIL-D-48350(3) NOTICE 1 | DISPENSER CONTROL PANEL FOR M56/XM58, MINES/MARKERS (VALIDATION DATE: 8704) | A | 1345 | AR | AR | 16-JUN-75 | AR | | | |
| L | | | | MIL-C-48352 NOTICE 1 | CHARGE, SPOTTING, MODEL APG-2 (VALIDATION DATE: 8809) | A | 1390 | AR | AR | 01-SEP-88 | AR | | | |
| L | | | | MIL-C-48353 NOTICE 1 | CARTRIDGE, 105MM, SMOKE WP, M60A2, (MOD) W/FUZE, M557 FOR HOWITZER, M137 LOADING ASSEMBLING AND PACKING (VALIDATION DATE: 8808) | A | 1315 | EA | EA | 31-AUG-88 | EA | | | |
| L | | | | MIL-C-48354 NOTICE 1 | CARTRIDGE, IGNITION, XM702E2 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8705) | A | 1310 | AR | AR | 15-JAN-75 | AR | | | |
| L | | | | MIL-F-48355 NOTICE 1 | FUZE, ROCKET, BASE DETONATING, M434, ALTERNATE CONSTRUCTION ASSEMBLING AND PACKING (VALIDATION DATE: 8704) REVIEWER: MI | A | 1340 | AR | AR | 02-APR-87 | AR | | | |
| L | | | | MIL-P-48357A(1) NOTICE 1 | PROPELLANT, DOUBLE-BASE SHEET, M36 (VALIDATION DATE: 8806) | A | 1376 | AR | AR | 13-JUN-88 | AR | | | |
| A | L | | | MIL-H-48358(3) | HMX/RESIN EXPLOSIVE COMPOSITION LX-14-0 (FOR USE IN AMMUNITION) | A | 1376 | AR | AR | 26-AUG-92 | AR | | | |
| M | L | | | MIL-C-48360(4) | CHARGE, PROPELLING, M200, FOR 105MM HOWITZER, M119 LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | AR | 12-MAR-93 | AR | | | |
| L | | | | MIL-C-48361 NOTICE 1 | CHARGE, PROOF, 155MM, PXR-6255 LOADING, ASSEMBLING, AND PACKING (VALIDATION DATE: 9011) | A | 1320 | AR | AR | 01-NOV-90 | AR | | | |
| L | | | | MIL-S-48363 NOTICE 1 | STAND, MAINTENANCE, FOR MINE DISPERSING SUBSYSTEM AIRCRAFT, M56 (VALIDATION DATE: 8604) | A | 1345 | AR | AR | 08-APR-86 | AR | | | |
| L | | | | MIL-P-48364(2) NOTICE 1 | PARTS, MISCELLANEOUS, FOR MINE DISPERSING SUBSYSTEM AIRCRAFT: M56 (VALIDATION DATE: 9109) | A | 1345 | AR | AR | 05-SEP-91 | AR | | | |
| L | | | | MIL-P-48366(1) | PROPELLANT M30A1 FOR USE IN CHARGE, PROPELLING XM201E2 (VALIDATION DATE: 8101) | A | 1375 | AR | AR | 30-SEP-74 | AR | | | |
| L | | | | MIL-P-48367B NOTICE 1 | PROPELLANT M30A1 FOR USE IN CHARGE PROPELLING M203 | A | 1375 | AR | AR | 22-MAR-88 | AR | | | |
| L | | | | MIL-C-48368A(3) | CARTRIDGE, ME, 60MM, M720 LOADING, ASSEMBLING AND PACKING | A | 1310 | AR | AR | 01-FEB-91 | AR | | | |
| L | | | | MIL-M-48369(5) | WARHEAD SECTION, GM, PRACTICE, LIGHTWEIGHT, M252 PARTS AND ASSEMBLING (VALIDATION DATE: 8601) | A | 1340 | AR | AR | 24-MAR-80 | AR | | | |
| L | | | | MIL-F-48370A(2) | FUZE M934E6, HYBRID MICROCIRCUITS FOR | A | 1336 | AR | AR | 19-JAN-90 | AR | | | |
| L | | | | MIL-C-48371(1) NOTICE 1 | CYLINDER ASSEMBLY (REUSE) FOR M56 MINES (VALIDATION DATE: 8604) | A | 1345 | AR | AR | 08-APR-86 | AR | | | |
| L | | | | MIL-P-48372 NOTICE 1 | PROPELLANT, M30A1 FOR USE IN CHARGE, PROOF, 155MM, PXR-6255 (VALIDATION DATE: 9108) | A | 1376 | AR | AR | 29-AUG-91 | AR | | | |
| L | | | | MIL-F-48373A NOTICE 1 | FUZE, POINT DETONATING, M739 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9010) | A | 1390 | AR | AR | 31-OCT-90 | AR | | | |
| L | | | | MIL-F-48375 NOTICE 1 | FIRING TRAIN TEST HOUSING, OPERATOR CONTROLLED (VALIDATION DATE: 9109) | A | 1345 | AR | AR | 05-SEP-91 | AR | | | |
| L | | | | MIL-P-48376 | PROJECTILE, 155MM, HE, M692 AND M731, NON-METALLIC HARDWARE FOR (VALIDATION DATE: 8201) | A | 1320 | AR | AR | 01-MAR-76 | AR | | | |
| L | | | | MIL-S-48377 NOTICE 1 | SIGNAL, SMOKE, GROUND XM202 THRU XM205 RED, YELLOW, GREEN AND WHITE PARTS FOR AND LOADING ASSEMBLING AND PACKING (VALIDATION DATE: 8705) | A | 1370 | AR | AR | 15-MAY-87 | AR | | | |
| L | | | | MIL-M-48379 NOTICE 1 | MINE, APERS, M18A1E1 (WITH ACCESSORIES) LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8704) | A | 1345 | AR | AR | 03-MAR-75 | AR | | | |
| L | | | | MIL-S-48380 NOTICE 1 | SUPPORT, PROPELLING CHARGE (FOR USE IN AMMUNITION PACKING) (VALIDATION DATE: 8705) | A | 1315 | AR | AR | 27-MAY-87 | AR | | | |
| L | | | | MIL-M-48381(3) | WARHEAD SECTION, GM, PRACTICE, LIGHTWEIGHT, M252E1 PARTS AND ASSEMBLING (VALIDATION DATE: 8101) | A | 1340 | AR | AR | 10-FEB-75 | AR | | | |
| L | | | | MIL-F-48382A(1) | FUZE, M934E6, IMPACT SWITCH FOR | A | 1336 | AR | AR | 27-JAN-89 | AR | | | |
| L | | | | MIL-H-48384 | HOUSING, TIMING AND FUZING, IGNITOR ASSEMBLY AND SUSTAINER CHARGE ASSEMBLY FOR170578 (VALIDATION DATE: 8402) | A | 1345 | AR | AR | 17-MAY-78 | AR | | | |
| L | | | | MIL-L-48385(1) NOTICE 1 | LINE, EXTENSION AND SPOOL ASSEMBLY FOR MINE, APERS, M18A1E1 (VALIDATION DATE: 8704) | A | 1345 | AR | AR | 07-MAY-75 | AR | | | |
| L | | | | MIL-M-48386 NOTICE 1 | MINE, APERS, PRACTICE, M68E1 (WITH ACCESSORIES) ASSEMBLING AND PACKING (VALIDATION DATE: 8704) | A | 1345 | AR | AR | 03-MAR-75 | AR | | | |
| L | | | | MIL-B-48387(1) NOTICE 1 | BALL POWDER, IGNITER (BPI) (SPHEROIDAL PROPELLANT IGNITER (SPI)) (VALIDATION DATE: 8902) | A | 1376 | AR | AR | 02-FEB-89 | AR | | | |
| L | | | | MIL-F-48388A(1) | FUZE, M934E6, LAUNCH SENSING SWITCH FOR | A | 1336 | AR | AR | 27-JAN-89 | AR | | | |
| L | | | | MIL-C-48393 NOTICE 1 | CARTRIDGE, IGNITION, XM702E2 PARTS FOR (VALIDATION DATE: 8705) | A | 1310 | AR | AR | 21-MAY-87 | AR | | | |
| L | | | | MIL-C-48394(3) | CARTRIDGE, 81MM, SMOKE, WP, M375A3 ASSEMBLING, MARKING AND PACKING | A | 1315 | AR | AR | 29-MAY-91 | AR | | | |
| A | L | | | MIL-P-48395(2) | PELLETS, EXPLOSIVE COMPOSITIONS (FOR USE IN AMMUNITION) | A | 1376 | AR | AR | 03-JUL-92 | AR | | | |
| L | | | | MIL-C-48396A(1) | CARTRIDGE, IGNITION, XM752E1 PARTS FOR | A | 1315 | AR | AR | 11-MAR-88 | AR | | | |
| L | | | | MIL-C-48397A(1) | CARTRIDGE, IGNITION, M752A1 LOADING, ASSEMBLING & PACKING | A | 1315 | AR | AR | 11-MAR-88 | AR | | | |
| L | | | | MIL-H-48398 NOTICE 1 | HOLDER, BLASTING CAP, MB (VALIDATION DATE: 8805) | A | 1375 | AR | AR | 20-MAY-88 | AR | | | |
| L | | | | MIL-P-48400A(4) | PROJECTILE, 60MM, HE, M720 (OR M888), METAL PARTS ASSEMBLY | A | 1310 | AR | AR | 03-OCT-84 | AR | | | |
| L | | | | MIL-R-48401A NOTICE 1 | RING, OBTURATING FOR 60MM MORTAR (VALIDATION DATE: 9109) | A | 1310 | AR | AR | 12-SEP-91 | AR | | | |
| | | | | MIL-S-48403 | STEEL SHEET, HOT DIP, ZINC COATED (GALVANIZED), MINIMIZED SPANGLE, FOR AUTOMOTIVE VEHICLE BODY USE (VALIDATION DATE: 8505) REVIEWER: AT | A | 9515 | AR | 11-MAY-73 | AR | | | | 99 |
| L | | | | MIL-I-48404 NOTICE 1 | INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-9/A ASSEMBLY (VALIDATION DATE: 8606) | A | 1377 | OS | 20-JUN-86 | | | OS | | |
| L | | | | MIL-S-48405 NOTICE 2 | SHIELDED AND CONFINED MILD DETONATING CORD ASSEMBLIES (VALIDATION DATE: 9108) | A | 1377 | OS | 14-AUG-91 | | | OS | | |
| L | | | | MIL-L-48407B NOTICE 1 | LASER, TANK GUNNERY TRAINER: M55 (VALIDATION DATE: 8805) | A | 1240 | AR | 16-MAY-88 | AR | | | | |
| L | | | | MIL-M-48408A | HIGH VOLTAGE POWER SUPPLY, 11739861 (VALIDATION DATE: 8201) | A | 1240 | AR | 05-MAR-76 | AR | | | | |
| L | | | | MIL-T-48409A | TIMING MODULE - 11737703 (VALIDATION DATE: 8201) | A | 1240 | AR | 05-MAR-76 | AR | | | | |
| L | | | | MIL-I-48410 NOTICE 1 | INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-4/A25 ASSEMBLY (VALIDATION DATE: 8606) | A | 1377 | OS | 20-JUN-86 | | | OS | | |

| Action | OPR / Ofld. Coordination Indicator | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-I-48412A | INITIATOR, CARTRIDGE ACTUATED, M53 REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70 | A 1377 OS | 21-SEP-92 | | OS | 99 | |
| L | | MIL-T-48415(1) NOTICE 1 | TRACER, PROJECTILE, M3A1, ASSEMBLY PARTS FOR, AND LOADING, ASSEMBLING AND PACKAGING [VALIDATION DATE: 9010] | A 1315 AR | 15-OCT-90 | AR | | | |
| L | | MIL-R-48416 NOTICE 1 | REMOVER, AIRCRAFT CANOPY, RAU-1/A METAL PARTS ASSEMBLY [VALIDATION DATE: 8606] | A 1377 OS | 20-JUN-86 | | OS | | |
| L | | MIL-T-48419A | TESTER, SYSTEM, 10549290 [VALIDATION DATE: 8201] | A 1240 AR | 01-DEC-75 | AR | | | |
| A L | | MIL-C-48423A(3) | CASE, CARTRIDGE, 105MM, M1484 | A 1315 AR | 25-SEP-92 | AR | | | |
| L | | MIL-C-48424 | CASE, CARTRIDGE, 76MM, M88B1 [VALIDATION DATE: 8603] | A 1315 AR | 18-MAR-86 | AR | | | |
| L | | MIL-F-48425A(3) NOTICE 1 | FIN ASSEMBLY, M24 | A 1310 AR | 31-JUL-89 | AR | | | |
| L | | MIL-S-48426A | SERVO ELECTRONICS, 10548193 [VALIDATION DATE: 8301] | A 1285 AR | 30-NOV-82 | AR | | | |
| A L | | MIL-R-48427C | REFLECTOR AND FEED ASSEMBLY: 10556313 | A 1285 AR | 09-NOV-92 | AR | | | |
| A L | | MIL-M-48428A(2) | MICROWAVE CHASSIS ASSEMBLY: 10549047 | A 1285 AR | 24-JUL-92 | AR | | | |
| A L | | MIL-S-48431B(1) | SOLID STATE X-BAND SOURCE: 10548182 | A 1285 AR | 24-JUL-92 | AR | | | |
| A L | | MIL-M-48432B | MIXER PREAMPLIFIER: 10548160 | A 1285 AR | 25-AUG-92 | AR | | | |
| A L | | MIL-B-48433A(1) | BOARD ASSEMBLY, GENERATOR: 10548611 | A 1285 AR | 24-JUL-92 | AR | | | |
| L | | MIL-O-48434(1) | OSCILLATOR, DOPPLER, COMPONENT BOARD ASSEMBLY, 10559694 | A 1285 AR | 30-DEC-80 | AR | | | |
| A L | | MIL-D-48435A(1) | DISTRIBUTION BOX: 10548533 | A 1285 AR | 27-AUG-92 | AR | | | |
| A L | | MIL-C-48436A(1) | TEST SET SUBASSEMBLY: 11726378 (7.5 MHZ CLOCK) | A 1285 AR | 27-AUG-92 | AR | | | |
| L | | MIL-D-48437A | DISPLAY, IMAGE 11744684 [VALIDATION DATE: 8201] | A 1240 AR | 01-DEC-75 | AR | | | |
| L | | MIL-G-48438A | GENERATOR, TARGET, SIMULATED 11741100 [VALIDATION DATE: 8201] | A 1240 AR | 01-DEC-75 | AR | | | |
| L | | MIL-E-48441A(2) | ELBOW ASSEMBLY, PASSIVE: 11733401 | A 1240 AR | 17-JUN-91 | AR | | | |
| L | | MIL-R-48442 | REGULATOR, 11733468 [VALIDATION DATE: 8602] | A 1240 AR | 25-JAN-74 | AR | | | |
| L | | MIL-T-48445A | TARGET GENERATOR, SIMULATED, SUBSYSTEM OF TARGET SELECTOR GROUP, XM10 [VALIDATION DATE: 8201] | A 1240 AR | 01-DEC-75 | AR | | | |
| L | | MIL-P-48446 NOTICE 1 | PENETRATOR, CODE AND HOSE COMPONENTS FOR PROJECTILE, 105MM, APDS-T, M392A1 [VALIDATION DATE: 8705] | A 1315 AR | 27-MAY-87 | AR | | | |
| L | | MIL-B-48447A(2) | BODY ASSEMBLY: 11744900 (PERISCOPE: M35E1) | A 1240 AR | 17-JUN-91 | AR | | | |
| L | | MIL-C-48448(1) | CARTRIDGE, IMPULSE, CCU-28/A ASSEMBLY | A 1377 OS | 16-OCT-86 | | OS | | |
| L | | MIL-A-48449A(3) | ALIGNMENT DEVICE, OPTICAL, GUN BORE | A 4931 AR | 10-SEP-90 | AR | | | |
| L | | MIL-P-48450A(1) | PERISCOPE, TANK, M35E1 [VALIDATION DATE: 8601] | A 1240 AR | 15-OCT-79 | AR | | | |
| L | | MIL-P-48451A(1) | PERISCOPE, TANK, M36E1 [VALIDATION DATE: 8601] | A 1240 AR | 15-OCT-79 | AR | | | |
| L | | MIL-R-48452 NOTICE 1 | REMOVER, AIRCRAFT CANOPY, RAU-1/A ASSEMBLY [VALIDATION DATE: 8606] | A 1377 OS | 26-JUN-86 | | OS | | |
| L | | MIL-C-48456B(1) NOTICE 1 | COMPUTER UNIT, FIRE CONTROL: 11732400 [VALIDATION DATE: 9012] | A 1220 AR | 14-DEC-90 | AR | | | |
| L | | MIL-C-48457B NOTICE 1 | CONTROL, GUNNERS, COMPUTER, 11732500 | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-C-48458B NOTICE 1 | CIRCUIT CARD ASSEMBLY, 11732392 GCU ELECTRONICS [VALIDATION DATE: 8701] | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-S-48459B NOTICE 1 | SELECT UNIT, AMMUNITION, 11732600 [VALIDATION DATE: 8701] | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-T-48460B(1) NOTICE 1 | TACHOMETER, RATE, COMPUTER, 11732700 | A 1220 AR | 29-APR-88 | AR | | | |
| L | | MIL-S-48461B(1) NOTICE 1 | SENSOR, CANT ANGLE, 11732800 | A 1220 AR | 14-SEP-87 | AR | | | |
| L | | MIL-S-48464B NOTICE 1 | SENSOR, CROSSWIND, 11733251 [VALIDATION DATE: 8701] | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-O-48465B(1) NOTICE 1 | OUTPUT UNIT, 11733100 | A 1220 AR | 22-SEP-87 | AR | | | |
| L | | MIL-C-48468B NOTICE 1 | CIRCUIT CARD ASSEMBLY, 11732332 INVERTER AND PLUS AND MINUS 15 VOLT REGULATOR [VALIDATION DATE: 8701] | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-C-48469B | CIRCUIT CARD ASSEMBLY 11732344 SWITCHING REGULATOR [VALIDATION DATE: 8701] | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-C-48470B(1) NOTICE 1 | CIRCUIT CARD ASSEMBLY: 11732350 RETICLE PROJECTOR AND ELEVATION SERVO DRIVE | A 1220 AR | 18-MAR-88 | AR | | | |
| L | | MIL-C-48471B NOTICE 1 | CIRCUIT CARD ASSEMBLY 11732354 LEAD, WINDAGE AND REFERENCE [VALIDATION DATE: 8701] | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-C-48472B NOTICE 1 | CIRCUIT CARD ASSEMBLY, 11732360 SUPERELEVATION & DRIFT [VALIDATION DATE: 8701] | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-C-48474B NOTICE 1 | CIRCUIT CARD ASSEMBLY, 11834803 AMMO SELECT [VALIDATION DATE: 8701] | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-C-48475B(2) | CIRCUIT CARD ASSEMBLY, 11732369 SELF TEST | A 1220 AR | 22-SEP-87 | AR | | | |
| L | | MIL-C-48476B NOTICE 1 | CIRCUIT CARD ASSEMBLY, 11732372 WIND ELECTRONICS [VALIDATION DATE: 8701] | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-C-48477B NOTICE 1 | CIRCUIT CARD ASSEMBLY, 11732377 MIRROR DRIVE ELECTRONICS [VALIDATION DATE: 8701] | A 1220 AR | 30-JAN-87 | AR | | | |
| L | | MIL-C-48490B(2) | CONTROL, COMMANDER S SIGHT & RECEIVER TRANSMITTER, LASER RANGING, 11743121 | A 1240 AR | 09-NOV-87 | AR | | | |
| L | | MIL-E-48491B(1) NOTICE 1 | ELECTRONIC UNIT: 11743131 | A 1240 AR | 02-MAR-88 | AR | | | |
| | | MIL-C-48497A(1) | COATING, SINGLE OR MULTILAYER, INTERFERENCE: DURABILITY REQUIREMENTS FOR USER: OS | A 6650 AR | 06-DEC-89 | AR | | AS | |
| L | | MIL-C-48498 NOTICE 1 | CASE, PROJECTILE, BURSTER, M14 [VALIDATION DATE: 8808] | A 1315 EA | 31-AUG-88 | EA | | | |
| L | | MIL-D-48499 NOTICE 1 | DIISOPROPYL HYDROGEN PHOSPHITE, TECHNICAL [VALIDATION DATE: 8604] USER: AT REVIEWER: GS MD ME MR | A 6810 AR | 01-APR-86 | AR | | | |
| L | | MIL-C-48521(3) NOTICE 1 | CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL W47U THROUGH W55U AND W65U AND W72U [VALIDATION DATE: 8809] | A 1135 AR | 09-SEP-88 | AR | | | |
| L | | MIL-D-48522(1) NOTICE 1 | DELAY UNIT [VALIDATION DATE: 8902] | A MUOR AR | 16-FEB-89 | AR | | | |
| L | | MIL-C-48523 NOTICE 1 | CASE, SECTION, BALLISTIC, CENTER AFT, SECTIONS C AND D [VALIDATION DATE: 8809] | A 1115 AR | 08-SEP-88 | AR | | | |
| L | | MIL-S-48525 | SHIPPING AND STORAGE CONTAINER, WARHEAD SECTION, M511 [VALIDATION DATE: 8201] | A MUOR AR | 16-DEC-75 | AR | | | |
| L | | MIL-C-48526(2) | CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL: W30U THROUGH W33U, W36U, W38U, W45U, W58U, W70U, W71U W73U, W78U AND W79U | A 1135 AR | 21-NOV-90 | AR | | | |
| L | | MIL-T-48527(2) | TEST SET, ATOMIC WEAPON: T-4186 | A 1190 AR | 21-NOV-90 | AR | | | |
| L | | MIL-P-48528 NOTICE 1 | PISTON MOTOR ASSEMBLY [VALIDATION DATE: 9108] | A MUOR AR | 20-AUG-91 | AR | | | |
| L | | MIL-G-48529 NOTICE 1 | GYROSWITCH, RATE, M46 [VALIDATION DATE: 8809] | A 1135 AR | 09-SEP-88 | AR | | | |
| L | | MIL-A-48530(2) | ARM-SAFE DEVICE: M120 | A MUOR AR | 18-MAR-91 | AR | | | |
| L | | MIL-S-48532(2) | SWITCH, ACCELERATION, ATOMIC WEAPON: M54 | A 1135 AR | 21-NOV-90 | AR | | | |
| L | | MIL-P-48534(2) | PRINTED WIRING BOARD [VALIDATION DATE: 8403] | A MUOR AR | 16-DEC-77 | AR | | | |
| L | | MIL-A-48535(1) NOTICE 1 | ADAPTION KIT, ATOMIC WARHEAD TO GUIDED MISSILE: M238 [VALIDATION DATE: 8809] | A 1135 AR | 08-SEP-88 | AR | | | |
| L | | MIL-C-48550(3) | COLLIMATOR, INFINITY AIMING REFERENCE, M1A1 | A 1240 AR | 22-MAY-87 | AR | | | |
| A L | | MIL-B-48553(3) | BANDOLEER, M8 | A 1305 AR | 28-OCT-92 | AR | | | |
| L | | MIL-T-48554A | TELESCOPE, PANORAMIC: M137 AND M137A1 | A 1240 AR | 22-MAY-90 | AR | | | |
| L | | MIL-O-48555A | QUADRANT, FIRE CONTROL: M17 | A 1290 AR | 26-NOV-89 | AR | | | |
| L | | MIL-O-48556A | QUADRANT, FIRE CONTROL: M18 | A 1290 AR | 26-NOV-89 | AR | | | |
| L | | MIL-M-48557A | MOUNT, TELESCOPE AND QUADRANT: M171 | A 1240 AR | 15-MAY-90 | AR | | | |
| L | | MIL-T-48558B | TELESCOPE, ELBOW: M138 | A 1240 AR | 29-MAY-90 | AR | | | |
| L | | MIL-M-48559A | MOUNT, TELESCOPE AND QUADRANT: M172 | A 1240 AR | 30-MAR-90 | AR | | | |

| Action | OPR / Cmtl. Coordination Required | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-D-48561A(1) | DI-2-ETHYLHEXYL AZELATE REVIEWER: GS MD PS | A | 6810 | | AR | 23-NOV-90 | AR | | | |
| L | | MIL-C-48565(1) NOTICE 1 | CASE, CARTRIDGE, 90MM M108B1 [VALIDATION DATE: 9010] | A | 1315 | | AR | 15-OCT-90 | AR | | | |
| L | | MIL-P-48566(1) NOTICE 1 | PERISCOPES, TANK: 11747126 AND 11747127 [VALIDATION DATE: 8810] | A | 1330 | | AR | 25-OCT-88 | AR | | | |
| | | MIL-S-48567(1) NOTICE 1 | SLEEVE AND GRAIN ASSEMBLY [VALIDATION DATE: 9108] | A | 1377 | | OS | 14-AUG-91 | | OS | 99 | |
| | | MIL-C-485688 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-7/A ASSEMBLY | A | 1377 | | OS | 12-MAY-88 | | OS | 99 | |
| L | | MIL-C-48569(2) NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-7/A METAL PARTS ASSEMBLY [VALIDATION DATE: 9108] | A | 1377 | | OS | 14-AUG-91 | | OS | | |
| L | | MIL-B-48570A(3) NOTICE 1 | BAND, CENTERING FOR PROJECTILE 105MM DISCARDING SABOT [VALIDATION DATE: 8804] | A | 1315 | | AR | 19-APR-88 | AR | | | |
| L | | MIL-P-48571(1) | PERISCOPE, TANK, M32E1 [VALIDATION DATE: 8601] | A | 1240 | | AR | 15-OCT-79 | AR | | | |
| L | | MIL-S-48573(1) | SIGHTUNIT, M64 | A | 1240 | | AR | 05-NOV-84 | AR | | | |
| L | | MIL-T-48574 | TELESCOPE, ELBOW, 11733780 [VALIDATION DATE: 8301] | A | 1240 | | AR | 18-FEB-77 | AR | | | |
| L | | MIL-M-48575(1) | MOUNT, TELESCOPE, 11741796 | A | 1240 | | AR | 05-NOV-84 | AR | | | |
| L | | MIL-R-48577(1) | REGULATOR ASSEMBLY, 11747171 [VALIDATION DATE: 8502] | A | 1240 | | AR | 30-APR-79 | AR | | | |
| L | | MIL-T-48578(1) | TRAINER, FIELD ARTILLERY: DIRECT FIRE (LASER): 11746409 | A | 1240 | | AR | 15-FEB-91 | AR | | | |
| M | L | MIL-F-485808(1) | FIN, M27 | A | 1310 | | AR | 16-APR-93 | AR | | | |
| A | L | MIL-C-48581A(1) | CIRCUIT CARD ASSEMBLY 11747210 TARGET COINCIDENCE BOARD | A | 4931 | | AR | 01-SEP-92 | AR | | | |
| A | L | MIL-C-48582B(1) | CIRCUIT CARD ASSEMBLY, TARGET POSITION BOARD, 11747198 | A | 4931 | | AR | 08-FEB-93 | AR | | | |
| L | | MIL-C-48583(2) | CIRCUIT CARD ASSEMBLY TARGET ACCELERATION BOARD, 11747207 | A | 4931 | | AH | 11-JUL-83 | AR | | | |
| A | L | MIL-C-48584B(1) | CIRCUIT CARD ASSEMBLY, 11747101 (RANGE AND RANGE RATE GENERATOR) | A | 1285 | | AR | 09-SEP-92 | AR | | | |
| L | | MIL-C-48585(2) | CIRCUIT CARD ASSEMBLY 11748240 (SIGHT CURRENT GENERATOR ADAPTER) [VALIDATION DATE: 8502] | A | 1285 | | AR | 30-AUG-79 | AH | | | |
| L | | MIL-T-48586(1) | TEST SET ASSEMBLY, DIODE SWITCH, 11736249 | A | 4931 | | AR | 29-JUN-84 | AH | | | |
| L | | MIL-T-48587 | TEST SET, INVERTER, CONVERTER AND MOTOR CHASSIS ASSEMBLY: 11748238 | A | 4931 | | AR | 07-MAY-91 | AR | | | |
| A | L | MIL-T-485886 | TEST SET, INVERTER, CONVERTER PANEL ASSEMBLY: 11747097 | A | 1285 | | AR | 26-JUN-92 | AR | | | |
| L | | MIL-B-48589(3) NOTICE 1 | BODY ASSEMBLY: 11747350 (DAYLIGHT) | A | 1240 | | AR | 17-JUN-91 | AR | | | |
| L | | MIL-M-48590(2) | HEAD ASSEMBLY: 11727486 (PERISCOPE M32E1 AND M35E1) | A | 1240 | | AR | 17-JUN-91 | AR | | | |
| L | | MIL-T-48593B | TEST SET, SIGHT CURRENT GENERATOR SERVO, 11747100, AH/TSM-100 | A | 4931 | | AH | 02-OCT-91 | AR | | | |
| L | | MIL-B-48594A(1) | BOARD ASSEMBLY, COMPONENT: 11748254 | A | 4931 | | AR | 01-JUN-92 | AH | | | |
| L | | MIL-R-48595A(1) NOTICE 1 | RANGEFINDER, FIRE CONTROL, LASER: 11743101 | A | 1240 | | AR | 09-NOV-87 | AH | | | |
| L | | MIL-C-48596A NOTICE 1 | COMPUTER SYSTEM, BALLISTIC, M21 11732979 [VALIDATION DATE: 8701] | A | 1220 | | AR | 30-JAN-87 | AR | | | |
| L | | MIL-M-48598A | MOTOR, BRAKE ASSEMBLY, 11747088 | A | 4931 | | AR | 28-JUN-84 | AH | | | |
| L | | MIL-T-48599(1) | TEST SET, INVERTER, CONVERTER CHASSIS ASSEMBLY, 11748234 | A | 4931 | | AH | 30-JUN-82 | AR | | | |
| L | | MIL-B-48600A(3) | BASE PLUG ASSEMBLY | A | 1315 | | AR | 15-JUN-91 | AR | | | |
| L | | MIL-C-48601A NOTICE 1 | CIRCUIT CARD ASSEMBLY: 11746960SWITCH & LIGHT CONTROL [VALIDATION DATE: 8701] | A | 1336 | | AR | 30-JAN-87 | AR | | | |
| L | | MIL-P-48602(1) NOTICE 1 | PLOTTING BOARD, XM19, (M19) W/E | A | 1220 | | AH | 15-MAR-91 | AR | | | |
| L | | MIL-S-48603 | SIGHT, BORE, REFLECTING, XM115E1 [VALIDATION DATE: 8301] | A | 1240 | | AR | 29-OCT-76 | AR | | | |
| L | | MIL-T-48604(3) | TUBE, LASER, PLASMA, HELIUM NEON: 11746797 | A | 1240 | | AR | 06-SEP-90 | AR | | | |
| A | L | MIL-C-48605A(1) | CONTROL ASSEMBLY R.F. (UNIT 1): 11748205 | A | 1240 | | AR | 25-SEP-92 | AR | | | |
| A | L | MIL-P-486068(1) | POWER SUPPLY ASSEMBLY (UNIT 2): 11748133 | A | 1240 | | AR | 27-AUG-92 | AR | | | |
| A | L | MIL-A-486078(1) | AMPLIFIER, DOPPLER ASSEMBLY: 11740261 | A | 1285 | | AR | 12-JUN-92 | AR | | | |
| A | L | MIL-A-486088 | AMPLIFIER, DOPPLER BOARD ASSEMBLY: 11740262 | A | 1285 | | AR | 28-JAN-93 | AR | | | |
| L | | MIL-P-48609 | POWER SUPPLY ASSEMBLY, NIXIE [VALIDATION DATE: 8504] | A | 1240 | | AR | 31-DEC-78 | AR | | | |
| L | | MIL-C-486108 NOTICE 1 | CIRCUIT CARD ASSEMBLY: 11746908 LOW VOLTAGE POWER SUPPLY CONTROL LOGIC [VALIDATION DATE: 8701] | A | 1240 | | AR | 30-JAN-87 | AR | | | |
| AQ | | MIL-A-48611A(3) | ADHESIVE SYSTEM, EPOXY-ELASTOMERIC, FOR GLASS TO METAL REVIEWER: 11 69 MD | A | 8040 | | AR | 22-JUL-92 | AR | | 99 | |
| L | | MIL-B-48612A | BONDING WITH EPOXY-ELASTOMERIC ADHESIVE SYSTEM, GLASS TO METAL REVIEWER: AV | A | 12GP | | AR | 20-MAR-87 | AR | | | |
| | | MIL-F-48616(2) | FILTER (COATINGS), INFRARED INTERFERENCE, GENERAL SPECIFICATION FOR | A | 6650 | | AH | 28-JAN-85 | AR | | 99 | |
| L | | MIL-F-48616/100 | COATING, LOW REFLECTANCE, ORDINARY REQUIREMENTS FOR [VALIDATION DATE: 8301] | A | 6650 | | AR | 29-JUL-77 | AR | | | |
| L | | MIL-F-48616/101 | COATING, LOW REFLECTANCE ON GERMANIUM, 8.0 TO 11.5, MICROMETERS, HIGH DURABILITY, SPECIAL REQUIREMENTS FOR [VALIDATION DATE: 8301] | A | 6650 | | AR | 29-JUL-77 | AR | | | |
| L | | MIL-F-48616/102 | COATING, ULTRA LOW REFLECTANCE ON GERMANIUM, 7.5 TO 12.3 MICROMETERS, SPECIAL REQUIREMENTS FOR [VALIDATION DATE: 8301] | A | 6650 | | AR | 29-JUL-77 | AR | | | |
| L | | MIL-F-48616/200 | COATING, HIGH REFLECTANCE, FIRST SURFACE, ORDINARY REQUIREMENTS FOR [VALIDATION DATE: 8301] | A | 6650 | | AR | 29-JUL-77 | AR | | | |
| L | | MIL-F-48616/301 | FILTER, WIDE BANDPASS, 7.7 TO 11.7 MICROMETERS, SPECIAL REQUIREMENTS FOR [VALIDATION DATE: 8301] | A | 6650 | | AR | 29-JUL-77 | AR | | | |
| L | | MIL-F-48616/500 | COATING, LONG WAVELENGTH PASS FILTER, ORDINARY REQUIREMENTS FOR [VALIDATION DATE: 8301] | A | 6650 | | AR | 29-JUL-77 | AR | | | |
| L | | MIL-F-48616/600 | COATING, SHORT WAVELENGTH PASS FILTER, ORDINARY REQUIREMENTS FOR [VALIDATION DATE: 8301] | A | 6650 | | AR | 29-JUL-77 | AR | | | |
| L | | MIL-C-48617A(1) | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M56A4 LOADING, ASSEMBLING & PACKING | A | 1305 | | AR | 28-MAR-86 | AR | | | |
| A | L | MIL-P-48618A(1) | PROJECTILE, 20MM, MEI, M56A5: METAL PARTS | A | 1305 | | AR | 10-NOV-92 | AR | | | |
| L | | MIL-P-48619 | PERISCOPE, TANK, M32CE1 [VALIDATION DATE: 8502] | A | 1240 | | AR | 30-APR-79 | AR | | | |
| L | | MIL-M-48620(2) | HEAD ASSEMBLY: 11747439 (PERISCOPE M32CE1) | A | 1240 | | AR | 17-JUN-91 | AR | | | |
| A | L | MIL-T-48621A(1) | TESTER, NOISE, X-BAND, AH/PSM-44: 11822700 | A | 1290 | | AR | 27-AUG-92 | AH | | | |
| L | | MIL-E-48622A(2) NOTICE 1 | EXTRACTOR FOR 155MM, GUIDED PROJECTILE, M712 AND TRAINING PROJECTILE M823 [VALIDATION DATE: 9011] | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| L | | MIL-C-48623(3) NOTICE 1 | CARTRIDGE, BLANK, CALIBER .50, M1A1 | A | 1305 | | AR | 21-MAR-91 | AR | | | |
| A | L | MIL-F-48625A | FUZE, 25MM, POINT DETONATING, SELF DESTRUCT M758 | A | 1390 | | AR | 11-SEP-92 | AR | | | |
| L | | MIL-R-48628(1) | RACK, STORAGE, SMALL ARMS: M14 | A | 1095 | | AR | 09-SEP-91 | AR | | | |
| L | | MIL-M-48629(1) | MINE, ANTITANK, PRACTICE: M79 ASSEMBLING AND PACKING | A | 1345 | | AR | 03-FEB-87 | AR | | | |
| L | | MIL-E-48630(2) | ELECTRONICS ASSEMBLY, FOR MINES, M718A1/M741A1, SYSTEM | A | 1345 | | AR | 20-FEB-89 | AR | | | |
| L | | MIL-I-48632(1) | INTEGRATED CIRCUIT, DIGITAL, CMOS CONTROL AND TIMING BASE, MONOLITHIC, SILICON | A | 1375 | | AR | 23-JUL-88 | AR | | | |
| L | | MIL-C-48633 | CONTAINER, AMMUNITION, FIBERBOARD | A | 1345 | | AR | 03-FEB-87 | AR | | | |
| L | | MIL-I-48634(2) | INTEGRATED CIRCUIT, DIGITAL, CMOS LOGIC ARRAY MONOLITHIC SILICON | A | 1375 | | AR | 20-FEB-89 | AR | | | |
| L | | MIL-C-48635 | CARTRIDGE, 81MM, PRACTICE M879 LOADING, ASSEMBLING & PACKING | A | 1315 | | AR | 02-JUL-87 | AR | | | |
| L | | MIL-P-48636(1) | PROJECTILE, INERT LOADED, 81MM, FOR CARTRIDGE, PRACTICE M879 | A | 1315 | | AR | 26-APR-91 | AR | | | |
| A | L | MIL-F-48637A | FUZE, POINT DETONATING, PRACTICE, M751 WITH PYROTECHNIC SIGNATURE CARTRIDGE | A | 1390 | | AR | 08-SEP-92 | AR | | | |
| L | | MIL-M-48640(1) | MUZZLE BORESIGHT DEVICE 9364909 (M27 FOR 120MM GUN TUBE) | A | 1240 | | AR | 29-APR-91 | AR | | | |
| L | | MIL-T-48643A(3) | TILE, ARMOR: XM1 AND XM2, PARTS FOR | A | 2350 | | AR | 03-APR-89 | AR | | | |
| | | MIL-M-48645(1) | MINE, ANTI-PERSONNEL, METAL PARTS FOR M131 SYSTEM | A | 1345 | | AR | 22-FEB-88 | AR | | | |
| L | | MIL-M-48646 | MICROCIRCUIT, DIGITAL,SCD/DLA MULTICHIP CMOS | A | 1345 | | AR | 20-OCT-86 | AR | | | |
| L | | MIL-M-48647 | MICROCIRCUIT, DIGITAL,DECODER, LOGIC ARRAY | A | 1345 | | AR | 20-OCT-86 | AR | | | |
| L | | MIL-P-48648(2) | PROJECTILE, 155MM, TEST, NON-HAZARDOUS, M718A1/M741A1 TYPES LOADING, ASSEMBLING AND PACKING OF | A | 1320 | | AR | 27-JUL-91 | AR | | | |
| L | | MIL-P-48649(2) | PROJECTILE, 155MM, M718A1/M741A1 TYPES, LOADING, ASSEMBLING AND PACKING OF | A | 1320 | | AR | 27-JUL-91 | AR | | | |
| L | | MIL-C-48653 | CARTRIDGE, IGNITION, M702A1 PARTS FOR | A | 1310 | | AR | 17-FEB-86 | AR | | | |
| L | | MIL-C-48654 | CARTRIDGE, IGNITION, M702A1 LOADING, ASSEMBLING AND PACKING | A | 1310 | | AR | 17-FEB-86 | AR | | | |
| L | | MIL-P-48655(3) | PISTOL, SEMIAUTOMATIC, 9MM: M9 | A | 1005 | | AR | 12-APR-91 | AR | | | |

| Action | GPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-C-48656A(1) | CARTRIDGES, SHOTSHELL | A | 1305 | | AR | 04-MAR-92 | AR | | | |
| L | | | MIL-M-48658 | MOUNTING KIT, MINE DISPENSER: GROUND SYSTEM FOR M139 DISPENSER (CONTROLLED DISTRIBUTION) | F | 1095 | | AR | 01-DEC-89 | AR | | | |
| L | | | MIL-C-48659(1) | CHARGE ASSEMBLY FOR M207E5 WARHEAD LOADING, ASSEMBLING AND PACKING (CLASSIFIED) | A | 1336 | | AR | 09-SEP-87 | AR | | | |
| L | | | MIL-P-48663(1) | PALLET, METAL, FOR METAL CONTAINER FOR 105MM AND 120MM TANK AMMUNITION | A | 8140 | | AR | 11-JUL-90 | AR | | | |
| L | | | MIL-L-48664A | LOOSE PROJECTILE RESTRAINT SYSTEM (LPRS), 155MM | A | 2590 | | AR | 10-AUG-88 | AR | | | |
| L | | | MIL-C-48665 | CORE; TOROID | A | 1345 | | AR | 28-APR-86 | AR | | | |
| | | | MIL-C-48666(1) | CANISTER, ASSEMBLY, M87 LOADING, ASSEMBLING AND PACKING | A | 1345 | | AR | 21-DEC-87 | | | | |
| L | | | MIL-C-48669(3) | CARTRIDGE, 40MM, M918TP, ESCAPEMENT ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING | A | 1390 | | AR | 18-APR-91 | AR | | | |
| L | | | MIL-C-48670(4) | CHARGE ASSEMBLY FOR M207E5 OR M207E6 WARHEADS INERT PARTS, FOR | A | 1336 | | AR | 29-MAY-92 | AR | | | |
| L | | | MIL-F-48673 | FIRE CONTROL COMPUTER, FIELD TEST SET (FCC-FTS) | A | 1270 | | AR | 12-AUG-86 | AR | | | |
| L | | | MIL-C-48683A(2) | CARTRIDGE, 40MM, M918 TP: PROJECTILE ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING | A | 1310 | | AR | 25-JAN-91 | AR | | | |
| L | | | MIL-C-48684(3) | CARTRIDGE, 40MM, M918 TP LOADING, ASSEMBLING AND PACKING | A | 1310 | | AR | 14-JUN-91 | AR | | | |
| L | | | MIL-S-48685(1) | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 ELECTRICAL PARTS AND ASSEMBLIES FOR | A | 1336 | | AR | 16-FEB-90 | AR | | | |
| L | | | MIL-S-48686(1) | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 MECHANICAL PARTS AND ASSEMBLY FOR | A | 1336 | | AR | 16-FEB-90 | AR | | | |
| L | | | MIL-S-48687(1) | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 LOADING, ASSEMBLING AND PACKING FOR | A | 1336 | | AR | 16-FEB-90 | AR | | | |
| L | | | MIL-D-48688A | DISPENSER, GROUND, ME, M131 MINE SYSTEM LOADING, ASSEMBLING AND PACKING INCLUDING ME MINE ANTIPERSONNEL AND ANTITANK (CONTROLLED DISTRIBUTION) | B | 1345 | | AR | 20-JUL-89 | AR | | | |
| L | | | MIL-A-48690 | ACTUATOR, PISTON, PA532 LOADING, ASSEMBLING, AND PACKING | A | 1345 | | AR | 23-APR-87 | AR | | | |
| A | L | | MIL-C-48697(3) | CARTRIDGE 60MM, TP, M50A3 LOADING, ASSEMBLING AND PACKING | A | 1310 | | AR | 08-DEC-92 | AR | | | |
| L | | | MIL-P-48698(4) | PROBE AND S&A ASSEMBLY, TOW-2/E6 | A | 1336 | | AR | 11-MAY-92 | AR | | | |
| L | | | MIL-F-48700 | FUZE, ELECTRONIC TIME, M587 (LOADING, ASSEMBLING, AND PACKING) (VALIDATION DATE: 8601) | A | 1390 | | AR | 01-OCT-79 | AR | | | |
| L | | | MIL-F-48701B NOTICE 1 | FUZE SETTER, M36 (VALIDATION DATE: 8705) | A | 1390 | | AR | 08-MAY-87 | | | | |
| L | | | MIL-F-48702(3) NOTICE 1 | FUZE, ELECTRONIC TIME: M724 (VALIDATION DATE: 8808) | A | 1390 | | AR | 22-AUG-88 | AR | | | |
| L | | | MIL-F-48704B(1) | FUZE SETTER, M38 | A | 1390 | | AR | 13-APR-83 | AR | | | |
| L | | | MIL-F-48706A(1) | FUZE, PROXIMITY, ARTILLERY, M732 (LOADING, ASSEMBLY, & PACKING) | A | 1390 | | AR | 15-OCT-86 | AR | | | |
| L | | | MIL-T-48707A NOTICE 1 | TRAINER, FIELD ARTILLERY: M735 FUZE NOSE SECTION, TYPE X (VALIDATION DATE: 8909) | A | 1115 | | AR | 01-SEP-89 | AR | | | |
| A | L | | MIL-F-48708B(2) | FUZE, MULTI-OPTION: M734 (LOADING, ASSEMBLING, AND PACKING) | D | 1390 | | AR | 16-DEC-92 | AR | | | |
| L | | | MIL-F-48717 | FUZE, PROXIMITY, ARTILLERY: (LOADING, ASSEMBLING, AND PACKING) (CONTROLLED DISTRIBUTION) | F | 1390 | | AR | 28-FEB-91 | AR | | | |
| L | | | MIL-S-48735A(4) | SAFE AND ARMING DEVICE FOR MINES, M718/M741 SYSTEMS METAL PARTS FOR | A | 1345 | | AR | 07-FEB-86 | AR | | | |
| L | | | MIL-G-48737 NOTICE 1 | GRENADE, HAND, OFFENSIVE, MR3A2 W/FUZE M206A2 WITH SAFETY CLIP LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8803) | A | 1330 | | AR | 30-MAR-88 | AR | | | |
| L | | | MIL-C-48740(3) NOTICE 1 | CANISTER, MINE PRACTICE, M56 SUBSYSTEM (VALIDATION DATE: 8604) | A | 1345 | | AR | 08-APR-86 | AR | | | |
| L | | | MIL-S-48741(5) NOTICE 1 | SHIPPING AND STORAGE CONTAINER, XM612 PARTS AND ASSEMBLING | A | 8140 | | AR | 24-MAR-87 | AR | | | |
| L | | | MIL-C-48742(1) NOTICE 1 | CANISTER, MINE, TRAINING DEVICES FOR M56 TRAINING (VALIDATION DATE: 9109) | A | 1345 | | AR | 05-SEP-91 | AR | | | |
| L | | | MIL-C-48743A NOTICE 1 | CHARGE, EJECTION ASSEMBLY -TRAINING (VALIDATION DATE: 8704) | A | 1345 | | AR | 03-JUL-75 | AR | | | |
| L | | | MIL-F-48746 NOTICE 1 | FUZZ MB11, M816, MB19E1, GM, ET, LANCE, SPARE PARTS FOR PARTS, ASSEMBLING AND PACKING (VALIDATION DATE: 8704) | A | 1336 | | AR | 10-APR-87 | AR | | | |
| L | | | MIL-S-48747B(4) | SAFE AND ARMING DEVICE FOR MINES, M718/M741 SYSTEM | A | 1345 | | AR | 31-JUL-86 | AR | | | |
| A | L | | MIL-P-48749D(3) | PROJECTILE, 155MM, ME: M483A1 LOADING, ASSEMBLING AND PACKING | A | 1320 | | AR | 09-DEC-92 | AR | | | |
| L | | | MIL-M-48752 NOTICE 1 | MINE, ANTI-TANK, PRACTICE, XM76 (VALIDATION DATE: 8704) | A | 1345 | | AR | 24-MAR-75 | AR | | | |
| L | | | MIL-S-48755A(4) | SENSOR, TRIPLINE; EXTENDED RANGE | A | 1345 | | AR | 26-JUN-89 | AR | | | |
| L | | | MIL-S-48756 NOTICE 1 | SHIPPING AND STORAGE CONTAINER, WARHEAD SECTION, M544 SPARE PARTS FOR (VALIDATION DATE: 8703) | A | 8140 | | AR | 24-MAR-87 | AR | | | |
| L | | | MIL-W-48757(5) | WARHEAD SECTION, GM, HE: M251 AND M251A1 SPARE PARTS FOR | A | 1340 | | AR | 16-DEC-88 | AR | | | |
| L | | | MIL-C-48758(3) NOTICE 1 | CARTRIDGE, 90MM, TP-T, M764 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9010) | A | 1315 | | AR | 15-OCT-90 | AR | | | |
| L | | | MIL-P-48759 NOTICE 1 | PROPELLANT M1 FOR USE IN 90MM CARTRIDGES (VALIDATION DATE: 8705) | A | 1375 | | AR | 28-MAY-87 | AR | | | |
| L | | | MIL-P-48760 NOTICE 1 | PRIMER, STAB, M56 PARTS FOR AND LOADING, ASSEMBLING, AND PACKING (VALIDATION DATE: 8705) | A | 1375 | | AR | 06-JUN-75 | AR | | | |
| L | | | MIL-B-48761(4) | BATTERY, SINGLE CELL, PRIMARY RESERVE | A | 1345 | | AR | 29-NOV-85 | AR | | | |
| L | | | MIL-P-48762(1) NOTICE 1 | PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549, INERT, SIMULATED PARTS AND LOADING FOR METAL PARTS AND PROPELLANT ACCEPTANCE TESTING ONLY (VALIDATION DATE: 9011) | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| L | | | MIL-W-48763 NOTICE 1 | WRENCH, FUZING, ANTI-PERSONNEL MINE, M25 (VALIDATION DATE: 8704) | A | 1345 | | AR | 21-MAY-75 | AR | | | |
| L | | | MIL-P-48764A(4) | PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549 AND M549A1, AFT (ANH) PROPELLANT GRAIN FOR | A | 1320 | | AR | 22-SEP-87 | AR | | | |
| L | | | MIL-L-48765(2) NOTICE 1 | LITHIUM HEXAFLUOROARSENATE (FOR USE IN AMMUNITION) (VALIDATION DATE: 8907) REVIEWER: GS | A | 6810 | | AR | 13-JUL-89 | AR | | | |
| L | | | MIL-L-48766(2) NOTICE 1 | LITHIUM TETRAFLUOROBORATE (FOR USE IN AMMUNITION) (VALIDATION DATE: 8907) REVIEWER: GS | A | 6810 | | AR | 13-JUL-89 | AR | | | |
| L | | | MIL-M-48767(3) NOTICE 1 | METHYL FORMATE (FOR USE IN AMMUNITION) (VALIDATION DATE: 8907) REVIEWER: GS | A | 6810 | | AR | 13-JUL-89 | AR | | | |
| L | | | MIL-L-48768(3) NOTICE 1 | LITHIUM RESERVE BATTERY ELECTROLYTE (VALIDATION DATE: 8907) REVIEWER: GS | A | 6810 | | AR | 13-JUL-89 | AR | | | |
| L | | | MIL-G-48771(1) NOTICE 1 | GRAPHITE - SPECIAL PURPOSE (FOR USE IN AMMUNITION) (VALIDATION DATE: 8907) REVIEWER: GS | A | 6810 | | AR | 13-JUL-89 | AR | | | |
| L | | | MIL-L-48772A NOTICE 1 | LITHIUM (FOR USE IN AMMUNITION) (VALIDATION DATE: 8701) REVIEWER: GS | A | 6810 | | AR | 30-JAN-87 | AR | | | |
| L | | | MIL-V-48773(2) NOTICE 1 | VANADIUM PENTOXIDE (FOR USE IN AMMUNITION) (VALIDATION DATE: 9101) REVIEWER: GS | A | 6810 | | AR | 28-JAN-91 | AR | | | |
| L | | | MIL-R-48813 NOTICE 1 | RING, ADAPTER FOR M75 ADAPTION KIT (VALIDATION DATE: 8805) | A | 1195 | | AR | 20-MAY-88 | AR | | | |
| L | | | MIL-C-48814 NOTICE 1 | CARTRIDGE ASSEMBLY, FOR M74 WARHEAD SECTION (VALIDATION DATE: 8704) | A | 1135 | | AR | 06-APR-87 | AR | | | |
| L | | | MIL-T-48825 NOTICE 1 | TRAINING CABLE ASSEMBLY W5-F | A | 1135 | | AR | 08-APR-88 | AR | | | |
| L | | | MIL-W-48846 NOTICE 1 | WARHEAD SECTION METAL COMPONENTS (VALIDATION DATE: 9108) | A | 1115 | | AR | 20-AUG-91 | AR | | | |
| L | | | MIL-P-48850 NOTICE 1 | PIN AND LANYARD ASSEMBLY (VALIDATION DATE: 8805) | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| L | | | MIL-B-48852 NOTICE 1 | BASE ASSEMBLY FOR M56 TRAINING MINE CANISTER (VALIDATION DATE: 8704) | A | 1345 | | AR | 25-MAR-75 | AR | | | |
| L | | | MIL-C-48853B(1) | CIRCUIT, DEMOLITION, FOR DEMOLITION KIT, CRATERING, M180 ASSEMBLING AND PACKING | A | 1375 | | AR | 05-JAN-84 | AR | | | |
| L | | | MIL-W-48855C(4) | WARHEAD BODY ASSEMBLY FOR WARHEAD SECTION, GM, ME, M258 | A | 1336 | | AR | 28-FEB-89 | AR | | | |

| Action | Doc. / Cmbl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-W-48856B(3) | WARHEAD SECTIONS, GUIDED MISSILE, H.E. M258E6 LOADING, ASSEMBLING AND PACKING | A 1336 | AR | 11-MAY-89 AR | | | | |
| L | | MIL-F-48863C(2) | FUZE, GUIDED MISSILE, M934E6 PARTS ASSEMBLY, LOADING AND PACKING FOR ..... | A 1336 | AR | 17-APR-89 AR | | | | |
| L | | MIL-D-48865(1) NOTICE 1 | DETONATOR, ELECTRIC, PA500 PARTS FOR, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8701) | A 1375 | AR | 30-JAN-87 AR | | | | |
| L | | MIL-W-48866A NOTICE 1 | WARHEAD SECTION, GM, PRACTICE LIGHTWEIGHT, M252 AND SHIPPING AND STORAGE CONTAINER, XM612, SPARE PARTS FOR (VALIDATION DATE: 8704) | A 1336 | AR | 10-APR-87 AR | | | | |
| L | | MIL-C-48867B(3) | CHARGE, PROPELLING, M204 LOADING, ASSEMBLING AND PACKING ..... | A 1310 | AR | 21-DEC-87 AR | | | | |
| A L | | MIL-C-48868E(1) | CHARGE, PROPELLING, M204 PARTS AND CONTAINER ASSEMBLY ..... | A 1310 | AR | 25-SEP-92 AR | | | | |
| L | | MIL-M-48869 NOTICE 1 | MINE, DUMMY (VALIDATION DATE: 8806) ..... | A 1320 | AR | 06-JUN-88 AR | | | | |
| L | | MIL-P-48870 NOTICE 1 | PROJECTILE, 155MM, TEST: M692 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8806) | A 1320 | AR | 06-JUN-88 AR | | | | |
| L | | MIL-F-48877(9) | FUZE, ROCKET: M439 PARTS AND ASSEMBLY WITH DETONATOR ..... | A 1340 | AR | 20-FEB-91 AR | | | | |
| L | | MIL-H-48878(4) | RDX/ESTANE (PBX 0280) MOLDING POWDER (FOR USE IN AMMUNITION) ..... | A 1376 | AR | 22-JUN-90 AR | | | | |
| A L | | MIL-F-48880(4) | FUZE, MT, SQ, M582 LOADING, ASSEMBLING AND PACKING ..... | A 1390 | AR | 30-JUN-92 AR | | | | |
| A L | | MIL-C-48881B(3) | CHARGE, PROPELLING, M205 LOADING, ASSEMBLING AND PACKING ..... | A 1315 | AR | 25-SEP-92 AR | | | | |
| A L | | MIL-C-48882D(1) | CHARGE, PROPELLING, 81MM PARTS AND CONTAINER ASSEMBLY ..... | A 1315 | AR | 25-SEP-92 AR | | | | |
| L | | MIL-M-48883 | MINE DISPERSING SUBSYSTEM AIRCRAFT, PRACTICE, M132 (VALIDATION DATE: 8805) | A 1345 | AR | 20-MAY-88 AR | | | | |
| L | | MIL-C-48884 NOTICE 1 | CASE, CARTRIDGE, M205E1, 152MM, PARTS FOR (VALIDATION DATE: 8806) ..... | A 1320 | AR | 20-JUN-88 AR | | | | |
| L | | MIL-M-48885(1) NOTICE 1 | MINE DISPERSING SUBSYSTEM AIRCRAFT, TRAINING M133 (VALIDATION DATE: 8805) . | A 1345 | AR | 20-MAY-88 AR | | | | |
| L | | MIL-C-48887 NOTICE 1 | CHARGE, PROPELLING, PA500, FOR MINE M16 (VALIDATION DATE: 8805) ..... | A 1345 | AR | 20-MAY-88 AR | | | | |
| L | | MIL-D-48888 NOTICE 1 | DETONATOR, FLASH, PA504 FOR MINE, ANTIPERSONNEL, M16A2 (VALIDATION DATE: 8805) | A 1345 | AR | 20-MAY-88 AR | | | | |
| L | | MIL-D-48889 NOTICE 1 | DELAY ELEMENT, PA 500, FOR MINE M16 (VALIDATION DATE: 8805) ..... | A 1345 | AR | 20-MAY-88 AR | | | | |
| L | | MIL-C-48890B(1) | CONTROL PANEL ASSEMBLY FOR M130 DISPENSER SYSTEM ..... | A 1345 | AR | 29-MAR-91 AR | | | | |
| L | | MIL-R-49016A(1) | RECORDER, CODE MATRIX BLOCK LA-434() REVIEWER: GS ..... | A 6720 | CR | 16-FEB-82 CR | | | | |
| | | MIL-R-49023 | RADIO SET AN/GRC-103 (V) 1 ..... | A 5820 | CR | 21-JAN-74 CR | | | | 99 |
| | | MIL-R-49024 | RADIO SET AN/GRC-103 (V) 2 ..... | A 5820 | CR | 21-JAN-74 CR | | | | 99 |
| L | | MIL-B-49030(3) SUPPL 1A1 | BATTERY, DRY (ALKALINE) ..... | A 6135 | ER | 07-FEB-84 ER | | | | |
| L | | MIL-B-49030/1A | BATTERY, NON-RECHARGEABLE, BA-3030/U ..... | A 6135 | ER | 07-AUG-90 ER | | | | |
| A L | | MIL-B-49030/2 NOTICE 2 | BATTERY, DRY, BA-3036/U ..... | A 6135 | ER | 01-FEB-93 ER | | | | |
| L | | MIL-B-49030/3A | BATTERY, NON-RECHARGEABLE, BA-3042/U ..... | A 6135 | ER | 07-AUG-90 ER | | | | |
| A L | | MIL-B-49030/5 NOTICE 2 | BATTERY, DRY, BA-3051/U ..... | A 6135 | ER | 01-FEB-93 ER | | | | |
| L | | MIL-B-49030/6A | BATTERY, NON-RECHARGEABLE, BA-3058/U ..... | A 6135 | ER | 07-AUG-90 ER | | | | |
| L | | MIL-B-49030/9 NOTICE 1 | BATTERY, DRY, BA-3955/TA (VALIDATION DATE: 8809) ..... | A 6135 | ER | 06-SEP-88 ER | | | | |
| L | | MIL-B-49030/10 | BATTERY, NON-RECHARGEABLE, BA-3590/U ..... | A 6135 | ER | 09-MAY-88 ER | | | | |
| | | MIL-B-49030/11 | BATTERY, NON RECHARGEABLE, BA 3090/U ..... | A 6135 | ER | 09-MAY-88 | | | | |
| L | | MIL-D-49031A | DARKROOM, PHOTOGRAPHIC, TRANSPORTABLE ES-82( ) ..... | A 6780 | CR | 21-NOV-84 CR | | | | |
| L | | MIL-G-49032A | GENERATOR, INTERFERENCE SG-886( )-T/UR (VALIDATION DATE: 8405) ..... | A 6940 | CR | 16-APR-79 CR | | | | |
| L | | MIL-S-49036 NOTICE 1 | SUPPRESSOR, ELECTRICAL TRANSIENT (VALIDATION DATE: 8703) ..... | A 5915 | ER | 18-MAR-87 ER | | | | |
| LI | | MIL-S-49038 NOTICE 2 | SHELTER, ELECTRICAL EQUIPMENT S-541( )/TTC-38(V) ..... | A 5410 | CR | 10-OCT-90 CR | | | | |
| N | | MIL-I-49040E | IMAGE INTENSIFIER ASSEMBLY 25 MILLIMETER, MICROCHANNEL INVERTER MX-9644/UV | A 5855 | CR | 28-MAY-92 CR | EC | | | |
| L | | MIL-B-49041(1) | BATTERY, DRY BA-1579/U (VALIDATION DATE: 8301) REVIEWER: AR ..... | A 6135 | ER | 26-APR-77 ER | | | | |
| LI | | MIL-I-49043 | IMAGE INTENSIFIER ASSEMBLY 18 MILLIMETER WITH AUTOMATIC BRIGHTNESS CONTROL | A 5855 | CR | 05-OCT-90 CR | | | | |
| Q | | MIL-I-49052F | IMAGE INTENSIFIER ASSEMBLY 18 MM MICROCHANNEL WAFER MX-9916/UV ..... | A 5855 | CR | 21-MAY-92 CR | AS | | | |
| L | | MIL-T-49053 NOTICE 1 | TEST SET, RELAY TS-1775( )/U (VALIDATION DATE: 8606) ..... | A 6625 | CR | 06-JUN-86 CR | | | | |
| Q | | MIL-C-49055B(2) SUPPL 1A1 | CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR USER: AT ME SH REVIEWER: 99 AR AV EC ES IS MI OS | A 6145 | CR | 16-FEB-90 CR | AS | 85 | | |
| | | MIL-C-49055/1C | CABLES, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), (WIRE SIZE 26, 7/34 OR 28, 7/36 STRANDING) USER: AT MC ME REVIEWER: 11 17 99 AR AV EC ES IS MI OS SH | A 6145 | CR | 16-FEB-90 CR | AS | 85 | | |
| | | MIL-C-49055/11B | CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 150 DEG. C USER: AT MC ME REVIEWER: 11 17 99 AR AV EC ES IS MI OS SH | A 6145 | CR | 16-FEB-90 CR | AS | 85 | | |
| | | MIL-C-49055/12B | CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 200 DEG. C USER: AT MC ME REVIEWER: 11 17 99 AR AV EC ES IS MI OS SH | A 6145 | CR | 16-FEB-90 CR | AS | 85 | | |
| | | MIL-C-49055/13B | CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 260 DEG. C USER: AT MC ME REVIEWER: 11 17 99 AR AV EC ES IS MI OS SH | A 6145 | CR | 16-FEB-90 CR | AS | 85 | | |
| A | | MIL-C-49055/14A | CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 105 DEG. C, MULTIPLE TWISTED PAIRS USER: AT MC ME REVIEWER: 17 99 AR AV EC ES IS MI OS SH | A 6145 | CR | 11-FEB-93 CR | AS | 85 | | |
| A | | MIL-C-49055/15A | CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 150 DEG. C, MULTIPLE TWISTED PAIRS USER: AT MC ME REVIEWER: 17 99 AR AV EC ES IS MI OS SH | A 6145 | CR | 11-FEB-93 CR | AS | 85 | | |
| A | | MIL-C-49055/16A | CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 200 DEG. C, MULTIPLE TWISTED PAIRS USER: AT MC ME REVIEWER: 17 99 AR AV EC ES IS MI OS SH | A 6145 | CR | 11-FEB-93 CR | AS | 85 | | |
| A | | MIL-C-49055/17A | CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 260 DEG. C, MULTIPLE TWISTED PAIRS USER: AT MC ME REVIEWER: 17 99 AR AV EC ES IS MI OS SH | A 6145 | CR | 11-FEB-93 CR | AS | 85 | | |
| LI | | MIL-T-49056A | TEST SET, TRANSPONDER SET AN/APM-305A ..... | A 6625 | CR | 26-OCT-89 CR | | | | |
| L | | MIL-T-49057A | TEST SET, IFF INTERROGATOR AN/OTPH-25A ..... | A 6625 | CR | 03-NOV-83 CR | | | | |
| | | MIL-C-49059A(1) SUPPL 1A1, NOTICE 1 | CABLE, ELECTRICAL (FLEXIBLE, FLAT, UNSHIELDED), (FLAT CONDUCTOR) GENERAL SPECIFICATION FOR (VALIDATION DATE: 8808) USER: AT ME SH REVIEWER: 11 17 AR AV EC ES IS MI OS | A 6145 | CR | 31-AUG-88 CR | AS | 85 | | |
| | | MIL-C-49059/1A NOTICE 1 | CABLE, ELECTRICAL (FLEXIBLE, FLAT, UNSHIELDED) (FLAT CONDUCTOR-UNPLATED) 300 VOLTS, 105 DEGREE C (VALIDATION DATE: 8808) USER: AT ME SH REVIEWER: 11 17 AR AV EC ES IS MI OS | A 6145 | CR | 31-AUG-88 CR | AS | 85 | | |
| I | | MIL-C-49059/2C NOTICE 1 | CABLE, ELECTRICAL (FLEXIBLE, FLAT, UNSHIELDED) (FLAT CONDUCTOR) 300 VOLTS, 150 DEG. C REVIEWER: 11 | A 6145 | CR | 30-AUG-91 CR | AS | 85 | | |
| N | | MIL-M-49063D | NIGHT VISION SIGHT, INDIVIDUAL SERVED WEAPON AN/PVS-4 USER: AR ..... | A 5855 | CR | 21-MAY-92 CR | | | | 99 |
| Q | | MIL-M-49064D | NIGHT VISION SIGHT, CREW SERVED WEAPON AN/TVS-5 ..... | A 5855 | CR | 21-MAY-92 CR | | | | 99 |
| | | MIL-M-49065E NOTICE 1 | NIGHT VISION GOGGLES AN/PVS-5A (VALIDATION DATE: 8604) REVIEWER: 99 AS AT . | A 5855 | CR | 28-APR-86 CR | | | | 11 |
| L | | MIL-T-49066A NOTICE 1 | TEST SET, TSEC/ST-23( ) (VALIDATION DATE: 9101) ..... | A 5810 | CR | 29-JAN-91 CR | | | | |
| L | | MIL-A-49067A | AIR TRAFFIC CONTROL CENTRAL AN/TSW-7A REVIEWER: AV ..... | A 5895 | CR | 30-MAR-84 CR | | | | |
| L | | MIL-C-49073(1) NOTICE 1 | CONVERTER, TELEPHONE SIGNAL CV-1919( )/G (VALIDATION DATE: 8603) ..... | A 5805 | CR | 03-MAR-86 CR | | | | |

| Action | Ch / Ch Conversion | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LI | | | MIL-V-49074<br>NOTICE 1 | VIEWER, INFRARED AN/PAS-7 USER: AR | A | 5855 | | CR | 05-OCT-90 | CR | | | |
| L | | | MIL-I-49075 | INSTALLATION AND ACCEPTANCE TESTING OF RECEIVING SET, RADIO AN/ARN 123(V)( ) [VALIDATION DATE: 8501] | A | 5826 | | AV | 14-OCT-77 | AV | | | |
| L | | | MIL-I-49076 | INSTALLATION AND ACCEPTANCE TESTING OF RECEIVER, RADIO R-1963/ARN [VALIDATION DATE: 8501] | A | 5826 | | AV | 15-MAR-78 | AV | | | |
| L | | | MIL-I-49077A<br>NOTICE 1 | INSTALLATION AND ACCEPTANCE TESTING OF ALTIMETER SET, ELECTRONIC AN/APN-209(V) IN ARMY AIRCRAFT [VALIDATION DATE: 8804] | A | 5841 | | AV | 22-APR-88 | AV | | | |
| L | | | MIL-M-49078(2) | HANDSET H-250( )/U | A | 5965 | | CR | 22-JUN-84 | CR | | | |
| L | | | MIL-A-49079A | ALTIMETER SET, ELECTRONIC AN/APN-209(V) (UNITS OF) REVIEWER: AV ER | A | 5841 | | CR | 09-JUN-86 | CR | | | |
| L | | | MIL-P-49080A | POWER SUPPLY PP-6224( )/U | A | 6130 | | ER | 24-NOV-80 | ER | | | |
| L | | | MIL-T-49081<br>NOTICE 1 | TELEPHONE CIRCUIT, LINE RELAY TA-452( )24/GTA-14 [VALIDATION DATE: 8603] | A | 5805 | | CR | 03-MAR-86 | CR | | | |
| L | | | MIL-V-49082D | VIEWER, DRIVER'S, NIGHT VISION, AN/VVS-2(V) | A | 5855 | | CR | 22-MAY-92 | CR | | | |
| LI | | | MIL-E-49084<br>NOTICE 1 | EYEPIECE ASSEMBLY FOR AN/PAS-7 | A | 5855 | | CR | 05-OCT-90 | CR | | | |
| L | | | MIL-C-49085<br>NOTICE 1 | CHARGER, BATTERY PP-7311 /PAS-7 [VALIDATION DATE: 8703] USER: AR | A | 6130 | | CR | 26-MAR-87 | CR | | | |
| LI | | | MIL-O-49086<br>NOTICE 1 | OBJECTIVE LENS ASSEMBLY FOR AN/PAS-7 REVIEWER: AR | A | 5855 | | CR | 05-OCT-90 | CR | | | |
| LI | | | MIL-S-49087<br>NOTICE 1 | SCANNER ASSEMBLY FOR AN/PAS-7 USER: AR | A | 5855 | | CR | 05-OCT-90 | CR | | | |
| LI | | | MIL-D-49088<br>NOTICE 1 | DETECTOR/COOLER ASSEMBLY FOR AN/PAS-7 USER: AR | A | 5855 | | CR | 05-OCT-90 | CR | | | |
| L | | | MIL-M-49089 | MAST AB-864( )/G AND MAST EXTENSION KIT MK-1624( )/G [VALIDATION DATE: 8110] | A | 5985 | | ER | 19-MAY-76 | ER | | | |
| ML | | | MIL-P-49090D | POWER SUPPLY 25 MILLIMETER, MICROCHANNEL INVERTER USER: AR | A | 5855 | | CR | 26-MAY-92 | CR | | | |
| L | | | MIL-H-49092<br>NOTICE 1 | HEADSET MICROPHONE H-325( )/TTC [VALIDATION DATE: 8703] | A | 5965 | | CR | 12-MAR-87 | CR | | | |
| LI | | | MIL-N-49094<br>NOTICE 1 | NAVIGATION SET, POSITION FIXING, LORAN AN/PSN-6( ) AND (UNITS OF) | A | 5825 | | CR | 25-OCT-89 | CR | | | |
| LI | | | MIL-A-49095A<br>NOTICE 1 | AMPLIFIER, AUDIO FREQUENCY AM-6747( )/V | A | 5830 | | CR | 02-OCT-89 | CR | | | |
| A L | | | MIL-N-49098A(1) | NAVIGATIONAL SET, DOPPLER AN/ASN-128( ) (XE-2) | A | 5841 | | CR | 29-DEC-92 | CR | | | |
| LI | | | MIL-R-49100(1)<br>NOTICE 1 | RADIO SET AN/GRC-103(V)4 | A | 5820 | | CR | 05-OCT-90 | CR | | | |
| L | | | MIL-B-49101A(1)<br>NOTICE 1 | BUFFER, DATA TD-1065( )/G [VALIDATION DATE: 8802] | A | 5805 | | CR | 02-FEB-88 | CR | | | |
| L | | | MIL-M-49103<br>NOTICE 1 | MULTIPLEXER, ASYNCHRONOUS DIGITAL COMBINER TD-976( )/G, RESTORER, PULSE FORM TD-982( )/G AND ANCILLARY ITEMS [VALIDATION DATE: 8805] | A | 5805 | | CR | 03-MAY-88 | CR | | | |
| L | | | MIL-C-49104<br>NOTICE 1 | CABLE, TELEPHONE WD-1A/TT (FIELD WIRE, PARALLEL PAIR) [VALIDATION DATE: 9010] | A | 6145 | | CR | 23-OCT-90 | CR | | | |
| L | | | MIL-I-49105 | INSTALLATION AND ACCEPTANCE TEESTING OF NETWORK, ANTENNA COMPENSATION, CN-1404/ARN-89, IN ARMY AIRCRAFT [VALIDATION DATE: 8501] | A | 5826 | | AV | 22-NOV-76 | AV | | | |
| L | | | MIL-C-49109 | COUNTER, ELECTRONIC, DIGITAL READOUT, TS-3662( )(V)1/U [VALIDATION DATE: 8307] | A | 6625 | | CR | 31-DEC-76 | CR | | | |
| L | | | MIL-T-49110(1) | TELEPHONE SET TA-838()/TT | A | 5805 | | CR | 26-JAN-90 | CR | | | |
| L | | | MIL-P-49115A(2) | PLATOON EARLY WARNING SYSTEM AN/TRS-2( ) | A | 5895 | | CR | 26-FEB-88 | CR | | | |
| L | | | MIL-N-49116 | NETWORK, ANTENNA COMPENSATION CN-1404/ARN-89 [VALIDATION DATE: 8501] | A | 5826 | | AV | 08-FEB-77 | AV | | | |
| L | | | MIL-T-49117 | TEST SET, RECEIVER TS-3565( )/TRS-2 [VALIDATION DATE: 8307] | A | 6625 | | CR | 28-JAN-77 | CR | | | |
| L | | | MIL-R-49118A | RADIO SET AN/PRC-70( ) AND (UNITS OF) | A | 5820 | | CR | 03-JAN-91 | CR | | | |
| LI | | | MIL-R-49122<br>NOTICE 1 | RECORDER, SIGNAL DATA RO-481( )/TMS-10 | A | 1290 | | CR | 27-JUL-89 | CR | | | |
| L | | | MIL-M-49123 | MICROPHONE M-161( )/TMS-10 | A | 5965 | | CR | 01-AUG-77 | CR | | | |
| L | | | MIL-T-49124 | TEST SET, LASER RANGEFINDER, TS-3620( )/GVS-5 [VALIDATION DATE: 8307] | A | 6625 | | CR | 23-MAY-77 | CR | | | |
| LI | | | MIL-M-49125<br>NOTICE 1 | MOUNTING GROUP, AZIMUTH-ELEVATION, OA-8933()/GVS-5 | A | 5860 | | CR | 05-OCT-90 | CR | | | |
| L | | | MIL-R-49126A<br>NOTICE 1 | RADAR SET AN/PPS-15() [VALIDATION DATE: 8802] | A | 5840 | | CR | 16-FEB-88 | CR | | | |
| L | | | MIL-T-49129(1)<br>NOTICE 1 | TRANSCEIVER, INTEGRATED TACTICAL VOICE SECURITY EQUIPMENT, TSEC/KY-67, BANCROFT, AND ANCILLARY EQUIPMENT [VALIDATION DATE: 9101] | A | 5810 | | CR | 29-JAN-91 | CR | | | |
| L | | | MIL-T-0049129A | TRANSCEIVER, INTEGRATED TACTICAL VOICE SECURITY EQUIPMENT, TSEC/KY-67, BANCROFT, AND ANCILLARY EQUIPMENT [VALIDATION DATE: 9101] | A | 5810 | | CR | 29-JAN-91 | CR | | | |
| A L | | | MIL-T-49136A | TEST SET, COUNTERMEASURES SET AN/ALM-178() | F | 6625 | | CR | 21-JUL-92 | CR | | | |
| Q | | | MIL-C-49137A(2)<br>SUPPL 1A1, NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, MOLDED, CONFORMAL COATED, AND METAL CASE WITH PLASTIC END-FILL, NONHERMETICALLY SEALED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9006] USER: 19 CG MC OS REVIEWER: 17 85 99 ES SH | A | 5910 | | ER | 15-JUN-90 | ER | EC | 11 | |
| | | | MIL-C-49137/1A(1) | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, NONHERMETICALLY SEALED, STYLE CX01 USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH | A | 5910 | | ER | 09-OCT-87 | ER | EC | 11 | |
| | | | MIL-C-49137/2A<br>NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, CONFORMAL COATED, NONHERMETICALLY SEALED, STYLES CX02 AND CX12 [VALIDATION DATE: 9110] USER: 19 AS CG MC REVIEWER: 17 99 ES MI SH | A | 5910 | | ER | 23-OCT-91 | ER | EC | 85 | |
| I | | | MIL-C-49137/3B | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE) TANTALUM, POLAR, INSULATED, METAL CASE, WITH PLASTIC END-FILL NONHERMETICALLY SEALED, STYLE-CX03 USER: 19 AS CG MC OS REVIEWER: 99 ES SH | A | 5910 | | ER | 01-APR-92 | ER | EC | 85 | |
| | | | MIL-C-49137/4B<br>NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, DUAL-IN-LINE PACKAGE, STYLE CX04 [VALIDATION DATE: 9110] USER: 19 AS CG MC REVIEWER: 17 99 ES SH | A | 5910 | | ER | 23-OCT-91 | ER | EC | 85 | |
| | | | MIL-C-49137/5(1)<br>NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, NONHERMETICALLY SEALED, STYLE CX05 [VALIDATION DATE: 9110] USER: 19 AS CG MC REVIEWER: 17 99 ES SH | A | 5910 | | ER | 23-OCT-91 | ER | EC | 85 | |
| L | | | MIL-C-49137/6B | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, NONHERMETICALLY SEALED STYLES CX06 AND CX16 REVIEWER: ES | A | 5910 | | ER | 27-JUL-88 | ER | | | |
| L | | | MIL-C-49137/7A | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, NON-POLAR, NONHERMETICALLY SEALED STYLES CX07 AND CX17 | A | 5910 | | ER | 23-APR-92 | ER | | | |
| L | | | MIL-P-49139(2) | POWER SUPPLY PP-6148( )/U | A | 6130 | | ER | 13-JUL-87 | ER | | | |
| L | | | MIL-G-49140 | GENERATOR, DIRECT CURRENT G-67( )/G [VALIDATION DATE: 8502] | A | 6115 | | ER | 19-OCT-77 | ER | | | |
| Q | | | MIL-C-49142(2)<br>SUPPL 1A1 | CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR USER: 19 AS AT MC REVIEWER: 17 99 AR ES MI OS SH | A | 5935 | | CR | 13-SEP-89 | CR | EC | 85 | |
| M | | | MIL-C-49142/3D(1) | CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB, PIN CONTACT, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | | CR | 20-APR-93 | CR | EC | 85 | |
| | | | MIL-C-49142/4E | CONNECTORS, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRB, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2) HERMETIC AND NONHERMETIC USER: 19 AS AT MC REVIEWER: 11 17 99 AR ES MI OS SH | A | 5935 | | CR | 12-JAN-90 | CR | EC | 85 | |
| M | | | MIL-C-49142/5D(1) | CONNECTOR, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | | CR | 20-APR-93 | CR | EC | 85 | |
| M | | | MIL-C-49142/6C(1) | CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), SOCKET CONTACT, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | | CR | 20-APR-93 | CR | EC | 85 | |

| Action | OPR / QMR Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M | | MIL-C-49142/7B(1) | CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRB (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | | 20-APR-93 | CR | EC | 85 | |
| M | | MIL-C-49142/8B(1) | CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED) PLUG, PIN CONTACT, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | | 20-APR-93 | CR | EC | 85 | |
| M | | MIL-C-49142/9B(1) | CONNECTORS, TRIAXIAL, RADIO FREQUENCY (SERIES TRT (CABLED) RECEPTACLE, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | | 20-APR-93 | CR | EC | 85 | |
| | | MIL-C-49142/10B | CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (UNCABLED) RECEPTACLE, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR ES MI OS SH | A | 5935 | CR | | 12-JAN-90 | CR | EC | 85 | |
| M | | MIL-C-49142/11B(1) | CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED) RECEPTACLE, SOCKET CONTACT, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | | 20-APR-93 | CR | EC | 85 | |
| M | | MIL-C-49142/12B(1) | CONNECTORS, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRI (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH | A | 5935 | CR | | 20-APR-93 | CR | EC | 85 | |
| L | | MIL-M-49143 NOTICE 1 | MULTIPLEXER, TIME DIVISION DIGITAL TD-1069( )/G (VALIDATION DATE: 8805) ... | A | 5805 | CR | | 03-MAY-88 | CR | | | |
| L | | MIL-C-49144(3) | CHARGER, BATTERY, PP 7286/U ..... | A | 6130 | CR | | 15-JAN-88 | CR | | | |
| N | | MIL-P-49146B | POWER SUPPLY, 18 MILLIMETER, MICROCHANNEL WAFER ..... | A | 5855 | CR | | 28-MAY-92 | CR | EC | 99 | |
| ML | | MIL-L-49147C | LENS ASSEMBLY, EYEPIECE VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) ..... | A | 5855 | CR | | 27-MAY-92 | CR | | | |
| ML | | MIL-L-49148C | LENS ASSEMBLY, OBJECTIVE VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) ..... | A | 5855 | CR | | 26-MAY-92 | CR | | | |
| ML | | MIL-E-49149C | ELECTRONIC CONTROL ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) .... | A | 5855 | CR | | 27-MAY-92 | CR | | | |
| ML | | MIL-E-49150C | ENTRANCE HOUSING ASSEMBLY VIEWER, DRIVER'S, NIGHT VISION, AN/VVS-2(V) ..... | A | 5855 | CR | | 26-MAY-92 | CR | | | |
| ML | | MIL-P-49151C | POWER ADAPTER ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) ..... | A | 5855 | CR | | 26-MAY-92 | CR | | | |
| L | | MIL-G-49155 | GENERATOR, SIGNAL (VALIDATION DATE: 8307) USER: SC REVIEWER: MD ..... | A | 6625 | CR | | 24-MAR-78 | CR | | | |
| | | MIL-L-49156A(1) NOTICE 1 | LENS ASSEMBLY, EYEPIECE, FOR NIGHT VISION GOGGLES, AN/PVS-5A (VALIDATION DATE: 8604) REVIEWER: 99 AS AT | A | 5855 | CR | | 28-APR-86 | CR | | 11 | |
| | | MIL-L-49157A(1) NOTICE 1 | LENS ASSEMBLY, OBJECTIVE FOR NIGHT VISION GOGGLES, AN/PVS-5A (VALIDATION DATE: 8604) | A | 5855 | CR | | 28-APR-86 | CR | | 11 | |
| L | | MIL-M-49158 NOTICE 1 | MEASURING SET, RADIO INTERFERENCE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9101) USER: AT SC REVIEWER: AR AV MD | A | 6625 | CR | | 31-JAN-91 | CR | | | |
| L | | MIL-M-49158/3 | MEASURING SET, RADIO INTERFERENCE AN/URM-199 (VALIDATION DATE: 8307) USER: AT SC REVIEWER: AR AV MD | A | 6625 | CR | | 01-MAY-78 | CR | | | |
| L | | MIL-S-49160A | SHELTER, ELECTRICAL EQUIPMENT S-561( )/TCC-41(V) ..... | A | 5805 | CR | | 07-AUG-87 | CR | | | |
| L | | MIL-H-49161 | HEADSET-MICROPHONE KIT MX-1697( )/G (VALIDATION DATE: 8307) ..... | A | 5965 | CR | | 26-JUN-78 | CR | | | |
| L | | MIL-P-49163A NOTICE 1 | PREAMPLIFIER, VIDEO AM-6923/UA REVIEWER: 11 ..... | A | 5855 | CR | | 03-MAR-87 | CR | | | |
| L | | MIL-P-49164B | POSTAMPLIFIER CONTROL DRIVER, VIDEO AM-6924/UA ..... | A | 5855 | CR | | 18-NOV-85 | CR | | | |
| L | | MIL-S-49166A NOTICE 1 | SCANNER, MECHANICAL MX-9872(V)/UA (VALIDATION DATE: 8705) ..... | A | 5855 | CR | | 28-MAY-87 | CR | | | |
| L | | MIL-S-49166/1 NOTICE 1 | SCANNER, MECHANICAL MX-9872(V)1/UA (VALIDATION DATE: 8911) ..... | A | 5855 | CR | | 03-NOV-89 | CR | | | |
| L | | MIL-S-49166/2 NOTICE 1 | SCANNER, MECHANICAL MX-9872(V)2/UA (VALIDATION DATE: 8911) ..... | A | 5855 | CR | | 03-NOV-89 | CR | | | |
| L | | MIL-S-49166/3 NOTICE 1 | SCANNER, MECHANICAL MX-9872(V)3/UA (VALIDATION DATE: 8911) ..... | A | 5855 | CR | | 03-NOV-89 | CR | | | |
| L | | MIL-S-49166/4 NOTICE 1 | SCANNER, MECHANICAL MX-9872(V)4/UA (VALIDATION DATE: 8911) ..... | A | 5855 | CR | | 03-NOV-89 | CR | | | |
| L | | MIL-S-49166/5 NOTICE 1 | SCANNER, MECHANICAL MX-9872(V)5/UA (VALIDATION DATE: 8911) ..... | A | 5855 | CR | | 03-NOV-89 | CR | | | |
| L | | MIL-S-49166/6(1) | SCANNER, MECHANICAL MX-9872(V)6/UA ..... | A | 5855 | CR | | 29-MAR-84 | CR | | | |
| L | | MIL-S-49166/7 | SCANNER, MECHANICAL, MX-9872(V)7/UA ..... | A | 5855 | CR | | 18-JUL-88 | CR | | | |
| L | | MIL-A-49167A NOTICE 1 | AUXILIARY CONTROL, VIDEO PL-1402/UA ..... | A | 5855 | CR | | 03-MAR-87 | CR | | | |
| L | | MIL-S-49168B | SCAN-INTERLACE PL-1403/UA, PL-1403A/UA ..... | A | 5855 | CR | | 02-NOV-87 | CR | | | |
| L | | MIL-L-49169A(1) NOTICE 1 | LIGHT EMITTING DIODE ARRAY ..... | A | 5855 | CR | | 03-MAR-87 | CR | | | |
| L | | MIL-I-49170A NOTICE 1 | IMAGER, OPTICAL SU-97/UA (VALIDATION DATE: 8705) ..... | A | 5855 | CR | | 28-MAY-87 | CR | | | |
| L | | MIL-C-49171A NOTICE 1 | COLLIMATOR, VISUAL SU-98/UA (VALIDATION DATE: 8705) ..... | A | 5855 | CR | | 28-MAY-87 | CR | | | |
| L | | MIL-D-49172A | DETECTOR DEWAR DT-594/UA ..... | A | 5855 | CR | | 06-MAR-86 | CR | | | |
| L | | MIL-I-49173A | IMAGER, OPTICAL SU-103/UA (VALIDATION DATE: 8705) ..... | A | 5855 | CR | | 28-MAY-87 | CR | | | |
| L | | MIL-C-49174A NOTICE 1 | COLLIMATOR, VISUAL SU-102/UA (VALIDATION DATE: 8705) ..... | A | 5855 | CR | | 11-JUN-82 | CR | | | |
| L | | MIL-C-49175B(1) | COOLER, CRYOGENIC, MECHANICAL MD-1033B/UA AND MD-1033C/UA ..... | A | 5855 | CR | | 20-FEB-92 | CR | | | |
| L | | MIL-R-49176A NOTICE 1 | REGULATOR, VOLTAGE, BIAS CM-1503/UA ..... | A | 5855 | CR | | 03-MAR-87 | CR | | | |
| L | | MIL-S-49177A | SCAN INTERLACE PL-1408/UA (VALIDATION DATE: 8705) ..... | A | 5855 | CR | | 08-APR-82 | CR | | | |
| L | | MIL-I-49178 | INTERCONNECTING BOX J-3176( )/ULR-17(V) (VALIDATION DATE: 8310) ..... | A | 5820 | CR | | 19-JUL-78 | CR | | | |
| LI | | MIL-S-49181(1) NOTICE 1 | SHELTER, ELECTRICAL EQUIPMENT S-583()/TRC-151(V) ..... | A | 5410 | CR | | 10-OCT-90 | CR | | | |
| LI | | MIL-S-49182(1) NOTICE 1 | SHELTER, ELECTRICAL EQUIPMENT S-584 ()/TRC-152(V) ..... | A | 5410 | CR | | 10-OCT-90 | CR | | | |
| LI | | MIL-F-49183 NOTICE 1 | FILTER, DIRECT CURRENT, POWER F-1461()/VRC ..... | A | 5915 | CR | | 05-OCT-90 | CR | | | |
| L | | MIL-R-49185A | RADIO SET AN/GRC-103(V)3 ..... | A | 5820 | CR | | 03-AUG-90 | CR | | | |
| L | | MIL-A-49186 NOTICE 1 | ADAPTER, TONE-SIGNALLING TA-977( )/PT (VALIDATION DATE: 8803) ..... | A | 5805 | CR | | 31-MAR-88 | CR | | | |
| LI | | MIL-C-49187 NOTICE 1 | COMMUNICATIONS CENTRAL AN/TSC-99 ..... | A | 5820 | CR | | 05-OCT-90 | CR | | | |
| L | | MIL-C-49191A NOTICE 1 | CONTROL, INTERCOMMUNICATION SET C-10456()/VRC (VALIDATION DATE: 8802) ..... | A | 5820 | CR | | 16-FEB-88 | CR | | | |
| L | | MIL-G-49192 NOTICE 1 | GENERATOR, SIGNAL, VHF SG 1170/U (VALIDATION DATE: 8606) ..... | A | 6625 | CR | | 06-JUN-86 | CR | | | |
| L | | MIL-G-49193 NOTICE 1 | GENERATOR, SIGNAL SG-1171/U (VALIDATION DATE: 8606) USER: AL REVIEWER: MD . | A | 6625 | CR | | 06-JUN-86 | CR | | | |
| L | | MIL-B-49194 | BRIDGE, IMPEDANCE ZM-78/U (VALIDATION DATE: 8307) USER: AL REVIEWER: MD ... | A | 6625 | CR | | 26-MAR-79 | CR | | | |
| L | | MIL-H-49195 | HEADSET MICROPHONE KIT MX-1974( )/VRC ..... | A | 5965 | CR | | 04-MAY-79 | CR | | | |
| L | | MIL-S-49196 NOTICE 1 | STROBOSCOPE, TEST SET TS-805( )/U (VALIDATION DATE: 8606) USER: AL REVIEWER: MD | A | 6625 | CR | | 06-JUN-86 | CR | | | |
| L | | MIL-C-49197 NOTICE 1 | COUNTER, ELECTRONIC, DIGITAL READOUT 18 GIGAHERTZ (GHZ) CONTINUOU S WAVE (CW) TD-1225 ( ) U (INACTIVE FOR NEW DESIGN) | A | 6625 | CR | | 17-FEB-81 | CR | | | |
| I | | MIL-H-49198A NOTICE 1 | HEADSET-MICROPHONE KIT, MX-1564( )/AIC REVIEWER: ES ..... | A | 5965 | CR | | 09-JAN-91 | CR | EC | 85 | |
| LI | | MIL-M-49199A NOTICE 1 | MICROPHONE, LINEAR M-162/AIC GENERAL SPECIFICATION FOR ..... | A | 5965 | CR | | 09-JAN-91 | CR | | | |
| L | | MIL-T-49200 NOTICE 1 | TEST SET, RADIO, AN/USM-306( ) (VALIDATION DATE: 8606) REVIEWER: MD ..... | A | 6625 | CR | | 06-JUN-86 | CR | | | |
| L | | MIL-A-49201(1) | ARRESTER, ELECTRICAL SURGE, F-1483( )/G AND F-1495( )/G ..... | A | 5920 | CR | | 17-AUG-84 | CR | | | |
| L | | MIL-R-49203(2) | RECORDER-REPRODUCER SET, SOUND AN/TNH-23( ) ..... | A | 5835 | CR | | 31-JAN-89 | CR | | | |
| A L | | MIL-A-49204A | ANTENNA GROUP OE-254/GRC ..... | A | 5985 | CR | | 15-OCT-92 | CR | | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | OPL / QML Coordination | Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-C-49206 | CONTROL, COMMUNICATIONS MODE SELECTOR, CMSC, C-10377()/GTC (VALIDATION DATE: 8805) | A | 5810 | CR | CR | 03-MAY-88 | CR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-C-49208 | CONTROL, RADIO SET C-6709( )/G | A | 5820 | CR | CR | 10-MAR-86 | CR | | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-R-49209A(1) | RADIO TERMINAL SET AN/TRC-173 | A | 5820 | CR | CR | 29-DEC-86 | CR | | | |
| L | | | MIL-R-49210A(1) | RADIO REPEATER SET AN/TRC-174 | A | 5820 | CR | CR | 08-FEB-85 | CR | | | |
| L | | | MIL-H-49225 | HEADSET MICROPHONE KIT MK-896A/AIC (COMPONENTS OF) (VALIDATION DATE: 8701) | A | 5965 | CR | CR | 09-JAN-87 | CR | | | |
| L | | | MIL-R-49226A | RADIO SET AN/GRC-144( ) (V)3 AND (V)4 | A | 5820 | CR | CR | 31-JUL-90 | CR | | | |
| L | | | MIL-C-49227A(1) | CONTROL UNIT, COMMUNICATION SYSTEM C-10414(V) ( )/ARC REVIEWER: CR | A | 5821 | AV | | 16-MAR-87 | AV | | | |
| L | | | MIL-C-49228 | COMMUNICATION CENTRAL AN/ASC-15()(V)1,2 | A | 5895 | CR | CR | 16-JUN-81 | CR | | | |
| L | | | MIL-R-49229B | RADIO TERMINAL ASSEMBLAGE AN/TRC-175 | A | 5820 | CR | CR | 16-AUG-88 | CR | | | |
| L | | | MIL-C-49230 | COUNTER PULSE, ELECTRONIC, 18 GIGAHERTZ (GHZ) TD-1338 ()/USM (INACTIVE FOR NEW DESIGN) | A | 6625 | CR | CR | 16-JAN-81 | CR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-M-49231A | MODEM, CABLE DRIVER, MD-1023( )/G | A | 5805 | CR | CR | 29-APR-88 | CR | | | |
| L | | | MIL-M-49232A | MODEM, CABLE DRIVER, MD-1024 ( )/G | A | 5805 | CR | CR | 29-APR-88 | CR | | | |
| L | | | MIL-M-49233A | MODEM, CABLE DRIVER MD-1025( )/G | A | 5805 | CR | CR | 29-APR-88 | CR | | | |
| L | | | MIL-M-49234A | MODEM, DIGITAL DATA, MD-1026( )(P)/G | A | 5820 | CR | CR | 20-APR-87 | CR | | | |
| | | | MIL-M-49235A | MODEM, DIGITAL DATA MD-1065()(P)/G USER: 80 | A | 5805 | CR | CR | 29-APR-88 | CR | | 99 | |
| A | L | | MIL-R-49236A(1) | RESTORER, PULSE FORM, TD-1218/G | A | 5820 | CR | CR | 24-JUN-92 | CR | | | |
| | L | | MIL-R-49237A | RESTORER, PULSE FORM, TD-1219( )/G | A | 5820 | CR | CR | 30-OCT-86 | CR | | | |
| | L | | MIL-M-49238A | MULTIPLEXER, TD-1233( )/TTC | A | 5805 | CR | CR | 30-OCT-86 | CR | | | |
| A | L | | MIL-M-49239A(1) | MULTIPLEXER-COMBINER, TD-1234(P)/TTC | A | 5805 | CR | CR | 30-JUN-92 | CR | | | |
| A | L | | MIL-M-49240A(1) | MULTIPLEXER, TD-1235(P)/TTC | A | 5820 | CR | CR | 02-OCT-92 | CR | | | |
| A | L | | MIL-M-49241A(1) | MULTIPLEXER, TD-1236/G | A | 5805 | CR | CR | 02-OCT-92 | CR | | | |
| | L | | MIL-M-49242A(1) | MULTIPLEXER, TD-1237(P)/G | A | 5805 | CR | CR | 06-OCT-88 | CR | | | |
| | L | | MIL-T-49243A | TEST SET, TELEPHONE TS-3647( )/G | A | 6625 | CR | CR | 29-APR-88 | CR | | | |
| | L | | MIL-C-49244A | CONTROL, ORDERWIRE C-10716( )/TRC | A | 5805 | CR | CR | 29-APR-88 | CR | | | |
| | | | MIL-C-49245 | CONTROL, ORDERWIRE C-10717( )/TRC REVIEWER: 80 | A | 5805 | CR | CR | 19-NOV-81 | CR | | 99 | |
| | L | | MIL-C-49246 | CODER-DECODER GROUP OX-54/TYC-39(V) (VALIDATION DATE: 8806) | A | 5895 | CR | CR | 20-JUN-88 | CR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-T-49247(2) | TRANSCEIVER MULTIPLEXERS TD-1288 ( )/GRC AND TD-1289 ( ) (V)/GRC | A | 5805 | CR | CR | 23-JAN-91 | CR | | | |
| | L | | MIL-S-49248B | SHELTER, ELECTRONIC EQUIPMENT S-639/G & S-640/G REVIEWER: CS | A | 5411 | CR | CR | 12-FEB-87 | CR | | | |
| | L | | MIL-M-49258 | MULTIPLEXER TD-202( )/U (VALIDATION DATE: 8803) | A | 5805 | CR | CR | 11-MAR-88 | CR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-T-49260A | TERMINAL, COMMUNICATIONS AN/UGC-748(V) AND AN/UGC-74C(V) | A | 5815 | CR | CR | 05-DEC-89 | CR | | | |
| | L | | MIL-T-49269 | TEST SET, RADIO, AN/PRM-34 | A | 6625 | CR | CR | 19-OCT-84 | CR | | | |
| | L | | MIL-M-49272 | MOUNTING MT-6232/GRC-193A AND MOUNTING MT-6233/GRC-193A | A | 5820 | CR | CR | 13-FEB-87 | CR | | | |
| | L | | MIL-A-49273 | AMPLIFIER, POWER SUPPLY AM-7152/GRC-213 & ADAPTER KIT, VEHICLE MK-2154/GRC-213 | A | 5820 | CR | CR | 26-JAN-88 | CR | | | |
| | L | | MIL-G-49274 | GENERATOR, DIGITAL DATA SG-1139 ()/G USER: 13 MC | A | 6625 | CR | CR | 08-MAR-84 | CR | | | |
| | L | | MIL-M-49275 | MASTS, QUICK ERECT, EXPANDABLE AB-1309(V)/TRC | A | 5985 | CR | CR | 26-FEB-87 | CR | | | |
| | L | | MIL-M-49275/1 | MAST, AB-1309(V)4/TRC | A | 5985 | CR | CR | 26-FEB-87 | CR | | | |
| | L | | MIL-R-49276A | RADIO REPEATER SET AN/TRC-138A | A | 5820 | CR | CR | 16-AUG-88 | CR | | | |
| | LI | | MIL-A-49277 | AMPLIFIER, AUDIO FREQUENCY AM-1780A/VRC | A | 5820 | CR | CR | 05-OCT-90 | CR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-49285 | CABLES, SPECIAL PURPOSE, ELECTRICAL, ALUMINUM FOIL SHIELDED PAIRS, TRIPLETS, OR QUADS GENERAL SPECIFICATION FOR REVIEWER: ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | SUPPL 1A1 | | | | | | | | | | |
| | | | MIL-C-49285/1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 18 (16 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/3 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/4 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/5 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINETEEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/6 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 18 (16 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/7 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/8 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ELEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/9 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ELEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/10 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/11 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 18 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/12 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/13 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/14 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 20 (7 X 28) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/15 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWENTY-SEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/16 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/17 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/18 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/19 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO PAIRS OF 20 (7 X 28) AWG, ONE PAIR INDIVIDUALLY SHIELDED REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/20 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/21 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED CONDUCTORS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/22 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWELVE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/23 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/24 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FOUR INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 28) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/25 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 20 (10 X 30) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/26 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 16 (19 X 29) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/27 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |
| | | | MIL-C-49285/28 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO PAIRS OF 25 (7 X 33) AWG, ONE PAIR INDIVIDUALLY SHIELDED REVIEWER: 71 ES IS MI | A | 6145 | CR | CR | 19-OCT-89 | CR | SH | 85 | |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-49285/29 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SEVEN QUADS CONSISTING OF TWO SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-C-49285/30 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 20 (7 X 28) AWG REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-C-49285/31 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-C-49285/32 | CABLE, SPECIAL PURPOSE, ELECTRICAL, (LOW NOISE) ONE INDIVIDUALLY SHIELDED PAIR OF 24 (19 X 36) AWG REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-C-49285/33 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWENTY-SEVEN INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-C-49285/34 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINETEEN INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-C-49285/35 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-C-49285/36 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-C-49285/37 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-C-49285/38 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG WIRE REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-C-49285/45 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 24 AWG SOLID WIRE REVIEWER: 71 ES IS MI | A 6145 | CR | 19-OCT-89 | CR | SH | 85 | |
| | | MIL-I-49287 | INSTALLATION KIT, ELECTRONIC EQUIPMENT, MK-2488/G | A 5815 | CR | 03-MAR-88 | | | | |
| AQ | | MIL-F-49291B SUPPL 1A1 | FIBER, OPTICAL, (METRIC) GENERAL SPECIFICATION FOR USER: AV REVIEWER: 11 13 99 AR EC ES MI OS SC | A 6010 | CR | 08-JUL-92 | CR | EC | 85 | |
| A | | MIL-F-49291/1A | FIBER, OPTICAL, 50/125 MICROMETERS, RADIATION HARDENED (METRIC) REVIEWER: AS ES MI SC | A 6010 | CR | 08-JUL-92 | CR | SH | 85 | |
| A | | MIL-F-49291/2A | FIBER, OPTICAL, 100/140 MICROMETERS, RADIATION HARDENED (METRIC) USER: 17 REVIEWER: AS ES MI SC | A 6010 | CR | 08-JUN-92 | CR | SH | 85 | |
| A | | MIL-F-49291/3A | FIBER, OPTICAL, 50/125 MICROMETERS (METRIC) USER: 17 REVIEWER: AS ES MI SC | A 6010 | CR | 08-JUL-92 | CR | SH | 85 | |
| A | | MIL-F-49291/4A | FIBER, OPTICAL, 100/140 MICROMETERS, (METRIC) USER: 17 REVIEWER: AS ES MI SC | A 6010 | CR | 08-JUL-92 | CR | SH | 85 | |
| A | | MIL-F-49291/6A | FIBER, OPTICAL, 62.5/125 MICROMETERS, RADIATION HARDENED (METRIC) USER: 17 REVIEWER: AS ES MI SC | A 6010 | SH | 30-JUL-92 | CR | SH | 85 | |
| A | | MIL-F-49291/7A | FIBER, OPTICAL, SINGLE-MODE, DISPERSION UNSHIFTED, RADIATION HARDENED (METRIC) USER: 17 REVIEWER: AS ES MI SC | A 6010 | SH | 30-JUL-92 | CR | SH | 85 | |
| | | MIL-F-49291/8 | FIBER, OPTIC, 400/430 MICROMETER, AVIONIC RATED (METRIC) REVIEWER: 11 17 71 AS ES MI SC | A 6010 | 85 | 21-MAY-90 | CR | EC | 85 | |
| | | MIL-F-49291/9 | FIBER, OPTIC, 400/430, MICROMETERS, RADIATION HARDENED, AVIONIC RATED (METRIC) USER: 17 REVIEWER: 11 71 AS ES MI SC | A 6010 | 85 | 21-MAY-90 | CR | EC | 85 | |
| | | MIL-C-49292A SUPPL 1A1 | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR USER: AV REVIEWER: 99 AR AS CG EC ES MC MI SC | A 6020 | CR | 23-JUN-89 | CR | SH | 85 | |
| | | MIL-C-49292/1 | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, BRANCHED, MIL-C-83522, MIL-C-83526 CONNECTORS, AND DOD-C-85045 CABLES REVIEWER: 11 99 AR AS CG ES MI SC | A 6020 | 85 | 30-AUG-89 | CR | SH | 85 | |
| | | MIL-C-49292/2 | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, SINGLE BUNDLE, 6-POSITION MIL-C-83526 CONNECTORS AND DOD-C-85045 CABLES REVIEWER: 11 99 AR AS CG ES MI SC | A 6020 | 85 | 30-AUG-89 | CR | SH | 85 | |
| | | MIL-C-49292/3 | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, CONNECTOR, 2-POSITION HERMAPHRODITIC, JAM NUT, MIL-C-83526 CONNECTORS AND DOD-C-85045 CABLES REVIEWER: 11 99 AR AS CG ES MI SC | A 6020 | 85 | 30-AUG-89 | CR | SH | 85 | |
| | | MIL-C-49292/4A | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC | A 6020 | CR | 23-JUN-89 | CR | SH | 85 | |
| | | MIL-C-49292/6 | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, SINGLE FIBER, GLASS, MIL-C-83522 CONNECTORS AND DOD-C-85045 CABLES REVIEWER: 11 99 AR AS CG ES MI SC | A 6020 | 85 | 30-AUG-89 | CR | SH | 85 | |
| A | | MIL-C-49292/7A | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, TEST, METRIC USER: AV REVIEWER: 99 AR AS CG EC ES MC MI SC | A 6020 | CR | 23-JUN-89 | CR | SH | 85 | |
| L | | MIL-R-49293(2) | RADIAC SET AN/PDR-75 | A 6665 | CR | 04-APR-91 | CR | | | |
| A L | | MIL-E-49294 NOTICE 1 | ELECTRONIC SHOP, SHELTER MOUNTED AN/MSM-108( ) (VALIDATION DATE: 9212) | A 5410 | CR | 17-DEC-92 | CR | | | |
| | | MIL-A-49295 | ANTENNA GROUP OE-303( )/GRC | A 5985 | AR | 01-MAR-88 | | | | |
| L | | MIL-D-49297 | DETECTOR-DEWAR DT-636/U (CLASSIFIED) | A | CR | | CR | | | |
| L | | MIL-D-49298 | DETECTOR-DEWAR DT-637/U (CLASSIFIED) | A | CR | | CR | | | |
| L | | MIL-S-49301(1) | SCANNER, MECHANICAL MX-10717(V)2/U | A 5855 | CR | 28-FEB-90 | CR | | | |
| L | | MIL-S-49301/1 | SCANNER, MECHANICAL, MX-10717(V)1/U | A 5855 | CR | 18-JUL-88 | CR | | | |
| L | | MIL-S-49301/2(1) | SCANNER, MECHANICAL, MX-10717(V)2/U | A 5855 | CR | 28-FEB-90 | CR | | | |
| L | | MIL-S-49301/3 | SCANNER, MECHANICAL, MX-10717(V)3/U | A 5855 | CR | 18-JUL-88 | CR | | | |
| L | | MIL-S-49301/4 | SCANNER, MECHANICAL, MX-10717(V)4/U | A 5855 | CR | 18-JUL-88 | CR | | | |
| L | | MIL-S-49301/5 | SCANNER, MECHANICAL, MX-10717(V)5/U | A 5855 | CR | 18-JUL-88 | CR | | | |
| L | | MIL-S-49301/6 | SCANNER, MECHANICAL, MX-10717(V)6/U | A 5855 | CR | 18-JUL-88 | CR | | | |
| L | | MIL-S-49301/7 | SCANNER, MECHANICAL, MX-10717(V)7/U | A 5855 | CR | 18-JUL-88 | CR | | | |
| L | | MIL-T-49303(1) | TRANSPONDER SET AN/PPN-19 (V) | A 5895 | CR | 20-DEC-88 | CR | | | |
| L | | MIL-R-49304 | RADIO SET: AN/PRC-126 | A 5820 | CR | 20-SEP-88 | CR | | | |
| L | | MIL-T-49305 | TEST SET, COUNTERMEASURE SET TS-3609( )/ALQ-156(V) | A 6625 | CR | 17-FEB-89 | CR | | | |
| L | | MIL-C-49307 | COOLER-DEWAR GROUP, OR-332/A, OR-333/A | A 5855 | CR | 17-MAY-89 | CR | | | |
| L | | MIL-C-49308 | COOLER-DEWAR GROUP, OR-334/V, OR-335/V | A 5855 | CR | 17-MAY-89 | CR | | | |
| L | | MIL-C-49309 | COOLER-DEWAR GROUP, OR-336/A, OR-337/A | A 5855 | CR | 17-MAY-89 | CR | | | |
| L | | MIL-C-49310 | COOLER-DEWAR GROUP, OR-338/V, OR-339/V | A 5855 | CR | 17-MAY-89 | CR | | | |
| L | | MIL-T-49311 | TEST FACILITIES SET AN/TPM-24 ( ) (V) 4 REVIEWER: 80 | A 6625 | CR | 05-OCT-89 | CR | | | |
| L | | MIL-G-49312 | GOGGLES, NIGHT VISION AN/PVS-7A | A 5855 | CR | 06-NOV-89 | CR | | | |
| L | | MIL-G-49313 | GOGGLES, NIGHT VISION AN/PVS-7B | A 5855 | CR | 06-NOV-89 | CR | | | |
| L | | MIL-A-49314 | ANTENNAS, UHF SATCOM, PORTABLE, FOLDABLE (LIGHT WEIGHT, MEDIUM WEIGHT AND HEAVY DUTY), GENERAL SPECIFICATION FOR | A 5985 | CR | 22-FEB-90 | CR | | | |
| L | | MIL-A-49314/1 | ANTENNA, UHF SATCOM, LIGHT WEIGHT, PORTABLE, FOLDABLE AS-4215( )/G | A 5985 | CR | 22-FEB-90 | CR | | | |
| L | | MIL-A-49314/2 | ANTENNA, UHF SATCOM, MEDIUM WEIGHT, PORTABLE, FOLDABLE AS-4216( )/G | A 5985 | CR | 22-FEB-90 | CR | | | |
| L | | MIL-A-49314/3 | ANTENNA, UHF SATCOM, HEAVY DUTY, PORTABLE, FOLDABLE AS-4217( )/G | A 5985 | CR | 22-FEB-90 | CR | | | |
| L | | MIL-A-49314/4 | ANTENNA, UHF SATCOM, 11 DBIC PORTABLE, FOLDABLE AS-4218( )/G | A 5985 | CR | 13-FEB-91 | CR | | | |
| L | | MIL-A-49314/5 | ANTENNA, UHF SATCOM, 14 DBIC PORTABLE, FOLDABLE AS-4219( )/G | A 5985 | CR | 13-FEB-91 | CR | | | |
| L | | MIL-A-49314/6 | ANTENNA, UHF SATCOM 9 DBIC PORTABLE AS-4220( )/G | A 5985 | CR | 25-JUN-91 | CR | | | |
| L | | MIL-R-49315 | RADIOSONDE SET ML-669(V), FAMILY OF | A 6660 | CR | 13-APR-90 | CR | | | |
| NL | | MIL-T-49316 | TEST SET, ELECTRONIC SYSTEMS TS-3895B/UV | A 5855 | CR | 26-APR-91 | CR | | | |
| L | | MIL-D-49317 | DETECTOR-DEWAR DT-635A/U | A 5855 | CR | 13-NOV-91 | CR | | | |
| NL | | MIL-T-49318 | TEST SET, ELECTRONIC SYSTEMS, TS-4348/UV | A 5855 | CR | 21-NOV-91 | CR | | | |
| L | | MIL-D-49319 | DETECTOR-DEWAR DT-591B/UA | A 5855 | CR | 22-JAN-92 | CR | | | |
| AQL | | MIL-L-49320 | LASER INFRARED OBSERVATION SET, AN/PVS-6 | A 5860 | CR | 14-APR-93 | CR | | | |
| NL | | MIL-M-49361C | MAGNIFIER, TAPERED FIBER OPTIC VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) USER: AR AT REVIEWER: ME TE | A 5855 | CR | 26-MAY-92 | CR | | | |
| L | | MIL-T-49363 | TEST SET, COUNTERMEASURES SET TS-3614( )/ALQ-136(V)1 | A 5865 | CR | 21-MAR-80 | CR | | | |
| L | | MIL-T-49364 | TEST SET, COUNTERMEASURES SET TS 3615 ( )/ALQ 136(V)1 | A 5865 | CR | 21-MAR-80 | CR | | | |
| NL | | MIL-L-49366B | LENS ASSEMBLY, OBJECTIVE, 95MM AN/PVS-4 | A 5855 | CR | 27-MAY-92 | CR | | | |
| NL | | MIL-L-49367B | LENS ASSEMBLY, OBJECTIVE, 155MM AN/TVS-5 | A 5855 | CR | 27-MAY-92 | CR | | | |
| NL | | MIL-L-49368B | LENS ASSEMBLY, EYEPIECE, AN/PVS-4 AND AN/TVS-5 USER: AR | A 5855 | CR | 27-MAY-92 | CR | | | |
| L | | MIL-G-49369A(3) | GENERATOR, DIRECT CURRENT, G-76 ( )/G WITH ACCESSORIES | A 6115 | ER | 25-OCT-84 | ER | | | |
| L | | MIL-G-49377 | GUNNER S DISPLAY FOR AN/VSG-2 (VALIDATION DATE: 8604) | A 5855 | CR | 28-APR-86 | CR | | | |

| Action | Opt / Obst | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | | MIL-P-49378 NOTICE 1 | POWER CONVERTER FOR AN/VSG-2 [VALIDATION DATE: 8604] | A | 5855 | CR | 28-APR-86 | CR | | | | |
| | L | | | MIL-C-49380 NOTICE 1 | COMMANDER S DISPLAY FOR AN/VSG-2 [VALIDATION DATE: 8604] | A | 5855 | CR | 28-APR-86 | CR | | | | |
| | L | | | MIL-T-49381 NOTICE 1 | TEST SET, THERMAL SIGHT, TS-3681/VSG-2 [VALIDATION DATE: 8604] | A | 5855 | CR | 28-APR-86 | CR | | | | |
| | L | | | MIL-A-49382 NOTICE 1 | AFOCAL ASSEMBLY, AN/VSG-2 [VALIDATION DATE: 8604] | A | 5855 | CR | 28-APR-86 | CR | | | | |
| | L | | | MIL-E-49383 NOTICE 1 | EYEPIECE, BINOCULAR, AN/VSG-2 [VALIDATION DATE: 8604] | A | 5855 | CR | 28-APR-86 | CR | | | | |
| | L | | | MIL-I-49384A | IMAGER, OPTICAL SU-121/UA [VALIDATION DATE: 8705] | A | 5855 | CR | 11-JUN-82 | CR | | | | |
| | L | | | MIL-T-49386 | TEST SET GROUP, RADIO OQ-273()/ARC-164(V) | A | 5821 | CR | 05-NOV-82 | CR | | | | |
| | LI | | | MIL-E-49387 NOTICE 1 | ENCODER, VIDEO KY-865()/AKT-188, CONTROL, DATA LINK C-10546()/AKT-188 AND MOUNTING BASE MT-6016/AKT-188 | A | 5841 | CR | 23-AUG-89 | CR | | | | |
| | L | | | MIL-T-49388A | TRAY ASSEMBLY, BATTERY CHARGING MX-10154( )/U | A | 6130 | ER | 19-JUL-83 | ER | | | | |
| | L | | | MIL-P-49392 NOTICE 1 | PROBE, RADIAC DT-590( )/PDR-56F [VALIDATION DATE: 8801] REVIEWER: 99 | A | 6665 | CR | 29-JAN-88 | CR | | | | |
| A | L | | | MIL-I-49394A(1) | INTERROGATOR SET AN/TPX-46A(V)7 | A | 5895 | CR | 13-JAN-93 | CR | | | | |
| | L | | | MIL-R-49404 | REGULATOR, VOLTAGE, BIAS CN-1559/UA | A | 5855 | CR | 03-JUN-82 | CR | | | | |
| | L | | | MIL-R-49421A | RADIAC DETECTOR DT-236( )/PDR-75 | A | 6665 | CR | 05-JUN-90 | CR | | | | |
| | NL | | | MIL-A-49425 | AVIATOR'S NIGHT VISION IMAGING SYSTEM AN/AVS-6(V)1, AN/AVS-6(V)2 | A | 5855 | CR | 06-NOV-89 | CR | | | | |
| | NL | | | MIL-L-49426 | LENS ASSEMBLY, OBJECTIVE FOR AVIATOR'S NIGHT VISION IMAGING SYSTEM AN/AVS-6(V)1, AN/AVS-6(V)2 | A | 5855 | CR | 06-NOV-89 | CR | | | | |
| | NL | | | MIL-L-49427 | LENS ASSEMBLY, EYEPIECE FOR AVIATOR'S NIGHT VISION IMAGING SYSTEM, AN/AVS-6(V)1, AN/AVS-6(V)2 | A | 5855 | CR | 06-NOV-89 | CR | | | | |
| | NL | | | MIL-I-49428 | IMAGE INTENSIFIER ASSEMBLY, 18 MM, MICROCHANNEL WAFER MX-10160/AVS-6 | A | 5855 | CR | 06-NOV-89 | CR | | | | |
| | NL | | | MIL-P-49429 | POWER SUPPLY FOR AN/VIS 18 MM MICROCHANNEL WAFER | A | 5855 | CR | 06-NOV-89 | CR | | | | |
| | L | | | MIL-B-49430C(2) SUPPL 1A1 | BATTERIES, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE | A | 6135 | ER | 22-APR-92 | ER | | | | |
| | L | | | MIL-B-49430/1F | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5599/U | A | 6135 | ER | 01-AUG-91 | ER | | | | |
| | L | | | MIL-B-49430/2E | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5598/U | A | 6135 | ER | 01-AUG-91 | ER | | | | |
| | L | | | MIL-B-49430/3G | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5590/U | A | 6135 | ER | 01-AUG-91 | ER | | | | |
| A | L | | | MIL-B-49430/4C | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5567/U | A | 6135 | ER | 24-DEC-92 | ER | | | | |
| | L | | | MIL-B-49430/5F | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5847/U | A | 6135 | ER | 01-AUG-91 | ER | | | | |
| | L | | | MIL-B-49430/6E | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5557/U | A | 6135 | ER | 01-AUG-91 | ER | | | | |
| A | L | | | MIL-B-49430/7F | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5588/U | A | 6135 | ER | 17-FEB-93 | ER | | | | |
| | L | | | MIL-B-49430/8D | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5600/U | A | 6135 | ER | 01-AUG-91 | ER | | | | |
| | L | | | MIL-B-49430/10C | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5112/U | A | 6135 | ER | 01-AUG-91 | ER | | | | |
| | L | | | MIL-B-49430/11E | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE, BA-5800/U | A | 6135 | ER | 01-AUG-91 | ER | | | | |
| | L | | | MIL-B-49430/12C | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5093/U | A | 6135 | ER | 01-AUG-91 | ER | | | | |
| | L | | | MIL-S-49433 | SURFACE ACOUSTIC WAVE DEVICES, GENERAL SPECIFICATION FOR USER: MI REVIEWER: AV | A | 5999 | ER | 16-FEB-84 | ER | | | | |
| | L | | | MIL-L-49434 NOTICE 1 | LIGHT, AIMING, INFRARED AN/PAQ-4 [VALIDATION DATE: 8705] | A | 5855 | CR | 03-MAY-82 | CR | | | | |
| | L | | | MIL-B-49436A | BATTERY, RECHARGEABLE, NICKEL CADMIUM SEALED REVIEWER: 80 AV CR GL | A | 6140 | ER | 04-MAY-87 | ER | | 99 | | |
| | L | | | MIL-B-49436/1A | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-590/U REVIEWER: AV CR GL | A | 6140 | ER | 05-OCT-90 | ER | | | | |
| | L | | | MIL-B-49436/2A | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-588/U REVIEWER: AV CR GL | A | 6140 | ER | 29-MAR-91 | ER | | | | |
| | L | | | MIL-B-49436/3A | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM, BB-586/U REVIEWER: AV CR GL | A | 6140 | ER | 20-DEC-91 | ER | | | | |
| | L | | | MIL-B-49436/4A | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-557/U REVIEWER: AV CR GL | A | 6140 | ER | 29-MAR-91 | ER | | | | |
| | L | | | MIL-B-49436/5 NOTICE 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-541/U [VALIDATION DATE: 8808] REVIEWER: AV CR GL | A | 6140 | ER | 23-AUG-88 | ER | | | | |
| | L | | | MIL-B-49436/6B | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM, BB-516/U REVIEWER: AV CR GL | A | 6140 | ER | 12-SEP-91 | ER | | | | |
| | L | | | MIL-B-49436/7 NOTICE 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-507/U [VALIDATION DATE: 8808] REVIEWER: AV CR GL | A | 6140 | ER | 23-AUG-88 | ER | | | | |
| | L | | | MIL-B-49436/8 NOTICE 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-506/U [VALIDATION DATE: 8808] REVIEWER: AV CR GL | A | 6140 | ER | 23-AUG-88 | ER | | | | |
| | L | | | MIL-B-49436/9 NOTICE 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-505/U [VALIDATION DATE: 8808] REVIEWER: AV CR GL | A | 6140 | ER | 23-AUG-88 | ER | | | | |
| | L | | | MIL-B-49436/10 NOTICE 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-503/TAS [VALIDATION DATE: 8808] REVIEWER: AV CR GL | A | 6140 | ER | 23-AUG-88 | ER | | | | |
| | | | | MIL-B-49436/11A | BATTERY, RECHARGEABLE,SEALED NICKEL CADMIUM,BB-593/U | A | 6140 | ER | 20-MAY-88 | ER | | | | |
| | L | | | MIL-T-49438 NOTICE 1 | TRANSMITTING SET, RADAR DATA AN/AKT-188 AND RECEIVING SET, RADAR DATA AN/TKQ-28 (SYSTEM OF) [VALIDATION DATE: 8802] | A | 5841 | CR | 17-FEB-88 | CR | | | | |
| | L | | | MIL-S-49442 | SHOP EQUIPMENT, BATTERY SERVICING, SHELTER MOUNTED AN/TSM-133 REVIEWER: CS | A | 4940 | ER | 20-JUL-84 | ER | | | | |
| | LI | | | MIL-R-49444 NOTICE 1 | RECORDER-PROCESSOR-VIEWER, RADAR MAPPING RO-495()/U | A | 5841 | CR | 23-AUG-89 | CR | | | | |
| | L | | | MIL-D-49446A | DETECTOR DEWAR DT-591A/UA | A | 5855 | CR | 06-NOV-87 | CR | | | | |
| | L | | | MIL-T-49447 | TEMPERATURE SENSOR, RESISTANCE | A | 6660 | CR | 02-NOV-88 | CR | | | | |
| | L | | | MIL-H-49448 | HUMIDITY SENSOR, RESISTANCE | A | 6685 | CR | 02-NOV-88 | CR | | | | |
| A | L | | | MIL-B-49450(4) SUPPL 1A1 | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A | A | 6140 | ER | 03-SEP-92 | ER | | | | |
| | | | | MIL-B-49450/1 | BATTERY, RECHARGEABLE, NICKEL-CADIUM, VENTED, AIRCRAFT, BB-716/A, INTERCELL CONNECTORS | A | 6140 | ER | 16-JAN-87 | ER | | | | |
| | | | | MIL-B-49450/2 | BATTERY, RECHARGEABLE, NICKEL-CADIUM, VENTED, AIRCRAFT, BB-716/A , DIODE ASSEMBLY | A | 6140 | ER | 16-JAN-87 | ER | | | | |
| | | | | MIL-B-49450/3 | BATTERY, RECHARGEABLE, NICKEL-CADIUM, VENTED, AIRCRAFT, BB-716/A, BELLEVILLE SPRINGS | A | 6140 | ER | 16-JAN-87 | ER | | | | |
| | | | | MIL-B-49450/4(1) | BATTERY, RECHARGEABLE, NICKEL-CADIUM, VENTED, AIRCRAFT, BB-716/A, CELL VENT ASSEMBLY | A | 6140 | ER | 03-APR-87 | ER | | | | |
| | L | | | MIL-B-49450/5(2) | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT BB-716/A, HARNESS ASSEMBLY | A | 6140 | ER | 19-JUL-88 | ER | | | | |
| | L | | | MIL-B-49450/6A | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, LOW CAPACITY CELL | A | 6140 | ER | 16-JUL-88 | ER | | | | |
| | L | | | MIL-B-49450/7A(1) | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, CELL | A | 6140 | ER | 19-JUL-88 | ER | | | | |
| A | L | | | MIL-B-49450/8(3) | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A | A | 6140 | ER | 03-SEP-92 | ER | | | | |
| | NL | | | MIL-P-49452 | POWER SUPPLY 18 MM, MICROCHANNEL WAFER, GEN III, MX-10130()/UV | A | 5855 | CR | 06-NOV-89 | CR | | | | |
| | NL | | | MIL-I-49453 | IMAGE INTENSIFIER ASSEMBLY, 18 MM MICROCHANNEL WAFER MX-10130()/UV | A | 5855 | CR | 06-NOV-89 | CR | | | | |
| | | | | MIL-I-49456A | INSULATION SHEET, ELECTRICAL, SILICONE RUBBER THERMALLY CONDUCTIVE, FIBERGLASS REINFORCED REVIEWER: GS | A | 5970 | ER | 07-JAN-91 | ER | EC | 85 | | |
| | L | | | MIL-D-49457A | DETECTOR DEWAR DT-617A/UA | A | 5855 | CR | 06-NOV-87 | CR | | | | |
| N | L | | | MIL-B-49458(3) | BATTERIES, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE | A | 6135 | ER | 14-APR-93 | ER | | | | |
| A | L | | | MIL-B-49458/1B | BATTERY, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE, BA-5372/U | A | 6135 | ER | 13-NOV-92 | ER | | | | |
| | L | | | MIL-C-49460(1) | GENERATOR, DIRECT CURRENT: G-76B/G | A | 6115 | ER | 04-MAR-87 | ER | | | | |
| | L | | | MIL-B-49461B | BATTERIES, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE | A | 6135 | ER | 03-JUN-91 | ER | | | | |
| A | L | | | MIL-B-49461/1B | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE, BA-6516/U | A | 6135 | ER | 10-MAR-93 | ER | | | | |
| | L | | | MIL-B-49461/2B | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE, BA-6598/U | A | 6135 | ER | 03-JUL-89 | ER | | | | |
| A | L | | | MIL-B-49461/3(1) | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE BA-6704/U | A | 6135 | ER | 10-JUL-92 | ER | | | | |
| | L | | | MIL-B-49461/4 | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE BA-6590/U | A | 6135 | ER | 03-JUL-89 | ER | | | | |
| | L | | | MIL-B-49461/5 | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE BA-6557/U | A | 6135 | ER | 03-JUL-89 | ER | | | | |
| | L | | | MIL-B-49461/6A | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE, BA-6847/U, WITH DUAL CONNECTOR | A | 6135 | ER | 03-JUN-91 | ER | | | | |
| | AQ | | | MIL-R-49462A(1) | RESISTORS, FIXED, FILM, HIGH VOLTAGE GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | ER | 24-SEP-92 | ER | EC | 85 | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-R-49462/1 | RESISTORS, FIXED, FILM, HIGH VOLTAGE STYLES RHV10 THRU RHV21 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 | ER | 04-MAR-87 | ER | EC | 85 | |
| | | MIL-R-49462/2 | RESISTORS, FIXED, FILM, HIGH VOLTAGE STYLES RHV22 THRU RHV29 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 | ER | 04-MAR-87 | ER | EC | 85 | |
| | | MIL-R-49462/3A | RESISTORS, FIXED, FILM, HIGH VOLTAGE, STYLES RHV30 THRU RHV35 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A 5905 | ER | 27-APR-88 | ER | EC | 85 | MA |
| L | | MIL-R-49462/4 | RESISTORS, FIXED, FILM, HIGH VOLTAGE, STYLESRHV36B RHV37, RHV38, RHV39, RHV40, RHV41, RHV42, RHV43, RHV44, RHV45, RHV46, RHV47 | A 5905 | MA | 08-JUL-87 | | | | MA |
| | | MIL-R-49462/5 | RESISTORS, FIXED, FILM, HIGH VOLTAGE, STYLES RHV50, RHV51, RHV52, RHV53, RHV54, RHV55, RHV56, RHV57 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 | ER | 15-MAR-91 | ER | EC | 85 | |
| AQ | | MIL-C-49464A | CAPACITORS, CHIP, SINGLE LAYER, FIXED, PARALLEL PLATE, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 MC SH REVIEWER: 17 99 AS ES | A 5910 | ER | 25-JUN-92 | ER | EC | 85 | |
| A | | MIL-C-49464/1A | CAPACITORS, CHIP, SINGLE LAYER, FIXED UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CPCR01 (HIGH FREQUENCY) USER: 19 MC SH REVIEWER: 17 99 AS ES | A 5910 | ER | 25-JUN-92 | ER | EC | 85 | |
| Q | | MIL-R-49465A(1) SUPPL 1A1 | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), (VERY LOW RESISTANCE VALUES), GENERAL SPECIFICATION FOR USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 10-OCT-91 | ER | EC | 85 | |
| | | MIL-R-49465/1A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV10 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| | | MIL-R-49465/2A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE) STYLE RLV20 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| | | MIL-R-49465/3A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE) STYLE RLV21 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| | | MIL-R-49465/4A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV22 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| | | MIL-R-49465/5A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE) STYLE RLV23 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| | | MIL-R-49465/6A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV30 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| | | MIL-R-49465/7A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV31 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| | | MIL-R-49465/8A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV32 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| | | MIL-R-49465/9A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV40 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| A | | MIL-R-49465/10A(1) | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV41 USER: CG MC REVIEWER: 19 99 AR AS ES MI OS | A 5905 | ER | 12-MAR-93 | ER | EC | 85 | |
| | | MIL-R-49465/11A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV42 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| | | MIL-R-49465/12A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV43 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS | A 5905 | ER | 06-JAN-92 | ER | EC | 85 | |
| | | MIL-I-49466 | INSULATOR: DISKS, PLATES, AND WASHERS GENERAL SPECIFICATION FOR USER: CG MC REVIEWER: 11 19 99 GS | A 5970 | ER | 02-APR-90 | ER | SH | 85 | |
| | | MIL-I-49466/1(1) | INSULATOR: DISKS, PLATES, AND WASHERS POLYIMIDE .002 OR .005 INCH THICK USER: CG MC REVIEWER: 11 19 99 GS | A 5970 | ER | 17-JUN-91 | ER | SH | 85 | |
| | | MIL-I-49466/2(1) | INSULATOR: DISKS, PLATES, AND WASHERS SILICON RUBBER, FIBERGLASS REINFORCED .010 AND .015 INCH THICK USER: CG MC REVIEWER: 11 19 99 GS | A 5970 | ER | 17-JUN-91 | ER | SH | 85 | |
| | | MIL-I-49466/3(1) | INSULATOR: DISKS, PLATES, AND WASHERS INSULATORS FOR MOUNTING USER: CG MC REVIEWER: 11 19 99 GS | A 5970 | ER | 10-FEB-92 | ER | SH | 85 | |
| N | | MIL-C-49467(1) SUPPL 1A1 | CAPACITORS, FIXED, CERAMIC, MULTILAYER, HIGH VOLTAGE (GENERAL PURPOSE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 99 ES MI | A 5910 | ER | 29-JUL-91 | ER | EC | 85 | |
| | | MIL-C-49467/1 | CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 1000 V DC, ESTABLISHED RELIABILITY, STYLE HVR01 USER: AT AV MC ME REVIEWER: 11 19 ES MI | A 5910 | ER | 05-APR-90 | ER | EC | 85 | |
| | | MIL-C-49467/2 | CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 2000 V DC, ESTABLISHED RELIABILITY, STYLE HVR02 USER: AT AV MC ME REVIEWER: 11 19 ES MI | A 5910 | ER | 05-APR-90 | ER | EC | 85 | |
| | | MIL-C-49467/3 | CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 3000 V DC, ESTABLISHED RELIABILITY, STYLE HVR03 USER: AT AV MC ME REVIEWER: 11 19 ES MI | A 5910 | ER | 05-APR-90 | ER | EC | 85 | |
| | | MIL-C-49467/4 | CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 4000 V DC, ESTABLISHED RELIABILITY, STYLE HVR04 USER: AT AV MC ME REVIEWER: 11 19 ES MI | A 5910 | ER | 05-APR-90 | ER | EC | 85 | |
| | | MIL-C-49467/5 | CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 5000 V DC, ESTABLISHED RELIABILITY, STYLE HVR05 USER: AT AV MC ME REVIEWER: 11 19 ES MI | A 5910 | ER | 05-APR-90 | ER | EC | 85 | |
| | | MIL-C-49467/6 | CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 10,000 V DC, ESTABLISHED RELIABILITY, STYLE HVR10 USER: AT AV MC ME REVIEWER: 11 19 ES MI | A 5910 | ER | 05-APR-90 | ER | EC | 85 | |
| | | MIL-C-49468 SUPPL 1A1 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/1 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/2 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/3 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/4 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/5 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/6 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/7 | CRYSTAL UNITS, QUARTS, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/8 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/9 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/10 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/11 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/12 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/13 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/14 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/15 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/16 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| | | MIL-C-49468/17 | CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SM | A 5955 | ER | 14-SEP-90 | ER | EC | 85 | |
| L | | MIL-G-49469 | GENERATOR, HAND CRANKED G-67B/G ..... | A 6115 | ER | 17-APR-91 | ER | | | |

| Action | OPR / Cibil Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | MIL-P-49500 | PESTICIDE DISPERSAL UNIT (PDU), MULTICAPABILITY, HELICOPTER SLUNG REVIEWER: 84 CE CG CS MS | A | 3740 | MD | MD | 20-NOV-87 | MD | YD1 | 99 | |
| L | | | MIL-M-49501 | MANUALS, TECHNICAL: DAILY PREVENTIVE MAINTENANCE CHECKLIST | A | TMSS | TM | TM | 25-JAN-90 | TM | | | |
| L | | | MIL-M-49502 | MANUALS, TECHNICAL: REPAIR PARTS AND SPECIAL TOOLS LIST | A | TMSS | TM | TM | 06-NOV-90 | TM | | | |
| L | | | MIL-M-49503 | MANUALS, TECHNICAL: GENERAL STYLE AND FORMAT, TEST PROGRAM SETS FOR AUTOMATIC TEST EQUIPMENT REVIEWER: AR AT AV CU ME | A | TMSS | TM | TM | 23-JAN-91 | TM | | | |
| L | | | MIL-M-49504 | MANUALS, TECHNICAL: COMBAT VEHICLE PRECOMBAT CHECKLIST | A | TMSS | TM | TM | 23-JAN-91 | TM | | | |
| N | | | MIL-C-49514 | COPPER CRUSHER SPHERES FOR CANNON AND MORTAR PRESSURE GAUGES, GENERAL SPECIFICATION FOR USER: AR REVIEWER: AL OS | A | 1090 | TE | TE | 16-FEB-93 | TE | MC | 99 | |
| A | | | MIL-S-50001B | SHOWER UNIT, SAFETY, ROCKET PROPELLANT NEUTRALIZER, 100 GALLON WATER TANK, AND TWO AIR CYLINDERS, W/HEATING PROVISIONS. (VALIDATION DATE: 8408) REVIEWER: GS | A | 4230 | GL | GL | 12-JUL-78 | GL | | 99 | |
| | | | MIL-P-50002B NOTICE 1 | PHOSPHATE COATING COMPOUNDS, FOR PHOSPHATING FERROUS METALS (VALIDATION DATE: 9104) USER: EL REVIEWER: 68 AS EA GS | A | 6850 | MR | MR | 04-APR-91 | MR | OS | 11 | |
| L | | | MIL-S-50003B | SIMULANT AGENT, BG-1 | A | 1380 | EA | EA | 04-MAY-84 | EA | | | |
| L | | | MIL-S-50004A NOTICE 1 | SODIUM SULFATE, ANHYDROUS, TECHNICAL (FOR AMMUNITION USE). (VALIDATION DATE: 8604) USER: MI REVIEWER: GS | A | 6810 | AR | AR | 08-APR-86 | AR | | | |
| L | | | MIL-S-50005A NOTICE 1 | STANNIC OXIDE, TECHNICAL (VALIDATION DATE: 8809) USER: MI REVIEWER: GS MD . | A | 6810 | AR | AR | 13-SEP-88 | AR | | | |
| L | | | MIL-D-50006 | DIPHENYLPHTHALATE (TECHNICAL) (VALIDATION DATE: 8302) REVIEWER: AS GS | A | 6810 | AR | AR | 21-NOV-58 | AR | | | |
| D | | | MIL-C-50007B | CHUTE, CONTAMINATED CLOTHING, M1 REVIEWER: GS MD | A | 4240 | EA | EA | 21-AUG-68 | EA | YD1 | 99 | |
| L | | | MIL-C-0050007C(1) | CHUTE, CONTAMINATED CLOTHING, M1 | A | 4240 | EA | EA | 12-JUN-87 | EA | | | |
| | | | MIL-T-50009A | THICKENER, INCENDIARY OIL, M4 (VALIDATION DATE: 8008) USER: MC | A | 1365 | AR | AR | 18-AUG-60 | AR | AS | | |
| | | | MIL-V-50010 | VALVE, ANTIBACK DRAFT, PROTECTIVE SHELTER, M2 (VALIDATION DATE: 6607) REVIEWER: 11 GS | A | 4240 | EA | EA | 22-MAY-59 | EA | | 99 | |
| L | | | MIL-V-0050010A(1) | VALVE, ANTIBACK DRAFT, PROTECTIVE SHELTER, M2 (USE IN LIEU OF MIL-V-50010) | A | 4240 | EA | EA | 12-JUN-87 | EA | | | |
| | | | MIL-E-50011B NOTICE 1 | ETHANOLAMINES (MONOETHANOLAMINE, DIETHANOLAMINE, AND TRIETHANOLAMINE), TECHNICAL (VALIDATION DATE: 8808) USER: AS CT MI OS REVIEWER: GS MD ME | A | 6810 | EA | EA | 31-AUG-88 | EA | | 68 | |
| L | | | MIL-B-50012 | BAG, DELOUSING (VALIDATION DATE: 6607) USER: MC REVIEWER: GS | A | 4230 | EA | EA | 18-JUN-59 | EA | | | |
| L | | | MIL-A-50013B NOTICE 1 | ADAPTER, CLUSTER, BOMB, 750 POUND, M30 AND M30A1 | A | 1325 | EA | EA | 26-AUG-86 | EA | | | |
| L | | | MIL-P-50014C(2) | PACKET, SODIUM PYROPHOSPHATE PEROXIDE | A | 6665 | EA | EA | 02-NOV-84 | EA | | | |
| | | | MIL-B-50015B | BULB, ASPIRATOR REVIEWER: 82 | A | 6640 | EA | EA | 17-MAY-84 | EA | | 99 | |
| L | | | MIL-F-50022(1) | FACEBLANK (FOR CD V-805 MASK) (VALIDATION DATE: 6607) REVIEWER: GS | A | 4240 | EA | EA | 29-MAR-60 | EA | | | |
| L | | | MIL-M-50023 | MASK, PROTECTIVE, CD V-805 (VALIDATION DATE: 8201) REVIEWER: GS | A | 4240 | EA | EA | 23-JUN-59 | EA | | | |
| L | | | MIL-D-50028A(1) NOTICE 1 | DB3 REVIEWER: GS | A | 6810 | EA | EA | 24-FEB-87 | EA | | | |
| L | | | MIL-D-50029B | DYE, VAT YELLOW 4 REVIEWER: GS OS | A | 6820 | EA | EA | 15-JUL-63 | EA | | | |
| L | | | MIL-D-00500290 | DYE, VAT YELLOW 4 REVIEWER: GS | A | 6820 | EA | EA | 31-OCT-77 | EA | | | |
| M | L | | MIL-D-50030H NOTICE 1 | DECONTAMINATING AGENT, DS2 (VALIDATION DATE: 9304) | A | 6850 | EA | EA | 02-APR-93 | EA | | | |
| L | | | MIL-T-50036A(1) | TALC, TECHNICAL, T1 AND T3 REVIEWER: GS MD | A | 6810 | EA | EA | 22-JUL-80 | EA | SH | | |
| L | | | MIL-P-50039 | PAPER, NITRAZINE (VALIDATION DATE: 8404) REVIEWER: GS | A | 6810 | EA | EA | 26-JUN-59 | EA | | | |
| L | | | MIL-F-50043 NOTICE 1 | FILTER, PARTICULATE, 600 CFM, C18 (VALIDATION DATE: 8702) REVIEWER: GS | A | 4240 | EA | EA | 23-FEB-87 | AR | | | |
| L | | | MIL-F-50044 NOTICE 1 | FILTER, PARTICULATE, 1,200 CFM, C19 (VALIDATION DATE: 8702) REVIEWER: GS .. | A | 4240 | EA | EA | 24-FEB-87 | EA | | | |
| L | | | MIL-F-50045 NOTICE 1 | FILTER, PARTICULATE, 2,500 CFM, C30 (VALIDATION DATE: 8702) REVIEWER: GS .. | A | 4240 | EA | EA | 24-FEB-87 | EA | | | |
| L | | | MIL-F-50046 NOTICE 1 | FILTER, PARTICULATE, 5,000 CFM, C20 (VALIDATION DATE: 8702) REVIEWER: GS .. | A | 4240 | EA | EA | 24-FEB-87 | EA | | | |
| L | | | MIL-F-50047 | FILTER, GAS, 600 CFM, C22 (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 29-JUN-59 | EA | | | |
| L | | | MIL-F-50048 | FILTER, GAS, 1,200 CFM, C32 (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 29-JUN-59 | EA | | | |
| L | | | MIL-F-50049 | FILTER, GAS, 2,500 CFM, C29 (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 29-JUN-59 | EA | | | |
| L | | | MIL-F-50050 | FILTER, GAS, 5,000 CFM, C23 (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 29-JUN-59 | EA | | | |
| L | | | MIL-F-50051 | FILTER, GAS, AND PARTICULATE, 600 CFM, M14 (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 29-JUN-59 | EA | | | |
| L | | | MIL-F-50052 | FILTER, GAS AND PARTICULATE, 1,200 CFM, M15 (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 29-JUN-59 | EA | | | |
| L | | | MIL-F-50053 | FILTER, GAS AND PARTICULATE, 2,500 CFM, M16 (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 29-JUN-59 | EA | | | |
| L | | | MIL-F-50054 | FILTER, GAS AND PARTICULATE, 5,000 CFM, M17 (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 29-JUN-59 | EA | | | |
| L | | | MIL-F-50055 | FILTER UNIT, GAS AND PARTICULATE, EMD, 600 CFM, M9, (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 30-JUN-59 | EA | | | |
| L | | | MIL-F-50057 | FILTER UNIT, GAS AND PARTICULATE, EMD, 2,500 CFM, M11, (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 30-JUN-59 | EA | | | |
| L | | | MIL-F-50058 | FILTER UNIT, GAS AND PARTICULATE, EMD, 5,000 CFM, M12, (VALIDATION DATE: 8504) REVIEWER: GS | A | 4240 | EA | EA | 30-JUN-59 | EA | | | |
| | | | MIL-T-50059B NOTICE 1 | TITANOUS SULFATE SOLUTION, 20-PERCENT (METRIC) (VALIDATION DATE: 8904) REVIEWER: GS MD | A | 6810 | EA | EA | 04-APR-89 | EA | | 68 | |
| L | | | MIL-P-50060 | PAPER, CONGO RED (VALIDATION DATE: 8404) REVIEWER: GS | A | 6810 | EA | EA | 26-JUN-59 | EA | | | |
| | | | MIL-C-50062D NOTICE 1 | CARRIER, FIELD PROTECTIVE MASK, M15 REVIEWER: GS MI | A | 4240 | EA | EA | 26-AUG-86 | EA | MC | | |
| | | | MIL-L-50064C | LENS, OPHTHALMIC, SIMPLE (FOR M17 MASK) USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | | 99 | |
| L | | | MIL-L-0050064F(2) | LENSE, OPHTHALMIC, SIMPLE | A | 4240 | EA | EA | 11-AUG-86 | EA | | | |
| | | | MIL-V-50065A(1) | VALVE, NOSECUP USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | | 99 | |
| L | | | MIL-V-0050065C NOTICE 1 | VALVE, NOSECUP (VALIDATION DATE: 8608) | A | 4240 | EA | EA | 26-AUG-86 | EA | | | |
| | | | MIL-V-50066B | VOICEMITTER&OUTLET VALVE ASSEMBLY, C29R1 REVIEWER: GS | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 99 | |
| L | | | MIL-V-0050066C(1) | VOICEMITTER-OUTLET VALVE ASSEMBLY, C29R1 | A | 4240 | EA | EA | 02-MAR-87 | EA | | | |
| | | | MIL-V-50067C | VOICEMITTER-OUTLET VALVE, C29R1; COMPONENTS FOR USER: MC REVIEWER: GS MD .. | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 84 | |
| | | | MIL-V-0050067D | VOICEMITTER-OUTLET VALVE, C29R1 COMPONENTS FOR | A | 4240 | EA | EA | 22-JAN-70 | EA | SH | 84 | |
| L | | | MIL-V-50067C(11) | VOICEMITTER-OUTLET VALVE, C29R1; COMPONENTS FOR | A | 4240 | EA | EA | 30-JUN-66 | EA | | | |
| | | | MIL-R-50068A | RING, CRIMPING (FOR ABC-M17 MASK) USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 84 | |
| L | | | MIL-R-0050068D | RING, CRIMPING (FOR ABC-M17 MASK) | A | 4240 | EA | EA | 08-AUG-83 | EA | | | |
| L | | | MIL-R-50068A(11) | RING, CRIMPING (FOR ABC-M17 MASK) USER: MC REVIEWER: MD | A | 4240 | EA | EA | 30-JUN-66 | EA | | | |
| | | | MIL-E-50069B | EYERING, FIELD PROTECTIVE MASK, C4 USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 99 | |
| L | | | MIL-E-0050069E | EYERING, FIELD PROTECTIVE MASK, C4 (VALIDATION DATE: 8504) | A | 4240 | EA | EA | 30-JUN-77 | EA | | | |
| | | | MIL-F-50070C | FACEBLANK, C17 (VALIDATION DATE: 8504) USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 99 | |
| | | | MIL-M-50071C | NOSECUP, C10 USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 99 | |
| | | | MIL-C-50072B | COVER, VOICEMITTER-OUTLET VALVE, C13 USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 99 | |
| L | | | MIL-C-0050072C | COVER, VOICEMITTER-OUTLET VALVE, C13 (USE IN LIEU OF MIL-C-50072B) (VALIDATION DATE: 8504) | A | 4240 | EA | EA | 19-JUL-67 | EA | | | |
| | | | MIL-F-50073A | FACEFORM, FIELD PROTECTIVE MASK, M8 USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 99 | |
| L | | | MIL-F-00500738 | FACEFORM, FIELD PROTECTIVE MASK, M8 (VALIDATION DATE: 8504) | A | 4240 | EA | EA | 28-JUL-67 | EA | | | |
| | | | MIL-D-50074D | DYE, BENZANTHRONE USER: SH REVIEWER: GS MD OS | A | 6820 | EA | EA | 22-JUN-71 | EA | AS | | |
| L | | | MIL-D-0050074E NOTICE 1 | DYE, BENZANTHRONE (VALIDATION DATE: 8703) | A | 6820 | EA | EA | 31-OCT-77 | EA | | | |
| L | | | MIL-D-0050077F(1) | OUTSET, EYELENS, M1 | A | 4240 | EA | EA | 11-AUG-86 | EA | | | |
| | | | MIL-O-50077B | OUTSERT, EYELENS, M1 USER: MC REVIEWER: MD | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 84 | |
| | | | MIL-M-50079D | MASK, PROTECTIVE, FIELD, ABC-M17 (VALIDATION DATE: 8504) USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 99 | |
| L | | | MIL-M-0050079E | MASK, PROTECTIVE, FIELD ABC-M17 | A | 4240 | EA | EA | 16-DEC-68 | EA | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | | MIL-S-50080A | SCREEN, FLOCKED GRID [VALIDATION DATE: 8504] REVIEWER: GS | A | 4240 | EA | EA | 18-AUG-61 | EA | | | |
| | | | | MIL-V-50081F | VALVE, INLET, CHEMICAL-BIOLOGICAL MASK, C2OR1 USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 14-OCT-76 | EA | SH | 99 | |
| | L | | | MIL-V-50081F(12) | VALVE, INLET, CHEMICAL-BIOLOGICAL MASK, C2OR1 | A | 4240 | EA | EA | 18-JUN-87 | EA | | | |
| | | | | MIL-D-50082D | DISCS, INLET AND NOSECUP VALVE USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | 84 | |
| | L | | | MIL-D-0050082K(1) | DISKS, INLET AND NOSECUP VALVE | A | 4240 | EA | EA | 14-NOV-86 | EA | | | |
| | L | | | MIL-D-50082D(11) | DISCS, INLET AND NOSECUP VALVE | A | 4240 | AR | AR | 30-JUN-66 | AR | | | |
| | | | | MIL-C-50084A(1) | CENTRIFUGAL FAN AND MOTOR ASSEMBLY, 12CFM REVIEWER: 99 GS MI | A | 4240 | EA | EA | 08-MAY-62 | EA | MC | | |
| | L | | | MIL-F-0050084F | FAN, CENTRIFUGAL, 12 CFM | A | 4240 | EA | EA | 06-SEP-90 | EA | | | |
| | | | | MIL-P-50085B | PRECLEANER, AIR PURIFIER, M1A1 REVIEWER: GS | A | 4240 | EA | EA | 19-JUN-67 | EA | | 99 | |
| | L | | | MIL-P-0050085D(1) | PRECLEANER, AIR PURIFIER, M1A1 | A | 4240 | EA | EA | 12-JUN-87 | EA | | | |
| | L | | | MIL-F-50086A | FILTER UNIT, GAS-PARTICULATE, TANK, THREE-MAN, 12 CFM, M8A2 [VALIDATION DATE: 8504] REVIEWER: GS | A | 4240 | EA | EA | 29-DEC-60 | EA | | | |
| D | | | | MIL-S-50087C | SEPARATOR, DUST REVIEWER: GS YD1 | A | 4240 | EA | EA | 17-APR-68 | EA | MC | 99 | |
| | L | | | MIL-S-0050087D | SEPARATOR, DUST | A | 4240 | EA | EA | 25-JAN-80 | EA | | | |
| | | | | MIL-I-50089A | INSTALLATION KIT, GAS-PARTICULATE FILTER UNIT, COMBAT VEHICLE, M20 [VALIDATION DATE: 8504] REVIEWER: GS | A | 4240 | EA | EA | 31-MAR-60 | EA | MC | | |
| | L | | | MIL-R-50090D(2) | RIOT CONTROL AGENT, CS1 | A | 1365 | EA | EA | 18-NOV-88 | EA | | | |
| | L | | | MIL-A-50093A(1) NOTICE 1 | ADAPTER, COMPRESSED AIR BREATHING APPARATUS, M4 [VALIDATION DATE: 8609] REVIEWER: GS | A | 4240 | EA | EA | 19-SEP-86 | EA | | | |
| | L | | | MIL-P-50202A(6) | PROPELLANT CHARGE, ROCKET, FOR DEMOLITION KIT, CRATERING, M180 | A | 1340 | AR | AR | 10-JUN-88 | AR | | | |
| | L | | | MIL-P-50203(1) NOTICE 1 | PROJECTILE METAL PARTS, LESS BALL ASSEMBLY, WITH FUZE, PD, M536 [VALIDATION DATE: 8803] | A | 1310 | AR | AR | 23-MAR-88 | AR | | | |
| A | L | | | MIL-S-50204B(1) | SUPPORTS, MOLDED, PLASTIC (FOR USE IN AMMUNITION CONTAINERS) | A | 8140 | AR | AR | 08-FEB-93 | AR | | | |
| | L | | | MIL-L-50205 | LINER, CUP-FOR WARHEAD, 2.75 INCH ROCKET, M151 AND XM229 [VALIDATION DATE: 7603] | A | 1340 | AR | AR | 01-DEC-68 | AR | | | |
| | L | | | MIL-P-50206(2) NOTICE 1 | PROPELLANT M9, FLAKE (FOR USE IN 40MM CARTRIDGES) [VALIDATION DATE: 8803] REVIEWER: EA | A | 1376 | AR | AR | 21-MAR-88 | AR | | | |
| | L | | | MIL-A-50210(1) NOTICE 1 | ACID, MIXED (FOR USE IN NITRATION OF EXPLOSIVES) | A | 1376 | AR | AR | 30-JAN-87 | AR | | | |
| | L | | | MIL-S-50218B(2) NOTICE 1 | SWITCH, NOSE CRUSH ASSEMBLY, ASSEMBLING AND PACKING (DRAGON) | A | 1336 | AR | AR | 30-JAN-87 | AR | | | |
| | L | | | MIL-W-50219A(5) NOTICE 1 | WARHEAD SECTION, GUIDED MISSILE, HE, M225, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] REVIEWER: CS | A | 1336 | AR | AR | 09-MAY-90 | AR | | | |
| | L | | | MIL-F-50220A(1) NOTICE 1 | FUZE, ROCKET, BASE DETONATING, XM434E1 ASSEMBLING AND PACKING [VALIDATION DATE: 8806] REVIEWER: CS | A | 1340 | AR | AR | 20-JUN-88 | AR | | | |
| | L | | | MIL-W-50232 NOTICE 1 | WARHEAD SECTION, ATOMIC, TRAINING, M240 (TYPE X) [VALIDATION DATE: 8809] .. | A | 1115 | AR | AR | 08-SEP-88 | AR | | | |
| | L | | | MIL-C-50242 NOTICE 1 | CARTRIDGE, 40MM, HE, M383, BODY ASSEMBLY FOR METAL PARTS [VALIDATION DATE: 8705] | A | 1310 | AR | AR | 04-AUG-71 | AR | | | |
| | L | | | MIL-C-50243(7) | CARTRIDGE, 40MM, HE, M383 LOADING, ASSEMBLING AND PACKING | A | 1310 | AR | AR | 14-JUN-91 | AR | | | |
| | L | | | MIL-C-50245A NOTICE 1 | CLIP, SAFETY, FOR HAND GRENADES [VALIDATION DATE: 8803] | A | 1330 | AR | AR | 30-MAR-88 | AR | | | |
| | L | | | MIL-C-50252(1) NOTICE 1 | CARTRIDGE, SEMI-FIXED, 105MM, APERS-T XM546E2, LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8705] | A | 1315 | AR | AR | 27-MAY-87 | AR | | | |
| A | L | | | MIL-F-50253A(3) | FUZES, ROCKET, M423, M427 AND M433 LOADING, ASSEMBLING AND PACKING | A | 1340 | AR | AR | 26-DEC-92 | AR | | | |
| | L | | | MIL-M-50256(1) NOTICE 1 | MINE, ANTIPERSONNEL, BLU-54/B LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805] | A | 1345 | AR | AR | 20-MAY-88 | AR | | | |
| | L | | | MIL-P-50257 NOTICE 1 | PROJECTILE, 8 INCH, HE, M404, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9011] | A | 1320 | AR | AR | 01-NOV-90 | AR | | | |
| | L | | | MIL-W-50259(1) NOTICE 1 | WARHEAD SECTION, 762MM ROCKET, PRACTICE, M38 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9110] | A | 1340 | AR | AR | 03-OCT-91 | AR | | | |
| | L | | | MIL-C-50261A NOTICE 1 | CARTRIDGE, IGNITION, XM285 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705] | A | 1315 | AR | AR | 27-MAY-87 | AR | | | |
| | L | | | MIL-B-50262(1) NOTICE 1 | BURSTER, PROJECTILE, M21, LOADING ASSEMBLING AND PACKING [VALIDATION DATE: 8803] | A | 1310 | AR | AR | 23-MAR-88 | AR | | | |
| | L | | | MIL-R-50263A(2) NOTICE 1 | ROCKET, 2.75 INCH, COMPLETE ROUND, ASSEMBLING, PACKING AND TESTING [VALIDATION DATE: 8804] | A | 1340 | AR | AR | 22-APR-88 | AR | | | |
| | L | | | MIL-P-50265 | PRIMER, ELECTRIC, XM114 PARTS FOR, AND LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8203] | A | 1375 | AR | AR | 21-APR-69 | AR | | | |
| | L | | | MIL-C-50269B | CELLULOSE, WOODPULP (SULFATE) FOR NON-METALLIC CARTRIDGE CASES, KRAFT | A | 1320 | AR | AR | 04-DEC-87 | AR | | | |
| | L | | | MIL-F-50274(2) NOTICE 1 | FUZES, GRENADE, H.E. M218, M219 AND XM224 LEAD CUP ASSEMBLY FOR LOADING, ASSEMBLING AND PACKING | A | 1330 | AR | AR | 09-NOV-90 | AR | | | |
| | L | | | MIL-W-50275A(1) NOTICE 1 | WARHEAD, HE, M18A1 PARTS FOR [VALIDATION DATE: 9110] | A | 1340 | AR | AR | 03-OCT-91 | AR | | | |
| | L | | | MIL-P-50286A NOTICE 1 | PROJECTILE, 155 MILLIMETER: M454, WITH ACCESSORIES DOD COMPONENTS ONLY: ASSEMBLY OF [VALIDATION DATE: 8909] | A | 1110 | AR | AR | 01-SEP-89 | AR | | | |
| | L | | | MIL-P-50290(2) NOTICE 2 | PROJECTILE, 155MM: VELOCITY TEST, T5119 [VALIDATION DATE: 9108] | A | 1190 | AR | AR | 20-AUG-91 | AR | | | |
| | L | | | MIL-T-50302A(1) NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, XM26, ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | OS | 26-JUN-86 | | OS | | |
| | L | | | MIL-T-50303A(1) | THRUSTER, CARTRIDGE ACTUATED, M26 METAL PARTS ASSEMBLY | A | 1377 | OS | OS | 15-JUL-86 | | OS | | |
| | L | | | MIL-C-50306A | CASE, SHIPPING, REUSABLE, 10559875, 11730881 AND 11730882 [VALIDATION DATE: 8202] | A | 1285 | AR | AR | 01-MAY-70 | AR | | | |
| | L | | | MIL-P-50307(2) | PROJECTOR, RECTICLE IMAGE: 10547353 | A | 1270 | AR | AR | 30-MAR-90 | AR | | | |
| | L | | | MIL-P-50308B NOTICE 1 | PROJECTILE, HEAT, 106MM, M344A1 WITH FIN MB METAL PARTS ASSEMBLY [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| | L | | | MIL-S-50312(1) | SHIPPING AND STORAGE CONTAINER, CARTRIDGE, 30MM, XM592 | A | 8140 | AR | AR | 15-FEB-91 | AR | | | |
| | L | | | MIL-C-50316(2) | CARTRIDGE, DELAY, MB7, ASSEMBLY | A | 1377 | OS | OS | 16-OCT-86 | | OS | | |
| A | L | | | MIL-P-50317B(1) | PROTECTOR, OVERVOLTAGE: 10548031 (+5 VOLT FILTER) | A | 1285 | AR | AR | 27-AUG-92 | AR | | | |
| A | L | | | MIL-R-50318B(1) | REGULATOR, VOLTAGE: 10548034 AND 11727766 | A | 1285 | AR | AR | 25-SEP-92 | AR | | | |
| A | L | | | MIL-R-50319B(1) | REGULATOR, VOLTAGE: 10548043 AND 11727763 | A | 1285 | AR | AR | 09-OCT-92 | AR | | | |
| A | L | | | MIL-T-50320C(1) | TRANSMIT GATE: 10549202 | A | 1285 | AR | AR | 09-OCT-92 | AR | | | |
| A | L | | | MIL-P-50321B(1) | POWER SUPPLY: 9342815 (KLYSTRON) | A | 1285 | AR | AR | 25-SEP-92 | AR | | | |
| A | L | | | MIL-G-50322B(1) | GENERATOR, DIGITAL: 10548613 | A | 1285 | AR | AR | 25-SEP-92 | AR | | | |
| A | L | | | MIL-P-50323C(1) | POWER SUPPLY: 11834450 (KLYSTRON BEAM) | A | 1285 | AR | AR | 25-SEP-92 | AR | | | |
| A | L | | | MIL-P-50324B | PULSE SHAPER: 10548801 | A | 1285 | AR | AR | 27-AUG-92 | AR | | | |
| | L | | | MIL-R-50325B(1) | REGULATOR, VOLTAGE, 10548986 | A | 1285 | AR | AR | 30-NOV-82 | AR | | | |
| | L | | | MIL-R-50326B(1) NOTICE 1 | REGULATOR, VOLTAGE, 10548987 [VALIDATION DATE: 8804] | A | 1285 | AR | AR | 06-APR-88 | AR | | | |
| A | L | | | MIL-R-50327C(1) | REGULATOR, VOLTAGE: 10548988 | A | 1285 | AR | AR | 09-SEP-92 | AR | | | |
| | L | | | MIL-R-50328B(1) | REGULATOR, VOLTAGE, 10549008 | A | 1285 | AR | AR | 30-NOV-82 | AR | | | |
| A | L | | | MIL-C-50329C(1) | CONVERTER, ELECTRONIC: 10549013 | A | 1285 | AR | AR | 27-AUG-92 | AR | | | |
| A | L | | | MIL-C-50330C(1) | CONVERTER, DC/DC: 10549021 | A | 1285 | AR | AR | 25-SEP-92 | AR | | | |
| | L | | | MIL-T-50331 | TEST SET, SUBASSEMBLY MX-8046/TPM-22 RECEIVER/TRANSMITTER TESTER( [VALIDATION DATE: 8202] | A | 4931 | AR | AR | 10-NOV-69 | AR | | | |
| | L | | | MIL-T-50332A(1) | TEST SET, SUBASSEMBLY MX-8047/TPM-22 (HIGH VOLTAGE TESTER) | A | 4931 | AR | AR | 09-NOV-84 | AR | | | |
| A | L | | | MIL-T-50333C(1) | TEST SET, SUBASSEMBLY MX-8048/TPM-22A (RECEIVER, TEST PANEL) | A | 4931 | AR | AR | 09-SEP-92 | AR | | | |
| | L | | | MIL-T-50334B | TEST SET, SUBASSEMBLY MX-8049/TPM-22 (RANGE COMPUTER TESTER) | A | 4931 | AR | AR | 30-NOV-84 | AR | | | |
| A | L | | | MIL-T-50335B(1) | TEST SET, POWER SUPPLY: MX-8051/TPM-22A | A | 4931 | AR | AR | 09-SEP-92 | AR | | | |
| | L | | | MIL-T-50336(1) | TEST SET SUBASSEMBLY, 10554898 (PULSE GENERATOR) | A | 4931 | AR | AR | 30-DEC-82 | AR | | | |
| | L | | | MIL-T-50337 | TEST SET SUBASSEMBLY, 10558483 (CARD READER) [VALIDATION DATE: 8202] | A | 4931 | AR | AR | 10-NOV-69 | AR | | | |
| | L | | | MIL-T-50338 | TEST SET SUBASSEMBLY, 11726303 (TEST SOCKET ASSEMBLY) [VALIDATION DATE: 8202] | A | 4931 | AR | AR | 10-NOV-69 | AR | | | |
| | L | | | MIL-T-50339A | TEST SET, SUBASSEMBLY MX-8050/TPM-22 (PRINTED CIRCUIT CARD TESTER) | A | 4931 | AR | AR | 31-MAR-85 | AR | | | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-T-50340A | TEST SET SUBASSEMBLY: 11726333 (LINE DRIVER A) | A | 4931 AR | 03-NOV-92 | AR | | | |
| | L | MIL-T-50341(1) | TEST SET SUBASSEMBLY, 11726335 (LINE DRIVER B/C [VALIDATION DATE: 8202] | A | 4931 AR | 28-FEB-82 | AR | | | |
| | L | MIL-T-50342 | TEST SET SUBASSEMBLY, 11726337 (LINE DRIVER D) [VALIDATION DATE: 8202] | A | 4931 AR | 10-NOV-69 | AR | | | |
| | L | MIL-T-50343 | TEST SET SUBASSEMBLY, 11726338 (LOW VOLTAGE FILTER) [VALIDATION DATE: 8202] | A | 4931 AR | 10-NOV-69 | AR | | | |
| A | L | MIL-C-50344B(1) | COUNTER, ELECTRONIC: 10548009 | A | 1286 AR | 09-OCT-92 | AR | | | |
| | L | MIL-P-50345E(8) | PROJECTILE, 155MM: M483A1-M718/M741-M692/M731 METAL PARTS ASSEMBLY | A | 1320 AR | 13-OCT-89 | AR | | | |
| | L | MIL-P-50346A | POWER SUPPLY, 9333063 | A | 4931 AR | 28-SEP-84 | AR | | | |
| | L | MIL-S-50347(2) | SIMULATOR, TARGET 10558244 | A | 4931 AR | 30-APR-82 | AR | | | |
| | L | MIL-S-50348(1) | SYNCHRONIZER, PULSE, 10554894 | A | 4931 AR | 13-JUN-82 | AR | | | |
| | L | MIL-G-50349A(2) | GENERATOR, PULSE, 10554892 | A | 4931 AR | 30-AUG-84 | AR | | | |
| A | L | MIL-G-50351A | GENERATOR: 10558216 | A | 4931 AR | 14-OCT-92 | AR | | | |
| M | | MIL-T-50356A | THRUSTER, CARTRIDGE ACTUATED, M1A2 REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 OS | 19-MAR-93 | | OS | 99 | |
| | L | MIL-P-50357(2) NOTICE 3 | PROJECTILE, 60MM, H.E., M49A3 METAL PARTS ASSEMBLY (ALLOY STEEL) [VALIDATION DATE: 8705] | A | 1310 AR | 21-MAY-87 | AR | | | |
| | L | MIL-I-50360(1) | INITIATOR, CARTRIDGE ACTUATED DELAY, M51 AND M88 METAL PARTS ASSEMBLY | A | 1377 OS | 15-JUL-86 | | OS | | |
| | L | MIL-I-50362 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, M8, METAL PARTS ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 OS | 26-JUN-86 | | OS | | |
| | L | MIL-P-50363 NOTICE 1 | PLOTTING BOARD, FLASH RANGING, FIRE CONTROL: M18 [VALIDATION DATE: 9009] | A | 1220 AR | 28-SEP-90 | AR | | | |
| | L | MIL-I-50364 NOTICE 1 | INIATOR, CARTRIDGE ACTUATED, M8 ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 OS | 19-NOV-73 | | OS | | |
| | L | MIL-B-50366A(3) | BODY ASSEMBLY, 10516210 (PERISCOPE M32) | A | 1240 AR | 28-OCT-83 | AR | | | |
| | L | MIL-H-50368C(1) | HEAD ASSEMBLY, 10514220 (PERISCOPE, M32 & M35 | A | 1240 AR | 28-OCT-83 | AR | | | |
| | L | MIL-P-50369A NOTICE 1 | PROJECTILE, 152MM, TP-T, M411A1 METAL PARTS ASSEMBLY [VALIDATION DATE: 8806] | A | 1320 AR | 20-JUN-88 | AR | | | |
| | L | MIL-A-50372 NOTICE 1 | ACTUATOR, ROTARY 1000-41 ASSEMBLY [VALIDATION DATE: 8808] | A | 1377 OS | 29-AUG-88 | | OS | | |
| | L | MIL-A-50373 NOTICE 1 | ACTUATOR, ROTARY 1000-41 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8808] | A | 1377 OS | 29-AUG-88 | | OS | | |
| A | | MIL-I-50374A | INITIATOR, PROPELLANT ACTUATED, M104 ASSEMBLY REVIEWER: 70 | A | 1377 OS | 11-FEB-93 | | OS | 99 | |
| A | | MIL-I-50375A | INITIATOR, PROPELLANT ACTUATED, M104 METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 OS | 11-FEB-93 | | OS | 99 | |
| | L | MIL-B-50378(1) NOTICE 1 | BARRELS, TEST, SMALL ARMS AMMUNITION GENERAL SPECIFICATION FOR | A | 1305 AR | 31-JUL-88 | AR | | | |
| | L | MIL-S-50379(1) | SIGHTUNIT, M53A1 [VALIDATION DATE: 8504] | A | 1240 AR | 30-JUN-72 | AR | | | |
| | L | MIL-M-50380(2) | MOUNT, TELESCOPE, M128A1 | A | 1240 AR | 26-SEP-85 | AR | | | |
| | L | MIL-T-50382(4) | TELESCOPE, PANORAMIC: M113A1 | A | 1240 AR | 29-JAN-90 | AR | | | |
| | L | MIL-M-50383A(2) | MOUNT, TELESCOPE: M134A1 | A | 1240 AR | 05-JAN-90 | AR | | | |
| | L | MIL-T-50384(2) | TELESCOPE, ELBOW: M114A1 | A | 1240 AR | 25-JAN-90 | AR | | | |
| | L | MIL-Q-50385(2) | QUADRANT, FIRE CONTROL: ELEVATION M14A1 | A | 1240 AR | 05-JAN-90 | AR | | | |
| | L | MIL-Q-50386 | QUADRANT, GUNNER S, M1A1E1 [VALIDATION DATE: 8202] | A | 1290 AR | 16-JUN-70 | AR | | | |
| | L | MIL-C-50388 | CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY, M210 [VALIDATION DATE: 8304] | A | 1305 AR | 06-JUL-70 | AR | | | |
| | L | MIL-S-50390 NOTICE 1 | SWITCH AND CONNECTOR ASSEMBLY | A | 1390 AR | 10-JUL-87 | AR | | | |
| | L | MIL-P-50398(5) | PROJECTILE, 165MM, TP M624, METAL PARTS | A | 1320 AR | 17-NOV-86 | AR | | | |
| | L | MIL-I-50406 NOTICE 1 | INITIATOR ASSEMBLY FOR PRIMER, ELECTRIC XM91E1 AND XM117 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8806] | A | 1320 AR | 20-JUN-88 | AR | | | |
| | L | MIL-F-50407A(1) NOTICE 1 | FUZE, ROCKET, M412E1 ASSEMBLING AND PACKING [VALIDATION DATE: 8704] REVIEWER: MI | A | 1340 AR | 02-APR-87 | AR | | | |
| | L | MIL-C-50409(2) | COMPONENT, METAL, FOR FIBER CONTAINER M105 [VALIDATION DATE: 8505] | A | 8140 AR | 14-DEC-72 | AR | | | |
| | L | MIL-I-50412 NOTICE 1 | INITIATOR ASSEMBLY FOR PRIMER, ELECTRIC, XM91E1, AND XM117, PARTS FOR [VALIDATION DATE: 9011] | A | 1345 AR | 01-NOV-90 | AR | | | |
| | L | MIL-C-50413A(5) | CARTRIDGE, 165MM, TP, M623 LOADING, ASSEMBLING AND PACKING | A | 1320 AR | 18-JUN-90 | AR | | | |
| | L | MIL-F-50415A(2) | FUZE, ROCKET, M412A1 LOADING AND ASSEMBLING [VALIDATION DATE: 8104] REVIEWER: MI | A | 1340 AR | 18-JUL-75 | AR | | | |
| | L | MIL-P-50418 NOTICE 1 | PROPELLANT, M9 FOR USE IN INCREMENT, M185 FOR 81MM MORTAR [VALIDATION DATE: 8805] | A | 1376 AR | 05-MAY-88 | AR | | | |
| | L | MIL-D-50420A(2) | DETONATOR, STAB, M98 (TB3E1) PARTS FOR, AND LOADING, ASSEMBLING AND PACKING | A | 1375 AR | 09-APR-92 | AR | | | |
| | L | MIL-F-50421(1) NOTICE 1 | FUZE, XM596; SETBACK PIN AND HOUSING ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808] | A | 1390 AR | 22-AUG-88 | AR | | | |
| | L | MIL-W-50422A NOTICE 1 | WARHEAD, HE, M18A1 LOADING AND ASSEMBLY [VALIDATION DATE: 8704] REVIEWER: MI | A | 1340 AR | 02-APR-87 | AR | | | |
| | L | MIL-A-50424(1) NOTICE 1 | ACETAL, SHEETING (FOR USE WITH AMMUNITION) | A | 1395 AR | 18-APR-91 | AR | | | |
| | L | MIL-P-50425(1) NOTICE 1 | PROPELLANT, M9 FOR USE IN INCREMENT, M5 FOR 81MM MORTAR [VALIDATION DATE: 8805] | A | 1376 AR | 05-MAY-88 | AR | | | |
| | L | MIL-L-50429A(4) | LAMINATE, ACETAL AND CLOTH, (FOR USE WITH 81MM AMMUNITION) | A | 1395 AR | 24-MAY-90 | AR | | | |
| | L | MIL-B-50432 NOTICE 1 | BAG, BARRIER, NEOPRENE, FOR USE WITH 152MM CARTRIDGES [VALIDATION DATE: 8806] | A | 1320 AR | 20-JUN-88 | AR | | | |
| | L | MIL-V-50433 NOTICE 1 | VINYL ALCOHOL - ACETATE RESIN SOLUTION (VAAR) (FOR USE IN AMMUNITION) [VALIDATION DATE: 9108] | A | 1376 AR | 29-AUG-91 | AR | | | |
| | L | MIL-C-50443 | CARTRIDGE, 105MM, HE, M444E1, BODY ASSEMBLY AND BASE PLUG FOR [VALIDATION DATE: 8203] | A | 1315 AR | 22-SEP-69 | AR | | | |
| A | L | MIL-C-50446A(1) | CASE, CARTRIDGE, 40MM, M118 PART FOR | A | 1310 AR | 10-NOV-92 | AR | | | |
| A | L | MIL-C-50447A(2) | CASE CARTRIDGE, 40MM, M118 AND M195; PLUG, BASE FOR | A | 1310 AR | 10-NOV-92 | AR | | | |
| | L | MIL-C-50448A(1) NOTICE 1 | CASE, CARTRIDGE, 40MM, M118 AND M195, CUP, POWER CHARGE FOR [VALIDATION DATE: 8803] | A | 1310 AR | 23-MAR-88 | AR | | | |
| | L | MIL-F-50449B | FILLER, SHEET FORM (FOR USE IN AMMUNITION CONTAINERS) | A | 1395 AR | 06-JUL-88 | AR | | | |
| | L | MIL-B-50451B | BLASTING MACHINE, M32 PARTS AND ASSEMBLY [VALIDATION DATE: 8301] | A | 1375 AR | 01-JUL-76 | AR | | | |
| | L | MIL-F-50454A(5) | FUZE, GRENADE, M219E1 LOADING, ASSEMBLING AND PACKING | A | 1330 AR | 06-JUN-88 | AR | | | |
| | L | MIL-C-50458 NOTICE 1 | CASE, CARTRIDGE, COMBUSTIBLE, XM157E1, 152MM, PARTS FOR [VALIDATION DATE: 8806] | A | 1320 AR | 20-JUN-88 | AR | | | |
| | L | MIL-A-50460A | AMMONIUM NITRATE, PRILLED (FOR USE IN AMMUNITION) [VALIDATION DATE: 8907] REVIEWER: GS | A | 6810 AR | 13-JUL-89 | AR | | | |
| | L | MIL-G-50463 NOTICE 1 | GRENADE, HAND, PRACTICE, DELAY, XM69; STOPPER FOR [VALIDATION DATE: 9010] | A | 1330 AR | 31-OCT-90 | AR | | | |
| | L | MIL-C-50466(2) NOTICE 1 | CARTRIDGE, 40MM, HE, XM684 LOADING, ASSEMBLING AND PACKING | A | 1310 AR | 30-JAN-91 | AR | | | |
| | L | MIL-C-50469(2) | CHARGE, SUPPLEMENTARY FOR DEEP CAVITY LOADED PROJECTILE, PARTS FOR | A | 1315 AR | 21-JUL-86 | AR | | | |
| | L | MIL-L-50470(1) | LINER, FOR DEEP CAVITY LOADED PROJECTILE | A | 1315 AR | 16-FEB-88 | AR | | | |
| | L | MIL-C-50471(5) | CHARGE, SUPPLEMENTARY ASSEMBLY WITH SPACER FOR DEEP CAVITY LOADED PROJECTILE, LOADING, ASSEMBLING AND PACKING | A | 1315 AR | 20-APR-90 | AR | | | |
| | L | MIL-P-50472A NOTICE 1 | PROPELLANT M26A1, FOR USE IN CHANGE PROPELLING M189 [VALIDATION DATE: 9108] | A | 1376 AR | 29-AUG-91 | AR | | | |
| | L | MIL-B-50474(1) NOTICE 1 | BLASTING AGENT - TNT [VALIDATION DATE: 8604] | A | 1375 AR | 08-APR-86 | AR | | | |
| | L | MIL-D-50478 NOTICE 1 | DUMMY PROJECTILE, 40MM: PXR 6135 FOR CARTRIDGE CASE LOADING ASSEMBLY, XM195 PARTS FOR [VALIDATION DATE: 9109] | A | 1310 AR | 12-SEP-91 | AR | | | |
| | L | MIL-B-50485A NOTICE 1 | BANDOLEER ASSEMBLY FOR CARTRIDGE, 40MM, M397, M397E1 & M433 [VALIDATION DATE: 8803] | A | 1310 AR | 21-MAR-88 | AR | | | |
| | L | MIL-P-50486 NOTICE 1 | POTASSIUM DINITROHYDROXY HYDROBENZOFUROXAN (FOR USE IN AMMUNITION) [VALIDATION DATE: 9108] | A | 1376 AR | 29-AUG-91 | AR | | | |

| Action | GRL / Cnfg. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M | L | | MIL-C-50494(1) | CAP BLASTING, PRACTICE M10 PARTS FOR, ASSEMBLING AND PACKING | A | 1345 | AR | AR | 22-MAR-93 | AR | | | |
| | L | | MIL-F-50495A | FIRING DEVICE, PRESSURE RELEASE TYPE, M5 AND M5 INERT ASSEMBLY PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8203] | A | 1375 | AR | AR | 05-NOV-75 | AR | | | |
| | L | | MIL-W-50504A | WARHEAD, 2.75 INCH ROCKET, M151 PARTS FOR [VALIDATION DATE: 8902] | A | 1340 | AR | AR | 02-FEB-89 | AR | | | |
| | | . | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-B-50506 | BODY, ANTIPERSONNEL MINE, PRACTICE, M33 PARTS FOR LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8504] | A | 1345 | AR | AR | 14-JUN-72 | AR | | | |
| | Q | | MIL-M-50508A | MOUNT, RESILIENT (FOR USE IN AMMUNITION SHIPPING CONTAINERS) [VALIDATION DATE: 8703] | A | 8140 | AR | AR | 24-MAR-87 | AR | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-C-50509A | CARTRIDGE, 40MM, WHITE STAR, CLUSTER, M585 METAL PARTS AND LOADING, ASSEMBLING AND PACKING REVIEWER: MI | A | 1310 | AR | AR | 28-MAY-91 | AR | | | |
| | L | | MIL-M-50512 | MINE, APERS, PRACTICE, M68 ASSEMBLING AND PACKING [VALIDATION DATE: 8504] . | A | 1345 | AR | AR | 28-FEB-72 | AR | | | |
| | L | | MIL-C-50513B(5) | CARTRIDGE, IGNITION, M2A2 PARTS FOR, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| | L | | MIL-F-50519(1) | FUZE, PD, M536, SEPARATION CHARGE FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808] | A | 1390 | AR | AR | 22-AUG-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-F-50520(1) | FUZE, PD, M536; DELAY DETONATOR ASSEMBLY FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808] | A | 1390 | AR | AR | 22-AUG-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-F-50521 | FUZE, PD, M536; DELAY DETONATOR ASSEMBLY FOR METAL PART [VALIDATION DATE: 8808] | A | 1390 | AR | AR | 22-AUG-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-F-50522 | FUZE, PD, M536; SEPARATION CHARGE ASSEMBLY FOR METAL PARTS FOR [VALIDATION DATE: 8808] | A | 1390 | AR | AR | 22-AUG-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-C-50523(1) | CHARGE, DEMOLITION, M112 PARTS FOR AND LOADING, ASSEMBLING AND PACKING .... | A | 1375 | AR | AR | 12-MAY-87 | AR | | | |
| | | | NOTICE 3 | | | | | | | | | | |
| | L | | MIL-C-50525 | CHARGE ASSEMBLY, DEMOLITION, M183 WITH CHARGE, DEMOLITION M112, PARTS FOR, LOADING, ASSEMBLY, AND PACKING [VALIDATION DATE: 8404] | A | 1375 | AR | AR | 08-MAY-70 | AR | | | |
| | L | | MIL-C-50527(2) | CASE, CARTRIDGE, 40MM, M195 PART FOR | A | 1310 | AR | AR | 28-JUL-91 | AR | | | |
| | L | | MIL-Q-50531 | QUARTZITE (GROUND) (FOR USE IN AMMUNITION) [VALIDATION DATE: 8805] | A | 1345 | AR | AR | 20-MAY-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-F-50532A | FUSE, ROCKET, BASE DETONATING XM434 ASSEMBLING AND PACKING [VALIDATION DATE: 9110] | A | 1340 | AR | AR | 03-OCT-91 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-F-50533(1) | FIBER, ACRYLIC, FIBRILLATED | A | 1320 | AR | AR | 20-MAR-90 | AR | | | |
| | L | | MIL-C-50534A(2) | CASE, CARTRIDGE, M205, 152MM, PARTS FOR [VALIDATION DATE: 8705] | A | 1320 | AR | AR | 29-JAN-75 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-P-50535 | PROJECTILE, 155MM, HE, M449A1, BODY ASSEMBLY FOR [VALIDATION DATE: 9011] .. | A | 1320 | AR | AR | 01-NOV-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-P-50536 | PROJECTILE, 155MM, HE, M449A1, BASE PLUG FOR [VALIDATION DATE: 8603] ..... | A | 1320 | AR | AR | 17-MAR-86 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-P-50537 | PROJECTILE, 155MM, HE: M449A1, HARDWARE FOR [VALIDATION DATE: 9011] ..... | A | 1320 | AR | AR | 01-NOV-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-P-50538 | PROJECTILE, 155MM, HE, M449A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8303] | A | 1320 | AR | AR | 07-DEC-70 | AR | | | |
| | L | | MIL-D-50540 | DETONATOR, FLASH, XM97 PARTS FOR, AND LOADING ASSEMBLING AND PACKING [VALIDATION DATE: 8203] | A | 1375 | AR | AR | 15-JUN-70 | AR | | | |
| A | L | | MIL-F-50541A(4) | FUZE FOR FLECHETTE WARHEAD, WDU-4A/A (LESS EXPULSION CHARGE) | A | 1340 | AR | AR | 07-DEC-92 | AR | | | |
| | L | | MIL-F-50542A | FUZE FOR FLECHETTE WARHEAD, WDU-4A/A (WITH EXPULSION CHARGE) [VALIDATION DATE: 9110] | A | 1340 | AR | AR | 03-OCT-91 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-C-50543 | CARTRIDGE, 40MM, HE, M386 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109] | A | 1310 | AR | AR | 12-SEP-91 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-G-50548B(3) | GRENADE, G.P., M42 BODY ASSEMBLY, TYPE PH, FOR | A | 1330 | AR | AR | 31-MAR-88 | AR | | | |
| | L | | MIL-F-50548A(4) | FUZES, ROCKET, M423 AND M427 LESS BOOSTER AND BOOSTER LEAD | A | 1340 | AR | AR | 18-MAY-90 | AR | | | |
| | L | | MIL-W-50549A | WARHEAD, 2.75 INCH ROCKET, FLECHETTE, WDU-4A/A, WDU-13/A, PARTS FOR [VALIDATION DATE: 8704] | A | 1340 | AR | AR | 10-APR-87 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-W-50550A | WARHEAD, 2.75 INCH ROCKET, FLECHETTE, WITH FUZE WDU-4A/A, WDU-13/A LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8704] | A | 1340 | AR | AR | 10-APR-87 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-P-50560A | PROJECTILE, MES, 8-INCH, M424A1 METAL PARTS | A | MUOR | AR | AR | 28-OCT-86 | AR | | | |
| | L | | MIL-P-50562(3) | PROJECTILE, 8 INCH, M424A1 LOADING ASSEMBLY [VALIDATION DATE: 9108] ..... | A | MUOR | AR | AR | 20-AUG-91 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-C-50565 | CONTAINER, SHIPPING AND STORAGE, ATOMIC PROJECTILE: M500 [VALIDATION DATE: 9108] | A | MUOR | AR | AR | 20-AUG-91 | AR | | | |
| | | | NOTICE 2 | | | | | | | | | | |
| | L | | MIL-P-50569C(3) | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 SERIES, MOTOR BODY BONDING ASSEMBLING FOR | A | 1320 | AR | AR | 25-JUN-90 | AR | | | |
| | L | | MIL-P-50570A(7) | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 & M549A1, DELAY ASSEMBLY FOR .. | A | 1320 | AR | AR | 31-JUL-89 | AR | | | |
| | L | | MIL-P-50571A(1) | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 & M549A1, DELAY ASSEMBLY PARTS FOR | A | 1320 | AR | AR | 03-FEB-89 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-P-50573C(4) | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 AND M549A1 FORWARD (AHM) PROPELLANT GRAIN FOR | A | 1320 | AR | AR | 22-SEP-87 | AR | | | |
| | L | | MIL-P-50574B(7) | PROJECTILE, 155MM, HE ROCKET ASSISTED, M549 & M549A1, ACCESSORIES FOR ..... | A | 1320 | AR | AR | 26-MAR-92 | AR | | | |
| | L | | MIL-W-50577C(7) | WARHEAD, 155MM, M549A1 BONDING ASSEMBLY | A | 1320 | AR | AR | 16-JUN-87 | AR | | | |
| A | L | | MIL-P-50578D(4) | PROJECTILE, 155MM, HE, RA, M549 AND M549A1 (WITH WARHEAD AND MOTOR BODY) LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | AR | 24-FEB-93 | AR | | | |
| | L | | MIL-D-50584(1) | DELAY DETONATOR ASSEMBLY (DWG. C-9207798) [VALIDATION DATE: 8504] ..... | A | 1375 | AR | AR | 16-JUL-73 | AR | | | |
| | L | | MIL-P-50585 | PROJECTILE, 8 INCH, HE: M404, HARDWARE FOR [VALIDATION DATE: 9011] ..... | A | 1320 | AR | AR | 01-NOV-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-M-50589 | H M X FOR 30MM AMMUNITION [VALIDATION DATE: 9108] | A | 1376 | AR | AR | 29-AUG-91 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| A | L | | MIL-T-50595C(2) | TRIPOD ASSEMBLY, DEMOLITION KIT, M180, METAL PARTS FOR AND ASSEMBLY | A | 1375 | AR | AR | 24-SEP-92 | AR | | | |
| | L | | MIL-C-50600A | CARTRIDGE, 20MM, TARGET PRACTICE TRACER, M206A1 [VALIDATION DATE: 8505] ... | A | 1305 | AR | AR | 22-FEB-77 | AR | | | |
| | L | | MIL-P-50601A(1) | PROJECTILE, 20MM, TP-T, M212A1: METAL PARTS [VALIDATION DATE: 9010] ..... | A | 1305 | AR | AR | 31-OCT-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-C-50602(3) | CASE, CARTRIDGE, 20MM, XM204E1 (STEEL) [VALIDATION DATE: 8705] ..... | A | 1305 | AR | AR | 21-MAY-87 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-P-50603B(1) | PRIMER, PERCUSSION, M115 | A | 1305 | AR | AR | 25-MAY-92 | AR | | | |
| | L | | MIL-P-50607(3) | PERISCOPE, TANK, XM44E1 AND XM44E2 [VALIDATION DATE: 8502] ..... | A | 1240 | AR | AR | 04-JUN-79 | AR | | | |
| | L | | MIL-T-50610 | CARTRIDGE, CALIBER .30 CARBINE, REFERENCE [VALIDATION DATE: 8304] ..... | A | 1305 | AR | AR | 28-OCT-70 | AR | | | |
| | L | | MIL-T-50611 | TRINITRORESORCINOL (STYPHNIC ACID) [VALIDATION DATE: 8805] ..... | A | 1376 | AR | AR | 05-MAY-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-B-50645B(1) | BODY ASSEMBLY: 10516576 (PERISCOPE: M32C AND M32CE1) ..... | A | 1240 | AR | AR | 17-JUN-91 | AR | | | |
| | | | MIL-M-50646A(1) | HEAD ASSEMBLY, 10541990 (PERISCOPE, M32C) ..... | A | 1240 | AR | AR | 28-OCT-83 | AR | | | |
| | | | MIL-C-50647A | CARTRIDGE, DELAY, M293 ASSEMBLY ..... | A | 1377 | OS | AR | 23-APR-91 | | OS | 99 | |
| | | | MIL-D-50648A | DELAY ELEMENT, CARTRIDGE, M75 ASSEMBLY ..... | A | 1377 | OS | AR | 23-APR-91 | | OS | 99 | |
| | L | | MIL-P-50649(2) | PROJECTILE, 81MM, H.E., M374A1 METAL PARTS ASSEMBLY (PEARLITIC MALLEABLE IRON) [VALIDATION DATE: 8604] | A | 1315 | AR | AR | 10-APR-86 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-P-50650(2) | PROJECTILE, 81MM, H.E., M374A1 METAL PARTS ASSEMBLY (CARBON STEEL) [VALIDATION DATE: 8604] | A | 1315 | AR | AR | 10-APR-86 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| A | L | | MIL-R-50651B(2) | RADAR SET AN/VPS-2: 10549058 (RANGE ONLY RADAR) ..... | A | 1285 | AR | AR | 27-AUG-92 | AR | | | |
| A | L | | MIL-C-50652A(1) | CIRCUIT CARD ASSEMBLIES, RADAR SET AN/VPS-2, CP-888/VPS-2 GENERAL SPECIFICATION FOR | A | 1285 | AR | AR | 09-SEP-92 | AR | | | |
| A | L | | MIL-C-50652/1A(1) | CIRCUIT CARD ASSEMBLY: 9355881 (GENERATOR, MODULATOR TRIGGER) ..... | A | 1285 | AR | AR | 28-DEC-92 | AR | | | |
| M | L | | MIL-C-50652/2A | CIRCUIT CARD ASSEMBLY: 10548007 (GENERATOR, COMPUTER TIMING) ..... | A | 1285 | AR | AR | 09-APR-93 | AR | | | |
| M | L | | MIL-C-50652/3A | CIRCUIT CARD ASSEMBLY: 10548119 (DECODER, RCFD) ..... | A | 1285 | AR | AR | 09-APR-93 | AR | | | |
| A | L | | MIL-C-50652/4A(1) | CIRCUIT CARD ASSEMBLY: 10548046 (COUNTER, RANGE) ..... | A | 1285 | AR | AR | 04-JAN-93 | AR | | | |
| | L | | MIL-C-50652/5A | CIRCUIT CARD ASSEMBLY: 10548016 (GENERATOR, RCFD) ..... | A | 1285 | AR | AR | 12-DEC-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |

| Action | OPR / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MIL-C-50652/6A | CIRCUIT CARD ASSEMBLY: 10548122 (REGISTER A, RANGE) | A | 1285 | AR | | 26-NOV-90 | AR | | | |
| | L | | MIL-C-50652/7(2) NOTICE 1 | CIRCUIT CARD ASSEMBLY, 10548021 (REGISTER B, RANGE) [VALIDATION DATE: 8803] | A | 1285 | AR | | 23-MAR-88 | AR | | | |
| | L | | MIL-C-50652/8B | CIRCUIT CARD ASSEMBLY: 10548148 (CONTROL, SEARCH/TRACK, AND GAIN) | A | 1285 | AR | | 12-DEC-90 | AR | | | |
| | L | | MIL-C-50652/9(1) | CIRCUIT CARD ASSEMBLY, 10548125 (COUNTER A, RANGE RATE) [VALIDATION DATE: 8303] | A | 1285 | AR | | 30-NOV-82 | AR | | | |
| | L | | MIL-C-50652/10 | CIRCUIT CARD ASSEMBLY, 10548012 (COUNTER B, RANGE RATE) [VALIDATION DATE: 8303] | A | 1285 | AR | | 15-APR-71 | AR | | | |
| A | L | | MIL-C-50652/11(2) | CIRCUIT CARD ASSEMBLY: 10548049 (SCALER, RATE) | A | 1285 | AR | | 09-FEB-93 | AR | | | |
| A | L | | MIL-C-50652/12(3) | CIRCUIT CARD ASSEMBLY: 10548086 (INTERGRATOR, RATE) | A | 1285 | AR | | 19-FEB-93 | AR | | | |
| A | L | | MIL-C-50652/13(1) | CIRCUIT CARD ASSEMBLY: 10548133 (DETECTOR, PHASE) | A | 1285 | AR | | 08-FEB-93 | AR | | | |
| A | L | | MIL-C-50652/14(4) | CIRCUIT CARD ASSEMBLY: 10548359 (CONVERTER, RANGE D/A, 4A16) | A | 1285 | AR | | 08-FEB-93 | AR | | | |
| | L | | MIL-C-50652/15C | CIRCUIT CARD ASSEMBLY, 10548330 (CONVERTER, RANGE RATE D/A 4A17) | A | 1285 | AR | | 29-MAR-91 | AR | | | |
| | L | | MIL-C-50652/16(1) NOTICE 1 | CIRCUIT CARD ASSEMBLY, 10548450 (AMPLIFIER, CONTROL) [VALIDATION DATE: 8803] | A | 1285 | AR | | 23-MAR-88 | AR | | | |
| N | L | | MIL-C-50652/17A | CIRCUIT CARD ASSEMBLY: 10548638 (DELAY, FINE/FINE) | A | 1285 | AR | | 09-APR-93 | AR | | | |
| | L | | MIL-C-50652/18(1) | CIRCUIT CARD ASSEMBLY, 10549234 (BOARD, UNIVERSAL) | A | 1285 | AR | | 24-JUN-87 | AR | | | |
| A | L | | MIL-B-50653B(1) | BOARD, COMPONENT: 10548362 | A | 1285 | AR | | 01-SEP-92 | AR | | | |
| | L | | MIL-M-50654A | NETWORK, PULSE FORMING10548884 | A | 1285 | AR | | 30-SEP-85 | AR | | | |
| A | L | | MIL-A-50655A(1) | ASSEMBLY, BOARD, KLYSTRON POWER SUPPLY: 10548905 | A | 1285 | AR | | 27-AUG-92 | AR | | | |
| A | L | | MIL-D-50656A(1) | DIODE BOARD ASSEMBLY: 10549017 | A | 1285 | AR | | 08-DEC-92 | AR | | | |
| A | L | | MIL-R-50657B(2) | REGULATOR, 15-VOLT, BOARD ASSEMBLY: 10548959 | A | 1285 | AR | | 01-SEP-92 | AR | | | |
| A | L | | MIL-R-50658C(1) | REGULATOR, 15 VOLT, BOARD ASSEMBLY: 10548958 | A | 1285 | AR | | 27-AUG-92 | AR | | | |
| A | L | | MIL-R-50659B(1) | REGULATOR, 23-VOLT, BOARD ASSEMBLY: 10549014 | A | 1285 | AR | | 01-SEP-92 | AR | | | |
| A | L | | MIL-R-50660B(2) | REGULATOR, 23 VOLT, BOARD ASSEMBLY: 10548960 | A | 1285 | AR | | 27-AUG-92 | AR | | | |
| | L | | MIL-R-50661B | REGULATOR, 33 VOLT, BOARD ASSEMBLY: 10549016 | A | 1285 | AR | | 01-MAR-90 | AR | | | |
| | L | | MIL-R-50662B | REGULATOR, 33 VOLT, BOARD ASSEMBLY: 10549015 | A | 1285 | AR | | 14-SEP-90 | AR | | | |
| A | L | | MIL-R-50663C(1) | REGULATOR, 6 VOLT, BOARD ASSEMBLY: 10548953 | A | 1285 | AR | | 09-DEC-92 | AR | | | |
| A | L | | MIL-R-50664B(1) | REGULATOR, 29 VOLT, BOARD ASSEMBLY: 10548961 | A | 1285 | AR | | 28-OCT-92 | AR | | | |
| | L | | MIL-O-50665(1) | OSCILLATOR DOPPLER, 10548833 | A | 1285 | AR | | 30-DEC-80 | AR | | | |
| | L | | MIL-S-50666A | SERVO DRIVE, TRAVERSE: 10548052 | A | 1285 | AR | | 30-APR-90 | AR | | | |
| | L | | MIL-S-50667A | SERVO DRIVE, ELEVATION: 10548062 | A | 1285 | AR | | 16-MAY-90 | AR | | | |
| A | L | | MIL-R-50668A(2) | RECEIVER-TRANSMITTER, RADAR RT-860/VPS-2: 10548089 | A | 1285 | AR | | 09-OCT-92 | AR | | | |
| A | L | | MIL-D-50669A(1) | DRIVER, SWITCH: 10548602 | A | 1285 | AR | | 09-OCT-92 | AR | | | |
| A | L | | MIL-B-50670A(1) | BOARD ASSEMBLY: 10548604 | A | 1285 | AR | | 30-OCT-92 | AR | | | |
| | L | | MIL-G-50671 | GATE TRANSMIT, BOARD B, 10549207 [VALIDATION DATE: 8303] | A | 1285 | AR | | 15-APR-71 | AR | | | |
| | L | | MIL-G-50672(1) | GATE, TRANSMIT BOARD , 10549205 [VALIDATION DATE: 8201] | A | 1285 | AR | | 10-MAR-76 | AR | | | |
| A | L | | MIL-S-50673A(1) | SHAPER PULSE: 10548806 | A | 1285 | AR | | 08-DEC-92 | AR | | | |
| A | L | | MIL-R-50674A(1) | RECEIVER, RADAR R-1475/VPS-2: 10548338 | A | 1285 | AR | | 09-OCT-92 | AR | | | |
| A | L | | MIL-C-50675B(1) | CIRCUIT ASSEMBLY: AGC: 10549228 | A | 1285 | AR | | 09-SEP-92 | AR | | | |
| | L | | MIL-G-50676A | GATE I-F, 10548649 | A | 1285 | AR | | 28-FEB-82 | AR | | | |
| A | L | | MIL-D-50677B(1) | DETECTOR, DOPPLER: 10548509 | A | 1285 | AR | | 09-OCT-92 | AR | | | |
| A | L | | MIL-G-50678C(2) | GATE, MULTIPLE, CIRCUITS: 9342754 | A | 1285 | AR | | 28-DEC-92 | AR | | | |
| A | L | | MIL-C-50679B(1) | CIRCUIT BOARD ASSEMBLY, AGC: 10549230 | A | 1285 | AR | | 09-OCT-92 | AR | | | |
| A | L | | MIL-G-50680C(2) | GATE CIRCUIT, MULTIPLE BOARD ASSEMBLY - UPPER: 9342753 | A | 1285 | AR | | 09-SEP-92 | AR | | | |
| A | L | | MIL-G-50681D(2) | GATE CIRCUIT, MULTIPLE, BOARD ASSEMBLY - LOWER: 10548550 | A | 1285 | AR | | 09-OCT-92 | AR | | | |
| A | L | | MIL-G-50683A(1) | GATE, I-F BOARD ASSEMBLY -- UPPER: 10548656 | A | 1285 | AR | | 09-OCT-92 | AR | | | |
| A | L | | MIL-G-50684A(1) | GATE, I-F BOARD ASSEMBLY - LOWER: 10548654 | A | 1285 | AR | | 09-OCT-92 | AR | | | |
| A | L | | MIL-C-50685B(1) | COMPUTER, RANGE CP-888/VPS-2: 10548339 | A | 1285 | AR | | 09-OCT-92 | AR | | | |
| | L | | MIL-P-50686A(1) NOTICE 1 | POWER SUPPLY, PP-4812/VPS-2:10548440 [VALIDATION DATE: 8811] | A | 1285 | AR | | 15-NOV-88 | AR | | | |
| A | L | | MIL-A-50687B | ANTENNA ASSEMBLY AS-2049/VPS-2: 10556312 AND AS-2049A/VPS-2A: 12563321 | A | 1285 | AR | | 09-SEP-92 | AR | | | |
| | L | | MIL-F-50693(1) | FIRING MECHANISM, CARTRIDGE ACTUATED, 29378-1 ASSEMBLY | A | 1377 | OS | | 16-JAN-87 | | OS | | |
| | L | | MIL-F-50694(1) | FIRING MECHANISM, CARTRIDGE ACTUATED, 29378-1 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | OS | | 15-JUL-86 | | OS | | |
| | L | | MIL-F-50695(1) | FIRING MECHANISM, CARTRIDGE ACTUATED, 50057-1 ASSEMBLY | A | 1377 | OS | | 15-JUL-86 | | OS | | |
| | L | | MIL-F-50696(1) | FIRING MECHANISM, CARTRIDGE ACTUATED, 50057-1 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | OS | | 15-JUL-86 | | OS | | |
| | | | MIL-C-50697 | CORD, DETONATING [VALIDATION DATE: 8505] | A | 1377 | AR | | 17-FEB-71 | AR | AS | 11 | |
| | L | | MIL-I-50699 | INITIATOR, PROPELLANT ACTUATED, JAU-2/A25 ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | | 26-JUN-86 | | OS | | |
| | L | | MIL-I-50700(1) | INITIATOR, PROPELLANT ACTUATED, JAU-2/A25 METAL PARTS ASSEMBLY | A | 1377 | OS | | 15-JUL-86 | | OS | | |
| | L | | MIL-C-50701A(2) NOTICE 1 | CARTRIDGE, 7.62X39MM, BALL | A | 1305 | AR | | 17-DEC-90 | AR | | | |
| A | L | | MIL-P-50702B(1) | PROJECTILE, 155MM: M687 METAL PARTS ASSEMBLY (CONTROLLED DISTRIBUTION) | X | 1320 | AR | | 27-NOV-92 | AR | | | |
| | L | | MIL-C-50703(2) NOTICE 1 | CARTRIDGE, 7.62X39MM, BLANK | A | 1305 | AR | | 28-MAR-91 | AR | | | |
| | L | | MIL-C-50704A | CARTRIDGE, 7.62MM: DIM TRACER, XM276 | A | 1305 | AR | | 20-SEP-91 | AR | | | |
| | L | | MIL-C-50705(3) NOTICE 1 | CHEST, 10548700 | A | 1220 | AR | | 20-MAR-87 | AR | | | |
| | L | | MIL-M-50710(1) | HEAD ASSEMBLY, TANK PERISCOPE, 10558203 [VALIDATION DATE: 8504] | A | 1240 | AR | | 10-MAY-73 | AR | | | |
| | L | | MIL-C-50712(2) NOTICE 1 | CASE, CARTRIDGE, 57MM, M30A1B3 [VALIDATION DATE: 8705] | A | 1310 | AR | | 21-MAY-87 | AR | | | |
| A | | | MIL-T-50713A | THRUSTER, CARTRIDGE ACTUATED, M25A1 REMANUFACTURED METAL PARTS ASSEMBLY *REVIEWER: 70* | A | 1377 | OS | | 21-SEP-92 | | OS | 99 | |
| | L | | MIL-I-50714(1) NOTICE 1 | INITIATOR, PROPELLANT ACTUATED, DELAY, M113 ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | | 26-JUN-86 | | OS | | |
| | L | | MIL-I-50715A NOTICE 1 | INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-3/A25 & M113 METAL PARTS ASSEMBLY 1 [VALIDATION DATE: 8606] | A | 1377 | OS | | 26-JUN-86 | | OS | | |
| | L | | MIL-S-50716 | SIGHT, INFINITY, M44C [VALIDATION DATE: 8303] | A | 1240 | AR | | 23-APR-71 | AR | | | |
| | L | | MIL-P-50718B(6) | PROJECTILE, 4.2 INCH, HE, M329A2 METAL PARTS ASSEMBLY | A | 1315 | AR | | 05-APR-82 | AR | | | |
| | L | | MIL-D-50720(2) | DUMMY CARTRIDGE, 20 MILLIMETER, PLASTIC, XM254 [VALIDATION DATE: 8504] | A | 1305 | AR | | 03-AUG-73 | AR | | | |
| | L | | MIL-S-50725 | SIGHT, BORE, OPTICAL, M45E1 [VALIDATION DATE: 8303] | A | 1240 | AR | | 26-APR-71 | AR | | | |
| | L | | MIL-D-50727B(1) | DELAY ELEMENT ASSEMBLIES | A | 1377 | OS | | 16-OCT-86 | | OS | | |
| | L | | MIL-C-50728 NOTICE 3 | CASE, PROJECTILE, BURSTER, MB [VALIDATION DATE: 8705] | A | 1315 | AR | | 27-MAY-87 | AR | | | |
| | L | | MIL-R-50729A NOTICE 1 | REMOVE, AIRCRAFT CANOPY, M8A1 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | | 26-JUN-86 | | OS | | |
| | L | | MIL-I-50731A NOTICE 1 | INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-3/A25 ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | | 26-JUN-86 | | OS | | |
| | L | | MIL-M-50733(1) | HEAD ASSEMBLY, 10549216 (PERISCOPE, M20) [VALIDATION DATE: 8601] | A | 1240 | AR | | 15-OCT-79 | AR | | | |
| | L | | MIL-C-50734(1) | CONTROL, COMMANDERS, LASER RANGING C-9134( )/VVG-1, 11738811 [VALIDATION DATE: 8301] | A | 1240 | AR | | 17-NOV-76 | AR | | | |
| | L | | MIL-C-50735 | CIRCUIT CARD ASSEMBLY, 11737334 (LOGIC) [VALIDATION DATE: 8504] | A | 1240 | AR | | 08-AUG-73 | AR | | | |
| | L | | MIL-C-50736 | CIRCUIT ASSEMBLY, 11737350 (READOUT) [VALIDATION DATE: 8504] | A | 1240 | AR | | 08-AUG-73 | AR | | | |
| | L | | MIL-B-50737(1) | BATTERY POWER SUPPLY PP-6607( )/VVG-1, 11738841 [VALIDATION DATE: 8301] | A | 1240 | AR | | 17-NOV-76 | AR | | | |
| | L | | MIL-E-50738 | ELECTRONIC COMPONENT ASSEMBLY, 11738850 (POWER CONTROL) [VALIDATION DATE: 8504] | A | 1240 | AR | | 08-AUG-73 | AR | | | |
| | L | | MIL-E-50739 | ELECTRONIC COMPONENT ASSEMBLY, 11738818 (CHARGE CONTROL) [VALIDATION DATE: 8504] | A | 1240 | AR | | 08-AUG-73 | AR | | | |
| | L | | MIL-C-50740 | CIRCUIT CARD ASSEMBLY, 11738808 (BATTERY CHARGE SENSOR) [VALIDATION DATE: 8103] | A | 1240 | AR | | 08-AUG-73 | AR | | | |
| | L | | MIL-S-50741 | BATTERY ASSEMBLY, STORAGE, 11737972 [VALIDATION DATE: 8601] | A | 1240 | AR | | 16-NOV-79 | AR | | | |
| | L | | MIL-C-50742(1) | CONTROL, RECEIVER TRANSMITTER C8728( )/VVG-1, 11738851 [VALIDATION DATE: 8301] | A | 1240 | AR | | 17-NOV-76 | AR | | | |

| Action | DIPA / DMIL Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-C-50743(3) | CONTROL, POWER SUPPLY, LASER: C-9135( )/VVG-1: 11738831 | A | 1240 | AR | AR | 30-APR-91 | AR | | | |
| | L | MIL-C-50744A(1) NOTICE 1 | CIRCUIT CARD ASSEMBLY: 11737802 INTERFACE | A | 1240 | AR | AR | 18-MAR-88 | AR | | | |
| | L | MIL-E-50745 | ELECTRONIC COMPONENT ASSEMBLY, 11737807 (PRE REGULATOR) [VALIDATION DATE: 8504] | A | 1240 | AR | AR | 08-AUG-73 | AR | | | |
| | L | MIL-R-50746(1) | RECEIVER TRANSMITTER, LASER, RT-1021( )/VVG-1, 11738821 [VALIDATION DATE: 8301] | A | 1240 | AR | AR | 17-NOV-76 | AR | | | |
| | L | MIL-M-50747 | MALF 3 BUFFER LOGIC, 11738803 [VALIDATION DATE: 8504] | A | 1240 | AR | AR | 08-AUG-73 | AR | | | |
| | L | MIL-E-50748 | ELECTRONIC COMPONENT ASSEMBLY, 11737477 (.A, TRIGGER) [VALIDATION DATE: 8504] | A | 1240 | AR | AR | 08-AUG-73 | AR | | | |
| | L | MIL-R-50749(1) | RANGEFINDER, FIRE CONTROL, AN/VVG-1( ) 11738801 [VALIDATION DATE: 8301] | A | 1240 | AR | AR | 17-NOV-76 | AR | | | |
| | L | MIL-S-50750 | TEST SET, LASER RANGEFINDER, TS-3375/VVG-1, DS LEVEL 11738861 [VALIDATION DATE: 8402] | A | 4931 | AR | AR | 13-JUN-78 | AR | | | |
| A | L | MIL-T-50752B | TEST SET, SUBASSEMBLY MX-8046A/TPM-22A (RECEIVER/TRANSMITTER TESTER) | A | 4931 | AR | AR | 04-JAN-93 | AR | | | |
| | L | MIL-R-50753A | ROCKET MOTOR M119, ASSEMBLY | A | 1377 | OS | AR | 18-APR-88 | | OS | | |
| | L | MIL-R-50754 | ROCKET MOTOR XM119 METAL PARTS ASSEMBLY [VALIDATION DATE: 8808] | A | 1377 | OS | AR | 29-AUG-88 | | OS | | |
| | | MIL-I-50755A | IGNITER ASSEMBLY | A | 1377 | OS | AR | 05-JAN-88 | | OS | 99 | |
| | L | MIL-G-50758 NOTICE 1 | GENERATOR PULSE ASSEMBLY, 10556650 [VALIDATION DATE: 8603] | A | 4931 | AR | AR | 12-MAR-86 | AR | | | |
| | L | MIL-T-50760 | TELESCOPE, ELBOW, 11737695 [VALIDATION DATE: 8504] | A | 1240 | AR | AR | 13-AUG-71 | AR | | | |
| | L | MIL-R-50761 | RANGE POT ASSEMBLY, 10553423 [VALIDATION DATE: 8602] | A | 1270 | AR | AR | 24-SEP-71 | AR | | | |
| | L | MIL-B-50762 | BODY ASSEMBLY IR, 11743800 [VALIDATION DATE: 8504] | A | 1240 | AR | AR | 10-OCT-72 | AR | | | |
| | L | MIL-S-50764 | SEQUENTIAL TIMER, M7, ASSEMBLY [VALIDATION DATE: 8002] REVIEWER: GS | A | 6645 | AR | AR | 19-OCT-71 | AR | | | |
| | L | MIL-C-50765(1) | CARTRIDGE DELAY, CCU-17/B, CCU-18/B, CCU-19/B, ASSEMBLY | A | 1377 | OS | AR | 16-OCT-86 | | OS | | |
| | L | MIL-E-50766(1) NOTICE 1 | EJECTOR, PARACHUTE, CARTRIDGE ACTUATED, XM7 METAL PARTS ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | AR | 26-JUN-86 | | OS | | |
| | L | MIL-E-50767 NOTICE 1 | EJECTOR, PARACHUTE, CARTRIDGE ACTUATED, XM7 ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | AR | 26-JUN-86 | | OS | | |
| | L | MIL-M-50768A(2) NOTICE 1 | MOVEMENT, D A M ASSEMBLY | A | 1390 | AR | AR | 10-JUL-87 | AR | | | |
| | L | MIL-P-50769 NOTICE 1 | PRIMER, PERCUSSION, CCU-20/A & PRIMER, PERCUSSION, CCU-21/A [VALIDATION DATE: 8606] | A | 1377 | OS | AR | 26-JUN-86 | | OS | | |
| | L | MIL-B-50772(1) NOTICE 1 | BONDING OF PRECISION MIRRORS (GLASS - TO - METAL) [VALIDATION DATE: 8807] | A | 12GP | AR | AR | 11-JUL-88 | AR | | | |
| | L | MIL-P-50774A(1) NOTICE 1 | PROJECTILE, 20MM, TARGET PRACTICE, M55A3 AND M55A3B1 [VALIDATION DATE: 9010] | A | 1305 | AR | AR | 31-OCT-90 | AR | | | |
| | L | MIL-P-50775B NOTICE 1 | PROJECTOR, RETICLE IMAGE, XM21 | A | 1240 | AR | AR | 30-JAN-87 | AR | | | |
| | L | MIL-R-50776 NOTICE 2 | REMOVER, AIRCRAFT CANOPY: M8A2 ASSEMBLY [VALIDATION DATE: 9108] | A | 1377 | OS | AR | 14-AUG-91 | | OS | | |
| | L | MIL-T-50777A | TUBE, ALUMINUM ALLOY, 2024, SEAMLESS (FOR PROPELLANT ACTUATED DEVICES) | A | 1377 | OS | AR | 15-MAY-90 | | OS | | |
| | L | MIL-C-50779A NOTICE 1 | CASING, BURSTER M158 [VALIDATION DATE: 8902] | A | 1310 | AR | AR | 02-FEB-89 | AR | | | |
| | | MIL-R-50781(1) | RESOLVER, ELECTRICAL, LINEAR, GENERAL SPECIFICATION FOR USER: 19 MC OS SH REVIEWER: 11 17 99 AV EC ES ME MI | A | 5990 | AR | AR | 31-JAN-85 | AR | AS | 85 | |
| | | MIL-R-50781/1 NOTICE 1 | RESOLVER, ELECTRICAL, LINEAR, TYPE 26V 0BL3554A [VALIDATION DATE: 8704] REVIEWER: 80 AV CR EC ES TD | A | 5990 | AR | AR | 03-SEP-75 | AR | AS | 85 | |
| | L | MIL-T-50782(2) | TELESCOPE, PANORAMIC: M117A2 | A | 1240 | AR | AR | 29-JUN-90 | AR | | | |
| | L | MIL-S-50783(1) | STEEL ALLOY, SPECIAL PURPOSE FOR AMMUNITION COMPONENTS (HF-1) [VALIDATION DATE: 8504] | A | 1395 | AR | AR | 20-SEP-73 | AR | | | |
| | L | MIL-C-50785A SUPPL 1C1 | CIRCUIT CARD ASSEMBLY, SIGHT CURRENT GENERATOR, GENERAL SPECIFICATION FOR . | A | 1285 | AR | AR | 15-MAY-90 | AR | | | |
| | L | MIL-C-50785/1B | CIRCUIT CARD ASSEMBLY 9337291 (VOLTAGE COMPARATOR) [VALIDATION DATE: 8803] | A | 1285 | AR | AR | 23-MAR-88 | AR | | | |
| | L | MIL-C-50785/2 | CIRCUIT CARD, 10545483 (FIRING INDICATOR) [VALIDATION DATE: 8504] | A | 1285 | AR | AR | 20-APR-73 | AR | | | |
| | L | MIL-C-50785/3(1) | CIRCUIT CARD ASSEMBLY, 10545492 (OUTBOUND CONFIGURATION) [VALIDATION DATE: 8601] | A | 1285 | AR | AR | 16-MAY-74 | AR | | | |
| | L | MIL-C-50785/4 | CIRCUIT CARD ASSEMBLY, 10545670 (BALLISTIC CORRECTION M220/M246E3) [VALIDATION DATE: 8504] | A | 1285 | AR | AR | 20-APR-73 | AR | | | |
| | L | MIL-C-50785/5(2) | CIRCUIT CARD ASSEMBLY, 10545702 (BALLISTICS DATA AMPLIFIER) [VALIDATION DATE: 8101] | A | 1285 | AR | AR | 06-DEC-74 | AR | | | |
| | L | MIL-C-50785/6(1) NOTICE 1 | CIRCUIT CARD ASSEMBLY, 10545703 (BUFFER AMPLIFIER) | A | 1285 | AR | AR | 23-MAR-88 | AR | | | |
| | L | MIL-C-50785/7(1) NOTICE 1 | CIRCUIT CARD ASSEMBLY, 10545704 (ACQUISITION TIME DELAY) | A | 1285 | AR | AR | 30-JAN-87 | AR | | | |
| | L | MIL-C-50785/8(1) NOTICE 1 | CIRCUIT CARD ASSEMBLY, 10545705 (SIGHT CORRECTION) | A | 1285 | AR | AR | 23-MAR-88 | AR | | | |
| | L | MIL-C-50785/9(2) | CIRCUIT CARD ASSEMBLY, 10545706 (PULSE WIDTH MULTIPLIER) | A | 1285 | AR | AR | 29-JUN-84 | AR | | | |
| | L | MIL-C-50785/10 | CIRCUIT CARD ASSEMBLY, 10545707 (TIME DELAY) [VALIDATION DATE: 8504] | A | 1285 | AR | AR | 20-APR-73 | AR | | | |
| A | L | MIL-C-50785/11A | CIRCUIT CARD ASSEMBLY: 12000011 (MODE SCALING) | A | 1285 | AR | AR | 27-NOV-92 | AR | | | |
| A | L | MIL-C-50785/12A | CIRCUIT CARD ASSEMBLY: 12000012 (COMPUTATION CONTROL) | A | 1285 | AR | AR | 27-NOV-92 | AR | | | |
| A | L | MIL-C-50785/13A | CIRCUIT CARD ASSEMBLY: 12000013 (ATMOSPHERIC CORRECTION) | A | 1285 | AR | AR | 15-FEB-93 | AR | | | |
| A | L | MIL-C-50785/14(1) | CIRCUIT CARD ASSEMBLY: 12000010 (BALLISTIC CONSTANT) | A | 1285 | AR | AR | 08-DEC-92 | AR | | | |
| A | L | MIL-C-50785/15A | CIRCUIT CARD ASSEMBLY: 12000015 (RATE SERIES) | A | 1285 | AR | AR | 27-NOV-92 | AR | | | |
| A | L | MIL-C-50785/16A | CIRCUIT CARD ASSEMBLY: 12000016 (RANGE SERIES) | A | 1285 | AR | AR | 27-NOV-92 | AR | | | |
| | L | MIL-C-50785/17 | CIRCUIT CARD ASSEMBLY 12000252 TIME DELAY [VALIDATION DATE: 8301] | A | 1285 | AR | AR | 22-FEB-77 | AR | | | |
| M | L | MIL-S-50786G | SKID BASE, WOOD, FOR UNITIZATION OF BOXED AMMUNITION | A | PACK | AL | AL | 17-MAY-93 | AL | | | |
| | L | MIL-T-50789A | TEST SET, AIR DEFENSE ARTILLERY, AN/MMM-3, 8438880 [VALIDATION DATE: 8502] | A | 4931 | AR | AR | 08-AUG-79 | AR | | | |
| A | L | MIL-C-50790A(1) | CIRCUIT CARD ASSEMBLIES, TEST SET, AN/MMM-3 GENERAL SPECIFICATION FOR | A | 4931 | AR | AR | 04-JAN-93 | AR | | | |
| | L | MIL-C-50790/1A | CIRCUIT CARD ASSEMBLY, 8438903 (LOGIC, DIGITAL) [VALIDATION DATE: 8301] | A | 4931 | AR | AR | 19-JAN-77 | AR | | | |
| A | L | MIL-P-50791C(4) | PROJECTILE, 105MM, TPDS-T, M737 METAL PARTS ASSEMBLY | A | 1315 | AR | AR | 23-DEC-92 | AR | | | |
| | L | MIL-R-50792A NOTICE 1 | ROTATING BAND TUBING, VULCANIZED FIBER [VALIDATION DATE: 8705] | A | 1315 | AR | AR | 27-MAY-87 | AR | | | |
| | L | MIL-P-50793(1) | PROJECTILE, TP-T, 105MM, M468 METAL PARTS ASSEMBLY [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| | | MIL-L-50794 NOTICE 2 | LINEAR SHAPED CHARGE ASSEMBLY [VALIDATION DATE: 9108] | A | 1377 | OS | AR | 14-AUG-91 | AR | OS | 11 | |
| | L | MIL-S-50795(1) | SERVO ASSEMBLY, 10545441 [VALIDATION DATE: 8101] | A | 1285 | AR | AR | 01-APR-75 | AR | | | |
| | | MIL-E-50796(1) NOTICE 1 | EXPANDING SHIELDED MILD DETONATING CORD ASSEMBLY [VALIDATION DATE: 9108] | A | 1377 | OS | AR | 14-AUG-91 | AR | OS | 11 | |
| | L | MIL-C-50797(1) NOTICE 1 | CASE, CARTRIDGE, 20MM, M103A1 [VALIDATION DATE: 8705] | A | 1305 | AR | AR | 28-MAY-75 | AR | | | |
| | L | MIL-F-50809(2) | FIBER, ACRYLIC, FIBRILLATABLE [VALIDATION DATE: 8603] | A | 1320 | AR | AR | 18-MAR-86 | AR | | | |
| | L | MIL-R-50813 NOTICE 1 | ROCKET, 762MM, HE, WARHEAD SECTION: M144 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9110] | A | 1340 | AR | AR | 03-OCT-91 | AR | | | |
| | L | MIL-C-50814 NOTICE 1 | CDU - MISCELLANEOUS CANISTER PARTS [VALIDATION DATE: 9109] | A | 1345 | AR | AR | 05-SEP-91 | AR | | | |
| | L | MIL-C-50815 NOTICE 1 | CDU-5/B LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109] | A | 1345 | AR | AR | 05-SEP-91 | AR | | | |
| | L | MIL-F-50823A(5) NOTICE 1 | FUZE, GM, ET, LANCE, M811 PARTS, LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8704] | A | 1336 | AR | AR | 10-APR-87 | AR | | | |
| | L | MIL-F-50828F(2) | FUZE, MULTI-OPTION: M734 (LESS BOOSTER AND LEAD) | A | 1390 | AR | AR | 15-DEC-88 | AR | | | |
| | L | MIL-G-50829A NOTICE 1 | GENERAL QUALITY ASSURANCE PROVISIONS FOR PROXIMITY FUZES AND RELATED COMPONENTS | A | 1390 | AR | AR | 10-JUL-87 | AR | | | |
| | L | MIL-F-50831(1) NOTICE 1 | FUZE, TRAINING, ELECTRONIC TIME: M744 [VALIDATION DATE: 8809] | A | 1390 | AR | AR | 01-SEP-88 | AR | | | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-D-50837 NOTICE 1 | DISC, SOLID, PLAIN AND DISC, SOLID, PLAIN, TRAINING (VALIDATION DATE: 8909) | A | 1110 AR | 01-SEP-89 | AR | | | |
| | L | MIL-P-50838 NOTICE 2 | PROPELLANT CHARGE, NUCLEAR COMPONENT, TRAINING (VALIDATION DATE: 9108) .... | A | 1110 AR | 20-AUG-91 | AR | | | |
| | L | MIL-W-50848D | WARHEAD, GUIDED MISSILE, HE, M250 LOADING, ASSEMBLY AND PACKING (VALIDATION DATE: 8906) | A | 1336 AR | 22-JUN-89 | AR | | | |
| A | L | MIL-W-50849D(5) | WARHEAD, GUIDED MISSILE, HE, M250 INERT PARTS FOR ..... | A | 1336 AR | 28-OCT-92 | AR | | | |
| | L | MIL-C-50850B | CHARGE, DEMOLITION, M118 PARTS FOR, LOADING, ASSEMBLING AND PACKING ..... | A | 1375 AR | 05-JAN-84 | AR | | | |
| | L | MIL-P-50854 NOTICE 1 | PLASTIC BONDED HMX (95/5) POWDER (FOR USE IN AMMUNITION) (VALIDATION DATE: 8604) | A | 1376 AR | 08-APR-86 | AR | | | |
| | L | MIL-P-50855 NOTICE 1 | POLYVINYL ACETATE AQUEOUS EMULSION (PAAE) (FOR USE IN AMMUNITION) (VALIDATION DATE: 9108) | A | 1376 AR | 29-AUG-91 | AR | | | |
| | L | MIL-B-50856A(3) | BOXES, SET-UP, PACKING, AMMUNITION, INNER AND OUTER FOR SMALL EXPLOSIVE COMPONENTS | A | 8140 AR | 19-APR-90 | AR | | | |
| | L | MIL-I-50857A | INNER TUBE ASSEMBLY AND CONVERSION KIT, PARTS FOR REVIEWER: AR ..... | A | 1340 MI | 27-JUN-91 | MI | | | |
| | L | MIL-R-50858C(2) | ROCKET, PRACTICE, 35MM, SUBCALIBER, M73, PARTS FOR LOADING AND ASSEMBLING . | A | 1340 AR | 18-APR-91 | AR | | | |
| | L | MIL-I-50860(1) NOTICE 1 | IGNITION ELEMENT, ELECTRICAL, PARTS FOR (VALIDATION DATE: 8811) ..... | A | 1320 AR | 02-NOV-88 | AR | | | |
| | L | MIL-C-50861A(4) NOTICE 1 | CARTRIDGE, 40MM, HEDP, M430; BODY ASSEMBLY FOR METAL PARTS (VALIDATION DATE: 8811) | A | 1310 AR | 07-NOV-88 | AR | | | |
| | L | MIL-C-50862A(1) | CARTRIDGE, 40MM, HEDP, XM430, FLUTED LINER ASSEMBLY FOR METAL PARTS (VALIDATION DATE: 8705) | A | 1310 AR | 21-MAY-87 | AR | | | |
| A | L | MIL-C-50863C | CARTRIDGE, 40MM, HEDP, M430A1 LOADING, ASSEMBLING AND PACKAGING ..... | A | 1310 AR | 26-JAN-93 | AR | | | |
| | L | MIL-F-50864B(2) | FUZE, PIBD, M549; LESS SPITBACK METAL PARTS AND LOADING, ASSEMBLING AND PACKING | A | 1390 AR | 27-JUL-91 | AR | | | |
| | L | MIL-D-50865A(3) | DETONATOR, STAB, M59 LOADING, ASSEMBLING AND PACKING ..... | A | 1375 AR | 23-JUL-91 | AR | | | |
| | L | MIL-I-50867B(1) | IGNITION ELEMENT ELECTRICAL LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8601) | A | 1375 AR | 06-OCT-78 | AR | | | |
| | L | MIL-D-50868A(1) | DETONATOR, FLASH, M85 PARTS AND LOADING, ASSEMBLING AND PACKING ..... | A | 1375 AR | 08-FEB-90 | AR | | | |
| | L | MIL-F-50869E(4) | FUZE PIBD, M550, LESS SPITBACK ASSEMBLY METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKAGING | A | 1390 AR | 27-DEC-90 | AR | | | |
| | L | MIL-C-50870C(1) NOTICE 1 | CARTRIDGE, 40MM, HEDP, M433; LINER FOR METAL PART ..... | A | 1310 AR | 19-FEB-91 | AR | | | |
| | L | MIL-C-50871C NOTICE 1 | CARTRIDGE, 40MM, HEDP, M433 PROJECTILE METAL PARTS FOR (VALIDATION DATE: 8803) | A | 1310 AR | 22-MAR-88 | AR | | | |
| | L | MIL-C-50872C(1) NOTICE 1 | CARTRIDGE, 40MM, HEDP, M433 LOADING, ASSEMBLING AND PACKING ..... | A | 1310 AR | 30-JUL-91 | AR | | | |
| | L | MIL-B-50873A(3) NOTICE 1 | BAG, BARRIER, ELASTOMERIC (VALIDATION DATE: 9011) ..... | A | 1320 AR | 01-NOV-90 | AR | | | |
| | L | MIL-P-50875B(1) | PLUG, LIFTING, ASSEMBLING, FUSIBLE FOR 155MM & 8 INCH PROJECTILES ..... | A | 1320 MB | 03-DEC-85 | AR | | | |
| | L | MIL-C-50879A NOTICE 1 | CARTRIDGES, 40MM, SMOKE CANOPY: XM676, XM680 AND XM682 METAL PARTS FOR (VALIDATION DATE: 9005) | A | 1310 AR | 09-MAY-90 | AR | | | |
| | L | MIL-C-50880(1) SUPPL 1C1 | CONNECTOR, ELECTRICAL, MINIATURE, QUICK DISCONNECT (FOR WEAPONS SYSTEMS) ESTABLISHED RELIABILITY (VALIDATION DATE: 8503) REVIEWER: ES | A | 5935 AR | 01-JUL-72 | AR | | | |
| AQ | | MIL-P-50884C(4) | PRINTED-WIRING, FLEXIBLE AND RIGID-FLEX USER: 19 AS CG MC REVIEWER: 11 16 99 AR ES MI OS SH | A | 5998 85 | 09-APR-93 | ER | EC | 85 | |
| | L | MIL-P-50890 NOTICE 2 | PROJECTILE, TRAINING, 8 INCH, XM440 SHIPPING ASSEMBLY (VALIDATION DATE: 9108) | A | 1110 AR | 20-AUG-91 | AR | | | |
| | L | MIL-P-50891 NOTICE 2 | PROJECTILE, 8 INCH: M422, PARTS AND SUBASSEMBLIES, BERYLLIUM (VALIDATION DATE: 9108) | A | 1195 AR | 20-AUG-91 | AR | | | |
| | L | MIL-B-50892 NOTICE 2 | BODY SECTION, TRAINING, ATOMIC PROJECTILE, FRONT (VALIDATION DATE: 9108) .. | A | 1110 AR | 20-AUG-91 | AR | | | |
| | L | MIL-S-50894(1) NOTICE 2 | SCREW, CONNECTOR (VALIDATION DATE: 9108) ..... | A | 1195 AR | 20-AUG-91 | AR | | | |
| | L | MIL-P-50900 NOTICE 1 | PELLET, PLASTIC BONDED HMX (95/5) FOR USE IN AMMUNITION (VALIDATION DATE: 8604) | A | 1376 AR | 08-APR-86 | AR | | | |
| | L | MIL-C-50903 | CONNECTOR, MALE, ASSEMBLY FOR M18A1 APERS MINE (VALIDATION DATE: 8404) .... | A | 1345 AR | 19-MAR-71 | AR | | | |
| A | L | MIL-D-50908B(1) | DEMOLITION KIT, CRATERING: M180 ASSEMBLING AND PACKING ..... | A | 1375 AR | 24-SEP-92 | AR | | | |
| | L | MIL-P-50911A NOTICE 1 | PRIMING ASSEMBLY FOR DEMOLITION CHARGE ASSEMBLY: M183; PARTS FOR AND LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8812) | A | 1375 AR | 16-DEC-88 | AR | | | |
| | L | MIL-C-50912(1) NOTICE 1 | CARTRIDGE, 152MM, CANISTER, M625A1 LOADING, ASSEMBLING & PACKING (VALIDATION DATE: 8603) | A | 1320 AR | 18-MAR-86 | AR | | | |
| | L | MIL-F-50913A NOTICE 1 | FUZE, GM, TRAINING, LANCE, M816 METAL PARTS, ASSEMBLING AND PACKING (VALIDATION DATE: 8806) | A | 1336 AR | 06-JUN-88 | AR | | | |
| | L | MIL-W-50915 NOTICE 1 | WARHEAD SECTION, 762MM ROCKET, HE: M6A1 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9110) | A | 1340 AR | 03-OCT-91 | AR | | | |
| | L | MIL-C-50919B NOTICE 1 | CLIP, CORD, DETONATING: M1 (VALIDATION DATE: 8812) ..... | A | 1375 AR | 16-DEC-88 | AR | | | |
| | L | MIL-A-50926A NOTICE 1 | ADHESIVE MR-23 (FOR USE IN AMMUNITION) (VALIDATION DATE: 8704) ..... | A | 1376 AR | 27-APR-87 | AR | | | |
| | L | MIL-W-50927 NOTICE 1 | WARHEAD SECTION, 762MM ROCKET, HE: M186 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9110) | A | 1340 AR | 03-OCT-91 | AR | | | |
| | L | MIL-W-50928C(1) | WARHEAD, FOR DEMOLITION KIT, M180 PARTS AND LOADING ASSEMBLY ..... | A | 1375 AR | 10-JUN-88 | AR | | | |
| | L | MIL-W-50930 | WARHEAD SECTION, 762MM ROCKET, TRAINING, M42 (VALIDATION DATE: 8304) ..... | A | 1340 AR | 20-MAY-71 | AR | | | |
| | L | MIL-G-50935B NOTICE 1 | GRENADES, GP, CONE FOR (VALIDATION DATE: 8803) ..... | A | 1330 AR | 18-MAR-88 | AR | | | |
| | L | MIL-P-50936A(2) | PROJECTILE, 155MM, HE, M483A1 METALLIC HARDWARE FOR ..... | A | 1320 AR | 20-APR-84 | AR | | | |
| | L | MIL-G-50937 | GRENADE, HAND, FRAGMENTATION, DELAY, M67 AND M33 CONTAINER ASSEMBLY FOR (VALIDATION DATE: 8405) | A | 1330 AR | 16-JUN-71 | AR | | | |
| A | L | MIL-P-50944B(3) | PROJECTILE, 155MM, HE: M483A1 NON-METALLIC HARDWARE FOR ..... | A | 1320 AR | 09-DEC-92 | AR | | | |
| A | L | MIL-F-50945D(6) | FUZE, PD, M567/XM935 (M935)/M936 LESS BOOSTER ..... | A | 1390 AR | 29-OCT-92 | AR | | | |
| A | L | MIL-F-50950C | FUZE, GRENADE, GP: M223 ..... | A | 1330 AR | 06-JAN-93 | AR | | | |
| | L | MIL-S-50956 NOTICE 2 | SPACER, SHORT (VALIDATION DATE: 9108) ..... | A | 1110 AR | 20-AUG-91 | AR | | | |
| | L | MIL-P-50959 NOTICE 2 | PLUG, MACHINE THREAD (VALIDATION DATE: 9108) ..... | A | 1110 AR | 20-AUG-91 | AR | | | |
| | L | MIL-G-50960 NOTICE 2 | GASKET (VALIDATION DATE: 9108) ..... | A | 1195 AR | 20-AUG-91 | AR | | | |
| | L | MIL-G-50962 NOTICE 2 | GAGE, DEPTH, DIAL INDICATING: T4191A (VALIDATION DATE: 9108) ..... | A | 1190 AR | 20-AUG-91 | AR | | | |
| | L | MIL-S-50964A | WASHER SCREW, SOCKET HEAD (VALIDATION DATE: 8503) ..... | A | MUOR AR | 05-MAY-72 | AR | | | |
| | L | MIL-I-50966 NOTICE 1 | INSERT, SHIPPING AND STORAGE CONTAINER (VALIDATION DATE: 9108) USER: GL ... | A | MUOR AR | 20-AUG-91 | AR | | | |
| | L | MIL-G-50973B(1) | GRENADES, GP, M42 & M46, TAPE STIFFENER ASSEMBLY FOR ..... | A | 1330 AR | 03-DEC-85 | AR | | | |
| A | L | MIL-M-50974C(2) | MOTOR-DETONATOR ASSEMBLY, ROCKET, LOADING, ASSEMBLING AND PACKING (FOR DEMOLITION KIT, CRATERING: M180) | A | 1375 AR | 08-SEP-92 | AR | | | |
| M | L | MIL-G-50975C(5) | GRENADE, HE, G.P., M42 LOADING AND ASSEMBLING ..... | A | 1330 AR | 12-APR-93 | AR | | | |
| | L | MIL-Z-50976 | ZIRCONIUM SPONGE (VALIDATION DATE: 8907) REVIEWER: GS ..... | A | 6810 AR | 13-JUL-89 | AR | | | |
| A | L | MIL-P-50977(1) | PELLETS (PBX) FOR USE IN AMMUNITION ..... | A | 1376 AR | 19-JAN-93 | AR | | | |
| | L | MIL-D-50978A | DETONATOR, FLASH M86 PARTS FOR, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8203) | A | 1375 AR | 31-DEC-74 | AR | | | |
| | L | MIL-P-50979B NOTICE 1 | PROJECTILE, 155MM, HE, M483A1 ADAPTER FOR (VALIDATION DATE: 8804) ..... | A | 1320 AR | 18-APR-88 | AR | | | |

| Action | Opt. / Cond. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-C-50980A NOTICE 1 | CHARGE, PROPELLING, FOR USE WITH 105MM CARTRIDGES, M393A2, HEP-T, M393A1, TP-T, M416, WP-T, M467, TP-T LOADING, ASSEMBLING & PACKING | A | 1320 | AR | AR | 30-JAN-87 | AR | | | |
| L | | | MIL-P-50981A(1) NOTICE 1 | PROPELLANT CHARGE ASSEMBLY FOR ROCKET, PRACTICE, 35MM SUBCALIBER, M73 AND XM-128 [VALIDATION DATE: 9011] REVIEWER: AR | A | 1340 | MI | MI | 05-NOV-90 | MI | | | |
| L | | | MIL-F-50983C(1) | FUZE, MT, SQ, M577 LOADING, ASSEMBLING, PACKING & METAL PARTS FUZE, MT, SQ, M582 METAL PARTS | A | 1390 | AR | AR | 26-JUL-85 | AR | | | |
| L | | | MIL-B-50984 | BAG, PROPELLING, CHARGE, M67, EMPTY [VALIDATION DATE: 8504] | A | 1315 | AR | AR | 30-DEC-71 | AR | | | |
| L | | | MIL-W-50985A NOTICE 1 | WARHEAD, 2.75 INCH ROCKET, HE, DUAL PURPOSE, XM247, PARTS FOR [VALIDATION DATE: 8804] | A | 1340 | AR | AR | 22-APR-88 | AR | | | |
| A L | | | MIL-W-50986A(1) | WARHEAD, 2.75 INCH ROCKET, HE DUAL PURPOSE M247 WITH OR WITHOUT FUZE, LOADING | A | 1340 | AR | AR | 03-JUL-92 | AR | | | |
| L | | | MIL-W-50987(1) NOTICE 1 | WARHEAD, 2.75 INCH ROCKET, HE, M151 WITH FUZE OR WITHOUT FUZE, LOADING, ASSEMBLING AND PACKING | A | 1340 | AR | AR | 09-FEB-90 | AR | | | |
| L | | | MIL-F-50988B(1) | FUZE, PD, M567, LOADING, ASSEMBLING, AND PACKING | A | 1390 | AR | AR | 25-APR-90 | AR | | | |
| L | | | MIL-W-50991 NOTICE 1 | WARHEAD 2.75 INCH ROCKET, HE, M229 WITH OR WITHOUT FUZE LOADING, ASSEMBLY & PACKING [VALIDATION DATE: 8704] | A | 1340 | AR | AR | 01-APR-87 | AR | | | |
| L | | | MIL-F-50994(1) | FUZE, ROCKET, M423, MODIFIED (BUNKER) LESS BOOSTER AND LEAD [VALIDATION DATE: 7905] | A | 1340 | AR | AR | 07-FEB-73 | AR | | | |
| L | | | MIL-F-50997A | FILLER ASSEMBLY ALTERNATIVE (FOR USE IN AMMUNITION CONTAINERS) [VALIDATION DATE: 8505] REVIEWER: EA | A | 8140 | AR | AR | 08-JUN-73 | AR | | | |
| L | | | MIL-D-50998(2) | DETONATOR, STAB, M76 | A | 1330 | AR | AR | 09-APR-92 | AR | | | |
| L | | | MIL-B-50999(2) | BOOSTER, AUXILIARY, M122, METAL PARTS FOR, AND ASSEMBLY AND LOADING OF [VALIDATION DATE: 8202] | A | 1375 | AR | AR | 21-JUL-76 | AR | | | |
| | | | MIL-A-51009A | AIR FILTER MEDIUM [VALIDATION DATE: 8006] USER: MC REVIEWER: 11 GS | A | 4240 | EA | EA | 29-JUN-62 | EA | | | 99 |
| L | | | MIL-C-51012B NOTICE 1 | O-CHLOROBENZALDEHYDE, TECHNICAL [VALIDATION DATE: 8808] USER: SM REVIEWER: GS MD | A | 6810 | EA | EA | 31-AUG-88 | EA | | | |
| L | | | MIL-R-51015C | RIOT CONTROL AGENT, CS CAPSULE (METRIC) | A | 1365 | EA | EA | 27-SEP-90 | EA | | | |
| | | | MIL-S-51016A NOTICE 1 | SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS BIOLOGICAL GRADE [VALIDATION DATE: 8808] REVIEWER: GS | A | 6810 | EA | EA | 31-AUG-88 | EA | MS | | |
| | | | MIL-Y-51021(1) | YEAST AUTOLYSATE, DRIED, TECHNICAL [VALIDATION DATE: 8404] REVIEWER: GS | A | 6810 | EA | EA | 13-JUN-61 | EA | MS | | |
| | | | MIL-T-51023D(3) | TABLETS COMPOUND 34 USER: MC OS REVIEWER: 82 | A | 6665 | EA | EA | 08-NOV-84 | EA | | | 99 |
| | | | MIL-G-51025H NOTICE 1 | GUN, PORTABLE RIOT CONTROL AGENT DISPERSER, M9 [VALIDATION DATE: 8609] | A | 1040 | EA | EA | 19-SEP-86 | EA | MC | | 99 |
| | | | MIL-H-51026B | HOPPER, FILLING, PORTABLE RIOT CONTROL AGENT DISPERSER, M4 [VALIDATION DATE: 8006] | A | 1040 | EA | EA | 14-SEP-62 | EA | MC | | 99 |
| M L | | | MIL-A-51027A NOTICE 1 | ANTISETTING COMPOUND, DECONTAMINATING SLURRY, M2 [VALIDATION DATE: 9304] USER: MC SM REVIEWER: GS MD YD1 | A | 6850 | EA | EA | 02-APR-93 | EA | | | |
| L | | | MIL-S-51028B | SAMPLING AND GAGING KIT, PETROLEUM, PORTABLE | A | 6630 | ME | ME | 01-OCT-80 | ME | | | |
| | | | MIL-R-51029C(1) | RIOT CONTROL AGENT, CS REVIEWER: MD ME | A | 1365 | EA | EA | 19-JUL-89 | EA | | | 70 |
| | | | MIL-D-51031C NOTICE 1 | DISPERSER, RIOT CONTROL AGENT, PORTABLE, M3 [VALIDATION DATE: 8809] | A | 1040 | EA | EA | 09-SEP-88 | EA | MC | | 84 |
| | | | MIL-M-51038 | MIXING AND TRANSFER UNIT, INCENDIARY OIL, M5 [VALIDATION DATE: 8405] | A | 1040 | AR | AR | 29-DEC-60 | AR | MC | | |
| | | | MIL-C-51047B | COMPOUND, ANTISEEPAGE, FOR COOLING SYSTEM, INTERNAL COMBUSTION ENGINE (METRIC) USER: AT SM REVIEWER: AL EA GS | A | 6850 | ME | ME | 15-JUL-87 | ME | | | 68 |
| L | | | MIL-D-51048F(4) | DECONTAMINATING APPARATUS, PORTABLE, DS2, 1-1/2 QUART, M11 | A | 4230 | EA | EA | 09-AUG-91 | EA | | | |
| L | | | MIL-L-51050B(2) | LABORATORY, PETROLEUM, SEMITRAILER MOUNTED REVIEWER: AR EA MD | A | 6640 | ME | ME | 01-NOV-77 | ME | | | |
| L | | | MIL-L-0051050C | LABORATORY, PETROLEUM, SEMITRAILER MOUNTED | A | 6640 | ME | ME | 20-JAN-87 | ME | | | |
| L | | | MIL-L-0051050C(11) | LABORATORY, PETROLEUM, SEMITRAILER MOUNTED | A | 6640 | ME | ME | 23-MAY-90 | ME | | | |
| | | | MIL-H-51059A(1) | HOSE, FUEL, FLAME THROWER, M8 USER: OS REVIEWER: AR | A | 4720 | EA | EA | 13-AUG-85 | EA | MC | | |
| L | | | MIL-H-51059A(12) | HOSE, FUEL, FLAME THROWER, M8 | A | 4720 | EA | EA | 07-JUL-87 | EA | | | |
| | | | MIL-P-51062B(1) | PUMP, FOG OIL, SMOKE GENERATOR, M4 [VALIDATION DATE: 8006] USER: MC | A | 1040 | EA | EA | 18-AUG-69 | EA | | | 99 |
| L | | | MIL-P-0051062D | PUMP, FOG OIL, SMOKE GENERATOR, M4 | A | 1040 | EA | EA | 04-FEB-87 | EA | | | |
| | | | DOD-I-51064D | INSECTICIDE, MALATHION (METRIC) REVIEWER: GL GS MD SM | A | 6840 | EA | EA | 13-NOV-79 | EA | | | 68 |
| | | | MIL-G-51066C | GENERATOR, SMOKE, MECHANICAL, PULSE JET, ABC M3A3 | A | 1040 | EA | EA | 09-APR-70 | EA | MC | | 99 |
| | | | MIL-G-0051066D(1) | GENERATOR, SMOKE, MECHANICAL PULSE JET, M3A3 | A | 1040 | EA | EA | 05-JUN-86 | EA | | | |
| | | | MIL-C-51067B NOTICE 1 | CALCIUM MAGNESIUM CARBONATE, TECHNICAL (METRIC) [VALIDATION DATE: 8904] USER: AS REVIEWER: GS | A | 6810 | EA | EA | 04-APR-89 | EA | OS | | |
| Q | | | MIL-F-51068F | FILTERS, PARTICULATE (HIGH-EFFICIENCY FIRE RESISTANT) USER: MC SH REVIEWER: GS MD ME | A | 4240 | EA | EA | 20-JUN-86 | EA | | | 99 |
| QL | | | MIL-F-51068F(13) | FILTERS, PARTICULATE (HIGH-EFFICIENCY FIRE RESISTANT) | A | 4240 | EA | EA | 11-AUG-88 | EA | | | |
| L | | | MIL-F-51069C(1) | FILTER UNIT, GAS-PARTICULATE, FOUR MAN, 12 CFM, M8A3 REVIEWER: GS | A | 4240 | EA | EA | 12-JUN-87 | EA | | | |
| | | | MIL-P-51070D | PURIFIER, AIR, M2A2 USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 14-MAR-68 | EA | | | 99 |
| A L | | | MIL-P-0051070F(1) | PURIFIER, AIR, M2A2 | X | 4240 | EA | EA | 23-APR-92 | EA | | | |
| L | | | MIL-I-51072C | INSTALLATION KIT, GAS PARTICULATE FILTER UNIT, ARMORED VEHICLE, M20A1 [VALIDATION DATE: 8504] REVIEWER: GS | A | 4240 | EA | EA | 21-MAY-79 | EA | | | |
| L | | | MIL-C-51073D(1) | COUPLING HALF, QUICK DISCONNECT REVIEWER: CS | A | 4730 | EA | EA | 16-FEB-84 | EA | | | |
| L | | | MIL-C-51077(3) | CALCIUM SILICATE, TECHNICAL REVIEWER: EA GS | A | 6810 | AR | AR | 21-JUN-90 | AR | | | |
| | | | MIL-S-51078C | SODIUM HEXAMETAPHOSPHATE, TECHNICAL USER: CE REVIEWER: GS MD | A | 6810 | EA | EA | 25-APR-84 | EA | | | 68 |
| DQ | | | MIL-F-51079D | FILTER MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY USER: AS MC REVIEWER: GS ME SH | A | 4240 | EA | EA | 14-MAR-85 | EA | YD1 | | |
| QL | | | MIL-F-51079D(11) | FILTER, MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY | A | 4240 | EA | EA | 17-FEB-88 | EA | | | |
| L | | | MIL-R-51080A(1) | RADIOACTIVE SOURCE SET, M3A1 REVIEWER: EA | A | 6665 | CR | CR | 10-DEC-86 | CR | | | |
| L | | | MIL-R-51081A(1) | RADIOACTIVE SOURCE, COBALT 60, GAMMA, M1A1 | A | 6665 | CR | CR | 10-DEC-86 | CR | | | |
| | | | MIL-D-51082E | DETECTOR TUBES, CHEMICAL AGENT USER: MC OS REVIEWER: 82 | A | 6665 | EA | EA | 12-OCT-84 | EA | SH | | 99 |
| L | | | MIL-D-51082E(14) | DETECTOR TUBES, CHEMICAL AGENT | A | 6665 | EA | EA | 02-DEC-91 | EA | | | |
| | | | MIL-D-51083C(4) | DETECTOR TICKET, ANTICHOLINESTERASE AGENT USER: MC OS REVIEWER: 82 | A | 6665 | EA | EA | 19-SEP-84 | EA | SH | | 99 |
| L | | | MIL-D-51083C(15) | DETECTOR TICKET, ANTICHOLINESTERASE AGENT | A | 6665 | EA | EA | 23-JUN-88 | EA | | | |
| | | | MIL-C-51090A NOTICE 1 | CASEIN HYDROLYSATE [VALIDATION DATE: 8808] REVIEWER: GS | A | 6810 | EA | EA | 31-AUG-88 | EA | MS | | 68 |
| D L | | | MIL-D-51091J(3) | DECONTAMINATING APPARATUS, POWER DRIVEN, SKID-MOUNTED, MULTIPURPOSE, NONINTEGRAL, 500-GALLON, M12A1 USER: MC YD1 REVIEWER: GS | A | 4230 | EA | EA | 28-FEB-90 | EA | | | |
| L | | | MIL-B-51092(1) | BORON, AMORPHOUS, POWDER REVIEWER: EA GS MI OS | A | 6810 | AR | AR | 06-NOV-87 | AR | | | |
| | | | MIL-F-51095B | FILTER MATERIAL, GAS-AEROSOL, C18 USER: MC REVIEWER: GS MD | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | | 84 |
| L | | | MIL-F-0051095F(1) | FILTER MATERIAL, GAS-AEROSOL, C18R1 | A | 4240 | EA | EA | 13-AUG-86 | EA | | | |
| L | | | MIL-F-51095B(11) | FILTER MATERIAL, GAS-AEROSOL, C18 | A | 4240 | EA | EA | 30-JUN-66 | EA | | | |
| | | | MIL-C-51096B | CORE MATERIAL, C18 REVIEWER: GS | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | | 84 |
| L | | | MIL-C-0051096E(1) | CORE MATERIAL, C18 | A | 4240 | EA | EA | 13-AUG-86 | EA | | | |
| L | | | MIL-C-51096B(12) | CORE MATERIAL, C18 | A | 4240 | EA | EA | 09-FEB-88 | EA | | | |
| | | | MIL-B-51097B | BACKING MATERIAL, C18 REVIEWER: GS | A | 4240 | EA | EA | 30-SEP-64 | EA | SH | | 84 |
| L | | | MIL-B-0051097D(1) | BACKING MATERIAL, C18 | A | 4240 | EA | EA | 26-AUG-87 | EA | | | |
| L | | | MIL-B-51097B(13) | BACKING MATERIAL, C18 | A | 4240 | EA | EA | 09-FEB-88 | EA | | | |
| L | | | MIL-C-51098E(7) | CYLINDER, NITROGEN-FILLED, PUNCTURABLE SEAL | A | 4230 | EA | EA | 09-AUG-91 | EA | | | |
| | | | MIL-M-51103B NOTICE 1 | MAGNESIUM OXIDE, TECHNICAL [VALIDATION DATE: 8904] REVIEWER: AS GS MD MI | A | 6810 | EA | EA | 04-APR-89 | EA | OS | | |
| L | | | MIL-P-51104A(1) | PROTECTOR, INFANT, M2 | A | 4240 | EA | EA | 18-JUN-87 | EA | | | |
| L | | | MIL-D-51106A NOTICE 1 | N, N'-DICYCLOHEXYLCARBODIIMIDE, TECHNICAL [VALIDATION DATE: 8808] | A | 6810 | EA | EA | 31-AUG-88 | EA | | | |
| L | | | MIL-C-51108B(1) | CARRIER, AIRCRAFT CHEMICAL-BIOLOGICAL MASK, M17 | A | 4240 | EA | EA | 05-JUL-91 | EA | | | |
| L | | | MIL-F-51109A(2) | FACEBLANK, CHEMICAL-BIOLOGICAL MASK, C12R4 REVIEWER: GS | A | 4240 | EA | EA | 18-JUL-86 | EA | | | |
| L | | | MIL-F-51110A(2) | FACEBLANK LENS, C14R3 REVIEWER: GS | A | 4240 | EA | EA | 22-SEP-86 | EA | | | |
| L | | | MIL-H-51111B(2) | HARNESS, HEAD, C15 REVIEWER: GS | A | 4240 | EA | EA | 14-MAY-87 | EA | | | |
| L | | | MIL-H-51112A(2) | NOSECUP DEFLECTOR, C11 REVIEWER: GS | A | 4240 | EA | EA | 18-JUL-86 | EA | | | |
| L | | | MIL-M-51113D(1) NOTICE 1 | MASK, CHEMICAL-BIOLOGICAL, AIRCRAFT, ABC-M24 REVIEWER: GS | A | 4240 | EA | EA | 27-OCT-89 | EA | | | |

| Action | Obs. | Coll. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-C-511308 NOTICE 1 | CHEMICALS, REAGENT GRADE; GENERAL SPECIFICATION FOR (METRIC) [VALIDATION DATE: 8904] USER: ME REVIEWER: AR GS MD | A | 6810 | EA | 04-APR-89 | EA | | 68 | | |
| | L | | | MIL-L-51131A NOTICE 1 | LITHIUM STEARATE [VALIDATION DATE: 8704] REVIEWER: EA GS | A | 6810 | AR | 27-APR-87 | AR | | | | |
| | L | | | MIL-S-51132A(1) NOTICE 1 | SODIUM CARBOXYMETHYL CELLULOSE (NACMC) (FOR AMMUNITION USE) [VALIDATION DATE: 8804] REVIEWER: GS | A | 6810 | AR | 22-APR-88 | AR | | | | |
| A | L | | | MIL-S-51141A(1) NOTICE 1 | SUIT, PROTECTIVE, IMPERMEABLE, SUPPLIED AIR, M4 [VALIDATION DATE: 8801] USER: 45 REVIEWER: EA | A | 8415 | CT | 25-JAN-88 | GL | | | | CT |
| | L | | | MIL-O-51142B(2) | OUTSERT, EYELENS ANTIGLARE, CHEMICAL BIOLOGICAL MASK, ABC-M2 REVIEWER: GS | A | 4240 | EA | 21-SEP-87 | EA | | | | |
| | L | | | MIL-H-51143D | HOOD, TANK CHEMICAL-BIOLOGICAL MASK: ABC-M5 | A | 4240 | EA | 17-MAY-91 | EA | | | | |
| | | | | MIL-G-51145A(1) | GLAZING COMPOUND, BAKING PAN [VALIDATION DATE: 8303] REVIEWER: GS MD | A | 6850 | GL | 07-MAR-77 | GL | | 68 | | |
| | L | | | MIL-D-51146 | DECONTAMINATING AGENT, BIOLOGICAL, ETHYLENE OXIDE PROPELLANT MIXTURE [VALIDATION DATE: 8404] REVIEWER: GS | A | 6850 | EA | 08-APR-63 | EA | | | | |
| | L | | | MIL-F-51156A | FLAME THROWER, MECHANIZED, MAIN ARMAMENT, APC MOUNTED, M10-8 [VALIDATION DATE: 8405] USER: MC | A | 1040 | AR | 06-NOV-69 | AR | | | | |
| | L | | | MIL-T-51157A | TANK ASSEMBLY, FUEL AND AIR, FOR M10-8 FLAME THROWER [VALIDATION DATE: 8405] REVIEWER: 99 | A | 1040 | AR | 21-APR-67 | AR | | | | |
| | L | | | MIL-C-51158 | CUPOLA, FLAME GUN, M8 [VALIDATION DATE: 8405] | A | 1040 | AR | 25-OCT-63 | AR | | | | |
| | L | | | MIL-P-51159A(1) | PRESSURE CONTROL UNIT, FOR M10-8 MECHANIZED FLAME THROWER [VALIDATION DATE: 8201] | A | 1040 | AR | 22-NOV-68 | AR | | | | |
| | L | | | MIL-D-51161A | N,N,&DIISOPROPYLCARBODIIMIDE [VALIDATION DATE: 8404] REVIEWER: GS | A | 6810 | EA | 17-MAY-78 | EA | | | | |
| | L | | | MIL-F-51163A(1) | FILTER UNIT, GAS-PARTICULATE, GED OR EMD, 300 CFM, ABCA-M6A1 | A | 4240 | EA | 12-JUN-87 | EA | | | | |
| | L | | | MIL-F-51165B | FILTER, PARTICULATE, 150 CFM, M9A1 REVIEWER: GS | A | 4240 | EA | 25-MAY-88 | EA | | | | |
| | L | | | MIL-H-51166A | HOOD, FIELD PROTECTIVE MASK, M6 [VALIDATION DATE: 8504] REVIEWER: GS | A | 4240 | EA | 26-FEB-64 | EA | | | | |
| D | L | | | MIL-B-51170F(1) | BAG, WATERPROOF, CHEMICAL BIOLOGICAL MASK, M1 USER: YD1 REVIEWER: GS | A | 4240 | EA | 18-AUG-86 | EA | | | | |
| | L | | | MIL-H-51171F | HEATER, WATER, LIQUID FUEL, SKID MOUNTED, 600 GPH, M2 | A | 4410 | EA | 02-FEB-87 | EA | | | | |
| | L | | | MIL-C-51172 | COMPRESSOR, RECIPROCATING, 50 CFM, 3000 PSI [VALIDATION DATE: 8006] | A | 1040 | EA | 12-DEC-63 | EA | | | | |
| | L | | | MIL-S-51173A(1) | SERVICE UNIT, FLAME THROWER, TRUCK MOUNTED, M4A2 | A | 1040 | EA | 20-MAR-67 | EA | | | | |
| | L | | | MIL-F-51174A | FILTER UNIT, GAS PARTICULATE, 12 CFM, ARMORED AMBULANCE, M14 [VALIDATION DATE: 8405] REVIEWER: GS | A | 4240 | EA | 31-MAR-67 | EA | | | | |
| | L | | | MIL-I-51175 | INSTALLATION KIT, GAS PARTICULATE FILTER UNIT, ARMORED VEHICLE, AMBULANCE, M37 [VALIDATION DATE: 8504] REVIEWER: GS | A | 4240 | EA | 01-JUN-64 | EA | | | | |
| A | | | | MIL-B-51176F | BOOTS, TOXICOLOGICAL AGENTS PROTECTIVE, M2A1 REVIEWER: AL EA MD | A | 8430 | CT | 05-OCT-88 | GL | MU | | | CT |
| | L | | | MIL-C-51177B(1) | COUPLING, CANISTER, ABC M1 REVIEWER: GS | A | 4240 | EA | 31-OCT-86 | EA | | | | |
| | L | | | MIL-H-51178C(1) | MASK, CHEMICAL-BIOLOGICAL, TANK, ABC-M25A1 REVIEWER: GS | A | 4240 | EA | 27-OCT-89 | EA | | | | |
| | L | | | MIL-C-51179C(1) | CARRIER, CHEMICAL-BIOLOGICAL MASK, ABC-M13A1 | A | 4240 | EA | 05-JUL-91 | EA | | | | |
| | L | | | MIL-H-51182A | HEADPIECE, HOSPITAL COLLECTIVE PROTECTOR, M13A1 REVIEWER: GS | A | 4240 | EA | 11-MAR-88 | EA | | | | |
| | L | | | MIL-F-51183 | FILLING UNIT, CHEMICAL TANK, MARK 3, MOD-0 [VALIDATION DATE: 8006] | A | 1040 | EA | 13-NOV-64 | EA | | | | |
| | L | | | MIL-F-51184A NOTICE 1 | FASTENERS, SNAP [VALIDATION DATE: 8809] REVIEWER: IS | A | 5325 | EA | 09-SEP-88 | EA | | | | |
| | L | | | MIL-D-51188C | DISPERSER, RIOT CONTROL AGENT, HELICOPTER OR VEHICLE MOUNTED, M5 [VALIDATION DATE: 8405] | A | 1040 | EA | 29-AUG-77 | EA | | | | |
| | | | | MIL-S-51189B(2) | SUBSTRATE SOLUTION AND DISPENSER USE: MC OS REVIEWER: 82 | A | 6665 | EA | 19-SEP-84 | EA | SH | 99 | | |
| | L | | | MIL-S-51189B(14) | SUBSTRATE SOLUTION AND DISPENSER | A | 6665 | EA | 27-FEB-89 | EA | | | | |
| A | L | | | MIL-F-51190C(1) | FILTER UNIT, GAS-PARTICULATE, TANK, 20 CFM, M13A1 | X | 4240 | EA | 23-APR-92 | EA | | | | |
| | L | | | MIL-H-51191D(1) | HEATER, AIR, ELECTRICAL, FILTER UNIT, M3 | A | 4240 | EA | 09-JAN-92 | EA | | | | |
| | L | | | MIL-I-51192B | INSTALLATION KIT, ARMORED VEHICLE, GAS PARTICULATE FILTER UNIT, M29A1 REVIEWER: GS | A | 4240 | EA | 12-SEP-79 | EA | | | | |
| | L | | | MIL-F-51193C(3) | FILTER, GAS, 10 CFM, M18 | A | 4240 | EA | 13-DEC-89 | EA | | | | |
| | L | | | MIL-F-51194C(1) | FILTER, PARTICULATE, 20 CFM, M19 | A | 4240 | EA | 07-JUN-91 | EA | | | | |
| | L | | | MIL-V-51195B(1) | VALVE, OUTLET, C19 REVIEWER: GS | A | 4240 | EA | 12-JAN-87 | EA | | | | |
| | L | | | MIL-L-51196 | LIGHT, ILLUMINATING AND ULTRAVIOLET [VALIDATION DATE: 8201] | A | 6665 | EA | 14-OCT-64 | EA | | | | |
| | L | | | MIL-R-51197B | REAGENT, SOLVENT, & TEST PAPERS FOR SAMPLING & ANALYZING KIT, M33 [VALIDATION DATE: 8201] | A | 6665 | EA | 15-SEP-76 | EA | | | | |
| | L | | | MIL-R-51198(2) | REPAIR KIT, CBR AGENT SAMPLING & ANALYZING KIT, M32 64 | A | 6665 | EA | 23-JUL-84 | EA | | | | |
| | L | | | MIL-R-51199A | REFILL KIT, ANALYZING COMPONENTS, CBR AGENT SAMPLING & ANALYZING KIT, M33 | A | 6665 | EA | 23-JUL-84 | EA | | | | |
| | L | | | MIL-S-51200A(5) | SAMPLING KIT, CBR AGENT, M34 | A | 6665 | EA | 03-APR-89 | EA | | | | |
| | L | | | MIL-S-51201A(1) | SAMPLING & ANALYZING KIT, CBR AGENTS, M19 | A | 6665 | EA | 23-JUL-84 | EA | | | | |
| | L | | | MIL-G-51203A(2) | GUN, FLAME THROWER, PORTABLE, M7 [VALIDATION DATE: 8405] | A | 1040 | AR | 15-MAY-68 | AR | | | | |
| | L | | | MIL-F-51206 NOTICE 1 | FILTER, COTTON [VALIDATION DATE: 8808] REVIEWER: GS | A | 4240 | EA | 31-AUG-88 | EA | | | | |
| | L | | | MIL-D-51207(1) | DYE MIX, OLIVE DRAB, IMPREGNATING [VALIDATION DATE: 8110] REVIEWER: GS | A | 6820 | EA | 12-OCT-65 | EA | | | | |
| | L | | | MIL-F-51208(1) NOTICE 1 | FILTER ELEMENT AND RING ASSEMBLY [VALIDATION DATE: 8809] REVIEWER: GS | A | 4240 | EA | 09-SEP-88 | EA | | | | |
| | L | | | MIL-R-51209 | RUBBERS, SYNTHETIC, FOR CHEMICAL AGENT COMPOUNDING [VALIDATION DATE: 8008] REVIEWER: MR | A | 1365 | EA | 11-SEP-64 | EA | | | | |
| | L | | | MIL-S-51210A(1) | SOIL SAMPLING KIT | A | 6665 | EA | 17-AUG-89 | EA | | | | |
| | | | | MIL-C-51211B(1) | CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, POINT SOURCE, ABC-M2 | A | 6665 | EA | 05-SEP-80 | EA | | 99 | | |
| | | | | MIL-C-51212B(1) | CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, LINE SOURCE, ABC-M3 | A | 6665 | EA | 05-SEP-80 | EA | | 82 | | |
| | L | | | MIL-C-51212B(12) | CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, LINE SOURCE, ABCA-M3 | A | 6665 | EA | 02-OCT-87 | EA | | | | |
| | L | | | MIL-F-51213D | FILTER, GAS (60, 120 & 250 CFM MODULES) C10, C31 & C21 REVIEWER: GS | A | 4240 | EA | 29-MAR-88 | EA | | | | |
| | L | | | MIL-F-51214D | FILTERS, GAS, 600, 1200, 2500, AND 5000 CFM; C22R1, C32R1, C29R1 AND C23R1 REVIEWER: GS | A | 4240 | EA | 17-FEB-89 | EA | | | | |
| | L | | | MIL-F-51215C(4) | FILTERS, PARTICULATE, 600, 1200, 2500 AND 5000 CFM; C18R1, C19R1, C30R1 AND C20R1 | A | 4240 | EA | 28-JUN-91 | EA | | | | |
| | L | | | MIL-F-51216 | FILTER UNIT, GAS PARTICULATE, EMD, 600 CFM, M9A2 [VALIDATION DATE: 8103] REVIEWER: GS | A | 4240 | EA | 30-DEC-65 | EA | | | | |
| | L | | | MIL-F-51217 | FILTER UNIT, GAS PARTICULATE, EMD, 1200 CFM, M10A2 [VALIDATION DATE: 8102] REVIEWER: GS | A | 4240 | EA | 30-DEC-65 | EA | | | | |
| A | L | | | MIL-F-51220A(1) | FILTER UNIT, GAS-PARTICULATE, MISSILE VAN, EMD, 300 CFM, M18 | X | 4240 | EA | 20-AUG-92 | EA | | | | |
| | L | | | MIL-F-51221A | FILTER, PARTICULATE, 150 CFM, M24 REVIEWER: GS | A | 4240 | EA | 01-OCT-84 | EA | | | | |
| A | L | | | MIL-F-51222C(2) | FILTER, GAS, 150 CFM, M23/M23A1 | X | 4240 | EA | 20-AUG-92 | EA | | | | |
| | L | | | MIL-E-51223 | ENTRANCE, PROTECTIVE, PRESSURIZED, MISSILE VAN, COLLAPSIBLE, M7 [VALIDATION DATE: 8201] REVIEWER: GS | A | 4240 | EA | 10-JUL-68 | EA | | | | |
| | L | | | MIL-F-51224B | FILTERS, GAS-PARTICULATE, 600, 1200, 2500 AND 5000 CFM; ABC-M14A1, ABC-M15A1, ABC-M16A1 AND ABC-M17A1 REVIEWER: GS | A | 4240 | EA | 18-SEP-80 | EA | | | | |
| | L | | | MIL-P-51227B(2) | PUMP, CENTRIFUGAL, DECONTAMINATING APPARATUS REVIEWER: GS | A | 4230 | EA | 14-MAY-87 | EA | | | | |
| | L | | | MIL-F-51228(1) | FAN, VANEAXIAL, 300 CFM, 400 CYCLE, 416 VOLTS, 0 7 HP | A | 4240 | EA | 12-JUN-87 | EA | | | | |
| | L | | | MIL-C-51230 | COLLECTIVE PROTECTION EQUIPMENT, CBR, BATTERY CONTROL CENTRAL, M10 REVIEWER: GS | A | 4240 | EA | 03-MAR-87 | AR | | | | |
| | | | | MIL-M-51231 | MASK, GAS, ROCKET PROPELLANT, M26A1 REVIEWER: GS | A | 4240 | EA | 01-JUN-65 | EA | | 84 | | |
| | L | | | MIL-M-51231(11) | MASK, GAS, ROCKET PROPELLANT, M26A1 | A | 4240 | EA | 10-NOV-66 | EA | | | | |
| | L | | | MIL-C-51232C | CLOTH, MARQUISETTE, POLYESTER [VALIDATION DATE: 8504] USER: 45 | A | 8305 | EA | 07-FEB-77 | EA | | | | |
| | L | | | MIL-C-51234(3) | COUPLING ASSEMBLY, QUICK DISCONNECT, PLAIN & SELF SEALING [VALIDATION DATE: 8510] | A | 4730 | EA | 19-DEC-74 | EA | | | | |
| | | | | MIL-S-51235C | SMOKE POT, FLOATING, SGF2, AN-M7A1 | A | 1365 | EA | 08-JUN-89 | EA | OS | | | |
| | L | | | MIL-R-51237A(2) | REFILL KIT, CHEMICAL AGENT DETECTOR, V-G COMPONENTS, ABC-M30A1 | A | 6665 | EA | 22-FEB-89 | EA | | | | |
| | L | | | MIL-T-51241 | TANK, SPRAY, CHEMICAL AGENT, VX, TRU-28/B, FILLING OF [VALIDATION DATE: 8006] | A | 1040 | EA | 14-FEB-66 | EA | | | | |
| | L | | | MIL-R-51242A | REGULATOR, PRESSURE, FLAME THROWER [VALIDATION DATE: 8405] | A | 1040 | AR | 12-SEP-66 | AR | | | | |
| | L | | | MIL-S-51244A | SERVICE KIT, PORTABLE FLAME THROWER, RIOT CONTROL AGENT DISPERSER, M27 [VALIDATION DATE: 8405] | A | 1040 | EA | 26-FEB-76 | EA | | | | |
| | L | | | MIL-C-51245(1) | CLOTH, KNITTED, ACRYLIC FIBER [VALIDATION DATE: 8504] REVIEWER: CT | A | 8305 | EA | 31-JUL-68 | EA | | | | |

| Action | Obsl, Opn / Coordination / Inactive | Document Number | Document Title | Dist Stmt / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-D-51246A(1) NOTICE 1 | DECONTAMINATING & RE-IMPREGNATING KIT, INDIVIDUAL, M13 (VALIDATION DATE: 8809) REVIEWER: GS | A 4230 EA | 09-SEP-88 EA | | | | |
| | L | MIL-D-51248A NOTICE 1 | DYE, CHEMICAL AGENT INDICATOR (VALIDATION DATE: 8809) REVIEWER: GS ..... | A 6820 EA | 09-SEP-88 EA | | | | |
| | L | MIL-F-51250 | FUEL AND PRESSURE UNIT, PORTABLE FLAME THROWER, M9 (VALIDATION DATE: 8405) | A 1040 AR | 11-JAN-67 EA | | | | |
| | L | MIL-C-51251A(1) | CLOTH, COATED; CBR PROTECTIVE REVIEWER: CT ..... | A 8305 EA | 08-FEB-89 EA | | | | |
| | L | MIL-T-51252A(2) | TESTING KIT, IMPREGNITE IN CLOTHING, ABC-M2 ..... | A 6630 EA | 28-JUL-87 EA | | | | |
| | L | MIL-B-51254(5) | BREATHING APPARATUS, OXYGEN GENERATING, M20 REVIEWER: GS ..... | A 4240 EA | 19-APR-91 EA | | | | |
| | | MIL-M-51255C(1) | WINTERIZATION KIT, CHEMICAL BIOLOGICAL MASK, M4 REVIEWER: GS ..... | A 4240 EA | 16-DEC-86 EA | | 11 | | |
| | | MIL-D-51256B | DETECTOR KIT, CHEMICAL AGENT, ABC-M18A2 USER: ME OS REVIEWER: 82 ..... | A 6665 EA | 08-NOV-84 EA | SH | 99 | | |
| | L | MIL-D-0051256C | DETECTOR KIT, CHEMICAL AGENT, ABC-M18A2 ..... | A 6665 EA | 14-FEB-92 EA | | | | |
| | L | MIL-M-51258A(3) | WINTERIZATION KIT, FACEPIECE, CHEMICAL BIOLOGICAL MASK, TANK, M3 ..... | A 4240 EA | 07-JUL-86 EA | | | | |
| | L | MIL-S-51261A | SERVICE UNIT, FLAME THROWER, TRACK VEHICLE MOUNTED, XM45E1 (VALIDATION DATE: 8405) USER: MC | A 1040 AR | 28-JAN-70 EA | | | | |
| | | MIL-C-51264A | CUPROUS CYANIDE, TECHNICAL (VALIDATION DATE: 8905) REVIEWER: GS MD ..... | A 6810 EA | 26-MAY-89 EA | | 68 | | |
| | | MIL-S-51266 | SODIUM BISULFATE, MONOHYDRATE, ANALYZED REAGENT (VALIDATION DATE: 8201) USER: MI REVIEWER: GS MD | A 6810 EA | 13-FEB-68 EA | | 68 | | |
| | L | MIL-C-51276 | CHEMICAL AGENT, TRIPHOSGENE (VALIDATION DATE: 8501) ..... | A 1365 EA | 26-APR-67 EA | | | | |
| A | | MIL-C-51278D(1) | CAP, WATER CANTEEN, FIELD, 1 QUART AND 2 QUART CANTEENS USER: 45 REVIEWER: 82 EA MC MD | A 8465 CT | 21-MAY-91 GL | MU | 99 | CT | |
| | L | MIL-C-51280B | COVER, VOICEMITTER OUTLET VALVE, C13R1 (VALIDATION DATE: 8405) REVIEWER: GS | A 4240 EA | 06-JUN-77 EA | | | | |
| | L | MIL-V-51281C(1) | VOICEMITTER OUTLET VALVE ASSEMBLY, CHEMICAL BIOLOGICAL MASK, C29R5 REVIEWER: GS | A 4240 EA | 06-APR-87 EA | | | | |
| | L | MIL-M-51282D | MASK, CHEMICAL BIOLOGICAL, FIELD, M17A1 ..... | A 4240 EA | 14-NOV-86 EA | | | | |
| | L | MIL-R-51283C(1) | RUBBER FABRICATED PRODUCTS FOR M17A1/M17A2 MASKS ..... | A 4240 EA | 03-SEP-86 EA | | | | |
| | L | MIL-C-51285C(4) | CARRIER, CHEMICAL-BIOLOGICAL MASK: FIELD, M15A1 ..... | A 4240 EA | 03-MAY-91 EA | | | | |
| | L | MIL-F-51286B(1) | FACEBLANKS, CHEMICAL BIOLOGICAL MASK, C17R1 ..... | A 4240 EA | 03-SEP-86 EA | | | | |
| | L | MIL-M-51287C(1) | NOSECUP ASSEMBLIES, CHEMICAL BIOLOGICAL MASK, C10 ..... | A 4240 EA | 03-SEP-86 LA | | | | |
| | L | MIL-T-51289B | TEST SET, FLAME THROWER - RIOT CONTROL AGENT DISPERSER, HYDROSTATIC - VOLUMETRIC, 6000 PSI, M5 | A 1040 EA | 22-MAY-85 EA | | | | |
| | L | MIL-M-51290B | HOOD, AIRCRAFT CHEMICAL-BIOLOGICAL MASK: M7 ..... | A 4240 EA | 17-MAY-91 EA | | | | |
| | L | MIL-M-51291B | HOOD, CHEMICAL-BIOLOGICAL MASK: M6A2 ..... | A 4240 EA | 24-MAY-91 EA | | | | |
| | L | MIL-L-51292C | LAUNCHER & GRENADES, SMOKE, HC & WP, XM176 ..... | A 1330 EA | 25-SEP-87 EA | | | | |
| | L | MIL-L-51293B(1) | LAUNCHER & GRENADES, SMOKE, HC & WP, XM176, COMPONENTS FOR ..... | A 1330 EA | 22-AUG-86 EA | | | | |
| | L | MIL-S-51296(1) | SURVIVAL KIT, AIRMAN S, SEEK-1 (VALIDATION DATE: 8503) REVIEWER: GS ..... | A 4240 EA | 07-DEC-67 EA | | | | |
| | L | MIL-C-51297B | CARTRIDGE, 40MM, RED SMOKE, RS, XM675 (VALIDATION DATE: 8112) ..... | A 1310 EA | 18-FEB-71 EA | | | | |
| | L | MIL-B-51298A NOTICE 1 | BODY ASSEMBLY, M674 AND M675 CARTRIDGES (VALIDATION DATE: 8809) ..... | A 1310 EA | 09-SEP-88 EA | | | | |
| | | MIL-N-51301 | NICKEL CHLORIDE, HEXAHYDRATE, ANALYZED REAGENT (VALIDATION DATE: 8201) USER: MI REVIEWER: GS MD | A 6810 EA | 12-MAR-69 EA | | 68 | | |
| | L | MIL-P-51303B | PROJECTILE, 81-MILLIMETER, SMOKE, M375A3; WP FILLING ..... | A 1315 EA | 14-NOV-90 EA | | | | |
| | L | MIL-R-51305 | RADIOACTIVE TEST SAMPLE, KRYPTON 85, MX7338/PDR-27R (VALIDATION DATE: 8503) | A 6665 EA | 09-MAY-69 EA | | | | |
| M | L | MIL-A-51306B(1) | ADAPTER, OXYGEN SUPPLY, CHEMICAL-BIOLOGICAL MASK, MB ..... | A 4240 EA | 25-FEB-93 EA | | | | |
| | | MIL-S-51309 | SODIUM CHLORATE, ANALYZED REAGENT (VALIDATION DATE: 8201) USER: MI REVIEWER: GS MD | A 6810 EA | 04-DEC-68 EA | | 68 | | |
| | L | MIL-A-51312 | ANTIMONY TRIOXIDE, ANALTZED REAGENT (VALIDATION DATE: 8201) USER: MI REVIEWER: GS MD | A 6810 EA | 11-MAR-69 EA | | | | |
| | | MIL-A-51313 | ARSENIC PENTOXIDE, ANALZED REAGENT (VALIDATION DATE: 8201) USER: MI REVIEWER: GS MD | A 6810 EA | 20-MAY-69 EA | | 68 | | |
| | | MIL-N-51314 | NICKEL NITRATE, HEXAHYDRATE, ANALYZED REAGENT (VALIDATION DATE: 8201) USER: MI REVIEWER: GS MD | A 6810 EA | 06-MAY-69 EA | | 68 | | |
| | | MIL-P-51315A | POTASSIUM BIFLUORIDE, TECHNICAL (VALIDATION DATE: 8905) REVIEWER: GS MD MI | A 6810 EA | 26-MAY-89 EA | | 68 | | |
| | L | MIL-V-51316 | VANADIUM PENTOXIDE, ANALYZED REAGENT (VALIDATION DATE: 8201) USER: MI REVIEWER: GS MD | A 6810 EA | 06-MAY-69 EA | | | | |
| | L | MIL-F-51318A | FILTER UNIT, GAS PARTICULATE, EMD, 300 CFM, M6A2 REVIEWER: GS ..... | A 4240 EA | 29-MAR-88 EA | | | | |
| | L | DOD-I-51323C | INSECTICIDE, DICHLORVOS, IMPREGNATED STRIP (METRIC) REVIEWER: GL GS MD .... | A 6840 EA | 11-FEB-85 EA | | | | |
| D | | MIL-I-51325C | INSECTICIDE, CHLORPYRIFOS, EMULSIFIABLE CONCENTRATE USER: SH REVIEWER: GL GS MC MD MS | A 6840 EA | 13-NOV-92 EA | YD1 | 68 | | |
| | L | MIL-C-51326(2) | CALCULATOR, NUCLEAR YIELD, M4A1 ..... | A 6665 EA | 12-JAN-84 EA | | | | |
| | L | MIL-C-51327(2) | CALCULATOR SET, NUCLEAR, M28A1 ..... | A 6665 EA | 24-APR-87 EA | | | | |
| | L | MIL-M-51328(1) | MANOMETER ASSEMBLIES, M159, M160, M161, M162, AND M1 REVIEWER: GS ..... | A 4240 EA | 25-MAR-87 EA | | | | |
| | L | MIL-C-51329 | COLLECTIVE PROTECTION EQUIPMENT, CBR, NIKE HERCULES, CONUS, M11 (VALIDATION DATE: 8006) REVIEWER: GS | A 4240 EA | 04-SEP-69 EA | | | | |
| | L | MIL-C-51330 | COLLECTIVE PROTECTION EQUIPMENT, CBR, NIKE HERCULES, CONUS, M12 (VALIDATION DATE: 8006) REVIEWER: GS | A 4240 EA | 04-SEP-69 EA | | | | |
| | L | MIL-C-51331 | COLLECTIVE PROTECTION EQUIPMENT, CBR, NIKE HERCULES, CONUS, M13 (VALIDATION DATE: 8006) REVIEWER: GS | A 4240 EA | 04-SEP-69 EA | | | | |
| | | MIL-B-51333 | BARIUM PERCHLORATE, ANHYDROUS, ANALYZED REAGENT (VALIDATION DATE: 8201) REVIEWER: GS MD | A 6810 EA | 11-MAY-70 EA | | 68 | | |
| | | MIL-L-51336 | LEAD OXIDE, RED, ANALYZED REAGENT (VALIDATION DATE: 8201) USER: MI SM REVIEWER: GS MD | A 6810 EA | 05-NOV-69 EA | | 68 | | |
| | L | MIL-P-51338(1) | PROJECTILE, 105MM, SMOKE, WP, M60E1, FILLING ASSEMBLY (VALIDATION DATE: 8006) REVIEWER: 99 | A 1315 EA | 12-OCT-70 EA | | | | |
| | L | MIL-R-51341(1) | RIOT CONTROL AGENT, CS2 ..... | A 1365 EA | 27-SEP-82 EA | | | | |
| | L | MIL-F-51342 | FLAME THROWER, PORTABLE, M9E1-7 (VALIDATION DATE: 8405) USER: MC ..... | A 1040 AR | 03-NOV-69 EA | | | | |
| | L | MIL-L-51343B | LAUNCHER, ROCKET, 66MM, FOUR TUBE, M202 ..... | A 1055 MI | 16-NOV-90 MI | | | | |
| | L | MIL-S-51346(1) | SEAL, RING REVIEWER: MI ..... | A 1330 EA | 19-MAR-86 EA | | | | |
| | L | MIL-W-51348(2) | WINTERIZING KIT, PROTECTIVE MASK, M1 REVIEWER: GS ..... | A 4240 EA | 26-MAY-87 EA | | | | |
| | L | MIL-G-51349E | GRENADE BODY ..... | A 1330 EA | 03-APR-87 EA | | | | |
| | L | MIL-F-51353A(2) | FUZE, HAND GRENADE, M201A1 ..... | X 1330 EA | 06-FEB-92 EA | | | | |
| | | MIL-C-51355A | CARTRIDGE, 40MM, CS, XM651E1 (VALIDATION DATE: 8503) ..... | A 1310 EA | 14-FEB-79 EA | | 99 | | |
| | L | MIL-A-51356A(2) | AREA PREDICTOR, RADIOLOGICAL FALLOUT, ABC-M5A2 ..... | A 6665 EA | 14-NOV-89 EA | | | | |
| | L | MIL-F-51357 NOTICE 1 | FILTER PANEL, INFANT PROTECTOR (VALIDATION DATE: 8809) REVIEWER: GS ..... | A 4240 EA | 19-SEP-88 EA | | | | |
| | L | MIL-C-51358A(1) | CANISTER, SMOKE, HC, 155MM, PROJECTILE, M1 & M2, COMPONENTS FOR (VALIDATION DATE: 8405) | A 1320 EA | 07-JUL-78 EA | | | | |
| | L | MIL-C-51360B | CANISTER, SMOKE, HC, 105MM, PROJECTILE, M1 ..... | A 1315 EA | 22-JAN-88 EA | | | | |
| | L | MIL-C-51361B(1) | CANISTER, SMOKE, HC, 105MM, PROJECTILE, M1, COMPONENTS FOR ..... | A 1315 EA | 22-JAN-88 EA | | | | |
| | | MIL-F-51364(1) | FIN, ASSEMBLY, BOMB, 750 LB CLUSTER, M14E3 (VALIDATION DATE: 8201) ..... | A 1325 AS | 13-JUL-73 AR | | | | |
| | | MIL-L-51365A | LAUNCHER & GRENADES, SMOKE, HC, M226 (VALIDATION DATE: 8405) ..... | A 1330 EA | 19-APR-77 EA | | 99 | | |
| | L | MIL-F-51366A(2) | FILTERS, PARTICULATE, RECIRCULATION (550 CFM AND 1200 CFM) REVIEWER: GS ... | A 4240 EA | 29-DEC-87 EA | | | | |
| | L | MIL-F-51367B(1) | FILTER & UTILITIES UNIT, CHEMICAL BIOLOGICAL SHELTER SYSTEM, TRAILER MOUNTED M68 REVIEWER: GS | A 4240 EA | 27-APR-87 EA | | | | |
| | L | MIL-S-51368B(2) | SHELTER SYSTEM, COLLECTIVE PROTECTION, CHEMICAL-BIOLOGICAL: INFLATABLE, 10-MAN, TRAILER TRANSPORTED, M51 REVIEWER: GS | A 4240 EA | 02-FEB-89 EA | | | | |
| | L | MIL-F-51369B(2) | FILTERS, GAS: RECIRCULATION (550 CFM AND 1200 CFM) REVIEWER: GS ..... | A 4240 EA | 03-NOV-89 EA | | | | |
| | L | MIL-D-51370A(1) | DISPERSER, RIOT CONTROL AGENT, PORTABLE, 3 GALLON, XM33 ..... | A 1040 EA | 20-APR-87 EA | | | | |
| | L | MIL-S-51371C | SERVICE KIT, PORTABLE RIOT CONTROL AGENT DISPERSER, M254 ..... | A 1040 EA | 06-MAY-87 EA | | | | |
| | L | MIL-A-51372 | ADAPTER, BOMB CLUSTER, 750 POUND, M30E2 (VALIDATION DATE: 8201) ..... | A 1325 AR | 13-JUL-73 AR | | | | |
| | L | MIL-B-51373 | BOMB CLUSTER, INCENDIARY, TH3, 750 POUND M36E2 (WITHOUT FUZE, FIN & WIRE) (VALIDATION DATE: 8201) | A 1325 AR | 13-JUL-73 AR | | | | |
| | L | MIL-G-51374(1) | GRENADE, HAND, RED SMOKE, RS, M48 ..... | A 1330 EA | 03-APR-87 EA | | | | |

| Action | Doc. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-G-51375(1) | GRENADE, HAND, RIOT, CS, M47 | A | 1330 | | EA | 03-APR-87 | EA | | | |
| L | | MIL-F-51376(1) | FUZE, HAND GRENADE, M227 | A | 1330 | | EA | 03-APR-87 | EA | | | |
| L | | MIL-A-51383A | ALARM, CHEMICAL AGENT, AUTOMATIC, PORTABLE ABCA-MB | A | 6665 | | EA | 12-SEP-85 | EA | | | |
| L | | MIL-A-51384B | ALARM UNIT, CHEMICAL AGENT AUTOMATIC ALARM: ABCA-M42 | A | 6665 | | EA | 23-NOV-88 | EA | | | |
| L | | MIL-C-51385B | CABLE ASSEMBLY, POWER, ELECTRIC: ABCA-M168 | A | 6665 | | EA | 30-AUG-90 | EA | | | |
| L | | MIL-C-51386A | CASE, DETECTOR UNIT, CHEMICAL AGENT AUTOMATIC ALARM [VALIDATION DATE: 8702] | A | 6665 | | EA | 23-FEB-87 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MIL-C-51387A | CIRCUIT CARD ASSEMBLY [VALIDATION DATE: 8702] | A | 6665 | | EA | 23-FEB-87 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MIL-D-51388A(1) | DETECTOR CELL, CHEMICAL AGENT | A | 6665 | | EA | 18-JUN-86 | EA | | | |
| L | | MIL-D-51389A | DETECTOR UNIT, CHEMICAL AGENT AUTOMATIC ALARM, ABCA-M43 | A | 6665 | | EA | 14-NOV-79 | EA | | | |
| L | | MIL-E-51390A | ELECTRONIC MODULE ASSEMBLY | A | 6665 | | EA | 23-FEB-87 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MIL-H-51391A(2) | HORN, ELECTRICAL | A | 6350 | | EA | 01-SEP-88 | EA | | | |
| L | | MIL-M-51392A | METER, FLOW RATE INDICATING, FLOAT TYPE [VALIDATION DATE: 8607] REVIEWER: GS | A | 6680 | | EA | 09-JUL-86 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MIL-M-51393B | MOUNTING KIT, CHEMICAL AGENT AUTOMATIC ALARM: HIGH PROFILE, ABCA-M228 | A | 6665 | | EA | 24-JUL-91 | EA | | | |
| L | | MIL-M-51394B | MOUNTING KIT, CHEMICAL AGENT AUTOMATIC ALARM: LOW PROFILE, ABCA-M182 | A | 6665 | | EA | 24-JUL-91 | EA | | | |
| L | | MIL-P-51395A(1) | POWER SUPPLY, CHEMICAL AGENT AUTOMATIC ALARM, ABCA-M10 | A | 6665 | | EA | 09-JUL-86 | EA | | | |
| L | | MIL-P-51396A | PUMP UNIT, LIQUID VACUUM, POWER DRIVEN | A | 6665 | | EA | 14-NOV-79 | EA | | | |
| L | | MIL-D-51399(1) | O, S DIETHYL METHYLPHOSPHONOTHIOLATE [VALIDATION DATE: 8404] REVIEWER: GS | A | 6810 | | EA | 07-JUN-77 | EA | | | |
| L | | MIL-B-51400(2) | BAG, WATERPROOF, CHEMICAL BIOLOGICAL MASK, M1A1 [VALIDATION DATE: 8201] REVIEWER: GS | A | 4240 | | EA | 13-MAY-74 | EA | | | |
| L | | MIL-O-51401(1) | OVERBOOT, PLASTIC FILM | A | 4240 | | EA | 11-JUN-87 | EA | | | |
| L | | MIL-P-51402 | PLASTIC SHEET: POLYPROPYLENE-POLYETHYLENE LAMINATE FILM [VALIDATION DATE: 8809] REVIEWER: GS | A | 9330 | | EA | 09-SEP-88 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MIL-P-51403 | PLASTIC SHEET, VINYL, FLEXIBLE REVIEWER: GS | A | 9330 | | EA | 03-MAR-87 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MIL-C-51404A | CRIMPING OUTFFIT, HDRAULIC, VOICEMITTER OUTLET VALVE ASSEMBLY, M1 [VALIDATION DATE: 8405] | A | 5180 | | EA | 11-JUL-78 | EA | | 99 | |
| L | | MIL-P-51406A(1) | PLASTIC SHEETS, VINYL CHLORIDE POLYMER AND COPOLYMER, FLEXIBLE REVIEWER: GS | A | 9330 | | EA | 12-JAN-87 | EA | | | |
| L | | MIL-C-51407A | CHLORINATED LIME, TECHNICAL [VALIDATION DATE: 8905] | A | 6810 | | EA | 26-MAY-89 | EA | | | |
| L | | MIL-P-51408(2) | PAPER, CHEMICAL AGENT DETECTOR, VGH, ABC-M8 | A | 6665 | | EA | 07-FEB-92 | EA | | | |
| L | | MIL-P-51409(1) | PAPER, CHEMICAL AGENT DETECTOR, VGH, ABC-M8, BOOKLET OF | A | 6665 | | EA | 11-MAR-87 | EA | | | |
| L | | MIL-D-51410(1) | DYE, GREEN, ETHYL-BIS(2,4-DINITROPHENYL) ACETATE REVIEWER: GS | A | 6820 | | EA | 22-FEB-89 | EA | | | |
| L | | MIL-D-51411(1) | DYE, YELLOW, THIODIPHENYL-4,4'-DIAZO-BIS-SALICYLIC ACID REVIEWER: GS | A | 6820 | | EA | 22-FEB-89 | EA | | | |
| L | | MIL-D-51412(1) | DYE, RED, 2,5,2',5'-TETRAMETHYLTRIPHENYLMETHANE-4,4'-DIAZO-BIS-BETAHYDROXYNAPHTHOIC ANILIDE REVIEWER: GS | A | 6820 | | EA | 22-FEB-89 | EA | | | |
| L | | MIL-D-51413A(2) | DISPENSER & RIOT CONTROL AGENT, MANUALLY CARRIED, CR, M36 | A | 1040 | | EA | 01-MAY-86 | EA | | | |
| L | | MIL-L-51414A | LAUNCHER & GRENADES, SMOKE, HC, M226, COMPONENTS FOR [VALIDATION DATE: 8405] | A | 1330 | | EA | 19-APR-77 | EA | | 99 | |
| L | | MIL-S-51416 | SAFETY EQUIPMENT SET, RESPIRATORY, 2-MAN [VALIDATION DATE: 8405] REVIEWER: GS | A | 4240 | | EA | 17-JUL-75 | EA | | | |
| L | | MIL-E-51420A(1) | EDGESEAL MATERIALS, CHEMICAL-BIOLOGICAL FILTER REVIEWER: GS | A | 4240 | | EA | 29-MAR-91 | EA | | | |
| L | | MIL-S-51421(1) | SCREENING, CHEMICAL BIOLOGICAL FILTER | A | 4240 | | EA | 10-SEP-86 | EA | | | |
| L | | MIL-S-51422B(5) | SHELTER AND ENTRANCE ASSEMBLY - *CHEMICAL-BIOLOGICAL* SHELTER SYSTEM: INFLATABLE | A | 4240 | | EA | 09-MAY-91 | EA | | | |
| L | | MIL-F-51425A(1) | FILTER ELEMENT SET, CHEMICAL BIOLOGICAL MASK, M13A2 | A | 4240 | | EA | 10-SEP-86 | EA | | | |
| L | | MIL-I-51426B | INTERIOR CONTAINER ASSEMBLY | X | 1320 | | EA | 03-JUL-86 | EA | | | |
| L | | MIL-C-51427D(3) | CANISTER, CHEMICAL PROJECTILE, DSF, M20 (CONTROLLED DISTRIBUTION) | X | 1320 | | EA | 04-MAY-90 | EA | | | |
| L | | MIL-C-51428D(2) | CANISTER, CHEMICAL PROJECTILE, OPA, M21 (CONTROLLED DISTRIBUTION) | X | 1320 | | EA | 04-MAY-90 | EA | | | |
| L | | MIL-S-51430B | SLEEVE ASSEMBLY (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA CMDR, U.S. ARMY CHEMICAL RESEARCH, DEVELOPMENT AND ENGINEERING CENTER, ATTN: SMCCR-SPT-S, ABERDEEN PROVING GROUND, MD 21010-5423 | X | 1320 | | EA | 31-MAR-87 | EA | | | |
| L | | MIL-P-51431A | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYETHYLENE COPOLYMER, HIGH DENSITY | A | 9330 | | EA | 19-JUL-88 | EA | | | |
| L | | MIL-P-51432A(3) | PLASTIC SHEET, POLYETHYLENE COPOLYMER | A | 9330 | | EA | 02-JAN-91 | EA | | | |
| L | | MIL-P-51433A(2) | PLASTIC TUBE, POLYETHYLENE COPOLYMER | A | 9330 | | EA | 25-SEP-90 | EA | | | |
| L | | MIL-P-51434C | PROJECTILE, 155MM, GB2, M687, WITHOUT CANISTER: DF, M20 | X | 1320 | | EA | 08-JUL-86 | EA | | | |
| L | | MIL-T-51437(1) | TRAINING SET, CHEMICAL AGENT IDENTIFICATION, SIMULANTS, M72A2 [VALIDATION DATE: 8906] | A | 6910 | | EA | 01-JUN-89 | EA | | | |
| L | | MIL-F-51440A | FILTER, AIR, CHEMICAL - BIOLOGICAL, M46 | A | 4240 | | EA | 24-FEB-87 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MIL-R-51446(1) | RIOT CONTROL AGENT, CR [VALIDATION DATE: 8906] | A | 1365 | | EA | 01-JUN-89 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MIL-R-51447(1) | RIOT CONTROL AGENT, CR SOLUTION [VALIDATION DATE: 8906] | A | 1365 | | EA | 01-JUN-89 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MIL-C-51448 | CANISTER [VALIDATION DATE: 8405] | A | 1340 | | EA | 30-JUN-78 | EA | | | |
| L | | MIL-C-51449(1) | CANISTER,2.75 WP | A | 1340 | | EA | 17-SEP-87 | EA | | | |
| L | | MIL-L-51450A | LAUNCHER, PROJECTILE, 64 MM - M234 | A | 1330 | | EA | 30-APR-85 | EA | | | |
| L | | MIL-F-51451(1) | FILTER, GAS-PARTICULATE, 18 CFM, M41 | A | 4240 | | EA | 12-JUN-87 | EA | | | |
| L | | MIL-F-51452 | FILTER, AIR, DETECTOR (FOR M229 REFILL KIT) | A | 6665 | | EA | 10-APR-80 | EA | | | |
| L | | MIL-D-51453A(1) | DISPERSER, RIOT CONTROL AGENT, PORTABLE, 3 GALLON, M33A1 | A | 1040 | | EA | 20-APR-87 | EA | | | |
| | | MIL-E-51454 | ETHYL ALCOHOL (ETHANOL) | A | 6810 | | EA | 12-OCT-79 | EA | SH | 68 | |
| | | DOD-P-51455 | POTASSIUM CARBONATE, ANHYDROUS, TECHNICAL (METRIC) USER: SH REVIEWER: GS MD | A | 6810 | | EA | 03-OCT-79 | EA | | 68 | |
| L | | MIL-D-51456(1) | DETECTOR CELL, CHEMICAL AGENT, ULTRASONICALLY WELDED | A | 6665 | | EA | 18-JUN-86 | EA | | | |
| L | | MIL-C-51457 | CANISTER, CHEMICAL PROJECTILE, 8 INCH, MM, XM28 [VALIDATION DATE: 8503] | A | 1320 | | EA | 26-JUN-79 | EA | | | |
| L | | MIL-P-51458 | PROJECTILE, 8 INCH, VX-2, XM736 WITHOUT CANISTER, MM, XM28, LOADING, ASSEMBLY & PACKING [VALIDATION DATE: 8503] | A | 1320 | | EA | 26-JUN-79 | EA | | | |
| L | | MIL-C-51459 | CANISTER, CHEMICAL PROJECTILE, 8 INCH, QI, XM27 [VALIDATION DATE: 8503] | A | 1320 | | EA | 26-JUN-79 | EA | | | |
| L | | MIL-C-51460 | CANISTER, CHEMICAL PROJECTILE, 8 INCH, XM27 & XM28, COMPONENTS FOR [VALIDATION DATE: 8503] | A | 1320 | | EA | 26-JUN-79 | EA | | | |
| L | | MIL-T-51461(1) | TESTER, AIRFLOW, GAS PARTICULATE FILTER UNIT, M39 | A | 6680 | | EA | 23-SEP-87 | EA | | | |
| A L | | DOD-C-51464(1) | CHLORAMINE B (METRIC) | A | 6810 | | EA | 10-JUL-92 | EA | | | |
| L | | MIL-F-51465A | FUZE, FLOATING SMOKE POT, M207A1 | A | 1365 | | EA | 21-JAN-87 | EA | | | |
| L | | MIL-I-51466(2) | IGNITER | A | 1365 | | EA | 13-JUL-87 | EA | | | |
| L | | DOD-D-51467(3) | DECONTAMINATING SOLUTIONS (METRIC) | A | 4230 | | EA | 10-FEB-88 | EA | | | |
| A L | | MIL-D-51468C | DECONTAMINATION KIT, PERSONAL, M258A1 | A | 4230 | | EA | 10-JUL-92 | EA | | | |
| L | | MIL-T-51469B(1) | TRAINING AID, PERSONAL DECONTAMINATION KIT | A | 6910 | | EA | 20-OCT-87 | EA | | | |
| L | | DOD-B-51470 | N BUTYL MERCAPTAN, TECHNICAL (METRIC) [VALIDATION DATE: 8703] | A | 6810 | | EA | 02-MAR-87 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MIL-R-51472A(2) | REFILL KIT, M58A1 PERSONAL DECONTAMINATION KIT TRAINING AID | A | 6910 | | EA | 16-OCT-87 | EA | | | |
| L | | MIL-P-51474A(2) | PROJECTILE, 64MM, RIOT CONTROL, KE M743 | A | 1310 | | EA | 02-OCT-86 | EA | | | |
| L | | MIL-C-51475 | CARRIER ASSEMBLY | A | 1040 | | EA | 24-FEB-87 | EA | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MIL-F-51477 | FILTER, PARTICULATE, HIGH EFFICIENCY, FIRE RESISTANT, BIOLOGICAL USE, GENERAL SPECIFICATION FOR | A | 4240 | | EA | 04-OCT-82 | EA | | | |
| L | | MIL-F-51477/1 | FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE A, CLASSES A, B, C, D, AND STYLES 0 AND 1 [VALIDATION DATE: 8905] | A | 4240 | | EA | 30-MAY-89 | EA | | | |
| L | | MIL-F-51477/2 | FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE B, CLASSES A, B, C, D, AND STYLES 0 AND 1 [VALIDATION DATE: 8905] | A | 4240 | | EA | 30-MAY-89 | EA | | | |

| Action | OPR / QMAL Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MIL-F-51477/3 | FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE C, CLASSES A, B, C, D, AND STYLES 0 AND 1 (VALIDATION DATE: 8905) | A | 4240 | EA | 30-MAY-89 | EA | | | | |
| | L | | MIL-F-51477/4 | FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE D, CLASSES A, B, C, D, AND STYLES 0 AND 1 (VALIDATION DATE: 8905) | A | 4240 | EA | 30-MAY-89 | EA | | | | |
| | L | | MIL-F-51477/5 | FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE E, CLASSES A, B, C, D, AND STYLES 0 AND 1 (VALIDATION DATE: 8905) | A | 4240 | EA | 30-MAY-89 | EA | | | | |
| | L | | MIL-G-51478B(1) | GRENADE, LAUNCHER, SMOKE: SCREENING, RP, UK, L8A3 | A | 1330 | EA | 12-OCT-89 | EA | | | | |
| | L | | MIL-B-51480B | BOMB, BINARY CHEMICAL, (WITHOUT BALLONET) BLU-80/B (CONTROLLED DISTRIBUTION) | D | 1325 | EA | 23-FEB-88 | EA | | | | |
| | L | | MIL-F-51481 NOTICE 1 | FILTER MATERIAL, LAMINATED PAPER, TEN PLY | A | 4240 | EA | 24-FEB-87 | EA | | | | |
| | L | | MIL-S-51482A(3) | SIMULATOR, DETECTOR TICKETS, CHEMICAL AGENT, TRAINING, M256 | A | 6910 | EA | 21-OCT-87 | EA | | | | |
| | L | | MIL-E-51483 NOTICE 1 | EDGESEAL MATERIAL, SELF ADHERING | A | 4240 | EA | 24-FEB-87 | EA | | | | |
| | L | | MIL-I-51484(1) | INSECTICIDE, D-PHENOTHRIN (AEROSOL) REVIEWER: GS MD | A | 6840 | EA | 11-FEB-85 | EA | | | | |
| | L | | DOD-D-51485A | DYE, SOLVENT YELLOW 33 (METRIC) | A | 6820 | EA | 10-JUL-81 | EA | | | | |
| | L | | DOD-D-51486A | DYE MIX, GREEN SMOKE VII (METRIC) | A | 6820 | EA | 11-JUL-86 | EA | | | | |
| | L | | MIL-A-51487A | ARMING/FIRING UNIT | A | 1040 | EA | 11-MAY-90 | EA | | | | |
| | L | | MIL-P-51489 NOTICE 1 | PROJECTILE, 155MM, SMOKE, WP, M110A2 FILLING ASSEMBLY (VALIDATION DATE: 8906) | A | 1320 | EA | 05-JUN-89 | EA | | | | |
| | L | | MIL-D-51490A(4) | DETECTOR KIT, CHEMICAL AGENT: M256A1 | A | 6665 | EA | 14-DEC-89 | EA | | | | |
| | L | | MIL-G-51491A | GENERATOR, SMOKE, MECHANICAL PULSE JET, M3A4 | A | 1040 | EA | 16-APR-86 | EA | | | | |
| | L | | MIL-B-51492A | BELT, SAFETY, BOAT | A | 4240 | CG | 20-NOV-87 | | | | | |
| | L | | MIL-P-51493(3) | PAPER, CHEMICAL AGENT DETECTOR: M9 | A | 6665 | EA | 06-JUN-90 | EA | | | | |
| | L | | MIL-D-51494(1) | DYE, B-1, WATER DISPERSED FORMATION | A | 6820 | EA | 25-AUG-86 | EA | | | | |
| | L | | MIL-M-51495A | MASK, CHEMICAL BIOLOGICAL, FIELD, M17A2 | A | 4240 | EA | 08-OCT-86 | EA | | | | |
| | L | | MIL-V-51496(1) | VOICEMITTER OUTLET VALVE ASSEMBLY | A | 4240 | EA | 06-APR-87 | EA | | | | |
| | L | | MIL-T-51497(1) | TRAINING SET, CHEMICAL AGENT IDENTIFICATION, SIMULANTS, M72A1 | A | 6910 | EA | 18-MAR-86 | EA | | | | |
| | L | | MIL-I-51498 | ISOPROPYLAMINE, TECHNICAL | A | 6810 | EA | 24-AUG-84 | EA | | | | |
| | L | | MIL-O-51499A | OPA (CONTROLLED DISTRIBUTION) | X | 1365 | EA | 21-JUN-88 | EA | | | | |
| | L | | MIL-M-51500 | METHYLPHOSPHONIC DIFLUORIDE, TECHNICAL | A | 6810 | EA | 17-APR-85 | EA | | | | |
| | L | | MIL-L-51501A | LAUNCHERS, GRENADE, SMOKE: SCREENING, RP, M243, M257, AND M259 | A | 1040 | EA | 11-MAY-90 | EA | | | | |
| A | L | | MIL-W-51502A(1) | WATER TESTING KIT, CHEMICAL AGENTS, M272 | X | 6665 | EA | 10-AUG-92 | EA | | | | |
| | L | | MIL-D-51503 | DETECTOR TICKET, ANTICHOLINESTERASE AGENT, EEL ENZYME | A | 6665 | EA | 12-OCT-84 | EA | | | | |
| | L | | MIL-C-51507C | CANISTER AND COMPONENTS, M825 (CONTROLLED DISTRIBUTION) | X | 1320 | EA | 10-JAN-89 | EA | | | | |
| | L | | MIL-C-51508A(2) | CANISTER, 155MM, WP (FOR THE M825 PROJECTILE | X | 1320 | EA | 27-OCT-87 | EA | | | | |
| | L | | MIL-P-51509A(1) | PROJECTILE, 155 MM, SMOKE, WP, M825, PARTS FOR | X | 1320 | EA | 17-SEP-87 | EA | | | | |
| | L | | DOD-N-51512 | NICKEL SALTS, ELECTROPLATING (METRIC) | A | 6810 | EA | 24-OCT-85 | EA | | | | |
| | L | | MIL-L-51513 | LAUNCHERS, GRENADE, SMOKE: SCREEN, RP, M239 AND M250 | A | 1040 | EA | 22-OCT-85 | EA | | | | |
| | | | MIL-P-51514 | PLASTIC SHEETS, POLYETHER URETHANE, FLEXIBLE | A | 9330 | EA | 16-SEP-86 | EA | | | | |
| | L | | MIL-R-51516(1) | REGULATOR, PRESSURE, RIOT CONTROL AGENT DISPERSER | A | 1040 | EA | 20-APR-87 | EA | | | | |
| | | | DOD-S-51517 | SODIUM PYROPHOSPHATE, ANAYDROUS, TECHNICAL (METRIC) | A | 6810 | EA | 22-APR-86 | EA | | | | 68 |
| | L | | MIL-P-51518A(1) | PAPER, CHEMICAL AGENT DETECTOR: M9 (SR119 DYE) | A | 6665 | EA | 06-JUN-90 | EA | | | | |
| | L | | DOD-T-51521 | TEREPHTHALIC ACID, TECHNICAL (METRIC) | A | 6810 | EA | 20-MAY-86 | EA | | | | |
| | L | | DOD-D-51522 | DYE, DISPERSE RED 11 (METRIC) | A | 6820 | EA | 20-MAY-86 | EA | | | | |
| | L | | DOD-D-51523 | DYE, SOLVENT RED 1 (METRIC) | A | 6820 | EA | 20-MAY-86 | EA | | | | |
| | L | | DOD-D-51524 | DYE, DISPERSE BLUE 3 (METRIC) | A | 6820 | EA | 20-MAY-86 | EA | | | | |
| A | L | | MIL-F-51525A(7) | FILTER, GAS, 200 CFM | A | 4240 | EA | 10-JUL-92 | EA | | | | |
| A | L | | MIL-F-51526(2) | FILTER PARTICULATE, 200 CFM (MODULAR COLLECTIVE PROTECTION EQUIPMENT (MCPE)/SIMPLIFIED COLLECTIVE PROTECTION EQUIPMENT (SCPE) APPLICATIONS) | A | 4240 | EA | 25-SEP-92 | EA | | | | |
| | L | | MIL-F-51527(2) | FILTER SET, GAS-PARTICULATE: 200 CFM (MODULAR COLLECTIVE PROTECTION EQUIPMENT (MCPE)/SIMPLIFIED COLLECTIVE PROTECTION EQUIPMENT (SCPE) APPLICATIONS) REVIEWER: SH | A | 4240 | EA | 22-MAY-90 | EA | | | | |
| | | | MIL-S-51528 | SIMULATOR, PROJECTILE, AIRBURST, LIQUID (SPAL) M11 | A | 1370 | EA | 09-MAY-88 | | | | | |
| A | L | | MIL-P-51529(5) | PACKAGING OF DECONTAMINATING AGENT, DS2 IN 1-1/3 QUART CAN AND 5-GALLON PAIL | A | PACK | EA | 27-NOV-92 | EA | | | | |
| | L | | MIL-F-51531A | FLUID CONTAINER, FILLED (FOR M13 DECONTAMINATING APPARATUS) | A | 4230 | EA | 10-OCT-91 | EA | | | | |
| M | L | | MIL-D-51533A(1) | DECONTAMINATING APPARATUS: PORTABLE, 14 LITER, M13 | A | 4230 | EA | 16-MAR-93 | EA | | | | |
| | L | | MIL-S-51534 | SIMULATOR, DETECTOR TICKETS, CHEMICAL AGENT: TRAINING, M256A1 | A | 6910 | EA | 03-MAY-89 | EA | | | | |
| A | L | | MIL-F-51536(1) | FILTER UNIT, GAS-PARTICULATE, 200 CFM, 208V, 400 HZ, M56 | X | 4240 | EA | 24-JUL-92 | EA | | | | |
| | L | | MIL-S-51537J | SMOKE POT, FLOATING, SGF2, AN-M7A1: COMPONENTS FOR | A | 1365 | EA | 08-JUN-89 | EA | | | | |
| | L | | MIL-F-51539A(1) | FILTER UNIT, GAS-PARTICULATE: 400 CFM, 208 V, 400 HZ, M59 | A | 4240 | EA | 24-JAN-92 | EA | | | | |
| | L | | MIL-C-51540 | CONTROL MODULE (FOR THE XM84 FILTER UNIT) | A | 4240 | EA | 21-MAR-89 | EA | | | | |
| | L | | MIL-F-51541 | FILTER, GAS, FFU-17/E,600 CFM | A | 4240 | EA | 14-DEC-88 | EA | | | | |
| | L | | MIL-C-51542 | CONVERTER, FREQUENCY, STATIC, XM5 (FOR M56, XM59, OR XM62 FILTER UNITS) | A | 4240 | EA | 29-SEP-88 | EA | | | | |
| | L | | MIL-L-51543 | LAUNCHER, PROJECTILE, LIQUID AIRBURST: M267 | A | 6920 | EA | 12-JUL-88 | EA | | | | |
| A | L | | MIL-F-51544(1) | FILTER UNIT, GAS-PARTICULATE, 200 CFM, 208 VAC, M84 | A | 4240 | EA | 24-JUL-92 | EA | | | | |
| | L | | MIL-T-51546A(1) | TRAINER, PLASTIC FLUID CONTAINER ASSEMBLY | A | 6910 | EA | 11-OCT-91 | EA | | | | |
| | L | | MIL-S-51547 | SMOKE POT, HC, M1, COMPONENTS FOR | A | 1365 | EA | 30-JUN-89 | EA | | | | |
| M | L | | MIL-D-51559(1) | DECONTAMINATING APPARATUS: PORTABLE, 14 LITER, M13 (PRACTICE) | A | 4230 | EA | 16-MAR-93 | EA | | | | |
| A | LI | | MIL-R-52000C NOTICE 1 | REELS, CABLE, FOR AIRFIELD AND HELIPORT LIGHTING SETS REVIEWER: GS | A | 6210 | ME | 11-AUG-92 | ME | | | | |
| A | LI | | MIL-S-52001B NOTICE 2 | STAKES: ANCHOR AND GUY, ELECTRIC LIGHTING SET, AIRPORT AND HELIPORT | A | 6210 | ME | 11-AUG-92 | ME | | | | |
| A | LI | | MIL-R-52002A NOTICE 1 | RACK ASSEMBLY, CONE, AIRPORT MARKER LIGHT USER: AV | A | 6210 | ME | 11-AUG-92 | ME | | | | |
| | L | | MIL-R-52003D | REELING, MACHINE, CABLE HAND USER: AT REVIEWER: GS | A | 3895 | ME | 09-MAR-88 | ME | | | | |
| A | LI | | MIL-M-52005C NOTICE 1 | MAST SET, AIRPORT MARKER LIGHT REVIEWER: CS | A | 6210 | ME | 11-AUG-92 | ME | | | | |
| A | LI | | MIL-M-52007C NOTICE 1 | MOUNTING ADAPTER ASSEMBLY, AIRPORT MARKER LIGHT REVIEWER: GS | A | 6210 | ME | 11-AUG-92 | ME | | | | |
| A | LI | | MIL-L-52008C NOTICE 2 | LIGHT HOODS, AIRPORT AND HELIPORT MARKER USER: AV | A | 6210 | ME | 11-AUG-92 | ME | | | | |
| | L | | MIL-C-52009C NOTICE 1 | CONTROL PANEL ASSEMBLY FOR PORTABLE HELIPORT ELECTRIC LIGHTING. (VALIDATION DATE: 8205) REVIEWER: GS | A | 6110 | ME | 28-APR-75 | ME | | | | |
| | L | | MIL-F-52011F(1) | FILTER, PARTICULATE, 12 CFM, M13 USER: MC | A | 4240 | EA | 31-MAY-91 | EA | | | | |
| | L | | MIL-T-52015B(1) | TEMPLATE, DRAFTING, MAP SYMBOL, FOR PLASTIC SCRIBING (VALIDATION DATE: 8411) USER: MC REVIEWER: GS | A | 6675 | ME | 10-JAN-80 | ME | | | | |
| | L | | MIL-A-52019C(1) | ADAPTER ASSEMBLY, GLIDE ANGLE LIGHT TO STAKE OR CONE | A | 6210 | ME | 29-OCT-91 | ME | | | | |
| | L | | MIL-C-52025C | CONVERSION UNITS, CARBON DIOXIDE, 260 POUNDS PER HOUR (VALIDATION DATE: 8302) REVIEWER: GS | A | 3655 | 99 | 06-DEC-78 | ME | | | | 99 |
| | L | | MIL-E-52031D | EXTINGUISHER, FIRE, VAPORIZING LIQUID, CF3BR, 23/4 POUND, WITH BRACKET (VALIDATION DATE: 8412) USER: AV REVIEWER: AT CS MI | A | 4210 | ME | 05-SEP-79 | ME | | | | |
| | D | | MIL-C-52032C NOTICE 2 | COATING, INTERIOR, FUEL RESISTANT, FOR GASOLINE CONTAINERS S/S BY MIL-C-4556 REVIEWER: AT MD OS | A | 8010 | ME | 08-MAY-86 | ME | YD1 | 99 | | |
| | L | | MIL-T-52035C | THEODOLITES, SURVEYING, DIRECTION, FIRST-ORDER, WITH ACCESSORIES, TRIPOD, AND CASES REVIEWER: GS | A | 6675 | ME | 25-APR-91 | ME | | | | |
| | L | | MIL-C-52037F | COMPRESSOR UNIT, RECIPROCATING, POWER-DRIVEN, AIR, 15 CFM, 3,500-PSI | A | 4310 | ME | 31-JAN-90 | ME | | | | |
| A | LI | | MIL-L-52039D NOTICE 1 | LIGHT, GLIDE-ANGLE, AIRPORT APPROACH USER: AV REVIEWER: GS | A | 6210 | ME | 11-AUG-92 | ME | | | | |
| | QL | | MIL-L-52043C | LACQUER, SEMI GLOSS, CELLULOSE NITRATE (VALIDATION DATE: 8311) USER: AR AT REVIEWER: EA MI | A | 8010 | ME | 17-JUL-72 | ME | | | | |
| | L | | MIL-L-52046A(1) | LEVEL, CIRCULAR, 2.5 CM DIAMETER, MOUNTED IN CYLINDER REVIEWER: GS | A | 5210 | ME | 29-MAR-88 | ME | | | | |
| | L | | MIL-L-52052D | LIFE PRESERVER, PARACHUTIST, TYPE B-7 (VALIDATION DATE: 8402) | A | 4220 | ME | 09-SEP-80 | ME | | | | |

| Action / QPL / Qual. / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| L | MIL-C-52053A | CYLINDER, CARBON DIOXIDE, 2 QT, CAPACITY USER: CE CS REVIEWER: GS | A | 8120 ME | 15-FEB-85 ME | | | | |
| | MIL-B-52055B | BUILDING, PREFABRICATED, READY CUT, WAREHOUSE TYPE (VALIDATION DATE: 8402) REVIEWER: 84 | A | 5410 GL | 28-AUG-78 GL | | 99 | | |
| L | MIL-L-52056D(1) | LIGHT, SIGNAL, SURVEYING, SELF ILLUMINATED, WITH CARRYING CASE, FOR USE WITH RANGE POLE REVIEWER: GS MC | A | 6675 ME | 29-APR-86 ME | | | | |
| D | MIL-T-52062D | TRAP, MOSQUITO LIGHT USER: MC REVIEWER: 84 MD MS | A | 3740 CS | 14-AUG-87 MD | YD1 | 99 | | CS |
| D | MIL-R-52065B(1) | RAIL ANCHOR, RAILWAY | A | 2250 ME | 12-DEC-84 ME | YD1 | | | |
| D | MIL-B-52071C | BUILDING, PREFABRICATED, READY CUT, BARRACKS TYPE (VALIDATION DATE: 8104) REVIEWER: CE | A | 5410 GL | 19-APR-73 GL | YD1 | 99 | | |
| D | MIL-C-52074C NOTICE 1 | CLEANERS, VACUUM, 120 V AC, 60 & 400 HERTZ, 115 V DC (VALIDATION DATE: 8710) USER: CE MC REVIEWER: MD | A | 7910 GL | 30-OCT-87 GL | YD1 | 99 | | |
| | MIL-B-52075G | BATH UNIT, PORTABLE, 8-SHOWER HEAD, M-1958 REVIEWER: 84 CS MD ME | A | 4510 GL | 29-MAR-91 GL | | 99 | | |
| QL | MIL-H-52079B | HOSE, PREFORMED, SEMI FLEXIBLE, REINFORCED (VALIDATION DATE: 8308) REVIEWER: CS EA MI | A | 4720 AT | 02-MAY-69 AT | | | | |
| L | MIL-B-52088F | BRIDGE, ARMORED-VEHICLE-LAUNCHED, SCISSORING-TYPE: CLASS 60, ALUMINUM, 60-FOOT SPAN REVIEWER: CS | A | 5420 ME | 03-APR-92 ME | | | | |
| L | MIL-D-52091C(1) | DITCHING MACHINE, DIESEL ENGINE DRIVEN, WHEEL MOUNTED, LADDER (VALIDATION DATE: 8503) REVIEWER: CS | A | 3805 ME | 04-JUN-71 ME | | | | |
| L | MIL-C-52093D | CRADLE: PONTON BOAT, HALF-SECTION, ALUMINUM HULL | A | 5420 ME | 13-NOV-91 ME | | | | |
| | MIL-T-52095 | THREAD, POLYESTER, TEXTURED USER: MC REVIEWER: 82 99 CT MD | A | 8310 GL | 15-MAR-91 GL | MU | 11 | | |
| A L | MIL-B-52097B | BARS, CARRYING: MULTIPLE AND SINGLE, M4 BALK REVIEWER: CS | A | 5420 ME | 02-OCT-92 ME | | | | |
| A L | MIL-S-52098C | STIFFENER ASSEMBLY, BALK CONNECTING USER: MC | A | 5420 ME | 08-SEP-92 ME | | | | |
| | MIL-P-52099C | POST, HANDRAIL AND APPROACH REVIEWER: CS | A | 5420 ME | 12-JUN-92 ME | MC | | | |
| A L | MIL-A-52100C | ADAPTERS: FOR BRIDGE, FLOATING, ALUMINUM, HIGHWAY-TYPE, DECK-BALK SUPERSTRUCTURE ON PNEUMATIC FLOATS REVIEWER: MC | A | 5420 ME | 07-OCT-92 ME | | | | |
| L | MIL-R-52105D | RAMP, RAFT USER: MC REVIEWER: CS | A | 5420 ME | 06-DEC-79 ME | | | | |
| AQL | MIL-P-52108A | PAINT, WATER EMULSION TYPE (FOR STENCILING AND OBLITERATING). (VALIDATION DATE: 8311) USER: ME REVIEWER: AR MD SM | A | 8010 MR | 12-OCT-65 MR | | | | |
| D L | MIL-P-52109F | PUMP ASSEMBLY, CENTRIFUGAL, 2-INCH, DIESEL-ENGINE-DRIVEN (FOR WATER) USER: YD1 REVIEWER: CS | A | 4320 ME | 09-DEC-92 ME | | | | |
| L | MIL-P-52109E(13) | PUMPS, CENTRIFUGAL, 2-INCH, GASOLINE- OR DIESEL-ENGINE-DRIVEN REVIEWER: CS | A | 4320 ME | 18-JAN-89 ME | | | | |
| L | MIL-H-52112B(1) | HEATING TORCHES, EQUIPMENT WINTERIZATION, INSTANT LIGHTING. REVIEWER: CS | A | 4940 ME | 28-OCT-86 ME | | | | |
| A L | MIL-H-52113C | HEATER, IMMERSION, LIQUID, FUEL FIRED FOR TANK TRAILERS REVIEWER: CS | A | 4540 GL | 17-NOV-92 GL | | | | |
| L | MIL-T-52114G | THEODOLITES, SURVEYING, DIRECTIONAL: THIRD ORDER USER: AR MC REVIEWER: GS | A | 6675 ME | 17-MAY-91 ME | | | | |
| L | MIL-B-52118E | BALK, DECK USER: MC REVIEWER: SM | A | 5420 ME | 25-JUN-91 ME | | | | |
| D | MIL-D-52121B | DRILLS, PNEUMATIC, SINKER, ROCK (VALIDATION DATE: 8009) USER: CS MC REVIEWER: CE | A | 3820 ME | 14-NOV-74 ME | YD1 | | | |
| L | MIL-S-52124B | SCREENING UNIT, AGGREGATE, ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY (VALIDATION DATE: 8201) USER: CE | A | 3820 ME | 18-JUL-68 ME | | | | |
| D | MIL-W-52125B | WASHING AND SCREENING UNIT, AGGREGATE, ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY (VALIDATION DATE: 8009) USER: MC YD1 | A | 3820 ME | 19-JUL-68 ME | | 99 | | |
| L | MIL-C-52126D | CONVEYOR, BELT, PORTABLE, WHEEL MOUNTED, ELECTRIC MOTOR DRIVEN, 50 FOOT REVIEWER: AT | A | 3910 ME | 13-JUL-87 ME | | | | |
| L | MIL-C-52127C(2) | CRUSHER, ROLL, DIESEL ENGINE & ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY USER: MC REVIEWER: AT CS | A | 3820 ME | 08-APR-82 ME | | | | |
| | MIL-C-52128C(2) | CRUSHER, JAW, DIESEL ENGINE & ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY (VALIDATION DATE: 8212) USER: MC REVIEWER: AT CS | A | 3820 ME | 08-APR-82 ME | | | | |
| | MIL-W-52135B | NETTING, CAMOUFLAGE, WIRE, STEEL, STEEL WOOL GARNISHED (VALIDATION DATE: 8211) USER: MC | A | 1080 ME | 15-AUG-78 ME | | 99 | | |
| L | MIL-P-52144E(2) | PUMPING ASSEMBLY, LIQUID BULK TRANSFER, DIESEL-ENGINE-DRIVEN, 350 GPM CAPACITY, 275 TOTAL HEAD, WHEEL MOUNTED USER: CS | A | 4320 ME | 16-APR-87 ME | | | | |
| L | MIL-T-52150E | TRESTLE ASSEMBLY: UNIVERSAL TRANSOM, 60-TON, FOR FLOATING AND FIXED BRIDGES REVIEWER: CS MC | A | 5420 ME | 26-JUL-91 ME | | | | |
| L | MIL-C-52153B | COMPRESSOR UNIT, RECIPROCATING, POWER DRIVEN, AIR, 5 CFM, 175 PSI, FOR TESTING MISSILE PLUMBING SYSTEM | A | 4310 ME | 25-AUG-82 ME | | | | |
| D | MIL-C-52155C | CHARGES, FIRE EXTINGUISHER, ANTIFREEZE, CALCIUM LITHIUM CHLORIDE BASE & LITHIUM CHLORIDE BASE (VALIDATION DATE: 8506) USER: MC REVIEWER: CS | A | 4210 ME | 20-AUG-80 ME | YD1 | 99 | | |
| | MIL-S-52156D | SURVEYING SET, ELECTRONIC DISTANCE MEASURING MICROWAVE USER: 11 MC REVIEWER: CE ER GS | A | 6675 ME | 28-JUN-88 ME | | 99 | | |
| | MIL-S-52159B | SLING, MULTIPLE LEG, 5/8 INCH BY6 FOOT CHAIN, WITH SPECIAL HOOKS & RING (VALIDATION DATE: 8402) REVIEWER: CS | A | 5420 ME | 27-SEP-71 ME | MC | | | |
| L | MIL-W-52161D | WELDING SET, ARC, INERT GAS, SHIELDED: CONSUMABLE WIRE ELECTRODE | A | 3431 AL | 23-JUN-89 AL | | | | |
| D | MIL-T-52176B | TEETH, SURFACE RIPPING, (POINTS, SHANKS, KEEPERS AND KEEPER LOCKS), BUCKET AND DIPPER, CRANE SHOVEL (VALIDATION DATE: 8111) USER: CE MC REVIEWER: CS | A | 3815 ME | 26-FEB-76 ME | YD1 | | | |
| D | MIL-M-52182E(1) | MELTER, ASPHALT USER: AT | A | 3895 ME | 06-JUL-88 ME | YD1 | | | |
| L | MIL-L-52190C | LIGHT, MARKER, GROUND OBSTRUCTION, EMERGENCY, ROADWAY AND AIRFIELD USER: AV | A | 6230 ME | 17-MAR-83 ME | | | | |
| L | MIL-A-52194A | ADHESIVE, EPOXY (FOR BONDING GLASS REINFORCED POLYESTER) (VALIDATION DATE: 8908) REVIEWER: EA IS MD ME MI | A | 8040 MR | 02-AUG-89 MR | | | | |
| A L | MIL-B-52199C | BRACKET, OUTBOARD MOTOR FOR ALUMINUM HALF-PONTON REVIEWER: CS | A | 5420 ME | 28-JUL-92 ME | | | | |
| A L | MIL-P-52200C | PONTON BOAT: HALF-SECTION, ALUMINUM HULL, SPOON BOW REVIEWER: CS | A | 5420 ME | 08-SEP-92 ME | | | | |
| | MIL-B-52203D | BOOM CRANE, 20 TON, ROUGH TERRAIN, 20 TON, TRUCK MOUNTED, 12 1/2 TON, CRAWLER MOUNTED (VALIDATION DATE: 8111) USER: CE REVIEWER: CS | A | 3815 ME | 12-NOV-74 ME | | 99 | | |
| D | MIL-H-52204E | HEATERS, SPACE: MULTI FUEL, WITH BLOWER, 15,000 BTU/HR USER: AT ER MC REVIEWER: 84 CS MI | A | 4520 ME | 29-JUL-88 ME | YD1 | 99 | | |
| | MIL-B-52207B | BOOM, JIB, CRANE, 15 FOOT LONG, FOR 3/4 CUBIC YARD (12 1/2 TON CRAWLER MOUNTED, 20 TON WHEEL MOUNTED) CRANES (VALIDATION DATE: 8111) USER: CE MC REVIEWER: CS | A | 3815 ME | 07-JUL-76 ME | | 99 | | |
| L | MIL-C-52211A(1) | COMPONENTS AND ASSEMBLIES FOR INDUSTRIAL GAS PRODUCTION, STORAGE AND TRANSPORT EQUIPMENT, PACKAGING OF REVIEWER: GS SH SM | A | 3655 ME | 13-JUL-77 ME | | | | |
| D | MIL-S-52212G | SAW, ABRASIVE DISK, CONCRETE, GASOLINE ENGINE DRIVEN, SELF PROPELLED, 12 TO 18 INCH BLADE USER: CE | A | 3895 ME | 19-FEB-86 ME | YD1 | | | |
| A L | MIL-H-52213F | HEATERS, HOT OIL REVIEWER: AT | A | 3895 ME | 29-JUN-92 ME | | | | |
| | MIL-E-52215C | EXTINGUISHER, FIRE, CARBON DIOXIDE, 5 POUND AND 10 POUND CAPACITY, FIXED TYPE (NONSHATTERABLE CYLINDERS) REVIEWER: 84 CS MD ME | A | 4210 AT | 11-MAY-84 AT | | 99 | | |
| A L | MIL-R-52224D | RETAINER ASSEMBLY, SLIDING REVIEWER: CS | A | 5420 ME | 07-OCT-92 ME | | | | |
| L | MIL-P-52235B | PUMP, RECIPROCATING, HAND DRIVEN SINGLE ACTING BILGE REVIEWER: CS | A | 4320 ME | 04-JAN-85 ME | | | | |
| L | MIL-F-52236 | FILTER ELEMENT, AIR, DIVER'S, POLYURETHANE FOAM (VALIDATION DATE: 8402) REVIEWER: CS | A | 4220 ME | 21-AUG-62 ME | | | | |
| L | MIL-C-52238C | COOLING TOWER, LIQUID, SEMITRAILER-MOUNTED (VALIDATION DATE: 8302) REVIEWER: GS | A | 3655 ME | 13-JUL-78 ME | | 99 | | |
| L | MIL-B-52239D | BAR, CONNECTING, BRIDGE, STEEL: FOR PONTON FLOAT, HALF SECTIONAL, PNEUMATIC, 12-TON USER: MC | A | 5420 ME | 29-MAY-92 ME | | | | |
| L | MIL-L-52240B | LANTERN, ELECTRIC, LIGHT SOURCE, HEAD MOUNTED, LOW LEVEL, VISIBLE (VALIDATION DATE: 8501) REVIEWER: GS | A | 6230 ME | 09-APR-79 ME | | | | |
| L | MIL-R-52243C | RETAINER, BRIDGE PIN REVIEWER: CS MC | A | 5420 ME | 17-SEP-90 ME | | | | |
| L | MIL-B-52251C | BRACKET, SLING ATTACHMENT: FOR BEAMS AND GIRDERS OF LINE OF COMMUNICATION BRIDGES REVIEWER: CS | A | 5420 ME | 06-DEC-88 ME | | | | |
| D | MIL-R-52255D | REPAIR KIT AND REPAIR KIT COMPONENTS, FOR COLLAPSIBLE FABRIC TANKS, DRUMS, AND BOATS USER: GS MC REVIEWER: 82 CS | A | 5430 ME | 20-DEC-88 ME | YD1 | 99 | | |
| L | MIL-S-52256C(1) | SURVEYING INSTRUMENT: AZIMUTH GYRO, LIGHTWEIGHT REVIEWER: GS | A | 6675 ME | 27-FEB-92 ME | | | | |
| L | MIL-P-52258C | PICKETS, STEEL REVIEWER: CS MC | A | 5420 ME | 06-APR-92 ME | | | | |
| L | MIL-H-52262E | HOSE ASSEMBLY, ELASTOMERIC: LIGHTWEIGHT, COLLAPSIBLE, 4-INCH REVIEWER: AT CS | A | 4720 ME | 30-SEP-91 ME | | | | |

| Action | OPR / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-T-52270C | TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN MEDIUM DRAWBAR PULL COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: AT MC | A 2410 ME 15-MAR-83 ME | | | YD1 | | | |
| L | | MIL-T-00522700 | TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN MEDIUM DRAWBAR PULL | A 2410 ME 07-MAR-84 ME | | | | | | |
| L | | MIL-D-52277A | DRIER, INFRARED [VALIDATION DATE: 8205] | A 4440 ME 24-JUN-76 ME | | | | | | |
| L | | MIL-P-52284C | POST, HANDRAIL, FOOTBRIDGE REVIEWER: CS MC | A 5420 ME 07-APR-92 ME | | | | | | |
| | | MIL-L-52285B | LIGHT, INSPECTION, FUEL CELL [VALIDATION DATE: 8211] USER: MI REVIEWER: GS | A 6230 AV 22-DEC-75 AV | | | AS | 99 | | |
| A L | | MIL-C-52286C(1) NOTICE 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL (WITH MOLDED ON TERMINATIONS) [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/1B NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL, 2 CONDUCTOR, 100 FEET LONG, OVAL TERMINATIONS WITH 2 POLE CONNECTOR PLUG [VALIDATION DATE: 9211] USER: AT REVIEWER: GS | A 6150 ME 04-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/2B NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL, 2 CONDUCTOR, 20 FEET LONG OVAL TERMINATIONS, WITH THREE - TWO POLE CONNECTORS [VALIDATION DATE: 9211] USER: AT REVIEWER: GS | A 6150 ME 04-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/3B NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL, LIGHT EXTENSION [VALIDATION DATE: 9211] USER: AT REVIEWER: GS | A 6150 ME 04-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/4 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/5 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/6 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/7A NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/8 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/9A NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/10A NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/11 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/12A NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/13 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/14A | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/15A | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/16 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/17 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/18 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/19 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/20A NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/21 NOTICE 1 | CABLE ASSEMBLY, POWER, ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/22 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/23A | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/24A | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/25A | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/26A | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/27 NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL, 4 CONDUCTOR, ONE END W/WATERTIGHT MALE PLUG CONNECTOR, OTHER END W/WATERTIGHT FEMALE PLUG CONNECTOR AND WATERTIGHT MALE DUMMY PLUG CONNECTOR [VALIDATION DATE: 9211] | A 6150 ME 17-NOV-92 ME | | | | | | |
| A L | | MIL-C-52286/28A NOTICE 1 | CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] USER: AT | A 6150 ME 17-NOV-92 ME | | | | | | |
| L | | MIL-M-52287C | MAST, TELESCOPIC, FLOODLIGHT REVIEWER: GS | A 6230 ME 27-FEB-84 ME | | | | | | |
| A L | | MIL-M-52288A NOTICE 1 | MAST MOUNTING, FLOODLIGHT [VALIDATION DATE: 9211] REVIEWER: GS | A 6230 ME 03-NOV-92 ME | | | | | | |
| L | | MIL-L-52292B | LIGHT ASSEMBLY, MARKER [VALIDATION DATE: 8501] USER: AV REVIEWER: GS | A 6230 ME 08-JUN-79 ME | | | | | | |
| A L | | MIL-B-52293C | BRACKET, RAFT: FOR BRIDGE, FLOATING, PNEUMATIC FLOAT, CLASS 60 REVIEWER: CS | A 5420 ME 26-OCT-92 ME | | | | | | |
| L | | MIL-T-52296D | TRANSOM ASSEMBLY: 60-TON UNIVERSAL TRANSOM REVIEWER: CS MC | A 5420 ME 26-JUL-91 ME | | | | | | |
| L | | MIL-H-52297D | HOLDFAST ASSEMBLY: BAR TYPE REVIEWER: CS MC | A 5420 ME 28-NOV-88 ME | | | | | | |
| L | | MIL-C-52298D | COLUMN ASSEMBLY: TRESTLE REVIEWER: CS MC | A 5420 ME 26-JUL-91 ME | | | | | | |
| L | | MIL-C-52299D | CLAMP ASSEMBLY, TRESTLE BRACING REVIEWER: MC | A 5420 ME 04-NOV-91 ME | | | | | | |
| L | | MIL-S-52300D | SHOE ASSEMBLY, TRESTLE USER: MC | A 5420 ME 25-SEP-91 ME | | | | | | |
| A L | | MIL-B-52301D | BRACKET ASSEMBLY, CHAIN HOIST SUPPORT REVIEWER: CS MC | A 5420 ME 14-OCT-92 ME | | | | | | |
| A L | | MIL-S-52302D | STRUT, BRACING, TRESTLE REVIEWER: CS MC | A 5420 ME 18-JUN-92 ME | | | | | | |
| A | | MIL-P-52307B | PLOTTER, RECTANGULAR COORDINATES: (COORDINATOGRAPH) REVIEWER: GS | A 6675 ME 03-SEP-92 ME | | | | 99 | | |
| DQ | | MIL-F-52308F | FILTER ELEMENT, FLUID PRESSURE USER: MC REVIEWER: AS CS | A 4330 84 08-SEP-87 ME | | | YD1 | 99 | | |
| L | | MIL-L-52325D | LAUNCHER, TRANSPORTER, BRIDGE, M48A5 OR M60A1 TANK CHASSIS REVIEWER: CS | A 5420 ME 14-MAR-88 ME | | | | | | |
| L | | MIL-C-52326B | CRANE, CRAWLER MOUNTED, 60 TON AT 25 FOOT RADIUS, DIESEL ENGINE DRIVEN [VALIDATION DATE: 8205] REVIEWER: CS | A 3810 ME 04-APR-74 ME | | | | | | |
| D | | MIL-P-52327C | PUMPS, CENTRIFUGAL, ELECTRIC-MOTOR-DRIVEN, POSITIVE PRIME, PETROLEUM PRODUCTS, AIRFIELD DEFUELING AND RECEIVING USER: CE ER REVIEWER: AV CS | A 4320 ME 14-SEP-90 ME | | | YD1 | | | |
| D | | MIL-M-52329C | MIXING PLANT, ASPHALT, CONTINUOUS MIX, DIESEL ENGINE DRIVEN, PORTABLE, 100-150 TONS PER HOUR CAPACITY [VALIDATION DATE: 8201] | A 3895 ME 08-OCT-68 ME | | | YD1 | | | |
| L | | MIL-S-52330D | SHOP EQUIPMENT, ELECTRICAL REPAIR, SEMITRAILER MOUNTED REVIEWER: CS EL | A 4940 AL 13-JAN-89 AL | | | | | | |
| L | | MIL-T-52332B | TOOL, HORIZONTAL CONNECTING: ERECTION EQUIPMENT FOR BRIDGE, FLOATING, PNEUMATIC FLOAT, CLASS 60 REVIEWER: CS | A 5420 ME 25-SEP-91 ME | | | | | | |
| D | | MIL-S-52333B | SLEEVE, FILTER ELEMENT, WATER PURIFICATION UNITS USER: CG REVIEWER: 84 CS MC MD MS | A 4610 ME 04-JAN-84 ME | | | YD1 | 99 | | |
| L | | MIL-S-52339E(3) | SHOP EQUIPMENT, WOODWORKING TRAILER MOUNTED | A 3220 ME 09-MAR-89 ME | | | | | | |
| L | | MIL-T-52340B | TOOL, VERTICAL CONNECTING: ERECTION EQUIPMENT FOR BRIDGE, FLOATING, PNEUMATIC FLOAT, CLASS 60 REVIEWER: CS | A 5420 ME 09-SEP-91 ME | | | | | | |
| L | | MIL-S-52342C | SLING ASSEMBLY: FLAKING BOX, LIFTING REVIEWER: CS | A 3835 ME 09-MAY-90 ME | | | | | | |
| L | | MIL-R-52343C | REPAIR KIT, HOSELINE REVIEWER: CS SM | A 3835 ME 12-SEP-88 ME | | | | | | |
| L | | MIL-F-52345C | FLOW CONTROL KIT, HOSELINE REVIEWER: CS | A 3835 ME 04-AUG-89 ME | | | | | | |
| L | | MIL-G-52346C | GUARD, ROADWAY CROSSING REVIEWER: CS | A 3835 ME 08-AUG-88 ME | | | | | | |
| L | | MIL-S-52347C | SUSPENSION KIT, HOSELINE REVIEWER: CS | A 3835 ME 23-JAN-89 ME | | | | | | |
| L | | MIL-P-52348C | PACKING KIT, HOSELINE REVIEWER: CS | A 3835 ME 26-JUL-89 ME | | | | | | |
| L | | MIL-D-52349C | DISPLACEMENT AND EVACUATION KIT, HOSELINE REVIEWER: CS | A 3835 ME 22-AUG-89 ME | | | | | | |
| L | | MIL-R-52351A(1) | REFLECTOR, LIGHT, PARABOLIC, 30 INCH DIAMETER FOR AN/TVS-3 [VALIDATION DATE: 8504] USER: MD REVIEWER: AT MI | A 5855 CR 08-APR-74 CR | | | | | | |
| L | | MIL-I-52358B | INVERTER ASSEMBLY FOR LIGHT SET, MARKER, LANDING & DROP ZONE | A 6230 ME 06-JAN-83 ME | | | | | | |
| L | | MIL-S-52362D | SURVEYING SET, GENERAL-PURPOSE: FOR PLANIMETRIC CONSTRUCTION AND TOPOGRAPHIC SURVEYS, PACKAGING OF [VALIDATION DATE: 8908] USER: MC REVIEWER: GS SM | A 6675 ME 04-AUG-89 ME | | | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | | MIL-A-52363C | AIR CLEANERS, INTAKE: DRY-TYPE (FOR INTERNAL-COMBUSTION ENGINE) USER: AS AT MC REVIEWER: CS | A | 2940 | ME | 23-SEP-91 | ME | | | | |
| | L | | | MIL-H-52364B(1) | HAMMER, ELECTRIC, PORTABLE, HAND [VALIDATION DATE: 8205] USER: EL GL ..... | A | 5130 | ME | 31-AUG-77 | ME | | | | |
| D | | | | MIL-S-52365B | SURVEYING SET, ARTILLERY-FIRE-CONTROL: FOURTH-ORDER, PACKAGING OF [VALIDATION DATE: 8908] REVIEWER: GS SM | A | 6675 | ME | 04-AUG-89 | ME | YD1 | | | |
| | L | | | MIL-L-52366C | LOAD BANK, AC, 0-330W, RESISTIVE REVIEWER: GS ..... | A | 6115 | CR | 21-MAR-84 | CR | | | | |
| | LI | | | MIL-B-52371A NOTICE 1 | BINOCULARS, ELECTRONIC AN/PAS-5 REVIEWER: AR AV ME ..... | A | 5855 | CR | 05-OCT-90 | CR | | | | |
| D | | | | MIL-M-52372B(1) | MEASURES, DRY CHEMICAL, WATER PURIFICATION USER: MC YD1 REVIEWER: CS ..... | A | 4610 | ME | 09-JUN-87 | ME | | | 99 | |
| | LI | | | MIL-O-52374C NOTICE 1 | OSCILLATOR: HIGH VOLTAGE USER: OS ..... | A | 5855 | CR | 05-OCT-90 | CR | | | | |
| | L | | | MIL-S-52377D | SHOP EQUIPMENT, ELECTRONIC REPAIR, SEMITRAILER MOUNTED REVIEWER: CS ..... | A | 4940 | AL | 22-JUN-90 | AL | | | | |
| | L | | | MIL-L-52385D | LOADER, SCOOP TYPE, DED, 4 X 4 ARTICULATED FRAME STEER, 2-1/2 CUBIC YARD, COMMERCIAL CONSTRUCTION EQUIPMENT USER: AT CE REVIEWER: CS | A | 3805 | ME | 18-SEP-89 | ME | | | | |
| | | | | MIL-B-52390A | BIT, AUGER, SHIP, WITH SCREW POINT [VALIDATION DATE: 8112] USER: EL MC REVIEWER: GL | A | 5133 | ME | 02-DEC-75 | ME | | | 99 | |
| | LI | | | MIL-F-52393A NOTICE 1 | FILTER KIT, INFRARED, FOR GENERAL PURPOSE VEHICLES ..... | A | 5855 | CR | 05-OCT-90 | CR | | | | |
| | L | | | MIL-E-52395A | ENGINE, DIESEL, 6 CYLINDER, V TYPE, 300 HP TURBO SUPERCHARGED [VALIDATION DATE: 8308] REVIEWER: CS | A | 2815 | AT | 10-MAR-76 | AT | | | | |
| A | L | | | MIL-T-52402D | TOOL OUTFIT, PIONEER, PORTABLE ELECTRIC AND HYDRAULIC POWERED TOOLS, TRAILER MOUNTED USER: GL | A | 5180 | ME | 12-JUN-92 | ME | | | | |
| D | | | | MIL-C-52404B(1) | CONNECTION: HOSE, FIRE AND WATER USER: CG MC SH REVIEWER: 84 CS ..... | A | 4210 | ME | 09-JUN-87 | ME | YD1 | | 99 | |
| D | L | | | MIL-P-52405C | PUMPS, CENTRIFUGAL, ELECTRIC-MOTOR-DRIVEN (FOR WATER) USER: YD1 REVIEWER: CS GL MD | A | 4320 | ME | 22-OCT-90 | ME | | | | |
| | L | | | MIL-S-52408C | SPREADER, SLING: TELESCOPIC, VEHICLE LIFTING, 10 TON CAPACITY ..... | A | 3940 | ME | 19-DEC-89 | ME | | | | |
| | L | | | MIL-L-52413B | LIFE PRESERVER, YOKE: ORAL INFLATION, TRAPPED AIR TYPE, DESIGN 9008 USER: AT REVIEWER: CS | A | 4220 | ME | 09-MAY-90 | ME | | | | |
| | L | | | MIL-A-52424B | AIR CONDITIONER, WALL OR BASE MOUNTED, SELF CONTAINED, MULTIPACKAGE, STANDARD WEIGHT, AIR COOLED, 6,000 BTU/HR REVIEWER: GS | A | 4120 | ME | 10-FEB-84 | ME | | | | |
| | L | | | MIL-C-52425B | CHEST, ARMY STEVEDORING EQUIPMENT REVIEWER: AT GS ..... | A | 3990 | ME | 22-JUL-87 | ME | | | | |
| | | | | MIL-F-52429E | FILTER SEPARATOR, LIQUID FUEL, SKID MOUNTED, 15 GPM CAPACITY USER: AV REVIEWER: AS CS | A | 4330 | ME | 13-AUG-82 | ME | | | 99 | |
| | | | | MIL-L-52430C | LIGHTS, SIGNAL, SURVEYING: 2-INCH AND 5-INCH REFLECTORS, BATTERY-POWERED, WITH CASES USER: MC REVIEWER: 82 GS | A | 6675 | ME | 02-DEC-91 | ME | | | 99 | |
| D | | | | MIL-S-52432A | SLING, MULTIPLE LEG (CHAIN) REVIEWER: 15 MT ..... | A | 3940 | ME | 26-JUL-85 | ME | YD1 | | 99 | |
| | L | | | MIL-P-52434C | PRINTING PRESS, OFFSET, LITHOGRAPHIC (MOTOR DRIVEN, 24- BY 32-1/4-INCH MAXIMUM SHEET SIZE) REVIEWER: CR GL GS | A | 3610 | ME | 30-JAN-92 | ME | | | | |
| | L | | | MIL-A-52435D(1) | AIR CONDITIONER, BASE MOUNTED, AIR COOLED, 208 VOLT, 3 PHASE, 50- & 60-HERTZ, AC, SINGLE PACKAGE, 36,000 BTU/HR REVIEWER: CS | A | 4120 | ME | 07-AUG-87 | ME | | | | |
| | | | | MIL-C-52437C SUPPL 1C1 | CHASSIS, TRAILER, SINGLE- AND MULTI-AXLE GENERAL SPECIFICATION FOR REVIEWER: 84 AT | A | 2330 | ME | 18-OCT-83 | ME | | | 99 | |
| | | | | MIL-C-52437C(I1) SUPPL 1C1 | CHASSIS, TRAILER, SINGLE- AND MULTI-AXLE GENERAL SPECIFICATION FOR REVIEWER: 84 AT | A | 2330 | ME | 24-NOV-87 | ME | | | 99 | |
| | | | | MIL-C-52437/1 | CHASSIS, TRAILER, SIZE 1 CCE ..... | A | 2330 | ME | 18-OCT-83 | AT | | | 99 | |
| | | | | MIL-C-52437/2 | CHASSIS, TRAILER, SIZE 3, CCE ..... | A | 2330 | AT | 18-OCT-83 | AT | | | 99 | |
| | | | | MIL-C-52437/3 | CHASSIS, TRAILER, SIZE 4, CCE ..... | A | 2330 | AT | 18-OCT-83 | AT | | | 99 | |
| | | | | MIL-C-52437/4 | CHASSIS, TRAILER, SIZE 6, CCE ..... | A | 2330 | AT | 18-OCT-83 | AT | | | 99 | |
| | | | | MIL-C-52437/5 | CHASSIS, TRAILER, SIZE 8, CCE ..... | A | 2330 | AT | 18-OCT-83 | AT | | | 99 | |
| | | | | MIL-C-52437/6 | CHASSIS, TRAILER, SIZE 9, MILITARY DESIGN ..... | A | 2330 | AT | 18-OCT-83 | AT | | | 99 | |
| | | | | MIL-C-52437/7 | CHASSIS, TRAILER, SIZE11, CCE ..... | A | 2330 | AT | 18-OCT-83 | AT | | | 99 | |
| | | | | MIL-C-52437/8 | CHASSIS, TRAILER, SIZE 14, CCE ..... | A | 2330 | AT | 18-OCT-83 | AT | | | 99 | |
| | | | | MIL-C-52437/9 | CHASSIS, TRAILER, SIZE 32, CCE REVIEWER: 84 ..... | A | 2330 | AT | 18-OCT-83 | AT | | | 99 | |
| | L | | | MIL-T-52438B | TRAINING AID, GRIDS, LARGE AND SMALL, MAP READING [VALIDATION DATE: 8411] USER: MC REVIEWER: MS | A | 6910 | ME | 25-SEP-80 | ME | | | | |
| | L | | | MIL-T-52439B | TRAINING AID, ELEVATION INDICATOR, MAP READING USER: MC ..... | A | 6910 | ME | 24-AUG-81 | ME | | | | |
| | L | | | MIL-T-52440B | TRAINING AID COORDINATE INDICATOR, MAP READING [VALIDATION DATE: 8411] REVIEWER: MS | A | 6910 | ME | 25-SEP-80 | ME | | | | |
| | I | | | MIL-F-52443D NOTICE 1 | FILTER, INFRARED INTERFERANCE-ABSORPTION TYPE, FOR SEARCHLIGHT, INFRARED, 28-VOLT, 110-AMPERE REVIEWER: AT OS | A | 5855 | CR | 05-OCT-90 | CR | EC | 84 | | |
| | | | | MIL-R-52446E | RADIATION SOURCE, INFRARED, 2.2 KW SEARCHLIGHT, INFRARED, 28 VOLT, 110 AMPERE [VALIDATION DATE: 8502] USER: MC REVIEWER: GS | A | 6230 | CR | 21-JAN-76 | CR | EC | 99 | | |
| | | | | MIL-R-52447C | REFLECTOR, PARABOLIC, 22-1/2 INCH, FOR SEARCHLIGHT, INFRARED, 28 VOLT, 110 AMPERE [VALIDATION DATE: 8502] USER: MC REVIEWER: GS | A | 6230 | CR | 26-JAN-76 | CR | EC | | | |
| | L | | | MIL-T-52452B | TRAINING AID, MODEL COMPASSES, PLANE SURFACE & LENSATIC ..... | A | 6910 | ME | 24-AUG-81 | ME | | | | |
| | L | | | MIL-R-52453C | ROLLER, MOTORIZED, PNEUMATIC TIRED, AIRMOBILE, 9 WHEEL ..... | A | 3895 | ME | 31-MAY-83 | ME | | | | |
| | L | | | MIL-V-52456A | VALVE ASSEMBLY, PNEUMATIC FLOAT REPAIR, MECHANICAL TYPE [VALIDATION DATE: 8402] REVIEWER: CS MC | A | 5420 | ME | 13-APR-73 | ME | | | | |
| | L | | | MIL-P-52457B(1) | PANEL, DISTRIBUTION, BATTERY CHARGING [VALIDATION DATE: 8501] REVIEWER: GS | A | 6130 | ME | 11-JUL-79 | ME | | | | |
| | | | | MIL-C-52460A | CRUSHING AND SCREENING PLANT, TWO-UNIT, GASOLINE-ENGINE-DRIVEN, SEMITRAILER-MOUNTED, 35-TON-PER-HOUR CAPACITY [VALIDATION DATE: 7303] | A | 3820 | 84 | 07-OCT-66 | ME | | | 99 | |
| | L | | | MIL-C-00524608 | CRUSHING AND SCREENING PLANT, TWO-UNIT, DIESEL-ENGINE-DRIVEN, SEMITRAILER-MOUNTED, 35-TON-PER-HOUR CAPACITY (USED IN LIEU OF MIL-C-52460A) | A | 3820 | 84 | 17-OCT-67 | ME | | | 84 | |
| | LI | | | MIL-D-52462A NOTICE 1 | DRIVER, DECK PIN ..... | A | 5420 | ME | 08-OCT-91 | ME | | | | |
| | L | | | MIL-T-52463A | TOOL, ALINING, DECK [VALIDATION DATE: 8402] REVIEWER: CS ..... | A | 5420 | ME | 07-SEP-71 | ME | | | | |
| | L | | | MIL-C-52464C | CYLINDER ASSEMBLIES, ACTUATING, LINEAR: HYDRAULIC, FOR BRIDGE AND BRIDGE LAUNCHER REVIEWER: AT | A | 5420 | ME | 06-APR-92 | ME | | | | |
| | L | | | MIL-T-52465B | TRAINING AID, MAP ASSEMBLY, FOLDING PANEL [VALIDATION DATE: 8411] USER: MC | A | 6910 | ME | 25-SEP-80 | ME | | | | |
| | L | | | MIL-B-52467C | BAR, CARRYING: LIGHT TACTICAL BRIDGE REVIEWER: CS ..... | A | 5420 | ME | 28-NOV-88 | ME | | | | |
| | L | | | MIL-A-52470 | AUGER, EARTH, TRUCK MOUNTED, 36 INCH DIAMETER HOLE, 60 FOOT MAXIMUM DEPTH [VALIDATION DATE: 8201] | A | 3820 | ME | 01-NOV-65 | ME | | | | |
| | QL | | | MIL-H-52471D | HOSE & HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE TYPE, GENERAL SPECIFICATION FOR USER: AR REVIEWER: 82 CS GL | A | 4720 | AT | 31-JUL-87 | AT | | | 99 | |
| | L | | | MIL-H-52471/1A | HOSE ASSEMBLY, RUBBER, HYDRAULIC PRESSURE TYPE, TYPE 100R1 USER: 99 AR REVIEWER: CS GL | A | 4720 | AT | 31-JUL-87 | AT | | | | |
| | L | | | MIL-H-52471/2A | HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE TYPE, TYPE 100R2 USER: 99 AR SH REVIEWER: CS GL | A | 4720 | AT | 31-JUL-87 | AT | | | | |
| | L | | | MIL-H-52471/3A | HOSE ASSEMBLY, RUBBER, HYDRAULIC PRESSURE TYPE, TYPE 100R10 USER: 99 SH REVIEWER: AR CS GL | A | 4720 | AT | 31-JUL-87 | AT | | | | |
| | L | | | MIL-H-52471/4A | HOSE, RUBBER, HYDRAULIC PRESSURE TYPE, TYPE 100R1 SINGLE WIRE BRAID REINFORCEMENT HOSE USER: 99 AR SH REVIEWER: CS GL | A | 4720 | AT | 31-JUL-87 | AT | | | | |
| | L | | | MIL-H-52471/5A | HOSE, RUBBER, HYDRAULIC PRESSURE TYPE, TYPE 100R2 DOUBLE WIRE BRAID REINFORCEMENT HOSE USER: 99 AR SH REVIEWER: CS GL | A | 4720 | AT | 31-JUL-87 | AT | | | | |
| | L | | | MIL-H-52471/6A | HOSE, RUBBER: HYDRAULIC PRESSURE TYPE: TYPE 100R10 FOUR SPIRAL WRAP REINFORCEMENT HOSE (INACTIVE FOR NEW DESIGN - USE MIL-H-52471/7) USER: AR REVIEWER: 82 CS GL | A | 4720 | AT | 31-JUL-87 | AT | | | 99 | |
| | | | | MIL-H-52471/7 | HOSE, RUBBER: HYDRAULIC PRESSURE TYPE: TYPE 100RE FOUR SPIRAL WRAP REINFORCEMENT HOSE USER: AR REVIEWER: 82 CS GL | A | 4720 | AT | 31-JUL-87 | AT | | | 99 | |
| | | | | MIL-H-52471/8 | HOSE ASSEMBLIES, RUBBER: HYDRAULIC PRESSURE TYPE: TYPE 100RE USER: AR REVIEWER: 82 CS GL | A | 4720 | AT | 30-SEP-87 | AT | | | 99 | |
| | | | | MIL-H-52471/9 | HOSE, RUBBER: HYDRAULIC PRESSURE TYPE: TYPE 100R12 FOUR SPIRAL WRAP REINFORCEMENT HOSE USER: AR REVIEWER: 82 CS GL | A | 4720 | AT | 31-JUL-87 | AT | | | 99 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-H-52471/10 | HOSE ASSEMBLIES, RUBBER: HYDRAULIC PRESSURE TYPE: TYPE 100R12 USER: AR REVIEWER: 82 CS GL | A | 4720 | AT | AT | 30-SEP-87 | AT | | 99 | |
| | L | | | MIL-B-52472C | BAG, SAND, POLYPROPYLENE USER: CE REVIEWER: 84 GS MC MD ME | A | 8105 | GL | GL | 08-SEP-87 | GL | | 99 | |
| | L | | | MIL-B-52472C(11) | BAGS, SAND, POLYPROPYLENE | A | 8105 | GL | GL | 12-DEC-90 | GL | | | |
| | L | | | MIL-C-52477D | COMPRESSOR UNIT, RECIPROCATING, GASOLINE ENGINE DRIVEN, AIR, 4 CFM, 0 TO 3,500 PSIG, WHEEL MOUNTED REVIEWER: AV | A | 4310 | ME | ME | 07-FEB-83 | ME | | | |
| | L | | | MIL-G-52483B(1) NOTICE 1 | GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED 10 KW, 60 HERTZ, PU-619/M REVIEWER: GS | A | 6115 | ME | ME | 02-MAR-88 | ME | | 11 | |
| | L | | | MIL-G-52484B | GRADER, ROAD, MOTORIZED, AIR DROPPABLE & HELICOPTER TRANSPORTABLE, DIESEL ENGINE DRIVEN REVIEWER: CS | A | 3805 | ME | ME | 01-OCT-80 | ME | | | |
| | L | | | MIL-T-52485B | TRAINING AID, MODEL, TERRAIN, CONTOUR HILL, ELONGATED MAP READING | A | 6910 | ME | ME | 04-AUG-81 | ME | | | |
| | L | | | MIL-T-52486B | TRAINING AID, PANEL SETS, GRID NUMERAL, LARGE AND SMALL, MAP READING [VALIDATION DATE: 8411] USER: MC REVIEWER: 99 | A | 6910 | ME | ME | 25-SEP-80 | ME | | | |
| | L | | | MIL-I-52487B(1) | INDICATOR, AIR CLEANER, INTAKE, RESTRICTION MECHANICAL TYPE REVIEWER: AT CS | A | 2940 | ME | ME | 03-FEB-86 | ME | | | |
| | L | | | MIL-B-52489E | BARBED TAPE, CONCERTINA USER: CS | A | 5660 | ME | ME | 26-MAR-87 | ME | | | |
| D | | | | MIL-W-52492D | WATER PURIFICATION UNIT, ELECTRIC MOTOR DRIVEN, ERDLATOR TYPE CLARIFIER, DIATOMITE TYPE FILTER, BASE MOUNTED, 3,000 GPH [VALIDATION DATE: 8601] REVIEWER: EL MD | A | 4610 | ME | ME | 01-MAY-80 | ME | YD1 | 99 | |
| | L | | | MIL-G-52495B NOTICE 1 | GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED, 5 KW, 60 HERTZ, PU-618/M [VALIDATION DATE: 8609] REVIEWER: GS | A | 6115 | ME | ME | 15-SEP-86 | ME | | | |
| | L | | | MIL-L-52496B | LOADER, SCOOP TYPE, RUBBER TIRED, DIESEL ENGINE DRIVEN, AIR DROPPABLE & HELICOPTER TRANSPORTABLE REVIEWER: CS | A | 3805 | ME | ME | 01-OCT-80 | ME | | | |
| | L | | | MIL-T-52497A | TRANSFORMER, POWER, ISOLATION, SERIES CIRCUIT AIRPORT LIGHTING, 6.6/6.6 AMPERES [VALIDATION DATE: 8205] REVIEWER: ES MI | A | 5950 | ME | ME | 12-SEP-72 | ME | | | |
| | L | | | MIL-R-52499C | ROLLER, TOWED, SMOOTH DRUM, VIBRATORY, AIRMOBILE, SINGLE DRUM USER: EL | A | 3895 | ME | ME | 08-FEB-83 | ME | | | |
| | L | | | MIL-R-0052499D | ROLLERS, TOWED, SMOOTH DRUM, VIBRATORY, AIRBORNE/AIRMOBILE, SINGLE-DRUM REVIEWER: MT | A | 3895 | ME | ME | 31-MAR-86 | ME | | | |
| | L | | | MIL-T-52501B | TRAINING AID, SCALE, COORDINATE USER: MC | A | 6910 | ME | ME | 25-AUG-81 | ME | | | |
| | | | | MIL-T-52502B | TRAINING AID, PANELS, DECLINATION DIAGRAM AND GRAPHIC SCALE, MAP READING [VALIDATION DATE: 8411] | A | 6910 | ME | ME | 25-SEP-80 | ME | MC | | |
| | L | | | MIL-T-52503B | TRAINING AID, CONE, COLLAPSIBLE, FIBER USER: MC | A | 6910 | ME | ME | 25-AUG-81 | ME | | | |
| | L | | | MIL-T-52504B | TRAINING AID, PANEL, GRID REFERENCE BOX [VALIDATION DATE: 8411] | A | 6910 | ME | ME | 25-SEP-80 | ME | | | |
| A | L | | | MIL-S-52506D | SEALS, SHAFT, MECHANICAL, LOW-PRESSURE TYPE, SELF-LUBRICATING: FOR GENERAL-PURPOSE CENTRIFUGAL PUMPS REVIEWER: CS | A | 4320 | ME | ME | 30-JUL-92 | ME | | | |
| | L | | | MIL-R-52507C | RAILWAY CAR, TANK, SULFURIC ACID, DOT-111A100-W-2 13,350 GALLON, 8 WHEEL, DOMESTIC SERVICE | A | 2220 | ME | ME | 03-AUG-82 | ME | | | |
| | L | | | MIL-T-52509C | TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN, SECTIONALIZED & NON SECTIONALIZED | A | 2410 | ME | ME | 01-OCT-80 | ME | | | |
| | L | | | MIL-T-52510C | TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN, AIR DROPPABLE & HELICOPTER TRANSPORTABLE | A | 2410 | ME | ME | 01-OCT-80 | ME | | | |
| | L | | | MIL-T-52518B | TRAINING AID, SCALE, DECLINATION, MAP READING USER: MC | A | 6910 | ME | ME | 25-AUG-81 | ME | | | |
| | L | | | MIL-G-52524C | GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED 3 KW, 60 HERTZ, PU-617/M REVIEWER: GS | A | 6115 | ME | ME | 09-MAY-85 | ME | | | |
| | QL | | | MIL-F-52525D SUPPL 1B1 | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, GENERAL SPECIFICATION FOR USER: 99 REVIEWER: CS GL | A | 4730 | AT | AT | 14-APR-82 | AT | | | |
| | L | | | MIL-F-52525/1A | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP-HALVES FIELD ATTACHABLE (REUSABLE), SCREW-ON TO 37 DEGREE FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R2 FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: GL GS | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/2A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REFUSABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, TYPE B, USE WITH TYPE 100R2 FOR DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/3A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, SHORT DROP, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/4A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, LONG DROP, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/5A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/6A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/7A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, SHORT DROP, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/8A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, LONG DROP, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL GS | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/9A | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES: FIELD ATTACHABLE (REUSABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R10, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | ME | ME | 30-JUN-87 | ME | | | |
| | L | | | MIL-F-52525/10A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, STRAIGHT, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/11A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 45 DEG. BENT TUBE, TYPE B, FOR USE WITH TYPE 100R2 WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/12A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 90 DEG. BENT TUBE, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/13A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, STRAIGHT, TYPE C, FOR USE WITH TYPE 100R10 4 SPIRAL WRAP HOSE | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/14A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 45 DEG. BENT TUBE, TYPE C, FOR USE WITH TYPE 100R10 4 SPIRAL WRAP HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/15A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 90 DEG. BENT TUBE, TYPE C, FOR USE WITH TYPE 100R10 4 SPIRAL WRAP HOSE USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/16B | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, CLAMP HALVES FOR 4 BOLT SPLIT FLANGE FITTING USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |
| | L | | | MIL-F-52525/17A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FLANGE TO PORT CONNECTIONS FOR 4 BOLT SPLIT FLANGE TYPE FITTINGS USER: 99 AR REVIEWER: CS GL | A | 4730 | AT | AT | 30-JUN-87 | AT | | | |

| Action | QPL / QML / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area / MCA Symbol / Preparing Activ | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-F-52525/23A | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES FIELD ATTACHABLE (REUSEABLE), CLAMP-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, TYPE C, ADAPTER, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE USER: 99 REVIEWER: CS | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/24A | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES FIELD ATTACHABLE (REUSEABLE), CLAMP-ON TO 4-BOLT SPLIT-FLANGE, 45 DEG. BENT TUBE, TYPE C, ELBOW, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE USER: 99 REVIEWER: CS | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/25A | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES FIELD ATTACHABLE (REUSEABLE), CLAMP-ON TO 4-BOLT SPLIT-FLANGE, 90 DEG. BENT TUBE, SHORT DROP, TYPE C, ELBOW, FOR USE WITH TYPE100R10 4-SPIRAL WRAP HOSE USER: 99 REVIEWER: CS | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/31 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, FOR USE WITH TYPE 100RE FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 REVIEWER: CS GL | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/34 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLFLANGE, STRAIGHT, FOR WITH TYPE 100RE FOUR-RAL-WRAP REINFORCEMENTSE USER: 99 SH REVIEWER: CS GL | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/35 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLFLANGE, 45 DEG. BENT T, FOR USE WITH TYPE 10E FOUR-SPIRAL-WRAP REIRCEMENT HOSE USER: 99 REVIEWER: CS GL | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/36 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLFLANGE, 90 DEG. BENT T, FOR USE WITH 100RE R-SPIRAL-WRAP REINFORCNT HOSE USER: 99 REVIEWER: CS GL | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/37 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRRIGHT, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 SH REVIEWER: CS GL | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/38 | FITTINGS, WIRE REINFORCED HUDRALIC HOSE & C LAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 SH REVIEWER: CS GL | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/39 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/40 | FITTINGS, WITE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 SH REVIEWER: CS GL | A | 4730 ME | 30-JUN-87 | AT | | | |
| L | | MIL-F-52525/42 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLIT-FLANGE, 90 DEG. BENT TUBE, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT 40SE USER: 99 SH REVIEWER: CS GL | A | 4730 AT | 30-JUN-87 | AT | | | |
| L | | MIL-T-52530B | TRAINING AID, TAPE, MAGNETIC NORTH LINE [VALIDATION DATE: 8411] USER: MC .. | A | 6910 ME | 25-SEP-80 | ME | | | |
| L | | MIL-T-52532B | TRAINING AID, PROTRACTORS, CIRCULAR (LARGE AND SMALL) MAP READING REVIEWER: MS | A | 6910 ME | 05-AUG-81 | ME | | | |
| L | | MIL-T-52534B | TRAINING AID, FLASH CARD SET, MAP READING [VALIDATION DATE: 8411] USER: MC | A | 6910 ME | 25-SEP-80 | ME | | | |
| L | | MIL-G-52537C NOTICE 1 | GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED, 10 KW, 400 HERTZ, PU-3758/G [VALIDATION DATE: 8609] REVIEWER: GS | A | 6115 ME | 15-SEP-86 | ME | | | |
| D | | MIL-L-52543D(1) | LIGHT, MARKER, GROUND-OBSTRUCTION USER: AV YD1 REVIEWER: GS ..... | A | 6230 ME | 30-OCT-90 | ME | AS | | |
| L | | MIL-S-52548A | SURVEYING SET, TRIANGULATION: PRINCIPAL OBSERVER AND SIGNAL TENDER, PACKAGING OF [VALIDATION DATE: 8908] USER: SM REVIEWER: GS | A | 6675 ME | 04-AUG-89 | ME | | | |
| L | | MIL-G-52552B NOTICE 1 | GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED, 10 KW, 400 HERTZ, PU-656/G [VALIDATION DATE: 8707] REVIEWER: GS | A | 6115 ME | 21-JUL-87 | ME | | | |
| L | | MIL-F-52553B | FITTINGS, WIRE ROPE ..... | A | 4030 ME | 08-APR-92 | ME | | | |
| D L | | MIL-P-52554B NOTICE 2 | PRESS, HYDRAULIC, PORTABLE, WITH DIES FOR SWAGING, 500-TON, GASOLINE-ENGINE-DRIVEN REVIEWER: GS ME | A | 3442 YD1 | 28-JAN-89 | | YD1 | | |
| | | MIL-F-52556G | FILTER-SEPARATOR, LIQUID FUEL: FRAME MOUNTED, 100 GPM CAPACITY USER: AT AV MC REVIEWER: 84 | A | 4330 ME | 22-OCT-91 | ME | AS | 99 | |
| L | | MIL-G-52557C | GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED 5 KW, 60 HERTZ, PU-620/M REVIEWER: GS | A | 6115 ME | 19-AUG-85 | ME | | | |
| L | | MIL-A-52568C | AIR CONDITIONER, TRAILER MOUNTED, ELECTRIC MOTOR DRIVEN 18,000 BTU/HR ..... | A | 4120 ME | 08-APR-82 | ME | | | |
| A L | | MIL-F-52569C | FOOTWALK ASSEMBLY: ALUMINUM, FOR BRIDGE, BAILEY ..... | A | 5420 ME | 26-OCT-92 | ME | | | |
| D | | MIL-C-52570 | CUTTING EDGE, SCRAPER [VALIDATION DATE: 8205] USER: CE MC YD1 REVIEWER: CS | A | 3805 ME | 14-APR-67 | ME | | 99 | |
| L | | MIL-T-52585B | TESTER, HYDRAULIC SYSTEMS, PORTABLE ..... | A | 4910 AL | 31-MAY-88 | AL | | | |
| L | | MIL-F-52594A | FLOODLIGHT SET, ELECTRIC, PACKAGING OF [VALIDATION DATE: 8909] REVIEWER: GS SM | A | PACK ME | 08-SEP-89 | ME | | | |
| D | | MIL-B-52596B | BAG, SAND, ACRYLIC [VALIDATION DATE: 8602] USER: MC REVIEWER: YD1 ..... | A | 8105 GL | 03-DEC-69 | GL | SA | 69 | |
| L | | MIL-B-52598B(I1) | BAGS, SAND: ACRYLIC ..... | A | 8105 GL | 12-DEC-90 | GL | | | |
| D | | MIL-M-52599B | MEMBRANE SURFACING: RUNWAYS, TAXIWAYS, HELIPADS AND SPLICING REVIEWER: 84 CE | A | 5680 ME | 14-MAY-92 | ME | YD1 | 99 | |
| L | | MIL-M-52612A | MATS, LANDING, ALUMINUM MEDIUM DUTY XM19 ..... | A | 5680 ME | 14-MAY-87 | ME | | | |
| L | | MIL-F-52618D SUPPL 1B1 | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND: GENERAL SPECIFICATION FOR USER: CE REVIEWER: CS | A | 4730 ME | 29-JUN-90 | ME | | | |
| L | | MIL-F-52618/1C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE ELBOWS, TEES, CROSSES, 45-DEGREE ELBOWS AND COUPLINGS (STRAIGHT SIZES) USER: CE REVIEWER: CS | A | 4730 ME | 29-JUN-90 | ME | | | |
| L | | MIL-F-52618/2C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND REDUCERS AND CLOSE AND OPEN PATTERN RETURN BENDS USER: CE REVIEWER: CS | A | 4730 ME | 29-JUN-90 | ME | | | |
| L | | MIL-F-52618/3C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE ELBOW (REDUCING SIZES) REVIEWER: CE CS | A | 4730 ME | 29-JUN-90 | ME | | | |
| L | | MIL-F-52618/4C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND TEES (REDUCING SIZES) USER: CE REVIEWER: CS | A | 4730 ME | 29-JUN-90 | ME | | | |
| L | | MIL-F-52618/5C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE AND 45-DEGREE STREET ELBOWS REVIEWER: CE CS | A | 4730 ME | 29-JUN-90 | ME | | | |
| L | | MIL-F-52618/6C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND CAPS USER: CE REVIEWER: CS | A | 4730 ME | 29-JUN-90 | ME | | | |
| L | | MIL-F-52618/7C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND SQUARE HEAD AND SQUARE SOCKET PLUGS USER: CE REVIEWER: CS | A | 4730 ME | 29-JUN-90 | ME | | | |
| L | | MIL-F-52618/8C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND OUTSIDE HEAD, INSIDE HEAD, AND FACE BUSHINGS USER: CE REVIEWER: CS | A | 4730 ME | 29-JUN-90 | ME | | | |
| L | | MIL-F-52618/9A | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND CROSSES (REDUCING SIZES) USER: CE REVIEWER: CS | A | 4730 ME | 29-JUN-90 | ME | | | |
| L | | MIL-W-52624B | WATER PURIFICATION UNIT, AND WATER PURIFICATION EQUIPMENT SET, 600 GPH: PACKAGING OF | A | PACK 84 | 24-AUG-88 | | | 99 | |
| L | | MIL-P-52632D(3) NOTICE 1 | POWER PLANT, UTILITY, MUST HOSPITAL SYSTEM [VALIDATION DATE: 8707] USER: MC REVIEWER: GS | A | 6115 ME | 21-JUL-87 | ME | | | |
| | | MIL-T-52635A | TRUCK, STOCK SELECTOR, ELECTRONICALLY AND MANUALLY GUIDED, 1,000 POUND CAPACITY REVIEWER: CS | A | 3930 ME | 18-APR-79 | ME | SA | 99 | |
| L | | MIL-G-52636B(2) | GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED 3 KW, 60 HERTZ, PU-625/G REVIEWER: GS | A | 6115 ME | 04-SEP-86 | ME | | | |
| L | | MIL-F-52637A | FILTER AIDS, WATER PURIFICATION [VALIDATION DATE: 8402] USER: CE REVIEWER: GS MD | A | 9390 ME | 22-JUN-78 | ME | | | |
| L | | MIL-C-52640B | CRANE-SHOVEL, CRAWLER MOUNTED, 12-1/2-TON AT 12-FOOT RADIUS, 3/4 CUBIC YARD, DIESEL-ENGINE-DRIVEN, FOR MILITARY OPERATIONS REVIEWER: CS | A | 3810 ME | 07-AUG-89 | ME | | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area NSN Symbol Preparing Activity | | Date | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-H-52641A | HEATER, ELECTRIC, 1,500 WATTS, 115 VOLTS, AC, WITH FAN [VALIDATION DATE: 8510] USER: CE REVIEWER: CS | A 4520 | ME | 18-APR-79 | ME | | | | |
| | L | MIL-G-52647 | GENERATOR SET, DIESEL ENGINE, TRAILER MOUNTED, 60 KW, 400 HERTZ, PU-707/M [VALIDATION DATE: 8402] REVIEWER: GS | A 6115 | ME | 04-JUN-69 | ME | | | | |
| | L | MIL-C-52648C | CRANE SHOVEL, CRAWLER MOUNTED, 40 TON AT 12 FOOT RADIUS, 2 CUBIC YARD, DIESEL ENGINE DRIVEN REVIEWER: CS | A 3810 | ME | 30-NOV-81 | ME | | | | |
| A | | MIL-E-52649B | ENGINE COLD STARTING AIDS, ETHER FUEL PRIMERS REVIEWER: 82 AT CS ..... | A 2910 | ME | 18-NOV-92 | ME | | 99 | | |
| | L | MIL-C-52661C | CONTAINERS, CARGO USER: GL REVIEWER: MT SH ..... | A 8115 | ME | 23-FEB-89 | ME | | | | |
| | L | MIL-W-52663A | WATER PRETREATMENT DECONTAMINATION SET, CB AGENTS, PACKAGING OF REVIEWER: SH | A 4610 | ME | 07-OCT-75 | ME | | | | |
| | | MIL-F-52666E | FILTER SEPARATOR, LIQUID FUEL, FRAME MOUNTED, 350 GPM CAPACITY USER: AT AV MC SH REVIEWER: 11 | A 4330 | 84 | 28-JUL-86 | ME | AS | 84 | | |
| | L | MIL-F-52667E(1) | FILTER-SEPARATORS, LIQUID FUEL: 50 GPM (189 LITERS) CAPACITY USER: AV REVIEWER: AT MD MR TE | A 4330 | ME | 29-JUN-87 | ME | | | | |
| D | | MIL-A-52679B | ANCHOR, SURFACING MEMBRANE: 12 INCH USER: MC REVIEWER: 84 ..... | A 5680 | ME | 30-SEP-92 | ME | YD1 | 99 | | |
| | | MIL-A-52685 NOTICE 1 | ADHESIVE, BONDING, CHLOROPRENE, AIR FIELD MEMBRANE SURFACING [VALIDATION DATE: 8702] | A 5610 | ME | 13-FEB-87 | ME | | 99 | | |
| | L | MIL-B-52690A | BRACKET PUSHING, BOW ATTACHMENT, 12 TON PNEUMATIC HALF FLOAT REVIEWER: CS . | A 5420 | ME | 08-JUL-87 | ME | | | | |
| D | | MIL-F-52694D | FILTER-SEPARATOR, LIQUID FUEL: FRAME MOUNTED, 600 GPM CAPACITY (2271 LITER PER MINUTE) USER: AV MC REVIEWER: 84 AT MR YD1 | A 4330 | ME | 07-AUG-87 | ME | AS | 99 | | |
| | | MIL-T-52698A | TRUCK, LIFT, FORK, TIERING, WALKIE, STRADDLE TYPE, ELECTRIC, 2,000- AND 2,500 POUNDS USER: MC SH REVIEWER: AT CS OS SH | A 3930 | ME | 14-MAR-86 | ME | SA | | | |
| | L | MIL-I-52701B | INDICATOR SOLUTION, PH DETERMINATION (RANGE 3.0 TO 11.0) REVIEWER: AR GS MD | A 6810 | ME | 12-MAR-91 | ME | | | | |
| D | | MIL-C-52705A(1) | COUPLING, HOSE, STEAM REVIEWER: CS GL ..... | A 4730 | ME | 16-NOV-84 | ME | YD1 | 99 | | |
| A | L | MIL-B-52706A | BRIDGE, FLOATING: RAFT SECTION, LIGHT TACTICAL, SUPERSTRUCTURE COMPONENTS REVIEWER: CS | A 5420 | ME | 29-JUN-92 | ME | | | | |
| | L | MIL-C-52712B | CONVEYOR, BELT, PORTABLE, ELECTRIC CASTER MOUNTED ..... | A 3910 | ME | 24-AUG-90 | ME | | | | |
| D | L | MIL-S-52713B(1) | SPREADER, LIFTING, ISO & INTERMODAL FREIGHT CONTAINERS REVIEWER: GS SH .... | A 3990 | ME | 05-NOV-85 | ME | YD1 | | | |
| A | L | MIL-E-52714C | EQUIPMENT, CABLE REINFORCEMENT, FOR PANEL BRIDGE: M-2 (BAILEY TYPE) REVIEWER: CS | A 5420 | ME | 26-JUN-92 | ME | | | | |
| | L | MIL-E-52715C | ERECTION AND MAINTENANCE EQUIPMENT FOR CABLE REINFORCEMENT SET FOR PANEL BRIDGE, M-2 (BAILEY TYPE) REVIEWER: CS | A 5420 | ME | 04-MAY-92 | ME | | | | |
| | | MIL-C-52717D | COMPRESSOR, HERMETIC, FOR AIR CONDITIONER APPLICATION REVIEWER: 82 GS ..... | A 4130 | ME | 23-FEB-87 | ME | | 99 | | |
| | L | MIL-R-52719 | RAILWAY CAR, FLAT, DEPRESSED CENTER 56 1/2 INCH GAGE, HEAVY DUTY, 140 TON, 12 WHEEL, DOMESTIC SERVICE [VALIDATION DATE: 8501] | A 2220 | ME | 05-OCT-71 | ME | | | | |
| | L | MIL-O-52724B | OILERS, HAND, PLASTIC REVIEWER: GS ..... | A 4930 | ME | 10-JAN-90 | ME | | | | |
| | L | MIL-L-52731A | LOCOMOTIVE, DIESEL ELECTRIC, 56 1/2, 60, 63, OR 66 INCH GAGE, 70 TON, 0-4-4-0 WHEEL FOR DOMESTIC OR FOREIGN SERVICE [VALIDATION DATE: 8112] | A 2210 | ME | 27-JUN-77 | ME | | | | |
| D | | MIL-G-52732B SUPPL 1&1 | GENERATOR SETS, GASOLINE ENGINE DRIVEN, 0.5KW THRU 10KW, 60 HERTZ, 400 HERTZ & 28 VOLT DIRECT CURRENT, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) GENERAL SPECIFICATION FOR REVIEWER: 80 ER GL GS | A 6115 | ME | 27-SEP-85 | ME | YD1 | 99 | | |
| D | | MIL-G-52732/1 NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 60 HERTZ, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: CR GL | A 6115 | ME | 09-NOV-92 | ME | YD1 | | | |
| D | | MIL-G-52732/2 NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: CR GL | A 6115 | ME | 09-NOV-92 | ME | YD1 | | | |
| D | | MIL-G-52732/3 NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 28 VOLT DIRECT CURRENT, TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: 80 CR GL | A 6115 | ME | 09-NOV-92 | ME | YD1 | | | |
| D | | MIL-G-52732/4A NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 1.5 KW, 60 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: 80 ER GL | A 6115 | ME | 09-NOV-92 | ME | YD1 | 99 | | |
| A | | MIL-G-52732/5 NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 1.5 KW, 28 VOLT DIRECT CURRENT, TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: CR GL | A 6115 | ME | 09-NOV-92 | ME | | 80 | | |
| D | | MIL-G-52732/6A NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 60 HERTZ, TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: 80 ER GL GS | A 6115 | ME | 09-NOV-92 | ME | YD1 | 99 | | |
| D | | MIL-G-52732/7 NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: 80 CR GL | A 6115 | ME | 09-NOV-92 | ME | YD1 | 99 | | |
| D | | MIL-G-52732/8 NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 28 VOLT DIRECT CURRENT, TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: 80 CR GL | A 6115 | ME | 09-NOV-92 | ME | YD1 | 99 | | |
| D | | MIL-G-52732/9 NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 5 KW, 60 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: 80 CR GL | A 6115 | ME | 09-NOV-92 | ME | YD1 | 99 | | |
| D | | MIL-G-52732/10 NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 5 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: 80 CR GL | A 6115 | ME | 09-NOV-92 | ME | YD1 | 99 | | |
| D | | MIL-G-52732/11 NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 10 KW, 60 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: 80 CR GL | A 6115 | ME | 09-NOV-92 | ME | YD1 | 99 | | |
| D | | MIL-G-52732/12A NOTICE 1 | GENERATOR SET, GASOLINE ENGINE DRIVEN 10 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [VALIDATION DATE: 9211] REVIEWER: 80 ER GL | A 6115 | ME | 09-NOV-92 | ME | YD1 | 99 | | |
| | L | MIL-L-52733A | LABORATORY, AIRMOBILE, AVIATION FUEL ..... | A 6640 | ME | 01-JUL-86 | ME | | | | |
| | L | MIL-B-52734C | BRIDGE, FLOATING: RIBBON, INTERIOR BAY AND RAMP BAY ..... | A 5420 | ME | 21-AUG-91 | ME | | | | |
| | L | MIL-T-52735B | TRANSPORTER: MB12 CHASSIS, FOR RIBBON FLOATING BRIDGE ..... | A 5420 | ME | 21-AUG-91 | ME | | | | |
| D | | MIL-M-52738B | MAT, LANDING: STEEL NON-PERFORATED (M8A1) REVIEWER: MC ..... | A 5680 | ME | 22-JUN-92 | ME | YD1 | | | |
| | L | MIL-S-52744A(1) | SERVICE UNIT, REFRIGERATION SYSTEM (MUST) ..... | A 4130 | ME | 22-SEP-81 | ME | | | | |
| | L | MIL-B-52745 | BUILDING, PREFABRICATED, SECTIONAL, METAL, GENERAL PURPOSE [VALIDATION DATE: 8104] | A 5410 | GL | 19-DEC-72 | GL | | | | |
| | L | MIL-P-52746B(1) | PUMP ASSEMBLY, FLAMMABLE LIQUID, CENTRIFUGAL, SELF PRIMING, 2 INCH 100 GPM AT 100 FEET TOTAL DYNAMIC HEAD | A 4320 | ME | 19-NOV-86 | ME | | | | |
| | L | MIL-N-52747D(1) | NOZZLE ASSEMBLY, CLOSED-CIRCUIT REFUELING, STANDARD AND ARCTIC SERVICE REVIEWER: AV | A 4930 | ME | 02-APR-91 | ME | | | | |
| A | L | MIL-N-52748E | NOZZLE, ADAPTER, CLOSED-CIRCUIT TO GRAVITY FILL REVIEWER: AV ..... | A 4930 | ME | 05-FEB-93 | ME | | | | |
| | L | MIL-F-52749C | FORWARD AREA REFUELING EQUIPMENT (FARE) ..... | A 4930 | ME | 12-FEB-92 | ME | | | | |
| | L | MIL-B-52755 | BUILDING, PREFABRICATED, SECTIONAL, METAL, TWO STORY, VARIABLE SPAN AND LENGTH [VALIDATION DATE: 8104] USER: CE | A 5410 | GL | 05-MAR-73 | GL | | | | |
| | L | MIL-R-52757B | RAILWAY CAR, TANK, PETROLEUM, 20,000 GALLON, 56 1/2 INCH GAGE 8 WHEEL, DOMESTIC SERVICE | A 2220 | ME | 18-FEB-86 | ME | | | | |
| | L | MIL-B-52761 | BELTING, FLAT, CONVEYOR, RUBBER INDUSTRIAL SYNTHETIC REINFORCEMENT [VALIDATION DATE: 8510] | A 3030 | ME | 11-SEP-73 | ME | | | | |
| | L | MIL-C-52765E | CAMOUFLAGE SCREENING SUPPORT SYSTEMS ..... | A 1080 | ME | 13-SEP-90 | ME | | | | |
| | | MIL-A-52767D | AIR CONDITIONERS: VERTICAL AND HORIZONTAL, COMPACT REVIEWER: 82 GS ..... | A 4120 | ME | 08-FEB-89 | ME | | 99 | | |
| | L | MIL-R-52768(1) | RAILWAY CAR, FLAT, DEPRESSED CENTER HEAVY DUTY, 150 TON, DOMESTIC SERVICE [VALIDATION DATE: 8501] | A 2220 | ME | 27-FEB-75 | ME | | | | |
| D | | MIL-M-52769 | MEMBRANE, SURFACING, AIRFIELD, HEAVY DUTY [VALIDATION DATE: 8205] USER: AV MC REVIEWER: CE MD | A 5680 | ME | 27-DEC-73 | ME | YD1 | 99 | | |
| | | MIL-D-52776A | DETECTOR, ANTI INTRUSION, DT-509/GSQ (MAGID T-4) [VALIDATION DATE: 8502] REVIEWER: GS | A 6350 | MC | 19-JUL-76 | ER | SH | 99 | | |
| | | MIL-D-52778A | DETECTOR, ANTI INTRUSION, DT-383/GSQ (AAU) [VALIDATION DATE: 8502] REVIEWER: GS | A 6350 | MC | 19-JUL-76 | ME | | | | |
| | L | MIL-H-52780 | HOOK, ROPE, DECK [VALIDATION DATE: 8106] ..... | A 4030 | ME | 27-FEB-74 | ME | | | | |
| | L | MIL-P-52783A | PAN, MIXING AND CLEANING [VALIDATION DATE: 8411] REVIEWER: GS ..... | A 3610 | ME | 20-AUG-80 | ME | | | | |
| A | L | MIL-C-52788B | CONTAINER, REFRIGERATED: 8 FEET X 8 FEET X 20 FEET, INSULATED REVIEWER: GL SH | A 8115 | ME | 15-DEC-92 | ME | | | | |
| | L | MIL-S-52791A | STOOL, STRAIGHT (FOR SURVEYING EQUIPMENT) [VALIDATION DATE: 8411] USER: GL | A 7110 | ME | 04-JAN-80 | ME | | | | |
| | L | MIL-M-52793 | MULTIMETER, BATTERY TESTING, 0 TO 35 AMP, 0 TO 10 VOLT [VALIDATION DATE: 8003] | A 6625 | CR | 21-MAR-74 | CR | | | | |

| Action | Obsl. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-H-52802 | HOOK, STEEL, BOLTED TANK ERECTION [VALIDATION DATE: 8410] | A | 5120 | | ME | 07-MAY-74 | ME | | | |
| | L | MIL-T-52803A | TABLE, BINDERY, PAPER [VALIDATION DATE: 8411] REVIEWER: GS | A | 3610 | | ME | 21-JUL-80 | ME | | | |
| | L | MIL-R-52805A | RAILWAY CARS, FLAT, 56 1/2 INCH GAGE, 250 TON, 24 WHEEL, DOMESTIC SERVICE [VALIDATION DATE: 8501] | A | 2220 | | ME | 28-MAR-80 | ME | | | |
| | L | MIL-R-52807B | ROLLER, TRANSOM, BAILEY BRIDGE REVIEWER: CS | A | 5420 | | ME | 22-AUG-91 | ME | | | |
| | L | MIL-T-52809A | TRUCK, HAND, LIFT, PALLET, MANUAL HYDRAULIC REVIEWER: GS | A | 3920 | | ME | 19-DEC-86 | ME | | | |
| A | L | MIL-W-52815 NOTICE 1 | WASHER: INSULATING, FOR SPLIT-KNOB TYPE ELECTRICAL INSULATOR [VALIDATION DATE: 9211] | A | 5970 | | ME | 02-NOV-92 | ME | | | |
| | L | MIL-B-52817B | BRACKET, SCAFFOLD, FOLDING | A | 5440 | | ME | 21-MAY-91 | ME | | | |
| | L | MIL-T-52820A | TABLE, DRAWING, STEEL [VALIDATION DATE: 8403] REVIEWER: GS | A | 6675 | | ME | 31-OCT-79 | ME | | | |
| A | L | MIL-V-52830B | VIEWING STAND, ILLUMINATED, NEGATIVE FILM REVIEWER: GS | A | 6760 | | ME | 22-SEP-92 | ME | | | |
| D | | MIL-T-52831E | TAMPER, RAM TYPE, GENERAL BACKFILL, GASOLINE ENGINE POWERED, HAND OPERATED COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: AT | A | 3895 | | ME | 28-JUL-87 | ME | YD1 | | |
| | L | MIL-T-52831E(11) | TAMPER, RAM TYPE, GENERAL BACKFILL, GASOLINE ENGINE POWERED, HAND OPERATED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) | A | 3895 | | ME | 15-AUG-88 | ME | | | |
| | L | MIL-A-52832A | ALARM SET, ANTI INTRUSION, RESTRICTED AREA, AN/GSQ-159 (DSID) [VALIDATION DATE: 8502] REVIEWER: GS | A | 6350 | | MC | 19-JUL-76 | ME | | | |
| | L | MIL-S-52836A | SUPPLEMENTARY SET, BRIDGE, TROOP SUPPORT, PACKAGING OF | A | PACK | | ME | 06-FEB-92 | ME | | | |
| | L | MIL-D-52838(1) | DIVING EQUIPMENT SETS PACKAGING OF [VALIDATION DATE: 8908] | A | 4220 | | ME | 11-AUG-89 | ME | | | |
| | L | MIL-A-52839 | ALARM SET, ANTI INTRUSION, RESTRICTED AREA, MINISID III, AN/GSQ-154 [VALIDATION DATE: 8110] REVIEWER: GS | A | 6350 | | MC | 27-JAN-75 | ME | | | |
| | | MIL-T-52843C(1) | PNEUMATIC TIRED, ROUGH TERRAIN, 10,000 POUND CAPACITY AT 48 INCH LOAD CENTER REVIEWER: 84 AT CS MT | A | 3930 | | ME | 16-JAN-87 | ME | SA | 99 | |
| | L | MIL-S-52846 | SEPARATOR, OIL WATER, COALESCER TYPE, FILTER ELEMENTS, FLUID PRESSURE, COALESCER, OILY WASTEWATER, EXPENDABLE, & PREFILTER ELEMENTS, OILY WASTEWATER, EXPENDABLE [VALIDATION DATE: 8201] USER: CG SH TM | A | 4330 | | ME | 03-MAR-75 | ME | | | |
| | | MIL-F-52847 | FILTER ELEMENT, FLUID PRESSURE, COALESCER, OILY WASTEWATER, EXPENDABLE, AND PREFILTER ELEMENTS, OILY WASTEWATER, EXPENDABLE [VALIDATION DATE: 8201] | A | 4330 | | ME | 24-FEB-75 | ME | SH | 99 | |
| | L | MIL-T-52849B(3) | TEST KIT, PETROLEUM: AVIATION FUEL CONTAMINATION (PORTABLE) USER: AT REVIEWER: AV | A | 6630 | | ME | 11-MAR-87 | ME | | | |
| | L | MIL-W-52850 | WAREHOUSE, REFRIGERATED, PREFABRICATED, METAL [VALIDATION DATE: 8104] REVIEWER: CE | A | 5410 | | GL | 16-APR-75 | GL | | | |
| | L | MIL-S-52851 | SEPARATOR SYSTEM, OIL WATER, COALESCER TYPE, 5 GPM CAPACITY [VALIDATION DATE: 8201] | A | 4330 | | ME | 31-MAR-75 | ME | | | |
| | | MIL-C-52853D | CONTROL UNIT, ALARM SET C-9412/FSS-9(V) USER: ER REVIEWER: 82 CS | A | 6350 | | ME | 25-SEP-90 | ME | SH | 99 | |
| | | MIL-S-52860D | SWITCH, ALARM, LATCHING, SA-1954/FSS-9(V) USER: ER REVIEWER: CS | A | 6350 | | ME | 06-DEC-90 | ME | SH | 99 | |
| | | MIL-S-0052860C | SWITCH, ALARM, LATCHING, SA-1954/FSS-9(V) | A | 6350 | | ME | 21-AUG-84 | ME | | | |
| | | MIL-S-52861C | SENSOR, GRID WIRE, DT-545/FSS-9(V) REVIEWER: GS | A | 6350 | | ME | 28-MAY-92 | ME | | 99 | |
| D | | MIL-M-52863 | MATS, LANDING, ALUMINUM: HEAVY DUTY, AND ANCILLARY ITEMS [VALIDATION DATE: 8205] USER: AS CE MC | A | 5680 | | ME | 14-MAY-75 | ME | YD1 | 84 | |
| | | MIL-T-52864D SUPPL 1B1 | TRUCKS, LIFT, FORK: DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 10,000, 15,000 AND 20,000 POUND CAPACITY; GENERAL SPECIFICATION FOR USER: MC MT REVIEWER: CS OS SH | A | 3930 | | ME | 06-SEP-90 | ME | SA | 99 | |
| | L | MIL-T-0052864E | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 10,000 POUND CAPACITY AT 48-INCH LOAD CENTER | A | 3930 | | 84 | 24-FEB-92 | | | 99 | |
| | | MIL-T-52864/1A | TRUCK, LIFT, FORK, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, 10,000 POUND CAPACITY AT 24 INCH LOAD CENTER, 168 INCH LIFT USER: AT MC SH REVIEWER: SM | A | 3930 | | ME | 01-JUN-83 | ME | SA | 99 | |
| | | MIL-T-52864/2B | TRUCK, LIFT, FORK, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, 15,000 POUND CAPACITY AT 24 INCH LOAD CENTER, 100 INCH LIFT USER: MC MT REVIEWER: CS OS SH | A | 3930 | | ME | 22-APR-87 | ME | SA | 99 | |
| | | MIL-T-52864/3C | TRUCK, LIFT, FORK: DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 15,000-POUND CAPACITY AT 24-INCH LOAD CENTER, 210-INCH LIFT USER: MT SH REVIEWER: 84 CS OS SM | A | 3930 | | ME | 23-MAR-90 | ME | SA | 99 | |
| | | MIL-T-52864/4A | TRUCK, LIFT, FORK, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, 20,000 POUND CAPACITY AT 24 INCH LOAD CENTER, 120 INCH LIFT USER: MC MT SH REVIEWER: CS SM | A | 3930 | | ME | 01-JUN-83 | ME | SA | 99 | |
| | | MIL-T-52864/5A | TRUCK, LIFT, FORK, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, 20,000 POUND CAPACITY AT 24 INCH LOAD CENTER, 210 INCH LIFT USER: MC MT SH REVIEWER: CS SM | A | 3930 | | ME | 01-JUN-83 | ME | SA | 99 | |
| | | MIL-T-52864/6A | TRUCK, LIFT, FORK, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, 10,000 POUND CAPACITY AT 48 INCH LOAD CENTER, 150 INCH LIFT USER: MC MT SH REVIEWER: CS SM | A | 3930 | | ME | 01-JUN-83 | ME | SA | 99 | |
| | | MIL-T-52864/7A | TRUCK, LIFT, FORK, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, 15,000 POUND CAPACITY AT 48 INCH LOAD CENTER, 210 INCH LIFT USER: MC MT SH REVIEWER: CS SM | A | 3930 | | ME | 01-JUN-83 | ME | SA | 99 | |
| | | MIL-S-52866B(1) | SENSOR, MAGNETIC WEAPON DT-547/FSS-9(V) [VALIDATION DATE: 8604] REVIEWER: GS | A | 6350 | | ME | 22-JAN-81 | ME | | 99 | |
| | | MIL-S-52867B | SWITCH, BALANCED MAGNETIC, SA-1955/FSS-9(V) REVIEWER: GS | A | 6350 | | ME | 18-APR-79 | ME | | 99 | |
| | L | MIL-S-52867B(11) | SWITCH, BALANCED MAGNETIC, SA-1955/FSS-9(V) | A | 6350 | | ME | 20-MAR-84 | ME | | | |
| | | MIL-S-52868D | SENSOR, CAPACITANCE PROXIMITY DT-548/FSS-9 (V) USER: ER REVIEWER: 82 | A | 6350 | | ME | 22-NOV-88 | ME | EC | 99 | |
| | | MIL-S-52869B | SENSOR GROUP, PASSIVE ULTRASONIC: RECEIVER R-1860/FSS-9(V) AND PROCESSOR MX-9443/FSS-9(V) USER: MC SH REVIEWER: GS | A | 6350 | | ME | 22-FEB-80 | ME | | 99 | |
| | L | MIL-S-52869B(11) | SENSOR GROUP, PASSIVE ULTRASONIC: RECEIVER R-1860/FSS-9(V) AND PROCESSOR MX-9443/FSS-9(V) | A | 6350 | | ME | 20-MAR-84 | ME | | | |
| | | MIL-S-52871B(1) | SENSOR GROUP, VIBRATION: DETECTOR DT-546/FSS-9(V) AND PROCESSOR MX-9442/FSS-9(V) USER: CG ER MC SH | A | 6350 | | ME | 22-JAN-81 | ME | EC | 99 | |
| | L | MIL-S-52871B(12) | SENSOR GROUP, VIBRATION: DETECTOR DT-546/FSS-9(V) AND PROCESSOR MX-9442/FSS-9(V) | A | 6350 | | ME | 20-MAR-84 | ME | | | |
| | | MIL-S-52872B | SENSOR GROUP, ULTRASONIC MOTION: TRANSCEIVER RT-1161/FSS-9(V) AND PROCESSOR MX-9444/FSS-9(V) USER: MC SH REVIEWER: GS | A | 6350 | | ME | 24-MAR-80 | ME | | 99 | |
| | L | MIL-S-52872B(11) | SENSOR GROUP, ULTRASONIC MOTION: TRANSCEIVER RT-1161/FSS-9(V) AND PROCESSOR MX-9444/FSS-9(V) USER: GS MC SH | A | 6350 | | ME | 26-MAR-84 | ME | | | |
| | L | MIL-A-52873 | ALARM SET, ANTI INTRUSION (PSID) AN/GSQ-151 [VALIDATION DATE: 8110] REVIEWER: GS | A | 6350 | | MC | 17-JUL-75 | ME | | | |
| | L | MIL-W-52874B(1) | WATER QUALITY ANALYSIS SET, ENGINEER REVIEWER: MD | A | 6630 | | ME | 10-MAR-88 | ME | | | |
| | L | MIL-W-52875B(1) | WATER QUALITY ANALYSIS SET: PREVENTIVE MEDICINE | A | 6630 | | ME | 13-FEB-86 | ME | | | |
| | | MIL-C-52876B | CABINETS, MONITOR, CY-7359/FSS-9(V), CY-7360/FSS-9(V) AND CY-7361/FSS-9(V) USER: CG ER MC SH REVIEWER: GS | A | 6350 | | ME | 28-AUG-80 | ME | EC | 99 | |
| | L | MIL-C-0052876C | CABINETS, MONITOR, CY-7359/FSS-9(V), CY-7360/FSS-9(V), AND CY-7361/FSS-9(V) | A | 6350 | | ME | 11-JUL-86 | ME | | | |
| | L | MIL-C-52876B(11) | CABINETS, MONITOR, CY-7359/FSS-9(V), CY-7360/FSS-9(V) AND CY-7361/FSS-9(V) | A | 6350 | | ME | 22-JUN-84 | ME | | | |
| | | MIL-T-52877B | TRANSMISSION GROUP DATA: TRANSMITTER, DATA: T-1257/FSS-9(V) AND RECEIVER, DATA: R-1861/FSS-9(V) REVIEWER: GS | A | 6350 | | ME | 29-FEB-80 | ME | | 99 | |
| | L | MIL-T-52877B(12) | TRANSMISSION GROUP DATA: TRANSMITTER, DATA: T-1257/FSS-9(V) AND RECEIVER, DATA: R-1861/FSS-9(V) REVIEWER: GS | A | 6350 | | ME | 18-NOV-86 | ME | | | |
| | | MIL-M-52878C | MONITOR MODULE, STATUS, ID-1921/FSS-9(V) & MONITOR MODULE, ALARM, ID-1922/FSS-9(V) USER: CG SH REVIEWER: 82 GS MC | A | 6350 | | ME | 20-FEB-86 | ME | EC | 99 | |
| | | MIL-A-52879C | ALARM, AUDIBLE, BZ-204/FSS-9(V) REVIEWER: GS MC | A | 6350 | | ME | 21-APR-92 | ME | EC | 99 | |
| A | | MIL-G-52880A NOTICE 1 | GENERATOR SET, DIESEL ENGINE, 500 KW 50/60 HERTZ, TACTICAL UTILITY [VALIDATION DATE: 9211] REVIEWER: 80 GS | A | 6115 | | ME | 02-NOV-92 | ME | | 99 | |
| | L | MIL-S-52881B | SERVICING UNIT, COMPRESSED GAS, MOBILE REVIEWER: GS SH | A | 3655 | | ME | 11-MAY-89 | ME | | | |

| Action | OPR / Qual. Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area / MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-G-52884A(2) | GENERATOR SETS, DIESEL ENGINE DRIVEN, 15 THRU 200 KILOWATTS 50/60 AND 400 HERTZ, (TACTICAL) GENERAL SPECIFICATION FOR [VALIDATION DATE: 8205] REVIEWER: 80 GS MC | A | 6115 | ME | 03-SEP-81 | ME | YD1 | 99 | |
| D | | MIL-G-52884A(I3) | GENERATOR SETS, DIESEL ENGINE DRIVEN, 15 THRU 200 KILOWATTS 50/60 AND 400 HERTZ, (TACTICAL) GENERAL SPECIFICATION FOR REVIEWER: 80 GS MC | A | 6115 | ME | 03-SEP-85 | ME | YD1 | 99 | |
| D | | MIL-G-52884/1A(1) | GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) REVIEWER: GS MC | A | 6115 | ME | 09-JAN-86 | ME | YD1 | 99 | |
| D | | MIL-G-52884/2A(1) | GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) REVIEWER: GS MC | A | 6115 | ME | 13-JAN-86 | ME | YD1 | 99 | |
| D | | MIL-G-52884/3A(1) | GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) REVIEWER: GS MC | A | 6115 | ME | 23-JAN-86 | ME | YD1 | 99 | |
| D | | MIL-G-52884/4A(1) | GENERATOR SET, DIESEL ENGINE DRIVEN, 30 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) REVIEWER: 80 GS MC | A | 6115 | ME | 09-JAN-86 | ME | YD1 | 99 | |
| D | | MIL-G-52884/5A(1) | GENERATOR SET, DIESEL ENGINE DRIVEN 30 KILOWATT, 50/60 HERTZ, UTILITY, (TACTICAL) REVIEWER: GS MC | A | 6115 | ME | 23-JAN-86 | ME | YD1 | 99 | |
| D | | MIL-G-52884/6A(1) | GENERATOR SET, DIESEL ENGINE DRIVEN, 30 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) REVIEWER: GS MC | A | 6115 | ME | 23-JAN-86 | ME | YD1 | 99 | |
| D | NOTICE 1 | MIL-G-52884/7A | GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) [VALIDATION DATE: 8611] REVIEWER: 80 GS MC | A | 6115 | ME | 21-NOV-86 | ME | YD1 | 99 | |
| D | NOTICE 2 | MIL-G-52884/8A | GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) [VALIDATION DATE: 9211] REVIEWER: GS MC | A | 6115 | ME | 04-NOV-92 | ME | YD1 | 99 | |
| D | NOTICE 1 | MIL-G-52884/9A(1) | GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 400 HERTZ, PRECISE (TACTICAL) [VALIDATION DATE: 9211] REVIEWER: GS MC | A | 6115 | ME | 04-NOV-92 | ME | YD1 | 99 | |
| D | NOTICE 1 | MIL-G-52884/10 | GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) [VALIDATION DATE: 9211] REVIEWER: 80 GS | A | 6115 | ME | 16-NOV-92 | ME | YD1 | 99 | |
| D | NOTICE 1 | MIL-G-52884/11 | GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) [VALIDATION DATE: 9211] REVIEWER: 80 | A | 6115 | ME | 16-NOV-92 | ME | YD1 | 99 | |
| D | NOTICE 1 | MIL-G-52884/12 | GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) [VALIDATION DATE: 9211] REVIEWER: 80 | A | 6115 | ME | 16-NOV-92 | ME | YD1 | 99 | |
| D | NOTICE 1 | MIL-G-52884/13(1) | GENERATOR SET, DIESEL ENGINE DRIVEN, 200 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) [VALIDATION DATE: 9211] REVIEWER: 80 | A | 6115 | ME | 16-NOV-92 | ME | YD1 | 99 | |
| D | NOTICE 1 | MIL-G-52884/14(1) | GENERATOR SET, DIESEL ENGINE DRIVEN, 200 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) [VALIDATION DATE: 9211] REVIEWER: 80 GS | A | 6115 | ME | 16-NOV-92 | ME | YD1 | 99 | |
| D | NOTICE 1 | MIL-G-52889C | GENERATOR SETS, DIESEL ENGINE DRIVEN, 5 KW, 60 HERTZ AND 10 KW, 60 AND 400 HERTZ TACTICAL, UTILITY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9211] USER: CG REVIEWER: GS MC | A | 6115 | ME | 03-NOV-92 | ME | YD1 | 99 | |
| D | NOTICE 2 | MIL-G-52889/1C | GENERATOR SETS, DIESEL ENGINE DRIVEN, 5 KW, 60 HERTZ; TACTICAL, UTILITY [VALIDATION DATE: 9211] REVIEWER: GS MC | A | 6115 | ME | 04-NOV-92 | ME | YD1 | 99 | |
| D | NOTICE 2 | MIL-C-52889/2C | GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 60 HERTZ; TACTICAL, UTILITY [VALIDATION DATE: 9211] USER: CG REVIEWER: GS MC | A | 6115 | ME | 03-NOV-92 | ME | YD1 | 99 | |
| D | NOTICE 1 | MIL-G-52889/3(1) | GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 400 HERTZ; TACTICAL, UTILITY [VALIDATION DATE: 9211] USER: CG REVIEWER: GS MC | A | 6115 | ME | 04-NOV-92 | ME | YD1 | 99 | |
| L | | MIL-G-52889/3(I1) | GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 400 HERTZ; TACTICAL, UTILITY . | A | 6115 | ME | 16-AUG-85 | ME | | | |
| QL | | MIL-E-52891B | ENAMEL, LUSTERLESS, ZINC PHOSPHATE, STYRENATED ALKYD TYPE REVIEWER: MR .... | A | 8010 | ME | 28-JAN-88 | ME | | | |
| L | | MIL-T-52896B | TRUCK, CONCRETE, MOBILE MIXER, 8 CUBIC YARD, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) | A | 3895 | ME | 13-DEC-84 | ME | | | |
| L | | MIL-R-52899B | RAMP, LOADING VEHICLE REVIEWER: AT GS ..... | A | 3990 | ME | 08-JUL-86 | ME | | | |
| L | | MIL-T-52900A | TRUCK, DUMP, 20 TON, ON OFF ROAD MIN, 69,000 GCWR, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [VALIDATION DATE: 8108] REVIEWER: CS MT | A | 3805 | ME | 29-NOV-76 | ME | | | |
| L | | MIL-T-52901 | TRUCK TRACTOR, ON OFF ROAD, ENGINEER MIN. 120,000 GCWR, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [VALIDATION DATE: 8108] REVIEWER: CS | A | 3805 | ME | 26-APR-76 | ME | | | |
| L | NOTICE 2 | MIL-P-52905 | PAINT ARCTIC CAMOUFLAGE, REMOVABLE ..... | A | 8010 | ME | 07-JUL-76 | ME | | | |
| L | | MIL-L-52906 | LOADER, SCOOP TYPE, DED, 4X4, ARTICULATED FRAME STEER, 4 1/2 TO 5 CU YD, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [VALIDATION DATE: 8402] REVIEWER: CS | A | 3805 | ME | 30-AUG-76 | ME | | | |
| L | | MIL-T-52907 | TRACTOR, FULL TRACKED, LOW SPEED, DED, HEAVY DRAWBAR PULL, SIZE T-11 COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [VALIDATION DATE: 8205] | A | 2410 | ME | 23-AUG-76 | ME | | | |
| L | | MIL-T-52908(2) | TRACTOR, WHEELED, WITH BACKHOE, LOADER, HYDRAULIC IMPACT TOOL & HYDRAULIC EARTH AUGER ATTACHMENT, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: AT | A | 2420 | ME | 14-FEB-78 | ME | | | |
| L | | MIL-P-52910B | PALLET, CARGO, FOR RIBBON BRIDGE TRANSPORTER REVIEWER: CS ..... | A | 5420 | ME | 11-MAY-88 | ME | | | |
| L | | MIL-C-52911 | CRANE, TRUCK MOUNTED, HYDRAULIC, 25 TON COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [VALIDATION DATE: 8205] REVIEWER: AT CS | A | 3810 | ME | 27-SEP-76 | ME | | | |
| D | | MIL-C-52913A | CONTROL, ELECTRONIC ACCESS USER: MC SH ..... | A | 6350 | YD1 | 19-JAN-89 | ME | YD1 | 99 | |
| L | | MIL-T-52914B | TOOL OUTFIT, HYDRAULIC SYSTEMS TEST AND REPAIR, MOBILE REVIEWER: CS ..... | A | 4940 | AL | 04-MAY-90 | AL | | | |
| L | | MIL-R-52915A(2) | RECHARGE/SERVICE KIT, FIRE EXTINGUISHER, MONOBROMOTRIFLUOROMETHANE (CF3BR), SKID MOUNTED, ELECTRIC MOTOR DRIVEN | A | 4210 | ME | 10-NOV-82 | ME | | | |
| L | | MIL-D-52916A | DISTRIBUTOR, BITUMINOUS MATERIAL, TRUCK MOUNTED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) | A | 3895 | ME | 07-DEC-89 | ME | | | |
| D | | MIL-L-52918(1) | LEVELS, SURVEYING, SELF LEVELING & TILTING ..... | A | 6675 | ME | 05-JAN-81 | ME | YD1 | 99 | |
| L | | MIL-F-52920D(1) | FLOODLIGHT SET, TRAILER-MOUNTED REVIEWER: GS ..... | A | 6210 | ME | 04-OCT-91 | ME | | | |
| L | | MIL-C-52921A | CRUSHING, SCREENING AND WASHING PLANT, 150 TONS PER HOUR, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: AT | A | 3820 | 84 | 27-APR-89 | | | 99 | |
| L | | MIL-D-52923B | DISTRIBUTOR, WATER, SEMITRAILER MOUNTED, 6000 GALLON ..... | A | 3825 | ME | 13-MAR-85 | ME | | | |
| L | | MIL-G-52927A | GENERATOR SETS, GASOLINE ENGINE, TRAILER MOUNTED 3 KW, 28 VOLT DC, PU-666/G | A | 6115 | ME | 09-MAY-85 | ME | | | |
| | | MIL-T-52930B | TRUCK, LIFT, FORK, ELECTRIC, FRONT SIDE LOADER, SIT DOWN, 4000/2500 POUND CAPACITY [VALIDATION DATE: 8601] REVIEWER: AT CS MT SH | A | 3930 | ME | 24-MAY-82 | ME | SA | | |
| | | MIL-T-52931D | TRACTOR, WHEELED, WAREHOUSE, INTERNAL, COMBUSTION ENGINE, PNEUMATIC-TIRED USER: OS SA SH REVIEWER: 84 AT CS MC MT SH | A | 3930 | ME | 28-FEB-91 | ME | | 99 | |
| | SUPPL 1B1 | MIL-T-52932D | TRUCKS, LIFT, FORK, INTERNAL COMBUSTION ENGINE, 2000-4000-6000 POUND CAPACITY, GENERAL SPECIFICATION FOR USER: OS SH REVIEWER: 84 AT CS MC MT SH | A | 3930 | ME | 26-APR-91 | ME | SA | 99 | |
| | | MIL-T-52932/1B | TRUCK, LIFT, FORK, SOLID TIRES 4000 POUND CAPACITY, 144 INCH LIFT USER: SH REVIEWER: CS MC MT SH | A | 3930 | ME | 01-NOV-83 | ME | SA | 99 | |
| | | MIL-T-52932/2B | TRUCK, LIFT, FORK, SOLID TIRES, 4000 POUND CAPACITY, 180 INCH LIFT USER: SH REVIEWER: CS MC MT SH | A | 3930 | ME | 01-NOV-83 | ME | SA | 99 | |
| | | MIL-T-52932/3B | TRUCK, LIFT, FORK, PNEUMATIC TIRES, 4000 POUND CAPACITY, 144 INCH LIFT .... | A | 3930 | ME | 01-NOV-83 | ME | SH | 99 | CS |
| | | MIL-T-52932/4B | TRUCK, LIFT, FORK, SOLID TIRES, 6000 POUND CAPACITY, 180 INCH LIFT USER: SH REVIEWER: CS MC MT SH | A | 3930 | ME | 01-NOV-83 | ME | SA | 99 | |
| | | MIL-T-52932/5B | TRUCK, LIFT, FORK, PNEUMATIC TIRES, 6000 POUND CAPACITY, 180 INCH LIFT USER: SH REVIEWER: MC MT SH | A | 3930 | ME | 01-NOV-83 | ME | SA | 99 | CS |
| | | MIL-T-52932/6 | TRUCK, LIFT, FORK, SOLID TIRES, 2,000 POUND CAPACITY, 127 INCH LIFT USER: SH REVIEWER: 84 AT CS MC MT SH | A | 3930 | ME | 08-MAY-85 | ME | SA | 99 | |
| L | | MIL-R-52934B | ROLLER, VIBRATORY, SELF-PROPELLED USER: AT MT ..... | A | 3895 | ME | 11-FEB-91 | ME | | | |
| L | | MIL-R-52939 | REGULATOR, CURRENT, RUNWAY LIGHTING, 120 VOLT, 2 1/4 KW, AC [VALIDATION DATE: 8208] | A | 6110 | ME | 08-NOV-77 | ME | | | |
| D | | MIL-A-52940C | AEROSOL GENERATOR, NON THERMAL, INSECTICIDE, ULTRA LOW VOLUME REVIEWER: 84 CE CG MC MS | A | 3740 | CS | 01-NOV-87 | MD | YD1 | 99 | CS |
| | | MIL-T-52941B | TRUCKS, LIFT, FORK, DIESEL-ENGINE-DRIVEN; PNEUMATIC-TIRED, ROUGH TERRAIN; 4,000 POUND CAPACITY AT 24-INCH LOAD CENTER USER: MC REVIEWER: 84 AT CS OS | A | 3930 | ME | 22-AUG-88 | [illegible] | SA | 99 | |
| L | | MIL-T-52942C | TRUCK, FIRE FIGHTING: PUMPER, 1000 GPM; LADDER/WATER TOWER COMBINATION .... | A | 4210 | ME | 02-AUG-88 | ME | | | |
| D | | MIL-T-52943 | TANK, FABRIC, COLLAPSIBLE, PILLOW TYPE (FOR POTABLE WATER) REVIEWER: MD ... | A | 5430 | ME | 18-JAN-78 | ME | YD1 | | |

| Action | Ctrl. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-C-529478 | COAGULANT, WATER TREATMENT: POLYELECTROLYTE, CATIONIC, LIQUID REVIEWER: GS | A | 6810 | ME | ME | 11-AUG-86 | ME | | | |
| | L | MIL-T-52949 | TANK, *LIQUID, CARBON DIOXIDE*, 40,000 LBS CAPACITY, SEMI TRAILER MOUNTED COMMERCIAL [VALIDATION DATE: 8302] | A | 3655 | ME | ME | 20-MAR-78 | ME | | 99 | |
| D | | MIL-C-52950A(2) | CRATES, WOOD, OPEN AND COVERED USER: AR AT MC REVIEWER: CR EA GL SA SM .... | A | 8115 | YD1 | 27-NOV-91 | ME | YD1 | 69 | | |
| | L | MIL-T-52951 | TRUCK, CONTAINER HANDLER, WITH TOP LIFT ATTACHMENTS, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, FOUR WHEEL DRIVEN, ARTICULATED FRAME STEER, ROUGH TERRAIN, 50,000 POUND CAPACITY AT 48 INCH LOAD CENTER | A | 3930 | ME | 17-APR-78 | ME | | | | |
| | | MIL-T-52952 | TRUCK, HAND, PLATFORM, 3,000 POUND CAPACITY [VALIDATION DATE: 8302] REVIEWER: AT GS | A | 3920 | ME | 05-JUN-78 | ME | | | | |
| | | MIL-T-52953C SUPPL 1B1 | TRUCKS, LIFT, FORK, ELECTRIC MOTOR DRIVEN, 2000-3000-4000-6000 POUND CAPACITY GENERAL SPECIFICATION FOR REVIEWER: 84 AT CS MC MY SM | A | 3930 | ME | 27-OCT-89 | ME | SA | 99 | | |
| | | MIL-T-52953/1B | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2000-POUND CAPACITY, 144-INCH LIFT REVIEWER: 84 AT CS MC MT SM | A | 3930 | ME | 27-OCT-89 | ME | SA | 99 | | |
| | | MIL-T-52953/2B | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4000-POUND CAPACITY, 144-INCH LIFT REVIEWER: 84 AT CS MC MT SM | A | 3930 | ME | 27-OCT-89 | ME | SA | 99 | | |
| | | MIL-T-52953/3B | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4000-POUND CAPACITY, 180-INCH LIFT REVIEWER: 84 AT CS MC MT SM | A | 3930 | ME | 27-OCT-89 | ME | SA | 99 | | |
| | | MIL-T-52953/4B | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6000-POUND CAPACITY, 180-INCH LIFT REVIEWER: 84 AT CS MC MT SM | A | 3930 | ME | 27-OCT-89 | ME | SA | 99 | | |
| | | MIL-T-52953/5A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 3000-POUND CAPACITY, 130-INCH LIFT REVIEWER: 84 AT CS MC MT SM | A | 3930 | ME | 27-OCT-89 | ME | SA | 99 | | |
| | | MIL-T-52953/6A | TRUCK, LIFT, FORK, ELECTRIC, PNEUMATIC, 4000-POUND CAPACITY, 144-INCH LIFT REVIEWER: 84 AT CS MC MT SM | A | 3930 | ME | 27-OCT-89 | ME | SA | 99 | | |
| | L | MIL-T-52954 | TAMPING MACHINES, RAILWAY, VIBRATOR TYPE, DIESEL ENGINE DRIVEN [VALIDATION DATE: 8301] | A | 2230 | ME | 28-JUL-78 | ME | | | | |
| | L | MIL-P-52955A(2) | POSITION AND AZIMUTH DETERMINING SYSTEM (PADS): AN/USQ-70 USER: AS MC REVIEWER: GS | A | 6675 | ME | 23-NOV-87 | ME | | | | |
| | | MIL-T-52956A | TEST SET, POSITION & AZIMUTH DETERMINING SYSTEM, AN/USM-427 USER: AS MC ... | A | 6675 | ME | 19-JUL-84 | ME | | 99 | | |
| | L | MIL-T-52957A | TEST SET, POWER SUPPLY, FOR POSITION & AZIMUTH DETERMINING SYSTEM, AN/USM-428 USER: AS MC REVIEWER: GS | A | 6675 | ME | 19-JUL-84 | ME | | | | |
| | L | MIL-T-52958B(1) | TRUCK, FIRE, MINI-PUMPER, COMMERCIAL CHASSIS REVIEWER: CE ..... | A | 4210 | ME | 11-JAN-89 | ME | | | | |
| D | | MIL-W-52960A | WATER PURIFICATION UNIT, REVERSE OSMOSIS, 600 GPH REVIEWER: MD YD1 ..... | A | 4610 | ME | 12-DEC-84 | ME | | 99 | | |
| | L | MIL-W-52960A(12) | WATER PURIFICATION UNIT, REVERSE OSMOSIS, 60 GPH ..... | A | 4610 | ME | 18-SEP-87 | ME | | | | |
| | L | MIL-C-52961A | CAMERA, COPYING, LITHOGRAPHIC, DARKROOM, MOBILE, PROCESS ..... | A | 3610 | ME | 02-APR-92 | ME | | | | |
| | L | MIL-A-52963B | AIR CONDITIONER, SPLIT PACKAGE 208 VOLT, 3 PHASE, 400 HERTZ, AC, 18,000 BTU/HR COOLING, 30,000 BTU/HR HEATING | A | 4120 | ME | 09-SEP-86 | ME | | | | |
| | LI | MIL-T-52964 SUPPL 1B1, NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): OPERATION, STORAGE AND RETRIEVAL, DISTRIBUTION, DRAFTING SUPPORT, COMPILATION, SURVEY, RECTIFIER I, RECTIFIER II, MOSAICKING/DRAFTING, COLLECTION, ANALYSIS, INFORMATION AND SYNTHESIS SECTIONS, SEMITRAILER MOUNTED, GENERAL SPECIFICATION FOR REVIEWER: TE | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/1 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): OPERATIONS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/2 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): STORAGE AND RETRIEVAL SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/3 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): DISTRIBUTION SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/4 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): DRAFTING SUPPORT SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/5 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): COMPILATION SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/6 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): SURVEY SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/7 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): RECTIFIER I SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/8 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): RECTIFIER II SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/9 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): MOSAICKING/DRAFTING SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/10 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): COLLECTION SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/11 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): ANALYSIS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/12 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): INFORMATION SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52964/13 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): SYNTHESIS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52965 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): DIRECT SUPPORT SECTION, TRUCK MOUNTED ... | A | 6675 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52966(1) SUPPL 1B1, NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): CAMERA, PRESS, MAP LAYOUT, PLATE PROCESS, PHOTOMECHANICAL PROCESS, FINISHING, AND PAPER CONDITIONING SECTIONS, SEMITRAILER MOUNTED, GENERAL SPECIFICATION FOR | A | 3610 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52966/1 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): CAMERA SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 3610 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52966/2 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): PRESS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 3610 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52966/3 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): MAP LAYOUT SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 3610 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52966/4 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): PLATE PROCESS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 3610 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52966/5 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): PHOTOMECHANICAL PROCESS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 3610 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52966/6 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): FINISHING SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 3610 | ME | 25-JAN-91 | ME | | | | |
| | LI | MIL-T-52966/7 NOTICE 1 | TOPOGRAPHIC SUPPORT SYSTEM (TSS): PAPER CONDITIONING SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED | A | 3610 | ME | 25-JAN-91 | ME | | | | |
| | L | MIL-C-52967 | CRANE, TRUCK MOUNTED, CONTAINER HANDLING ..... | A | 3950 | ME | 29-MAY-79 | ME | | | | |
| | L | MIL-R-52968D | RAILWAY CAR, FLAT, 56-1/2-INCH GAGE, HEAVY DUTY, 140-TON CAPACITY, DOMESTIC SERVICE REVIEWER: MT | A | 2220 | ME | 22-NOV-88 | ME | | | | |
| | L | MIL-H-52970C | HOSELINE OUTFIT, 4 INCH, FUEL HANDLING REVIEWER: CS ..... | A | 3835 | ME | 11-FEB-86 | ME | | | | |
| | L | MIL-C-52972A | COMPRESSOR UNIT, 5 CFM, 3200 PSI, GASOLINE-ENGINE-DRIVEN, DIVING AIR ..... | A | 4310 | ME | 17-SEP-87 | ME | | | | |
| | L | MIL-C-52973A | COMPRESSOR UNIT, 20 CFM, 3200 PSI, DIESEL-ENGINE-DRIVEN DIVING AIR ..... | A | 4310 | ME | 12-DEC-86 | ME | | | | |
| | L | MIL-C-52974 | CRANE, WHEEL MOUNTED, HYDRAULIC, LIGHT, 7-1/2 TON REVIEWER: AT CS ..... | A | 3810 | ME | 29-SEP-83 | ME | | | | |
| D | | MIL-C-52980B | COMPRESSORS, RECIPROCATING AND ROTARY GASOLINE-ENGINE-DRIVEN, AIR REVIEWER: CS | A | 4310 | ME | 29-JUL-88 | ME | YD1 | | | |
| | | MIL-P-52981(1) | PLANIMETER, POLAR, COMPENSATING, WITH CASE ..... | A | 6675 | ME | 13-AUG-82 | ME | | 99 | | |
| D | L | MIL-T-52982 | TAMPING MACHINES, RAILWAY, VIBRATOR TYPE, DIESEL ENGINE DRIVEN [VALIDATION DATE: 8501] REVIEWER: YD1 | A | 2230 | ME | 03-SEP-80 | ME | | | | |
| D | | MIL-T-52983F | TANKS, FABRIC, COLLAPSIBLE: 3,000, 10,000, 20,000, AND 50,000 GALLON, FUEL REVIEWER: 82 CS MC | A | 5430 | ME | 16-OCT-91 | ME | YD1 | 99 | | |
| | L | MIL-T-52984B | TRUCK, FIRE FIGHTING: BRUSH, 1200 GALLON WATER TANK, 6 X 6, COMMERCIAL CHASSIS USER: CE | A | 4210 | ME | 12-SEP-88 | ME | | | | |

| Action | Doc. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-S-52986 | SCRAPER, ELEVATING, SELF PROPELLED, 9 CUBIC YARD MINIMUM HEAPED CAPACITY, SECTIONALIZED & NON SECTIONALIZED USER: CE REVIEWER: AT CS | A 3805 ME | 30-DEC-80 ME | | | | |
| L | | MIL-D-52987A | DISTRIBUTOR, WATER, SELF-PROPELLED; MINIMUM 2500 GALLON, SECTIONALIZED AND NON-SECTIONALIZED USER: CE REVIEWER: AT | A 3825 ME | 17-MAY-89 ME | | | | |
| L | | MIL-C-52988A | CHAMBER, RECOMPRESSION, DIVERS, 100 PSI | A 4220 ME | 05-NOV-87 ME | | | | |
| L | | MIL-C-52989 | CRANE, TRUCK MOUNTED, HYDRAULIC (VALIDATION DATE: 8501) REVIEWER: CS | A 3950 ME | 23-FEB-81 ME | | | | |
| A L | | MIL-T-52991A | TABLE, SCRIBING, TRACING, DRAFTING: FLIP TOP | A 6675 ME | 18-AUG-92 ME | | | | |
| L | | MIL-H-52992 | HOSE & HOSE ASSEMBLIES, CHEMICAL (INDUSTRIAL AND FIRE FIGHTING) | A 4210 ME | 02-APR-81 ME | | | | |
| L | | MIL-G-52996A(1) | GRADER, HEAVY, ROAD, MOTORIZED, DED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: AT CS | A 3805 ME | 25-OCT-89 ME | | | | |
| L | | MIL-I-52997(2) | INSTALLATION FIXTURE KIT, ROLLER, MINE CLEARING: TRACK-WIDTH, TANK-MOUNTED REVIEWER: 99 | A 1095 ME | 03-JUN-85 ME | | | | |
| A L | | MIL-L-52998A(1) | LIGHT, MARKER, BLINKING REVIEWER: ER | A 6230 ME | 24-JUL-92 ME | | | | |
| L | | MIL-P-52999 | PALLET, MATERIAL HANDLING, WOOD STRINGER CONSTRUCTION, 4-WAY PARTIAL, 48 BY 40 INCHES | A 3990 ME | 31-DEC-81 ME | | | | |
| L | | MIL-S-53000 | SCRAPER, 14-18 CUBIC YARD MINIMUM STRUCK CAPACITY, OPEN BOWL, SINGLE DIESEL ENGINE DRIVEN COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: CS | A 3805 ME | 18-DEC-81 ME | | | | |
| L | | MIL-R-53002(2) | RETROFIT KIT, ROLLER, MINE CLEARING, TRACK WIDTH, TANK MOUNTED REVIEWER: AT | A 1095 ME | 04-JUN-85 ME | | | | |
| A L | | MIL-B-53003B | BOAT, BRIDGE ERECTION, TWIN JET, ALUMINUM HULL, MODEL US CSB, MK-1 AND MK-2 | A 1940 ME | 06-APR-93 ME | | | | |
| D | | MIL-C-53004B | CAMOUFLAGE SCREENING SYSTEMS, MODULAR, LIGHTWEIGHT, SYNTHETIC, WOODLAND, DESERT AND SNOW USER: YD1 | A 1080 ME | 24-MAY-89 ME | MC | 99 | | |
| D | | MIL-G-53006(2) | GASOHOL, AUTOMOTIVE, LEADED OR UNLEADED USER: AT REVIEWER: MC MD PS SA SH | A 9130 ME | 01-DEC-83 ME | YD1 | 68 | | |
| L | | MIL-R-53007A | ROLLER KIT, ROLLER, MINE CLEARING, TRACK WIDTH, TANK MOUNTED REVIEWER: AT | A 1095 ME | 17-OCT-85 ME | | | | |
| L | | MIL-M-53008(2) | MOUNTING KIT ROLLER, MINE CLEARING, TRACK WIDTH, TANK MOUNTED REVIEWER: AT | A 1095 ME | 17-OCT-85 ME | | | | |
| | | MIL-A-53009A | ADDITIVE, ANTIFREEZE EXTENDER, LIQUID COOLING SYSTEMS USER: MC REVIEWER: AT GS SH | A 6850 ME | 02-JUL-91 ME | SH | 68 | | |
| L | | MIL-G-53010(1) | GENERATOR SET, DIESEL ENGINE, TRSB/G | A 6115 ME | 01-JUL-86 ME | | | | |
| L | | MIL-I-53011A | INTERFACE UNIT, ALARM J-4025/FSS-9(V) | A 6350 ME | 22-NOV-88 ME | | | | |
| L | | MIL-S-53012(2) | SUSPENSION KIT, 6 INCH HOSELINE REVIEWER: CS | A 4610 ME | 01-APR-87 ME | | | | |
| L | | MIL-R-53013A | REPAIR KIT, 6-INCH HOSE-LINE REVIEWER: CS | A 4610 ME | 28-MAY-92 ME | | | | |
| L | | MIL-S-53014(1) | SLING ASSEMBLY, FLAKING BOX, LIFTING 6 INCH HOSELINE | A 4610 ME | 08-MAY-87 ME | | | | |
| L | | MIL-D-53015(3) | DISPLACEMENT & EVACUATION KIT, 6 INCH HOSELINE | A 4610 ME | 01-JUN-87 ME | | | | |
| | | MIL-P-53016(1) | PACKING KIT, 6 INCH HOSELINE | A 4610 ME | 20-APR-87 ME | | | | |
| L | | MIL-T-53019(1) | TRUCK, FORKLIFT, ELECTRIC, FRONT/SIDE LOADING 6000/6000 POUND CAPACITY TYPE E COMMERCIAL | A 3930 ME | 28-FEB-84 ME | | | | |
| | | MIL-T-53020 | TRUCKS, LIFT, FORK, DIESEL-ENGINE-DRIVEN: PNEUMATIC-TIRED, ROUGH TERRAIN: 6,000 POUND CAPACITY AT 24-INCH LOAD CENTER USER: CS REVIEWER: MC | A 3930 ME | 14-MAR-83 ME | SA | 99 | | |
| L | | MIL-T-53020(12) | TRUCKS, LIFT, FORK, DIESEL-ENGINE-DRIVEN: PNEUMATIC-TIRED, ROUGH TERRAIN: 6,000 POUND CAPACITY AT 24-INCH LOAD CENTER | A 3930 ME | 12-SEP-83 ME | | | | |
| DQ | | MIL-S-53021A | STABILIZER ADDITIVE, DIESEL FUEL USER: AS AV MC SH REVIEWER: AT GL GS PS SM | A 6850 ME | 15-AUG-88 ME | YD1 | 68 | | |
| QL | | MIL-P-53022B | PRIMER, EPOXY COATING, CORROSION INHIBITING, LEAD & CHROMATE FREE USER: EC ER OS REVIEWER: AR AV | A 8010 ME | 01-JUN-88 ME | AS | | | |
| L | | MIL-T-53023A(2) | TACTICAL WATER DISTRIBUTION EQUIPMENT SYSTEM (TWDS-SETS), 10 MILESEGMENT | A 4320 ME | 11-MAY-88 ME | | | | |
| A L | | MIL-C-53024B | COMPACTOR, HIGH SPEED, SELF-PROPELLED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) | A 3895 ME | 30-OCT-92 ME | | | | |
| L | | MIL-F-53026 | FAN, CIRCULATING | A 4140 ME | 17-MAY-83 ME | | | | |
| L | | MIL-H-53027A(4) | HOSE ASSEMBLY, RUBBER: LIGHTWEIGHT COLLAPSIBLE, 6-INCH: FOR DRINKING (POTABLE) WATER | A 4720 ME | 18-DEC-90 ME | | | | |
| D | | MIL-T-53029B | TANKS, FABRIC, COLLAPSIBLE: 10,000; 20,000; AND 50,000 GALLON, DRINKING WATER USER: MC REVIEWER: 82 CS | A 5430 ME | 21-APR-89 ME | YD1 | 99 | | |
| AQ | | MIL-P-53030A(2) | PRIMER COATING, EPOXY, WATER REDUCIBLE, LEAD AND CHROMATE FREE USER: AT AV | A 8010 ME | 20-AUG-92 ME | AS | | | |
| L | | MIL-T-53031A | TRANSPORTER: M945 CHASSIS, FOR RIBBON FLOATING BRIDGE REVIEWER: CS | A 5420 ME | 21-AUG-91 ME | | | | |
| | | MIL-T-53033A | TRACTOR, WHEELED, ALL WHEEL DRIVE WITH ATTACHMENTS USER: AT REVIEWER: 84 | A 2420 ME | 14-JUN-91 ME | MC | | | |
| L | | MIL-T-53038(1) | TRUCK, LIFT, FORK, VARIABLE REACH, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, ROUGH TERRAIN, 6,000 POUND CAPACITY AT 24 INCH LOAD CENTER | A 3930 ME | 23-NOV-84 ME | | | | |
| MQL | | MIL-C-53039A(2) | COATING, ALIPHATIC POLYURETHANE, SINGLE COMPONENT, CHEMICAL AGENT RESISTANT REVIEWER: AR AT AV EA ER MD MR | A 8010 ME | 19-MAY-93 ME | | | | |
| QL | | MIL-C-53039A(11) | COATING, ALIPHATIC POLYURETHANE, SINGLE COMPONENT, CHEMICAL AGENT RESISTANT | A 8010 ME | 21-DEC-90 ME | | | | |
| L | | MIL-S-53041 | SHIPPING & STORAGE CONTAINER, ROCKET, XM626 | A 8140 ME | 15-AUG-84 ME | | | | |
| D | | MIL-G-53042(1) | GUM PREVENTIVE COMPOUND, GASOLINE USER: AT ER MC SH YD1 REVIEWER: 11 20 GL SM | A 6850 ME | 10-FEB-87 ME | AS | 68 | | |
| L | | MIL-F-53043(1) | FORWARD AREA WATER POINT SUPPLY SYSTEM | A 4320 ME | 20-SEP-91 ME | | | | |
| D | | MIL-P-53044 | PAINTING AND MARKING: FREIGHT AND MAINTENANCE CARS, RAILWAY MOTIVE POWER AND WORK EQUIPMENT USER: MC REVIEWER: 84 | A 2220 ME | 31-AUG-84 ME | YD1 | 99 | | |
| L | | MIL-S-53046(1) | SURVEYING EQUIPMENT, ELECTRONIC DISTANCE MEASURING, MEDIUM RANGE, (SEDME-MR) REVIEWER: GS | A 6675 ME | 27-JAN-86 ME | | | | |
| D L | | MIL-S-53046(12) | SURVEYING EQUIPMENT, ELECTRONIC DISTANCE MEASURING, MEDIUM-RANGE, (SEDME-MR) USER: YD1 REVIEWER: GS | A 6675 ME | 06-DEC-88 ME | | | | |
| L | | MIL-W-53047(3) | WATER CHILLER, SMALL, MOBILE | A 4130 ME | 24-SEP-86 ME | | | | |
| D | | MIL-T-53048C | TANK, FABRIC, COLLAPSIBLE; AIR COLUMN SUPPORTED, OPEN TOP, WATER STORAGE 3000 GALLONS | A 5430 ME | 29-OCT-91 ME | YD1 | | | |
| D | | MIL-S-53049 | SPRAYER, POWERED, ULV, PORTABLE REVIEWER: CL CG MD MS | A 3740 CS | 30-JAN-85 ME | YD1 | 99 | | CS |
| | | MIL-C-53050 | CAMOUFLAGE KIT, GROUND LAUNCHED CRUISE MISSILE (GLCM) SYSTEM REVIEWER: 84 | A 1080 ME | 05-FEB-85 ME | | 99 | | |
| L | | MIL-P-53051 | PUMPING UNIT, CENTRIFUGAL, DIESEL-ENGINE-DRIVEN, SELF-PRIMING, 600 GPM AT 150 PSI AND 1250 GPM AT 180 FEET TOTAL HEAD | A 4320 ME | 25-FEB-85 ME | | | | |
| L | | MIL-P-53051(11) | PUMPING UNIT, CENTRIFUGAL, DIESEL-ENGINE-DRIVEN, SELF-PRIMING, 600 GPM AT 150 PSI AND 1250 GPM AT 180 FEET TOTAL HEAD | A 4320 ME | 09-NOV-88 ME | | | | |
| L | | MIL-C-53052(1) | CONNECTOR, ELECTRICAL, POWER | A 6115 ME | 07-JAN-86 ME | | | | |
| L | | MIL-P-53054A | PUMPING ASSEMBLY, WATER, WHEEL MOUNTED, DIESEL-ENGINE-DRIVEN, SELF-PRIMING CENTRIFUGAL, 6-INCH, 600 GPM AT 350 FEET TOTAL HEAD | A 4320 ME | 11-JUN-87 ME | | | | |
| L | | MIL-P-53054A(11) | PUMPING ASSEMBLY, WATER, WHEEL MOUNTED, DIESEL-ENGINE-DRIVEN, SELF-PRIMING CENTRIFUGAL, 6-INCH, 600 GPM AT 350 FEET TOTAL HEAD | A 4320 ME | 11-MAR-88 ME | | | | |
| L | | MIL-T-53055C | TANK, 3000 GALLON AND 4600 GALLON FABRIC, COLLAPSIBLE, DRINKING WATER, SEMI-TRAILER MOUNTED REVIEWER: CS | A 5430 ME | 16-SEP-91 ME | | | | |
| L | | MIL-C-53057 | CONTAINER CRANE, ROUGHTERRAIN, WHEEL MOUNTED, HYDRAULIC, DIESEL POWERED REVIEWER: AT CS | A 3950 ME | 24-JUL-85 ME | | | | |
| L | | MIL-C-53058A(1) | CRANE, MULTI-PURPOSE, RAILWAY, ON/OFF TRACK, 12,000 POUNDS CAPACITY | A 2230 ME | 06-JUL-87 ME | | | | |
| | | MIL-R-53059(1) | RAILWAY CAR, HOPPER, 56 - 1/2 - INCH GAGE, 100 TON, 8 WHEEL, DOMESTIC SERVICE | A 2220 ME | 06-JUL-87 ME | | | | |
| L | | MIL-H-53063A | HOSE ASSEMBLY, ELASTOMER LIGHTWEIGHT, NONCOLLAPSIBLE, FUEL REVIEWER: CS | A 4720 ME | 12-FEB-92 ME | | | | |
| L | | MIL-H-53064A | HOSE ASSEMBLY, ELASTOMER: LIGHTWEIGHT, COLLAPSIBLE: LIQUID FUEL | A 4720 ME | 12-FEB-92 ME | | | | |
| L | | MIL-P-53065(4) | PUMPING UNIT, FRAME MOUNTED, 1-1/2 INCH, ELECTRIC MOTOR DRIVEN, 35 GPM AT 22 FEET TOTAL HEAD | A 4320 ME | 20-NOV-90 ME | | | | |
| D | | MIL-T-53066A | TANK, FABRIC, COLLAPSIBLE, 5000 BARREL FUEL USER: 82 REVIEWER: CS MC | A 5430 ME | 08-MAY-90 ME | YD1 | 99 | | |
| L | | MIL-B-53067(1) | BOAT, RECONNAISSANCE/ LAND/ ASSAULT, INFLATABLE: 3-, 7-, 15- PERSON | A 1940 ME | 12-JUN-87 ME | | | | |
| | | MIL-T-53068(1) | TANKS, LIGHTWEIGHT, COLLAPSIBLE, PILLOW 160 GALLON (NOMINAL), DRINKING WATER | A 5430 ME | 29-APR-88 ME | | | | |
| L | | MIL-P-53069 | POWER PLANT, DIESEL ENGINE, TRAILER MOUNTED 200 KW, 60 HERTZ, AN/MJQ-11A | A 6115 ME | 08-JUL-87 ME | | | | |
| L | | MIL-C-53071 | COUPLING ASSEMBLIES, QUICK-DISCONNECT, SEXLESS TYPE | A 4730 ME | 08-SEP-87 ME | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | | | MIL-C-53072B | CHEMICAL AGENT RESISTANT COATING (CARC) SYSTEM APPLICATION PROCEDURES AND QUALITY CONTROL INSPECTION REVIEWER: AL AR EA | A | 8010 | ME | 02-SEP-92 | ME | | | | |
| M | | | | MIL-H-53073B | HOSE ASSEMBLY, ELASTOMERIC: FUEL DISCHARGE, COLLAPSIBLE, LIGHTWEIGHT USER: MC REVIEWER: 82 CS SH | A | 4720 | ME | 20-MAY-93 | ME | YD1 | 99 | | |
| | L | | | MIL-H-0053073A | HOSE ASSEMBLY, ELASTOMERIC: FUEL DISCHARGE, COLLAPSIBLE | A | 4720 | ME | 14-MAY-92 | ME | | | | |
| D | | | | MIL-L-53074 | LUBRICATING OIL, STEAM-CYLINDER, MINERAL USER: MC OS YD1 REVIEWER: AS SA | A | 9150 | ME | 04-AUG-87 | ME | SH | | | |
| | L | | | MIL-R-53076A | REFUELING SYSTEM, AVIATION, HEMTT TANKER (REFUELING SYSTEM) | A | 4930 | ME | 20-SEP-91 | ME | | | | |
| | L | | | MIL-M-53077 | MOUNTING KIT: M1, ROLLER, MINE CLEARING: TRACK-WIDTH, TANK MOUNTED | A | 2590 | ME | 18-DEC-87 | ME | | | | |
| | L | | | MIL-M-53078 | MOUNTING KIT: M1 TANK, CLEARED LANE MARKING SYSTEM (CLAMS) | A | 2590 | ME | 23-SEP-87 | ME | | | | |
| | L | | | MIL-A-53079 | ANCHOR, NAVMOOR CAUSEWAY MOORING | A | 2040 | ME | 09-JAN-89 | ME | | | | |
| | | | | MIL-F-53080 | FUEL, ENGINE DESIGN, REFEREE GRADE, TYPE I AND TYPE II (METRIC) USER: TE REVIEWER: AT CE PS | A | 9140 | ME | 28-JAN-88 | ME | AS | | 68 | |
| | L | | | MIL-B-53081 | BERM LINER ASSEMBLIES | A | 5430 | ME | 29-JUL-88 | ME | | | | |
| | L | | | MIL-G-53082 | GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW, 60 HERTZ, 400 HERTZ, AND 28 VOLT DIRECT CURRENT | A | 6115 | ME | 14-AUG-89 | ME | | | | |
| | L | | | MIL-G-53082/1 | GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW, 400 HERTZ | A | 6115 | ME | 14-AUG-89 | ME | | | | |
| | L | | | MIL-G-53082/2 | GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW, 60 HERTZ | A | 6115 | ME | 14-AUG-89 | ME | | | | |
| | L | | | MIL-G-53082/3 | GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW 28 VOLT, DIRECT CURRENT | A | 6115 | ME | 14-AUG-89 | ME | | | | |
| | L | | | MIL-B-53083 | BAG, WATERPROOF, LOAD CARRYING: SPECIAL OPERATIONS WATERPROOF BAG (SOWB) | A | 4220 | ME | 19-AUG-88 | ME | | | | |
| M | L | | | MIL-P-53084 | PRIMER, CATHODIC ELECTRODEPOSITION, CHEMICAL AGENT RESISTANT REVIEWER: AT | A | 8010 | ME | 20-JUL-88 | ME | | | | |
| D | L | | | MIL-S-53085 | SURVEY INSTRUMENT AUTOMATED, INTEGRATED USER: YD1 REVIEWER: GS | A | 6675 | ME | 30-AUG-88 | ME | | | | |
| | L | | | MIL-S-0053085A(1) | SURVEY INSTRUMENT AUTOMATED, INTEGRATED (AISI) | A | 6675 | ME | 29-MAR-91 | ME | | | | |
| | | | | MIL-R-53086 | RUST CONVERTER, METRIC | A | 8030 | ME | 08-NOV-88 | ME | AS | | | |
| | | | | MIL-A-53089A(1) | AIR CONDITIONERS: VERTICAL AND HORIZONTAL, COMPACT, MULTIPLE POWER INPUT USER: MC REVIEWER: 82 GS | A | 4120 | ME | 01-JUN-92 | ME | | | 99 | |
| | L | | | MIL-B-53090 | BLADE, MINE CLEARING REVIEWER: CS MC | A | 2590 | ME | 28-MAR-89 | ME | | | | |
| | L | | | MIL-F-53091 | FILTER-SEPARATOR, LIQUID FUEL: FRAME MOUNTED, 200 GPM CAPACITY, ARCTIC SERVICE | A | 4330 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-D-53092 | DRUM, FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY, LOW TEMPERATURE | A | 8110 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-N-53093 | NOZZLE, ADAPTER, CLOSED-CIRCUIT TO GRAVITY FILL, ARCTIC SERVICE | A | 4930 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-N-53094 | NOZZLE, ASSEMBLY, CLOSED-CIRCUIT REFUELING, ARCTIC SERVICE | A | 4930 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-H-53095 | HOSE ASSEMBLIES, RUBBER, SYNTHETIC, LIQUID PETROLEUM FUELS, DISPENSING, COLLAPSIBLE, LOW TEMPERATURE | A | 4720 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-H-53096 | HOSES AND HOSE ASSEMBLIES, ELASTOMER: RUBBER, LIQUID FUEL, NONCOLLAPSIBLE, LOW TEMPERATURE | A | 4720 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-N-53097 | NOZZLE, PRESSURE FUEL SERVICING, LOCKING, TYPE D-1, NOMINAL 2-1/2-INCH DIAMETER, ARCTIC SERVICE | A | 4030 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-N-53098 | NOZZLES, FUEL AND OIL SERVICING, NONAUTOMATIC SHUTOFF, ARCTIC SERVICE | A | 4930 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-A-53099 | ARCTIC FORWARD AREA REFUELING EQUIPMENT (AFARE) | A | 4930 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-A-53100 | ARCTIC FUEL SYSTEM SUPPLY POINT (AFSSP) | A | 4930 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-T-53101 | TANKS, FABRIC, COLLAPSIBLE: 3,000, 10,000 AND 20,000 GALLON, PETROLEUM, LOW TEMPERATURE | A | 5430 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-B-53102 | BERM LINER ASSEMBLIES, ARCTIC SERVICE | A | 5430 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-P-53103 | PUMP ASSEMBLIES, LOW TEMPERATURE, FLAMMABLE LIQUID, CENTRIFUGAL, SELF-PRIMING | A | 4320 | ME | 07-FEB-90 | ME | | | | |
| | L | | | MIL-P-53108 | PUMP UNIT, CENTRIFUGAL, DIESEL-ENGINE-DRIVEN, 800 GPM AT 1800 FEET TOTAL HEAD | A | 4320 | ME | 26-OCT-90 | ME | | | | |
| | | | | MIL-C-53109 | CAN, FUEL, MILITARY: PLASTIC, 5-GALLON CAPACITY USER: CG MC REVIEWER: 84 GL SM | A | 7240 | ME | 29-NOV-90 | ME | | | 99 | |
| | L | | | MIL-L-53110(1) | LABORATORY, PETROLEUM, MODULAR BASE REVIEWER: MD | A | 6640 | ME | 11-OCT-91 | ME | | | | |
| | L | | | MIL-L-53111 | LABORATORY, PETROLEUM, SUPPLEMENTAL, SEMITRAILER MOUNTED REVIEWER: MD | A | 6640 | ME | 12-SEP-91 | ME | | | | |
| | L | | | MIL-V-53112 | VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, AN/VSQ-3(V), GENERAL SPECIFICATION FOR | F | 5865 | ME | 10-JAN-92 | ME | | | | |
| A | L | | | MIL-V-53112/1(1) | VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, M109/M992 FAMILY OF VEHICLES, AN/VSQ-3(4) (CONTROLLED DISTRIBUTION) | A | 5865 | ME | 03-SEP-92 | ME | | | | |
| | L | | | MIL-A-53113 | AMPLIFIER, VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, AN/VSQ-3(V) | F | 5865 | ME | 10-JAN-92 | ME | | | | |
| | L | | | MIL-A-53114 | ARMOR, VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, AN/VSQ-3(V) | F | 5858 | ME | 10-JAN-92 | ME | | | | |
| | L | | | MIL-C-53115 | COIL, VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, AN/VSQ-3(V), GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION) | F | 5865 | ME | 10-JAN-92 | ME | | | | |
| | L | | | MIL-C-53115/1 | COIL, VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, M109/M992 FAMILY OF VEHICLES, AN/VSQ-3(4) | F | 5865 | ME | 10-JAN-92 | ME | | | | |
| | L | | | MIL-C-53116 | CONTROL PANEL, VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, AN/VSQ-3(V) | F | 5865 | ME | 10-JAN-92 | ME | | | | |
| | L | | | MIL-H-53119 | HYDRAULIC FLUID, NONFLAMMABLE, CHLOROTRIFLUOROETHYLENE BASE | A | 9150 | ME | 01-MAR-91 | ME | | | | |
| | | | | MIL-T-53121 | TRUCK, LIFT, FORK, CLEAN BURNING DIESEL, FRONT/SIDE LOADING, 6000 POUND CAPACITY REVIEWER: SM | A | 3930 | ME | 30-SEP-91 | ME | SA | | | |
| | L | | | MIL-W-53122 | WATER PURIFICATION UNIT REVERSE OSMOSIS, 3,000 GPH | A | 4610 | ME | 31-JAN-92 | ME | | | | |
| | L | | | MIL-P-53123 | POWER UNITS/POWER PLANTS, ELECTRIC, DIESEL ENGINE, TRAILER MOUNTED, GENERAL SPECIFICATION FOR | A | 6115 | ME | 14-APR-92 | ME | | | | |
| | L | | | MIL-P-53123/1 | POWER UNIT, ELECTRIC, 5 KW, 60 HERTZ, PU-751/M | A | 6115 | ME | 14-APR-92 | ME | | | | |
| | L | | | MIL-P-53123/2 | POWER UNIT, ELECTRIC, 10 KW, 60 HERTZ, PU-753/M | A | 6115 | ME | 14-APR-92 | ME | | | | |
| | L | | | MIL-P-53123/3 | POWER PLANT, ELECTRIC, 3 KW, 60 HERTZ, AN/MJQ-32 | A | 6115 | ME | 14-APR-92 | ME | | | | |
| | L | | | MIL-P-53123/4 | POWER PLANT, ELECTRIC, 3 KW, 60 HERTZ, AN/MJQ-33 | A | 6115 | ME | 14-APR-92 | ME | | | | |
| | L | | | MIL-P-53124 SUPPL 181 | POWER UNITS/POWER PLANTS, ELECTRIC, DIESEL ENGINE, TRAILER MOUNTED, GENERAL SPECIFICATION FOR | A | 6115 | ME | 09-APR-92 | ME | | | | |
| | L | | | MIL-P-53124/1 | POWER UNIT, ELECTRIC, 15 KW, 50/60 HERTZ, PU-405 A/M | A | 6115 | ME | 09-APR-92 | ME | | | | |
| | L | | | MIL-P-53124/2 | POWER UNIT, ELECTRIC, 15 KW, 400 HERTZ, PU-732/M | A | 6115 | ME | 09-APR-92 | ME | | | | |
| | L | | | MIL-P-53124/3 | POWE UNIT, ELECTRIC, 30 KW, 50/60 HERTZ, PU-406 B/M | A | 6115 | ME | 09-APR-92 | ME | | | | |
| | L | | | MIL-P-53124/4 | POWER UNIT, ELECTRIC, 30 KW, 400 HERTZ, PU-760/M | A | 6115 | ME | 09-APR-92 | ME | | | | |
| | L | | | MIL-P-53124/5 | POWER UNIT, ELECTRIC, 60 KW, 50/60 HERTZ, PU-650 B/G | A | 6115 | ME | 09-APR-92 | ME | | | | |
| | L | | | MIL-P-53124/6 | POWER UNIT, ELECTRIC, 60 KW, 400 HERTZ, PU-707 A/M | A | 6115 | ME | 09-APR-92 | ME | | | | |
| | L | | | MIL-P-53124/7 | POWER PLANT, ELECTRIC, 15 KW, 400 HERTZ, AN/MJQ-15 | A | 6115 | ME | 09-APR-92 | ME | | | | |
| | L | | | MIL-P-53124/8 | POWER PLANT, ELECTRIC, 30 KW, 50/60 HERTZ, AN/MJQ-10A | A | 6115 | ME | 09-APR-92 | ME | | | | |
| | L | | | MIL-P-53124/9 | POWER PLANT, ELECTRIC, 60 KW, 50/60 HERTZ, AN/MJQ-12A | A | 6115 | ME | 09-APR-92 | ME | | | | |
| | L | | | MIL-P-53125 | POWER PLANTS, ELECTRIC, DIESEL ENGINE, TRAILER MOUNTED, GENERAL SPECIFICATION FOR | A | 6115 | ME | 14-APR-92 | ME | | | | |
| | L | | | MIL-P-53125/1 | POWER PLANT, ELECTRIC, 5 KW, 60 HERTZ, AN/MJQ-16 | A | 6115 | ME | 14-APR-92 | ME | | | | |
| | L | | | MIL-P-53125/2 | POWER PLANT, ELECTRIC, 10 KW, 60 HERTZ, AN/MJQ-18 | A | 6115 | ME | 14-APR-92 | ME | | | | |
| | L | | | MIL-P-53125/3 | POWER PLANT, ELECTRIC, 10 KW, 400 HERTZ, AN/MJQ-25 | A | 6115 | ME | 14-APR-92 | ME | | | | |
| | L | | | MIL-E-53126 | ELECTRICAL DISTRIBUTION EQUIPMENT | A | 6150 | ME | 20-APR-92 | ME | | | | |
| | L | | | MIL-R-53127 | RAKE, MINE CLEARING | A | 2590 | ME | 01-APR-92 | ME | | | | |
| | L | | | MIL-C-53128 | CLEARED LANE MARKING SYSTEM (CLAMS) REVIEWER: AT | A | 2590 | ME | 10-APR-92 | ME | | | | |
| A | | | | MIL-A-53129 | ALARM-MONITOR GROUP OA-9431/FSS-9(V) USER: MC REVIEWER: GS | A | 6350 | ME | 16-SEP-92 | ME | | | 99 | |
| AQ | | | | MIL-L-53131 | LUBRICATING OIL, PRECISION ROLLING ELEMENT BEARING, POLYALPHAOLEFIN BASED USER: 68 | A | 9150 | ME | 10-FEB-93 | ME | AS | | 11 | |
| | | | | MIL-M-53687 | METHYLDOPATE HYDROCHLORIDE INJECTION,USP | A | 6505 | MB | 19-SEP-88 | MD | MS | | 03 | |
| D | | | | MIL-P-54001A | PLUG, PIPE, MAGNETIC, HEADLESS, IRON, STEEL OR ALUMINUM ALLOY (VALIDATION DATE: 8503) USER: AT AV GL MC REVIEWER: CS ME | A | 4730 | AR | 09-MAR-73 | AR | YD1 | 99 | | |
| | | | | MIL-L-54002B NOTICE 1 | LADDER, ALUMINUM, THREE WAY COMBINATION, STEP, STRAIGHT, EXTENSION USER: CE REVIEWER: 84 | A | 5440 | ME | 03-FEB-83 | ME | | | 99 | |
| | L | | | MIL-L-0054002C | LADDER, ALUMINUM, THREE-WAY COMBINATION: STEP, STRAIGHT, EXTENSION, GENERAL SPECIFICATION FOR | A | 5440 | AS | 10-MAR-87 | | AS | | | |

| Action | Doc. / Chkt. Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-A-540038 | ARRESTER, SPARK, M 1941 REVIEWER: 84 CS MC MD ME | A 4520 | GL | 30-SEP-85 | GL | YD1 | 99 | |
| | | MIL-R-55002B(3) NOTICE 1 | RADIO SETS AN/VRC-24( ) (UNITS OF) & CONTROL, RADIO SET C-1439 ( )/U (VALIDATION DATE: 8605) | A 5820 | CR | 28-MAY-86 | CR | | 99 | |
| | | MIL-F-55006(1) NOTICE 1 | FACSIMILE SET AN/TC-1() INACTIVE FOR NEW DESIGN (VALIDATION DATE: 7302) ... | A 5815 | CR | 12-JAN-59 | CR | | 99 | |
| LI | | MIL-R-55015A NOTICE 1 | REPEATER, TELEGRAPH TH-18( )/FG | A 5805 | CR | 03-APR-89 | CR | | | |
| L | | MIL-T-55020(1) | TERMINAL, TELEPHONE AN/TCC-24 (VALIDATION DATE: 7304) | A 5805 | CR | 12-SEP-58 | CR | | | |
| | | MIL-C-55021B | CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP GENERAL SPECIFICATION FOR USER: AL REVIEWER: 11 AR CR IS | A 6145 | 85 | 16-APR-91 | MI | AS | 85 | |
| | | MIL-C-55021/1B | CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, -40 TO +105 DEG. C REVIEWER: AR AT CR IS ME | A 6145 | 85 | 16-APR-91 | MI | AS | 85 | |
| | | MIL-C-55021/2B | CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, -65 TO 200 DEG. C REVIEWER: CR IS | A 6145 | 85 | 16-APR-91 | MI | AS | 85 | |
| I | | MIL-C-55021/3A NOTICE 1 | CABLES: TWISTED PAIR, INTERNAL HOOKUP, SHIELDED AND JACKETED, HIGH TEMPERATURE USER: ME REVIEWER: CR IS | A 6145 | 85 | 16-APR-91 | MI | | 85 | |
| L | | MIL-M-55023C | MANOMETER, U TUBE & CURVED TUBE REVIEWER: AT GL GS MS | A 6685 | 82 | 30-SEP-75 | | | 99 | |
| L | | MIL-P-55025 | POLYSTYRENE, UNMODIFIED (FOR USE AS A BINDER IN EXPLOSIVES). (VALIDATION DATE: 7905) REVIEWER: MI | A 1375 | AR | 23-JUN-58 | AR | | | |
| LI | | MIL-M-55029 | MONITOR, TELEGRAPH, MULTICHANNEL TH-19( )/FG | A 5805 | CR | 03-APR-89 | CR | | | |
| L | | MIL-C-55036A(2) | CABLE, TELEPHONE WM-130( )/G REVIEWER: IS | A 6145 | CR | 14-JAN-87 | CR | | | |
| L | | MIL-C-55038A(1) | CHARGER, RADIAC DETECTOR, PP 1578( )/PD (VALIDATION DATE: 8304) REVIEWER: 99 | A 6665 | CR | 27-AUG-65 | CR | | | |
| L | | MIL-C-55040B(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL (RETRACTIBLE) (VALIDATION DATE: 8504) USER: AT MI REVIEWER: IS | A 6145 | AR | 10-JAN-73 | AR | | | |
| | | MIL-S-55041C SUPPL 1B1 | SWITCH, WAVEGUIDE GENERAL SPECIFICATION FOR USER: 19 AS AV MC OS REVIEWER: 11 17 99 ES MI NS SH SM | A 5985 | EC | 10-JAN-84 | ER | EC | 85 | |
| | | MIL-S-55041/3A | SWITCH, WAVEGUIDE, SP2T, FAILSAFE USER: AS MC OS SH REVIEWER: 11 17 19 ES MI SM | A 5985 | EC | 10-JAN-84 | ER | EC | 85 | |
| | | MIL-S-55041/4A | SWITCH, WAVEGUIDE, TRANSFER, LATCHING USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES MI SM | A 5985 | EC | 10-JAN-84 | ER | EC | 85 | |
| L | | MIL-S-55041/5(1) NOTICE 1 | SWITCH, WAVEGUIDE, ELECTROMECHANICAL, FAILSAFE FREQUENCY RANGE 8.5 - 10.3 GHZ (VALIDATION DATE: 8701) REVIEWER: 99 | A 5985 | 85 | 30-JAN-87 | | | 85 | |
| | | MIL-S-55041/6A | SWITCH, WAVEGUIDE, 1P2T, FAILSAFE USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES | A 5985 | EC | 10-JAN-84 | ER | EC | 85 | |
| | | MIL-S-55041/7A | SWITCH, WAVEGUIDE, 2P2T, FAILSAFE USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES MI NS SM | A 5985 | EC | 10-JAN-84 | ER | EC | 85 | |
| | | MIL-S-55041/8A | SWITCH, WAVEGUIDE, 2P2T, FAIL SAFE, 115 VOLTS, AC USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES MI SM | A 5985 | EC | 10-JAN-84 | ER | EC | 85 | |
| | | MIL-S-55041/9A | SWITCH, WAVEGUIDE, 1P2T, MANUALLY OPERATED USER: 19 AS MC OS SH REVIEWER: 11 17 99 MI NS SM | A 5985 | EC | 10-JAN-84 | ER | EC | 85 | |
| L | | MIL-S-55041/10(1) NOTICE 1 | SWITCH, WAVEGUIDE, ELECTROMECHANICAL, LATCHING, FREQUENCY RANGE 8.6 - 10.3 GHZ (VALIDATION DATE: 8701) REVIEWER: 99 | A 5985 | 85 | 30-JAN-87 | | | 85 | |
| | | MIL-S-55041/11 | SWITCH, WAVEGUIDE, 1P2T, LATCHING USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES MI SM | A 5985 | EC | 10-JAN-84 | ER | EC | 85 | |
| L | | MIL-R-55044(2) NOTICE 1 | REPEATER, TELEPHONE TA-287( )/G (VALIDATION DATE: 8603) USER: MC | A 5805 | CR | 03-MAR-86 | CR | | | |
| D | | MIL-M-55053B SUPPL 1A1 | HARDWARE, POLE LINE (VALIDATION DATE: 8308) USER: MC REVIEWER: 99 GS | A 5975 | ER | 05-OCT-71 | ER | YD1 | 85 | |
| L | | MIL-R-55054A(3) | RADIO RECEIVER R-392( )/URR (VALIDATION DATE: 8605) REVIEWER: MI | A 5820 | CR | 05-APR-65 | CR | | | |
| LI | | MIL-M-55056C NOTICE 1 | WIND MEASURING SET AN/PMQ-6( ) (UNITS OF) REVIEWER: 99 | A 6660 | CR | 10-AUG-89 | CR | | | |
| | | MIL-A-550590 | ADAPTER, BATTERY TERMINAL USER: ER ME REVIEWER: 99 GS | A 5940 | AT | 16-FEB-88 | AT | MC | 85 | |
| | | MIL-T-55069C | TRAINING AID, MODEL BRIDGE, BRIDGE, FLOATING, ALUMINUM, HIGHWAY TYPE, DECK BALK SUPERSTRUCTURE ON PNEUMATIC FLOATS | A 6910 | ME | 19-APR-88 | ME | | | |
| QL | | MIL-C-55074F(1) | CONNECTOR, PLUG AND RECEPTACLE, TELEPHONE, ELECTRICAL, SUBASSEMBLY AND ACCESSORIES AND CONTACT ASSEMBLY, ELECTRICAL, GENERAL SPECIFICATION FOR REVIEWER: ES | A 5935 | CR | 25-FEB-88 | CR | | | |
| L | | MIL-C-55074/1A(1) | CONNECTORS, RECEPTACLE, TELEPHONE, ELECTRICAL | A 5935 | CR | 03-DEC-85 | CR | | | |
| L | | MIL-C-55074/2A(1) | CONNECTOR, RECEPTACLE, TELEPHONE, ELECTRICAL | A 5935 | CR | 03-DEC-85 | CR | | | |
| L | | MIL-C-55074/3A(1) | CONNECTOR, RECEPTACLE, TELEPHONE, ELECTRICAL | A 5935 | CR | 03-DEC-85 | CR | | | |
| L | | MIL-C-55074/4B NOTICE 1 | CONTACT ASSEMBLY, ELECTRICAL | A 5935 | CR | 03-MAR-88 | CR | | | |
| L | | MIL-C-55081C | CONNECTOR, PLUG, ELECTRICAL U-176( )/G CONNECTOR, PLUG, ELECTRICAL U-319( )/G CONNECTOR RECEPTACLE, ELECTRICAL U-121( )/G CONNECTOR, RECEPTACLE, ELECTRICAL U-122( )/G REVIEWER: ES | A 5935 | CR | 03-JUL-90 | CR | | | |
| | | MIL-B-55087B(1) | BALLOON, METEOROLOGICAL, ML-537(1UM) | A 6660 | CR | 01-FEB-84 | CR | | 99 | |
| | | MIL-S-55094 SUPPL 1A1 | STAKE, GUY AND OTHER HARDWARE FOR ANTENNA MASTS (VALIDATION DATE: 8308) USER: MC REVIEWER: 11 99 GS | A 5975 | ER | 02-FEB-60 | ER | | 85 | |
| L | | MIL-R-55099E(1) | RECEIVER, RADIO R-442()/VRC USER: MC | A 5820 | CR | 30-JAN-91 | CR | | | |
| | | MIL-R-55100E | RECEIVER-TRANSMITTER, RADIO RT-246()/VRC AND RECEIVER-TRANSMITTER, RADIO RT-524()/VRC REVIEWER: 80 MC | A 5820 | CR | 22-AUG-90 | CR | | 99 | |
| Q | | MIL-P-55110D(4) | PRINTED WIRING BOARDS GENERAL SPECIFICATION FOR USER: 19 AS CG MC SH TD REVIEWER: 11 16 99 AR ES MI | A 5998 | ER | 02-DEC-90 | ER | EC | 85 | |
| ML | | MIL-C-55116B(1) SUPPL 1A1 | CONNECTORS: MINIATURE AUDIO, FIVE PIN AND SIX PIN GENERAL SPECIFICATION FOR | A 5935 | CR | 02-MAY-90 | CR | | | |
| L | | MIL-C-55116/1A | CONNECTOR, PLUG, FIVE PIN AUDIO, CRIMP SLEEVE TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE REVIEWER: ES MI | A 5935 | CR | 06-NOV-90 | CR | | | |
| L | | MIL-C-55116/2A | CONNECTOR, PLUG, SIX PIN AUDIO, CRIMP SLEEVE TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE REVIEWER: ES MI | A 5935 | CR | 06-NOV-90 | CR | | | |
| L | | MIL-C-55116/3A | CONNECTOR, PLUG, FIVE PIN AUDIO, SOLDER CUP TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE REVIEWER: ES MI | A 5935 | CR | 06-NOV-90 | CR | | | |
| L | | MIL-C-55116/4A | CONNECTOR, PLUG, SIX PIN AUDIO, SOLDER CUP TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE REVIEWER: ES MI | A 5935 | CR | 06-NOV-90 | CR | | | |
| L | | MIL-C-55116/5A | CONNECTOR, PLUG, FIVE PIN AUDIO, CRIMP SLEEVE TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE REVIEWER: ES MI | A 5935 | CR | 06-NOV-90 | CR | | | |
| L | | MIL-C-55116/6A | CONNECTOR, PLUG, SIX PIN AUDIO, CRIMP SLEEVE TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE REVIEWER: ES MI | A 5935 | CR | 06-NOV-90 | CR | | | |
| L | | MIL-C-55116/7A | CONNECTOR, PLUG, FIVE PIN AUDIO, SOLDER CUP TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE REVIEWER: ES MI | A 5935 | CR | 06-NOV-90 | CR | | | |
| L | | MIL-C-55116/8A | CONNECTOR, PLUG, SIX PIN AUDIO, SOLDER CUP TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE REVIEWER: ES MI | A 5935 | CR | 06-NOV-90 | CR | | | |
| L | | MIL-C-55116/9A | CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, SOLDER CUP SPRING TERMINALS, PANEL MOUNT, U-183 TYPE REVIEWER: ES MI | A 5935 | CR | 02-MAY-90 | CR | | | |
| L | | MIL-C-55116/10A | CONNECTOR, RECEPTACLE, SIX PIN AUDIO, SOLDER CUP SPRING TERMINALS, PANEL MOUNT, U-183 TYPE REVIEWER: ES MI | A 5935 | CR | 02-MAY-90 | CR | | | |
| L | | MIL-C-55116/11A | CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, CRIMP SLEEVE SPRING TERMINALS, WIRE STRAIN RELIEF, U-328 TYPE REVIEWER: ES MI | A 5935 | CR | 02-MAY-90 | CR | | | |
| L | | MIL-C-55116/12A | CONNECTOR, RECEPTACLE, SIX PIN AUDIO, CRIMP SLEEVE SPRING TERMINALS, WIRE STRAIN RELIEF, U-226 TYPE REVIEWER: ES MI | A 5935 | CR | 02-MAY-90 | CR | | | |

| Action | OPR / Qtrly Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-C-55116/13A | CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, SOLDER CUP SPRING TERMINALS, WIRE STRAIN RELIEF, U-228 TYPE REVIEWER: ES MI | A | 5935 | CR | 02-MAY-90 | CR | | | | |
| L | | MIL-C-55116/14A | CONNECTOR, RECEPTACLE, SIX PIN AUDIO, SOLDER CUP SPRING TERMINALS, WIRE STRAIN RELIEF, U-228 TYPE USER: ES MI | A | 5935 | CR | 02-MAY-90 | CR | | | | |
| L | | MIL-B-55118A(2) SUPPL 101 | BATTERIES, STORAGE, (CELLS), VENTED, NICKEL CADMIUM USER: ME REVIEWER: GS MI | A | 6140 | ER | 27-MAY-83 | ER | | | | |
| L | | MIL-B-55118/1 | BATTERY, STORAGE BB-418/U [VALIDATION DATE: 8111] REVIEWER: GS | A | 6140 | ER | 29-NOV-71 | ER | | | | |
| L | | MIL-B-55118/2 | BATTERY, STORAGE BB-431/U [VALIDATION DATE: 8111] REVIEWER: GS | A | 6140 | ER | 29-NOV-71 | ER | | | | |
| L | | MIL-B-55118/3 | BATTERY, STORAGE BB-436/U [VALIDATION DATE: 8111] REVIEWER: GS | A | 6140 | ER | 29-NOV-71 | ER | | | | |
| L | | MIL-B-55118/4 | BATTERY, STORAGE BB-437/U [VALIDATION DATE: 8111] REVIEWER: GS | A | 6140 | ER | 29-NOV-71 | ER | | | | |
| L | | MIL-B-55118/5 | BATTERY, STORAGE BB-438/U [VALIDATION DATE: 8111] REVIEWER: GS | A | 6140 | ER | 29-NOV-71 | ER | | | | |
| L | | MIL-B-55118/6 | BATTERY, STORAGE BB-613/U [VALIDATION DATE: 8111] REVIEWER: GS | A | 6140 | ER | 29-NOV-71 | ER | | | | |
| L | | MIL-B-55118/7 | BATTERY, STORAGE BB-616/U [VALIDATION DATE: 8111] REVIEWER: GS | A | 6140 | ER | 29-NOV-71 | ER | | | | |
| L | | MIL-E-55119A(4) NOTICE 1 | ELECTRO ACOUSTICAL TRANSDUCER EQUIPMENTS REVIEWER: ES MC | A | 5965 | CR | 10-APR-87 | CR | | | | |
| | | MIL-C-55126D NOTICE 1 | CONTROLS, INTERCOMMUNICATION SET C-2296( )/VRC, C-2297( )/VRC, C-2298( )/VRC AND CONTROL, RADIO SET C-2299( )/VRC [VALIDATION DATE: 8802] | A | 5820 | CR | 16-FEB-88 | CR | | | | 99 |
| L | | MIL-C-55127D NOTICE 1 | CONTROL, FREQUENCY SELECTOR C-2742( )/VRC [VALIDATION DATE: 8802] REVIEWER: 99 | A | 5820 | CR | 16-FEB-88 | CR | | | | |
| L | | MIL-B-55130A | BATTERIES, RECHARGEABLE, NICKEL CADMIUM SEALED | A | 6140 | ER | 22-AUG-84 | ER | | | | |
| L | | MIL-B-55130/1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-411/U | A | 6140 | ER | 22-AUG-84 | ER | | | | |
| L | | MIL-B-55130/2 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-412/U | A | 6140 | ER | 22-AUG-84 | ER | | | | |
| L | | MIL-B-55130/3A | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-416/U | A | 6140 | ER | 22-AUG-84 | ER | | | | |
| L | | MIL-B-55130/4A | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-417/U | A | 6140 | ER | 22-AUG-84 | ER | | | | |
| L | | MIL-B-55130/5A | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-625/U | A | 6140 | ER | 22-AUG-84 | ER | | | | |
| L | | MIL-C-55134A(3) NOTICE 1 | CABLES, TELEPHONE (INSIDE) [VALIDATION DATE: 8808] REVIEWER: IS | A | 6145 | CR | 31-AUG-88 | CR | | | | |
| L | | MIL-A-55138B(1) NOTICE 1 | ANTENNA AT-784( )/PRC [VALIDATION DATE: 8703] REVIEWER: ES | A | 5985 | CR | 18-MAR-87 | CR | | | | |
| L | | MIL-M-55143A(1) | MOTOR GENERATOR PU-126( )/U (ROTARY CONVERTER) REVIEWER: GS | A | 6125 | ER | 01-AUG-83 | ER | | | | |
| LI | | MIL-N-55145B NOTICE 1 | NIGHT VISION SIGHT, INDIVIDUAL SERVED WEAPON AN/PAS-4A USER: AR AS MC MD | A | 5855 | CR | 05-OCT-90 | CR | | | | |
| L | | MIL-A-55147B(1) NOTICE 1 | AMPLIFIER-POWER SUPPLY GROUP OA-3633( )/GRC [VALIDATION DATE: 8802] USER: MC REVIEWER: 99 | A | 5820 | CR | 16-FEB-88 | CR | | | | |
| | | MIL-P-55149B SUPPL 101 | POSTS, BINDING, ELECTRICAL (INSULATED AND UNINSULATED), GENERAL SPECIFICATION FOR USER: 17 AS MC ME OS REVIEWER: 99 AT EA GS MI | A | 5940 | ER | 14-JAN-88 | ER | SH | 85 | | |
| | | MIL-P-55149/1D | POSTS, BINDING, ELECTRICAL (INSULATED), TYPES PB01FA01 TO PB01FA04, INCLUSIVE REVIEWER: 99 MI | A | 5940 | ER | 16-JUL-91 | ER | EC | 85 | | |
| | | MIL-P-55149/3A NOTICE 1 | POSTS, BINDING, ELECTRICAL (UNINSULATED), TYPES PB03KC01 AND PB03KC02 [VALIDATION DATE: 8909] USER: AR MC OS REVIEWER: 99 AS AT GS MI | A | 5940 | ER | 06-SEP-89 | ER | EC | 85 | | |
| | | MIL-P-55149/7C NOTICE 1 | POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TYPE PB07FA01 [VALIDATION DATE: 8909] REVIEWER: 99 GS | A | 5940 | ER | 06-SEP-89 | ER | EC | 85 | | |
| | | MIL-P-55149/8B(1) | POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TYPES PB08NA01 & PB08NA02 USER: 17 AR MC OS REVIEWER: 99 AS AT GS MI | A | 5940 | ER | 16-FEB-87 | ER | SH | 85 | | |
| | | MIL-P-55149/9(1) NOTICE 1 | POSTS, BINDING, ELECTRICAL, WATERPROOF AND NONWATERPROOF (UNINSULATED), TYPES PB09NC01 TO PB09NC07, INCLUSIVE [VALIDATION DATE: 8909] REVIEWER: 99 AS AT GS MI | A | 5940 | ER | 06-SEP-89 | ER | EC | 85 | | |
| | | MIL-P-55149/10 | POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TYPES PB10NA01 & PB10NA02 USER: AS MC ME OS REVIEWER: 99 AT MI | A | 5940 | ER | 05-FEB-88 | ER | EC | 85 | | |
| L | | MIL-B-55150A | BATTERY, WET, NON-RECHARGEABLE, BA-472 ( ) /U REVIEWER: AR MI | A | 6135 | ER | 21-NOV-83 | ER | | | | |
| L | | MIL-P-55151B(1) | POWER SUPPLY PP-1104( )/G [VALIDATION DATE: 8301] REVIEWER: GS | A | 6130 | ER | 05-MAY-76 | ER | | | | |
| LI | | MIL-R-55154B(1) NOTICE 1 | RADIO SET CONTROL GROUP AN/GRA-39() (UNITS OF) REVIEWER: MI | A | 5820 | CR | 05-OCT-90 | CR | | | | |
| M | | MIL-T-55155C | TERMINALS, FEEDTHRU (INSULATED) AND TERMINALS, STUD (INSULATED AND NONINSULATED), GENERAL SPECIFICATION FOR USER: AS AT MC ME SH REVIEWER: 11 80 AR AV GS MI | A | 5940 | ER | 12-MAY-93 | ER | EC | 85 | | |
| | | MIL-T-55155/1B | TERMINALS, STUD (INSULATED), STYLE FT01 USER: AV MC REVIEWER: 99 AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/2B | TERMINALS, FEEDTHRU (INSULATED), STYLE FT02 USER: AV MC REVIEWER: 99 AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/3C | TERMINALS, FEEDTHRU (INSULATED), STYLE FT03 USER: AV MC REVIEWER: 99 AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/4C | TERMINALS, FEEDTHRU (INSULATED), STYLE FT04 USER: AV MC REVIEWER: 99 AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/5B | TERMINALS, FEEDTHRU (INSULATED), STYLE FT05 USER: AS AV MC REVIEWER: 99 AR GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/6B | TERMINALS, FEEDTHRU (INSULATED), STYLE FT06 USER: AV MC REVIEWER: 99 AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/7B | TERMINALS, STUD (INSULATED), STYLE SE07 USER: AS AV MC REVIEWER: 99 AR GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/8C | TERMINALS, STUD (INSULATED), STYLE SE08 USER: MC REVIEWER: 99 AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/9B | TERMINALS, STUD (INSULATED), STYLE SE09 USER: AV MC REVIEWER: 99 AC AR GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/10B | TERMINALS, STUD (INSULATED), STYLE SE10 USER: AV MC REVIEWER: 99 AR GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/11E | TERMINALS, STUD (NONINSULATED), STYLE SE11 USER: AS AT MC OS REVIEWER: 99 GS ME MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/12D | TERMINALS, STUD (NONINSULATED), STYLE SE12 USER: AV MC REVIEWER: 99 AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/13C | TERMINALS, STUD (NONINSULATED), STYLE SE13 USER: AV MC REVIEWER: AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/14C | TERMINAL, STUD (NONINSULATED), STYLE SE14 USER: AV MC REVIEWER: AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/15C | TERMINALS, STUD (NONINSULATED), STYLE SE15 USER: AV MC REVIEWER: 99 AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/16C | TERMINALS, STUD (NONINSULATED), STYLE SE16 USER: AV MC REVIEWER: 99 AR AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/17C | TERMINALS, STUD (NONINSULATED), STYLE SE17 USER: AT MC OS REVIEWER: 99 AS GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/18B | TERMINALS, STUD (INSULATED), STYLE SE18 USER: AT MC OS REVIEWER: 99 AR AV GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/19C | TERMINALS, STUD (INSULATED), STYLE SE19 USER: AS AT MC OS REVIEWER: 99 AR GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/20C | TERMINALS, STUD (INSULATED), STYLE SE20 USER: AS AT MC OS REVIEWER: 99 AR AV GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/21B | TERMINALS, STUD (INSULATED), STYLE SE21 USER: AS AT MC REVIEWER: 99 AR GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/22B | TERMINALS, STUD (INSULATED), STYLE SE22 USER: AS AT MC OS REVIEWER: 99 AR GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/23B | TERMINALS, STUD (NONINSULATED), STYLE SE23 USER: AT MC REVIEWER: 99 AR GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/24C | TERMINALS, STUD (NONINSULATED), STYLE SE24 USER: AT MC REVIEWER: 99 GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |
| | | MIL-T-55155/25B | TERMINALS, STUD (NONINSULATED), STYLE SE25 USER: AT MC OS REVIEWER: 99 AR GS MI | A | 5940 | ER | 19-MAR-90 | ER | EC | 85 | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-T-55155/26B | TERMINALS, STUD (NONINSULATED), (CIRCULAR, GROUND), STYLE SE26 USER: AS AT MC OS REVIEWER: 99 AR AV GS MI | A | 5940 | | ER | 19-MAR-90 | ER | EC | 85 | |
| | | MIL-T-55155/27C | TERMINALS, STUD (INSULATED) STYLE SE27 REVIEWER: 99 GS MI | A | 5940 | | ER | 19-MAR-90 | ER | EC | 85 | |
| | | MIL-T-55155/29A | TERMINAL, STUD, SINGLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE-29 [VALIDATION DATE: 8102] USER: AR MC OS REVIEWER: 99 AV EC GS MI | A | 5940 | | ER | 17-NOV-78 | ER | AS | 85 | |
| | | MIL-T-55155/30A | TERMINAL, STUD, DOUBLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE-30 [VALIDATION DATE: 8102] USER: AR MC OS REVIEWER: 99 AV EC GS | A | 5940 | | ER | 17-NOV-78 | ER | AS | 85 | |
| | | MIL-T-55155/31A | TERMINAL, STUD, TRIPLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE-31 [VALIDATION DATE: 8503] USER: AR MC OS REVIEWER: 99 EC | A | 5940 | | AS | 17-NOV-78 | ER | AS | 85 | |
| | | MIL-T-55155/32A(1) | TERMINAL, STUD, FORK TYPE (NONINSULATED, SWAGE MOUNTED) [VALIDATION DATE: 8410] REVIEWER: 99 MI | A | 5940 | | AS | 17-APR-78 | ER | AS | 85 | |
| | | MIL-T-55156(1) SUPPL 1D1, NOTICE 1 | TERMINAL, LUG, SPLICES, CONDUCTOR, SCREW TYPE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8707] USER: MC ME REVIEWER: 85 99 GS MI SA | A | 5940 | | ER | 21-JUL-87 | ER | SH | 11 | |
| | | MIL-T-55156/1 NOTICE 1 | TERMINAL, LUG, STYLE LP01 [VALIDATION DATE: 8707] REVIEWER: 85 99 GS SA ... | A | 5940 | | ER | 21-JUL-87 | ER | SH | 11 | |
| | | MIL-T-55156/2 NOTICE 1 | TERMINAL, LUG, STYLE LP02 [VALIDATION DATE: 8707] USER: MC REVIEWER: 85 99 GS SA | A | 5940 | | ER | 21-JUL-87 | ER | SH | 11 | |
| | | MIL-T-55156/3 NOTICE 1 | TERMINAL, SPLICES, CONDUCTOR, STYLE LP03 [VALIDATION DATE: 8707] USER: MC REVIEWER: 85 GS SA | A | 5940 | | ER | 21-JUL-87 | ER | SH | 11 | |
| | | MIL-T-55156/4 NOTICE 1 | TERMINAL, SPLICES, CONDUCTOR, STYLE LP04 [VALIDATION DATE: 8707] USER: MC MD REVIEWER: 85 GS SA | A | 5940 | | ER | 27-JUL-87 | ER | SH | 11 | |
| L | | MIL-P-55157A | PRINTER, PROJECTION, PHOTOGRAPHIC, EH-36( ) REVIEWER: GS ..... | A | 6740 | | CR | 16-MAR-77 | CR | | | |
| L | | MIL-C-55158B(1) | CHARGER, BATTERY, PP-1659( )/G [VALIDATION DATE: 8301] REVIEWER: EA GS .... | A | 6130 | | CR | 27-AUG-74 | CR | | | |
| L | | MIL-P-55159B | PROCESSING MACHINE, PHOTOGRAPHIC FILM & PAPER, EH-29( ) REVIEWER: GS ..... | A | 6740 | | CR | 12-JUN-85 | CR | | | |
| L | | MIL-D-55162B | DARKROOM, PHOTOGRAPHIC, PORTABLE, ES-38( ) ..... | A | 6780 | | CR | 12-NOV-84 | CR | | | |
| | | MIL-T-55164C | TERMINAL BOARDS, MOLDED, BARRIER, SCREW & STUD TYPES, & ASSOCIATED ACCESSORIES, GENERAL SPECIFICATION FOR USER: AS AT AV MC REVIEWER: 11 17 99 EC ES MI OS | A | 5940 | | ER | 28-JAN-87 | ER | SH | 85 | |
| | | MIL-T-55164/1E | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 37TB USER: AT AV MC ME REVIEWER: 17 99 AR AS EC MI OS | A | 5940 | | ER | 28-JAN-87 | ER | SH | 85 | |
| | | MIL-T-55164/2E | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 38TB USER: AT AV MC ME REVIEWER: 17 99 AR AS EC OS | A | 5940 | | ER | 28-JAN-87 | ER | SH | 85 | |
| | | MIL-T-55164/3F | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 39TB USER: AT AV MC ME REVIEWER: 17 99 AS EC MI OS | A | 5940 | | ER | 28-JAN-87 | ER | SH | 85 | |
| | | MIL-T-55164/4E | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 40TB USER: AT AV MC ME REVIEWER: 17 99 AR AS EC MI OS | A | 5940 | | ER | 28-JAN-87 | ER | SH | 85 | |
| | | MIL-T-55164/5C(1) | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 41TB USER: AT AV CG MC ME REVIEWER: 11 99 AR AS EC GS MI OS | A | 5940 | | 85 | 05-OCT-79 | ER | SH | 17 | |
| | | MIL-T-55164/6D | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 42TB [VALIDATION DATE: 8502] USER: AT AV CG MC ME REVIEWER: 99 AR AS EC GS MI OS | A | 5940 | | ER | 09-NOV-77 | ER | SH | 85 | |
| | | MIL-T-55164/7F | BUS CONNECTOR, STYLES TBLD & TBLS USER: AS AT MC ME REVIEWER: 17 99 AR AV EC MI | A | 5940 | | ER | 24-FEB-87 | ER | SH | 85 | |
| | | MIL-T-55164/9A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 3TB USER: 11 AS AT AV MC ME REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/10A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 4TB USER: 11 AS AT AV MC ME REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/11A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 5TB USER: 11 AS AT AV MC ME REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/12A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 6TB USER: 11 AT AV CG MC ME REVIEWER: 99 AR AS EC GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/13A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 7TB USER: 11 AS AT AV MC ME REVIEWER: 99 GS | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/14B | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASSES 8TB USER: 11 AS AT AV MC ME REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/15A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 9TB USER: 11 AS AT AV MC ME REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/16A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 10TB USER: 11 AT AV CG MC ME SH REVIEWER: 99 AS EC GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/17A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 11TB USER: 11 AT AV MC ME SH REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| A | | MIL-T-55164/18 NOTICE 2 | TERMINAL BOARD, MOLDED, BARRIER, STUD TYPE, CLASS 13TB USER: 11 AT AV CG MC ME REVIEWER: 85 AR AS OS | A | 5940 | | SH | 16-DEC-92 | ER | SH | 17 | |
| | | MIL-T-55164/19A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 15TB USER: 11 AT AV MC ME SH REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/20A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 16TB USER: 11 AS AT AV MC ME REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/21A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 17TB USER: 11 AS AT AV MC ME SH REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/22A | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 18TB USER: 11 AS AT AV MC ME REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/23C | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 25TB USER: 11 AT AV CG MC REVIEWER: 17 AR AS EC ES GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/24C | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 26TB USER: 11 AT AV CG MC ME REVIEWER: 17 99 AR AS GS MI OS | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/25C | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE CLASS 27TB USER: 11 AS AT AV MC ME REVIEWER: 99 GS MI | A | 5940 | | ER | 21-NOV-88 | ER | | 85 | |
| | | MIL-T-55164/26C(1) | TERMINAL BOARD, MOLDED, BARRIER, SCREW TYPE, CLASS 43TB ESTABLISHED RELIABILITY USER: AS AT AV MC REVIEWER: 17 AR EC GS OS | A | 5940 | | ER | 25-JAN-80 | ER | SH | 99 | |
| | | MIL-T-55164/27C(1) | TERMINAL BOARD, MOLDED, BARRIER, SCREW TYPE, CLASS 44TB ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR USER: AS AT AV MC REVIEWER: 17 99 AR EC GS OS | A | 5940 | | ER | 25-JAN-80 | ER | SH | 85 | |
| | | MIL-B-55164/28B | BUS (JUMPER) CONNECTORS STYLES TBJA, TBJB, TBJC, TBJD, TBJE, TBJF, TBJG, TBJH, AND TBJI USER: AT AV CG MC ME REVIEWER: 11 17 99 AR AS GS MI OS | A | 5940 | | ER | 08-APR-91 | ER | SH | 85 | |
| | | MIL-M-55164/29B | MARKER STRIPS, FOR CLASS 37TB TERMINAL BOARDS USER: AS AT MC ME REVIEWER: 17 99 AR AV EC MI OS | A | 5940 | | ER | 07-MAR-90 | ER | SH | 85 | |
| | | MIL-M-55164/30B | MARKER STRIPS, FOR CLASS 38TB TERMINAL BOARDS USER: AS AT MC ME REVIEWER: 17 99 AR AV EC MI OS | A | 5940 | | ER | 07-MAR-90 | ER | SH | 85 | |
| | | MIL-M-55164/31B | MARKER STRIPS, FOR CLASS 39TB TERMINAL BOARDS USER: AS AT MC ME REVIEWER: 17 99 AR AV EC MI OS | A | 5940 | | ER | 07-MAR-90 | ER | SH | 85 | |
| | | MIL-M-55164/32B | MARKER STRIPS, FOR CLASS 40TB TERMINAL BOARDS USER: AS AT MC ME REVIEWER: 17 99 EC OS | A | 5940 | | ER | 07-MAR-90 | ER | SH | 85 | |
| L | | MIL-M-55167B | MOUNTING MT-1029( )/VRC & MT-1898( )/VRC ..... | A | 5820 | | CR | 05-JAN-88 | CR | | | |
| L | | MIL-R-55168B | RETRANSMISSION CABLE KIT MK-456 ( )/GRC (UNITS OF) REVIEWER: GS ..... | A | 5995 | | CR | 26-JUL-90 | CR | | | |
| L | | MIL-C-55169(1) SUPPL 1D1, NOTICE 1 | CONNECTORS, ELECTRIC, TYPE "Q", MULTI-CONTACT [VALIDATION DATE: 9108] REVIEWER: ES | A | 5935 | | CR | 02-AUG-91 | CR | | | |
| L | | MIL-C-55172B | CABINET, ELECTRICAL EQUIPMENT,CY-3397( )/G [VALIDATION DATE: 8308] REVIEWER: 99 GS | A | 5975 | | ER | 17-JAN-72 | ER | | | |
| L | | MIL-D-55176C | DATA, ELECTRONICS COMMAND ENGINEERING DOCUMENT CONTROL [VALIDATION DATE: 8502] | A | MIS | | ER | 18-OCT-66 | ER | | | |
| | | MIL-C-55181C(1) SUPPL 1A1 | CONNECTOR, PLUG & RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, GENERAL SPECIFICATION FOR REVIEWER: 11 99 ES | A | 5935 | | CR | 07-NOV-85 | CR | EC | 85 | |
| | | MIL-C-55181/1C | CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF), TYPE MW, SOCKET CONTACT, 4 TERMINAL REVIEWER: 11 99 ES | A | 5935 | | CR | 23-JUN-86 | CR | EC | 85 | |

| Action | Ckg. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-55181/2C | CONNECTOR, RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF), TYPE MW, PIN CONTACT, 4 TERMINAL REVIEWER: 11 99 ES | A 5935 | CR | 23-JUN-86 | CR | EC | 85 | |
| | | MIL-C-55181/3C | CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, PIN CONTACT, 4 TERMINAL REVIEWER: 11 99 ES | A 5935 | CR | 23-JUN-86 | CR | EC | 85 | |
| | | MIL-C-55181/4C | CONNECTOR, RECEPTACLE, ELECTRICAL REVIEWER: 11 99 ES | A 5935 | CR | 23-JUN-86 | CR | EC | 85 | |
| | | MIL-C-55181/5C | CONNECTOR, PLUG, ELECTRICAL REVIEWER: 11 99 ES | A 5935 | CR | 23-JUN-86 | CR | EC | 85 | |
| | | MIL-C-55181/6C | CONNECTOR, RECEPTACLE, ELECTRICAL REVIEWER: 11 99 ES | A 5935 | CR | 23-JUN-86 | CR | EC | 85 | |
| | | MIL-C-55181/7C | CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, PIN CONTACT, 18 TERMINAL REVIEWER: 11 99 ES | A 5935 | CR | 23-JUN-86 | CR | EC | 85 | |
| | | MIL-C-55181/8C | CONNECTOR, RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, SOCKET CONTACT, 18 TERMINAL REVIEWER: 11 99 ES | A 5930 | CR | 23-JUN-86 | CR | EC | 85 | |
| Q | | MIL-R-55182F(1) SUPPL 1A1 | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: AR AS ES OS | A 5905 | ER | 24-AUG-90 | ER | EC | 85 | |
| | | MIL-R-55182/1M(2) | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RNR551 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 | ER | 26-JAN-90 | ER | EC | 85 | |
| I | | MIL-R-55182/2H NOTICE 1 | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RNR57 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A 5905 | ER | 20-DEC-89 | ER | EC | 85 | |
| | | MIL-R-55182/3M | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RNR601 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A 5905 | ER | 20-DEC-89 | ER | EC | 85 | |
| | | MIL-R-55182/5K | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RNR65 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A 5905 | ER | 20-DEC-89 | ER | EC | 85 | |
| | | MIL-R-55182/6M | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RNR70 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A 5905 | ER | 20-DEC-89 | ER | EC | 85 | |
| | | MIL-R-55182/7K(2) | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RNR50 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 | ER | 26-JAN-90 | ER | EC | 85 | |
| | | MIL-R-55182/9E | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RNC90 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 | ER | 26-JAN-90 | ER | EC | 85 | |
| | | MIL-R-55182/10C | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RNR75 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS | A 5905 | ER | 20-DEC-89 | ER | EC | 85 | |
| LI | | MIL-R-55182/11C | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RNR51 | A 5905 | EC | 09-MAR-90 | | EC | | |
| LI | | MIL-R-55182/12C | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RNR56 | A 5905 | EC | 09-MAR-90 | | EC | | |
| | | MIL-R-55182/13 | RESISTORS, FIXED, FILM ESTABLISHED RELIABILITY STYLE RNR77 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A 5905 | ER | 04-OCT-90 | ER | EC | 85 | |
| LI | | MIL-C-55194(3) NOTICE 1 | CONTROL, INTERCOMMUNICATION SET C-1611()/AIC | A 5831 | CR | 10-OCT-90 | CR | | | |
| L | | MIL-M-55198A NOTICE 1 | MICROPHONE, DYNAMIC M-116( )/G [VALIDATION DATE: 8704] REVIEWER: EA ES | A 5965 | CR | 27-APR-87 | CR | | | |
| L | | MIL-P-55200D | POWER SUPPLY PP-2953( )/U [VALIDATION DATE: 8308] REVIEWER: GS MI | A 6130 | ER | 02-OCT-73 | ER | | | |
| L | | MIL-T-55207C | TEST SET, ELECTRICAL, CABLE: AN/GSM-45 REVIEWER: AR | A 6625 | MI | 01-APR-91 | MI | | | |
| L | | MIL-G-55210 | GENERATOR, THERMAL NOISE SG-419( )/U [VALIDATION DATE: 8606] | A 6625 | CR | 06-JUN-86 | CR | | | |
| LI | | MIL-A-55218 NOTICE 1 | AMPLIFIER, INTERMEDIATE FREQUENCY AM-761( )/TPX | A 5895 | CR | 17-OCT-89 | CR | | | |
| L | | MIL-R-55219B NOTICE 1 | RADIO SET AN/GRC-50(V) (UNITS OF) [VALIDATION DATE: 8605] | A 5820 | CR | 28-MAY-86 | CR | | | |
| L | | MIL-M-55220A | MAST AB-577( )/GRC [VALIDATION DATE: 8110] REVIEWER: ES | A 5985 | ER | 10-SEP-73 | ER | | | |
| LI | | MIL-R-55223B NOTICE 1 | REGULATOR, VOLTAGE CN-514( )/GRC REVIEWER: GS | A 6110 | CR | 26-JAN-90 | CR | | | |
| L | | MIL-M-55233(3) NOTICE 1 | MICROPHONE M-33A/AIC [VALIDATION DATE: 8701] REVIEWER: ES | A 5965 | CR | 09-JAN-87 | CR | | | |
| L | | MIL-S-55234 NOTICE 1 | STANDING WAVE RATIO POWER METER, ME-166( )/G [VALIDATION DATE: 8606] | A 6625 | CR | 06-JUN-86 | CR | | | |
| L | | MIL-C-55235 NOTICE 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TPS [VALIDATION DATE: 8808] REVIEWER: ES | A 5935 | CR | 31-AUG-88 | CR | | | |
| L | | MIL-T-55237(1) NOTICE 2 | TRANSMITTER, RADAR, T-494( )/FPN-40 & POWER SUPPLY PP-2489/FPN-40 (INACTIVE FOR NEW DESIGN) | A 5840 | CR | 16-AUG-82 | CR | | | |
| L | | MIL-R-55238C NOTICE 1 | RADIO SET AN/GRC-106( ) (UNITS OF) [VALIDATION DATE: 8605] USER: MC | A 5820 | CR | 28-MAY-86 | CR | | | |
| L | | MIL-R-55242(4) NOTICE 1 | RADIO SET AN/GRC-109() (UNITS OF) [VALIDATION DATE: 8605] REVIEWER: 99 | A 5820 | CR | 05-JUL-67 | CR | | | |
| L | | MIL-C-55243 NOTICE 1 | CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, QUICK CONNECT AND DISCONNECT, 12 CONTACTS, MEDIUM POWER [VALIDATION DATE: 9108] REVIEWER: ES MI | A 5935 | CR | 02-AUG-91 | CR | | | |
| L | | MIL-B-55252B | BATTERIES, NON-RECHARGEABLE, MAGNESIUM | A 6135 | CR | 14-FEB-92 | CR | | | |
| L | | MIL-B-55252/1 | BATTERY MAGNESIUM, DRY BA-4386/PRC-25 | A 6135 | CR | 17-JAN-92 | CR | | | |
| L | | MIL-T-55255A(1) | TERMINAL, TELEGRAPH-TELEPHONE AN/TCC-29( ) AND UNITS OF REVIEWER: 99 | A 5805 | CR | 17-FEB-89 | CR | | | |
| L | | MIL-S-55257C | SHOP, ELECTRONIC, SHELTER MOUNTED AN/ASM-146( ) & AN/ASM-147( ) REVIEWER: CS | A 4940 | CR | 22-MAY-85 | CR | | | |
| L | | MIL-S-55286E(1) | SHELTER, ELECTRICAL EQUIPMENT S-280()/G REVIEWER: CS | A 5411 | GL | 21-MAY-85 | GL | | | |
| L | | MIL-S-55286E(12) | SHELTER, ELECTRICAL EQUIPMENT, S-280( )/G | A 5411 | GL | 16-DEC-91 | GL | | | |
| L | | MIL-A-55288C(2) | ANTENNA AS-1729/VRC USER: MC REVIEWER: MI | A 5985 | CR | 29-JUL-91 | CR | | | |
| L | | MIL-M-55289A | MODIFICATION KIT MK-710( )/TMQ (UNITS OF) [VALIDATION DATE: 8502] REVIEWER: 99 | A 6660 | CR | 13-JAN-84 | CR | | | |
| Q | | MIL-C-55302E SUPPL 1A1, NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI OS SH | A 5935 | CR | 09-APR-86 | CR | EC | 17 | |
| | | MIL-C-55302/1C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR PRINTED WIRING BOARDS (.150 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS REVIEWER: 11 85 99 AS ES MI | A 5935 | CR | 06-SEP-88 | CR | EC | 17 | |
| | | MIL-C-55302/2D NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.150 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS REVIEWER: 11 85 99 AS ES MI | A 5935 | CR | 06-SEP-88 | CR | EC | 17 | |
| | | MIL-C-55302/4D NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT MC OS SH REVIEWER: 11 85 99 AS ES | A 5935 | CR | 19-SEP-88 | CR | EC | 17 | |
| | | MIL-C-55302/5D NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS REVIEWER: 11 85 99 AS ES | A 5935 | CR | 19-SEP-88 | CR | EC | 17 | |
| | | MIL-C-55302/6G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT MC OS SH REVIEWER: 11 85 99 AS AV ES MI | A 5935 | CR | 13-APR-88 | CR | EC | 17 | |
| | | MIL-C-55302/7C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS SH REVIEWER: 11 85 99 AS ES | A 5935 | CR | 19-SEP-88 | CR | EC | 17 | |
| | | MIL-C-55302/8D NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS SH REVIEWER: 11 85 99 AS ES | A 5935 | CR | 19-SEP-88 | CR | EC | 17 | |
| | | MIL-C-55302/16B NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PIN, RIGHT-ANGLE, FOR PRINTED WIRING BOARDS (.200 SPACING) [VALIDATION DATE: 9108] USER: 19 AT AV MC REVIEWER: 11 85 AR AS ES MI | A 5935 | CR | 01-AUG-91 | CR | EC | 17 | |

| Action | Opt. / Cat. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-55302/17A NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: SOCKET, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.200 SPACING) (VALIDATION DATE: 9108) USER: 19 AT MC ME REVIEWER: 85 AR AS ES MI | A | 5935 | CR | | 01-AUG-91 | CR | EC | 11 | |
| | | MIL-C-55302/18A NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PIN, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.200 SPACING) (VALIDATION DATE: 9108) USER: 19 AT MC ME REVIEWER: 85 AS ES MI | A | 5935 | CR | | 01-AUG-91 | CR | EC | 11 | |
| | | MIL-C-55302/19D NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS RIGHT-ANGLE, 41 COMPOSITE CONTACT, FOR PRINTED WIRING BOARDS (.150 SPACING) (VALIDATION DATE: 8809) USER: 19 AT AV MC OS REVIEWER: 11 85 99 AS ES MI | A | 5935 | CR | | 06-SEP-88 | CR | EC | 17 | |
| | | MIL-C-55302/20D NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.150 SPACING) (VALIDATION DATE: 8809) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AS ES MI OS SH | A | 5935 | CR | | 06-SEP-88 | CR | EC | 17 | |
| | | MIL-C-55302/21E NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, 92 COMPOSITE CONTACT, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) (VALIDATION DATE: 8809) USER: 19 AT AV MC OS SH REVIEWER: 11 85 99 AS ES MI | A | 5935 | CR | | 06-SEP-88 | CR | EC | 17 | |
| | | MIL-C-55302/22E NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING-BOARDS (.100 SPACING) (VALIDATION DATE: 8809) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI MS OS SH | A | 5935 | CR | | 06-SEP-88 | CR | EC | 17 | |
| | | MIL-C-55302/23F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, DECADE INCREMENT 10 THRU 120, 150, 160, AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A | 5935 | CR | | 31-OCT-88 | CR | EC | 17 | |
| M | | MIL-C-55302/24F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DECADE INCREMENT 10 THRU 110 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING) USER: 19 AT AV MC ME SH REVIEWER: 11 99 AR AS ES MI OS | A | 5935 | CR | | 07-JUN-93 | CR | EC | 17 | |
| M | | MIL-C-55302/25E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 120, 150, 160, AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A | 5935 | CR | | 07-JUN-93 | CR | EC | 17 | |
| M | | MIL-C-55302/26E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID) USER: 19 AT AV MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A | 5935 | CR | | 07-JUN-93 | CR | EC | 17 | |
| M | | MIL-C-55302/27H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID) USER: 19 AT AV MC ME REVIEWER: 11 99 AR AS ES MI OS SH | A | 5935 | CR | | 07-JUN-93 | CR | EC | 17 | |
| | | MIL-C-55302/29A NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: GAGE FOR CONTACT SEPERATION FORCE TEST METHOD (VALIDATION DATE: 9108) USER: 19 AT MC ME REVIEWER: 85 AR AS ES MI SH | A | 5935 | CR | | 01-AUG-91 | CR | EC | 11 | |
| | | MIL-C-55302/30A NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: TEST PROBE FIXTURE FOR RESISTANCE TO TEST PROBE DAMAGE (VALIDATION DATE: 8809) USER: 19 AT AV MC ME REVIEWER: 85 AS ES MI | A | 5935 | CR | | 06-SEP-88 | CR | EC | 17 | |
| M | | MIL-C-55302/31J | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING ACCESSORIES USER: 19 AT AV MC ME REVIEWER: 99 AR AS ES MI OS SH | A | 5935 | CR | | 07-JUN-93 | CR | EC | 17 | |
| M | | MIL-C-55302/32F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS, SOLDER EYELET AND WRAPPOST REMOVABLE TYPES USER: 19 AT AV MC ME REVIEWER: 99 AR AS ES MI OS SH | A | 5935 | CR | | 07-JUN-93 | CR | EC | 17 | |
| L | | MIL-C-55302/38B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, ELECTRICAL, POLARIZED SHELL, MALE, 0.100 INCH CONTACT SPACING, PIN TERMINAL | A | 5935 | AT | | 08-JUN-90 | AT | | | |
| L | | MIL-C-55302/42B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, ELECTRICAL, POLARIZED SHELL, FEMALE, 0.100 INCH CONTACT SPACING, REMOVABLE CRIMP CONTACTS | A | 5935 | AT | | 20-MAR-90 | AT | | | |
| | | MIL-C-55302/52C NOTICE 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC OS SH REVIEWER: 11 99 AR AS ES MI | A | 5935 | CR | | 29-MAY-92 | CR | EC | 17 | |
| A | | MIL-C-55302/53B NOTICE 3 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT-ANGLE, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC OS SH REVIEWER: 11 99 AR AS ES MI | A | 5935 | CR | | 29-MAY-92 | CR | EC | 17 | |
| | | MIL-C-55302/54B NOTICE 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC OS SH REVIEWER: 11 99 AR AS ES MI | A | 5935 | CR | | 29-MAY-92 | CR | EC | 17 | |
| A | | MIL-C-55302/55F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A | 5935 | CR | | 23-SEP-92 | CR | EC | 17 | |
| A | | MIL-C-55302/56G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A | 5935 | CR | | 23-SEP-92 | CR | EC | 17 | |
| A | | MIL-C-55302/57G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A | 5935 | CR | | 23-SEP-92 | CR | EC | 17 | |
| A | | MIL-C-55302/58H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A | 5935 | CR | | 23-SEP-92 | CR | EC | 17 | |
| A | | MIL-C-55302/59G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, DECADE INCREMENTS 90, 100 AND 120 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A | 5935 | CR | | 31-DEC-92 | CR | EC | 17 | |
| A | | MIL-C-55302/60H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 90, 100 AND 120 CONTACT POSITIONS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A | 5935 | CR | | 31-DEC-92 | CR | EC | 17 | |
| A | | MIL-C-55302/61F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI | A | 5935 | CR | | 08-APR-93 | CR | EC | 17 | |
| A | | MIL-C-55302/62G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A | 5935 | CR | | 08-APR-93 | CR | EC | 17 | |
| A | | MIL-C-55302/63F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A | 5935 | CR | | 08-APR-93 | CR | EC | 17 | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-55302/64G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A 5935 | CR | 08-APR-93 | CR | EC | 17 | |
| A | | MIL-C-55302/65G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A 5935 | CR | 08-APR-93 | CR | EC | 17 | |
| A | | MIL-C-55302/66F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD | A 5935 | CR | 08-APR-93 | CR | EC | 17 | |
| A LI | | MIL-C-55302/67C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.090 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| A LI | | MIL-C-55302/68C NOTICE 1 | CONNECTORS, PRINTED CIRCIUT SUBASSEMBLY AND ACCESSORIED, SOCKET RECEPTACLE, ELECTRICAL, POLARIZED (.090 SPACING), REMOVABLE CRIMP CONTACTS [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| A LI | | MIL-C-55302/69C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN PLUG, ELECTRICAL POLARIZED (.090 SPACING), REMOVABLE CRIMP CONTACTS [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| A LI | | MIL-C-55302/70C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| A LI | | MIL-C-55302/71C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET RECEPTACLE, ELECTRICAL, POLARIZED COMPOSITE CONTACT (.100 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| A LI | | MIL-C-55302/72C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET ENVIRONMENTAL RESISTANT, RECEPTACLE, ELECTRICAL, POLARIZED (.150 SPACING), REMOVABLE CRIMP CONTACTS [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| A LI | | MIL-C-55302/73C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE, ENVIRONMENTAL RESISTANT, PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.150 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| A LI | | MIL-C-55302/74C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE, PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| A LI | | MIL-C-55302/75C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET, RECEPTACLE, ELECTRICAL, POLARIZED (.100 SPACING), REMOVABLE CRIMP CONTACTS [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| A LI | | MIL-C-55302/76C NOTICE 1 | CONNECTORS, PRINTED CIRCIUT SUBASSEMBLY AND ACCESSORIES, SOCKET, STRAIGHT-THRU, POLARIZED FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| A LI | | MIL-C-55302/77C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN RIGHT-ANGLE FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 14-OCT-92 | | | 17 | |
| L | | MIL-C-55302/78C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEY, POLARIZING, CONNECTORS, ELECTRICAL PRINTED WIRING BOARDS USER: 19 REVIEWER: 11 85 99 ES | A 5935 | 17 | 02-MAR-89 | | | 17 | |
| LI | | MIL-C-55302/82B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, 41, 66, 114 CONTACT POSITIONS: FOR PRINTED WIRING BOARDS (.100 X .050 OFFSET GRID) USER: 19 REVIEWER: 11 85 99 ES | A 5935 | 17 | 02-MAR-89 | | | 17 | |
| LI | | MIL-C-55302/83B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 41, 66, 114 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 X .050 OFFSET GRID) USER: 19 REVIEWER: 11 85 99 ES | A 5935 | 17 | 02-MAR-89 | | | 17 | |
| LI | | MIL-C-55302/84B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS - CRIMP, DIP SOLDER TAIL, SOLDER TURRET, AND WIREWRAP USER: 19 REVIEWER: 11 ES | A 5935 | 17 | 02-MAR-89 | | | 17 | |
| LI | | MIL-C-55302/85A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING PLUG USER: 19 REVIEWER: 11 85 ES | A 5935 | 17 | 02-MAR-89 | | | 17 | |
| L | | MIL-C-55302/89D NOTICE 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT-ANGLE, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 29-MAY-92 | CR | | | |
| L | | MIL-C-55302/90D NOTICE 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, RIGHT-ANGLE, HERMAPHRODITIC CONTACT (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 29-MAY-92 | CR | | | |
| L | | MIL-C-55302/91D NOTICE 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 29-MAY-92 | CR | | | |
| L | | MIL-C-55302/92D NOTICE 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 29-MAY-92 | CR | | | |
| L | | MIL-C-55302/93D NOTICE 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, INSERT (INSULATOR), RECTANGULAR, POLARIZED, REMOVABLE CRIMP TYPE, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 29-MAY-92 | CR | | | |
| L | | MIL-C-55302/94D NOTICE 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, INSERT (INSULATOR), RECTANGULAR, POLARIZED, REMOVABLE, CRIMP TYPE HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 29-MAY-92 | CR | | | |
| L | | MIL-C-55302/95D NOTICE 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, COMPOSITE WRAPPOST, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 29-MAY-92 | CR | | | |
| L | | MIL-C-55302/96D NOTICE 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, WRAPPOST (REMOVABLE) HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 29-MAY-92 | CR | | | |
| L | | MIL-C-55302/97C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS HERMAPHRODITIC, CRIMP REMOVABLE FOR WIRE (STRANDED) [VALIDATION DATE: 8809] USER: AR ME REVIEWER: ES | A 5935 | CR | 19-SEP-88 | CR | | | |
| L | | MIL-C-55302/98C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACT, WRAPPOST REMOVABLE TYPE [VALIDATION DATE: 8809] USER: AR ME REVIEWER: ES | A 5935 | CR | 19-SEP-88 | CR | | | |
| LI | | MIL-C-55302/99C NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, WRAPPOST REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 24-OCT-91 | CR | | | |
| L | | MIL-C-55302/100B NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, HERMAPHRODITIC CONTACT, WRAPPOST, REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [VALIDATION DATE: 8808] USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 31-AUG-88 | CR | | | |
| L | | MIL-C-55302/101B NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, WRAPPOST REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [VALIDATION DATE: 8809] USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR | 07-SEP-88 | CR | | | |

| Action | ORL / Orig. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | LI | MIL-C-55302/102D NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR 24-OCT-91 | CR | | | |
| | LI | MIL-C-55302/103D NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR 24-OCT-91 | CR | | | |
| | LI | MIL-C-55302/104D NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG STRAIGHT-THRU, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI | A 5935 | CR 24-OCT-91 | CR | | | |
| | M | MIL-C-55302/110G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, 30 THROUGH 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID) USER: 19 AT AV MC ME REVIEWER: 99 AR AS ES MI OS | A 5935 | CR 07-JUN-93 | CR | EC | 17 | |
| | | MIL-C-55302/111A NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS, (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS REVIEWER: 11 80 85 99 AS ES MI | A 5935 | CR 07-SEP-88 | CR | EC | 17 | |
| | M L | MIL-C-55302/113E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, 30 THROUGH 110 CONTACT POSITIONS, CRIMP REMOVABLE CONTACTS (.100 SQUARE GRID) USER: 19 REVIEWER: 11 85 99 ES | A 5935 | 17 06-MAY-93 | | | 17 | |
| | M L | MIL-C-55302/117D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING) USER: 19 REVIEWER: 11 85 99 ES | A 5935 | 17 06-MAY-93 | | | 17 | |
| | M | MIL-C-55302/118D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING) USER: 19 AT AV MC ME REVIEWER: 85 99 AR AS ES MI OS SH | A 5935 | CR 07-JUN-93 | CR | EC | 17 | |
| | L | MIL-C-55302/119F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING) USER: 19 REVIEWER: 11 85 99 ES | A 5935 | 17 21-SEP-88 | | | 17 | |
| | A L | MIL-C-55302/120A NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99 | A 5935 | 17 02-OCT-92 | | | 17 | |
| | A L | MIL-C-55302/121A NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99 | A 5935 | 17 02-OCT-92 | | | 17 | |
| | A L | MIL-C-55302/122A NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 184 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99 | A 5935 | 17 02-OCT-92 | | | 17 | |
| | A L | MIL-C-55302/123A NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, 184 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99 | A 5935 | 17 02-OCT-92 | | | 17 | |
| | A L | MIL-C-55302/124 NOTICE 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING ACCESSORIES [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99 | A 5935 | 17 02-OCT-92 | | | 17 | |
| | M L | MIL-C-55302/125C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, 80 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) USER: 19 REVIEWER: 11 85 99 ES | A 5935 | 17 06-MAY-93 | | | 17 | |
| | M L | MIL-C-55302/126C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 80 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) USER: 19 REVIEWER: 11 85 99 ES | A 5935 | 17 06-MAY-93 | | | 17 | |
| | M L | MIL-C-55302/127B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SINGLE ROW, 2 THROUGH 65 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (1/16", 3/32" AND 1/8") (.100 SPACING) USER: 19 REVIEWER: 11 85 99 ES | A 5935 | 17 06-MAY-93 | | | 17 | |
| | M | MIL-C-55302/128C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DOUBLE ROW, 4 THROUGH 130 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (1/16", 3/32", AND 1/8") (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 AR AS ES MI OS SH | A 5935 | 17 06-MAY-93 | CR | EC | 17 | |
| | M L | MIL-C-55302/129D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) | A 5935 | EC 29-APR-93 | | EC | | |
| | M L | MIL-C-55302/130C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLES, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) | A 5935 | EC 29-APR-93 | | EC | | |
| | | MIL-C-55302/131B | CONNECTORS, PLUG, ELECTRICAL, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RIGHT ANGLE, PIN CONTACTS, 64 OR 96 CONTACT POSITION FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 | CR 01-MAY-92 | CR | EC | 17 | |
| | M | MIL-C-55302/132B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE SOCKET CONTACTS, STRAIGHT THRU, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 | CR 01-JUN-93 | CR | EC | 17 | |
| | | MIL-C-55302/133B | CONNECTORS, PLUG, ELECTRICAL, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RIGHT ANGLE, PIN CONTACTS, 32 OR 64 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 | CR 01-MAY-92 | CR | EC | 17 | |
| | | MIL-C-55302/134A | CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, STRAIGHT THRU, 32 OR 64 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 | CR 09-APR-86 | CR | EC | 17 | |
| | A L | MIL-C-55302/138B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, 160 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 REVIEWER: 11 85 99 | A 5935 | 17 11-FEB-93 | | | 17 | |
| | A L | MIL-C-55302/139B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, 160 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 REVIEWER: 11 85 99 | A 5935 | 17 11-FEB-93 | | | 17 | |
| | | MIL-C-55302/140B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH PIN CONTACTS, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 99 AR AS AT AV OS SH | A 5935 | CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/141B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH PIN CONTACTS, 3 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 | CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/142B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH SOCKET CONTACTS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV OS SH | A 5935 | CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/143B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH SOCKET CONTACTS, 3 KEYING GUIDES, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 | CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/144B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 1.516 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV OS SH | A 5935 | CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/145B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 2.114 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 | CR 17-NOV-88 | CR | EC | 17 | |

| Action | Obsl. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MIL-C-55302/146B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 2.717 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 99 AR AS AT AV OS SH | A 5935 CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/147B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 3.315 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/148B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 3.917 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV OS SH | A 5935 CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/149B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 1.516 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/150B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 2.114 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV OS SH | A 5935 CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/151B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 2.717 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/152B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 3.315 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV OS SH | A 5935 CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/153B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 3.917 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/154B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: MOUNTING HARDWARE FOR PRINTED WIRING BOARDS USER: 19 AR AT AV MC ME REVIEWER: 11 85 99 AS OS SH | A 5935 CR 17-NOV-88 | CR | EC | 17 | |
| | | MIL-C-55302/155A | CONNECTORS, PRINTED CIRCUIT ASSEMBLY AND ACCESSORIES: HOOD FOR PRINTED WIRING BOARDS USER: 19 MC MF REVIEWER: 11 99 AR AS AT AV ES MI OS | A 5935 CR 17-NOV-88 | CR | EC | 17 | |
| M | | MIL-C-55302/156D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, DECADE INCREMENTS 10 THROUGH 120, 150, 160, AND 180 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.075 SPACING) USER: 19 AT AV MC ME REVIEWER: 85 99 AR AS MI OS | A 5935 CR 07-JUN-93 | CR | EC | 17 | |
| | | MIL-C-55302/157A | CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES, PLUG, STRAIGHT THRU CONTACTS, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 CR 09-APR-86 | CR | EC | 17 | |
| M | | MIL-C-55302/158B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE SOCKET CONTACTS, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH | A 5935 CR 01-JUN-93 | CR | EC | 17 | |
| L | | DOD-C-55302/159B | CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES RECEPTACLE 17, 29, 41, 53, & 65 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES | A 5935 CR 18-JUL-85 | CR | | | |
| L | | DOD-C-55302/160B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES RECEPTACLE 72, 84, 96, AND 120 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES MI | A 5935 CR 18-JUL-85 | CR | | | |
| L | | MIL-C-55302/160B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES RECEPTACLE 72, 84, 96, AND 120 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES MI | A 5935 CR 18-JUL-85 | CR | | | |
| L | | DOD-C-55302/161B | CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES RECEPTACLE 160 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES | A 5935 CR 18-JUL-85 | CR | | | |
| L | | DOD-C-55302/162B | CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES PLUG 17, 29, 41, 53, & 65 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES | A 5935 CR 18-JUL-85 | CR | | | |
| L | | DOD-C-55302/163B | CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES PLUG 72, 84, 96, & 120 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES | A 5935 CR 18-JUL-85 | CR | | | |
| L | | DOD-C-55302/164B | CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES PLUG AND/OR RECEPTACLE 160 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES MI | A 5935 CR 18-JUL-85 | CR | | | |
| A L | NOTICE 1 | MIL-C-55302/166A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, STRAIGHT-THROUGH, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99 | A 5935 17 02-OCT-92 | | | 17 | |
| A L | NOTICE 1 | MIL-C-55302/167A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, STRAIGHT-THROUGH, POLARIZED, WITH WRAPPOST TERMINATION (.100 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99 | A 5935 17 02-OCT-92 | | | 17 | |
| A L | NOTICE 1 | MIL-C-55302/168A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, RIGHT ANGLE, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99 | A 5935 17 02-OCT-92 | | | 17 | |
| A L | NOTICE 1 | MIL-C-55302/169A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, FEMALE BRUSH, STRAIGHT-THROUGH, POLARIZED, (.100 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99 | A 5935 17 02-OCT-92 | | | 17 | |
| A L | NOTICE 1 | MIL-C-55302/170A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, FEMALE BRUSH, RIGHT ANGLE, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARS (.100 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99 | A 5935 17 02-OCT-92 | | | 17 | |
| A L | NOTICE 1 | MIL-C-55302/171A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, CONTACT BRUSH (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99 | A 5935 17 02-OCT-92 | | | 17 | |
| L | | MIL-C-55302/172 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: HARDWARE, COUPLING AND LOCKING USER: 19 REVIEWER: 11 85 99 ES | A 5935 17 16-JAN-85 | | | 17 | |
| | | MIL-C-55302/173A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW PIN ASSEMBLIES, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI | A 5935 17 26-DEC-89 | CR | EC | 17 | |
| | | MIL-C-55302/174A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI | A 5935 17 26-DEC-89 | CR | EC | 17 | |
| | | MIL-C-55302/175A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW PIN ASSEMBLIES, RIGHT ANGLE, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES | A 5935 17 26-DEC-89 | CR | EC | 17 | |
| | | MIL-C-55302/176A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW PIN ASSEMBLIES, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH | A 5935 17 26-DEC-89 | CR | EC | 17 | |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-55302/177A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH | A | 5935 17 | 26-DEC-89 | CR | EC 17 | | | |
| | | MIL-C-55302/178A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW PIN ASSEMBLIES, RIGHT ANGLE, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH | A | 5935 17 | 26-DEC-89 | CR | EC 17 | | | |
| | | MIL-C-55302/179A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW PIN ASSEMBLIES, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH | A | 5935 17 | 26-DEC-89 | CR | EC 17 | | | |
| | | MIL-C-55302/180A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH | A | 5935 17 | 26-DEC-89 | CR | EC 17 | | | |
| | | MIL-C-55302/181A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW PIN ASSEMBLIES, RIGHT ANGLE, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH | A | 5935 17 | 26-DEC-89 | CR | EC 17 | | | |
| | | MIL-C-55302/182A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: GUIDE PINS, JACKSREWS AND MOUNTING EARS USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH | A | 5935 17 | 26-DEC-89 | CR | EC 17 | | | |
| | | MIL-C-55302/183 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW RECEPTACLE ASSEMBLIES, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH | A | 5935 CR | 26-AUG-88 | CR | EC 17 | | | |
| | | MIL-C-55302/184 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW RECEPTACLE ASSEMBLIES, 75 THROUGH 225 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH | A | 5935 CR | 26-AUG-88 | CR | EC 17 | | | |
| | | MIL-C-55302/185 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW RECEPTACLE ASSEMBLIES, 100 THROUGH 300 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH | A | 5935 CR | 26-AUG-88 | CR | EC 17 | | | |
| | | MIL-C-55302/190 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, 100 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH | A | 5935 CR | 22-NOV-88 | CR | EC 17 | | | |
| | | MIL-C-55302/191 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, 100 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH | A | 5935 CR | 22-NOV-88 | CR | EC 17 | | | |
| | | MIL-C-55302/192 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, 122 AND 152 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH | A | 5935 CR | 22-NOV-88 | CR | EC 17 | | | |
| | | MIL-C-55302/193 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, 122 AND 152 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH | A | 5935 CR | 22-NOV-88 | CR | EC 17 | | | |
| LI | | MIL-S-55306 NOTICE 1 | SHELTER, ELECTRICAL EQUIPMENT S-338( )/TRC-121 ..... | A | 5820 CR | 20-OCT-89 | CR | | | | |
| LI | | MIL-S-55307(1) NOTICE 2 | SHELTER, ELECTRICAL EQUIPMENT S-419()/TCC-73(V) ..... | A | 5805 CR | 08-JAN-91 | CR | | | | |
| Q | | MIL-O-55310B(1) | OSCILLATORS, CRYSTAL, GENERAL SPECIFICATION FOR USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 ER | 01-OCT-91 | ER | EC 85 | | | |
| A | I | MIL-O-55310/4D(2) | OSCILLATORS, CRYSTAL, TYPE 3 (TEMPERATURE COMPENSATED (TCXO)), 750 KHZ THROUGH 10 MHZ, SOLDER SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 ER | 10-MAR-93 | ER | EC 85 | | | |
| A | I | MIL-O-55310/5D(2) | OSCILLATOR, CRYSTAL, TYPE 3 (TEMPERATURE COMPENSATED (TCXO)), 1 MHZ THRU 1 0 MHZ, SOLDER SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 ER | 10-MAR-93 | ER | EC 85 | | | |
| | | MIL-O-55310/6C(2) | OSCILLATORS, CRYSTAL, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 15.7 KHZ THROUGH 10 MHZ, SOLDER SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 ER | 10-MAR-93 | ER | EC 85 | MA | | |
| A | I | MIL-O-55310/7D(2) | OSCILLATORS, CRYSTAL, TYPE 3 (TEMPERATURE COMPENSATED (TCXO)), 10 MHZ THROUGH 90 MHZ, SOLDER SEAL, SINE WAVE USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 ER | 10-MAR-93 | ER | EC 85 | | | |
| | | MIL-O-55310/8D(1) | OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 1 KHZ THRU 50 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 ER | 10-MAY-88 | ER | EC 85 | MA | | |
| | | MIL-O-55310/9D(1) | OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 400 KHZ THRU 30 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 ER | 10-MAY-88 | ER | EC 85 | MA | | |
| | | MIL-O-55310/10D(2) | OSCILLATORS, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 1 KHZ THROUGH 60 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 85 | 10-MAY-88 | ER | EC 85 | MA | | |
| | | MIL-O-55310/11B(1) NOTICE 1 | OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 1 KHZ THRU 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: AR ES MI | A | 5955 ER | 10-MAY-88 | ER | EC 85 | MA | | |
| | | MIL-O-55310/12C(1) | OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 1 KHZ THRU 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 85 | 10-MAY-88 | ER | EC 85 | MA | | |
| A | | MIL-O-55310/13C | OSCILLATORS, CRYSTAL, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 300 HZ THROUGH 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 ER | 06-OCT-92 | ER | EC 85 | | | |
| | | MIL-O-55310/14C(1) | OSCILLATORS, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 0.1 HZ THROUGH 25 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 ER | 10-MAY-88 | ER | EC 85 | MA | | |
| | | MIL-O-55310/15B(1) NOTICE 1 | OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 0.01 HZ THRU 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 ER | 10-MAY-88 | ER | EC 85 | MA | | |
| | | MIL-O-55310/16D | OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSILLATOR (XO)), 0.1 HZ THROUGH 80 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SH | A | 5955 ER | 10-MAY-88 | ER | EC 85 | | | |
| | | MIL-O-55310/17A(1) NOTICE 1 | OSCILLATOR, CRYSTAL, TYPE 1 (CRYSTAL OSCILLATOR (XO)), GATED, 250 KHZ THROUGH 50 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: AS CG MC REVIEWER: ES | A | 5955 ER | 10-MAY-88 | ER | EC 85 | MA | | |
| | | MIL-O-55310/18A(1) | OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 0.01 HZ THROUGH 15.0 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS USER: 19 AS CG ES MC REVIEWER: 99 AR MI SH | A | 5955 ER | 11-APR-84 | ER | EC 85 | MA | | |
| | | MIL-O-55310/19(1) NOTICE 1 | OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 60.0 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 REVIEWER: AR MI SH | A | 5955 85 | 10-MAY-88 | ER | EC 85 | MA | | |
| L | | MIL-O-55310/20A(1) | OSCILLATORS, CRYSTAL, CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 40 KHZ THROUGH 60.0 MHZ, HERMETIC SEALED, SQUARE WAVE, TTL USER: 19 REVIEWER: 11 17 99 | A | 5955 85 | 28-JUL-89 | | 85 | | | |
| L | | MIL-O-55310/21A(1) | OSCILLATORS, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 60.0 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 REVIEWER: 11 17 99 | A | 5955 85 | 28-JUL-89 | | 85 | | | |
| | | MIL-O-55310/22A(1) | OSCILLATOR, CRYSTAL, CLASS 3, (TEMPERATURE COMPENSATED (TCXO)), 3.2 MHZ SOLDER SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH | A | 5955 85 | 10-MAY-88 | ER | EC 85 | MA | | |

| Action OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | MIL-O-55310/23 | OSCILLATORS, CRYSTAL CONTROLLED, TYPE 3, (TEMPERATURE COMPENSATED (TCXO)), 10.0 MHZ HERMETIC SEAL, SQUAREWAVE, CMOS USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SH | A 5955 | ER | 13-OCT-89 | ER | EC | 85 | |
| | MIL-O-55310/24 | OSCILLATORS, CRYSTAL CONTROLLED, TYPE 3, (TEMPERATURE COMPENSATED (TCXO)), 10.0 MHZ HERMETIC SEAL, SINEWAVE USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SH | A 5955 | ER | 13-OCT-89 | ER | EC | 85 | |
| | MIL-O-55310/25 | OSCILLATORS, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 25 MHZ THROUGH 175 MHZ, HERMETIC SEAL, SQUARE WAVE, EMITTER COUPLED LOGIC USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SH | A 5955 | ER | 19-JUL-90 | ER | EC | 85 | |
| | MIL-O-55310/26 | OSCILLATORS, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 100 KHZ THROUGH 65 MHZ, HERMETIC SEAL, SQUARE WAVE, HIGH SPEED CMOS USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SH | A 5955 | ER | 19-JUL-90 | ER | EC | 85 | |
| L | MIL-S-55316A | SHELTER, ELECTRICAL, EQUIPMENT S-487()ITSM-55(V) (VALIDATION DATE: 8502) REVIEWER: CS | A 4940 | ER | 19-MAY-77 | ER | | | |
| LI | MIL-R-55317A NOTICE 1 | RECEIVING SET, RADIO AN/URR-70 AND KIT, ACCESSORY MK-1517/UR ..... | A 5820 | CR | 26-OCT-89 | CR | | | |
| LI | MIL-R-55319A NOTICE 1 | RECEIVING SET, RADIO AN/URR-71 ..... | A 5820 | CR | 26-OCT-89 | CR | | | |
| LI | MIL-M-55325(2) NOTICE 1 | MOUNTING MT-3802()/ARC ..... | A 5810 | CR | 10-OCT-90 | CR | | | |
| LI | MIL-S-55329 NOTICE 1 | SEMI-TRAILER, VAN, ELECTRONIC EQUIPMENT V-189( )/MSC-25 ..... | A 5805 | CR | 08-JAN-91 | CR | | | |
| | MIL-C-553308 | CONNECTORS, ELECTRICAL AND FIBER OPTIC, PACKAGING OF REVIEWER: 80 85 SH ... | A PACK | CR | 13-JUL-88 | CR | EC | 99 | ES |
| LI | MIL-E-55332 NOTICE 1 | ELECTRON TUBE, IMAGE CONVERTER (INFRARED SENSITIVE), TYPE 8598 REVIEWER: AR AV ME | A 5855 | CR | 05-OCT-90 | CR | | | |
| L | MIL-R-55333A | RADIO SET AN/GRC-144 ( ) (UNITS OF) AND INDICATOR, ANTENNA ALIGNMENT ID-1708( )/GRC | A 5820 | CR | 28-NOV-90 | CR | | | |
| L | MIL-T-55335(2) NOTICE 1 | TEST FACILITIES KIT, MK-1191( )/AR (UNITS OF) (VALIDATION DATE: 8605) ..... | A 6625 | CR | 14-MAY-86 | CR | | | |
| L | MIL-M-55336(2) NOTICE 1 | MAINTENANCE ACCESSORY KIT, MK-1192( )/ARM (UNITS OF) (VALIDATION DATE: 8605) | A 6625 | CR | 14-MAY-86 | CR | | | |
| Q | MIL-A-55339A SUPPL 1A1, NOTICE 1 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR USER: 19 AS AT MC REVIEWER: 17 99 AR ES MI SH | A 5935 | CR | 20-JUL-82 | CR | EC | 85 | |
| | MIL-A-55339/1A(2) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES BNC JACK 2 SERIES N JACK), CLASS 2 (VALIDATION DATE: 9112) USER: AS AT MC REVIEWER: 11 17 19 AR MI SH | A 5935 | CR | 11-DEC-91 | CR | EC | 85 | |
| L | MIL-A-55339/2A(1) NOTICE 1 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (SERIES SMA), CLASS 2, RIGHT ANGLE, MALE TO FEMALE (VALIDATION DATE: 8811) REVIEWER: ES MI | A 5935 | 85 | 03-NOV-88 | | | 85 | |
| | MIL-A-55339/3(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, RIGHT ANGLE, (WITHIN SERIES N PLUG TO SERIES N JACK), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SH | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/4A(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMNUT MOUNTED, (WITHIN SERIES N JACK TO SERIES N JACK, (HERMETIC AND NON-HERMETIC)), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/5(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES N PLUG TO SERIES N PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SH | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/6A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N), CLASS 2, T PLUG USER: 19 AS AT MC REVIEWER: 11 17 99 AR ES MI SH | A 5935 | CR | 13-JUL-87 | CR | EC | 85 | |
| | MIL-A-55339/7 NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9107) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SH | A 5935 | CR | 25-JUL-91 | CR | EC | 85 | |
| | MIL-A-55339/8(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES C JACK TO SERIES C JACK), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SH | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/9 NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9107) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SH | A 5935 | CR | 25-JUL-91 | CR | EC | 85 | |
| | MIL-A-55339/10 NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, RIGHT ANGLE PLUG (VALIDATION DATE: 9107) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SH | A 5935 | CR | 25-JUL-91 | CR | EC | 85 | |
| | MIL-A-55339/11(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, "T" PLUG (VALIDATION DATE: 9107) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SH | A 5935 | CR | 25-JUL-91 | CR | EC | 85 | |
| | MIL-A-55339/12(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMNUT MOUNTED, (WITHIN SERIES C JACK TO SERIES C JACK (HERMETIC)), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SH | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/13A(1) NOTICE 1 | ADAPTERS, CONNECTORS, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMNUT MOUNTED, (WITHIN SERIES BNC JACK TO SERIES BNC JACK, (HERMETIC AND NON-HERMETIC)), CLASS 2 (VALIDATION DATE: 8808) | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/14(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, RIGHT ANGLE (WITHIN SERIES BNC JACK TO SERIES BNC PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/15(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES BNC PLUG TO SERIES BNC PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT ES MC REVIEWER: 11 99 AR MI | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/16(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES BNC JACK TO SERIES BNC JACK), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/17A(1) | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY "T", (WITHIN SERIES BNC PLUG TO 2 SERIES BNC JACKS), CLASS 2 USER: 19 AS AT MC REVIEWER: 11 99 ES MI OS SH | A 5935 | CR | 02-MAR-89 | CR | EC | 85 | |
| | MIL-A-55339/18(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE (BETWEEN SERIES BNC PLUG TO SERIES N PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/19(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES N JACK TO SERIES C PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/20(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES BNC JACK TO SERIES N PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/21(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES C JACK TO SERIES N PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/22(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES BNC JACK TO SERIES C PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | MIL-A-55339/23(1) NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES C JACK TO SERIES BNC PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI | A 5935 | CR | 26-AUG-88 | CR | EC | 85 | |

| Action | Ckpt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-A-55339/24A<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, FLANGE MOUNTED, (BETWEEN SERIES BNC PLUG TO SERIES N JACK), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI | A | 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | | MIL-A-55339/25B(1) | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMNUT MOUNTED (BETWEEN SERIES BNC JACK TO SERIES N JACK), CLASS 2 USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS SH | A | 5935 | CR | 31-OCT-88 | CR | EC | 85 | |
| | | MIL-A-55339/28B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN LINE, JAMNUT MOUNTED, (WITHIN SERIES SMA PLUG TO SERIES SMA PLUG (HERMETIC)), CLASS 2 USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS | A | 5935 | CR | 23-MAR-88 | CR | EC | 85 | |
| | | MIL-A-55339/29A<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES SMA PLUG TO SMA PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | | MIL-A-55339/30B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, "T", (WITHIN SERIES SMA PLUG TO TWO SERIES SMA JACKS), CLASS 2 USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI OS SH | A | 5935 | CR | 08-FEB-89 | CR | EC | 85 | |
| | | MIL-A-55339/31A<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES SMA JACK TO SMA SERIES JACK), CLASS 2 (VALIDATION DATE: 8808) REVIEWER: MI | A | 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | | MIL-A-55339/32<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC) RIGHT ANGLE, MALE TO FEMALE (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 25-JUL-91 | CR | EC | 85 | |
| | | MIL-A-55339/33<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 25-JUL-91 | CR | EC | 85 | |
| | | MIL-A-55339/34(1)<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC, (HERMETIC)), CLASS 2, RECEPTACLE (VALIDATION DATE: 9112) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 11-DEC-91 | CR | EC | 85 | |
| | | MIL-A-55339/35<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, "T" PLUG (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 25-JUL-91 | CR | EC | 85 | |
| | | MIL-A-55339/36A<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9112) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 11-DEC-91 | CR | EC | 85 | |
| | | MIL-A-55339/37<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 25-JUL-91 | CR | EC | 85 | |
| | | MIL-A-55339/38<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 25-JUL-91 | CR | EC | 85 | |
| | | MIL-A-55339/39<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 25-JUL-91 | CR | EC | 85 | |
| | | MIL-A-55339/40A(1)<br>NOTICE 1 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (MALE) TO SERIES TNC (FEMALE)), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9112) USER: 19 AS MC REVIEWER: 11 99 AT ES MI SH | A | 5935 | CR | 11-DEC-91 | CR | EC | 85 | |
| | | MIL-A-55339/41A(2)<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (FEMALE) TO SERIES TNC (FEMALE)), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9112) USER: 19 AR AS MC REVIEWER: 11 99 AT ES MI SH | A | 5935 | CR | 11-DEC-91 | CR | EC | 85 | |
| I | | MIL-A-55339/42A(2)<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (FEMALE) TO SERIES TNC (MALE)), CLASS 2, STRAIGHT PLUG USER: 19 AR AS MC REVIEWER: 11 99 AT ES MI SH | A | 5935 | CR | 17-OCT-91 | CR | EC | 85 | |
| | | MIL-A-55339/43A(2)<br>NOTICE 1 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (MALE) TO SERIES TNC (MALE)), CLASS 2, STRAIGHT PLUG USER: 19 AR AS MC REVIEWER: 11 99 AT ES MR SH | A | 5935 | CR | 17-OCT-91 | CR | EC | 85 | |
| | | MIL-A-55339/44B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES SMA TO SERIES BNC), CLASS 2, STRAIGHT PLUG USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 28-FEB-79 | CR | EC | 85 | |
| | | MIL-A-55339/45A<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES SMA PLUG TO SERIES BNC PLUG), CLASS 2 (VALIDATION DATE: 8808) | A | 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | | MIL-A-55339/46A<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES SMA JACK TO SERIES BNC JACK), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH | A | 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | | MIL-A-55339/47A(1) | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN LINE, (BETWEEN SERIES SMA PLUG TO SERIES BNC JACK), CLASS 2 USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS SH | A | 5935 | CR | 28-SEP-84 | CR | EC | 85 | |
| | | MIL-A-55339/48A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO SERIES TNC), CLASS 2, STRAIGHT PLUG USER: 19 REVIEWER: 11 99 ES | A | 5935 | 85 | 29-DEC-88 | | | 85 | |
| | | MIL-A-55339/49<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES N JACK TO SERIES BNC PLUG) (VALIDATION DATE: 8808) USER: 19 AR AS MC REVIEWER: 11 99 AT ES MI MU SH | A | 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| | | MIL-A-55339/50A<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (WITHIN SERIES TNC JACK TO TWO SERIES TNC JACKS), CLASS 2, "T" JAMNUT MOUNT (VALIDATION DATE: 8808) | A | 5935 | CR | 26-AUG-88 | CR | EC | 85 | |
| L | | MIL-A-55339/51<br>NOTICE 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES TNC TO SERIES N), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 8702) USER: 19 REVIEWER: 11 99 ES | A | 5935 | 85 | 27-FEB-87 | | | 85 | |
| | | MIL-A-55339/52 | ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO N) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS SH | A | 5935 | CR | 08-FEB-89 | CR | EC | 85 | |
| | | MIL-A-55339/53 | ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, PIN CONTACT (WITHIN SERIES SMA), RIGHT ANGLE USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS SH | A | 5935 | CR | 08-FEB-89 | CR | EC | 85 | |
| | | MIL-A-55339/54 | ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO N) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS SH | A | 5935 | CR | 08-FEB-89 | CR | EC | 85 | |
| I | | MIL-I-55340A<br>NOTICE 1 | IMAGE INTENSIFIER ASSEMBLY 25 MILLIMETER WITH AUTOMATIC BRIGHTNESS CONTROL REVIEWER: AR | A | 5855 | CR | 05-OCT-90 | CR | EC | 99 | |
| L | | MIL-V-55341 | VALVE, PRESSURE RELIEF (VALIDATION DATE: 8411) REVIEWER: CS ..... | A | 4820 | ER | 12-AUG-71 | ER | | | |
| MQ | | MIL-R-55342E(2)<br>SUPPL 1A1 | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 10-MAY-93 | ER | EC | 85 | |
| M | | MIL-R-55342/1F(2) | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM0502 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 10-MAY-93 | ER | EC | 85 | |
| | | MIL-R-55342/2F(1) | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM0505 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 09-JUL-91 | ER | EC | 85 | |
| | | MIL-R-55342/3F(1) | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM1005 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 09-JUL-91 | ER | EC | 85 | |
| | | MIL-R-55342/4F(1) | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM1505 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 09-JUL-91 | ER | EC | 85 | |
| | | MIL-R-55342/5F(1) | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM2208 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 09-JUL-91 | ER | EC | 85 | |
| | | MIL-R-55342/6D(1) | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM0705 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 09-JUL-91 | ER | EC | 85 | |
| | | MIL-R-55342/7B | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM1206 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 04-MAY-92 | ER | EC | 85 | |
| | | MIL-R-55342/8A(1) | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM2010 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 09-JUL-91 | ER | EC | 85 | |
| | | MIL-R-55342/9A(1) | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM2512 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 09-JUL-91 | ER | EC | 85 | |

| Action | OPR / Old Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-R-55342/10(2) | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM1010 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS | A | 5905 | ER | 09-JUL-91 | ER | EC | 85 | |
| I | | | MIL-R-55344B NOTICE 1 | RADIATION SOURCE, INFRARED FOR SEARCHLIGHT, INFRARED AN/VSS-3 ..... | A | 5855 | CR | 05-OCT-90 | CR | EC | | |
| L | | | MIL-I-55345A | IMAGE INTENSIFIER ASSEMBLY 40 MILLIMETER WITH AUTOMATIC BRIGHTNESS CONTROL MX-7856A/UV [VALIDATION DATE: 8504] | A | 5855 | CR | 17-MAR-77 | CR | | | |
| L | | | MIL-I-55345A(1) | IMAGE INTENSIFIER ASSEMBLY 40 MILLIMETER WITH AUTOMATIC BRIGHTNESS CONTROL MX-7856A/UV | A | 5855 | CR | 13-JUL-89 | CR | | | |
| L | | | MIL-C-55346 NOTICE 1 | TACTICAL 18.75 KB DIGITAL DATA REGENERATIVE REPEATER PORTABLE HYL-3( )/TSEC (UNITS OF) [VALIDATION DATE: 8803] | A | 5810 | CR | 11-MAR-88 | CR | | | |
| L | | | MIL-R-55347B(1) | RADIO TELETYPEWRITER SET AN/GRC-142( )/ AN/GRC-122( ) ..... | A | 5815 | CR | 22-NOV-88 | CR | | | |
| L | | | MIL-R-55348A NOTICE 1 | RADAR SET AN/PPS-5B (UNITS OF) [VALIDATION DATE: 8801] ..... | A | 5840 | CR | 29-JAN-88 | CR | | | |
| L | | | MIL-R-55350A | RADIAC CALIBRATOR AN/UDM-2( ) ..... | A | 6665 | ER | 09-JUN-81 | ER | | | |
| L | | | MIL-H-55351 NOTICE 1 | HEADSET-MICROPHONE KIT MK-1564( )/AIC (COMPONENTS OF) [VALIDATION DATE: 8803] REVIEWER: ES | A | 5965 | CR | 25-MAR-88 | CR | | | |
| | | | MIL-H-55353 | HEADSET, ELECTRICAL, H-216 A/U [VALIDATION DATE: 8008] USER: AS MC SH REVIEWER: 11 13 99 | A | 5965 | ES | 27-JUL-73 | CR | EC | 85 | |
| LI | | | MIL-F-55356 NOTICE 1 | FLIGHT COORDINATION CENTRAL AN/TSC-61( ) ..... | A | 5895 | CR | 20-DEC-89 | CR | | | |
| L | | | MIL-C-55357(1) | CABLE, TELEPHONE, SHIELDED (INSIDE WIRING) [VALIDATION DATE: 8207] ..... | A | 6145 | CR | 15-AUG-73 | CR | | | |
| L | | | MIL-A-55359 NOTICE 1 | ANTENNA AS-1304( )/ARN-30 [VALIDATION DATE: 8612] ..... | A | 5826 | CR | 08-DEC-86 | CR | | | |
| L | | | MIL-B-55363(1) | BATTERY, STORAGE, VENTED, NICKEL CADIUM REVIEWER: GS ..... | A | 6140 | ER | 05-APR-82 | ER | | | |
| MQ | | | MIL-C-55365C(3) | CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AR AS CG MC OS REVIEWER: 17 99 ES MI NA SH | A | 5910 | ER | 21-APR-93 | ER | EC | 85 | |
| | | | MIL-C-55365/2D | CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLES CWR03 AND CWR04 USER: 11 19 AR AS CG MC OS REVIEWER: 17 99 ES MI SH | A | 5910 | ER | 23-AUG-90 | ER | EC | 85 | |
| A | | | MIL-C-55365/4C(2) | CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLES CWR06 AND CWR09 USER: 19 AR AS CG MC OS REVIEWER: 17 ES MI SH | A | 5910 | ER | 14-JUL-92 | ER | EC | 85 | |
| | | | MIL-C-55365/7A | CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLE CWR10 USER: 11 19 AR AS CG MC OS REVIEWER: 17 99 ES MI SH | A | 5910 | ER | 23-AUG-90 | ER | EC | 85 | |
| A | | | MIL-C-55365/8B | CAPACITORS, CHIP, TANTALUM, ESTABLISHED RELIABILITY, STYLE CWR11 (METRIC) USER: 19 AR AS CG MC OS REVIEWER: 17 99 ES MI SH | A | 5910 | ER | 19-NOV-92 | ER | EC | 85 | |
| | | | MIL-C-55365/9 | CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLE CWR12 USER: 11 19 AR AS CG MC OS REVIEWER: 17 99 ES MI SH | A | 5910 | ER | 23-AUG-90 | ER | EC | 85 | |
| A | | | MIL-C-55365/10 | CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY, STYLES CWR13 AND CWR14 USER: 19 AR AS CG MC OS REVIEWER: 17 99 ES MI SH | A | 5910 | ER | 09-FEB-93 | ER | EC | 85 | |
| LI | | | MIL-B-55366 NOTICE 1 | BEACON SET, RADIO AN/TRN-30( ) (UNITS OF) ..... | A | 5825 | CR | 20-DEC-89 | CR | | | |
| L | | | MIL-D-55367 NOTICE 1 | DISCRIMINATOR, DISCRETE SIGNAL MD-736( )/A ..... | A | 5821 | CR | 31-JUL-86 | CR | | | |
| LI | | | MIL-A-55368 NOTICE 1 | AIRBORNE DATA ANNOTATION SYSTEM AN/AYA-10( ) ..... | A | 5895 | CR | 26-OCT-89 | CR | | | |
| L | | | MIL-T-55369 NOTICE 1 | TEST SET, RADIO TS-1588( )/AIC [VALIDATION DATE: 8605] ..... | A | 6625 | CR | 14-MAY-86 | CR | | | |
| L | | | MIL-T-55371A | TAPE, RADIO FREQUENCY MEASURING (P/O ANTENNA GROUP AN/GRA-50( )) ..... | A | 5210 | CR | 24-MAY-91 | CR | | | |
| L | | | MIL-N-55372 NOTICE 1 | NETWORK, IMPEDANCE MATCHING CU-1794( )/ARC-114 [VALIDATION DATE: 8802] .... | A | 5915 | CR | 01-FEB-88 | CR | | | |
| L | | | MIL-N-55374 NOTICE 1 | NETWORK, IMPEDANCE MATCHING QUADRATURE HYBRID CU-1796( )/ARC-114 [VALIDATION DATE: 8802] | A | 5915 | CR | 01-FEB-88 | CR | | | |
| LI | | | MIL-A-55379A NOTICE 1 | DIRECTION FINDER ANTENNA GROUP P/O DIRECTION FINDER SET AN/TRQ-30( ) (V) .. | A | 5820 | CR | 26-OCT-89 | CR | | | |
| L | | | MIL-S-55389(2) | SUPPRESSOR, ELECTRICAL TRANSIENT, MX-7778A/GRC [VALIDATION DATE: 8502] .... | A | 5915 | ER | 21-APR-78 | ER | | | |
| L | | | MIL-C-55398 | COMPENSATOR, MAGNETIC FLUX CN-405( )/ASN [VALIDATION DATE: 8009] REVIEWER: CR | A | 6605 | AV | 01-JUN-73 | AV | | | |
| L | | | MIL-T-55401 NOTICE 1 | TRANSMITTER GROUP, SIMULATED RADIAC OT-51( )/T [VALIDATION DATE: 8809] .... | A | 6665 | CR | 14-SEP-88 | CR | | | |
| L | | | MIL-T-55402 NOTICE 1 | TRANSMITTER GROUP, SIMULATED RADIAC, HOT SPOT OT-52()/T [VALIDATION DATE: 8809] | A | 6665 | CR | 14-SEP-88 | CR | | | |
| L | | | MIL-R-55403 NOTICE 1 | RECEIVER GROUP, SIMULATED RADIAC, OR-114( )/T [VALIDATION DATE: 8809] ..... | A | 6665 | CR | 14-SEP-88 | CR | | | |
| L | | | MIL-C-55412(1) NOTICE 1 | CENTER, MESSAGE AN/GSQ-80() [VALIDATION DATE: 9010] REVIEWER: GS ..... | A | 9999 | CR | 23-OCT-90 | CR | | | |
| L | | | MIL-C-55416(1) | CODER-BURST TRANSMISSION GROUP AN/GRA-71( ) (UNITS OF) ..... | A | 5820 | CR | 01-APR-86 | CR | | | |
| LI | | | MIL-T-55417(2) NOTICE 1 | TELETYPEWRITER TERMINAL & TELETYPEWRITER OPERATIONS CENTRAL AN/MGC-32() ... | A | 5815 | CR | 10-OCT-90 | CR | | | |
| LI | | | MIL-T-55418(2) NOTICE 1 | TELETYPEWRITER RELAY CENTRAL AN/MGC-23( ) ..... | A | 5815 | CR | 20-OCT-89 | CR | | | |
| LI | | | MIL-T-55420A NOTICE 1 | TACTICAL IMAGERY INTERPRETATION FACILITY AN/TSQ-43( ) ..... | A | 5895 | CR | 28-NOV-89 | CR | | | |
| | | | MIL-C-55422 | CLIP, ELECTRICAL, GRID AND ANODE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8308] REVIEWER: 17 99 GS MI | A | 5999 | ER | 23-FEB-65 | ER | SH | 85 | |
| | | | MIL-C-55422/1 | CLIP, ELECTRICAL, GRID [VALIDATION DATE: 8308] REVIEWER: 99 GS ..... | A | 5999 | ER | 23-FEB-65 | ER | SH | 85 | |
| | | | MIL-C-55422/2 | CLIP, ELECTRICAL, ANODE [VALIDATION DATE: 8301] REVIEWER: 99 GS ..... | A | 5999 | ER | 23-FEB-65 | ER | SH | 85 | |
| | | | MIL-C-55422/3 | CLIP, ELECTRICAL, ANODE [VALIDATION DATE: 8301] REVIEWER: 99 GS MI ..... | A | 5999 | ER | 23-FEB-65 | ER | SH | 85 | |
| | | | MIL-C-55422/4 | CLIP, ELECTRICAL, ANODE [VALIDATION DATE: 8308] REVIEWER: 99 GS ..... | A | 5999 | ER | 23-FEB-65 | ER | SH | 85 | |
| L | | | MIL-C-55425C(2) NOTICE 1 | CABLE, TELEPHONE WF-16()/U [VALIDATION DATE: 9010] REVIEWER: IS ..... | A | 6145 | CR | 23-OCT-90 | CR | | | |
| M | | | MIL-C-55427A NOTICE 1 | CABLE ASSEMBLIES, RADIO FREQUENCY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8804] USER: 14 19 AT MC ME REVIEWER: 11 17 99 AR AS GS MI OS SH | A | 5995 | CR | 01-APR-88 | CR | EC | 85 | |
| | | | MIL-C-55427/1 NOTICE 1 | CABLE ASSEMBLIES, RADIO FREQUENCY (MADE FROM M17/28-RG58 CABLE) [VALIDATION DATE: 8809] USER: 19 AT AV MC ME REVIEWER: 11 17 AS ES SH | A | 5995 | CR | 19-SEP-88 | CR | EC | 85 | |
| L | | | MIL-T-55431A | TEST SET, BATTERY AN/PSM-13( ) [VALIDATION DATE: 8606] ..... | A | 6625 | CR | 06-JUN-86 | CR | | | |
| A | | | MIL-S-55433C NOTICE 1 | SWITCHES, REED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9207] USER: 19 MC REVIEWER: 17 85 AR ES | A | 5930 | ER | 24-JUL-92 | ER | EC | | |
| L | | | MIL-T-55441(1) NOTICE 1 | TOWER AB-585( )/G [VALIDATION DATE: 8606] ..... | A | 5445 | CR | 12-JUN-86 | CR | | | |
| | | | MIL-C-55442B | CABLE ASSEMBLIES AND CORD ASSEMBLIES, PACKAGING OF REVIEWER: 85 AS ES GS OS SH SM | A | PACK | CR | 23-MAY-85 | CR | EC | 99 | |
| L | | | MIL-R-55444A NOTICE 1 | RADIO, SQUAD, RECEIVING AND TRANSMITTING (UNITS OF) REVIEWER: MI ..... | A | 5820 | CR | 03-NOV-75 | CR | | | |
| | | | MIL-C-55446A(2) NOTICE 1 | CABLES, TELEPHONE, SWITCHBOARD: PLASTIC INSULATED, PLASTIC JACKETED [VALIDATION DATE: 8809] USER: 17 REVIEWER: 99 IS | A | 6145 | CR | 19-SEP-88 | CR | | 85 | |
| L | | | MIL-C-55448 | CONNECTOR, PLUG, ELECTRICAL U-237( )/G CONNECTOR, RECEPTACLE, ELECTRICAL U-238( )/G | A | 5935 | CR | 31-JUL-90 | CR | | | |
| LI | | | MIL-D-55453(1) NOTICE 1 | DIRECTION FINDER SET AN/TRD-15( ) (UNITS OF) ..... | A | 5825 | CR | 03-APR-89 | CR | | | |
| L | | | MIL-D-55456B NOTICE 1 | DISTRIBUTION BOX, J-1077( )/U DISTRIBUTION BOX, J-2317( )/U [VALIDATION DATE: 8802] USER: MC REVIEWER: GS | A | 6110 | CR | 24-FEB-88 | CR | | | |
| LI | | | MIL-A-55468A NOTICE 1 | ANTENNA GROUP OE-4( )/GR ..... | A | 5895 | CR | 26-OCT-89 | CR | | | |

| Action | Opt / Obsl Coordination Inactive | Document Number | Document Title | Dist Stmt FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-C-55481B | CABLE ASSEMBLY, POWER ELECTRICAL CX-7453( )/U CABLE ASSEMBLY, POWER | A 5995 | CR | 01-APR-88 CR | | | | |
| | | NOTICE 1 | ELECTRICAL CX-7705( )/U [VALIDATION DATE: 8804] USER: ME REVIEWER: GS | | | | | | | |
| | | MIL-C-55483B | CABLES, POWER, ELECTRICAL, FLAT THREE-CONDUCTOR REVIEWER: ES IS | A 6145 | CR | 11-OCT-90 CR | | | 85 | |
| L | | MIL-C-55486B(1) | CABLE ASSEMBLY TELEPHONE CX-4566( )/G & CX-4760( )/U USER: MC REVIEWER: GS | A 5995 | CR | 26-FEB-88 CR | | | | |
| L | | MIL-S-55488B | SIGHT, NIGHT VISION, INDIVIDUAL SERVED WEAPONS AN/PVS-2 USER: MI REVIEWER: | A 5855 | CR | 05-OCT-90 CR | | EC | 99 | |
| | | NOTICE 1 | ME | | | | | | | |
| I | | MIL-M-55489C | NIGHT VISION SIGHT, CREW SERVED WEAPONS AN/TVS-2 REVIEWER: AR MD MI | A 5855 | CR | 05-OCT-90 CR | | EC | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MIL-M-55491A | NIGHT VISION SIGHT, TRIPOD MOUNTED AN/TVS-4(U) [VALIDATION DATE: 8504] | A 5855 | CR | 26-JAN-76 | | EC | 99 | |
| | | | USER: AR ME OS | | | | | | | |
| I | | MIL-I-55493A | IMAGE INTENSIFIER ASSEMBLY, 40 MILLIMETER USER: AT AV MC REVIEWER: 13 AR | A 5855 | CR | 05-OCT-90 CR | | SH | 84 | |
| | | NOTICE 1 | ME OS | | | | | | | |
| LI | | MIL-S-55498A | SHELTER FACILITY, ELECTRICAL EQUIPMENT S-371( )/MSC-31A | A 5895 | CR | 20-OCT-89 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| L | | MIL-R-55499B(1) | RADIO SET AN/PRC-77( ) (UNITS OF) USER: MC REVIEWER: MI | A 5820 | CR | 17-MAR-87 CR | | | | |
| L | | MIL-A-55503 | ATTITUDE HEADING REFERENCE SET AN/ASN-76 [VALIDATION DATE: 8712] REVIEWER: | A 6605 | AV | 15-DEC-87 AV | | | | |
| | | NOTICE 1 | CR | | | | | | | |
| L | | MIL-R-55504(2) | RECEIVER, RADIO R-1041B/ARN [VALIDATION DATE: 8501] | A 5826 | AV | 12-FEB-70 AV | | | | |
| L | | MIL-S-55507E(2) | SHELTER, ELECTRICAL EQUIPMENT (WITH OR WITHOUT EQUIPMENT), PACKAGING OF | A PACK | CR | 10-JUN-91 CR | | | | |
| | | | REVIEWER: SM | | | | | | | |
| L | | MIL-I-55510B | INDICATOR CHANNEL ALIGNMENT ID-1189( )1PR | A 5820 | CR | 01-APR-86 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| LI | | MIL-S-55511A | SHELTER FACILITY, ELECTRICAL EQUIPMENT S-372()/MSC-32A | A 5895 | CR | 20-OCT-89 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| L | | MIL-A-55512A | ADAPTER, CONNECTOR UG-1312( )/U [VALIDATION DATE: 9108] REVIEWER: ES | A 5935 | CR | 02-AUG-91 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| AQ | | MIL-C-55514C(1) | CAPACITORS, FIXED, PLASTIC (OR METALLIZED PLASTIC) DIELECTRIC, DC OR | A 5910 | ER | 16-NOV-92 ER | | EC | 85 | |
| | | SUPPL 1A1 | DC-AC, IN NONMETAL CASES, ESTABLISHED RELIABILITY GENERAL SPECIFICATION | | | | | | | |
| | | | FOR USER: 19 AS MC REVIEWER: 17 99 ES OS | | | | | | | |
| | | MIL-C-55514/1A(2) | CAPACITOR, FIXED, PLASTIC DIELETRIC, DC, IN NONMETAL CASES, ESTABLISHED | A 5910 | 85 | 25-APR-80 ER | | EC | 85 | |
| | | | RELIABILITY, STYLE CFR02 USER: 19 AS MC REVIEWER: 17 99 ES OS | | | | | | | |
| | | MIL-C-55514/3C(3) | CAPACITOR, FIXED, PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED | A 5910 | 85 | 25-APR-80 ER | | EC | 85 | |
| | | | RELIABILITY, STYLE CFR04 USER: 19 AS MC REVIEWER: 17 99 ES OS | | | | | | | |
| | | MIL-C-55514/4C(1) | CAPACITOR, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, | A 5910 | 85 | 15-JUL-83 ER | | EC | 85 | |
| | | | ESTABLISHED RELIABILITY, STYLES CFR05 AND CFR06 USER: 19 AS MC REVIEWER: | | | | | | | |
| | | | 17 99 ES OS | | | | | | | |
| L | | MIL-C-55514/7A(3) | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC-AC, IN NONMETAL | A 5910 | 85 | 22-JUN-90 | | | 85 | |
| | | NOTICE 1 | CASES, ESTABLISHED RELIABILITY, STYLE CFR09 [VALIDATION DATE: 9006] | | | | | | | |
| | | | REVIEWER: 17 99 ES | | | | | | | |
| | | MIL-C-55514/8D(2) | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, | A 5910 | ER | 19-DEC-91 ER | | EC | 85 | |
| | | | ESTABLISHED RELIABILITY STYLES CFR12 AND CFR16 USER: 19 AS MC REVIEWER: 17 | | | | | | | |
| | | | 99 ES OS | | | | | | | |
| | | MIL-C-55514/9(1) | CAPACITOR, FIXED METALLIZED PLASTIC DIELETRIC, DC, IN NONMETAL CASES, | A 5910 | 85 | 18-APR-83 ER | | EC | 85 | |
| | | | ESTABLISHED RELIABILITY STYLES CFR13 & CFR14 USER: 19 AS MC REVIEWER: 17 | | | | | | | |
| | | | 99 ES OS | | | | | | | |
| | | MIL-C-55514/10B(2) | CAPACITORS, FIXED PLASTIC DIELECTRIC, DC, IN NON-METAL CASES, ESTABLISHED | A 5910 | ER | 04-MAY-90 ER | | EC | 85 | |
| | | | RELIABILITY STYLE CFR15 USER: 11 19 AS MC REVIEWER: 17 99 ES OS | | | | | | | |
| L | | MIL-C-55514/11A | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, | A 5910 | ER | 14-MAR-90 ER | | | | |
| | | | ESTABLISHED RELIABILITY STYLES CFR26 AND CFR27 | | | | | | | |
| L | | MIL-C-55514/12A | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, | A 5910 | ER | 14-MAR-90 ER | | | | |
| | | | ESTABLISHED RELIABILITY STYLE CFR29 | | | | | | | |
| L | | MIL-M-55516A | MICROPHONE, DYNAMIC M-133/U [VALIDATION DATE: 8701] REVIEWER: EA ES | A 5965 | CR | 09-JAN-87 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| LI | | MIL-D-55518 | DIRECTION FINDER SET AN/TRD-23( ) (UNIT OF) | A 5825 | CR | 03-APR-89 CR | | | | |
| I | | MIL-M-55520A | MULTIPLIER: HIGH VOLTAGE, DIRECT CURRENT USER: AV REVIEWER: MI | A 5855 | CR | 05-OCT-90 CR | | EC | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MIL-B-55521C(1) | BATTERIES, NONRECHARGEABLE, PACKAGING OF USER: 80 AR MI OS REVIEWER: AS SM | A PACK | CR | 26-JUN-84 CR | | SH | 99 | |
| L | | MIL-B-55521C(I2) | BATTERIES, NONRECHARGEABLE, PACKAGING OF | A PACK | CR | 13-JAN-92 CR | | | | |
| L | | MIL-T-55523(1) | TEST FIXTURE SETS, ELECTRONIC [VALIDATION DATE: 8602] | A 6625 | CR | 19-FEB-86 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| LI | | MIL-S-55528A | SHELTER, ELECTRICAL EQUIPMENT S-298( )/TRC-110(V) | A 5820 | CR | 20-OCT-89 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| L | | MIL-M-55529A | MODEM, RADIO TELETYPEWRITER SET MD-522( )/GRC [VALIDATION DATE: 8605] | A 5815 | CR | 28-MAY-86 CR | | | | |
| L | | MIL-C-55532A | CHARGER, BATTERY PP-1660( )/G [VALIDATION DATE: 8301] REVIEWER: GS | A 6130 | ER | 24-OCT-69 ER | | | | |
| L | | MIL-H-55535(1) | HEADSET MICROPHONE KIT MK-1039/G [VALIDATION DATE: 8008] | A 5965 | ES | 02-MAY-68 CR | | | | |
| LI | | MIL-C-55537A | CENTRAL OFFICE TELEPHONE, MANUAL AN/TTC-23() | A 5805 | CR | 20-OCT-89 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| L | | MIL-I-55538(1) | INFLATION-LAUNCHING DEVICE, BALLOON, METEOROLOGICAL ML-594( )/U | A 6660 | CR | 29-JAN-88 CR | | | | |
| | | NOTICE 1 | [VALIDATION DATE: 8801] REVIEWER: 99 GS | | | | | | | |
| L | | MIL-S-55541G | SHELTER, ELECTRICAL EQUIPMENT S-250 ( )/G REVIEWER: CS | A 5411 | GL | 01-AUG-84 GL | | | | |
| L | | MIL-S-0055541H | SHELTER, ELECTRICAL EQUIPMENT S-250( )/G REVIEWER: TR | A 5411 | GL | 20-DEC-91 GL | | | | |
| LI | | MIL-I-55553 | IMAGE INTENSIFIER ASSEMBLY, 18 MILLIMETER, MX-8200/UV | A 5855 | CR | 05-OCT-90 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| LI | | MIL-M-55554A | MODULE, IMAGE INTENSIFIER 25 MILLIMETER, TYPE 8585 USER: AT AV MI | A 5855 | CR | 05-OCT-90 CR | | | | |
| | | NOTICE 1 | REVIEWER: AR MD | | | | | | | |
| | | MIL-M-55555A | MODULE, IMAGE INTENSIFIER 40 MILLIMETER, TYPE 8605 [VALIDATION DATE: 8504] | A 5855 | CR | 26-DEC-69 CR | | EC | 99 | |
| | | | USER: AT AV MC REVIEWER: 13 AR ME OS | | | | | | | |
| L | | MIL-M-55555A(11) | MODULE, IMAGE INTENSIFIER 40 MILLIMETER, TYPE 8605 | A 5855 | CR | 13-JUL-89 CR | | | | |
| L | | MIL-S-55556A | SPECIFICATION, PREPARATION OF INSTALLATION AND ACCEPTANCE TESTING OF | A MISC | AV | 01-MAR-78 AV | | | | |
| | | | ELECTRONICS EQUIPMENT IN AIRCRAFT [VALIDATION DATE: 8403] | | | | | | | |
| LI | | MIL-S-55557A(1) | SHELTER, ELECTRICAL EQUIPMENT S-330( )/TRC-117(V) | A 5810 | CR | 08-JAN-91 CR | | | | |
| | | NOTICE 2 | | | | | | | | |
| L | | MIL-S-55562C | SHOP, ELECTRONIC, SEMITRAILER MOUNTED AN/ARM-189( ) & AN/ASM-190( ) | A 4910 | CR | 02-JUN-87 CR | | | | |
| | | NOTICE 1 | [VALIDATION DATE: 8706] REVIEWER: CS | | | | | | | |
| LI | | MIL-R-55563(1) | RADIO SET AN/ARC-131() (UNITS OF) | A 58[illegible] | CR | 10-OCT-90 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| LI | | MIL-M-55564(1) | MAINTENANCE KIT, ELECTRONIC EQUIPMENT MK-1035( )/ARC-131 (UNITS OF) | A 662[illegible] | CR | 03-APR-89 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| | | MIL-M-55565C | MICROCIRCUITS, PACKAGING OF USER: SH REVIEWER: 11 17 85 AR AS MC MI | A PACK | CR | 09-NOV-88 CR | | EC | 99 | ES |
| L | | MIL-R-55566C | REEL, CABLE RC-435( )/U USER: ME REVIEWER: GS | A 8130 | CR | 11-AUG-86 CR | | | | |
| | | MIL-C-55571A | CASE, MERCURIAL BAROMETER ML-48 ( ) [VALIDATION DATE: 8804] REVIEWER: AS | A 6660 | CR | 27-[illegible]-88 CR | | | 99 | |
| | | NOTICE 1 | | | | | | | | |
| LI | | MIL-L-55574A | LAMP, XENON, SHORT-ARC, 10/15/20 KW | A 6240 | CR | 05-OCT-90 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| LI | | MIL-S-55578A | SHELTER, ELECTRICAL EQUIPMENT S-348()/TSC-58 | A 5895 | CR | 15-JAN-91 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| LI | | MIL-S-55579 | SHELTER, ELECTRICAL EQUIPMENT S-403( )/TSC-76 | A 5805 | CR | 20-OCT-89 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| LI | | MIL-S-55580 | SHELTER, ELECTRICAL EQUIPMENT S-404( )/MSC | A 5805 | CR | 20-OCT-89 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| LI | | MIL-S-55581A | SHELTER, ELECTRICAL EQUIPMENT S-368()/MGC-9A | A 5815 | CR | 20-OCT-89 CR | | | | |
| | | NOTICE 1 | | | | | | | | |
| L | | MIL-C-55583B(1) | CABLE ASSEMBLY, SPECIAL PURPOSE,ELECTRICAL CX-11230( )/G CABLE ASSEMBLY | A 5995 | CR | 25-JUL-86 CR | | | | |
| | | NOTICE 1 | ADAPTER CX-10734( )/G REVIEWER: GS | | | | | | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Doc. Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| LI | MIL-S-55584 NOTICE 1 | SHELTER, ELECTRICAL EQUIPMENT S-381()/TCC-69 | A | 5805 | | CR | 20-OCT-89 | CR | | | |
| L | MIL-E-55585F(2) | ELECTRONICS EQUIPMENT AND PARTS, PACKAGING OF REVIEWER: SM | A | PACK | | CR | 20-MAR-92 | CR | | | |
| LI | MIL-S-55586 NOTICE 1 | SHELTER, ELECTRICAL EQUIPMENT S-302()/TCC-62 | A | 5805 | | CR | 20-OCT-89 | CR | | | |
| LI | MIL-R-55587 NOTICE 1 | RADIO TELETYPEWRITER SET AN/GRC-142( ) IN S-318 SHELTER | A | 5815 | | CR | 20-OCT-89 | CR | | | |
| L | MIL-S-55588B(2) | SHELTER, ELECTRICAL EQUIPMENT S-333 ( )/TCC-65 | A | 5805 | | CR | 20-MAR-91 | CR | | | |
| LI | MIL-S-55589A NOTICE 1 | SHELTER, ELECTRICAL EQUIPMENT S-335()/TRC-113 | A | 5820 | | CR | 20-OCT-89 | CR | | | |
| L | MIL-S-55590C(2) | SHELTER, ELECTRICAL EQUIPMENT S-390 ( )/TRC-145( ) | A | 5820 | | CR | 20-MAR-91 | CR | | | |
| | MIL-O-55593(1) | OVEN ASSEMBLY, WITH QUARTZ CRYSTAL UNITS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8502] USER: 17 19 AS CG MC OS REVIEWER: ES MI | A | 5955 | | 85 | 22-JUL-70 | ER | EC | | 85 |
| L | MIL-P-55594A | PRINTER, CONTACT, PHOTOGRAPHIC EN-100( ) REVIEWER: GS | A | 6740 | | CR | 12-NOV-84 | CR | | | |
| L | MIL-R-55602A(2) | RESTORER, PULSE FORM TD-2068/G | A | 5805 | | CR | 08-MAY-85 | CR | | | |
| L | MIL-T-55603A(1) NOTICE 1 | TEST SET, TELEPHONE AN/SPTM-7 INACTIVE FOR NEW DESIGN [VALIDATION DATE: 8202] | A | 6625 | | CR | 22-MAR-76 | CR | | | |
| | MIL-T-55605 NOTICE 1 | TEST SET, TRANSPONDER AN/APM-123 () (V) INACTIVE FOR NEW DESIGN [VALIDATION DATE: 8202] | A | 6625 | | CR | 02-AUG-68 | CR | AS | 11 | |
| L | MIL-S-55606C(2) | SHELTER, ELECTRICAL EQUIPMENT S-412( )/TCC-72 | A | 5805 | | CR | 20-MAR-91 | CR | | | |
| L | MIL-C-55607A(3) NOTICE 1 | CONVERTER, TELEPHONE SIGNAL CV-1548( )/G [VALIDATION DATE: 9101] | A | 5805 | | CR | 29-JAN-91 | CR | | | |
| LI | MIL-F-55608(1) NOTICE 1 | FILTER, INFRARED, INTERFERENCE TYPE, FOR AN/TVS-3 | A | 5855 | | CR | 05-OCT-90 | CR | | | |
| LI | MIL-K-55609(1) NOTICE 1 | KIT, FILTER, INFRARED, INTERFERENCE TYPE FOR AN/TVS-3 | A | 5855 | | CR | 05-OCT-90 | CR | | | |
| I | MIL-F-55614B NOTICE 1 | FILTER, INFRARED INTERFERENCE-TYPE (PINK) FOR SEARCHLIGHT, INFRARED 28-VOLT, 110-AMPERE | A | 5855 | | CR | 05-OCT-90 | CR | EC | | |
| L | MIL-R-55615B | RADIACMETER IM-174( )/PD | A | 6665 | | CR | 06-AUG-84 | CR | | | |
| L | MIL-S-55616A NOTICE 1 | SHELTER, ELECTRICAL EQUIPMENT S-392( )/TTC-29 [VALIDATION DATE: 8606] | A | 5805 | | CR | 12-JUN-86 | CR | | | |
| LI | MIL-C-55618 NOTICE 1 | CENTRAL OFFICE, TELEPHONE, MANUAL AN/MTC-1( ) | A | 5805 | | CR | 20-OCT-89 | CR | | | |
| L | MIL-M-55623A NOTICE 1 | METER, VOLUME, HYDROGEN-HELIUM ML-605()/U [VALIDATION DATE: 8910] | A | 6660 | | CR | 04-OCT-89 | CR | | | |
| Q | MIL-P-55624(1) SUPPL 1A1 | PROTECTOR, ELECTRICAL COMMUNICATION CIRCUITS GENERAL SPECIFICATION FOR [VALIDATION DATE: 8110] USER: AT MC SH REVIEWER: 11 99 AR ES MI | A | 5920 | | ER | 12-DEC-73 | ER | EC | | 85 |
| D | MIL-P-55624/3A | PROTECTOR, ELECTRICAL COMMUNICATION CIRCUITS FUSELESS, WITH COVER, STYLE P3 [VALIDATION DATE: 8110] USER: AT MC ME REVIEWER: 11 99 EC ES MI | A | 5920 | | ER | 20-MAR-74 | ER | YD1 | | 85 |
| D | MIL-P-55624/4B | PROTECTOR, ELECTRICAL, COMMUNICATION CIRCUITS FUSED, WITH COVER STYLE P4 [VALIDATION DATE: 8110] USER: AT MC SH REVIEWER: 11 99 AR EC ES MI | A | 5920 | | ER | 23-MAY-75 | ER | YD1 | | 85 |
| Q | MIL-C-55629B(2) SUPPL 1A1 | CIRCUIT BREAKER, MAGNETIC, UNSEALED OR PANEL SEAL, TRIP FREE, GENERAL SPECIFICATION FOR USER: 19 MC SH REVIEWER: 17 99 AS AV ES ME MI OS | A | 5925 | | ER | 06-MAY-86 | ER | EC | | 85 |
| | MIL-C-55629/1C(1) | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, SINGLE POLE (0.2 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 09-AUG-89 | ER | EC | | 85 |
| | MIL-C-55629/2C(1) | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, SINGLE POLE, AUXILIARY CONTACTS (0.2 TO 50 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 09-AUG-89 | ER | EC | | 85 |
| | MIL-C-55629/3C(2) | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, DOUBLE POLE (0.2 TO 50 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 09-DEC-91 | ER | EC | | 85 |
| | MIL-C-55629/4C(2) | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, DOUBLE POLE, AUXILIARY CONTACTS (0.2 TO 50 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 09-AUG-89 | ER | EC | | 85 |
| | MIL-C-55629/5C(1) | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, THREE POLE (0.2 TO 50 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 09-AUG-89 | ER | EC | | 85 |
| | MIL-C-55629/6C(1) | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, THREE POLE, AUXILIARY CONTACTS (0.2 TO 50 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 09-AUG-89 | ER | EC | | 85 |
| | MIL-C-55629/7B(1) | CIRCUIT BREAKER, MAGNETIC, LOW POWER UNSEALED, TRIP FREE, SERIES TRIP, SINGLE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI SH REVIEWER: 17 99 AS ME OS | A | 5925 | | ER | 10-JAN-86 | ER | EC | | 85 |
| | MIL-C-55629/8C | CIRCUIT BREAKERS, MAGNETIC, LOW POWER UNSEALED, TRIP-FREE, SERIES TRIP, SINGLE POLE, AUXILIARY CONTACTS (0.2 TO 30 AMPERES USER: 19 AV MC MI SH REVIEWER: 17 99 AS ES ME OS | A | 5925 | | ER | 05-MAY-86 | ER | EC | | 85 |
| | MIL-C-55629/9B(1) | CIRCUIT BREAKER, MAGNETIC, LOW POWER UNSEALED, TRIP FREE, SERIES TRIP, DOUBLE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI SH REVIEWER: 17 99 AS ES ME OS | A | 5925 | | ER | 10-JAN-86 | ER | EC | | 85 |
| | MIL-C-55629/10B(1) | CIRCUIT BREAKER, MAGNETIC, LOW POWER UNSEALED, TRIP FREE, SERIES TRIP, DOUBLE POLE, AUXILIARY CONTACTS (LEFT POLE) (0.2 TO 30 AMPERES) USER: 19 AV MC MI SH REVIEWER: 17 99 AS ES ME OS | A | 5925 | | ER | 10-JAN-86 | ER | EC | | 85 |
| | MIL-C-55629/11B(1) | CIRCUIT BREAKER, MAGNETIC, LOW POWER UNSEALED, TRIP FREE, SERIES TRIP, THREE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC SH REVIEWER: 11 17 99 AR AS ES ME MI OS | A | 5925 | | ER | 10-JAN-86 | ER | EC | | 85 |
| | MIL-C-55629/12C | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER UNSEALED, TRIP-FREE, SERIES TRIP, THREE POLE, AUXILIARY CONTACTS (0.2 TO 30 AMPERES) USER: 19 AV MC MI SH REVIEWER: 11 17 99 AS ES ME OS | A | 5925 | | ER | 05-MAY-86 | ER | EC | | 85 |
| | MIL-C-55629/13B | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, SINGLE POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 06-MAY-86 | ER | EC | | 85 |
| | MIL-C-55629/14B | CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, SINGLE POLE, BACK MOUNTED (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 06-MAY-86 | ER | EC | | 85 |
| | MIL-C-55629/15B | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, TWO POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 06-MAY-86 | ER | EC | | 85 |
| | MIL-C-55629/16B | CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, TWO POLE, BACK MOUNTED (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 06-MAY-86 | ER | EC | | 85 |
| | MIL-C-55629/17B | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, THREE POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 06-MAY-86 | ER | EC | | 85 |
| | MIL-C-55629/18B | CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, THREE POLE, BACK MOUNTED (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 06-MAY-86 | ER | EC | | 85 |
| | MIL-C-55629/19C | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, FOUR POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS | A | 5925 | | ER | 23-MAY-89 | ER | EC | | 85 |
| | MIL-C-55629/20B(1) | CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP-FREE, SERIES TRIP, SINGLE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI REVIEWER: 11 17 AS ES ME OS | A | 5925 | | ER | 10-JAN-86 | ER | EC | | 85 |
| | MIL-C-55629/21B(1) | CIRCUIT BREAKER, MAGNETIC, PANEL SEAL, TRIP FREE, SERIES TRIP, DOUBLE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI REVIEWER: 11 17 AS ES ME OS | A | 5925 | | ER | 10-JAN-86 | ER | EC | | 85 |
| | MIL-C-55629/22B(1) | CIRCUIT BREAKER, MAGNETIC, PANEL SEAL, TRIP FREE, SERIES TRIP, THREE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI REVIEWER: 11 17 AS ES ME OS | A | 5925 | | ER | 10-JAN-86 | ER | EC | | 85 |
| | MIL-T-55631(2) | TRANSFORMER, INTERMEDIATE FREQUENCY, RADIO FREQUENCY, AND DISCRIMINATOR, GENERAL SPECIFICATION FOR USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | | ER | 12-JUL-82 | ER | EC | | 85 |
| L | MIL-I-55633 | INDICATOR, PANORAMIC IP-173( )/U [VALIDATION DATE: 8606] | A | 6625 | | CR | 06-JUN-86 | CR | | | |
| L | MIL-C-55639A(2) | CHARGER, BATTERY PP-4127( )/U REVIEWER: CR GS | A | 6130 | | ER | 25-NOV-80 | ER | | | |
| LI | MIL-S-55646 | SHELTER, ELECTRICAL EQUIPMENT S-301/TCC-61 | A | 5805 | | CR | 20-OCT-89 | CR | | | |
| L | MIL-D-55647(2) | DIRECTION FINDER SET AN/ARN-89( ) [VALIDATION DATE: 8011] | A | 5826 | | CR | 08-AUG-75 | CR | | | |
| LI | MIL-S-55648B NOTICE 1 | SHELTER, ELECTRICAL EQUIPMENT S-393( )/TRC-138 | A | 5820 | | CR | 20-OCT-89 | CR | | | |

| Action | OPR / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-M-55649A(1) NOTICE 1 | MULTIPLEXER TD-754( )/G | A | 5805 | CR | 21-SEP-89 | CR | | | | |
| L | | | MIL-M-55650B(1) NOTICE 1 | MULTIPLEXER TD-660( )/G [VALIDATION DATE: 8803] | A | 5805 | CR | 11-MAR-88 | CR | | | | |
| LI | | | MIL-T-55652 NOTICE 1 | TRAILER, COMMUNICATION EQUIPMENT V-415()/TRC-145(V) | A | 5895 | CR | 20-OCT-89 | CR | | | | |
| L | | | MIL-C-55653A NOTICE 1 | CONTROL, COMMUNICATION SYSTEM C-6533( )/ARC [VALIDATION DATE: 8605] | A | 5821 | CR | 14-MAY-86 | CR | | | | |
| L | | | MIL-R-55656(2) NOTICE 1 | RADIO SET, AN/GRC-103( ) (V) BASIC [VALIDATION DATE: 8605] | A | 5820 | CR | 28-MAY-86 | CR | | | | |
| L | | | MIL-L-55658(1) NOTICE 1 | LOW LEVEL SIGNALING DEVICE TT-523( )/GGC [VALIDATION DATE: 8604] | A | 5815 | CR | 28-APR-86 | CR | | | | |
| L | | | MIL-T-55659 NOTICE 1 | TEST FACILITIES KIT, MK-994( )/AR (UNITS OF) [VALIDATION DATE: 8605] | A | 6625 | CR | 14-MAY-86 | CR | | | | |
| LI | | | MIL-M-55660 NOTICE 1 | MODULE, IMAGE INTENSIFIER, 18 MILLIMETER, TYPE 8857 | A | 5855 | CR | 05-OCT-90 | CR | | | | |
| L | | | MIL-C-55661B NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL UG-1870( )/U CONNECTOR, RECEPTACLE, ELECTRICAL UG-1837( )/U [VALIDATION DATE: 9108] REVIEWER: ES | A | 5935 | CR | 05-AUG-91 | CR | | | | |
| L | | | MIL-R-55662 | RADIO SET AN/ARC-114( ) [VALIDATION DATE: 8307] | A | 5821 | CR | 02-OCT-70 | CR | | | | |
| I | | | MIL-C-55666B NOTICE 1 | CONVERTER FOR SEARCHLIGHT, INFRARED 28-VOLT, 110-AMPERE USER: MC | A | 5855 | CR | 05-OCT-90 | CR | EC | | | |
| I | | | MIL-I-55667C NOTICE 1 | IGNITOR FOR SEARCHLIGHT, INFRARED, 28-VOLT, 110 AMPS | A | 5855 | CR | 05-OCT-90 | CR | EC | | | |
| | | | MIL-C-55669B NOTICE 1 | CAMERA, STILL PICTURE 35MM, SINGLE LENS REFLEX [VALIDATION DATE: 8803] USER: AT ME SC | A | 6720 | CR | 17-MAR-88 | CR | AS | 99 | | |
| L | | | MIL-M-55670A | MAST AB-621( )/G [VALIDATION DATE: 8110] REVIEWER: ES | A | 5985 | ER | 31-MAR-72 | ER | | | | |
| L | | | MIL-A-55671A(1) | ANTENNA AS-1425 ( )/GRC [VALIDATION DATE: 8110] REVIEWER: ES | A | 5985 | ER | 27-MAR-72 | ER | | | | |
| L | | | MIL-R-55672 NOTICE 2 | RADIOSONDE SET AN/AMT-4() (UNITS OF) [VALIDATION DATE: 9104] | A | 6660 | CR | 10-APR-91 | CR | | | | |
| LI | | | MIL-A-556 4A NOTICE 1 | ANTENNA GROUP AN/TRA-37( ) | A | 5820 | CR | 03-APR-89 | CR | | | | |
| L | | | MIL-B-55679(1) NOTICE 1 | BATTERY, DRY (SPECIAL PURPOSE) [VALIDATION DATE: 8308] | A | 6135 | ER | 14-APR-77 | ER | | | | |
| L | | | MIL-A-55680B | ANTENNA AT-1108( )/ARC | A | 5821 | CR | 26-APR-91 | CR | | | | |
| MQ | | | MIL-C-55681C(2) SUPPL 1A1 | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 MC SH REVIEWER: 17 AS ES OS | A | 5910 | ER | 21-APR-93 | ER | EC | 85 | | |
| | | | MIL-C-55681/1C | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLES CDR01, CDR02, CDR03, AND CDR04 USER: 19 MC SH REVIEWER: 17 AS OS | A | 5910 | ER | 23-APR-92 | ER | EC | 85 | | |
| | | | MIL-C-55681/2B | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR05 USER: 19 MC SH REVIEWER: 11 17 99 AS ES OS | A | 5910 | ER | 24-JUL-90 | ER | EC | 85 | | |
| | | | MIL-C-55681/3C | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR06 USER: 19 MC SH REVIEWER: 17 99 AS ES OS | A | 5910 | ER | 24-JUL-90 | ER | EC | 85 | | |
| | | | MIL-C-55681/4B(7) | CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLES CDR11, CDR12, CDR13, & CDR14 (HIGH FREQUENCY) USER: 19 MC SH REVIEWER: 17 99 AS EL ES OS | A | 5910 | 85 | 07-OCT-85 | ER | EC | 85 | | |
| | | | MIL-C-55681/5B | CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLES CDR21, CDR22, CDR23, CDR24, & CDR25 (HIGH FREQUENCY) USER: 19 MC SH REVIEWER: 17 AS ES OS | A | 5910 | 85 | 05-APR-85 | ER | EC | 85 | | |
| | | | MIL-C-55681/6(1) | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLES CDR26, CDR27, CDR28, CDR29, AND CDR30 USER: 19 MC SH REVIEWER: 17 AS ES OS | A | 5910 | ER | 01-APR-91 | ER | EC | 85 | | |
| | | | DOD-C-55681/7 NOTICE 1 | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR31 METRIC [VALIDATION DATE: 8811] USER: 19 MC SH REVIEWER: 17 99 AS OS | A | 5910 | ER | 18-NOV-88 | ER | EC | 85 | | |
| | | | MIL-C-55681/7A | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR31, METRIC USER: 19 MC SH REVIEWER: 17 99 AS ES OS | A | 5910 | ER | 28-JUL-89 | ER | EC | 85 | | |
| | | | DOD-C-55681/8 NOTICE 1 | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR32 METRIC [VALIDATION DATE: 8811] USER: 19 MC SH REVIEWER: 17 99 AS OS | A | 5910 | ER | 18-NOV-88 | ER | EC | 85 | | |
| | | | MIL-C-55681/8A | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR32, METRIC USER: 19 MC SH REVIEWER: 17 99 AS ES OS | A | 5910 | ER | 28-JUL-89 | ER | EC | 85 | | |
| | | | DOD-C-55681/9 NOTICE 1 | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR33 METRIC [VALIDATION DATE: 8811] USER: 19 MC SH REVIEWER: 17 99 AS OS | A | 5910 | ER | 18-NOV-88 | ER | EC | 85 | | |
| | | | MIL-C-55681/9A | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR33, METRIC USER: MC SH REVIEWER: 17 19 99 AS ES OS | A | 5910 | ER | 14-JUL-89 | ER | EC | 85 | | |
| | | | DOD-C-55681/10 | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR34 METRIC [VALIDATION DATE: 8811] USER: 19 MC SH REVIEWER: 17 99 AS OS | A | 5910 | ER | 18-NOV-88 | ER | EC | 85 | | |
| | | | MIL-C-55681/10A | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR34, METRIC USER: MC SH REVIEWER: 17 19 99 AS ES OS | A | 5910 | ER | 14-JUL-89 | ER | EC | 85 | | |
| | | | DOD-C-55681/11 NOTICE 1 | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR35 METRIC [VALIDATION DATE: 8811] USER: 19 MC SH REVIEWER: 17 99 AS OS | A | 5910 | ER | 18-NOV-88 | ER | EC | 85 | | |
| | | | MIL-C-55681/11A | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR35, METRIC USER: MC SH REVIEWER: 17 19 99 AS ES OS | A | 5910 | ER | 28-JUL-89 | ER | EC | 85 | | |
| L | | | MIL-I-55684 | INSTALLATION & ACCEPTANCE TESTING OF ELECTRONIC ALTIMETER SET AN/APN-171A(V) [VALIDATION DATE: 8501] | A | 5841 | AV | 06-JUL-70 | AV | | | | |
| L | | | MIL-T-55686 | TRANSIT FRAME, ANTENNA MT-3894( )/TRC & MT-3895( )/TRC [VALIDATION DATE: 8502] | A | 2510 | ER | 08-OCT-69 | ER | | | | |
| L | | | MIL-C-55688(1) NOTICE 1 | CONTROL INDICATOR C-8157( )/ARC | A | 5821 | CR | 31-JUL-86 | CR | | | | |
| L | | | MIL-S-55689 NOTICE 1 | SUPPRESSOR, ELECTRICAL TRANSIENT MX-7778( )/GRC [VALIDATION DATE: 8703] | A | 5915 | CR | 26-MAR-87 | CR | | | | |
| L | | | MIL-T-55691 | TEST SET, BATTERY AN/USM-63( )/U [VALIDATION DATE: 8606] USER: AR MC ME OS | A | 6625 | CR | 06-JUN-86 | CR | | | | |
| L | | | MIL-C-55693(3) | COUPLER, ANTENNA CU-942( )/AR, CU-1894( )/AR & ANTENNA AS-1703( )/AR [VALIDATION DATE: 8307] | A | 5821 | CR | 27-JAN-76 | CR | | | | |
| L | | | MIL-P-55695(2) | POWER SUPPLY PP-4763( )/GRC | A | 5820 | CR | 02-FEB-89 | CR | | | | |
| LI | | | MIL-S-55696 NOTICE 1 | SHELTER, ELECTRICAL EQUIPMENT S-336( )/TRC-112 | A | 5820 | CR | 20-OCT-89 | CR | | | | |
| LI | | | MIL-R-55698A NOTICE 1 | RADIO SET GROUP OA-1387( )/GRC (UNITS OF) | A | 5820 | CR | 17-OCT-89 | CR | | | | |
| I | | | MIL-P-55700B NOTICE 1 | PANEL ASSEMBLY, RELAY, FOR SEARCHLIGHT, INFRARED, 28-VOLT, 110-AMPERE USER: MC | A | 5855 | CR | 05-OCT-90 | CR | EC | 84 | | |
| L | | | MIL-S-58004C | SLING ASSEMBLY, VEHICLE LIFTING REVIEWER: IS | A | 3940 | ME | 20-AUG-84 | ME | | | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | | Date | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-C-58021B(1) | CABINET AND BENCH TOPS | A 4920 | AV | 15-DEC-87 | AV | | | | |
| | | MIL-V-58039E | VALVE, GATE, RISING STEM, DOUBLE ACTING ALUMINUM USER: CG REVIEWER: CE CS | A 4820 | ME | 26-MAR-84 | ME | MC | | | |
| | | MIL-V-58039E(11) | VALVES, GATE, RISING STEM, DOUBLE ACTING, ALUMINUM REVIEWER: CE CG | A 4820 | ME | 03-DEC-87 | ME | MC | | | |
| | L | MIL-R-58045A(1) | REPAIR KIT, INFLATABLE CRAFT, PNEUMATIC FLOATS AND BOATS, SMALL, PACKAGING OF [VALIDATION DATE: 8909] REVIEWER: SM | A 2090 | ME | 08-SEP-89 | ME | | | | |
| | L | MIL-C-58052C(1) | COMPASS, MAGNETIC, UNMOUNTED, M2 (NONMAINTAINABLE) REVIEWER: 99 | A 1290 | AR | 25-APR-86 | AR | | | | |
| | | MIL-T-58060B(1) NOTICE 1 | TABLE ASSEMBLY, SCORSBY REVIEWER: EL | A 4920 | AV | 09-JUL-87 | AV | AS | 99 | | |
| | L | MIL-A-58066A(3) | ALTIMETER, PRESSURE, PARACHUTIST S [VALIDATION DATE: 8710] REVIEWER: AV MD | A 6610 | GL | 11-MAR-71 | GL | | | | |
| | L | MIL-I-58067A(2) | INDICATOR, VERTICAL VELOCITY, RAPID RESPONSE, ACCELERATION SENSITIVE GENERAL SPECIFICATION FOR | A 6610 | AV | 27-FEB-90 | AV | | | | |
| A | L | MIL-T-58076(1) | TESTER, AIRCRAFT PERSONNEL SAFETY EQUIPMENT | A 4920 | 82 | 08-DEC-92 | | | 99 | | |
| | L | MIL-T-58078B | TESTER, PITOT AND STATIC SYSTEMS, DIGITAL | A 4920 | AV | 11-AUG-89 | AV | | | | |
| A | L | MIL-T-58082A NOTICE 1 | TESTER, PYROMETER AND THERMOCOUPLE, FIELD, TYPE M-3A [VALIDATION DATE: 8601] | A 6695 | AV | 24-JAN-86 | AV | | | | |
| A | | MIL-G-58083A(2) | GENERATOR, TACHOMETER, FOUR POLE, SCREW MOUNTED USER: CG | A 6620 | AV | 30-JAN-88 | AV | | 99 | | |
| M | L | MIL-L-58085A(2) | LIGHT, BEACON, ANTI-COLLISION, AIRCRAFT | A 6220 | AV | 09-APR-83 | AV | | | | |
| | L | MIL-G-58087A(1) | GRIP ASSEMBLY, CYCLIC CONTROLLER, HELICOPTER | A 1680 | AV | 09-DEC-80 | AV | | | | |
| | L | MIL-F-58090A | FILTER ELEMENT, FLUID PRESSURE, OIL, RECIPROCATING ENGINE, AIRCRAFT | A 2945 | AV | 07-OCT-81 | AV | | | | |
| | | MIL-M-58091A | MAINTENANCE KIT, ACRYLIC PLASTIC WINDOW REFINISHING, AIRCRAFT [VALIDATION DATE: 8207] | A 1560 | AV | 17-MAY-71 | AV | AS | 11 | | |
| | L | MIL-T-58092D | TEST SET, FUEL QUANTITY GAGE CAPACITANCE TYPE | A 4920 | AV | 01-MAY-86 | AV | | | | |
| | L | MIL-T-58093A(1) NOTICE 1 | TESTER, GYRO INDICATOR, PITCH AND ROLL USER: AT REVIEWER: ER | A 4920 | AV | 03-AUG-87 | AV | | | | |
| | L | MIL-S-58095A | SEAT SYSTEM:CRASH-RESISTANCE,NON-EJECTION,AIRCREW,GENERAL SPECIFICATION FOR | A 1680 | AV | 31-JAN-86 | AV | | | | |
| | L | MIL-T-58097(3) | TRANSMITTERS, PRESSURE, HELICOPTER, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR | A 6620 | AV | 05-DEC-91 | AV | | | | |
| | L | MIL-I-58098A | INDICATOR, PRESSURE, HELICOPTER, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR | A 6620 | AV | 23-SEP-82 | AV | | | | |
| | L | MIL-I-58099 | INDICATOR, PRESSURE, TYPE TB-1 | A 6620 | AV | 05-SEP-86 | AV | | | | |
| A | L | MIL-I-58100 NOTICE 1 | TRANSMITTER, PRESSURE, OIL, HELICOPTER [VALIDATION DATE: 8708] | A 6620 | AV | 17-AUG-87 | AV | | | | |
| A | L | MIL-P-58102 NOTICE 2 | PLASTIC SHEET AND LAMINATES, FLEXIBLE, FOR ENVIRONMENTAL PROTECTIVE STORAGE AND SHIPPING SYSTEMS | A PACK | AS | 16-FEB-93 | | | AS | | |
| | | MIL-G-58103 | GRIP ASSEMBLY, CYCLIC CONTROLLER, HELICOPTER [VALIDATION DATE: 8409] | A 1680 | AV | 02-JUL-79 | AV | AS | 11 | | |
| | | MIL-C-58104A | COVER, PROTECTIVE, FOR PARTS & EQUIPMENT REVIEWER: AR SM | A 8145 | AV | 20-MAY-83 | AV | | 69 | | |
| | | MIL-B-58105 NOTICE 1 | BEARING RESTORING BY RACEWAY GRINDING USER: AT | A 3110 | AV | 17-APR-87 | AV | AS | 99 | | |
| | | MIL-M-58106(3) | NET, HELICOPTER CARGO CARRYING EXTERNAL, 5,000 AND 10,000 POUND CAPACITIES REVIEWER: MC | A 1670 | AV | 15-JUN-91 | AV | AS | | | |
| | | MIL-M-58107(1) | NAVIGATIONAL SET, DOPPLER AN/ASN-137 ( ) | A 5841 | AV | 30-APR-88 | AV | | | | |
| | L | MIL-M-58108 | HEADSET-MICROPHONE KITMK-2193/AIC | A 5965 | AV | 30-MAY-86 | AV | | | | |
| | | MIL-M-58109 | MICROPHONE, LINEAR, GENERAL SPECIFICATION FOR | A 5965 | AV | 30-MAY-86 | AV | | | | |
| | L | MIL-M-58109/1 | MICROPHONE, LINEAR, M-170/AIC | A 5965 | AV | 30-MAY-86 | AV | | | | |
| | L | MIL-M-58109/2 | MICROPHONE, LINEAR, M-171/AIC | A 5965 | AV | 30-MAY-86 | AV | | | | |
| | L | MIL-I-58110 | INDICATOR, REMOTE ID-2403/ARC REVIEWER: CR | A 5895 | AV | 30-MAR-87 | AV | | | | |
| | L | MIL-C-58111 | CONTROL UNIT, COMMUNICATION SYSTEM C-11746(V)( )/ARC REVIEWER: CR | A 5895 | AV | 30-MAR-87 | AV | | | | |
| | | MIL-S-58112 | SLING, MULTI-LEG, HELICOPTER, EXTERNAL CARGO REVIEWER: 82 GL | A 1670 | AV | 14-AUG-89 | AV | AS | 99 | | |
| | L | MIL-W-60002A NOTICE 1 | WARHEAD, HE, M18, PARTS FOR [VALIDATION DATE: 8704] | A 1340 | AR | 02-APR-87 | AR | | | | |
| | L | MIL-M-60003E | MOTOR, ROCKET, ASSEMBLY, M54 OR M123 PARTS FOR REVIEWER: AR | A 1340 | MI | 03-APR-92 | MI | | | | |
| | L | MIL-L-[illegible]004A(1) NOTICE 1 | LAUNCHER FOR ROCKET, HE, 66MM, ANTI TANK, M72 ASSEMBLY & PACKING [VALIDATION DATE: 8804] | A 1340 | AR | 22-APR-88 | AR | | | | |
| | L | MIL-F-60005(1) NOTICE 1 | FUZE, ROCKET, M412 (LESS BOOSTER PELLET) ASSEMBLING AND PACKING [VALIDATION DATE: 8806] | A 1340 | AR | 20-JUN-88 | AR | | | | |
| | L | MIL-C-60006A(1) NOTICE 1 | CAP, NOSE FOR ROCKET, HE, 66MM, ANTI-TANK, M72A2 ASSEMBLING AND PACKING [VALIDATION DATE: 8806] REVIEWER: MI | A 1340 | AR | 20-JUN-88 | AR | | | | |
| | L | MIL-I-60008B | IGNITER, INTEGRAL, M56 REVIEWER: AR | A 1340 | MI | 25-FEB-91 | MI | | | | |
| | L | MIL-P-60009B | PROPELLANT CHARGE ASSEMBLY, ROCKET, HIGH EXPLOSIVE, 66 MM, M72A1, M72A2, OR M72A3, WITH COUPLER REVIEWER: AR | A 1340 | MI | 24-SEP-90 | MI | | | | |
| | L | MIL-F-60010(1) | FUZE, ROCKET, M412 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8804] | A 1340 | AR | 22-APR-88 | AR | | | | |
| | L | MIL-D-60014B | DETONATOR, STAB M47 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8303] | A 1375 | AR | 15-APR-[illegible] | AR | | | | |
| | L | MIL-P-60015A NOTICE 1 | PRIMER, PERCUSSION, M60A1 LOADING, ASSEMBLING & PACKING | A 1390 | AR | 10-JUL-[illegible] | AR | | | | |
| | L | MIL-I-60016A(5) NOTICE 1 | INCREMENTS, PROPELLANT FOR CHARGE, PROPELLING, M36A1 (MADE FROM PROPELLANT, M8) [VALIDATION DATE: 9108] | A 1376 | AR | 29-AUG-[illegible] | AR | | | | |
| | L | MIL-P-60017A NOTICE 1 | PRIMER, PERCUSSION, M60A1 PARTS FOR | A 1390 | AR | 10-JUL-[illegible] | AR | | | | |
| | L | MIL-C-60018A NOTICE 1 | CHARGE, PROPELLING, 155MM, XM119 (SUPERCHARGE), LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8705] | A 1320 | AR | 23-MAY-[illegible] | AR | | | | |
| | L | MIL-P-60019A(3) NOTICE 1 | PROPELLANT, M9 FOR USE WITH CHARGE, PROPELLING M36A1 FOR 4.2 INCH MORTAR [VALIDATION DATE: 8805] | A 1376 | AR | 29-MAY-[illegible] | AR | | | | |
| | L | MIL-F-60020 NOTICE 1 | FUZE, MINE, COMBINATION M10A2, PARTS FOR [VALIDATION DATE: 8805] | A 1344 | AR | 23-MAY-[illegible] | AR | | | | |
| | L | MIL-C-60021A | CASE, CARRYING, M85, ASSEMBLY FOR KIT, DEMOLITION, M37 [VALIDATION DATE: 8404] | A [illegible] | AR | 4 MAY- | | | | | |
| | L | MIL-B-60023A NOTICE 1 | BAG ASSEMBLY, FOR CHARGE DEMOLITION, BLOCK, M5A1 AND CHARGE ASSEMBLY, DEMOLITION, M183 [VALIDATION DATE: 9005] | A [illegible] | AR | [illegible] | | | | | |
| | L | MIL-L-60024(2) NOTICE 1 | LUCKY ASSEMBLY, FOR CARTRIDGE 90MM, HEAT, M371E1, (M371A1) AND 106MM, HEAT, M344A1 PARTS FOR ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A [illegible] | AR | [illegible] | | | | | |
| | L | MIL-P-60025 | PRIMER, STAB, M97 PARTS FOR [VALIDATION DATE: 8203] | A [illegible] | AR | [illegible] | | | | | |
| | L | MIL-P-60026(1) NOTICE 1 | PRIMER, STAB, M97 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8803] | A [illegible] | AR | [illegible] | | | | | |
| | L | MIL-D-60027A NOTICE 1 | DETONATOR, ELECTRIC, M69 PARTS FOR [VALIDATION DATE: 9010] | A [illegible] | AR | [illegible] | | | | | |
| | L | MIL-C-60028C(1) NOTICE 1 | CARTRIDGE, 81MM, SMOKE, WP, M375 AND M375A2 ASSEMBLING, MARKING AND PACKING [VALIDATION DATE: 9010] REVIEWER: EA | A | AR | | | | | | |
| | L | MIL-P-60029B(1) NOTICE 1 | PROPELLANT M9 FOR USE IN INCREMENTS M90 & M90A1 FOR 81MM MORTAR [VALIDATION DATE: 8604] | [illegible] | AR | [illegible] | | | | | |
| | L | MIL-D-60031A(1) | DETONATOR, ELECTRIC, M69 LOADING, ASSEMBLING AND PACKING | [illegible] | AR | [illegible] | | | | | |
| | L | MIL-C-60032(1) NOTICE 1 | CHARGE ASSEMBLY, DEMOLITION KIT, M37 FOR BLOCK DEMOLITION [illegible] LOADING, ASSEMBLY AND PACKING [VALIDATION DATE: 9005] | | AR | [illegible] | | | | | |
| | L | MIL-P-60033B NOTICE 1 | PROPELLANT, T36E1, FOR USE IN CHARGE PROPELLING [illegible] | | | | | | | | |
| | L | MIL-P-60034(1) NOTICE 1 | PRIMING ASSEMBLY DEMOLITION, M15 PARTS, LOADING, ASSEMBLING AND PACKING | | | | | | | | |
| | L | MIL-F-60036D | FLARE CARTRIDGE ASSEMBLY MX3529/ALA-17 & ALA-17A METAL PARTS | | | | | | | | |
| | L | MIL-F-60037C NOTICE 1 | FLARE SET, AN/ALA-17 ASSEMBLING & PACKING [VALIDATION DATA] | | | | | | | | |
| | L | MIL-L-60038A NOTICE 1 | LINER ASSEMBLY, M6 [VALIDATION DATE: 8604] | | | | | | | | |
| | L | MIL-R-60040C NOTICE 1 | RACK, FLARE CY2617/ALA-17 [VALIDATION DATE: M 0] | | | | | | | | |

| Action | Doc. / Cmbt. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-F-60041B(1) | FUZE, BASE DETONATING, M578 LOADING, ASSEMBLING AND PACKING | A 1390 | AR 01-AUG-85 | AR | | | | |
| | L | MIL-F-60042B(1) | FUZE, BASE DETONATING, M578 PARTS, WITH DETONATOR | A 1390 | AR 01-AUG-85 | AR | | | | |
| | L | MIL-F-60043A(1) | FUZE, BASE DETONATING, (M62A2) METAL PARTS FOR [VALIDATION DATE: 8506] | A 1390 | AR 27-DEC-78 | AR | | | | |
| | L | MIL-F-60044A(2) | FUSE, BASE DETONATION, M62A2 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8506] | A 1390 | AR 25-MAY-79 | AR | | | | |
| | L | MIL-P-60045A NOTICE 1 | PROPELLANT M2 FOR USE IN 165MM CARTRIDGES [VALIDATION DATE: 9108] | A 1376 | AR 29-AUG-91 | AR | | | | |
| | L | MIL-P-60049A NOTICE 1 | PRIMER, STAB M26 PARTS FOR, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8702] REVIEWER: EA | A 1375 | AR 29-APR-74 | AR | | | | |
| | L | MIL-C-60051(1) NOTICE 1 | COMPOSITION B6/14 RDX/WAX | A 1375 | AR 30-JAN-87 | AR | | | | |
| | L | MIL-P-60052(1) | PRIMER, PERCUSSION, M1A2 METAL PARTS FOR [VALIDATION DATE: 8506] | A 1390 | AR 19-OCT-66 | AR | | | | |
| | L | MIL-P-60053(1) | PRIMER, PERCUSSION, M1A2 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8506] | A 1390 | AR 21-SEP-66 | AR | | | | |
| | L | MIL-B-60073 NOTICE 1 | BOMB, NONPERSISTENT GAS, SPHERICAL, 4.5 INCH, M139, FILLING AND ASSEMBLY [VALIDATION DATE: 8702] | A 1325 | EA 27-FEB-87 | EA | | | | |
| | L | MIL-B-60075 NOTICE 1 | BOMB, NONPERSISTENT GAS, SPHERICAL, 4.5-INCH, M139, METAL PARTS [VALIDATION DATE: 8702] | A 1325 | EA 27-FEB-87 | EA | | | | |
| | L | MIL-P-60077A NOTICE 1 | PROJECTILE, 155 MILLIMETER HOWITZER, M121A1, VX FILLED, WITHOUT FUZE & BURSTER [VALIDATION DATE: 8703] | A 1320 | EA 02-MAR-87 | EA | | | | |
| | L | MIL-W-60080 NOTICE 1 | WARHEAD, GUIDED MISSILE, EMPTY, E6 [VALIDATION DATE: 8702] | A 1336 | EA 27-FEB-87 | EA | | | | |
| | L | MIL-W-60081 NOTICE 1 | WARHEAD, GUIDED MISSILE, CHEMICAL AGENT, 1500 LB, E9 [VALIDATION DATE: 8702] | A 1336 | EA 27-FEB-87 | EA | | | | |
| | L | MIL-B-60082(2) | BOMB, CHEMICAL, MARK 116 MOD 0 (WITHOUT FUZE AND BURSTER) FILLING ASSEMBLY AND MARKING [VALIDATION DATE: 8006] | A 1325 | EA 19-JUN-68 | EA | | | | |
| | L | MIL-C-60086 | CANISTER, SMOKE, WP, FOR 152 MILLIMETER CARTRIDGE, XM410E1 [VALIDATION DATE: 8006] | A 1320 | EA 21-OCT-64 | EA | | | | |
| A | L | MIL-G-60087F(3) | GRENADE, HAND, RIOT, CS, M7A3 | X 1330 | EA 10-APR-92 | EA | | | | |
| | L | MIL-B-60089B NOTICE 1 | BURSTER, CHEMICAL AGENT MINE, M38, INITIATOR, MINE BURSTER, M48 [VALIDATION DATE: 8703] | A 1345 | EA 02-MAR-87 | EA | | | | |
| | L | MIL-P-60090B NOTICE 1 | PROJECTILE, 105MM, WP-T, M416, FILLING ASSEMBLY | A 1315 | EA 24-FEB-87 | EA | | | | |
| | AQL | MIL-A-60091B(1) | ADHESIVE FOR BONDING DEMOLITION CHARGES TO STRUCTURAL SURFACES | A 1375 | AR 12-MAR-93 | AR | | | | |
| | L | MIL-D-60093A(1) | DETONATOR, STAB, M50 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8905] | A 1375 | AR 08-MAY-89 | AR | | | | |
| | L | MIL-D-60094 | DETONATOR, ELECTRIC, XM65 PARTS FOR [VALIDATION DATE: 8304] | A 1375 | AR 30-OCT-64 | AR | | | | |
| | L | MIL-D-60095(1) | DETONATOR, ELECTRIC, XM65 LOADING, ASSEMBLING & PACKING | A 1375 | AR 10-AUG-81 | AR | | | | |
| | L | MIL-P-60096(1) | PRIMER, PERCUSSION, M62 METAL PARTS FOR [VALIDATION DATE: 8506] | A 1390 | AR 11-MAR-66 | AR | | | | |
| | L | MIL-P-60097(1) | PRIMER, PERCUSSION, M62 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8506] | A 1390 | AR 11-MAR-66 | AR | | | | |
| | L | MIL-P-60098 NOTICE 1 | PROPELLANT, M6 FOR USE IN CARTRIDGE, CANNISTER 76MM, M363 [VALIDATION DATE: 9108] | A 1376 | AR 29-AUG-91 | AR | | | | |
| | L | MIL-A-60100 | AMPLIFIER, INTERMEDIATE FREQUENCY AM-1063/MS & AM-1064/MS [VALIDATION DATE: 8202] | A 1285 | AR 20-JAN-64 | AR | | | | |
| | L | MIL-T-60101A NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M9, ASSEMBLY [VALIDATION DATE: 8606] | A 1377 | OS 26-JUN-86 | | OS | | | |
| | L | MIL-T-60102A NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M9 METAL PARTS ASSEMBLY [VALIDATION DATE: 8606] | A 1377 | OS 26-JUN-86 | | OS | | | |
| | L | MIL-C-60103(1) NOTICE 1 | CUTTER, POWDER ACTUATED, M8 METAL PARTS ASSEMBLY | A 1377 | OS 28-MAR-89 | | OS | | | |
| | L | MIL-C-60105(1) NOTICE 1 | CUTTER, POWDER ACTUATED, M8 ASSEMBLY [VALIDATION DATE: 8606] | A 1377 | OS 26-JUN-86 | | OS | | | |
| | L | MIL-B-60107B(2) | BANDOLEER, M4 | A 1305 | AR 08-JUL-91 | AR | | | | |
| | L | MIL-D-60109(1) NOTICE 1 | DRIVE, BALLISTICS, XM15 | A 1220 | AR 20-MAR-87 | AR | | | | |
| M | | MIL-C-60111C(3) | CARTRIDGE, 5.56MM, TRACER, M196 USER: MC OS | A 1305 | AR 16-APR-93 | AR | | | | 99 |
| | L | MIL-R-60112(1) NOTICE 1 | REMOVER, AIRCRAFT CANOPY, M5 ASSEMBLY [VALIDATION DATE: 8606] | A 1377 | OS 26-JUN-86 | | OS | | | |
| | LI | MIL-T-60116 NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M20A1 METAL PARTS ASSEMBLY (INACTIVE FOR NEW DESIGN) | A 1377 | OS 15-JUL-88 | | OS | | | |
| | L | MIL-R-60117(1) | REMOVER, AIRCRAFT CANOPY, M4 AND M5 METAL PARTS ASSEMBLY | A 1377 | OS 16-MAY-89 | | OS | | | |
| | L | MIL-C-60118(5) NOTICE 1 | COMPUTER, BALLISTICS: M16 [VALIDATION DATE: 9009] | A 1220 | AR 28-SEP-90 | AR | | | | |
| | L | MIL-B-60119(3) NOTICE 1 | BALLISTICS COMPUTER SUBASSEMBLY, 8635273 (CONTROL UNIT) | A 1220 | AR 20-MAR-87 | AR | | | | |
| | L | MIL-B-60120(6) NOTICE 1 | BALLISTICS COMPUTER SUBASSEMBLY: 8635274 (ZEROING CONTROL UNIT) [VALIDATION DATE: 9009] | A 1220 | AR 28-SEP-90 | AR | | | | |
| | L | MIL-B-60121(5) NOTICE 1 | BALLISTIC COMPUTER SUBASSEMBLY, 8635275 (OUTPUT UNIT) | A 1220 | AR 20-MAR-87 | AR | | | | |
| | L | MIL-B-60122(2) NOTICE 1 | BALLISTICS COMPUTER SUBASSEMBLY, 8635276 (INPUT UNIT) | A 1220 | AR 20-MAR-87 | AR | | | | |
| | L | MIL-B-60123(7) NOTICE 1 | BALLISTICS COMPUTER, SUBASSEMBLY: 8635370 (COMPUTER UNIT) [VALIDATION DATE: 9009] | A 1220 | AR 28-SEP-90 | AR | | | | |
| | L | MIL-B-60124(2) NOTICE 1 | BALLISTICS COMPUTER SUBASSEMBLY, 863512 (CANT UNIT) | A 1220 | AR 20-MAR-87 | AR | | | | |
| | L | MIL-P-60125A(4) | PROJECTOR, RETICLE IMAGE, M14 [VALIDATION DATE: 8201] | A 1240 | AR 25-FEB-70 | AR | | | | |
| | L | MIL-B-60128A(1) NOTICE 1 | BANDOLEER, M3 | A 1305 | AR 29-SEP-86 | AR | | | | |
| | L | MIL-T-60129(2) NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M20A1 ASSEMBLY [VALIDATION DATE: 8606] | A 1377 | OS 26-JUN-86 | | OS | | | |
| | L | MIL-H-60132(3) NOTICE 1 | HEAD ASSEMBLY, TANK PERISCOPE, 10513625 [VALIDATION DATE: 8705] | A 6650 | AR 15-MAY-87 | AR | | | | |
| | L | MIL-B-60133(5) | BODY ASSEMBLY, TANK PERISCOPE, 10513620 | A 6650 | AR 01-APR-88 | AR | | | | |
| | L | MIL-P-60134 | PERISCOPE, TANK, XM47 [VALIDATION DATE: 8303] | A 6650 | AR 21-DEC-64 | AR | | | | |
| | L | MIL-B-60135(8) | BODY ASSEMBLY, TANK PERISCOPE, 10513599 [VALIDATION DATE: 8506] | A 6650 | AR 28-DEC-71 | AR | | | | |
| | L | MIL-P-60137 | PERISCOPE, TANK, XM48 [VALIDATION DATE: 8303] | A 6650 | AR 21-DEC-64 | AR | | | | |
| | L | MIL-P-60139B(1) | PERISCOPE, TANK, M32C [VALIDATION DATE: 8504] | A 1240 | AR 10-OCT-72 | AR | | | | |
| | L | MIL-S-60140A | SIGHTING SYSTEM ANTIOSCILLATION XM58 [VALIDATION DATE: 8504] | A 1270 | AR 12-AUG-66 | AR | | | | |
| | L | MIL-S-60141A | SIGHT ASSEMBLY, 10527236 [VALIDATION DATE: 8504] | A 1270 | AR 26-OCT-66 | AR | | | | |
| | L | MIL-C-60142A | CONTROL, GIMBAL POSITION, 10527253 [VALIDATION DATE: 8504] | A 1270 | AR 10-MAY-66 | AR | | | | |
| | L | MIL-G-60143A | GYROSCOPE, RATE, 10527237-1 AND 10527237-2 [VALIDATION DATE: 8504] | A 1270 | AR 11-JUL-66 | AR | | | | |
| | L | MIL-M-60144A | MOTOR, CONTROL, 10527238 (YAW TORQUER) [VALIDATION DATE: 8504] | A 1270 | AR 11-AUG-66 | AR | | | | |
| | L | MIL-M-60145A | MOTOR, CONTROL, 10527239 (PITCH TORQUER) [VALIDATION DATE: 8504] | A 1270 | AR 11-JUL-66 | AR | | | | |
| | L | MIL-A-60146A | AMPLIFIER, ELECTRONIC CONTROL, 10527247 [VALIDATION DATE: 8504] | A 1270 | AR 29-JUL-66 | AR | | | | |
| | L | MIL-A-60147A(1) | AMPLIFIER, 10527248 [VALIDATION DATE: 8504] | A 1270 | AR 07-OCT-66 | AR | | | | |
| | L | MIL-A-60148A | AMPLIFIER, 10527249 [VALIDATION DATE: 8504] | A 1270 | AR 11-JUL-66 | AR | | | | |
| | L | MIL-P-60149A | POWER SUPPLY, 10527250 [VALIDATION DATE: 8504] | A 1270 | AR 27-JUL-66 | AR | | | | |
| | L | MIL-T-60150A | TELESCOPE, STRAIGHT, 8287286 [VALIDATION DATE: 8504] | A 1270 | AR 12-AUG-66 | AR | | | | |
| | L | MIL-P-60152(2) | PERISCOPE, TANK, XM44 [VALIDATION DATE: 8601] | A 1240 | AR 29-JUL-85 | AR | | | | |
| | L | MIL-H-60153(2) | HEAD ASSEMBLY, TANK PERISCOPE, 10513392 [VALIDATION DATE: 8504] | A 1240 | AR 20-AUG-65 | AR | | | | |
| | L | MIL-T-60156(4) | TELESCOPE, XM119 [VALIDATION DATE: 8601] | A 1240 | AR 06-MAR-74 | AR | | | | |
| | L | MIL-M-60157C(3) | MOUNT, TELESCOPE, M149 [VALIDATION DATE: 8502] | A 1240 | AR 17-APR-79 | AR | | | | |
| | L | MIL-C-60159(1) | COLLIMATOR, INFINITY AIMING REFERENCE, XM2 [VALIDATION DATE: 8504] | A 1240 | AR 23-MAY-66 | AR | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-C-60161 NOTICE 1 | CARTRIDGE, CALIBER .30, TEST, HIGH PRESSURE, M1 [VALIDATION DATE: 9010] ... | A | 1305 AR | 31-OCT-90 | AR | | | | |
| | L | MIL-C-60162 NOTICE 1 | CARTRIDGE, CALIBER .50, TEST, HIGH PRESSURE, M1 [VALIDATION DATE: 9010] ... | A | 1305 AR | 31-OCT-90 | AR | | | | |
| | L | MIL-C-60163(1) | CARTRIDGE, CALIBER .45, TEST, HIGH PRESSURE, M1 ..... | A | 1305 AR | 16-APR-86 | AR | | | | |
| | L | MIL-I-60166(8) | INVERTER, POWER, STATIC: 10516412 [VALIDATION DATE: 9002] ..... | A | 1220 AR | 23-FEB-90 | AR | | | | |
| | L | MIL-C-60167 | CARTRIDGE, CALIBER .50, TEST, HIGH PRESSURE, T251 ..... | A | 1305 AR | 19-OCT-64 | AR | | | | |
| | L | MIL-C-60168 NOTICE 1 | CARTRIDGE, CALIBER .50, PRACTICE, T249E2 [VALIDATION DATE: 9010] ..... | A | 1305 AR | 31-OCT-90 | AR | | | | |
| | | MIL-P-60169B NOTICE 1 | PAPER, SEALING [VALIDATION DATE: 8806] USER: MI OS ..... | A | 1305 AR | 06-JUN-88 | AR | | 70 | | |
| | L | MIL-M-60170A(3) NOTICE 1 | MOUNT, PERISCOPE: 10513360 [VALIDATION DATE: 8807] ..... | A | 1240 AR | 11-JUL-88 | AR | | | | |
| | L | MIL-T-60193(2) | TRANSFORMER, POWER, STEP DOWN, 10525915 [VALIDATION DATE: 8101] REVIEWER: ES MI | A | 5950 AR | 12-JUL-68 | AR | | | | |
| A | | MIL-T-60201C | THRUSTER, CARTRIDGE ACTUATED, M25A1 ASSEMBLY REVIEWER: 70 ..... | A | 1377 OS | 21-SEP-92 | | OS | 99 | | |
| | L | MIL-C-60205A(2) | CARTRIDGE, IMPULSE, M173 USER: 11 ..... | A | 1377 OS | 30-JUL-87 | | OS | | | |
| | L | MIL-T-60206(2) | TRANSFORMER, POWER, STEP DOWN, 10525900 [VALIDATION DATE: 8101] REVIEWER: ES MI | A | 5950 AR | 12-JUL-68 | AR | | | | |
| | L | MIL-T-60207(2) | TRANSFORMER, POWER, STEP DOWN, 10525910 [VALIDATION DATE: 8101] REVIEWER: ES MI | A | 5950 AR | 12-JUL-68 | AR | | | | |
| | L | MIL-C-60215(6) NOTICE 1 | COMPUTER LOGIC UNIT: 8623272 [VALIDATION DATE: 8805] ..... | A | 1220 AR | 16-MAY-88 | AR | | | | |
| | L | MIL-C-60220 | CABLE, SPECIAL PURPOSE, ELECTRICAL (DATA TRANSMISSION USE) [VALIDATION DATE: 8303] REVIEWER: IS | A | 6145 AR | 01-MAR-65 | AR | | | | |
| | L | MIL-I-60221 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, XM98 ASSEMBLY [VALIDATION DATE: 8606] ..... | A | 1377 OS | 26-JUN-86 | | OS | | | |
| | L | MIL-C-60223(2) | CARTRIDGE, INITIATOR, M69 ..... | A | 1377 OS | 09-JUN-87 | | OS | | | |
| | L | MIL-C-60224(1) | CARTRIDGE, INITIATOR, XM201 ASSEMBLY ..... | A | 1377 OS | 16-OCT-86 | | OS | | | |
| | L | MIL-B-60225(1) | BRAIDED FUZE MATERIAL [VALIDATION DATE: 8506] ..... | A | 1390 AR | 28-OCT-65 | AR | | | | |
| | L | MIL-T-60227A NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M1 ASSEMBLY [VALIDATION DATE: 8606] ..... | A | 1377 OS | 26-JUN-86 | | OS | | | |
| | L | MIL-T-60229A NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M7 METAL PARTS ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 OS | 26-JUN-86 | | OS | | | |
| | L | MIL-I-60231A(1) | IGNITION ELEMENT, ELECTRIC, M55 ASSEMBLY ..... | A | 1377 OS | 16-OCT-86 | | OS | | | |
| | L | MIL-I-60232(1) | IGNITION ELEMENT, ELECTRIC, M21, ASSEMBLY ..... | A | 1377 OS | 16-OCT-86 | | OS | | | |
| | L | MIL-S-60233C(3) | SIGHT, REFLEX, HELICOPTER: M60A1 ..... | A | 1270 AR | 30-MAR-90 | AR | | | | |
| | | MIL-C-60235B | CARTRIDGE, IMPULSE, M91 ASSEMBLY ..... | A | 1377 OS | 10-MAY-89 | | OS | 99 | | |
| | L | MIL-T-60236(1) | THRUSTER, CARTRIDGE ACTUATED, M18, METAL PARTS ASSEMBLY ..... | A | 1377 OS | 15-JUL-86 | | OS | | | |
| | L | MIL-T-60237(1) | TELESCOPE, XM126 [VALIDATION DATE: 8101] ..... | A | 1240 AR | 02-FEB-68 | AR | | | | |
| | L | MIL-R-60239 | REGULATOR, VOLTAGE, 10539715 [VALIDATION DATE: 8504] ..... | A | 1240 AR | 17-NOV-65 | AR | | | | |
| | L | MIL-P-60241(2) | PERISCOPE, TANK, XM50 [VALIDATION DATE: 8101] ..... | A | 1240 AR | 20-FEB-68 | AR | | | | |
| | L | MIL-P-60242(3) | PERISCOPE, TANK, XM51 [VALIDATION DATE: 8101] ..... | A | 1240 AR | 25-JUN-68 | AR | | | | |
| | L | MIL-P-60243C(4) NOTICE 1 | PANEL ASSEMBLIES: 10548439 AND 10549788 [VALIDATION DATE: 8807] ..... | A | 1240 AR | 11-JUL-88 | AR | | | | |
| | L | MIL-L-60244A | LINKAGE ASSEMBLY, 8287301 [VALIDATION DATE: 8201] ..... | A | 1240 AR | 06-APR-70 | AR | | | | |
| | L | MIL-E-60245(1) | ELECTRON TUBE, 7688738 (INFRARED, IMAGE CONVERTER) [VALIDATION DATE: 8303] | A | 1240 AR | 06-JUL-70 | AR | | | | |
| | L | MIL-T-60246(1) NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M18, ASSEMBLY [VALIDATION DATE: 8606] ..... | A | 1377 OS | 26-JUN-86 | | OS | | | |
| | | MIL-C-60247A | CARTRIDGE, DELAY, M155 ASSEMBLY ..... | A | 1377 OS | 23-APR-91 | | OS | 99 | | |
| | L | MIL-T-60249(1) | THRUSTER, CARTRIDGE ACTUATED, M17, ASSEMBLY [VALIDATION DATE: 8606] ..... | A | 1377 OS | 18-NOV-66 | | OS | | | |
| | L | MIL-C-60250A | CASE, CARRYING, 10541026 AND 10541038 [VALIDATION DATE: 8201] ..... | A | 1240 AR | 18-JUN-70 | AR | | | | |
| | L | MIL-C-60251A(3) NOTICE 1 | CARTRIDGE, 7.62MM, NATO, BALL, M80 OVERHEAD FIRE APPLICATION ..... | A | 1305 AR | 11-MAR-91 | AR | | | | |
| | L | MIL-C-60252A(3) NOTICE 1 | CARTRIDGE, 7.62MM, NATO, TRACER, M62 OVERHEAD FIRE APPLICATION ..... | A | 1305 AR | 11-MAR-91 | AR | | | | |
| | L | MIL-T-60253 NOTICE 2 | THRUSTER, CARTRIDGE ACTUATED, M17, METAL PARTS ASSEMBLY [VALIDATION DATE: 9108] | A | 1377 OS | 14-AUG-91 | | OS | | | |
| | L | MIL-C-60255(2) | CASE, TELESCOPE: M164 ..... | A | 1290 AR | 01-FEB-91 | AR | | | | |
| | L | MIL-C-60259 | CASE, OPTICAL BORE SIGHT, 8587581 [VALIDATION DATE: 8504] ..... | A | 1270 AR | 02-DEC-65 | AR | | | | |
| | L | MIL-C-60261 | CASE, FUZE SETTER SET, M178 [VALIDATION DATE: 8504] ..... | A | 1290 AR | 29-DEC-65 | AR | | | | |
| | L | MIL-C-60262 NOTICE 1 | CUTTER, POWDER ACTUATED, REEFING LINE, M9, ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 OS | 26-JUN-86 | | OS | | | |
| | L | MIL-C-60263 NOTICE 1 | CUTTER, POWDER ACTUATED, REEFING LINE, XM10 ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 OS | 23-JUN-86 | | OS | | | |
| | L | MIL-C-60264 NOTICE 1 | CUTTER, POWDER ACTUATED, REEFING LINE, XM11, ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 OS | 23-JUN-86 | | OS | | | |
| | L | MIL-C-60265 NOTICE 1 | CUTTER, POWDER ACTUATED, REEFING LINE, XM12, ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 OS | 23-JUN-86 | | OS | | | |
| | L | MIL-C-60266 NOTICE 1 | CUTTER, POWDER ACTUATED, REEFING LINE, M13, ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 OS | 10-MAR-87 | | OS | | | |
| | L | MIL-C-60267(1) | CUTTER, POWDER ACTUATED, REEFING LINE, M9, XM10, XM11, XM12, M13, METAL PARTS ASSEMBLY | A | 1377 OS | 15-JUL-86 | | OS | | | |
| | L | MIL-C-60270(1) | COMPUTER, BALLISTICS, M13A3 [VALIDATION DATE: 8602] ..... | A | 1220 AR | 06-NOV-72 | AR | | | | |
| | L | MIL-C-60272(2) NOTICE 1 | CARTRIDGE, CALIBER .30, REFERENCE [VALIDATION DATE: 8604] ..... | A | 1305 AR | 04-APR-86 | AR | | | | |
| | L | MIL-C-60275B | CARTRIDGE, 20MM, TARGET PRACTICE, M204 ..... | A | 1305 AR | 01-SEP-88 | AR | | | | |
| | L | MIL-C-60276A NOTICE 1 | COMPUTER, BALLISTICS, XM19 ..... | A | 1220 AR | 20-MAR-87 | AR | | | | |
| | | MIL-I-60277A NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M26 ASSEMBLY ..... | A | 1377 OS | 03-JAN-89 | | OS | 99 | | |
| | L | MIL-I-60278(1) NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M10, ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 OS | 23-JUN-86 | | OS | | | |
| | | MIL-I-60279A | INITIATOR, CARTRIDGE ACTUATED, DELAY, M4, ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 OS | 15-MAR-87 | | OS | 99 | | |
| | L | MIL-S-60280 | SCALES, GRAPHICAL FIRING, FAN TYPE, WITH EQUIPMENT (FOR 81MM & 4.2 IN. MORTARS) [VALIDATION DATE: 8602] | A | 1220 AR | 14-MAR-66 | AR | | | | |
| | | MIL-I-60281A | INITIATOR, CARTRIDGE ACTUATED, M28 ASSEMBLY REVIEWER: 70 ..... | A | 1377 OS | 15-JAN-92 | | OS | 99 | | |
| | L | MIL-I-60282(1) NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M33, ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 OS | 23-JUN-86 | | OS | | | |
| | | MIL-I-60283A | INITIATOR, CARTRIDGE ACTUATED, M27 ASSEMBLY ..... | A | 1377 OS | 30-MAR-90 | | OS | 99 | | |
| M | L | MIL-I-60284B(1) | INITIATOR, CARTRIDGE ACTUATED, DELAY, M32A1 ASSEMBLY ..... | A | 1377 OS | 19-MAR-93 | | OS | | | |
| | L | MIL-S-60285(1) | SHIPPING & STORAGE CONTAINER, CARTRIDGE, 20MM, XM528E1 [VALIDATION DATE: 8505] | A | 8140 AR | 17-FEB-67 | AR | | | | |
| A | | MIL-I-60286B | INITIATOR, CARTRIDGE ACTUATED, M53 ASSEMBLY REVIEWER: 70 ..... | A | 1377 OS | 21-SEP-92 | | OS | 99 | | |
| | | MIL-I-60292A | INITIATOR, CARTRIDGE ACTUATED, M99 ASSEMBLY ..... | A | 1377 OS | 30-MAR-90 | | OS | 99 | | |
| | L | MIL-P-60295C(1) NOTICE 1 | PROJECTILE, 20MM, HEI, M56A4: METAL PARTS REVIEWER: 99 ..... | A | 1305 AR | 31-JUL-91 | AR | | | | |
| | | MIL-I-60296A | INITIATOR, CARTRIDGE ACTUATED, DELAY, M10, M31, M42, M72, M114 METAL PARTS ASSEMBLY | A | 1377 OS | 30-MAR-90 | | OS | 99 | | |
| | L | MIL-B-60301A(3) NOTICE 1 | BOMB, SUBASSEMBLIES, METAL (BLU-17/B) [VALIDATION DATE: 8703] ..... | A | 1325 EA | 02-MAR-87 | EA | | | | |
| | L | MIL-W-60302 | WARHEAD, GUIDED MISSILE, CHEMICAL AGENT SMOKE, MK 69 MOD 0 WP FILLING [VALIDATION DATE: 8006] | A | 1336 EA | 29-MAY-67 | EA | | | | |
| | L | MIL-C-60303B | CARTRIDGE, 40MM, RIOT CONTROL, CS, M674 [VALIDATION DATE: 8112] ..... | A | 1310 EA | 18-FEB-71 | EA | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-B-60304(1) NOTICE 1 | BOMB, SMOKE, BLU-17/B [VALIDATION DATE: 8703] | A | 1325 | | EA | 02-MAR-87 | EA | | | |
| | L | MIL-W-60305A(2) | WARHEAD, 2.75 INCH ROCKET, SMOKE, WP, M156 (WITH BURSTER & FUZE) | A | 1340 | | EA | 04-MAR-76 | EA | | | |
| | | MIL-W-60306A(1) NOTICE 1 | WARHEAD, 2.75 INCH ROCKET, SMOKE, M156; WP FILLING REVIEWER: 15 | A | 1340 | | EA | 11-MAY-89 | EA | | 99 | |
| | | MIL-W-60307C(2) | WARHEAD, 2.75 INCH ROCKET, SMOKE, WP, M156 (METAL PARTS) REVIEWER: 84 | A | 1340 | | EA | 11-FEB-91 | EA | | 99 | |
| | L | MIL-W-0060307B | WARHEAD, 2.75 INCH ROCKET, SMOKE, WP M156 (METAL PARTS) | A | 1340 | | EA | 18-JUN-73 | EA | | | |
| | L | MIL-P-60312C(2) | PART, MOLDED, PLASTIC FOAM, POLYSTYRENE (FOR USE WITH AMMUNITION) | A | 8140 | | AR | 05-DEC-86 | AR | | | |
| | L | MIL-C-60313 NOTICE 1 | CHARGE, PROPELLING, DUMMY, M98 FOR 175MM GUN M113 [VALIDATION DATE: 9011] | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| | L | MIL-P-60314(1) | PRIMER, PERCUSSION, M32, PARTS FOR [VALIDATION DATE: 8004] | A | 1375 | | AR | 20-NOV-73 | AR | | | |
| M | L | MIL-C-60315B(2) | CHARGE, PROPELLING, M67 FOR 105MM HOWITZER LOADING, ASSEMBLING AND PACKING | A | 1315 | | AR | 12-MAR-92 | AR | | | |
| | L | MIL-P-60316A(1) NOTICE 1 | PRIMER, PERCUSSION M32 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8603] | A | 1375 | | AR | 17-MAR-86 | AR | | | |
| | L | MIL-C-60317D(1) | CARTRIDGE, 60MM, SMOKE, WP, M302A1 ASSEMBLING, MARKING AND PACKING | A | 1310 | | AR | 26-JAN-90 | AR | | | |
| | L | MIL-P-60318B | PROPELLANT, M1 FOR USE IN CHARGE, PROPELLING, M67 FOR 105MM HOWITZER [VALIDATION DATE: 8504] | A | 1375 | | AR | 02-APR-74 | AR | | | |
| | L | MIL-B-60319 NOTICE 1 | BURSTER, PROJECTILE, M19 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A | 1310 | | AR | 09-MAY-90 | AR | | | |
| | L | MIL-F-60320(1) | FUZE, POINT DETONATING, M527B1 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8302] | A | 1390 | | AR | 03-JUN-68 | AR | | | |
| | L | MIL-P-60321(1) NOTICE 1 | PRIMER, STAB, T103E1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A | 1375 | | AR | 08-MAY-90 | AR | | | |
| | L | MIL-L-60326(1) | LUBRICANT, FLUOROCARBON TELOMER DISPERSION (FOR USE WITH AMMUNITION) [VALIDATION DATE: 8301] USER: MI REVIEWER: EA GS | A | 9150 | | OS | 30-APR-65 | AR | OS | | |
| | L | MIL-C-60327A(2) | CHARGE, EXPELLING, FOR 105MM, BASE EJECTION, CARTRIDGES | A | 1315 | | AR | 20-APR-90 | AR | | | |
| | L | MIL-D-60329(1) NOTICE 1 | DETONATOR, STAB, T37 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8803] | A | 1375 | | AR | 22-MAR-88 | AR | | | |
| | L | MIL-D-60332 | DETONATOR, STAB, M41 PARTS FOR [VALIDATION DATE: 8504] | A | 1375 | | AR | 15-APR-65 | AR | | | |
| | L | MIL-P-60335C NOTICE 1 | PROJECTILE, 60MM, ILLUMINATING M383A3 PARTS, LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8604] | A | 1310 | | AR | 10-APR-86 | AR | | | |
| | L | MIL-P-60337 NOTICE 1 | PRIMER, PERCUSSION, M47 AND M47B2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| | L | MIL-P-60338 | PRIMER, PERCUSSION, M47 & M47B2 METAL PARTS FOR [VALIDATION DATE: 8506] | A | 1390 | | AR | 15-FEB-66 | AR | | | |
| | L | MIL-L-60339 NOTICE 1 | LINER ASSEMBLY OUTER, FOR CARTRIDGE 106MM, M346A1 [VALIDATION DATE: 9010] | A | 1315 | | AR | 15-OCT-90 | AR | | | |
| | L | MIL-P-60340A(1) | PROJECTILE, 155MM, SMOKE, HC, BE, M116A1, PARTS FOR | A | 1320 | | EA | 12-MAY-87 | EA | | | |
| | L | MIL-P-60345(1) | PRIMER, STAB, M45 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8803] | A | 1375 | | AR | 22-MAR-88 | AR | | | |
| | L | MIL-R-60346C NOTICE 1 | ROVING, GLASS, FIBROUS (FOR PREPREG TAPE & ROVING, FILAMENT WINDING, & PULTRUSION APPLICATIONS [VALIDATION DATE: 8702] | A | 8310 | | MR | 10-FEB-87 | MR | | 11 | |
| | L | MIL-I-60347(1) NOTICE 1 | IGNITER ASSEMBLY FOR CARTRIDGES, 90MM, AP-T, M318A1 AND 90MM, TP-T, M353E1 [VALIDATION DATE: 9010] | A | 1315 | | AR | 15-OCT-90 | AR | | | |
| | L | MIL-I-60350(2) NOTICE 1 | INERT FILLERS FOR USE IN AMMUNITION REVIEWER: MI | A | 1395 | | AR | 20-MAR-88 | AR | | | |
| | L | MIL-P-60351 NOTICE 1 | PRIMER, PERCUSSION, M68 METAL PARTS FOR [VALIDATION DATE: 9010] | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| | L | MIL-C-60352(1) NOTICE 1 | CHARGE, PROPELLING, XM121 FOR CARTRIDGE, 105MM [VALIDATION DATE: 8705] | A | 1315 | | AR | 27-MAY-87 | AR | | | |
| | L | MIL-P-60354(1) NOTICE 1 | PROPELLANT, M9 (FOR USE IN M19A2 SIGNAL) [VALIDATION DATE: 8805] | A | 1376 | | AR | 05-MAY-88 | AR | | | |
| | L | MIL-P-60356A(3) | POWDER, IGNITER, CLEAN BURNING (FOR USE IN CHARGES, PROPELLING, M3A1 M4A2 AND XM119E4 FOR 155MM HOWITZER) | A | 1376 | | AR | 28-OCT-88 | AR | | | |
| | L | MIL-P-60358(1) NOTICE 1 | PROPELLANT M5 FOR USE IN CHARGE, PROPELLING, XM178 FOR 90MM RECOILLESS RIFLE [VALIDATION DATE: 8804] | A | 1376 | | AR | 25-APR-88 | AR | | | |
| | L | MIL-P-60359 | PROPELLANT M6 FOR USE IN CARTRIDGE, 90MM, TP-T, M353 [VALIDATION DATE: 8303] | A | 1376 | | AR | 08-MAR-66 | AR | | | |
| | L | MIL-D-60362A NOTICE 1 | DETONATOR, STAB, M42 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] | A | 1375 | | AR | 08-MAY-90 | AR | | | |
| | L | MIL-P-60363A | PROPELLANT, M9 (FOR USE IN BASE CHARGE ASSEMBLIES) [VALIDATION DATE: 9108] | A | 1376 | | AR | 29-AUG-91 | AR | | | |
| | L | MIL-D-60365(1) | DYNAMITE (COMMERCIAL) [VALIDATION DATE: 8301] | A | 1375 | | AR | 15-NOV-68 | AR | | | |
| | L | MIL-D-60371A NOTICE 1 | OXAMIDE EXPLOSIVE COMPOSITION [VALIDATION DATE: 9108] | A | 1376 | | AR | 29-AUG-91 | AR | | | |
| | L | MIL-P-60375 NOTICE 1 | PROPELLANT M26 FOR USE IN CARTRIDGE, ANTI PERSONNEL XM581 FOR 106MM RIFLE M40A1 [VALIDATION DATE: 8705] | A | 1376 | | AR | 27-JUL-66 | AR | | | |
| | L | MIL-P-60377B | PROJECTILE, 155MM, HE, M107 LOADING, ASSEMBLING AND PACKING | A | 1320 | | AR | 11-MAY-92 | AR | | | |
| | L | MIL-C-60380A(1) NOTICE 1 | CARTRIDGE, 105MM, SEMI FIXED, SMOKE, WP, M60 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8705] | A | 1315 | | AR | 27-MAY-87 | AR | | | |
| | L | MIL-B-60381B | BURSTER, PROJECTILE, XM53, LOADING ASSEMBLING & PACKING [VALIDATION DATE: 8112] | A | 1315 | | EA | 03-JAN-72 | EA | | | |
| | L | MIL-P-60382(1) NOTICE 1 | PROPELLANT M30 FOR USE IN CARTRIDGE, 90MM, ANTI PERSONNEL, XM580 FOR GUNS M36 & M41 | A | 1376 | | AR | 25-APR-88 | AR | | | |
| | L | MIL-C-60383A(1) NOTICE 1 | CHARGE, PROPELLING, (GREEN BAG), 175MM, M124 [VALIDATION DATE: 8804] | A | 1320 | | AR | 18-APR-88 | AR | | | |
| | L | MIL-P-60384(2) NOTICE 1 | PROPELLANT M6 FOR USE IN CHARGE, PROPELLING, (GREEN BAG) 175MM M124 [VALIDATION DATE: 9108] | A | 1376 | | AR | 29-AUG-91 | AR | | | |
| | L | MIL-L-60385B(1) NOTICE 1 | LAUNCHER FOR ROCKET, HE, 66MM, ANTITANK: M72A1 ASSEMBLY AND PACKING [VALIDATION DATE: 9009] | A | 1340 | | MI | 06-SEP-90 | MI | | | |
| | L | MIL-S-60386B NOTICE 1 | SHIPPING & STORAGE CONTAINER, FUZE, XM573 [VALIDATION DATE: 8703] | A | 8140 | | AR | 24-MAR-87 | AR | | | |
| | L | MIL-D-60388 NOTICE 1 | DETONATOR, FLASH, M87 PARTS FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004] | A | 1375 | | AR | 20-APR-90 | AR | | | |
| | L | MIL-P-60389A | PROPELLANT, M30 FOR USE IN CARTRIDGES 76MM, AP-T, M339 & TP-T, M340A1 [VALIDATION DATE: 8504] | A | 1376 | | AR | 07-JUN-73 | AR | | | |
| | L | MIL-C-60393A NOTICE 1 | CARTRIDGE, DELAY: 20 SECOND DELAY, XM252 PARTS, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004] | A | 1375 | | AR | 20-APR-90 | AR | | | |
| | L | MIL-T-60394A(3) | TAPE, PRESSURE-SENSITIVE ADHESIVE FILM FOAM, DOUBLE-COATED (FOR USE WITH AMMUNITION) USER: GL | A | 1375 | | AR | 24-JUL-88 | AR | | | |
| A | L | MIL-C-60395C(3) | CHARGE, PROPELLING, 155MM, M4A2, LOADING, ASSEMBLING AND PACKING | A | 1320 | | AR | 01-SEP-92 | AR | | | |
| | L | MIL-P-60397B NOTICE 1 | PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, M4A2 [VALIDATION DATE: 8705] | A | 1376 | | AR | 21-MAY-87 | AR | | | |
| | L | MIL-P-60398B | PROPELLANT M9, FLAKE (FOR USE IN IGNITION CARTRIDGES) | A | 1376 | | AR | 29-JAN-88 | AR | | | |
| | L | MIL-R-60399(1) NOTICE 1 | REDUCER, FLASH M1 FOR 155MM GUN [VALIDATION DATE: 8804] | A | 1320 | | AR | 18-APR-88 | AR | | | |
| | L | MIL-B-60410(2) NOTICE 1 | BLASTING MACHINE, HANDLE OPERATED, METAL CASE 10 CAP CAPACITY [VALIDATION DATE: 8805] | A | 1375 | | AR | 20-MAY-88 | AR | | | |
| | L | MIL-P-60412C | PACKAGING, PACKING AND MARKING FOR SHIPMENT OF ARTILLERY TYPE AND ROCKET FUZES; GENERAL SPECIFICATION FOR | A | 8140 | | AR | 15-FEB-91 | AR | | | |
| | L | MIL-D-60414A | DETONATOR HOLDER ASSEMBLY FOR FUZE, AT, MM, M606 [VALIDATION DATE: 8504] | A | 1345 | | AR | 10-JUL-73 | AR | | | |
| | L | MIL-P-60416A(2) NOTICE 1 | PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, 155MM, M3A1 | A | 1376 | | AR | 24-JUN-91 | AR | | | |
| | L | MIL-P-60417 | PROPELLANT M6 FOR USE IN CARTRIDGE, 90MM, APERS, XM580E1 FOR GUNS M36 & M41 [VALIDATION DATE: 8504] | A | 1376 | | AR | 14-FEB-67 | AR | | | |
| A | L | MIL-C-60418B(5) | CHARGE, PROPELLING, 155MM, M3A1 LOADING, ASSEMBLING AND PACKING | A | 1320 | | AR | 01-SEP-92 | AR | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-P-60422(1) NOTICE 1 | PROPELLANT M30A1 (M30E1) FOR USE IN CHARGE, PROPELLING, 105MM, XM176, FOR CARTRIDGE, HE, XM548 FOR HOWITZER M101, M102 & M108 | A | 1376 | AR | AR | 25-APR-88 | AR | | | |
| L | | | | MIL-M-60425 NOTICE 1 | WARHEAD, 2.75 INCH ROCKET, PRACTICE XM230, WITH OR WITHOUT FUZE LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8704] | A | 1340 | AR | AR | 01-APR-87 | AR | | | |
| L | | | | MIL-L-60427B | LOCKWIRE, FOR 2.75 INCH ROCKET MOTOR ALL MARKS AND MODS | A | 1340 | MI | MI | 16-AUG-90 | MI | | | |
| L | | | | MIL-P-60428(1) | PARACHUTE PROTECTOR AND OGIVE ASSEMBLY, WHITE STAR [VALIDATION DATE: 8804] | A | 1370 | AR | AR | 07-APR-88 | AR | | | |
| L | | | | MIL-P-60432C NOTICE 1 | PROPELLANT POWDER FOR USE IN BASE GRAIN, AHH [VALIDATION DATE: 8704] | A | 1376 | AR | AR | 27-APR-87 | AR | | | |
| L | | | | MIL-C-60441 | CONTAINER, SHIPPING AND STORAGE, M473, FOR WARHEAD SECTIONS [VALIDATION DATE: 8504] | A | 8140 | AR | AR | 27-APR-67 | AR | | | |
| L | | | | MIL-C-60442 | CONTAINER, SHIPPING & STORAGE M473A1 FOR WARHEAD SECTION [VALIDATION DATE: 8504] | A | 8140 | AR | AR | 27-APR-67 | AR | | | |
| L | | | | MIL-R-60443(1) NOTICE 1 | RELAY, EXPLOSIVE, XM11 [VALIDATION DATE: 8803] REVIEWER: MI | A | 1375 | AR | AR | 22-MAR-88 | AR | | | |
| L | | | | MIL-F-60445C | FIN AND NOZZLE ASSEMBLY FOR ROCKET MOTOR 2.75 INCH MARK 4 AND MARK 40 *PARTS FOR REVIEWER: 70* | A | 1340 | MI | MI | 03-JUN-91 | MI | | | |
| L | | | | MIL-P-60447A(6) | PROJECTILE, 81MM, ILLUMINATING, M301A3 PARTS LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | AR | 25-MAY-92 | AR | | | |
| L | | | | MIL-D-60448 | DETONATOR, ELECTRIC M78, PARTS AND LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8101] | A | 1345 | AR | AR | 28-FEB-68 | AR | | | |
| A | L | | | MIL-C-60452A(2) | CARTRIDGE CASE LOADING ASSEMBLY, M195 LOADING, ASSEMBLING AND PACKING | A | 1310 | AR | AR | 29-SEP-92 | AR | | | |
| L | | | | MIL-P-60454(1) NOTICE 1 | PRIMER, PERCUSSION, MARK 2A4 METAL PARTS FOR [VALIDATION DATE: 8705] | A | 1390 | AR | AR | 08-MAY-87 | AR | | | |
| L | | | | MIL-I-60455B | IGNITER, MARK 125 MOD 5 PARTS FOR | A | 1340 | MI | MI | 16-JUL-90 | MI | | | |
| L | | | | MIL-C-60456 NOTICE 1 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548 ACCESSORIES FOR [VALIDATION DATE: 8806] | A | 1315 | AR | AR | 22-JUN-88 | AR | | | |
| L | | | | MIL-C-60457(1) NOTICE 1 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, BODY, MOTOR FOR [VALIDATION DATE: 8806] | A | 1315 | AR | AR | 22-JUN-88 | AR | | | |
| L | | | | MIL-C-60458(1) NOTICE 1 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, DELAY ASSEMBLY FOR [VALIDATION DATE: 8806] | A | 1315 | AR | AR | 22-JUN-88 | AR | | | |
| L | | | | MIL-C-60459 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, ROCKET PROPELLANT GRAIN [VALIDATION DATE: 8101] | A | 1315 | AR | AR | 27-OCT-67 | AR | | | |
| L | | | | MIL-P-60463B NOTICE 1 | PROPELLANT POWDER (FOR USE IN BASE GRAIN OGK) | A | 1376 | AR | AR | 25-APR-88 | AR | | | |
| L | | | | MIL-P-60465 NOTICE 1 | PROPELLANT M6 FOR USE IN CARTRIDGE, 90MM, CANISTER, M377 [VALIDATION DATE: 9108] | A | 1376 | AR | AR | 29-AUG-91 | AR | | | |
| L | | | | MIL-I-60476A NOTICE 1 | IGNITER, MARK 125 MOD 5, LOADING ASSEMBLING AND PACKING [VALIDATION DATE: 9009] | A | 1340 | MI | MI | 06-SEP-90 | MI | | | |
| L | | | | MIL-P-60477A NOTICE 1 | PROJECTILE, 155MM, SMOKE, WP, M110, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9011] REVIEWER: EA | A | 1320 | AR | AR | 01-NOV-90 | AR | | | |
| L | | | | MIL-P-60479(2) NOTICE 2 | PRIMER AND BASE, IGNITER, XM 110, PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1375 | AR | AR | 31-MAY-92 | AR | | | |
| L | | | | MIL-I-60507 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, XM64, ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | OS | 23-JUN-86 | | OS | | |
| | | | | MIL-I-60508A | INITIATOR, CARTRIDGE ACTUATED, DELAY, M6A1, M26, M33, M44, METAL PARTS ASSEMBLY | A | 1377 | OS | OS | 03-JAN-89 | | OS | 99 | |
| | | | | MIL-I-60511(1) NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M42, ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | OS | 23-JUN-86 | AR | OS | | |
| | | | | MIL-I-60512A | INITIATOR, CARTRIDGE ACTUATED, DELAY, M72 ASSEMBLY | A | 1377 | OS | OS | 30-MAR-90 | | OS | 99 | |
| L | | | | MIL-I-60513 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M45 ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | OS | 23-JUN-86 | | OS | | |
| L | | | | MIL-I-60514A(1) NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M49A1 ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | OS | 23-JUN-86 | | OS | | |
| | | | | MIL-I-60515B | INITIATOR, CARTRIDGE ACTUATED, DELAY, M30A1, M32A1, M43A1, M92, AND M120 METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 17-MAR-92 | | OS | 99 | |
| | | | | MIL-I-60517A | INITIATOR, CARTRIDGE ACTUATED, M27 METAL PARTS ASSEMBLY | A | 1377 | OS | OS | 30-MAR-90 | | OS | 99 | |
| | | | | MIL-I-60518A | INITIATOR, CARTRIDGE ACTUATED, M28 METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 15-JAN-92 | | OS | 99 | |
| A | | | | MIL-I-60519A | INITIATOR, CARTRIDGE ACTUATED, M53 METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 21-SEP-92 | | OS | 99 | |
| | L | | | MIL-C-60520 NOTICE 1 | CASE, CARTRIDGE, 90MM, XM200 [VALIDATION DATE: 8705] | A | 1315 | AR | AR | 27-MAY-87 | AR | | | |
| L | | | | MIL-P-60521(5) NOTICE 1 | PROJECTILE, HEP-T, 106MM, M346A1 METAL PARTS [VALIDATION DATE: 9010] | A | 1315 | AR | AR | 15-OCT-90 | AR | | | |
| L | | | | MIL-I-60522 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED: M5A2 METAL PARTS ASSEMBLIES [VALIDATION DATE: 8810] | A | 1377 | OS | OS | 05-OCT-88 | | OS | | |
| L | | | | MIL-P-60523A(3) NOTICE 1 | PROJECTILE, 165MM, HEP, M123A1 METAL PARTS [VALIDATION DATE: 9011] | A | 1320 | AR | AR | 01-NOV-90 | AR | | | |
| | | | | MIL-I-60525A | INITIATOR, CARTRIDGE ACTUATED, M99 METAL PARTS ASSEMBLY | A | 1377 | OS | OS | 30-MAR-90 | | OS | 99 | |
| L | | | | MIL-I-60526(1) | INITIATOR, CARTRIDGE ACTUATED, DELAY, XM64 METAL PARTS ASSEMBLY | A | 1377 | OS | OS | 21-MAY-87 | AR | OS | | |
| L | | | | MIL-I-60528B(2) NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M30A1 ASSEMBLY | A | 1377 | OS | OS | 15-MAR-87 | | OS | | |
| L | | | | MIL-I-60529 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M89, ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | OS | 23-JUN-86 | | OS | | |
| L | | | | MIL-I-60531(1) | INITIATOR, CARTRIDGE ACTUATED, DELAY, M89 METAL PARTS ASSEMBLY | A | 1377 | OS | OS | 21-MAY-87 | | OS | | |
| A | L | | | MIL-C-60537(6) | CARTRIDGE: GRENADE: 5.56MM, M195 | A | 1330 | AR | AR | 28-OCT-92 | AR | | | |
| L | | | | MIL-C-60538 | CANISTER, 90MM, M336 METAL PARTS ASSEMBLY [VALIDATION DATE: 8505] | A | 1315 | AR | AR | 19-AUG-66 | AR | | | |
| L | | | | MIL-O-60540(1) | OBTURATING BANDS, PLASTIC, RIGID, HIGH IMPACT, POLYVINYL CHLORIDE (MOLDED) 300666 | A | 1395 | AR | AR | 23-MAR-87 | AR | | | |
| L | | | | MIL-M-60544B(1) | MOUNT TELESCOPE, M148 & XM164 [VALIDATION DATE: 8202] | A | 1240 | AR | AR | 15-OCT-69 | AR | | | |
| L | | | | MIL-T-60545C | TELESCOPE, STRAIGHT, M120 & XM134 [VALIDATION DATE: 8504] | A | 1240 | AR | AR | 08-JUN-72 | AR | | | |
| L | | | | MIL-I-60546(1) | INITIATOR, CARTRIDGE ACTUATED, DELAY, M14, M16, XM18, XM20, XM22, XM24, M54, METAL PARTS ASSEMBLY | A | 1377 | OS | OS | 15-JUL-86 | | OS | | |
| L | | | | MIL-P-60547F(1) | PROJECTILE, 105MM, HE, M1 AND M760 METAL PARTS ASSEMBLY | A | 1315 | AR | AR | 28-FEB-90 | AR | | | |
| L | | | | MIL-P-60548A(1) NOTICE 1 | PROJECTILE, 105MM, SMOKE, WP, M60 METAL PARTS ASSEMBLY [VALIDATION DATE: 8705] | A | 1315 | AR | AR | 27-MAY-87 | AR | | | |
| L | | | | MIL-C-60549A(1) NOTICE 1 | CASE, PROJECTILE, BURSTER, M5 [VALIDATION DATE: 8603] | A | 1315 | AR | AR | 18-MAR-86 | AR | | | |
| L | | | | MIL-C-60552A | CARTRIDGE, 40MM, MULTIPLE PROJECTILE, XM576 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8503] | A | 1310 | AR | AR | 31-JAN-67 | AR | | | |
| | | | | MIL-C-60553C | CARTRIDGE, DELAY, M80 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 16-APR-90 | | OS | 99 | |
| L | | | | MIL-I-60554(2) NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M6A1, ASSEMBLY [VALIDATION DATE: 8606] | A | 1377 | OS | OS | 23-JUN-86 | | OS | | |
| L | | | | MIL-C-60555(1) | CARTRIDGE, INITIATOR, DELAY, M113 | A | 1377 | OS | OS | 08-DEC-86 | | OS | | |
| L | | | | MIL-C-60556(1) | CARTRIDGE, INITIATOR, M68, ASSEMBLY | A | 1377 | OS | OS | 08-DEC-86 | | OS | | |
| L | | | | MIL-M-60557G(2) | MICRO-REPRODUCTION SYSTEM FOR ENGINEERING DOCUMENTS AND ENGINEERING RELEASE RECORDS | A | EDRS | AR | AR | 10-FEB-89 | AR | | | |
| L | | | | MIL-C-60558(1) | CARTRIDGE, INITIATOR, RELAY, XM148 | A | 1377 | OS | OS | 08-DEC-86 | | OS | | |
| L | | | | MIL-C-60559D(2) | CARTRIDGE, IMPULSE, M225 [VALIDATION DATE: 8703] | A | 1377 | OS | OS | 23-MAR-87 | | OS | | |
| L | | | | MIL-S-60560 | SHIPPING & STORAGE CONTAINER, CARTRIDGE 7.62MM, M527 [VALIDATION DATE: 8505] | A | 8140 | AR | AR | 23-AUG-66 | AR | | | |
| A | | | | MIL-T-60561B | THRUSTER, CARTRIDGE ACTUATED, M25A1 METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 21-SEP-92 | | OS | 99 | |
| | L | | | MIL-C-60562A NOTICE 1 | CASE, CARTRIDGE, 30MM, XM193 [VALIDATION DATE: 8705] | A | 1305 | AR | AR | 20-FEB-69 | AR | | | |
| L | | | | MIL-M-60565 | MOUNT, TELESCOPE, XM152 [VALIDATION DATE: 8504] | A | 1240 | AR | AR | 31-AUG-66 | AR | | | |
| L | | | | MIL-T-60566A | TELESCOPE, ARTICULATED, M125 AND M135 [VALIDATION DATE: 8303] | A | 1240 | AR | AR | 13-NOV-70 | AR | | | |
| | | | | MIL-D-60567B | DELAY ELEMENT, CARTRIDGE, M14 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | OS | 16-APR-90 | | OS | 99 | |

| Action | OPR / QMR Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-D-60568B | DELAY ELEMENT, CARTRIDGE, M13 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | | 15-JAN-92 | | OS | 99 | |
| | | | MIL-C-60570B | CARTRIDGE, DELAY, M114 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | | 15-JAN-92 | | OS | 99 | |
| | L | | MIL-D-60571B(1) | DELAY ELEMENT, CARTRIDGE, XM44 ASSEMBLY | A | 1377 | OS | | 08-DEC-86 | | OS | | |
| | | | MIL-D-60572A | DELAY ELEMENT, CARTRIDGE, M28 ASSEMBLY | A | 1377 | OS | | 23-APR-91 | | OS | 99 | |
| | L. | | MIL-D-60573(2) | DUMMY CARTRIDGE, 7.62MM, M172, INERT LOADED | A | 1305 | AR | | 11-MAR-91 | AR | | | |
| | L | | MIL-P-60574B(2) | PROJECTILE, HEP-T, 105MM, M393A2 METAL PARTS | A | 1315 | AR | | 01-AUG-85 | AR | | | |
| | | | MIL-C-60575A | CARTRIDGE, IMPULSE, M141 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | | 15-JAN-92 | | OS | 99 | |
| | L | | MIL-E-60581A(1) NOTICE 1 | EJECTOR, PARACHUTE, CARTRIDGE ACTUATED, XM233 METAL PARTS ASSEMBLY (VALIDATION DATE: 8606) | A | 1377 | OS | | 23-JUN-86 | | OS | | |
| | L | | MIL-C-60582(1) | CARTRIDGE, POWER ACTUATED CUTTER, XM131, ASSEMBLY | A | 1377 | OS | | 08-DEC-86 | | OS | | |
| | L | | MIL-C-60583(1) | CARTRIDGE, POWDER ACTUATED CUTTER, M133, ASSEMBLY | A | 1377 | OS | | 08-DEC-86 | | OS | | |
| | L | | MIL-P-60584A | PROJECTILE, 155MM, SMOKE, WP, M110 METAL PARTS ASSEMBLY (VALIDATION DATE: 8906) | A | 1320 | AR | | 22-JUN-89 | AR | | | |
| | L | | MIL-C-60585A | CASE, PROJECTILE, BURSTER, M1 ASSEMBLY (VALIDATION DATE: 8505) | A | 1315 | AR | | 31-AUG-71 | AR | | | |
| | L | | MIL-C-60586(1) | CARTRIDGE, POWDER ACTUATED CUTTER, M129, ASSEMBLY | A | 1377 | OS | | 16-JAN-87 | | OS | | |
| | L | | MIL-C-60587(1) | CARTRIDGE, POWER ACTUATED CUTTER, XM130, ASSEMBLY | A | 1377 | OS | | 19-JAN-87 | | OS | | |
| | L | | MIL-C-60588(1) | CARTRIDGE, POWDER ACTUATED CUTTER, XM132, ASSEMBLY | A | 1377 | OS | | 19-JAN-87 | | OS | | |
| | L | | MIL-E-60591A(1) NOTICE 1 | EJECTOR, PARACHUTE, CARTRIDGE ACTUATED, XM233 ASSEMBLY (VALIDATION DATE: 8606) | A | 1377 | OS | | 23-JUN-86 | | OS | | |
| | L | | MIL-P-60592(1) | PROJECTILE, 90MM, TP-T, M353 METAL PARTS ASSEMBLY (VALIDATION DATE: 8505) | A | 1315 | AR | | 29-DEC-66 | AR | | | |
| | L | | MIL-C-60593(.) | CUTTER, POWDER ACTUATED, MB RE-MANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8005) | A | 1377 | OS | | 20-SEP-66 | | OS | | |
| | LI | | MIL-I-60595(1) NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, XM107 METAL PARTS ASSEMBLY (INACTIVE FOR NEW DESIGN) | A | 1377 | OS | | 15-JUL-88 | | OS | | |
| | L | | MIL-P-60596B | PROJECTILE, HE, 8 INCH M106 METAL PARTS ASSEMBLY | A | 1320 | AR | | 30-APR-90 | AR | | | |
| | L | | MIL-B-60597(1) NOTICE 1 | BALLISTICS COMPUTER, SUBASSEMBLY, 10543800 (COMPUTER UNIT) | A | 1220 | AR | | 20-MAR-87 | AR | | | |
| | L | | MIL-B-60598(1) NOTICE 1 | BALLISTICS COMPUTER, SUBASSEMBLY, 10543700 (COMMANDER S CONTROL UNIT) | A | 1220 | AR | | 20-MAR-87 | AR | | | |
| | L | | MIL-B-60599(1) NOTICE 1 | BALLISTICS COMPUTER, SUBASSEMBLY, 10543600 (GUNNER S CONTROL UNIT) | A | 1220 | AR | | 20-MAR-87 | AR | | | |
| | L | | MIL-P-60600 | PROJECTILE, 40MM, XM577 (VALIDATION DATE: 8503) | A | 1310 | AR | | 04-NOV-66 | AR | | | |
| | L | | MIL-P-60601B | PROJECTILE, 105MM, WP, M416 METAL PARTS ASSEMBLY | A | 1315 | AR | | 16-MAR-81 | AR | | | |
| | L | | MIL-C-60602B NOTICE 1 | CASE IMPELLER, PROJECTILE BURSTER, M175 (VALIDATION DATE: 8701) | A | 1315 | AR | | 30-JAN-87 | AR | | | |
| | | | MIL-C-60604A | CARTRIDGE, IMPULSE, M119 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | | 15-JAN-92 | | OS | 99 | |
| | L | | MIL-P-60605B(1) | PROJECTILE, 60MM, HE, M49A2 METAL PARTS ASSEMBLY (CARBON STEEL) (VALIDATION DATE: 8302) | A | 1310 | AR | | 02-APR-71 | AR | | | |
| | L | | MIL-A-60606 NOTICE 1 | ACTUATOR, CREW EJECTION 1000-36 ASSEMBLY (VALIDATION DATE: 8606) | A | 1377 | OS | | 24-MAR-67 | | OS | | |
| | L | | MIL-C-60607(1) | CHIPBOARD, WAD MATERIAL (VALIDATION DATE: 8502) | A | 8140 | AR | | 28-MAR-79 | AR | | | |
| | L | | MIL-P-60608A(3) | PROJECTILE, 20MM, TARGET PRACTICE TRACER, M221, METAL PARTS | A | 1305 | AR | | 31-JUL-87 | AR | | 99 | |
| | | | MIL-C-60609A | CARTRIDGE, 20MM, TARGET PRACTICE TRACER, XM220 (VALIDATION DATE: 8504) | A | 1305 | AR | | 20-APR-73 | AR | | 99 | |
| | L | | MIL-C-60610A | CASE, CARTRIDGE 40MM, XM199 (VALIDATION DATE: 8503) | A | 1310 | AR | | 31-JAN-67 | AR | | | |
| | L | | MIL-A-60611(1) | ACTUATOR, CREW EJECTION 1000-36 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | OS | | 15-JUL-86 | | OS | | |
| | L | | MIL-F-60612C NOTICE 1 | FUZE, MTSQ, M548 ASSEMBLY (VALIDATION DATE: 9010) | A | 1390 | AR | | 31-OCT-90 | AR | | | |
| | L | | MIL-F-60613A(2) | FIN ASSEMBLY, M4A1 (VALIDATION DATE: 8303) | A | 1315 | AR | | 04-MAY-70 | AR | | | |
| M | L | | MIL-C-60616C(2) | CARTRIDGE, 5.56MM, BLANK: M200 | A | 1305 | AR | | 16-APR-93 | AR | | | |
| | L | | MIL-C-60617A(2) NOTICE 1 | CARTRIDGE, 7.62MM: NATO, ARMOR PIERCING, M61 | A | 1305 | AR | | 11-MAR-91 | AR | | | |
| | L | | MIL-C-60618C | COUNTER, ROTATING, MECHANICAL, DIRECT DRIVE: 8587543 (3200 MIL RESET) REVIEWER: GS | A | 1290 | AR | | 24-MAR-89 | AR | | | |
| | L | | MIL-S-60619A | SIGHT, REFLEX, M18 & XM75 (VALIDATION DATE: 8504) | A | 1240 | AR | | 31-OCT-72 | AR | | | |
| | L | | MIL-P-60620D | PROJECTILE ASSEMBLY FOR CARTRIDGE, SMOKE, WP, 81MM, M375A1 | A | 1315 | AR | | 09-AUG-85 | AR | | | |
| | L | | MIL-P-60622B(4) NOTICE 1 | PROJECTILE, 175MM, HE, M437 METAL PARTS ASSEMBLY (VALIDATION DATE: 8804) | A | 1320 | AR | | 18-APR-88 | AR | | | |
| | L | | MIL-G-60624 NOTICE 1 | GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED, XM17, ASSEMBLY (VALIDATION DATE: 8606) | A | 1377 | OS | | 23-JUN-86 | | OS | | |
| | L | | MIL-C-60625 | CASTING, DUCTILE (NODULAR) IRON FOR ARTILLERY, WARHEAD AND MORTAR AMMUNITION COMPONENTS (VALIDATION DATE: 8504) | A | 1395 | AR | | 30-NOV-66 | AR | | | |
| | L | | MIL-P-60627 | PERISCOPE XM33 (VALIDATION DATE: 8504) | A | 1240 | AR | | 30-JUN-67 | AR | | | |
| | L | | MIL-P-60628(1) NOTICE 1 | PROJECTILE, 152MM, SLUG, PROOFING, METAL PARTS ASSEMBLY (VALIDATION DATE: 9011) | A | 1320 | AR | | 01-NOV-90 | AR | | | |
| | L | | MIL-C-60631A NOTICE 1 | CARTRIDGE CASE, BASE PLUG & DISC 40MM, XM199E1 (VALIDATION DATE: 8705) | A | 1310 | AR | | 03-MAR-69 | AR | | | |
| | L | | MIL-I-60635 | INITIATOR, CARTRIDGE ACTUATED, M9 ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | OS | | 23-MAR-87 | | OS | | |
| | L | | MIL-I-60636(1) | INITIATOR, CARTRIDGE ACTUATED, M9 AND M80 METAL PARTS ASSEMBLY | A | 1377 | OS | | 21-MAY-87 | | OS | | |
| | L | | MIL-T-60637(2) | THRUSTER, CARTRIDGE ACTUATED, M6, ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | OS | | 23-MAR-87 | | OS | | |
| | L | | MIL-I-60638 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M44 ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | OS | | 23-MAR-87 | | OS | | |
| | | | MIL-I-60639A | INITIATOR, CARTRIDGE ACTUATED, DELAY, M31 ASSEMBLY | A | 1377 | OS | | 23-APR-91 | | OS | 99 | |
| | LI | | MIL-C-60641 NOTICE 1 | CARTRIDGE, DELAY, M174 ASSEMBLY (INACTIVE FOR NEW DESIGN) | A | 1377 | OS | | 15-JUL-88 | | OS | | |
| | L | | MIL-I-60642 | INITIATOR, CARTRIDGE ACTUATED, M80 ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | OS | | 23-MAR-87 | | OS | | |
| A | | | MIL-C-60643A | CARTRIDGE, IMPULSE, M127 ASSEMBLY REVIEWER: 70 | A | 1377 | OS | | 23-JUN-92 | | OS | 99 | |
| | L | | MIL-C-60644(2) | CARTRIDGE, DELAY, M175 ASSEMBLY | A | 1377 | OS | | 30-JUL-87 | | OS | | |
| | L | | MIL-T-60645(1) | THRUSTER, CARTRIDGE ACTUATED, M6, METAL PARTS ASSEMBLY | A | 1377 | OS | | 21-MAY-87 | | OS | | |
| | L | | MIL-P-60646B(2) | PROJECTILE, 105MM, HEAT-T, M456A1 METAL PARTS | A | 1315 | AR | | 19-SEP-84 | AR | | | |
| | L | | MIL-T-60647 | THRUSTER, CARTRIDGE ACTUATED, M5A2 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | OS | | 23-MAR-87 | | OS | | |
| | L | | MIL-H-60648(1) | HOLDER, STRIP, LOADED, ASSEMBLY M8, M9, M10, XM12, M19 OR XM25 AIRCRAFT EJECTION SEAT CATAPULT | A | 1377 | OS | | 15-JUL-86 | | OS | | |
| | L | | MIL-P-60649B(5) | PERISCOPE, TANK, XM44E1 & XM44E2 WITH ASSOCIATED EQUIPMENT (VALIDATION DATE: 8502) | A | 1240 | AR | | 15-AUG-79 | AR | | | |
| | L | | MIL-H-60650A(1) | HEAD ASSEMBLY, TANK PERISCOPE, 10542204 | A | 1240 | AR | | 09-NOV-87 | AR | | | |
| | L | | MIL-C-60661A NOTICE 2 | CASE, CARRYING: 10543310 | A | 1290 | AR | | 13-SEP-90 | AR | | | |
| | L | | MIL-T-60652 | THRUSTER, CARTRIDGE ACTUATED, M11, REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | OS | | 23-MAR-87 | | OS | | |
| | L | | MIL-C-60654A NOTICE 1 | CARTRIDGE, IMPULSE, M57 ASSEMBLY (VALIDATION DATE: 8606) | A | 1377 | OS | | 23-JUN-86 | | OS | | |
| | L | | MIL-A-60657 NOTICE 1 | ACTUATOR, ROTARY 1000-39 ASSEMBLY (VALIDATION DATE: 8606) | A | 1377 | OS | | 23-JUN-86 | | OS | | |
| | L | | MIL-A-60658(1) | ACTUATOR, ROTARY 1000-39 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | OS | | 15-JUL-86 | | OS | | |
| | L | | MIL-S-60661A(1) | SIGHT, LEAD COMPUTING, M61, 11747062 (VALIDATION DATE: 8402) | A | 1285 | AR | | 13-OCT-83 | AR | | | |
| A | L | | MIL-G-60662B(2) | GENERATOR, SIGHT CURRENT 12000239 | A | 1285 | AR | | 28-OCT-92 | AR | | | |
| | L | | MIL-I-60667A(2) NOTICE 1 | IGNITER, AUXILIARY (VALIDATION DATE: 9108) | A | 1377 | OS | | 14-AUG-91 | | OS | | |
| | L | | MIL-T-60668 | THRUSTER, CARTRIDGE ACTUATED, M18 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | OS | | 23-MAR-87 | | OS | | |
| | L | | MIL-T-60669 | THRUSTER, CARTRIDGE ACTUATED, M19 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | OS | | 23-MAR-87 | | OS | | |
| | L | | MIL-R-60671 NOTICE 1 | RUBBER, CHLORINATED, NATURAL, POWER (VALIDATION DATE: 8805) | A | 1370 | AR | | 06-MAY-88 | AR | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-T-60672(1) | THRUSTER, CARTRIDGE ACTUATED, M25, METAL PARTS ASSEMBLY, REMANUFACTURED FROM M20 & M20A1 CARTRIDGE ACTUATED THRUSTER | A | 1377 | | OS | 15-JUL-86 | | OS | | |
| L | | MIL-I-60676A(1) NOTICE 1 | IGNITER, PRIMARY (VALIDATION DATE: 8606) | A | 1377 | | OS | 23-JUN-86 | | OS | | |
| L | | MIL-T-60677 | THRUSTER, CARTRIDGE ACTUATED, M9 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 23-MAR-87 | | OS | | |
| L | | MIL-C-60678B(2) NOTICE 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY TRACE SELF-DESTRUCT, M246 | A | 1305 | | AR | 28-FEB-90 | AR | | | |
| L | | MIL-P-60679A(5) NOTICE 1 | PROJECTILE, 20MM, MEIT-SD, M246; METAL PARTS | A | 1305 | | AR | 09-FEB-90 | AR | | | |
| L | | MIL-T-60680(1) NOTICE 2 | THRUSTER, CARTRIDGE ACTUATED, M16 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 9108) | A | 1377 | | OS | 14-AUG-91 | | OS | | |
| L | | MIL-A-60681 NOTICE 1 | ACTUATOR, ROTARY 1000-37 ASSEMBLY (VALIDATION DATE: 8606) | A | 1377 | | OS | 23-JUN-86 | | OS | | |
| L | | MIL-A-60682(1) | ACTUATOR, ROTARY 1000-37 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | | OS | 15-JUL-86 | | OS | | |
| L | | MIL-C-60683(2) | CATAPULT, AIRCRAFT EJECTION SEAT, M4A1 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | | OS | 15-JUL-86 | | OS | | |
| L | | MIL-C-60684 NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT: M5A1 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8810) | A | 1377 | | OS | 05-OCT-88 | | OS | | |
| L | | MIL-C-60685(1) NOTICE 2 | CATAPULT, AIRCRAFT EJECTION SEAT: M3A1, REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 9108) | A | 1377 | | OS | 14-AUG-91 | | OS | | |
| L | | MIL-C-60691(1) NOTICE 1 | CARTRIDGE, IMPULSE: M151 ASSEMBLY | A | 1377 | | OS | 28-MAR-89 | | OS | | |
| L | | MIL-A-60692 NOTICE 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-27 ASSEMBLY (VALIDATION DATE: 8606) | A | 1377 | | OS | 23-JUN-86 | | OS | | |
| L | | MIL-A-60693(1) | ACTUATOR, EXPLOSIVE, ROTARY 1000-27 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | | OS | 15-JUL-86 | | OS | | |
| L | | MIL-T-60694A NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M15 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | |
| | | MIL-T-60695 NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M20A1, REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | 99 |
| L | | MIL-T-60696 NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M2A2, REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | |
| A | | MIL-T-60697A | THRUSTER, CARTRIDGE ACTUATED, M3A3 REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 | | OS | 21-SEP-92 | | OS | | 99 |
| L | | MIL-T-60699 NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M7 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | |
| L | | MIL-T-60800 NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M17 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | |
| L | | MIL-T-60801 NOTICE 1 | THRUSTER, CARTRIDGE ACTUATED, M13, REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | |
| L | | MIL-C-60805(3) | CARTRIDGE, IMPULSE, M150 ASSEMBLY | A | 1377 | | OS | 30-JUL-87 | | OS | | |
| L | | MIL-B-60807(7) NOTICE 1 | BOOSTER, M125A1E3, LOADING & PACKING (VALIDATION DATE: 8705) | A | 1390 | | AR | 08-MAY-87 | AR | | | |
| L | | MIL-C-60808A | CARTRIDGE, CALIBER .45 REFERENCE | A | 1305 | | AR | 10-APR-87 | AR | | | |
| | | MIL-C-60809(2) NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT: M9, REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 9108) | A | 1377 | | OS | 14-AUG-91 | | OS | | 99 |
| L | | MIL-C-60810 NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT: M10 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 8810) | A | 1377 | | OS | 05-OCT-88 | | OS | | |
| L | | MIL-P-60811B(1) | PROJECTILE, 105MM, TP-T, M489 METAL PARTS ASSEMBLY | A | 1315 | | AR | 14-APR-86 | AR | | | |
| L | | MIL-P-60812(2) NOTICE 1 | PROJECTILE, 4.2 INCH, WP, SMOKE, M328A1 METAL PARTS ASSEMBLY (VALIDATION DATE: 8705) | A | 1315 | | AR | 16-JUN-69 | AR | | | |
| L | | MIL-C-60813(2) | CARTRIDGE, CALIBER .50, SPOTTER TRACER, M48A2 | A | 1305 | | AR | 08-JUN-67 | AR | | | |
| | | MIL-P-60814 | PROJECTILE, AP-T, 90MM, M318A1 METAL PARTS (VALIDATION DATE: 8505) | A | 1315 | | AR | 17-APR-67 | AR | OS | | |
| L | | MIL-P-60815A(3) NOTICE 1 | PROJECTILE, TP-T, 152MM, XM411E1 METAL PARTS ASSEMBLY (VALIDATION DATE: 8806) | A | 1320 | | AR | 20-JUN-88 | AR | | | |
| L | | MIL-P-60818C(3) NOTICE 1 | PROJECTILE, 4.2 INCH, ILLUMINATING, M335A2 METAL PARTS ASSEMBLY | A | 1315 | | AR | 18-APR-91 | AR | | | |
| L | | MIL-F-60823 NOTICE 1 | FIRING MECHANISM, 50057-1, OVERHAUL OF (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | |
| L | | MIL-T-60826B | TELESCOPE, M127A1 (VALIDATION DATE: 8101) | A | 1240 | | AR | 03-MAR-75 | AR | | | |
| | | MIL-C-60827A | CARTRIDGE, IMPULSE, M259 ASSEMBLY REVIEWER: 70 | A | 1377 | | OS | 15-JAN-92 | | OS | | 99 |
| L | | MIL-S-60828A(2) | SIGHT, REFLEX: M70E1 | A | 1270 | | AR | 13-AUG-90 | AR | | | |
| L | | MIL-O-60831C | OBTURATING BAND, PLASTIC SPLIT (MOLDED) | A | 1395 | | AR | 12-MAY-89 | AR | | | |
| L | | MIL-C-60832 NOTICE 1 | CARTRIDGE, CALIBER .30, BALL, M2 OVERHEARD FIRE APPLICATION (VALIDATION DATE: 8705) | A | 1305 | | AR | 04-OCT-67 | AR | | | |
| L | | MIL-T-60834 NOTICE 1 | TELESCOPE, ELBOW, M99 AND M99C (VALIDATION DATE: 8805) | A | 1240 | | AR | 16-MAY-88 | AR | | | |
| L | | MIL-P-60835A(1) NOTICE 1 | PROJECTILE, 20MM, ME1-T, M242, METAL PARTS (VALIDATION DATE: 8402) | A | 1305 | | AR | 01-JUN-78 | AR | | | |
| L | | MIL-C-60836A(1) NOTICE 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY WITH TRACER, M242 | A | 1305 | | AR | 05-FEB-87 | AR | | | |
| L | | MIL-A-60837 NOTICE 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-48 ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | |
| L | | MIL-A-60838(1) | ACTUATOR, EXPLOSIVE, ROTARY 1000-48 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | | OS | 21-MAY-87 | | OS | | |
| L | | MIL-H-60840 NOTICE 1 | HOLDER, STRIP, ASSEMBLY, METAL PARTS (VALIDATION DATE: 8703) | A | 1377 | | OS | 29-MAR-87 | | OS | | |
| L | | MIL-D-60842(1) | DELAY ELEMENT, CARTRIDGE, XM17 ASSEMBLY | A | 1377 | | OS | 16-JAN-87 | | OS | | |
| L | | MIL-I-60846 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, M87 ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 29-MAR-87 | | OS | | |
| L | | MIL-A-60848 NOTICE 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-44 ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | |
| L | | MIL-A-60849(1) | ACTUATOR, EXPLOSIVE, ROTARY 1000-44 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | | OS | 21-MAY-87 | | OS | | |
| L | | MIL-C-60850(1) | CARTRIDGE, IMPULSE, XM267 | A | 1377 | | OS | 16-JAN-87 | | OS | | |
| L | | MIL-D-60851(1) | DELAY ELEMENT, CARTRIDGE, 46, ASSEMBLY | A | 1377 | | OS | 16-JAN-87 | | OS | | |
| L | | MIL-P-60852A NOTICE 1 | PROPELLANT, GRAIN, INHIBITED (VALIDATION DATE: 9108) | A | 1377 | | OC | 14-AUG-91 | | OS | | |
| L | | MIL-T-60857A | TEST SET, RADAR, AN/TPM-22 (VALIDATION DATE: 8504) | A | 4931 | | AR | 15-JAN-73 | AR | | | |
| L | | MIL-T-60858(1) | TEST SET, ELECTRONICS SYSTEM AN/TSM-100 (VALIDATION DATE: 8504) | A | 4931 | | AR | 28-JUL-71 | AR | | | |
| A L | | MIL-T-60860A(1) | TEST SET, ANTENNA AN/VPM-1 | A | 1285 | | AR | 28-OCT-92 | AR | | | |
| L | | MIL-C-60861(1) | CARTRIDGE, DELAY, M128 ASSEMBLY | A | 1377 | | OS | 16-JAN-87 | | OS | | |
| L | | MIL-R-60862(1) NOTICE 1 | REMOVER, AIRCRAFT CANOPY OVERHAUL, MODIFICATION & CONVERSION OF P/N 2218-17 TO P/N 2218-18 (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | |
| L | | MIL-O-60863A(4) | OXAMIDE | A | 6810 | | AR | 10-APR-92 | AR | | | |
| L | | MIL-R-60864 NOTICE 1 | RESORCINOL (VALIDATION DATE: 8907) USER: MI REVIEWER: GS MD | A | 6810 | | AR | 13-JUL-89 | AR | | | |
| L | | MIL-D-60866(1) | DELAY ELEMENT, CARTRIDGE, M27 ASSEMBLY | A | 1377 | | OS | 21-MAY-87 | | OS | | |
| L | | MIL-I-60867 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M51 ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 29-MAR-87 | | OS | | |
| L | | MIL-I-60869 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M15 ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 29-MAR-87 | | OS | | |
| L | | MIL-I-60870 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, 15, XM17, XM19, XM21, XM23, XM25 & XM110 METAL PARTS ASSEMBLY (VALIDATION DATE: 8703) | A | 1377 | | OS | 26-MAR-87 | | OS | | |
| L | | MIL-B-60871(2) NOTICE 1 | BALLISTICS COMPUTER SUBASSEMBLY, 10552928 (CANT UNIT) (VALIDATION DATE: 8703) | A | 1220 | | AR | 20-MAR-87 | AR | | | |
| | | MIL-C-60872A | CARTRIDGE, DELAY, M271 ASSEMBLY REVIEWER: 70 | A | 1377 | | OS | 15-JAN-92 | | OS | | 99 |
| | | MIL-D-60873A | DELAY ELEMENT, CARTRIDGE, M69 ASSEMBLY REVIEWER: 70 | A | 1377 | | OS | 15-JAN-92 | | OS | | 99 |

| Action | CRL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-I-60874 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, XM19 ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 | | OS | 29-MAR-87 | | OS | | |
| L | | | MIL-R-60875(1) | REMOVER, AIRCRAFT CANOPY, M6A2 METAL PARTS ASSEMBLY | A | 1377 | | OS | 19-JAN-87 | | OS | | |
| L | | | MIL-T-60876A | TEST SET, SERVO AMPLIFIER, TS 2658/TSM 100A | A | 4931 | | AR | 30-OCT-85 | AR | | | |
| L | | | MIL-T-60877A | TEST SET, DISTRIBUTION BOX, TS-2659/TSM-100 | A | 4931 | | AR | 30-APR-86 | AR | | | |
| L | | | MIL-T-60878A | TEST SET, SIGHT CURRENT GENERATOR, TS-2660/TSM-100A | A | 4931 | | AR | 28-SEP-84 | AR | | | |
| L | | | MIL-T-60879A | TEST SET, POWER PANEL, TS-2661/TSM-100A | A | 4931 | | AR | 30-APR-84 | AR | | | |
| L | | | MIL-T-60880A | TEST SET, CONTROL PANEL, TS-2657/TSM-100 | A | 4931 | | AR | 30-APR-86 | AR | | | |
| L | | | MIL-T-60883 | TELESCOPE, XM129 [VALIDATION DATE: 8101] | A | 1240 | | AR | 21-MAR-69 | AR | | | |
| L | | | MIL-B-60884C(2) | BINOCULAR M19 [VALIDATION DATE: 8601] | A | 6650 | | AR | 29-JUN-79 | AR | | | |
| L | | | MIL-I-60886 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED: DELAY, XM110 ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 | | OS | 29-MAR-87 | | OS | | |
| L | | | MIL-T-60887A(1) | TEST SET, ORGANIZATIONAL MAINTENANCE AN/TPM-23 [VALIDATION DATE: 8301] | A | 1285 | | AR | 07-APR-77 | AR | | | |
| L | | | MIL-A-60888 NOTICE 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-45 ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 | | OS | 29-MAR-87 | | OS | | |
| L | | | MIL-A-60889(1) | ACTUATOR, EXPLOSIVE, ROTARY 1000-45 REMANUFACTURED METAL PARTS ASSEMBLY | A | 1377 | | OS | 21-MAY-87 | | OS | | |
| L | | | MIL-F-60890(2) NOTICE 1 | FUZE, MECHANICAL TIME, M591, ASSEMBLY [VALIDATION DATE: 9108] | A | 1135 | | AR | 20-AUG-91 | AR | | | |
| L | | | MIL-S-60891B(1) | SIGHT, REFLEX: M73 | A | 1270 | | AR | 27-SEP-89 | AR | | | |
| L | | | MIL-I-60892 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M43A1 ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 | | OS | 29-MAR-87 | | OS | | |
| L | | | MIL-T-60895(5) | TELESCOPE, PANORAMIC, M117A1 | A | 1240 | | AR | 20-OCT-83 | AR | | | |
| L | | | MIL-C-60896A(2) | CARTRIDGE, 7.62MM, NATO, REFERENCE | A | 1305 | | AR | 11-MAR-91 | AR | | | |
| L | | | MIL-R-60897(4) | REMOVER, AIRCRAFT CANOPY: M6A1 METAL PARTS ASSEMBLY (CONVERSION) | A | 1377 | | OS | 16-MAY-89 | | OS | | |
| L | | | MIL-C-60898 | CIRCUIT CARD ASSEMBLIES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8304] | A | 4931 | | AR | 31-JUL-69 | AR | | | |
| L | | | MIL-C-60898/1 | CIRCUIT CARD ASSEMBLY, LOGIC FUNCTION RESISTORS [VALIDATION DATE: 8202] | A | 4931 | | AR | 31-JUL-69 | AR | | | |
| L | | | MIL-C-60898/2 | CIRCUIT CARD ASSEMBLY, RELAY SENSE RESISTORS [VALIDATION DATE: 8303] | A | 4931 | | AR | 31-JUL-69 | AR | | | |
| L | | | MIL-C-60898/3 | CIRCUIT CARD ASSEMBLY, RELAY SENSE AND K12 OPERATION [VALIDATION DATE: 8303] | A | 4931 | | AR | 31-JUL-69 | AR | | | |
| L | | | MIL-C-60898/4(1) | CIRCUIT CARD ASSEMBLY, K6 OPERATION AND SEQUENCE [VALIDATION DATE: 8303] | A | 4931 | | AR | 02-OCT-70 | AR | | | |
| L | | | MIL-C-60898/5 | CIRCUIT CARD ASSEMBLY, K8 OPERATION AND SEQUENCE [VALIDATION DATE: 8303] | A | 4931 | | AR | 31-JUL-69 | AR | | | |
| L | | | MIL-C-60898/6 | CIRCUIT CARD ASSEMBLY, K11 OPERATION AND SEQUENCE [VALIDATION DATE: 8303] | A | 4931 | | AR | 31-JUL-69 | AR | | | |
| L | | | MIL-C-60898/7(1) | CIRCUIT CARD ASSEMBLY, RELAY SIGNAL INVERTERS | A | 4931 | | AR | 28-NOV-84 | AR | | | |
| L | | | MIL-C-60898/8 | CIRCUIT CARD ASSEMBLY, NOISE SUPPRESSION [VALIDATION DATE: 8403] | A | 4931 | | AR | 31-JUL-69 | AR | | | |
| L | | | MIL-C-60898/9 | CIRCUIT CARD ASSEMBLY, SIGHT CURRENT GENERATOR [VALIDATION DATE: 8303] | A | 4931 | | AR | 31-JUL-69 | AR | | | |
| L | | | MIL-C-60898/10 | CIRCUIT CARD ASSEMBLY, POWER UNIT [VALIDATION DATE: 8303] | A | 4931 | | AR | 31-JUL-69 | AR | | | |
| L | | | MIL-C-60898/11 | CIRCUIT CARD ASSEMBLY, SERVO AMPLIFIER TEST INPUT [VALIDATION DATE: 8303] | A | 4931 | | AR | 31-JUL-69 | AR | | | |
| L1 | | | MIL-C-60899 NOTICE 1 | CARTRIDGE, DELAY: M84, ASSEMBLY (INACTIVE FOR NEW DESIGN) | A | 1377 | | OS | 15-JUL-88 | | OS | | |
| L | | | MIL-M-60903A NOTICE 2 | MARKING OF ELECTRICAL WIRES AND CABLES [VALIDATION DATE: 9108] | A | 1195 | | AR | 20-AUG-91 | AR | | | |
| L | | | MIL-W-60904A NOTICE 1 | WIRE AND CABLE, POLYIMIDE INSULATED, ELECTRICAL NUCLEAR WEAPONS [VALIDATION DATE: 8809] | A | 1135 | | AR | 09-SEP-88 | AR | | | |
| L | | | MIL-C-60906A | CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL, T-4179A [VALIDATION DATE: 8503] | A | 1190 | | AR | 11-AUG-72 | AR | | | |
| L | | | MIL-C-60913(5) | CHARGE, PROPELLANT, INCREMENT XM185 (M185) (MADE FROM PROPELLANT M9) | A | 1375 | | AR | 22-FEB-89 | AR | | | |
| L | | | MIL-T-60916C | TUBE, MOTOR, INTEGRAL BULKHEAD, FOR ROCKET MOTOR 2.75 INCH, MARK 4 AND MARK 40 | A | 1340 | | MI | 29-MAR-91 | MI | | | |
| L | | | MIL-S-60928A | SUPPORTS, CHARGE, FOR 2.75 INCH ROCKET, MARK 40 AND MARK 4 | A | 1340 | | MI | 19-MAR-91 | MI | | | |
| L | | | MIL-C-60932(1) NOTICE 1 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8806] | A | 1315 | | AR | 22-JUN-88 | AR | | | |
| L | | | MIL-P-60938 | PELLET, SMOKE MARKER FOR CARTRIDGE, 105MM, APERS-T, XM546 [VALIDATION DATE: 8101] | A | 1315 | | AR | 20-FEB-68 | AR | | | |
| L | | | MIL-C-60940(1) NOTICE 1 | CUP, LEAD ASSEMBLY FOR FUZES, PD, M551 & M533 [VALIDATION DATE: 8803] | A | 1375 | | AR | 22-MAR-88 | AR | | | |
| L | | | MIL-C-60941A(1) NOTICE 1 | CARTRIDGE, 40MM, HE, M384; BODY ASSEMBLY FOR METAL PARTS [VALIDATION DATE: 9109] | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| L | | | MIL-P-60942A(1) NOTICE 1 | PRIMER, PERCUSSION FOR 40MM LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8809] | A | 1390 | | AR | 30-SEP-88 | AR | | | |
| L | | | MIL-C-60943A(3) | CARTRIDGE, 40MM, HE, M384 LOADING, ASSEMBLING AND PACKING | A | 1310 | | AR | 28-JUL-91 | AR | | | |
| L | | | MIL-C-60944A NOTICE 1 | CARTRIDGE, 40MM, PRACTICE, M385 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8705] | A | 1310 | | AR | 15-SEP-80 | AR | | | |
| M | L | | MIL-C-60945B | CARTRIDGE, 40MM, PRACTICE, M385A1 DUMMY CARTRIDGE, 40MM HIGH VELOCITY, M922 PROJECTILE PARTS FOR | A | 1310 | | AR | 12-MAY-93 | AR | | | |
| L | | | MIL-P-60956 NOTICE 1 | POWER SUPPLY PS 217 FOR FUZE, PROXIMITY, T361 [VALIDATION DATE: 8704] | A | MUOR | | AR | 10-APR-87 | AR | | | |
| L | | | MIL-F-60965(3) NOTICE 1 | FUZE, ELECTRONIC TIME: M587 (LESS BOOSTER PELLET AND CUP) [VALIDATION DATE: 8808] | A | 1390 | | AR | 22-AUG-88 | AR | | | |
| A | L | | MIL-C-60982B(5) | CASE CARTRIDGE, 40MM, M169 PART FOR | A | 1310 | | AR | 10-NOV-92 | AR | | | |
| L | | | MIL-C-60983C NOTICE 1 | CARTRIDGE, 40MM, HE, M406 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8705] | A | 1310 | | AR | 16-JAN-75 | AR | | | |
| L | | | MIL-C-60984A(1) NOTICE 1 | CARTRIDGE, 40MM, HE, M406; BALL AND SKIRT ASSEMBLY AND OGIVE FOR METAL PARTS FOR [VALIDATION DATE: 9109] | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| L | | | MIL-C-60985A(1) NOTICE 1 | CASE, CARTRIDGE, 40MM, M118 METAL PARTS FOR [VALIDATION DATE: 8803] | A | 1310 | | AR | 25-MAR-88 | AR | | | |
| L | | | MIL-C-60986A(2) NOTICE 1 | CARTRIDGE, 40MM, PRACTICE, M407A1 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8705] | A | 1310 | | AR | 19-DEC-74 | AR | | | |
| L | | | MIL-C-60987(1) NOTICE 1 | CARTRIDGE, 40MM, PRACTICE, M407A1, BALL & SKIRT ASSEMBLY & OGIVE FOR METAL PARTS FOR [VALIDATION DATE: 8803] | A | 1310 | | AR | 25-MAR-88 | AR | | | |
| L | | | MIL-P-60989A(1) NOTICE 1 | PROPELLANT, M2 FOR M5 SUBSYSTEM AMMUNITION [VALIDATION DATE: 8803] | A | 1376 | | AR | 21-MAR-88 | AR | | | |
| L | | | MIL-R-60995A NOTICE 1 | ROCKET MOTOR, 2.75 INCH ROCKET, MARK 40 AND MODS, MARK 4 AND MODS LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9204] | A | 1340 | | MI | 10-APR-92 | MI | | | |
| L | | | MIL-C-60996A NOTICE 1 | CHARGE, DEMOLITION ROLL, M186 PARTS, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8605] | A | 1375 | | AR | 09-MAY-86 | AR | | | |
| L | | | MIL-S-60997A NOTICE 1 | SUPPORT, MOLDED, PLASTIC (FOR USE IN AMMUNITION PACKAGING) [VALIDATION DATE: 8603] | A | 8140 | | AR | 18-MAR-86 | AR | | | |
| | | | MIL-B-61000 | BOTTLES, PLASTIC, MOLDED POLYETHYLENE REVIEWER: GS | A | 8125 | | SH | 17-JAN-86 | SH | SA | 99 | |
| | | | MIL-R-61001 | RACKS, STORAGE, LOADED PALLET REVIEWER: 99 AL AR GS OS TS | A | PACK | | SH | 30-MAR-89 | SH | SA | 69 | |
| D | | | MIL-L-61002(1) | LABELS, PRESSURE-SENSITIVE ADHESIVE, FOR BAR CODES AND OTHER MARKINGS USER: IP MT SS REVIEWER: 11 70 71 80 82 84 99 AL AR AS AT CG CR CT DM EC ES GL GS IS MC MD ME MI MS PS SH TD TM YD1 | A | 7690 | | SH | 10-JAN-92 | SH | SA | 69 | DH |
| D | | | MIL-C-62005A | COUPLING, AUTOMOTIVE AIR BRAKE LINES, QUICK DISCONNECT [VALIDATION DATE: 8308] USER: MC REVIEWER: CS ME | A | 2530 | | AT | 30-SEP-82 | AT | YD1 | 99 | |
| | L | | MIL-C-62006A | COOLER, OIL, TRANSMISSION AND ENGINE | A | 2930 | | AT | 18-AUG-84 | AT | | | |
| | L | | MIL-V-62008B(1) | VEHICLE, COMBAT ENGINEER, FULL TRACKED, 165 MM GUN, M728 | A | 2350 | | AT | 15-DEC-83 | AT | | | |
| | L | | MIL-P-62011C | PUMP, FUEL, ELECTRICALLY OPERATED, 24 VOLT DC, IN TANK TYPE REVIEWER: CS | A | 2910 | | AT | 20-NOV-86 | AT | | | |
| D | | | MIL-T-62012A(2) | TRUCK, 10 TON, 6X6, M121A1 SERIES USER: YD1 REVIEWER: 84 | A | 2320 | | AT | 30-JUL-87 | AT | MC | 99 | |
| | L | | MIL-C-62013C(3) | CARRIER, FULL TRACKED, M548A1 & M730A1 | A | 2320 | | AT | 30-JUL-86 | AT | | | |
| | L | | MIL-C-62015F NOTICE 1 | CARRIER, CARGO, FULL-TRACKED, M548 AND M548A1; AND CARRIER, ELECTRONIC WARFARE SYSTEMS, FULL-TRACKED, M1015 AND M1015A1; PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] | A | PACK | | AT | 28-FEB-92 | AT | | | |
| | L | | MIL-A-62019B(2) NOTICE 1 | ARMORED RECONNAISSANCE/AIRBORNE ASSAULT VEHICLE: FULL TRACKED, 152MM, M551; PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] | A | PACK | | AT | 28-FEB-92 | AT | | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Obsl. / Obsl. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-T-62021E | TRUCKS, PIPE AND SEWER CLEANER: HIGH PRESSURE WATER JET TYPE, 5680 LITER (1,500 GALLON), 12 700 KILOGRAMS (28,000 POUNDS) GVW, 4X2, MODIFIED COMMERCIAL | A | 2320 | AT | AT | 07-FEB-92 | AT | | | |
| | L | MIL-D-62027H | DOLLY SETS, LIFT, TRANSPORTABLE SHELTER: 2.72-METRIC TON TO 4.76-METRIC TON USER: MC | A | 2330 | AT | AT | 23-MAY-91 | AT | | | |
| | QL | MIL-H-62028A | HOSE, AIR DUCT, HIGH TEMPERATURE, FLEXIBLE, REINFORCED REVIEWER: 84 CS .... | A | 4720 | AT | AT | 08-DEC-87 | AT | | 99 | |
| | L | MIL-T-62030C NOTICE 1 | TRANSMISSION, HYDRAULIC, MODEL XTG-250-1A [VALIDATION DATE: 8705] ..... | A | 2520 | AT | AT | 13-MAY-87 | AT | | | |
| | D | MIL-T-62032H | TRUCKS, TANK: FUEL SERVICING AND AIRCRAFT FUEL SERVICING, 1,000 TO 4,000 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 16,000 TO 50,000 POUNDS GVW, 4X2, 4X4, 6X4, AND 6X6, MODIFIED COMMERCIAL REVIEWER: 84 AV | A | 2320 | AT | AT | 20-MAY-91 | AT | YD1 | 99 | |
| | | MIL-S-62034D(1) | SEMITRAILER, STAKE, SEMITRAILERS, VAN, AND SEMITRAILERS, REFRIGERATOR, MILITARY DESIGN | A | 2330 | AT | AT | 04-SEP-86 | AT | | 99 | |
| | L | MIL-V-62038E(1) | VEHICLES, WHEELED: PREPARATION FOR SHIPMENT AND STORAGE OF ..... | A | PACK | AT | AT | 10-MAR-89 | AT | | | |
| | L | MIL-C-62040A(1) | CHAIN ASSEMBLY AND CROSS CHAIN, TIRE: FOR MILITARY VEHICLES ..... | A | 2540 | AT | AT | 16-FEB-88 | AT | | | |
| | L | MIL-E-62045B NOTICE 1 | ENGINE, DIESEL: THREE CYLINDER IN-LINE TYPE, 90 MINIMUM HORSEPOWER [VALIDATION DATE: 8703] USER: CS | A | 2815 | AT | AT | 16-MAR-87 | AT | | | |
| | L | MIL-T-62046C NOTICE 1 | TRANSMISSION ASSEMBLY: FOR TRUCK, CARGO, 6X6 M561 W/E AND TRUCK, AMBULANCE, 1 1/4 TON, 6X6, M792 W/E [VALIDATION DATE: 9005] | A | 2520 | AT | AT | 05-MAY-90 | AT | | | |
| | L | MIL-T-62047B(3) | TRUCK, CARGO, 1-1/4 TON, 6X6, M561 AND TRUCK, AMBULANCE, 1-1/4 TON, 6X6, M792 | A | 2320 | AT | AT | 02-SEP-87 | AT | | | |
| | L | MIL-A-62048B | AIR CLEANERS, AUTOMOTIVE: HEAVY DUTY, DRY-TYPE (FOR INTERNAL COMBUSTION ENGINES) REVIEWER: CS | A | 2940 | AT | AT | 06-APR-89 | AT | | | |
| | | MIL-S-62049D | SEMITRAILER, VAN, FOR INSTALLATION OF SPECIAL EQUIPMENT, MILITARY VEHICLES | A | 2330 | AT | AT | 28-MAY-87 | AT | | 99 | |
| | L | MIL-T-62050B | TANK, COMBAT, FULL TRACKED, 105MM GUN, M48A5, PROCESSING FOR STORAGE & SHIPMENT OF REVIEWER: SM | A | 2350 | AT | AT | 31-OCT-85 | AT | | | |
| | M | MIL-S-62052D | SEMITRAILER, VAN: AIR TRANSPORTABLE, 4990 KILOGRAMS (5.5 TON), AIR CONDITIONED, MODIFIED COMMERCIAL REVIEWER: 84 | A | 2330 | AT | AT | 23-APR-93 | AT | | 99 | |
| | L | MIL-C-62053D NOTICE 1 | CARRIER, GUIDED MISSILE EQUIPMENT, M730 AND M730A1; PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] | A | PACK | AT | AT | 28-FEB-92 | AT | | | |
| | L | MIL-T-62058E | TRUCKS, FLATBED: AND TRUCKS, MAINTENANCE: WITH TELESCOPIC BOOM MOUNTED AERIAL PLATFORM, 8.5 TO 18.3 METERS (28 TO 60 FOOT), MODIFIED COMMERCIAL | A | 2320 | AT | AT | 14-FEB-92 | AT | | | |
| | L | MIL-T-62059B | TRAILER, CARGO: WITH HYDRAULIC LIFT BODY, 2,000 POUND PAYLOAD, 2 WHEEL, COMMERCIAL | A | 2330 | AT | AT | 11-SEP-91 | AT | | | |
| | L | MIL-V-62060B(1) NOTICE 1 | VEHICLE, COMBAT ENGINEER, FULL TRACKED: 165 MM GUN, M728: PROCESSING FOR SHIPMENT AND STORAGE OF [VALIDATION DATE: 9202] | A | PACK | AT | AT | 28-FEB-92 | AT | | | |
| | L | MIL-G-62061B | GENERATOR, ENGINE ACCESSORY 28 VOLT DC, RATED OUTPUT 300 AMPS [VALIDATION DATE: 8504] REVIEWER: CS | A | 2920 | AT | AT | 31-MAR-80 | AT | | | |
| | L | MIL-B-62062B | BLOWER, GENERATOR COOLING: 28 VOLT DC REVIEWER: CS ..... | A | 2920 | AT | AT | 28-APR-89 | AT | | | |
| | L | MIL-T-62063(2) | TIME DELAY UNIT: ADJUSTABLE, SOLID STATE REVIEWER: ES ..... | A | 5945 | AT | AT | 03-NOV-88 | AT | | | |
| | D | MIL-T-62068C | TRUCKS, TANK: SPRINKLER, FLUSHER, AND DISTRIBUTOR TYPES, 1,000 TO 2,000 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 16,000 TO 43,000 POUNDS GVW, 4X2, 6X4 AND 6X6, MODIFIED COMMERCIAL REVIEWER: 84 | A | 2320 | AT | AT | 22-FEB-91 | AT | YD1 | 99 | |
| | L | MIL-C-62069D(1) | CONTROL, DIRECTIONAL SIGNAL LIGHT, AUTOMOTIVE: 24 VOLT DC, SOLID STATE [VALIDATION DATE: 9005] USER: ME | A | 2590 | AT | AT | 15-MAY-90 | AT | | | |
| | L | MIL-T-62070(1) | TRUCK, CARGO, 5-TON, M656 [VALIDATION DATE: 8303] REVIEWER: MI ..... | A | 2320 | AT | AT | 11-JUN-73 | AT | | | |
| | L | MIL-P-62071B | POWER SUPPLY, HIGH VOLTAGE, SOLID STATE, 24 VOLTS, DIRECT CURRENT [VALIDATION DATE: 8308] | A | 2590 | AT | AT | 11-SEP-79 | AT | | | |
| | L | MIL-P-62071/1C NOTICE 1 | POWER SUPPLY, HIGH VOLTAGE, SOLID STATE 24 VOLTS, DIRECT CURRENT [VALIDATION DATE: 8706] | A | 2590 | AT | AT | 18-JUN-87 | AT | | | |
| | D | MIL-T-62072C | TRAILER, CABLE REEL: HYDRAULICALLY DRIVEN, MODIFIED COMMERCIAL USER: MC REVIEWER: 84 | A | 2330 | AT | AT | 19-FEB-93 | AT | YD1 | 99 | |
| | L | MIL-T-62073E(1) | TRAILER, FLATBED: 4-, 5-, AND 7.5-TON, 4-WHEEL (TANDEM) CART TYPE; TRAILER, BOLSTER: 4-TON, 4-WHEEL (TANDEM) | A | 2330 | AT | AT | 15-APR-92 | AT | | | |
| | L | MIL-C-62074C NOTICE 1 | CHASSIS, WEAPON, FULL-TRACKED, M741 AND M741A1; PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] | A | PACK | AT | AT | 28-FEB-92 | AT | | | |
| | L | MIL-S-62076B NOTICE 1 | SEMITRAILER CHASSIS: INTERMODAL CARGO CONTAINER CARRYING, COMMERCIAL AND CONTAINER, CARGO: INTERMODAL, DEMOUNTABLE, COMMERCIAL [VALIDATION DATE: 8910] | A | 2330 | AT | AT | 30-OCT-89 | AT | | | |
| | D | MIL-T-62079E | TRUCK, PANEL: POLICE PATROL CONVERSION, 8,000 POUNDS GVW, 4X2, COMMERCIAL REVIEWER: ER MC | A | 2320 | AT | AT | 15-AUG-89 | AT | YD1 | | |
| | D | MIL-S-62080D | SEMITRAILERS, TANK: POTABLE WATER, 2,000 TO 5,500 GALLON, COMMERCIAL USER: ME | A | 2330 | AT | AT | 01-OCT-91 | AT | YD1 | | |
| | L | MIL-C-62084B(1) NOTICE 1 | CARRIER, GUIDED MISSILE EQUIPMENT, M667: PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] REVIEWER: SM | A | PACK | AT | AT | 28-FEB-92 | AT | | | |
| | | MIL-T-62087E | TRUCK: COMPACT FORWARD CONTROL VAN, RECRUITER, 5,400 POUNDS GVW, 4X2, COMMERCIAL USER: MC REVIEWER: 84 | A | 2320 | AT | AT | 05-MAR-90 | AT | | 99 | |
| | D | MIL-T-62088B | TRUCKS, ARMORED: PAYROLL DISTRIBUTION, 8600 KILOGRAMS (19,000 POUNDS) GVW 4X2, MODIFIED COMMERCIAL REVIEWER: 84 | A | 2320 | AT | AT | 10-OCT-91 | AT | YD1 | 99 | |
| | | MIL-T-62089E | TRUCK, MAINTENANCE, WITH ROTATING HYDRAULIC DERRICK, AIR TRANSPORTABLE, ? POUNDS GVW, 6X4, COMMERCIAL REVIEWER: 84 | A | 2320 | AT | AT | 27-MAY-88 | AT | | 99 | |
| | A L | MIL-S-62095C | SEMITRAILERS, TANK: GENERAL PURPOSE WATER, 7580 AND 15 160 LITERS (2,000 AND 4,000 GALLON), MODIFIED COMMERCIAL | A | 2330 | AT | AT | 13-JAN-93 | AT | | | |
| | | MIL-T-62097C | TRUCK, CUTAWAY HOME SHELL, FOR CUSTOMIZATION INTO MOBILE LABORATORY, ELECTRONICS VAN, WORK AREA, ETC., 14,000 POUNDS GVW, 4X2, MODIFIED COMMERCIAL REVIEWER: 84 | A | 2320 | AT | AT | 10-OCT-91 | AT | | 99 | |
| | L | MIL-T-62099B(1) NOTICE 1 | TRANSMISSION, HYDRAULIC: MODIFIED AUTOMATIC TX-100-1 [VALIDATION DATE: 9005] | A | 2520 | AT | AT | 04-MAY-90 | AT | | | |
| | D | MIL-S-62101C | SEMITRAILERS, LOWBED: TILT DECK, 15 TO 30 TON, 4 WHEEL, MODIFIED COMMERCIAL REVIEWER: 84 | A | 2330 | AT | AT | 11-SEP-91 | AT | YD1 | 99 | |
| | D | MIL-T-62102E | TRUCK TRACTORS, SEMITRAILER SPOTTER, WITH HALF CAB, DIESEL & GASOLINE ENGINE DRIVEN, 32,000 GVW, 55,000 GCW, 4X2 REVIEWER: 84 MC | A | 2320 | AT | AT | 09-MAR-87 | AT | YD1 | 99 | |
| | M | MIL-T-62109C | TRAILERS, LOWBED: FORKLIFT TRANSPORTER, 5450 AND 8150 KILOGRAM (6 AND 9 TON), MODIFIED COMMERCIAL | A | 2330 | AT | AT | 23-APR-93 | AT | | 99 | |
| | D | MIL-T-62110G | TRUCKS, MAINTENANCE: WITH ROTATING HYDRAULIC DERRICK, 32,000 TO 44,500 GVW, 4X2, 4X4, 6X4, AND 6X6, COMMERCIAL REVIEWER: 84 | A | 2320 | AT | AT | 16-APR-90 | AT | YD1 | 99 | |
| | D | MIL-B-62117J | BUSES, MOTOR: COMPACT, FORWARD CONTROL, 8,600 TO 13,500 POUNDS GVW, 12, 16 AND 20 PASSENGER, 4X2 REVIEWER: 84 85 MC | A | 2310 | AT | AT | 15-APR-91 | AT | YD1 | 99 | |
| | | L MIL-S-62119 | STARTER, GENERATOR, 300 AMPERE, 28 VOLTS, DIRECT CURRENT [VALIDATION DATE: 8512] REVIEWER: CS | A | 2920 | AT | AT | 10-OCT-69 | AT | | | |
| | L | MIL-C-62122B | CABLE ASSEMBLY, INTERVEHICLE POWER: PLUG AND RECEPTACLE REVIEWER: ME ..... | A | 2920 | AT | AT | 09-FEB-88 | AT | | | |
| | L | MIL-C-62123A | CEMENT, THREAD, RUBBER REVIEWER: CS ..... | A | 2640 | AT | AT | 22-JUN-87 | AT | | | |
| | L | MIL-T-62126C | TRUCK, EQUIPMENT TRANSPORT, TILT PLATFORM (RAMP), COMMERCIAL, GASOLINE ENGINE DRIVEN, 24,000 GVW, 4X2 | A | 2320 | AT | AT | 09-MAY-88 | AT | | | |
| | L | MIL-S-62127A NOTICE 1 | SEMITRAILER, COMPRESSED GAS CYLINDER: HELIUM, COMMERCIAL [VALIDATION DATE: 8910] | A | 2330 | AT | AT | 30-OCT-89 | AT | | | |
| | L | MIL-T-62129B | TIRE, TUBELESS, PNEUMATIC: FOR TRUCK, LOGISTICAL GOER TYPE REVIEWER: CS ... | A | 2610 | AT | AT | 22-JUN-89 | AT | | | |
| | L | MIL-T-62130B(2) | TRUCK TANK, FUEL SERVICING 2500 GALLON, 4X4 M559 ..... | A | 2320 | AT | AT | 16-FEB-88 | AT | | | |
| | L | MIL-T-62131B NOTICE 1 | TRUCK WRECKER, 10 TON, 4X4 M553 [VALIDATION DATE: 8705] REVIEWER: MT ..... | A | 2320 | AT | AT | 04-MAY-87 | AT | | | |
| | L | MIL-T-62132B NOTICE 1 | TRUCK CARGO, 8 TON, 4X4 M520, TRUCK, CARGO, 8 TON, 4X4 M877 [VALIDATION DATE: 8705] REVIEWER: MT | A | 2320 | AT | AT | 04-MAY-87 | AT | | | |
| | L | MIL-E-62133B(2) NOTICE 1 | ENGINE, DIESEL: 6 CYLINDER, IN-LINE, 213 H.P. TURBOCHARGED (BASIC AND REBUILD) REVIEWER: CS | A | 2815 | AT | AT | 02-NOV-88 | AT | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-T-62134B(2) | TRANSMISSION, POWER SHIFT, COMMERCIAL MODIFIED | A | 2520 | AT | 30-SEP-87 | AT | | | |
| | L | MIL-C-62135A(2) | CRANE: MATERIAL HANDLING | A | 3950 | AT | 04-APR-89 | AT | | | |
| | | MIL-W-62136A(1) | WHEEL AND TIRE ASSEMBLIES, FOAM INFLATED LOW SPEED, HIGHWAY AND OFF-ROAD REVIEWER: CS | A | 2530 | AT | 20-JUL-90 | AT | | 11 | |
| | L | MIL-E-62140A | ENGINE, DIESEL: LIQUID-COOLED, V-TYPE, 6-CYLINDER, 210 H.P. USER: CS | A | 2815 | AT | 18-DEC-89 | AT | | | |
| D | | MIL-T-62145E | TRUCKS: ELEVATING BODY, DIESEL AND GASOLINE ENGINE DRIVEN, 21,000 TO 39,500 POUNDS GVW, 4X2 AND 6X4, COMMERCIAL REVIEWER: 84 MC | A | 2320 | AT | 16-JAN-90 | AT | YD1 | 99 | |
| | L | MIL-T-62148A NOTICE 1 | TRANSMISSION, POWER SHIFT, COMMERCIAL MODIFIED (VALIDATION DATE: 8707) | A | 2520 | AT | 08-JUL-87 | AT | | | |
| | L | MIL-T-62149 | TRAILER, VAN, MOBILE PHOTOGRAPHY (VALIDATION DATE: 8110) | A | 2330 | AT | 27-MAR-72 | AT | | | |
| | L | MIL-W-62151 | ACCESSORY KIT, WARNING DEVICE, DEMOUNTABLE, FOR EMERGENCY VEHICLES (VALIDATION DATE: 8504) REVIEWER: GS | A | 6220 | AT | 24-AUG-73 | AT | | | |
| | L | MIL-B-62152A NOTICE 1 | BUS, MOTOR: AMBULANCE, INTERCITY, 40 PASSENGER, 6X2 OR 6X4 (VALIDATION DATE: 8908) REVIEWER: MD | A | 2310 | AT | 28-AUG-89 | AT | | | |
| | L | MIL-W-62160 | WELDING, FLASH, STANDARD LOW CARBON STEEL (VALIDATION DATE: 8303) | A | THJM | AT | 28-NOV-72 | AT | | | |
| | L | MIL-S-62164B | SEMITRAILER, LOW BED, HEAVY EQUIPMENT TRANSPORTER, 60-TON, M747 | A | 2330 | AT | 30-JUN-88 | AT | | | |
| | L | MIL-E-62170(1) NOTICE 1 | ENGINE, GASOLINE, 4 & 6 CYLINDERS HORIZONTAL OPPOSED & 12 CYLINDER, 90 DEGREES V TYPE (OVERHAUL) (VALIDATION DATE: 8708) | A | 2805 | AT | 11-AUG-87 | AT | | | |
| | L | MIL-G-62176(1) | GUN, TWIN 40MM, SELF PROPELLED M42 & M42A1 (OVERHAUL) (VALIDATION DATE: 8312) | A | 2350 | AT | 28-MAR-79 | AT | | | |
| | L | MIL-E-62177B | ENGINE, DIESEL: 12-CYLINDER, 90 V-TYPE, 750H.P. AVDS1790-2, AVDS1790-2A, AVDS1790-2C, AVDS1790-2D, AVDS1790-2DR, AVDS1790-2CA, AND AVDS1790-2DA REVIEWER: CS | A | 2815 | AT | 02-OCT-87 | AT | | | |
| | L | MIL-P-62178A | POWER PACKAGE REVIEWER: CS | A | 2815 | AT | 17-MAY-85 | AT | | | |
| A | L | MIL-S-62180C | SEMITRAILER, TANK: 5000 GALLON, BULKHAUL AND FUEL SERVICING M967, M967A1, M969, M969A1, M970, AND M970A1 | A | 2330 | AT | 09-JUL-92 | AT | | | |
| D | | MIL-S-62183C | SEMITRAILERS, TANK: WASTE AND SLUDGE ACID, 3,000 TO 5,000 GALLON, MODIFIED COMMERCIAL REVIEWER: 84 | A | 2330 | AT | 11-SEP-91 | AT | YD1 | 99 | |
| | L | MIL-H-62185 | HOWITZER, MEDIUM, SELF PROPELLED, M109 (FRG) (VALIDATION DATE: 8303) | A | 2350 | AT | 28-DEC-73 | AT | | | |
| D | | MIL-G-62186 | GENERATOR, ALTERNATINGCURRENT (650 AMPERE RECTIFIED), 28 VOLTS DIRECT CURRENT (OIL COOLED) | A | 6115 | AT | 19-JAN-88 | AT | YD1 | 99 | |
| | | MIL-R-62187 | REGULATOR, 650 AMP, SOLID STATE REVIEWER: 82 AR CS | A | 2920 | AT | 10-FEB-88 | AT | | | |
| | L | MIL-S-62190B | SEMITRAILER, FLATBED: BREAKBULK/CONTAINER TRANSPORTER, 34 TON, M872A4 | A | 2330 | AT | 18-FEB-88 | AT | | | |
| D | | MIL-C-62191(2) | CONTROL ASSEMBLY, PUSH PULL, GENERAL SPECIFICATION FOR REVIEWER: CS | A | 2990 | AT | 14-NOV-85 | AT | YD1 | 99 | |
| | L | MIL-R-62195C | RECOVERY VEHICLE, FULL TRACKED, MEDIUM, M88A1 | A | 2350 | AT | 01-MAY-86 | AT | | | |
| | L | MIL-R-62197A | RELAY, ARMATURE | A | 1250 | AT | 31-MAY-90 | AT | | | |
| | L | MIL-R-62197A(11) | RELAY, ARMATURE | A | 1250 | AR | 10-OCT-90 | AR | | | |
| | L | MIL-V-62198 | VALVE, SELECTOR, HYDRAULIC DUMP REVIEWER: CS | A | 4820 | AT | 31-MAY-83 | AT | | | |
| | L | MIL-F-62201A | FILTER ASSEMBLY | A | 5915 | AT | 14-MAR-91 | AT | | | |
| | L | MIL-C-62202B | CIRCUIT CARD ASSEMBLY, 11743439 COMMANDERS CONTROL | A | 1240 | AR | 30-JUN-81 | AR | | | |
| | L | MIL-C-62204B(1) NOTICE 1 | CIRCUIT CARD ASSEMBLY, 11743281 DISPLAY DRIVER | A | 1240 | AR | 09-NOV-87 | AR | | | |
| | L | MIL-C-62205B NOTICE 1 | CIRCUIT CARD ASSEMBLY, 11743417 MIRROR/A TRIGGER & BUFFER | A | 1240 | AR | 30-JAN-87 | AR | | | |
| | L | MIL-C-62207B(1) | CIRCUIT CARD ASSEMBLY: 11743667 DIGITAL TO ANALOG CONVERTER | A | 1240 | AR | 18-MAR-88 | AR | | | |
| | L | MIL-P-62210B | PANEL, COMMANDERS CONTROL: 11743140 | A | 1240 | AR | 30-JUN-91 | AR | | | |
| | L | MIL-P-62211B(2) | POWER SUPPLY, LOW VOLTAGE: *11746916* | A | 1240 | AR | 07-JUL-89 | AR | | | |
| QL | | MIL-C-62218A(1) NOTICE 1 | CORROSION PREVENTIVE COMPOUNDS, COLD-APPLICATION (FOR NEW AND FIELDED MOTOR VEHICLES AND TRAILERS) (VALIDATION DATE: 9202) REVIEWER: 84 AR ME MR | A | 8030 | AT | 28-FEB-92 | AT | | | |
| | L | MIL-R-62220B | RECOVERY VEHICLE, FULL TRACKED, MEDIUM, M88A1 PREPARATION FOR STORAGE & SHIPMENT OF | A | PACK | AT | 12-DEC-83 | AT | | | |
| | L | MIL-T-62222 | TANK, COMBAT, FULL-TRACKED: 105MM GUN, M48A5 | A | 2350 | AT | 01-JUL-85 | AT | | | |
| | L | MIL-T-62223B NOTICE 1 | TRUCK, MOBILE BLOOD DONOR AND COMPONENT LABORATORY, TILT CAB, DIESEL OR GASOLINE ENGINE DRIVEN, 24,000 POUNDS GVW, 4X2, COMMERCIAL (VALIDATION DATE: 9010) | A | 2320 | AT | 12-OCT-90 | AT | | | |
| | L | MIL-T-62246B | TRUCK, DUMP, STREET MAINTENANCE, DIESEL AND GASOLINE ENGINE DRIVEN, 21,000 POUNDS GVW, 4X2, COMMERICAL | A | 2320 | AT | 29-MAR-88 | AT | | | |
| | L | MIL-T-62255C | TRUCK TRACTOR, YARD TYPE, 4 X 2, XM878 (VALIDATION DATE: 8503) | A | 2320 | AT | 31-OCT-80 | AT | | | |
| | L | MIL-R-62259A | RADIATOR: ENGINE COOLANT | A | 2930 | AT | 17-MAR-89 | AT | | | |
| | L | MIL-F-62265A(1) | FILTER ELEMENT AND RELIEF VALVE, FLUID PRESSURE, HYDRAULIC (M-60 TANK SERIES) | A | 4820 | AT | 12-MAR-92 | AT | | | |
| | L | MIL-C-62267(1) | CHASSIS, TANK: ARMORED VEHICLE, BRIDGE LAUNCHER, M60A1 | A | 2350 | AT | 09-MAR-90 | AT | | | |
| | L | MIL-C-62270 | CHASSIS, TANK, ARMORED VEHICLE, BRIDGE LAUNCHER, M48A5 | A | 2350 | AT | 04-MAR-84 | AT | | | |
| | L | MIL-S-62272B(1) | SEMITRAILER, TACTICAL, DUAL PURPOSE BREAKBULK/CONTAINER TRANSPORTER, 22-1/2 TON, M871A2 | A | 2330 | AT | 21-NOV-88 | AT | | | |
| D | | MIL-T-62276C | TRUCK TRACTOR: DIESEL ENGINE DRIVEN, 80,000 POUNDS GVW, 145,000 POUNDS GCW, 8X4, MODIFIED COMMERCIAL REVIEWER: 84 | A | 2320 | AT | 17-JUL-91 | AT | YD1 | 99 | |
| | L | MIL-C-62279A | CHASSIS, TANK, ARMORED VEHICLE, BRIDGE LAUNCHER, M60A1 AND M48A5, PROCESSING FOR STORAGE AND SHIPMENT OF USER: ME | A | 2350 | AT | 04-OCT-85 | AT | | | |
| | L | MIL-B-62284 | BLOWER ASSEMBLY, AIR CLEANER REVIEWER: CS | A | 2940 | AT | 16-JUN-83 | AT | | | |
| | L | MIL-C-62291A | CHASSIS, WEAPON, FULL TRACKED, F12253500 PROCESSING FOR STORAGE AND SHIPMENT OF REVIEWER: SM | A | PACK | AT | 15-JUN-83 | AT | | | |
| M | | MIL-S-62292B | SEMITRAILER, REFUSE COLLECTION: TANDEM AXLE, 57 CUBIC METERS (75 CUBIC YARD), FOR USE WITH STATIONARY COMPACTORS AND COMPACTOR, STATIONARY, 2.7 CUBIC METERS (3.5 CUBIC YARD), FOR USE WITH REFUSE COLLECTION SEMITRAILERS | A | 2330 | AT | 23-APR-93 | AT | | 99 | |
| D | | MIL-S-62293C | SCOOTERS, MOTOR: ELECTRIC MOTOR DRIVEN, THREE- AND FOUR-WHEEL, COMMERCIAL | A | 2340 | AT | 28-SEP-88 | AT | YD1 | | |
| | | MIL-S-62294B | SEMITRAILER, STAKE: TWO LEVEL DECKS, WITH HYDRAULIC LOADING RAMP, 20 TON, MODIFIED COMMERCIAL REVIEWER: 84 | A | 2330 | AT | 16-SEP-91 | AT | | 99 | |
| | L | MIL-T-62297A NOTICE 1 | TRUCK, VAN: FORWARD CONTROL, HIGH VOLUME, CRIME SCENE LABORATORY, GASOLINE ENGINE DRIVEN, 10,000 POUNDS GVW, 4X2, COMMERCIAL (VALIDATION DATE: 8908) | A | 2320 | AT | 28-AUG-89 | AT | | | |
| | L | MIL-W-62298A | KIT, WINTERIZATION, TRUCKS, COMMERCIAL | A | 2590 | AT | 03-APR-86 | AT | | | |
| | L | MIL-T-62299B NOTICE 1 | TRUCK, MOBILE BLOOD DONOR, WITH COMPONENT AND PROCESSING LABORATORY, 4-BED, DIESEL ENGINE DRIVEN, 33,000 POUNDS GVW, 4X2, COMMERCIAL (VALIDATION DATE: 9010) | A | 2320 | AT | 12-OCT-90 | AT | | | |
| | L | MIL-S-62300 | SWITCH, PRESSURE | A | 5930 | AT | 09-SEP-83 | AT | | | |
| A | L | MIL-F-62309B(2) | FILTER ELEMENT, AIR REVIEWER: CS | A | 2940 | AT | 17-JUN-92 | AT | | | |
| | L | MIL-C-62310A | CARRIER, ARMORED, FULL TRACKED, M113A2, M106A2, M125A2, & M577A2, & CHASSIS, WEAPON, FULL TRACKED, M741A1, AND M901 | A | 2320 | AT | 21-SEP-82 | AT | | | |
| | L | MIL-T-62314A | TEST EQUIPMENT (SIMPLIFIED) FOR INTERNAL COMBUSTION ENGINE (STC/ICE) | A | 4910 | AT | 30-MAR-79 | AT | | | |
| | L | MIL-H-62315B | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 60,000 BTU/HR | A | 2540 | AT | 03-DEC-90 | AT | | | |
| | L | MIL-T-62316B | TRUCK, VAN, PANEL: CALIBRATION AND REPAIR: 3900 KILOGRAMS (8,600 POUNDS) GVW, 4X2, MODIFIED COMMERCIAL | A | 2320 | AT | 07-FEB-92 | AT | | | |
| D | L | MIL-S-62317A NOTICE 1 | SEMITRAILER, TANK: AIRCRAFT REFUELING, 5,000 GALLON, TURBINE FUEL AND AVIATION GASOLINE, COMMERCIAL (VALIDATION DATE: 8910) REVIEWER: YD1 | A | 2330 | AT | 30-OCT-89 | AT | | | |
| D | | MIL-T-62318C | TRUCK, MULTISTOP DELIVERY: FORWARD CONTROL AND CHASSIS, TRUCK: FORWARD CONTROL, DIESEL AND GASOLINE ENGINE DRIVEN, 13,000 TO 21,000 POUNDS GVW, 4X2, COMMERCIAL | A | 2320 | AT | 16-APR-90 | AT | YD1 | 99 | |
| D | | MIL-T-62319C | TRUCKS, CARGO: DIESEL OR GASOLINE ENGINE DRIVEN, 19,000 TO 24,000 POUNDS GVW, 4X2 AND 4X4, COMMERCIAL REVIEWER: 84 | A | 2320 | AT | 28-JUL-89 | AT | YD1 | 99 | |
| | | MIL-T-62320C | TRUCKS, VAN: SHOP, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 POUNDS GVW, 4X2 AND 4X4, COMMERCIAL | A | 2320 | AT | 03-OCT-89 | AT | | 99 | |
| | | MIL-T-62321C | TRUCKS, TANK: POTABLE WATER, 1,000 AND 2,200 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 AND 34,500 POUNDS GVW, 4X2, 4X4, AND 6X4, COMMERCIAL USER: MC MD REVIEWER: ER | A | 2320 | AT | 15-AUG-89 | AT | | 99 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-T-62324B | TRAILER, VAN: MOBILE HEARING TEST CENTER, TANDEM AXLE | A | 2330 | AT | | 16-SEP-91 | AT | | | |
| D | L | MIL-C-62326B | CARRIER, CARGO & PASSENGER, FULL TRACKED, ALL-TERRAIN, GASOLINE ENGINE DRIVEN, COMMERCIAL | A | 2350 | AT | | 02-MAR-88 | AT | | YD1 | |
| L | | MIL-C-62327A NOTICE 1 | CARRIERS, ARMORED, FULL TRACKED, M901 TOW VEHICLE (LESS TOW WEAPON) AND M981 FISTV: PROCESSING FOR STORAGE AND SHIPMENT OF (VALIDATION DATE: 9202) | A | PACK | AT | | 28-FEB-92 | AT | | | |
| L | | MIL-P-62331 | PUMP ASSEMBLY, BILGE, ELECTRIC MOTOR DRIVEN, DIRECT CURRENT | A | 4320 | AT | | 30-MAR-84 | AT | | | |
| L | | MIL-A-62337 | AIR CLEANER ASSEMBLY | A | 2940 | AT | | 03-SEP-86 | AT | | | |
| | | MIL-M-62338A | MULTIPLE LAUNCH ROCKET SYSTEM (MLRS) M993, PROCESSING FOR STORAGE AND SHIPMENT OF | A | PACK | AT | | 24-MAR-92 | AT | | 99 | |
| L | | MIL-T-62340A(2) | TANK, COMBAT, FULL-TRACKED, M1, SERIES: PROCESSING FOR SHIPMENT AND STORAGE OF | A | PACK | AT | | 20-AUG-91 | AT | | | |
| L | | MIL-P-62341A | PRINTED CIRCUIT CARD, M1 & M1E1 TANK, GENERAL SPECIFICATION FOR | A | 1240 | AT | | 19-DEC-86 | AT | | | |
| L | | MIL-P-62341/1A | PRINTED CIRCUIT CARD, M1 & M1E1 TANK DRIVER S INSTRUMENT PANEL, DIP A3 | A | 1240 | AT | | 19-DEC-86 | AT | | | |
| L | | MIL-P-62341/2A | PRINTED CIRCUIT CARD, M1 & M1E1 TANK DRIVER S INSTRUMENT PANEL, DIP A1 | A | 1240 | AT | | 19-DEC-86 | AT | | | |
| L | | MIL-P-62341/3A | PRINTED CIRCUIT CARD, M1 & M1E1 TANK TURRET NETWORK BOX, TNB A4 | A | 1240 | AT | | 19-DEC-86 | AT | | | |
| L | | MIL-S-62344 | SEMITRAILER, LOWBED MISSILE ROUND TRANSPORTER (MRT) AND LARGE REPAIR PARTS TRANSPORTER (LRPT), XM974 | A | 2330 | AT | | 22-JAN-82 | AT | | | |
| QL | | MIL-B-62346C | BATTERIES, STORAGE: LEAD-ACID (LOW MAINTENANCE) | A | 6140 | AT | | 10-DEC-90 | AT | | | |
| L | | MIL-V-62347 | VEHICLE, COMBAT, ANTI TANK, IMPROVED TOW VEHICLE (ITV) (LESS TOW WEAPON), M901 | A | 2320 | AT | | 31-MAR-82 | AT | | | |
| D | | MIL-T-62355B | TRUCK, MAINTENANCE: TRUCK, VAN; AND TRUCK, FLATBED; WITH TELESCOPIC OR ARTICULATING BOOM ONE-MAN AERIAL BASKET, 7600 TO 9140 MILLIMETER (25 TO 30 FOOT), MODIFIED COMMERCIAL | A | 2320 | AT | | 06-NOV-91 | AT | | YD1 | |
| L | | MIL-T-62356 | TRAINER, TURRET, IMPROVED TOW VEHICLE | A | 6920 | AT | | 15-APR-83 | AT | | | |
| D | | MIL-T-62357A | TRAILERS, TANK: POTABLE WATER AND GENERAL PURPOSE, 500 GALLON, TWO AND FOUR-WHEEL, MODIFIED COMMERCIAL USER: MC REVIEWER: 99 | A | 2330 | AT | | 11-SEP-91 | AT | | YD1 | 84 |
| L | | MIL-V-62358 | VALVE, SOLENOID | A | 2520 | AT | | 11-MAY-83 | AT | | | |
| L | | MIL-S-62359 NOTICE 1 | SEMITRAILER, BOTTOM DUMP: 18 TO 22 CUBIC YARD CAPACITY, COMMERCIAL (VALIDATION DATE: 8910) | A | 2330 | AT | | 30-OCT-89 | AT | | | |
| L | | MIL-M-62361B | MOTOR, DRIVE, DIRECT CURRENT, 2 RPM/8RPM | A | 6105 | AT | | 30-JAN-86 | AT | | | |
| L | | MIL-G-62363A | GENERATOR, TACHOMETER | A | 6680 | AT | | 18-DEC-85 | AT | | | |
| L | | MIL-B-62364A | BRAKE, ELECTROMAGNETIC, NORMALLY ENGAGED REVIEWER: CS | A | 2530 | AT | | 06-MAR-86 | AT | | | |
| L | | MIL-M-62365A | MOTOR, HYDRAULIC, CONSTANT DISPLACEMENT | A | 2590 | AT | | 13-NOV-85 | AT | | | |
| L | | MIL-R-62366A | RING, ELECTRICAL CONTACT | A | 2590 | AT | | 24-OCT-85 | AT | | | |
| L | | MIL-M-62368A | MOTOR, GEARHEAD, 18-30 VOLTS, DIRECT CURRENT | A | 6105 | AT | | 06-MAY-86 | AT | | | |
| L | | MIL-V-62381A | VALVE, SOLENOID OPERATED | A | 4720 | AT | | 18-DEC-85 | AT | | | |
| L | | MIL-V-62382A | VALVE, HYDRAULIC, PRESSURE RELIEF REVIEWER: CS | A | 4820 | AT | | 26-MAR-86 | AT | | | |
| L | | MIL-T-62410 | TUBE ASSEMBLY METAL, SWAGED HYDRAULIC, (M1 TANK) | A | 4720 | AT | | 14-DEC-83 | AT | | | |
| | | MIL-H-62411 | HEAT EXCHANGER, NBC SYSTEM GENERAL SPECIFICATION FOR | A | 4130 | AT | | 05-JUL-85 | AT | | | |
| | | MIL-H-62411/1 | HEAT EXCHANGER, NBC SYSTEM HEAT EXCHANGER P/N 12336771 | A | 4130 | AT | | 05-JUL-85 | AT | | | |
| | | MIL-H-62411/2 | HEAT EXCHANGER, NBC SYSTEM CONDENSER P/N 12336772 | A | 4130 | AT | | 05-JUL-85 | AT | | | |
| L | | MIL-H-62411/3 | HEAT EXCHANGER, NBC SYSTEM PRECOOLER P/N 12336768 | A | 4130 | AT | | 05-JUL-85 | AT | | | |
| L | | MIL-P-62412A | PUMP ASSEMBLY, OIL, STARTING ENGINE USER: MC | A | 2990 | AT | | 05-FEB-92 | AT | | | |
| | | MIL-S-62413 | SPEED PICKUP, MAGNETIC | A | 2990 | AT | | 26-MAY-88 | | | | |
| L | | MIL-T-62414 | TEST EQUIPMENT (SIMPLIFIED) SET COMMUNICATOR (SET COM) | A | 4910 | AT | | 23-JUN-89 | AT | | | |
| L | | MIL-P-62415 | PUMP, SUBMERSIBLE, BILGE, ELECTRIC-MOTOR-DRIVEN | A | 4320 | AT | | 22-JUN-89 | AT | | | |
| L | | MIL-M-62418 | NICKEL BASE ALLOY, SHEET AND PLATE CORROSION AND HEAT RESISTANT, SOLUTION HEAT TREATED (HAYNES 230) (METRIC) | A | 9630 | AT | | 06-DEC-92 | AT | | | |
| | | MIL-C-62419 | COMPOSITE MATERIALS FOR MILITARY VEHICLES USER: ME REVIEWER: CS MI | A | 2510 | AT | | 29-MAY-89 | AT | | 99 | |
| A | L | MIL-P-62420(1) | PERISCOPE, TANK | A | 1240 | AT | | 11-SEP-92 | AT | | | |
| AQL | | MIL-F-62422A(2) | FILTER, LASER HAZARD PROTECTION | A | 6650 | AT | | 29-JAN-93 | AT | | | |
| L | | MIL-P-62423 | POWDER, POLYESTER-ALUMINUM (METRIC) | A | 9630 | AT | | 14-AUG-91 | AT | | | |
| L | | MIL-P-62424 | POWDER, YTTRIUM, ALUMINUM, NICKEL-CHROMIUM (METRIC) | A | 9630 | AT | | 16-AUG-91 | AT | | | |
| L | | MIL-P-62426 | POWDER, CHROMIUM CARBIDE - NICKEL CHROMIUM ALLOY (METRIC) | A | 9630 | AT | | 15-AUG-91 | AT | | | |
| A | L | MIL-H-62430(1) | HARNESS ASSEMBLY, THERMOCOUPLE | A | 6685 | AT | | 22-MAR-93 | AT | | | |
| L | | MIL-F-62439 | FUEL CONTROL, MAIN, ELECTROHYDRAULIC | A | 2910 | AT | | 26-MAY-88 | AT | | | |
| L | | MIL-G-62454 | GEAR BEVEL, INSPECTION OF | A | NOTI | AT | | 13-JUL-83 | AT | | | |
| A | L | MIL-S-62460C | STEER UNIT, TRACKED VEHICLE, CLUTCH BRAKE AND GEARED STEER | A | 2530 | AT | | 24-JUL-92 | AT | | | |
| A | L | MIL-T-62461C(1) | TRANSMISSION ASSEMBLY | A | 2520 | AT | | 30-NOV-92 | AT | | | |
| A | L | MIL-E-62462B(1) | ENGINE, DIESEL, LIQUID-COOLED, 8 CYLINDER: 4 CYCLE, V-TYPE, 295 H.P. (220 KW) | A | 2815 | AT | | 30-NOV-92 | AT | | | |
| A | L | MIL-A-62463B | ACTUATOR ASSEMBLY, ROTARY | A | 2530 | AT | | 30-NOV-92 | AT | | | |
| A | L | MIL-V-62468D | VEHICLE, ARMORED COMBAT EARTHMOVER, M9 ACE | A | 2350 | AT | | 30-NOV-92 | AT | | | |
| L | | MIL-S-62469 | SEMITRAILER, LOWBED, 15 TON, 4 WHEEL, PATRIOT, M974 SERIES | A | 2330 | AT | | 05-JUL-83 | AT | | | |
| L | | MIL-S-62470 | STEEL, CHROME NICKEL MOLYBDENUM, 8620, BARS, FORGING, & TUBING, BEARING QUALITY, VACUUM DEGASSED | A | 9510 | AT | | 05-AUG-83 | AT | | | |
| L | | MIL-S-62472A | SEMITRAILER, EXPANSIBLE: EXHIBITION VAN, 12 TON, COMMERCIAL | A | 2330 | AT | | 18-MAR-87 | AT | | | |
| A | L | MIL-A-62473B | ARMOR: ALUMINUM-ARAMID, LAMINATE COMPOSITE | A | 9535 | AT | | 30-NOV-92 | AT | | | |
| A | L | MIL-L-62474B(2) | LAMINATE: ARAMID-FABRIC-REINFORCED, PLASTIC | A | 9330 | AT | | 30-NOV-92 | AT | | | |
| L | | MIL-V-62475 | VEHICLE, FIRE SUPPORT TEAM, M981 (FISTV) | A | 2350 | AT | | 24-JUN-85 | AT | | | |
| L | | MIL-C-62478 | COUPLER, OPTICAL | A | 1240 | AT | | 09-JUL-85 | AT | | | |
| L | | MIL-C-62479A | CONTROL AND DISPLAY, TARGETING STATION, M981 (FISTV) | A | 1260 | AT | | 22-MAR-88 | AT | | | |
| L | | MIL-I-62481(1) | INTERCOMMUNICATION CONTROL UNIT | A | 5820 | AT | | 14-SEP-87 | AT | | | |
| L | | MIL-E-62483 NOTICE 1 | ENGINE, DIESEL, 6 CYLINDER, IN-LINE, LIQUID COOLED, 210 HP (VALIDATION DATE: 9102) USER: CS | A | 2815 | AT | | 05-FEB-91 | AT | | | |
| A | L | MIL-E-62484C(3) | EARTHMOVER, ARMORED COMBAT, M9 PROCESSING FOR SHIPMENT AND STORAGE OF | A | PACK | AT | | 30-NOV-92 | AT | | | |
| L | | MIL-R-62485 | REGULATOR, VOLTAGE, GENERATOR, SOLID STATE 28 VOLT, 100 AMPERE, DIRECT CURRENT REVIEWER: CS | A | 2920 | AT | | 15-JAN-85 | AT | | | |
| L | | MIL-G-62487 | GYROCOMPASS, NORTH SEEKING, FIRE SUPPORT TEAM VEHICLE (FISTV), M981 | A | 1290 | AT | | 06-JUL-87 | AT | | | |
| L | | MIL-A-62488(1) | AMPLIFIER, AUDIO FREQUENCY | A | 5820 | AT | | 27-MAY-87 | AT | | | |
| D | | MIL-T-62491C | TRUCKS, WRECKER: 4540 TO 40 820 KILOGRAMS (5-TON TO 45-TON) LIFTING CAPACITY, MODIFIED COMMERCIAL REVIEWER: 84 | A | 2320 | AT | | 26-FEB-92 | AT | | YD1 | 99 |
| A | L | MIL-S-62494B | SHOCK ABSORBER, DIRECT ACTING | A | 2540 | AT | | 11-SEP-92 | AT | | | |
| L | | MIL-P-62495A | POWER UNIT, HYDRAULIC | A | 4320 | AT | | 30-MAY-90 | AT | | | |
| A | L | MIL-G-62496B | GENERATOR, ENGINE ACCESSORY, 220 AMP | A | 2920 | AT | | 31-JUL-92 | AT | | | |
| D | | MIL-T-62497 NOTICE 1 | TRUCK, REFUSE COLLECTION: COMPACTION TYPE, ONE-PERSON OPERATION, AUTOMATED SIDE-LOADING, 20 YARD, DUAL RIGHT AND LEFT HAND DRIVE, DIESEL ENGINE DRIVEN, 32,000 POUNDS GVW, 4X2, WITH TILT CAB, COMMERCIAL (VALIDATION DATE: 9010) REVIEWER: 84 MC | A | 2320 | AT | | 12-OCT-90 | AT | | YD1 | 99 |
| D | | MIL-T-62498 NOTICE 1 | TRUCK, REFUSE COLLECTION: COMPACTION TYPE, ONE PERSON OPERATION, MANUAL SIDE-LOADING, 17, 29 AND 39 YARD, DUAL RIGHT AND LEFT HAND DRIVE, LOW ENTRY CAB, DIESEL ENGINE DRIVEN, 32,000, 35,000 AND 50,000 POUNDS GVW, 4X2 AND 6X4, COMMERCIAL (VALIDATION DATE: 9010) REVIEWER: 84 MC | A | 2320 | AT | | 12-OCT-90 | AT | | YD1 | 99 |
| L | | MIL-C-62500(2) | CARRIER, ELECTRONIC WARFARE SYSTEM, FULL-TRACKED: M1015A1 | A | 2350 | AT | | 24-JAN-89 | AT | | | |
| L | | MIL-I-62501 NOTICE 1 | TRUCK, MAINTENANCE: WITH VERTICAL LIFT PLATFORM, GASOLINE ENGINE DRIVEN, 11,000 POUNDS GVW, 4X2, COMMERCIAL (VALIDATION DATE: 9108) | A | 2320 | AT | | 21-AUG-91 | AT | | | |
| L | | MIL-S-62502 | SHEET MOLDING COMPOUND: LOW SHRINKAGE | A | 9330 | AT | | 15-DEC-87 | AT | | | |
| | | MIL-M-62515 | MAINTENANCE REPAIR KIT, ELECTRICAL, FOR M901A1 AND M981 WEAPONS SYSTEMS | A | 6675 | AT | | 22-OCT-85 | AT | | | |
| D | | MIL-T-62518A | TRUCKS, MAINTENANCE: WITH 9 TO 37 METERS (30 TO 120 FOOT) MULTI-POSITION AERIAL PLATFORM, MODIFIED COMMERCIAL REVIEWER: 84 MC | A | 2320 | AT | | 06-NOV-91 | AT | | YD1 | 99 |
| L | | MIL-H-62519 | HEATER TEST STAND | A | 4910 | AT | | 09-DEC-85 | AT | | | |
| L | | MIL-I-62521 | INSULATION, FLOOR-MAT, THERMAL-BARRIER | A | 5640 | AT | | 22-JUL-87 | AT | | | |
| L | | MIL-I-62522 | INSULATION, PANEL, NOISE-AND THERMAL-BARRIER | A | 5640 | AT | | 22-JUL-87 | AT | | | |
| L | | MIL-I-62523 | INSULATION, PANEL, VIBRATION-DAMPENING AND THERMAL-BARRIER | A | 5640 | AT | | 22-JUL-87 | AT | | | |

| Action | OPR / QMAL Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-R-62528 | REGULATOR, ENGINE GENERATOR: SOLID STATE 28 VOLT, SHUNT MONITORED DUAL CURRENT LIMIT, DIRECT CURRENT | A 2920 | AT | 20-JAN-86 AT | | | | |
| L | | MIL-S-62530 | SERVO, ANTI-ICE | A 4130 | AT | 23-JUN-86 AT | | | | |
| L | | MIL-T-62531 | TRUCKS, MILITARY, UP TO 5 METRIC TON PAYLOAD, GENERAL SPECIFICATION FOR | A 2320 | AT | 18-SEP-86 AT | | | | |
| L | | MIL-R-62532 | RADIATOR: ENGINE COOLANT, TUBE & FIN TYPE | A 2930 | AT | 10-OCT-86 AT | | | | |
| L | | MIL-C-62533 NOTICE 1 | CARRIER, CARGO, TRACKED, 22-TON, AMMUNITION MEDIUM: M992: PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] | A PACK | AT | 28-FEB-92 AT | | | | |
| L | | MIL-M-62539 | MODULE, STARTER LOW VOLTAGE PROTECTIVE SYSTEM REVIEWER: CS | A 2920 | AT | 22-APR-87 AT | | | | |
| L | | MIL-H-62540 | HARNESS & CABLE ASSEMBLIES | A 6145 | AT | 15-JUN-87 AT | | | | |
| | | MIL-E-62541 | ENGINE, DIESEL, 6 CYLINDER, V TYPE, 275 H.P.,TURBOCHARGER REVIEWER: CS | A 2815 | AT | 14-FEB-88 AT | | | | |
| A L | | MIL-B-62542A | BALL SCREW LINEAR ACTUATOR (BSLA) USER: MC | A 5945 | AT | 12-JUN-92 AT | | | | |
| L | | MIL-S-62544 | SUPPRESSION, FIRE, BROMOTRIFLUOROMETHANE, AHLON 1301 SYSTEMS REVIEWER: ME | A 4210 | AT | 05-APR-88 AT | | | | |
| NL | | MIL-M-62545B | MODULE, STANDARD ELECTRONIC CONTROL | A 5963 | AT | 11-AUG-89 AT | | | | |
| NL | | MIL-S-62546A | SENSOR, FIRE, OPTICAL REVIEWER: GS | A 6665 | AT | 11-AUG-89 AT | | | | |
| A L | | MIL-V-62547A(1) | VALVE AND CYLINDER ASSEMBLIES, HALON 1301 | A 4210 | AT | 17-SEP-92 AT | | | | |
| L | | MIL-L-62548 | LEAD, IGNITION | A 2920 | AT | 24-NOV-87 AT | | | | |
| L | | MIL-S-62549 | SEMITRAILER, LOW BED, 40 TON NOMINAL PAYLOAD FOR TRANSPORTATION OF HEAVY ENGINEER CONSTRUCTION EQUIPMENT, M870A2 | A 2330 | AT | 18-NOV-87 AT | | | | |
| A L | | MIL-H-62550C | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 8.8/17.6KW (30,000/60,000 BTU/HR), GENERAL SPECIFICATION FOR | A 2540 | AT | 26-MAY-92 AT | | | | |
| L | | MIL-H-62550/1 | HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 17.6 KW, SINGLE AIR TYPE (METRIC) | A 2540 | AT | 12-DEC-91 AT | | | | |
| L | | MIL-H-62550/2 | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 17.6 KW, DUAL AIR TYPE (METRIC) | A 2540 | AT | 12-DEC-91 AT | | | | |
| L | | MIL-H-62550/3 | HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 8.8 KW, SINGLE AIR TYPE (METRIC) | A 2540 | AT | 12-DEC-91 AT | | | | |
| L | | MIL-D-62559 | DISTRIBUTION BOX, VEHICLE | A 6110 | AT | 12-JAN-90 AT | | | | |
| A L | | MIL-D-62560A | DISTRIBUTION BOX, ELECTRICAL | A 6110 | AT | 14-AUG-92 AT | | | | |
| L | | MIL-F-62563 | FAN, VENTILATING, VEHICULAR COMPARTMENT | A 4140 | AT | 25-JUL-88 AT | | | | |
| L | | MIL-F-62564 | FAN, VANEAXIAL, ENGINE COOLING | A 4140 | AT | 28-APR-88 AT | | | | |
| L | | MIL-A-62565 | AIR CLEANER, INTAKE: DRY-TYPE | A 2940 | AT | 22-JUN-89 AT | | | | |
| A L | | MIL-T-62567A | TORSION BAR, SUSPENSION | A 2530 | AT | 31-JUL-92 AT | | | | |
| | | MIL-R-62576 | REGULATOR, ENGINE GENERATOR | A 2920 | AT | 19-JAN-88 AT | | | | |
| | | MIL-N-62623 | NICKEL BASE ALLOY, SHEET, CORROSION- AND HEAT-RESISTANT | A 9630 | AT | 30-MAR-88 AT | | | | |
| L | | MIL-C-62624 | CASTINGS, INVESTMENT, COBALT BASE ALLOY | A MCA | AT | 29-MAR-88 AT | | | | |
| | | MIL-V-62625 | VALVE, FUEL DRAIN | A 2910 | AT | 28-MAR-88 | | | | |
| L | | MIL-F-62668 | FIGHTING VEHICLE, INFANTRY, M2, M2A1, M2A2, AND FIGHTING VEHICLE, CAVALRY, M3, M3A1, M3A2: PROCESSING FOR STORAGE AND SHIPMENT OF REVIEWER: SM | A PACK | AT | 22-DEC-89 AT | | | | |
| L | | MIL-P-62669 | PRIMER COATING, SYNTHETIC, VOC COMPLIANCE (FOR BRAKE DRUMS) REVIEWER: ME SM | A 8010 | AT | 15-MAY-91 AT | | | | |
| N L | | MIL-V-62671 | VALVE, BYPASS, FUEL, MECHANICAL | A 4820 | AT | 22-APR-93 AT | | | | |
| L | | MIL-T-62674 | TRUCK, LIVING QUARTERS: SELF-CONTAINED, FORWARD CONTROL DIESEL OR GASOLINE DRIVEN, 14,500 TO 16,500 POUNDS GVW, 4X2, COMMERCIAL | A 2320 | AT | 10-MAY-91 AT | | | | |
| L | | MIL-I-62676 | INDICATORS AND TRANSMITTERS: LIQUID, TEMPERATURE AND PRESSURE (METRIC) USER: MC ME REVIEWER: ER GS | A 6620 | AT | 22-JAN-92 AT | | | | |
| A | | MIL-P-62678 | PUMP, FUEL, ELECTRICAL: 12 AND 24 VOLT DIRECT CURRENT (METRIC) REVIEWER: 82 CS ME | A 2910 | AT | 22-JAN-93 AT | | | 99 | |
| A L | | MIL-P-62680 | POWDER, NICKEL-CHROMIUM/ALUMINUM COMPOSITE (METRIC) | A 9630 | AT | 09-OCT-92 AT | | | | |
| D | | MIL-T-62735 | TRUCKS AND TRUCK TRACTORS: MODIFIED COMMERCIAL, GENERAL SPECIFICATION FOR REVIEWER: 84 MC | A 2320 | AT | 20-MAR-92 AT | YD1 | | 99 | |
| L | | MIL-P-62736 | PRINTED WIRING ASSEMBLY, I/O | A 5998 | AT | 16-MAR-92 AT | | | | |
| L | | MIL-P-62737 | PRINTED WIRING ASSEMBLY, COMPUTER | A 5998 | AT | 16-MAR-92 AT | | | | |
| L | | MIL-P-62738 | PRINTED WIRING ASSEMBLY, IGNITION INTERRUPT DRIVER | A 5998 | AT | 16-MAR-92 AT | | | | |
| L | | MIL-P-62739 | PRINTED WIRING ASSEMBLY, CLOCK/DISPLAY DRIVER | A 5998 | AT | 16-MAR-92 AT | | | | |
| L | | MIL-P-62740 | PRINTED WIRING ASSEMBLY, SPECIAL CIRCUITS | A 5998 | AT | 16-MAR-92 AT | | | | |
| L | | MIL-P-62741 | PRINTED WIRING ASSEMBLY, MUX/ADCON | A 5998 | AT | 16-MAR-92 AT | | | | |
| D | | MIL-S-62742 | SWITCH, PRESSURE (METRIC) USER: MC YD1 REVIEWER: 85 ES ME MI | A 5930 | AT | 30-NOV-92 AT | | | :: | |
| A L | | MIL-G-62743 | GENERATOR, ENGINE ACCESSORY, 300 AMP | A 2920 | AT | 17-SEP-92 AT | | | | |
| L | | MIL-M-63002F | MANUALS, TECHNICAL: REQUIREMENTS FOR PREPARATION OF MODIFICATION WORK ORDERS REVIEWER: AL AR AT AV CR EA MI | A TMSS | TM | 28-OCT-91 TM | | | | |
| | | MIL-M-63003A | TECHNICAL MANUALS: BATTLEFIELD DAMAGE ASSESSMENT & REPAIR PREPARATION OF REVIEWER: AL AR AT MI TE | A TMSS | TM | 12-APR-88 TM | | | | |
| L | | MIL-M-63004C | MANUALS, TECHNICAL: PREPARATION OF LUBRICATION ORDERS REVIEWER: AR AT MI | A TMSS | TM | 30-MAY-89 TM | | | | |
| L | | MIL-M-63005B | MANUALS, TECHNICAL: FOR PREPARATION FOR SHIPMENT OF ARMY AIRCRAFT | A TMSS | AV | 21-JUN-91 AV | | | | |
| L | | MIL-M-63007A | MANUALS, TECHNICAL: HAND RECEIPT (-HR), PREPARATION OF REVIEWER: AR AT AV CU ME | A TMSS | TM | 05-APR-90 TM | | | | |
| A L | | MIL-M-63008B | MANUALS, TECHNICAL: ACQUISITION/PREPARATION REQUIREMENTS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A TMSS | TM | 15-JUL-92 TM | | | | |
| D | | MIL-M-63010A(1) | MANUALS, TECHNICAL: DOD STANDARD GENERATOR SETS REVIEWER: 01 06 80 AR AV EC GS MC ME MI OS SC YD1 | A TMSS | TM | 01-NOV-89 TM | SH | | 16 | |
| L | | MIL-M-63011B | MANUALS, TECHNICAL: FOR MAINTENANCE TEST FLIGHT OF ARMY AIRCRAFT REVIEWER: SC | A TMSS | AV | 03-SEP-91 AV | | | | |
| L | | MIL-M-63012 | DEPOT MAINTENANCE WORK REQUIREMENTS FOR MAINTENANCE/DEMILITARIZATION OF CONVENTIONAL AND CHEMICAL AMMUNITION [VALIDATION DATE: 8312] REVIEWER: AR EA MI SC | A TMSS | TM | 01-NOV-79 TM | | | | |
| L | | MIL-C-63013D | CATALOGS, SUPPLY: SETS, KITS, AND OUTFITS REVIEWER: AV CR EA MI SC | A TMSS | TM | 27-FEB-92 TM | | | | |
| L | | MIL-M-63014 NOTICE 1 | MANUAL, TECHNICAL, FOR PHASED MAINTENANCE CHECKLIST [VALIDATION DATE: 8707] REVIEWER: MI SC | A TMSS | AV | 31-JUL-87 TM | | | | |
| L | | MIL-M-63015B | MANUALS, TECHNICAL: CONVENTIONAL AND CHEMICAL AMMUNITION REVIEWER: AL AR AT CR CU EA MI | A TMSS | TM | 02-DEC-91 TM | | | | |
| L | | MIL-M-63016A | MANUALS, TECHNICAL: MUNITIONS EQUIPMENT REVIEWER: AL AR CR CU EA | A TMSS | TM | 10-JUL-90 TM | | | | |
| L | | MIL-M-63017A | MANUALS, TECHNICAL: REQUIREMENTS FOR MUNITION EQUIPMENT AND AMMUNITION DATA SHEETS REVIEWER: AR AT AV CE CU | A TMSS | TM | 21-NOV-89 TM | | | | |
| | | MIL-M-63018A | MANUAL, TECHNICAL, NONNUCLEAR EXPLOSIVEORDNANCE DISPOSAL [VALIDATION DATE: 8312] REVIEWER: 01 11 99 AR AS | A TMSS | TM | 02-DEC-76 TM | OS | | 16 | |
| L | | MIL-M-63023A | MANUAL, TECHNICAL: TRANSPORT GUIDANCE FOR MILITARY MATERIEL, PREPARATION OF REVIEWER: AT AV ME MI TM | A TMSS | MT | 23-SEP-91 MT | | | | |
| L | | MIL-M-63029C | MANUALS, TECHNICAL: REQUIREMENTS FOR OPERATOR'S MANUALS AND CHECKLISTS FOR AIRCRAFT | A TMSS | AV | 20-MAR-91 AV | | | | |
| L | | MIL-M-63030C(1) | MANUAL, TECHNICAL, PREVENTIVE MAINTENANCE SERVICES AND PREVENTIVE MAINTENANCE DAILY REVIEWER: MI SC | A TMSS | AV | 01-MAR-80 TM | | | | |
| L | | MIL-M-63033A | MANUALS, TECHNICAL: DEMILITARIZATION OF SURPLUS MILITARY ITEMS, PREPARATION OF REVIEWER: AL AT AV CR TS | A TMSS | TM | 03-JAN-90 TM | | | | |
| L | | MIL-M-63034A | BULLETINS, TECHNICAL: WARRANTY, PREPARATION OF USER: AT REVIEWER: AR AV MI TE | A TMSS | TM | 08-SEP-88 TM | | | | |
| L | | MIL-M-63036D | MANUALS, TECHNICAL: OPERATOR'S, PREPARATION OF REVIEWER: AL AR AT AV CU | A TMSS | TM | 23-MAY-91 TM | | | | |
| L | | MIL-M-63038C | MANUALS, TECHNICAL: UNIT OR AVIATION UNIT, DIRECT SUPPORT, AVIATION INTERMEDIATE, AND GENERAL SUPPORT MAINTENANCE, REQUIREMENTS FOR REVIEWER: AR AT AV ME MI | A TMSS | TM | 13-JUN-90 TM | | | | |
| A L | | MIL-M-63038C(11) | MANUALS, TECHNICAL: UNIT OR AVIATION UNIT, DIRECT SUPPORT, AVIATION INTERMEDIATE, AND GENERAL SUPPORT MAINTENANCE, REQUIREMENTS FOR | A TMSS | TM | 19-NOV-92 TM | | | | |
| A L | | MIL-M-63041E | MANUALS, TECHNICAL: DEPOT MAINTENANCE WORK REQUIREMENTS REVIEWER: AL AR AT AV CR ME MI | A TMSS | TM | 27-APR-92 TM | | | | |

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-M-63042C | MANUALS, TECHNICAL: PROCEDURES FOR DESTRUCTION OF EQUIPMENT TO PREVENT ENEMY USE REVIEWER: AR AT AV CE CU | A | TMSS | | TM | 17-JUL-90 | TM | | | |
| L | | MIL-M-63043A | MANUALS, TECHNICAL: MISSILE SYSTEM EQUIPMENT CHECK PROCEDURES [VALIDATION DATE: 8907] USER: MS REVIEWER: AM AR SC | A | TMSS | | MI | 26-JUL-89 | MI | | | |
| L | | MIL-M-63045A | MANUALS, TECHNICAL: PREPARATION OF DEPOT MANUALS FOR DEPOT TEST, MEASUREMENT AND DIAGNOSTIC EQUIPMENT REVIEWER: AL AT AV MI | A | TMSS | | TM | 15-NOV-89 | TM | | | |
| L | | MIL-M-63048B | MANUALS, TECHNICAL: PREPARATION OF EQUIPMENT PUBLICATIONS ON MICROFICHE REVIEWER: AT AV CR ME MI | A | TMSS | | TM | 21-NOV-89 | TM | | | |
| L | | MIL-M-63049A | MANUALS, TECHNICAL: LIST OF APPLICABLE PUBLICATIONS (LOAP) ..... | A | TMSS | | MI | 14-FEB-92 | MI | | | |
| L | | MIL-F-63051A(2) | FUZE, M934 SERIES, ACTUATORS FOR ..... | A | 1336 | | AR | 27-JUL-90 | AR | | | |
| L | | MIL-P-63052 NOTICE 1 | PANEL, FIRING FAE CBU-55 UH-1 ASSEMBLING AND PACKING [VALIDATION DATE: 8805] | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| L | | MIL-D-63057 NOTICE 1 | DETONATOR, STAB, PA501 PARTS FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004] | A | 1375 | | AR | 20-APR-90 | AR | | | |
| L | | MIL-D-63058 NOTICE 1 | DETONATOR, FLASH, PA502 PARTS FOR, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004] | A | 1375 | | AR | 20-APR-90 | AR | | | |
| L | | MIL-D-63059 NOTICE 1 | DETONATOR, STAB, PA503 PARTS FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004] | A | 1375 | | AR | 20-APR-90 | AR | | | |
| L | | MIL-S-63060 NOTICE 1 | SPACER FOR CHARGE, PROPELLING, 175MM, M124 (CELLULAR POLYURETHANE) [VALIDATION DATE: 9011] | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| L | | MIL-P-63061A NOTICE 1 | PROJECTILE, 155MM, M692/M731, PLUG, HOUSING FOR [VALIDATION DATE: 9011] ... | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| L | | MIL-C-63062(1) NOTICE 1 | CASE, CARTRIDGE, 40MM, M169, CUP, CLOSING FOR [VALIDATION DATE: 8705] ..... | A | 1310 | | AR | 17-NOV-80 | | | | |
| A | L | MIL-C-63063(2) | CASE, CARTRIDGE, 40MM, M169; PLUG, BASE FOR ..... | A | 1310 | | AR | 10-NOV-92 | AR | | | |
| L | | MIL-F-63068(1) NOTICE 1 | FUZE, M539, IMPACT SWITCH ASSEMBLY FOR, PARTS FOR, ASSEMBLING AND PACKING [VALIDATION DATE: 9011] | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| A | L | MIL-W-63071A(2) | WARHEAD, FOR DEMOLITION KIT, M180 METAL PARTS FOR ..... | A | 1375 | | AR | 08-SEP-92 | AR | | | |
| L | | MIL-T-63072(4) | THREAD, POLYESTER ..... | A | 8310 | | AR | 28-NOV-89 | AR | | | |
| L | | MIL-P-63073A(3) NOTICE 1 | PRIMER, ELECTRIC, M120 PARTS FOR ..... | A | 1390 | | AR | 15-MAY-91 | AR | | | |
| L | | MIL-P-63074A(4) | PRIMER, ELECTRIC, M120 LOADING ASSEMBLING AND PACKING ..... | A | 1390 | | AR | 15-JUN-90 | AR | | | |
| L | | MIL-P-63084 NOTICE 1 | PROPELLANT, BALL POWDER FOR CARTRIDGE, 105MM, HE, XM710 [VALIDATION DATE: 9109] | A | 1376 | | AR | 12-SEP-91 | AR | | | |
| L | | MIL-C-63085 NOTICE 1 | CABLE ASSEMBLY, ROCKET FOR DEMOLITION KIT, CRATERING, M180 ASSEMBLING AND PACKING [VALIDATION DATE: 9110] | A | 1340 | | AR | 03-OCT-91 | AR | | | |
| L | | MIL-B-63086(3) NOTICE 1 | BOOSTER ASSEMBLY FOR DEMOLITION KIT CRATERING, M180 PARTS FOR, LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 9110] | A | 1340 | | AR | 03-OCT-91 | AR | | | |
| A | L | MIL-F-63090A(4) | FIRING DEVICE, MULTI-PURPOSE, M142 PARTS, ASSEMBLY, AND PACKING ..... | A | 1375 | | AR | 12-FEB-93 | AR | | | |
| L | | MIL-C-63092A | CARTRIDGES, 40MM, WHITE STAR, PARACHUTE, M583A1 GREEN STAR, PARACHUTE, M661 RED STAR, PARACHUTE, M662 METAL PARTS AND LOADING, ASSEMBLING AND PACKING | A | 1310 | | AR | 28-MAY-91 | AR | | | |
| L | | MIL-C-63093 | CYLINDER ASSEMBLY [VALIDATION DATE: 8404] ..... | A | 1345 | | AR | 13-AUG-76 | AR | | | |
| L | | MIL-B-63094B(4) NOTICE 1 | BLASTING MACHINE, 50 CAP, M34 [VALIDATION DATE: 8803] ..... | A | 1375 | | AR | 18-MAR-88 | AR | | | |
| L | | MIL-B-63104A(1) | BODY ASSEMBLY (DUMMY), ALTERNATIVE, FOR M132, PARTS FOR AND LOADING ASSEMBLING AND PACKING [VALIDATION DATE: 8404] | A | 1345 | | AR | 20-JUN-78 | AR | | | |
| L | | MIL-P-63105B(1) NOTICE 1 | PROPELLANT M30 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M735, M735A1, AND XM774 | A | 1376 | | AR | 25-APR-88 | AR | | | |
| A | L | MIL-C-63106A(3) | COUNTERMEASURE, CHAFF: M-1 ..... | A | 5865 | | AR | 15-FEB-93 | AR | | | |
| L | | MIL-F-63107C(2) | FLARE, AIRCRAFT COUNTERMEASURE: M206N ..... | A | 1370 | | AR | 29-MAR-91 | AR | | | |
| L | | MIL-C-63108A(2) | CARTRIDGE, IMPULSE, M796 ..... | A | 1377 | | AR | 07-FEB-86 | AR | | | |
| L | | MIL-A-63109A(1) | ANTENNA FOR XM122 FIRING DEVICE TRANSMITTER [VALIDATION DATE: 8301] ..... | A | 1375 | | AR | 02-FEB-77 | AR | | | |
| L | | MIL-S-63110A | SABOT, 81MM PRACTICE, M1 ASSEMBLING AND PACKING ..... | A | 1315 | | AR | 13-MAR-87 | AR | | | |
| L | | MIL-C-63112B(1) | CARTRIDGE 22MM, SUB-CALIBER PRACTICE M744, M745, M746, M747 LOADING, ASSEMBLING AND PACKING | A | 1305 | | AR | 21-DEC-88 | AR | | | |
| L | | MIL-C-63113 NOTICE 1 | CARTRIDGE, 40MM, YELLOW SMOKE, CANOPY, M676 METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109] | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| L | | MIL-C-63114 NOTICE 1 | CARTRIDGE, 40MM, WHITE SMOKE, CANOPY, M680 METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109] | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| L | | MIL-C-63115 NOTICE 1 | CARTRIDGE, 40MM, RED SMOKE, CANOPY, M682 METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109] | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| L | | MIL-B-63116B NOTICE 1 | BATTERY, DRY FOR XM122 FIRING DEVICE [VALIDATION DATE: 8803] ..... | A | 1375 | | AR | 18-MAR-88 | AR | | | |
| L | | MIL-A-63117 NOTICE 1 | AMPLIFIER, HYBRID, RADIO FREQUENCY FOR XM122 FIRING DEVICE RECEIVER [VALIDATION DATE: 9005] | A | 1375 | | AR | 09-MAY-90 | AR | | | |
| L | | MIL-V-63118A(1) | VULCANIZED RUBBER OBTURATOR ..... | A | 1315 | | AR | 01-JUN-90 | AR | | | |
| L | | MIL-I-63120A NOTICE 1 | INTERMEDIATE FREQUENCY/DISCRIMINATOR/SQUARE AMPLIFIER HYBRID FOR XM122 FIRING DEVICE RECEIVER [VALIDATION DATE: 8701] | A | 1375 | | AR | 13-FEB-81 | AR | | | |
| L | | MIL-D-63122B(1) | DISPENSER, GENERAL PURPOSE, AIRCRAFT: M130 ..... | A | 1095 | | AR | 22-OCT-90 | AR | | | |
| L | | MIL-D-63123B(1) | DISPENSER ASSEMBLY ..... | A | 1095 | | AR | 22-OCT-90 | AR | | | |
| L | | MIL-E-63124B(1) | ELECTRONIC MODULE ASSEMBLY ..... | A | 1095 | | AR | 22-OCT-90 | AR | | | |
| L | | MIL-C-63125 NOTICE 1 | CHARGE, PROPELLING, 8 INCH, M188A1 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 9011] | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| L | | MIL-C-63127(1) NOTICE 1 | CARTRIDGES: 40MM, GROUND, SMOKE MARKERS, M713, M715 AND M716, BASE PARTS FOR [VALIDATION DATE: 9109] | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| L | | MIL-C-63128(3) NOTICE 1 | CARTRIDGES: 40MM, GROUND SMOKE MARKERS, M713, M715 AND M716; BODY PART FOR [VALIDATION DATE: 9109] | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| L | | MIL-C-63129(4) NOTICE 1 | CARTRIDGE, 40MM, RED SMOKE, GROUND MARKER, M713 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109] | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| L | | MIL-C-63130(4) NOTICE 1 | CARTRIDGE, 40MM, GREEN SMOKE, GROUND MARKER, M715 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109] | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| L | | MIL-C-63131(4) | CARTRIDGE, 40MM, YELLOW SMOKE, GROUND MARKER, M716 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8502] | A | 1310 | | AR | 20-MAR-79 | AR | | | |
| L | | MIL-F-63132 NOTICE 1 | FUZE, IMPACT PYROTECHNIC, M733; PLUG AND SUPPORT FUZE FOR PARTS FOR [VALIDATION DATE: 9010] | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| L | | MIL-C-63133(1) NOTICE 1 | CARTRIDGE CASE LOADING ASSEMBLY, M118 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109] | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| L | | MIL-F-63136(3) NOTICE 1 | FUZE, IMPACT PYROTECHNIC, M733; DELAY ASSEMBLY FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| L | | MIL-P-63137B(2) | PROJECTILE, 8-INCH, HE, RA, M650 WARHEAD SECTION, FORWARD ..... | A | 1320 | | AR | 31-JUL-90 | AR | | | |
| L | | MIL-P-63138(7) | PROJECTILE, 8-INCH HE, RA, M650 PROPELLANT GRAIN FOR ..... | A | 1320 | | AR | 28-SEP-90 | AR | | | |
| L | | MIL-P-63139A(2) | PROJECTILE, 8-INCH, HE, RA, M650 DELAY ASSEMBLY, PARTS FOR ..... | A | 1320 | | AR | 05-JAN-89 | AR | | | |
| L | | MIL-P-63140A(4) | PROJECTILE, 8-INCH, HE, RA, M650 DELAY ASSEMBLY FOR ..... | A | 1320 | | AR | 09-MAY-90 | AR | | | |
| L | | MIL-P-63141B(1) | PROJECTILE, 8-INCH, HE, RA, M650 BOOSTER AUXILIARY PA-500 AND BOOSTER ASSEMBLY PA-524 FOR | A | 1320 | | AR | 28-DEC-90 | AR | | | |
| L | | MIL-P-63142B | PROJECTILE, 8 INCH, HE, RA, M650 LOADING, ASSEMBLING AND PACKING ..... | A | 1320 | | AR | 31-OCT-90 | AR | | | |
| L | | MIL-P-63143A(3) | PROJECTILE, 8 INCH, HE, RA, M650 ACCESSORIES FOR ..... | A | 1320 | | AR | 22-FEB-91 | AR | | | |
| L | | MIL-D-63144A(1) NOTICE 1 | DC TO DC INVERTER, ELECTRONIC TIMER MODULE [VALIDATION DATE: 8803] ..... | A | 1375 | | AR | 18-MAR-88 | AR | | | |
| L | | MIL-M-63146(1) | MINE, AT, PRACTICE M19, INERT AND FUZE, MINE, AT, PRACTICE, M606, INERT PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8402] | A | 1345 | | AR | 18-MAY-78 | AR | | | |
| L | | MIL-D-63147 | DISPENSER TEST ADAPTER ASSEMBLY [VALIDATION DATE: 8301] ..... | A | 4925 | | AR | 31-MAY-77 | AR | | | |
| L | | MIL-S-63148 | STRAY VOLTAGE MONITOR ASSEMBLY [VALIDATION DATE: 8301] ..... | A | 4925 | | AR | 31-MAY-77 | AR | | | |

| Action | Qty / Cont. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-C-63149 | COMPONENTS TEST JUNCTION ASSEMBLY (VALIDATION DATE: 8301) | A | 4925 | | AR | 31-MAY-77 | | | AR | |
| L | | MIL-W-63150(3) | WEAPONS AND SUPPORT MATERIEL STANDARD QUALITY ASSURANCE PROVISIONS FOR | A | 10GP | | AR | 09-SEP-88 | | | AR | |
| L | | MIL-P-63159 NOTICE 1 | PROPELLANT GRAIN M753 8 INCH PROJECTILE (VALIDATION DATE: 8804) | A | 1110 | | AR | 07-APR-88 | | | AR | |
| | | MIL-M-63160(1) | MOTOR BODY M753 8 INCH PROJECTILE | A | 1110 | | AR | 10-SEP-89 | | | AR | |
| L | | MIL-R-63161 NOTICE 1 | ROCKET MOTOR BULKHEAD ASSEMBLY M753 8 INCH PROJECTILE (VALIDATION DATE: 8804) | A | 1110 | | AR | 07-APR-88 | | | AR | |
| L | | MIL-C-63162 | CAP, ROCKET-OFF M753 8 INCH PROJECTILE | A | NUOR | | AR | 25-JUN-82 | | | AR | |
| L | | MIL-I-63163(1) | INSULATOR, BULKHEAD M753 8 INCH PROJECTILE | A | 1110 | | AR | 10-SEP-89 | | | AR | |
| L | | MIL-S-63164 NOTICE 1 | SUPPORT, GRAIN M753 8 INCH PROJECTILE (VALIDATION DATE: 8804) | A | 1110 | | AR | 07-APR-88 | | | AR | |
| L | | MIL-P-63165 NOTICE 1 | PIN, M753 8 INCH PROJECTILE (VALIDATION DATE: 8804) | A | NUOR | | AR | 18-APR-88 | | | AR | |
| L | | MIL-R-63166 NOTICE 1 | RING, SHEAR SEAL M753 8 INCH PROJECTILE (VALIDATION DATE: 8804) | A | 1110 | | AR | 07-APR-88 | | | AR | |
| L | | MIL-I-63167 NOTICE 1 | INSERT, NOZZLE M753 8 INCH PROJECTILE (VALIDATION DATE: 8804) | A | NUOR | | AR | 18-APR-88 | | | AR | |
| L | | MIL-C-63168 NOTICE 1 | CUSHION, AFT M753 8 INCH PROJECTILE (VALIDATION DATE: 8804) | A | NUOR | | AR | 18-APR-88 | | | AR | |
| | | MIL-C-63169 NOTICE 1 | CUSHION, FORWARD M753 8 INCH PROJECTILE (VALIDATION DATE: 8804) | A | NUOR | | AR | 18-APR-88 | | | AR | |
| L | | MIL-O-63170 NOTICE 1 | OBTURATOR M753 8 INCH PROJECTILE (VALIDATION DATE: 8909) | A | 1110 | | AR | 01-SEP-89 | | | AR | |
| L | | MIL-S-63171 NOTICE 1 | SEAL, BALL, MONITORING PORT M753 8 INCH (VALIDATION DATE: 8804) | A | NUOR | | AR | 18-APR-88 | | | AR | |
| L | | MIL-S-63172(1) | SPACER, GRAIN M753 8 INCH PROJECTILE | A | NUOR | | AR | 10-SEP-89 | | | AR | |
| L | | MIL-F-63173(1) NOTICE 1 | FORGING, MOTOR BODY M753 8 INCH PROJECTILE | A | 1110 | | AR | 10-SEP-89 | | | AR | |
| L | | MIL-M-63174 | MODULE, ENERGY TRANSFER (VALIDATION DATE: 8201) | A | NUOR | | AR | 16-AUG-76 | | | AR | |
| L | | MIL-S-63175(1) | SWITCH, COMBINED OPTION SELECTOR: M167E1 | A | 1135 | | AR | 21-NOV-90 | | | AR | |
| L | | MIL-P-63176(2) | PRINTED WIRING BOARD (VALIDATION DATE: 8402) | A | NUOR | | AR | 16-DEC-77 | | | AR | |
| L | | MIL-C-63177A NOTICE 1 | CONTROL UNIT: LANCE AK (M238E1) (VALIDATION DATE: 8902) | A | NUOR | | AR | 16-FEB-89 | | | AR | |
| L | | MIL-A-63179(1) NOTICE 1 | ADAPTION KIT, ATOMIC WARHEAD TO GUIDED MISSILE: M238E1 (VALIDATION DATE: 8909) | A | 1110 | | AR | 01-SEP-89 | | | AR | |
| L | | MIL-D-63180(1) NOTICE 1 | DELAY ASSEMBLY M753 8 INCH PROJECTILE | A | 1110 | | AR | 10-SEP-89 | | | AR | |
| L | | MIL-C-63182A NOTICE 1 | CASE SECTION, BALLISTIC, REAR: MODIFIED (VALIDATION DATE: 8811) | A | 1115 | | AR | 03-NOV-88 | | | AR | |
| L | | MIL-C-63183 NOTICE 1 | CAPSULE ASSEMBLY, TELEMETRY: ARRT-13 (VALIDATION DATE: 8901) | A | NUOR | | AR | 10-JAN-89 | | | AR | |
| L | | MIL-K-63185(2) | KIT, CONVERSION M4277/M4272 EXTRACTOR TOOL M753 PROJECTILE | A | 1110 | | AR | 10-SEP-89 | | | AR | |
| L | | MIL-C-63186 NOTICE 1 | C RING, METAL M753 8 INCH PROJECTILE | A | 1110 | | AR | 07-APR-88 | | | AR | |
| L | | MIL-A-63187(1) | ADHESIVE, POLYAMIDE EPOXY M753 8 INCH PROJECTILE | A | NUOR | | AR | 10-SEP-89 | | | AR | |
| L | | MIL-P-63188 NOTICE 1 | PROJECTILE ASSEMBLY, NUCLEAR 8 INCH TRAINING, M173 | A | 1110 | | AR | 07-APR-88 | | | AR | |
| L | | MIL-C-63189 NOTICE 1 | CONTAINER, DUMMY SHIPPING & STORAGE, M522 (VALIDATION DATE: 8804) | A | 8140 | | AR | 22-APR-88 | | | AR | |
| L | | MIL-H-63192 | HOWITZER, LIGHT, TOWED, 105MM, M204 (VALIDATION DATE: 8402) | A | 1015 | | AR | 03-APR-78 | | | AR | |
| L | | MIL-P-63194A NOTICE 1 | PROPELLANT, M10 FOR 60MM MORTAR M204 PROPELLING CHARGE (VALIDATION DATE: 8805) | A | 1376 | | AR | 05-MAY-88 | | | AR | |
| L | | MIL-P-63195A | PROPELLANT M9 FOR USE IN CARTRIDGE, IGNITION M702 | A | 1376 | | AR | 22-JUN-90 | | | AR | |
| A | L | MIL-P-63196A(2) | POLYURETHANE ELASTOMER BINDER (FOR USE IN AMMUNITION) | A | 6810 | | AR | 26-AUG-92 | | | AR | |
| L | | MIL-D-63197(1) NOTICE 1 | DETONATOR, DELAY, ELECTRIC: PA506; PARTS FOR, AND LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8805) | A | 1375 | | AR | 20-MAY-88 | | | AR | |
| L | | MIL-P-63198 NOTICE 1 | PRIMER, STAB: PA505 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9004) | A | 1375 | | AR | 20-APR-90 | AR | | | |
| L | | MIL-D-63199A(1) | DISPENSER, GENERAL PURPOSE, AIRCRAFT: M130 REPAIR PARTS FOR | A | 1095 | | AR | 29-MAR-91 | | | AR | |
| L | | MIL-P-63201(1) NOTICE 1 | PROPELLANT, SOLVENTLESS, TYPE M37 FOR PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549 AND M549A1 (VALIDATION DATE: 9011) | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| L | | MIL-P-63202(2) | PROJECTIVE, 155MM, HE, RA, M549A1 FORWARD (M37 EXTRUDED) PROPELLANT GRAIN FOR | A | 1320 | | AR | 17-NOV-87 | AR | | | |
| L | | MIL-P-63203(2) | PROJECTILE, 155MM, HE, RA, M549A1 AFT (M37 EXTRUDED) PROPELLANT GRAIN FOR | A | 1320 | | AR | 17-NOV-87 | AR | | | |
| L | | MIL-P-632088 | PROJECTILE, 105MM, HEAT T, M622 METAL PARTS | A | 1315 | | AR | 29-JAN-85 | AR | | | |
| L | | MIL-C-63209 NOTICE 1 | CASE, CARTRIDGE, 105MM, M201 (VALIDATION DATE: 9010) | A | 1315 | | AR | 15-OCT-90 | AR | | | |
| L | | MIL-P-63210 NOTICE 1 | PRIMER, PERCUSSION, M100 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9010) | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| L | | MIL-P-63215 NOTICE 1 | PRIMER, PERCUSSION, M100 METAL PARTS FOR (VALIDATION DATE: 9010) | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| L | | MIL-M-63216 | MINE, INERT, ANTIPERSONNEL M16A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8301) | A | 1345 | | AR | 15-SEP-77 | AR | | | |
| L | | MIL-C-63217(2) | COMPOSITION A-3, TYPE II (WITH POLYETHYLENE) | A | 1376 | | AR | 22-JAN-92 | AR | | | |
| L | | MIL-E-63218(1) NOTICE 1 | EMULSION, POLYETHYLENE (FOR USE IN AMMUNITION) (VALIDATION DATE: 8704) | A | 6810 | | AR | 27-APR-87 | AR | | | |
| A | L | MIL-M-63221A | MORTAR, 60MM: M224 (WITHOUT M64 SIGHT UNIT) | A | 1010 | | AR | 22-JUL-92 | AR | | | |
| L | | MIL-T-63222(1) NOTICE 1 | TRAINER, FIELD ARTILLERY, 14.5MM, M31 | A | 6920 | | AR | 16-JUN-87 | AR | | | |
| L | | MIL-P-63223A(2) | PROJECTILE, GUIDED, 155MM, M712 | A | 1320 | | AR | 12-JUL-89 | AR | | | |
| L | | MIL-P-63224A(2) | PROJECTILE, GUIDED, 155MM, M712 GUIDANCE SECTION FOR | A | 1320 | | AR | 12-JUL-89 | AR | | | |
| L | | MIL-P-63225A(4) | PROJECTILE, GUIDED, 155MM, M712 CONTROL SECTION FOR | A | 1320 | | AR | 28-MAR-90 | AR | | | |
| L | | MIL-P-63226(3) | PROJECTILE, GUIDED, 155MM, XM712, WARHEAD FOR | A | 1320 | | AR | 21-AUG-87 | AR | | | |
| L | | MIL-C-63227A(3) | CONTAINER, AMMUNITION, METAL, PA101 FOR PROJECTILE, 155MM, HEAT, CANNON LAUNCHED, GUIDED M712 AND TRAINING M823 | A | 8140 | | AR | 12-JUL-89 | AR | | | |
| L | | MIL-F-63229(2) NOTICE 1 | FUZE, PIBD, XM740, (M740) SHOCK WAVE SENSOR FOR (VALIDATION DATE: 9010) | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| L | | MIL-F-63230(3) NOTICE 1 | FUZE, PIBD, XM740, (M740) SECOND ENVIRONMENT SENSOR FOR (VALIDATION DATE: 9010) | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| L | | MIL-F-63231(2) NOTICE 1 | FUZE, PIBD, XM740, (M740) SECOND ENVIRONMENT SENSOR ELECTRONIC MODULE FOR (VALIDATION DATE: 9010) | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| L | | MIL-F-63232A(2) | FUZE, PIBD, M740, FUZE MODULE FOR | A | 1390 | | AR | 12-JUL-89 | AR | | | |
| L | | MIL-P-63233A(1) | PROJECTILE, GUIDED, 155MM, M712 CONTROL ACTUATOR ASSEMBLY FOR | A | 1320 | | AR | 21-NOV-88 | AR | | | |
| L | | MIL-P-63234A(3) | PROJECTILE, GUIDED, 155MM, XM712, M712 ROLL RATE SENSOR FOR | A | 1320 | | AR | 12-JUL-89 | AR | | | |
| L | | MIL-P-63235(5) | PROJECTILE, GUIDED, 155 MM, XM712, THERMAL BATTERY FOR | A | 1320 | | AR | 18-MAY-87 | AR | | | |
| L | | MIL-P-63238B(1) | PROJECTILE, 155MM, AT M718/M741 LOADING, ASSEMBLING AND PACKING OF | A | 1320 | | AR | 27-JUL-91 | AR | | | |
| L | | MIL-C-63239B(3) | CARTRIDGE, 40MM, PRACTICE, M781 METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING | A | 1310 | | AR | 13-FEB-92 | AR | | | |
| L | | MIL-C-63240(2) NOTICE 1 | CASE, CARTRIDGE, PRACTICE, M212 PART FOR (VALIDATION DATE: 9109) | A | 1310 | | AR | 12-SEP-91 | AR | | | |
| A | L | MIL-E-63241B(6) | ELECTRONICS ASSEMBLY, FOR MINES, M718/M741, SYSTEM | A | 1345 | | AR | 13-NOV-92 | AR | | | |
| L | | MIL-A-63242A(3) | AMPLIFIER, OPERATIONAL TRIPLE PROGRAMMABLE MICROPOWER | A | 1345 | | AR | 14-NOV-88 | AR | | | |
| L | | DOD-P-63245A(2) NOTICE 1 | PROJECTILE, HE, 155MM, M795 METAL PARTS ASSEMBLY | A | 1320 | | AR | 19-APR-91 | AR | | | |

| Action | QPL / QML | Coordination Pending | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-L-63246B(4) | LEADS, EXPLOSIVE, PA509, PA512, PA513, PA514, PA516, PA517 AND PA521; PARTS FOR, AND LOADING, ASSEMBLING AND PACKING | A | 1375 | | AR | 02-MAR-87 | AR | | | |
| L | | | MIL-M-63248 | MICRODENTONATOR CLIP ASSEMBLY PARTS FOR [VALIDATION DATE: 9004] ..... | A | 1375 | | AR | 20-APR-90 | AR | | | |
| . | | | NOTICE 1 | | | | | | | | | | |
| L | | | DOD-P-63252(3) | PROJECTILE, 155MM, HE, M795 LOADING, ASSEMBLING AND PACKING [VALIDATION | A | 1320 | | AR | 02-NOV-88 | AR | | | |
| | | | NOTICE 1 | DATE: 8811] | | | | | | | | | |
| L | | | MIL-F-63253(1) | FUZE, BASE DETONATING, M578 LOADING, ASSEMBLING AND PACKING FOR RENOVATION | A | 1390 | | AR | 08-MAY-87 | AR | | | |
| | | | NOTICE 1 | [VALIDATION DATE: 8705] | | | | | | | | | |
| L | | | MIL-S-63255C | SAFETY & ARMING DEVICE, GUIDED MISSILE, M143 MECHANICAL PARTS & ASSEMBLY FOR | A | 1336 | | AR | 28-SEP-85 | AR | | | |
| L | | | MIL-S-63256C(1) | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143 (M143E1) LOGIC CIRCUIT HYBRID FOR | A | 1336 | | AR | 16-FEB-90 | AR | | | |
| L | | | MIL-S-63257B | SAFETY & ARMING DEVICE, GUIDED MISSILE, M143 LOADING, ASSEMBLING & PACKING FOR | A | 1336 | | AR | 28-SEP-85 | AR | | | |
| L | | | MIL-I-63259A | INTERFACE MODULE FOR SAFETY AND ARMING DEVICE [VALIDATION DATE: 8804] ..... | A | 1336 | | AR | 18-APR-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-D-63260 | DEMOLITION KIT, BLASTING: XM268 (BLASTING AGENT) [VALIDATION DATE: 9109] . | A | 1376 | | AR | 12-SEP-91 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-C-63261(1) | CARTRIDGE, 105MM, TNT, HE, M760 LOADING, ASSEMBLING, AND PACKING ..... | A | 1315 | | AR | 20-JAN-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-T-63262 | TEST MODE ASSEMBLY, ROCKET: M180 CRATERING DEVICE PROPELLANT TESTING | A | 1340 | | AR | 03-OCT-91 | AR | | | |
| | | | NOTICE 1 | [VALIDATION DATE: 9110] | | | | | | | | | |
| L | | | MIL-T-63263(3) | TEST SET, ELECTRONIC SYSTEMS: M91 ..... | A | 4925 | | AR | 20-NOV-88 | AR | | | |
| L | | | MIL-T-63264(2) | TEST SET, ELECTRONIC SYSTEMS: M92 ..... | A | 4925 | | AR | 16-JUN-89 | AR | | | |
| L | | | MIL-D-63266(2) | DOCUMENT DESTROYER, EMERGENCY INCENDIARY: M4 ..... | A | 1375 | | AR | 11-DEC-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-C-63267 | CASE, CARTRIDGE, BLANK 105MM, M1582 [VALIDATION DATE: 9010] ..... | A | 1315 | | AR | 15-OCT-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-P-63268A(2) | PLUG, SHOCK, ATTENUATING ..... | A | 1320 | | AR | 22-APR-88 | AR | | | |
| L | | | MIL-F-63270(2) | FUZE, POINT INITIATING, BASE DETONATING, M509A1E1, LOADING ASSEMBLING AND PACKING | A | 1390 | | AR | 21-MAR-86 | AR | | | |
| L | | | MIL-F-63271A(2) | FUZE, POINT INITIATING BASE DETONATING M509A2/METAL PARTS, WITH DETONATOR . | A | 1390 | | AR | 07-NOV-89 | AR | | | |
| | | | DOD-I-63274A(1) | INSERT, SCREW THREAD - THIN WALL, LOCKED IN, METRIC, GENERAL SPECIFICATION | A | 5340 | | AR | 12-JUN-89 | AR | OS | 99 | |
| | | | NOTICE 1 | FOR [VALIDATION DATE: 8906] USER: AT CR MC ME REVIEWER: 11 AV IS MI | | | | | | | | | |
| | | | DOD-I-63274/1A | INSERT, SCREW THREAD THIN WALL, LOCKED IN, METRIC USER: AT CR MC REVIEWER: AV IS ME | A | 5340 | | AR | 14-FEB-83 | AR | OS | 99 | |
| | | | DOD-S-63275A(1) | STUD, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC & RING, LOCK, SERRATED, METRIC, GENERAL SPECIFICATION FOR USER: MC OS REVIEWER: AT AV CR ER IS MI SH | A | 5307 | | AR | 22-APR-83 | AR | AS | | |
| | | | DOD-S-63275/1A | STUD, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC [VALIDATION DATE: 8805] USER: MC ME OS REVIEWER: AT AV CR ER IS MI SH | A | 5307 | | AR | 10-MAY-88 | AR | AS | | |
| D | | | DOD-I-63276A | INSERT, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC, GENERAL | A | 5340 | | AR | 06-FEB-89 | AR | OS | 99 | |
| | | | NOTICE 1 | SPECIFICATION FOR [VALIDATION DATE: 8902] USER: CR GL YD1 REVIEWER: AT AV IS MI | | | | | | | | | |
| | | | DOD-I-63276/1A | INSERT, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC [VALIDATION DATE: 8902] USER: CR EN REVIEWER: AT AV IS MI | A | 5340 | | AR | 06-FEB-89 | AR | OS | 99 | |
| | | | DOD-I-63276/2 | RING, LOCK, SERRATED, METRIC [VALIDATION DATE: 8304] REVIEWER: AT AV IS MI | A | 5340 | | AR | 26-SEP-77 | AR | OS | 99 | |
| | | | MIL-C-63277(1) | COOLANT, GUIDED BORING, SULFURIZED FATTY AND MINERAL OIL [VALIDATION DATE: 8502] USER: SH REVIEWER: GS | A | 9150 | | AR | 05-SEP-78 | ME | OS | 68 | |
| L | | | MIL-T-63278 | TEST SET, ELECTRONIC SYSTEMS, M91, REPAIR PARTS FOR [VALIDATION DATE: 8502] | A | 4925 | | AR | 12-MAR-79 | AR | | | |
| L | | | MIL-T-63279 | TEST SET, ELECTRONIC SYSTEMS, M92, REPAIR PARTS FOR [VALIDATION DATE: 8502] | A | 4925 | | AR | 12-MAR-79 | AR | | | |
| L | | | MIL-S-63280(1) | SOLENOID FOR MACHINE GUN, CALIBER .50, FIXED M85 ..... | A | 5945 | | AR | 15-APR-88 | AR | | | |
| L | | | MIL-F-63281A(2) | FUZE, ROCKET: M433 LESS BOOSTER AND BOOSTER LEAD ..... | A | 1340 | | AR | 28-MAY-91 | AR | | | |
| L | | | MIL-M-63283A(2) | MOUNT ASSEMBLY, SUB-CALIBER, UNIVERSAL: M179 (INCLUDING MANTLET ADAPTER ASSEMBLY) | A | 1005 | | AR | 20-MAY-91 | AR | | | |
| L | | | MIL-C-63284A | CASE ASSEMBLY, CARRYING, FOR FIRING DEVICE, DEMOLITION, M122 [VALIDATION | A | 1375 | | AR | 25-MAR-88 | AR | | | |
| | | | NOTICE 1 | DATE: 8803] | | | | | | | | | |
| L | | | MIL-M-63287(3) | MINE, ANTIPERSONNEL, XM74 (M74) METAL PARTS FOR ..... | A | 1345 | | AR | 25-MAR-85 | AR | | | |
| A | L | | MIL-C-63292(7) | CASE, CARTRIDGE, 105MM, M148A1B1 ..... | A | 1315 | | AR | 04-NOV-92 | AR | | | |
| L | | | MIL-P-63293B(6) | PROJECTILE 105MM HEAT T MP, M456A2 METAL PARTS ASSEMBLY ..... | A | 1315 | | AR | 22-MAY-87 | AR | | | |
| L | | | MIL-P-63295(1) | PLUG, LOCK ASSEMBLY, PARTS FOR, ASSEMBLY AND PACKING [VALIDATION DATE: | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| | | | NOTICE 1 | 9010] | | | | | | | | | |
| A | L | | MIL-C-63296(6) | CASE, CARTRIDGE, 105MM, M115B1 ..... | A | 1315 | | AR | 04-NOV-92 | AR | | | |
| L | | | MIL-P-63297 | PRIMER, STAB, PA515 [VALIDATION DATE: 8601] ..... | A | 1375 | | AR | 14-DEC-78 | AR | | | |
| L | | | MIL-B-63299A(9) | BODY ASSEMBLY FOR MINE, ANTI-PERSONNEL: ME, M74 ..... | A | 1345 | | AR | 12-APR-90 | AR | | | |
| L | | | MIL-E-63300A(4) | ELECTRONIC ASSEMBLY FOR MINE, ANTIPERSONNEL, ME, M74 ..... | A | 1345 | | AR | 08-JUL-86 | AR | | | |
| L | | | MIL-P-63301 | PROPELLANT M30 FOR USE IN 105MM CARTRIDGE, HEAT-T, M622 [VALIDATION DATE: | A | 1376 | | AR | 20-JUN-82 | AR | | | |
| | | | NOTICE 1 | 8804] | | | | | | | | | |
| L | | | MIL-S-63302(6) | SAFETY AND ARMING ASSEMBLIES FOR MINES: M74 AND M75 ..... | A | 1345 | | AR | 16-AUG-90 | AR | | | |
| L | | | MIL-D-63303B | DISPENSER, MINE, GROUND VEHICLE, M128 ..... | A | 1095 | | AR | 07-APR-88 | AR | | | |
| L | | | MIL-M-63304A(2) | MINE, ANTI-PERSONNEL: ME, M74 LOADING, ASSEMBLING AND PACKING ..... | A | 1345 | | AR | 30-AUG-90 | AR | | | |
| L | | | MIL-M-63305B(3) | MINE, ANTITANK: ME, M75 LOADING, ASSEMBLING AND PACKING ..... | A | 1345 | | AR | 26-JUN-90 | AR | | | |
| L | | | MIL-P-63306(4) | PRIMER ELECTRIC, M83 METAL PARTS FOR [VALIDATION DATE: 9010] ..... | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-P-63311(4) | PRIMER, ELECTRIC, M83 LOADING, ASSEMBLING AND PACKING ..... | A | 1390 | | AR | 23-APR-91 | AR | | | |
| L | | | MIL-P-63312(4) | PRIMER ELECTRIC, M80A1 METAL PARTS FOR ..... | A | 1390 | | AR | 28-JUN-89 | AR | | | |
| L | | | MIL-P-63313(6) | PRIMER, ELECTRIC, M80A1 LOADING, ASSEMBLING AND PACKING ..... | A | 1390 | | AR | 29-MAY-92 | AR | | | |
| A | L | | MIL-M-63314D | MACHINE GUN, 7.62MM: M240 (LH FEED) MACHINE GUN, 7.62MM: M240C (RH FEED) MACHINE GUN, 7.62MM: M240EL (LH FEED, SPADE GRIP) | F | 1005 | | AR | 24-DEC-92 | AR | | | |
| L | | | MIL-P-63315(2) | PRESSURE CARTRIDGE PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| | | | NOTICE 1 | [VALIDATION DATE: 8805] | | | | | | | | | |
| M | L | | MIL-P-63316(2) | PRIMER, BATTERY, ELECTRIC PARTS, FOR AND LOADING, ASSEMBLING AND PACKING .. | A | 1345 | | AR | 09-APR-93 | AR | | | |
| M | L | | DOD-L-63317A(2) | LINER, SUPPLEMENTARY CHARGE, THREADED ..... | A | 1315 | | AR | 11-MAR-93 | AR | | | |
| L | | | MIL-C-63318(2) | CASE, CARTRIDGE, 165MM, M104 METAL PARTS ASSEMBLY ..... | A | 1320 | | AR | 30-JAN-87 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-R-63319A(2) | RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE) [VALIDATION DATE: | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| | | | NOTICE 1 | 8805] | | | | | | | | | |
| L | | | MIL-M-63320A(4) | MICROCIRCUIT, DIGITAL, CMOS (INITIAL LOGIC) ..... | A | 1345 | | AR | 25-APR-90 | AR | | | |
| L | | | MIL-M-63321A(4) | MICROCIRCUIT, DIGITAL, CMOS (FINAL LOGIC) ..... | A | 1345 | | AR | 30-APR-90 | AR | | | |
| L | | | MIL-R-63322A(1) | RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE) [VALIDATION DATE: | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| | | | NOTICE 1 | 8805] | | | | | | | | | |
| L | | | MIL-M-63323A(4) | MICROCIRCUIT, LINEAR, VOLTAGE COMPARATORS ..... | A | 1345 | | AR | 27-MAR-89 | AR | | | |
| L | | | MIL-M-63324A(1) | MICROCIRCUIT, DIGITAL, CMOS, SPECIAL PURPOSE NOR GATE [VALIDATION DATE: | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| | | | NOTICE 1 | 8805] | | | | | | | | | |
| L | | | MIL-S-63326(5) | SAFETY AND ARMING ASSEMBLIES FOR MINES: BLU-91/B AND BLU-92/B ..... | A | 1345 | | AR | 17-APR-89 | AR | | | |
| L | | | MIL-W-63328(4) | WARHEAD GM, HE, M248 INERT PARTS FOR ..... | A | 1336 | | AR | 08-FEB-88 | AR | | | |
| L | | | MIL-M-63329A(1) | WARHEAD, GM, HE, M248 LOADING, ASSEMBLY AND PACKING ..... | A | 1336 | | AR | 16-JUN-90 | AR | | | |
| L | | | MIL-M-63330(1) | MOUNT, TELESCOPE, M149E1 ..... | A | 1240 | | AR | 13-FEB-85 | AR | | | |
| L | | | MIL-P-63331 | PERISCOPE, TANK, M44A1E1 & M44A2E1 WITH ASSOCIATED EQUIPMENT [VALIDATION DATE: 8601] | A | 1240 | | AR | 15-FEB-80 | AR | | | |
| L | | | MIL-P-63332 | PERISCOPES, TANK: M44A1E1 AND M44A2E1, 11834842 [VALIDATION DATE: 8811] ... | A | 1240 | | AR | 18-NOV-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |

| Action | Obsl / Obsl Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-M-63333 | MOUNT PERISCOPE ASSEMBLY 11834833 [VALIDATION DATE: 8601] | A | 1240 | | AR | 15-FEB-80 | AR | | | |
| | L | MIL-P-63334 | PANEL ASSEMBLY 11834831 [VALIDATION DATE: 8601] | A | 1240 | | AR | 15-FEB-80 | AR | | | |
| | L | MIL-S-63335C | SAFETY & ARMING DEVICE, GUIDED MISSILE, M143 ELECTRICAL PARTS & ASSEMBLIES FOR | A | 1336 | | AR | 28-SEP-85 | AR | | | |
| | L | MIL-F-63337(4) | FIRING ATTACHMENT, BLANK AMMUNITION: M19 | A | 1005 | | AR | 03-APR-92 | AR | | | |
| | L | MIL-C-63338A | CARTRIDGE, 25.4MM, DECOY, MB39 | A | 1305 | | AR | 31-JAN-86 | AR | | | |
| | L | MIL-P-63341A(1) | PROPELLANT M31A1 FOR USE IN CHARGE PROPELLING M188A1 FOR 8 -INCH PROJECTILES | A | 1376 | | AR | 03-SEP-91 | AR | | | |
| | L | MIL-C-63342B(2) | CHARGE, PROPELLING, 8 INCH, M188A1 LOADING, ASSEMBLING AND PACKING | A | 1320 | | AR | 09-MAR-90 | AR | | | |
| | L | MIL-G-63343(2) | GRENADE XM74, HEMISPHERES FOR [VALIDATION DATE: 8803] | A | 1375 | | AR | 22-MAR-88 | AR | | | |
| | L | MIL-C-63344 | CARTRIDGE, 105MM, CLEARING LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8603] | A | 1315 | | AR | 17-MAR-86 | AR | | | |
| A | L | MIL-P-63345A(3) | PROJECTILE, PRACTICE, 155MM, M804 METAL PARTS ASSEMBLY | A | 1320 | | AR | 13-JUL-92 | AR | | | |
| | L | MIL-C-63346 NOTICE 1 | CHARGE, PROPELLING, 155MM, XM211 LOADING, ASSEMBLING & PACKING | A | 1320 | | AR | 30-JAN-87 | AR | | | |
| | L | MIL-P-63347 NOTICE 1 | PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, XM211 | A | 1376 | | AR | 30-JAN-87 | AR | | | |
| A | L | MIL-S-63348A(4) | SUBMACHINE GUN, 5.56MM, PORT FIRING, M231 | A | 1005 | | AR | 29-OCT-92 | AR | | | |
| | L | MIL-C-63352 | CARTRIDGE, 5.56MM, BALL, XM777 [VALIDATION DATE: 8601] | A | 1305 | | AR | 23-JUL-80 | AR | | | |
| | | MIL-B-63354A | BORESCOPE M3 USER: MC | A | 6650 | | AR | 20-OCT-87 | AR | | | |
| | L | MIL-M-63356A NOTICE 1 | MACHINE GUN, 7.62MM, M240C [VALIDATION DATE: 8803] | A | 1005 | | AR | 22-MAR-88 | AR | | | |
| | L | MIL-P-63357A(2) NOTICE 1 | PROJECTILE, TRAINING, 155MM, M823 | A | 1320 | | AR | 10-MAR-88 | AR | | | |
| | L | MIL-C-63358 NOTICE 1 | CIRCUIT CARD ASSEMBLY, 11834811 OUTPUT | A | 1220 | | AR | 05-FEB-87 | AR | | | |
| A | L | MIL-T-63359(2) | TELESCOPE, ELBOW: M118A2 | A | 1240 | | AR | 29-OCT-92 | AR | | | |
| | L | MIL-C-63367 | CARTRIDGE, 5.56MM, TRACER, XM778 [VALIDATION DATE: 8601] | A | 1305 | | AR | 23-JUL-80 | AR | | | |
| | L | MIL-B-63369 NOTICE 1 | BOOSTER ASSEMBLY, INERT FOR DEMOLITION KIT CRATERING, TRAINING, XM270 PARTS FOR, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805] | A | 1375 | | AR | 20-MAY-88 | AR | | | |
| | L | MIL-D-63370(1) | DISPENSER, MINE GROUND VEHICLE, M128 PREPARATION FOR SHIPMENT & STORAGE OF | A | 1345 | | AR | 21-DEC-84 | AR | | | |
| | L | MIL-C-63371B(1) | CIRCUIT CARD ASSEMBLIES, MINE DISPENSER, M128, GENERAL SPECIFICATION FOR .. | A | 1095 | | AR | 04-APR-86 | AR | | | |
| | L | MIL-C-63371/1B(1) | CIRCUIT CARD ASSEMBLY, 9290227 | A | 1095 | | AR | 03-JAN-91 | AR | | | |
| | L | MIL-C-63371/2A(1) NOTICE 1 | CIRCUIT CARD ASSEMBLY, 9291352 (INPUT BUFFER "B") | A | 1095 | | AR | 03-JAN-91 | AR | | | |
| | L | MIL-C-63371/3B(2) | CIRCUIT CARD ASSEMBLY, 9291224 (OPERATOR CONTROL BOX INTERFACE) | A | 1095 | | AR | 03-JAN-91 | AR | | | |
| | L | MIL-C-63371/4B(1) | CIRCUIT CARD ASSEMBLY, 9290623 (OPERATOR CONTROL PANEL INTERFACE) | A | 1095 | | AR | 03-JAN-91 | AR | | | |
| | L | MIL-C-63371/5B | CIRCUIT CARD ASSEMBLY, 9290647 (MAGAZINE LOGIC ,A,, LEFT, RIGHT | A | 1095 | | AR | 31-JUL-84 | AR | | | |
| | L | MIL-C-63371/6A(2) | CIRCUIT CARD ASSEMBLY, 9290651 (MAGAZINE LOGIC "B": LEFT, RIGHT) | A | 1095 | | AR | 03-JAN-91 | AR | | | |
| | L | MIL-C-63371/7A(1) NOTICE 1 | P.C. BOARD 9335623 (LOAD AND UNLOAD LEFT & RIGHT) | A | 1095 | | AR | 03-JAN-91 | AR | | | |
| | L | MIL-C-63371/8B | CIRCUIT CARD ASSEMBLY, 9290656 (SERVO LOGIC, LEFT, RIGHT) | A | 1095 | | AR | 31-JUL-84 | AR | | | |
| | L | MIL-C-63371/9A NOTICE 1 | CIRCUIT CARD ASSEMBLY, 9290661 (BITE ,A,) [VALIDATION DATE: 8702] | A | 1095 | | AR | 05-FEB-87 | AR | | | |
| | L | MIL-C-63371/10A(1) NOTICE 1 | CIRCUIT CARD ASSEMBLY, 9291379 (BITE "B") | A | 1095 | | AR | 03-JAN-91 | AR | | | |
| | L | MIL-C-63371/11B | CIRCUIT CARD ASSEMBLY, 9290793 (BITE (C)) | A | 1095 | | AR | 31-JUL-84 | AR | | | |
| | L | MIL-C-63371/12B(2) | CIRCUIT CARD ASSEMBLY, 9290669, (BITE "D") | A | 1095 | | AR | 03-JAN-91 | AR | | | |
| | L | MIL-C-63371/13(1) | CIRCUIT CARD ASSEMBLY, 9291348 (BITE "C") | A | 1095 | | AR | 03-JAN-91 | AR | | | |
| | L | MIL-C-63372(2) NOTICE 1 | CHARGE PROOF, 155MM, PXP-6297 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8804] | A | 1320 | | AR | 18-APR-88 | AR | | | |
| | L | MIL-C-63373 NOTICE 1 | CIRCUIT, DEMOLITION INERT, FOR DEMOLITION KIT, CRATERING, TRAINING, XM270 ASSEMBLY & PACKING [VALIDATION DATE: 8702] | A | 1375 | | AR | 05-FEB-87 | AR | | | |
| | L | MIL-W-63374 NOTICE 1 | WARHEAD, INERT, FOR DEMOLITION KIT, TRAINING, XM270 LOADING ASSEMBLY [VALIDATION DATE: 8702] | A | 1375 | | AR | 05-FEB-87 | AR | | | |
| | L | MIL-M-63375 NOTICE 1 | MOTOR-DETONATOR ASSEMBLY, ROCKET, INERT, FOR DEMOLITION KIT, CRATERING, TRAINING, XM270, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805] | A | 1375 | | AR | 20-MAY-88 | AR | | | |
| | L | MIL-D-63376 NOTICE 1 | DEMOLITION KIT, CRATERING, TRAINING, XM270 INERT ASSEMBLY & PACKING [VALIDATION DATE: 8702] | A | 1375 | | AR | 05-FEB-87 | AR | | | |
| A | L | MIL-W-63377(3) | WARHEAD, ILLUMINATING, M257, W/M442 FUZE (2.75 INCH ROCKET ILLUMINATING FLARE) | A | 1340 | | AR | 12-OCT-92 | AR | | | |
| | L | MIL-F-63378A | FIRING ATTACHMENT, BLANK AMMO, M20 | A | 1005 | | AR | 22-OCT-87 | AR | | | |
| | L | MIL-P-63381 | PAPER, SHOT SHELL (FOR USE IN AMMUNITION) [VALIDATION DATE: 8601] | A | 1395 | | AR | 22-MAY-80 | AR | | | |
| | L | MIL-S-63382 | SAFE AND ARMING (PARTIAL LOADING) ASSEMBLY FOR MINES, M718/M741 SYSTEM [VALIDATION DATE: 8601] | A | 1345 | | AR | 23-JUN-80 | AR | | | |
| | L | MIL-S-63383(6) | SAFE AND ARMING (NON-HAZARDOUS) ASSEMBLY M718/M741 | A | 1345 | | AR | 31-JUL-86 | AR | | | |
| | L | MIL-S-63385A(1) NOTICE 1 | SABOT, 60MM PRACTICE: M3 ASSEMBLING AND PACKING [VALIDATION DATE: 8902] ... | A | 1315 | | AR | 02-FEB-89 | AR | | | |
| | L | MIL-G-63386(3) NOTICE 1 | GAS GENERATOR ASSEMBLY | A | 1345 | | AR | 04-APR-90 | AR | | | |
| | L | MIL-P-63387 NOTICE 1 | PROPELLANT, M30A1 FOR USE IN CHARGE, PROOF, 155MM, PXR-6297 [VALIDATION DATE: 9109] | A | 1376 | | AR | 12-SEP-91 | AR | | | |
| | L | MIL-W-63388(7) | WARHEAD, GUIDED MISSILE, HE, M207E1 BODY AND BOATTAIL BUSHING FOR | A | 1336 | | AR | 22-MAR-85 | AR | | | |
| | L | MIL-W-63389(5) NOTICE 1 | WARHEAD, GUIDED MISSILE, HE, M207E1 LINER FOR [VALIDATION DATE: 8902] | A | 1336 | | AR | 02-FEB-89 | AR | | | |
| | L | MIL-C-63392A | CONTAINER, SHIPPING AND STORAGE, MINE | A | 1345 | | AR | 03-FEB-87 | AR | | | |
| | L | MIL-G-63393(2) | GRENADE, GP, HE, M74 LOADING, ASSEMBLING AND PACKING | A | 1330 | | AR | 15-JUN-90 | AR | | | |
| | L | MIL-M-63394(2) NOTICE 1 | MINE, ANTI-TANK: HE, M75 METAL PARTS FOR | A | 1345 | | AR | 17-APR-90 | AR | | | |
| M | L | MIL-P-63395(3) | PROJECTILE, 155MM: INERT, PXR 6325 (M549 AND SIM) LOADING, ASSEMBLING AND PACKING | A | 1320 | | AR | 12-APR-93 | AR | | | |
| | L | MIL-M-63396(1) | NETWORK, RESISTOR FIXED & ADJUSTABLE | A | 1345 | | AR | 19-DEC-83 | AR | | | |
| | L | MIL-P-63397A(2) | PROJECTILE, 155MM: INERT PXR 6325 (M549 SIM) METAL PARTS, ASSEMBLY | A | 1320 | | AR | 03-APR-92 | AR | | | |
| | L | MIL-E-63398A(7) | ELECTRONICS-MCD ASSEMBLY FOR MINE, ANTITANK: HE, M75 | A | 1345 | | AR | 27-JUN-90 | AR | | | |
| | L | MIL-N-63400(2) | NETWORKS, CAPACITOR-RESISTOR | A | 1345 | | AR | 05-AUG-88 | AR | | | |
| | L | MIL-C-63403(2) NOTICE 1 | CONTAINER, AMMUNITION, PLASTIC: PA-83 [VALIDATION DATE: 8805] | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| | L | MIL-P-63404 NOTICE 1 | PROPELLANT M6 FOR USE IN CHARGE, PROPELLING, 155MM, M119A2 [VALIDATION DATE: 9109] | A | 1376 | | AR | 12-SEP-91 | AR | | | |
| A | L | MIL-C-63405(4) | CHARGE, PROPELLING, 155MM, M119A2 LOADING, ASSEMBLING, AND PACKING | A | 1320 | | AR | 01-SEP-92 | AR | | | |
| | L | MIL-D-63406(3) NOTICE 1 | DELAY MODULE, IMPACT, METAL PARTS ASSEMBLY, AND PACKING [VALIDATION DATE: 9010] | A | 1390 | | AR | 31-OCT-90 | AR | | | |
| | L | MIL-C-63407 | CONTAINER ASSEMBLY FOR DEMOLITION KIT, BLASTING, XM268 | A | 8140 | | AR | 07-DEC-88 | AR | | | |
| | L | MIL-P-63409 NOTICE 1 | PROJECTILE, 8 INCH: DUMMY, MB45 [VALIDATION DATE: 9011] | A | 1320 | | AR | 01-NOV-90 | AR | | | |
| | L | MIL-F-63412 NOTICE 1 | FUZE PROBE ASSEMBLY, PNEUMATIC ASSEMBLING & PACKING (TOM) [VALIDATION DATE: 8702] | A | 1336 | | AR | 05-FEB-87 | AR | | | |
| | L | MIL-C-63413A NOTICE 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, TRACER, SELF DESTRUCT, M246A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8902] | A | 1305 | | AR | 02-FEB-89 | AR | | | |
| | L | MIL-C-63415B NOTICE 1 | CARTRIDGE, 105MM, TP-T, M490 (CONVERSION OF CARTRIDGE) 105MM, HEAT-T, M456 PROJECTILE ONLY [VALIDATION DATE: 9010] | A | 1315 | | AR | 15-OCT-90 | AR | | | |
| | L | MIL-D-63417 NOTICE 1 | DEVICE, RETENTION, FOR CHARGE, PROPELLING, 155MM, XM211 [VALIDATION DATE: 8702] | A | 1320 | | AR | 05-FEB-87 | AR | | | |
| A | L | MIL-C-63418(2) | CANISTER SMOKE, ASSEMBLY PARTS FOR ASSEMBLING AND PACKING | A | 1320 | | AR | 07-MAY-92 | AR | | | |

| Action | GIPA / Obsl, Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-R-63419(2) | RDX/VINYL CHLORIDE COPOLYMER EXPLOSIVE COMPOSITION (PBX 9407) (FOR USE IN AMMUNITION) | A | 1376 | AR | | 22-JAN-92 | AR | | | |
| | L | MIL-T-63420<br>NOTICE 1 | THIONYL CHLORIDE ELECTROLYTE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8702] | A | 6810 | AR | | 05-FEB-87 | AR | | | |
| | L | MIL-P-63421(2) | POWER SUPPLY ASSEMBLIES FOR FASCAM ELECTRONIC ASSEMBLIES ..... | A | 1345 | AR | | 29-NOV-90 | AR | | | |
| | L | MIL-A-63425<br>NOTICE 1 | ADAPTER, RECOIL MECHANISM ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2 [VALIDATION DATE: 8803] | A | 1015 | AR | | 18-MAR-88 | AR | | | |
| | L | MIL-F-63428 | FEED ASSEMBLY, AMMO FOR ARAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2 [VALIDATION DATE: 8803] | A | 1005 | AR | | 22-MAR-88 | AR | | | |
| | L | MIL-S-63429<br>NOTICE 1 | SLIDER ASSEMBLY FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2 [VALIDATION DATE: 8805] | A | 1005 | AR | | 22-MAR-88 | AR | | | |
| | L | MIL-P-63430(5)<br>NOTICE 1 | PROJECTILE, 155MM, TEST, NON-HAZ, M718/M741 TYPES LOADING, ASSEMBLING AND PACKING OF | A | 1320 | AR | | 27-JUL-91 | AR | | | |
| | L | MIL-G-63431<br>NOTICE 1 | GUANIDINE NITRATE (GN) [VALIDATION DATE: 8804] ..... | A | 6810 | AR | | 25-APR-88 | AR | | | |
| | L | MIL-S-63433D(2) | SIMULATOR, ARTILLERY FLASH, M21, PERFORMANCE SPECIFICATION FOR ..... | A | 1370 | AR | | 10-APR-90 | AR | | | |
| | L | MIL-F-63434A(3)<br>NOTICE 1 | FUZE PROBE ASSEMBLY, SPRING, ASSEMBLING AND PACKING (TOW) ..... | A | 1336 | AR | | 23-MAR-90 | AR | | | |
| | L | MIL-P-63438(3) | PROJECTILE, 20MM, TARGET PRACTICE, M55A4B1 ..... | A | 1305 | AR | | 15-MAR-87 | AR | | | |
| | L | MIL-T-63439(5)<br>NOTICE 1 | TOW 2 FUZE PROBE ..... | A | 1336 | AR | | 14-MAR-90 | AR | | | |
| | L | MIL-M-63440<br>NOTICE 1 | MINE, ANTI PERSONNEL, TRAINING, MB1 [VALIDATION DATE: 8702] ..... | A | 1345 | AR | | 05-FEB-87 | AR | | | |
| | L | MIL-W-63441A(5) | WARHEAD, 2.75 INCH ROCKET, PRACTICE: M267 ..... | A | 1340 | AR | | 16-FEB-90 | AR | | | |
| | L | MIL-C-63442A<br>NOTICE 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, TRACER, M242A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8902] | A | 1305 | AR | | 02-FEB-89 | AR | | | |
| | L | MIL-T-63443(1) | TELESCOPE, ELBOW ASSEMBLY: 8211640 ..... | A | 1290 | AR | | 11-NOV-88 | AR | | | |
| | L | MIL-G-63444A(1) | GRENADE, GENERAL PURPOSE, M73 ..... | A | 1330 | AR | | 12-SEP-83 | AR | | | |
| | L | MIL-G-63445(5) | GRENADE, GENERAL PURPOSE, PRACTICE, M75 ..... | A | 1330 | AR | | 08-FEB-91 | AR | | | |
| | L | MIL-F-63446A(9) | FUZES, GENERAL PURPOSE GRENADE: M230 AND M231 (PRACTICE) ..... | A | 1330 | AR | | 28-MAY-91 | AR | | | |
| | L | MIL-P-63448A<br>NOTICE 1 | PROJECTILE, 105MM, HEAT-T-MP, M456A2 SPIKE AND CAP ASSEMBLY [VALIDATION DATE: 8906] | A | 1315 | AR | | 22-JUN-89 | AR | | | |
| | L | MIL-M-63449<br>NOTICE 1 | MINE, ANTI-TANK, TRAINING: MB5 WITH FUZE, MINE, ANTI-TANK, TRAINING; PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805] | A | 1345 | AR | | 20-MAY-88 | AR | | | |
| | L | MIL-C-63450(3)<br>NOTICE 1 | CARTRIDGE, 7.62MM, MATCH, M852 ..... | A | 1305 | AR | | 11-MAR-91 | AR | | | |
| | L | MIL-W-63451(4) | WARHEAD, GUIDED MISSILE, HE, M207E2 LINER FOR ..... | A | 1336 | AR | | 18-JUN-86 | AR | | | |
| | L | MIL-W-63452(8) | WARHEAD, GUIDED MISSILE, HE, M207E2 BODY AND BOATTAIL BUSHING FOR ..... | A | 1336 | AR | | 18-NOV-88 | AR | | | |
| | L | MIL-B-63454(1) | BAND, ROTATING, NYLON GLASS FILLED PROJECTILE, 105MM, M737 TPDS-T ..... | A | 1315 | AR | | 07-SEP-82 | AR | | | |
| | L | MIL-M-63456A(3) | MINE, ANTI-PERSONNEL: HE, BLU-92/B LOADING, ASSEMBLING AND PACKING ..... | A | 1345 | AR | | 25-APR-90 | AR | | | |
| | L | MIL-M-63457A(2) | MINE, ANTITANK: HE, BLU-91/B LOADING, ASSEMBLING AND PACKING ..... | A | 1345 | AR | | 02-SEP-89 | AR | | | |
| | QL | MIL-L-63460D(3) | LUBRICANT, CLEANER & PRESERVATIVE FOR WEAPONS & WEAPONS SYSTEM REVIEWER: 68 DS MD ME SH | A | 9150 | AR | | 01-JUL-87 | AR | | | |
| A | L | MIL-C-63461(9) | CONTAINER, AMMUNITION, METAL, FOR PROPELLING CHARGES AND CARTRIDGES ..... | A | 8140 | AR | | 05-FEB-93 | AR | | | |
| | L | MIL-P-63462(1) | PLASTIC MOLDING AND EXTRUSION MATERIAL, ETHYL CELLULOSE, FOR ROCKET GRAIN INHIBITING MATERIALS REVIEWER: MI MR | A | 9330 | AR | | 30-JUN-90 | AR | | | |
| | L | MIL-F-63463(1)<br>NOTICE 1 | FILM, INHIBITING, ETHYL CELLULOSE [VALIDATION DATE: 8803] REVIEWER: MI MR . | A | 9330 | AR | | 15-MAR-88 | AR | | | |
| | | DOD-P-63464A<br>SUPPL 1A1 | PIN, GROOVED, HEADLESS LONGITUDINAL GROOVE, GENERAL SPECIFICATION FOR, METRIC USER: MC ME MI REVIEWER: 82 AT EA IS MS | A | 5315 | AR | | 21-APR-82 | AR | OS | | 99 |
| D | | DOD-P-63464/1A<br>NOTICE 1 | PIN, GROOVED, HEADLESS-LONGITUDINAL TAPER GROOVE, CARBON STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI YD1 REVIEWER: 82 AT EA IS | A | 5315 | AR | | 05-MAY-88 | AR | OS | | 99 |
| | | DOD-P-63464/2A<br>NOTICE 1 | PIN, GROOVED, HEADLESS-LONGITUDINAL TAPER GROOVE, CORROSION-RESISTING STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI REVIEWER: 82 AT EA IS MS | A | 5315 | AR | | 05-MAY-88 | AR | OS | | 99 |
| | | DOD-P-63464/3A<br>NOTICE 1 | PIN, GROOVED, HEADLESS-LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI REVIEWER: 82 AT EA IS | A | 5315 | AR | | 05-MAY-88 | AR | OS | | 99 |
| | | DOD-P-63464/4A<br>NOTICE 1 | PIN, GROOVED, HEADLESS-LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTANT STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI REVIEWER: 82 AT EA IS MS | A | 5315 | AR | | 05-MAY-88 | AR | OS | | 99 |
| | | DOD-P-63464/5A<br>NOTICE 1 | PIN, GROOVED, HEADLESS-LONGITUDINAL CENTER GROOVE, CARBON STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI REVIEWER: 82 AT EA IS | A | 5315 | AR | | 05-MAY-88 | AR | OS | | 99 |
| | | MIL-P-63464/6B | PIN, GROOVED, HEADLESS-LONGITUDINAL CENTER GROOVE, CORROSION-RESISTANT STEEL, METRIC USER: MC ME MI REVIEWER: 82 AT EA IS | A | 5315 | AR | | 17-JAN-92 | AR | OS | | 99 |
| | | DOD-P-63464/7<br>NOTICE 1 | PIN, GROOVED, HEADLESS LONGITUDINAL, HALF LENGTH TAPER GROOVE, CORROSION-RESISTANT, STEEL, METRIC [VALIDATION DATE: 8805] REVIEWER: 82 | A | 5315 | AR | | 05-MAY-88 | AR | OS | | 99 |
| D | | DOD-P-63464/8<br>NOTICE 1 | PIN, GROOVED, HEADLESS LONGITUDINAL, HALF LENGTH REVERSE TAPER GROOVE, CORROSION-RESISTANT STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI YD1 REVIEWER: 82 AT EA IS MS | A | 5315 | AR | | 05-MAY-88 | AR | OS | | 99 |
| | L | MIL-W-63465(1)<br>NOTICE 1 | WARHEAD, GUIDED MISSILE, HE, M250 FRAGMENTS FOR [VALIDATION DATE: 8811] ... | A | 1336 | AR | | 02-NOV-88 | AR | | | |
| | L | MIL-T-63466<br>NOTICE 1 | THIONYL CHLORIDE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8702] ..... | A | 6810 | AR | | 05-FEB-87 | AR | | | |
| | L | MIL-A-63467<br>NOTICE 1 | ACETYLENE BLACK (FOR USE IN AMMUNITION) [VALIDATION DATE: 8702] ..... | A | 6810 | AR | | 05-FEB-87 | AR | | | |
| | L | MIL-W-63468A(3) | WARHEAD, 2.75 INCH ROCKET, H.E.: M261 ..... | A | 1340 | AR | | 16-FEB-90 | AR | | | |
| | L | MIL-B-63469(8) | BODY ASSEMBLIES, GENERAL PURPOSE GRENADE: M73 AND M75 (PRACTICE) ..... | A | 1330 | AR | | 16-FEB-90 | AR | | | |
| | L | MIL-L-63470<br>NOTICE 1 | LITHIUM CHLORIDE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8702] ..... | A | 6810 | AR | | 05-FEB-87 | AR | | | |
| | L | MIL-A-63471<br>NOTICE 1 | ALUMINUM CHLORIDE (ANHYDROUS) (FOR USE IN AMMUNITION) [VALIDATION DATE: 8702] | A | 6810 | AR | | 05-FEB-87 | AR | | | |
| D | | DOD-W-63474A | WASHER, SPRING TENSION, CYLINDRICALLY CURVED & WAVED GENERAL SPECIFICATION FOR, METRIC USER: MC ME YD1 REVIEWER: AS AT AV GL IS | A | 5310 | AR | | 15-MAY-84 | AR | SH | | |
| | | DOD-W-63474/1A<br>NOTICE 1 | WASHERS, SPRING TENSION, CYLINDRICALLY CURVED AND WAVED, METRIC [VALIDATION DATE: 8902] USER: MC ME REVIEWER: AS AV IS | A | 5310 | AR | | 14-FEB-89 | AR | SH | | |
| | | DOD-W-63474/2A | WASHER, SPRING TENSION, (BELLEVILLE SPRING) METRIC USER: AT CR MC ME REVIEWER: 11 AS AV IS SH | A | 5310 | AR | | 18-APR-86 | AR | OS | | |
| D | | DOD-W-63474/3 | WASHER, SPRING TENSION, SERRATED (RIBBED) (BELLEVILLE SPRING), METRIC USER: MC YD1 REVIEWER: 11 82 AS AV ER IS SH | A | 5310 | AR | | 28-MAY-86 | AR | OS | | 99 |
| | | DOD-B-63475<br>NOTICE 1 | BOLT, SHOULDER, HEXAGON HEAD, GENERAL SPECIFICATION FOR, METRIC [VALIDATION DATE: 8704] USER: AS CR MC ME OS REVIEWER: 11 AT AV IS MI MS | A | 5306 | AR | | 14-APR-87 | AR | SH | | 99 |
| | | DOD-B-63475/1<br>NOTICE 1 | BOLT, SHOULDER, HEXAGON HEAD, LONG THREAD, METRIC [VALIDATION DATE: 8704] USER: AS CR MC ME OS REVIEWER: 11 AT AV IS MI MS | A | 5306 | AR | | 14-APR-87 | AR | SH | | 99 |
| | | DOD-B-63475/2<br>NOTICE 1 | BOLT, SHOULDER, HEXAGON HEAD, SHORT THREAD, METRIC [VALIDATION DATE: 8704] USER: AS CR MC ME OS REVIEWER: AT AV MI | A | 5306 | AR | | 14-APR-87 | AR | SH | | 99 |
| | | DOD-N-63476<br>NOTICE 1 | NUT, PLAIN, WELDING, GENERAL SPECIFICATION FOR, METRIC [VALIDATION DATE: 8704] USER: AS MC ME REVIEWER: AV CR IS MS | A | 5310 | AR | | 27-APR-87 | AR | | | 99 |
| | | DOD-N-63476/1<br>NOTICE 1 | NUT, PLAIN, WELDING, METRIC [VALIDATION DATE: 8704] USER: AS MC ME REVIEWER: AT AV CR IS MS | A | 5310 | AR | | 17-MAR-81 | AR | | | 99 |
| | | DOD-P-63477<br>SUPPL 1A1 | PIN, SPRING, TUBULAR, (COILED AND SLOTTED), GENERAL SPECIFICATION FOR, METRIC USER: AV CE MC ME REVIEWER: 82 ER IS MI MS | A | 5315 | AR | | 29-MAY-81 | AR | OS | | 99 |
| | | DOD-P-63477/1 | PIN, SPRING, TUBULAR, SLOTTED, CARBON STEEL, METRIC USER: AV CE MC ME REVIEWER: 82 ER IS MI MS | A | 5315 | AR | | 29-MAY-81 | AR | OS | | 99 |

| Action Code | Cat. Code | Configuration Indicator | Document Number | Document Title | Dist. Symbol | FSC / Area | NSCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | DOD-P-63477/2 | PIN, SPRING, TUBULAR, SLOTTED, CRES 420, METRIC USER: AV CE MC ME REVIEWER: 82 ER IS MI MS | A | 5315 | | AR | 14-APR-87 | AR | OS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63477/3 | PIN, SPRING, TUBULAR, COILED, LIGHT DUTY, CARBON STEEL, METRIC USER: AV CE MC ME REVIEWER: 82 ER IS MI MS | A | 5315 | | AR | 14-APR-87 | AR | OS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63477/4 | PIN, SPRING, TUBULAR, COILED, LIGHT DUTY, CRES 302, METRIC USER: AV CE MC ME REVIEWER: 82 ER IS MI MS | A | 5315 | | AR | 29-MAY-81 | AR | OS | | 99 |
| | | | DOD-P-63477/5A | PIN, SPRING, TUBULAR, COILED, STANDARD DUTY, CARBON STEEL, METRIC [VALIDATION DATE: 8906] USER: AV CE MC ME REVIEWER: 82 ER IS MI MS | A | 5315 | | AR | 12-JUN-89 | AR | OS | | 99 |
| | | | DOD-P-63477/6 | PIN, SPRING, TUBULAR, COILED, STANDARD DUTY, CRES 302, METRIC [VALIDATION DATE: 8704] USER: AV CE MC ME REVIEWER: 82 ER IS MI MS | A | 5315 | | AR | 14-APR-87 | AR | OS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63477/7 | PIN, SPRING, TUBULAR, SLOTTED, STANDARD DUTY, CRES 420, METRIC [VALIDATION DATE: 8704] USER: AV CE MC ME REVIEWER: 82 ER IS MI MS | A | 5315 | | AR | 14-APR-87 | AR | OS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63477/8 | PIN, SPRING, TUBULAR, COILED, HEAVY DUTY, CARBON STEEL, METRIC [VALIDATION DATE: 8704] USER: AV CE MC ... REVIEWER: 82 ER IS MI MS | A | 5315 | | AR | 14-APR-87 | AR | OS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63477/9 | PIN, SPRING, TUBULAR, COILED, HEAVY DUTY CRES 420, METRIC USER: AV CE MC ME REVIEWER: 82 ER IS MI MS | A | 5315 | | AR | 14-APR-87 | AR | OS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63478(1) | PIN, STRAIGHT, HEADLESS (DOWEL), GENERAL SPECIFICATION FOR, METRIC USER: ME REVIEWER: 11 AT IS MS | A | 5315 | | AR | 16-FEB-90 | AR | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63478/1 | PIN, STRAIGHT, HEADLESS, (DOWEL) STANDARD SIZE, METRIC USER: ME REVIEWER: 11 82 AT IS MS | A | 5315 | | AR | 14-APR-87 | AR | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63478/2 | PIN, STRAIGHT, HEADLESS (DOWEL) OVERSIZE, METRIC USER: ME REVIEWER: 11 82 AT IS MS | A | 5315 | | AR | 14-APR-87 | AR | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63479 | PIN, STRAIGHT, HEADED (CLEVIS PIN) GENERAL SPECIFICATION FOR, METRIC USER: ME REVIEWER: 11 82 AT AV IS | A | 5315 | | AR | 29-MAY-81 | AR | | | 99 |
| | | | DOD-P-63479/1 | PIN, STRAIGHT, HEADED (CLEVIS PIN), METRIC USER: ME REVIEWER: 82 ..... | A | 5315 | | AR | 14-APR-87 | AR | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-F-63499(5) | FUZE, POINT INITIATING BASE DETONATING, XM764 ..... | A | 1390 | | AR | 28-AUG-85 | AR | | | |
| | L | | MIL-M-63508(1) | MINE, METAL PARTS FOR MINES: BLU-91/B AND BLU-92/B ..... | A | 1345 | | AR | 30-APR-90 | AR | | | |
| | L | | MIL-P-63510(1) | PROJECTILE, 120MM, APFSDS, XM829 METAL PARTS ASSEMBLY [VALIDATION DATE: 9010] | A | 1315 | | AR | 15-OCT-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-E-63511(9) | ELECTRONICS-MCD ASSEMBLY FOR MINE, ANTI-TANK: BLU 91/B ..... | A | 1345 | | AR | 25-MAY-90 | AR | | | |
| | L | | MIL-B-63512(9) | BODY ASSEMBLY FOR MINE, ANTI-PERSONNEL: BLU 92/B ..... | A | 1345 | | AR | 27-JUN-90 | AR | | | |
| A | L | | MIL-C-63513A(7) | CARTRIDGE, 105MM, TP-T, M490A1, LOADING, ASSEMBLING, AND PACKING ..... | A | 1315 | | AR | 24-SEP-92 | AR | | | |
| A | L | | MIL-P-63514A(5) | PROJECTILE, 105MM, TP-T, M489A1 METAL PARTS ASSEMBLY ..... | A | 1315 | | AR | 07-JUL-92 | AR | | | |
| | L | | MIL-P-63515A(2) | PROPELLANT M30 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M833 ..... | A | 1376 | | AR | 10-OCT-86 | AR | | | |
| | L | | MIL-D-63516(:) | DRIVE ASSEMBLY, GUN FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM: M97E1 AND M97E2 | A | 1005 | | AR | 23-SEP-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-P-63517(2) | PROPELLANT M14 FOR USE IN CARTRIDE, 105MM TP-T, M490A1 ..... | A | 1376 | | AR | 05-JUN-87 | AR | | | |
| A | L | | MIL-F-63518A(6) | FUZE, POINT DETONATING, M739A1 LESS BOOSTER PELLET ..... | A | 1390 | | AR | 01-OCT-92 | AR | | | |
| | L | | MIL-F-63519(3) | FUZE, POINT DETONATING, M739A1 LOADING, ASSEMBLING AND PACKING ..... | A | 1390 | | AR | 20-MAR-86 | AR | | | |
| | L | | MIL-T-63520 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2, GUN CONTROL ASSEMBLY FOR [VALIDATION DATE: 8803] | A | 1005 | | AR | 22-MAR-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-C-63521(8) | CONTAINER, AMMUNITION, METAL, FOR CARTRIDGE 105MM, TANK AMMUNITION ..... | A | 8140 | | AR | 15-JUL-91 | AR | | | |
| | L | | MIL-S-63523A | SIMULATOR, LAUNCHING, ANTI - TANK, GUIDED MISSILE & ROCKET, M22 PERFORMANCE SPECIFICATION FOR | A | 1370 | | AR | 20-SEP-85 | AR | | | |
| | L | | MIL-B-63524A | BATTERY, MED, SINGLE CELL, PRIMARY RESERVE ..... | A | 1345 | | AR | 12-JAN-88 | AR | | | |
| | | | MIL-C-63526 | CARTRIDGE, 105MM, TANK GUN FLASH SIMULATOR, XM23 ..... | A | 1315 | | AR | 16-OCT-81 | AR | | | |
| | L | | MIL-C-63527 | CARTRIDGE, 105MM, TP-T, M393A1 CONVERSION ..... | A | 1315 | | AR | 15-MAR-82 | AR | | | |
| | L | | MIL-R-63528 | RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE) [VALIDATION DATE: 8805] | A | 1345 | | AR | 20-MAY-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-A-63529(2) | ACTIVATOR, ANTITANK MINE: PRACTICE, M1; PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8906] | A | 1345 | | AR | 22-JUN-89 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-M-63530(1) | MICROCIRCUIT, DIGITAL, CMOS (LOGIC) ..... | A | 1345 | | AR | 21-AUG-87 | AR | | | |
| | L | | MIL-T-63531 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2, UNIVERSAL BORESIGHT KIT FOR [VALIDATION DATE: 8803] | A | 1005 | | AR | 22-MAR-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-L-63532C(2) | LINK, CARTRIDGE, METALLIC BELT, 5.56MM, M27 ..... | A | 1305 | | AR | 26-SEP-91 | AR | | | |
| | L | | MIL-T-63533 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2 [VALIDATION DATE: 8803] | A | 1005 | | AR | 22-MAR-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-T-63534 | TURRET SUBSYSTEM, UNIVERSAL (UTS), FOR ARAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2, TURRET CONTROL UNIT FOR [VALIDATION DATE: 8803] | A | 1005 | | AR | 22-MAR-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-T-63535 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20 MM, M97E1 & M97E2, ELECTRIC DRIVE MOTOR FOR | A | 1005 | | AR | 27-DEC-81 | AR | | | |
| | L | | MIL-T-63536 | TURRET SUBSYSTEM, UNIVERSAL (UTS), FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2, LOGIC CONTROL UNIT ASSEMBLY FOR [VALIDATION DATE: 9010] | A | 1005 | | AR | 12-OCT-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | DOD-C-63537A | CARTRIDGE, CALIBER .22, LONG RIFLE, TRACER, M861 [VALIDATION DATE: 9011] .. | A | 1305 | | AR | 19-NOV-90 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-635408 | STUD, SELF-LOCKING, GENERAL SPECIFICATION FOR REVIEWER: 82 IS MS ..... | A | 5307 | | AR | 29-JUN-90 | AR | MC | | 99 |
| | | | SUPPL 1A1 | | | | | | | | | | |
| | | | MIL-S-63540/1A(2) | STUD, SELF-LOCKING, FLUSH HEAD, RIBBED CLINCH TYPE USER: ER OS REVIEWER: 11 82 AT IS ME MS | A | 5307 | | AR | 01-AUG-86 | AR | MC | | 99 |
| | | | MIL-S-63540/2 | STUD, SELF-LOCKING, FLUSH AND PROTRUDING HEAD [VALIDATION DATE: 8902] | A | 5307 | | AR | 14-FEB-89 | AR | | | 99 |
| | | | NOTICE 1 | USER: ME MI SH REVIEWER: 11 82 AT AV IS MS | | | | | | | | | |
| | | | MIL-S-63540/3 | STUD, SELF-LOCKING, FLUSH HEAD, HEX CLINCH TYPE USER: ER MS OS SH REVIEWER: 11 82 AT IS ME | A | 5307 | | AR | 31-MAR-86 | AR | MC | | 99 |
| | | | MIL-S-63540/4(1) | STUD, SELF-LOCKING, CONCEALED HEAD, KNURLED CLINCH TYPE USER: ER OS SH REVIEWER: 11 82 AT IS ME | A | 5307 | | AR | 09-APR-92 | AR | MC | | 99 |
| | | | MIL-S-63540/5 | STUD, SELF-LOCKING, CONCEALED HEAD, HEX CLINCH TYPE USER: ER MS OS SH REVIEWER: 11 82 AT IS ME | A | 5307 | | AR | 31-MAR-86 | AR | MC | | 99 |
| | | | MIL-S-63540/6 | STUD, SELF-LOCKING, NON-FLUSH, RIBBED CLINCH TYPE USER: MI MS REVIEWER: 82 AT IS | A | 5307 | | AR | 26-SEP-88 | AR | MC | | 99 |
| | | | MIL-S-63540/7 | STUD, SELF-LOCKING, BROACHING TYPE REVIEWER: 82 IS MS ..... | A | 5307 | | AR | 29-JUN-90 | AR | MC | | 99 |
| | L | | MIL-C-63541 | CANNON 8 INCH HOWITZER, M201/M201A1 [VALIDATION DATE: 8708] ..... | A | 1030 | | AR | 03-AUG-87 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63542 | PIN, GROOVED, HEADED-LONGITUDINAL GROOVE, METRIC, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8805] REVIEWER: 82 | A | 5315 | | AR | 10-MAY-88 | AR | OS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-P-63542/1 | PIN, GROOVED, HEADED-LONGITUDINAL GROOVED, ROUND HEAD, CARBON STEEL, METRIC [VALIDATION DATE: 8805] | A | 5315 | | AR | 10-MAY-88 | AR | OS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-S-63543 | STUD & ROD, THREADED, METRIC, GENERAL SPECIFICATION FOR USER: CE MC OS REVIEWER: 82 AV EA ER IS ME SH | A | 5307 | | AR | 19-FEB-82 | AR | AS | | 99 |
| | | | DOD-S-63543/1(1) | STUD, PLAIN, METRIC (1.25 DIA & 2 DIA ENGAGEMENT) USER: GL MC OS REVIEWER: 82 AT AV EA IS MI SH | A | 5307 | | AR | 08-MAY-86 | AR | AS | | 99 |
| | | | DOD-S-63543/2(1) | ROD, CONTINUOUS THREAD, METRIC USER: CE GL MC OS REVIEWER: 82 EA ER IS ME SH | A | 5307 | | AR | 08-MAY-86 | AR | AS | | 99 |
| | | | DOD-S-63543/3(1) | STUD, CONTINOUS THREAD, METRIC USER: AT CE GL IS MC OS REVIEWER: ER ME SH . | A | 5307 | | AR | 08-MAY-86 | AR | AS | | 99 |
| | L | | DOD-S-63544 | SHIM, METRIC, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8805] ..... | A | 5365 | | AR | 10-MAY-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | DOD-S-63544/1 | SHIM, CRES, METRIC [VALIDATION DATE: 8805] ..... | A | 5365 | | AR | 10-MAY-88 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-B-63545 | BOLT, RIBBED SHOULDER, WHEEL MOUNTING, METRIC GENERAL SPECIFICATION FOR USER: ME OS REVIEWER: AT IS MC MS SH | A | 5306 | | AR | 19-FEB-82 | AR | AS | | 11 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | DOD-B-63545/1 | BOLT, RIBBED SHOULDER, WHEEL MOUNTING, METRIC [VALIDATION DATE: 8805] USER: ME OS REVIEWER: AT IS MC MS SH | A | 5306 | | AR | 05-MAY-88 | AR | AS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |

| Action | DPA / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | DOD-B-63545/2 | BOLT, RIBBED SHOULDER, EXTENDED SHOULDER, WHEEL MOUNTING, METRIC | A | 5306 | AR | | 05-MAY-88 | AR | AS | | 99 |
| | | | | NOTICE 1 | [VALIDATION DATE: 8805] USER: ME OS REVIEWER: AT IS MC NS SH | | | | | | | | | |
| | | | | DOD-W-63546A | WASHER, KEY, METRIC GENERAL SPECIFICATION FOR USER: ME SH REVIEWER: 82 AT | A | 5310 | AR | | 05-NOV-82 | AR | | | 99 |
| | | | | SUPPL 1A1 | AV EA IS MI | | | | | | | | | |
| | | | | DOD-W-63546/1 | WASHER, KEY, FLAT, LONG, STEEL, METRIC [VALIDATION DATE: 8805] USER: ME SH | A | 5310 | AR | | 05-MAY-88 | AR | | | 11 |
| | | | | NOTICE 1 | REVIEWER: AT AV EA IS MI | | | | | | | | | |
| | | | | DOD-W-63546/2 | WASHER, KEY, FLAT, LONG, BRASS, METRIC [VALIDATION DATE: 8805] USER: ME SH | A | 5310 | AR | | 05-MAY-88 | AR | | | 11 |
| | | | | NOTICE 1 | REVIEWER: AT AV EA IS MI | | | | | | | | | |
| | | | | DOD-W-63546/3 | WASHER, KEY, FLAT, LONG AND SHORT, STEEL, METRIC [VALIDATION DATE: 8805] | A | 5310 | AR | | 05-MAY-88 | AR | | | 11 |
| | | | | NOTICE 1 | USER: ME SH REVIEWER: AT AV EA IS MI | | | | | | | | | |
| | | | | DOD-W-63546/4 | WASHER, KEY, FLAT, LONG AND SHORT, BRASS, METRIC [VALIDATION DATE: 8805] | A | 5310 | AR | | 05-MAY-88 | AR | | | 11 |
| | | | | NOTICE 1 | USER: ME SH REVIEWER: AT AV EA IS MI | | | | | | | | | |
| | | | | DOD-W-63546/5 | WASHER, KEY, EXTERNAL, STEEL, METRIC [VALIDATION DATE: 8805] | A | 5310 | AR | | 05-MAY-88 | AR | | | 11 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | DOD-W-63546/6 | WASHER, KEY, EXTERNAL, BRASS, METRIC [VALIDATION DATE: 8805] | A | 5310 | AR | | 05-MAY-88 | AR | | | 11 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | DOD-W-63546/7 | WASHER, KEY, INTERNAL, STEEL, METRIC USER: AT MC ME SH REVIEWER: AV EA IS | A | 5310 | AR | | 02-APR-84 | AR | | | 11 |
| | | | | DOD-W-63546/8 | WASHER, CONCAVE AND WASHER CONVEX (SPHERICAL SET), STEEL, METRIC USER: AT | A | 5310 | AR | | 16-MAR-87 | AR | OS | | |
| | | | | | MC REVIEWER: AV IS NS SH | | | | | | | | | |
| L | | | | MIL-A-63547(1) | ALUMINUM ALLOY 7475, ROD | A | 9530 | AR | | 14-SEP-84 | AR | | | |
| | | | | DOD-N-63548 | NUT, PLAIN, HEXAGON, WHEEL MOUNTING, METRIC, GENERAL SPECIFICATION FOR | A | 5310 | AR | | 17-MAR-82 | AR | | | 11 |
| | | | | | USER: MC ME REVIEWER: AT EA IS NS | | | | | | | | | |
| | | | | DOD-N-63548/1 | NUT, PLAIN, HEXAGON, CONE SEAT, WHEEL MOUNTING, METRIC [VALIDATION DATE: | A | 5310 | AR | | 05-MAY-88 | AR | | | 99 |
| | | | | NOTICE 1 | 8805] USER: MC MI REVIEWER: AT EA IS NS | | | | | | | | | |
| | | | | DOD-T-63549 | THUMBSCREW, WING HEAD, METRIC, GENERAL SPECIFICATION FOR (METRIC) USER: AT | A | 5305 | AR | | 07-SEP-82 | AR | | | 99 |
| | | | | | MC ME SH REVIEWER: 11 82 AV EA IS NS | | | | | | | | | |
| | | | | DOD-T-63549/1 | THUMBSCREW, WING HEAD, METRIC [VALIDATION DATE: 8805] USER: AT MC ME SH | A | 5305 | AR | | 05-MAY-88 | AR | | | 99 |
| | | | | NOTICE 1 | REVIEWER: 11 82 AV EA IS NS | | | | | | | | | |
| L | | | | MIL-C-63550E | CABLE ASSEMBLIES, ELECTRICAL, FABRICATION SPECIFICATION FOR | A | 1010 | AR | | 30-SEP-85 | AR | | | |
| | | | | MIL-A-63576A | ALUMINUM OXIDE COATINGS, LUBRICATIVE, FOR ALUMINUM AND ALUMINUM ALLOYS | A | MFFP | AR | | 06-DEC-85 | AR | | | |
| L | | | | MIL-S-63950(1) | STAND, NUCLEAR PROJECTILE M4280 | A | MUDR | AR | | 10-SEP-89 | AR | | | |
| | | | | MIL-B-63954 | BOLT ASSEMBLY, DOOR FOR WADS | A | 5340 | AR | | 26-APR-88 | | | | |
| L | | | | MIL-C-63955 | CONTAINER, WEAPON SECURITY: XM4289 | A | 8140 | AR | | 21-JUL-88 | AR | | | |
| L | | | | MIL-B-63956 | BOX ASSEMBLY, PNEUMATIC LOCK CONTROL | A | 8140 | AR | | 23-FEB-90 | AR | | | |
| L | | | | MIL-B-63957 | BOX ASSEMBLY, PNEUMATIC LOCK KEY | A | 8140 | AR | | 23-FEB-90 | AR | | | |
| L | | | | MIL-B-63958 | BOX ASSEMBLY, CONCERTINA CONTROL FOR WADS | A | 8140 | AR | | 08-JUL-91 | AR | | | |
| L | | | | MIL-C-63959 | CONCERTINA SUBASSEMBLY FOR WADS | A | 8140 | AR | | 08-JUL-91 | AR | | | |
| L | | | | MIL-T-63960 | TIEDOWN, WEB, SPECIAL PURPOSE | A | 5340 | AR | | 24-APR-92 | AR | | | |
| L | | | | DOD-P-63975(6) | PRIMER, ELECTRIC, PA520 | A | 1305 | AR | | 15-FEB-89 | AR | | | |
| L | | | | DOD-C-63976(4) | CASE, CARTRIDGE, 30MM AMMUNITION FOR M788 M789 AND M799 SERIES OF 30MM | A | 1305 | AR | | 30-MAR-89 | AR | | | |
| | | | | | AMMUNITION | | | | | | | | | |
| L | | | | DOD-P-63977A(2) | PROJECTILE 30MM, TARGET PRACTICE AND TARGET PRACTICE ALTERNATE DESIGN FOR | A | 1305 | AR | | 18-JAN-91 | AR | | | |
| | | | | | CARTRIDGE, 30MM, M788 | | | | | | | | | |
| A | L | | | DOD-C-63980(7) | CARTRIDGE, 30MM, TARGET PRACTICE, M788 | A | 1305 | AR | | 26-AUG-92 | AR | | | |
| A | L | | | DOD-P-63981(8) | PROJECTILE 30MM, HIGH EXPLOSIVE DUAL PURPOSE, M789, METAL PARTS | A | 1305 | AR | | 26-AUG-92 | AR | | | |
| A | L | | | MIL-C-63982A | CARTRIDGE, 30MM HIGH EXPLOSIVE DUAL PURPOSE, M789 | A | 1305 | AR | | 26-AUG-92 | AR | | | |
| | L | | | DOD-L-63983 | LINK, CARTRIDGE, METALLIC BELT, 30MM, M29 | A | 1305 | AR | | 22-MAR-88 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| M | L | | | MIL-M-63984(1) | MINE, AT, PRACTICE, HEAVY: M20, PARTS FOR AND LOADING, ASSEMBLING AND | A | 1345 | AR | | 19-MAR-93 | AR | | | |
| | | | | | PACKING | | | | | | | | | |
| | L | | | MIL-P-63985(1) | PROJECTILE, 155MM, M718/M741 METALLIC HARDWARE FOR [VALIDATION DATE: 9011] | A | 1320 | AR | | 01-NOV-90 | AR | | | |
| A | L | | | DOD-P-63986(5) | PELLET, FLASH TUBE, I852 | A | 1305 | AR | | 26-AUG-92 | AR | | | |
| | L | | | MIL-F-63987 | FUZE, MINE, AT PRACTICE: M604 METAL PARTS FOR [VALIDATION DATE: 8805] | A | 1345 | AR | | 20-MAY-88 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MIL-M-63988 | MOUNT, HOWITZER, M178 | A | 1025 | AR | | 14-JUL-88 | AR | | | |
| A | L | | | MIL-C-63989B(1) | CARTRIDGE, 5.56MM, BALL, M855 | A | 1305 | AR | | 25-SEP-92 | AR | | | |
| | L | | | MIL-C-63990B(1) | CARTRIDGE, 5.56MM TRACER, M856 | A | 1305 | AR | | 25-SEP-91 | AR | | | |
| | | | | MIL-A-63991 | ALTERNATOR, TURBINE (AIR DRIVEN) | A | 1390 | AR | | 29-MAR-88 | AR | | | |
| | L | | | MIL-B-63992A(2) | BANDOLEER, 200 ROUND MAGAZINE (M249 M.G.) [VALIDATION DATE: 9010] | A | 1305 | AR | | 31-OCT-90 | AR | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| A | L | | | MIL-R-63993A(1) | RESISTOR NETWORK, THICK FILM, FIXED AND TRIMMABLE | A | 1345 | AR | | 04-NOV-92 | AR | | | |
| | L | | | MIL-M-63995 | MOUNT, HOWITZER AND GUN, M158 AND M174 | A | 1025 | AR | | 03-MAR-87 | AR | | | |
| | L | | | MIL-T-63996 | TEST VEHICLE WITH CARTRIDGE CASE M169 FOR M549 FUZE LOADING, ASSEMBLING & | A | 1390 | AR | | 07-APR-88 | AR | | | |
| | | | | NOTICE 1 | PACKAGING | | | | | | | | | |
| | L | | | MIL-R-63997B(3) | RIFLE, 5.56MM: M16A2 | A | 1005 | AR | | 25-MAR-92 | AR | | | |
| | L | | | MIL-B-640008(1) | BURSTER, PROJECTILE, 155MM, SMOKE, M825 PARTS FOR LOADING, ASSEMBLING & | X | 1320 | EA | | 31-JAN-85 | EA | | | |
| | | | | | PACKING | | | | | | | | | |
| | L | | | MIL-D-64002A(1) | DELAY DETONATOR FOR PROJECTILE, 155MM, SMOKE, M825 | X | 1320 | EA | | 22-AUG-86 | EA | | | |
| | L | | | MIL-C-64003A | CHARGE ASSEMBLY, EXPULSION FOR PROJECTILE, 15MM, SMOKE, M825 | X | 1320 | EA | | 05-OCT-83 | EA | | | |
| A | L | | | MIL-P-64005(1) | PROJECTILE, 155MM, GB2, M687, METAL PARTS ASSEMBLY WITH LOADED OGIVE | A | 1320 | AR | | 03-NOV-92 | AR | | | |
| | L | | | MIL-C-640068 | CANISTER LOADING ASSEMBLY FOR, PROJECTILE, 155MM, SMOKE, M825 | A | 1320 | EA | | 31-JAN-85 | EA | | | |
| | L | | | MIL-P-64007C(2) | PROJECTILE, 155MM, SMOKE WP: M825, LOADING, ASSEMBLING, AND PACKAGING | X | 1320 | EA | | 15-DEC-87 | EA | | | |
| | L | | | MIL-P-64008(4) | PROJECTILE, 155MM: M825/M825A1 METAL PARTS ASSEMBLY | A | 1320 | AR | | 11-APR-91 | AR | | | |
| | L | | | MIL-M-64016(2) | MOTOR, ROCKET, METAL PARTS FOR & LOADING ASSEMBLY FOR DEMOLITION KIT, | A | 1375 | AR | | 23-SEP-86 | AR | | | |
| | | | | | CRATERING, M180 | | | | | | | | | |
| | L | | | DOD-C-64018(5) | CARTRIDGE, 30MM, HIGH PRESSURE TEST, MP-T, M883 | A | 1305 | AR | | 30-APR-91 | AR | | | |
| | L | | | DOD-C-64019(2) | CARTRIDGE, 30MM, DUMMY, M848 | A | 1305 | AR | | 30-DEC-88 | AR | | | |
| | L | | | MIL-M-64020 | MICROCIRCUIT, AMPLIFIER, BIPOLAR, HIGH FREQUENCY, FRONT END (REQUEST FOR | D | 1345 | AR | | 07-OCT-87 | AR | | | |
| | | | | | ISSUE OTHER THAN DOD MUST BE SENT VIA COMMANDER, ARDEC, ATTN: SMCAR-FSM, | | | | | | | | | |
| | | | | | PICATINNY ARSENAL, NJ 07806-5000 | | | | | | | | | |
| | L | | | MIL-D-64021A(1) | DISPENSER, GROUND: M131/M136 SYSTEM COMPONENT PARTS FOR | F | 1345 | AR | | 30-AUG-89 | AR | | | |
| | L | | | MIL-D-64022 | DISTRIBUTION BOX ASSEMBLY: 8438325 | A | 6110 | AR | | 11-SEP-91 | AR | | | |
| | L | | | MIL-M-64023(1) | MINE, GROUND: ANTIPERSONNEL, ME LOADING, ASSEMBLING AND PACKING FOR M131 | A | 1345 | AR | | 22-FEB-88 | AR | | | |
| | | | | | SYSTEM | | | | | | | | | |
| | L | | | MIL-M-64024A | MINE, GROUND, ANTITANK ME LOADING, ASSEMBLING AND PACKING FOR M131 SYSTEM | B | 1345 | AR | | 23-JUN-89 | AR | | | |
| | | | | | (CONTROLLED DISTRIBUTION) | | | | | | | | | |
| | L | | | MIL-C-64025 | CONTROL, REMOTE, M71, LAND MINE SYSTEM | A | 1290 | AR | | 20-OCT-86 | AR | | | |
| | L | | | MIL-D-64026 | DISPENSER AND MINES, GROUND PRACTICE, FOR M136 SYSTEM | F | 1345 | AR | | 20-OCT-86 | AR | | | |
| | L | | | MIL-E-64028 | ELECTRONICS ASSEMBLY FOR, ANTI-PERSONNEL MINE M131 SYSTEM | A | 1345 | AR | | 20-OCT-86 | AR | | | |
| | | | | MIL-E-64029 | ELECTRONICS ASSEMBLY FOR, ANTI-TANK MINE 131 SYSTEM | A | 1345 | AR | | 20-OCT-86 | AR | | | |
| | L | | | MIL-C-64030 | CONTROL, INDICATOR, FOR DISPENSER AND MINES:GROUND M131 | A | 1345 | AR | | 20-OCT-86 | AR | | | |
| | L | | | MIL-C-64031 | CARTRIDGE ASSEMBLY, 12GAGE LOADING, ASSEMBLING AND PACKING | F | 1345 | AR | | 20-OCT-86 | AR | | | |
| | L | | | MIL-M-64032 | MINE, ANTI-TANK, METALPARTS FOR, M131 SYSTEM | D | 1345 | AR | | 20-OCT-86 | AR | | | |
| | L | | | MIL-M-64033A | HOUSING, MOLDED, FOR ANTI-PERSONNEL MINE M131 SYSTEM | A | 1345 | AR | | 22-MAY-89 | AR | | | |
| | L | | | MIL-M-64034 | MICROCIRCUIT, SYNCHRONIZER, COMMAND OUTPUT (SCO), CLASS B, MONOLITHIC, | A | 1345 | AR | | 20-OCT-86 | AR | | | |
| | | | | | CMOS, INTEGRATED CIRCUIT | | | | | | | | | |
| | L | | | MIL-P-64036 | PROJECTILE, 60MM, SMOKE, WP, M302 METAL PARTS ASSEMBLY | A | 1310 | AR | | 09-SEP-86 | AR | | | |
| A | L | | | MIL-C-64037(3) | CARTRIDGE, ME, 60MM, M888 W/FUZE M935 LOADING, ASSEMBLING AND PACKING | A | 1310 | AR | | 23-FEB-93 | AR | | | |
| | L | | | MIL-F-64042A(2) | FUZE, MT, SQ, M577A1 LOADING, ASSEMBLING, PACKING AND METAL PARTS, AND | A | 1390 | AR | | 25-SEP-91 | AR | | | |
| | | | | | FUZE, MT, SQ, M582A1 METAL PARTS | | | | | | | | | |
| | L | | | MIL-B-64043(2) | BODY, LOADED ASSEMBLY, GENERAL PURPOSE GRENADE, M73 | A | 1330 | AR | | 09-FEB-90 | AR | | | |
| | L | | | MIL-W-64044(6) | WARHEAD, 2.75 INCH ROCKET, M261 AND M267, PARTS FOR | A | 1340 | AR | | 16-FEB-90 | AR | | | |
| | L | | | MIL-S-64045 | SCALES, GRAPHICAL FIRING, GENERAL SPECIFICATION FOR | A | 1220 | AR | | 15-OCT-88 | AR | | | |
| | | | | SUPPL 1A1 | | | | | | | | | | |

| Action | Doc. Status / Cancellation / Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-S-64045/1 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) CHGS 1 + 3, (P/N 11785434-1) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/2 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) CHGS 4 + 5, (P/N 11785434-2) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/3 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) CHGS 6 + 7, (P/N 11785434-3) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/4 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M1, HIGH ANGLE, (105-H-7), (P/N 11785434-4) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/5 NOTICE 1 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M314; (105-H-7) CHGS 3 + 4, (P/N 11785434-5) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/6 NOTICE 1 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-H-7) CHGS 5 + 7, (P/N 11785434-6) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/7 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M1, (105-H-6), (P/N 11785434-7) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/8 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE W/ICM, (105-AS-2) CHGS 1 + 3, (P/N 11785434-8) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/9 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-AS-2) CHGS 4 + 5, (P/N 11785434-9) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/10 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-AS-2) CHGS 6 + 7, (P/N 11785434-10) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/11 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M1, HIGH ANGLE, (105-AS-2), (P/N 11785434-11) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/12 NOTICE 1 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-2) CHGS 4 + 5, (P/N 11785434-12) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/13 NOTICE 1 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-2) CHGS 6 + 7, (P/N 11785434-13) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/14 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M1, (105-AS-1), (P/N 11785434-14) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/15 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE W/ICM, (155-Q-4) CHGS 1 + 3, (P/N 11785434-15) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/16 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-Q-4) CHGS 4 & 5, (P/N 11785434-16) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/17 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-Q-4) CHGS 6 & 7, (P/N 11785434-17) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/18 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-Q-4), (P/N 11785434-18) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/19 NOTICE 1 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-Q-4) CHGS 1 + 3, (P/N 11785434-19) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/20 NOTICE 1 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-Q-4) CHGS 5 + 7, (P/N 11785434-20) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/21 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M107, (155-Q-3), (P/N 11785434-21) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/22 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3) CHGS 1 + 3, (P/N 11785434-22) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/23 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3), CHGS 4 + 5, (P/N 11785434-23) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/24 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3) CHGS 6 + 7, (P/N 11785434-24) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/25 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AH-3), (P/N 11785434-25) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/26 NOTICE 1 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-3) CHGS 1 + 3, (P/N 11785434-26) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/27 NOTICE 1 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-3) CHGS 5 + 7, (P/N 11785434-27) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/28 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M107, (155-AH-3), (P/N 11785434-28) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/29 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 1 + 3, (P/N 11785434-29) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/30 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 4 + 5, (P/N 11785434-30) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/31 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 6 + 7, (P/N 11785434-31) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/32 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M483A1, HIGH ANGLE, (155-AK-2), (P/N 11785434-32) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/33 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M483A1, (155-AK-2), (P/N 11785434-33) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/34 NOTICE 1 | SCALE, GRAPHICAL FIRING, M549A1, LOW ANGLE, (155-AL-1) CHG 7R, (P/N 11785434-34) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/35 NOTICE 1 | SCALE, GRAPHICAL FIRING, M549A1, HIGH ANGLE, (155-AL-1) CHG 7R, (P/N 11785434-35) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/36 NOTICE 1 | SCALE, GRAPHICAL SITE, M549A1, (155-AL-1) CHG 7R, (P/N 11785434-36) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/37 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-1) CHGS 2 + 4, (P/N 11785434-37) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/38 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-1) CHGS 5 + 6, (P/N 11785434-38) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/39 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-1) CHGS 7 + 8, (P/N 11785434-39) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/40 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AH-1), (P/N 11785434-40) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/41 NOTICE 1 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-1) CHGS 2 + 3, (P/N 11785434-41) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/42 NOTICE 1 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-1) CHGS 5 + 7, (P/N 11785434-42) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/43 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M107, (155-AH-1), (P/N 11785434-43) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/44 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AH-1) CHGS 3 + 4, (P/N 11785434-44) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/45 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AH-1) CHGS 5 + 6, (P/N 11785434-45) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/46 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AH-1) CHGS 7 + 8, (P/N 11785434-46) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/47 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M483A1, HIGH ANGLE, (155-AH-1), (P/N 11785434-47) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/48 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M483A1, (155-AH-1), (P/N 11785434-48) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/49A | SCALE, GRAPHICAL FIRING, HE M549A1, LOW ANGLE, (155-AO-0) CHGS 7R & 8R, (P/N 11785434-49) | A 1220 | 24-SEP-85 | AR | | | |
| L | | MIL-S-64045/50A | SCALE, GRAPHICAL FIRING, HE M549A1, LOW ANGLE, (155-AO-0) CHG 8R, (P/N 11785434-50) | A 1220 | 24-SEP-85 | AR | | | |
| L | | MIL-S-64045/51 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M549A1, HIGH ANGLE, (155-AO-0), (P/N 11785434-51) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/52 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M549A1, (155-AO-0), (P/N 11785434-52) [VALIDATION DATE: 8810] | A 1220 | 15-OCT-88 | AR | | | |

| Action | Doc. / Cmbt. Coordination Inactive | Document Number | Document Title | Doc. Sheet, FSC / Area, MCA Symbol, Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-S-64045/53 NOTICE 1 | SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHGS 4G & 5G, (P/N 11785434-53) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/54 NOTICE 1 | SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHGS 4W & 5W, (P/N 11785434-54) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/55 NOTICE 1 | SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHGS 6W & 7W, (P/N 11785434-55) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/56 NOTICE 1 | SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0), CHGS 6WG & 7WG, (P/N 11785434-56) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/57A | SCALE, GRAPHICAL FIRING, M712 GLGP, LOW ANGLE, (155-AS-0) CHGS 7WGAND 8, (PN 11785434-57) | A 1220 | AR 24-SEP-85 | AR | | | |
| L | | MIL-S-64045/59 NOTICE 1 | SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHG 8G, (P/N 11785434-59) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/60 NOTICE 1 | SCALE, GRAPHICAL SITE, M172 CLGP, (155-AS-0), (P/N 11785434-60) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/61 NOTICE 1 | SCALE, GRAPHICAL FIRING, M172 CLGP, HIGH ANGLE, (155-AS-0), (P/N 11785434-61) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/62 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4) CHGS 1 + 3, (P/N 11785434-62) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/63 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4) CHGS 4 + 5, (P/N 11785434-63) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/64 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4) CHGS 6 + 7, (P/N 11785434-64) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/65 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M106, HIGH ANGLE, (8-J-4), (P/N 11785434-65) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/66 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M106, (8-J-3), (P/N 11785434-66) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/70 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 1 + 3, (P/N 11785434-70) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/71 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 4 + 5, (P/N 11785434-71) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/72 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 6 + 7, (P/N 11785434-72) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/73 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 8 + 9, (P/N 11785434-73) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/74 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M106, HIGH ANGLE, (8-Q-1), (P/N 11785434-74) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/75 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M106, (8-Q-1), (P/N 11785434-75) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/79 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 1G +2G, (P/N 11785434-79) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/80 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 3G & 4G, (P/N 11785434-80) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/81 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 5G +5W, (P/N 11785434-81) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/82 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 6W +7W, (P/N 11785434-82) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/83 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 8 + 9, (P/N 11785434-83) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/84 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 7WR & 8R, (P/N 11785434-84) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/85 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHG 9R, (P/N 11785434-85) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/86 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M650, HIGH ANGLE, (8-S-1) CHGS 1 TO 9 (P/N 11785434-86) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/87 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M650, HIGH ANGLE, (8-S-1), CHGS 7WR, 8R & 9R (P/N 11785434-87) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/88 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M650, (8-S-1), (P/N 11785434-88) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/89 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M437, LOW ANGLE, (175-A-1) CHG 1 & 2, (P/N 11785434-89) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/90 NOTICE 1 | SCALE, GRAPHICAL FIRING, HE M437, LOW ANGLE & HIGH ANGLE, (175-A-1) CHG 3, (P/N 11785434-90) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/91 NOTICE 1 | SCALE, GRAPHICAL SITE, HE M437, (175-A-1), (P/N 11785434-91) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/92 NOTICE 1 | SCALE, GRAPHICAL FIRING, LOW ANGLE & HIGH ANGLE, (14.5-A-1) CHG 1, (P/N 11785434-92) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/93 NOTICE 1 | SCALE, GRAPHICAL SITE, (14.5-A-1) CHG 1, (P/N 11785434-93) [VALIDATION DATE: 8810] | A 1220 | AR 15-OCT-88 | AR | | | |
| L | | MIL-S-64045/94 | SCALE, GRAPHICAL FIRING, HE M329A2, HIGH ANGLE, (4.2-K-2), (P/N 11785434-102) | A 1220 | AR 07-JAN-91 | AR | | | |
| L | | MIL-S-64045/95 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2) CHG 2 AND 4, (P/N 1178434-103) | A 1220 | AR 01-FEB-87 | AR | | | |
| L | | MIL-S-64045/96 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2 CHG 5 AND6, (P/N 11785434-104) | A 1220 | AR 01-FEB-87 | AR | | | |
| L | | MIL-S-64045/97 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, M155-AM-2) CHG 7 AND 8, (P/N 11785434-105 | A 1220 | AR 01-FEB-87 | AR | | | |
| L | | MIL-S-64045/98 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AM-2, (P/N 11785434-106 | A 1220 | AR 01-FEB-87 | AR | | | |
| L | | MIL-S-64045/99 | SCALE, GRAPHICAL SITE, HE M107, (155-AM-2), (P/N 11785434-107) ..... | A 1220 | AR 01-FEB-87 | AR | | | |
| L | | MIL-S-64045/100 | SCALE, GRAPHICAL FIRING, HE M107, ILLUMINATION, (155-AM-2) CHG 2 AND 3, (P/N 11785434-108) | A 1220 | AR 01-FEB-87 | AR | | | |
| L | | MIL-S-64045/101 | SCALE, GRAPHICAL FIRING, HE M107, ILLUMINATION, (155-AM-2) CHG 5 AND 7, (P/N 11785434-109) | A 1220 | AR 01-FEB-87 | AR | | | |
| L | | MIL-S-64045/102 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2) CHG 3, (P/N 11785434-110 | A 1220 | AR 01-FEB-87 | AR | | | |
| L | | MIL-S-64045/103 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 3&4, (P/N 11785434-112) | A 1220 | AR 07-JAN-91 | AR | | | |
| L | | MIL-S-64045/104 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 5&6, (P/N 11785434-113) | A 1220 | AR 07-JAN-91 | AR | | | |
| L | | MIL-S-64045/105 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 7&8, (P/N 11785434-114) | A 1220 | AR 07-JAN-91 | AR | | | |
| L | | MIL-S-64045/106 | SCALE, GRAPHICAL FIRING, HE M760, LOW ANGLE (105-AS-2), CHARGE 8, (P/N 11785434-115) | A 1220 | AR 07-JAN-91 | AR | | | |
| L | | MIL-S-64045/107 | SCALE, GRAPHICAL SITE, HE M760, (105-AS-2), (P/N 11785434-116) ..... | A 1220 | AR 07-JAN-91 | AR | | | |
| | | MIL-V-64051 | VACUUM PUMP, HAND OPERATED FOR ARMY OIL ANALYSIS PROGRAM (AOAP) ..... | A 4930 | AL 31-MAR-88 | AL | | | |
| | | MIL-S-64052 | SPRAY GUN, PAINT, HEAVY DUTY, PRESSURE FEED USER: ME REVIEWER: 82 CS SH ... | A 4940 | AL 25-APR-88 | AL | MC | 99 | |
| L | | MIL-T-64053 | TIRE SCRIBER FOR AUTOMOTIVE WHEEL ALIGNMENT ..... | A 4910 | AL 27-JAN-89 | AL | | | |
| L | | MIL-P-64151 | PLATE: SILICON CARBIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) REVIEWER: AT AV GS | A 9350 | MR 26-JUN-89 | MR | | | |
| L | | MIL-P-64152 | PLATE: TITANIUM DIBORIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) REVIEWER: AT AV GS | A 9350 | MR 26-JUN-89 | MR | | | |
| L | | MIL-P-64153 | PLATE: BORON CARBIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) REVIEWER: AT AV GS | A 9350 | MR 26-JUN-89 | MR | | | |
| | | MIL-L-64154 | LAMINATE: FIBERGLASS-FABRIC-REINFORCED, PHENOLIC ..... | A CMPS | MR 13-OCT-89 | MR | | 11 | |
| | | MIL-F-64156 | FABRIC, CARBON (GRAPHITE) FIBER, NICKEL-COATED REVIEWER: SH ..... | A CMPS | MR 15-OCT-90 | MR | AS | | |

| Action | Qtr. / Cont. Correction Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-M-64157 | METAL MATRIX COMPOSITES (MMC): CARBON (GRAPHITE) FIBER REINFORCED/ALUMINUM, GENERAL SPECIFICATION FOR USER: 19 EC REVIEWER: 20 MI OS SH SM | A | CMPS | MR | | 13-JAN-92 | MR | AS | | 11 |
| | | MIL-M-64157/1 | METAL MATRIX COMPOSITES (GR/AL): STANDARD ELECTRONIC MODULE (SEM) FORMAT E HEATSINK USER: 19 EC REVIEWER: 20 MI OS SH SM | A | CMPS | MR | | 13-JAN-92 | MR | AS | | 11 |
| | | MIL-M-64157/2 | METAL MATRIX COMPOSITES (GR/AL): SPACE RADIATOR PANELS USER: 19 EC REVIEWER: 20 MI OS SH SM | A | CMPS | MR | | 13-JAN-92 | MR | AS | | 11 |
| | | MIL-M-64157/3 | METAL MATRIX COMPOSITES (GR/AL): TUBES FOR TRUSS STRUCTURES USER: 19 EC REVIEWER: 20 MI OS SH SM | X | CMPS | MR | | 13-JAN-92 | MR | AS | | 11 |
| L | | MIL-H-65054 | HOSE ASSEMBLY OUTFIT (REUSABLE ADAPTERS) ..... | A | 4940 | AL | | 15-FEB-89 | AL | | | |
| | | DOD-S-70328 NOTICE 1 | SPACER, RING, METRIC, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8805) USER: AT ME SH REVIEWER: 11 AV EA IS MC MI | A | 5365 | AR | | 05-MAY-88 | AR | | | 99 |
| | | DOD-S-70328/1 NOTICE 1 | SPACER, RING, METRIC (VALIDATION DATE: 8805) USER: AT ME SH REVIEWER: 11 AV EA IS MC MI | A | 5365 | AR | | 05-MAY-88 | AR | | | 99 |
| | | DOD-M-70329 NOTICE 1 | NUT, PLAIN, ROUND, BALL & ROLLER BEARING, METRIC, USER: AT MC ME SH REVIEWER: 11 EA IS NS | A | 5310 | AR | | 16-AUG-82 | AR | OS | | 99 |
| | | DOD-M-70329/1 NOTICE 1 | NUT, PLAIN, ROUND, BALL AND ROLLER BEARINGS, NARROW SERIES, METRIC (VALIDATION DATE: 8805) USER: AT MC ME SH REVIEWER: 11 EA IS NS | A | 5310 | AR | | 05-MAY-88 | AR | OS | | 99 |
| | | DOD-P-70330 | PLUG, EXPANSION, METRIC, GENERAL SPECIFICATION FOR USER: MC ME REVIEWER: AT AV EA ER IS | A | 5340 | AR | | 16-AUG-82 | AR | | | 99 |
| | | DOD-P-70330/1 | PLUG, EXPANSION, CARBON STEEL, METRIC USER: MC ME REVIEWER: AT AV EA ER IS | A | 5340 | AR | | 16-AUG-82 | AR | | | 99 |
| | | DOD-P-70330/2 NOTICE 1 | PLUG, EXPANSION, CRES, METRIC (VALIDATION DATE: 8805) USER: MC ME REVIEWER: AT AV EA IS | A | 5340 | AR | | 05-MAY-88 | AR | | | 99 |
| | | DOD-P-70330/3 NOTICE 1 | PLUG, EXPANSION, ALUMINUM ALLOY, METRIC (VALIDATION DATE: 8805) REVIEWER: AT AV EA ER IS | A | 5340 | AR | | 05-MAY-88 | AR | | | 99 |
| L | | DOD-B-70331 | BOLT, SELF LOCKING, HEXAGON HEAD, STEEL, METRIC, GENERAL SPECIFICATION FOR USER: AT GL MC MR OS SH REVIEWER: 15 MI NS | A | 5306 | AR | | 21-APR-83 | AR | | | |
| L | | DOD-B-70331/1 | BOLT, SELF LOCKING, HEXIGON HEAD, STEEL, SAE J1199 (10.9) TYPE B, METRIC USER: AT GL MC ME OS SH REVIEWER: 15 MI NS | A | 5306 | AR | | 21-APR-83 | AR | | | |
| L | | DOD-B-70331/2 | BOLT, SELF LOCKING, HEXAGON HEAD, STEEL, SAE J1199 (10.9) TYPE BH, M USER: AT GL MC ME OS SH REVIEWER: 15 MI NS | A | 5306 | AR | | 21-APR-83 | AR | | | |
| | | MIL-B-70332 | BOLT ASSEMBLY, CLAMP, AND COMPONENT PARTS, GENERAL SPECIFICATION FOR REVIEWER: 82 IS MI OS | A | 53GP | AR | | 25-MAY-84 | AR | AS | | 99 |
| | | MIL-B-70332/1 | BOLT ASSEMBLY, CLAMP REVIEWER: 82 IS MI OS ..... | A | 5325 | AR | | 25-MAY-84 | AR | AS | | 99 |
| | | MIL-B-70332/2 | BOLT, SHOULDERED (BOLT ASSEMBLY, CLAMP) REVIEWER: 82 IS MI OS ..... | A | 5306 | AR | | 25-MAY-84 | AR | AS | | 99 |
| | | MIL-B-70332/3 | BRACKET, STOP (BOLT ASSEMBLY, CLAMP) REVIEWER: 82 IS MI OS ..... | A | 5340 | AR | | 25-MAY-84 | AR | AS | | 99 |
| | | MIL-B-70332/4 | WASHER, SHOULDERED (BOLT ASSEMBLY, CLAMP) REVIEWER: 82 IS MI OS ..... | A | 5310 | AR | | 25-MAY-84 | AR | AS | | 99 |
| | | MIL-B-70332/5 | WASHER, SPRING TENSION (BOLT ASSEMBLY, CLAMP) REVIEWER: 82 IS MI OS ..... | A | 5310 | AR | | 25-MAY-84 | AR | AS | | 99 |
| | | DOD-M-70333 | NUT, PLAIN AND SELF-LOCKING, CLINCH, METRIC (SELF-CLINCHING, KNURLED COLLAR) FIXED AND FLOATING USER: MC REVIEWER: 82 AT AV IS ME MI NS | A | 5310 | AR | | 18-JUN-85 | AR | AS | | 99 |
| | | DOD-M-70333/1 | NUT, PLAIN AND SELF-LOCKING, CLINCH, FIXED, METRIC (SELF CLINCHING, KNURLED COLLAR) USER: MC REVIEWER: 82 AT AV IS ME MI NS | A | 5310 | AR | | 18-JUN-85 | AR | AS | | 99 |
| | | DOD-M-70333/2 | NUT, PLAIN & SELF-LOCKING, CLINCH, FLOATING, METRIC (SELF CLINCHING, KNURLED COLLAR) USER: MC REVIEWER: 82 AT AV IS ME MI NS | A | 5310 | AR | | 18-JUN-85 | AR | AS | | 99 |
| L | | MIL-S-70335A | SCREW THREADS, INTERNAL COLD FORMED GENERAL SPECIFICATION FOR USER: MC REVIEWER: AL AT IS | A | THDS | AR | | 14-SEP-90 | AR | | | |
| | | DOD-W-70336 | WASHERS, LOCK, (METRIC) GENERAL SPECIFICATION FOR USER: AT MC REVIEWER: 82 *AV IS SH* | A | 5310 | AR | | 31-DEC-87 | AR | OS | | 99 |
| | | DOD-W-70336/1 | WASHER, LOCK SPRING, HELICAL, REGULAR SERIES, *(METRIC) USER: AT CR ER MC* ME REVIEWER: 82 AV EA IS MI SH | A | 5310 | AR | | 31-DEC-87 | AR | OS | | 99 |
| | | DOD-W-70336/3 | WASHER, LOCK FLAT, INTERNAL TOOTH (METRIC) USER: AT CR ER MC ME REVIEWER: 82 AV IS NS SH | A | 5310 | AR | | 08-JAN-88 | AR | OS | | 99 |
| | | DOD-W-70336/4 | WASHER, LOCK, FLAT, EXTERNAL TOOTH (METRIC) USER: AT CR ER MC ME REVIEWER: 82 AV IS NS SH | A | 5310 | AR | | 08-JAN-88 | AR | OS | | 99 |
| | | MIL-W-70336/5 | WASHER, LOCK, EXTERNAL TOOTH (METRIC) USER: AT CR ER MC REVIEWER: 82 AV IS MI SH | A | 5310 | AR | | 27-JUN-90 | AR | OS | | 99 |
| | | MIL-R-70337 | RING, RETAINING, ROUND SECTION USER: ME NS OS SH REVIEWER: 82 AT ER GL IS MI | A | 5365 | AR | | 15-JAN-88 | AR | | | 99 |
| | | MIL-R-70337/1 | RING, RETAINING, ROUND SECTION, EXTERNAL, CLOSED TYPE USER: NS OS SH REVIEWER: 82 AT ER GL IS ME MI | A | 5365 | AR | | 15-JAN-88 | AR | | | 99 |
| D | | DOD-S-70338 | SEAL RING, METAL, METRIC GENERAL SPECIFICATION FOR USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70338/1 | SEAL RING, COPPER, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70338/2 | SEAL RING, ALUMINUM, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70338/3 | SEAL RING, STEEL, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70339 SUPPL 1A1 | SEAL RING, METAL AND NON-METAL, FLAT, METRIC GENERAL SPECIFICATION FOR USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70339/1 | SEAL RING, ALUMINUM, FLAT, METRIC USER: 68 AS AT AV GL YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70339/2 | SEAL RING, COPPER, FLAT, METRIC USER: 68 AS AT GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 20-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70339/3 | SEAL RING, STEEL, FLAT, METRIC USER: 68 AS GL ME YD1 REVIEWER: 82 AT IS MI OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70339/4 | SEAL RING, VULCANIZED FIBER, FLAT, METRIC USER: 68 AS AT GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70339/5 | SEAL RING, PAPER, NON-IMPREGNATED, FLAT, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70339/6 | SEAL RING, PAPER, IMPREGNATED, FLAT, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70339/7 | SEAL RING, PRESSBOARD, FLAT, METRIC USER: 68 AS AT AV GL ME YD1 ..... | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70339/8 | SEAL RING, RUBBER, FLAT, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70340 | SEAL RIN, METAL, ASBESTOS FILLER, METRIC GENERAL SPECIFICATION FOR USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70340/1 | SEAL RING, ALUMINUM, ASBESTOS FILLER, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70340/2 | SEAL RING, COPPER, ASBESTOS FILLER, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| D | | DOD-S-70340/3 | SEAL RING, STEEL, ASBESTOS FILLER, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI MR OS | A | 5330 | AR | | 22-JUL-88 | AR | SH | | 99 |
| | | MIL-P-70341 | PACKING, PREFORMED, PTFE (POLYTETRAFLUOROETHYLENE) GENERAL SPECIFICATION FOR | A | 5330 | AR | | 23-SEP-88 | AR | SH | | 99 |
| | | MIL-P-70341/1 | PACKING, PREFORMED, PTFE (POLYTETRAFLUOROETHYLENE), NON-FILLED ..... | A | 5330 | AR | | 23-SEP-88 | AR | SH | | 99 |
| D | | MIL-W-70342 | WASHER, FLAT, METRIC GENERAL SPECIFICATION FOR USER: CE GL MC MI SH YD1 REVIEWER: ER IS | A | 5310 | AR | | 04-NOV-88 | AR | AS | | 99 |
| D | | MIL-W-70342/1 | WASHER, FLAT, REGULAR SERIES (TYPE I), CARBON STEEL, METRIC USER: CE GL MC MI SH YD1 REVIEWER: ER IS | A | 5310 | AR | | 04-NOV-88 | AR | AS | | 99 |
| D | | MIL-W-70342/2 | WASHER, FLAT, REGULAR SERIES (TYPE I), CRES, METRIC USER: CE GL MC MI SH YD1 REVIEWER: ER IS | A | 5310 | AR | | 04-NOV-88 | AR | AS | | 99 |
| D | | MIL-W-70342/3 | WASHER, FLAT, NARROW SERIES (TYPE II), CARBON STEEL, METRIC USER: CE GL MI REVIEWER: ER IS MC SH YD1 | A | 5310 | AR | | 04-NOV-88 | AR | AS | | 99 |

| Action | Doc. Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D | MIL-W-70342/4 | WASHER, FLAT, WIDE SERIES (TYPE III), HIGH STRENGTH, ALLOY STEEL, METRIC USER: CE GL MC MI SH YD1 REVIEWER: ER IS | A | 5310 | AR | | 04-NOV-88 | AR | AS | | 99 |
| D | MIL-W-70342/5 | WASHER, FLAT, WIDE SERIES (TYPE III), CARBON STEEL METRIC USER: CE GL MC MI SH YD1 REVIEWER: ER IS | A | 5310 | AR | | 04-NOV-88 | AR | AS | | 99 |
| | MIL-P-70343(1) | PACKING, FIBERGLASS, ROPE AND WICK REVIEWER: IS | A | 5330 | AR | | 26-APR-91 | AR | SH | | |
| | MIL-S-70344 | SHIM, LAMINATED, GENERAL SPECIFICATION FOR USER: AT REVIEWER: 82 AV IS MI MS | A | 5365 | AR | | 29-JUN-90 | AR | | | 99 |
| | MIL-S-70344/1 | SHIM, LAMINATED, ROUND, CLASS 1 (.002) LAMINATES USER: AT REVIEWER: 82 AV IS MI MS | A | 5365 | AR | | 29-JUN-90 | AR | | | 99 |
| | MIL-S-70344/2 | SHIM, LAMINATED, ROUND, CLASS 2 (.003) LAMINATES USER: AT REVIEWER: 82 AV IS MI MS | A | 5365 | AR | | 29-JUN-90 | AR | | | 99 |
| A L | DOD-C-70429A(1) | CANNON, 120MM GUN: M256 | B | 1015 | AR | | 16-JAN-90 | AR | | | |
| L | MIL-D-70430(3) | DECELERATOR, RAM AIR PARTS AND CONTAINER ASSEMBLY | A | 1330 | AR | | 02-MAR-90 | AR | | | |
| L | MIL-T-70431 NOTICE 1 | TEST SET, ELECTROMIC SYSTEM: M137 [VALIDATION DATE: 9109] | A | 1310 | AR | | 12-SEP-91 | AR | | | |
| L | MIL-D-70432 NOTICE 1 | DETONATOR, ELECTRIC, PA526 (XM70) LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1390 | AR | | 31-OCT-90 | AR | | | |
| L | MIL-P-70433 NOTICE 1 | PRIMER PERCUSSION, MODIFIED 209, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004] | A | 1375 | AR | | 20-APR-90 | AR | | | |
| L | MIL-W-70434(4) | WARHEAD, 2.75 INCH ROCKET, TEST, EMPTY, MODIFIED: PXR6358 WITH FLASH, PARTS AND ASSEMBLY | A | 1340 | AR | | 21-MAR-91 | AR | | | |
| L | MIL-F-70435(6) | FUZE, POINT DETONATING, (PD), M759 | A | 1305 | AR | | 18-SEP-89 | AR | | | |
| L | MIL-D-70436(2) | DETONATOR ASSEMBLY FOR FUZE, POINT DETONATING, M759 | A | 1305 | AR | | 02-DEC-85 | AR | | | |
| L | MIL-S-70437(2) | SPITBACK LEAD ASSEMBLY FOR FUZE, POINT DETONATING, M759 | A | 1305 | AR | | 02-DEC-85 | AR | | | |
| L | MIL-P-70438(1) | PLUG ASSEMBLY, LIFTING, UNIVERSAL | A | 1320 | AR | | 26-JAN-87 | AR | | | |
| L | MIL-P-70439(1) NOTICE 1 | PROJECTILE, 105MM, M456A1 AND M622 SPIKE AND CAP ASSEMBLY [VALIDATION DATE: 9010] | A | 1315 | AR | | 15-OCT-90 | AR | | | |
| L | MIL-S-70440(2) | SUPPORT, COVER | A | 1320 | AR | | 16-JUN-87 | AR | | | |
| L | MIL-C-70441(1) | CASE, BRASS, CAL .30, NATIONAL MATCH | A | 1305 | AR | | 02-MAR-87 | AR | | | |
| L | MIL-S-70442 NOTICE 1 | SIGHT, HELICOPTER, HEAD-UP SUBSYSTEM: M76 [VALIDATION DATE: 8904] | A | 1270 | AR | | 10-APR-89 | AR | | | |
| A L | MIL-D-70443(1) | DISPLAY UNIT, SIGHT, HELICOPTER HEAD UP SUBSYSTEM: M76 | A | 1270 | AR | | 26-AUG-92 | AR | | | |
| L | MIL-P-70444 NOTICE 1 | PROCESSOR, SIGNAL, SIGHT, HELICOPTER HEAD UP SUBSYSTEM: M76 [VALIDATION DATE: 8904] | A | 1270 | AR | | 10-APR-89 | AR | | | |
| L | MIL-B-70445(2) | BULLET, CAL .30 | A | 1305 | AR | | 22-JUL-91 | AR | | | |
| M L | MIL-M-70446A | MACHINE GUN, 5.56MM: M249 | A | 1005 | AR | | 30-MAR-93 | AR | | | |
| A L | MIL-P-70447(2) | PROJECTILE, PRACTICE, 155MM, M804 LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | | 07-MAY-92 | AR | | | |
| L | MIL-B-70448 | BARREL, MACHINE GUN, CAL .50, RECOIL AMPLIFIER, PRACTICE, M3 | A | 1005 | AR | | 30-OCT-87 | AR | | | |
| L | MIL-P-70449 NOTICE 1 | POWER MODULE ASSEMBLY FOR TEST SET, ELECTRONIC SYSTEM: M137 [VALIDATION DATE: 8811] | A | 1310 | AR | | 02-NOV-88 | AR | | | |
| L | MIL-P-70451(1) | PRIMER, ELECTRIC, XM125 (M125) LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | | 10-JUL-85 | AR | | | |
| L | MIL-P-70452C | PRIMER, ELECTRIC, M125 METAL PARTS FOR | A | 1315 | AR | | 20-JUL-91 | AR | | | |
| M L | MIL-M-70453A | MOUNT, TELESCOPE: 9360169 | A | 1240 | AR | | 08-MAR-93 | AR | | | |
| L | MIL-S-70454 | SIGHTUNIT: M64A1 | A | 1240 | AR | | 01-APR-85 | AR | | | |
| L | MIL-C-70455 NOTICE 1 | CASE CARTRIDGE, BLANK 75MM, M9A1B1 [VALIDATION DATE: 9010] | A | 1315 | AR | | 15-OCT-90 | AR | | | |
| A L | MIL-P-70456C(4) | PROPELLANT, STICK, M31A1E1 FOR USE IN CHARGE PROPELLING M203A1 | A | 1376 | AR | | 03-JUL-92 | AR | | | |
| L | MIL-U-70457 NOTICE 1 | URANIUM TETRAFLUORIDE (UF4), DEPLETED [VALIDATION DATE: 9101] | A | 6810 | AR | | 28-JAN-91 | AR | | | |
| L | DOD-F-70459 NOTICE 1 | FIBER, SHREDDED WOOD [VALIDATION DATE: 9011] | A | 1320 | AR | | 01-NOV-90 | AR | | | |
| L | MIL-C-70460A(1) NOTICE 1 | CARTRIDGE, 5.56MM, BALL, (HEAVY BULLET) REFERENCE [VALIDATION DATE: 9010] | A | 1305 | AR | | 31-OCT-90 | AR | | | |
| L | MIL-C-70461D(1) | COMBUSTIBLE CARTRIDGE CASE ASSEMBLY PARTS FOR CHARGE, PROPELLING, 155MM, M203A1 | A | 1320 | AR | | 13-MAY-92 | AR | | | |
| A L | MIL-C-70462C(7) | CHARGE PROPELLING, 155MM, M203A1 LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | | 09-DEC-92 | AR | | | |
| L | MIL-C-70463(1) | CARTRIDGE, 5.56MM, PLASTIC, BALL, PRACTICE, M862 | A | 1305 | AR | | 08-MAY-87 | AR | | | |
| L | MIL-G-70464(1) | GRENADE (GP), LINER FOR | A | 1330 | AR | | 21-AUG-91 | AR | | | |
| L | MIL-P-70465(2) | PLUG AND DISC ASSEMBLY, 8597489 | A | 1315 | AR | | 18-MAY-86 | AR | | | |
| A L | MIL-W-70467(3) | WARHEAD, 2.75 INCH ROCKET, PRACTICE: M274 | A | 1340 | AR | | 14-OCT-92 | AR | | | |
| L | MIL-C-70468A(1) | CARTRIDGE, DUMMY, 5.56MM INERT LOADED, M857 | A | 1305 | AR | | 11-MAY-92 | AR | | | |
| L | MIL-C-70469(1) | CONTAINER, STEEL, FOR BULK PROPELLANT | A | 8140 | AR | | 13-JAN-87 | AR | | | |
| L | MIL-C-70470(1) | CONTAINER, FIBER, FOR BULK PROPELLANT | A | 8140 | AR | | 13-JAN-87 | AR | | | |
| L | MIL-S-70471(1) | SAW, M249 BLANK AMMUNITION MAGAZINE ASSEMBLY AND FEEDSTRAP | A | 1005 | AR | | 25-JUN-90 | AR | | | |
| L | MIL-C-70472(2) | CONTAINER AND CUSHION ASSEMBLY, AMMUNITION, METAL, FOR CARTRIDGE, 120MM, TANK AMMUNITION | A | 8140 | AR | | 03-AUG-89 | AR | | | |
| L | MIL-C-70473(2) | CUSHION COMPONENTS FOR METAL CONTAINER FOR CARTRIDGE 120MM TANK AMMUNITION | A | 8140 | AR | | 23-MAY-88 | AR | | | |
| L | MIL-C-70474(3) | CHARGE, PROPELLING, M205, PAPER PREFORM PROCESS PARTS AND CONTAINER ASSEMBLY | A | 1315 | AR | | 05-MAR-90 | AR | | | |
| L | MIL-P-70475 NOTICE 1 | PAPER, NITROCELLULOSE BASE [VALIDATION DATE: 9004] | A | 1375 | AR | | 20-APR-90 | AR | | | |
| L | MIL-P-70476(1) NOTICE 1 | PROJECTILE, 155MM: INERT, M483A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9011] | A | 1320 | AR | | 01-NOV-90 | AR | | | |
| L | MIL-G-70477(2) NOTICE 1 | GRENADES, GP: M42 AND M46, INERT LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] | A | 1330 | AR | | 31-OCT-90 | AR | | | |
| L | MIL-C-70478(3) | CONTAINER, AMMUNITION, METAL, FOR CARTRIDGE, 120MM, TANK AMMUNITION | A | 8140 | AR | | 24-OCT-91 | AR | | | |
| L | MIL-O-70483A | OPERATION UNIT, FOR ROCKET MANAGEMENT SUBSYSTEM, M138 | A | 1310 | AR | | 20-APR-85 | AR | | | |
| L | MIL-D-70484 | DISPLAY UNIT, FOR ROCKET MANAGEMENT SUBSYSTEM M138 [VALIDATION DATE: 9109] | A | 1310 | AR | | 12-SEP-91 | AR | | | |
| L | MIL-I-70485(1) | INDICATOR, AIRSPEED, AND DIRECTION FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143 | A | 1270 | AR | | 13-AUG-90 | AR | | | |
| L | MIL-P-70486(1) | PROCESSOR, SIGNAL, FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143 | A | 1270 | AR | | 13-AUG-90 | AR | | | |
| L | MIL-D-70487(1) | DETECTOR, WIND DIRECTION, SPEED, AND TEMPERATURE, FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143 | A | 1270 | AR | | 13-AUG-90 | AR | | | |
| L | MIL-C-70489(1) | COMPUTER, BALLISTICS, MORTAR | A | 1220 | AR | | 21-MAR-86 | AR | | | |
| L | MIL-C-70490(1) | CIRCUIT CARD ASSEMBLY, MEMORY | A | 1220 | AR | | 21-MAR-86 | AR | | | |
| L | MIL-C-70491(2) | CIRCUIT CARD ASSEMBLY, DISPLAY/PROCESSOR | A | 1220 | AR | | 12-MAR-90 | AR | | | |
| L | MIL-C-70492(2) | CIRCUIT CARD ASSEMBLY, MODEM | A | 1220 | AR | | 12-MAR-90 | AR | | | |
| L | MIL-K-70493(1) | KEYBOARD, DATA ENTRY | A | 1220 | AR | | 21-MAR-86 | AR | | | |
| L | MIL-C-70494(1) | CIRCUIT CARD ASSEMBLY, AUDIO INTERFACE | A | 1220 | AR | | 21-MAR-86 | AR | | | |
| L | MIL-C-70495(2) | CIRCUIT CARD ASSEMBLY, DISPLAY POWER SUPPLY | A | 1220 | AR | | 21-MAR-86 | AR | | | |
| L | MIL-C-70496(1) | CIRCUIT CARD ASSEMBLY, LOGIC POWER SUPPLY | A | 1220 | AR | | 21-MAR-86 | AR | | | |
| L | MIL-C-70497(1) | CIRCUIT CARD ASSEMBLY, CASE INTERCONNECT | A | 1220 | AR | | 21-MAR-86 | AR | | | |
| L | MIL-C-70498(1) | CIRCUIT CARD ASSEMBLY, INTERCONNECT | A | 1220 | AR | | 21-MAR-86 | AR | | | |
| L | MIL-M-705008 | MICRO-REPRODUCTION SYSTEM FOR ENGINEERING CHANGE PROPOSALS, REQUESTS FOR DEVIATIONS, & REQUESTS FOR WAIVERS | A | EDRS | AR | | 23-NOV-87 | AR | | | |
| L | MIL-C-70501(3) | CHARGE, PROPELLING, M204, PAPER PREFORM PROCESS PARTS AND CONTAINER ASSEMBLY | A | 1310 | AR | | 05-APR-90 | AR | | | |
| L | MIL-R-70502(2) | RACK, STORAGE SMALL SAW (M13) | A | 1095 | AR | | 01-JUL-88 | AR | | | |
| L | MIL-R-70503A | ROCKET MANAGEMENT SUBSYSTEM M138 | A | 1310 | AR | | 20-APR-85 | AR | | | |
| L | MIL-P-70504A(2) | PROJECTILE, 155MM: M864 BODY & OGIVE ASSEMBLY FOR | A | 1320 | AR | | 03-APR-89 | AR | | | |
| A L | MIL-P-70505(4) | PROJECTILE, 155MM: XM864(M864) PROPELLANT GRAIN | A | 1320 | AR | | 26-DEC-92 | AR | | | |
| L | MIL-P-70506A(1) | PROJECTILE, 155MM: M864 BASE BURNER ASSEMBLY LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | | 03-APR-89 | AR | | | |

| Action | Opn / Obs, Cancellation Inactive | Document Number | Document Title | Dist Stmt FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | L | MIL-P-70507(3) | PROJECTILE, 155MM, HE, (M864) LOADING, ASSEMBLING AND PACKING | A 1320 AR 31-OCT-90 | AR | | | |
| N | L | MIL-C-70508(7) | CARTRIDGE, 9MM, BALL, NATO, XM882 (M882) | A 1305 AR 18-MAR-93 | AR | | | |
| N | L | MIL-C-70509(5) | CARTRIDGE, 9MM, TEST, HIGH PRESSURE, XM905 | A 1305 AR 18-MAR-93 | AR | | | |
| A | L | MIL-B-70511B | BOLT, AUTOMATIC WEAPON: (PRACTICE) M2 | A 1005 AR 04-JAN-93 | AR | | | |
| | L | MIL-C-70512 | COMPONENT BOARD ASSEMBLY: 10558242 | A 4931 AR 30-DEC-86 | AR | | | |
| | L | MIL-F-70518(2) | FLARE, INFRARED TRACKING, MARK 33 MOD 0 (ARMY) PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A 1370 AR 22-AUG-90 | AR | | | |
| A | L | MIL-T-70521A | TELESCOPE, ELBOW: 9360257 | A 1240 AR 22-OCT-92 | AR | | | |
| | L | MIL-P-70524(3) | PROJECTILE, 105MM, HE, RA, M913/XM927 WARHEAD INSULATION ASSEMBLY FOR | A 1315 AR 07-MAY-92 | AR | | | |
| | L | MIL-P-70525(3) | PROJECTILE, 105MM, HE, RA, M913/XM927 MOTOR BODY BONDING ASSEMBLY FOR | A 1315 AR 16-SEP-91 | AR | | | |
| A | L | MIL-P-70526(3) | CARTRIDGE, 105MM, HE, RA, M913/XM927 DELAY ASSEMBLY FOR | A 1315 AR 04-NOV-92 | AR | | | |
| N | L | MIL-P-70528(2) | CARTRIDGE, 105MM, HE, RA, M913/XM927 DELAY ASSEMBLY PARTS FOR | A 1315 AR 13-APR-93 | AR | | | |
| A | L | MIL-F-70531(2) | FUZE, MT, SQ, M582A1 LOADING, ASSEMBLING AND PACKING | A 1390 AR 30-JUN-92 | AR | | | |
| | L | MIL-C-70532(2) | CARTRIDGES, 105MM, HE, RA, M913 AND XM927 (WITH WARHEAD AND MOTOR BODY) LOADING, ASSEMBLING AND PACKING | A 1320 AR 03-SEP-91 | AR | | | |
| N | L | MIL-P-70533(5) | CARTRIDGE, 105MM, HE, RA M913/XM927 ROCKET PROPELLANT FOR | A 1315 AR 09-APR-93 | AR | | | |
| A | L | MIL-I-70534(2) | IGNITER, ELECTRIC MATCH PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A 1370 AR 23-FEB-93 | AR | | | |
| A | L | MIL-S-70536(2) | SIMULATOR, TARGET KILL, PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A 1370 AR 12-FEB-93 | AR | | | |
| | L | MIL-S-70538(1) | SAW, M249 AMMUNITION MAGAZINE ASSEMBLY AND FEEDSTRAP | A 1005 AR 29-JUN-90 | AR | | | |
| | L | MIL-P-70539(1) | PROPELLANT M30 FOR USE IN CHARGE, PROPELLING, 105MM, M200 | A 1376 AR 29-OCT-87 | AR | | | |
| | L | MIL-M-70542(1) | MUZZLE BORESIGHT DEVICE 11785384 (M26 FOR M105MM GUN TUBE) | A 1240 AR 29-APR-91 | AR | | | |
| A | L | MIL-P-70543A(3) | PROJECTILE, 81MM ILLUMINATING, M853A1, METAL PARTS | A 1315 AR 24-FEB-93 | AR | | | |
| A | L | MIL-C-70544A(4) | CARTRIDGE, 81MM, ILLUMINATING, M853A1, LOADING, ASSEMBLING, AND PACKING | A 1315 AR 24-FEB-93 | AR | | | |
| A | L | MIL-C-70545(1) | CHARGE, PROPELLING, M218/219/220 LOADING, ASSEMBLING AND PACKING | A 1315 AR 25-SEP-92 | AR | | | |
| | | MIL-F-70546 | FIN ASSEMBLIES, MORTAR CARTRIDGE, 81MM, M28, M29 | A 1315 AR 06-SEP-86 | AR | | | |
| | L | MIL-S-70547(4) | SPHEROIDAL PROPELLANT, M38 FOR USE IN PROPELLING CHARGES M218, M219, AND M220 FOR CARTRIDGES, 81MM, SMOKE, M819, ILLUMINATING M853 AND PRACTICE, M879 | A 1376 AR 25-MAY-92 | AR | | | |
| A | L | MIL-O-70548(4) | OBTURATING BAND, PLASTIC SPLIT (MOLDED) | A 1395 AR 04-NOV-92 | AR | | | |
| | L | MIL-C-70549(2) | CARTRIDGE, 81MM SMOKE, RED PHOSPHORUS M819, WITH FUZE MTSQ M772 LOADING ASSEMBLING AND PACKING | A 1315 AR 10-AUG-88 | AR | | | |
| | L | MIL-P-70550 | PELLET, RED PHOSPHORUS, FOR MORTAR CARTRIDGE 81MM SMOKE, RP, M819 | A 1370 AR 06-SEP-86 | AR | | | |
| | L | MIL-P-70551 | PROJECTILE, 81MM SMOKE, RP, M819 METAL PARTS | A 1315 AR 06-SEP-86 | AR | | | |
| | L | MIL-C-70552 | CARTRIDGE CASE, 20MM, EMPTY, PRIMED | A 1305 AR 06-FEB-86 | AR | | | |
| | L | MIL-R-70553 | RACK, STORAGE MK19 (XM15 | A 1095 AR 14-JAN-86 | AR | | | |
| A | L | MIL-R-70561B | RECEIVER-TRANSMITTER, RADAR SET RT-860A/VPS-2A: 9361152 | A 1285 AR 24-JAN-92 | AR | | | |
| A | L | MIL-C-70562B | COMPUTER, RANGE CP-888A/VPS-2A: 9361153 | A 1285 AR 08-DEC-92 | AR | | | |
| A | L | MIL-C-70568B(1) | CIRCUIT BOARD, INPUT/OUTPUT: 9360881 | A 1285 AR 09-OCT-92 | AR | | | |
| N | L | MIL-C-70570C | CIRCUIT BOARD, SERVO CONTROLLER: 9360875 | A 1285 AR 12-APR-93 | AR | | | |
| A | L | MIL-C-70571B | CIRCUIT BOARD, BUILT-IN-TEST BOARD NO. 1, UNIT 4: 9360949 | A 1285 AR 23-FEB-93 | AR | | | |
| A | L | MIL-C-70572B(1) | CIRCUIT BOARD, BUILT IN TEST #2, UNIT 4: 9360952 | A 1285 AR 08-DEC-92 | AR | | | |
| N | L | MIL-C-70573B | CIRCUIT ASSEMBLY, BUILT IN TEST, SA3A3, U/5: 9360998 | A 1285 AR 11-MAR-93 | AR | | | |
| A | L | MIL-C-70574B(1) | CIRCUIT BOARD ASSEMBLY, BUILT IN TEST 2A8 UNIT 2: 9361010 | A 1285 AR 30-OCT-92 | AR | | | |
| | L | MIL-C-70575B | CIRCUIT BOARD, DISPLAY CONTROL PANEL: 9360884 | A 1285 AR 26-FEB-92 | AR | | | |
| A | L | MIL-V-70579B(2) | VOLTAGE CONVERTER: 9360839 | A 1285 AR 09-SEP-92 | AR | | | |
| A | L | MIL-C-70580B(2) | CIRCUIT BOARD, 400 HZ INVERTER, VOLTAGE CONVERTER (PIVADS): 9397386 | A 1285 AR 09-OCT-92 | AR | | | |
| A | L | MIL-C-70581B(2) | CIRCUIT BOARD, +5.2 VOLT CONVERTER, VOLTAGE CONVERTER (PIVADS): 9397383 | A 1285 AR 09-OCT-92 | AR | | | |
| A | L | MIL-C-70582B(2) | CIRCUIT BOARD, +24 VOLT CONVERTER, VOLTAGE CONVERTER (PIVADS): 9397385 | A 1285 AR 09-OCT-92 | AR | | | |
| A | L | MIL-C-70583B(1) | CIRCUIT BOARD, +15 VOLT CONVERTER, VOLTAGE CONVERTER (PIVADS): 9397384 | A 1285 AR 28-DEC-92 | AR | | | |
| A | L | MIL-C-70584B(2) | CIRCUIT BOARD, CONTROL AND SYNCHRONIZER, VOLTAGE CONVERTER (PIVADS): 9397382 | A 1285 AR 28-OCT-92 | AR | | | |
| A | L | MIL-C-70585B(1) | CIRCUIT BOARD, DATA TRANSMISSION (PIVADS): 9397510 | A 1285 AR 09-OCT-92 | AR | | | |
| A | L | MIL-C-70586B(1) | CONTROL ASSEMBLY, M163A2 (SP): 9361150 | A 1285 AR 28-OCT-92 | AR | | | |
| A | L | MIL-S-70587B(1) | SERVO AMPLIFIER: 9361156 | A 1285 AR 09-SEP-92 | AR | | | |
| | L | MIL-R-70589B | REMOTE BIT TEST SET: TS-4211/TSM-1008: 9361217 | A 4931 AR 30-SEP-91 | AR | | | |
| A | L | MIL-C-70590B(1) | CONTROL ASSEMBLY TEST PANEL TS-4215/TSM-1008: 9361261 | A 4931 AR 09-SEP-92 | AR | | | |
| | L | MIL-G-70595B | GYRO CONTROL BOARD: 9361069 | A 1285 AR 02-FEB-91 | AR | | | |
| A | L | MIL-P-70596B(1) | POWER BOARD: 9361073 | A 1285 AR 08-DEC-92 | AR | | | |
| | L | MIL-C-70598B | CONTROL ASSEMBLY, M167A2 (TOWED): 9378473 | A 1285 AR 01-JUN-92 | AR | | | |
| A | L | MIL-C-70599(1) | CARBINE, 5.56MM: XM4 | A 1005 AR 27-NOV-92 | AR | | | |
| | L | MIL-C-70600(1) | CARTRIDGES, CALIBER .22 | A 1305 AR 22-APR-88 | AR | | | |
| | L | MIL-F-70601 | FUZE, TIME, XM768 METAL PARTS LOADING ASSEMBLING AND PACKING | A 1390 AR 29-MAY-86 | AR | | | |
| | | MIL-D-70602(1) | DETONATOR, STAB, PA523 PARTS FOR | A 1345 AR 12-SEP-86 | AR | | | |
| | L | MIL-D-70603(2) | DETONATOR, STAB, PA 523 LOADING, ASSEMBLING, AND PACKING | A 1345 AR 25-MAR-92 | AR | | | |
| | L | MIL-A-70604(1) | AMINE BONDING AGENT | A 6810 AR 23-NOV-90 | AR | | | |
| | L | MIL-M-70605(1) | 2,2' - METHYLENEBIS (4-METHYL-6-TERT-BUTYLPHENOL) | A 6810 AR 23-NOV-90 | AR | | | |
| A | L | MIL-K-70606(1) | KNIFE, BAYONET, MULTIPURPOSE, M9 WITH SCABBARD | A 1005 AR 02-SEP-92 | AR | | | |
| | L | MIL-A-70608A | ADAPTER & FUZE, ASSEMBLY: M624, LOADING, ASSEMBLING AND PACKING | A 1345 AR 31-MAY-88 | AR | | | |
| | L | MIL-A-70609A | ADAPTER & FUZE, ASSEMBLY: M624, PARTS FOR | A 1345 AR 31-MAY-88 | AR | | | |
| | L | MIL-E-70610 | EIMITE IGNITER | A 1345 AR 01-JUN-86 | AR | | | |
| | L | MIL-P-70612(2) | PROJECTILE, 155MM: M864 BASE ASSEMBLY FOR | A 1320 AR 03-APR-89 | AR | | | |
| | L | MIL-F-70613(4) | FUZE, PD, M936 LOADING, ASSEMBLING AND PACKING | A 1390 AR 01-FEB-91 | AR | | | |
| A | L | MIL-C-70614(2) | CARTRIDGE, 60MM, SMOKE, WP, M302A2 ASSEMBLING, MARKING AND PACKING | A 1310 AR 12-OCT-92 | AR | | | |
| | L | MIL-S-70615A | SLINGS, TOP-LIFT, FAMILY OF SLINGS | A 3940 AR 25-JAN-91 | AR | | | |
| | L | MIL-G-70617A | GUNFIRE SIMULATOR: 12725085 | A 1290 AR 26-SEP-91 | AR | | | |
| A | L | MIL-C-70618A(1) | CIRCUIT CARD ASSEMBLY, GUNFIRE SIMULATOR: 12725086 | A 6920 AR 01-DEC-92 | AR | | | |
| | L | MIL-F-70620A(1) | FUZE, MTSQ, M772 LOADING, ASSEMBLING AND PACKING | A 1390 AR 01-JUN-90 | AR | | | |
| | L | MIL-C-70621 | CARTRIDGE, 9MM, BALL, REFERENCE | A 1305 AR 20-FEB-87 | AR | | | |
| | L | MIL-W-70622 | WARHEAD, 2.75 INCH ROCKET, TEST, PXR6369, WITH SMOKE FOR TEST: FUZE, ROCKET, M433 | A 1340 AR 06-MAR-87 | AR | | | |
| | L | MIL-P-70624A(3) | POWER BOX COMPONENTS ASSEMBLY, ELECTRONICS BOX COMPONENTS ASSEMBLY, CABLE ASSEMBLIES AND TRANSMITTER ASSEMBLY FOR MINE DISPENSER: M138 (FLIPPER) | A 1345 AR 24-MAR-92 | AR | | | |
| | L | MIL-A-70625A | AUTOMATED ACCEPTANCE INSPECTION EQUIPMENT DESIGN, TESTING AND APPROVAL, OF | A 1395 AR 21-APR-89 | AR | | | |
| | L | MIL-C-70627A(2) | CONTAINER, SHIPPING AND STORAGE: PA122 | A 1345 AR 24-MAR-92 | AR | | | |
| | L | MIL-C-70628(1) | CONTAINER, AMMUNITION, PA108 ASSEMBLY | A 1305 AR 23-FEB-90 | AR | | | |
| | L | MIL-C-70629(1) | CONTROL, MINE DISPENSER FOR THE UNIVERSAL MINE DISPENSER SYSTEM, M139 (CONTROLLED DISTRIBUTION) | F 1095 AR 27-AUG-90 | AR | | | |
| | L | MIL-C-70630(4) | CONTAINER, AMMUNITION, METAL, PA117, FOR CARTRIDGE 105MM TANK AMMUNITION | A 8140 AR 01-JUN-92 | AR | | | |
| | L | MIL-D-70631A(2) | DISPENSER, MINE: M138 (FLIPPER) | A 1345 AR 24-MAR-92 | AR | | | |
| | L | MIL-C-70636 | CARTRIDGE, 20MM, ARMOR PIECEING-TRACER, M95 (PERCUSSION PRIMER) | A 1305 AR 02-MAR-88 | AR | | | |
| | L | MIL-P-70637 | PROJECTILE, 20MM, ARMOR PIERCING-TRACER, M95, METAL PARTS | A 1305 AR 02-MAR-88 | AR | | | |
| A | L | MIL-T-70638 | TEST PROJECTILE, 155MM, NON-HE, FOR M692/M731 TEST MINES LOADING, ASSEMBLING AND PACKING OF | A 1320 AR 18-NOV-92 | AR | | | |
| | L | MIL-C-70660A | CANISTER ASSEMBLY, M88 LOADING, ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION) | B 1345 AR 02-FEB-90 | AR | | | |
| | L | MIL-P-70661(3) | POTTED CIRCUIT CARD ASSEMBLY FOR TOW-2/E6 PROBE AND S&A ASSEMBLY | A 1336 AR 10-APR-92 | AR | | | |
| | L | MIL-C-70663A | CARTRIDGE, CALIBER .50 SLAP BALL AND TRACER (SABOTED LIGHT ARMOR PENETRATOR) - XM903 AND XM962 | A 1305 AR 06-FEB-91 | AR | | | |
| | L | MIL-P-70668(2) | PRESSURE CARTRIDGE ASSEMBLY LOADING, ASSEMBLING AND PACKING | A 1345 AR 15-JUL-91 | AR | | | |
| | L | MIL-B-70670A | BORE RIDER TIMER, LOADING, ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION) | X 1345 AR 16-NOV-89 | AR | | | |
| | L | MIL-P-70671(1) | PRIMER, ELECTRIC, LOADING, ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION) | F 1345 AR 06-MAY-91 | AR | | | |
| A | L | MIL-F-70673(2) | FUZE, ROCKET, BASE DETONATING, M442 | A 1340 AR 07-DEC-92 | AR | | | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-P-70674(2) | PROJECTILE 155MM: M864 METAL PARTS FOR BASE BURNER ASSEMBLY | A | 1320 AR | 22-MAY-91 | AR | | | |
| | L | MIL-P-70675(1) | POWER SUPPLY ASSEMBLY, FOR MINES, M71BA1/M741A1, SYSTEM | A | 1345 AR | 26-JUL-91 | AR | | | |
| | L | MIL-F-70676 | FERRIC ACETYLACETONATE | A | 6810 AR | 29-JUN-88 | AR | | | |
| | L | MIL-B-70677(1) | BURSTER, PROJECTILE, XM85 (M85) LOADING, ASSEMBLING AND PACKING | A | 1310 AR | 23-FEB-90 | AR | | | |
| | L | MIL-C-70678(3) | CASE, PROJECTILE BURSTER, XM216 (M216) | A | 1310 AR | 18-FEB-92 | AR | | | |
| | L | MIL-P-70679(2) | PROJECTILE, 60MM, WP, XM722 (M722) BODY ASSEMBLY | A | 1310 AR | 15-MAR-91 | AR | | | |
| | L | MIL-T-70681(1) | TRIPHENYL BISMUTH | A | 6810 AR | 23-NOV-90 | AR | | | |
| M | L | MIL-S-70682(1) | SIMULATOR, FLASH, ARTILLERY, M21 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1370 AR | 26-MAR-93 | | | | |
| | L | MIL-C-70683A | CHARGE, DEMOLITION: 40LB, CRATERING PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1375 AR | 22-AUG-91 | AR | | | |
| | L | MIL-S-70685 | SLIP RING ASSEMBLY | A | 1005 AR | 10-FEB-87 | AR | | | |
| | L | MIL-P-70686(1) | PRE-AMP CIRCUIT BOARD: 12594670 | A | 1285 AR | 29-MAR-91 | AR | | | |
| | L | MIL-D-70687 | DRIVER CIRCUIT BOARD: 12594675 | A | 1285 AR | 13-JUN-90 | AR | | | |
| | L | MIL-O-70688(1) | OUTPUT CIRCUIT BOARD: 12594680 | A | 1285 AR | 19-SEP-91 | AR | | | |
| | L | MIL-H-70689(1) | HEATSINK ASSEMBLY: 12594650 | A | 1285 AR | 09-AUG-91 | AR | | | |
| | L | MIL-C-70690 | CARTRIDGE, FUZELESS, 25MM, HIGH EXPLOSIVE INCENDIARY TRACER, (HEI-T), M792 | A | 1305 AR | 16-SEP-88 | AR | | | |
| | L | MIL-M-70691(1) | 4,4' - METHYLENEBIS (2,6-DITERTBUTYLPHENOL) | A | 6810 AR | 23-NOV-90 | AR | | | |
| | L | MIL-S-70692(1) | SYM-BETA-NAPHTHYLPARAPHENYLENEDIAMINE | A | 6810 AR | 23-NOV-90 | AR | | | |
| A | L | MIL-E-70694A(1) | ELECTRONIC CONTROL UNIT: 11784504 | A | 6920 AR | 19-JAN-93 | AR | | | |
| A | L | MIL-P-70695(2) | PROJECTILE, PRACTICE, 155MM, M804E1 CAST METAL PARTS ASSEMBLY | A | 1320 AR | 13-JUL-92 | AR | | | |
| | L | MIL-M-70696 | MINE ASSEMBLY, ANTI-PERSONNEL, M86 LOADING AND ASSEMBLING OF | A | 1345 AR | 10-JUL-88 | AR | | | |
| | L | MIL-P-70697 | PURSUIT DETERRENT MUNITION, HAND EMPLACED MINE (PDM), M86 MOLDED ASSEMBLY FOR | A | 1345 AR | 10-JUL-88 | AR | | | |
| | L | MIL-I-70698 | IMPROVED LIFTING TARGET ELEVATING MECHANISM: 9375512 | A | 6920 AR | 30-DEC-88 | AR | | | |
| | L | MIL-T-70699 | TEST SET, FIRE CONTROL SUBSYSTEM: M143 | A | 1270 AR | 30-JUL-87 | AR | | | |
| | L | MIL-T-70700A | TARGET HOLDING MECHANISM ASSEMBLY: 9375764 | A | 6920 AR | 07-FEB-92 | AR | | | |
| | L | MIL-A-70702B | AZIMUTH DRIVE ASSEMBLE: 9360802 | A | 1285 AR | 27-SEP-91 | AR | | | |
| | | MIL-S-70703(2) | STRAND CAST STEEL, CARBON & ALLOY, FOR PROJECTILE APPLICATIONS REVIEWER: 70 MR | A | MECA AR | 18-MAR-88 | AR | 99 | | |
| A | L | MIL-D-70704B | DISTRIBUTION BOX: 9397370 | A | 1285 AR | 03-JUL-92 | AR | | | |
| | L | MIL-M-70705B | MICROWAVE CHASSIS ASSEMBLY: 9361371 | A | 1285 AR | 29-JUL-91 | AR | | | |
| A | L | MIL-F-70713(1) | FUZE, MTSQ, M776 LOADING, ASSEMBLING AND PACKING | A | 1390 AR | 29-OCT-92 | AR | | | |
| A | L | MIL-C-70714(6) | CARTRIDGE, 60MM, ILLUMINATING, XM721 (M721) LOADING, ASSEMBLING, AND PACKING | A | 1310 AR | 26-DEC-92 | AR | | | |
| | L | MIL-P-70715(3) | PROJECTILE, 60MM ILLUMINATING, XM721, (M721) METAL PARTS FOR | A | 1310 AR | 01-JUN-92 | AR | | | |
| | L | MIL-M-70719 | MINE, ANTITANK: ME VOLCANO LOADING ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION) | F | 1345 AR | 05-APR-90 | AR | | | |
| M | L | MIL-M-70720A | MINE, ANTI-PERSONNEL: ME, VOLCANO LOADING, ASSEMBLING AND PACKING | D | 1345 AR | 27-APR-93 | AR | | | |
| | L | MIL-C-70721A | GRENADE AND TUBE ASSEMBLY METAL PARTS ASSEMBLY | A | 1320 AR | 10-APR-92 | AR | | | |
| M | L | MIL-C-70723 | CARTRIDGE, CALIBER .50, M-858 BALL AND M-860 TRACER SHORT RANGE TRAINING AMMUNITION | A | 1305 AR | 19-APR-93 | AR | | | |
| AM | | MIL-C-70724 | CARTRIDGE, 5.56MM, BLANK, M200A1 PERFORMANCE SPECIFICATION FOR | A | 1305 AR | 22-OCT-92 | AR | | | |
| A | L | MIL-C-70725 | CARTRIDGE, 5.56MM, M862 SHORT RANGE TRAINING AMMUNITION PERFORMANCE SPECIFICATION FOR | A | 1305 AR | 02-JUL-92 | AR | | | |
| A | L | MIL-C-70726 | CARTRIDGE, CALIBER .50, BLANK, XM928, PERFORMANCE SPECIFICATION FOR | A | 1305 AR | 05-FEB-93 | AR | | | |
| | L | MIL-C-70729 | CHARGE PROOF, 155MM, PXR-6297A1 LOADING, ASSEMBLING AND PACKING | A | 1320 AR | 31-MAR-89 | AR | | | |
| | NL | MIL-B-70731 | BATTERY, PRIMARY RESERVE, AMMONIA 8 MILLIAMPERE HOUR CAPACITY, FOR MINE, ANTI-PERSONNEL: M86 | A | 1345 AR | 10-JUL-88 | AR | | | |
| | L | MIL-P-70732 | PROPELLANT, STICK, M31A1E1 FOR USE IN CHARGE, PROOF, 155MM, PXR-6297A1 | A | 1376 AR | 31-MAR-89 | AR | | | |
| M | L | MIL-C-70733(2) | CUSHION AND SUPPORT COMPONENTS FOR METAL CONTAINER FOR VOLCANO MINE CANISTER | A | 8140 AR | 16-APR-93 | AR | | | |
| | L | MIL-C-70734(1) | CONTAINER, AMMUNITION, METAL, PA113, FOR CANISTER, VOLCANO MINE M87/M88 | A | 8140 AR | 09-SEP-91 | AR | | | |
| | L | MIL-P-70735 | PAPER, NITROCELLULOSE BASE FOR ARTILLERY PROPELLING CHARGES | A | 1375 AR | 28-MAY-91 | AR | | | |
| A | L | MIL-F-70736(1) | FUZE, DEMOLITION KIT, M1134A3 WITH DETONATORS, PARTS FOR | A | 1375 AR | 08-FEB-93 | AR | | | |
| A | L | MIL-A-70737(1) | FUZE, DEMOLITION KIT, M1134A3 LOADING ASSEMBLING, AND PACKING | A | 1375 AR | 08-FEB-93 | AR | | | |
| | L | MIL-C-70740 | CONTAINER, AMMUNITION, LIGHTWEIGHT METAL FOR 155MM PROPELLING CHARGE | A | 8140 AR | 15-JUL-91 | AR | | | |
| A | L | MIL-C-70741(1) | CONTAINER, METAL, PA117 | A | 8140 AR | 15-FEB-93 | AR | | | |
| | L | MIL-M-70742(1) | MOUNT, TELESCOPE AND QUADRANT: M187 | A | 1240 AR | 14-JUN-91 | AR | | | |
| | L | MIL-S-70745(1) | STRIP, AMMUNITION, METALLIC, 30MM | A | 1305 AR | 31-MAY-91 | AR | | | |
| | L | MIL-A-70746 | ADAPTER, PALLET, FOR PA113 METAL CONTAINER FOR M87/M88 CANISTERS (REQUESTS FROM OTHER THAN DOD MUST BE SUBMITTED VIA THE PREPARING ACTIVITY COMMANDER, ARDEC, ATTN: SMCAR-FSM, PICATINNY ARSENAL, NJ 07806-5000) | F | 8140 AR | 19-JAN-89 | AR | | | |
| A | L | MIL-L-70751A | LEAD, PARTS, ASSEMBLY AND PACKAGING FOR | A | 1305 AR | 11-SEP-92 | AR | | | |
| A | L | MIL-D-70752A | DETONATOR, STAB, PARTS, ASSEMBLY AND PACKAGING FOR | A | 1305 AR | 11-SEP-92 | AR | | | |
| | L | MIL-A-70753(1) | ADAPTERS, PALLET, WOODEN FOR METAL CONTAINER FOR 105MM AND 120MM TANK AMMUNITION | A | 8140 AR | 28-JAN-91 | AR | | | |
| | L | MIL-A-70754(2) | ADAPTERS, PALLET, METAL, FOR METAL CONTAINER FOR 105MM AND 120MM TANK AMMUNITION | A | 8140 AR | 28-JAN-91 | AR | | | |
| | L | MIL-T-70755 | TEST VEHICLE PROJECTILE METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING | A | 1310 AR | 30-SEP-88 | AR | | | |
| | L | MIL-I-70756(1) | INERT PROJECTILE ASSEMBLY LESS ESCAPEMENT ASSEMBLY METAL PARTS AND ASSEMBLING AND PACKAGING | A | 1310 AR | 25-MAY-90 | AR | | | |
| A | L | MIL-F-70757(1) | FUZE, DEMOLITION KIT, M1134A2 LOADING ASSEMBLING, AND PACKING | A | 1375 AR | 08-FEB-93 | AR | | | |
| A | L | MIL-F-70758(1) | FUZE, DEMOLITION KIT, M1134A2 WITH DETONATORS, PARTS FOR | A | 1375 AR | 08-FEB-93 | AR | | | |
| | L | MIL-P-70762(1) | PROPELLANT, COMPOSITE, CAST, FOR USE IN SIMULATOR, MISSILE: SAGGER XM27 | A | 1376 AR | 30-SEP-91 | AR | | | |
| | L | MIL-M-70763 | MINE ANTI-PERSONNEL M86: CLASSROOM MODEL FOR | A | 1345 AR | 10-JUL-88 | AR | | | |
| | L | MIL-M-70765 | MINE ANTI-PERSONNEL, M86, SPECIAL TEST MINE LOADING AND ASSEMBLY OF | A | 1345 AR | 10-JUL-88 | AR | | | |
| | L | MIL-C-70767 | CONTAINERS, SHIPPING AND STORAGE: PA 139, FOR THE M139 MINE DISPENSER SYSTEM | A | 8140 AR | 30-JAN-89 | AR | | | |
| | L | MIL-C-70768 | CONTAINER, SHIPPING AND STORAGE, PA140 FOR THE M139 MINE DISPENSER SYSTEM (CONTROLLED DISTRIBUTION) | X | 8140 AR | 30-JAN-89 | AR | | | |
| | L | MIL-C-70769 | CONTAINERS, SHIPPING AND STORAGE: PA 134, PA 135, AND PA 136, FOR THE M139 MINE DISPENSER SYSTEM (CONTROLLED DISTRIBUTION) | F | 8140 AR | 01-DEC-88 | AR | | | |
| A | L | MIL-C-70770 | CONTAINERS, SHIPPING AND STORAGE: PA 137, PA 138 AND PA 141, FOR THE M139 MINE DISPENSER SYSTEM | A | 1095 AR | 04-NOV-92 | AR | | | |
| A | L | MIL-M-70771 | MOUNTING KIT, MINE DISPENSER: AIR SYSTEM FOR M139 DISPENSERS | A | 1095 AR | 04-NOV-92 | AR | | | |
| M | L | MIL-C-70775 | CARTRIDGE, 25MM, TARGET PRACTICE DISCARDING SABOT WITH TRACER (TPDS-T), M910 | A | 1305 AR | 19-APR-93 | AR | | | |
| | L | MIL-B-70776 | BANDOLEER FOR MINE, ANTIPERSONNEL M86 | A | 1345 AR | 10-JUL-88 | AR | | | |
| | L | MIL-M-70777 | MUNITION FOR MINE, ANTI-PERSONNEL: M86 TRANSFER LEAD ASSEMBLY | A | 1345 AR | 10-JUL-88 | AR | | | |
| | L | MIL-M-70778 | MINE, ANTI-PERSONNEL, M86 ACCEPTOR LEAD ASSEMBLY FOR | A | 1345 AR | 10-JUL-88 | AR | | | |
| | L | MIL-M-70779 | MINE, ANTIPERSONNEL M86, DEMONSTRATION MINE | A | 1345 AR | 10-JUL-88 | AR | | | |
| | L | MIL-M-70780 | MINE, ANTI-PERSONNEL: M86 ARMING ASSEMBLY FOR | A | 1345 AR | 10-JUL-88 | AR | | | |
| | L | MIL-C-70781(3) | CARTRIDGE, 60MM, SMOKE, MARKING, M722 ASSEMBLING, MARKING AND PACKING | A | 1310 AR | 15-MAR-91 | AR | | | |
| | L | MIL-C-70784 | CARTRIDGE, 25MM, ARMOR PIERCING DISCARDING SABOT TRACER (APDS-T), M791, REFERENCE | A | 1305 AR | 01-APR-89 | AR | | | |
| | L | MIL-C-70785 | CARTRIDGE, 25MM, TARGET PRACTICE TRACER (TP-T), M793 REFERENCE | A | 1305 AR | 01-APR-89 | AR | | | |
| A | L | MIL-P-70786(1) | PALLET, STANDARD METAL | A | 8140 AR | 28-OCT-92 | AR | | | |
| | L | MIL-P-70787 | PALLET, SPECIAL METAL (REQUESTS FROM OTHER THAN DOD MUST BE SUBMITTED VI A THE PREPARING ACTIVITY COMMANDER,ARDEC ATTN:SMCAR-FSM PICATINNY ARSENAL, NJ 07806-5000) | F | 8140 AR | 29-JUN-89 | AR | | | |
| A | L | MIL-A-70788A | ADAPTER, METAL AND WOOD PALLET | A | 8140 AR | 05-FEB-93 | AR | | | |
| A | L | MIL-D-70789A | DYNAMIC REFERENCE UNIT (DRU) | A | 1220 AR | 15-JUN-92 | AR | | | |

| Action | Opt. / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-S-70791(1) | SIMULATOR, MISSILE: SAGGER XM27, PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1370 | | AR | 29-MAR-91 | AR | | | |
| L | | | MIL-B-70792 | BASE, MINE DISPENSER, LAUNCHER RACK FOR THE M139 SYSTEM (CONTROLLED DISTRIBUTION) | F | 1095 | | AR | 30-JAN-89 | AR | | | |
| L | | | MIL-C-70793(1) | CARTRIDGE, 20MM, MULTIPURPOSE, TRACE SELF-DESTRUCT, M940 | A | 1305 | | AR | 27-NOV-91 | AR | | | |
| L | | | MIL-P-70794(1) | PROJECTILE, 20 MILLIMETER, MULTIPURPOSE TRACE SELF-DESTRUCT, M940 METAL PARTS | A | 1305 | | AR | 15-APR-90 | AR | | | |
| L | | | MIL-H-70795 | HOWITZER, LIGHT, TOWED, 105MM: M119A1 (REQUEST FROM OTHER THAN DOD MUST BE SUBMITTED VIA THE PREPARING ACTIVITY: COMMANDER ARDEC (SMCAR-FSS-DA) PICATINNY ARSENAL, NJ 07806-5000) | A | 1015 | | AR | 22-OCT-90 | AR | | | |
| L | | | MIL-C-70796 | CANNON, 105MM HOWITZER: M20 (CONTROLLED DISTRIBUTION) | B | 1015 | | AR | 01-OCT-90 | AR | | | |
| L | | | MIL-M-70806 | MOTOR ASSEMBLY | A | 6105 | | AR | 04-SEP-90 | AR | | | |
| L | | | MIL-F-70807(6) | FUZE, PD: M745 (LESS BOOSTER AND LEAD) | A | 1390 | | AR | 20-FEB-92 | AR | | | |
| L | | | MIL-F-70808A(1) | FUZE, PD: M745 (LOADING, ASSEMBLING, AND PACKING) | A | 1390 | | AR | 03-APR-91 | AR | | | |
| L | | | MIL-C-70810 | COMBUSTIBLE CARTRIDGE CASE ASSEMBLY PARTS NITROCELLULOSE PAPER PROCESS, FOR CHARGE, PROPELLING, 155MM, M203A1 | A | 1320 | | AR | 28-MAY-91 | AR | | | |
| A | L | | MIL-P-70818(1) | PROPELLANT M43 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M900 (CONTROLLED DISTRIBUTION) | E | 1376 | | AR | 30-JUL-92 | AR | | | |
| L | | | MIL-P-70819 | PRIMER, ELECTRIC, M128 LOADING, ASSEMBLING AND PACKING | A | 1390 | | AR | 28-FEB-91 | AR | | | |
| L | | | MIL-P-70820 | PRIMER, ELECTRIC, M128 METAL PARTS | A | 1390 | | AR | 28-FEB-91 | AR | | | |
| L | | | MIL-M-70821 | MOUNT, HOWITZER, M182 | A | 1025 | | AR | 18-NOV-88 | AR | | | |
| L | | | MIL-C-70822(1) | CANNON, 155MM HOWITZER: M284 | A | 1025 | | AR | 06-OCT-89 | AR | | | |
| L | | | MIL-F-70823 | FUZE, ELECTRONIC TIME, M762 LOADING, ASSEMBLING, PACKING AND FUZE, ELECTRONIC TIME, M767 LESS BOOSTER | A | 1390 | | AR | 09-SEP-88 | AR | | | |
| L | | | MIL-B-70824 | BATTERY, LITHIUM THIONYL CHLORIDE, SINGLE CELL RESERVE | A | 6135 | | AR | 09-SEP-88 | AR | | | |
| L | | | MIL-P-70825 | PRIMER, BATTERY, STAB/ELECTRIC PA536 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING | A | 1375 | | AR | 09-SEP-88 | AR | | | |
| L | | | MIL-D-70826 | DETONATOR, ELECTRIC, PA537 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1375 | | AR | 09-SEP-88 | AR | | | |
| L | | | MIL-A-70827 | ACTUATOR, PISTON, PA535 PARTS FOR AND LOADING, ASSEMBLING, AND PACKING | A | 1375 | | AR | 09-SEP-88 | AR | | | |
| L | | | MIL-L-70828 | LEAD, EXPLOSIVE, PA534 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A | 1375 | | AR | 09-SEP-88 | AR | | | |
| L | | | MIL-F-70829 | FUZE, ARTILLERY, ELECTRONIC, M767 LOADING, ASSEMBLING AND PACKING | A | 1390 | | AR | 09-SEP-88 | AR | | | |
| L | | | MIL-A-70833 | AUTOMATIC TANK TARGET: 11784501 | A | 6920 | | AR | 15-APR-90 | AR | | | |
| L | | | MIL-R-70834A | RECEIVER, CHANNEL X: 11784801 | A | 5895 | | AR | 22-MAR-91 | AR | | | |
| L | | | MIL-T-70835A | TRANSMITTER, ASSEMBLY: 11784701 | A | 5895 | | AR | 29-MAY-91 | AR | | | |
| L | | | MIL-M-70836 | METAL PARTS FOR M87 AND M88 CANISTER ASSEMBLY (REQUESTS OTHER THAN DOD MUST RECEIVE APPROVAL FROM (SMCAR-FSM, PICATINNY ARSENAL, NJ 07806-5000) | F | 1345 | | AR | 28-JUN-90 | AR | | | |
| L | | | MIL-B-70838(1) | BILLET, DEPLETED URANIUM | A | 9650 | | AR | 15-AUG-91 | AR | | | |
| L | | | MIL-K-70840 | KIT, INSTALLATION, FOR ARMOR TILES M3, M4, M5, M6, M7 FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEM (BFVS) | A | 2350 | | AR | 26-MAY-92 | AR | | | |
| A | L | | MIL-S-70843 | SOLENOID (FOR MACHINE GUN, 7.62MM: M240) | A | 1005 | | AR | 11-MAR-93 | AR | | | |
| L | | | MIL-C-70845(3) | CARTRIDGE, 9MM, PRACTICE, TRACER, M939 | A | 1305 | | AR | 30-JAN-92 | AR | | | |
| L | | | MIL-L-70846 | LASER TUBE/MODULAR ASSEMBLIES, SINGLE/DUAL POWER, GENERAL SPECIFICATION FOR | A | 1265 | | AR | 14-FEB-92 | AR | | | |
| L | | | MIL-L-70847 | LASER TUBE/MODULATOR ASSEMBLIES, 105MM MAIN GUN, 105MM AND 152MM COAX, GENERAL SPECIFICATION FOR | A | 1265 | | AR | 23-JAN-92 | AR | | | |
| L | | | MIL-L-70848 | LASER TUBE/PRINTED WIRING BOARD ASSEMBLY, 152MM MAIN GUN AND SHILLELAGH MISSILE, SPECIFICATION FOR USER: 90 CG MC MR | A | 1265 | | AR | 18-JUN-91 | AR | | | |
| L | | | MIL-P-70849 | PRINTED WIRING BOARD ASSEMBLY, DETECTOR AMPLIFIER, SPECIFICATION FOR | A | 1265 | | AR | 14-FEB-92 | AR | | | |
| L | | | MIL-P-70850 | PRINTED WIRING BOARD ASSEMBLY, HELMET (MWLD), SPECIFICATION FOR | A | 1265 | | AR | 24-JAN-92 | AR | | | |
| L | | | MIL-P-70852 | PRINTED WIRING BOARD ASSEMBLY, ENCODER CONTROLLER-GUN SPECIFICATION FOR | A | 1265 | | AR | 10-MAR-92 | AR | | | |
| L | | | MIL-P-70853 | PRINTED WIRING BOARD ASSEMBLY, ENCODER-DRAGON, SPECIFICATION FOR | A | 1265 | | AR | 14-FEB-92 | AR | | | |
| L | | | MIL-P-70854 | PRINTED WIRING BOARD ASSEMBLY, CVKI INTERFACE, SPECIFICATION FOR | A | 1265 | | AR | 10-MAR-92 | AR | | | |
| L | | | MIL-P-70859 | PRINTED WIRING BOARD ASSEMBLY, ATWESS ELECTROMECHANICAL INTERFACE, SPECIFICATION FOR | A | 1265 | | AR | 10-MAR-92 | AR | | | |
| L | | | MIL-D-70860 | DETECTOR BELT ASSEMBLY, GENERAL SPECIFICATION FOR | A | 1265 | | AR | 14-FEB-92 | AR | | | |
| L | | | MIL-P-70867 | PRINTED WIRING BOARD ASSEMBLY, ENCODER-TOW, SPECIFICATION FOR | A | 1265 | | AR | 30-JAN-92 | AR | | | |
| L | | | MIL-P-70868 | PRINTED WIRING BOARD ASSEMBLY, DECODER-TOW, SPECIFICATION FOR | A | 1265 | | AR | 30-JAN-92 | AR | | | |
| L | | | MIL-P-70869 | PRINTED WIRING BOARD ASSEMBLY, ITV INTERFACE, SPECIFICATION FOR | A | 1265 | | AR | 17-FEB-92 | AR | | | |
| L | | | MIL-P-70872 | PRINTED WIRING BOARD ASSEMBLY, STINGER ENCODER, SPECIFICATION FOR | A | 1265 | | AR | 24-JAN-92 | AR | | | |
| L | | | MIL-P-70873 | PRINTED WIRING BOARD ASSEMBLY, 20 MM ENCODER SPECIFICATION FOR | A | 1265 | | AR | 10-MAR-92 | AR | | | |
| L | | | MIL-P-70874 | PRINTED WIRING BOARD ASSEMBLY, TOW TRIGGER INTERFACE SPECIFICATION FOR | A | 1265 | | AR | 10-MAR-92 | AR | | | |
| L | | | MIL-P-70875 | PRINTED WIRING BOARD ASSEMBLY, TRIGGER INTERFACE (M2/M3), SPECIFICATION FOR | A | 1265 | | AR | 10-MAR-92 | AR | | | |
| L | | | MIL-P-70876 | PRINTED WIRING BOARD ASSEMBLY, TOW/ATWESS INTERFACE, SPECIFICATION FOR | A | 1265 | | AR | 10-MAR-92 | AR | | | |
| L | | | MIL-P-70877 | PRINTED WIRING BOARD ASSEMBLY, ROCKET TRIGGER INTERFACE, SPECIFICATION FOR USER: 90 CG MC MR | A | 1265 | | AR | 22-AUG-91 | AR | | | |
| L | | | MIL-P-70878 | PRINTED WIRING BOARD ASSEMBLY, ENCODER-SMALL ARMS SPECIFICATION FOR | A | 1265 | | AR | 10-MAR-92 | AR | | | |
| L | | | MIL-P-70879 | PRINTED WIRING BOARD ASSEMBLY, DECODER-MWLD, SPECIFICATION FOR USER: 90 CG MC MR | A | 1265 | | AR | 25-SEP-91 | AR | | | |
| L | | | MIL-S-70941A | SYSTEM TEST UNIT: 12922091 | A | 1290 | | AR | 14-JUN-91 | AR | | | |
| L | | | MIL-C-70942(1) | CIRCUIT CARD ASSEMBLY, POWER SUPPLY: 12922115 | A | 1290 | | AR | 26-APR-91 | AR | | | |
| L | | | MIL-C-70943(1) | CIRCUIT CARD ASSEMBLY, MICROPROCESSOR: 12922117 | A | 1290 | | AR | 26-APR-91 | AR | | | |
| L | | | MIL-P-70944(1) | PANEL ASSEMBLY, FRONT: 12922129 | A | 1290 | | AR | 26-APR-91 | AR | | | |
| L | | | MIL-A-70945(2) | ANTENNA ASSEMBLY: 12922146 | A | 1290 | | AR | 14-JUN-91 | AR | | | |
| L | | | MIL-W-70948 | WARHEAD SECTION, GM, PRACTICE XM276 LOADING, ASSEMBLING AND PACKING | A | 1336 | | AR | 04-DEC-91 | AR | | | |
| L | | | MIL-C-70949(3) | CASE, CARTRIDGE, 105MM, M115B1A1 | A | 1315 | | AR | 12-JAN-90 | AR | | | |
| L | | | MIL-C-70950(2) | CASE, CARTRIDGE, 105MM, M148A2B1 | A | 1315 | | AR | 23-JAN-92 | AR | | | |
| A | L | | MIL-P-70951(1) | PALLET, FIELD ARTILLERY PROJECTILE | A | 8140 | | AR | 04-JAN-93 | AR | | | |
| L | | | MIL-A-70952 | ALTERNATOR, TURBINE (AIR DRIVEN) | A | 1390 | | AR | 23-MAR-90 | AR | | | |
| L | | | MIL-B-70953(1) | BUFFER, RECOIL MECHANISM ASSEMBLY, 105MM HOWITZER, F12591210 (CONTROLLED DISTRIBUTION) | B | 1015 | | AR | 05-JUN-91 | AR | | | |
| A | L | | MIL-C-70954 | CABLE ASSEMBLY, FLEXIBLE, REPAIRABLE, BRAIDED: 11829967 | A | 6145 | | AR | 08-MAR-93 | AR | | | |
| L | | | MIL-P-70956A(1) | PROPELLANT, M14, FOR USE IN CARTRIDGE 120 MM, TPCSDS-T, M865 | A | 1376 | | AR | 08-JAN-92 | AR | | | |
| L | | | MIL-C-70957 | CUSHION COMPONENTS FOR METAL CONTAINER FOR 105MM HOWITZER AMMUNITION | A | 8140 | | AR | 27-FEB-92 | AR | | | |
| A | L | | MIL-M-70969(1) | MORTAR, 81MM: M252 (CONTROLLED DISTRIBUTION) | B | 1015 | | AR | 28-SEP-92 | AR | | | |
| L | | | MIL-T-70988(1) | TRACER ASSEMBLY, 12525043 | A | 1370 | | AR | 06-JAN-92 | AR | | | |
| L | | | MIL-T-70989 | TRAINING CANISTER, M89 FOR USE ON THE M139 VOLCANO DISPENSER SYSTEM (REQUEST OTHER THAN DOD REFER TO COMMANDER, ARDEC ATTN SMCAR-FSM, PICATINNY ARSENAL, NJ 07806-5000) | F | 6920 | | AR | 30-OCT-90 | AR | | | |
| L | | | MIL-C-70991 | CLOTH, COATED, KEVLAR-29, POLYURETHANE COATED | A | 1330 | | AR | 18-JAN-91 | AR | | | |
| L | | | MIL-K-70994 | KIT, REPAIR FOR TILE, ARMOR M3, M5, M6 AND M7 FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEMS (BFVS) | A | 2350 | | AR | 02-JUN-92 | AR | | | |
| L | | | MIL-P-70995 | PANEL, CONTROL, ARMAMENT SUBSYSTEM: M21 | A | 1005 | | AR | 03-MAY-91 | AR | | | |
| L | | | MIL-C-70996 | CARTRIDGE, ME, 81MM, M821E1/M889E1 W/FUZE M734/M935 LOADING, ASSEMBLING AND PACKING | A | 1315 | | AR | 09-MAY-91 | AR | | | |
| L | | | MIL-P-70997 | PROJECTILE, 81MM, ME, M821E1/M889E1 BODY ASSEMBLY | A | 1315 | | AR | 04-MAR-91 | AR | | | |
| L | | | MIL-C-70998 | CONTAINER, SHIPPING AND STORAGE, CARTRIDGE, 25MM, PA125 GENERAL SPECIFICATION FOR | A | 8140 | | AR | 18-FEB-92 | AR | | | |
| L | | | MIL-B-71003 | BATTERY ELIMINATOR ASSY: 12934465 | A | 6130 | | AR | 10-JUN-91 | AR | | | |
| L | | | MIL-F-71007 | FIBERSCOPE, EXPLOSIVE ORDNANCE DISPOSAL (EOD) | A | 6650 | | AR | 15-FEB-91 | AR | | | |
| A | L | | MIL-P-71012(1) | PISTOL, SEMIAUTOMATIC, COMPACT, 9MM: XM11 | A | 1005 | | AR | 28-JAN-93 | AR | | | |
| A | L | | MIL-C-71013(1) | CHARGE, DEMOLITION: CLIPPED, M221 PARTS FOR, ASSEMBLING AND PACKING | A | 1375 | | AR | 08-FEB-93 | AR | | | |
| L | | | MIL-K-71015 | KIT, COMPONENTS FOR, GROUND VEHICLE MOUNTING HARDWARE, M548A1 FOR M139 DISPENSERS | F | 1095 | | AR | 09-AUG-91 | AR | | | |

| Action | OPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-C-71016 | CONTAINERS, SHIPPING AND STORAGE: PA 146, PA 147, PA 148, AND PA 152, FOR THE M139 MINE DISPENSER SYSTEM | F | 8140 | AR | | 09-AUG-91 | AR | | | |
| L | | | MIL-F-71021 | FUZE, PROXIMITY, ARTILLERY: M732A2 (UNBOOSTERED) (CONTROLLED DISTRIBUTION) | F | 1390 | AR | | 21-FEB-91 | AR | | | |
| AML | | | MIL-M-71026 | MAGAZINE, CARTRIDGE, SOFT PACK, REUSABLE, M249, 5.56MM MACHINE GUN (METRIC) GENERAL SPECIFICATION FOR | A | 1005 | AR | | 11-FEB-93 | AR | | | |
| L | | | MIL-S-71027 | SIGHTUNIT: M67 | A | 1240 | AR | | 02-MAY-91 | AR | | | |
| A L | | | MIL-M-71028A | MOUNT, TELESCOPE: 9356166 | A | 1240 | AR | | 30-OCT-92 | AR | | | |
| A L | | | MIL-T-71029A | TELESCOPE, ELBOW: 9356181 | A | 1240 | AR | | 30-OCT-92 | AR | | | |
| D L | | | MIL-C-71030 | CARTRIDGE, IGNITION, M981 LOADING, ASSEMBLING AND PACKING | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| D L | | | MIL-P-71031 | PROPELLANT M45 FOR 120MM MORTAR M230 PROPELLING CHARGE | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| D L | | | MIL-P-71032 | PRIMER, PERCUSSION, M132 LOADING, ASSEMBLING AND PACKING | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| D L | | | MIL-P-71033 | PROPELLANT M44 FOR IGNITION CARTRIDGE, M981 FOR 120MM MORTAR | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| D L | | | MIL-C-71034 | CHARGE, PROPELLING, M230 PARTS AND CONTAINER ASSEMBLY | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| D L | | | MIL-C-71035 | CHARGE, PROPELLING, M230 LOADING, ASSEMBLING AND PACKING | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| D L | | | MIL-C-71036 | CARTRIDGE, IGNITION, M981 PARTS FOR | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| D L | | | MIL-F-71037 | FIN ASSEMBLY, MORTAR CARTRIDGE, 120MM, M31 | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| D L | | | MIL-P-71038 | PROJECTILE, 120MM, HE, M933/M934 BODY | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| D L | | | MIL-O-71039 | OBTURATING BAND, PLASTIC SPLIT (MOLDED) | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| D L | | | MIL-C-71040 | CARTRIDGE, HE, 120MM, M934 W/FUZE M734 LOADING, ASSEMBLING AND PACKING | B | 1315 | AR | | 24-JUN-92 | AR | | | |
| L | | | MIL-C-71042 | CIRCUIT CARD ASSEMBLY, LOGIC: 11784523 | A | 5999 | AR | | 14-FEB-92 | AR | | | |
| L | | | MIL-C-71043 | CIRCUIT CARD ASSEMBLY, AMPLIFIER: 11784526 | A | 5999 | AR | | 28-NOV-91 | AR | | | |
| L | | | MIL-C-71044 | CIRCUIT CARD, BATTERY TEST: 11784531 | A | 5999 | AR | | 06-FEB-92 | AR | | | |
| D L | | | MIL-C-71045 | CONTAINER, METAL SHIPPING AND STORAGE, CARTRIDGE, 120MM MORTAR, PA154, GENERAL SPECIFICATION FOR | B | 8140 | AR | | 24-JUN-92 | AR | | | |
| A L | | | MIL-P-71055 | PROJECTILE, 120 MM, SMOKE, WP, XM929, BODY ASSEMBLY AND METAL PARTS | D | 1315 | AR | | 17-MAR-92 | AR | | | |
| A L | | | MIL-B-71056 | BURSTER, PROJECTILE, XM86 LOADING, ASSEMBLING AND PACKING | D | 1315 | AR | | 17-MAR-92 | AR | | | |
| A L | | | MIL-C-71057 | CARTRIDGE, SMOKE, XM929 WITH FUZE M745 LOADING, ASSEMBLING AND PACKING | D | 1315 | AR | | 17-MAR-92 | AR | | | |
| L | | | MIL-W-71069 | WARHEAD, 2.75 INCH ROCKET, FLECHETTE: XM255E1 | A | 1340 | AR | | 19-MAR-92 | AR | | | |
| L | | | MIL-C-71083 | CONTAINER, SHIPPING AND STORAGE, CARTRIDGE, 81MM, PA156 AND PA157 GENERAL SPECIFICATION FOR | A | 8140 | AR | | 01-JUN-92 | AR | | | |
| N L | | | MIL-C-71086 | COMPONENT ASSEMBLY, A2, POWER SUPPLY AND DRIVER: 12000021 | A | 1285 | AR | | 29-APR-93 | AR | | | |
| L | | | MIL-P-71089(1) | PROJECTILE, PRACTICE, 155MM, M804E1 LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | | 28-APR-92 | AR | | | |
| L | | | MIL-C-71090(1) | CANISTER SMOKE, ASSEMBLING FOR PROJECTILE, PRACTICE, 155MM, M804E1 | A | 1320 | AR | | 28-APR-92 | AR | | | |
| A L | | | MIL-P-71092 | PROJECTILE, 155MM, INERT, M464 LOADING, ASSEMBLING AND PACKING | A | 1320 | AR | | 09-JUL-92 | AR | | | |
| A L | | | MIL-P-71093 | POWDER, IGNITION, CASLESS, F-338 | A | 1375 | AR | | 26-AUG-92 | AR | | | |
| A L | | | MIL-W-71094 | WAXES, COAL-BASED, FOR USE IN RB150 EXPLOSIVE | A | 9160 | AR | | 24-JUN-92 | AR | | | |
| NL | | | MIL-W-71125 | WOOD PRESERVATIVES: WATERBORNE OR WATER REDUCIBLE | A | 8030 | AR | | 16-MAR-92 | AR | | | |
| A L | | | MIL-R-71126 | RIFLE, 7.62MM, SNIPER W/ DAY OPTICAL SIGHT AND CARRYING CASES, M24 | A | 1005 | AR | | 24-SEP-92 | AR | | | |
| L | | | MIL-F-71127 | FUZE, POINT DETONATING, PRACTICE, M775 WITH PYROTECHNIC SIGNATURE CARTRIDGE | A | 1390 | AR | | 26-MAY-92 | AR | | | |
| L | | | MIL-C-71128 | CARTRIDGE, 81MM, PRACTICE, SHORT RANGE M880 LOADING ASSEMBLING AND PACKING | A | 1315 | AR | | 26-MAY-92 | AR | | | |
| L | | | MIL-K-71129 | KIT, REFURBISHMENT, FOR CARTRIDGE, 81MM, PRACTICE, SHORT RANGE, M880 LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | | 26-MAY-92 | AR | | | |
| L | | | MIL-O-71130 | OBTURATING BAND, PLASTIC SPLIT (MOLDED) | A | 1395 | AR | | 26-MAY-92 | AR | | | |
| L | | | MIL-F-71131 | FIN, MORTAR CARTRIDGE: M32 | A | 1310 | AR | | 26-MAY-92 | AR | | | |
| L | | | MIL-B-71132 | BODY ASSEMBLY, 81MM, FOR CARTRIDGE, PRACTICE, M880 | A | 1315 | AR | | 26-MAY-92 | AR | | | |
| L | | | MIL-C-71133 | CARTRIDGE, IGNITION, M985 LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | | 26-MAY-92 | AR | | | |
| A L | | | MIL-C-71134 | CARTRIDGE, HE, 120MM, M933W/FUZE M745 LOADING, ASSEMBLING AND PACKING | A | 1315 | AR | | 01-JUL-92 | AR | | | |
| A L | | | MIL-R-71135(1) | RIFLE, 5.56MM: M16A2E3 | A | 1005 | AR | | 08-DEC-92 | AR | | | |
| A L | | | MIL-P-71136 | PROCESS SPECIFICATION, AMMUNITION, 25MM, PACKAGING, PACKING AND MARKING | A | 1305 | AR | | 12-OCT-92 | AR | | | |
| N L | | | MIL-C-71145 | CASE, CARTRIDGE, 105MM W/CHARGE M67/M2000 AND PRIMER M2882 | A | 1315 | AR | | 12-MAY-93 | AR | | | |
| N L | | | MIL-C-71170 | CONTAINER, AMMUNITION, LIGHTWEIGHT METAL FOR STINGER WEAPON SYSTEM | A | 8140 | AR | | 05-APR-93 | AR | | | |
| N L | | | MIL-P-71171 | PALLET, SPECIAL METAL FOR STINGER WEAPON SYSTEM | A | 8140 | AR | | 05-APR-93 | AR | | | |
| A L | | | MIL-C-71172 | CYLINDER, RECUPERATOR, RECOIL, 105MM HOWITZER | A | 1015 | AR | | 08-MAR-93 | AR | | | |
| N L | | | MIL-A-71179 | ADAPTER, METAL PALLET FOR STINGER WEAPON SYSTEM | A | 8140 | AR | | 03-MAY-93 | AR | | | |
| | | | MIL-S-80001C | SHAPERS, METAL CUTTING, VERTICAL (VALIDATION DATE: 8905) REVIEWER: 84 GS | A | 3418 | IP | | 19-MAY-89 | AL | SH | 99 | IP |
| D | | | MIL-D-80002E(1) | DRILLING MACHINE, UPRIGHT FLOOR TYPE, ROUND AND BOX COLUMN, SLIDING HEAD, PLAIN TABLE, POWER FEED USER: OS SM YD1 REVIEWER: 84 GS | A | 3413 | IP | | 16-FEB-90 | AL | SH | 99 | IP |
| | | | MIL-H-80003B | HONING MACHINE, VERTICAL, SINGLE SPINDLE, 1 1/2 TO 12 INCH BORE, 12 TO 80 INCH STROKE (VALIDATION DATE: 8312) USER: MC REVIEWER: GS | A | 3419 | IP | | 28-MAR-74 | AL | SH | 99 | |
| D | | | MIL-B-80004C | BORING AND MILLING MACHINE, PRECISION, HORIZONTAL SPINDLE, TABLE TYPE, MANUALLY OR NUMERICALLY CONTROLLED USER: AR AS MC OS WV REVIEWER: 84 GS YD1 | A | 3411 | IP | | 11-JUL-86 | AL | SH | 99 | |
| | | | MIL-L-80005A | LAPPING MACHINE, METALWORKING, HIGH PRECISION, FLAT SURFACES, SINGLE FACE, FREE ABRASIVE TYPE (VALIDATION DATE: 8312) USER: MC MI REVIEWER: GS | A | 3419 | IP | | 18-MAY-70 | AL | SH | 99 | |
| | | | MIL-L-80007E | LATHES, TOOLROOM, 11-INCH THROUGH 13-INCH USER: MC REVIEWER: 84 GS | A | 3416 | IP | | 29-SEP-89 | AL | SH | 99 | IP |
| | | | MIL-P-80008D | PUNCHING MACHINE, METAL, TURRET TYPE, HAND OPERATED USER: AV OS SH REVIEWER: 84 | A | 3445 | IP | | 16-MAR-90 | AL | | 99 | IP |
| | | | MIL-H-80009B<br>NOTICE 1 | HONING MACHINE, HORIZONTAL, SINGLE SPINDLE, MANDREL TYPE, WET APPLICATION (VALIDATION DATE: 8705) USER: AS MC REVIEWER: GS | A | 3419 | IP | | 08-MAY-87 | AL | SH | 99 | |
| | | | MIL-B-80012C | BORING AND TURNING MACHINES, VERTICAL, AND LATHES, VERTICAL, TURRET, MANUAL USER: SM REVIEWER: 84 GS | A | 3411 | IP | | 30-JUN-88 | AL | SH | 99 | IP |
| | | | MIL-M-80016C(2) | MILLING MACHINE, VERTICAL, KNEE TYPE, SIZES 2 THROUGH 7 USER: MC REVIEWER: 84 GS | A | 3417 | IP | | 20-NOV-91 | AL | SH | 99 | IP |
| D | | | MIL-S-80020D | SANDER, SINGLE AND DOUBLE DISK, WOODWORKING USER: AV CE MC REVIEWER: 84 GS YD1 | A | 3220 | IP | | 31-JAN-91 | ME | SH | 99 | IP |
| | | | MIL-C-80021B(1) | CUTOFF MACHINE, ABRASIVE DISK OR CIRCULAR SAW BLADE, METALCUTTING, CHOP STROKE, DRY CUT, FLOOR MOUNTED USER: MC REVIEWER: 84 GS ME | A | 3413 | IP | | 01-MAR-88 | AL | SH | 99 | |
| | | | MIL-E-80022C | ELECTRO EROSION MACHINE, ELECTROLYTIC, CARBIDE TOOL BIT AND CHIP BREAKER GRINDER USER: MC REVIEWER: 84 AS OS | A | 3410 | IP | | 20-JUN-89 | AL | SH | 99 | IP |
| | | | MIL-E-80023D(1) | ELECTRICAL DISCHARGE MACHINE, VERTICAL, RAM AND QUILL TYPE USER: AR OS REVIEWER: 84 AS CR GS MC | A | 3410 | IP | | 16-JUL-87 | | SH | 99 | |
| | | | MIL-W-80024D | WELDING MACHINE, ARC, AC, TRANSFORMER, CONSTANT CURRENT USER: AV CE CG MC REVIEWER: GS | A | 3431 | IP | | 18-DEC-85 | ME | SH | 99 | |
| | | | MIL-G-80025C | GRINDING MACHINES, CARBIDE TOOL BIT AND CARBIDE TOOL BIT AND CHIP BREAKER COMBINATION, ELECTRIC MOTOR DRIVEN (VALIDATION DATE: 8906) USER: 84 AS OS REVIEWER: GS | A | 3415 | IP | | 20-JUN-89 | AL | SH | 99 | IP |
| | | | MIL-P-80026C | PUNCHING MACHINE, METAL, POWER DRIVEN, TURRET TYPE USER: MC REVIEWER: 84 | A | 3445 | IP | | 22-AUG-88 | AL | SH | 99 | IP |
| | | | MIL-W-80027D(2) | WELDING MACHINE, ARC, AC/DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT | A | 3431 | IP | | 08-SEP-86 | AL | SH | 99 | |
| | | | MIL-S-80029D<br>NOTICE 1 | SANDER, DISK AND BELT USER: MC REVIEWER: 84 CE | A | 3220 | IP | | 31-MAR-88 | ME | SH | 99 | |
| | | | MIL-E-80030C | MILLING MACHINE, TWO AND THREE DIMENSIONAL ENGRAVING USER: OS REVIEWER: GS | A | 3417 | IP | | 12-SEP-89 | AL | SH | 84 | IP |
| D | | | MIL-M-80033D | MILLING MACHINES, COMBINATION HORIZONTAL AND VERTICAL, KNEE TYPE USER: MC REVIEWER: 84 GS YD1 | A | 3417 | IP | | 21-APR-92 | AL | SH | 99 | IP |
| | | | MIL-S-80034C<br>NOTICE 1 | SAW, JIG, WOODWORKING (VALIDATION DATE: 9004) USER: MC REVIEWER: 84 CE GS ME | A | 3220 | IP | | 16-APR-90 | AL | SH | 99 | IP |
| D | | | MIL-S-80035C | SWAGING MACHINES, ROTARY, ELECTRIC, FLOOR MOUNTED USER: OS REVIEWER: 84 MC YD1 | A | 3446 | IP | | 12-FEB-92 | AL | SH | 99 | IP |
| | | | MIL-C-80036C(1) | CUTTING MACHINES, OXYGEN FLAME AND PLASMA ARC, AUTOMATIC, STATIONARY, PHOTOELECTRIC TRACER CONTROLLED USER: MC SH REVIEWER: 84 GS | A | 3433 | IP | | 14-NOV-90 | | | 99 | IP |
| D | | | MIL-W-80037C(1) | WELDING MACHINES, ARC, DC, GENERATOR, CONSTANT CURRENT, INTERNAL COMBUSTION ENGINE DRIVEN USER: SH REVIEWER: GS MC | A | 3431 | IP | | 10-NOV-88 | ME | YD1 | 99 | IP |
| D | | | MIL-D-80038E | DRILLING MACHINE, UPRIGHT, ROUND COLUMN, ELECTRIC MOTOR DRIVEN USER: SM REVIEWER: 84 AR GS YD1 | A | 3413 | IP | | 03-AUG-90 | AL | SH | 99 | IP |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-D-80039B<br>NOTICE 1 | DRILLING MACHINE, UPRIGHT, BENCH TYPE, BOX COLUMN, SLIDING HEAD, ELECTRIC MOTOR DRIVEN, HAND FEED USER: AS MC WV REVIEWER: GS | A | 3413 | IP | 10-MAR-88 | AL | SH | 99 | | |
| | MIL-W-80040E | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT VOLTAGE, FOR MULTI-OPERATOR SYSTEMS USER: CG MC OS REVIEWER: AS GS ME | A | 3431 | IP | 29-MAR-89 | AL | SH | 99 | IP | |
| | MIL-P-80041D | PRESSES, MECHANICAL, OPEN-BACK-INCLINABLE (OBI), SINGLE AND DOUBLE CRANK TYPE USER: MC WV REVIEWER: AL GS | A | 3443 | IP | 08-MAR-90 | | SH | 99 | IP | |
| | MIL-W-80042C | WELDER CONTROL STATIONS FOR MULTI-OPERATOR SYSTEMS REVIEWER: CG ..... | A | 3438 | IP | 23-FEB-88 | AL | SH | 99 | | |
| | MIL-W-80043C | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT (VALIDATION DATE: 8506) USER: AS MC REVIEWER: CG GS | A | 3431 | IP | 28-JAN-81 | ME | SH | 99 | | |
| | MIL-M-80044D | MILLING MACHINES, HORIZONTAL SPINDLE, KNEE TYPE, SIZE NUMBERS 2, 3, 4 & 5 USER: MC REVIEWER: 84 GS | A | 3417 | IP | 11-SEP-87 | AL | SH | 99 | | |
| | MIL-H-80045B<br>NOTICE 1 | HEATER, INDUCTION, HIGH FREQUENCY, VACUUM TUBE TYPE (VALIDATION DATE: 8606) USER: AR MC OS REVIEWER: GS | A | 3424 | IP | 04-JUN-86 | | SH | 99 | | |
| | MIL-W-80046D | WELDING MACHINES, RESISTANCE, STORED ENERGY, CAPACITOR DISCHARGE, DUAL RANGE USER: AR AS MC SM REVIEWER: 84 GS | A | 3432 | IP | 09-MAR-90 | AL | | 99 | IP | |
| | MIL-L-80047D | LATHES, WOODWORKING, PATTERNMAKERS USER: MC REVIEWER: 84 CE GS ..... | A | 3220 | IP | 30-JUN-88 | | SH | 99 | IP | |
| | MIL-G-80048C<br>NOTICE 1 | GRINDING MACHINE, CENTERLESS, EXTERNAL, CYLINDRICAL USER: MC REVIEWER: 84 AS GS OS | A | 3415 | IP | 13-APR-87 | AL | SH | 99 | | |
| | MIL-M-80051D | MILLING MACHINES, VERTICAL SPINDLE, KNEE TYPE, SIZE NUMBERS 2, 3, 4, & 5 USER: 84 MC REVIEWER: GS | A | 3417 | IP | 11-SEP-87 | AL | SH | 99 | IP | |
| D | MIL-P-80052C<br>NOTICE 1 | PRESS BRAKES, POWER OPERATED, HYDRAULIC, SHEET AND PLATE (VALIDATION DATE: 9104) USER: AR YD1 REVIEWER: 84 GS | A | 3441 | IP | 25-APR-91 | AL | SH | 99 | IP | |
| | MIL-L-80053D | LATHES, TURRET, HORIZONTAL, COMPUTER NUMERICAL CONTROLLED (CNC) USER: AR MC REVIEWER: GS WV | A | 3416 | IP | 01-AUG-89 | AL | SH | 99 | IP | |
| | MIL-P-80054D<br>NOTICE 1 | PUNCHING MACHINE, METAL, TURRET TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) REVIEWER: GS MC | A | 3445 | IP | 27-SEP-88 | AL | SH | 99 | IP | |
| | MIL-H-80055B | HEATER, INDUCTION, HIGH FREQUENCY, MOTOR GENERATOR TYPE (VALIDATION DATE: 8502) USER: MC REVIEWER: GS | A | 3424 | IP | 20-MAR-81 | AL | SH | 99 | | |
| | MIL-F-80056C | FURNACES, HEAT TREATING, ELECTRIC, BATH TYPE USER: AR AS MC OS REVIEWER: 84 CR GS SM | A | 3424 | IP | 01-OCT-91 | AL | SH | 99 | IP | |
| D | MIL-F-80057C<br>NOTICE 1 | FORMING MACHINES, SHEET METAL, CLEAT AND LOCK FORMING (VALIDATION DATE: 9011) USER: MC WV YD1 REVIEWER: GS | A | 3441 | IP | 26-NOV-90 | AL | SH | 99 | IP | |
| | MIL-P-80058C | POSITIONERS, WELDING, HEADSTOCK, TAILSTOCK, AND CU, SIZES 3 AND 4, 34 AND 42 INCHES LONGITUDINAL TABLE TRAVEL USER: MC REVIEWER: 84 AS CR ER OS | A | 3436 | IP | 25-JAN-91 | AR | SH | 99 | GS | |
| D | MIL-S-80060D<br>NOTICE 1 | SHEARING, NIBBLING, AND FORMING MACHINES; UNIVERSAL USER: SM YD1 REVIEWER: 84 | A | 3445 | IP | 22-JUL-88 | AL | SH | 99 | IP | |
| | MIL-L-80061B<br>NOTICE 1 | LATH, BENCH, VARIABLE SPEED, PLAIN AND TURRET, 9 INCH (VALIDATION DATE: 8702) USER: MC REVIEWER: GS | A | 3416 | IP | 18-FEB-87 | AL | SH | 99 | | |
| | MIL-W-80062C | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, ADJUSTABLE CONSTANT VOLTAGE USER: AS CE MC REVIEWER: 84 GS | A | 3431 | IP | 01-APR-85 | AL | SH | 99 | | |
| D | MIL-M-80067D<br>NOTICE 1 | MONTISERS, VERTICAL USER: MC OS YD1 REVIEWER: GS ..... | A | 3220 | IP | 27-JUN-89 | AL | SH | 99 | IP | |
| | MIL-P-80068D | POSITIONERS, WELDING, TABLE TYPE, GEAR DRIVEN USER: MC REVIEWER: 84 AR AS GS | A | 3436 | IP | 06-MAR-92 | | SH | 99 | IP | |
| D | MIL-F-80069D | FLARING, FLANGING, AND BEADING MACHINES, TUBE USER: MC YD1 REVIEWER: 84 ... | A | 3441 | IP | 19-APR-89 | AL | SH | 99 | IP | |
| | MIL-W-80070D(2) | WELDING MACHINE, ELECTRICAL RESISTANCE, SPOT, ROCKER ARM, SINGLE PHASE USER: CG MC REVIEWER: 84 | A | 3432 | IP | 03-MAY-90 | | SH | 99 | IP | |
| | MIL-C-80071B<br>NOTICE 1 | CUTOFF MACHINES, ABRASIVE DISK, METAL CUTTING, CHOP-STROKE, WET CUT, FLOOR MOUNTED (VALIDATION DATE: 8909) REVIEWER: 84 GS SM | A | 3405 | IP | 05-SEP-89 | AL | SH | 99 | IP | |
| D | MIL-P-80072C | PUNCHING MACHINE, METAL, POWER DRIVEN, SINGLE END TYPE USER: MC YD1 REVIEWER: 84 GS | A | 3445 | IP | 13-JAN-92 | AL | SH | 99 | IP | |
| | MIL-G-80073C<br>NOTICE 2 | GRINDING MACHINES, INTERNAL, CHUCKING, UNIVERSAL USER: MC REVIEWER: GS .... | A | 3415 | IP | 30-SEP-88 | AL | SH | 99 | IP | |
| | MIL-W-80075C | WELDING POWER SOURCE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT, WITH EIGHT CONTROL MODULES USER: AS CG MC WV REVIEWER: GS | A | 3431 | IP | 16-OCT-89 | AL | SH | 99 | IP | |
| D | MIL-D-80076D | DRILLING MACHINE, UPRIGHT, BOX COLUMN, FLOOR TYPE PLAIN TABLE, HAND FEED USER: MC SM YD1 REVIEWER: 84 | A | 3413 | IP | 01-OCT-90 | AL | SH | 99 | IP | |
| | MIL-F-80079C | FURNACES, HEAT TREATING, ELECTRIC CONTROLLED ATMOSPHERE, HORIZONTAL BOX DESIGN USER: AV MC OS REVIEWER: 84 GS | A | 3424 | IP | 06-AUG-90 | AL | SH | 99 | IP | |
| D | MIL-W-80080C<br>NOTICE 1 | WELDING MACHINES, ARC, AC/DC, GENERATOR, CONSTANT CURRENT, INTERNAL COMBUSTION ENGINE DRIVEN (VALIDATION DATE: 8903) USER: CE MC OS REVIEWER: GS ME YD1 | A | 3431 | IP | 03-MAR-89 | AL | SH | 99 | IP | |
| D | MIL-L-80081D | LATHES, WOODWORKING USER: CE YD1 REVIEWER: GS ..... | A | 3220 | IP | 09-AUG-90 | ME | SH | 99 | IP | |
| | MIL-F-80082B | FURNACE, HEAT-TREATING AND BRAZING, ELECTRIC, CONTROLLED ATMOSPHERE, PUSHER AND CONVEYOR BELT TYPES USER: AR MC WV REVIEWER: 84 GS | A | 3424 | IP | 19-MAR-86 | AL | SH | 99 | | |
| | MIL-B-80083C(1) | BENDING MACHINES, ROTARY HEAD, HORIZONTAL, HYDRAULICALLY OPERATED USER: OS REVIEWER: 84 GS | A | 3441 | IP | 06-AUG-91 | AL | SH | 99 | | |
| | MIL-P-80085C | POSITIONERS, WELDING, HEADSTOCK, TAILSTOCK, AND COMBINATION TYPES USER: MC REVIEWER: 84 GS | A | 3436 | IP | 25-JAN-91 | AR | SH | 99 | IP | |
| | MIL-S-80086D | SHEARING MACHINE, METAL SQUARING, HYDRAULIC DRIVE USER: MC SM REVIEWER: 84 GS | A | 3445 | IP | 30-JUN-86 | AL | SH | 99 | | |
| | MIL-W-80087C<br>NOTICE 1 | WELDING MACHINES, ELECTRICAL RESISTANCE, SPOT, ROCKER ARM, AIR OPERATED, THREE PHASE (VALIDATION DATE: 9105) USER: AV OS SM REVIEWER: 84 GS | A | 3432 | IP | 02-MAY-91 | AL | SH | 99 | IP | |
| | MIL-G-80088D(1) | GRINDING MACHINES, SURFACE, RECIPROCATING TABLE, HORIZONTAL SPINDLE, POWER FEED USER: AR MC SM REVIEWER: GS | A | 3415 | IP | 22-FEB-90 | AL | SH | 99 | IP | |
| | MIL-F-80089B | FURNACE, HEAT TREATING, GAS FIRED, BOX TYPE, DIRECT FIRED AND FULL MUFFLE DESIGN USER: MC OS REVIEWER: GS | A | 3424 | IP | 30-SEP-86 | AL | | | | |
| | MIL-C-80090D | CUTTING SYSTEMS, METAL, PLASMA ARC USER: AR AV REVIEWER: 84 GS MC ..... | A | 3433 | IP | 06-FEB-92 | AL | SH | 99 | IP | |
| | MIL-S-80093B | SHEARING MACHINE, ROTARY, RING AND CIRCLE, METAL, POWER OPERATED (VALIDATION DATE: 8306) USER: AV GS MC | A | 3445 | IP | 15-JUL-70 | AR | SH | 99 | | |
| D | MIL-S-80095D | SAW, BAND WOODWORKING USER: MC REVIEWER: AR GS ME YD1 ..... | A | 3220 | IP | 12-FEB-86 | AL | SH | 99 | | |
| | MIL-W-80102C | WELDING SET, ARC, GAS SHIELDED, CONSUMABLE ELECTRODE (VALIDATION DATE: 9006) USER: AS AV CE MC REVIEWER: GS OS | A | 3431 | IP | 06-JUN-90 | AL | SH | 99 | IP | |
| | MIL-W-80103C | WELDING EQUIPMENT, ARC, DC, PIPE, AUTOMATIC USER: AS CE OS REVIEWER: 84 GS | A | 3431 | IP | 24-JUL-86 | ME | SH | 99 | | |
| D | MIL-P-80104D | PRESS, SWAGING, WIRE ROPE FITTINGS, HYDRAULICALLY POWERED USER: AS REVIEWER: GS YD1 | A | 3442 | IP | 27-MAR-90 | | SH | 99 | IP | |
| | MIL-P-80107B | PRESS, MECHANICAL, SINGLE POINT, STRAIGHT SIDE USER: AR REVIEWER: 84 GS ... | A | 3443 | IP | 28-FEB-88 | AL | SH | 99 | | |
| | MIL-P-80109D | PLASMA SPRAY SYSTEM, (POWER) GUNS, AND ACCESSORIES USER: AS SH REVIEWER: 71 84 | A | 3433 | IP | 31-AUG-87 | | | 99 | | |
| | MIL-W-80110C | STUD WELDING UNITS, INDEPENDENT DC POWER SOURCE WITH SEPARATE CONTROL UNIT, ELECTRIC ARC USER: AS MC REVIEWER: 84 | A | 3431 | IP | 27-NOV-89 | AL | SH | 99 | IP | |
| D | MIL-C-80111C | CUTTING MACHINE, SHAPE, OXYGEN & FUEL GAS, ELECTRIC-MOTOR DRIVEN, TRACER GUIDED, PORTABLE USER: AR WV REVIEWER: 84 YD1 | A | 3433 | IP | 14-JAN-87 | | SH | 99 | | |
| | MIL-T-80112D | THREAD AND FORM ROLLING MACHINES, ROTARY DIE, POWER DRIVEN, HORIZONTAL USER: MC REVIEWER: 84 GS | A | 3449 | IP | 17-OCT-89 | AL | SH | 99 | IP | |
| | MIL-F-80113D | FURNACE, VACUUM, HEAT TREATING AND BRAZING USER: AS OS REVIEWER: 84 AL .... | A | 3424 | IP | 29-JAN-88 | | SH | 99 | | |
| | MIL-P-80114D | PRESS, HYDRAULIC, VERTICAL, C- (GAP) FRAME REVIEWER: 84 GS ..... | A | 3442 | IP | 02-AUG-90 | AL | SH | 99 | IP | |
| D | MIL-B-80115B<br>NOTICE 1 | BENDING MACHINE, ANGLES, BARS, AND SHAPES, VERTICLE BENDING PLANE OR HORIZONTAL BENDING PLANE, POWER OPERATED (VALIDATION DATE: 9006) USER: MC SM YD1 REVIEWER: 84 GS | A | 3441 | IP | 22-JUN-90 | AL | | 99 | IP | |
| | MIL-W-80117B<br>NOTICE 1 | WELDING SETS, SUBMERGED ARC (VALIDATION DATE: 8910) USER: AR AS MC REVIEWER: 84 CG GS | A | 3431 | IP | 17-OCT-89 | AL | SH | 99 | IP | |
| | MIL-W-80119B | WELDING SYSTEMS, ELECTRON BEAM, VACUUM TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: MC REVIEWER: GS MI OS | A | 3438 | IP | 12-MAR-90 | AR | SH | 99 | IP | |

| Action | GPL / GMIL Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-F-80120B(1) NOTICE 1 | FURNACE, HEAT-TREATING AND QUENCHING, IN AND OUT, AND STRAIGHT THROUGH DESIGN [VALIDATION DATE: 8604] USER: AS MC OS REVIEWER: GS | A | 3424 IP | 14-APR-86 | AL | SH | 99 | |
| | | MIL-W-80121B(1) | WELDING MACHINES, RESISTANCE, SPOT, PORTABLE TYPE, SINGLE PHASE ..... | A | 3432 IP | 04-MAY-90 | | SH | 99 | IP |
| | | MIL-W-80124C(1) | WELDING MACHINES (MICROWELDER), RESISTANCE, SINGLE PHASE, BENCH MOUNTED USER: AR AV MC MI WV REVIEWER: GS | A | 3432 IP | 14-MAY-90 | AL | SH | 99 | IP |
| | | MIL-G-80125B | GRINDING MACHINE, SURFACE, ROTARY, VERTICAL SPINDLE, SINGLE TABLE USER: AS MC OS REVIEWER: 84 GS | A | 3415 IP | 22-AUG-86 | AL | SH | 99 | |
| | | MIL-G-80126B | GRINDING MACHINE, DISC, HORIZONTAL, DOUBLE END, SINGLE SPINDLE REVIEWER: GS | A | 3415 IP | 27-FEB-87 | | | 99 | |
| | | MIL-P-80128C | PRESS, " H" FRAME, VERTICAL, HYDRAULIC, ELECTRIC MOTOR DRIVEN USER: AR AS MC OS REVIEWER: 84 GS | A | 3442 IP | 29-JAN-87 | AL | SH | 99 | |
| | | MIL-E-80130C(1) | ELECTRO-EROSION MACHINE, METAL DISINTEGRATING, ELECTRIC ARC, VIBRATING HEAD, DRILL TYPE USER: MC ME REVIEWER: 84 GS | A | 3410 IP | 11-SEP-84 | AL | SH | 99 | |
| | | MIL-T-80131C | TURNING ROLLS, WELDING, POWERED, IDLER, AND TILTING TYPE USER: MC REVIEWER: 84 AR GS OS | A | 3436 IP | 25-OCT-91 | AL | SH | 99 | IP |
| | | MIL-F-80133B | FURNACE, HEAT TREATING, PIT TYPE, ELECTRIC, FORCED CONVECTION USER: AS AV OS REVIEWER: GS | A | 3424 IP | 30-OCT-87 | | SH | 99 | |
| | | MIL-P-80135B | PRESSES, MECHANICAL STRAIGHT SIDED, TIE RODS, MULTIPLE POINT, NON-GEARED TYPE USER: MC REVIEWER: GS | A | 3443 IP | 17-NOV-87 | AR | SH | 99 | |
| | | MIL-P-80136B NOTICE 1 | PLANERS, METAL CUTTING, OPENSIDE, HYDRAULIC, SHAPER PLANER TYPE [VALIDATION DATE: 8702] USER: AV MC REVIEWER: GS | A | 3418 IP | 06-FEB-87 | AL | SH | 99 | |
| | | MIL-M-80141C | METALLIZING OUTFIT, POWER GAS, GUNS AND ACCESSORIES USER: MC OS SH WV REVIEWER: GS | A | 3433 IP | 30-APR-87 | | | 99 | |
| | | MIL-T-80144C | TANK, METAL FINISHING USER: AS MC OS REVIEWER: GS SH ..... | A | 3426 IP | 24-NOV-81 | AL | | 99 | |
| | | MIL-G-80145B | GRINDING MACHINES, SURFACE, RECIPROCATING TABLE, HORIZONTAL SPINDLE, HAND FEED USER: AR MC SH WV REVIEWER: 84 GS | A | 3415 IP | 22-FEB-89 | AL | SH | 99 | IP |
| | | MIL-F-80146A NOTICE 1 | FURNACE, HEAT TREATED, GAS FIRED, PIT TYPE, FORCED CONVECTION [VALIDATION DATE: 8606] USER: MC OS REVIEWER: GS | A | 3424 IP | 06-JUN-86 | AL | SH | 99 | |
| | | MIL-P-80149B NOTICE 1 | PRESS, "H" FRAME, VERTICAL, HYDRAULIC, AIR DRIVEN [VALIDATION DATE: 9004] USER: AV WV REVIEWER: GS | A | 3442 IP | 23-APR-90 | AL | SH | 99 | IP |
| | | MIL-D-80150B NOTICE 1 | DRILLING MACHINE, UPRIGHT, TURRET HEAD, SLIDING CARRIER, SIX SPINDLES, BENCH MOUNTED USER: AS MC SH REVIEWER: 84 GS | A | 3413 IP | 10-MAR-88 | AL | SH | 99 | |
| | | MIL-C-80152B | GOUGING AND CUTTING MACHINE, MECHANIZED, DIRECT CURRENT, ELECTRIC ARC, PORTABLE USER: MC OS SH REVIEWER: 84 AS GS | A | 3433 IP | 30-JUN-88 | AR | | 99 | IP |
| | | MIL-B-80153B | BRAKE MACHINE, SHEET METAL, POWER OPERATED (STANDARD TYPE AND BOX-PAN TYPE) [VALIDATION DATE: 8411] USER: MC WV REVIEWER: AV GS | A | 3441 IP | 21-MAR-80 | AR | SH | 99 | |
| | | MIL-E-80158B | ELECTRO-EROSION MACHINES, ELECTRIC DISCHARGE "C" FRAME, RAM/QUILL TYPE, STATIONARY/ROTARY SPINDLE, MANUAL AND COMPUTER NUMERICAL CONTROL (CNC) USER: MC WV REVIEWER: GS | A | 3410 IP | 20-MAR-90 | AL | SH | 99 | IP |
| | | MIL-G-80159A | GENERATOR, ENDOTHERMIC ATMOSPHERE [VALIDATION DATE: 8507] USER: AR AS WV REVIEWER: GS MC | A | 3424 IP | 18-DEC-74 | AL | SH | 99 | |
| D | | MIL-B-80160C | BENDING PRESSES, RAM TYPE, HYDRAULICALLY DRIVEN, PIPE, TUBING AND STRUCTURAL SHAPES USER: YD1 REVIEWER: 84 GS | A | 3441 IP | 16-MAR-92 | AR | SH | 99 | IP |
| | | MIL-B-80161C | BENDING MACHINES, ROTARY HEAD, TUBING, HYDRAULICALLY OPERATED, NUMERICALLY CONTROLLED USER: AV MC REVIEWER: 84 | A | 3441 IP | 11-SEP-87 | AL | SH | 99 | |
| | | MIL-G-80162A | GRINDING MACHINE, THREAD, EXTERNAL, AUTOMATIC USER: AS REVIEWER: GS ..... | A | 3415 IP | 07-MAR-88 | AL | SH | 99 | |
| | | MIL-G-80163B | GRINDING MACHINES, SURFACE, ROTARY TABLE, HORIZONTAL SPINDLE USER: MC REVIEWER: 84 GS | A | 3415 IP | 01-OCT-90 | AL | SH | 99 | IP |
| D | | MIL-W-80164A NOTICE 1 | *WELDING HEAD, ARC, AUTOMATIC, CONSUMABLE WIRE ELECTRODE USER: MC YD1* REVIEWER: 84 AS GS OS | A | 3431 IP | 26-JUL-83 | | SH | 99 | |
| | | MIL-W-80165B(1) | WELDING MACHINE, ARC,DC, GENERATOR, CONSTANT CURRENT, CONSTANT VOLTAGE, INTERNAL COMBUSTION ENGINE DRIVEN USER: MC WV REVIEWER: GS | A | 3431 IP | 16-MAR-88 | AL | SH | 99 | |
| | | MIL-G-80167A NOTICE 1 | GENERATOR, EXOTHERMIC ATMOSPHERE [VALIDATION DATE: 8604] USER: AS MC OS REVIEWER: AR GS WV | A | 3424 IP | 23-APR-86 | AL | SH | 99 | |
| | | MIL-P-80172C | PUNCHING MACHINES, METAL, SINGLE END TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: MC REVIEWER: 84 GS | A | 3445 IP | 04-NOV-88 | AL | SH | 99 | IP |
| | | MIL-M-80173C | MANIPULATORS, AUTOMATIC WELDING HEAD, STATIONARY BASE, AND TRAVELING RAM OR BOOM, ELECTRIC MOTOR DRIVEN USER: MC REVIEWER: 84 AS GS OS | A | 3436 IP | 10-FEB-92 | AL | SH | 99 | IP |
| | | MIL-L-80175B | LATHE, SPEED, HORIZONTAL SPINDLE, SINGLE END, BENCH AND FLOOR MOUNTED USER: AV MC REVIEWER: 84 GS | A | 3419 IP | 11-FEB-87 | AL | SH | 99 | |
| | | MIL-G-80176B(1) NOTICE 1 | GRINDING MACHINE, ABRASIVE BELT, PLATEN, WET & DRY TYPE [VALIDATION DATE: 8705] USER: AS MC OS REVIEWER: 84 GS | A | 3419 IP | 06-MAY-87 | AL | SH | 99 | |
| | | MIL-P-80178B | PRESSES, STRAIGHTENING, GAP TYPE, HYDRAULIC POWERED USER: MC MS WV ..... | A | 3442 IP | 28-FEB-89 | AR | SH | 99 | IP |
| | | MIL-G-80179A | GRINDING MACHINE, CENTER HOLE, VERTICAL, FLOOR MOUNTED, ELECTRIC MOTOR DRIVEN USER: AR AS MC SH REVIEWER: 84 GS | A | 3415 IP | 11-JUL-86 | AL | SH | 99 | |
| D | | MIL-G-80180B NOTICE 1 | GRINDING MACHINES, INTERNAL, CHUCKING, HORIZONTAL, ELECTRIC MOTOR DRIVEN [VALIDATION DATE: 9005] USER: AR AS ER MC OS WV YD1 REVIEWER: 84 GS | A | 3415 IP | 08-MAY-90 | AL | SH | 99 | IP |
| | | MIL-W-80183C | WELDING MACHINES, ELECTRICAL RESISTANCE, ROLL SPOT AND SEAM, PRESS TYPE, THREE PHASE USER: CG MC REVIEWER: GS | A | 3432 IP | 19-APR-89 | AL | SH | 99 | IP |
| | | MIL-M-80184B | MILLING MACHINES, BED TYPE, VERTICAL, DOUBLE HOUSING, NUMERICALLY CONTROLLED, PROFILING, 5 TO 25 HORSEPOWER PER SPINDLE, SINGLE AND MULTI-SPINDLE MACHINES USER: MC REVIEWER: GS | A | 3417 IP | 18-DEC-90 | AL | SH | 99 | IP |
| | | MIL-P-80186B | POSITIONERS, WELDING, ROTATING TABLE, CANTILEVER ARM DESIGN USER: MC OS SH REVIEWER: 84 AL GS | A | 3436 IP | 20-MAR-91 | AR | SH | 99 | IP |
| | | MIL-W-80187A NOTICE 1 | WELDING MACHINES, ULTRASONIC BONDING, MINIATURE WIRE [VALIDATION DATE: 8911] USER: MC REVIEWER: 84 GS | A | 3438 IP | 29-NOV-89 | | | 99 | IP |
| | | MIL-F-80188B | FURNACE, HEAT TREATING, ELECTRIC, METAL LINED, BOX DESIGN USER: MC REVIEWER: GS SH | A | 3424 IP | 02-JAN-85 | AL | SH | 99 | |
| | | MIL-G-80189A | GRINDING MACHINES, WOOD-CUTTING, CIRCULAR SAW BLADE, AUTOMATIC USER: AS MC ME SH REVIEWER: 84 GS | A | 3415 IP | 30-SEP-86 | AR | | 99 | |
| | | MIL-W-80191B | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT VOLTAGE, CONSTANT CURRENT USER: AS CG MC REVIEWER: 84 AL GS | A | 3431 IP | 08-MAY-87 | ME | SH | 99 | |
| | | MIL-W-80192C(1) | WELDING MACHINE, RESISTANCE, SPOT AND SEAM, METAL FOIL, SINGLE PHASE, PORTABLE USER: AV WV REVIEWER: GS | A | 3432 IP | 14-MAY-90 | AL | | 99 | IP |
| | | MIL-M-80197B | MANIPULATORS, AUTOMATIC WELDING HEAD, TRAVELING BASE AND TRAVELING BOOM, ELECTRIC MOTOR DRIVEN USER: MC REVIEWER: GS | A | 3436 IP | 28-JUN-91 | AL | SH | 99 | IP |
| | | MIL-W-80198 | WELDING SYSTEM, METAL, PLASMA ARC [VALIDATION DATE: 8404] REVIEWER: GS .... | A | 3438 IP | 27-FEB-70 | AR | SH | 99 | |
| | | MIL-S-80201C | SAWS, BAND, METAL CUTTING, VERTICAL, CONTOUR [VALIDATION DATE: 8506] USER: MC REVIEWER: 84 | A | 3405 IP | 01-JUN-81 | AL | SH | 99 | |
| | | MIL-B-80202A | BORING AND TURING MACHINES, VERTICAL, COMPUTER NUMERICAL CONTROL, PERFORATED TAPE (FUTURE PROCUREMENT USE MIL-B-80248A) [VALIDATION DATE: 8212] USER: AS MC REVIEWER: GS | A | 3411 IP | 06-JUL-77 | AL | SH | 99 | |
| | | MIL-M-80204B | MILLING MACHINE, HORIZONTAL PROFILERS, TRAVELING TABLE TYPE, THREE AXES, NUMERICALLY CONTROLLED, SINGLE AND MULTI-SPINDLE MACHINE USER: MC REVIEWER: GS | A | 3417 IP | 19-SEP-86 | AL | SH | 99 | |
| | | MIL-F-80207C | FURNACES, HEAT TREATING, HORIZONTAL, CAR-BOTTOM DESIGN USER: AS MC ME OS SH REVIEWER: 84 GS | A | 3424 IP | 01-OCT-90 | AL | SH | 99 | IP |
| | | MIL-M-80209B | MILLING MACHINE, VERTICAL KNEE TYPE, 3 AXIS, NUMERICALLY CONTROLLED, 1.5 TO 7.5 HORSEPOWER SPINDLE DRIVE USER: MC WV REVIEWER: 84 GS | A | 3417 IP | 20-SEP-85 | AL | SH | 99 | |
| L | | MIL-M-80209B(II) | MILLING MACHINE, VERTICAL KNEE TYPE, 3 AXIS, NUMERICALLY CONTROLLED, 1.5 TO 7.5 HORSEPOWER SPINDLE DRIVE REVIEWER: 84 | A | 3417 82 | 06-SEP-89 | | | 82 | |
| | | MIL-B-80210B | BORING MACHINES, VERTICAL, SINGLE COLUMN, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: AR WV REVIEWER: 84 | A | 3411 IP | 05-FEB-88 | AL | | 99 | |

| Action | Doc. / Cmd. Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-W-80211C | WELDING MACHINE, (MICROWELDER), RESISTANCE TYPE, STORED ENERGY, CONSTANT VOLTAGE, LOW IMPEDANCE SOURCE, BENCH MOUNTED USER: MC REVIEWER: 84 | A | 3432 IP | 24-OCT-90 | AL | 99 | IP |
| | | MIL-M-80212B | MILLING MACHINES, VERTICAL, SINGLE AND MULTIPLE SPINDLE, COMPUTER NUMERICALLY CONTROLLED (CNC), AND TRACER CONTROLLED PROFILER USER: AS OS SM REVIEWER: 84 AR GS | A | 3417 IP | 13-NOV-89 | AL SH | 99 | IP |
| | | MIL-W-80214B | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, PULSATING CURRENT USER: CG MC REVIEWER: 84 AL GS | A | 3431 IP | 22-MAR-85 | ME SH | 99 | IP |
| | | MIL-M-80215 | MILLING MACHINE, BED TYPE, HORIZONTAL SPINDLE, AUTOMATIC CYCLE, 24, 26 AND 30 INCH MINIMUM TABLE WIDTH, PLAIN AND DUPLEX MACHINES [VALIDATION DATE: 8012] USER: MC REVIEWER: GS | A | 3417 IP | 27-NOV-70 | AL SH | 99 | |
| | | MIL-T-80218A | TABLES, ROTARY, HORIZONTAL, MANUAL AND POWER FEED USER: MC REVIEWER: GS ... | A | 3460 IP | 12-MAR-87 | AL SH | 99 | |
| D | | MIL-L-80219B | LATHES, SHAFT TURNING, TURRET, VERTICAL BED AND SLANT BED, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: AR MC YD1 REVIEWER: 84 GS | A | 3416 IP | 31-OCT-90 | AL SH | 99 | IP |
| | | MIL-S-80220B | SHEARING MACHINES, SHEET METAL, POWER DRIVEN USER: MC REVIEWER: GS ..... | A | 3445 IP | 09-APR-91 | AL SH | 99 | IP |
| | | MIL-K-80221A<br>NOTICE 2 | KEYSEATING MACHINE, MECHANICAL AND HYDRAULIC, RECIPROCATING CUTTER TYPE [VALIDATION DATE: 8601] USER: MC | A | 3419 IP | 25-JUN-80 | AL | 99 | |
| | | MIL-B-80223A<br>NOTICE 1 | BENDING MACHINES, PIPE AND CONDUIT, HYDRAULIC OR MECHANICAL, BENCH MOUNTING PEDESTAL MOUNTED, OR PORTABLE [VALIDATION DATE: 9009] USER: MC REVIEWER: 84 GS | A | 3441 IP | 14-SEP-90 | AR SH | 99 | IP |
| | | MIL-S-80224A | SHEARING MACHINE, METAL NOTCHING, POWER DRIVEN ..... | A | 3445 IP | 19-APR-89 | | 99 | IP |
| | | MIL-M-80226B | METALLIZING SYSTEM, ELECTRIC ARC USER: MC REVIEWER: 84 GS ..... | A | 3433 IP | 01-AUG-90 | ME SH | 99 | IP |
| | | MIL-W-80227A | WELDING MACHINE, ULTRASONIC, SPOT USER: 71 REVIEWER: 84 ..... | A | 3438 IP | 27-FEB-90 | | 99 | IP |
| | | MIL-G-80228B | GRINDING MACHINE, INTERNAL, PLANETARY HEAD, HORIZONTAL SPINDLE, ELECTRIC MOTOR DRIVEN USER: MC REVIEWER: 84 GS | A | 3415 IP | 05-FEB-90 | AL SH | 99 | IP |
| | | MIL-D-80229A<br>NOTICE 1 | DEPOSITION MACHINE, CARBIDE [VALIDATION DATE: 9109] USER: AV MC REVIEWER: 84 | A | 3433 IP | 13-SEP-91 | AL SH | 99 | IP |
| | | MIL-W-80232B(1) | WELDING MACHINE, ARC, AC/DC, TRANSFORMER RECTIFIER, CONSTANT CURRENT, PROGRAMMED REVIEWER: AS ME | A | 3431 IP | 11-JAN-89 | AL SH | 99 | IP |
| | | MIL-F-80233B | FURNACE, VACUUM, HEAT TREATING, INTEGAL QUENCH USER: AS OS REVIEWER: GS ... | A | 3424 IP | 10-MAY-85 | AL SH | 99 | |
| | | MIL-W-80235C | WELDING MACHINES, ELECTRICAL RESISTANCE, SPOT, PRESS TYPE, AIR OPERATED, SINGLE PHASE, ALTERNATING CURRENT (AC) USER: AS CG REVIEWER: 84 GS | A | 3432 IP | 13-SEP-91 | | 99 | IP |
| D | | MIL-G-80236<br>NOTICE 1 | GENERATOR, AMMONIA DISSOCIATED ATMOSPHERE REVIEWER: AS OS YD1 ..... | A | 3424 IP | 24-MAR-87 | SH | 99 | |
| | | MIL-E-80238B | ELECTRO-EROSION MACHINE, ELECTRO-CHEMICAL, HORIZONTAL RAM TYPE, CAVITY SINKING REVIEWER: 84 AL AS GS MC SH | A | 3410 IP | 23-SEP-89 | | 99 | IP |
| | | MIL-G-80239B | GRINDING MACHINES, NON-TRAVERSING ROTARY TABLE, VERTICAL SPINDLE, UNIVERSAL, MANUAL, AUTOMATIC, & COMPUTER NUMERICALLY CONTROLLED (CNC) USER: AR AS REVIEWER: 84 GS | A | 3415 IP | 24-AUG-87 | AL SH | 99 | |
| D | | MIL-V-80240C | VIEWERS, MICROFICHE REVIEWER: 70 99 AR AS AT AV DO EA MC ME OS SH YD1 ..... | A | 6730 GS | 15-JUN-90 | ER SA | 07 | GS |
| | L | MIL-V-80240B(13) | VIEWERS, MICROFICHE ..... | A | 6730 GS | 15-FEB-85 | | | GS |
| D | | MIL-W-80243B | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT, PROGRAMMED USER: 84 AS CG MC REVIEWER: GS | A | 3431 IP | 31-DEC-87 | AL YD1 | 99 | |
| | | MIL-W-80244B | WELDING MACHINE, FRICTION USER: AS AV MC REVIEWER: 84 GS ..... | A | 3438 IP | 02-MAR-90 | AL | 99 | IP |
| | | MIL-L-80245A | LATHE, MULTIPLE PURPOSE, CHUCKING, HORIZONTAL SPINDLE, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: MC REVIEWER: GS WV | A | 3416 IP | 22-DEC-88 | AL SH | 99 | IP |
| | | MIL-B-80247C | BENDING MACHINES, SHEET AND PLATE, CYLINDRICAL, RESILIENT ROLLER USER: MC REVIEWER: 84 | A | 3441 IP | 20-FEB-92 | AL SH | 99 | IP |
| D | | MIL-B-80248A | BORING AND TURNING MACHINES, VERTICAL, NUMERICAL CONTROL BY MANUAL DATA INPUT, 36 THROUGH 96 INCH TABLES USER: AS REVIEWER: 84 AR GS YD1 | A | 3411 IP | 30-SEP-86 | AL SH | 99 | |
| | | MIL-P-80249A<br>NOTICE 1 | PLATING UNIT, SELECTIVE (BRUSH), PORTABLE [VALIDATION DATE: 8703] REVIEWER: AS GS MS OS | A | 3426 IP | 17-MAR-87 | AL SH | 99 | |
| | | MIL-D-80251A<br>NOTICE 1 | DIMPLING MACHINES, HOT AND COLD PROCESS, SQUEEZE TYPE, FLOOR MOUNTED [VALIDATION DATE: 8803] REVIEWER: GS | A | 3448 IP | 25-MAR-88 | AS | 99 | IP |
| | | MIL-W-80253B(1) | WELDING MACHINES, ELECTRICAL, RESISTANCE, SPOT, PRESS TYPE SINGLE PHASE, BENCH OR FLOOR MOUNTED USER: AR AS REVIEWER: 84 | A | 3432 IP | 14-MAY-90 | AL | 99 | IP |
| | | MIL-E-80254A | ELECTRO-CHEMICAL MACHINE, GRINDING, SURFACE ..... | A | 3410 IP | 12-APR-89 | AL SH | 99 | IP |
| | | MIL-M-80255B | MACHINING CENTERS, VERTICAL, SINGLE SPINDLE, COMPUTER NUMERICAL CONTROL (CNC) USER: AS OS REVIEWER: GS | A | 3408 IP | 14-SEP-90 | AL SH | 99 | IP |
| | | MIL-W-80256A(1) | WELDING MACHINES, ELECTRICAL RESISTANCE, SPOT, PRESS TYPE, AIR OPERATED, SINGLE PHASE, DIRECT CURRENT REVIEWER: 84 AS SH | A | 3432 IP | 14-MAY-90 | AL | 99 | IP |
| | | MIL-L-80257A | LATHES, TURRET, HORIZONTAL SPINDLE, BAR AND CHUCKING, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: MC REVIEWER: 84 GS | A | 3416 IP | 11-DEC-90 | SH | 99 | IP |
| | | MIL-F-80258A | FURNACE, HEAT TREATING, ELECTRIC, NATURAL ATMOSPHERE, BOX TYPE USER: AR AS AV REVIEWER: 84 CR GS SH SM | A | 3424 IP | 28-OCT-86 | AL | 99 | |
| D | | MIL-D-80262B(1) | DRILLING MACHINE, RADIAL, FLOOR MOUNTED USER: MC SM YD1 REVIEWER: 84 ..... | A | 3413 IP | 06-DEC-91 | AL SH | 99 | IP |
| | | MIL-M-80263A | MACHINING CENTERS, HORIZONTAL, SINGLE SPINDLE 4- AND 5-AXIS, COMPUTER NUMERICAL CONTROL (CNC) REVIEWER: 84 AS GS | A | 3408 IP | 16-NOV-90 | AL SH | 99 | IP |
| | | MIL-M-80264(3) | MACHINING CENTERS, HORIZONTAL, SINGLE SPINDLE 3 AXIS, SOFTWIRED NUMERICAL CONTROL WITH POSITIONING ROTARY TABLE | A | 3408 IP | 27-OCT-86 | AL SH | 99 | IP |
| | | MIL-C-80265(1) | CUTTING MACHINES, OXYGEN FLAME AND PLASMA ARC, AUTOMATIC, STATIONARY, NUMERICALLY CONTROLLED USER: MC SH REVIEWER: 84 GS | A | 3433 IP | 14-NOV-90 | | 99 | IP |
| | | MIL-G-80266A | GRINDING MACHINES, TOOL AND CUTTER, FLUTE AND RADIUS, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: AR MC SM REVIEWER: 84 GS ME | A | 3415 IP | 27-MAR-87 | AL SH | 99 | |
| | | MIL-G-80267<br>NOTICE 1 | GRINDING MACHINES, JIG, VERTICAL, CNC [VALIDATION DATE: 9005] USER: MC REVIEWER: 84 AV GS | A | 3415 IP | 08-MAY-90 | AL SH | 99 | IP |
| | | MIL-G-80268A | GRINDING MACHINES, TOOL AND CUTTER; AND GRINDING AND GASHING MACHINES, TOOL, CUTTER, FLUTE, AND RADIUS USER: AR MC SM REVIEWER: 84 ME | A | 3415 IP | 25-AUG-89 | AL SH | 99 | IP |
| | | MIL-M-80269 | MACHINING CENTERS, VERTICAL, SINGLE SPINDLE,DOUBLE COLUMN, COMPUTER NUMERICALLY CONTROLLED (CNC) REVIEWER: 84 GS | A | 3408 IP | 27-AUG-86 | AL SH | 99 | |
| | | MIL-E-80270A | ELECTRICAL DISCHARGE MACHINE, CNC, WIRE USER: MC ME REVIEWER: 84 AR AV GS SA | A | 3410 IP | 25-APR-90 | AL SH | 99 | IP |
| D | | MIL-S-80271A | SHEARING MACHINES, METAL SQUARING, MECHANICAL DRIVE USER: AV MC OS SM REVIEWER: 84 YD1 | A | 3445 IP | 06-MAR-92 | AL | 99 | IP |
| D | | MIL-B-80272 | BORING MACHINES, JIG VERTICAL, DOUBLE COLUMN, BRIDGE TYPE, FIXED OR TRAVELING CROSS-RAIL, NUMERICALLY CONTROLLED (NC) USER: AL | A | 3411 IP | 30-SEP-86 | AR YD1 | 84 | |
| D | | MIL-S-80274 | SAWS, POWER, HACK, 6-INCH THROUGH 24-INCH WORKPIECE CAPACITY USER: MC OS REVIEWER: 84 YD1 | A | 3405 IP | 07-JUL-87 | AL SH | 99 | |
| | | MIL-G-80275 | GRINDING MACHINES, CIRCULAR SAW BLADE, METAL-CUTTING USER: AR AS MC ME REVIEWER: 84 CR ER GS SM | A | 3415 IP | 08-MAR-88 | AL SH | 99 | IP |
| | | MIL-P-80276 | PRESS BRAKES, HYDRAULICALLY OPERATED, SHEET AND PLATE, COMPUTER NUMERICALLY CONTROLLED (CNC) | A | 3441 IP | 29-JUN-88 | AL SH | 99 | IP |
| | | MIL-L-80277 | LATHES, PRECISION, TOOLROOM, VARIABLE SPEED, 11-INCH THROUGH 13-INCH USER: AV CE MC REVIEWER: GS | A | 3416 IP | 29-SEP-89 | AL SH | 99 | IP |
| | | MIL-G-80278 | GRINDING MACHINE, CYLINDRICAL, EXTERNAL, CENTER TYPE, COMPUTER NUMERICAL CONTROL USER: AS OS REVIEWER: 84 GS | A | 3415 IP | 13-APR-90 | AL SH | 99 | IP |
| | | MIL-P-80279 | PUNCHING, SHEARING, NOTCHING, AND COPING MACHINE, METAL, HYDRAULICALLY DRIVEN, FOUR STATION TYPE USER: AV MC REVIEWER: 84 GS | A | 3445 IP | 27-NOV-91 | AL SH | 99 | IP |
| | | MIL-P-80280 | PUNCHING, ANGLE AND BAR SHEARING MACHINE, METAL, HYDRAULICALLY DRIVEN, THREE STATION TYPE USER: AV MC REVIEWER: 84 GS | A | 3445 IP | 27-NOV-91 | AL SH | 99 | IP |
| | L | MIL-R-81000 | REPRODUCER-SET, VOICE WARNING AN/ASH-19(*) [VALIDATION DATE: 8106] ..... | A | 5895 AS | 18-FEB-64 | | AS | |
| | L | MIL-P-81001(1) | POWER SUPPLY PP-2581 (*)/A [VALIDATION DATE: 8005] ..... | A | 5821 AS | 08-SEP-70 | | AS | |
| | QL | MIL-W-81002B<br>NOTICE 1 | WIRE ROPE, STEEL, 1-3/8 INCH DIAMETER, 6 BY 30, TYPE G, LANG LAY FLATTENED STRAND, FIBER CORE, HIGH-STRENGTH (FOR AIRCRAFT ARRESTING) [VALIDATION DATE: 9110] | A | 4010 AS | 28-OCT-91 | | AS | |

| Action | Doc. / Cmbl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | F&C / Area MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-C-81003 | CLINOMETER, ELEVATION ML-591/U [VALIDATION DATE: 8304] REVIEWER: 99 GS .... | A 6660 | AS | 15-FEB-64 | | AS | | | |
| | | MIL-B-81006B NOTICE 1 | BOMB, FREE FALL, DEMONSTRATION OF DISPERSION REQUIREMENTS FOR [VALIDATION DATE: 8704] | A 1325 | AS | 23-FEB-68 | | AS | 15 | | |
| L | | MIL-I-81007(1) | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-56A AND AN/ASQ-56B [VALIDATION DATE: 8103] | A 5895 | AS | 28-SEP-67 | | AS | | | |
| L | | MIL-C-81009 NOTICE 1 | CONTROL, RADIO SET C-4684(*)/ASQ-56A ..... | A 5821 | AS | 15-APR-88 | | AS | | | |
| Q | | MIL-H-81014A(1) | HOOK, HELICOPTER EXTERNAL CARGO, 20,000 POUND CAPACITY, TYPE C [VALIDATION DATE: 8205] | A 1670 | AS | 29-DEC-65 | AV | AS | | | |
| NL | | MIL-S-81018C(1) | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN, GENERAL SPECIFICATION FOR | A 1660 | AS | 12-NOV-85 | | AS | | | |
| L | | MIL-S-81018/1 NOTICE 1 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN-RSSK-6 [VALIDATION DATE: 9110] | A 1660 | AS | 28-OCT-91 | | AS | | | |
| L | | MIL-S-81018/2D NOTICE 1 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN, RSSK-8D [VALIDATION DATE: 9110] | A 1660 | AS | 28-OCT-91 | | AS | | | |
| L | | MIL-S-81018/3 NOTICE 1 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT WITH OXYGEN - RSSK-1A [VALIDATION DATE: 9110] | A 1660 | AS | 28-OCT-91 | | AS | | | |
| Q | | MIL-H-81019D NOTICE 1 | HYDRAULIC FLUID, PETROLEUM BASE, ULTRA-LOW TEMPERATURE, METRIC [VALIDATION DATE: 9110] REVIEWER: 99 GS PS | A 9150 | AS | 28-OCT-91 | MI | AS | 11 | | |
| | | MIL-C-81021A NOTICE 1 | COPPER-BERYLLIUM ALLOY (COPPER ALLOY NUMBERS C17500 AND C17510), STRIP [VALIDATION DATE: 9012] USER: ME SH REVIEWER: 1S | A 9535 | AS | 14-DEC-90 | MR | AS | 11 | | |
| L | | MIL-I-81023D | INDUCTOR, 28V, D. C. LABORATORY TEST GENERAL SPECIFICATION FOR ..... | A 6625 | SH | 20-DEC-85 | | SH | | | |
| L | | MIL-S-81031B(4) | SWITCH, INERTIA, MARK 104 MOD 1 (FOR TORPEDOMARK 46 MODS 0 THRU 5) ..... | A 1355 | OS | 18-JUN-87 | | OS | | | |
| L | | MIL-I-81036(2) | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-88, AN/ASQ-88A, AN/ASQ-88B AND AN/ASQ-108 [VALIDATION DATE: 8103] | A 5895 | AS | 28-SEP-67 | | AS | | | |
| NL | | MIL-S-81040C NOTICE 1 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITHOUT OXYGEN, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] | A 1660 | AS | 28-OCT-91 | | AS | | | |
| L | | MIL-S-81040/2B NOTICE 1 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITHOUT OXYGEN, RSSK-9A [VALIDATION DATE: 9110] | A 1660 | AS | 28-OCT-91 | | AS | | | |
| | | MIL-L-81043 | LUBRICATION CHARTS FOR AIR WEAPON SYSTEMS, PREPARATION OF [VALIDATION DATE: 8107] USER: 11 | A TMSS | AS | 13-MAY-64 | | AS | 68 | | |
| Q | | MIL-W-81044B(3) SUPPL 1A1 | WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY USER: MC REVIEWER: AR AT AV EA EC IS MI OS | A 6145 | AS | 30-JUN-90 | CR | AS | 85 | | |
| L | | MIL-W-81044/5C NOTICE 3 | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 DEG. C [VALIDATION DATE: 9004] | A 6145 | 85 | 18-APR-90 | | | 85 | | |
| A | | MIL-W-81044/6C(2) | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 DEG. C USER: MC OS REVIEWER: 99 AT AV EC IS MI | A 6145 | AS | 30-JUN-92 | CR | AS | 85 | | |
| Q | | MIL-W-81044/7B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, NORMAL WEIGHT, 600 VOLT, 150 DEG. C [VALIDATION DATE: 8203] USER: MC OS REVIEWER: 11 AR AT AV EC IS MI | A 6145 | AS | 07-SEP-76 | CR | AS | 85 | | |
| L | | MIL-W-81044/8C NOTICE 3 | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED COPPER, MEDIUM WEIGHT, 600 VOLT, 150 DEG. C (INACTIVE) | A 6145 | 85 | 07-SEP-76 | | | 85 | | |
| | | MIL-W-81044/9B(1) | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 DEG. C USER: MC OS REVIEWER: 99 AR AT AV EC IS MI | A 6145 | AS | 30-APR-92 | CR | AS | 85 | | |
| Q | | MIL-W-81044/10B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, MEDIUM WEIGHT, 600 VOLT, 150 DEG. C [VALIDATION DATE: 8203] USER: MC OS REVIEWER: 11 AR AT AV EA EC IS MI | A 6145 | AS | 07-SEP-76 | CR | AS | 85 | | |
| L | | MIL-W-81044/11C NOTICE 3 | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 DEG. C [VALIDATION DATE: 9004] | A 6145 | 85 | 18-APR-90 | | | 85 | | |
| Q | | MIL-W-81044/12B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN COATED COPPER, LIGHT WEIGHT, 600 VOLT, 150 DEG. C [VALIDATION DATE: 8203] USER: MC OS REVIEWER: 85 AR AT AV EA EC IS MI | A 6145 | AS | 07-SEP-76 | CR | AS | 11 | | |
| Q | | MIL-W-81044/13B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, LIGHT WEIGHT, 600 VOLT, 150 DEG. C [VALIDATION DATE: 8203] USER: MC OS REVIEWER: 11 AR AT AV EC IS MI | A 6145 | AS | 07-SEP-76 | CR | AS | 85 | | |
| N | | MIL-I-81049A(2) | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, VOLTAGE COMPENSATED, MULTIFUNCTION USER: CG MC REVIEWER: 71 GS | A 6685 | AS | 01-MAY-80 | AV | AS | 99 | | |
| L | | MIL-S-81054A | STEEL, BARS AND FORGINGS, CHROMIUM-NICKEL-MOLYBDENUM-VANADIUM (FOR TORPEDO MK 46 MOD 0) [VALIDATION DATE: 8204] | A 1355 | OS | 23-SEP-76 | | OS | | | |
| L | | MIL-C-81064(7) | COURSE GYROSCOPE (FOR TORPEDO MK 46 MODS 0 AND 1) [VALIDATION DATE: 8404] . | A 1355 | OS | 30-MAR-71 | | OS | | | |
| L | | MIL-G-81065A(2) | GYRO-PENDULUM ASSEMBLY (FOR TORPEDO MK 46 MOD 0 AND MK 46 MOD 1) [VALIDATION DATE: 8404] | A 1355 | OS | 08-JAN-71 | | OS | | | |
| L | | MIL-D-81068(1) | DEVICE, HIT AND LOCATING (FOR TORPEDO MK 46 MOD 0) [VALIDATION DATE: 8404] | A 1355 | OS | 22-OCT-65 | | OS | | | |
| L | | MIL-T-81077A(2) | TEST SET, ELECTRICAL CABLE MARK 444 MOD 0 (FOR TORPEDO MK 46 MODS 0 AND 1) [VALIDATION DATE: 8204] | A 4921 | OS | 29-APR-69 | | OS | | | |
| L | | MIL-T-81078(6) | TEST SET, AFTERBODY, TORPEDO, MARK 442 MOD 0 (FOR TORPEDO MK 46 MOD 0) [VALIDATION DATE: 8204] | A 4921 | OS | 16-APR-69 | | OS | | | |
| L | | MIL-A-81083C(3) | ALTERNATOR RECTIFIER (FOR TORPEDO MK 46 MODS 0, 1, 2, AND 4) [VALIDATION DATE: 8508] | A 1355 | OS | 14-MAR-79 | | OS | | | |
| L | | MIL-C-81084A | CONTAINER, SHIPPING AND STORAGE, MK 300 MOD 0 AND MOD 1 (FOR TORPEDO MK 46 MOD 0 THROUGH MOD 5) | A 8140 | OS | 16-JAN-92 | | OS | | | |
| Q | | MIL-S-81087C(1) | SILICONE FLUID, CHLORINATED PHENYL METHYL POLYSILOXANE, NATO CODE NUMBER H-536 USER: AR MC REVIEWER: 68 AT AV ER MI PS | A 9150 | AS | 29-JUN-84 | ME | AS | 11 | | |
| L | | MIL-C-81089 | COORDINATE CONVERTER MARK 54 MOD 0 [VALIDATION DATE: 8410] ..... | A 1270 | AS | 01-JUN-64 | | AS | | | |
| L | | MIL-R-81090 | RUBBER, ELECTRICALLY CONDUCTIVE, FUEL RESISTANT REVIEWER: GS MI MR ..... | A 9320 | OS | 19-MAY-83 | | OS | | | |
| L | | MIL-C-81093B(1) | CARTRIDGES, EXPLOSIVE BOLT (FOR TORPEDOES MARK 46 ALL MODS) ..... | A 1356 | OS | 23-MAR-87 | | OS | | | |
| D | | MIL-T-81098F | TRUCK, AMMUNITION HANDLING: STAKE AND PLATFORM BODY, 24,000 POUNDS GVW, 4 BY 2 OR 4 BY 4 | A 2320 | YD1 | 20-FEB-91 | AT | YD1 | | | |
| QL | | MIL-E-81099A NOTICE 1 | ELECTRIC DEVICES, SIMPLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8711] REVIEWER: GS | A 6150 | AS | 20-NOV-87 | | AS | | | |
| LI | | MIL-F-81100A NOTICE 1 | FLOAT, DRILL MINE, MARK 17 MOD 0 ..... | A 1350 | OS | 27-MAR-92 | | OS | | | |
| L | | MIL-C-81104A(1) NOTICE 1 | CORD, POLYAMIDE, HIGH TEMPERATURE RESISTANT [VALIDATION DATE: 9110] ..... | A 4020 | AS | 28-OCT-91 | | AS | | | |
| L | | MIL-R-81105 | RECEIVER-TRANSMITTER, RADIO RT-736(*)/ASQ-88 AND DECODER, PULSE KY-531(*)/ASQ-88 [VALIDATION DATE: 8103] | A 5826 | AS | 15-JAN-66 | | AS | | | |
| L | | MIL-E-81111B | EXPLOSIVE, PLASTIC-BONDED MOLDING POWDER (PBXN-5) REVIEWER: MI ..... | A 1376 | OS | 23-OCT-85 | AR | OS | | | |
| | | MIL-W-81116B(1) NOTICE 1 | WEBBING, TEXTILE, POLYAMIDE, HIGH TEMPERATURE RESISTANT, LOOP [VALIDATION DATE: 9110] | A 8305 | AS | 28-OCT-91 | | AS | 99 | | |
| L | | MIL-B-81119A | BANDS, HANDLING, MISSILE AND BOOSTER MK 79 MOD 1 AND MK 81 MOD 0 ..... | A 1450 | OS | 05-JUN-89 | | OS | | | |
| L | | MIL-R-81128(1) | ROCKET MOTORS, IDENTIFICATION OF PARTS AND ASSEMBLIES, REQUIREMENTS FOR ... | A 1340 | OS | 19-APR-89 | | OS | | | |
| L | | MIL-T-81134 | TEST SET AN/ASM-184(V)1 AIRCRAFT WEAPON CONTROL TEST SET AN/ASM-184 [VALIDATION DATE: 8204] | A 6625 | AS | 21-JAN-76 | | AS | | | |
| L | | MIL-T-81139A(1) | TEST SET, GUIDED MISSILE AN/DSM-68 [VALIDATION DATE: 8201] ..... | A 4935 | AS | 15-NOV-68 | | AS | | | |
| L | | MIL-O-81144B | OSCILLATOR SUBASSEMBLY (NOSC DWG NO. 1563731) (TORPEDO MARK 37 MODS 0 AND 1) [VALIDATION DATE: 8403] | A 1355 | OS | 19-NOV-70 | | OS | | | |
| L | | MIL-T-81148B | TRANFORMER, DISCRIMINATOR (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 7907] REVIEWER: MI | A 1355 | OS | 11-AUG-72 | | OS | | | |
| L | | MIL-F-81150A | FILTER, BANDPASS (NAVORD DWG 1563728) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8506] | A 1355 | OS | 12-OCT-71 | | OS | | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-O-81151A | OSCILLATOR SUBASSEMBLY (NAVORD DWG 1563736) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8403] | A | 1355 | OS | | 17-DEC-70 | | OS | | |
| L | MIL-F-81154A | FILTER, LOWPASS (NAVORD DWG 1563732) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8403] | A | 1355 | OS | | 10-SEP-70 | | OS | | |
| L | MIL-R-81158A | REAR COVER ASSEMBLED UNIT (FOR TORPEDO MARK 37 MODS 0 AND 1) [VALIDATION DATE: 8506] | A | 1355 | OS | | 14-MAR-66 | | OS | | |
| L | MIL-G-81168 NOTICE 1 | GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8901] | A | 6615 | OS | | 27-JAN-89 | | OS | | |
| L | MIL-G-81168/1A NOTICE 1 | GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8901] | A | 5840 | OS | | 27-JAN-89 | | OS | | |
| L | MIL-G-81168/2A NOTICE 1 | GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8901] | A | 6615 | OS | | 27-JAN-89 | | OS | | |
| L | MIL-G-81168/3A NOTICE 1 | GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8901] | A | 1210 | OS | | 27-JAN-89 | | OS | | |
| L | MIL-G-81168/4A NOTICE 1 | GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8901] | A | 1285 | OS | | 27-JAN-89 | | OS | | |
| L | MIL-G-81168/5B | GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8204] | A | 1285 | OS | | 18-OCT-74 | | OS | | |
| L | MIL-C-81169 | COMPUTER SET, NAVIGATIONAL AN/ASN-39 ( [VALIDATION DATE: 8304] | A | 5826 | AS | | 15-OCT-64 | | AS | | |
| N | MIL-L-81174(1) | LIGHT, LANDING, AIRCRAFT, RETRACTABLE USER: CG MC REVIEWER: GS | A | 6220 | AS | | 09-MAR-84 | AV | AS | 99 | |
| A | MIL-L-81174/1B(1) | LIGHT, LANDING, AIRCRAFT, RETRACTABLE (PAR 64, 28 OR 120 VOLT LAMP) REVIEWER: 99 GS | A | 6220 | AS | | 06-NOV-92 | AV | AS | 82 | |
| Q | MIL-L-81174/2B | LIGHT, LANDING, AIRCRAFT, CONTROLLABLE [VALIDATION DATE: 8106] USER: CG MC REVIEWER: GS | A | 6220 | AS | | 21-SEP-72 | AV | AS | 99 | |
| | MIL-L-81174/3 | LIGHT, LANDING, AIRCRAFT, RETRACTABLE (PAR 46 LAMP) [VALIDATION DATE: 8410] USER: CG MC REVIEWER: GS | A | 6220 | AS | | 07-DEC-64 | AV | AS | 99 | |
| | MIL-L-81174/4A(1) | LIGHT, LANDING, AIRCRAFT, RETRACTABLE REVIEWER: GS | A | 6220 | AS | | 09-MAR-84 | AV | AS | 99 | |
| Q | MIL-F-81177E | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL REVIEWER: 82 AR IS | A | 5320 | AS | | 15-FEB-84 | AV | AS | 99 | |
| | MIL-F-81177/1 NOTICE 1 | FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL, DESIGN & USAGE LIMITATIONS FOR REVIEWER: 99 AR IS MI | A | 5320 | AS | | 09-MAR-88 | AV | AS | | |
| | MIL-F-81177/2 NOTICE 1 | FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED, SELF LOCKING, 100 DEG. FLUSH HEAD, 450 DEG. F, ALLOY STEEL 112 KSI FSU | A | 5320 | AS | | 09-MAR-88 | AV | AS | | |
| | MIL-F-81177/3 NOTICE 1 | FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED, SELF LOCKING, PROTRUDING HEAD, 450 DEG. F, ALLOY STEEL, 112 KSI, FSU REVIEWER: 99 AR IS MI | A | 5320 | AS | | 09-MAR-88 | AV | AS | 11 | |
| L | MIL-I-81186 | INDICATOR, RATE OF FUEL FLOW SYNCHRO TYPE, MS90360 [VALIDATION DATE: 8103] | A | 6620 | AS | | 01-JUL-66 | | AS | | |
| L | MIL-T-81187 | TRANSMITTER, RATE OF FUEL FLOW, SYNCHRO TYPE MS90361 [VALIDATION DATE: 8410] | A | 6620 | AS | | 01-JUL-66 | | AS | | |
| A | MIL-G-811888(3) NOTICE 2 | GLOVES, FLYER'S, SUMMER, TYPE GS/FRP-2 [VALIDATION DATE: 9110] USER: 45 CG MC REVIEWER: 11 AV MD | A | 8415 | CT | | 28-OCT-91 | GL | AS | 99 | CT |
| A LI | MIL-N-81191A NOTICE 1 | NICKEL-TITANIUM ALLOYS, LOW MAGNETIC EFFECTS; BARS, PLATES, SHEETS, STRIPS, AND SHAPES (FOR SPECIAL PURPOSE TOOLS AND EQUIPMENT) REVIEWER: AR | A | 1450 | OS | | 20-MAY-92 | | OS | | |
| | MIL-H-812008 | HEAT TREATMENT OF TITANIUM AND TITANIUM ALLOYS USER: GL REVIEWER: 84 99 AV MI SH | A | 95GP | AS | | 13-JAN-91 | MR | AS | 11 | |
| L | MIL-R-81202D | RECEIVER ASSEMBLY, NITROGEN, FOR LAU-7 SERIES LAUNCHERS | A | 1055 | AS | | 03-FEB-81 | | AS | | |
| L | MIL-C-81204A NOTICE 1 | CONTAINER, SHIPPING AND STORAGE MK 311 MOD 1 [VALIDATION DATE: 9109] | A | 1450 | AS | | 25-SEP-91 | | AS | | |
| L | MIL-B-81205 NOTICE 1 | BAND, HANDLING, MK 84 MOD 0 [VALIDATION DATE: 8704] | A | 1450 | AS | | 15-APR-87 | | AS | | |
| L | MIL-N-81207A(1) | NAVIGATIONAL SET, TACAN AN/ARN-84 (V) [VALIDATION DATE: 8208] | A | 5826 | AS | | 19-JUL-76 | | AS | | |
| L | MIL-M-81218B NOTICE 1 | MANUALS, TECHNICAL; AIRCRAFT ENGINE INTERMEDIATE AND DEPOT MAINTENANCE, PREPARATION OF (WORK PACKAGE CONCEPT) | A | TMSS | AS | | 23-FEB-89 | | AS | | |
| Q | MIL-I-81219B | INDICATOR, ELAPSED TIME, ELECTROCHEMICAL | A | 6645 | AS | | 07-OCT-87 | | AS | | |
| A L | MIL-S-81220A | SHELTER, EXPEDITIONARY AIR FUEL WEAPONS READY, SERVICE USER: 45 | A | 8340 | CT | | 15-FEB-91 | | AS | | CT |
| L | MIL-C-81222C(1) | CHECKLIST, FLIGHT CREW, PREPARATION OF [VALIDATION DATE: 8405] | A | TMSS | AS | | 22-FEB-78 | | AS | | |
| L | MIL-T-81223 | TEST SET, PNEUMATIC PRESSURE AN/PSM-15C [VALIDATION DATE: 8209] | A | 6625 | AS | | 15-MAR-65 | | AS | | |
| | MIL-F-81226(1) NOTICE 1 | FLASH UNITS, PHOTOGRAPHIC REPEATING [VALIDATION DATE: 9111] REVIEWER: MC .. | A | 6760 | AS | | 05-NOV-91 | ER | AS | 99 | |
| | MIL-D-81227B | DETECTOR KIT, WATER, AUTOMOTIVE - AVIATION FUEL [VALIDATION DATE: 8303] USER: ME REVIEWER: 68 71 MR | A | 6640 | AS | | 15-DEC-76 | AV | AS | 99 | |
| LI | MIL-W-81235(3) NOTICE 1 | WIRE, SILVER-ALLOY | A | 9545 | OS | | 20-MAY-92 | | OS | | |
| LI | MIL-A-81236(2) NOTICE 1 | ADHESIVE, EPOXY RESIN WITH POLYAMIDE CURING AGENT | A | 8040 | OS | | 10-APR-91 | | OS | | |
| L | MIL-P-81237 | PENTAERYTHRITOL DIOLEATE [VALIDATION DATE: 8107] | A | 6810 | OS | | 05-MAR-65 | | OS | | |
| LI | MIL-S-81238 NOTICE 1 | SODIUM DIOCTYL SULFOSUCCINATE | A | 6810 | OS | | 20-MAY-92 | | OS | | |
| LI | MIL-G-81239(1) NOTICE 1 | GLYCEROL MONOOLEATE | A | 6810 | OS | | 20-MAY-92 | | OS | | |
| LI | MIL-N-81240(1) NOTICE 1 | NOZZLE INSERT, SILICON CARBIDE-GRAPHITE | A | 1336 | OS | | 20-MAY-92 | | OS | | |
| LI | MIL-W-81244 NOTICE 1 | WETTING AGENT | A | 6850 | OS | | 20-MAY-92 | | OS | | |
| LI | MIL-S-81245 | SHIELD, RAD HAZ L/20MM CARTRIDGES HOLDER, RAD HAZ SHIELD | A | 1005 | AS | | 21-AUG-89 | | AS | | |
| LI | MIL-S-81246A NOTICE 1 | STABILIZER, ORGANIC-TIN-SULFUR | A | 6810 | OS | | 20-MAY-92 | | OS | | |
| | MIL-D-81248B | DETECTOR PAD, FREE WATER REVIEWER: 68 82 DM | A | 6640 | AS | | 30-JUN-80 | | AS | 99 | |
| LI | MIL-C-81251 NOTICE 1 | CLOTH, SILICA, PHENOLIC IMPREGNATED | A | 1338 | OS | | 20-MAY-92 | | OS | | |
| LI | MIL-A-81253(1) NOTICE 1 | ADHESIVE, EPOXY RESIN WITH POLYAMINE CURING AGENT | A | 8040 | OS | | 10-APR-91 | | OS | | |
| LI | MIL-F-81254 NOTICE 1 | FOAM, URETHANE | A | 1338 | OS | | 20-MAY-92 | | OS | | |
| LI | MIL-S-81256(1) NOTICE 1 | SILICA FABRIC, PHENOLIC IMPREGNATED | A | 1338 | OS | | 20-MAY-92 | | OS | | |
| L | MIL-A-81258 | AMPLIFIER, RESOLVER, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8108] REVIEWER: ES | A | 5990 | AS | | 11-MAY-65 | | AS | | |
| L | MIL-A-81258/1 | AMPLIFIER, RESOLVER [VALIDATION DATE: 8307] REVIEWER: ES | A | 5990 | AS | | 19-AUG-65 | | AS | | |
| L | MIL-T-81259B | TIE-DOWNS, AIRFRAME DESIGN, REQUIREMENTS FOR | A | 15GP | AS | | 11-OCT-91 | | AS | | |
| L | MIL-M-81260A(1) | MANUAL, TECHNICAL, AIRCRAFT/SYSTEM/EQUIPMENT MAINTENANCE [VALIDATION DATE: 8405] | A | TMSS | AS | | 29-OCT-71 | | AS | | |
| Q | MIL-R-81261A(1) NOTICE 1 | RAIN REPELLENT, GLASS WINDOW AND WINDSHIELD, FOR IN-FLIGHT APPLICATION [VALIDATION DATE: 9110] | A | 6850 | AS | | 28-OCT-91 | AV | AS | 11 | |
| LI | MIL-A-81264(1) | ASBESTOS FELT OR MAT, RESIN IMPREGNATED REVIEWER: IS | A | 5330 | OS | | 07-FEB-90 | | OS | | |
| LI | MIL-F-81265(1) | FIBER, ASBESTOS REVIEWER: IS | A | 5330 | OS | | 07-FEB-90 | | OS | | |
| L | MIL-B-81267 | BENZYLDIMETHYLAMINE - N [VALIDATION DATE: 8307] REVIEWER: GS | A | 6810 | OS | | 10-MAY-65 | | OS | | |
| LI | MIL-C-81268A NOTICE 1 | CLOTH, NYLON | A | 8305 | OS | | 20-MAY-92 | | OS | | |
| L | MIL-S-81269 | STABILIZER, BARIUM-CADIUM [VALIDATION DATE: 8107] REVIEWER: GS | A | 6810 | OS | | 10-MAY-65 | | OS | | |
| LI | MIL-A-81270(1) NOTICE 1 | ADHESIVE, SYNTHETIC RUBBER | A | 8040 | OS | | 06-NOV-91 | | OS | | |
| L | MIL-S-81271(2) | SQUIB, ONE AMPERE, NO FIRE ( INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 7909] | A | 1375 | OS | | 15-MAY-73 | | OS | | |

| Action | OPR / CNM Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-T-81272 | THERMOCOUPLE, ENGINE, CYLINDER, BAYONET TYPE, MS90324 [VALIDATION DATE: 8103] | A | 6620 AS | 01-FEB-66 | | AS | | |
| | L | MIL-M-81273A SUPPL 1A1 | MANUAL, TECHNICAL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8204] ..... | A | TMSS OS | 25-APR-66 | | OS | | |
| | L | MIL-M-81273/1A | MANUAL, TECHNICAL, ASSEMBLY AND TEST (EQUIPMENT TYPE) [VALIDATION DATE: 8204] | A | TMSS OS | 25-APR-66 | | OS | | |
| | L | MIL-M-81273/2A | MANUAL, TECHNICAL, USERS (EQUIPMENT TYPE) [VALIDATION DATE: 8204] ..... | A | TMSS OS | 25-APR-66 | | OS | | |
| | L | MIL-M-81273/3A | MANUAL, TECHNICAL, ENCYCLOPEDIA (REFERENCE TYPE) [VALIDATION DATE: 8204] .. | A | TMSS OS | 25-APR-66 | | OS | | |
| | L | MIL-M-81273/4A | MANUAL, TECHNICAL, WEAPON SYSTEM [VALIDATION DATE: 8204] ..... | A | TMSS OS | 25-APR-66 | | OS | | |
| | L | MIL-M-81273/5A | MANUAL, MAINTENANCE, TECHNICAL (EQUIPMENT TYPE) SPECIFICATION FOR [VALIDATION DATE: 8204] | A | TMSS OS | 25-APR-66 | | OS | | |
| | L | MIL-M-81273/6A | MANUAL, TECHNICAL, ELECTRONIC AM ELECTROMECHANICAL EQUIPMENT, GUIDES TO THE USE OF (PARTS I THRU VI) [VALIDATION DATE: 8204] | A | TMSS OS | 25-APR-66 | | OS | | |
| | L | MIL-M-81273/7A | MANUAL, TECHNICAL GENERAL PURPOSE (REFERENCE TYPE) [VALIDATION DATE: 8204] | A | TMSS OS | 25-APR-66 | | OS | | |
| | L | MIL-I-81274 | INDICATOR, LATITUDE-LONGITUDE ID-888( )/U [VALIDATION DATE: 8509] ..... | A | 6610 AS | 15-JUL-65 | | AS | | |
| A | | MIL-C-81280C | CLOTH, TWILL, POLYAMIDE, AROMATIC, STAPLE, HIGH TEMPERATURE RESISTANT USER: 45 REVIEWER: 82 | A | 8305 CT | 30-NOV-87 | GL | AS | 99 | CT |
| A | | MIL-S-81282B | STANDARD, FREE WATER DETECTOR USER: ME REVIEWER: 68 MR ..... | A | 6640 AS | 22-JAN-93 | AV | AS | 11 | |
| | L | MIL-M-81288(1) NOTICE 1 | MOUNTING BASES, FLEXIBLE PLASTIC FOAM [VALIDATION DATE: 9110] ..... | A | 5340 AS | 28-OCT-91 | | AS | | |
| | L | MIL-C-81289 NOTICE 1 | CONTAINER, SHIPPING AND STORAGE MK 309 MOD 0 [VALIDATION DATE: 9109] ..... | A | 1450 AS | 25-SEP-91 | | AS | | |
| | L | MIL-T-81290 | TEST SET, MISSILE ELECTRICAL SYSTEM MARK 363 MOD 3 [VALIDATION DATE: 8204] REVIEWER: 99 | A | 4935 OS | 07-JUL-65 | | OS | | |
| A | L | MIL-L-81293A | LIGHTWEIGHT SANDWICH-CONSTRUCTED PANELS (FOR ASROC LAUNCHER MK 112) ..... | A | 5640 OS | 22-JUL-92 | | OS | | |
| | Q | MIL-R-81294D | REMOVER, PAINT, EPOXY, POLYSULFIDE, AND POLYURETHANE SYSTEMS USER: MC REVIEWER: 84 AV MR | A | 8010 AS | 31-DEC-90 | ME | AS | 99 | |
| | L | MIL-A-81296D | ALTIMETER SET, ELECTRONIC AN/APN-171(V) REVIEWER: CR ..... | A | 5826 AS | 22-JUL-85 | | AS | | |
| | | MIL-D-81298D | DYE, LIQUID, FOR THE DETECTION OF LEAKS IN AIRCRAFT FUEL SYSTEMS USER: 99 CG SM REVIEWER: GS MR | A | 6820 68 | 29-JAN-88 | AV | AS | 68 | |
| | | MIL-C-81302D(1) NOTICE 1 | CLEANING COMPOUND, SOLVENT, TRICHLOROTRIFLUOROETHANE [VALIDATION DATE: 9110] USER: ER REVIEWER: GS OS SH SM | A | 6850 AS | 28-OCT-91 | MI | AS | 68 | |
| | | MIL-D-81303A(1) | DESIGN AND EVALUATION OF CARTRIDGES FOR STORES SUSPENSION EQUIPMENT [VALIDATION DATE: 8202] REVIEWER: AR | A | 1377 AS | 10-MAY-67 | AV | AS | | |
| | QL | MIL-P-81305(4) | POWER, DISTRIBUTION PANEL, ALTERNATING CURRENT, F-4 AIRCRAFT, SPECIFICATION FOR [VALIDATION DATE: 8203] REVIEWER: GS | A | 6110 AS | 19-MAR-76 | | AS | | |
| | Q | MIL-T-81306A NOTICE 1 | TOOL, FORMING, FOR ADJUSTABLE PLASTIC AND METAL CABLE STRAPS [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 11 17 99 EC | A | 5120 AS | 17-OCT-91 | CR | AS | 85 | |
| | L | MIL-A-81307 | AMPLIFIER, SERVOMOTOR, GENERAL SPECIFICATION [VALIDATION DATE: 8108] REVIEWER: ES | A | 5990 AS | 20-AUG-65 | | AS | | |
| | L | MIL-T-81308 | TEST SET GROUP, MAGNETIC DETECTOR HEAD, OA-7366/ASM-3, OA-7366A/ASM-3, AND OA-7366B/ASM-3 [VALIDATION DATE: 8107] | A | 6625 AS | 23-AUG-65 | | AS | | |
| | MQ | MIL-C-81309E | CORROSION PREVENTIVE COMPOUNDS, WATER DISPLACING, ULTRA-THIN FILM USER: AT CG REVIEWER: 84 DS MR OS | A | 8030 AS | 31-MAR-93 | EA | AS | 99 | |
| | L | MIL-M-81310D | MANUALS, TECHNICAL: AIRBORNE WEAPONS/STORES LOADING (CONVENTIONAL AND NUCLEAR) WEAPON ASSEMBLY/DISASSEMBLY/SUPPORT EQUIPMENT CONFIGURATION | A | TMSS AS | 01-MAR-90 | | AS | | |
| | L | MIL-T-81311A NOTICE 1 | TRAILER, AIR LAUNCHED WEAPONS, ROUGH TERRAIN, A/M32K-4A [VALIDATION DATE: 9109] | A | 1730 AS | 25-SEP-91 | | AS | | |
| | L | MIL-C-81313(1) | CRADLES, AIR LAUNCHED WEAPONS ..... | A | 1740 AS | 01-JUN-87 | | AS | | |
| | L | MIL-I-81316A(3) | INITIATOR, CARTRIDGE ACTUATED, DELAY MARK 11 MOD 0 [VALIDATION DATE: 8508] | A | 1377 AS | 18-JUL-73 | | AS | | |
| | L | MIL-C-81317(2) | CARTRIDGE, IMPULSE, MARK 97 MOD 0 [VALIDATION DATE: 8508] ..... | A | 1377 AS | 12-SEP-66 | | AS | | |
| | L | MIL-M-81319A(1) NOTICE 2 | WHEELS, ABRASIVE: NON-WOVEN NYLON, RESIN REINFORCED ..... | A | 5345 AS | 10-MAY-92 | | AS | | |
| | Q | MIL-G-81322E | GREASE, AIRCRAFT, GENERAL PURPOSE, WIDE TEMPERATURE RANGE REVIEWER: 68 AR AV EA GS MI OS SH | A | 9150 AS | 22-JAN-92 | ME | AS | 11 | |
| | L | MIL-M-81324(1) | HONING MACHINE, DRY, PORTABLE REVIEWER: CS ..... | A | 4940 AS | 11-JAN-88 | | AS | | |
| | L | MIL-A-81327A | ACOUSTIC LOCATING DEVICE (FOR TORPEDO MK 46 MOD 0 ..... | A | 1355 OS | 13-MAR-85 | | OS | | |
| | | MIL-L-81329C NOTICE 1 | LUBRICANT, SOLID FILM, EXTREME ENVIRONMENT, NATO CODE NUMBER S-1737, METRIC [VALIDATION DATE: 9110] REVIEWER: 68 AV | A | 9150 AS | 28-OCT-91 | | AS | 11 | |
| | L | MIL-C-81330A(1) NOTICE 1 | CARTRIDGE, DELAY, MARK 87 MOD 0 [VALIDATION DATE: 8606] ..... | A | 1377 OS | 23-JUN-86 | | OS | | |
| | L | MIL-C-81331A | CARTRIDGE, IMPULSE, MARK 73 MOD 0 [VALIDATION DATE: 8407] ..... | A | 1377 AS | 27-AUG-70 | | AS | | |
| | L | MIL-C-81332D | COMPUTER SET, DIGITAL AN/ASQ-114(V) ..... | A | 5821 AS | 26-NOV-81 | | AS | | |
| | L | MIL-T-81333A | TELESCOPE, MARK 100 MOD 0 AND 1 ..... | A | 1240 OS | 29-JUN-88 | | OS | | |
| | L | MIL-F-81334B | FOAM, PLASTIC, FLEXIBLE, OPEN CELL, POLYESTER TYPE POLYURETHANE [VALIDATION DATE: 8303] | A | 5340 AS | 05-JUL-77 | | AS | | |
| | L | MIL-F-81334B(11) | FOAM, PLASTIC, FLEXIBLE, OPEN CELL POLYESTER TYPE, POLYURETHANE ..... | A | 5340 SA | 01-APR-91 | | SA | | |
| | L | MIL-A-81335 | ALUMINUM POWDER, SPHERICAL [VALIDATION DATE: 8107] REVIEWER: GS ..... | A | 6810 OS | 08-NOV-65 | | OS | | |
| | L | MIL-D-81336A | DRIVER, EXPLOSIVE, MARK 3 MOD 0 [VALIDATION DATE: 8204] ..... | A | 1351 OS | 23-JAN-73 | | OS | | |
| | L | MIL-S-81340B | SIGNAL, UNDERWATER SOUND (SUS) MARK 84 AND MODS [VALIDATION DATE: 8509] ... | A | 5845 AS | 29-JUN-79 | | AS | | |
| | L | MIL-P-81342 | PROPELLANT, MIXED HYDRAZINE FUEL, MHF-3 ..... | A | 9135 AS | 10-DEC-65 | | AS | | |
| | L | MIL-C-81343C | CONVERTER GROUP, RADAR SCAN AM/ASA-69(*) [VALIDATION DATE: 8205] ..... | A | 5895 AS | 01-MAR-70 | | AS | | |
| | L | MIL-C-81344(1) | CONVERTER, SIGNAL DATA CV-2461( )/A [VALIDATION DATE: 8005] REVIEWER: GS .. | A | 6125 AS | 01-MAY-68 | | AS | | |
| D | | MIL-M-81345B NOTICE 1 | MATS, LANDING, AIRFIELD, AM2 [VALIDATION DATE: 9110] REVIEWER: 85 YD1 ..... | A | 5680 AS | 28-OCT-91 | ME | AS | 99 | |
| | L | MIL-D-81347C NOTICE 1 | DATA ANALYSIS PROGRAMMING GROUP AN/AYA-8(*) ..... | A | 5895 AS | 15-APR-88 | | AS | | |
| | L | MIL-C-81350 | CATECHOL, 4-TERTIARY BUTYL [VALIDATION DATE: 8107] REVIEWER: GS ..... | A | 6810 OS | 24-JAN-66 | | OS | | |
| | L | MIL-L-81352A(1) | LACQUER, ACRYLIC (FOR NAVAL WEAPONS SYSTEMS) [VALIDATION DATE: 8004] USER: ME REVIEWER: EA MI | A | 8010 AS | 31-JAN-73 | | AS | 11 | |
| | LI | MIL-S-81353 | SWAGING MACHINE, AIRCRAFT CABLE, PORTABLE, POWER OPERATED, MODEL NSM-1 REVIEWER: GS | A | 3450 AS | 17-DEC-90 | | AS | | |
| | L | MIL-R-81358 | RECORDER, BATHYTHERMOGRAPH DATA RO-308(A)/SSQ-36 [VALIDATION DATE: 8103] REVIEWER: GS | A | 6655 AS | 01-OCT-68 | | AS | | |
| | AQL | MIL-V-81368 | VALVE, FUEL SYSTEM PRESSURIZATION AND VENT ..... | A | 2910 AS | 02-NOV-92 | | AS | | |
| | L | MIL-D-81357A(1) | DISPLAY GROUP, TACTICAL DATA AM/ASA-70 [VALIDATION DATE: 8410] ..... | A | 5895 AS | 05-APR-71 | | AS | | |
| | L | MIL-D-81358B | DISPLAY GROUP, TACTICAL DATA AM/ASA-66 [VALIDATION DATE: 8103] ..... | A | 6605 AS | 01-MAR-70 | | AS | | |
| | L | MIL-A-81359 | AIRCRAFT WEAPONS RELEASE SET AM/AWE-1 [VALIDATION DATE: 8306] ..... | A | 1280 AS | 04-JUN-70 | | AS | | |
| | L | MIL-C-81360 | CONTROL, AIRCRAFT WEAPONS RELEASE SET C-6682 (*)/AWE-1 [VALIDATION DATE: 8303] | A | 1280 AS | 04-JUN-70 | | AS | | |
| | L | MIL-P-81361 | PROGRAMMER, AIRCRAFT WEAPONS RELEASE SET MX-7016(*)/AWE-1 [VALIDATION DATE: 8304] | A | 1280 AS | 04-JUN-70 | | AS | | |
| | L | MIL-T-81364(1) | T-BOLT, 180,000 PSI, TYPE 431 STAINLESS STEEL, MANUFACTURING PROCESS REQUIREMENTS [VALIDATION DATE: 8107] REVIEWER: IS | A | 5340 AS | 27-MAY-66 | | AS | | |
| | | MIL-B-81365 | BLEED AIR SYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8207] ..... | A | 16GP AS | 04-APR-66 | AV | AS | | |
| | L | MIL-B-81366 | BOUNDARY LAYER CONTROL SYSTEM, PRESSURE [VALIDATION DATE: 8005] ..... | A | 16GP AS | 04-APR-66 | | AS | | |
| | L | MIL-R-81367(1) | RAIN REMOVAL SYSTEM, AIRCRAFT WINDSHIELD, JET AIR BLAST [VALIDATION DATE: 8005] | A | 16GP AS | 10-JUN-74 | | AS | | |
| | L | MIL-A-81369 | ASSEMBLY, LEFT-RIGHT STATION 65A132F5 [VALIDATION DATE: 8410] ..... | A | 1280 AS | 04-JUN-70 | | AS | | |
| | L | MIL-A-81370 | ASSEMBLY, CENTER STATION 65A132F6 [VALIDATION DATE: 8410] ..... | A | 1280 AS | 04-JUN-70 | | AS | | |
| | L | MIL-A-81371 | ASSEMBLY, STATION TRANSFER 65A132F7 [VALIDATION DATE: 8205] ..... | A | 1280 AS | 04-JUN-70 | | AS | | |
| | L | MIL-A-81372 | ASSEMBLY, PRIORITY LOGIC 65A132F8 [VALIDATION DATE: 8205] ..... | A | 1280 AS | 04-JUN-70 | | AS | | |
| | L | MIL-A-81373 | ASSEMBLY, QUANTITY SELECT 65A132F9 [VALIDATION DATE: 8410] ..... | A | 1280 AS | 04-JUN-70 | | AS | | |

| Action | Ofc / Activ Coordination | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-O-81375B NOTICE 1 | ORAL INFLATION ASSEMBLIES, SURVIVAL EQUIPMENT, INFLATABLE [VALIDATION DATE: 9110] USER: AV ME REVIEWER: 11 MC SH | A | 4220 | AS | | 28-OCT-91 | | AS | 99 | |
| DQL | | MIL-M-81380C | MONITOR, CONTAMINATION, FUEL DISPENSING SYSTEM USER: YD1 REVIEWER: MC ..... | A | 4330 | AS | | 13-JAN-86 | | AS | | |
| Q | | MIL-W-81381A SUPPL 1&1, NOTICE 1 | WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY [VALIDATION DATE: 8709] USER: AR AT MC MI SH REVIEWER: 85 AV EC IS OS | A | 6145 | AS | CR | 08-SEP-87 | | AS | 11 | |
| QL | | MIL-W-81381A(11) SUPPL 1&1 | WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY ..... | A | 6145 | AS | | 04-OCT-76 | | AS | | |
| Q | | MIL-W-81381/7E | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL [VALIDATION DATE: 8307] USER: AR AT AV EC MC OS SH REVIEWER: 11 IS MI | A | 6145 | AS | CR | 17-MAR-77 | | AS | 85 | |
| Q | | MIL-W-81381/8D | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL [VALIDATION DATE: 8307] USER: AR AT AV MC OS SH REVIEWER: 11 EC IS MI | A | 6145 | AS | CR | 17-MAR-77 | | AS | 85 | |
| Q | | MIL-W-81381/9D | WIRE, ELECTRIC, FLUOROCARBON/POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, 200 DEGREES C, NOMINAL 5.8 MIL WALL [VALIDATION DATE: 8307] USER: AR AT AV EC MC OS SH REVIEWER: 11 IS MI | A | 6145 | AS | CR | 17-MAR-77 | | AS | 85 | |
| Q | | MIL-W-81381/10E | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL [VALIDATION DATE: 8307] USER: AR AT AV MC OS SH REVIEWER: 11 EC IS MI | A | 6145 | AS | CR | 17-MAR-77 | | AS | 85 | |
| Q | | MIL-W-81381/11C | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, SILVER COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 8, 4 OR 15.4 MIL WALL [VALIDATION DATE: 8410] USER: AR AT AV MC OS REVIEWER: 11 EC IS MI SH | A | 6145 | AS | CR | 05-OCT-77 | | AS | 85 | |
| Q | | MIL-W-81381/12C | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, NICKEL COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 8.4 OR 15.4 MIL WALL [VALIDATION DATE: 8410] USER: AR AT MC OS REVIEWER: 11 EC IS MI SH | A | 6145 | AS | CR | 05-OCT-77 | | AS | 85 | |
| Q | | MIL-W-81381/13D | WIRE, ELECTRIC, FLUOROCARBON/POLYMIDE INSULATED, MEDIUM WEIGHT, SILVER COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 8.4 MIL WALL [VALIDATION DATE: 8307] USER: AR AT AV EC MC OS SH REVIEWER: 11 IS MI | A | 6145 | AS | CR | 17-MAR-77 | | AS | 85 | |
| Q | | MIL-W-81381/14D | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, NICKEL COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 8.4 MIL WALL [VALIDATION DATE: 8307] USER: AR AT AV MC OS SH REVIEWER: 11 EC IS MI | A | 6145 | AS | CR | 17-MAR-77 | | AS | 85 | |
| QL | | MIL-W-81381/17 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT, SILVER COATED COPPER, 600 VOLTS, NOMINAL 4.6 MIL WALL [VALIDATION DATE: 8509] | A | 6145 | AS | | 26-FEB-73 | | AS | | |
| QL | | MIL-W-81381/18 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT, NICKEL COATED COPPER, 600 VOLTS NOMINAL 4.6 MIL WALL [VALIDATION DATE: 8509] | A | 6145 | AS | | 26-FEB-73 | | AS | | |
| QL | | MIL-W-81381/19 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT, SILVER COATED HIGH STRENGTH COPPER ALLOY, 600 VOLTS, NOMINAL 4.6 MIL WALL [VALIDATION DATE: 8509] | A | 6145 | AS | | 26-FEB-73 | | AS | | |
| L | | MIL-W-81381/20 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT NICKEL COATED HIGH STRENGTH COPPER ALLOY, 600 VOLTS, NOMINAL 4.6 MIL WALL [VALIDATION DATE: 8509] | A | 6145 | AS | | 26-FEB-73 | | AS | | |
| L | | MIL-W-81381/21A | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLTS, 150 DEGREES C, NOMINAL 5.8 MIL WALL [VALIDATION DATE: 8410] | A | 6145 | AS | | 05-OCT-77 | | AS | | |
| L | | MIL-W-81381/22 | WIRE, ELECTRIC, FLUOROCARBON/POLYMIDE INSULATED, MEDIUM WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLTS, 150 DEGREES C NOMINAL 8.4 OR 15.4 MIL WALL [VALIDATION DATE: 8410] | A | 6145 | AS | | 05-OCT-77 | | AS | | |
| | | MIL-M-81385A NOTICE 1 | MANIFOLD STEM ASSEMBLIES, LIFE PRESERVER [VALIDATION DATE: 8706] USER: MC REVIEWER: 99 SH | A | 4220 | AS | | 23-JUN-87 | ME | AS | 11 | |
| QL | | MIL-I-81387A(2) | INDICATOR, LIQUID OXYGEN QUANTITY [VALIDATION DATE: 8406] ..... | A | 1660 | AS | | 25-MAY-78 | | AS | | |
| QL | | MIL-I-81388A(1) | INDICATOR REPEATERS, LIQUID OXYGEN QUANTITY [VALIDATION DATE: 8406] ..... | A | 1660 | AS | | 25-MAY-78 | | AS | | |
| | | MIL-P-81390 NOTICE 1 | PLASTIC, MOLDING MATERIAL, POLYCARBONATE, GLASS FIBER REINFORCED [VALIDATION DATE: 9110] REVIEWER: CR ME MI SH | A | 9330 | AS | MR | 28-OCT-91 | MR | AS | | |
| L | | MIL-M-81392 | MARKER, LOCATION, MARINE MK 25 AND MODS 2 AND 3 [VALIDATION DATE: 8006] ... | A | 1370 | AS | | 12-AUG-66 | | AS | | |
| A | | MIL-C-81393B | CLOTH, KNITTED, POLYAMIDE, HIGH TEMPERATURE RESISTANT, SIMPLEX, JERSEY USER: MC REVIEWER: MD | A | 8305 | CT | | 17-MAR-88 | GL | AS | | CT |
| L | | MIL-R-81394 | REFUELING UNIT, AIRCRAFT, 2000 GALLON TYPE MC-1A [VALIDATION DATE: 8209] .. | A | 2320 | AS | | 02-SEP-66 | | AS | | |
| A | L | MIL-C-81395A NOTICE 1 | CLOTH, COATED, DUCK, NYLON [VALIDATION DATE: 9110] ..... | A | 8305 | CT | | 28-OCT-91 | | AS | | CT |
| L | | MIL-O-81397 NOTICE 1 | OVEN, THERMAL DRYING, ELECTRIC [VALIDATION DATE: 8708] ..... | A | 4430 | AS | | 08-SEP-66 | | AS | | |
| L | | MIL-A-81403(3) | ALTIMETER-ENCODER, AAU-21/A ..... | A | 6610 | 71 | | 17-JUN-91 | | | 99 | |
| L | | MIL-T-81404B(1) | TEST SET, ELECTRICAL CIRCUIT, GUIDED MISSILE LAUNCHER & AIRCRAFT, AN/ASM-149C | A | 4935 | AS | | 31-OCT-85 | | AS | | |
| L | | MIL-T-81409 | TEST HARNESS, DIRECTION FINDER SET AN1ALN-28(*) [VALIDATION DATE: 8103] REVIEWER: CS | A | 4940 | AS | | 15-FEB-66 | | AS | | |
| | | MIL-C-81412A(2) NOTICE 1 | COMPASS SET, GYROSCOPE REFERENCE, NAVIGATIONAL AN/ASN-75(*) ..... | A | 6605 | AS | | 07-DEC-87 | | AS | | |
| L | | MIL-A-81423(2) | ATTITUDE HEADING REFERENCE SYSTEM AN/ASN-73 [VALIDATION DATE: 8506] ..... | A | 6610 | AS | | 12-OCT-72 | | AS | | |
| L | | MIL-R-81435A NOTICE 1 | RECEIVER-TRANSMITTER, RADIO RT-859( )/APX-72 AND ASSOCIATED MOUNTINGS MT-3809( )/APX-72 AND MT-3948( )/APX-72 [VALIDATION DATE: 8805] REVIEWER: CR | A | 5821 | AS | | 23-MAY-88 | | AS | | |
| L | | MIL-L-81437(1) | LAUNCHER, GUIDED MISSILE AERO 5A-1 AND AERO 5B-1 [VALIDATION DATE: 8508] .. | A | 1055 | AS | | 19-SEP-72 | | AS | | |
| L | | MIL-C-81441 NOTICE 1 | CONTROL, RADIO SET C-6684(*)/ASQ [VALIDATION DATE: 9110] ..... | A | 5821 | AS | | 17-OCT-91 | | AS | | |
| L | | MIL-R-81443(2) NOTICE 1 | RECEIVER-TRANSMITTER, RADIO RT-793/ASQ AND RT-793A/ASQ [VALIDATION DATE: 9110] | A | 5821 | AS | | 17-OCT-91 | | AS | | |
| L | | MIL-I-81453A(1) | INTERROGATOR SET AN/APX-76B(V) [VALIDATION DATE: 8503] ..... | A | 5985 | AS | | 31-OCT-78 | | AS | | |
| QL | | MIL-I-81454(2) | INDICATOR, GYROSCOPE, VERTICAL REFERENCE ID-1481(*)/A REVIEWER: 99 ..... | A | 6610 | AS | | 15-JUN-76 | | AS | | |
| L | | MIL-N-81460B | NAVIGATION SET, RADAR AN/APN-182(V) [VALIDATION DATE: 8303] ..... | A | 5841 | AS | | 08-FEB-77 | | AS | | |
| L | | MIL-C-81461E | COMPENSATOR GROUP, MAGNETIC AN/ASA-66(V) ..... | A | 5845 | AS | | 23-FEB-84 | | AS | | |
| L | | MIL-R-81462 NOTICE 1 | RADIO SET AN/SRC-40 DIGITAL DATA TRANSMITTER TERMINAL [VALIDATION DATE: 9110] | A | 7440 | AS | | 17-OCT-91 | | AS | | |
| L | | MIL-D-81465A NOTICE 1 | DETECTING GROUP, SUBMARINE ANOMALY (SAD) AN/ASA-64A ..... | A | 5845 | AS | | 15-APR-88 | | AS | | |
| L | | MIL-C-81470(2) NOTICE 1 | CONTROL, RADIO SET C-8057 (*)/ARC [VALIDATION DATE: 8706] ..... | A | 5821 | AS | | 19-JUN-87 | | AS | | |
| L | | MIL-S-81478C | SONOBUOY AN/SSQ-57A [VALIDATION DATE: 9110] ..... | A | 5845 | AS | | 17-OCT-91 | | AS | | |
| L | | MIL-S-81487E | SONOBUOY, AN/SSQ-53D, SPECIFICATION FOR (CONTROLLED DISTRIBUTION) ..... | B | 5845 | AS | | 26-MAR-90 | | AS | | |
| L | | MIL-T-81490A | TRANSMISSION LINES, TRANSVERSE ELECTROMAGNETIC MODE REVIEWER: ES ..... | A | 5985 | AS | | 22-APR-91 | | AS | | |
| L | | MIL-I-81496(1) | INDICATOR, ATTITUDE, 2-INCH ID-1502/A [VALIDATION DATE: 8410] ..... | A | 6610 | AS | | 15-OCT-68 | | AS | | |
| L | | MIL-N-81497A(2) NOTICE 1 | NAVIGATION SET, INERTIAL AN/ASN-84 [VALIDATION DATE: 8804] ..... | A | 5826 | AS | | 15-APR-88 | | AS | | |
| M | L | MIL-R-81498C(3) | RECEIVING-DECODING GROUP AN/ARA-63 ..... | A | 5826 | AS | | 12-MAR-93 | | AS | | |
| L | | MIL-H-81500A NOTICE 1 | HOOD, ANTI-EXPOSURE COVERALL [VALIDATION DATE: 8904] REVIEWER: CT ..... | A | 8475 | AS | | 20-APR-89 | | AS | | |
| L | | MIL-B-81502B NOTICE 1 | BATTERY, SILVER ZINC ALKALI, GEN ..... | A | 6140 | AS | | 31-DEC-87 | | AS | | |
| L | | MIL-P-81507 | PROPELLANT, MIXED HYDRAZINE FUEL, MHF-5 ..... | A | 9135 | AS | | 14-NOV-66 | | AS | | |
| L | | MIL-I-81508(1) | INDICATOR PLUG, FOR MISSILE PROPELLANTS [VALIDATION DATE: 8509] REVIEWER: GS MI | A | 6685 | AS | | 15-MAY-79 | | AS | | |
| L | | MIL-L-81509(2) | LIGHT, MARKER, DISTRESS, BUOYANT, DROPPABLE [VALIDATION DATE: 8404] REVIEWER: GS | A | 6230 | AS | | 27-JUL-73 | | AS | | |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ | Date | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| AQL | | MIL-C-81511F | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING: AND ACCESSORIES GENERAL SPECIFICATION FOR USER: MC REVIEWER: EC ES OS | A | 5935 AS | 30-SEP-92 | | | AS | | |
| Q | | MIL-C-81511/1E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, RECEPTACLE, FLANGE MOUNT, CRIMP TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 11 AR AV EC ES MI OS | A | 5935 AS | 30-APR-76 | CR | AS | 85 | | |
| Q | | MIL-C-81511/3E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, RECEPTACLE, JAM NUT MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 11 99 AV EC ES MI | A | 5935 AS | 30-APR-76 | CR | AS | 85 | | |
| Q | | MIL-C-81511/5E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, PLUG, CABLE CONNECTING, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [VALIDATION DATE: 8207] USER: AT MC ME REVIEWER: 11 99 AR AV EC ES MI OS | A | 5935 AS | 30-APR-76 | CR | AS | 85 | | |
| Q | | MIL-C-81511/6E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, PLUG, CRIMP TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI | A | 5935 AS | 30-APR-76 | CR | AS | 85 | | |
| Q | | MIL-C-81511/13E | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, F ADAPTER, ROTABLE, TYPE I (SERIES 1 OR 2) [VALIDATION DATE: 8207] USER: AT MC ME SH REVIEWER: 11 99 AR AV EC ES MI | A | 5935 AS | 19-MAR-76 | CR | AS | 85 | | |
| Q | | MIL-C-81511/14D(1) | CONNECTOR, ADAPTER, STRAIGHT, ELECTRIC [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 11 AR AV EC ES MI | A | 5935 AS | 30-APR-76 | CR | AS | 85 | | |
| A | 1 | MIL-C-81511/15F | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: PLUG, SEALING CONTACT (SERIES 1 OR 2) USER: AT MC ME REVIEWER: AR AV EC ES MI OS SH | A | 5935 AS | 15-NOV-92 | CR | AS | 85 | | |
| Q | | MIL-C-81511/16E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, CAP, PROTECTIVE LOCKING (INACTIVE 6-5-70) [VALIDATION DATE: 8207] USER: AT MC ME REVIEWER: 11 AR EC ES MI | A | 5935 AS | 30-APR-76 | CR | AS | 85 | | |
| Q | | MIL-C-81511/17C(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, COVER, PROTECTIVE, PLUG (SERIES 2) [VALIDATION DATE: 8207] USER: MC ME SH REVIEWER: 11 80 AR AV EC ES MI | A | 5935 AS | 30-APR-76 | CR | AS | 85 | | |
| Q | | MIL-C-81511/18C(1) | CONNECTOR, ELECTRICAL CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, COVER, PROTECTIVE, RECEPTACLE (SERIES 1 OR 2) [VALIDATION DATE: 8207] USER: AT MC ME REVIEWER: 11 AR AV EC ES MI | A | 5935 AS | 30-APR-76 | CR | AS | 85 | | |
| | I | MIL-C-81511/19D(1) NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES; RECEPTACLE, DUMMY STOWAGE, FOR SERIES 2 CONNECTORS [VALIDATION DATE: 8903] USER: MC ME OS REVIEWER: 11 99 AR AV EC ES MI | A | 5935 AS | 31-MAR-89 | CR | AS | 85 | | |
| | I | MIL-C-81511/20D | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: NUT, SLOTTED HEXAGON, CONNECTOR MOUNTING, FOR SERIES 1 AND 2 CONNECTORS [VALIDATION DATE: 8410] USER: AT MC ME REVIEWER: 11 99 AV EC ES MI | A | 5935 AS | 15-SEP-82 | CR | AS | 85 | | |
| | I | MIL-C-81511/21C(1) NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, FLANGE MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [VALIDATION DATE: 8903] USER: MC ME SH REVIEWER: 11 99 AR AV EC ES MI OS | A | 5935 AS | 31-MAR-89 | CR | AS | 85 | | |
| | I | MIL-C-81511/23C(1) | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, JAM NUT MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [VALIDATION DATE: 8903] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS | A | 5935 AS | 31-MAR-89 | CR | AS | 85 | | |
| | I | MIL-C-81511/25C(1) NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, CABLE CONNECTING, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [VALIDATION DATE: 8903] USER: AT MC ME SH REVIEWER: 11 99 AR AV EC ES MI OS | A | 5935 AS | 31-MAR-89 | CR | AS | 85 | | |
| | I | MIL-C-81511/26C(1) NOTICE 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: PLUG, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [VALIDATION DATE: 8903] USER: MC ME SH REVIEWER: 11 99 AR AV EC ES MI | A | 5935 AS | 31-MAR-89 | CR | AS | 85 | | |
| QL | | MIL-C-81511/41A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, FLANGE MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 3) [VALIDATION DATE: 8303] USER: MC REVIEWER: EC ES OS SH | A | 5935 AS | 07-JAN-77 | | | AS | | |
| L | | MIL-C-81511/45B | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, CABLE CONNECTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 3) [VALIDATION DATE: 8303] USER: EC ES MC OS SH | A | 5935 AS | 07-JAN-77 | | | AS | | |
| L | | MIL-C-81511/49A NOTICE 2 | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, JAM NUT MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS CLASS A, F AND W (SERIES 3) [VALIDATION DATE: 8303] USER: MC REVIEWER: EC ES OS SH | A | 5935 AS | 07-JAN-77 | | | AS | | |
| L | | MIL-C-81511/51A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, FLANGE MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS CLASS A, F AND W (SERIES 4) [VALIDATION DATE: 8304] | A | 5935 AS | 07-JAN-77 | | | AS | | |
| LI | | MIL-C-0081511/52A(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, SOLDER MOUNT, SOLDER TYPE CONTACTS, PINS ONLY, CLASS D (SERIES 4) REVIEWER: EC ES | A | 5935 AS | 10-FEB-89 | | | AS | | |
| L | | MIL-C-81511/53A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, JAM NUT MOUNT, INDIVIDUAL RELEASE, CRIMP-TYPE CONTACTS, CLASS A, F AND W (SERIES 4) [VALIDATION DATE: 8304] USER: MC REVIEWER: EC ES OS SH | A | 5935 AS | 07-JAN-77 | | | AS | | |
| L | | MIL-C-0081511/54A(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, JAM NUT MOUNT, SOLDER TYPE CONTACTS, PINS ONLY, CLASS D (SERIES 4) [VALIDATION DATE: 8207] REVIEWER: EC ES | A | 5935 AS | 30-APR-76 | | | AS | | |
| L | | MIL-C-81511/56B | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCOUNT, ENVIRONMENT RESISTING, RECEPTACLE, CABLE CONNECTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 4) [VALIDATION DATE: 8304] | A | 5935 AS | 07-JAN-77 | | | AS | | |
| L | | MIL-C-81511/56A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, PLUG, INDIVIDUAL RELEASE, CRIMP-TYPE CONTACTS, CLASS A, F AND W (SERIES 4) [VALIDATION DATE: 8509] USER: MC REVIEWER: EC ES OS SH | A | 5935 AS | 07-JAN-77 | | | AS | | |
| A | 1 | MIL-E-81512(1) NOTICE 1 | ENCODER, SHAFT POSITION TO DIGITAL, CONTACT TYPE, ALTITUDE REPORTING: GENERAL SPECIFICATION FOR REVIEWER: ES | A | 5990 AS | 16-NOV-92 | AR | AS | 85 | | |
| A | 1 | MIL-E-81512/1(1) NOTICE 1 | ENCODER, SHAFT POSITION TO DIGITAL, CONTACT TYPE, ALTITUDE REPORTING TYPE 11CC12671B0A REVIEWER: ES | A | 5990 AS | 16-NOV-92 | AR | AS | 85 | | |
| L | | MIL-P-81513 | POWER UNIT, AIRCRAFT AUXILIARY GAS TURBINE, TYPE 1, NAVY MODEL NO. P-7 [VALIDATION DATE: 8508] | A | 2835 AS | 13-JAN-67 | | | AS | | |
| ML | | MIL-D-81514B(5) | DEVICE, RESTRAINT HARNESS TAKE-UP, INERTIA-LOCKING, POWERED-RETRACTING, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8103] | A | 1680 AS | 25-MAY-72 | | | AS | | |
| L | | MIL-D-81514/1A NOTICE 1 | DEVICE, RESTRAINT HARNESS TAKE-UP, INERTIA-LOCKING POWERED-RETRACTING: FOR USE IN SIII-3 EJECTION SEAT [VALIDATION DATE: 9110] | A | 1680 AS | 29-OCT-91 | | | AS | | |

| Action | OSR / QML Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-T-81517B | TEST SET, MISSILE CONTROL SYSTEM AN/AWM-21 (VALIDATION DATE: 8307) ..... | A | 4935 | AS | 02-APR-71 | AS | | | |
| L | | MIL-L-81520 | LAUNCHER, TARGET, LAU-24/A FOR USE WITH AQM-37A MISSILE TARGET (VALIDATION DATE: 8509) | A | 1055 | AS | 03-MAR-67 | AS | | | |
| L | | MIL-T-81521A(3) NOTICE 1 | TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 7 INCH (VALIDATION DATE: 9110) | A | 8315 | AS | 29-OCT-91 | AS | | | |
| | | MIL-C-81522A(1) | CASES, CARRYING, PHOTOGRAPHIC EQUIPMENT (VALIDATION DATE: 9111) REVIEWER: GS | A | 6760 | AS | 05-NOV-91 | ER | AS | 99 | |
| A L | | MIL-V-81523A(2) NOTICE 2 | VEST, SURVIVAL EQUIPMENT, TYPE SV-2A (VALIDATION DATE: 9110) ..... | A | 8415 | CT | 29-OCT-91 | | AS | | CT |
| L | | MIL-C-81524 | CARTRIDGE, IMPULSE, MARK 82 MOD 0 (VALIDATION DATE: 8508) ..... | A | 1377 | AS | 31-MAR-67 | | AS | | |
| L | | MIL-F-81526B | FILM-TAPE, SEMIAUTOMATIC TEST (VALIDATION DATE: 8509) ..... | A | 1270 | AS | 02-APR-71 | | AS | | |
| L | | MIL-T-81527B | TEST SET, MISSILE CONTROL SYSTEM, AWG-10 SIDE BENCH (VALIDATION DATE: 8410) | A | 1270 | AS | 29-JAN-71 | | AS | | |
| L | | MIL-I-81530A | IGNITION ELEMENT, ELECTRIC, MARK 11 MOD 0 ..... | A | 1377 | AS | 06-MAY-87 | | AS | | |
| L | | MIL-M-81531 | MARKING OF ELECTRICAL INSULATING MATERIALS (VALIDATION DATE: 8004) REVIEWER: EA IS MI | A | 6145 | AS | 02-MAY-67 | | AS | | |
| L | | MIL-C-81532 | CART, TEST EQUIPMENT (VALIDATION DATE: 8205) ..... | A | 4920 | AS | 17-MAY-67 | | AS | | |
| | | MIL-T-81533A NOTICE 1 | 1,1,1, TRICHLOROETHANE (METHYL CHLOROFORM) INHIBITED, VAPOR DEGREASING (VALIDATION DATE: 9110) | A | 6810 | AS | 29-OCT-91 | EA | AS | 68 | |
| | | MIL-C-81535A | CUTTER, CARTRIDGE ACTUACTED, MARK 18 MOD 0 (VALIDATION DATE: 8203) ..... | A | 1377 | AS | 03-FEB-69 | | AS | 99 | |
| L | | MIL-C-81536(1) NOTICE 1 | CARTRIDGE, IMPULSE, MARK 105 MOD 0 (VALIDATION DATE: 8704) ..... | A | 1377 | AS | 10-APR-87 | | AS | | |
| L | | MIL-I-81537(1) | IGNITION ELEMENT, ELECTRIC, MARK 13 MOD 0 (VALIDATION DATE: 8407) REVIEWER: EA | A | 1377 | AS | 27-OCT-70 | | AS | | |
| L | | MIL-T-81541(1) | TEST SET, ELECTRONIC CIRCUIT PLUG-IN UNIT AN/ASM-152 (VALIDATION DATE: 8103) | A | 6625 | AS | 11-FEB-69 | | AS | | |
| QL | | MIL-L-81542A(3) NOTICE 1 | LIFE RAFT, INFLATABLE, ONE MAN, TYPE LR-1 (VALIDATION DATE: 8904) ..... | A | 4220 | AS | 13-APR-89 | | AS | | |
| L | | MIL-C-81543B(1) NOTICE 1 | CONTAINER ASSEMBLIES, INFLATABLE LIFE RAFT (VALIDATION DATE: 8706) REVIEWER: CS | A | 4220 | AS | 23-JUN-87 | | AS | | |
| L | | MIL-T-81546A | TEST STAND, ACTUATOR, LINEAR, LOAD (VALIDATION DATE: 8410) ..... | A | 4920 | AS | 18-FEB-71 | | AS | | |
| L | | MIL-I-81548 NOTICE 1 | IGNITION ELEMENT, ELECTRIC, MARK 22 MOD 0 (VALIDATION DATE: 8704) ..... | A | 1377 | AS | 10-APR-87 | | AS | | |
| L | | MIL-D-81549A | DETONATOR, ELECTRIC, MARK 83 MOD 0 (VALIDATION DATE: 8407) ..... | A | 1377 | AS | 22-FEB-71 | | AS | | |
| Q | | MIL-I-81550C NOTICE 1 | INSULATING COMPOUND, ELECTRICAL, EMBEDDING, REVERSION RESISTANT SILICONE (VALIDATION DATE: 9110) USER: MC REVIEWER: 85 99 AV EC GS MI | A | 5970 | AS | 29-OCT-91 | ER | AS | 11 | |
| L | | MIL-S-81551 SUPPL 1A1 | SWITCH, TOGGLE, HERMETICALLY SEALED, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8203) REVIEWER: EC ES | A | 5930 | AS | 14-JUN-68 | | AS | | |
| QL | | MIL-S-81551/1A | SWITCH, TOGGLE, DOUBLE POLE, HERMETICALLY SEALED (VALIDATION DATE: 8307) REVIEWER: EC ES | A | 5930 | AS | 05-MAR-70 | | AS | | |
| L | | MIL-S-81551/2A | SWITCH, TOGGLE, DOUBLE POLE, LEVER LOCK, HERMETICALLY SEALED (VALIDATION DATE: 8203) REVIEWER: EC ES | A | 5930 | AS | 05-MAR-70 | | AS | | |
| Q | | MIL-V-81552A(2) NOTICE 1 | VALVE, EXHALATION, OXYGEN MASK, PRESSURE COMPENSATING, WITH SAFETY RELIEF . | A | 4820 | AS | 11-JAN-88 | AV | AS | | |
| AQL | | MIL-R-81553B | REGULATOR, CHEST MOUNTED, OXYGEN, POSITIVE PRESSURE, CRU-79/P ..... | A | 1660 | AS | 17-SEP-92 | | AS | | |
| | | MIL-T-81556A NOTICE 1 | TITANIUM AND TITANIUM ALLOYS, EXTRUDED BARS AND SHAPES, AIRCRAFT QUALITY (VALIDATION DATE: 9009) USER: OS SH REVIEWER: 99 AR MI | A | 9540 | AS | 05-SEP-90 | MR | AS | 11 | |
| | | MIL-L-81558 NOTICE 1 | LUG, SUSPENSION, (1,000 POUND) AIRBORNE EQUIPMENT (VALIDATION DATE: 8705) USER: AV MI REVIEWER: 11 18 EA | A | 1325 | AS | 14-MAY-87 | AR | AS | | |
| | | MIL-G-81559C | GYROSCOPE ASSEMBLIES + ATTITUDE + DIRECTIONAL REFERENCE INSTRUMENTS FOR AIRCRAFT, PACKAGING OF USER: 71 REVIEWER: 99 SH | A | 6610 | AS | 23-MAR-84 | AV | AS | 69 | |
| L | | MIL-M-81560 | WEAPON, BIOLOGICAL AND CHEMICAL, GENERAL DESIGN SPECIFICATION FOR (VALIDATION DATE: 8206) | A | 13GP | AS | 12-SEP-67 | | AS | | |
| MQL | | MIL-L-81561F | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, CEMENTED TYPE LPU-21C/P A MD LPU-23B/P, AND HEAT SEALED TYPE LPU-21D/P AND LPU-23C/P | A | 4220 | AS | 21-APR-93 | | AS | | |
| A | | MIL-C-81562B NOTICE 1 | COATINGS, CADMIUM, TIN-CADMIUM AND ZINC (MECHANICALLY DEPOSITED) (VALIDATION DATE: 9210) USER: AT ME SH REVIEWER: 70 71 80 82 84 99 AR AV MD MI OS | A | MFFP | AS | 15-OCT-92 | MR | AS | 11 | |
| L | | MIL-C-81563B(1) | CARTRIDGE, IMPULSE, MARK 67 MOD 0 ..... | A | 1377 | AS | 15-OCT-90 | | AS | | |
| L | | MIL-I-81564(1) NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED, MARK 12 MOD 0 (VALIDATION DATE: 8704) ..... | A | 1377 | AS | 10-APR-87 | | AS | | |
| L | | MIL-C-81567(1) | CARTRIDGE, DELAY, MARK 101 MOD 0 (VALIDATION DATE: 8508) ..... | A | 1377 | AS | 09-APR-73 | | AS | | |
| L | | MIL-C-81568(1) | CARTRIDGE, DELAY, MARK 76 MOD 0 (VALIDATION DATE: 8508) ..... | A | 1377 | AS | 26-DEC-72 | | AS | | |
| L | | MIL-T-81571(1) | THERMAL PROTECTIVE SYSTEM, AIRCRAFT COCKPIT, GENERAL SPECIFICATION FOR .... | A | 1560 | AS | 10-JUL-80 | | AS | | |
| L | | MIL-Z-81572 NOTICE 1 | ZIRCONIUM OXIDE, LINE-STABILIZED, POWDER AND ROD, FOR FLAME SPRAYING (VALIDATION DATE: 9110) | A | 6810 | AS | 29-OCT-91 | | AS | | |
| L | | MIL-A-81573 | AIRCREW ESCAPE SYSTEM DESCRIPTIVE AND PERFORMANCE DATA PRESENTATIONS, REQUIREMENT AND FORMATS FOR GENERAL SPECIFICATION FOR (VALIDATION DATE: 8103) | A | 1680 | AS | 01-APR-68 | | AS | | |
| QL | | MIL-R-81574(1) | RESCUE HAND TOOL, PNEUMATIC (VALIDATION DATE: 8710) REVIEWER: GS ..... | A | 4240 | AS | 30-OCT-87 | | AS | | |
| L | | MIL-C-81575(1) NOTICE 1 | CYLINDER, NITROGEN, FOR RESCUE HAND TOOL (VALIDATION DATE: 9110) ..... | A | 8120 | AS | 29-OCT-91 | | AS | | |
| L | | MIL-K-81576A NOTICE 1 | KIT - TOUCH-UP, FOR CORROSION CONTROL OF WEAPONS SYSTEMS (VALIDATION DATE: 9110) | A | 8010 | AS | 29-OCT-91 | | AS | | |
| L | | MIL-I-81577A | IGNITION ELEMENT, ELECTRIC, MARK 17 MOD 0 (VALIDATION DATE: 8203) ..... | A | 1377 | AS | 24-SEP-74 | | AS | | |
| Q | | MIL-H-81581A(2) SUPPL 1A1 | HOSE ASSEMBLIES, BREATHING OXYGEN AND AIR, GENERAL SPECIFICATION FOR REVIEWER: 99 | A | 4720 | AS | 18-JUL-90 | AV | AS | 11 | |
| | | MIL-H-81581/1A(1) NOTICE 1 | HOSE ASSEMBLIES, AIR, LOW PRESSURE, HIGHLY FLEXIBLE (VALIDATION DATE: 9110) REVIEWER: 99 | A | 1660 | AS | 29-OCT-91 | AV | AS | 11 | |
| QL | | MIL-H-81581/2A(2) | HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE WITH CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM REVIEWER: 11 | A | 4720 | AS | 18-JUL-90 | | AS | | |
| | | MIL-H-81581/3A(1) NOTICE 1 | HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE, WITHOUT CONNECTIONS FOR COMMUNICATION SYSTEM (VALIDATION DATE: 9110) REVIEWER: 99 | A | 1660 | AS | 29-OCT-91 | AV | AS | 11 | |
| | | MIL-H-81581/4A NOTICE 1 | HOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE, WITH/WITHOUT CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM (VALIDATION DATE: 9110) | A | 1660 | AS | 29-OCT-91 | | AS | 99 | |
| | | MIL-H-81581/5A NOTICE 1 | HOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE CONNECTOR TO REGULATOR (VALIDATION DATE: 9110) | A | 1660 | AS | 29-OCT-91 | | AS | 99 | |
| | | MIL-H-81581/6A NOTICE 1 | HOSE ASSEMBLIES, BREATHING OXYGEN AND AIR; HOSE KITS AND MATED ASSEMBLIES (VALIDATION DATE: 9110) REVIEWER: 11 | A | 1660 | AS | 29-OCT-91 | | AS | 99 | |
| | | MIL-H-81581/7 NOTICE 1 | HOSE ASSEMBLIES, COMBINED ASSEMBLIES, HOSE AND COMMUNICATION CABLE (VALIDATION DATE: 9110) | A | 1660 | AS | 29-OCT-91 | | AS | 99 | |
| | | MIL-H-81581/8 NOTICE 1 | HOSE ASSEMBLIES, CABLE ASSEMBLIES, COMMUNICATION, ASSOCIATED (VALIDATION DATE: 9110) | A | 1660 | AS | 29-OCT-91 | | AS | 99 | |
| N | | MIL-C-81582B(1) SUPPL 1A1 | CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENTAL RESISTING, UMBILICAL, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8109) USER: SH REVIEWER: 11 15 AR EC ES | A | 5935 | AS | 29-MAY-81 | CR | AS | 99 | |
| Q | | MIL-C-81582/1C | CONNECTOR, ELECTRIC, BAYONET COUPLING, UMBILICAL RECEPTACLE, JAM NUT MOUNTING, RFI SHIELDED, CRIMP CONTACT, CLASS E (VALIDATION DATE: 8303) USER: SH REVIEWER: 11 15 AR EC ES MI | A | 5935 | AS | 06-NOV-75 | CR | AS | 99 | |
| Q | | MIL-C-81582/2C | CONNECTOR, PLUG, ELECTRIC, BAYONET COUPLING, LANYARD RELEASE, RFI SHIELDED, CRIMP TYPE CONTACTS, CLASS E USER: SH REVIEWER: 11 15 AR EC ES | A | 5935 | AS | 15-MAR-83 | CR | AS | 99 | |
| | | MIL-C-81582/4B NOTICE 1 | CONNECTOR ADAPTER, RFI SHIELDED, CABLE TO ELECTRIC CONNECTOR (VALIDATION DATE: 9110) USER: SH REVIEWER: 11 15 80 AR EC ES | A | 5935 | AS | 17-OCT-91 | CR | AS | 99 | |

| Action | Doc. / Cmtl. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Q | | | MIL-C-81582/5A | CONNECTOR ADAPTER, RIGHT ANGLE, RFI SHIELDED, ELECTRIC CONNECTOR TO ELECTRIC CONNECTOR [VALIDATION DATE: 8205] USER: SH REVIEWER: 11 15 AR EC ES | A | 5935 | AS | 05-NOV-75 | CR | AS | 99 | |
| Q | | | MIL-C-81582/6A | CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE [VALIDATION DATE: 8205] USER: SH REVIEWER: 11 15 AR EC ES | A | 5935 | AS | 05-NOV-76 | CR | AS | 99 | |
| Q | | | MIL-C-81582/7A | CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE [VALIDATION DATE: 8205] USER: SH REVIEWER: 11 15 AR EC ES | A | 5935 | AS | 05-NOV-75 | CR | AS | 99 | |
| L | | | MIL-C-81582/8B | CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE [VALIDATION DATE: 8205] USER: SH REVIEWER: EC ES | A | 5935 | AS | 05-NOV-75 | | AS | | |
| | | | MIL-C-81582/9 | CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL, CAPS, PROTECTIVE [VALIDATION DATE: 8205] USER: SH REVIEWER: AR EC ES | A | 5935 | AS | 11-JUN-76 | CR | AS | | |
| | | | MIL-C-81582/10 | CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL, DUMMY STOWAGE RECEPTACLE [VALIDATION DATE: 8205] REVIEWER: AR EC ES SH | A | 5935 | AS | 11-JUN-76 | CR | AS | | |
| L | | | MIL-C-81585 NOTICE 1 | CRADLES, WEAPON, SHIPPING AND STORAGE, MK 12, MK 13, MK 14, MK 15, MK 16 AND MK 18 [VALIDATION DATE: 9110] | A | 8140 | AS | 29-OCT-91 | | AS | | |
| L | | | MIL-T-81587A NOTICE 1 | TIMER ASSEMBLY-RAIN REPELLENT [VALIDATION DATE: 9109] ..... | A | 6630 | AS | 25-SEP-91 | | AS | | |
| L | | | MIL-R-81589(1) | RAIN REPELLENT FLUID APPLICATION SYSTEM AIRCRAFT WINDSHIELD [VALIDATION DATE: 8005] | A | 16GP | AS | 15-JAN-69 | | AS | | |
| L | | | MIL-C-81590(3) | COCKPIT CANOPY SYSTEM, FIXED WING SINGLE AND MULTI-PLACE, FIGHTER, ATTACK, AND TRAINER AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8205] | A | 1560 | AS | 22-NOV-74 | | AS | | |
| A 1 | | | MIL-S-81591(3) NOTICE 1 | STEEL, INVESTMENT CASTINGS, CARBON AND CORROSION - RESISTING USER: OS REVIEWER: AV MC ME MI | A | MECA | AS | 23-FEB-93 | AR | AS | 99 | |
| | | | MIL-B-81592 | BLEED AIR SYSTEM, LOAD ANALYSIS OF, METHOD FOR [VALIDATION DATE: 8401] .... | A | 16GP | AS | 20-AUG-68 | AV | AS | | |
| L | | | MIL-M-81594A(2) | MARKING FOILS, FOR HOT STAMP PRINTING OF ELECTRICAL INSULATING MATERIALS .. | A | 3611 | AS | 31-JUL-91 | | AS | | |
| L | | | MIL-C-81595(1) | CARTRIDGE, IMPULSE, MARK 127 MOD 0 [VALIDATION DATE: 8508] ..... | A | 1377 | AS | 05-JUL-73 | | AS | | |
| | | | MIL-A-81596A | ALUMINUM FOIL FOR SANDWICH CONSTRUCTION USER: OS SH REVIEWER: AV MI ..... | A | 9535 | AS | 30-JUN-85 | MR | AS | 11 | |
| L | | | MIL-N-81604C | NAVIGATION SET, INERTIAL AN/ASN-92(V) [VALIDATION DATE: 8307] ..... | A | 5826 | AS | 03-DEC-76 | | AS | | |
| OL | | | MIL-A-81605D(1) | ALTIMETER SET, ELECTRONIC AN/APN-194(V) ..... | A | 5826 | AS | 29-JUL-85 | | AS | | |
| L | | | MIL-D-81607(1) NOTICE 1 | DISPLAY UNIT, TELETYPEWRITER TT-581/AG AND MOUNTING MT-4088/AG [VALIDATION DATE: 9110] | A | 5815 | AS | 17-OCT-91 | | AS | | |
| L | | | MIL-D-81609C(1) | DETECTING SET, MAGNETIC AN/ASQ-81 (V) ..... | A | 5895 | AS | 10-SEP-86 | | AS | | |
| M L | | | MIL-R-81614(1) NOTICE 1 | RECEIVER, RADAR AUGMENTOR R-1623/APN MODULATOR, X-BAND BEACON MD-817/APN AND ANTENNA, KA-BAND RADAR AS-2406/APN [VALIDATION DATE: 9305] | A | 5841 | AS | 28-MAY-93 | | AS | | |
| L | | | MIL-I-81616 | INITIATOR, DESTRUCT IGNITER MX-8278 ()/ASQ [VALIDATION DATE: 8203] ..... | A | 5810 | AS | 30-OCT-68 | | AS | | |
| L | | | MIL-S-81619B NOTICE 1 | SWITCH, SOLID STATE TRANSDUCER, GENERALSPECIFICATION FOR [VALIDATION DATE: 8711] USER: EC REVIEWER: ES | A | 5930 | AS | 20-NOV-87 | | AS | | |
| ML | | | MIL-S-81619/1A | SWITCH, ELECTRONIC TRANSDUCER, TOGGLE TYPE [VALIDATION DATE: 8006] USER: EC REVIEWER: ES | A | 5930 | AS | 30-AUG-74 | | AS | | |
| | | | MIL-S-81619/7B NOTICE 1 | SWITCH, SOLID STATE TRANSDUCER, 2 AXIS JOYSTICK [VALIDATION DATE: 8608] REVIEWER: 85 99 ES MI | A | 5930 | 11 | 11-AUG-86 | ER | AS | | |
| L | | | MIL-A-81621 | ACCELEROMETER, ELECTRICAL, LINEAR ABU-13/A [VALIDATION DATE: 8106] ..... | A | 1290 | AS | 25-FEB-69 | | AS | | |
| L | | | MIL-D-81622A NOTICE 1 | DETECTING RANGING SET, SONAR AN/AQS-13A ..... | A | 5845 | AS | 15-APR-88 | | AS | | |
| L | | | MIL-T-81624(1) | TELEVISION DISPLAY REQUIREMENTS FOR THEWEAPON SYSTEM FOR GUIDED WEAPON MARK 1 ALL M ODS (WALLEYE) AND GUIDED WEAPON, PRACTICE MK 4 MOD 0/1 [VALIDATION DATE: 8203] | A | 5821 | AS | 30-DEC-69 | | AS | | |
| L | | | MIL-R-81627 | RADIO SET AN/ARC-142 [VALIDATION DATE: 8103] ..... | A | 5821 | AS | 01-JUL-71 | | AS | | |
| L | | | MIL-R-81628B(2) | RADIO SET AN/ARC-1438 [VALIDATION DATE: 8508] ..... | A | 5821 | AS | 08-MAR-79 | | AS | | |
| L | | | MIL-D-81641 NOTICE 1 | DISPLAY, HEAD-UP, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] ..... | A | 6610 | AS | 17-OCT-91 | | AS | | |
| L | | | MIL-R-81648B | RADAR SET AN/APS 116 [VALIDATION DATE: 8509] ..... | A | 5841 | AS | 26-OCT-78 | | AS | | |
| | | | MIL-P-81653B | POWER CONTROLLER, SOLID STATE, GENERAL SPECIFICATION FOR REVIEWER: GS ..... | A | 6110 | AS | 14-FEB-80 | ME | AS | 99 | |
| | | | MIL-P-0081653C | POWER CONTROLLER, SOLID STATE, GENERAL SPECIFICATION FOR REVIEWER: 99 ..... | A | 6110 | AS | 15-JUN-87 | ME | AS | 11 | |
| L | | | MIL-P-81653/1 | POWER CONTROLLER, DC LOAD SWITCHING, SPST, NORMAL OPEN, 1 AMPERE [VALIDATION DATE: 8509] REVIEWER: GS | A | 6110 | AS | 17-NOV-69 | | AS | | |
| L | | | MIL-P-81653/8 | POWER CONTROLLER, INDICATOR DRIVER SPST, NORMAL OPEN, 500 MILLIAMPERES [VALIDATION DATE: 8509] REVIEWER: GS | A | 6110 | AS | 17-NOV-69 | | AS | | |
| L | | | MIL-P-81653/9 | POWER CONTROLLER, DC LOAD SWITCHING SPST, NORMAL OPEN, 10 AMPERES [VALIDATION DATE: 8509] REVIEWER: GS | A | 6110 | AS | 17-NOV-69 | | AS | | |
| OL | | | MIL-P-81655 | PITOT STATIC TUBE, L-SHAPED, COMPENSATED, ELECTRICALLY HEATED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8509] | A | 6610 | AS | 03-DEC-70 | | AS | | |
| Q | | | MIL-C-81659B(2) | CONNECTORS, ELECTRICAL RECTANGULAR, CRIMP CONTACT REVIEWER: 11 99 EC ES OS | A | 5935 | AS | 01-OCT-90 | CR | AS | 85 | |
| L | | | MIL-C-81659/9B NOTICE 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, DOUBLE INSERT, TYPE 2 CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 1, SHELL DESIGNATOR A [VALIDATION DATE: 8709] REVIEWER: EC ES | A | 5935 | AS | 16-DEC-71 | | AS | | |
| | | | MIL-C-81659/29B | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, SINGLE INSERT, TYPE 2, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL DESIGNATOR A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS | A | 5935 | AS | 02-AUG-76 | CR | AS | 85 | |
| | | | MIL-C-81659/31B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, SINGLE INSERT, TYPE 2, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL DESIGNATOR A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS | A | 5935 | AS | 02-AUG-76 | CR | AS | | |
| | | | MIL-C-81659/33B | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE II, CLASS 1 )-65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A) [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS | A | 5935 | AS | 02-AUG-76 | CR | AS | 85 | |
| | | | MIL-C-81659/35B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, DUAL INSERT, TYPE II, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL SIZE A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES | A | 5935 | AS | 02-AUG-76 | CR | AS | 85 | |
| | | | MIL-C-81659/37B | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (TRIPLE INSERT, TYPE II, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A) [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS | A | 5935 | AS | 02-AUG-76 | CR | AS | 85 | |
| | | | MIL-C-81659/39B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL SIZE A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS | A | 5935 | AS | 02-AUG-76 | CR | AS | 85 | |
| | | | MIL-C-81659/41B | CONNECTOR, ELECTRICAL, RECTANGULAR PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL SIZE A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS | A | 5935 | AS | 02-AUG-76 | CR | AS | 85 | |
| | | | MIL-C-81659/43B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE II, CLASS 1 )-65 DEG C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A) [VALIDATION DATE: 8205] REVIEWER: 11 80 EC ES OS | A | 5935 | AS | 02-AUG-76 | CR | AS | 85 | |
| L | | | MIL-C-81659/53A NOTICE 2 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 1 (-65 DEG. C TO +125 DEG. C), SERIES 2, SHELL DESIGNATOR B [VALIDATION DATE: 9110] REVIEWER: EC OS | A | 5935 | AS | 17-OCT-91 | | AS | | |
| L | | | MIL-C-81659/56A NOTICE 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 2 (MINUS 65 DEG. TO PLUS 200 DEG. C), SERIES 2, SHELL DESIGNATOR B [VALIDATION DATE: 8709] REVIEWER: EC | A | 5935 | AS | 16-DEC-71 | | AS | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-C-81659/57A NOTICE 1 | CONNECTOR, ELECTRICAL RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL DESIGNATOR B (VALIDATION DATE: 8709) REVIEWER: EC ES | A | 5935 | | AS | 16-DEC-71 | | AS | | | |
| L | MIL-C-81659/58A NOTICE 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 2 (MINUS 65 DEG. TO PLUS 200 DEG. C), SERIES 2, SHELL DESIGNATOR B (VALIDATION DATE: 8709) REVIEWER: EC ES | A | 5935 | | AS | 16-DEC-71 | | AS | | | |
| | MIL-C-81659/61 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE III, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A) (VALIDATION DATE: 8205) REVIEWER: 11 80 EC OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/62 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE III, CLASS 1 SHELL DESIGNATOR A) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/63 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (TRIPLE INSERT, TYPE III, CLASS 1 )-65 DEG. C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/64 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE III, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A) (VALIDATION DATE: 8205) REVIEWER: MI | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/65 | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C( SERIES 2, SHELL DESIGNATOR A) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC MI OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/66 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1, )-65 DEG. C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/67 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1 )-65 DEG. C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNTING) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/68 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/69 | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/70 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C(, SERIES 2, SHELL DESIGNATOR A) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/71 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1 )-65 DEG. C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNT) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| | MIL-C-81659/72 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1 )-65 DEG. C TO PLUS 125 DEG. C(, SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS | A | 5935 | | AS | 02-AUG-76 | CR | AS | 85 | | |
| L | MIL-I-81663/1 NOTICE 1 | INDICATOR, BUILT IN TEST (BIT), ELECTRICALLY PULSE OPERATED, THREADED MOUNTING, SINGLE AND DUAL COIL, SOLID BLACK/WHITE DATA DISPLAY (VALIDATION DATE: 8803) | A | 5945 | | AS | 21-MAR-88 | | AS | | | |
| L | MIL-I-81663/2 NOTICE 1 | INDICATOR, BUILT-IN-TEST (BIT), SINGLE COIL, SOLID BLACK/BLACK-WHITE SEGMENTED DISPLAY, THREADED MOUNTING, ELECTRICAL/MANUAL OPERATION | A | 5945 | | AS | 21-MAR-88 | | AS | | | |
| L | MIL-G-81665 NOTICE 1 | GENERATOR TRANSMITTER GROUP AN/ASA-76 (U) (VALIDATION DATE: 9110) ..... | A | 6605 | | AS | 17-OCT-91 | | AS | | | |
| L | MIL-N-81675A | NAVIGATIONAL SET, OMEGA AN/ARN-99(V) 1 (VALIDATION DATE: 8307) ..... | A | 5826 | | AS | 09-NOV-76 | | AS | | | |
| L | MIL-N-81678B | NAVIGATIONAL SET, OMEGA AN/ARN-99(V) (VALIDATION DATE: 8410) ..... | A | 5826 | | AS | 14-FEB-77 | | AS | | | |
| L | MIL-R-81680 NOTICE 1 | RECEIVER, RADIO R-1651/ARA ..... | A | 5845 | | AS | 15-APR-88 | | AS | | | |
| L | MIL-I-81683A NOTICE 1 | INDICATOR, ATTITUDE REFERENCE SELF-CONTAINED, 3-INCH, ID-1791/A ..... | A | 6610 | | AS | 07-DEC-87 | | AS | | | |
| L | MIL-R-81686(1) | RADIO SET AN/ARC-161 (VALIDATION DATE: 8103) ..... | A | 5821 | | AS | 07-APR-75 | | AS | | | |
| L | MIL-D-81688A | DISPLAY SET, MISSION RECORDER AN/UPQ-5 (VALIDATION DATE: 8307) ..... | A | 5840 | | AS | 01-MAY-77 | | AS | | | |
| L | MIL-D-81694(5) | DISPENSING SET, COUNTERMEASURES & CHAFF AN/ALE-39 ..... | A | 5895 | | AS | 25-JAN-84 | | AS | | | |
| L | MIL-T-81695A NOTICE 1 | TRANSMITTING SET, TELEMETRIC DATA, AN/AKT-22(V) (U) (VALIDATION DATE: 9110) | A | 5821 | | AS | 17-OCT-91 | | AS | | | |
| L | MIL-M-81700A NOTICE 1 | MANUAL, TECHNICAL, AIRBORNE ARMAMENT EQUIPMENT ..... | A | TMSS | | AS | 09-OCT-86 | | AS | | | |
| L | MIL-M-81701C | MANUALS, TECHNICAL: AIRBORNE MISSILES AND GUIDED WEAPONS, PREPARATION OF .. | A | TMSS | | AS | 01-JUL-89 | | AS | | | |
| L | MIL-M-81702B(1) | MANUAL, TECHNICAL, AIRBORNE WEAPONS (CONVENTIONAL), REQUIREMENTS FOR ..... | A | TMSS | | AS | 30-AUG-83 | | AS | | | |
| QL | MIL-C-81703 SUPPL 1A1 | CONNECTOR, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING (VALIDATION DATE: 8509) REVIEWER: EC ES MI | A | 5935 | | AS | 21-JUL-71 | | AS | | | |
| | MIL-G-81704 | GLASS, AIRCRAFT INSTRUMENT, LIGHTING WEDGE AND COVER (VALIDATION DATE: 8105) REVIEWER: AV GS MD | A | 9340 | | AS | 24-MAR-69 | GL | AS | 11 | | |
| DQ | MIL-B-81705C | BARRIER MATERIALS, FLEXIBLE, ELECTROSTATIC PROTECTIVE, HEAT SEALABLE USER: MC OS YD1 REVIEWER: 99 CR ER MI SA SH SM | A | 8135 | | AS | 25-JAN-89 | GL | AS | 69 | ES | |
| Q | MIL-C-81706(4) | CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS USER: AT ME REVIEWER: 11 AR DS MI OS SH | A | MFFP | | AS | 10-MAR-77 | MR | AS | 99 | | |
| QL | MIL-C-81706(15) | CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS .... | A | MFFP | | AS | 13-NOV-79 | | AS | | | |
| L | MIL-C-81707 | CART, CORROSION CONTROL, JET ENGINE (VALIDATION DATE: 8209) REVIEWER: CS .. | A | 4920 | | AS | 28-NOV-68 | | AS | | | |
| Q | MIL-T-81714E SUPPL 1A1 | TERMINAL JUNCTION SYSTEM (TJS), ENVIRONMENT RESISTANT GENERAL SPECIFICATION FOR USER: AT AV SH REVIEWER: 11 17 99 EC GS MI OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |
| Q | MIL-T-81714/1F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 22 USER: AR AT AV MI SH REVIEWER: 99 EC OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |
| Q | MIL-T-81714/2F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDBACK TYPE, SIZE 20 USER: AR AT AV MI SH REVIEWER: 99 EC OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |
| Q | MIL-T-81714/3F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 16 USER: AR AT AV MI SH REVIEWER: 99 EC OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |
| Q | MIL-T-81714/4F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 12 USER: AR AT AV MI SH REVIEWER: 99 EC OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |
| Q | MIL-T-81714/5F | TERMINAL JUNCTION SYSTEMS TRACK ASSEMBLY, FEEDBACK TYPE USER: AR AT MI REVIEWER: AV EC GS OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |
| Q | MIL-T-81714/6F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDTHRU TYPE, SIZE 22 USER: AR AT AV MI SH REVIEWER: 99 EC OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |
| Q | MIL-T-81714/7F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDTHRU TYPE, SIZE 20 USER: AR AT AV MI REVIEWER: 99 EC OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |
| Q | MIL-T-81714/8F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDTHRU TYPE, SIZE 16 USER: AR AT AV MI SH REVIEWER: 99 EC OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |
| Q | MIL-T-81714/9F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDTHRU TYPE, SIZE 12 USER: AR AT AV MI REVIEWER: 99 EC OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |
| Q | MIL-T-81714/10F | TERMINAL JUNCTION SYSTEM RACK, ELECTRONIC JUNCTION, FEEDTHRU TYPE USER: AR AT AV MI REVIEWER: EC GS OS | A | 5940 | | AS | 02-MAR-88 | ER | AS | 85 | | |

| Action | OPR / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Q | | MIL-T-81714/11F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCKS SECTIONAL WIRE IN LINE JUNCTIONS, SINGLE, SERIES I USER: AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/12C | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCKS, SECTIONAL, WIREIN LINE JUNCTIONS, DOUBLE, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/14C | TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDTHRU TYPE, LIGHT WEIGHT, SERIES I USER: AT AV MI REVIEWER: 99 EC OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/15C | TERMINAL JUNCTION SYSTEM, GROUNDING STUD, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | CR | AS | | | |
| | | MIL-T-81714/16E | TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, LIEHT WEIGHT, SERIES I USER: AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/17C | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22D, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | | AS | 85 | | |
| | | MIL-T-81714/18B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/19B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 16, SEARIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/20B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 12, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/21B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTIONS, INTEGRAL DIODE, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/22B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTION, INTEGRAL RESISTOR, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/23B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTIONS, INTEGRAL FUSE, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/24B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, ELECTRONIC, IN LINE JUNCTIONS, DOUBLE, INTEGRAL DIODE(S), SERIES I USER: AR MI SH REVIEWER: 11 17 99 AT AV EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/25B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-1, SERIES I USER: AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/26B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODVLES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-2, SERIES I USER: AR AT AV MI REVIEWER: 99 EC GS OS SH | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/27B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD TYPE MOUNTING, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/28B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, GROUNDING MODULES, INTEGRAL BRACKET MOUNTING, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/29C | TERMINAL JUNCTION SYSTEM, BRACKET, BLOCK MOUNING, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/30B | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BLOCKS, ELECTRONIC, FEEDBACK TYPE, SIZES 20-3, 20-4, 20-5 VERTICAL MOUNTING WITH INTEGRAL BRACKET USER: AR AT AV MI SH REVIEWER: 11 17 99 EC OS | A | 5940 | AS | 31-DEC-85 | ER | AS | 85 | | |
| | | MIL-T-81714/31B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, MODULES, FEEDBACK TYPE, SIZES 20-6 20-7, 20-8HORIZONTAL MOUNTING WITH INTEGRAL BRACKET, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | AS | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/60A | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II USER: AR AT AV SH REVIEWER: 99 EC GS OS | A | 5940 | 85 | 27-JUN-90 | ER | AS | 85 | | |
| | | MIL-T-81714/61A | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | 85 | 27-JUN-90 | ER | AS | 85 | | |
| | | MIL-T-81714/62A | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEED BACK TYPE, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | 85 | 27-JUN-90 | ER | AS | 85 | | |
| | | MIL-T-81714/63(1) | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD FLANGE TYPE MOUNTING, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | 85 | 27-JUN-90 | ER | AS | 85 | | |
| | | MIL-T-81714/64 | TERMINAL JUNCTION SYSTEM, GROUNDING STUD, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | 85 | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/65(1) | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | 85 | 27-JUN-90 | ER | AS | 85 | | |
| | | MIL-T-81714/66 | TERMINAL JUNCTION SYSTEM, IN-LINE ELECTRONIC JUNCTIONS, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | 85 | 02-MAR-88 | ER | AS | 85 | | |
| | | MIL-T-81714/67(1) | TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | 85 | 27-JUN-90 | ER | AS | 85 | | |
| | | MIL-T-81714/68A | TERMINAL JUNCTION SYSTEM, BLOCK MOUNTING BRACKET, SERIES II REVIEWER: 99 GS | A | 5940 | 85 | 27-JUN-90 | ER | AS | 85 | | |
| | | MIL-T-81714/69 | TERMINAL JUNCTION SYSTEM, BLOCK REMOVAL TOOLS, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS | A | 5940 | 85 | 02-MAR-88 | ER | AS | 85 | | |
| L | | MIL-M-81715 | MANUAL, TECHNICAL, SHIP WEAPON INSTALLATIONS (VALIDATION DATE: 8106) ..... | A | TMSS | AS | 03-FEB-69 | | AS | | | |
| | | MIL-P-81716 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, TYPE II HYDRAULIC ( MINUS 65 DEG F TO PLUS 275 DEG F ) (VALIDATION DATE: 8304) USER: MI | A | 5330 | AS | 14-FEB-69 | MR | AS | 11 | | |
| OL | | MIL-V-81722A(1) | VALVE, INFLATION, LIFE RAFT, FLU-6/P (VALIDATION DATE: 8410) REVIEWER: CS DS | A | 4220 | AS | 13-JAN-78 | | AS | | | |
| L | | MIL-T-81724 | ADAPTER, LAUNCHER, AIRCRAFT, ADU-299/E (VALIDATION DATE: 8307) REVIEWER: GS | A | 1055 | AS | 02-APR-69 | | AS | | | |
| L | | MIL-P-81726 | PROPELLANT, MIXED HYDRAZINE FUEL, MHF-6 ..... | A | 9135 | AS | 23-MAY-69 | | AS | | | |
| | | MIL-P-81728A(1) | PLATING, TIN LEAD (ELECTRODEPOSITED USER: AT GL OS REVIEWER: 99 AR AV ..... | A | MFFP | AS | 28-MAR-80 | MR | AS | 11 | | |
| | | MIL-R-81729A NOTICE 1 | RESTRAINT SYSTEMS, AIRCREWMANS (VALIDATION DATE: 9110) ..... | A | 1680 | AS | 29-OCT-91 | | AS | 99 | | |
| L | | MIL-C-81730A | CARTRIDGE, DELAY, MARK 136 MOD 0 (VALIDATION DATE: 8508) ..... | A | 1377 | AS | 19-APR-73 | | AS | | | |
| L | | MIL-S-81732(1) NOTICE 1 | SEALING COMPOUND, ELECTRICAL, HIGH STRENGTH, ACCELERATOR REQUIRED (VALIDATION DATE: 9110) | A | 8030 | AS | 29-OCT-91 | | AS | | | |
| DQ | | MIL-S-81733C(1) | SEALING AND COATING COMPOUND, CORROSION INHIBITIVE USER: MC ME YD1 REVIEWER: 99 AV MI | A | 8030 | AS | 19-APR-88 | MR | AS | 11 | | |
| L | | MIL-T-81734D | TEST SET, AIRBORNE WEAPON CONTROL SYSTEM AN/AWM-23(V) (VALIDATION DATE: 8307) | A | 4935 | AS | 11-JUL-77 | | AS | | | |
| A L | | MIL-H-81735B | HELMETS, FLIGHT DECK CREWMAN'S, IMPACT RESISTANT ..... | A | 8415 | CT | 30-JUL-92 | | AS | | CT | |
| L | | MIL-T-81736(3) NOTICE 1 | TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 8-INCH (VALIDATION DATE: 9110) | A | 8315 | AS | 29-OCT-91 | | AS | | | |
| L | | MIL-G-81737A | GELLING UNITS, FUEL MARK 1, MOD 0 AND MOD 1 ..... | A | 1040 | AS | 24-AUG-84 | | AS | | | |
| | | MIL-F-81738 | FLARE, AIRCRAFT, PARACHUTE, MK 45 MOD 0 (VALIDATION DATE: 8303) ..... | A | 1370 | AS | 15-AUG-69 | | AS | 99 | | |
| L | | MIL-C-81740 NOTICE 1 | COATINGS, ALUMINUM AND ALUMINUM ALLOYS (METALLIC COMPOUND DECOMPOSITION) (VALIDATION DATE: 9110) | A | MFFP | AS | 29-OCT-91 | | AS | | | |
| L | | MIL-L-81742A NOTICE 1 | LIGHT, BEACON LNU-1/W (VALIDATION DATE: 9109) ..... | A | 2050 | AS | 25-SEP-91 | | AS | | | |

| Action | Opn / Obst Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-B-81744A(1) | BARRIER COATING SOLUTION, LUBRICANT MIGRATION DETERRING [VALIDATION DATE: 8303] REVIEWER: 99 AV GS MI OS SH | A | 6850 | AS | 23-DEC-76 | AR | AS | 11 | |
| | L | MIL-L-81745B(2) | LAUNCHER CONTAINER, "A" SIZE SONOBUOY LAU-126/A | A | PACK | AS | 30-APR-90 | | AS | | |
| | ML | MIL-S-81746A | SERVTORQ, GENERAL SPECIFICATION FOR USER: EC SH | A | 5990 | AS | 05-APR-91 | | AS | | |
| | L | MIL-S-81746/1 | SERVTORQ, TYPE 15ST4A USER: EC REVIEWER: SH | A | 5990 | AS | 05-APR-91 | | AS | | |
| | L | MIL-S-81746/2 | SERVTORQ, TYPE 23ST64A USER: EC REVIEWER: SH | A | 5990 | AS | 05-APR-91 | | AS | | |
| | L | MIL-S-81746/3 | SERVTORQ, TYPE 23ST4A USER: EC REVIEWER: SH | A | 5990 | AS | 05-APR-91 | | AS | | |
| | L | MIL-S-81746/4 | SERVTORQ, TYPE 37ST64C USER: EC REVIEWER: SH | A | 5990 | AS | 05-APR-91 | | AS | | |
| | L | MIL-M-81748C(1) | MANUAL, TECHANICAL, RAPID ACTION CHANGES, REQUIREMENTS FOR PREPARATION OF | A | TMSS | AS | 23-SEP-85 | | AS | | |
| | L | MIL-S-81749 | SPRAY OUTFIT, PAINT, AIRLESS, HYDRAULIC PRESSURE, PORTABLE [VALIDATION DATE: 8204] REVIEWER: CS | A | 4940 | AS | 21-NOV-69 | | AS | | |
| D | | MIL-C-81751B | COATING, METALLIC CERAMIC [VALIDATION DATE: 7805] USER: AT OS YD] REVIEWER: 70 71 84 AR AV ER GL ME SH | A | MFFP | AS | 17-JAN-72 | MR | AS | 11 | |
| | L | MIL-W-81752A(1) | WINDSHIELDED SYSTEMS, FIXED WING AIRCRAFT - GENERAL SPECIFICATION FOR REVIEWER: AV | A | 1560 | AS | 22-AUG-88 | | AS | | |
| | L | MIL-M-81754A NOTICE 1 | MANUAL, TECHNICAL, WEAPON SYSTEMS TECHNICAL DOCUMENTATION LIST PREPARATION OF | A | TMSS | AS | 09-OCT-86 | | AS | | |
| Q | | MIL-B-81757C SUPPL 1A1 | BATTERIES AND CELLS, STORAGE, NICKEL-CADMIUM, AIRCRAFT GENERAL SPECIFICATION FOR USER: CG REVIEWER: 99 AV | A | 6140 | AS | 01-JUL-84 | ER | AS | 11 | |
| | | MIL-B-81757/1C | BATTERY, STORAGE, AIRCRAFT, NICKEL CADIUM, CELL USER: CG REVIEWER: 99 AV .. | A | 6140 | AS | 05-OCT-84 | ER | AS | 11 | |
| | | MIL-B-81757/2B | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, VENTED FILLER CAP USER: CG REVIEWER: 99 AV | A | 6140 | AS | 31-JUL-81 | ER | AS | 11 | |
| | | MIL-B-81757/3B | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM CONNECTOR, STRAP USER: CG REVIEWER: 99 AV | A | 6140 | AS | 31-JUL-81 | ER | AS | 11 | |
| | | MIL-B-81757/4C | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, CONNECTOR, TAB USER: CG REVIEWER: 99 AV | A | 6140 | AS | 05-OCT-84 | ER | AS | 11 | |
| | | MIL-B-81757/5B | BATTERY, STORAGE, AIRCRAFT, NICKEL CADIUM, CONNECTOR, CURVED USER: CG REVIEWER: 99 AV | A | 6140 | AS | 31-JUL-81 | ER | EC | 11 | |
| | | MIL-B-81757/7C | BATTERY, STORAGE, AIRCRAFT, NICKEL CADIUM, 24 VOLTS, 10 AMPERE HOURS (BB-432/A) USER: CG REVIEWER: 99 AV | A | 6140 | AS | 05-OCT-84 | ER | AS | 11 | |
| | | MIL-B-81757/8D | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, 24 VOLTS, 20 AMPERE-HOUR (BB-434/A) USER: CG REVIEWER: 99 AV | A | 6140 | AS | 03-MAY-85 | ER | AS | 11 | |
| | | MIL-B-81757/9C | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, 24 VOLTS, 30 AMPERE HOUR (BB-433A/A) USER: CG REVIEWER: 99 AV | A | 6140 | AS | 05-OCT-84 | ER | AS | 11 | |
| | L | MIL-B-81757/10B | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM 23 VOLTS, 6 AMPERE HOUR ..... | A | 6140 | AS | 05-OCT-84 | | AS | | |
| | L | MIL-B-81757/11D | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM 24 VOLTS, 20 AMPERE HOUR (LOW FREQUENCY VIBRATION) | A | 6140 | AS | 03-MAY-85 | | AS | | |
| | L | MIL-B-81757/12A | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM FORCED-AIR COOLED, CHARGE CONTROLLED, 24-VOLT, 30 AMPERE-HOUR | A | 6140 | AS | 20-APR-84 | | AS | | |
| | L | MIL-B-81757/13A | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM 24 VOLT, 30 AMPERE HOUR ..... | A | 6140 | AS | 28-FEB-85 | | AS | | |
| | L | MIL-I-81765A SUPPL 1A1, NOTICE 1 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] REVIEWER: GS | A | 5970 | AS | 29-OCT-91 | | AS | | |
| | L | MIL-I-81765/1A | INSULATING COMPONENT, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYOLEFIN, CROSSLINKED, SEMI-RIGID AND FLEXIBLE [VALIDATION DATE: 8004] REVIEWER: GS MI | A | 5970 | AS | 20-JUL-70 | | AS | | |
| | L | MIL-I-81765/2A NOTICE 1 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYCHLOROPRENE, FLEXIBLE, CROSSLINKED [VALIDATION DATE: 9110] REVIEWER: GS | A | 5970 | AS | 29-OCT-91 | | AS | | |
| | L | MIL-I-81765/3A NOTICE 1 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE SILICONE RUBBER, FLEXIBLE, CROSSLINKED [VALIDATION DATE: 9110] REVIEWER: GS | A | 5970 | AS | 29-OCT-91 | | AS | | |
| | L | MIL-I-81765/4A | INSULATING COMPONENT, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROELASTOMER, FLEXIBLE, CROSSLINKED [VALIDATION DATE: 8509] REVIEWER: GS | A | 5970 | AS | 20-JUL-70 | | AS | | |
| | | MIL-I-81765/6 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER, SEMI-RIGID, CROSSLINKED REVIEWER: GS | A | 5970 | AS | 15-JUN-87 | MR | AS | 11 | |
| | | MIL-I-81765/7 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER COMPOSITE,SEMI -RIGID, CROSSLINKED REVIEWER: GS | A | 5970 | AS | 15-JUN-87 | MR | AS | 11 | |
| | L | MIL-R-81766 | RELAY PANEL RYK-13/A248-4(V) [VALIDATION DATE: 8303] ..... | A | 5895 | AS | 30-NOV-70 | | AS | | |
| | L | MIL-C-81767 | CONTROL MONITOR DCK-143/A248-4(V) [VALIDATION DATE: 8303] ..... | A | 5895 | AS | 30-NOV-70 | | AS | | |
| | L | MIL-T-81768 | TRANSFORMER RECTIFIER TEK-9/A248-4(V) [VALIDATION DATE: 8303] ..... | A | 5895 | AS | 30-NOV-70 | | AS | | |
| D | | MIL-C-81769 | CHEMICAL MILLING OF METALS, SPECIFICATION FOR [VALIDATION DATE: 8508] USER: AT MI YD] REVIEWER: 99 AR | A | MFFP | AS | 11-DEC-72 | MR | AS | 11 | |
| | L | MIL-C-81770 | CONTROL, AIRCRAFT WEAPONS RELEASE SET C-8014(*)/AWE-1 [VALIDATION DATE: 8410] | A | 1280 | AS | 04-JUN-70 | | AS | | |
| | L | MIL-S-81771A(1) | SEAT SYSTEM; AIRCREW, CRASH RESISTANT; GENERAL SPECIFICATION FOR ..... | A | 1680 | AS | 30-APR-91 | | AS | | |
| | L | MIL-T-81772B SUPPL 1A1 | THINNER, AIRCRAFT COATING ..... | A | 8010 | AS | 25-OCT-91 | | AS | | |
| | | MIL-C-81774A(1) | CONTROL PANEL, AIRCRAFT, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8303] | A | 1680 | AS | 11-DEC-76 | AV | AS | 11 | |
| | L | MIL-S-81775B | SERVICE SET, HYDRAULIC SYSTEM MX-9043( )/AWM-23 (V) [VALIDATION DATE: 8103] | A | 4935 | AS | 06-DEC-74 | | AS | | |
| | L | MIL-T-81776C NOTICE 1 | TEST STATION, MODULE OJ-217( )/AWM-23(V) AND OJ-378( )/AWM-23(V) [VALIDATION DATE: 9110] | A | 4935 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-C-81777B | COOLER, LIQUID, ELECTRONIC EQUIPMENT MD-908()AWM-23(V) [VALIDATION DATE: 8105] | A | 4935 | AS | 30-NOV-73 | | AS | | |
| | L | MIL-T-81778C | TEST STATION, LOW FREQUENCY OJ-215 ( )/AWM-23(V) AND OJ-379( )/AWM-23(V) [VALIDATION DATE: 8402] | A | 4935 | AS | 11-JUL-77 | | AS | | |
| | L | MIL-K-81779C NOTICE 1 | KIT, TOOL, SPECIAL TK-222( )/AWM-23(V) [VALIDATION DATE: 9109] ..... | A | 4935 | AS | 25-SEP-91 | | AS | | |
| | L | MIL-S-81780C NOTICE 1 | SPECIAL HANDLING EQUIPMENT [VALIDATION DATE: 9109] ..... | A | 4935 | AS | 25-SEP-91 | | AS | | |
| | L | MIL-T-81781D | TEST SET, MISSILE AUXILIARIES TS-3479 ()/AWM-23(V) [VALIDATION DATE: 8307] | A | 4935 | AS | 11-JUL-77 | | AS | | |
| | L | MIL-T-81782C NOTICE 1 | TEST STATION, COMPUTER OJ-216( )/AWM-23(V) [VALIDATION DATE: 9110] ..... | A | 4935 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-T-81783C NOTICE 1 | TEST STATION, CONTROLS-DISPLAYS-DOPPLER FILTER OJ-214( )/AWM-23(V) [VALIDATION DATE: 9110] | A | 4935 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-T-81784C | TARGET SIMULATOR, INFRARED SM-630( )/AWM-23(V) [VALIDATION DATE: 8307] .... | A | 4935 | AS | 11-JUL-77 | | AS | | |
| | L | MIL-T-81785C NOTICE 1 | TEST STATION, RADIO FREQUENCY OJ-213( )/AWM-23(V) [VALIDATION DATE: 9110] . | A | 4935 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-K-81786B | KIT, MAINTENANCE, ELECTRICAL-ELECTRONIC, CABLE AND CABLE HARNESS REVIEWER: CS | A | 4940 | AS | 21-MAY-86 | | AS | | |
| | L | MIL-K-81786/1 NOTICE 1 | TUBING, PLASTIC, HEAT SHRINKABLE, ELECTRICALLY INSULATING, POLYOLEFIN, DUAL WALL, SEMI-RIGID; SHRINK RATIO 3 TO 1 [VALIDATION DATE: 9109] | A | 4940 | AS | 25-SEP-91 | | AS | | |
| | L | MIL-K-81786/2 NOTICE 1 | TUBING, PLASTIC, HEAT SHRINKABLE, ELECTRICALLY INSULATING IRRADIATED POLY (VINYLIDENE FLUORIDE), SEMI RIGID; SHRINK RATIO 2 TO 1 [VALIDATION DATE: 9109] | A | 4940 | AS | 25-SEP-91 | | AS | | |
| | L | MIL-K-81786/3A NOTICE 1 | KIT TUBING, PLASTIC, HEAT SHRINKABLE (LOW RECOVERY TEMPERATURE), ELECTRICALLY INSULATING, FLEXIBLE, FLAME RETARDED, IRRADIATED POLYOLEFIN; SHRINK RATIO 2 TO 1 [VALIDATION DATE: 9109] | A | 4940 | AS | 25-SEP-91 | | AS | | |
| | L | MIL-K-81786/4 | KIT, TUBING, ELASTOMERIC, RUBBER, ELECTRICALLY INSULATING, ABRASION RESISTANT, POLYCHLOROPRENE, FLEXIBLE, HEAT SHRINKABLE, SHRINK RATIO 1.75 TO 1. [VALIDATION DATE: 8003] REVIEWER: CS | A | 4940 | AS | 20-APR-72 | | AS | | |
| | L | MIL-K-81786/5A | KIT, TUBING, PLASTIC, IRRADIATED POLYOLEFIN, FLEXIBLE ELECTRICAL INSULATION, HEAT SHRINKABLE, SHRINK RATIO 4 TO 1 REVIEWER: CS | A | 4940 | AS | 21-MAY-86 | | AS | | |
| | L | MIL-K-81786/6 NOTICE 1 | COMPONENTS, MOLDED, POLYOLEFIN, ELECTRICALLY INSULATING, STRAIN RELIEVING, NON BURNING, SEMI-RIGID, HEAT SHRINKABLE [VALIDATION DATE: 9109] | A | 4940 | AS | 25-SEP-91 | | AS | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-K-81786/78 NOTICE 1 | SLEEVE, TERMINATION, ELECTRICAL, LOW TEMPERATURE, FLUXED SOLDER PREFORM, HEAT SHRINKABLE [VALIDATION DATE: 9109] | A | 4940 | AS | | 25-SEP-91 | | AS | | |
| L | | MIL-K-81786/88 NOTICE 1 | SLEEVE, TERMINATION, ELECTRICAL, FLUXED SOLDER PREFORM, ENVIRONMENT RESISTANT, HEAT SHRINKABLE [VALIDATION DATE: 9109] | A | 4940 | AS | | 25-SEP-91 | | AS | | |
| L | | MIL-K-81786/98 | SLEEVE, SEALING, CRIMP SLICE, TRANSPARENT, HEAT SHRINKABLE, HIGH TEMPERATURE ALTITUDE IMMERSION SEAL REVIEWER: CS | A | 4940 | AS | | 08-JUL-86 | | AS | | |
| L | | MIL-K-81786/10 | CAP, ELECTRICALLY INSULATING, POLYOLEFIN, MELTABLE INNER WALL, HEAT SHRINKABLE [VALIDATION DATE: 8003] REVIEWER: CS | A | 4940 | AS | | 20-APR-72 | | AS | | |
| L | | MIL-K-81786/11A | KIT, ADHESIVE, EPOXY, FLEXIBLE REVIEWER: CS | A | 4940 | AS | | 21-MAY-86 | | AS | | |
| QL | | MIL-L-81787B NOTICE 1 | LIFE PRESERVER, INFLATABLE, UTILITY, TYPE LPP-1A [VALIDATION DATE: 9110] | A | 4220 | AS | | 29-OCT-91 | | AS | | |
| L | | MIL-C-81788(1) | CARTRIDGE, DELAY, MARK 4 MOD 2, MARK 5 MOD 2 AND MARK 6 MOD 2 [VALIDATION DATE: 8407] | A | 1377 | AS | | 06-JAN-72 | | AS | | |
| L | | MIL-C-81789(2) NOTICE 1 | CARTRIDGE, DELAY CCU-4/A [VALIDATION DATE: 8704] | A | 1377 | AS | | 10-APR-87 | | AS | | |
| AQ | | MIL-C-81790A(1) SUPPL 1A1 | CONNECTORS, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: 99 AV | A | 5935 | AS | | 30-DEC-92 | CR | AS | | 86 |
| L | | MIL-T-81791(3) | TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 11-INCH [VALIDATION DATE: 8410] USER: 45 REVIEWER: CT | A | 8315 | AS | | 28-NOV-77 | | AS | | |
| L | | MIL-M-81792A | MANUAL, TECHNICAL, LOADING AND TRANSPORT OF NUCLEAR WEAPONS IN CARGO AIRCRAFT, PREPARATION OF | A | TMSS | AS | | 15-MAR-87 | | AS | | |
| M | | MIL-B-81793D SUPPL 1A1 | BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS GENERAL SPECIFICATION FOR USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| L | | MIL-B-81793C(11) | BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS USER: 11 MC REVIEWER: IS SH | A | 3110 | AS | | 04-AUG-88 | | AS | | |
| M | | MIL-B-81793/1 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/2 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/3 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/4 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/5 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/6 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/7 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/8 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/9 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/10 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/11 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/12 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/13 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/14 | BERAING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/15 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/16 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/17 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/18 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/19 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/20 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/21 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3100 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/22 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/23 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/24 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |
| M | | MIL-B-81793/25 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A | 3110 | AS | | 15-MAR-93 | AT | AS | | 99 |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| M | | MIL-B-81793/26 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| M | | MIL-B-81793/27 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| M | | MIL-B-81793/28 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| M | | MIL-B-81793/29 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| M | | MIL-B-81793/30 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| M | | MIL-B-81793/31 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| M | | MIL-B-81793/32 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| M | | MIL-B-81793/33 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| M | | MIL-B-81793/34 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS: ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| M | | MIL-B-81793/35 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| M | | MIL-B-81793/36 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: IS SH | A 3110 | AS | 15-MAR-93 | AT | AS | 99 | |
| L | | MIL-L-81795(1) | LAUNCHER, ROCKET, AIRBORNE, LAU 61 A/A (VALIDATION DATE: 8407) ..... | A 1055 | AS | 09-MAR-71 | | AS | | |
| L | | MIL-C-81797 NOTICE 1 | COATING, INORGANICALLY BONDED ALUMINUM (ELECTROPHORETICALLY DEPOSITED) (VALIDATION DATE: 9110) | A MFFP | AS | 29-OCT-91 | | AS | | |
| | | MIL-A-81801 | ANODIC COATINGS FOR ZINC AND ZINC ALLOYS (VALIDATION DATE: 8304) USER: AT AV MC ME OS REVIEWER: 99 GL MI | A MFFP | AS | 14-JAN-71 | MR | AS | 11 | |
| L | | MIL-T-81802 NOTICE 1 | TEST SET, ARMAMENT WIRING AN/AWM-38 (VALIDATION DATE: 9108) ..... | A 1190 | AS | 20-AUG-91 | | AS | | |
| L | | MIL-I-81803 | IGNITION ELEMENT, ELECTRICAL, MARK 14 MOD 0 (VALIDATION DATE: 8407) ..... | A 1377 | AS | 14-DEC-70 | | AS | | |
| L | | MIL-C-81804A | CARTRIDGE, IMPULSE, MARK 124 MOD 0 ..... | A 1377 | AS | 28-AUG-87 | | AS | | |
| L | | MIL-C-81805(1) | CARTRIDGE, IMPULSE, MARK 125 MOD 0 (VALIDATION DATE: 8407) ..... | A 1377 | AS | 29-NOV-77 | | AS | | |
| L | | MIL-M-81807A(2) NOTICE 1 | MARKING OF AIRCRAFT GROUND SUPPORT EQUIPMENT AND OTHER FLIGHT LINE VEHICLES WITH RETRO-REFLECTIVE MATERIALS; PROCESS FOR (VALIDATION DATE: 9109) | A 1730 | AS | 25-SEP-91 | | AS | | |
| A L | | MIL-C-81808 | CHEST, COLLAPSIBLE (VALIDATION DATE: 7704) USER: 45 ..... | A 8460 | CT | 21-DEC-70 | | AS | | CT |
| L | | MIL-T-81809 | TEST SET, GUIDED WEAPON AN/DSM-77B (VALIDATION DATE: 8201) ..... | A 4935 | AS | 28-DEC-70 | | AS | | |
| L | | MIL-C-81810 NOTICE 1 | CHECKLIST, AIRBORNE MISSILE AND GUIDED WEAPON ASSEMBLY (VALIDATION DATE: 9110) | A TMSS | AS | 09-OCT-91 | | AS | | |
| A | | MIL-C-81812A | CLOTH, KNITTED, AROMATIC POLYAMIDE, HIGH TEMPERATURE RESISTANT (VALIDATION DATE: 8506) | A 8305 | CT | 01-OCT-71 | GL | AS | 99 | CT |
| A | | MIL-B-81813B(2) NOTICE 1 | BATTING, ARAMID OR NOVOLOID FIBER, QUILTED (VALIDATION DATE: 8904) USER: 45 REVIEWER: 82 MD SA | A 8320 | CT | 22-APR-89 | GL | AS | 11 | CT |
| A | | MIL-C-81814C | CLOTH, TWILL, ARAMID, HIGH TEMPERATURE RESISTANT REVIEWER: 11 82 MU ..... | A 8305 | CT | 17-AUG-90 | | AS | 99 | CT |
| L | | MIL-A-81815 | AIRCREW AUTOMATED ESCAPE SYSTEMS, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8009) | A 1680 | AS | 31-MAY-74 | | AS | | |
| A L | | MIL-C-81818 NOTICE 1 | CLOTH, SATEEN, COTTON, FIRE-RETARDANT TREATED (VALIDATION DATE: 9110) ..... | A 8305 | CT | 29-OCT-91 | | AS | | CT |
| | | MIL-B-81819B | BEARING, PLAIN, (SELF-ALIGNING, SLEEVE & THRUST) SELF-LUBRICATING, HIGH SPEED OSCILLATION REVIEWER: 84 IS | A 3120 | AS | 01-JUN-87 | AV | AS | 99 | |
| | | MIL-B-81819/1 | BEARING, PLAIN, SLIDING SPHERICAL, SELF LUBRICATING, SELF ALIGNING, HIGH SPEED OSCILLATION REVIEWER: 84 IS | A 3120 | AS | 14-JAN-83 | AV | AS | 99 | |
| Q | | MIL-B-81820E(1) | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LOW SPEED OSCILLATION, GENERAL SPECIFICATION FOR USER: SH REVIEWER: 84 AR IS | A 3120 | AS | 31-MAR-88 | AV | AS | 11 | |
| | | MIL-B-81820/1 | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, NARROW, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F USER: MI REVIEWER: IS | A 3120 | AS | 31-JAN-90 | AV | AS | 99 | |
| | | MIL-B-81820/2 | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, WIDE, CHAMFERED OUTER RING, -65 DEG. TO 325 DEG. F USER: MI REVIEWER: IS | A 3120 | AS | 31-JAN-90 | AV | AS | 99 | |
| | | MIL-B-81820/3 | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, WIDE, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F USER: MI REVIEWER: IS | A 3120 | AS | 31-JAN-90 | AV | AS | 99 | |
| | | MIL-B-81820/4 | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, NARROW, CHAMFERED OUTER RING, -65 DEG. TO 325 DEG. F USER: MI REVIEWER: IS | A 3120 | AS | 31-JAN-90 | AV | AS | 99 | |
| | | MIL-T-81821(3) | TRAINERS, MAINTENANCE, EQUIPMENT AND SERVICES GENERAL SPECIFICATION FOR REVIEWER: 99 | A 69GP | AS | 25-MAR-83 | AV | AS | 11 | |
| | | MIL-W-81822A(1) SUPPL 1A1 | WIRE, ELECTRICAL, SOLDERLESS WRAP, INSULATED AND UNINSULATED, GENERAL SPECIFICATION FOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH | A 6145 | AS | 23-SEP-83 | CR | AS | 85 | |
| | | MIL-W-81822/1A NOTICE 1 | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYETHYLENE TEREPHTHALATE - POLYESTER LAMINATED TAPE INSULATION, SILVER COATED SOLID CONDUCTOR (VALIDATION DATE: 8903) USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH | A 6145 | AS | 31-MAR-89 | CR | AS | 85 | |
| D | | MIL-W-81822/3A | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYVINYIDENE FLUORIDE (PVDF) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS YD1 REVIEWER: 11 99 EC ES IS SH | A 6145 | AS | 03-MAR-82 | CR | AS | 85 | |
| | | MIL-W-81822/4A | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYIMIDE COATING OVER EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH | A 6145 | AS | 03-MAR-82 | CR | AS | 85 | |
| | | MIL-W-81822/5A | WIRE, ELECTRICAL, SOLDERLESS WRAP, FLUOROCARBON POLYIMIDE TAPE AND POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH | A 6145 | AS | 03-MAR-82 | CR | AS | 85 | |
| | | MIL-W-81822/6A | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH | A 6145 | AS | 03-MAR-82 | CR | AS | 85 | |
| | | MIL-W-81822/7A | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYAMIDE JACKET OVER EXTRUDED POLYVINYL CHLORIDE (PVC) INSULATION, TIN COATED SOLID CONDUCTOR REVIEWER: 11 17 99 EC ES IS MC OS SH | A 6145 | AS | 03-MAR-82 | CR | AS | 85 | |
| | | MIL-W-81822/8A | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYAMIDE JACKET OVER EXTRUDED FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH | A 6145 | AS | 03-MAR-82 | CR | AS | 85 | |
| | | MIL-W-81822/10A | WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH | A 6145 | AS | 03-MAR-82 | CR | AS | 85 | |
| | | MIL-W-81822/11A | WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, GOLD COATED SOLID CONDUCTOR REVIEWER: 11 99 EC ES SH | A 6145 | AS | 03-MAR-82 | CR | AS | 85 | |
| | | MIL-W-81822/12A | WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, TIN COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH | A 6145 | AS | 03-MAR-82 | CR | AS | 85 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-W-81822/13A | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED ETHYLENE-TETRAFLUOROETHYLENE (ETFE) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH | A | 6145 | AS | 03 | MAR-82 | CR | AS | 85 | |
| | MIL-W-81822/15A | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED ETHYLENE-CHLOROTRIFLUOROETHYLENE (ECTFE) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH | A | 6145 | AS | 03 | MAR-82 | CR | AS | 85 | |
| | MIL-S-81824(3) | SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT USER: EC MC MI OS SH REVIEWER: 11 99 AV GS | A | 5940 | AS | 15 | JUN-84 | ER | AS | 85 | |
| | MIL-S-81824/1 | SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1 (VALIDATION DATE: 8304) USER: AR EC MC REVIEWER: 11 99 AV MI | A | 5940 | AS | 20 | AUG-76 | ER | AS | 85 | |
| | MIL-S-81824/3 | SPLICE, COAXIAL CABLE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1 USER: EC MC MI OS SH REVIEWER: 11 99 AV GS | A | 5940 | AS | 15 | JUN-84 | ER | AS | 85 | |
| | MIL-S-81824/4 | SPLICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, SPLICE, SHIELD, SOLDER TYPE, INSULATED, CLASS 1 USER: EC MC MI OS SH REVIEWER: 11 99 AV GS | A | 5940 | AS | 31 | JAN-90 | ER | AS | 85 | |
| | MIL-S-81824/5 | SPLICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, KIT, SHIELDED CABLE, CLASS 1 USER: EC MC MI OS SH REVIEWER: 11 99 AV GS | A | 5940 | AS | 31 | JAN-90 | ER | AS | 85 | |
| L | MIL-C-81825 | CLEANING MACHINE, SMALL AIRCRAFT, MOBILE (VALIDATION DATE: 8107) REVIEWER: CS | A | 4940 | AS | 20 | MAY-71 | | AS | | |
| QL | MIL-G-81827A NOTICE 1 | GREASE, AIRCRAFT, HIGH LOAD CAPACITY, WIDE TEMPERATURE RANGE (VALIDATION DATE: 9110) REVIEWER: PS | A | 9150 | AS | 29 | OCT-91 | | AS | | |
| L | MIL-R-81828(1) NOTICE 1 | RUBBER, CHLOROSULFONATED POLYETHYLENE ELASTOMER, SHEET AND MOLDED SHAPES, OZONE RESISTANT (VALIDATION DATE: 9110) | A | 9320 | AS | 29 | OCT-91 | | AS | | |
| | MIL-H-81829(1) NOTICE 1 | HEAT TRANSFER FLUID, FLUOROCHEMICAL (VALIDATION DATE: 9110) USER: GS ..... | A | 6850 | AS | 29 | OCT-91 | AR | AS | 68 | |
| QL | MIL-G-81830A(2) NOTICE 1 | GROUT MATERIAL, RAPID SETTING (VALIDATION DATE: 9110) ..... | A | 5610 | AS | 29 | OCT-91 | | AS | | |
| L | MIL-T-81831 | TEST SET, ALTIMETER SET AN/APM-347 (VALIDATION DATE: 8208) ..... | A | 6625 | AS | 13 | JUL-71 | | AS | | |
| L | MIL-M-81834A | MANUAL, AIRCRAFT TACTICAL, REQUIREMENTS FOR PREPARATION OF ..... | A | TMSS | AS | 28 | NOV-80 | | AS | | |
| L | MIL-R-81835(1) | REMOVER, ORGANIC COATING, HOT TANK TYPE (VALIDATION DATE: 8004) ..... | A | 8010 | AS | 26 | DEC-73 | | AS | | |
| QL | MIL-F-81836A SUPPL 1A1 | FILTER AND DISPOSABLE ELEMENT, FLUID PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE | A | 4920 | AS | 27 | MAR-92 | | AS | | |
| L | MIL-F-81836/1A | FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, STYLE A, MECHANICAL INDICATOR | A | 4920 | AS | 27 | MAR-92 | | AS | | |
| L | MIL-F-81836/2A | FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, STYLE B, ELECTRICAL INDICATOR | A | 4920 | AS | 27 | MAR-92 | | AS | | |
| L | MIL-F-81836/3A | FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, STYLE C, GAUGE INDICATOR | A | 4920 | AS | 27 | MAR-92 | | AS | | |
| L | MIL-F-81836/4A | FILTER ELEMENT, DISPOSABLE, FLUID, PRESSURE HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE | A | 4920 | AS | 27 | MAR-92 | | AS | | |
| L | MIL-F-81836/5A | FILTER ELEMENT, ADAPTER ..... | A | 4920 | AS | 27 | MAR-92 | | AS | | |
| L | MIL-F-81836/6 | FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, STYLE A, MECHANICAL INDICATOR | A | 4920 | AS | 27 | MAR-92 | | AS | | |
| L | MIL-F-81836/7 | FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, STYLE B, ELECTRICAL INDICATOR | A | 4920 | AS | 27 | MAR-92 | | AS | | |
| L | MIL-F-81836/8 | FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, STYLE C, GUAGE INDICATOR | A | 4920 | AS | 27 | MAR-92 | | AS | | |
| L | MIL-F-81836/9 | FILTER, ELEMENT, DISPOSABLE, FLUID, PRESSURE HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE | A | 4920 | AS | 27 | MAR-92 | | AS | | |
| L | MIL-T-81838(1) | TANK, FUEL, AIRCRAFT, AUXILIARY EXTERNAL 300 GALLON, TYPE AERO 1D (VALIDATION DATE: 8204) | A | 1560 | AS | 08 | MAR-76 | | AS | | |
| L | MIL-R-81839(1) | RACK, BOMB, AIRCRAFT, BRU-12/A ..... | A | 1095 | AS | 21 | DEC-83 | | AS | | |
| L | MIL-W-81840 NOTICE 1 | WHEELS, PEENING, ROTARY FLAP (VALIDATION DATE: 9109) ..... | A | 5130 | AS | 26 | SEP-91 | | AS | | |
| L | MIL-R-81841 | ROTARY FLAP PEENING OF METAL PARTS (VALIDATION DATE: 8509) REVIEWER: OS ... | A | MFFP | AS | 09 | FEB-72 | | AS | | |
| L | MIL-C-81842A | CONNECTOR ASSEMBLIES FOR BOMB RACK ELECTRIC FUZING PROVISIONS (VALIDATION DATE: 8208) | A | 1095 | AS | 01 | SEP-76 | | AS | | |
| | MIL-H-81843C | HOOD, FLYER S, ANTI-EXPOSURE, INFLATABLE, HGU-32/P REVIEWER: AV ..... | A | 8475 | AS | 19 | SEP-86 | GL | AS | | |
| | MIL-M-81844C | MITTENS, FLYER S, ANTI-EXPOSURE, INFLATABLE, HAU-12/P REVIEWER: AV ..... | A | 8475 | AS | 19 | SEP-86 | GL | AS | | |
| L | MIL-I-81845A | INITIATOR, CARTRIDGE ACTUATED JAU-1/B (VALIDATION DATE: 8508) ..... | A | 1377 | AS | 21 | AUG-72 | | AS | | |
| | DOD-L-81846B NOTICE 1 | LUBRICATING OIL, INSTRUMENT, BALL BEARING, HIGH FLASH POINT (VALIDATION DATE: 9110) USER: AR OS REVIEWER: 99 CR GS SH | A | 9150 | AS | 29 | OCT-91 | ME | AS | 11 | |
| L | MIL-L-81848 | LIGHT, FLUORESCENT, MAGNIFYING, ADJUSTABLE ARM (VALIDATION DATE: 8204) REVIEWER: GS | A | 6230 | AS | 28 | FEB-72 | | AS | | |
| Q | MIL-A-81851B(1) NOTICE 1 | ALTIMETER AAU-31/A (VALIDATION DATE: 9110) ..... | A | 6610 | AS | 17 | OCT-91 | AV | AS | | |
| Q | MIL-A-81852A(1) | ALTIMETER-ENCODER AAU-32/A ..... | A | 6610 | AS | 25 | JAN-88 | AV | AS | | |
| A L | MIL-B-81856(1) | BEACON SET, RADAR AN/APN-202 ..... | A | 5841 | AS | 21 | DEC-92 | | AS | | |
| L | MIL-N-81857 | NAVIGATIONAL SET, TACAN AN/ARN-105 (VALIDATION DATE: 8101) ..... | A | 5826 | AS | 24 | OCT-72 | | AS | | |
| L | MIL-R-81858(1) | RADAR SETS AN/APS-115B AND AN/APS-122 (VALIDATION DATE: 8303) ..... | A | 5841 | AS | 22 | JUL-77 | | AS | | |
| L | MIL-C-81861 | CONTROL, DEPTH, TORPEDO C-7821/A (VALIDATION DATE: 8205) ..... | A | 1430 | AS | 22 | SEP-75 | | AS | | |
| L | MIL-D-81873 | DETECTING-RANGING SET, SONAR AN/AQS-13B (VALIDATION DATE: 8208) ..... | A | 5845 | AS | 17 | DEC-75 | | AS | | |
| L | MIL-R-81876B | *RECEIVER-TRANSMITTER RADIO SET AN/APX-100(V)* ..... | A | 5821 | AS | 04 | OCT-88 | | AS | | |
| L | MIL-R-81877B NOTICE 1 | RADIO SETS AN/ARC-159 AND AN/ARC-159(V) ..... | A | 5821 | AS | 15 | APR-88 | | AS | | |
| L | MIL-C-81883 | CONTROL GROUP, ELECTRIC POWER OK-XXX (V) A GENERAL SPECIFICATION FOR (VALIDATION DATE: 8207) | A | 6110 | AS | 04 | MAY-76 | | AS | | |
| L | MIL-C-81883/1 | CONTROL GROUP, ELECTRIC POWER OK-XXX (V) A (VALIDATION DATE: 8207) ..... | A | 6110 | AS | 04 | MAY-76 | | AS | | |
| L | MIL-P-81887A(2) NOTICE 1 | PALLET LOAD ASSEMBLY FOR SONOBUOYS (VALIDATION DATE: 9110) ..... | A | PACK | AS | 17 | OCT-91 | | AS | | |
| L | MIL-D-81893A | DISPENSING SET, COUNTERMEASURES CHAFF AN/ALE-41 (VALIDATION DATE: 8509) ... | A | 5865 | AS | 18 | DEC-78 | | AS | | |
| L | MIL-F-81898A(1) | FORWARD LOOKING RADAR SET, AN/APQ-126(V) ..... | A | 5841 | AS | 10 | JUN-82 | | AS | | |
| L | MIL-M-81901 | MANUAL, TECHNICAL, AIRCRAFT FIRE FIGHTING AND RESCUE, REQUIREMENTS FOR PREPARATION OF INFORMATION FOR INCLUSION IN (VALIDATION DATE: 8405) | A | TMSS | AS | 03 | APR-72 | | AS | | |
| QL | MIL-R-81903A(2) NOTICE 1 | REMOVER, ACID ACTIVATED, FOR AMINE-CURED EPOXY COATING SYSTEMS (VALIDATION DATE: 9110) | A | 8010 | AS | 29 | OCT-91 | | AS | | |
| AQL | MIL-C-81904B(1) | COATING COMPOUND, THERMAL-INSULATION, ABLATIVE ..... | A | 8030 | AS | 24 | AUG-92 | | AS | | |
| QL | MIL-A-81905D(1) | ANTI-G GARMENT, CUTAWAY, ARAMID CSU-15/P ..... | A | 8475 | AS | 10 | JUL-87 | | AS | | |
| L | MIL-C-81907(1) | COATING SYSTEM, POLYURETHANE, ALIPHATIC, WEATHER RESISTANT, PROCESS FOR APPLICATION OF (VALIDATION DATE: 8004) | A | 8010 | AS | 11 | JAN-74 | | AS | | |
| L | MIL-E-81910A(1) | ELECTRICAL POWER GENERATING AND CONTROL EQUIPMENT, AIRCRAFT, GENERAL SPECIFICATIONS FOR (VALIDATION DATE: 8410) REVIEWER: GS | A | 6110 | AS | 26 | MAY-78 | | AS | | |
| L | MIL-P-81911 | PARALLEL, FREQUENCY-CODED FIRING SYSTEMS (VALIDATION DATE: 8203) ..... | A | 1280 | AS | 30 | NOV-72 | | AS | | |
| L | MIL-F-81912(3) | FUEL, EXPENDABLE TURBINE ENGINE (VALIDATION DATE: 8303) ..... | A | 9130 | AS | 28 | JUN-77 | | AS | | |
| A L | MIL-L-81913A NOTICE 1 | LEATHER, CATTLEHIDE, VEGETABLE TANNED, FOR PACKING AND SEALS (VALIDATION DATE: 9110) | A | 8330 | CT | 29 | OCT-91 | | AS | | CT |
| L | MIL-T-81914 SUPPL 1A1 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, CONDUIT GENERAL SPECIFICATION FOR (VALIDATION DATE: 8509) REVIEWER: GS MI | A | 5975 | AS | 28 | FEB-73 | | AS | | |
| L | MIL-T-81914/1 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, POLYTETRAFLUOROETHYLENE, STANDARD CONVOLUTIONS (VALIDATION DATE: 8508) REVIEWER: GS MI | A | 5975 | AS | 28 | FEB-73 | | AS | | |
| L | MIL-T-81914/2 | TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, POLYTETRAFLUOROETHYLENE CLOSE CONVOLUTION (VALIDATION DATE: 8508) REVIEWER: GS | A | 5975 | AS | 28 | FEB-73 | | AS | | |

| Action | OSR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-T-81914/3 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, FLUORINATED ETHYLENE PROPYLENE, STANDARD CONVOLUTION [VALIDATION DATE: 8508] REVIEWER: GS | A | 5975 AS | 28-FEB-73 | | AS | | |
| L | | MIL-T-81914/4 | TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, FLUORINATED ETHYLENE PROPYLENE, CLOSE CONVOLUTION [VALIDATION DATE: 8508] REVIEWER: GS | A | 5975 AS | 28-FEB-73 | | AS | | |
| L | | MIL-T-81914/5 NOTICE 2 | TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, ETHYLENE-TETRAFLUOROETHYLENE, CLOSE CONVOLUTION | A | 5975 AS | 29-DEC-89 | | AS | | |
| L | | MIL-T-81914/6 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, ETHYLENE-TETRAFLUOROETHYLENE, STANDARD CONVOLUTION [VALIDATION DATE: 8204] | A | 5975 AS | 14-JUL-76 | | AS | | |
| L | | MIL-T-81914/7 | TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, FLUORINATED ETHYLENE PROPYLENE, INTEGRAL BRAID | A | 5975 AS | 29-DEC-89 | | AS | | |
| | | MIL-T-81915(1) | TITANIUM AND TITANIUM-ALLOY CASTINGS, INVESTMENT USER: AR REVIEWER: 99 AV ME | A | MECA AS | 14-NOV-91 | MR | AS | 11 | |
| L | | MIL-A-81917 | AIRCRAFT FIRING CIRCUIT TEST SET AN/AWM-54 [VALIDATION DATE: 8106] ..... | A | 4925 AS | 07-MAR-73 | | AS | | |
| L | | MIL-A-81918(2) | ADAPTER, LAUNCHER, AIRCRAFT, ADU-299A/A REVIEWER: GS ..... | A | 1055 AS | 22-SEP-83 | | AS | | |
| L | | MIL-M-81919B | MANUALS, TECHNICAL: SUPPORT EQUIPMENT: PREPARATION OF (WORK PACKAGE CONCEPT) | A | TMSS AS | 21-MAR-89 | | AS | | |
| L | | MIL-C-81925 NOTICE 1 | CONTROL, TEST HARNESS C-9154/APM [VALIDATION DATE: 8803] ..... | A | 6625 AS | 21-MAR-88 | | AS | | |
| L | | MIL-M-81927B | MANUALS, TECHNICAL: GENERAL STYLE AND FORMAT OF (WORK PACKAGE CONCEPT) .... | A | TMSS AS | 05-APR-89 | | AS | | |
| L | | MIL-M-81928B | MANUALS, TECHNICAL: AIRCRAFT AND AERONAUTICAL EQUIPMENT MAINTENANCE: PREPARATION OF (WORK PACKAGE CONCEPT) | A | TMSS AS | 04-APR-89 | | AS | | |
| L | | MIL-M-81929B | MANUALS, TECHNICAL: ILLUSTRATED PARTS BREAKDOWN: PREPARATION OF (WORK PACKAGE CONCEPT) | A | TMSS AS | 04-APR-89 | | AS | | |
| L | | MIL-M-81930A(3) NOTICE 1 | MANUAL, TECHNICAL, 16MM SILVER HALIDE MICROFILM, REQUIREMENTS FOR ..... | A | TMSS AS | 09-OCT-86 | | AS | | |
| L | | MIL-M-81931(1) NOTICE 1 | MANUAL, TECHNICAL, 16MM DUPLICATE MICROFILM, CARTRIDGE LOADING AND LABELING, PACKAGING AND SHIPPING, REQUIREMENTS FOR | A | TMSS AS | 09-OCT-86 | | AS | | |
| L | | MIL-C-81933 NOTICE 1 | CARTRIDGE, IMPULSE, MARK 129 MOD 0 [VALIDATION DATE: 8704] ..... | A | 1377 AS | 10-APR-87 | | AS | | |
| Q | | MIL-B-81934B | BEARINGS, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING, GENERAL SPECIFICATION FOR REVIEWER: 84 AR AT IS MI SH | A | 3120 AS | 03-MAY-91 | AV | AS | 99 | |
| | | MIL-B-81934/1C(1) | BEARINGS, SLEEVE, PLAIN SELF-LUBRICATING, 325 DEG. F REVIEWER: 84 AR AT IS MI SH | A | 3120 AS | 03-MAY-91 | AV | AS | 99 | |
| | | MIL-B-81934/2C(1) | BEARINGS, SLEEVE, FLANGED, SELF-LUBRICATING, 325 DEG. F REVIEWER: 84 AR AT IS MI SH | A | 3120 AS | 03-MAY-91 | AV | AS | 99 | |
| Q | | MIL-B-81935A(1) | BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, GENERAL SPECIFICATION FOR REVIEWER: 99 AR AT IS MI SH | A | 3120 AS | 19-APR-91 | AV | AS | 11 | |
| | | MIL-B-81935/1B(1) | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, WIDE, EXTERNALLY THREADED, -65 DEG. F TO +325 DEG. F REVIEWER: 99 AR AT IS MI SH | A | 3120 AS | 19-APR-91 | AV | AS | 11 | |
| | | MIL-B-81935/2D(1) | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, WIDE, INTERNALLY THREADED, -65 DEG. F TO +325 DEG. F REVIEWER: 99 AR AT IS SH | A | 3120 AS | 19-APR-91 | AV | AS | 11 | |
| | | MIL-B-81935/3(1) NOTICE 1 | LOCKING DEVICES (FOR ROD END BEARINGS) [VALIDATION DATE: 9106] ..... | A | 3120 AS | 28-JUN-91 | AV | AS | 11 | |
| | | MIL-B-81935/4A(1) | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, NARROW, EXTERNALLY THREADED, -65 DEG. F TO +325 DEG. F REVIEWER: 84 99 AR AT IS MI SH | A | 3120 AS | 19-APR-91 | AV | AS | 11 | |
| | | MIL-B-81935/5B(1) | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF LUBRICATING, NARROW, INTERNALLY THREADED, -65 DEG. F TO +325 DEG. F REVIEWER: 99 AR AT IS MI SH | A | 3120 AS | 19-APR-91 | AV | AS | 11 | |
| Q | | MIL-B-81936(4) | BEARINGS, PLAIN, SELF-ALIGNING (BECU BALL, CRES RACE) GENERAL SPECIFICATION FOR REVIEWER: 84 AR IS | A | 3120 AS | 17-NOV-89 | AV | AS | 99 | |
| | | MIL-B-81936/1(2) NOTICE 1 | BEARINGS, PLAIN, SELF-ALIGNING, BE CU BALL, CRES RACE, (WITH STAKING GROOVE) 0, -65 DEG. F TO +350 DEG. F [VALIDATION DATE: 9109] REVIEWER: 99 AR IS | A | 3120 AS | 26-SEP-91 | AV | AS | 11 | |
| | | MIL-B-81936/2(2) NOTICE 1 | BEARINGS, PLAIN, SELF-ALIGNING, BE CU BALL, CRES RACE, -65 DEG. F TO +350 DEG. F [VALIDATION DATE: 9109] REVIEWER: 99 AR IS | A | 3120 AS | 26-SEP-91 | AV | AS | 11 | |
| Q | | MIL-G-81937A NOTICE 1 | GREASE, INSTRUMENT, ULTRA-CLEAN, METRIC [VALIDATION DATE: 9110] USER: OS REVIEWER: 99 AR AV GS PS SH SM | A | 9150 AS | 29-OCT-91 | ME | AS | 11 | |
| A L | | MIL-C-81938 NOTICE 1 | CLOTH, KNITTED, VINYON, AND VINYON-COTTON [VALIDATION DATE: 9110] ..... | A | 8305 CI | 29-OCT-91 | | AS | | CT |
| L | | MIL-R-81939B(1) | RACK, BOMB EJECTOR, AIRCRAFT, BRU-10, BRU-11, AND BRU-19 SERIES ..... | A | 1095 AS | 06-FEB-84 | | AS | | |
| DQ | | MIL-V-81940A | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS [VALIDATION DATE: 8406] USER: YD1 REVIEWER: SH | A | 1650 AS | 31-JAN-78 | AV | AS | 99 | |
| | | MIL-V-81940/1A | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS [VALIDATION DATE: 8406] REVIEWER: SH | A | 1650 AS | 31-JAN-78 | AV | AS | 11 | |
| | | MIL-V-81940/2 | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS NPTF FITTING REVIEWER: AT | A | 1650 AS | 15-DEC-83 | ME | AS | | |
| | | MIL-V-81940/3 | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS 37 DEG. FLARE FITTING REVIEWER: AT | A | 1650 AS | 15-DEC-83 | ME | AS | | |
| | | MIL-V-81940/4 | VALVE, SAMPLING AND BLEED, HYDRAULIC, 3,000 PSI NON-AIRCRAFT APPLICATIONS REVIEWER: 71 | A | 4810 SH | 14-DEC-90 | AV | SH | 11 | |
| L | | MIL-V-0081940/4A | VALVE, SAMPLING AND BLEED, HYDRAULIC, 3,000 PSI NON-AIRCRAFT APPLICATIONS . | A | 4810 SH | 25-FEB-92 | | SH | | |
| L | | MIL-S-81941A(1) | SURVIVAL KIT, INDIVIDUAL, AIRMAN S [VALIDATION DATE: 8307] REVIEWER: GS ... | A | 4240 AS | 06-DEC-76 | | AS | | |
| L | | MIL-T-81943(1) | TEST SET, RADIO, AN/ARM-156 [VALIDATION DATE: 8307] ..... | A | 6625 AS | 23-MAR-77 | | AS | | |
| L | | MIL-T-81944B | TRAILER, MUNITIONS, SMALL (MHU-126 A/M) ..... | A | 1740 AS | 01-NOV-85 | | AS | | |
| QL | | MIL-C-81945B | COATING COMPOUNDS, WEAPON INSULATION, INTUMESCENT ..... | A | 8010 AS | 10-MAR-89 | | AS | | |
| L | | MIL-C-81950 NOTICE 1 | CHARTS: STANDARD AIRCRAFT CHARACTERISTICS AND PERFORMANCE, HELICOPTER [VALIDATION DATE: 9110] | A | 7530 AS | 29-OCT-91 | | AS | | |
| L | | MIL-C-81952B | COOLER, LIQUID, ELECTRONIC EQUIPMENT (D-957) (/AWM-23)V( [VALIDATION DATE: 8307] | A | 4935 AS | 11-JUL-77 | | AS | | |
| L | | MIL-C-81953 | CABLE ASSEMBLY, MAGNETIC SWEEP MARK 17 MOD 1 [VALIDATION DATE: 8203] ..... | A | 1075 AS | 24-OCT-73 | | AS | | |
| L | | MIL-C-81954B NOTICE 1 | CABLE ASSEMBLY SET, ELECTRICAL, MATS, SPECIAL PURPOSE [VALIDATION DATE: 9109] | A | 4935 AS | 26-SEP-91 | | AS | | |
| L | | MIL-T-81955 NOTICE 2 | TIN PLATING, IMMERSION FOR COPPER AND COPPER ALLOYS [VALIDATION DATE: 8407] | A | NFFP OS | 15-NOV-73 | | OS | | |
| | | MIL-D-81956A(1) | DETERGENT, EXTERNAL REMOVABLE FUEL TANKS ..... | A | 7930 AS | 08-MAR-84 | AV | AS | | |
| L | | MIL-M-81957B SUPPL 1A1 | MOBILE TEST FACILITY, GAS TURBINE ENGINE TEST SYSTEMS GENERAL SPECIFICATION FOR USER: MC | A | 2330 AS | 01-OCT-90 | | AS | | |
| L | | MIL-M-81957/3A NOTICE 1 | MOBILE FACILITY, SHELTER, INSTRUMENTATION AND CONTROL, TURBO JET/FAN ENGINE TEST SYSTEM [VALIDATION DATE: 8812] | A | 2330 AS | 14-DEC-88 | | AS | | |
| L | | MIL-M-81957/4 NOTICE 1 | MOBILE FACILITY, SHELTER, INSTRUMENTATION AND CONTROL, TURBO PROP/SHAFT ENGINE TEST SYSTEM [VALIDATION DATE: 8812] | A | 2330 AS | 14-DEC-88 | | AS | | |
| L | | MIL-M-81957/5(1) NOTICE 1 | MOBILE FACILITY: SHELTER, INSTRUMENTATION AND CONTROL, TURBO SHAFT ENGINE TEST SYSTEM [VALIDATION DATE: 9109] | A | 2330 AS | 26-SEP-91 | | AS | | |
| ML | | MIL-P-81958(2) | PRESSURE RELIEF DEVICES, OVERPRESSURIZATION PREVENTION, WHEEL/TIRE, AIRCRAFT | A | 1630 AS | 17-APR-87 | | AS | | |
| L | | MIL-F-81959 NOTICE 1 | FIXTURE, CABLE MAINTENANCE MX-9516/ASQ-81(V) ..... | A | 4931 AS | 15-APR-88 | | AS | | |
| L | | MIL-T-81961 | TEST SET, ADAPTER GROUP, OF-31(V)1/APM [VALIDATION DATE: 8107] ..... | A | 4920 AS | 17-JAN-74 | | AS | | |
| N | | MIL-S-81963B | SERVOCOMPONENTS, PRECISION INSTRUMENT, ROTATING, COMMON REQUIREMENTS AND TESTS, GENERAL SPECIFICATION FOR USER: 19 AT CG MC REVIEWER: 11 17 79 AV ES MI OS SH | A | 5990 AS | 28-NOV-90 | AR | AS | 85 | |
| L | | MIL-C-81964A | CLEANING COMPOUND, AVIONIC COMPONENTS [VALIDATION DATE: 8407] REVIEWER: GS | A | 6850 AS | 28-NOV-77 | | AS | | |
| L | | MIL-R-81965A(1) | RACK, BOMB, AIRCRAFT, BRU-14 AND BRU-15 SERIES [VALIDATION DATE: 8304] .... | A | 1095 AS | 01-NOV-76 | | AS | | |
| L | | MIL-F-81966 | FUZE FUNCTION CONTROL SET AN/AWM-4(V) [VALIDATION DATE: 8102] ..... | A | 1290 AS | 19-APR-74 | | AS | | |

| Action | Ofc / Ofc Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-I-81967 NOTICE 1 | INITIATOR, CARTRIDGE ACTUATED JAU-1A/B [VALIDATION DATE: 8704] ..... | A | 1377 | | AS | 10-APR-87 | | AS | | |
| L | | | MIL-C-81968 NOTICE 1 | CARTRIDGE, IMPULSE, CCU-23/B [VALIDATION DATE: 8704] ..... | A | 1377 | | AS | 10-APR-87 | | AS | | |
| | | | MIL-I-81969B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, GENERAL SPECIFICATION FOR USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 20-AUG-82 | CR | AS | | 85 |
| | | | MIL-I-81969/1A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION C [VALIDATION DATE: 8509] USER: 19 AT MC ME REVIEWER: 11 17 99 AR EC ES MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| | | | MIL-I-81969/2A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT TYPE I, CLASS 1, COMPOSITION C [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| | | | MIL-I-81969/3A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION C. [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| D | | | MIL-I-81969/4B NOTICE 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION C [VALIDATION DATE: 9110] USER: 19 AV MC ME YD1 REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 17-OCT-91 | CR | AS | | 85 |
| | | | MIL-I-81969/5A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, CRIMP REMOVABLE), TYPE 1, CLASS 1, COMPOSITION A [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 EC ES GL MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| D | | | MIL-I-81969/6B NOTICE 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (TYPE CR CONNECTOR), TYPE II, CLASS 1, COMPOSITION A [VALIDATION DATE: 9110] USER: 19 AV MC ME YD1 REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 17-OCT-91 | CR | AS | | 85 |
| D | | | MIL-I-81969/7A NOTICE 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (TYPE D CONNECTOR) TYPE III, CLASS 1 AND 2, COMPOSITION A [VALIDATION DATE: 9110] USER: 19 AV MC ME YD1 REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 17-OCT-91 | CR | AS | | 85 |
| | | | MIL-I-81969/8B | INSTALLING & REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPES 1 & II, CLASS 2, COMPOSITION A USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 31-OCT-86 | CR | AS | | 85 |
| | | | MIL-I-81969/9B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A. USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 02-OCT-80 | CR | AS | | 85 |
| | | | MIL-I-81969/10A(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPES I AND II, CLASS 2, COMPOSITION B USER: 19 AV ME REVIEWER: 11 17 99 AR AT EC ES GL OS SH | A | 5120 | AS | | 26-JUN-91 | CR | AS | | 85 |
| D | | | MIL-I-81969/11B NOTICE 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE), TYPE II, CLASS 1 COMPOSITION C [VALIDATION DATE: 9110] USER: 19 AV MC ME YD1 REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 17-OCT-91 | CR | AS | | 85 |
| | | | MIL-I-81969/12A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION A. [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| | | | MIL-I-81969/13A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT (TYPE CR), TYPE 1, CLASS 1, COMPOSITION A. [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| | | | MIL-I-81969/14C(1) NOTICE 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION B [VALIDATION DATE: 9110] USER: 19 AV ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 17-OCT-91 | CR | AS | | 85 |
| | | | MIL-I-81969/15A | INSTALLING AND REMOVAL TOOLS, CONNECTORELECTRICAL CONTACT TYPE II, CLASS 2, COMPOSITION A. [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 EC ES GL MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| | | | MIL-I-81969/16A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION B. [VALIDATION DATE: 8509] USER: 19 MC REVIEWER: 11 17 99 AR AT EC ES MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| | | | MIL-I-81969/17B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE 1, CLASS 1, COMPOSITION C USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 21-FEB-89 | CR | AS | | 85 |
| | | | MIL-I-81969/18A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION C. [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| | | | MIL-I-81969/19B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT TYPE II, CLASS 1, COMPOSITION C USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 15-FEB-91 | CR | AS | | 85 |
| | | | MIL-I-81969/20A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A OR B. [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| | | | MIL-I-81969/21 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, INTERFACIAL SEAL, TYPE III, CLASS 1, COMPOSITION A [VALIDATION DATE: 8204] REVIEWER: 17 99 EC ES GL | A | 5120 | AS | | 06-DEC-76 | CR | AS | | 85 |
| | | | MIL-I-81969/22(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION A USER: 19 AV ME OS REVIEWER: 11 17 99 AR AT EC ES GL | A | 5120 | AS | | 26-JUN-91 | CR | AS | | 85 |
| | | | MIL-I-81969/23(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (CRIMP REMOVABLE), TYPE 1, CLASS 1, COMPOSITION A USER: 19 AV REVIEWER: 11 17 99 AR EC ES OS SH | A | 5120 | AS | | 26-JUN-91 | CR | AS | | 85 |
| D | | | MIL-I-81969/25 NOTICE 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C [VALIDATION DATE: 9110] USER: 19 AT YD1 REVIEWER: 17 99 AR EC ES | A | 5120 | AS | | 17-OCT-91 | CR | AS | | 85 |
| | | | MIL-I-81969/26A(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1 OR 2, COMPOSITION A, (FOR REMOVAL OF INTEGRATED CIRCUIT PACKAGES AND SIMILAR DEVICES FROM SOCKETS, RECEPTACLES, OR PRINTED WIRING BOARDS) USER: 19 AV REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 26-JUN-91 | CR | AS | | 85 |
| | | | MIL-I-81969/27 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A [VALIDATION DATE: 8509] USER: 11 17 99 MC ME REVIEWER: AR AT EC ES GL MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| | | | MIL-I-81969/28 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, TYPE II, CLASS 2, COMPOSITION C USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 27-MAY-88 | CR | AS | | 85 |
| L | | | MIL-I-0081969/28B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, TYPE II, CLASS 2, COMPOSITION C USER: 19 REVIEWER: 12 99 ES | A | 5120 | BS | | 02-MAR-90 | | | | 85 |
| | | | MIL-I-81969/29 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION B [VALIDATION DATE: 8509] USER: MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| | | | MIL-I-81969/30 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 11-JAN-79 | CR | AS | | 85 |
| L | | | MIL-I-0081969/30B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C, FOR UNWIRED CONTACTS USER: 19 REVIEWER: 11 17 99 ES | A | 5120 | BS | | 10-SEP-90 | | | | 85 |
| | | | MIL-I-81969/31(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION A USER: 19 AV REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A | 5120 | AS | | 26-JUN-91 | CR | AS | | 85 |
| L | | | MIL-I-81969/33A(3) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE 1, CLASS 1, COMPOSITION A (FOR USE WITH MIL-C-28840)EC( CONNECTORS) | A | 5120 | EC | | 20-JUN-83 | | EC | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-I-81969/34F | INSTALLING & REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II CLASS 1 COMPOSITION A (FOR USE ON MIL-C 28840 (EC) CONNECTORS) | A 5120 | EC | 07-SEP-82 | | | | |
| | | MIL-I-81969/39A | INSTALLING AND REMOVAL TOOL, CONNECTOR ELECTRICAL CONTACTS, TYPE III, CLASS 2, COMPOSITION B. [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH | A 5120 | AS | 28-AUG-85 | CR | AS | 85 | |
| | | MIL-I-81969/43A NOTICE 1 | INSTALLING AND REMOVAL TOOLS, SOCKET HEAD, ELECTRONIC COMPONENTS, TYPE II, CLASS 1, COMPOSITION C [VALIDATION DATE: 8805] | A 5120 | 85 | 15-MAY-88 | CR | EC | 85 | |
| | L | MIL-I-81969/45 | INSTALLING TOOL, SOLDERLESS SPRING CONTACT, TYPE I, COMPOSITION A [VALIDATION DATE: 8805] | A 5120 | 85 | 15-MAY-88 | | | 85 | |
| | D | MIL-I-81969/46A | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE I, CLASS 2, COMPOSITION C, SIZE 16 TERMINI USER: 13 14 AV MC ME YD1 REVIEWER: 80 84 90 99 AR AS AT ES GL MI OS SH | A 6060 | 85 | 25-NOV-91 | CR | EC | 85 | |
| | D | MIL-I-81969/47A | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE II, CLASS 2, COMPOSITION C, SIZE 16 TERMINI USER: 13 14 19 AV MC ME YD1 REVIEWER: 80 84 90 99 AR AS AT ES GL MI OS SH | A 6060 | 85 | 25-NOV-91 | CR | EC | 85 | |
| | D | MIL-I-81969/48A | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE III, ALIGNMENT SLEEVE, CLASS 2, COMPOSITION C, SIZE 16 TERMINI USER: 13 14 19 AV MC ME YD1 REVIEWER: 80 84 90 99 AR AS AT ES GL MI OS SH | A 6060 | 85 | 25-NOV-91 | CR | EC | 85 | |
| | D | MIL-I-81969/49B | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, HAND, RIGHT ANGLE, TYPE 1, CLASS 2, COMPOSITION A, SIZE 16 TERMINI USER: 13 14 AV MC ME YD1 REVIEWER: 17 19 80 90 99 AR AS AT ES GL MI OS SH | A 6060 | 85 | 25-NOV-91 | CR | EC | 85 | |
| | L | MIL-I-81970 | IGNITION COMPOUND [VALIDATION DATE: 8004] | A 1325 | AS | 05-APR-74 | | AS | | |
| | L | MIL-I-81971A | INK, REACTANT | A 6630 | AS | 09-SEP-88 | | AS | | |
| | L | MIL-C-81972 | CABINET, EQUIPMENT STOWAGE - BATTERY CHARGING BCU-13/E [VALIDATION DATE: 8005] | A 5825 | AS | 24-MAY-74 | | AS | | |
| | L | MIL-A-81973(1) | AIRCREW AUTOMATED ESCAPE SYSTEMS, TEST VEHICLES FOR GROUND TRACK PERFORMANCE TESTING, ROCKET AND/OR JET ENGINE PROPELLED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8009] | A 1680 | AS | 25-JUN-74 | | AS | | |
| | L | MIL-C-81974 | COMPOSITION, STARTER [VALIDATION DATE: 8004] | A 1370 | AS | 20-MAY-74 | | AS | | |
| | | MIL-C-81975B | COUPLING, REGULATED, AERIAL PRESSURE REFUELING TYPE MA-3 REVIEWER: 82 | A 1680 | AS | 01-APR-82 | | AS | 99 | |
| | QL | MIL-C-81975B(11) | COUPLING, REGULATED, AERIAL PRESSURE REFUELING TYPE MA-3 | A 1680 | AS | 16-JUL-90 | | AS | | |
| | L | MIL-D-81976 NOTICE 1 | DUMMY LOAD, ELECTRICAL DA-662/UPQ-5 [VALIDATION DATE: 8803] | A 5985 | AS | 17-JUN-74 | | AS | | |
| | L | MIL-S-81977 NOTICE 1 | SIMULATOR, RADAR SIGNAL SM-697/UPQ-5 [VALIDATION DATE: 8803] | A 6625 | AS | 21-MAR-88 | | AS | | |
| | L | MIL-T-81978(2) | TEST SET, MISSION RECORDER AN/USM-387 [VALIDATION DATE: 8307] | A 4920 | AS | 01-DEC-76 | | AS | | |
| | L | MIL-L-81979 | LAUNCHERS, ROCKET LAU-10C/A AND LAU-10D/A [VALIDATION DATE: 8105] | A 1055 | AS | 15-AUG-74 | | AS | | |
| | L | MIL-D-81980(1) | DESIGN AND EVALUATION OF SIGNAL TRANSMISSION SUBSYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8203] | A 1377 | AS | 14-AUG-75 | | AS | | |
| | L | MIL-C-81982 | CARTRIDGE, DELAY, MARK 141 MOD 0 [VALIDATION DATE: 8202] | A 1377 | AS | 24-SEP-74 | | AS | | |
| | L | MIL-C-81983 | CARTRIDGE, DELAY, MARK 142 MOD 0 [VALIDATION DATE: 8202] | A 1377 | AS | 24-SEP-74 | | AS | | |
| | L | MIL-C-81984B | CARTRIDGE, IMPULSE, MARK 107 MOD 1 | A 1377 | AS | 15-MAY-89 | | AS | | |
| | L | MIL-P-81985(1) | PEENING OF METALS | A MFFP | AS | 05-NOV-84 | | AS | | |
| | | MIL-C-81986(1) NOTICE 1 | CORE MATERIAL, PLASTIC HONEYCOMB, NYLON PAPER BASE; FOR AIRCRAFT STRUCTURAL APPLICATIONS [VALIDATION DATE: 9110] | A 5680 | AS | 29-OCT-91 | | AS | 99 | |
| | L | MIL-I-81987 | INDICATOR MONITOR TEST SET ID 1956/ASW [VALIDATION DATE: 8103] | A 4935 | AS | 17-JAN-75 | | AS | | |
| | L | MIL-T-81988 NOTICE 1 | TEST SET, INDICATOR, AN/ARM-155 [VALIDATION DATE: 8803] | A 5826 | AS | 21-MAR-88 | | AS | | |
| | L | MIL-T-81990 NOTICE 1 | TEST SET, COUNTERMEASURES AND CHAFF DISPENSER AN/ALM-164 [VALIDATION DATE: 8805] | A 5865 | AS | 31-MAY-88 | | AS | | |
| | QL | MIL-C-81991 | CONVERTER, AIRCRAFT DC TO DC, BOOST GENERAL SPECIFICATION FOR [VALIDATION DATE: 8103] REVIEWER: GS MI | A 6130 | AS | 14-MAY-75 | | AS | | |
| | QL | MIL-C-81991/1A(1) | CONVERTER, 4 AMPERE DC TO DC, BOOST CLASS A, MULTIPURPOSE [VALIDATION DATE: 8306] REVIEWER: GS | A 6130 | AS | 24-NOV-75 | | AS | | |
| | L | MIL-D-81992A(2) | DIRECTIVE, TECHNICAL, PREPARATION OF | A TMSS | AS | 01-SEP-82 | | AS | | |
| | L | MIL-B-81993 | BOOTH, SPRAYING, PAINT, FLOOR TYPE (WITH TOP EXHAUST SYSTEM) [VALIDATION DATE: 8107] REVIEWER: CS | A 4940 | AS | 16-MAY-75 | | AS | | |
| | L | MIL-P-81994 NOTICE 1 | PROPELLANT FOR 20MM AMMUNITION [VALIDATION DATE: 9109] | A 1376 | AS | 26-SEP-91 | | AS | | |
| | QL | MIL-V-81995 NOTICE 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8708] | A 2995 | AS | 25-JUN-80 | | AS | | |
| | L | MIL-V-81995/1 NOTICE 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T56 ENGINE | A 2995 | AS | 25-AUG-87 | | AS | | |
| | L | MIL-V-81995/2 NOTICE 1 | VALVE, STARTER CONTROL AIRCRAFT ENGINE, FOR TF30 ENGINE | A 2995 | AS | 25-AUG-87 | | AS | | |
| | L | MIL-V-81995/3 NOTICE 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR J52 ENGINE | A 2995 | AS | 25-AUG-87 | | AS | | |
| | L | MIL-V-81995/4A NOTICE 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR TF34 ENGINE [VALIDATION DATE: 8910] | A 2995 | AS | 01-OCT-89 | | AS | | |
| | L | MIL-V-81995/5A | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T56 ENGINE/C-2 AIRC RAFT | A 2995 | AS | 12-FEB-85 | | AS | | |
| | L | MIL-V-81995/6(1) | VALVE, STARTED CONTROL, AIRCRAFT ENGINE, FOR F404 ENGINE/A6, F-18 AIRCRAFT | A 2995 | AS | 03-JUL-85 | | | | |
| | | MIL-V-81995/7A | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T700 ENGINE USER: 71 REVIEWER: 82 | A 2995 | AS | 17-SEP-89 | AV | AS | 99 | |
| | L | MIL-S-81996 NOTICE 1 | STAND, FILL-DRAIN, COOLANT SYSTEM MT-4730( )/AMM-23(V) [VALIDATION DATE: 9109] | A 4920 | AS | 26-SEP-91 | | AS | | |
| | | MIL-P-81997B | POUCHES, CUSHIONED, FLEXIBLE, ELECTROSTATIC FREE, RECLOSABLE, TRANSPARENT USER: ER SM REVIEWER: 43 99 AV CR OS SA SH | A 8105 | AS | 30-SEP-83 | GL | AS | 69 | |
| | L | MIL-T-81998 | TEST SET, RADIO SET AN/ARM-165 [VALIDATION DATE: 8307] | A 6625 | AS | 16-JUN-75 | | AS | | |
| | | MIL-M-81999A | MOLDING COMPOUND, REVERSION RESISTANT, NON CARCINOGEN CURING POLYURETHANE, AIRCRAFT STRUCTURE [VALIDATION DATE: 8304] | A 8030 | AS | 20-JUL-77 | MR | AS | | |
| D | L | MIL-H-82000C | HEATERS, HOT OIL, 1.5, 3, AND 5 MILLION BTU/H OUTPUT, SKID MOUNTED | A 3895 | YD1 | 19-MAR-90 | | YD1 | | |
| D | L | MIL-C-82001E | CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL, INTERVEHICULAR (24 VOLT TO 12 VOLT REDUCTION) | A 2590 | YD1 | 07-FEB-92 | | YD1 | | |
| D | L | MIL-M-82002D | MANIFOLD AND ACCESSORY ASSEMBLIES, PORTABLE FUEL DISTRIBUTION SYSTEMS, QUICK-DISCONNECT HOSE COUPLING TYPE REVIEWER: CE CS ME | A 3835 | YD1 | 03-OCT-90 | | YD1 | | |
| D | | MIL-P-82008C | PAVING BREAKER SETS, PORTABLE | A 3820 | YD1 | 04-DEC-87 | ME | YD1 | 99 | |
| D | L | MIL-P-82015C | PLANT, AGGREGATE, SECONDARY, WITH CONE CRUSHER, MOBILE, 75 TON PER HOUR CAPACITY | A 3820 | YD1 | 28-OCT-88 | | YD1 | | |
| D | L | MIL-C-82017C | CRANES, J18, WITH ACCESSORIES REVIEWER: CS | A 3950 | YD1 | 15-JUN-92 | | YD1 | | |
| D | L | MIL-S-82020B | SWITCHES AND FROGS, TRACK, CAST MANGANESE STEEL, FOR PORTAL CRANES | A 2250 | YD1 | 12-FEB-90 | | YD1 | | |
| D | L | MIL-C-82033B | CLEANER, STEAM OR HOT WATER, PRESSURE JET TRAILER-MOUNTED (FOR BOMB DISPOSAL OPERATIONS) REVIEWER: CS | A 4940 | YD1 | 10-AUG-89 | | YD1 | | |
| D | | MIL-D-82035C(2) | DISPENSER, BEVERAGE, MECHANICALLY REFRIGERATED USER: SA REVIEWER: 84 GS MD SH | A 7310 | YD1 | 25-MAR-88 | GL | YD1 | 99 | |
| D | | MIL-R-82047B(1) | REFRIGERATORS, MECHANICAL, STORAGE STAND (FOR BULK MILK DISPENSERS) USER: CE CG ME REVIEWER: 82 GS MC MD MS SA SH | A 4110 | YD1 | 11-JUN-91 | | YD1 | 99 | |
| D | | MIL-T-82049C(2) | TABLES, HOT FOOD, ELECTRIC, MOBILE USER: 03 REVIEWER: CE GS MD MS SA | A 7310 | YD1 | 30-NOV-88 | GL | YD1 | 99 | |
| A | | MIL-G-82058D NOTICE 1 | GENERATOR SET, DIESEL, 750 KW, 50/60 HERTZ, PRIME, UTILITY [VALIDATION DATE: 9211] REVIEWER: 99 CE GS | A 6115 | ME | 09-NOV-92 | ME | | 11 | |
| D | L | MIL-D-82062C | DERRICK, BARGE MOUNTING, 100-LONG-TON CAPACITY | A 3950 | YD1 | 15-MAY-92 | | YD1 | | |
| D | | MIL-S-82066C | SPRAYERS, PESTICIDE; TRAILER-MOUNTED, GASOLINE-ENGINE-DRIVEN REVIEWER: 84 | A 3740 | CS | 26-OCT-84 | ME | YD1 | 99 | CS |
| D | L | MIL-C-82078A NOTICE 1 | CLAMP, ELECTRICAL, CONDUCTIVE [VALIDATION DATE: 8701] REVIEWER: EA ES | A 5935 | YD1 | 30-JAN-87 | | YD1 | | |
| D | L | MIL-T-82080D | TRUCK, FIREFIGHTING: AIRCRAFT CRASH AND RESCUE, 16,000 POUND GVW, 4 BY 4 | A 4210 | YD1 | 24-AUG-89 | | YD1 | | |

| Action | OSD / OMB Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | | MIL-T-820968 NOTICE 1 | TOWER, PREFABRICATED, STEEL: FOR 4200 GALLON WATER TANK (VALIDATION DATE: 9110) | A | 5445 | YD1 | 03-OCT-91 | | YD1 | | |
| | L | | MIL-C-82111A | COVER, PURSE: WOMEN'S (OFFICER'S) | A | 8445 | MC | 31-OCT-90 | | MC | | |
| | L | | MIL-O-82112A | ORNAMENTATION, FOR UNIFORM, WOMAN S, EVENING DRESS, OFFICER S | A | 8455 | MC | 29-SEP-81 | | MC | | |
| | L | | MIL-C-82114A | COAT FRONT FOR COATS, MUSICIANS | A | 8315 | MC | 22-MAY-81 | | MC | | |
| A | | | MIL-B-82117D NOTICE 2 | BATTERY, STORAGE: SILVER-ZINC, RECHARGEABLE: GENERAL SPECIFICATION FOR (VALIDATION DATE: 9210) USER: AS CG SH | A | 6140 | MC | 22-OCT-92 | AT | MC | | |
| A | | | MIL-B-82117/1E NOTICE 2 | BATTERY, STORAGE: SILVER-ZINC, RECHARGEABLE: BB-646/U, 6 VDC (NOMINAL) (VALIDATION DATE: 9210) USER: 17 AS CG REVIEWER: ER GS | A | 6140 | MC | 22-OCT-92 | AT | MC | | |
| A | | | MIL-B-82117/2E NOTICE 2 | BATTERY, STORAGE: SILVER-ZINC, RECHARGEABLE: BB-451/U, 24 VDC (NOMINAL) (VALIDATION DATE: 9210) USER: 17 AS CG REVIEWER: ER GS | A | 6140 | MC | 22-OCT-92 | AT | MC | | |
| | | | MIL-B-82117/3E NOTICE 1 | BATTERY, STORAGE, SILVER ZINC RECHARGEABLE, BB-606/U, 6VDC(NOMINAL USER: AS CG REVIEWER: ER GS | A | 6140 | MC | 25-JUL-83 | AT | MC | | |
| | L | | MIL-C-82121A | CUMMERBUND, WOMAN'S: EVENING AND MESS DRESS (OFFICER'S) USER: 45 REVIEWER: CT | A | 8445 | MC | 09-SEP-86 | | MC | | |
| | L | | MIL-J-82122B | JACKET, WOMAN'S: EVENING DRESS (OFFICER'S) REVIEWER: CT | A | 8410 | MC | 10-SEP-90 | | MC | | |
| | L | | MIL-C-82125A | CAPE, WOMAN'S: EVENING DRESS (OFFICER'S) REVIEWER: CT | A | 8410 | MC | 03-DEC-90 | | MC | | |
| | L | | MIL-S-82126B NOTICE 1 | SKIRT, WOMENS, EVENING & MESS DRESS (VALIDATION DATE: 8710) | A | 8410 | MC | 23-OCT-87 | | MC | | |
| | L | | MIL-H-82127A(4) | HOSE ASSEMBLY, RUBBER (SYNTHETIC), FUEL, DISCHARGE, COLLAPSIBLE | A | 4720 | MC | 18-OCT-82 | | MC | | |
| | L | | MIL-C-82128(2) NOTICE 1 | CLOTH, SATIN, RAYON, CUPRAMMONIUM, SCARLET (VALIDATION DATE: 8710) USER: 45 REVIEWER: CT | A | 8305 | MC | 23-OCT-87 | | MC | | |
| | L | | MIL-F-82129B(1) | FUEL SYSTEM, AMPHIBIOUS ASSULT AND TACTICAL AIRFIELD DISPENSING, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8503) | A | 4930 | MC | 23-FEB-79 | | MC | | |
| | L | | MIL-D-82134B(1) | DUMMY LOAD, ELECTRICAL, 60/100 KW, 55/90 KVAR 3 PHASE, 60/400 HERTZ, AC REVIEWER: GS | A | 6115 | MC | 17-MAR-86 | | MC | | |
| A | L | | MIL-T-82139A | TABARD, USMC BAND, EMBROIDERED (VALIDATION DATE: 8502) USER: 45 | A | 8345 | CT | 06-DEC-72 | | MC | | CT |
| | L | | MIL-C-82141A | COVER, MUSIC CARRYING POUCH: EMBROIDERED | A | 7720 | MC | 20-FEB-90 | | MC | | |
| | L | | MIL-C-82145A NOTICE 1 | COAT, MAN S, SPECIAL FULL DRESS, SCARLET, U.S. MARINE BAND, MUSICIAN S (VALIDATION DATE: 8710) REVIEWER: CT | A | 8405 | MC | 23-OCT-87 | | MC | | |
| | L | | MIL-C-82149A NOTICE 1 | COAT, MAN S FULL DRESS, SUMMER AND WINTER, SCARLET, U. S. MARINE BAND, MUSICIAN (VALIDATION DATE: 8710) REVIEWER: CT | A | 8405 | MC | 23-OCT-87 | | MC | | |
| | L | | MIL-A-82151B | ANTENNA, AS-2236, 30 TO 76 MEGAHERTZ REVIEWER: ES | A | 5985 | MC | 12-OCT-89 | | MC | | |
| A | L | | MIL-T-82152B | TARPAULIN: DUCK, COTTON, VINYL RESIN COATED BOTH SIDES, 14 FEET LONG BY 6 FEET WIDE | A | 8340 | CT | 28-AUG-90 | | MC | | CT |
| A | L | | MIL-S-82155B | STRIPE, TROUSERS, DRESS | A | 8455 | CT | 28-MAR-91 | | MC | | CT |
| | L | | MIL-C-82156B | COAT, MAN'S: SCARLET, DRUM AND BUGLE CORPS, MUSICIAN'S REVIEWER: CT | A | 8405 | MC | 04-MAY-90 | | MC | | |
| | L | | MIL-T-82161A NOTICE 1 | TROUSERS, MEN S, EVENING DRESS (OFFICER S) (VALIDATION DATE: 8710) USER: 45 REVIEWER: CT | A | 8405 | MC | 23-OCT-87 | | MC | | |
| | L | | MIL-C-82162B | CUMMERBUND, MAN'S: SCARLET (OFFICER'S) | A | 8440 | MC | 04-MAY-90 | | MC | | |
| | L | | MIL-T-82163B | TROUSERS, MEN'S: DRESS, WHITE AND SPECIAL MESS, BLACK | A | 8405 | MC | 16-AUG-90 | | MC | | |
| | L | | MIL-F-82165B(1) | FUEL MONITORS, FRAME MOUNTED 100- & 350- GALLON PER MINUTE CAPACITIES | A | 4930 | MC | 16-MAR-83 | | MC | | |
| | L | | MIL-G-82167(1) NOTICE 1 | GLOVES, LEATHER, GAUNTLET, DRUMMERS (VALIDATION DATE: 8710) USER: 45 REVIEWER: CT | A | 8440 | MC | 23-OCT-87 | | MC | | |
| | L | | MIL-C-82168A NOTICE 1 | COAT, MAN S, FULL DRESS, SUMMER AND WINTER, SCARLET, U.S. MARINE BAND, DRUM MAJOR (VALIDATION DATE: 8710) REVIEWER: CT | A | 8405 | MC | 23-OCT-87 | | MC | | |
| | L | | MIL-T-82169A(3) | TERMINAL, TELEGRAPH TELEPHONE, TH-85/GCC (VALIDATION DATE: 8404) | A | 5805 | MC | 08-JUL-74 | | MC | | |
| | L | | MIL-C-82172B | COAT, MAN'S: SUMMER AND WINTER, SCARLET, DRUM AND BUGLE CORPS, DRUM MAJOR REVIEWER: CT | A | 8405 | MC | 19-JUL-90 | | MC | | |
| | LI | | MIL-R-82173D NOTICE 1 | REPAIR AND REHABILITATION OF RADAR SETS: GENERAL SPECIFICATION FOR | A | 5840 | MC | 29-OCT-89 | | MC | | |
| | L | | MIL-A-82175(1) | ARMOR, BODY, FRAGMENTATION, PROTECTIVE, FOOTWEAR (VALIDATION DATE: 8502) REVIEWER: CT | A | 8470 | MC | 31-AUG-73 | | MC | | |
| | L | | MIL-C-82177A | COMMERCIAL REPAIR PARTS SUPPORT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8005) | A | MISC | MC | 16-JUN-72 | | MC | | |
| | L | | MIL-M-82180A | METER ASSEMBLY, SKID MOUNTED, PETROLEUM FUELS (VALIDATION DATE: 8503) REVIEWER: CS ME | A | 4930 | MC | 01-DEC-78 | | MC | | |
| | L | | MIL-S-82183A NOTICE 1 | STRAINER ASSEMBLY, PETROLEUM FUELS, 6 INCH, FRAME MOUNTED, 600 GALLONS PER MINUTE (VALIDATION DATE: 8605) | A | 4930 | MC | 30-MAY-86 | | MC | | |
| | L | | MIL-R-82184A NOTICE 1 | REGULATOR ASSEMBLY, SKID MOUNTED, 6-INCH (VALIDATION DATE: 8605) | A | 4930 | MC | 30-MAY-86 | | MC | | |
| | L | | MIL-C-82189A NOTICE 1 | COAT, MAN'S: FULL DRESS, U.S. MARINE BAND, OFFICER'S (VALIDATION DATE: 8710) | A | 8405 | MC | 23-OCT-87 | | MC | | |
| | L | | MIL-F-82191A NOTICE 1 | FUEL HOSE EVACUATION KITS (VALIDATION DATE: 8605) REVIEWER: CS | A | 4930 | MC | 30-MAY-86 | | MC | | |
| | L | | MIL-J-82193A | JACKET, MAN S, EVENING DRESS (OFFICER S) | A | 8405 | MC | 19-JUN-81 | | MC | | |
| | L | | MIL-O-82194A NOTICE 1 | ORNAMENTATION: FOR JACKET, MAN'S, EVENING DRESS, OFFICER'S (VALIDATION DATE: 8710) | A | 8455 | MC | 23-OCT-87 | | MC | | |
| | L | | MIL-R-82196B | RADIO SET: AN/PRC-75B | A | 5820 | MC | 06-JUN-86 | | MC | | |
| | L | | MIL-R-82200B | RAMP, LOADING VEHICLE, GENERAL SPECIFICATION FOR USER: MC SH REVIEWER: 99 GS OS | A | 3990 | SA | 10-MAY-89 | | SA | | |
| A | | | MIL-F-82240D | FOOTWEAR, COVER, RADIOACTIVE CONTAMINANTS PROTECTIVE USER: 45 AS CG OS SH REVIEWER: MD MS | A | 8430 | CT | 21-JAN-85 | | MU | 99 | CT |
| D | | | MIL-G-82241C(2) | GLOVE INSERT, RADIOACTIVE CONTAMINATS PROTECTIVE USER: 45 AS OS YD1 REVIEWER: 82 MC SH | A | 8415 | CT | 10-JUL-85 | | MU | 99 | CT |
| D | | | MIL-G-82242D | GLOVE SHELLS, RADIOACTIVE CONTAMINANTS, PROTECTIVE USER: 45 AS OS YD1 REVIEWER: MS SH | A | 8415 | CT | 04-FEB-87 | | MU | | CT |
| M | | | MIL-C-82243F | COVERALLS, RADIOACTIVE CONTAMINANTS, PROTECTIVE USER: OS REVIEWER: 45 82 AS SH | A | 8415 | CT | 08-APR-93 | | MU | 99 | CT |
| M | | | MIL-H-82244F | HOOD, RADIOACTIVE CONTAMINANTS, PROTECTIVE USER: OS REVIEWER: 45 82 AS .... | A | 8415 | CT | 23-MAR-93 | | MU | 99 | CT |
| A | | | MIL-S-82245C | SHOE, MOLDERS USER: 45 AS CG MC REVIEWER: MD | A | 8430 | CT | 27-OCT-82 | GL | MU | | CT |
| A | | | MIL-O-82246D | OVERSHOES, RADIOACTIVE CONTAMINANTS, PROTECTIVE USER: AS OS REVIEWER: 11 SH | A | 8430 | CT | 21-JAN-82 | | MU | 99 | CT |
| A | L | | MIL-G-82248D(1) | GLOVES, HEAT PROTECTIVE (TERRY KNIT) USER: OS | A | 8415 | CT | 06-FEB-86 | | MU | | CT |
| A | L | | MIL-O-82250D | OVERCOAT, MAN S (OFFICER S TYPE) | A | 8405 | CT | 30-DEC-83 | | MU | | CT |
| A | | | MIL-T-82251E | TRUNKS, GENERAL PURPOSE USER: 45 CG REVIEWER: MC MD | A | 8415 | CT | 01-OCT-87 | GL | MU | 99 | CT |
| A | | | MIL-C-82252D | CLOTH, BROADCLOTH, WOOL, AND WOOL-SYNTHETIC (MOTH-PROOFED) USER: CG REVIEWER: 82 99 IH MC MD | A | 8305 | CT | 04-APR-83 | GL | MU | 11 | CT |
| D | | | MIL-G-82253C(1) | GLOVES, CLOTH, VINYL DIPPED, GENERAL PURPOSE (WATER, AVIATION FUEL, HYDROGEN PEROXIDE, OILS) USER: 45 AS MC OS YD1 REVIEWER: 11 | A | 8415 | CT | 30-DEC-86 | | MU | 99 | CT |
| A | L | | MIL-C-82255A | CLOTH, COATED, SYNTHETIC RUBBER (NITRILE AND POLYCHLOROPRENE) (VALIDATION DATE: 8503) USER: 45 REVIEWER: SH | A | 8305 | CT | 16-MAR-78 | | MU | | CT |
| A | L | | MIL-I-82265B(1) | INSECT BAR, COT TYPE, NYLON NETTING (VALIDATION DATE: 8601) USER: 45 CG MC REVIEWER: MS | A | 7210 | CT | 29-SEP-80 | | MU | | CT |
| A | L | | MIL-J-82281C | JERSEY, IDENTIFICATION, FLIGHT DECK CREW USER: SH REVIEWER: AS CG | A | 8415 | CT | 05-MAR-86 | | MU | | CT |
| A | L | | MIL-C-82283C | CLOTH, TWILL, COTTON, LIGHTWEIGHT USER: SH | A | 8305 | CT | 03-APR-91 | | MU | | CT |
| A | | | MIL-C-82287B | CLOTH, MOMIE, COTTON OR COTTON/POLYESTER BLEND (VALIDATION DATE: 8601) USER: MC MD | A | 8305 | CT | 08-AUG-79 | GL | MU | | CT |
| D | | | MIL-T-82288B | TARPAULIN, LAMINATED, VINYL NYLON, FLEXIBLE (VALIDATION DATE: 8011) USER: YD1 | A | 8340 | CT | 23-JAN-81 | | MU | 99 | CT |
| A | L | | MIL-C-82289B | CLOTH, MAINSOOK, COTTON USER: 45 | A | 8305 | CT | 24-MAR-82 | | MU | | CT |
| A | | | MIL-T-82291B | TABLECLOTH, NAPKIN, TABLE, TEXTILE AND DOILY, TEXTILE - MOMIE CLOTH (VALIDATION DATE: 8403) USER: 45 MC MD | A | 7210 | CT | 12-SEP-79 | GL | SA | 99 | CT |
| A | L | | MIL-J-82293D | JACKET, UTILITY, MAN'S, BLUE | A | 8405 | CT | 19-JUL-88 | | MU | | CT |

| Action | ORL / Obsl, Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-O-82295B | OVERSHOES, MEN S, DRESS, STRETCH TYPE USER: 45 REVIEWER: 82 99 | A | 8430 | CT | 17-FEB-84 | | MU | 11 | CT | |
| A | | MIL-C-82296B(1) | COVERALL, MICROWAVE RADIATION PROTECTIVE USER: 45 MC OS REVIEWER: 82 MS SH | A | 8415 | CT | 15-MAR-84 | | MU | 99 | CT | |
| A | | MIL-C-82297B | COVERALLS, ARC PREVENTIVE USER: 45 MC OS REVIEWER: 82 MS SH | A | 8415 | CT | 12-DEC-80 | | MU | 99 | CT | |
| A | | MIL-T-82298A | TAPE, MEASURING, CLOTH, COTTON (VALIDATION DATE: 8403) USER: 45 MC REVIEWER: 99 | A | 8315 | CT | 12-DEC-80 | GL | MU | 11 | CT | |
| A | L | MIL-J-82299C | JACKET, EXTREME COLD WEATHER, IMPERMEABLE USER: CG | A | 8415 | CT | 06-DEC-88 | | MU | | CT | |
| | L | MIL-T-82300/4 | TRANSPARENCY, ANIMATED, RECEIVER COMPONENTS M-85 TANK MACHINE GUN, 50 CAL. (VALIDATION DATE: 8405) | A | 6910 | TD | 05-JAN-65 | | TD | | | |
| | L | MIL-T-82314C | TRAINING AID, PLOTTING BOARD | A | 6910 | TD | 15-JUN-84 | | TD | | | |
| | | MIL-M-82376B | MANUALS, TECHNICAL: OPERATION AND MAINTENANCE INSTRUCTIONS FOR TRAINING DEVICES REVIEWER: AR AS AT CG MC MI OS SH | A | TMSS | TD | 30-MAR-90 | TM | TD | | | |
| | L | MIL-T-82378C | TRAINING AID, RIFLE, M16A1, TWO TO ONE SCALE DEVICE 3F688 (VALIDATION DATE: 8905) | A | 6910 | TD | 19-MAY-89 | | TD | | | |
| | L | MIL-T-82394 | TRAINING AID, TURBINE PRINCIPLE DEMONSTRATOR (VALIDATION DATE: 8110) | A | 6910 | TD | 15-DEC-69 | | TD | | | |
| | L | MIL-W-82400 | WET SUIT, NEOPRENE | A | 4220 | CG | 22-OCT-65 | | CG | | | |
| | L | MIL-E-82401(1) | ENAMEL, EXTERIOR, VINYL-ALKYD, RED (VALIDATION DATE: 7802) | A | 8010 | CG | 07-FEB-72 | | CG | | | |
| | L | MIL-T-82402 | TRANSFORMER, DRY-TYPE, POWER DISTRIBUTION, STEP UP AND STEP DOWN SERVICE, 1000 KVA AND BELOW (VALIDATION DATE: 7802) REVIEWER: GS MI | A | 6120 | CG | 05-MAR-65 | | CG | | | |
| | L | MIL-C-82403 | CABLE, SUBMARINE, POWER, CONTROL, AND COMBINATION (VALIDATION DATE: 7010) REVIEWER: IS | A | 6145 | CG | 15-FEB-65 | | CG | | | |
| | L | MIL-R-82404A | RIBBON, SERVICE CAP (BAND) REVIEWER: CT | A | 8455 | CG | 20-JUN-69 | | CG | | | |
| | L | MIL-C-82407(1) | COATING, EPOXY, FOR STEEL STRUCTURES (VALIDATION DATE: 7802) | A | 8010 | CG | 01-OCT-69 | | CG | | | |
| | L | MIL-C-82408 | CORROSION RESISTANT SPLIT KEYS, BUOY SHACKLE | A | 5315 | CG | 18-JUN-71 | | CG | | | |
| | L | MIL-I-82410 | INHIBITOR, CORROSION, LIQUID COOLING SYSTEM (DICHROMATE TYPE) (VALIDATION DATE: 7802) REVIEWER: GS | A | 6850 | CG | 27-MAR-72 | | CG | | | |
| | L | MIL-P-82427C | POWER UNIT (FOR TORPEDO MK 46 MOD 1) | A | 1355 | OS | 13-MAR-85 | | OS | | | |
| | L | MIL-A-82430A(1) | ACTUATOR ASSEMBLY (FOR TORPEDO MK 46 MOD 1) (VALIDATION DATE: 8303) | A | 1355 | OS | 31-OCT-69 | | OS | | | |
| | L | MIL-I-82431A(4) | INSTRUMENTATION ASSEMBLY (FOR EXERCISE HEAD MK 85 MOD 0, MOD 1, MOD 2, MOD 3, & MOD 4) | A | 1355 | OS | 09-AUG-84 | | OS | | | |
| | L | MIL-M-82433A | MOTOR, DIRECT CURRENT (FOR TORPEDO MK 46 MOD 1) (VALIDATION DATE: 8404) | A | 1355 | OS | 05-APR-72 | | OS | | | |
| | L | MIL-P-82436(3) NOTICE 1 | PUMP, FUEL (VALIDATION DATE: 8704) | A | 1355 | OS | 23-APR-87 | | OS | | | |
| | L | MIL-I-82437(3) | IGNITER (VALIDATION DATE: 8303) | A | 1355 | OS | 29-APR-69 | | OS | | | |
| | L | MIL-G-82438C | GRAIN, IGNITER, PROPELLANT | A | 1355 | OS | 13-SEP-84 | | OS | | | |
| | L | MIL-B-82439A(4) | BATTERY, SEA WATER (VALIDATION DATE: 9504) | A | 1355 | OS | 15-MAR-79 | | OS | | | |
| | L | MIL-V-82440(3) | VALVE, FUEL INTERLOCK (VALIDATION DATE: 8303) | A | 1355 | OS | 07-JUL-69 | | OS | | | |
| | L | MIL-R-82441A(2) | REGULATOR ASSEMBLY, CARBON DIOXIDE PRESSURE | A | 1355 | OS | 05-JUN-89 | | OS | | | |
| | L | MIL-P-82442(6) | PUMP, SEA WATER | A | 1355 | OS | 19-APR-89 | | OS | | | |
| | L | MIL-V-82443(1) | VALVE, FUEL SHUT-OFF | A | 1355 | OS | 27-JAN-89 | | OS | | | |
| | L | MIL-V-82444A | VALVE FUEL TANK PRESSURIZATION (VALIDATION DATE: 8204) | A | 1355 | OS | 29-JUN-76 | | OS | | | |
| | L | MIL-G-82445(4) | GUIDANCE CONTROL TEST SET MARK 443 MOD 1 (FOR TORPEDO MK 46 MOD 0 AND MOD 1) (VALIDATION DATE: 8507) | A | 4921 | OS | 20-SEP-74 | | OS | | | |
| | L | MIL-A-82446A(5) | AFTERBODY TEST SET MK 486 MOD 0 (FOR TORPEDO MK 46 MOD 0/1) (VALIDATION DATE: 8404) | A | 4921 | OS | 31-OCT-69 | | OS | | | |
| | L | MIL-T-82447B | TEST SET, EXERCISE HEAD, MARK 485 MOD 0 (FOR TORPEDO MK 46 MOD 0 THROUGH 5) | A | 4921 | OS | 26-AUG-88 | | OS | | | |
| | L | MIL-P-82448A | POWER UNIT TEST SET (FOR TORPEDO MK 46 MOD 1 (VALIDATION DATE: 8204) | A | 4921 | OS | 29-APR-69 | | OS | | | |
| | L | MIL-C-82449A | COMPUTER TEST SET (FOR TORPEDO MK 46) (VALIDATION DATE: 8404) | A | 4921 | OS | 25-APR-72 | | OS | | | |
| | L | MIL-A-82450B | AUTOMATIC PILOT TEST SET (FOR TORPEDO MK 46 MOD 0 AND MOD 1) (VALIDATION DATE: 8404) | A | 4921 | OS | 25-APR-72 | | OS | | | |
| | L | MIL-A-82451(2) | ACTUATOR ASSEMBLY TEST SET, (FOR TORPEDO MK 46 MOD 1) (VALIDATION DATE: 8404) | A | 4921 | OS | 03-JUL-69 | | OS | | | |
| | L | MIL-L-82452A | LOGIC ASSEMBLY (FOR EXERCISE HEAD MK 85) | A | 1355 | OS | 06-OCT-89 | | OS | | | |
| | L | MIL-G-82455(2) | GENERATOR, GAS | A | 1350 | OS | 13-MAY-88 | | OS | | | |
| | L | MIL-T-82456A | TEST SET, GYROSCOPE, MARK 484 MOD 1 (FOR TORPEDO MK 46 MOD 0 THROUGH 5) | A | 4921 | OS | 26-AUG-88 | | OS | | | |
| | L | MIL-P-82459(1) NOTICE 1 | PRESSURE TRANSDUCER (FOR TORPEDO MK46 MOD 0 AND MOD 1) (VALIDATION DATE: 8704) REVIEWER: MI | A | 1355 | OS | 01-JUL-68 | | OS | | | |
| | LI | MIL-C-82461(1) NOTICE 2 | CONTAINER, TORPEDO, MK197 MOD 1 AND 2 (VALIDATION DATE: 8809) | A | 8140 | OS | 30-SEP-88 | | OS | | | |
| | L | MIL-V-82466(1) | VACUUM-AIR-NITROGEN DISTRIBUTION SYSTEM (VALIDATION DATE: 8404) | A | 1355 | OS | 24-NOV-71 | | OS | | | |
| | L | MIL-R-82483A | RESIN, POLYESTER, SOLUTIONS (VALIDATION DATE: 8204) REVIEWER: GS MR | A | 6810 | OS | 10-MAR-76 | | OS | | | |
| | LI | MIL-A-82484 NOTICE 1 | ADHESIVE AND SEALING COMPOUNDS, CELLULOSE NITRATE BASE, SOLVENT TYPE (FOR ORDNANCE USE) | A | 8040 | OS | 10-FEB-92 | | OS | | | |
| | L | MIL-S-82487(1) | SWITCH, SQUIB MARK 65 MOD 0 (VALIDATION DATE: 8405) REVIEWER: MI | A | 1375 | OS | 19-AUG-70 | | OS | | | |
| | L | MIL-S-82489(1) | SWITCH, DRIVER MARK 76 MOD 0 (VALIDATION DATE: 8405) REVIEWER: MI | A | 1375 | OS | 27-JUL-70 | | OS | | | |
| | L | MIL-D-82490(1) NOTICE 1 | DRIVER, GAS OPERATED, MARK 8 MOD 0 (VALIDATION DATE: 8902) | A | 1375 | OS | 23-FEB-89 | | OS | | | |
| | L | MIL-P-82491(1) | POWER SUPPLY MARK 112 MOD 1 (VALIDATION DATE: 8405) | A | 1375 | OS | 20-SEP-71 | | OS | | | |
| | L | MIL-S-82492(1) | SWITCH, INTEGRATOR MARK 62 MOD 2 (VALIDATION DATE: 8405) REVIEWER: MI | A | 1375 | OS | 05-NOV-76 | | OS | | | |
| | L | MIL-C-82493 NOTICE 1 | CABLE ASSEMBLY MARK 10MOD 0 (INACTIVE) (VALIDATION DATE: 8005) | A | 1375 | OS | 26-JUL-67 | | OS | | | |
| | L | MIL-S-82496A | SCREWS, MACHINE, SELF SEALING, INTEGRAL O-RING (VALIDATION DATE: 8407) REVIEWER: MI | A | 5305 | AR | 30-APR-77 | | OS | | | |
| | L | MIL-P-82500A | POWER SUPPLY, RECTIFIER (FOR TORPEDO MARK 37 MOD 0)M(, 2, AND 3) (VALIDATION DATE: 8506) | A | 1355 | OS | 09-AUG-71 | | OS | | | |
| | L | MIL-R-82507A NOTICE 1 | REAR COVER (FOR TORPEDO MARK 37 MOD 2 AND MOD 3 (INACTIVE FOR NEW DESIGN .. | A | 1355 | OS | 31-OCT-86 | | OS | | | |
| | L | MIL-N-82512 | NUT, CLINCH (VALIDATION DATE: 8204) REVIEWER: MI | A | 5310 | OS | 04-SEP-68 | | OS | | | |
| | | MIL-P-82522C | PROPELLANT, JET ENGINE, T-H DIMER, GRADE RJ-4 REVIEWER: 11 | A | 9135 | AS | 26-OCT-90 | | AS | 68 | | |
| | L | MIL-T-82524A NOTICE 1 | TARGET POSITION SIMULATOR MARK 26 MOD 0 (FOR FIRE CONTROL SYSTEMS MK 112) (VALIDATION DATE: 8701) | A | 1290 | OS | 21-JAN-87 | | OS | | | |
| | L | MIL-S-82529(1) | SWITCH, THERMAL MARK 56 MOD 1 (VALIDATION DATE: 8405) | A | 1340 | OS | 07-DEC-70 | | OS | | | |
| | L | MIL-P-82530(1) NOTICE 1 | PRIMER, ELECTRIC, MK 137 MOD 0 (VALIDATION DATE: 8902) | A | 1340 | OS | 23-FEB-89 | | OS | | | |
| | L | MIL-L-82531(1) NOTICE 1 | LEAD, EXPLOSIVE, MK 5 MOD 0 (VALIDATION DATE: 8902) | A | 1340 | OS | 23-FEB-89 | | OS | | | |
| | LI | MIL-I-82532(1) | IGNITER, ROCKET MOTOR MARK 251 MOD 0 | A | 1340 | OS | 23-FEB-89 | | OS | | | |
| | L | MIL-P-82534(2) NOTICE 1 | PROGRAMMER, RANGE & AIRFRAME SEPARATION MARK 3 MOD 1 (INACTIVE) (VALIDATION DATE: 8005) | A | 1340 | OS | 02-MAY-69 | | OS | | | |
| | L | MIL-T-82535(1) | TIMER, INTERVAL, MARK 11 MOD 2 (ASSEMBLY) ( INACTIVE FOR NEW DESIGN) (VALIDATION DATE: 8006) | A | 1340 | OS | 28-JAN-69 | | OS | | | |
| | L | MIL-C-82537A | CASE, CARTRIDGE, STEEL, SPIRAL WRAPPED 40 MILLIMETER (MM) AND LARGER CALIBERS, GENERAL SPECIFICATION FOR | A | 1310 | OS | 25-APR-88 | | OS | | | |
| A | LI | MIL-C-82541B NOTICE 2 | CRATE, UNDERWATER MINE MK 56 MOD 0 GENERAL SPECIFICATION FOR | A | 8140 | OS | 15-OCT-92 | | OS | | | |
| | | MIL-B-82548A | BOMB, GENERAL PURPOSE, MARK 82, 500 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING REVIEWER: 18 | A | 1325 | AS | 31-MAY-89 | | AS | 99 | | |
| | | MIL-B-82549A | BOMB, GENERAL PURPOSE, MARK 83, 1000 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING REVIEWER: 18 | A | 1325 | AS | 31-MAY-89 | | AS | 99 | | |
| | L | MIL-S-82562 | SENSING CIRCUIT ASSEMBLY LD546972 (FOR AFTERBODY TEST SET MK 442 MOD 0 AND ELECTRICAL CABLE TEST SET MK 444 MOD 0) (VALIDATION DATE: 8508) | A | 4921 | OS | 12-SEP-68 | | OS | | | |
| | L | MIL-P-82563 | POWER SUPPLY ASSEMBLY LD546974 (FOR AFTERBODY TEST SET MK 442 MOD 0 AND ELECTRICAL CABLE TEST SET MK 444 MOD 0) (VALIDATION DATE: 8508) | A | 4921 | OS | 12-SEP-68 | | OS | | | |

| Action | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-B-82564(3) | BISTABLE MULTIVIBRATOR ASSEMBLY LD 546989 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [VALIDATION DATE: 8006] | A | 4921 | | OS | 31-OCT-72 | | OS | | |
| L | MIL-L-82565(2) | LIGHT CIRCUIT ASSEMBLY LD546991 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [VALIDATION DATE: 8508] | A | 4921 | | OS | 31-OCT-72 | | OS | | |
| L | MIL-F-82566(2) | FIRE CONTROL ASSEMBLY LD546992 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [VALIDATION DATE: 8508] | A | 4921 | | OS | 31-OCT-72 | | OS | | |
| L | MIL-S-82567(1) | SPEED CONTROL ASSEMBLY LD546993 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [VALIDATION DATE: 8404] | A | 4921 | | OS | 29-JUN-71 | | OS | | |
| L | MIL-V-82568(2) | VOLTAGE REGULATOR ASSEMBLY DL 2540850 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [VALIDATION DATE: 8508] | A | 4921 | | OS | 31-OCT-72 | | OS | | |
| LI | MIL-A-82569 NOTICE 1 | ADHESIVE, NEOPRENE BASE, MEDIUM VISCOSITY | A | 8040 | | OS | 20-MAY-92 | | OS | | |
| L | MIL-T-82570A | TORPEDO TUBE, SURFACE VESSEL, MARK 32 MODS 5 AND 7 (FOR TORPEDOES MARK 44 MOD 1 AND MARK 46 MOD 1 [VALIDATION DATE: 8106] | A | 1045 | | OS | 06-JAN-75 | | OS | | |
| L | MIL-T-82571A | TORPEDO TUBE, SURFACE VESSEL, MARK 32 MOD 9 (FOR TORPEDOES MK 44 MOD 1 AND MK 46 MOD 1) [VALIDATION DATE: 8106] | A | 1045 | | OS | 31-JAN-75 | | OS | | |
| | MIL-B-82572A | BOMB, GENERAL PURPOSE, MARK 84, 2000 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING | A | 1325 | | AS | 31-MAY-89 | AR | AS | | 99 |
| L | MIL-T-82575(1) | TEST SET, TORPEDO, MARK 281 MOD 1 [VALIDATION DATE: 8506] | A | 4921 | | OS | 30-DEC-71 | | OS | | |
| L | MIL-C-82576 | CABLE ASSEMBLY, TEST (FOR TORPEDO TEST SET MARK 281 MOD 1) [VALIDATION DATE: 8508] | A | 4921 | | OS | 16-MAR-73 | | OS | | |
| L | MIL-I-82577 | INDICATOR, DIGITAL (FOR TORPEDO TEST SET MARK 281 MOD 1) [VALIDATION DATE: 8512] REVIEWER: GS | A | 6695 | | OS | 16-MAR-73 | | OS | | |
| L | MIL-E-82578 NOTICE 1 | ENCODER, SHAFT-ANGLE-POSITION, CYCLIC-DECIMAL-CODED (FOR TORPEDO TEST SET MARK 281 MOD 1) [VALIDATION DATE: 8701] | A | 5990 | | OS | 27-JAN-87 | | OS | | |
| L | MIL-P-82579 NOTICE 1 | POWER SUPPLY, MULTIVOLTAGE, DIRECT CURRENT (FOR TORPEDO TEST SET MARK 281 MOD 1) [VALIDATION DATE: 8701] REVIEWER: GS | A | 6130 | | OS | 27-JAN-87 | | OS | | |
| L | MIL-C-82580 NOTICE 1 | CONTAINER, MOTOR, 11.4" 65 ROCKET, MK 178 MOD 0 [VALIDATION DATE: 8809] | A | 8140 | | OS | 30-SEP-88 | | OS | | |
| L | MIL-D-82586B | DIRECTOR, GUN AND GUIDED MISSILE, MK 73 MOD 2 AND ASSOCIATED EQUIPMENT | A | 1210 | | OS | 31-MAY-90 | | OS | | |
| L | MIL-E-82590 | ENVIRONMENTAL REQUIREMENTS AND TESTS (FOR TORPEDO MK 37 COMPONENTS AND ASSEMBLIES) [VALIDATION DATE: 8403] | A | 1355 | | OS | 09-SEP-70 | | OS | | |
| | MIL-C-82594 | CORROSION PREVENTIVE COMPOUND AND SURFACE SEALER FOR NONFERROUS METALS [VALIDATION DATE: 8204] | A | 8030 | | OS | 15-SEP-71 | AR | OS | | |
| L | MIL-C-82597A NOTICE 1 | COMPOUND, ELECTRICALLY CONDUCTIVE [VALIDATION DATE: 8809] REVIEWER: GS | A | 5975 | | OS | 07-SEP-88 | | OS | | |
| L | MIL-W-82598 NOTICE 1 | WIRE, COPPER-CADMIUM ALLOY [VALIDATION DATE: 8809] | A | 6145 | | OS | 07-SEP-88 | | OS | | |
| L | MIL-W-82599 NOTICE 1 | WIRE, INSULATED, HARD DRAWN ALLOY OF COPPER-CADMIUM, NO. 23 AWG [VALIDATION DATE: 8809] | A | 6145 | | OS | 07-SEP-88 | | OS | | |
| QL | MIL-C-82604(1) | COMPOUND, ASPHALTIC, HIGH MELTING HOT-MELT (CAVITY LINING) [VALIDATION DATE: 8107] | A | 8030 | | OS | 12-SEP-73 | | OS | | |
| L | MIL-C-82611(1) NOTICE 1 | CONTAINER, MISSILE MK 183 MOD 2 [VALIDATION DATE: 8606] | A | 8140 | | OS | 10-JUN-86 | | OS | | |
| L | MIL-C-82614C | CABLE ASSEMBLY, TORPEDO CONTROL, MARK 6 MOD 0 [VALIDATION DATE: 8601] | A | 1355 | | OS | 09-MAY-78 | | OS | | |
| L | MIL-C-82620A | CONNECTOR, TORPEDO TUBE CABLE, MK 47 MOD 0 AND MK 48 MOD 0 [VALIDATION DATE: 8601] | A | 1355 | | OS | 29-MAR-74 | | OS | | |
| L | MIL-B-82623 NOTICE 1 | BATTERY, STORAGE, NICKEL CADMIUM (FOR TALOS MISSILE) [VALIDATION DATE: 8708] REVIEWER: GS | A | 6140 | | OS | 19-AUG-87 | | OS | | |
| L | MIL-C-82624 NOTICE 1 | CELL, STORAGE, NICKEL-CADMIUM (FOR TALOS MISSILE) [VALIDATION DATE: 8708] REVIEWER: GS | A | 6140 | | OS | 19-AUG-87 | | OS | | |
| L | MIL-C-82629 | CABLE, TORPEDO CONTROL, TYPE (B), MK 7 MODS 0, 1, AND 2 [VALIDATION DATE: 8601] | A | 1355 | | OS | 27-JUN-75 | | OS | | |
| L | MIL-C-82630 | CABLE, ELECTRIC, 65-CONDUCTOR [VALIDATION DATE: 8601] | A | 1355 | | OS | 27-JUN-75 | | OS | | |
| L | MIL-C-82631 | CONNECTOR, CABLE, TUBE DOOR, MK 42 MOD 1 [VALIDATION DATE: 8601] | A | 1355 | | OS | 29-MAR-74 | | OS | | |
| L | MIL-C-82632A | CONNECTOR KIT, SPLICE, SINGLE WIRE [VALIDATION DATE: 8601] | A | 1355 | | OS | 28-NOV-83 | | OS | | |
| QL | MIL-C-82633 | COMPOUND, POLYMERIC ELASTOMER, THERMOSETTING (FOR USE AS BOMB TAIL PAD [VALIDATION DATE: 8107] REVIEWER: 99 | A | 8030 | | OS | 27-AUG-73 | | OS | | |
| L | MIL-T-82641 | TEST SET, ELECTRICAL, TORPEDO CONTROL CABLE, MARK 519 MOD 0 [VALIDATION DATE: 8204] | A | 4921 | | OS | 25-JAN-74 | | OS | | |
| L | MIL-R-82642(1) | ROTARY SWITCH AND HARNESS [VALIDATION DATE: 8409] | A | 1338 | | OS | 18-JAN-78 | | OS | | |
| L | MIL-C-82644 | COMPOUNDS, EPOXY, ENCAPSULATING [VALIDATION DATE: 8107] REVIEWER: MI | A | 8030 | | OS | 27-JAN-75 | | OS | | |
| L | MIL-P-82646A | PLASTIC FILM, CONDUCTIVE, HEAT-SEALABLE, FLEXIBLE | A | 8135 | | OS | 01-MAR-85 | | OS | | |
| L | MIL-B-82647A | BAG, CONDUCTIVE PLASTIC, HEAT-SEALABLE, FLEXIBLE | A | 8105 | | OS | 28-JUL-86 | | OS | | |
| LI | MIL-P-82650(1) NOTICE 1 | PLASTIC MOLDING MATERIAL, GLASS PHENOLIC REVIEWER: AS | A | 9330 | | OS | 20-MAY-92 | | OS | | |
| | MIL-C-82651(3) NOTICE 1 | CARTRIDGE, IMPULSE, CCU-22/A ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 | | OS | 29-MAR-87 | | OS | | 99 |
| L | MIL-L-82653(3) NOTICE 1 | LINER MATERIALS, POLYBUTADIENE BASE [VALIDATION DATE: 9108] | A | 1377 | | OS | 14-AUG-91 | | OS | | |
| L | MIL-A-82654(1) | ALUMINUM POWDER, ATOMIZED, TECHNICAL [VALIDATION DATE: 8504] REVIEWER: AS | A | 6810 | | OS | 01-MAR-78 | | OS | | |
| L | MIL-F-82655(1) | FERRIC OXIDE, TECHNICAL [VALIDATION DATE: 8504] REVIEWER: AS | A | 6810 | | OS | 01-MAR-78 | | OS | | |
| L | DOD-C-82656(2) | CARBON BLACK [VALIDATION DATE: 8504] REVIEWER: AS | A | 6810 | | OS | 15-NOV-78 | | OS | | |
| L | MIL-R-82657 | RESIN, EPOXY, TRIFUNCTIONAL [VALIDATION DATE: 8307] | A | 6810 | | OS | 31-JAN-77 | | OS | | |
| L | MIL-P-82658(1) | POLYMER, LIQUID, POLYBUTADIENE, CARBOXY TERMINATED [VALIDATION DATE: 8504] REVIEWER: AS | A | 6810 | | OS | 01-MAR-78 | | OS | | |
| L | DOD-D-82659(1) | DIETHYLENE GLYCOL DIBUTYL ETHER, TECHNICAL [VALIDATION DATE: 8504] REVIEWER: AS | A | 6810 | | OS | 01-MAR-78 | | OS | | |
| L | DOD-C-82660(1) | CHROMIUM 2 ETHYL HEXOATE, TECHNICAL [VALIDATION DATE: 8504] REVIEWER: AS | A | 6810 | | OS | 01-MAR-78 | | OS | | |
| L | MIL-L-82661(1) | LECITHIN, TECHNICAL [VALIDATION DATE: 8504] REVIEWER: AS | A | 6810 | | OS | 01-MAR-78 | | OS | | |
| | MIL-C-82662(4) | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-5/A ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 | | OS | 29-MAR-87 | | OS | | 99 |
| L | MIL-C-0082662A(1) NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-2/A AND CKU-5/A ASSEMBLY [VALIDATION DATE: 8703] | A | 1377 | | OS | 31-MAR-87 | | OS | | |
| L | MIL-R-82664 | RESIN, EPOXY, LOWVISCOSITY [VALIDATION DATE: 8307] | A | 6810 | | OS | 31-JAN-77 | | OS | | |
| L | MIL-C-82665(1) | CARBON BLACK [VALIDATION DATE: 8503] | A | 6810 | | OS | 15-NOV-78 | | OS | | |
| | DOD-T-82666A(1) NOTICE 1 | TRIS-1-2-(2 METHYL AZIRIDYL) PHOSPHINE OXIDE [VALIDATION DATE: 8705] REVIEWER: AS GS | A | 6810 | | OS | 13-MAY-87 | | OS | | 68 |
| L | MIL-A-82667A(1) | AMMONIUM PERCHLORATE, GENERAL SPECIFICATION FOR | A | 6810 | | OS | 23-SEP-85 | | OS | | |
| L | MIL-A-82667/1(1) | AMMONIUM PERCHLORATE, HIGH PURITY | A | 6810 | | OS | 06-OCT-78 | | OS | | |
| L | MIL-A-82667/2(2) | AMMONIUM PERCHLORATE, CONDITIONED | A | 6810 | | OS | 27-JUN-85 | | OS | | |
| | MIL-E-82668 | EXPLOSIVES, CYCLOTOL, 25/75 AND 29/71, RDX/TNT [VALIDATION DATE: 8307] | A | 1376 | | OS | 03-AUG-77 | | OS | | 99 |
| L | DOD-B-82669 | BUTYL SEBACATE, DI NORMAL [VALIDATION DATE: 8503] | A | 6810 | | OS | 19-JAN-79 | | OS | | |
| L | DOD-P-82670 | PROPANEDIOL, 1, 2 (METRIC) | A | 6810 | | OS | 02-DEC-80 | | OS | | |
| L | DOD-P-82671 | PROPYLENE GLYCOL DINITRATE [VALIDATION DATE: 8503] | A | 9135 | | OS | 19-JAN-79 | | OS | | |
| L | MIL-O-82672A | OTTO FUEL II | A | 9135 | | OS | 06-AUG-86 | | OS | | |
| L | DOD-G-82673(1) | GRAPHITE, NATURAL, POWERED, TECHNICAL [VALIDATION DATE: 8503] | A | 6810 | | OS | 15-JUN-78 | | OS | | |
| L | DOD-Z-82674(1) | ZIRCONIUM CARBIDE, POWERED, TECHNICAL [VALIDATION DATE: 8503] | A | 6810 | | OS | 15-JUN-78 | | OS | | |
| L | MIL-D-82675(1) NOTICE 1 | DIISOCYANATE, DIMERYL, C36 ALIPHATIC, TECHNICAL (DDI) [VALIDATION DATE: 8705] | A | 6810 | | OS | 13-MAY-87 | | OS | | |
| L | MIL-P-82676 | PROPELLANT, M-53 (CLASSIFIED) | A | 1375 | | OS | 26-APR-78 | | OS | | |
| L | MIL-L-82677 NOTICE 1 | LINER MATERIAL, POLYBUTADIENE BASE [VALIDATION DATE: 9108] | A | 1377 | | OS | 14-AUG-91 | | OS | | |
| LI | MIL-G-82682 NOTICE 1 | GRAPHITE BILLETS, EXTRUDED (FOR HIGH TEMPERATURE APPLICATION) | A | 9620 | | OS | 20-MAY-92 | | OS | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-S-82684(1) | SPRING, HELICAL TORSION | A | 5360 | | OS | 29-MAY-86 | | OS | | |
| | | MIL-C-82686 NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-7/A REWORK ASSEMBLY [VALIDATION DATE: 9108] | A | 1377 | | OS | 14-AUG-91 | | OS | 99 | |
| | L | MIL-D-82687 | DEVICE, ARMING FIRING, ROCKET MOTOR MARK 298 MOD 0 [VALIDATION DATE: 8606] | A | 1336 | | OS | 10-JUN-86 | | OS | | |
| A | LI | MIL-A-82690 NOTICE 2 | ARMING-FIRING DEVICE, ROCKET MOTOR, MARK 28 MOD 0 | A | 1377 | | OS | 20-MAY-92 | | OS | | |
| | LI | MIL-P-82691A NOTICE 1 | PROPELLANT GRAIN, IGNITER | A | 1340 | | OS | 20-MAY-92 | | OS | | |
| | L | MIL-C-82693A(1) | CLOSURE ASSEMBLY, AFT, FOR MK 56 MOD 2 ROCKET MOTOR | A | 1338 | | OS | 06-MAR-86 | | OS | | |
| | LI | MIL-F-82700 NOTICE 1 | FILM, POLYESTER | A | 9330 | | OS | 20-MAY-92 | | OS | | |
| | LI | MIL-C-82707 NOTICE 1 | CONNECTOR, ELECTRICAL, BOOSTER-TO-MISSILE | A | 1420 | | OS | 20-MAY-92 | | OS | | |
| | LI | DOD-S-82708 NOTICE 1 | SEALING COMPOUND, PREFORMED (METRIC) | A | 8030 | | OS | 20-MAY-92 | | OS | | |
| | L | MIL-D-82710 | DELAY COMPOSITION, TUNGSTEN FLUOROCARBON COPOLYMER | A | 1376 | | OS | 05-DEC-84 | | | | |
| | L | MIL-S-82714 | SLEEVE AND GRAIN ASSEMBLY (CKU-2/A ROCKET CATAPULT [VALIDATION DATE: 8703] | A | 1377 | | OS | 31-MAR-87 | | OS | | |
| | L | DOD-A-82720(1) | ADHESIVE, MODIFIED-EPOXY, FLEXIBLE, TWO PART (METRIC) [VALIDATION DATE: 9104] | A | 8040 | | OS | 10-APR-91 | | OS | | |
| | L | MIL-A-82720(1) NOTICE 1 | ADHESIVE, MODIFIED EPOXY, FLEXIBLE, TWO PART (METRIC) [VALIDATION DATE: 9104] | A | 8040 | | OS | 10-APR-91 | | OS | | |
| | | MIL-C-82724(1) | CARTRIDGE, IMPULSE, CCU-44/B REVIEWER: 70 AS | A | 1377 | | OS | 14-JAN-88 | | OS | 99 | |
| | L | MIL-T-82726 | TORPEDO TUBE, SURFACE VESSEL, MARK 32 MOD 14 | A | 1045 | | OS | 16-JAN-84 | | OS | | |
| | L | DOD-D-82727 | DIBUTYLTIN DILAURATE | A | 6810 | | OS | 10-AUG-83 | | | | |
| | L | MIL-A-82728 | ALUMINUM POWDER, ATOMIZED (FOR USE IN EXPLOSIVES) | A | 6810 | | OS | 17-AUG-84 | | OS | | |
| | L | DOD-P-82729 | POLYOXYETHYLENE GLYCOL (CONTROLLED DISTRIBUTION) | D | 6810 | | OS | 24-OCT-85 | | OS | | |
| | L | DOD-M-82730 | METHLENEBIS 4,4 (2,6-DI TERT BUTYLPHENOL) | A | 6810 | | OS | 17-AUG-84 | | OS | | |
| | L | MIL-E-82732 | EXPLOSIVES, DESTEX (CONTROLLED DISTRIBUTION) | D | 1376 | | OS | 24-SEP-85 | | OS | | |
| | L | MIL-C-82733A | CARTRIDGE, IMPULSE, CCU-22/A/A ASSEMBLY | A | 1377 | | OS | 22-JUN-88 | | OS | | |
| | L | MIL-C-82734A(1) | CATAPULT, AIRCRAFT EJECTION SEAT CKU-5/A/A ASSEMBLY | A | 1377 | | OS | 14-MAY-90 | | OS | | |
| | L | MIL-C-82735 NOTICE 1 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-5/A/A REWORK ASSEMBLY [VALIDATION DATE: 9108] | A | 1377 | | OS | 14-AUG-91 | | OS | | |
| | L | DOD-I-82736 | IGNITION PELLETS, MAGNESIUM FLUOROCARBON | A | 1376 | | OS | 27-MAR-85 | | OS | | |
| | L | MIL-I-82736A | IGNITION PELLETS, MAGNESIUM-FLUOROCARBON | A | 1376 | | OS | 16-NOV-88 | | OS | | |
| | | DOD-B-8273' SUPPL 1A1 | BALLS, BEARING, FERROUS + NON-FERROUS (FOR USE IN BEARINGS, VALVES + BEARING APPLICATIONS) REVIEWER: 11 84 AR AV ER 1S MI SH | A | 3110 | | OS | 06-OCT-87 | AT | OS | 99 | |
| | | DOD-B-82737/1 | BALLS, BEARING, AIRCRAFT QUALITY STEEL, METRIC REVIEWER: 84 1S SH | A | 3110 | | OS | 06-OCT-87 | AT | OS | 99 | |
| | | DOD-B-82737/2 | BALLS, BEARING, STEEL, CHROME ALLOY, METRIC REVIEWER: 84 1S SH | A | 3110 | | OS | 06-OCT-87 | AT | OS | 99 | |
| | | DOD-B-82737/3 | BALLS, BEARING, CORROSION RESISTANT STEEL, METRIC REVIEWER: 84 1S SH | A | 3110 | | OS | 06-OCT-87 | AT | OS | 99 | |
| | | DOD-B-82737/4 | BALLS, BEARING, STEEL, CARBON, METRIC REVIEWER: 84 1S SH | A | 3110 | | OS | 06-OCT-87 | AT | OS | 99 | |
| | | DOD-B-82737/6 | BALLS, BEARING, NICKEL-COPPER ALLOY (K-MONEL) METRIC REVIEWER: 84 1S SH | A | 3110 | | OS | 06-OCT-87 | AT | OS | 99 | |
| | L | MIL-E-82738 | EXPLOSIVE, PLASTIC BONDED MOLDING POWDER (PBXN-3) (CONTROLLED DISTRIBUTION) | D | 1376 | | OS | 14-AUG-85 | | OS | | |
| | | MIL-P-82739(1) | PROPELLANT GRAINS, NOSOL-318 | A | 1377 | | OS | 01-MAR-88 | | OS | | |
| | L | MIL-E-82740 | EXPLOSIVE, PLASTIC-BONDED, INJECTION MOLDABLE (PBXN-301) | A | 1376 | | OS | 15-OCT-86 | | OS | | |
| | L | DOD-A-82743 | AZIRIDINE, SUBSTITUTED (METRIC) (CONTROLLED DISTRIBUTION) | D | 6810 | | OS | 22-JAN-86 | | OS | | |
| | | MIL-P-82744 | PACKING, PREFORMED, OTTO FUEL COMPATIBLE, (CODE IDENT 53711) REVIEWER: 1S | A | 5330 | | OS | 22-NOV-85 | | OS | | |
| | L | MIL-P-82745 | PACKING, PREFORMED, HYDRAULIC OIL COMPATIBLE (CODE IDENT 53711) | A | 5330 | | OS | 22-NOV-85 | | OS | | |
| | L | MIL-E-82746 | EXPLOSIVE, PLASTIC-BONDED EXTRUDABLE POWDER, PBXN-202 (CONTROLLED DISTRIBUTION) | B | 1376 | | OS | 01-JUL-87 | | OS | | |
| | L | MIL-C-82747 | COATING POLYURETHANE CLEAR, SAFFLOWER OIL MODIFIED ALKYD | A | 8010 | | OS | 27-JAN-88 | | OS | | |
| | | MIL-I-82760 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M6A1, M26, M33, REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 | | OS | 03-JAN-89 | | OS | 99 | |
| A | L | MIL-P-82761 | PROPELLANT GRAIN, ASROC ROCKET MOTOR, REWORKED | D | 1340 | | OS | 11-AUG-92 | | OS | | |
| A | | MIL-C-82762A | CUTTER, DELAY, PROPELLANT ACTUATED, MLU-58/B REVIEWER: 70 | A | 1377 | | OS | 10-SEP-92 | | OS | 99 | |
| | | MIL-I-82763 | INITIATOR, CARTRIDGE ACTUATED, M27 REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 | | OS | 30-MAR-90 | | OS | 99 | |
| | | MIL-I-82767 | INITIATOR, CARTRIDGE ACTUATOR, M99 REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 | | OS | 30-MAR-90 | | OS | 99 | |
| | | MIL-C-82768 | CUTTER, CARTRIDGE ACTUATED, TCU-4/E REVIEWER: MC | A | 1377 | | OS | 05-JUN-89 | ME | OS | | |
| | L | MIL-C-82783 | CYCLOTETHAMETHYLEMETETRANITRAMINE (HMX) | A | 1376 | | OS | 05-FEB-90 | | OS | | |
| | L | MIL-R-82791 | RUBBER, SILICONE, TRV | A | 1340 | | OS | 05-FEB-90 | | OS | | |
| | L | MIL-C-82807 | COATING, FLAMEPROOF | A | 8010 | | OS | 29-DEC-89 | | OS | | |
| | L | MIL-L-82815 | LIQUID, ANTISTATIC | A | 1340 | | OS | 29-DEC-89 | | OS | | |
| | L | MIL-T-82824 | TEPANOL | A | 1376 | | OS | 29-DEC-89 | | OS | | |
| | L | MIL-A-82842 | ADHESIVE, CONDUCTIVE, LOW RESISTIVITY | A | 8040 | | OS | 05-FEB-90 | | OS | | |
| | L | MIL-C-82865(1) | CARTRIDGE, IMPULSE, MARK 152 MOD 0, MARK 153 MOD 0, MARK 154 MOD 0, AND MARK 156 MOD 0 | A | 1377 | | OS | 07-NOV-89 | | OS | | |
| | L | MIL-P-82866 | PRIMER, ELECTRIC, MARK 153 MOD 1 | A | 1390 | | OS | 27-MAR-91 | | OS | | |
| | L | MIL-P-82868 | PRIMER, PERCUSSION, MK 161 MOD 0 | A | 1390 | | OS | 13-MAY-92 | | OS | | |
| | | MIL-I-82871 | INITIATOR, CARTRIDGE ACTUATED, M28 REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70 | A | 1377 | | OS | 15-JAN-92 | | OS | 99 | |
| | | MIL-I-82877 | IGNITION ELEMENT, PVU-15/B | A | 1377 | | OS | 24-MAR-92 | | OS | 70 | |
| A | L | MIL-C-82884 | CARTRIDGE, IMPULSE, CCU-69A/A | A | 1377 | | OS | 11-FEB-93 | | OS | | |
| A | L | MIL-H-83012C | HAT, SERVICE, WOMAN S (FRAME AND REMOVABLE COVERS) USER: 45 REVIEWER: 99 | A | 8410 | | CT | 15-JUN-87 | | | 11 | CT |
| | L | MIL-T-83018E | TRUCK, TANK A/S32A-24, POTABLE WATER, DEMINERALIZED WATER, AND WATER ALCOHOL MIXTURES, 250 GALLON CAPACITY | A | 2320 | | 84 | 13-NOV-87 | | | 99 | |
| | L | MIL-C-83019(2) NOTICE 1 | COATING, POLYURETHANE, FOR PROTECTION OF INTEGRAL FUEL TANK SEALING COMPOUND REVIEWER: 99 EA | A | 8030 | | 11 | 30-JUL-87 | | | 11 | |
| | L | MIL-I-83026C(1) | INDICATORS, RATE OF FLOW, FUEL | X | 6620 | | 71 | 20-JUN-83 | | AS | 99 | |
| | | MIL-T-83027C | TRANSMITTER, RATE OF FLOW, FUEL TRU-98/A | A | 6620 | | 71 | 05-FEB-86 | | AS | 99 | |
| | L | MIL-D-83029A NOTICE 1 | DRIVE ASSEMBLY, CONSTANT SPEED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8802] REVIEWER: 99 | A | 1650 | | 11 | 26-FEB-88 | | | 11 | |
| | | MIL-S-83030A | STEEL ALLOY, CARBURIZING, BARS AND FORGINGS, STEEL, NICKEL-CHROMIUM (3310, 3316, AND 9310), PREMIUM QUALITY [VALIDATION DATE: 8505] REVIEWER: 99 AV MI | A | 9510 | | 11 | 28-AUG-68 | MR | AS | 11 | |
| | Q | MIL-I-83034A(2) | INDICATOR, HORIZONTAL SITUATION AQU-6/A REVIEWER: 01 | X | 6610 | | 71 | 01-JUL-82 | AV | | 11 | |
| | L | MIL-P-83037A(1) | PLATFORM, CARGO, AERIAL DELIVERY A/E29H-1 | A | 1670 | | 82 | 18-FEB-82 | | | 99 | |
| | L | MIL-A-83039B(3) | AIR CONDITIONER A/M32C-10A AIR CYCLE FOR AIRCRAFT GROUND SUPPORT REVIEWER: GS | A | 4120 | | 82 | 14-JUN-84 | | | 99 | |
| | L | MIL-S-83047B | SURVIVAL KIT CONTAINER, CRU-111/P | A | 1660 | | 82 | 11-FEB-85 | | | 99 | |
| | Q | MIL-B-83050D(1) | BOLT, SELF-RETAINING, IMPEDANCE TYPE REVIEWER: 1S | A | 5306 | | 82 | 27-APR-87 | AV | | 99 | |
| | QL | MIL-B-83054B(2) | BAFFLE AND INERTING MATERIAL, AIRCRAFT FUEL TANK REVIEWER: AV MR | A | 9330 | | 84 | 07-MAR-84 | | | 99 | |
| | L | MIL-T-83118A | TRUCK, SNOW REMOVAL EQUIPMENT A/S32U-35 AND A/S32U-36 (HEAVY DUTY) USER: 11 | A | 3825 | | 84 | 30-JUL-81 | | | 99 | |
| | L | MIL-S-83120 | SNOWPLOW, TRUCK MOUNTING, POWER REVERSIBLE BLADE MXU-512/E [VALIDATION DATE: 8111] USER: 11 REVIEWER: CS | A | 3830 | | 84 | 25-OCT-68 | | | 99 | |
| | L | MIL-S-83121A | SNOWPLOW, TRUCK MOUNTED, UNDERBODY MXX-513/S32U USER: 11 REVIEWER: CS | A | 3825 | | 84 | 31-JAN-89 | | | 99 | |
| | L | MIL-S-83122 NOTICE 2 | SNOWPLOW, TRUCK MOUNTING, ROLLOVER MXU-514/E USER: 11 | A | 3830 | | 84 | 24-JAN-89 | | | 99 | |
| | | MIL-C-83124 NOTICE 1 | CARTRIDGE ACTUATED DEVICES/PROPELLANT ACTUATED DEVICES GENERAL DESIGN SPECIFICATION FOR [VALIDATION DATE: 9108] REVIEWER: AV | A | 1377 | | OS | 14-AUG-91 | AR | OS | 11 | |
| | | MIL-C-83125 NOTICE 1 | CARTRIDGES FOR CARTRIDGE ACTUATED/PROPELLANT ACTUATED DEVICES, GENERAL DESIGN SPECIFICATION FOR [VALIDATION DATE: 9108] USER: ME REVIEWER: 99 AV | A | 1377 | | OS | 14-AUG-91 | AR | OS | 11 | |

| Action | OPR / ONA Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-P-83126A | PROPULSION SYSTEMS, AIRCREW ESCAPE, DESIGN SPECIFICATION FOR REVIEWER: 99 AS TE | A | 1377 | 11 | | 08-FEB-80 | AR | OS | | |
| | | MIL-S-83129A(1) | SPECTROMETER, FLUID ANALYSIS A/E35U-3 | A | 6650 | 82 | | 02-APR-87 | AV | AS | 99 | |
| | | MIL-T-83133D | TURBINE FUELS, AVIATION, KEROSENE TYPES, NATO F-34 (JP-8) AND NATO F-35 REVIEWER: 68 AR AV | A | 9130 | 11 | | 29-JAN-92 | MR | AS | 11 | PS |
| A | L | MIL-S-83135 NOTICE 2 | STEEL BARS, REFORGING STOCK, AND MECHANICAL TUBING, 4340M, HIGH QUALITY [VALIDATION DATE: 9302] | A | 9510 | 11 | | 08-FEB-93 | | | 11 | |
| | L | MIL-A-83136A | ARRESTING HOOK INSTALLATION, RUNWAY ARRESTING SYSTEM, AIRCRAFT, EMERGENCY REVIEWER: 82 | A | 1710 | 70 | | 02-APR-90 | | | 99 | |
| | | MIL-W-83140(1) | WIRE ROPE, STEEL, (STAINLESS STEEL) PREFORMED, NONROTATING, FOR AIRCRAFT RESCUE HOIST AND CARGO HANDLING (WINCHING) [VALIDATION DATE: 8205] REVIEWER: 99 IS | A | 4010 | 82 | | 03-JAN-72 | AV | AS | 11 | |
| A | | MIL-C-83141A(3) | COVERALLS, FLYER S SUMMER, FIRE RESISTANT USER: 45 REVIEWER: 11 | A | 8415 | CT | | 31-JUL-79 | GL | AS | 99 | CT |
| A | L | MIL-F-83142A NOTICE 2 | FORGING, TITANIUM ALLOYS, PREMIUM QUALITY [VALIDATION DATE: 9302] REVIEWER: 84 | A | 9530 | 11 | | 08-FEB-93 | | | 11 | |
| A | L | MIL-W-83144A(3) NOTICE 1 | WEBBING, TEXTILE, WOVEN NYLON, ROLLED SELVAGE USER: 45 | A | 8305 | CT | | 08-JUN-88 | | | 11 | CT |
| | QL | MIL-H-83147(3) | HELMET SHELL, FLYING, HGU-22/P | A | 8475 | 82 | | 05-OCT-78 | | | 99 | |
| | L | MIL-V-83148 NOTICE 1 | VARNISH, ELECTRICALLY INSULATIVE, MOISTURE-, FUNGUS-, AND HIGH TEMPERATURE RESISTANT [VALIDATION DATE: 8707] REVIEWER: 99 | A | 8010 | 11 | | 24-AUG-70 | | | 11 | |
| A | L | MIL-G-83150A NOTICE 1 | GLOVES, CLOTH, NYLON KNITTED (WOMEN S, DRESS) [VALIDATION DATE: 8703] REVIEWER: 82 | A | 8445 | CT | | 27-MAR-87 | | | 11 | CT |
| | L | MIL-I-83152B(1) | INDICATOR, INDICATED-AIRSPEED AVU-22/A (INDICATOR-TRANSDUCER) | A | 6610 | 71 | | 20-MAY-88 | | | 99 | |
| | L | MIL-M-83158A | NOISE SUPPRESSOR SYSTEMS, ENGINE TEST STAND A/F32T-2 AND A/F32T-3, FOR TURBOJET AND TURBOFAN ENGINES [VALIDATION DATE: 8205] REVIEWER: 99 | A | 4920 | 11 | | 28-SEP-70 | | | 11 | |
| | L | MIL-A-83162A | AMPLIFIER, SYNCHRO, SIGNAL AM-6015/A | A | 5990 | 71 | | 17-FEB-89 | | | 99 | |
| | L | MIL-G-83172B(6) | GYROSCOPE ASSEMBLY, NATE SBU-13/A | A | 6615 | 71 | | 19-NOV-86 | | | 99 | |
| | L | MIL-T-83174B(3) | TRANSMITTER, ACCELEROMETER, AXIAL | A | 6610 | 71 | | 23-NOV-87 | | | 99 | |
| | | MIL-B-83175(1) | BEARING, BALL, ANNULAR, ANTIFRICTION, ACCESSORY, HIGH SPEED TURBINE, AIRCRAFT USER: AS REVIEWER: 71 82 | A | 3110 | 84 | | 21-JUN-85 | AV | SH | 99 | |
| | QL | MIL-R-83178A | REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC PRESSURE BREATHING, GENERAL SPECIFICATION FOR | A | 1660 | 71 | | 03-MAR-86 | | | 99 | |
| | L | MIL-B-83183B | BARRIER AIRCRAFT ARRESTING | A | 1710 | 82 | | 06-APR-87 | | | 99 | |
| | L | MIL-T-83187C | TRANSMITTING SET, COUNTERMEASURES, AN/ALT-32 | A | 5865 | 84 | | 15-JUL-69 | | | 99 | |
| A | | MIL-T-83193B | THREAD, ARAMID, SPUN STAPLE USER: AS MD REVIEWER: 82 99 | A | 8310 | CT | | 21-NOV-89 | GL | MU | 11 | CT |
| | L | MIL-S-83194(1) | SOCKS, MEN S, ANTI-EXPOSURE, RUBBER SRU-25/P | A | 8475 | 82 | | 22-MAY-69 | | | 99 | |
| | L | MIL-C-83195A NOTICE 1 | COVERALL, FLYING, ANTI-EXPOSURE CMU-21/P [VALIDATION DATE: 8604] | A | 8475 | 11 | | 02-APR-86 | | AS | 99 | |
| | L | MIL-U-83196B | UNDERWEAR, DOUBLE-KNITTED, ANTI-EXPOSURE CMU-22/P | A | 8475 | 82 | | 26-NOV-86 | | | 99 | |
| | L | MIL-L-83197A | LINER, ANTI-EXPOSURE, FLYING COVERALLS CMU-23/P [VALIDATION DATE: 7603] | A | 8475 | 82 | | 21-AUG-69 | | | 99 | |
| | L | MIL-A-83212A(2) | ALTIMETER, PRESSURE AAU-27/A | A | 6610 | 71 | | 27-FEB-89 | | | 99 | |
| | L | MIL-A-83216B | AIR CONDITIONER A/E32C-39 [VALIDATION DATE: 8205] REVIEWER: 13 17 GS MC | A | 4120 | 99 | | 25-MAY-76 | | | 99 | |
| | L | MIL-T-83229B | TRAILER, AIRCRAFT ENGINE ETU-91/E | A | 1740 | 82 | | 22-JUL-85 | | | 99 | |
| | L | MIL-H-83230(1) | HOOD, ANTI-EXPOSURE CMU-10/P REVIEWER: 11 | A | 8475 | 82 | | 28-NOV-83 | | | 99 | |
| | Q | MIL-C-83231A NOTICE 1 | COATINGS, POLYURETHANE, RAIN EROSION RESISTANT FOR EXTERIOR AIRCRAFT AND MISSILE PLASTIC PARTS [VALIDATION DATE: 8901] USER: SH REVIEWER: 99 | A | 8010 | 11 | | 20-JAN-89 | ME | AS | 11 | |
| A | L | MIL-S-83234C | SKIRTS, WOMAN S, BLUE USER: 45 REVIEWER: 82 99 | A | 8410 | CT | | 01-JUN-88 | | | 11 | CT |
| | L | MIL-F-83236A(3) | FILTER, SIGNAL LIGHT MXU-507/E [VALIDATION DATE: 8506] | A | 6230 | 82 | | 24-OCT-85 | | | 99 | |
| | L | MIL-C-83242(1) NOTICE 1 | CORD, AROMATIC POLYAMIDE, NONMELTING [VALIDATION DATE: 8707] REVIEWER: 99 CT IS | A | 4020 | 11 | | 27-JUL-79 | | | 11 | |
| | L | MIL-F-83243A(2) | FILTER SEPARATOR, LIQUID FUEL FFU-18/E THROUGH FFU-24/E REVIEWER: CS | A | 4330 | 84 | | 30-APR-82 | | | 99 | |
| | L | MIL-I-83245(4) | INDICATOR SET, OIL PRESSURE A/A24J-17 | A | 6620 | 71 | | 27-MAR-86 | | | 99 | |
| | | MIL-R-83248B(1) | RUBBER FLUOROCARBON ELASTOMER, HIGH TEMPERATURE, FLUID, AND COMPRESSION SET RESISTANT REVIEWER: 82 99 SH | A | 5330 | 11 | | 13-FEB-91 | MR | AS | 11 | |
| A | L | MIL-R-83248/1A NOTICE 2 | RUBBER, FLUOROCARBON ELASTOMER, HIGH TEMPERATURE, FLUID, AND COMPRESSION SET RESISTANT, O-RINGS, CLASS 1, 75 HARDNESS [VALIDATION DATE: 9212] REVIEWER: AV | A | 5330 | 11 | | 10-DEC-92 | | | 11 | |
| A | L | MIL-R-83248/2(1) NOTICE 2 | RUBBER, FLUOROCARBON ELASTOMER, HIGH TEMPERATURE, FLUID, AND COMPRESSION SET RESISTANT, O-RINGS, CLASS 2, 90 HARDNESS [VALIDATION DATE: 9212] | A | 5330 | 11 | | 10-DEC-92 | | | 11 | |
| | L | MIL-T-83256/15 | CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, DUST COVER, 2 POSITIONS | A | 6060 | CR | | 09-JUN-89 | CR | | | |
| | L | MIL-C-83260A | COUPLER, HYDRANT VALVE GRU-16/E | A | 4930 | 82 | | 18-MAY-72 | | | 99 | |
| | L | MIL-G-83261A | GREASE, AIRCRAFT, EXTREME PRESSURE, ANTI-WEAR REVIEWER: 68 | A | 9150 | 11 | | 10-SEP-90 | | | 11 | |
| | QL | MIL-I-83262B(1) | INDICATOR, TEMPERATURE, THERMOCOUPLE HERMETICALLY SEALED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8410] REVIEWER: 82 GS | A | 6685 | 11 | | 02-MAR-78 | | | 11 | |
| | L | MIL-I-83262/1A | INDICATOR, TEMPERATURE, THERMOCOUPLE EMU-31A/A | A | 6685 | 82 | | 13-OCT-87 | | | 99 | |
| | L | MIL-I-83262/2(1) | INDICATOR, TEMPERATURE, THERMOCOUPLE, EMU-38/A [VALIDATION DATE: 8405] REVIEWER: 99 | A | 6685 | 82 | | 03-MAR-78 | | | 11 | |
| | L | MIL-I-83262/3(1) | INDICATOR, TEMPERATURE, THERMOCOUPLE, EMU-43/A [VALIDATION DATE: 8405] REVIEWER: 99 | A | 6685 | 82 | | 03-MAR-78 | | | 11 | |
| | L | MIL-I-83262/4 | INDICATOR, TEMPERATURE, THERMOCOUPLE, EMU-39/A [VALIDATION DATE: 8304] | A | 6685 | 82 | | 14-JUL-77 | | | 11 | |
| | L | MIL-H-83267A(2) | HOISTING UNIT, AIRCRAFT MAINTENANCE HLU-213/E, HELICOPTER SERVICING, 8,000 POUND CAPACITY REVIEWER: 84 | A | 1730 | 82 | | 20-JUL-84 | | | 99 | |
| A | | MIL-B-83268B NOTICE 1 | BERET, WOMAN'S [VALIDATION DATE: 8809] USER: 45 REVIEWER: 82 99 MD | A | 8410 | CT | | 30-SEP-88 | GL | MU | 11 | CT |
| A | L | MIL-H-83269A NOTICE 1 | HOOD, RAIN, WOMAN'S [VALIDATION DATE: 8902] USER: 45 REVIEWER: 82 99 | A | 8410 | CT | | 22-FEB-89 | | | 11 | CT |
| A | L | MIL-V-83271B | VEST, SURVIVAL MESH SET, SRU-21/P REVIEWER: 45 | A | 8415 | CT | | 03-JAN-92 | | | 99 | CT |
| A | | MIL-B-83277A(1) | BOOTS, FLYERS FWU-8/P [VALIDATION DATE: 8411] USER: 45 | A | 8430 | CT | | 30-NOV-78 | | | 99 | CT |
| | | MIL-H-83282C | HYDRAULIC FLUID, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, AIRCRAFT, METRIC, NATO CODE NUMBER H-537 REVIEWER: 68 AR AV MI SH | A | 9150 | AS | | 25-MAR-86 | ME | AS | 11 | |
| | L | MIL-R-83283A NOTICE 2 | RUBBER SILICONE, HIGH STRENGTH, CABIN PRESSURE SEAL MATERIAL, DIAPHRAGM TYPE REVIEWER: 71 | A | 9320 | 11 | | 12-JUN-91 | | | 11 | |
| | L | MIL-T-83284(2) | TAPE, THERMAL RADIATION RESISTANT, PRESSURE-SENSITIVE ALUMINUM COATED FIBERGLASS CLOTH [VALIDATION DATE: 8305] REVIEWER: CT | A | 7510 | 84 | | 06-JUN-73 | | | 99 | |
| A | L | MIL-R-83285 NOTICE 2 | RUBBER, ETHYLENE-PROPYLENE, GENERAL PURPOSE [VALIDATION DATE: 9212] REVIEWER: 99 | A | 5330 | 11 | | 10-DEC-92 | | | 11 | |
| | QL | MIL-C-83286B(2) NOTICE 1 | COATING URETHANE, ALIPHATIC ISOCYANATE, FOR AEROSPACE APPLICATIONS [VALIDATION DATE: 8707] REVIEWER: 99 AV DS | A | 8010 | 11 | | 19-AUG-80 | | | 11 | |
| | Q | MIL-I-83287E SUPPL 1A1 | INDICATORS, FAULT LOCATING, GENERAL SPECIFICATION FOR REVIEWER: 99 ES | A | 6625 | 85 | | 22-JUL-88 | | AS | 85 | |
| | | MIL-I-83287/1B(1) | INDICATORS, FAULT LOCATING, FLAG INDICATING, MECHANICAL RESET USER: 17 80 REVIEWER: 82 ES | A | 6625 | 85 | | 29-MAR-91 | | AS | 85 | |
| | | MIL-I-83287/2C | INDICATORS, FAULT LOCATING, FLAG INDICATING, ELECTRICAL RESET USER: 17 80 REVIEWER: 82 ES | A | 6625 | 85 | | 29-MAR-91 | | AS | 85 | |
| | | MIL-I-83287/3A(1) | INDICATORS, FAULT LOCATING, BALL INDICATING, ELECTRICAL RESET USER: 17 80 ES REVIEWER: 82 | A | 6625 | 85 | | 29-MAR-91 | | AS | 85 | |
| | | MIL-I-83287/4A | INDICATORS, FAULT LOCATING, DUAL DRUM INDICATING, MECHANICAL RESET | A | 6625 | 85 | | 22-JUL-88 | | AS | 85 | |
| | | MIL-I-83287/5A | INDICATORS, FAULT LOCATING, INTERNAL DRUM INDICATING, ELECTRICAL RESET, PRINTED CIRCUIT MOUNTING | A | 6625 | 85 | | 22-JUL-88 | | AS | 85 | |
| | | MIL-C-83291B | COVER, SELF-SEALING, FUEL LINE, AIRCRAFT [VALIDATION DATE: 8505] | A | 4720 | 82 | | 28-FEB-78 | | AS | 99 | |
| | L | MIL-C-83295A(2) | COT, FOLDING, DOUBLE-DECKING MXU-615/E82, LIGHTWEIGHT, BARE BASE [VALIDATION DATE: 8204] USER: GL | A | 7105 | 84 | | 12-JAN-73 | | | 99 | |
| | QL | MIL-F-83296 | FITTING, TETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI, HYDRAULIC AND PNEUMATIC [VALIDATION DATE: 8503] | A | 4730 | 99 | | 17-MAR-71 | | | 11 | |

| Action | Doc. / Cnfg. Change Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Q | | MIL-H-83298A | HOSE, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC REVIEWER: CS | A | 4720 | 82 | | 10-MAR-83 | AV | AS | 99 | |
| | | MIL-F-83300 NOTICE 1 | FLYING QUALITIES OF PILOTED V/STOL AIRCRAFT (VALIDATION DATE: 9109) | A | 1500 | AS | | 26-SEP-91 | AV | AS | | |
| L | | MIL-T-83303C | TRUCK, FIREFIGHTING, AIRFIELD RAMP, 4X4, A/S32P-20, TWIN AGENT, SKID MOUNTED | A | 4210 | 84 | | 09-SEP-88 | | | 99 | |
| L | | MIL-P-83310 | PLASTIC SHEET, POLYCARBONATE, TRANSPARENT (VALIDATION DATE: 8305) REVIEWER: 99 GS | A | 9330 | 11 | | 27-JAN-71 | | | 11 | |
| A L1 | | MIL-S-83311 NOTICE 2 | STEEL BAR, AND WIRE, (455) CORROSION RESISTANT, PRECIPITATION HARDENING REVIEWER: 99 | A | 9510 | 11 | | 10-FEB-93 | | | 11 | |
| QL | | MIL-S-83315(2) NOTICE 1 | SEALING COMPOUND, ALUMINUM STRUCTURE, PRESSURE AND WEATHER SEALING, LOW DENSITY (VALIDATION DATE: 8707) | A | 8030 | 11 | | 14-DEC-84 | | | 11 | |
| QL | | MIL-S-83318A | SEALING COMPOUND, LOW TEMPERATURE CURING, QUICK REPAIR INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES REVIEWER: 84 | A | 8030 | 11 | | 27-MAR-91 | | | 11 | |
| L | | MIL-D-83319(2) | DESK FILING CABINET, WRITING-TYPING, FIELD OFFICE MXU-619/E82, LIGHTWEIGHT, BARE BASE USER: GL | A | 7110 | 84 | | 26-MAY-82 | | | 99 | |
| A L | | MIL-T-83323A(2) | TESTER, UNIVERSAL RECEPTACLE, AERIAL REFUELING | A | 4920 | 82 | | 28-JAN-93 | | | 99 | |
| A L1 | | MIL-T-83351A(1) NOTICE 1 | TRUCK, LIFT, AERIAL STORES MHU-124E; 3000 POUND CAPACITY, ELECTRIC MOTOR DRIVEN REVIEWER: 15 | A | 1190 | 79 | | 31-AUG-92 | | | 79 | |
| L | | MIL-S-83352B(3) | SIGNAL KIT, PERSONNEL, DISTRESS, A/P25S-5A | A | 1370 | 70 | | 20-MAY-86 | | | 99 | |
| L | | MIL-B-83353 NOTICE 1 | BORON MONOFILAMENT, CONTINUOUS, VAPOR DEPOSITED REVIEWER: 99 GS | A | 9330 | 11 | | 04-MAR-88 | | | 11 | |
| D L | | MIL-C-83360C(1) NOTICE 1 | CLEANING AND LUBRICATING COMPOUND, ELECTRICAL CONTACT USER: ER YD1 REVIEWER: 13 68 GS SH | A | 6850 | 11 | | 30-JUL-87 | | | 11 | |
| L | | MIL-I-83361(4) | INDICATOR, PRESSURE OIL, DUAL EGU-18/A, 0-100 PSI REVIEWER: 11 | A | 6620 | 71 | | 23-DEC-87 | | | 99 | |
| L | | MIL-I-83362(5) | INDICATOR, POSITION, TAKEOFF TRIM ALU-12/A | A | 6610 | 71 | | 12-AUG-87 | | | 99 | |
| | | MIL-G-83363B NOTICE 1 | GREASE, TRANSMISSION, HELICOPTER (VALIDATION DATE: 8901) REVIEWER: 68 AV | A | 9150 | 11 | | 20-JAN-89 | ME | AS | 11 | |
| A L | | MIL-Y-83370A NOTICE 1 | YARN, WOVING, AND CLOTH: HIGH MODULUS, ORGANIC FIBER (VALIDATION DATE: 8811) USER: 45 | A | 8305 | CT | | 25-NOV-88 | | | 11 | CT |
| A L | | MIL-Y-83371 | YARNS, GRAPHITE, HIGH MODULUS, CONTINUOUS FILAMENT (VALIDATION DATE: 8104) USER: 45 | A | 8305 | CT | | 05-MAY-72 | | | 11 | CT |
| L | | MIL-H-83373A | HOSE ASSEMBLY, FLUOROELASTOMER TUBE, WITH REATTACHABLE COUPLINGS FOR JP-7 SERVICE | A | 4720 | 82 | | 20-SEP-83 | | | 99 | |
| L | | MIL-A-83376A NOTICE 1 | ADHESIVE BONDED METAL FACED SANDWICH STRUCTURES, ACCEPTANCE CRITERIA USER: OS | A | 8040 | 11 | | 30-JUL-87 | | | 11 | |
| | | MIL-A-83377B NOTICE 1 | ADHESIVE BONDING (STRUCTURAL) FOR AEROSPACE AND OTHER SYSTEMS, REQUIREMENTS FOR (VALIDATION DATE: 8803) USER: OS | A | 8040 | 11 | | 04-MAR-88 | MR | AS | 11 | |
| | | MIL-G-83380 | GENERATOR SET, GAS TURBINE ENGINE DRIVEN, 30 AND 60 KW, 400 HZ | A | 6115 | 80 | | 21-FEB-79 | ME | | 99 | |
| A | | MIL-J-83382C(1) | JACKET, FLYER'S, MEN'S, SUMMER, FIRE RESISTANT, CWU-36/P USER: 45 | A | 8415 | CT | | 01-NOV-85 | | AS | 99 | CT |
| Q | | MIL-C-83383C(2) | CIRCUIT BREAKERS, REMOTE CONTROL, THERMAL, TRIP-FREE, GENERAL SPECIFICATION FOR USER: AT AV MI REVIEWER: 99 ES ME | A | 5925 | 85 | | 05-MAR-92 | ER | AS | 85 | |
| | | MIL-C-83383/1C(1) | CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP, SINGLE POLE, (5 TO 100 AMPERES) USER: AT AV REVIEWER: 99 ES ME | A | 5925 | 85 | | 14-NOV-90 | ER | AS | 85 | |
| | | MIL-C-83383/2C(1) | CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE SERIES TRIP, SINGLE POLE, AUXILIARY CONTACTS (5 TO 100 AMPERES) USER: AT AV REVIEWER: 99 ES ME | A | 5925 | 85 | | 14-NOV-90 | ER | AS | 85 | |
| | | MIL-C-83383/4C(1) | CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP, TRIPLE POLE, AUXILIARY CONTACTS (5 TO 100 AMPERES) | A | 5925 | 85 | | 14-NOV-90 | ER | AS | 85 | |
| | | MIL-C-83383/7A | CIRCUIT BREAKERS, REMOTE CONTROL, AC, THERMAL, TRIP-FREE SERIES TRIP, SINGLE POLE, AUXILIARY CONTACTS (5 TO 25AMPERES) USER: AT AV MI REVIEWER: 99 ES ME | A | 5925 | 85 | | 24-JUN-88 | ER | AS | 85 | |
| | | MIL-C-83383/8A | CIRCUIT BREAKERS, REMOTE CONTROL, DC, THERMAL, TRIP-FREE SERIES TRIP, SINGLE POLE, AUXILIARY CONTACTS (5 TO 25 AMPERES) USER: AT AV MI REVIEWER: 99 ES ME | A | 5925 | 85 | | 24-JUN-88 | ER | AS | 85 | |
| A | | MIL-T-83385A(1) | TROUSERS, FLYERS , EXTREME COLD WEATHER, CWU-18/P | A | 8415 | CT | | 22-JAN-85 | | AS | 99 | CT |
| A L | | MIL-J-83386(1) NOTICE 1 | JACKET, MAN'S, LIGHTWEIGHT (VALIDATION DATE: 8802) | A | 8405 | CT | | 26-FEB-88 | | WU | | CT |
| | | MIL-I-83387A NOTICE 1 | INSPECTION PROCESS, MAGNETIC RUBBER | A | NDTI | 11 | | 30-JUL-87 | MR | | 11 | |
| A | | MIL-J-83388E | JACKET, FLYER'S, COLD WEATHER REVIEWER: 99 | A | 8415 | CT | | 18-JUN-92 | | AS | 82 | CT |
| L | | MIL-C-83390(2) | CONNECTOR, HOSE, QUICK ACTING, MALE, ANTI-G GARMENT (VALIDATION DATE: 8306) REVIEWER: 99 | A | 4730 | 82 | | 27-JUL-76 | | | 11 | |
| A | | MIL-R-83397A NOTICE 2 | RUBBER, POLYURETHANE, CASTABLE, HUMIDITY RESISTANT (VALIDATION DATE: 9212) REVIEWER: 99 AS IS | A | 5330 | 11 | | 10-DEC-92 | MR | SH | 11 | |
| L | | MIL-T-83399 NOTICE 1 | TEST FOR REMOVAL OF FLUY RESIDUES | A | SOLD | 11 | | 30-JUL-87 | | | 11 | |
| Q | | MIL-R-83401F(2) SUPPL 1A1 | RESISTOR NETWORKS, FIXED, FILM, AND CAPACITOR-RESISTOR NETWORKS, CERAMIC CAPACITOR AND FIXED FILM RESISTORS, GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 59GP | 85 | | 13-AUG-91 | ER | EC | 85 | |
| | | MIL-R-83401/1F(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ010, 14 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 13-AUG-91 | ER | EC | 85 | |
| | | MIL-R-83401/2F | RESISTOR NETWORK, FIXED, FILM, STYLE RZ020, 16 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 09-OCT-89 | ER | EC | 85 | |
| | | MIL-R-83401/3E | RESISTOR NETWORK, FIXED, FILM, STYLE RZ030, 14 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 13-AUG-91 | ER | EC | 85 | |
| A | | MIL-R-83401/4C(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ040, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 14-DEC-92 | ER | EC | 85 | |
| A | | MIL-R-83401/5C(2) | RESISTOR NETWORK, FIXED, FILM STYLE RZ050, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 14-DEC-92 | ER | EC | 85 | |
| A | | MIL-R-83401/6B(1) | RESISTOR NETWORK, FIXED, FILM STYLE RZ060, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 14-DEC-92 | ER | EC | 85 | |
| A | | MIL-R-83401/7C | RESISTOR NETWORK, FIXED, FILM STYLE RZ070, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 14-DEC-92 | ER | EC | 85 | |
| A | | MIL-R-83401/8C | RESISTOR NETWORK, FIXED, FILM STYLE RZ080, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 14-DEC-92 | ER | EC | 85 | |
| A | | MIL-R-83401/9C(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ090, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 14-DEC-92 | ER | EC | 85 | |
| | | MIL-R-83401/10A | RESISTOR NETWORK, FIXED, FILM STYLE RZ100, 16 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 09-OCT-89 | ER | EC | 85 | |
| | | MIL-R-83401/13 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ130, 14 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 13-AUG-91 | ER | EC | 85 | |
| | | MIL-R-83401/14 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ140, 16 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 13-AUG-91 | ER | EC | 85 | |
| | | MIL-R-83401/15 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ150, 14 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 13-AUG-91 | ER | EC | 85 | |
| | | MIL-R-83401/16 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ160, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 13-AUG-91 | ER | EC | 85 | |
| | | MIL-R-83401/17 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ170, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 13-AUG-91 | ER | EC | 85 | |
| L | | MIL-R-83401/18A(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ180, 6 PIN SIP | A | 5905 | 85 | | 10-SEP-90 | | | 85 | |
| L | | MIL-R-83401/19B | RESISTOR NETWORK, FIXED, FILM STYLE RZ190, 8-PIN SIP | A | 5905 | 85 | | 06-SEP-90 | | | 85 | |
| | | MIL-R-83401/20 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ200, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 | 85 | | 13-AUG-91 | ER | EC | 85 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-R-83401/21 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ210, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 85 | 13-AUG-91 | ER | EC | 85 | |
| | | MIL-R-83401/22 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ220, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 85 | 13-AUG-91 | ER | EC | 85 | |
| | | MIL-R-83401/23 | RESISTOR NETWORK, FIXED, FILM, STYLE RZ230, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS | A | 5905 85 | 13-AUG-91 | ER | EC | 85 | |
| L | | MIL-F-83402 | FILTER-SPARATOR, LIQUID FUEL FFU-25/E (VALIDATION DATE: 8306) USER: AS SH REVIEWER: ES | A | 4330 84 | 11-JUN-73 | | | 99 | |
| L | | MIL-R-83403 | ROCKET MOTOR SR110-AD-1 (VALIDATION DATE: 8001) REVIEWER: 99 ..... | A | 1340 13 | 01-MAY-73 | | | 13 | |
| L | | MIL-R-83404 | ROCKET MOTOR MANUFACTURING ROCKET MOTOR SR110-AD-1 (VALIDATION DATE: 8001) REVIEWER: 99 | A | 1340 13 | 01-MAY-73 | | | 13 | |
| L | | MIL-P-83405 | PROPELLANT, COMPOSITE ADC-109 (VALIDATION DATE: 8001) REVIEWER: 99 ..... | A | 1340 13 | 01-MAY-73 | | | 13 | |
| QL | | MIL-A-83406B(3) | ANTI GARMENT, CUTAWAY, CSU-13B/P (VALIDATION DATE: 8306) ..... | A | 8475 82 | 02-FEB-82 | | | 99 | |
| QL | | MIL-R-83407(3) | RELAYS, REED (MERCURY WETTED) GENERAL SPECIFICATION FOR REVIEWER: 99 ES ... | A | 5945 85 | 05-JUL-84 | | | 85 | |
| M | | MIL-R-83407/38(1) NOTICE 1 | RELAYS, REED (MERCURY WETTED), ALL WELDED, 0 TO 7.5 VOLT AMPERES (VALIDATION DATE: 9305) REVIEWER: ES | A | 5945 85 | 14-MAY-93 | ER | EC | 85 | |
| A L | | MIL-C-83409(1) NOTICE 1 | COATINGS, VISOR, POLYCARBONATE, FLYING HELMET (VALIDATION DATE: 8603) ..... | A | 8415 CT | 14-MAR-86 | | | | CT |
| L | | MIL-G-83410 NOTICE 1 | GRAPHITE FIBER RESIN IMPREGNATED TAPE AND SHEET, FOR HAND LAYUP (VALIDATION DATE: 8811) REVIEWER: GS | A | 9330 11 | 25-NOV-88 | | | 11 | |
| QL | | MIL-D-83411A NOTICE 1 | DEICER/ANTI-ICER FLUID (FOR RUNWAYS AND TAXIWAYS) (VALIDATION DATE: 7904) REVIEWER: 68 GS | A | 6850 11 | 01-AUG-73 | | | 11 | |
| A L | | MIL-R-83412A NOTICE 2 | RUBBER, ETHYLENE-PROPYLENE, HYDRAZINE RESISTANT (VALIDATION DATE: 9212) REVIEWER: 99 IS | A | 5330 11 | 10-DEC-92 | | | 11 | |
| A L | | MIL-R-83412/1 NOTICE 2 | RUBBER, ETHYLENE-PROPYLENE, HYDRAZINE RESISTANT, O-RINGS SIZES AND TOLERANCES (VALIDATION DATE: 9212) | A | 5330 11 | 10-DEC-92 | | | 11 | |
| Q | | MIL-C-83413A SUPPL 1A1, NOTICE 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9202) USER: MC REVIEWER: 13 18 82 90 99 AR CR ES GS ME MI | A | 5935 85 | 06-FEB-92 | AV | AS | 85 | |
| | | MIL-C-83413/1 NOTICE 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE I GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC (VALIDATION DATE: 9202) USER: MC REVIEWER: 13 18 82 90 99 AR CR ES ME MI | A | 5920 85 | 06-FEB-92 | AV | AS | 85 | |
| | | MIL-C-83413/2 NOTICE 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE II GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC (VALIDATION DATE: 9202) USER: MC REVIEWER: 13 18 82 90 99 AR CR ES ME MI | A | 5920 85 | 06-FEB-92 | AV | AS | 85 | |
| | | MIL-C-83413/3 NOTICE 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE III GROUNDING ASSEMBLY, DISCHANGER, ELECTROSTATIC (VALIDATION DATE: 9202) USER: MC REVIEWER: 13 18 82 90 99 AR CR ES ME MI | A | 5920 85 | 06-FEB-92 | AV | AS | 85 | |
| | | MIL-C-83413/4 NOTICE 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: PLUG, FOR TYPES I AND II GROUNDING ASSEMBLIES (VALIDATION DATE: 9110) USER: MC REVIEWER: 18 82 85 90 99 AR CR ES ME MI | A | 5935 AS | 17-OCT-91 | AV | AS | 11 | |
| I | | MIL-C-83413/5 NOTICE 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: RECEPTACLES, ONE PIECE (VALIDATION DATE: 9110) USER: MC REVIEWER: 18 82 85 90 99 AR CR ES ME MI | A | 5935 AS | 17-OCT-91 | AV | AS | 11 | |
| | | MIL-C-83413/6 NOTICE 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: RECEPTACLES, TWO PIECE, WITH INSERTS AND HOUSINGS (VALIDATION DATE: 9202) USER: MC REVIEWER: 13 18 82 90 99 AR CR ES ME MI | A | 5935 85 | 06-FEB-92 | AV | AS | 85 | |
| | | MIL-C-83413/7A | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: GROUNDING CLAMP CONNECTOR FOR TYPES I AND III GROUNDING ASSEMBLIES, CLIP, ELECTRICAL USER: MC REVIEWER: 13 18 82 85 90 AR CR ES ME MI | A | 5999 11 | 15-MAR-89 | AV | AS | 11 | |
| | | MIL-C-83413/8 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE IV JUMPER CABLE ASSEMBLY, LEAD, ELECTRICAL USER: MC REVIEWER: 18 82 85 90 99 AR CR ES GS ME MI | A | 6150 AS | 12-OCT-83 | AV | AS | 11 | |
| | | MIL-C-83413/9 NOTICE 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: DECALCOMANIA FOR GROUNDING RECEPTACLE IDENTIFICATION, DECAL (VALIDATION DATE: 9202) USER: MC REVIEWER: 13 18 82 90 99 AR CR ES GS ME MI | A | 7690 85 | 06-FEB-92 | AV | AS | 85 | |
| | | MIL-C-83413/10 NOTICE 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: JUMPER CABLE ASSEMBLY, AIRCRAFT TO FUEL, NOZZLE, DISCHARGER, ELECTROSTATIC (VALIDATION DATE: 9202) USER: MC REVIEWER: 13 18 82 90 99 AR CR ES GS ME MI | A | 5920 85 | 06-FEB-92 | AV | AS | 85 | |
| | | MIL-C-83413/11A | CONNECTOR & ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, RECEPTACLES, ONE PIECE REVIEWER: 18 82 99 AR CR ES ME MI | A | 5935 85 | 02-MAR-88 | AV | AS | 11 | |
| L | | MIL-G-83414(1) | GREASE, GUNMOUNT, AIRCRAFT (VALIDATION DATE: 8901) REVIEWER: GS ..... | A | 9150 11 | 20-JAN-89 | | | 11 | |
| L | | MIL-A-83419C(2) NOTICE 1 | ALTIMETER, SERVO CONTROLLED, AUTOMATIC PRESSURE STANDBY ..... | A | 6610 71 | 14-DEC-87 | | | 99 | |
| Q | | MIL-W-83420D(3) | WIRE, ROPE, FLEXIBLE, FOR AIRCRAFT CONTROL REVIEWER: IS ..... | A | 4010 82 | 18-JAN-85 | AV | AS | 99 | |
| | | MIL-W-83420/1 | WIRE ROPE, FLEXIBLE, TYPE I, COMPOSITION A REVIEWER: 11 IS ..... | A | 4010 82 | 30-OCT-87 | AV | AS | 99 | |
| | | MIL-W-83420/2 | WIRE ROPE, FLEXIBLE, TYPE I, COMPOSITION B REVIEWER: 11 IS ..... | A | 4010 82 | 30-OCT-87 | AV | AS | 99 | |
| | | MIL-W-83420/3 | WIRE ROPE, FLEXIBLE, TYPE II (JACKETED), COMPOSITION A REVIEWER: 11 IS .... | A | 4010 82 | 03-OCT-87 | AV | AS | 99 | |
| | | MIL-W-83420/4 | WIRE ROPE, FLEXIBLE, TYPE II (JACKETED), COMPOSITION B REVIEWER: 11 IS .... | A | 4010 82 | 03-OCT-87 | AV | AS | 99 | |
| Q | | MIL-C-83421B(1) | CAPACITORS, FIXED, METALLIZED, PLASTIC FILM DIELECTRIC, (DC, AC, OR AND AC), HERMETICALLY SEALED IN METAL OR CERAMIC CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS CG MC OS SH REVIEWER: AR ES | A | 5910 85 | 29-OCT-91 | ER | EC | 85 | |
| | | MIL-C-83421/1A(4) | CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, DC AND AC, HERMETICALLY SEALED IN METAL CASES, ESTABLISHED RELIABILITY STYLES CRH01, CRH02, CRH03, CRH04, CRH05, CRH06, CRH07, CRH08, CRH09, AND CRH00 USER: 19 AS CG MC OS SH REVIEWER: AR ES | A | 5910 85 | 31-JAN-91 | ER | EC | 85 | |
| | | MIL-C-83421/2A | CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL CASES, ESTABLISHED RELIABILITY, STYLES CRH11, CRH12 AND CRH13 (INSULATED) USER: 19 AS CG MC OS SH REVIEWER: AR ES | A | 5910 85 | 31-JAN-91 | ER | EC | 85 | |
| | | MIL-C-83421/3(1) | CAPACITORS, FIXED, METALLIZED PLASTIC FILM, DIELECTRIC, DC AND AC, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY (INSULATED), STYLES CRS01, CRS02, CRS03, CRS04, AND CRS05 USER: AS CG MC OS SH REVIEWER: AR ES | A | 5910 MA | 12-JUN-91 | | EC | 19 | |
| | | MIL-C-83421/4A | CAPACITORS, FIXED, METALLIZED PLASTIC FILM, DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY (INSULATED), STYLES CRS11, CRS12, AND CRS13 USER: AS CG MC OS SH REVIEWER: AR ES | A | 5910 MA | 07-JUN-91 | | EC | 19 | |
| | | MIL-C-83421/5(1) | CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN CERAMIC CASES, ESTABLISHED RELIABILITY, STYLES CRH21, CRH22, CRH23, CRH24, AND CRH25 USER: 19 AS CG MC OS SH REVIEWER: AR ES | A | 5910 85 | 31-JAN-91 | ER | EC | 85 | |
| L | | MIL-E-83425(1) NOTICE 1 | EARCUP,SOUND PROTECTIVE MX-8376/AR GENERALSPECIFICATION FOR (VALIDATION DATE: 8702) REVIEWER: 99 ES | A | 5965 85 | 27-FEB-87 | | | 85 | |
| L | | MIL-S-83427(1) NOTICE 1 | SURVIVAL KIT CONTAINERS, CMU-129(V)/P AND CMU-130/P (VALIDATION DATE: 8908) REVIEWER: 99 | A | 1660 82 | 25-AUG-89 | | | 11 | |
| L | | MIL-F-83428 | FILTER ELEMENT, FLUID, PRESSURE MXE-649/E ..... | A | 4930 82 | 02-AUG-89 | | | 99 | |
| A | | MIL-C-83429B | CLOTH, PLAIN AND BASKET WEAVE, ARAMID USER: 45 REVIEWER: 82 99 AS MD ..... | A | 8305 CT | 26-SEP-90 | GL | MU | 11 | CT |
| M | | MIL-C-83429B(12) | CLOTH, PLAIN AND BASKET WEAVE, ARAMID USER: 45 REVIEWER: 82 99 AS CT MD ... | A | 8305 CT | 26-MAY-93 | GL | MU | 11 | CT |
| QL | | MIL-S-83430A(2) | SEALING COMPOUND, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, INTERMITTENT USE TO 360 DEG. F (182 DEG. C) REVIEWER: 84 99 | A | 8030 11 | 24-MAR-92 | | | 11 | |
| QL | | MIL-S-83430A(11) | SEALING COMPOUND, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, INTERMITTENT USE TO 360 DEG. F (182 DEG. C) | A | 8030 11 | 08-MAY-87 | | | 11 | |
| L | | MIL-T-83431 NOTICE 1 | TEST STAND, JET ENGINE ACCESSORY OVERHAUL GENERAL SPECIFICATION FOR (VALIDATION DATE: 8802) REVIEWER: 99 | A | 4920 11 | 26-FEB-88 | | | 11 | |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | LI | MIL-C-83435 NOTICE 1 | CLOTHING OUTFIT, EXTREME COLD WEATHER SURVIVAL A/P22S-10 (INACTIVEFOR NEW DESIGN) | A | 8415 | CT | 31-JUL-86 | | | | CT |
| | QL | MIL-C-83439(3) SUPPL 1A1 | CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, (AC, DC, AND AC-DC), (HERMETICALLY SEALED IN METALLIC CASES) GENERAL SPECIFICATION FOR [VALIDATION DATE: 8702] REVIEWER: 11 99 AV ES | A | 5910 | 85 | 27-FEB-87 | | | 85 | |
| | L | MIL-C-83439/1C NOTICE 1 | CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, AC AND DC (HERMETICALLY SEALED IN METAL CASES) [VALIDATION DATE: 9008] REVIEWER: 11 99 ES | A | 5910 | 85 | 24-AUG-90 | | | 85 | |
| | L | MIL-C-83439/2B NOTICE 1 | CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, (HERMETICALLY SEALED IN METAL CASES) [VALIDATION DATE: 9008] REVIEWER: 11 99 ES | A | 5910 | 85 | 24-AUG-90 | | | 85 | |
| | L | MIL-C-83439/3A NOTICE 1 | CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, AC AND DC (HERMETICALLY SEALED IN METAL CASES_ [VALIDATION DATE: 9008] REVIEWER: 11 99 ES | A | 5910 | 85 | 24-AUG-90 | | | 85 | |
| | L | MIL-C-83439/6B(3) | CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, (HERMETICALLY SEALED IN METAL CASES) REVIEWER: 99 ES | A | 5910 | 85 | 31-MAR-92 | | | 85 | |
| | L | MIL-C-83443A | CELL, SOLAR, SILICON, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8205] ... | A | 6116 | 11 | 30-MAY-75 | | | 11 | |
| | L | MIL-C-83443/1A | CELL, SOLAR, SILICON, SILVER CONTACT [VALIDATION DATE: 8205] ..... | A | 6116 | 11 | 30-MAY-75 | | | 11 | |
| | L | MIL-C-83445A NOTICE 1 | COATING SYSTEM, POLYURETHANE, NON YELLOWING, WHITE, RAIN EROSION RESISTANT, THERMALLY REFLECTIVE [VALIDATION DATE: 8707] | A | 8010 | 11 | 30-JUL-87 | | | 11 | |
| | Q | MIL-C-83446B(3) SUPPL 6A1 | COIL, RADIO FREQUENCY, CHIP, FIXED OR VARIABLE, GENERAL SPECIFICATION FOR USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 20-JAN-88 | ER | EC | 85 | |
| | | MIL-C-83446/1B NOTICE 1 | COILS, CHIP, RADIO FREQUENCY, FIXED [VALIDATION DATE: 8808] USER: 11 ES OS REVIEWER: 19 AS MI | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | |
| | | MIL-C-83446/4C | COIL, RADIO FREQUENCY, CHIP, FIXED [VALIDATION DATE: 8906] USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 16-JUN-89 | ER | EC | 85 | |
| | | MIL-C-83446/5C | COIL, CHIP, RADIO FREQUENCY, FIXED USER: 11 OS REVIEWER: 19 AS ES MI ..... | A | 5950 | ER | 25-FEB-88 | ER | EC | 85 | |
| | | MIL-C-83446/6C | COIL, CHIP, RADIO FREQUENCY, FIXED USER: 11 OS REVIEWER: 19 AS ES MI ..... | A | 5950 | ER | 25-FEB-88 | ER | EC | 85 | |
| | | MIL-C-83446/7B NOTICE 1 | COILS, RADIO FREQUENCY, CHIP, VARIABLE [VALIDATION DATE: 9111] USER: 11 OS REVIEWER: 19 AS MI | A | 5950 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-83446/8C(1) | COILS, RADIO FREQUENCY, CHIP, FIXED USER: 11 OS REVIEWER: 19 AS ES MI ..... | A | 5950 | ER | 13-JUL-89 | ER | EC | 85 | |
| | | MIL-C-83446/9C | COIL, CHIP, RADIO FREQUENCY, VARIABLE USER: OS REVIEWER: 11 19 AS ES MI ... | A | 5950 | ER | 12-MAY-87 | ER | EC | 85 | |
| | | MIL-C-83446/10B NOTICE 1 | COILS, RADIO FREQUENCY, CHIP, FIXED [VALIDATION DATE: 9111] USER: 11 OS REVIEWER: 19 AS MI | A | 5950 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-83446/11B NOTICE 1 | COILS, RADIO FREQUENCY, CHIP, SHIELDED, FIXED [VALIDATION DATE: 9111] USER: 11 OS REVIEWER: 19 AS MI | A | 5950 | ER | 11-NOV-91 | ER | EC | 85 | |
| | | MIL-C-83446/12 NOTICE 1 | COILS, CHIP, RADIO FREQUENCY, FIXED [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | |
| | | MIL-C-83446/13 NOTICE 1 | COILS, CHIP, RADIO FREQUENCY, FIXED [VALIDATION DATE: 8808] USER: OS REVIEWER: 11 19 AS ES MI | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | |
| | | MIL-C-83446/14 NOTICE 1 | COILS, CHIP, RADIO FREQUENCY, FIXED [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | |
| | | MIL-C-83446/15 NOTICE 1 | COILS, CHIP, RADIO FREQUENCY, FIXED [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | |
| | | MIL-C-83446/16 NOTICE 1 | COILS, CHIP, RADIO FREQUENCY, VARIABLE [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | |
| | | MIL-C-83446/17 NOTICE 1 | COILS, CHIP, RADIO FREQUENCY, VARIABLE [VALIDATION DATE: 8808] USER: OS REVIEWER: 11 19 AS ES MI | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | |
| | | MIL-C-83446/18 NOTICE 1 | COILS, CHIP, RADIO FREQUENCY, VARIABLE [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | |
| | | MIL-C-83446/19A NOTICE 1 | COILS, RADIO FREQUENCY, CHIP, VARIABLE [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 18-AUG-88 | ER | EC | 85 | |
| | | MIL-C-83446/20 | COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 20-DEC-88 | ER | EC | 85 | |
| | | MIL-C-83446/21 | COILS, RADIO FREQUENCY, CHIP, FIXED, IRON CORE USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 20-DEC-88 | ER | EC | 85 | |
| | | MIL-C-83446/22 | COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 20-DEC-88 | ER | EC | 85 | |
| | | MIL-C-83446/23 | COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 20-DEC-88 | ER | EC | 85 | |
| | | MIL-C-83446/24 | COIL, RADIO FREQUENCY, CHIP, FIXED, IRON CORE USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 20-DEC-88 | ER | EC | 85 | |
| | | MIL-C-83446/25 | COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 20-DEC-88 | ER | EC | 85 | |
| | | MIL-C-83446/26 | COILS, RADIO FREQUENCY, CHIP, FIXED, MAGNETICALLY, SHIELDED, IRON CORE-IRON SLEEVE USER: 11 OS REVIEWER: 19 AS GS MI | A | 5950 | ER | 20-DEC-88 | ER | EC | 85 | |
| | | MIL-C-83446/27 | COILS, RADIO FREQUENCY, CHIP, FIXED, MAGNETICALLY SHIELDED, (FERRITE, CORE-FERRITE SLEEVE) USER: 11 OS REVIEWER: 19 AS ES MI | A | 5950 | ER | 20-DEC-88 | ER | EC | 85 | |
| | L | MIL-I-83449 | INDICATOR SET, LIQUID OXYGEN QUANTITY, A/A24J-21 [VALIDATION DATE: 8107] REVIEWER: 11 GS | A | 6680 | 82 | 10-DEC-74 | | | 99 | |
| A | L | MIL-C-83450A(1) | CLOTH, META-ARAMID WARP, META-ARAMID/PARA-ARAMID FILLING, META-ARAMID/NOVOLOID FILLING, WAPPED REVIEWER: 11 | A | 8305 | CT | 15-APR-91 | | | 99 | CT |
| | L | MIL-T-83454(2) SUPPL 1A1, NOTICE 1 | TERMINAL,STUD,BLIND PLATE, FOR ELECTICAL BONDING AND GROUNDING (NONINSULATED) [VALIDATION DATE: 8704] REVIEWER: GS | A | 5940 | 85 | 17-APR-87 | | | 85 | |
| | L | MIL-T-83454/2D(1) NOTICE 1 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .138-32 UNJC-3A CURRENT RATING: 25 AMPS REVIEWER: GS | A | 5940 | 85 | 15-MAY-89 | | | 85 | |
| | L | MIL-T-83454/3D(1) NOTICE 1 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .164-32 UNJC-3A CURRENT RATING: 30 AMPS REVIEWER: GS | A | 5940 | 85 | 15-MAY-89 | | | 85 | |
| | L | MIL-T-83454/4D(1) NOTICE 1 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .190-32 UNJF-3A CURRENT RATING: 35 AMPS REVIEWER: GS | A | 5940 | 85 | 15-MAY-89 | | | 85 | |
| | L | MIL-T-83454/5D(2) NOTICE 1 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .250-28 UNJF-3A CURRENT RATING: 43 AMPS REVIEWER: GS | A | 5940 | 85 | 15-MAY-89 | | | 85 | |
| | L | MIL-T-83454/11 | TERMINAL, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (CONTROLLED DISTRIBUTION) [VALIDATION DATE: 8704] REVIEWER: GS | B | 5940 | 85 | 17-APR-87 | | | 85 | |
| | L | MIL-I-83456(2) NOTICE 1 | INSTALLATION OF SEGMENTED LIGHTNING DIVERTER STRIPS ON AIRCRAFT RADOMES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8803] | A | 5841 | 11 | 04-MAR-88 | | | 11 | |
| | L | MIL-C-83457A | CAMOUFLAGE FILM, FLYERS HELMET, KHU-440/P REVIEWER: 11 ..... | A | 8475 | 82 | 15-MAR-87 | | | 99 | |
| D | | MIL-R-83459A | RIVET, TITANIUM, BIMETAL 95 KSI F SU GENERAL SPECIFICATION FOR [VALIDATION DATE: 8405] REVIEWER: 89 99 | A | 5320 | IS | 29-SEP-78 | AV | AS | 11 | IS |
| | | MIL-R-83459/1B | RIVET, TITANIUM, BIMETAL, 95 KSI SU, PROTRUDING HEAD, TYPE 1 REVIEWER: IS . | A | 5320 | 82 | 16-JAN-86 | | AS | 11 | |
| | | MIL-R-83459/2B | RIVET, TITANIUM, BIMETAL, 95 KSI FSU, 100 DEG. TENSION CROWN HEAD, TYPE II REVIEWER: 99 IS | A | 5320 | 82 | 16-JAN-86 | | AS | 11 | |
| | L | MIL-R-83459/3B | RIVET, TITANIUM, BIMETAL, 95 SKI F SU, 100 DEGREES REDUCED FLUSH CROWN HEAD, TYPE III REVIEWER: 99 IS | A | 5320 | 82 | 16-JAN-86 | | AS | 11 | |
| A | Q | MIL-P-83461B(1) | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C) USER: ME REVIEWER: 99 IS | A | 5330 | 11 | 24-FEB-93 | AV | AS | 11 | |
| | | MIL-P-83461/1B NOTICE 1 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT IMPROVED PERFORMANCE AT 275 DEGREE F (135 DEGREE C) SIZES AND TOLERANCES USER: 71 ME REVIEWER: 82 99 IS | A | 5330 | 11 | 08-MAY-89 | AV | AS | 11 | |
| | | MIL-P-83461/2 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C) FOR USE IN BOSS FITTINGS, SIZES AND TOLERANCES USER: ME REVIEWER: 82 99 IS | A | 5330 | 11 | 30-JAN-91 | AV | AS | 11 | |
| | L | MIL-A-83462(1) NOTICE 1 | ARCTIC CUSHIONS - CLOTHING, CHU-10/P AND CHU-11/P [VALIDATION DATE: 8808] REVIEWER: 99 | A | 1660 | 82 | 10-AUG-88 | | | 82 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-A-83469<br>NOTICE 1 | ADJUSTER, LAP BELT, 1-3/4 INCH WEBBING [VALIDATION DATE: 8909] ..... | A | 1680 | 82 | 28-SEP-89 | | | 99 | | |
| A | L | MIL-J-83472A<br>NOTICE 1 | JACKET, COLD WEATHER, SECURITY POLICE CWU-46/P [VALIDATION DATE: 8802] USER: 45 REVIEWER: 99 | A | 8415 | CT | 26-FEB-88 | | | 11 | CT | |
| A | L | MIL-C-83473A<br>NOTICE 1 | CAP, EXTREME COLD WEATHER, HGU-38/P [VALIDATION DATE: 8802] USER: 45 REVIEWER: 99 | A | 8415 | CT | 26-FEB-88 | | | 11 | CT | |
| | L | MIL-S-83474 | SHIMS, MOLDED, FILLED RESIN COMPOUND AND SHEET PREPREG [VALIDATION DATE: 8305] REVIEWER: GS | A | 9330 | 11 | 27-FEB-76 | | | 11 | | |
| A | L | MIL-B-83475(1)<br>NOTICE 1 | BELT, SECURITY POLICE, 2 1/4 INCH WIDE [VALIDATION DATE: 8802] USER: 45 REVIEWER: 99 | A | 8465 | CT | 26-FEB-88 | | | 11 | CT | |
| A | L | MIL-S-83482B | SLACKS, WOMENS USER: 45 REVIEWER: 99 ..... | A | 8410 | CT | 01-JUN-88 | | | 11 | CT | |
| | | MIL-T-83483A | THREAD COMPOUND, ANTISEIZE, MOLYBDENUM DISULFIDE-PETROLATUM [VALIDATION DATE: 8406] | A | 8030 | 11 | 23-MAY-78 | MR | SH | 11 | | |
| | L | MIL-R-83485(3)<br>NOTICE 1 | RUBBER, FLUOROCARBON ELASTOMER, IMPROVED PERFORMANCE AT LOW TEMPERATURES REVIEWER: 82 99 IS | A | 5330 | 11 | 11-MAR-91 | | | 11 | | |
| A | L | MIL-R-83485/1<br>NOTICE 2 | RUBBER, FLUOROCARBON ELASTOMER, IMPROVED PERFORMANCE AT LOW TEMPERATURES, O-RINGS, SIZES AND TOLERANCES [VALIDATION DATE: 9212] | A | 5330 | 11 | 10-DEC-92 | | | 11 | | |
| | | MIL-C-83488C<br>NOTICE 1 | COATING, ALUMINUM, ION VAPOR DEPOSITED [VALIDATION DATE: 8707] ..... | A | MFFP | 11 | 30-JUL-87 | MR | AS | 11 | | |
| A | L | MIL-C-83489<br>NOTICE 2 | CLOTH, COATED, NYLON, POLYURETHANE COATED ..... | A | 8305 | CT | 11-MAY-90 | | AS | | CT | |
| | | MIL-S-83490 | SPECIFICATION, TYPES AND FORMS [VALIDATION DATE: 7411] REVIEWER: 11 99 AS AV CG CR DH ER MC MI SA SH | A | CMAN | 10 | 30-OCT-68 | AR | OS | 10 | | |
| | L | MIL-S-83490/1(1) | SPECIFICATION, TYPES AND FORMS, NAVSEA XWS AND WS SERIES [VALIDATION DATE: 8508] | A | MISC | OS | 31-JAN-78 | | OS | | | |
| | L | MIL-S-83490/2(1) | SPECIFICATION, TYPES AND FORMS, MILITARY (OS) SERIES [VALIDATION DATE: 8508] | A | MISC | OS | 31-JAN-78 | | OS | | | |
| | L | MIL-L-83491A | LIFE RAFTS, INFLATABLE, LRU-16/P AND LRU-17/P ..... | A | 4220 | 99 | 10-JAN-78 | | | 99 | | |
| | L | MIL-S-83492<br>NOTICE 1 | SURVIVAL KIT CONTAINERS, AIRCRAFT SEAT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8908] | A | 1660 | 82 | 25-AUG-89 | | | 99 | | |
| A | L | MIL-M-83495A(2) | MANUALS, TECHNICAL: ON-EQUIPMENT SET, ORGANIZATIONAL MAINTENANCE MANUALS: *DETAILED REQUIREMENTS FOR PREPARATION OF (FOR USAF EQUIPMENT)* USER: 11 13 14 15 19 99 REVIEWER: 01 10 | A | TMSS | 16 | 22-JAN-93 | | | 16 | | |
| D | L | MIL-P-83497A | PROCEDURES FOR PREPARATION OF PROGRAMMED TAPES AND CARDS REVIEWER: 01 02 29 99 | A | IPSC | 10 | 07-AUG-81 | | | 10 | | |
| | QL | MIL-C-83500(2)<br>NOTICE 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM CATHODE, GENERAL SPECIFICATION FOR REVIEWER: 99 | A | 5910 | 85 | 27-FEB-87 | | | 85 | | |
| | L | MIL-C-83500/1A(2)<br>NOTICE 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM ANODE AND CATHODE STYLES CRL01 AND CRL02 REVIEWER: 99 | A | 5910 | 85 | 27-FEB-87 | | | 85 | | |
| | L | MIL-C-83501A(2)<br>NOTICE 1 | CORD ASSEMBLIES, ELECTRICAL, BRAIDED AND MOLDED JACKET GENERAL SPECIFICATION FOR [VALIDATION DATE: 9201] REVIEWER: 11 99 | A | 5995 | 85 | 14-JAN-92 | | | 85 | | |
| | Q | MIL-S-83502B<br>SUPPL 1A1, NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8811] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI SH | A | 5935 | 85 | 03-NOV-88 | CR | EC | 85 | | |
| | | MIL-S-83502/1E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO7, LOW PROFILE) USER: 19 AS AT AV MC ME REVIEWER: 11 99 AR ES MI SH | A | 5935 | 85 | 11-DEC-89 | CR | EC | 85 | | |
| | | MIL-S-83502/2E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO5, PRESS TO FIT) USER: 19 AS AT AV MC ME REVIEWER: 11 99 AR ES MI SH | A | 5935 | 85 | 11-DEC-89 | CR | EC | 85 | | |
| | | MIL-S-83502/3C<br>NOTICE 1 | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO8) [VALIDATION DATE: 8811] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI | A | 5935 | 85 | 03-NOV-88 | CR | EC | 85 | | |
| | | MIL-S-83502/5B<br>NOTICE 1 | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (RO52) [VALIDATION DATE: 8811] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI SH | A | 5935 | 85 | 03-NOV-88 | CR | EC | 85 | | |
| | | MIL-S-83502/6B<br>NOTICE 1 | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO18) [VALIDATION DATE: 8811] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI SH | A | 5935 | 85 | 03-NOV-88 | CR | EC | 85 | | |
| | | MIL-S-83502/7A | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO10, OFFSET) [VALIDATION DATE: 8805] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI SH | A | 5935 | 85 | 15-MAY-88 | CR | EC | 85 | | |
| | | MIL-S-83502/8C<br>NOTICE 1 | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO60) [VALIDATION DATE: 8811] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI SH | A | 5935 | 85 | 03-NOV-88 | CR | EC | 85 | | |
| | | MIL-S-83502/9A | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO5, WITH RETAINING RING) [VALIDATION DATE: 8805] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI SH | A | 5935 | 85 | 15-MAY-88 | CR | EC | 85 | | |
| | L | MIL-C-83503A(1)<br>SUPPL 1A1 | CONNECTOR, ELECTRICAL, FLAT CABLE, AND/OR PRINTED WIRING BOARD, NONENVIRONMENTAL GENERAL SPECIFICATION FOR REVIEWER: 11 99 ES | A | 5935 | 85 | 13-DEC-85 | | | 85 | | |
| | L | MIL-C-83503/6B<br>NOTICE 1 | CONNECTOR, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, DUAL-IN-LINE PLUG FOR TERMINATING ROUND CONDUCTORS ON .050 CENTERS, FOR MATING WITH STANDARD DIP SOCKETS, .100 X .300 CONTACT SPACING, .100 X .400 CONTACT SPACING AND .100 X .600 CONTACT SPACING [VALIDATION DATE: 8811] REVIEWER: 11 17 99 ES | A | 5935 | 85 | 03-NOV-88 | | | 85 | | |
| | L | MIL-C-83503/7C<br>NOTICE 1 | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, PLUG WITH DUAL POLARIZATION, ROUND CONDUCTOR, INSULATION DISPLACING, NON-REMOVABLE SOCKET CONTACTS (.100 X .100 SPACING) [VALIDATION DATE: 8811] REVIEWER: 11 17 99 ES | A | 5935 | 85 | 03-NOV-88 | | | 85 | | |
| | L | MIL-C-83503/20B(2) | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, HEADER, RIGHT ANGLE (.100 SPACING) WITH POLARIZING FEATURE SOLDERLESS WRAPPOST OR PWB TERMINATION REVIEWER: 11 17 99 | A | 5935 | 85 | 22-JUN-90 | | | 85 | | |
| | L | MIL-C-83503/21B(3) | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, HEADER, STRAIGHT THRU (.100 INCH SPACING) WITH POLARIZING FEATURE SOLDERLESS WRAPPOST OR PWB TERMINATION REVIEWER: 11 17 99 | A | 5935 | 85 | 22-JUN-90 | | | 85 | | |
| | L | MIL-C-83503/22B | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, SOCKET INSULATION DISPLACEMENT [VALIDATION DATE: 8907] REVIEWER: 11 17 99 ES | A | 5935 | 85 | 14-JUL-89 | | | 85 | | |
| | L | MIL-C-83503/23A(1) | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, PRINTED WIRING BOARD *SOLDER TRANSITION FOR TERMINATING ROUND CONDUCTORS ON .050 INCH CENTERS* [VALIDATION DATE: 8907] REVIEWER: 11 17 99 ES | A | 5935 | 85 | 14-JUL-89 | | | 85 | | |
| | L | MIL-C-83503/24A(2) | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, FOUR WALL HEADER, RIGHT ANGLE (.100 SPACING) WITH POLARIZING FEATURE, SOLDERLESS WRAPPOST OR PWB TERMINATION REVIEWER: 11 17 99 | A | 5935 | 85 | 22-JUN-90 | | | 85 | | |
| | L | MIL-C-83503/25A(3) | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, FOUR WALL HEADER, STRAIGHT THRU (.100 SPACING) WITH POLARIZING FEATURE, SOLDERLESS WRAPPOST OR PWB TERMINATION REVIEWER: 11 17 99 | A | 5935 | 85 | 22-JUN-90 | | | 85 | | |
| | Q | MIL-S-83504A<br>SUPPL 1A1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), GENERAL SPECIFICATION FOR USER: AR REVIEWER: 99 AS AV ES | A | 5930 | 85 | 31-DEC-90 | ER | EC | 85 | | |
| | | MIL-S-83504/1B<br>NOTICE 1 | SWITCH, DUAL IN LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE [VALIDATION DATE: 8704] USER: AR REVIEWER: 11 99 AS AV ES GS | A | 5930 | 85 | 17-APR-87 | ER | EC | 85 | | |
| | | MIL-S-83504/2B<br>NOTICE 1 | SWITCH, DUAL IN LINE PACKAGE (DIP), ROCKER ACTUATOR, LOW PROFILE, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE [VALIDATION DATE: 8704] USER: AR REVIEWER: 11 99 AS AV ES | A | 5930 | 85 | 17-APR-87 | ER | EC | 85 | | |
| | | MIL-S-83504/3A<br>NOTICE 1 | SWITCH, DUAL IN LINE PACKAGE (DIP) SLIDE ACTUATOR, LOW PROFILE, SINGLE THROW STATIONS, SEALED BASE [VALIDATION DATE: 8704] USER: AR REVIEWER: 11 99 AS AV ES | A | 5930 | 85 | 17-APR-87 | ER | EC | 85 | | |
| | | MIL-S-83504/4C | SWITCH, SLIDE, DUAL IN-LINE PACKAGE (DIP), SINGLE AND DOUBLE POLE, SINGLE THROW STATIONS, SEALED BASE USER: AR REVIEWER: 11 99 AS AV ES SH | A | 5930 | 85 | 26-JAN-90 | ER | EC | 85 | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-S-83504/5<br>NOTICE 1 | SWITCH, DUAL IN LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE [VALIDATION DATE: 8704] USER: 11 AR REVIEWER: 99 AS AV ES | A | 5930 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-S-83504/6<br>NOTICE 1 | SWITCH, DUAL IN LINE PACKAGE (DIP), RECESSED ROCKER ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE [VALIDATION DATE: 8704] USER: 11 AR REVIEWER: 99 AS AV ES | A | 5930 | 85 | 17-APR-87 | ER | EC | 85 | |
| | | MIL-S-83504/7A<br>NOTICE 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE USER: 11 AR REVIEWER: 99 AS AV ES | A | 5930 | 85 | 10-MAR-89 | ER | EC | 85 | |
| | | MIL-S-83504/8A<br>NOTICE 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED ROCKER ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE USER: 11 AR REVIEWER: 99 AS AV ES | A | 5930 | 85 | 10-MAR-89 | ER | EC | 85 | |
| | | MIL-S-83504/9A | SWITCHES, DUAL IN-LINE PACKAGE (DIP), TOGGLE ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE USER: 11 AR REVIEWER: 99 AS AV ES | A | 5930 | 85 | 31-JAN-92 | ER | EC | 85 | |
| | | MIL-S-83504/10B | SWITCHES, DUAL IN-LINE PACKAGE (DIP), TOGGLE ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE USER: 11 AR REVIEWER: 99 AS AV ES | A | 5930 | 85 | 31-JAN-92 | ER | EC | 85 | |
| | | MIL-S-83504/11B | SWITCHES, DUAL IN-LINE PACKAGE (DIP), SIDE TOGGLE ACTUATOR, LOW PROFILE, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE USER: 11 AR REVIEWER: 99 AS AV ES | A | 5930 | 85 | 29-MAR-91 | ER | EC | 85 | |
| L | | MIL-S-83504/12A | SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED SLIDE ACTUATED, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE, MACHINE INSERTABLE REVIEWER: 99 ES | A | 5930 | 85 | 03-NOV-89 | | | 85 | |
| L | | MIL-S-83504/13 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROTARY ACTUATED, BINARY CODED, SEALED REVIEWER: ES | A | 5930 | 85 | 18-DEC-90 | | | 85 | |
| QL | | MIL-S-83505A | SOCKET, (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR REVIEWER: 11 17 99 ES | A | 5935 | 85 | 30-NOV-87 | ER | EC | 85 | |
| | | MIL-S-83505/1E | SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE I, SOLDERLESS WRAP) REVIEWER: 11 17 99 ES | A | 5935 | 85 | 25-SEP-91 | CR | EC | 85 | |
| L | | MIL-S-83505/2B | SOCKET, (LEAD, ELECTRONIC COMPONENTS) (TYPE II, PRINTED CIRCUIT) REVIEWER: 11 17 80 99 ES | A | 5935 | 85 | 30-NOV-87 | ER | EC | 85 | |
| L | | MIL-S-83505/3C | SOCKET (LEAD, ELECTRONIC COMPONENTS) (TYPE III, SOLDER WIRE TURRET) REVIEWER: 11 17 80 99 ES | A | 5935 | 85 | 30-NOV-87 | ER | EC | 85 | |
| L | | MIL-S-83505/4B | SOCKET (LEAD, ELECTRONIC COMPONENTS) (TYPE IV, SOLDER CUP) REVIEWER: 11 17 80 99 | A | 5935 | 85 | 30-NOV-87 | ER | EC | 85 | |
| | | MIL-S-83505/5D | SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE V, OTHER) REVIEWER: 11 17 99 ES | A | 5935 | 85 | 25-SEP-91 | CR | EC | 85 | |
| | | MIL-S-83505/6D | SOCKETS, (LEAD, ELECTRONIC COMPONENTS) (TYPE VI, SOLDERLESS SPRING CONTACT) REVIEWER: 11 17 99 ES | A | 5935 | 85 | 25-SEP-91 | CR | EC | 85 | |
| L | | MIL-C-83506<br>NOTICE 1 | CABLE ASSEMBLY MOLDED CONNECTOR: GENERAL PURPOSE, ELECTRONIC EQUIPMENT (GROUNDING CONNECTOR MOLDED) [VALIDATION DATE: 9112] REVIEWER: 99 | A | 5995 | 85 | 27-DEC-91 | | | 85 | |
| L | | MIL-C-83506/1<br>NOTICE 1 | CABLE ASSEMBLY MOLDED CONNECTOR: GENERAL PURPOSE, ELECTRONIC EQUIPMENT (GROUNDING CONNECTOR MOLDED) 2 POLE, 3 WIRE 10 AMP; 125 VOLTS [VALIDATION DATE: 9112] REVIEWER: 99 | A | 5995 | 85 | 27-DEC-91 | | | 85 | |
| Q | | MIL-T-83507(1)<br>SUPPL 1A1, NOTICE 1 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES GENERAL SPECIFICATION FOR [VALIDATION DATE: 8805] USER: 19 AT GL MC REVIEWER: 11 12 17 99 AR AV EC ES MI SH | A | 5180 | 85 | 15-MAY-88 | EL | AS | 85 | |
| A | | MIL-T-83507/10<br>NOTICE 2 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: TOOL KIT FOR ONO89559, ONO89560, AND ONO89561 CONNECTORS [VALIDATION DATE: 9208] USER: 19 AT MC ME REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH | A | 5180 | 85 | 25-AUG-92 | CR | AS | 85 | |
| L | | MIL-T-83507/11 | TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESORIES, TOOL KIT FOR MIL-C-22520/1 CRIMPING TOOL AND TURRETS [VALIDATION DATE: 8410] USER: MC REVIEWER: EC ES | A | 5180 | AS | 16-MAR-78 | | AS | | |
| D | | MIL-T-83507/15<br>NOTICE 2 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: TOOL KIT, GENERAL PURPOSE, BACKSHELL HARDWARE TOOLS [VALIDATION DATE: 9208] USER: 19 AT MC YD1 REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH | A | 5180 | 85 | 25-AUG-92 | CR | AS | 85 | |
| L | | MIL-T-83507/16 | TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES, TOOL KIT FOR H46/53 HELICOPTER CONNECTOR SYSTEMS [VALIDATION DATE: 8509] | A | 5180 | AS | 02-APR-79 | | AS | | |
| L | | MIL-T-83507/17 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ASSORIES, TOOL KIT FOR MIL-C-22520/2 CRIMPING TOOL AND POSITIONERS [VALIDATION DATE: 8410] USER: MC REVIEWER: EC ES | A | 5180 | AS | 07-JUL-78 | | AS | | |
| | | MIL-E-83510A<br>NOTICE 1 | EARPHONE ELEMENT [VALIDATION DATE: 8901] USER: AS MD OS REVIEWER: 11 99 ES MI | A | 5965 | 85 | 13-JAN-89 | CR | EC | 85 | |
| | | MIL-H-83511(2)<br>SUPPL 1A1 | HEADSET MICROPHONE AND HEADSET ELECTRICAL (MEDIUM NOISE ATTENUATION, HEARING PROTECTIVE), GENERAL SPECIFICATIONS FOR USER: MC REVIEWER: 99 ES | A | 5965 | 85 | 24-JUN-85 | CR | EC | 85 | |
| | | MIL-H-83511/1<br>NOTICE 1 | HEADSET, ELECTRICAL, H-251A/U [VALIDATION DATE: 8901] USER: MC REVIEWER: 99 ES | A | 5965 | 85 | 13-JAN-89 | ER | EC | 85 | |
| | | MIL-H-83511/2<br>NOTICE 1 | HEADSET-MICROPHONE, H-157A/AIC [VALIDATION DATE: 8901] USER: MC REVIEWER: 99 ES | A | 5965 | 85 | 13-JAN-89 | ER | EC | 85 | |
| | | MIL-H-83511/3<br>NOTICE 1 | HEADSET, ELECTRICAL, H-158A/AIC [VALIDATION DATE: 8901] USER: MC REVIEWER: 99 ES | A | 5965 | 85 | 13-JAN-89 | ER | EC | 85 | |
| | | MIL-H-83511/4B | HEADSET - MICROPHONE, H-161F/GR USER: MC REVIEWER: 99 ES ..... | A | 5965 | 85 | 10-FEB-92 | CR | EC | 85 | |
| | | MIL-H-83511/5 | HEADSET MICROPHONE, H-172/AIC USER: MC REVIEWER: 99 ES ..... | A | 5965 | 85 | 04-APR-78 | CR | EC | 85 | |
| | | MIL-H-83511/6A<br>NOTICE 1 | HEADSET, ELECTRICAL H-173C/AIC [VALIDATION DATE: 8901] USER: MC REVIEWER: 99 ES | A | 5965 | 85 | 13-JAN-89 | CR | EC | 85 | |
| | | MIL-H-83511/7A<br>NOTICE 1 | HEADSET-MICROPHONE, MB3511/7-01 [VALIDATION DATE: 9201] USER: MC REVIEWER: 99 ES | A | 5965 | 85 | 20-JAN-92 | ER | EC | 85 | |
| | | MIL-H-83511/8 | MICROPHONE HEADSET M182A/PT ..... | A | 5965 | CR | 11-OCT-85 | CR | | | |
| Q | | MIL-C-83513C<br>SUPPL 1A1 | CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR USER: 19 AT CG MC ME REVIEWER: 11 17 99 AS ES MI SH | A | 5935 | 85 | 31-MAR-89 | CR | EC | 85 | |
| | | MIL-C-83513/1E | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS M, SOLDER TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES MI SH | A | 5935 | 85 | 31-MAR-89 | CR | EC | 85 | |
| | | MIL-C-83513/2E | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, SOLDER TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES MI SH | A | 5935 | 85 | 31-MAR-89 | CR | EC | 85 | |
| | | MIL-C-83513/3E | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS M, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES MI SH | A | 5935 | 85 | 31-MAR-89 | CR | EC | 85 | |
| | | MIL-C-83513/4E | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, CRIMP TYPE USER: AT CG MC ME SH REVIEWER: 11 17 99 AS ES | A | 5935 | 85 | 31-MAR-89 | CR | EC | 85 | |
| | | MIL-C-83513/5E | CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, MOUNTING HARDWARE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES SH | A | 5935 | 85 | 31-MAR-89 | CR | EC | 85 | |
| | | MIL-C-83513/6C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS P, SOLDER TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES SH | A | 5935 | 85 | 31-MAR-89 | CR | EC | 85 | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-C-83513/7C | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS P, SOLDER TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES SH | A | 5935 | 85 | 31-MAR-89 | CR | EC | 85 | |
| | | MIL-C-83513/8C | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS P, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES SH | A | 5935 | 85 | 31-MAR-89 | CR | EC | 85 | |
| | | MIL-C-83513/9C | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS P, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES SH | A | 5935 | 85 | 31-MAR-89 | CR | EC | 85 | |
| | | MIL-C-83513/10 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 2 ROW, SOLDER TYPE, NARROW PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/11 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 3 ROW, SOLDER TYPE, NARROW PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/12 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, NARROW PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/13 | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, NARROW PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/14 | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, NARROW PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/15 | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKETS CONTACTS, 4 ROW, SOLDER TYPE, NARROW PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/16 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 27-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/17 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 27-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/18 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 27-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/19 | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 27-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/20 | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 27-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/21 | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/22 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 2 ROW, SOLDER TYPE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/23 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/24 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/25 | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/26 | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET, CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83513/27 | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH | A | 5935 | 85 | 11-FEB-92 | CR | EC | 85 | |
| | | MIL-C-83515A SUPPL 1A1, NOTICE 1 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES | A | 5935 | 85 | 27-DEC-91 | ER | EC | 85 | |
| | | MIL-C-83515/1A NOTICE 1 | CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE RACK AND PANEL, SOLDER CONTACT, SCREWLOCK [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| L | | MIL-C-83515/2 | CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, RECEPTACLE, FEMALE RACK AND PANEL, SOLDER CONTACTS, SCREWLOCK [VALIDATION DATE: 8805] USER: 11 17 19 REVIEWER: 99 ES | A | 5935 | 85 | 15-MAY-88 | | | 85 | |
| | | MIL-C-83515/3A NOTICE 1 | CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE RACK AND PANEL, SOLDER CONTACT, SIDE ENTRY SHIELD, SCREWLOCK [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-C-83515/4A NOTICE 1 | CONNECTOR, TELECOMMUNICATIONS, POLARIZED SHELL, RECEPTACLE, FEMALE RACK AND PANEL, SOLDER CONTACT, SIDE ENTRY COVER, SCREWLOCK [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-C-83515/5A NOTICE 1 | CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE, PRINTED CIRCUIT BOARD, SOLDER CONTACT, SCREWLOCK [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| L | | MIL-C-83515/6 NOTICE 1 | CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, RECEPTACLE, FEMALE, PRINTED CIRCUIT BOARD, SOLDER CONTACT, SCREWLOCK [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES | A | 5935 | 85 | 27-DEC-91 | | | 85 | |
| OL | | MIL-R-83516A(3) | RELAYS, REED, DRY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8907] REVIEWER: 99 ES | A | 5945 | 85 | 14-JUL-89 | | | 85 | |
| L | | MIL-R-83516/1C | RELAYS, REED, DRY, DUAL IN-LINE PACKAGE (DIP), GENERAL PURPOSE REVIEWER: 99 ES | A | 5945 | 85 | 22-DEC-89 | | | 85 | |
| L | | MIL-R-83516/3C | RELAYS, REED, DRY, SINGLE IN-LINE PACKAGE (SIP), GENERAL PURPOSE REVIEWER: 99 ES | A | 5945 | 85 | 30-SEP-90 | | | 85 | |
| L | | MIL-R-83516/4A(1) | RELAYS, REED, DRY, DUAL IN-LINE PACKAGE (DIP), GENERAL PURPOSE, LOW-POWER COIL [VALIDATION DATE: 8907] REVIEWER: 99 ES | A | 5945 | 85 | 14-JUL-89 | | | 85 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | NICA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-R-83516/58 | RELAYS, REED, SINGLE IN-LINE PACKAGE (SIP), GENERAL PURPOSE, LOW-POWER COIL REVIEWER: 99 ES | A | 5945 | 85 | 30-SEP-90 | | | | 85 |
| AQ | MIL-C-83517(1) SUPPL 1A1, NOTICE 2 | CONNECTOR, COAXIAL, RADIO FREQUENCY FOR COAXIAL, STRIP OR MICROSTRIP TRANSMISSION LINE GENERAL SPECIFICATION FOR (VALIDATION DATE: 9302) REVIEWER: 99 AS AT ES MI SH | A | 5935 | 85 | 12-FEB-93 | CR | EC | | 85 |
| | MIL-C-83517/1(1) NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED TAB TERMINAL) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AR AS AT ES MI SH | A | 5935 | 85 | 27-DEC-91 | CR | EC | | 85 |
| A | MIL-C-83517/2(1) NOTICE 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED TAB TERMINAL) (VALIDATION DATE: 9302) REVIEWER: 99 AS AT ES MI SH | A | 5935 | 85 | 12-FEB-93 | CR | EC | | 85 |
| A | MIL-C-83517/3(1) NOTICE 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED SLOTTED TAB TERMINAL) (VALIDATION DATE: 9302) REVIEWER: 99 AS AT ES MI SH | A | 5935 | 85 | 12-FEB-93 | CR | EC | | 85 |
| A | MIL-C-83517/4(1) NOTICE 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED EXTENDED DIELECTRIC) (VALIDATION DATE: 9302) REVIEWER: 99 AS AT ES MI SH | A | 5935 | 85 | 12-FEB-93 | CR | EC | | 85 |
| A | MIL-C-83517/5(1) NOTICE 2 | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED EXTENDED DIELECTRIC) (VALIDATION DATE: 9302) REVIEWER: 99 AS AT ES MI SH | A | 5935 | 85 | 12-FEB-93 | CR | EC | | 85 |
| A | MIL-C-83517/6(1) NOTICE 2 | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, 8 HOLE SURFACE LAUNCH) (VALIDATION DATE: 9302) REVIEWER: 99 AS AT ES MI SH | A | 5935 | 85 | 12-FEB-93 | CR | EC | | 85 |
| A | MIL-C-83517/7(1) NOTICE 2 | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, 8 HOLE SURFACE LAUNCH) (VALIDATION DATE: 9302) REVIEWER: 99 AS AT ES MC MI | A | 5935 | 85 | 12-FEB-93 | CR | EC | | 85 |
| A | MIL-C-83517/8(1) NOTICE 2 | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, 8 HOLE SURFACE LAUNCH RIGHT ANGLE) (VALIDATION DATE: 9302) REVIEWER: 99 AS AT ES MI SH | A | 5935 | 85 | 12-FEB-93 | CR | EC | | 85 |
| | MIL-C-83517/9(2) NOTICE 1 | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, END LAUNCH) USER: 19 MC REVIEWER: 11 99 AR AS AT ES MI SH | A | 5935 | 85 | 18-MAR-88 | CR | EC | | 85 |
| A | MIL-C-83517/10(1) NOTICE 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED) (VALIDATION DATE: 9302) REVIEWER: 99 AS AT ES MI SH | A | 5935 | 85 | 12-FEB-93 | CR | EC | | 85 |
| A | MIL-C-83517/11(1) NOTICE 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE AND MOUNTED) (VALIDATION DATE: 9302) REVIEWER: 99 AS AT ES MI SH | A | 5935 | 85 | 12-FEB-93 | CR | EC | | 85 |
| AQ | MIL-S-83519A(4) | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT GENERAL SPECIFICATION FOR REVIEWER: 99 GS MC MI SA | A | 5940 | 85 | 17-FEB-93 | ER | AS | | 85 |
| | MIL-S-83519/1C NOTICE 1 | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS 1) (VALIDATION DATE: 9202) REVIEWER: 99 GS MC MI SA | A | 5940 | 85 | 06-FEB-92 | ER | AS | | 85 |
| | MIL-S-83519/2A(2) NOTICE 1 | SHIELD TERMINATION, SOLDER STYLE INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH PREINSTALLED LEADS FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS 1) (VALIDATION DATE: 9202) REVIEWER: 99 GS MC MI SA | A | 5940 | 85 | 06-FEB-92 | ER | AS | | 85 |
| L | MIL-R-83520 | RELAYS, ELECTROMECHANICAL, GENERAL PURPOSE, NON-HERMETICALLY SEALED, PLASTIC ENCLOSURE (UST COVER) REVIEWER: ES | A | 5945 | 85 | 28-SEP-83 | | | | 85 |
| | MIL-M-83521A(1) | MAINTENANCE KIT, ELECTRICAL CONNECTORS, GENERAL SPECIFICATION FOR USER: 19 AV MC ME REVIEWER: 11 12 17 99 AR AT GL OS SH | A | 5935 | 85 | 23-MAR-90 | CR | AS | | 85 |
| M L | MIL-M-83521/3 NOTICE 1 | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR A10 AIRCRAFT, CONNECTOR SYSTEMS (VALIDATION DATE: 9305) USER: 19 REVIEWER: 11 99 ES | A | 5935 | 85 | 21-MAY-93 | | | | 85 |
| L | MIL-M-83521/4A | MAINTENANCE KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR PAVE SPIKE SYSTEM USER: 19 REVIEWER: 11 99 ES | A | 5935 | 85 | 29-MAR-91 | | | | 85 |
| | MIL-M-83521/5A | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, & CONNECTORS & CABLE ACCESSORIES: MAINTENANCE KIT, GENERAL PURPOSE, (AIR/NITROGEN HEAT GUN) USER: 19 AT MC REVIEWER: 11 99 AR AV EC ES GL MI OS SH | A | 5935 | 85 | 05-AUG-85 | ER | AS | | 85 |
| | MIL-M-83521/6 | MAINTENANCE KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR GENERAL PURPOSE USE USER: 19 AT MC ME REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH | A | 5935 | 85 | 22-DEC-86 | CR | | | 85 |
| | MIL-M-83521/7 | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT GENERAL PURPOSE, FOR MIL-C-22520/5 CRIMPING TOOL AND DIES USER: 19 80 AR AT MC REVIEWER: 11 99 AV EC ES GL MI OS SH | A | 5935 | 85 | 17-NOV-89 | CR | AS | | 85 |
| | MIL-M-83521/8 | MAINTENANCE KIT, ELECTRICAL CONTACT, CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR MIL-C-22520/7 CRIMPING TOOL AND POSITIONERS USER: 19 MC SH REVIEWER: 11 99 AR AT AV CL EC ES MI | A | 5935 | 85 | 25-APR-90 | CR | AS | | 85 |
| DQ | MIL-C-83522D | CONNECTORS, FIBER OPTIC, SINGLE TERMINUS, GENERAL SPECIFICATION FOR USER: MC OS YD1 REVIEWER: 13 14 17 19 70 71 80 82 84 90 99 AS ES MI SH | A | 6060 | 85 | 25-JUN-92 | CR | EC | | 85 |
| | MIL-C-83522/1E | CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, (STEP-DOWN NOSE INTERFACE), LENSLESS, EPOXY, FOR 50/125 MICRO METERS, 62.5/125 MICRO METERS, AND 100/140 MICRO METERS USER: 13 14 AS MC OS REVIEWER: 11 17 19 ES SH | A | 6060 | 85 | 29-MAR-91 | CR | EC | | 85 |
| | MIL-C-83522/2F | CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, (STRAIGHT NOSE INTERFACE), LENSLESS, EPOXY, FOR 50/125 MICRO METERS, 62.5/125 MICRO METERS, AND 100/140 MICRO METERS USER: 13 14 AS MC OS REVIEWER: 11 17 19 ES SH | A | 6060 | 85 | 29-MAR-91 | CR | EC | | 85 |
| L | MIL-C-0083522/2E | CONNECTOR, FIBER OPTIC, HIGH RELIABILITY, FIXED SINGLE TERMINUS, PLUG 100/140 MICRO METER FIBER (SPACE LEVEL) REVIEWER: ES | A | 6660 | NA | 01-JAN-89 | | | | |
| | MIL-C-83522/3F | CONNECTOR, ADAPTER, FIBER OPTIC, BULKHEAD MOUNT, FOR SINGLE FIBER USER: 13 AS MC OS REVIEWER: 11 17 19 ES SH | A | 6060 | 85 | 28-JUN-90 | CR | EC | | 85 |
| | MIL-C-83522/4E | CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, RECEPTACLE, LOW PROFILE PARALLEL PC MOUNT USER: 13 14 AS MC OS REVIEWER: 11 17 19 ES SH | A | 6060 | 85 | 30-DEC-88 | CR | EC | | 85 |
| | MIL-C-83522/5D | CONNECTOR, RECEPTACLE, FIBER OPTIC, BULKHEAD MOUNT, FOR SINGLE FIBER USER: 14 AS MC OS REVIEWER: 11 17 19 ES SH | A | 6060 | 85 | 30-DEC-88 | CR | EC | | 85 |
| | MIL-C-83522/6D | CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, EXPANDED BEAM LENS, EPOXY, FOR 50/125 MICRO METERS, 62.5 MICRO METERS, AND 100/140 MICRO METERS USER: 13 14 AS MC OS REVIEWER: 11 17 19 ES SH | A | 6060 | 85 | 29-MAR-91 | CR | EC | | 85 |
| D | MIL-C-83522/7B | CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, PARALLEL PC MOUNT USER: MC OS YD1 REVIEWER: 11 17 19 70 71 AS ES MI SH | A | 6060 | 85 | 30-DEC-88 | CR | EC | | 85 |
| D | MIL-C-83522/8B | CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, BULKHEAD, HEX NUT MOUNT USER: 13 14 19 MC OS YD1 REVIEWER: 11 17 AS ES MI SH | A | 6060 | 85 | 30-DEC-88 | CR | EC | | 85 |
| | MIL-C-83522/9 | CONNECTOR, FIBER OPTIC, RECEPTACLE, PC MOUNT ACTIVE (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) USER: 13 14 AS MC OS REVIEWER: 11 17 19 80 90 99 ES SH | A | 6060 | 85 | 08-DEC-89 | CR | EC | | 85 |
| | MIL-C-83522/10 | CONNECTOR, FIBER OPTIC, RECEPTACLE, FLANGE MOUNT ACTIVE (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) USER: 13 14 AS MC OS REVIEWER: 11 17 19 80 90 99 ES SH | A | 6060 | 85 | 08-DEC-89 | CR | EC | | 85 |
| | MIL-C-83522/11 | CONNECTOR, FIBER OPTIC, ADAPTER, IN-LINE-CABLE, PANEL MOUNT (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) USER: AS MC OS REVIEWER: 11 17 19 80 90 ES SH | A | 6060 | 85 | 08-DEC-89 | CR | EC | | 85 |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | OPR / QML Coordination | Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-C-83522/12A | CONNECTOR, FIBER OPTIC, PLUG-RECEPTACLE-ADAPTER STYLE, 2.5 MM BAYONET CONNECTOR, PLUG, EPOXY, FOR 50/125 MICRO METER, 62.5/125 MICRO METER AND 100/140 MICRO METER USER: 13 14 AS MC OS REVIEWER: 11 17 19 ES SH | A | 6060 | 85 | 25-JAN-90 | CR | EC | 85 | |
| | | | MIL-C-83522/13A | CONNECTOR, FIBER OPTIC, ADAPTER 2.5 MM BAYONET, BULKHEAD PANEL MOUNT, COUPLING RECEPTACLE USER: 13 14 AS REVIEWER: 11 17 19 SH | A | 6060 | 85 | 25-JAN-90 | CR | EC | 85 | |
| | | | MIL-C-83522/14A | CONNECTOR, FIBER OPTIC, ACTIVE DEVICE RECEPTACLE, 2.5 MM BAYONET PC MOUNT USER: AS MC OS REVIEWER: 11 17 19 80 90 ES | A | 6060 | 85 | 25-JAN-90 | CR | EC | 85 | |
| | | | MIL-C-83522/15 | CONNECTORS, FIBER OPTIC, PLUG-RECEPTACLE-ADAPTER STYLE, FIXED SINGLE TERMINUS ENVIRONMENTAL FSMA STYLE, CRIMP AND CLEAVE USER: AS MC OS REVIEWER: 11 17 80 90 99 ES SH | A | 6060 | 85 | 19-DEC-89 | ER | EC | 85 | |
| A | | | MIL-C-83522/16A | CONNECTOR, FIBER OPTIC, SINGLE TERMINUS, PLUG, ADAPTER STYLE, 2.5 MILLIMETERS BAYONET COUPLING, EPOXY REVIEWER: SH | A | 6060 | 85 | 25-JUN-92 | CR | EC | 85 | |
| A | | | MIL-C-83522/17A | CONNECTOR, FIBER OPTIC, SINGLE TERMINUS, ADAPTOR, 2.5 MILLIMETER BAYONET COUPLING, BULKHEAD PANEL MOUNT USER: AS MC OS REVIEWER: 17 19 71 80 90 99 ES SH | A | 6060 | 85 | 25-JUN-92 | CR | EC | 85 | |
| A | | | MIL-C-83522/18A | CONNECTOR FIBER OPTIC, SINGLE TERMINUS, ADAPTER 2.5 MILLIMETER BAYONET COUPLING PC MOUNT USER: 13 14 AS MC OS REVIEWER: 17 19 71 80 90 99 ES SH | A | 6060 | 85 | 25-JUN-92 | CR | EC | 85 | |
| | | | MIL-T-83523 | TOOLS, FIBER OPTIC USER: 19 AV MC ME REVIEWER: 11 17 99 AR AS AT ES MI OS SH | A | 5110 | 85 | 27-AUG-87 | CR | EC | 85 | |
| | | | MIL-T-83523/1 | TOOLS, FIBER OPTIC, HAND TERMINATING, TYPE II USER: AV MC ME REVIEWER: 11 13 14 19 AR AS AT ES GL OS SH | A | 6060 | 85 | 30-SEP-86 | CR | EC | 85 | |
| M | | | MIL-T-83523/2A NOTICE 1 | TOOLS, FIBER OPTIC, POLISHING BUSHING ASSEMBLY, TYPE IV [VALIDATION DATE: 9305] USER: 19 MC REVIEWER: 11 17 99 AR AS AT ES GL MI OS SC SH | A | 6060 | 85 | 28-MAY-93 | CR | EC | 85 | |
| | | | MIL-T-83523/3A | TOOL, FIBER OPTIC, CLEAVING, CARBIDE, TYPE I USER: 19 MC ME REVIEWER: 11 17 99 AR AS AT ES GL MI OS SH | A | 5110 | 85 | 10-MAY-85 | CR | EC | 85 | |
| | | | MIL-T-83523/4A | TOOL, FIBER OPTIC, SCRIBE, DIAMOND/SAPPHIRE, TYPE I USER: 19 MC ME REVIEWER: 11 17 99 AR AS AT ES GL MI OS SH | A | 5110 | 85 | 10-MAY-85 | CR | EC | 85 | |
| | | | MIL-T-83523/5 NOTICE 1 | TOOLS, FIBER OPTIC, RETAINING BAND STRAIN RELIEF, TYPE VII [VALIDATION DATE: 9005] USER: 19 AV MC ME REVIEWER: 11 17 99 AR AS AT ES MI OS SH | A | 6060 | 85 | 14-MAY-90 | CR | EC | 85 | |
| | | | MIL-T-83523/6 NOTICE 1 | TOOLS, FIBER OPTIC, POLISHING FIXTURE ASSEMBLY, TYPE IV [VALIDATION DATE: 9005] USER: 19 AV MC ME REVIEWER: 11 17 99 AR AS AT ES MI OS SH | A | 6010 | 85 | 14-MAY-90 | CR | EC | 85 | |
| | | | MIL-T-83523/7 NOTICE 1 | TOOLS, FIBER OPTIC, WRENCH AND ADAPTER, TORQUE STRAIN RELIEF, TYPE V [VALIDATION DATE: 9005] USER: 19 AV MC ME REVIEWER: 11 17 99 AR AS AT ES MI OS SH | A | 6060 | 85 | 14-MAY-90 | CR | EC | 85 | |
| | | | MIL-T-83523/8 NOTICE 1 | TOOLS, FIBER OPTIC, WRENCH, SPANNER, TYPE V [VALIDATION DATE: 9005] USER: 19 MC ME REVIEWER: 11 17 99 AR AS AT ES GL MI OS SH | A | 6060 | 85 | 14-MAY-90 | CR | EC | 85 | |
| | | | MIL-T-83523/9 NOTICE 1 | TOOLS, FIBER OPTIC, SCRIBE, CONICAL AND WEDGE, TYPE I [VALIDATION DATE: 9005] USER: 19 MC ME REVIEWER: 11 17 99 AR AS AT ES GL MI OS SH | A | 6010 | 85 | 14-MAY-90 | CR | EC | 85 | |
| D | | | MIL-T-83523/10 | TOOLS, FIBER OPTIC, HAND, TYPE VII, CARBIDE/DIAMOND COMPOSITION C USER: 19 AV MC ME YD1 REVIEWER: 11 13 14 17 AR AT ES GL OS SH | A | 6060 | 85 | 30-SEP-86 | CR | EC | 85 | |
| | | | MIL-T-83523/16A | TOOL, FIBER OPTIC, STRIPPING, (50/125), (100/140), (400/430), (600/630), (1000/1040), TYPE X, COMPOSITION C USER: MC REVIEWER: 11 17 80 90 99 AR AS AT ES GL MI OS SH | A | 6060 | 85 | 09-MAR-88 | CR | EC | 85 | |
| D | | | MIL-M-83524 NOTICE 1 | MICROSCOPE, OPTICAL, MONOCULAR, HAND HELD, PORTABLE, MILITARIZED, 200X MAGNIFICATION, FOR FIELD INSPECTION OF OPTICAL FIBERS USER: 11 17 99 MC ME YD1 REVIEWER: AR AT ES GL MI OS SH | A | 6650 | 85 | 18-OCT-85 | CR | EC | 85 | |
| D | | | MIL-K-83525 NOTICE 1 | KIT, PORTABLE OPTICAL MICROSCOPE, MILITARIZED, 200X MAGNIFICATION FOR FIELD INSPECTION OF OPTICAL FIBERS [VALIDATION DATE: 9010] USER: 19 AV MC ME YD1 REVIEWER: 11 17 99 AR AT ES GL OS SH | A | 6080 | 85 | 18-OCT-90 | CR | EC | 85 | |
| N | | | MIL-C-83526A SUPPL 1A1 | CONNECTORS, FIBER OPTIC, CIRCULAR, ENVIRONMENTAL RESISTANT, HERMAPHRODITIC, GENERAL SPECIFICATION FOR REVIEWER: 11 17 19 80 99 ES MI | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| D | | | MIL-C-83526/1A | CONNECTORS, PLUG, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 2 AND 4 POSITIONS USER: 13 14 MC OS YD1 REVIEWER: 11 17 19 80 90 99 AS ES MI SH | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| | | | MIL-C-83526/2A | CONNECTORS, PLUG, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 6 POSITIONS USER: 13 14 REVIEWER: 11 17 19 AS MI SH | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| D | | | MIL-C-83526/3A | CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, JAM-NUT MOUNTING, 2 AND 4 POSITIONS USER: 13 14 MC OS YD1 REVIEWER: 11 17 19 AS MI SH | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| | | | MIL-C-83526/4A | CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, JAM-NUT MOUNTING, 6 POSITIONS USER: 13 14 REVIEWER: 11 17 80 AS ES MI SH | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| | | | MIL-C-83526/5A | CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, WALL MOUNTING, 6 POSITIONS USER: 13 14 REVIEWER: 11 17 19 AS MI SH | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| | | | MIL-C-83526/6A | COVER, FIBER OPTIC, CONNECTOR, CIRCULAR, HERMAPHRODITIC, ENVIRONMENTAL, 2 AND 4 POSITIONS USER: 13 14 REVIEWER: 11 17 19 | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| D | | | MIL-C-83526/7A | COVER, FIBER OPTIC, CONNECTOR, CIRCULAR, PLAIN, ENVIRONMENTAL, 2, 4, AND 6 POSITIONS USER: 13 14 MC OS YD1 REVIEWER: 11 17 19 80 90 99 AS ES MI SH | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| | | | MIL-C-83526/8A | COVER, FIBER OPTIC, CONNECTOR, CIRCULAR, HERMAPHRODITIC, ENVIRONMENTAL, 6 POSITIONS USER: 13 14 REVIEWER: 11 17 19 | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| | | | MIL-C-83526/9A | DUMMY CONNECTOR, PLUG, FIBER OPTIC, TEST, CIRCULAR, HERMAPHRODITIC, 2 AND 4 POSITIONS USER: 13 14 REVIEWER: 11 17 19 | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| | | | MIL-C-83526/10A | DUMMY CONNECTOR, PLUG, FIBER OPTIC, TEST, CIRCULAR, HERMAPHRODITIC, 6 POSITIONS USER: 13 14 REVIEWER: 11 17 19 | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| D | | | MIL-C-83526/11A | CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, JAM-NUT MOUNTING, WITHOUT STRAIN RELIEF, 2 AND 4 POSITIONS USER: 13 14 MC OS YD1 REVIEWER: 11 17 19 80 90 99 AS ES MI SH | A | 6060 | 85 | 30-JUN-89 | CR | EC | 85 | |
| L | | | MIL-C-83526/12 | CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 2 POSITIONS | A | 6060 | CR | 09-JUN-89 | CR | | | |
| L | | | MIL-C-83526/13 | CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, BULKHEAD MOUNTING, 2 POSITIONS | A | 6060 | CR | 09-JUN-89 | CR | | | |
| L | | | MIL-C-83526/14 | CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, TEST PLUG, 2 POSITIONS .. | A | 6060 | CR | 09-JUN-89 | CR | | | |
| L | | | MIL-C-83526/15 | CONNECTOR, FIBER OPTIC, HERMAPHRODITIC, DUST COVER, 2 POSITIONS ..... | A | 6060 | CR | 09-JUN-89 | CR | | | |
| | | | MIL-C-83527A(1) SUPPL 1A1 | CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR REVIEWER: 11 17 99 ES | A | 5935 | 85 | 08-JUN-92 | CR | AS | 85 | |
| | | | DOD-C-83527/1A | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 28-DEC-88 | CR | AS | 85 | |
| | | | MIL-C-83527/1A | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 08-JUN-92 | CR | AS | 85 | |
| | | | DOD-C-83527/2A | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 28-DEC-88 | CR | AS | 85 | |
| | | | MIL-C-83527/2B | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 08-JUN-92 | CR | AS | 85 | |
| | | | DOD-C-83527/3A | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 28-DEC-88 | CR | AS | 85 | |
| | | | MIL-C-83527/3B | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 08-JUN-92 | CR | AS | 85 | |

| Action Opt. / Old Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force DLA |
|---|---|---|---|---|---|---|---|---|
| | MIL-C-83527/48 | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A 5935 | 85 | 08-JUN-92 | CR | AS | 85 |
| | DOD-C-83527/5A | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A 5935 | 85 | 28-DEC-88 | CR | AS | 85 |
| | MIL-C-83527/5B | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A 5935 | 85 | 08-JUN-92 | CR | AS | 85 |
| | DOD-C-83527/6A | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A 5935 | 85 | 28-DEC-88 | CR | AS | 85 |
| | MIL-C-83527/6B | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4 REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A 5935 | 85 | 08-JUN-92 | CR | AS | 85 |
| | MIL-C-83527/7 | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, MULTIPLE INSERTS REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A 5935 | 85 | 28-DEC-88 | CR | AS | 85 |
| | MIL-C-83527/8 | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, MULTIPLE INSERTS REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A 5935 | 85 | 28-DEC-88 | CR | AS | 85 |
| MQ | MIL-G-83528B(1) | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, GENERAL SPECIFICATION FOR REVIEWER: 11 19 99 MS | A 5999 | 85 | 04-JUN-93 | ER | EC | 85 |
| A | MIL-G-83528/1C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, CIRCULAR STRIP, .040 THROUGH .250 DIAMETER REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-92 | ER | EC | 85 |
| A | MIL-G-83528/2B | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRICAL, EMI/RFI O-RING, STANDARD REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-92 | ER | EC | 85 |
| A | MIL-G-83528/3C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, SOLID "D" SHAPED STRIP REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-92 | ER | EC | 85 |
| A | MIL-G-83528/4C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, CONNECTOR FLANGE MOUNT REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-92 | ER | EC | 85 |
| A | MIL-G-83528/5C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, O-RING, NON-STANDARD REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-92 | ER | EC | 85 |
| A | MIL-G-83528/6C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, RECTANGULAR, D-CROSS SECTION REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-92 | ER | EC | 85 |
| A | MIL-G-83528/7D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW D-STRIP REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-92 | ER | EC | 85 |
| A | MIL-G-83528/8C | GASKETING MATERIAL, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW P-STRIP REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-92 | ER | EC | 85 |
| A | MIL-G-83528/9C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, SOLID RECTANGULAR STRIPS REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-89 | ER | EC | 85 |
| A | MIL-G-83528/10B | GASKETING MATERIAL, CONDUCTIVE, ELASTOMER, ELECTRICAL, EMI/RFI, CHANNEL STRIPS REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-92 | ER | EC | 85 |
| A | MIL-G-83528/11C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW O-STRIPS REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-89 | ER | EC | 85 |
| A | MIL-G-83528/12B | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, ELECTRICAL, EMI/RFI, FLAT CIRCULAR WASHERS REVIEWER: 19 99 | A 5999 | 85 | 10-JUL-92 | ER | EC | 85 |
| | MIL-G-83528/13C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, ELECTRICAL, EMI/RFI, WAVEGUIDE REVIEWER: 19 20 99 NA | A 5999 | 85 | 24-OCT-90 | ER | EC | 85 |
| | MIL-G-83528/14 | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, FOR USE IN TIME TOTALIZING METERS COVERED BY MIL-M-7793, MS21341, AND MS27651 REVIEWER: 19 20 99 | A 5999 | 85 | 07-JAN-92 | ER | EC | 85 |
| L | MIL-A-83529 | ADAPTER, HEADSET-MICROPHONE M83529-01 | A 5965 | 85 | 10-MAR-89 | | | 99 |
| AQ | MIL-R-83530(2) | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL-OXIDE), GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES OS | A 5905 | 85 | 25-MAR-88 | ER | EC | 85 |
| | MIL-R-83530/1(1) | RESISTOR, VOLTAGE SENSITIVE (VARISTORS) STYLE RVS10 USER: 19 AT AV CG MC ME REVIEWER: 11 17 AR AS ES MI OS | A 5905 | 85 | 24-JUL-87 | ER | EC | 85 |
| Q | MIL-D-83531(2) | DELAY LINES, PASSIVE, GENERAL SPECIFICATION FOR USER: AS CG MC SH REVIEWER: 11 19 99 ES | A 5999 | 85 | 24-OCT-90 | ER | EC | 85 |
| A | MIL-D-83531/1A | DELAY LINES, 10-TAP, DUAL-IN-LINE, 14-PIN USER: AS CG MC SH REVIEWER: 11 19 99 ES | A 5999 | 85 | 23-NOV-92 | ER | EC | 85 |
| | MIL-D-83531/2 | DELAY LINES, 10- TAP, DUAL- IN- LINE, 16- PIN USER: AS CG MC SH REVIEWER: 11 19 99 ES | A 5999 | 85 | 31-MAR-87 | ER | EC | 85 |
| | MIL-D-83531/3 | DELAY LINES, 20- TAP, DUAL- IN- LINE, 24- PIN USER: AS CG MC SH REVIEWER: 11 19 99 ES | A 5999 | 85 | 31-MAR-87 | ER | EC | 85 |
| AQ | MIL-D-83532A(1) SUPPL 1A1 | DELAY LINES, ACTIVE GENERAL SPECIFICATION FOR USER: AS CG MC SH REVIEWER: 19 99 ES | A 5999 | 85 | 05-FEB-93 | ER | EC | 85 |
| | MIL-D-83532/1A | DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP USER: AS CG MC SH REVIEWER: 11 19 99 ES | A 5999 | 85 | 30-DEC-91 | ER | EC | 85 |
| | MIL-D-83532/2B | DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP USER: AS CG MC SH REVIEWER: 11 19 99 ES | A 5999 | 85 | 30-DEC-91 | ER | EC | 85 |
| | MIL-D-83532/3A | DELAY LINES, 14-PIN DIP COMPATIBLE, 10 TAP USER: AS CG MC SH REVIEWER: 11 19 99 ES | A 5999 | 85 | 30-DEC-91 | ER | EC | 85 |
| | MIL-D-83532/4A | DELAY LINES, 14-PIN DIP COMPATIBLE, 3 DELAY CIRCUITS PER PACKAGE USER: AS CG MC SH REVIEWER: 11 19 99 ES | A 5999 | 85 | 30-DEC-91 | ER | EC | 85 |
| | MIL-D-83532/5A | DELAY LINES, ACTIVE, 16-PIN DIP COMPATIBLE, PROGRAMMABLE 3-BIT, TTL COMPATIBLE USER: AS CG MC SH REVIEWER: 11 19 99 ES | A 5999 | 85 | 30-DEC-91 | ER | EC | 85 |
| | MIL-D-83532/6A | DELAY LINES, ACTIVE, 16-PIN DIP COMPATIBLE, PROGRAMMABLE 3-BIT, EMITTER-COUPLED LOGIC USER: AS CG MC SH REVIEWER: 11 19 99 ES | A 5999 | 85 | 30-DEC-91 | ER | EC | 85 |
| | MIL-D-83532/9 | CONNECTOR, FIBER OPTIC, RECEPTACLE, PC MOUNT ACTIVE (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) USER: 13 14 AS MC OS REVIEWER: 11 19 99 ES SH | A 6060 | 85 | 08-DEC-89 | CR | EC | 85 |
| | MIL-D-83532/10 | CONNECTOR, FIBER OPTIC, RECEPTACLE, FLANGE MOUNT ACTIVE (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) USER: 13 14 AS MC OS REVIEWER: 11 19 99 ES SH | A 6060 | 85 | 08-DEC-89 | CR | EC | 85 |
| | MIL-K-83533 | MAINTENANCE KIT, FIBER OPTIC COMPONENTS, GENERAL SPECIFICATION FOR USER: AV MC REVIEWER: 11 12 13 14 17 AR AS AT ES GL MI OS SH | A 6080 | 85 | 29-DEC-89 | CR | EC | 85 |
| | MIL-K-83533/1 | MAINTENANCE KITS, FIBER OPTIC CONNECTORS, TERMINI, AND CONNECTOR AND CABLE ACCESSORIES, FIBER TERMINATING USER: AV MC REVIEWER: 11 12 13 14 17 AR AS AT ES GL MI OS SH | A 6080 | 85 | 29-DEC-89 | CR | EC | 85 |
| ML | MIL-H-83534 | HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL GENERAL SPECIFICATION FOR | A 5965 | 85 | 01-SEP-89 | | | 85 |
| L | MIL-H-83534/1 | HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL, AMPLIFIED RECEIVER | A 5965 | 85 | 01-SEP-89 | | | 85 |
| L | MIL-H-83534/2 | HEADSET-MICROPHONE MONAURAL, LIGHTWEIGHT, INTRA-AURAL, UNAMPLIFIED RECEIVER | A 5965 | 85 | 01-SEP-89 | | | 85 |
| ML | MIL-H-83535 | HEADSET-MICROPHONE, LIGHTWEIGHT, SUPRA-AURAL, GENERAL SPECIFICATION FOR ... | A 5965 | 85 | 01-SEP-89 | | | 85 |
| L | MIL-H-83535/1 | HEADSET-MICROPHONE, LIGHTWEIGHT, SUPRA-AURAL, MONAURAL ..... | A 5965 | 85 | 01-SEP-89 | | | 85 |
| L | MIL-H-83535/2 | HEADSET-MICROPHONE, LIGHTWEIGHT, SUPRA-AURAL, BINAURAL ..... | A 5965 | 85 | 01-SEP-89 | | | 85 |
| AM | MIL-R-83536 SUPPL 1A1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR REVIEWER: 11 99 AS ES | A 5945 | 85 | 22-JUN-90 | ER | EC | 85 |
| | MIL-R-83536/1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES | A 5945 | 85 | 27-MAR-92 | ER | EC | 85 |

| Action Code | Civil/Military Coordination Indicator | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-R-83536/2 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/3 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/4 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/5 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4DPT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/6 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ALL WELDED, TRANSIENT SUPPRESSED DC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/7 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/8 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/9 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/10 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/11 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/12 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/13 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/14 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICLALY SEALED, ALL WELDED, AC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/15 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNETIC DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/16 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/17 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/18 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/19 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/20 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, AC COILS REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/21 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/22 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/23 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNETIC DRIVE, MANGNETIC LATCH HERMETICALLY SEALED, ALL WELDED, DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/24 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/25 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 6PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/26 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 6PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/27 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 6PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COIL REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/28 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED, ALL WELDED, DC COILS (0.200 INCH TERMINAL SPACING, .050 DIAMETER TERMINAL PINS) REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/29 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED, ALL WELDED, DC COILS (0.200 INCH TERMINAL SPACING, .050 DIAMETER TERMINAL PINS) WITH INTERNAL DIODES FOR TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/30 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED, ALL WELDED, DC COILS (0.200 INCH TERMINAL SPACING, .062 DIAMETER TERMINAL PINS) REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| | | MIL-R-83536/31 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED, ALL WELDED, DC COILS (0.200 INCH TERMINAL SPACING, .062 DIAMETER TERMINAL PINS) WITH INTERNAL DIODES FOR TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION REVIEWER: 99 ES | A | 5945 | 85 | 27 | MAR-92 | ER | EC | 85 | |
| A | L | DOD-W-83575A NOTICE 1 | WIRING HARNESS, SPACE VEHICLE, DESIGN AND TESTING, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9209) | A | 1810 | 19 | 04 | SEP-92 | | | | 19 |
| A | L | MIL-S-83576 NOTICE 1 | SOLAR CELLS ARRAYS, SPACE VEHICLE, DESIGN AND TESTING, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9209) | A | 1820 | 19 | 04 | SEP-92 | | | | 19 |
| | L | DOD-A-83577B | ASSEMBLIES, MOVING MECHANICAL, FOR SPACE & LAUNCH VEHICLES, ..... | A | 1820 | 19 | 01 | FEB-88 | | | | 19 |
| | L | MIL-A-83577B | ASSEMBLIES, MOVING MECHANICAL, FOR SPACE AND LAUNCH VEHICLES, GENERAL SPECIFICATION FOR | A | 1820 | 19 | 01 | FEB-88 | | | | 19 |
| | L | DOD-E-83578A | EXPLOSIVE ORDNANCE FOR SPACE VEHICLES, GENERAL SPECIFICATION FOR (METRIC) . | A | 1820 | 19 | 15 | OCT-87 | | | | 19 |
| | L | MIL-B-836658 | BAG, PILOT RELIEF (MALE) USER: GL MD REVIEWER: 99 ..... | A | 8105 | 69 | 02 | JUN-81 | | | | 69 |
| | L | MIL-P-83668A | PLASTIC BOARD (FOR PACKAGING APPLICATIONS) USER: SM REVIEWER: 11 70 71 84 99 | A | 8135 | 69 | 08 | APR-88 | | | | 69 |

| Action | Doc. / Chg. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-C-83669A | CONTAINERS, NESTABLE OR COLLAPSIBLE, REUSABLE, SHIPPING AND STORAGE, ASSEMBLED EXTERNAL AIRCRAFT FUEL TANKS REVIEWER: 11 71 80 82 84 99 | A | 8145 | 12-JUN-91 | | 69 | | |
| | D | MIL-F-83671(1) | FOAM IN PLACE PACKAGING MATERIALS, GENERAL SPECIFICATION FOR USER: YD1 REVIEWER: 20 43 82 99 AL AS AT CR EA EC ES GS SH | A | 8135 | 03-SEP-85 | SH | SA | 69 | DH |
| | D L | MIL-F-83671(12) | FOAM-IN-PLACE PACKAGING MATERIALS, GENERAL SPECIFICATION FOR USER: EC MC YD1 | A | 8135 | 30-MAR-90 | | SA | | |
| | L | MIL-C-83690 | CYLINDER, SAMPLING [VALIDATION DATE: 8204] REVIEWER: 19 68 99 GS ..... | A | 8120 | 04-FEB-69 | | | 12 | |
| | L | MIL-F-83691B | FLIGHT TEST DEMONSTRATION REQUIREMENTS FOR DEPARTURE RESISTANCE AND POST-DEPARTURE CHARACTERISTICS OF PILOTED AIRPLANES REVIEWER: 11 18 | A | 1510 | 01-MAR-91 | | | 12 | |
| | M L | MIL-T-83720(1) NOTICE 2 | TRANSFORMERS AND INDUCTORS, NON-EXPLOSIVE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9304] REVIEWER: 11 | A | 5950 | 22-APR-93 | | | 85 | |
| | L | MIL-T-83720/88 NOTICE 1 | TRANSFORMER, POWER STEP-UP REVIEWER: 11 80 84 ES ..... | A | 5950 | 15-APR-88 | | | 85 | |
| | L | MIL-T-83720/13 NOTICE 1 | TRANSFORMER, POWER, STEP-UP, STEP-DOWN [VALIDATION DATE: 8704] REVIEWER: 11 84 99 ES | A | 5950 | 20-DEC-68 | | | 85 | |
| | L | MIL-T-83720/14 NOTICE 1 | TRANSFORMER, PULSE [VALIDATION DATE: 8704] REVIEWER: 11 80 84 99 ..... | A | 5950 | 26-OCT-73 | | | 85 | |
| | | MIL-T-83721 | TRANSFORMERS, VARIABLE, POWER GENERAL SPECIFICATION FOR [VALIDATION DATE: 9011] USER: 19 MC REVIEWER: 11 17 99 AT MI | A | 5950 | 28-NOV-90 | ER | EC | 85 | |
| | | MIL-T-83721/1 | TRANSFORMER, VARIABLE, POWER, 400 HZ [VALIDATION DATE: 8206] USER: 19 MC MI REVIEWER: 11 17 99 AR ES | A | 5950 | 24-APR-75 | ER | EC | 85 | |
| | Q | MIL-C-83723E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS GENERAL SPECIFICATION FOR USER: OS REVIEWER: 11 15 17 99 AR AV EC ES MI | A | 5935 | 15-MAY-92 | CR | AS | 85 | |
| | L | MIL-C-83723/16B NOTICE 1 | CONNECTOR, ELECTRIC, BACKSHELL, WITH HEAT-SHRINKABLE STRAIN-RELIEF BOOT (STRAIGHT OR RIGHT ANGLE), BAYONET-COUPLING SERIES [VALIDATION DATE: 8701] REVIEWER: 11 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | L | MIL-C-83723/17B NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC, CABLE CONNECTING THREADED COUPLING, CRIMP SOCKET CONTACTS, CLASSES F G AND R [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | L | MIL-C-83723/18B NOTICE 1 | CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (CABLE CONNECTING, THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, AND R) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | L | MIL-C-83723/19C NOTICE 1 | CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (WALL MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASSES A, G, K AND R) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | L | MIL-C-83723/20C NOTICE 1 | CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (WALL MOUNT, THREADED COUPLING, PIN CONTACTS), (SERIES II, CLASSES A, G, K, AND R) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | L | MIL-C-83723/21B NOTICE 1 | CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (BOX MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASS A, G, AND R) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | L | MIL-C-83723/22B NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNT, THREADED COUPLING, CRIMP PIN CONTACTS, CLASSES F, G, AND R [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | L | MIL-C-83723/23C NOTICE 1 | CONNECTOR, PLUG, ELECTRIC, THREADED COUPLING CRIMP SOCKET CONTACTS, CLASSES G, K, AND R [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | L | MIL-C-83723/24C NOTICE 1 | CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G,K, AND R) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | L | MIL-C-83723/27A(1) NOTICE 1 | CONNECTOR, ELECTRIC, BACKSHELL, WITH HEAT SHRINKABLE STRAIN-RELIEF BOOT (STRAIGHT ORRIGHT ANGLE), THREADED COUPLING SERIES II [VALIDATION DATE: 8701] REVIEWER: 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | I | MIL-C-83723/35E | CONNECTOR, ELECTRIC, BACKSHELL, STRAIGHT W/O STRAIN RELIEF, AND WITH MECHANICAL STRAIN RELIEF, STRAIGHT OR RIGHT ANGLE THREADED COUPLING SERIES II REVIEWER: 11 99 | A | 5935 | 10-NOV-88 | | AS | 85 | |
| | L | MIL-C-83723/37A NOTICE 1 | CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (BAYONET COUPLING, PREWIRED, SOCKET CONTACT), (SERIES I, CLASSES A, G, AND R )SHELL SIZE 8 FOR INSERTS 8-2, 8-3, AND 8-4 ONLY( [VALIDATION DATE: 8701] REVIEWER: 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | L | MIL-C-83723/50C(1) NOTICE 1 | CONNECTOR, ELECTRIC, CIRCULAR, ENVIRONMENT RESISTING, BACKSHELL, STRAIGHT, 90 DEGREES, AND 45 DEGREES, WITH DIELECTRIC STRAIN RELIEF, FOR SERIES 2 CONNECTORS [VALIDATION DATE: 8701] REVIEWER: 99 ES | A | 5935 | 26-JAN-87 | | | 85 | |
| | LI | MIL-C-83723/53B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP SOCKET CONTACTS), (SERIES II, CLASS K) [VALIDATION DATE: 8906] REVIEWER: 11 15 17 99 ES | A | 5935 | 09-JUN-89 | | | 85 | |
| | | MIL-C-83723/59C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PROTECTIVE COVERS, PLUG (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 17-DEC-91 | CR | AS | 85 | |
| | | MIL-C-83723/60D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PROTECTIVE COVERS, RECEPTACLES, (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 17-DEC-91 | CR | AS | 85 | |
| | | MIL-C-83723/61D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), DUMMY CONNECTOR, RECEPTACLES (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W) REVIEWER: 11 15 80 99 AR EC ES MI | A | 5935 | 17-DEC-91 | CR | AS | 85 | |
| | L | MIL-C-83723/65C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, PIN CONTACT), (SERIES III, CLASS H) REVIEWER: 11 15 17 99 ES | A | 5935 | 17-DEC-91 | | | 85 | |
| | L | MIL-C-83723/66A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITHOUT LANYARD), CRIMP PIN CONTACT, SERIES III, CLASS A, G, R, AND W) REVIEWER: 11 70 80 84 ES | A | 5935 | 17-DEC-91 | | | 85 | |
| | L | MIL-C-83723/67A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITHOUT LANYARD), CRIMP SOCKET CONTACT, SERIES III, CLASS A, G, R, AND W) REVIEWER: 11 70 80 84 ES | A | 5935 | 17-DEC-91 | | | 85 | |
| | L | MIL-C-83723/68A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITH LANYARD), CRIMP PIN CONTACT, SERIES III, CLASS A, G, R, AND W) REVIEWER: 11 70 80 84 ES | A | 5935 | 17-DEC-91 | | | 85 | |
| | L | MIL-C-83723/69A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITH LANYARD), CRIMP SOCKET CONTACT, SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 70 80 84 ES | A | 5935 | 17-DEC-91 | | | 85 | |
| | L | MIL-C-83723/70A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE ADAPTER (PUSH-PULL), QUICK-DISCONNECT SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 70 80 84 ES | A | 5935 | 17-DEC-91 | | | 85 | |
| | A | MIL-C-83723/71B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT) SERIES III, CLASSES A, G, R, AND W REVIEWER: 11 15 17 80 AR EC ES MI | A | 5935 | 30-JUN-92 | CR | AS | 85 | |
| | A | MIL-C-83723/72B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT) (SERIES III, CLASS A, G, H,AND W) REVIEWER: 11 15 17 80 AR EC ES MI | A | 5935 | 30-JUN-92 | CR | AS | 85 | |
| | A | MIL-C-83723/73D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 15 99 AR AV EC ES MI | A | 5935 | 30-JUN-92 | CR | AS | 85 | |

| Action | Obsl. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-83723/74D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 15 99 AR AV EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/75B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) REVIEWER: 11 15 17 80 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/76B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (SINGLE HOSE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 15 17 80 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| | | MIL-C-83723/77B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W) REVIEWER: 11 15 17 80 AR EC ES MI | A | 5935 | 85 | CR | 27-DEC-91 | AS | 85 | | |
| | | MIL-C-83723/78B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W) REVIEWER: 11 15 17 80 AR EC ES MI | A | 5935 | 85 | CR | 27-DEC-91 | AS | 85 | | |
| | | MIL-C-83723/79C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 27-DEC-91 | AS | 85 | | |
| | | MIL-C-83723/80B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SOLDER FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y) REVIEWER: 11 15 17 80 AR EC ES MI | A | 5935 | 85 | CR | 27-DEC-91 | AS | 85 | | |
| | | MIL-C-83723/81D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y) REVIEWER: 11 15 99 AR AV EC ES MI | A | 5935 | 85 | CR | 27-DEC-91 | AS | 85 | | |
| A | | MIL-C-83723/82D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/83D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, C, K, N, R, S, AND W) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/84E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W) REVIEWER: 11 15 99 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/85E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W) REVIEWER: 11 15 99 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/86D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/87D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/88C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/89D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLD MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y) REVIEWER: 11 15 99 AR AV EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/90C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SOLDER FLANGE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| A | | MIL-C-83723/91C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 30-JUN-92 | AS | 85 | | |
| | | MIL-C-83723/92C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES G, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 24-APR-92 | AS | 85 | | |
| | | MIL-C-83723/93B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE (SOLDER FLANGE MOUNT, BAYONET COUPLING, STRAIGHT PIN CONTACT), (SERIES III, CLASSES H AND Y) REVIEWER: 11 15 17 80 AR EC ES MI | A | 5935 | 85 | CR | 24-APR-92 | AS | 85 | | |
| | | MIL-C-83723/94D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, STRAIGHT PIN CONTACT), (SERIES III, CLASSES H AND Y) REVIEWER: 11 15 99 AR AV EC ES MI | A | 5935 | 85 | CR | 24-APR-92 | AS | 85 | | |
| | | MIL-C-83723/95D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 24-APR-92 | AS | 85 | | |
| | | MIL-C-83723/96D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 24-APR-92 | AS | 85 | | |
| | | MIL-C-83723/97B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, R.F.I GROUNDING, CRIMP SOCKET CONTACTS), (SERIES III, CLASSES H AND S FIREWALL) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 24-APR-92 | AS | 85 | | |
| | | MIL-C-83723/98B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, R.F.I. GROUNDING, CRIMP PIN CONTACTS), (SERIES III, CLASSES H AND S FIREWALL) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | CR | 24-APR-92 | AS | 85 | | |
| Q | | MIL-R-83725B(1) SUPPL 1B1 | RELAYS, VACUUM, GENERAL SPECIFICATION FOR USER: AS REVIEWER: 99 ES OS ..... | A | 5945 | 85 | ER | 13-MAR-80 | EC | 85 | | |
| | | MIL-R-83725/1E | RELAYS, VACUUM, SPDT, 15 AMPERES RMS, 12 KILOVOLTS (PEAK) USER: AT AV MC ME REVIEWER: 17 99 ES SH | A | 5945 | 85 | ER | 17-MAR-89 | EC | 85 | | |
| A | | MIL-R-83725/2D(1) | RELAYS, VACUUM, SPDT, 25 AMPERES RMS, 25 KILOVOLTS (PEAK) USER: AT AV ME REVIEWER: 99 ES SH | A | 5945 | EC | 30-DEC-92 | ER | EC | 85 | | |
| M | | MIL-R-83725/3E NOTICE 1 | RELAYS, VACUUM, SPDT, DC, 8 AMPERES (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | 14-MAY-93 | ER | AS | 85 | | |
| L | | MIL-R-83725/4E | RELAYS, VACUUM, SPDT, 3 AMPERES, DC LOAD SWITCHING 2.5 KILOVOLTS DC ..... | A | 5945 | 85 | 17-JAN-92 | | | 99 | | |
| L | | MIL-R-83725/5C | RELAYS, VACUUM, SPDT, 18 AMPERES, RMS, 3.5 KILOVOLTS PEAK (CARRY ONLY) .... | A | 5945 | 85 | 17-JAN-92 | | | 99 | | |
| M | | MIL-R-83725/6D NOTICE 1 | RELAY, VACUUM, SPST, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS DC OR 60 HZ PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | 14-MAY-93 | ER | AS | 85 | | |
| M | | MIL-R-83725/7B NOTICE 1 | RELAY, VACUUM, SPST, N/C, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | 14-MAY-93 | ER | AS | 85 | | |
| M | | MIL-R-83725/8B NOTICE 1 | RELAY, VACUUM, SPST, N/O, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | 14-MAY-93 | ER | AS | 85 | | |
| M | | MIL-R-83725/9B NOTICE 1 | RELAY, VACUUM, SPST, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 7 KILOVOLTS PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | 14-MAY-93 | ER | AS | 85 | | |
| M | | MIL-R-83725/10A NOTICE 1 | RELAY, VACUUM, SPST, N/C, 12 AMPERES DC OR 60 HZ RMS, 10 KILOVOLTS DC OR 60 HZ PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | 14-MAY-93 | ER | AS | 85 | | |
| M | | MIL-R-83725/11C NOTICE 1 | RELAY, VACUUM, SPDT, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS DC OR 60 HZ PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | 14-MAY-93 | ER | AS | 85 | | |
| M | | MIL-R-83725/12A NOTICE 1 | RELAY, VACUUM, SPDT, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | 14-MAY-93 | ER | AS | 85 | | |
| M | | MIL-R-83725/13B NOTICE 1 | RELAY, VACUUM, SPDT, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 9 KILOVOLTS DC OR 60 HZ PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | 14-MAY-93 | ER | AS | 85 | | |
| L | | MIL-R-83725/15B NOTICE 1 | RELAYS, VACUUM, SPDT, 75 AMPERES RMS, 15 KILOVOLTS (PEAK) OR DC (VALIDATION DATE: 8811) REVIEWER: 99 | A | 5945 | 85 | 18-NOV-88 | | | 85 | | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M | | MIL-R-83725/168 NOTICE 1 | RELAYS, VACUUM, SPDT, 12 AMPERES DC OR 60 HZ RMS, 9 KILOVOLTS DC OR 60 HZ PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | | 14-MAY-93 | ER | AS | 85 | |
| M | | MIL-R-83725/178 NOTICE 1 | RELAY, VACUUM, SPST, N.O., 12 AMPERES DC, OR 60 HZ RMS, 10 KILOVOLTS PEAK DC (VALIDATION DATE: 9305) REVIEWER: 99 ES OS | A | 5945 | 85 | | 14-MAY-93 | ER | AS | 85 | |
| | L | MIL-R-83725/188 | RELAYS, VACUUM, SPST, NC, DC, 8 AMPERES REVIEWER: ES | A | 5945 | 85 | | 27-OCT-90 | | | 85 | |
| | L | MIL-R-83725/19 | RELAY, VACUUM, SPST, N/C, 15 AMPERES DC OR 60 HZ RMS, 12 KILOVOLTSDC OR 60 HZ PEAK REVIEWER: ES | A | 5945 | 85 | | 11-FEB-86 | | | 85 | |
| | L | MIL-R-83725/20A | RELAYS, VACUUM, SPDT, 30 AMPERES RMS, 15 KILOVOLTS (PEAK) | A | 5945 | 85 | | 17-MAR-89 | | | 85 | |
| | L | MIL-R-83725/21 | RELAYS, VACUUM, S*PST (NO), 15 AMPERES DC OR 60 HZ RMS, 5 KILOVOLTS PEAK | A | 5945 | 85 | | 23-NOV-87 | | | 85 | |
| | L | MIL-R-83725/22 | RELAYS, VACUUM, SPST (NC), 15 AMPERES DC OR 60 HZ RMS, 5 KILOVOLTS PEAK | A | 5945 | 85 | | 23-NOV-87 | | | 85 | |
| | L | MIL-R-83725/23 | RELAYS, VACUUM, SPDT, 15 AMPERES DC OR 60 HZ RMS, 5 KILOVOLTS PEAK | A | 5945 | 85 | | 23-NOV-87 | | | 85 | |
| | L | MIL-R-83725/24 | RELAYS, VACUUM, SPST, LATCHING, 15 AMPERES DC OR 60 HZ RMS, 5 KILOVOLTS PEAK | A | 5945 | 85 | | 23-NOV-87 | | | 85 | |
| | Q | MIL-R-83726B SUPPL 1B1 | RELAYS, HYBRID AND SOLID STATE, TIME DELAY, GENERAL SPECIFICATION FOR REVIEWER: 11 17 99 ES TD | A | 5945 | 85 | | 09-DEC-88 | ER | EC | 85 | |
| A | I | MIL-R-83726/7C | RELAYS, HYBRID, TIME DELAY, ON PICKUP, TYPE I, CLASS A, 2 AMPERES, 2PDT, FIXED TIME, 0.06 TO 300 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 22-JUL-92 | | EC | 85 | |
| A | I | MIL-R-83726/8C | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TYPE IIA, CLASS A, 2 AMPERES, 2PDT, FIXED TIME, 0.100 TO 300 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 22-JUL-92 | | EC | 85 | |
| | L | MIL-R-83726/12C | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TYPE IIA, CLASS B, 10 AMPERES, 4PDT, HERMETICALLY SEALED, FIXED TIME, 0.100 TO 300 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 09-AUG-91 | | | 85 | |
| | L | MIL-R-83726/13F | RELAYS, SOLID STATE, TIME DELAY (ON OPERATE), TYPE I CLASS C, SPSTNO, 300 MILLIAMPERES, FIXED TIME, 0.05 TO 600 SECONDS, HERMETICALLY SEALED REVIEWER: 99 ES | A | 5945 | 85 | | 09-AUG-91 | | | 85 | |
| | L | MIL-R-83726/14B | RELAYS, HYBRID, TIME DELAY (ON OPERATE), TYPE I, CLASS B, 10 AMPERES, 4PDT, HERMETICALLY SEALED, FIXED, TIME, 0.100 TO 300 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 09-AUG-91 | | | 85 | |
| | L | MIL-R-83726/18E | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TRACK MOUNTED, TYPE IIA, CLASS B, 10 AMPERES, 2PDT, HERMETICALLY SEALED, FIXED TIME, 0.1 TO 300 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 09-AUG-91 | | | 85 | |
| | L | MIL-R-83726/19E | RELAYS, HYBRID, TIME DELAY (ON OPERATE), TRACK MOUNTED, TYPE I, CLASS B, 10 AMPERES, 2PDT, HERMETICALLY SEALED, FIXED TIME, 0.1 TO 300 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 09-AUG-91 | | | 85 | |
| A | L | MIL-R-83726/20C(2) | RELAYS, SOLID STATE, TIME DELAY (ON OPERATE), TYPE I, CLASS C, SPST, 250 MILLIAMPERES, FIXED TIME, .05 TO 500 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 10-FEB-93 | | | 85 | |
| A | L | MIL-R-83726/21D(2) | RELAYS, SOLID STATE, TIME DELAY (ON OPERATE), TYPE I, CLASS C, SPST, 250 MILLIAMPERES, VARIABLE TIME, .05 TO 500 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 10-FEB-93 | | | 85 | |
| A | L | MIL-R-83726/22C(2) | RELAYS, SOLID STATE, REPEAT CYCLE TIMER, TYPE IV, CLASS C, SPST, 250 MILLIAMPERES REVIEWER: 99 ES | A | 5945 | 85 | | 10-FEB-93 | | | 85 | |
| | L | MIL-R-83726/23B | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TYPE II B, CLASS B, 10 AMPERES, 4PDT, HERMETICALLY SEALED REVIEWER: 99 ES | A | 5945 | 85 | | 09-AUG-91 | | | 85 | |
| A | L | MIL-R-83726/24J(1) | RELAYS, SOLID STATE, TIME DELAY (ON OPERATE), TRACK MOUNTED, TYPE I, CLASS C, SPST, 150 MILLIAMPERES, FIXED TIME, 50 MILLISECONDS TO 500 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 10-FEB-93 | | | 85 | |
| A | L | MIL-R-83726/25F(1) | RELAYS, SOLID STATE, TIME DELAY (ON RELEASE) TRACK MOUNTED, TYPE IIA, CLASS C, SPST, 150 MILLIAMPERES, FIXED TIME, .050 TO 500 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 10-FEB-93 | | | 85 | |
| | L | MIL-R-83726/27H | RELAYS, HYBRID, TIME DELAY, VOLTAGE SENSITIVE, DELAY ON DROP-OUT, CLASS A, TYPE V, HERMETICALLY SEALED (POTTED), SPDT, 2 AMPERE, TRACK MOUNTED REVIEWER: 99 ES | A | 5945 | 85 | | 09-AUG-91 | | | 85 | |
| A | L | MIL-R-83726/28C(1) | RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, DPDT, 10 AMPERES, FIXED TIME, 0.1 TO 500 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 10-FEB-93 | | | 85 | |
| A | L | MIL-R-83726/29C(1) | RELAYS, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, DPDT, 10 AMPERES, FIXED TIME, 0.1 TO 500 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 10-FEB-93 | | | 85 | |
| A | L | MIL-R-83726/30C(1) | RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, DPDT, 10 AMPERES, ADJUSTABLE TIME DELAY (EXTERNAL RESISTOR), 0.1 TO 500 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 10-FEB-93 | | | 85 | |
| A | L | MIL-R-83726/31C(1) | RELAYS, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, DPDT, 10 AMPERES, ADJUSTABLE TIME DELAY (EXTERNAL RESISTOR), 0.1 TO 500 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 10-FEB-93 | | | 85 | |
| | L | MIL-R-83726/32 | RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, DPDT, 10 AMPERES, FIXED TIME, 0.1 TO 600 SECONDS, 1.718 INCHES X .530 INCHES X 1.520 INCHES ENVELOPE DIMENSIONS REVIEWER: 99 ES | A | 5945 | 85 | | 27-AUG-87 | | | 85 | |
| | L | MIL-R-83726/33 | RELAYS, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, DPDT, 10 AMPERES, FIXED TIME, 0.1 TO 600 SECONDS, 1.718 INCHES X .530 INCHES X 1.520 INCHES ENVELOPE DIMENSIONS REVIEWER: 99 EC | A | 5945 | 85 | | 27-AUG-87 | | | 85 | |
| | | MIL-R-83726/34 | RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, DPDT, 10 AMPERES, ADJUSTABLE TIME DELAY (EXTERNAL RESISTOR), 0.1 TO 600 SECONDS, 1.718" X .530" X 1.520" ENVELOPE DIMENSIONS | A | 5945 | 85 | | 27-AUG-87 | | | 99 | ES |
| | L | MIL-R-83726/35 | RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, 4PDT, 10 AMPERES, FIXED TIME DELAY, 0.1 TO 600 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 27-AUG-87 | | | 85 | |
| | L | MIL-R-83726/36 | RELAYS, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, 4PDT, 10 AMPERES, FIXED TIME DELAY, 0.1 TO 600 SECONDS | A | 5945 | 85 | | 27-AUG-87 | | | 85 | |
| | L | MIL-R-83726/37 | RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, 4PDT, 10 AMPERES, ADJUSTABLE TIME DELAY (EXTERNAL RESISTOR), 0.1 TO 600 SECONDS REVIEWER: 99 ES | A | 5945 | 85 | | 27-AUG-87 | | | 85 | |
| | | MIL-T-83727(1) SUPPL 1B1, NOTICE 1 | TRANSOLVER, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8704) REVIEWER: 11 99 AT AV CG EC ES MC MI OS | A | 5990 | 85 | | 02-APR-87 | AR | AS | 85 | |
| | | MIL-T-83727/1 NOTICE 1 | TRANSOLVER TYPE 11.8 08S48Y340A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 AV EC ES | A | 5990 | 85 | | 02-APR-87 | AR | AS | 85 | |
| | | MIL-T-83727/2 NOTICE 1 | TRANSOLVER TYPE 11.8 08R37Y440A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 AV EC ES | A | 5990 | 85 | | 02-APR-87 | AR | AS | 85 | |
| | | MIL-T-83727/3 NOTICE 1 | TRANSOLVER TYPE 11.8 08R14Y440A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | | 02-APR-87 | | AS | 85 | |
| | | MIL-T-83727/4 NOTICE 1 | TRANSOLVER TYPE 11.8 08R11Y440A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | | 02-APR-87 | | AS | 85 | |
| | | MIL-T-83727/8 NOTICE 1 | TRANSOLVER TYPE 11.8 10S49Y340A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | | 02-APR-87 | | AS | 85 | |
| | | MIL-T-83727/9 NOTICE 1 | TRANSOLVER TYPE 11.8 10R13Y440A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 AV EC ES | A | 5990 | 85 | | 02-APR-87 | AR | AS | 85 | |
| | | MIL-T-83727/10 NOTICE 1 | TRANSOLVER TYPE 11.8 10R16Y440A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 AV EC ES | A | 5990 | 85 | | 02-APR-87 | AR | AS | 85 | |
| | | MIL-T-83727/11 NOTICE 1 | TRANSOLVER TYPE 26 10R90Y440A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | | 02-APR-87 | | AS | 85 | |
| | | MIL-T-83727/12 NOTICE 1 | TRANSOLVER TYPE 0.1 10S10Y380A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 AV EC ES | A | 5990 | 85 | | 02-APR-87 | AR | AS | 85 | |
| | | MIL-T-83727/13 NOTICE 1 | TRANSOLVER TYPE 11.8 10R29Y480A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 AV EC ES | A | 5990 | 85 | | 02-APR-87 | AR | AS | 85 | |
| | | MIL-T-83727/14 NOTICE 1 | TRANSOLVER TYPE 11.8 11S30Y340A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | | 02-APR-87 | | AS | 85 | |
| | | MIL-T-83727/15 NOTICE 1 | TRANSOLVER TYPE 26 11R180 3Y40A (VALIDATION DATE: 8704) REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | | 02-APR-87 | | AS | 85 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / NIIN / MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-T-83727/16 NOTICE 1 | TRANSOLVER TYPE 90 11S210Y440A [VALIDATION DATE: 8704] REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | 02-APR-87 | | AS | 85 | |
| | MIL-T-83727/17 NOTICE 1 | TRANSOLVER TYPE 11.8 15S33Y340A [VALIDATION DATE: 8704] REVIEWER: 11 17 99 EC ES | A | 5990 | 85 | 02-APR-87 | | AS | 85 | |
| | MIL-C-83729A(1) NOTICE 1 | CHOPPER, ELECTROMECHANICAL GENERAL SPECIFICATION FOR [VALIDATION DATE: 8803] USER: 19 AS MC ME REVIEWER: 11 17 99 AT AV ES MI OS | A | 5945 | 85 | 31-MAR-88 | ER | EC | 85 | |
| | MIL-C-83729/1C NOTICE 1 | CHOPPERS, ELECTROMECHANICAL, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE [VALIDATION DATE: 8811] USER: 19 MC ME REVIEWER: 11 17 AS AT AV MI OS | A | 5945 | 85 | 18-NOV-88 | ER | EC | 85 | |
| | MIL-C-83729/2B NOTICE 1 | CHOPPERS, ELECTROMECHANICAL, DUST TIGHT, SINGLE POLE, DOUBLE THROW, MAKE BEFORE BREAK [VALIDATION DATE: 8811] USER: 19 MC ME REVIEWER: 11 17 AS AT AV MI OS | A | 5945 | 85 | 18-NOV-88 | ER | EC | 85 | |
| L | MIL-C-83729/3A | CHOPPER, ELECTROMECHANICAL HERMETICALLY SEALED, SPDT BREAK BEFORE MAKE, BRACKET MOUNT [VALIDATION DATE: 8404] REVIEWER: ES | A | 5945 | EC | 07-FEB-72 | | EC | | |
| | MIL-C-83729/4A NOTICE 1 | CHOPPERS, ELECTROMECHANICAL, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE [VALIDATION DATE: 8811] USER: 19 MC ME REVIEWER: 11 17 AS AT AV MI OS | A | 5945 | 85 | 18-NOV-88 | ER | EC | 85 | |
| | MIL-C-83729/6A NOTICE 1 | CHOPPERS, ELECTROMECHANICAL, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE [VALIDATION DATE: 8811] USER: 19 MC REVIEWER: 11 17 AS AT AV MI OS | A | 5945 | 85 | 18-NOV-88 | ER | EC | 85 | |
| MQ | MIL-S-83731A(2) SUPPL 1&1, NOTICE 2 | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9305] USER: AR MC REVIEWER: 11 99 AV EC ES MI | A | 5930 | 85 | 28-MAY-93 | ER | AS | 85 | |
| | MIL-S-83731/9C(2) | SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, SINGLE POLE USER: AR REVIEWER: 99 ES | A | 5930 | 85 | 15-JAN-93 | ER | | 85 | |
| A | MIL-S-83731/10C(2) | SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, DOUBLE POLE REVIEWER: 99 AR ES | A | 5930 | 85 | 15-JAN-93 | ER | | 85 | |
| | MIL-S-83731/11C(1) | SWITCHES, TOGGLE, MINIATURE, LEVER-LOCK, SINGLE POLE, UNSEALED USER: AR REVIEWER: 99 | A | 5930 | 85 | 04-SEP-91 | ER | | 85 | |
| | MIL-S-83731/12C(1) | SWITCHES, TOGGLE, MINIATURE, LEVER-LOCK, DOUBLE POLE, UNSEALED USER: AR REVIEWER: 99 ES | A | 5930 | 85 | 04-SEP-91 | ER | | 85 | |
| A | MIL-S-83731/13B(1) | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (VERTICAL) PCB MOUNT, SINGLE POLE, LEVER SEAL, FLUX SEAL USER: AR REVIEWER: 99 ES | A | 5930 | 85 | 15-JAN-93 | ER | | 85 | |
| A | MIL-S-83731/14B(1) | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (VERTICAL) PCB MOUNT, DOUBLE POLE, LEVER SEAL, FLUX SEAL USER: AR REVIEWER: 99 ES | A | 5930 | 85 | 15-JAN-93 | ER | | 85 | |
| A | MIL-S-83731/15B(1) | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (HORIZONTAL) PCB MOUNT, SINGLE POLE, LEVER SEAL, FLUX SEAL USER: AR REVIEWER: 99 ES | A | 5930 | 85 | 15-JAN-93 | ER | | 85 | |
| A | MIL-S-83731/16B(1) | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (HORIZONTAL) PCB MOUNT, DOUBLE POLE, LEVER SEAL, FLUX SEAL USER: AR REVIEWER: 99 ES | A | 5930 | 85 | 15-JAN-93 | ER | | 85 | |
| L | MIL-S-83731/17A | SWITCHES, TOGGLE, SUBMINIATURE, SEALED LEVER, FLUX SEALED, ONE, TWO, AND FOUR POLE, HIGH AND LOW-LEVEL CONTACTS REVIEWER: 11 99 | A | 5930 | 85 | 26-JAN-87 | | | 85 | |
| L | MIL-S-83731/18A | SWITCHES, TOGGLE, SUBMINIATURE, SEALED LEVER, FLUX SEALED, ONE, TWO, AND FOUR POLE, RIGHT ANGLE (HORIZONTAL AND VERTICAL) PCB MOUNT, LOW-LEVEL CONTACTS REVIEWER: 11 99 | A | 5930 | 85 | 26-JAN-87 | | | 85 | |
| L | MIL-S-83731/19B | SWITCHES, TOGGLE, SUBMINIATURE, LEVER LOCK, SEALED LEVER, FLUX SEALED - ONE, TWO, AND FOUR POLE, HIGH AND LOW LEVEL CONTACTS REVIEWER: 11 99 | A | 5930 | 85 | 27-SEP-88 | | | 85 | |
| L | MIL-S-83731/20(1) | SWITCHES, TOGGLE, SUBMINIATURE, LEVER LOCK, SEALED LEVER, FLUX SEALED RIGHT ANGLE PC BOARD MOUNT - ONE, TWO, AND FOUR POLE, LOW LEVEL CONTACTS REVIEWER: 11 99 | A | 5930 | 85 | 24-MAR-87 | | | 85 | |
| L | MIL-S-83731/21A(1) | SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, FOUR POLE LOGIC LOAD TO 5 AMPERES REVIEWER: 99 ES | A | 5930 | 85 | 04-SEP-91 | | | 85 | |
| L | MIL-S-83731/22B | SWITCHES, TOGGLE, MINIATURE, LEVER-LOCK, FOUR POLE, UNSEALED, LOGIC LOAD TO 5 AMPERES | A | 5930 | 85 | 29-MAR-91 | | | 85 | |
| QL | MIL-C-83733C(1) SUPPL 1&1 | CONNECTORS, ELECTRICAL MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 200 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR REVIEWER: 11 99 ES | A | 5935 | 85 | 30-OCT-89 | | | 85 | |
| L | MIL-C-83733/1C NOTICE 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STANDARD HOLE MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C REVIEWER: 11 99 ES | A | 5935 | 85 | 13-NOV-87 | | | 85 | |
| L | MIL-C-83733/2D | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE PINS & SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C REVIEWER: 11 99 ES | A | 5935 | 85 | 26-JUL-86 | | | 85 | |
| L | MIL-C-83733/3B NOTICE 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE SOCKETS, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES | A | 5935 | 85 | 27-FEB-87 | | | 85 | |
| L | MIL-C-83733/4C NOTICE 1 | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH CAPTIVE SPRINGS, ENVIRONMENT RESISTING, 200 DEG C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES | A | 5935 | 85 | 27-FEB-87 | | | 85 | |
| L | MIL-C-83733/5B NOTICE 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, BUSHING MOUNTAIN, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES | A | 5935 | 85 | 27-FEB-87 | | | 85 | |
| L | MIL-C-83733/6C | CONNECTOR, ELECTRICAL, PLUG, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, CLINCH NUT MOUNTING, ENVIRONMENT RESISTING, 200 DEGREE C REVIEWER: 99 ES | A | 5935 | 85 | 31-DEC-87 | | | 85 | |
| L | MIL-C-83733/7D | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE SOCKETS & SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C REVIEWER: 11 99 ES | A | 5935 | 85 | 26-JUL-86 | | | 85 | |
| L | MIL-C-83733/8B NOTICE 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE PINS, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES | A | 5935 | 85 | 27-FEB-87 | | | 85 | |
| L | MIL-C-83733/9B NOTICE 1 | CONNECTOR, ELECTRICAL, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED STANDARD HOLE MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES | A | 5935 | 85 | 27-FEB-87 | | | 85 | |
| L | MIL-C-83733/10B NOTICE 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED BUSHING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES | A | 5935 | 85 | 27-FEB-87 | | | 85 | |
| L | MIL-C-83733/11B NOTICE 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED CLINCH NUT MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES | A | 5935 | 85 | 27-FEB-87 | | | 85 | |
| L | MIL-C-83733/12C | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C REVIEWER: 11 99 ES | A | 5935 | 85 | 26-JUL-86 | | | 85 | |
| L | MIL-C-83733/15A | CONNECTOR, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, BACKSHELL, RADIO FREQUENCY INTERFERENCE [VALIDATION DATE: 8206] REVIEWER: 11 99 ES | A | 5935 | 85 | 21-MAY-76 | | | 85 | |
| L | MIL-C-83733/16A | CONNECTOR, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, STRAIN RELIEF, STRAIGHT (S/S BY MIL-C-85049/44) REVIEWER: 11 99 ES | A | 5935 | 85 | 16-JAN-80 | | | 85 | |
| | MIL-C-83733/17 | CONNECTOR, RACK & PANEL, SPRING LOADED MOUNTING ASSEMBLY REVIEWER: 11 99 ES | A | 5935 | 85 | 28-JUL-86 | | | 85 | |
| AQ | MIL-S-83734 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPS), GENERAL SPECIFICATION FOR USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 08-FEB-93 | CR | EC | 85 | |
| | MIL-S-83734/1D NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 6 PIN DUAL-IN-LINE PACKAGES) [VALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | MIL-S-83734/2D NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 8 PIN DUAL-IN-LINE PACKAGES) [VALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-S-83734/3E<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 14 PIN DUAL-IN-LINE PACKAGES) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AS ES MI OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-S-83734/4D<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 16 PIN DUAL-IN-LINE PACKAGES) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-S-83734/5D<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 18 PIN DUAL-IN-LINE PACKAGES) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AS ES OS SH | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-S-83734/6D<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 22 PIN DUAL-IN-LINE PACKAGES) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-S-83734/7D<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 28 PIN DUAL-IN-LINE PACKAGES) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-S-83734/8D<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 24 PIN DUAL-IN-LINE PACKAGES) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-S-83734/9D<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 36 PIN DUAL-IN-LINE PACKAGES) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-S-83734/10E | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, (40 PIN, DUAL IN-LINE) USER: 19 MC REVIEWER: 11 17 99 AS ES OS SH | A | 5935 | 85 | 28-JUN-88 | CR | EC | 85 | |
| | | MIL-S-83734/11D | SOCKET, PLUG IN ELECTRONIC COMPONENTS, (8 PIN, DUAL IN LINE, RIGHT ANGLE LEADS) USER: 19 MC REVIEWER: 11 17 99 AS ES OS SH | A | 5935 | 85 | 28-JUN-88 | CR | EC | 85 | |
| | | MIL-S-83734/12D | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (RIGHT ANGLE LEADS, FOR 14 AND 16 PIN DUAL-IN-LINE PACKAGES) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 28-JUN-88 | CR | EC | 85 | |
| | | MIL-S-83734/13C | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 20 PIN DUAL-IN-LINE PACKAGES) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 28-JUN-88 | CR | EC | 85 | |
| | | MIL-S-83734/14C<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 48 PIN DUAL-IN-LINE PACKAGES) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-S-83734/15C<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 64 PIN DUAL-IN-LINE PACKAGE) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-S-83734/16<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, SINGLE-IN-LINE, LOW PROFILE (FOR SINGLE-IN-LINE PACKAGES) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 17 99 AS ES OS SH TD | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| | | MIL-S-83734/17<br>NOTICE 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS (FOR 32 PIN, DUAL-IN-LINE PACKAGES) (VALIDATION DATE: 9112) USER: 19 MC REVIEWER: 11 99 AS ES OS SH | A | 5935 | 85 | 27-DEC-91 | CR | EC | 85 | |
| Q | | MIL-S-83739A<br>NOTICE 1 | SWITCH, ANTENNA, RADIO FREQUENCY, SOLID-STATE, GENERAL SPECIFICATION FOR REVIEWER: 11 99 ES | A | 5985 | 85 | 02-MAR-87 | ER | EC | 85 | |
| | | MIL-S-83739/1A(1)<br>NOTICE 1 | SWITCH, ANTENNA, RADIO FREQUENCY, SOLID-STATE, SA-1474A/A (VALIDATION DATE: 8406) REVIEWER: 11 99 ES MI OS SH | A | 5985 | 85 | 17-FEB-77 | ER | EC | 85 | |
| L | | MIL-S-83739/2<br>NOTICE 1 | SWITCH, ANTENNA, RADIO FREQUENCY, SOLID-STATE (VALIDATION DATE: 8701) REVIEWER: 11 99 | A | 5985 | 85 | 30-JAN-87 | | | 85 | |
| | | MIL-M-83755A<br>NOTICE 1 | HOLDER, FLIGHT CHECK LIST (VALIDATION DATE: 8907) | A | 1680 | 82 | 20-JUL-89 | AV | AS | 99 | |
| | | MIL-P-83763 | POWER SUPPLY, TRANSISTORIZED (VALIDATION DATE: 8203) REVIEWER: GS | A | 6130 | 80 | 23-JAN-69 | ER | | 99 | |
| L | | MIL-F-83766A | FILLER AND PRESSURIZATION UNIT, HYDRAULIC SYSTEM REVIEWER: AL | A | 4910 | 82 | 27-DEC-84 | | | 99 | |
| | | MIL-L-83767B(1)<br>NOTICE 2 | LUBRICATING OIL, VACUUM PUMP, MECHANICAL (VALIDATION DATE: 9105) USER: SH REVIEWER: 11 AT AV DS GS PS | A | 9150 | 68 | 30-MAY-91 | MR | | 68 | |
| Q | | MIL-B-83769D(1)<br>SUPPL 1B1 | BATTERY, STORAGE, LEAD ACID, GENERAL SPECIFICATION FOR REVIEWER: 11 80 AV GS | A | 6140 | AS | 13-FEB-87 | ER | AS | 99 | |
| | | MIL-B-83769/1D | BATTERY, STORAGE, LEAD ACID, BB-638/U REVIEWER: 11 AV GS | A | 6140 | AS | 04-APR-83 | ER | AS | 99 | |
| | | MIL-B-83769/2D | BATTERY, STORAGE, LEAD ACID, BB-639/U REVIEWER: 11 AV | A | 6140 | AS | 04-APR-83 | ER | AS | 99 | |
| | | MIL-B-83769/3D | BATTERY, STORAGE, LEAD ACID, BB-640/U REVIEWER: 11 AV GS | A | 6140 | AS | 04-APR-83 | ER | AS | 99 | |
| | | MIL-B-83769/4C | BATTERY, STORAGE, LEAD ACID REVIEWER: 11 80 AV GS | A | 6140 | AS | 04-APR-83 | ER | AS | 99 | |
| | | MIL-B-83769/5C | BATTERY, STORAGE, LEAD ACID REVIEWER: 11 80 AV GS | A | 6140 | AS | 04-APR-83 | ER | AS | 99 | |
| | | MIL-B-83769/6C | BATTERY, STORAGE, LEAD ACID REVIEWER: 11 80 AV GS | A | 6140 | AS | 04-APR-83 | ER | AS | 99 | |
| L | | MIL-B-83769/7A | BATTERY, STORAGE, THREADED-POST-CONNECTED, LEAD-ACID | A | 6140 | AS | 05-NOV-82 | | AS | | |
| | | MIL-P-837708(1) | POTASSIUM DICHROMATE - SULFURIC ACID TEST SOLUTION (METRIC) REVIEWER: GS MC MI SH | A | 6850 | 68 | 23-JAN-87 | AV | AS | 68 | |
| L | | MIL-H-83772A(1) | HOSE ASSEMBLY, METAL, CRYOGENIC LIQUID, AIRCRAFT SERVICING | A | 4720 | 68 | 12-JUN-85 | | | 68 | |
| | | MIL-T-83773B | TEST STAND, AIRCRAFT PNEUMATIC COMPONENTS | A | 4920 | 82 | 13-MAR-85 | AV | AS | 99 | |
| L | | MIL-L-83774A<br>NOTICE 2 | LEAK DETECTOR, FUEL SYSTEM | A | 4940 | 82 | 05-APR-89 | | | 99 | |
| A | | MIL-H-83776A | HELMET, FLYER S, WINTER USER: 45 REVIEWER: MU | A | 8415 | CT | 28-JUN-85 | | | 99 | CT |
| A L | | MIL-P-83777(1) | PILLOW, PASSENGER, HEADREST, AIRLINE TYPE (VALIDATION DATE: 8305) | A | 7210 | CT | 08-JUL-86 | | | | CT |
| D | | MIL-M-837798 | WATER INDICATING PASTE, METRIC USER: AS MC YD1 REVIEWER: GS SA | A | 6850 | 68 | 17-JAN-85 | | SM | 68 | |
| A | | MIL-K-83782A<br>NOTICE 1 | KIT BAG, FLYER'S (VALIDATION DATE: 9110) | A | 8460 | CT | 31-OCT-91 | | AS | 99 | CT |
| A LI | | MIL-A-83783<br>NOTICE 2 | ADAPTER, TEST, MX-9042/G REVIEWER: 15 | A | 1190 | 79 | 31-MAR-93 | | | 79 | |
| L | | MIL-B-83787(1) | BELT, AIRCRAFT SAFETY, LAP, TROOP, TYPES MD-1 AND MD-2 (VALIDATION DATE: 8405) | A | 1680 | 82 | 25-AUG-78 | | | 99 | |
| A | | MIL-T-83788 | TENT, PYRAMIDAL, SURVIVAL, 3-4 MAN, SRU-1/P (VALIDATION DATE: 8504) USER: 45 | A | 8340 | CT | 10-MAY-73 | | | 99 | CT |
| A | | MIL-S-83791A | SUITCASE, FLYER S CLOTHING, B-4B (VALIDATION DATE: 8504) REVIEWER: 45 | A | 8460 | CT | 26-JUN-78 | | | 99 | CT |
| L | | MIL-S-83792A | SULFUR DIOXIDE, TECHNICAL (VALIDATION DATE: 8503) REVIEWER: GS | A | 6830 | 68 | 02-AUG-73 | | | 68 | |
| L | | MIL-G-83794(1)<br>NOTICE 1 | GASES, CALIBRATING, AND MIXTURES, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8605) REVIEWER: GS | A | 6830 | 68 | 25-JUN-76 | | | 68 | |
| L | | MIL-G-83794/4<br>NOTICE 2 | GASES, CALIBRATING, AND MIXTURES: OXYGEN (5%) IN NITROGEN MIXTURE (VALIDATION DATE: 8810) | A | 6830 | 68 | 06-OCT-88 | | | 68 | |
| L | | MIL-G-83794/5 | GASES, CALIBRATING, AND MIXTURES, 80% NITROGEN, 10% HELIUM, 10% OXYGEN | A | 6830 | 68 | 11-JUN-85 | | | 68 | |
| L | | MIL-L-83795A(1) | LAYOUT DYE, BLUE USER: AS AV SH REVIEWER: GS | A | 6850 | 68 | 18-JAN-85 | | | 68 | |
| | | MIL-H-83796 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8402) USER: 11 REVIEWER: AT CS ME | A | 4720 | 82 | 01-AUG-74 | AV | | 99 | |
| | | MIL-H-83796/1 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLARE (VALIDATION DATE: 8209) USER: 11 REVIEWER: AT ME | A | 4720 | 82 | 01-AUG-74 | AV | | 99 | |
| | | MIL-H-83796/2 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLARE, WITH LOCKWIRE HOLE (VALIDATION DATE: 8209) USER: 11 REVIEWER: AT ME | A | 4720 | 82 | 01-AUG-74 | AV | | 99 | |
| | | MIL-H-83796/3 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLARELESS (VALIDATION DATE: 8209) USER: 11 REVIEWER: AT ME | A | 4720 | 82 | 01-AUG-74 | AV | | 99 | |
| | | MIL-H-83796/4 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLARELESS, WITH LOCKWIRE HOLE (VALIDATION DATE: 8209) USER: 11 REVIEWER: AT ME | A | 4720 | 82 | 01-AUG-74 | AV | | 99 | |
| | | MIL-H-83796/5 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLANGE (VALIDATION DATE: 8306) USER: 11 REVIEWER: AT ME | A | 4720 | 82 | 01-AUG-74 | AV | | 99 | |
| | | MIL-H-83796/6 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLANGE, WITH LOCKWIRE HOLE (VALIDATION DATE: 8209) USER: 11 REVIEWER: AT CS ME | A | 4720 | 82 | 01-AUG-74 | AV | | 99 | |
| | | MIL-H-83796/7 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLANGE (VALIDATION DATE: 8209) USER: 11 REVIEWER: AT ME | A | 4720 | 82 | 01-AUG-74 | AV | | 99 | |
| | | MIL-H-83796/8 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLANGE, WITH LOCKWIRE HOLE (VALIDATION DATE: 8209) USER: 11 REVIEWER: AT ME | A | 4720 | 82 | 01-AUG-74 | AV | | 99 | |
| | | MIL-H-83796/9 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLANGE TO FLANGE (VALIDATION DATE: 8209) USER: 11 REVIEWER: AT ME | A | 4720 | 82 | 01-AUG-74 | AV | | 99 | |

| Action | Doc. / Cmbl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| NO | | MIL-H-83797A | HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR USER: 11 REVIEWER: AT CS MI | A | 4720 | 82 | AV | 02-JUN-93 | AV | AS | 99 | |
| | | MIL-H-83797/1 | HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FUEL AND OIL RESISTANT (VALIDATION DATE: 8512) USER: 11 REVIEWER: AT CS ME | A | 4720 | 82 | AV | 01-AUG-74 | AV | | 99 | |
| Q | | MIL-F-83798B | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR USER: 11 REVIEWER: AS AT CS ME | A | 4730 | 82 | AV | 15-NOV-91 | AV | | 99 | |
| | | MIL-F-83798/1A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARED, SWIVEL NUT, STRAIGHT (VALIDATION DATE: 8306) USER: 11 REVIEWER: AT CS ME | A | 4730 | 82 | AV | 12-JAN-77 | AV | | 99 | |
| | | MIL-F-83798/2A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARED, SWIVEL NUT, 45 DEGREES (VALIDATION DATE: 8306) USER: 11 REVIEWER: AT CS ME | A | 4730 | 82 | AV | 12-JAN-77 | AV | | 99 | |
| | | MIL-F-83798/3A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARED, SWIVEL NUT, 90 DEGREES (VALIDATION DATE: 8306) USER: 11 REVIEWER: AT CS ME | A | 4730 | 82 | AV | 12-JAN-77 | AV | | 99 | |
| | | MIL-F-83798/4A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARELESS, SWIVEL NUT, STRAIGHT (VALIDATION DATE: 8306) USER: 11 REVIEWER: AT CS ME | A | 4730 | 82 | AV | 12-JAN-77 | AV | | 99 | |
| | | MIL-F-83798/5A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARELESS, SWIVEL NUT, 45 DEGREES (VALIDATION DATE: 8306) USER: 11 REVIEWER: AT CS ME | A | 4730 | 82 | AV | 12-JAN-77 | AV | | 99 | |
| | | MIL-F-83798/6A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARELESS, SWIVEL NUT, 90 DEGREES (VALIDATION DATE: 8306) USER: 11 REVIEWER: AT CS ME | A | 4730 | 82 | AV | 12-JAN-77 | AV | | 99 | |
| | | MIL-F-83798/7A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, SWIVEL FLANGE, STRAIGHT (VALIDATION DATE: 8306) USER: 11 REVIEWER: AT CS ME | A | 4730 | 82 | AV | 12-JAN-77 | AV | | 99 | |
| | | MIL-F-83798/8A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, SWIVEL FLANGE, 45 DEGREES (VALIDATION DATE: 8306) USER: 11 REVIEWER: AT CS ME | A | 4730 | 82 | AV | 12-JAN-77 | AV | | 99 | |
| | | MIL-F-83798/9A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, SWIVEL FLANGE, 90 DEGREES (VALIDATION DATE: 8306) USER: 11 REVIEWER: AT CS ME | A | 4730 | 82 | AV | 12-JAN-77 | AV | | 99 | |
| | | MIL-P-83800A(2) | PROPANEDIOL (METRIC) 1,2 REVIEWER: 11 80 GS | A | 6810 | 68 | | 13-NOV-84 | | OS | 68 | |
| A | L1 | MIL-T-83801 NOTICE 2 | TRAILER, BOMB, MHU-123/M REVIEWER: 15 | A | 1190 | 79 | | 31-AUG-92 | | | 79 | |
| | | MIL-O-83803(2) | OLCILLOSCOPE (AN/USM 425(V)), 100 MEGAHERTZ (MHZ), GENERAL PURPOSE USER: MC OS SC | A | 6625 | SH | | 15-DEC-83 | CR | SH | 99 | |
| | L | MIL-M-83805 | MIXER, CONCRETE, TRUCK MOUNTED, 8 CUBIC YARD CAPACITY, 6X4 OR 6X6 | A | 3895 | 84 | | 30-MAR-90 | | | 99 | |
| | L | MIL-S-83806 | SAW SET, CONCRETE AND ASPHALT, 70 HP, FOR RAPID RUNWAY REPAIR APPLICATIONS | A | 3895 | 84 | | 27-APR-90 | | | 99 | |
| | L | MIL-S-83807 | SCRAPER, SELF PROPELLED, 11 CUBIC YARDS CAPACITY, SELF ELEVATING | A | 3805 | 84 | | 27-APR-90 | | | 99 | |
| | L | MIL-T-83808 | TRACTOR, COMMERCIAL, 4X2, DIESEL ENGINE DRIVEN (DED), SUPPORT EQUIPMENT (SE) TOWING 40,000 POUNDS, AIRCRAFT (AC) TOWING 70,000 POUNDS, 4,500 POUNDS DRAWBAR PULL (DBP) | A | 1740 | 84 | | 30-APR-90 | | | 99 | |
| | L | MIL-T-83809 | TRUCK, LIFT, FORK, ELECTRIC, ORDER SELECTOR, HIGH LIFT RIDER, 3000 POUND CAPACITY, 193 INCH MINIMUM LIFT | A | 3930 | 84 | | 26-APR-91 | | | 99 | |
| | L | MIL-C-83810 | CRANE, FLOOR, PORTABLE, 1,500 POUND CAPACITY | A | 3950 | 84 | | 04-OCT-91 | | | 99 | |
| | L | MIL-C-83811 | CRANE, FLOOR, PORTABLE, TRESTLE TYPE 8,000 POUND CAPACITY | A | 3950 | 84 | | 02-NOV-90 | | | 99 | |
| | L | MIL-T-83812 | TRUCK, LIFT, FORK, 10,000 AND 13,000 POUND CAPACITY, ADVERSE TERRAIN | A | 3930 | 84 | | 25-MAY-90 | | | 99 | |
| | L | MIL-T-83813 | TRUCK, CARGO, DEPOT TRANSPORTER | A | 2320 | 84 | | 14-JUN-90 | | | 99 | |
| | L | MIL-P-83814 | PLANT, ASPHALT MIXING, DRUM TYPE, ELECTRIC MOTOR DRIVEN, ROADABLE, AIR TRANSPORTABLE C-5A AIRCRAFT, 125 TONS PER HOUR CAPACITY | A | 3895 | 84 | | 14-JUN-90 | | | 99 | |
| | L | MIL-T-83815 | TRUCK, TANK, LIQUID NITROGEN, AIRCRAFT SERVICING, 900 GALLON | A | 2320 | 84 | | 26-NOV-90 | | | 99 | |
| | L | MIL-T-83816 | TRUCK, LIFT, FORK, ELECTRIC, WALKIE REACH, 3000 POUND CAPACITY, 150 INCH MINIMUM LIFT | A | 3930 | 84 | | 31-JUL-90 | | | 99 | |
| | L | MIL-T-83817 | TRUCK, LIFT, FORK, 4,000 POUND CAPACITY AT 23.5 FEET OF REACH, ROUGH TERRAIN | A | 3930 | 84 | | 06-NOV-90 | | | 99 | |
| | L | MIL-T-83818 | TRUCK, LIFT, FORK, 4,000 AND 6,200 POUND CAPACITY FRONT/SIDE LOADING, INTERNAL COMBUSTION ENGINE | A | 3930 | 84 | | 15-OCT-90 | | | 99 | |
| A | L | MIL-D-83819 | DRILLING SYSTEM, WATER WELL, ROTARY, MINIMUM 1500 FEET CAPACITY AIR TRANSPORTABLE | A | 3820 | 84 | | 13-AUG-92 | | | 99 | |
| | L | MIL-C-83821 | CRANE, WHEEL MOUNTED, CRASH, ROUGH TERRAIN, HYDRAULIC FULL REVOLVING, 4X4, DED, FIGHTER TYPE AIRCRAFT | A | 3810 | 84 | | 26-NOV-90 | | | 99 | |
| | L | MIL-T-83822 | TOWER AB-1368/F, 10 FOOT AND 17 FOOT SECTIONS FOR USE WITH OR WITHOUT A RIGID RADOME | A | 5445 | 84 | | 09-JUL-91 | | | 99 | |
| | L | MIL-T-83823 | TRUCK, FIRE FIGHTING (STRUCTURAL OR BRUSH-STRUCTURAL, 1,250 GPM, 4 X 2 OR 4 X 4 CHASSIS) | A | 4210 | 84 | | 13-SEP-91 | | | 99 | |
| | ML | MIL-G-83824 | GYROSCOPE, RATE, TYPE I, TYPE II, AND TYPE III | A | 6615 | 70 | | 04-OCT-91 | | | 99 | |
| D | L | MIL-T-83826 | TRUCK, HIGH PRESSURE SEWER CLEANING AND MANHOLE VACUUM REVIEWER: YD1 | A | 2320 | 84 | | 13-AUG-92 | | | 99 | |
| D | | MIL-M-83827 | MAGNET SWEEPER, ELECTROMAGNETIC TYPE, WHEEL MOUNTED, 96 INCH | A | 3830 | 84 | | 13-AUG-92 | | YD1 | 99 | |
| D | | MIL-F-83828 | FILLERS AND SPACERS FOR ROTARY SWEEPER BRUSHES, FRONT MOUNTED OR TOWED TYPE SWEEPERS USER: 11 CE REVIEWER: CS | A | 3825 | 84 | | 26-OCT-92 | ME | YD1 | 99 | |
| D | L | MIL-S-83829 | SWEEPER, ROTARY, SNOW, FRONT MOUNTED REVIEWER: YD1 | A | 3825 | 84 | | 26-OCT-92 | | | 99 | |
| | L | MIL-C-83856(5) | COMPUTER, ATTACK TYPE CPU-73 A/P | A | 6605 | 71 | | 15-SEP-86 | | | 99 | |
| AQ | L | MIL-F-83860B(1) | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR REVIEWER: CS | A | 1650 | 71 | | 22-JUN-92 | | | 99 | |
| | L | MIL-F-83860/1A(1) NOTICE 1 | FILTER ELEMENT, FLUID PRESSURE, HYDRAULIC, AIRCRAFT, DISPOSABLE, 5 MICRON ABSOLUTE (VALIDATION DATE: 9105) | A | 1650 | 71 | | 15-MAY-91 | | | 99 | |
| | L | MIL-F-83860/2A(2) NOTICE 1 | FILTER ELEMENT, FLUID PRESSURE, HYDRAULIC, AIRCRAFT, DISPOSABLE, 5 MICRON ABSOLUTE (VALIDATION DATE: 9105) | A | 1650 | 71 | | 15-MAY-91 | | | 99 | |
| | L | MIL-F-83860/3(2) NOTICE 1 | FILTER ELEMENT, FLUID PRESSURE, HYDRAULIC, AIRCRAFT, DISPOSABLE, 5 MICRON ABSOLUTE (VALIDATION DATE: 9105) | A | 1650 | 71 | | 15-MAY-91 | | | 99 | |
| A | L | MIL-F-83860/4(3) | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, TYPE II SYSTEMS REVIEWER: CS | A | 1650 | 71 | | 12-JAN-93 | | | 99 | |
| QL | | MIL-F-83861B NOTICE 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 AND 15 MICRON ABSOLUTE, TYPE II SYSTEMS GENERAL SPECIFICATION FOR (VALIDATION DATE: 9105) | A | 1650 | 71 | | 15-MAY-91 | | | 99 | |
| | L | MIL-F-83861/1A(2) NOTICE 1 | FILTER ELEMENT, FLUID PRESSURE, HYDRAULIC, AIRCRAFT, DISPOSABLE, 5 MICRON ABSOLUTE (VALIDATION DATE: 9105) | A | 1650 | 71 | | 21-MAY-91 | | | 99 | |
| | L | MIL-F-83861/2A NOTICE 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE, TYPE II SYSTEMS (VALIDATION DATE: 9105) | A | 1650 | 71 | | 21-MAY-91 | | | 99 | |
| | L | MIL-F-83861/3(1) | FILTER ELEMENT, FLUID PRESSURE, HYDRAULIC, AIRCRAFT, DISPOSABLE 5 MICRON ABSOLUTE | A | 1650 | 71 | | 21-MAY-91 | | | 99 | |
| | L | MIL-S-83862A | STRAP, RETENTION, SURVIVAL KIT | A | 1680 | 82 | | 16-NOV-90 | | | 99 | |
| | L | MIL-S-83863B | SPACER ASSEMBLY, SURVIVAL CONTAINER PARACHUTE SUPPORT | A | 1660 | 82 | | 01-JUN-86 | | | 99 | |
| A | L | MIL-C-83864A(1) | CONTAINER, INNER, SURVIVAL KIT | A | 1660 | 82 | | 28-DEC-92 | | | 99 | |
| | L | MIL-C-83865(2) | CUSHION, SEAT, SURVIVAL CONTAINER | A | 1660 | 82 | | 22-AUG-90 | | | 99 | |
| QL | | MIL-R-83866 | RECEIEVER, OXYGEN MASK, ASSEMBLY OF (VALIDATION DATE: 8505) REVIEWER: 11 .. | A | 1660 | 82 | | 19-JUL-74 | | | 99 | |
| AQL | | MIL-C-83867A(1) | CONNECTOR, OXYGEN MASK HOSE NON-EJECTION TYPE | A | 1660 | 82 | | 28-DEC-92 | | | 99 | |
| QL | | MIL-F-83870A(2) NOTICE 1 | FILTER ELEMENT, FLUID PRESSURE, TRANSMISSION, AIRCRAFT DISPOSABLE, 20 MICRON ABSOLUTE (VALIDATION DATE: 9105) | A | 1650 | 71 | | 15-MAY-91 | | | 99 | |
| | L | MIL-T-83871A(1) | TRANSDUCER, MOTIONAL PICKUP, VIBRATION, VELOCITY | A | 6620 | 71 | | 02-AUG-86 | | | 99 | |
| | L | MIL-G-83872A(2) | GYROSCOPE, DISPLACEMENT, TYPE SBU-23/A | A | 6615 | 71 | | 02-DEC-88 | | | 99 | |
| AQ | | MIL-C-83873A | CLEANING COMPOUND, PRECOATING SURFACE, AIRCRAFT AND AEROSPACE GROUND EQUIPMENT (AGE) REVIEWER: 11 GS | A | 6850 | 68 | | 12-MAR-93 | GL | AS | 68 | |
| | L | MIL-M-83925A | MARKER, TRAFFIC LINE, TRUCK MOUNTED | A | 3825 | 84 | | 11-JUN-82 | | | 99 | |
| | L | MIL-P-83927B | POWER SUPPLY, GUIDED MISSILE LAUNCHERS, SINGLE TYPES PP-2401B/A, PP-2401C/A, PP-2401D/A, PP-4285/A, PP-4286/A, & COMPOSITE TYPE PP-4506/A & PS-1037C REVIEWER: 11 | A | 1440 | 84 | | 09-FEB-81 | | | 99 | |
| | L | MIL-B-83938 NOTICE 1 | BINDERS, FLEXIBLE, TECHNICAL MANUAL REVIEWER: 16 85 | A | 7510 | 84 | | 22-JUL-86 | | | 99 | |
| D | | MIL-C-83933 NOTICE 1 | CORROSION PREVENTIVE COMPOUNDS COLD APPLICATION (FOR MOTOR VEHICLES (VALIDATION DATE: 8702) USER: EA REVIEWER: SH | A | 8030 | MR | MR | 10-FEB-87 | MR | YD1 | 99 | |

| Action | CPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | QL | MIL-C-0083933A(3) | CORROSION PREVENTIVE COMPOUND, COLD-APPLICATION (FOR MOTOR VEHICLES) [VALIDATION DATE: 8601] USER: AR MI REVIEWER: AT MD | A 8030 | MR | 12-AUG-71 | MR | | | |
| | | MIL-D-839358 | DISHWASHING SYSTEM (COMMERCIAL), MULTIPLE-TANK, CONTINUOUS OVAL CONVEYOR-TYPE REVIEWER: GS | A 7320 | GL | 28-SEP-88 | GL | | 99 | |
| | QL | MIL-R-83936B(1) | REMOVER, PAINT, TANK TYPE, FOR AIRCRAFT WHEELS, LANDING GEAR COMPONENTS, AND OTHER AIRCRAFT AND AGE COMPONENTS [VALIDATION DATE: 8506] | A 8010 | 84 | 11-AUG-78 | | | 99 | |
| | L | MIL-S-83946 | SHEETING AND TAPE, REFLECTIVE, OPEN TYPE SECURED LENS, ADHESIVE BACKING, PRESSURE SENSITIVE [VALIDATION DATE: 8207] REVIEWER: GS | A 9390 | 84 | 09-SEP-69 | | | 99 | |
| | L | MIL-P-83950 | PUMP, VACUUM, POSITIVE DISPLACEMENT, ELECTRIC MOTOR DRIVEN [VALIDATION DATE: 7802] | A 4310 | 84 | 18-DEC-69 | | | 99 | |
| | L | MIL-P-83953A(1) NOTICE 1 | PENCIL, AIRCRAFT MARKING USER: GL | A 7520 | 84 | 03-AUG-90 | | | 99 | |
| | L | MIL-H-83955(1) NOTICE 2 | HEATER, ELECTRIC, IMMERSION (APPLICABLE TO A/M32R-6 RECHARGER) REVIEWER: GS | A 4540 | 84 | 29-OCT-82 | | | 99 | |
| | L | MIL-T-83956A | TOWER, ASR-4, 10 FOOT AND 17 FOOT SECTIONS | A 5445 | 84 | 17-JAN-77 | | | 99 | |
| | L | MIL-C-83957A(1) NOTICE 1 | CLEANING AND POLISHING PAD, NON-METALLIC (FOR AIRCRAFT) [VALIDATION DATE: 8801] USER: GL | A 7920 | 84 | 11-JAN-88 | | | 99 | |
| | | MIL-T-83958A | TOWER, SELF SUPPORTING, TYPE GP-1 USER: AS MC OS | A 5445 | 84 | 17-JAN-77 | ME | | 99 | |
| | L | MIL-C-83959 | CYLINDER, AIR PURIFIER [VALIDATION DATE: 7709] | A 4310 | 84 | 19-APR-71 | | | 99 | |
| | L | MIL-C-83960A | CYLINDER, DEHYDRATOR USER: AV ME REVIEWER: OS | A 4440 | 84 | 28-NOV-88 | | | 99 | |
| D | | MIL-S-83961(1) | SPRAYER, INSECTICIDE, ELECTRIC MOTOR DRIVEN, FRAME MOUNTED [VALIDATION DATE: 8403] REVIEWER: CS | A 3740 | 84 | 07-JUN-78 | ME | YD1 | 99 | |
| | | MIL-B-83963A NOTICE 1 | BINDER AND FILLER, FLEXIBLE, LOOSE LEAF FLIGHT CREW CHECK LIST [VALIDATION DATE: 8605] REVIEWER: AV | A 7510 | 84 | 06-MAY-86 | GL | SA | 99 | |
| | L | MIL-T-83965B | TRUCK, FIRE-RESCUE, A/S32P-10 FORCIBLE ENTRY | A 4210 | 84 | 26-NOV-90 | | | 99 | |
| | L | MIL-W-839708 | WING AND ROLLERON ASSEMBLY, AIM-9 | A 1420 | 84 | 25-JAN-88 | | | 99 | |
| | L | MIL-P-83971(1) | PUMP, POSITIVE DISPLACEMENT, ROTARY [VALIDATION DATE: 8201] REVIEWER: CS | A 4510 | 84 | 17-NOV-78 | | | 99 | |
| | QL | MIL-C-83982 | COMPOUND, SEALING, FLUID RESISTANT [VALIDATION DATE: 8207] | A 8030 | 84 | 21-JAN-74 | | | 99 | |
| | L | MIL-G-83984 | GAGE, SURFACE PLATE FLATNESS CHECKING [VALIDATION DATE: 8506] | A 5220 | 84 | 14-FEB-74 | | | 99 | |
| | L | MIL-C-83988 | COMPARATOR, BENCH TYPE, VERTICAL COLUMN, ELECTRONICALLY AMPLIFIED [VALIDATION DATE: 8506] REVIEWER: 23 | A 5220 | 84 | 21-JUN-74 | | | 99 | |
| | L | MIL-O-83990(1) | OVEN, THERMAL DRYING, ELECTRIC [VALIDATION DATE: 8211] | A 4430 | 84 | 11-MAR-76 | | | 99 | |
| | L | MIL-C-83991A | COVER, POLYETHYLENE, PALLET, CARGO HCU-6/E AND HCU-12/E REVIEWER: GS | A 3990 | 84 | 11-OCT-88 | | | 99 | |
| | L | MIL-O-83993(2) | OVEN, FOOD WARMING, ELECTRICAL (12 MEAL) [VALIDATION DATE: 8506] REVIEWER: GS | A 7310 | 84 | 02-DEC-85 | | | 99 | |
| | | MIL-A-83995A NOTICE 1 | AUTOMATED DATA PROCESSING EQUIPMENT, (MAJOR COMPONENTS) PACKAGING OF [VALIDATION DATE: 8902] REVIEWER: 11 13 43 AR AT AV CR MI | A PACK | 84 | 17-FEB-89 | SM | SA | 99 | |
| | L | MIL-C-83996A | CARTRIDGE, DESICCANT | A 4440 | 84 | 17-JUL-89 | | | 99 | |
| | | MIL-S-83997 | COMPARATOR GAGE, INTERNAL AND EXTERNAL, ELECTRONICALLY AMPLIFIED USER: AT ME REVIEWER: AS AV MI | A 5220 | 84 | 26-SEP-85 | AR | | 99 | |
| | | MIL-C-85001B NOTICE 1 | CHAFF ROLL (TYPE RR-( )/AL), GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] | A 5865 | AS | 17-OCT-91 | | AS | 99 | |
| | L | MIL-C-85001/171 NOTICE 1 | CHAFF ROLL (TYPE RR-171/ALE) [VALIDATION DATE: 9110] | A 5865 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-C-85001/172 NOTICE 1 | CHAFF ROLL (TYPE RR-172/ALE) [VALIDATION DATE: 9110] | A 5865 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-C-85002B | CHAFF PACKAGE (TYPE RR-()/AL) GENERAL SPECIFICATION FOR | A 5865 | AS | 12-OCT-82 | | AS | | |
| | L | MIL-C-85002/1A NOTICE 1 | CHAFF PACKAGE (TYPE RR-153A/AL) [VALIDATION DATE: 9110] | A 5865 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-C-85002/2A NOTICE 1 | CHAFF PACKAGE (TYPE RR-152A/AL) [VALIDATION DATE: 9110] | A 5865 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-C-85002/3A NOTICE 1 | CHAFF PACKAGE (TYPE RR-173/AL) [VALIDATION DATE: 9110] | A 5865 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-C-85002/4 NOTICE 1 | CHAFF PACKAGE (TYPE RR-177/AL) [VALIDATION DATE: 9110] | A 5865 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-C-85003B(1) | CHAFF CARTRIDGE (TYPE RR-( )/AL), GENERAL SPECIFICATION FOR | A 5865 | AS | 21-OCT-86 | | AS | | |
| | L | MIL-C-85003/129 NOTICE 1 | CHAFF CARTRIDGE (TYPE RR-129/ALE) [VALIDATION DATE: 9110] | A 5865 | AS | 17-OCT-91 | | AS | | |
| | L | MIL-M-85005A(1) | NAVIGATION DISPLAY SET, AN/ASN-124 | A 5826 | AS | 31-MAR-82 | | AS | | |
| | L | MIL-C-85016 | COMPUTER SET, TACTICAL AN/ASN-91B(V) [VALIDATION DATE: 8307] | A 5826 | AS | 04-MAY-77 | | AS | | |
| | | MIL-S-85018A | SECOND ORDER ATTITUDE REFERENCE SYSTEM (SOARS) AN/ASN-116 [VALIDATION DATE: 8410] | A 6605 | AS | 05-MAY-78 | | AS | 11 | |
| | L | MIL-C-85019 | COMPUTER, AIR NAVIGATION, TRUE AIRSPEED, MACH NUMBER, WIND COMPONENTS, SUPERSONIC, TYPE MB-9 [VALIDATION DATE: 8303] | A 6605 | AS | 15-OCT-76 | | AS | | |
| | L | MIL-M-85025A | MANUALS, NATOPS FLIGHT REQUIREMENTS FOR PREPARATION OF | A TMSS | AS | 08-DEC-80 | | AS | | |
| | L | MIL-T-85027 | TEST SET, ANTENNA, BORESIGHT TS-3568 ( )/AWM-23(V) [VALIDATION DATE: 8201] | A 4935 | AS | 10-OCT-75 | | AS | | |
| | L | MIL-C-85028 SUPPL 1&1 | CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER TACKSCREW, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8410] REVIEWER: EC MI | A 5935 | AS | 25-OCT-77 | | AS | | |
| | L | MIL-C-85028/1 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER JACKSCREW, PLUG, CRIMP REMOVABLE PIN CONTACTS, CLASS E [VALIDATION DATE: 8410] REVIEWER: EC | A 5935 | AS | 25-OCT-77 | | AS | | |
| | L | MIL-C-85028/2 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER HARDWARE, RECEPTACLE, CRIMP REMOVABLE SOCKET CONTACTS, CLASS E [VALIDATION DATE: 8410] REVIEWER: EC | A 5935 | AS | 25-OCT-77 | | AS | | |
| | L | MIL-C-85028/3 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER JACKSCREW, INTERFACIAL SEAL, SIZE 16, CRIMP CONTACTS [VALIDATION DATE: 8410] REVIEWER: EC | A 5935 | AS | 25-OCT-77 | | AS | | |
| | L | MIL-C-85028/4 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER JACKSCREW, SEALING PLUG, SIZE 16, CRIMP REMOVABLE CONTACTS [VALIDATION DATE: 8410] REVIEWER: EC | A 5935 | AS | 25-OCT-77 | | AS | | |
| | L | MIL-C-85028/5 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER JACKSCREW, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS [VALIDATION DATE: 8410] REVIEWER: EC | A 5935 | AS | 25-OCT-77 | | AS | | |
| | L | MIL-C-85028/6 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZEDCENTER JACKSCREW, REPLACEMENT TOOL, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS [VALIDATION DATE: 8410] REVIEWER: EC | A 5935 | AS | 25-OCT-77 | | AS | | |
| | L | MIL-T-85031B | TEST SET, GUIDED WEAPON AN/DSM-96B | A 4935 | AS | 15-SEP-87 | | AS | | |
| | L | MIL-T-85032A NOTICE 1 | TEST SET, GUIDED WEAPON AN/DSM-92C [VALIDATION DATE: 8704] | A 4935 | AS | 15-APR-87 | | AS | | |
| | L | MIL-V-85033A | VALVE, CHARGING | A 1055 | AS | 03-FEB-81 | | AS | | |
| | L | MIL-P-85034 | POWER PACKAGE, EMERGENCY AC/DC GENERATOR, RAM AIR TURBINE DRIVEN [VALIDATION DATE: 8202] | A 6115 | AS | 06-MAY-76 | | AS | | |
| | L | MIL-B-85036A NOTICE 1 | BARRIER MATERIALS, HEAVY DUTY, FOR FLEXIBLE ENGINE CONTAINERS [VALIDATION DATE: 9110] | A 8135 | AS | 29-OCT-91 | | AS | | |
| A | L | MIL-H-85037(4) | HOOD, WINTER, FLYER'S | A 8415 | CT | 18-SEP-91 | | AS | | CT |
| | L | MIL-H-85037(13) | HOOD, WINTER, FLYER'S | A 8415 | AS | 01-OCT-90 | | AS | | |
| A | | MIL-C-85038(1) | CLOTH, KNITTED, ARAMID, HIGH TEMPERATURE RESISTANT USER: SA REVIEWER: 82 | A 8305 | CT | 26-SEP-85 | | AS | 99 | CT |
| | L | MIL-T-85039 | TEST SET, MISSILE INTERFACE (MITS) TS-3561 ( )/AWM-23(V) [VALIDATION DATE: 8201] | A 4935 | AS | 19-MAY-76 | | AS | | |
| A | | MIL-D-85040B(1) | DRAWERS AND UNDERSHIRTS, FLYER'S, ANTI-EXPOSURE, ARAMID, HIGH TEMPERATURE RESISTANT, CWU-43/P AND CWU-44/P USER: 45 REVIEWER: 82 | A 8415 | CT | 18-SEP-91 | | AS | 99 | CT |
| | L | MIL-H-85042A | HOOKS, BOMB RACK, GENERAL SPECIFICATION FOR | A 1095 | AS | 11-FEB-83 | | AS | | |
| | | MIL-C-85043B NOTICE 1 | CLOTHS, CLEANING, LOW-LINT [VALIDATION DATE: 9110] USER: MC | A 7920 | AS | 29-OCT-91 | GL | AS | | |

| Action | OPR / Qtr. Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | | DOD-C-0085045D | CABLE, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR USER: YD1 REVIEWER: EC | A | 6015 | | SH | 30-NOV-88 | | SH | | |
| Q | | | MIL-C-85045E SUPPL 1B1 | CABLES, FIBER OPTICS, (METRIC), GENERAL SPECIFICATION FOR USER: 14 REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI OS | A | 6015 | | SH | 21-MAY-92 | CR | SH | | 85 |
| | | | DOD-C-85045/2B | CABLES, FIBER OPTICS, ONE, TWO, FOUR, AND ALL SIX FIBER, HEAVY DUTY (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC | A | 6015 | 85 | | 20-MAR-87 | CR | EC | | 85 |
| | | | DOD-C-85045/3A | CABLES, FIBER OPTICS, HEAVY DUTY, WITH GEL FILLING AND FLOODING COMPOUND (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC | A | 6015 | 85 | | 20-MAR-87 | CR | EC | | 85 |
| | | | DOD-C-85045/4A | CABLES, FIBER OPTICS, HEAVY DUTY, RUGGEDIZED WITH STEEL SHEATHING RODENT PROTECTION, GEL FILLING AND FLOODING COMPOUND (METRIC) USER: 17 REVIEWER: 11 AS ES MI SC | A | 6015 | 85 | | 20-MAR-87 | CR | EC | | 85 |
| | | | DOD-C-85045/5A | CABLES, FIBER OPTICS, HEAVY DUTY, RUGGEDIZED WITH NON-METALIC SHEATHING RODENT PROTECTION, GEL FILLING AND FLOODING COMPOUND (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC | A | 6015 | 85 | | 20-MAR-87 | CR | EC | | 85 |
| | L | | DOD-C-85045/6C | CABLES, FIBER OPTICS, ENVIRONMENT RESISTING USER: 17 REVIEWER: 11 AS ES MI SC | A | 6015 | | SH | 10-SEP-86 | CR | SH | | 85 |
| | L | | DOD-C-85045/8 | CABLE, FIBER OPTIC, RUGGEDIZED, RADIATION HARDENED (METRIC) REVIEWER: ES SC | A | 6015 | | CR | 31-MAR-87 | CR | | | |
| | | | DOD-C-85045/9(1) | CABLES, FIBER OPTICS, BREAK OUT, INDIVIDUALLY JACKETED JACKETED FIBERS (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC | A | 6015 | 85 | | 13-SEP-90 | CR | EC | | 85 |
| | | | DOD-C-85045/10 | CABLES, FIBER OPTICS, WITH GEL FILLING AND FLOODING COMPOUND (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC | A | 6015 | 85 | | 20-MAR-87 | CR | EC | | 85 |
| | | | DOD-C-85045/11(1) | CABLES, FIBER OPTICS, WITH STEEL SHEATHING RODENT PROTECTION, GEL FILLING AND FLOODING COMPOUND (METRIC) USER: 17 REVIEWER: 11 AS ES MI SC | A | 6015 | 85 | | 13-SEP-90 | CR | EC | | 85 |
| | L | | MIL-C-85045/12 | CABLES, FIBER OPTIC, HIGH RELIABILITY, SINGLE FIBER, MULTI-MODE, GRADED INDEX, OUTGASSING RESISTANT REVIEWER: ES | A | 6015 | | MA | 01-JAN-89 | | | | |
| | D | | MIL-C-85045/13A | CABLE, FIBER OPTIC, EIGHT FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YD1 | A | 6015 | | SH | 21-MAY-92 | CR | SH | | 85 |
| | D | | MIL-C-85045/14A | CABLE, FIBER OPTIC, ONE FIBER, CABLE CONFIGURATION TYPE B (PIGTAIL), LOOSE TUBE, CABLE CLASS MM OR SM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YD1 | A | 6015 | | SH | 21-MAY-92 | CR | SH | | 85 |
| | D | | MIL-C-85045/15 | CABLE, FIBER OPTIC, FOUR FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YD1 | A | 6015 | | SH | 21-MAY-92 | CR | SH | | 85 |
| | D | | MIL-C-85045/16 | CABLE, FIBER OPTIC, ONE FIBER, CABLE CONFIGURATION TYPE 2 (PIGTAIL), TIGHT BUFFERED, CABLE CLASS SM OR MM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YD1 | A | 6015 | | SH | 21-MAY-92 | CR | SH | | 85 |
| | D | | MIL-C-85045/17 | CABLE, FIBER OPTIC, CROSS-LINKED EIGHT FIBERS, CABLE CONFIGURATION TYPE 2 (OFFC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YD1 | A | 6015 | | SH | 21-MAY-92 | CR | SH | | 85 |
| | D | | MIL-C-85045/18 | CABLE, FIBER OPTIC, CROSS-LINKED FOUR FIBERS, CABLE CONFIGURATION TYPE 2 (PIGTAIL), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YD1 | A | 6015 | | SH | 21-MAY-92 | CR | SH | | 85 |
| | L | | MIL-A-85046 | ACTUATOR, LINEAR, ELECTROMECHANICAL (VALIDATION DATE: 8303) ..... | A | 1095 | | AS | 07-SEP-76 | | AS | | |
| | L | | MIL-H-85047A(2) | HELMET ASSEMBLY, HGU-34/P ..... | A | 8475 | | AS | 25-MAY-83 | | AS | | |
| | Q | | MIL-C-85049A SUPPL 1A1 | CONNECTOR ACCESSORIES, ELECTRICAL GENERAL SPECIFICATION FOR REVIEWER: 11 99 AR EC ES MI SH | A | 5935 | | AS | 30-AUG-90 | CR | AS | | 85 |
| | | | MIL-C-85049/1A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, GROUNDING (WITHOUT STRAIN RELIEF), CATEGORY 1C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF *MS310X CLASSES A, B, C OR K* CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | | AS | 30-NOV-90 | CR | AS | | 85 |
| | | | MIL-C-85049/2A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | | AS | 30-NOV-90 | CR | AS | | 85 |
| | | | MIL-C-85049/3A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) REVIEWER: 11 AR ES MI | A | 5935 | | EC | 28-JUN-88 | CR | EC | | 85 |
| | | | MIL-C-85049/4A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, STEP-UP, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) REVIEWER: 11 AR ES MI | A | 5935 | | EC | 28-JUN-88 | CR | EC | | 85 |
| | A | | MIL-C-85049/5B | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, STEP-DOWN, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) REVIEWER: 11 99 AR ES MI | A | 5935 | | EC | 24-NOV-92 | CR | EC | | 85 |
| | | | MIL-C-85049/6A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45 DEGREE, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | | AS | 30-NOV-90 | CR | AS | | 85 |
| | | | MIL-C-85049/7A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45 DEGREE, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | | AS | 30-NOV-90 | CR | AS | | 85 |
| | | | MIL-C-85049/8A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90 DEGREE, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | | AS | 30-NOV-90 | CR | AS | | 85 |
| | | | MIL-C-85049/9A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90 DEGREE, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | | AS | 30-NOV-90 | CR | AS | | 85 |
| | | | MIL-C-85049/10A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | | AS | 30-NOV-90 | CR | AS | | 85 |
| | | | MIL-C-85049/11A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | | AS | 30-NOV-90 | CR | AS | | 85 |
| | | | MIL-C-85049/14 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, CATEGORY 3B (FOR MIL-C-38999 SERIES III & IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | | 21-NOV-86 | CR | AS | | 85 |
| | | | MIL-C-85049/15 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 DEG., SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III & IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | | 21-NOV-86 | CR | AS | | 85 |
| | | | MIL-C-85049/16 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III & IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | | 21-NOV-86 | CR | AS | | 85 |
| | | | MIL-C-85049/17 NOTICE 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 2B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) (VALIDATION DATE: 8701) REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | | 30-JAN-87 | CR | AS | | 85 |
| | | | MIL-C-85049/18B | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, R&F1/E&MI, CATEGORY 2B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC MI | A | 5935 | 85 | | 01-OCT-84 | CR | AS | | 85 |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-C-85049/19A NOTICE 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [VALIDATION DATE: 8901] REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 13-JAN-89 | CR | AS | 85 | |
| | MIL-C-85049/20A NOTICE 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, RFI, EMI, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [VALIDATION DATE: 8901] USER: AV REVIEWER: 11 15 17 19 99 AR ES MI | A | 5935 | 85 | 13-JAN-89 | CR | AS | 85 | |
| | MIL-C-85049/21A NOTICE 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [VALIDATION DATE: 8901] REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 13-JAN-89 | CR | AS | 85 | |
| | MIL-C-85049/23A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | 85 | |
| | MIL-C-85049/24A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | 85 | |
| | MIL-C-85049/25A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | 85 | |
| | MIL-C-85049/26A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | 85 | |
| | MIL-C-85049/27A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 21-NOV-86 | CR | AS | 85 | |
| | MIL-C-85049/28B NOTICE 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-83733 CONNECTORS) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | MIL-C-85049/29 NOTICE 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, STRAIGHT, STRAIN RELIEF, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | MIL-C-85049/30A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, INDIVIDUAL SHIELDED WIRE TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 21-NOV-86 | CR | AS | 85 | |
| | MIL-C-85049/31B | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C 26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | 85 | |
| | MIL-C-0085049/31 | CONNECTOR ACESSORIES, ELECTRICAL, BACKSHELL STRAIGHT, SELF-LOCKING, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 & MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 15 19 99 ES | A | 5935 | 85 | 21-NOV-86 | | | 85 | |
| | MIL-C-85049/32A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 3C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 21-NOV-86 | CR | AS | 85 | |
| | MIL-C-85049/33A | CONNECTOR ACCESSORIES, ELECTRICAL, BACK SHELL, NON ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY SC (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: MI | A | 5935 | 85 | 21-NOV-86 | CR | AS | 85 | |
| I | MIL-C-85049/34A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, THREADED ADAPTER, CATEGORY 3C (FOR MIL-C-26482 SERIES I JAM NUT RECEPTACLE CONNECTOR) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | 85 | |
| | MIL-C-85049/36 NOTICE 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | MIL-C-85049/37A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, SPLIT 90 DEG., SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES 1 AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 21-NOV-86 | CR | AS | 85 | |
| | MIL-C-85049/38C | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 ES | A | 5935 | 85 | 19-DEC-89 | CR | AS | 85 | |
| | MIL-C-85049/39C | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) USER: AV REVIEWER: 11 15 17 99 AR EC ES MI | A | 5935 | 85 | 19-DEC-89 | CR | AS | 85 | |
| I | MIL-C-85049/41 | CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | 85 | |
| | MIL-C-85049/42A | CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4A (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) REVIEWER: 11 99 AR EC MI | A | 5935 | AS | 30-NOV-90 | CR | AS | 85 | |
| | MIL-C-85049/43A | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | 85 | |
| | MIL-C-85049/44A | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-83733 CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 21-NOV-86 | CR | AS | 85 | |
| I | MIL-C-85049/45A NOTICE 1 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, NONMETALLIC, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) [VALIDATION DATE: 8901] REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 13-JAN-89 | CR | AS | 85 | |
| I | MIL-C-85049/46B NOTICE 1 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, NONMETALLIC, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) [VALIDATION DATE: 8901] REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 13-JAN-89 | CR | AS | 85 | |
| | MIL-C-85049/47B | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 12-SEP-88 | CR | AS | 85 | |
| | MIL-C-85049/48B | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-24308 CONNECTORS) REVIEWER: 11 99 AR ES MI | A | 5935 | EC | 11-SEP-91 | CR | EC | 85 | |
| | MIL-C-85049/49C | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | 06-SEP-90 | CR | AS | 85 | |
| | MIL-C-85049/50B | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, CATEGORY 4C (FOR MIL-C-24308 CONNECTORS) REVIEWER: 11 99 AR ES MI | A | 5935 | EC | 11-SEP-91 | CR | EC | 85 | |
| | MIL-C-85049/51C | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | 85 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Army | Navy | Air Force / DLA |
| | MIL-C-85049/52C | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | | 85 |
| I | MIL-C-85049/53A | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | | 85 |
| I | MIL-C-85049/54A | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | | 85 |
| I | MIL-C-85049/55B | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | | 85 |
| | MIL-C-0085049/55 | CONNECTOR ACCESSORIES,ELECTRICAL, STRAIN RELIEF, 90, SELF-LOCKING,CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 15 19 99 | A | 5935 | 85 | 26-JAN-87 | | | | 85 |
| | MIL-C-85049/56A | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 16-JAN-80 | CR | AS | | 85 |
| | MIL-C-85049/57A | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 DEG., CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 16-JAN-80 | CR | AS | | 85 |
| | MIL-C-85049/58A | CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (FOR MIL-C-38999 SERIES I ANDII CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 21-NOV-86 | CR | AS | | 85 |
| | MIL-C-85049/59A | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) REVIEWER: 11 AR ES | A | 5935 | EC | 28-JUN-88 | CR | EC | | 85 |
| | MIL-C-85049/60A | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI | A | 5935 | AS | 30-NOV-90 | CR | AS | | 85 |
| | MIL-C-85049/61A | CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (FOR MIL-C-27599 CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | 21-NOV-86 | CR | AS | | 85 |
| | MIL-C-85049/62A | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 16-JAN-80 | CR | AS | | 85 |
| | MIL-C-85049/63A | CONNECTOR ACCESSORIES,ELECTRICAL, STRAIN RELIEF, 90 DEGREE, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES IAND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | 26-JAN-87 | CR | AS | | 85 |
| | MIL-C-85049/64B | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, STRAIGHT, CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | 19-DEC-89 | CR | AS | | 85 |
| | MIL-C-85049/65B | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT 90 DEG., CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | 19-DEC-89 | CR | AS | | 85 |
| | MIL-C-85049/69B | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINKBOOT, CATEGORY 5 (FOR MIL-C-38999 SERIES III & IV CONNECTORS) USER: AV REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 01-OCT-84 | CR | AS | | 85 |
| | MIL-C-85049/74A | CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH MIL-C-85049/61 POTTING BOOT RING) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 21-NOV-86 | CR | AS | | 85 |
| | MIL-C-85049/75A | CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH MIL-C-85049/58 POTTING BOOT RING) REVIEWER: 11 15 17 19 99 AR EC ES MI | A | 5935 | 85 | 21-NOV-86 | CR | AS | | 85 |
| | MIL-C-85049/76 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELDED TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: ME | A | 5935 | 85 | 28-AUG-89 | CR | AS | | 85 |
| | MIL-C-85049/77 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | 28-AUG-89 | CR | AS | | 85 |
| | MIL-C-85049/78 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | 28-AUG-89 | CR | AS | | 85 |
| | MIL-C-85049/79 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI | A | 5935 | 85 | 28-AUG-89 | CR | AS | | 85 |
| L | MIL-C-85049/80 | CONNECTOR ACCESSORIES, ELECTRICAL, DUMMY CONTACT, SIZES 12 AND 8, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS) REVIEWER: 11 15 19 99 ES | A | 5935 | 85 | 22-SEP-89 | | | | 85 |
| L | MIL-C-85049/81 | CONNECTOR ACCESSORIES, ELECTRICAL, SEAL PLUG, SIZE 10, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS) REVIEWER: 11 15 19 99 ES | A | 5935 | 85 | 22-SEP-89 | | | | 85 |
| A | MIL-C-85049/82 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI-EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 18-AUG-92 | CR | AS | | 85 |
| A | MIL-C-85049/83 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD, BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 18-AUG-92 | CR | AS | | 85 |
| A | MIL-C-85049/84 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 18-AUG-92 | CR | AS | | 85 |
| A | MIL-C-85049/85 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 18-AUG-92 | CR | AS | | 85 |
| A | MIL-C-85049/86 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 18-AUG-92 | CR | AS | | 85 |
| A | MIL-C-85049/87 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND III CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 18-AUG-92 | CR | AS | | 85 |
| A | MIL-C-85049/88 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 18-AUG-92 | CR | AS | | 85 |
| A | MIL-C-85049/89 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 18-AUG-92 | CR | AS | | 85 |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-C-85049/90 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 18-AUG-92 | CR | AS | 85 | | |
| A | | MIL-C-85049/91 | CONNECTORS, ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 28-JAN-93 | CR | AS | 85 | | |
| A | | MIL-C-85049/92 | CONNECTOR, ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, 90 DEG. SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 28-JAN-93 | CR | AS | 85 | | |
| A | | MIL-C-85049/93 | CONNECTOR ACCESSORIES, ELECTRICAL, TERMINATION, SHIELD, SPLIT SUPPORT RING, COMPOSITE, NONENVIRONMENTAL, STRAIGHT, CATEGORY 7 REVIEWER: 11 15 19 99 AR EC ES MC MI OS | A | 5935 | 85 | 18-FEB-93 | CR | AS | 85 | | |
| L | | DOD-C-85050(2) | CHARGER, BATTERY, NICKEL CADMIUM, AIRCRAFT | A | 6130 | AS | 08-JUL-83 | | AS | | | |
| L | | DOD-C-85050/1A | CHARGER, BATTERY, NICKEL CADMIUM AIRCRAFT 30 AMPERE CHARGER, DC INPUT | A | 6130 | AS | 03-AUG-83 | | | | | |
| AMLI | | MIL-E-85051<br>NOTICE 1 | ENCODERS, SHAFT POSITION TO DIGITAL, NON-CONTACT TYPE, ALTITUDE REPORTING . | A | 5990 | AS | 16-NOV-92 | | AS | | | |
| Q | | MIL-C-85052A<br>NOTICE 1 | CLAMP, LOOP, CUSHION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9109) REVIEWER: 11 IS | A | 5340 | AS | 26-SEP-91 | AV | AS | 99 | | |
| | | MIL-C-85052/1B<br>NOTICE 1 | CLAMP, LOOP, TUBE 17-7 PH CRES, 275 DEG. F. FUEL AND PETROLEUM BASED HYDRAULIC FLUID RESISTANT (VALIDATION DATE: 9109) REVIEWER: 11 IS | A | 5340 | AS | 26-SEP-91 | AV | AS | 99 | | |
| | | MIL-C-85052/2B<br>NOTICE 1 | CLAMP, LOOP, TUBE 17-7 PH CRES, 275 DEG. F, PHOSPHATE ESTER FLUID RESISTANT (VALIDATION DATE: 9109) REVIEWER: 11 IS | A | 5340 | AS | 26-SEP-91 | AV | AS | 99 | | |
| | | MIL-C-85052/3B<br>NOTICE 1 | CLAMP, LOOP, TUBE 17-7 PH CRES, 500 DEG. F (VALIDATION DATE: 9109) REVIEWER: 11 IS | A | 5340 | AS | 26-SEP-91 | AV | AS | 99 | | |
| | | MIL-C-85052/4<br>NOTICE 1 | CLAMP SUPPORT - LOOP CLAMP (VALIDATION DATE: 9109) REVIEWER: 11 | A | 5340 | AS | 26-SEP-91 | AV | AS | 99 | | |
| L | | MIL-T-85053 | TEST SET AN/AWM-80 FOR THE AN/AMC-10A MISSILE CONTROL SYSTEM (VALIDATION DATE: 8307) | A | 4935 | AS | 07-FEB-77 | | AS | | | |
| L | | MIL-C-85054A | CORROSION PREVENTIVE COMPOUND, WATER DISPLACING, CLEAR (AMLGUARD) | A | 8030 | AS | 26-OCT-85 | | AS | | | |
| L | | MIL-A-85055<br>NOTICE 1 | AVIONICS SYSTEM PERFORMANCE SPECIFICATION FOR A-4M/AV-8 BOMBING SET, ANGLE RATE AN/ASB-19(V) (VALIDATION DATE: 8704) | A | 1280 | AS | 15-APR-87 | | AS | | | |
| L | | MIL-D-85056A<br>NOTICE 1 | DUAL MODE TRACKER FOR BOMBING SET, ANGLE RATE AN/ASB-19(V) (VALIDATION DATE: 9109) | A | 1280 | AS | 26-SEP-91 | | AS | | | |
| L | | MIL-W-85057<br>NOTICE 1 | WEAPONS DELIVERY COMPUTER FOR THE BOMBING SET, ANGLE RATE AN/ASB-19(V) (VALIDATION DATE: 8704) | A | 1280 | AS | 15-APR-87 | | AS | | | |
| L | | MIL-C-85058<br>NOTICE 1 | CONTROL UNIT SUBSYSTEM FOR THE BOMBING SET, ANGLE RATE AN/ASB-19(V) (VALIDATION DATE: 8704) | A | 1280 | AS | 15-APR-87 | | AS | | | |
| | | MIL-C-85061B(2) | COUPLING, FUEL LINE, FLEXIBLE, 125 PSI REVIEWER: CS | A | 4730 | AS | 22-SEP-86 | AV | AS | | | |
| L | | MIL-I-85062 | INHIBITOR, CORROSION, VOLATILE, TRANSMISSION AND GEARBOX (VALIDATION DATE: 8407) | A | 6850 | AS | 20-DEC-77 | | AS | | | |
| L | | MIL-S-85064<br>NOTICE 1 | SIGNAL, UNDERWATER SOUND, MARK 82 MOD 0 AND MARK 128 MOD 1 (VALIDATION DATE: 9110) | A | 1361 | AS | 17-OCT-91 | | AS | | | |
| L | | MIL-T-85066 | TEST SET, COUNTERMEASURES CHAFF DISPENSING SET, AN/ALM-181 (VALIDATION DATE: 8307) | A | 5865 | AS | 17-JUN-77 | | AS | | | |
| L | | MIL-W-85067A | ULTRASONIC EVALUATION OF HOUSING WELDS FOR THE MARK 71 MOD 0 WARHEAD | A | 6635 | AS | 17-SEP-84 | | AS | | | |
| L | | MIL-T-85068 | TEST SET, FIRE CONTROL SYSTEM AN/AWM-87 (VALIDATION DATE: 8402) | A | 1270 | AS | 22-JUN-77 | | AS | | | |
| | | MIL-S-85069B<br>SUPPL 1A1, NOTICE 1 | SLEEVES, FASTENER, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9109) REVIEWER: 82 IS | A | 5365 | AS | 09-SEP-91 | AV | AS | 99 | | |
| | | MIL-S-85069/1A<br>NOTICE 1 | SLEEVES, FASTENER, GROOVED, RELIABILITY AND MAINTAINABILITY (REPAIR AND MAINTENANCE) REQUIREMENTS FOR (VALIDATION DATE: 9109) REVIEWER: 82 | A | 5365 | AS | 09-SEP-91 | AR | AS | 99 | | |
| | | MIL-S-85069/5A<br>NOTICE 1 | SLEEVES, FASTENER, GROOVED, 100 DEGREE FLUSH FULL HEAD, TENSION, 1/64 OVERSIZE (VALIDATION DATE: 9109) REVIEWER: 82 AR IS | A | 5365 | AS | 09-SEP-91 | AV | AS | 99 | | |
| | | MIL-S-85069/10 | SLEEVE (GROMMET), HARD SEAT, REDUCED HEAD, SWAGED, COUNTERSUNK, PANEL FASTENER REVIEWER: 82 AR IS | A | 5365 | AS | 14-NOV-86 | AV | AS | 99 | | |
| | | MIL-S-85069/11 | SLEEVE (GROMMET), HARD SEAT, TENSION HEAD, SWAGED, COUNTERSUNK, PANEL FASTENER REVIEWER: 82 AR IS | A | 5365 | AS | 14-NOV-86 | AV | AS | 99 | | |
| L | | MIL-T-85070A | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-9A | A | 1450 | AS | 05-JAN-88 | | AS | | | |
| AQL | | MIL-I-85071A | INVERTERS, AIRCRAFT, DC TO AC, GENERAL SPECIFICATION FOR | A | 6130 | AS | 31-JUL-92 | | AS | | | |
| L | | MIL-I-85071/1<br>NOTICE 1 | INVERTER, AIRCRAFT, DC TO AC, STATIC, 100VA 3 PHASE AND 100VA 1 PHASE MULTI PURPOSE, CLASS B (VALIDATION DATE: 8711) | A | 6130 | AS | 20-NOV-87 | | AS | | | |
| L | | MIL-I-85071/2<br>NOTICE 1 | INVERTER, AIRCRAFT, DC TO AC, STATIC, 250VA, 3 PHASE AND 250 VA 1 PHASE, MULTIPURPOSE, CLASS B (VALIDATION DATE: 8712) | A | 6130 | AS | 11-DEC-87 | | AS | | | |
| L | | MIL-I-85071/3B | INVERTER, AIRCRAFT, DC TO AC, STATIC, 750 VA 3-PHASE, 1000 VA 1-PHASE, AND 1000 VA 3-PHASE, MULTIPURPOSE, CLASS PHASE B | A | 6130 | AS | 16-SEP-91 | | AS | | | |
| L | | MIL-A-85072A | ACTUATOR, ELECTROMECHANICAL, LINEAR | A | 1095 | AS | 01-MAY-87 | | AS | | | |
| L | | MIL-T-85075A | TIE DOWN ASSEMBLY, HELICOPTER BLADE, GENERAL SPECIFICATION FOR | A | 1730 | AS | 31-DEC-85 | | AS | | | |
| L | | MIL-T-85075/1A<br>NOTICE 1 | TIE DOWN ASSEMBLY, HELICOPTER BLADE CH-46 HELICOPTER (VALIDATION DATE: 9109) | A | 1730 | AS | 26-SEP-91 | | AS | | | |
| L | | MIL-T-85075/2A<br>NOTICE 1 | TIE DOWN ASSEMBLY, HELICOPTER BLADE CH-53 HELICOPTER (VALIDATION DATE: 9109) | A | 1730 | AS | 26-SEP-91 | | AS | | | |
| L | | MIL-S-85076 | SYSTEM, AUTOMATIC, WATER ACTIVATED PARACHUTE RELEASE, DETAIL SPECIFICATION FOR (VALIDATION DATE: 8304) | A | 1670 | AS | 14-SEP-77 | | AS | | | |
| L | | MIL-C-85077<br>NOTICE 1 | CAPS, BLASTING, SPECIAL (VALIDATION DATE: 9109) | A | 1375 | AS | 26-SEP-91 | | AS | | | |
| A | | MIL-C-85078<br>NOTICE 1 | COVERALLS, FLYERS, KNIT, HIGH TEMPERATURE RESISTANT ARAMID CWU-48/P (VALIDATION DATE: 9110) REVIEWER: AV | A | 8415 | CT | 29-OCT-91 | GL | AS | 45 | CT | |
| L | | MIL-I-85080(1)<br>NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9110) | A | 5970 | AS | 29-OCT-91 | | AS | | | |
| L | | MIL-I-85080/1A | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYVINYL CHLORIDE, FLEXIBLE NON CROSSLINKED | A | 5970 | AS | 20-APR-83 | | AS | | | |
| L | | MIL-I-85080/2 | INSULATION SLEEVING, ELECTRICAL, NON HEAT SHRINK, SILICONE RUBBER, FLEXIBLE (VALIDATION DATE: 8410) | A | 5970 | AS | 28-NOV-77 | | AS | | | |
| L | | MIL-I-85080/3 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYURETHANE FLEXIBLE | A | 5970 | AS | 20-APR-83 | | AS | | | |
| L | | MIL-I-85080/4 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, CHLOROSULFONATED POLYETHYLENE FLEXIBLE | A | 5970 | AS | 20-APR-83 | | AS | | | |
| L | | MIL-I-85080/5 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYCHLOROPRENE . | A | 5970 | AS | 20-APR-83 | | AS | | | |
| AM | | MIL-E-85082A | ENCODERS, SHAFT ANGLE TO DIGITAL, GENERAL SPECIFICATION FOR REVIEWER: ES .. | A | 5990 | 85 | 16-NOV-92 | AR | AS | 85 | | |
| A | | MIL-E-85082/1 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ALTITUDE REPORTING TYPE 11KUL1267R80A REVIEWER: ES | A | 5990 | AS | 16-NOV-92 | AR | AS | 85 | | |
| A | | MIL-E-85082/2 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ALTITUDE REPORTING TYPE 11KUK1267R80A REVIEWER: ES | A | 5990 | AS | 16-NOV-92 | AR | AS | 85 | | |
| A | | MIL-E-85082/3 | ENCODER, SHAFT POSITION TO DIGITAL OPTICAL INCREMENTAL TYPE 11SKL05S05A REVIEWER: ES | A | 5990 | AS | 16-NOV-92 | AR | AS | 85 | | |
| A | | MIL-E-85082/4 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ABSOLUTE TYPE 11KCL13R08A REVIEWER: ES | A | 5990 | AS | 16-NOV-92 | AR | AS | 85 | | |
| A | | MIL-E-85082/5 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ABSOLUTE TYPE 11KPL13R08A REVIEWER: ES | A | 5990 | AS | 16-NOV-92 | AR | AS | 85 | | |
| A | | MIL-E-85082/6 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT, ABSOLUTE TYPE 11KCJ10S05A REVIEWER: ES | A | 5990 | AS | 16-NOV-92 | AR | AS | 85 | | |
| A | | MIL-E-85082/7 | ENCODER, SHAFT POSITION TO DIGITAL OPTICAL INCREMENTAL, HOLLOW SHAFT TYPE 40SWH2880R1/8A REVIEWER: ES | A | 5990 | AS | 16-NOV-92 | AR | AS | 85 | | |
| L | | MIL-I-85083A | INDICATOR, ANALOG DISPLAY IP-722F/AVA-1 | A | 5895 | AS | 26-JUN-85 | | AS | | | |

| Action | O/R / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-G-85088(1) | GLYCERYL TRIRICINOLEATE REVIEWER: OS | A | 6810 | AS | 09-NOV-79 | | AS | | |
| L | | MIL-P-85089A | PAINTING OF AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) | A | 1377 | AS | 22-OCT-90 | | AS | | |
| L | | MIL-W-85091(1) | WHEEL AND CARBON BRAKE ASSEMBLY, F-14A GENERAL SPECIFICATION FOR [VALIDATION DATE: 8207] | A | 1630 | AS | 11-SEP-78 | | AS | | |
| L | | MIL-A-85097B(2) | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), PROCUREMENT SPECIFICATION FOR | A | 1377 | AS | 08-AUG-84 | | AS | | |
| L | | MIL-A-85097/1A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 16 MOD 1 (LOADED ASSEMBLY) | A | 1377 | AS | 31-OCT-85 | | AS | | |
| L | NOTICE 1 | MIL-A-85097/2C | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS): CATAPULT CARTRIDGES, MARK 198 MOD 1 AND MARK 205 MODS 0 AND 1 [VALIDATION DATE: 9109] | A | 1377 | AS | 26-SEP-91 | | AS | | |
| L | NOTICE 1 | MIL-A-85097/3B | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS): ROCKET MOTOR (LOADED ASSEMBLY) MARK 79 MODS [VALIDATION DATE: 9109] | A | 1377 | AS | 26-SEP-91 | | AS | | |
| L | | MIL-A-85097/4A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTOR ASSEMBLY, MARK 80 MOD 0 | A | 1377 | AS | 17-OCT-85 | | AS | | |
| L | | MIL-A-85097/5A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTORS, MARK 82 MOD 0 (MAN/SEAT SEPARATOR, LEFT) AND MARK 90 MOD 0 (MAN/SEAT SEPARATOR, RIGHT) (LOADED ASSEMBLIES) | A | 1377 | AS | 17-OCT-85 | | AS | | |
| L | | MIL-A-85097/6A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTORS MARK 83 MODS AND MARK 85 MODS (LOADED ASSEMBLIES) | A | 1377 | AS | 17-OCT-85 | | AS | | |
| L | NOTICE 1 | MIL-A-85097/7C | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS): ROCKET MOTOR MARK 84 MODS 1 AND 2 [VALIDATION DATE: 9109] | A | 1377 | AS | 26-SEP-91 | | AS | | |
| | | MIL-A-85097/8B(2) | AIRCREW ESCAPE PROPULSION SYS (AEPS): ROCKET MOTORS, UNDER SEAT, GAS INITIATED (MARK 74 MOD 0, MARK 75 MOD 0, MARK 76 MOD 0, MARK 77 MOD 0, MARK 86 MOD 0, MARK 87 MOD 0, MARK 88 MOD 0, MARK 92 MOD 0, MARK 100 MOD 0, & MARK 101 MOD 0) (LOADED ASSEMBL | A | 1377 | AS | 21-JUL-87 | | AS | | |
| L | | MIL-A-85097/9A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 12 MOD 1 (LOADED ASSEMBLY | A | 1377 | AS | 24-AUG-84 | | AS | | |
| L | NOTICE 1 | MIL-A-85097/10A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTOR, UNDER SEAT, MECHANICALLY INITIATED, MARK 54 MOD 0 (LOADED ASSEMBLY) [VALIDATION DATE: 8704] | A | 1377 | AS | 10-APR-87 | | AS | | |
| L | NOTICE 1 | MIL-A-85097/11A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS): ROCKET MOTOR ASSEMBLY, MARK 113 MOD 0 [VALIDATION DATE: 9109] | A | 1377 | AS | 26-SEP-91 | | AS | | |
| L | NOTICE 1 | MIL-A-85097/12 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 18 MOD 0 (LOADED ASSEMBLY) [VALIDATION DATE: 9109] | A | 1377 | AS | 26-SEP-91 | | AS | | |
| L | NOTICE 1 | MIL-A-85097/13 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS): ROCKET MOTOR, CANOPY JETTISON, MARK 109 MOD 0 (LOADED ASSEMBLY) [VALIDATION DATE: 9109] | A | 1377 | AS | 26-SEP-91 | | AS | | |
| L | | MIL-A-85097/14B | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS): ROCKET CATAPULT MARK 1 MOD 1 (LOADED ASSEMBLY) | A | 1377 | AS | 08-DEC-88 | | AS | | |
| L | NOTICE 1 | MIL-A-85097/15 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS): ROCKET MOTOR, MARK 121 MOD 0 [VALIDATION DATE: 9109] | A | 1377 | AS | 26-SEP-91 | | AS | | |
| L | | MIL-B-85099 | BATTERY, WET PRIMARY FOR AN/DKT-37(V) TELEMETRY PACKAGE [VALIDATION DATE: 8410] | A | 6135 | AS | 15-JUN-78 | | AS | | |
| L | | MIL-N-85100A | NAVIGATION SET, TACTICAL AN/ASN-123 | A | 5826 | AS | 30-MAR-87 | | AS | | |
| A L | | MIL-C-85101 | CLOTH, WARP KNIT, ARAMID, HIGH TEMPERATURE RESISTANT [VALIDATION DATE: 8511] | A | 8305 | CT | 16-NOV-79 | | AS | | CT |
| L | | MIL-G-85103B | GUN SYSTEM, 25MM (AV-8B) | A | 1005 | AS | 05-MAY-82 | | AS | | |
| L | | MIL-B-85110A | BAR, REPEATABLE RELEASE HOLDBACK, AIRCRAFT LAUNCHING, GENERAL DESIGN REQUIREMENTS FOR | A | 1720 | AS | 30-AUG-91 | | AS | | |
| A L | | MIL-R-85111A(7) | RECOVERY ASSIST, SECURING AND TRAVERSING SYSTEM FOR LAMPS MK III HELICOPTER | A | 1710 | AS | 26-OCT-92 | | AS | | |
| L | | MIL-I-85112 | INDICATOR SET, VERTICAL SCALE [VALIDATION DATE: 8410] | A | 6695 | AS | 31-JUL-78 | | AS | | |
| | | MIL-A-85116 | ACTUATOR, PISTON, MINIATURE | A | 1370 | AS | 25-NOV-80 | | AS | | |
| L | | MIL-G-85117A | GYRO, STORED-ENERGY, FREE ROLL POSITION INDICATING [VALIDATION DATE: 9109] | A | 1420 | AS | 26-SEP-91 | | AS | | |
| L | NOTICE 1 | MIL-P-85121 | PROJECTILES, 20MM MARK 100 SERIES [VALIDATION DATE: 8704] | A | 1305 | AS | 10-APR-87 | | AS | | |
| L | NOTICE 1 | MIL-C-85122 | CARTRIDGE, 20MM MARK 100 SERIES [VALIDATION DATE: 8704] | A | 1305 | AS | 10-APR-87 | | AS | | |
| L | NOTICE 1 | MIL-C-85123 | CONTAINER, SHIPPING AND STORAGE GUIDED MISSILE CNU-159/E [VALIDATION DATE: 9110] | A | 8140 | AS | 29-OCT-91 | | AS | | |
| L | NOTICE 1 | MIL-C-85124 | CONTAINER, SHIPPING AND STORAGE GUIDED MISSILE CNU-163/E [VALIDATION DATE: 9110] | A | 8140 | AS | 29-OCT-91 | | AS | | |
| L | | MIL-B-85130(1) | BEACON, UNDERWATER ACOUSTIC AIRCRAFT GENERAL SPECIFICATION FOR | A | 5845 | AS | 19-MAR-82 | | AS | | |
| L | NOTICE 1 | MIL-T-85138 | TRANSMITTER, PULSE CODE MODULATION (FOR SECURE TELEMETRY APPLICATIONS) [VALIDATION DATE: 8706] | A | 5821 | AS | 19-JUN-87 | | AS | | |
| L | NOTICE 1 | MIL-M-85139 | MULTIPLEXER, PULSE CODE MODULATION [VALIDATION DATE: 8706] | A | 5821 | AS | 19-JUN-87 | | AS | | |
| | | MIL-C-85144C | CONTROL SECTION, GUIDED MISSILE FOR AIM/RIM-7M, GUIDED MISSILE | A | 1420 | AS | 22-OCT-86 | | AS | | |
| | | MIL-R-85188A(1) | RIVETER, POWER, PNEUMATIC-HYDRAULIC BLIND RIVET INSTALLATION REVIEWER: 84 99 GL IS | A | 5130 | AS | 10-JAN-92 | | AS | 11 | |
| L | | MIL-T-85230A | TARGET, TOW, AERIAL, TDU-34A/A | A | 1550 | AS | 13-APR-92 | | AS | | |
| L | | MIL-G-85231(1) | GUIDED WEAPON CONTROL GROUP OK-293A/AWW | A | 1430 | AS | 07-NOV-85 | | AS | | |
| L | | MIL-T-85235 | TEST SET, RADIO SET AN/ARM 165A [VALIDATION DATE: 8503] | A | 4920 | AS | 19-JAN-79 | | AS | | |
| L | | MIL-T-85236 | TEST SET, SWITCHING UNIT TS-3634/ARM [VALIDATION DATE: 8410] | A | 4920 | AS | 25-AUG-78 | | AS | | |
| L | | MIL-T-85239A | TRAILER, MUNITIONS, MHU-151/M | A | 2330 | AS | 20-NOV-90 | | AS | | |
| L | | MIL-S-85242A | SWITCH, STEPPING, DIRECT CURRENT, ELECTROMECHANICAL, AIRCRAFT | A | 5930 | AS | 28-MAY-83 | | AS | | |
| L | NOTICE 1 | MIL-S-85242/1 | SWITCH, STEPPING, 7 LEVEL [VALIDATION DATE: 9110] | A | 5930 | AS | 17-OCT-91 | | AS | | |
| L | NOTICE 1 | MIL-T-85244 | TRANSMITTING SET, TELEMETRIC DATA AN/DKT-49(XN-1), AN/DKT-49(XN-2), AND AN/DKT-49A [VALIDATION DATE: 9109] | A | 1420 | AS | 26-SEP-91 | | AS | | |
| N | NOTICE 2 | MIL-V-85245 | VALVE, RELIEF, HYDRAULIC, HIGH RESPONSE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9205] REVIEWER: 99 | A | 1650 | AS | 18-MAY-92 | AV | AS | 11 | |
| | NOTICE 2 | MIL-V-85245/1 | VALVE, RELIEF, HYDRAULIC, HIGH RESPONSE, INLINE [VALIDATION DATE: 9205] | A | 1650 | AS | 19-MAY-92 | AV | AS | 99 | |
| | NOTICE 2 | MIL-V-85245/2 | VALVE, RELIEF, HYDRAULIC HIGH RESPONSE, CARTRIDGE TYPE [VALIDATION DATE: 9205] REVIEWER: 99 | A | 1650 | AS | 18-MAY-92 | AV | AS | 11 | |
| L | | MIL-E-85246A | ELECTRONIC CIRCUIT MODULES GENERAL SPECIFICATION FOR | A | 1420 | AS | 13-NOV-84 | | AS | | |
| L | NOTICE 1 | MIL-C-85247 | COMPUTER, AIR DATA CP-1005A/A [VALIDATION DATE: 9110] | A | 6610 | AS | 17-OCT-91 | | AS | | |
| L | | MIL-C-85248A | CAMERA, STILL PICTURE, PANORAMIC, KA-99A | A | 6720 | AS | 28-NOV-84 | | AS | | |
| L | | MIL-B-85251 | BOMB, BINARY CHEMICAL, EMPTY (BLU-80/B) | A | 1325 | AS | 13-JUN-81 | | AS | | |
| L | | MIL-B-85252 | BALLONET, CARTRIDGE ACTIVATED (MXU-695/B) | A | 1377 | AS | 13-JUN-81 | | AS | | |
| L | | MIL-C-85253 | CODE, DETONATING | A | 1377 | AS | 13-JUN-81 | | AS | | |
| L | | MIL-C-85254 | CHARGE, LINEAR SHAPED | A | 1377 | AS | 13-JUN-81 | | AS | | |
| L | | MIL-M-85255 | MOTOR, HOT GAS (MAU-132A/B) | A | 1377 | AS | 13-JUN-81 | | AS | | |
| L | | MIL-C-85256 | CARTRIDGE, IMPULSE, CCU-13/B | A | 1377 | AS | 13-JUN-81 | | AS | | |
| L | | MIL-C-85257 | CORD ASSEMBLY, DETONATING | A | 1377 | AS | 13-JUN-81 | | AS | | |
| L | | MIL-G-85258 | GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED BBU-18/B | A | 1377 | AS | 13-JUN-81 | | AS | | |
| L | | MIL-H-85281B | HORIZON REFERENCE SET, SHIP MOUNTED FOR LAMPS MK III HELICOPTER | A | 1710 | AS | 30-AUG-91 | | AS | | |
| L | | MIL-C-85283A | CONTROL MONITOR SET, GUIDED WEAPON, AN/AWW-9 | A | 1430 | AS | 28-JAN-82 | | AS | | |
| L | | MIL-T-85284 | TEST SET, ADAPTER GROUP, OF-65/ASM | A | 7035 | AS | 20-JUL-83 | | AS | | |
| QL | | MIL-C-85285B(2) | COATING: POLYURETHANE, HIGH-SOLIDS | A | 8010 | AS | 22-OCT-90 | | AS | | |
| L | | MIL-H-85286A | HEAD COIL ASSEMBLY | A | 1420 | AS | 13-NOV-84 | | AS | | |
| L | NOTICE 1 | MIL-T-85288 | TACTICAL NAVIGATION SET AN/ASN-123, GROUND SUPPORT EQUIPMENT ELECTRONIC SYSTEMS TEST SET, AN/ASM-614 [VALIDATION DATE: 9110] | A | 5825 | AS | 17-OCT-91 | | AS | | |
| L | | MIL-D-85294(1) | DETONATOR, ELECTRIC, MARK 71 MOD 1 | A | 1375 | AS | 13-JUN-86 | | AS | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-L-85297 NOTICE 1 | LEAD, EXPLOSIVE MARK 24 MOD 0 MARK 25 MOD 0 (VALIDATION DATE: 8704) | A | 1336 | AS | | 05-MAR-80 | | AS | | |
| L | MIL-T-85298 | TEST SET, WEAPON CONTROL, AIRCRAFT AN/ASM-1848(V)1 AND AN/ASM-1848(V)2 | A | 6625 | AS | | 15-JAN-79 | | AS | | |
| L | MIL-G-85299 | GUIDED MISSILE LAUNCHER TEST SET, AN/ASM-464A | A | 4935 | AS | | 02-MAR-87 | | AS | | |
| L | MIL-C-85300 | COOLER, CRYOGENIC DETECTOR | A | 1420 | AS | | 13-DEC-82 | | AS | | |
| L | MIL-C-85301 NOTICE 1 | COMPUTER, SONAR DATA, CP-1323/AQS-13E AND MOUNTING BASE, MT-4948/AQS-13E | A | 5845 | AS | | 15-APR-88 | | AS | | |
| L | MIL-D-85306A | DELAY COMPOSITION, T-10 | A | 1377 | AS | | 07-NOV-91 | | AS | | |
| L | MIL-R-85308 | RECORDER REPRODUCER, ACOUSTIC AN/AQH-4-(V)2 | A | 5835 | AS | | 28-JUL-83 | | AS | | |
| L | MIL-S-85309(3) | SQUIB, ELECTRIC, SINGLE BRIDGEWIRE | A | 1336 | AS | | 20-JAN-87 | | AS | | |
| L | MIL-S-85312 | SEALING COMPOUND, NONCURING, POLYSULFIDE, GROOVE INJECTION, FOR INTEGRAL FUEL TANKS (VALIDATION DATE: 8509) | A | 8030 | AS | | 02-MAR-79 | | AS | | |
| | MIL-L-85314A(2) | LIGHT SYSTEMS, AIRCRAFT, ANTI-COLLISION, STROBE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9203) | A | 6220 | AS | | 20-MAR-92 | AV | AS | 11 | |
| | MIL-L-85314/1B | LIGHT SYSTEMS, AIRCRAFT, ANTI-COLLISION, STROBE, DUAL (RED AND WHITE) MODE, FUSELAGE MOUNTED | A | 6220 | AS | | 13-MAR-92 | AV | AS | 11 | |
| | MIL-L-85314/2A | LIGHT SYSTEM, SUPERSONIC & SMALL SUBSONIC AIRCRAFT, ANTI COLLTSION, STROBE, RED & WHITE MODE, WING, FUSELAGE, VERTICAL STABILIZER MOUNTED | A | 6220 | AS | | 30-JUN-83 | AV | AS | 11 | |
| | MIL-L-85314/4A | LIGHT SYSTEMS, SUBSONIC AIRCRAFT, ANTI COLLISION, STROBE, FUSELAGE MOUNTED RED SOURCE & WING TIP MOUNTED WHITE SOURCE | A | 6220 | AS | | 30-JUN-83 | AV | AS | 11 | |
| | MIL-L-85314/5 | LIGHT SYSTEMS, LARGE SUB-SONIC A/C, ANTI-COLLISION, STROBE, DUAL (RED AND WHITE) MODE, FUSELAGE AND TAIL MOUNT REVIEWER: 99 | A | 6220 | 11 | | 20-AUG-86 | | | 11 | |
| | MIL-P-85315(1) | PUMP, EJECTOR, AIR VEHICLE FUEL, GENERAL SPECIFICATIONS FOR | A | 2915 | AS | | 23-AUG-83 | AV | AS | 11 | |
| L | MIL-S-85318 | SEALING COMPOUND, NON-CARCINOGEN CURING POLYURETHANE (POLYETHER BASED), ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS (VALIDATION DATE: 8509) | A | 8030 | AS | | 27-MAR-79 | | AS | | |
| L | MIL-R-85320(1) | RACK, BOMB EJECTOR, AIRCRAFT, BRU-20, BRU-21, BRU-22, BRU-23, BRU-24 AND BRU-25 SERIES | A | 1095 | AS | | 19-AUG-80 | | AS | | |
| MQ | MIL-C-85322B | COATING, ELASTOMETRIC, POLYURETHANE, RAIN-EROSION USER: MC REVIEWER: AV ME | A | 8010 | AS | | 30-APR-93 | ME | AS | 11 | |
| L | MIL-R-85323(1) | RACK, BOMB, MULTIPLE EJECTOR, A/A37B-6 SERIES AND TRIPLE EJECTOR, A/A37B-5 SERIES | A | 1095 | AS | | 20-AUG-80 | | AS | | |
| L | MIL-R-85325(1) | RACK, BOMB EJECTOR, AIRCRAFT, AERO 27A | A | 1095 | AS | | 19-AUG-80 | | AS | | |
| L | MIL-I-85326 NOTICE 1 | IGNITER, ROCKET MOTOR, MARK 297 MOD 0 (VALIDATION DATE: 8704) | A | 1337 | AS | | 10-APR-87 | | AS | | |
| | MIL-F-85328 | FIRING DEVICE, EXPLOSIVE ACTUATOR (CCU-64/B) | A | 1377 | AS | | 13-JUN-81 | | AS | | |
| L | MIL-H-85330A | HYBRID TEST SYSTEM (VALIDATION DATE: 8803) | A | 6625 | AS | | 21-MAR-88 | | AS | | |
| L | MIL-D-85331 NOTICE 1 | DIGITAL WORD GENERATOR PERFORMANCE AND INTERFACE (VALIDATION DATE: 9110) | A | 6625 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-S-85333 | SAFETY ARMING DEVICE MARK 33 MOD 1 | A | 1336 | AS | | 24-SEP-79 | | AS | | |
| L | MIL-S-85334 | SEALING COMPOUND, NONCURING, LOW CONSISTENCY, SILICONE, GROOVE INJECTION, FOR INTEGRAL FUEL TANKS | A | 8030 | AS | | 21-MAY-80 | | AS | | |
| | DOD-L-85336A | LUBRICANT, ALL WEATHER (AUTOMATIC WEAPONS) REVIEWER: AR | A | 9150 | AS | | 05-MAR-85 | ME | AS | 68 | |
| L | MIL-M-85337A | MANUAL, TECHNICAL, QUALITY ASSURANCE PROGRAM, REQUIREMENTS FOR | A | QCIC | AS | | 15-NOV-84 | | AS | | |
| L | MIL-T-85342A | TRAILER, MUNITIONS, MHU 171A/E | A | 1740 | AS | | 15-OCT-85 | | AS | | |
| QL | MIL-L-85347A | LIFE PRESERVER, INFLATABLE, CEMENTED, AIRCREWMAN (WITH ARAMID CASTING), TYPE LPU-23B/P | A | 4220 | AS | | 18-DEC-86 | | AS | | |
| L | MIL-B-85349(1) | BOOSTER, FUZE, MARK 60 MOD 1 | A | 1336 | AS | | 19-JAN-81 | | AS | | |
| L | MIL-T-85350B | TRANSMITTER, BEACON, LOCATOR T-1438/D (CONTROLLED DISTRIBUTION) | B | 5826 | AS | | 14-DEC-90 | | AS | | |
| L | MIL-T-85351A | TRANSPONDER SET AN/DPN-88 (VALIDATION DATE: 9110) | A | 5895 | AS | | 17-OCT-91 | | AS | | |
| | MIL-I-85352(3) | INFLATOR ASSEMBLY AND GAGE ELEMENTS, PNEUMATIC PRESSURE, REMOTE CONTROL, DIRECT READING REVIEWER: GS | A | 4920 | AS | | 14-FEB-89 | AV | AS | 99 | |
| | MIL-I-85352/1A | INFLATOR ASSEMBLY KIT REVIEWER: GS | A | 4920 | AS | | 17-FEB-89 | AV | AS | 99 | |
| | MIL-I-85352/2 NOTICE 1 | INFLATOR ASSEMBLY REMOTE CONTROLLER ASSEMBLY (VALIDATION DATE: 9109) REVIEWER: GS | A | 6685 | AS | | 26-SEP-91 | AV | AS | 99 | |
| | MIL-I-85352/3 NOTICE 1 | INFLATOR ASSEMBLY GAGE ELEMENTS (VALIDATION DATE: 9109) REVIEWER: GS | A | 6685 | AS | | 26-SEP-91 | AV | AS | 99 | |
| | MIL-I-85352/4 NOTICE 1 | INFLATOR ASSEMBLY DUAL CHUCK STEM GAGE KIT (VALIDATION DATE: 9109) REVIEWER: GS | A | 6685 | AS | | 26-SEP-91 | AV | AS | 99 | |
| Q | MIL-N-85353 | NUTS (FASTENERS), INTERNALLY THREADED, PRELOAD LOCKING, 450 DEG. F, 800 DEG. F AND 1200 DEG. F, GENERAL SPECIFICATION FOR REVIEWER: 99 AV IS | A | 5310 | AS | | 15-JUL-81 | MI | AS | 11 | |
| | MIL-N-85353/1(1) | NUT (FASTENER), INTERNALLY THREADED, HEXAGON, REDUCED HEIGHT 125 KSI & 200 KSI FTU, 450 DEG. F REVIEWER: 99 AR IS | A | 5310 | AS | | 15-OCT-85 | AV | AS | 11 | |
| | MIL-N-85353/2A | NUT, (FASTENER), HEX, PRELOAD LOCKING, CRES, 450 DEG. F, 800 DEG. F AND 1200 DEG F, REVIEWER: 99 AR IS | A | 5310 | AS | | 23-JUN-86 | AV | AS | 11 | |
| L | MIL-S-85354 | SWITCH, INERTIA, FUZE | A | 1336 | AS | | 14-NOV-80 | | AS | | |
| L | MIL-C-85356 NOTICE 1 | CALIBRATOR SET, MISSILE SYSTEM TEST EQUIPMENT AN/ASM-624 (VALIDATION DATE: 8706) | A | 4935 | AS | | 19-JUN-87 | | AS | | |
| L | MIL-C-85358 NOTICE 2 | CHECKLIST, AIRCRAFT GUNS JAM CLEARING (VALIDATION DATE: 9110) | A | TMSS | AS | | 09-OCT-91 | | AS | | |
| L | MIL-C-85361 NOTICE 1 | CARRYING CASE ASSEMBLIES, INFLATABLE LIFE RAFT (VALIDATION DATE: 8711) | A | 4220 | AS | | 06-NOV-87 | | AS | | |
| L | MIL-R-85363(2) | ROCKET MOTOR MARK 23 MODS 2 & 3 | A | 1340 | AS | | 16-JUL-86 | | AS | | |
| L | MIL-P-85364(1) | PROPELLANT CTBN 23-17 | A | 1340 | AS | | 06-MAR-86 | | AS | | |
| L | MIL-I-85365A(1) | IGNITER MARK 296 MODS (LOADED ASSEMBLY) | A | 1340 | AS | | 12-DEC-85 | | AS | | |
| L | MIL-I-85370 | IRON OXIDE, (MONOHYDRATE) YELLOW | A | 6810 | AS | | 03-FEB-87 | | AS | | |
| L | MIL-C-85373A | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AAW-12A | A | 1095 | AS | | 21-NOV-88 | | AS | | |
| L | MIL-V-85374(1) | VISOR, SHATTER RESISTANT | A | 8475 | AS | | 09-JAN-81 | | AS | | |
| L | MIL-T-85375 NOTICE 1 | TRANSMITTER, DIGITAL TELEMETRY (VALIDATION DATE: 9110) | A | 5821 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-S-85376A | STAND, SHIPBOARD, HELICOPTER MAINTENANCE | A | 4920 | AS | | 01-FEB-85 | | AS | | |
| L | MIL-S-85377A | SWITCH, STEPPING, DIRECT CURRENT, AIRCRAFT DISPENSER | A | 5930 | AS | | 09-FEB-83 | | AS | | |
| L | MIL-S-85377/1A NOTICE 1 | SWITCH, STEPPING, ONE LEVEL, EIGHT POSITION (VALIDATION DATE: 9110) | A | 5930 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-T-85378 | TEST SET, DATA LINK CONTROLLER TS-3531/ASM | A | 4935 | AS | | 13-DEC-84 | | AS | | |
| L | MIL-E-85379(1) | EMITTER, INTEGRATED EXPENDABLE AN/DPT-1 | A | 5841 | AS | | 12-MAR-82 | | AS | | |
| L | MIL-T-85380A | TRANSMITTING SET, RADAR AN/DPT-2A(V) | A | 5821 | AS | | 02-MAR-89 | | AS | | |
| L | MIL-M-85383 | MANUAL, TECHNICAL, AIRCRAFT STRUCTURE REPAIR, CORROSION CONTROL, AND NONDESTRUCTIVE INSPECTION (WORK PACKAGE CONCEPT), PREPARATION OF | A | TMSS | AS | | 28-NOV-80 | | AS | | |
| L | MIL-C-85388 | COMPUTER, WEAPON AIMING CP-1444/A | A | 1280 | AS | | 08-JUL-82 | | AS | | |
| | DOD-I-85390 NOTICE 1 | INDICATOR, TIME TEMPERATURE, CARD, CHEMICALLY ACTIVATED, METRIC (VALIDATION DATE: 8706) | A | 6695 | AS | | 01-JUN-87 | | AS | 99 | |
| L | MIL-C-85392 | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AAW-7D, GENERAL SPECIFICATION FOR | A | 1095 | AS | | 08-SEP-87 | | AS | | |
| L | MIL-T-85395 | TEST SET, GUIDED WEAPON AN/DSM-139A | A | 4935 | AS | | 22-AUG-84 | | AS | | |
| L | MIL-T-85396A | TEST SET, GUIDED WEAPON AN/DSM-139B | A | 4935 | AS | | 30-SEP-86 | | AS | | |
| L | MIL-T-85397A | TRANSPONDER SET AN/DKW-2A(V) | A | 5821 | AS | | 14-OCT-83 | | AS | | |
| L | MIL-T-85398C(2) | TRANSPONDER SET AN/DKW-3A(V) | A | 5821 | AS | | 24-AUG-84 | | AS | | |
| L | MIL-F-85399 | FUZE, GUIDED MISSILE, F&RU-138/B | A | 1336 | AS | | 14-NOV-80 | | AS | | |
| L | MIL-F-85400 | FUZE, GUIDED MISSILE, DUMMY FMU-138(D-1)/B | A | 1336 | AS | | 14-NOV-80 | | AS | | |
| L | MIL-M-85401 NOTICE 1 | MANUAL, TECHNICAL, CONVENTIONAL TO MICROFILM COMPATIBLE, CONVERSION OF | A | TMSS | AS | | 09-OCT-86 | | AS | | |
| L | MIL-V-85402 | VALVE, AIR, DUAL, PYROTECHNIC ACTUATED FZU-43/B | A | 1336 | AS | | 14-NOV-80 | | AS | | |
| L | MIL-T-85405 NOTICE 1 | TRAILER, MUNITIONS, MHU-185/M (VALIDATION DATE: 8705) | A | 1740 | AS | | 28-JUL-80 | | AS | | |
| L | MIL-T-85413A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 1 | A | 4920 | AS | | 23-JAN-86 | | | | |
| L | MIL-T-85413/1A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 1 | A | 4920 | AS | | 28-FEB-86 | | | | |

| Action | Doc. / Data Coordination Incidence | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-T-85413/2A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 2 | A | 4920 | AS | | 28-FEB-86 | | AS | | |
| L | | MIL-T-85413/3A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 3 | A | 4920 | AS | | 28-FEB-86 | | AS | | |
| L | | MIL-T-85413/5A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 5 | A | 4920 | AS | | 28-FEB-86 | | AS | | |
| L | | MIL-T-85413/6A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM-607(V)-6 | A | 4920 | AS | | 28-FEB-86 | | AS | | |
| L | | MIL-T-85413/7A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 7 | A | 4920 | AS | | 28-FEB-86 | | | | |
| L | | MIL-T-85413/8A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 8 | A | 4920 | AS | | 28-FEB-86 | | AS | | |
| L | | MIL-T-85413/10A | TEST SET, COMPUTER MEMORY LOADER-VERIFIER AN/ASM-607A(V)1 | A | 4920 | AS | | 28-FEB-86 | | AS | | |
| L | | MIL-N-854143 | NAVIGATION SET, INERTIAL AN/ASN-139 | A | 5826 | AS | | 15-NOV-90 | | AS | | |
| L | | MIL-T-85418 | TANK, STORAGE, LIQUID OXYGEN, LOW LOSS CLOSED CYCLE, TMU-70/M | A | 3655 | AS | | 21-AUG-80 | | AS | | |
| L | | MIL-S-85419 | STARTER AUXILIARY POWER UNIT, AIRCRAFT ENGINE, GAS TURBINE TYPE, DETAILED SPECIFICATION FOR | A | 2995 | AS | | 01-OCT-81 | | AS | | |
| L | | MIL-S-85420 | SEALING COMPOUNDS, QUICK REPAIR, LOW TEMPERATURE CURING POLYSULFIDE, FOR AIRCRAFT STRUCTURES | A | 8030 | AS | | 14-OCT-80 | | AS | | |
| | | MIL-F-85421A | FITTING, TUBE, FLUID SYSTEMS, SEPARABLE, DYNAMIC BEAM SEAL, GENERAL REQUIREMENTS FOR USER: AT ME OS REVIEWER: 11 82 AR CS MI | A | 4730 | AS | | 11-FEB-81 | AV | AS | 99 | |
| | | MIL-F-85421/1 | FITTING END, STANDARD DIMENSIONS FOR DYNAMIC BEAM SEAL, MALE USER: AT GL ME REVIEWER: 71 82 CS MI | A | 4730 | AS | | 30-NOV-88 | AV | AS | 99 | |
| | | MIL-F-85421/2 | FITTING END, STANDARD DIMENSIONS FOR BULKHEAD, DYNAMIC BEAM SEAL, MALE USER: AT GL ME REVIEWER: 71 82 CS MI | A | 4730 | AS | | 30-NOV-88 | AV | AS | 99 | |
| | | MIL-F-85421/3 | FITTING, TEE, REDUCER, BEAM SEAL, 3000/4000 PSI, 3 MALE ENDS USER: AT MC ME REVIEWER: 82 CS MI | A | 4730 | AS | | 15-MAY-92 | AV | AS | 99 | |
| | | MIL-F-85421/4 | FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN, SWIVEL NUT ON BRANCH USER: AT MC ME REVIEWER: 82 CS MI | A | 4730 | AS | | 15-MAY-92 | AV | AS | 99 | |
| | | MIL-F-85421/5 | FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN AND BRANCH, SWIVEL NUT ON RUN USER: AT MC ME REVIEWER: 82 CS MI | A | 4730 | AS | | 15-MAY-92 | AV | AS | 99 | |
| | | MIL-F-85421/10 | FITTING, ADAPTER, BEAM SEAL, 3000/4000 PSI, MALE TO FLARELESS USER: AT GL ME REVIEWER: 71 82 CS MI | A | 4730 | AS | | 15-MAY-92 | AV | AS | 99 | |
| | | MIL-F-85421/11 | FITTING, UNION, BEAM SEAL, 3000/4000 PSI, MALE ENDS USER: AT MC ME REVIEWER: 71 82 CS MI | A | 4730 | AS | | 15-MAY-92 | AV | AS | 99 | |
| | | MIL-F-85421/12 | FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO MALE USER: AT ME REVIEWER: 71 82 CS MI | A | 4730 | AS | | 15-MAY-91 | AV | AS | 99 | |
| | | MIL-F-85421/13 | FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS USER: AT ME REVIEWER: 71 82 CS MC MI | A | 4730 | AS | | 15-MAY-92 | AV | AS | 99 | |
| | | MIL-F-85421/14 | FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO FEMALE USER: AT ME REVIEWER: 71 82 CS MC MI | A | 4730 | AS | | 15-MAY-92 | AV | AS | 99 | |
| | | MIL-F-85421/15 | FITTING, ELBOW, 45 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS USER: AT ME REVIEWER: 71 82 CS MC MI | A | 4730 | AS | | 15-MAY-92 | AV | AS | 99 | |
| | | MIL-F-85421/16 | FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON RUN, MALE ENDS USER: AT ME REVIEWER: 71 82 CS MC MI | A | 4730 | AS | | 15-MAY-92 | AV | AS | 99 | |
| | | MIL-F-85421/17 | FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON BRANCH, MALE ENDS USER: AT ME REVIEWER: 71 82 CS MC MI | A | 4730 | AS | | 15-MAY-92 | AV | AS | 99 | |
| L | | MIL-O-85432B | OSCILLATOR, VOLTAGE CONTROLLED | A | 5865 | AS | | 31-AUG-88 | | AS | | |
| L | | MIL-P-85433A | PREAMPLIFIER, TRAVELING WAVE TUBE AM-6965/DLQ-38(V) | A | 5865 | AS | | 22-APR-83 | | AS | | |
| L | | MIL-A-85434A | AMPLIFIER, TRAVELING WAVE TUBE AM-6937/DLQ-38 | A | 5865 | AS | | 09-MAR-83 | | AS | | |
| L | | MIL-G-85435 NOTICE 1 | GUIDED MISSILE, TRAINING ATM-78D-3, TYPE III (VALIDATION DATE: 9109) | A | 6920 | AS | | 26-SEP-91 | | AS | | |
| L | | MIL-C-85437B | CAMERA SET, TELEVISION, AN/AXX-1 | A | 5821 | AS | | 09-FEB-89 | | AS | | |
| L | | MIL-C-85441(1) | CABINET, ELECTRICAL EQUIPMENT C&Y-7887/U&PQ-5 | A | 4920 | AS | | 15-FEB-85 | | AS | | |
| L | | MIL-D-85445 | DETECTING, RANGING SET AN/AAS-33A | A | 5855 | AS | | 01-JUN-82 | | AS | | |
| L | | MIL-C-85447A(1) | CLEANING COMPOUNDS, ELECTRICAL & ELECTRONIC COMPONENTS | A | 6850 | AS | | 22-DEC-86 | | AS | | |
| Q | | MIL-C-85449(1) | CLAMP ASSEMBLY, SADDLE-TYPE, CUSHION, GENERAL SPECIFICATION FOR REVIEWER: 11 IS | A | 5340 | AS | | 22-FEB-85 | AV | AS | 99 | |
| | | MIL-C-85449/1B | CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, NBR RUBBER, 321 CRES, 275 DEG. F, FUEL RESISTANT, GENERAL PURPOSE REVIEWER: 11 IS | A | 5340 | AS | | 28-AUG-87 | AV | AS | 99 | |
| | | MIL-C-85449/2B | CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, EPR RUBBER, 321 CRES, 275 DEG. F, GENERAL PURPOSE REVIEWER: 11 IS | A | 5340 | AS | | 20-OCT-87 | AV | AS | 99 | |
| | | MIL-C-85449/3B | CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, SILICONE FABRIC, REINFORCED 321 CRES, 500 DEG. F, GENERAL PURPOSE REVIEWER: 11 IS | A | 5340 | AS | | 20-OCT-87 | AV | AS | 99 | |
| | | MIL-C-85449/4A | CLAMP ASSEMBLY, SADDLE-TYPE CUSHIONED, TEFLON, 321 CRES, -320 DEG. F TO 450 DEG. F, GENERAL PURPOSE REVIEWER: 11 82 IS | A | 5340 | AS | | 28-AUG-87 | AV | AS | 99 | |
| L | | MIL-N-85450(1) | NAVIGATION SET, TACAN AN/DRN-13 | A | 5826 | AS | | 15-AUG-88 | | AS | | |
| | | MIL-C-85455 NOTICE 1 | CHROMIUM-MOLYBDENUM PLATING (ELECTRODEPOSITED) (VALIDATION DATE: 9110) USER: AT GL SH REVIEWER: AR AV CR IS MI | A | MFFP | AS | | 29-OCT-91 | ME | AS | | |
| L | | MIL-C-85456 | CONVERTER GROUP, (ENHANCED) DIGITAL SCAN OD-( )/APQ-126(V) | A | 5841 | AS | | 22-FEB-83 | | AS | | |
| L | | MIL-P-85459(2) | PROBE, CRUSH SENSOR, RH, FZU-45/B AND LH, FZU-46/B AND PROBE, AIR-PRESSURE, FZU/B | A | 1336 | AS | | 01-JUN-87 | | AS | | |
| L | | MIL-B-85464 | BOOSTER, FUZE, MARK 38 MOD 2 | A | 1336 | AS | | 17-NOV-81 | | AS | | |
| L | | MIL-D-85465B | DEVICE, SAFETY & ARMING, FUZE FSU-10/A | A | 1336 | AS | | 28-FEB-88 | | AS | | |
| L | | MIL-G-85468 | GENERATOR CONTROL INDICATOR SG-118./AST-4(V) | A | 6110 | AS | | 07-AUG-81 | | AS | | |
| L | | MIL-T-85469(2) | TRANSPONDER, MISS DISTANCE AN/DKQ-4B (CONTROLLED DISTRIBUTION) | B | 5895 | AS | | 22-MAR-91 | | AS | | |
| | | MIL-I-85470A | INHIBITOR, ICING, FUEL SYSTEM, HIGH FLASH NATO COLD NUMBER S-1745 REVIEWER: 68 AV PS | A | 9150 | AS | | 08-AUG-90 | ME | AS | 11 | |
| L | | MIL-T-85471 NOTICE 1 | TEST SET, INERTIAL MEASURING UNIT II, TS 3846/ASM-608V (VALIDATION DATE: 8805) USER: 99 | A | 6625 | AS | | 23-MAY-88 | | AS | | |
| L | | MIL-T-85472A | TEST SET, GROUP OQ-1698/DSM-96A, SPECIFICATION FOR | A | 4935 | AS | | 04-AUG-87 | | AS | | |
| L | | MIL-F-85475(2) | FUZE, GUIDED MISSILE, FMU-141/B | A | 1336 | AS | | 03-SEP-86 | | AS | | |
| L | | MIL-T-85476 | TEST STAND, OXYGEN SYSTEM COMPONENTS | A | 4920 | AS | | 05-OCT-81 | | AS | | |
| L | | MIL-H-85478A NOTICE 1 | HANDLE, BEADED, INFLATION ASSEMBLY (VALIDATION DATE: 9109) | A | 4220 | AS | | 26-SEP-91 | | AS | | |
| L | | MIL-A-85481 | ARMING WIRE ASSEMBLIES | A | 1325 | AS | | 21-AUG-81 | | AS | | |
| L | | MIL-P-85484 NOTICE 1 | POD-TRAY SUBASSEMBLY, SIMULATING SET (VALIDATION DATE: 9110) | A | 5841 | AS | | 17-OCT-91 | | AS | | |
| Q | | MIL-C-85485A SUPPL 1A1 | CABLE, ELECTRIC, FILTER LINE, RADIO FREQUENCY ABSORPTIVE REVIEWER: 19 AV .. | A | 6145 | AS | | 10-MAY-83 | | | 85 | |
| | | MIL-C-85485/5 | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C 600-VOLT REVIEWER: 19 | A | 6145 | AS | | 10-MAY-83 | | AS | 85 | |
| | | MIL-C-85485/6(1) | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT REVIEWER: 99 ES | A | 6145 | AS | | 31-JAN-84 | | AS | 85 | |
| | | MIL-C-85485/7 | CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT REVIEWER: 19 | A | 6145 | AS | | 10-MAY-83 | | AS | 85 | |
| | | MIL-C-85485/8 | CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT REVIEWER: 19 | A | 6145 | AS | | 10-MAY-83 | | AS | 85 | |
| | | MIL-C-85485/10A | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH-STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG C, 600 VOLT REVIEWER: 19 | A | 6145 | AS | | 20-JUN-86 | | AS | 85 | |
| | | MIL-C-85485/11 | CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 DEG C, 600 VOLT REVIEWER: 19 | A | 6145 | AS | | 25-APR-86 | | AS | 85 | |
| | | MIL-C-85485/12 | CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600 VOLT REVIEWER: 19 | A | 6145 | AS | | 25-APR-86 | | AS | 85 | |
| L | | MIL-P-85486 NOTICE 1 | POWER UNIT AUXILIARY, S-3A AIRCRAFT EQUIPMENT SPECIFICATION FOR (VALIDATION DATE: 8910) | A | 2840 | AS | | 01-OCT-89 | | AS | | |
| L | | MIL-I-85487 | IGNITER, ROCKET MOTOR, MARK 297 MOD 1 | A | 1340 | AS | | 06-OCT-81 | | AS | | |
| L | | MIL-P-85489 | PROPELLANT, IGNITER, X-62 (VALIDATION DATE: 8906) | A | 1420 | AS | | 30-JUN-89 | | AS | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-L-85490 | LINER, CASE, ROCKET MOTOR | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-I-85491 | INSULATION MATERIAL, POLYISOPRENE REVIEWER: MR | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-I-85492 | IMINE CURING/BONDING AGENT | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-C-85493 | CATALYST, BURN RATE 2, 2 BIS (ETHYLFERROCENYL) PROPANE | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-D-85494 | DIOCTYL ADIPATE | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-A-85495 | ANTIOXIDANT, T-BUTYLPHENOL TYPE, 2, 2,-METHYLENEBIS (4-METHYL-6-T-BUTYLPHENOL) | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-C-85496 | CARBON BLACK REVIEWER: MR | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-H-85497 | HYDROXYL TERMINATED POLYBUTADIENE REVIEWER: MR | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-C-85498 | CURING AGENTS, DIMERYL-DI-ISOCYANATE & ISOPHORONE DI-ISOCYANATE | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-P-85499 | PRIMER MATERIAL | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-Z-85500 | ZIRCONIUM CARBIDE | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-A-85501 | ANTIOXIDANT N-PHENYL-N,-CYCLOHEXYL-P-PHENYLENE DIAMINE REVIEWER: MR | A | 6810 | AS | | 06-OCT-81 | | AS | | |
| L | MIL-A-85505 | ALTIMETER, STANDBY, TYPES I & II | A | 6610 | AS | | 14-NOV-83 | | AS | | |
| L | MIL-I-85506 | INDICATOR, INDICATED AIRSPEED, STANDBY TYPES 1, II, & III | A | 6610 | AS | | 14-NOV-83 | | AS | | |
| L | MIL-S-85508(3) | SPECTACLE, AVIATOR S, NEODYMIUM LASER PROTECTIVE, EDU-1/P (WITH CASE) | A | 8465 | AS | | 30-JUL-87 | | AS | | |
| L | MIL-R-85509 | RECORDING GROUP, VIDEO SIGNAL OA-8962/ASH | A | 5821 | AS | | 11-SEP-81 | | AS | | |
| L | MIL-S-85510 | SEATS, HELICOPTER CABIN, CRASHWORTHY, GENERAL SPECIFICATION FOR 19118] REVIEWER: AV | A | 1680 | AS | | 19-NOV-81 | | AS | | |
| L | MIL-P-85511A | PANEL ASSEMBLY, TARGET, BANNER, AERIAL TDU-32 SERIES | A | 6920 | AS | | 05-JUN-87 | | AS | | |
| L | MIL-T-85512(1) NOTICE 1 | TOW BAR AND BRIDLE ASSEMBLY, TARGET, BANNER, AERIAL, TDU-32 SERIES [VALIDATION DATE: 9109] | A | 1550 | AS | | 26-SEP-91 | | AS | | |
| L | MIL-N-85516A | NAVIGATION SET, INERTIAL AN/ASN-130A, AIRCRAFT | A | 5826 | AS | | 13-JUL-87 | | AS | | |
| L | MIL-C-85518 SUPPL 1A1 | COMPUTER SET, STANDARD AIRBORNE AN/AYK-14(V) GENERAL SPECIFICATION FOR | A | 7021 | AS | | 14-AUG-84 | | AS | | |
| L | MIL-C-85518/1 NOTICE 1 | COMPUTER SET, STANDARD AIRBORNE, CP-1501A/AYK-14(V) [VALIDATION DATE: 9110] | A | 7021 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-C-85518/2 | COMPUTER SET, STANDARD AIRBORNE CP-1502A/AYK-14(V) [VALIDATION DATE: 9110] | A | 7021 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-C-85518/3 NOTICE 1 | COMPUTER SET, STANDARD AIRBORNE CP-1503/AYK-14(V) [VALIDATION DATE: 9110] . | A | 7021 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-C-85518/4 NOTICE 1 | COMPUTER SET, STANDARD AIRBORNE CP-1430/AYK-14(V) [VALIDATION DATE: 9110] . | A | 7021 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-C-85518/5 NOTICE 1 | COMPUTER SET, STANDARD AIRBORNE CP-1429/AYK-14(V) [VALIDATION DATE: 9110] . | A | 7021 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-C-85518/6 | COMPUTER SET, STANDARD AIRBORNE CP-1430A/AYK-14(V) [VALIDATION DATE: 9110] | A | 7021 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-C-85518/7 | COMPUTER SET, STANDARD AIRBORNE CP-1500B/AYK-14(V) [VALIDATION DATE: 9110] | A | 7021 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-C-85518/8 NOTICE 1 | COMPUTER SET, STANDARD AIRBORNE CP-1539/AYK-14(V) [VALIDATION DATE: 9110] . | A | 7021 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-D-85520(1) | DESIGN AND INSTALLATION OF ON BOARD OXYGEN GENERATING SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR | A | 1660 | AS | | 16-JAN-91 | | AS | | |
| L | MIL-C-85521 | CONCENTRATOR, OXYGEN, GG-7/A | A | 1660 | AS | | 05-AUG-83 | | AS | | |
| ML | MIL-M-85522A | MONITOR, OXYGEN, CRU-91/A | A | 1660 | AS | | 17-JUN-91 | | AS | | |
| ML | MIL-R-85523(1) | REGULATOR, CHEST MOUNTED, POSITIVE PRESSURE, CRU-82/P | A | 1660 | AS | | 16-JUL-90 | | AS | | |
| | MIL-C-85528 SUPPL 1A1 | CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, 1/4 MOUNTING PERIMETER DEVICE, TYPE III (LIGHT DUTY) REVIEWER: 11 99 AR EC MI SH | A | 5935 | AS | | 19-MAY-83 | CR | AS | | 85 |
| | MIL-C-85528/1 | CONNECTOR, ELECTRICAL,MOUNTING DEVICE, FLAN GE TYPE, FULL MOUNTINGPERIMETER DEVICE, TYP E I (HEAVY DUTY) REVIEWER: 99 AR EC ES MI SH | A | 5935 | AS | | 19-MAY-83 | CR | AS | | 85 |
| | MIL-C-85528/2 | CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, 3/4 MOUNTING PERIMETER DEVICE, TYPE II (MEDIUM DUTY) REVIEWER: 99 AR EC ES MI SH | A | 5935 | AS | | 19-MAY-83 | CR | AS | | 85 |
| | MIL-C-85528/3 | CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, 1/4 MOUNTING PERIMETER DEVICE TYPE I & II (LIGHT DUTY) | A | 5935 | AS | | 19-MAY-83 | CR | AS | | 85 |
| L | MIL-T-85530 NOTICE 1 | TEST SET, TOW TARGET, A/E24T-143 [VALIDATION DATE: 9110] | A | 6625 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-F-85531 | FIRING DEVICE, EXPLOSIVE ACTUATOR (CCU-74/B) | A | 1377 | AS | | 07-JAN-86 | | AS | | |
| L | MIL-L-85532(1) | LOADER, WEAPONS, AIR LAUNCHED, A/32K-1D | A | 1740 | AS | | 10-DEC-87 | | AS | | |
| L | MIL-R-85535(2) | RECORDER - REPRODUCER SET, DIGITAL DATA, AN/ASH-33 | A | 5835 | AS | | 26-AUG-86 | | | | |
| L | MIL-G-85536(1) NOTICE 1 | GUN SYSTEM, 25-MM, AIRCRAFT A/A49E-10 [VALIDATION DATE: 9110] | A | 1005 | AS | | 02-OCT-91 | | AS | | |
| L | MIL-T-85537 | TRAILER, MUNITIONS, AERO 51C | A | 1740 | AS | | 16-JAN-83 | | AS | | |
| L | MIL-R-85545B | ROCKET, GTR-18A | A | 1370 | AS | | 30-NOV-90 | | AS | | |
| L | MIL-L-85546B | LAUNCHER, ROCKET LMU-23A/E AND LMU-23B/E | A | 1055 | AS | | 30-NOV-90 | | AS | | |
| L | MIL-I-85547B | IGNITER, PVU-3A/E AND PVU-3B/E | A | 1370 | AS | | 30-NOV-90 | | AS | | |
| L | MIL-P-85548B | PROPELLANT, COMPOSITE, CAST, M-60 | A | 1370 | AS | | 30-NOV-90 | | AS | | |
| | MIL-T-85549 NOTICE 1 | TEST PROGRAM SET (TPS) - OPERATIONAL TEST PROGRAM SETS (OTPS) FOR F/A-18 UNITS UNDER TEST (UUT), GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] | A | 6625 | AS | | 17-OCT-91 | | AS | | 99 |
| L | MIL-T-85552A(1) | TEST SET, TARGET DETECTOR AN/DSM-132A (CONTROLLED DISTRIBUTION) | C | 4935 | AS | | 05-MAY-92 | | AS | | |
| Q | MIL-B-85560(1) NOTICE 1 | BEARINGS, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING; GENERAL SPECIFICATION FOR [VALIDATION DATE: 9109] REVIEWER: 99 AR IS SH | A | 3120 | AS | | 05-SEP-91 | AV | AS | | 11 |
| | MIL-B-85560/1(1) NOTICE 1 | BEARING, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN, SELF-LUBRICATING, +250 DEG, F [VALIDATION DATE: 9109] REVIEWER: 99 AR IS SH | A | 3120 | AS | | 05-SEP-91 | AV | AS | | 11 |
| | MIL-B-85560/2(1) NOTICE 1 | BEARING, FIBER REINFORCED PLASTIC, SLEEVE, FLANGED, SELF-LUBRICATING, +250 DEG, F [VALIDATION DATE: 9109] REVIEWER: 99 AR IS SH | A | 3120 | AS | | 05-SEP-91 | AV | AS | | 11 |
| L | MIL-T-85563 NOTICE 1 | TEMPERATURE LIMITER AMPLIFIER(TLA)-TRIM TEST SET TTK-383/E24M-30 AND CABLE CASE CNK-320/E24M-30 [VALIDATION DATE: 9110] | A | 6685 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-S-85565 | SERVO, COLD GAS | A | 1340 | AS | | 05-AUG-85 | | | | |
| L | MIL-I-85569A | INDICATOR, CONTROL C-10250A/ALR-67 (V) | A | 5865 | AS | | 20-MAY-87 | | AS | | |
| Q | MIL-C-85570B(1) | CLEANING COMPOUND, AIRCRAFT, EXTERIOR | A | 6850 | AS | | 20-JUN-88 | | AS | | 68 |
| L | MIL-F-85571A(1) | FUZE, BOMB, ELECTRONIC, FMU-139/B | A | 1325 | AS | | 16-JUL-87 | | AS | | |
| L | MIL-P-85573 | POWER UNIT AIRCRAFT, AUXILIARY, GAS TURBINE GENERAL SPECIFICATIONS FOR | A | 2835 | AS | | 15-NOV-83 | | AS | | |
| L | MIL-T-85574 | TRANSMITTING SET TELEMETRIC DATA AN/DKT-58(V1) | A | 1420 | AS | | 18-OCT-83 | | AS | | |
| L | MIL-P-85576B | POWER SUPPLY PP-2581C/A | A | 1440 | AS | | 04-AUG-87 | | AS | | |
| L | MIL-C-85578 | COUNTERMEASURES SET AN/DLQ-5(V) | A | 5865 | AS | | 16-NOV-82 | | | | |
| | MIL-C-85579 | COUNTERMEASURES SET, B BAND | A | 5865 | AS | | 26-MAY-83 | | AS | | |
| L | MIL-D-85580B | DEVICE, SAFETY AND ARMING, FUZE, DUMMY, FSU-10(D-1)/A AND DEVICE, SAFETY AND ARMING, FUZE, TRAINING, FSU-10(T-1)/A | A | 1336 | AS | | 28-MAR-88 | | AS | | |
| L | MIL-I-85581 | INTERVALOMETER, ROCKET LAUNCHER, REUSABLE | A | 5930 | AS | | 31-MAY-83 | | AS | | |
| L | MIL-I-85581/1 NOTICE 1 | INTERVALOMETER, ROCKET LAUNCHER, REUSABLE, NINETEEN (19) OUTPUT, DIRECT LINE OPERATED [VALIDATION DATE: 9110] | A | 5930 | AS | | 17-OCT-91 | | AS | | |
| Q | MIL-P-85582A(1) | PRIMER COATINGS: EPOXY, WATERBORNE USER: MI REVIEWER: AV SH | A | 8010 | AS | | 31-JUL-89 | ME | AS | | 11 |
| L | MIL-E-85583 | ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, ALTERNATING CURRENT, 400 HZ, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 6115 | AS | | 20-FEB-87 | | AS | | |
| | MIL-E-85583/1 | ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, 2390 TO 8560 RPM, ALTERNATING CURRENT, 400 HZ, 12.5 KVA, AIRCRAFT | A | 6115 | AS | | 13-MAR-87 | | | | |
| L | MIL-E-85583/2 | ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, 12,450 TO26,250 RPM, ALTERNATING CURRENT, 400 HZ, 40 KVA, AIRCRAFT | A | 6115 | AS | | 07-NOV-86 | | AS | | |
| L | DOD-B-85584A | BATTERY RELAY CONTROL UNIT, AIRCRAFT | A | 6140 | AS | | 21-JUL-88 | | AS | | |
| QL | MIL-B-85584A | BATTERY RELAY CONTROL UNIT, AIRCRAFT | A | 6140 | AS | | 21-JUL-88 | | AS | | |
| L | MIL-P-85585 | PROBES, EDDY CURRENT, UNSHIELDED, SINGLE COIL, ABSOLUTE | A | 6695 | AS | | 06-DEC-82 | | AS | | |
| L | MIL-T-85587 NOTICE 1 | TEST SET, VIBRATION TTK-402/E24T-148 AND CABLE CASE CNK-357/E24T-148 [VALIDATION DATE: 9110] | A | 4920 | AS | | 17-OCT-91 | | AS | | |
| L | MIL-L-85590 | LAUNCHER, ROCKET, LAU-61C/A THERMAL PROTECTED AND LAU-68D/A THERMAL PROTECTED | A | 1055 | AS | | 08-APR-85 | | AS | | |
| L | MIL-I-85595 NOTICE 1 | TRANSMITTING SET, TELEMETRIC DATA AN/DKT-61(V) [VALIDATION DATE: 9110] .... | A | 5821 | AS | | 17-OCT-91 | | AS | | |

| Action | Opt. / Obst. | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-F-85596 | FIN, RETARDER, AIR INFLATABLE BSU-85/B | A | 1325 | | AS | 09-MAY-83 | | | | |
| | | | | MIL-B-85598 | BEARINGS, ELASTOMERIC GENERAL SPECIFICATION FOR REVIEWER: 84 AV IS | A | 3120 | | AS | 04-JAN-88 | AR | AS | 99 | |
| L | | | | MIL-B-85599(1) | BOOSTER, FUZE, MARK 60MOD 2 | A | 1336 | | AS | 09-OCT-86 | | AS | | |
| L | | | | MIL-T-85601 NOTICE 1 | TEST SET, INDICATOR AN/APM-433 [VALIDATION DATE: 9110] | A | 6625 | | AS | 17-OCT-91 | | AS | | |
| L | | | | MIL-L-85602(1) | LEAD, EXPLOSIVE MARK 28 MOD 0 MARK 29 MOD 0 | A | 1336 | | AS | 25-APR-84 | | AS | | |
| L | | | | MIL-V-85603 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY GENERAL SPECIFICATION FOR | A | 6625 | | AS | 10-AUG-89 | | AS | | |
| L | | | | MIL-V-85603/1 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY INTEGRAL LIGHTED, 38.10 MILLIMETERS | A | 6625 | | AS | 10-AUG-89 | | AS | | |
| L | | | | MIL-V-85603/2 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY UNLIGHTED, 38.10 MILLIMETERS | A | 6625 | | AS | 10-AUG-89 | | AS | | |
| L | | | | MIL-V-85603/3 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY INTEGRAL LIGHTED, 25.4 MILLIMETERS | A | 6625 | | AS | 10-AUG-89 | | AS | | |
| L | | | | MIL-V-85603/4 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY, INTEGRAL LIGHTED, 38.10 MILLIMETERS, DUAL DISPLAY | A | 6625 | | AS | 10-AUG-89 | | AS | | |
| | | | | MIL-B-85604A | BOLT, NICKEL ALLOY 718, TENSION, HIGH STRENGTH, (125 KSI FSU & 220 KSI FTU) HIGH TEMPERATURE, SPLINE DRIVE USER: MI REVIEWER: 99 AR IS | A | 5306 | | AS | 25-JAN-88 | AV | AS | 11 | |
| | | | | MIL-G-85613 NOTICE 1 | GROMMET, HARD SEAT, SWAGED, COUNTERSINK: GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] REVIEWER: 99 AR IS MI | A | 5325 | | AS | 02-OCT-91 | AV | AS | 11 | |
| | | | | MIL-G-85613/1 NOTICE 1 | GROMMET, HARD SEAT, RELIABILITY AND MAINTAINABILITY (NEW CONSTRUCTION AND REPAIR) REQUIREMENTS FOR [VALIDATION DATE: 9110] | A | 5325 | | AS | 02-OCT-91 | AV | AS | 11 | |
| | | | | MIL-G-85613/2 NOTICE 1 | GROMMET, HARD SEAT, SWAGED, COUNTERSINK, QUICK-RELEASE, PANEL FASTENER [VALIDATION DATE: 9110] | A | 5325 | | AS | 02-OCT-91 | AV | AS | 11 | |
| | | | | MIL-G-85613/3 NOTICE 1 | GROMMET, HARD SEAT, SWAGED, COUNTERSINK, TENSION HEAD, PANEL FASTENER [VALIDATION DATE: 9110] | A | 5325 | | AS | 02-OCT-91 | AV | AS | 11 | |
| | | | | MIL-C-85614A | COATING, FASTENER (TITANIUM AND CRES ALLOYS), ALUMINUM PIGMENTED, ORGANICALLY BONDED (FOR ALL THREADED AND UNTHREADED FASTENERS) REVIEWER: 99 MR OS SH | A | MFFP | | AS | 27-FEB-90 | AV | AS | 11 | |
| | | | | MIL-N-85615 | NUT, SEALING, SELF-LOCKING, 250 DEG. F, 450 DEG. F GENERAL SPECIFICATION FOR REVIEWER: 99 AV IS MI OS SH | A | 5310 | | AS | 01-SEP-86 | AR | AS | 11 | |
| | | | | MIL-N-85615/1 | NUT, SEALING, SELF-LOCKING, 250 DEG. F AND 450 DEG. F REVIEWER: AV IS MI OS SH | A | 5310 | | AS | 15-DEC-89 | AR | AS | 99 | |
| | | | | MIL-N-85615/2 | NUT ASSEMBLY, SELF-SEALING, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT REVIEWER: AV IS MI OS SH | A | 5310 | | AS | 15-DEC-89 | AR | AS | 99 | |
| | | | | MIL-N-85615/3 | NUT ASSEMBLY, SELF-SEALING, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT 1/64 IN. OVERSIZE (FOR REPAIR) USER: OS SH REVIEWER: AV IS MI | A | 5310 | | AS | 15-DEC-89 | AR | AS | 99 | |
| | | | | MIL-N-85615/4 | NUT ASSEMBLY, SELF-SEALING, LOW PROFILE, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F REVIEWER: AV IS MI OS SH | A | 5310 | | AS | 15-DEC-89 | AR | AS | 99 | |
| | | | | MIL-N-85615/5 | NUT ASSEMBLY, SELF-SEALING, FLOATING, LOW PROFILE, SELF-LOCKING, 125 KSI FTU, 225 DEG. F 1/64 IN. OVERSIZE (FOR REPAIR) REVIEWER: AV IS MI OS SH | A | 5310 | | AS | 15-DEC-89 | AR | AS | 99 | |
| | | | | MIL-N-85615/6 | NUT ASSEMBLY, SELF-SEALING, SHEAR SLEEVE, CLOSE TOLERANCE, SELF-LOCKING, REDUCED DIAMETER SLEEVE, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT REVIEWER: AV IS MI OS SH | A | 5310 | | AS | 15-DEC-89 | AR | AS | 99 | |
| | | | | MIL-N-85615/7 | NUT ASSEMBLY, SELF-SEALING, SHEAR SLEEVE, CLOSE TOLERANCE, SELF-LOCKING, REDUCED DIAMETER SLEEVE, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT, 1/64 IN. OVERSIZE (FOR REPAIR) REVIEWER: AV IS MI OS SH | A | 5310 | | AS | 15-DEC-89 | AR | AS | 99 | |
| | | | | MIL-N-85615/8 | NUT, SELF-SEALING, SELF-LOCKING, ALLOY STEEL, 125 KSI FTU, 250 DEG. F AND 450 DEG. F REVIEWER: AV IS MI OS SH | A | 5310 | | AS | 15-DEC-89 | AR | AS | 99 | |
| | | | | MIL-N-85615/9 | NUT, SELF-SEALING, SELF-LOCKING, ALUMINUM ALLOY, 60 KSI FTU, 250 DEG. F REVIEWER: AV IS MI OS SH | A | 5310 | | AS | 15-DEC-89 | AR | AS | 99 | |
| | | | | MIL-N-85615/10 | NUT, SELF-SEALING, SELF-LOCKING, CRES, 160 KSI FTU, 250 DEG. F AND 450 DEG. F REVIEWER: AV IS MI OS SH | A | 5310 | | AS | 15-DEC-89 | AR | AS | 99 | |
| L | | | | MIL-C-85623 NOTICE 1 | CARTRIDGE, 25 MM, TARGET PRACTICE PGU-23/U [VALIDATION DATE: 9110] | A | 1305 | | AS | 02-OCT-91 | | AS | | |
| L | | | | MIL-C-85624 NOTICE 1 | CARTRIDGE, 25 MILLIMETER, PGU-20/U (API) [VALIDATION DATE: 9110] | A | 1305 | | AS | 02-OCT-91 | | AS | | |
| L | | | | MIL-C-85625 NOTICE 1 | CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY SELF-DESTRUCT, PGU-22/ U [VALIDATION DATE: 9110] | A | 1305 | | AS | 02-OCT-91 | | AS | | |
| L | | | | MIL-I-85627(1) NOTICE 1 | INITIATOR, RF FILTERED, DUAL-BRIDGEWIRE [VALIDATION DATE: 9110] | A | 1377 | | AS | 02-OCT-91 | | AS | | |
| L | | | | MIL-C-85629 | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-13 | A | 1430 | | AS | 14-APR-88 | | AS | | |
| | | | | MIL-T-85630 NOTICE 1 | TUBE, MOTOR, FOR 2.75 INCH ROCKET, MARK 66 [VALIDATION DATE: 9110] REVIEWER: OS | A | 1340 | | AS | 02-OCT-91 | MI | AS | | |
| L | | | | MIL-C-85633A | COVERALLS, FLYERS, ANTI-EXPOSURE, CWU-62/P | A | 8475 | | AS | 31-DEC-86 | | AS | | |
| A | L | | | MIL-S-85634 NOTICE 1 | SEALER, HEAT, SEAM TAPE AND PATCH, ANTI-EXPOSURE COVERALL [VALIDATION DATE: 9209] | A | 3540 | | AS | 30-SEP-92 | | AS | | |
| A | L | | | MIL-W-85635 NOTICE 1 | WATER TEST DEVICE, ANTI-EXPOSURE COVERALL [VALIDATION DATE: 9209] | A | 6635 | | AS | 30-SEP-92 | | AS | | |
| A | L | | | MIL-C-85636(1) | CLOTH, KNIT, JERSEY, ARAMID | A | 8305 | | CT | 29-AUG-86 | | AS | | CT |
| A | L | | | MIL-C-85637A | CLOTH, LAMINATED, FIRE RESISTANT, WATERPROOF AND MOISTURE VAPOR PERMEABLE | A | 8305 | | CT | 30-SEP-87 | | AS | | CT |
| | L | | | MIL-C-85638 | CONVERTER, RADAR DATA CV-1607D/AVA-1 | A | 5841 | | AS | 26-JUN-85 | | AS | | |
| | | | | MIL-T-85641 | TEST SET, GUIDED MISSILE LAUNCHER AN/AWM-90A | A | 4935 | | AS | 04-FEB-85 | | AS | | |
| L | | | | MIL-C-85642 NOTICE 1 | COMMUNICATIONS CENTRAL AN/ASC-26 [VALIDATION DATE: 9110] | A | 5810 | | AS | 17-OCT-91 | | AS | | |
| L | | | | MIL-B-85643 SUPPL 1A1 | BITS, SCREWDRIVER, RIBBED GENERAL SPECIFICATION FOR | A | 5120 | | AS | 18-MAR-87 | | AS | | |
| L | | | | MIL-B-85643/1 | BIT, SCREWDRIVER, PHILLIPS, RIBBED, CRUCIFORM, INSERT TYPE, EXTERNAL HEXAGON SHANK, MANUALLY DRIVEN | A | 5120 | | AS | 18-MAR-87 | | | | |
| L | | | | MIL-B-85643/2 | BIT, SCREWDRIVER, PHILLIPS, RIBBED, CRUCIFORM, LONG SHANK, EXTERNAL HEXAGON SHANK, POWER DRIVEN | A | 5120 | | AS | 18-MAR-87 | | | | |
| L | | | | MIL-B-85643/3 | BIT, SCREWDRIVER, TORQ-SET, RIBBED, OFFSET CRUCIFORM, EXTERNAL HEXAGON SHANK, POWER DRIVEN | A | 5120 | | AS | 18-MAR-87 | | | | |
| L | | | | MIL-B-85643/4 | BIT, SCREWDRIVER, TORQ-SET, RIBBED, OFFSET CRUCIFORM, LONG SHANK, EXTERNAL HEXAGON SHANK | A | 5120 | | AS | 18-MAR-87 | | | | |
| L | | | | MIL-B-85643/5 | BIT, SCREWDRIVER, INSERT TYPE, TORQ-SET, RIBBED, OFFSET CRUCIFORM, EXTERNAL HEXAGON SHANK, MANUALLY DRIVEN | A | 5120 | | AS | 18-MAR-87 | | | | |
| | | | | DOD-L-85645A | LUBRICANT, DRY THIN FILM, MOLECULAR BONDED USER: AR REVIEWER: GS SH | A | 9150 | | AS | 15-OCT-88 | ME | AS | 11 | |
| L | | | | MIL-A-85648 | AMPLIFIER, TRAVELING WAVE TUBE | A | 5865 | | AS | 13-OCT-83 | | AS | | |
| L | | | | MIL-T-85650 NOTICE 1 | TRANSMITTING SET, TELEMETRIC DATA AN/DKT-59 [VALIDATION DATE: 9110] | A | 5815 | | AS | 17-OCT-91 | | AS | | |
| L | | | | MIL-C-85651 NOTICE 1 | CONVERTER, VOLTAGE TO FREQUENCY CV-3746/DKT-59 [VALIDATION DATE: 9110] | A | 5815 | | AS | 17-OCT-91 | | AS | | |
| L | | | | MIL-A-85652 NOTICE 1 | AMPLIFIER-MIXER AM-7157/DKT-59 [VALIDATION DATE: 9110] | A | 5815 | | AS | 17-OCT-91 | | AS | | |
| L | | | | MIL-T-85653 NOTICE 1 | TRANSMITTER, RADIO T-1458/DKT-59 [VALIDATION DATE: 9110] | A | 5815 | | AS | 17-OCT-91 | | AS | | |
| L | | | | MIL-P-85654 NOTICE 1 | POWER SUPPLY PP-7816/DKT-59 [VALIDATION DATE: 9110] | A | 5815 | | AS | 23-OCT-91 | | AS | | |
| L | | | | MIL-C-85655 NOTICE 1 | CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY-TRACER MARK 210 MOD 0 [VALIDATION DATE: 9110] | A | 1305 | | AS | 02-OCT-91 | | AS | | |
| L | | | | MIL-C-85656 NOTICE 1 | CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY (M5) PGU-25/U [VALIDATION DATE: 9110] | A | 1305 | | AS | 02-OCT-91 | | AS | | |
| A | | | | MIL-M-85657 NOTICE 1 | MOTOR, ROCKET, 2.75 INCH, MARK 66 MODS [VALIDATION DATE: 9110] | A | 1340 | | AS | 02-OCT-91 | MI | AS | 11 | |

| Action | Opt. / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-P-85658 | PAINT, WATER DISPLACING USER: AV ER OS SH REVIEWER: 84 AR GS MI MR | A | 8010 | AS | | 21-MAY-86 | ME | AS | 11 | |
| L | | | MIL-C-85659 | CONTAINER, SHIPPING AND STORAGE, ALL UP ROUND CMU-398/E | A | 8140 | AS | | 21-NOV-84 | | AS | | |
| L | | | MIL-P-85661 NOTICE 1 | PROPELLANT EXTRUDED, 25 MM, ARMOR PIERCING INCENDIARY (API), PGU-20/U (VALIDATION DATE: 9110) | A | 1305 | AS | | 02-OCT-91 | | AS | | |
| L | | | MIL-P-85662 NOTICE 1 | PROPELLANT, BALL, 25 MM, ARMOR PIERCING INCENDIARY (API), PGU-20/U (VALIDATION DATE: 9110) | A | 1305 | AS | | 02-OCT-91 | | AS | | |
| L | | | MIL-T-85663(1) | TRANSMITTING SET, TELEMETRIC DATA, AN/AKT-22(V)6 | A | 5821 | AS | | 12-OCT-90 | | AS | | |
| L | | | MIL-R-85664(1) | RADIO TRANSMITTER RADIO RT-1250A/ARC | A | 5821 | AS | | 07-JUL-87 | | AS | | |
| L | | | MIL-R-85665 | RECEIVER-TRANSMITTER, RADIO RT-1324A/ARC, RT-1327A/ARC & RT-1407/ARC | A | 5821 | AS | | 07-JUL-87 | | AS | | |
| L | | | MIL-C-85666 | CONTROL, RADIO SET C-10319A/ARC, C-10776A/ARC, AND C-11131/ARC | A | 5821 | AS | | 07-JUL-87 | | AS | | |
| Q | | | MIL-B-85667A SUPPL 1A1 | BOLT, SLEEVE, STRAIGHT SHANK, PROTRUDING AND FLUSH HEAD, GENERAL SPECIFICATION FOR REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/1A | BOLT, SLEEVE, STRAIGHT SHANK, PROTRUDING AND FLUSH HEAD, RELIABILITY AND MAINTAINABILITY REQUIREMENTS FOR REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/2A | BOLT, SLEEVE, 100 DEG, REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES PH 13-8MO PIN, 125 KSI FSU REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/3A | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES PH 13-8MO PIN, 220 KSI FTU REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/4A | BOLT, SLEEVE, 100 DEG, REDUCED FLUSH HEAD, STRAIGHT SHANK, TITANIUM ALLOY PIN, 95 KSI FSU REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/5A | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, TITANIUM ALLOY PIN, 160 KSI FTU REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/6A | BOLT, SLEEVE, 100 DEG, REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, NICKEL ALLOY 718 PIN, 125 KSI FSU, 450 DEG, F REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/7A | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, NICKEL ALLOY 718 PIN, 125 KSI FSU, 220 KSI FTU, 450 DEG, F REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/8 | BOLT, SLEEVE, 100 DEG, REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES A-286 PIN, 95 KSI FSU, 450 DEG, F REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/9 | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES A-286 PIN, 95 KSI FSU, 160 KSI FTU, 450 DEG, F REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/10 | BOLT, SLEEVE, 100 DEG, TENSION FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES A-286 PIN, 160 KSI FTU, 450 DEG, F REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/11 | BOLT, SLEEVE, 100 DEG, TENSION FLUSH HEAD, STRAIGHT SHANK, NICKEL-CRES 304 SLEEVE, NICKEL-ALLOY 718 PIN, 220 KSI FTU, 450 DEG, F REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/12 | BOLT, SLEEVE, 100 DEG, TENSION FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, TITANIUM ALLOY PIN, 95 KSI FSU, 160 KSI FTU REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| | | | MIL-B-85667/13 | BOLT, 100 DEG, TENSION FLUSH HEAD, STRAIGHT SHANK, ALUMINUM ALLOY SLEEVE, TITANIUM ALLOY PIN, 95 KSI FSU, 160 KSI FTU REVIEWER: 82 | A | 5306 | AS | | 28-JAN-91 | AV | AS | 99 | |
| L | | | MIL-F-85668 | FIRE SYSTEM, 20 MILLIMETRE POINT & SUPPRESSIVE HELICOPTER, AH-1T (TOW), A/A49E-7(V4) | A | 1230 | AS | | 28-FEB-84 | | AS | | |
| L | | | MIL-R-85669 | CHAFF, COUNTERMEASURES, AIR LAUNCH, TYPE RR-()/AL | A | 5865 | AS | | 13-OCT-87 | | AS | | |
| Q | | | MIL-A-85670A | ANTENNA, BROADBAND AS-3191/A, AS-3792/A, AMDAS-3793/A | A | 5821 | AS | | 15-MAR-88 | | | | |
| L | | | MIL-I-85671 | INDICATOR, FREQUENCY CHANNEL ID-2121A/ARC, ID-2229A/ARC, AND ID-2303/ARC | A | 5821 | AS | | 07-JUL-87 | | | | |
| L | | | MIL-A-85672 | AMPLIFIER, RADIO FREQUENCY AM-7177A/ARC | A | 5821 | AS | | 07-JUL-87 | | | | |
| L | | | MIL-S-85673 | SWITCHING UNIT SA-2498/ARC | A | 5821 | AS | | 07-JUL-87 | | | | |
| L | | | MIL-C-85674 | CONTROL UNITS C-11628/ARC, C-10777A/ARC AND C-11132/ARC C-10320/ARC AND C-10777/ARC | A | 5821 | AS | | 07-JUL-87 | | | | |
| L | | | MIL-F-85675 | FILTER, UHF BANDPASS F-1556/ARC | A | 5821 | AS | | 07-JUL-87 | | AS | | |
| L | | | MIL-L-85676(1) | LIGHTING, EMERGENCY EGRESS, SUB-ASSEMBLY | A | 6220 | AS | | 05-DEC-84 | | AS | | |
| L | | | MIL-M-85677 | MOUNTING, ELECTRICAL EQUIPMENT MT-6330/ARC | A | 5821 | AS | | 07-JUL-87 | | | | |
| L | | | MIL-T-85678(1) | TRANSPONDER, RADAR TRACKING | A | 5895 | AS | | 15-AUG-88 | | AS | | |
| A L | | | MIL-B-85684 NOTICE 2 | BEARING, SPIN (SIDEWINDER) | A | 3110 | AS | | 14-DEC-92 | | AS | | |
| L | | | MIL-B-85685 | BOOSTER, FULE, MARK 60 MOD 3 | A | 1336 | AS | | 26-FEB-88 | | AS | | |
| L | | | MIL-S-85688A NOTICE 1 | SCORING SET, MISSILE, NON-COOPERATIVE SYSTEM AN/DSQ-37(V) (VALIDATION DATE: 9110) | A | 5821 | AS | | 23-OCT-91 | | AS | | |
| L | | | MIL-R-85690B | RADIO RECEIVING SET AN/ARN-146 | A | 5826 | AS | | 18-JAN-91 | | AS | | |
| | | | MIL-C-85691 | CHAFF ROVING BUNDLE (TYPE RR-( )/AL), GENERAL SPECIFICATION FOR | A | 5865 | AS | | 12-NOV-86 | | AS | | |
| | | | MIL-C-85691/1 | CHAFF ROVING BUNDLE (TYPE RR-179/AL) | A | 5865 | AS | | 12-NOV-86 | | AS | | |
| L | | | MIL-R-85693/2 | RECEIVER, ADVANCED SONOBUOY COMMUNICATION LINK, AN/ARR-78(V) (2) S-3B CONFIGURATION | A | 5845 | AS | | 31-OCT-86 | | AS | | |
| | | | DOD-S-85694 | SPECTROMETRIC OIL STANDARDS (METRIC) REVIEWER: 20 AM AV | A | 9150 | AS | | 20-OCT-86 | ME | AS | 68 | |
| N L | | | MIL-R-85698 | RADIO SET, AN/PRC-125 (NAVY SWIMMER RADIO) | A | 5821 | AS | | 19-MAR-93 | | AS | | |
| L | | | MIL-C-85699 | CHAFF, COUNTERMEASURES, AIR LAUNCH, TYPE RR-( )/AL GENERAL SPECIFICATION FOR | A | 5865 | AS | | 13-OCT-87 | | AS | | |
| A L | | | MIL-C-85700 | COVERALL'S, FLYERS, SUMMER, FIRE-RESISTANT, BLUE CMU-73/P | A | 8475 | CT | | 27-MAR-87 | | AS | | CT |
| L | | | MIL-L-85701(1) | LINER, FLYERS ANTI-EXPOSURE COVERALL, CMU-72/P | A | 8475 | AS | | 13-MAY-86 | | AS | | |
| L | | | MIL-T-85703 NOTICE 1 | TOOL, POWER DRIVE TLU-437/E (VALIDATION DATE: 9110) | A | 1730 | AS | | 02-OCT-91 | | AS | | |
| AQ | | | MIL-C-85704B | CLEANING COMPOUND, TURBINE ENGINE GAS PATH REVIEWER: GS MD MR | A | 6850 | AS | | 10-NOV-92 | AV | AS | 68 | |
| QL | | | MIL-A-85705A(2) | ADHESIVE, AIRCRAFT, FOR STRUCTURAL REPAIR | A | 8040 | AS | | 31-JUL-91 | | AS | | |
| L | | | MIL-M-85707 NOTICE 1 | MANUAL, TECHNICAL, DEPOT MAINTENANCE REQUIREMENTS FOR MAINTENANCE/DEMILITARIZATION OF AIRBORNE WEAPONS (CONVENTIONAL): REQUIREMENTS FOR (VALIDATION DATE: 9110) | A | TMSS | AS | | 09-OCT-91 | | AS | | |
| | | | MIL-P-85710 | PARACHUTES, PERSONNEL, EMERGENCY ESCAPE GENERAL DESIGN SPECIFICATION FOR | A | 1670 | AS | | 05-MAR-86 | | AS | | |
| L | | | MIL-C-85717(1) | CARTRIDGE, 20 MILLIMETER, SEMI-ARMOR PIERCING HIGH EXPLOSIVE INCENDIARY, PGU-28/B | A | 1305 | AS | | 30-NOV-90 | | AS | | |
| L | | | MIL-G-85719 | GRAIN, IGNITER | A | 1337 | AS | | 19-NOV-85 | | AS | | |
| | | | MIL-F-85720 | FITTING, TUBE, FLUID SYSTEMS, SEPARABLE, HIGH PRESSURE, DYNAMIC BEAM SEAL, GENERAL SPECIFICATION FOR | A | 4730 | AS | | 17-JUN-85 | | AS | | |
| L | | | MIL-F-85720/1 | FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, HIGH PRESSURE, DYNAMIC BEAM SEAL, DESIGN STANDARD FOR MALE END | A | 4730 | AS | | 17-JUN-85 | | AS | | |
| L | | | MIL-P-85723(1) | PROJECTILE, 20 MILLIMETER, SEMI-ARMOR PIERCING, HIGH EXPLOSIVE INCENDIARY, PGU-28/B | A | 1305 | AS | | 31-JAN-91 | | AS | | |
| L | | | MIL-R-85725 | RACK, INTEGRATED AVIONICS, FORCED AIR COOLED, GENERAL SPECIFICATION FOR | A | 5975 | AS | | 25-JUL-86 | | AS | | |
| L | | | MIL-E-85726A | ENCLOSURE, STANDARD AVIONICS, FORCED AIR-COOLED, GENERAL SPECIFICATION FOR | A | 5975 | AS | | 29-OCT-91 | | AS | | |
| L | | | MIL-C-85727 | CARTRIDGE, IGNITER, MARK 164 MOD 0 | A | 1377 | AS | | 08-APR-85 | | AS | | |
| L | | | MIL-C-85728 | CHAFF, COUNTERMEASURES ( TYPE RR-()/AL) | A | 5865 | AS | | 18-MAR-87 | | AS | | |
| N | | | MIL-N-85729 | NUT, SELF-LOCKING, A-286, 160 KSI FTU, 450 DEG, F, GENERAL SPECIFICATION FOR REVIEWER: 82 IS | A | 5310 | AS | | 07-MAR-88 | AV | AS | 99 | |
| | | | MIL-N-85729/1 | NUT, SELF-LOCKING, ASSEMBLED WASHER, A-286, 160 KSI FTU 450 DEG, F, SPLINE WRENCHING ELEMENT REVIEWER: 82 IS | A | 5310 | AS | | 07-MAR-88 | AV | AS | 99 | |
| Q | | | MIL-N-85730 | NUT, SELF-LOCKING, SPLINE DRIVE, ASSEMBLED WASHER, NICKEL ALLOY 718, 220 KSI FTU, 900 DEG, F, GENERAL SPECIFICATION FOR | A | 5310 | AS | | 01-FEB-88 | AV | AS | 11 | |
| | | | MIL-N-85730/1 | NUT, CAPTIVE WASHER, SELF-LOCKING, NICKEL ALLOY 718, 220 KSI FTU,900 DEGREE (12-SPLINE)WRENCHING ELEMENT | A | 5310 | AS | | 01-FEB-88 | AV | AS | 11 | |
| | | | MIL-F-85731 | FASTENER, POSITIVE LOCKING, ELECTRONIC EQUIPMENT GENERAL SPEC FOR REVIEWER: IS | A | 5340 | AS | | 14-APR-86 | AV | | 11 | |
| | | | MIL-F-85731/1A | FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING | A | 5340 | AS | | 30-NOV-89 | ER | AS | 99 | |
| | | | MIL-F-85731/2 | FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING, FORCE LIMITING | A | 5340 | AS | | 14-APR-86 | ER | AS | 11 | |
| | | | DOD-C-85733 | GREASE, HIGH TEMPERATURE, CATAPULT SYSTEM | A | 9150 | AS | | 25-APR-86 | | AS | | |
| | | | DOD-L-85734(1) | LUBRICATING OIL, HELICOPTER TRANSMISSION SYSTEM, SYNTHETIC BASE | A | 9150 | AS | | 22-DEC-86 | | AS | 68 | |
| | | | MIL-B-85735 | BALLISTIC MODIFIER LC-12-15 REVIEWER: 12 18 MI OS | A | 6810 | AS | | 31-MAR-85 | AL | AS | | |
| L | | | MIL-G-85742 | GUIDANCE CONTROL SECTION, GUIDED MISSILE WGU-15 (XCL-1)/B (SIDEARM) | A | 1420 | AS | | 04-FEB-87 | | AS | | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | Qtr. / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-G-85742/1 | GUIDANCE CONTROL SECTION, GUIDED MISSILE SEEKER SECTION ASSEMBLY | A | 1420 | AS | | 19-DEC-86 | | AS | | |
| L | | | MIL-G-85742/2 | GUIDANCE CONTROL SECTION, GUIDED MISSILE RECEIVER SUBASSEMBLY | A | 1420 | AS | | 04-FEB-87 | | AS | | |
| L | | | MIL-G-85742/3 | GUIDANCE CONTROL SECTION, GUIDED MISSILE POWER SUPPLY ASSEMBLY | A | 1420 | AS | | 19-DEC-86 | | AS | | |
| L | | | MIL-G-85742/4 | GUIDANCE CONTROL SECTION, GUIDED MISSILE G-BIAS/NAV GAIN ASSEMBLY | A | 1420 | AS | | 19-DEC-86 | | AS | | |
| L | | | MIL-G-85742/5 | GUIDANCE CONTROL SECTION, GUIDED MISSILE SERVO SECTION | A | 1420 | AS | | 19-DEC-86 | | AS | | |
| N L | | | MIL-F-85744(1) | FUZE, PROXIMITY, DISPENSER FMU-140/B | A | 1325 | AS | | 07-MAY-93 | | AS | | |
| | | | MIL-P-85759 | PROPELLANT GRAIN, MARK 93 MOD 0 | A | 1376 | AS | | 01-AUG-86 | | | | |
| | | | MIL-I-85760 | IGNITER, MK 304 MOD 0 | A | 1340 | AS | | 01-AUG-86 | | | | |
| | | | MIL-L-85762A | LIGHTING, AIRCRAFT, INTERIOR, NIGHT VISION IMAGING SYSTEM (NVIS) COMPATIBLE | A | 6220 | AS | | 26-AUG-88 | AV | AS | 11 | |
| | | | MIL-C-85763 | COVERALL/STOWAGE BAG ASSEMBLY, FLYER'S, ANTI-EXPOSURE QUICK DONN G, CWU-GO/P | A | 8475 | AS | | 20-OCT-87 | | | | |
| L | | | MIL-C-85764(1) | CARTRIDGE, 20 MILLIMETER TARGET PRACTICE, PGU-27/B AND CARTRIDGE, 20 MILLIMETER TARGET PRACTICE-TRACER, PGU-30/B | A | 1305 | AS | | 30-NOV-90 | | AS | | |
| L | | | MIL-P-85766(1) | PROJECTILE, 20 MILLIMETER, TARGET PRACTICE-TRACER, PGU-30/B | A | 1305 | AS | | 31-JAN-91 | | AS | | |
| L | | | MIL-P-85767(1) | PROJECTILE, 20 MILLIMETER, TARGET PRACTICE PGU-27/B | A | 1305 | AS | | 31-JAN-91 | | AS | | |
| | | | MIL-R-85769 | ROCKET MOTOR, MK 117 MOD 0 | A | 1340 | AS | | 01-AUG-86 | | | | |
| L | | | MIL-L-85776A | LAUNCHER, ROCKET LMU-24A/E AND LMU-248/E | A | 1055 | AS | | 30-NOV-90 | | AS | | |
| L | | | MIL-H-85800 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 8 8000 PSI, GENERAL SPECIFICATION FOR | A | 4720 | AS | | 16-JAN-87 | | AS | | |
| L | | | MIL-H-85800/1 | HOSE ASSEMBLIES, POLYTETRAFLOUREOTHYLENE, ARAMID FIBER REINFORCED,5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO STRAIGHT | A | 4720 | AS | | 16-MAY-88 | | AS | | |
| L | | | MIL-H-85800/2 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO 45 DEGREES | A | 4720 | AS | | 16-MAY-88 | | AS | | |
| L | | | MIL-H-85800/3 | HOSE ASSEMBLIES, POLYTETRAFLOUREOTHYLENE, ARAMID FIBER REINFORCED,5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO 90 DEGREE STRAIGHT TO 45 DEGREES | A | 4720 | AS | | 16-MAY-88 | | AS | | |
| L | | | MIL-H-85800/4 | HOSE ASSEBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 45 DEGREED TO 45 DEGREES | A | 4720 | AS | | 16-MAY-88 | | AS | | |
| L | | | MIL-H-85800/5 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED,5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 45 DEGREES TO 90 DEGREES | A | 4720 | AS | | 16-MAY-88 | | AS | | |
| L | | | MIL-H-85800/6 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED,5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 90 DEGREES TO 90 DEGREES | A | 4720 | AS | | 16-MAY-88 | | AS | | |
| L | | | MIL-A-85802 | ACTUATOR, ELECTROMECHANICAL, LINEAR | A | 1095 | AS | | 10-OCT-86 | | AS | | |
| L | | | MIL-F-85815 | FUZE, BOMB, ELECTRONIC, FMU-139A/B | A | 1325 | AS | | 17-SEP-87 | | AS | | |
| QL | | | MIL-L-85824A(1) | LIFE RAFT, INFLATABLE, ONE-MAN, VEE BOTTOM, LRU-18/U | A | 4220 | AS | | 11-MAY-90 | | AS | | |
| NL | | | MIL-C-85829 | COUPLING ASSEMBLY, HOSE, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE | A | 4240 | AS | | 06-NOV-89 | | AS | | |
| NL | | | MIL-V-85830 | VENTILATOR, TACTICAL, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE | A | 4240 | AS | | 06-NOV-89 | | AS | | |
| NL | | | MIL-M-85831 | MASK, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE, NON-OXYGEN | A | 4240 | AS | | 06-NOV-89 | | AS | | |
| NL | | | MIL-I-85832 | INTERCOM, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE SET | A | 5965 | AS | | 06-NOV-89 | | AS | | |
| NL | | | MIL-P-85833 | PROTECTIVE ASSEMBLY, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL | A | 4240 | AS | | 06-NOV-89 | | AS | | |
| L | | | MIL-I-85843A | INTERCOMMUNICATIONS SET, AN/AIC-14A R/T INTERPHONE CONTROL PANEL C-4949/AIC-14A | A | 5831 | AS | | 14-NOV-90 | | AS | | |
| L | | | MIL-I-85844A | INTERCOMMUNICATION SET, AN/AIC-14 ACTIVE INTERPHONE CONTROL PANEL C-2646/AIC-14 GENERAL SPECIFICATION FOR | A | 5831 | AS | | 14-NOV-90 | | AS | | |
| L | | | MIL-I-85844/1A | INTERCOMMUNICATION SETS, AN/AIC-14 AMPLIFIER MODULE | A | 5831 | AS | | 14-NOV-90 | | AS | | |
| L | | | MIL-I-85845A | INTERCOMMUNICATION SETS, AN/AIC-14A MASTER INTERPHONE CONTROL PANEL C-2645D/AIC-14 GENERAL SPECIFICATION FOR | A | 5831 | AS | | 14-NOV-90 | | AS | | |
| L | | | MIL-I-85845/1A | INTERCOMMUNICATION SETS, AN/AIC-14A AMPLIFER MODULE | A | 5831 | AS | | 14-NOV-90 | | AS | | |
| L | | | MIL-I-85845/2A | INTERCOMMUNICATION SETS, AN/AIC-14A VOX MODULE | A | 5831 | AS | | 14-NOV-90 | | AS | | |
| L | | | MIL-I-85845/3A | INTERCOMMUNICATION SETS, AN/AIC-14A FILTER MODULE | A | 5831 | AS | | 14-NOV-90 | | AS | | |
| L | | | MIL-I-85846A | INTERCOMMUNICATIONS SET, AN/AIC-14A AUDIO FREQUENCY AMPLIFIER AM-3889/AIC-14A GENERAL SPECIFICATION FOR | A | 5831 | AS | | 14-NOV-90 | | AS | | |
| L | | | MIL-I-85846/1A | INTERCOMMUNICATION SETS, AN/AIC-14A MICROPHONE MIXING MODULE | A | 5831 | AS | | 14-NOV-90 | | AS | | |
| L | | | MIL-I-85846/2A | INTERCOMMUNICATION SETS, AN/AIC-14A DUAL OUTPUT AMPLIFIER MODULE | A | 5831 | AS | | 14-NOV-90 | | AS | | |
| | | | MIL-S-85848 | SLEEVING, FOR IDENTIFICATION MARKING, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR | A | 5970 | AS | | 01-MAY-87 | | | | |
| L | | | MIL-S-85848/1(1) | SLEEVING, FOR IDENTIFICATION MARKING HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE | A | 5970 | AS | | 05-OCT-87 | | AS | | |
| L | | | MIL-S-85848/2(1) | SLEEVING, FOR IDENTIFICATION MARKING, HEAT SHRINKABLE, POLYVINYLIDE FLUORIDE, FLEXIBLE | A | 5970 | AS | | 05-OCT-87 | | AS | | |
| L | | | MIL-I-85850 | INTEGRATED VOICE COMMUNICATIONS SWITCHING SYSTEM | A | 5895 | AS | | 21-JUL-87 | | AS | | |
| QL | | | MIL-V-85855 | VALVE, QUICK DISCONNECT, FOR THE PROTECTIVE ASSEMBLY, CHEMICAL, BIOLOGICAL, RADIOLOGICAL, (CBR) A/P22P-9(V) | A | 4240 | AS | | 06-NOV-89 | | AS | | |
| | | | MIL-P-85856(2) SUPPL 1A1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, GENERAL SPECIFICATION FOR REVIEWER: 71 99 GS SH | A | 3439 | AS | | 18-JAN-91 | MR | AS | 11 | |
| | | | MIL-P-85856/1 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-ALUMINUM, TYPE 1, CLASS 2, COMPOSITION G [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/2 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-BRONZE, TYPE 1, CLASS 2, COMPOSITION F [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/3 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-BRONZE, TYPE 1, CLASS 1, COMPOSITION F [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/4 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM SILICON ALLOY, TYPE 1, CLASS 2, COMPOSITION E [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/5 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM (CP), TYPE 1, CLASS 2, COMPOSITION D [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/6 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT BASE, TYPE 1, CLASS 2, COMPOSITION C [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/7 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE 1, CLASS 1, COMPOSITION B [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/8 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE 1, CLASS 2, COMPOSITION B [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/9 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS PURE MOLYBDENUM, TYPE 1, CLASS 2, COMPOSITION A [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/10 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-ALUMINUM, TYPE 1, CLASS 2, COMPOSITION H [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/11 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS PURE NICKEL, TYPE 1, ASS 1, COMPOSITION J [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/12 NOTICE 1 | POM MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL BASE ALLOY, TYPE 1, CLASS 1, COMPOSITION K [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/13 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL BASE ALLOY, TYPE 1, CLASS 2, COMPOSITION K [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/14 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TYPE 316 STAINLESS STEEL, TYPE 1, CLASS 2, COMPOSITION M [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/15 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM-BORON, TYPE 1, CLASS 1, COMPOSITION N [VALIDATION DATE: 9110] REVIEWER: 71 99 SH | A | 3439 | AS | | 29-OCT-91 | MR | AS | 11 | |

| Action | OPR / Qtrly Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-P-85856/16 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM, TYPE I, CLASS 1, COMPOSITION P (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/17 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-TUNGSTEN, TYPE I, CLASS 2, COMPOSITION R (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/18 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-NICKEL-TUNGSTEN, TYPE I, CLASS 1, COMPOSITION S (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/19 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COPPER-NICKEL, TYPE I, CLASS 2, COMPOSITION T (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/20 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM ALLOY, TYPE I, CLASS 1, COMPOSITION U (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/21 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM-ALUMINUM, TYPE I, CLASS 2, COMPOSITION V (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/22 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS SILICON-ALUMINUM PLUS POLYMER, TYPE I, CLASS 1, COMPOSITION W (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/23 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROME-ALUMINUM-IRON-MOLYBDENUM, TYPE I, CLASS 2, COMPOSITION OO (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/24 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE I, CLASS 1, COMPOSITION AA (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/25 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM-ALUMINUM-NICKEL ALLOY, TYPE I, CLASS 2, COMPOSITION BB (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/26 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COPPER-ALUMINUM COMPOSITE, TYPE I, CLASS 2, COMPOSITION EE (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/27 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM-NICKEL-ALUMINUM, TYPE I, CLASS 2, COMPOSITION FF (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/28 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CARBON STEEL-MOLYBDENUM-ALUMINUM, TYPE I, CLASS 2, COMPOSITION GG (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/29 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS IRON-MOLYBDENUM-ALUMINUM, TYPE I, CLASS 2, COMPOSITION HH (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/30 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 1, COMPOSITION A (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/31 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 2, COMPOSITION A (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/32 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE, TYPE II, CLASS 1, COMPOSITION B (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/33 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE, TYPE II, CLASS 2, COMPOSITION B (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/34 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM OXIDE, TYPE II, CLASS 1, COMPOSITION D (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/35 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINA-TITANIA, TYPE II, CLASS 1, COMPOSITION E (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/36 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM OXIDE, TYPE II, CLASS 1, COMPOSITION F (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/37 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MAGNESIUM ZIRCONATE, TYPE II, CLASS 1, COMPOSITION G (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/38 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ZIRCONIUM OXIDE, TYPE II, CLASS 2, COMPOSITION H (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/39 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE PLUS NICKEL CHROMIUM ALLOY (FINE), TYPE III, COMPOSITION C (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/40 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 2, COMPOSITION J (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/41 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, TUNGSTEN CARBIDE PLUS NICKEL ALUMINUM COMPOSITE, SELF-FLUXING ALLOY, TYPE III, COMPOSITION L (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/42 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, CHROMIUM CARBIDE PLUS NICKEL CHROMIUM ALLOY (COARSE), TYPE III, COMPOSITION N (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/43 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, MAGNESIUM ZIRCONATE PLUS NICKEL ALUMINUM COMPOSITE, TYPE III, COMPOSITION P (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/44 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, MAGNESIUM ZIRCONATE PLUS NICKEL CHROMIUM ALLOY, TYPE III, COMPOSITION R (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | | | MIL-P-85856/45 NOTICE 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, COMPOSITE BLEND, TYPE III, COMPOSITION S (VALIDATION DATE: 9110) REVIEWER: 71 99 SH | A | 3439 | AS | 29-OCT-91 | MR | AS | 11 | |
| | L | | MIL-D-85859 | DISTRIBUTION BOX J-3425C/AAW | A | 4935 | AS | 04-AUG-87 | | AS | | |
| A | | | MIL-P-85865/18 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-NICKEL-TUNGSTEN, TYPE I, CLASS 1, COMPOSITION S USER: 71 99 SH REVIEWER: 20 | A | 3439 | AS | 07-DEC-88 | MR | AS | 11 | |
| | L | | MIL-D-85866 | DELAY COMPOSITION, Z-1 | A | 1377 | AS | 15-OCT-90 | | AS | | |
| | L | | MIL-C-85868/1 | GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 0 | A | 1325 | AS | 13-JUL-88 | | AS | | |
| | L | | MIL-C-85868/2 | GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 1 | A | 1325 | AS | 13-JUL-88 | | AS | | |
| | L | | MIL-C-85868/3 | GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 2 | A | 1325 | AS | 13-JUL-88 | | AS | | |
| | L | | MIL-C-85872 | CONVERTER-DISPLAY CV-3252/A | A | 5836 | AS | 22-FEB-88 | | AS | | |
| | | | MIL-R-85880 | ROCKET, JET ASSISTED TAKE OFF (JATO) PROPULSION SYSTEM, GENERAL DEVELOPMENT SPECIFICATION FOR | A | 1340 | AS | 12-APR-88 | | | | |
| | L | | MIL-A-85881 | AMPLIFIER, A7 NOSE GEAR STEERING | A | 1620 | AS | 05-JAN-88 | | AS | | |
| | | | MIL-I-85889 | IGNITER, JET ASSISTED TAKE OFF (JATO) PROPULSION SYSTEM GENERAL DEVELOPMENT SPECIFICATION FOR | A | 1340 | AS | 12-APR-88 | | | | |
| | | | MIL-P-85891A | PLASTIC MEDIA, FOR REMOVAL OF ORGANIC COATINGS REVIEWER: 84 | A | 5350 | AS | 01-APR-92 | AV | AS | 99 | |
| | L | | MIL-S-85892 | SIMULATOR, SURFACE-TO-AIR MISSILE (SMOKEY SAM SIMULATOR) SMU-124/E | A | 1370 | AS | 30-NOV-90 | | AS | | |
| | L | | MIL-R-85895(1) | RACK, BOMB EJECTOR, AIRCRAFT BRU-32/A | A | 1095 | AS | 18-MAR-91 | | AS | | |
| M | L | | MIL-L-85896(1) | LADDER, AIRCRAFT MAINTENANCE, ALUMINUM, THREE-WAY COMBINATION (STEP, STRAIGHT AND EXTENSION), GENERAL SPECIFICATION FOR | A | 5440 | AS | 14-APR-93 | | AS | | |
| | L | | MIL-F-85899 | FUEL GELLING MIXTURE | A | 1325 | AS | 24-JUN-88 | | AS | | |
| | L | | DOD-T-86000 | TEST REQUIREMENTS DOCUMENT, PREPARATION OF | A | ATTS | NS | 15-APR-85 | | | | |
| | | | DOD-M-86001 | MANUAL, TECHNICAL, CDM | A | TMSS | NS | 02-JUL-86 | | | | |
| A | L | | MIL-C-87000B(1) | COVERALLS, MEN'S USER: 45 SH REVIEWER: 82 CG | A | 8405 | CT | 20-MAR-89 | | MU | | CT |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist Stmt | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| A | | MIL-B-87002B | BATTING, SYNTHETIC FIBERS, QUILTED, ARAMID [VALIDATION DATE: 8601] USER: MC REVIEWER: 82 SH | A | 8320 CT | 10-JUN-80 | MU | 99 | CT | |
| A | L | MIL-S-87005D | SKIRT, WOMAN'S, DRESS (CG) | A | 8410 CT | 13-MAY-92 | MU | | CT | |
| A | L | MIL-S-87006A | SKIRT, WOMAN S POLYESTER/COTTON (CG) | A | 8410 CT | 08-SEP-82 | MU | | CT | |
| A | L | MIL-N-87007B | NECKTIE, WOMAN S (CG) REVIEWER: CG | A | 8445 CT | 13-APR-88 | MU | | CT | |
| A | L | MIL-C-87010D | COAT, WOMAN'S, DRESS, (COAST GUARD) REVIEWER: CG | A | 8410 CT | 10-SEP-91 | MU | | CT | |
| A | L | MIL-S-87012D | SLACKS, WOMAN'S, DRESS (CG) | A | 8410 CT | 13-MAR-92 | MU | | CT | |
| A | L | MIL-S-87013D | SLACKS, WOMAN'S, UNDRESS REVIEWER: CG | A | 8410 CT | 03-AUG-88 | MU | | CT | |
| A | L | MIL-C-87014B | CAP, GARRISON, WOMAN'S (COAST GUARD) REVIEWER: CG | A | 8410 CT | 21-MAY-90 | MU | | CT | |
| A | L | MIL-R-87017B | RIBBON, DECORATIVE-TRIMMING, POLYESTER, GROSGRAIN (CG) | A | 8315 CT | 20-MAR-91 | MU | | CT | |
| A | L | MIL-B-87018A | BAG, MONEY | A | 8460 CT | 04-JUN-82 | MU | | CT | |
| A | L | MIL-C-87019A | CLOTH, NONWOVEN, DISPOSABLE, SPUNBONDED OLEFIN (COATED AND UNCOATED) USER: 45 SH | A | 8305 CT | 06-MAY-82 | MU | | CT | |
| A | L | MIL-T-87020B | TROUSERS, DISPOSABLE USER: 45 SH REVIEWER: OS | A | 8415 CT | 19-OCT-87 | MU | | CT | |
| A | L | MIL-S-87021B | SHIRT, DISPOSABLE USER: 45 REVIEWER: OS SH | A | 8415 CT | 23-JAN-85 | MU | | CT | |
| A | L | MIL-A-87022B | APRON, UTILITY, DISPOSABLE USER: SH REVIEWER: OS | A | 8415 CT | 16-OCT-87 | MU | | CT | |
| A | L | MIL-F-87023B | FOOTWEAR COVERS, DISPOSABLE USER: 45 | A | 8430 CT | 13-APR-84 | MU | | CT | |
| D | L | MIL-J-87024(1) | JACKET, INSECT REPELLENT USER: 45 AS MC YD1 REVIEWER: CG MS | A | 8415 CT | 09-MAY-84 | MU | | CT | |
| A | L | MIL-C-87025 | CLOTH, NETTING, COTTON AND POLYESTER [VALIDATION DATE: 8112] | A | 8305 CT | 20-SEP-76 | MU | | CT | |
| A | L | MIL-C-87026A | COAT, MAN'S, POLYESTER/WOOL, SERGE (COAST GUARD) | A | 8405 CT | 25-JUL-88 | MU | | CT | |
| | L | MIL-H-87028B | HARNESS, DIVERS (MK-12) | A | 4220 SH | 27-APR-87 | SH | | | |
| | L | MIL-M-87029B NOTICE 1 | MITTENS, DIVERS FOR MK-12 SURFACE SUPPORTED DIVING SYSTEMS [VALIDATION DATE: 9012] | A | 4220 SH | 10-DEC-90 | SH | | | |
| | L | MIL-D-87030B | DIVER DRESS SUIT (MK12) | A | 4220 SH | 11-DEC-86 | SH | | | |
| A | L | MIL-B-87031B | BOOTS, DIVERS, MK-12 | A | 8430 CT | 06-FEB-87 | SH | | CT | |
| | L | MIL-C-87032B | COVERALLS DIVER S (MK-12) | A | 4220 SH | 18-APR-86 | SH | | | |
| A | L | MIL-M-87033A | MITTEN SET, EXTREME COLD WEATHER | A | 8415 CT | 16-APR-87 | GL | MU | | CT |
| | L | MIL-R-87034A | REPAIR KIT, DIVERS (MK-12) USER: 45 | A | 4220 SH | 22-OCT-86 | SH | | | |
| A | L | MIL-J-87035C | JUMPER, MAN'S (BLUE, DRESS) | A | 8405 CT | 22-JUN-89 | MU | | CT | |
| A | L | MIL-J-87037D | JUMPER, MAN S, WHITE | A | 8405 CT | 27-SEP-83 | MU | | CT | |
| A | L | MIL-T-87038D | TROUSERS, MEN'S (BLUE, ENLISTED) | A | 8405 CT | 21-MAY-90 | MU | | CT | |
| A | L | MIL-H-87041B | HAT, SERVICE (WHITE) | A | 8405 CT | 26-FEB-90 | MU | | CT | |
| A | L | MIL-N-87042C | NECKERCHIEF (ACETATE BLACK) | A | 8440 CT | 08-FEB-88 | MU | | CT | |
| A | L | MIL-S-87046A | SHIRT, UTILITY, MAN S, POLYESTER/COTTON (CG) USER: 45 REVIEWER: CG | A | 8405 CT | 11-DEC-86 | SA | | CT | |
| A | L | MIL-T-87047A | TROUSERS, MEN S POLYESTER/WOOL GABARDINE (CG) REVIEWER: CG | A | 8405 CT | 20-JAN-87 | MU | | CT | |
| A | L | MIL-C-87052B | CLOTH, TWILL, POLYESTER, WHITE | A | 8305 CT | 14-MAY-90 | MU | | CT | |
| A | L | MIL-S-87053C | SKIRT, WOMAN'S, BELTED | A | 8410 CT | 08-AUG-88 | MU | | CT | |
| A | L | MIL-S-87054C | SLACKS, WOMEN'S, BELTED | A | 8410 CT | 29-SEP-88 | MU | | CT | |
| A | L | MIL-S-87055B(1) | SHIRT, WOMAN S, DRESS, WHITE (SHORT SLEEVE) | A | 8410 CT | 26-MAY-88 | MU | | CT | |
| A | L | MIL-S-87056A | SHIRT, WOMAN S, DRESS, BLUE (LONG SLEEVE) USER: 45 | A | 8410 CT | 27-NOV-85 | SA | | CT | |
| A | L | MIL-J-87058B | JACKET, UTILITY, WOMAN'S | A | 8410 CT | 26-JUN-89 | MU | | CT | |
| A | L | MIL-C-87059A | CLOTH, KNITTED, NYLON, TRICOT | A | 8305 CT | 06-FEB-89 | MU | | CT | |
| A | L | MIL-S-87060B | SHIRTS, UTILITY, MENS, CHAMBRAY USER: 45 | A | 8405 CT | 19-FEB-88 | MU | | CT | |
| A | L | MIL-S-87061C | SHIRTS, UTILITY, WOMENS CHAMBRAY | A | 8410 CT | 19-FEB-88 | MU | | CT | |
| A | L | MIL-T-87062B | TROUSERS, UTILITY, MENS, DENIM USER: 45 | A | 8405 CT | 22-SEP-87 | MU | | CT | |
| A | L | MIL-S-87063B | SLACK, UTILITY, WOMENS, DENIM | A | 8410 CT | 11-JUN-84 | SA | | CT | |
| A | L | MIL-C-87064B | CLOTH, DENIM, COTTON/POLYESTER | A | 8305 CT | 19-MAY-92 | MU | | CT | |
| A | L | MIL-C-87065A | CLOTH, CHAMBRAY, POLYESTER AND COTTON | A | 8305 CT | 13-FEB-86 | MU | | CT | |
| A | | MIL-G-87066A | GLOVES, CHEMICAL AND OIL PROTECTIVE USER: 45 REVIEWER: EA MD | A | 8415 CT | 22-SEP-88 | GL | MU | | CT |
| A | L | MIL-T-87067C | TROUSERS, MEN'S, (ENLISTED, WHITE) | A | 8405 CT | 07-SEP-90 | MU | | CT | |
| D | | MIL-B-87068(1) | BOOT, SAFETY (NONSPARKING) USER: CG MS OS YD1 REVIEWER: 45 82 AS | A | 8430 CT | 18-FEB-82 | MU | 99 | CT | |
| A | L | MIL-C-87069A | COVERALLS, DISPOSABLE USER: 45 | A | 8415 CT | 12-NOV-85 | MU | | CT | |
| A | L | MIL-I-87070 | INSIGNIA, RANK, OFFICERS, SHOULDER MARK, NAVY (EMBROIDERED) | A | 8455 CT | 10-DEC-80 | MU | | CT | |
| A | L | MIL-S-87073 | SHIRT, WOMAN S, WORKING, KHAKI (LONG SLEEVE) [VALIDATION DATE: 8601] | A | 8410 CT | 15-JUL-80 | MU | | CT | |
| | L | MIL-C-87074B | CLOTH, TWILL, ACETATE | A | 8305 MU | 20-MAR-91 | MU | | | |
| | L | MIL-F-87075B | FOAM-IN-PLACE PACKAGING SYSTEM FOR SHIPBOARD USE | A | 3540 SA | 26-OCT-84 | SA | | | |
| A | | MIL-C-87076A | CLOTH, COATED, ARAMID, ALUMINIZED USER: CG SH REVIEWER: MC MD | A | 8305 CT | 05-MAR-85 | GL | MU | 99 | CT |
| A | | MIL-G-87077A | GLOVE, FIREMENS, ALUMINIZED, PROXIMITY USER: 45 CG REVIEWER: 11 82 MD SH | A | 8415 CT | 03-APR-87 | GL | MU | 99 | CT |
| | L | MIL-P-87089 | PALLETS, MATERIAL HANDLING, MOLDED WOOD PARTICLES 40 X 48 INCH, 4-WAY | A | 3990 SA | 30-NOV-81 | SA | | | |
| | L | MIL-F-87090 | FOAM, COMBUSTION RETARDANT, FOR CUSHIONING SUPPLY ITEMS ABOARD NAVY SHIPS | A | 9330 SA | 05-NOV-81 | SA | | | |
| A | L | MIL-S-87091C | SHIRT, WOMAN'S, OPEN NOTCH COLLAR | A | 8410 CT | 14-SEP-88 | MU | | CT | |
| A | L | MIL-C-87093B | COVERALLS, FLAME RESISTANT (ARAMID) USER: MC | A | 8415 CT | 29-JUN-88 | MU | | CT | |
| A | L | MIL-I-87097A | INSIGNIA, EMBROIDERED (COAST GUARD) | A | 8455 CT | 18-MAY-92 | MU | | CT | |
| A | L | MIL-P-87098 | PARKA, WET WEATHER | A | 8405 CT | 14-OCT-87 | MU | | CT | |
| D | L | MIL-T-87099 | TROUSERS, WET WEATHER USER: CG YD1 | A | 8405 CT | 14-OCT-87 | MU | | CT | |
| QL | | MIL-L-87100 NOTICE 1 | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, POLYPHENYL ETHER BASE [VALIDATION DATE: 8809] REVIEWER: 68 GS | A | 9150 11 | 30-SEP-88 | | 11 | | |
| QL | | MIL-C-87104 NOTICE 1 | COAXIAL ASSEMBLIES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9201] | A | 5985 8S | 21-JAN-92 | | 85 | | |
| | L | MIL-C-87104/1 NOTICE 1 | COAXIAL ASSEMBLIES, TNC TYPE (0.03 TO 12 GHZ) [VALIDATION DATE: 9201] | A | 5985 8S | 21-JAN-92 | | 85 | | |
| | L | MIL-C-87104/2 NOTICE 1 | COAXIAL ASSEMBLIES, TNC TYPE (0.03 TO 18 GHZ) [VALIDATION DATE: 9201] | A | 5985 8S | 21-JAN-92 | | 85 | | |
| | L | MIL-C-87104/3 NOTICE 1 | COAXIAL ASSEMBLIES, QDNC TYPE (0.03 TO 12 GHZ) [VALIDATION DATE: 9201] | A | 5985 8S | 21-JAN-92 | | 85 | | |
| | L | MIL-C-87104/4 NOTICE 1 | COAXIAL ASSEMBLIES, QDNC TYPE (0.03 TO 18 GHZ) [VALIDATION DATE: 9201] | A | 5985 8S | 21-JAN-92 | | 85 | | |
| | L | MIL-C-87104/5 NOTICE 1 | COAXIAL ASSEMBLIES, MLT TYPE (0.03 TO 5.5 GHZ) [VALIDATION DATE: 9201] | A | 5985 8S | 21-JAN-92 | | 85 | | |
| A | L | MIL-H-87106 NOTICE 1 | HOLDER, BADGE, PLASTIC, SECURITY POLICE [VALIDATION DATE: 8809] USER: 45 REVIEWER: 99 | A | 8455 CT | 30-SEP-88 | | 11 | CT | |
| | | MIL-P-87107C NOTICE 1 | PROPELLANT, HIGH DENSITY SYNTHETIC HYDROCARBON TYPE, GRADE JP-10 REVIEWER: 68 | A | 9135 11 | 21-FEB-89 | | AS | 11 | |
| | L | MIL-I-87108A | INFLATION ASSEMBLY, FLU-2A/P [VALIDATION DATE: 8401] | A | 4220 82 | 15-APR-83 | | | 99 | |
| | L | MIL-R-87110A | RAINCOAT, MAN S, WITH REMOVABLE LINER REVIEWER: 82 99 CT | A | 8405 11 | 04-FEB-88 | | | 11 | |
| | | MIL-H-87111A(2) SUPPL 1(C) | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT GENERAL SPECIFICATION FOR USER: AS CG MC SH REVIEWER: 11 19 99 AR AV ES MI | A | 5999 8S | 13-JAN-88 | ER | EC | 85 | |
| | | MIL-H-87111/10 | HEAT SINKS-INSULATORS, CLASS 1, 4, 6, AND 7 (WAFER TYPE) USER: AS CG MC SH REVIEWER: 11 19 99 ES TD | A | 5999 8S | 18-MAY-90 | ER | EC | 85 | |
| | | MIL-H-87111/20(1) | HEAT SINKS, SEMICONDUCTOR DEVICES, CLASSES 2, 3, AND 5 (RETAINER CLIP TYPE) USER: AS CG MC SH REVIEWER: 11 19 99 ES TD | A | 5999 8S | 30-SEP-90 | ER | EC | 85 | |
| | | MIL-H-87111/3C | HEAT SINKS, ELECTRICAL-ELECTRONIC COMPONENT CLASS 1 AND CLASS 2 (PRESS-ON TYPE) USER: AS CG MC SH REVIEWER: 11 19 99 ES TD | A | 5999 8S | 27-DEC-89 | ER | EC | 85 | |
| | | MIL-H-87111/4D | HEAT SINK, SEMICONDUCTOR DEVICES, CLASS 1 (ENCAPSULATING TYPE) USER: AS CG MC SH REVIEWER: 19 99 ES TD | A | 5999 8S | 24-OCT-91 | ER | EC | 85 | |
| A | | MIL-H-87111/5C | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICE, CLASS 1 (FORMED) USER: AS CG MC SH REVIEWER: 11 19 99 ES TD | A | 5999 8S | 11-DEC-92 | ER | EC | 85 | |
| | | MIL-H-87111/6B(1) | HEAT SINKS, SEMICONDUCTOR DEVICES, CLASS 1 (EXTRUDED) REVIEWER: 11 19 99 ES TD | A | 5999 8S | 27-DEC-89 | ER | EC | 85 | |
| | | MIL-H-87111/7(1) | HEAT SINKS, SEMICONDUCTOR DEVICES, CLASS 1, (DUEL-IN-LINE PACKAGES) USER: AS CG MC SH REVIEWER: 11 19 99 ES TD | A | 5999 8S | 13-NOV-87 | ER | EC | 85 | |
| | | MIL-H-87111/8 NOTICE 1 | HEAT SINKS, SEMICONDUCTOR DEVICES, CLASS 2 (DUAL LINK) [VALIDATION DATE: 9112] USER: AS CG MC SH REVIEWER: 11 17 19 99 ES | A | 5999 8S | 27-DEC-91 | ER | EC | 85 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | GIR / Obsl, Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-P-87112 NOTICE 1 | PRIMER COATING, ELASTOMERIC, POLYSULFIDE, CORROSION INHIBITING [VALIDATION DATE: 8707] | A | 8010 | 11 | | 30-JUL-87 | | 11 | | |
| L | | MIL-M-87113 | MASK, OXYGEN, MBU-10/P [VALIDATION DATE: 8401] | A | 1660 | 82 | | 26-AUG-77 | | 99 | | |
| | | MIL-B-87114A SUPPL 1C1, NOTICE 1 | BOLTS, RECESS DRIVE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8604] REVIEWER: 99 AR IS MI | A | 5305 | 11 | | 11-APR-86 | AV | AS | 11 | |
| | | MIL-B-87114/1B NOTICE 1 | BOLTS, 100 DEG. HEAD, RIBBED-TORQ-SET RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, 95 KSI FSU [VALIDATION DATE: 8906] REVIEWER: 1S | A | 5306 | AS | | 30-JUN-89 | AV | AS | 99 | |
| | | MIL-B-87114/2B | BOLTS, 100 DEG. REDUCED DOME HEAD, RIBBED-TORQ-SET RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, 95 KSI FSU [VALIDATION DATE: 8907] | A | 5306 | AS | | 31-JUL-89 | AV | AS | 99 | |
| | | MIL-B-87114/3B NOTICE 1 | BOLT, PAN HEAD, RIBBED-TORQ-SET RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, 95 KSI FSU [VALIDATION DATE: 9109] | A | 5306 | AS | | 23-SEP-91 | AV | AS | 99 | |
| | | MIL-B-87114/4 NOTICE 1 | BOLT, HEX HEAD, CROSS RECESS, FULL THREAD, A-286 CRES, 160 KSI FTU [VALIDATION DATE: 9109] REVIEWER: 82 1S | A | 5306 | AS | | 23-SEP-91 | AV | AS | 99 | |
| D | | MIL-C-87115A | COATING, IMMERSION ZINC FLAKE/CHROMATE DISPERSION REVIEWER: ER YD1 | A | MFFP | 11 | | 15-OCT-89 | MR | | 11 | |
| L | | MIL-P-87116A NOTICE 2 | PREFORM, GRAPHITE FIBER, 3D ORTHOGONAL, 2-2-3, FINEWEAVE (CONTROLLED DISTRIBUTION) | E | 9390 | 11 | | 30-MAY-91 | | | 11 | |
| L | | MIL-P-87117A NOTICE 2 | PREFORM, RIGIDIZED, GRAPHITE FIBER, 3D ORTHOGONAL 2-2-3, FINEWEAVE, CVD INFILTRATED (CONTROLLED DISTRIBUTION) | B | 9390 | 11 | | 30-MAY-91 | | | 11 | |
| L | | MIL-P-87118A(1) NOTICE 2 | PREFORM, RIGIDIZED, GRAPHITE FIBER, 3D ORTHOGONAL, 2-2-3, FINEWEAVE, CVD PROCESSING OF (CONTROLLED DISTRIBUTION) | B | 9390 | 11 | | 30-MAY-91 | | | 11 | |
| L | | MIL-P-87119A(1) NOTICE 2 | PREFORM, DENSIFICATION, HIGH PRESSURE RIGIDIZED, GRAPHITE FIBER, 3D FINE WEAVE ORTHOGONAL, PROCESSING OF (CONTROLLED DISTRIBUTION) | B | 9390 | 11 | | 30-MAY-91 | | | 11 | |
| L | | MIL-R-87120A(1) NOTICE 2 | RODS, PULTRUDED, GRAPHITE FIBER REINFORCED, PROCESSING OF [VALIDATION DATE: 9105] REVIEWER: MR | A | 9330 | 11 | | 30-MAY-91 | | | 11 | |
| A L | | MIL-F-87121A NOTICE 2 | FABRIC, GRAPHITE FABRIC [VALIDATION DATE: 9105] USER: 45 | A | 8305 | CT | | 30-MAY-91 | | | 11 | CT |
| L | | MIL-P-87122A NOTICE 2 | PREFORM RIGIDIZATION OF GRAPHITE FIBER, 3D FINEWEAVE PIERCED FABRIC, PROCESSING OF (CONTROLLED DISTRIBUTION) | B | 9390 | 11 | | 30-MAY-91 | | | 11 | |
| L | | MIL-P-87123A NOTICE 2 | PREFORM, RIGIDIZED, GRAPHITE FIBER, 3D FINEWEAVE PIERCED FABRIC, PROCESSING OF (CONTROLLED DISTRIBUTION) REVIEWER: GS | B | 9390 | 11 | | 30-MAY-91 | | | 11 | |
| L | | MIL-P-87124A(1) NOTICE 2 | PITCH, COAL TAR [VALIDATION DATE: 9105] | A | 5610 | 11 | | 30-MAY-91 | | | 11 | |
| A L | | MIL-Y-87125A(1) NOTICE 2 | YARN, GRAPHITE, 1000/3000 FILAMENTS [VALIDATION DATE: 9105] | A | 8310 | CT | | 30-MAY-91 | | | 11 | CT |
| A L | | MIL-W-87127(1) NOTICE 2 | WEBBING, TEXTILE, TUBULAR, PARA-ARAMID, INTERMEDIATE MODULUS | A | 8305 | CT | | 24-AUG-90 | | | 11 | CT |
| A L | | MIL-T-87128(S) | THREAD, PARA-ARAMID, INTERMEDIATE MODULUS USER: 45 | A | 8310 | CT | | 25-AUG-88 | | | 11 | CT |
| | | MIL-C-87129A | CORD, FIBROUS, ARAMID BRAIDED USER: 45 MC SH REVIEWER: 82 99 1S | A | 4020 | 11 | | 24-AUG-90 | GL | AS | 11 | |
| A L | | MIL-T-87130(2) NOTICE 2 | TAPE AND WEBBING, TEXTILE, PARA-ARAMID, INTERMEDIATE MODULUS | A | 8315 | CT | | 24-AUG-90 | | | 11 | CT |
| | | MIL-L-87132A | LUBRICANT, CETYL ALCOHOL, 1-HEXADECANOL, APPLICATION TO FASTENERS REVIEWER: 68 AR AV | A | 9150 | 11 | | 06-NOV-91 | ME | AS | 11 | GS |
| L | | MIL-P-87133(2) | PLOTTER COMBAT MISSION, PLU-6/C (AIR NAVIGATION) | A | 6605 | 71 | | 11-APR-88 | | | 99 | |
| L | | MIL-A-87134 | ADHESIVE, CONTACT, FOR CUSTOM FIT HELMET LINERS [VALIDATION DATE: 8901] | A | 8040 | 11 | | 20-JAN-89 | | | 11 | |
| L | | MIL-A-87135 | ADHESIVES, NON-CONDUCTIVE, FOR ELECTRONICS APPLICATION [VALIDATION DATE: 8901] | A | 8040 | 11 | | 20-JAN-89 | | | 11 | |
| L | | MIL-M-87137 NOTICE 1 | MODIFICATION KIT, AIRCREW PROTECTIVE HELMET KMU-44J/P [VALIDATION DATE: 8805] REVIEWER: 45 | A | 8475 | 82 | | 27-MAY-88 | | | 99 | |
| L | | MIL-L-87139(1) | LANDING GEAR SYSTEMS REQUEST FOR ISSUE OTHERTHAN DOD MUST BE SENT VIA: ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503 | D | 1620 | 11 | | 15-APR-86 | | | 11 | |
| L | | MIL-H-87140A | HELMET, FLYER S MGU-36/P REVIEWER: 82 | A | 8475 | 11 | | 03-APR-87 | | | 11 | |
| L | | MIL-P-87141A | PARACHUTES REQUEST FORISSUE OTHER THAN DOD MUST BE SENT VIA: ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503 | D | 1670 | 11 | | 15-APR-86 | | | 11 | |
| A | | MIL-C-87143(1) | CLOTH, BROADCLOTH, POLYESTER/COTTON, POLYESTER FILAMENT, END TO END, (DURABLE PRESS) REVIEWER: DP | A | 8305 | CT | | 28-MAR-83 | GL | | 11 | CT |
| | | MIL-N-87144 | NETWORK, FIXED FILM RESISTORS AND CERAMIC CAPACITORS, GENERAL SPECIFICATION FOR REVIEWER: ES | A | 5915 | 11 | | 20-DEC-79 | ER | EC | 11 | |
| L | | MIL-E-87145(1) | ENVIRONMENTAL CONTROL AIRBORNE REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: ASD/ENES, WRIGHT-PATTERSON AFB OH 45443-6503 | D | 1660 | 11 | | 15-APR-86 | | | 11 | |
| L | | MIL-B-87146 NOTICE 1 | BEARINGS, PULLEYS, AND CABLES (REQUESTS FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT PATTERSON AFB OH 45433-6503) [VALIDATION DATE: 8602] | D | 31GP | 11 | | 07-FEB-86 | | | 11 | |
| A L | | MIL-Q-87152A | QUICK RELEASE, PERSONNEL PARACHUTE HARNESS MX-683(V) 1P REVIEWER: 11 | A | 1670 | 82 | | 31-AUG-92 | | | 99 | |
| | | MIL-C-87156 NOTICE 1 | CLOTH, PARACHUTE, ARAMID, INTERMEDIATE MODULUS REVIEWER: 99 | A | 8305 | 11 | | 27-MAR-87 | GL | AS | 11 | |
| Q | | MIL-D-87157(1) NOTICE 1 | DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8812] USER: 13 ES REVIEWER: 17 19 SM | A | 5961 | 85 | | 15-DEC-88 | ER | | 85 | |
| L | | MIL-D-87157/1(1) | DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, RED, NUMERIC AND HEXADECIMAL, WITH ON BOARD DECODER/DRIVER | A | 5961 | ER | | 13-AUG-84 | ER | | | |
| L | | MIL-D-87157/2 | DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, RED, ALPHANUMERIC, WITH ON BOARD DECODER/DRIVER | A | 5980 | ER | | 26-OCT-87 | ER | | | |
| L | | MIL-D-87157/3A | DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, RED, ALPHANUMERIC, WITH ON BOARD DECODER/DRIVER | A | 5980 | ER | | 02-FEB-89 | ER | | | |
| L | | MIL-M-87158A | MANUALS, TECHNICAL, AIRCRAFT BATTLE DAMAGE ASSESSMENT & REPAIR | A | TMSS | 16 | | 15-APR-88 | TM | AS | 16 | |
| A L | | MIL-C-87160A NOTICE 1 | COAT, WOMAN'S (PANTS SUIT) REVIEWER: 99 | A | 8410 | CT | | 18-MAR-88 | | | 11 | CT |
| | | MIL-W-87161(3) | WIRE STRAND, NONFLEXIBLE, FOR AIRCRAFT CONTROL REVIEWER: 11 1S | A | 4010 | 82 | | 30-OCT-87 | AV | AS | 99 | |
| L | | MIL-M-87163A | MASK, OXYGEN MBU 12/P REVIEWER: 99 | A | 1660 | 11 | | 18-FEB-83 | | AS | 11 | |
| QL | | MIL-C-87164(3) SUPPL 1C1 | CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY, GENERAL SPECIFICATION FOR REVIEWER: 11 ES | A | 5910 | 19 | | 07-AUG-89 | | | 19 | |
| L | | MIL-C-87164/1(1) NOTICE 1 | CAPACITORS, FIXED MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS04 [VALIDATION DATE: 8908] REVIEWER: 11 ES | A | 5910 | 19 | | 07-AUG-89 | | | 19 | |
| L | | MIL-C-87164/2 NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS05 [VALIDATION DATE: 8908] REVIEWER: 11 ES | A | 5910 | 19 | | 07-AUG-89 | | | 19 | |
| L | | MIL-C-87164/3 NOTICE 1 | CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS06 [VALIDATION DATE: 8908] REVIEWER: 11 ES | A | 5910 | 19 | | 07-AUG-89 | | | 19 | |
| L | | MIL-C-87164/4 | CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS07 REVIEWER: 11 ES | A | 5910 | 19 | | 23-JUN-86 | | | 19 | |
| L | | MIL-C-87164/5(1) | CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS03 REVIEWER: 11 ES | A | 5910 | 19 | | 07-AUG-89 | | | 19 | |
| A L | | MIL-C-87165 NOTICE 1 | COLLAR, JACKET, DETACHABLE CMU-63/P [VALIDATION DATE: 8809] USER: 45 REVIEWER: 82 99 | A | 8315 | CT | | 30-SEP-88 | | | 11 | CT |
| L | | MIL-A-87166(2) | AERIAL REFUELING RECEIVER SUBSYSTEMS (CONTROLLED DISTRIBUTION) | D | 1680 | 11 | | 05-DEC-88 | | | 11 | |
| L | | MIL-B-87167 | BELT,AIRCRAFT SAFETY, MBU-12/A REVIEWER: 82 | A | 1680 | 11 | | 16-DEC-85 | | | 99 | |
| A L | | MIL-F-87168(2) | FIRE AND EXPLOSION HAZARD PROTECTION SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION | D | SAFT | 11 | | 15-OCT-92 | | | 11 | |
| L | | MIL-P-87173A NOTICE 1 | PROPELLANT, PRIMING FLUID, ALCM ENGINE, GRADE PF-1 REVIEWER: 68 | A | 9135 | 11 | | 23-JUN-89 | | | 11 | |
| L | | MIL-H-87174 | HELMET, FLYERS MGU-55/P | A | 8475 | 82 | | 25-OCT-83 | | | 99 | |
| AQL | | MIL-P-87175(2) NOTICE 2 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, PHOSPHONITRILIC FLUOROELASTOMER [VALIDATION DATE: 9212] REVIEWER: 82 99 | A | 5330 | 11 | | 10-DEC-92 | | | 11 | |
| A L | | MIL-P-87175/1 NOTICE 2 | PACKINGS, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, PHOSPHONITRILIC FLUOROELASTOMER, GRADE 70 SIZES AND TOLERANCES [VALIDATION DATE: 9212] REVIEWER: 99 | A | 5330 | 11 | | 10-DEC-92 | | | 11 | |

# NUMERICAL LISTING
# MILITARY SPECIFICATIONS

| Action | OPR / CNM Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-P-87175/2 NOTICE 2 | PACKINGS, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, PHOSPHONITRILIC FLUOROELASTOMER, GRADE 80, SIZES AND TOLERANCES [VALIDATION DATE: 9212] REVIEWER: 99 | A | 5330 | 11 | | 10-DEC-92 | | | 11 | |
| | | MIL-L-87177A(1) | LUBRICANTS, CORROSION PREVENTIVE COMPOUND, WATER DISPLACING, SYNTHETIC USER: AR EC REVIEWER: 68 GS | A | 9150 | 11 | | 28-FEB-91 | ME | AS | 11 | |
| A | L | MIL-C-87178(1) NOTICE 1 | CLOTH, COATED, NYLON, POLYURETHANE COATED REVIEWER: 18 | A | 8305 | CT | | 28-APR-88 | | | 11 | CT |
| | | MIL-C-87179 NOTICE 1 | COATING, PROTECTIVE, SOLVENT REMOVABLE, FOR MICROCIRCUITS [VALIDATION DATE: 8707] REVIEWER: 17 19 84 99 ER MI | A | 8030 | 11 | | 30-JUL-87 | MR | EC | 11 | MS |
| | | MIL-C-87180 NOTICE 1 | CLOTH PARACHUTE, STRETCH & RIPSTOP [VALIDATION DATE: 8707] USER: OS REVIEWER: MD SH | A | 8305 | 11 | | 30-JUL-87 | GL | AS | 99 | |
| | L | MIL-P-87210(1) | PNEUMATIC POWER SYSTEMS, HIGH PRESSURE (CONTROLLED DISTRIBUTION) | B | 1650 | 11 | | 15-APR-86 | | | 11 | |
| | L | MIL-A-87211(1) | AIR DATA SYSTEMS GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION) | D | 6610 | 11 | | 15-SEP-86 | | | 11 | |
| | L | MIL-S-87212(1) | SOCK, FLYERS, ANTIEXPOSURE CWU-67/P | A | 8475 | 82 | | 21-SEP-84 | GL | | 99 | |
| A | | MIL-S-87214B | SHIRT, MAN'S: SHORT AND LONG SLEEVES POLYESTER/COTTON (DURABLE PRESS) AND LONG SLEEVES, POLYESTER/WOOL REVIEWER: 45 82 99 CG | A | 8405 | CT | | 20-NOV-92 | | | 11 | CT |
| A | L | MIL-C-87215 | CAP, GARRISON, WOMANS, AIR FORCE USER: 45 REVIEWER: 82 99 | A | 8410 | CT | | 07-SEP-84 | | | 10 | CT |
| | Q | MIL-C-87217(3) | CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, GENERAL SPECIFICATION FOR USER: AS CG MC OS SH REVIEWER: 17 19 AR ES MI | A | 5910 | 85 | | 29-OCT-91 | ER | EC | 85 | |
| | | MIL-C-87217/1 NOTICE 1 | CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC DIELECTRIC, DIRECT CURRENT, FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, STYLES CHS01, CHS02, AND CHS03 [VALIDATION DATE: 9007] USER: AS CG MC OS SH REVIEWER: 17 19 AR MI | A | 5910 | 85 | | 27-JUL-90 | ER | EC | 85 | |
| | | MIL-C-87218(1) | CABLE, LOCKCLAD, FOR AIRCRAFT CONTROL REVIEWER: 11 15 | A | 4010 | 82 | | 30-OCT-87 | AV | AS | 99 | |
| | | MIL-P-87220(1) | PROPELLANT AND EXPLOSIVE SYSTEMS, AIRCRAFT CREW ESCAPE REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503 | D | 1377 | 11 | | 15-APR-86 | | | 11 | |
| | L | MIL-M-87222(2) | MECHANICAL SYSTEMS FOR AIRCRAFT DOORS AND CANOPIES (CONTROLLED DISTRIBUTION) | D | 1560 | 11 | | 31-JUL-87 | | | 11 | |
| | L | MIL-V-87223 | VALVES, PRESSURE, ANTI-G SUIT, MXU-804/A AND MXU-805/A REVIEWER: 71 99 | A | 1660 | 11 | | 22-MAY-87 | | AS | 11 | |
| A | L | MIL-M-87224 NOTICE 1 | NECK TAB, WOMEN'S SHIRTS [VALIDATION DATE: 8902] USER: 45 REVIEWER: 82 99 | A | 8445 | CT | | 14-FEB-89 | | | 11 | CT |
| A | L | MIL-S-87225A | SHIRTS, WOMEN'S: SHORT AND LONG SLEEVES, POLYESTER/COTTON (DURABLE PRESS) AND LONG SLEEVES, POLYESTER/WOOL USER: 45 REVIEWER: 82 99 | A | 8410 | CT | | 07-MAY-90 | | | 11 | CT |
| | L | MIL-H-87227(3) | HYDRAULIC POWER SYSTEMS (CONTROLLED DISTRIBUTION) | D | 1650 | 11 | | 31-JUL-87 | | | 11 | |
| | L | MIL-M-87228(1) | MAINTENANCE TRAINING SIMULATOR (CONTROLLED DISTRIBUTION) | D | 69GP | 11 | | 15-APR-86 | | | 11 | |
| | L | MIL-A-87229(1) | AUXILLARY POWER SYSTEMS, AIRBORNE (CONTROLLED DISTRIBUTION) | D | 2835 | 11 | | 15-APR-86 | | | 11 | |
| A | | MIL-C-87230A | COVERALLS, FLYER'S, CWU-64/P USER: 45 REVIEWER: 82 99 | A | 8415 | CT | | 31-OCT-89 | | MU | 11 | CT |
| | L | MIL-E-87231(1) | ENGINES, AIRCRAFT, TURBOJET AND TURBOFAN (CONTROLLED DISTRIBUTION) | D | 2840 | 11 | | 15-APR-86 | | | 11 | |
| | L | MIL-C-87232 | COMPUTATIONAL SYSTEMS, AIRBORNE (CONTROLLED DISTRIBUTION) | B | 7010 | 11 | | 30-SEP-85 | | | 11 | |
| | L | MIL-S-87233(1) | SUPPORT EQUIPMENT SYSTEMS (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) | D | GDRQ | 11 | | 15-APR-86 | | | 11 | |
| M | L | MIL-E-87236(2) | ENGINE, AIR VEHICLE, RAMJET (CONTROLLED DISTRIBUTION) | D | 2840 | 11 | | 01-MAR-93 | | | 11 | |
| | L | MIL-N-87237 | NAVIGATION EQUIPMENT, AIRBORNE | D | 1510 | 11 | | 29-NOV-85 | | | 11 | |
| | L | MIL-I-87239 | INSTALLATION, ENGINE | A | 2840 | 11 | | 20-DEC-85 | | | 11 | |
| A | L | MIL-O-87243 NOTICE 1 | OFFENSIVE AVIONICS (CONTROLLED DISTRIBUTION) [VALIDATION DATE: 9301] | A | 5895 | 11 | | 31-JAN-93 | | | 11 | |
| | L | MIL-A-87244A | AVIONICS/ELECTRONICS INTEGRITY PROGRAM REQUIREMENTS (CONTROLLED DISTRIBUTION) | D | GDRQ | 11 | | 30-SEP-87 | | | 11 | |
| A | L | MIL-F-87246(1) | FUEL SERVICING SYSTEMS, AIRCRAFT GROUND, MOBILE (CONTROLLED DISTRIBUTION) | D | 4930 | 11 | | 30-NOV-92 | | | 11 | |
| | L | MIL-A-87247(1) | AVIONICS EQUIPMENT, DEFENSE, AIRBORNE, SPECIFICATION FOR (CONTROL DISTRIBUTION) | A | 5865 | 11 | | 29-JUN-90 | | | 11 | |
| A | | MIL-J-87250 | JACKET, MAN'S: LIGHTWEIGHT WITH REMOVABLE LINER | A | 8405 | CT | | 04-NOV-88 | | | 11 | CT |
| A | | MIL-J-87251 | JACKET, WOMAN'S: LIGHTWEIGHT WITH REMOVABLE LINER | A | 8410 | CT | | 04-NOV-88 | | | 11 | CT |
| | | MIL-C-87252A(1) | COOLANT FLUID, HYDROLYTICALLY STABLE, DIELECTRIC REVIEWER: 68 AR AV GS SH | A | 9160 | 11 | | 09-JUN-92 | ME | AS | 11 | |
| N | | MIL-R-87254 | RESISTOR, FIXED, FILM, HIGH RELIABILITY GENERAL SPECIFICATION FOR USER: AT AV CG MC ME REVIEWER: 11 17 80 85 AR AS ES OS | A | 5905 | 19 | | 01-OCT-90 | ER | EC | 19 | |
| | | MIL-R-87254/1 | RESISTORS, FIXED, FILM, HIGH RELIABILITY, STYLE RSC50 USER: AT AV CG MC ME REVIEWER: 17 80 85 AR AS ES OS | A | 5905 | 19 | | 01-OCT-90 | ER | EC | 19 | |
| | | MIL-R-87254/2 | RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC55 USER: AT AV CG MC ME REVIEWER: 17 80 85 AR AS ES OS | A | 5905 | 19 | | 01-OCT-90 | ER | EC | 19 | |
| | | MIL-R-87254/3 | RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC60 USER: AT AV CG MC ME REVIEWER: 17 80 85 AR AS ES OS | A | 5905 | 19 | | 01-OCT-90 | ER | EC | 19 | |
| | | MIL-R-87254/4 | RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC65 USER: AT AV CG MC ME REVIEWER: 17 80 85 AR AS ES OS | A | 5905 | 19 | | 01-OCT-90 | ER | EC | 19 | |
| | | MIL-R-87254/5 | RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC90 USER: AT AV CG MC ME REVIEWER: 17 80 85 AR AS ES OS | A | 5905 | 19 | | 01-OCT-90 | ER | EC | 19 | |
| | L | MIL-V-87255 | VALVES, PRESSURE, ANTI-G SUIT, HIGH FLOW REVIEWER: GS | A | 1660 | 11 | | 31-DEC-90 | | | 11 | |
| N | | MIL-H-87257 | HYDRAULIC FLUID, FIRE RESISTANT; LOW TEMPERATURE, SYNTHETIC HYDROCARBON BASE, AIRCRAFT AND MISSILE USER: AL OS REVIEWER: 68 AR AV EA GS MI PS SH | A | 9150 | 11 | | 02-MAR-92 | ME | AS | 11 | |
| A | L | MIL-B-87258 | BAG, SLEEPING, ARCTIC SURVIVAL, PRESSURE/VACUUM PACKED REVIEWER: 11 | A | 8465 | CT | | 02-AUG-91 | | | 99 | CT |
| | L | MIL-H-87259 | REPAIR SET, AIRCRAFT A/E24M-41 REVIEWER: 80 99 | A | 4920 | 11 | | 02-AUG-91 | | | 11 | |
| NL | | MIL-F-87260 | FOAM MATERIAL, EXPLOSION SUPPRESSION, INHERENTLY ELECTRICALLY CONDUCTIVE, FOR AIRCRAFT FUEL TANK AND DRY BAY AREAS | A | 9330 | 11 | | 07-FEB-92 | | | 11 | |
| A | L | MIL-C-87261 | CLOTH, LAMINATED, POLYBENZIMIDAZOLE/ARAMID SUBSTRATE, ACTIVATED CARBON SPHERE, FIRE RESISTANT AND CHEMICAL PROTECTIVE USER: 45 | A | 8305 | CT | | 11-FEB-92 | | | 11 | CT |
| A | L | MIL-C-87262 | CLOTH, PLAIN WEAVE, POLYBENZIMIDAZOLE/ARAMID BLEND USER: 45 REVIEWER: MU | A | 8305 | CT | | 11-FEB-92 | | | 11 | CT |
| A | L | MIL-C-87263 | CLOTH, KNIT, JERSEY, POLYBENZIMIDAZOLE/ARAMID BLEND | A | 8305 | CT | | 11-FEB-92 | | | 11 | CT |
| | L | MIL-C-87264 | COVERALLS, CHEMICAL DEFENSE CWU-66/P REVIEWER: 82 CT | A | 8415 | 11 | | 11-FEB-92 | | | 11 | |
| D | | MIL-M-87268 | MANUALS, INTERACTIVE ELECTRONIC TECHNICAL: GENERAL CONTENT, STYLE, FORMAT, AND USER-INTERACTION REQUIREMENTS REVIEWER: 11 13 18 19 30 70 71 80 82 84 99 AL AR AS AT AV CR EA EC MC MI PT SA SC SH TD TR YD1 | A | TMSS | 15 | | 20-NOV-92 | TM | AS | 16 | |
| D | | MIL-D-87269 | DATA BASE, REVISABLE: INTERACTIVE ELECTRONIC TECHNICAL MANUALS, FOR THE SUPPORT OF REVIEWER: 11 13 18 19 30 70 71 80 82 84 99 AL AR AS AT AV CR EA EC MC MI PT SA SC TD TR YD1 | A | TMSS | 16 | | 20-NOV-92 | TM | AS | 16 | |
| D | | MIL-Q-87270 | QUALITY ASSURANCE PROGRAM: INTERACTIVE ELECTRONIC TECHNICAL MANUALS AND ASSOCIATED TECHNICAL INFORMATION; REQUIREMENTS FOR REVIEWER: 11 13 18 19 30 70 71 80 82 84 99 AL AR AS AT AV CR EA EC MC MI PT SA SC TD TR YD1 | A | TMSS | 16 | | 20-NOV-92 | TM | AS | 16 | |
| | L | MIL-H-87819 | HEADSET-MICROPHONE, HEADSET-ELECTRICAL, HEADSET-NONELECTRICAL (HEARING PROTECTIVE TYPE, HIGH AMBIENT NOISE LEVELS) REVIEWER: ES | A | 5965 | 85 | | 11-MAR-85 | | | | |
| | L | MIL-H-87819/1 | HEADSET-MICROPHONE, HEARING PROTECTIVE TYPE HIGH AMBIENT NOISE LEVELS, 105-125DB REVIEWER: ES | A | 5965 | 85 | | 11-MAR-85 | | | | |
| | | MIL-H-87819/2 | HEADSET-ELECTRICAL, HEARING PROTECTIVE TYPE HIGH AMBIENT NOISE LEVELS, 105-125 DB MB7819/2-01 REVIEWER: ES | A | 5965 | 85 | | 11-MAR-85 | | | 85 | |
| | L | MIL-H-87819/3 | HEADSET-NONELECTRICAL, HEARING PROTECTIVE TYPE HIGH AMBIENT NOISE LEVELS, 105-125 DB MB7819/3-01 REVIEWER: ES | A | 5965 | 85 | | 11-MAR-85 | | | 85 | |
| D | | MIL-L-87891 | LOADER, BACKHOE, SCOOP TYPE, PNEUMATIC TIRED | A | 3805 | 84 | | 15-APR-88 | AT | YD1 | 99 | DM |
| | L | MIL-W-87893 | WORKSTATION, ELECTROSTATIC DISCHARGE (ESD) CONTROL REVIEWER: 99 CS | A | 4940 | 30 | | 10-NOV-87 | | | 30 | |
| | L | MIL-C-87895 | COMPOUND, POLYMERIC BASED, HOT MELT (CAVITY LINING), (FOR INTERNAL USE IN AMMUNITION) REVIEWER: 70 | A | 1325 | 18 | | 12-DEC-83 | | | 99 | |
| | | MIL-P-87896 | PROPELLANT, NITROGEN TRIFLUORIDE REVIEWER: 12 | A | 9135 | 68 | | 23-OCT-87 | MI | AS | 68 | |
| | | MIL-P-87897 NOTICE 1 | PROPELLANT, DEUTERIUM [VALIDATION DATE: 8808] REVIEWER: 12 | A | 9135 | 68 | | 22-AUG-88 | MI | AS | 68 | |

| Action | OPR / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-I-87923(3) | INDICATOR, TORQUEMETER, AEU-13/A | X | 6620 | 71 | | 18-MAR-83 | | AS | 99 | |
| NL | | | MIL-I-87928(2) | INDICATOR, ATTITUDE, TYPE ARU-51/A | A | 6610 | 71 | | 09-FEB-87 | | | 99 | |
| A | L | | MIL-M-87929A(1) | MANUALS, TECHNICAL: OPERATION AND MAINTENANCE INSTRUCTIONS IN WORK PACKAGE FORMAT (FOR USAF EQUIPMENT) REVIEWER: 10 99 | A | TMSS | 16 | | 22-JAN-93 | | | 16 | |
| | L | | MIL-P-87930 | PROPELLANT, HYDRAZINE WATER (70 PER CENT HYDRAZINE -30 PER CENT WATER) (VALIDATION DATE: 8512) REVIEWER: 12 19 | A | 9135 | 68 | | 25-OCT-77 | | | 68 | |
| | L | | MIL-P-87931 | PROPELLANT, ISOPROPYL ALCOHOL (VALIDATION DATE: 8512) REVIEWER: 12 19 ..... | A | 9135 | 68 | | 16-DEC-77 | | | 68 | |
| | L | | MIL-P-87932 | PROPELLANT, LIQUID NEON (VALIDATION DATE: 8512) ..... | A | 9135 | 68 | | 11-JUL-78 | | | 68 | |
| D | | | DOD-D-87934 | DESICCANT, MOLECULAR SIEVE (IMPREGNATED) ( METRIC) USER: AS MC OS SH YD1 REVIEWER: GS | A | 6850 | 68 | | 16-MAY-83 | | | 68 | |
| | L | | DOD-F-87935(3) | FLUID, MAGNETIC PARTICLE INSPECTION, SUSPENSION MEDIUM (METRIC) REVIEWER: 20 GS SH | A | 6850 | 68 | | 27-FEB-87 | AV | AS | 68 | |
| | L | | DOD-F-87935(14) | FLUID, MAGNETIC PARTICLE INSPECTION, SUSPENSION MEDIUM (METRIC) REVIEWER: 11 GS SH | A | 6850 | 68 | | 01-JUN-88 | | | 68 | |
| | Q | | MIL-C-87936A | CLEANING COMPOUNDS, AIRCRAFT EXTERIOR SURFACES, WATER DILUTABLE REVIEWER: AV GS | A | 6850 | 68 | | 18-OCT-85 | GL | AS | 68 | |
| NL | | | MIL-C-87937A | CLEANING COMPOUND, AEROSPACE EQUIPMENT REVIEWER: 11 AS ..... | A | 6850 | 68 | | 16-OCT-91 | | | 68 | |
| | | | MIL-P-87938 | PEROXIDE, METHYL ETHYL KETONE, TECHNICAL REVIEWER: AS GL GS ..... | A | 6810 | 68 | | 16-NOV-84 | AR | OS | 68 | |
| NL | | | MIL-V-87939 | VAPOR SUPRESSING - FIRE EXTINGUISHING AGENT, FOAM CONCENTRATES FOR USE ON HYPERGOLIC PROPELLANTS REVIEWER: 19 68 | A | 6850 | 50 | | 14-MAR-89 | | | 50 | |
| | | | MIL-C-87952 | COUNTER, ELECTRONIC, DIGITAL READOUT 18 GIGAHERTZ (GHZ) CONTINUOUS WAVE (CW) (S/S BY MIL-C-87974) USER: SC | A | 6625 | 82 | | 09-SEP-85 | | | | |
| NL | | | MIL-R-87954A(1) SUPPL 1C1 | RECEIVERS, RANGE SAFETY, COMMAND (VALIDATION DATE: 8903) ..... | A | 1430 | TE | | 07-MAR-89 | TE | | | |
| | L | | MIL-R-87954/1A | RECEIVERS, RANGE SAFETY, COMMAND TYPE I, CLASS 1, STYLE A1 (VALIDATION DATE: 8903) | A | 1430 | TE | | 07-MAR-89 | TE | | | |
| | L | | MIL-R-87954/2 | RECEIVER, RANGE SAFETY, COMMAND TYPE II, CLASS 1, 2, 3, STYLE C1, C2, C3, C4, C5 (VALIDATION DATE: 8903) | A | 1430 | TE | | 07-MAR-89 | TE | | | |
| | L | | MIL-G-87955A | GAGE, SNAP, ADJUSTABLE, DIAL INDICATING USER: SH REVIEWER: 70 71 80 82 .... | A | 5220 | 84 | | 16-SEP-83 | | | 99 | |
| | L | | MIL-M-87958(1) | MARKERS BLANKS, PRESSURE SENSITIVE ADHESIVE WIRE OR CABLE MARKER AND IDENTIFICATION LABEL | A | 7690 | 84 | | 12-OCT-90 | | | 99 | |
| | QL | | MIL-H-87961(3) | HOSE AND HOSE ASSEMBLIES, AIR DUCT, AIR BREATHING, OXYGEN SYSTEMS, GENERAL SPECIFICATION FOR REVIEWER: CS | A | 4720 | 71 | | 21-FEB-90 | | | 99 | |
| | L | | MIL-H-87961/1 NOTICE 1 | HOSE, AIR DUCT, AIR BREATHING, TYPE I (VALIDATION DATE: 8610) ..... | A | 4720 | 71 | | 20-OCT-86 | | | 99 | |
| | L | | MIL-H-87961/2A | HOSE ASSEMBLY, AIR DUCT, AIR BREATHING, TYPE II (VALIDATION DATE: 8512) ... | A | 4720 | 71 | | 10-MAR-80 | | | 99 | |
| | L | | MIL-H-87961/3 NOTICE 1 | HOSE ASSEMBLY, AIR DUCT, AIR BREATHING, TYPE III (VALIDATION DATE: 8610) .. | A | 4720 | 71 | | 21-NOV-86 | | | 99 | |
| | L | | MIL-C-87962 NOTICE 1 | CLOTHS, CLEANING, FOR AIRCRAFT FUEL TANKS (VALIDATION DATE: 8801) ..... | A | 7920 | 84 | | 11-JAN-88 | | | 99 | |
| | L | | MIL-N-87963 | NOZZLE, FUEL, AIRCRAFT, OVERWING, TYPE MD 3 ..... | A | 4930 | 82 | | 27-MAR-79 | | | 99 | |
| | QL | | MIL-I-87965 NOTICE 1 | INDICATOR, THRUST, ENGINE TESTING, TEST STAND, AIRCRAFT ENGINE, A/M37 SERIES (VALIDATION DATE: 8812) | A | 6620 | 82 | | 12-DEC-88 | | | 99 | |
| | L | | MIL-H-87969 | HEAD, MAGNETIC TAPE, INSTRUMENTATION, IRIG WIDE BAND GROUP II REVIEWER: CR EC | A | 5835 | 80 | | 01-MAR-83 | | | 99 | |
| | | | MIL-T-87971 | TESTER, HOSE ASSEMBLIES: HYDRAULIC, AIRCRAFT AND MISSILE USER: AR REVIEWER: AL CS ME | A | 4940 | 82 | | 12-MAR-84 | | | 99 | |
| | L | | MIL-C-87972A | CASTERS,RIGID AND SWI VEL,GENERAL SPECIFICA TION FOR USER: AT AV ME REVIEWER: GL IS | A | 5340 | 82 | | 07-DEC-87 | AR | AS | 99 | |
| | | | MIL-M-87973 | MAINTENANCE PLATFORM SELF-PROPELLED, BOOM, LIFT, 40, 60 AND 80 FOOT ..... | A | 1730 | 82 | | 08-FEB-85 | AV | AS | 99 | |
| | | | MIL-C-87974 | COUNTER, ELECTRONIC, DIGITAL READOUT 26.5 GIGAHERTZ (GHZ) CONTINUOUS WAVE (CW) USER: AR OS SC REVIEWER: AS MI SH | A | 6625 | 82 | | 30-APR-85 | CR | EC | 99 | |
| | L | | MIL-C-87975 | CLOCK, AIRCRAFT, MECHANICAL ABU-32/A ..... | A | 6645 | 82 | | 15-MAY-85 | | | 99 | |
| | | | MIL-T-87976 | TEST STAND, HYDRAULIC SYSTEM COMPONENTS ..... | A | 4920 | 82 | | 16-JUN-85 | AV | AS | 99 | |
| | L | | MIL-M-87977 | MAINTENANCE PLATFORM, AIRCRAFT ..... | A | 1730 | 82 | | 14-MAY-87 | | | 99 | |
| | QL | | MIL-R-87978 | REMOVER, PAINT, EPOXY AND POLYURETHANE SYSTEMS, TANK TYPE: AMBIENT TEMPERATURE, FOR AIRCRAFT WHEELS AND LANDING GEAR COMPONENTS | A | 8010 | 84 | | 01-AUG-87 | | | 99 | |
| | | | MIL-C-87979 | CLOCK, AIRCRAFT, ELECTRONIC REVIEWER: [illegible] ..... | A | 6645 | 82 | | 15-NOV-87 | AR | AS | 99 | |
| | L | | MIL-T-87980 | TRUCK, SEWER & PIPE CLEANER, HIGH PRESSURE WATER JET TYPE, & MANHOLE VACUUM CLEANER | A | 2320 | 84 | | 17-DEC-87 | | | 99 | |
| D | | | MIL-L-87981 | LOADER, BACKHOE, SCOOP-TYPE, PNEUMATIC TIRED ..... | A | 3805 | 84 | | 15-APR-88 | AT | YD1 | 99 | |
| | L | | MIL-G-87982A | GRADERS, ROAD, MOTORIZED, FOR RAPID RUNWAY REPAIR APPLICATION ..... | A | 3805 | 84 | | 18-APR-88 | | | 99 | |
| | L | | MIL-B-87983 | BAR, PRY, WHEELED TYPE, HAND OPERATED, MA-1, COMMERCIAL ..... | A | 3920 | 84 | | 15-JUN-88 | | | 84 | |
| | L | | MIL-T-87984 | TRAILER, TANK, FUEL SERVICING, TYPE A-1B ..... | A | 2330 | 84 | | 31-JAN-89 | | | 99 | |
| | L | | MIL-T-87985 | TRENCHER, SELF-PROPELLED, DIESEL-ENGINE-DRIVEN, 70 HP., PNEUMATIC TIRED, WITH OPTIONAL ATTACHMENTS | A | 3805 | 84 | | 13-MAR-89 | | | 84 | |
| D | | | MIL-B-87986 | BEAD BREAKER, PNEUMATIC TIRE REVIEWER: AL ..... | A | 4910 | 82 | | 28-APR-89 | | YD1 | 99 | CS |
| | L | | MIL-C-87987 | CRANE, HYDRAULIC, WHEEL MOUNTED, 7-1/2 AND 15 TON CAPACITIES ..... | A | 3810 | 84 | | 09-JUN-89 | | | 99 | |
| | L | | MIL-R-87989 | REVETMENT KIT, PREFABRICATED PIN TYPE, CORRUGATED STEEL PANELS ..... | A | 5410 | 84 | | 05-SEP-89 | | | 99 | |
| NL | | | MIL-H-87990(1) | ALUMINUM HONEYCOMB SANDWICH ASSEMBLIES, MANUFACTURE OF REVIEWER: AS AV .... | A | 1560 | 82 | | 15-FEB-92 | | | 99 | |
| | L | | MIL-R-87992 | RAILWAY CAR, TANK, HYDRAZINE OR NITROGEN TETROXIDE: DOT 105J500W ..... | A | 2220 | 84 | | 29-NOV-89 | | | 99 | |
| | L | | MIL-P-87993 | PAVING MACHINE RUBBER TIRED, BITUMINOUS MATERIAL, SELF PROPELLED ..... | A | 3895 | 84 | | 02-FEB-90 | | | 99 | |
| | L | | MIL-D-87994 | DISTRIBUTOR, BITUMINOUS MATERIAL, TANK-TYPE, TRUCK MOUNTED ..... | A | 3895 | 84 | | 09-FEB-90 | | | 99 | |
| | L | | MIL-T-87995 | TRAILER, RAPID RUNWAY REPAIR ..... | A | 2330 | 84 | | 12-FEB-90 | | | 99 | |
| | L | | MIL-M-87996 | MIXER, CONCRETE, MOBILE, 5 CUBIC YARD TRUCK MOUNTED ..... | A | 3895 | 84 | | 15-FEB-90 | | | 99 | |
| | L | | MIL-T-87997 | TRUCK, LIFT, FORK, ELECTRIC, SIT DOWN 3,000 POUND CAPACITY, 185 INCH MINIMUM LIFT | A | 3930 | 84 | | 22-FEB-90 | | | 99 | |
| | L | | MIL-T-87998 | TRUCK LIFT, FORK, ELECTRIC, NARROW AISLE REACH, STAND-UP OPERATOR 3,000 POUND CAPACITY, 205 INCH MINIMUM LIFT | A | 3930 | 84 | | 22-FEB-90 | | | 99 | |
| | | | MIL-T-87998/20 | PIN RIVET, THREADED, TYPE IV (100 DEG FLUSH MS 20426 SHEAR HEAD), CLASS 5 (ALLOY STEEL, 108 KSI FSU & 180-200 KSI (FTU) REVIEWER: GL IS MS | A | 5320 | 82 | | 26-JUL-89 | AV | AS | 99 | |
| | | | MIL-T-87998/21 | PIN RIVET, THREADED, TYPE III (100 DEG FLUSHCROWN SHEAR HEAD), CLASS 5 (ALLOY STEEL, 180 KSI FSU AND 180-200 KSI FTU REVIEWER: GL IS MS | A | 5320 | 82 | | 26-JUL-89 | AV | AS | 99 | |
| | L | | MIL-T-87999 | TRUCK SERVICING, 3 TON, 27 FOOT ELEVATION FOR LOADING C-5 AIRCRAFT UPPER DECK | A | 2320 | 84 | | 05-MAR-90 | | | 99 | |
| | L | | MIL-D-89000 | DIGITAL TERRAIN ELEVATION DATA (DTED) LEVEL 1 (1CD) REVIEWER: 09 CE MO .... | A | MCGT | MP | | 26-FEB-90 | | | | |
| | L | | MIL-D-89001 | DIGITAL TERRAIN ELEVATION DATA (DTED) LEVEL 2 (1CF) REVIEWER: 09 CE MO .... | A | MCGT | MP | | 26-FEB-90 | | | | |
| | L | | MIL-A-89007 | ARC DIGITIZED RASTER GRAPHICS (ADRG) ..... | A | MCGT | MP | | 22-FEB-90 | | | | |
| A | L | | MIL-D-89009 | DIGITAL CHART OF THE WORLD (DCW) REVIEWER: 09 MC MO ..... | A | MCGT | MP | | 13-APR-92 | | | | |
| | L | | MIL-D-89011 | DIGITAL CITIES DATA BASE (DCDB) ..... | A | MCGT | MP | | 02-JUL-90 | | | | |
| A | L | | MIL-M-89012(2) | WORLD VECTOR SHORELINE REVIEWER: 09 CE MO ..... | A | MCGT | MP | | 30-NOV-92 | | | | |
| A | L | | MIL-I-89014(3) | INTERIM TERRAIN DATA (ITD)/PLANNING INTERIM TERRAIN DATA (PITD) REVIEWER: 09 MO | A | MCGT | MP | | [illegible] NOV-92 | | | | |
| A | L | | MIL-F-89018 | FIREFINDER ELEVATION DATA (FFED) REVIEWER: 09 ..... | A | MCGT | MP | | 01-OCT-92 | | | | |
| N | L | | MIL-D-89020 | DIGITAL TERRAIN ELEVATION DATA (DTED) REVIEWER: MO ..... | A | MCGT | MP | | 28-MAY-93 | | | | |
| A | L | | MIL-D-89021 | DIGITAL LANDMASS BLANKING (DLMB) DATA PROGRAM REVIEWER: MC MO ..... | A | MCGT | MP | | 15-JUN-91 | | | | |
| A | L | | MIL-H-89201(2) | HARBOR, APPROACH, AND COASTAL CHARTS (HAC) REVIEWER: 09 MC ..... | A | MCGT | MP | | 30-NOV-92 | | | | |
| A | L | | MIL-C-89202(2) | COMBAT CHARTS REVIEWER: MC MO ..... | A | MCGT | MP | | 30-NOV-92 | | | | |
| A | L | | MIL-V-89300(1) | VIDEO DISC FOR MAPPING, CHARTING AND GEODESY (MC&G) REVIEWER: 09 MO ..... | A | MCGT | MP | | 30-NOV-92 | | | | |
| A | L | | MIL-T-89301(1) | 1:50,000 SCALE TOPOGRAPHIC MAPS OF FOREIGN AREAS REVIEWER: 09 MO ..... | A | MCGT | MP | | 30-NOV-92 | | | | |
| | L | | MIL-C-89303 | CITY GRAPHICS USER: MC REVIEWER: 09 MO ..... | A | MCGT | MP | | 30-NOV-90 | | | | |
| A | L | | MIL-T-89304(1) | TACTICAL TERRAIN ANALYSIS DATA BASE (TTADB) SCALE 1:50,000 REVIEWER: 09 MO | A | MCGT | MP | | 30-NOV-92 | | | | |
| A | L | | MIL-P-89305(1) | PLANNING TERRAIN ANALYSIS DATA BASE (PTADB) REVIEWER: 09 MO ..... | A | MCGT | MP | | 30-NOV-92 | | | | |
| | L | | MIL-N-89404 | NON-STOP OPTION (NSO) SUPPORT ..... | A | MCGT | MP | | 15-AUG-90 | | | | |

| Action | Opn. / Obtl. | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | Army | Navy | Air Force | DLA |
| | | | | MS6038 | FORMULA FOR FUZE THREAD LUTING (FOR SPECIAL AMMUNITION USE) REVIEWER: 70 .. | A | 1390 | OS | 13-NOV-91 | AR | OS | 99 | |
| | L | | | MS24570 | CIRCUIT BREAKER, AIRCRAFT, TRIP FREE, 2 1/2 TO 50 AMPERES, 121.1 DEG. C AMBIENT | A | 5925 | 85 | 06-OCT-86 | | | 85 | |
| | L | | | MS25480 NOTICE 1 | CABLE ASSEMBLIES, ELECTRIC POWER, FOR PORTABLE GROUND SUPPORT TEST EQUIPMENT (VALIDATION DATE: 9110) | A | 6150 | AS | 23-OCT-91 | | AS | | |
| | A | | | MS3100F | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, SOLDER CONTACTS, AN TYPE USER: AT CG MC REVIEWER: 99 AV ME MI OS SH | A | 5935 | AS | 20-AUG-92 | CR | AS | 85 | |
| | A | | | MS3101D | CONNECTOR, PLUG, ELECTRIC, CABLE CONNECTING, SOLDER CONTACTS, AN TYPE USER: AT CG MC OS REVIEWER: 99 AV EC ME MI SH | A | 5935 | AS | 20-AUG-92 | CR | AS | 85 | |
| | A | | | MS3102E | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, SOLDER CONTACTS, AN TYPE USER: AT CG MC OS REVIEWER: 99 AV EC ME MI SH | A | 5935 | AS | 20-AUG-92 | CR | AS | 85 | |
| | | | | MS3103D | CONNECTOR, RECEPTACLE, ELECTRIC, POTTING SEAL, SOLDER CONTACTS, AN TYPE USER: AT CG MC OS REVIEWER: 99 AV EC ES MI | A | 5935 | AS | 31-AUG-90 | CR | AS | 85 | |
| | L | | | MS3105A | CONNECTOR, RECEPTACLE, ELECTRIC DUMMY STOWAGE (VALIDATION DATE: 8105) USER: CG MC ME REVIEWER: EC ES MI OS | A | 5935 | AS | 18-JUN-69 | | AS | | |
| | A | | | MS3106D | CONNECTOR, PLUG, ELECTRIC, STRAIGHT, SOLDER CONTACTS, AN TYPE USER: AT CG MC OS REVIEWER: 99 AV EC ME MI SH | A | 5935 | AS | 20-AUG-92 | CR | AS | 85 | |
| | A | | | MS3107C | CONNECTOR PLUG, ELECTRIC, QUICK DISCONNECT USER: AT CG MC OS REVIEWER: 99 AV EC ME MI SH | A | 5935 | AS | 20-AUG-92 | CR | AS | 85 | |
| | A | | | MS3108D | CONNECTORS, PLUG, ELECTRIC, SOLDER CONTACT, 90 DEGREE, AN TYPE USER: AT CG MC OS REVIEWER: 99 AV EC ME MI SH | A | 5935 | AS | 20-AUG-92 | CR | AS | 85 | |
| | L | | | MS3109E NOTICE 1 | BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, RIGHT ANGLE (VALIDATION DATE: 9110) REVIEWER: EC | A | 5970 | AS | 23-OCT-91 | | AS | | |
| | | | | MS3110D NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, SOLDER TYPE, WALL MOUNTING, FLANGE, BAYONET COUPLING (VALIDATION DATE: 8809) USER: AV REVIEWER: 11 17 EC SH | A | 5935 | CR | 19-SEP-88 | CR | AS | 85 | |
| | | | | MS3111C NOTICE 1 | CONNECTORS, PLUG, ELECTRIC, SERIES 1, SOLDER TYPE, CABLE CONNECTING, BAYONET COUPLING (VALIDATION DATE: 8809) USER: AV REVIEWER: 11 17 EC SH | A | 5935 | CR | 19-SEP-88 | CR | AS | 85 | |
| | | | | MS3112G NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, BOX MOUNTING, FLANGE, BAYONET COUPLING, SOLDER CONTACT (VALIDATION DATE: 8809) USER: AV REVIEWER: 11 17 EC ES | A | 5935 | CR | 19-SEP-88 | CR | AS | 85 | |
| M | I | | | MS3113H | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES I, SOLDER TYPE, SOLDER MOUNTING, BAYONET COUPLING, CLASS H USER: AV REVIEWER: 11 17 99 AR EC ES SH | A | 5935 | CR | 10-JUN-93 | CR | AS | 85 | |
| M | I | | | MS3114J | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, SOLDER TYPE, JAM NUT MOUNTING, BAYONET COUPLING, CLASSES E, F, H, AND P USER: AV REVIEWER: 11 17 99 AR EC ES SH | A | 5935 | CR | 10-JUN-93 | CR | AS | 85 | |
| M | | | | MS3115E | CONNECTORS, RECEPTACLE, ELECTRICAL, DUMMY STOWAGE, BAYONET COUPLING, FOR MIL-C-26482 CONNECTORS, SERIES 1 AND 2 USER: AV REVIEWER: 11 17 99 AR EC ES MI SH | A | 5935 | CR | 10-JUN-93 | CR | AS | 85 | |
| | | | | MS3116D NOTICE 1 | CONNECTORS, PLUG, ELECTRIC, SERIES 1, SOLDER TYPE, STRAIGHT, BAYONET COUPLING (VALIDATION DATE: 8809) USER: AV REVIEWER: 11 17 EC SH | A | 5935 | CR | 19-SEP-88 | CR | AS | 85 | |
| | L | | | MS3117E NOTICE 1 | BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, RIGHT ANGLE (VALIDATION DATE: 9110) REVIEWER: EC | A | 5970 | AS | 23-OCT-91 | | AS | | |
| | | | | MS3119D NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, THRU-BULKHEAD MTG., FLANGE, BAYONET COUPLING (VALIDATION DATE: 8809) USER: AV REVIEWER: 11 17 99 EC | A | 5935 | CR | 19-SEP-88 | CR | AS | 85 | |
| | I | | | MS3120E NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRIC CRIMP-TYPE, WALL MOUNTING, FLANGE, NO. 4 HOLES, BAYONET COUPLING *(VALIDATION DATE: 8809)* USER: ME REVIEWER: ES MI | A | 5935 | CR | 06-SEP-88 | CR | | 11 | |
| | I | | | MS3121B NOTICE 1 | CONNECTORS, PLUG, ELECTRIC, CRIMP TYPE, CABLE-CONNECTING, BAYONET COUPLING (VALIDATION DATE: 8809) USER: ME REVIEWER: ES MI | A | 5935 | CR | 06-SEP-88 | CR | | 11 | |
| | | | | MS3122E NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, CRIMP-TYPE, BOX MOUNTING, FLANGE, NO. 4 HOLES, BAYONET COUPLING (VALIDATION DATE: 8809) USER: AV REVIEWER: 17 SH | A | 5935 | CR | 19-SEP-88 | CR | AS | 85 | |
| | I | | | MS3124D NOTICE 1 | CONNECTORS, RECEPTACLE ELECTRIC, CRIMP-TYPE, REAR MOUNTING JAM NUT, BAYONET COUPLING (VALIDATION DATE: 8809) REVIEWER: 17 AR ES MI | A | 5935 | CR | 06-SEP-88 | CR | | 11 | |
| | I | | | MS3126E NOTICE 1 | CONNECTORS, PLUG, ELECTRIC, CRIMP TYPE, STRAIGHT, BAYONET COUPLING (VALIDATION DATE: 8809) USER: AV REVIEWER: 17 AR SH | A | 5935 | CR | 06-SEP-88 | CR | | 11 | |
| M | I | | | MS3127J | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, CRIMP TYPE, BOX MOUNTING, FLANGE, NO. 416 HOLES, BAYONET COUPLING REVIEWER: 11 17 99 AV EC ES MI SH | A | 5935 | CR | 10-JUN-93 | CR | AS | 85 | |
| | | | | MS31281 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING, NO. 4/6 HOLES, BAYONET COUPLING (INACTIVE) (VALIDATION DATE: 8105) USER: 17 REVIEWER: 11 99 ES MI | A | 5935 | CR | 05-SEP-75 | CR | AS | 85 | |
| | | | | MS3130D | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, WALL MTG, FLANGE, PUSH PULL COUPLING, SERIES 1 (CLASS E, PANEL J) (VALIDATION DATE: 8509) USER: 17 REVIEWER: 99 AR AV ES MI | A | 5935 | AS | 21-JUL-71 | CR | AS | 85 | |
| | | | | MS3132D | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, BOX MTG, FLANGE, PUSH-PULL COUPLING (VALIDATION DATE: 8509) USER: 17 ME REVIEWER: AR ES MI | A | 5935 | AS | 21-JUL-71 | CR | AS | 85 | |
| | | | | MS3134F NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING, SERIES 1 (CLASS E, P, J AND H) (VALIDATION DATE: 9110) | A | 5935 | AS | 23-OCT-91 | CR | AS | 85 | |
| | | | | MS3135D | CONNECTOR, RECEPTACLE, ELECTRIC, DUMMY STOWAGE, WALL MTG, FLANGE PUSH PULL COUPLING SERIES 1 AND 2 CONNECTORS (VALIDATION DATE: 8509) REVIEWER: ES MI | A | 5935 | AS | 21-JUL-71 | CR | AS | 85 | |
| | L | | | MS3136 NOTICE 1 | CONNECTOR, ADAPTER ELECTRIC (VALIDATION DATE: 8709) ..... | A | 5935 | AS | 06-AUG-74 | | AS | | |
| | | | | MS3137E NOTICE 1 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, PUSH-PULL COUPLING SERIES 1 (CLASS E, P AND J) (VALIDATION DATE: 9110) | A | 5935 | AS | 23-OCT-91 | CR | AS | 85 | |
| | | | | MS3138D NOTICE 1 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE LANYARD, PUSH-PULL COUPLING, SERIES 1 (CLASS E, P AND J) (VALIDATION DATE: 9110) | A | 5935 | AS | 23-OCT-91 | CR | AS | 85 | |
| | | | | MS3139D NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC THRU BULKHEAD, WALL MTG. FLANGE, SERIES 1 (CLASS E) (VALIDATION DATE: 9110) | A | 5935 | AS | 23-OCT-91 | CR | AS | 85 | |
| | | | | MS3140C NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH-PULL COUPLING, SERIES 2 (CLASS E AND J) (VALIDATION DATE: 9110) | A | 5935 | AS | 23-OCT-91 | CR | AS | 85 | |
| | L | | | MS3142D | CONNECTOR, RECEPTACLE, ELECTRICAL, BOX MOUNTING, SOLDER CONTACT, HERMETIC, AN TYPE (INACTIVE) (VALIDATION DATE: 8410) REVIEWER: EC | A | 5935 | AS | 23-JAN-78 | | AS | | |
| | | | | MS3144C NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING SERIES 2 (CLASS E AND J) (VALIDATION DATE: 9110) | A | 5935 | AS | 23-OCT-91 | CR | AS | 85 | |
| | L | | | MS3146 | CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, CRIMP TYPE, SOLDER MOUNTING, PUSH PULL COUPLING, SERIES 3 (CLASS H) (VALIDATION DATE: 8509) REVIEWER: EC ES | A | 5935 | AS | 04-FEB-72 | | AS | | |
| | | | | MS3147D NOTICE 1 | CONNECTOR, PLUG, ELECTRIC CRIMP TYPE, PUSH - PULL COUPLING SERIES 2 (CLASS E AND J) (VALIDATION DATE: 9110) | A | 5935 | AS | 23-OCT-91 | CR | AS | 85 | |
| | | | | MS3148D NOTICE 1 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE LANYARD, PUSH-PULL COUPLING SERIES 2 (CLASS E AND J) (VALIDATION DATE: 9110) | A | 5935 | AS | 23-OCT-91 | CR | AS | 85 | |
| | L | | | MS3149 | CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, CRIMP TYPE, SINGLE HOLE MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS H) (VALIDATION DATE: 8509) REVIEWER: EC ES | A | 5935 | AS | 04-FEB-72 | | AS | | |
| | L | | | MS3150 | DIES FOR CRIMPING MS3190 TYPE B CONTACT WIRE BARRELS (INSTALL DIES IN MS25441-1 HEAD) (VALIDATION DATE: 8508) USER: GL | A | 5136 | AS | 01-APR-71 | | AS | | |
| | L | | | MS3151 | GAGE-IN-SERVICE INSPECTION, FOR MS3150 CRIMPING DIES (VALIDATION DATE: 8508) | A | 5220 | AS | 01-APR-71 | | AS | | |
| | L | | | MS3155C | CONNECTOR, ELECTRIC, REAR ACCESSORY DESIGN STANDARD (VALIDATION DATE: 8509) REVIEWER: EC ES | A | 5935 | AS | 11-DEC-78 | | AS | | |
| | | | | MS3157D | INSERT ARRANGEMENT, MIL-C-81659 ELECTRIC CONNECTOR, SERIES 1 AND 2 REVIEWER: 11 80 EC OS | A | 5935 | AS | 23-JUN-83 | CR | AS | 85 | |

| Action Code | Doc. Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| | MS3180F<br>NOTICE 1 | COVER, PROTECTIVE, ELECTRICAL CONNECTOR PLUG, BAYONET COUPLING FOR MIL-C-26482 CONNECTORS [VALIDATION DATE: 8809] USER: 11 AV MC ME SH REVIEWER: 99 EC ES | A 5935 CR 19-SEP-88 | CR | AS | 85 | |
| | MS3181F<br>NOTICE 1 | COVER, PROTECTIVE, ELECTRICAL CONNECTOR RECEPTACLE, BAYONET COUPLING FOR MIL-C-26482 CONNECTORS [VALIDATION DATE: 8809] USER: 11 AV ME SH REVIEWER: 99 EC ES | A 5935 CR 19-SEP-88 | CR | AS | 85 | |
| | MS3182D<br>NOTICE 1 | COVER, PROTECTIVE, ELECTRIC CONNECTOR, PLUG, PUSH-PULL COUPLING [VALIDATION DATE: 9110] | A 5935 AS 23-OCT-91 | CR | AS | 85 | |
| | MS3183E<br>NOTICE 1 | COVER, PROTECTIVE, ELECTRIC CONNECTOR, RECEPTACLE, PUSH-PULL COUPLING [VALIDATION DATE: 9110] | A 5935 AS 23-OCT-91 | CR | AS | 85 | |
| | MS3185A<br>NOTICE 1 | MOLD, POTTING, AND ADAPTER, ELECTRIC CONNECTOR [VALIDATION DATE: 9110] REVIEWER: 11 | A 5935 AS 23-OCT-91 | CR | AS | 85 | |
| | MS3186D | CONNECTOR MOUNTING TO CONNECTORS, MOUNTING NUTS, PLAIN, HEXAGON USER: ME REVIEWER: EC ES MI OS | A 5935 AS 06-APR-84 | CR | AS | 85 | |
| | MS3187E | PLUG, END SEAL, FOR MIL-C-26482, MIL-C-5015, MIL-C-81703 AND MIL-C-83723 ELECTRICAL CONNECTORS [VALIDATION DATE: 8204] USER: AV REVIEWER: 11 17 AR EC ES MI SH | A 5935 AS 14-APR-77 | CR | AS | 85 | |
| L | MS3188B | BACKSHELL, 9/DEG, CABLE SEALING & TERMINATION CONNECTOR, ELECTRIC, (INACTIVE 1 JUL 82) REVIEWER: EC MI | A 5935 AS 10-MAY-82 | | AS | | |
| L | MS3190F | CONTACT WIRE BARREL, CRIMP TYPE [VALIDATION DATE: 8105] USER: 19 MC REVIEWER: 11 17 85 AR CR ES ME MI | A 5935 AS 02-APR-68 | | AS | | |
| | MS3197G | GAGE PIN FOR SOCKET CONTACT ENGAGEMENT TEST REVIEWER: 11 17 99 AR ME MI SH | A 5220 AS 15-JUL-83 | CR | AS | 85 | |
| L | MS3211A | RING, RETAINER, EXTERNAL [VALIDATION DATE: 8204] REVIEWER: IS MI ..... | A 5365 OS 24-MAR-76 | | OS | | |
| | MS3212B | SCREW, MACHINE, PANHEAD, SELF-SEALING O-RING, SILICONE RUBBER, INTEGRAL USER: EC MC ME REVIEWER: AT AV IS MI | A 5305 OS 23-OCT-86 | AR | OS | 99 | |
| | MS3213A | SCREWS, MACHINE, PAN HEAD, CROSS RECESSED, SELF SEALING, INTEGRAL FLUOROSILICONE O-RING, PLAIN AND SELF LOCKING [VALIDATION DATE: 8410] USER: AV EC MC REVIEWER: AT IS MI | A 5305 OS 30-APR-77 | AR | OS | 99 | |
| L | MS3214 | NUT, PLAIN, CLINCH-FLUSH [VALIDATION DATE: 8204] REVIEWER: MI ..... | A 5310 AR 04-SEP-68 | | OS | | |
| | MS3215B | RING, RETAINING, EXTERNAL, "E", REINFORCED (REDUCED SECTION TYPE) USER: AT MC ME REVIEWER: 82 MI | A 5365 OS 26-APR-90 | AR | OS | 99 | |
| | MS3216A | RING, RETAINING, EXTERNAL, PRONG-LOCK (REDUCED SECTION TYPE) USER: AT MC ME REVIEWER: 82 MI | A 5365 OS 28-APR-89 | AR | OS | 99 | |
| | MS3217B | RING, RETAINING, EXTERNAL, HEAVY-DUTY (TAPERED SECTION TYPE) USER: AT MC ME REVIEWER: 82 MI | A 5365 OS 14-JUL-89 | AR | OS | 99 | |
| | MS3224A | BALLS, BEARING, AIRCRAFT QUALITY STEEL ..... | A 3110 OS 31-JUL-87 | AT | OS | 99 | |
| | DS3225 | BEARING, ROLLER, TAPERED, SINGLE ROW OF ROLLERS (METRIC SERIES) USER: AV REVIEWER: 84 IS MC MS SH | A 3110 OS 13-JAN-82 | AT | OS | 99 | |
| | MS3226 | BALL, BEARING, GRADE 10, AIRCRAFT QUALITY STEEL REVIEWER: 71 84 IS SH ..... | A 3110 OS 02-MAR-88 | AV | OS | 99 | |
| D | MS3227 | WIRE, NONELECTRICAL, FLAT, COPPER BASE ALLOY 110 USER: MC YD1 REVIEWER: 84 AR IS MI SH | A 9525 OS 29-OCT-87 | MR | OS | 99 | |
| D | MS3228 | WIRE, NONELECTRICAL, FLAT, COPPER BASE ALLOY 102 USER: MC YD1 REVIEWER: 84 AR IS MI SH | A 9525 OS 29-OCT-87 | MR | OS | 99 | |
| D | MS3229 | PLATE, METAL, COPPER BASE, ALLOY 110 USER: MC YD1 REVIEWER: 84 AR IS MI SH | A 9535 OS 29-OCT-87 | MR | OS | 99 | |
| D | MS3230 | SHEET, METAL, COPPER BASE ALLOY 110 USER: MC YD1 REVIEWER: 84 AR IS MI SH . | A 9535 OS 29-OCT-87 | MR | OS | 99 | |
| D | MS3231 | STRIP, METAL, COPPER BASE ALLOY 110 USER: MC YD1 REVIEWER: 84 AR IS MI SH . | A 9535 OS 29-OCT-87 | MR | OS | 99 | |
| D | MS3232 | FOIL, METAL, FLAT, COPPER BASE ALLOY 110 USER: MC YD1 REVIEWER: 84 AR IS MI SH | A 9535 OS 29-OCT-87 | MR | OS | 99 | |
| L | MS3311A | INDICATOR, ELAPSED TIME, ELECTROCHEMICAL (MERCURY INDICATING CELL) REVIEWER: 99 GS | A 6645 AS 07-OCT-87 | | AS | | |
| L | MS3312C | PROTECTOR, UNDERFREQUENCY F-4 AIRCRAFT ..... | A 6115 AS 30-SEP-80 | | AS | | |
| | MS3314 | LUG, SUSPENSION, (1000 LB CLASS) AIRBORNE EQUIPMENT [VALIDATION DATE: 8004] USER: AV REVIEWER: 11 18 MI | A 1325 AS 26-SEP-67 | AR | AS | 99 | |
| | MS3318A<br>NOTICE 1 | CASE, INSTRUMENT, 5 X 4-1/4 SIZE, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8712] REVIEWER: 71 | A 6610 AS 11-DEC-87 | AV | AS | 99 | |
| L | MS3319D | BATTERY, STORAGE, AIRCRAFT, HEAVY DUTY, 3/4 AMPERE-HOUR, 24-VOLT REVIEWER: GS | A 6140 AS 24-SEP-82 | | AS | | |
| | MS3320H<br>NOTICE 1 | CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH PULL, 1/2 THRU 20 AMPS, TYPE I -55 THRU +121 DEG. C [VALIDATION DATE: 9110] REVIEWER: 11 ES | A 5925 AS 23-OCT-91 | ER | AS | 85 | |
| | MS3321A | TEST FIXTURE, PROBE DAMAGE, SOCKET CONTACT, CONNECTOR, ELECTRIC [VALIDATION DATE: 8205] USER: MC ME REVIEWER: 11 AR AV EC ES MI OS | A 5935 AS 05-JUN-70 | CR | AS | 85 | |
| | MS3322B<br>NOTICE 1 | GASKET, CONDUCTIVE, ELECTRIC CONNECTOR, JAM NUT MOUNT [VALIDATION DATE: 9110] USER: MC ME REVIEWER: 11 80 AR AV EC ES MI OS SH | A 5935 AS 02-OCT-91 | CR | AS | 85 | |
| | MS3325<br>NOTICE 1 | DRIVE PAD-ACCESSORY, 2.653 BC SQUARE, DESIGN STANDARD FOR [VALIDATION DATE: 8709] | A 2995 AS 01-SEP-87 | AV | AS | | |
| | MS3326<br>NOTICE 1 | DRIVE PAD - ACCESSORY, 5.000 BC SQUARE, DESIGN STANDARD FOR [VALIDATION DATE: 8708] | A 2995 AS 12-JUN-68 | AV | AS | | |
| | MS3327A | DRIVE PAD - ACCESSORY, 5.000 BC ROUND, DESIGN STANDARD FOR [VALIDATION DATE: 8407] | A 2995 AS 20-NOV-69 | AV | AS | | |
| | MS3328A | DRIVE PAD - ACCESSORY, 8.000 BC ROUND, DESIGN STANDARD FOR [VALIDATION DATE: 8407] | A 2995 AS 20-NOV-69 | AV | AS | | |
| | MS3329A<br>NOTICE 1 | DRIVE PAD - ACCESSORY, 10.000 BC ROUND, DESIGN STANDARD FOR [VALIDATION DATE: 8708] | A 2995 AS 25-AUG-87 | AV | AS | | |
| L | MS3330 | FLANGE ACCESSORY, 2.653 BC SQUARE, DESIGN STANDARD FOR [VALIDATION DATE: 8304] | A 2995 AS 25-MAR-69 | | AS | | |
| L | MS3331 | FLANGE ACCESSORY, 5.000 BC SQUARE, DESIGN STANDARD FOR [VALIDATION DATE: 8407] | A 2995 AS 25-MAR-69 | | AS | | |
| L | MS3332 | FLANGE ACCESSORY, 5.000 BC ROUND, DESIGN STANDARD FOR [VALIDATION DATE: 8304] | A 2995 AS 25-MAR-69 | | AS | | |
| L | MS3333 | FLANGE ACCESSORY, 8.000 BC ROUND, DESIGN STANDARD FOR [VALIDATION DATE: 8304] | A 2995 AS 25-MAR-69 | | AS | | |
| L | MS3334 | FLANGE ACCESSORY, 10.000 BC ROUND DESIGN STANDARD FOR [VALIDATION DATE: 8304] | A 2995 AS 25-MAR-69 | | AS | | |
| L | MS3335 | SPLINE DETAILS-DRIVE PADS AND ACCESSORY FLANGES, DESIGN STANDARD FOR [VALIDATION DATE: 8304] | A 2995 AS 08-DEC-69 | | AS | | |
| L | MS3336 | ACCESSORY DRIVES AIRCRAFT ENGINE, REFERENCE CHART FOR [VALIDATION DATE: 8405] | A 2995 AS 04-JUN-70 | | AS | | |
| L | MS3337C | BATTERY, STORAGE, AIRCRAFT, HEAVY DUTY, 0.4 AMPERE-HOUR [VALIDATION DATE: 8005] REVIEWER: GS | A 6140 AS 21-JUN-71 | | AS | | |
| L | MS3338 | LAMP INCANDESCENT, T-1 BULB, BASED, 28 VOLT, INTEGRAL LIGHTING [VALIDATION DATE: 8108] REVIEWER: GS | A 6240 AS 28-AUG-68 | | AS | | |
| L | MS3339B | PLATE, MOUNTING, PLASTIC FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS REVIEWER: EC GS MI | A 5975 AS 15-SEP-87 | | AS | | |
| L | MS3340B | BULKHEAD BRACKET, FOR USE WITH MS-3367 PLASTIC TIEDOWN STRAPS [VALIDATION DATE: 8403] REVIEWER: 99 | A 5975 AS 18-OCT-77 | | AS | | |
| L | MS3341B | BRACKET, MOUNTING, PLASTIC FOR USE WITH MS 3367 PLASTIC TIE DOWN STRAPS [VALIDATION DATE: 8006] REVIEWER: 99 GS MI | A 5975 AS 21-MAR-74 | | AS | | |
| | MS3345B | FLANGE, SPLIT MOUNTING METER TIME TOTALIZING [VALIDATION DATE: 8507] USER: OS REVIEWER: 99 AV GS ME MI | A 6645 AS 29-DEC-78 | AR | AS | 11 | |
| L | MS3346A | BATTERY, STORAGE, AIRCRAFT, HEAVY DUTY, 2 1/2 AMPERE-HOUR, 24-VOLT, HEATED [VALIDATION DATE: 8103] REVIEWER: GS | A 6140 AS 25-OCT-68 | | AS | | |
| L | MS3347A | CONNECTOR, INTERCELL AND CELL-TO-RECEPTACLE, BATTERY, STORAGE, HEAVY DUTY, AIRCRAFT [VALIDATION DATE: 8208] REVIEWER: GS | A 6140 AS 28-AUG-69 | | AS | | |

| Action | CRL / Obsl. | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | | MS3348E | CONTACT BUSHING, ELECTRIC, WIRE BARREL [VALIDATION DATE: 8410] USER: 14 19 REVIEWER: 11 17 99 AR CG EC ES MI OS YD1 | A | 5935 | AS | | 30-JUN-78 | CR | AS | 85 |
| | | | | MS3349C | PLUG, ELECTRIC, TWO-WIRE, AIRCRAFT STORAGE BATTERY ..... | A | 5935 | AS | | 01-JUN-84 | ER | AS | 85 |
| | L | | | MS3350 | INERTIAL SET MOUNT GENERAL ASSEMBLY [VALIDATION DATE: 8203] ..... | A | 6615 | AS | | 10-JAN-69 | | AS | |
| | L | | | MS3351 | WASHER, SPECIAL [VALIDATION DATE: 8203] ..... | A | 6615 | AS | | 10-JAN-69 | | AS | |
| A | L | | | MS3357B | SLEEVE BOLT ..... | A | 6615 | AS | | 15-OCT-92 | | AS | |
| | L | | | MS3364A | GENERATOR, DIRECT CURRENT, 400 AMPERE CLASS A, BLAST COOLED, 3000-8000 RPM [VALIDATION DATE: 8306] | A | 6115 | AS | | 12-SEP-77 | | AS | |
| | | | | MS3367F | STRAP, TIEDOWN, ELECTRICAL COMPONENTS, ADJUSTABLE, SELF CLINCHING, PLASTIC, TYPE 1, CLASS 1 [VALIDATION DATE: 8410] USER: 17 MC ME OS REVIEWER: 99 AV EC GS MI SH | A | 5975 | AS | | 16-AUG-78 | ER | AS | 85 |
| | | | | MS3368F | STRAP, TIEDOWN, ELECTRICAL COMPONENTS, IDENTIFICATION, ADJUSTABLE, SELF CLINCHING, PLASTIC, TYPE 11, CLASS 1 [VALIDATION DATE: 8410] USER: 17 AV OS REVIEWER: 99 EC GS MI SH | A | 5975 | AS | | 16-AUG-78 | ER | AS | 85 |
| | | | | MS3369D | BOLT, SELF RETAINING, POSITIVE LOCKING, CRES 90 KSI FSU, 63 KSI FTU, HEXAGON SLOTTED HEAD, 450 DEG. F AND 650 DEG F. REVIEWER: 99 IS | A | 5306 | AS | | 20-JUN-85 | AV | AS | 11 |
| | L | | | MS3370B | CONVERTER, 100 AMPERE CLASS C, NONREGULATED AIRCRAFT, BLAST COOLED ..... | A | 6130 | AS | | 18-NOV-91 | | AS | |
| | | | | MS3373C | STRIP, MOUNTING, NUT INSULATING, FOR MS 27212 TERMINAL BOARD [VALIDATION DATE: 8006] USER: EC MC OS REVIEWER: 85 AV GS MI | A | 5970 | AS | | 07-MAR-72 | ER | AS | 11 |
| | L | | | MS3374A | TIRE, PNEUMATIC, AIRCRAFT, 20 X 5.5, TYPE VII (NAVY) [VALIDATION DATE: | A | 2620 | AS | | 29-OCT-91 | | AS | |
| | | | | NOTICE 1 | 9110] | | | | | | | | | |
| | L | | | MS3376B | NUT, SELF LOCKING, REDUCED HEIGHT, STEEL, 450 DEG. F, 12 POINT, CAPTIVE WASHER [VALIDATION DATE: 8410] REVIEWER: EC | A | 5310 | AS | | 01-JUN-71 | | AS | |
| | L | | | MS3377A | REBUILT TIRE - AIRCRAFT, LABORATORY QUALITY ASSURANCE REQUIREMENTS [VALIDATION DATE: 8105] REVIEWER: CS | A | 2620 | AS | | 09-JUN-75 | | AS | |
| | L | | | MS3379A | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 18X5.7 (247 MPH) TYPE VII (NAVY) REVIEWER: CS | A | 2620 | AS | | 29-DEC-81 | | AS | |
| | L | | | MS3380A | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 20 X 5.5, TYPE VII (NAVY) REVIEWER: CS | A | 2620 | AS | | 01-APR-81 | | AS | |
| | L | | | MS3381A | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 24X5.5 (200 MPH) TYPE VII (NAVY) | A | 2620 | AS | | 29-OCT-91 | | AS | |
| | | | | NOTICE 1 | [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS3383A | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 26X6.6 (200 MPH/HIGH PERFORMANCE) TYPE VII (NAVY) REVIEWER: CS | A | 2620 | AS | | 29-DEC-81 | | AS | |
| | L | | | MS3384A | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 28 X 7.7 (200 MPH) TYPE VII (NAVY) | A | 2620 | AS | | 29-OCT-91 | | AS | |
| | | | | NOTICE 1 | [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS3385A | RETREAD TIRE - AIRCRAFT 28 X 9.0 (173 MPH) TYPE VII (NAVY) REVIEWER: CS ... | A | 2620 | AS | | 15-DEC-82 | | AS | |
| | L | | | MS3387A | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 40 X 14, TYPE VII (NAVY) REVIEWER: CS . | A | 2620 | AS | | 01-APR-81 | | AS | |
| | L | | | MS3388A | RETREAD TIRE - AIRCRAFT, 44 X 13 (200 MPH) TYPE VII (NAVY) REVIEWER: CS ... | A | 2620 | AS | | 15-DEC-82 | | AS | |
| | L | | | MS3391 | RATE INTEGRATING GYRO [VALIDATION DATE: 9110] ..... | A | 1420 | AS | | 03-OCT-91 | | AS | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS3393 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, HYDRAULIC, MINUS 65 DEG. F. TO PLUS 275 DEG. F. [VALIDATION DATE: 8304] REVIEWER: 82 | A | 5330 | AS | | 14-FEB-69 | MR | AS | 99 |
| | | | | MS3396 | PLUG, DEHYDRATOR, HUMIDITY INDICATING, ENGINE CYLINDER, 14MM THREAD | A | 6685 | AS | | 29-OCT-91 | ME | AS | 99 |
| | | | | NOTICE 1 | [VALIDATION DATE: 9110] | | | | | | | | | |
| | | | | MS3398 | CARD-HUMIDITY-INDICATING COLOR COMPARISON [VALIDATION DATE: 8206] REVIEWER: GS | A | 6685 | AS | | 15-JUL-69 | ME | AS | 99 |
| | L | | | MS3400G | CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP | A | 5935 | AS | | 23-OCT-91 | | AS | |
| | | | | NOTICE 1 | CONTACT, AN TYPE [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS3401G | CONNECTORS, RECEPTACLE, ELECTRIC, CABLE CONNECTING, FRONT RELEASE, CRIMP | A | 5935 | AS | | 23-OCT-91 | | AS | |
| | | | | NOTICE 1 | CONTACT, AN TYPE [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS3402F | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, CRIMP CONTACTS, AN TYPE [VALIDATION DATE: 8207] | A | 5935 | AS | | 23-MAR-76 | | AS | |
| | L | | | MS3404G | CONNECTORS, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, FRONT RELEASE, CRIMP | A | 5935 | AS | | 23-OCT-91 | | AS | |
| | | | | NOTICE 1 | CONTACT, AN TYPE [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS3406H | CONNECTORS, PLUG, ELECTRIC, FRONT RELEASE, CRIMP CONTACT, AN TYPE | A | 5935 | AS | | 23-OCT-91 | | AS | |
| | | | | NOTICE 1 | [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS3408D | CONNECTOR, PLUG, ELECTRIC, 90 DEGREE ASSEMBLY, CRIMP CONTACT, AN TYPE [VALIDATION DATE: 8509] REVIEWER: ES OS | A | 5935 | AS | | 09-APR-79 | | AS | |
| | L | | | MS3409B | CONNECTORS, PLUG, ELECTRIC, 45 DEGREES ASSEMBLY, CRIMP CONTACT, AN TYPE | A | 5935 | AS | | 23-OCT-91 | | AS | |
| | | | | NOTICE 1 | [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS3412D | CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP | A | 5935 | AS | | 23-OCT-91 | | AS | |
| | | | | NOTICE 1 | CONTACT, AN TYPE-WITH ACCESSORY THREADS [VALIDATION DATE: 9110] | | | | | | | | | |
| | | | | MS3420C | ADAPTER, CABLE CLAMP TO CABLE, BUSHING, TELESCOPING [VALIDATION DATE: | A | 5935 | AS | | 23-OCT-91 | AR | AS | 85 |
| | | | | NOTICE 1 | 9110] USER: CG ER MC REVIEWER: MI | | | | | | | | | |
| | L | | | MS3424 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH | A | 5935 | AS | | 23-OCT-91 | | AS | |
| | | | | NOTICE 1 | PULL COUPLING, SERIES 3 (CLASS L AND E) [VALIDATION DATE: 9110] | | | | | | | | | |
| | | | | MS3425B | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 8 [VALIDATION | A | 5935 | AS | | 15-DEC-90 | CR | AS | 85 |
| | | | | NOTICE 1 | DATE: 9012] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS | | | | | | | | | |
| | | | | MS3426B | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 10 [VALIDATION | A | 5935 | AS | | 23-OCT-91 | CR | AS | 85 |
| | | | | NOTICE 1 | DATE: 9110] USER: AT MC ME REVIEWER: 11 80 AR AV EC MI OS SH | | | | | | | | | |
| | | | | MS3428A | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 14 [VALIDATION | A | 5935 | AS | | 15-DEC-90 | CR | AS | 85 |
| | | | | NOTICE 1 | DATE: 9012] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS | | | | | | | | | |
| | | | | MS3429B | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 16 [VALIDATION | A | 5935 | AS | | 15-DEC-90 | CR | AS | 85 |
| | | | | NOTICE 1 | DATE: 9012] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS | | | | | | | | | |
| | | | | MS3430A | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 18 [VALIDATION | A | 5935 | AS | | 15-DEC-90 | CR | AS | 85 |
| | | | | NOTICE 1 | DATE: 9012] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS | | | | | | | | | |
| | | | | MS3431A | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 20 [VALIDATION | A | 5935 | AS | | 15-NOV-90 | CR | AS | 85 |
| | | | | NOTICE 1 | DATE: 9011] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS | | | | | | | | | |
| | | | | MS3432A | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 22 [VALIDATION | A | 5935 | AS | | 15-DEC-90 | CR | AS | 85 |
| | | | | NOTICE 1 | DATE: 9012] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS | | | | | | | | | |
| | | | | MS3433A | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 24 [VALIDATION | A | 5935 | AS | | 23-OCT-91 | CR | AS | 85 |
| | | | | NOTICE 1 | DATE: 9110] USER: AT MC ME REVIEWER: 11 80 AR AV EC ES MI OS SH | | | | | | | | | |
| | L | | | MS3434 | TEST GAGE, CONTACT LOCATION AND RETENTION FEATURE, MIL-C-0081511 SERIES 1 AND 2 CONNECTORS [VALIDATION DATE: 8509] REVIEWER: EC | A | 5220 | AS | | 18-OCT-71 | | AS | |
| | L | | | MS3435 | TEST GAGE, CONTACT LOCATION AND RETENTION FEATURE, MIL-C-0081511 SERIES 3 AND 4 CONNECTORS [VALIDATION DATE: 8509] REVIEWER: EC | A | 5220 | AS | | 18-OCT-71 | | AS | |
| | L | | | MS3436A | CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, UTILITY [VALIDATION DATE: 8108] REVIEWER: EC | A | 5935 | AS | | 07-OCT-74 | | AS | |
| | L | | | MS3437D | BACKSHELL STRAIGHT, CABLE SEALING & SHIELD TERMINATION CONNECTOR, ELETRIC (INACTIVE 1 JUL 1982) | A | 5935 | AS | | 10-MAY-82 | | AS | |
| | | | | MS3440B | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, NARROW FLANGE MOUNT, BAYONET | A | 5935 | CR | | 19-SEP-88 | CR | AS | 85 |
| | | | | NOTICE 1 | COUPLING, SOLDER PIN CONTACT CLASS H [VALIDATION DATE: 8809] USER: AV REVIEWER: 11 17 99 EC SH | | | | | | | | | |
| | L | | | MS3441 | CONNECTOR, PLUG, ELECTRIC, UTILITY [VALIDATION DATE: 8108] REVIEWER: EC ... | A | 5935 | AS | | 07-OCT-74 | | AS | |
| | | | | MS3442B | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, WIDE FLANGE MOUNTING, BAYONET | A | 5935 | CR | | 19-SEP-88 | CR | AS | 85 |
| | | | | NOTICE 1 | COUPLING, SOLDER PIN CONTACT, CLASS H [VALIDATION DATE: 8809] USER: AV REVIEWER: 11 17 99 EC ES SH | | | | | | | | | |
| | | | | MS3443A | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, SOLDER FLANGE MOUNT, BAYONET | A | 5935 | CR | | 19-SEP-88 | CR | AS | 85 |
| | | | | NOTICE 1 | COUPLING, SOLDER PIN CONTACT CLASS H [VALIDATION DATE: 8809] USER: AV REVIEWER: 11 17 EC ES SH | | | | | | | | | |
| | L | | | MS3445 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 2 (CLASS E) | A | 5935 | AS | | 23-OCT-91 | | AS | |
| | | | | NOTICE 1 | [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS3446 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 3 (CLASS L | A | 5935 | AS | | 23-OCT-91 | | AS | |
| | | | | NOTICE 1 | AND E) [VALIDATION DATE: 9110] | | | | | | | | | |

| Action | CRL / CMR Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS3449C | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, SINGLE HOLE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT, CLASS H USER: AV REVIEWER: 11 17 99 AR EC ES MI SH | A | 5935 | CR | 29-OCT-86 | CR | AS | 85 | |
| | | | MS3450E | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE (INACTIVE FOR DESIGN) [VALIDATION DATE: 8207] REVIEWER: 11 17 99 AR AT AV EC ES ME MI | A | 5935 | AS | 23-MAR-76 | CR | AS | 85 | |
| | | | MS3451C | CONNECTOR, RECEPTACLE, ELECTRICAL, CABLE CONNECTING, REAR RELEASE, CRIMP CONTACT, AN TYPE [VALIDATION DATE: 8207] REVIEWER: 11 17 80 EC | A | 5935 | AS | 23-MAR-76 | CR | AS | 85 | |
| A | | | MS3452D | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE WITH REVIEWER: 11 80 99 AR AT EC ME MI | A | 5935 | AS | 15-FEB-93 | CR | AS | 85 | |
| | | | MS3454C | CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, REAR RELEASE CRIMP | A | 5935 | AS | 23-OCT-91 | CR | AS | 85 | |
| | | | NOTICE 1 | CONTACT, AN TYPE [VALIDATION DATE: 9110] REVIEWER: 11 17 80 AR AT AV EC ME MI | | | | | | | | |
| | | | MS3456D | CONNECTORS, PLUG, ELECTRICAL, REAR RELEASE, CRIMP CONTACT, AN TYPE [VALIDATION DATE: 8207] REVIEWER: 11 17 99 AR AT AV EC ES ME MI | A | 5935 | AS | 23-MAR-76 | | AS | 85 | |
| | | | MS3459C | CONNECTORS, PLUG, ELECTRICAL, SELF-LOCKING, COUPLING NUT, REAR RELEASE, | A | 5935 | AS | 23-OCT-91 | CR | AS | 85 | |
| | | | NOTICE 1 | CRIMP CONTACT, AN TYPE [VALIDATION DATE: 9110] REVIEWER: 11 17 80 AR AT AV EC ME MI | | | | | | | | |
| | | | MS3460A | TEST GAGE, MIL-C-0026482 SERIES 1 OR MIL-C-81703 SERIES 2 CONTACT RETENTION FEATURE [VALIDATION DATE: 8105] USER: AV REVIEWER: 11 AR EC MI SH | A | 5220 | AS | 05-SEP-75 | CR | AS | 85 | |
| | | | MS3461A | TEST GAGE, MIL-C-0026482 SERIES 2 OR MIL-C-81703 SERIES 3 CONTACT RETENTION FEATURE [VALIDATION DATE: 8105] USER: AV REVIEWER: 11 17 AR EC MI SH | A | 5220 | AS | 05-SEP-75 | CR | AS | 85 | |
| | | | MS3462B | TEST GAGE, MIL-C-26482 SERIES 2 (CLASS H), MIL-C-81703 SERIES 3 (CLASS H) AND MIL-C-0081511 SERIES 3 AND 4 (CLASS L) CONTACT RETENTION FEATURE [VALIDATION DATE: 8105] USER: AV REVIEWER: 11 17 AR EC MI SH | A | 5220 | AS | 05-SEP-75 | CR | AS | 85 | |
| | L | | MS3464 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL | A | 5935 | AS | 23-OCT-91 | | AS | | |
| | | | NOTICE 1 | COUPLING, SERIES 3 (CLASS L AND E) [VALIDATION DATE: 9110] | | | | | | | | |
| | L | | MS3466 | CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, SOLDER TYPE, BOX MOUNTING, | A | 5935 | AS | 23-OCT-91 | | AS | | |
| | | | NOTICE 1 | PUSH-PULL COUPLING, SERIES 3 (CLASS H) [VALIDATION DATE: 9110] | | | | | | | | |
| | L | | MS3467 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, PUSH-PULL COUPLING, SERIES 3 (CLASS | A | 5935 | AS | 23-OCT-91 | | AS | | |
| | | | NOTICE 1 | L AND E) [VALIDATION DATE: 9110] | | | | | | | | |
| | | | MS3470D | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, NARROW FLANGE MOUNT, BAYONET COUPLING, CLASSES A, L, S & W USER: AV MC REVIEWER: 11 17 99 AR EC SH | A | 5935 | CR | 12-JUL-85 | CR | AS | 85 | |
| | | | MS3471D | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, CABLE CONNECTING, BAYONET B COUPLING, CLASSES A, L, S, AND W USER: AV REVIEWER: 11 17 99 AR EC SH | A | 5935 | CR | 12-JUL-85 | CR | AS | 85 | |
| | | | MS3472D | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, WIDE FLANGE MOUNTING, BAYONET COUPLING, CLASSES A, L, S, AND W USER: AV REVIEWER: 11 17 99 AR EC SH | A | 5935 | CR | 12-JUL-85 | CR | AS | 85 | |
| | | | MS3473A | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, SOLDER | A | 5935 | CR | 19-SEP-88 | CR | AS | 85 | |
| | | | NOTICE 1 | MOUNTING, BAYONET COUPLING, CLASS N [VALIDATION DATE: 8809] USER: AV REVIEWER: 11 17 EC ES SH | | | | | | | | |
| M | | | MS3474G | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 2, CRIMP TYPE, REAR MOUNTING JAM NUT, BAYONET COUPLING, CLASSES A, L, S, AND W USER: 11 AV MC REVIEWER: 99 AR EC SH | A | 5935 | CR | 10-JUN-93 | CR | AS | 85 | |
| | | | MS3475D | CONNECTOR, PLUG, RSFI SHIELDED, ELECTRIC, SERIES 2, CRIMP TYPE, BAYONET COUPLINGS, CLASSES L, S, AND W REVIEWER: 11 17 99 AR AV EC SH | A | 5935 | CR | 12-JUL-85 | CR | AS | 85 | |
| | | | MS3476E | CONNECTORS, PLUG, ELECTRIC, SERIES 2, CRIMP TYPE, BAYONET COUPLING, CLASSES A, L, S, AND W REVIEWER: 11 17 99 AR AV EC MI SH | A | 5935 | CR | 31-OCT-88 | CR | AS | 85 | |
| | | | MS3477A | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, BOX | A | 5935 | CR | 19-SEP-88 | CR | AS | 85 | |
| | | | NOTICE 1 | MOUNTING, BAYONET COUPLING, CLASS N [VALIDATION DATE: 8809] USER: AV REVIEWER: 11 17 EC ES SH | | | | | | | | |
| | | | MS3479B | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, REAR MOUNTING, JAM NUT, BAYONET COUPLING, CLASS N USER: AV REVIEWER: 11 17 AR EC ES MI SH | A | 5935 | CR | 29-OCT-86 | CR | AS | 85 | |
| | L | | MS3480 | TOOL, CONNECTOR ASSEMBLY, FOR MIL-C-5015 CONNECTORS [VALIDATION DATE: 8207] USER: GL REVIEWER: EC | A | 5120 | AS | 21-JAN-70 | | AS | | |
| | | | MS3481 | TOOL, CONNECTOR ASSEMBLY; FOR MIL-C-26482 CONNECTORS [VALIDATION DATE: | A | 5120 | CR | 05-JUL-89 | CR | AS | | |
| | | | NOTICE 1 | 8907] USER: GL REVIEWER: EC | | | | | | | | |
| | L | | MS3482 | TOOL, CONNECTOR ASSEMBLY, FOR MIL-C-81511 CONNECTORS [VALIDATION DATE: 8207] USER: GL REVIEWER: EC | A | 5120 | AS | 21-JAN-70 | | AS | | |
| | | | MS3488B | LATCH, LAP BELT, AIRCRAFT SAFETY, QUICK RELEASE (INACTIVE) ..... | A | 1680 | AS | 19-NOV-80 | AV | AS | 99 | |
| | | | MS3493B | CONNECTOR, PLUG AND CAP ELECTRIC, GROUNDING [VALIDATION DATE: 9110] USER: | A | 5935 | AS | 23-OCT-91 | CR | AS | 11 | |
| | | | NOTICE 1 | MC REVIEWER: 79 85 99 AV ES | | | | | | | | |
| | | | MS3498C | SCREW ASSEMBLY, PANEL REVIEWER: 99 CG MC OS SH ..... | A | 5305 | AS | 24-JUL-87 | AV | AS | 11 | |
| | L | | MS3502 | TIRE - AIRCRAFT, 7.50-10 CHANNEL TREAD/APPLICATION: OV-10 NOSE LANDING | A | 2620 | AS | 29-OCT-91 | | AS | | |
| | | | NOTICE 1 | GEAR ONLY [VALIDATION DATE: 9110] | | | | | | | | |
| | L | | MS3504A | GYROSCOPE ASSEMBLY, DISPLACEMENT GN-1359/AJB-3 [VALIDATION DATE: 8304] .... | A | 6615 | AS | 17-NOV-70 | | AS | | |
| A | | | MS3505A | COVER FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLE REVIEWER: 99 AV ..... | A | 5935 | AS | 30-DEC-92 | CR | AS | 85 | |
| A | | | MS3506C | CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC OPERATING POWER | A | 5935 | AS | 30-DEC-92 | CR | AS | 85 | |
| | L | | MS3507A | CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, QUICK DISCONNECT, UTILITY [VALIDATION DATE: 8108] REVIEWER: EC ES | A | 5935 | AS | 07-OCT-74 | | AS | | |
| | | | MS3509F | RECEPTACLE, ELECTRIC, AIRCRAFT STORAGE BATTERY REVIEWER: ES ..... | A | 5935 | AS | 27-NOV-85 | AV | AS | 99 | |
| | L | | MS3510A | PLUG, VENTING, ELECTROLYTE ACCESS HOLE, CELL, AIRCRAFT ALKALINE STORAGE BATTERY [VALIDATION DATE: 8005] REVIEWER: GS | A | 6140 | AS | 27-APR-71 | | AS | | |
| | | | MS5007A | CONE, PROPELLER HUB, FRONT ..... | A | 1610 | 84 | 29-APR-81 | AV | AS | 99 | |
| | | | MS5008C | CONE, PROPELLER HUB, REAR ..... | A | 1610 | 84 | 29-APR-81 | AV | AS | 99 | |
| | | | MS5009A | RING, RETAINING - PROPELLER HUB, SNAP ..... | A | 1610 | 84 | 29-APR-81 | AV | AS | 11 | |
| | L | | MS8000C | HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, | A | 4720 | 82 | 15-NOV-90 | | | 99 | |
| | | | NOTICE 1 | MEDIUM PRESSURE, FLARE TO FLARE [VALIDATION DATE: 9011] USER: AR MI SH REVIEWER: CS GL | | | | | | | | |
| | L | | MS8001C | HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE HIGH TEMPERATURE, | A | 4720 | 82 | 15-NOV-90 | | | 99 | |
| | | | NOTICE 1 | MEDIUM PRESSURE, FLARELESS TO FLARELESS [VALIDATION DATE: 9011] USER: AR MI SH REVIEWER: CS GL | | | | | | | | |
| | L | | MS8002C | HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, | A | 4720 | 82 | 15-NOV-90 | | | 99 | |
| | | | NOTICE 1 | MEDIUM PRESSURE, FLARE TO FLARE [VALIDATION DATE: 9011] USER: AR MI SH REVIEWER: CS GL | | | | | | | | |
| | L | | MS8003C | HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, | A | 4720 | 82 | 15-NOV-90 | | | 99 | |
| | | | NOTICE 1 | MEDIUM PRESSURE, FLARELESS TO FLANGE [VALIDATION DATE: 9011] USER: AR MI SH REVIEWER: CS GL | | | | | | | | |
| | L | | MS8004C | HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, | A | 4720 | 82 | 15-NOV-90 | | | 99 | |
| | | | NOTICE 1 | MEDIUM PRESSURE, FLANGE TO FLANGE [VALIDATION DATE: 9011] USER: AR MI SH REVIEWER: CS GL | | | | | | | | |
| | | | MS8005C | HOSE ASSEMBLY PERMANENTLY ATTACHED FITTINGS, TETRAFLUOROETHYLENE HIGH TEMPERATURE MEDIUM PRESSURE, FLARE TO FLARE REVIEWER: CS | A | 4720 | 82 | 15-APR-91 | AV | AS | 99 | |
| | | | MS8006B | HOSE ASSEMBLY, PERMANENTLY ATTACHED FITTINGS, TETRAFLUOROETHYLENE HIGH | A | 4720 | 82 | 15-NOV-90 | AV | AS | 99 | |
| | | | NOTICE 1 | TEMPERATURE, MEDIUM PRESSURE, FLARELESS TO FLARELESS [VALIDATION DATE: 9011] REVIEWER: CS | | | | | | | | |
| | | | MS8007B | HOSE ASSEMBLY PERMANENTLY ATTACHED FITTINGS TETRAFLUOROETHYLENE HIGH TEMPERATURE MEDIUM PRESSURE, FLARE TO FLANGE REVIEWER: CS | A | 4720 | 82 | 30-JUN-85 | AV | AS | 99 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MS8008B | HOSE ASSEMBLY PERMANENTLY ATTACHED FITTINGS TETRAFLUOROETHYLENE HIGH TEMPERATURE MEDIUM PRESSURE, FLARELESS TO FLANGE REVIEWER: CS | A | 4720 | 82 | 30-JUN-85 | AV | AS | 99 | |
| | | | | MS8009B | HOSE ASSEMBLY, PERMANENTLY ATTACHED FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLANGE TO FLANGE REVIEWER: CS | A | 4720 | 11 | 30-JUN-85 | AV | AS | 11 | |
| M | L | | | MS8516A | WRENCH-1/2 INCH SQUARE DRIVE ADJUSTABLE SPANNER (3.5 TO 6 INCHES DIA) | A | 5120 | 84 | 27-APR-93 | | | | 84 |
| | | | | NOTICE 1 | [VALIDATION DATE: 9304] | | | | | | | | | |
| | | | | MS9006C | RECESSES-CROSS, LOW TORQUE DRIVE, DIMENSIONS AND GAGE DIMENSIONS FOR | A | 5305 | AS | 03-OCT-91 | AR | AS | 99 | |
| | | | | NOTICE 1 | [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS9012A | PER (ASG) (INACTIVE 13 JUNE 1960) [VALIDATION DATE: 8310] REVIEWER: IS MI | A | 5340 | AS | 13-JUN-60 | | AS | | |
| | L | | | MS9013B | RING-RETAINING, EXTERNAL, STEEL (ASG) (INACTIVE 3 JUNE 1960) [VALIDATION DATE: 8310] REVIEWER: AR IS MI | A | 5340 | AS | 13-JUN-60 | | AS | | |
| | L | | | MS9014A | RING RETAINING, INTERNAL, STEEL (ASG) (INACTIVE 13 JUNE 1960) [VALIDATION DATE: 8310] REVIEWER: IS MI | A | 5340 | AS | 13-JUN-60 | | AS | | |
| | | | | MS9015B | PLUG, MACHINE THREADED - .O. RING SEAL (INACTIVE 7-26-74) [VALIDATION DATE: 8404] USER: CS MC ME SH REVIEWER: IS MI | A | 5330 | AS | 26-JUL-74 | AV | AS | 11 | |
| | L | | | MS9016 | BUSHING - SCREW, PLAIN (ASG) [VALIDATION DATE: 8310] | A | 4730 | AS | 31-AUG-54 | | AS | | |
| | L | | | MS9017A | BUSHING - SCREW, SLOTTED (INACTIVE AFTER 1 OCT 1965) [VALIDATION DATE: 8310] REVIEWER: IS | A | 5340 | AS | 01-OCT-65 | | AS | | |
| | | | | MS9018B | INSERT & 18&1.5 MM AVIATION SPARK PLUG HELICAL COIL [VALIDATION DATE: 8310] REVIEWER: MI | A | 2810 | AS | 01-JUL-68 | AV | AS | | |
| | | | | MS9020B | PACKING, PREFORMED, (O) RING REVIEWER: 11 82 AR IS ME MI | A | 5330 | AS | 25-JUL-86 | AV | AS | 99 | |
| | | | | MS9021D | PACKING, PREFORMED, (O) RING REVIEWER: 11 AR GL IS ME MI | A | 5330 | 82 | 25-JUL-86 | AV | AS | 99 | |
| | | | | MS9024C | CLAMP, LOOP-CUSHIONED, JOGGLED, .204 HOLE (ASG) [VALIDATION DATE: 8404] REVIEWER: 99 IS ME MI | A | 5340 | 82 | 15-MAY-68 | AV | AS | 11 | |
| | | | | MS9025A | CLAMP - LOOP TYPE SUPPORT (HEAT RESISTANT) .265 HOLE [VALIDATION DATE: | A | 5340 | AS | 03-OCT-91 | AV | AS | 11 | |
| | | | | NOTICE 1 | 9110] REVIEWER: 82 85 | | | | | | | | | |
| | | | | MS9033B | BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT, .190 (NO. 10)-32, AMS 5735 (ASG) [INACTIVE 6 APR 1967( )SEE MS 9556( REVIEWER: IS | A | 5305 | 82 | 29-AUG-86 | | AS | 11 | |
| | | | | MS9034B | BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT, .250-28, AMS 5735 (ASG) (INACTIVE 6 APRIL 1967) (SEE MS 9557) REVIEWER: IS | A | 5305 | AS | 29-AUG-86 | | AS | 11 | |
| | | | | MS9035B | BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT, .3125-24, AMS 5735 (ASG) (INACTIVE 6 APR 1967) (SEE MS 9558) REVIEWER: IS | A | 5305 | AS | 29-AUG-86 | | AS | 11 | |
| | | | | MS9047A | PIN-SPRING, STEEL, PHOSPHATE FINISH (ASG) [VALIDATION DATE: 8404] REVIEWER: IS ME MI | A | 5315 | AS | 03-NOV-80 | | AS | 11 | |
| | L | | | MS9048A | PIN-SPRING, STEEL, CADMIUM PLATED (ASG) [VALIDATION DATE: 8404] REVIEWER: AR IS ME MI | A | 5315 | AS | 03-NOV-80 | | AS | | |
| | | | | MS9058C | RING BACK UP, BOSS CONNECTION, AMS 3651 [VALIDATION DATE: 8404] REVIEWER: AR IS MI | A | 5330 | AS | 10-JUN-69 | | AS | 11 | |
| | L | | | MS9060B | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION & HEAT RESISTANT STEEL, DRILLED, .190-32 NS USER: MC REVIEWER: IS | A | 5306 | AS | 08-AUG-86 | | AS | | |
| | LI | | | MS9061A | BOLT, MACHINE - CRES AMS 5735, DOUBLE HEXAGON EXTENDED WASHER HEAD, | A | 5306 | AS | 03-OCT-91 | | AS | | |
| | | | | NOTICE 1 | DRILLED, .250-28 [VALIDATION DATE: 9110] | | | | | | | | | |
| | | | | MS9062B | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION & HEAT RESISTANT STEEL, DRILLED, .3125-24 NS REVIEWER: IS | A | 5306 | AS | 08-AUG-86 | AV | AS | | |
| | | | | MS9063B | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION & HEAT RESISTANT STEEL, DRILLED, .375-24 NS REVIEWER: IS MI | A | 5306 | AS | 08-AUG-86 | AV | AS | | |
| | | | | MS9068 | PACKING, PREFORMED - AMS 3304, O RING (ASG) [VALIDATION DATE: 8404] REVIEWER: AV IS ME MI | A | 5330 | AS | 23-SEP-60 | | AS | 11 | |
| | | | | MS9071A | BOSS, 18-1.50 MM SPARK PLUG THREAD HELICAL INSERT, STANDARD DIMENSIONS FOR, (ASG) [VALIDATION DATE: 8404] REVIEWER: 99 IS | A | 5340 | AS | 01-OCT-63 | | AS | 11 | |
| | I | | | MS9081B | WASHER, KEY-DOUBLE, BEARING RETAINING, AMS 6350 [VALIDATION DATE: 9110] ... | A | 5310 | AS | 04-OCT-91 | | AS | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS9083A | COLLAR, SWIVEL-PILOTED O-RING, TUBE CONNECTION, 3 BOLT, AMS 6322 (ASG) [VALIDATION DATE: 8404] REVIEWER: CS | A | 4730 | AS | 31-JUL-61 | | AS | 11 | |
| | | | | MS9084A | COLLAR, SWIVEL-PILOTED O-RING, TUBE CONNECTION, 4 BOLT, AMS 6322 (ASG)( [VALIDATION DATE: 8404] REVIEWER: CS | A | 4730 | AS | 31-JUL-61 | | AS | 11 | |
| | | | | MS9085B | COLLAR, SWIVEL PIDLETED O-RING, TUBE CONNECTION, 6 BOLT, AMS 6322 (INACTIVE 10-26-72) [VALIDATION DATE: 8404] | A | 4730 | AS | 26-OCT-72 | | AS | 11 | |
| | LI | | | MS9088A | BOLT, MACHINE, STEEL, DRILLED 12 POINT HEAD, .190 (NO. 10)-32 (CADMIUM | A | 5306 | AS | 04-OCT-91 | | AS | | |
| | | | | NOTICE 1 | PLATE) [VALIDATION DATE: 9110] REVIEWER: IS MI | | | | | | | | | |
| | | | | MS9089C | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .250-28 UNF-3A REVIEWER: IS ... | A | 5306 | AS | 12-JUN-87 | | AS | 11 | |
| | | | | MS9090C | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .3125-18 UNF-3A REVIEWER: IS .. | A | 5306 | AS | 12-JUN-87 | | AS | 11 | |
| | | | | MS9091C | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .375-24 UNF-3A REVIEWER: IS MI | A | 5306 | AS | 12-JUN-87 | | AS | 11 | |
| | | | | MS9092C | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .4375-20 UNF-3A REVIEWER: IS .. | A | 5306 | AS | 12-JUN-87 | | AS | 11 | |
| | | | | MS9093C | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .500-20 UNF-3A REVIEWER: IS ... | A | 5306 | AS | 12-JUN-87 | | AS | 11 | |
| | | | | MS9095A | NIPPLE, TUBE - AMS 4121, BOSS [VALIDATION DATE: 8404] REVIEWER: CS ..... | A | 4730 | AS | 11-MAR-70 | AV | AS | 11 | |
| | L | | | MS9096B | ELBOW, TUBE - AMS 4135, BOSS, 90 DEG. (INACTIVE 10-26-72) [VALIDATION DATE: 8310] REVIEWER: CS | A | 4730 | AS | 26-OCT-72 | | AS | | |
| | | | | MS9097A | ELBOW, TUBE & AMS 4135, BOSS, 45 [VALIDATION DATE: 8404] REVIEWER: CS ..... | A | 4730 | AS | 11-MAY-62 | | AS | 11 | |
| | | | | MS9099B | NUT - HEX, BOSS CONNECTION, ALUMINUM [VALIDATION DATE: 8310] USER: AT ER MI | A | 5310 | AS | 23-OCT-74 | AV | AS | | |
| | | | | MS9100B | NUT - HEX, BOSS CONNECTION, CRES [VALIDATION DATE: 8310] USER: AT ER MI ... | A | 5310 | AS | 23-OCT-74 | AV | AS | | |
| | | | | MS9101C | BRACKET, ANGLE, 90 DEG. .190 BOLT REVIEWER: IS ..... | A | 5340 | AS | 18-JUN-87 | AR | AS | 99 | |
| | | | | MS9102C | BRACKET, ANGLE, 90 DEG. .190 X .250 BOLT REVIEWER: IS ..... | A | 5340 | AS | 18-JUN-87 | AR | AS | 99 | |
| | | | | MS9104C | BRACKET, ANGLE, .0 DEG. .190 X 375 BOLT REVIEWER: IS ..... | A | 5340 | AS | 18-JUN-87 | AR | AS | 82 | |
| | | | | MS9105B | PIN, STRAIGHT, HEADLESS, AMS 5688, LOCK [VALIDATION DATE: 9110] REVIEWER: | A | 5315 | AS | 03-OCT-91 | AV | AS | 11 | |
| | | | | NOTICE 1 | IS MI | | | | | | | | | |
| | L | | | MS9110 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE | A | 5306 | AS | 03-OCT-91 | | AS | | |
| | | | | NOTICE 1 | SHANK, AMS 5731 .190-32 UNJF-3A [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS9111 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, | A | 5306 | AS | 03-OCT-91 | | AS | | |
| | | | | NOTICE 1 | AMS 5731, .250-28 UNJF-3A [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS9112 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE | A | 5306 | AS | 03-OCT-91 | | AS | | |
| | | | | NOTICE 1 | SHANK, AMS 5731, .3125-24 UNJF-3A [VALIDATION DATE: 9110] | | | | | | | | | |
| | L | | | MS9123A | SCREW, MACHINE, SLOTTED HEX HEAD, 250-28 (INACTIVE) REVIEWER: IS MI ..... | A | 5305 | AS | 28-FEB-84 | | AS | | |
| | | | | MS9134 | GASKET - TYPE X OR XV ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404] ..... | A | 2995 | AS | 22-JUN-65 | AV | AS | 11 | |
| | | | | MS9135 | GASKET, TYPE XI ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404] ..... | A | 2995 | AS | 22-JUN-65 | AV | AS | 11 | |
| | | | | MS9136 | GASKET - TYPE XII, XIV-A, XIV-B, XIV-E, XVII-A AND XVII-B ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404] REVIEWER: MI | A | 2995 | AS | 22-JUN-65 | AV | AS | 11 | |
| | | | | MS9137 | GASKET - TYPE XIII ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404] ..... | A | 2995 | AS | 22-JUN-65 | AV | AS | 11 | |
| | | | | MS9138 | GASKET - TYPE XIV-C AND XIV-D ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404] | A | 2995 | AS | 22-JUN-65 | AV | AS | 11 | |
| | | | | MS9139 | GASKET - TYPE XVI, XVII-C, -D, -E AND -F ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404] REVIEWER: MI | A | 2995 | AS | 22-JUN-65 | | AS | 11 | |
| | | | | MS9140A | GASKET - TYPE XIX ENGINE ACCESSORY DRIVE (INACTIVE 3-17-72) [VALIDATION DATE: 8404] REVIEWER: 99 | A | 2995 | AS | 17-MAR-72 | | AS | 11 | |
| | | | | MS9141 | GASKET - METAL O-RING, .035 TUBE X .006 WALL, CRES [VALIDATION DATE: 8404] | A | 5330 | AS | 28-FEB-68 | | AS | 11 | |
| | | | | MS9142A | GASKET - METAL O-RING, .062 TUBE X .006 WALL, CRES [VALIDATION DATE: 8404] REVIEWER: IS | A | 5330 | AS | 23-JAN-67 | | AS | 11 | |
| | | | | MS9144A | GASKET - TYPE XX ENGINE ACCESSORY DRIVE [VALIDATION DATE: 9110] ..... | A | 1610 | AS | 03-OCT-91 | | AS | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS9146B | BOLT, MACHINE, 12 POINT HEAD, STEEL, .190-32 UNF-3A REVIEWER: IS ..... | A | 5306 | AS | 04-NOV-86 | | AS | 11 | |
| | I | | | MS9147B | BOLT, MACHINE, 12 POINT HEAD, STEEL, .250-28 UNF-3A [VALIDATION DATE: | A | 5306 | AS | 03-OCT-91 | | AS | 11 | |
| | | | | NOTICE 1 | 9110] USER: ME REVIEWER: IS | | | | | | | | | |
| | | | | MS9148B | BOLT, MACHINE, 12 POINT HEAD, STEEL, .3125-24 UNF-3A REVIEWER: IS ..... | A | 5306 | 11 | 04-NOV-86 | | AS | 11 | |

| Action | OPL / CML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS9149B | BOLT, MACHINE, 12 POINT HEAD, STEEL, .375-24UNF-3A REVIEWER: IS ..... | A | 5306 | | AS | 04-NOV-86 | | AS | 11 | |
| L | | | MS9152B | BOLT MACHINE, STEEL, 12 POINT HEAD, .5625-18, CADMIUM PLATE (INACTIVE 10-26-72) REVIEWER: IS MI | A | 5306 | | AS | 22-JUN-87 | | AS | | |
| L | | | MS9158A | BOLT-MACHINE, STEEL, 12 POINT HEAD, .250-28, BLACK OXIDE REVIEWER: IS ..... | A | 5306 | | AS | 22-JUN-87 | | AS | | |
| L | | | MS9160A | BOLT-MACHINE, STEEL, 12 POINT HEAD, .375-24, BLACK OXIDE REVIEWER: IS ..... | A | 5306 | | AS | 22-JUN-87 | | AS | | |
| | | | MS9164B | PIN, STRAIGHT, HEADLESS, STEEL, OVERSIZE (VALIDATION DATE: 9110) REVIEWER: | A | 5315 | | AS | 03-OCT-91 | AV | AS | 11 | |
| | | | NOTICE 1 | CR IS MI | | | | | | | | | |
| | | | MS9165B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 BOLT (INACTIVE) (USE MS9596) (VALIDATION DATE: 8404) REVIEWER: IS | A | 5340 | | AS | 22-NOV-66 | | AS | 11 | |
| | | | MS9166B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .250 BOLT (INACTIVE) (USE MS9597) (VALIDATION DATE: 8404) REVIEWER: IS | A | 5340 | | AS | 22-NOV-66 | | AS | 11 | |
| | | | MS9167B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .312 BOLT (INACTIVE) (USE MS9598) (VALIDATION DATE: 8404) REVIEWER: IS | A | 5340 | | AS | 22-NOV-66 | | AS | 11 | |
| | | | MS9168B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .375 BOLT (INACTIVE) (USE MS9599) (VALIDATION DATE: 8404) REVIEWER: IS | A | 5340 | | AS | 22-NOV-66 | | AS | 11 | |
| L | | | MS9169A | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .190 (NO. 10)-32, BLACK OXIDE (ASG) REVIEWER: IS | A | 5306 | | AS | 06-MAY-87 | | AS | | |
| L | | | MS9170A | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .250-28, BLACK OXIDE (ASG) REVIEWER: IS | A | 5306 | | AS | 06-MAY-87 | | AS | | |
| | | | MS9171A | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .3125-24, BLACK OXIDE | A | 5306 | | AS | 03-OCT-91 | | AS | 11 | |
| | | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: IS | | | | | | | | | |
| | | | MS9172A | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .375-24, BLACK OXIDE | A | 5306 | | AS | 03-OCT-91 | | AS | 11 | |
| | | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: IS | | | | | | | | | |
| L | | | MS9176 | PLUG, EXPANSION - TAPERED, AMS 5040 (VALIDATION DATE: 9110) ..... | A | 5340 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MS9177B | SCREW, MACHINE-CRES DOUBLE HEXAGON, EXTENDED WASHER HEAD, .138-40 REVIEWER: IS | A | 5305 | | AS | 13-JUN-88 | | AS | | |
| | | | MS9178B | SCREW, MACHINE-CRES, DOUBLE HEXAGON EXTENDED WASHER HEAD, 164-36 (INACTIVE FOR NEW DESIGN) REVIEWER: IS | A | 5305 | | AS | 13-JUL-87 | | AS | 99 | |
| | | | MS9192B | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .164(NO.8-36 CADMIUM PLATE REVIEWER: IS | A | 5305 | | AS | 13-JUL-87 | | AS | 11 | |
| L | | | MS9193 | NIPPLE, TUBE - AMS 5639, BOSS (VALIDATION DATE: 8310) REVIEWER: CS MI ..... | A | 4730 | | AS | 11-APR-60 | | AS | | |
| | | | MS9194B | ELBOW, TUBE & AMS 5646, BOSS 90 (VALIDATION DATE: 8404) REVIEWER: CS MI ... | A | 4730 | | AS | 27-JUL-67 | | AS | 11 | |
| | | | MS9195A | ELBOW, TUBE & AMS 5646, BOSS, 45 (VALIDATION DATE: 8404) REVIEWER: CS ..... | A | 4730 | | AS | 11-MAY-62 | | AS | 11 | |
| | | | MS9196A | TEE, TUBE & AMS 5646, BOSS (VALIDATION DATE: 8404) REVIEWER: CS ..... | A | 4730 | | AS | 11-MAY-62 | | AS | 11 | |
| L | | | MS9197C | NUT, TUBE COUPLING - CRES AMS 5646, SILVER PLATE (ASG) (VALIDATION DATE: 8310) USER: MC MI REVIEWER: CS | A | 4730 | | AS | 13-DEC-72 | | AS | | |
| L | | | MS9198C | NUT, TUBE COUPLING - CRES AMS 5646 (ASG) (VALIDATION DATE: 8310) USER: MC MI REVIEWER: CS | A | 4730 | | AS | 13-DEC-72 | | AS | | |
| | | | MS9200C | NUT PLAIN, HEX, BOSS CONNECTION, ALUMINUM USER: AT ER ME REVIEWER: 82 IS .. | A | 5310 | | AS | 30-SEP-86 | AV | AS | | |
| | | | MS9201B | NUT-PLAIN, HEX, BOSS CONNECTION, CRES (ASG) USER: AT ER MI ..... | A | 5310 | | AS | 30-SEP-86 | AV | AS | | |
| | | | MS9202A | GASKET - METAL O-RING, .062 TUBE X .010 WALL, CRES (VALIDATION DATE: 9110) | A | 5330 | | AS | 03-OCT-91 | | AS | 69 | |
| | | | NOTICE 1 | REVIEWER: 11 | | | | | | | | | |
| | | | MS9203A | GASKET - METAL O-RING, .094 TUBE X .006 WALL, CRES (VALIDATION DATE: 9110) | A | 5330 | | AS | 03-OCT-91 | | AS | 69 | |
| | | | NOTICE 1 | REVIEWER: 11 | | | | | | | | | |
| | | | MS9204A | GASKET - METAL O-RING, .094 TUBE X .010 WALL, CRES (ASG) (VALIDATION DATE: 8404) REVIEWER: IS | A | 5330 | | AS | 23-JAN-67 | | AS | 11 | |
| | | | MS9205A | GASKET - METAL O-RING, .125 TUBE X .010 WALL, CRES (ASG) (VALIDATION DATE: 8404) REVIEWER: IS | A | 5330 | | AS | 23-JAN-67 | | AS | 11 | |
| L | | | MS9208 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE | A | 5306 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | HEXAGON EXTENDED WASHER HEAD, .190-32 UNJF-3A (VALIDATION DATE: 9110) | | | | | | | | | |
| L | | | MS9209 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE | A | 5306 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | HEXAGON EXTENDED WASHER HEAD, .250-28 UNJF-3A (VALIDATION DATE: 9110) | | | | | | | | | |
| L | | | MS9210 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE | A | 5306 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | HEXAGON EXTENDED WASHER HEAD, .3125-24 UNJF-3A (VALIDATION DATE: 9110) | | | | | | | | | |
| L | | | MS9212 | BOLT, MACHINE-STEEL AMS 6304, DIFFUSED NICKEL-CADIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .4375-20 UNJF-3A (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | | AS | 10-DEC-63 | | AS | | |
| L | | | MS9216 | SCREW, MACHINE&STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .164-36 UNJF-3A (VALIDATION DATE: 8310) REVIEWER: IS | A | 5305 | | AS | 10-DEC-63 | | AS | | |
| L | | | MS9217 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE | A | 5306 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | HEXAGON EXTENDED WASHER HEAD, DRILLED, .190-32 UNJF-3A (VALIDATION DATE: 9110) | | | | | | | | | |
| L | | | MS9218 | BOLT, MACHINE - STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE | A | 5306 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | HEXAGON EXTENDED WASHER HEAD, DRILLED, .250-28 UNJF-3A (VALIDATION DATE: 9110) | | | | | | | | | |
| L | | | MS9219 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE | A | 5306 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | HEXAGON EXTENDED WASHER HEAD, .3125-24 UNJF-3A (VALIDATION DATE: 9110) | | | | | | | | | |
| D | | | MS9224A | BOLT- MACHINE, 12 POINT HEAD, HEAT RESISTANT, .5625-18 AMS 5735 (ASG) (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5305 | | IS | 20-NOV-63 | | AS | 99 | IS |
| | | | MS9225B | FERRULE, BRAZING, TUBE FITTING - CRES, AMS 5646 (INACTIVE USE MS-9483) (VALIDATION DATE: 8404) REVIEWER: IS | A | 4730 | | AS | 15-MAY-68 | | AS | 11 | |
| | | | MS9226A | WIRE - STEEL, CORROSION AND HEAT RESISTANT, SAFETY, 1800 DEG. F (ASG) (VALIDATION DATE: 8404) USER: ME REVIEWER: IS MI | A | 9505 | | AS | 10-AUG-61 | | AS | 11 | |
| I | | | MS9227A | ADAPTER-CONTROL LEVER CONNECTION (VALIDATION DATE: 9110) ..... | A | 5355 | | AS | 23-OCT-91 | | AS | 11 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS9228C | BRACKET, ANGLE, 90 DEG, .190 BOLT REVIEWER: IS ..... | A | 5340 | | AS | 18-JUN-87 | AR | AS | 82 | |
| | | | MS9229B | BRACKET-90 DEG. ANGLE, AMS 5504, .190 X .250 BOLT (INACTIVE) (USE MS9601) (VALIDATION DATE: 8404) REVIEWER: IS | A | 5340 | | AS | 22-NOV-66 | | AS | 11 | |
| | | | MS9230C | BRACKET, ANGLE, 90 DEG, .190 X 312 BOLT REVIEWER: IS ..... | A | 5340 | | AS | 18-JUN-87 | AR | AS | 82 | |
| | | | MS9231C | BRACKET, ANGLE, 90 DEG, .190 X 375 BOLT REVIEWER: IS ..... | A | 5340 | | AS | 18-JUN-87 | AR | AS | 82 | |
| | | | MS9241D | PACKING, PREFORMED - RUBBER, O RING USER: MC REVIEWER: 11 ME MI ..... | A | 5330 | | 82 | 25-JUL-86 | AV | AS | 99 | |
| | | | MS9243 | COVER & ENGINE ACCESSORY DRIVE (VALIDATION DATE: 8404) ..... | A | 2840 | | AS | 13-APR-60 | | | 11 | |
| L | | | MS9245A | PIN, COTTER - CRES, AMS 7211 (VALIDATION DATE: 9110) REVIEWER: 11 ..... | A | 5315 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | | |
| I | | | MS9274B | WASHER, KEY-DOUBLE, BEARING RETAINING, AMS 5510 (VALIDATION DATE: 9110) ... | A | 5310 | | AS | 03-OCT-91 | | AS | 11 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS9276B | WASHER, KEY-CRES, AMS 5510, 180 DEG. LOCKING (VALIDATION DATE: 8404) USER: AT ER MI REVIEWER: IS ME | A | 5310 | | AS | 12-JAN-73 | AV | AS | 11 | |
| L | | | MS9281A | SCREW, MACHINE STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .138-40 UNJF-3A (INACTIVE FOR DESIGN 26-10-72) (VALIDATION DATE: 8404) REVIEWER: IS | A | 5305 | | AS | 26-OCT-72 | | AS | | |
| L | | | MS9282A | SCREW, MACHINE STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .164-36 UNJF-3A (INACTIVE 10-26-72) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5305 | | AS | 26-OCT-72 | | AS | | |
| L | | | MS9283 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .190-32 UNJF-3A | A | 5306 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: 11 OS | | | | | | | | | |
| L | | | MS9284 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .250-28 UNJF-3A | A | 5306 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: 11 OS | | | | | | | | | |
| L | | | MS9285 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .3125-24 UNJF-3A (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | | AS | 24-SEP-65 | | AS | | |
| L | | | MS9286 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .375-24 UNJF-3A | A | 5306 | | AS | 03-OCT-91 | | AS | | |
| | | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: 11 OS | | | | | | | | | |
| L | | | MS9287A | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE HEXAGON HEAD, .4375-20 UNJF-3A (INACTIVE FOR DESIGN 26 OCT 1972 (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | | AS | 26-OCT-72 | | AS | | |

| Action | OPR / QMR Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MS9288A | BOLT, MACHINE STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .500-20 UNJF-3A (INACTIVE 10-26-72) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 26-OCT-72 | | AS | | |
| L | | MS9289A | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .5625-18 UNJF-3A (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 26-OCT-72 | | AS | | |
| L | | MS9290A | BOLT, MACHINE STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .625-18 UNJF-3A (INACTIVE 10-26-72) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 26-OCT-72 | | AS | | |
| L | | MS9291A | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .750-16 UNJF-3A (INACTIVE FOR DESIGN-26 OCT 1972) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 26-OCT-72 | | AS | | |
| | | MS9292 | SCREW, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .138-40 UNJF-3A (VALIDATION DATE: 8405) REVIEWER: IS | A | 5305 | AS | | 24-SEP-65 | | AS | 11 | |
| L | | MS9293A | SCREW, MACHINE STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .164-36 UNJF-3A (INACTIVE 10-26-72) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5305 | AS | | 26-OCT-72 | | AS | | |
| L | | MS9294 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .190-32 UNJF-3A (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 24-SEP-65 | | AS | | |
| L | | MS9295 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .250-28 UNJF-3A (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 24-SEP-65 | | AS | | |
| L | | MS9296 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, | A | 5306 | AS | | 03-OCT-91 | | AS | | |
| | NOTICE 1 | | .3125-24 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 11 OS | | | | | | | | | |
| L | | MS9297 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, | A | 5306 | AS | | 03-OCT-91 | | AS | | |
| | NOTICE 1 | | .375-24 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 11 OS | | | | | | | | | |
| L | | MS9298A | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .4375-20 UNJF-3A (INACTIVE FOR DESIGN-26 OCT 1972) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 26-OCT-72 | | AS | | |
| L | | MS9299A | BOLT, MACHINE STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .500-20 UNJF-3A (INACTIVE 10-26-72) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 26-OCT-72 | | AS | | |
| L | | MS9300A | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .5625-18 UNJF-3A (INACTIVE FOR DESIGN-26 OCT 1972) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 26-OCT-72 | | AS | | |
| L | | MS9301A | BOLT, MACHINE STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON, .625-18 UNJF-3A (INACTIVE 10-26-72) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 26-OCT-72 | | AS | | |
| L | | MS9302A | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .750-16 UNJF-3A (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5306 | AS | | 26-OCT-72 | | AS | | |
| | | MS9303B | STUD, SHOULDERED, HEXAGON WRENCHING, STEEL, .190-32 NF-3A X.190-32 NF-3A REVIEWER: 82 IS | A | 5307 | AS | | 22-MAY-86 | AR | AS | 99 | |
| | | MS9304B | STUD, SHOULDERED & STEPPED, HEXAGON WRENCHING, STEEL,.190-32 NF-3A X .250-28 UNF-3A REVIEWER: 82 IS | A | 5307 | AS | | 22-MAY-86 | AR | AS | 99 | |
| | | MS9305B | STUD, SHOULDERED, HEXAGON WRENCHING, STEEL, .250-28 UNF-3A X .250-28 UNF-3A USER: ME REVIEWER: 82 | A | 5307 | AS | | 22-MAY-86 | AR | AS | 99 | |
| | | MS9306B | STUD, SHOULDERED & STEPPED, HEXAGON WRENCHING, STEEL, .250-28 UNF-3A X .3125-24 UNF-3A REVIEWER: 82 IS | A | 5307 | AS | | 22-MAY-86 | AR | AS | 99 | |
| | | MS9307B | STUD, SHOULDERED & STEPPED, HEXAGON WRENCHING, STEEL, .250-28 UNF-3A X .375-24 UNF-3A REVIEWER: 82 IS | A | 5307 | AS | | 22-MAY-86 | AR | AS | 99 | |
| | | MS9308B | STUD, SHOULDERED, HEXAGON WRENCHING, DRILLED, STEEL, .190-32 NF-3A X .190-32 NF-3A REVIEWER: 82 IS | A | 5307 | AS | | 22-MAY-86 | AR | AS | 99 | |
| | | MS9309B | STUD, SHOULDERING & STEPPED, HEXAGON WRENCHING, DRILLED, STEEL, .190-32 UNF-3A X .250-28 UNF-3A REVIEWER: 82 IS | A | 5307 | AS | | 22-MAY-86 | AR | AS | 99 | |
| | | MS9310B | STUD, SHOULDERED, HEXAGON WRENCHING, DRILLED, STEEL, .250-28 UNF-3A X .250-28 UNF-3A REVIEWER: 82 IS | A | 5307 | AS | | 22-MAY-86 | AR | AS | 99 | |
| | | MS9311B | STUD, SHOULDERED & STEPPED, HEXAGON WRENCHING, DRILLED, STEEL, .250-28 UNF-3A X .3125-24 UNF-3A REVIEWER: 82 IS | A | 5307 | AS | | 22-MAY-86 | AR | AS | 99 | |
| | | MS9312B | STUD, SHOULDERED & STEPPED, HEXAGON WRENCHING, DRILLED, STEEL, .250-28 UNF-3A X .375-24 UNF-3A REVIEWER: 82 IS | A | 5307 | AS | | 22-MAY-86 | AR | AS | 99 | |
| | | MS9313A | CAP, TUBE - AMS 5646 (VALIDATION DATE: 8404) REVIEWER: CS ..... | A | 4730 | AS | | 12-AUG-64 | | AS | 11 | |
| | | MS9314B | CAP ASSEMBLY, TUBE, & AMS 5646 (ASG) (VALIDATION DATE: 8404) REVIEWER: CS MI | A | 4730 | AS | | 20-DEC-66 | | AS | 11 | |
| | | MS9315B | CAP ASSEMBLY, TUBE & AMS 5646, SILVER PLATED NUT (ASG) (VALIDATION DATE: 8404) USER: MC REVIEWER: CS | A | 4730 | AS | | 20-DEC-66 | | AS | 11 | |
| L | | MS9316 | SCREW, MACHINE&STEEL, SLOTTED HEXAGON HEAD, .190&32, NI&CAD PLATE (VALIDATION DATE: 8310) REVIEWER: IS | A | 5305 | AS | | 16-MAY-60 | | AS | | |
| L | | MS9317 | SCREW, MACHINE&STEEL, SLOTTED HEXAGON HEAD, .250&28 NI&CAD PLATE (VALIDATION DATE: 8310) REVIEWER: IS | A | 5305 | AS | | 16-MAY-60 | | | | |
| D | | MS9318B | RIVET, SOLID-100 DEG. FLUSH HEAD, AMS 7233 USER: ME REVIEWER: 82 ..... | A | 5320 | IS | | 19-JUN-91 | AV | AS | 99 | IS |
| | | MS9319A | RIVET, SOLID - UNIVERSAL HEAD, AMS 7233 (VALIDATION DATE: 9110) USER: ME | A | 5320 | AS | | 03-OCT-91 | AV | AS | | |
| | NOTICE 1 | | REVIEWER: 11 | | | | | | | | | |
| | | MS9320A | WASHER, FLAT -AMS 6350 (VALIDATION DATE: 8310) REVIEWER: AR IS ME MI ..... | A | 5310 | AS | | 05-AUG-64 | AV | AS | | |
| L | | MS9321 | WASHER, FLAT & AMS 5510 (ASG) (VALIDATION DATE: 8310) REVIEWER: IS ME MI .. | A | 5310 | AS | | 06-FEB-63 | | AS | | |
| | | MS9349B | CLAMP, LOOP, CUSHIONED, JOGGLED, CRES, .204 HOLE REVIEWER: MI ..... | A | 5340 | AS | | 11-JUN-86 | | AS | 11 | |
| | | MS9350B | CLAMP, LOOP, CUSHIONED, JOGGLED, CRES, .265 HOLE REVIEWER: 99 IS ME MI .... | A | 5340 | AS | | 11-JUN-86 | | AS | 11 | |
| | | MS9351B | CLAMP, LOOP-CUSHIONED, JOGGLED, ALUMINUM, .204 HOLE REVIEWER: 99 IS ..... | A | 5340 | AS | | 11-JUN-86 | | AS | 11 | |
| | | MS9352B | CLAMP, LOOP-CUSHIONED, JOGGLED, ALUMINUM, .265 HOLE USER: ME REVIEWER: 99 IS | A | 5340 | AS | | 11-JUN-86 | | AS | 11 | |
| L | | MS9353A | CLAMP, LOOP-ALUMINUM, .204 HOLE (VALIDATION DATE: 9110) REVIEWER: 11 85 ... | A | 5340 | AS | | 03-OCT-91 | | AS | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MS9354A | CLAMP, LOOP-ALUMINUM, .265 HOLE (VALIDATION DATE: 9110) REVIEWER: 11 85 ... | A | 5340 | AS | | 03-OCT-91 | | AS | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS9355A | PACKING, PREFORMED, O RING (VALIDATION DATE: 8304) REVIEWER: 11 IS ..... | A | 5330 | 82 | | 01-JUN-61 | AV | AS | 99 | |
| | | MS9356E | NUT, PLAIN, HEXAGON-A-286 REVIEWER: 82 ER IS MI ..... | A | 5310 | AS | | 30-SEP-86 | AV | AS | 99 | |
| | | MS9357B | NUT, PLAIN, HEXAGON - A-286, SILVER PLATED, MIL-S-8879 REVIEWER: 82 85 IS MI | A | 5310 | AS | | 17-JUN-86 | AV | AS | | |
| | | MS9358B | NUT, CASTELLATED, HEXAGON-A-286 USER: AR ER REVIEWER: 82 85 IS MI ..... | A | 5310 | AS | | 30-SEP-86 | AV | AS | 11 | |
| | | MS9359B | NUT, CASTELLATED, HEXAGON - A-286, SILVER PLATED, MIL-S-8879 USER: ER REVIEWER: 82 85 IS MI | A | 5310 | AS | | 17-JUN-86 | AV | AS | | |
| | | MS9360B | NUT, PLAIN, HEX-DRILLED - A-286, SILVER PLATED, MIL-S-8879 (VALIDATION DATE: 8310) USER: ER REVIEWER: 82 85 IS MI | A | 5310 | AS | | 27-MAY-68 | AV | AS | | |
| | | MS9361B | NUT, PLAIN, HEXAGON, CHECK-A-286 REVIEWER: MI ..... | A | 5310 | AS | | 30-SEP-86 | AV | AS | | |
| | | MS9362A | NUT, PLAIN, HEXAGON, CHECK A-286, SILVER PLATED, MIL-S-8879 (VALIDATION | A | 5310 | AS | | 03-OCT-91 | AV | AS | | |
| | NOTICE 1 | | DATE: 9110) USER: AT REVIEWER: 82 85 CR | | | | | | | | | |
| | | MS9363B | NUT, SLOTTED, HEXAGON-SHEAR,A-286 USER: AT REVIEWER: 82 85 ER IS ..... | A | 5310 | AS | | 30-SEP-86 | AV | AS | | |
| | | MS9364A | NUT, SLOTTED, HEXAGON - SHEAR, A-286, SILVER PLATED, MIL-S-8879 | A | 5310 | AS | | 03-OCT-91 | AV | AS | 11 | |
| | NOTICE 1 | | (VALIDATION DATE: 9110) USER: AT REVIEWER: 82 85 ER | | | | | | | | | |
| | | MS9365A | BRACKET-FLAT, CRES AMS 5510, .190 BOLT (INACTIVE) (USE MS9552) (VALIDATION DATE: 8404) REVIEWER: 99 IS | A | 5340 | AS | | 22-NOV-66 | | AS | 11 | |
| | | MS9366A | BRACKET-FLAT, CRES AMS 5510, .190 X .250 BOLT (INACTIVE) (USE MS9552) (VALIDATION DATE: 8404) REVIEWER: 99 IS | A | 5340 | AS | | 22-NOV-66 | | AS | 11 | |
| | | MS9367A | BRACKET-FLAT, CRES AMS 5510, .250 BOLT (INACTIVE) (USE MS9552) (VALIDATION DATE: 8404) USER: MC REVIEWER: 99 IS | A | 5340 | AS | | 22-NOV-66 | | AS | 11 | |
| | | MS9371A | GASKET - METAL O-RING, .035 TUBE X .006 WALL, SILVER PLATED (VALIDATION DATE: 8404) REVIEWER: IS | A | 5330 | AS | | 20-JAN-67 | | AS | 11 | |
| | | MS9372A | GASKET - METAL O-RING, .062 TUBE X .006 WALL, SILVER PLATED (VALIDATION DATE: 8404) REVIEWER: IS | A | 5330 | AS | | 20-JAN-67 | | AS | 11 | |
| | | MS9373A | GASKET - METAL O-RING, .062 TUBE X .010 WALL SILVER PLATED (VALIDATION DATE: 8404) REVIEWER: IS | A | 5330 | AS | | 20-JAN-67 | | AS | 11 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MS9374A | GASKET - METAL O-RING, .094 TUBE X .006 WALL, SILVER PLATED (VALIDATION DATE: 8404) REVIEWER: IS | A 5330 AS 20-JAN-67 | | AS | 11 | |
| | | MS9375A | GASKET - METAL O-RING, .094 TUBE X .010 WALL, SILVER PLATED (VALIDATION DATE: 8404) REVIEWER: IS | A 5330 AS 20-JAN-67 | | AS | 11 | |
| | | MS9376A | GASKET - METAL O-RING, .125 TUBE X .010 WALL, SILVER PLATED (VALIDATION DATE: 8404) REVIEWER: IS | A 5330 AS 20-JAN-67 | | AS | 11 | |
| | | MS9377A | GASKET - ENGINE ACCESSORY DRIVE (VALIDATION DATE: 8404) USER: MC ..... | A 2995 AS 31-MAY-63 | | AS | 11 | |
| L | | MS9379 | PLUG, EXPANSION - AMS 5510 (VALIDATION DATE: 9110) REVIEWER: 11 ..... | A 5340 AS 03-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| L | | MS9380A | PLUG, EXPANSION-AMS 4003 (VALIDATION DATE: 9110) REVIEWER: 11 ..... | A 5340 AS 03-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| | | MS9381 | COUPLING, TUBE-BRAZING, AMS 5646 (VALIDATION DATE: 8404) REVIEWER: CS ..... | A 4730 AS 03-OCT-66 | | AS | 11 | |
| | | MS9382 | TEE, TUBE-BRAZING, AMS 5646 (VALIDATION DATE: 8404) REVIEWER: CS ..... | A 4730 AS 03-OCT-66 | | AS | 11 | |
| | | MS9385A | PACKING, PREFORMED, AMS 7267, O-RING (VALIDATION DATE: 8304) REVIEWER: 11 82 IS | A 5330 AS 17-JAN-75 | | AS | 99 | |
| | | MS9386B | PACKING, PREFORMED - AMS 7267, (O) RING (VALIDATION DATE: 8304) USER: MC SH REVIEWER: 11 82 IS MI OS | A 5330 AS 17-JAN-75 | | AS | 99 | |
| | | MS9387A | PACKING, PREFORMED - AMS 7278, SEAL (VALIDATION DATE: 8306) REVIEWER: 11 82 IS | A 5330 AS 17-JAN-75 AV | | AS | 99 | |
| L | | MS9389 | PIN, STRAIGHT, HEADLESS - AMS 5735, LOCK (ASG) (VALIDATION DATE: 8310) REVIEWER: IS ME MI | A 5315 AS 01-AUG-61 | | AS | | |
| L | | MS9390B | PIN, STRAIGHT, HEADLESS - CRES, AMS 5735, DOWEL STANDARD AND OVERSIZE (ASG) (VALIDATION DATE: 8310) REVIEWER: IS ME MI | A 5315 AS 01-MAY-69 | | AS | | |
| L | | MS9391A | CLAMP, LOOP - MULTIPLE TUBE, DETACHABLE CUSHION, AMS 5510 (VALIDATION | A 5340 AS 03-OCT-91 | | AS | | |
| | | NOTICE 1 | DATE: 9110) REVIEWER: 11 82 BS | | | | | |
| L | | MS9392 | CUSHION, LOOP CLAMP - MULTIPLE, 3-TUBE, AMS 3303 (VALIDATION DATE: 9110) | A 5340 AS 03-OCT-91 | | AS | | |
| | | NOTICE 1 | REVIEWER: 99 OS | | | | | |
| L | | MS9393 | CUSHION, LOOP CLAMP - MULTIPLE, 2-TUBE, AMS 3303 (VALIDATION DATE: 9110) | A 5340 AS 03-OCT-91 | | AS | | |
| | | NOTICE 1 | REVIEWER: 99 OS | | | | | |
| L | | MS9394 | STRAP, RETAINING - MULTIPLE TUBE, DETACHABLE CUSHION, AMS 5510 (VALIDATION | A 5340 AS 03-OCT-91 | | AS | | |
| | | NOTICE 1 | DATE: 9110) | | | | | |
| L | | MS9395 | BACKPLATE, RETAINING STRAP - AMS 5510 (VALIDATION DATE: 9110) ..... | A 5340 AS 04-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| L | | MS9397 | BOLT,TEE HEAD - AMS 6322, CHAMFERED, .190-32 UNJF-3A, CADMIUM PLATE(ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 09-MAY-62 | | AS | | |
| L | | MS9398 | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .250-28 UNJF-3A, CADIUM PLATE(ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 09-MAY-62 | | AS | | |
| L | | MS9399 | BOLT, TEE HEAD - AMS 6322, CHAMFERED..3125-24 UNJF-3A, CADMIUM PLATE(ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 09-MAY-62 | | AS | | |
| L | | MS9400 | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .375-24 UNJF-3A, CADMIUM PLATE(ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 09-MAY-62 | | AS | | |
| L | | MS9401 | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .4375-20 UNJF-3A, CADMIUM PLATE(ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 09-MAY-62 | | AS | | |
| L | | MS9402 | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .500-20 UNJF-3A, CADMIUM PLATE(ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 09-MAY-62 | | AS | | |
| | | MS9403A | RIVET, SOLID - UNIVERSAL HEAD, AMS 5737 (VALIDATION DATE: 9110) USER: MC | A 5320 AS 04-OCT-91 | | AS | 11 | |
| | | NOTICE 1 | ME | | | | | |
| | | MS9404A | PLUG, MACHINE THREAD - AMS 5646, PREFORMED PACKING (INACTIVE SEE MIL-S-8879) (VALIDATION DATE: 8404) USER: CS ME | A 5365 AS 09-JUN-72 | | AS | 11 | |
| L | | MS9405 | PLUG, MACHINE THREAD-AMS 5646, METAL GASKET, SILVER PLATED, MIL-S-8879 THREAD (VALIDATION DATE: 8310) REVIEWER: 99 CS | A 4730 AS 25-JAN-65 | | AS | | |
| L | | MS9432 | BOLT, TEE HEAD - AMS 5735, CHAMFERED, .190-32 UNJF-3A (VALIDATION DATE: | A 5306 AS 04-OCT-91 | | AS | | |
| | | NOTICE 1 | 9110) | | | | | |
| L | | MS9433 | BOLT, TEE HEAD & AMS 5735, CHAMFERED, .250&28 UNJF&3A ,ASG( (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| L | | MS9434 | BOLT, TEE HEAD & AMS 5735, CHAMFERED, .3125&24 UNJF&3A (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| L | | MS9435 | BOLT, TEE HEAD & AMS 5735, CHAMFERED, .375&24 UNJF&3A (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| L | | MS9436 | BOLT, TEE HEAD & AMS 5735, CHAMFERED, .4375&20 UNJF&3A (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| L | | MS9437 | BOLT, TEE HEAD & AMS 5735, CHAMFERED, .500&20 UNJF&3A (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| L | | MS9438A | SCREW, MACHINE - STEEL, AMS 6304, DIFFUSED NICKEL CADMIUM PLATED, HEXAGON HEAD, DRILLED, .138-40 UNJF-3A (INACTIVE 12-13-72) (VALIDATION DATE: 8310) | A 5305 AS 13-DEC-72 | | AS | | |
| | | MS9439A | SCREW, MACHINE-STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .164-36 UNJF-3A (INACTIVE FOR DESIGN) (VALIDATION DATE: 8404) REVIEWER: IS | A 5305 AS 13-DEC-72 | | AS | 11 | |
| L | | MS9440 | BOLT, MACHINE STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON | A 5306 AS 04-OCT-91 | | AS | | |
| | | NOTICE 1 | HEAD, DRILLED, .190-32 UNJF-3A (VALIDATION DATE: 9110) | | | | | |
| L | | MS9441 | BOLT, MACHINE STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON | A 5306 AS 04-OCT-91 | | AS | | |
| | | NOTICE 1 | HEAD, DRILLED, .250-28 UNJF-3A (VALIDATION DATE: 9110) | | | | | |
| L | | MS9442 | BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLED, .3125&24 UNJF&3A (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| L | | MS9443 | BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLE (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| L | | MS9444 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON | A 5306 AS 04-OCT-91 | | AS | | |
| | | NOTICE 1 | HEAD, DRILLED, .4375-20 UNJF-3A (VALIDATION DATE: 9110) | | | | | |
| L | | MS9445 | BOLT, MACHINE & STEEL AMD 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLED, .500&20 UNJF&3A (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| L | | MS9446 | BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLED, .5625&18 UNJF&3A (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| L | | MS9447 | BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLED, .625&18 UNJF&3A (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| L | | MS9448 | BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLED, .750&16 UNJF&3A (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5306 AS 21-DEC-62 | | AS | | |
| | | MS9449A | SCREW MACHINE HEXAGON HEAD STEEL 138-40 UNJF-3A REVIEWER: 82 IS ..... | A 5305 AS 31-MAR-86 | | AS | 11 | |
| | | MS9450A | SCREW MACHINE HEXAGON HEAD STEEL 164-36 UNJF-3A REVIEWER: 82 IS ..... | A 5305 AS 31-MAR-86 | | AS | 11 | |
| | | MS9451A | BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, .190&32 UNJF&3A (ASG) REVIEWER: 82 IS | A 5306 AS 31-MAR-86 | | AS | 11 | |
| | | MS9452A | BOLT, MACHINE, HEXAGONHEAD, STEEL, 190-32 UNJF-3A REVIEWER: 82 IS ..... | A 5306 AS 31-MAR-86 | | AS | 11 | |
| | | MS9453A | BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, .3125&24 UNJF&3A (ASG) REVIEWER: 82 IS | A 5306 AS 31-MAR-86 | | AS | 11 | |
| | | MS9454A | BOLT MACHINE HEXAGON HEAD STEEL 375-24 UNJF-3A REVIEWER: 82 IS ..... | A 5306 AS 31-MAR-86 | | AS | 11 | |
| | | MS9455A | BOLT MACHINE HEXAGON HEAD STEEL 4375-20 UNJF-3A REVIEWER: 82 IS ..... | A 5306 AS 31-MAR-86 | | AS | 11 | |
| | | MS9456A | BOLT MACHINE HEXAGON HEAD, STEEL 500-20 UNJF-3A REVIEWER: 82 IS ..... | A 5306 AS 31-MAR-86 | | AS | 11 | |
| | | MS9457A | BOLT, MACHINE, HEXAGONHEAD, STEEL, 5625-18 UNJF-3A REVIEWER: 82 IS ..... | A 5306 AS 31-MAR-86 | | AS | 11 | |
| | | MS9458B | BOLT, MACHINE, HEXAGON HEAD, STEEL, .625-18 UNJF-3A REVIEWER: IS ..... | A 5306 AS 31-MAR-86 | | AS | 11 | |
| | | MS9459B | BOLT, MACHINE, HEXAGON HEAD, STEEL, .750-16 UNJF-3A REVIEWER: IS ..... | A 5306 AS 31-MAR-86 | | AS | 11 | |
| | | MS9460A | RIVET, SOLID - 100 DEG. FLUSH HEAD, AMS 7235 (VALIDATION DATE: 9110) USER: | A 5320 AS 04-OCT-91 AV | | AS | | |
| | | NOTICE 1 | MC ME REVIEWER: 82 | | | | | |
| L | | MS9462 | PIN, STRAIGHT, HEADED-.124 DIAMETER, AMS 5735 (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A 5315 AS 06-NOV-64 | | AS | | |

| Action | Doc. Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MS9463 | PIN, STRAIGHT, HEADED- .186 DIAMETER, AMS 5735 (ASG) (VALIDATION DATE: 8310) REVIEWER: IS MI | A | 5315 | AS | | 06-NOV-64 | | AS | | |
| L | MS9464 | PIN, STRAIGHT, HEADED- .248 DIAMETER, MS 5735 (ASG) (VALIDATION DATE: 8310) REVIEWER: IS ME MI | A | 5315 | AS | | 06-NOV-64 | | AS | | |
| L | MS9465 | PIN, STRAIGHT, HEADED- .311 DIAMETER, AMS 5735 (ASG) (VALIDATION DATE: 8310) REVIEWER: IS | A | 5315 | AS | | 06-NOV-64 | | AS | | |
| L | MS9466 | PIN, STRAIGHT, HEADED-.373 DIAMETER, AMS 5735 (VALIDATION DATE: 8310) REVIEWER: IS | A | 5315 | AS | | 06-NOV-64 | | AS | | |
| L | MS9467 | PIN, STRAIGHT, HEADED .436 DIAMETER, AMS 5735 (VALIDATION DATE: 8310) REVIEWER: IS | A | 5315 | AS | | 06-NOV-64 | | AS | | |
| L | MS9468 | PIN, STRAIGHT, HEADED- .497 DIAMETER, AMS 5735 (ASG) (VALIDATION DATE: 8310) REVIEWER: IS MI | A | 5315 | AS | | 06-NOV-64 | | AS | | |
| | MS9482 | WASHER, FLAT - STEEL AMS 6437 OR AMS 6485, DIFFUSED NICKEL-CADMIUM PLATED, COUNTERSUNK (VALIDATION DATE: 8404) REVIEWER: IS | A | 5310 | AS | | 15-NOV-65 | | AS | 11 | |
| | MS9483B | FERRULE, BRAZING, TUBE FITTING-AMS 5646, STRAIGHT (VALIDATION DATE: 8310) USER: ME MI REVIEWER: CS | A | 4730 | AS | | 01-MAY-69 | AV | AS | 11 | |
| L | MS9486A<br>NOTICE 1 | PIN, STRAIGHT, HEADLESS - AMS 5132, LOCK (VALIDATION DATE: 9110) REVIEWER: 11 85 OR ME MI OS | A | 5315 | AS | | 04-OCT-91 | | AS | | |
| | MS9489A<br>NOTICE 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK AMS 5731, .190-32 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9490A<br>NOTICE 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .250-28 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9491A<br>NOTICE 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .3125-24 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9492A<br>NOTICE 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .375-24 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9493A<br>NOTICE 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .4375-20 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9494A<br>NOTICE 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .500-20 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9496A<br>NOTICE 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .625-18 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9500A<br>NOTICE 1 | BOLT, MACHINED - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .190-32 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9501A<br>NOTICE 1 | BOLT, MACHINED - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .250-28 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | MS9502A<br>NOTICE 1 | BOLT, MACHINED - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .3125-24 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9503A<br>NOTICE 1 | BOLT, MACHINED - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .375-24 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9505A<br>NOTICE 1 | BOLT, MACHINED - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .500-20 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 AR MI | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9514 | CUSHION, LOOP CLAMP-MULTIPLE, 3-TUBE, AMS 3839 (VALIDATION DATE: 8404) .... | A | 5340 | AS | | 17-AUG-67 | | AS | 11 | |
| | MS9515 | CUSHION, LOOP CLAMP-MULTIPLE, 2-TUBE, AMS 3839 (VALIDATION DATE: 8404) .... | A | 5340 | AS | | 17-AUG-67 | | AS | 11 | |
| | MS9516C | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, HEXAGON HEAD, .138-40 UNJF-3A | A | 5305 | AS | | 22-MAY-86 | AV | AS | 99 | |
| | MS9517C | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, HEXAGON HEAD, .164-36 UNJF-3A | A | 5305 | AS | | 22-MAY-86 | AV | AS | 99 | |
| | MS9518A<br>NOTICE 1 | BOLT, MACHINE, HEXAGON HEAD STEEL, CADMIUM PLATED .190-32 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 IS | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9519A | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .250-28UNJF-3A REVIEWER: 11 | A | 5306 | AS | | 22-MAY-86 | AV | AS | 99 | |
| | MS9520A | BOLT, MACHINE STEEL AMS 6322, CADMIUM PLATE, HEXAGON HEAD, .3125-24 UNJF-3A REVIEWER: 11 | A | 5306 | AS | | 22-MAY-86 | AV | AS | 99 | |
| | MS9521A | BOLT, MACHINE, HEXAGONHEAD, STEEL CADMIUM P LATED,.375-24UNJF -3A REVIEWER: 11 | A | 5306 | AS | | 22-MAY-86 | AV | AS | 99 | |
| | MS9522C | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .4375-20UNJF-3A REVIEWER: 82 IS | A | 5306 | AS | | 22-MAY-86 | AV | AS | 99 | |
| | MS9523A | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .500-20UNJF-3A REVIEWER: IS | A | 5306 | 82 | | 22-MAY-86 | AV | AS | 99 | |
| | MS9524C | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .5625-18UNJF-3A REVIEWER: 82 IS | A | 5306 | AS | | 22-MAY-86 | AV | AS | 99 | |
| | MS9525A | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .625-18UNJF-3A REVIEWER: IS | A | 5306 | 82 | | 22-MAY-86 | AV | AS | 99 | |
| | MS9526A | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .750-16UNJF-3A REVIEWER: IS | A | 5306 | 82 | | 22-MAY-86 | AV | AS | 99 | |
| | MS9527B | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .138-40 UNJF-3A REVIEWER: 82 | A | 5305 | AS | | 21-DEC-83 | AV | AS | 99 | |
| | MS9528 | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .164-36 UNJF-3A (VALIDATION DATE: 8310) REVIEWER: 11 | A | 5305 | AS | | 02-FEB-68 | AV | AS | 99 | |
| | MS9529<br>NOTICE 1 | BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .190-32 UNJF-3A (VALIDATION DATE: 9110) | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9530<br>NOTICE 1 | BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .250-28 UNJF-3A (VALIDATION DATE: 9110) | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9531<br>NOTICE 1 | BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .3125-24 UNJF-3A (VALIDATION DATE: 9110) | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9532<br>NOTICE 1 | BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .375-24 UNJF-3A (VALIDATION DATE: 9110) | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9533<br>NOTICE 1 | BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .4375-20 UNJF-3A (VALIDATION DATE: 9110) | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | MS9534<br>NOTICE 1 | BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .500-20 UNJF-3A (VALIDATION DATE: 9110) | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| L | MS9549 | WASHER, FLAT - AMS 5510 (VALIDATION DATE: 8205) REVIEWER: AR IS MI ..... | A | 5310 | AS | | 19-APR-65 | | AS | | |
| | MS9551A<br>NOTICE 1 | BRACKET, FLAT, STEEL, AMS 6350, CAD. PLATE (VALIDATION DATE: 9110) ..... | A | 5340 | AS | | 04-OCT-91 | | AS | 11 | |
| | MS9552A | PLATE, MENDING USER: ME REVIEWER: IS ..... | A | 5340 | AS | | 18-JUN-87 | AR | AS | 11 | |
| | MS9553 | NUT HEX, BOSS CONNECTION, CRES (VALIDATION DATE: 8404) ..... | A | 5310 | AS | | 16-MAR-70 | | AS | 11 | |
| M | MS9554C | SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .138-40UNJF-3A REVIEWER: 82 IS | A | 5305 | IS | | 20-APR-93 | AV | AS | 99 | IS |
| | MS9555C | SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION & HEAT RESISTANT STEEL, .164-36 UNJF-3A REVIEWER: 11 82 AR IS | A | 5305 | AS | | 06-NOV-86 | AV | AS | 99 | |
| | MS9556C | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION & HEAT RESISTANT STEEL, .190-32 UNJF-3A REVIEWER: 11 AR IS | A | 5306 | AS | | 06-NOV-86 | AV | AS | 99 | |
| M | MS9557D | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .250-28UNJF-3A REVIEWER: 82 | A | 5306 | IS | | 20-APR-93 | AV | AS | 99 | IS |
| M | MS9558D | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .3125-24UNJF-3A REVIEWER: 82 | A | 5306 | IS | | 20-APR-93 | AV | AS | 99 | IS |
| M | MS9559D | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .375-24 UNJF-3A REVIEWER: 82 | A | 5306 | IS | | 20-APR-93 | AV | AS | 99 | IS |
| M | MS9560F | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .4375-24UNJF-3A REVIEWER: 82 IS | A | 5306 | AS | | 20-APR-93 | AV | AS | 99 | IS |
| A | MS9561D | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT'RESISTANT STEEL, .500-20UNJF-3A REVIEWER: 82 | A | 5306 | IS | | 20-APR-93 | AV | AS | 99 | IS |

| Action | GPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS9564A | SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5731, .164-36 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11 AR IS | A | 5305 | AS | | 17-NOV-69 | AV | AS | 99 | |
| | | | MS9565A | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED SHANK, AMS | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | | NOTICE 1 | 5731, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR | | | | | | | | | |
| | | | MS9566A | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | | NOTICE 1 | AMS 5731, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR | | | | | | | | | |
| | | | MS9567A | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | | NOTICE 1 | AMS5731, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR | | | | | | | | | |
| | | | MS9568A | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | | NOTICE 1 | AMS5731, .375-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR | | | | | | | | | |
| | | | MS9572D | SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .138-40 UNJF-3A REVIEWER: 82 AR IS | A | 5305 | AS | | 30-SEP-89 | AV | AS | | |
| | | | MS9573B | SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .164-36 UNJF-3A REVIEWER: 11 82 85 AR IS | A | 5305 | AS | | 30-SEP-89 | AV | AS | | |
| | | | MS9574B | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, | A | 5306 | AS | | 04-OCT-91 | AV | AS | | |
| | | | NOTICE 1 | SILVER PLATED, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR IS | | | | | | | | | |
| | | | MS9575B | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, | A | 5306 | AS | | 04-OCT-91 | AV | AS | | |
| | | | NOTICE 1 | SILVER PLATED, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR IS | | | | | | | | | |
| | | | MS9576D | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, | A | 5306 | AS | | 04-OCT-91 | AV | AS | | |
| | | | NOTICE 1 | SILVER PLATED, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 IS | | | | | | | | | |
| | | | MS9577B | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .375-24 UNJF-3A REVIEWER: 11 82 99 AR IS | A | 5306 | AS | | 30-SEP-89 | AV | AS | | |
| | | | MS9578D | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .4375-20 UNJF-3A REVIEWER: 82 AR IS | A | 5306 | AS | | 30-SEP-89 | AV | AS | | |
| | | | MS9579C | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, | A | 5306 | AS | | 26-MAY-92 | AV | AS | 99 | |
| | | | NOTICE 1 | AMS 5731, SILVER PLATED, .500-20 UNJF-3A [VALIDATION DATE: 9205] REVIEWER: 82 85 AR | | | | | | | | | |
| | | | MS9580D | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .5625-18 UNJF-3A REVIEWER: 82 AR IS | A | 5306 | AS | | 30-SEP-89 | AV | AS | | |
| | | | MS9581B | WASHER, KEY - CRES, AMS 5510, 90 DEG, LOCKING [VALIDATION DATE: 8107] USER: AT CL MI REVIEWER: 11 CC IS ME SH | A | 5310 | 82 | | 12-JAN-73 | AV | AS | 99 | |
| | | | MS9582B | WASHER, KEY- CRES, AMS 5510, 270 DEG. LOCKING [VALIDATION DATE: 8310] USER: SH REVIEWER: 11 CC | A | 5310 | AS | | 12-JAN-73 | AV | AS | 99 | |
| | | | MS9583B | BOLT,MACHINE-HEXAGON HEAD,DRILLED 6 HOLES FULL SHANK, 190-32 UNJF-3A REVIEWER: 82 IS MI | A | 5306 | AS | | 30-SEP-87 | | AS | 99 | |
| | | | MS9584B | BOLT,MACHINE-HEXAGON HEAD,DRILLED, 6 HOLES , FULL SHANK,250-28 UNJF-3A REVIEWER: 82 IS MI | A | 5306 | AS | | 30-SEP-87 | | AS | 99 | |
| | | | MS9585B | BOLT,MACINE HEXAGON HEAD,DRILLED, 6 HOLES , FULL SHANK,3125-24 UNJF-3A REVIEWER: 82 IS MI | A | 5306 | AS | | 30-SEP-87 | | AS | 99 | |
| | | | MS9586B | BOLT,MACHINE-HEXAGON HEAD,DRILLED, 6 HOLES , FULL SHANK,375-24 UNJF-3A REVIEWER: 11 82 IS MI | A | 5306 | AS | | 30-SEP-87 | | AS | 99 | |
| | | | MS9587B | BOLT,MACHINE-HEXAGON HEAD,DRILLED, 6 HOLES , FULL SHANK, 4375-20 UNIJF-3A REVIEWER: 82 IS MI | A | 5306 | AS | | 30-SEP-87 | | AS | 99 | |
| | | | MS9588D | BOLT,MACHINE-HEXAGON, DRILLED, 6 HOLES FULL L SHANK, 500-20 UNJF 3A REVIEWER: IS MI | A | 5306 | AS | | 30-SEP-87 | | AS | 99 | |
| | | | MS9589D | BOLT,MACHINE-HEXAGON HEAD,DRILLED, 6 HOLES , FULL SHANK,5625-18 UNJF-3A REVIEWER: 82 IS MI | A | 5306 | AS | | 30-SEP-87 | | AS | 99 | |
| | | | MS9592A | BRACKET, ANGLE, 90 DEG., CRES, .190 BOLT REVIEWER: IS | A | 5340 | AS | | 18-JUN-87 | | AS | 99 | |
| | | | MS9593 | BRACKET, ANGLE, 90 DEG., CRES, .190 X .250 BOLT REVIEWER: IS | A | 5340 | AS | | 18-JUN-87 | | AS | 99 | |
| | | | MS9594A | BRACKET, ANGLE, 90 DEG., CRES, .190 X .312 BOLT REVIEWER: IS | A | 5340 | AS | | 18-JUN-87 | | AS | 99 | |
| | | | MS9595A | BRACKET, ANGLE, 90 DEG., CRES, .190 X .375 BOLT REVIEWER: 11 99 IS | A | 5340 | AS | | 18-JUN-87 | | AS | 99 | |
| | | | MS9596A | BRACKET, ANGLE, 90 DEG., STEEL, .190 BOLT REVIEWER: IS | A | 5340 | AS | | 18-JUN-87 | | AS | 99 | |
| | | | MS9597B | BRACKET, ANGLE, 90 DEG., CADMIUM PLATED, .190 X .250 BOLT REVIEWER: IS | A | 5340 | AS | | 05-JUN-87 | | AS | 11 | |
| | | | MS9598B | BRACKET, ANGLE, 90 DEG., CADMIUM PLATED, .190 X .312 BOLT REVIEWER: IS | A | 5340 | AS | | 05-JUN-87 | | AS | 11 | |
| | | | MS9599B | BRACKET, ANGLE, 90 DEG., CADMIUM PLATED, .190 X .375 BOLT REVIEWER: IS | A | 5340 | AS | | 05-JUN-87 | | AS | 11 | |
| | | | MS96000B | BRACKET, ANGLE, 90 DEG., CRES, .190 BOLT REVIEWER: IS | A | 5340 | AS | | 05-JUN-87 | | AS | 11 | |
| | | | MS96001B | BRACKET, ANGLE, 90 DEG, CRES, .190 X .250 BOLT REVIEWER: IS | A | 5340 | AS | | 18-JUN-87 | | AS | 11 | |
| | | | MS96002B | BRACKET, ANGLE, 90 DEG., CRES .190 X .312 BOLT REVIEWER: IS | A | 5340 | AS | | 05-JUN-87 | | AS | 11 | |
| | | | MS96003B | BRACKET, ANGLE, 90 DEG., CRES .190 X .375 BOLT REVIEWER: IS | A | 5340 | AS | | 05-JUN-87 | | AS | 11 | |
| D | | | MS96318 | SCREW, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .138-40 UNJF-3A | A | 5305 | IS | | 03-MAR-70 | | AS | 99 | IS |
| | | | MS9633 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | [VALIDATION DATE: 9110] REVIEWER: 82 | | | | | | | | | |
| | | | MS9638 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .500-20 UNJF-3A | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | [VALIDATION DATE: 9110] REVIEWER: 82 | | | | | | | | | |
| | | | MS9676 | BOLT, MACHINE-CRES AMS 5731, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED, .190-32 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11 IS | A | 5306 | AS | | 18-NOV-65 | | AS | 99 | |
| | | | MS9677B | BOLT MACHINE-CRES AMS 5731, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED .250-28 UNJF-3A REVIEWER: 82 IS | A | 5306 | AS | | 21-DEC-83 | | AS | 99 | |
| | | | MS9678B | BOLT, MACHINE-CRES AMS 5731, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED, .3125-24 UNJF-3A REVIEWER: 82 IS | A | 5306 | AS | | 21-DEC-83 | | AS | 99 | |
| | | | MS9679B | BOLT, MACHINE-CRES AMS 5731, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED, .375-24 UNJF-3A REVIEWER: 82 IS | A | 5306 | AS | | 21-DEC-83 | | AS | 99 | |
| | | | MS96808 | BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATED DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED, .190-32 UNJF-3A REVIEWER: 82 IS | A | 5306 | AS | | 21-DEC-83 | | AS | 99 | |
| | | | MS9681B | BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATED, DOUBLE HEXAGON EXTENDED | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | WASHER HEAD, CUPWASHER LOCKED, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 IS | | | | | | | | | |
| | | | MS9684A | WASHER, CUP, LOCK - CRES AMS 5510 (INACTIVE USE MS-9880) [VALIDATION DATE: 8404] REVIEWER: 99 IS | A | 5310 | AS | | 15-MAY-68 | | AS | 11 | |
| | | | MS9685 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | DIFFUSED NICKEL CADMIUM PLATE, .190-32 UNJF-3A [VALIDATION DATE: 9110] | | | | | | | | | |
| | | | MS9686 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | DIFFUSED NICKEL CADMIUM PLATE, .250-28 UNJF-3A [VALIDATION DATE: 9110] | | | | | | | | | |
| | | | MS9687 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | DIFFUSED NICKEL CADMIUM PLATE, .3125-24 UNJF-3A [VALIDATION DATE: 9110] | | | | | | | | | |
| | | | MS9696A | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | | NOTICE 1 | RESISTANT STEEL, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 IS | | | | | | | | | |
| | | | MS9697A | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5708, .250-28-UNJF-3A REVIEWER: 82 IS | A | 5306 | AS | | 24-FEB-86 | AV | AS | 99 | |
| | | | MS9698A | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER, HEAD, CORROSION AND HEAT | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | RESISTANT STEEL, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 IS | | | | | | | | | |
| | | | MS9699A | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .375-24 UNJF-3A REVIEWER: 82 IS | A | 5306 | AS | | 24-FEB-86 | AV | AS | 99 | |
| | | | MS9705A | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .190-32 UNJF-3A REVIEWER: 82 IS | A | 5306 | AS | | 24-FEB-86 | AV | AS | 99 | |
| | | | MS9712A | SCREW, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION & HEAT RESISTANT STEEL,.138-40 UNJF-3A REVIEWER: 11 | A | 5305 | AS | | 24-FEB-86 | AV | AS | 99 | |
| | | | MS9714A | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION & HEAT RESISTANT STEEL, .190-32 UNJF-3A REVIEWER: 11 | A | 5306 | AS | | 24-FEB-86 | AV | AS | 99 | |
| | | | MS9715A | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION & HEAT RESISTANT STEEL,.250-28 UNJF-3A REVIEWER: 11 | A | 5306 | AS | | 24-FEB-86 | AV | AS | 99 | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS9716A | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION & HEAT RESISTANT STEEL,.3125-24 UNJF-3A REVIEWER: 11 | A | 5306 | AS | AV | 24-FEB-86 | AV | AS | 99 | |
| | | MS9724A | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, .250 USNJF-3SA REVIEWER: 11 | A | 5306 | AS | AV | 24-FEB-86 | AV | AS | 99 | |
| | | MS9729B | BOLT, MACHINE, DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5708, .5625-18 UNJF-3A | A | 5306 | AS | AV | 31-OCT-84 | AV | AS | 99 | |
| | | MS9732 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .190-32 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 03-MAR-69 | | AS | 99 | |
| | | MS9733 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .250-28 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 03-MAR-69 | | AS | 99 | |
| L | MS9734 | NOTICE 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .3125-24 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 | A | 5306 | AS | | 04-OCT-91 | | AS | | |
| L | MS9741 | NOTICE 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES AMS 5643, .190-32 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 | A | 5306 | AS | | 04-OCT-91 | | AS | | |
| L | MS9742 | NOTICE 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES AMS 5643, .250-28 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 | A | 5306 | AS | | 04-OCT-91 | | AS | | |
| L | MS9750 | NOTICE 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 | A | 5306 | AS | | 04-OCT-91 | | AS | | |
| L | MS9751 | NOTICE 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, TITANIUM AMS 4967, .250-28 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 | A | 5306 | AS | | 04-OCT-91 | | AS | | |
| L | MS9759 | NOTICE 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 | A | 5306 | AS | | 04-OCT-91 | | AS | | |
| L | MS9760 | NOTICE 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .250-28 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 | A | 5306 | AS | | 04-OCT-91 | | AS | | |
| L | MS9761 | NOTICE 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .3125-24 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 85 | A | 5306 | AS | | 04-OCT-91 | | AS | | |
| | | MS9766B | NUT, DOUBLE HEXAGON, CUPWASHER LOCKED, AMS 5737, CRES (VALIDATION DATE: 8404) USER: MC REVIEWER: 99 | A | 5310 | AS | | 20-DEC-72 | | AS | 11 | |
| | | MS9767B | NUT, DOUBLE HEXAGON - COPWASHER LOCKED, AMS 6322, CADIUM PLATED MIL S 8879 (VALIDATION DATE: 8404) REVIEWER: 99 | A | 5310 | AS | | 05-JAN-83 | | AS | 11 | |
| | | MS9768B | WASHER, FLAT CRES AMS 5525 OR AMS 5737, COUNTERSUNK (VALIDATION DATE: 8404) | A | 5310 | AS | | 05-JAN-83 | | AS | 11 | |
| L | | MS9769 | REDUCER, TUBE - STRAIGHT, TUBE TO BOSS, AMS 5646 (VALIDATION DATE: 8404) USER: CG MC REVIEWER: 99 IS | A | 4730 | AS | | 22-DEC-71 | | AS | | |
| | | MS9770 | PACKING, PREFORMED - AMS 3650, .O. RING (VALIDATION DATE: 8404) REVIEWER: 82 99 IS | A | 5330 | AS | | 22-DEC-71 | | AS | 11 | |
| | | MS9771 | PACKING, PREFORMED - AMS 3650, SEAL (VALIDATION DATE: 8404) REVIEWER: 82 99 IS | A | 5330 | AS | | 22-DEC-71 | | AS | 11 | |
| | | MS9772 | PACKING, PREFORMED - AMS 3617, .O. RING (VALIDATION DATE: 8404) REVIEWER: 82 99 IS | A | 5330 | AS | | 22-DEC-71 | | AS | 11 | |
| | | MS9783 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .190-32 UNJF-3A | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: 82 | | | | | | | | | |
| | | MS9784 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .250-28 UNJF-3A | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: 82 | | | | | | | | | |
| | | MS9785 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .3125-24 UNJF-3A | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: 2 | | | | | | | | | |
| | | MS9786 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .375-24 UNJF-3A | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: | | | | | | | | | |
| | | MS9788 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .500-20 UNJF-3A | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: 82 | | | | | | | | | |
| | | MS9790 | BOLT, MACHINE, HEXAGON HEAD, FULL SHANK, AMS 5643, .625-18 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 11-MAR-70 | AV | AS | 99 | |
| | | MS9796B | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5643, | A | 5306 | AS | | 04-OCT-91 | AV | AS | 99 | |
| | | NOTICE 1 | .3125-24 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 82 IS | | | | | | | | | |
| | | MS9805 | BOLT, MACHINE, HEXAGON HEAD, PD SHANK, AMS 5643, .190-32 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | 82 | | 11-MAR-70 | AV | AS | 99 | |
| | | MS9806 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5643, .250-28 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 11-MAR-70 | AV | AS | 99 | |
| | | MS9808 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5643, .375-24 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 11-MAR-70 | AV | AS | 99 | |
| | | MS9816 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, AMS 5643, .190-32 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 11-MAR-70 | AV | AS | 99 | |
| | | MS9821 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, AMS 5643, .500-20 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 11-MAR-70 | AV | AS | 99 | |
| | | MS9825A | CLAMP, LOOP CUSHIONED, JOGGLED, CORROSION RESISTING STEEL, .204 HOLE (INACTIVE 9-7-72) (VALIDATION DATE: 8107) REVIEWER: 11 IS | A | 5340 | 82 | | 07-SEP-72 | | AS | 99 | |
| I | | MS9826A | CLAMP, LOOP-CUSHIONED, JOGGLED, CORROSION RESISTING STEEL, .265 HOLE | A | 5340 | AS | | 04-OCT-91 | | AS | 99 | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) REVIEWER: 11 | | | | | | | | | |
| L | | MS9841 | KEY, WOODRUFF - CHAMFERED CRES AMS5640 (VALIDATION DATE: 9110) REVIEWER: | A | 5315 | AS | | 04-OCT-91 | | AS | | |
| | | NOTICE 1 | 82 85 | | | | | | | | | |
| L | | MS9842 | PIN, STRAIGHT, HEADED .0937 DIAMETER, AMS5616 (VALIDATION DATE: 8310) ..... | A | 5315 | AS | | 28-FEB-68 | | AS | | |
| L | | MS9843 | PIN, STRAIGHT, HEADED .1249 DIAMETER, AMS5616 (VALIDATION DATE: 8310) ..... | A | 5315 | AS | | 28-FEB-68 | | AS | | |
| L | | MS9844 | PIN, STRAIGHT, HEADED .1874 DIAMETER, AMS5616 (VALIDATION DATE: 9110) | A | 5315 | AS | | 04-OCT-91 | | AS | | |
| | | NOTICE 1 | REVIEWER: 82 85 | | | | | | | | | |
| | | MS9845 | PIN, STRAIGHT, HEADED .2499 DIAMETER, AMS5616 (VALIDATION DATE: 8310) ..... | A | 5315 | AS | | 28-FEB-68 | | AS | | |
| | | MS9846 | PIN, STRAIGHT, HEADED .3124 DIAMETER, AMS5616 (VALIDATION DATE: 8310) ..... | A | 5315 | AS | | 28-FEB-68 | | AS | | |
| | | MS9847 | PIN, STRAIGHT, HEADED .3749 DIAMETER, AMS5616 (VALIDATION DATE: 8310) ..... | A | 5315 | AS | | 28-FEB-68 | | AS | | |
| | | MS9848 | PIN, STRAIGHT, HEADED .4999 DIAMETER, AMS5616 (VALIDATION DATE: 8310) ..... | A | 5315 | AS | | 28-FEB-68 | | AS | | |
| | | MS9879A | SLEEVE, SWIVEL-PILOTED O-RING TUBE CONNECTION, BRAZING, AMS 5646 | A | 4730 | AS | | 04-OCT-91 | | AS | 11 | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) | | | | | | | | | |
| | | MS9880 | WASHER, CUP, LOCK - CRES AMS 5510 (VALIDATION DATE: 8404) REVIEWER: MI .... | A | 5310 | AS | | 21-MAY-68 | | AS | 11 | |
| | | MS9881B | NUT, PLAIN, HEXAGON - AMS 6322, CADMIUM PLATE MIL-S-8879 (VALIDATION DATE: 8310) | A | 5310 | AS | | 16-APR-82 | AV | AS | | |
| | | MS9882 | NUT, PLAIN, HEX - DRILLED, AMS 6322, CADMIUM PLATE MIL-S-8879 (VALIDATION DATE: 8310) REVIEWER: 82 | A | 5310 | AS | | 27-MAY-68 | AV | AS | 99 | |
| | | MS9885 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .190-32 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 03-MAR-69 | | AS | 99 | |
| | | MS9887 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .3125-24 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 03-MAR-69 | | | 99 | |
| | | MS9890 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .500-20 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 03-MAR-69 | | AS | 99 | |
| | | MS9894 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED AMS 5616, .190-32 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 21-APR-69 | | AS | 99 | |
| | | MS9895 | BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5616, 250-28 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 21-APR-69 | | AS | 99 | |
| | | MS9901 | PLUG, MACHINE THREAD - AMS 5646, PREFORMED PACKING, MIL-S-8879 THREAD (VALIDATION DATE: 8404) | A | 4730 | AS | | 11-MAR-70 | | AS | 11 | |
| | | MS9902A | PLUG, MACHINE THREAD - DRILLED, AMS 5646, PREFORMED PACKING, MIL-S-8879 THREAD REVIEWER: 1S | A | 5365 | AS | | 30-SEP-87 | | AS | 11 | |
| | | MS9914 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .190-32 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 15-AUG-69 | | AS | 99 | |
| | | MS9917 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .375-24 UNJF-3A (VALIDATION DATE: 8109) REVIEWER: 11 | A | 5306 | AS | | 15-AUG-69 | | AS | 99 | |

| Action | Off. / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS9918 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .4375-20 UNJF-3A [VALIDATION DATE: 8310] REVIEWER: 11 | A | 5306 | AS | | 15-AUG-69 | | AS | 99 | |
| | | | MS9923 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, STEEL AMS 6322, CADIUM PLATED, .190-32 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11 | A | 5306 | AS | | 15-AUG-69 | | AS | 99 | |
| | | | MS9924 | BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, STEEL AMS, CADMIUM PLATED, .250-28 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11 | A | 5306 | AS | | 15-AUG-69 | | AS | 99 | |
| | | | MS9933 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL AMS | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | 6322, CADMIUM PLATED, .250-28 UNJF-3A [VALIDATION DATE: 9110] USER: CG MC REVIEWER: 82 | | | | | | | | | |
| | | | MS9944 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, FULL SHANK, | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | STEEL AMS 6322, CADMIUM PLATED, .375-24 UNJF-3A [VALIDATION DATE: 9110] USER: CG MC REVIEWER: 82 | | | | | | | | | |
| | | | MS9947 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, FULL SHANK, | A | 5306 | AS | | 04-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | STEEL AMS 6322, CADMIUM PLATED, .5625-18 UNJF-3A [VALIDATION DATE: 9110] USER: CG MC REVIEWER: 82 | | | | | | | | | |
| | | | MS9948 | COVER - ACCESSORY DRIVE, 10,000 BC ROUND, QAD [VALIDATION DATE: 8404] ..... | A | 2995 | AS | | 04-MAY-70 | AV | AS | 11 | |
| | | | MS9949 | COVER - ACCESSORY DRIVE, 8,000 BC ROUND, QAD [VALIDATION DATE: 8404] ..... | A | 2995 | AS | | 04-MAY-70 | AV | AS | 11 | |
| | | | MS9950 | COVER - ACCESSORY DRIVE, 5,000 BC ROUND, QAD [VALIDATION DATE: 8404] ..... | A | 2995 | AS | | 04-MAY-70 | AV | AS | 11 | |
| | | | MS9951 | NUT, SPANNER END SLOTS, CUPWASHER LOCKED, STEEL AMS 6322 MIL-S-8879 [VALIDATION DATE: 8109] REVIEWER: 11 | A | 5310 | AS | | 29-JUN-70 | | AS | 99 | |
| | | | MS9953 | PLUG, MACHINE THREAD-AMS 4121, PREFORMED PACKING, MIL-S-8879 THREAD [VALIDATION DATE: 8404] USER: CG MC REVIEWER: 99 CS | A | 4730 | AS | | 07-DEC-70 | | AS | 11 | |
| | | | MS9954 | PLUG, MACHINE THREAD-DRILLED, AMS 4121, PREFORMED PACKING, MIL-S-8879 THREAD [VALIDATION DATE: 8404] USER: CG MC REVIEWER: CS | A | 4730 | AS | | 07-DEC-70 | | AS | 11 | |
| | | | MS9955 | PACKING, PREFORMED - AMS 3668, .O. RING [VALIDATION DATE: 8404] REVIEWER: 82 99 IS OS | A | 5330 | AS | | 22-DEC-71 | | AS | 11 | |
| | | | MS9956 | PACKING, PREFORMED - AMS 3668, SEAL [VALIDATION DATE: 8404] REVIEWER: IS .. | A | 5330 | AS | | 22-DEC-71 | | AS | 11 | |
| | | | MS9958 | BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS 6322, | A | 5306 | AS | | 04-OCT-91 | AV | AS | 11 | |
| | | | NOTICE 1 | CADMIUM PLATED, .250-28UNJF-3A [VALIDATION DATE: 9110] | | | | | | | | | |
| | | | MS9964 | BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS 6322, | A | 5306 | AS | | 04-OCT-91 | AV | AS | 11 | |
| | | | NOTICE 1 | CADMIUM PLATED, .625-18UNJF-3A [VALIDATION DATE: 9110] | | | | | | | | | |
| | | | MS9966 | PACKING, PREFORMED - AMS 7273 SEAL [VALIDATION DATE: 8404] REVIEWER: 82 99 | A | 5330 | AS | | 22-DEC-71 | | AS | 11 | |
| | | | MS9967 | PACKING, PREFORMED - AMS 1273, .O. RING [VALIDATION DATE: 8404] REVIEWER: 82 99 IS | A | 5330 | AS | | 22-DEC-71 | | AS | 11 | |
| | | | MS9970 | PACKING, PREFORMED - AMS 7279, O RING [VALIDATION DATE: 8404] REVIEWER: 82 99 MI | A | 5330 | AS | | 09-JUN-72 | | AS | 11 | |
| | | | MS9971 | COVER, ACCESSORY DRIVE, 5 INCHES (127 MM) BC ROUND, ALUMINUM [VALIDATION DATE: 8404] | A | 2995 | AS | | 01-OCT-73 | | AS | 11 | |
| D | | | MS13804D | GENERATOR, ENGINE ACCESSORY D.C. 28-VOLT 40-AMP REVIEWER: AT CS ..... | A | 2920 | ME | | 11-JAN-91 | ME | YD1 | | |
| D | L | | MS13836D | BEARING, SLEEVE: ENGINE, PLAIN, 1-1/2" X 3/4" [VALIDATION DATE: 9202] | A | 2805 | ME | | 05-FEB-92 | ME | | | |
| | | | NOTICE 1 | USER: AT YD1 REVIEWER: 69 CS | | | | | | | | | |
| | | | MS14001H | SWITCH, TOGGLE, POSITIVE BREAK ENVIRONMENTALLY SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR EC MI | A | 5930 | 8S | | 30-SEP-86 | ER | AS | 85 | |
| | | | MS14002H | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR EC ES MI | A | 5930 | 8S | | 30-SEP-86 | ER | AS | 85 | |
| | | | MS14003H | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SOLDER LUG, FOUR POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR EC MI | A | 5930 | 8S | | 30-SEP-86 | ER | AS | 85 | |
| | | | MS14004E | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 6 USER: AT CG MC ME REVIEWER: 11 AS ES MI SH | A | 5935 | EC | | 26-JAN-89 | CR | EC | 85 | |
| D | | | MS14005D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 26 (SIZE 16, 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME SH YD1 REVIEWER: 11 99 AS AT ES MI OS | A | 5935 | EC | | 18-MAR-85 | CR | EC | 85 | |
| | | | MS14006D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 9 (SIZE 16, 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME REVIEWER: 99 AS AT ES MI OS | A | 5935 | EC | | 18-MAR-85 | CR | EC | 85 | |
| | | | MS14007C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 9 (SIZE 16, 20 | A | 5935 | EC | | 15-DEC-89 | CR | EC | 85 | |
| | | | NOTICE 1 | CRIMP REMOVABLE) SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM AR MC ME OS SH REVIEWER: 11 99 AS AT ES MI | | | | | | | | | |
| | | | MS14008C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 26 (SIZE 16, 20 | A | 5935 | EC | | 15-DEC-89 | CR | EC | 85 | |
| | | | NOTICE 1 | CRIMP REMOVABLE) PIN CONTACTS [VALIDATION DATE: 8912] USER: AM AR MC ME OS SH REVIEWER: 11 99 AS AT ES MI | | | | | | | | | |
| | | | MS14010B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL 7 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MI OS | A | 5935 | EC | | 18-MAR-85 | CR | EC | 85 | |
| | | | MS14011B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL 7 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MI OS | A | 5935 | EC | | 18-MAR-85 | CR | EC | 85 | |
| I | | | MS14012C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 4 SIZE 22 SOLDER PIN | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 1 | CONTACTS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14013C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 4 SIZE 22 SOLDER SOCKET | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS [VALIDATION DATE: 9207] USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14014C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 7 SIZE 22 SOLDER PIN | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14015C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 7 SIZE 22 SOLDER SOCKET | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14016C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 22 SOLDER PIN | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14017C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 22 SOLDER SOCKET | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14018C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 22 SOLDER PIN | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14019C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 22 SOLDER SOCKET | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14020C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 26 SIZE 22 SOLDER PIN | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MT | | | | | | | | | |
| I | | | MS14021C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 26 SIZE 22 SOLDER SOCKET | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14022C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 22 SOLDER PIN | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14023C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 22 SOLDER SOCKET | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14024C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 44 SIZE 22 SOLDER PIN | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14025C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 44 SIZE 22 SOLDER SOCKET | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14026C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 22 SOLDER PIN | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |
| I | | | MS14027C | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 22 SOLDER SOCKET | A | 5935 | EC | | 27-JUL-92 | CR | EC | 85 | |
| | | | NOTICE 2 | CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH | | | | | | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS140338 | GRID PATTERNS FOR SOLDERLESS WRAPPED ELECTRICAL CONNECTORS [VALIDATION DATE: 8601] USER: AR MI REVIEWER: 11 17 99 AS ES MC | A | 5935 | EC | 30-APR-79 | CR | EC | 85 | |
| | | MS14034 | GENERAL CONTACT LAYOUT FOR TYPE III BASE PLATE CONNECTOR (200 GRID) [VALIDATION DATE: 8404] USER: AR MI REVIEWER: 11 AS MC OS | A | 5935 | EC | 13-AUG-71 | CR | EC | 85 | |
| I | | MS14040A | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES | A | 5950 | EC | 31-JAN-92 | ER | EC | 85 | |
| | | NOTICE 1 | LT10K097 TO LT10K107 INCL. [VALIDATION DATE: 9201] USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS | | | | | | | | |
| | | MS14041A | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K108 TO LT10K112 INCL. (INACTIVE) [VALIDATION DATE: 8404] USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS | A | 5950 | EC | 25-JUL-83 | ER | EC | 85 | |
| | | MS14042A | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K113 TO LT10K117 INCL. (INACTIVE) [VALIDATION DATE: 8404] USER: 19 AS MC ME SH SL REVIEWER: 11 17 80 AR ES MI OS | A | 5950 | EC | 25-JUL-83 | ER | EC | 85 | |
| | | MS14043A | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K118 TO LT10K122 INCL. (INACTIVE) [VALIDATION DATE: 8404] USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS | A | 5950 | EC | 25-JUL-83 | ER | EC | 85 | |
| | | MS14044A | COIL, RADIO FREQUENCY,MOLDED, FIXED, SUBMIN IATURE (IRON CORE) TYPES LT10K123 TO LT10K127 INCL. (INACTIVE) [VALIDATION DATE: 8404] USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS | A | 5950 | EC | 25-JUL-83 | ER | EC | 85 | |
| | | MS14046A | COIL, RADIO FREQUENCY, MOLDED, FIXED, MICROMINIATURE (IRON CORE) TYPES LT10K128 TO LT10K137 INCL. USER: 19 AS MC ME REVIEWER: 11 17 99 AR AV CS MI OS | A | 5950 | EC | 16-SEP-85 | ER | EC | 85 | |
| | | MS14047 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K138 TO LT10K142 INCL. [VALIDATION DATE: 8404] REVIEWER: 11 17 99 AR ES MI OS | A | 5950 | EC | 15-FEB-72 | ER | EC | 85 | |
| | | MS14048 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE @IRON CORE@ TYPES LTU/K1JO TO LT10K147 INCL. [VALIDATION DATE: 8404] USER: 19 AS MC ME SH REVIEWER: 11 17 99 AR ES MI OS | A | 5950 | EC | 15-FEB-72 | ER | EC | 85 | |
| | | MS14049 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K148 TO LT10K152 INCL. [VALIDATION DATE: 8404] USER: 19 AS MC ME SH REVIEWER: 11 17 99 AR ES MI OS | A | 5950 | EC | 15-FEB-72 | ER | EC | 85 | |
| | | MS14050 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE @IRON CORE@ TYPES LT10K153 TO LTUOK157 INCL. [VALIDATION DATE: 8404] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS | A | 5950 | EC | 15-FEB-72 | ER | EC | 85 | |
| | | MS14052 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE @IRON CORE@ TYPES LT10K158 TO LT10K168 INCL. [VALIDATION DATE: 8404] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS | A | 5950 | EC | 15-FEB-72 | ER | EC | 85 | |
| D | | MS14054D | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 28, CLASS L, 40 AMPS | A | 5935 | EC | 29-SEP-89 | CR | EC | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 8909] USER: 19 AT AV CG MC ME OS REVIEWER: 17 85 AS ES MI YD1 | | | | | | | | |
| D | | MS14055G | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 44, CLASS L, 100 AMPS | A | 5935 | EC | 29-SEP-89 | CR | EC | 85 | |
| | | NOTICE 1 | [VALIDATION DATE: 8909] USER: 19 AT AV CG MC ME OS REVIEWER: 17 80 AS ES MI YD1 | | | | | | | | |
| | | MS14056 | CONTACTS, ELECTRIC CONNECTOR, SHIELDED CABLE APPLICATIONS, SIZE 8 | A | 5935 | EC | 03-JUN-92 | CR | EC | 11 | |
| | | NOTICE 1 | [VALIDATION DATE: 9206] USER: 19 CG MC REVIEWER: 17 85 AS ES MI OS SH | | | | | | | | |
| D | | MS14057F | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 52, CLASS L, 200 AMPS USER: 19 AT AV CG MC ME SH REVIEWER: 11 17 AS ES MI YD1 | A | 5935 | EC | 09-JUN-89 | CR | EC | 85 | |
| | | MS14058C | CONNECTORS, ELECTRIC, RECTANGULAR MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE, SOCKET CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES USER: CG MC ME SH REVIEWER: 11 99 AS ES MI | A | 5935 | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MS14059D | CONNECTORS, ELECTRIC, RECTANGULAR MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, PIN CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES USER: AT CG MC SH REVIEWER: 11 99 AS ES MI | A | 5935 | EC | 26-JAN-89 | CR | EC | 85 | |
| L | | MS14060B | CLAMP, CABLE [VALIDATION DATE: 8505] | A | 5935 | EC | 30-APR-79 | | EC | | |
| L | | MS14061B | PLATE, COVER, CONNECTOR [VALIDATION DATE: 8505] USER: AR AS MI REVIEWER: 11 17 99 ES MC | A | 5935 | EC | 30-APR-79 | CR | EC | 85 | |
| L | | MS14062B | HOUSING, CONNECTOR, CASTING AND MACHINERY [VALIDATION DATE: 8601] | A | 5935 | EC | 16-NOV-79 | | EC | | |
| L | | MS14065B | SCREW, FLAT HEAD [VALIDATION DATE: 8505] | A | 5935 | EC | 30-APR-79 | | EC | | |
| L | | MS14066B | SCREW, FLAT HEAD [VALIDATION DATE: 8601] REVIEWER: 11 17 99 AR AS ES MC MI | A | 5935 | EC | 30-APR-79 | CR | EC | 85 | |
| L | | MS14069C | HOUSING, CONNECTOR ASSEMBLY, STYLE I [VALIDATION DATE: 8601] | A | 5935 | EC | 16-NOV-79 | | EC | | |
| I | | MS14071A | SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20, 26, 34, 44, AND 50 CONTACT | A | 5935 | EC | 27-JUL-92 | CR | EC | 85 | |
| | | NOTICE 2 | CONNECTORS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MT | | | | | | | | |
| I | | MS14072 | SHELL, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20, 26, 34, 42, AND 50 CONTACT | A | 5935 | EC | 27-JUL-92 | CR | EC | 85 | |
| | | NOTICE 1 | CONNECTORS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MT | | | | | | | | |
| | | MS14101G | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING LOW SPEED, NARROW, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F USER: SH REVIEWER: 84 AR AT IS MI | A | 3120 | AS | 21-APR-87 | AV | AS | 99 | |
| | | MS14102G | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, CHAMFERED OUTER RING, -65 DEG. TO 325 DEG. F USER: SH REVIEWER: 84 AR AT IS MI | A | 3120 | AS | 21-APR-87 | AV | AS | 99 | |
| | | MS14103G | BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F USER: SH REVIEWER: 84 AR AT IS MI | A | 3120 | AS | 21-APR-87 | AV | AS | 99 | |
| | | MS14104G | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, CHAMFERED OUTER RING, -65 DEG. TO 325 DEG. F USER: SH REVIEWER: 84 AR AT IS MI | A | 3120 | AS | 21-APR-87 | AV | AS | 99 | |
| | | MS14105E | CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH PULL, 25 THRU 35 AMPS,. TYPE 1 | A | 5925 | AS | 23-OCT-91 | ER | AS | 85 | |
| | | NOTICE 1 | -55 TO +121 DEG. C [VALIDATION DATE: 9110] REVIEWER: 11 ES | | | | | | | | |
| L | | MS14109A | FASTENER, POSITIVE SELF-LOCKING CASE MOUNTING, ELECTRONIC EQUIPMENT (WITH | A | 5340 | AS | 04-OCT-91 | | AS | | |
| | | NOTICE 1 | HOLDING CLAMP) [VALIDATION DATE: 9110] | | | | | | | | |
| | | MS14113E | TAPE, IDENTIFICATION, COLOR CODED, FOR AIRCRAFT TIRES REVIEWER: 11 70 CS | A | 2620 | AS | 18-JUL-90 | AV | AS | 99 | |
| L | | MS14114 | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH (HARD MOUNTED) | A | 6610 | AS | 07-DEC-87 | | AS | | |
| | | NOTICE 1 | | | | | | | | | |
| | | MS14115 | CASSETTES AND REELS, PROJECTION, MOTION-PICTURE, SUPER 8MM [VALIDATION DATE: 8505] REVIEWER: GS | A | 6760 | AS | 01-APR-74 | ER | AS | 99 | |
| L | | MS14116 | FLANGE, HYDRAULIC STARTER MOUNTING [VALIDATION DATE: 8708] | A | 2995 | AS | 06-JAN-72 | | AS | | |
| | | NOTICE 1 | | | | | | | | | |
| L | | MS14117 | ADAPTER, AIR TURBINE STARTER TO ENGINE, MOUNTING [VALIDATION DATE: 8508] | A | 2995 | AS | 06-JAN-72 | | AS | | |
| L | | MS14118 | ADAPTER, HYDRAULIC STARTER TO ENGINE, MOUNTING [VALIDATION DATE: 8508] | A | 2995 | AS | 06-JAN-72 | | AS | | |
| L | | MS14119 | FLANGE, AIR TURBINE STARTER MOUNTING [VALIDATION DATE: 8509] | A | 2995 | AS | 06-JAN-72 | | AS | | |
| L | | MS14125F | RACK, VERTICAL REVIEWER: GS | A | 5975 | AS | 30-AUG-90 | | AS | | |
| | | NOTICE 2 | | | | | | | | | |
| L | | MS14127E | DOOR, FACE MOUNTED [VALIDATION DATE: 9110] | A | 5975 | AS | 23-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | | | | |
| L | | MS14128F | DOOR, FLUSH MOUNTED [VALIDATION DATE: 9110] | A | 5975 | AS | 23-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | | | | |
| L | | MS14129D | PANEL, PLUSH MOUNTED [VALIDATION DATE: 9110] | A | 5975 | AS | 23-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | | | | |
| L | | MS14130B | WRITING DESK [VALIDATION DATE: 8803] REVIEWER: GS | A | 5975 | AS | 15-MAR-88 | | AS | | |
| | | NOTICE 1 | | | | | | | | | |
| L | | MS14131C | WRITING DESK COMPONENTS [VALIDATION DATE: 8803] REVIEWER: GS | A | 5975 | AS | 15-MAR-88 | | AS | | |
| | | NOTICE 1 | | | | | | | | | |
| L | | MS14132A | PANEL TEXTOLITE [VALIDATION DATE: 8803] REVIEWER: GS | A | 5975 | AS | 15-MAR-88 | | AS | | |
| | | NOTICE 1 | | | | | | | | | |
| L | | MS14133C | DRAWER, SILDING [VALIDATION DATE: 8803] REVIEWER: GS | A | 5975 | AS | 15-MAR-88 | | AS | | |
| | | NOTICE 1 | | | | | | | | | |

| Action | Opt. / Cond. | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LI | | | | MS14134C | SLIDE ASSEMBLY, EQUIPMENT | A | 5975 | AS | | 30-AUG-90 | | AS | | | |
| | | | | NOTICE 2 | | | | | | | | | | | |
| L | | | | MS14135C | DRAWER ASSEMBLY, RACK MOUNTING [VALIDATION DATE: 8204] REVIEWER: GS | A | 5975 | AS | | 09-DEC-75 | | AS | | | |
| L | | | | MS14136C | HANDLE [VALIDATION DATE: 9110] | A | 5975 | AS | | 23-OCT-91 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14137F | ANGLE, MOUNTING | A | 5975 | AS | | 30-AUG-90 | | AS | | | |
| | | | | NOTICE 2 | | | | | | | | | | | |
| L | | | | MS14138B | SHELF | A | 5975 | AS | | 30-AUG-90 | | AS | | | |
| | | | | NOTICE 2 | | | | | | | | | | | |
| L | | | | MS14139A | KNEE PROTECTOR | A | 5975 | AS | | 30-AUG-90 | | AS | | | |
| | | | | NOTICE 2 | | | | | | | | | | | |
| L | | | | MS14140H | PLATE-RACK [VALIDATION DATE: 8303] REVIEWER: GS | A | 5975 | AS | | 14-JUL-77 | | AS | | | |
| L | | | | MS14142A | TIRE, PNEUMATIC AIRCRAFT, REBUILT 22X5.5 (200 MPH) TYPE VII (NAVY) [VALIDATION DATE: 8705] REVIEWER: CS | A | 2620 | AS | | 14-MAY-87 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| | | | | MS14144A | NUT, SELF-LOCKING, LIGHTWEIGHT, CASTELLATED, 450 DEGREE F | A | 5310 | AS | | 30-NOV-88 | AV | AS | 99 | | |
| M | | | | MS14145B | NUT, SELF-LOCKING, LIGHTWEIGHT, THIN, CASTELLATED, 450 DEG. F | A | 5310 | IS | | 27-APR-93 | AV | AS | 99 | IS | |
| | | | | MS14146A | NUT, SELF-LOCKING, CASTELLATED, HEXAGON, C'BORED, CAPTIVE WASHER, 450 DEGREE F | A | 5310 | AS | | 30-NOV-88 | AV | AS | 99 | | |
| L | | | | MS14147A | SERVICE SUITABILITY (FLIGHT) TESTING OF REBUILT NAVY AIRCRAFT TIRES [VALIDATION DATE: 9110] | A | 2620 | AS | | 29-OCT-91 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| | | | | MS14151 | WASHER, FLAT, ROUND, CORROSION RESISTING STEEL (FOR ELECTRICAL APPLICATIONS [VALIDATION DATE: 8704] REVIEWER: 80 ER | A | 5310 | AS | | 16-JUL-73 | AV | AS | 99 | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14152A | TIRE, PNEUMATIC, AIRCRAFT, 37 X 11.5 - 16, TYPE VIII (NAVY) [VALIDATION DATE: 9110] | A | 2620 | AS | | 29-OCT-91 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| | | | | MS14153C | CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH-PULL 3 PHASE, 1 THRU 35 AMP, TYPE 1 | A | 5925 | AS | | 09-JAN-90 | ER | AS | 85 | | |
| | | | | MS14154D | CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE PUSH-PULL , 3 PHASE, 1 THRU 20 AMP, TYPE 1 | A | 5925 | AS | | 09-JAN-90 | ER | AS | 85 | | |
| | | | | MS14155 | WASHER, RECESSED COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 180 KSI FTU [VALIDATION DATE: 8906] REVIEWER: 82 AT ER ME | A | 5310 | AS | | 30-JUN-89 | AV | AS | 99 | | |
| | | | | MS14156 | NUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 180 KSI FTU, 450 DEG. F, SPLINE DRIVE [VALIDATION DATE: 8906] REVIEWER: 82 AR ER ME | A | 5310 | AS | | 30-JUN-89 | AV | AS | 99 | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| | | | | MS14157B | BOLT, WHEEL, TENSION, FLANGED STEEL, 180KSI FTU, 450 DEG. F EXTERNAL SPLINE DRIVE [VALIDATION DATE: 9110] REVIEWER: AR AT CR IS ME | A | 5306 | AS | | 04-OCT-91 | AV | AS | 11 | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14158 | TIRE - AIRCRAFT, 13.5 X 6.00-4 (NAVY) [VALIDATION DATE: 8201] REVIEWER: CS | A | 2620 | AS | | 16-OCT-74 | | AS | | | |
| L | | | | MS14159 | TIRE - AIRCRAFT, 26 X 7.75-13 (NAVY) [VALIDATION DATE: 8201] USER: CS ..... | A | 2620 | AS | | 16-OCT-74 | | AS | | | |
| L | | | | MS14160 | TIRE, AIRCRAFT, 26 X 8.75-11 (NAVY) [VALIDATION DATE: 8201] REVIEWER: CS .. | A | 2620 | AS | | 16-OCT-74 | | AS | | | |
| L | | | | MS14161A | TIRE, PNEUMATIC, AIRCRAFT 22 X 6.75-10 (NAVY) USER: CS ..... | A | 2620 | AS | | 17-JAN-86 | | AS | | | |
| | | | | MS14162 | TIRE, PNEUMATIC, AIRCRAFT, 34 X 9.9-16 [VALIDATION DATE: 8104] USER: CS ... | A | 2620 | AS | | 06-MAR-75 | AV | AS | 99 | | |
| | | | | MS14163B | BOLT, WHEEL, TENSION, FLANGED, STEEL 220 KSI, FTU, 450 DEG. F EXTERNAL WRENCHING, SPLINE, DRIVE [VALIDATION DATE: 9110] | A | 5306 | AS | | 04-OCT-91 | AV | AS | 11 | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| | | | | MS14164A | NUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 220 KSI FTU, 450 DEG. F SPLINE, DRIVE REVIEWER: 82 | A | 5310 | AS | | 06-MAY-91 | AV | AS | 11 | | |
| L | | | | MS14165 | AIRCRAFT ACCESSORY MOUNTING [VALIDATION DATE: 8306] REVIEWER: GS ..... | A | 6115 | AS | | 28-JAN-76 | | AS | | | |
| L | | | | MS14166 | T-WRENCH, URT-33 RADIO BEACON [VALIDATION DATE: 8204] ..... | A | 5120 | AS | | 29-JUL-76 | | AS | | | |
| | | | | MS14167A | TIRE, PNEUMATIC, REBUILT, AIRCRAFT, 34 X 9.9-16 [VALIDATION DATE: 9110] REVIEWER: 70 | A | 2620 | AS | | 29-OCT-91 | AV | AS | 99 | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14168 | TIRE - AIRCRAFT, 22 X 6.6-10 (NEW DESIGN) [VALIDATION DATE: 9110] ..... | A | 2620 | AS | | 29-OCT-91 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14169C | CIRCULAR SPLINE AND ADAPTER DETAILS ENGINE DRIVEN ACCESSORIES [VALIDATION DATE: 8712] REVIEWER: 11 | A | 6115 | AS | | 31-DEC-87 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14170A | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 37 X 11.5 - 16, TYPE VII (NAVY) [VALIDATION DATE: 9110] | A | 2620 | AS | | 29-OCT-91 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14171B | TIRE, PNEUMATIC, AIRCRAFT 30 X 11.50-14.50, TYPE VIII (NAVY) FABRIC REINFORCED TREAD REVIEWER: CS | A | 2620 | AS | | 31-JUL-87 | | AS | | | |
| L | | | | MS14172C | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 30 X 11.50-14.50, TYPE VIII (NAVY) FABRIC REINFORCED TREAD [VALIDATION DATE: 8705] USER: CS | A | 2620 | AS | | 14-MAY-87 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14174 | DROPLINE, RIGID SEAT SURVIVAL KIT [VALIDATION DATE: 9110] ..... | A | 1680 | AS | | 29-OCT-91 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14175A | DROPLINE/BOOT ASSY, RIGID SEAT SURVIVAL KIT [VALIDATION DATE: 9110] ..... | A | 1680 | AS | | 29-OCT-91 | | AS | | | |
| | | | | NOTICE 2 | | | | | | | | | | | |
| A | L | | | MS14176B | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 30 X 8.0-16.00, TYPE VII (NAVY) FABRIC REINFORCED TREAD [VALIDATION DATE: 9303] | A | 2620 | AS | | 01-MAR-93 | | AS | | | |
| | | | | NOTICE 2 | | | | | | | | | | | |
| | | | | MS14177B | WASHER, RECESSED, COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU REVIEWER: 82 | A | 5310 | AS | | 20-SEP-91 | AV | AS | 99 | | |
| L | | | | MS14178A | TIRE, PNEUMATIC, AIRCRAFT, 24X6.5-14, FABRIC REINFORCED TREAD (200 KNOTS) [VALIDATION DATE: 9110] | A | 2620 | AS | | 29-OCT-91 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| | | | | MS14179A | NUT, PLATE, SELF-LOCKING, FLOATING, TWO LUG, REDUCED RIVET SPACING, STEEL, (VESPEL INSERT) 500 CYCLES REUSE, REPLACEABLE NUT, 160 KSI FTU, 450 DEG. F [VALIDATION DATE: 9110] REVIEWER: 11 AR IS | A | 5310 | AS | | 04-OCT-91 | AV | AS | 99 | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| | | | | MS14180 | NUT REPLACEMENT FOR SELF LOCKING PLATE, FLOATING, TWO LUG, STEEL, (VESPEL INSERT) 500 CYCLES REUSE 160 KSI FTU, 450 DEG.F. [VALIDATION DATE: 8504] REVIEWER: 82 AR IS | A | 5310 | AS | | 30-JAN-79 | AV | AS | 99 | | |
| | | | | MS14181C | BOLT, TENSION, NICKEL ALLOY 718, 220 KSI FTU, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD REVIEWER: 82 | A | 5306 | AS | | 30-JAN-89 | AV | AS | 99 | | |
| | | | | MS14182A | NUT, SELF-LOCKING, EXTENDED WASHER, ROUND, NICKEL ALLOY 718, 220 KSI FTU, 450 DEGREE F AND 800 DEGREE F, SPLINE DRIVE | A | 5310 | AS | | 30-JAN-89 | AV | AS | 99 | | |
| | | | | MS14183B | WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU USER: MI REVIEWER: 11 AT IS | A | 5310 | AS | | 30-JAN-89 | AV | AS | 99 | | |
| L | | | | MS14184A | NONMETALLIC SHAFT-COUPLING DETAILS, ENGINE DRIVEN ACCESSORIES [VALIDATION DATE: 8712] | A | 6115 | AS | | 31-DEC-87 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| A | L | | | MS14185 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 22X6.75-10 [VALIDATION DATE: 9209] .... | A | 2620 | AS | | 30-SEP-92 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14186B | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 36 X 11 REVIEWER: CS ..... | A | 2620 | AS | | 18-JUL-90 | | AS | | | |
| L | | | | MS14187 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 22X6.6-10, NEW DESIGN [VALIDATION DATE: 9110] | A | 2620 | AS | | 29-OCT-91 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| | | | | MS14188 | SCREW, CAP, SOCKET HEAD, SQUARE 160 KSI, UTS [VALIDATION DATE: 9109] ..... | A | 5305 | AS | | 23-SEP-91 | AV | AS | 99 | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14189 | NONDESTRUCTIVE INSPECTION OF REBUILT AIRCRAFT TIRES, REQUIREMENT FOR [VALIDATION DATE: 9110] | A | 2620 | AS | | 29-OCT-91 | | AS | | | |
| | | | | MS14191D | RECESS, RIBBED TORQ-SET DIMENSIONS OF RECESS, GAGE, AND DRIVER FOR ..... | A | 53GP | AS | | 31-JUL-87 | AV | AS | 11 | | |
| L | | | | MS14193 | AIRCRAFT TIRE LIFE CYCLE COSTING (LCC), PROCEDURES FOR [VALIDATION DATE: 8705] REVIEWER: CS | A | 2620 | AS | | 14-MAY-87 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| | | | | MS14194 | NUTS (FASTENERS), INTERNALLY THREADED, PRELOAD LOCKING, 450 DEG. F, 800 DEG. F, 1200 DEG. F, RELIABILITY AND MAINTAINABILITY DESIGN REQUIREMENTS FOR [VALIDATION DATE: 8906] REVIEWER: 82 IS | A | 5310 | AS | | 30-JUN-89 | AV | AS | 99 | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| L | | | | MS14196 | TIRE, PNEUMATIC, AIRCRAFT, 18 X 5.7 - 8.00 (NAVY), FABRIC REINFORCED TREAD [VALIDATION DATE: 8802] REVIEWER: CS | A | 2620 | AS | | 10-FEB-88 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | | |
| | | | | MS14198A | LOCK, ROD END, EXTRA STRENGTH, HIGH PROFILE LUG REVIEWER: 99 IS MI ..... | A | 5340 | AS | | 17-JAN-83 | AV | AS | | | |
| | | | | MS14199 | NUT ASSEMBLY, FLOATING, SELF-LOCKING, RIVETLESS, ATTACHED RETENTION ELEMENT, (A.R.E.), MAINTAINABILITY AND RELIABILITY DESIGN AND USAGE LIMITATIONS FOR [VALIDATION DATE: 9110] REVIEWER: 99 AV IS MC MI SH | A | 5310 | AS | | 04-OCT-91 | AR | AS | 11 | | |
| | | | | NOTICE 1 | | | | | | | | | | | |

| Action | QPL / QML | Cooperation Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS14200 | NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.) 450 DEG. F, STEEL, 125 KSI FTU, REPLACEABLE NUT ELEMENT REVIEWER: 82 AV IS MI SH | A | 5310 | AS | 21-DEC-83 | AR | AS | 99 | |
| | | | MS14201 | NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, STEEL, 125 KSI FTU, REPLACEABLE NUT ELEMENT, 1/64 OVERSIZE REPAIR REVIEWER: 82 AV IS MI SH | A | 5310 | AS | 21-DEC-83 | AR | AS | 99 | |
| | | | MS14210 | NUT,FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, CRES (A-286), 125 KSI FTU, REPLACEABLE NUT ELEMENT | A | 5310 | AS | 13-MAR-84 | | AS | | |
| | | | MS14211 | NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, CRES (ASTM A-286), KSI FTU, REPLACEABLE NUT ELEMENT, 1/64 OVERSIZE REPAIR | A | 5310 | AS | 13-MAR-84 | | AS | | |
| | L | | MS14213 | NUT ELEMENT, REPLACEABLE, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, CRES (A-286), 125 KSI FTU | A | 5310 | AS | 13-MAR-84 | | AS | | |
| | | | MS14214 | NUT ELEMENT, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, STEEL (AISI 1050 OR 4130), 125 KSI FTU REVIEWER: 82 AV IS MI SH | A | 5310 | AS | 21-DEC-83 | AR | AS | 99 | |
| | | | MS14218C | RIVET, SOLID, 120 DEG. FLUSH INTERFERENCE SHEAR HEAD REVIEWER: 82 AR IS ... | A | 5320 | AS | 25-JAN-85 | AV | AS | 99 | |
| | | | MS14219A | RIVET, SOLID, 120 DEG. FLUSH INTERFERENCE, TENSION TYPE HEAD ..... | A | 5320 | AS | 25-JAN-85 | | AS | | |
| | | | MS14222 | NUT, SELF-LOCKING, 450 DEG. F, HEXAGON, REDUCED HEAD HEIGHT, RING BASE, CORROSION RESISTANT STEEL [VALIDATION DATE: 9109] USER: CR ER REVIEWER: AR IS MI | A | 5310 | AS | 23-SEP-91 | AV | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | L | | MS14223 | TIRE, PNEUMATIC, AIRCRAFT, 26.0 X 8.75 - 11 (NAVY (AV-88 MLG) USER: CS .... | A | 2620 | AS | 26-FEB-82 | | AS | | |
| | L | | MS14224 | TIRE, PNEUMATIC, AIRCRAFT 13.5 X 6.00-4 (NAVY) (AV-88 WLG) REVIEWER: CS ... | A | 2620 | AS | 26-FEB-82 | | AS | | |
| | L | | MS14225 | TIRE, PNEUMATIC, AIRCRAFT, 26 X 7.75-13 (NAVY) (AV-88 MLG) REVIEWER: CS ... | A | 2620 | AS | 26-FEB-82 | | AS | | |
| | | | MS14226 | WASHER, FLAT, FOR OVERSIZE FASTENERS & FASTENER SLEEVE ..... | A | 5310 | AS | 24-SEP-82 | AV | AS | 11 | |
| | | | MS14227 | LOCK, ROD END, IMPROVED STRENGTH, NAS LUG REVIEWER: IS MI ..... | A | 5340 | AS | 22-DEC-82 | AV | AS | 11 | |
| | | | MS14237A | BUSHING, SLEEVE PLAIN, PRESS FIT, REAM TYPE REVIEWER: 82 84 IS MI ..... | A | 3120 | AS | 02-APR-87 | AV | AS | 99 | |
| | | | MS14238A | BUSHING, SLEEVE FLANGED, PRESS FIT, REAM TYPE REVIEWER: 82 84 IS ..... | A | 3120 | AS | 02-APR-87 | AV | AS | 99 | |
| | | | DS14241A | CLAMP, LOOP TYPE, CUSHIONED SUPPORT, METRIC USER: EA REVIEWER: 11 82 AR IS | A | 5340 | AS | 08-JAN-88 | AV | AS | 99 | |
| D | L | | DS14242A | CLAMP, LOOP, CUSHIONED, CENTER MOUNTING, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 AR IS MI YD1 | A | 5340 | AS | 04-OCT-91 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | DS14243 | CLAMP, LOOP, NYLON, METRIC [VALIDATION DATE: 9110] USER: 99 EA EC MC | A | 5340 | AS | 04-OCT-91 | AV | AS | | |
| | | | NOTICE 1 | REVIEWER: 11 82 AL AR GL IS | | | | | | | | |
| D | | | DS14244 | CLAMP, LOOP TYPE, BONDING, METRIC [VALIDATION DATE: 9110] REVIEWER: AT AV CR CS ER IS ME MI YD1 | A | 5340 | AS | 04-OCT-91 | AR | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14245 | BAR, OCTAGONAL, ALUMINUM ALLOY 2024 REVIEWER: IS ..... | A | 9530 | AS | 24-SEP-83 | MR | AS | 99 | |
| | | | MS14246 | BAR, HEXAGONAL, ALUMINUM ALLOY 2014 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14247 | BAR, HEXAGONAL, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14248 | BAR, HEXAGONAL, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14249 | BAR, HEXAGONAL, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14250 | BAR, HEXAGONAL, ALUMINUM ALLOY 2017 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14251 | BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14252 | BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14253A | BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 6063 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14254 | BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14255 | BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 2014 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14256 | BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 5052 [VALIDATION DATE: 9110] REVIEWER: 84 IS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14257 | ROD, ALUMINUM ALLOY 2014 [VALIDATION DATE: 9110] REVIEWER: 84 IS ..... | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14258 | ROD, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] REVIEWER: 84 IS ..... | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14259 | ROD, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] REVIEWER: 84 IS ..... | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14260A | ROD, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] REVIEWER: 84 IS ..... | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14261 | ROD, ALUMINUM ALLOY 1100 [VALIDATION DATE: 9110] REVIEWER: 84 IS ..... | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14262 | ROD, ALUMINUM ALLOY 3003 [VALIDATION DATE: 9110] REVIEWER: 84 IS ..... | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14263 | ROD, ALUMINUM ALLOY 2017 [VALIDATION DATE: 9110] REVIEWER: 84 IS ..... | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14264 | ROD, ALUMINUM ALLOY 5052 [VALIDATION DATE: 9110] REVIEWER: 84 IS ..... | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14265 | BAR, SQUARE, ALUMINUM ALLOY 2014 [VALIDATION DATE: 9110] REVIEWER: 84 IS .. | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14266 | BAR, SQUARE, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] REVIEWER: 84 IS .. | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14267 | BAR, SQUARE, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] REVIEWER: 84 IS .. | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14268 | BAR, SQUARE, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] REVIEWER: 84 IS .. | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | L | | DS14269 | HINGE, CONTINUOUS, METRIC [VALIDATION DATE: 9110] REVIEWER: IS ..... | A | 5340 | AS | 04-OCT-91 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | DS14270 | PIN HINGE, METRIC REVIEWER: IS ..... | A | 5340 | AS | 28-OCT-83 | | AS | | |
| | | | MS14271C | HANDLE, COUPLING, PNEUMATIC STARTER ..... | A | 5340 | AS | 30-JUN-87 | | AS | | |
| D | | | DS14272 | CLAMP, LOOP, CUSHIONED ELONGATED, METRIC USER: EC REVIEWER: 11 AR IS MI YD1 | A | 5340 | AS | 23-DEC-83 | AV | AS | 99 | |
| D | | | DS14273 | STRAP, RETAINING, CUSHIONED, RECTANGULAR, METRIC [VALIDATION DATE: 9110] USER: MI REVIEWER: 82 IS YD1 | A | 5340 | AS | 04-OCT-91 | AR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14274A | PIN, QUICK RELEASE, POSITIVE LOCKING "L" HANDLE SINGLE ACTION, DETENT WRENCH/SAFETY PIN (SLOTTED) [VALIDATION DATE: 9109] | A | 5340 | AS | 23-SEP-91 | AV | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14275 | WIRE, ROUND, NONELECTRICAL ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS | A | 9525 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14276 | WIRE, ROUND, NONELECTRICAL ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS | A | 9525 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14277 | WIRE, ROUND, NONELECTRICAL ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] USER: OS REVIEWER: 84 IS SH | A | 9525 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| A | | | MS14278 | WIRE, HEXAGONAL, NONELECTRICAL ALUMINUM ALLOY 2024 [VALIDATION DATE: 9210] USER: OS SH REVIEWER: 84 IS | A | 9525 | AS | 15-OCT-92 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14279 | WIRE, HEXAGONAL, NONELECTRICAL ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS | A | 9525 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14280 | WIRE, HEXAGONAL, NONELECTRICAL ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS | A | 9525 | AS | 29-OCT-91 | MR | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS14281 | WIRE, SQUARE, NONELECTRICAL ALUMINUM ALLOY 6061 USER: OS SH REVIEWER: 84 IS | A | 9525 | AS | 28-FEB-84 | MR | AS | 99 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | MS14282 | WIRE, SQUARE, NONELECTRICAL ALUMINUM ALLOY 7075 [VALIDATION DATE: 9210] | A | 9525 | AS | 15-OCT-92 | MR | AS | 99 | | |
| | NOTICE 1 | USER: OS SH REVIEWER: 84 IS | | | | | | | | | |
| A | MS14283 | WIRE, SQUARE, NONELECTRICAL ALUMINUM ALLOY 2024 [VALIDATION DATE: 9210] | A | 9525 | AS | 15-OCT-92 | MR | AS | 99 | | |
| | NOTICE 1 | USER: OS SH REVIEWER: 84 IS | | | | | | | | | |
| | MS14284 | ANGLE, SHAPE STYLE I ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: OS | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | SH REVIEWER: 84 IS | | | | | | | | | |
| | MS14285 | ANGLE, SHAPE STYLE II ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: OS | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | SH REVIEWER: 84 IS | | | | | | | | | |
| | MS14286 | ANGLE, SHAPE STYLE III ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | OS SH REVIEWER: 84 IS | | | | | | | | | |
| | MS14287 | ANGLE, SHAPE STYLE I ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: OS | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | SH REVIEWER: 84 IS | | | | | | | | | |
| | MS14288 | ANGLE, SHAPE STYLE II ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: OS | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | SH REVIEWER: 84 IS | | | | | | | | | |
| | DS14289 | STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO PIECE, METRIC REVIEWER: 11 | A | 5340 | AR | 23-APR-84 | AR | AS | 99 | | |
| | | AT AV EA EC IS MC SH | | | | | | | | | |
| D | DS14290 | CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC [VALIDATION DATE: 9110] USER: | A | 5340 | AS | 04-OCT-91 | AR | AS | 99 | | |
| | NOTICE 1 | AL EC ME MI REVIEWER: 82 AV EA ER IS MC YD1 | | | | | | | | | |
| | MS14291 | WIRE, NONELECTRICAL, ROUND, ALLOY STEEL 4130 CHROME-MOLYBDENUM (AIRCRAFT | A | 9505 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | QUALITY) [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 84 IS | | | | | | | | | |
| | MS14292 | WIRE, NONELECTRICAL, SQUARE, ALLOY STEEL 4130 CHROME-MOLYBDENUM (AIRCRAFT | A | 9505 | AS | 29-OCT-91 | MR | AS | | | |
| | NOTICE 1 | QUALITY) [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 84 IS | | | | | | | | | |
| | MS14293 | WIRE, NONELECTRICAL, HEXAGON, ALLOY STEEL 4130 CHROME-MOLYBDENUM (AIRCRAFT | A | 9505 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | QUALITY) [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 84 IS | | | | | | | | | |
| | MS14294 | BAR, METAL, ROUND, ALLOY STEEL 4130 CHROME MOLYBDENUM (AIRCRAFT QUALITY) | A | 9510 | AS | 09-OCT-84 | MR | AS | 99 | | |
| | | USER: MC OS REVIEWER: 84 IS | | | | | | | | | |
| | MS14295 | BAR, METAL, SQUARE, ALLOY STEEL 4130 CHROME MOLYBDENUM (AIRCRAFT QUALITY | A | 9510 | AS | 09-OCT-84 | MR | AS | 99 | | |
| | | USER: MC OS REVIEWER: 84 IS | | | | | | | | | |
| | MS14296 | BAR, METAL, FLAT, ALLOY STEEL 4130 CHROME - MOLYBDENUM (AIRCRAFT QUALITY) | A | 9510 | AS | 09-OCT-84 | MR | AS | 99 | | |
| | | USER: MC OS REVIEWER: 84 IS | | | | | | | | | |
| | MS14297 | BAR, METAL, HEXAGON, ALLOY STEEL 4130 CHROME MOLYB[illegible]AIRCRAFT QUALITY) | A | 9510 | AS | 09-OCT-84 | MR | AS | 99 | | |
| | | USER: MC OS REVIEWER: 84 IS | | | | | | | | | |
| D | DS14298 | CLAMP ASSEMBLY, CUSHIONED SADDLE, METRIC USER: MI REVIEWER: 11 AT AV EC GL | A | 5340 | AS | 15-OCT-84 | AR | AS | 99 | | |
| | | IS MC YD1 | | | | | | | | | |
| D | MS14298 | CLAMP ASSEMBLY, CUSHIONED SADDLE, METRIC USER: MI REVIEWER: 11 AT AV EC GL | A | 5340 | AS | 15-OCT-84 | AR | AS | 99 | | |
| | | IS MC YD1 | | | | | | | | | |
| | MS14302 | PIPE, COPPER, SEAMLESS, STANDARD SIZES [VALIDATION DATE: 8304] USER: MC MI | A | 4710 | 99 | 15-JUN-73 | ME | | 99 | | |
| | | REVIEWER: AR CS | | | | | | | | | |
| D | MS14303A | PIPE FITTINGS, STEEL, THREADED, PRESSURE CLASS 2000, 3000, AND 6000 POUND | A | 4730 | YD1 | 29-MAY-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | WOG [VALIDATION DATE: 8705] USER: CE MC REVIEWER: AR CS EA | | | | | | | | | |
| D | MS14304A | COUPLING, CAPS, PLUGS, & BUSHINGS, PIPE THREADED, PRESSURE CLASS 3000 & | A | 4730 | YD1 | 29-MAY-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | 6000 [VALIDATION DATE: 8705] | | | | | | | | | |
| D | MS14305A | FITTINGS, PIPE, BRASS OR BRONZE, THREADED (TEES, CROSSES, 45 DEG ELBOWS | A | 4730 | YD1 | 25-AUG-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | AND COUPLINGS), 125 LB. [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR | | | | | | | | | |
| | | CS | | | | | | | | | |
| D | MS14306A | FITTINGS, PIPE, BRASS OR BRONZE, THREADED (REDUCERS, CLOSE AND OPEN RETURN | A | 4730 | YD1 | 25-AUG-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | BENDS AND 45-DEG Y-BRANCHES), 125 LB. [VALIDATION DATE: 8708] USER: CE MC | | | | | | | | | |
| | | REVIEWER: AR CS | | | | | | | | | |
| D | MS14307A | ELBOWS, PIPE, STREET, BRASS OR BRONZE, THREADED, 45 DEG, 125 LB | A | 4730 | YD1 | 25-AUG-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS | | | | | | | | | |
| D | MS14308A | ELBOW, PIPE, BRASS OR BRONZE, THREADED 90-DEG, REDUCING, 125 LB. | A | 4730 | YD1 | 25-AUG-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS | | | | | | | | | |
| D | MS14309B | TEES, PIPE, BRASS OR BRONZE, THREADED, REDUCING, 125 LB. USER: MC | A | 4730 | YD1 | 24-FEB-86 | ME | YD1 | 99 | | |
| | | REVIEWER: 82 AR CE CS | | | | | | | | | |
| D | MS14310A | CAP, PIPE, BRASS OR BRONZE, THREADED, 125 LB. [VALIDATION DATE: 8708] | A | 4730 | YD1 | 20-AUG-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | USER: CE MC REVIEWER: AR CS | | | | | | | | | |
| D | MS14311A | FITTINGS, PIPE, BRASS OR BRONZE, THREADED (90 DEG ELBOWS, TEES, CROSSES, | A | 4730 | YD1 | 20-AUG-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | 45 DEG ELBOWS AND COUPLINGS), 250 LB [VALIDATION DATE: 8708] USER: CE MC | | | | | | | | | |
| | | REVIEWER: AR | | | | | | | | | |
| D | MS14312A | ELBOW, PIPE, BRASS OR BRONZE, THREADED, 90-DEG, REDUCING, 250 LB. | A | 4730 | YD1 | 20-AUG-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS | | | | | | | | | |
| D | MS14313A | TEES, PIPE, BRASS OR BRONZE, THREADED, REDUCING, 250 LB [VALIDATION DATE: | A | 4730 | YD1 | 20-AUG-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | 8708] USER: CE MC REVIEWER: AR CS | | | | | | | | | |
| D | MS14314B | PLUGS, PIPE, BRASS OR BRONZE, THREADED, SQUARE HEAD & SQUARE SOCKET, 250 | A | 4730 | YD1 | 06-APR-88 | ME | YD1 | 99 | | |
| | | LBS & 125 LBS USER: CE MC REVIEWER: AR CS | | | | | | | | | |
| D | MS14315A | BUSHINGS, BRASS OR BRONZE (OUTSIDE HEAD, INSIDE HEAD, & FACE), 250 LBS & | A | 4730 | YD1 | 20-AUG-87 | ME | YD1 | 99 | | |
| | NOTICE 1 | 125 LBS [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS | | | | | | | | | |
| | MS14350 | BAR, FLAT ALUMINUM ALLOY 5086 USER: SH REVIEWER: 84 IS ..... | A | 9530 | AS | 30-APR-84 | MR | AS | 99 | | |
| | MS14351 | BAR, SQUARE ALUMINUM ALLOY 5086 [VALIDATION DATE: 9110] USER: MC OS | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | REVIEWER: 84 IS SH | | | | | | | | | |
| | MS14352 | ROD ALUMINUM ALLOY 5086 [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 84 | A | 9530 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | IS SH | | | | | | | | | |
| | MS14353A | PLATE, ALUMINUM ALLOY 7075 USER: MC OS SH REVIEWER: 84 IS ..... | A | 9535 | AS | 29-SEP-89 | MR | AS | 99 | | |
| | MS14354 | PLATE, ALUMINUM ALLOY 1100 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9535 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | MS14355 | PLATE, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9535 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | MS14356 | PLATE, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9535 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | MS14357 | SHEET, ALUMINUM ALLOY 1100 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9535 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | MS14358 | SHEET, ALUMINUM ALLOY ALCLAD 2024 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9535 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | MS14359 | SHEET, ALUMINUM ALLOY ALCLAD 7075 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9535 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | MS14360 | SHEET, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9535 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | MS14361 | SHEET, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9535 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | MS14362A | SHEET, ALUMINUM ALLOY 6061 USER: ME OS SH REVIEWER: 84 IS ..... | A | 9535 | AS | 29-SEP-89 | MR | AS | 99 | | |
| | MS14363 | CHANNEL, STYLE I ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | SH REVIEWER: 84 IS | | | | | | | | | |
| | MS14364 | CHANNEL, STYLE II ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | SH REVIEWER: 84 IS | | | | | | | | | |
| | MS14365 | CHANNEL, STYLE III ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | SH REVIEWER: 84 IS | | | | | | | | | |
| | MS14366 | CHANNEL, SHAPE STYLE IV ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | MC OS SH REVIEWER: 84 IS | | | | | | | | | |
| | MS14367 | CHANNEL, STYLE I ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | SH REVIEWER: 84 IS | | | | | | | | | |
| | MS14368 | CHANNEL, STYLE II ALUMINUM ALLOY 7075 USER: MC OS SH REVIEWER: 84 IS ..... | A | 9540 | AS | 30-APR-84 | MR | AS | 99 | | |
| | MS14369 | CHANNEL, STYLE III ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS | A | 9540 | AS | 29-OCT-91 | MR | AS | 99 | | |
| | NOTICE 1 | SH REVIEWER: 84 IS | | | | | | | | | |

| Action | Ofc. / Ofc. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS14370 | TEE, STYLE 1, EXFOLIATED ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | MC OS SH REVIEWER: 84 IS | | | | | | | | | |
| | | MS14371 | TEE, STYLE II ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14372 | TEE, STYLE III, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14373 | TEE, STYLE IV ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14374 | TEE, STYLE V ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14375 | TEE, STYLE I ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14376 | TEE, STYLE II ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14377 | TEE, STYLE III ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14378 | TEE, STYLE I ALUMINUM ALLOY 7178 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14379 | H-BEAM, WIDE FLANGE, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] USER: MC | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | OS SH REVIEWER: 84 IS | | | | | | | | | |
| | | MS14380 | H, BEAM ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14381 | H, BEAM, STYLE I ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | SH REVIEWER: 84 IS | | | | | | | | | |
| | | MS14382 | H, BEAM, STYLE II ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | SH REVIEWER: 84 IS | | | | | | | | | |
| | | MS14383 | I, BEAM, STYLE I ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | SH REVIEWER: 84 IS | | | | | | | | | |
| | | MS14384 | I, BEAM, STYLE II ALUMINUM ALLOY 2024 USER: MC OS SH REVIEWER: 84 IS ..... | A | 9540 | | AS | 30-APR-84 | MR | AS | 99 | |
| | | MS14385 | I BEAM ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14386 | I BEAM ALUMINUM ALLOY 7178 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14387 | ZEE, STYLE I ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14388 | ZEE, STYLE II ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14389 | ZEE, STYLE III ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14390 | ZEE, STYLE I ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14391 | ZEE, STYLE II ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14392 | ZEE, STYLE III ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14393 | ZEE ALUMINUM ALLOY 7178 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: | A | 9540 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | 84 IS | | | | | | | | | |
| | | MS14395 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 301 REVIEWER: 84 IS . | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14396 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 302 REVIEWER: 84 IS . | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14397 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS . | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14398 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 310 REVIEWER: 84 IS . | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14399 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS . | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14400 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 321 REVIEWER: 84 IS . | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14401 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 347 REVIEWER: 84 IS . | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14402 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 410 REVIEWER: 84 IS . | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14403 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 416 REVIEWER: 84 IS . | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14404 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 420 REVIEWER: 84 IS . | A | 9505 | | AS | 25-JAN-85 | MR | AS | 99 | |
| | | MS14405 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 430 REVIEWER: 84 IS . | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14406 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 440C REVIEWER: 84 IS | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14407 | WIRE, NONELECTRICAL, HEXAGON, CORROSION RESISTANT, TYPE 347 REVIEWER: 84 | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | | IS | | | | | | | | | |
| | | MS14408 | WIRE, NONELECTRICAL, HEXAGON, CORROSION RESISTANT, TYPE 410 REVIEWER: 84 | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | | IS | | | | | | | | | |
| | | MS14409 | WIRE, NONELECTRIC, SQUARE, CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS .. | A | 9505 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14410 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 302 REVIEWER: 84 IS ..... | A | 9510 | | AS | 28-FEB-85 | MR | | 99 | |
| | | MS14411 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS ..... | A | 9510 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14412 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 304< REVIEWER: 84 IS ..... | A | 9510 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14413 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 309 REVIEWER: 84 IS ..... | A | 9510 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14414 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 310 REVIEWER: 84 IS ..... | A | 9510 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14415 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS ..... | A | 9510 | | AS | 28-FEB-85 | MR | AS | 99 | |
| | | MS14416 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 316L [VALIDATION DATE: 9110] | A | 9510 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14417 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 321 [VALIDATION DATE: 9110] | A | 9510 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14418 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 347 [VALIDATION DATE: 9110] | A | 9510 | | AS | 29-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14419 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 403 [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14420 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 410 [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14421 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 420 [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14422 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 430 [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14423 | BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 440C [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14424 | BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 302 [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14425 | BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 304 [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14426 | BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 316 [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14427 | BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 316L [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14428 | BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 321 [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14429 | BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 347 [VALIDATION DATE: 9110] | A | 9510 | | AS | 30-OCT-91 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| A | | MS14430 | BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 410 [VALIDATION DATE: 9210] | A | 9510 | | AS | 02-OCT-92 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| A | | MS14431 | BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 440C [VALIDATION DATE: 9210] | A | 9510 | | AS | 02-OCT-92 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |
| A | | MS14432 | BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 302 [VALIDATION DATE: 9210] | A | 9510 | | AS | 02-OCT-92 | MR | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 84 IS | | | | | | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS14433 | BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 304 (VALIDATION DATE: 9110) | A | 9510 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| A | | MS14434 | BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 316 (VALIDATION DATE: 9210) | A | 9510 | AS | | 02-OCT-92 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14435 | BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 321 (VALIDATION DATE: 9110) | A | 9510 | AS | | 30-OCT-91 | MR | AS | 99 | |
| A | | MS14436 | BAR, METAL, HEXAGON, CORROSION RESISTANT TYPE 347 (VALIDATION DATE: 9210) . | A | 9510 | AS | | 02-OCT-92 | MR | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| A | | MS14437 | BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 403 (VALIDATION DATE: 9210) | A | 9510 | AS | | 02-OCT-92 | MR | AS | 99 | |
| | | MS14438 | BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 410 (VALIDATION DATE: 9110) | A | 9510 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | MS14439 | BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 420 (VALIDATION DATE: 9110) | A | 9510 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| A | | MS14440 | BAR, METAL, SQUARE, CORROSION RESISTANT, TYPE 302 (VALIDATION DATE: 9210) | A | 9510 | AS | | 02-OCT-92 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| A | | MS14441 | BAR, METAL, SQUARE, CORROSION RESISTANT, TYPE 304 (VALIDATION DATE: 9210) | A | 9510 | AS | | 02-OCT-92 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14442 | BAR, METAL, SQUARE, CORROSION RESISTANT, TYPE 316 (VALIDATION DATE: 9110) | A | 9510 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14443 | BAR, METAL, SQUARE, CORROSION RESISTANT, TYPE 321 (VALIDATION DATE: 9110) | A | 9510 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14444 | BAR, METAL, SQUARE, CORROSION RESISTANT, TYPE 410 (VALIDATION DATE: 9110) | A | 9510 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14445 | PLATE, METAL, CORROSION RESISTANT, TYPE 302 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14446 | PLATE, METAL, CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14447 | PLATE, METAL, CORROSION RESISTANT, TYPE 304L REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14448 | PLATE, METAL, CORROSION RESISTANT, TYPE 310 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14449 | PLATE, METAL, CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14450 | PLATE, METAL, CORROSION RESISTANT, TYPE 316L REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14451 | PLATE, METAL, CORROSION RESISTANT, TYPE 321 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14452 | PLATE, METAL, CORROSION RESISTANT, TYPE 347 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14453 | PLATE, METAL, CORROSION RESISTANT, TYPE 410 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14454 | PLATE, METAL, CORRISION RESISTANT, TYPE 430 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14455 | SHEET, METAL CORROSION RESISTANT, TYPE 301 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14456 | SHEET, METAL CORROSION RESISTANT, TYPE 302 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14457 | SHEET, METAL CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14458 | SHEET, METAL, CORROSION RESISTANT, TYPE 309 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | | |
| | | MS14459 | SHEET, METAL, CORROSION RESISTANT, TYPE 310 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14460 | SHEET, METAL, CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14461 | SHEET, METAL, CORROSION RESISTANT, TYPE 316L REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14462 | SHEET, METAL CORROSION RESISTANT, TYPE 321 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14463 | SHEET, METAL CORROSION RESISTANT, TYPE 347 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14464 | SHEET, METAL CORROSION RESISTANT, TYPE 410 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14465 | SHEET, METAL CORROSION RESISTANT, TYPE 430 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14466 | STRIP, METAL, CORROSION RESISTANT, TYPE 302 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14467 | STRIP, METAL, CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14468 | STRIP, METAL, CORROSION RESISTANT REVIEWER: 84 IS | A | 9515 | AS | | 28-FEB-85 | MR | AS | 99 | |
| A | | MS14469 | ANGLE, STRUCTURAL, CORROSION RESISTANT, TYPE 302 (VALIDATION DATE: 9210) | A | 9520 | AS | | 02-OCT-92 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | | | | |
| | | MS14470 | ANGLE, STRUCTURAL CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS | A | 9520 | AS | | 28-FEB-85 | MR | AS | 99 | |
| | | MS14471 | ANGLE, STRUCTURAL, CORROSION RESISTANT, TYPE316 REVIEWER: 84 IS | A | 9520 | AS | | 28-FEB-85 | MR | AS | 99 | |
| L | | MS14482A | TIRE, PNEUMATIC, AIRCRAFT, 36 X 11, 24 PR REVIEWER: CS | A | 2620 | AS | | 23-AUG-85 | | AS | | |
| L | | MS14483 | TIRE PNEUMATIC, AIRCRAFT, RADIAL PLY CONSTRUCTION, 26 X 7.75R13 (NAVY) (AV-8B MLG) USER: CS | A | 2620 | AS | | 08-OCT-85 | | AS | | |
| | | DS14487 | CLAMP, LOOP, PLASTIC, WIRE SUPPORT, METRIC (VALIDATION DATE: 9110) USER: | A | 5340 | AS | | 04-OCT-91 | AR | AS | 99 | |
| | | NOTICE 1 | AL MC OS SH REVIEWER: 85 AT AV CR EC ER GL IS ME MI | | | | | | | | | |
| | | DS14488 | CLAMP, LOOP, PLASTIC, WIRE SUPPORT, RIBBED INNER DIAMETER, METRIC USER: MC MI OS SH REVIEWER: 82 AV CR EC IS | A | 5340 | AS | | 02-APR-86 | AR | AS | 99 | |
| | | DS14489 | CLAMP, LOOP,METAL, PLAIN, SUPPORT, AIRCRAFT,METRIC USER: MC MI OS SH REVIEWER: 82 AV CR EC IS | A | 5340 | AS | | 02-APR-86 | AR | AS | 99 | |
| | | MS14490C | BOLT, WHEEL, NICKEL ALLOY 718, 220 KSI FTU, 132 KSI FSU, 450 DEG. F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD | A | 5306 | AS | | 28-AUG-89 | AV | AS | 99 | |
| | | MS14491C | NUT, WHEEL, SELF-LOCKING, FLANGED, NICKEL ALLOY 718, 220 KSI FTU, 450 DEG. F, SPLINE DRIVE | A | 5310 | AS | | 28-AUG-89 | AV | AS | 99 | |
| L | | MS14492 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 32 X 8.8 TYPE VII (NAVY), FABRIC REINFORCED THREAD | A | 2620 | AS | | 31-OCT-86 | | AS | | |
| | | MS14493 | NUT, SELF-LOCKIN, CHA WHEL, FLOATING, CARBON STEEL, 125 KSI, FTU | A | 5310 | AS | | 03-APR-87 | AV | AS | 11 | |
| | | MS14501 | FOIL, METAL, CORROSION RESISTANT, TYPE 301 USER: MB REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14502 | FOIL, METAL, CORROSION RESISTANT, TYPE 302 (VALIDATION DATE: 9110) USER: | A | 9515 | AS | | 30-OCT-91 | AR | AS | 99 | |
| | | NOTICE 1 | ME REVIEWER: IS | | | | | | | | | |
| | | MS14503 | PLATE, METAL, CORROSION RESISTANT, TYPE 301 USER: ME | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14504 | PLATE, METAL, CORROSION RESISTANT, TYPE 302 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14505 | PLATE, METAL, CORROCION RESISTANT, TYPE 304 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14506 | SHEET, METAL, CORROSION RESISTANT, TYPE 301 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14507 | SHEET, METAL, CORROSION RESISTANT, TYPE 302 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14508 | SHEET, MATAL, CORROSION RESISTANT, TYPE 304 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14509 | SHEET, METAL, CORROSION RESISTANT, TYPE 316 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14510 | STRIP, METAL, CORROSION RESISTANT, TYPE 301 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14511 | STRIP, METAL, CORROSION RESISTANT, TYPE 302 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14512 | STRIP, METAL, CORROSION RESISTANT, TYPE 304 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14513 | STRIP, METAL, CURROSION RESISTANT, TYPE 316 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14514 | SHEET, PERFORATED, METAL, STRAIGHT, CORROSION RESISTANT, TYPE 304 USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14515 | SHEET, PERFORATED, METAL, STAGGERED 60 DEG., CORROSION RESISTANT, TYPE 30) USER: ME REVIEWER: IS | A | 9515 | AS | | 12-OCT-87 | AR | AS | 99 | |
| | | MS14516 | SHEET, METAL, TITANIUM ALLOY 6AL-6V-2SN (AB-3) (VALIDATION DATE: 9110) | A | 9535 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | USER: ER GL MI REVIEWER: 84 AR AV IS OS SH | | | | | | | | | |
| | | MS14517 | SHEET, METAL, TITANIUM ALLOY 6AL-4V (AB-1) (VALIDATION DATE: 9110) USER: | A | 9535 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | ER GL MI REVIEWER: 84 AR AV IS OS SH | | | | | | | | | |
| | | MS14518 | SHEET,METAL,TITANIUM ALLOY AMM (AB-6) USER: ER GL MI REVIEWER: 84 AR AV IS OS SH | A | 9535 | AS | | 09-NOV-87 | MR | AS | 99 | |
| | | MS14519 | SHEET, METAL, TITANIUM, CP-1 (VALIDATION DATE: 9110) USER: ER GL MI | A | 9535 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 AR AV IS OS SH | | | | | | | | | |
| | | MS14520 | SHEET, METAL, TITANIUM, CP-2 (VALIDATION DATE: 9110) USER: ER GL MI | A | 9535 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 AR AV IS OS SH | | | | | | | | | |
| | | MS14521 | SHEET, METAL, TITANIUM, CP-3 (VALIDATION DATE: 9110) USER: ER GL MI | A | 9535 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 AR AV IS OS SH | | | | | | | | | |
| | | MS14522 | SHEET, METAL, TITANIUM ALLOY 6AL-4V, ELI (AB-2) (VALIDATION DATE: 9110) | A | 9535 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | USER: ER GL MI REVIEWER: 84 AR AV IS OS SH | | | | | | | | | |
| A | | MS14523 | PLATE, METAL, TITANIUM, CP-1 (VALIDATION DATE: 9210) USER: ER GL MI | A | 9535 | AS | | 15-OCT-92 | MR | AS | 99 | |
| | | NOTICE 1 | REVIEWER: 84 AR AV IS OS SH | | | | | | | | | |
| | | MS14524 | PLATE, METAL, TITANIUM ALLOY 6AL-4V (AB-1) (VALIDATION DATE: 9110) USER: | A | 9535 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | ER GL MI REVIEWER: 84 AR AV IS OS SH | | | | | | | | | |
| | | MS14525 | PLATE, METAL, TITANIUM ALLOY 6AL-6V-2SN (AB-3) (VALIDATION DATE: 9110) | A | 9535 | AS | | 30-OCT-91 | MR | AS | 99 | |
| | | NOTICE 1 | USER: ER GL MI REVIEWER: 84 AR AV IS OS SH | | | | | | | | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | MS14526 | WIRE, NONELECTRICAL, ROUND, ALLOY STEEL E4340 [VALIDATION DATE: 9210] | A 9505 | AS | | 02-OCT-92 | MR | AS | 99 | | |
| | NOTICE 1 | REVIEWER: EA ER IS MI | | | | | | | | | |
| | MS14527 | BAR, METAL, RECTANGULAR, ALLOY STEEL E4340 REVIEWER: EA ER IS MI ..... | A 9510 | AS | | 21-DEC-87 | MR | AS | 99 | | |
| | MS14528 | BAR, METAL, ROUND, ALLOY STEEL E4340 REVIEWER: EA ER IS MI ..... | A 9510 | AS | | 21-DEC-87 | MR | AS | 99 | | |
| | MS14529 | BAR, METAL, HEXAGONAL,ALLOY STEEL E4340 REVIEWER: EA ER IS MI ..... | A 9510 | AS | | 21-DEC-87 | MR | AS | 99 | | |
| | MS14530 | BAR, METAL, SQUARE, ALLOY STEEL E4340 REVIEWER: EA ER IS MI ..... | A 9510 | AS | | 21-DEC-87 | MR | AS | 99 | | |
| | MS14531 | PIN, QUICK RELEASE WITH WARNING STREAMER ASSEMBLY USER: GL REVIEWER: 82 AR DP IS | A 5340 | AS | | 18-JAN-88 | AV | AS | 99 | | |
| | MS14532 | WIRE, ROUND, NONELECTRICAL, ALUMINUM ALLOY, 2011 ..... | A 9525 | AS | | 12-JAN-90 | MR | AS | 84 | IS | |
| | MS14533 | BAR, HEXAGONAL, ALUMINUM ALLOY, 2011 ..... | A 9530 | AS | | 12-JAN-90 | MR | AS | 84 | IS | |
| | MS14534 | BAR, ROUND, ALUMINUM ALLOY, 2011 ..... | A 9530 | AS | | 12-JAN-90 | MR | AS | 84 | IS | |
| | MS15000C | FITTINGS, LUBRICATION-HYDRAULIC, ACCEPTABLE TIP DESIGNS USER: AT MC ME REVIEWER: MI OS SA SH | A 4730 | AS | | 31-JAN-89 | AV | AS | 99 | | |
| | MS15001A | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/4-28 TAPER THREADS, | A 4730 | AS | | 04-OCT-91 | ME | AS | 99 | | |
| | NOTICE 1 | STEEL, TYPE I [VALIDATION DATE: 9110] | | | | | | | | | |
| | MS15002A | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, STRAIGHT THREADS, STEEL, | A 4730 | AS | | 04-OCT-91 | ME | AS | 99 | | |
| | NOTICE 1 | TYPE II [VALIDATION DATE: 9110] | | | | | | | | | |
| | MS15003 | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/8 PIPE THREADS, STEEL | A 4730 | AS | | 04-OCT-91 | ME | AS | 99 | | |
| | NOTICE 1 | TYPE III [VALIDATION DATE: 9110] | | | | | | | | | |
| | MS15004B | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/4-28 TAPER THREADS, NICKEL-COPPER ALLOY, TYPE IV USER: 71 81 AT REVIEWER: 82 AR CS MI | A 4730 | AS | | 10-FEB-89 | AV | AS | 99 | | |
| | MS15005E | FITTINGS, LUBRICATION, THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, | A 4730 | AS | | 15-NOV-89 | AR | AS | 11 | | |
| | NOTICE 1 | NICKEL-COPPER ALLOY, TYPE V [VALIDATION DATE: 8911] | | | | | | | | | |
| | MS15006 | FITTINGS, LUBRICATION (HYDRAULIC) LEAKPROOF, 1/8 PIPE THREADS, STEEL, TYPE | A 4730 | AS | | 04-OCT-91 | ME | AS | 99 | | |
| | NOTICE 1 | VI [VALIDATION DATE: 9110] | | | | | | | | | |
| | MS15011B | FITTINGS, HOSE, WELDING & CUTTING, OXYGEN & ACETYLENE REVIEWER: AT CS ME SH | A 4730 | 82 | | 01-MAY-79 | | | 99 | | |
| | MS15012D | TRANSFORMER SYNCHRO OVERLOAD, 60 CYCLE AND 400 CYCLE [VALIDATION DATE: 8404] USER: ER MC SH REVIEWER: 99 AR AS ES | A 5950 | EC | | 03-OCT-63 | ME | EC | | | |
| L | MS15172A | SCUPPER, OVERBOARD DISCHARGE, MARINE HARDWARE [VALIDATION DATE: 8212] ..... | A 2040 | SH | | 02-JUN-59 | | SH | | | |
| | MS15367D | BATTERY, STORAGE, LEAD ACID, FOR ELECTRIC POWERED INDUSTRIAL TRUCKS AND TRACTORS USER: AS AT MC ME REVIEWER: GS SH | A 6140 | SA | | 28-JUN-91 | ER | SA | 99 | | |
| L | MS15534A | LAMP, INCANDESCENT, T-7, CANDELABRA SCREW [VALIDATION DATE: 8302] REVIEWER: GS | A 6240 | SH | | 19-JUL-56 | | SH | | | |
| | MS15535K | LAMPS, INCANDESCENT, SEALED BEAM, PAR-56, SCREW TERMINAL BASE USER: MC REVIEWER: 11 AT GS SA | A 6240 | SH | | 05-APR-88 | ME | SH | 99 | | |
| L | MS15557A | LAMP, INCANDESCENT, T-8 CANDELABRA, PREFOCUSING, SINGLE CONTACT [VALIDATION DATE: 8304] REVIEWER: GS | A 6240 | SH | | 10-AUG-56 | | SH | | | |
| | MS15570F | LAMP, INCANDESCENT- G- 6 BULB, SINGLE CONTACT, BAYONET CANDELABRA BASE REVIEWER: GS | A 6240 | AT | | 02-JUN-86 | AT | SH | 11 | | |
| | MS15720 | FITTING, LUBRICATION (HYDRAULIC) THROAT OR SURFACE CHECK, 1/4-28 TAPER | A 4730 | AS | | 30-OCT-87 | | AS | 99 | | |
| | NOTICE 1 | THREADS, CORROSION RESISTANT STEEL, TYPE VII [VALIDATION DATE: 8710] USER: MC ME REVIEWER: CS | | | | | | | | | |
| | MS15721 | FITTING, LUBRICATION (HYDRAULIC) THROAT OR SURFACE CHECK, 1/8 PIPE | A 4730 | AS | | 06-JUL-54 | | AS | 99 | | |
| | NOTICE 1 | THREADS, CORROSION RESISTANT STEEL [VALIDATION DATE: 8710] USER: MC REVIEWER: AR CS | | | | | | | | | |
| D | MS15795G | WASHER, FLAT METAL, ROUND, GENERAL PURPOSE (IN./MM) USER: ER MC ME SH YD1 REVIEWER: AT AV IS MI MS | A 5310 | AR | | 10-JUL-86 | AR | AS | 99 | | |
| | MS15981D | FASTENERS, EXTERNALLY THREADED, SELF-LOCKING, DESIGN AND USAGE LIMITATIONS | A 5305 | AS | | 25-MAR-91 | | AS | 99 | | |
| | NOTICE 1 | FOR [VALIDATION DATE: 9103] REVIEWER: 82 IS MI | | | | | | | | | |
| L | MS15983A | NUT, PLAIN, PLATE, NON-COUNTERSUNK [VALIDATION DATE: 8006] REVIEWER: IS ... | A 5310 | AS | | 05-APR-57 | | AS | | | |
| L | MS16036C | BELT, AIRCRAFT SAFETY, PILOT S AUTOMATIC RELEASE, CARTRIDGE OPERATED [VALIDATION DATE: 8303] | A 1680 | AS | | 16-OCT-61 | | AS | | | |
| L | MS16051F | COUPLING, GROUND COOLING, COMBAT TYPE AIRCRAFT REVIEWER: CS ..... | A 4730 | AS | | 16-JAN-87 | | AS | | | |
| L | MS16052B | AIR INLET, COMBAT AIRCRAFT, GROUND COOLING [VALIDATION DATE: 9110] ..... | A 1660 | AS | | 30-OCT-91 | | AS | | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS16057F | INVERTER, 100/60 VA, 3/1 PHASE TO 100 VA, 1 PHASE, CLASS B, MULTIPURPOSE | A 6125 | AS | | 31-DEC-87 | ME | AS | 99 | | |
| | NOTICE 1 | [VALIDATION DATE: 8712] USER: AV CG MC REVIEWER: 80 ER GS MI | | | | | | | | | |
| L | MS16062C | INVERTER, 2500 VA, 3/1 PHASE, CLASS B [VALIDATION DATE: 8809] REVIEWER: GS | A 6125 | AS | | 02-SEP-88 | | AS | | | |
| | NOTICE 1 | MI | | | | | | | | | |
| L | MS16068A | HARNESS, AIRCRAFT SAFETY, PILOT'S SHOULDER V TYPE [VALIDATION DATE: 9110] . | A 1680 | AS | | 30-OCT-91 | | AS | | | |
| | NOTICE 1 | | | | | | | | | | |
| L | MS16069A | HARNESS, AIRCRAFT SAFETY, PILOT'S SHOULDER Y TYPE [VALIDATION DATE: 9110] . | A 1680 | AS | | 30-OCT-91 | | AS | | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS16070E | BELT, AIRCRAFT SAFETY, CREWMAN'S [VALIDATION DATE: 9110] ..... | A 1680 | AS | | 30-OCT-91 | | AS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| L | MS16142C | BOSS, GASKET SEAL STRAIGHT THREAD TUBE FITTING, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8411] USER: ME REVIEWER: MI | A 4730 | SH | | 21-JUN-79 | | SH | | | |
| | MS16187B | STUD, CONTINOUS THREAD (BOLT-STUD), B16 ALLOY STEEL HIGH TEMPERATURE SERVICE (875 D EG-1000 DEG F) [VALIDATION DATE: 8101] REVIEWER: 82 IS | A 5307 | AR | | 01-OCT-63 | AR | SH | 99 | | |
| L | MS16198A | SCREWS, WOOD, SLOTTED ROUND HEAD, AUSTENITIC CORROSION RESISTING STEEL, | A 5305 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 1 | NON-MAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS MI | | | | | | | | | |
| L | MS16199B | SCREWS, WOOD, SLOTTED, FLAT COUNTERSUNK (82 DEG.) HEAD, COPPER-SILICON | A 5305 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 1 | ALLOY, NONMAGNETIC [VALIDATION DATE: 9103] | | | | | | | | | |
| | MS16201A | BOLTS, LAG, CONE POINT, COUNTERSUNK FLATHEAD, SLOTTED, COPPER-SILICON | A 5306 | SH | | 27-MAR-91 | | SH | 99 | | |
| | NOTICE 2 | ALLOY, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS | | | | | | | | | |
| | MS16203C | NUT, PLAIN, HEXAGON, AND HEXAGON JAM, UNC-2B, NONMAGNETIC [VALIDATION DATE: 8203] USER: SH REVIEWER: AT AV IS MC ME MI | A 5310 | AR | | 29-JAN-69 | AR | | 99 | | |
| | MS16204B | BOLT, FINNED NECK, COUNTERSUNK FLATHEAD, UNC-2A, NON-MAGNETIC [VALIDATION | A 5306 | SH | | 30-JUN-86 | | SH | 99 | | |
| | NOTICE 1 | DATE: 8606] REVIEWER: IS | | | | | | | | | |
| L | MS16205A | BOLTS, MACHINE, REGULAR SEMI-FINISHED HEXAGON HEAD, COPPER-SILICON ALLOY | A 5306 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 2 | (SILICON BRONZE), UNC-2A, NON-MAGNETIC [VALIDATION DATE: 9103] USER: ME REVIEWER: IS MI | | | | | | | | | |
| L | MS16206A | BOLTS, MACHINE, HEXAGON HEAD, REGULAR SEMI-FINISHED, ALUMINUM ALLOY, | A 5306 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 2 | UNC-2A NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS ME | | | | | | | | | |
| | MS16207C | BOLTS, SQUARE NECK, (CARRIAGE BOLT), ROUND HEAD, UNC-2A, COPPER-SILICON | A 5306 | SH | | 27-MAR-91 | | SH | 99 | | |
| | NOTICE 2 | ALLOY, NONMAGNETIC [VALIDATION DATE: 9103] USER: ME REVIEWER: IS | | | | | | | | | |
| L | MS16208B | BOLTS, MACHINE, HEXAGON HEAD, SEMIFINISHED CORROSION RESISTING STEEL | A 5306 | SH | | 29-NOV-89 | | SH | | | |
| | | UNC-2A, NONMAGNETIC REVIEWER: IS ME MI | | | | | | | | | |
| L | MS16211A | NUTS, PLAIN, SQUARE, REGULAR, UNFINISHED, COPPER-SILICON ALLOY, UNC-2B | A 5310 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 1 | NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS | | | | | | | | | |
| L | MS16212B | WASHERS, FLAT, METAL, ROUND, MEDIUM SERIES, NONMAGNETIC [VALIDATION DATE: | A 5310 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 1 | 9103] REVIEWER: IS ME MI | | | | | | | | | |
| L | MS16213B | WASHERS, LOCK, FLAT, EXTERNAL TOOTH, NONMAGNETIC [VALIDATION DATE: 9103] | A 5310 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 1 | REVIEWER: ME MI | | | | | | | | | |
| L | MS16215A | SCREWS, WOOD, SLOTTED OVAL HEAD 82 DEG. AUSTENITIC, CORROSION RESISTING | A 5305 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 1 | STEEL, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS MI | | | | | | | | | |
| L | MS16216B | SCREWS, WOOD, SLOTTED ROUND HEAD, COPPER-SILICON ALLOY, NONMAGNETIC | A 5305 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 1 | [VALIDATION DATE: 9103] REVIEWER: IS MI | | | | | | | | | |
| L | MS16217A | SCREWS, WOOD, SLOTTED FLAT HEAD, 82 DEGREE, AUSTENITIC, | A 5305 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 1 | CORROSION-RESISTING STEEL, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS MI | | | | | | | | | |
| L | MS16218B | SCREWS, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, COPPER-SILICON ALLOY, | A 5305 | SH | | 27-MAR-91 | | SH | | | |
| | NOTICE 1 | UNC-2A, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS | | | | | | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MS16219A | SCREWS, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, NONMAGNETIC, CORROSION | A | 5305 | SH | 27-MAR-91 | | SH | | |
| | | | | NOTICE 1 | RESISTING STEEL, PASSIVATED, UNC-2A [VALIDATION DATE: 9103] USER: ME REVIEWER: IS | | | | | | | | |
| | | | | MS16228A | NUT, SELF&LOCKING, HEXAGON-THIN, UNC 3B (NON METALLIC INSERT) AUSTENITIC | A | 5310 | AS | 04-OCT-68 | AV | AS | | 99 |
| | | | | | CORROSION RESISTANT STEEL, NONMAGNETIC, 250 DEG. F [VALIDATION DATE: 8107] | | | | | | | | |
| | | | | | REVIEWER: 82 IS ME MI SH | | | | | | | | |
| L | | | | MS16285 | NUTS, HEXAGON, SEMIFINISHED, HEAVY, UNC-2B AND 8H-2B, HIGH TEMPERATURE - | A | 5310 | SH | 27-MAR-91 | | SH | | |
| | | | | NOTICE 1 | TO 1000 DEG. F [VALIDATION DATE: 9103] REVIEWER: IS ME MI | | | | | | | | |
| L | | | | MS16286 | NUTS, HEXAGON, FINISHED, UNC-2B AND 8H-2B, HIGH TEMPERATURE - TO 1000 DEG. | A | 5310 | SH | 27-MAR-91 | | SH | | |
| | | | | NOTICE 1 | F [VALIDATION DATE: 9103] REVIEWER: IS | | | | | | | | |
| I | | | | MS16403D | TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, TYPE TF4RX03JB221 [VALIDATION | A | 5950 | EC | 04-AUG-88 | ER | EC | | 85 |
| | | | | NOTICE 1 | DATE: 8808] USER: 14 19 CG MC MI REVIEWER: 11 17 AR ES SH | | | | | | | | |
| I | | | | MS16450F | TRANSFORMER, POWER, STEP-DOWN, TYPE TF4RX02HA203 USER: 14 19 CG MC MI | A | 5950 | EC | 20-MAR-86 | ER | EC | | 85 |
| | | | | | REVIEWER: 11 17 AR SH | | | | | | | | |
| I | | | | MS16465B | INDUCTOR, POWER, TYPE TF4RX04FA207 [VALIDATION DATE: 8808] USER: 14 19 CG | A | 5950 | EC | 04-AUG-88 | ER | EC | | 85 |
| | | | | NOTICE 1 | MC REVIEWER: 11 17 80 AR SH | | | | | | | | |
| I | | | | MS16469C | INDUCTOR, POWER, TYPE TF4RX04KB211 [VALIDATION DATE: 8808] USER: 14 19 CG | A | 5950 | EC | 04-AUG-88 | | EC | | 85 |
| | | | | NOTICE 1 | MC MI REVIEWER: 11 17 AR ES SH | | | | | | | | |
| I | | | | MS16471E | TRANSFORMER, POWER, STEP-DOWN, TYPE TF4SX01GA209 [VALIDATION DATE: 8808] | A | 5950 | EC | 04-AUG-88 | ER | EC | | 85 |
| | | | | NOTICE 1 | USER: 14 19 CG MC MI REVIEWER: 11 17 AR ES SH | | | | | | | | |
| I | | | | MS16472C | TRANSFORMER, POWER, STEP-DOWN TYPE TF4SX01FA208 [VALIDATION DATE: 8808] | A | 5950 | EC | 04-AUG-88 | ER | EC | | 85 |
| | | | | NOTICE 1 | USER: 14 19 CG MC MI REVIEWER: 11 17 AR ES | | | | | | | | |
| I | | | | MS16473C | TRANSFORMER, POWER, STEP-DOWN TYPE TF4SX01EA207 [VALIDATION DATE: 8808] | A | 5950 | EC | 04-AUG-88 | ER | EC | | 85 |
| | | | | NOTICE 1 | USER: 14 19 CG ES MC MI REVIEWER: 11 17 AR | | | | | | | | |
| I | | | | MS16474C | TRANSFORMER, POWER, STEP-DOWN, TYPE TF4SX01EB206 [VALIDATION DATE: 8808] | A | 5950 | EC | 04-AUG-88 | ER | EC | | 85 |
| | | | | NOTICE 1 | USER: 14 19 CG MC MI REVIEWER: 11 17 AR ES | | | | | | | | |
| LI | | | | MS16476A | INDUCTOR, (REACTOR) TYPE TF4SX04EB214 [VALIDATION DATE: 8808] REVIEWER: ES | A | 5950 | EC | 04-AUG-88 | | EC | | |
| | | | | NOTICE 1 | MI | | | | | | | | |
| | | | | MS16535J | RIVET - TUBULAR, OVAL HEAD USER: ER MC ME REVIEWER: 82 EA GL IS MI ..... | A | 5320 | AR | 26-MAY-92 | AR | OS | | 99 |
| | | | | MS16536A | RIVET - TUBULAR, 150 DEG. FLAT COUNTERSUNK HEAD [VALIDATION DATE: 8304] | A | 5320 | AR | 12-NOV-69 | AR | | | 99 |
| | | | | | USER: AT ER GL MC REVIEWER: IS MI | | | | | | | | |
| D | | | | MS16555C | PIN, STRAIGHT, HEADLESS (DOWEL) (.0002 OVER NOMINAL SIZE) USER: AS YD1 | A | 5315 | AR | 19-AUG-85 | AR | OS | | 99 |
| | | | | | REVIEWER: 82 AT AV EA IS MI | | | | | | | | |
| | | | | MS16556B | PIN, STRAIGHT, HEADLESS (DOWEL), (.001 OVER NOMINAL SIZE) [VALIDATION | A | 5315 | AR | 08-SEP-76 | AR | OS | | 99 |
| | | | | | DATE: 8203] USER: AS REVIEWER: 82 AV IS ME MI SA | | | | | | | | |
| | | | | MS16562C | PIN, SPRING, TUBULAR, SLOTTED USER: MC SH REVIEWER: 82 AV IS ME MI MS ..... | A | 5315 | AR | 14-MAR-86 | AR | OS | | 99 |
| L | | | | MS16563B | LAMP, INCANDESCENT, R-30 MEDIUM SCREW [VALIDATION DATE: 8306] REVIEWER: GS | A | 6240 | SH | 12-JAN-62 | | SH | | |
| L | | | | MS16569E | SWITCH, TOGGLE, DOUBLE POLE, SINGLE THROW (FOR USE IN LIGHTING FIXTURES) | A | 5930 | SH | 11-DEC-89 | | SH | | |
| | | | | NOTICE 1 | [VALIDATION DATE: 8912] | | | | | | | | |
| | | | | MS16624C | RING, RETAINING, EXTERNAL, BASIC (TAPERED SECTION TYPE) USER: AS AT MC | A | 5365 | OS | 18-APR-90 | AR | OS | | 99 |
| | | | | | REVIEWER: 11 82 85 AV ER GL MI | | | | | | | | |
| | | | | MS16625C | RING, RETAINING, INTERNAL, BASIC (TAPERED SECTION TYPE) [VALIDATION DATE: | A | 5365 | OS | 13-AUG-68 | AR | OS | | 99 |
| | | | | | 8204] USER: ME REVIEWER: 82 MI | | | | | | | | |
| | | | | MS16626B | RING, RETAINING, EXTERNAL, INVERTED (TAPERED SECTION TYPE) USER: AT MC ME | A | 5365 | OS | 26-JAN-90 | AR | OS | | 99 |
| | | | | | REVIEWER: AV MI | | | | | | | | |
| | | | | MS16627B | RING, RETAINING, INTERNAL, INVERTED (TAPERED SECTION TYPE) USER: AT ME | A | 5365 | OS | 14-MAY-90 | AR | OS | | 99 |
| | | | | | REVIEWER: AV IS MI | | | | | | | | |
| | | | | MS16628B | RING, RETAINING, EXTERNAL, BOWED (TAPERED SECTION TYPE) USER: MC REVIEWER: | A | 5365 | OS | 04-MAY-90 | AR | OS | | 99 |
| | | | | | 82 AV GL MI | | | | | | | | |
| | | | | MS16629D | RING, RETAINING, INTERNAL, BOWED (TAPERED SECTION TYPE) USER: AT MC ME | A | 5365 | OS | 20-APR-90 | AR | OS | | 99 |
| | | | | | REVIEWER: 82 AV IS MI | | | | | | | | |
| | | | | MS16630B | RING, RETAINING, EXTERNAL, BEVELED (TAPERED SECTION TYPE) USER: AT MC ME | A | 5365 | OS | 18-APR-89 | AR | OS | | 99 |
| | | | | | REVIEWER: AV GL MI | | | | | | | | |
| | | | | MS16631D | RING, RETAINING, INTERNAL, BEVELED (TAPERED SECTION TYPE) USER: AT MC | A | 5365 | OS | 07-MAY-90 | AR | OS | | 99 |
| | | | | | REVIEWER: 82 AV IS MI | | | | | | | | |
| | | | | MS16632B | RING, RETAINING, EXTERNAL, CRESCENT (REDUCED SECTION TYPE) USER: AT EL GL | A | 5365 | OS | 30-APR-90 | AR | OS | | 99 |
| | | | | | MC REVIEWER: IS MI | | | | | | | | |
| | | | | MS16633C | RING, RETAINING, EXTERNAL, "E" (REDUCED SECTION TYPE) USER: AT MC | A | 5365 | OS | 24-APR-90 | AR | OS | | 99 |
| | | | | | REVIEWER: AV GL MI | | | | | | | | |
| | | | | MS16634B | RING, RETAINING, EXTERNAL, BOWED "E" (REDUCED SECTION TYPE) USER: AT GL | A | 5365 | OS | 02-MAY-90 | AR | OS | | 99 |
| | | | | | REVIEWER: IS MC MI | | | | | | | | |
| L | | | | MS16656F | SWITCH, TOGGLE, SINGLE POLE, SINGLE THROW [VALIDATION DATE: 8605] USER: ME | A | 5930 | SH | 21-MAY-86 | | SH | | |
| | | | | NOTICE 1 | REVIEWER: ES | | | | | | | | |
| L | | | | MS16662H | GENERAL NOTES FOR STANDARD ELECTRICAL DRAWINGS [VALIDATION DATE: 8911] .... | A | DRPR | SH | 13-NOV-89 | | SH | | |
| | | | | NOTICE 1 | | | | | | | | | |
| D | | | | MS16679A | INSULATOR, BUSHING, SPARK PLUG CABLE TERMINAL (OTHER THAN AIRCRAFT) | A | 5970 | AT | 09-SEP-87 | AT | YD1 | | 85 |
| | | | | NOTICE 1 | [VALIDATION DATE: 8709] USER: MC ME REVIEWER: 99 GS | | | | | | | | |
| | | | | MS16686 | MEDICAL SERVICES SYMBOL [VALIDATION DATE: 8202] USER: GL MC ..... | A | 8455 | DM | 02-MAY-58 | MD | MS | | 03 |
| L | | | | MS16711 | SHACKLE, OFFSET PLATE [VALIDATION DATE: 8606] REVIEWER: IS ..... | A | 4030 | SH | 19-JUN-86 | | SH | | |
| | | | | NOTICE 1 | | | | | | | | | |
| L | | | | MS16747A | INSERT, BRASS (FOR MOLDED ELECTRICAL FITTING) [VALIDATION DATE: 8505] | A | 5935 | EC | 13-APR-78 | | EC | | |
| | | | | | REVIEWER: ES | | | | | | | | |
| D | | | | MS16791B | CLAMP, GUY (POLE LINE) [VALIDATION DATE: 8009] USER: MC ME ..... | A | 4030 | ER | 20-NOV-67 | ER | YD1 | | 99 |
| L | | | | MS16822 | CHOCK, ROPE, CLOSED, MARINE HARDWARE [VALIDATION DATE: 8707] ..... | A | 2040 | SH | 06-JUL-87 | | SH | | |
| | | | | NOTICE 1 | | | | | | | | | |
| L | | | | MS16833A | SHACKLE; STRAP AND PIN - MOORING, MARINE HARDWARE [VALIDATION DATE: 9103] . | A | 2040 | SH | 21-MAR-91 | | SH | | |
| | | | | NOTICE 1 | | | | | | | | | |
| D | | | | MS16842E | CLAMP, WIRE ROPE, SADDLED, SINGLE GRIP STEEL USER: AT AV MC YD1 REVIEWER: | A | 4030 | AR | 18-JUL-84 | AR | SH | | 99 |
| | | | | | 82 EL GL ME | | | | | | | | |
| D | | | | MS16843E | CLAMP, WIRE ROPE (DOUBLE GRIP) THREADED, STEEL [VALIDATION DATE: 8604] | A | 4030 | AR | 10-APR-86 | AR | SH | | 99 |
| | | | | | USER: AT MC YD1 REVIEWER: ER GL IS ME | | | | | | | | |
| L | | | | MS16858A | VALVE, GAS INLET, NONMAGNETIC [VALIDATION DATE: 8411] REVIEWER: GS ..... | A | 4820 | SH | 07-JUL-78 | | SH | | |
| | | | | MS16885C | CHUCK PLATE FOR DRAFTING MACHINE SCALES (USE MIL-D-3898/1) USER: MC | A | 6675 | SH | 11-APR-85 | ME | SH | | 99 |
| | | | | | REVIEWER: GS | | | | | | | | |
| | | | | MS16910 | CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS ..... | A | 7530 | SA | 20-APR-59 | | SA | | |
| | | | | MS16974A | BATTERY, STORAGE, TYPE(EX) FOR 4,000 71800KG)& 6,000 (2700KG) POUND | A | 6140 | SA | 18-JUL-86 | ER | SA | | 99 |
| | | | | | CAPACITY, FORK LIFT TRUCKS REVIEWER: GS | | | | | | | | |
| D | | | | MS16992F | SCREW, LAG (BOLT), HEX HEAD, GIMLET POINT [VALIDATION DATE: 9303] USER: MC | A | 5306 | YD1 | 23-MAR-93 | AR | YD1 | | 99 |
| | | | | NOTICE 1 | ME REVIEWER: 82 AV EA IS | | | | | | | | |
| D | | | | MS16993B | PLUG, FUSIBLE, REFRIGERANT-12 [VALIDATION DATE: 8402] USER: MD REVIEWER: | A | 5340 | GL | 22-JUN-78 | GL | YD1 | | 99 |
| | | | | | IS MI | | | | | | | | |
| | | | | MS16994D | NUT, PLAIN, KNURLED USER: OS SH REVIEWER: IS MI ..... | A | 5310 | AR | 07-DEC-79 | AR | | | 99 |
| | | | | MS16995F | SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNC-3A USER: | A | 5305 | AR | 22-FEB-91 | AR | OS | | 99 |
| | | | | | MC SH REVIEWER: 11 IS MI | | | | | | | | |
| | | | | MS16996E | SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNF-3A USER: | A | 5305 | AR | 28-SEP-88 | AR | OS | | 99 |
| | | | | | MC SH REVIEWER: 11 IS MI | | | | | | | | |
| | | | | MS16997D | SCREW, CAP, SOCKET HEAD AND SCREW, CAP, SOCKET HEAD, SELF LOCKING, ALLOY | A | 5305 | AR | 31-DEC-76 | AR | AS | | 99 |
| | | | | | STEEL, CADMIUM PLATED, UNC-3A [VALIDATION DATE: 8304] REVIEWER: AT AV EA | | | | | | | | |
| | | | | | IS MI OS | | | | | | | | |
| | | | | MS16998E | SCREW, CAP, SOCKET HEAD AND SCREW, CAP, SOCKET HEAD, SELF LOCKING,ALLOY | A | 5305 | AR | 31-DEC-76 | AR | AS | | 99 |
| | | | | | STEEL, CADIUM PLATED, UNC-3A [VALIDATION DATE: 8304] USER: MC SH REVIEWER: | | | | | | | | |
| | | | | | AT AV EA IS MI OS | | | | | | | | |
| L | | | | MS17005* | BOAT ARROWHEADS AND ARROWROCKS (TAILS), MARINE HANDWARE [VALIDATION DATE: | A | 2040 | SH | 21-MAR-91 | | SH | | |
| | | | | NOTICE 1 | 9103] | | | | | | | | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MS17006 NOTICE 1 | STARS, BOAT BOW INSIGNIA, MARINE HARDWARE [VALIDATION DATE: 9103] ..... | A | 2040 | SH | | 21-MAR-91 | | SH | | |
| L | | | MS17038 NOTICE 1 | NUMERAL, BOAT BOW, MARINE HARDWARE [VALIDATION DATE: 8801] ..... | A | 2040 | SH | | 27-JAN-88 | | SH | | |
| | | | MS17102A | BEARING, BALL, THRUST, METRIC, SELF-ALIGNING [VALIDATION DATE: 8502] USER: MC MI REVIEWER: IS | A | 3110 | AT | | 20-FEB-68 | AT | | | |
| L | | | MS17106B | NAIL, RINGED (FETTER RING) [VALIDATION DATE: 8104] REVIEWER: IS ..... | A | 5315 | SH | | 06-APR-64 | | SH | | |
| | | | MS17107A | BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT MOTOR-GENERATORS, TYPE I [VALIDATION DATE: 8101] REVIEWER: IS MI | A | 3110 | AS | | 20-APR-70 | AT | AS | | |
| | | | MS17108A NOTICE 1 | BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT GENERATORS, TYPE II [VALIDATION DATE: 9110] | A | 3110 | AS | | 04-OCT-91 | AT | AS | | |
| | | | MS17130F | RING, BEARING, INNER, FOR NEEDLE ROLLER BEARING WITH DRAWN OUTER RING USER: AR GL REVIEWER: 84 AV IS MC | A | 3110 | AT | | 28-SEP-81 | AT | OS | 99 | |
| | | | MS17131H | BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER RING, OPEN AND CLOSED END, STANDARD TYPE USER: AR GL MC SH REVIEWER: 84 AV IS ME MI | A | 3110 | AT | | 08-NOV-83 | AT | OS | 99 | |
| | | | MS17133B | BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW [VALIDATION DATE: 8502] USER: MC MR REVIEWER: 84 IS ME MI | A | 3110 | AT | | 08-MAR-68 | AT | | 99 | |
| LI | | | MS17134 NOTICE 1 | CONTACT ASSEMBLY, ELECTRICAL, DRY REED TYPE, S.P.S.T. REVIEWER: ES ..... | A | 5930 | SH | | 27-DEC-90 | | SH | | |
| L | | | MS17135A NOTICE 1 | SWITCH, TILT, MAGNETIC [VALIDATION DATE: 8912] REVIEWER: ES ..... | A | 5930 | SH | | 11-DEC-89 | | SH | | |
| L | | | MS17140B NOTICE 1 | LENSES, INDICATOR LIGHT (INCANDESCENT) PLASTIC FLUSH TYPE [VALIDATION DATE: 9012] REVIEWER: GS | A | 6210 | SH | | 18-DEC-90 | | SH | | |
| | | | MS17143F | TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TYPE II, CLASS 1 FOR 105 DEG. C. TOTAL CONDUCTOR TEMPERATURE USER: AT MC ME OS REVIEWER: 11 99 EC MI SH | A | 5940 | AS | | 05-JUN-81 | ER | AS | 85 | |
| L | | | MS17153A | WINDOW, LIGHTING FIXTURE, INCANDESCENT, PLASTIC, DISC SHAPED [VALIDATION DATE: 8302] REVIEWER: GS | A | 6210 | SH | | 12-AUG-65 | | SH | | |
| L | | | MS17155B | TERMINAL, STUD FEEDTHRU, SINGLE [VALIDATION DATE: 8006] USER: ME REVIEWER: 85 99 GS MI | A | 5940 | AS | | 06-MAR-63 | | AS | | |
| L | | | MS17156A | TERMINAL, STUD, FEEDTHRU, SINGLE DOUBLE [VALIDATION DATE: 8006] REVIEWER: 85 GS MI | A | 5940 | AS | | 06-MAR-63 | | AS | | |
| L | | | MS17157A | TERMINAL, STUD, FEEDTHRU, DOUBLE DOUBLE [VALIDATION DATE: 8006] USER: ME REVIEWER: 85 GS MI | A | 5940 | AS | | 06-MAR-63 | | AS | | |
| | | | MS17161C | BEARING, BALL, THRUST, INCH AND METRIC SIZES, GROOVED RACE SURFACE RIGID OR FLAT SEAT TYPE [VALIDATION DATE: 8502] USER: MC REVIEWER: 84 AR IS MI | A | 3110 | AT | | 30-JUN-80 | AT | | 99 | |
| | | | MS17162A | BEARING, BALL, THRUST, INCH SIZE, SINGLE DIRECTION, FLAT RACE SURFACE, STAGGERED BALL TYPE [VALIDATION DATE: 8502] USER: MC MI REVIEWER: 84 AR IS | A | 3110 | AT | | 20-FEB-68 | AT | | 99 | |
| | | | MS17163B | LAMP INCANDESCENT, PAR-46 12 VOLT FLOODLAMP 2 CONTACT LUGS USER: MC REVIEWER: 82 GS | A | 6240 | ME | | 05-MAR-84 | ME | AS | 99 | |
| | | | MS17165B | LAMP INCANDESCENT, PAR-46 24 VOLT FLOODLAMP 2 CONTACT LUGS USER: MC REVIEWER: 82 GS | A | 6240 | ME | | 05-MAR-84 | ME | AS | 99 | |
| D | | | MS17166C NOTICE 1 | LAMP, INCANDESCENT, PAR-46, 24 VOLT HEADLAMP 2 CONTACT LUGS [VALIDATION DATE: 9210] USER: MC YD1 REVIEWER: 82 | A | 6240 | ME | | 15-OCT-92 | ME | AS | 99 | |
| | | | MS17169A | BEARING, ROLLER, THRUST, TWO CHANNELED RACE SURFACE, RIGID OR FLAT SEAT TYPE USER: MC MI REVIEWER: 84 AR IS | A | 3110 | AT | | 20-FEB-68 | AT | | 11 | |
| L | | | MS17172B NOTICE 1 | TERMINAL, STUD THREADED DOUBLE TURRET [VALIDATION DATE: 9110] ..... | A | 5940 | AS | | 23-OCT-91 | | AS | | |
| | | | MS17182E | TERMINAL LUG, CRIMP STYLE, COPPER, INSULATED (SERVO COMPONENTS) TYPE II, CLASS 1, FOR 125 DEG. C TOTAL CONDUCTOR TEMPERATURE REVIEWER: 11 99 AV EC ER ES GS MI SH | A | 5940 | AS | | 08-JUN-81 | AR | AS | 85 | |
| L | | | MS17183A | CLAMP ASSEMBLY (SYNCHRO) [VALIDATION DATE: 8509] REVIEWER: AV ES MI ..... | A | 5990 | AS | | 17-MAR-67 | | AS | | |
| L | | | MS17184 | SCREW, EXTERNALLY RELIEVED BODY (SYNCHRO) [VALIDATION DATE: 8509] REVIEWER: ES MI | A | 5990 | AS | | 20-SEP-60 | | AS | | |
| L | | | MS17185 | CLAMP (SYNCHRO) [VALIDATION DATE: 8509] REVIEWER: ES MI ..... | A | 5990 | AS | | 20-SEP-60 | | AS | | |
| L | | | MS17186A | WASHER, KEY-DRIVE (SYNCHRO) [VALIDATION DATE: 8108] REVIEWER: ES MI ..... | A | 5310 | AS | | 09-APR-65 | | AS | | |
| L | | | MS17187B | NUT, HEXAGON (SYNCHRO) [VALIDATION DATE: 8204] REVIEWER: ES IS ..... | A | 5310 | OS | | 09-APR-65 | | OS | | |
| L | | | MS17188B | WASHER, FLAT (ROUND), CRES USER: ME REVIEWER: ES IS MI ..... | A | 5310 | AR | | 31-AUG-87 | | | 99 | |
| D | | | MS17241B NOTICE 1 | HEAT INTERCHANGER, REFRIGERANT&12 [VALIDATION DATE: 8710] USER: CE SH REVIEWER: GS MC MD | A | 4130 | GL | | 01-OCT-87 | GL | YD1 | 82 | |
| D | | | MS17242B NOTICE 1 | STRAINER, SEDIMENT REFRIGERANT&12 [VALIDATION DATE: 8710] REVIEWER: GS ME . | A | 4130 | GL | | 01-OCT-87 | GL | YD1 | 82 | |
| D | | | MS17243C | VALVE, ANGLE, SHUT-OFF, PACKED, RECEIVER, REFRIGERANT-12 [VALIDATION DATE: 8402] USER: MC REVIEWER: GS ME | A | 4130 | GL | | 13-APR-78 | GL | YD1 | 99 | |
| | | | MS17245E | LIGHT, COCKPIT, UTILITY [VALIDATION DATE: 8904] REVIEWER: GS ..... | A | 6220 | 82 | | 10-APR-89 | AV | AS | 99 | |
| | | | MS17246B | MOU[illegible] BASE, COCKPIT UTILITY REVIEWER: GS ..... | A | 6220 | 82 | | 08-JUL-88 | AV | AS | 99 | |
| | | | MS17248C | VA[illegible]MPRESSOR SERVICE, REFRIGERANT-12 [VALIDATION DATE: 8402] [illegible]: GS ME | A | 4130 | GL | | 21-DEC-77 | GL | | 99 | |
| L | | | MS17269L | BLO[illegible]R, BRUSHLESS, CONTINUOUS DUTY, GARMENT VENTILATION, MARK 5, AN[illegible]OSURE SUIT [VALIDATION DATE: 8303] | A | 1660 | AS | | 15-MAY-75 | | AS | | |
| L | | | MS17287B | LIGHT, [illegible]ATION MARKING BOX, SP SYM. NO. 285 FOR NIGHT REPLENISHMENT OPERATIONS REVIEWER: GS | A | 6230 | SH | | 15-JUN-88 | | SH | | |
| | | | MS17291C NOTICE 1 | RECEIVER, LIQUID REFRIGERANT 12 [VALIDATION DATE: 8710] USER: CE MC REVIEWER: GS ME | A | 4130 | GL | | 01-OCT-87 | GL | | 99 | |
| L | | | MS17294 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .3125-18 X 250-28 (MIL-S-8879 THREAD) [VALIDATION DATE: 8204] REVIEWER: IS | A | 5307 | AS | | 07-SEP-61 | | AS | | |
| L | | | MS17295 | STUD STEPPED, 1.5 DIA ENGAGEMENT, .375-16 X .3125-24 (MIL-S-8879THREAD) [VALIDATION DATE: 8204] REVIEWER: IS MI | A | 5307 | AS | | 07-SEP-61 | | AS | | |
| L | | | MS17296 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24 (MIL-S-8879 THREAD) [VALIDATION DATE: 8204] REVIEWER: IS | A | 5307 | AS | | 07-SEP-61 | | AS | | |
| L | | | MS17299 | STUD-STRAIGHT .190-24 X .190-32 (MIL-S-8879 THREAD) [VALIDATION DATE: 8204] REVIEWER: IS | A | 5307 | AS | | 07-SEP-61 | | AS | | |
| L | | | MS17300 | STUD-STRAIGHT, .250-20 X .250-28 (MIL-S-8879 THREAD) [VALIDATION DATE: 8204] USER: ME REVIEWER: IS | A | 5307 | AS | | 07-SEP-61 | | AS | | |
| L | | | MS17301 | STUD-STRAIGHT, .3125-18X .3125-24 (MIL-S-8879 THREAD) [VALIDATION DATE: 8204] REVIEWER: IS | A | 5307 | AS | | 07-SEP-61 | | AS | | |
| L | | | MS17312 | RIVET FOR SAFETY CHAIN TYPE II, CLASS 6, NO. 0 [VALIDATION DATE: 8104] REVIEWER: IS | A | 5320 | SH | | 31-JUL-61 | | SH | | |
| L | | | MS17315 NOTICE 1 | LIGHT, POLARITY-150 WATT SYMBOL 215 [VALIDATION DATE: 9103] REVIEWER: GS .. | A | 6220 | SH | | 15-MAR-91 | | SH | | |
| | | | MS17319 | BUSHING - SCREW, PLAIN (MIL-S-8879 THREAD) [VALIDATION DATE: 8312] ..... | A | 4730 | AS | | 06-SEP-61 | | AS | 99 | |
| L | | | MS17320F NOTICE 1 | MOUNTING DEVICES FOR AIRCRAFT ELECTRIC EQUIPMENT, QUICK-ATTACH-DETACH, CIRCULAR 5, 8 AND 10 INCH [VALIDATION DATE: 8712] | A | 6115 | AS | | 31-DEC-87 | | AS | | |
| | | | MS17330A NOTICE 1 | ADAPTER, BATTERY TERMINAL USER: AS GL MC REVIEWER: ER GS ..... | A | 5940 | AT | | 20-OCT-86 | AT | SH | 85 | |
| L | | | MS17333D NOTICE 1 | TRANSMISSION, POWER, CONSTANT SPEED 17 HP AND 21.7 HP [VALIDATION DATE: 8803] REVIEWER: GS | A | 6115 | AS | | 15-MAR-88 | | AS | | |
| L | | | MS17334P | BATTERY, STORAGE, AIRCRAFT, 24 VOLT, HEAVY DUTY, 1/3 AMPERE HOUR REVIEWER: GS | A | 6140 | AS | | 22-APR-82 | | AS | | |
| L | | | MS17335G | CONVERTER, 100 AMPERE, CLASS B NONREGULATED, AIRCRAFT, FAN COOLED ..... | A | 6130 | AS | | 30-SEP-88 | | AS | | |
| A | | | MS17342B NOTICE 1 | ADAPTER, (STEP UP) CABLE SEALING [VALIDATION DATE: 9206] USER: ME REVIEWER: 11 ES | A | 5935 | EC | | 03-JUN-92 | CR | EC | 85 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | | MS17343D | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING USER: 14 19 CG MC ME OS REVIEWER: 99 AR AS ES MI YD1 | A | 5935 | EC | | 12-AUG-87 | CR | EC | 11 | |
| D | | | | MS17344D | CONNECTOR, PLUG, ELECTRIC, STRAIGHT USER: 14 19 CG MC REVIEWER: 11 99 AR AS ES MI OS YD1 | A | 5935 | EC | | 12-AUG-87 | CR | EC | 85 | |
| D | | | | MS17345D | CONNECTOR, PLUG, ELECTRICAL, CABLE CONNECTING, (FEMALE) USER: 14 19 CG MC OS REVIEWER: 17 AR AS ES MI YD1 | A | 5935 | EC | | 12-AUG-87 | CR | EC | 11 | |
| D | | | | MS17346D | CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING USER: 14 19 CG MC REVIEWER: 17 AR AS ES MI OS YD1 | A | 5935 | EC | | 12-AUG-87 | CR | EC | 11 | |
| D | | | | MS17347D | CONNECTOR, RECEPTACLE, ELECTRICAL JAM-NUT USER: 14 19 CG MC REVIEWER: 17 AR AS ES MI OS YD1 | A | 5935 | EC | | 12-AUG-87 | CR | EC | 11 | |
| D | | | | MS17348D | CONNECTOR, RECEPTACLE, ELECTRICAL JAM-NUT (BOX) USER: 14 19 CG MC ME REVIEWER: 17 AR AS ES MI OS YD1 | A | 5935 | EC | | 12-AUG-87 | CR | EC | 11 | |
| | | | | MS17349C | CAP, PROTECTIVE, RECEPTACLE USER: 14 19 CG MC ME REVIEWER: 11 17 AR AS ES MI OS | A | 5935 | EC | | 12-AUG-87 | CR | EC | 85 | |
| | | | | MS17350C | CAP, PROTECTIVE, PLUG USER: 14 19 CG MC ME REVIEWER: 11 17 AR AS ES MI OS . | A | 5935 | EC | | 12-AUG-87 | CR | EC | 85 | |
| | L | | | MS17394 | TRANSMITTER, RATE GYROSCOPE T-751/AJB-3A [VALIDATION DATE: 8305] ..... | A | 6615 | AS | | 15-JAN-64 | | AS | | |
| | L | | | MS17398B | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH [VALIDATION DATE: 8403] ..... | A | 6610 | AS | | 23-JUN-71 | | AS | | |
| | L | | | MS17399C | GYROSCOPE, RATE SWITCHING [VALIDATION DATE: 9110] ..... | A | 6610 | AS | | 23-OCT-91 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MS17400B | INDICATOR, ATTITUDE, REMOTE - 3 INCH CASE [VALIDATION DATE: 8303] ..... | A | 6610 | AS | | 15-JUL-64 | | AS | | |
| | L | | | MS17401C | INDICATOR, ATTITUDE, REMOTE - 5 INCH CASE [VALIDATION DATE: 8712] ..... | A | 6610 | AS | | 09-DEC-87 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS17404B | INVERTER, AIRCRAFT, 2500 VA, 3/1 PHASE, 400 CYCLE, CLASS B, MULTI-PURPOSE [VALIDATION DATE: 8809] REVIEWER: GS | A | 6125 | AS | | 02-SEP-88 | ME | AS | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS17406C | INVERTER, 750 VA 3/1 PHASE, 750 VA 3 PHASE, AND 1000 VA 1 PHASE CLLSS B, MULTI-PURPOSE [VALIDATION DATE: 8712] REVIEWER: 80 AV ER GS | A | 6125 | AS | | 31-DEC-87 | ME | AS | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS17731C | FASTENER, ROTARY, QUICK-OPERATING, FLUSH HEAD, FLOATING TYPE, 2210 LBS MIN TENSILE STRENGTH [VALIDATION DATE: 9110] | A | 5325 | AS | | 04-OCT-91 | AV | AS | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS17732C | FASTENER, ROTARY, QUICK-OPERATING, PROTRUDING HEAD, FLOATING TYPE, 2210 LBS MIN TENSILE STRENGTH [VALIDATION DATE: 9110] | A | 5325 | AS | | 04-OCT-91 | AV | AS | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS17778C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 104 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS [VALIDATION DATE: 8912] USER: AV MC ME REVIEWER: 11 99 AS AT ES MI MU OS SH | A | 5935 | EC | | 15-DEC-89 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS17779C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 104 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AV MC ME REVIEWER: 11 80 AS AT ES MI MU OS SH | A | 5935 | EC | | 15-DEC-89 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MS17781A | LIGHT, STATION KEEPING STARBOARD-PORT-FULL AFT REVIEWER: GS ..... | A | 6220 | SH | | 12-OCT-88 | | SH | | |
| | | | | MS17793B | SCHEMATIC WIRING DIAGRAM (EXTERNAL AC POWER CONNECTOR, AIRCRAFT) [VALIDATION DATE: 8108] USER: MC REVIEWER: 17 ES | A | 5935 | AS | | 18-DEC-74 | ME | AS | 85 | |
| | L | | | MS17794 | CRITERIA, JET ELECTRICAL STARTING SYSTEM, DC [VALIDATION DATE: 8004] ..... | A | MISC | AS | | 12-FEB-62 | | AS | | |
| | | | | MS17795A | BEARING, SLEEVE, PLAIN TYPE, SINTERED BRONZE, OIL IMPREGNATED USER: AV REVIEWER: 84 AR IS MI | A | 3120 | OS | | 09-NOV-84 | AT | OS | 99 | |
| | | | | MS17796A | BEARING, SLEEVE, FLANGE TYPE, SINTERED BRONZE, OIL IMPREGNATED USER: SH REVIEWER: 82 AV IS MC MI SA | A | 3120 | OS | | 09-NOV-84 | AT | OS | 99 | |
| D | | | | MS17798D | INDICATOR, SIGHT, LIQUID, REFRIGERANT [VALIDATION DATE: 8704] USER: CE ME REVIEWER: GS MD | A | 6680 | GL | | 13-APR-87 | GL | YD1 | | |
| | | | | MS17810A | VALVES, CHECK, REFRIGERANT-12 [VALIDATION DATE: 9203] USER: CE MC | A | 4130 | GL | | 27-MAR-92 | GL | | 99 | |
| | | | | NOTICE 1 | REVIEWER: GS ME | | | | | | | | | |
| | | | | MS17811A | WASHER, THRUST, STEEL USER: ME REVIEWER: IS MI ..... | A | 3120 | OS | | 29-APR-88 | AT | OS | | |
| | | | | MS17814C | COUPLING, FRANGIBLE, AVIATION GROUND LIGHTS [VALIDATION DATE: 8408] REVIEWER: GS | A | 6210 | 82 | | 09-JUN-72 | | AS | 99 | |
| D | | | | MS17815B | CLAMP, CABLE, AVIATION GROUND LIGHTS USER: YD1 REVIEWER: GS ..... | A | 6210 | 82 | | 17-JUN-83 | | AS | 99 | |
| | | | | MS17820 | INSERT, HELICAL COIL INSTALLATION THREAD; DESIGN STANDARD FOR [VALIDATION DATE: 9205] REVIEWER: IS | A | 5340 | AS | | 15-MAY-92 | AV | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS17825G | NUT, SELF-LOCKING, CASTELLATED, HEXAGON, 250 DEGREE F NON-METALLIC INSERT REVIEWER: AR MI | A | 5310 | AS | | 30-NOV-88 | AV | AS | 99 | |
| | | | | MS17826H | NUT, SELF-LOCKING, CASTELLATED, HEXAGON 250 DEGREE F, THIN NON-METALLIC INSERT REVIEWER: AR MI | A | 5310 | AS | | 30-NOV-88 | AV | AS | 99 | |
| | | | | MS17828J | NUT, SELF-LOCKING, HEXAGON, REGULAR-HEIGHT, (NON-METALLIC INSERT) 250 DEG. F, NICKEL-COPPER ALLOY REVIEWER: 82 IS SH | A | 5310 | AS | | 19-JUL-89 | AV | AS | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS17829E | NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 DEG. F., (NON METALLIC INSERT) NON-CORROSION-RESISTANT STEEL REVIEWER: IS MI SH | A | 5310 | AS | | 30-JAN-87 | AV | AS | 11 | |
| | | | | MS17830C | NUT, SELF-LOCKING, HEXAGON-REGULAR HEIGHT, 250 DEG. F, (NON-METALLIC INSERT) 300 SERIES CORROSION RESISTANT STEEL [VALIDATION DATE: 8911] REVIEWER: 82 ME MI SH | A | 5310 | AS | | 01-NOV-89 | AV | AS | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MS17831C | BUS DISCONNECT, QUICK OPENING SYMBOL 1484 [VALIDATION DATE: 8606] REVIEWER: GS | A | 6150 | SH | | 18-JUN-86 | | SH | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MS17832A | OPERATING WRENCH, BUS DISCONNECT SYMBOL 1485 [VALIDATION DATE: 8606] REVIEWER: GS | A | 6150 | SH | | 18-JUN-86 | | SH | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS17833E | CONNECTOR, PNEUMATIC STARTER, DUCT-FLANGED, MALE REVIEWER: 82 CS ..... | A | 4730 | AS | | 20-JUN-91 | AV | AS | 99 | |
| | | | | MS17834A | ADAPTER, PNEUMATIC STARTER DUCT NIPPLE AND FLANGE (MALE) REVIEWER: 82 CS .. | A | 4730 | AS | | 23-OCT-87 | AV | AS | 99 | |
| | | | | MS17835E | CONNECTOR, PNEUMATIC STARTER, DUCT-FLANGED, FEMALE REVIEWER: 82 CS ..... | A | 4730 | AS | | 20-JUN-91 | AV | AS | 99 | |
| | | | | MS17836E | CONNECTOR, PNEUMATIC STARTER, DUCT, DOUBLE ENDED REVIEWER: 82 CS ..... | A | 4730 | AS | | 20-JUN-91 | AV | AS | 99 | |
| | L | | | MS17838A | TIRE, PNEUMATIC, AIRCRAFT, 28X7.7 - TYPE VII (NAVY) [VALIDATION DATE: 9110] | A | 2620 | AS | | 30-OCT-91 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS17840B | GASKET-SPARK PLUG [VALIDATION DATE: 8410] ..... | A | 2925 | AS | | 15-JUN-83 | AV | AS | | |
| A | | | | MS17841C | VALVES, SOLENOID, REFRIGERANT-12 [VALIDATION DATE: 9203] USER: CE MI | A | 4810 | GL | | 27-MAR-92 | GL | | 99 | |
| | | | | NOTICE 1 | REVIEWER: GS MD SH | | | | | | | | | |
| D | | | | MS17844B | CONTROL TEMPERATURE REFRIGERANT-12-WITH HIGH PRESSURE CUT-OFF [VALIDATION DATE: 8710] USER: CE MC REVIEWER: GS ME | A | 5930 | GL | | 23-OCT-87 | GL | YD1 | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| A | | | | MS17845F | SHIELD FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLES ..... | A | 5935 | AS | | 30-DEC-92 | CR | AS | 11 | |
| D | | | | MS17846B | VALVE, REGULATING, FLUID PRESSURE, CRANKCASE, REFRIGERANT-12 [VALIDATION DATE: 9008] USER: CE MC REVIEWER: MD | A | 4820 | GL | | 08-AUG-90 | GL | YD1 | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MS17850 | DIMMER-SBM15 FOR BLINKER SIGNALING LIGHT SYMBOL 960 [VALIDATION DATE: 8806] REVIEWER: ES | A | 5950 | SH | | 15-JUN-88 | | SH | | |
| | L | | | MS17853 | GLOBES, CYLINDRICAL, FOR LIGHTING FIXTURES REVIEWER: GS ..... | A | 6250 | SH | | 15-MAY-63 | | SH | | |
| | | | | MS17855A | FASTENERS, SCREW THREADED, DESCRIPTIVE FACTOR SYMBOLS AND ORDER OF NOTES FOR ENGINEERING DOCUMENTS FOR [VALIDATION DATE: 8907] REVIEWER: 82 IS | A | 53GP | AS | | 31-JUL-89 | AV | AS | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MS17856A | GAGE, PRESSURE, DIAL INDICATING, STAINLESS STEEL CASE [VALIDATION DATE: 8102] REVIEWER: GS | A | 6685 | AS | | 15-OCT-63 | | AS | | |
| | L | | | MS17868A | INDICATOR, PROPELLANT LEAK, PLUG, COLOR CHANGE, FOR UNSYMMETRICAL DIMETHYLHYDRAZINE AND FUMING NITRIC ACID [VALIDATION DATE: 8410] REVIEWER: GS | A | 6685 | AS | | 09-JUN-64 | | AS | | |
| | L | | | MS17869A | INDICATOR, HORIZONTAL SITUATION, ID-1013/A ..... | A | 6610 | AS | | 08-JUN-84 | | AS | | |
| | L | | | MS17965C | COUPLING ASSEMBLY, VENTILATION AIR [VALIDATION DATE: 8303] ..... | A | 8475 | AS | | 02-MAR-76 | | AS | | |
| | L | | | MS17967A | NOZZLE ASSEMBLY VENTILATION AND EXHAUST [VALIDATION DATE: 8303] ..... | A | 8475 | AS | | 27-APR-65 | | AS | | |
| | L | | | MS17968A | NOZZLE ASSEMBLY ANTI-G AND VENTILATION [VALIDATION DATE: 8303] ..... | A | 8475 | AS | | 27-APR-65 | | AS | | |
| | L | | | MS17970A | COVER PLATE ASSEMBLY [VALIDATION DATE: 8303] ..... | A | 8475 | AS | | 27-APR-65 | | AS | | |
| | L | | | MS17976F | CONVERTER, 100 AMPERE, CLASS C NONREGULATED, AIRCRAFT, FAN COOLED REVIEWER: GS | A | 6130 | AS | | 30-SEP-88 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MS17981C | SOLENOID, ELECTRICAL, HORN, 24 VOLT DC REVIEWER: ES ME ..... | A | 5945 | AT | | 16-FEB-88 | AT | | | |
| | | | | MS17982C | VALVES, EXPANSION, THERMOSTATIC, REFRIGERANT-12 AND REFRIGERANT-22 [VALIDATION DATE: 9203] USER: SH REVIEWER: CS MC ME | A | 4820 | GL | | 27-MAR-92 | GL | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MS17983 | COMPASS - MAGNETIC, PILOTS STANDBY (VALIDATION DATE: 8712) USER: MC | A | 6605 AS | 04-OCT-62 | AV | AS | 11 | |
| | | NOTICE 1 | REVIEWER: 99 | | | | | | | |
| | | MS17984E | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, BUTTON HANDLE USER: GL REVIEWER: 82 IS | A | 5340 AS | 14-AUG-91 | AV | AS | 99 | |
| | | MS17985E | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING (T) HANDLE USER: GL REVIEWER: 82 IS | A | 5340 AS | 17-JAN-83 | AV | AS | 99 | |
| | | MS17986F | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "L" HANDLE USER: GL REVIEWER: 82 IS | A | 5340 AS | 14-AUG-91 | AV | AS | 99 | |
| | | MS17987F | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, RING HANDLE USER: GL REVIEWER: 82 AR IS | A | 5340 AS | 14-AUG-91 | AV | AS | 99 | |
| | | MS17988D | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, "T" HANDLE USER: GL REVIEWER: 82 IS | A | 5340 AS | 15-NOV-91 | AV | AS | 99 | |
| | | MS17989D | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, "L" HANDLE USER: GL REVIEWER: 82 IS | A | 5340 AS | 15-NOV-91 | AV | AS | 99 | |
| | | MS17990D | PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING, RING HANDLE USER: GL REVIEWER: 82 IS | A | 5340 AS | 15-NOV-91 | AV | AS | 99 | |
| | | MS17996B | INDICATOR, PRESSURE, 1-1/2-INCH, INTEGRALLY LIGHTED (VALIDATION DATE: | A | 6620 AS | 09-DEC-87 | AV | AS | 99 | |
| | | NOTICE 1 | 8712) | | | | | | | |
| D | I | MS18002B | LAMP, INCANDESCENT - SEALED BEAM, PAR 36 FOG LAMP, 2 SCREW TERMINAL TYPE | A | 6240 AT | 03-NOV-92 | AT | SH | | |
| | | NOTICE 1 | USER: YD1 REVIEWER: GS | | | | | | | |
| A | I | MS18003A | LAMP, INCANDESCENT-SEALED BEAM, PAR 36 HEADLAMP, 3 CONTACT LUG TYPE ..... | A | 6240 AT | 03-NOV-92 | AT | SH | 85 | |
| | | NOTICE 2 | | | | | | | | |
| | L | MS18011A | CONTAINER, REUSABLE, ALUMINUM, HAND PORTABLE-ASSEMBLY FOR SHIPPING (VALIDATION DATE: 8301) REVIEWER: MI | A | 8140 OS | 11-APR-66 | | OS | | |
| | L | MS18012A | HANDLE, METAL, SPRING BAIL TYPE (VALIDATION DATE: 8410) REVIEWER: IS ME MI | A | 5340 OS | 15-JUN-78 | | OS | | |
| | L | MS18013A | INDICATOR, HUMIDITY, PLUG, COLOR CHANGE (VALIDATION DATE: 8410) REVIEWER: GS MI OS | A | 6685 AS | 06-JUL-67 | | AS | | |
| | L | MS18014 | VALVE - PRESSURE EQUALIZING (VALIDATION DATE: 8306) REVIEWER: CS MI ..... | A | 4820 OS | 23-JAN-63 | | OS | | |
| | | MS18015B | CATCH, CLAMPING AND STRIKE (CONCEALED SPRING TYPE) (VALIDATION DATE: 8410) | A | 5340 OS | 19-OCT-72 | AR | OS | | IS |
| | | | USER: ER REVIEWER: AS ME MI | | | | | | | |
| | L | MS18016B | PLATE, CONTAINER IDENT ..... | A | 9905 OS | 12-NOV-85 | | OS | | |
| | L | MS18020B | LABEL, INSTRUCTION ..... | A | 7530 OS | 12-NOV-85 | | OS | | |
| | L | MS18023A | BOX, FIBERBOARD, FOR CONTAINERS, REUSABLE, ALUMINUM, HAND PORTABLE USER: GL | A | 8115 OS | 29-NOV-82 | | OS | | |
| | L | MS18026A | CONTAINER, REUSABLE ALUMINUM, HAND PORTABLE (VALIDATION DATE: 8301) REVIEWER: MI | A | 8140 OS | 24-DEC-64 | | OS | | |
| | L | MS18027E | HOOK, HELICOPTER RESCUE REVIEWER: IS ..... | A | 4030 AS | 10-SEP-85 | | AS | | |
| | L | MS18028A | INDICATOR, ATTITUDE - DIRECTOR, REMOTE (IPIS) ..... | A | 6610 AS | 08-JUN-84 | | AS | | |
| | | MS18029E | COVER ASSEMBLY, ELECTRICAL, FOR MS 27212 TERMINAL BOARD ASSEMBLY (VALIDATION DATE: 8503) USER: MC ME REVIEWER: 17 99 GS MI | A | 5940 AS | 14-MAY-71 | ER | AS | 85 | |
| | L | MS18037C | ACTUATOR, AIRCRAFT, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT (VALIDATION DATE: 8203) | A | 1680 AS | 01-FEB-64 | | AS | | |
| | | MS18039B | ADAPTER - FOR CONNECTION OF COUPLING PER MIL-C-25531B (ASG) TO CLASS II END FITTING PER MIL-C-25531 (ASG) INACTIVE FOR NEW DESIGN REVIEWER: CS | A | 4730 AS | 18-DEC-87 | | AS | 99 | |
| | | MS18040B | ADAPTER - FOR CONNECTION OF COUPLING PER MIL-C-25531 TO MS17833 REVIEWER: CS | A | 4730 AS | 27-JAN-89 | AV | AS | 99 | |
| | L | MS18043 | GAGE-PRESSURE, DIAL INDICATING, OXYGEN, HIGH PRESSURE (VALIDATION DATE: 8403) | A | 6685 AS | 11-APR-63 | | AS | | |
| | | MS18045T | BATTERIES, STORAGE, AIRCRAFT, 24 VOLT, GENERAL PURPOSE REVIEWER: AV GS .... | A | 6140 AS | 10-MAR-80 | ER | AS | | |
| | L | MS18047B | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-4949/AIC-14A (VALIDATION | A | 5831 AS | 23-OCT-91 | | AS | | |
| | | NOTICE 1 | DATE: 9110) | | | | | | | |
| | L | MS18049B | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-4951/AIC-14A (VALIDATION | A | 5831 AS | 23-OCT-91 | | AS | | |
| | | NOTICE 1 | DATE: 9110) | | | | | | | |
| | L | MS18050 | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-4952A/AIC-14A | A | 5831 AS | 23-OCT-91 | | AS | | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) | | | | | | | |
| | L | MS18054B | DRIVE PAD FOR AIRCRAFT ELECTRIC EQUIPMENT, CIRCULAR, 5-, 8-, AND 10-INCH | A | 6150 AS | 31-DEC-87 | | AS | | |
| | | NOTICE 1 | (VALIDATION DATE: 8712) REVIEWER: GS | | | | | | | |
| | L | MS18056E | MOUNTING FLANGES FOR AIRCRAFT ELECTRIC EQUIPMENT, CIRCULAR, 5-, 8-, AND | A | 6150 AS | 31-DEC-87 | | AS | | |
| | | NOTICE 1 | 10-INCH (VALIDATION DATE: 8712) REVIEWER: GS | | | | | | | |
| | L | MS18060B | TIRE, PNEUMATIC, AIRCRAFT, 24X5.5(200 MPH) FABRIC TREAD TYPE VII (NAVY) | A | 2620 AS | 30-OCT-91 | | AS | | |
| | | NOTICE 1 | (VALIDATION DATE: 9110) | | | | | | | |
| | | MS18062B | CONNECTOR, RECEPTACLE, DUMMY STOWAGE (VALIDATION DATE: 8909) REVIEWER: 11 | A | 5935 EC | 29-SEP-89 | CR | EC | 85 | |
| | | NOTICE 1 | 14 17 19 AS AV CG ES MI MS OS SH | | | | | | | |
| | | MS18063A | SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F SELF LOCKING ELEMENT, | A | 5305 AS | 04-OCT-91 | AR | AS | 99 | |
| | | NOTICE 1 | ALLOY STEEL, CADMIUM PLATED (VALIDATION DATE: 9110) USER: GL ME REVIEWER: 69 CR MI | | | | | | | |
| | | MS18064A | SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F SELF LOCKING ELEMENT, | A | 5305 AS | 04-OCT-91 | AR | AS | 99 | |
| | | NOTICE 1 | CORROSION RESISTING STEEL, PASSIVATED (VALIDATION DATE: 9110) USER: GL REVIEWER: 69 CR ME MI | | | | | | | |
| | | MS18067A | SETSCREW, HEXAGON SOCKET, CONE POINT, 250 DEG. F, SELF LOCKING ELEMENT, | A | 5305 AS | 04-OCT-91 | AR | AS | 99 | |
| | | NOTICE 1 | ALLOY STEEL, CADMIUM PLATED (VALIDATION DATE: 9110) USER: GL REVIEWER: 69 CR ME MI | | | | | | | |
| | | MS18069B | COMPOUNDS, ADHESIVE, AIRCRAFT DESIGN AND USE LIMITATIONS FOR THREADED | A | 8030 AS | 10-MAY-92 | AV | AS | 11 | |
| | | NOTICE 2 | COMPONENTS RETAINED, SEALED OR LOCKED BY | | | | | | | |
| | | MS18071H | REGULATOR VOLTAGE, DIRECT CURRENT GENERATOR, 28 VOLTS, SOLID STATE | A | 6110 AV | 12-OCT-82 | AV | AS | 99 | |
| | | NOTICE 1 | (INACTIVE - USE MIL-R-23761/1) | | | | | | | |
| | L | MS18078 | ELBOW, 45 DEG.SWIVEL NUT, HOSE FITTING AMS 5639 CRES STEEL (VALIDATION | A | 4730 AS | 26-APR-65 | | AS | | |
| | | | DATE: 8407) | | | | | | | |
| | L | MS18088 | FITTING END- TETRAFLUOROETHYLENE HOSE MEDIUM PRESSURE, SWIVEL FLANGE | A | 4730 AS | 31-DEC-87 | | AS | | |
| | | NOTICE 1 | CORROSION RESISTANT STEEL (VALIDATION DATE: 8712) REVIEWER: MI | | | | | | | |
| | | MS18093P | BATTERIES, STORAGE, AIRCRAFT, DIMENSIONS FOR (VALIDATION DATE: 8005) | A | 6140 AS | 21-MAR-72 | | AS | 99 | |
| | | | REVIEWER: GS | | | | | | | |
| | | MS18098 | VOLT-AMMETER, DUAL POINTER, DIRECT CURRENT (VALIDATION DATE: 8803) USER: | A | 6625 AS | 21-MAR-88 | AV | AS | 99 | |
| | | NOTICE 1 | MC REVIEWER: ES | | | | | | | |
| | L | MS18099A | INDICATOR, TACHOMETER, TRIPLE POINTER, HELICOPTER, INACTIVE 19 MAR 79 | A | 6620 AS | 19-MAR-79 | | AS | | |
| | | | (VALIDATION DATE: 8509) | | | | | | | |
| | I | MS18100D | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES | A | 5950 EC | 31-JAN-92 | ER | EC | 85 | |
| | | NOTICE 1 | LT4K200 TO LT4K208 INCL, LT4K220 AND LT4K221 (VALIDATION DATE: 9201) USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS | | | | | | | |
| | L | MS18103D | CONVERTER, 50 AMPERE, CLASS C NONREGULATED, AIRCRAFT, FAN COOLED REVIEWER: | A | 6125 AS | 30-SEP-88 | | AS | | |
| | | | GS | | | | | | | |
| | L | MS18108B | STARTER GENERATOR, DIRECT CURRENT, 300 AMPERE, 30 VOLT, WIDE SPEED RANGE, | A | 6115 AS | 08-FEB-74 | | AS | | |
| | | NOTICE 1 | CLASS A, TYPE 3 (VALIDATION DATE: 8005) REVIEWER: GS | | | | | | | |
| | | MS18111E | CONVERTER, 150 AMPERE, CLASS C AIRCRAFT BLAST COOLED REVIEWER: GS ..... | A | 6130 AS | 31-DEC-87 | ME | AS | 99 | |
| | | NOTICE . | | | | | | | | |
| | L | MS18116H | BOLT, STUD, AND SOCKETCAP HEAD SCREW, NICKEL-COPPER-ALUMINUM ALLOY(USE | A | 5307 SH | 21-APR-88 | | SH | | |
| | | | MIL-S-1222) | | | | | | | |
| | | MS18121G | FERRULE, OUTER, INSULATED, SHIELD TERMINATING, TYPE II TWO PIECE, CLASS 1, | A | 5940 AS | 13-AUG-82 | ER | AS | 85 | |
| | | | FOR SHIELDED CABLE USER: MC REVIEWER: 11 17 99 EC MI | | | | | | | |
| | | MS18130C | COIL, RADIO FREQUENCY, MOLDED, FIXED, MICROMINIATURE (PHENOLIC CORE) TYPES | A | 5950 EC | 16-SEP-85 | ER | EC | 85 | |
| | | | LT4K074 TO LT4K0891NCL. USER: 19 AR AS MC ME SH REVIEWER: 11 17 ES MI OS | | | | | | | |
| | L | MS18140 | THREE EIGHTHS INCH THERMOMETER WELL, 4 INCH INSERTION LENGTH, 3/4 INCH NPT | A | 6685 SH | 30-OCT-64 | | SH | | |
| | | | THREAD CONNECTION (VALIDATION DATE: 8204) | | | | | | | |

| Action Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| | MS18150J | SWITCH, TOGGLE, 2 CIRCUIT, SEALED TOGGLE (VALIDATION DATE: 8901) REVIEWER: | A 5930 85 13-JAN-89 | ER | EC | 85 | |
| NOTICE 1 | | 11 99 AS AV ES | | | | | |
| | MS18151J | SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE REVIEWER: 11 99 AS AV ES ..... | A 5930 85 18-JUL-91 | ER | EC | 85 | |
| | MS18152J | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE (VALIDATION DATE: 8901) REVIEWER: | A 5930 85 13-JAN-89 | ER | EC | 85 | |
| NOTICE 1 | | 11 99 AS AV ES | | | | | |
| | MS18155C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 10 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AR AV MC ME REVIEWER: 11 99 AS AT ES MI OS SH | | | | | |
| | MS18156C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 10 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 80 AS AT ES MI MU OS SH | | | | | |
| | MS18157C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 20 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AV MC ME REVIEWER: 11 99 AS AT ES MI MU OS SH | | | | | |
| | MS18158C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 20 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 80 AS AT ES MI MU OS SH | | | | | |
| | MS18159C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 36 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AV MC ME REVIEWER: 11 99 AS AT ES MI MU OS SH | | | | | |
| | MS18160C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 36 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 80 AS AT ES MI MU OS SH | | | | | |
| | MS18161B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 52 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AV MC ME REVIEWER: 11 99 AS AT ES MI MU OS SH | | | | | |
| | MS18162B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 52 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS | | | | | |
| | MS18163B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 80 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AV MC ME REVIEWER: 11 99 AS AT ES MI MU OS SH | | | | | |
| | MS18164B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 80 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME REVIEWER: 99 AS AT ES MI OS SH | | | | | |
| | MS18165B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 158 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AV MC ME REVIEWER: 11 99 AR AS AT ES OS SH WC | | | | | |
| | MS18166B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 158 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AR AS AT MI OS | | | | | |
| | MS18167B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 212 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AV MC ME REVIEWER: 11 80 AS AT ES MI MU OS SH | | | | | |
| | MS18168B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | ELECTRICAL, 212 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS | | | | | |
| | MS18173A | WASHER, FLAT (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 99 AS AT MI | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | MU OS SH | | | | | |
| | MS18174C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 14 (SIZE 16, 20 | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME OS SH REVIEWER: 11 99 AS AT ES MI | | | | | |
| | MS18175C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 14 (SIZE 16, 20 | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME OS SH REVIEWER: 11 99 AS AT ES MI | | | | | |
| | MS18176C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 20 (SIZE 16, 20 | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME OS SH REVIEWER: 11 99 AS AT ES MI | | | | | |
| | MS18177C | INSERT (INSULATOR, RECTANGULAR CONNECTOR, ELECTRICAL, 20 )SIZE 16 AND 20 | A 5935 EC 18-MAR-85 | CR | EC | 85 | |
| | | CRIMP REMOVABLE( SOCKET CONTACTS USER: AM AR ME OS REVIEWER: 11 99 AS AT ES MI | | | | | |
| | MS18178C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 34 (SIZE 16 AND 20 | A 5935 EC 18-MAR-85 | CR | EC | 85 | |
| | | CRIMP REMOVABLE) PIN CONTACTS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MI OS | | | | | |
| | MS18179D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 34 (SIZE 16 AND 20 | A 5935 EC 09-FEB-87 | CR | EC | 85 | |
| | | CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MI | | | | | |
| | MS18180C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 42, (SIZE 16 AND 20 | A 5935 EC 18-MAR-85 | CR | EC | 85 | |
| | | CRIMP REMOVABLE) PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 AS AT ES MI | | | | | |
| | MS18181D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 42 (SIZE 16 AND 20 | A 5935 EC 27-NOV-90 | CR | EC | 85 | |
| | | CRIMP REMOVABLE SOCKET CONTACTS) USER: AM AR MC ME OS REVIEWER: 11 AS AT ES MI | | | | | |
| | MS18182D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 50 (SIZE 16 AND 20 | A 5935 EC 26-APR-90 | CR | EC | 85 | |
| | | CRIMP REMOVABLE) PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 AS AT ES MI | | | | | |
| | MS18183D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 50 (SIZE 16 AND 20 | A 5935 EC 26-APR-90 | CR | EC | 85 | |
| | | CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 AS AT ES MI | | | | | |
| | MS18184D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 66 (SIZE 16 AND 20 | A 5935 EC 18-MAR-85 | CR | EC | 85 | |
| | | CRIMP REMOVABLE) PIN CONTACTS USER: AM MC ME REVIEWER: 11 99 AS AT ES MI OS | | | | | |
| | MS18185C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 66 (SIZE 16 AND 20 | A 5935 EC 18-MAR-85 | CR | EC | 85 | |
| | | CRIMP REMOVABLE), SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MI | | | | | |
| | MS18187E | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 75 (SIZE 16 AND 20 | A 5935 EC 19-JUL-88 | CR | EC | 85 | |
| | | CRIMP REMOVABLE) PIN CONTACTS USER: AR MC ME OS REVIEWER: 11 AS AT ES | | | | | |
| | MS18188D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 75 (SIZE 16 AND 20 | A 5935 EC 19-JUL-88 | CR | EC | 85 | |
| | | CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR CS MC ME REVIEWER: 11 AS AT ES MI | | | | | |
| | MS18189C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 104 (SIZE 16 AND 20 | A 5935 EC 18-MAR-85 | CR | EC | 85 | |
| | | CRIMP REMOVABLE) PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MI | | | | | |
| | MS18190C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 104 (SIZE 16 AND 20 | A 5935 EC 18-MAR-85 | CR | EC | 85 | |
| | | CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MI OS | | | | | |
| | MS18192F | SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20, 26, 34, 42, 50 AND 75 | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | CONTACT CONNECTORS (VALIDATION DATE: 8912) USER: AM AR MC ME OS SH REVIEWER: 11 99 AS AT ES MI | | | | | |
| | MS18193D | SHIELD, ELECTRICAL CONNECTORS FOR 66 AND 104 CONTACT CONNECTORS USER: AM | A 5935 EC 26-APR-90 | CR | EC | 85 | |
| | | MC ME REVIEWER: 11 AR AS AT ES MI OS | | | | | |
| | MS18194D | JACKSCREW, ELECTRICAL CONNECTOR MALE AND FEMALE, LONG, TURNABLE | A 5935 EC 15-DEC-89 | CR | EC | 85 | |
| NOTICE 1 | | (VALIDATION DATE: 8912) USER: AM AR MC ME OS REVIEWER: 11 AS AT ES MI | | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MS18195B<br>NOTICE 1 | JACKSCREW, ELECTRICAL CONNECTOR, MALE AND FEMALE, SHORT, TURNABLE (VALIDATION DATE: 8912) USER: AM AR MC ME REVIEWER: AS AT ES MI OS SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 11 | |
| | | | | MS18196E<br>NOTICE 1 | JACKSCREW, ELECTRICAL CONNECTOR, MALE AND FEMALE, SHORT, FIXED (VALIDATION DATE: 8912) USER: AM AR MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 85 | |
| | | | | MS18197E<br>NOTICE 1 | GUIDE PIN, ELECTRICAL CONNECTOR, MALE AND FEMALE (VALIDATION DATE: 8912) USER: AM AR MC ME OS REVIEWER: 11 AS AT MI | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18198B | PLATE, RETAINING, RECEPTACLE, ELECTRICAL, CONNECTOR, FOR SIZE 14 AND 20 CONTACT CONNECTORS (VALIDATION DATE: 8404) USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MI OS | A | 5935 | EC | 23-JUN-72 | CR | EC | 85 | |
| | | | | MS18199B<br>NOTICE 1 | PLATE, RETAINING, RECEPTACLE, ELECTRICAL CONNECTOR FOR SIZE 34, 42, 50 AND 75 CONTACT CONNECTORS (VALIDATION DATE: 8912) USER: AM AR MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18200A<br>NOTICE 1 | PLATE, RETAINING, RECEPTACLE, ELECTRICAL CONNECTOR FOR SIZE 66 AND 104 CONTACT CONNECTORS (VALIDATION DATE: 8912) USER: AM AR MC ME REVIEWER: AS AT MI OS SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18203F | SHELL, ELECTRICAL, CONNECTOR, PLUG, RECTANGULAR, POLARIZING USER: AM MC ME REVIEWER: 11 80 AR AS AT ES MI OS | A | 5935 | EC | 26-APR-90 | CR | EC | 85 | |
| | | | | MS18204E | SHELL, ELECTRICAL CONNECTOR, RECEPTACLE, RECTANGULAR, POLARIZING USER: AM MC ME REVIEWER: 11 99 AS AT ES MI | A | 5935 | EC | 26-APR-90 | CR | EC | 85 | |
| | | | | MS18205B<br>NOTICE 1 | PIN, STRAIGHT HEADED (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AR AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18211A<br>NOTICE 1 | SCREW, MACHINE - 80 DEGREE AND 100 DEGREE, FLAT COUNTERSUNK HEAD, SLOTTED, PLASTIC (NYLON) (VALIDATION DATE: 8805) USER: MC OS REVIEWER: AV IS MI SA | A | 5305 | AR | 20-MAY-88 | AR | SH | 99 | |
| | | | | MS18212C | SCREW, MACHINE, PAN HEAD, SLOTTED, PLASTIC (NYLON), MC-2A AND UNC-2A (VALIDATION DATE: 8101) USER: AS AT MC ME MI OS SA REVIEWER: 11 AV IS | A | 5305 | AR | 02-APR-75 | AR | | 99 | |
| | | | | MS18225 | ADAPTER (RIGHT ANGLE) CABLE TO CONNECTOR ..... | A | 5935 | SH | 28-NOV-66 | | | | |
| L | | | | MS18229B | PLUG FOR O RING GASKET USER: ME ..... | A | 4730 | SH | 30-OCT-86 | | SH | | |
| L | | | | MS18230<br>NOTICE 2 | RUDDER SECTION OFFSETS COEFFICIENTS (VALIDATION DATE: 9103) ..... | A | 2040 | SH | 21-MAR-91 | | SH | | |
| LI | | | | MS18233C | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED FOR RG-178B/U AND RG-196A/U CABLE REVIEWER: ES | A | 5935 | EC | 30-MAR-90 | | EC | | |
| | | | | MS18235C | LAMP, CARTRIDGE, SHORT CYLINDRICAL, PLUG-IN, INCANDESCENT, PLASTIC (FLAT LENS TYPE) (VALIDATION DATE: 8204) USER: AV MC ME REVIEWER: 11 AR AS GS SH | A | 6240 | EC | 13-JAN-76 | EL | EC | 99 | |
| | | | | MS18236C | LAMP, CARTRIDGE, SIOVEPIPE, PLUG IN, NEON, PLASTIC (CURVED LENS TYPE) (VALIDATION DATE: 8204) USER: MC REVIEWER: 11 AR AS GS SH | A | 6240 | EC | 13-JAN-76 | EL | EC | 99 | |
| | | | | MS18237C | LAMP, CARTRIDGE, LONG CYLINDRICAL, PLUG-IN, NEON, PLASTIC (FLAT LENS TYPE) (VALIDATION DATE: 8204) USER: MC REVIEWER: 11 AR AS GS SH | A | 6240 | EC | 13-JAN-76 | EL | EC | 99 | |
| | | | | MS18238C | LAMP, CARTRIDGE, SHORT CYLINDRICAL, PLUG-IN, INCANDESCENT, GLASS (FLAT TYPE) (VALIDATION DATE: 8204) USER: MC REVIEWER: 11 AR AS GS SH | A | 6240 | EC | 13-JAN-76 | EL | EC | 99 | |
| | | | | MS18239B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 16 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) REVIEWER: 11 99 ES | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18240B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 16 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AR MC ME OS REVIEWER: 11 AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | AS | 80 | |
| | | | | MS18241B | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 14, SIZE 16, SOCKET CONTACTS (VALIDATION DATE: 8404) USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | 23-JUN-72 | CR | EC | 85 | |
| | | | | MS18242B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 16 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME REVIEWER: 11 AS AT MI OS SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18243B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 16 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18244B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 16 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME REVIEWER: 11 AS AT MI OS SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18245B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 16 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18246B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 42 SIZE 16 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AR MC ME REVIEWER: 11 AS AT MI OS SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18247B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 42 SIZE 16 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18248B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 16 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18249B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 16 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18250B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 66 SIZE 16 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME REVIEWER: 11 AS AT MI OS SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18251B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 66 SIZE 16 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18252B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 75 SIZE 16 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18253B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 75 SIZE 16 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 99 AR AS AT ES MI OS | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18254B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 104 SIZE 16 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18255B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 104 SIZE 16 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18256B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 9 SIZE 20 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: MC ME OS REVIEWER: 11 AM AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18257B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 9 SIZE 20 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18258B<br>NOTICE 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 42 SIZE 20 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18259B<br>NOTICE 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 75, SIZE 20 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | | | MS18260B<br>NOTICE 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 42, SIZE 20 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | Army | Navy | Air Force | DLA |
| | | MS18261B<br>NOTICE 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 75, SIZE 20 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS WC REVIEWER: 11 AS AT ES MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | MS18262B<br>NOTICE 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 104, SIZE 20 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | MS18263B<br>NOTICE 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 104, SIZE 20 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | MS18264B<br>NOTICE 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 9, SIZE 16 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS WC REVIEWER: 11 99 AS AT ES MI SH | A | 5935 | EC | 15-DEC-89 | CR | EC | 80 | |
| | | MS18268E | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE, SOCKET CONTACTS, SOLDER TYPE USER: AT CG MC SH REVIEWER: 11 99 AS ES MI | A | 5935 | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MS18269E | CONNECTOR, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL RECEPTACLE SOCKET CONTACTS, SOLDER TYPE [VALIDATION DATE: 8304] USER: CG MC REVIEWER: 11 99 AS AT ES MI | A | 5935 | EC | 30-NOV-76 | CR | EC | 85 | |
| | | MS18270H | CONNECTOR, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL RECEPTACLE SOCKET CONTACTS, CRIMP TYPE [VALIDATION DATE: 8304] USER: CG MC ME REVIEWER: 11 99 AS ES MI SH | A | 5935 | EC | 30-NOV-76 | CR | EC | 85 | |
| | | MS18271F | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, PIN CONTACTS, CRIMP TYPE USER: AT CG MC SH REVIEWER: 11 99 AS ES MI | A | 5935 | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MS18272E | CONNECTOR, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, HERMETIC PIN CONTACTS, CLASS H [VALIDATION DATE: 8505] USER: AT CG MC ME REVIEWER: 11 99 AS ES MI SH | A | 5935 | EC | 13-NOV-78 | CR | EC | 85 | |
| | | MS18273C | INSERT ARRANGEMENT, ELECTRICAL CONNECTOR SHELL SIZE 1 [VALIDATION DATE: 8304] USER: CG MC ME REVIEWER: 11 99 AS AT ES MI | A | 5935 | EC | 06-OCT-70 | CR | EC | 85 | |
| | | MS18274F | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 2 USER: AT CG MC ME REVIEWER: 11 AS ES MI SH | A | 5935 | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MS18275F | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 3 USER: AT CG MC ME REVIEWER: 11 AS ES MI SH | A | 5935 | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MS18276F | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 4 USER: AT CG MC ME REVIEWER: 11 AS ES MI SH | A | 5935 | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MS18277F | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 5 USER: AT CG MC ME REVIEWER: 11 AS ES MI SH | A | 5935 | EC | 26-JAN-89 | CR | EC | 85 | |
| | | MS18281C | CONTACTS PIN AND SOCKET CLASSES G, H, AND H SOLDER TYPE, NON-REMOVABLE [VALIDATION DATE: 8304] USER: CG MC ME REVIEWER: 11 99 AS AT ES MI | A | 5935 | EC | 06-OCT-70 | CR | EC | 85 | |
| L | | MS18282<br>NOTICE 2 | RELIEF VALVE OPERATING CHARACTERISTICS VERSUS MAXIMUM OPERATING PRESSURE FOR LIQUID SERVICE [VALIDATION DATE: 9104] | A | 4820 | SH | 19-APR-91 | | SH | | |
| L | | MS18283A<br>NOTICE 1 | RELIEF VALVE OPERATING CHARACTERISTICS VERSUS MAXIMUM OPERATING PRESSURE FOR STEAM AND GAS SERVICE [VALIDATION DATE: 8712] | A | 4820 | SH | 11-DEC-87 | | SH | | |
| L | | MS18284<br>NOTICE 2 | REGULATING AND CONTROL VALVES ACCURACY OF REGULATION REQUIREMENT [VALIDATION DATE: 9104] | A | 4820 | SH | 19-APR-91 | | SH | | |
| L | | MS18287<br>NOTICE 1 | BRACKET, STEP, BIN AND RACK, STOREROOM, SHIPBOARD TYPE [VALIDATION DATE: 9103] | A | 2090 | SH | 21-MAR-91 | | SH | | |
| L | | MS18288C | LOCKPLATE (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) [VALIDATION DATE: 8309] | A | 4420 | SH | 14-AUG-78 | | SH | | |
| L | | MS18291<br>NOTICE 1 | SHIP LIMITING DRAFT MARK [VALIDATION DATE: 9103] ..... | A | 2040 | SH | 21-MAR-91 | | SH | | |
| L | | MS18295<br>NOTICE 1 | INTERMITTENT ACID FEED TREATMENT SYSTEM, SHIPBOARD APPLICATION [VALIDATION DATE: 9103] | A | 4620 | SH | 21-MAR-91 | | SH | | |
| L | | MS18296<br>NOTICE 1 | NAVY TYPE SYSTEM CLEANER [VALIDATION DATE: 9104] REVIEWER: GS ..... | A | 4130 | SH | 01-APR-91 | | SH | | |
| L | | MS18297<br>NOTICE 1 | CABLE, NAVY, INSULATION RESISTANCE [VALIDATION DATE: 9107] ..... | A | 6145 | SH | 10-JUL-91 | | SH | | |
| L | | MS18298<br>NOTICE 1 | SHIP WHISTLE SOUND OUTPUT [VALIDATION DATE: 9010] REVIEWER: GS ..... | A | 6350 | SH | 05-OCT-90 | | SH | | |
| L | | MS18299<br>NOTICE 1 | SHIPBOARD POWER DEMAND FACTORS 450 VOLT [VALIDATION DATE: 8707] ..... | A | 6145 | SH | 24-JUL-87 | | SH | | |
| L | | MS18301B | HIGH PRESSURE DRAIN ORIFICE PLATES AND STRAINERS REVIEWER: CS ..... | A | 4730 | SH | 28-FEB-92 | | SH | | |
| L | | MS18302<br>NOTICE 1 | EGRESS MARKING SYSTEM [VALIDATION DATE: 9103] ..... | A | 2090 | SH | 21-MAR-91 | | SH | | |
| L | | MS18307B<br>NOTICE 1 | LATERALS, FORGED STEEL SOCKET WELDING 3000 PSI AT 1000 DEGREE F (MAX.) STEAM SERVICE [VALIDATION DATE: 8812] | A | 4730 | SH | 02-DEC-88 | | SH | | |
| L | | MS18308<br>NOTICE 1 | ALLOY STEEL SOCKET WELDING FLANGES AND FLANGED NIPPLES, 1/4 INCH AND 3/8 INCH, 600 POUNDS PER SQUARE INCH AT 850 DEG. F (MAXIMUM) [VALIDATION DATE: 9104] | A | 4730 | SH | 19-APR-91 | | SH | | |
| | | MS19059C | BALL, BEARING, FERROUS, CHROME ALLOY STEEL USER: 17 AS MC MI SA REVIEWER: 84 AR AV IS | A | 3110 | OS | 31-JUL-87 | AT | OS | 99 | |
| | | MS19060D | BALL, BEARING, FERROUS, CORROSION RESISTING STEEL USER: 17 MI REVIEWER: 84 AR IS | A | 3110 | OS | 31-JUL-87 | AT | OS | 99 | |
| | | MS19061C | BALL, BEARING, FERROUS, CARBON STEEL [VALIDATION DATE: 8204] USER: MC ME SH REVIEWER: 99 AR IS | A | 3110 | OS | 03-AUG-76 | AT | OS | 11 | |
| | | MS19062B | BALL, BEARING, NON-FERROUS, BRASS [VALIDATION DATE: 8204] USER: 17 AR MC ME SA SH WV REVIEWER: 84 IS | A | 3110 | OS | 03-AUG-76 | AT | OS | 99 | |
| | | MS19063C | BALL, BEARING, NON-FERROUS, BRONZE [VALIDATION DATE: 8204] USER: MC SH REVIEWER: 84 IS | A | 3110 | OS | 03-AUG-76 | AT | OS | 99 | |
| | | MS19064C | BALL, BEARING, NON-FERROUS, NICKEL-COPPER ALLOY (K-MONEL METAL) USER: AR MC ME SH REVIEWER: 84 AV IS | A | 3110 | OS | 31-JUL-87 | AT | OS | 99 | |
| | | MS19065A | ROLLER, BEARING, FERROUS, SOLID, SPHERICAL END [VALIDATION DATE: 8204] USER: MC REVIEWER: 84 IS | A | 3110 | OS | 04-MAR-73 | AT | OS | 99 | |
| | | MS19067A | NUTS, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARING, LIGHT SERIES [VALIDATION DATE: 8204] USER: MC ME SA REVIEWER: 82 AR AS AV IS MI | A | 5310 | AT | 03-JUN-76 | AT | OS | 99 | |
| | | MS19068A | NUTS, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARING REGULAR SERIES [VALIDATION DATE: 8410] USER: MC ME SA REVIEWER: AR AV IS MI | A | 5310 | OS | 03-JUN-77 | AT | OS | 11 | |
| | | MS19069A | WASHER, KEY, RETAINING, BALL AND ROLLER BEARING, LIGHT SERIES [VALIDATION DATE: 8204] REVIEWER: 99 AR IS MC MI SA | A | 3110 | OS | 07-JUN-61 | AT | OS | 11 | |
| | | MS19070A | WASHER, KEY RETAINING, BALL AND ROLLER BEARING, REGULAR SERIES REVIEWER: AS IS SA | A | 3110 | OS | 07-OCT-87 | AT | OS | 11 | |
| | | MS19073 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING SNAP RINGS ON OUTER RING, NON-LOCATING [VALIDATION DATE: 8204] USER: MC ME SH REVIEWER: IS | A | 3110 | OS | 30-APR-59 | AT | OS | | |
| | | MS19074 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TOW ROLLER RETAINING RIBS ON INNER RING, CYLINDRICAL OUTER RING, NON-LOCATING [VALIDATION DATE: 8204] USER: MC SH REVIEWER: IS | A | 3110 | OS | 30-APR-59 | AT | OS | | |
| | | MS19075 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, CYLINDRICAL INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, ONE DIRECTION LOCATING [VALIDATION DATE: 8204] USER: MC SH REVIEWER: IS | A | 3110 | OS | 30-APR-59 | AT | OS | | |
| | | MS19076 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, CYLINDRICAL INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, NON-LOCATING [VALIDATION DATE: 8204] USER: MC ME SH REVIEWER: IS | A | 3110 | OS | 30-APR-59 | AT | OS | | |

| Action | Opt. / Obst. Cross-Reference Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS19077 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, ONE ROLLER RETAINING RIB ON OUTER RING, ONE DIRECTION LOCATING [VALIDATION DATE: 8204] USER: MC SH REVIEWER: IS | A | 3110 | OS | 30-APR-59 | AT | OS | | | |
| | | MS19078 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, ONE ROLLER RETAINING RIB ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, ONE DIRECTION LOCATING [VALIDATION DATE: 8204] USER: MC SH REVIEWER: IS | A | 3110 | OS | 30-APR-59 | AT | OS | | | |
| | | MS19079 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, TWO DIRECTION LOCATING [VALIDATION DATE: 8204] USER: MC SH REVIEWER: IS | A | 3110 | OS | 30-APR-59 | AT | OS | | | |
| D | | MS19081B | BEARING, ROLLER, TAPERED SINGLE ROW OF ROLLERS, NORMAL ANGLE [VALIDATION DATE: 8204] USER: MC ME YD1 REVIEWER: 84 AR AV IS MI SH | A | 3110 | OS | 20-AUG-76 | AT | OS | 99 | | |
| L | | MS19082A NOTICE 1 | BEARING, ROLLER, TAPERED, SINGLE ROW OFROLLERS, NORMAL ANGLE, LLANGED CUP, TYPE 755 (TSF) [VALIDATION DATE: 8610] USER: AV MC SA REVIEWER: 84 IS MI MS | A | 3110 | OS | 01-OCT-86 | AT | OS | 99 | | |
| | | MS19083A | BEARING, ROLLER, TAPERED, SINGLE ROW OFROLLERS, STEEP ANGLE, TYPE 753 (TSS) [VALIDATION DATE: 8509] USER: AV MC SA REVIEWER: 84 IS MI MS | A | 3110 | OS | 20-MAR-78 | AT | OS | 99 | | |
| L | | MS19084A NOTICE 1 | BEARING, ROLLER, TAPERED, SINGLE ROW OFROLLERS, STEEP ANGLE, FLANGED CUP, TYPE 759 (TSSF) [VALIDATION DATE: 8610] USER: AV MC SA REVIEWER: IS MI MS | A | 3110 | OS | 01-OCT-86 | AT | OS | 99 | | |
| L | | MS19085A | BEARING, ROLLER, TAPERED, TWO ROWS OF ROLLERS, TYPE 757 (TDI) & 770 (TDIS) USER: AV REVIEWER: 84 IS MC MS SH | A | 3110 | OS | 13-JAN-82 | | OS | 99 | | |
| L | | MS19086A | BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, ADJUSTABLE, TYPE 761 (TDO) USER: AV MC SH REVIEWER: 84 IS | A | 3110 | OS | 13-JAN-82 | | OS | 99 | | |
| L | | MS19087A | BEARING ROLLER, TAPERED DOUBLE ROW OF ROLLERS, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, ADJUSTABLE, TYPE 763 (TDOS) USER: AV REVIEWER: 84 IS MC MS SH | A | 3110 | OS | 13-JAN-82 | | OS | 99 | | |
| L | | MS19088A | BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NON ADJUSTABLE, TYPE 764 (TNA) USER: 99 AV REVIEWER: 84 IS MC MS SH | A | 3110 | OS | 13-JAN-82 | | OS | | | |
| L | | MS19089A | BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NON ADJUSTABLE, TYPE 767 (TNA) USER: AV REVIEWER: 84 IS MC MS SH | A | 3110 | OS | 13-JAN-82 | | OS | 99 | | |
| | | MS20001L | HINGE, BUTT, STRUCTURAL, EXTRUDED REVIEWER: IS | A | 5340 | AS | 30-OCT-89 | AV | AS | 99 | | |
| | | MS20002E NOTICE 1 | WASHER, COUNTERSUNK AND PLAIN, HIGH STRENGTH [VALIDATION DATE: 9105] REVIEWER: AT IS ME MI | A | 5310 | AS | 20-MAY-91 | AV | AS | 99 | | |
| | | MS20003C | INDICATOR, HUMIDIY, CARD, THREE SPOT, IMPREGNATED AREAS (COBALTOUS CHLORIDE) [VALIDATION DATE: 8205] USER: EC MC SA REVIEWER: ER GL GS MD MI | A | 6685 | AS | 05-JUN-63 | AR | AS | 99 | | |
| | | MS20004THRUMS20024E | BOLTS, INTERNAL WRENCHING, 160 KSI FTU AND 96 KSI FSU USER: AV REVIEWER: ER IS ME MI | A | 5306 | AS | 30-MAY-89 | AR | AS | 99 | | |
| L | | MS20026D NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNT, SOLDER TYPE, BAYONET COUPLING REVIEWER: 99 ES | A | 5935 | 85 | 30-JAN-87 | | | 85 | | |
| L | | MS20027D | CONNECTOR, LINE PLUG, ELECTRIC, SOLDER TYPE, BAYONET COUPLING [VALIDATION DATE: 8302] REVIEWER: 99 ES | A | 5935 | 85 | 20-DEC-67 | | | 85 | | |
| L | | MS20028E NOTICE 1 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE STRAIGHT BAYONET COUPLING REVIEWER: 99 ES | A | 5935 | 85 | 30-JAN-87 | | | 85 | | |
| L | | MS20029E NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, SOLDER TYPE, BAYONET COUPLING REVIEWER: 99 ES | A | 5935 | 85 | 30-JAN-87 | | | 85 | | |
| | | MS20033THRUMS20046C | BOLT, MACHINE, HEXAGON HEAD, 1200 DEG. F [VALIDATION DATE: 8312] USER: MC ME REVIEWER: MI OS | A | 5306 | AS | 11-JUN-70 | AR | AS | 99 | | |
| | | MS20065A | KEY, MACHINE, RECTANGULAR IN CROSS-SECTION, BOTH ENDS SQUARE [VALIDATION DATE: 8304] USER: GL MC REVIEWER: 82 IS SA | A | 5315 | AR | 13-NOV-64 | AR | OS | 99 | | |
| | | MS20066A | KEY, MACHINE, SQUARE IN CROSS-SECTION, BOTH ENDS SQUARE [VALIDATION DATE: 8504] USER: AV MC REVIEWER: 82 IS ME SA | A | 5315 | AR | 13-NOV-64 | AR | AS | 99 | | |
| | | MS20067A | KEY, MACHINE, SQUARE IN CROSS-SECTION, ONE END SQUARE, OTHER END ROUND [VALIDATION DATE: 8101] USER: AT MC REVIEWER: 82 IS ME SA | A | 5315 | AR | 13-NOV-64 | | OS | 99 | | |
| | | MS20068A | KEY, MACHINE, SQUARE IN CROSS-SECTION, BOTH ENDS ROUND [VALIDATION DATE: 8304] USER: AV MC REVIEWER: 82 IS ME SA | A | 5315 | AR | 13-NOV-64 | AR | OS | 99 | | |
| D | | MS20069B | BOLT, SQUARE NECK, CARRIAGE, HOT GALVANIZED (POLE LINE) USER: MC ME REVIEWER: AR IS | A | 5306 | ER | 06-OCT-87 | ER | YD1 | 99 | | |
| D | | MS20073B | BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, FINE THREAD REVIEWER: ME | A | 5306 | IS | 12-APR-84 | AV | AS | 99 | IS | |
| D | | MS20074B | BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, COARSE THREAD REVIEWER: ME MI | A | 5306 | IS | 13-JUN-85 | AV | AS | 99 | IS | |
| | | MS20115A | SHACKLE-WIRE ROPE [VALIDATION DATE: 8510] USER: ME REVIEWER: IS | A | 4030 | 82 | 17-NOV-72 | | AS | 99 | | |
| | | MS20218B NOTICE 1 | BEARING, BALL, ANTI-FRICTION, AIRFRAME [VALIDATION DATE: 9110] | A | 3110 | AS | 09-OCT-91 | AT | AS | 99 | | |
| | | MS20219F | PULLEY, GROOVE, SECONDARY CONTROL, AIRCRAFT USER: ME REVIEWER: CS MI | A | 3020 | 82 | 30-JUL-82 | | AS | 99 | | |
| | | MS20220C | PULLEY, GROOVE, FLIGHT CONTROL, AIRCRAFT REVIEWER: CS | A | 3020 | 82 | 31-JUL-82 | AV | AS | 99 | | |
| | | MS20221E | PULLEY, GROOVE, HEAVY DUTY, CONTROL, AIRCRAFT REVIEWER: CS | A | 3020 | 82 | 17-APR-84 | AV | AS | 99 | | |
| | | MS20230D NOTICE 1 | GROMMETS, METALLIC, PLAIN AND SPUR, WITH WASHER, TYPE I AND TYPE III [VALIDATION DATE: 9110] REVIEWER: 82 | A | 5325 | AS | 09-OCT-91 | | AS | 99 | | |
| | | MS20253D | PIN, HINGE REVIEWER: 82 AV IS | A | 5315 | AS | 17-OCT-83 | | AS | 99 | | |
| A | | MS20257D | HINGE, CONTINUOUS REVIEWER: 82 IS MI | A | 5340 | AS | 22-JUN-92 | | AS | 99 | | |
| | | MS20270B | JOINT - UNIVERSAL, PLAIN, LIGHT DUTY [VALIDATION DATE: 8401] USER: AT AV REVIEWER: CS | A | 3010 | 82 | 04-MAY-78 | ME | AS | 99 | | |
| | | MS20271B | JOINT - UNIVERSAL, PLAIN, HEAVY DUTY [VALIDATION DATE: 8401] USER: AT AV REVIEWER: CS | A | 3010 | 82 | 04-MAY-78 | ME | AS | 99 | | |
| | | MS20392E NOTICE 1 | PIN, STRAIGHT, HEADED, DRILLED SHANK [VALIDATION DATE: 9109] REVIEWER: 82 AV IS MI | A | 5315 | AS | 09-SEP-91 | AR | AS | 99 | | |
| | | MS20426K | RIVET, SOLID, COUNTERSUNK 100 DEG., PRECISION HEAD, ALUMINUM AND TITANIUM COLUMBIUM ALLOY USER: MC REVIEWER: 82 AV GL ME MI OS | A | 5320 | AS | 28-JAN-91 | AR | AS | 99 | | |
| D | | MS20427F | RIVET, SOLID-100-DEG. COUNTERSUNK HEAD, CARBON STEEL, CORROSION-RESISTANT STEEL, MONEL AND COPPER USER: CE MC REVIEWER: AV GL ME | A | 5320 | IS | 26-DEC-84 | AR | AS | 99 | IS | |
| | | MS20470G | RIVET, SOLID UNIVERSAL HEAD, ALUMINUM ALLOY AND TITANIUM COLUMBIUM ALLOY USER: ME REVIEWER: 82 EA GL IS | A | 5320 | AS | 28-JAN-91 | AR | AS | 99 | | |
| | | MS20500E | NUT, SELF LOCKING, HEXAGON, 1200 DEG. F, 125 KSI FTU REVIEWER: IS ME | A | 5310 | AS | 22-AUG-86 | AV | AS | 99 | | |
| | | MS20501C NOTICE 1 | NUT, SELF LOCKING, PLATE, TWO LUG, 1200 DEG. F, 125 KSI FTU [VALIDATION DATE: 9110] REVIEWER: 82 IS | A | 5310 | AS | 09-OCT-91 | AV | AS | 99 | | |
| A | | MS20600J | RIVET, BLIND, STRUCTURAL PULL STEM, SELF-PLUGGING, PROTRUDING HEAD, TYPE II USER: 82 REVIEWER: AV ER IS MI SH | A | 5320 | AS | 10-AUG-92 | AR | AS | 99 | | |
| A | | MS20601J | RIVET, BLIND, STRUCTURAL PULL STEM, SELF-PLUGGING, 100 DEG. FLUSH HEAD, TYPE II USER: 82 REVIEWER: AV ER IS MI SH | A | 5320 | AS | 10-AUG-92 | AR | AS | 99 | | |
| A | | MS20604J | RIVET, BLIND, NONSTRUCTURAL, UNIVERSAL HEAD, CLASS 1 REVIEWER: 82 AV IS MI SH | A | 5320 | AS | 28-DEC-92 | AR | AS | 99 | | |
| A | | MS20605L | RIVET, BLIND, NONSTRUCTURAL, 100 DEG. FLUSH HEAD, CLASS 2 REVIEWER: 82 AV IS MI SH | A | 5320 | AS | 28-DEC-92 | AR | AS | 99 | | |
| | | MS20613E | RIVET, SOLID-UNIVERSAL HEAD, STEEL, CARBON AND STEEL, CORROSION-RESISTANT USER: AT MC ME REVIEWER: GL IS MI SA | A | 5320 | AR | 13-JAN-89 | AR | OS | 99 | | |
| | | MS20615F | RIVET, SOLID-UNIVERSAL HEAD, BRASS, COPPER, NICKEL-COPPER ALLOY | A | 5320 | 82 | 30-AUG-90 | AV | AS | 99 | | |
| | | MS20658B | TERMINAL, WIRE ROPE SWAGING, FORK END [VALIDATION DATE: 8405] REVIEWER: IS | A | 4030 | 82 | 09-OCT-64 | ME | AS | 99 | | |
| | | MS20659J NOTICE 1 | TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TYPE I, CLASS 1 FOR 175 DEG. C TOTAL CONDUCTOR TEMPERATURE [VALIDATION DATE: 9110] USER: AT MC ME OS REVIEWER: 11 99 AR AV EC MI SH | A | 5940 | AS | 23-OCT-91 | ER | AS | 85 | | |
| | | MS20663A | BALL END, WIRE ROPE, SWAGING, DOUBLE SHANK (SUPERSEDES AN663) [VALIDATION DATE: 8209] REVIEWER: IS | A | 4030 | 82 | 25-NOV-63 | ME | AS | 99 | | |
| | | MS20664B | BALL END, WIRE ROPE, SWAGING, SINGLE SHANK USER: MI REVIEWER: IS | A | 4030 | 82 | 20-JUN-87 | ME | AS | 99 | | |

| Action | Opt. / Obsl. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS20667C | TERMINAL, WIRE ROPE, SWAGING, FORK END REVIEWER: IS | A | 4030 | 82 | 31-JAN-79 | CE | AS | 99 | | |
| | | | MS20668B | TERMINAL, WIRE ROPE, SWAGING, EYE END (SUPERSEDES AN668) REVIEWER: AR IS | A | 4030 | 82 | 08-NOV-82 | ME | AS | 99 | | |
| | | | MS20756C | FLANGE, SWIVEL, RETAINING REVIEWER: AV CS ME | A | 4730 | 82 | 16-JUN-78 | | AS | 99 | | |
| | | | MS20757B | CONNECTOR, FIXED FLANGE, TO HOSE [VALIDATION DATE: 8106] USER: CS | A | 4730 | 82 | 24-JUL-75 | | AS | 99 | | |
| | | | MS20758A | ELBOW, HOSE, FLANGED, SWIVEL, 45 DEGREE REVIEWER: CS | A | 4730 | 82 | 10-AUG-82 | | AS | 99 | | |
| | L | | MS20759A | ELBOW, HOSE, FLANGED, SWIVEL, 90 DEG. (SUPERSEDES AN759) REVIEWER: CS | A | 4730 | 82 | 02-SEP-82 | | | 99 | | |
| | | | MS20760C | CONNECTOR, FIXED FLANGE, TO FLARED TUBE REVIEWER: AV CS ME | A | 4730 | 82 | 16-JUN-78 | | AS | 99 | | |
| | | | MS20761A | ELBOW, FLARED TUBE, FLANGED, SWIVEL, 45 DEGREE [VALIDATION DATE: 8304] REVIEWER: CS | A | 4730 | 82 | 11-DEC-70 | | AS | 99 | | |
| | | | MS20762A | ELBOW, FLARED TUBE, FLANGED, SWIVEL 90 DEGREE [VALIDATION DATE: 8304] REVIEWER: CS | A | 4730 | 82 | 11-DEC-70 | | AS | 99 | | |
| | | | MS20813D | CAP, HIGH-PRESSURE AIR VALVE USER: AT | A | 1650 | 71 | 26-AUG-87 | AV | AS | 99 | | |
| | | | MS20819G | SLEEVE, FLARED TUBE FITTING USER: AV GL MI REVIEWER: CS ME | A | 4730 | 82 | 21-MAR-79 | | AS | 99 | | |
| | | | MS20822F | ELBOW, FLARED TUBE & PIPE THREADS, 90 DEG. REVIEWER: AV CS | A | 4730 | 82 | 26-DEC-85 | | AS | 99 | | |
| | | | MS20823E | ELBOW, 45 DEG. PIPE TO FLARED USER: CS REVIEWER: 11 AV ME | A | 4730 | 82 | 27-JUL-84 | AR | AS | 99 | | |
| | | | MS20825D | TEE, PIPE TO TUBE, PIPE THREAD ON SIDE (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGENSYSTEMS AND GROUND SERVICE EQUIPMENT) REVIEWER: 11 AV | A | 4730 | 82 | 26-OCT-83 | ME | AS | 99 | | |
| | | | MS20826D | TEE, PIPE TO TUBE, PIPE THREAD ON RUN USER: MC REVIEWER: 11 AV CS | A | 4730 | 82 | 26-OCT-83 | ME | AS | 99 | | |
| | | | MS20913G | PLUG, PIPE USER: AV GL REVIEWER: CS ME MI | A | 4730 | 82 | 19-JUL-84 | AR | AS | 99 | | |
| | D | | MS20995E | WIRE, SAFETY OR LOCK [VALIDATION DATE: 9001] USER: ME YD1 REVIEWER: 11 DS OS | A | 9505 | 84 | 30-JAN-90 | AV | AS | 99 | | |
| | | | MS20997 | BARRIER MATERIEL, WATERPROOF, FLEXIBLE [VALIDATION DATE: 8811] | A | 8135 | 85 | 03-NOV-88 | GL | SA | 85 | | |
| | L | | MS21000 | PIN & FLATHEAD, HI&SHEAR, OVERSIZE, 160,000 PSI [VALIDATION DATE: 8405] REVIEWER: IS | A | 5320 | 82 | 06-JUN-66 | | | 99 | | |
| | D | | MS21001 | PIN, 100 DEG. COUNTERSUNK HEAD, HI-SHEAR, OVERSIZE, 160,000 PSI [VALIDATION DATE: 8405] | A | 5320 | 1S | 06-JUN-66 | | | 99 | IS | |
| | | | MS21004D | TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, CRIMP STYLE, COPPER, TYPE 1, CLASS 1 FOR 175 DEG. C TOTAL CONDUCTOR TEMPERATURE REVIEWER: 11 85 AV EC GS MI SH | A | 5940 | AS | 08-JUN-81 | ER | AS | 99 | | |
| | | | MS21009A | TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, LIPPED SIDE, CRIMP STYLE, COPPER, TYPE 1, CLASS 1 [VALIDATION DATE: 8004] USER: MC REVIEWER: 99 AV EC GS SH | A | 5940 | AS | 12-MAR-73 | ER | AS | 85 | | |
| | D | | MS21025E | NUT, CASTELLATED, HEXAGON REVIEWER: AR | A | 5310 | 1S | 09-APR-83 | AV | AS | 99 | IS | |
| | | | MS21026F | SWITCH, TOGGLE, POSITIVE BREAK, --LEVEL LOCK --MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING REVIEWER: 11 17 99 AR EC ES MI | A | 5930 | 85 | 18-OCT-85 | ER | AS | 85 | | |
| | | | MS21027P | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING USER: MI REVIEWER: 99 EC | A | 5930 | 85 | 04-SEP-91 | | AS | 85 | | |
| | | | MS21042K | NUT, SELF-LOCKING, 450 DEGREE F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, NON-CORROSION RESISTANT STEEL USER: ER REVIEWER: 82 AR IS MI | A | 5310 | AS | 30-NOV-88 | AV | AS | 99 | | |
| | | | MS21043D | NUT, SELF-LOCKING, 800 DEG. F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, | A | 5310 | AS | 09-OCT-91 | AV | AS | 99 | | |
| | | NOTICE 1 | | CORROSION RESISTANT STEEL [VALIDATION DATE: 9110] USER: ER MI OS REVIEWER: AR IS SH | | | | | | | | | | |
| | M | | MS21044G | NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 DEG. F, 125 KSI FTU AND 60 KSI FTU USER: GL REVIEWER: 82 AS AV MI SH | A | 5310 | 1S | 20-APR-93 | AR | AS | 99 | IS | |
| | | | MS21045H | NUT, SELF-LOCKING, HEXAGON-REGULAR HEIGHT, 450 DEG. F, 125 KSI FTU USER: GL MU REVIEWER: 11 82 AT AV MI OS SH | A | 5310 | AS | 25-FEB-91 | AR | AS | 99 | IS | |
| | | | MS21046D | NUT, SELF LOCKING, HEXAGON-REGULAR HEIGHT, 800 DEG. F, 125 KSI FTU (ASG) USER: GL OS REVIEWER: 11 82 AV ER IS MI SH | A | 5310 | AS | 09-JAN-87 | AR | AS | 99 | | |
| | | | MS21047E | NUT, SELF-LOCKING PLATE, TWO LUG, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. (ASG) USER: CR REVIEWER: 82 IS MI | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21048F | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F. [VALIDATION DATE: 8504] REVIEWER: 82 IS MI | A | 5310 | AS | 08-JUN-79 | AV | AS | 99 | | |
| | | | MS21049E | NUT, SELF-LOCKING, PLATE, TWO LUG, 100 DEG. CSK LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F. (ASG) USER: AT ER ME MI REVIEWER: 11 82 IS | A | 5310 | AS | 24-SEP-86 | AV | AS | 99 | | |
| | | | MS21050D | NUT, SELF-LOCKING, PLATE, TWO LUG, 100 DEG CSK, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG AND 800 DEG F [VALIDATION DATE: 8403] USER: AT ER ME MI REVIEWER: 11 82 IS | A | 5310 | AS | 15-MAR-78 | AV | AS | 99 | | |
| | | | MS21051F | NUT, SELF LOCKING, PLATE, ONE LUG, LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F USER: ER MI REVIEWER: 11 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21052F | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | NOTICE 1 | | AND 800 DEG F USER: MI REVIEWER: 82 AR ER IS | | | | | | | | | | |
| | | | MS21053D | NUT, SELF-LOCKING, PLATE, ONE LUG, 100 DEG, CSK LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F [VALIDATION DATE: 8403] USER: ER MI REVIEWER: 82 IS | A | 5310 | AS | 15-MAR-78 | AV | AS | 99 | | |
| | | | MS21054E | NUT, SELF-LOCKING, PLATE, ONE LUG, 100 DEG, CSK, LOW HEIGHT, CRES, 125 KSI | A | 5310 | AS | 09-OCT-91 | AV | AS | 99 | | |
| | | NOTICE 1 | | FTU, 450 DEG. & 800 DEG. F [VALIDATION DATE: 9110] USER: CR OS REVIEWER: IS MI SH | | | | | | | | | | |
| | | | MS21055F | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F. USER: ER MI REVIEWER: 11 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21056F | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F. (ASG) USER: ER MI REVIEWER: 82 AR IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21057F | NUT, SELF-LOCKING, PLATE, CORNER, 100 DEG. CSK, LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F. USER: ER MI REVIEWER: 11 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21058D | NUT, SELF-LOCKING, PLATE, CORNER, 100 DEG. CSK, LOW HEIGHT, CRES, 125 KSI | A | 5310 | AS | 09-OCT-91 | AV | AS | 99 | | |
| | | NOTICE 1 | | FTU, 450 DEG. & 800 DEG. F [VALIDATION DATE: 9110] USER: CR MI REVIEWER: 11 IS | | | | | | | | | | |
| | | | MS21059H | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT STEEL, 125 DEG. KSI FTU, 450 DEG. F USER: ER MI REVIEWER: 82 IS | A | 5310 | AS | 30-OCT-89 | AV | AS | 11 | | |
| | | | MS21060F | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F. (ASG) USER: CR MI OS REVIEWER: 82 AR IS SH | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21061F | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F. USER: ER MI REVIEWER: 11 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21062E | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F. (ASG) USER: ER MI REVIEWER: 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21063G | NUT, SELF-LOCKING, GANG CHANNEL, FLOATING, LOW HEIGHT, STEEL, 125 SKI FTU, 250 DEGREE F USER: CR MI REVIEWER: IS | A | 5310 | AS | 21-NOV-88 | AV | AS | 99 | | |
| | | | MS21064F | NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, STEEL 125KSI, FTU, 450 F USER: ER MI REVIEWER: 82 | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21065E | NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, CRES, 125KSI FTU, 450 DEG.F AND 800 DEG.F [VALIDATION DATE: 8403] USER: ER MI REVIEWER: 82 | A | 5310 | AS | 15-MAR-78 | AV | AS | 99 | | |
| | | | MS21066F | NUT, SELF-LOCKING, CHANNEL, 100CSK, FLOATING, LOW HEIGHT, STEEL, 125KSI FTU, 250F [VALIDATION DATE: 8807] USER: AT ER MI REVIEWER: 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21067F | NUT, SELF-LOCKING, CHANNEL,100CSK, FLOATING, LOW HEIGHT, STEEL, 125KSI, 450F USER: ER REVIEWER: 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21068F | NUT, SELF-LOCKING, CHANNEL, 100 DEG CSK, FLOATING, LOW HEIGHT, CRES, 125KSI FTU, 450 DEG F AND 800 DEG F USER: ER MI REVIEWER: 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21069F | NUT, SELF-LOCKING, PLATE, TWO LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125KSI FTU, 450 DEG F USER: ER MI REVIEWER: 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21070F | NUT, SELF-LOCKING, PLATE, TWO LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125KSI FTU, 450 DEG F AND 800 DEG F USER: ER MI OS REVIEWER: 82 AR IS SH | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |
| | | | MS21071F | NUT, SELF-LOCKING, PLATE, ONE LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125KSI FTU, 450 DEG F USER: ER MI REVIEWER: 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | | |

| Action Code | Change Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS21072F | NUT, SELF-LOCKING, PLATE, ONE LUG, REDUED RIVET SPACING, LOW HEIGHT, CRES, 125KSI FTU, 125KSI FTU, 450 DEG F AND 800 DEG F USER: ER REVIEWER: 82 IS MI | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | |
| | | MS21073F | NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125KSI FTU, 450 DEG F USER: CR MI REVIEWER: 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 11 | |
| | | MS21074F | NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125KSI, FTU, 450 DEG F AND 800 DEG F USER: ER MI REVIEWER: 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 11 | |
| | | MS21075F | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F USER: ER MI OS REVIEWER: 82 AR IS ME SH | A | 5310 | AS | 24-OCT-88 | AV | AS | 99 | |
| | | MS21076H | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. F AND 800 DEG. F USER: ER MI OS REVIEWER: AR IS SH | A | 5330 | AS | 11-JAN-91 | AV | AS | 99 | |
| | | MS21077G | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125KSI FTU, 250 DEG. F USER: CR MI REVIEWER: 82 | A | 5310 | AS | 16-DEC-91 | AV | AS | 99 | IS |
| | | MS21078F | NUT, SELF-LOCKING, PLATE, TWO LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU,250 DEG. F USER: CR MI REVIEWER: 82 IS | A | 5310 | AS | 13-AUG-90 | AV | AS | 99 | |
| | | MS21079E | NUT, SELF-LOCKING, GANG CHANNEL, NON-METALLIC INSERT, 125 KSI FTU, 250 DEGREE F USER: CR MI REVIEWER: 82 IS | A | 5310 | AS | 30-JAN-89 | AV | AS | 99 | |
| M | | MS21080D | NUT, SELF-LOCKING, PLATE, ONE LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F USER: CR MI | A | 5310 | IS | 20-APR-93 | AV | AS | 11 | IS |
| M | | MS21081D | NUT, SELF-LOCKING, PLATE, CORNER, NON-METTALIC INSERT, STEEL, 125KSI FTU, 250 DEG. F USER: CR MI REVIEWER: 82 | A | 5310 | IS | 20-APR-93 | AV | AS | 11 | IS |
| M | | MS21082E | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, NON-METTALIC INSERT, STEEL, 125SKI FTU, 250 DEG. F USER: CR MI REVIEWER: 82 | A | 5310 | IS | 20-APR-93 | AV | AS | 11 | IS |
| M | | MS21083G | NUT, SELF-LOCKING, HEXAGON NON-METALLIC INSERT, LOW HEIGHT, 250 DEG. F USER: ER REVIEWER: AR MI | A | 5310 | IS | 20-APR-93 | AV | AS | 99 | IS |
| | | MS21084B | NUT, SELF LOCKING, STEEL, 220 KSI FTU, 450 DEG. F., FLANGED, MS33787 WRENCHING ELEMENT USER: MI REVIEWER: 11 82 AT IS | A | 5310 | AS | 17-OCT-86 | AV | AS | 99 | |
| | | MS21085A | NUT, SELF-LOCKING, STEEL, 260 KSI FTU, 450 DEG. F, FLANGED, MS33787 | A | 5310 | AS | 09-OCT-91 | AV | AS | 99 | |
| | NOTICE 1 | | WRENCHING ELEMENT (VALIDATION DATE: 9110) | | | | | | | | | |
| | | MS21086B | NUT, SELF LOCKING, PLATE, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG.F VALIDATED JUL 1973 REVIEWER: 82 IS | A | 5310 | AS | 30-SEP-87 | AV | AS | 99 | |
| | | MS21087B | NUT, SELF-LOCKING, PLATE, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. & 800 DEG. F REVIEWER: 82 IS | A | 5310 | AS | 25-FEB-91 | AV | AS | 11 | |
| | | MS21090A | SCREW, SELF-LOCKING, 250 DEG. F, STEEL, 55 KSI FTU, PANHEAD, CROSS | A | 5305 | AS | 09-OCT-91 | | AS | 99 | |
| | NOTICE 1 | | RECESSED (VALIDATION DATE: 9110) REVIEWER: 11 | | | | | | | | | |
| | | MS21091 | BOLT, SELF-LOCKING, 250 DEG. F., STEEL, 75 KSI FSU, 125 KSI FTU, 100 DEG. | A | 5306 | AS | 09-OCT-91 | | AS | 99 | |
| | NOTICE 1 | | FLASH HEAD CROSS RECESSED (VALIDATION DATE: 9110) REVIEWER: 11 | | | | | | | | | |
| | | MS21092A | BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU, 100 DEG. | A | 5306 | AS | 09-OCT-91 | AV | AS | 99 | |
| | NOTICE 1 | | FLUSH HEAD, CROSS RECESSED (VALIDATION DATE: 9110) REVIEWER: 11 | | | | | | | | | |
| | | MS21093B | SCREW, SELF-LOCKING, 250 DEG. F, STEEL, 55 KSI FTU, 100 DEG. FLAT HEAD, | A | 5305 | AS | 09-OCT-91 | | AS | 99 | |
| | NOTICE 1 | | CROSS RECESSED (VALIDATION DATE: 9110) USER: ME REVIEWER: IS | | | | | | | | | |
| | | MS21094 | BOLT, SELF-LOCKING, 250 DEG.F., STEEL, 75 KSI FSU, 125 KSI FTU, HEX HEAD (VALIDATION DATE: 8204) REVIEWER: 82 IS ME | A | 5306 | AS | 02-NOV-65 | | AS | 99 | |
| | | MS21095A | BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU, HEX HEAD | A | 5306 | AS | 09-OCT-91 | AV | AS | 99 | |
| | NOTICE 1 | | (VALIDATION DATE: 9110) REVIEWER: 11 | | | | | | | | | |
| | | MS21096 | BOLT, SELF-LOCKING, 250 DEG. F., STEEL 75 KSI FSU, 125 KSI FTU, PAN HEAD, | A | 5306 | AS | 09-OCT-91 | | AS | 99 | |
| | NOTICE 1 | | CROSS RECESSED (VALIDATION DATE: 9110) REVIEWER: 11 | | | | | | | | | |
| | | MS21097E | BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU, PAN HEAD, CROSS RECESSED | A | 5306 | AS | 20-JAN-92 | AV | AS | 99 | IS |
| | | MS21098 | BOLT, SELF.LOCKING, STEEL, 160 KSI, FTU 250 DEG. F, 12 POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS (VALIDATION DATE: 8303) REVIEWER: 82 IS | A | 5306 | AS | 24-MAR-65 | | AS | 99 | |
| | | MS21099 | BOLT, SELF LOCKING, CORROSION RESISTING STEEL, 80 KSI FTU, 250 DEG. F, | A | 5306 | AS | 23-SEP-91 | AV | AS | 99 | |
| | NOTICE 1 | | 12-POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS) (VALIDATION DATE: 9109) REVIEWER: 11 OS | | | | | | | | | |
| | | MS21106A | CLAMP, LOOP, CUSHIONED, 1200 DEG. F., CRES TYPE IV, CLASS B (VALIDATION DATE: 8304) | A | 5340 | AS | 02-DEC-70 | AV | AS | 99 | |
| | | MS21122C | CLAMP, LOOP, CUSHIONED WEDGE, POLYTETRAFLUORO-ETHYLENE USER: ME REVIEWER: MI | A | 5340 | AS | 31-MAY-91 | | AS | 99 | |
| | | MS21125F | BOLT, SELF RETAINING, POSITIVE LOCKING, CRES 90 KSI FSU, 63KSI FTU, PAN HEAD, 450 DEG. F & 650 DEG. F REVIEWER: 82 99 IS | A | 5306 | AS | 30-APR-83 | AV | AS | 11 | |
| | | MS21126 | SPACER, GROOVED, SELF-RETAINING BOLT, ALUMINUM ALLOY (VALIDATION DATE: | A | 5340 | AS | 30-SEP-89 | | AS | 11 | |
| | NOTICE 1 | | 8909) REVIEWER: 82 | | | | | | | | | |
| | | MS21128 | SPACER, GROOVED, SELF-RETAINING BOLT, CRES (VALIDATION DATE: 9110) | A | 5340 | AS | 09-OCT-91 | | AS | 99 | |
| | NOTICE 1 | | REVIEWER: 11 | | | | | | | | | |
| | | MS21130E | BOLT, SELF RETAINING, POSITIVE LOCKING, CRES 90 KSI FSU, 63 KSI FTU, 100 DEG. FLUSH HEAD, 450 DEG. F AND 650 DEG. F REVIEWER: IS | A | 5306 | AS | 11-MAR-81 | AV | AS | 99 | |
| | | MS21132A | WRENCHING ELEMENT, EXTERNAL HEXAGON, FOR THREAD FASTENERS USER: AT MI REVIEWER: 82 AR IS ME OS SH | A | 53GP | AS | 25-MAR-87 | AV | AS | 11 | |
| | | MS21133 | NUT, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F, FLANGED, MS33787 | A | 5310 | AS | 30-JUN-89 | AV | AS | 99 | |
| | NOTICE 1 | | WRENCHING ELEMENT (VALIDATION DATE: 8906) | | | | | | | | | |
| | | MS21134 | BOLT, TENSION, STEEL, 180 KSI FTU, 450 DEGREE F, EXTERNAL WRENCHING, | A | 5306 | AS | 31-JUL-89 | AV | AS | 99 | |
| | NOTICE 1 | | SPLINE DRIVE, FLANGED (VALIDATION DATE: 8907) USER: MI REVIEWER: 82 AT IS | | | | | | | | | |
| | | MS21140G | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100 DEG. FLUSH HEAD, CORROSION RESISTING STEEL, 95 K.S.I. FSU REVIEWER: 82 IS MI | A | 5320 | AS | 24-DEC-90 | AV | AS | 99 | |
| | | MS21141G | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, CORROSION RESISTING STEEL, 95 K.S.I. FSU REVIEWER: 82 IS MI | A | 5320 | AS | 24-DEC-90 | AV | AS | 99 | |
| | | MS21150C | BEARING, DOUBLE ROW, BALL, ROD END, PRECISION, SOLID SHANK, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, TYPE 1, -65 DEGREE TO 350 DEGREES F USER: CG MC REVIEWER: AV IS | A | 3110 | 84 | 16-AUG-82 | AT | AS | 99 | |
| | | MS21151C | BEARING, DOUBLE ROW, BALL, ROD END, PRECISION, EXTERNAL THREAD, SELF ALIGNING, ANTI FRICTION, AIRFRAME, TYPE II MINUS 65 DEG TO 350 DEG F | A | 3110 | 84 | 16-AUG-82 | AT | AS | 99 | |
| | | MS21152C | BEARING, DOUBLE ROW, BALL, ROD END, PRECISION, HOLLOW SHANK, SELF ALIGNING, ANTI FRICTION, AIRFRAME, TYPE III, MINUS 65 DEG. TO 350 DEG. F. | A | 3110 | 84 | 16-AUG-82 | AT | AS | 99 | |
| | | MS21153D | BEARING, DOUBLE ROW, BALL, PRECISION, INTERNAL THREAD, SELF ALIGNING, ANTI FRICTION, AIRFRAME, TYPE IV, MINUS 65 DEG. TO 300 DEG. F USER: ME | A | 3110 | 84 | 02-FEB-83 | AT | AS | 99 | |
| | | MS21154D | BEARING, PLAIN, SELF ALIGNING GROOVED OUTER RING (VALIDATION DATE: 9110) .. | A | 3120 | AS | 09-OCT-91 | AV | AS | 99 | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS21155B | BEARING, PLAIN, SELF ALIGNING (VALIDATION DATE: 9110) ..... | A | 3120 | AS | 09-OCT-91 | AV | AS | 99 | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS21206A | WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU REVIEWER: 82 | A | 5310 | AS | 30-AUG-91 | AV | AS | 99 | |
| | | MS21207A | SCREW, TAPPING, 100 DEG. FLAT HEAD, SPACED THREAD (ASG) (VALIDATION DATE: 8107) REVIEWER: IS | A | 5305 | AS | 29-DEC-72 | | AS | 99 | |
| | | MS21208B | INSERT, SCREW THREAD, COARSE AND FINE, FREE RUNNING, HELICAL COIL, CRES (INACTIVE USE MS-122076 THRU MS-122275 AND MS-124651 THRU MS-124850) (VALIDATION DATE: 8503) | A | 5340 | 82 | 15-OCT-69 | AV | AS | 99 | |
| | | MS21209E | INSERT, SCREW THREAD, COARSE AND FINE, SCREW LOCKING, HELICAL COIL, CRES (VALIDATION DATE: 8405) USER: AS OS REVIEWER: 99 AR ER IS MI | A | 5340 | 82 | 21-FEB-78 | AV | | 11 | |
| | | MS21211B | VALVE, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS ARMY ..... | A | 4820 | 71 | 27-NOV-86 | AV | AS | 99 | |
| | NOTICE 1 | | | | | | | | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MS21220C | BEARING, ROLLER, ROD END, INTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE II, -67 DEG. F TO 350 DEG. F, SEALED REVIEWER: AV | A 3110 AS 31-JAN-90 | AT | AS | 99 | |
| | | MS21221C | BEARING, ROLLER ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE I -67 DEG. TO 350 DEG. F, SEALED REVIEWER: IS | A 3110 AS 17-JAN-90 | AT | AS | 99 | |
| | | MS21223C | BEARING, ROLLER, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE II, -67 DEG. F TO 350 DEG. F, SEALED REVIEWER: AV | A 3110 AS 31-JAN-90 | AT | AS | 99 | |
| | | MS21224C | NUT, SELF-LOCKING, CASTELLATED, HEXAGON, COUNTERBORED, ASSEMBLED WASHER, 250 DEGREE F, NON-METALLIC INSERT (FOR SELF-RETAINING BOLTS) REVIEWER: AR ER IS | A 5310 AS 30-NOV-88 | AV | AS | 99 | |
| | | MS21225A | NUT, SELF-LOCKING, CASTELLATED, HEXAGON - 800 DEG. F (VALIDATION DATE: 83031 REVIEWER: 82 | A 5310 AS 22-JUL-68 | | AS | 99 | |
| | | MS21227A | CYLINDER, OXYGEN, LOW PRESSURE (VALIDATION DATE: 8602) | A 1660 71 12-NOV-76 | AV | AS | 99 | |
| | | NOTICE 1 | | | | | | |
| L | | MS21230B | BEARING, PLAIN, SELF - ALIGNING, GROOVED OUTER RING TFE LINED, WIDE (VALIDATION DATE: 9110) REVIEWER: 11 84 | A 3120 AS 09-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| L | | MS21231B | BEARING, PLAIN, SELF-ALIGNING, TFE LINED, WIDE (VALIDATION DATE: 9110) REVIEWER: 11 84 | A 3120 AS 09-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| | | MS21232A | BEARING, PLAIN, SELF-ALIGNING, GROOVE OUTER RING, TFE LINED, NARROW (VALIDATION DATE: 9110) REVIEWER: 11 | A 3120 AS 09-OCT-91 | | AS | 99 | |
| | | NOTICE 1 | | | | | | |
| | | MS21233B | BEARING, PLAIN, SELF-ALIGNING, TFE LINED, NARROW (VALIDATION DATE: 9110) REVIEWER: 11 84 | A 3120 AS 09-OCT-91 | | AS | 99 | |
| | | NOTICE 1 | | | | | | |
| | | MS21234 | FITTING, TIEDOWN, CARGO RING (5,000 LB) AND SEAT STUD, TYPE I (VALIDATION DATE: 9106) USER: MT REVIEWER: 82 | A 1670 AS 21-JUN-91 | GL | AS | 99 | |
| | | NOTICE 1 | | | | | | |
| | | MS21235 | FITTING, TIEDOWN, CARGO RING (10,000 LB) AND SEAT STUD, TYPE II (VALIDATION DATE: 9106) USER: MT REVIEWER: 82 | A 1670 AS 21-JUN-91 | GL | AS | 99 | |
| | | NOTICE 1 | | | | | | |
| | | MS21236 | RING, CARGO TIEDOWN (10,000 LB), TYPE III (VALIDATION DATE: 9106) REVIEWER: 82 | A 1670 AS 21-JUN-91 | GL | AS | 99 | |
| | | NOTICE 1 | | | | | | |
| | | MS21237 | RING, CARGO TIEDOWN (25,000 LB), TYPE IV (VALIDATION DATE: 9106) REVIEWER: 82 | A 1670 AS 21-JUN-91 | GL | AS | 99 | |
| | | NOTICE 1 | | | | | | |
| | | MS21240D | BEARING, SLEEVE, PLAIN, TFE LINED REVIEWER: 84 AR IS | A 3120 AS 08-MAY-80 | AV | AS | 99 | |
| | | MS21241D | BEARING, SLEEVE, FLANGED, TFE LINED (VALIDATION DATE: 8312) REVIEWER: 84 IS MI | A 3120 AS 16-AUG-77 | | AS | 99 | |
| I | | MS21242D | BEARING, PLAIN, ROD END, SELF-ALIGNING, TFE LINED, EXTERNALLY THREADED REVIEWER: 84 99 | A 3120 AS 19-JUL-89 | AV | AS | 11 | |
| | | MS21243C | BEARING, PLAIN, ROD END, SELF ALIGNING, TFE LINED, INTERNALLY THREADED REVIEWER: IS | A 3120 AS 04-JUN-82 | AV | AS | 99 | |
| | | MS21244B | NUT, CASTELLATED, HEXAGON, COUNTERBORED ASSEMBLED WASHER, 450 DEG. F (FOR SELF RETAINING BOLTS) (VALIDATION DATE: 8209) REVIEWER: ER IS | A 5310 AS 28-AUG-81 | AV | AS | 99 | |
| | | MS21245D | NUT, SELF-LOCKING, HEXAGON, THIN, 450 DEGREE F, 80 KSI FTU REVIEWER: AL AR IS | A 5310 AS 30-NOV-88 | AV | AS | 99 | |
| | | MS21250L | BOLT, TENSION, STEEL, EXTERNAL WRENCHING, FLANGED, 12-POINT, 180 KSI FTU, 450 DEGREE F REVIEWER: 82 IS MI | A 5306 AS 30-JAN-89 | AV | AS | 99 | |
| | | MS21251E | TURNBUCKLE BODY, CLIP LOCKING (VALIDATION DATE: 7908) USER: ME REVIEWER: 11 MC | A 5340 82 29-JAN-71 | AV | AS | 99 | |
| | | MS21252G | CLEVIS, ROD END, TURNBUCKLE, CLIP LOCKING (VALIDATION DATE: 8405) USER: MC REVIEWER: IS | A 5340 82 11-AUG-78 | AV | AS | 99 | |
| | | MS21253J | CLEVIS END, TURNBUCKLE, CLIP LOCKING, (FOR BEARING) USER: MC REVIEWER: IS . | A 5340 82 01-JUL-83 | AV | AS | 99 | |
| | | MS21254L | CONNECTOR, ROD END, TURNBUCKLE, CLIP LOCKING | A 5340 82 18-OCT-82 | AV | AS | 99 | |
| | | MS21255K | EYE END, TURNBUCKLE, CLIP LOCKING, (FOR WIRE ROPE) REVIEWER: IS | A 5340 82 03-NOV-82 | AV | AS | 99 | |
| | | MS21256C | CLIP, LOCKING, TURNBUCKLE USER: MC ME REVIEWER: AR IS | A 5340 82 15-MAR-83 | AV | AS | 99 | |
| L | | MS21258A | WASHER, KEY, RETAINING, WHEEL BEARING REVIEWER: 99 | A 5310 99 28-DEC-84 | | | 99 | |
| | | MS21259D | TERMINAL, WIRE ROPE, STUD (VALIDATION DATE: 8209) USER: MC ME | A 4030 82 10-FEB-69 | AR | AS | 99 | |
| | | MS21260G | TERMINAL, WIRE ROPE, STUD (VALIDATION DATE: 8711) USER: MC ME REVIEWER: IS | A 4030 82 13-NOV-87 | AR | AS | 99 | |
| | | MS21262D | SCREW, SELF LOCKING, 250 DEG. F, CYLINDRICAL HEAD HEXAGONAL WRENCHING SOCKET, ALLOY STEEL, 160 KSI FTU (SOCKET HEAD CAP SCREW) (ASG) (VALIDATION DATE: 8312) USER: OS REVIEWER: 82 AR IS | A 5305 AS 20-FEB-63 | | AS | 99 | |
| L | | MS21264 | NUT DRILLED JAM (VALIDATION DATE: 9110) | A 5310 AS 09-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| | | MS21266E | GROMMET, PLASTIC, EDGING USER: EC ER MC REVIEWER: AV IS MI | A 5325 AS 15-JUN-81 | GL | AS | 99 | |
| | | MS21267A | TERMINAL ASSEMBLY, SPARK PLUG, DETACHABLE IGNITION LEAD (VALIDATION DATE: 8408) USER: MC | A 2925 AS 10-AUG-65 | AV | AS | 99 | |
| | | MS21268A | SCREW, INSTRUMENT - FILISTER HEAD (VALIDATION DATE: 8212) REVIEWER: IS | A 5305 82 31-OCT-63 | AR | SH | 99 | |
| | | MS21270A | SCREW, INSTRUMENT - 100 DEG FLAT HEAD (VALIDATION DATE: 8212) REVIEWER: IS | A 5305 82 31-OCT-63 | AR | SH | 99 | |
| | | MS21271A | SCREW, INSTRUMENT - BINDING HEAD (VALIDATION DATE: 8212) REVIEWER: IS | A 5305 82 31-OCT-63 | AR | SH | 99 | |
| | | MS21279B | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .190-32 (MIL-S-8879) (ASG) (VALIDATION DATE: 8107) REVIEWER: IS | A 5306 AS 17-SEP-63 | | AS | 99 | |
| LI | | MS21280B | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .250-28 (MIL-S-8879 THREAD) | A 5306 AS 21-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| LI | | MS21281B | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .3125-24 (MIL-S-8879 THREAD) | A 5306 AS 21-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| LI | | MS21282B | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .375-24 (MIL-S-8879 THREAD) | A 5306 AS 21-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| LI | | MS21284B | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .500-20 (MIL-S-8879 THREAD) | A 5306 AS 21-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| | | MS21287B | SCREW, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .164-36 (MIL-S-8879 THREAD) (VALIDATION DATE: 8907) REVIEWER: IS | A 5306 AS 31-JUL-89 | AV | AS | 99 | |
| LI | | MS21288B | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .190-32 (MIL-S-8879 THREAD) | A 5306 AS 21-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| LI | | MS21290B | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .3125-24 (MIL-S-8879 THREAD) | A 5306 AS 21-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| LI | | MS21291B | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .375-24 (MIL-S-8879 THREAD) | A 5306 AS 01-APR-92 | | AS | | |
| | | NOTICE 1 | | | | | | |
| | | MS21292B | BOLT, MACHINE - STEEL, DRILLED, DOUBLE HEXAGON, EXTENDED WASHER, .4375-20 (MIL-S-8879 THREAD) (VALIDATION DATE: 9109) | A 5306 AS 23-SEP-91 | AV | AS | 99 | |
| | | NOTICE 1 | | | | | | |
| LI | | MS21293B | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .500-20 (MIL-S-8879 THREAD) | A 5306 AS 21-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | |
| | | MS21294B | BOLT, MACHINE - STEEL, DRILLED, DOUBLE HEXAGON, EXTENDED WASHER, .5625-18 (MIL-S-8879 THREAD) (VALIDATION DATE: 9109) | A 5306 AS 23-SEP-91 | AV | AS | 99 | |
| | | NOTICE 1 | | | | | | |
| | | MS21295A | SCREWS, SELF LOCKING, 250 DEG. F, CYLINDRICAL HEAD, HEXAGONAL WRENCHING SOCKET, CORROSION RESISTING STEEL, 80 KSI FTU (SOCKET HEAD CAP SCREWS) (VALIDATION DATE: 9110) | A 5306 AS 09-OCT-91 | | AS | 99 | |
| | | NOTICE 1 | | | | | | |
| | | MS21296A | BOLT, TENSION, STEEL; 260 KSI FTU, 450 DEG. F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD (VALIDATION DATE: 8906) REVIEWER: AT IS MI | A 5306 AS 30-JUN-89 | AV | AS | 99 | |
| | | MS21297A | BOLT, TENSION, STEEL, 220 KSI FTU, 450 DEG. F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD (VALIDATION DATE: 9110) USER: MI REVIEWER: AT IS | A 5306 AS 09-OCT-91 | AV | AS | 11 | |
| | | NOTICE 1 | | | | | | |
| | | MS21299 | WASHER, COUNTERSUNK AND PLAIN FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING FTU (VALIDATION DATE: 8312) REVIEWER: 82 | A 5310 AS 28-JAN-72 | AV | AS | 99 | |
| L | | MS21300 | ANCHOR - SEMI-PERMANENT MOORING (VALIDATION DATE: 8811) | A 1730 82 10-NOV-88 | | | 99 | |
| | | NOTICE 1 | | | | | | |
| D | | MS21301A | SCREW, SHOULDED, HEX-SOCKET HEAD .375,.500,.625 UNC-3A, UNPLATED USER: GL MC MS SA REVIEWER: 82 AR IS | A 5306 ER 21-DEC-87 | ER | YD1 | 99 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | | MS21303B | NUT, EYE, THIMBLE HOT DIP GALVANIZED (POLE LINE) [VALIDATION DATE: 8009] USER: MC REVIEWER: AR IS SA | A | 5310 | ER | | 26-APR-68 | ER | YD1 | 99 | |
| D | | | | MS21304B | NUT, PLAIN, SQUARE [VALIDATION DATE: 8009] USER: AV YD1 REVIEWER: AR IS SA | A | 5310 | ER | | 10-MAY-60 | ER | MC | 99 | |
| | L | | | MS21306B | WASHER, FLAT (ROUND) USER: 84 MC SH TS REVIEWER: 82 AR AT IS OS | A | 5310 | ER | | 20-AUG-87 | ER | | 99 | |
| D | | | | MS21307B | WASHER, FLAT (SQUARE) [VALIDATION DATE: 8502] USER: MC REVIEWER: AR IS | A | 5310 | ER | | 19-NOV-69 | ER | YD1 | | |
| D | | | | MS21308C | WASHER, SADDLE SQUARE, CURVED (POLE LINE) [VALIDATION DATE: 8009] USER: MC REVIEWER: 85 AR GL SH | A | 5310 | ER | | 09-SEP-67 | ER | YD1 | 99 | |
| | | | | MS21312A | HANDWHEEL-REVOLVING HANDLE, WITH KEYWAY [VALIDATION DATE: 8304] USER: AT MC MI REVIEWER: IS ME | A | 5340 | AR | | 29-AUG-68 | AR | OS | 99 | |
| D | | | | MS21313G | PADLOCK SETS - INDIVIDUALLY KEYED AND KEYED ALIKE USER: AT CE MC SA REVIEWER: 82 IS ME | A | 5340 | YD1 | | 10-JUL-92 | AR | YD1 | 99 | |
| D | | | | MS21314B | STRAP, RETAINING, TWO HOLE, FOR PIPE, CONDUIT, AND CABLE USER: ER MC ME REVIEWER: IS MI | A | 5340 | AR | | 30-DEC-91 | AR | YD1 | 99 | |
| | | | | MS21315A | STRAP, RETAINING, TWO HOLE, FOR TUBING [VALIDATION DATE: 8504] USER: EL ER MC ME REVIEWER: IS | A | 5340 | AR | | 22-MAR-66 | AR | | 99 | |
| D | | | | MS21316C | THUMBSCREW (SHOULDERED), FLAT POINT, CARBON STEEL, CADMIUM PLATED, UNC-2A [VALIDATION DATE: 8003] USER: AS MC ME OS REVIEWER: AV EL IS MI NS | A | 5305 | AR | | 22-MAY-74 | AR | YD1 | 99 | |
| | | | | MS21318A | SCREW, DRIVE, ROUND HEAD, TYPE U, STEEL, CARBON, CADMIUM PLATED [VALIDATION DATE: 8504] USER: ME REVIEWER: AV IS MI | A | 5305 | AR | | 13-OCT-65 | AR | | 99 | |
| | | | | MS21319 | GAGE, APERTURE CARD NO. 201&1 [VALIDATION DATE: 8502] USER: AR REVIEWER: AG | A | EDRS | ER | | 15-APR-60 | ER | AS | 16 | |
| D | | | | MS21322D | CLAMP, LOOP-ALUMINUM, PLAIN AND CUSHIONED [VALIDATION DATE: 8504] USER: AT MC ME OS REVIEWER: ER IS MI | A | 5340 | AR | | 22-JUN-72 | AR | YD1 | 99 | |
| | | | | MS21323A | STUD, STYLE 1 SNAPSLIDE FASTENER [VALIDATION DATE: 8212] USER: MC REVIEWER: IS | A | 5325 | 82 | | 14-DEC-62 | GL | AS | 99 | |
| | | | | MS21325B | STUD - STYLE III SNAPSLIDE FASTENER (SU REVIEWER: IS MI | A | 5325 | 82 | | 17-DEC-82 | GL | AS | 99 | |
| | | | | MS21326A | STUD, STYLE IV SNAPSLIDE FASTENER (SUPERSEDES AN 3199) [VALIDATION DATE: 8212] REVIEWER: IS MI | A | 5325 | 82 | | 14-DEC-62 | GL | AS | 99 | |
| D | | | | MS21327E | FASTENER INSTALLATION-SNAPSLIDE REVIEWER: 82 | A | 5325 | IS | | 26-OCT-90 | GL | AS | 99 | IS |
| | I | | | MS21330G | RELAYS, ELECTROMAGNETIC, 3 PST (NO), 12 AMPERES, TYPE 1, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | | 06-JAN-89 | | AS | 85 | |
| | | | | MS21331B | NUT, PLAIN, CLINCH [VALIDATION DATE: 8504] USER: EL ER MC ME REVIEWER: AT AV IS | A | 5310 | AR | | 30-SEP-71 | AR | OS | | |
| D | | | | MS21332B | FASTENER - SNAPSLIDE REVIEWER: 82 85 | A | 5325 | IS | | 26-OCT-90 | GL | AS | 99 | IS |
| D | | | | MS21333F | CLAMP, LOOP-STEEL-PLAIN AND CUSHIONED USER: ER MC SA SH REVIEWER: AV IS MI | A | 5340 | AR | | 06-NOV-87 | AR | YD1 | 99 | |
| D | | | | MS21334B | CLAMP, LOOP-DOUBLE, CABLE OR TUBE, STEEL, PLAIN AND CUSHIONED [VALIDATION DATE: 8504] USER: AT MC OS REVIEWER: AV IS MI | A | 5340 | AR | | 22-JUN-72 | AR | YD1 | 99 | |
| D | | | | MS21340B | NUT, PLAIN, HEXAGON, ELECTRICAL, THIN (WITH LOCKWIRE HOLES) [VALIDATION DATE: 8503] REVIEWER: 82 | A | 5310 | IS | | 17-SEP-73 | | AS | 99 | IS |
| | L | | | MS21341G | METER, TIME TOTALIZING HERMETICALLY SEALED 28V DC REVIEWER: GS | A | 6645 | 82 | | 15-DEC-82 | | | 99 | |
| | | | | MS21343 | BOSS SPACING-HYDRAULIC DESIGN STANDARD FOR [VALIDATION DATE: 8406] USER: MI | A | 4730 | 82 | | 16-AUG-71 | AV | AS | 99 | |
| | | | | MS21344 | FITTING - INSTALLATION OF FLARED TUBE, STRAIGHT THREADED CONNECTORS, DESIGN STANDARD FOR [VALIDATION DATE: 8111] USER: MI REVIEWER: AR | A | 4730 | 82 | | 17-AUG-71 | AV | AS | 99 | |
| | | | | MS21345A | FITTING, INSTALLATION OF UNIVERSAL ELBOW USER: MI REVIEWER: AR | A | 4730 | 82 | | 21-SEP-84 | AV | AS | 99 | |
| | | | | MS21346E | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK AND TOGGLE, MINIATURE TOGGLE SEALED, INTEGRATED WIRE TERMINALS, SINGLE POLE, .469 MOUNTING BUSHING REVIEWER: 99 AR EC MI | A | 5930 | 85 | | 04-SEP-91 | ER | AS | 85 | |
| | | | | MS21347J | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, AND --LEVER LOCK-- MINIATURE, TOGGLE SEALED, INTEGRATED WIRE TERMINALS, DOUBLE POLE, .469 MOUNTING BUSHING REVIEWER: 19 99 EC | A | 5930 | 85 | | 04-SEP-91 | | AS | 85 | |
| | L | | | MS21349 NOTICE 1 | CASE, INSTRUMENTS, VERTICAL SCALE, STANDARD DIMENSIONS FOR [VALIDATION DATE: 9003] | A | 6610 | 71 | | 30-MAR-90 | | | 99 | |
| | | | | MS21351F | SWITCH, TOGGLE, POSITIVE BREAK, SPECIAL CIRCUIT, MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING REVIEWER: 17 99 AR ES MI | A | 5930 | 85 | | 18-OCT-85 | ER | AS | 85 | |
| | | | | MS21353J | SWITCH, TOGGLE, POSITIVE BREAK, SPECIAL CIRCUIT, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING REVIEWER: 17 99 AR EC MI | A | 5930 | 85 | | 18-OCT-85 | ER | AS | 85 | |
| | | | | MS21354L | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, SINGLE POLE, .250 MOUNTING BUSHING REVIEWER: 99 AR EC | A | 5930 | 85 | | 04-SEP-91 | ER | AS | 85 | |
| | | | | MS21355J | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, DOUBLE POLE, .250 MOUNTING BUSHING REVIEWER: 99 EC MI | A | 5930 | 85 | | 04-SEP-91 | | AS | 85 | |
| | | | | MS21356H | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, SINGLE POLE, .469 MOUNTING BUSHING REVIEWER: 11 99 EC | A | 5930 | 85 | | 04-SEP-91 | | AS | 85 | |
| | | | | MS21357H | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, DOUBLE POLE, .469 MOUNTING BUSHING REVIEWER: 11 99 EC | A | 5930 | 85 | | 04-SEP-91 | | AS | 85 | |
| | L | | | MS21363A | COIL, RADIO FREQUENCY, MOLDED FIXED, MICRO MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE FERRIT SLEEVE) TYPES LT10K307 TO LT10K353 INCL. USER: 19 REVIEWER: 11 17 80 | A | 5950 | 85 | | 02-JUL-85 | | | 85 | |
| | L | | | MS21367F NOTICE 1 | COIL, RADIO FREQUENCY, ENCAPSULATED, FIXED, MICRO MINIATURE, SHIELDED (IRON CORE), TYPES LT10K354 TO LT10K383, INCL [VALIDATION DATE: 8804] REVIEWER: 11 ES | A | 5950 | 85 | | 15-APR-88 | | | 85 | |
| | L | | | MS21376 | LAMP SUB MINIATURE HELIUM RETARDANT FLANGE BASE, T-1 SIZE [VALIDATION DATE: 8205] REVIEWER: GS | A | 6240 | 11 | | 12-MAR-73 | | | 11 | |
| | L | | | MS21378A NOTICE 1 | PLUGS & CABLE ASSEMBLIES, EXTERNAL POWER, AIRCRAFT, 230/400 VOLT, 400 HERTZ REVIEWER: 11 99 | A | 5935 | 85 | | 30-NOV-84 | | | 85 | |
| A | L | | | MS21379A NOTICE 1 | CONNECTOR, RECEPTACLE, EXTERNAL POWER, AIRCRAFT, 230/400 VOLT, 400 HZ [VALIDATION DATE: 9302] REVIEWER: 71 99 | A | 5935 | 85 | | 03-FEB-93 | | AS | 85 | |
| | L | | | MS21380B | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES LT4K REVIEWER: ES | A | 5950 | 85 | | 28-JUL-86 | | | 85 | |
| | | | | MS21381D | COILS, RADIO FREQUENCY, MOLDED VARIABLE, SUBMINATURE, IRON CORE, MAGNETICALLY SHIELDED, TYPES LT10V174 TO LT10V209 INCL. AND LT10V247 TO LT10V258 INCL. USER: 19 REVIEWER: 11 17 99 ES MI | A | 5950 | 85 | | 08-MAY-87 | ER | EC | | |
| | L | | | MS21382E | KNOB NON ILLUMINATED, SMALL REVIEWER: IS | A | 5355 | 82 | | 18-AUG-80 | | | 11 | |
| | L | | | MS21383F | KNOB RADIAL INDICATOR, ILLUMINATED AND NON ILLUMINATED | A | 5355 | 11 | | 18-AUG-80 | | | 11 | |
| | L | | | MS21384E | KNOB ROUND, ILLUMINATED AND NON ILLUMINATED, SMALL REVIEWER: IS | A | 5355 | 11 | | 18-AUG-80 | | | 99 | |
| | L | | | MS21385E | KNOB, TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED REVIEWER: MI | A | 5355 | 82 | | 18-AUG-80 | | | 11 | |
| | L | | | MS21386E | KNOB, ROUND, CONCENTRIC ILLUMINATED AND NON-ILLUMINATED REVIEWER: IS | A | 5355 | 82 | | 18-AUG-80 | | | 11 | |
| | L | | | MS21387E | KNOB ROUND, ILLUMINATED AND NON ILLUMINATED, SMALL REVIEWER: IS | A | 5355 | 82 | | 18-AUG-80 | | | 11 | |
| | L | | | MS21388B | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES LT4K REVIEWER: ES | A | 5950 | 85 | | 28-JUL-86 | | | 85 | |
| | L | | | MS21389C | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, PHENOLIC CORE, TYPES LT4K REVIEWER: ES | A | 5950 | 85 | | 28-JUL-86 | | | 85 | |
| | L | | | MS21390C | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES LT4K REVIEWER: ES | A | 5950 | 85 | | 09-SEP-88 | | | 85 | |
| | | | | MS21391A NOTICE 1 | COUPLING END, 1-INCH, DRINKING WATER, SERVICE, AIRCRAFT, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8808] | A | 1680 | 82 | | 10-AUG-88 | AV | AS | 99 | |
| | L | | | MS21392A | NUT, PLAIN, HEXAGON-AZIMUTH (WITH LOCKWIRE HOLES) [VALIDATION DATE: 8205] . | A | 5310 | 11 | | 07-SEP-76 | | | 11 | |
| | L | | | MS21397B | COIL, RADIO FREQUENCY, MOLDED FIXED, MICRO MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE FERRITE SLEEVE) TYPES LT10K433 TO LT10K456 INCL. [VALIDATION DATE: 8804] REVIEWER: 11 | A | 5950 | 85 | | 15-APR-88 | | | 85 | |
| | L | | | MS21399A NOTICE 1 | TITLE, COILS, RADIO, FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (PHENOLIC CORE-IRON SLEEVE) TYPES, LT10K 457 TO LT10K 468 INCL. [VALIDATION DATE: 8803] USER: 19 REVIEWER: 17 | A | 5950 | 85 | | 31-MAR-88 | ER | EC | 85 | |

| Action | Qty / Cmbl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MS21400A<br>NOTICE 1 | COIL, RADIO, FREQUENCY, MOLDED, FIXED, MICRO MINIATURE, MAGNETICALLY SHIELDED (IRON CORE - IRON SLEEVE) TYPES, LT10K 469 TO LT10K 482 INCL. [VALIDATION DATE: 8803] USER: 19 REVIEWER: 17 | A 5950 | 85 | 31-MAR-88 | ER | EC | 85 |
| | | MS21401C | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE-FERRITE SLEEVE) TYPES, LT10K 483 TO LT10K 517 INCL. USER: 19 REVIEWER: 17 99 AR MI | A 5950 | 85 | 01-NOV-90 | ER | EC | 85 |
| L | | MS21402D | COILS, RADIO FREQUENCY, MOLDED, VARIABLE, SUBMINIATURE, FERRITE CORE, MAGNETICALLY SHIELDED, TYPES LT10V210 TO LT10V246 INCL. USER: 19 REVIEWER: 11 17 99 ES MI | A 5950 | 85 | 08-MAY-87 | ER | EC | 85 |
| L | | MS21422C | COIL, RADIO, FREQUENCY, MOLDED, FIXED, SUBMINIATURE, TYPES LT4K496 TO LT4K520 INCL. | A 5950 | 85 | 09-NOV-82 | | | 85 |
| L | | MS21423C | COIL, RADIO, FREQUENCY, MOLDED, FIXED, SUBMINIATURE, TYPES LT4K521 TO LT4K545 INCL | A 5950 | 85 | 09-NOV-82 | | | 85 |
| L | | MS21424C | COIL, RADIO, FREQUENCY, MOLDED, FIXED, SUBMINIATURE TYPES LT4K546 TO LT4K570 INCL. | A 5950 | 85 | 09-NOV-82 | | | 85 |
| L | | MS21426A | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO MINIATURE MAGNETICALLY SHIELDED, (IRON CORE IRON SLEEVE) TYPE LT10K USER: 19 REVIEWER: 11 99 | A 5950 | 85 | 26-APR-84 | | | 85 |
| L | | MS21427B | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (FERFITE CORE-FERRITE SLEEVE) TYPE LT10K USER: 19 REVIEWER: 11 17 99 | A 5950 | 85 | 31-OCT-84 | | | 85 |
| | | MS21428A | BEARING, BALL, AIRFRAME, ANTIFRICTION, EXTRA LIGHT DUTY, PRECISION REVIEWER: IS | A 3110 | AS | 09-APR-81 | AV | AS | 99 |
| | | MS21429<br>NOTICE 1 | BEARING, ROLLER, ANTI-FRICTION, ROD END, EXTERNAL THREAD, SELF-ALIGNING, AIR FRAME, -67 DEG. F TO 350 DEG. F, TYPE I, HEAVY DUTY, SEALED [VALIDATION DATE: 9109] REVIEWER: 84 | A 3110 | AS | 06-SEP-91 | | AS | 11 |
| | | MS21430A | VALVE, CHECK, FUEL AND AIR, POPPET TYPE, ZERO, LEAK [VALIDATION DATE: 8404] REVIEWER: CS ME MI | A 4820 | 82 | 06-DEC-77 | AV | AS | 99 |
| | | MS21431 | BEARING, ROLLER, SELF-ALIGNING SINGLE ROW ANTI-FRICTION, SEALED -65 DEGREES TO 350 DZGREES F, TYPE I [VALIDATION DATE: 8304] REVIEWER: 84 | A 3110 | AS | 22-NOV-76 | AT | AS | 99 |
| | | MS21432A | BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL STUD, TYPE VII, ANTIFRICTION, INCH [VALIDATION DATE: 8304] REVIEWER: 84 | A 3110 | AS | 21-MAR-77 | AT | AS | 99 |
| | | MS21433E | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SINGLE POLE, PRINTED CIRCUIT BOARD TERMINALS, RIGHT ANGLE MOUNT REVIEWER: 11 99 EC | A 5930 | 85 | 04-SEP-91 | | AS | 85 |
| | | MS21434B<br>NOTICE 1 | SWITCHES, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, DOUBLE POLE, PRINTED CIRCUIT BOARD TERMINALS, RIGHT ANGLE MOUNT [VALIDATION DATE: 8809] USER: AR AT REVIEWER: 17 99 AV EC MI | A 5930 | 85 | 30-SEP-88 | ER | AS | 85 |
| | | MS21436B<br>NOTICE 1 | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING [VALIDATION DATE: 8608] REVIEWER: 11 17 99 AR EC MI | A 5930 | 85 | 11-AUG-86 | ER | AS | 85 |
| | | MS21437F | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING USER: MI REVIEWER: 99 EC | A 5930 | 85 | 04-SEP-91 | | AS | 85 |
| | | MS21438A | BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE V, ANTIFRICTION, INCH REVIEWER: IS | A 3110 | AS | 31-MAR-81 | AT | AS | 99 |
| | | MS21439A | BEARING, ROLLER, NEEDLE, DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE VI, ANTIFRICTION, INCH REVIEWER: 84 IS | A 3110 | AS | 31-MAR-81 | AT | AS | 99 |
| | | MS21440A | BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL STUD, SEALED, TYPE VIII, ANTIFRICTION, INCH REVIEWER: IS | A 3110 | AS | 31-MAR-81 | AT | AS | 99 |
| | | MS21441A | BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL HEAVY STUD, SEALED, TYPE IX, ANTIFRICTION, INCH REVIEWER: IS | A 3110 | AS | 31-MAR-81 | AT | AS | 99 |
| | | MS21442A | BEARING, ROLLER, NEEDLE, TRACK ROLLER, SEALED, TYPE X, ANTIFRICTION, INCH REVIEWER: IS | A 3110 | AS | 31-MAR-81 | AT | AS | 99 |
| | | MS21443<br>NOTICE 1 | BEARING, BALL, AIRFRAME, ANTIFRICTION PULLEY TYPE [VALIDATION DATE: 9110] REVIEWER: IS SH | A 3110 | AS | 09-OCT-91 | AV | AS | 99 |
| L | | MS21444<br>NOTICE 1 | TIRE, PNEUMATIC, AIRCRAFT, 36X11 [VALIDATION DATE: 8810] USER: CS ..... | A 2620 | 70 | 07-OCT-88 | | | 99 |
| | | MS21446 | BEARING, ROLLER, SELF ALIGNING SINGLE ROW, BARREL ROLLER, TORQUE TUBE, AIRFRAME, ANTIFRICTION, SEALED TYPE V REVIEWER: AV IS | A 3110 | 99 | 12-SEP-84 | AT | AS | 99 |
| | | MS21447 | BEARING, ROLLER, NEEDLE, TRACK ROLLER CROWN RADIUSED O.D. INTEGRAL STUD, TYPE VII ANTIFRICTION, INCH REVIEWER: IS | A 3110 | 99 | 12-SEP-84 | AT | AS | 99 |
| | | MS21450 | NUT, SELF-LOCKING, EXTENDED WASHER, HEXAGON, REDUCED HEXAGON, C'BORE USER: AT CR ER MC OS REVIEWER: 99 AR AS IS MI | A 5310 | 11 | 22-JAN-88 | AV | | 11 |
| L | | MS21780A<br>NOTICE 1 | TIRE PNEUMATIC REBUILT TYPE VIII 30 X 11.5 - 14.5/24 PR USER: CS ..... | A 2620 | 70 | 24-FEB-86 | | | 99 |
| L | | MS21781 | TIRE - PNEUMATIC TYPE VIII 30 X 11.5 - 14.5/26 PR [VALIDATION DATE: 8810] REVIEWER: CS | A 2620 | 70 | 07-OCT-88 | | | 99 |
| | | MS21782 | BEARING, SLEEVE, PLAIN, SINTERED IRON BASE, OIL IMPREGNATED REVIEWER: 11 AR AS CS IS MI | A 3120 | 84 | 21-FEB-84 | AT | OS | 99 |
| | | MS21783 | BEARING, WASHER, THRUST, SINTERED BROZE, OIL IMPREGNATED REVIEWER: 11 AR AS CS IS MI | A 3120 | 84 | 21-FEB-84 | AT | OS | 99 |
| | | MS21900E | ADAPTER, FLARELESS TUBE TO A FLARED TUBE USER: 71 AT GL ME OS REVIEWER: 82 AR CS MI | A 4730 | AS | 24-OCT-88 | AV | AS | 99 |
| | | MS21902F<br>NOTICE 1 | UNION, FLARELESS TUBE [VALIDATION DATE: 9110] USER: 71 AT ME REVIEWER: 82 CS MI | A 4730 | AS | 09-OCT-91 | AV | AS | 99 |
| | | MS21903C | UNION, FLARELESS TUBE, 3/8 BULKHEAD AND UNIVERSAL (INACTIVE USE MS 21924) [VALIDATION DATE: 8405] USER: ME OS REVIEWER: 11 AR CS MI | A 4730 | AS | 27-JUN-69 | AV | AS | 99 |
| | | MS21904F | ELBOW, FLARELESS TUBE, 90 DEG. USER: AT GL ME OS REVIEWER: 11 AR CS MI .... | A 4730 | AS | 22-JUN-84 | AV | AS | 99 |
| A L | | MS21905F | TEE, FLARELESS TUBE USER: AT CR GL ME OS REVIEWER: 11 AR CS MI ..... | A 4730 | AS | 03-JUL-92 | | AS | |
| | | MS21906E<br>NOTICE 1 | CROSS, FLARELESS TUBE [VALIDATION DATE: 8703] USER: AT GL ME OS REVIEWER: 11 AR CS MI | A 4730 | AS | 03-MAR-87 | AV | AS | 99 |
| | | MS21907G | ELBOW, BULKHEAD UNIVERSAL, 45 DEG., FLARELESS TUBE USER: CR GL ME REVIEWER: 71 82 CS MI | A 4730 | AS | 20-JUN-91 | AV | AS | 99 |
| | | MS21908F<br>NOTICE 1 | ELBOW, BULKHEAD UNIVERSAL 90 DEG., FLARELESS TUBE [VALIDATION DATE: 8703] USER: AT GL ME OS REVIEWER: 11 AR CS MI | A 4730 | AS | 03-MAR-87 | AV | AS | 99 |
| | | MS21909G | TEE, BULKHEAD AND UNIVERSAL, FLARELESS TUBE USER: AT CR GL REVIEWER: 71 82 CS MI | A 4730 | AS | 20-JUN-91 | AV | AS | 99 |
| | | MS21910F<br>NOTICE 1 | TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON SIDE [VALIDATION DATE: 8703] USER: AT GL ME OS REVIEWER: 11 CS MI | A 4730 | AS | 03-MAR-87 | AV | AS | 99 |
| | | MS21911H<br>NOTICE 1 | TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON RUN [VALIDATION DATE: 8703] USER: AT GL ME OS REVIEWER: 11 AR CS MI | A 4730 | AS | 03-MAR-87 | AV | AS | 99 |
| | | MS21912G | TEE, FLARELESS TUBE WITH BULKHEAD ON RUN USER: CR GL ME REVIEWER: 82 AR CS MI | A 4730 | AS | 31-AUG-88 | AV | AS | 99 |
| | | MS21913E<br>NOTICE 1 | PLUG, FLARELESS TUBE [VALIDATION DATE: 8707] USER: CR GL ME OS REVIEWER: 11 AR CS MI | A 4730 | AS | 26-JUN-81 | AV | AS | 99 |
| | | MS21914M | CAP, PRESSURE SEAL, FLARELESS TUBE FITTING USER: 71 AT CR GL ME OS REVIEWER: 82 CS MI | A 4730 | AS | 06-MAR-90 | AV | AS | 99 |
| | | MS21915F | ADAPTER, STRAIGHT, TUBE TO BOSS USER: 71 AT ME REVIEWER: 82 AR CS MI ..... | A 4730 | AS | 17-JUL-89 | AV | AS | 99 |
| | | MS21916G | REDUCER, EXTERNAL THREAD, FLARELESS TUBE USER: GL ME OS REVIEWER: 11 AR CS MI | A 4730 | AS | 06-JUN-88 | AV | AS | 99 |
| | | MS21919E<br>NOTICE 1 | CLAMP, LOOP TYPE, CUSHIONED, SUPPORT [VALIDATION DATE: 9110] REVIEWER: 11 AR EA IS | A 5340 | AS | 09-OCT-91 | | AS | 99 |
| | | MS21920C | CLAMP, HOSE (FLAT BAND, 500 DEGREE F) [VALIDATION DATE: 8203] REVIEWER: AV CS MI | A 4730 | 82 | 08-DEC-75 | ME | | 99 |
| | | MS21921M<br>NOTICE 1 | NUT, SLEEVE COUPLING, FLARELESS [VALIDATION DATE: 8703] USER: GL ME REVIEWER: AR CS MI OS | A 4730 | AS | 03-MAR-87 | AV | AS | 99 |

| Action | Old / Old Combination Indicator | Document Number | Document Title | Orig. Activ. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MS21922F | SLEEVE, COUPLING, FLARELESS USER: AT ME OS REVIEWER: CS EL GL MC MI ..... | A 4730 | AS | 04-APR-88 | AV | AS | | 99 |
| | | MS21923C | ADAPTER, FLARELESS TUBE, BULKHEAD AND UNIVERSAL TO FLARED TUBE [VALIDATION | A 4730 | AS | 03-MAR-87 | AV | AS | | 99 |
| | | NOTICE 1 | DATE: 8703] | | | | | | | |
| | | MS21924C | UNION, FLARELESS TUBE, BULKHEAD AND UNIVERSAL USER: 71 CR GL ME OS | A 4730 | AS | 15-SEP-88 | AV | AS | | 99 |
| | | | REVIEWER: 82 AR CS | | | | | | | |
| | | MS21925B | ELBOW, 90 DEGREE UNIVERSAL, FLARELESS TUBE, HIGH PROFILE (ASG) [VALIDATION | A 4730 | AS | 03-MAR-87 | AV | AS | | 99 |
| | | NOTICE 1 | DATE: 8703] USER: EL GL ME OS REVIEWER: 11 AR CS MI | | | | | | | |
| A | | MS21926C | ELBOW, 90 DEG. UNIVERSAL, FLARELESS TUBE, LOW PROFILE USER: AT CR GL ME OS | A 4730 | AS | 03-JUL-92 | AV | AS | | 99 |
| | | | REVIEWER: 82 AR CS MI | | | | | | | |
| | | MS21932C | FIFFINT END, BOLT CLUSTER FITTING, SINGLE PORT USER: AT ME REVIEWER: 82 CS | A 4730 | AS | 27-JUL-87 | AV | AS | | 99 |
| | | MS21933C | FITTING END, BOLT CLUSTER FITTING, SINGLE PORT THROUGH, FLARELESS | A 4730 | AS | 28-AUG-87 | AV | AS | | 99 |
| | | | (INACTIVE FOR NEW DESIGN AFTER 31 DEC 1987) USER: CS GL ME REVIEWER: 11 AR | | | | | | | |
| | | | MI | | | | | | | |
| | | MS21934C | FITTING END, BOLT CLUSTER FITTING, DOUBLE PORT USER: AT ME REVIEWER: 82 CS | A 4730 | AS | 27-JUL-87 | AV | AS | | 99 |
| | | MS21935C | FITTING END, BOLT CLUSTER FITTING, DOUBLE PORT, THROUGH, FLARELESS USER: | A 4730 | AS | 24-JUL-87 | AV | AS | | 99 |
| | | | GL ME REVIEWER: 82 CS MI | | | | | | | |
| | | MS21937B | NUT, CLUSTER FITTING, RETAINER (ASG) [VALIDATION DATE: 8707] USER: ME | A 4730 | AS | 27-JUN-89 | AV | AS | | 99 |
| | | NOTICE 1 | REVIEWER: 11 AR CS MI | | | | | | | |
| | | MS21938D | BOLT, CLUSTER FITTING, SINGLE PORT FLARELESS USER: CR GL ME REVIEWER: 11 | A 4730 | AS | 16-JAN-89 | AV | AS | | 99 |
| | | | CS | | | | | | | |
| | 1 | MS21939D | BOLT, CLUSTER FITTING, SINGLE PORT, THROUGH, FLARELESS USER: CR GL ME | A 4730 | AS | 21-JUN-88 | AV | AS | | 99 |
| | | | REVIEWER: 11 AR CS | | | | | | | |
| | I | MS21940D | BOLT, CLUSTER FITTING, DOUBLE PORT, FLARELESS USER: GL REVIEWER: 71 82 CS . | A 4730 | AS | 10-AUG-88 | | AS | | 99 |
| | I | MS21941D | BOLT, CLUSTER FITTING, DOUBLE PORT, THROUGH, FLARELESS USER: CR GL ME | A 4730 | AS | 16-JUN-88 | AV | AS | | 99 |
| | | | REVIEWER: 11 AR CS | | | | | | | |
| | | MS21942D | BODY, CLUSTER FITTING, ONE WAY, FLARELESS USER: AT GL ME REVIEWER: 82 AR | A 4730 | AS | 24-JUL-87 | AV | AS | | 99 |
| | | | CS MI | | | | | | | |
| | | MS21943C | BODY, CLUSTER FITTING, TWO WAY, 90 DEG., FLARELESS USER: EL GL ME | A 4730 | AS | 24-JUL-87 | AV | AS | | 99 |
| | | | REVIEWER: 82 CS | | | | | | | |
| | | MS21944C | BODY, CLUSTER FITTING, TWO WAY, 180 DEG., FLARELESS (INACTIVE FOR NEW | A 4730 | AS | 28-AUG-87 | AV | AS | | 99 |
| | | | DESIGN AFTER 31 DEC /987) USER: EL ME REVIEWER: 11 AR CS MI | | | | | | | |
| | | MS21945C | BODY, CLUSTER FITTING, THREE-WAY, FLARELESS USER: GL ME REVIEWER: 82 AR CS | A 4730 | AS | 24-JUL-87 | AV | AS | | 99 |
| | | MS21946C | BODY, CLUSTER FITTING, ONE WAY, INTERNAL BOSS (ASG) [VALIDATION DATE: | A 4730 | 82 | 28-JUL-75 | | AS | | 99 |
| | | | 8106] REVIEWER: CS | | | | | | | |
| | | MS21947A | FITTING END, BOLT CLUSTER FITTING SINGLE PORT THROUGH, FLARE ..... | A 4730 | 82 | 10-NOV-84 | | AS | | 99 |
| | L | MS21949A | BOLT, CLUSTER FITTING SINGLE PORT, FLARE [VALIDATION DATE: 8406] USER: CS | A 4730 | AS | 13-MAY-66 | | AS | | |
| | | | REVIEWER: MI | | | | | | | |
| | | MS21950A | BOLT, CLUSTER FITTING SINGLE PORT THROUGH, FLARE [VALIDATION DATE: 8107] | A 4730 | 82 | 30-SEP-75 | MI | AS | | 99 |
| | | | REVIEWER: CS | | | | | | | |
| | | MS21951 | BOLT, CLUSTER FITTING DOUBLE PORT, FLARE [VALIDATION DATE: 8106] REVIEWER: | A 4730 | 82 | 15-FEB-56 | | AS | | 99 |
| | | | CS | | | | | | | |
| | L | MS21953A | BODY, CLUSTER FITTING ONE WAY, FLARE [VALIDATION DATE: 8107] REVIEWER: CS | A 4730 | 82 | 22-MAY-75 | | | | 99 |
| | | | MI | | | | | | | |
| | | MS21954A | BODY, CLUSTER FITTING TWO WAY 90 DEG., FLARE [VALIDATION DATE: 8106] | A 4730 | 82 | 16-MAY-75 | | | | 99 |
| | | | REVIEWER: CS MI | | | | | | | |
| | | MS21955A | BODY, CLUSTER FITTING TWO WAY 180 DEG., FLARE [VALIDATION DATE: 8107] | A 4730 | 82 | 30-SEP-75 | MI | AS | | 99 |
| | | | REVIEWER: CS | | | | | | | |
| | | MS21956A | BODY, CLUSTER FITTING THREE WAY, FLARE [VALIDATION DATE: 8106] REVIEWER: | A 4730 | 82 | 30-SEP-75 | MI | AS | | 99 |
| | | | CS | | | | | | | |
| | | MS21957C | COUPLING, QUICK-DISCONNECT, LOW-PRESSURE AIR CONNECTION, BULKHEAD FITTING | A 4730 | AS | 28-SEP-87 | | AS | | 99 |
| | | | END, 1/4 TUBE SIZE (INACTIVE-28 DEC 1967) REVIEWER: CS | | | | | | | |
| | | MS21958B | BODY, CLUSTER FITTING, TWO-WAY, 180 DEG., INTERNAL BOSS (ASG) [VALIDATION | A 4730 | 82 | 29-JUL-75 | | AS | | 99 |
| | | | DATE: 8107] USER: CS | | | | | | | |
| | | MS21959B | BODY, CLUSTER FITTING, TWO WAY, 90 DEG., INTERNAL BOSS (ASG) [VALIDATION | A 4730 | 82 | 20-JUN-75 | | AS | | 99 |
| | | | DATE: 8106] REVIEWER: CS | | | | | | | |
| | | MS21960B | BODY, CLUSTER FITTING, THREE WAY, INTERNAL BOSS (ASG) [VALIDATION DATE: | A 4730 | 82 | 13-JUN-75 | | AS | | 99 |
| | | | 8107] REVIEWER: CS | | | | | | | |
| | | MS21961 | PANEL RELAY, PILOT, ENCLOSED, AIRPORT LIGHTING (TYPES I AND II) | A 6110 | 11 | 09-AUG-67 | | AS | | 11 |
| | | NOTICE 1 | [VALIDATION DATE: 8205] REVIEWER: 99 GS | | | | | | | |
| | | MS21962 | ADAPTER, 13/16-20 TO 1/2-14, AIR HAND PUMP [VALIDATION DATE: 8506] ..... | A 4220 | 84 | 24-MAR-65 | | AS | | 99 |
| | | MS21964H | VALVE ASSEMBLY EMERGENCY OXYGEN CYLINDER REVIEWER: 11 GL MI ..... | A 4820 | 71 | 18-AUG-86 | AV | AS | | 99 |
| | | MS21965C | NIPPLE, BREAK OFF, EMERGENCY OXYGEN CYLINDER VALVE [VALIDATION DATE: 8610] | A 1660 | 71 | 06-OCT-86 | AV | AS | | 99 |
| | | NOTICE 1 | REVIEWER: GL | | | | | | | |
| | L | MS21967C | GENERATOR SYSTEM, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS, 20 | A 6115 | AS | 31-DEC-87 | | AS | | |
| | | NOTICE 1 | KVA [VALIDATION DATE: 8712] REVIEWER: GS | | | | | | | |
| | L | MS21968C | GENERATOR SYSTEM, AC INTEGRALLY EXCITED 10 KVA-AIRCRAFT [VALIDATION DATE: | A 6115 | 80 | 09-SEP-75 | | | | 99 |
| | | | 8303] REVIEWER: GS | | | | | | | |
| | L | MS21970B | GENERATOR SYSTEM, 10 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY | A 6115 | AS | 31-DEC-88 | | AS | | |
| | | NOTICE 1 | EXCITED, BRUSHLESS TYPE, A-4 AIRCRAFT [VALIDATION DATE: 8812] | | | | | | | |
| | | MS21971 | INDICATOR, TACHOMETER, ELECTRIC, 0-120 PERCENT RPM, 2 INCH SIZE | A 6620 | AS | 15-AUG-60 | | AS | | 11 |
| | | | [VALIDATION DATE: 7910] REVIEWER: 99 GS | | | | | | | |
| | LI | MS21972B | LIGHT, AIRCRAFT, ANTI-COLLISION, TANDEM OSCILLATING REVIEWER: GS ..... | A 6220 | AS | 29-MAY-92 | | AS | | |
| | | NOTICE 1 | | | | | | | | |
| | | MS21980E | FERRULE, OUTER, UNINSULATED, SHIELD TERMINATING, TYPE I TWO PIECE, CLASS | A 5940 | AS | 13-AUG-82 | ER | AS | | |
| | | | I, FOR SHIELDED CABLE USER: MC REVIEWER: 11 17 99 EC | | | | | | | |
| | | MS21981D | FERRULE, INNER, UNINSULATED, SHIELD TERMINATING, TYPE I TWO PIECE, CLASS | A 5940 | AS | 13-AUG-82 | | AS | | 85 |
| | | | I, FOR SHIELDED CABLE USER: MC REVIEWER: 11 17 99 EC | | | | | | | |
| A | | MS21983E | INVERTER, 250 VA, 3/1 PHASE AND 1 PHASE, CLASS B, MULTIPURPOSE [VALIDATION | A 6125 | AS | 19-APR-93 | ME | AS | | 11 |
| | | NOTICE 1 | DATE: 9304] | | | | | | | |
| | | MS21984F | CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH-PULL, 3-PHASE, 5 THRU 60 AMP., | A 5925 | AS | 30-NOV-87 | ER | AS | | 85 |
| | | | TYPE I USER: ME REVIEWER: 99 ES MI | | | | | | | |
| | | MS21994E | SWITCH, ROTARY, AMMETER SELECTOR, 115/200 VOLTS FOR 1, 2, 4 GENERATOR | A 5930 | 85 | 30-SEP-88 | ER | AS | | 85 |
| | | NOTICE 1 | SYSTEM [VALIDATION DATE: 8809] USER: MC REVIEWER: 11 17 99 AV EC MI OS | | | | | | | |
| | | MS21995E | SWITCH, ROTARY, AMMETER - VOLTMETER SELECTOR, 115/200 VOLTS, FOR 1, 2, OR | A 5930 | 85 | 30-SEP-88 | ER | AS | | 85 |
| | | NOTICE 1 | 4 GENERATOR SYSTEM [VALIDATION DATE: 8809] REVIEWER: 11 17 99 AV EC ES MI | | | | | | | |
| | | | OS | | | | | | | |
| | | MS21998C | FLASHLIGHT, PENLIGHT STYLE REVIEWER: GS ..... | A 6230 | 82 | 15-MAY-90 | AV | AS | | 99 |
| | L | MS22001E | MASK ASSEMBLIES, OXYGEN, PRESSURE BREATHING [VALIDATION DATE: 9110] | A 1660 | AS | 30-OCT-91 | | AS | | |
| | | NOTICE 1 | REVIEWER: AV GL | | | | | | | |
| | | MS22002F | LINK, REMOVABLE CONNECTOR PARACHUTE & BARRICADE [VALIDATION DATE: 9110] ... | A 1670 | AS | 30-OCT-91 | GL | AS | | 99 |
| | | NOTICE 1 | | | | | | | | |
| | | MS22003 | LINK - LAP SAFETY BELT (ASG) [VALIDATION DATE: 8405] REVIEWER: 99 ..... | A 1680 | AS | 21-APR-54 | | AS | | 11 |
| | | MS22004C | ADJUSTER, LAP, AIRCRAFT SAFETY BELT ..... | A 1680 | 82 | 03-JUL-86 | | AS | | 99 |
| | | MS22005E | BAR, ADJUSTER, LAP AIRCRAFT SAFETY BELT ..... | A 1680 | 82 | 13-NOV-87 | | AS | | 99 |
| | | MS22007K | ADJUSTER ASSEMBLY, SAFETY SHOULDER HARNESS BELT ..... | A 1670 | 82 | 15-JUL-87 | AV | AS | | 99 |
| | L | MS22008 | RELEASE - PARACHUTE CANOPY QUICK DISCONNECT [VALIDATION DATE: 9110] ..... | A 1670 | AS | 30-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | | | |
| | | MS22010 | ANCHOR - LAP SAFETY BELT [VALIDATION DATE: 8405] REVIEWER: 82 MI ..... | A 1680 | AS | 16-APR-56 | AV | AS | | 99 |
| | | MS22011A | COUPLING ASSEMBLY - HOSE, QUICK DISCONNECT, MALE, ANTI .G, SUIT | A 8475 | AS | 16-MAR-66 | | AS | | 99 |
| | | | [VALIDATION DATE: 8509] USER: MC REVIEWER: CS | | | | | | | |
| | | MS22012D | VALVE - HIGH-PRESSURE OXYGEN-CYLINDER, AUTOMATIC OPENING (ASG) [VALIDATION | A 4820 | AS | 20-NOV-69 | | AS | | 99 |
| | | | DATE: 8403] REVIEWER: 11 MI | | | | | | | |
| | | MS22014A | ADAPTER, PARACHUTE HARNESS ADJUSTING STRAP [VALIDATION DATE: 8106] ..... | A 1670 | 82 | 19-AUG-74 | GL | AS | | 99 |
| | | MS22016D | CONNECTOR, OXYGEN MASK HOSE, TYPE MC&3A (ASG) [VALIDATION DATE: 8202] ..... | A 1660 | AS | 20-FEB-73 | AV | AS | | |

| Action | CRN / Orig. Coordination Instruction | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS22017D | SNAP, PARACHUTE HARNESS QUICK-FIT EJECTOR | A | 1670 | AS | GL | 13-SEP-91 | GL | AS | 11 | |
| | | MS22018D | SNAP, PARACHUTE HARNESS QUICK-FIT EJECTOR | A | 1670 | AS | GL | 13-SEP-91 | GL | AS | 11 | |
| | | MS22019C | ADAPTER, PARACHUTE HARNESS REVERSIBLE QUICK FIT [VALIDATION DATE: 8405] REVIEWER: 11 | A | 1670 | AS | GL | 15-SEP-65 | GL | AS | 99 | |
| L | | MS22020B | LINK, PARACHUTE HARNESS TRIANGLE [VALIDATION DATE: 9110] | A | 1670 | AS | | 30-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22021F | LINK, PARACHUTE REMOVABLE CONNECTER, SPEED | A | 1670 | AS | | 13-SEP-91 | | AS | 11 | |
| | | MS22022 | SLIDE BAR, PARACHUTE HARNESS QUICK FIT EJECTOR SNAP [VALIDATION DATE: 9110] | A | 1680 | AS | | 30-OCT-91 | | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22025 | BRACKET, FLYERS RELIEF TUBE, VERTICAL | A | 1680 | 82 | | 21-OCT-86 | | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22032B | RECHARGER ASSEMBLY, PORTABLE OXYGEN (ASG) [VALIDATION DATE: 8709] REVIEWER: 11 | A | 1660 | AS | | 30-SEP-87 | | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| L | | MS22033E | BELT, AIRCRAFT SAFETY, LAP [VALIDATION DATE: 9110] | A | 1680 | AS | | 30-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22034A | ADAPTER, QUICK DISCONNECT, PASSENGER SEAT TO FLOOR [VALIDATION DATE: 9110] USER: CG REVIEWER: 11 82 AV | A | 1680 | AS | | 30-OCT-91 | | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22035B | VALVE, CHECK, OXYGEN, HIGH PRESSURE, FILLER CONNECTION [VALIDATION DATE: 8709] | A | 4820 | AS | | 30-SEP-87 | AV | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22040C | ADAPTER, PARACHUTE, HARNESS, QUICK FIT [VALIDATION DATE: 9011] REVIEWER: 11 AV | A | 1670 | 82 | | 23-NOV-90 | GL | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22042A | SNAP HOOK - QUICK CONNECTOR, PARACHUTE HARNESS [VALIDATION DATE: 8108] USER: MC REVIEWER: 11 | A | 1670 | 82 | | 11-APR-75 | GL | AS | 99 | |
| | | MS22043A | SNAP HOOK - COILED SPRING, PARACHUTE QUICK FIT USER: MC REVIEWER: 11 AV | A | 1670 | 82 | | 17-JUL-75 | GL | AS | 99 | |
| | | MS22044B | SNAP HOOK - COILED SPRING, PARACHUTE USER: MC REVIEWER: 11 82 AV | A | 1670 | GL | | 28-DEC-83 | GL | AS | 99 | |
| | | MS22045B | RING-PARACHUTE HARNESS (V) [VALIDATION DATE: 8108] REVIEWER: 11 AV | A | 1670 | 82 | | 06-DEC-74 | GL | AS | 99 | |
| | | MS22046C | RING-PARACHUTE HARNESS (D) [VALIDATION DATE: 8209] REVIEWER: 11 AV | A | 1670 | 82 | | 26-AUG-74 | GL | AS | 99 | |
| | | MS22047C | ADAPTER - PARACHUTE HARNESS STRAP USER: MC REVIEWER: 11 AV | A | 1670 | 82 | | 02-JAN-86 | GL | AS | 99 | |
| | | MS22048A | GROMMET AND WASHER, PARACHUTE PACK [VALIDATION DATE: 9110] | A | 1670 | AS | | 30-OCT-91 | | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| L | | MS22053J | BLOWER, 400 CPS, CONTINUOUS DUTY, CLASS A, GARMENT VENTILATION, CMU-33/P ANTI-EXPOSURE SUIT [VALIDATION DATE: 9110] | A | 1660 | AS | | 30-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22054A | VALVE, LIFE RAFTS FLUSH TYPE, TOPPING OFF (FOR MULTIPLACE LIFE RAFTS) | A | 4220 | AS | | 30-OCT-91 | | AS | 99 | |
| | | NOTICE 2 | [VALIDATION DATE: 9110] USER: MC SH REVIEWER: 84 AV CS | | | | | | | | | |
| | | MS22055E | HOSE ASSEMBLIES - OXYGEN BREATHING, CONNECTOR TO REGULATOR | A | 1660 | AS | | 30-JUN-83 | AV | AS | 71 | |
| | | MS22056B | VALVE, CHECK, OXYGEN MASK, INLET [VALIDATION DATE: 8403] | A | 4820 | AS | | 19-MAY-70 | AV | AS | | |
| | | MS22057 | DELAMINATION TEST STAND FOR OXYGEN HOSE (ASG) [VALIDATION DATE: 8709] REVIEWER: 11 | A | 1660 | AS | | 30-SEP-87 | | AS | 99 | |
| | | MS22058C | CONNECTOR, OXYGEN HOSE TO REGULATOR REVIEWER: 11 71 GL | A | 1660 | AS | | 31-JAN-86 | AV | AS | 99 | |
| | | MS22059D | OXYGEN SYSTEM, PORTABLE, 295 CU IN, HIGH PRESSURE, AIRCRAFT REVIEWER: 11 | A | 1660 | AS | | 10-SEP-82 | AV | AS | 99 | |
| | | MS22061D | OXYGEN SYSTEM, PORTABLE, 96 CU IN, HIGH PRESSURE, AIRCRAFT [VALIDATION DATE: 9110] REVIEWER: 11 | A | 1660 | AS | | 30-OCT-91 | AV | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22062F | REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC, PRESSURE BREATHING | A | 1660 | AS | | 01-APR-91 | AV | AS | | |
| | | MS22064B | CLAMP, OXYGEN HOSE | A | 4730 | 82 | | 12-JAN-84 | AV | AS | 99 | |
| | | MS22066C | VALVE, CHECK, OXYGEN CHARGING REVIEWER: 11 | A | 4820 | 71 | | 06-JUN-86 | | AS | 99 | |
| | | MS22068E | COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS USER: CS REVIEWER: 11 71 | A | 1660 | AS | | 31-DEC-90 | | AS | 99 | |
| | | MS22069E | CYLINDER ASSEMBLY, EMERGENCY OXYGEN REVIEWER: 11 GL SA | A | 1660 | 71 | | 05-NOV-87 | AV | AS | 99 | |
| | | MS22073M | CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE 1 REVIEWER: 11 ES | A | 5925 | AS | | 30-NOV-87 | ER | AS | 85 | |
| I | | MS22074C | CIRCUIT BREAKER, RECYCLING TRIP-FREE, PUSH-PULL, 1/2 THRU 5 AMPERE, TYPE I [VALIDATION DATE: 9110] | A | 5925 | AS | | 24-OCT-91 | | AS | 85 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22078 | TIRE REBUILT 26X 6.6/14PR [VALIDATION DATE: 8602] REVIEWER: CS | A | 2620 | 70 | | 10-JUN-77 | | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| L | | MS22080 | TIRE PNEUMATIC REBUILT, TYPE III 12.50-16/12 PR REVIEWER: CS | A | 2620 | 70 | | 05-FEB-86 | | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS22081 | TIRE, PNEUMATIC NEW TYPE III 20.00-20/26PR [VALIDATION DATE: 8604] REVIEWER: CS | A | 2620 | 70 | | 25-APR-86 | | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | DS22125 | PACKING, PREFORMED, TUBE-FITTING, METRIC USER: MC REVIEWER: 69 | A | 5330 | 11 | | 12-SEP-88 | AV | AS | 11 | |
| | | MS23002D | DIE, CRIMPING TOOL - FOR USE WITH MS25036, SIZE 8 THROUGH 4/0 TERMINALS [VALIDATION DATE: 8207] USER: EC MC REVIEWER: AR GL | A | 5136 | AS | | 21-MAR-72 | CR | AS | 99 | |
| | | MS23003B | GAGES, INSPECTION FOR MS23002 CRIMPING DIES (FOR USE WITH MS25036 INSULATED TERMINALS [VALIDATION DATE: 8204] USER: MC REVIEWER: 85 | A | 5220 | AS | | 02-JAN-64 | | AS | 11 | |
| | | MS23004A | ADAPTER, STRAIGHT, 1/2-14 TO HOSE, DISTILLATION BAG [VALIDATION DATE: 7702] REVIEWER: CS | A | 4220 | 84 | | 20-JUL-67 | | AS | 99 | |
| | | MS23005E | TUBE-OIL COOLER REVIEWER: 71 | A | 2935 | AS | | 08-APR-85 | AV | AS | 99 | |
| | | MS23006 | COVER, LIGHT, NAVIGATIONAL AND WARNING, AIRCRAFT [VALIDATION DATE: 8306] REVIEWER: GS | A | 6220 | 82 | | 28-JUL-64 | | AS | 99 | |
| D | | MS23747D | GLAND, CABLE SEALING, CLASS L [VALIDATION DATE: 9206] USER: 14 19 CG MC OS YD1 REVIEWER: 17 80 85 AS MI | A | 5935 | EC | | 03-JUN-92 | CR | EC | 11 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS24000F | FUSE HOLDER, BLOCK-TYPE, 1 -, 2 -, AND 3 - POLE, 1-TO 30-AMPERE, AIRCRAFT | A | 5920 | AS | | 22-APR-92 | | AS | 85 | |
| | | MS24001F | FUSE HOLDER, BLOCK-TYPE, 1 -, 2 -, AND 3 - POLE, 35-TO 60-AMPERE, AIRCRAFT | A | 5920 | AS | | 22-APR-92 | | AS | 85 | |
| | | MS24003G | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 7 SIZE 20 SOLDER PIN | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | NOTICE 1 | CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | | | | | | | | | |
| | | MS24004G | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 7, SIZE 16 SOLDER PIN | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | NOTICE 1 | CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS WC REVIEWER: 11 AS AT ES MI SH | | | | | | | | | |
| | | MS24005E | CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, RECTANGULAR, 8 CONTACTS, FEMALE, 7.5 AMPS. [VALIDATION DATE: 8605] REVIEWER: 17 99 ES | A | 5935 | MI | | 03-APR-64 | MI | | 85 | |
| | | MS24009G | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 14, SIZE 20 SOLDER | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | NOTICE 1 | SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | | | | | | | | | |
| | | MS24010F | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 14, SIZE 20 SOLDER PIN | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | NOTICE 1 | CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS WC REVIEWER: 11 AS AT ES MI SH | | | | | | | | | |
| | | MS24011E | CONNECTOR, PLUG RECEPTACLE, ELECTRICAL RECTANGULAR, 18 CONTACTS, FEMALE, 7.5 AMPS (INACTIVE 6 DEC 71) [VALIDATION DATE: 8404] USER: MC ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |
| I | | MS24012D | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 18, SIZE 20 PIN | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | NOTICE 1 | CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | | | | | | | | | |
| | | MS24013F | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 20 SOLDER SOCKET | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | NOTICE 1 | CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AL AR AS MI SH | | | | | | | | | |
| | | MS24014F | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 20, SIZE 20 SOLDER PIN | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | NOTICE 1 | CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 99 AR AS AT ES MI SH | | | | | | | | | |
| | | MS24017C | NUT PLAIN, HEXAGON, MOUNTING (INACTIVE 6 DEC 1971) [VALIDATION DATE: 8404] USER: MC ME REVIEWER: 11 AT ES MI OS | A | 5310 | EC | | 06-DEC-71 | ER | EC | 99 | |
| | | MS24018C | HOOD ELECTRICAL CONNECTOR, MINIATURE (INACTIVE 12-6-71) [VALIDATION DATE: 8404] USER: AR MC ME REVIEWER: 11 AS AT MI MU OS SH | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |

| Action | Opt. / Cond. | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS24019F | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 26, SIZE 20 SOLDER | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | | NOTICE 1 | SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | | | | | | | | | |
| | | | MS24020G | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 26, SIZE 20 SOLDER PIN | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | | NOTICE 1 | CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS SH | | | | | | | | | |
| | | | MS24021E | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 34, SIZE 20 SOLDER | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | | NOTICE 1 | SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | | | | | | | | | |
| | | | MS24022F | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 34, SIZE 20 SOLDER PIN | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | | NOTICE 1 | CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME OS REVIEWER: 11 AS SH | | | | | | | | | |
| | | | MS24025G | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 50, SIZE 20 SOLDER | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | | NOTICE 1 | SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH | | | | | | | | | |
| | | | MS24026E | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 50, SIZE 20 SOLDER PIN | A | 5935 | EC | | 15-DEC-89 | CR | EC | 80 | |
| | | | NOTICE 1 | CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME OS REVIEWER: 11 AS AT ES MI SH | | | | | | | | | |
| | | | MS24029D | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 10, SIZE 16 SOCKET CONTACTS (INACTIVE 6 DEC 1971) (VALIDATION DATE: 8404) USER: MC ME SH REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |
| | | | MS24030D | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 10, SIZE 16 PIN CONTACTS (INACTIVE 12-6-71) (VALIDATION DATE: 8404) USER: MC ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |
| | | | MS24033D | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 14, SIZE 16 SOCKET CONTACTS (INACTIVE 6 DEC 1971) (VALIDATION DATE: 8404) USER: MC ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |
| | | | MS24034C | CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, RECTANGULAR, 18 CONTACTS, MALE, 13 | A | 5935 | 85 | | 08-AUG-86 | MI | AS | 85 | |
| | | | NOTICE 1 | AMPS. (VALIDATION DATE: 8668) USER: MC REVIEWER: 17 99 ES | | | | | | | | | |
| | | | MS24037D | CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, HEXAGONAL, 5 CONTACTS, FEMALE, 7.5 AMPS. (VALIDATION DATE: 8505) USER: 14 19 ME MI REVIEWER: 17 99 ES MC | A | 5935 | EC | | 21-FEB-67 | CR | AS | 85 | |
| | | | MS24055D | CONNECTOR, PLUG RECEPTACLE, ELECTRICAL, HEXAGONAL, 9 CONTACTS, FEMALE, 7.5 AMPS (INACTIVE 12-6-71) (VALIDATION DATE: 8404) USER: MC ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |
| | | | MS24056F | CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, HEXAGONAL, 9 CONTACTS, MALE, 7.5 AMPS. REVIEWER: 17 99 ES | A | 5935 | MI | | 29-MAR-91 | MI | AS | 85 | |
| | | | MS24057C | COUPLING, EAR (INACTIVE 6 DEC 1971) (VALIDATION DATE: 8404) USER: ME REVIEWER: 11 99 AR AS AT ES MI OS | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |
| | | | MS24120D | RING, COUPLING, ROTATING USER: ME REVIEWER: 99 ES | A | 5935 | MI | | 29-MAR-91 | MI | AS | 85 | |
| A | L | | MS24122C | WIRING HARNESS-EXTERNAL POWER, 115 VOLT AC, SINGLE PHASE (VALIDATION DATE: | A | 6150 | 85 | | 20-JAN-93 | | | 85 | |
| | | | NOTICE 1 | 9301) | | | | | | | | | |
| | | | MS24128C | RING COUPLING, FIXED (INACTIVE 12-6-71 (VALIDATION DATE: 8505) USER: MC ME REVIEWER: 11 99 AR AS AT MI OS | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |
| | | | MS24129C | HOOD, ELECTRICAL CONNECTOR, RIGHT ANGLE (INACTIVE FOR DESIGN 6 DEC 1971) (VALIDATION DATE: 8404) USER: AT MC ME REVIEWER: 11 99 AR AS ES MI OS | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |
| | | | MS24130C | HOOD, ELECTRICAL, FOR 3 AMP, CONNECTOR (INACTIVE 12-6-71) (VALIDATION DATE: 8404) USER: MC ME REVIEWER: 11 99 AR AS AT MI OS | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |
| | | | MS24131C | HOOD, ELECTRICAL, FOR 13 AMP, CONNECTOR (INACTIVE 6 DEC 1971) (VALIDATION DATE: 8505) USER: MC ME REVIEWER: 11 99 AR AS AT MI OS | A | 5935 | EC | | 06-DEC-71 | CR | EC | 85 | |
| | | | MS24132F | SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20 AND 26 RACK AND PANEL CONTACT CONNECTOR (VALIDATION DATE: 8204) USER: AM MC ME OS REVIEWER: 11 99 AS AT ES MI | A | 5935 | EC | | 01-JUN-76 | CR | EC | 85 | |
| | | | MS24133J | SHIELD, ELECTRICAL CONNECTOR FOR SIZE 34, 42, 50 AND 75 RACK AND PANEL CONTACT CONNECTOR (VALIDATION DATE: 8505) USER: AM AR MC ME OS SH REVIEWER: 11 99 AS AT ES MI | A | 5935 | EC | | 03-JAN-79 | CR | EC | 85 | |
| | L | | MS24134A | ALTIMETER, PRESSURE, STATION (VALIDATION DATE: 8510) REVIEWER: GS | A | 6660 | 80 | | 2[illegible]-MAY-69 | | | 99 | |
| | | | MS24140L | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1 PST (N.O.), TYPE I, HERMETICALLY SEALED REVIEWER: EC ES | A | 5945 | 85 | | 09-JUN-92 | | AS | 85 | |
| A | | | MS24141J | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED REVIEWER: 99 EC | A | 5945 | 85 | | 13-JUL-92 | | AS | 85 | |
| A | | | MS24142L | RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED REVIEWER: 99 AS EC | A | 5945 | 85 | | 15-MAR-93 | | AS | 85 | |
| | | | MS24143V | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST (N.O.), TYPE I, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | | 31-MAR-92 | | AS | 85 | |
| M | | | MS24149D | RELAYS, ELECTROMAGNETIC, 2 PDT 10 AMPERES, TYPE I, HERMETICALLY SEALED | A | 5945 | 85 | | 14-MAY-93 | ER | AS | 85 | |
| | | | NOTICE 1 | (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES | | | | | | | | | |
| | | | MS24152G | RELAY, 25 AMP, 3PDT, N.O, TYPE II, NON-HERMETICALLY SEALED (MECHANICALLY | A | 5945 | 85 | | 31-MAR-88 | | AS | 85 | |
| | | | NOTICE 1 | INTERLOCKED) REVIEWER: 11 99 EC | | | | | | | | | |
| | | | MS24166G | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1PST (N O), TYPE II, NON-HERMETICALLY SEALED REVIEWER: 11 99 EC ES | A | 5945 | 85 | | 24-JAN-90 | | AS | 85 | |
| | | | MS24168P | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 3 PST (N.O.), TYPE I, HERMETICALLY SEALED REVIEWER: 11 99 EC ES | A | 5945 | 85 | | 25-APR-90 | | AS | 85 | |
| | | | MS24171F | RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO) , TYPE II, NON-HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | | 28-APR-89 | | AS | 85 | |
| | | | MS24172H | RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (N O), TYPE III, NON-HERMETICALLY SEALED REVIEWER: 11 99 | A | 5945 | 85 | | 25-JUL-90 | | AS | 85 | |
| | | | MS24178G | RELAY, 55 AMP, 2PST, N.O. TYPE II, NON HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | | 24-SEP-82 | | AS | 85 | |
| | | | MS24179K | RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1PST (N O), TYPE III, NON-HERMETICALLY SEALED REVIEWER: 99 EC ES | A | 5945 | 85 | | 25-JUL-90 | | AS | 85 | |
| | | | MS24182J | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | | 20-FEB-90 | | AS | 85 | |
| | | | MS24183J | RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | | 20-FEB-90 | | AS | 85 | |
| | | | MS24184K | RELAY, 300 AMPERES, 1PST, N.O. TYPE I, HERMETICALLY SEALED | A | 5945 | 85 | | 26-JUL-90 | ER | AS | 85 | |
| | | | MS24185K | RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1 PST, N.O. TYPE II NON-HERMETICALLY SEALED REVIEWER: 99 EC | A | 5945 | 85 | | 25-JUL-90 | | AS | 85 | |
| A | | | MS24187M | RELAYS, ELECTROMAGNETIC, 50/25 AMPERES, 1PDT (NO/NC), TYPE II, NONHERMETIC ALLY SEALED REVIEWER: 99 EC ES | A | 5945 | 85 | | 08-MAR-93 | | AS | 85 | |
| A | | | MS24192M | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3PST, N.O. TYPE II, NON-HERMETICALLY SEALED REVIEWER: ES | A | 5945 | 85 | | 26-JAN-93 | | AS | 85 | |
| | | | MS24193G | RELAY ELECTROMAGNETIC, 50 AMPERES, 3 PST, N.O. TYPE II, NON - HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | | 17-JUN-88 | | AS | 85 | |
| D | | | MS24200C | ADAPTER, PUMP (VALIDATION DATE: 8909) USER: AT SH REVIEWER: CS | A | 4930 | ME | | 08-SEP-89 | ME | YD1 | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MS24203B | COUPLING, GREASE GUN; SHAFER TYPE NOZZLE (VALIDATION DATE: 8909) USER: AT | A | 4930 | ME | | 08-SEP-89 | ME | YD1 | 99 | |
| | | | NOTICE 1 | SH REVIEWER: CS | | | | | | | | | |
| D | | | MS24204B | ADAPTER, GREASE GUN COUPLING: HYDRAULIC TYPE INLET FITTING, PIN TYPE | A | 4930 | ME | | 08-SEP-89 | ME | YD1 | 99 | |
| | | | NOTICE 1 | NOZZLE (VALIDATION DATE: 8909) USER: MC SH REVIEWER: AT CS MI | | | | | | | | | |
| D | | | MS24205B | COUPLING, GREASE GUN; FLUSH TYPE NOZZLE (VALIDATION DATE: 8909) | A | 4930 | ME | | 08-SEP-89 | ME | YD1 | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MS24208B | SLEEVE, LOCKING (VALIDATION DATE: 8909) USER: AT MC SH REVIEWER: CS | A | 4930 | ME | | 08-SEP-89 | ME | YD1 | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MS24207C | COUPLING, GREASE GUN, HYDRAULIC TYPE NOZZLE (VALIDATION DATE: 8201) REVIEWER: MI | A | 4930 | ME | | 21-APR-77 | ME | YD1 | 99 | |

| Action | Opt. / Obst. | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | | | MS24208D NOTICE 1 | CABLE AND PLUG ASSEMBLY, EXTERNAL POWER 115/200 VOLTS, 3 PHASE, SINGLE POINT REFUELING [VALIDATION DATE: 9301] | A | 6150 | 85 | 20-JAN-93 | | | 85 | |
| | L | | | MS24220B NOTICE 1 | BRUSH, ELECTRICAL CONTACT, DYNAMOTOR L.V., AIRCRAFT [VALIDATION DATE: 8803] REVIEWER: 99 GS | A | 5977 | 85 | 25-MAR-88 | | | 85 | |
| | L | | | MS24234B NOTICE 1 | CONNECTOR&RECEPTACLE, ELECTRICAL, WALL MOUNTED [VALIDATION DATE: 8701] REVIEWER: ES | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | L | | | MS24235B NOTICE 1 | CONNECTOR&PLUG, ELECTRICAL CABLE MOUNTING [VALIDATION DATE: 8701] REVIEWER: ES | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | L | | | MS24236B NOTICE 1 | CONNECTOR&PLUG, ELECTRICAL, STRAIGHT [VALIDATION DATE: 8701] REVIEWER: 99 ES MI | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | L | | | MS24237B NOTICE 1 | CONNECTOR-PLUG, ELECTRICAL, 90 DEG. [VALIDATION DATE: 8701] REVIEWER: 99 ES | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | L | | | MS24238B NOTICE 1 | CONNECTOR-PLUG, ELECTRICAL, 45 DEG. [VALIDATION DATE: 8701] REVIEWER: ES .. | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | L | | | MS24240B NOTICE 1 | CONNECTOR&RECEPTACLE, ELECTRICAL, HERMETIC, JAM NUT, REAR MOUNTING [VALIDATION DATE: 8701] REVIEWER: 99 ES | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | L | | | MS24241B NOTICE 1 | CONNECTOR&RECEPTACLE, ELECTRICAL, HERMETIC, JAM NUT, FRONT MOUNTING [VALIDATION DATE: 8701] REVIEWER: 99 ES | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | L | | | MS24242B NOTICE 1 | INSERT ARRANGEMENT ELECTRICAL CONNECTOR RECEPTACLE REVIEWER: 99 ES ..... | A | 5935 | 85 | 13-FEB-87 | | | 85 | |
| | L | | | MS24243B NOTICE 1 | COUPLING DIMENSIONS&RECEPTACLE ELECTRICAL CONNECTOR REVIEWER: ES MI ..... | A | 5935 | 85 | 15-FEB-87 | | | 85 | |
| | LI | | | MS24264N | CONNECTORS, RECEPTACLE, ELECTRICAL, FLANGE MOUNT, MINIATURE REVIEWER: 11 17 99 ES | A | 5935 | 85 | 07-SEP-90 | | | 85 | |
| | LI | | | MS24265N | CONNECTOR, RECEPTACLE, ELECTRICAL, SINGLE HOLE MOUNT MINIATURE REVIEWER: 11 17 99 ES | A | 5935 | 85 | 07-SEP-90 | | | 85 | |
| | LI | | | MS24266L | CONNECTOR, PLUG, ELECTRICAL STRAIGHT, MINIATURE REVIEWER: 11 17 99 ES ..... | A | 5935 | 85 | 07-SEP-90 | | | 85 | |
| A | L | | | MS24281A NOTICE 2 | CONNECTOR, PLUG, ELECTRICAL, LT SERIES UG-1305/U [VALIDATION DATE: 9302] .. | A | 5935 | 85 | 11-FEB-93 | | | 85 | |
| | L | | | MS24282A NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL - 90 DEG. ADAPTER, LT SERIES UG-1264/U [VALIDATION DATE: 8911] | A | 5935 | 85 | 17-NOV-89 | | | 85 | |
| A | L | | | MS24283 NOTICE 2 | CONNECTOR, PLUG, ELECTRICAL, 45 DEG. ADAPTER, LT SERIES [VALIDATION DATE: 9302] | A | 5935 | 85 | 11-FEB-93 | | | 85 | |
| | L | | | MS24285C NOTICE 1 | CONNECTOR, ELECTRICAL, STYLE S, RACK AND PANEL, MINIATURE [VALIDATION DATE: 8608] REVIEWER: 99 ES | A | 5935 | 85 | 06-MAY-68 | | | 85 | |
| | L | | | MS24286D NOTICE 1 | CONNECTOR, ELECTRICAL, STYLE P, RACK AND PANEL, MINIATURE [VALIDATION DATE: 8608] REVIEWER: 99 ES | A | 5935 | 85 | 05-JAN-66 | | | 85 | |
| | L | | | MS24287C NOTICE 1 | MATED ASSEMBLY, CONNECTOR, RACK AND PANNEL, MINIATURE [VALIDATION DATE: 8608] REVIEWER: 11 99 ES | A | 5935 | 85 | 08-AUG-86 | | | 85 | |
| | L | | | MS24288D NOTICE 1 | INSERT ARRANGEMENTS, ELECTRICAL, CONNECTOR, RACK AND PANEL [VALIDATION DATE: 8608] REVIEWER: 99 ES | A | 5935 | 85 | 08-AUG-86 | | | 85 | |
| | | | | MS24315 NOTICE 1 | COUPLING FLANGE, ROUND HUB [VALIDATION DATE: 9109] ..... | A | 3120 | AS | 05-SEP-91 | ME | AS | 99 | |
| | L | | | MS24321D | LAMP, INCANDESCENT & T&20 BULB, MEDIUM BIPOST BASE [VALIDATION DATE: 8406] REVIEWER: AS GS | A | 6240 | 82 | 26-MAR-63 | | | 99 | |
| M | | | | MS24322A NOTICE 1 | WHEELS AND HUB ASSEMBLIES [VALIDATION DATE: 9306] ..... | A | 2530 | 84 | 07-JUN-93 | AT | | 99 | |
| D | | | | MS24323B NOTICE 1 | WHEEL, PNEUMATIC TIRE, 3.50-6 [VALIDATION DATE: 8602] REVIEWER: CS ..... | A | 2530 | 84 | 14-OCT-77 | AT | YD1 | 99 | |
| D | | | | MS24324C | WHEEL, PNEUMATIC TIRE, 4.00-8 REVIEWER: CS ..... | A | 2530 | 84 | 28-AUG-87 | AT | YD1 | | |
| | | | | MS24325C NOTICE 1 | WHEEL FOR 6.00-9 TIRE [VALIDATION DATE: 8602] REVIEWER: CS ..... | A | 2530 | 84 | 21-FEB-86 | | | 99 | |
| | L | | | MS24326B | WHEEL FOR 7.50-10 AND 9.00-10 TIRES [VALIDATION DATE: 8005] USER: AT MC SA REVIEWER: CS MI | A | 2530 | 84 | 05-SEP-62 | | | 99 | |
| | L | | | MS24327B NOTICE 1 | HUB-CANTILEVER MOUNTING FOR 3.50-6 AND 4.00-8 WHEELS. [VALIDATION DATE: 8602] USER: MC REVIEWER: AT AV CS | A | 2530 | 84 | 21-FEB-86 | | | 99 | |
| | L | | | MS24328B | HUB-CANTILEVER MOUNTING FOR 6.00-9, 7.50-10 AND 9.00-10 WHEELS. [VALIDATION DATE: 8205] USER: MC REVIEWER: AT CS MI | A | 2530 | 84 | 20-OCT-64 | | | 99 | |
| | L | | | MS24329B NOTICE 1 | HUB, ASSEMBLY, FORK MOUNTING, FOR 3.50 & 4.00-8 WHEELS [VALIDATION DATE: 8602] REVIEWER: CS | A | 2530 | 84 | 21-FEB-86 | | | 99 | |
| | L | | | MS24330B NOTICE 1 | HUB, ASSEMBLY, FORK MOUNTING, FOR 6.00-9 & 7.50-10 WHEELS [VALIDATION DATE: 8602] REVIEWER: CS | A | 2530 | 84 | 21-FEB-86 | | | 99 | |
| | | | | MS24332C | VOLTMETER, 0 TO 150 VOLT, 300 TO 1200 CYCLE ALTERNATING CURRENT USER: MC .. | A | 6625 | 82 | 01-NOV-82 | AV | AS | 99 | |
| A | | | | MS24333F | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT, FLARED FITTING TO INTERNAL THREAD BOSS USER: 71 AT MC REVIEWER: 82 AR CS ME | A | 4730 | AS | 03-JUL-92 | AV | AS | 99 | |
| A | | | | MS24334E | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, FLARELESS FITTING TO INTERNAL THREAD BOSS REVIEWER: 82 AR | A | 4730 | AS | 03-JUL-92 | AV | AS | 99 | |
| | | | | MS24335B | FLANGE, BULKHEAD MOUNTING, HYDRAULIC, SELF-SEALING COUPLING [VALIDATION DATE: 8304] REVIEWER: 11 CS | A | 4730 | 82 | 10-MAY-68 | | AS | 99 | |
| A | L | | | MS24344D | HOLDER, MAINTENANCE RECORDS ASSEMBLY OF USER: GL REVIEWER: 82 99 ..... | A | 8105 | 69 | 15-APR-93 | | | 69 | |
| | | | | MS24345G | BASE PLATE ASSEMBLY, RUNWAY MARKER LAMP [VALIDATION DATE: 8505] REVIEWER: GS | A | 6210 | 82 | 30-SEP-70 | | AS | 99 | |
| | | | | MS24347F | DRUMS, METAL, REUSABLE SHIPPING & STORAGE REVIEWER: 84 AR EA GS SH ..... | A | 8110 | 69 | 15-DEC-87 | GL | SA | 69 | |
| | | | | MS24348D | LAMP, INCANDESCENT, PAR-56 BULB, AIRPORT APPROACH [VALIDATION DATE: 8310] REVIEWER: GS | A | 6240 | 82 | 01-MAR-69 | | AS | 99 | |
| | | | | MS24350J NOTICE 1 | VALVE, AUTOMATIC PRESSURE REGULATING, ANTI-G SUIT [VALIDATION DATE: 8712] REVIEWER: 99 | A | 1660 | AS | 15-DEC-87 | | AS | 11 | |
| | | | | MS24354A | DROGUE CONE, NOZZLE AND RECEPTION COUPLING - TYPE MA-2 FLIGHT-PRESSURE-REFUELING SYSTEM, ASSEMBLY OF [VALIDATION DATE: 8405] | A | 1680 | 82 | 15-MAY-61 | | AS | 99 | |
| | | | | MS24355B | COUPLING, RECEPTION - TYPE MA-2, FLIGHT-PRESSURE-REFUELING, ASSEMBLY OF (ASG) [VALIDATION DATE: 8505] | A | 1680 | 82 | 12-FEB-63 | | AS | 99 | |
| | | | | MS24356D | NOZZLE - TYPE MA-2, FLIGHT PRESSURE REFUELING (ASG) [VALIDATION DATE: 8205] | A | 1680 | 82 | 12-FEB-63 | | AS | 99 | |
| | | | | MS24357A | FLANGE, DROGUE CONE - TYPE MA-2 RECEPTION COUPLING, FLIGHT PRESSURE REFUELING, OUTLINE DIMENSIONS FOR [VALIDATION DATE: 8908] | A | 1680 | 82 | 25-AUG-89 | | AS | 99 | |
| | | | | MS24358A | FITTING, HOSE END - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING, OUTLINE DIMENSIONS FOR (ASG) [VALIDATION DATE: 8505] | A | 1680 | 82 | 15-MAY-61 | | AS | 99 | |
| | | | | MS24359A | HOSE, PROBE MAST - TYPE MA-2, FLIGHT PRESSURE REFUELING NOZZLE, OUTLINE DIMENSIONS FOR (ASG) [VALIDATION DATE: 8405] | A | 1680 | 82 | 15-MAY-61 | | AS | 99 | |
| | L | | | MS24360A | RING, LOCK, FLIGHT PRESSURE REFUELING NOZZLE [VALIDATION DATE: 8304] ..... | A | 1680 | 82 | 11-APR-60 | | | 99 | |
| | | | | MS24361B | RING, SPLIT - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING (ASG) [VALIDATION DATE: 8505] | A | 1680 | 82 | 15-MAY-61 | | AS | 99 | |
| | | | | MS24362A | SLEEVE - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING [VALIDATION DATE: 8505] | A | 1680 | 82 | 15-MAY-61 | | AS | 99 | |
| | | | | MS24367C NOTICE 1 | LAMP, INCANDESCENT - MINIATURE INTEGRAL LIGHTING [VALIDATION DATE: 8809] USER: ER REVIEWER: 99 GS MI | A | 6240 | 11 | 30-SEP-88 | AV | AS | 11 | |
| | L | | | MS24368A NOTICE 1 | RIM CONTOURS, 56 X 1 AND 49 X 17, TYPE VII, EXTRA HIGH PRESSURE, NLG WHEEL [VALIDATION DATE: 8810] | A | 1630 | 70 | 31-OCT-88 | | | 99 | |
| | L | | | MS24369A NOTICE 1 | RIM CONTOUR - 30X8.8, TYPE VII, EXTRA HIGH PRESSURE, MAIN LANDING GEAR WHEEL [VALIDATION DATE: 8810] | A | 1630 | 70 | 31-OCT-88 | | | 99 | |
| | | | | MS24370B NOTICE 1 | RIM CONTOURS-24 X 5.5, 22 X 5.5, 20 X 5.5 AND 18 X 5.5, TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL [VALIDATION DATE: 8810] USER: MC | A | 1630 | 70 | 31-OCT-88 | AV | AS | 99 | |
| | | | | MS24373A | CASTER, RIGID AND SWIVEL, PRECISION PNEUMATIC TIRED [VALIDATION DATE: 8406] USER: 11 AT | A | 5340 | 82 | 03-SEP-65 | ME | SA | 99 | |

| Action | OPR / Old Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | MS24374B | CASTER, RIGID AND SWIVEL, PRECISION, SPRING MOUNTED [VALIDATION DATE: 8406] USER: 11 AT MI SA REVIEWER: IS | A | 5340 | 82 | 03-SEP-65 | ME | YD1 | 99 | | |
| A | | MS24376M | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3PST (NO), TYPE I, HERMETICALLY SEALED REVIEWER: 99 EC | A | 5945 | 85 | 13-JUL-92 | | AS | 85 | | |
| | LI | MS24378F | TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OR SIDESLIP [VALIDATION DATE: 9203] . | A | 5990 | 85 | 18-MAR-92 | | | 85 | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS24380D | CASTER, INDUSTRIAL USER: AT MC REVIEWER: IS SA ..... | A | 5340 | 82 | 31-MAR-83 | AV | AS | 99 | | |
| | L | MS24387F | BOLT, FLUID PASSAGE, PRECISION TYPE REVIEWER: AS AV ME ..... | A | 4730 | 82 | 27-JUN-85 | | | 99 | | |
| | L | MS24388H | TEE, FLARED TUBE, INTERNAL THREAD ON SIDE, PRECISION TYPE REVIEWER: AS AV CS ME | A | 4730 | 82 | 16-APR-82 | | | 99 | | |
| | L | MS24389F | TEE, TUBE, INTERNAL THREAD ON RUN, PRECISION TYPE REVIEWER: AS AV CS ME ... | A | 4730 | 82 | 16-APR-82 | | | 99 | | |
| | L | MS24390F | TEE, FLARED TUBE WITH BULKHEAD ON RUN, PRECISION TYPE USER: ME REVIEWER: AS AV CS | A | 4730 | 82 | 19-JUL-84 | | | 99 | | |
| | | MS24391G | PLUG, BLEEDER, TUBE, PRECISION TYPE REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 16-MAY-85 | | | 99 | | |
| | L | MS24392F | NIPPLE, TUBE, PRECISION TYPE REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 16-APR-82 | | | 99 | | |
| | | MS24393F | NIPPLE, TUBE, 3/8 BULKHEAD, PRECISION TYPE REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 16-APR-82 | | | 99 | | |
| | L | MS24394G | ELBOW, TUBE, BULKHEAD, 90 DEG., PRECISION TYPE REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 16-NOV-84 | | | 99 | | |
| | | MS24395G | TEE, TUBE, BULKHEAD, PRECISION TYPE REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 16-APR-82 | | | 99 | | |
| | L | MS24396E | ELBOW, TUBE, BULKHEAD, 45 DEG., PRECISION TYPE REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 16-APR-82 | | | 99 | | |
| | | MS24397F | REDUCER, BOSS, PRECISION TYPE REVIEWER: 11 AS AV ME ..... | A | 4730 | 82 | 16-APR-82 | | | 99 | | |
| | L | MS24398H | ADAPTER, STRAIGHT, TUBE TO BOSS, PRECISION TYPE REVIEWER: AS CS MI ..... | A | 4730 | 82 | 10-FEB-84 | | | 99 | | |
| | | MS24399F | REDUCER, TUBE, PRECISION TYPE REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 20-JUL-84 | | | 99 | | |
| | L | MS24401D | ELBOW, TUBE, 90 DEG., PRECISION TYPE REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 16-APR-82 | | | 99 | | |
| | | MS24402D | TEE, TUBE, PRECISION TYPE REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 16-APR-82 | | | 99 | | |
| | L | MS24403E | CROSS, TUBE, PRECISION TYPE REVIEWER: AV CS ME ..... | A | 4730 | 82 | 04-APR-85 | | | 99 | | |
| | L | MS24404E | PLUG, TUBE, PRECISION TYPE REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 22-JUN-83 | | | 99 | | |
| | | MS24405D | ADAPTER, FLARELESS TUBE TO FLARED TUBE PRECISION TYPE USER: CS GL ME OS REVIEWER: 11 69 AR MI | A | 4730 | AS | 29-APR-88 | AV | AS | 99 | | |
| | | MS24417J | GUARD, SWITCH, 2 OR 3 POSITION REVIEWER: 99 ES ..... | A | 5930 | 85 | 05-SEP-89 | ER | AS | 85 | | |
| | | MS24423C | VALVE, CHECK, MINIATURE HYDRAULIC, AIRCRAFT AND MISSILE, -65 DEG. F TO +450 DEG. F, 3,000 PSI, FLARELESS TUBE REVIEWER: MI | A | 4820 | 71 | 15-JUL-88 | AV | AS | 99 | | |
| | L | MS24435A | POWER RECEPTACLE, AIRCRAFT, ELECTRONIC TEST EQUIPMENT, WIRING OF | A | 5935 | 85 | 03-NOV-88 | | | 85 | | |
| | | NOTICE 1 | [VALIDATION DATE: 8811] REVIEWER: 11 | | | | | | | | | |
| | | MS24442B | WIRING DIAGRAM - EXTERNAL POWER RECEPTACLE, 28 VOLT D.C., COMMON BUS | A | 6110 | 11 | 26-FEB-88 | AV | AS | 11 | | |
| | | NOTICE 1 | SYSTEM [VALIDATION DATE: 8802] REVIEWER: GS | | | | | | | | | |
| | L | MS24456D | SWITCH, SENSITIVE, SEALED, SPDT, CLASS A5 OR B8 ..... | A | 5930 | MI | 08-MAY-89 | MI | | | | |
| | | MS24461G | BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TYPE I, ANTIFRICTION, INCH [VALIDATION DATE: 8304] REVIEWER: 84 IS MI | A | 3110 | AS | 16-JUN-77 | AT | AS | 99 | | |
| | | MS24462G | BEARING, ROLLER, NEEDLE, SINGLE ROW, THIN SHELL, TYPE II, ANTIFRICTION [VALIDATION DATE: 8304] REVIEWER: 84 | A | 3110 | AS | 17-JUN-77 | AT | AS | 99 | | |
| | | MS24463G | BEARING, ROLLER, NEEDLE SINGLE ROW, HEAVY DUTY, SELF ALIGNING, TYPE III, ANTIFRICTION, INCH [VALIDATION DATE: 8304] REVIEWER: 84 IS | A | 3110 | AS | 17-JUN-77 | AT | AS | 99 | | |
| | | MS24464G | BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, SELF ALIGNING, TYPE IV, ANTIFRICTION, INCH [VALIDATION DATE: 8304] REVIEWER: 84 | A | 3110 | AS | 17-JUN-77 | AT | AS | 99 | | |
| | | MS24465H | BEARING, ROLLER, NEEDLE SINGLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE V, ANTIFRICTION, INCH (INACTIVE USE MS 21438) REVIEWER: 84 MI | A | 3110 | AS | 21-NOV-80 | AT | AS | 99 | | |
| | | MS24466H | BEARING, ROLLER, NEEDLE DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE VI ANTIFRICTION, INCH REVIEWER: 84 MI | A | 3110 | AS | 21-NOV-80 | AT | AS | 99 | | |
| | L | MS24474C | LIGHT ASSEMBLY, TAXI (PAR 46 BULB) ..... | A | 6220 | 82 | 04-OCT-84 | | | 99 | | |
| | | MS24475E | NOZZLE, PRESSURE LUBRICATING OIL SERVICING, LOCKING (ASG) REVIEWER: CS .... | A | 4730 | 82 | 19-SEP-84 | | AS | 99 | | |
| | | MS24476D | ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT REVIEWER: CS ..... | A | 4730 | 82 | 30-APR-84 | | AS | 99 | | |
| | L | MS24478B | GAGE, SINGLE 1 INCH DIAL, PNEUMATIC PRESSURE [VALIDATION DATE: 8812] | A | 6685 | 82 | 09-DEC-88 | | | 99 | | |
| | | NOTICE 1 | REVIEWER: MI | | | | | | | | | |
| | | MS24480B | CAP&LUBRICATION FITTING, PROTECTIVE PRESSURE SERVICING ADAPTER [VALIDATION DATE: 7408] REVIEWER: CS | A | 4730 | 82 | 18-DEC-64 | | AS | 99 | | |
| | | MS24482A | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, ARMORED, BAYONET LOCKING TYPE, (50 DEG. TO 300 DEG. C ) REVIEWER: GS | A | 6685 | 82 | 22-APR-58 | AV | | 99 | | |
| | | MS24484J | ADAPTER, PRESSURE FUEL SERVICING, NOMINAL 2.5 INCH DIAMETER [VALIDATION DATE: 8505] USER: ME | A | 1560 | 84 | 15-FEB-83 | AV | AS | 99 | | |
| | | MS24487C | NIPPLE, TUBE, 37 DEG TO 45 DEG, SEAT REVIEWER: AS AV CS ME ..... | A | 4730 | 82 | 22-MAR-79 | | | 99 | | |
| | | MS24488G | LAMP - INCANDESCENT, PAR-56, SCREW TERMINAL, AIRPORT LIGHTING [VALIDATION DATE: 8407] REVIEWER: GS | A | 6240 | 82 | 20-AUG-71 | | AS | 99 | | |
| | | MS24489D | FILTER, MARKER LIGHT, AIRPORT APPROACH, GLASS [VALIDATION DATE: 8407] REVIEWER: GS | A | 6210 | 82 | 15-FEB-60 | | AS | 99 | | |
| | L | MS24496G | BATTERY, AIRCRAFT STORAGE, NICKEL-CADMIUM 24 VOLTS, 11 AMPERE HOUR, 27 DEG. C (80 DEG. F) [VALIDATION DATE: 8510] REVIEWER: GS | A | 6140 | 80 | 25-OCT-78 | | | 99 | | |
| | L | MS24497F | BATTERY, AIRCRAFT STORAGE, NICKEL-CADMIUM 24 VOLTS, 22 AMPERE HOUR, 27 DEG. C (80 DEG F) [VALIDATION DATE: 8510] | A | 6140 | 80 | 25-OCT-78 | | | 99 | | |
| | L | MS24498F | BATTERY, AIRCRAFT STORAGE, NICKEL-CADMIUM 24 VOLTS, 34 AMPERE HOUR, 27 DEG. C (80 DEG F) [VALIDATION DATE: 8510] | A | 6140 | 80 | 25-OCT-78 | | | 99 | | |
| | L | MS24499B | TUBE, PITOT, ELECTRICALLY HEATED L SHAPED [VALIDATION DATE: 8410] ..... | A | 6610 | AS | 05-NOV-63 | | AS | | | |
| | | MS24502E | FILTER, MARKER LIGHT, AIRPORT RUNWAY, GLASS [VALIDATION DATE: 8407] REVIEWER: GS | A | 6210 | 82 | 15-FEB-60 | | AS | 99 | | |
| | | MS24509K | CIRCUIT BREAKER, TRIP-FREE, RECYCLING, TOGGLE, 3 THROUGH 35 AMPERES, TYPE I REVIEWER: 99 | A | 5925 | AS | 30-NOV-87 | ER | AS | 85 | | |
| | | MS24510K | CIRCUIT BREAKER, TRIP-FREE, RECYCLING, PUSH-PULL, 3 THROUGH 35 AMPERES, TYPE I REVIEWER: 99 ES MI | A | 5925 | AS | 30-NOV-87 | ER | AS | 85 | | |
| | | MS24513E | LAMP, INCANDESCENT, SINGLE CONTACT BAYONET INDEXING CANDELABRA, GG-12B1 BULB [VALIDATION DATE: 8306] USER: ER REVIEWER: GS | A | 6240 | 82 | 30-JUN-71 | AV | AS | 82 | | |
| | L | MS24515F | LAMPS, INCANDESCENT, T-1, SUB-MIGET FLANGED [VALIDATION DATE: 8503] ..... | A | 6240 | 11 | 24-MAY-79 | | | 11 | | |
| | L | MS24517B | LAMP - INCANDESCENT, PAR-46 BULB, SCREW TERMINAL BASE, TAXIING [VALIDATION DATE: 8206] REVIEWER: 11 GS | A | 6240 | 82 | 29-MAY-70 | | | 99 | | |
| | | MS24518B | ELBOW, PIPE TO HOSE, 45DEG. (LOW PRESSURE) [VALIDATION DATE: 8304] USER: AV MC OS REVIEWER: CS MI | A | 4730 | AT | 30-DEC-77 | AT | AS | 99 | | |
| | | MS24519C | ELBOW, PIPE TO HOSE, 90 DEG. LOW PRESSURE [VALIDATION DATE: 8304] USER: MC MI REVIEWER: AR CS ME | A | 4730 | AT | 03-DEC-73 | AT | OS | 99 | | |
| | | MS24522B | ADAPTER, PIPE TO HOSE, STRAIGHT LOW PRESSURE [VALIDATION DATE: 8304] USER: AV MC OS REVIEWER: AR CS ME | A | 4730 | AT | 30-DEC-77 | AT | AS | 99 | | |
| | | MS24523M | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED USER: ME REVIEWER: 11 99 AV EC ES | A | 5930 | 85 | 28-SEP-87 | ER | AS | 85 | | |
| | | MS24524J | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED REVIEWER: 11 99 AV EC ES . | A | 5930 | 85 | 28-SEP-87 | ER | AS | 85 | | |
| | | MS24525J | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED REVIEWER: 11 99 AV EC ES | A | 5930 | 85 | 28-SEP-87 | ER | AS | 85 | | |
| D | | MS24528D | BASE, AIRPORT MARKER LIGHT [VALIDATION DATE: 8307] USER: YD1 REVIEWER: GS . | A | 6210 | 82 | 20-MAY-65 | | AS | 99 | | |
| | | MS24529B | CAP, LUBRICATION FITTING, PROTECTIVE [VALIDATION DATE: 8504] REVIEWER: CS . | A | 4730 | AR | 20-MAY-60 | AR | | 99 | | |
| | | MS24532J | VOLTMETER, BATTERY GENERATOR, 28 VOLT DC USER: MC REVIEWER: ME ..... | A | 6625 | AT | 12-DEC-86 | AT | | | | |
| | | MS24535A | FASTENER-CONTAINER CLOSURE REVIEWER: IS MI ..... | A | 5340 | 82 | 29-MAR-85 | GL | AS | 99 | | |
| | L | MS24536A | TESTER- TYPE MA-2 RECEPTION COUPLING BREAK-AWAY FORCE, PORTABLE | A | 4920 | 82 | 31-AUG-88 | | | 99 | | |
| | | NOTICE 1 | [VALIDATION DATE: 8808] | | | | | | | | | |
| | | MS24537C | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, 24 VOLTS D.C. [VALIDATION | A | 6685 | AT | 13-NOV-86 | AT | | | | |
| | | NOTICE 1 | DATE: 8611] USER: MC ME REVIEWER: ER GL GS | | | | | | | | | |
| | | MS24538D | TRANSMITTER, PRESSURE 24 VOLTS D.C. 60 PSI USER: AV MC ME ..... | A | 6620 | AT | 24-OCT-85 | AT | | 99 | | |
| | | MS24539D | TRANSMITTER, PRESSURE 24 VOLTS D.C. 120 PSI USER: ER MC ME REVIEWER: AV ... | A | 6620 | AT | 24-OCT-85 | AT | | 99 | | |
| | | MS24540M | INDICATOR, PRESSURE, 24 VOLTS D.C., RANGE 0-120 PSI [VALIDATION DATE: | A | 6685 | AT | 17-NOV-86 | AT | | 99 | | |
| | | NOTICE 1 | 8611] USER: MC ME REVIEWER: ER GS | | | | | | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MS24541G<br>NOTICE 1 | INDICATOR, PRESSURE 24 VOLTS, D.C., RANGE 0-60-PSI USER: MC ME REVIEWER: ER GS | A 6685 | AT | 18-NOV-86 | AT | | | 99 |
| D | | MS24542G | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE: 24 VOLT DC, RANGE 160-320 DEG F USER: MC ME YD1 REVIEWER: 82 ER GS | A 6685 | AT | 16-MAR-87 | AT | | | 99 |
| | | MS24543H | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, 24 VOLTS D.C., RANGE 120 DEGREES-240 DEGREES F USER: MC ME REVIEWER: ER GS | A 6685 | AT | 18-DEC-85 | AT | | | 99 |
| | | MS24544H | INDICATOR, LIQUID QUANTITY, 24 VOLTS D.C. ENGINE FUEL USER: MC ME REVIEWER: ER GS | A 6680 | AT | 11-DEC-86 | AT | | | 99 |
| | | MS24548H<br>NOTICE 1 | HOSE ASSEMBLY & TETRAFLUOROETHYLENE, OXYGEN (VALIDATION DATE: 8603) ..... | A 4720 | 71 | 07-MAR-86 | AV | AS | | 99 |
| L | | MS24550D | TRANSMITTER, POSITION ..... | A 6610 | 71 | 17-SEP-90 | | | | 99 |
| L | | MS24553A | LINK, CONNECTOR, PARACHUTE - SEPARABLE, HEAVY DUTY, ASSEMBLY OF ..... | A 1670 | 82 | 28-MAR-86 | | | | 99 |
| | | MS24563F | COUPLING FLANGES, V-BAND, PROFILE DIMENSIONS FOR (INACTIVE FOR NEW DISIGN - FIG. 2, ONLY REVIEWER: IS | A 5340 | 82 | 30-MAY-85 | | AS | | 99 |
| | | MS24566E | PULLEY - CONTROL, ANTI-FRICTION BEARING USER: CS ..... | A 3020 | 82 | 17-JUL-84 | AV | AS | | 99 |
| M | | MS24568J<br>NOTICE 1 | RELAYS, ELECTROMAGNETIC, 10 AMPERS, 4 PDT, TYPE I, HERMETICALLY SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES | A 5945 | 85 | 14-MAY-93 | ER | AS | | 85 |
| L | | MS24569D<br>NOTICE 1 | INDICATOR, TEMPERATURE - THERMOCOUPLE, SELF BALANCING POTENTIOMETER TYPE (VALIDATION DATE: 8812) | A 6685 | 82 | 09-DEC-88 | | | | 99 |
| | | MS24570A<br>NOTICE 1 | SWITCH, VEHICULAR IGNITION, WATERPROOF, STARTER AND MAGNETO WITH DEGASSER CONTROL (VALIDATION DATE: 8712) USER: ME REVIEWER: 99 ES | A 5930 | AT | 02-DEC-87 | AT | MC | | 85 |
| M L | | MS24571E | CIRCUIT BREAKER, AIRCRAFT, TRIP FREE, 2 1/2 TO 50 AMPERES, 121.1 DEG. C AMBIENT | A 5925 | 85 | 12-MAY-93 | | | | 85 |
| L | | MS24572C | INDICATOR - POSITION VARIABLE NOZZLE ..... | A 6620 | 71 | 30-SEP-88 | | | | 99 |
| L | | MS24576B<br>NOTICE 1 | INDICATOR, PRESSURE, OIL REVIEWER: GS ..... | A 6620 | 71 | 17-NOV-86 | | | | 99 |
| A | | MS24577E | FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT USER: MC REVIEWER: 99 ... | A 5945 | 85 | 28-MAR-91 | AV | AS | | 85 |
| | | MS24585D | SPRING, HELICAL, COMPRESSION, FOR LOADS BELOW 20 POUNDS USER: MC REVIEWER: 82 AT AV IS ME MI | A 5360 | AR | 05-MAR-88 | AR | OS | | 99 |
| | | MS24586E | SPRING, HELICAL, EXTENSION: FOR LOADS BELOW 30 POUNDS USER: ER GL MC REVIEWER: 82 AV IS ME MI | A 5360 | AR | 30-DEC-91 | AR | OS | | 99 |
| | | MS24587B | ADAPTER, STRAIGHT, TUBE TO HOSE - REUSABLE, HYDRAULIC, FUEL AND OIL LINES (VALIDATION DATE: 8304) USER: AT REVIEWER: CS | A 4730 | 82 | 07-JAN-66 | AR | AS | | 99 |
| | | MS24588A<br>NOTICE 1 | NIPPLE, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 3/16 THROUGH 3/4 INCH TUBING SIZES (VALIDATION DATE: 8609) REVIEWER: CS | A 4730 | 82 | 01-SEP-86 | AR | AS | | 99 |
| | | MS24589A | NIPPLE, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 1 THROUGH 2 INCHES TUBING SIZE (VALIDATION DATE: 8304) | A 4730 | 82 | 06-AUG-64 | AR | AS | | 99 |
| | | MS24590A | SOCKET, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 3/16 THROUGH 3/4 INCH TUBING SIZE (VALIDATION DATE: 8304) REVIEWER: CS | A 4730 | 82 | 06-AUG-64 | AR | AS | | 99 |
| | | MS24591B | SOCKET, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 1 THROUGH 2 INCHES TUBING SIZE REVIEWER: CS | A 4730 | 82 | 08-MAR-85 | AR | AS | | 99 |
| | | MS24593D<br>NOTICE 1 | VALVE, CHECK, MINIATURE HYDRAULIC, AIRCRAFT AND MISSILE, -65 DEG. F TO +450 DEG. F, 3,000 PSI, FLARED TUBE (VALIDATION DATE: 9103) USER: CS REVIEWER: MI | A 4820 | 71 | 15-MAR-91 | AV | AS | | 99 |
| | | MS24595B | BEARING, JEWEL, CUP (INDUSTRIAL TYPE) (INACTIVE 9-11-69) (VALIDATION DATE: 8301) REVIEWER: GS | A 6695 | AR | 11-SEP-69 | AR | SH | | |
| | | MS24598B | BEARING, JEWEL, VEE (INDUSTRIAL TYPE) INACTIVE (VALIDATION DATE: 8202) USER: 17 REVIEWER: 99 GS | A 6695 | AR | 11-SEP-69 | AR | SH | | |
| | | MS24612K | SWITCH, TOGGLE, POSITIVE BREAK LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR EC MI | A 5930 | 85 | 30-SEP-86 | ER | AS | | 85 |
| | | MS24613J | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR EC ES MI | A 5930 | 85 | 30-SEP-86 | ER | AS | | 85 |
| | | MS24614K | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, FOUR POLE, .469 MOUNTING BUSHING 25 AMPERES REVIEWER: 11 17 99 EC MI | A 5930 | 85 | 30-SEP-86 | ER | AS | | 85 |
| | | MS24625C<br>NOTICE 1 | SCREW, TAPPING-THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CARBON STEEL (VALIDATION DATE: 8805) USER: AT MC ME OS REVIEWER: AV IS MI | A 5305 | AR | 20-MAY-88 | AR | | | 99 |
| I | | MS24626D<br>NOTICE 1 | SCREW, TAPPING-THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL (VALIDATION DATE: 8805) USER: AT MC ME OS REVIEWER: AV IS MI | A 5305 | AR | 20-MAY-88 | AR | | | 99 |
| | | MS24627C | SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T, FLAT 82 DEG. COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL (VALIDATION DATE: 8805) USER: AT MC ME OS REVIEWER: AV IS MI | A 5305 | AR | 20-MAY-88 | AR | | | 99 |
| | | MS24628C<br>NOTICE 1 | SCREW, TAPPING-THREAD CUTTING, TYPES D,F,G OR T, FLAT 82 DEG. COUNTERSUNK HEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL (VALIDATION DATE: 8805) USER: AT MC OS REVIEWER: AV IS MI WV | A 5305 | AR | 20-MAY-88 | AR | | | 99 |
| | | MS24629C<br>NOTICE 1 | SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T PAN HEAD, CROSS RECESSED, STEEL, CARBON CADMIUM PLATED (VALIDATION DATE: 8805) USER: MC ME | A 5305 | AR | 20-MAY-88 | AR | | | 99 |
| | | MS24630C<br>NOTICE 1 | SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T, PAN HEAD, CROSS-RECESSED, CORROSION RESISTING STEEL (VALIDATION DATE: 8805) USER: ME REVIEWER: IS MI | A 5305 | AR | 20-MAY-88 | AR | | | 99 |
| | | MS24632B<br>NOTICE 1 | SCREW, TAPPING, THREAD FORMING- TYPES AB, B AND BP, APPROXIMATE HOLE SIZES FOR (VALIDATION DATE: 8805) USER: OS REVIEWER: AT AV MI | A 5305 | AR | 20-MAY-88 | AR | | | 99 |
| | | MS24633B<br>NOTICE 1 | SCREW, TAPPING-THREAD CUTTING, TYPES BF AND BT, APPROXIMATE HOLE SIZES FOR (VALIDATION DATE: 8805) USER: AT MC OS REVIEWER: AV IS MI | A 5305 | AR | 20-MAY-88 | AR | | | 99 |
| | | MS24634B<br>NOTICE 1 | SCREW, TAPPING, THREAD CUTTING-TYPES D, F, G AND T, APPROXIMATE HOLE SIZES FOR (VALIDATION DATE: 8805) USER: GL OS REVIEWER: AT AV IS | A 5305 | AR | 20-MAY-88 | AR | | | 99 |
| | | MS24651C | ELBOW, TUBE-90 DEG., BULKHEAD, FLARELESS, TUBE, UNIVERSAL TO FLARED TUBE USER: GL ME OS REVIEWER: 11 AR CS | A 4730 | AS | 23-MAY-90 | AV | AS | | 99 |
| | | MS24652B | ELBOW, TUBE - 90 DEG., BULKHEAD, FLARED TUBE, UNIVERSAL TO FLARELESS TUBE USER: GL ME OS REVIEWER: 11 AR CS MI | A 4730 | AS | 23-JAN-89 | AV | AS | | 99 |
| | | MS24654C | ELBOW, TUBE - 45 DEG., BULKHEAD, FLARELESS TUBE UNIVERSAL TO FLARED TUBE USER: CR GL REVIEWER: 71 82 CS MI | A 4730 | AS | 31-JUL-90 | AV | AS | | 99 |
| | | MS24655K | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE TOGGLE SEALED, SINGLE POLE, SOLDER LUG, OR INTEGRATED WIRE TERMINALS, .250 MOUNTING BUSHINGS REVIEWER: 11 17 99 AV EC ES MI | A 5930 | 85 | 18-OCT-85 | ER | AS | | 85 |
| | | MS24656K | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, DOUBLE POLE, SOLDER LUG OR INTEGRATED WIRE TERMINALS, .250 MOUNTING BUSHINGS REVIEWER: 17 99 AR AV EC ES MI | A 5930 | 85 | 18-OCT-85 | ER | AS | | 85 |
| | | MS24658F | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK USER: AT ME REVIEWER: 11 99 AV ES | A 5930 | 85 | 28-SEP-87 | ER | AS | | 85 |
| | | MS24659F | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK USER: ME REVIEWER: 11 AV EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | | 85 |
| | | MS24660F | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK REVIEWER: 11 AV EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | | 85 |
| | | MS24661C | RIVET, BLIND-COUNTERSUNK HEAD, DRIVE TYPE USER: AS AT ER GL MC MI SH REVIEWER: IS ME | A 5320 | AR | 12-MAR-87 | AR | | | 99 |
| D | | MS24662B | RIVET, BLIND, UNIVERSAL HEAD, DRIVE TYPE (VALIDATION DATE: 8304) USER: GL MC ME REVIEWER: AT AV IS MI | A 5320 | AR | 28-OCT-70 | AR | YD1 | | 99 |
| D | | MS24665F | PIN, COTTER (SPLIT) USER: AT ME MI YD1 REVIEWER: 11 82 AV ER IS MS ..... | A 5315 | AR | 18-JUN-86 | AR | OS | | 99 |
| | | MS24667C | SCREW, CAP-SOCKET HEAD, FLAT COUNTERSUNK, 82 DEG., ALLOY STEEL, CADMIUM PLATED, UNC-3A (VALIDATION DATE: 8304) USER: AS ME OS WV REVIEWER: AT AV IS | A 5305 | AR | 28-OCT-76 | AR | SH | | |

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MS24671C | SCREW, CAP, SOCKET-HEAD-FLAT COUNTERSUNK, 82 DEGREES CORROSION RESISTING STEEL, UNC - 3A [VALIDATION DATE: 8003] USER: MC MI OS REVIEWER: GL IS | A | 5305 AR | 20-FEB-74 | AR | SH | 99 | |
| | | MS24673D | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION RESISTING STEEL (UNF-3A). USER: AS AT ME SH WV REVIEWER: 11 IS MC MI | A | 5305 OS | 09-NOV-84 | AR | OS | 99 | |
| | | MS24674D | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION RESISTING STEEL (UNC-3A). USER: AS AT ME SH REVIEWER: 11 IS MC MI | A | 5305 AR | 09-NOV-84 | AR | OS | 99 | |
| A | | MS24677D | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL, (UNC-3A) USER: AS AT ME REVIEWER: 11 IS MC MI SH | A | 5305 AR | 30-JUL-92 | AR | OS | 99 | |
| D | | MS24678E | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL, (UNF-3A) USER: AS AT AV MC ME YDI REVIEWER: EA ER IS SH | A | 5305 AR | 02-JAN-92 | AR | OS | 99 | |
| A | | MS24679E(1) | NUT, PLAIN, CAP, LOW CROWN, UNC-2B AND UNF-2B USER: AS AT MC ME OS SH REVIEWER: AV IS MI | A | 5310 AR | 15-JUN-92 | AR | | 99 | |
| A | | MS24680F(1) | NUT, PLAIN, CAP, HIGH CROWN UNC-2B AND UNF-2B USER: AS AT MC ME OS SH REVIEWER: AV IS | A | 5310 AR | 15-JUN-92 | AR | | 99 | |
| | | MS24692D | PIN, TAPERED, PLAIN USER: AS AT MC ME SH REVIEWER: AV IS | A | 5315 AR | 28-SEP-87 | AR | OS | 99 | |
| | | MS24693F | SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEC CROSS RECESSED, UNC-2A & UNF-2A (IN./MM) USER: MC REVIEWER: 82 AT AV IS ME MI | A | 5305 AR | 11-FEB-83 | AR | AS | 99 | |
| | | MS24694C(1) | SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEG., STRUCTURAL, CROSS RECESSED, UNC-3A AND UNF-3A USER: AT CG MC ME REVIEWER: 82 AV IS MI | A | 5305 AR | 14-APR-92 | AR | | 99 | |
| L | | MS24695 | SPRING LOADED MOUNTING ASSEMBLY, CONNECTOR, RACK AND PANEL, MINIATURE | A | 5935 8S | 08-AUG-86 | | | 8S | |
| | | NOTICE 1 | [VALIDATION DATE: 8608] REVIEWER: 99 ES | | | | | | | |
| L | | MS24696 | RETAINER, CONNECTOR, RACK AND PANEL, MINIATURE [VALIDATION DATE: 8608] | A | 5935 8S | 08-AUG-86 | | | 8S | |
| | | NOTICE 1 | REVIEWER: 99 ES | | | | | | | |
| L | | MS24697 | SPRING-CONNECTOR RACK AND PANEL, MINIATURE [VALIDATION DATE: 8608] | A | 5935 8S | 08-AUG-86 | | | 8S | |
| | | NOTICE 1 | REVIEWER: 99 ES | | | | | | | |
| L | | MS24698 | FLOAT BUSHING, CONNECTORS, RACK AND PANEL, MINIATURE [VALIDATION DATE: | A | 5935 8S | 08-AUG-86 | | | 8S | |
| | | NOTICE 1 | 8608] REVIEWER: 99 ES | | | | | | | |
| L | | MS24699A | SHAFT, CONNECTOR, RACK AND PANEL MINIATURE [VALIDATION DATE: 8608] | A | 5935 8S | 08-AUG-86 | | | 8S | |
| | | NOTICE 1 | REVIEWER: 99 ES | | | | | | | |
| L | | MS24700A | BUSHING, FIXED, CONNECTOR, RACK AND PANEL, MINIATURE [VALIDATION DATE: | A | 5935 8S | 08-AUG-86 | | | 8S | |
| | | NOTICE 1 | 8608] REVIEWER: 99 ES | | | | | | | |
| | | MS25002J | SWITCH, ROTARY, 28/115 VOLTS [VALIDATION DATE: 8702] REVIEWER: 11 17 99 AV | A | 5930 8S | 25-FEB-87 | ER | AS | 8S | |
| | | NOTICE 1 | EC ES MI OS | | | | | | | |
| | | MS25010F | LIGHT, PANEL - PLASTIC PLATE LIGHTING [VALIDATION DATE: 8103] USER: AI | A | 6220 AS | 13-SEP-74 | ME | AS | 99 | |
| | | | REVIEWER: AV GS | | | | | | | |
| | | MS25012B | LAMP - INCANDESCENT, T-10 BULB, MEDIUM PREFOCUS BASE [VALIDATION DATE: | A | 6240 82 | 06-OCT-71 | ME | AS | 99 | |
| | | | 8407] USER: MC REVIEWER: GS | | | | | | | |
| | | MS25015B | LAMP, INCANDESCENT, T-20 BULB, MOGUL BIPOST BASE [VALIDATION DATE: 8407] | A | 6240 82 | 10-MAY-57 | | AS | 99 | |
| | | | USER: ER REVIEWER: GS | | | | | | | |
| A | | MS25018G | CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC JET STARTING | A | 5935 AS | 30-DEC-92 | CR | AS | 8S | |
| | | MS25019G | CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET | A | 6150 AS | 24-OCT-91 | CR | AS | 8S | |
| | | NOTICE 1 | STARTING [VALIDATION DATE: 9110] USER: AT MC SH REVIEWER: 99 AV | | | | | | | |
| A | | MS25023C | LIGHT, INDICATOR [VALIDATION DATE: 9207] | A | 6210 AS | 31-JUL-92 | | AS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS25024F | RELAY, 10 AMP, 4 PDT, SEALED, CLASS 0 [VALIDATION DATE: 8803] REVIEWER: 99 | A | 5945 8S | 31-MAR-88 | ER | AS | 8S | |
| | | | ES | | | | | | | |
| L | | MS25025B | *LOADMETER, DIRECT CURRENT, AIRCRAFT [VALIDATION DATE: 8803]* | A | 6625 AS | 21-MAR-88 | | AS | | |
| | | NOTICE 1 | | | | | | | | |
| A | | MS25027F | LIGHT ASSEMBLY, COCKPIT, FIXED | A | 6220 AS | 25-SEP-92 | AV | AS | 99 | |
| A | | MS25030L | RELAY, 50 AMP, 2PDT, N.O. 11, NON-HERMETICALLY SEALED, MECHANICALLY | A | 5945 8S | 31-MAR-88 | | AS | 8S | |
| | | NOTICE 1 | INTERLOCKED [VALIDATION DATE: 9203] REVIEWER: 11 99 EC | | | | | | | |
| I | | MS25031L | RELAY, ELECTROMAGNETIC, 100 AMPERES, 2PDT, N.O. TYPE II, HOWHERMETICALLY | A | 5945 8S | 28-SEP-90 | | AS | 8S | |
| | | | SEALED, MECHANICALLY INTERLOCKED REVIEWER: 11 99 EC | | | | | | | |
| A | I | MS25032J | RELAY, ELECTROMAGNETIC, 100 AMPERES, 2PDT, N.O. TYPE II, HOWHERMETICALLY | A | 5945 8S | 28-SEP-90 | | AS | 8S | |
| | | | SEALED, MECHANICALLY INTERLOCKED REVIEWER: 99 | | | | | | | |
| L | | MS25033B | RELAY, 200 AMP, 1 PST, SEALED, CLASS 0 REVIEWER: 99 ES | A | 5945 8S | 31-MAR-88 | | | 8S | |
| | | NOTICE 1 | | | | | | | | |
| | | MS25034J | GUARD, SWITH, 3 POSITION [VALIDATION DATE: 8702] REVIEWER: 99 | A | 5930 8S | 25-FEB-87 | ER | AS | 8S | |
| | | NOTICE 1 | | | | | | | | |
| I | | MS25035C | RELAYS, ELECTROMAGNETIC, TYPE 1, 25 AMPERES, 1PST, SEALED, CLASS 0 | A | 5945 8S | 17-JAN-92 | | AS | 8S | ES |
| | | MS25036P | TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL MOUTHED, TYPE II, CLASS 1 (FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE) USER: AT MC ME OS REVIEWER: 11 99 AR AV EC GS MI SH | A | 5940 AS | 19-FEB-86 | ER | AS | 8S | |
| | | MS25038E | GENERATOR, TACHOMETER AND SYNCHRONIZING, PISTON ENGINE (ASG) USER: CS | A | 6620 AS | 01-JUN-87 | AV | AS | 99 | |
| | | | REVIEWER: GS | | | | | | | |
| | | MS25041G | LIGHT, INDICATOR, PRESS TO TEST, SMALL USER: AT ME REVIEWER: GS | A | 6210 82 | 24-DEC-85 | | AS | 99 | |
| | | MS25042K | COVER, ELECTRICAL CONNECTOR: PLUG, AN TYPE [VALIDATION DATE: 9110] USER: | A | 5935 AS | 24-OCT-91 | CR | AS | 8S | |
| | | NOTICE 1 | 11 MI REVIEWER: 99 AR AV ES SC | | | | | | | |
| | | MS25043K | COVER, ELECTRICAL, CONNECTOR, RECEPTACLE, AN TYPE [VALIDATION DATE: 9110] | A | 5935 AS | 24-OCT-91 | CR | AS | 8S | |
| | | NOTICE 1 | USER: 11 MI REVIEWER: 99 AR AV ES SC | | | | | | | |
| | | MS25044B | TERMINAL BOARD TWO STUD USER: ME REVIEWER: 99 GS | A | 5940 AS | 16-OCT-81 | | AS | 8S | |
| | | MS25045A | BLOCK TERMINAL, 2 STUD [VALIDATION DATE: 8006] REVIEWER: GS | A | 5940 AS | 31-MAR-67 | ME | AS | 8S | |
| | | MS25046B | COVER ASSY, TERMINAL BLOCK TWO STUD [VALIDATION DATE: 8503] REVIEWER: 99 | A | 5940 AS | 31-MAR-67 | ME | AS | 8S | |
| | | | GS | | | | | | | |
| | | MS25048A | MAST, ANTENNA, DEAD-END (ASG) [VALIDATION DATE: 8207] REVIEWER: 99 ES | A | 5985 AS | 18-JUN-76 | | AS | 8S | |
| | | MS25049A | MAST, ANTENNA, LEAD THROUGH [VALIDATION DATE: 8207] REVIEWER: 99 | A | 5985 AS | 18-JUN-76 | | AS | 8S | |
| | | MS25050A | *ADAPTER, ANTENNA [VALIDATION DATE: 8207] REVIEWER: 99* | A | 5985 AS | 18-JUN-76 | | AS | 8S | |
| | | MS25051 | INSERT, DEAD-END, ANTENNA [VALIDATION DATE: 9110] | A | 5985 AS | 24-OCT-91 | | AS | 8S | |
| | | NOTICE 1 | | | | | | | | |
| | | MS25054B | INSULATOR, LEAD-THROUGH ANTENNA [VALIDATION DATE: 9110] REVIEWER: 99 ES | A | 5985 AS | 24-OCT-91 | | AS | 8S | |
| | | NOTICE 1 | | | | | | | | |
| | | MS25055A | ELBOW, LEAD-THROUGH INSULATOR, ANTENNA | A | 5985 AS | 30-SEP-91 | | AS | 8S | |
| | | NOTICE 2 | | | | | | | | |
| | | MS25056A | SLEEVE, SUPPORT, ANTENNA, EXTERNAL THREAD USER: MC REVIEWER: 99 ES | A | 5985 AS | 23-JAN-91 | | AS | 8S | |
| | | NOTICE 1 | | | | | | | | |
| | | MS25057A | TAKEUP, ANTENNA [VALIDATION DATE: 8906] REVIEWER: 99 ES | A | 5985 AS | 01-JUL-89 | | AS | 8S | |
| | | MS25058 | TAKEUP, TENSION, ANTENNA [VALIDATION DATE: 9110] | A | 5985 AS | 24-OCT-91 | | AS | 8S | |
| | | NOTICE 1 | | | | | | | | |
| | | MS25061A | SLEEVE, SUPPORT, ANTENNA, INTERNAL THREAD [VALIDATION DATE: 8912] USER: MC | A | 5985 AS | 08-DEC-89 | | AS | 8S | |
| | | NOTICE 1 | REVIEWER: 99 ES | | | | | | | |
| | | MS25064A | CONDUIT, FLEXIBLE, RADIO FREQUENCY SHIELDING [VALIDATION DATE: 9110] USER: | A | 5975 AS | 24-OCT-91 | ER | AS | 8S | |
| | | NOTICE 1 | MC ME REVIEWER: 11 99 GS | | | | | | | |
| | | MS25065B | FERRULE, FLEXIBLE CONDUIT, RADIO FREQUENCY SHIELDING REVIEWER: 99 | A | 5975 AS | 25-MAR-91 | ER | AS | | GS |
| | | MS25066A | NUT, FLEXIBLE CONDUIT, RADIO FREQUENCY SHIELDING [VALIDATION DATE: 8703] | A | 5975 8S | 25-MAR-87 | ER | AS | 8S | |
| | | | USER: MC REVIEWER: 99 GS | | | | | | | |
| L | | MS25067A | CONDUIT ASSEMBLY, FLEXIBLE, RADIO FREQUENCY SHIELDING [VALIDATION DATE: | A | 5975 AS | 01-JUL-89 | | AS | | |
| | | | 8907] REVIEWER: GS | | | | | | | |
| I | | MS25068J | SWITCH, TOGGLE, FOUR POLE, SEALED TOGGLE [VALIDATION DATE: 8809] REVIEWER: | A | 5930 8S | 30-SEP-88 | ER | AS | 8S | |
| | | NOTICE 1 | 11 99 AV EC ES | | | | | | | |
| | | MS25069C | LAMP, INCANDESCENT, SINGLE CONTACT, MINIATURE BAYONET BASE, T-4-1/2 BULB | A | 6240 82 | 03-NOV-77 | | AS | 99 | |
| | | | [VALIDATION DATE: 8506] REVIEWER: GS | | | | | | | |
| | | MS25070A | MICROPHONE BOOM MT-521A/U [VALIDATION DATE: 8702] REVIEWER: 99 ES | A | 5935 8S | 27-FEB-87 | | AS | 8S | |
| | | NOTICE 1 | | | | | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MS25071 | BRACKET, MT-522A/U [VALIDATION DATE: 8702] REVIEWER: 99 ES | A | 5965 | 85 | | 27-FEB-87 | | AS | | 85 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25075E | COVER, TERMINAL BOARD, 6 STUD (ASG) [VALIDATION DATE: 8006] REVIEWER: 99 GS | A | 5940 | AS | | 31-MAR-67 | ME | AS | | 85 |
| | | | | MS25077D | TERMINAL BOARD, FIVE-STUD, TWO 3/8-INCH AND THREE NUMBER 10 STUDS (ASG) [VALIDATION DATE: 8006] REVIEWER: GS | A | 5940 | AS | | 31-MAR-67 | ME | AS | | 85 |
| | | | | MS25079E | COVER, TERMINAL BOARD, 5 STUD (ASG) [VALIDATION DATE: 8006] REVIEWER: 99 GS | A | 5940 | AS | | 31-MAR-67 | ME | AS | | 85 |
| | | | | MS25080F | TERMINAL, STUD USER: ME REVIEWER: 99 GS | A | 5940 | AS | | 05-JAN-90 | CR | AS | | 85 |
| | | | | MS25081J | WASHER, KEY [VALIDATION DATE: 8510] REVIEWER: IS ME | A | 5310 | 82 | | 16-AUG-77 | | AS | | 99 |
| A | | | | MS25082M | NUT, PLAIN, HEXAGON, ELECTRICAL-THIN USER: MC REVIEWER: 82 AV EC ER IS | A | 5310 | AS | | 26-AUG-92 | AR | AS | | 99 |
| | | | | MS25083K | JUMPER ASSEMBLY, ELECTRIC, BONDING AND CURRENT RETURN [VALIDATION DATE: 9110] REVIEWER: 99 | A | 6150 | AS | | 24-OCT-91 | CR | AS | | 11 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MS25086C | RING, LOCK REVIEWER: IS | A | 5340 | AS | | 02-FEB-87 | | AS | | |
| | | | | MS25087B | SCREW, EXTERNALLY RELIEVED BODY [VALIDATION DATE: 9110] REVIEWER: IS | A | 5305 | AS | | 09-OCT-91 | | AS | | 99 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25098H | SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE (INACTIVE 9-16-69) REVIEWER: 11 99 AV EC ES | A | 5930 | ER | | 31-DEC-86 | ER | AS | | 85 |
| | | | | MS25100H | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE (INACTIVE 9-16-69) REVIEWER: 11 99 AV EC ES | A | 5930 | ER | | 31-DEC-86 | ER | AS | | 85 |
| | L | | | MS25121A | TOOL, PRETENSIONING, FOR ANTENNA TENSION TAKEUP [VALIDATION DATE: 9110] | A | 5120 | AS | | 24-OCT-91 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25125K | SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE, LEVER LOCK (INACTIVE USE MS 24658 OR MS 24612) [VALIDATION DATE: 8702] REVIEWER: 11 99 AS AV ES | A | 5930 | 85 | | 25-FEB-87 | ER | EC | | 85 |
| | | | | MS25126K | SWITCH, TOGGLE, TWO POLE SEALED TOGGLE, LEVER LOCK (INACTIVE USE MS 24659 OR MS 24613 [VALIDATION DATE: 8702) REVIEWER: 11 99 AS AV ES | A | 5930 | 85 | | 25-FEB-87 | ER | EC | | 85 |
| | | | | MS25127K | SWITCH, TOGGLE, FOUR POLE, SEALED TOGGLE, LEVER LOCK (INACTIVE USE MS 24660 OR MS 24614 [VALIDATION DATE: 8702] REVIEWER: 11 99 AS AV ES | A | 5930 | 85 | | 25-FEB-87 | ER | EC | | 85 |
| | | | | MS25131C | BLOCK, TERMINAL, 5 STUD [VALIDATION DATE: 8302] REVIEWER: 99 GS | A | 5940 | 85 | | 27-APR-65 | | AS | | 85 |
| M | | | | MS25132C | COVER, TERMINAL BLOCK REVIEWER: 99 GS | A | 5940 | 85 | | 20-APR-93 | | AS | | 85 |
| | | | | MS25159B | AIR INLET, AXIAL, GENERATOR REVIEWER: CS GS | A | 4730 | 82 | | 01-SEP-86 | | AS | | 99 |
| | L | | | MS25160A | ADAPTER, GENERATOR TO AIR DUCT, RADIAL, 3 INCH [VALIDATION DATE: 8712] REVIEWER: GS | A | 6115 | AS | | 31-DEC-87 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25164E | SKIRT, CONTROL KNOB (ASG) [VALIDATION DATE: 8304] USER: MC | A | 5355 | AS | | 24-NOV-64 | | AS | | 11 |
| | | | | MS25165E | KNOB, POINTER, ILLUMINATED, SMALL (ASG) [VALIDATION DATE: 8203] USER: MC ME | A | 5355 | AS | | 17-JUN-75 | ER | AS | | 11 |
| | | | | MS25166E | KNOB, POINTER, ILLUMINATED [VALIDATION DATE: 8303] USER: AR ME REVIEWER: IS | A | 5355 | AS | | 24-NOV-64 | ER | AS | | 11 |
| | | | | MS25167F | KNOB, ROUND, SMALL (ASG) [VALIDATION DATE: 8203] USER: ME REVIEWER: 82 99 AR IS | A | 5355 | AS | | 27-DEC-65 | | AS | | 11 |
| | | | | MS25168F | KNOB, ROUND (ASG) [VALIDATION DATE: 8203] REVIEWER: 82 99 IS | A | 5355 | AS | | 27-DEC-65 | | AS | | 11 |
| | | | | MS25169G | KNOB, BAR, SMALL (ASG) [VALIDATION DATE: 8203] REVIEWER: 99 IS | A | 5355 | AS | | 27-DEC-65 | | AS | | 11 |
| | | | | MS25170F | KNOB, BAR (ASG) [VALIDATION DATE: 8203] REVIEWER: 82 99 IS | A | 5355 | AS | | 27-DEC-65 | | AS | | 11 |
| | | | | MS25171C | NIPPLE, ELECTRICAL TERMINAL (ASG) [VALIDATION DATE: 8108] USER: MC REVIEWER: 99 GS | A | 5975 | AS | | 19-MAY-59 | | AS | | 85 |
| | | | | MS25182G | PLUG, ELECTRIC, FOUR-WIRE, AIRCRAFT STORAGE BATTERY [VALIDATION DATE: 9110] REVIEWER: 11 80 | A | 5935 | AS | | 24-OCT-91 | AV | AS | | 85 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25183C | CONNECTOR, PLUG, ELECTRIC, POTTING SEAL, SOLDER CONTACTS, AN TYPE [VALIDATION DATE: 8709] USER: CG MC OS REVIEWER: 99 AT AV EC ES ME MI | A | 5935 | AS | | 28-SEP-71 | CR | AS | | 85 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25185C | PLUG, VENTING, GRAVITY CONTROLLED, ELECTROLYTE ACESS HOLE, CELL, AIRCRAFT LEAD ACID STORAGE BATTERY [VALIDATION DATE: 8508] | A | 6140 | AS | | 01-NOV-78 | ER | AS | | 99 |
| | L | | | MS25187B | EXTRACTOR, ELECTRONIC TUBE [VALIDATION DATE: 9110] USER: AR MC REVIEWER: 69 GL SH | A | 5120 | AS | | 24-OCT-91 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25189C | TERMINAL, LUG, FLAG TYPE CRIMP STYLE, COPPER, CLASS 1 (ASG) [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 11 99 AV EC GS | A | 5940 | AS | | 04-NOV-68 | | AS | | 85 |
| | | | | MS25191B | WIRE, ELECTRIC, 600 VOLT, ALUMINUM, AIRCRAFT (INACTIV 10-4-62) [VALIDATION DATE: 8709] REVIEWER: 11 IS | A | 6145 | AS | | 04-OCT-62 | | AS | | 85 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MS25193J | BATTERY, STORAGE, AIRCRAFT, INSTALLATION OF [VALIDATION DATE: 8106] REVIEWER: GS | A | 6140 | AS | | 01-MAY-69 | | AS | | |
| | L | | | MS25198 | SWITCH, MICROPHONE THROTTEL, TYPE SA-99A/AR [VALIDATION DATE: 8106] REVIEWER: ES | A | 5930 | AS | | 27-NOV-57 | | AS | | |
| | | | | MS25201K | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE REVIEWER: 11 99 AV EC ES | A | 5930 | 85 | | 12-DEC-80 | ER | AS | | 85 |
| | L | | | MS25202B | INVERTER, 5000VA, 3/1 PHASE, CLASS A 3500VA, 3/1 PHASE, CLASS B [VALIDATION DATE: 8207] REVIEWER: GS | A | 6125 | AS | | 27-SEP-76 | | AS | | |
| | L | | | MS25203B | LIGHT ASSEMBLY, TAXI (PAR-46 BULB) | A | 6220 | AS | | 14-SEP-90 | | AS | | |
| A | L | | | MS25205E | FLASHER, AIRCRAFT LIGHT [VALIDATION DATE: 8106] REVIEWER: 99 | A | 5945 | AS | | 21-MAR-74 | | AS | | |
| | | | | MS25212C | CONTROL PANEL, CONSOLE TYPE, AIRCRAFT EQUIPMENT, BASIC DIMENSIONS [VALIDATION DATE: 9110] | A | 1680 | AS | | 09-OCT-91 | | AS | | 99 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25213B | CONTROL PANEL, AIRCRAFT EQUIPMENT, TYPICAL INSTALLATION [VALIDATION DATE: 8410] REVIEWER: AV | A | 1680 | AS | | 10-JUL-68 | | AS | | 11 |
| | | | | MS25214E | GUARD, SWITCH, 3 POSITION [VALIDATION DATE: 8702] REVIEWER: 99 ES | A | 5930 | 85 | | 25-FEB-87 | ER | AS | | 85 |
| | L | | | MS25215 | LIGHT ASSEMBLY, UPWARD RECOGNITION [VALIDATION DATE: 8505] REVIEWER: AS GS | A | 6220 | 82 | | 15-APR-57 | | | | 99 |
| | L | | | MS25216A | COVER, TOP AND BOTTOM FUSELAGE LIGHTS REVIEWER: AS GS | A | 6220 | 82 | | 31-JUL-85 | | | | 99 |
| A | | | | MS25219G | LIGHT - NAVIGATIONAL AND WARNING, AIRCRAFT REVIEWER: CS | A | 6220 | 82 | | 05-MAR-93 | AV | AS | | 99 |
| | I | | | MS25221F | GUARD, SWITCH, 2 OR 3 POSITION [VALIDATION DATE: 8809] REVIEWER: 99 ES | A | 5930 | 85 | | 30-SEP-88 | ER | AS | | 85 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25223G | GUARD, SWITCH, 3 POSITION [VALIDATION DATE: 8702] REVIEWER: 99 | A | 5930 | 85 | | 25-FEB-87 | ER | AS | | 85 |
| | | | | MS25224G | GUARD, SWITCH, 2 POSITION [VALIDATION DATE: 8702] REVIEWER: 99 AV ES | A | 5930 | 85 | | 25-FEB-87 | ER | AS | | 85 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25225G | GUARD, SWITCH, 3 POSITION [VALIDATION DATE: 8702] REVIEWER: 99 | A | 5930 | 85 | | 25-FEB-87 | ER | AS | | 85 |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS25226C | LINK, TERMINAL CONNECTING [VALIDATION DATE: 8508] USER: CS EC MC ME REVIEWER: 17 99 AV GS | A | 5940 | AS | | 13-JUL-71 | ER | AS | | 85 |
| | | | | MS25231F | LAMPS, INCANDESCENT, CENTER CONTACT, MINIATURE BAYONET BASE (T-3-1/4 BULB) USER: MC REVIEWER: 82 AV EC SH | A | 6240 | AS | | 23-AUG-85 | ME | AS | | 99 |
| | | | | MS25236F | LAMP, INCANDESCENT T-1-1/4, KNURLED SCREW BASE [VALIDATION DATE: 8107] REVIEWER: AR GS | A | 6240 | AS | | 12-JAN-67 | ME | AS | | 99 |
| | | | | MS25239A | LAMP, INCANDESCENT - PAR-36 BULB, SCREW TERMINAL BASE, SIGNALING (ASG) [VALIDATION DATE: 8108] REVIEWER: GS | A | 6240 | AS | | 27-JUL-62 | | AS | | 99 |
| | | | | MS25241E | LAMP, INCANDESCENT, PAR846 BULB, SCREW TERMINAL BASE, LANDING [VALIDATION DATE: 8307] REVIEWER: 11 GS | A | 6240 | AS | | 21-MAR-72 | AV | AS | | 99 |
| | | | | MS25242D | LAMP, INCANDESCENT, PAR864 BULB, SCREW TERMINAL BASE [VALIDATION DATE: 8108] USER: CG EC EL REVIEWER: AV GS | A | 6240 | AS | | 10-OCT-68 | ME | AS | | 99 |
| | | | | MS25243A | LAMP, INCANDESCENT, PAR-36 BULB, SCREW TERMINAL BASE [VALIDATION DATE: 8107] REVIEWER: AV GS | A | 6240 | AS | | 30-NOV-62 | | AS | | 99 |
| | | | | MS25244R | CIRCUIT BREAKER, TRIP FREE, PUSH PULL, 5 THRU 35 AMPRERE, TYPE I REVIEWER: 11 ES | A | 5925 | AS | | 30-NOV-87 | ER | AS | | 85 |
| | | | | MS25246B | EXTENSION, TOGGLE LEVER [VALIDATION DATE: 8508] USER: MC REVIEWER: 99 ES | A | 5930 | AS | | 01-JUL-60 | | AS | | 85 |
| | L | | | MS25250 | RECEPTACLE, ELECTRIC CONNECTON ROCKET IGNITER ASSEMBLY [VALIDATION DATE: 8509] REVIEWER: ES | A | 5935 | AS | | 26-JUN-57 | | AS | | |
| | | | | MS25251A | PLUG, END SEAL, ELECTRIC CONNECTOR [VALIDATION DATE: 8108] USER: ME REVIEWER: 99 ES MI | A | 5935 | AS | | 18-SEP-61 | CR | AS | | 85 |
| | | | | MS25267G | RELAYS, ELECTROMAGMETIC, 5 AMPERES, 4 PDT, TYPE 1, SOLDER HOOK, HERMETICALLY SEALED REVIEWER: 11 99 AR EC ES | A | 5945 | AS | | 05-JUN-87 | | AS | | 85 |

| Action | Qty. / Cond. | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | I | | MS25268J | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE 1, POTTED LEAD, HERMETICALLY SEALED REVIEWER: 11 99 EC ES | A | 5945 | 85 | | 20-JAN-89 | | AS | 85 | |
| | | | MS25269J | RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE 1, HERMETICALLY SEALED REVIEWER: 11 99 EC ES | A | 5945 | 85 | | 22-DEC-89 | | AS | 85 | |
| | I | | MS25270J | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 6 PDT, TYPE 1, POTTED LEAD, HERMETICALLY SEALED REVIEWER: 11 99 EC ES | A | 5945 | 85 | | 20-JAN-89 | | AS | 85 | |
| | | | MS25271H | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE 1, SOLDER HOOK HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | | 24-JAN-90 | | AS | 85 | |
| | I | | MS25272H | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE 1, POTTED LEAD, HERMETICALLY SEALED REVIEWER: 11 99 EC ES | A | 5945 | 85 | | 20-JAN-89 | | AS | 85 | |
| M | | | MS25273G | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE 1, SOLDER RERMINALS, STUD | A | 5945 | 85 | | 14-MAY-93 | ER | AS | 85 | |
| | | | NOTICE 1 | MOUNTED, HERMETICALLY SEALED [VALIDATION DATE: 9305] REVIEWER: 11 99 EC ES | | | | | | | | | |
| | | | MS25274G | CAP, ELECTRICAL (WIRE END, CRIMP STYLE, TYPE II, CLASS 1) FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE USER: MC SH REVIEWER: 11 99 EC | A | 5970 | AS | | 15-JUL-82 | ER | AS | 85 | |
| | I | | MS25277D | LIGHT, BEACON, ANTI-COLLISION, AIRCRAFT | A | 6220 | AS | | 29-MAY-92 | | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MS25278 | AUTOMATIC BATTERY CHARGER AND TESTER [VALIDATION DATE: 8005] REVIEWER: GS | A | 6130 | AS | | 19-NOV-57 | | AS | | |
| | | | MS25281K | CLAMP, LOOP-PLASTIC, WIRE SUPPORT [VALIDATION DATE: 8407] USER: MC SH REVIEWER: AV MI OS | A | 5340 | AS | | 29-DEC-78 | AR | AS | 99 | |
| | L | | MS25303A | CONVERTER - CONSTANT VOLTAGE 300 AMP, 30 VOLTS DC (FOR GROUND USE) (INACTIVE) [VALIDATION DATE: 8106] REVIEWER: GS | A | 6125 | AS | | 17-JUN-71 | | AS | | |
| | | | MS25304D | CURCUIT BREAKER, AIRCRAFT, TRIP FREE, TOGGLE TYPE, 0.1 THRU 50 AMPS, TYPE II REVIEWER: ES | A | 5925 | AS | | 30-NOV-87 | ER | AS | 85 | |
| | | | MS25306J | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR AV EC MI | A | 5930 | 85 | | 30-SEP-86 | ER | AS | 85 | |
| | | | MS25307K | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AV EC ES MI | A | 5930 | 85 | | 30-SEP-86 | ER | AS | 85 | |
| | | | MS25308K | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, FOUR POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 17 99 AR EC MI | A | 5930 | 85 | | 04-SEP-91 | ER | AS | 85 | |
| | | | MS25317F | INDEXER, APPROACH [VALIDATION DATE: 8706] REVIEWER: GS | A | 6220 | AS | | 01-JUN-87 | | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MS25318C | LIGHT, APPROACH, 28 VOLT REVIEWER: GS | A | 6220 | AS | | 15-APR-91 | | AS | | |
| | | | MS25321L | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE 1, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | | 05-JUN-87 | | AS | 85 | |
| | | | MS25322B | SOCKET - RELAY, ELECTRICAL, 8 CONTACTS,5 AMPS (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 17 99 ES | A | 5935 | AS | | 01-MAR-63 | | AS | 85 | |
| | I | | MS25323K | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE 1, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC ES | A | 5945 | 85 | | 20-JAN-89 | | AS | 85 | |
| | | | MS25324B | SOCKET, RELAY, ELECTRICAL, 8 CONTACTS, 10 AMP (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 17 99 ES | A | 5935 | AS | | 01-MAR-63 | | AS | 85 | |
| | I | | MS25325M | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE 1, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | | 20-JAN-89 | | AS | 85 | |
| | | | MS25326B | SOCKET, RELAY, ELECTRICAL, 14 CONTACTS,5 AMPS (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 17 99 ES | A | 5935 | AS | | 01-MAR-63 | | AS | 85 | |
| | I | | MS25327M | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE 1, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 AV EC | A | 5945 | 85 | | 20-JAN-89 | | AS | 85 | |
| | | | MS25328C | SOCKET, RELAY, ELECTRICAL, 14 CONTACTS,10 AMPS (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 17 99 ES MI | A | 5935 | AS | | 12-MAR-65 | | AS | 85 | |
| M | | | MS25329L | RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE 1, SOCKET MOUNTED, | A | 5945 | 85 | | 14-MAY-93 | ER | AS | 85 | |
| | | | NOTICE 1 | HERMETICALLY SEALED [VALIDATION DATE: 9305] REVIEWER: 11 99 EC ES | | | | | | | | | |
| | | | MS25331C | LIGHT ASSEMBLY, PRESS TO TEST INDICATOR USER: AT ME REVIEWER: AV GS MI | A | 6210 | 82 | | 01-FEB-85 | | AS | 99 | |
| | | | MS25332 | SCREW AND WASHER ASSEMBLY, RELAY SOCKET MOUNTING [VALIDATION DATE: 8504] USER: MC REVIEWER: 1S | A | 5305 | AS | | 01-NOV-60 | | AS | 99 | |
| | L | | MS25333B | INDICATOR, INDICATED AIRSPEED, PITOT STATIC MAXIMUM ALLOWABLE SPEED, | A | 6610 | AS | | 11-DEC-87 | | AS | | |
| | | | NOTICE 1 | 40-400 KNOTS [VALIDATION DATE: 8712] | | | | | | | | | |
| | | | MS25337C | CIRCUIT BREAKER, AIRCRAFT TRIP-FREE TOGGLE, 5-50 AMP USER: ME REVIEWER: ES MI | A | 5925 | AS | | 07-DEC-83 | ER | AS | 85 | |
| | L | | MS25355 | FLOODLIGHT, EXPLOSION PROOF, 300 WATTS MAXIMUM, ADJUSTABLE STAND MOUNTED [VALIDATION DATE: 8407] REVIEWER: AS GS | A | 6230 | 82 | | 28-AUG-58 | | | 99 | |
| | | | MS25358C | LIGHT, DOME, CABIN-RED AND WHITE [VALIDATION DATE: 8712] USER: AT | A | 6220 | AS | | 31-DEC-87 | ME | AS | 99 | |
| | | | NOTICE 1 | REVIEWER: GS | | | | | | | | | |
| | | | MS25361P | CIRCUIT BREAKER AIRCRAFT, TRIP FREE, PUSH-PULL, 50 THRU 100 AMPS, TYPE 1 REVIEWER: 11 ES MI | A | 5925 | AS | | 30-NOV-87 | ER | AS | 85 | |
| | L | | MS25368M | GENERATOR SYSTEM, 60 KVA, 400 HERTZ ALTERNATING CURRENT, INTEGRALLY EXCITED BRUSHLESS TYPE | A | 6115 | AS | | 21-MAR-86 | | AS | | |
| | | | MS25381F | GROMMETS, MOUNTING, INTEGRALLY ILLUMINATED INFORMATION PLATE (INACTIVE USE MS 3498) [VALIDATION DATE: 8410] | A | 6220 | AS | | 28-FEB-78 | | AS | 99 | |
| | | | MS25384C | ELECTROSTATIC DISCHARGER JUMPER, FUEL NOZZLE -TO- AIRCRAFT [VALIDATION DATE: 8006] USER: AV SH REVIEWER: 11 | A | 5920 | AS | | 13-JUL-73 | ME | AS | 85 | |
| | L | | MS25390 | RACK, BATTERY CHARGING [VALIDATION DATE: 8203] REVIEWER: GS | A | 6140 | AS | | 27-MAR-59 | | AS | | |
| | | | MS25391 | LENS, 24 INCH DOUBLE BEAM [VALIDATION DATE: 9111] | A | 6220 | AS | | 06-NOV-91 | | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| W | | | MS25395M | RELAYS, ELECTROMAGNETIC, 2 PDT, 5 AMPERES, TYPE 1, HERMETICALLY SEALED | A | 5945 | 85 | | 14-MAY-93 | ER | AS | 85 | |
| | | | NOTICE 1 | [VALIDATION DATE: 9305] REVIEWER: 11 99 EC ES | | | | | | | | | |
| | | | MS25398B | HANDLES, CONTROL, AIRCRAFT, REVERSE THRUST, (JET) [VALIDATION DATE: 8808] | A | 1680 | 82 | | 10-AUG-88 | AV | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MS25420B | FASTENERS, STRAIGHT, HEADED, SWAGED COLLAR LIMITATIONS FOR USE OF REVIEWER: 82 | A | 5325 | 1S | | 25-NOV-91 | | AS | 99 | 1S |
| | | | MS25435A | TERMINAL, LUG, CRIMP STYLE, STRAIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE CLASS 1 [VALIDATION DATE: 8207] REVIEWER: 99 GS | A | 5940 | AS | | 15-MAY-64 | ER | AS | 85 | |
| | | | MS25436A | TERMINAL, LUG, CRIMP STYLE 90 DEG UPRIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 [VALIDATION DATE: 8207] REVIEWER: 99 GS | A | 5940 | AS | | 15-MAY-64 | | AS | 85 | |
| | | | MS25437C | TERMINAL, LUG CRIMP STYLE LEFT ANGLE TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 [VALIDATION DATE: 8207] REVIEWER: 99 GS | A | 5940 | AS | | 15-MAY-64 | | AS | 85 | |
| | | | MS25438A | TERMINAL, LUG, CRIMP STYLE, RIGHT ANGLE TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 [VALIDATION DATE: 8207] REVIEWER: 99 GS | A | 5940 | AS | | 15-MAY-64 | | AS | 85 | |
| | | | MS25439A | SPLICE-PERMANENT CRIMP STYLE, 2 WAY TYPE FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 [VALIDATION DATE: 8207] REVIEWER: 99 GS | A | 5940 | AS | | 15-MAY-64 | | AS | 85 | |
| | | | MS25440C | WASHERS, FOR USE WITH AIRCRAFT ALUMINUM TERMINALS [VALIDATION DATE: 9110] | A | 5310 | AS | | 09-OCT-91 | ER | AS | 11 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS25441C | CRIMPING TOOL, TERMINAL, HYDRAULIC OPERATED, WIRE SIZE 8 THRU 4/0 [VALIDATION DATE: 8207] USER: GL REVIEWER: 85 | A | 5130 | AS | | 15-APR-64 | EL | AS | 11 | |
| | L | | MS25442C | DIE, FOR MS 25441, ELECTRIC, HYDRAULIC CRIMPING TOOL (FOR USE WITH ALUMINUM WIRE TERMINALS) [VALIDATION DATE: 8207] USER: GL REVIEWER: 85 | A | 5120 | AS | | 02-JAN-64 | | AS | | |
| | | | MS25444A | LIGHT, ROTATING BEACON, 24 INCH, DUPLEX [VALIDATION DATE: 8407] REVIEWER: 11 GS | A | 6210 | 82 | | 17-APR-61 | | AS | 99 | |
| | L | | MS25447G | TRANSDUCER, COUNTING ACCELEROMETER [VALIDATION DATE: 8712] | A | 6610 | AS | | 11-DEC-87 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MS25448F | INDICATOR, COUNTING ACCELEROMETER [VALIDATION DATE: 8403] | A | 6610 | AS | | 19-MAR-70 | | AS | | |
| | | | MS25452F | GUARD, SWITCH, 2 POSITION, LOCK REVIEWER: 99 ES | A | 5930 | 85 | | 19-FEB-92 | ER | AS | 85 | |
| | | | MS25453A | LIGHT, PANEL INFORMATION PLATE, PLATE SUPPORTING TYPE (INACTIVE 6-1-68) [VALIDATION DATE: 8004] USER: ME REVIEWER: GS | A | 6220 | AS | | 01-JUN-68 | AV | AS | 99 | |

| Action | Qlfy | Cond. Condition Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MS25454C | INDICATORS, VERTICAL VELOCITY, RAPID RESPONSE, ACCELERATION SENSITIVE [VALIDATION DATE: 8906] | A | 6610 | AV | 28-JUN-89 | AV | | | |
| A | I | | MS25455G | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | 20-JAN-89 | | | AS | 85 | |
| A | I | | MS25457G | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | 20-JAN-89 | | | AS | 85 | |
| | | | MS25458A | SOCKET, RELAY, ELECTRICAL, 10 CONTACTS,10 AMP (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 17 99 ES | A | 5935 | AS | 01-MAR-63 | | | AS | 85 | |
| A | I | | MS25459G | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | 20-JAN-89 | | | AS | 85 | |
| | | | MS25460A | SOCKET, RELAY, ELECTRICAL, 16 CONTACTS,5 AMPS (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 17 99 ES | A | 5935 | AS | 01-MAR-63 | | | AS | 85 | |
| A | I | | MS25461H | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | 20-JAN-89 | | | AS | 85 | |
| | | | MS25462A | SOCKET, RELAY, ELECTRICAL, 16 CONTACTS, 10 AMP. (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 17 99 ES MI | A | 5935 | AS | 01-MAR-63 | | | AS | 85 | |
| A | I | | MS25463G | RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | 30-SEP-87 | | | AS | 85 | |
| | I | | MS25465E | RELAYS, ELECTROMAGNETIC, 2 PDT, 5 AMPERES, TYPE I, MAGNETIC LATCH, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED REVIEWER: 11 17 99 EC ES | A | 5945 | 85 | 20-JAN-89 | | | AS | 85 | |
| A | I | | MS25466E | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, STUD MOUNTED, SOLDER HOOKS, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | 20-JAN-89 | | | AS | 85 | |
| M | | | MS25467D | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, SOLDER TERMINAL, STUD MOUNTED, HERMETICALLY SEALED [VALIDATION DATE: 9305] | A | 5945 | 85 | 14-MAY-93 | ER | AS | 85 | |
| | | | NOTICE 1 | REVIEWER: 11 99 EC ES | | | | | | | | |
| | | | MS25468J | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, MAGNETIC LATCH, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED | A | 5945 | 85 | 29-SEP-87 | | | AS | 85 | |
| | | | MS25469D | RELAY, MAGNETIC LATCH, 5 AMP, 6 PDT, CLASS 88, SEALED, HOOK TERMINALS, STUD MOUNTED (ASG) [VALIDATION DATE: 8508] REVIEWER: 11 17 99 EC ES | A | 5945 | AS | 16-MAR-70 | | | AS | 85 | |
| | L | | MS25470A | INDICATOR, PRESSURE, SYNCHRO, AIRCRAFT, 165-DEGREE SCALE [VALIDATION DATE: 8712] | A | 6620 | AS | 11-DEC-87 | | | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS25471C | WIRE, ELECTRICAL-SILICONE-INSULATED, COPPER, 600 VOLT, 200 DEG. C, POLYESTER JACKET [VALIDATION DATE: 8302] REVIEWER: 11 | A | 6145 | 85 | 06-JAN-69 | AV | AS | 85 | |
| | | | MS25472G | GAGE-INSPECTION, FOR MS 25442 CRIMPING DIE (FOR USE WITH ALUMINUM WIRE TERMINAL) [VALIDATION DATE: 8508] REVIEWER: 85 | A | 5220 | AS | 09-NOV-72 | CR | AS | 99 | |
| | | | MS25486H | CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ USER: AT MC SH REVIEWER: 11 80 82 AV | A | 5935 | AS | 31-MAR-92 | CR | AS | 85 | ES |
| | | | MS25487G | CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, | A | 5935 | AS | 24-OCT-91 | CR | AS | 85 | |
| | | | NOTICE 1 | JET STARTING [VALIDATION DATE: 9110] USER: AT MC SH REVIEWER: 80 82 AV | | | | | | | | |
| | | | MS25488F | CONNECTOR PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC | A | 5935 | AS | 24-OCT-91 | CR | AS | 85 | |
| | | | NOTICE 2 | OPERATING POWER [VALIDATION DATE: 9110] USER: AT MC SH REVIEWER: 80 82 AV | | | | | | | | |
| | L | | MS25490D | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2643/AIC-14 (INACTIVE FOR DESIGN AFTER 10 AUG 1984 - NO S/S) REVIEWER: ES | A | 5831 | AS | 10-AUG-84 | | | AS | | |
| | L | | MS25491K | CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF (INACTIVE FOR NEW DESIGN AFTER 10 AUG 1984 - NO S/S) | A | 5831 | AS | 10-AUG-84 | | | AS | | |
| | L | | MS25492J | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 (INACTIVE | A | 5831 | AS | 10-AUG-84 | | | AS | | |
| | | | NOTICE 1 | FOR NEW DESIGN AFTER 10 AUG 1984 - NO S/S) [VALIDATION DATE: 8509] | | | | | | | | |
| | L | | MS25493L | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2648B/AIC-14 (INACTIVE) [VALIDATION DATE: 8509] REVIEWER: ES | A | 5831 | AS | 10-AUG-84 | | | AS | | |
| A | I | | MS25917D | RELAYS, ELECTROMAGNETIC, TYPE I, 3 AMPERES, 4 PDT REVIEWER: 99 ..... | A | 5945 | 85 | 28-APR-89 | | | AS | 85 | |
| A | I | | MS25918G | RELAYS, ELECTROMAGNETIC, TYPE I, 3 AMPERES, 6 PDT REVIEWER: 99 ..... | A | 5945 | 85 | 28-APR-89 | | | AS | 85 | |
| A | I | | MS25919C | RELAYS, ELECTROMAGNETIC, TYPE I, 10 AMPERES, 4 PDT REVIEWER: 99 ..... | A | 5945 | 85 | 28-APR-89 | | | AS | 85 | |
| A | | | MS26514C | COMPUTER, AIR NAVIGATION, DEAD RECKONING TYPE MB-4A AND, TYPE CPU-26A/P | A | 6605 | 71 | 30-SEP-92 | AV | AS | 99 | |
| | | | NOTICE 2 | [VALIDATION DATE: 9209] | | | | | | | | |
| | | | MS26517 | HANDLES, CONTROL, AIRCRAFT THROTTLE, LARGE [VALIDATION DATE: 8808] ..... | A | 1680 | 82 | 10-AUG-88 | AV | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS26518 | HANDLES, CONTROL, AIRCRAFT RPM, LARGE [VALIDATION DATE: 8808] ..... | A | 1680 | 82 | 10-AUG-88 | AV | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS26519 | HANDLES, CONTROL, AIRCRAFT MIXTURE, LARGE [VALIDATION DATE: 8808] | A | 1680 | 82 | 10-AUG-88 | AV | AS | 99 | |
| | | | NOTICE 1 | REVIEWER: 11 | | | | | | | | |
| | | | MS26520 | HANDLES, CONTROL, AIRCRAFT SUPERCHARGER, LARGE [VALIDATION DATE: 8808] | A | 1680 | 82 | 10-AUG-88 | AV | AS | 99 | |
| | | | NOTICE 1 | REVIEWER: 11 | | | | | | | | |
| | | | MS26521A | HANDLES, CONTROL, AIRCRAFT LANDING GEAR [VALIDATION DATE: 8908] ..... | A | 1680 | 82 | 26-AUG-89 | AV | AS | 99 | |
| | | | MS26522 | HANDLES, CONTROL, AIRCRAFT LANDING FLAP, LARGE [VALIDATION DATE: 8912] .... | A | 1680 | 82 | 06-DEC-89 | AV | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS26523 | HANDLES, CONTROL, AIRCRAFT FIRE EXTINGUISHER [VALIDATION DATE: 8908] ..... | A | 1680 | 82 | 26-AUG-89 | AV | AS | 99 | |
| | | | MS26524 | HANDLES, CONTROL, AIRCRAFT CARBURETOR, LARGE [VALIDATION DATE: 8808] | A | 1680 | 82 | 10-AUG-88 | AV | AS | 99 | |
| | | | NOTICE 1 | REVIEWER: 11 | | | | | | | | |
| | | | MS26525 | HANDLES, CONTROL, AIRCRAFT LIFT TO REVERSE THROTTLE [VALIDATION DATE: 8808] REVIEWER: 11 | A | 1680 | 82 | 10-AUG-88 | AV | AS | 99 | |
| | L | | MS26526C | TIRE, PNEUMATIC, AIRCRAFT, 24 X 5.5 TYPE VII (NAVY) [VALIDATION DATE: 8802] REVIEWER: CS | A | 2620 | AS | 10-FEB-88 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | L | | MS26529 | OAR, METAL, SECTIONAL [VALIDATION DATE: 8104] REVIEWER: 99 ..... | A | 2040 | SH | 02-FEB-56 | | SH | | |
| | L | | MS26533D | TIRE, PNEUMATIC, AIRCRAFT, 26 X 6.6, TYPE VII (NAVY) [VALIDATION DATE: 8410] REVIEWER: CS | A | 2620 | AS | 09-FEB-78 | | AS | | |
| | L | | MS26535C | TIRE, PNEUMATIC, AIRCRAFT, 18 X 5.5 TYPE VII (NAVY) [VALIDATION DATE: 9110] | A | 2620 | AS | 30-OCT-91 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | L | | MS26537C | TIRE, PNEUMATIC, AIRCRAFT, 32 X 8.8 TYPE VII (NAVY) USER: CS ..... | A | 2620 | AS | 17-JAN-86 | | AS | | |
| | L | | MS26538B | TIRE, PNEUMATIC, AIRCRAFT, 20 X 4.4 TYPE VII (NAVY) [VALIDATION DATE: 8802] REVIEWER: CS | A | 2620 | AS | 10-FEB-88 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS26539C | TIRE, PNEUMATIC, AIRCRAFT, 22 X 5.5, TYPE VII (NAVY) [VALIDATION DATE: 9110] | A | 2620 | AS | 30-OCT-91 | AV | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | L | | MS26540B | TIRE, PNEUMATIC, AIRCRAFT, 20X5.5 TYPE VII (NAVY) [VALIDATION DATE: 9110] . | A | 2620 | AS | 30-OCT-91 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | L | | MS26543A | TIRE, PNEUMATIC - AIRCRAFT, 25 X 6.0 TYPE VII (NAVY) [VALIDATION DATE: 8802] REVIEWER: CS | A | 2620 | AS | 10-FEB-88 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS26545R | CYLINDERS; STEEL; COMPRESSED GAS; NON-SHATTERABLE; SEAMLESS; 1800 PSI, AND 2100 PSI REVIEWER: 71 SH | A | 1660 | AS | 29-NOV-91 | AV | AS | 99 | |
| | L | | MS26549 | NIPPLE, QUICK DISCONNECT, 2-1/2 INCH, PRESSURE FUEL SERVICING FLANGE TYPE [VALIDATION DATE: 8410] REVIEWER: CS | A | 4730 | AS | 17-MAR-58 | | AS | | |
| | L | | MS26550B | COUPLING, QUICK DISCONNECT, 2-1/2 INCH PRESSURE FUEL SERVICING, NOZZLE TO | A | 4730 | SH | 19-APR-91 | | SH | | |
| | | | NOTICE 1 | HOSE [VALIDATION DATE: 9104] | | | | | | | | |
| | L | | MS26551 | STRAINER, 2-1/2 INCH PRESSURE FUEL SERVICING [VALIDATION DATE: 8408] USER: CS | A | 2915 | AS | 17-MAR-58 | | AS | | |
| | L | | MS26552 | NIPPLE, QUICK DISCONNECT, 2-1/2 INCH PRESSURE FUEL SERVICING, OPEN FLOW, WRENCH TYPE [VALIDATION DATE: 8410] USER: CS | A | 4730 | AS | 17-MAR-58 | | AS | | |
| | L | | MS26553 | NIPPLE, QUICK DISCONNECT, 2-1/2 INCH PRESSURE FUEL SERVICING WITH CHECK VALVE, WRENCH TYPE [VALIDATION DATE: 8410] | A | 4730 | AS | 17-MAR-58 | | AS | | |
| | | | MS26556A | CASE, FLIGHT REPORT HOLDER AND MAP (ASG) [VALIDATION DATE: 8303] ..... | A | 1680 | AS | 31-MAY-60 | AV | AS | 99 | |
| | | | MS26557A | TIRE, PNEUMATIC, AIRCRAFT, 44 X 13 HIGH SPEED - TYPE VII [VALIDATION DATE: 9110] | A | 2620 | AS | 30-OCT-91 | | AS | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| | L | | MS26558B | TIRE, PNEUMATIC, AIRCRAFT, 24 X 7.7, TYPE VII (NAVY) [VALIDATION DATE: 9110] | A | 2620 | AS | 30-OCT-91 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | L | | MS26563C | TIRE, PNEUMATIC, AIRCRAFT, 40 X 14, (200 MPH), TYPE VII (NAVY) USER: CS ... | A | 2620 | AS | 30-APR-86 | | AS | | |

| Action | QPL / QML | Coordination Activity | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS26565C NOTICE 1 | SPOOL - PHOTOGRAPHIC FILM, AERIAL (VALIDATION DATE: 8909) REVIEWER: GS .... | A | 6760 | 70 | | 25-SEP-89 | ER | AS | 99 | | |
| | | | MS26566C | JACK, AIRCRAFT, LANDING GEAR (AXLE) USER: MC ..... | A | 1730 | AS | | 24-MAR-89 | AV | AS | 99 | | |
| | | | MS26574H | CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I USER: AR AT REVIEWER: 11 AV ES | A | 5925 | AS | | 30-NOV-87 | ER | AS | 85 | | |
| | | | MS26577B | GASKET - AIRPORT MARKER LIGHT BASE (VALIDATION DATE: 8406) REVIEWER: IS ... | A | 5330 | 82 | | 06-OCT-71 | ME | AS | 99 | | |
| | | | MS26578B | LIGHT, MARKER, AIRPORT, SEMIFLUSH, BASE MOUNTED, BIDIRECTIONAL & UNIDIRECTIONAL | A | 6210 | 82 | | 17-SEP-82 | | AS | 99 | | |
| D | | | MS27019G NOTICE 1 | COUPLING ASSEMBLY, QUICK DISCONNECT, CAM-LOCKING TYPE (VALIDATION DATE: 9011) USER: AV MC SH REVIEWER: 82 CS GL SM | A | 4730 | ME | | 14-NOV-90 | ME | YD1 | 99 | | |
| D | | | MS27020D | COUPLING HALF, QUICK DISCONNECT, CAM&LOCKING TYPE, MALE, INTERNAL PIPE THREAD, TYPE I USER: AT MC SH REVIEWER: 82 AV CS GL MI | A | 4730 | ME | | 04-OCT-85 | ME | YD1 | 99 | | |
| D | | | MS27021E NOTICE 1 | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE (VALIDATION DATE: 9011) USER: AT CS MC SH REVIEWER: 82 AV GL | A | 4730 | ME | | 14-NOV-90 | ME | YD1 | 99 | | |
| D | | | MS27022E | COUPLING HALF, QUICK DISCONNECT CAM-LOCKING TYPE, MALE EXTERNAL PIPE THREAD, TYPE III USER: AT MC SH REVIEWER: 82 AV CS GL | A | 4730 | ME | | 21-SEP-92 | ME | YD1 | 99 | | |
| D | | | MS27023E NOTICE 1 | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, FLANGED, TYPE IV (VALIDATION DATE: 9011) USER: AT MC REVIEWER: 82 AV CS GL | A | 4730 | ME | | 14-NOV-90 | ME | YD1 | 99 | | |
| D | | | MS27024D | COUPLING HALF, QUICK DISCONNECT, CAM&LOCKING TYPE, FEMALE, INTERNAL PIPE THREAD, TYPE V USER: AT MC SH SM REVIEWER: 82 AV CS GL | A | 4730 | ME | | 04-OCT-85 | ME | YD1 | 99 | | |
| D | | | MS27025E | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, HOSE SHANK, TYPE VI USER: AT MC REVIEWER: 82 AV CS GL | A | 4730 | ME | | 04-OCT-85 | ME | YD1 | 99 | | |
| D | | | MS27026D | COUPLING HALF, QUICK DISCONNECT, CAM&LOCKING TYPE, FEMALE, EXTERNAL PIPE THREAD, TYPE VII USER: AT MC SH REVIEWER: AV CS GL | A | 4730 | ME | | 04-OCT-85 | ME | YD1 | 99 | | |
| D | | | MS27027E | COUPLING HALF, QUICK DISCONNECT, CAM&LOCKING TYPE, FEMALE, FLANGED, TYPE VIII USER: AT MC REVIEWER: 82 CS GL | A | 4730 | ME | | 31-AUG-87 | ME | YD1 | 99 | | |
| D | | | MS27028E | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, CAP, DUST, TYPE IX USER: AT MC REVIEWER: 82 AV CS GL | A | 4730 | ME | | 04-OCT-85 | ME | YD1 | 99 | | |
| D | | | MS27029E NOTICE 1 | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, PLUG, DUST, TYPE X (VALIDATION DATE: 9011) USER: AT MC REVIEWER: 82 AV CS GL | A | 4730 | ME | | 14-NOV-90 | ME | YD1 | 99 | | |
| D | | | MS27030D NOTICE 1 | GASKET-COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE (VALIDATION DATE: 9011) USER: MC REVIEWER: 82 AV CS GL | A | 5330 | ME | | 14-NOV-90 | ME | YD1 | 99 | | |
| D | | | MS27031D NOTICE 1 | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, DRILLING TEMPLATE (VALIDATION DATE: 9011) USER: MC SH REVIEWER: 82 AV CS GL SM | A | 4730 | ME | | 14-NOV-90 | ME | YD1 | 99 | | |
| | | | MS27033B | LIGHT, MARKER, AIRPORT TAXIWAY(ASG) (SUPERSEDES MS 24514)USAF( (VALIDATION DATE: 8505) REVIEWER: GS | A | 6210 | 82 | | 18-DEC-64 | | AS | 99 | | |
| | LI | | MS27034H | CONNECTOR, RECEPTACLE, ELECTRICAL, PIN INSERT, CYLINDRICAL, MINIATURE, HERMETIC, SOLDER MOUNT REVIEWER: 11 17 99 ES | A | 5935 | 85 | | 07-SEP-90 | | | 85 | | |
| | | | MS27037B NOTICE 1 | CLAMP ASSEMBLY - MEDIUM INTENSITY RUNWAY LIGHT (VALIDATION DATE: 8809) REVIEWER: GS | A | 6210 | 82 | | 10-SEP-88 | ME | AS | 99 | | |
| D | | | MS27039A | SCREW, MACHINE - PAN HEAD, STRUCTURAL, CROSS - RECESSED USER: ME REVIEWER: AV MI | A | 5305 | IS | | 12-FEB-91 | AR | AS | 99 | IS | |
| D | | | MS27040B | NUT, PLAIN, SQUARE-STEEL, CADMIUM PLATED (VALIDATION DATE: 8003) USER: MC YD1 REVIEWER: AV IS ME MI | A | 5310 | AR | | 01-FEB-74 | AR | SH | 99 | | |
| | | | MS27041D NOTICE 1 | BEARING, JEWEL - BAR HOLE (VALIDATION DATE: 8808) REVIEWER: AS GS ..... | A | 6695 | 82 | | 08-AUG-88 | AR | SH | 99 | | |
| | | | MS27042C NOTICE 1 | BEARING, JEWEL - OLIVE HOLE, DOUBLE CUP (VALIDATION DATE: 8808) REVIEWER: AS GS | A | 6695 | 82 | | 17-AUG-88 | AR | SH | 99 | | |
| | | | MS27043B | BEARING, JEWEL - OLIVE HOLE, BOMBE (VALIDATION DATE: 8808) REVIEWER: AS GS | A | 6695 | 82 | | 17-AUG-88 | AR | SH | 99 | | |
| | | | MS27044C | BEARING, JEWEL - OLIVE HOLE, RINGSTONE (VALIDATION DATE: 8808) REVIEWER: AS GS | A | 6695 | 82 | | 15-AUG-88 | AR | SH | 99 | | |
| | | | MS27045B | BEARING, JEWEL - VEE (VALIDATION DATE: 8808) USER: ME REVIEWER: AS GS ..... | A | 6695 | 82 | | 15-AUG-88 | AR | SH | 99 | | |
| | | | MS27046B NOTICE 1 | BEARING, JEWEL - CUP (VALIDATION DATE: 8812) REVIEWER: AS GS ..... | A | 6695 | 82 | | 09-DEC-88 | AR | SH | 99 | | |
| | | | MS27047B NOTICE 1 | BEARING, JEWEL - ENDSTONE (VALIDATION DATE: 8812) REVIEWER: AS GS ..... | A | 6695 | 82 | | 09-DEC-88 | AR | SH | 99 | | |
| | | | MS27048B NOTICE 1 | BEARING, JEWEL - OLIVE HOLE, SINGLE CUP (VALIDATION DATE: 8805) REVIEWER: GS | A | 6695 | 82 | | 24-MAY-88 | AV | AS | 99 | | |
| | | | MS27049B NOTICE 1 | BEARING, JEWEL - BAR HOLE, BOMBE' (VALIDATION DATE: 8812) REVIEWER: AS GS . | A | 6695 | 82 | | 09-DEC-88 | AR | SH | 99 | | |
| | | | MS27053C | ADAPTER ASSEMBLY, FLARED, STRAIGHT, TUBE TO HOSE (WITH SWIVEL NUT) (VALIDATION DATE: 8406) USER: ME REVIEWER: CS MI | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27054C | ADAPTER ASSEMBLY, STRAIGHT, SWIVEL FLANGE TO HOSE (VALIDATION DATE: 8406) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27055C | ADAPTER ASSEMBLY, FLARED, 45 DEG ELBOW, TUBE TO HOSE - WITH SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27056C | ADAPTER ASSEMBLY, 45 DEG ELBOW, SWIVEL FLANGE TO HOSE (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27057C | ADAPTER ASSEMBLY, FLARED, 90 DEG ELBOW, TUBE TO HOSE - WITH SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27058C | ADAPTER ASSEMBLY, 90 DEG ELBOW, SWIVEL FLANGE TO HOSE (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27059C | ADAPTER ASSEMBLY, FLARED, 45 DEG FORGED ELBOW, TUBE TO HOSE- WITH SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME REVIEWER: CS MI | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27060C | ADAPTER ASSEMBLY, FLARED, 90 DEGREE FORGED ELBOW, TUBE TO HOSE-WITH SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27061B | NIPPLE SUB ASSEMBLY, FLARED, STRAIGHT - WITH SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27062B | NIPPLE SUB ASSEMBLY, STRAIGHT, SWIVEL FLANGE (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27063D | ELBOW SUB ASSEMBLY, FLARED, 45 DEG. SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27064C | ELBOW SUB ASSEMBLY, SWIVEL FLANGE, 45 DEG (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27065D | ELBOW SUB ASSEMBLY, FLARED, 90 DEG, SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27066D | ELBOW SUB ASSEMBLY, SWIVEL FLANGE, 90 DEG (VALIDATION DATE: 8503) USER: AR CS ME MI | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27067B | ELBOW SUB ASSEMBLY, FLARED, 45 DEG FORGED, SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | L | | MS27068B | ELBOW SUB ASSEMBLY, FLARED, 90 DEG FORGED, SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | | | 99 | | |
| | | | MS27069E | SOCKET, HOSE COUPLING (VALIDATION DATE: 8104) USER: MI SH REVIEWER: CS .... | A | 4730 | 82 | | 06-MAR-69 | AV | AS | 99 | | |
| | | | MS27070C NOTICE 1 | SLEEVE, HOSE COUPLING (VALIDATION DATE: 8901) USER: MI SH REVIEWER: CS .... | A | 4730 | 82 | | 16-JAN-89 | AV | AS | 99 | | |
| | L | | MS27071B | UNION, NIPPLE (VALIDATION DATE: 8104) USER: MI SH ..... | A | 4730 | 82 | | 02-MAY-66 | | | 99 | | |
| | | | MS27072C | WIRE, RETAINER (VALIDATION DATE: 8104) USER: ME MI ..... | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27073E | NUT, TUBE COUPLING - SWIVEL USER: AR ME ..... | A | 4730 | 82 | | 12-AUG-77 | AV | AS | 99 | | |
| | L | | MS27074B | WIRE, RETAINER (VALIDATION DATE: 8104) USER: SH REVIEWER: 69 ..... | A | 4730 | 82 | | 02-MAY-66 | | | 99 | | |
| | | | MS27075B | NIPPLE, FLARED, TUBE TO HOSE- SWIVEL NUT (VALIDATION DATE: 8104) USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | | | MS27076C | NIPPLE, STRAIGHT, SWIVEL FLANGE (VALIDATION DATE: 8503) USER: AR ME MI .... | A | 4730 | 82 | | 30-JUN-72 | AV | AS | 99 | | |
| | L | | MS27077B | FLANGE, SWIVEL, RETAINING (VALIDATION DATE: 8104) USER: MI SH ..... | A | 4730 | 82 | | 02-MAY-66 | | | 99 | | |

| Action | QPL / QML | Coordination Activity | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS27082C | ELBOW, NIPPLE END, SWIVEL FLANGE TO HOSE-90 DEGREES [VALIDATION DATE: 8503] USER: AR MI SH | A | 4730 | 82 | | 30-JUN-72 | AV | AS | | 99 |
| | | | MS27084B | ELBOW, NIPPLE END, SWIVEL FLANGE TO HOSE - 45 DEG. [VALIDATION DATE: 8503] USER: AR ME MI | A | 4730 | 82 | | 30-JUN-72 | AV | AS | | 99 |
| | | | MS27086B | ELBOW, NIPPLE END, FLARED, TUBE TO HOSE-90 DEGREES SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI | A | 4730 | 82 | | 30-JUN-72 | AV | AS | | 99 |
| | | | MS27087B | ELBOW, NIPPLE END, FLARED, TUBE TO HOSE - 45 DEG. SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI | A | 4730 | 82 | | 30-JUN-72 | AV | AS | | 99 |
| | | | MS27110C | WIRE, ELECTRICAL - SILICONE INSULATED, COPPER, 600 VOLT, 200 DEG. C. FEP JACKE300661T (ASG) [VALIDATION DATE: 8302] | A | 6145 | 85 | | 06-JAN-89 | AV | AS | | 85 |
| | | | MS27111A | WASHER, KEY, FLAT, GENERAL PURPOSE. [VALIDATION DATE: 8203] USER: AT MC OS REVIEWER: 82 AV IS ME MI | A | 5310 | AR | | 01-AUG-68 | AR | | | 99 |
| | | | MS27114C | COUPLING, CLAMP, GROOVED, V BAND, 1.750 TO 14.250 FLANGE OD, (MINUS 65 | A | 5340 | 82 | | 02-SEP-86 | AV | AS | | 99 |
| | | NOTICE 1 | | DEG. TO PLUS 800 DEG. F) [VALIDATION DATE: 8609] USER: AT ME REVIEWER: IS | | | | | | | | | |
| | | | MS27115C | COUPLING, CLAMP, GROOVED, V BAND, 1.750 TO 6.250 FLANGE OD (MINUS 450 DEG. | A | 5340 | 82 | | 02-SEP-86 | AV | AS | | 99 |
| | | NOTICE 1 | | TO PLUS 200 DEG. F) USER: AT REVIEWER: IS | | | | | | | | | |
| | | | MS27116C | COUPLING, CLAMP, GROOVED, V BAND, 1.750 TO 14.250 FLANGE OD (MINUS 320 | A | 5340 | 82 | | 02-SEP-86 | AV | AS | | 99 |
| | | NOTICE 1 | | DEG. TO PLUS 1500 DEG. F) [VALIDATION DATE: 8609] USER: AT ME REVIEWER: IS | | | | | | | | | |
| | L | | MS27120A | CLEVIS, ROD END&TURNBUCKLE (GENERAL PURPOSE) [VALIDATION DATE: 8203] USER: AT AV ER MC REVIEWER: IS ME | A | 5340 | AR | | 26-JUN-68 | AR | | | |
| | | | MS27127D | NUT, WELDING - WITHOUT PILOT [VALIDATION DATE: 8203] USER: AS MC OS REVIEWER: AT AV EA GL MI | A | 5310 | AR | | 15-JAN-76 | AR | SH | | |
| | | | MS27128D | NUT, WELDING-PILOT [VALIDATION DATE: 8203] USER: AS AV MC ME OS SH REVIEWER: AT GL IS MI | A | 5310 | AR | | 15-JAN-76 | AR | | | 99 |
| | D | | MS27129C | WASHER, FINISHING&COUNTERSUNK. USER: 82 AT MC MV YD1 REVIEWER: AS AV IS MI | A | 5310 | AR | | 18-AUG-87 | AR | | | 99 |
| | | | MS27130F | NUT, PLAIN, BLIND RIVET-FLAT AND COUNTERSUNK HEAD, OPEN END USER: AT MC ME REVIEWER: AV IS MI OS | A | 5310 | AR | | 29-JAN-85 | AR | AS | | 99 |
| | | | MS27131C | NUT, PLAIN, BLIND RIVET-FLAT HEAD, CLOSED END (INACTIVE FOR DESIGN) [VALIDATION DATE: 8504] USER: AT MC ME REVIEWER: AV IS MI OS | A | 5310 | AR | | 18-APR-73 | AR | AS | | 99 |
| | D L | | MS27134B | TRANSFORMER, POWER, ISOLATION: AIRPORT LIGHTING, 300W/6.6A/6.6A/5000V REVIEWER: 11 99 AS ES YD1 | A | 5950 | 85 | | 15-NOV-90 | | | | 85 |
| | | I | MS27138A | CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-1179/U [VALIDATION DATE: 9108] | A | 5935 | CR | | 09-AUG-91 | CR | EC | | 85 |
| | | NOTICE 1 | | USER: MC REVIEWER: 17 99 ES | | | | | | | | | |
| | | I | MS27140A | CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-1258/U [VALIDATION DATE: 9108] | A | 5935 | CR | | 06-AUG-91 | CR | EC | | 85 |
| | | NOTICE 1 | | USER: AS MC REVIEWER: 11 17 99 ES | | | | | | | | | |
| | | | MS27142C | CONNECTOR, PLUG, ELECTRICAL-PIN CONTACT NO. 12, 14, 8, 16 A.W.G. WATER PROOF USER: MC ME | A | 5935 | AT | | 23-OCT-84 | AT | | | 80 |
| | D | | MS27143B | CONNECTOR, PLUG, ELECTRICAL&SOCKET CONTACT, NO.12 A.W.G., WATERPROOF USER: MC REVIEWER: 85 CR ES ME | A | 5935 | AT | | 16-FEB-88 | AT | YD1 | | |
| | | | MS27144B | CONNECTOR, PLUG, ELECTRICAL, SOCKET CONTACT, NO. 14 AND 16 A.W.G., WATERPROOF USER: MC REVIEWER: 85 CR ES ME | A | 5935 | AT | | 16-FEB-88 | AT | | | |
| | D | | MS27145B | CONNECTOR, PLUG, ELECTRICAL&NO.14 A.W.G., DOUBLE CONTACT, WATERPROOF USER: MC REVIEWER: ES ME MI | A | 5935 | AT | | 16-FEB-88 | AT | YD1 | | |
| | D | | MS27146B | CONNECTOR, RECEPTACLE, ELECTRICAL: DOUBLE CONTACT, WATERPROOF USER: AR GL MC YD1 REVIEWER: 85 CR ES ME | A | 5935 | AT | | 14-APR-89 | AT | | | 99 |
| | | L | MS27147C | ADAPTOR, CONNECTOR-3IWAY NO. 12, 14 AND 16 A.W.G. WATERPROOF USER: MC REVIEWER: 85 CR ES ME | A | 5935 | AT | | 16-FEB-88 | AT | | | |
| | D | | MS27148C | CONTACT, ELECTRICAL NO. 12, 14, AND 16 A.W.G. USER: MC REVIEWER: AR ES ME . | A | 5999 | AT | | 23-OCT-92 | AT | YD1 | | |
| | D | | MS27149B | CASTER, RIGID AND SWIVEL, PRECISION, HEAVY DUTY [VALIDATION DATE: 8406] USER: 11 CE REVIEWER: 15 GL IS | A | 5340 | 82 | | 03-SEP-65 | AR | YD1 | | 99 |
| | | | MS27150E | INDICATOR, ATTITUDE, REMOTE, STANDBY [VALIDATION DATE: 8805] ..... | A | 6610 | 71 | | 27-MAY-88 | AV | AS | | 99 |
| | | NOTICE 1 | | | | | | | | | | | |
| | D | | MS27151B | NUT, STAMPED&STANDARD TYPE [VALIDATION DATE: 8203] USER: AS AT MC OS SH REVIEWER: AV IS ME MI | A | 5310 | AR | | 19-JAN-76 | AR | YD1 | | 99 |
| | | L | MS27152B | SWITCH, PRESSURE-WARNING, LOW AIR PRESSURE, 60 PSI, SPST, WATERPROOF | A | 5930 | AT | | 16-JAN-91 | AT | | | |
| | | NOTICE 1 | | [VALIDATION DATE: 9101] USER: 11 MC ME REVIEWER: 99 ES | | | | | | | | | |
| | | | MS27183E | WASHER, FLAT-ROUND, STEEL, CADMIUM PLATED, GENERAL PURPOSE USER: AS ER MC SH REVIEWER: AV IS MI MS | A | 5310 | AR | | 25-APR-86 | AR | OS | | 99 |
| | | L | MS27188 | PROBE, TOTAL TEMPERATURE, DEICEABLE [VALIDATION DATE: 7908] REVIEWER: GS .. | A | 6685 | 82 | | 01-FEB-62 | | | | 99 |
| | | | MS27190B | CONNECTOR, RECEPTACLE, ELECTRICAL & HIGH VOLTAGE, WATERPROOF USER: 11 CR MC ME REVIEWER: ES | A | 5935 | AT | | 13-MAR-87 | AT | | | 17 |
| | | | MS27191B | CONNECTOR, PLUG, ELECTRICAL & HIGH VOLTAGE, WATERPROOF [VALIDATION DATE: 8502] REVIEWER: EC ES | A | 5935 | AT | | 17-SEP-75 | AT | | | 17 |
| | | | MS27193A | DUMMY CONNECTOR, PLUG&HIGH VOLTAGE REVIEWER: ES ..... | A | 5935 | AT | | 13-MAR-87 | AT | | | 17 |
| | | L | MS27194 | SEAL, PLAIN, RUBBER, (MINUS 65 TO PLUS 160 DEG. F FUEL RESISTANT), MOLD IN | A | 5330 | 82 | | 10-SEP-90 | | | | 82 |
| | | NOTICE 1 | | GROOVE [VALIDATION DATE: 9009] REVIEWER: IS ME | | | | | | | | | |
| | | L | MS27195A | SEAL, PLAIN, RUBBER, SYNTHETIC OIL RESISTANT, (MINUS 65 TO PLUS 275 DEG | A | 5330 | 82 | | 10-SEP-90 | | | | 82 |
| | | NOTICE 1 | | F), MOLD IN GROOVE [VALIDATION DATE: 9009] REVIEWER: IS MI | | | | | | | | | |
| | | L | MS27196B | GASKET, RUBBER, FLUID RESISTANT, OILS, SYNTHETIC OILS, AND FUELS (MINUS 65 | A | 5330 | 82 | | 10-SEP-90 | | | | 82 |
| | | NOTICE 1 | | TO PLUS 400 DEG. F) MOLD IN GROOVE [VALIDATION DATE: 9009] REVIEWER: IS | | | | | | | | | |
| | | L | MS27197B | SEAL PLAIN, RUBBER, (HOT RESISTANT 400 DEG. F) MOLD IN GROOVE [VALIDATION | A | 5330 | 82 | | 10-SEP-90 | | | | 82 |
| | | NOTICE 1 | | DATE: 9009] REVIEWER: IS | | | | | | | | | |
| | | L | MS27198B | SEAL, PLAIN, RUBBER, (MINUS 65 TO PLUS 350 DEG. F FUEL RESISTANT) MOLD IN | A | 5330 | 82 | | 10-SEP-90 | | | | 82 |
| | | NOTICE 1 | | GROOVE [VALIDATION DATE: 9009] REVIEWER: IS | | | | | | | | | |
| | | | MS27202 | INDICATOR, POSITION, LANDING GEAR, SYMBOL-INDICATING, INTEGRALLY LIGHTED | A | 6610 | 70 | | 04-APR-86 | | AS | | 99 |
| | | NOTICE 1 | | (ASG) [VALIDATION DATE: 8604] | | | | | | | | | |
| | | L | MS27209B | POWER SUPPLY ECU-45/A REVIEWER: GS ..... | A | 6130 | 80 | | 04-FEB-87 | | | | 99 |
| | | NOTICE 1 | | | | | | | | | | | |
| | | | MS27210 | DENSITY STEP WEDGE [VALIDATION DATE: 8502] ..... | A | EDRS | ER | | 16-JUL-62 | ER | AS | | 16 |
| | | L | MS27211C | THERMOMETER, INDICATING, CAPILLARY TUBE & BULB, 2 1/2 INCH DIAL SIZE USER: | A | 6685 | GL | | 14-NOV-86 | GL | | | 99 |
| | | | | AR CE EA MC ME MS REVIEWER: GS MD | | | | | | | | | |
| | | | MS27212M | TERMINAL BOARD ASSEMBLY, MOLDED-IN-STUD, ELECTRIC USER: MC REVIEWER: 17 99 GS MI | A | 5940 | AS | | 15-SEP-89 | ER | AS | | 85 |
| | | | MS27215C | PLUG, DEHYDRATOR, HUMIDITY INDICATING, ENGINE CYLINDER, 18 MM THREAD | A | 6685 | AS | | 09-OCT-91 | ME | AS | | 99 |
| | | NOTICE 1 | | [VALIDATION DATE: 9110] USER: AR REVIEWER: AV OS | | | | | | | | | |
| | A | | MS27222L(1) | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3 PST, N.O. TYPE I, HERMETICALLY SEALED REVIEWER: 99 EC ES | A | 5945 | 85 | | 12-MAR-93 | | AS | | 85 |
| | | | MS27223A | NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 90 DEG [VALIDATION DATE: 8405] REVIEWER: CS | A | 4730 | 82 | | 27-MAR-72 | | AS | | 99 |
| | | | MS27224 | SWIVEL NUT ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 90 DEG [VALIDATION DATE: 8304] REVIEWER: CS | A | 4730 | 82 | | 06-AUG-64 | | AS | | 99 |
| | | | MS27225A | NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 45 DEG [VALIDATION DATE: 8405] REVIEWER: CS | A | 4730 | 82 | | 27-MAR-72 | ME | AS | | 99 |
| | | | MS27226 | SWIVEL NUT ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 45 DEG [VALIDATION DATE: 8304] REVIEWER: CS | A | 4730 | 82 | | 06-AUG-64 | | AS | | 99 |
| | | | MS27227 | FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 90 DEG [VALIDATION DATE: 8304] | A | 4730 | 82 | | 06-AUG-64 | | AS | | 99 |
| | | | MS27228 | FLANGE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 90 DEG [VALIDATION DATE: 8304] REVIEWER: CS | A | 4730 | 82 | | 06-AUG-64 | | AS | | 99 |
| | | | MS27229 | FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 45 DEG [VALIDATION DATE: 8304] | A | 4730 | 82 | | 06-AUG-64 | | AS | | 99 |
| | | | MS27230 | FLANGE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 45 DEG [VALIDATION DATE: 8304] REVIEWER: CS | A | 4730 | 82 | | 06-AUG-64 | | AS | | 99 |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Doc. Stat. | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MS27231 | STRAIGHT FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [VALIDATION DATE: 8304] | A | 4730 | 82 | 06-AUG-64 | | AS | | 99 |
| | | | | MS27232 | STRAIGHT FLANGE ASSEMBLY ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [VALIDATION DATE: 8405] REVIEWER: CS | A | 4730 | 82 | 06-AUG-64 | | AS | | 99 |
| | | | | MS27234A | ELBOW TUBE, 90 DEG (USED ON MS27224 AND MS27228 HOSE TO TUBE ADAPTERS) [VALIDATION DATE: 8207] USER: ME REVIEWER: AV MI | A | 4730 | 82 | 16-JUN-69 | | AS | | 99 |
| | | | | MS27236 | SHOULDER-DESIGNED FOR 45 DEG AND 90 DEG SWIVEL NUT HOSE TO TUBE ADAPTERS, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [VALIDATION DATE: 8304] | A | 4730 | 82 | 06-AUG-64 | | AS | | 99 |
| | | | | MS27238 | WIRE, NUT RETAINING, DESIGNED FOR ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [VALIDATION DATE: 8304] | A | 4730 | 82 | 06-AUG-64 | | AS | | 99 |
| | | | | MS27242J | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST, N.O. TYPE I, HERMETICALLY SEALED | A | 5945 | 85 | 09-OCT-90 | | AS | | 85 |
| A | | | | MS27243H | TERMINAL COVER-RELAY REVIEWER: 99 ES | A | 5945 | 85 | 26-AUG-92 | | AS | | 85 |
| A | I | | | MS27245N | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2PDT, TYPE I, HERMETICALLY SEALED REVIEWER: 99 AS | A | 5945 | 85 | 22-JUL-92 | | EC | | 85 |
| A | I | | | MS27247L | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2PDT, TYPE I, HERMETICALLY SEALED REVIEWER: 99 AS | A | 5945 | 85 | 22-JUL-92 | | EC | | 85 |
| A | L | | | MS27249E | TERMINAL BOARDS, SECTIONAL USER: 17 70 71 79 REVIEWER: 80 GS MI | A | 5940 | 85 | 05-MAR-93 | | | | 85 |
| | | | | MS27253B | PLATE, IDENTIFICATION [VALIDATION DATE: 8204] REVIEWER: AV | A | 9905 | 84 | 02-SEP-71 | GL | AS | | 99 |
| | I | | | MS27254G | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, PLUG-IN, HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | 10-FEB-89 | | AS | | 85 |
| | I | | | MS27255J | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, SOLDER HOOKS HERMETICALLY SEALED REVIEWER: 11 99 EC | A | 5945 | 85 | 10-FEB-89 | | AS | | 85 |
| A | L | | | MS27265A NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL - RAMP POWER, 416/240 VOLTS, MALE [VALIDATION DATE: 9302] | A | 5935 | 85 | 11-FEB-93 | | | | 11 |
| A | L | | | MS27266 NOTICE 1 | INSERT, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS, MALE [VALIDATION DATE: 9302] | A | 5935 | 85 | 11-FEB-93 | | | | 85 |
| | L | | | MS27267 NOTICE 1 | SHELL, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS [VALIDATION DATE: 8911] | A | 5935 | 85 | 17-NOV-89 | | | | 85 |
| | L | | | MS27271 | GROMMET, RUBBER - PLUG CONNECTOR, RAMP POWER, 416/240 VOLTS [VALIDATION DATE: 8805] REVIEWER: 99 ES | A | 5935 | 85 | 17-MAY-88 | | | | 85 |
| | L | | | MS27272 | CAP-PLUG, PROTECTIVE DUST & MOISTURE SEAL - PLUG CONNECTOR, RAMP POWER, 416/240 VOLTS [VALIDATION DATE: 8805] REVIEWER: 99 ES | A | 5935 | 85 | 17-MAY-88 | | | | 85 |
| D | L | | | MS27280A | STAKE MOUNTING, AIRCRAFT MARKER LIGHT USER: YD1 REVIEWER: GS | A | 6210 | 82 | 30-APR-84 | | | | 99 |
| | L | | | MS27282 NOTICE 1 | INSERT, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS, FEMALE [VALIDATION DATE: 8805] REVIEWER: 99 ES | A | 5935 | 85 | 17-MAY-88 | | | | 85 |
| A | L | | | MS27283B NOTICE 2 | CONTACT, ELECTRICAL-PLUG CONNECTOR, RAMP POWER, 416/240 VOLTS, LARGE, FEMALE [VALIDATION DATE: 9302] | A | 5935 | 85 | 11-FEB-93 | | | | 11 |
| | L | | | MS27285A | CONNECTOR, PLUG, ELECTRICAL-RAMP POWER, 416/240 VOLTS, FEMALE REVIEWER: 82 | A | 5935 | 85 | 24-JUN-87 | | | | 85 |
| D | L | | | MS27286C | TRANSFORMER, POWER, ISOLATION: AIRPORT LIGHTING 200W/20A/6.6A/5000V REVIEWER: 11 99 AS ES YD1 | A | 5950 | 85 | 15-NOV-90 | | | | 85 |
| | L | | | MS27288C | TRANSFORMER, POWER, ISOLATION: AIRPORT LIGHTING, 200W/6.6A/6.6A/5000V REVIEWER: 11 99 AS ES | A | 5950 | 85 | 15-NOV-90 | | | | 85 |
| | L | | | MS27289C | TRANSFORMER, POWER, ISOLATION: AIRPORT LIGHTING 30-45W/6.6A/6.6A/5000V REVIEWER: 11 99 AS ES | A | 5950 | 85 | 15-NOV-90 | | | | 85 |
| | L | | | MS27291D NOTICE 1 | SUPPORT, CABLE, ELECTRICAL CONNECTOR (INACTIVE) [VALIDATION DATE: 8701] REVIEWER: 11 17 99 ES | A | 5935 | 85 | 30-JAN-87 | | | | 85 |
| D | L | | | MS27302C | TRANSFORMER, POWER, ISOLATION: AIRPORT LIGHTING, 500W/20A/20A/5000V REVIEWER: 11 99 ES YD1 | A | 5950 | 85 | 15-NOV-90 | | | | 85 |
| | L | | | MS27307E | CELL, BATTERY, AIRCRAFT STORAGE, NICKEL CADIUM REVIEWER: GS | A | 6140 | 80 | 12-SEP-80 | | | | 99 |
| | L | | | MS27308B | CONNECTOR, BATTERY CELL, OFFSET [VALIDATION DATE: 8304] | A | 6140 | 80 | 26-MAY-77 | | | | 99 |
| | L | | | MS27309A | CONNECTOR, BATTERY CELL, STRAIGHT [VALIDATION DATE: 8303] REVIEWER: GS | A | 6140 | 80 | 26-MAY-77 | | | | 99 |
| | L | | | MS27310A | CONNECTOR, BATTERY CELL, CURVED [VALIDATION DATE: 8304] REVIEWER: GS | A | 6140 | 80 | 26-MAY-77 | | | | 99 |
| | L | | | MS27334C NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, WALL MOUNTING FLANGE, BAYONET COUPLING [VALIDATION DATE: 8701] REVIEWER: 99 ES | A | 5935 | 85 | 30-JAN-87 | | | | 85 |
| | L | | | MS27335C NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC, BOX, FLANGE MOUNT, SOLDER TYPE, BAYONET COUPLING [VALIDATION DATE: 8701] REVIEWER: 99 ES | A | 5935 | 85 | 30-JAN-87 | | | | 85 |
| | L | | | MS27336E NOTICE 1 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, STRAIGHT, BAYONET COUPLING [VALIDATION DATE: 8701] REVIEWER: 99 ES MI | A | 5935 | 85 | 30-JAN-87 | | | | 85 |
| | L | | | MS27337C NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, SOLDER TYPE, BAYONET COUPLING [VALIDATION DATE: 8701] REVIEWER: 99 ES MI | A | 5935 | 85 | 30-JAN-87 | | | | 85 |
| | | | | MS27342D NOTICE 1 | ADAPTER, ELECTRICAL CONNECTOR, SERIES I AND II [VALIDATION DATE: 8901] REVIEWER: 11 15 17 99 AR AV EC ES MC MI OS | A | 5935 | 85 | 13-JAN-89 | CR | AS | | 85 |
| | L | | | MS27376C | PITOT-STATIC TUBE, 115 VOLT, 400 CYCLE, FUSELAGE MOUNTED | A | 6610 | 71 | 14-JUN-88 | | | | 99 |
| | | | | MS27379A NOTICE 1 | ADAPTER, FLUID TANK FILLER [VALIDATION DATE: 9108] | A | 1560 | 82 | 07-AUG-91 | | AS | | 99 |
| | | | | MS27380D | LANYARD, FLUID TANK CAP [VALIDATION DATE: 8902] REVIEWER: AV | A | 1560 | 82 | 17-FEB-89 | | AS | | 99 |
| | | | | MS27381A | ADAPTER ASSEMBLY, FLARELESS, STRAIGHT, TUBE TO HOSE WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: ME MI REVIEWER: CS | A | 4730 | 82 | 30-JUN-72 | AV | AS | | 99 |
| | | | | MS27382A NOTICE 1 | ADAPTER ASSEMBLY, FLARELESS, 45 DEGREE ELBOW TUBE TO HOSE-WITH SWIVEL NUT [VALIDATION DATE: 8901] USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | 16-JAN-89 | AV | AS | | 99 |
| | | | | MS27383A | ADAPTER ASSEMBLY, FLARELESS, 90 DEG ELBOW, TUBE TO HOSE- WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR CS ME MI | A | 4730 | 82 | 30-JUN-72 | AV | AS | | 99 |
| | | | | MS27384A | ADAPTER ASSEMBLY, FLARELESS, 45 DEG FORGED ELBOW, TUBE TO HOSE- WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | 30-JUN-72 | AV | AS | | 99 |
| | | | | MS27385A | ADAPTER ASSEMBLY, FLARELESS, 90 DEG FORGED ELBOW, TUBE TO HOSE WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | 30-JUN-72 | AV | AS | | 99 |
| | | | | MS27386A | NIPPLE SUB ASSEMBLY, FLARELESS, STRAIGHT- WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | 30-JUN-72 | | AS | | 99 |
| | | | | MS27387B | ELBOW SUB ASSEMBLY, FLARELESS, 45 DEG, SWIVEL NUT [VALIDATION DATE: 8503] USER: ME MI SH REVIEWER: CS | A | 4730 | 82 | 30-JUN-72 | AV | AS | | 99 |
| | | | | MS27388B | ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG, SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | 30-JUN-72 | AV | AS | | 99 |
| | | | | MS27389A | ELBOW SUB ASSEMBLY, FLARELESS, 45 DEG FORGED, SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | 30-JUN-72 | AV | AS | | 99 |
| | | | | MS27390A | ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG, FORGED, SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS | A | 4730 | 82 | 30-JUN-72 | | AS | | 99 |
| | | | | MS27391C | NIPPLE, FLARELESS, TUBE TO HOSE-SWIVEL NUT USER: AR ME MI | A | 4730 | 82 | 23-AUG-86 | AV | AS | | 99 |
| | | | | MS27394A | ELBOW, FLARELESS, TUBE TO HOSE- 90 DEG [VALIDATION DATE: 8504] | A | 4730 | 82 | 30-JUN-72 | AV | AS | | 99 |
| | | | | MS27395A | ELBOW, FLARELESS, TUBE TO HOSE - 45 DEG, SWIVEL NUT [VALIDATION DATE: 8504] USER: AR ME MI | A | 4730 | 82 | 30-JUN-72 | | AS | | 99 |
| | L | | | MS27399 NOTICE 1 | CONNECTOR, ELECTRICAL, STYLE S, RACK AND PANEL MINIATURE, CLOSED ENTRY [VALIDATION DATE: 8608] REVIEWER: ES | A | 5935 | 85 | 08-AUG-86 | | | | 85 |
| A | | | | MS27400V | RELAYS, ELECTROMAGNETIC, TYPE I, (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), PERMANENT MAGNET DRIVE, 10 AMPERES, 4PDT, HERMETICALLY SEALED USER: AR REVIEWER: 99 AS MI OS | A | 5945 | 85 | 22-OCT-92 | ER | EC | | 85 |
| A | | | | MS27401W | RELAYS, ELECTROMAGNETIC, TYPE I, (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), PERMANENT MAGNET DRIVE, 10 AMPERES, 2PDT, HERMETICALLY SEALED USER: AR REVIEWER: 99 AS ES MI OS | A | 5945 | 85 | 10-SEP-92 | ER | EC | | 85 |
| | | | | MS27402A NOTICE 1 | LABEL TAPE, PRESSURE SENSITIVE ADHESIVE REVIEWER: GS | A | 7690 | 84 | 24-JUL-87 | GL | | | 99 |
| | | | | MS27403 NOTICE 1 | INDICATOR, POSITION, LANDING GEAR, 28 VOLT DC [VALIDATION DATE: 8611] | A | 6610 | 71 | 03-DEC-86 | | AS | | 99 |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MS27404 | ADAPTER, STRAIGHT, REUSABLE, TUBE TO HOSE, LOW PRESSURE (VALIDATION DATE: | A | 4730 | 82 | 03-JUN-88 | AV | AS | 99 | |
| | | | | NOTICE 1 | 8806) USER: MI REVIEWER: CS | | | | | | | | |
| | | | | MS27405A | CLAMP-TUBE (VALIDATION DATE: 8609) ..... | A | 5340 | 82 | 02-SEP-86 | AV | AS | 99 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS27406D | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED USER: ME REVIEWER: 11 AV ES | A | 5930 | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | | MS27407D | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED REVIEWER: 11 AV EC ES .... | A | 5930 | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | | MS27408D | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK REVIEWER: 11 AV ES | A | 5930 | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | | MS27409D | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK REVIEWER: 11 AV EC ES | A | 5930 | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | | MS27417 | CAP-PROPELLER SHAFT THREAD, SHIPPING (VALIDATION DATE: 8510) REVIEWER: ES . | A | 5340 | 82 | 30-JUN-65 | AV | AS | 99 | |
| | | | | MS27418J | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3PST-NO, TYPE 1, HERMETICALLY SEALED, HOOK AND SCREW TERMINALS, STUD AND BRACKET MOUNTED REVIEWER: 11 99 | A | 5945 | 85 | 16-MAR-90 | | AS | 85 | ES |
| | | | | MS27424 | CLIP ASSEMBLY, COCKPIT UTILITY LIGHT (VALIDATION DATE: 8505) REVIEWER: GS . | A | 6220 | 82 | 06-DEC-65 | | AS | 99 | |
| | | | | MS27429F | SPLICE, CONDUCTOR, DISCONNECT, CRIMP STYLE, COPPER, INSULATED BARREL, TYPE II, CLASS 1 FOR 105 DEG. C TOTAL CONDUCTOR TEMPERAURE USER: AV EC MC REVIEWER: 11 17 99 SH | A | 5940 | AS | 14-NOV-86 | ER | AS | 85 | |
| L | | | | MS27432A | LIGHT ASSEMBLY, TAXI (PAR 36 BULB REVIEWER: GS ..... | A | 6220 | 82 | 23-MAR-83 | | | 99 | |
| L | | | | MS27433 | CUTOUT RELAY, ENGINE GENERATOR, 28 VOLT DC SYSTEM USER: AS ..... | A | 2925 | 82 | 21-AUG-86 | | | 99 | |
| | | | | NOTICE 2 | | | | | | | | | |
| | | | | MS27436B | VALVE SPECIAL, AIRCRAFT WHEEL ..... | A | 1630 | 70 | 27-MAY-85 | AV | AS | 99 | |
| L | | | | MS27461A | CORE FOR 70MM AIR FILM (VALIDATION DATE: 9003) REVIEWER: GS ..... | A | 6760 | 70 | 23-MAR-90 | | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS27465C | REGULATOR, OXYGEN, DILUTER DEMAND (VALIDATION DATE: 8512) REVIEWER: 11 .... | A | 1660 | 71 | 12-NOV-79 | | | 99 | |
| | | | | MS27466H | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES I REVIEWER: 11 15 99 AR EC MC MI OS | A | 5935 | 85 | 04-MAY-90 | CR | AS | 85 | ES |
| | | | | MS27467K | CONNECTOR, PLUG, ELECTRICAL STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES I REVIEWER: 11 15 17 99 EC ES MC MI OS | A | 5935 | 85 | 21-JUN-85 | CR | AS | 85 | |
| | | | | MS27468H | CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, CRIMP TYPE, BAYONET | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | COUPLING, SERIES I REVIEWER: 11 15 17 99 AR AV EC ES MC MI OS | | | | | | | | |
| | | | | MS27469F | CONNECTOR, RECEPTACLE, ELECTRICAL WALL MOUNTING FLANGE, SOLDER TYPE, | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | HERMETIC SEAL, SERIES I REVIEWER: 11 15 17 99 AR AV EC ES MC MI OS | | | | | | | | |
| | | | | MS27470F | CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, SOLDER TYPE, | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | HERMETICSEAL, SERIES I REVIEWER: 11 15 17 99 AR AV EC ES MC MI OS | | | | | | | | |
| | | | | MS27471E | CONNECTOR, RECEPTACLE, ELECTRICAL SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES 1 (VALIDATION DATE: 8206) REVIEWER: 11 15 17 99 AR AV EC ES MC MI OS | A | 5935 | 85 | 02-JAN-76 | CR | AS | 85 | |
| | | | | MS27472C | CONNECTOR, RECEPTACLE, ELECTRICAL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 15-JUN-84 | CR | AS | 85 | |
| | | | | MS27473L | CONNECTOR, PLUG, ELECTRICAL STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES II REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 26-JUL-90 | CR | AS | 85 | |
| | | | | MS27474F | CONNECTOR, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, CRIMP TYPE, BAYONET | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | COUPLING, SERIES II REVIEWER: 11 15 17 99 AR EC ES MC MI OS | | | | | | | | |
| | | | | MS27475E | CONNECTOR, RECEPTACLE, ELECTRICAL WALL MOUNTING FLANGE, SOLDER TYPE, | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | HERMETIC SEAL, SERIES ISI REVIEWER: 11 15 17 99 AR EC ES MC MI OS | | | | | | | | |
| | | | | MS27476E | CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING, SOLDER TYPE, HERMETIC | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | SEAL, SERIES II REVIEWER: 11 15 17 99 AR EC ES MC MI OS | | | | | | | | |
| | | | | MS27477G | CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES ISI REVIEWER: 11 15 17 80 99 EC ES MC MI OS | A | 5935 | 85 | 06-FEB-85 | CR | AS | 85 | |
| | | | | MS27478E | CONNECTOR, RECEPTACLE, ELECTRICAL SOLDER MOUNTING, SOLDER TYPE, HERMETIC | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | SEAL, SERIES II REVIEWER: 11 15 17 80 EC ES MC MI OS | | | | | | | | |
| L | | | | MS27479E | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | | | | NOTICE 1 | COUPLING, SERIES II (INACTIVE USE MS 27472) REVIEWER: ES | | | | | | | | |
| L | | | | MS27480F | CONNECTOR, PLUG, ELECTRIC, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | II (INACTIVE USE MS 27473) REVIEWER: 11 15 17 80 EC ES MC OS | | | | | | | | |
| L | | | | MS27481E | CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, CRIMP TYPE, BAYONET | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | | | | NOTICE 1 | COUPLING, SERIES II (INACTIVE MS 27474) REVIEWER: EC ES | | | | | | | | |
| | | | | MS27484L | CONNECTOR, PLUG ELECTRICAL STRAIGHT, CRIMP TYPE BAYONET COUPLING, EMI, SERIES II REVIEWER: 11 15 99 AR EC ES MI | A | 5935 | 85 | 17-FEB-88 | CR | AS | 85 | |
| | | | | MS27487D | KIT, STRAIGHT AND 90 DEG. THREADED ADAPTER, EMR HARDWARE FOR MIL-C-38999 | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | CONNECTORS (VALIDATION DATE: 8701) REVIEWER: 11 15 17 80 AR EC ES MC MI OS | | | | | | | | |
| | | | | MS27488L | PLUG, END SEAL, ELECTRICAL CONNECTOR REVIEWER: 11 15 99 AR EC MI ..... | A | 5935 | AS | 15-MAR-85 | CR | AS | 85 | |
| | | | | MS27489D | ADAPTER, REDUCER, EMR HARDWARE, FOR MIL-C-38999 CONNECTORS (VALIDATION | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | DATE: 8701) REVIEWER: 11 15 17 80 AR EC ES MC MI OS | | | | | | | | |
| | | | | MS27496F | CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES I REVIEWER: 11 15 80 AR EC MC MI OS | A | 5935 | 85 | 04-MAY-90 | CR | AS | 85 | ES |
| | | | | MS27497M | CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 15-JUN-84 | CR | AS | 85 | |
| | | | | MS27499G | CONNECTOR, RECEPTACLE, ELECTRICAL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 15-JUN-84 | CR | AS | 85 | |
| | | | | MS27500F | CONNECTOR, PLUG, ELECTRICAL, 90 DEG. ELBOW, CRIMP TYPE, BAYONET COUPLING, | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | SERIES II (VALIDATION DATE: 8701) REVIEWER: 11 15 17 80 EC ES | | | | | | | | |
| | | | | MS27501F | COVER, PROTECTIVE, ELECTRICAL CONNECTOR PLUG, BAYONET COUPLING, SERIES I | A | 5935 | 85 | 31-MAR-88 | CR | AS | 85 | |
| | | | | NOTICE 1 | REVIEWER: 15 19 99 AR EC ES MC MI OS | | | | | | | | |
| M | | | | MS27502M | COVER, ELECTRICAL CONNECTOR, PROTECTIVE, RECEPTACLE, BAYONET COUPLING, SERIES I REVIEWER: 15 99 AR EC ES MC MI OS | A | 5935 | 85 | 31-MAR-88 | CR | AS | 85 | |
| L | | | | MS27503C | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER MOUNTING, SOLDER TYPE, HERMETIC | A | 5935 | 85 | 04-MAY-90 | | | 85 | |
| | | | | NOTICE 1 | SEAL, SERIES II REVIEWER: ES | | | | | | | | |
| L | | | | MS27504C | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, BOX MOUNTING FLANGE, BAYONET | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | | | | NOTICE 1 | COUPLING SERIES II (INACIVE USE MS27499) REVIEWER: ES | | | | | | | | |
| | | | | MS27505F | CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL, BOX MOUNTING FLANGE, CRIMP | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | TYPE, BAYONET COUPLING, SERIES I (VALIDATION DATE: 8701) REVIEWER: 11 15 17 99 AR EC ES MC MI OS | | | | | | | | |
| | | | | MS27508F | CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 15-JUN-84 | CR | AS | 85 | |
| M | | | | MS27510F | COVER, PROTECTIVE, ELECTRICAL CONNECTOR PLUG, BAYONET COUPLING, SERIES II REVIEWER: 15 99 AR EC ES MC MI OS | A | 5935 | 85 | 31-MAR-88 | CR | AS | 85 | |
| | | | | MS27511J | COVER, ELECTRICAL CONNECTOR, PROTECTIVE, RECEPTACLE, BAYONET COUPLINGS, SERIES II REVIEWER: 15 99 AR EC ES MC MI OS | A | 5935 | 85 | 31-MAR-88 | CR | AS | 85 | |
| I | | | | MS27512F | NUT, HEXAGON, CONNECTOR MOUNTING, SERIES II REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 26-JUL-90 | CR | AS | 85 | |
| | | | | MS27513D | CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A | 5935 | 85 | 15-JUN-84 | CR | AS | 85 | |
| | | | | MS27515B | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, BACK PANEL WALL MOUNTING | A | 5935 | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | | NOTICE 1 | FLANGE SERIES I (INACTIVE USE MS 27656) (VALIDATION DATE: 8701) REVIEWER: 11 15 80 EC ES | | | | | | | | |
| L | | | | MS27541A | SPOOL, FILM, DIFFUSION TRANSFER, PHOTOGRAPHIC REVIEWER: GS ..... | A | 6750 | 70 | 07-MAR-86 | | | 99 | |
| L | | | | MS27546 | BATTERY, AIRCRAFT, STORAGE, NICKEL-CADMIUM, 24V, 5 AMP HOUR (1 HR RATE) 25 DEG. C (VALIDATION DATE: 8402) REVIEWER: 11 GS | A | 6140 | 80 | 02-MAY-66 | | | 99 | |
| L | | | | MS27558B | SUPPORT, CABLE RIGHT ANGLE, CLOSED REVIEWER: 11 17 99 ES ..... | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| L | | | | MS27559B | SUPPORT, CABLE, RIGHT ANGLE (INACTIVE) REVIEWER: 11 17 99 ES ..... | A | 5935 | 85 | 30-JAN-87 | | | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MS27560A NOTICE 2 | 2-3/8 SQUARE INSTRUMENT CASE STANDARD DIMENSIONS FOR (VALIDATION DATE: 9103) | A | 66GP | 71 | 04 | MAR-91 | AV | AS | | 99 |
| | MS27566F NOTICE 1 | CAP ASSEMBLY, LIQUID OXYGEN FILL VALVE (VALIDATION DATE: 8901) | A | 1660 | 71 | 13 | JAN-89 | | AS | | 99 |
| L | MS27567 | DUMMY CONNECTOR, ELECTRICAL, MALE REVIEWER: 82 | A | 5935 | 85 | 24 | JUN-87 | | | | 85 |
| L | MS27568 | DUMMY CONNECTOR, ELECTRICAL, FEMALE (VALIDATION DATE: 8001) REVIEWER: 99 ES | A | 5935 | 85 | 30 | AUG-67 | | | | 85 |
| L | MS27569 NOTICE 1 | LAMP, INCANDESCENT-MINIATURE INTEGRAL LIGHTING, T-1 3/4 SIZE (VALIDATION DATE: 8809) REVIEWER: 99 GS | A | 6240 | 11 | 30 | SEP-88 | | | | 11 |
| L | MS27570 NOTICE 1 | LAMP, INCANDESCENT MINIATURE INTEGRAL LIGHTING, T-1 1/4 SIZE (VALIDATION DATE: 8809) REVIEWER: 99 GS | A | 6240 | 11 | 30 | SEP-88 | | | | 11 |
| L | MS27571 NOTICE 1 | LAMP, INCANDESCENT - MINIATURE INTEGRAL LIGHTING, T-1 SIZE (VALIDATION DATE: 8809) REVIEWER: 99 GS | A | 6240 | 11 | 30 | SEP-88 | | | | 11 |
| | MS27572B | CASES, INSTRUMENT, FLANGE-MOUNTED, AIRCRAFT USER: ME | A | 66GP | 71 | 13 | FEB-90 | AV | | | 99 |
| | MS27573A | CASE, INSTRUMENT, 2-3/4 DIAL, WITH SUMP, FLANGE MOUNTED, AIRCRAFT (VALIDATION DATE: 8907) | A | 66GP | 71 | 08 | JUL-89 | AV | | | 99 |
| | MS27574B | CABLE, AIRCRAFT AND AGE GROUNDING (VALIDATION DATE: 7903) USER: ME REVIEWER: 11 68 99 | A | 5999 | 85 | 04 | FEB-72 | AV | AS | | 85 |
| | MS27575B NOTICE 1 | CONTAINER, PLASTIC, PHOTOGRAPHIC AERIAL FILM, OUTLINE OF (VALIDATION DATE: 9003) REVIEWER: GS | A | 6760 | 70 | 23 | MAR-90 | ER | AS | | 99 |
| | MS27576D | BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI FSU, HEX HEAD, 450 DEG. F (VALIDATION DATE: 8406) REVIEWER: IS | A | 5306 | 82 | 25 | JAN-78 | AV | | | 99 |
| | MS27577E | BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI FSU, FLUSH HEAD, 450 DEG. F REVIEWER: IS | A | 5306 | 82 | 28 | AUG-87 | AV | | | 99 |
| | MS27584B | ADAPTER, 1/4 INCH, PNEUMATIC SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (VALIDATION DATE: 8304) REVIEWER: CS | A | 4730 | 82 | 02 | NOV-76 | | AS | | 99 |
| | MS27585B | ADAPTER, WATER METHANOL SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (VALIDATION DATE: 8304) REVIEWER: CS | A | 4730 | 82 | 05 | APR-76 | | AS | | 99 |
| | MS27586B | ADAPTER, DEMINERALIZED WATER SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (VALIDATION DATE: 8304) REVIEWER: CS | A | 4730 | 82 | 02 | NOV-76 | | AS | | 99 |
| | MS27587B | ADAPTER, ENGINE OIL SERVICING, US GROUND EQUIPMENT TO RAF AIRCRAFT (VALIDATION DATE: 8304) REVIEWER: CS | A | 4730 | 82 | 05 | APR-76 | | AS | | 99 |
| | MS27588B | ADAPTER, NITROGEN SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (VALIDATION DATE: 8304) REVIEWER: CS | A | 4730 | 82 | 05 | APR-76 | | AS | | 99 |
| | MS27589B | ADAPTER, OXYGEN SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (VALIDATION DATE: 8304) REVIEWER: CS | A | 4730 | 82 | 02 | NOV-76 | | AS | | 99 |
| | MS27590B | ADAPTER, 3/8 INCH, HYDRAULIC SERVICING, US GROUND EQUIPMENT TO RAF AIRCRAFT (VALIDATION DATE: 8304) REVIEWER: CS | A | 4730 | 82 | 05 | APR-76 | | AS | | 99 |
| | MS27593B | NUT, ADAPTER, SERVICING, US GROUND EQUIPMENT TO RAF AIRCRAFT (VALIDATION DATE: 8304) REVIEWER: CS | A | 4730 | 11 | 05 | APR-76 | | AS | | 99 |
| | MS27594A | ADAPTER, TIRE INFLATING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (VALIDATION DATE: 8304) REVIEWER: CS | A | 4730 | 82 | 10 | OCT-73 | | AS | | 99 |
| | MS27595D | RETAINER, PACKING BACKUP, CONTINUOUS RING, TETRAFLUOROETHYLENE (VALIDATION DATE: 8406) REVIEWER: AV IS MI SH | A | 5330 | 82 | 06 | JAN-78 | MR | AS | | 99 |
| L | MS27599 NOTICE 1 | REGULATOR, OXYGEN, DILUTER DEMAND REVIEWER: AS MI | A | 1660 | 71 | 19 | JAN-88 | | | | 99 |
| L | MS27600D | FASTENER, SELF LOCKING CASE MOUNTING, ELECTRONIC EQUIPMENT INACTIVE FOR NEW DESIGN (VALIDATION DATE: 8406) REVIEWER: 85 GS IS | A | 5325 | 82 | 26 | JUL-78 | | | | 99 |
| L | MS27601C | FASTENER, SELF LOCKING, CASE MOUNTING, ELECTRONIC EQUIPMENT (WITH HOLDING CLAMP) (INACTIVE USE MS 14109) (VALIDATION DATE: 8406) REVIEWER: GS IS | A | 5340 | 82 | 26 | JUL-78 | | | | 99 |
| L | MS27604 NOTICE 1 | NOZZLE-UNIVERSAL AERIAL REFUELING TANKER BOOM (VALIDATION DATE: 8808) | A | 1680 | 82 | 10 | AUG-88 | | | | 82 |
| L | MS27611D | VALVE, HYDRAULIC BLEEDER, AIRCRAFT WHEEL BRAKE (VALIDATION DATE: 8304) | A | 4820 | 82 | 01 | NOV-82 | | | | 99 |
| L | MS27612G | ADAPTER-HYDRAULIC BLEEDER VALVE, AIRCRAFT WHEEL BRAKE | A | 1630 | 70 | 31 | OCT-89 | | | | 99 |
| LI | MS27613D | CONNECTOR, ELECTRICAL, RECEPTACLE PANEL MOUNT, FIREWALL SERIES REVIEWER: 11 17 99 ES | A | 5935 | 85 | 07 | SEP-90 | | | | 85 |
| LI | MS27614D | CONNECTOR, ELECTRICAL, RECEPTACLE "D" HOLE MOUNT, FIREWALL SERIES REVIEWER: 11 19 99 ES | A | 5935 | 85 | 07 | SEP-90 | | | | 85 |
| LI | MS27615D | CONNECTOR, ELECTRICAL, PLUG, RATCHET LOCK COUPLING, FIREWALL SERIES REVIEWER: 11 17 99 ES | A | 5935 | 85 | 07 | SEP-90 | | | | 85 |
| L | MS27616 | ADAPTER ASSEMBLY, FLARED, STRAIGHT, TUBE TO HOSE - WITH SWIVEL NUT (VALIDATION DATE: 8503) REVIEWER: CS | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27617 | ADAPTER ASSEMBLY, FLARED, 45 DEG. ELBOW, TUBE TO HOSE - WITH SWIVEL NUT (VALIDATION DATE: 8503) REVIEWER: CS | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27618 | ADAPTER ASSEMBLY, FLARED, 90 DEGREES ELBOW, TUBE TO HOSE - WITH SWIVEL NUT (VALIDATION DATE: 8503) REVIEWER: CS | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27619 | NIPPLE SUB ASSEMBLY, FLARED, STRAIGHT - WITH SWIVEL NUT (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27620 | ELBOW SUB ASSEMBLY, FLARED, 45 DEGREE, SWIVEL NUT (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27621 | ELBOW SUB ASSEMBLY, FLARED, 90 DEG., SWIVEL NUT (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27622 | SOCKET, HOSE COUPLING (VALIDATION DATE: 8503) REVIEWER: CS | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27623A | SLEEVE, HOSE COUPLING REVIEWER: CS | A | 4730 | 82 | 30 | APR-82 | | | | 11 |
| L | MS27624 | UNION, NIPPLE (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27625 | WIRE, RETAINER (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27626 | NIPPLE, FLARED, TUBE TO HOSE-SWIVEL NUT (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27627 | ELBOW, FLARED, TUBE TO HOSE - 90 DEGREES SWIVEL NUT (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27628 | ELBOW, FLARED, TUBE TO HOSE 45 DEG. SWIVEL NUT (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27629 | ADAPTER ASSEMBLY, FLARELESS, STRAIGHT , TUBE TO HOSE - WITH SWIVEL NUT (VALIDATION DATE: 8503) REVIEWER: CS | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27630 | ADAPTER ASSEMBLY, FLARELESS, 45 DEG. ELBOW, TUBE TO HOSE WITH SWIVEL NUT (VALIDATION DATE: 8504) REVIEWER: CS | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27631 | ADAPTER ASSEMBLY, FLARELESS, 90 DEG. ELBOW, TUBE TO HOSE WITH SWIVEL NUT (VALIDATION DATE: 8503) REVIEWER: CS | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27632 | NIPPLE SUB ASSEMBLY, FLARELESS, STRAIGHT - WITH SWIVEL NUT (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27633 | ELBOW SUB ASSEMBLY, FLARELESS, 45 DEGREES, SWIVEL NUT (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27634 | ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG. SWIVEL NUT (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27636 | ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG. SWIVEL NUT (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| L | MS27638B | MANDREL SLEEVE SETTING | A | 4730 | 82 | 21 | MAR-79 | | | | 99 |
| L | MS27639 | DISASSEMBLY TOOL (VALIDATION DATE: 8503) | A | 4730 | 82 | 17 | MAR-71 | | | | 99 |
| | MS27640D | BEARING, BALL, AIRFRAME, ANTIFRICTION, HEAVY DUTY USER: ME REVIEWER: 84 IS | A | 3110 | AS | 09 | APR-81 | AV | AS | | 99 |
| | MS27641D | BEARING, BALL, AIRFRAME, ANTIFRICTION, INTERMEDIATE DUTY USER: ME REVIEWER: IS | A | 3110 | AS | 09 | APR-81 | AV | AS | | 99 |
| | MS27642D | BEARING, BALL, AIRFRAME, EXTRA LIGHT DUTY USER: ME REVIEWER: IS | A | 3110 | AS | 09 | APR-81 | AV | AS | | 99 |
| | MS27643D | BEARING, BALL, AIRFRAME, ANTIFRICTION, SELFALIGNING, DOUBLE ROW, HEAVY DUTY REVIEWER: IS | A | 3110 | AS | 09 | APR-81 | AV | AS | | 99 |
| | MS27644C | BEARING, BALL, AIRFRAME, ANTIFRICTION, DOUBLE ROW, HEAVY DUTY USER: ME REVIEWER: IS | A | 3110 | AS | 09 | APR-81 | AV | AS | | 99 |
| | MS27645C | BEARING, BALL, AIRFRAME, ANTIFRICTION, SELFALIGNING LIGHT & HEAVY DUTY REVIEWER: IS | A | 3110 | AS | 09 | APR-81 | AV | AS | | 99 |
| | MS27646D | BEARING, BALL, AIRFRAME, ANTIFRICTION, EXTRA LIGHT DUTY USER: ME REVIEWER: IS | A | 3110 | AS | 30 | NOV-82 | AV | AS | | 99 |

| Action | OPL / CML | Combination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS27647C | BEARING, BALL AIRFRAME, ANTIFRICTION, EXTRA WIDE, DOUBLE ROW, INTERMEDIATE DUTY USER: ME REVIEWER: 84 IS | A | 3110 | | AS | 09-APR-81 | AV | AS | 99 | |
| | | | MS27648C | BEARING, BALL, AIRFRAME, ANTIFRICITON, EXTERNAL SELF ALIGNING, EXTRA LIGHT DUTY REVIEWER: IS | A | 3110 | | AS | 09-APR-81 | AV | AS | 99 | |
| | | | MS27649D | BEARING, BALL, AIRFRAME, ANTIFRICTION, INTERMEDIATE DUTY USER: ME REVIEWER: IS | A | 3110 | | AS | 28-MAY-82 | AV | AS | 99 | |
| | L | | MS27650F | METER, TIME TOTALIZING HERMETICALLY SEALED 26 V 400HZ (VALIDATION DATE: | A | 6645 | | 82 | 15-DEC-88 | | | 99 | |
| | | | NOTICE 1 | 8812) REVIEWER: GS | | | | | | | | | |
| | L | | MS27651F | METER, TIME TOTALIZING HERMETICALLY SEALED 115V 400 HZ (VALIDATION DATE: 8106) REVIEWER: GS | A | 6645 | | 82 | 17-AUG-73 | | | 99 | |
| | L | | MS27652A | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET | A | 5935 | | 85 | 30-JAN-87 | | | 85 | |
| | | | NOTICE 1 | COUPLING SERIES I (INACTIVE USE MS 27466) REVIEWER: EC ES | | | | | | | | | |
| | L | | MS27653A | CONNECTOR, PLUG, ELECIRIC, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES | A | 5935 | | 85 | 30-JAN-87 | | | 85 | |
| | | | NOTICE 1 | I (INACTIVE USE MS 27467) REVIEWER: EC ES | | | | | | | | | |
| | | | MS27654C | CONNECTOR, RECEPTACLE, ELECTRIC, BACK PANEL WALL MOUNTING FLANGE, CRIMP | A | 5935 | | 85 | 30-JAN-87 | CR | AS | 85 | |
| | | | NOTICE 1 | TYPE, BAYONET COUPLING, SERIES I (INACTIVE) (VALIDATION DATE: 8701) REVIEWER: 11 15 99 AR EC ES | | | | | | | | | |
| | | | MS27656C | CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL WALL MOUNTING FLANGE, CRIMP | A | 5935 | | 85 | 13-JAN-89 | CR | AS | 85 | |
| | | | NOTICE 1 | TYPE, BAYONET COUPLING, SERIES I (VALIDATION DATE: 8901) REVIEWER: 11 15 17 99 AR EC ES MC MI OS | | | | | | | | | |
| | L | | MS27657B | SHORT SUPPORT, CABLE, ELECTRICAL CONNECTOR (FOR CLASS E AND K CONNECTORS) | A | 5935 | | 85 | 30-JAN-87 | | | 85 | |
| | | | NOTICE 1 | (INACTIVE) REVIEWER: 11 17 99 ES | | | | | | | | | |
| | | | MS27661D | CONNECTOR, PLUG, ELECTRICAL, CRIMP TYPE, LANYARD RELEASE, FAIL-SAFE, | A | 5935 | | 85 | 13-JAN-89 | CR | AS | 85 | |
| | | | NOTICE 1 | SERIES I (VALIDATION DATE: 8901) REVIEWER: 11 15 17 99 AR EC ES MC MI OS | | | | | | | | | |
| | | | MS27662D | CONNECTOR, RECEPTACLE, ELECTRICAL, THRU BULKHEAD MOUNTING, BAYONET | A | 5935 | | 85 | 06-FEB-85 | CR | AS | 85 | |
| | | | | COUPLING SERIES I REVIEWER: 11 15 17 99 AR EC ES MC MI OS | | | | | | | | | |
| | | | MS27683C | DRUM, METAL SHIPPING AND STORAGE 16 TO 80 GALLONS USER: AV CG EA MC REVIEWER: 99 DS GS MI | A | 8110 | | 69 | 08-APR-87 | GL | AS | 69 | |
| | | | MS27684C | DRUM, METAL-SHIPPING AND STORAGE - 3 TO 12 GALLONS USER: AV CG EA MC MS REVIEWER: 99 GS MI OS SA SM | A | 8110 | | 69 | 08-APR-87 | GL | AS | 69 | |
| | L | | MS27706F | RELAY, ELECTROMAGNETIC, 20 AMPERES, 3 PST, MECHANICAL INTERLOCK, (CENTER OFF) LOAD TRANSFER, TYPE I, HERMETICALLY SEALED REVIEWER: 99 | A | 5945 | | 85 | 16-MAR-90 | | | 85 | |
| | L | | MS27707A | RELAY, 50 AMP, 2-3 PST N.O., DOUBLE BREAK, MECHANICAL INTERLOCK (CENTER | A | 5945 | | 85 | 31-MAR-88 | | | 85 | |
| | | | NOTICE 1 | OFF) LOAD TRANSFER, TYPE 1, HERMETICALLY SEALED REVIEWER: 99 ES | | | | | | | | | |
| | | | MS27708G | SWITCH, TOGGLE, FOUR POSITION ON, CENTER OFF REVIEWER: 99 ES ..... | A | 5930 | | 85 | 30-DEC-88 | AV | AS | 85 | |
| M | | | MS27709F | RELAY, 10 AMPERES, 4 PDT, TYPE I HERMETICALLY SEALED (VALIDATION DATE: | A | 5945 | | 85 | 14-MAY-93 | ER | AS | 85 | |
| | | | NOTICE 1 | 9305) REVIEWER: 11 99 EC ES | | | | | | | | | |
| A | L | | MS27710C | FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT, 28 V DC REVIEWER: 99 ... | A | 5945 | | 85 | 25-FEB-91 | | | 85 | |
| | L | | MS27714C | RELAYS, 75 AMPERE, 3PST, N.O. TYPE 1, COIL AND CONTACTS INDIVIDUALLY SEALED REVIEWER: 99 ES | A | 5945 | | 85 | 07-FEB-92 | | | 85 | |
| | L | | MS27715A | RELAY, 150 AMP, 3PST, N.O., TYPE 1, COIL AND CONTACTS INDIVIDUALLY SEALED | A | 5945 | | 85 | 31-MAR-88 | | | 85 | |
| | | | NOTICE 1 | REVIEWER: 99 ES | | | | | | | | | |
| | | | MS27716D | SWITCH, TOGGLE, MINIATURE, SINGLE POLE, UNSEALED REVIEWER: 11 99 AV ES .... | A | 5930 | | 85 | 20-MAY-88 | ER | EC | 85 | |
| | | | MS27717E | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED REVIEWER: 99 AV ES ..... | A | 5930 | | 85 | 18-JUN-90 | ER | EC | 85 | |
| | | | MS27718E | SWITCH, TOGGLE, MINIATURE SINGLE POLE, TOGGLE SEAL REVIEWER: 99 AV ES ..... | A | 5930 | | 85 | 18-JUN-90 | ER | EC | 85 | |
| | | | MS27719E | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED REVIEWER: 99 AV ES ..... | A | 5930 | | 85 | 18-JUN-90 | ER | EC | 85 | |
| | | | MS27720G | SWITCH, TOGGLE, MINIATURE, SINGLE POLE, TOGGLE SEAL, LEVER LOCK REVIEWER: 99 AV ES | A | 5930 | | 85 | 20-MAY-88 | ER | AS | 85 | |
| | | | MS27721G | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL, LEVER LOCK REVIEWER: 99 AV ES | A | 5930 | | 85 | 20-MAY-88 | ER | AS | 85 | |
| | | | MS27722C | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS REVIEWER: 11 99 AV EA EC ES | A | 5930 | | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | MS27723C | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC | A | 5930 | | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | MS27724D | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES | A | 5930 | | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | MS27734D | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC ES | A | 5930 | | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | MS27735D | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC ES | A | 5930 | | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | MS27736D | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC ES | A | 5930 | | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | MS27737F | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER-LOCK, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC ES | A | 5930 | | 85 | 04-SEP-91 | ER | AS | 85 | |
| | | | MS27738E | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC ES | A | 5930 | | 85 | 28-SEP-87 | ER | AS | 85 | |
| | | | MS27739E | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC | A | 5930 | | 85 | 28-SEP-87 | ER | AS | 85 | ES |
| | L | | MS27740B | SWITCH, MIL-S-3950 AND MIL-S-83731, MILITARY STANDARD PART NUMBERING REVIEWER: 99 AV EC ES MI | A | 5930 | | 85 | 18-DEC-85 | ER | AS | 85 | |
| | L | | MS27741 | CONNECTOR, ELECTRICAL, INDIVIDUAL SHIELD TERMINATION REVIEWER: 99 ES ..... | A | 5935 | | 85 | 13-FEB-87 | | | 85 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MS27742D | RELAYS, ELECTROMAGNETIC, TYPE I MAGNETIC LATCH, 25 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES | A | 5945 | | 85 | 31-JAN-92 | | | 85 | |
| | L | | MS27743J | RELAYS, 25 AMPERES, 3PDT, ALL WELDED, TYPE I, HERMETICALLY SEALED, PERMANENT MAGNET DRIVE REVIEWER: 11 99 | A | 5945 | | 85 | 18-JAN-90 | | | 85 | |
| M | | | MS27749D | RELAYS, ELECTROMAGNETIC, 60 AMPERES, 3 PDT, MAGNETIC LATCH, HERMETICALLY | A | 5945 | | 85 | 14-MAY-93 | ER | AS | 85 | |
| | | | NOTICE 1 | SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES | | | | | | | | | |
| M | | | MS27750F | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3 PDT-NO., CENTER OFF, HERMETICALLY | A | 5945 | | 85 | 14-MAY-93 | ER | AS | 85 | |
| | | | NOTICE 1 | SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES | | | | | | | | | |
| A | L | | MS27751H | RELAYS, ELECTROMAGNETIC, 50 AMPERES DC/60 AMPERES AC, 3 PST OR 3 PDT, HERMETICALLY SEALED, PERMANENT MAGNETIC DRIVE REVIEWER: 99 | A | 5945 | | 85 | 20-APR-93 | | | 85 | |
| | L | | MS27752C | GUARD, SWITCH, 3 POSITION (VALIDATION DATE: 8702) REVIEWER: 99 ES ..... | A | 5930 | | 85 | 25-FEB-87 | ER | AS | 85 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS27753E | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL REVIEWER: 11 99 AV EA EC ES | A | 5930 | | 85 | 18-JUN-90 | ER | AS | 85 | |
| | | | MS27754E | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL, LEVER LOCK REVIEWER: 99 AV EA EC ES | A | 5930 | | 85 | 20-MAY-88 | ER | AS | 85 | |
| | | | MS27755A | CONNECTOR, HOSE QUICK DISCONNECT, FEMALE, ANTI .G, SUIT (VALIDATION DATE: 8107) USER: MC REVIEWER: CS | A | 4730 | | 82 | 18-JUL-75 | | AS | 99 | |
| | | | MS27756 | SNAP HOOK, PARACHUTE LANYARD (VALIDATION DATE: 8209) USER: MC REVIEWER: 11 | A | 1670 | | 82 | 20-JUN-69 | | AS | 99 | |
| | | | MS27759A | CLIP PARACHUTE HARNESS QUICK RELEASE, SAFETY (VALIDATION DATE: 8109) REVIEWER: AV | A | 1670 | | 82 | 05-FEB-75 | GL | AS | 99 | |
| | | | MS27760A | BUCKLE -PARACHUTE HARNESS QUICK RELEASE CONNECTING REVIEWER: AV ..... | A | 1670 | | 82 | 05-SEP-83 | GL | AS | 99 | |
| | | | MS27761A | KNIFE, RELEASE, CARGO PLATFORM (VALIDATION DATE: 8209) REVIEWER: AV ..... | A | 1670 | | 82 | 09-AUG-74 | GL | AS | 99 | |
| | | | MS27762C | RING-REEFING PARACHUTE REVIEWER: AV ..... | A | 1670 | | 82 | 20-MAY-83 | GL | AS | 99 | |
| | | | MS27763 | CONE-RELEASING, PARACHUTE PACK (VALIDATION DATE: 8303) REVIEWER: AV ..... | A | 1670 | | 82 | 24-JUL-70 | GL | AS | 99 | |
| | | | MS27764A | LINK CONNECTOR, HARNESS AND PACK (VALIDATION DATE: 8106) USER: MC REVIEWER: AV | A | 1670 | | 82 | 09-AUG-74 | GL | AS | 99 | |
| | | | MS27765C | RING ,V, QUICK FIT, PARACHUTE HARNESS USER: MC REVIEWER: AV ..... | A | 1670 | | 82 | 02-JAN-86 | GL | AS | 99 | |
| | | | MS27767 | RETAINER-SNAP PARACHUTE LANYARD (VALIDATION DATE: 8407) ..... | A | 1670 | | 82 | 20-AUG-71 | | AS | | |
| | | | MS27768A | TERMINAL, WIRE ROPE, SPLICE (INACTIVE) USER: IS REVIEWER: 11 ..... | A | 4030 | | 99 | 23-JAN-85 | CR | AS | 99 | |
| | | | MS27789A | PLUG, PIPE, COUNTERSINK HEX HEAD REVIEWER: AV CS ME ..... | A | 4730 | | 82 | 22-MAR-79 | | AS | 99 | |

| Action | Opt. / Old Coordination Inactive | Document Number | Document Title | Disc. Simil. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MS27781C | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | 85 |
| | | MS27782C | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | 85 |
| | | MS27783C | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | 85 |
| | | MS27784C | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | 85 |
| | | MS27785C | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | 85 |
| | | MS27786C | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | 85 |
| | | MS27787C | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | 85 |
| | | MS27788C | SWITCH, TOGGLE, TOW POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | 85 |
| | | MS27789C | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS REVIEWER: 11 99 AV EA EC ES | A 5930 | 85 | 28-SEP-87 | ER | AS | 85 |
| | | MS27790D | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED REVIEWER: 11 99 AV EA EC ES | A 5930 | 85 | 18-JUN-90 | ER | AS | 85 |
| | NOTICE 1 | MS27960D | CONNECTOR-BAYONET, THREE PIN, OXYGEN MASK (VALIDATION DATE: 8911) REVIEWER: AV | A 1660 | 82 | 06-NOV-89 | | AS | 99 |
| L | | MS27797C | HOSE, OXYGEN AND PRESSURIZATION OZONE RESISTANT REVIEWER: 11 82 CS | A 4720 | 71 | 13-DEC-89 | | | 99 |
| | NOTICE 1 | MS27798A | METAL SEAL STRIP (TEAR BAND) (VALIDATION DATE: 9001) | A 9535 | 84 | 30-JAN-90 | | AS | 99 |
| L | | MS27811A | TIRE PNEUMATIC RETREAD, TYPE VII 49 X 17/26 PR REVIEWER: CS | A 2620 | 70 | 20-FEB-86 | | | 99 |
| L | NOTICE 1 | MS27813A | TIRE PNEUMATIC RETREAD, TYPE VII 56 X 16 / 38 PR 250 MPH (VALIDATION DATE: 8602) USER: CS | A 2620 | 70 | 20-FEB-86 | | | 99 |
| L | NOTICE 1 | MS27815C | TIRE - PNEUMATIC REBUILT, TYPE VII 44 X 16, 28 PR REVIEWER: CS | A 2620 | 70 | 24-FEB-86 | | | 99 |
| L | NOTICE 1 | MS27817B | TIRE PNEUMATIC REBUILT, TYPE VII 36X11/22 PR REVIEWER: CS | A 2620 | 70 | 24-FEB-86 | | | 99 |
| L | NOTICE 1 | MS27818A | TIRE PNEUMATIC RETREAD, TYPE VII 38 X 11 / 14 PR USER: CS | A 2620 | 70 | 20-FEB-86 | | | 99 |
| | NOTICE 1 | MS27823A | TIRE-PNEUMATIC REBUILT, TYPE VII 20.00-20/26 PR USER: CS | A 2620 | 70 | 24-FEB-86 | | AS | 99 |
| A L | NOTICE 2 | MS27826A | PLUG ASSEMBLY, (SEALING CLAMP) LIFE RAFT REPAIR | A 4220 | SH | 04-NOV-92 | | SH | |
| | | MS27833 | PAD - TANK STRAP (VALIDATION DATE: 8207) REVIEWER: GS | A 9390 | 84 | 06-DEC-69 | | AS | 99 |
| L | NOTICE 1 | MS27838A | MARKER, TAPE, PRESSURE SENSITIVE ADHESIVE (SCARS) REVIEWER: GS | A 7690 | 84 | 24-JUL-87 | | | 99 |
| L | | MS27850 | FITTING, INSTALLATION OF STRAIGHT THREADED FLUID CONNECTION (VALIDATION DATE: 8204) REVIEWER: 11 14 19 | A 4730 | 12 | 14-JUL-67 | | | 12 |
| L | | MS27851 | FITTING,ASSEMBLY, STRAIGHT THREADED, FLUID CONNECTION, 4000 PSI (VALIDATION DATE: 8204) REVIEWER: 11 14 19 | A 4730 | 12 | 14-JUL-67 | | | 12 |
| L | | MS27854 | FLANGE, THREADED, CRES, FLUID CONNECTION FITTING, HIGH PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19 | A 4730 | 12 | 14-JUL-67 | | | 12 |
| L | | MS27855 | SEAL, CRES, NICKEL PLATED, FLUID CONNECTION FITTING, HIGH PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19 | A 4730 | 12 | 14-JUL-67 | | | 12 |
| L | | MS27856 | FITTING ASSEMBLY, STRAIGHT THREADED, FLUID CONNECTION, LOW PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19 | A 4730 | 12 | 14-JUL-67 | | | 12 |
| L | | MS27860 | SEAL, ALUMINUM, FLUID CONNECTION FITTING, LOW PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19 | A 4730 | 12 | 14-JUL-67 | | | 12 |
| L | | MS27862 | ELBOW, 90 DEG., ALUMINUM, FLUID CONNECTION FITTING, LOW PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19 | A 4730 | 12 | 14-JUL-67 | | | 12 |
| L | | MS27863 | TEE, ALUMINUM, FLUID CONNECTION FITTING, LOW PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19 | A 4730 | 12 | 14-JUL-67 | | | 12 |
| L | | MS27866 | ELBOW, 90 DEG., CRES, FLUID CONNECTION FITTING, HIGH PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19 | A 4730 | 12 | 14-JUL-67 | | | 12 |
| L | | MS27867 | TEE, CRES, FLUID CONNECTION FITTING, HIGH PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19 | A 4730 | 12 | 14-JUL-67 | | | 12 |
| D | | MS27900C | GAGES, PRESSURE AND GAGES COMPOUND, PRESSURE AND VACUUM, DIAL INDICATING, PANEL MOUNTED, 2 1/2 INCH DIAL SIZE, REFRIGERANT R12 AND R22 USER: CE MC REVIEWER: ES GS MD | A 6685 | GL | 28-MAR-85 | GL | YD1 | |
| | | MS27901B | GAGES, PRESSURE, DIAL INDICATING, PANEL MOUNTED, REFRIGERANT 12 (INACTIVE, USE MS 27900) (VALIDATION DATE: 8303) USER: CE ME REVIEWER: GS | A 6685 | GL | 21-MAR-75 | GL | MC | 99 |
| | NOTICE 1 | MS27950A | BOLT, EYE - TURNBUCKLE (GENERAL PURPOSE) (VALIDATION DATE: 8806) USER: AT MC ME OS REVIEWER: ER IS MI | A 5306 | AR | 01-JUN-88 | AR | SH | 99 |
| | NOTICE 1 | MS27951A | STUB (STUD), WELDING-TURNBUCKLE (GENERAL PURPOSE, MANUAL WELD APPLICATION) (VALIDATION DATE: 8806) USER: AT MC OS REVIEWER: 82 IS ME MI | A 5307 | AR | 06-JUN-88 | AR | SH | 99 |
| | NOTICE 1 | MS27952A | NUT, PLAIN-HEXAGON, JAM, LEFT HAND (VALIDATION DATE: 8806) USER: AT REVIEWER: IS MI | A 5310 | AR | 06-JUN-88 | AR | SH | 99 |
| | | MS27953B | BOLT, HOOK&TURNBUCKLE (GENERAL PURPOSE) (VALIDATION DATE: 8203) USER: AT MC OS REVIEWER: IS ME MI | A 5306 | AR | 15-APR-70 | AR | SH | 99 |
| D | | MS27954B | TURNBUCKLE, BODY (GENERAL PURPOSE) (VALIDATION DATE: 8203) USER: AT OS YD1 REVIEWER: ER IS ME MI | A 5340 | AR | 21-MAR-69 | AR | SH | 99 |
| | | MS27955A | NUT, PLAINROUND, SPANNER (VALIDATION DATE: 8504) REVIEWER: AV IS | A 5310 | AR | 16-FEB-67 | AR | AS | 99 |
| D | | MS27956B | HINGE, BUTT, NARROW AND BROAD, TEMPLATE, STEEL (INACTIVE FOR DESIGN) (VALIDATION DATE: 8203) USER: AV ME REVIEWER: IS MI SH | A 5340 | AR | 30-OCT-75 | AR | YD1 | 99 |
| D | | MS27958B | HINGE, BUTT, NARROW AND BROAD, TEMPLATE, BRASS (INACTIVE FOR DESIGN) (VALIDATION DATE: 8504) USER: AV MC ME REVIEWER: EA GL IS MI SH | A 5340 | AR | 01-NOV-77 | AR | YD1 | 99 |
| D | | MS27960B | HINGE, BUTT, NARROW LIGHT, NON-TEMPLATE USER: MC ME REVIEWER: EA GL IS SH | A 5340 | AR | 21-DEC-87 | AR | YD1 | 99 |
| D | | MS27961B | HINGE, BUTT, BROAD, NON-TEMPLATE USER: AV MC ME REVIEWER: EA GL IS SH | A 5340 | AR | 21-DEC-87 | AR | YD1 | 99 |
| D | | MS27962C | HINGE, BUTT, SPRING, SCREEN DOOR, ADJUSTABLE USER: AV MC ME REVIEWER: EA GL IS SH | A 5340 | AR | 12-FEB-91 | AR | YD1 | 99 |
| D | | MS27963B | HINGE, BUTT, SPRING SINGLE ACTING, & DOUBLE ACTING, ADJUSTABLE USER: AV MC ME REVIEWER: EA GL IS SH | A 5340 | AR | 21-DEC-87 | AR | YD1 | 99 |
| D | | MS27964B | HINGE, STRAP, CABINET REVIEWER: IS | A 5340 | AR | 21-DEC-87 | AR | YD1 | 99 |
| D | | MS27965A | HASP, HINGED, SAFETY, WITH SWIVEL STAPLE STEEL (VALIDATION DATE: 8203) USER: ME REVIEWER: IS MI | A 5340 | AR | 30-OCT-75 | AR | YD1 | 99 |
| D | | MS27966B | HINGE, BUTT-NARROW, NON-TEMPLATE USER: AV MC ME REVIEWER: EA GL IS SH | A 5340 | AR | 21-DEC-87 | AR | YD1 | 99 |
| D | | MS27968B | HINGE, BUTT, BROAD, NON-TEMPLATE USER: ME REVIEWER: IS | A 5340 | AR | 21-DEC-87 | AR | YD1 | 99 |
| D | | MS27969A | HASP, HINGED, OPEN WITH FIXED STAPLE, STEEL (VALIDATION DATE: 8203) USER: AV MC ME REVIEWER: EA GL IS MI SH | A 5340 | AR | 30-OCT-75 | AR | YD1 | 99 |
| D | | MS27970B | HINGE, TEE REVIEWER: IS SH | A 5340 | AR | 21-DEC-87 | AR | YD1 | 99 |
| D | | MS27971A | HASP, HINGED, DOUBLE SAFETY, WITH FIXED STAPLE, STEEL (VALIDATION DATE: 8203) REVIEWER: IS | A 5340 | AR | 30-OCT-75 | AR | YD1 | 99 |
| D | | MS27972B | HINGE-STRAP USER: AV MC ME REVIEWER: EA GL IS MI SH | A 5340 | AR | 21-DEC-87 | AR | YD1 | 99 |
| D | | MS27973B | HINGE, STRAP (OFFSET) USER: AV MC ME REVIEWER: EA GL IS SH | A 5340 | AR | 21-DEC-87 | AR | YD1 | 99 |
| D | | MS27975D | CLEVIS, ROD END-ADJUSTING, WIDE AND NARROW FORKS USER: AT GL MC ME OS YD1 REVIEWER: AV IS MI SH | A 5340 | AR | 22-JAN-90 | AR | AS | 99 |
| D | | MS27976E | CLEVIS, ROD END-PLAIN, WIDE AND NARROW FORKS USER: AT MC ME YD1 REVIEWER: AV IS SH | A 5340 | AR | 22-JAN-90 | AR | AS | 99 |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS27977D | FASTENER, SNAP, STYLE 1 (LARGE CURTAIN TYPE) REVIEWER: 82 AT AV ER IS MC ME MS | A | 5325 | GL | 30-APR-86 | GL | AS | 99 | | |
| | | MS27979C | FASTENER, SNAP, SYYLE 1B (MUD-PROOF CURTAIN TYPE) [VALIDATION DATE: 8802] | A | 5325 | GL | 12-FEB-88 | GL | AS | 99 | | |
| | NOTICE 1 | | USER: AT AV ER MC ME MS REVIEWER: AR | | | | | | | | | |
| | | MS27980E | FASTENER, SNAP, STYLE 2 (REGULAR WIRE SPRING CLAMP TYPE) USER: MC REVIEWER: AT AV ER OS | A | 5325 | GL | 30-NOV-84 | GL | AS | 99 | | |
| | | MS27981B | FASTENERS, SNAP, STYLE 2A (SMALL WIRE SPRING CLAMP TYPE) [VALIDATION DATE: 8908] USER: AT MC ME REVIEWER: AR MI | A | 5325 | GL | 31-AUG-89 | GL | AS | 99 | | |
| | | MS27982C | FASTENER, SNAP, STYLE 3 (PRONGED RING HEAD TYPE [VALIDATION DATE: 8402] USER: AT ER MC ME MS REVIEWER: AR MI SA | A | 5325 | GL | 31-JUL-78 | GL | AS | 99 | | |
| | | MS27983B | FASTENERS, SNAP, STYLE 4 (THREE WAY LOCKING TYPE) [VALIDATION DATE: 8908] USER: AT ME REVIEWER: AR EL ER IS MI SA WC | A | 5325 | GL | 31-AUG-89 | GL | AS | 99 | | |
| | | MS27984B | FASTENERS, SNAP, STYLE 5 (SCALLOPED BUTTON HEAD TYPE) [VALIDATION DATE: 8908] USER: AT ME REVIEWER: AR IS MI SA WC | A | 5325 | GL | 31-AUG-89 | GL | AS | 99 | | |
| | | MS27985B | FASTENERS, SNAP, STYLE 6 (FUNNEL NECK BUTTON HEAD TYPE) [VALIDATION DATE: 8908] USER: AT EL ME SM REVIEWER: AR WC | A | 5325 | GL | 31-AUG-89 | GL | AS | 99 | | |
| | | MS27986C | FASTENER, SNAP, STYLE 7 (RIVET TYPE) [VALIDATION DATE: 8802] USER: AR AT ER MC ME MS REVIEWER: SA | A | 5325 | GL | 12-FEB-88 | GL | AS | 99 | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS27990B | PIN, STRAIGHT, HINGE, PIANO USER: AS MC ME REVIEWER: IS MI | A | 5340 | AR | 23-MAR-88 | AR | | 99 | | |
| | | MS27997L | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST, N.O. TYPE I, HERMETICALLY SEALED | A | 5945 | 85 | 31-MAR-92 | | AS | 85 | | |
| | | MS28004B | INDICATOR - TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD, 0-300 DEG C [VALIDATION DATE: 8408] REVIEWER: GS | A | 6685 | 82 | 28-APR-66 | AV | AS | 99 | | |
| | | MS28005J | TRANSMITTERS, PRESSURE, SYNCHRO, AIRCRAFT | A | 6620 | 71 | 30-JAN-90 | AV | AS | 99 | | |
| | | MS28008B | INDICATOR, TEMPERATURE, MULTI-FUNCTION, ELECTRICAL RESISTANCE, SINGLE, | A | 6685 | AS | 24-OCT-91 | AV | AS | 99 | | |
| | NOTICE 2 | | CLAMP MOUNTED, -50 TO +50 DEG. C, 2 INCH SIZE [VALIDATION DATE: 9110] USER: ER SM REVIEWER: 11 82 GL MI | | | | | | | | | |
| | | MS28009B | INDICATOR - TEMPERATURE, ELECTRICAL RESISTANCE MULTI-FUNCTION, -70 TO +150 | A | 6685 | 82 | 28-MAY-88 | AV | AS | 99 | | |
| | NOTICE 1 | | C, 2-INCH SIZE [VALIDATION DATE: 8805] REVIEWER: GL GS MI | | | | | | | | | |
| | | MS28010D | INDICATORS, PRESSURE - SYNCHRO, SINGLE, 2-INCH SIZE REVIEWER: AR | A | 6620 | 71 | 29-FEB-92 | ER | AS | 99 | | |
| | | MS28012H | DRIFTMETER, ELECTRICALLY DRIVEN, GYRO STABILIZED | A | 6605 | 71 | 08-MAY-87 | | AS | 99 | | |
| | | MS28013A | INDICATOR - POSITION, HORIZONTAL STABILIZER [VALIDATION DATE: 9104] | A | 6610 | 71 | 15-APR-91 | AV | AS | 99 | | |
| | NOTICE 2 | | | | | | | | | | | |
| | | MS28015A | CLOCK - AIRCRAFT, CIVIL DATE, 24-HOUR DIAL, 2-3/4 DIA [VALIDATION DATE: | A | 6645 | AS | 19-JUN-87 | AR | AS | | | |
| | NOTICE 1 | | 8706] USER: AV CG REVIEWER: GS | | | | | | | | | |
| | | MS28016B | VALVE - HYDRAULIC DUAL THERMAL EXPANSION RELIEF [VALIDATION DATE: 8304] REVIEWER: 11 CS | A | 4820 | AS | 10-NOV-53 | | AS | 99 | | |
| J | | MS28018C | GAGE-PRESSURE, MANIFOLD, DIRECT INDICATING, 2 IN. SIZE, 10 -75 IN. MERCURY | A | 6620 | 71 | 15-AUG-91 | AV | AS | 99 | | |
| | NOTICE 2 | | [VALIDATION DATE: 9108] | | | | | | | | | |
| | | MS28021C | INDICATOR - INDICATED AIR SPEED, PITOT STATIC, 20-250 KNOTS [VALIDATION DATE: 8308] | A | 6610 | AV | 15-NOV-72 | AV | AS | 99 | | |
| | | MS28023A | INDICATOR - POSITION, WING FLAPS, PERCENT MARKING [VALIDATION DATE: 9108] | A | 6610 | 71 | 09-AUG-91 | AV | AS | 99 | | |
| | NOTICE 2 | | REVIEWER: 11 | | | | | | | | | |
| | | MS28024H | INDICATOR, TURN AND SLIP, 4 MINUTE TURN, 2 3/4 INCH DIAL | A | 6610 | 71 | 05-APR-88 | AV | AS | 99 | | |
| | | MS28025C | ACCELEROMETER - AIRCRAFT [VALIDATION DATE: 8902] USER: MI | A | 6610 | 71 | 23-FEB-89 | | AS | 99 | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MS28027A | INDICATOR - COURSE, ID-250A/ARN [VALIDATION DATE: 8405] | A | 5826 | 84 | 08-MAY-59 | | | 99 | | |
| | | MS28028C | THERMOMETER SELF-INDICATING, BIMETALLIC [VALIDATION DATE: 8812] USER: CG | A | 6685 | 82 | 09-DEC-88 | | AS | 99 | | |
| | NOTICE 1 | | REVIEWER: GL GS | | | | | | | | | |
| | | MS28034A | BULBS, TEMPERATURE, ELECTRICAL RESISTANCE (-70 DEG. C TO +300 DEG. C) | A | 6685 | 82 | 25-MAY-90 | | AS | 99 | | |
| | NOTICE 1 | | [VALIDATION DATE: 9005] USER: ER REVIEWER: GS | | | | | | | | | |
| A | | MS28036D | INDICATOR-TRUE AIRSPEED, TYPE M-1A [VALIDATION DATE: 9209] | A | 6610 | 71 | 28-SEP-92 | | AS | 99 | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS28038A | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE REVIEWER: GS | A | 6685 | 82 | 06-APR-84 | | AS | 99 | | |
| | | MS28041G | INDICATOR, TURN AND SLIP, 28V DC, 1-7/8 INCH DIAL | A | 6610 | 71 | 11-JUL-88 | AV | AS | 99 | | |
| | | MS28042F | CLAMP, INSTRUMENT MOUNTING, AIRCRAFT | A | 5340 | 82 | 04-NOV-82 | AV | AS | 99 | | |
| | | MS28045E | INDICATOR, INDICATED AIRSPEED PITOT STATIC, 10-150 KNOTS [VALIDATION DATE: 8410] | A | 6610 | AS | 23-MAR-70 | ME | AS | 99 | | |
| | | MS28048B | INDICATOR, INDICATED AIRSPEED, PITOT STATIC MAXIMUM ALLOWABLE SPEED, | A | 6610 | AS | 11-DEC-87 | | AS | 99 | | |
| | NOTICE 1 | | 50-650 KNOTS (ASG) [VALIDATION DATE: 8712] | | | | | | | | | |
| L | | MS28049B | INDICATOR, VERTICAL SPEED, 3 INCH | A | 6610 | 71 | 26-SEP-88 | | | 99 | | |
| | | MS28050 | VALVE, CHECK, LOW PRESSURE, INTERNAL THREADS (ASG) [VALIDATION DATE: 8304] USER: ME REVIEWER: CS | A | 4820 | AS | 01-SEP-55 | | AS | 99 | | |
| | | MS28051 | VALVE, STATIC PRESSURE SELECTOR (ASG) [VALIDATION DATE: 8410] REVIEWER: 11 CS | A | 4820 | AS | 01-SEP-55 | | AS | 99 | | |
| | | MS28052B | VALVE, CHECK, PRESSURE GAGE LINES BLEEDER AND FILLER (ASG) [VALIDATION DATE: 8410] REVIEWER: 11 CS | A | 4820 | AS | 29-NOV-56 | | AS | 99 | | |
| | | MS28055A | FLANGE, MOUNTING, ATTACHABLE, AIRCRAFT INSTRUMENT (ASG) [VALIDATION DATE: 8403] REVIEWER: 11 MI | A | 1680 | AS | 08-FEB-60 | | AS | 99 | | |
| | | MS28061D | GAGE, PRESSURE, ENGINE AND UTILITY, 2-INCH, FLANGE-MOUNTED, BACK PORTS [VALIDATION DATE: 8509] USER: MC MI REVIEWER: GS | A | 6620 | AS | 17-APR-79 | AV | AS | 99 | | |
| L | | MS28063A | GAGES, PRESSURE, ENGINE AND UTILITY, 2-INCH, FLANGE- OR PORT-MOUNTED, | A | 6620 | AS | 24-OCT-91 | | AS | | | |
| | NOTICE 1 | | BOTTOM PORT [VALIDATION DATE: 9110] | | | | | | | | | |
| | | MS28064B | GAGE, PRESSURE, ENGINE AND UTILITY, 3- INCH, FLANGE-MOUNTED, BACK PORTS | A | 6620 | AS | 11-DEC-87 | AV | AS | 99 | | |
| | NOTICE 1 | | [VALIDATION DATE: 8712] USER: MC | | | | | | | | | |
| L | | MS28066H | TRANSMITTER, ANGLE OF ATTACK OR SIDESLIP, LOCAL [VALIDATION DATE: 8712] | A | 5821 | AS | 11-DEC-87 | | AS | | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS28067C | INDICATOR, ANGLE OF ATTACK, 1-7/8 DIAL, 28 VOLT D. C. [VALIDATION DATE: | A | 6610 | AS | 11-DEC-87 | | AS | 99 | | |
| | NOTICE 1 | | 8712] | | | | | | | | | |
| | | MS28075C | INDICATOR, VERTICAL SPEED, 0-6000 FPM, 2-INCH | A | 6610 | AS | 09-NOV-87 | AV | AS | 11 | | |
| | | MS28077D | GAGE-PRESSURE, DIAL INDICATING, MANIFOLD PRESSURE [VALIDATION DATE: 8712] | A | 6620 | AS | 11-DEC-87 | AV | AS | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MS28086B | INDICATOR, ATTITUDE, SPHERICAL, DIRECT READING, FAST ERECTING, ELECTRIC GYRO [VALIDATION DATE: 8303] | A | 6610 | AS | 01-AUG-62 | | AS | | | |
| L | | MS28088A | INDICATOR, TURN AND SLIP (THREE PHASE) [VALIDATION DATE: 8509] | A | 6610 | AS | 14-JAN-67 | | AS | | | |
| L | | MS28089B | INDICATOR, AIRSPEED AND MACH NUMBER, PITOT STATIC, 60 TO 650 KNOTS | A | 6610 | AS | 11-DEC-87 | | AS | | | |
| | NOTICE 1 | | [VALIDATION DATE: 8712] | | | | | | | | | |
| | | MS28105C | COVER GLASS, AIRCRAFT INSTRUMENT DIAL [VALIDATION DATE: 9110] REVIEWER: 84 | A | 9340 | AS | 30-OCT-91 | GL | AS | 11 | | |
| L | | MS28112 | INSTRUMENT, BASIC STANDARD ARRANGEMENT FOR FIXED WING AIRCRAFT [VALIDATION | A | MISC | AS | 09-OCT-91 | | AS | | | |
| | NOTICE 1 | | DATE: 9110] | | | | | | | | | |
| L | | MS28126F | CONVERTER, 200 AMPERE, CLASS A, NONREGULATED AIRCRAFT, FAN COOLED | A | 6130 | AS | 18-NOV-91 | | AS | | | |
| L | | MS28130B | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE MOVEMENT [VALIDATION | A | 6620 | AS | 11-DEC-87 | | AS | | | |
| | NOTICE 1 | | DATE: 8712] | | | | | | | | | |
| | | MS28131G | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT 320 DEGREE MOVEMENT, HIGH TEMPERATURE (177 DEG C) GENERAL PURPOSE [VALIDATION DATE: 8509] USER: CG REVIEWER: 99 | A | 6620 | AS | 29-NOV-78 | AV | AS | 11 | | |
| L | | MS28132J | CONVERTER, 200 AMPERE, CLASS B NONREGULATED, AIRCRAFT, FAN COOLED USER: ER REVIEWER: GS | A | 6130 | AS | 30-SEP-88 | | AS | | | |
| | | MS28133D | CONVERTER, 50 AMPERE, CLASS B [VALIDATION DATE: 8508] USER: ER REVIEWER: GS | A | 6130 | AS | 15-DEC-69 | ME | AS | | | |
| | | MS28700B | ACCUMULATOR CYLINDRICAL, 3000 PSI [VALIDATION DATE: 8708] REVIEWER: 11 MI | A | 1650 | 71 | 25-AUG-87 | AV | AS | 99 | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS28720A | FILTER, AIRCRAFT HYDRAULIC LINE TYPE, 3,000 PSI [VALIDATION DATE: 8708] | A | 1650 | AS | 25-AUG-87 | AV | AS | 11 | | |
| | NOTICE 1 | | USER: ME REVIEWER: 99 MI | | | | | | | | | |

| Action | CRL / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS28741H | HOSE ASSEMBLY, DETACHABLE END FITTING, MEDIUM PRESSURE USER: ME REVIEWER: CS MI OS | A | 4720 | 82 | | 28-MAR-83 | AV | AS | 99 | |
| | | MS28742B | FITTING END - HOSE, SWIVEL, DETACHABLE, FLANGED, 3 BOLT, STRAIGHT [VALIDATION DATE: 8304] REVIEWER: AR CS | A | 4730 | AS | | 01-JUL-54 | | AS | 99 | |
| | | MS28744B | FITTING END - HOSE, SWIVEL, DETACHABLE, FLANGED, 3 BOLT, 90 DEG [VALIDATION DATE: 8509] REVIEWER: AR CS | A | 4730 | AS | | 01-JUL-54 | | AS | 99 | |
| L | | MS28746C | FITTING END - HOSE, SWIVEL, DETACHABLE, FLANGED, 4 BOLT, 45 DEG. REVIEWER: 69 | A | 4730 | 82 | | 30-AUG-83 | | AS | 99 | |
| L | | MS28752B | FITTING END, SELF SEALING FUEL HOSE, SWIVEL, DETACHABLE USER: CS ..... | A | 4730 | 82 | | 02-DEC-54 | | AS | | |
| | | MS28753B | FITTING END, SELF SEALING FUEL HOSE, SWIVEL DETACHABLE, FLANGED, STRAIGHT USER: CS | A | 4730 | 82 | | 24-JAN-86 | ME | AS | 99 | |
| | | MS28754B | FITTING END, SELF SEALING FUEL HOSE, SWIVEL, DETACHABLE, FLANGED, 45 DEG. USER: CS | A | 4730 | 82 | | 24-JAN-86 | ME | AS | 99 | |
| | | MS28755B | FITTING END, SELF SEALING FUEL HOSE, SWIVEL, DETACHABLE, FLANGED, 90 DEG .. | A | 4730 | 82 | | 08-AUG-85 | ME | AS | 99 | |
| A L | | MS28756 | HOSE ASSEMBLY, DETACHABLE END FITTING, SELF SEALING FUEL [VALIDATION DATE: 8304] USER: CS | A | 4720 | 82 | | 02-DEC-54 | | | 82 | |
| | NOTICE 1 | MS28759B | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FLARED TUBE [VALIDATION DATE: 8901] USER: ME REVIEWER: CS MI | A | 4720 | 82 | | 16-JAN-89 | AV | AS | 99 | |
| | | MS28760C | FITTING END, ATTACHABLE, HYDRAULIC AND PNEUMATIC HIGH PRESSURE HOSE (3,000 PSI) FLARED TUBE [VALIDATION DATE: 8204] REVIEWER: CS | A | 4730 | 82 | | 22-MAY-70 | | AS | 99 | |
| | | MS28761A | FITTING END, ATTACHABLE, HYDRAULIC HIGH PRESSURE HOSE (3,000 PSI), FLARELESS TUBE [VALIDATION DATE: 8303] REVIEWER: CS | A | 4730 | 82 | | 25-AUG-70 | | AS | 99 | |
| | | MS28762B | HOSE ASSEMBLY, HYDRAULIC AND PNEUMATIC HIGH PRESSURE (3,000 P.S.I.) FLARELESS TUBE [VALIDATION DATE: 7505] USER: ME REVIEWER: CS MI | A | 4720 | 82 | | 20-DEC-68 | AV | AS | 99 | |
| | | MS28764A | VALVE, CHECK, CONTROLLABLE, ROTARY-ACTION, HYDRAULIC, 3,000 PSI, TYPE II SYSTEMS (ASG) [VALIDATION DATE: 8410] REVIEWER: CS | A | 4820 | AS | | 30-APR-57 | | AS | 99 | |
| | | MS28765C | VALVE, CHECK, HYDRAULIC, INTERNAL PORTS 3,000 PSI, TYPE II SYSTEMS REVIEWER: 11 CS MI | A | 4820 | AS | | 01-MAY-88 | | AS | 99 | |
| | | MS28766A | VALVE, SHUTTLE, HYDRAULIC, DIRECT MOUNTING, 3,000 PSI, TYPE II SYSTEMS (ASG) [VALIDATION DATE: 8509] REVIEWER: CS | A | 4820 | AS | | 30-APR-57 | | AS | 99 | |
| | NOTICE 1 | MS28767A | VALVE, SHUTTLE, HYDRAULIC, INTERNAL-THREAD, TUBE FITTING OUTLET, 3,000 PSI, TYPE II SYSTEMS (ASG) [VALIDATION DATE: 8708] USER: CS ME | A | 1650 | AS | | 25-AUG-87 | | AS | 99 | |
| | NOTICE 1 | MS28768A | VALVE, CHECK, CONTROLLABLE, PLUNGER-TYPE, HYDRAULIC, 3,000 PSI, TYPE II SYSTEMS (ASG) USER: CS | A | 1650 | AS | | 25-AUG-87 | | AS | 99 | |
| | | MS28771C | VALVE, CHECK, HYDRAULIC, FLARED, 3,000 PSI, TYPE II SYSTEMS USER: CS ME REVIEWER: MI | A | 1650 | AS | | 28-MAR-91 | | AS | 99 | |
| | | MS28772B | PACKING, .D. RING, SHOCK STRUT [VALIDATION DATE: 7810] REVIEWER: IS MI .... | A | 5330 | 82 | | 27-JAN-71 | AV | AS | 99 | |
| | | MS28773 | RETAINER, PACKING BACKUP, TETRAFLUOROETHYLENE, STRAIGHT THREAD TUBE FITTING BOSS [VALIDATION DATE: 8107] REVIEWER: IS MI | A | 5330 | 82 | | 04-NOV-66 | AV | AS | 99 | |
| J | | MS28774L | RETAINER, PACKING BACKUP, SINGLE TURN, TETRAFLUOROETHYLENE USER: SH REVIEWER: 11 AR AV IS ME MI | A | 5330 | 82 | | 19-NOV-90 | MR | AS | 99 | |
| J | NOTICE 1 | MS28775E | PACKING, PREFORMED, HYDRAULIC, +275 DEG. F ("O" RING) USER: CS REVIEWER: AR AT IS MI OS | A | 5330 | 11 | | 15-NOV-89 | AV | AS | 99 | |
| | | MS28776D | SCRAPER, PISTON ROD USER: ME REVIEWER: MI ..... | A | 1650 | 71 | | 15-JUN-88 | AV | AS | 99 | |
| | | MS28777C | WASHER, FLAT, AIRCRAFT HYDRAULIC BACKUP USER: ME REVIEWER: AR IS MI ..... | A | 5830 | 82 | | 16-MAY-84 | AV | AS | 99 | |
| | | MS28778C | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS USER: CS REVIEWER: AR AT IS ME MI | A | 5330 | 82 | | 12-APR-84 | AV | AS | 99 | |
| | | MS28780D | ELBOW, 45 DEG. FLARED TUBE TO HOSE, ATTACHABLE, HYDRAULIC (3,000 PSI) REVIEWER: CS | A | 4730 | 82 | | 06-AUG-82 | | AS | 99 | |
| | | MS28781C | ELBOW, 90 DEG. FLARED TUBE TO HOSE, ATTACHABLE, HYDRAULIC (3,000 PSI) REVIEWER: CS | A | 4730 | 99 | | 23-DEC-82 | | AS | 99 | |
| | | MS28782D | RETAINER, PACKING, BACK-UP, TEFLON [VALIDATION DATE: 8406] USER: ME REVIEWER: AR IS MI | A | 5330 | 82 | | 12-JUN-58 | AV | AS | 99 | |
| | NOTICE 1 | MS28783E | RING, GASKET, BACK-UP, TEFLON [VALIDATION DATE: 8609] REVIEWER: AR IS MI .. | A | 5330 | 82 | | 08-SEP-86 | AV | AS | 99 | |
| | | MS28799B | LIGHT, COCKPIT, AIRCRAFT, INSTRUMENT, POST TYPE, UNIVERSAL [VALIDATION DATE: 8507] REVIEWER: GS | A | 6220 | AS | | 28-FEB-79 | ME | AS | 99 | |
| | | MS28881A | VALVE - HYDRAULIC, DIRECTIONAL CONTROL, SLIDE SELECTON 4 WAY, 3000 PSI [VALIDATION DATE: 8304] REVIEWER: MI | A | 1650 | AS | | 22-DEC-53 | | AS | 99 | |
| | | MS28882F | VALVE, FUEL CHECK, LOW PRESSURE, GASKET SEAL STRAIGHT THREAD CONNECTION [VALIDATION DATE: 8209] REVIEWER: CS ME MI | A | 4820 | 82 | | 10-JAN-77 | AV | AS | 99 | |
| | | MS28884E | VALVE, FUEL CHECK, LOW PRESSURE, FLARED TUBE CONNECTION, TYPE A [VALIDATION DATE: 8209] REVIEWER: CS ME MI | A | 4820 | 82 | | 10-JAN-77 | AV | AS | 99 | |
| | NOTICE 1 | MS28886C | VALVE, AIRCRAFT HYDRAULIC FLOW REGULATOR REVIEWER: CS MI ..... | A | 4820 | AS | | 25-AUG-87 | MO | AS | 99 | |
| L | | MS28887D | VALVE, RELIEF, CYLINDRICAL, TYPE II SYSTEM [VALIDATION DATE: 8304] ..... | A | 1650 | 71 | | 10-APR-73 | | | 99 | |
| | | MS28889L | VALVE, AIR, HIGH PRESSURE CHARGING, 5000 PSI USER: AT CS REVIEWER: 11 AL ME MI | A | 1650 | 71 | | 27-NOV-87 | AV | AS | 99 | |
| | NOTICE 1 | MS28890B | VALVE, HYDRAULIC CHECK, 3,000 PSI, FLARELESS, TYPE I SYSTEMS REVIEWER: MI . | A | 1650 | AS | | 25-AUG-87 | | AS | 99 | |
| | | MS28892A | VALVE, 3,000 PSI HYDRAULIC CHECK, FLARELESS, TYPE II SYSTEMS USER: CS ME .. | A | 1650 | AS | | 10-MAR-86 | | AS | 99 | |
| | | MS28893A | VALVE, HYDRAULIC RELIEF, CYLINDRICAL, TYPE II SYSTEMS (ASG) USER: CS REVIEWER: 11 MI | A | 1650 | AS | | 30-JUN-81 | | AS | 99 | |
| | NOTICE 1 | MS28896B | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI ABSOLUTE 15 MICRON, STYLE B, NON BY PASS, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9110] REVIEWER: 11 71 MI | A | 1650 | AS | | 09-OCT-91 | AV | AS | 99 | |
| | | MS28897C | FILTER ELEMENT, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRONS, MINUS 65 DEG. F TO PLUS 275 DEG. F (INACTIVE) USER: CS REVIEWER: 71 84 MI | A | 1650 | AS | | 15-JUL-82 | AV | AS | 99 | |
| | | MS28900A | PACKING, PREFORMED, FOR ELECTRICAL USE USER: AV MC ME NU SH REVIEWER: AT IS MI | A | 5330 | AS | | 01-MAY-86 | EL | AS | 11 | |
| | | MS28902A | CONTACT, ELECTRICAL, LEAF TAP FOR USE WITH MIL-R-8903 RESISTOR (ASG) [VALIDATION DATE: 8006] REVIEWER: 99 ES | A | 5905 | AS | | 14-FEB-66 | | AS | 85 | |
| | | MS28903A | RING, WIPER, HYDRAULIC AND PNEUMATIC, PISTON ROD, DIRT ..... | A | 1650 | 71 | | 09-NOV-87 | | AS | 99 | |
| | | MS28912D | BEARING, ROLLER, SELF&ALIGNING & SINGLE ROW, AIRFRAME, ANTIFRICTION, SEALED, TYPE 1 [VALIDATION DATE: 8304] USER: CG MC REVIEWER: 84 AV IS ME MI | A | 3110 | AS | | 15-NOV-73 | AT | AS | 99 | |
| | | MS28913C | BEARING, ROLLER, SELF&ALIGNING & DOUBLE ROW, AIRFRAME, ANTIFRICTION, SEALED, TYPE 11 [VALIDATION DATE: 8304] USER: CG MC REVIEWER: 84 MI | A | 3110 | AS | | 15-NOV-73 | AT | AS | 99 | |
| | | MS28914C | BEARING, ROLLER, SELF&ALIGNING & DOUBLE ROW, WIDE INNER RACE, AIRFRAME, ANTIFRICTION, SEALED, TYPE 111 [VALIDATION DATE: 8304] USER: CG MC REVIEWER: 84 MI | A | 3110 | AS | | 15-NOV-73 | AT | AS | 99 | |
| | | MS28915C | BEARING, ROLLER, SELF&ALIGNING & DOUBLE ROW, TORQUE TUBE, AIRFRAME, ANTIFRICTION, SEALED, TYPE 1V [VALIDATION DATE: 8304] USER: CG MC REVIEWER: 84 AV IS ME MI | A | 3110 | AS | | 15-NOV-73 | AT | AS | 99 | |
| | | MS28916 | LIGHT, CABIN DOME, AIRCRAFT [VALIDATION DATE: 8508] REVIEWER: GS ..... | A | 6220 | AS | | 27-JUL-64 | | AS | 99 | |
| | | MS28920A | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FITTING END TO ELBOW 45 DEG., FLARED TUBE [VALIDATION DATE: 8805] USER: ME REVIEWER: CS MI | A | 4720 | 82 | | 27-MAY-88 | AV | AS | 99 | |
| | NOTICE 1 | MS28921A | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FITTING END TO ELBOW 90 DEGREE, FLARED TUBE [VALIDATION DATE: 8901] USER: ME REVIEWER: CS MI | A | 4720 | 82 | | 16-JAN-89 | AV | AS | 99 | |
| | | MS28924A | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), ELBOW 90 DEG. TO ELBOW 90 DEG., FLARED TUBE [VALIDATION DATE: 8107] REVIEWER: CS MI | A | 4720 | 82 | | 31-MAR-69 | | AS | 99 | |
| | | MS28925C | LIGHT, SIGNAL, HAND HELD, 4-1/2 INCH [VALIDATION DATE: 8307] REVIEWER: GS | A | 6220 | AS | | 25-APR-77 | ME | AS | | |

| Action | Opt. / Cond. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS28926A | LAMP, INCANDESCENT, PAR-46 BULB, SCREW TERMINAL BASE, TAXIING [VALIDATION DATE: 8107] USER: MC REVIEWER: 11 GS | A | 6240 | AS | 07-MAR-72 | AV | AS | 99 | |
| | | | MS28927A | CLAMP-RIM, CLENCHING FOR MIL-R-8903 RESISTOR [VALIDATION DATE: 8503] USER: MC REVIEWER: 99 ES | A | 5905 | AS | 14-FEB-66 | | AS | 85 | |
| | | | MS28928A | COUPLING, INSULATED, BUSHING SHAFT, FOR MIL-R-8903 RESISTOR (ASG) [VALIDATION DATE: 8005] USER: MC REVIEWER: 99 ES | A | 5905 | AS | 14-FEB-66 | | AS | 85 | |
| | | | MS28931A | CAP, PROTECTIVE, DUST AND MOISTURE SEAL FOR MIL-R-8903 RESISTOR (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 99 ES | A | 5905 | AS | 30-JUN-64 | | AS | 85 | |
| | | | MS28932A | FELT STRIP, PACKING GLAND (ASG) [VALIDATION DATE: 8304] USER: ME REVIEWER: 82 IS MI | A | 5330 | AS | 26-SEP-77 | | AS | 99 | |
| | | | MS28933 | LAMP, INCANDESCENT & T&20 BULB, MEDIUM BIPOST BASE [VALIDATION DATE: 8406] REVIEWER: GS | A | 6240 | 82 | 07-DEC-62 | | AS | 99 | |
| | | | MS28936C | FUSE, SELF INDICATING CURRENT LIMITER, AIRCRAFT [VALIDATION DATE: 8508] USER: 11 CG REVIEWER: 99 ES | A | 5920 | AS | 28-SEP-73 | AV | AS | 85 | |
| | L | | MS28937C | FUSE, LIMITER TYPE, ENCLOSED LINK, 5-60 AMP, AIRCRAFT ..... | A | 5920 | AS | 22-APR-92 | | AS | | |
| | | | MS28938B | FUSE, LIMITER TYPE, ENCLOSED LINK, INTERMEDIATE RATING, AIRCRAFT (INACTIVE USE MS28937) [VALIDATION DATE: 8508] USER: MC REVIEWER: 99 ES | A | 5920 | AS | 18-APR-67 | | AS | 85 | |
| | | | MS29509B NOTICE 1 | PLUG SHIPPING, SPARK PLUG PORT (18MM), AIRCRAFT ENGINE [VALIDATION DATE: 8609] | A | 2810 | 82 | 01-SEP-86 | AV | AS | 99 | |
| | A | | MS29512C NOTICE 2 | PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, TUBE FITTING, "O" RING [VALIDATION DATE: 9212] USER: AT REVIEWER: 99 IS ME MI | A | 5330 | 11 | 10-DEC-92 | AV | AS | 11 | |
| | A | | MS29513C NOTICE 2 | PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, "O" RING [VALIDATION DATE: 9212] USER: AT CS REVIEWER: 99 AR IS ME MI | A | 5330 | 11 | 10-DEC-92 | AV | AS | 11 | |
| | | | MS29514C | FLANGE, ADAPTER LOCKING, PRESSURE FUEL SERVICING (ASG) [VALIDATION DATE: 8509] | A | 2915 | AS | 12-JUN-56 | | AS | 99 | |
| | LI | | MS29515B | ADAPTER, PRESSURE FUEL SERVICING, TYPES A-1 AND A-6 [VALIDATION DATE: 8911] | A | 4730 | 71 | 20-NOV-89 | | | 99 | |
| | | | MS29519C NOTICE 1 | ADAPTER, PRESSURE FUEL SERVICING VARIABLE CONFIGURATION, TYPE A-5 [VALIDATION DATE: 8509] | A | 2915 | AS | 12-JUN-56 | | AS | 99 | |
| | A | | MS29520H | ENVELOPE DIMENSIONS NOZZLE, PRESSURE FUEL SERVICING LOCKING AIRCRAFT, TYPE D-1, D-1R, D-2 AND D-2R | A | 4930 | AS | 09-SEP-92 | ME | AS | 11 | |
| | | | MS29521F | DISK, VALVE REVIEWER: CS ..... | A | 4820 | 82 | 17-MAY-84 | AV | AS | 99 | |
| | | | MS29522B | PLUG, HEXAGON HEAD, OIL COOLER ..... | A | 4730 | AS | 14-DEC-90 | AV | AS | 99 | |
| | | | MS29523A | HOOK, FILLER CAP CHAIN (ASG) [VALIDATION DATE: 8305] USER: ME REVIEWER: 99 IS MI | A | 4030 | AS | 16-FEB-56 | | AS | | |
| | | | MS29524 | GASKET - ADAPTER LOCKING FLANGE, PRESSURE FUEL SERVICING (ASG) [VALIDATION DATE: 8305] REVIEWER: 82 AR IS | A | 5330 | AS | 28-JUL-53 | | AS | 99 | |
| | | | MS29525F | CAP-PRESSURE FUEL SERVICING, NOMINAL 2 1/2 INCH DIAMETER, FLUSH TYPE ..... | A | 1560 | AS | 15-JAN-91 | AV | AS | 99 | |
| | | | MS29526E | CAP-PRESSURE FUEL SERVICING, NOMINAL 2 1/2 INCH DIAMETER NON-FLUSH TYPE ... | A | 1560 | AS | 15-JAN-91 | AV | AS | 11 | |
| | | | MS29527B | VALVE, FUEL SHUTOFF SOLENOID OPERATED, 28-VOLT DC 60-PSI OPERATING PRESSURE | A | 4810 | 82 | 02-MAR-84 | | AS | 99 | |
| | | | MS29528A NOTICE 1 | VALVE-FUEL DRAIN, SELF-LOCKING, POPPET [VALIDATION DATE: 8807] USER: CS MC REVIEWER: MI | A | 4820 | 82 | 21-JUL-88 | AV | AS | 99 | |
| | | | MS29529D | VALVE - FUEL DRAIN, SELF-LOCKING, TANK MOUNTED [VALIDATION DATE: 8106] ... | A | 4820 | 82 | 19-MAR-69 | AV | AS | 99 | |
| | | | MS29530D | VALVE - FUEL DRAIN, SELF-LOCKING, LINE MOUNTED [VALIDATION DATE: 8106] USER: CS MC | A | 4820 | 82 | 19-MAR-69 | AV | AS | 99 | |
| | | | MS29531 | PLUG - EXHAUST PORT CLOSURE, AIRCRAFT ENGINE (ASG) [VALIDATION DATE: 8508] | A | 2810 | AS | 20-NOV-53 | | AS | 99 | |
| | | | MS29533A | FERRULE, CAP BONDING FITTING, EXTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 8106] | A | 2915 | 82 | 06-FEB-69 | | AS | 99 | |
| | | | MS29534B NOTICE 1 | CAP, FITTING, INTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 8901] ..... | A | 2915 | 82 | 27-JAN-89 | AV | AS | 99 | |
| | L | | MS29535A | CAP ASSEMBLY, BONDING FITTING, EXTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 9012] | A | 2915 | 82 | 14-DEC-90 | | | 99 | |
| | | | MS29536B | CAP, FITTING, EXTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 8106] ..... | A | 2915 | 82 | 06-FEB-69 | | AS | 99 | |
| | | | MS29537 | GASKET, CAP, OUTLET FITTING, BOOSTER PUMP [VALIDATION DATE: 8107] REVIEWER: AR | A | 5330 | 82 | 22-JUN-54 | | AS | 99 | |
| | | | MS29538 | FITTING, FLARED TUBE, LOW PRESSURE, 90 DEG EXTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 8207] USER: AT | A | 2915 | 82 | 22-JUN-54 | | AS | 99 | |
| | | | MS29541 | FITTING, FLARED TUBE, OFFSET, LOW PRESSURE, INTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 8209] | A | 2915 | 82 | 22-JUN-54 | | AS | 99 | |
| | | | MS29558C NOTICE 1 | FITTING, (O) RING, CIRCULAR, COMPRESSION TYPE, SINGLE GROOVE, TANK [VALIDATION DATE: 8604] | A | 1560 | 84 | 11-APR-86 | | AS | 99 | |
| | | | MS29559C NOTICE 1 | FITTING, (O) RING, CIRCULAR, THRU BOLT TYPE, SINGLE GROOVE, TANK [VALIDATION DATE: 8604] | A | 1560 | 84 | 11-APR-86 | | AS | 99 | |
| | | | MS29560C NOTICE 1 | FITTING, (O) RING, CIRCULAR, THREADED INSERT TYPE, SINGLE GROOVE, TANK [VALIDATION DATE: 8604] | A | 1560 | 84 | 11-APR-86 | | AS | 99 | |
| | | | MS29561A | PACKING, PREFORMED, O RING, SYNTHETIC LUBRICANT RESISTANT [VALIDATION DATE: 8209] USER: MC REVIEWER: 11 AR IS ME MI | A | 5330 | 82 | 06-JAN-66 | MR | AS | 99 | |
| | | | MS29562B NOTICE 1 | FITTING, ATTACHMENT, MOLDED, TANK, THRU HOLE, FLUSH, (O) RING, RECTANGULAR, 10 X 16 [VALIDATION DATE: 8604] | A | 1560 | 84 | 11-APR-86 | | AS | 99 | |
| | | | MS29563B NOTICE 1 | FITTING, ATTACHMENT, MOLDED, TANK, FLUSH (O) RING, RECTANGULAR, 10 X 16 [VALIDATION DATE: 8604] | A | 1560 | 84 | 11-APR-86 | | AS | 99 | |
| | | | MS29564B NOTICE 1 | FITTING, ATTACHMENT, MOLDED TANK, THRU HOLE, FLUSH (O) RING, RECTANGULAR, 12 X 18 [VALIDATION DATE: 8604] | A | 1560 | 84 | 11-APR-86 | | AS | 99 | |
| | | | MS29565B NOTICE 1 | FITTING, ATTACHMENT, MOLDED TANK, FLUSH, (O)RING, RECTANGULAR, 12 X 18 [VALIDATION DATE: 8604] | A | 1560 | 84 | 11-APR-86 | | AS | 99 | |
| | | | MS29566B | FITTING, ATTACHMENT, MOLDED TANK, THRU HOLE, FLUSH, (O) RING, OVAL, 8 X 12 | A | 1560 | 84 | 11-APR-86 | | AS | 99 | |
| | | | MS29567B NOTICE 1 | FITTING, ATTACHMENT, MOLDED TANK, THRU HOLE, FLUSH, (O) RING, OVAL, 10 X 16 [VALIDATION DATE: 8604] | A | 1560 | 84 | 11-APR-86 | | AS | 99 | |
| | | | MS29568B NOTICE 1 | FITTING, ATTACHMENT, MOLDED TANK, FLUSH, (O) RING, OVAL [VALIDATION DATE: 8604] | A | 1560 | 84 | 11-APR-86 | | AS | 99 | |
| | | | MS29584THRUMS29587C | PUMP, ROTARY, POWER-DRIVEN, FUEL, AIRCRAFT (TAPER THREADED PORTS) [VALIDATION DATE: 8306] | A | 2915 | 82 | 01-JUN-71 | AV | AS | 99 | |
| | L | | MS29590A | COOLER - LUBRICATING OIL, AIRCRAFT ENGINE, PETROLEUM BASE, TUBULAR, ROUND . | A | 2935 | 71 | 01-OCT-88 | | | 99 | |
| | L | | MS29593A | VALVE - OIL COOLER TEMPERATURE REGULATING WITH SURGE PROTECTION ..... | A | 2935 | 71 | 25-SEP-88 | | | 99 | |
| | | | MS29597D | CONTROLLER, OXYGEN FLOW EMERGENCY CYLINDER VALVE ..... | A | 1660 | 71 | 07-JAN-87 | AV | AS | 99 | |
| | | | MS29599 NOTICE 1 | VALVE, CHECK, INLET, ONE-MAN LIFE RAFT, TYPE I [VALIDATION DATE: 9205] .... | A | 4220 | AS | 20-MAY-92 | ME | AS | 99 | |
| | | | MS29600 NOTICE 1 | VALVE, INLET, 20 MAN LIFE RAFT, TYPE II [VALIDATION DATE: 9205] ..... | A | 4220 | AS | 20-MAY-92 | ME | AS | 99 | |
| | | | MS33509A NOTICE 1 | ADAPTER INSTALLATION - TYPE XII OR XVI DRIVE STARTER JAW [VALIDATION DATE: 8708] | A | 2925 | AS | 25-AUG-87 | AV | AS | 99 | |
| | | | MS33514G | FITTING END, STANDARD DIMENSIONS FOR FLARELESS TUBE CONNECTION AND GASKET SEAL USER: AT GL MC ME REVIEWER: 71 82 AR CS MI | A | 4730 | AS | 21-MAY-90 | AV | AS | 99 | |
| | | | MS33515J | FITTING END, STANDARD DIMENSIONS FOR BULKHEAD FLARELESS TUBE CONNECTIONS [VALIDATION DATE: 8509] USER: AT ME OS REVIEWER: 11 AR CS MI | A | 4730 | AS | 23-JAN-73 | AV | AS | 99 | |
| | | | MS33522C NOTICE 1 | RIVETS, BLIND, STRUCTURAL, MECHANICALLY LOCKED AND FRICTION RETAINER SPINDLE, (RELIABILITY AND MAINTAINABILITY) DESIGN AND CONSTRUCTION REQUIREMENTS FOR [VALIDATION DATE: 9103] USER: GL REVIEWER: 82 AR IS ME MI | A | 5320 | AS | 25-MAR-91 | AV | AS | 99 | |
| | | | MS33530 | TOLERANCE-WELDED CARBON AND ALLOY STEEL TUBING (ASG) [VALIDATION DATE: 8508] REVIEWER: 99 | A | 4710 | AS | 26-JAN-53 | | AS | | |
| | | | MS33531A | TOLERANCE, WELDED CORROSION-RESISTANT STEEL TUBING (ASG) [VALIDATION DATE: 8407] REVIEWER: 99 | A | 4710 | AS | 23-AUG-57 | | AS | | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS33533 NOTICE 1 | TOLERANCES - SEAMLESS CORROSION-RESISTANT STEEL TUBING ROUND [VALIDATION DATE: 9002] REVIEWER: 99 MI | A | MISC | 11 | | 16-FEB-90 | | AS | 11 | |
| | | MS33534 | STANDARD DIMENSIONS FOR STREAMLINE AND OVAL TUBULAR SHAPES [VALIDATION DATE: 8106] | A | 4710 | 82 | | 26-JAN-53 | | AS | 99 | |
| | | MS33535C | MOUNTING PAD - SWING CHECK VALVE ELEMENT, FUEL [VALIDATION DATE: 8207] .... | A | 2915 | 82 | | 01-MAR-76 | AV | AS | 99 | |
| | | MS33537E | INSERT, SCREW THREAD, HELICAL COIL, INCH SERIES, COARSE AND FINE THREAD, STANDARD ASSEMBLY DIMENSIONS FOR USER: AR AT ME REVIEWER: MI | A | 5340 | 82 | | 11-JUN-91 | AV | AS | 99 | |
| | | MS33538A | NUT, SHEET SPRING, LIMITATIONS FOR USAGE ON AIRCRAFT [VALIDATION DATE: 8503] REVIEWER: IS | A | 5310 | 82 | | 15-OCT-58 | | AS | 99 | |
| | | MS33540J NOTICE 1 | SAFETY WIRING AND COTTER PINNING, GENERAL PRACTICES FOR [VALIDATION DATE: 9205] REVIEWER: MI | A | MISC | AS | | 15-MAY-92 | AR | AS | 99 | |
| | | MS33542A | CRITERIA-TEMPERATURE AND ALTITUDE RANGE BLAST COOLED ELECTRIC EQUIPMENT [VALIDATION DATE: 8306] | A | 1500 | AS | | 27-NOV-53 | | AS | | |
| | | MS33543A | CRITERIA TEMPERATURE AND ALTITUDE RANGE SELF COOLED ELECTRIC EQUIPMENT [VALIDATION DATE: 8306] REVIEWER: 99 MI | A | 1500 | AS | | 27-NOV-53 | | AS | | |
| | | MS33545 NOTICE 1 | CASE - INSTRUMENT, 5 X 5-1/4, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8808] USER: MC REVIEWER: MI | A | 6610 | 71 | | 05-AUG-88 | AV | AS | 99 | |
| | | MS33547C NOTICE 1 | PINS, SPRING, FUNCTIONAL LIMITATIONS OF [VALIDATION DATE, 9103] USER: AT REVIEWER: 82 MI | A | 5320 | AS | | 25-MAR-91 | AV | AS | 99 | |
| L | | MS33549B | CASE, INSTRUMENT, 2-3/4 DIAL, WITH SUMP, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8103] | A | 66GP | AS | | 15-APR-69 | | AS | | |
| | | MS33551 | FITTING INSTALLATION, FLARED TUBE, EXTERNAL AND INTERNAL DISCHARGE PORTS, BOOSTER PUMP [VALIDATION DATE: 8509] REVIEWER: 71 82 | A | 2915 | AS | | 22-JUN-54 | | AS | 99 | |
| | | MS33552 | FITTING, VARIABLE CONFIGURATION, LOW PRESSURE, EXTERNAL OUTLET, BOOSTER PUMP (ASG) [VALIDATION DATE: 8407] REVIEWER: 71 82 | A | 2915 | AS | | 22-JUN-54 | | AS | 99 | |
| | | MS33556B | HOUSING, INDICATOR REVIEWER: AR ..... | A | 66GP | 82 | | 10-MAY-84 | | AS | 99 | |
| | | MS33557A NOTICE 1 | NONSTRUCTURAL RIVETS FOR BLIND ATTACHMENT; LIMITATIONS FOR DESIGN AND USAGE [VALIDATION DATE: 9110] REVIEWER: 99 AR IS | A | 5320 | AS | | 09-OCT-91 | | AS | 11 | |
| | | MS33558C NOTICE 1 | NUMERAL AND LETTER, AIRCRAFT INSTRUMENT DIAL, STANDARD FORM OF [VALIDATION DATE: 8604] USER: ME REVIEWER: MI | A | 6610 | 11 | | 11-APR-86 | AV | AS | 11 | |
| | | MS33559E | ADAPTER, AIRCRAFT, JACKING POINT, DESIGN AND INSTALLATION OF USER: MC ..... | A | 1730 | AS | | 24-MAR-89 | AV | AS | 99 | |
| | | MS33561A | CONNECTION, AIRCARFT GROUND AIR CONDITIONING, 5 INCH MINIMUM REQUIREMENTS [VALIDATION DATE: 8306] | A | 4730 | 82 | | 07-AUG-67 | | AS | 99 | |
| | | MS33562C | CONNECTION, AIRCRAFT GROUND AIR CONDITIONING, 8 INCH MINIMUM REQUIREMENTS . | A | 4730 | 82 | | 15-MAR-84 | | AS | 99 | |
| L | | MS33564 | STANDARD LENGTHS AND WIDTHS, METAL SHEETS AND STRIPS (SUPERSEDES AND10115, AND10116, AND10117, AND10118,AND10120 AND AND10121) REVIEWER: IS | A | 9515 | 11 | | 04-MAR-88 | | | 11 | PS |
| | | MS33565C NOTICE 1 | CONNECTIONS, GROUND LEAKAGE TEST, PRESSURIZED CABIN, AIRCRAFT [VALIDATION DATE: 9205] | A | 4730 | AS | | 18-MAY-92 | | AS | 11 | |
| | | MS33566B NOTICE 2 | FITTINGS, INSTALLATION OF FLARELESS TUBE, STRAIGHT-THREADED CONNECTORS [VALIDATION DATE: 9205] USER: AT ME REVIEWER: AR | A | 4730 | AS | | 18-MAY-92 | AV | AS | 82 | |
| | | MS33568A | DRIVE, SQUARE MOUNTING FLANTE WITH INVOLUTE SPLINE-PINION [VALIDATION DATE: 8209] USER: AV | A | 15GP | AS | | 26-NOV-76 | | AS | | |
| | | MS33569A | DRIVE, ROUND MOUNTING FLANGE WITH INVOLUTE SPLINE-PINION [VALIDATION DATE: 8301] | A | 1500 | AS | | 26-NOV-76 | | AS | | |
| | | MS33570A | DRIVE, SQUARE MOUNTING FLANGE WITH ROUND SHAFT AND KEY [VALIDATION DATE: 8209] | A | 1500 | AS | | 26-NOV-76 | | AS | | |
| | | MS33571A | DRIVE, ROUND MOUNTING FLANGE WITH ROUND SHAFT AND KEY (INACTIVE FOR DESIGN 1 JAN 77) [VALIDATION DATE: 8209] | A | 15GP | AS | | 26-NOV-76 | | AS | | |
| L | | MS33572C NOTICE 1 | INSTRUMENT, PILOT, FLIGHT, BASIC, STANDARD ARRANGEMENT FOR HELICOPTERS [VALIDATION DATE: 8712] REVIEWER: AV | A | 1520 | AS | | 11-DEC-87 | | AS | | |
| | | MS33574B NOTICE 1 | DIMENSION, BASIC, COCKPIT, STICK-CONTROLLED, FIXED WING AIRCRAFT [VALIDATION DATE: 8708] USER: MC | A | 1510 | AS | | 25-AUG-87 | AV | AS | | |
| D | | MS33583B | TUBING END, DOUBLE FLARE, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8410] REVIEWER: 11 AV ME | A | 4730 | AS | | 25-AUG-69 | AT | AS | 99 | |
| | | MS33584C | TUBING END STANDARD DIMENSIONS FOR FLARED USER: AT MC REVIEWER: 71 82 AR CS ME MI | A | 4730 | AS | | 17-DEC-90 | AV | AS | 99 | |
| | | MS33585B | POINTER, DIAL, STANDARD DESIGN OF AIRCRAFT INSTRUMENT [VALIDATION DATE: 8103] USER: ME REVIEWER: MI | A | 1680 | AS | | 30-JUN-61 | | AS | 99 | |
| | | MS33587B | TRANSMITTER INSTALLATION CLEARANCE, FUEL AND OIL PRESSURE [VALIDATION DATE: 8503] REVIEWER: 99 GS | A | 6685 | 82 | | 16-NOV-72 | AV | AS | 11 | |
| | | MS33588E NOTICE 1 | NUTS, SELF-LOCKING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY USAGE REQUIREMENTS FOR [VALIDATION DATE: 9103] USER: ME REVIEWER: 82 MI | A | 5310 | AS | | 25-MAR-91 | AV | AS | 99 | |
| | | MS33589F | JACK, AIRCRAFT, AIRFRAME (UNIPOD AND TRIPOD) USER: MC REVIEWER: 99 ..... | A | 1730 | AS | | 24-MAR-89 | AV | AS | 11 | |
| I | | MS33592A NOTICE 1 | FASTENERS, TITANIUM AND TITANIUM BASE ALLOY, DESIGN AND USAGE LIMITATIONS FOR [VALIDATION DATE: 9205] | A | 53GP | AS | | 26-MAY-92 | AV | AS | 99 | |
| L | | MS33597 NOTICE 1 | JATO UNIT, AIRCRAFT, 1000 POUNDS THRUST, OUTLINE DIMENSIONS FOR [VALIDATION DATE: 9110] | A | 1340 | AS | | 09-OCT-91 | | AS | | |
| | | MS33600 | DRIVE, MINIATURE, POWER MOTOR WITH INVOLUTE SPLINE - PINION (ASG) [VALIDATION DATE: 8410] | A | 29GP | AS | | 01-MAY-58 | | AS | 99 | |
| | | MS33601B | TRACK AND STUD FITTING FOR CARGO TRANSPORT AIRCRAFT, STANDARD DIMENSIONS FOR REVIEWER: 11 | A | 1560 | AS | | 31-JUL-91 | AV | AS | 99 | |
| | | MS33602 | BOLTS, SELF-RETAINING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY, DESIGN AND USAGE REQUIREMENTS FOR [VALIDATION DATE: 9103] REVIEWER: 82 | A | 5306 | AS | | 25-MAR-91 | AV | AS | 99 | |
| | | MS33611A | TUBE BEND RADII REVIEWER: 11 ..... | A | 4710 | AS | | 01-APR-83 | AV | AS | 99 | |
| | | MS33620B | CHART, HOSE SELECTION [VALIDATION DATE: 8107] ..... | A | 4720 | 82 | | 04-MAR-64 | AV | AS | 99 | |
| | | MS33632 | WIRING DIAGRAM TWO POLE TACHOMETER GENERATOR AND PERCENT RPM TACHOMETER INDICATOR [VALIDATION DATE: 8403] REVIEWER: GS | A | 6680 | AS | | 02-DEC-60 | MO | AS | 99 | |
| | | MS33634A | INSTRUMENT, ENGINE, BASIC, STANDARD ARRANGEMENT OF [VALIDATION DATE: 8802] | A | 6620 | 11 | | 26-FEB-88 | AV | AS | 11 | |
| | | MS33636B NOTICE 1 | MEASUREMENT, UNITS OF, FOR AIRCRAFT INSTRUMENTS [VALIDATION DATE: 8712] REVIEWER: 71 MI | A | 66GP | AS | | 11-DEC-87 | AV | AS | 99 | |
| | | MS33638C | CASE, INSTRUMENT, FLANGE MOUNTED, AIRCRAFT [VALIDATION DATE: 8103] REVIEWER: 99 MI | A | 66GP | AS | | 15-APR-69 | | AS | 11 | |
| | | MS33639D | CASES, INSTRUMENT, CLAMP-MOUNTED, AIRCRAFT USER: ME REVIEWER: MI ..... | A | 66GP | AS | | 01-MAR-88 | AV | AS | 99 | |
| | | MS33645C NOTICE 1 | RECEPTACLE, GROUNDING, INSTALLATION OF [VALIDATION DATE: 8809] REVIEWER: 68 85 99 | A | 5935 | 11 | | 30-SEP-88 | AV | AS | 11 | |
| | | MS33649C | BUSS, FLUID CONNECTION - INTERNALSTRAIGHT THREAD USER: CG CS MC ME REVIEWER: MI | A | 4730 | 82 | | 02-AUG-84 | AV | AS | 11 | |
| | | MS33651B | BOSS AND INSTALLATIONS - AIR CONNECTION REVIEWER: MI ..... | A | 4730 | 82 | | 03-MAY-85 | ME | AS | 99 | |
| | | MS33656J | FITTING END, STANDARD DIMENSIONS FOR FLARED TUBE CONNECTION AND GASKET SEAL USER: AT ME REVIEWER: AV CS | A | 4730 | 82 | | 12-MAR-87 | AR | AS | 99 | |
| | | MS33658A | FITTING END, HOSE CONNECTION, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8107] USER: MC ME | A | 4730 | 82 | | 30-JUN-59 | AV | AS | 99 | |
| | | MS33660B | TUBING END, HOSE CONNECTION, STANDARD DIMENSIONS FOR (ASG) [VALIDATION DATE: 8304] USER: ME REVIEWER: MI | A | 4730 | AS | | 15-DEC-82 | | AS | 99 | |
| | | MS33669B | COUPLING, REPLENISHMENT, 1-1/2 INCH, FOR METHANOL-WATER, (DETAILS OF SERVICING NOZZLE) [VALIDATION DATE: 8908] | A | 1680 | 82 | | 25-AUG-89 | | AS | 99 | |
| A | | MS33675C NOTICE 2 | SCRAPER, INSTALLATION, PACKING, GLAND RING [VALIDATION DATE: 9209] ..... | A | 5330 | 71 | | 30-SEP-92 | AV | AS | 99 | |
| | | MS33677A | FITTING END, TAPER PIPE THREAD, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8306] USER: ME REVIEWER: AR GL MI | A | 4730 | 82 | | 31-AUG-61 | MO | AS | 99 | |
| | | MS33678 | CONNECTOR, RECEPTACLE, ELECTRIC, INTEGRAL MOUNTING [VALIDATION DATE: 8509] REVIEWER: 99 ES MI | A | 5935 | AS | | 17-DEC-58 | CR | AS | 85 | |
| | | MS33695 NOTICE 1 | CONTACTS, VIDEO COAXIAL CONNECTOR [VALIDATION DATE: 9110] ..... | A | 5935 | AS | | 24-OCT-91 | CR | AS | 85 | |

| Action | Opt. / Obit. Condition Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS33698F | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 3 (NAVY) [VALIDATION DATE: 8509] REVIEWER: EC ES | A | 5935 | AS | | 21-JUL-71 | | AS | 85 | |
| | | MS33699F | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 7 (NAVY) [VALIDATION DATE: 8509] REVIEWER: EC ES MI | A | 5935 | AS | | 21-JUL-71 | | AS | 85 | |
| | | MS33700F | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 12 (NAVY) [VALIDATION DATE: 8509] REVIEWER: EC ES MI | A | 5935 | AS | | 21-JUL-71 | | AS | 85 | |
| | | MS33701G | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 19 (NAVY) [VALIDATION DATE: 8509] REVIEWER: EC ES | A | 5935 | AS | | 21-JUL-71 | | AS | 85 | |
| | | MS33702E | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 27 (NAVY) [VALIDATION DATE: 8509] REVIEWER: ES | A | 5935 | AS | | 21-JUL-71 | | AS | 85 | |
| | | MS33703F | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 37 (NAVY) [VALIDATION DATE: 8509] REVIEWER: EC ES | A | 5935 | AS | | 21-JUL-71 | | AS | 85 | |
| | | MS33736C | TURNBUCKLE ASSEMBLIES, CLIP LOCKING OF USER: MC REVIEWER: AR | A | 5340 | AS | | 13-NOV-91 | AV | AS | 99 | |
| | | MS33737B | NUT, SHEET SPRING, INSTRUMENT MOUNTING REVIEWER: ER IS MI | A | 5310 | AS | | 18-JAN-88 | AV | AS | 99 | |
| | | MS33739G | AIRCRAFT MARKINGS, SERVICING AND PRECAUTIONING (ASG) USER: CG REVIEWER: 16 | A | 1500 | AS | | 28-AUG-87 | AV | AS | 99 | |
| | | MS33740B | NIPPLE, PNEUMATIC STARTING, 3 INCH ID, OUTLINE DIMENSIONS OF | A | 4730 | 71 | | 03-SEP-85 | | AS | 99 | |
| | | MS33741 | WIRING DIAGRAM - SENSITIVE INSTRUMENT SYSTEM WITH SEPARATE AMPLIFIER, 26 VOLTS, 400 CYCLES, SCHEMATIC [VALIDATION DATE: 9110] | A | 6620 | AS | | 24-OCT-91 | | AS | 11 | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MS33742A | SHAFTS, CONTROL KNOB [VALIDATION DATE: 9110] | A | 5355 | AS | | 24-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MS33743A | HOLES, CONTROL KNOB SHAFT [VALIDATION DATE: 9110] | A | 5355 | AS | | 24-OCT-91 | | AS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS33749 | SCREW - INSTALLATION AND LIMITATIONS FOR USAGE OF THREAD CUTTING AND THREAD FORMING (SUPERSEDES AND 10087) [VALIDATION DATE: 8304] USER: MC SH REVIEWER: IS SA | A | 5305 | 82 | | 20-FEB-62 | AR | AS | 99 | |
| | | MS33750J | RECESS, HIGH TORQUE AND CONICAL HIGH TORQUE, DIMENSIONS OF RECESS, GAGE, AND DRIVER FOR REVIEWER: IS MI | A | 53GP | AS | | 20-JUN-88 | AV | AS | | |
| | | MS33751 | FLANGE, ACCESSORY MOUNTING [VALIDATION DATE: 8403] REVIEWER: 71 82 | A | 2915 | AS | | 12-SEP-63 | MD | AS | 99 | |
| | | MS33781A | RECESS - TORQ-SET, DIMENSIONS OF RECESS, GAGE, AND DRIVER FOR [VALIDATION DATE: 9110] REVIEWER: 69 ME MI | A | 53GP | AS | | 09-OCT-91 | AR | AS | 99 | |
| | | MS33784 | WRENCHING FEATURES FOR CYLINDRICAL NUTS, DESIGN STANDARD FOR [VALIDATION DATE: 9110] USER: AR CR REVIEWER: 11 MI | A | 5310 | AS | | 09-OCT-91 | AV | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS33785A | INSTRUMENT ARRANGEMENT, STANDARD, BASIC FOR FIXED AND ROTARY WING AIRCRAFT [VALIDATION DATE: 8802] REVIEWER: 99 | A | 1500 | 11 | | 26-FEB-88 | AV | AS | 11 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS33786A | FITTING INSTALLATION, FLARED TUBE AND HOSE, SWIVEL (ASG) USER: ME | A | 4730 | 82 | | 01-FEB-85 | | AS | 99 | |
| | | MS33787D | WRENCHING ELEMENT, EXTERNAL SPLINE, DIMENSIONS FOR [VALIDATION DATE: 9109] REVIEWER: 82 AR IS | A | 5120 | AS | | 23-SEP-91 | AV | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS33788 | LIQUID SPRING UNDERCARRIAGE UNIT - OIL REPLENISHMENT CONNECTION FOR [VALIDATION DATE: 9205] | A | 1620 | AS | | 29-MAY-92 | AV | AS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS33790 | BEND DATA, MINIMUM, HYDRAULIC, PNEUMATIC, FUEL AND OIL HOSE [VALIDATION DATE: 8404] REVIEWER: MI | A | 4720 | 82 | | 06-OCT-58 | | AS | 99 | |
| | L | MS33800D | CONNECTOR, RECEPTACLE, ELECTRICAL - PIN CONTACT, NO. 12, 14 AND 16 A.W.G. WATERPROOF USER: GL MC REVIEWER: 85 AR CR ES ME | A | 5935 | AT | | 05-SEP-84 | AT | | | |
| D | | MS35000R | BATTERY, STORAGE, LEAD-ACID, WATERPROOF USER: GL MC OS REVIEWER: 80 ER GS ME MI SH | A | 6140 | AT | | 01-DEC-87 | AT | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| D | | MS35001F | BATTERY, STORAGE, LEAD ACID, NON WATERPROOF (INACTIVE USE MS 35000) | A | 6140 | AT | | 10-OCT-66 | AT | YD1 | 99 | |
| | L | MS35034A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, HI-K-STYLE CK62 | A | 5910 | CR | | 18-JUN-54 | CR | | | |
| | | MS35058J | SWITCH, TOGGLE ONE POLE, SEALED TOGGLE [INACTIVE USE MS 24523 OR MS 25306 [VALIDATION DATE: 8702] REVIEWER: 11 99 AV EC ES MI | A | 5930 | 8S | | 25-FEB-87 | ER | AS | 85 | |
| | | MS35059J | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE [INACTIVE USE MS 24524 OR MS 25307] [VALIDATION DATE: 8702] REVIEWER: 11 99 AV EC ES MI | A | 5930 | 8S | | 25-FEB-87 | ER | AS | 85 | |
| | L | MS35093A | SOCKET, CRYSTAL SO-200 [VALIDATION DATE: 9108] REVIEWER: ES | A | 5935 | CR | | 06-AUG-91 | CR | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS35102B | VIAL, LEVEL CYLINDRICAL, TYPE DA [VALIDATION DATE: 8804] USER: MC MI | A | 1290 | AR | | 18-APR-88 | AR | OS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS35103C | VIAL, LEVEL CYLINDRICAL, TYPE DB [VALIDATION DATE: 8804] USER: MC MI | A | 1290 | AR | | 18-APR-88 | AR | OS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS35104B | VIAL, LEVEL CYLINDRICAL, TYPE DC [VALIDATION DATE: 8804] USER: MC MI | A | 1290 | AR | | 18-APR-88 | AR | OS | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS35105B | VIAL, LEVEL CYLINDRICAL, TYPE DR [VALIDATION DATE: 8804] USER: MC MI | A | 1290 | AR | | 18-APR-88 | AR | OS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS35106B | VIAL, LEVEL CIRCULAR, TYPE CA [VALIDATION DATE: 8804] USER: MC MI | A | 1290 | AR | | 18-APR-88 | AR | OS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | LI | MS35115A | PLUG, CONNECTOR (TYPE S-M) UG-692/U [VALIDATION DATE: 9108] REVIEWER: ES | A | 5935 | CR | | 06-AUG-91 | CR | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | LI | MS35116A | PLUG, CONNECTOR (TYPE SM) UG-693/U [VALIDATION DATE: 9108] REVIEWER: ES | A | 5935 | CR | | 15-AUG-91 | CR | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MS35117B | RECEPTACLE, CONNECTOR (TYPE SM) UG-694/U [VALIDATION DATE: 9108] REVIEWER: ES | A | 5935 | CR | | 15-AUG-91 | CR | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MS35118C | RECEPTACLE, CONNECTOR (TYPE SM) UG-695/U [VALIDATION DATE: 9108] REVIEWER: ES | A | 5935 | CR | | 15-AUG-91 | CR | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | LI | MS35120D | RECEPTACLE, CONNECTOR (TYPE SM) UG-697/U [VALIDATION DATE: 9108] REVIEWER: ES | A | 5935 | CR | | 15-AUG-91 | CR | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MS35121B | RECEPTACLE CONNECTOR (TYPE-SM) UG-698/U [VALIDATION DATE: 9108] REVIEWER: ES | A | 5935 | CR | | 14-AUG-91 | CR | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MS35122A | PLUG, CONNECTOR (TYPE-SM) UG-699/U [VALIDATION DATE: 9108] REVIEWER: ES MI | A | 5935 | CR | | 15-AUG-91 | CR | | | |
| | L | MS35123B | RECEPTACLE CONNECTOR (TYPE SM) UG-700/U [VALIDATION DATE: 9108] REVIEWER: ES MI | A | 5935 | CR | | 15-AUG-91 | CR | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MS35124B | RECEPTACLE, CONNECTOR (TYPE-SM) UG-923/U [VALIDATION DATE: 9108] REVIEWER: ES | A | 5935 | CR | | 15-AUG-91 | CR | | | |
| | | NOTICE 1 | | | | | | | | | | |
| D | | MS35140D | STRAP, RETAINING, ONE HOLE, FOR PIPE, RIGID CONDUIT AND CABLE USER: EL ER MC ME REVIEWER: GL IS MI | A | 5340 | AR | | 12-FEB-87 | AR | YD1 | 99 | |
| | | MS35190F | SCREW, MACHINE-82 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNC-2 [VALIDATION DATE: 8203] USER: AV MC REVIEWER: IS MI SA | A | 5305 | AR | | 28-JUL-76 | AR | SH | 99 | |
| | | MS35191G | SCREW, MACHINE-82 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2A (IN./MM) [VALIDATION DATE: 8203] USER: MC REVIEWER: AT AV IS ME MI | A | 5305 | AR | | 28-JUL-76 | AR | AS | 99 | |
| | | MS35198D | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, BRASS, UNC-2A USER: AS MC SH REVIEWER: AT AV IS ME MI | A | 5305 | AR | | 05-DEC-89 | AR | | 99 | |
| | | MS35199B | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, BRASS, BLACK CHEMICAL FINISH, UNF-2A [VALIDATION DATE: 8805] USER: AS MC SH REVIEWER: AT AV EA IS MI | A | 5305 | AR | | 20-MAY-88 | AR | | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS35202C | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, ALUMINUM ALLOY, ANODIC COATED, UNC-2A [VALIDATION DATE: 8805] USER: AS MC SH REVIEWER: AT AV EA IS ME MI | A | 5305 | AR | | 20-MAY-88 | AR | | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MS35203B | SCREW, MACHINE, FLAT COUNTERSUNK HEAD, CROSS-RECESSED, ALUMINUM ALLOY, ANODIZE FINISH, MF-2A & UNF-2A [VALIDATION DATE: 8203] USER: MC SH REVIEWER: AT AV EA IS ME MI | A | 5305 | AR | | 14-JUN-76 | AR | | 99 | |
| | | MS35206H | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED CARBON STEEL, CADMIUM PLATED, UNC-2A USER: MC ME REVIEWER: AV IS MI | A | 5305 | AR | | 14-JUN-91 | AR | AS | 99 | |
| D | | MS35207F(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2A (IN./MM) USER: GL MC SH YD1 REVIEWER: AT AV IS ME MI | A | 5305 | AR | | 05-OCT-92 | AR | AS | 99 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| A | | MS35214D(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, BRASS, UNC-2A USER: AT CR MC ME SH REVIEWER: AV EA IS | A 5305 | AR 05-OCT-92 | AR | | 99 | |
| A | | MS35215C(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, BRASS, UNF-2A USER: AT MC SH REVIEWER: AV EA IS ME | A 5305 | AR 05-OCT-92 | AR | | 99 | |
| A | | MS35218B(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, ALUMINUM ALLOY, UNC-2A USER: AT MC MI REVIEWER: AV EA IS | A 5305 | AR 05-OCT-92 | AR | SH | 99 | |
| A | | MS35219B(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, ALUMINUM ALLOY, UNF-2A USER: AV MC REVIEWER: IS ME MI SA | A 5305 | AR 05-OCT-92 | AR | SH | 99 | |
| | | MS35223B | SCREW, MACHINE, PAN HEAD, SLOTTED, CARBON STEEL, CADMIUM PLATED, MC-2A AND UNC-2A USER: MC REVIEWER: GL SA | A 5305 | AR 15-JAN-73 | AR | SH | 99 | |
| | L | MS35252A | RING, CONNECTING, RECTANGULAR (INACTIVE) [VALIDATION DATE: 8301] ..... .. | A 4010 | AR 24-MAY-71 | AR | | | |
| D | | MS35254B | BRACE, CORNER, BOX 3 QUARTER-ROUND FLANGES, 3-MOUNTING HOLES USER: CE REVIEWER: 82 85 IS | A 5340 | ER 04-SEP-92 | ER | YD1 | 99 | |
| D | | MS35257B | BRACE, CORNER, BOX, LARGE, 2 QUARTER-ELLIPSE FLANGES, 2 MOUNTING HOLES USER: CE REVIEWER: 82 85 IS | A 5340 | ER 04-SEP-92 | ER | YD1 | 99 | |
| D | | MS35265C | SCREW, MACHINE DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UNC-2A [VALIDATION DATE: 8003] USER: AV MC YD1 REVIEWER: AS IS ME MI | A 5305 | AR 06-MAR-74 | AR | | 99 | |
| | | MS35266C NOTICE 1 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UNF-2A [VALIDATION DATE: 8805] USER: AV MC OS SH REVIEWER: IS ME MI | A 5305 | AR 20-MAY-88 | AR | | 99 | |
| | | MS35273C NOTICE 1 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNC-2A [VALIDATION DATE: 8805] USER: MC SH REVIEWER: AT AV IS ME MI | A 5305 | AR 20-MAY-88 | AR | AS | 99 | |
| | | MS35274C NOTICE 1 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNF-2A [VALIDATION DATE: 8805] USER: MC SH REVIEWER: AT EA IS ME MI | A 5305 | AR 20-MAY-88 | AR | AS | 99 | |
| A | | MS35275B(1) | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CORROSION RESISTING STEEL, PASSIVATED, UNC-2A USER: MC SH REVIEWER: AT AV EA IS ME MI | A 5305 | AR 18-JUN-92 | AR | AS | 99 | |
| A | | MS35276C(1) | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CORROSION RESISTING STEEL, PASSIVATED, UNF-2A USER: GL MC ME REVIEWER: AT AV EA IS | A 5305 | AR 18-JUN-92 | AR | SH | 99 | |
| | | MS35277B NOTICE 1 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, ALUMINUM ALLOY, UNC-2A [VALIDATION DATE: 8805] USER: AV MC REVIEWER: IS MI SA | A 5305 | AR 20-MAY-88 | AR | | 99 | |
| | | MS35278B NOTICE 1 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, ALUMINUM ALLOY, UNF-2A [VALIDATION DATE: 8805] USER: AS MC OS SH REVIEWER: AT AV IS ME SA | A 5305 | AR 20-MAY-88 | AR | | 99 | |
| | | MS35295B | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), MEDIUM CARBON STEEL, PLAIN FINISH UNC-2A (CANCELLED IN PART USE MS 90725) [VALIDATION DATE: 8203] USER: AT MC OS REVIEWER: SA | A 5305 | AR 09-JUN-67 | AR | SH | 99 | |
| | | MS35302C | SCREW, CAP, HEXAGON HEAD (FINISHED HEXACON BOLT), ALLOY STEEL, PLAIN FINISH, UNF-2A CANCELED IN PART AFTER 6 JUNE 1967 (USE MS90727) [VALIDATION DATE: 8504] USER: AT MC OS REVIEWER: MI | A 5305 | AR 14-JUN-71 | AR | SH | | | |
| | | MS35307D NOTICE 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION RESISTING, PASSIVATED, UNC-2A [VALIDATION DATE: 8805] USER: AT MC REVIEWER: AV IS MI OS | A 5305 | AR 20-MAY-88 | AR | SH | 99 | |
| | | MS35308E NOTICE 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION RESISTING, PASSIVATED, UNF-2A [VALIDATION DATE: 8805] USER: AT GL MC REVIEWER: IS ME MI OS | A 5305 | AR 20-MAY-88 | AR | SH | 99 | |
| | | MS35309C NOTICE 1 | SCREW, CAP, HEXAGON HEAD - NAVAL BRASS, PLAIN FINISH, UNC-2A [VALIDATION DATE: 8101] USER: MC MI OS REVIEWER: AT AV IS ME | A 5305 | AR 12-DEC-74 | AR | SH | 99 | |
| | | MS35310B | SCREW, CAP, HEXAGON HEAD, NAVAL BRASS, PLAIN FINISH, UNF-2A [VALIDATION DATE: 8504] USER: GL MC REVIEWER: AT AV IS OS | A 5305 | AR 15-FEB-73 | AR | SH | 99 | |
| | | MS35311A | SCREW, CAP, HEXAGON HEAD, NICKEL-COPPER ALLOY, PLAIN FINISH UNF-2A [VALIDATION DATE: 8504] USER: MC OS REVIEWER: AT AV IS SA | A 5305 | AR 15-FEB-73 | AR | SH | 99 | |
| | | MS35312A | SCREW, CAP, HEXAGON HEAD - NICKEL COPPER ALLOY, PLAIN FINISH, UNF-2A (INACTIVE 2-15-73) [VALIDATION DATE: 8504] USER: MC ME MI OS REVIEWER: AT AV IS | A 5305 | AR 15-FEB-73 | AR | SH | 99 | |
| D | | MS35333J | WASHER, LOCK, FLAT INTERNAL TOOTH USER: MC ME OS YD1 REVIEWER: AT AV ER GL IS MS | A 5310 | AR 09-FEB-81 | AR | AS | 99 | |
| D | | MS35334D | WASHER, LOCK, FLAT, HEAVY, INTERNAL TOOTH [VALIDATION DATE: 8003] USER: AT MC ME OS YD1 REVIEWER: AV IS MI | A 5310 | AR 06-FEB-74 | AR | | 99 | |
| D | | MS35335E | WASHER, LOCK, FLAT-EXTERNAL TOOTH (IN./MM) [VALIDATION DATE: 8504] USER: MC OS YD1 REVIEWER: AV GL IS MI | A 5310 | AR 20-MAR-72 | AR | | 99 | |
| D | | MS35336D | WASHER, LOCK COUNTERSUNK, 80 DEG.-82 DEG., EXTERNAL TOOTH (IN./MM) [VALIDATION DATE: 8203] USER: MC ME OS YD1 REVIEWER: AV IS MI | A 5310 | AR 30-MAR-70 | AR | | 99 | |
| | | MS35338J(1) | WASHER, LOCK-SPRING, HELICAL, REGULAR (MEDIUM) SERIES USER: ER MC ME REVIEWER: AT AV GL IS MI | A 5310 | AR 15-APR-92 | AR | AS | 99 | |
| D | | MS35340E | WASHER, LOCK - HELICAL SPRING, EXTRA DUTY (EXTRA HEAVY) SERIES USER: SA YD1 REVIEWER: AV GL IS MI | A 5310 | AR 30-MAR-90 | AR | AS | 99 | |
| | | MS35341C | FILTER, FLUID, PRESSURE, OIL, HEAVY DUTY BY-PASS TYPE, SENIOR SIZE (NON-BASE MOUNTED) [VALIDATION DATE: 8304] USER: AS AV MC MI REVIEWER: CS ME | A 2940 | AT 16-MAR-67 | AT | SH | 99 | |
| | | MS35342D | FILTER, FLUID, PRESSURE, OIL, HEAVY DUTY, BY-PASS TYPE SENIOR SIZE (BASE MOUNTED) [VALIDATION DATE: 8308] USER: AR AV MC ME MI REVIEWER: AS CS | A 2940 | AT 12-DEC-79 | AT | SH | 99 | |
| | | MS35343E | FILTER, FLUID, PRESSURE, OIL, HEAVY DUTY, BY-PASS TYPE, JUNIOR SIZE [VALIDATION DATE: 8504] USER: AR AS AV MC ME MI REVIEWER: CS | A 2940 | AT 12-DEC-79 | AT | SH | 99 | |
| | | MS35345F | FILTER ELEMENT, FLUID, PRESSURE, FOR SENIOR SIZE FILTER [VALIDATION DATE: 8308] USER: AR AS AV MC ME MI REVIEWER: CS | A 2940 | AT 12-DEC-79 | AT | SH | 99 | |
| | | MS35346F | FILTER ELEMENT, FLUID, PRESSURE, FOR JUNIOR SIZE FILTER [VALIDATION DATE: 8504] USER: AS MC MI REVIEWER: AR AV CS ME | A 2940 | AT 12-DEC-79 | AT | SH | 99 | |
| | | MS35347C | GASKET, FILTER, FLUID, PRESSURE [VALIDATION DATE: 8504] USER: AR AV MC ME MI REVIEWER: CS | A 2940 | AT 12-DEC-79 | AT | SH | 99 | |
| | | MS35355B | BOLT, MACHINE, SQUARE HEAD, STEEL, CADMIUM OR ZINC PLATED, UNC-2A [VALIDATION DATE: 8504] USER: AT AV MC OS REVIEWER: IS ME MI | A 5306 | AR 06-OCT-71 | AR | SH | 99 | |
| | | MS35356A | BOLT, MACHINE, SQUARE HEAD, STEEL, PHOSPHATE COATED, UNC-2A [VALIDATION DATE: 8504] USER: AT AV MC OS REVIEWER: IS | A 5306 | AR 06-OCT-71 | AR | SH | 99 | |
| | L | MS35387C | REFLECTOR, INDICATING, CLEARANCE REVIEWER: GL ..... | A 9905 | AT 25-MAY-90 | AT | | | |
| | | MS35420A | LENS, CLEARANCE MARKER LIGHT, BLACKOUT [VALIDATION DATE: 8504] USER: AS REVIEWER: 11 GS | A 6220 | AT 22-AUG-62 | AT | MC | | |
| | | MS35421A | LENS, CLEARANCE MARKER LIGHT, SERVICE [VALIDATION DATE: 8504] USER: AS REVIEWER: 11 GS | A 6220 | AT 22-AUG-62 | AT | MC | | |
| | | MS35422B | LAMPHOLDER, LIGHT, MARKER, CLEARANCE [VALIDATION DATE: 8304] USER: ME REVIEWER: GS | A 6220 | AT 27-JUN-77 | AT | MC | 99 | |
| | | MS35423B NOTICE 1 | LIGHT, MARKER, CLEARANCE&SERVICE USER: AS ME REVIEWER: GS MI ..... | A 6220 | AT 18-SEP-87 | AT | MC | 99 | |
| D | | MS35425E | NUT PLAIN, WING, UNC-2B INACTIVE FOR DESIGN [VALIDATION DATE: 8304] USER: MC ME YD1 REVIEWER: AT AV IS MI | A 5310 | AR 14-MAR-77 | AR | | 99 | |
| D | | MS35426E | NUT, PLAIN, WING, UNF-2B [VALIDATION DATE: 8304] USER: YD1 REVIEWER: IS ME MI | A 5310 | AR 14-MAR-77 | AR | | 99 | |
| | | MS35430B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE [VALIDATION DATE: 8503] REVIEWER: 99 ER GS MI | A 5940 | AR 10-FEB-61 | AR | SH | | |
| | | MS35431G | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAT USER: 11 AS MC REVIEWER: 99 AV GS MI | A 5940 | AR 16-FEB-87 | AR | | 85 | |
| | | MS35432A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAT, SLITTED [VALIDATION DATE: 8503] USER: AS REVIEWER: 99 ER GS | A 5940 | AR 23-JUL-56 | AR | SH | 85 | |
| | | MS35433A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, CENTER MOUNTING [VALIDATION DATE: 8503] REVIEWER: 85 ER GS | A 5940 | AR 23-JUL-56 | AR | SH | | |

| Action | Opn. / Obtl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS35434A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAG (VALIDATION DATE: 8404) REVIEWER: 99 ER GS | A | 5940 | AR | | 23-JUL-56 | AR | SH | 85 | |
| | | MS35435C | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, LOCATING LIP (VALIDATION DATE: 8404) REVIEWER: 99 ER GS | A | 5940 | AR | | 10-JUL-64 | AR | SH | 85 | |
| | | MS35436B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ONE HOLE (VALIDATION DATE: 8503) REVIEWER: 85 ER GS MI | A | 5940 | AR | | 10-FEB-61 | AR | SH | | |
| | | MS35437A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ONE-HOLE, LOCATING (VALIDATION DATE: 8404) REVIEWER: 99 ER GS | A | 5940 | AR | | 23-JUL-56 | AR | SH | 85 | |
| | | MS35438B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING INSULATION GRIP, ONE HOLE, FLAG REVIEWER: ER GS MI | A | 5940 | AR | | 15-DEC-89 | AR | SH | 85 | |
| | | MS35439C | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ELONGATED HOLE (VALIDATION DATE: 8503) REVIEWER: 99 ER GS | A | 5940 | AR | | 10-JUL-64 | AR | SH | 85 | |
| | | MS35440A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, SLOTTED (VALIDATION DATE: 8404) REVIEWER: 99 ER GS MI | A | 5940 | AR | | 23-JUL-56 | AR | SH | 85 | |
| | | MS35441A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, SLOTTED, FLAG (VALIDATION DATE: 8503) REVIEWER: 99 ER GS | A | 5940 | AR | | 23-JUL-56 | AR | SH | 85 | |
| | | MS35442A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, SLOTTED, 45 DEG. (VALIDATION DATE: 8503) REVIEWER: 99 ER GS MI | A | 5940 | AR | | 23-JUL-56 | AR | SH | 85 | |
| | | MS35443A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, SLOTTED (VALIDATION DATE: 8404) REVIEWER: 99 ER GS | A | 5940 | AR | | 23-JUL-56 | AR | SH | 85 | |
| | | MS35444A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE (VALIDATION DATE: 8404) REVIEWER: 99 ER GS | A | 5940 | AR | | 23-JUL-56 | AR | SH | 85 | |
| | | MS35445A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, FLAT, SLITTED (VALIDATION DATE: 8404) REVIEWER: 99 ER GS | A | 5940 | AR | | 23-JUL-56 | AR | SH | 85 | |
| | | MS35446C | TERMINAL, LUG, SOLDER TYPE, COPPER TUBING, ONE HOLE USER: ME REVIEWER: 99 ER GS MI | A | 5940 | AR | | 15-DEC-89 | AR | SH | 85 | |
| | | MS35447B | TERMINAL, LUG, SOLDER TYPE, COPPER TUBING, ONE HOLE 45 DEG. (VALIDATION DATE: 7903) REVIEWER: 99 ER GS MI | A | 5940 | AR | | 10-FEB-61 | AR | SH | 85 | |
| | | MS35448B | TERMINAL, LUG, SOLDER TYPE, COPPER TUBING, ONE HOLE, 90 DEG. (VALIDATION DATE: 7903) REVIEWER: 99 ER GS MI | A | 5940 | AR | | 10-FEB-61 | AR | SH | 85 | |
| | | MS35455B | SCREW, CAP, SOCKET HEAD HEXAGON, ALLOY STEEL, UNCOATED, UNC-3A (INACTIVE USE MS-16997) (VALIDATION DATE: 8304) USER: MC ME REVIEWER: 82 IS MI | A | 5305 | AR | | 21-SEP-64 | AR | SH | 99 | |
| | | MS35456B | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, UNCOATED, UNF-3A (INACTIVE USE MS-16998) (VALIDATION DATE: 8304) USER: MC REVIEWER: 99 IS MI | A | 5305 | AR | | 21-SEP-64 | AR | SH | | |
| | | MS35457B | SCREW, CAP, SOCKET HEAD HEXAGON, ALLOY STEEL, CADMIUM OR ZINC, UNC-3A (INACTIVE USE MS-16997) (VALIDATION DATE: 8304) USER: MC REVIEWER: 99 IS MI | A | 5305 | AR | | 21-SEP-64 | AR | SH | | |
| | | MS35458B | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, CADMIUM OR ZINC, UNF-3A (INACTIVE USE MS-16998) (VALIDATION DATE: 8304) USER: AV MC REVIEWER: IS MI | A | 5305 | AR | | 21-SEP-64 | AR | SH | 99 | |
| | | MS35459B | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, PHOSPHATE, UNC-3A (INACTIVE USE MS-16997) (VALIDATION DATE: 8304) USER: MC ME MI REVIEWER: 99 IS | A | 5305 | AR | | 21-SEP-64 | AR | SH | | |
| | | MS35460B | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, PHOSPHATE, UNF-3A (INACTIVE USE MS-16998) (VALIDATION DATE: 8304) USER: MC MI REVIEWER: IS | A | 5305 | AR | | 21-SEP-64 | AR | SH | | |
| | | MS35461B | SCREW, CAP, SOCKET HEAD - HEXAGON, STEEL, CORROSION RESISTING, PASSIVATED, UNC-3A (INACTIVE USE MS-16995) (VALIDATION DATE: 8304) USER: MC ME REVIEWER: 82 AS IS MI | A | 5305 | AR | | 21-SEP-64 | AR | SH | 99 | |
| D | | MS35465E | CUTTING EDGE, MOLDBOARD, GRADER USER: MC YD1 REVIEWER: 84 CS ..... | A | 3805 | ME | | 26-AUG-88 | ME | | 99 | |
| | | MS35478K | LAMP, INCANDESCENT, S-8 BULB, SINGLE CONTACT, BAYONET CANDELABRA BASE | A | 6240 | AT | | 20-NOV-87 | AT | SH | 11 | |
| | NOTICE 1 | | (VALIDATION DATE: 8711) USER: ER ME REVIEWER: 99 AS AV GS MI | | | | | | | | | |
| | | MS35480B | LAMP, INCANDESCENT R-12 BULB, SINGLE CONTACT, BAYONET CANDELABRA BASE (VALIDATION DATE: 8306) USER: AS REVIEWER: AV GS | A | 6240 | AT | | 30-MAY-72 | AT | SH | 99 | |
| | | MS35481 | LAMP, INCANDESCENT S-8 BULB, DOUBLE CONTACT, BAYONET CANDELABRA INDEXING | A | 6240 | AT | | 21-JAN-88 | AT | SH | | |
| | NOTICE 1 | | BASE USER: ER REVIEWER: AS GS | | | | | | | | | |
| | | MS35489J | GROMMETS, SYNTHETIC AND SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT USER: AS EC MC SA REVIEWER: ER GL IS MI MS | A | 5325 | AR | | 17-FEB-89 | AR | OS | 99 | |
| D | | MS35492E | SCREW, WOOD, FLAT HEAD, CROSS-RECESSED, STEEL AND BRASS (VALIDATION DATE: 8101) USER: AV MC ME SH REVIEWER: AT EA IS MI | A | 5305 | AR | | 15-AUG-74 | AR | YD1 | 99 | |
| D | | MS35493E | SCREW, WOOD, ROUND HEAD, CROSS-RECESSED, STEEL AND BRASS (VALIDATION DATE: 8003) USER: AT MC ME SH REVIEWER: AV EA IS MI | A | 5305 | AR | | 15-AUG-74 | AR | YD1 | 99 | |
| D | | MS35494E | SCREW, WOOD, FLAT HEAD, SLOTTED, STEEL AND BRASS USER: AT MC SH REVIEWER: AV EA IS ME MI | A | 5305 | AR | | 15-AUG-74 | AR | YD1 | 82 | |
| D | | MS35495D | SCREW, WOOD, ROUND HEAD, SLOTTED, STEEL AND BRASS (VALIDATION DATE: 8003) USER: AT MC SH REVIEWER: AV EA IS MI | A | 5305 | AR | | 15-AUG-74 | AR | YD1 | 99 | |
| L | | MS35643C | GASKET, SYNTHETIC RUBBER, CAP, FUEL TANK (VALIDATION DATE: 8304) USER: MC REVIEWER: 99 CS ME MI | A | 2910 | AT | | 07-DEC-67 | AT | | | |
| D | | MS35644F | FILLER NECK ASSEMBLY, FUEL TANK-MILITARY VEHICLES USER: CS YD1 REVIEWER: ME MI | A | 2910 | AT | | 25-NOV-86 | AT | | 99 | |
| | | MS35645F | CAP, FUEL TANK, TACTICAL VEHICLE, FORDING (VALIDATION DATE: 8504) USER: MC MI REVIEWER: CS ME | A | 2910 | AT | | 20-NOV-72 | AT | | 99 | |
| | | MS35646B | SCREW, EYE, STEEL OR BRASS (VALIDATION DATE: 8003) USER: AS AT AV MC WV REVIEWER: IS ME | A | 5305 | AR | | 22-MAR-74 | AR | | 99 | |
| D | | MS35647E | PADLOCKS, KEY OPERATED USER: MC SA REVIEWER: 82 AV ER IS MI ..... | A | 5340 | YD1 | | 27-JUL-92 | AR | YD1 | 99 | |
| D | | MS35649H | NUT, PLAIN, HEXAGON, MACHINE SCREW, UNC-2B USER: AT MC MI MS OS YD1 REVIEWER: 82 EA IS | A | 5310 | AR | | 12-FEB-88 | AR | | 99 | |
| D | | MS35650G | NUT, PLAIN, HEXAGON, MACHINE SCREW, UNF-2B USER: AT MC MI OS YD1 REVIEWER: 82 AV EA IS | A | 5310 | AR | | 07-OCT-85 | AR | | 99 | |
| | | MS35670C | VALVE, SAFETY RELIEF (VALIDATION DATE: 8301) USER: AT AV GL MI REVIEWER: 11 CS ME | A | 4730 | AR | | 01-MAR-77 | AR | | 99 | |
| | | MS35671A | PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, CARBON STEEL (VALIDATION DATE: 8304) USER: MC SH REVIEWER: 82 AV IS ME MI | A | 5315 | AR | | 17-MAR-65 | AR | AS | 99 | |
| | | MS35672B | PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVED, CORROSION-RESISTING STEEL (VALIDATION DATE: 8101) USER: MC SH REVIEWER: 82 AV EA IS ME MI | A | 5315 | AR | | 22-AUG-75 | AR | AS | 99 | |
| | | MS35673A | PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, BRASS (VALIDATION DATE: 8304) USER: MC REVIEWER: 82 IS MI SH | A | 5315 | AR | | 17-MAR-65 | AR | AS | 99 | |
| | | MS35674A | PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL (VALIDATION DATE: 8304) USER: AT MC ME REVIEWER: 82 AV IS MI | A | 5315 | AR | | 17-MAR-65 | AR | SH | 99 | |
| D | | MS35675B | PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTING STEEL (VALIDATION DATE: 8101) USER: MC YD1 REVIEWER: 82 AV IS ME MI SH | A | 5315 | AR | | 22-AUG-75 | AR | AS | 99 | |
| | | MS35676A | PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, BRASS (VALIDATION DATE: 8203) REVIEWER: 82 AV IS ME MI SH | A | 5315 | AR | | 17-MAR-65 | AR | AS | 99 | |
| | | MS35677A | PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, CARBON STEEL (VALIDATION DATE: 8304) USER: MC REVIEWER: 82 IS ME MI SH | A | 5315 | AR | | 17-MAR-65 | AR | AS | 99 | |
| | | MS35678B | PIN, GROOVED, HEADLESS-LONGITUDINAL CENTER GROOVE, CORROSION-RESISTING | A | 5315 | AR | | 01-JUN-88 | AR | AS | 99 | |
| | NOTICE 1 | | STEEL (VALIDATION DATE: 8806) USER: MC ME REVIEWER: 82 AV IS MI SH | | | | | | | | | |
| | | MS35679A | PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, BRASS (VALIDATION DATE: 8304) USER: MC REVIEWER: 82 IS MI SH | A | 5315 | AR | | 17-MAR-65 | AR | AS | 99 | |
| | | MS35684A | RIVET, SPLIT, OVAL HEAD, STEEL (VALIDATION DATE: 8304) USER: AT ER MC REVIEWER: IS MI | A | 5320 | AR | | 14-MAR-69 | AR | OS | 99 | |
| | | MS35685A | RIVET, SPLIT, OVAL HEAD, BRASS (VALIDATION DATE: 8304) USER: AT ER MC ME REVIEWER: IS MI | A | 5320 | AR | | 14-MAR-69 | AR | OS | 99 | |
| | | MS35688 | V-BEARING (SPRING LOADED, THROW OUT TYPE) (VALIDATION DATE: 8503) USER: MC REVIEWER: IS | A | 3120 | AR | | 26-JAN-56 | AT | SH | | |

| Action | Opt. / Old Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS35689 | V-BEARING (SPRING LOADED) [VALIDATION DATE: 8503] USER: MC REVIEWER: IS ... | A | 3120 | AR | 26-JAN-56 | AT | SH | | |
| | | MS35690E | NUT, PLAIN, HEXAGON, UNC-2B & UNF-2B USER: MC ME NS REVIEWER: 82 AV EA IS . | A | 5310 | AR | 29-AUG-84 | AR | SH | 99 | |
| | | MS35691D | NUT, PLAIN, HEXAGON (JAM) (UNC-2B & UNF-2B) USER: EA MC SH REVIEWER: 82 AT IS ME NS | A | 5310 | AR | 29-AUG-84 | AR | | 99 | |
| D | | MS35692B | NUT, SLOTTED, HEXAGON, UNC-2B AND UNF-2B [VALIDATION DATE: 7903] USER: MC YD1 REVIEWER: AV IS ME MI | A | 5310 | AR | 21-MAR-66 | AR | SH | 99 | |
| D | | MS35743A | RIVET, SOLID, SMALL, PAN HEAD, STEEL, ANNEALED [VALIDATION DATE: 8304] USER: AT CE MC REVIEWER: IS MI | A | 5320 | AR | 12-DEC-68 | AR | YD1 | 99 | |
| D | | MS35744B | RIVET, SOLID-SMALL COUNTERSUNK HEAD, STEEL, ANNEALED USER: AT CE CS MC REVIEWER: IS MI | A | 5320 | AR | 28-FEB-86 | AR | YD1 | 99 | |
| D | | MS35745A | RIVET, SOLID, BELT [VALIDATION DATE: 8203] USER: AT CE MC REVIEWER: GL IS MI | A | 5320 | AR | 12-DEC-68 | AR | YD1 | 99 | |
| | | MS35746F | COUPLING, AUTOMOTIVE, AIR BRAKE LINES [VALIDATION DATE: 8512] USER: MC ME REVIEWER: CS | A | 4730 | AT | 02-SEP-81 | AT | | 99 | |
| | | MS35748E | PACKING, PREFORMED: AIR COUPLING [VALIDATION DATE: 9010] USER: MC ME REVIEWER: 82 | A | 5330 | AT | 12-OCT-90 | AT | | 84 | |
| | NOTICE 1 | MS35751D | BOLT, SQUARE NECK, ROUND HEAD (CARRIAGE), STEEL, CADMIUM ORZINC PLATED, UNC-2A USER: AT MC ME OS REVIEWER: 82 AV EA IS | A | 5306 | AR | 04-NOV-85 | AR | | 99 | |
| | | MS35754B | BOLT, SQUARE NECK, COUNTERSUNK, (PLOW) STEEL, CADMIUM OR ZINC PLATED, NC-2A AND UNC-2A [VALIDATION DATE: 8003] USER: AT MC OS REVIEWER: IS ME | A | 5306 | AR | 20-MAY-74 | AR | | 99 | |
| | | MS35756E | KEY, WOODRUFF, STEEL ALLOY, WITH KEYWAY AND KEY SLOT DIMENSIONS USER: AT GL MC ME SH REVIEWER: 82 AS AV IS MI | A | 5315 | AR | 30-NOV-90 | AR | OS | 99 | |
| | | MS35758B | CUP, GREASE, MANUAL FEED USER: AS GL SH REVIEWER: 82 AT CS ..... | A | 4730 | AR | 28-JAN-86 | AR | | 99 | |
| | | MS35759B | CUP, GREASE, AUTOMATIC FEED [VALIDATION DATE: 8602] USER: CS SH REVIEWER: GL | A | 4730 | AR | 18-MAR-71 | AR | | 99 | |
| | | MS35760A | CORD ASSEMBLY, ELECTRICAL (CORD CD-307-A) [VALIDATION DATE: 8704] USER: AS REVIEWER: 99 NS | A | 5995 | CR | 10-APR-87 | CR | EC | 85 | |
| | NOTICE 1 | MS35763E | BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL, GRADE 5, UNC-2A AND UNF-2A (INACTIVE USE MS35764 [VALIDATION DATE: 8203] USER: AT MC ME MI OS REVIEWER: IS | A | 5306 | AR | 29-DEC-75 | AR | | 99 | |
| | | MS35764E | BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL, GRADE 8, UNC-2A AND UNF-2A [VALIDATION DATE: 8203] USER: AT MC ME MI OS REVIEWER: IS | A | 5306 | AR | 29-DEC-75 | AR | | 99 | |
| | | MS35769B | GASKET, METALLIC, ENCASED, ANNULAR, COPPER USER: AT REVIEWER: 82 IS ME .... | A | 5330 | AR | 06-JUN-91 | AR | | 99 | |
| A L | NOTICE 1 | MS35770B | THERMOSTATS, FLOW CONTROL, FOR 10 TO 500 H.P., LIQUID-COOLED INTERNAL COMBUSTION ENGINES [VALIDATION DATE: 9210] | A | 2930 | ME | 15-OCT-92 | ME | | | |
| | | MS35773B | RADIATOR, ENGINE COOLING, INDUSTRIAL [VALIDATION DATE: 8203] USER: MC REVIEWER: AT CS | A | 2930 | ME | 08-APR-66 | ME | | 99 | |
| | | MS35782C | COCK, DRAIN, CENTER DRAIN, 150 P.S.I. [VALIDATION DATE: 8901] USER: AT GL MC ME REVIEWER: AV CS MI | A | 4820 | AR | 10-JAN-89 | AR | SH | 99 | |
| | | MS35783E | COCK, DRAIN, WITH HOSE BIB, 150 P.S.I. [VALIDATION DATE: 8901] USER: AV MC MI REVIEWER: AT CS ME | A | 4820 | AR | 10-JAN-89 | AR | SH | 99 | |
| | | MS35784C | COCK DRAIN, SPRING KEY, 50 P.S.I. [VALIDATION DATE: 8609] USER: AV MC ME REVIEWER: AT CS | A | 4820 | AR | 05-SEP-86 | AR | SH | 99 | |
| | | MS35785B | COCK, DRAIN, GROUND KEY, 150 P.S.I. STEAM PRESSURE [VALIDATION DATE: 8609] USER: MC REVIEWER: AT AV CS ME | A | 4820 | AR | 05-SEP-86 | AR | SH | 99 | |
| | | MS35787B | COCK, DRAIN, GROUND KEY, BIB NOZZEL, 150 P.S.I. STEAM PRESSURE [VALIDATION DATE: 8609] USER: MC MS REVIEWER: CS GL MI | A | 4820 | AR | 05-SEP-86 | AR | SH | 99 | |
| D | | MS35790E(1) | WASHER, LOCK-COUNTERSUNK, 100 DEG., EXTERNAL TOOTH (IN./MM) USER: 70 MC ME OS YD1 REVIEWER: AT AV GL IS MI | A | 5310 | AR | 05-MAY-92 | AR | | 99 | |
| | | MS35791B | HANDLE, BAIL, CHEST, SURFACE MOUNTING, COUNTERSUNK HOLES [VALIDATION DATE: 8203] USER: AV MC ME MI REVIEWER: DS GL IS | A | 5340 | AR | 27-MAR-70 | AR | OS | 99 | |
| | | MS35792B | HANDLE, BAIL, CHEST, RECESSED [VALIDATION DATE: 8203] USER: AV MC ME MI REVIEWER: GL IS | A | 5340 | AR | 27-MAR-70 | AR | OS | 99 | |
| | | MS35793B | HANDLE, BAIL, CHEST, SURFACE MOUNTING, PLAIN HOLES [VALIDATION DATE: 8203] USER: AV MC ME REVIEWER: GL IS MI | A | 5340 | AR | 27-MAR-70 | AR | OS | 99 | |
| | | MS35794A | BEARING, SLEEVE, STEEL-BACKED BIMETAL, SPLIT TYPE,ONE PIECE [VALIDATION DATE: 8204] USER: AS AT REVIEWER: IS SH | A | 3120 | OS | 03-NOV-72 | | OS | | |
| D | | MS35798B | BOLT, MACHINE, SQUARE HEAD HOT GALVANIZED (POLE-LINE) USER: MC REVIEWER: AR IS | A | 5306 | ER | 16-OCT-87 | ER | YD1 | 99 | |
| D | | MS35799C | ROD, CONTINUOUS THREAD, DOUBLE ARMING, HOT GALVANIZED, (POLE LINE) USER: MC MS REVIEWER: 82 AR GL IS ME | A | 5306 | ER | 20-OCT-87 | ER | YD1 | 99 | |
| D | | MS35801A | BOLT, LAG, FETTER DRIVE HOT GALVANIZED (POLE-LINE) [VALIDATION DATE: 8101] USER: MC REVIEWER: AR IS SA | A | 5306 | ER | 10-AUG-67 | ER | YD1 | 99 | |
| | | MS35802D | FILTER ELEMENT, FLUID, PRESSURE-OIL, FULL-FLOW [VALIDATION DATE: 8509] USER: AT REVIEWER: CS | A | 2940 | ME | 26-JAN-77 | ME | SH | 99 | |
| | | MS35803A | RETAINER, PACKING, BACK-UP RING, LEATHER [VALIDATION DATE: 7603] USER: AT REVIEWER: AR IS ME MI | A | 5330 | 82 | 30-JAN-70 | AV | AS | 99 | |
| | | MS35810B | PIN, STRAIGHT, HEADED (CLEVIS PIN) STEEL, CADMIUM OR ZINC PLATED. [VALIDATION DATE: 8203] USER: AT MC OS REVIEWER: 82 IS ME MI | A | 5315 | AR | 21-MAR-69 | AR | SH | 99 | |
| D | | MS35812E | CLEVIS, ROD END&ADJUSTABLE AND PLAIN, STEEL USER: AT GL MC ME MI OS YD1 ... | A | 5340 | AR | 27-FEB-87 | AR | AS | 99 | |
| D | | MS35813D | CONNECTOR, ROD END&STEEL USER: GL MC ME MI OS YD1 REVIEWER: SH ..... | A | 5340 | AR | 27-FEB-87 | AR | AS | 99 | |
| | | MS35821E | HINGE, BUTT, CONTINUOUS (PIANO) .032 THICKNESS, .063 PIN DIA USER: MC REVIEWER: 82 AT AV GL IS MI | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| | | MS35822E | HINGE, BUTT, CONTINUOUS (PIANO) .040 THICKNESS .091 PIN DIA USER: MC REVIEWER: 82 AT AV GL IS MI | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| | | MS35823E | HINGE, BUTT, CONTINUOUS (PIANO) .050 THICKNESS, .125 PIN DIA USER: MC REVIEWER: 82 AT AV GL IS MI | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| I | | MS35824D | HINGE, CONTINUOUS (PIANO) .050 THICKNESS, .187 PIN DIA USER: MC REVIEWER: 82 AT AV GL IS MI | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| | | MS35825E | HINGE, BUTT, CONTINUOUS (PIANO) .060 THICKNESS, .125 PIN DIA USER: MC REVIEWER: 82 AT AV GL IS MI | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| | | MS35826E | HINGE, BUTT, CONTINUOUS (PIANO) .060 THICKNESS, .187 PIN DIA USER: MC REVIEWER: 82 AT AV GL IS MI | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| I | | MS35827D | HINGE, CONTINUOUS (PIANO) .060 THICKNESS .250 PIN DIA USER: MC REVIEWER: 82 AT GL IS MI | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| I | | MS35828D | HINGE, CONTINUOUS, (PIANO) .60 THICKNESS .312 & .375 PIN DIA USER: MC REVIEWER: 82 AT AV GL IS MI | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| | | MS35829F | HINGE, BUTT, CONTINUOUS (PIANO) .075 THICKNESS, .187 & .250 PIN DIA USER: MC REVIEWER: AT EA ER IS MI NS | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| | | MS35830E | HINGE, BUTT, CONTINUOUS (PIANO) .090 THICKNESS .250, & .375 PIN DIA USER: MC REVIEWER: 82 AT AV GL IS MI | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| | | MS35831E | HINGE, BUTT, CONTINUOUS, (PIANO) .125 THICKNESS, .375 PIN DIA USER: MC REVIEWER: 82 AT AV GL IS MI | A | 5340 | AR | 06-JAN-89 | AR | AS | 99 | |
| | NOTICE 1 | MS35841C | FILLER NECK: RADIATOR (7PSI) [VALIDATION DATE: 9005] USER: GL SH ..... | A | 2930 | AT | 15-MAY-90 | AT | | 82 | |
| D | | MS35842E | CLAMP, HOSE, LOW PRESSURE TYPE ,F, [VALIDATION DATE: 8512] USER: 11 CG MC OS REVIEWER: AR AV CS ME MI | A | 4730 | AT | 30-JAN-69 | AT | YD1 | 99 | |
| D | | MS35844D | PLUG, MACHINE THREAD, MAGNETIC: DRAIN USER: CS OS REVIEWER: IS MC ME ..... | A | 5365 | AT | 25-JUN-91 | AT | YD1 | 99 | |
| | | MS35845E | DEHYDRATORS, DESICCANT, REFRIGERANT-12 [VALIDATION DATE: 9203] USER: SH | A | 4130 | GL | 27-MAR-92 | GL | | 99 | |
| D | NOTICE 1 | MS35867C | REVIEWER: CE ME CONNECTION END, INTERNAL FLARE, REFRIG. USER: MC SH REVIEWER: ME MI ..... | A | 4730 | GL | 31-OCT-86 | GL | YD1 | 99 | |
| D | NOTICE 1 | MS35868B | CONNECTION, END, EXTERNAL PIPE THREAD REFRIGERATION USER: MC SH REVIEWER: CS ME | A | 4730 | GL | 31-OCT-86 | GL | YD1 | 99 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | MS35869C | ADAPTER, STRAIGHT, MALE, REFRIGERATION PIPE TO FLARED TUBE USER: AR CE MC SH REVIEWER: CS MD | A | 4730 | GL | 31-OCT-86 | GL | YD1 | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| D | | MS35870C | ADAPTER, REFRIGERANT CYLINDER, EXTERNAL FLAREX STRAIGHT PIPE, REFRIGERATION USER: MC ME SH REVIEWER: CS | A | 4730 | GL | 31-OCT-86 | GL | YD1 | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| D | . | MS35871C | TEE, PIPE TO TUBE, REFRIGERATION (VALIDATION DATE: 8402) USER: MC REVIEWER: CS ME | A | 4730 | GL | 24-FEB-78 | GL | YD1 | 99 | | | |
| D | | MS35872C | FLARE NUT AND FLARE SEAL BONNET, REFRIGERATION REVIEWER: 82 CS MC ME MI SH YD1 | A | 4730 | GL | 31-OCT-86 | GL | | 99 | | | |
| | | MS35873C | CONNECTION, END, EXTERNAL FLARE, REFRIGERATION USER: MC REVIEWER: CS ME MI | A | 4730 | GL | 31-OCT-86 | GL | | 99 | | | |
| | L | MS35875A | AIR CLEANER, INTAKE, OIL BATH TYPE, FOR INDUSTRIAL ENGINES (VALIDATION | A | 2940 | ME | 14-DEC-87 | ME | | | | | |
| | | NOTICE 1 | DATE: 8712) USER: CG MC REVIEWER: AT CS | | | | | | | | | | |
| | | MS35880C | VALVE, PACKLESS STOP, SOLDER-JOINT CONNECTION ENDS (VALIDATION DATE: 8402) USER: MC REVIEWER: GS | A | 4130 | GL | 24-FEB-78 | GL | SH | 99 | | | |
| | | MS35881C | VALVE, PACKLESS, STOP, FLARE CONNECTION ENDS (VALIDATION DATE: 8402) USER: MC ME REVIEWER: GS | A | 4130 | GL | 24-FEB-78 | GL | SH | 99 | | | |
| | | MS35882C | VALVE, PACKLESS, STOP, THREE-WAY, SOLDER-JOINT CONNECTION ENDS (VALIDATION DATE: 8402) USER: MC REVIEWER: 11 GS MI | A | 4130 | GL | 16-MAR-78 | GL | SH | 99 | | | |
| | | MS35883C | VALVE, PACKLESS, STOP,-THREE-WAY FLARE CONNECTION ENDS (VALIDATION DATE: 8402) USER: MC ME REVIEWER: GS | A | 4130 | GL | 16-MAR-78 | GL | SH | 99 | | | |
| | LI | MS35897A | PACKING, PREFORMED REVIEWER: CR QM ..... | A | 5985 | AR | 25-FEB-63 | AR | | | | | |
| | | MS35907C | SPARK PLUG: THREAD FORMS AND DATA (60 DEGREE THREAD FORM) (OTHER THAN | A | THDS | AT | 15-SEP-90 | AT | | 11 | | | |
| | | NOTICE 1 | AIRCRAFT) (VALIDATION DATE: 9009) USER: MC REVIEWER: 84 99 IS | | | | | | | | | | |
| D | | MS35910B | GASKET, SPARK PLUG NONAIRCRAFT (VALIDATION DATE: 9010) USER: MC REVIEWER: CS ME | A | 2920 | AT | 10-OCT-90 | AT | YD1 | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| | | MS35914F | INSERT, SCREW THREAD - THREAD CUTTING (VALIDATION DATE: 8304) USER: AV REVIEWER: AT IS MI | A | 5340 | AR | 20-SEP-77 | AR | | 99 | | | |
| | L | MS35915B | LEAD, ELECTRICAL (STORAGE BATTERY) (VALIDATION DATE: 8501) REVIEWER: GS ... | A | 6140 | AT | 30-DEC-77 | AT | | | | | |
| | L | MS35916D | TACHOMETER, MECHANICAL FIXED MOUNTING - (4000 R.P.M.) USER: MC ME REVIEWER: GS MI | A | 6680 | AT | 11-JUL-91 | AT | | | | | |
| D | | MS35917C | ELBOW, TUBE, 90 AND 45 DEGREE, SOLDER- JOINT, REFRIGERATION (VALIDATION | A | 4730 | GL | 31-OCT-86 | GL | | 99 | | | |
| | | NOTICE 1 | DATE: 8610) USER: AR CE MC SH YD1 REVIEWER: GS MD | | | | | | | | | | |
| | | MS35918B | ADAPTER, STRAIGHT, PIPE THREAD TO TUBE, MALE SOLDER-JOINT, REFRIGERATION | A | 4730 | GL | 12-FEB-88 | GL | | 99 | | | |
| | | NOTICE 1 | (VALIDATION DATE: 8802) USER: MC REVIEWER: CS GS ME SH | | | | | | | | | | |
| D | | MS35919C | ADAPTER, STRAIGHT, PIPE TO TUBE, EXTERNAL FLARE TO FEMALE SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8610) USER: MC SH REVIEWER: CS ME | A | 4730 | GL | 31-OCT-86 | GL | YD1 | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| | | MS35920C | REDUCER COUPLING, TUBE, MALE TO FEMALE SOLDER-JOINT, REFRIGERATION | A | 4730 | GL | 31-OCT-86 | GL | | 99 | | | |
| | | NOTICE 1 | (VALIDATION DATE: 8610) USER: MC REVIEWER: CS GS ME SH | | | | | | | | | | |
| | | MS35921C | ADAPTER, STRAIGHT, PIPE TO TUBE, PIPE THD TO FEMALE SOLDER-JOINT, | A | 4730 | GL | 31-OCT-86 | GL | | 99 | | | |
| | | NOTICE 1 | REFRIGERATION (VALIDATION DATE: 8610) USER: MC REVIEWER: CS GS ME SH | | | | | | | | | | |
| | | MS35922C | ELBOW, TUBE, 90 DEGREE, REDUCING, SOLDER-JOINT, REFRIGERATION (VALIDATION | A | 4730 | GL | 31-OCT-86 | GL | | 99 | | | |
| | | NOTICE 1 | DATE: 8610) USER: MC REVIEWER: ME SH | | | | | | | | | | |
| D | | MS35923C | REDUCER COUPLING, TUBE, FEMALE TO FEMALE SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8201) USER: MC YD1 REVIEWER: CS GS ME SH | A | 4730 | GL | 18-DEC-75 | GL | | 99 | | | |
| D | | MS35924B | PLUG AND CAP, TUBE, SOLDER-JOINT, REFRIGERATION USER: CE MC SH REVIEWER: AR CS MD | A | 4730 | GL | 31-OCT-86 | GL | YD1 | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| | | MS35925B | CONNECTION END, SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8802) USER: MC REVIEWER: CS ME SH | A | 4730 | GL | 12-FEB-88 | GL | | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| D | | MS35926C | CONNECTION END, INTERNAL PIPE THREAD, REFRIGERATION (VALIDATION DATE: 8802) USER: MC REVIEWER: CS ME SH | A | 4730 | GL | 31-OCT-86 | GL | YD1 | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| D | | MS35927C | COUPLING, TUBE, WITH STOP, SOLDER-JOINT, REFRIGERATION USER: MC REVIEWER: CS ME SH | A | 4730 | GL | 31-OCT-86 | GL | YD1 | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| | | MS35928C | ELBOW, TUBE, STREET, 90 AND 45 DEGREE, SOLDER-JOINT, REFRIGERATION USER: AR CE MC ME SH REVIEWER: CS GS MD | A | 4730 | GL | 31-OCT-86 | GL | | 99 | | | |
| D | | MS35929C | TEE, TUBE, STRAIGHT, SOLDER JOINT, REFRIGERATION USER: AR MC YD1 REVIEWER: CS GS MD ME SH | A | 4730 | GL | 12-FEB-88 | GL | | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| | | MS35930B | COCK, PLUG, SPRING KEY, THREADED TYPE, 50 P.S.I. (VALIDATION DATE: 7904) USER: ME MI REVIEWER: AT CS GL | A | 4820 | AR | 28-SEP-73 | AR | SH | 99 | | | |
| | | MS35931B | COCK, PLUG, GROUND KEY, THREADED TYPE, 125 P.S.I. (VALIDATION DATE: 8609) USER: ME REVIEWER: AT CS GL MI | A | 4820 | AR | 05-SEP-86 | AR | SH | | | | |
| | | MS35932B | COCK, PLUG, THREE WAY, THREADED TYPE, 125 P.S.I. (VALIDATION DATE: 7904) REVIEWER: AT CS GL ME | A | 4820 | AR | 28-SEP-73 | AR | SH | 99 | | | |
| | | MS35934B | COCK, SHUT-OFF, SCREW STEM, THREADED TYPE, 150 P.S.I. (VALIDATION DATE: 8609) USER: GL MC ME MI REVIEWER: CS | A | 4820 | AR | 05-SEP-86 | AR | SH | 99 | | | |
| | | MS35939 | STOPPER, CUP (HOLLOW) TYPE (VALIDATION DATE: 8803) USER: DM MD REVIEWER: 03 ME | A | 6640 | EA | 24-MAR-88 | EA | MS | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| | | MS35940A | STOPPER, BOTTLE USER: DM MD REVIEWER: 03 ME ..... | A | 6640 | EA | 27-MAY-88 | EA | MS | 99 | | | |
| | | MS35945C | RING, LABORATORY APPARATUS SUPPORT, CLOSED EXTENSION TYPE USER: ME REVIEWER: DP | A | 6640 | EA | 10-NOV-86 | EA | MS | 99 | | | |
| | | MS35950C | FUNNEL, SEPARATORY, FOR SINGLE DROPS USER: DM MD REVIEWER: 82 AS ME ..... | A | 6640 | EA | 25-JAN-84 | EA | MS | 99 | | | |
| | | MS35958C | DISH, EVAPORATING, PLATINUM USER: CE REVIEWER: MD ME ..... | A | 6640 | EA | 27-MAY-88 | EA | MS | 99 | | | |
| | | MS35959C | DISH, EVAPORATING (BOROSILICATE GLASS) USER: CE REVIEWER: ME ..... | A | 6640 | EA | 27-MAY-88 | EA | MS | 99 | | | |
| | | MS35961C | DISH, EVAPORATING, PORCELAIN USER: CE REVIEWER: MD ME ..... | A | 6640 | EA | 27-MAY-88 | EA | MS | 99 | | | |
| | | MS35965B | DISH, MOISTURE DETERMINATION, ALUMINUM USER: CE REVIEWER: 82 MD ME ..... | A | 6640 | EA | 16-MAR-87 | EA | MS | 99 | MB | | |
| | | MS35966B | CRUCIBLE, IGNITION, LABORATORY PORCELAIN (VALIDATION DATE: 8805) USER: CE REVIEWER: MD ME | A | 6640 | EA | 24-MAY-88 | EA | MS | 99 | | | |
| | | MS35967C | CRUCIBLE, IGNITION, LABORATORY NICKEL, WITH TONGUE-TYPE COVER USER: CE REVIEWER: MD ME | A | 6640 | EA | 15-SEP-88 | EA | MS | 99 | | | |
| | | MS35968B | CRUCIBLE, IGNITION, LABORATORY ACID-LEACHED GLASS, WITH TONGUE-TYPE COVER (VALIDATION DATE: 8805) USER: CE REVIEWER: MD ME | A | 6640 | EA | 24-MAY-88 | EA | MS | 99 | | | |
| | | MS35974C | CRUCIBLE, IGNITION, LABORATORY PLATINUM, WITH TONGUE-TYPE COVER USER: CE REVIEWER: MD ME | A | 6640 | EA | 15-SEP-88 | EA | MS | 99 | | | |
| | | MS35979B | PIPET, BLOOD DILUTING THOMA AND SAHLI DESIGNS REVIEWER: 82 MD ME OS ..... | A | 6640 | EA | 16-MAR-87 | | MS | 99 | MB | | |
| | | MS35980B | PIPETTE, MEASURING, GENERAL PURPOSE REVIEWER: 82 ME OS ..... | A | 6640 | EA | 16-MAR-87 | EA | MS | 99 | | | |
| | | MS35990C | TRIPOD, LABORATORY APPARATUS, CONCENTRIC RING USER: ME MI REVIEWER: 82 DP MD | A | 6640 | EA | 16-MAR-87 | | MS | 99 | MB | | |
| | | MS35991C | TRIPOD, LABORATORY APPARATUS PLAIN RING USER: ME REVIEWER: 82 DP MD ..... | A | 6640 | EA | 16-MAR-87 | | MS | 99 | MB | | |
| | | MS35992C | BEARER, LABORATORY GRIFFIN DESIGN REVIEWER: 82 AS MD ME TD ..... | A | 6640 | EA | 16-MAR-87 | | MS | 99 | MB | | |
| | | MS35998B | ROD, GLASS USER: AS REVIEWER: 03 MD ME ..... | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | | |
| | | MS36002 | WATER BATH, ELECTRIC, CIRCULATING USER: DM MD REVIEWER: 82 ME ..... | A | 6640 | EA | 16-JAN-84 | EA | MS | 99 | | | |
| | | MS36004C | CLAMP, RUBBER TUBING, SHUTOFF, LEVER TYPE USER: ME REVIEWER: DP MD ..... | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | | |
| | | MS36006B | CLAMP, RUBBER TUBING, SHUTOFF, PINCHCOCK TYPE, MOHR DESIGN, FLATJAW USER: ME REVIEWER: MD | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | | |
| | | MS36007B | CLAMP, SPHERICAL GROUND JOINT, LABORATORY GLASSWARE USER: ME ..... | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | | |
| | | MS36013C | CLAMP, UTILITY, LABORATORY, SWIVEL JAW USER: 03 ME REVIEWER: AS DP MD ..... | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | | |
| | | MS36014C | FRAME, LABORATORY APPARATUS SUPPORT USER: 03 ME REVIEWER: AS DP MD ..... | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | | |
| | | MS36015C | GRID, WIRE GAUZE, LABORATORY, PLAIN USER: 03 AS ME REVIEWER: MD ..... | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | | |
| | | MS36016C | GRID, WIRE GAUZE, LABORATORY, CERAMIC CENTER PATCH USER: 03 ME REVIEWER: AS DP MD | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | | |
| | | MS36019C | STAND, LABORATORY APPARATUS SUPPORT, METAL BASE, RECTANGULAR, GENERAL PURPOSE USER: 03 ME REVIEWER: 82 AS MD | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | | |
| | | MS36020C | STAND, LABORATORY APPARATUS SUPPORT PORCELAIN BASE, RECTANGULAR SHAPED USER: 03 ME MI REVIEWER: 82 AS MD | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | | |
| | | MS36022B | TONGS, LABORATORY, WEIGHT IN PALM BEAKER TYPE USER: ER ME MI ..... | A | 6640 | EA | 11-AUG-87 | EA | MS | | | | |
| | | MS36023C | TONGS, LABORATORY CRUCIBLE, DOUBLE BENT USER: ME REVIEWER: DP MD ..... | A | 6640 | EA | 11-AUG-87 | EA | MS | | | | |

| Action Opt. / Obit. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MS36025C | TONG, LABORATORY, EVAPORATING DISH TYPE USER: ME REVIEWER: DP MD ..... | A | 6640 | EA | 11-AUG-87 | EA | MS | | | |
| | MS36026C | TONGS, LABORATORY, FLASK TYPE USER: ME REVIEWER: DP MD ..... | A | 6640 | EA | 11-AUG-87 | EA | MS | | | |
| | MS36028A | STOPPER, BOTTLE USER: DM MD REVIEWER: 03 ME ..... | A | 6640 | EA | 27-MAY-88 | EA | MS | 99 | | |
| | MS36029 | CLAMP, RUBBER TUBING, SHUTOFF USER: 03 82 ME REVIEWER: 01 70 AS MD ..... | A | 6640 | EA | 04-DEC-85 | EA | MS | 99 | | |
| | MS36072 | STOPPER, BOTTLE USER: DM MD REVIEWER: 03 ME ..... | A | 6640 | EA | 04-AUG-82 | EA | MS | 99 | | |
| | MS36074 | BULB, PRESSURE AND CIRCULATING, LABORATORY, RUBBER [VALIDATION DATE: 8707] | A | 6640 | EA | 07-JUL-87 | EA | MS | 99 | | |
| | NOTICE 1 | USER: CE ME MI REVIEWER: MD | | | | | | | | | |
| | MS36076A | CONNECTOR, ELASTIC TUBING, BRANCHED Y-SHAPED [VALIDATION DATE: 8801] USER: | A | 6640 | EA | 01-JAN-88 | EA | MS | 99 | | |
| | NOTICE 1 | CE ME MI REVIEWER: MD | | | | | | | | | |
| | MS36078 | GLASS TUBING, ROUND, CAPILLARY [VALIDATION DATE: 8705] USER: CE ME MI | A | 6640 | EA | 21-JUN-61 | EA | MS | 99 | | |
| | NOTICE 1 | REVIEWER: MD | | | | | | | | | |
| | MS36080A | PUMP, ACID, HAND [VALIDATION DATE: 8801] USER: CE ME MI ..... | A | 6640 | EA | 11-JAN-88 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36082A | TUBE, CONNECTING, LABORATORY GLASSWARE ..... | A | 6640 | EA | 04-MAY-87 | EA | | 99 | | |
| | MS36084B | FUNNEL, COMMON, LABORATORY SMOOTH [VALIDATION DATE: 7305] USER: ME ..... | A | 6640 | EA | 04-JUN-69 | EA | MS | 99 | | |
| | MS36087 | THIMBLE, EXTRACTION (PAPER) [VALIDATION DATE: 7304] REVIEWER: ME ..... | A | 6640 | EA | 28-JUN-61 | EA | MS | 99 | | |
| | MS36088A | CRUCIBLE, FILTERING, LABORATORY (PORCELAIN, GOOCH) [VALIDATION DATE: 8801] | A | 6640 | EA | 11-JAN-88 | EA | MS | 99 | | |
| | NOTICE 1 | USER: ME | | | | | | | | | |
| | MS36089B | CRUCIBLE, FILTERING, LABORATORY GLASS, GOOCH [VALIDATION DATE: 8801] USER: | A | 6640 | EA | 11-JAN-88 | EA | MS | 99 | | |
| | NOTICE 1 | ME | | | | | | | | | |
| | MS36090A | HOLDER, FILTERING, CRUCIBLE (BAILEY) USER: ME ..... | A | 6640 | EA | 05-DEC-86 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36091B | HOLDER, FILTERING, CRUCIBLE (WALTER) USER: ME REVIEWER: MS ..... | A | 6640 | EA | 16-MAR-87 | | MS | 99 | MB | |
| | MS36092A | FUNNEL, FILTERING, LABORATORY (GLASS, BUCHNER) [VALIDATION DATE: 8711] | A | 6640 | EA | 30-NOV-87 | EA | MS | 99 | | |
| | NOTICE 1 | USER: ME | | | | | | | | | |
| | MS36093A | FUNNEL, FALTERING, LABORATORY (PORCELAIN, BUCHNER) [VALIDATION DATE: 8711] | A | 6640 | EA | 30-NOV-87 | EA | MS | 99 | | |
| | NOTICE 1 | USER: ME | | | | | | | | | |
| | MS36095B | GLASS WOOL, FILTERING USER: ME REVIEWER: MB ..... | A | 6640 | EA | 11-FEB-88 | EA | MS | 99 | | |
| | MS36097C | PAPER, FILTER (ANALYTICAL) [VALIDATION DATE: 8801] USER: ME REVIEWER: MS .. | A | 6640 | EA | 11-JAN-88 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36160 | BALANCE, SPECIFIC GRAVITY (CHAIN GRAVITOMETER TYPE) [VALIDATION DATE: | A | 6630 | EA | 29-SEP-88 | EA | MS | 99 | | |
| | NOTICE 1 | 8809] USER: CC MC MD | | | | | | | | | |
| | MS36163A | RACK, TEST TUBE, LABORATORY FOLDING, ALUMINUM [VALIDATION DATE: 7402] | A | 6640 | EA | 20-JUN-69 | EA | MS | | | |
| | | USER: ME | | | | | | | | | |
| | MS36166A | FILLING ATTACHMENT, TEST TUBE [VALIDATION DATE: 8706] USER: ME REVIEWER: | A | 6640 | EA | 20-JUN-69 | EA | MS | | | |
| | NOTICE 1 | 99 | | | | | | | | | |
| | MS36171B | RACK, TEST TUBE, LABORATORY WASSERMAN TYPE USER: ME REVIEWER: DM MB ..... | A | 6640 | EA | 11-FEB-88 | EA | MS | 03 | | |
| | MS36172A | RACK, TEST TUBE, LABORATORY STEEL WIRE, RIGID TYPE [VALIDATION DATE: 7410] | A | 6640 | EA | 20-JUN-69 | EA | MS | 99 | | |
| | | USER: ME | | | | | | | | | |
| | MS36180A | TEST TUBE CULTURE AND GENERAL PURPOSE TYPE [VALIDATION DATE: 8706] USER: | A | 6640 | EA | 20-JUN-69 | EA | MS | | | |
| | NOTICE 1 | ME | | | | | | | | | |
| | MS36182B | TUBE, EXTRACTION SOXHLET TYPE T JOINTS USER: ME ..... | A | 6640 | EA | 04-MAY-87 | EA | MS | | | |
| | MS36183A | TEST TUBE IGNITION, HEAVY WALL [VALIDATION DATE: 8706] USER: ME ..... | A | 6640 | EA | 20-JUN-69 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36194A | EXTRACTOR ASSEMBLY SOXHLET, MEDIUM SIZE ..... | A | 6640 | EA | 27-MAR-87 | EA | MS | 99 | | |
| | MS36196A | DISTILLING APPARATUS, LABORATORY WATER, ELECTRICALLY AND STEAM HEATED ..... | A | 6640 | EA | 05-DEC-86 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36197A | DISTILLING APPARATUS, LABORATORY WATER, UNITIZED GLASS ..... | A | 6640 | EA | 27-MAR-87 | EA | MS | 99 | | |
| | MS36199A | DISTILLING APPARATUS, LABORATORY KJELDAHL, NITROGEN DETERMINATION | A | 6640 | EA | 27-MAR-87 | EA | MS | 99 | | |
| | | TWIN-UNIT, ELECTRIC REVIEWER: AS MD | | | | | | | | | |
| | MS36206B | SPATULA, LABORATORY, MICRO, DOUBLE BLADE USER: DM MD REVIEWER: 82 CE ME ... | A | 6640 | EA | 16-JAN-84 | EA | MS | 99 | | |
| | MS36207 | SPATULA, LABORATORY [VALIDATION DATE: 8801] ..... | A | 6640 | EA | 11-JAN-88 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36208C | SPATULA, LABORATORY, STEEL, WOOD HANDLE USER: DM MD REVIEWER: 82 ..... | A | 6640 | EA | 16-JAN-84 | EA | MS | 99 | | |
| | MS36220 | MANTLE, HEATING, ELECTRICAL, RESILIENT GLASS FABRIC, SPHERICAL [VALIDATION | A | 6640 | EA | 22-JUN-79 | EA | MS | 99 | MB | |
| | | DATE: 8502] | | | | | | | | | |
| | MS36221 | MANTLE, HEATING, ELECTRIC, RESILIENT GLASS FABRIC, HEMISPHERICAL | A | 6640 | EA | 22-JUN-79 | EA | MS | 99 | MB | |
| | | [VALIDATION DATE: 8502] | | | | | | | | | |
| | MS36223 | MANTLE, HEATING, ELECTRICAL, TABLE MODEL, WITHOUT BUILT IN TEMPERATURE | A | 6640 | EA | 22-JUN-79 | EA | MS | 99 | MB | |
| | | CONTROL [VALIDATION DATE: 8502] | | | | | | | | | |
| | MS36241 | TUBE CENTRIFUGE [VALIDATION DATE: 8809] USER: DH MD REVIEWER: 03 ME ..... | A | 6640 | EA | 19-SEP-88 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36250B | PLATE, SPOT TEST [VALIDATION DATE: 8803] USER: CE MI REVIEWER: 03 MD ..... | A | 6640 | EA | 17-FEB-82 | EA | MS | 99 | | |
| | MS36252B | CORROSION TEST STRIP COPPER [VALIDATION DATE: 8803] USER: CE ME MI ..... | A | 6640 | EA | 24-MAR-88 | EA | MS | 99 | | |
| | MS36253B | LITMUS PAPER, ACS [VALIDATION DATE: 8803] USER: CE MI REVIEWER: 03 ME ..... | A | 6640 | EA | 24-MAR-88 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36254A | ADAPTER, LABORATORY GLASSWARE, BUSHING TYPE ..... | A | 6640 | EA | 10-APR-87 | EA | MS | 99 | MB | |
| | MS36256B | ADAPTER, LABORATORY GLASSWARE, CURVED ..... | A | 6640 | EA | 10-APR-87 | EA | MS | | MB | |
| | MS36257A | ADAPTER, LABORATORY GLASSWARE THREE-WAY ..... | A | 6640 | EA | 10-APR-87 | EA | MS | 99 | | |
| | MS36258A | ADAPTER, LABORATORY GLASSWARE, SUCTION TYPE ..... | A | 6640 | EA | 10-APR-87 | EA | MS | 99 | MB | |
| | MS36259A | BEAD, GLASS, LABORATORY [VALIDATION DATE: 8707] USER: ME ..... | A | 6640 | EA | 07-JUL-87 | EA | MS | | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36260A | BULB, CONNECTING, KJELDAHL, SPHERICAL TYPE USER: DM MD REVIEWER: 82 ME .... | A | 6640 | EA | 16-JAN-84 | EA | MS | 99 | | |
| | MS36263C | CONDENSER, LABORATORY, FRIEDRICHS TYPE USER: DM MD REVIEWER: 82 ME ..... | A | 6640 | EA | 16-JAN-84 | EA | MS | 99 | | |
| | MS36266A | DISTILLING TRAP, CRANKCASE DILUTION ..... | A | 6640 | EA | 05-DEC-86 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36270B | CHIMNEY AND SUPPORT, LABORATORY GAS BURNER REVIEWER: MD ..... | A | 6640 | EA | 07-JUL-87 | EA | MS | | | |
| | MS36277A | BURNER, GAS, LABORATORY, TOUCH OPERATED ..... | A | 6640 | EA | 17-JUN-87 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36281 | BURNER, ALCOHOL [VALIDATION DATE: 8707] ..... | A | 6640 | EA | 22-JUN-62 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36284B | BOTTLE, ASPIRATOR USER: DM DP MD ME MM REVIEWER: DM GL ..... | A | 6640 | EA | 17-JUL-87 | EA | MS | | | |
| | MS36286A | BOTTLE, DROPPING, TK [VALIDATION DATE: 8707] REVIEWER: DM DP ME ..... | A | 6640 | EA | 07-JUL-87 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36287A | BOTTLE, GAS WASHING REVIEWER: AR DM DP GL ME ..... | A | 6640 | EA | 17-JUL-87 | EA | MS | | | |
| | MS36290A | BOTTLE, SPECIFIC GRAVITY, CHAPMAN USER: CE REVIEWER: DM ..... | A | 6640 | EA | 17-JUL-87 | EA | MS | | | |
| | MS36292A | BOTTLE, WEIGHING (CAP TYPE, GLASS) USER: DM MD REVIEWER: 82 ME ..... | A | 6640 | EA | 16-JAN-84 | EA | MS | 99 | | |
| | MS36295B | JAR, BELL (GLASS AND PLASTIC STYLE) REVIEWER: DM DP ..... | A | 6640 | EA | 10-APR-87 | EA | MS | 99 | MB | |
| | MS36296B | JAR, CYLINDRICAL, LABORATORY USER: AR CG DM MD ME MM REVIEWER: DM DP ..... | A | 6640 | EA | 10-APR-87 | EA | MS | 99 | MB | |
| | MS36322B | MICROTOME, ROTARY TYPE REVIEWER: AS MD ME ..... | A | 6640 | EA | 20-SEP-88 | EA | MS | 99 | | |
| | MS36324A | OBJECT DISK, MICROTOME AND SPECIMEN HOLDER [VALIDATION DATE: 8807] | A | 6640 | EA | 19-JUL-88 | EA | MS | 99 | | |
| | | REVIEWER: AS MD ME | | | | | | | | | |
| | MS36342 | BURNER, GAS, LABORATORY, BUNSEN TYPE, ACETYLENE ..... | A | 6640 | EA | 17-JUN-87 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36344 | BURNER, ALCOHOL, BARTHEL TYPE ..... | A | 6640 | EA | 07-JUL-87 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36345C | SHIELD, HEAT, DISTILLING FLASK ..... | A | 6640 | EA | 30-JAN-78 | EA | MS | 99 | | |
| | MS36346 | HEATER, ELECTRICAL [VALIDATION DATE: 8801] ..... | A | 6640 | EA | 11-JAN-88 | EA | MS | 99 | | |
| | NOTICE 1 | | | | | | | | | | |
| | MS36348A | WATER BATH, ELECTRIC - HISTOLOGICAL USER: DM MD REVIEWER: 82 ME ..... | A | 6640 | EA | 16-JAN-84 | EA | MS | 99 | | |
| | MS36351A | OVEN, LABORATORY GRAVITY CONVECTION [VALIDATION DATE: 8801] REVIEWER: MD .. | A | 6640 | EA | 11-JAN-88 | EA | MS | | | |
| | NOTICE 1 | | | | | | | | | | |
| D | MS36352B | INCUBATOR, BACTERIOLOGICAL GRAVITY CONNECTION REVIEWER: 03 AS MB MD YD1 ... | A | 6640 | EA | 25-FEB-88 | EA | MS | | | |
| | MS36357C | WATER BATH, ELECTRIC SEROLOGICAL USER: DM MD REVIEWER: 82 AS ME ..... | A | 6640 | EA | 16-JAN-84 | EA | MS | 99 | | |

| Action | Opn / Obsl, Cancellation Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MS36366A | STOPPER, BOTTLE, GLASS, PENNYHEAD, STD TAPER (VALIDATION DATE: 8801) USER: DP MM REVIEWER: DM | A | 6640 EA | 11-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36367A | STOPPER, BOTTLE, RUBBER, PERFORATED (VALIDATION DATE: 8801) USER: DP MD MM REVIEWER: DM | A | 6640 EA | 11-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36369A | STOPPER, BOTTLE, RUBBER, SOLID (VALIDATION DATE: 8801) USER: MM REVIEWER: DM DP | A | 6640 EA | 11-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36370 | PIPET, DROPPING (VALIDATION DATE: 8808) USER: DM MD REVIEWER: 03 ME ..... | A | 6640 EA | 17-AUG-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36371A | PUMP, PIPET, AUTOMATIC USER: DM MD REVIEWER: 03 ME ..... | A | 6640 EA | 31-OCT-88 | EA | MS | 99 | |
| | | MS36372A | TIP, PIPET USER: DM MD REVIEWER: 03 ME ..... | A | 6640 EA | 31-OCT-88 | EA | MS | 99 | |
| | | MS36377A | ROD, STIRRING, LABORATORY USER: DM MD REVIEWER: 03 ME ..... | A | 6640 EA | 31-OCT-88 | EA | MS | 99 | |
| | | MS36378A | ROD, STIRRING, LABORATORY USER: DM MD REVIEWER: 03 ME ..... | A | 6640 EA | 31-OCT-88 | EA | MS | 99 | |
| | | MS36379 | ROD, STIRRING, LABORATORY (VALIDATION DATE: 8808) USER: DM MD REVIEWER: 03 ME | A | 6640 EA | 17-AUG-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| L | | MS36419 | CARBON REMOVING COMPOUND SINGLE PHASE REVIEWER: GL GS MD MI ..... | A | 6850 EA | 12-MAR-65 | EA | | | |
| L | | MS36420 | CARBON REMOVING COMPOUND ORTHODICHLOROBENZENE REVIEWER: GS ..... | A | 6850 EA | 12-MAR-65 | EA | | | |
| L | | MS36427 | CLEANING COMPOUND, WATER WASH, PAINT SPRAY BOOTH REVIEWER: GS ..... | A | 6850 EA | 12-MAR-65 | EA | | | |
| L | | MS36434 | CLEANING COMPOUND, SOLVENT FUEL TANK AND BILGE USER: SM REVIEWER: GL GS MI MM | A | 6850 EA | 12-MAR-65 | EA | | | |
| L | | MS36435 | CLEANING COMPOUND, SOLVENT HEAVY DUTY USER: SM REVIEWER: GL GS MD MI ..... | A | 6850 EA | 12-MAR-65 | EA | | | |
| L | | MS36436 | CLEANING COMPOUND, SOLVENT SELF-EMULSIFYING USER: SM REVIEWER: GL GS MD MI | A | 6850 EA | 12-MAR-65 | EA | | | |
| L | | MS36437 | CLEANING COMPOUND, SOLVENT BORE CLEANER USER: SM REVIEWER: GL GS MD MI .... | A | 6850 EA | 12-MAR-65 | EA | | | |
| | | MS36444A | STOPPER, BOTTLE COMBINATION SOLID OR PERFORATED USER: 03 DP MD MM REVIEWER: DM | A | 6640 EA | 26-JAN-88 | EA | MS | 99 | |
| | | MS36452A | STANDARD SOLUTION KIT, HYDROGEN ION METER USER: CE MC REVIEWER: MD ..... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36453A | STANDARD SOLUTION SET, HYDROGEN ION METER USER: CE MC REVIEWER: MD ..... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36456 | COMPARATOR, COLOR DISK-TYPE, AQUA TESTER USER: CE MC ..... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36462 | COMPARATOR, COLOR SLIDE-TYPE, PH USER: CE MC ..... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36469 | METER, HYDROGEN ION TEST POCKET TYPE USER: CE MC ..... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36472A | TEST PAPER & CHART/DISPENSER HYDROGEN ION USER: CE MC REVIEWER: AS MD ..... | A | 6640 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36524 | ANALYZER, OXYGEN (PORTABLE, DEFLECTION TYPE) (VALIDATION DATE: 8606) REVIEWER: ME MI | A | 6630 EA | 12-JUN-86 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36525A | ANALYZER, OXYGEN (SEMI-PORTABLE, DEFLECTION TYPE) USER: ER REVIEWER: AR ME MI | A | 6630 EA | 24-JUL-86 | EA | MS | 99 | |
| | | MS36526A | ANALYZER, OXYGEN, DUALRANGE USER: ER REVIEWER: AR ME MI ..... | A | 6630 EA | 24-JUL-86 | EA | MS | 99 | |
| | | MS36531A | TENSIOMETER, LIQUID, DU NOUY TYPE, RING METHOD USER: ER REVIEWER: AR ME MI | A | 6630 EA | 24-JUL-86 | EA | MS | 99 | |
| | | MS36535A | SCRAPER, LABORATORY TRIANGULAR SHAPED USER: CE ..... | A | 6640 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36537A | BALANCE, SPECIFIC GRAVITY DETERMINATION WESTPHAL ..... | A | 6630 EA | 07-OCT-68 | EA | MS | 99 | |
| | | MS36538B | HYDROMETER, GRADUATED SCALE GENERAL USE USER: CG MC ME REVIEWER: 03 MD .... | A | 6630 EA | 18-JUN-86 | EA | MS | 99 | |
| | | MS36539A | HYDROMETER, GRADUATED SCALE API GRAVITY (WITH THERMOMETER) USER: AR AV CG ER ME OS REVIEWER: 03 MD | A | 6630 EA | 18-JUN-86 | EA | MS | 99 | |
| | | MS36545A | TESTER, ANTIFREEZE SOLUTIONS USER: AR AV CG ER MC ME OS ..... | A | 6630 EA | 18-JUN-86 | EA | MS | 99 | |
| | | MS36546A | TESTER, BATTERY ELECTROLYTE SOLUTION USER: AR AV CG ER MC ME OS ..... | A | 6630 EA | 18-JUN-86 | EA | MS | 99 | |
| | | MS36547A | TESTER, BATTERY ELECTROLYTE SOLUTION (TROPICAL, ARTIC, AND TEMPERATE TYPES) USER: AR AV CG ER MC ME OS | A | 6630 EA | 18-JUN-86 | EA | MS | 99 | |
| | | MS36549A | URINOMETER USER: AV CG MC ME REVIEWER: MD ..... | A | 6640 EA | 18-JUN-86 | EA | MS | 99 | |
| | | MS36550 | STAND, LABORATORY APPARATUS SUPPORT TRIPOD SHAPED BASE USER: 03 ME REVIEWER: 82 AS MD | A | 6640 EA | 04-DEC-85 | EA | MS | 99 | |
| | | MS36554A | DISK, FILTERING, MICROPOROUS USER: DM MD REVIEWER: 82 ME ..... | A | 6640 EA | 03-FEB-84 | EA | MS | 99 | |
| | | MS36557A | WATER QUALITY CONTROL SET USER: CE REVIEWER: ME ..... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36561B | TONGS, LABORATORY DOUBLE GRIP BEAKER TYPE USER: ME REVIEWER: DP MD ..... | A | 6640 EA | 11-AUG-87 | EA | MS | | |
| L | | MS36564A | BULB, CIRCULATING, LABORATORY USER: DM MD REVIEWER: 82 AS ME ..... | A | 6640 EA | 17-FEB-84 | EA | MS | 99 | |
| L | | MS36565A | ASPIRATOR BULB ASSEMBLY USER: CE ME MI ..... | A | 6640 EA | 17-JUL-87 | EA | MS | | |
| | | MS36567 | SPLASH ELIMINATOR, FILTER PUMP (VALIDATION DATE: 8801) USER: CE ME MI ..... | A | 6640 EA | 11-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36573A | PIPET, DROPPING GENERAL PURPOSE REVIEWER: MD ME ..... | A | 6640 EA | 22-JAN-88 | EA | MS | 99 | |
| | | MS36575 | PIPET, NONVOLUMETRIC DISPOSABLE (VALIDATION DATE: 8801) REVIEWER: MD ME ... | A | 6640 EA | 11-JAN-88 | EA | MS | 99 | |
| | | MS36577A | FUNNEL, COMMON, LABORATORY USER: DM MD REVIEWER: 82 ME ..... | A | 6640 EA | 03-FEB-84 | EA | MS | 99 | |
| | | MS36578A | FUNNEL, COMMON, LABORATORY, ANALYTICAL USER: DM MD REVIEWER: 82 ME ..... | A | 6640 EA | 03-FEB-84 | EA | MS | 99 | |
| | | MS36579A | CRUCIBLE, FILTERING, LABORATORY PORCELAIN GOOCH (POROUS) USER: DM MD REVIEWER: 82 ME | A | 6640 EA | 03-FEB-84 | EA | MS | 99 | |
| | | MS36581 | BRIDGE, CONDUCTIVITY METER USER: CE REVIEWER: ER ME ..... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36582 | TURBIDIMETER, WATER TESTING (VALIDATION DATE: 8801) USER: CE REVIEWER: ER ME | A | 6630 EA | 11-JAN-88 | EA | MS | 99 | |
| | | MS36583 | ELECTRODE, HYDROGEN METER (COMBINATION TYPE) USER: CE MC REVIEWER: MD ..... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36584 | ELECTRODE, HYDROGEN METER (ION SELECTIVE TYPE) USER: CE MC REVIEWER: MD ... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36585 | ELECTRODE, HYDROGEN METER (METALLIC TYPE) ..... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36586 | ELECTRODE, HYDROGEN METER (REFERENCE TYPE) ..... | A | 6630 EA | 29-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36587 | PIPET, SEROLOGICAL POLYPROPYLENE (VALIDATION DATE: 8801) USER: DM MD REVIEWER: 03 ME | A | 6640 EA | 11-JAN-88 | EA | MS | 99 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS36596 | CULTURE COLLECTION & TRANSPORT SYSTEM (VALIDATION DATE: 8801) REVIEWER: 03 | A | 6640 EA | 11-JAN-88 | EA | MS | 99 | |
| | | MS36598A | TEST TUBE, DISPOSABLE (VALIDATION DATE: 7403) USER: ME ..... | A | 6640 EA | 20-JUN-69 | EA | MS | | |
| | | MS36600A | CONNECTOR, ELASTIC TUBING, BRANCHED T-SHAPED USER: CE ME MI REVIEWER: MD .. | A | 6640 EA | 10-MAR-88 | EA | MS | 99 | |
| | | MS39000C | SHANK, SCARIFIER, BACK-RIP, BULLDOZER (VALIDATION DATE: 8205) USER: CE MC REVIEWER: CS | A | 3830 ME | 21-APR-70 | ME | | 99 | |
| | | MS39015B | ELBOW, ELECTRICAL CONDUIT WITH INSULATOR, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) (VALIDATION DATE: 9101) USER: MC ME REVIEWER: 99 ER GS | A | 5975 AT | 14-JAN-91 | AT | | 85 | |
| | | NOTICE 1 | | | | | | | | |
| D | | MS39016B | NUT, COUPLING, ELECTRICAL CONDUIT SPARK PLUG CABLE (OTHER THAN AIRCRAFT) USER: MC ME YD1 REVIEWER: 99 ER GS | A | 5975 AT | 16-JAN-89 | AT | | 85 | |
| | | MS39018A | FERRULE, ELECTRICAL CONDUIT, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) (VALIDATION DATE: 8708) USER: GL ME REVIEWER: AR CR ER GS | A | 5975 AT | 31-AUG-87 | AT | | 85 | |
| | | NOTICE 1 | | | | | | | | |
| | | MS39019A | ELBOW, ELECTRICAL CONDUIT, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) (VALIDATION DATE: 8711) USER: MC ME REVIEWER: 99 ER GS MI | A | 5975 AT | 12-NOV-87 | AT | | 85 | |
| | L | MS39021F | SPEEDOMETER, MECHANICAL (0-60 MPH) USER: MC ME REVIEWER: GS MI ..... | A | 6680 AT | 11-JUL-91 | AT | | | |
| | | MS39026A | HANGER, CABLE (POLE LINE) (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS | A | 5975 ER | 19-DEC-67 | ER | | 85 | |
| D | | MS39030A | BRACE, CROSSARM, FLAT (POLE LINE) (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS | A | 5975 ER | 19-DEC-67 | ER | YD1 | 85 | |
| | | MS39040A | BRIDLE RING (POLE LINE) (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS .. | A | 5975 ER | 19-DEC-67 | ER | | 85 | |
| D | | MS39045A | DRIVE RING (POLE LINE) (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS ... | A | 5975 ER | 10-MAY-68 | ER | YD1 | 85 | |
| | | MS39046A | CLAMP, ELECTRICAL, LASHING (POLE LINE) (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS | A | 5975 ER | 10-MAY-68 | ER | | 85 | |

| Action | OPR / QPL Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | MS39049A | STEP, POLE, STEEL, DRIVE (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS . | A | 5975 | | ER | 10-MAY-68 | ER | YD1 | 85 | |
| | L | MS39051A | HANGER, WIRE STRAND FOR ANGLE USE, THREE HOLES (POLE LINE) (VALIDATION DATE: 8307) REVIEWER: GS | A | 5975 | | ER | 13-JUN-67 | ER | | | |
| | L | MS39058B | SWITCH, SENSITIVE, 24-VOLT DC (WATERPROOF) REVIEWER: ES MI ..... | A | 5930 | | AT | 16-FEB-88 | AT | | | |
| | L | MS39061B | SWITCH, TOGGLE, SPST, SPDT, 24 VOLT DC, 25 AMP (WATERPROOF). (VALIDATION DATE: 8502) USER: ME REVIEWER: AR ES | A | 5930 | | AT | 01-OCT-63 | AT | | | |
| | L | MS39085A | BRACKET, ANGLE, CABLE CLAMP SUPPORT (INACTIVE 5-25-73) (VALIDATION DATE: 8504) REVIEWER: IS | A | 5340 | | AR | 25-MAY-73 | AR | | | |
| | | MS39086B | PIN, SPRING, TUBULAR, COILED, HEAVY DUTY (VALIDATION DATE: 8203) USER: AT EL MC REVIEWER: 82 AV IS MI | A | 5315 | | AR | 23-MAY-69 | AR | | 99 | |
| | | MS39087F | HANDLE, BOW USER: AT ER ME REVIEWER: AV IS MI ..... | A | 5340 | | AR | 04-JUN-90 | AR | | 99 | |
| | | MS39103D | CUTTING EDGE MOLDBOARD, DOZER (VALIDATION DATE: 8302) USER: MC REVIEWER: CS | A | 3830 | | ME | 12-SEP-72 | ME | | 99 | |
| | | MS39104C | END BITS, DOZERS (VALIDATION DATE: 8205) USER: MC REVIEWER: CS ..... | A | 3830 | | ME | 05-MAY-70 | ME | | 99 | |
| | | MS39125C | DRILL RODS AND BITS, STAR, ROCK DRILL DRILL, PNEUMATIC, SINKER USER: CE MC REVIEWER: CS | A | 3820 | | ME | 16-MAR-84 | ME | | 99 | |
| | L | MS39127A | TRAY SCREEN SIZES AND EDGING FOR AGGREGATE SCREENS (VALIDATION DATE: 8201) REVIEWER: CS | A | 3820 | | ME | 08-MAR-71 | ME | | | |
| | L | MS39130D | ADAPTER, SPEEDOMETER- TACHOMETER, 90 DEG, DRIVE USER: ME REVIEWER: GS ..... | A | 6680 | | AT | 14-NOV-85 | AT | | | |
| | L | MS39132G | ADAPTER, SPEEDOMETER- TACHOMETER STRAIGHT DRIVE USER: ME REVIEWER: 99 GS .. | A | 6680 | | AT | 25-AUG-80 | AT | | | |
| | | MS39133E | ADAPTER, STRAIGHT, PIPE TO HOSE-AUTOMOTIVE AIR BRAKE HOSE REVIEWER: 82 AR CS EA | A | 4730 | | ME | 15-MAY-89 | ME | | 99 | |
| | | MS39134D | SPRING, HELICAL, COMPRESSION: MECHANICAL-AUTOMOTIVE AIR BRAKE HOSE ADAPTER REVIEWER: 82 AR CS EA | A | 4730 | | ME | 15-MAY-89 | ME | | 99 | |
| | | MS39135E | NUT, HOSE COUPLING, AUTOMOTIVE AIR BRAKE HOSE ADAPTER REVIEWER: AR CS EA .. | A | 4730 | | ME | 15-MAY-89 | ME | | 82 | |
| | | MS39136E | SLEEVE COMPRESSION, TUBE-HOSE FITTING-AUTOMOTIVE AIR BRAKE HOSE ADAPTER REVIEWER: 82 AR CS EA | A | 4730 | | ME | 15-MAY-89 | ME | | 99 | |
| | | MS39137E | ADAPTER BODY, AUTOMOTIVE AIR BRAKE REVIEWER: 82 AR CS EA ..... | A | 4730 | | ME | 15-MAY-89 | ME | | 99 | |
| D | | MS39153A | COUPLING, QUICK DISCONNECT, 3-AND 4-INCH, FOR CONSTRUCTION EQUIPMENT | A | 3895 | | ME | 26-JUL-90 | ME | YD1 | 99 | |
| | | NOTICE 1 | (VALIDATION DATE: 9007) | | | | | | | | | |
| | L | MS39155 | ADAPTER, STRAIGHT, PIPE TO HOSE - MALE, REUSABLE (VALIDATION DATE: 8504) .. | A | 4730 | | AR | 09-MAR-62 | AR | | | |
| | L | MS39156 | ADAPTER, STRAIGHT, TUBE TO HOSE - 37 DEG, FLARE, FEMALE, REUSABLE (VALIDATION DATE: 8504) | A | 4730 | | AR | 09-MAR-62 | AR | | | |
| | L | MS39170E | ELBOW, TUBE, 90 DEG., TAPERED SLEEVE (COMPRESSION) TYPE, AUTOMOTIVE (VALIDATION DATE: 8206) USER: AT AV REVIEWER: CS ME MI | A | 4730 | | AR | 17-MAY-76 | AR | | | |
| | L | MS39189E | TEE, PIPE TO TUBE, FEMALE PIPE END ON RUN, MALE PIPE END ON BRANCH, FOR AIR LINES, SPHERICAL SLEEVE (VALIDATION DATE: 8301) USER: AT MC REVIEWER: CS ME MI | A | 4730 | | AR | 10-DEC-76 | AR | | | |
| | L | MS39193D | TEE, PIPE TO TUBE, FEMALE PIPE END ON RUN, FOR AIRLINES, SPHERICAL SLEEVE (VALIDATION DATE: 8504) USER: AT MC REVIEWER: CS ME MI | A | 4730 | | AR | 10-DEC-76 | AR | | | |
| | L | MS39198E | TEES, TUBE SAFETY SLEEVE COMPRESSION TYPE, INACTIVE USE MS 51811 ..... | A | 4730 | | AT | 14-SEP-87 | | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MS39199E | NIPPLES, TUBE SAFETY SLEEVE COMPRESSION TYPE BULKHEAD MOUNTING (INACTIVE USE MS 51812) | A | 4730 | | AT | 14-SEP-87 | | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MS39200E | ELBOWS, TUBE - SAFETY SLEEVE COMPRESSION TYPE, 90 DEGREE, FEMALE PIPE END (USE MS51813) USER: EL REVIEWER: CS ME | A | 4730 | | AT | 26-FEB-82 | AT | | | |
| | L | MS39201E | NIPPLES, TUBE SAFETY SLEEVE COMPRESSION TYPE (INACTIVE USE MS 51814) ..... | A | 4730 | | AT | 16-SEP-87 | | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MS39202E | ELBOWS, PIPE TO TUBE SAFETY SLEEV COMPRESSION TYPE, 90 DEGREE, MALE PIPE | A | 4730 | | AT | 16-SEP-87 | | | | |
| | | NOTICE 1 | END (INACTIVE USE MS 51815) | | | | | | | | | |
| | L | MS39203E | ADAPTERS, STRAIGHT, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, FEMALE | A | 4730 | | AT | 16-SEP-87 | | | | |
| | | NOTICE 1 | PIPE END (INACTIVE USE MS 51816) | | | | | | | | | |
| | L | MS39204E | ELBOWS, PIPE TO TUBE - SAFETY SLEEVE COMPRESSION TYPE, 45 DEGREE, MALE | A | 4730 | | AT | 16-SEP-87 | AT | | | |
| | | NOTICE 1 | PIPE END (USE MS51817) USER: EL REVIEWER: CS ME | | | | | | | | | |
| | L | MS39206E | ADAPTERS, STRAIGHT, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, MALE PIPE | A | 4730 | | AT | 17-SEP-87 | | | | |
| | | NOTICE 1 | END (INACTIVE USE MS 51819) (VALIDATION DATE: 8709) | | | | | | | | | |
| | L | MS39207E | ELBOWS, TUBE SAFETY SLEEVE COMPRESSION TYPE 90 DEGREE (INACTIVE USE MS | A | 4730 | | AT | 17-SEP-87 | | | | |
| | | NOTICE 1 | 51820) (VALIDATION DATE: 8709) | | | | | | | | | |
| | L | MS39208E | TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, FEMALE PIPE SIDE, | A | 4730 | | AT | 17-SEP-87 | | | | |
| | | NOTICE 1 | (INACTIVE USE MS 51821) (VALIDATION DATE: 8709) | | | | | | | | | |
| | L | MS39209E | TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE FEMALE PIPE END | A | 4730 | | AT | 18-SEP-87 | | | | |
| | | NOTICE 1 | (INACTIVE USE MS 51822) (VALIDATION DATE: 8709) | | | | | | | | | |
| | L | MS39210F | NUT, TUBE COUPLING - SAFETY SLEEVE COMPRESSION TYPE ..... | A | 4730 | | AT | 29-AUG-86 | | | | |
| | L | MS39211E | TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, MALE PIPE END (INACTIVE | A | 4730 | | AT | 26-FEB-82 | | | | |
| | | NOTICE 1 | USE MS 51824) (VALIDATION DATE: 8709) | | | | | | | | | |
| | L | MS39212E | SLEEVES, COMPRESSION, TUBE HOSE FITTING SAFETY SLEEVE TYPE (INACTIVE USE | A | 4730 | | AT | 18-SEP-87 | | | | |
| | | NOTICE 1 | MS 51825) (VALIDATION DATE: 8709) | | | | | | | | | |
| D | | MS39230B | ELBOW, PIPE-STREET, 90 DEG (150 & 300 LBS) (VALIDATION DATE: 8708) USER: | A | 4730 | | YD1 | 20-AUG-87 | AR | YD1 | 99 | |
| | | NOTICE 1 | AV GL MC REVIEWER: 82 AT CS ME | | | | | | | | | |
| D | | MS39231B | ELBOW, PIPE STREET, 45 DEG., (150 & 300 POUNDS) (VALIDATION DATE: 8708) | A | 4730 | | YD1 | 20-AUG-87 | AR | YD1 | 99 | |
| | | NOTICE 1 | USER: AT AV GL MC REVIEWER: 82 CS ME | | | | | | | | | |
| D | | MS39232B | REDUCER, PIPE RIGHT HAND THREAD (150 & 300 POUNDS) (VALIDATION DATE: 8708) | A | 4730 | | YD1 | 20-AUG-87 | AR | YD1 | 99 | |
| | | NOTICE 1 | USER: AT AV GL MC REVIEWER: 82 CS ME | | | | | | | | | |
| D | | MS39233C | COUPLING, PIPE STRAIGHT (150 & 300 POUNDS) USER: AV GL MC REVIEWER: AT CS ME | A | 4730 | | YD1 | 11-JUL-86 | AR | YD1 | 99 | |
| D | | MS39238A | CUTTING EDGE, SCRAPER BOWL, EARTH MOVING, 18 CUBIC YARD (VALIDATION DATE: 8205) REVIEWER: CS | A | 3805 | | ME | 02-MAY-67 | ME | YD1 | 99 | |
| D | | MS39239A | PULLEY, GROOVE, FRACTIONAL HORSEPOWER (VALIDATION DATE: 8604) ..... | A | 3020 | | AT | 22-JUN-81 | AT | YD1 | 99 | |
| | | MS39240B | BELTS, V: FRACTIONAL HORSEPOWER (2L OR 6R CROSS-SECTIONAL DESIGNATION) (VALIDATION DATE: 8905) REVIEWER: CS | A | 3030 | | AT | 17-MAY-89 | AT | | 99 | |
| | | MS39241B | BELT, V: FRACTIONAL HORSEPOWER (3L AND 9R CROSS-SECTIONAL DESIGNATION) (VALIDATION DATE: 8905) REVIEWER: CS | A | 3030 | | AT | 17-MAY-89 | AT | | 99 | |
| | | MS39242B | BELT, V: FRACTIONAL HORSEPOWER (4L AND 13R CROSS-SECTIONAL DESIGNATION) (VALIDATION DATE: 8905) REVIEWER: CS | A | 3030 | | AT | 17-MAY-89 | AT | | 99 | |
| | | MS39243B | BELT, V: FRACTIONAL HORSEPOWER (5L AND 16R CROSS-SECTIONAL DESIGNATION) (VALIDATION DATE: 8905) REVIEWER: CS | A | 3030 | | AT | 17-MAY-89 | AT | | 99 | |
| | | MS39247 | AIR CLEANER, INTAKE, DRY TYPE, FOR INTERNAL COMBUSTION ENGINES (CLASS I | A | 2940 | | ME | 14-DEC-87 | ME | | 99 | |
| | | NOTICE 1 | AND CLASS II) (VALIDATION DATE: 8712) USER: MC REVIEWER: CS | | | | | | | | | |
| D | | MS39254C | CYLINDER, ENGINE STARTING (ENGINE COLD - STARTING AID) USER: MC REVIEWER: AT | A | 2910 | | ME | 11-JAN-91 | ME | YD1 | 99 | |
| D | | MS39255B | BELT, "V": INDUSTRIAL (MULTIPLE DRIVE) "A" AND "13C" CROSS SECTION (VALIDATION DATE: 8905) REVIEWER: CS | A | 3030 | | AT | 17-MAY-89 | AT | YD1 | 99 | |
| D | | MS39256B | BELT, "V": INDUSTRIAL (MULTIPLE DRIVE) "B" AND "16C" CROSS SECTION (VALIDATION DATE: 8905) USER: MC REVIEWER: AV CS | A | 3030 | | AT | 19-MAY-89 | AT | YD1 | 99 | |
| D | | MS39258B | BELT, "V": INDUSTRIAL (MULTIPLE DRIVE) "D" AND "32C" CROSS SECTION | A | 3030 | | AT | 19-MAY-89 | AT | YD1 | 99 | |
| | | NOTICE 1 | (VALIDATION DATE: 8905) REVIEWER: AV CS | | | | | | | | | |
| D | | MS39259B | BELT, "V": INDUSTRIAL (MULTIPLE DRIVE) "E" CROSS SECTION (VALIDATION DATE: | A | 3030 | | AT | 19-MAY-89 | AT | YD1 | 99 | |
| | | NOTICE 1 | 8905) USER: MC REVIEWER: AV CS | | | | | | | | | |
| D | | MS39260A | PULLEY, INDUSTRIAL (MULTIPLE DRIVE) STANDARD DEEP AND NARROW GROOVE | A | 3030 | | AT | 19-MAY-89 | AT | YD1 | 99 | |
| | | NOTICE 1 | (VALIDATION DATE: 8905) REVIEWER: AR | | | | | | | | | |
| | L | MS39266B | HOSE ASSEMBLY, RUBBER: HYDRAULIC, PRESSURE TYPE, LENGTH MEASUREMENT | A | 4720 | | AT | 31-MAY-89 | AT | | | |
| | | NOTICE 1 | (VALIDATION DATE: 8905) USER: SH REVIEWER: 99 AR | | | | | | | | | |
| | | MS39267C | HOSE, RUBBER: HYDRAULIC, PRESSURE TYPE MINIMUM BEND RADIUS (VALIDATION | A | 4720 | | AT | 31-MAY-89 | AT | | 99 | |
| | | NOTICE 1 | DATE: 8905) | | | | | | | | | |

| Action / GPL / QML / Coordination / Inactive | Document Number | Document Title | Dist. Stmt / FSC / Area / MCA Symbol / Preparing Activity / Date | | | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | MS39281 | BELTING, RUBBER COVERED, CONVEYOR, DITCHING MACHINE, DISCHARGE WITH CLEATS AND GUIDE STRIP, FULLY MOLDED [VALIDATION DATE: 8501] | A 3030 | AT | 11-MAR-66 | AT | | 99 | |
| | MS39297 | ENGINE, GASOLINE, AIR-COOLED, INDUSTRIAL-TYPE, 4 CYCLE, 1&1/2 M-T | A 2805 | ME | 05-NOV-57 | ME | | 99 | |
| | NOTICE 1 | CONTINUOUS HP [VALIDATION DATE: 8711] | | | | | | | |
| | MS39298 | ENGINE, GASOLINE, AIR-COOLED, INDUSTRIAL-TYPE 4-CYCLE, 3 NET CONTINUOUS H | A 2805 | ME | 05-NOV-87 | ME | MC | 99 | |
| | NOTICE 1 | P [VALIDATION DATE: 8711] | | | | | | | |
| D | MS39299 | ENGINE, GASOLINE, AIR-COOLED, INDUSTRIAL-TYPE, 4 CYCLE, 6 NET CONTINUOUS | A 2805 | ME | 05-NOV-87 | ME | MC | 99 | |
| | NOTICE 1 | H.P. [VALIDATION DATE: 8711] USER: EL YD1 | | | | | | | |
| D | MS39300 | ENGINE, GASOLINE, AIR COOLED, INDUSTRIAL TYPE, 4-CYCLE, 10 NET CONTINUOUS | A 2805 | ME | 05-NOV-87 | ME | MC | 99 | |
| | NOTICE 1 | H P USER: YD1 | | | | | | | |
| D | MS39301 | ENGINE, GASOLINE, 2 CYLINDER, HORIZONTAL OPPOSED AIR COOLED, 14 HP | A 2805 | ME | 05-NOV-87 | ME | MC | 99 | |
| | NOTICE 1 | [VALIDATION DATE: 8711] USER: YD1 | | | | | | | |
| D | MS39302 | ENGINE, GASOLINE, AIR COOLED, INDUSTRIAL-TYPE, 4-CYCLE, 20 NET CONTINUOUS | A 2805 | ME | 05-NOV-87 | ME | MC | 99 | |
| | NOTICE 1 | H P [VALIDATION DATE: 8711] USER: YD1 | | | | | | | |
| L | MS39320B | HOSE ASSEMBLY: MEASUREMENT OF COUPLING ORIENTATION ANGLE [VALIDATION DATE: | A 4720 | AT | 31-MAY-89 | AT | | | |
| | NOTICE 1 | 8905] USER: AR MC REVIEWER: 99 | | | | | | | |
| L | MS39322 | ADAPTER: 37-DEGREE FLARE, FEMALE SWIVEL TO WELD SOCKET, 3/4-INCH TO 1-INCH | A 4730 | AT | 06-JUN-89 | AT | | | |
| | | [VALIDATION DATE: 8906] REVIEWER: AR | | | | | | | |
| L | MS39323A | TUBE - REDUCER, 37-DEGREE FLARE REVIEWER: CS ..... | A 4730 | AT | 09-MAY-80 | AT | | | |
| L | MS39324A | ADAPTER, 37-DEGREE FLARE TO .O. RING BOSS REVIEWER: CS ..... | A 4730 | AT | 09-MAY-80 | AT | | | |
| | MS39325A | HOSE ASSEMBLIES: AIR BRAKE [VALIDATION DATE: 8905] USER: CS REVIEWER: AR .. | A 4720 | AT | 31-MAY-89 | AT | | 99 | |
| L | MS39326B | CLAMP, SPRING, HOSE (LOW PRESSURE) TYPE (E) [VALIDATION DATE: 8410] | A 4730 | ME | 15-AUG-80 | ME | | | |
| | | REVIEWER: AR AT CS | | | | | | | |
| | MS39327 | SHOE, SNOWPLOW [VALIDATION DATE: 8205] ..... | A 3830 | ME | 03-JUN-68 | ME | | 99 | |
| D | MS39329 | DRILL ROD SECTION, ROCK DRILL FOR DRIFTER DRILLS [VALIDATION DATE: 8111] | A 3820 | ME | 06-NOV-68 | ME | YD1 | 99 | |
| | | REVIEWER: CS | | | | | | | |
| D | MS39330 | BIT, STAR, ROCK DRILL, X-TYPE, FOR DRIFTER DRILLS [VALIDATION DATE: 8111] | A 3820 | ME | 06-NOV-68 | ME | YD1 | 99 | |
| | | REVIEWER: CS | | | | | | | |
| | MS39334 | CUTTING EDGES, MOLDBOARD, SNOWPLOW [VALIDATION DATE: 8503] ..... | A 3830 | ME | 23-APR-70 | ME | | 99 | |
| D | MS39335 | BIT, BUTTON, ROCK DRILL, FOR DRIFTER DRILLS [VALIDATION DATE: 8111] USER: | A 3820 | ME | 24-AUG-70 | ME | YD1 | 99 | |
| | | MC REVIEWER: CS | | | | | | | |
| D | MS39336C | Y-CONNECTION, QUICK DISCONNECT, CAM-LOCKING TYPE, FLANGE, TYPE XX USER: AT | A 4730 | ME | 21-FEB-84 | ME | YD1 | 99 | |
| | | MC REVIEWER: 82 AV CS GL | | | | | | | |
| A L | MS39347A | TERMINAL, POST, SERVICE AND GROUND [VALIDATION DATE: 9210] USER: AS SH | A 5940 | ME | 15-OCT-92 | ME | | | |
| | NOTICE 1 | REVIEWER: GS MC | | | | | | | |
| D | MS39348A | RING, PISTON, MOLYBDENUM FACING; ENGINE TOP COMPRESSION [VALIDATION DATE: | A 2805 | ME | 05-JUL-91 | ME | | 99 | |
| | NOTICE 1 | 9107] USER: 82 MC YD1 REVIEWER: AT AV CS | | | | | | | |
| D | MS39352D | ADAPTER MALE BY MALE QUICK DISCONNECT, CAM-LOCKING TYPE, TYPE XX1 USER: CG | A 4730 | ME | 15-MAY-89 | ME | YD1 | 99 | |
| | | MC REVIEWER: 82 CS | | | | | | | |
| D | MS459048 | WASHER, LOCK, INTERNAL AND EXTERNAL TOOTH [VALIDATION DATE: 8003] USER: AT | A 5310 | AR | 06-FEB-74 | AR | OS | 99 | |
| | | AV MC YD1 REVIEWER: IS ME MI | | | | | | | |
| L | MS45905A | NUT, PLAIN - HEXAGON, FINISHED, LEFT HAND [VALIDATION DATE: 8504] | A 5310 | AR | 20-JAN-65 | AR | | | |
| | | REVIEWER: ER IS MI | | | | | | | |
| D | MS49000E | REDUCER, MALE BY FEMALE AND FEMALE BY MALE QUICK DISCONNECT, CAM-LOCKING | A 4730 | ME | 15-MAY-89 | ME | YD1 | 99 | |
| | | TYPE XI USER: MC SH REVIEWER: 82 CS GL | | | | | | | |
| D | MS49001D | REDUCER, EXTERNAL PIPE THREAD BY QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, | A 4730 | ME | 15-MAY-89 | ME | YD1 | 99 | |
| | | TYPE XII USER: SH REVIEWER: 82 CS GL | | | | | | | |
| D | MS49002E | REDUCER, EXTERNAL PIPE THREAD BY QUICK DISCONNECT, CAM-LOCKING TYPE, | A 4730 | ME | 15-MAY-89 | ME | YD1 | 99 | |
| | | FEMALE, TYPE XIII USER: SH REVIEWER: 82 CS GL | | | | | | | |
| D | MS49006C | PLUG, PIPE, MAGNETIC-HEADLESS, ALUMINUM, IRON OR STEEL [VALIDATION DATE: | A 4730 | AR | 15-NOV-72 | AR | YD1 | 99 | |
| | | 8504] USER: MC MI REVIEWER: AT AV CS ME | | | | | | | |
| D | MS49007B | NOZZLES, OIL BURNER PRESSURE ATOMIZING USER: CE REVIEWER: 99 ..... | A 4530 | ME | 30-MAR-92 | ME | YD1 | 69 | |
| D | MS49008B | TEE, TUBE, FLARE CONNECTION, REFRIGERATION USER: AR CE MC SH REVIEWER: CS | A 4730 | GL | 31-OCT-86 | GL | YD1 | 99 | |
| | NOTICE 1 | MO ME | | | | | | | |
| L | MS51000F | SEAL, PLAIN ENCASED, SINGLE SEALING MEMBER, SPRING LOADED USER: ME | A 5330 | AT | 27-OCT-86 | AT | | | |
| | | REVIEWER: AR AV IS MI | | | | | | | |
| L | MS51001F | SEAL, PLAIN OR SEAL, PLAIN ENCASED, NON-SPRING LOADED, SINGLE SEALING | A 5330 | AT | 27-OCT-86 | AT | | | |
| | | MEMBER USER: ME REVIEWER: AR IS | | | | | | | |
| | MS51004C | GENERATOR, ENGINE ACCESSORY, 28 VOLTS, DC, 300 AMPERE [VALIDATION DATE: | A 2920 | AT | 25-JUL-73 | AT | | 99 | |
| | | 8304] USER: MC REVIEWER: CS | | | | | | | |
| | MS51007C | GASKET, RUBBER, SYNTHETIC [VALIDATION DATE: 8504] USER: AT MC REVIEWER: 82 | A 5330 | AR | 10-AUG-71 | AR | | 99 | |
| | | AS AV IS ME MI | | | | | | | |
| | MS51008C | HOSE, PREFORMED, FLEXIBLE, ENGINE COOLANT 1-1/4, 1-1/2, 1-3/4, 2, 2-1/4, | A 4720 | AT | 10-SEP-87 | AT | | 99 | |
| | NOTICE 1 | 2-1/2, 3 I.D. [VALIDATION DATE: 8709] USER: MC REVIEWER: CS MI | | | | | | | |
| D | MS51010C | LEAD AND CONDUIT ASSEMBLY, ELECTRICAL, SHIELDED, WATERPROOF SPARK PLUG | A 2920 | AT | 10-OCT-90 | AT | YD1 | 82 | |
| | NOTICE 1 | (OTHER THAN AIRCRAFT) [VALIDATION DATE: 9010] USER: MC REVIEWER: CS | | | | | | | |
| | MS51011A | LEAD AND CONDUIT ASSEMBLY, ELECTRICAL, SHIELDED, WATERPROOF SPARK PLUG | A 2920 | AT | 03-NOV-66 | AT | | 99 | |
| | | (OTHER THAN AIRCRAFT) [VALIDATION DATE: 8512] USER: ME REVIEWER: CS | | | | | | | |
| | MS51014A | SPRING, HELICAL, COMPRESSION, SPARK PLUG CABLE TERMINAL (OTHER THAN | A 2920 | AT | 03-NOV-66 | AT | | 99 | |
| | | AIRCRAFT) [VALIDATION DATE: 8302] USER: MC ME REVIEWER: CS | | | | | | | |
| | MS51015B | SPRING AND RETAINER, ELECTRICAL TERMINAL, SPARK PLUG CABLE (OTHER THAN | A 2920 | AT | 31-MAR-78 | AT | | 99 | |
| | | AIRCRAFT) [VALIDATION DATE: 8304] USER: GL MC REVIEWER: CS ME | | | | | | | |
| | MS51016A | ADAPTER, LEAD TO TERMINAL, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) USER: MC | A 2920 | AT | 16-FEB-88 | AT | | 99 | |
| | | ME REVIEWER: CS | | | | | | | |
| | MS51021C | SETSCREW-HEXAGON SOCKET, CUP POINT, CORROSION RESISTING (CHROME-NICKEL) | A 5305 | AR | 29-DEC-72 | AR | | 99 | |
| | | STEEL, PASSIVATED, UNC-3A PLAIN AND SELF LOCKING [VALIDATION DATE: 8504] | | | | | | | |
| | | USER: AT AV MC MI OS REVIEWER: IS | | | | | | | |
| | MS51023C | SETSCREW-HEXAGON SOCKET, CUP POINT, CORROSION-RESISTING STEEL, PASSIVATED, | A 5305 | AR | 29-DEC-72 | AR | | 99 | |
| | | UNF-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: 8504] USER: AT | | | | | | | |
| | | AV MC MI OS REVIEWER: IS | | | | | | | |
| | MS51029B | SETSCREW-HEXAGON SOCKET, FLAT POINT, CORROSION-RESISTING STEEL, | A 5305 | AR | 29-DEC-72 | AR | | 99 | |
| | | PASSIVATED, UNC-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: | | | | | | | |
| | | 8504] USER: AV MC OS REVIEWER: IS MI | | | | | | | |
| | MS51031B | SETSCREW-HEXAGON SOCKET, FLAT POINT, CORROSION-RESISTING, PASSIVATED, | A 5305 | AR | 29-DEC-72 | AR | | 99 | |
| | | UNF-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: 8504] USER: AV | | | | | | | |
| | | MC MI OS REVIEWER: IS | | | | | | | |
| | MS51033A | SETSCREW-HEXAGON SOCKET, FLAT POINT, BRASS, BLACK OXIDE, UNF-3A | A 5305 | AR | 20-MAY-88 | AR | SH | 99 | |
| | NOTICE 1 | [VALIDATION DATE: 8805] USER: AT AV MC REVIEWER: IS ME | | | | | | | |
| | MS51038B | SETSCREW-HEXAGON SOCKET, CONE POINT, CORROSION-RESISTING STEEL, | A 5305 | AR | 29-DEC-72 | AR | | 99 | |
| | | PASSIVATED, UNC-3A AND UNF-3A, PLAIN AND SELF-LOCKING (INACTIVE) | | | | | | | |
| | | [VALIDATION DATE: 8504] USER: MC MI OS REVIEWER: IS ME | | | | | | | |
| | MS51040A | SETSCREW-HEXAGON SOCKET, CONE POINT, BRASS, BLACK OXIDE, UNF-3A | A 5305 | AR | 20-MAY-88 | AR | SH | 99 | |
| | NOTICE 1 | [VALIDATION DATE: 8805] USER: MC MI REVIEWER: IS | | | | | | | |
| | MS51045B | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, CORROSION-RESISTING STEEL, | A 5305 | AR | 29-DEC-72 | AR | | 99 | |
| | | PASSIVATED, ANC-3A [VALIDATION DATE: 8504] USER: MC OS REVIEWER: AV IS ME | | | | | | | |
| | | MI | | | | | | | |
| | MS51047B | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, CORROSION-RESISTING STEEL, | A 5305 | AR | 29-DEC-72 | AR | | 99 | |
| | | PASSIVATED, UNF-3A (INACTIVE) [VALIDATION DATE: 8504] USER: AT GL MC OS | | | | | | | |
| | | REVIEWER: AV IS MI | | | | | | | |
| | MS51053A | SETSCREW, FLUTED SOCKET, ALLOY STEEL, CADMIUM PLATED, MC-3A (INACTIVE | A 5305 | AR | 10-SEP-69 | AR | SH | 99 | |
| | | 9-10-89) [VALIDATION DATE: 8203] USER: MC REVIEWER: IS MI | | | | | | | |
| | MS51063C | NECK, FILLER, RADIATOR [VALIDATION DATE: 9005] USER: MC ME REVIEWER: CS ... | A 2930 | AT | 15-MAY-90 | AT | | 99 | |
| | NOTICE 1 | | | | | | | | |

| Action | QPL / QML | Coordination Activity | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS51065D | BELT, V: ENGINE ACCESSORY DRIVE (0.380 INCH NOMINAL WIDTH) [VALIDATION DATE: 8905] USER: MC SH REVIEWER: CS | A | 3030 | | AT | 24-MAY-89 | AT | | 99 |
| | | | MS51066D | BELTS, V: ENGINE ACCESSORY DRIVE (0.500 INCH NOMINAL WIDTH) [VALIDATION | A | 3030 | | AT | 24-MAY-89 | AT | | 99 |
| | | | NOTICE 1 | DATE: 8905] USER: MC SH REVIEWER: CS MI | | | | | | | | | |
| | | | MS51067D | BELTS, V: ENGINE ACCESSORY DRIVE (11/16 INCH NOMINAL WIDTH) [VALIDATION | A | 3030 | | AT | 24-MAY-89 | AT | | 99 |
| | | | NOTICE 1 | DATE: 8905] USER: MC SH REVIEWER: CS | | | | | | | | | |
| | | | MS51068D | BELTS, V: ENGINE ACCESSORY DRIVE (3/4 INCH NOMINAL WIDTH) [VALIDATION | A | 3030 | | AT | 24-MAY-89 | AT | | 99 |
| | | | | DATE: 8905] USER: MC SH REVIEWER: CS MI | | | | | | | | | |
| | | | MS51069D | BELTS, V: ENGINE ACCESSORY DRIVE (7/8 INCH NOMINAL WIDTH) [VALIDATION | A | 3030 | | AT | 24-MAY-89 | AT | | 99 |
| | | | NOTICE 1 | DATE: 8905] USER: MC REVIEWER: CS | | | | | | | | | |
| | | | MS51070D | BELTS, V: ENGINE ACCESSORY DRIVE (1 INCH NOMINAL WIDTH) [VALIDATION DATE: 8905] USER: GL MC REVIEWER: CS | A | 3030 | | AT | 24-MAY-89 | AT | | 99 |
| D | | | MS51071H | SHAFT ASSEMBLY, FLEXIBLE METALLIC TACHOMETER AND SPEEDOMETER USER: YD1 REVIEWER: GS | A | 6680 | | AT | 12-AUG-87 | AT | | |
| | | | MS51072F | CORE, FLEXIBLE SHAFT ASSEMBLY, TACHOMETER AND SPEEDOMETER. USER: AS MC ME REVIEWER: GS | A | 6680 | | AT | 04-AUG-87 | AT | | |
| L | | | MS51073A | LIGHT, DOME: 24 VOLT DC [VALIDATION DATE: 9101] USER: ME REVIEWER: GS ..... | A | 6220 | | AT | 14-JAN-91 | AT | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MS51074E | HORN, ELECTRICAL - AUTOMOTIVE TYPE, 12 OR 24 VOLT DC USER: ME REVIEWER: CS | A | 2590 | | AT | 19-APR-88 | AT | | |
| | | | MS51084C | PUMP, MANUAL, ENGINE PRIMING [VALIDATION DATE: 8512] USER: MC ME REVIEWER: CS | A | 2910 | | AT | 17-JAN-66 | AT | | 99 |
| | | | MS51085C | FILTER, FLUID, PRESSURE, AUTOMOTIVE FUEL (10 GPH FILTRATION) [VALIDATION DATE: 8512] USER: AV MC MI REVIEWER: CS ME | A | 2910 | | AT | 26-AUG-70 | AT | | 99 |
| | | | MS51086H | STRAINER, SEDIMENT: AUTOMOTIVE FUEL (10 GPH) REVIEWER: CS MC ME ..... | A | 2910 | | AT | 10-DEC-91 | AT | | 99 |
| | | | MS51087B | FILTER, FLUID, PRESSURE AND STRAINER, SEDIMENT, AUTOMOTIVE, FUEL (21 GPH) USER: CS REVIEWER: 99 | A | 2910 | | AT | 16-FEB-88 | AT | | 15 |
| | | | MS51088B | FILTER, FLUID, PRESSURE [VALIDATION DATE: 8308] REVIEWER: CS ..... | A | 2910 | | AT | 15-JUN-79 | AT | MC | 99 |
| | | | MS51090A | FILTER ELEMENT, FLUID, PRESSURE&AUTOMOTIVE FUEL [VALIDATION DATE: 8304] USER: CS MC | A | 2910 | | AT | 23-AUG-62 | AT | | 99 |
| | | | MS51091B | GASKET, FILTER, FLUID, PRESSURE AND STRAINER, SEDIMENT, AUTOMOTIVE, FUEL [VALIDATION DATE: 8304] USER: MC REVIEWER: CS ME | A | 2910 | | AT | 29-DEC-67 | AT | | 99 |
| | | | MS51092B | GASKET&COPPER, FILTER, FLUID, PRESSURE, AUTOMOTIVE FUEL [VALIDATION DATE: 8512] USER: MC REVIEWER: CS | A | 2910 | | AT | 07-SEP-71 | AT | | 99 |
| | | | MS51095F | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A, PLAIN AND SELF LOCKING [VALIDATION DATE: 8003] USER: AS MC ME REVIEWER: 11 AV IS MI OS | A | 5305 | | AR | 02-JUL-74 | AR | SH | 99 |
| | | | MS51096E | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A, PLAIN AND SELF-LOCKING [VALIDATION DATE: 8504] USER: MC REVIEWER: AV IS ME MI OS | A | 5305 | | AR | 15-JUN-72 | AR | SH | 99 |
| | | | MS51099B | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING | A | 5305 | | AR | 20-MAY-88 | AR | SH | 99 |
| | | | NOTICE 1 | WIRE, STEEL, CORROSION-RESISTING, PASSIVATED, UNC-2A [VALIDATION DATE: 8805] USER: MC REVIEWER: AV IS MI OS | | | | | | | | | |
| | | | MS51100B | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, CORROSION RESISTING, PASSIVATED, UNF-2A [VALIDATION DATE: 8304] USER: MC REVIEWER: AV IS MI OS | A | 5305 | | AR | 01-MAY-69 | AR | SH | 99 |
| | | | MS51105D | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER | A | 5305 | | AR | 20-MAY-88 | AR | SH | 99 |
| | | | NOTICE 1 | PIN, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A [VALIDATION DATE: 8805] USER: AT GL MC MI REVIEWER: AV IS ME | | | | | | | | | |
| | | | MS51106C | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A [VALIDATION DATE: 8203] USER: AT MC MI REVIEWER: AV IS ME OS | A | 5305 | | AR | 01-MAY-69 | AR | SH | 99 |
| | | | MS51107B | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER | A | 5305 | | AR | 20-MAY-88 | AR | SH | 99 |
| | | | NOTICE 1 | PIN, ALLOY STEEL, GRADE 8, PHOSPHATE COATED, UNC-2A [VALIDATION DATE: 8805] USER: AT GL MC REVIEWER: AV IS OS | | | | | | | | | |
| | | | MS51108B | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER | A | 5305 | | AR | 20-MAY-88 | AR | SH | 99 |
| | | | NOTICE 1 | PIN, ALLOY STEEL, GRADE 8, PHOSPHATE COATED, UNF-2A [VALIDATION DATE: 8805] USER: AT MC REVIEWER: AV IS OS | | | | | | | | | |
| | | | MS51109B | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, CORROSION RESISTING, PASSIVATED, UNC-2A [VALIDATION DATE: 8203] USER: AT MC MI REVIEWER: AV IS ME OS | A | 5305 | | AR | 01-MAY-69 | AR | SH | 99 |
| | | | MS51110B | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER | A | 5305 | | AR | 20-MAY-88 | AR | SH | 99 |
| | | | NOTICE 1 | PIN, STEEL, CORROSION-RESISTING, PASSIVATED, UNF-2A [VALIDATION DATE: 8805] USER: AT GL MC MI REVIEWER: AV IS OS | | | | | | | | | |
| | | | MS51113C | SWITCH, VEHICULAR LIGHTS: 24 VOLT DC: (WATERPROOF) [VALIDATION DATE: 9004] USER: MC ME REVIEWER: CS | A | 2590 | | AT | 24-APR-90 | AT | | 84 |
| L | | | MS51114C | COIL, IGNITION, 24 VOLT, DC (WITH INTERNAL BALLAST) [VALIDATION DATE: 8304] USER: MC ME REVIEWER: CS | A | 2920 | | AT | 06-JUN-73 | AT | | |
| A | L | | MS51115A | COIL, IGNITION: 24 VOLT DC (WITHOUT INTERNAL BALLAST) [VALIDATION DATE: | A | 2920 | | AT | 15-MAR-93 | AT | | |
| | | | NOTICE 1 | 9303] USER: AR ER GL ME REVIEWER: MC | | | | | | | | | |
| D | | | MS51117E | PINTLE ASSEMBLY, TOWING - 100,000 LBS. CAPACITY, MANUAL RELEASE | A | 2540 | | AT | 08-OCT-87 | AT | YD1 | 99 |
| | | | NOTICE 1 | [VALIDATION DATE: 8710] USER: MC ME | | | | | | | | | |
| D | | | MS51118F | PINTLE ASSEMBLY, TOWING - 40,000 LBS. CAPACITY, MANUAL RELEASE [VALIDATION | A | 2540 | | AT | 12-NOV-87 | AT | YD1 | 84 |
| | | | NOTICE 1 | DATE: 8711] USER: MC REVIEWER: AR | | | | | | | | | |
| | | | MS51300E | CAP, FUEL TANK: COMBAT VEHICLE, SPILL-PROOF USER: MC MI REVIEWER: 82 CS ME | A | 2910 | | AT | 13-JUN-90 | AT | | 99 |
| L | | | MS51301F | HORN, SOUND-WARNING, AIR-ACTUATED, ELECTRICALLY CONTROLLED, 12 OR 24 VOLT D C (DUAL) USER: ME REVIEWER: CS | A | 2590 | | AT | 27-JAN-86 | AT | | |
| A | I | | MS51302B | STOPLIGHT, VEHICULAR-BLACKOUT, 24 VOLT [VALIDATION DATE: 9303] ..... | A | 6220 | | AT | 15-MAR-93 | AT | MC | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | I | | MS51303B | LIGHT, MARKER, CLEARANCE-BLACK [VALIDATION DATE: 9109] ..... | A | 6220 | | AT | 20-SEP-91 | AT | MC | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS51307C | SPOTLIGHT&24 VOLT, D. C. REVIEWER: GS ..... | A | 6220 | | AT | 30-MAY-85 | AT | MC | 84 |
| D | | | MS51312 | PATCH, PNEUMATIC TIRE REPAIR, UNCURED [VALIDATION DATE: 8502] USER: MC REVIEWER: CS | A | 2640 | | AT | 16-JUL-59 | AT | YD1 | 99 |
| | | | MS51314B | ENGINE, GASOLINE AIR COOLED, 895 CU IN DISPL, 4 STROKE CYCLE, RECIPROCATING, AUTOMOTIVE (INACTIVE FOR DESIGN AFTER 4 FEB 88 NO SUPERSEDING STANDARD) USER: AV | A | 2805 | | AT | 04-FEB-88 | AT | MC | 99 |
| | | | MS51318B | HEADLIGHT, BLACKOUT, 24-VOLT WATERPROOF USER: ME REVIEWER: GS ..... | A | 6220 | | AT | 09-OCT-87 | AT | | 99 |
| | | | MS51319B | HEADLIGHT, SERVICE, 24-VOLT, WATERPROOF REVIEWER: GS ..... | A | 6220 | | AT | 16-FEB-88 | AT | | 99 |
| | | | MS51320B | FLOODLIGHT, ELECTRIC-24 VOLT, REVIEWER: GS ..... | A | 6220 | | AT | 08-SEP-87 | AT | | 99 |
| | | | MS51321F | PUMP, FUEL, ELECTRICAL-12 AND 24 VOLT D.C., 25 G.P.H. CAPACITY USER: MC REVIEWER: CS MI | A | 2910 | | AT | 28-FEB-91 | AT | | 99 |
| | | | MS51322D | COMPRESSOR, RECIPROCATING POWER DRIVEN, AIR COOLED, 7-1/4 C.F.M., | A | 2530 | | AT | 09-APR-91 | AT | | 99 |
| | | | NOTICE 1 | W/UNLOADER [VALIDATION DATE: 9104] USER: CS MC ME MI | | | | | | | | | |
| | | | MS51323C | COVER, FITTED, VEHICULAR BODY-TOP [VALIDATION DATE: 8807] USER: MC | A | 2540 | | AT | 22-JUL-88 | AT | | 99 |
| | | | NOTICE 1 | REVIEWER: CS | | | | | | | | | |
| A | L | | MS51324B | CURTAIN, VEHICULAR: END [VALIDATION DATE: 9209] USER: MC REVIEWER: CS .... | A | 2540 | | AT | 23-SEP-92 | AT | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MS51326A | HEATER, VEHICULAR COMPARTMENT: LIQUID COOLANT, 30,000 BTU/HR [VALIDATION | A | 2540 | | AT | 02-JUL-90 | AT | | |
| | | | NOTICE 1 | DATE: 9007] USER: MC ME REVIEWER: CS | | | | | | | | | |
| | L | | MS51329B | STOP LIGHT - TAILLIGHT, VEHICULAR-24 VOLT, SERVICE STOP, SERVICE TAIL, BLACKOUT TAIL [VALIDATION DATE: 8308] USER: ME REVIEWER: GS MI | A | 6220 | | AS | 15-JUL-83 | | | |
| | | | MS51330A | STOP LIGHT-TAILLIGHT, VEHICULAR-24 VOLT, BLACKOUT TAIL, BLACKOUT STOP. USER: GL ME REVIEWER: GS MI | A | 6220 | | AT | 16-FEB-88 | AT | | 99 |

| Action | OPR / Old Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MS51334B | CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL - GENERATOR TO REGULATOR, 25 AND 40 AMP SYSTEM [VALIDATION DATE: 8512] REVIEWER: CS | A | 2920 | | AT | 25-AUG-80 | AT | | | |
| D | | MS51335F | PINTLE ASSEMBLY, TOWING, 18,000 LBS. CAPACITY, MANUAL RELEASE USER: MC ME REVIEWER: CS | A | 2540 | | AT | 29-SEP-81 | AT | YD1 | 99 | |
| D | | MS51336D | LUNETTE&COUPLER, DRAWBAR, RING. [VALIDATION DATE: 8209] REVIEWER: MC ..... | A | 2540 | | AT | 21-AUG-72 | AT | YD1 | 99 | |
| L | | MS51343B | VALVE, POPPET, HULL DRAIN: VEHICULAR, 3 INCH REVIEWER: CS ..... | A | 2590 | | AT | 25-NOV-83 | AT | | | |
| L | | MS51344C | SEAT, HULL DRAIN POPPET VALVE: VEHICULAR, 3 INCH REVIEWER: CS ..... | A | 2590 | | AT | 25-NOV-83 | AT | | | |
| L | | MS51345B | VALVE ASSEMBLY, POPPET, HULL DRAIN-VEHICULAR, 3 INCH [VALIDATION DATE: | A | 2590 | | AT | 10-OCT-90 | AT | | | |
| | | NOTICE 1 | 9010] REVIEWER: CS | | | | | | | | | |
| L | | MS51349A | KNOB&VALVE ASSEMBLY, POPPET, HULL DRAIN [VALIDATION DATE: 8207] REVIEWER: CS | A | 2590 | | AT | 18-OCT-66 | AT | | | |
| L | | MS51350A | SPRING&VALVE ASSEMBLY, POPPET, HULL DRAIN [VALIDATION DATE: 8207] REVIEWER: CS | A | 2590 | | AT | 18-OCT-66 | AT | | | |
| L | | MS51352A | WINCH, DRUM, VEHICLE, MOUNTING BASIC, MECHANICALLY DRIVEN, 10,000 LBS CAPACITY [VALIDATION DATE: 8308] USER: ME | A | 2590 | | AT | 11-NOV-66 | AT | | | |
| L | | MS51353B | WINCH, DRUM, VEHICLE MOUNTING&BASIC, MECHANICALLY DRIVEN, 20,000 POUNDS CAPACITY [VALIDATION DATE: 8511] USER: ME | A | 2590 | | AT | 11-NOV-66 | AT | | | |
| L | | MS51354C | WINCH, DRUM, VEHICLE MOUNTING&BASIC, MECHANICALLY DRIVEN, 45,000 POUNDS CAPACITY USER: ME | A | 2590 | | AT | 25-JAN-88 | AT | | | |
| L | | MS51379A | HOSE, PREFORMED&AIR CLEANER, SEMI FLEXIBLE, HEAVY DUTY (75 PSI BURST) . USER: CS MC | A | 2940 | | AT | 17-JUL-87 | AT | | | |
| | | MS51389A | RAINCAP, FOR AIR CLEANER INTAKE FOR INDUSTRIAL ENGINES [VALIDATION DATE: | A | 2940 | | ME | 12-JUL-90 | ME | | 99 | |
| | | NOTICE 1 | 9007] USER: MC REVIEWER: CS | | | | | | | | | |
| LI | | MS51395C | CHASSIS, TRUCK, 5 TON, 6X6, M40 ..... | A | 2320 | | A1 | 22-SEP-89 | AT | | | |
| | | NOTICE 2 | | | | | | | | | | |
| L | | MS51400 | PIN, STRAIGHT, HEADLESS USER: AT ..... | A | 5315 | | AR | 04-NOV-80 | AR | | | |
| | | MS51401 | RIVET, SOLID, TINNERS USER: AT MC ME OS REVIEWER: GL IS MI NS ..... | A | 5320 | | AR | 18-DEC-80 | AR | | 99 | |
| | | DS51402 | NUT, PLAIN, WING, METRIC [VALIDATION DATE: 8805] ..... | A | 5310 | | AR | 20-MAY-88 | AR | | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | DS51403 | RIVET, TUBULAR, ROUND AND FLAT TYPE HEAD, METRIC [VALIDATION DATE: 8805] USER: AT MC ME REVIEWER: AS GL IS MI NS | A | 5320 | | AR | 20-MAY-88 | AR | | 99 | |
| | | DS51404 | RIVET, SOLID, UNIVERSAL HEAD, BRASS, METRIC [VALIDATION DATE: 8805] USER: AT MC ME REVIEWER: AS GL IS MI NS | A | 5320 | | AR | 20-MAY-88 | AR | | 99 | |
| | | DS51405 | RIVET, SOLID, UNIVERSAL HEAD, CARBON STEEL, METRIC [VALIDATION DATE: 8805] USER: AT MC ME REVIEWER: AS GL IS MI NS | A | 5320 | | AR | 20-MAY-88 | AR | | 99 | |
| | | DS51406 | RIVET, SOLID, COUNTERSUNK 100 DEGREE PRECISION HEAD, CARBON STEEL, METRIC [VALIDATION DATE: 8805] USER: AT MC ME REVIEWER: AS IS MI NS | A | 5320 | | AR | 20-MAY-88 | AR | | 99 | |
| | | DS51407 | RIVET, SOLID, UNIVERSAL HEAD, COPPER, METRIC [VALIDATION DATE: 8805] ..... | A | 5320 | | AR | 20-MAY-88 | AR | | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| D | | DS51408 | RIVET, SOLID, COUNTERSUNK 100 DEG, PRECISION HEAD, COPPER, METRIC [VALIDATION DATE: 8805] USER: AT MC MS REVIEWER: AS GL IS MI NS | A | 5320 | | AR | 20-MAY-88 | AR | YD1 | 99 | |
| | | DS51409 | SETSCREW, SLOTTED HEADLESS, CONE POINT CARBON STEEL, CADMIUM PLATED, | A | 5305 | | AR | 20-MAY-88 | AR | | 99 | |
| | | NOTICE 1 | METRIC [VALIDATION DATE: 8805] USER: CE REVIEWER: AV IS MI NS | | | | | | | | | |
| | | DS51410 | SETSCREW, SLOTTED HEADLESS, CUP POINT CARBON STEEL, CADMIUM PLATED, METRIC | A | 5305 | | AR | 20-MAY-88 | AR | | 99 | |
| | | NOTICE 1 | [VALIDATION DATE: 8805] USER: CE ER MC ME OS SH REVIEWER: AV IS MI NS | | | | | | | | | |
| | | DS51411 | SETSCREW, SLOTTED HEADLESS, FLAT POINT, CARBON STEEL, CADMIUM PLATED, | A | 5305 | | AR | 20-MAY-88 | AR | | 99 | |
| | | NOTICE 1 | METRIC [VALIDATION DATE: 8805] USER: CE ER MC ME OS SH REVIEWER: AV IS MI NS | | | | | | | | | |
| | | MS51412C | WASHER, FLAT - ROUND, STEEL, GENERAL PURPOSE USER: MC ME REVIEWER: 15 82 AV EA ER GL IS NS | A | 5310 | | AR | 28-FEB-83 | AR | SH | 99 | |
| D | | MS51413A | WASHER, LOCK, FLAT-INTERNAL TOOTH USER: MC ME YD1 REVIEWER: 15 82 AV EA GL IS NS | A | 5310 | | AR | 17-MAR-86 | AR | SH | 99 | |
| D | | MS51414A | WASHER, LOCK, FLAT-EXTERNAL TOOTH USER: MC ME YD1 REVIEWER: AV EA GL IS NS | A | 5310 | | AR | 17-MAR-86 | AR | SH | 99 | |
| D | | MS51415B | WASHER, LOCK - HELICAL SPRING, REGULAR (MEDIUM) SERIES USER: MC ME YD1 REVIEWER: AV EA GL IS NS | A | 5310 | | AR | 20-AUG-87 | AR | SH | | |
| D | | MS51416A | WASHER, LOCK-HELICAL SPRING, HEAVY DUTY USER: MC ME YD1 REVIEWER: AV EA GL IS NS | A | 5310 | | AR | 30-MAR-90 | AR | SH | | |
| | | DS51417 | BOLT, MACHINE, HEX HEAD FULLY THREADED, FINE THREAD, METRIC USER: ME REVIEWER: AV EA IS | A | 5306 | | AR | 12-AUG-83 | | | | |
| | | MS51436 | ANALYZER, ELECTROLYTIC SOLUTION USER: DM MD REVIEWER: ME ..... | A | 6630 | | EA | 05-MAY-83 | EA | MS | 99 | DP |
| | | MS51437 | ANALYZER, GAS USER: DM MD REVIEWER: ME ..... | A | 6630 | | EA | 05-MAY-83 | EA | MS | 99 | |
| | | MS51438 | BULB, ABSORPTION, GAS USER: DM MD REVIEWER: ME ..... | A | 6630 | | EA | 05-MAY-83 | EA | MS | 99 | |
| | | MS51439 | BULB, LEVELING, GAS ANALYSIS APPARATUS USER: DM MD REVIEWER: ME ..... | A | 6630 | | EA | 05-MAY-83 | EA | MS | 99 | |
| | | MS51440 | BURET, LABORATORY USER: DM MD REVIEWER: ME ..... | A | 6630 | | EA | 05-MAY-83 | EA | MS | 99 | |
| | | MS51442 | CONDUCTIVITY CELL USER: MD SM REVIEWER: 82 ME ..... | A | 6630 | | EA | 25-MAY-83 | EA | MS | 99 | |
| | | MS51445 | VISCOSIMETER, CUP TYPE USER: DM MD REVIEWER: ME ..... | A | 6630 | | EA | 25-MAY-83 | EA | MS | 99 | |
| | | MS51446 | DIGESTION APPARATUS, NITROGEN DETERMINATION USER: DM MD REVIEWER: ME OS ... | A | 6630 | | EA | 11-MAY-83 | EA | MS | 99 | |
| | | MS51447 | FLUOROMETER USER: DM MD REVIEWER: ME OS ..... | A | 6630 | | EA | 30-MAY-83 | EA | MS | 99 | |
| | | MS51448 | NEPHELOMETER, INTEGRATING USER: DM MD REVIEWER: ME OS ..... | A | 6630 | | EA | 20-MAY-83 | EA | MS | 99 | |
| | | MS51468 | NUT, PLAIN, WING, CARBON STEEL, UNC-2B USER: MC ME REVIEWER: AV EA IS MI NS | A | 5310 | | AR | 10-JAN-83 | AR | SH | 99 | |
| | | MS51469 | NUT, PLAIN, HEXAGON (MACHINE SCREW), CARBON STEEL, UNC-2B USER: MC REVIEWER: EA IS MI NS | A | 5310 | | AR | 10-JAN-83 | AR | SH | 99 | |
| | | MS51470 | NUT, PLAIN, HEXAGON (MACHINE SCREW), CARBON STEEL, UNF-2B USER: MC REVIEWER: EA IS MI NS | A | 5310 | | AR | 10-JAN-83 | AR | SH | 99 | |
| | | MS51471 | NUT, PLAIN, HEXAGON (JAM), CARBON STEEL, UNC-2B USER: MC ME REVIEWER: EA IS MI NS | A | 5310 | | AR | 10-JAN-83 | AR | SH | 99 | |
| | | MS51472 | NUT, PLAIN, HEXAGON, CARBON STEEL, UNC-2B USER: MC ME REVIEWER: EA IS MI NS | A | 5310 | | AR | 10-JAN-83 | AR | SH | 99 | |
| | | MS51473 | NUT, PLAIN, HEXAGON, CARBON STEEL, UNF-2B USER: MC REVIEWER: AV EA IS MI NS | A | 5310 | | AR | 10-JAN-83 | AR | SH | 99 | |
| L | | DS51474 | SCREW, CAP, HEX HEAD, FULLY THREADED-METRIC USER: ME REVIEWER: AV EA IS ... | A | 5305 | | AR | 12-AUG-83 | AR | | | |
| | | MS51475A | SCREW, MACHINE, BOOM SUPPORT ASSEMBLY REVIEWER: CR ES ..... | A | 5305 | | AR | 27-SEP-88 | AR | EC | | |
| | | MS51476 | SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, UNC-3A USER: MC ME MI OS REVIEWER: 82 AV EA ER IS NS | A | 5305 | | AR | 01-AUG-84 | AR | SH | 99 | |
| | | MS51477 | SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, UNF-3A USER: MC ME MI OS REVIEWER: 82 EA IS NS | A | 5305 | | AR | 01-AUG-84 | AR | SH | 99 | |
| | | MS51478 | SCREW, CAP, HEXAGON (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE ALLOY STEEL, GRADE 8, UNF-2A USER: MC ME MI OS REVIEWER: 82 AV EA IS NS | A | 5305 | | AR | 01-AUG-84 | AR | SH | 99 | |
| | | MS51479 | SCREW, MACHINE, 82 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, UNF-2A USER: MC ME MI OS REVIEWER: 82 EA GL IS NS | A | 5305 | | AR | 01-AUG-84 | AR | SH | 99 | |
| | | MS51480 | SCREW, CAP, SOCKET HEAD, ALLOY STEEL, UNF-3A USER: MC ME MI REVIEWER: 82 EA IS NS OS | A | 5305 | | AR | 01-AUG-84 | AR | SH | 99 | |
| | | MS51481 | SCREW, MACHINE, 82 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, UNC-2A USER: ME MI OS REVIEWER: 82 AN AV EA IS NS | A | 5305 | | AR | 01-AUG-84 | AR | SH | 99 | |
| | | MS51482 | SETSCREW, HEXAGON SOCKET, CONE POINT, ALLOY STEEL, UNC-3A USER: ME MI REVIEWER: 82 AV CR EA IS NS | A | 5305 | | AR | 01-AUG-84 | AR | SH | 99 | |
| | | MS51483 | SCREW, MACHINE, DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UNC-2A USER: ME OS REVIEWER: 82 AV CR EA IS NS | A | 5305 | | AR | 01-AUG-84 | AR | SH | 99 | |
| | | MS51484 | SCREW, CAP, SOCKET HEAD, ALLOY STEEL, UNC-3A USER: MC ME MI REVIEWER: 82 AV EA IS NS OS | A | 5305 | | AR | 01-AUG-84 | AR | SH | 99 | |
| | | MS51485 | SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T PAN HEAD, CROSS-RECESSED, CARBON STEEL USER: MC MI OS REVIEWER: 82 EA IS NS | A | 5305 | | AR | 01-AUG-84 | AR | SH | 99 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MS51486 | SCREW, TAPPING, THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED USER: MC ME MI OS REVIEWER: 82 CR EA IS MS | A | 5305 | AR | | 01-AUG-84 | AR | SH | | 99 |
| | MS51487 | SETSCREW, SQUARE HEAD, CUP POINT, CARBON STEEL, UNC-2A USER: MC ME MI OS REVIEWER: EA IS MS | A | 5305 | AR | | 01-AUG-84 | AR | SH | | 99 |
| | MS51488 | SCREW, CAP HEXAGON HEAD (FINISHED HEXAGON BOLT), ALLOY STEEL, GRADE 8 USER: MC MI OS REVIEWER: AV EA IS MS | A | 5305 | AR | | 01-AUG-84 | AR | SH | | 99 |
| | MS51489 | SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL USER: MC ME MI OS REVIEWER: 82 AV EA IS MS | A | 5305 | AR | | 01-AUG-84 | AR | SH | | 99 |
| | MS51490 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, UNF-2A USER: MC ME MI OS REVIEWER: 82 EA IS MS | A | 5305 | AR | | 01-AUG-84 | AR | SH | | 99 |
| | MS51491 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5 UNC-2A USER: MC ME MI OS REVIEWER: 82 EA IS MS | A | 5305 | AR | | 01-AUG-84 | AR | SH | | 99 |
| A | MS51492(1) | SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, CARBON STEEL, UNC-2A USER: MC ME MI OS REVIEWER: 82 AV EA IS | A | 5305 | AR | | 05-OCT-92 | AR | SH | | 99 |
| A | MS51493(1) | SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, CARBON STEEL UNF-2A USER: MC ME MI OS REVIEWER: 82 EA IS | A | 5305 | AR | | 05-OCT-92 | AR | SH | | 99 |
| | MS51494 | SCREW, EXTERNALLY RELIEVED BODY, FLAT COUNTERSUNK HEAD, 100 DEGREE, CROSS-RECESSED USER: AT MC MI REVIEWER: 82 AV EA IS | A | 5305 | AR | | 10-JUL-84 | AR | | | 99 |
| | MS51495 | SCREW, EXTERNALLY RELIEVED BODY, FILLISTER HEAD USER: MC MI REVIEWER: 82 AT AV IS | A | 5305 | AR | | 10-JUL-84 | AR | | | 99 |
| | MS51496B | WASHER, FLAT-NARROW SERIES USER: MC MI SH REVIEWER: 82 AT AV GL IS ..... | A | 5310 | AR | | 07-OCT-86 | AR | | | 99 |
| | MS51497 | STUD, LOCKED IN-RING LOCKED, SERRATED, HIGH STRENGTH, OVERSIZE REPLACER USER: MC MI OS REVIEWER: 11 82 AT AV GL IS ME MS | A | 5307 | AR | | 11-MAR-85 | AR | AS | | 99 |
| | MS51498 | INSERT,SCREW THREAD-LOCKED IN, RING LOCKED, SERRATED, HIGH STRENGTH, OVERSIZE REPLACER USER: MC MI OS REVIEWER: 11 82 AT AV GL IS ME MS | A | 5340 | AR | | 11-MAR-85 | AR | AS | | 99 |
| | MS51499A | RIVET, TUBULAR, 100 DEGREE, COUNTERSUNK HEAD USER: ER MC ME REVIEWER: 82 EA GL IS MI MS | A | 5320 | AR | | 04-JAN-89 | AR | OS | | 99 |
| D | MS51500C | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: 82 CS ER ME | A | 4730 | AR | | 16-FEB-88 | AR | OS | | 99 |
| D | MS51501A | NIPPLE, TUBE, REGULAR HEX, 37 DEG. FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CR CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51502A | NIPPLE, TUBE, REGULAR HEX, 37 DEGREES FLARED (LONG) [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51503A | ADAPTER, STRAIGHT, PIPE TO TUBE, FEMALE PIPE END, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51504A | ELBOW, PIPE TO TUBE, 90 DEGREES, MALE PIPE END, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51505A | ELBOW, TUBE, 90 DEGREES, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51506B | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ELBOW, PIPE TO TUBE, 90 DEGREE, FEMALE PIPE END, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: 82 CS ER ME | A | 4730 | AR | | 16-FEB-88 | AR | OS | | 99 |
| D | MS51507A | ELBOW, TUBE, 90 DEGREES, BULKHEAD, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51508A | ELBOW, PIPE TO TUBE, 45 DEGREES, MALE PIPE END, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51509A | ELBOW, TUBE, 45 DEGREES, BULKHEAD, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51510A | TEE, TUBE, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51511A | TEE, PIPE TO TUBE, MALE PIPE ON RUN, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51512A | TEE, PIPE TO TUBE, MALE PIPE ON BRANCH, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51513A | TEE, PIPE TO TUBE, FEMALE PIPE ON BRANCH, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51514A | TEE, PIPE TO TUBE, FEMALE PIPE ON RUN, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51515A | TEE, TUBE, BULKHEAD ON BRANCH, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51516A | TEE, TUBE, BULKHEAD ON RUN, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51517A | CROSS, TUBE, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51518A | PLUG, MACHINE THREAD, 37 DEG. FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51519A | NIPPLE, TUBE, LARGE HEX FOR USE WITH O RING, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51520A | NIPPLE, TUBE, BULKHEAD, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51521A | ELBOW, TUBE, 90 DEGREES, SWIVEL, 37 DEGREES, FLARED [VALIDATION DATE: 8601] USER: AT MC SH YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51522A | ELBOW, TUBE, 45 DEGREES, SWIVEL, 37 DEGREES, FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51523A | TEE, TUBE TO SWIVEL, SWIVEL ON RUN, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME MI | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51524A | TEE, TUBE TO SWIVEL, SWIVEL ON BRANCH, 37 DEGREES, FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51525B | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ADAPTER, STRAIGHT, TUBE TO BOSS, O-RING, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: 82 CS ER ME | A | 4730 | AR | | 16-FEB-88 | AR | OS | | 99 |
| D | MS51526A | ADAPTER, STRAIGHT, TUBE TO BOSS, O RING, 37 DEGREES FLARED (LONG) [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51527C | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; ELBOW, TUBE TO BOSS, 90 DEGREE, O-RING, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: 82 CS ER ME | A | 4730 | AR | | 16-FEB-88 | AR | OS | | 99 |
| D | MS51528B | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; ELBOW, TUBE TO BOSS, 45 DEGREE, O-RING, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: 82 CS ER ME | A | 4730 | AR | | 16-FEB-88 | AR | OS | | 99 |
| D | MS51529B | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; TEE, TUBE TO BOSS, BOSS ON BRANCH, O-RING, 37 DEGREE FLARED USER: MC YD1 REVIEWER: 82 AT CS ER GL ME | A | 4730 | AR | | 16-FEB-88 | AR | OS | | 99 |
| D | MS51530B | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; TEE, TUBE TO BOSS, BOSS ON RUN, O-RING, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: 82 CS ER ME | A | 4730 | AR | | 16-FEB-88 | AR | OS | | 99 |
| D | MS51531B | NUT, TUBE COUPLING, 37 DEGREES FLARED USER: AT MC YD1 REVIEWER: CS ER GL ME | A | 4730 | AR | | 01-JUL-85 | AR | OS | | |
| D | MS51532B | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; CAP, TUBE, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: 82 CS ER GL ME | A | 4730 | AR | | 16-FEB-88 | AR | OS | | 99 |
| D | MS51533A | SLEEVE, COMPRESSION, TUBE FITTING, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |
| D | MS51534A | REDUCER, TUBE, 37 DEGREES FLARED [VALIDATION DATE: 8503] USER: AT MC YD1 REVIEWER: CS ME | A | 4730 | AR | | 17-JAN-79 | AR | OS | | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist Stmt | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS51535B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, 30 DEG. USER: 11 AS MC REVIEWER: 99 AV GS MI | A | 5940 | AR | 19-AUG-86 | AR | | | 85 |
| | | MS51536B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, 45 DEG. USER: 11 AS MC REVIEWER: 99 AV GS MI | A | 5940 | AR | 09-JUN-86 | AR | | | 85 |
| | | MS51537B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, 90 DEG USER: 11 AS MC REVIEWER: 99 AV GS MI | A | 5940 | AR | 23-JUN-86 | AR | | | 85 |
| D | | MS51538 | NAIL, MASONRY USER: AV CE ME MI SA SH REVIEWER: GL MC | A | 5315 | AR | 13-MAR-86 | AR | YD1 | | 99 |
| D | | MS51540 | NAIL, PALLET USER: AS AV MI SH REVIEWER: 82 CE GL MC ME SA | A | 5315 | AR | 28-OCT-86 | AR | YD1 | | 99 |
| D | | MS51541 | NAIL, SINKER USER: AS AV MI SH REVIEWER: 82 CE GL MC ME SA | A | 5315 | AR | 28-OCT-86 | AR | YD1 | | 99 |
| D | | MS51542 | NAIL, UNDERLAYMENT USER: AS AV MI SH REVIEWER: 82 CE GL MC ME SA | A | 5315 | AR | 28-OCT-86 | AR | YD1 | | 99 |
| D | | MS51545 | NAIL, FINE USER: AV CE MC ME MI REVIEWER: 82 GL SA | A | 5315 | AR | 28-OCT-86 | AR | YD1 | | 99 |
| D | | MS51546 | NAIL, CORKER USER: AV CE ME MI REVIEWER: 82 GL | A | 5315 | AR | 28-OCT-86 | AR | YD1 | | 99 |
| D | | MS51547 | NAIL, CONCRETE USER: AV CE MC ME MI REVIEWER: 82 GL | A | 5315 | AR | 28-OCT-86 | AR | YD1 | | 99 |
| D | | MS51548 | NAIL, COOLER USER: AV CE ME MI REVIEWER: 82 GL | A | 5315 | AR | 28-OCT-86 | AR | YD1 | | 99 |
| D | | MS51549 | NAIL, BOX USER: AV CE MC ME MI REVIEWER: 82 GL SA | A | 5315 | AR | 28-OCT-86 | AR | YD1 | | 99 |
| | | MS51551 | STUD, LOCKED IN - RING LOCKED, SERRATED, UNJF THREAD NUT END, INCREASED STUD END LENGTH USER: MC MI OS REVIEWER: 11 82 AT AV ER GL IS MS | A | 5307 | AR | 12-MAY-87 | AR | AS | | 99 |
| | | MS51552 | NUT, SELF-LOCKING, PLATE, RIGHT ANGLE FLOATING, 125 KSI FTU 450 DEG.F USER: 80 84 REVIEWER: AT AV CR ER IS MI | A | 5310 | AR | 15-SEP-87 | AR | AS | | 99 |
| | | MS51553 | NUT, SELF-LOCKING, WING USER: AV MC REVIEWER: IS ME MI | A | 5310 | AR | 01-AUG-87 | AR | | | 99 |
| | | MS51558 | WIRE, NONELECTRICAL, ROUND, TYPE II, STEEL, CARBON, 1020 BOOKBINDER USER: MR REVIEWER: IS | A | 9505 | AR | 30-MAR-90 | AR | AS | | 99 |
| | | MS51559 | WIRE, NONELECTRICAL, FLAT, TYPE I, STEEL, CARBON, 1020 BOOKBINDER USER: MR REVIEWER: IS | A | 9505 | AR | 30-MAR-90 | AR | AS | | 99 |
| | | MS51560 | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, SLOTTED, 90 DEG. USER: 11 AS MC SH REVIEWER: 99 AV GS MI | A | 5940 | AR | 23-JUN-86 | AR | | | 85 |
| D | | MS51565 | TURNBUCKLE, ROUND BODY, HOOK & EYE (TYPE I, FORM 1, CLASS 6) USER: AS MC ME OS YD1 REVIEWER: 82 CR IS | A | 5340 | AR | 11-FEB-88 | AR | SH | | 99 |
| D | | MS51566 | TURNBUCKLE SPREAD BODY, JAW & JAW (TYPE I, FORM 2 CLASS 7) USER: AS MC ME OS YD1 REVIEWER: 82 CR IS | A | 5340 | AR | 11-FEB-88 | AR | SH | | 99 |
| D | | MS51567 | TURNBUCKLE SPREAD BODY, EYE & EYE (TYPE I, FORM 2 CLASS 4) USER: AS MC ME OS YD1 REVIEWER: 82 CR IS | A | 5340 | AR | 12-FEB-88 | AR | SH | | 99 |
| D | | MS51568 | TURNBUCKLE, ROUND BODY, HOOK & EYE, (TYPE I,FORM 2, CLASS 6) USER: AS MC ME OS YD1 REVIEWER: 82 CR IS | A | 5340 | AR | 11-FEB-88 | AR | SH | | 99 |
| D | | MS51569 | TURNBUCKLE SPREAD BODY, JAW & EYE (TYPE I, FORM 2 CLASS 8) USER: AS DS MC YD1 REVIEWER: 82 CR IS ME | A | 5340 | AR | 15-FEB-88 | AR | SH | | 99 |
| D | | MS51570 | TURNBUCKLE, PIPE, BODY EYE & EYE (TYPE II, CLASS 4) USER: AS MC ME OS YD1 REVIEWER: 82 CR IS | A | 5340 | AR | 15-FEB-88 | AR | SH | | 99 |
| D | | MS51571 | TURNBUCKLE, FLAT BODY, EYE & EYE (TYPE I, FORM 3, CLASS 4) USER: AS MC ME YD1 REVIEWER: 82 CR IS | A | 5340 | AR | 10-AUG-88 | AR | SH | | 99 |
| D | | MS51572 | TURNBUCKLE, FLAT BODY JAW & EYE (TYPE I, FORM 1, CLASS 8) USER: AS MC ME OS YD1 REVIEWER: 82 CR IS | A | 5340 | AR | 16-FEB-88 | AR | SH | | 99 |
| D | | MS51573 | TURNBUCKLE, FLAT BODY, HOOK & EYE (TYPE I, FORM 1 CLASS 6) USER: AS MC ME OS YD1 REVIEWER: 82 CR IS | A | 5340 | AR | 17-FEB-88 | AR | SH | | 99 |
| D | | MS51574 | TURNBUCKLE, FLAT BODY JAW & JAW (TYPE I, FORM 2, CLASS 7) USER: AS MC ME OS YD1 REVIEWER: 82 CR IS | A | 5340 | AR | 17-FEB-88 | AR | SH | | 99 |
| | | MS51575 | SCREW, SHOULDER, SLOTTED-HEAD, CORRISION-RESISTANT STEEL USER: AT MC MI MS OS REVIEWER: 82 AV IS | A | 5305 | AR | 09-DEC-88 | AR | AS | | 99 |
| | | MS51576 | SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL USER: MC ME MS REVIEWER: 82 AT IS | A | 5305 | AR | 09-DEC-88 | AR | OS | | 99 |
| | | MS51600A<br>NOTICE 1 | FILTER, LIGHT, OPTICAL INSTRUMENT (VARIABLE DENSITY) BINOCULAR TYPE [VALIDATION DATE: 8705] USER: MC | A | 6650 | AR | 15-MAY-87 | AR | SH | | 99 |
| | | MS51605B | PIN, GROOVED, HEADLESS (HALF LENGTH TAPER GROOVE) CORROSION-RESISTING STEEL [VALIDATION DATE: 8404] USER: AT OS SH REVIEWER: IS MI MS | A | 5315 | AR | 15-MAY-78 | AR | AS | | |
| | | MS51606C | PIN, GROOVED, HEADLESS (HALF LENGTH REVERSE TAPER GROOVE) CORROSION-RESISTANT STEEL USER: AT OS SH REVIEWER: AV EA IS MI | A | 5315 | AR | 07-APR-89 | AR | AS | | 99 |
| L | | MS51607B | VALVE STEM, PURGING (WITH FILTER) | A | 1240 | AR | 04-JAN-88 | AR | | | |
| A L | | MS51608A | LAMP, INCANDESCENT, T-1 1/4 SPECIAL SCREW BASE (956) | A | 6240 | AR | 15-OCT-92 | AR | | | |
| | | MS51700A | STREAMER, WARNING [VALIDATION DATE: 8204] REVIEWER: GS ME | A | 9999 | MI | 18-JUN-76 | MI | AS | | 99 |
| | | MS51811E | TEE, TUBE, FLARELESS TYPE, HYDRAULIC USER: AV GL REVIEWER: 82 AT CS MC ME OS | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51812F | NIPPLE, TUBE, BULKHEAD, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: 82 CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51813E | ELBOW, PIPE TO TUBE, 90 DEG., FEMALE PIPE END, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51814E | NIPPLE, TUBE, REGULAR HEX, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51815F | ELBOW, PIPE TO TUBE, 90 DEG., MALE PIPE END, FLARELESS TYPE, HYDRAULIC USER: MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51816E | ADATER, STRAIGHT, PIPE TO TUBE, FEMALE PIPE END, FLARELESS TYPE, HYDRAULIC USER: MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51817E | ELBOW, PIPE TO TUBE, 45 DEG., MALE PIPE END, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51818E | TEE, PIPE TO TUBE, MALE PIPE ON BRANCH, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51819E | ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51820E | ELBOW, TUBE, 90 DEG., FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51821E | TEE, PIPE TO TUBE, FEMALE PIPE ON BRANCH, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51822E | TEE, PIPE TO TUBE, FEMALE PIPE ON RUN, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51823E<br>NOTICE 1 | NUT, TUBE COUPLING, FLARELESS TYPE, HYDRAULIC [VALIDATION DATE: 8702] USER: MC OS REVIEWER: AT CS GL ME MI | A | 4730 | AR | 12-FEB-87 | AR | | | 99 |
| | | MS51824E | TEE, PIPE TO TUBE, MALE PIPE ON RUN, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: 82 AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51825G | SLEEVE, CLINCH, TUBE FITTING, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: AT CS GL ME | A | 4730 | AR | 30-JUL-87 | AR | | | 99 |
| | | MS51829A | RIVET, SOLID, BUTTON HEAD, STEEL (INACTIVE) [VALIDATION DATE: 8003] USER: AT ME WV REVIEWER: AV EA IS | A | 5320 | AR | 20-MAR-74 | AR | | | 99 |
| A | | MS51830E(1) | INSERT, SCREW-THREAD, LOCKED IN, KEY LOCKED, MINIATURE AND LIGHTWEIGHT USER: AT EC ER GL MC REVIEWER: 11 82 AV IS MI MS | A | 5340 | AR | 12-FEB-93 | AR | AS | | 99 |
| A | | MS51831F(1) | INSERT, SCREW-THREAD, LOCKED IN, KEY-LOCKED, HEAVY DUTY USER: AT GL MC REVIEWER: 82 AV IS SH | A | 5340 | AR | 12-FEB-93 | AR | AS | | 99 |
| M | | MS51832C(1) | INSERT, SCREW-THREAD, LOCKED IN, KEY-LOCKED, EXTRA HEAVY DUTY USER: AT EC ER MC REVIEWER: 82 AV IS MI SH | A | 5340 | AR | 12-FEB-93 | AR | AS | | 99 |
| A | | MS51833E(1) | STUD, LOCKED IN, KEY-LOCKED, LIGHTWEIGHT USER: ER MC ME REVIEWER: 11 82 AT AV IS MI SH | A | 5307 | AR | 06-NOV-92 | AR | AS | | 99 |
| A | | MS51834E(1) | STUD, LOCKED IN, KEY-LOCKED, HEAVY DUTY USER: AT ER MC ME REVIEWER: 11 82 AV IS MI SH | A | 5307 | AR | 06-NOV-92 | AR | AS | | 99 |
| | | MS51835A | INSERT AND STUD, LOCKED IN - KEY LOCKED, HOLE DIMENSIONS FOR AND ASSEMBLY OF [VALIDATION DATE: 8304] USER: EL MC REVIEWER: 82 AT AV IS MI | A | 53GP | AR | 25-NOV-70 | AR | AS | | 99 |

| Action | Doc. / Chg. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS51836A | INSERT, SCREW THREAD - THREAD FORMING (VALIDATION DATE: 8203) USER: ER MC REVIEWER: AT AV IS MI | A | 5340 | AR | | 25-APR-69 | AR | AS | | 99 |
| | | MS51837 | INSERT, SCREW THREAD - THREAD FORMING HOLE DIMENSIONS FOR AND INSTALLATION | A | 53GP | AR | | 05-MAY-88 | AR | AS | | 99 |
| | . | NOTICE 1 | OF (VALIDATION DATE: 8805) USER: EL MC REVIEWER: 82 AT AV IS MI | | | | | | | | | |
| | L | MS51838 | PIN, STRAIGHT, STEEL-DRILL ROD (VALIDATION DATE: 8203) USER: AT REVIEWER: AV MI | A | 5315 | AR | | 19-SEP-67 | AR | | | |
| | | MS51839D | ELBOW, TUBE TO BOSS, 90 DEG, O-RING, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: CS GL ME | A | 4730 | AR | | 30-JUL-87 | AR | | | 99 |
| | | MS51840C | PLUG, MACHINE THREAD, O-RING USER: CR MC ME REVIEWER: EA ER GL IS ..... | A | 5365 | AR | | 21-APR-83 | AR | OS | | |
| | | MS51841D | TEE, TUBE TO BOSS, BOSS ON BENCH, O-RING, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: CS GL ME | A | 4730 | AR | | 30-JUL-87 | AR | | | 99 |
| | | MS51842D | ELBOW, TUBE TO BOSS, 45 DEG., O-RING, FLARELESS TYPE, HYDRAULIC USER: AT AV CR MC OS REVIEWER: 82 CS ME | A | 4730 | AR | | 30-JUL-87 | AR | | | 99 |
| | | MS51843D | ADAPTER, STRAIGHT, TUBE TO BOSS, O-RING, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: 82 CS GL ME | A | 4730 | AR | | 30-JUL-87 | AR | | | 99 |
| | | MS51844C | SLEEVE, SWAGING WIRE ROPE REVIEWER: 11 82 AS AT AV EA IS MI ..... | A | 4030 | AR | | 28-JUN-85 | AR | SH | | 99 |
| D | | MS51845B | ELBOW, PIPE, STRAIGHT, 90 DEG BRASS OR BRONZE, 125 LB (VALIDATION DATE: | A | 4730 | YD1 | | 25-AUG-87 | AR | YD1 | | 99 |
| | | NOTICE 1 | 8708) USER: AT MC REVIEWER: CS GL ME | | | | | | | | | |
| | L | MS51846B | NIPPLE, PIPE, STANDARD, BRASS OR COPPER (VALIDATION DATE: 8810) USER: AT | A | 4730 | AR | | 03-OCT-88 | AR | | | |
| | | NOTICE 2 | GL MC ME MI REVIEWER: 99 | | | | | | | | | |
| D | | MS51848D | WASHER, LOCK - HELICAL SPRING, MI - COLLAR USER: AT MC OS YD1 REVIEWER: 82 AV ME MI SH | A | 5310 | AR | | 13-AUG-91 | AR | AS | | 99 |
| | L | MS51849A | SCREW, MACHINE - STEEL, HEXAGON HEAD, SLOTTED, UNF-2A AND UNC-2A REVIEWER: AT AV ME MI | A | 5305 | AR | | 15-OCT-87 | AR | SH | | 99 |
| | L | MS51850 | SCREW, TAPPING - THREAD FORMING, TYPE AB, HEXAGON HEAD, SLOTTED | A | 5305 | AR | | 20-MAY-88 | AR | | | |
| | | NOTICE 1 | (VALIDATION DATE: 8805) REVIEWER: AT AV ME | | | | | | | | | |
| | L | MS51851 | SCREW, TAPPING-THREAD CUTTING, TYPE D, HEXAGON HEAD, SLOTTED (VALIDATION | A | 5305 | AR | | 20-MAY-88 | AR | | | |
| | | NOTICE 1 | DATE: 8805) REVIEWER: AT AV ME MI | | | | | | | | | |
| | | MS51852C | ELBOW, TUBE TO SWIVEL, 90 DEG., FLARLESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: 82 CS GL ME | A | 4730 | AR | | 30-JUL-87 | AR | | | 99 |
| | | MS51853C | TEE, TUBE TO SWIVEL, SWIVEL ON BRANCH, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: 82 CS GL ME | A | 4730 | AR | | 30-JUL-87 | AR | | | 99 |
| | | MS51854C | TEE, TUBE TO SWIVEL, SWIVEL ON RUN, FLARELESS TYPE, HYDRAULIC USER: AT MC OS REVIEWER: 82 CS GL ME MI | A | 4730 | AR | | 30-JUL-87 | AR | | | 99 |
| | | MS51855C | ELBOW, TUBE, 90 DEG., BULKHEAD, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: 82 CS GL ME | A | 4730 | AR | | 30-JUL-87 | AR | | | 99 |
| | | MS51856C | NIPPLE, TUBE, LARGE HEX, O-RING, FLARELESS TYPE, HYDRAULIC USER: GL MC OS REVIEWER: 82 AT CS ME | A | 4730 | AR | | 30-JUL-87 | AR | SH | | 99 |
| | | MS51857 | NUT, PUSH-ON, STEEL (VALIDATION DATE: 8806) USER: AT ER MC REVIEWER: AV IS | A | 5310 | AR | | 01-JUN-88 | AR | OS | | |
| | | NOTICE 1 | MI | | | | | | | | | |
| | | MS51858B | NUT, PLAIN HEXAGON, PLASTIC NYLON (VALIDATION DATE: 8504) USER: AT MC ME MI REVIEWER: 11 AV IS | A | 5310 | AR | | 26-MAR-73 | AR | | | 99 |
| | | MS51859B | WASHER, FLAT PLASTIC NYLON USER: AT MC ME OS REVIEWER: 11 AV IS MI ..... | A | 5310 | AR | | 20-MAY-87 | AR | | | 99 |
| | | MS51860A | LOCKNUT, BULKHEAD, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC | A | 4730 | AR | | 12-FEB-87 | AR | | | 99 |
| | | NOTICE 1 | (VALIDATION DATE: 8702) USER: AT AV MC OS REVIEWER: CS GL ME | | | | | | | | | |
| D | | MS51861A | SCREW, TAPPING-THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED (VALIDATION DATE: 8805) USER: MC OS REVIEWER: AT AV IS MI | A | 5305 | AR | | 20-MAY-88 | AR | YD1 | | 99 |
| D | | MS51862A | SCREW, TAPPING - THREAD FORMING, TYPE AB, FLAT 82 DEGREE COUNTERSUNK HEAD, | A | 5305 | AR | | 20-MAY-88 | AR | YD1 | | 99 |
| | | NOTICE 1 | CROSS-RECESSED (VALIDATION DATE: 8805) USER: AS MC OS REVIEWER: AT AV IS MI WV | | | | | | | | | |
| | | MS51863 | SCREW, TAPPING HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, PAN HEAD, CROSS RECESSED (VALIDATION DATE: 8504) USER: MC REVIEWER: 99 AV IS MI | A | 5305 | AR | | 31-AUG-70 | AR | SH | | 11 |
| | | MS51864 | STUD-PLAIN, GENERAL PURPOSE (VALIDATION DATE: 8806) USER: AT CE MC ME OS | A | 5307 | AR | | 01-JUN-88 | AR | | | 99 |
| | | NOTICE 1 | REVIEWER: 82 AV IS | | | | | | | | | |
| | I | MS51865A | NUT, SELF-LOCKING, CAP-GENERAL PURPOSE, 250 DEG., F (VALIDATION DATE: | A | 5310 | AR | | 01-JUN-88 | AR | | | 99 |
| | | NOTICE 1 | 8806) USER: AS MC OS SH REVIEWER: AT AV EA GL IS | | | | | | | | | |
| | I | MS51866A | NUT, SELF-LOCKING, SPLINE-GENERAL PURPOSE, 250 DEG. F (VALIDATION DATE: | A | 5310 | AR | | 01-JUN-88 | AR | | | 99 |
| | | NOTICE 1 | 8805) USER: MC OS SA SH REVIEWER: AT AV MI | | | | | | | | | |
| D | | MS51867A | WASHER, METAL, FLAT, PLAIN, RECTANGULAR USER: AT AV GL MC OS REVIEWER: ER IS | A | 5310 | AR | | 31-DEC-87 | AR | YD1 | | |
| D | | MS51868B | CLAMP, WIRE ROPE, DOUBLE SADDLE, DOUBLE GRIP, STEEL (VALIDATION DATE: 8101) USER: AT AV MC REVIEWER: GL ME YD1 | A | 4030 | AR | | 26-SEP-75 | AR | SH | | 99 |
| | | MS51869 | SCREW, TAPPING HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, HEXAGON WASHER HEAD (VALIDATION DATE: 8504) | A | 5305 | AR | | 29-SEP-72 | AR | SH | | 99 |
| | | MS51870 | SCREW, TAPPING-HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, FLAT COUNTERSUNK HEAD, CROSS- RECESSED (VALIDATION DATE: 8504) REVIEWER: AV IS | A | 5305 | AR | | 29-SEP-72 | AR | SH | | 99 |
| | | MS51871 | SCREW, TAPPING HIGH PERFORMANCE, ZONE HARDENED STRUCTURAL THREAD ROLLING, HEXAGON WASHER HEAD (VALIDATION DATE: 8504) USER: AS AT MC ME OS REVIEWER: AV IS | A | 5305 | AR | | 29-SEP-72 | AR | SH | | 99 |
| | | MS51872A | NIPPLE, PIPE, EXTRA STRONG, BRASS OR COPPER (VALIDATION DATE: 8804) USER: | A | 4730 | AR | | 07-APR-88 | AR | | | 11 |
| | | NOTICE 1 | GL MC ME REVIEWER: 99 MI | | | | | | | | | |
| | | MS51873A | NIPPLE, PIPE, EXTRA STRONG STEEL (VALIDATION DATE: 8804) USER: AT GL MC ME | A | 4730 | AR | | 07-APR-88 | AR | | | 11 |
| | | NOTICE 1 | REVIEWER: 99 | | | | | | | | | |
| | | MS51888 | LOCKNUT, ADJUSTABLE, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC | A | 4730 | AR | | 12-FEB-87 | AR | | | 99 |
| | | NOTICE 1 | (VALIDATION DATE: 8702) USER: AT AV MC OS REVIEWER: CS GL ME | | | | | | | | | |
| | | MS51889 | WASHER, BACK-UP, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC (VALIDATION | A | 4730 | AR | | 12-FEB-87 | AR | | | 99 |
| | | NOTICE 1 | DATE: 8702) | | | | | | | | | |
| D | | MS51890A | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL: CAP ASSEMBLY, TUBE, FLARELESS TYPE, HYDRAULIC USER: MC OS YD1 REVIEWER: 82 AT CS ME | A | 4730 | AR | | 16-FEB-88 | AR | SH | | 99 |
| | | MS51891 | PLUG, TUBE FITTING, THREADED, FLARELESS TYPE, HYDRAULIC (VALIDATION DATE: | A | 4730 | AR | | 12-FEB-87 | AR | SH | | 99 |
| | | NOTICE 1 | 8702) USER: MC OS REVIEWER: AT CS ME | | | | | | | | | |
| | | MS51892A | TEE, TUBE TO BOSS, BOSS ON RUN, O-RING, FLARELESS TYPE, HYDRAULIC USER: MS OS REVIEWER: AT CS ME | A | 4730 | AR | | 30-JUL-87 | AR | SH | | 99 |
| | | MS51893A | ADAPTER, STRAIGHT, TUBE TO BOSS, LONG, O-RING, FLARELESS TYPE, HYDRAULIC USER: MC REVIEWER: 82 AT CS ME OS | A | 4730 | AR | | 30-JUL-87 | AR | SH | | 99 |
| | | MS51894A | CROSS, TUBE, FLARELESS TYPE, HYDRAULIC USER: MC OS REVIEWER: 82 AT CS ME .. | A | 4730 | AR | | 30-JUL-87 | AR | SH | | 99 |
| | | MS51895A | REDUCER, TUBE, LARGE HEX, O-RING, FLARELESS TYPE, HYDRAULIC USER: MC OS REVIEWER: 82 AT CS ME | A | 4730 | AR | | 30-JUL-87 | AR | SH | | 99 |
| A | | MS51896A(1) | SCREW, EXTERNALLY RELIEVED BODY, PANHEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL, UNC-2A USER: ME MI OS REVIEWER: AT AV EA IS | A | 5305 | AR | | 05-OCT-92 | AR | AS | | 99 |
| | L | MS51906C | SEAL, PLAIN ENCASED, DUAL SEAL, SPRING LOADED (VALIDATION DATE: 8411) USER: GL | A | 5330 | AT | | 09-JUL-80 | AT | | | |
| | L | MS51907E | SEAL, PLAIN ENCASED, DUAL SEALING MEMBERS, OPPOSED, SPRING LOADED REVIEWER: AR IS ME | A | 5330 | AT | | 27-OCT-86 | AT | | | |
| | L | MS51908D | SEAL, PLAIN ENCASED, SPRING LOADED, FLANGED TYPE REVIEWER: AR ..... | A | 5330 | AT | | 27-OCT-86 | AT | | | |
| | L | MS51909E | SEAL, PLAIN ENCASED, SINGLE SEALING MEMBER, SPRING LOADED, SHOULDERED CASE USER: AV ME REVIEWER: AR IS | A | 5330 | AT | | 27-OCT-86 | AT | | | |
| | L | MS51910D | SEAL, PLAIN ENCASED, SINGLE SEAL, EXTERNAL TYPE, SPRING LOADED ..... | A | 5330 | AT | | 27-OCT-86 | AT | | | |
| | L | MS51911C | SEAL, PLAIN ENCASED, DUAL SEAL, INTERNAL SEAL SPRING LOADED REVIEWER: AR .. | A | 5330 | AT | | 27-OCT-86 | AT | | | |
| | L | MS51912E | SEAL, PLAIN ENCASED, DUAL SEALING MEMBERS, OPPOSED, ONE SEAL SPRING LOADED USER: AV ME REVIEWER: AR IS | A | 5330 | AT | | 27-OCT-86 | AT | | | |
| | L | MS51913D | SEAL, PLAIN ENCASED, DUAL SEAL, EXTERNAL SEAL SPRING LOADED REVIEWER: AR .. | A | 5330 | AT | | 27-OCT-86 | AT | | | |

| Action | OPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MS51914D | SEAL, PLAIN ENCASED, DUAL SEALS, ONE SEAL SPRING LOADED, SHOULDERED CASE REVIEWER: AR | A | 5330 | AT | AT | 27-OCT-86 | AT | | | |
| | L | | MS51915D | SEAL, PLAIN ENCASED, ONE FELT, PLUS ONE LEATHER OR SYNTHETIC ELASTOMER SEALING MEMBER SPRING LOADED [VALIDATION DATE: 8411] REVIEWER: AR | A | 5330 | AT | AT | 09-JUL-80 | AT | | | |
| | L | | MS51916D | SEAL, PLAIN ENCASED, ONE FELT AND ONE LEATHER OR SYNTHETIC ELASTOMER SEALING MEMBERS, SPRING LOADED, SHOULDERED CASE [VALIDATION DATE: 8502] USER: AV REVIEWER: AR IS ME | A | 5330 | AT | AT | 26-JUN-72 | AT | | | |
| | L | | MS51917E | SEAL, PLAIN ENCASED: SINGLE FELT SEALING MEMBER, INTERNAL TYPE [VALIDATION | A | 5330 | AT | AT | 20-JUN-91 | AT | | | |
| | | | NOTICE 1 | DATE: 9106] USER: AV REVIEWER: AR IS ME MI | | | | | | | | | |
| | L | | MS51918E | SEAL, PLAIN ENCASED-FLUID, RADIAL, SINGLE FELT SEALING MEMBER, EXTERNAL TYPE USER: AV REVIEWER: AR IS ME MI | A | 5330 | AT | AT | 27-OCT-86 | AT | | | |
| | L | | MS51919E | SEAL, PLAIN ENCASED, SINGLE FELT SEALING MEMBER, INTERNAL TYPE, SHOULDERED CASE USER: AV REVIEWER: AR IS ME MI | A | 5330 | AT | AT | 27-OCT-86 | AT | | | |
| | L | | MS51920F | SEAL, PLAIN ENCASED, SINGLE SEALING MEMBER, EXTENDED CASE USER: ME REVIEWER: AR MI | A | 5330 | AT | AT | 27-OCT-86 | AT | | | |
| | L | | MS51921F | SEAL, PLAIN ENCASED, SINGLE SEALING MEMBER, FACE TYPE USER: ME REVIEWER: AR | A | 5330 | AT | AT | 27-OCT-86 | AT | | | |
| D | | | MS51922E | NUT, SELF-LOCKING, HEXAGON-PREVAILING TORQUE, GENERAL PURPOSE, 250 DEG. F, | A | 5310 | AR | AR | 06-JUN-88 | AR | OS | 99 | |
| | | | NOTICE 1 | UNC-2B AND UNF-2B [VALIDATION DATE: 8806] USER: MC YD1 REVIEWER: AT AV EA IS MI | | | | | | | | | |
| | | | MS51923C | PIN, SPRING-TABULAR, COILED, MEDIUM DUTY [VALIDATION DATE: 820?] USER: AT MC ME REVIEWER: 82 AV IS MI SA | A | 5315 | AR | AR | 23-MAY-69 | AR | | 99 | |
| D | | | MS51924A | CAP, RIVET [VALIDATION DATE: 8304] USER: ER MC REVIEWER: GL IS MI ..... | A | 5320 | AR | AR | 07-JUL-70 | AR | YD1 | | |
| | L | | MS51925B | RING, DEE&&MEDIUM [VALIDATION DATE: 8504] USER: AT ME MI REVIEWER: GL IS .. | A | 5340 | AR | AR | 22-JAN-71 | AR | | | |
| D | | | MS51926B | CLIP, END, STRAP TYPE 1, CLASS 1 AND CLASS 2 USER: AV MD ME REVIEWER: IS | A | 5340 | GL | GL | 12-FEB-88 | GL | YD1 | 99 | |
| | | | NOTICE 1 | MI | | | | | | | | | |
| | | | MS51927A | BUCKLE, TONGUELESS, I-BAR [VALIDATION DATE: 8806] USER: AT GL MC ME WV | A | 5340 | AR | AR | 06-JUN-88 | AR | | 99 | |
| | | | NOTICE 1 | REVIEWER: IS MI | | | | | | | | | |
| D | | | MS51928B | CLIP, SPRING TENSION [VALIDATION DATE: 8504] USER: AT CG ER ME SA REVIEWER: 82 IS | A | 5340 | AR | AR | 19-SEP-72 | AR | YD1 | 99 | |
| | L | | MS51929A | BUCKLE, SPRING ACTION [VALIDATION DATE: 8203] USER: AT ER REVIEWER: GL IS MI | A | 5340 | AR | AR | 25-MAR-70 | AR | | | |
| D | | | MS51930A | PAD EYE WELDING [VALIDATION DATE: 8203] USER: MC ME OS REVIEWER: IS MI .... | A | 5340 | AR | AR | 06-APR-68 | AR | YD1 | 99 | |
| D | | | MS51931A | RIVET, SOLID - TINNER S [VALIDATION DATE: 8304] USER: ER MC REVIEWER: IS ME MI | A | 5320 | AR | AR | 07-JUL-70 | AR | YD1 | | |
| | L | | MS51932 | PIN, STRAIGHT&HEADLESS, DRILLED FOR COTTER PINS [VALIDATION DATE: 8203] REVIEWER: IS | A | 5315 | AR | AR | 05-APR-63 | AR | | | |
| | L | | MS51933 | BOLT WELDING FINE THREAD [VALIDATION DATE: 8203] REVIEWER: IS ME ..... | A | 5306 | AR | AR | 05-APR-63 | AR | | | |
| | L | | MS51934 | BOLT, WELDING&COARSE THREAD REVIEWER: 82 AT IS ..... | A | 5306 | AR | AR | 17-AUG-87 | AR | | 99 | |
| | L | | MS51935 | KEY, MACHINE&GIB HEAD [VALIDATION DATE: 8203] REVIEWER: IS ..... | A | 5315 | AR | AR | 16-APR-63 | AR | | | |
| D | | | MS51936B | WASHER, FLAT (BURR) USER: AT MC REVIEWER: GL IS ME MI SA ..... | A | 5310 | AR | AR | 31-DEC-87 | AR | YD1 | | |
| | | | MS51937C | BOLT, EYE, SHOULDER UNC-2A AND UNF-2A USER: MC OS SH REVIEWER: GL IS NS ... | A | 5306 | AR | AR | 27-SEP-85 | AR | | 99 | |
| | | | MS51938C | SEAL, METALLIC, LEAD AND WIRE USER: AT AV ER MC REVIEWER: DS IS MI OS ..... | A | 5340 | AR | AR | 28-JUN-91 | AR | AS | 99 | |
| | L | | MS51939A | LOOP, STRAP FASTEMER (FOOTMAN'S LOOP) USER, ME REVIEWER: IS MI ..... | A | 5340 | AR | AR | 28-JUN-91 | AR | | | |
| D | | | MS51940C | LOOP, SLIDE (FOR EQUIPAGE) [VALIDATION DATE: 8601] USER: AV MD ME MI REVIEWER: AR IS MC | A | 5340 | GL | GL | 14-JUN-71 | GL | YD1 | 99 | |
| | L | | MS51941B | NUT, PLAIN, PLATE REVIEWER: IS ME MI ..... | A | 5310 | AR | AR | 28-FEB-85 | AR | | | |
| D | | | MS51942A | RIVET, TUBULAR - FLAT HEAD [VALIDATION DATE: 8304] USER: ER MC REVIEWER: GL IS ME MI | A | 5320 | AR | AR | 07-JUL-70 | AR | YD1 | | |
| D | L | | MS51943C | NUT, SELF LOCKING, HEXAGON PREVAILING TORQUE, FOR CRITICAL INSTALLATIONS, 250 DEG. F, UNC-3B AND UNF-3B [VALIDATION DATE: 8203] USER: AV MC ME YD1 REVIEWER: AT MI | A | 5310 | AR | AR | 23-JUN-76 | AR | OS | 99 | |
| | | | MS51944A | BUCKLE, TONGUELESS&2&BAR [VALIDATION DATE: 8003] USER: AT AV GL ME REVIEWER: EA IS | A | 5340 | AR | AR | 25-JAN-74 | AR | | 99 | |
| D | | | MS51945A | RIVET, SOLID COUNTERSUNK HEAD BRASS OR COPPER [VALIDATION DATE: 8304] USER: ER MC REVIEWER: GL IS ME MI | A | 5320 | AR | AR | 07-JUL-70 | AR | YD1 | | |
| | L | | MS51946D | BOLT, RIBBED SHOULDER, SINGLE END, SPLINED, 3/4 INCH USER: ME REVIEWER: IS | A | 5306 | AT | AT | 31-DEC-86 | AT | | | |
| | L | | MS51947B | BOLT, RIBBED SHOULDER, WHEEL MOUNTING SINGLE END, 3/4 INCH, EXTENDED LENGTH [VALIDATION DATE: 8502] USER: AR ER REVIEWER: IS MI | A | 5306 | AT | AT | 27-MAY-76 | AT | | | |
| | L | | MS51948C | BOLT, RIBBED SHOULDER, SINGLE END, SPINED, 7/16 AND 1/2 INCH [VALIDATION DATE: 8312] USER: AR ER ME REVIEWER: IS | A | 5306 | AT | AT | 20-SEP-73 | AT | | | |
| | L | | MS51949B | BOLT, SHOULDER, WHEEL MOUNTING, SINGLE END, KEYED HEAD USER: AR ER ME | A | 5306 | AT | AT | 19-NOV-87 | AT | | | |
| | | | NOTICE 1 | REVIEWER: IS MI | | | | | | | | | |
| | | | MS51950C | STUD, SHOULDERED, WHEEL MOUNTING [VALIDATION DATE: 8207] USER: AR ME REVIEWER: 82 IS MI | A | 5307 | AT | AT | 28-JAN-77 | AT | | 99 | |
| | | | MS51951C | STUD, SHOULDERED AND STEPPED& WHEEL MOUNTING [VALIDATION DATE: 8207] USER: AR ME REVIEWER: 82 IS MI | A | 5307 | AT | AT | 28-JAN-77 | AT | | 99 | |
| D | | | MS51952B | ELBOW, PIPE, STREET, 90 DEG, BRASS OR BRONZE, 125 LB. ..... | A | 4730 | YD1 | AR | 25-AUG-87 | AR | YD1 | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS51953C | NIPPLE, PIPE, STANDARD STEEL USER: AT GL MC REVIEWER: 99 AV ME MI ..... | A | 4730 | AR | AR | 06-DEC-82 | AR | | 11 | |
| D | | | MS51954C | TEE, PIPE-REDUCING (150 POUNDS) USER: AT AV MC REVIEWER: CS ME MI ..... | A | 4730 | YD1 | AR | 25-AUG-87 | AR | YD1 | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS51955A | SETSCREW-SQUARE HEAD, CUP POINT, CARBON STEEL [VALIDATION DATE: 8805] | A | 5305 | AR | AR | 20-MAY-88 | AR | SH | 99 | |
| | | | NOTICE 1 | USER: AS AT GL MC REVIEWER: IS ME MI | | | | | | | | | |
| | | | MS51956A | STRAP, RETAINING, ONE HOLE, FOR THIN WALL CONDUIT (EMT) [VALIDATION DATE: 8504] USER: ER MC REVIEWER: IS ME MI | A | 5340 | AR | AR | 22-MAR-66 | AR | SH | 99 | |
| D | | | MS51957C(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, CORROSION-RESISTANT STEEL, UNC-2A USER: MC ME REVIEWER: AT AV IS MI | A | 5305 | AR | AR | 05-OCT-92 | AR | YD1 | 99 | |
| A | | | MS51958C(1) | SCREW, MACHINE PAN-HEAD, CROSS-RECESSED, CORROSION RESISTING STEEL, UNF-2A USER: MC OS REVIEWER: AV IS MI | A | 5305 | AR | AR | 05-OCT-92 | AR | SH | 99 | |
| | | | MS51959C | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, CORROSION STEEL UNC-2A [VALIDATION DATE: 8504] USER: MC OS REVIEWER: AV GL IS MI | A | 5305 | AR | AR | 02-APR-71 | AR | SH | 99 | |
| | I | | MS51960C | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEGREE, CROSS-RECESSED, CORROSION RESISTANT STEEL, UNF-2A USER: MC OS SH REVIEWER: AT AV EA IS MI | A | 5305 | AR | AR | 29-MAR-91 | AR | | 99 | |
| | | | MS51961F | BEARING, ROLLER, NEEDLE, THICK OUTER RACE W/ROLLERS AND RETAINER [VALIDATION DATE: 8502] USER: AR GL REVIEWER: AV IS MC ME MI | A | 3110 | AT | AT | 30-APR-80 | AT | OS | 99 | |
| | | | MS51962F | RING, BEARING, INNER, FOR NEEDLE ROLLER BEARING WITH THICK OUTER RACE USER: AR GL MC REVIEWER: 84 AV IS MI | A | 3110 | AT | AT | 28-OCT-86 | AT | OS | 99 | |
| | | | MS51963C | SETSCREW-HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING [VALIDATION DATE: 8504] USER: AT MC OS REVIEWER: AV IS ME MI | A | 5305 | AR | AR | 29-DEC-72 | AR | | 99 | |
| | | | MS51964E | SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, | A | 5305 | AR | AR | 15-SEP-88 | AR | | 99 | |
| | | | NOTICE 1 | PLAIN AND SELF-LOCKING USER: MC OS REVIEWER: AT AV IS MI | | | | | | | | | |
| | | | MS51965B | SETSCREW-HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: 8504] USER: AT MC OS REVIEWER: AV IS ME MI | A | 5305 | AR | AR | 29-DEC-72 | AR | AS | 99 | |
| | | | MS51966A | SETSCREW - HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: 8504] USER: AT MC ME OS REVIEWER: AV IS MI | A | 5305 | AR | AR | 29-DEC-72 | AR | AS | 99 | |
| | | | MS51967D | NUT, PLAIN, HEXAGON-CARBON STEEL, CADMIUM PLATED, UNC-2B (IN./MM) | A | 5310 | AR | AR | 06-JUN-88 | AR | | 99 | |
| | | | NOTICE 1 | [VALIDATION DATE: 8806] USER: ME OS SH REVIEWER: AV GL IS MC MI | | | | | | | | | |
| D | | | MS51968C | NUT, PLAIN, HEXAGON-CARBON STEEL, CADMIUM PLATED, UNF-2B (IN./MM) | A | 5310 | AR | AR | 06-JUN-88 | AR | | 99 | |
| | | | NOTICE 1 | [VALIDATION DATE: 8806] USER: MC OS YD1 REVIEWER: AT AV IS MI | | | | | | | | | |

| Action | GPL / Obsl, Cancellation Inactive | Document Number | Document Title | Dist. Stmt, FSC / Area, MCA Symbol, Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| D | | MS51969B | NUT, PLAIN, HEXAGON BRASS, BLACK CHEMICAL FINISH, UNC-2B [VALIDATION DATE: 8504] USER: MC MI YD1 REVIEWER: AT AV IS ME | A 5310 | AR 24-JUL-72 | AR | SH | 99 | |
| D | | MS51970A | NUT, PLAIN, HEXAGON-BRASS, BLACK CHEMICAL FINISH, UNF-2B [VALIDATION DATE: 8504] USER: MC MI YD1 REVIEWER: 11 AT AV IS ME | A 5310 | AR 24-JUL-72 | AR | SH | 99 | |
| | | MS51971B | NUT, PLAIN, HEXAGON-STEEL, CORROSION RESISTING, 300 SERIES, PASSIVATED, UNC-2B [VALIDATION DATE: 8504] USER: MC MI REVIEWER: AT AV IS | A 5310 | AR 29-JAN-69 | AR | | 99 | |
| | | MS51972A | NUT, PLAIN, HEXAGON-STEEL, CORROSION RESISTING, 300 SERIES, PASSIVATED, | A 5310 | AR 06-JUN-88 | AR | | 99 | |
| | | NOTICE 1 | UNF-2B [VALIDATION DATE: 8806] USER: MC MI REVIEWER: AT AV IS | | | | | | |
| | | MS51973B | SETSCREW - HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: 8504] USER: MC OS REVIEWER: AV IS ME MI | A 5305 | AR 29-DEC-72 | AR | AS | 99 | |
| | | MS51974B | SETSCREW-HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, | A 5305 | AR 20-MAY-88 | AR | SH | 99 | |
| | | NOTICE 1 | PLAIN AND SELF-LOCKING [VALIDATION DATE: 8805] USER: MC OS REVIEWER: 11 AV IS ME MI | | | | | | |
| | | MS51975C | SCREW, SHOULDER SOCKET HEAD, HEXAGON, ALLOY STEEL, CADMIUM PLATED, UNC-3A USER: AT AV MC ME REVIEWER: IS MI | A 5305 | AR 30-OCT-84 | AR | OS | 99 | |
| | | MS51976A | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A [VALIDATION DATE: 8805] USER: AT MC ME MI OS REVIEWER: 11 IS | A 5305 | AR 20-MAY-88 | AR | SH | 99 | |
| | | MS51977C | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A [VALIDATION DATE: 8504] USER: AT MC OS REVIEWER: AV IS ME MI | A 5305 | AR 31-MAR-72 | AR | AS | 99 | |
| L | | MS51979B | GUN, ANTI TANK, SELF PROPELLED 90MM, M56 (INACTIVE) [VALIDATION DATE: 7504] | A 2350 | AT 30-APR-80 | AT | | | |
| L | | MS51980B | GUN, FIELD ARTILLERY, SELF PROPELLED-175 MM, M107 [VALIDATION DATE: 8312] | A 2350 | AT 12-JUL-77 | AT | | | |
| | | MS51981C | SETSCREW-HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A [VALIDATION DATE: 8504] USER: AT GL MC ME MI OS SH REVIEWER: AV IS MS | A 5305 | AR 15-MAR-79 | AR | AS | 99 | |
| | | MS51982A | SETSCREW-HEXAGON SOCKET, OVAL POINT, ALLOY, CADMIUM PLATED, UNC-3A (INACTIVE) [VALIDAT: 4 DATE: 8504] USER: MC ME OS REVIEWER: AV IS MI MS | A 5305 | AR 31-MAR-72 | AR | AS | 99 | |
| L | | MS51987A | PIN, SPRING, TUBULAR, COILED, LIGHT DUTY [VALIDATION DATE: 8203] USER: AT MC ME REVIEWER: AV IS MI SA | A 5315 | AR 23-MAY-69 | AR | | | |
| L | | MS51988B | NUT, SELF-LOCKING, FLANGED, PREVAILING TORQUE, STEEL, CADMIUM, UNC AND UNF [VALIDATION DATE: 8203] USER: AT AV MC OS REVIEWER: IS MI | A 5310 | AR 22-JUN-70 | AR | | | |
| | | MS51989A | STUD, LOCKED IN-RING LOCKED, SERRATED [VALIDATION DATE: 8806] USER: OS | A 5307 | AR 06-JUN-88 | AR | | 99 | |
| | | NOTICE 1 | REVIEWER: 82 AT AV IS MI | | | | | | |
| | | MS51990B | RING, LOCK, SERRATED USER: MC REVIEWER: 82 AT AV CK ER IS MS ..... | A 5365 | AR 19-JAN-89 | AR | AS | 99 | |
| | | MS51991C | INSERT, SCREW THREAD - LOCKED IN, RING LOCKED, SERRATED [VALIDATION DATE: 8203] USER: OS REVIEWER: AT AV IS MI | A 5340 | AR 28-JUN-76 | AR | AS | 99 | |
| | | MS51992B | STUD, LOCKED IN-RING LOCKED, SERRATED, HIGH STRENGTH USER: GL MC MI OS REVIEWER: 11 82 AT AV IS ME MS | A 5307 | AR 12-MAY-85 | AR | AS | 99 | |
| D | | MS51993A | INSERT, SCREW THREAD - LOCKED IN, RING LOCKED, SERRATED, HIGH STRENGTH [VALIDATION DATE: 8203] USER: MC OS YD1 REVIEWER: AT AV IS MI | A 5340 | AR 28-JUN-76 | AR | AS | 99 | |
| | | MS51994A | HOLE PREPARATION-RING LOCKED INSERTS AND STUDS, STANDARD DIMENSIONS FOR USER: MC MI OS REVIEWER: 11 82 AT AV ER IS MS | A 53GP | AR 12-FEB-88 | AR | AS | 99 | |
| | | MS51995C | FASTENERS, RING LOCKED INSERTS AND STUDS, INSTALLATION AND REPLACEMENT OF USER: MC MI OS REVIEWER: 11 82 AT AV ER IS MS | A 53GP | AR 12-FEB-88 | AR | AS | 99 | |
| | | MS51996A | HOLE PREPARATION-RING LOCKED INSERTS AND STUDS, HIGH STRENGTH, STANDARD DIMENSIONS FOR USER: MC OS REVIEWER: 11 82 AT AV IS MI | A 53GP | AR 11-MAR-85 | AR | AS | 99 | |
| | | MS51997C | RING, LOCK, SERRATED-HIGH STRENGTH USER: MC REVIEWER: 82 AT AV ER GL IS MS | A 5365 | AR 19-JAN-89 | AR | AS | 99 | |
| | | MS51998 | INSERT, SCREW THREAD-LOCKED IN, RING LOCKED, SERRATED, DESIGN AND USAGE | A 53GP | AR 10-MAY-88 | AR | AS | 99 | |
| | | NOTICE 1 | LIMITATIONS FOR [VALIDATION DATE: 8805] REVIEWER: 82 | | | | | | |
| | | MS51999 | STUD, LOCKED IN - RING LOCKED, SERRATED, DESIGN AND USAGE LIMITATIONS FOR | A 53GP | AR 20-MAY-88 | AR | AS | 99 | |
| | | NOTICE 1 | [VALIDATION DATE: 8805] USER: MC OS REVIEWER: 11 82 AT AV IS MI | | | | | | |
| L | | MS52000A | GASKET, RUBBER, SYNTHETIC [VALIDATION DATE: 8807] REVIEWER: GS IS MI ..... | A 5330 | AT 08-JUL-88 | AT | | | |
| | | NOTICE 1 | | | | | | | |
| | | MS52001 | WIRE, NONELECTRICAL, SQUARE, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] | A 9525 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | |
| | | MS52002 | WIRE, NONELECTRICAL, FLAT, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] | A 9525 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | |
| | | MS52003 | WIRE, NONELECTRICAL, HEXAGON, COPPER BASE ALLOY 360 [VALIDATION DATE: | A 9525 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | 9103] REVIEWER: 84 IS | | | | | | |
| | | MS52004 | WIRE, NONELECTRICAL, ROUND, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] | A 9525 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | |
| | | MS52005 | WIRE, NONELECTRICAL, ROUND, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] | A 9525 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | |
| | | MS52006 | WIRE, NON-ELECTRICAL, SQUARE, COPPER BASE ALLOY 260 [VALIDATION DATE: | A 9525 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | 9103] REVIEWER: 84 IS | | | | | | |
| | | MS52007 | WIRE, NONELECTRICAL, FLAT, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] | A 9525 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | |
| | | MS52009 | BAR, METAL, FLAT, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84 IS | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | MS52010 | BAR, METAL, FLAT, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 IS | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | MS52011 | BAR, METAL, FLAT, COPPER BASE ALLOY 342 [VALIDATION DATE: 9103] REVIEWER: | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | 84 IS | | | | | | |
| | | MS52012 | BAR, METAL, FLAT COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | 84 IS | | | | | | |
| | | MS52013 | BAR, METAL, HEXAGON, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | |
| | | MS52014 | BAR, METAL, HEXAGON, COPPER BASE ALLOY 342 [VALIDATION DATE: 9103] | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | |
| | | MS52015 | BAR, METAL, HEXAGON, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | |
| | | MS52016 | BAR, METAL, ROUND COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | 84 IS | | | | | | |
| | | MS52017 | BAR, METAL, ROUND, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | 84 IS | | | | | | |
| | | MS52018 | BAR, METAL, OVAL, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | 84 IS | | | | | | |
| | | MS52019 | BAR, METAL, SQUARE, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | REVIEWER: 84 IS | | | | | | |
| | | MS52020 | BAR, METAL, SQUARE COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | 84 IS | | | | | | |
| | | MS52021 | BAR, METAL, SQUARE COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: | A 9530 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | 84 IS | | | | | | |
| | | MS52022 | FOIL, METAL, FLAT, COPPER BASE ALLOY 260 REVIEWER: 84 IS ..... | A 9535 | MR 25-OCT-84 | MR | SH | 99 | |
| | | MS52023 | STRIP, METAL COPPER BASE ALLOY 230 [VALIDATION DATE: 9103] REVIEWER: 84 IS | A 9535 | MR 20-MAR-91 | MR | SH | 99 | |
| | | MS52024 | STRIP, METAL, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | IS | | | | | | |
| | | MS52025 | STRIP, METAL COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 IS | A 9535 | MR 20-MAR-91 | MR | SH | 99 | |
| | | MS52026 | STRIP, METAL, COPPER BASE ALLOY 342 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | IS | | | | | | |
| | | MS52027 | STRIP, METAL, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | IS | | | | | | |
| | | MS52028 | SHEET, METAL, COPPER BASE ALLOY 240 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 | MR 20-MAR-91 | MR | SH | 99 | |
| | | NOTICE 1 | IS | | | | | | |

| Action Opt / QML Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| MS52029 | SHEET, METAL, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 MR 20-MAR-91 | MR | SH | | 99 |
| NOTICE 1 | IS | | | | | |
| MS52030 | SHEET, METAL, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 MR 20-MAR-91 | MR | SH | | 99 |
| NOTICE 1 | IS | | | | | |
| MS52031 | SHEET, METAL, COPPER BASE ALLOY 342 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 MR 20-MAR-91 | MR | SH | | 99 |
| NOTICE 1 | IS | | | | | |
| MS52032 | PLATE, METAL, COPPER BASE ALLOY 230 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 MR 20-MAR-91 | MR | SH | | 99 |
| NOTICE 1 | IS | | | | | |
| MS52033 | PLATE, METAL, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 MR 20-MAR-91 | MR | SH | | 99 |
| NOTICE 1 | IS | | | | | |
| MS52034 | PLATE, METAL, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 MR 20-MAR-91 | MR | SH | | 99 |
| NOTICE 1 | IS | | | | | |
| MS52035 | PLATE, METAL, COPPER BASE ALLOY 353 [VALIDATION DATE: 9103] REVIEWER: 84 | A 9535 MR 20-MAR-91 | MR | SH | | 99 |
| NOTICE 1 | IS | | | | | |
| MS52036 | STRUCTURAL ANGLE, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: | A 9540 MR 20-MAR-91 | MR | SH | | 99 |
| NOTICE 1 | 84 IS | | | | | |
| MS52037 | STRUCTURAL CHANNEL, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] | A 9540 MR 20-MAR-91 | MR | SH | | 99 |
| NOTICE 1 | REVIEWER: 84 IS | | | | | |
| MS52038 | STRIP, METAL, LOW CARBON STEEL (1010) COLD ROLLED REVIEWER: 84 ..... | A 9515 MR 28-NOV-84 | MR | AS | | 99 |
| MS52039 | STRIP, METAL, LOW CARBON STEEL (1015) COLD & HOT ROLLED REVIEWER: 84 ..... | A 9515 MR 28-NOV-84 | MR | AS | | 99 |
| MS52040 | STRIP, METAL, LOW CARBON STEEL (1018) COLD ROLLED REVIEWER: 84 ..... | A 9515 MR 28-NOV-84 | MR | AS | | 99 |
| MS52041 | STRIP, METAL, LOW CARBON STEEL (1020) COLD ROLLED REVIEWER: 84 ..... | A 9515 MR 28-NOV-84 | MR | AS | | 99 |
| MS52042 | SHEET, METAL, LOW CARBON STEEL (1010) COLD AND HOT ROLLED REVIEWER: 84 .... | A 9515 MR 28-NOV-84 | MR | AS | | 99 |
| MS52043 | SHEET, METAL, LOW CARBON STEEL (1015) COLD AND HOT ROLLED REVIEWER: 84 .... | A 9515 MR 28-NOV-84 | MR | SH | | 99 |
| MS52044 | SHEET, METAL, LOW CARBON STEEL (1018) COLD & HOT ROLLED REVIEWER: 84 ..... | A 9515 MR 28-OCT-84 | MR | AS | | 99 |
| MS52045 | WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE A2 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52046 | WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE H21 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52047 | WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE O1 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52048 | WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE O2 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52049 | WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE S5 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52050 | WIRE, SQUARE, NONELECTRICAL, TOOL STEEL, TYPE S5 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52051 | WIRE, FLAT, NONELECTRICAL, TOOL STEEL, TYPE O1 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52052 | WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52053 | WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE W2 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52054 | WIRE, SQUARE, NONELECTRICAL, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52055 | WIRE, SQUARE, NONELECTRICAL, TOOL STEEL, TYPE W2 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52056 | WIRE, HEXAGON, NONELECTRICAL, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR EA IS MI | | | | | |
| MS52057 | WIRE, OCTAGON, NONELECTRICAL, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9101] | A 9505 MR 30-JAN-91 | MR | | | 99 |
| NOTICE 1 | REVIEWER: 84 AR ER IS MI | | | | | |
| MS52058 | BAR, ROUND TOOL STEEL, TYPE A2 [VALIDATION DATE: 9104] REVIEWER: 84 AR EA | A 9510 MR 10-APR-91 | MR | | | 99 |
| NOTICE 1 | IS MI | | | | | |
| MS52059 | BAR, ROUND, TOOL STEEL, TYPE H21 [VALIDATION DATE: 9104] REVIEWER: 84 AR | A 9510 MR 10-APR-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52060 | BAR, ROUND TOOL STEEL, TYPE O1 [VALIDATION DATE: 9104] REVIEWER: 84 AR EA | A 9510 MR 10-APR-91 | MR | | | 99 |
| NOTICE 1 | IS MI | | | | | |
| MS52061 | BAR, ROUND TOOL STEEL, TYPE O2 [VALIDATION DATE: 9104] REVIEWER: 84 AR EA | A 9510 MR 10-APR-91 | MR | | | 99 |
| NOTICE 1 | IS MI | | | | | |
| MS52062 | BAR, ROUND TOOL STEEL, TYPE S5 [VALIDATION DATE: 9104] REVIEWER: 84 AR EA | A 9510 MR 10-APR-91 | MR | | | 99 |
| NOTICE 1 | IS MI | | | | | |
| MS52063 | BAR, ROUND, TOOL STEEL, TYPE D2 [VALIDATION DATE: 9104] REVIEWER: 84 AR EA | A 9510 MR 10-APR-91 | MR | | | 99 |
| NOTICE 1 | IS MI | | | | | |
| MS52064 | BAR, ROUND TOOL STEEL, TYPE O6 [VALIDATION DATE: 9104] REVIEWER: 84 AR EA | A 9510 MR 10-APR-91 | MR | | | 99 |
| NOTICE 1 | IS MI | | | | | |
| MS52065 | BAR, RECTANGULAR, TOOL STEEL, TYPE O1 [VALIDATION DATE: 9105] REVIEWER: 84 | A 9510 MR 10-MAY-91 | MR | | | 99 |
| NOTICE 1 | AR EA IS MI | | | | | |
| MS52066 | BAR, RECTANGULAR, TOOL STEEL, TYPE O2 [VALIDATION DATE: 9105] REVIEWER: 84 | A 9510 MR 10-MAY-91 | MR | | | 99 |
| NOTICE 1 | AR EA IS MI | | | | | |
| MS52067 | BAR, RECTANGULAR, TOOL STEEL, TYPE D3 [VALIDATION DATE: 9105] REVIEWER: 84 | A 9510 MR 10-MAY-91 | MR | | | 99 |
| NOTICE 1 | AR EA IS MI | | | | | |
| MS52068 | BAR, RECTANGULAR, TOOL STEEL, TYPE S1 [VALIDATION DATE: 9105] REVIEWER: 84 | A 9510 MR 10-MAY-91 | MR | | | 99 |
| NOTICE 1 | AR EA IS MI | | | | | |
| MS52069 | BAR, SQUARE, TOOL STEEL, TYPE O1 [VALIDATION DATE: 9105] REVIEWER: 84 AR | A 9510 MR 10-MAY-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52070 | BAR, SQUARE, TOOL STEEL, TYPE O2 [VALIDATION DATE: 9105] REVIEWER: 84 AR | A 9510 MR 24-MAY-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52071 | BAR, SQUARE, TOOL STEEL, TYPE S5 [VALIDATION DATE: 9105] REVIEWER: 84 AR | A 9510 MR 24-MAY-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52072 | BAR, HEXAGON, TOOL STEEL, TYPE O1 [VALIDATION DATE: 9105] REVIEWER: 84 AR | A 9510 MR 24-MAY-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52073 | BAR, HEXAGON, TOOL STEEL, TYPE O2 [VALIDATION DATE: 9105] REVIEWER: 84 AR | A 9510 MR 24-MAY-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52074 | BAR, HEXAGON, TOOL STEEL, TYPE S1 [VALIDATION DATE: 9105] REVIEWER: 84 AR | A 9510 MR 24-MAY-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52075 | BAR, HEXAGON, TOOL STEEL, TYPE S5 [VALIDATION DATE: 9105] REVIEWER: 84 AR | A 9510 MR 24-MAY-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52076 | BAR, OCTAGON, TOOL STEEL, TYPE O1 [VALIDATION DATE: 9106] REVIEWER: 84 AR | A 9510 MR 07-JUN-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52077 | BAR, OCTAGON, TOOL STEEL, TYPE S1 [VALIDATION DATE: 9106] REVIEWER: 84 AR | A 9510 MR 07-JUN-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52078 | BAR, OCTAGON, TOOL STEEL, TYPE S5 [VALIDATION DATE: 9106] REVIEWER: 84 AR | A 9510 MR 07-JUN-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |
| MS52079 | BAR, ROUND, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9106] REVIEWER: 84 AR EA | A 9510 MR 07-JUN-91 | MR | | | 99 |
| NOTICE 1 | IS MI | | | | | |
| MS52080 | BAR, ROUND, TOOL STEEL, TYPE W2 [VALIDATION DATE: 9106] REVIEWER: 84 AR EA | A 9510 MR 07-JUN-91 | MR | | | 99 |
| NOTICE 1 | IS MI | | | | | |
| MS52081 | BAR, FLAT, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9106] REVIEWER: 84 AR EA | A 9510 MR 07-JUN-91 | MR | | | 99 |
| NOTICE 1 | IS MI | | | | | |
| MS52082 | BAR, FLAT, TOOL STEEL, TYPE W2 [VALIDATION DATE: 9106] REVIEWER: 84 AR EA | A 9510 MR 26-JUN-91 | MR | | | 99 |
| NOTICE 1 | IS MI | | | | | |
| MS52083 | BAR, SQUARE, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9106] REVIEWER: 84 AR | A 9510 MR 26-JUN-91 | MR | | | 99 |
| NOTICE 1 | EA IS MI | | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MS52084 | BAR, SQUARE, TOOL STEEL, TYPE W2 [VALIDATION DATE: 9106] REVIEWER: 84 AR | A | 9510 | MR | MR | 26-JUN-91 | | | 99 | |
| | | | | NOTICE 1 | EA IS MI | | | | | | | | | |
| | | | | MS52085 | BAR, HEXAGON, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9106] REVIEWER: 84 AR | A | 9510 | MR | MR | 26-JUN-91 | | | 99 | |
| | | | | NOTICE 1 | EA IS MI | | | | | | | | | |
| | | | | MS52086 | BAR, OCTAGON, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9106] REVIEWER: 84 AR | A | 9510 | MR | MR | 26-JUN-91 | | | 99 | |
| | | | | NOTICE 1 | EA IS MI | | | | | | | | | |
| | | | | MS52087 | STRIP, TOOL STEEL, TYPE O1 REVIEWER: 84 AR EA IS MI | A | 9515 | MR | MR | 31-JUL-85 | | | 99 | |
| | | | | MS52088 | PLATE, TOOL STEEL, TYPE O1 REVIEWER: 84 AR EA IS MI | A | 9515 | MR | MR | 31-JUL-85 | | | 99 | |
| | | | | MS52089 | STRIP, TOOL STEEL, TYPE W1 REVIEWER: 84 AR EA IS MI | A | 9515 | MR | MR | 31-JUL-85 | | | 99 | |
| | | | | MS52090 | STRIP, TOOL STEEL, TYPE W2 REVIEWER: 84 AR EA IS MI | A | 9515 | MR | MR | 31-JUL-85 | | | 99 | |
| | | | | MS52094 | WIRE, NONELECTRICAL, ROUND, STEEL, CARBON, 1045 USER: ME MI REVIEWER: 99 AR AT IS | A | 9505 | MR | MR | 05-MAR-87 | | AS | | |
| | | | | MS52095 | WIRE, NONELECTRICAL, ROUND, STEEL, CARBON, 1095 USER: ME MI REVIEWER: 99 AR AT IS | A | 9505 | MR | MR | 05-MAR-87 | | AS | | |
| | | | | MS52096 | WIRE, NONELECTRICAL, ROUND, STEEL, CARBON, 1212 USER: ME MI REVIEWER: 99 AR AT IS | A | 9505 | MR | MR | 05-MAR-87 | | AS | | |
| D | | | | MS52103D | HOSE ASSEMBLY, NONMETALLIC, FUEL AND OIL, MEDIUM PRESSURE, FLARED TUBE USER: MC SH YD1 REVIEWER: AR CS ME | A | 4720 | AT | AT | 06-JUN-84 | AT | | | |
| D | | | | MS52104B | HOSE ASSEMBLY, RUBBER, FUEL AND OIL, LOW PRESSURE, FLARED TUBE USER: MC REVIEWER: AR CS ME | A | 4720 | AT | AT | 27-JUN-84 | AT | YD1 | | |
| | | | | MS52105 | FIFTH WHEEL ASSEMBLY-33 INCH UNIVERSAL, TRUCK-TRACTOR, 25,000 LB CAPACITY [VALIDATION DATE: 8011] USER: MC ME | A | 2510 | AT | AT | 16-JUL-69 | AT | | 99 | |
| D | | | | MS52116A | SHAFT ASSEMBLY, FLEXIBLE, PLASTIC, TACHOMETER, AND SPEEDOMETER USER: MC ME REVIEWER: GS | A | 6680 | AT | AT | 19-JAN-88 | AT | YD1 | 99 | |
| D | | | | MS52124 | PATCH, PNEUMATIC TIRE REPAIR, SEMI-CURED NYLON [VALIDATION DATE: 8502] USER: MC REVIEWER: CS | A | 2640 | AT | AT | 22-SEP-72 | AT | YD1 | 99 | |
| | L | | | MS52125B | COMPOSITE LIGHT, TAIL STOP, TURN AND MARKER USER: ME REVIEWER: GS | A | 6220 | AT | AT | 24-JUL-89 | AT | | | |
| | L | | | MS52126A | COMPOSITE LIGHT FRONT, TURN, PARK AND MARKER REVIEWER: GS | A | 6220 | AT | AT | 27-AUG-87 | AT | | | |
| D | | | | MS52127C | CHOCK, WHEEL USER: ME | A | 2540 | AT | AT | 22-DEC-88 | AT | YD1 | | |
| D | | | | MS52128C | SWITCH, VEHICULAR LIGHTS, 24 VOLT DC, (WATERPROOF) [VALIDATION DATE: 8212] USER: MC ME REVIEWER: CS YD1 | A | 2590 | AT | AT | 01-JUL-76 | AT | | 99 | |
| | L | | | MS52129 | CONNECTOR, RECEPTACLE, ELECTRICAL INTERVEHICLE POWER CABLE [VALIDATION DATE: 8512] REVIEWER: CS ME | A | 2920 | AT | AT | 17-DEC-75 | AT | | | |
| D | | | | MS52130A | HOSE, NONMETALLIC, STRAIGHT, ENGINE COOLANT [VALIDATION DATE: 8504] REVIEWER: CS | A | 4720 | AT | AT | 12-DEC-79 | AT | YD1 | 99 | |
| | L | | | MS52131 | CONNECTOR, PLUG, ELECTRICAL INTERVEHICLE POWER CABLE [VALIDATION DATE: 8512] REVIEWER: CS ME | A | 2920 | AT | AT | 17-DEC-75 | AT | | | |
| D | | | | DS52140 | SPEEDOMETER MECHANICAL (0-100 KM/H) [VALIDATION DATE: 8303] USER: MC REVIEWER: GS | A | 6680 | AT | AT | 28-SEP-77 | AT | YD1 | | |
| | | | | MS52141 | BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, CAGED, WITHOUT INNER RING OPEN AND CLOSED END, STANDARD TYPE [VALIDATION DATE: 8502] USER: AR GL MC SH REVIEWER: 99 AV IS ME MI | A | 3110 | AT | AT | 30-APR-80 | AT | OS | 11 | |
| | | | | MS52142A | BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER | A | 3110 | AT | AT | 28-OCT-86 | AT | OS | 99 | |
| | | | | NOTICE 1 | RING, OPEN END, EXTRA PRECISION TYPE [VALIDATION DATE: 8610] USER: AR GL MC SH REVIEWER: AV IS ME MI | | | | | | | | | |
| | | | | MS52143 | BEARING, ROLLER, NEEDLE, THICK OUTER RING W/ROLLERS, CAGE AND SEALS USER: AR GL MC SH REVIEWER: 99 AV IS ME MI | A | 3110 | AT | AT | 28-OCT-86 | AT | OS | 11 | |
| | L | | | MS52149F | BATTERY, STORAGE, LEAD-ACID (LOW-MAINTENANCE) TYPE 6TL | A | 6140 | AT | AT | 27-MAY-92 | AT | | | |
| D | L | | | MS52236A | TRUCK, WRECKER: 5 TON, 6X6, M936A1 USER: YD1 | A | 2320 | AT | AT | 30-OCT-89 | AT | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | L | | | MS52259 | CARRIER, PERSONNEL, FULL TRACKED - ARMORED, M113A2E1 | A | 2350 | AT | AT | 13-JAN-86 | AT | | | |
| | L | | | MS52270 | HOWITZER, SELF - PROPELLED 8 INCH, M110A2 | A | 2350 | AT | AT | 18-FEB-86 | AT | | | |
| | L | | | MS52274 | VEHICLE, FIGHTING, CAVALRY M3A1 WITH TOW AND EXTERNALLY POWERED WEAPON | A | 2350 | AT | AT | 20-MAR-87 | AT | | | |
| | L | | | MS52275 | RECOVERY VEHICLE, LIGHT, M806E1 | A | 2350 | AT | AT | 20-OCT-86 | AT | | | |
| | L | | | MS52276 | VEHICLE, FIGHTING, INFANTRY M2A1 WITH TOW AND EXTERNALLY POWERED WEAPON | A | 2350 | AT | AT | 20-OCT-86 | AT | | | |
| | L | | | MS52287 | HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 60,000 BTU/HR, SINGLE AIR TYPE | A | 2540 | AT | AT | 28-OCT-86 | AT | | | |
| | L | | | MS52288 | HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 60,000 BTU/HR, DUAL AIR TYPE | A | 2540 | AT | AT | 28-OCT-86 | AT | | | |
| | L | | | MS52295 | TRUCK: VAN, EXPANSIBLE, 5 TON, 6X6, M934 | A | 2320 | AT | AT | 15-DEC-88 | AT | | | |
| | L | | | MS53000B | SWITCH, BEAM SELECTING, HEADLIGHT-SPDT, NO OFF, 24 VOLT DC [VALIDATION DATE: 8501] USER: MC ME REVIEWER: CS | A | 2590 | AT | AT | 07-FEB-69 | AT | | | |
| | L | | | MS53001A | SWITCH, BEAM SELECTING, HEADLIGHT-DPDT, NO OFF, 28 VOLT DC [VALIDATION | A | 2590 | AT | AT | 15-SEP-90 | AT | | | |
| | | | | NOTICE 1 | DATE: 9009] USER: MC ME | | | | | | | | | |
| | | | | MS53004C | VALVE, RELAY, EMERGENCY&&BREAKAWAY, AIR BRAKE USER: ME REVIEWER: CS | A | 2530 | AT | AT | 09-MAY-83 | AT | MC | 99 | |
| | L | | | MS53005C | AIR CLEANER, INTAKE: COMPRESSOR [VALIDATION DATE: 9101] USER: MC MI | A | 2530 | AT | AT | 16-JAN-91 | AT | | | |
| | | | | NOTICE 1 | REVIEWER: CS ME | | | | | | | | | |
| | | | | MS53006B | GOVERNOR ASSEMBLY&AIR BRAKE FOR TACTICAL VEHICLES USER: MC REVIEWER: CS ME MI | A | 2530 | AT | AT | 31-MAY-85 | AT | | 84 | |
| | | | | MS53007D | PLATE, IDENTIFICATION, EMERGENCY AND SERVICE AUTOMOTIVE AIR BRAKE | A | 9905 | AT | AT | 15-OCT-87 | AT | | 99 | |
| | | | | NOTICE 1 | [VALIDATION DATE: 8710] USER: GL MC ME REVIEWER: MI | | | | | | | | | |
| | | | | MS53008A | STARTER, ENGINE, ELECTRICAL, 24-VOLT, D.C., 5-9/16-INCH FRAME DIAMETER, | A | 2920 | ME | ME | 12-JUL-90 | ME | | 99 | |
| | | | | NOTICE 1 | SOLENOID-ACTUATED, HEAVY-DUTY [VALIDATION DATE: 9007] USER: MC REVIEWER: 69 85 AT CS | | | | | | | | | |
| | | | | MS53009A | STARTER, ENGINE, ELECTRICAL, 24 VOLT, D.C., 5-1/8 INCH FRAME DIAMETER | A | 2920 | ME | ME | 12-JUL-90 | ME | | 99 | |
| | | | | NOTICE 1 | SOLENOID-ACTUATED, HEAVY-DUTY [VALIDATION DATE: 9007] USER: MC REVIEWER: 69 85 AT CS | | | | | | | | | |
| | L | | | MS53011E | STARTER, ENGINE, ELECTRICAL, 24-VOLT, D.C., 5-1/8 INCH FRAME DIAMETER, | A | 2920 | ME | ME | 12-JUL-90 | ME | | | |
| | | | | NOTICE 1 | SOLENOID, ACTUATED, HEAVY-DUTY, LONG FRAME [VALIDATION DATE: 9007] USER: MC REVIEWER: AT CS | | | | | | | | | |
| D | | | | MS53013D | STARTER, ENGINE, ELECTRICAL, 24-VOLT D.C., 3-INCH FRAME DIAMETER SOLENOID ACTUATED, LIGHT DUTY [VALIDATION DATE: 8301] USER: MC YD1 REVIEWER: AT CS | A | 2920 | ME | ME | 30-JUN-77 | ME | | 99 | |
| D | | | | MS53015H | MIRROR ASSEMBLY, REARVIEW USER: MC ME MI REVIEWER: 84 CS | A | 2540 | AT | AT | 22-AUG-89 | AT | YD1 | 99 | |
| | | | | MS53016D | MIRROR AND BRACKET ASSEMBLY, REARVIEW USER: MC ME REVIEWER: CS | A | 2540 | AT | AT | 04-NOV-91 | AT | | 99 | |
| A | | | | MS53022B | LIGHT, COMPOSITE, VEHICULAR-BLACKOUT DRIVING, BLACKOUT MARKER, SERVICE, INFRARED-24 VOLT | A | 6220 | AT | AT | 12-JUN-92 | AT | MC | | |
| | | | | MS53023B | HEADLIGHT & SERVICE, DOUBLE FILAMENT, 24 VOLT, WATERPROOF [VALIDATION DATE: 8011] USER: ME REVIEWER: GS | A | 6220 | AT | AT | 25-MAY-64 | AT | MC | | |
| | L | | | MS53024A | HEADLIGHT & INFRARED, DOUBLE FILAMENT, 24 VOLT, WATERPROOF [VALIDATION | A | 6220 | AT | AT | 01-SEP-87 | AT | MC | | |
| | | | | NOTICE 1 | DATE: 8709] REVIEWER: 99 GS | | | | | | | | | |
| | | | | MS53032B | COMPRESSOR, RECIPROCATING, POWER DRIVEN: AIR COOLED, 12 C.F.M. W/UNLOADER | A | 2530 | AT | AT | 14-JAN-91 | AT | | 99 | |
| | | | | NOTICE 1 | [VALIDATION DATE: 9101] USER: MC REVIEWER: CS ME | | | | | | | | | |
| | | | | MS53034A | FIFTH WHEEL ASSEMBLY&&36 INCH UNIVERSAL, TRUCK&TRACTOR, 45,000 LBS. | A | 2510 | AT | AT | 31-AUG-87 | AT | MC | 99 | |
| | | | | NOTICE 1 | CAPACITY [VALIDATION DATE: 8708] | | | | | | | | | |
| D | | | | MS53035A | FIFTH WHEEL ASSEMBLY&&33 INCH NON&UNIVERSAL, DOLLY, TRAILER CONVERTER, | A | 2510 | AT | AT | 18-DEC-87 | AT | YD1 | 99 | |
| | | | | NOTICE 1 | 19,000 LBS. CAPACITY USER: MC REVIEWER: 84 | | | | | | | | | |
| | | | | MS53036D | KINGPIN, FIFTH WHEEL, 2 INCH [VALIDATION DATE: 8308] USER: MC ME REVIEWER: MI | A | 2510 | AT | AT | 26-MAR-79 | AT | | 99 | |
| D | | | | MS53037E | KINGPIN, FIFTH WHEEL 3&1/2 INCH [VALIDATION DATE: 8610] USER: MC ME | A | 2510 | AT | AT | 20-OCT-86 | AT | YD1 | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS53038E | KINGPIN, FIFTH WHEEL & UNIVERSAL USER: MC ME | A | 2510 | AT | AT | 09-OCT-87 | AT | | 99 | |
| | L | | | MS53039B | SOCKET, KINGPIN, FIFTH WHEEL - UNIVERSAL | A | 2510 | ME | ME | 31-JAN-90 | ME | | | |
| | | | | NOTICE 2 | | | | | | | | | | |
| | | | | MS53040A | RETAINER, KINGPIN, FIFTH WHEEL&UNIVERSAL [VALIDATION DATE: 8207] | A | 2510 | AT | AT | 05-NOV-63 | AT | MC | 99 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | Army | Navy | Air Force | DLA |
| L | | MS53042B | BRACKET - EXHAUST MUFFLER AND TAILPIPE | A | 2990 | AT | 15-JAN-91 | AT | | | | |
| L | | MS53043B | HANGER, EXHAUST, MUFFLER, AND TAILPIPE | A | 2990 | AT | 15-JAN-91 | AT | | | | |
| | | MS53044C | WHEEL, PNEUMATIC TIRE DISK TYPE, WITH RING, FOR TACTICAL WHEELED VEHICLES [VALIDATION DATE: 8312] USER: ME REVIEWER: CS | A | 2530 | AT | 14-OCT-82 | AT | MC | 99 | | |
| | | MS53045A | RING, SIDE, AUTOMOTIVE WHEEL FOR TACTICAL WHEELED VEHICLES [VALIDATION | A | 2530 | AT | 08-JUL-88 | AT | | 99 | | |
| | NOTICE 1 | | DATE: 8807] USER: MC REVIEWER: CS | | | | | | | | | |
| | | MS53046C | RETAINER, BATTERY-AUTOMOTIVE TACTICAL VEHICLES [VALIDATION DATE: 9010] | A | 2590 | AT | 12-OCT-90 | AT | | 84 | | |
| | NOTICE 1 | | USER: MC ME REVIEWER: CS MI | | | | | | | | | |
| | | MS53047A | LIGHT, MARKER - SERVICE PARK, SERVICE SIGNAL AND BLACKOUT MARKER, 24 VOLT (INACTIVE USE MS 52126) [VALIDATION DATE: 8308] | A | 6220 | AT | 01-OCT-73 | AT | | | | |
| | | MS53048C | BLADE, WINDSHIELD WIPER, LIGHT DUTY [VALIDATION DATE: 8803] USER: MC ME | A | 2540 | AT | 17-MAR-88 | AT | | 99 | | |
| | NOTICE 1 | | REVIEWER: CS | | | | | | | | | |
| | | MS53049B | ARM, WINDSHIELD WIPER, ADJUSTABLE, LIGHT DUTY [VALIDATION DATE: 8308] | A | 2540 | AT | 21-AUG-74 | AT | | 99 | | |
| | | | USER: MC ME REVIEWER: CS | | | | | | | | | |
| L | | MS53052A | BRACKET ASSEMBLY, LIQUID CONTAINER, FIVE GALLON [VALIDATION DATE: 8511] | A | 2590 | AT | 21-DEC-66 | AT | | | | |
| | | | REVIEWER: CS | | | | | | | | | |
| L | | MS53053A | BRACKET ASSEMBLY, TOOL KIT, PIONEER, GENERAL UTILITY USER: ME REVIEWER: CS | A | 2540 | AT | 01-FEB-84 | AT | | | | |
| | | | MI | | | | | | | | | |
| L | | MS53058A | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE& LOOP TYPES BUTTON END FITTING | A | 2530 | AT | 16-DEC-64 | AT | | | | |
| | | | [VALIDATION DATE: 8412] REVIEWER: CS | | | | | | | | | |
| L | | MS53059A | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-LOOP TYPE, EYE END FITTING | A | 2530 | AT | 16-DEC-64 | AT | | | | |
| | | | [VALIDATION DATE: 8503] REVIEWER: CS | | | | | | | | | |
| L | | MS53062A | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE - STRAIGHT TYPE, EYE AND BUTTON | A | 2530 | AT | 16-DEC-64 | AT | | | | |
| | | | FITTINGS [VALIDATION DATE: 8503] REVIEWER: CS | | | | | | | | | |
| L | | MS53063A | INDICATOR, AIR CLEANER, INTAKE, RESTRICTION MECHANICAL TYPE USER: MC | A | 2940 | ME | 14-DEC-87 | ME | | | | |
| | NOTICE 1 | | REVIEWER: AT CS | | | | | | | | | |
| L | | MS53069E | NUT, PLAIN, ASSEMBLED WASHER: 7/16 INCH (FLOATING TYPE) USER: AR ER | A | 5310 | AT | 01-MAR-91 | AT | | | | |
| | | | REVIEWER: IS | | | | | | | | | |
| | | MS53075B | CAP, FUEL TANK-TACTICAL VEHICLE, NON-VENTED USER: MC MI REVIEWER: CS ME ... | A | 2910 | AT | 03-AUG-90 | AT | | 99 | | |
| L | | MS53076 | BAG, STOWAGE, VEHICULAR ACCESSORIES [VALIDATION DATE: 8504] USER: MI ..... | A | 2540 | AT | 15-JUL-64 | AT | | | | |
| L | | MS53077 | BOX, STOWAGE, VEHICULAR ACCESSORIES [VALIDATION DATE: 8504] USER: MI ..... | A | 2540 | AT | 15-JUL-64 | AT | | | | |
| L | | MS53099A | ADAPTER, COUPLING/BULKHEAD, SPEEDOMETER-TACHOMETER DRIVE [VALIDATION DATE: | A | 6680 | AT | 06-OCT-87 | AT | | | | |
| | NOTICE 1 | | 8710] REVIEWER: CS | | | | | | | | | |
| | | MS53229A | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON | A | 5950 | ER | 11-NOV-91 | ER | EC | 85 | | |
| | NOTICE 1 | | CORE), TYPES LT11V001 TO LT11V021, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 80 MI OS | | | | | | | | | |
| | | MS53230A | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE | A | 5950 | ER | 11-NOV-91 | ER | EC | 85 | | |
| | NOTICE 1 | | CORE), TYPE LT11V022 TO LT11V038, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 80 MI OS | | | | | | | | | |
| | | MS53231A | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON | A | 5950 | ER | 11-NOV-91 | ER | EC | 85 | | |
| | NOTICE 1 | | CORE), TYPES LT11V039 TO LT11V059, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 80 MI OS | | | | | | | | | |
| | | MS53232A | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, | A | 5950 | ER | 11-NOV-91 | ER | EC | 85 | | |
| | NOTICE 1 | | (FERRITE-CORE), TYPES LT11V060 TO LT11V076, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 80 MI OS | | | | | | | | | |
| | | MS53233 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON | A | 5950 | ER | 11-NOV-91 | ER | EC | 85 | | |
| | NOTICE 1 | | CORE), TYPES LT11V077 TO LT11V097, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 99 MI OS | | | | | | | | | |
| | | MS53234 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE | A | 5950 | ER | 11-NOV-91 | ER | EC | 85 | | |
| | NOTICE 1 | | CORE), TYPES LT11V098 TO LT11V114, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 80 MI OS | | | | | | | | | |
| L | | MS63002 | MATTRESS, BED [VALIDATION DATE: 8601] | A | 7105 | GL | 03-MAR-58 | GL | | | | |
| | | MS63043C | ROD END, THREADED-LINKAGE, RIGID [VALIDATION DATE: 9010] USER: MI OS ..... | A | 5340 | AT | 12-OCT-90 | AT | | 82 | | |
| | NOTICE 1 | | | | | | | | | | | |
| D | | MS63044A | STRAP, RETAINING, RECTANGULAR, CUSHIONED [VALIDATION DATE: 8203] USER: ER | A | 5340 | AR | 25-AUG-69 | AR | YD1 | | | |
| | | | REVIEWER: IS MI OS | | | | | | | | | |
| L | | MS63203B | PLATE, IDENTIFICATION, MODIFICATION APPLIED [VALIDATION DATE: 8302] USER: | A | 9905 | ME | 24-JUL-67 | ME | | | | |
| | | | GS MC REVIEWER: CR MI | | | | | | | | | |
| | | MS70085D | CLEVISES, TIEDOWN, DELIVERY AIR TYPE II [VALIDATION DATE: 9009] USER: MC | A | 1670 | GL | 10-SEP-90 | GL | | 99 | | |
| | NOTICE 1 | | REVIEWER: 11 82 AV | | | | | | | | | |
| | | MS70086F | CLEVIS, RISER, AIR DELIVERY-TYPE III USER: MC REVIEWER: 82 AV ..... | A | 1670 | GL | 28-MAY-91 | GL | AS | 99 | | |
| | | MS70087L | CLEVISES, SUSPENSION, AIR DELIVERY-TYPE I USER: MC REVIEWER: 82 TR ..... | A | 1670 | GL | 12-FEB-92 | GL | AS | 99 | | |
| D | | MS70088B | ADAPTER, 45, FEMALE THREAD SWIVEL COLLAR, QUICK DISCONNECT, CAM LOCKING, | A | 4730 | ME | 16-JUL-80 | ME | YD1 | 99 | | |
| | | | MALE (TANK CAR) [VALIDATION DATE: 8410] USER: AT REVIEWER: CS | | | | | | | | | |
| | | MS70091D | COUPLING HALF, QUICK DISCONNECT, CAM LOCKING TYPE, FEMALE, FLANGED, TYPE | A | 4730 | ME | 15-MAY-89 | ME | | 99 | | |
| | | | VIII, (FOR D-1 NOZZLE-AIRCRAFT) USER: AV MC SH REVIEWER: 82 CS GL | | | | | | | | | |
| | | MS70092B | FASTENER, PARACHUTE PACK [VALIDATION DATE: 8712] REVIEWER: 82 AV ..... | A | 1670 | GL | 31-DEC-87 | GL | AS | 99 | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS70093A | BALL END, WIRE ROPE, SWAGING, PARACHUTE RIPCORD CABLE [VALIDATION DATE: | A | 1670 | GL | 30-SEP-66 | GL | AS | | | |
| | | | 8601] USER: 82 99 MC REVIEWER: AV MD | | | | | | | | | |
| A | | MS70094A | POCKET, PARACHUTE PACK, LOG RECORD AND MANUAL [VALIDATION DATE: 9302] | A | 1670 | GL | 26-FEB-93 | GL | AS | 11 | | |
| | NOTICE 2 | | REVIEWER: 82 AV | | | | | | | | | |
| D | | MS70095D | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, INTERNAL STRAIGHT | A | 4730 | ME | 15-MAY-89 | ME | YD1 | 99 | | |
| | | | THREADS, TYPE XVII (FOR USE WITH NATO EQUIPMENT) USER: AV MC SH REVIEWER: | | | | | | | | | |
| | | | 82 CS GL | | | | | | | | | |
| D | | MS70096D | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, EXTERNAL | A | 4730 | ME | 15-MAY-89 | ME | YD1 | 99 | | |
| | | | STRAIGHT THREADS, TYPE XVI (FOR USE WITH NATO EQUIPMENT) USER: AV | | | | | | | | | |
| | | | REVIEWER: 82 CS GL | | | | | | | | | |
| D | | MS70097D | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE REDUCER | A | 4730 | ME | 15-MAY-89 | ME | YD1 | 99 | | |
| | | | (INTERNAL PIPE THREAD) TYPE XVIII USER: AV MC SH REVIEWER: 82 CS GL | | | | | | | | | |
| | | MS70098B | LINK, SNAP, QUICK RELEASE, 1-3/4 INCH USER: AT MC ME ..... | A | 5340 | GL | 31-MAR-84 | GL | AS | | | |
| | | MS70099C | SNAP HOOK, QUICK RELEASE USER: AT MC ME REVIEWER: AV IS ..... | A | 5340 | GL | 15-FEB-85 | GL | AS | | | |
| D | | MS70100D | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, NIPPLE ADAPTER, MALE BY | A | 4730 | ME | 15-MAY-89 | ME | YD1 | 99 | | |
| | | | EXTERNAL GROOVED PIPE, TYPE XIX USER: AV MC SH REVIEWER: 82 CS GL | | | | | | | | | |
| | | MS70101C | ADAPTER, REVERSIBLE, QUICK FIT, 500 LBS 1-3/4 INCH REVIEWER: 82 ..... | A | 5340 | GL | 30-APR-86 | GL | AS | 99 | | |
| | | MS70102C | RING, PARACHUTE HARNESS, QUICK-FIT, "V" TYPE [VALIDATION DATE: 9203] USER: | A | 1670 | GL | 27-MAR-92 | GL | AS | 99 | | |
| | NOTICE 1 | | AV MC REVIEWER: 82 | | | | | | | | | |
| | | MS70104D | HOUSING, PARACHUTE RIPCORD [VALIDATION DATE: 8601] REVIEWER: 82 AV MC ..... | A | 1670 | GL | 19-OCT-73 | GL | AS | 99 | | |
| | | MS70105B | BAND, SPRING, PARACHUTE PACK OPENING [VALIDATION DATE: 8601] USER: MC | A | 1670 | GL | 07-DEC-73 | GL | AS | 99 | | |
| | | | REVIEWER: 11 82 AV IS | | | | | | | | | |
| | | MS70106B | GRIP, PARACHUTE RIP CORD, CLOVERLEAF REVIEWER: 82 AV MC ..... | A | 1670 | GL | 14-SEP-90 | GL | AS | 99 | | |
| M | | MS70107A | PIN, PARACHUTE RIP CORD, LOCKING [VALIDATION DATE: 9302] USER: MC | A | 1670 | GL | 26-FEB-93 | GL | AS | 99 | | |
| | NOTICE 2 | | REVIEWER: 11 82 AV | | | | | | | | | |
| | | MS70108C | LINK, PARACHUTE CONNECTOR [VALIDATION DATE: 9203] USER: AV REVIEWER: 82 MC | A | 1670 | GL | 27-MAR-92 | GL | AS | 99 | | |
| D | | MS70109A | CLIP, END, STRAP TYPE II, CLASS 1 USER: CG MC MD ME REVIEWER: IS MI ..... | A | 5340 | GL | 12-FEB-88 | GL | YD1 | 99 | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS70112B | RIP CORD, PARACHUTE, PERSONNEL [VALIDATION DATE: 9009] REVIEWER: 82 99 AV | A | 1670 | GL | 10-SEP-90 | GL | AS | 11 | | |
| | NOTICE 1 | | MC | | | | | | | | | |
| | | MS70113B | RING, .V, QUICK FIT, PARACHUTE HARNESS USER: MC REVIEWER: 82 AV ..... | A | 1670 | GL | 30-APR-86 | GL | AS | 99 | | |
| | | MS70114B | ADAPTER, QUICK FIT, PARACHUTE HARNESS USER: MC REVIEWER: 82 AV ..... | A | 1670 | GL | 30-APR-86 | GL | AS | 99 | | |
| | | MS70115B | V-RING, PARACHUTE EXTRACTION BAG, AERIAL DELIVERY USER: AV MC REVIEWER: 11 | A | 1670 | GL | 30-APR-86 | GL | AS | 99 | | |
| | | | 82 | | | | | | | | | |
| | | MS70116C | LINK, CONNECTING, QUICK RELEASE USER: MC REVIEWER: 82 AV ..... | A | 1670 | GL | 30-APR-86 | GL | AS | 99 | | |

| Action | Doc. Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MS70117A | SNAP ASSEMBLY PARACHUTE CONNECTOR, LOCKING TYPE (VALIDATION DATE: 8601) USER: MC REVIEWER: 82 AV | A | 1670 | GL | | 05-NOV-74 | GL | AS | 99 | |
| | MS70118B | LINK ASSEMBLY-CONNECTOR, SEPARABLE, PARACHUTE USER: MC REVIEWER: 82 99 AV . | A | 1670 | GL | | 07-MAR-86 | GL | AS | 11 | |
| | MS70119A | SNAP ASSEMBLY - PARACHUTE CHEST TYPE PACK CONNECTOR (VALIDATION DATE: 8601) USER: MC REVIEWER: AV | A | 1670 | GL | | 13-DEC-74 | GL | AS | | |
| | MS70120B | SNAP ASSEMBLY, PARACHUTE STATIC LINE USER: MC REVIEWER: 82 99 AV ..... | A | 1670 | GL | | 30-APR-86 | GL | AS | 11 | |
| | MS70121C | SNAP, CONNECTOR - PARACHUTE CHEST TYPE PACK USER: AV MC REVIEWER: 82 ..... | A | 1670 | GL | | 30-APR-86 | GL | AS | 99 | |
| | MS70122 | FORK, LOCKING, PARACHUTE, SLIP RISER (VALIDATION DATE: 9009) USER: MC | A | 1670 | GL | | 10-SEP-90 | GL | AS | 11 | |
| | NOTICE 1 | REVIEWER: 82 99 AV | | | | | | | | | |
| | MS70123B | RING, PARACHUTE HARNESS, ACCESSORY ATTACHING USER: MC REVIEWER: 82 99 AV .. | A | 1670 | GL | | 30-APR-86 | GL | AS | 11 | |
| | MS70124 | ADAPTER, PARACHUTE HARNESS, WITH TENSIONER AND SPRING REVIEWER: 82 AV ..... | A | 1670 | GL | | 30-JUN-87 | GL | | 99 | |
| | MS75001D | INDUCTOR, POWER, TYPE TF4RX04MA010 (INACTIVE) REVIEWER: SH ..... | A | 5950 | ER | | 20-MAY-82 | ER | EC | 85 | |
| | MS75002D | INDUCTOR, POWER, TYPE TF4RX04MA012 USER: 14 19 MC REVIEWER: 11 17 ES SH ... | A | 5950 | ER | | 20-MAY-82 | ER | EC | 85 | |
| | MS75003D | INDUCTOR, POWER, TYPE TF4RX04YY013 USER: 14 19 MC REVIEWER: 11 17 SH ..... | A | 5950 | ER | | 20-MAY-82 | ER | EC | 85 | |
| | MS75004G | ADAPTER, BATTERY TERMINAL (STORAGE BATTERY) USER: ER ME REVIEWER: 99 MI ... | A | 5940 | AT | | 28-MAY-87 | AT | MC | 85 | |
| I | MS75008E | COILS, RADIOFREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES | A | 5950 | ER | | 11-NOV-91 | ER | EC | 85 | |
| | NOTICE 1 | LT4K027 TO LT4K039 INCL (VALIDATION DATE: 9111) USER: 19 AR AS MC OS SH REVIEWER: 11 17 ME MI | | | | | | | | | |
| | MS75009G | BRACKET ASSEMBLY, RESISTOR (POWER TYPE) USER: 99 MC REVIEWER: 17 AR AS ME OS | A | 5905 | ER | | 12-JUN-90 | ER | EC | 85 | |
| | MS75014 | STAKE, GUY, ANTENNA (STAKE GP-2) (VALIDATION DATE: 8307) REVIEWER: GS ..... | A | 5975 | ER | | 02-FEB-60 | ER | SH | | |
| | MS75015 | STAKE, GUY, ANTENNA (STAKE GP-101/U) (VALIDATION DATE: 9109) REVIEWER: GS | A | 5975 | ER | | 10-SEP-91 | ER | SH | 85 | |
| | NOTICE 1 | MI | | | | | | | | | |
| | MS75016 | STAKE, GUY, ANTENNA (GUY STAKE GP-108/U) (VALIDATION DATE: 8307) REVIEWER: | A | 5975 | ER | | 02-FEB-60 | ER | SH | 85 | |
| | | GS | | | | | | | | | |
| L | MS75018A | STAKE, WOOD, ANTENNA (VALIDATION DATE: 9109) USER: MC REVIEWER: 84 CS ..... | A | 5510 | ER | | 10-SEP-91 | ER | | | |
| | NOTICE 1 | | | | | | | | | | |
| D | MS75020E | CONNECTOR, PLUG, ELECTRICAL- 12 CONTACT, INTERVEHICULAR, 24 VOLT, | A | 5935 | AT | | 20-OCT-86 | AT | YD1 | 85 | |
| | NOTICE 1 | WATERPROOF USER: MC SH REVIEWER: 11 99 ES MI | | | | | | | | | |
| L | MS75021D | CONNECTOR, RECEPTACLE, ELECTRICAL- 12 CONTACT, INTERVEHICULAR, 24 VOLT, | A | 5935 | AT | | 23-DEC-74 | AT | | | |
| | | WATERPROOF (VALIDATION DATE: 8308) USER: 11 MC ME SH REVIEWER: 99 CR ES MI | | | | | | | | | |
| A | MS75022A | BENDS, ELECTRICAL CONDUIT 90 DEGREE AND 45 DEGREE ZINC-COATED STD THK-WALL | A | 5975 | ME | | 15-OCT-92 | ME | | 80 | |
| | NOTICE 1 | STEEL (VALIDATION DATE: 9210) USER: AT REVIEWER: 99 ER GS | | | | | | | | | |
| | MS75023A | BEND, ELECTRICAL CONDUIT, 90 DEG. AND 45 DEG. ZINC COATED THIN-WALL STEEL | A | 5975 | 85 | | 25-MAR-88 | ME | | 85 | |
| | NOTICE 1 | (EMT) USER: AT REVIEWER: 99 ER GS | | | | | | | | | |
| | MS75027D | CABLE ASSEMBLIES AND CORD ASSEMBLIES, ELECTRICAL, USED WITH COMMUNICATION | A | 5995 | CR | | 03-JAN-86 | CR | EC | 85 | |
| | | EQUIPMENTS, STANDARD TOLERANCES FOR | | | | | | | | | |
| | MS75028J | SWITCH, TOGGLE, ONE POLE, UNSEALED REVIEWER: 99 AS AV ES ..... | A | 5930 | 85 | | 10-FEB-92 | ER | EC | 85 | |
| | MS75029K | SWITCH, TOGGLE, TWO POLE, UNSEALED REVIEWER: 99 AS AV ES ..... | A | 5930 | 85 | | 10-FEB-92 | ER | EC | 85 | |
| L | MS75043B | SCREW, SLOTTED HEX HEAD (VALIDATION DATE: 8110) USER: ME MI REVIEWER: AT | A | 6140 | ER | | 26-MAR-68 | ER | | | |
| | | GS | | | | | | | | | |
| L | MS75044A | SPRING, BELLEVILLE (VALIDATION DATE: 8110) USER: ME REVIEWER: GS MI ..... | A | 6140 | ER | | 12-JAN-68 | ER | | | |
| L | MS75045A | WASHER (VALIDATION DATE: 8110) REVIEWER: GS ..... | A | 6140 | ER | | 02-APR-62 | ER | | | |
| L | MS75046B | BAYONET TYPE VENT CAP (VALIDATION DATE: 8110) REVIEWER: GS ..... | A | 6140 | ER | | 29-JUN-70 | ER | | | |
| L | MS75050C | LEAD ASSEMBLY, THERMOCOUPLE REVIEWER: GS ..... | A | 6685 | AV | | 01-FEB-79 | AV | | | |
| | MS75052C | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES | A | 5950 | EC | | 31-JAN-92 | ER | EC | 85 | |
| | NOTICE 1 | LT4K052 AND LT4K053 (VALIDATION DATE: 9201) USER: 19 AS MC REVIEWER: 11 17 99 AR ES MI OS | | | | | | | | | |
| I | MS75057A | CONNECTOR, PLUG, ELECTRICAL-SLAVE, 2 CONTACT, 24 VOLT, WATERPROOF | A | 5935 | AT | | 13-MAY-91 | AT | | 85 | |
| | NOTICE 1 | (VALIDATION DATE: 9105) USER: ME REVIEWER: 99 ES | | | | | | | | | |
| | MS75058B | CONNECTOR, RECEPTACLE, ELECTRICAL - SLAVE, 2 CONTACT, 24 VOLT, WATERPROOF | A | 5935 | AT | | 25-MAY-73 | AT | | 85 | |
| | | (INACTIVE USE MIL-C-62122) (VALIDATION DATE: 8305) REVIEWER: 99 MI | | | | | | | | | |
| L | MS75062A | SWITCH, PRESSURE-STOPLIGHT, VEHICULAR, AIR BRAKE SYSTEM, 24 VOLT, | A | 5930 | AT | | 26-JUN-70 | AT | | | |
| | | WATERPROOF (VALIDATION DATE: 8503) USER: ME REVIEWER: ES | | | | | | | | | |
| L | MS75063B | SWITCH, PRESSURE-STOPLIGHT, VEHICULAR, HYDRAULIC BRAKE SYSTEM, 24 VOLT, | A | 5930 | AT | | 26-JUN-70 | AT | | | |
| | | WATERPROOF (VALIDATION DATE: 8503) USER: MC ME REVIEWER: ES | | | | | | | | | |
| L | MS75064C | SWITCH, ROTARY, SPOTLIGHT, VEHICULAR, MECHANICALLY ACTUATED, 24 VOLT D.C. | A | 5930 | AT | | 27-AUG-80 | AT | | | |
| | | (VALIDATION DATE: 8411) REVIEWER: ES | | | | | | | | | |
| | MS75075C | SWITCH, TOGGLE, TWO POLE, UNSEALED (VALIDATION DATE: 8406) REVIEWER: 11 99 | A | 5930 | 85 | | 22-MAY-72 | ER | EC | 85 | |
| | | AS AV ES | | | | | | | | | |
| | MS75076 | INSULATOR, STRAIN, WITH CLEVIS (VALIDATION DATE: 8504) USER: MC ME | A | 5970 | ER | | 06-NOV-68 | ER | EC | 85 | |
| | | REVIEWER: 99 GS | | | | | | | | | |
| | MS75077 | INSULATOR, STRAIN, WITH CLEVIS (VALIDATION DATE: 8504) USER: MC ME | A | 5970 | ER | | 06-NOV-68 | ER | EC | 85 | |
| | | REVIEWER: 99 GS | | | | | | | | | |
| I | MS75083B | COILS, RADIO FREQUENCY, MOLDED, FIXED, (PHENOLIC CORE), TYPES LT4K339 TO | A | 5950 | ER | | 11-NOV-91 | ER | EC | 85 | |
| | NOTICE 1 | LT4K351, INCLUSIVE (VALIDATION DATE: 9111) USER: 19 AS CG MC ME REVIEWER: 11 17 AR MI OS SH | | | | | | | | | |
| I | MS75084B | COILS, RADIO FREQUENCY, MOLDED FIXED, (IRON CORE), TYPES LT10K061 TO | A | 5950 | ER | | 11-NOV-91 | ER | EC | 85 | |
| | NOTICE 1 | LT10K077, INCLUSIVE (VALIDATION DATE: 9111) USER: 19 AS CG MC ME REVIEWER: 11 17 AR MI OS SH | | | | | | | | | |
| I | MS75085C | COILS, RADIO FREQUENCY MOLDED, FIXED, (FERRITE CORE), TYPES LT10K078 TO | A | 5950 | ER | | 11-NOV-91 | ER | EC | 85 | |
| | NOTICE 1 | LT10K096, INCLUSIVE (VALIDATION DATE: 9111) USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | | | | | | | | | |
| I | MS75087B | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY | A | 5950 | ER | | 11-NOV-91 | ER | EC | 85 | |
| | NOTICE 1 | SHIELDED (PHENOLIC CORE-IRON SLEEVE) TYPES, LT10K191 TO LT10K202 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC ME SH REVIEWER: 11 17 MI OS | | | | | | | | | |
| I | MS75088B | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINATURE, MAGNETICALLY | A | 5950 | ER | | 11-NOV-91 | ER | EC | 85 | |
| | NOTICE 1 | SHIELDED (IRON CORE - IRON SLEEVE) TYPES, LT10K203 TO LT10K216 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC ME SH REVIEWER: 11 17 MI OS | | | | | | | | | |
| I | MS75089B | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY | A | 5950 | ER | | 11-NOV-91 | ER | EC | 85 | |
| | NOTICE 1 | SHIELDED (FERRITE CORE-FERRITE SLEEVE) TYPES, LT10K217 TO LT10K263 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC ME SH REVIEWER: 11 17 MI OS | | | | | | | | | |
| | MS75093 | ADAPTER, CONNECTOR, BNC FEMALE - GR874 (VALIDATION DATE: 9108) USER: 14 19 | A | 5935 | CR | | 20-AUG-91 | CR | EC | 85 | |
| | NOTICE 1 | AV CG MC ME OS REVIEWER: 11 17 AR AS AT ES MI | | | | | | | | | |
| I | MS75101A | COILS, RADIOFREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES | A | 5950 | ER | | 11-NOV-91 | ER | EC | 85 | |
| | NOTICE 1 | LT10K169 TO LT10K180 INCL (VALIDATION DATE: 9111) USER: 19 AR AS MC OS SH REVIEWER: 11 17 ME MI | | | | | | | | | |
| | MS75103 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES | A | 5950 | ER | | 11-NOV-91 | ER | EC | 85 | |
| | NOTICE 1 | LT10K181 TO LT10K190 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC OS SH REVIEWER: 11 17 MI | | | | | | | | | |
| | MS75105 | HB-7 HEADBAND ASSEMBLY (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 | A | 5965 | CR | | 10-APR-87 | CR | EC | 85 | |
| | NOTICE 1 | 13 99 | | | | | | | | | |
| | MS75106 | SUB-ASSEMBLY GUIDE PLATE AND BARREL (VALIDATION DATE: 8704) USER: AS MC SH | A | 5965 | CR | | 10-APR-87 | CR | EC | 85 | |
| | NOTICE 1 | REVIEWER: 11 13 99 | | | | | | | | | |
| | MS75108 | GUIDE BARREL (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 .... | A | 5965 | CR | | 10-APR-87 | CR | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |
| | MS75109 | FRICTION SPRING (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 . | A | 5965 | CR | | 10-APR-87 | CR | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |
| | MS75110 | V-CLIP (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 ..... | A | 5965 | CR | | 10-APR-87 | CR | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |
| | MS75111 | U-CLIP (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 ..... | A | 5965 | CR | | 10-APR-87 | CR | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |
| | MS75112 | RIVET (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 ..... | A | 5965 | CR | | 10-APR-87 | CR | EC | 85 | |
| | NOTICE 1 | | | | | | | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MS75113 | CUPWASHER [VALIDATION DATE: 8704] USER: AS MC SH REVIEWER: 11 13 99 ..... | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75114 | SUBASSEMBLY OF RECEIVER HOLDER [VALIDATION DATE: 8704] USER: AS MC SH REVIEWER: 11 13 99 | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75116 | YOKE [VALIDATION DATE: 8704] USER: AS MC SH REVIEWER: 11 13 99 ..... | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75117 | BALE ROD [VALIDATION DATE: 8704] USER: AS MC SH REVIEWER: 11 13 99 ..... | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75118 | YOKE STUD [VALIDATION DATE: 8704] USER: AS MC SH REVIEWER: 11 13 99 ..... | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75119 | ROLL PIN [VALIDATION DATE: 8704] USER: AS MC SH REVIEWER: 11 13 99 ..... | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75120 | BAND [VALIDATION DATE: 8704] USER: AS MC SH REVIEWER: 11 13 99 ..... | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75121 | HEADBAND COVER [VALIDATION DATE: 8704] USER: AS MC SH REVIEWER: 11 99 ..... | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75122A | CD-162 CABLE [VALIDATION DATE: 8705] USER: AS MC REVIEWER: 11 13 99 ..... | A | 5965 | CR | 25-MAR-82 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75123 | CORD CO169 [VALIDATION DATE: 8704] USER: AS MC SH REVIEWER: 11 13 99 ..... | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75124 | RING TERMINAL [VALIDATION DATE: 8704] USER: AS MC SH REVIEWER: 11 13 99 ... | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75125 | TM-51 TERMINALS [VALIDATION DATE: 8704] REVIEWER: 99 ..... | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75127B | EARPHONE ASSEMBLY [VALIDATION DATE: 8704] USER: AS MC REVIEWER: 11 13 99 .. | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75128A | CUSHION, EARPHONE [VALIDATION DATE: 8803] USER: AS MC SH REVIEWER: 11 13 99 | A | 5965 | CR | 29-MAR-88 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75129B | EARPHONE RETAINER [VALIDATION DATE: 8704] USER: AS MC REVIEWER: 11 13 99 .. | A | 5965 | CR | 10-APR-87 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS75130A | CUP, EARPHONE [VALIDATION DATE: 8705] USER: AS MC REVIEWER: 11 13 99 ..... | A | 5965 | CR | 25-MAR-82 | CR | EC | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | L | | | MS75131 | DESIGN FEATURES FOR SWITCHBOARD CORD ASSEMBLIES [VALIDATION DATE: 8811] ... | A | 5995 | 85 | 03-NOV-88 | | | 85 | |
| | | | | NOTICE 1 | | | | | | | | | |
| A | 1 | | | MS75132A | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE TYPES LT4K USER: AS CG MC ME REVIEWER: 19 AR ES MI OS SH | A | 5950 | ER | 17-NOV-92 | ER | EC | 85 | |
| | | | | MS77066 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE 30 DEG., ONE HOLE [VALIDATION DATE: 8503] USER: MC ME REVIEWER: 99 CS MI | A | 5940 | AR | 08-SEP-65 | AR | SH | 85 | |
| | | | | MS77067A | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING LOCKING TYPE, FLAT, ONE HOLE USER: MC REVIEWER: 99 GS MI | A | 5940 | AR | 15-DEC-89 | AR | SH | 85 | |
| | | | | MS77068A | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING LOCKING TYPE, 45 DEG., TWO HOLE USER: MC ME REVIEWER: 99 AV GS MI | A | 5940 | AR | 15-DEC-89 | AR | SH | 85 | |
| | | | | MS77069 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, 30 DEG., ONE HOLE [VALIDATION DATE: 8503] USER: MC ME REVIEWER: 99 AV GS MI | A | 5940 | AR | 08-SEP-65 | AR | SH | 85 | |
| | | | | MS77070 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, FLAT, ONE HOLE [VALIDATION DATE: 8503] USER: MC ME REVIEWER: 99 GS MI | A | 5940 | AR | 08-SEP-65 | AR | SH | 85 | |
| | | | | MS77071A | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING LOCKING TYPE, 90 DEG., ONE HOLE USER: AS MC REVIEWER: 11 99 AV GS MI | A | 5940 | AR | 11-OCT-91 | AR | SH | 85 | |
| | | | | MS77072 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, FLAT, ONE HOLE [VALIDATION DATE: 8503] USER: MC REVIEWER: 99 GS MI | A | 5940 | AR | 08-SEP-65 | AR | SH | 85 | |
| | | | | MS77073 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE FLAT, ONE HOLE [VALIDATION DATE: 8503] USER: MC REVIEWER: 99 GS MI | A | 5940 | AR | 08-SEP-65 | AR | SH | 85 | |
| | | | | MS77074A | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING INSULATION GRIP, LOCKING TYPE USER: AS MC REVIEWER: 11 99 AV GS | A | 5940 | AR | 15-DEC-89 | AR | SH | 85 | |
| | | | | MS87005B | VALVE, VACUUM BREAKING [VALIDATION DATE: 8707] ..... | A | 1650 | AV | 31-JUL-87 | AV | AS | 99 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | L | | | MS87006 | HOOK, CHAINS [VALIDATION DATE: 8301] USER: GL MC ME REVIEWER: IS MI ..... | A | 4030 | AR | 16-OCT-62 | AR | | | |
| | L | | | MS87007B | SWIVEL, CHAIN [VALIDATION DATE: 8501] REVIEWER: IS ..... | A | 4030 | AR | 02-MAY-74 | AR | | | |
| | | | | MS87008A | LINK, CHAIN&CONNECTING OR REPAIR [VALIDATION DATE: 8201] USER: AT AV REVIEWER: GL IS MI | A | 4010 | AR | 05-DEC-75 | AR | SH | 99 | |
| | L | | | MS87013 | TIRE, PNEUMATIC-HELICOPTER GROUND HANDLING, 3.50-6 [VALIDATION DATE: 8305] REVIEWER: CS | A | 2620 | AV | 29-JUN-64 | AV | | | |
| | | | | MS87015A | GENERATOR, TACHOMETER, FOUR-POLE, SCREW-MOUNTED [VALIDATION DATE: 8409] USER: CG | A | 6620 | AV | 01-JUN-67 | AV | | 99 | |
| | | | | MS87017A | SWITCHES (ARRANGEMENT AND FUNCTIONS) GRIP ASSEMBLY, CYCLIC CONTROLLER, FOR | A | 1520 | AV | 20-SEP-88 | AV | AS | 11 | |
| | | | | NOTICE 1 | INSTALLATION IN HELICOPTERS [VALIDATION DATE: 8809] | | | | | | | | |
| | L | | | MS87033 | TAPE, AIRCRAFT TUBING IDENTIFICATION MARKER [VALIDATION DATE: 8808] | A | 7690 | AV | 30-AUG-88 | AV | | | |
| | | | | NOTICE 1 | REVIEWER: GS | | | | | | | | |
| D | | | | MS87968 | CASTERS, RIGID AND SWIVEL INDUSTRIAL DUTY USER: CE GL ME REVIEWER: IS ..... | A | 5340 | 82 | 05-JUL-84 | AR | YD1 | 99 | |
| | | | | MS90013C | INDUCTOR, POWER TYPE TF4RX04HA005 REVIEWER: SH ..... | A | 5950 | ER | 20-MAY-82 | ER | EC | 85 | |
| | | | | MS90027G | TRANSFORMER, POWER, STEP DOWN & STEP UP, TYPE TF4RX03JB002 USER: 14 19 MC | A | 5950 | ER | 20-MAY-82 | ER | EC | 85 | |
| | | | | | REVIEWER: 11 17 ES SH | | | | | | | | |
| | | | | MS90064F | PACKING, PREFORMED, ROUND (FOR USE WITH WAVEGUIDE FLANGES AND DUMMY LOADS) USER: 85 CK MC NS REVIEWER: 82 IS | A | 5330 | EC | 11-JUN-90 | MR | EC | 99 | |
| | | | | MS90065A | GASKET, (RECTANGULAR, FOR USE WITH WAVEGUIDE FLANGE) [VALIDATION DATE: 8304] USER: AS SA SH REVIEWER: 11 82 AR IS | A | 5330 | EC | 15-JUN-61 | EL | EC | 99 | |
| | 1 | | | MS90120C | KNOBS, CONTROL, BAR, PLASTIC [VALIDATION DATE: 9102] REVIEWER: ES MI ..... | A | 5355 | EC | 25-FEB-91 | CR | EC | 11 | |
| | | | | NOTICE 1 | | | | | | | | | |
| | 1 | | | MS90133E | GASKETS, V-GROOVE; PART OF RF COAXIAL CONNECTORS [VALIDATION DATE: 9108] | A | 5935 | CR | 20-AUG-91 | CR | EC | 80 | |
| | | | | NOTICE 1 | REVIEWER: ES | | | | | | | | |
| | 1 | | | MS90134D | GASKETS; PART OF RF COAXIAL CONNECTORS [VALIDATION DATE: 9108] USER: MC | A | 5935 | CR | 20-AUG-91 | CR | EC | 85 | |
| | | | | NOTICE 1 | REVIEWER: 99 AR ES MI | | | | | | | | |
| | | | | MS90178B | STANDARD 24-VALUE SERIES DECADE FOR ELECTRONIC COMPONENTS OF 5-, 10-, AND 20-PERCENT TOLERANCES [VALIDATION DATE: 8505] REVIEWER: 99 AS ES | A | 5905 | EC | 05-MAY-60 | ER | EC | 85 | |
| | | | | MS90217A | WASHER, SPRING, PART OF RF COAXIAL CONNECTORS [VALIDATION DATE: 8502] USER: AV REVIEWER: IS SA | A | 5310 | ER | 25-NOV-53 | ER | SH | 99 | |
| | | | | MS90221A | WASHER, HALF, PART OF SERIES C CONNECTORS [VALIDATION DATE: 8801] REVIEWER: 11 99 AS ES | A | 5935 | EC | 25-NOV-53 | CR | EC | 85 | |
| | | | | MS90253A | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-702/U (ADAPTS SERIES C PLUG TO SERIES HN JACK) [VALIDATION DATE: 8207] REVIEWER: 11 99 AS ES | A | 5935 | CR | 10-APR-61 | CR | EC | 85 | |
| | | | | MS90260 | COUPLING NUT, PART OF SERIES HN CONNECTORS [VALIDATION DATE: 8801] REVIEWER: 11 99 AS ES | A | 5935 | EC | 07-DEC-51 | CR | EC | 85 | |
| | | | | MS90261C | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE | A | 5935 | CR | 20-AUG-91 | CR | EC | 85 | |
| | | | | NOTICE 1 | UG-703A/U (SERIES C JACK TO SERIES HN PLUG) [VALIDATION DATE: 9108] REVIEWER: 11 99 AS | | | | | | | | |
| | | | | MS90295A | HOOK, BAND, PARACHUTE CONTAINER OPENING [VALIDATION DATE: 8501] USER: MC REVIEWER: 82 AS | A | 1670 | GL | 11-MAY-67 | GL | | 99 | |
| | | | | MS90296C | SPRING, BAND, PARACHUTE CONTAINER OPENING [VALIDATION DATE: 8601] USER: MC REVIEWER: 82 IS | A | 1670 | GL | 29-JAN-68 | GL | AS | 99 | |
| | L | | | MS90297 | BUCKLE, PARACHUTE CONTAINER [VALIDATION DATE: 9110] ..... | A | 5340 | AS | 09-OCT-91 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | |
| | | | | MS90298C | CONNECTOR, RECEPTACLE, ELECTRIC GROUNDING ..... | A | 5935 | AS | 24-NOV-81 | AV | AS | 11 | |

| Action | Qty | Cont. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MS90301B | TRANSMISSION, POWER, CONSTANT SPEED 30 KW F-4 AIRCRAFT [VALIDATION DATE: | A | 2995 | AS | | 27-AUG-87 | | AS | | |
| | | | | NOTICE 1 | 8708] | | | | | | | | | |
| L | | | | MS90302B | GENERATOR SYSTEM, ALTERNATING CURRENT, BRUSHLESS 30 KVA F-4 AIRCRAFT [VALIDATION DATE: 8508] REVIEWER: GS | A | 6115 | AS | | 01-APR-79 | | AS | | |
| L | | | | MS90304E | GENERATOR SYSTEM, 20 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY | A | 6115 | AS | | 11-DEC-87 | | AS | | |
| | | | | NOTICE 1 | EXCITED, BRUSHLESS TYPE, AIRCRAFT, SELF COOLED REVIEWER: GS | | | | | | | | | |
| A | L | | | MS90308B | LIGHT INDICATOR, SUBMINIATURE, RELAMPABLE [VALIDATION DATE: 9207] ..... | A | 6210 | AS | | 31-JUL-92 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS90310G | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, 469 MOUNTING BUSHING USER: MI REVIEWER: 11 17 99 AR AV EC ES | A | 5930 | 85 | | 18-OCT-85 | ER | AS | 85 | |
| | | | | MS90311J | SWITCH, TOGGLE---POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING USER: AT MI REVIEWER: 11 17 99 AR AV EC ES | A | 5930 | 85 | | 18-OCT-85 | ER | AS | 85 | |
| L | | | | MS90313E | GENERATOR SYSTEM, 20 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS TYPE, AIRCRAFT, BLAST COOLED [VALIDATION DATE: 8410] | A | 6115 | AS | | 26-MAR-78 | | AS | | |
| L | | | | MS90321S | CELL, BATTERY, STORAGE, LIGHT AND HEAVY DUTY, AIRCRAFT REVIEWER: GS ..... | A | 6140 | AS | | 24-SEP-82 | | AS | | |
| | | | | MS90322B | INDICATOR, TEMPERATURE ELECTRICAL RESISTANCE, VOLTAGE COMPENSATED, | A | 6685 | AS | | 11-DEC-87 | AV | AS | 99 | |
| | | | | NOTICE 1 | MULTI-FUNCTION [VALIDATION DATE: 8712] USER: CG MC REVIEWER: 71 GS | | | | | | | | | |
| L | | | | MS90323A | INDICATOR, TORQUEMETER, ENGINE, TURBOPROP [VALIDATION DATE: 9110] ..... | A | 6620 | AS | | 24-OCT-91 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MS90324A | THERMOCOUPLE, ENGINE CYLINDER, BAYONET TYPE [VALIDATION DATE: 8706] ..... | A | 6620 | AS | | 01-JUN-87 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MS90325G | GENERATOR SYSTEM, ALTERNATING CURRENT, INTEGRALLY EXCITED, 60 KVA BRUSHLESS (P-3 AIRCRAFT) REVIEWER: GS | A | 6115 | AS | | 15-FEB-80 | | AS | | |
| L | | | | MS90326A | FLOW CONTROL ASSEMBLY, QUICK DISCONNECT, CWU-33/P ANTI-EXPOSURE SUIT | A | 1660 | AS | | 30-OCT-91 | | AS | | |
| | | | | NOTICE 1 | [VALIDATION DATE: 9110] | | | | | | | | | |
| | | | | MS90327A | AIRCRAFT MARKINGS, ACCESS NUMBERING SYSTEM [VALIDATION DATE: 9110] ..... | A | 1500 | AS | | 09-OCT-91 | | AS | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS90328G | CABLE ASSEMBLY EXTERNAL ELECTRIC POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ REVIEWER: 99 ME SH | A | 6150 | AS | | 30-MAY-92 | CR | AS | 85 | GS |
| L | | | | MS90330 | SERVICING ADAPTER LOW PRESSURE OXYGEN [VALIDATION DATE: 8403] ..... | A | 1660 | AS | | 02-FEB-65 | | AS | | |
| L | | | | MS90331A | SERVICING ADAPTER HIGH PRESSURE OXYGEN [VALIDATION DATE: 9110] ..... | A | 1660 | AS | | 30-OCT-91 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS90332D | GENERATOR, DIRECT CURRENT, 300 AMPERE, CLASS A, BLAST COOLED, 3000-8000 | A | 6115 | AS | | 11-DEC-87 | | AS | 99 | |
| | | | | NOTICE 1 | RPM REVIEWER: GS | | | | | | | | | |
| L | | | | MS90333A | ADAPTER, GENERATOR TO AIR DUCT RADIAL, 2 INCH REVIEWER: GS ..... | A | 6115 | AS | | 11-DEC-87 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MS90335C | CONNECTOR, RECEPTACLES, PLUGS, ADAPTER, EL, EMBEDDED, PRINTED CIRCUIT BOARD LAMP LIGHTING PANELS REVIEWER: MC SH | A | 5935 | AS | | 12-FEB-90 | AV | AS | 11 | |
| | | | | MS90338 | VALVE, HIGH PRESSURE OXYGEN CHECK, FLARELESS ENDS [VALIDATION DATE: 8403] . | A | 4820 | AS | | 30-OCT-64 | AV | AS | 99 | |
| | | | | MS90339E | HOSE ASSEMBLY, OXYGEN MASK TO CONNECTOR [VALIDATION DATE: 9110] REVIEWER: | A | 1660 | AS | | 30-OCT-91 | AV | AS | 99 | |
| | | | | NOTICE 1 | 11 | | | | | | | | | |
| | | | | MS90340 | INSERT, INSTALLATION AND DETAIL, FULL FACE OXYGEN AND SMOKE MASKS | A | 1660 | AS | | 30-OCT-91 | AV | AS | 99 | |
| | | | | NOTICE 1 | [VALIDATION DATE: 9110] REVIEWER: 11 71 | | | | | | | | | |
| | | | | MS90341B | MOUNTING BRACKET, CONFIGURATION, MATING PORTION FOR 5 AND 10 LITER LIQUID OXYGEN CONVERTERS REVIEWER: 71 | A | 1660 | AS | | 17-OCT-85 | | AS | 11 | |
| | | | | MS90342 | NUT ASSEMBLY (GROOVED WASHER AND DETENTED WING) [VALIDATION DATE: 9110] | A | 1660 | AS | | 30-OCT-91 | | AS | 11 | |
| | | | | NOTICE 1 | REVIEWER: 71 AV | | | | | | | | | |
| L | | | | MS90346B | TIRE, PNEUMATIC, AIRCRAFT 36X11 HIGH SPEED, TYPE VII (NAVY) [VALIDATION | A | 2620 | AS | | 30-OCT-91 | | AS | | |
| | | | | NOTICE 1 | DATE: 9110] | | | | | | | | | |
| | | | | MS90347D | CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT 28 VOLT DC OPERATING POWER REVIEWER: 99 ME SH | A | 6150 | AS | | 30-MAY-92 | CR | AS | 85 | GS |
| L | | | | MS90350A | CONNECTOR ASSEMBLY, MALE, FLOW CONTROL AND QUICK DISCONNECT [VALIDATION | A | 8475 | AS | | 30-OCT-91 | | AS | | |
| | | | | NOTICE 1 | DATE: 9110] | | | | | | | | | |
| | | | | MS90353R | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100 DEG. FLUSH HEAD, ALLOY STEEL, 112 K.S.I. FSU REVIEWER: 82 IS MI | A | 5320 | AS | | 23-MAY-88 | AV | AS | 11 | |
| | | | | MS90354P | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, ALLOY STEEL 112 K.S.I. FSU REVIEWER: 82 IS MI | A | 5320 | AS | | 23-MAY-88 | AV | AS | 11 | |
| L | | | | MS90361 | TRANSMITTER, RATE OF FUEL FLOW, SYNCHRO TYPE [VALIDATION DATE: 8103] ..... | A | 6620 | AS | | 01-JUL-66 | | AS | | |
| | | | | MS90362C | CONNECTOR, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ [VALIDATION DATE: 8203] REVIEWER: 99 AV | A | 5935 | AS | | 27-FEB-76 | CR | AS | 85 | |
| | | | | MS90363J | LIMITED REUSABLE PACKAGING FOR REPAIRABLE COMPONENTS REVIEWER: 80 ..... | A | 8115 | SA | | 26-JUL-91 | GL | SA | | |
| L | | | | MS90367 | INDICATOR, ELECTRICAL, WHEELS & FLAPS POSITION ..... | A | 6610 | AS | | 11-DEC-87 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MS90373A | INDICATOR, ELAPSED TIME, ELECTROCHEMICAL (COPPER) HSV 50/2400 HZ AC OR 28V DC REVIEWER: 99 GS | A | 6645 | AS | | 07-OCT-87 | | AS | | |
| | | | | MS90375A | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, MINUS 70 DEG | A | 6685 | AS | | 11-DEC-87 | AV | AS | 99 | |
| | | | | NOTICE 1 | TO PLUS 150 DEG C, DUAL [VALIDATION DATE: 8712] REVIEWER: GS | | | | | | | | | |
| M | | | | MS90376E | CAP, DUST, PLASTIC, ELECTRIC CONNECTOR USER: AV REVIEWER: AR CR IS ..... | A | 5340 | AS | | 25-MAY-93 | ER | AS | 85 | |
| L | | | | MS90379F | BATTERIES, STORAGE, AIRCRAFT, TWO PART, THREADED POST CONNECTED, LARGE [VALIDATION DATE: 8005] REVIEWER: GS | A | 6140 | AS | | 12-MAR-71 | | AS | | |
| | | | | MS90380C | SLING, SURVIVOR S RESCUE REVIEWER: GS ..... | A | 4240 | AS | | 15-DEC-80 | ME | AS | 99 | |
| | | | | MS90382 | GRIP, CABLE, RESCUE [VALIDATION DATE: 8303] REVIEWER: GS ..... | A | 4240 | AS | | 24-JUN-65 | | AS | 99 | |
| L | | | | MS90384D | CABLE ASSEMBLIES, ELECTRIC POWER, PERMANENTLY WIRED, FOR PORTABLE GROUND | A | 6150 | AS | | 24-OCT-91 | | AS | | |
| | | | | NOTICE 1 | SUPPORT TEST EQUIPMENT [VALIDATION DATE: 9110] | | | | | | | | | |
| L | | | | MS90386C | INDICATOR, ELAPSED TIME, ELECTROCHEMICAL, (MERCURY) 115 VOLT AC, 50/2400 CPS 28 VOLT DC OR 5 VOLT DC USER: ME REVIEWER: 99 AV GS | A | 6645 | AS | | 07-OCT-87 | | AS | | |
| | | | | MS90387G | TOOL, HAND, ADJUSTABLE FOR PLASTIC AND METAL TIEDOWN STRAPS [VALIDATION | A | 5120 | AS | | 09-OCT-91 | CR | AS | 85 | |
| | | | | NOTICE 1 | DATE: 9110] USER: OS SH REVIEWER: 11 17 99 EC | | | | | | | | | |
| | | | | MS90389B | CYLINDER, OXYGEN, NON SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, .U, AND SPIRAL TYPES) REVIEWER: 11 | A | 1660 | AS | | 30-SEP-87 | AV | AS | 99 | |
| L | | | | MS90390D | COVER, BATTERY, STORAGE, MEDIUM DUTY, GENERAL PURPOSE, AIRCRAFT [VALIDATION DATE: 8005] REVIEWER: GS | A | 6140 | AS | | 28-JUL-67 | | AS | | |
| | | | | MS90393 | WRENCH, PINION (STRAIGHT) [VALIDATION DATE: 8208] USER: 17 AV CG MC REVIEWER: ES MI | A | 5990 | AS | | 06-JUN-67 | AR | AS | 85 | |
| | | | | MS90394 | WRENCH, PINION, 90 DEG. [VALIDATION DATE: 8307] USER: 17 CG MC REVIEWER: ES MI | A | 5990 | AS | | 06-JUN-67 | AR | AS | 85 | |
| | | | | MS90395 | WRENCH, SOCKET [VALIDATION DATE: 8208] USER: 17 CG MC REVIEWER: ES MI ..... | A | 5990 | AS | | 06-JUN-67 | AR | AS | 85 | |
| | | | | MS90398 | RING, ZEROING [VALIDATION DATE: 8208] USER: 17 CG MC REVIEWER: ES MI ..... | A | 5990 | AS | | 06-JUN-67 | AR | AS | 85 | |
| | | | | MS90399 | SCREW, DRIVE [VALIDATION DATE: 8208] USER: 17 CG MC REVIEWER: ES MI ..... | A | 5990 | AS | | 06-JUN-67 | AR | AS | 11 | |
| | | | | MS90400 | CLAMPING DISC ASSEMBLY [VALIDATION DATE: 8208] USER: 17 CG MC REVIEWER: ES | A | 5990 | AS | | 06-JUN-67 | AR | AS | 85 | |
| | | | | MS90401 | ADAPTER ASSEMBLY [VALIDATION DATE: 8208] USER: CG REVIEWER: 17 85 ES MC MI | A | 5990 | AS | | 06-JUN-67 | AR | AS | 11 | |
| | | | | MS90402 | SCREW, CAPTIVE [VALIDATION DATE: 8207] USER: 17 AV CG MC REVIEWER: ES MI .. | A | 5990 | AS | | 06-JUN-67 | AR | AS | 85 | |
| | | | | MS90404 | LUG TERMINAL TYPE 1, CLASS 2 [VALIDATION DATE: 8006] USER: 17 CG MC REVIEWER: MI | A | 5990 | AS | | 06-JUN-67 | AR | AS | 85 | |
| | | | | MS90405A | PIN, LOCKING [VALIDATION DATE: 8207] USER: 17 CG MC REVIEWER: ES ME MI .... | A | 5990 | AS | | 24-MAR-69 | AR | AS | 85 | |
| | | | | MS90406 | GAGE, RING, SPLINE (GO-NO GO) [VALIDATION DATE: 9203] USER: 17 AV CG MC | A | 5220 | AS | | 06-MAR-92 | AR | AS | 99 | |
| | | | | NOTICE 1 | REVIEWER: 11 85 ER MI SH | | | | | | | | | |
| L | | | | MS90412E | PROTECTOR, UNDERFREQUENCY A4-E, A4-F AIRCRAFT [VALIDATION DATE: 8410] REVIEWER: GS | A | 6115 | AS | | 26-MAR-78 | | AS | | |
| L | | | | MS90415C | NUT, SELF-LOCKING, STEEL, 160KSI, 450 DEG. F 12 POINT, CAPTIVE WASHER ..... | A | 5310 | AS | | 30-NOV-88 | | AS | | |
| L | | | | MS90443E | TIRE, PNEUMATIC, AIRCRAFT, 28 X 9.0, TYPE VII (NAVY) [VALIDATION DATE: | A | 2620 | AS | | 30-OCT-91 | | AS | | |
| | | | | NOTICE 1 | 9110] | | | | | | | | | |
| L | | | | MS90444 | TIRE - AIRCRAFT, 11.00-10, TYPE III (NAVY) [VALIDATION DATE: 9110] ..... | A | 2620 | AS | | 30-OCT-91 | | AS | | |
| | | | | NOTICE 1 | | | | | | | | | | |

| Action Code | Cat. Classification Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MS90451 | LAMP, INCANDESCENT, T-1 BULB, SHORT, INTEGRAL LIGHTING [VALIDATION DATE: 8107] REVIEWER: GS MI | A | 6240 | AS | | 17-MAY-67 | | AS | | |
| L | | MS90452A | LAMP, INCANDESCENT, T-3/4 BULB, INTEGRAL LIGHTING [VALIDATION DATE: 8107] REVIEWER: GS MI | A | 6240 | AS | | 25-OCT-67 | | AS | | |
| L | | MS90457A<br>NOTICE 1 | HOSE ASSEMBLY METAL, LIQUID OXYGEN [VALIDATION DATE: 8712] ..... | A | 4720 | AS | | 15-DEC-87 | | AS | | |
| L | | MS90463 | LIGHT ASSEMBLY, CABIN DOME [VALIDATION DATE: 8307] REVIEWER: GS ..... | A | 6220 | AS | | 17-JUL-68 | | AS | | |
| | | MS90484B<br>NOTICE 1 | GASKET, FLANGE MOUNT, CONNECTOR, ELECTRIC [VALIDATION DATE: 9110] USER: AT MC ME REVIEWER: 11 AR AV EC ES MI OS SH | A | 5935 | AS | | 24-OCT-91 | CR | AS | | 85 |
| | | MS90485E | DIES, CRIMPING TOOL, FOR USE WITH MS20659 UNINSULATED WIRE TERMINALS (FOR WIRE SIZES 8 THROUGH 4/ 0) [VALIDATION DATE: 8207] USER: MC SH REVIEWER: 85 EC GL OS | A | 5136 | AS | | 30-AUG-74 | CR | AS | | 99 |
| | | MS90486B | GAGE, IN SERVICE INSPECTION, FOR USE WITH MS90485 CRIMPING DIES, (FOR USE WITH COPPER UNINSULATED TERMINALS) [VALIDATION DATE: 8204] USER: MC OS REVIEWER: 85 | A | 5220 | AS | | 09-NOV-72 | CR | AS | | 99 |
| L | | MS90489B | WRENCH, PLUG, ELECTROLYTE ACCESS HOLE, CELL, AIRCRAFT ALKALINE STORAGE BATTERY [VALIDATION DATE: 8509] REVIEWER: GS | A | 6140 | AS | | 02-JUN-71 | | AS | | |
| D | | MS90499 | BAR, ROUND, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI ..... | A | 9510 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90500 | BAR, HALF ROUND, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI ..... | A | 9510 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90501 | BAR, FLAT, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI ..... | A | 9510 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90502 | BAR, SQUARE, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI ..... | A | 9510 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90503 | BAR, HEXAGON, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI ..... | A | 9510 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90504 | PLATE, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI ..... | A | 9515 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90505 | SHEET, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI ..... | A | 9515 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90506 | L SHAPES (ANGLES), EQUAL LEGS, STRUCTURAL STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI | A | 9520 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90507 | L SHAPES (ANGLES), UNEQUAL LEGS, STRUCTURAL STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI | A | 9520 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90508 | W SHAPES (H BEAM), STRUCTURAL STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI | A | 9520 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90509 | S SHAPES (I BEAM), STRUCTURAL STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI | A | 9520 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90510 | C SHAPES (CHANNEL), STRUCTURAL STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI | A | 9520 | YD1 | | 29-JAN-85 | MR | YD1 | | 99 |
| D | | MS90511 | SHEET, METAL, ALUMINUM ALLOY 5086 USER: MC OS SH REVIEWER: AR AT IS ..... | A | 9535 | YD1 | | 04-MAY-87 | MR | YD1 | | 99 |
| D | | MS90512 | SHEET, METAL, ALUMINUM ALLOY 5456 USER: MC OS SH REVIEWER: AR AT IS ..... | A | 9535 | YD1 | | 04-MAY-87 | MR | YD1 | | 99 |
| D | | MS90513 | SHEET, METAL, ALUMINUM ALOY 6061 ..... | A | 9535 | YD1 | | 04-MAY-87 | MR | YD1 | | 99 |
| D | | MS90514 | PLATE, METAL, ALUMINUM ALLOY 5456 USER: MC OS SH REVIEWER: AR AT IS ..... | A | 9535 | YD1 | | 04-MAY-87 | MR | YD1 | | 99 |
| D | | MS90515 | PLATE, METAL, ALUMINUMALLOY 5086 USER: MC OS SH REVIEWER: AR AT IS ..... | A | 9535 | YD1 | | 04-MAY-87 | MR | YD1 | | 99 |
| D | | MS90522A<br>NOTICE 1 | ELBOW, CAST-IRON THREADED DRAINAGE [VALIDATION DATE: 8708] USER: 99 CE MC REVIEWER: CS | A | 4730 | YD1 | | 25-AUG-87 | ME | YD1 | | |
| D | | MS90523A<br>NOTICE 1 | TEES, Y-BRANCHES, CROSSES, CAST IRON THREADED DRAINAGE [VALIDATION DATE: 8708] USER: 99 CE EC MC REVIEWER: CS | A | 4730 | YD1 | | 25-AUG-87 | ME | YD1 | | |
| D | | MS90524A<br>NOTICE 1 | Y-BRANCHES, 90 DEG. REDUCING, CAST IRON THREADED DRAINAGE USER: 99 CE MC REVIEWER: CS | A | 4730 | YD1 | | 20-AUG-87 | ME | YD1 | | |
| D | | MS90525A<br>NOTICE 1 | Y BRANCHES, 45 DEG., STRAIGHT & REDUCING, CAST IRON THREADED DRAINAGE [VALIDATION DATE: 8708] USER: 99 CE MC REVIEWER: CS | A | 4730 | YD1 | | 20-AUG-87 | ME | YD1 | | |
| D | | MS90526A<br>NOTICE 1 | COUPLING, INCREASERS, OFFSETS, CAST-IRON THREADED DRAINAGE [VALIDATION DATE, 8706] USER: 99 CE MC REVIEWER: CS | A | 4730 | YD1 | | 26-JUN-87 | ME | YD1 | | |
| D | | MS90527A<br>NOTICE 1 | Y-BRANCH, TUCKER AND ROOF CONNECTIONS, CAST-IRON THREADED DRAINAGE [VALIDATION DATE: 8706] USER: 99 CE MC REVIEWER: CS | A | 4730 | YD1 | | 26-JUN-87 | ME | YD1 | | |
| D | | MS90528A<br>NOTICE 1 | TRAP, P-BATH AND RUNNING, CAST IRON THREADED DRAINAGE [VALIDATION DATE: 8706] USER: 99 CE MC REVIEWER: CS | A | 4730 | YD1 | | 26-JUN-87 | ME | YD1 | | |
| L | | MS90530E | SWITCH, PRESSURE-WARNING, SPST, WATERPROOF, 24 VOLT, DC USER: ME REVIEWER: ES | A | 5930 | AT | | 02-FEB-88 | AT | | | |
| 1 | | MS90537A<br>NOTICE 1 | COILS, RADIO FREQUENCY, MOLDED, SUBMINIATURE, SHIELDED, MAGNETIC TYPE LT4K242 TO LT4K314 INCL. [VALIDATION DATE: 9111] REVIEWER: 99 MI | A | 5950 | ER | | 11-NOV-91 | ER | EC | | 85 |
| | | MS90538A<br>NOTICE 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K001 TO LT10K021 INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC OS SH REVIEWER: 11 17 99 AV MI | A | 5950 | ER | | 11-NOV-91 | ER | EC | | 85 |
| | | MS90539B | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K022 TO LT10K036 INCLUSIVE USER: 19 AR AS MC OS REVIEWER: 11 17 99 MI | A | 5950 | ER | | 05-APR-90 | ER | EC | | 80 |
| | | MS90540A<br>NOTICE 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K037 TO LT10K049 INCL. [VALIDATION DATE: 9111] REVIEWER: 99 MI | A | 5950 | ER | | 11-NOV-91 | ER | EC | | 85 |
| | | MS90541A<br>NOTICE 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED SUBMINIATURE (IRON CORE) TYPES LT10K050 TO LT10K060 INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC OS SH REVIEWER: 11 17 99 MI | A | 5950 | ER | | 11-NOV-91 | ER | EC | | 85 |
| | | MS90542B<br>NOTICE 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K315 TO LT4K327 INCL. [VALIDATION DATE: 9201] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS | A | 5950 | EC | | 31-JAN-92 | ER | EC | | 85 |
| | | MS90543A<br>NOTICE 1 | COILS, RADIO FREQUENCY, MOLDED, VARIABLE, POWDERED IRON CORE (PRINTED CIRCUIT MT'G) TYPES LT12V001 TO LT12V031 INCLUSIVE [VALIDATION DATE: 9111] USER: AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH | A | 5950 | ER | | 11-NOV-91 | ER | EC | | 85 |
| | | MS90546A<br>NOTICE 1 | COILS, RADIO FREQUENCY, MOLDED VARIABLE, FERRITE CORE (PRINTED CIRCUIT MT'G) TYPES LT12V032 TO LT12V062, INCLUSIVE [VALIDATION DATE: 9111] USER: 11 AS CG MC ME MI REVIEWER: 17 99 AT OS SH | A | 5950 | ER | | 11-NOV-91 | ER | EC | | 85 |
| | | MS90547D | SWITCH ROTARY 28/125 VOLTS REVIEWER: 11 17 99 AV ES MI OS ..... | A | 5930 | 85 | | 07-JAN-85 | ER | EC | | 85 |
| | | MS90555D<br>NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING CLASS L (POWER SOURCE RECEPTACLE) [VALIDATION DATE: 8909] USER: 14 19 CG MC OS REVIEWER: 11 17 80 AS ES MI | A | 5935 | EC | | 29-SEP-89 | CR | EC | | 85 |
| | | MS90556E<br>NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, STRAIGHT, CLASS L [VALIDATION DATE: 8909] USER: 13 14 AT AV CG MC ME OS SH REVIEWER: 11 17 80 AS ES MI | A | 5935 | EC | | 29-SEP-89 | CR | EC | | 85 |
| | | MS90557E<br>NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, CABLE CONNECTING, (WITHOUT COUPLING RING) CLASS L [VALIDATION DATE: 8909] USER: 14 19 CG MC OS REVIEWER: 11 17 80 AR AS ES MI | A | 5935 | EC | | 29-SEP-89 | CR | EC | | 85 |
| | | MS90558D<br>NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING, (WITH COUPLING RING) CLASS L (EQUIPMENT RECEPTACLE) [VALIDATION DATE: 8909] USER: 14 19 CG MC OS REVIEWER: 11 17 80 AR AS ES MI | A | 5935 | EC | | 29-SEP-89 | CR | EC | | 85 |
| | | MS90561E<br>NOTICE 1 | GRIP, CABLE, WOVEN, STRAIN RELIEF, AXIAL [VALIDATION DATE: 8909] USER: 13 19 AT AV CG MC OS REVIEWER: 17 80 99 AS ES ME MI | A | 5935 | EC | | 29-SEP-89 | CR | EC | | 85 |
| A | | MS90563E<br>NOTICE 1 | COVER, ELECTRICAL CONNECTOR, RECEPTACLE, CLASS L [VALIDATION DATE: 9206] USER: 15 19 AT AV CG MC ME OS REVIEWER: 17 85 99 AS MI | A | 5935 | EC | | 03-JUN-92 | CR | EC | | 11 |
| A | | MS90564E<br>NOTICE 1 | COVER, ELECTRICAL CONNECTOR, PLUG, CLASS L [VALIDATION DATE: 9206] USER: 15 19 AT AV CG MC OS REVIEWER: 17 85 99 AS MI | A | 5935 | EC | | 03-JUN-92 | CR | EC | | 11 |
| D | | MS90565G<br>NOTICE 1 | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SIZE 32, CLASS L, 60 AMPS [VALIDATION DATE: 8909] USER: 19 AT AV CG MC ME SH REVIEWER: 17 85 AS ES MI YD1 | A | 5935 | EC | | 29-SEP-89 | CR | EC | | 11 |
| | | MS90567B | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SIZE 48 CLASS L, 150 AMPS [VALIDATION DATE: 8003] USER: 14 19 CG MC REVIEWER: 11 17 AR AS ES MI OS | A | 5935 | EC | | 28-AUG-74 | CR | EC | | 85 |
| | | MS90569<br>NOTICE 1 | ADAPTER, (STEP UP) CABLE SEALING & GRIPPING [VALIDATION DATE: 9206] USER: 14 19 AV CG MC REVIEWER: 17 85 AS MI OS SH | A | 5935 | EC | | 03-JUN-92 | CR | EC | | 11 |
| | | MS90577<br>NOTICE 1 | ADAPTER, CONNECTOR, SERIES UHF TO SERIES BNC, UG-273/U [VALIDATION DATE: 9108] USER: 14 19 AS CG MC REVIEWER: 11 17 AR ES MI OS | A | 5935 | CR | | 20-AUG-91 | CR | EC | | 85 |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Class Symb. | FSC / Area | NACA Symbol | Preparing Activity | Date | Custodians | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | Army | Navy | Air Force | DLA |
| | | | MS90578A | ADAPTER CONNECTOR, UG-1441/U (TWIN BINDING POST-BNC MALE) [VALIDATION | A 5935 | CR | | 20-AUG-91 | CR | EC | 85 | |
| | | | NOTICE 1 | DATE: 9108] USER: 14 19 CG MC ME REVIEWER: 11 17 AR AS ES MI | | | | | | | | |
| | | | MS90579 | ADAPTER, CONNECTOR, TYPE UG-1375/U "QL" FEMALE - "C" FEMALE JAM NUT | A 5935 | CR | | 20-AUG-91 | CR | EC | 85 | |
| | | | NOTICE 1 | MOUNTED [VALIDATION DATE: 9108] USER: 14 19 AS CG MC OS REVIEWER: 11 17 ES | | | | | | | | |
| | | | MS90707B | RING, RETAINING, EXTERNAL GRIP USER: AT REVIEWER: 82 AV GL IS MI ..... | A 5365 | OS | | 25-AUG-89 | AR | OS | 99 | |
| | | | MS90708B | RING, RETAINING, EXTERNAL INTERLOCKING USER: AT ER REVIEWER: 82 AV GL IS MI | A 5365 | OS | | 25-AUG-89 | AR | OS | 99 | |
| D | | | MS90709 | NAIL, BOAT [VALIDATION DATE: 8504] USER: SA REVIEWER: 82 GL IS MC ..... | A 5315 | AR | | 18-DEC-62 | AR | YD1 | 99 | |
| D | | | MS90710A | NAIL, BRAD TYPE (BRADS, NAILS, CASING, NAILS, FINISHING) USER: AS AV CE MC SH REVIEWER: 82 GL IS ME MI SA | A 5315 | AR | | 12-FEB-86 | AR | YD1 | 99 | |
| D | | | MS90711A | NAIL, CLOUT, CUT USER: SA REVIEWER: 82 GL IS MC ..... | A 5315 | AR | | 25-JAN-88 | AR | YD1 | 99 | |
| D | | | MS90712 | NAIL, COMMON, CUT [VALIDATION DATE: 8504] USER: SA REVIEWER: 82 GL IS MC .. | A 5315 | AR | | 18-DEC-62 | AR | YD1 | 99 | |
| D | | | MS90713A | NAIL, COMMON, WIRE USER: AS AV CE SH REVIEWER: 82 GL IS MC ME MI SA ..... | A 5315 | AR | | 12-FEB-86 | AR | YD1 | 99 | |
| D | | | MS90714A | NAIL, COMPOSITION ROOFING USER: SA REVIEWER: 82 GL IS MC ..... | A 5315 | AR | | 25-JAN-88 | AR | YD1 | 99 | |
| D | | | MS90715A | NAIL, DOUBLE-HEADED USER: SA REVIEWER: 82 GL IS MC ..... | A 5315 | AR | | 08-OCT-85 | AR | YD1 | 99 | |
| D | | | MS90716 | NAIL, FOUNDRY [VALIDATION DATE: 8003] USER: SA REVIEWER: 82 GL IS MC ..... | A 5315 | AR | | 18-DEC-62 | AR | YD1 | 99 | |
| D | | | MS90717A | SPIKE, BARGE AND BOAT USER: SA REVIEWER: 82 GL MC ..... | A 5315 | AR | | 25-JAN-88 | AR | YD1 | 99 | |
| D | | | MS90718A | SPIKE, COMMON, WIRE USER: SA REVIEWER: 82 GL IS MC ..... | A 5315 | AR | | 25-JAN-88 | AR | YD1 | 99 | |
| D | | | MS90719 | STAPLE, CABLE, ELECTRICAN S [VALIDATION DATE: 8003] USER: SA REVIEWER: 82 GL IS MC | A 5315 | AR | | 18-DEC-62 | AR | YD1 | 99 | |
| D | | | MS90720 | STAPLE, FENCE [VALIDATION DATE: 8504] USER: SA REVIEWER: 82 GL IS MC ..... | A 5315 | AR | | 18-DEC-62 | AR | YD1 | 99 | |
| D | | | MS90721 | STAPLE, WIRING, ELECTRICAN S [VALIDATION DATE: 8504] USER: SA REVIEWER: 82 GL IS MC | A 5315 | AR | | 18-DEC-62 | AR | YD1 | 99 | |
| D | | | MS90722A | TACK USER: SA REVIEWER: 82 GL IS MC ..... | A 5315 | AR | | 25-JAN-88 | AR | YD1 | 99 | |
| | | | MS90723 | NUT, SHEET SPRING& J TYPE [VALIDATION DATE: 8304] REVIEWER: IS MI ..... | A 5310 | AR | | 28-FEB-63 | AR | AS | 99 | |
| | | | MS90724 | NUT, SHEET SPRING& U TYPE [VALIDATION DATE: 8203] REVIEWER: IS MI ..... | A 5310 | AR | | 28-FEB-63 | AR | AS | 99 | |
| A | | | MS90725D(1) | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNC-2A USER: AS MC ME REVIEWER: AT AV IS MI OS | A 5305 | AR | | 06-NOV-92 | AR | SH | 99 | |
| A | | | MS90726B(1) | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNF-2A USER: AT MC REVIEWER: AV IS ME MI OS | A 5305 | AR | | 06-NOV-92 | AR | SH | 99 | |
| D | | | MS90729A | BOLT, TEE HEAD [VALIDATION DATE: 8806] USER: AS MC ME OS REVIEWER: AV IS .. | A 5306 | AR | | 06-JUN-88 | AR | YD1 | 99 | |
| | | | NOTICE 1 | | | | | | | | | |
| L | | | MS90908B | FILLER TUBE, FUEL TANK-MILITARY VEHICLES [VALIDATION DATE: 8807] USER: MC | A 2910 | AT | | 08-JUL-88 | AT | | | |
| | | | NOTICE 1 | REVIEWER: CR CS | | | | | | | | |
| | | | MS91000B | BRUSH, ELECTRICAL CONTACT,CARTRIDGE TYPE [VALIDATION DATE: 8307] REVIEWER: 99 GS MC | A 5977 | ER | | 12-NOV-57 | ER | AS | 11 | |
| | | | MS91124A | WASHER, FLAT; PART OF RF COAXIAL CONNECTORS [VALIDATION DATE: 9108] | A 5935 | CR | | 20-AUG-91 | CR | EC | 85 | |
| | | | NOTICE 1 | REVIEWER: 11 99 ES | | | | | | | | |
| | | | MS91189D | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES | A 5950 | ER | | 11-NOV-91 | ER | EC | 85 | |
| | | | NOTICE 1 | LT4K002 TO LT4K016 INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC OS REVIEWER: 11 17 99 MI | | | | | | | | |
| | | | MS91404D | BASE, MOUNTING, SMALL-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) [VALIDATION DATE: 8005] USER: CG MC REVIEWER: 11 99 GS MI | A 5975 | AS | | 20-OCT-66 | ER | AS | 85 | |
| | | | MS91405E | BASE, MOUNTING, LARGE-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) [VALIDATION DATE: 8005] REVIEWER: 11 99 GS | A 5975 | AS | | 20-OCT-66 | ER | AS | 85 | |
| | | | MS91522A | KNOB, CONTROL, CRANK, METAL [VALIDATION DATE: 8505] ..... | A 5355 | EC | | 20-SEP-72 | ER | EC | 11 | |
| I | | | MS91523B | KNOB, CONTROL, LEVER, METAL [VALIDATION DATE: 9102] USER: MC REVIEWER: AV | A 5355 | EC | | 25-FEB-91 | ER | EC | 11 | |
| | | | NOTICE 1 | IS | | | | | | | | |
| | | | MS91524E | KNOBS CONTROL, SHORT BAR, METAL AND PLASTIC [VALIDATION DATE: 8601] USER: AR CG MC OS REVIEWER: AS AT AV IS ME MI MS SH | A 5355 | EC | | 14-AUG-80 | ER | EC | 11 | |
| | | | MS91525F | KNOBS, CONTROL, BAR, METAL AND PLASTIC [VALIDATION DATE: 8601] USER: AR CG MC OS REVIEWER: AS AT AV EA IS ME MS SH | A 5355 | EC | | 14-AUG-80 | ER | EC | 11 | |
| | | | MS91527B | MOUNT, VIBRATION, CUP-TYPE, CLASSES A-B (FOR USE WITH ELECTRONIC EQUIPMENT | A 5340 | AS | | 31-DEC-87 | AV | AS | 99 | |
| | | | NOTICE 1 | IN AIRCRAFT) REVIEWER: 11 AR MI | | | | | | | | |
| | | | MS91528J | KNOBS-CONTROL, PLASTIC (ROUND, CONCENTRIC, POINTER, SPINNER, SPINNER | A 5355 | EC | | 25-FEB-91 | ER | EC | 11 | |
| | | | NOTICE 1 | SLIP-CLUTCH, BAR, TACTILE, KNOB LOCK POINTER, SLIP-CLUTCH, AND KNOB LOCKS) [VALIDATION DATE: 9102] USER: CG OS REVIEWER: AS AT AV EA IS MC ME MI | | | | | | | | |
| I | | | MS91531E | KNOBS, CONTROL, ROUND, PLASTIC (WITH FLUTED GRIP) [VALIDATION DATE: 9102] | A 5355 | EC | | 25-FEB-91 | ER | EC | 11 | |
| | | | NOTICE 1 | USER: AR CG MC OS REVIEWER: AT AV ME MI | | | | | | | | |
| | | | MS91586B | SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT, STYLE MSA [VALIDATION DATE: | A 6625 | CR | | 30-JAN-91 | CR | | 99 | |
| | | | NOTICE 1 | 9101] USER: ME REVIEWER: AR AV ES MI | | | | | | | | |
| | | | MS91587A | SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT, STYLE MSB [VALIDATION DATE: | A 6625 | CR | | 30-JAN-91 | CR | SH | 99 | |
| | | | NOTICE 1 | 9101] USER: ME REVIEWER: AR ES MI | | | | | | | | |
| | | | MS91588B | SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT STYLE MSC [VALIDATION DATE: | A 6625 | CR | | 30-JAN-91 | CR | SH | | |
| | | | NOTICE 1 | 9101] REVIEWER: ES | | | | | | | | |
| | | | MS91596B | ADAPTER, CONNECTOR, SERIES LC, UG-2168/U [VALIDATION DATE: 8505] USER: MC REVIEWER: 11 99 AS ES | A 5935 | EC | | 02-DEC-60 | CR | EC | 85 | |
| | | | MS91598A | NUT, COUPLING, SERIES LC CONNECTORS [VALIDATION DATE: 8601] USER: MC REVIEWER: 11 99 AS ES | A 5935 | EC | | 14-JUL-55 | CR | EC | 85 | |
| | | | MS91604A | CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-154A/U [VALIDATION DATE: 8601] USER: MC REVIEWER: 11 99 AS ES | A 5935 | EC | | 02-DEC-60 | CR | EC | 85 | |
| | | | MS91607B | GASKET, SERIES LC CONNECTORS [VALIDATION DATE: 8601] USER: MC REVIEWER: 11 99 AS IS SA | A 5330 | EC | | 26-MAR-80 | EL | EC | 68 | |
| | | | MS91610B | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES LC, UG-352B/U [VALIDATION DATE: 8304] USER: MC REVIEWER: 11 99 AS ES | A 5935 | EC | | 11-SEP-61 | CR | EC | 85 | |
| | | | MS91614A | ADAPTER, CONNECTOR, SERIES LC, UG-155B/U [VALIDATION DATE: 8505] USER: MC REVIEWER: 11 99 AS ES | A 5935 | EC | | 02-DEC-60 | CR | EC | 85 | |
| | | | MS91616A | ADAPTER, CONNECTOR, SERIES LC, UG-157B/U [VALIDATION DATE: 8505] USER: MC REVIEWER: 11 99 AS ES | A 5935 | EC | | 02-DEC-60 | CR | EC | 85 | |
| | | | MS91617A | CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-156A/U [VALIDATION DATE: 8505] USER: MC REVIEWER: 11 99 AS ES | A 5935 | EC | | 02-DEC-60 | CR | EC | 85 | |
| | | | MS91618A | ADAPTER, CONNECTOR, SERIES LC, UG-287B/U [VALIDATION DATE: 8505] USER: MC REVIEWER: 11 99 AS ES | A 5935 | EC | | 02-DEC-60 | CR | EC | 85 | |
| | | | MS91619B | ADAPTER, CONNECTOR, SERIES LC, UG-219B/U [VALIDATION DATE: 8505] USER: MC REVIEWER: 11 99 AS ES | A 5935 | EC | | 02-DEC-60 | CR | EC | 85 | |
| | | | MS91620B | ADAPTER, CONNECTOR, SERIES LC, UG-2088/U [VALIDATION DATE: 8505] USER: MC REVIEWER: 11 99 AS ES | A 5935 | EC | | 02-DEC-60 | CR | EC | 85 | |
| | | | MS91820 | WASHER, SPLIT, PART OF SERIES C CONNECTORS [VALIDATION DATE: 8502] REVIEWER: AR IS SA | A 5310 | ER | | 25-NOV-53 | ER | SH | 99 | |
| | | | MS122026THRUMS122075A | WASHER - LOCK, SPRING [VALIDATION DATE: 8202] USER: ME REVIEWER: IS MI .... | A 5310 | 82 | | 17-JUN-57 | | AS | 99 | |
| | | | MS122076THRUMS122115D | INSERT CRES HELICAL COIL COARSE THREAD 1 DIA, NOMINAL LENGTH [VALIDATION DATE: 8205] USER: ER MC OS REVIEWER: AR ME MI | A 5340 | 82 | | 24-FEB-76 | AV | AS | 99 | |
| | | | MS122116THRUMS122155D | INSERT CRES HELICAL COIL COARSE THREAD 1 1/2 DIA, NOMINAL LENGTH [VALIDATION DATE: 8205] USER: ER MC OS REVIEWER: AR ME MI | A 5340 | 82 | | 24-FEB-76 | AV | AS | 99 | |
| | | | MS122156THRUMS122195D | INSERT CRES HELICAL COIL COARSE THREAD 2 DIA, NOMINAL LENGTH [VALIDATION DATE: 8205] USER: ER MC OS REVIEWER: AR ME MI | A 5340 | 82 | | 24-FEB-76 | AV | AS | 99 | |
| | | | MS122196THRUMS122235D | INSERT CRES HELICAL COIL COARSE THREAD 2 1/2 DIA, NOMINAL LENGTH [VALIDATION DATE: 8202] USER: ER MC OS REVIEWER: AR ME MI | A 5340 | 82 | | 24-FEB-76 | AV | AS | 99 | |
| | | | MS122236THRUMS122275D | INSERT-CRES HELICAL COIL COARSE THREAD, 3 DIA NOMINAL LENGTH (ASG) [VALIDATION DATE: 8205] USER: ER MC OS REVIEWER: AR ME MI | A 5340 | 82 | | 24-FEB-76 | AV | AS | 99 | |
| | | | MS122900THRUMS122939B | CLAMP LOOP TYPE SUPPORT (HEAT RESISTANT) .204 HOLE [VALIDATION DATE: 8304] | A 5340 | 82 | | 15-MAY-68 | AV | AS | 99 | |
| | | | MS123120THRUMS123150C | PLUG - STRAIGHT THREAD, (O) RING SEAL, ALUMINUM (INACTIVE 7 JUNE 72 [VALIDATION DATE: 7903] USER: CS REVIEWER: MI | A 4730 | 82 | | 07-JUN-72 | AV | AS | 82 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MS124651THRUMS124690D | INSERT - CRES HELICAL COIL FINE THREAD, 1 DIA NOMINAL LENGTH [VALIDATION DATE: 8205] USER: ER MC ME OS REVIEWER: 99 AR MI | A | 5340 | 82 | | 24-FEB-76 | AV | AS | | 11 |
| | | | | MS124691THRUMS124730E | INSERT, CRES HELICAL COIL FINE THREAD, 1-1/2 DIA NOMINAL LENGTH | A | 5340 | AS | | 09-OCT-91 | AV | AS | | 99 |
| | | | | NOTICE 1 | [VALIDATION DATE: 9110] USER: CR MC ME MI OS REVIEWER: 82 AR | | | | | | | | | |
| | | | | MS124731THRUMS124770D | INSERT, CRES HELICAL COIL FINE THREAD, 2 DIA NOMINAL LENGTH [VALIDATION | A | 5340 | 82 | | 09-OCT-91 | AV | AS | | 99 |
| | | | | NOTICE 1 | DATE: 9110] USER: ER MC ME MI OS REVIEWER: 11 AR | | | | | | | | | |
| | | | | MS124771THRUMS124810D | INSERT - CRES HELICAL COIL FINE THREAD, 2 1/2 DIA NOMINAL LENGTH | A | 5340 | 99 | | 24-FEB-76 | AV | AS | | 99 |
| | | | | | [VALIDATION DATE: 8202] USER: ER MC ME MI OS REVIEWER: AR | | | | | | | | | |
| | | | | MS124771THRUMS124811D | INSERT - CRES HELICAL COIL FINE THREAD, 2 1/2 DIA NOMINAL LENGTH | A | 5340 | 82 | | 24-FEB-76 | AV | AS | | 99 |
| | | | | | [VALIDATION DATE: 8202] USER: ER MC ME MI OS REVIEWER: AR | | | | | | | | | |
| | | | | MS124811THRUMS124850D | INSERT, CRES HELICAL COIL FINE THREAD, 3 DIA NOMINAL LENGTH [VALIDATION | A | 5340 | AS | | 09-OCT-91 | AV | AS | | 99 |
| | | | | NOTICE 1 | DATE: 9110] USER: CR MC ME MI OS REVIEWER: 82 AR | | | | | | | | | |
| | | | | MS171401THRUMS171900C | PIN - SPRING, CORROSION RESISTANT STEEL [VALIDATION DATE: 8807] USER: MC | A | 5315 | 82 | | 08-JUL-88 | AV | AS | | 99 |
| | | | | | REVIEWER: AR IS MI | | | | | | | | | |
| | | | | MS171401C | PIN-SPRING, CORROSION RESISTANT STEEL (ASG) [VALIDATION DATE: 8807] USER: | A | 5315 | 82 | | 08-JUL-88 | AV | AS | | 99 |
| | | | | NOTICE 1 | MC REVIEWER: AR IS MI | | | | | | | | | |
| | | | | MS172201THRUMS172235B | WASHER, KEY - SINGLE, BEARING RETAINING, AMS 8350 (ASG) [VALIDATION DATE: | A | 5310 | 82 | | 07-SEP-62 | | AS | | 99 |
| | | | | | 8205] USER: 69 MC REVIEWER: IS MI | | | | | | | | | |
| | | | | MS172236THRUMS172270B | NUT-SPANNER, BEARING RETAINING, AERONAUTICAL (ASG) [VALIDATION DATE: 8205] | A | 5310 | 82 | | 16-DEC-74 | AV | AS | | 99 |
| | | | | | USER: MC REVIEWER: IS | | | | | | | | | |
| | | | | MS172271THRUMS172320B | WASHER, KEY - SINGLE, AMS 6350 (ASG) [VALIDATION DATE: 8202] REVIEWER: IS | A | 5310 | 82 | | 07-SEP-62 | | AS | | 99 |
| | | | | | MI | | | | | | | | | |
| | | | | MS172321THRUMS172370I | NUT - SPANNER, AERONAUTICAL REVIEWER: IS ..... | A | 5310 | AS | | 20-DEC-57 | | AS | | 99 |
| | | | | MS500004A | PAD EYE VEHICULAR TOWING LUG [VALIDATION DATE: 8505] REVIEWER: CS ..... | A | 2540 | AT | | 28-AUG-80 | AT | MC | | 99 |
| | | | | MS500017 | CHASSIS, TRUCK, MILITARY DESIGN, M44, 2-1/2 TON, 6X6, 154 INCH WHEELBASE .. | A | 2320 | AT | | 05-JUN-85 | AT | MC | | 99 |
| L | | | | MS500030A | BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE, COMMERCIAL VEHICLES [VALIDATION | A | 2540 | AT | | 18-JAN-66 | AT | | | |
| | | | | | DATE: 8504] USER: ME REVIEWER: CS | | | | | | | | | |
| | | | | MS500037A | HOOK, TOWING, HEAVY (FOR VEHICLES 40 TONS AND OVER) [VALIDATION DATE: | A | 2540 | AT | | 16-FEB-78 | AT | | | |
| | | | | | 8308] USER: AR EA MC | | | | | | | | | |
| | | | | MS500038A | HOOK, TOWING, MEDIUM (FOR VEHICLES 15 TO 40 TONS) [VALIDATION DATE: 8308] | A | 2540 | AT | | 16-FEB-78 | AT | | | |
| | | | | | USER: EA MC | | | | | | | | | |
| | | | | MS500039A | HOOK, TOWING, LIGHT (FOR VEHICLES 8 TO 15 TONS) [VALIDATION DATE: 8308] | A | 2540 | AT | | 16-FEB-78 | AT | | | |
| | | | | | USER: EA MC | | | | | | | | | |
| L | | | | MS500040J | TRANSMITTER, LIQUID QUANTITY, FLOAT TYPE, ENGINE FUEL USER: 80 ME | A | 6680 | AT | | 01-MAR-91 | AT | | | |
| | | | | | REVIEWER: GS | | | | | | | | | |
| L | | | | MS500043B | CONTROL ASSEMBLY, PUSH PULL, THROTTLE, ENGINE, RATCHET LOCK TYPE | A | 2990 | AT | | 29-APR-75 | AT | | | |
| | | | | | [VALIDATION DATE: 8412] USER: MC REVIEWER: CS ME | | | | | | | | | |
| | | | | MS500044C | CONTROL ASSEMBLY, PUSH-PULL, THROTTLE, ENGINE, VERNIER ADJUSTMENT TYPE | A | 2990 | AT | | 25-SEP-77 | AT | | 99 | |
| | | | | | [VALIDATION DATE: 8304] USER: MC REVIEWER: CS | | | | | | | | | |
| | | | | MS500045C | CONTROL ASSEMBLY, PUSH PULL, CHOKE, ENGINE [VALIDATION DATE: 8512] | A | 2990 | AT | | 09-JAN-81 | AT | | 11 | |
| | | | | | REVIEWER: CS | | | | | | | | | |
| D | | | | MS500048A | TOWBAR, MOTOR VEHICLE: LIGHT, MEDIUM AND HEAVY DUTY (FOR VEHICLES 2 1/2 | A | 2540 | AT | | 13-DEC-91 | AT | YD1 | 99 | |
| | | | | | TO 50 TONS & HEAVIER) USER: AR MC REVIEWER: 84 CS | | | | | | | | | |
| L | | | | MS500055E | CHAIN ASSEMBLY, SINGLE TIRE TYPE TS ..... | A | 2540 | AT | | 28-MAR-86 | AT | | | |
| L | | | | MS500056E | CHAIN, SIDE AND INNER (DUAL AND SINGLE TIRE) ..... | A | 2540 | AT | | 28-MAR-86 | AT | | | |
| L | | | | MS500057D | CROSS CHAIN (DUAL AND SINGLE TIRE) ..... | A | 2540 | AT | | 28-MAR-86 | AT | | | |
| L | | | | MS500058D | HOOK, SWIVEL, TIRE CHAIN (SIZE , A,) ..... | A | 2540 | AT | | 16-SEP-86 | AT | | | |
| L | | | | MS500059G | HOOK, SWIVEL, TIRE CHAIN (SIZE B) ..... | A | 2540 | AT | | 10-NOV-86 | AT | | | |
| L | | | | MS500060G | HOOK, SWIVEL, TIRE CHAIN (SIZE C) ..... | A | 2540 | AT | | 16-SEP-86 | AT | | 84 | |
| | | | | MS500062A | LADDERS, VEHICLE BOARDING USER: MC ME REVIEWER: MI ..... | A | 2540 | AT | | 09-DEC-85 | AT | | 99 | |
| | | | | MS500072C | BEARING, ROLLER, NEEDLE, ASSEMBLY (THICK OUTER RACE) [VALIDATION DATE: | A | 3110 | AT | | 24-JAN-75 | AT | OS | 11 | |
| | | | | | 8502] USER: AR MC REVIEWER: 99 AV IS ME MI | | | | | | | | | |
| | | | | MS500073B | CONTROL ASSEMBLY, PUSH-PULL, FRICTION LOCK TYPE GENERAL PURPOSE | A | 2990 | AT | | 29-APR-75 | AT | | 99 | |
| | | | | | [VALIDATION DATE: 8412] USER: MC REVIEWER: CS ME | | | | | | | | | |
| | | | | MS500074B | CONTROL ASSEMBLY, PUSH-PULL RATCHET LOCK TYPE GENERAL PURPOSE [VALIDATION | A | 2990 | AT | | 29-APR-75 | AT | | 99 | |
| | | | | | DATE: 8412] USER: MC REVIEWER: CS | | | | | | | | | |
| L | | | | MS500077C | HOSE ASSEMBLY, RUBBER, HYDRAULIC AND PNEUMATIC, MEDIUM PRESSURE, FLARED | A | 4720 | AT | | 01-JAN-76 | AT | MC | | |
| | | | | | TUBE [VALIDATION DATE: 8512] USER: AV REVIEWER: AR CS ME MI | | | | | | | | | |
| L | | | | MS500083C | HOSE ASSEMBLY, NONMETALLIC: HYDRAULIC AND PNEUMATIC HIGH PRESSURE, FLARED | A | 4720 | AT | | 09-SEP-87 | AT | | | |
| | | | | NOTICE 1 | TUBE [VALIDATION DATE: 8709] USER: AV REVIEWER: AR CS ME MI | | | | | | | | | |
| L | | | | MS500088 | MIRROR AND ARM ASSEMBLY, REAR VIEW [VALIDATION DATE: 8504] USER: MC ME MI . | A | 2540 | AT | | 21-MAR-68 | AT | | | |
| | | | | MS500090B | ARM, WINDSHIELD WIPER HEAVY DUTY (ADJUSTABLE) [VALIDATION DATE: 8312] | A | 2540 | AT | | 22-NOV-74 | AT | | 99 | |
| | | | | | REVIEWER: CS | | | | | | | | | |
| | | | | MS500091C | BLADE, WINDSHIELD WIPER, HEAVY DUTY [VALIDATION DATE: 8710] USER: MC ME | A | 2540 | AT | | 15-OCT-87 | AT | | 99 | |
| | | | | NOTICE 1 | REVIEWER: CS | | | | | | | | | |
| | | | | MS500093A | TANK, PRESSURE, AIR BRAKE, TACTICAL TRAILERS [VALIDATION DATE: 8503] USER: | A | 2530 | AT | | 25-FEB-74 | AT | | 99 | |
| | | | | | MC ME MI REVIEWER: CS | | | | | | | | | |
| | | | | MS500104 | BAR, METAL, FLAT, STEEL, CARBON, 1035 USER: ME MI REVIEWER: 99 AR AT IS ... | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500105 | BAR, METAL, FLAT, STEEL, CARBON 1045 USER: ME MI REVIEWER: 99 AR AT IS .... | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500106 | BAR, METAL, ROUND, STEEL, CARBON 1018 USER: ME MI REVIEWER: 99 AR AT IS ... | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500107 | BAR, METAL, ROUND, STEEL, CARBON, 1020 USER: ME MI REVIEWER: 99 AR AT IS .. | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500108 | BAR, METAL, ROUND, STEEL, CARBON, 1035 USER: ME MI REVIEWER: 99 AR AT IS .. | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500109 | BAR, METAL, ROUND, STEEL, CARBON, 1045 USER: ME MI REVIEWER: 99 AR AT IS .. | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500110 | BAR, METAL, ROUND, STEEL, CARBON, 1141 USER: ME MI REVIEWER: 99 AR AT IS .. | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500111 | BAR, METAL, HEXAGON, STEEL, CARBON 1018 USER: ME MI REVIEWER: 99 AR AT IS . | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500112 | BAR, METAL, HEXAGON, STEEL, CARBON, 1020 USER: ME MI REVIEWER: 99 AR AT IS | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500113 | BAR, METAL, SQUARE, STEEL, CARBON, 1018 USER: ME MI REVIEWER: 99 AR AT IS . | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500114 | BAR, METAL, SQUARE, STEEL, CARBON, 1020 USER: ME MI REVIEWER: 99 AR AT IS . | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500115 | BAR, METAL, SQUARE, STEEL, CARBON, 1035 USER: ME MI REVIEWER: 99 AR AT IS . | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500116 | BAR, METAL, SQUARE, STEEL, CARBON, 1045 USER: ME MI REVIEWER: 99 AR AT IS . | A | 9510 | MR | | 05-MAR-87 | MR | AS | | |
| | | | | MS500118 | WIRE, NONELECTRICAL, HEXAGON, CORROSION RESISTANT STEEL, TYPE 303 USER: OS | A | 9505 | MR | | 21-APR-87 | MR | | 11 | |
| | | | | | REVIEWER: 99 AR IS MI | | | | | | | | | |
| | | | | MS500119 | WIRE, NONELECTRICAL, SQUARE, CORROSION RESISTANT STEEL, TYPE 303 USER: OS | A | 9505 | MR | | 21-APR-87 | MR | | 11 | |
| | | | | | REVIEWER: 99 AR IS MI | | | | | | | | | |
| | | | | MS500120 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT STEEL, TYPE 303SE USER: OS | A | 9505 | MR | | 21-APR-87 | MR | | 11 | |
| | | | | | REVIEWER: 99 AR IS MI | | | | | | | | | |
| | | | | MS500121 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT STEEL, TYPE 416 ..... | A | 9505 | MR | | 21-APR-87 | MR | | 11 | |
| | | | | MS500122 | WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT STEEL, TYPE 430F ..... | A | 9505 | MR | | 21-APR-87 | MR | | 11 | |
| | | | | MS500123 | WIRE, METAL, ROUND, NONELECTRIC, TOOL STEEL, TYPE T1 USER: OS REVIEWER: 99 | A | 9505 | MR | | 23-JUN-87 | MR | SH | 11 | |
| | | | | | AR IS MI | | | | | | | | | |
| | | | | MS500124 | BAR, METAL, ROUND, CORROSION RESISTANT STEEL, TYPE 303 ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500125 | BAR, METAL, ROUND, CORROSION RESISTANT STEEL, TYPE 303 SE ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500126 | BAR, METAL, ROUND, CORROSION RESISTANT STEEL, TYPE 416 ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500127 | BAR, METAL, ROUND, CORROSION RESISTANT STEEL, TYPE 430 F ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500128 | BAR, METAL, HEXAGON, CORROSION RESISTANT STEEL, TYPE 303 ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500129 | BAR, METAL, HEXAGON, CORROSION RESISTANT STEEL, TYPE 416 ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500130 | BAR, METAL, HEXAGON, CORROSION RESISTANT STEEL, TYPE 303 SE ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500131 | BAR, METAL, SQUARE, CORROSION RESISTANT STEEL, TYPE 303 ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500132 | BAR, METAL, SQUARE, CORROSION RESISTANT STEEL, TYPE 303 SE ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500133 | BAR, METAL, FLAT, CORROSION RESISTANT STEEL,TYPE 303 ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500134 | BAR, METAL, FLAT, CORROSION RESISTANT STEEL, TYPE 303 SE ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500135 | BAR, METAL, FLAT, CORROSION RESISTANT STEEL, TYPE 416 ..... | A | 9510 | MR | | 21-APR-87 | | | 11 | |
| | | | | MS500136 | BAR, METAL, RECTANGULAR, TOOL STEEL, TYPE M2 REVIEWER: 99 AR GL IS MC MI .. | A | 9510 | MR | | 23-JUN-87 | MR | SH | 11 | |
| | | | | MS500137 | BAR, METAL, RECTANGULAR, TOOL STEEL, TYPE T1 REVIEWER: 99 AR GL IS MC MI .. | A | 9510 | MR | | 23-JUN-87 | MR | SH | 11 | |

| Action / OPL / OML / Coordination / Inactive / Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activ. / Date | Custodians: Army | Custodians: Navy | Custodians: Air Force | Custodians: DLA |
|---|---|---|---|---|---|---|
| MS500138 | BAR, METAL, ROUND, TOOL STEEL, TYPE ME REVIEWER: 99 AR GL IS MC MI ..... | A 9510 MR 23-JUN-87 | MR | SH | 11 | |
| MS500139 | BAR, METAL, ROUND, TOOL STEEL, TYPE T1 REVIEWER: 99 AR GL IS MC MI ..... | A 9510 MR 23-JUN-87 | MR | SH | 11 | |
| MS500140 | BAR, METAL, SQUARE, TOOL STEEL, TYPE M2 REVIEWER: 99 AR GL IS MC MI ..... | A 9510 MR 23-JUN-87 | MR | SH | 11 | |
| MS500141 | BAR, METAL, SQUARE, TOOL STEEL, TYPE T1 REVIEWER: 99 AR GL IS MC MI ..... | A 9510 MR 23-JUN-87 | MR | SH | 11 | |
| MS500142 NOTICE 1 | WIRE, NON-ELECTRICAL, ROUND, COPPER BASE ALLOY 464 [VALIDATION DATE: 9103] USER: AS ER OS REVIEWER: AR MI | A 9525 MR 20-MAR-91 | MR | SH | 69 | |
| MS500143 NOTICE 1 | WIRE, NON-ELECTRICAL, HEXAGON, COPPER BASE ALLOY 464 [VALIDATION DATE: 9103] USER: AS ER OS REVIEWER: AR IS MI | A 9525 MR 20-MAR-91 | MR | SH | 69 | |
| MS500144 NOTICE 1 | WIRE, NON-ELECTRICAL, SQUARE COPPER BASE ALLOY 464 [VALIDATION DATE: 9103] USER: AS ER OS REVIEWER: AR IS MI | A 9525 MR 20-MAR-91 | MR | SH | 69 | |
| MS500145 NOTICE 1 | WIRE, NON-ELECTRICAL, HALF OVAL, COPPER BASE ALLOY 464 [VALIDATION DATE: 9103] USER: AS ER OS REVIEWER: AR IS MI | A 9525 MR 20-MAR-91 | MR | SH | 69 | |
| MS500146 NOTICE 1 | WIRE, NON-ELECTRICAL, ROUND, COPPER BASE ALLOY 482 [VALIDATION DATE: 9103] USER: AS ER OS REVIEWER: AR MI | A 9525 MR 20-MAR-91 | MR | SH | 69 | |
| MS500147 NOTICE 1 | WIRE, NON-ELECTRICAL, HEXAGON, COPPER BASE ALLOY 482 [VALIDATION DATE: 9103] USER: AS ER OS REVIEWER: AR MI | A 9525 MR 20-MAR-91 | MR | SH | 69 | |
| MS500148 NOTICE 1 | BAR, METAL, ROUND, COPPER BASE ALLOY 464 [VALIDATION DATE: 9103] USER: AS ER OS REVIEWER: AR MI | A 9530 MR 20-MAR-91 | MR | SH | 69 | |
| MS500150 NOTICE 1 | BUR, METAL, SQUARE, COPPER BASE ALLOY 464 [VALIDATION DATE: 9103] USER: AS ER OS REVIEWER: AR MI | A 9530 MR 20-MAR-91 | MR | SH | 69 | |
| MS500151 NOTICE 1 | BUR, METAL, FLAT, COPPER BASE ALLOY 464 [VALIDATION DATE: 9103] USER: AS ER OS REVIEWER: AR MI | A 9530 MR 20-MAR-91 | MR | SH | 69 | |
| MS500153 NOTICE 1 | BUR, METAL, HEXAGON, COPPER BASE ALLOY 482 [VALIDATION DATE: 9103] USER: AS ER OS REVIEWER: AR MI | A 9530 MR 20-MAR-91 | MR | SH | 69 | |
| MS500161 | WIRE, METAL, NONELECTRICAL, COPPER BERYLLIUM, ALLOY 172 USER: EC REVIEWER: 84 AR AS AT ER IS MI | A 9526 MR 02-APR-91 | MR | SH | 11 | |
| MS500162 | STRIP, METAL, COPPER BERYLLIUM, ALLOY 172 USER: EC REVIEWER: 84 AR AS AT ER IS MI | A 9535 MR 02-APR-91 | MR | SH | 11 | |
| MS500163 | BAR, METAL, FLAT COPPER BERYLLIUM, ALLOY 172 USER: AV EC REVIEWER: 84 AR AS AT ER IS MI | A 9530 MR 02-APR-91 | MR | SH | 11 | |
| MS500164 | STRIP, METAL, COPPER BERYLLIUM ALLOY 170 USER: EC REVIEWER: 84 AR AS AT ER IS MI | A 9535 MR 02-APR-91 | MR | SH | 11 | |

| Action | OPR / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-STD-12D | ABBREVIATIONS FOR USE ON DRAWINGS, SPECIFICATIONS STANDARDS & IN TECHNICAL DOCUMENTS [VALIDATION DATE: 8101] USER: ES REVIEWER: 14 17 AV DH EA MI | A | DRPR | AR | 29-MAY-81 | AR | SH | 16 | |
| D | | | MIL-STD-14A | ARCHITECTURAL SYMBOLS [VALIDATION DATE: 8502] USER: OS REVIEWER: AS ER MI . | A | DRPR | AR | 03-SEP-54 | AR | YD1 | 16 | |
| | | | MIL-STD-15/2 NOTICE 1 | ELECTRICAL WIRING EQUIPMENT SYMBOLS FOR SHIPS' PLANS PART 2 [VALIDATION DATE: 8912] USER: ES REVIEWER: 71 MI | A | DRPR | SH | 11-DEC-89 | AR | SH | 16 | |
| | | | MIL-STD-17A(1) | MECHANICAL SYMBOLS [VALIDATION DATE: 8502] USER: ES REVIEWER: 16 MI ..... | A | DRPR | AR | 16-SEP-77 | AR | SH | 11 | |
| | | | MIL-STD-17/1B(1) | MECHANICAL SYMBOLS [VALIDATION DATE: 8502] USER: ES REVIEWER: 16 MI ..... | A | DRPR | AR | 16-SEP-77 | AR | SH | 11 | |
| | | | MIL-STD-17/2B(1) | MECHANICAL SYMBOLS FOR AERONAUTICAL AEROSPACECRAFT AND SPACECRAFT USE USER: ES REVIEWER: 16 MI | A | DRPR | SH | 23-FEB-65 | AR | SH | 11 | |
| | | | MIL-STD-21A(2) | WELDED-JOINT DESIGNS, ARMORED-TANK TYPE [VALIDATION DATE: 8308] REVIEWER: ER | A | DRPR | AT | 09-MAY-79 | AT | SH | | |
| D | | | MIL-STD-22D(2) NOTICE 3 | WELDED JOINT DESIGN [VALIDATION DATE: 9103] USER: MC OS REVIEWER: CR ER YD1 | A | TMJM | SH | 21-MAR-91 | MR | SH | 11 | |
| | | | MIL-STD-25B NOTICE 1 | SHIP STRUCTURAL SYMBOLS FOR USE ON SHIP DRAWINGS REVIEWER: ME ..... | A | DRPR | SH | 10-MAY-84 | AR | SH | 16 | |
| | | | MIL-STD-29A | SPRING, MECHANICAL, DRAWING REQUIREMENTS FOR [VALIDATION DATE: 8204] USER: ME REVIEWER: 16 MI | A | DRPR | AR | 01-MAR-62 | OR | OS | 11 | |
| | | | MIL-STD-34 | PREPARATION OF DRAWING FOR OPTICAL ELEMENTS AND OPTICAL SYSTEMS, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8302] REVIEWER: 11 16 17 | A | DRPR | AR | 03-NOV-60 | AR | | 99 | |
| | | | MIL-STD-35E | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BASIC REVIEWER: AR AT CR EA ES 1S TD TM | A | EGDS | MI | 24-APR-91 | MI | SH | 11 | |
| | L | | DOD-STD-35/3E | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESISTORS, FIXED [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR | A | EGDS | MI | 20-SEP-91 | MI | | | | |
| | L | | DOD-STD-35/4C(1) NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CAPACITORS, FIXED [VALIDATION DATE: 8812] REVIEWER: AT AV ER ME MR | A | EDS | MI | 09-DEC-88 | MI | | | | |
| A | L | | DOD-STD-35/5E(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM WASHERS, SPACERS, AND SHIMS USER: AR REVIEWER: AT AV CR ER MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/6B(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, ROTARY USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/7C(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSFORMERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/8B(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RELAYS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| | L | | MIL-STD-35/8B NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RELAYS [VALIDATION DATE: 9109] REVIEWER: AT AV ER ME MR | A | EGDS | MI | 20-SEP-91 | MI | | | | |
| | L | | DOD-STD-35/9C NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TERMINAL BOARDS [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR | A | EGDS | MI | 20-SEP-91 | MI | | | | |
| A | L | | MIL-STD-35/10C(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FUSES USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | MIL-STD-35/11C(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FUSEHOLDERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/12A(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM METERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| | L | | MIL-STD-35/13A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SOLENOIDS [VALIDATION DATE: 8812] | A | EDS | MI | 09-DEC-88 | MI | | | | |
| A | L | | MIL-STD-35/14A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RIVETS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| | L | | DOD-STD-35/16C(1) NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, MICROCIRCUIT DEVICES [VALIDATION DATE: 8812] REVIEWER: AT AV ME MR | A | EDS | MI | 09-DEC-88 | MI | | | | |
| A | L | | DOD-STD-35/17A(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SCREWS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| | L | | MIL-STD-35/18(3) NOTICE 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PIPE AND TUBING, RIGID [VALIDATION DATE: 8701] | A | EDS | MI | 21-JAN-87 | MI | | | | |
| A | L | | DOD-STD-35/19A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TERMINALS AND TERMINAL STRIPS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| | | | MIL-STD-35/19A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, TERMINAL LUGS AND STRIPS REVIEWER: AT AV ER ME MR | A | EDS | MI | 15-MAR-84 | MI | OS | | | |
| A | L | | DOD-STD-35/20C(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FITTINGS AND COUPLINGS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | MIL-STD-35/21A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM HOSE AND TUBING FLEXIBLE USER: AR REVIEWER: AT AV ER ME MR | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/22A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM NUTS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/23A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FASTENERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/24A(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BEARINGS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/25A(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FILTERS, ELECTRONIC USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/27A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SPRINGS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/28(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, COILS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| | | | MIL-STD-35/28(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM-COILS [VALIDATION DATE: 8406] REVIEWER: AT AV ME MR | A | EDS | MI | 18-NOV-76 | MI | OS | | | |
| A | L | | DOD-STD-35/30A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CIRCUIT BREAKERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/31A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BOLTS AND STUDS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | MIL-STD-35/32B(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PINS AND KEYS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| | | | MIL-STD-35/34A NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, INSERTS REVIEWER: AT AV ME MR | A | EDS | MI | 28-SEP-84 | MI | | | | |
| | L | | MIL-STD-35/35(2) NOTICE 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM NETWORKS [VALIDATION DATE: 8701] REVIEWER: AT AV ME MR | A | EDS | MI | 21-JAN-87 | MI | | | | |
| A | L | | DOD-STD-35/36B(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SEALS, GASKETS, AND PACKING USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/37A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INDUCTORS USER: AR REVIEWER: AT AV CE ER ME MR SC | A | EGDS | MI | 18-SEP-92 | MI | | | | |
| | L | | DOD-STD-35/38A NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CRYSTAL UNITS (QUARTZ) [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR | A | EGDS | MI | 20-SEP-91 | MI | | | | |
| | L | | MIL-STD-35/39(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM-BATTERIES [VALIDATION DATE: 8108] REVIEWER: AT AV ER ME MR | A | EDS | MI | 31-DEC-74 | MI | | | | |
| A | L | | DOD-STD-35/40A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RETAINING RINGS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/41A(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FILTERS, MECHANICAL, LIQUID, GAS/AIR USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| A | L | | DOD-STD-35/42A(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM WAVEGUIDES USER: AR REVIEWER: AT AV CR ME MR SC | A | EGDS | MI | 30-JUN-92 | MI | | | | |
| | | | MIL-STD-35/42A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, WAVEGUIDES REVIEWER: AT AV ER ME MR | A | EDS | MI | 31-AUG-87 | MI | OS | | | |
| | L | | MIL-STD-35/43(2) NOTICE 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, ANTENNAS [VALIDATION DATE: 8701] REVIEWER: AT AV ER ME MR | A | EDS | MI | 21-JAN-87 | MI | | | | |

| Action | OSR / ONR Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | L | DOD-STD-35/44A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SYNCHROS REVIEWER: AR AT AV CR MD ME MR | A | EDS | | MI | 31-AUG-87 | MI | | | |
| | | L | MIL-STD-35/44A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM REVIEWER: AT AV ME MR ... | A | EDS | | MI | 31-AUG-87 | MI | | | |
| | | L | DOD STD-35/45A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESOLVERS, ELECTRICAL REVIEWER: AR AT AV CR MD ME MR | A | EDS | | MI | 31-AUG-87 | MI | | | |
| | | L | MIL-STD-35/45A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RESOLVERS, ELECTRICAL REVIEWER: AT AV EL ME MR | A | EDS | | MI | 31-AUG-87 | MI | | | |
| A | L | | DOD-STD-35/46B(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM VALVES (POWERED) USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 30-JUN-92 | MI | | | |
| A | L | | DOD-STD-35/48A(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSDUCERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| | | L | MIL-STD-35/48A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, TRANSDUCERS REVIEWER: AT AV ME MR | A | EDS | | MI | 31-AUG-87 | MI | | | |
| A | L | | MIL-STD-35/49A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM GEARS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 30-JUN-92 | MI | | | |
| A | L | | DOD-STD-35/50A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PULLEYS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 30-JUN-92 | MI | | | |
| | | L | MIL-STD-35/51(1) NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SPROCKETS [VALIDATION DATE: 8701] REVIEWER: AT AV ME MR | A | EDS | | MI | 21-JAN-87 | MI | | | |
| A | L | | DOD-STD-35/52A(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LAMPS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 30-JUN-92 | MI | | | |
| A | L | | DOD-STD-35/53A(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ADAPTERS, ELECTRICAL USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 30-JUN-92 | MI | | | |
| | | L | DOD-STD-35/54A(1) NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SEMICONDUCTOR DEVICE [VALIDATION DATE: 8812] REVIEWER: AT AV ER ME MR | A | EDS | | MI | 09-DEC-88 | MI | | | |
| | | | MIL-STD-35/56A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SEMICONDUCTOR DEVICES, VOLTAGE VARIABLE CAPACITOR DIODES (SEE DOD STD 35-54A) | A | EDS | | MI | 30-SEP-86 | MI | OS | | |
| A | L | | DOD-STD-35/65A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, CIRCULAR USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 30-JUN-92 | MI | | | |
| | | L | DOD-STD-35/66A(1) NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL PRINTED WIRING BOARD [VALIDATION DATE: 9109] USER: AR REVIEWER: AT AV CR ER MD ME MR | A | EGDS | | MI | 20-SEP-91 | MI | | | |
| A | L | | DOD-STD-35/67A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CORD, ELECTRICAL USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| | | L | DOD-STD-35/68A NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, COAXIAL [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR | A | EGDS | | MI | 20-SEP-91 | MI | | | |
| | | L | DOD-STD-35/69A(1) NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CONNECTORS, ELECTRICAL, RECTANGULAR [VALIDATION DATE: 8812] REVIEWER: AT AV ME MR | A | EDS | | MI | 09-DEC-88 | MI | | | |
| A | L | | DOD-STD-35/70A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, TOGGLE USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| A | L | | DOD-STD-35/71A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES (THERMAL) USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| | | L | MIL-STD-35/71A NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES (THERMAL) [VALIDATION DATE: 8812] REVIEWER: AT AV ER ME MR | A | EDS | | MI | 09-DEC-88 | MI | | | |
| | | L | MIL-STD-35/72(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, ACTUATORS, ELECTRO-MECHANICAL, ROTARY [VALIDATION DATE: 8806] REVIEWER: AR AT AV CR MD ME MR | A | EDS | | MI | 21-JUN-88 | MI | | | |
| | | L | MIL-STD-35/73(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ACTUATORS, ELECTROMECHANICAL, LINEAR [VALIDATION DATE: 8806] REVIEWER: AR AT AV CR MD ME MR | A | EDS | | MI | 21-JUN-88 | MI | | | |
| A | L | | MIL-STD-35/74(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ACTUATORS, EXPLOSIVE USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| A | L | | MIL-STD-35/75(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM MICROWAVE/WAVEGUIDE COMPONENTS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| | | L | DOD-STD-35/76A NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, THERMISTORS [VALIDATION DATE: 9001] REVIEWER: AT AV ER ME MR | A | EDS | | MI | 18-JAN-90 | MI | | | |
| | | L | DOD-STD-35/78A(1) NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ADHESIVES [VALIDATION DATE: 8701] REVIEWER: AT AV ER ME MR | A | EDS | | MI | 21-JAN-87 | MI | | | |
| | | L | DOD-STD-35/79A(2) NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ATTENUATORS, FIXED AND VARIABLE REVIEWER: AT AV ER ME MR | A | EDS | | MI | 31-AUG-87 | MI | | | |
| A | L | | MIL-STD-35/80(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, BELTS, TRANSMISSION AND CONVEYOR USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 30-JUN-92 | MI | | | |
| A | L | | MIL-STD-35/81A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONTAINERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| A | L | | DOD-STD-35/82A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONVERTERS AND INVERTERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| | | L | MIL-STD-35/83 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, MOTOR-GENERATOR SETS AND DYNAMOTORS [VALIDATION DATE: 8806] REVIEWER: AT AV ER ME MR | A | EDS | | MI | 21-JUN-88 | MI | | | |
| A | L | | DOD-STD-35/84A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM DUMMY LOADS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| A | L | | DOD-STD-35/85A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FANS AND IMPELLERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| A | L | | DOD-STD-35/86A(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LAMPHOLDERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| | | L | MIL-STD-35/86A NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM-LAMPHOLDERS [VALIDATION DATE: 9109] REVIEWER: AT AV ME MR | A | EGDS | | MI | 20-SEP-91 | MI | | | |
| | | L | MIL-STD-35/87(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, HOLDERS, SUPPORTS, AND BRACKETS (CRYSTAL) [VALIDATION DATE: 8806] REVIEWER: AT AV ME MR | A | EDS | | MI | 21-JUN-88 | MI | | | |
| A | L | | MIL-STD-35/88A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM KNOBS, DIALS, AND POINTERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 30-JUN-92 | MI | | | |
| A | L | | MIL-STD-35/89A(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM MOTORS, AC AND DC USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| | | L | MIL-STD-35/90(1) NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PAINT, VARNISH, LACQUER, AND ENAMEL [VALIDATION DATE: 9109] USER: AR REVIEWER: AT AV CR ER MD ME MR | A | EGDS | | MI | 20-SEP-91 | MI | | | |
| A | L | | DOD-STD-35/91A(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTOR ACCESSORIES USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 30-JUN-92 | MI | | | |
| A | L | | MIL-STD-35/93(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM GAGES - HYDRAULIC, PNEUMATIC, AND VACUUM USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| | | L | DOD-STD-35/94A NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM OSCILLATORS [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR | A | EGDS | | MI | 20-SEP-91 | MI | | | |
| | | L | MIL-STD-35/94 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, OSCILLATORS [VALIDATION DATE: 9109] REVIEWER: AT AV ER ME MR | A | EGDS | | MI | 20-SEP-91 | MI | | | |
| | | L | MIL-STD-35/95 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PUMPS - HYDRAULIC, PNEUMATIC, AND VACUUM [VALIDATION DATE: 8806] REVIEWER: AT AV ME MR | A | EDS | | MI | 21-JUN-88 | MI | | | |
| | | L | MIL-STD-35/96 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, REGULATORS, CURRENT AND VOLTAGE, AC AND DC [VALIDATION DATE: 8806] REVIEWER: AT AV ME MR | A | EDS | | MI | 21-JUN-88 | MI | | | |
| | | L | MIL-STD-35/97B | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESISTER NETWORKS ..... | A | EDS | | MI | 19-JUL-90 | MI | | | |
| A | L | | MIL-STD-35/98A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CAPACITORS, VARIABLE USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 30-JUN-92 | MI | | | |
| A | L | | DOD-STD-35/99A(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLE ASSEMBLIES USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |
| A | L | | DOD-STD-35/100A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM REGULATORS AND NONPOWERED VALVES (HYDRAULIC, PNEUMATIC, AND VACUUM) USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | | MI | 18-SEP-92 | MI | | | |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-STD-35/101(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RELAYS, SOLID STATE [VALIDATION DATE: 8203] REVIEWER: AT AV ER ME MR | A | EDS | MI | MI | 19-OCT-76 | MI | | | |
| | L | MIL-STD-35/102 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PRINTED WIRING, FLEXIBLE [VALIDATION DATE: 8806] | A | EDS | MI | MI | 21-JUN-88 | MI | | | |
| A | L | MIL-STD-35/103(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, AMPLIFIERS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | MIL-STD-35/104A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM UNIVERSAL JOINTS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| | L | MIL-STD-35/105 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, THERMOCOUPLES [VALIDATION DATE: 8806] REVIEWER: ME | A | EDS | MI | MI | 21-JUN-88 | MI | | | |
| A | L | MIL-STD-35/106(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM COUNTERS, RECIPROCATING AND ROTATING USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | MIL-STD-35/107A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS-JACKS, PLUG AND TEST POINTS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| M | L | MIL-STD-35/108A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSMITTERS REVIEWER: AR AT CR ER ME MR SC | A | EGDS | MI | MI | 21-MAY-93 | MI | | | |
| | L | MIL-STD-35/109 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, INDICATORS, POINTER [VALIDATION DATE: 8806] REVIEWER: AT AV ME MR | A | EDS | MI | MI | 21-JUN-88 | MI | | | |
| A | L | MIL-STD-35/110A(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BANDS, DECALS, MARKERS AND PLATES USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/111B(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATION, ELECTRICAL USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/112(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LUBRICANTS, OIL AND GREASE USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/114(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CLAMPS, HARDWARE USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| | L | DOD-STD-35/115 NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM HEAT SINKS [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR | A | EGDS | MI | MI | 20-SEP-91 | MI | | | |
| A | L | DOD-STD-35/116(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM POTTING COMPOUNDS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/117(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, PRESSURE USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/118(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATION, THERMAL AND ACOUSTIC USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| | L | DOD-STD-35/119 NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, FIBER OPTIC [VALIDATION DATE: 9109] USER: AR REVIEWER: AT AV CR ER MD ME MR | A | EGDS | MI | MI | 20-SEP-91 | MI | | | |
| A | L | DOD-STD-35/120(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LENSES, FILTERS, AND MIRRORS (OPTICAL) USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/121(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM EYELETS, FERRULES, AND GROMMETS USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/122(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATORS, ELECTRICAL USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| | L | DOD-STD-35/123 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SOCKET, ELECTRICAL [VALIDATION DATE: 8812] | A | EDS | MI | MI | 09-DEC-88 | MI | | | |
| A | L | DOD-STD-35/125(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM DISPLAYS, ELECTRO-OPTICAL USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/126(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CYLINDERS, ACTUATING, LINEAR USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| | L | DOD-STD-35/127 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, TRANSDUCER OR SOLID STATE [VALIDATION DATE: 9001] REVIEWER: AT AV ME MR | A | EDS | MI | MI | 18-JAN-90 | MI | | | |
| | L | DOD-STD-35/128 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, REED [VALIDATION DATE: 9001] REVIEWER: AR AT AV ER ME | A | EDS | MI | MI | 18-JAN-90 | MI | | | |
| | L | DOD-STD-35/129 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, FLOW, AIR AND LIQUID [VALIDATION DATE: 9001] | A | EDS | MI | MI | 18-JAN-90 | MI | | | |
| A | L | DOD-STD-35/130(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, METERS, FLOW USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/131(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, TIMERS, INTERVAL, SEQUENTIAL, STOP USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/132(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, DELAY LINES, ELECTRONIC AND NETWORK PULSE USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/133(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SHIELDING, RFI, EMI USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| | L | DOD-STD-35/134(1) NOTICE 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, COAXIAL [VALIDATION DATE: 9109] USER: AR REVIEWER: AT AV CR ER MD ME MR | A | EGDS | MI | MI | 20-SEP-91 | MI | | | |
| | L | DOD-STD-35/135 NOTICE 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, POWER [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR | A | EGDS | MI | MI | 20-SEP-91 | MI | | | |
| | L | DOD-STD-35/136 NOTICE 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RESISTORS, VARIABLE [VALIDATION DATE: 9001] | A | EDS | MI | MI | 18-JAN-90 | MI | | | |
| | L | DOD-STD-35/137 NOTICE 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, ILLUMINATED [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR | A | EGDS | MI | MI | 20-SEP-91 | MI | | | |
| A | L | DOD-STD-35/138(4) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, SENSITIVE USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/139(3) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, WIRE, ELECTRICAL USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| A | L | DOD-STD-35/141(2) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, SPECIAL PURPOSE USER: AR REVIEWER: AT AV CR ER ME MR SC | A | EGDS | MI | MI | 18-SEP-92 | MI | | | |
| | | DOD-STD-100C(6) | ENGINEERING DRAWING PRACTICES REVIEWER: 11 80 99 AT AV CE CR ME MS TD ..... | A | DRPR | | AR | 15-MAR-88 | AR | OS | 16 | |
| | | DOD-STD-001000 | ENGINEERING DRAWING PRACTICES ..... | A | DRPR | | AR | 31-AUG-87 | AR | | | |
| D | | MIL-STD-100E(2) | ENGINEERING DRAWING PRACTICES USER: 68 70 71 80 84 GL ME REVIEWER: 11 13 14 18 19 79 90 99 AS AT AV CE CH CR CS DH EA EC ER ES GS IS MC MI OS SC SH SM TD TE YD1 | A | DRPR | | AR | 04-SEP-92 | AR | SA | 16 | |
| | L | MIL-STD-100E(1) | ENGINEERING DRAWING PRACTICES ..... | A | DRPR | | AR | 03-MAR-92 | AR | | | |
| D | | MIL-STD-101B | COLOR CODE FOR PIPELINES & FOR COMPRESSED GAS CYLINDERS [VALIDATION DATE: 8407] USER: 19 CG REVIEWER: 12 43 99 AS AV CS GS MC ME MI MS YD1 | A | 8120 | | EA | 03-DEC-70 | EA | SH | 68 | |
| | | MIL-STD-102B | ANTI-FRICTION BEARING IDENTIFICATION CODE [VALIDATION DATE: 8204] USER: MC MI MS REVIEWER: AT AV EA IS | A | 3110 | | SH | 01-SEP-70 | AR | SH | | |
| | | MIL-STD-104C | LIMIT FOR ELECTRICAL INSULATION COLOR USER: AT AV MC OS SH REVIEWER: EC IS MI MS | A | 6145 | | AS | 31-OCT-86 | CR | AS | 17 | |
| D | | MIL-STD-105E | SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES USER: ME REVIEWER: AV EC ER ES GS MC MI SS TE YD1 | A | QCIC | | AR | 10-MAY-89 | AR | OS | 10 | |
| D | | MIL-STD-107M | PREPARATION AND HANDLING OF INDUSTRIAL PLANT EQUIPMENT FOR SHIPMENT AND STORAGE USER: MC REVIEWER: 84 AR AV DH ER GS SM YD1 | A | PACK | | 1P | 21-SEP-90 | AL | SH | 69 | 1P |
| | | MIL-STD-108E(1) NOTICE 2 | DEFINITIONS OF AND BASIC REQUIREMENTS FOR ENCLOSURES FOR ELECTRIC AND ELECTRONIC EQUIPMENT [VALIDATION DATE: 9008] | A | EMVR | | SH | 08-AUG-90 | TE | SH | | |
| D | | MIL-STD-109B | QUALITY ASSURANCE TERMS AND DEFINITIONS [VALIDATION DATE: 8105] REVIEWER: AR AS AV EC ES MI MR OS SA YD1 | A | QCIC | | 10 | 04-APR-69 | EL | | 10 | |
| | | MIL-STD-110A(4) | GAGE, PLUG, PLAIN CYLINDRICAL GO [VALIDATION DATE: 8101] USER: MC MI REVIEWER: AS EA SH | A | 5220 | | AR | 17-SEP-62 | AR | OS | 99 | |
| | | MIL-STD-111A(3) NOTICE 4 | GAGE, PLUG, PLAIN CYLINDRICAL, NOT GO [VALIDATION DATE: 9002] USER: MC REVIEWER: EA SH | A | 5220 | | AR | 08-FEB-90 | AR | OS | 99 | |
| | | MIL-STD-112A(4) | GAGE, RING, PLAIN, GO [VALIDATION DATE: 8406] USER: MC REVIEWER: EA SH .... | A | 5220 | | AR | 28-AUG-64 | AR | OS | 99 | |
| | | MIL-STD-113A(3) | GAGE, RING, PLAIN, NOT GO [VALIDATION DATE: 8101] USER: MC REVIEWER: EA SH | A | 5220 | | AR | 17-SEP-62 | AR | OS | 99 | |
| | | MIL-STD-114C(1) | GAGE, PLUG, THREAD GO (CLASS X) FOR UNIFIED AMERICAN NATIONAL STANDARD INTERNAL THREAD [VALIDATION DATE: 8504] USER: MI REVIEWER: EA GS SH | A | 5220 | | AR | 28-AUG-64 | AR | OS | 99 | |

| Action | Obsl, Canc, Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-STD-1158 | GAGE, PLUG, THREAD NOT GO UNIFIED- AMERICAN NATIONAL STANDARD INTERNAL THREAD [VALIDATION DATE: 8101] USER: SH REVIEWER: 11 EA | A | 5220 | AR | | 15-MAR-63 | AR | OS | 99 | |
| | | MIL-STD-1168 | GAGE, RING, THREAD GO (CLASS X) AND RELATED SETTING PLUG GAGES, GO AND NOT GO PLAIN PLUG MINOR DIAMETER ACCEPTANCE CHECK GAGES FOR UNIFIED AND AMERICAN NATIONAL STANDARD EXTERNAL THREADS [VALIDATION DATE: 8406] USER: MI REVIEWER: EA | A | 5220 | AR | | 15-MAR-63 | AR | SH | 99 | |
| | | MIL-STD-1178 | GAGE, RING, THREAD, LO (NOT GO) AND RELATED THREAD SETTING PLUG GAGES, GO AND NOT GO PLAIN PLUG MINOR DIAMETER ACCEPTANCE CHECK GAGES FOR UNIFIED AND AMERICAN NATIONAL STANDARD EXTERNAL THREADS [VALIDATION DATE: 8406] USER: MC MI SH REVIEWER: EA | A | 5220 | AR | | 15-MAR-63 | AR | OS | | |
| | | MIL-STD-118(2) | GAGE, SNAP, PLAIN ADJUSTABLE [VALIDATION DATE: 8504] USER: MC MI REVIEWER: EA SH | A | 5220 | AR | | 01-NOV-62 | AR | OS | 99 | |
| | | MIL-STD-120 | GAGE INSPECTION (W/NOTICE 1 DTD 9 SEP 63) [VALIDATION DATE: 8504] REVIEWER: MI | A | 5220 | AR | | 09-SEP-63 | AR | OS | 99 | |
| M | | MIL-STD-129M | MARKING FOR SHIPMENT AND STORAGE (PART 1 OF 4 PARTS) REVIEWER: 11 70 71 80 82 84 99 AL AM AR AS AT AV CG CR CS CT DM EA EC ES GL GS IS MC ME MI MR MS MT OS PS SH SS TD TM YD1 | A | PACK | SM | | 15-JUN-93 | SM | SA | 69 | DH |
| M | | MIL-STD-129/1 | MARKING FOR SHIPMENT AND STORAGE-AMMUNITION AND EXPLOSIVES (PART 2 OF 4 PARTS) REVIEWER: 18 70 99 AM AR AS CG EA EC MC MT OS SH | A | PACK | SM | | 15-JUN-93 | SM | SA | 69 | DH |
| M | | MIL-STD-129/2 | MARKING FOR SHIPMENT AND STORAGE-MEDICAL MATERIAL (PART 3 OF 4 PARTS) REVIEWER: 99 AM AS CG DM GL MC MS MT SH | A | PACK | SM | | 15-JUN-93 | SM | SA | 69 | DH |
| M | | MIL-STD-129/3 | MARKING FOR SHIPMENT AND STORAGE-SEMIPERISHABLE AND PERISHABLE SUBSISTENCE (PART 4 OF 4 PARTS) REVIEWER: 99 AM AS CG GL GS MC MT SH SS | A | PACK | SM | | 15-JUN-93 | SM | SA | 69 | DH |
| D | | MIL-STD-130G | IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY REVIEWER: 11 14 15 85 AV CS DP EA ER ES GL GS IP MC MI OS SH YD1 | A | CDRQ | 16 | | 11-OCT-88 | AR | AS | 16 | DH |
| | | MIL-STD-1338 | CAGE, PLUG, PLAIN CYLINDRICAL, GO FOR MINOR DIAMETER OF STANDARD CLASS OF INTERNAL THREAD [VALIDATION DATE: 8101] USER: MC SH REVIEWER: EA | A | 5220 | AR | | 15-MAR-63 | AR | OS | | |
| | | MIL-STD-1348 | CAGE, PLUG, PLAIN CYLINDRICAL, NOT GO FOR MINOR DIAMETERS OF STANDARD CLASSES 3F INTERNAL THREAD [VALIDATION DATE: 8101] USER: MC SH REVIEWER: EA | A | 5220 | AR | | 15-MAR-63 | AR | OS | | |
| | L | MIL-STD-139A | RADIOGRAPHIC INSPECTION, SOUNDNESS REQUIREMENTS FOR ALUMINUM AND MAGNESIUM CASTINGS (FOR SMALL ARMS PARTS) [VALIDATION DATE: 8504] USER: AT REVIEWER: MI | A | NDTI | AR | | 05-JAN-65 | AR | | | |
| D | | MIL-STD-147D | PALLETIZED UNIT LOADS USER: EC REVIEWER: 69 84 AR AS AT CS DM IS MC ME MI SH YD1 | A | PACK | SM | | 10-DEC-88 | SM | SA | 99 | DH |
| | | MIL-STD-150A(2) | PHOTOGRAPHIC LENSES USER: GL ME REVIEWER: GS MI ..... | A | 6760 | 70 | | 28-JAN-63 | LR | AS | 99 | |
| | | MIL-STD-155A | JOINT PHOTOGRAPHIC TYPE DESIGNATION SYSTEM [VALIDATION DATE: 8304] REVIEWER: AS AV GS | A | 67GP | 11 | | 05-AUG-55 | EL | | 11 | |
| D | | MIL-STD-161F NOTICE 2 | IDENTIFICATION METHODS FOR BULK PETROLEUM PRODUCTS SYSTEMS INCLUDING HYDROCARBON MISSILE FUELS USER: 11 YD1 REVIEWER: GS | A | 91GP | 68 | | 01-AUG-85 | MI | SA | 68 | |
| D | | MIL-STD-162E NOTICE 1 | MATERIALS HANDLING EQUIPMENT: PREPARATION FOR SHIPMENT, STORAGE, CYCLIC MAINTENANCE, ROUTINE TESTING AND PROCESSING [VALIDATION DATE: 9001] USER: EL MC YD1 REVIEWER: SM | A | PACK | ME | | 09-JAN-90 | ME | SA | 99 | |
| D | | MIL-STD-163C(2) | STEEL MILL PRODUCTS PREPARATION FOR SHIPMENT AND STORAGE USER: MI REVIEWER: AS IS OS SH SM YD1 | A | PACK | ME | | 07-NOV-88 | ME | SA | 99 | |
| | L | MIL-STD-167/1 NOTICE 1 | MECHANICAL VIBRATIONS OF SHIPBOARD EQUIPMENT (TYPE 1 - ENVIRONMENTAL AND TYPE II - INTERNALLY EXCITED) [VALIDATION DATE: 8706] REVIEWER: EA OS | A | EMVR | SH | | 01-MAY-74 | | SH | | |
| | L | MIL-STD-167/2 NOTICE 1 | MECHANICAL VIBRATIONS OF SHIPBOARD EQUIPMENT (RECIPROCATING MACHINERY AND PROPULSION SYSTEM AND SHAFTING) *TYPES III, IV, AND V (CONTROLLED* DISTRIBUTION) [VALIDATION DATE: 9111] | A | EMVR | SH | | 26-NOV-91 | | SH | | |
| D | | MIL-STD-168B NOTICE 1 | VISUAL INSPECTION GUIDE FOR ALL-RUBBER GLOVES EXCEPT SURGICAL [VALIDATION DATE: 8902] USER: 11 45 MC MS YD1 REVIEWER: EA SA | A | 8415 | CT | | 15-FEB-89 | GL | SH | 99 | CT |
| D | | MIL-STD-171E | FINISHING OF METAL AND WOOD SURFACES USER: OS YD1 REVIEWER: 99 AR AS ER GL ME MI TD | A | MFFP | MR | | 23-JUN-89 | MR | SH | 11 | |
| | | MIL-STD-172C NOTICE 1 | COLOR CODE FOR CONTAINERS OF LIQUID PROPELLANTS [VALIDATION DATE: 8804] REVIEWER: 11 19 68 MC | A | 9135 | MI | | 06-APR-88 | MI | AS | 12 | |
| | | MIL-STD-175E NOTICE 1 | SANITARY STANDARDS FOR THE EQUIPMENT * METHODS FOR THE HANDLING OF MILK AND MILK PRODUCTS IN BULK MILK DISPENSING OPERATIONS [VALIDATION DATE: 8711] REVIEWER: MC MD MS SS TS | A | 8910 | GL | | 06-NOV-87 | GL | SA | 50 | |
| | | MIL-STD-176A | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT AND BALANCE DATA REPORTING FORMS FOR [VALIDATION DATE: 8302] REVIEWER: 70 | A | 14GP | AS | | 27-MAY-63 | MI | AS | 99 | |
| | | MIL-STD-176/1 | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, SUMMARY WEIGHT STATEMENT GUIDED MISSILES SPACE VEHICAL (PART 1) [VALIDATION DATE: 8410] REVIEWER: 11 | A | 14GP | AS | | 27-MAY-63 | MI | AS | 70 | |
| | | MIL-STD-176/2 | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT EMPTY DETAIL WEIGHT STATEMENT GUIDED MISSILES SPACE VEHICAL (PART 2) [VALIDATION DATE: 8410] REVIEWER: 11 71 | A | 14GP | AS | | 27-MAY-63 | MI | AS | 70 | |
| | | MIL-STD-176/3 | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT AND BALANCE STATUS GUIDED MISSILES SPACE VEHICAL (PARTS 3A AND 3B) [VALIDATION DATE: 8410] REVIEWER: 11 | A | 14GP | AS | | 27-MAY-63 | MI | AS | 70 | |
| | | MIL-STD-177A NOTICE 1 | RUBBER PRODUCTS, TERMS FOR VISIBLE DEFECTS OF [VALIDATION DATE, 8805] USER: AT MC REVIEWER: AR AS EA GL GS | A | 9320 | SH | | 31-MAY-88 | MR | SH | 11 | |
| | | MIL-STD-178A NOTICE 1 | DEFINITION APPLICABLE TO SPEED-GOVERNING OF ELECTRIC GENERATOR SET REVIEWER: 99 GS | A | 6115 | SH | | 11-JAN-88 | | SH | 11 | |
| | L | MIL-STD-186E | PROTECTIVE FINISHING FOR ARMY MISSILE WEAPON SYSTEMS REVIEWER: ME MR ..... | A | MFFP | MI | | 30-SEP-91 | MI | | | |
| | | MIL-STD-187/310 | STANDARDS FOR LONG HAUL COMMUNICATIONS SWITCHING PLANNING STANDARDS FOR THE DEFENSE COMMUNICATIONS SYSTEM | A | SLHC | DC | | 14-OCT-76 | SC | EC | 90 | |
| | | MIL-STD-187/320 | STANDARDS FOR LONG HAUL COMMUNICATIONS TRANSMISSION PLANNING STANDARDS FOR THE DEFENSE COMMUNICATIONS SYSTEM | A | SLHC | DC | | 29-MAR-80 | SC | EC | 90 | |
| A | | MIL-STD-187/700 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR THE DEFENSE INFORMATION SYSTEM USER: AS SH REVIEWER: 02 13 17 18 19 93 MC SC | A | SLHC | DC | | 01-JUN-92 | CR | EC | 90 | |
| | | MIL-STD-188-20-3 SUPPL 1C1 | TACTICAL DIGITAL INFORMATION LINK (TADIL) SUBSYSTEM DESIGN & ENGINEERING STANDARDS FOR USER: 89 MC REVIEWER: 13 17 19 AS DC DM SC SH TT | A | TCTS | EC | | 10-SEP-82 | CR | EC | 90 | |
| | | MIL-STD-188-24-2 | INTEROPERABILITY & PERFORMANCE STANDARDS FOR TACTICAL SINGLE CHANNEL VERY HIGH FREQUENCY (VHF) RADIO EQUIPMENT REVIEWER: MC SC | A | TCTS | CR | | 20-JUN-85 | CR | EC | 90 | |
| | | MIL-STD-188-100(3) | COMMON LONG HAUL AND TACTICAL COMMUNICATION SYSTEM TECHNICAL STANDARDS USER: MC REVIEWER: 01 11 13 99 AS CE CG ME OS | A | SLHC | DC | | 17-NOV-76 | CR | EC | 90 | DC |
| | | MIL-STD-188-110A | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DATA MODEMS REVIEWER: CR MC | A | SLHC | 90 | | 30-SEP-91 | SC | EC | 90 | |
| | | MIL-STD-188-111A | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR FIBER OPTIC COMMUNICATIONS SYSTEMS USER: 02 MS REVIEWER: 13 CR DM TT | A | SLHC | SC | | 14-DEC-88 | SC | EC | 90 | |
| | | MIL-STD-188-112 | SUBSYSTEM DESIGN & ENGINEERING STANDARDS FOR COMMON LONG HAUL TACTICAL CABLE & WIRE COMMUNICATIONS USER: 02 MS REVIEWER: DM TT | A | SLHC | SC | | 31-AUG-83 | CR | EC | 90 | |
| | | MIL-STD-188-113 | INTEROPERABILITY & PERFORMANCE STANDARDS FOR ANOLOG- TO- DIGITAL CONVERSION TECHNIQUES REVIEWER: 02 17 24 80 AS CR DC MS TT | A | SLHC | SC | | 17-FEB-87 | SC | EC | 90 | |
| | | MIL-STD-188-114A(1) | ELECTRICAL CHARACTERISTICS OF DIGITAL INTERFACE CIRCUITS REVIEWER: 01 11 13 71 99 AC AS AV CG MC MI SC SH TE | A | TCTS | CR | | 13-DEC-91 | CR | EC | 17 | |
| | | MIL-STD-188-115 | *INTEROPERABILITY AND PERFORMANCE STANDARDS FOR COMMUNICATIONS TIMING AND* SYNCHRONIZATION SUBSYSTEMS REVIEWER: CR | A | SLHC | JT | | 31-MAR-86 | SC | EC | 90 | |
| | | MIL-STD-188-116-2 | INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE 11 USER: 13 MC REVIEWER: 02 17 AC CR MC OM TD | A | TCTS | JT | | 12-FEB-88 | SC | EC | 90 | |
| | | MIL-STD-188-124B | GROUNDING, BONDING AND SHIELDING FOR COMMON LONG HAUL/TACTICAL *COMMUNICATIONS SYSTEMS INCLUDING GROUND BASED COMMUNICATIONS-ELECTRONICS* FACILITIES AND EQUIPMENTS REVIEWER: 01 02 14 15 17 21 50 80 84 89 91 92 93 AC CG CR MC MV OM TD | A | SLHC | 90 | | 01-FEB-92 | SC | EC | 90 | |

| Action | Doc. / Chg. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-STD-188-125 | HIGH-ALTITUDE ELECTROMAGNETIC PULSE (HEMP) PROTECTION FOR GROUND-BASED C4I FACILITIES PERFORMING CRITICAL, TIME-URGENT MISSIONS FOR COMMON LONG-HAUL/TACTICAL COMMUNICATION SYSTEMS REVIEWER: 01 02 13 14 15 AC AM CE CR DC DH DS JT MC NC NM NS OM TD TE | A | SLHC | 90 | 26-JUN-90 | SC | EC | 90 | |
| | | MIL-STD-188-140A | EQUIPMENT TECHNICAL DESIGN STANDARDS FOR COMMON LONG HAUL/TACTICAL RADIO COMMUNICATIONS IN THE LOW FREQUENCY BAND AND LOWER FREQUENCY BANDS | A | TCTS | EC | 01-MAY-90 | CR | EC | 17 | |
| A | | MIL-STD-188-141A(1) | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR MEDIUM AND HIGH FREQUENCY RADIO EQUIPMENT REVIEWER: CR MC SH | A | SLHC | SC | 17-JUN-92 | SC | EC | 90 | |
| A | | MIL-STD-188-145(1) | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DIGITAL LOS MICROWAVE RADIO EQUIPMENT REVIEWER: 02 17 24 80 AS CR | A | TCSS | SC | 28-JUL-92 | SC | EC | 90 | |
| | | MIL-STD-188-146 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR SATELLITE COMMUNICATIONS REVIEWER: DC MC NS SC | A | TCTS | CR | 15-JUN-88 | CR | EC | 90 | |
| | | MIL-STD-188-154 | SUBSYSTEM, EQUIPMENT, AND INTERFACE STANDARDS FOR COMMON LONG HAUL AND TACTICAL TECHNICAL CONTROL FACILITIES REVIEWER: 02 17 CR DC JT MC NC NS TD | A | TCTS | 90 | 22-MAY-87 | SC | EC | 90 | |
| | | MIL-STD-188-161C | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DIGITAL FACSIMILE EQUIPMENT REVIEWER: 02 CR MC OM | A | SLHC | DC | 30-OCT-91 | SC | EC | 90 | |
| | | MIL-STD-188-171 | INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE I REVIEWER: OM AC CR MC TD | A | TCTS | JT | 19-MAY-89 | SC | EC | 90 | |
| | | MIL-STD-188-172 | INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE II USER: 13 | A | TCTS | JT | 07-DEC-89 | SC | EC | 90 | |
| | | MIL-STD-188-173 | INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE V USER: 13 REVIEWER: 02 OM 17 AC CR MC TD | A | TCTS | JT | 19-MAY-89 | SC | EC | 90 | |
| | | MIL-STD-188-174 | INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE VI USER: 13 NC REVIEWER: 02 17 AC CR MC OM TD | A | TCTS | JT | 01-MAR-90 | SC | EC | 90 | |
| A | | MIL-STD-188-181 | INTEROPERABILITY STANDARD FOR DEDICATED 5-KHZ AND 25-KHZ UHF SATELLITE COMMUNICATIONS CHANNELS USER: 11 13 AC MI OM REVIEWER: 02 17 19 89 93 AM DH MC NC PT SC TD | A | TCSS | DC | 18-SEP-92 | CR | EC | 90 | |
| A | | MIL-STD-188-182 | INTEROPERABILITY STANDARD FOR 5-KHZ UHF DAMA TERMINAL WAVEFORM USER: 11 13 AC MI OM REVIEWER: 02 17 19 89 93 AM DH MC NC PT SC TD | A | TCSS | DC | 18-SEP-92 | CR | EC | 90 | |
| A | | MIL-STD-188-183 | INTEROPERABILITY STANDARD FOR 25-KHZ TDMA/DAMA TERMINAL WAVEFORM USER: 11 13 AC MI OM REVIEWER: 02 17 19 89 93 AM DH MC NC PT SC TD | A | TCSS | DC | 18-SEP-92 | CR | EC | 90 | |
| | | MIL-STD-188-190 | METHODS FOR COMMUNICATIONS SYSTEMS MEASUREMENTS REVIEWER: 01 02 17 CR DC ES JT MC NS SH | A | TCTS | SC | 31-JAN-90 | SC | EC | 90 | |
| A | | MIL-STD-188-194 | INTEGRATED SERVICES DIGITAL NETWORK PROFILE REVIEWER: 02 CR MC OM ..... | A | SLHC | DC | 15-JUN-92 | SC | EC | 90 | |
| | | MIL-STD-188-200 | SYSTEM DESIGN & ENGINEERING STANDARDS FOR TACTICAL COMMUNICATIONS REVIEWER: 11 13 17 71 AD AS AV MI NC OM SC SH TE TT | A | TCTS | CR | 28-JUN-83 | CR | EC | 90 | |
| | | MIL-STD-188-202 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL TRANSMISSION GROUPS (COAXIAL CABLE) REVIEWER: CR DC MC NS | A | TCTS | JT | 14-AUG-89 | SC | EC | 90 | |
| | | MIL-STD-188-203A | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK USER: MC REVIEWER: 02 11 13 17 AS DM SC SH | A | TCTS | EC | 08-JAN-88 | CR | EC | 90 | |
| | | MIL-STD-188-203A-1 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) A USER: MC REVIEWER: 02 11 13 17 19 AS DC OM SC SH TT | A | TCTS | EC | 08-JAN-88 | CR | EC | 90 | |
| | | MIL-STD-188-203-3 | SUBSYSTEM DESIGN AND ENGINEERING STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) C REVIEWER: AS CR OM SH | A | TCTS | SC | 05-OCT-83 | SC | EC | 90 | |
| D | | MIL-STD-188-212 | SUBSYSTEM DESIGN AND ENGINEERING STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) B REVIEWER: 02 90 AS EC MC MI NC SC YD1 | A | TCTS | CR | 17-OCT-92 | CR | EC | 90 | |
| | | MIL-STD-188-216(1) | INTEROPERABILITY STANDARDS FOR DATA ADAPTER CONTROL MODE ..... | A | TCTS | JT | 15-JUN-90 | SC | EC | 90 | |
| N | | MIL-STD-188-220 | INTEROPERABILITY STANDARD FOR DIGITAL MESSAGE TRANSFER DEVICE SUBSYSTEMS USER: 11 18 AC MI REVIEWER: 02 10 13 17 19 89 AM DH MC MP NC NS OM PT SC TD | A | TCSS | DC | 07-MAR-93 | CR | EC | 90 | |
| | | MIL-STD-188-242 | INTEROPERABILITY & PERFORMANCE STANDARDS FOR TACTICAL SINGLE CHANNEL VERY HIGH FREQUENCY (VHF) RADIO EQUIPMENT REVIEWER: MC NS SC | A | TCTS | CR | 20-JUN-85 | CR | EC | 90 | |
| | | MIL-STD-188-243 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL SINGLE CHANNEL ULTRA HIGH FREQUENCY (UHF) RADIO COMMUNICATIONS REVIEWER: CR MC | A | TCTS | 90 | 15-MAR-89 | SC | EC | | |
| | | MIL-STD-188-256 | INTEROPERABILITY & PERFORMANCE STANDARDS FOR DIGITAL SIGNALING & SUPERVISION OF TACTICAL COMMUNICATIONS SYSTEMS REVIEWER: DC MC NS SC | A | TCTS | CR | 16-AUG-85 | CR | EC | 90 | |
| | | MIL-STD-188-260 | DESIGN & ENGINEERING STANDARDS FOR TACTICAL TERMINAL SUBSYSTEMS REVIEWER: 02 11 13 17 80 AD AS AV MI MC OM SH TE | A | TCTS | SC | 01-FEB-85 | CR | EC | 90 | |
| | | MIL-STD-188-311(1) | TECHNICAL DESIGN STANDARDS FOR FREQUENCY DIVISION MULTIPLEXERS REVIEWER: 01 11 13 99 AS CE CR MC ME OS | A | SLHC | 90 | 31-DEC-80 | SC | EC | 90 | |
| D | | MIL-STD-188-318 | SYSTEM & SUBSYSTEM DESIGN & ENGINEERING & EQUIPMENT TECHNICAL STANDARDS FOR CLOSED CIRCUIT TELEVISION (CCTV) SYSTEMS USER: SH YD1 | A | SLHC | EC | 14-JUN-85 | SC | EC | 90 | |
| | | MIL-STD-188-340(1) | EQUIPMENT TECHNICAL DESIGN STANDARDS FOR VOICE ORDERWIRE MULTIPLEX ..... | A | SLHC | DC | 28-JUL-77 | SC | EC | 90 | |
| | | MIL-STD-188-342 | STANDARDS FOR LONG HAUL COMMUNICATIONS EQUIPMENT TECHNICAL DESIGN STANDARDS FOR VOICE FREQUENCY CARRIER TELEGRAPH (FSK) USER: SH REVIEWER: 01 11 89 99 AS CE CR MC ME OS | A | SLHC | DC | 28-FEB-72 | SC | EC | 90 | |
| | | MIL-STD-188-346 | STANDARDS FOR LONG HAUL COMMUNICATIONS-EQUIPMENT TECHNICAL DESIGN STANDARDS FOR ANALOG END INSTRUMENTS AND CENTRAL OFFICE ANCILLARY DEVICES [VALIDATION DATE: 8512] | A | SLHC | SC | 30-NOV-73 | SC | EC | 90 | |
| | | MIL-STD-188-347 | EQUIPMENT TECHNICAL DESIGN STANDARDS FOR DIGITAL END INSTRUMENTS AND ANCILLARY DEVICE [VALIDATION DATE: 8512] REVIEWER: DC NS | A | SLHC | SC | 29-MAR-73 | SC | EC | 90 | |
| D | | MIL-STD-190C | IDENTIFICATION MARKING OF RUBBER PRODUCTS [VALIDATION DATE: 8304] USER: MC ME OS REVIEWER: AR AS AV GL YD1 | A | 9320 | MR | 17-OCT-77 | MR | SH | 99 | |
| D | | MIL-STD-193L | PAINTING PROCEDURES AND MARKING FOR VEHICLES, CONSTRUCTION EQUIPMENT, MATERIAL HANDLING EQUIPMENT, AND SPARE PARTS USER: YD1 REVIEWER: AR | A | MFFP | AT | 27-AUG-91 | AT | MC | | |
| L | | MIL-STD-194A NOTICE 1 | SYSTEMS FOR PAINTING AND FINISHING FIRE-CONTROL MATERIEL [VALIDATION DATE: 8812] REVIEWER: EA | A | 12GP | AR | 13-DEC-88 | AR | | | |
| | | MIL-STD-195(1) NOTICE 2 | MARKING OF CONNECTIONS FOR ELECTRIC ASSEMBLIES [VALIDATION DATE: 8807] REVIEWER: GS ME | A | 61GP | SH | 08-JUL-88 | | SH | 11 | |
| | | MIL-STD-196D | JOINT ELECTRONICS TYPE DESIGNATION SYSTEM USER: MC REVIEWER: AR AS AV MI OS | A | MISC | CR | 19-JAN-85 | CR | EC | 11 | |
| | | MIL-STD-198E(2) NOTICE 2 | CAPACITORS, SELECTION AND USE OF USER: 19 CG MC SH REVIEWER: 17 99 AR AS ES OS | A | 5910 | ER | 16-SEP-88 | ER | EC | 85 | |
| N | | MIL-STD-199E NOTICE 1 | RESISTORS, SELECTION AND USE OF USER: 19 AT AV CG MC ME REVIEWER: 17 80 AR AS MI OS SH | A | 5905 | ER | 02-JUN-93 | ER | EC | 85 | |
| | | MIL-STD-200K(1) | ELECTRON TUBE, SELECTION OF [VALIDATION DATE: 8104] USER: 19 AS CG MC OS REVIEWER: 11 17 99 AR ES MI SH | A | 5960 | EC | 07-NOV-77 | ER | EC | 85 | |
| | | MIL-STD-202F(10) NOTICE 1 | TEST METHODS FOR ELECTRONIC AND ELECTRICAL COMPONENT PARTS USER: 19 AT MC REVIEWER: 17 99 AS AV ES MI NS OS SH SM TE | A | 59GP | ER | 08-JUN-90 | ER | EC | 85 | |
| | | MIL-STD-203G | AIRCREW STATION CONTROLS AND DISPLAYS: LOCATION, ARRANGEMENT AND ACTUATION OF, FOR FIXED WING AIRCRAFT | A | 1510 | AS | 01-MAR-91 | AV | AS | 11 | |
| A | | MIL-STD-205 NOTICE 1 | FREQUENCIES FOR ELECTRIC POWER [VALIDATION DATE: 9210] USER: AS MC OS REVIEWER: 99 AR GS | A | MISC | ME | 15-OCT-92 | ME | SH | | |
| | | MIL-STD-2068 NOTICE 1 | FRICTION TORQUE TESTING FOR BEARINGS, BALL, ANNULAR (INSTRUMENT TYPE) [VALIDATION DATE: 9110] REVIEWER: IS | A | 3110 | AS | 02-OCT-91 | AT | AS | 99 | |
| D | | MIL-STD-209M | SLINGING AND TIEDOWN PROVISIONS FOR LIFTING AND TYING DOWN MILITARY EQUIPMENT USER: AV SA REVIEWER: 84 99 AR CS GL MC MI SH | A | 2540 | MT | 28-JUN-91 | MT | YD1 | 11 | |
| D | | MIL-STD-210C | CLIMATIC INFORMATION TO DETERMINE DESIGN AND TEST REQUIREMENTS FOR MILITARY SYSTEMS AND EQUIPMENT USER: EC MC OS REVIEWER: 11 AR AT AV GL MI SH YD1 | A | ENVR | 13 | 09-JAN-87 | CE | AS | 13 | |
| | | MIL-STD-212D(2) NOTICE 1 | PREPARATION OF HOUSEHOLD GOODS AND UNACCOMPANIED BAGGAGE FOR SHIPMENT, STORAGE, INTRA-CITY AND INTRA-AREA MOVEMENTS USER: MC REVIEWER: 99 SM | A | PACK | MT | 01-MAR-89 | MT | SA | 69 | |
| D | | MIL-STD-220A(1) NOTICE 2 | METHOD OF INSERTION-LOSS MEASUREMENT [VALIDATION DATE: 8809] USER: ES YD1 . | A | EMCS | CR | 19-SEP-88 | CR | EC | 11 | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-STD-242-1H | ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS SYNCHROS, BLOWERS, AND AOUSTICAL (PART 1) REVIEWER: AR ES | A | 59GP | EC | 25-MAR-85 | | EC | | |
| L | | MIL-STD-242-2H NOTICE 1 | ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS CRYSTALS, DELAY LINES, COILS, AND TRANSFORMERS (PART 2) | A | 59GP | EC | 22-OCT-85 | | EC | | |
| L | | MIL-STD-242-3H NOTICE 2 | ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS RESISTORS (PART 3) USER: MC REVIEWER: AS OS SH | A | 59GP | EC | 20-MAY-86 | | EC | | |
| L | | MIL-STD-242-4G NOTICE 1 | ELECTRONIC EQUIPMENT PARTS, SELECTED STANDARDS FOR CAPACITORS (PART 4) .... | A | 59GP | EC | 20-DEC-83 | | EC | | |
| L | | MIL-STD-242-6H NOTICE 1 | ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS - RELAYS (PART 6) ..... | A | 59GP | EC | 14-AUG-85 | | EC | | |
| L | | MIL-STD-242-7G NOTICE 1 | ELECTRONIC EQUIPMENT PARTS, SELECTED STANDARDS-SWITCHES ..... | A | 59GP | EC | 23-FEB-84 | | EC | | |
| | | MIL-STD-242-8G NOTICE 2 | ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS CONNECTORS AND SOCKETS - PART 8 | A | 59GP | EC | 09-JUN-83 | | EC | | |
| L | | MIL-STD-242-9J | ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS CIRCUIT BREAKERS, FUSES, LAMPS, & METERS (PART 9) USER: MC REVIEWER: AS SH | A | 59GP | EC | 30-OCT-87 | | EC | | |
| L | | MIL-STD-242-10J | WIRE & CABLE (PART 10) USER: MC REVIEWER: AS SH ..... | A | 59GP | EC | 23-JUN-86 | | EC | | |
| L | | MIL-STD-242-11G | ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS, RADIO FREQUENCY COMPONENTS USER: MC REVIEWER: AS SH | A | 59GP | EC | 30-SEP-83 | | EC | | |
| | | MIL-STD-242-12H | ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS HARDWARE & INSULATORS PART 12 USER: MC REVIEWER: AS SH | A | 59GP | EC | 18-NOV-86 | | EC | | |
| | | MIL-STD-248D | WELDING AND BRAZING PROCEDURE AND PERFORMANCE QUALIFICATION USER: MI REVIEWER: AT AV GS MC OS | A | THJM | SH | 10-MAR-89 | MR | SH | | |
| A | | MIL-STD-250D NOTICE 1 | AIRCREW STATION CONTROLS AND DISPLAYS FOR ROTARY WING AIRCRAFT [VALIDATION DATE: 8809] REVIEWER: TE | A | 1520 | 11 | 30-SEP-88 | AV | AS | 11 | |
| L | | MIL-STD-252B | WIRED EQUIPMENT, CLASSIFICATION OF VISUAL AND MECHANICAL DEFECTS, [VALIDATION DATE: 8307] REVIEWER: AR AT AV ME MI | A | QCIC | ER | 19-JAN-70 | ER | | | |
| L | | MIL-STD-255B | ELECTRIC VOLTAGES ALTERNATING AND DIRECT CURRENT ..... | A | MISC | MI | 08-MAY-92 | MI | | | |
| L | | MIL-STD-271F | REQUIREMENTS FOR NONDESTRUCTIVE TESTING METHODS ..... | A | NDTI | SH | 27-JUN-86 | | SH | | |
| | | MIL-STD-273B(1) | GAGE, PLUG, THREAD SETTING, CLASS W, FOR GO GAGES UNIFIED STANDARD CLASSES 2A AND 3A AND AMERICAN NATIONAL STANDARD CLASS 3 EXTERNAL THREADS [VALIDATION DATE: 8504] REVIEWER: EA | A | 5220 | AR | 28-AUG-64 | AR | OS | 99 | |
| | | MIL-STD-274B(1) NOTICE 1 | GAGE, PLUG, THREAD, SETTING, CLASS W, FOR LO (NOT GO), GAGES, UNIFIED STANDARD CLASSES 2A AND 3A AND AMERICAN NATIONAL STANDARD CLASS 3 EXTERNAL THREADS [VALIDATION DATE: 8101] REVIEWER: 11 EA GL | A | 5220 | AR | 28-AUG-64 | AR | OS | 99 | |
| | | MIL-STD-275E NOTICE 1 | PRINTED WIRING FOR ELECTRONIC EQUIPMENT USER: CG MC REVIEWER: 11 16 19 99 AR AS EA ES MI MU OS SH | A | 5999 | EC | 31-DEC-84 | ER | EC | 85 | |
| A | | MIL-STD-276A | IMPREGNATION OF POROUS METAL CASTINGS AND POWDERED METAL COMPONENTS USER: AS AT REVIEWER: AR MI OS | A | 9540 | SH | 30-DEC-92 | MR | SH | | |
| | | MIL-STD-277(1) | STATIC ACCEPTANCE TEST FOR LIGHT OUTPUT OF FLASH MUNITIONS [VALIDATION DATE: 7705] USER: MC MI REVIEWER: 11 | A | 1370 | AR | 01-FEB-56 | AR | OS | | |
| L | | MIL-STD-278F(1) | WELDING AND CASTING STANDARD ..... | A | THJM | SH | 07-JAN-92 | | SH | | |
| | | MIL-STD-279B NOTICE 1 | COMPRESSORS, RECIPROCATING, POWER-DRIVEN, OPEN-TYPE, FOR USE WITH REFRIGERANT-12 [VALIDATION DATE: 9203] USER: CG MI SH REVIEWER: GS MC SA | A | 4130 | GL | 27-MAR-92 | GL | | 99 | |
| A | | MIL-STD-280A | DEFINITIONS OF ITEM LEVELS, ITEM EXCHANGEABILITY, MODELS, AND RELATED TERMS REVIEWER: 17 22 85 95 99 AR DH EC GL IP ME MI OS | A | MISC | CR | 30-JUL-86 | CR | AS | 10 | |
| D | | MIL-STD-282(3) NOTICE 3 | FILTER UNITS, PROTECTIVE CLOTHING, GAS-MASK COMPONENTS AND RELATED PRODUCTS: PERFORMANCE-TEST METHODS USER: YD1 | A | 4240 | EA | 10-FEB-89 | EA | SH | | |
| A | | MIL-STD-284A | VISUAL INSPECTION GUIDE FOR RUBBER FOOTWEAR [VALIDATION DATE: 8303] USER: 11 | A | 84GP | CT | 20-SEP-63 | GL | | 99 | CT |
| D | | MIL-STD-285 | ATTENUATION MEASUREMENTS FOR ENCLOSURES, ELECTROMAGNETIC SHIELDING, FOR ELECTRONIC TEST PURPOSES, METHOD OF [VALIDATION DATE: 6712] USER: YD1 REVIEWER: AR MI TE | A | EMCS | CR | 25-JUN-56 | CR | EC | | |
| | | MIL-STD-286C | PROPELLANTS, SOLID: SAMPLING, EXAMINATION AND TESTING ..... | A | 1376 | AR | 28-AUG-91 | AR | OS | | |
| L | | MIL-STD-287A NOTICE 1 | TEST SIGNALS FOR ELECTRONIC TACTICAL AIR NAVIGATION EQUIPMENT (TACAN) [VALIDATION DATE: 9110] | A | 58GP | AS | 23-OCT-91 | | AS | | |
| | | MIL-STD-289A NOTICE 1 | VISUAL INSPECTION GUIDE FOR RUBBER SHEET MATERIAL [VALIDATION DATE: 8807] REVIEWER: 82 GS WC | A | 9320 | SH | 08-JUL-88 | MR | SH | 11 | |
| D | | MIL-STD-290E NOTICE 2 | PACKAGING OF PETROLEUM AND RELATED PRODUCTS USER: AR ME REVIEWER: AS MC MI MR PS SH YD1 | A | PACK | SA | 01-AUG-85 | SM | SA | 68 | |
| | | MIL-STD-291B NOTICE 1 | STANDARD TACTICAL AIR NAVIGATION (TACAN) SIGNAL [VALIDATION DATE: 8612] REVIEWER: 85 AS SH | A | 5826 | EC | 12-DEC-86 | AV | EC | 11 | |
| | | MIL-STD-293 NOTICE 1 | VISUAL INSPECTION GUIDE FOR CELLULAR RUBBER ITEMS [VALIDATION DATE: 8806] | A | 93GP | SH | 16-JUN-88 | MR | SH | | |
| D | | MIL-STD-294A(1) NOTICE 2 | VISUAL INSPECTION GUIDE FOR RUBBER V BELTS [VALIDATION DATE: 9103] USER: AS AT YD1 REVIEWER: MI | A | 3030 | SH | 26-MAR-91 | ME | SH | 82 | |
| D | | MIL-STD-295 | BILL OF MATERIAL, PREPARATION OF [VALIDATION DATE: 8101] ..... | A | DRPR | OS | 30-OCT-56 | | OS | 11 | |
| | | MIL-STD-298 NOTICE 1 | VISUAL INSPECTION GUIDE FOR RUBBER EXTRUDED GOODS [VALIDATION DATE: 9103] USER: AT REVIEWER: CR EA | A | 93GP | SH | 21-MAR-91 | | SH | 11 | |
| L | | MIL-STD-299 | VISUAL INSPECTION STANDARDS FOR NAILED WOOD BOXES AND WIREBOUND WOOD BOXES USED IN SMALL ARMS AMMUNITION PACKING. [VALIDATION DATE: 8505] REVIEWER: ER GL | A | 8140 | AR | 17-JAN-57 | AR | | | |
| | | MIL-STD-320A | FUZE EXPLOSIVE COMPONENT TERMINOLOGY, DIMENSIONS AND MATERIALS [VALIDATION DATE: 8101] REVIEWER: 11 18 AS EA | A | 1390 | AR | 30-JUN-75 | AR | OS | 99 | |
| | | MIL-STD-322B | EXPLOSIVE COMPONENTS, ELECTRICALLY INITIATED, BASIC EVALUATION TESTS FOR [VALIDATION DATE: 8906] USER: MC | A | 1390 | AR | 22-JUN-89 | AR | OS | 99 | |
| A | | MIL-STD-331B(2) | FUZE AND FUZE COMPONENTS, ENVIRONMENTAL AND PERFORMANCE TESTS FOR REVIEWER: EA MI MT TE | A | 13GP | AR | 01-DEC-91 | AR | OS | 99 | |
| | | MIL-STD-333B(1) NOTICE 1 | FUZE, PROJECTILE AND ACCESSORY CONTOURS FOR LARGE CALIBER ARMAMENTS ..... | A | 1390 | AR | 01-AUG-89 | AR | OS | 99 | |
| L | | MIL-STD-334A | DISPLAYED MESSAGES FOR AUTOMATIC TEST EQUIPMENT REVIEWER: AL AV CR MI SM .. | A | TMSS | TM | 05-NOV-90 | TM | | | |
| L | | MIL-STD-335 NOTICE 1 | MANUALS, TECHNICAL: REPAIR PARTS AND SPECIALTOOLS LIST USER: MD REVIEWER: AL AR AT CR | A | TMSS | TM | 02-MAY-86 | TM | | | |
| L | | MIL-STD-336 | WELDING, FLASH, STANDARD LOW CARBON STEEL ..... | A | THJM | AT | 06-AUG-87 | AT | | | |
| | | MIL-STD-337 | DESIGN TO COST REVIEWER: 14 15 18 AR EA EC GS ..... | A | MISC | MI | 24-JUL-89 | MI | AS | 11 | |
| L | | MIL-STD-339 | WIRING & WIRING DEVICES FOR COMBAT & TACTICAL VEHICLES, SELECTION & INSTALLATION | A | 6150 | AT | 07-DEC-87 | AT | | | |
| L | | MIL-STD-340(1) | COATING, PACK CEMENTATION, CHROME ALUMINIDE, PROCESS FOR ..... | A | 8030 | AT | 02-MAY-91 | AT | | | |
| L | | MIL-STD-341 NOTICE 1 | COATING, ALUMINUM AND SILICON DIFFUSION, PROCESS FOR [VALIDATION DATE: 9202] | A | 8030 | AT | 28-FEB-92 | AT | | | |
| | | MIL-STD-342 | FLOW CHECK, LUBRICATING OIL, PROCEDURE FOR ..... | A | QCIC | AT | 26-MAY-88 | | | | |
| L | | MIL-STD-343 | TRACE ELEMENT, LIMITS OF ..... | A | QCIC | AT | 26-MAY-88 | AT | | | |
| A | | MIL-STD-348A(2) | RADIO FREQUENCY CONNECTOR INTERFACES FOR MIL-C-3643, MIL-C-3650, MIL-C-3655, MIL-C-25516, MIL-C-26637, MIL-C-39012, MIL-C-49142, MIL-A-55339, AND MIL C-83517 USER: CG MC REVIEWER: 10 11 17 99 AS AT AV ES MI SH | A | 5935 | CR | 21-JUL-92 | CR | EC | 85 | |
| A L | | MIL-STD-361-1 | MANUALS, TECHNICAL: WRITING STYLE AND FORMAT REQUIREMENTS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |
| A L | | MIL-STD-361-2 | MANUALS, TECHNICAL: COMPREHENSIBILITY REQUIREMENTS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |
| A L | | MIL-STD-361-3 | MANUALS, TECHNICAL: REQUIREMENTS FOR GRAPHICS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |
| A L | | MIL-STD-361-4 | MANUALS, TECHNICAL: QUALITY ASSURANCE REQUIREMENTS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |

| Action | OPR / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-STD-361-5 | MANUALS, TECHNICAL: REQUIREMENTS FOR PACKAGING USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |
| A | L | MIL-STD-361-6 | MANUALS, TECHNICAL: INTRODUCTORY INFORMATION WITH THEORY OF OPERATIONS REQUIREMENTS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |
| A | L | MIL-STD-361-7 | MANUALS, TECHNICAL: OPERATOR AND PREVENTIVE MAINTENANCE INSTRUCTIONS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |
| A | L | MIL-STD-361-8 | MANUALS, TECHNICAL: MAINTENANCE INSTRUCTIONS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |
| A | L | MIL-STD-361-9 | MANUALS, TECHNICAL: TROUBLESHOOTING PROCEDURES USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |
| A | L | MIL-STD-361-10 | MANUALS, TECHNICAL: LUBRICATION INSTRUCTIONS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |
| A | L | MIL-STD-361-11 | MANUALS, TECHNICAL: REPAIR PARTS AND SPECIAL TOOLS LIST (RPSTL) USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC | A | TMSS | TM | 15-JUL-92 | TM | | | |
| | L | MIL-STD-367A | ARMOR TEST DATA REPORTING REVIEWER: AR AT IS TE ..... | A | 95GP | MR | 29-JUN-90 | MR | | | |
| | | MIL-STD-368 | HPLC OF PMR-15 POLYIMIDE RESIN AND PREPREGS ..... | X | CMPS | MR | 11-DEC-89 | MR | AS | 11 | |
| | L | MIL-STD-370(1) | VISUAL ACCEPTANCE CRITERIA FOR INSPECTION OF ALUMINUM ALLOY WELDS REVIEWER: AT | A | NDTI | MR | 01-FEB-91 | MR | | | |
| A | L | MIL-STD-372 NOTICE 1 | WELDING, GAS METAL-ARC AND GAS TUNGSTEN-ARC, ALUMINUM ALLOYS, READILY WELDABLE FOR STRUCTURES, EXCLUDING ARMOR (VALIDATION DATE: 9302) USER: AL ME REVIEWER: AR AT | A | THJM | MR | 04-FEB-93 | MR | | | |
| A | | MIL-STD-373 | TRANSVERSE TENSILE PROPERTIES OF UNIDIRECTIONAL FIBER/RESIN COMPOSITE CYLINDERS REVIEWER: 12 19 79 80 AR AV CH ME MI NW SH | A | CMPS | MR | 27-OCT-92 | MR | AS | 11 | |
| A | | MIL-STD-374 | TRANSVERSE COMPRESSIVE PROPERTIES OF UNIDIRECTIONAL FIBER/RESIN COMPOSITE CYLINDERS REVIEWER: 12 19 79 80 AR AV CH ME MI NW SH | A | CMPS | MR | 27-OCT-92 | MR | AS | 11 | |
| A | | MIL-STD-375 | IN-PLANE SHEAR PROPERTIES OF UNIDIRECTIONAL FIBER/RESIN COMPOSITE CYLINDERS REVIEWER: 12 19 79 80 AR AV CH ME MI NW SH | A | CMPS | MR | 27-OCT-92 | MR | AS | 11 | |
| | | DOD-STD-396 | WEAPON CALIBER AND AMMUNITION, METRIC SYSTEM FOR IDENTIFICATION OF (VALIDATION DATE: 8402) REVIEWER: AS | A | 1395 | AR | 08-DEC-77 | AR | OS | 99 | |
| | | MIL-STD-397(1) NOTICE 1 | NATO SYMBOL OF INTERCHANGEABILITY (VALIDATION DATE: 8502) REVIEWER: AS MI . | A | 1395 | AR | 07-MAY-79 | AR | OS | 99 | |
| | L | MIL-STD-398 | SHIELD, OPERATIONAL FOR AMMUNITION OPERATIONS, CRITERIA FOR DESIGN OF AND TESTS FOR ACCEPTANCE (VALIDATION DATE: 8503) | A | 4925 | AR | 05-NOV-76 | AR | | | |
| | | MIL-STD-399A(1) | MICROFORM FORMATS USER: 85 CE MS PE REVIEWER: 11 16 17 99 AS AV EA EC OS .. | A | MISC | AR | 14-MAY-79 | AR | SA | 07 | DH |
| D | | MIL-STD-401B | SANDWICH CONSTRUCTIONS AND CORE MATERIALS, GENERAL TEST METHODS (VALIDATION DATE: 8004) USER: AV MI YD1 REVIEWER: 99 MR | A | 5680 | AS | 26-SEP-67 | ME | AS | 11 | |
| A | L | MIL-STD-403C | PREPARATION FOR AND INSTALLATION OF RIVETS AND SCREWS, ROCKET, MISSILE, AND AIRFRAME STRUCTURES REVIEWER: 99 AR EA ME | A | 1410 | MI | 30-JUN-92 | MI | | | |
| | | MIL-STD-406 | VISUAL INSPECTION STANDARDS FOR TERNE PLATE CANS AND STEEL BOXES USED IN SMALL ARMS AMMUNITION PACKAGING (VALIDATION DATE: 8505) REVIEWER: EA MI | A | 8140 | AR | 01-FEB-57 | AR | AS | | |
| | | MIL-STD-407 NOTICE 1 | VISUAL INSPECTION GUIDE FOR RUBBER MOLDED ITEMS (VALIDATION DATE: 9103) REVIEWER: CR EA MI | A | 93GP | SH | 21-MAR-91 | | SH | 11 | |
| | | MIL-STD-409A NOTICE 1 | ALLOY NOMENCLATURE AND TEMPER DESIGNATION SYSTEM FOR MAGNESIUM BASE ALLOYS (VALIDATION DATE: 8910) USER: AT AV MI REVIEWER: AR SH | A | 96GP | 11 | 04-OCT-89 | MR | AS | 11 | |
| | | MIL-STD-410E | NONDESTRUCTIVE TESTING PERSONNEL QUALIFICATION AND CERTIFICATION REVIEWER: AR | A | NDTI | 11 | 25-JAN-91 | MR | AS | 11 | |
| | | MIL-STD-411E | AIRCREW STATION ALTERING SYSTEMS ..... | A | 15GP | AS | 01-MAR-91 | AV | AS | 11 | |
| | | MIL-STD-413C NOTICE 1 | VISUAL INSPECTION GUIDE FOR ELASTOMERIC O-RINGS (VALIDATION DATE: 8706) USER: AT MC REVIEWER: 11 82 AS OS | A | 5330 | SH | 19-JUN-87 | MI | SH | 99 | |
| | | MIL-STD-415D(1) NOTICE 2 | TEST PROVISIONS FOR ELECTRONIC SYSTEMS AND ASSOCIATED EQUIPMENT, DESIGN CRITERIA FOR (VALIDATION DATE: 8802) REVIEWER: 13 17 19 22 99 AR AS AV EC MI TE | A | MISC | 11 | 26-FEB-88 | ER | SH | 11 | |
| | L | MIL-STD-417A NOTICE 3 | CLASSIFICATION SYSTEM AND TESTS FOR SOLID ELASTOMERIC MATERIALS (INACTIVE FOR NEW DESIGN) (VALIDATION DATE: 8710) USER: CS REVIEWER: AT EA GL GS MI OS | A | 9320 | MR | 06-OCT-87 | MR | | | |
| | | MIL-STD-419D | CLEANING AND PROTECTING PIPING, TUBING, AND FITTINGS FOR HYDRAULIC POWER TRANSMISSION EQUIPMENT USER: MC OS REVIEWER: MI MS | A | MISC | SH | 13-JUL-87 | ME | SH | | |
| | L | MIL-STD-438E NOTICE 1 | SCHEDULE OF PIPING, VALVES, FITTINGS, & ASSOCIATED PIPING COMPONENTS FOR SUBMARINES SERVICE (VALIDATION DATE: 8204) | A | 4730 | SH | 15-MAY-73 | | SH | | |
| | | MIL-STD-444(2) NOTICE 3 | NOMENCLATURE AND DEFINITIONS IN THE AMMUNITION AREA (VALIDATION DATE: 8803) | A | 1395 | AR | 31-MAR-88 | AR | OS | 18 | |
| | | MIL-STD-449D(2) NOTICE 2 | RADIO FREQUENCY SPECTRUM CHARACTERISTICS, MEASUREMENT OF (VALIDATION DATE: 8505) USER: AS OS REVIEWER: 11 17 MI SH TE | A | EMCS | EC | 18-MAY-76 | CR | EC | 10 | |
| D | | MIL-STD-450B | SIGNS FOR CONTAMINATED OR DANGEROUS AREAS (VALIDATION DATE: 8412) USER: CE GL YD1 REVIEWER: AR MC MD MI | A | SAFT | ME | 22-OCT-68 | ME | OS | 99 | |
| | | MIL-STD-453C(1) | INSPECTION, RADIOGRAPHIC USER: AR DH ES GL MD OS REVIEWER: 70 71 82 89 AV MI SH | A | NDTI | AS | 09-SEP-88 | MR | AS | 11 | |
| A | | MIL-STD-454N | STANDARD GENERAL REQUIREMENTS FOR ELECTRONIC EQUIPMENT REVIEWER: 17 19 85 99 AR AV CR EC ES ME MI OS SH TE | A | GDRQ | 10 | 30-JUN-92 | ER | AS | 11 | |
| D | | MIL-STD-455B | ALLOY DESIGNATION SYSTEM FOR WROUGHT AND CAST COPPER AND COPPER ALLOYS (VALIDATION DATE: 8302) USER: AT MC OS REVIEWER: 99 AS AV IS MI YD1 | A | 95GP | MR | 24-DEC-75 | MR | SH | 11 | |
| | | MIL-STD-457B | TANKS, PETROLEUM FUEL AND LUBRICANTS, OPERATING AND BULK STORAGE, MINIMUM FREQUENCY FOR INSPECTION AND CLEANING REVIEWER: 68 CE | A | 91GP | PS | 20-MAR-89 | ME | SA | 50 | PS |
| D | | MIL-STD-461D | REQUIREMENTS FOR THE CONTROL OF ELECTROMAGNETIC INTERFERENCE EMISSIONS AND SUSCEPTIBILITY USER: 84 AT CE MD ME TE YD1 REVIEWER: 13 15 17 19 99 AS AV CC MC MI OS SH TD | A | EMCS | EC | 11-JAN-93 | CR | EC | 11 | |
| | L | MIL-STD-461-2C(2) | ELECTROMAGNETIC EMISSION AND SUSCEPTIBILITY REQUIREMENTS FOR THE CONTROL OF ELECTROMAGNETIC INTERFERENCE REVIEWER: 13 14 15 17 18 84 90 99 | A | EMCS | 11 | 15-OCT-87 | | | 11 | |
| D | | MIL-STD-462D | MEASUREMENT OF ELECTROMAGNTIC INTERFERENCE CHARACTERISTICS USER: 84 AT CE CL MD ME REVIEWER: 13 15 17 19 99 AS AV CC MC MI OS SH TD TE YD1 | A | EMCS | 11 | 11-JAN-93 | CR | EC | 11 | |
| | | MIL-STD-463A NOTICE 1 | DEFINITIONS AND SYSTEM OF UNITS, ELECTROMAGNETIC INTERFERENCE AND ELECTROMAGNETIC COMPATIBILITY TECHNOLOGY (VALIDATION DATE: 8809) USER: MI REVIEWER: 13 14 15 17 19 AS AV MC OS | A | EMCS | CR | 19-SEP-88 | CR | SH | 11 | |
| | | MIL-STD-469A | RADAR ENGINEERING DESIGN REQUIREMENTS, ELECTROMAGNETIC COMPATIBILITY METRIC REVIEWER: EC | A | EMCS | SH | 02-DEC-91 | ER | SH | 99 | |
| D | | MIL-STD-470B | MAINTAINABILITY PROGRAM FOR SYSTEMS AND EQUIPMENT REVIEWER: 10 11 13 15 18 AR AV CG EC MC OS TE YD1 | A | MNTY | 17 | 30-MAY-89 | MI | AS | 17 | |
| | | MIL-STD-471A(2) | MAINTAINABILITY DEMONSTRATION (VALIDATION DATE: 8011) REVIEWER: 11 13 14 15 19 AV EC ER SH TD TE | A | MNTY | 17 | 10-JAN-75 | CR | AS | 17 | |
| | | MIL-STD-490A | SPECIFICATION PRACTICES REVIEWER: 11 15 16 17 85 AV CR EC ER MC MI OS SA .. | A | CMAN | 10 | 04-JUN-85 | AR | AS | 10 | |
| | L | MIL-STD-499A | ENGINEERING MANAGEMENT REVIEWER: 11 13 18 19 AR ..... | A | MISC | 10 | 01-MAY-74 | | | 10 | |
| D | | MIL-STD-605A | INORGANIC ACIDS AND ACID ANHYDRIDES, TECHNICAL GRADE USER: AS MC ME OS REVIEWER: AR AV GS MD MI SA SH | A | 6810 | EA | 17-MAR-87 | EA | YD1 | 68 | |
| | | MIL-STD-606A | HELMET WELDERS'; SHIELD, WELDING, HAND HELD AND LENSES, HELMET REVIEWER: GS | A | 4240 | EA | 19-AUG-88 | EA | SH | 99 | |
| D | | MIL-STD-608C | ALDEHYDES AND KETONES, TECHNICAL GRADE USER: AS MC REVIEWER: AR MD SH ..... | A | 6810 | EA | 28-JUN-91 | EA | YD1 | 68 | |
| D | | MIL-STD-610B | HALOGENATED HYDROCARBON COMPOUNDS AND SOLVENTS, TECHNICAL GRADE (METRIC) USER: AS CE MC OS REVIEWER: AV GL GS MD MI YD1 | A | 6810 | EA | 10-JAN-89 | EA | SH | 68 | |
| | | MIL-STD-611A | ELEMENTS, EXCEPT ACS (VALIDATION DATE: 8404) USER: AR MC SH WV REVIEWER: GS MD ME OS | A | 6810 | EA | 20-DEC-74 | EA | AS | 68 | |
| D | | MIL-STD-612B | INORGANIC BASES AND BASIC ANHYDRIDES, TECHNICAL GRADE (METRIC) USER: AT MS REVIEWER: AR AS GL GS MD ME SA | A | 6810 | EA | 09-DEC-86 | EA | YD1 | 68 | |
| D | | MIL-STD-613 | INORGANIC BASES & BASIC ANHYDRIDES, REAGENT GRADE (INCLUDING ACS & USP-NF COMPOUNDS) (METRIC) USER: MS OS YD1 REVIEWER: AR AS DP MD ME MI SA SH | A | 6810 | EA | 19-AUG-86 | EA | SH | 68 | |

# NUMERICAL LISTING
# MILITARY STANDARDS

| Action | Ctrl / Obtl Coordination Activity | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | MIL-STD-619B | UNIFIED SOIL CLASSIFICATION SYSTEM FOR ROADS, AIRFIELDS, EMBANKMENTS AND FOUNDATIONS. [VALIDATION DATE: 7803] USER: 11 CG REVIEWER: 26 | A | FACR | CE | 12-JUN-68 | CE | YD1 | 99 | | |
| | | MIL-STD-620A(1) | TEST METHODS FOR BITUMINOUS PAVING MATERIALS [VALIDATION DATE: 8110] USER: AR CG GL MC MD | A | FACR | CE | 29-MAY-67 | CE | | 99 | | |
| | | MIL-STD-621A(2) | TEST METHOD FOR PAVEMENT SUBGRADE, SUBBASE, AND BASE COURSE MATERIAL [VALIDATION DATE: 8110] USER: AR CG GL MD | A | FACR | CE | 06-DEC-68 | CE | | 99 | | |
| D | | MIL-STD-627A | SPROCKET WHEELS FOR POWER TRANSMISSION AND CONVEYING CHAINS USER: MC SH REVIEWER: 82 | A | 3020 | MI | 11-SEP-92 | MI | YD1 | 99 | | |
| D | | MIL-STD-628D<br>NOTICE 1 | TRACTORS, FULL-TRACKED, LOW-SPEED [VALIDATION DATE: 9001] USER: MC REVIEWER: 84 AT CE | A | 2410 | ME | 29-JAN-90 | ME | YD1 | 99 | | |
| D | | MIL-STD-632B | LOADER, SCOOP-TYPE, TYPE AND CATACITIES [VALIDATION DATE: 8406] USER: CE MC REVIEWER: AT CS | A | 3805 | ME | 22-JUL-75 | ME | YD1 | 99 | | |
| D | | MIL-STD-633E | MOBILE ELECTRIC POWER ENGINE GENERATOR STANDARD FAMILY CHARACTERISTICS DATA SHEET USER: AS CE EC REVIEWER: 11 GS MC MI | A | 6115 | ME | 22-FEB-80 | ME | YD1 | 99 | | |
| | | MIL-STD-636(2) | VISUAL INSPECTION STANDARDS FOR SMALL ARMS AMMUNITION THROUGH CALIBER .50 . | A | 1305 | AR | 16-SEP-89 | AR | OS | | | |
| | L1 | MIL-STD-637A(1) | MACHINE AND AUTOMATIC GUNS AND MACHINEGUN TRAINERS THROUGH 30-MM USER: AR . | A | 1005 | AS | 21-AUG-89 | | AS | | | |
| D | | MIL-STD-642L | IDENTIFICATION MARKING OF COMBAT AND TACTICAL TRANSPORT VEHICLES USER: ME REVIEWER: MC MI | A | 2310 | AT | 15-MAY-91 | AT | YD1 | 99 | | |
| | | MIL-STD-644A(5) | VISUAL INSPECTION STANDARDS AND INSPECTION PROCEDURES FOR INSPECTION OF PACKAGING, PACKING AND MARKING OF SMALL ARMS AMMUNITION | A | 1305 | AR | 01-MAY-92 | AR | OS | 70 | | |
| | L | MIL-STD-645B<br>NOTICE 1 | DIP BRAZING OF ALUMINUM ALLOYS USER: ME REVIEWER: AR ER MI ..... | A | THJM | MR | 17-FEB-84 | MR | | | | |
| D | | MIL-STD-648A | DESIGN CRITERIA FOR SPECIALIZED SHIPPING CONTAINERS REVIEWER: 10 11 13 43 99 AR AS AV DH DS ER GL MC SA SH YD1 | A | PACK | OS | 05-JUL-83 | SM | OS | 69 | | |
| D | | MIL-STD-650(3)<br>NOTICE 4 | EXPLOSIVE, SAMPLING, INSPECTION TESTING [VALIDATION DATE: 7905] REVIEWER: EA YD1 | A | 1376 | AR | 31-MAY-73 | AR | OS | | | |
| | L | MIL-STD-650(4) | EXPLOSIVE: SAMPLING, INSPECTION AND TESTING ..... | A | 1376 | AR | 28-SEP-87 | AR | | | | |
| | | MIL-STD-651(1)<br>NOTICE 2 | VISUAL INSPECTION STANDARDS FOR 20MM AMMUNITION AND COMPONENTS [VALIDATION DATE: 8705] | A | 1305 | AR | 27-FEB-70 | AR | OS | 99 | | |
| | L | MIL-STD-652D(6) | PROPELLANTS, SOLID, FOR CANNONS REQUIREMENTS AND PACKING ..... | A | 1376 | AR | 28-APR-90 | AR | | | | |
| A | | MIL-STD-655D | PROVISIONS FOR EVALUATING QUALITY OF CLOTH, WOOL, WORSTED AND WOOL BLENDS USER: AS REVIEWER: 82 99 MC | A | 8305 | CT | 06-AUG-92 | GL | MU | 11 | CT | |
| A | | MIL-STD-656C | PROVISIONS FOR EVALUATING QUALITY OF SLACKS, WOMEN'S REVIEWER: 82 MC ..... | A | 8410 | CT | 18-JUL-90 | GL | MU | 99 | CT | |
| A | | MIL-STD-657A | PROVISIONS FOR EVALUATING QUALITY OF SERVICE CAPS [VALIDATION DATE: 8402] USER: 45 | A | 8405 | CT | 28-JUL-78 | GL | | 11 | CT | |
| | | MIL-STD-662E<br>NOTICE 1 | V50 BALLISTIC TEST FOR ARMOR [VALIDATION DATE: 9205] USER: DP OS SH REVIEWER: 15 82 99 AL AR AT GL TE | A | 8470 | MR | 27-MAY-92 | MR | MC | 11 | | |
| A | | MIL-STD-665D | LAUNDERING OF CLOTHING AND EQUIPAGE USER: MC REVIEWER: 11 MD ..... | A | 84GP | CT | 10-MAR-87 | GL | MU | 99 | CT | |
| A | | MIL-STD-666B<br>NOTICE 1 | DRY CLEANING OF CLOTHING AND EQUIPAGE REVIEWER: MC MD ..... | A | 84GP | CT | 22-APR-89 | GL | MU | 99 | CT | |
| | | MIL-STD-667C | SANITARY STANDARDS FOR SHELL EGG PLANTS REVIEWER: MD MS ..... | A | 8910 | GL | 01-NOV-86 | GL | SA | 50 | | |
| | | MIL-STD-668E<br>NOTICE 1 | SANITARY STANDARDS FOR FOOD PLANTS REVIEWER: MC MD SS ..... | A | 89GP | GL | 31-DEC-87 | GL | SA | 50 | | |
| | | MIL-STD-669B<br>NOTICE 1 | LOADING ENVIRONMENT AND RELATED REQUIREMENTS FOR PLATFORM RIGGED AIRDROP MATERIEL [VALIDATION DATE: 9203] USER: 82 AS AT ER REVIEWER: MT | A | 1670 | GL | 27-MAR-92 | GL | | 99 | | |
| | | MIL-STD-670B<br>NOTICE 1 | CLASSIFICATION SYSTEM AND TESTS FOR CELLULAR ELASTOMERIC MATERIALS *(INACTIVE FOR NEW DESIGN) REVIEWER:* AR GL GS MD MU | A | 9320 | MR | 14-APR-86 | MR | AS | 11 | | |
| | | MIL-STD-671C<br>NOTICE 1 | SANITARY STANDARDS FOR MILK EVAPORATING AND DRYING PLANTS [VALIDATION DATE: 8711] REVIEWER: MC MD MS | A | 8910 | GL | 06-NOV-87 | GL | SA | 50 | | |
| A | | MIL-STD-680B | STANDARDIZATION PROGRAM REQUIREMENTS FOR DEFENSE ACQUISITIONS USER: 19 REVIEWER: 11 13 17 26 AV CG GL MC MI OS SA | A | SDMP | AS | 01-MAR-90 | AR | AS | 10 | | |
| | | MIL-STD-681D | IDENTIFICATION CODING AND APPLICATION OF HOOKUP AND LEAD WIRE USER: AT MC OS REVIEWER: 11 17 99 AR AS AV ES IS ME MI SH | A | 6145 | CR | 13-AUG-90 | CR | EC | 85 | | |
| A | | MIL-STD-683G | CRYSTAL UNITS (QUARTZ), CRYSTAL HOLDERS (ENCLOSURES) AND OSCILLATORS SELECTION OF USER: AS MC OS REVIEWER: 17 19 AR ES MI SH SM | A | 5955 | ER | 23-SEP-92 | ER | EC | 85 | | |
| | | MIL-STD-685(1)<br>NOTICE 2 | IDENTIFICATION OF CABLE USED FOR TRANSMISSION OF TELEPHONE, TELEGRAPH, AND TELETYPE SIGNALS [VALIDATION DATE: 8809] USER: MC REVIEWER: 16 AS IS | A | 6145 | CR | 19-SEP-88 | CR | SH | 85 | | |
| | | MIL-STD-686C | CABLE AND CORD, ELECTRICAL: IDENTIFICATION MARKING AND COLOR CODING OF USER: MC SH REVIEWER: 99 EC IS MI | A | 6145 | CR | 28-SEP-90 | CR | AS | 85 | | |
| | | MIL-STD-687A | WIRE, THERMOCOUPLE, IDENTIFICATION MARKING AND COLOR CODING OF [VALIDATION DATE: 8207] USER: AS AT MC OS REVIEWER: 11 AR IS MI | A | 6145 | CR | 10-JUL-73 | CR | | 85 | | |
| A | | MIL-STD-690C | FAILURE RATE SAMPLING PLANS AND PROCEDURES USER: CG MC REVIEWER: 11 19 70 AR AS ES MI OS SH | A | RELI | ER | 26-MAR-93 | ER | EC | 85 | | |
| | | MIL-STD-698B<br>NOTICE 1 | QUALITY STANDARDS FOR AIRCRAFT PNEUMATIC TIRES AND INNER TUBES [VALIDATION DATE: 8809] USER: CS MC REVIEWER: 70 99 | A | 2620 | AV | 16-SEP-88 | AV | AS | 11 | | |
| | | MIL-STD-701N | LISTS OF STANDARD SEMICONDUCTOR DEVICES USER: 19 AS CG MC OS REVIEWER: 11 85 AT ES MI SH SM | A | 59GP | EC | 31-JAN-90 | ER | EC | 17 | | |
| D | | MIL-STD-704E | *AIRCRAFT ELECTRIC POWER CHARACTERISTICS* USER: MC REVIEWER: CR EC ER MI SH TE YD1 | A | MISC | AS | 01-MAY-91 | AV | AS | 11 | | |
| D | | MIL-STD-705C | GENERATOR SETS, ENGINE DRIVEN METHODS OF TESTS AND INSTRUCTIONS USER: AT REVIEWER: AS GS MC MI TE | A | 6115 | ME | 24-APR-89 | ME | YD1 | 80 | | |
| | L1 | MIL-STD-708 | FORMULA FOR BINDER SOLUTION ..... | A | 1370 | OS | 15-JUN-89 | | OS | | | |
| | | MIL-STD-709C<br>NOTICE 2 | AMMUNITION COLOR CODING USER: MC REVIEWER: 70 EA MI ..... | A | 1395 | AR | 28-SEP-84 | AR | OS | 90 | | |
| | | MIL-STD-710D | SYNCHROS, 60 AND 400 HZ, SELECTION AND APPLICATION OF USER: 11 CG MC ME REVIEWER: 99 EC ES OS | A | 5990 | AS | 25-MAR-91 | AR | AS | 85 | | |
| | L1 | MIL-STD-717<br>NOTICE 1 | FORMULA FOR BINDER SOLUTION II ..... | A | 1370 | OS | 15-JUN-89 | | OS | | | |
| | L | MIL-STD-718 | FORMULA FOR ILLUMINANT COMPOSITION II [VALIDATION DATE: 8403] ..... | A | 1370 | OS | 30-JUN-59 | | OS | | | |
| | | MIL-STD-721C<br>NOTICE 1 | DEFINITIONS OF TERMS FOR RELIABILITY AND MAINTAINABILITY [VALIDATION DATE: 9110] | A | RELI | AS | 23-OCT-91 | CR | AS | 17 | | |
| | L1 | MIL-STD-725A(1)<br>NOTICE 4 | METHOD OF MARKING SCALES FOR SIGHTS AND FIRE CONTROL INSTRUMENTS REVIEWER: MI | A | 1220 | OS | 13-MAY-91 | | OS | | | |
| A | I | MIL-STD-726H(3) | PACKAGING REQUIREMENTS CODES USER: MI SH REVIEWER: AT AV CR EC GL GS IS SA | A | PACK | AS | 28-APR-89 | SM | AS | 69 | ES | |
| D | | MIL-STD-731A(1) | QUALITY OF WOOD MEMBERS FOR CONTAINERS AND PALLETS USER: SH REVIEWER: 71 80 CS GL MC MI OS SA SM | A | 8115 | YD1 | 17-AUG-92 | ME | YD1 | 69 | | |
| | | MIL-STD-739A(1) | TRAILER AND SEMITRAILERS, COMMERCIAL [VALIDATION DATE: 8504] REVIEWER: MC | A | 2330 | AT | 08-APR-64 | AT | | 99 | | |
| | L | MIL-STD-740B(1) | AIRBORNE AND STRUCTUREBORNE NOISE MEASUREMENTS AND ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT [VALIDATION DATE: 8105] USER: MI REVIEWER: EC | A | MFAC | SH | 22-JUN-65 | AV | SH | | | |
| | L | MIL-STD-740-1 | AIRBORNE SOUND MEASUREMENTS AND ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT | A | MFAC | SH | 30-DEC-86 | | SH | | | |
| | L | MIL-STD-740-2 | STRUCTUREBORNE VIBRATORY ACCELARATION MEASUREMENTS ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT | A | MFAC | SH | 30-DEC-86 | | SH | | | |
| | | MIL-STD-746A | *RADIOGRAPHIC TESTING REQUIREMENTS FOR CAST EXPLOSIVES* [VALIDATION DATE: 8204] REVIEWER: 11 | A | NDTI | OS | 31-JUL-63 | AR | OS | 99 | | |
| A | | MIL-STD-750C(6) | TEST METHODS FOR SEMICONDUCTOR DEVICES USER: 13 AS CG MC OS REVIEWER: 19 85 99 AR ES MI SH | A | 5961 | EC | 30-JAN-93 | ER | EC | 17 | | |
| | L | MIL-STD-751A(1) | *RADAR OUTPUTS, NAVAL SHIP AND SHORE* ..... | A | 5840 | SH | 18-JAN-89 | | SH | | | |
| | | MIL-STD-753C | CORROSION-RESISTANT STEEL PARTS: SAMPLING, INSPECTION AND TESTING FOR SURFACE PASSIVATION REVIEWER: MI | A | MFFP | AS | 29-JUN-90 | MR | AS | 11 | | |
| | | MIL-STD-756B<br>NOTICE 1 | RELIABILITY MODELING & PREDICTION USER: AM EC MS REVIEWER: AR AV EA OS SH TD | A | RELI | AS | 31-AUG-82 | CR | AS | 17 | | |
| | L | MIL-STD-758C | PACKAGING PROCEDURES FOR SUBMARINE SUPPORT ITEMS REVIEWER: EA SM ..... | A | PACK | SH | 13-APR-90 | | SH | | | |
| | | MIL-STD-759B | CONDENSER, AIR COOLED, REFRIGERANT-12 [VALIDATION DATE: 8201] USER: CE MC ME REVIEWER: GS MD | A | 4130 | GL | 09-SEP-70 | GL | | 99 | | |

| Action | OPR / Orig. Coordination | Inactive | Document Number | Document Title | Dist. Symb. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-STD-760 NOTICE 1 | CONDENSERS, REFRIGERATING, WATER-COOLED, REFRIGERANT-12 (VALIDATION DATE: 9203) USER: CR MI | A 4130 | GL | | 27-MAR-92 | GL | | 99 | |
| | L | | MIL-STD-763D | LOCKING DEVICES (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) | F 5340 | SH | | 01-MAY-84 | | SH | | |
| | | | MIL-STD-765A(1) NOTICE 2 | COMPASS SWINGING, AIRCRAFT, GENERAL REQUIREMENTS FOR (VALIDATION DATE: 8802) REVIEWER: 99 | A 6605 | 11 | | 26-FEB-88 | AV | AS | 11 | |
| | L | | MIL-STD-767C NOTICE 5 | CLEANING REQUIREMENTS FOR SPECIAL PURPOSE EQUIPMENT, INCLUDING PIPING SYSTEMS (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) | A MISC | SH | | 01-NOV-85 | | SH | | |
| | L | | MIL-STD-769J | THERMAL INSULATION REQUIREMENTS FOR MACHINERY AND PIPING | A 5640 | SH | | 09-OCT-90 | | SH | | |
| | L | | MIL-STD-770 NOTICE 1 | ULTRASONIC INSPECTION OF LEAD (CONTROLLED DISTRIBUTION) (VALIDATION DATE: 8707) | B NDTI | SH | | 17-JUL-87 | | SH | | |
| | LI | | MIL-STD-771C NOTICE 1 | DAMAGE CONTROL BOOKS FOR AUXILIARY AND MISCELLANEOUS SHIPS, PREPARATION FOR | A TMSS | SH | | 24-JUL-91 | | SH | | |
| | L | | MIL-STD-772C(1) | DAMAGE CONTROL BOOKS FOR WARSHIPS AND MISCELLANEOUS LARGE SHIPS, PREPARATION OF (VALIDATION DATE: 8204) | A TMSS | SH | | 10-JUN-74 | | SH | | |
| | | | MIL-STD-773C NOTICE 1 | COMPRESSORS, HERMETIC: FOR USE WITH REFRIGERANT 12 (VALIDATION DATE: 9203) REVIEWER: CE CR GS MC SH | A 4130 | GL | | 27-MAR-92 | GL | | 99 | |
| | L | | MIL-STD-777E(1) | SCHEDULE OF PIPING, VALVES, FITTINGS, AND ASSOCIATED PIPING COMPONENTS FOR NAVAL SURFACE SHIPS REVIEWER: CS | A 4730 | SH | | 17-JAN-90 | | SH | | |
| A | L | | MIL-STD-780G | WORK UNIT CODES FOR AERONAUTICAL EQUIPMENT: UNIFORM NUMBERING SYSTEM | A ILSS | AS | | 18-AUG-92 | | AS | | |
| D | | | MIL-STD-781D | RELIABILITY TESTING FOR ENGINEERING DEVELOPMENT, QUALIFICATION, & PRODUCTION USER: AR ME YD1 REVIEWER: 01 10 13 17 19 AS AT AV ES MI OS SH TD | A RELI | EC | | 17-OCT-86 | CR | EC | 11 | |
| | | | MIL-STD-782D NOTICE 1 | RECONNAISSANCE/MAPPING DATA MARKING (VALIDATION DATE: 8607) | A MISC | 70 | | 07-JUL-86 | CR | AS | 99 | |
| | | | MIL-STD-783D | LEGENDS FOR USE IN AIRCREW STATIONS AND ON AIRBORNE EQUIPMENT USER: 13 15 SC REVIEWER: 24 MI | A HFAC | 11 | | 18-DEC-84 | AV | AS | 11 | |
| | LI | | MIL-STD-784B(2) | DAMAGE CONTROL BOOKS FOR SURFACE SHIPS, REVISION OF | A TMSS | SH | | 22-APR-91 | | SH | | |
| D | | | MIL-STD-785B(2) NOTICE 2 | RELIABILITY PROGRAM FOR SYSTEMS AND EQUIPMENT DEVELOPMENT AND PRODUCTION REVIEWER: 10 13 17 18 19 AH AT AV ES MI OS SA SH SS TD TE YD1 | A RELI | 11 | | 05-AUG-88 | CR | AS | 11 | |
| | | | MIL-STD-787 | JOINT OPTICAL RANGE INSTRUMENTATION TYPE DESIGNATION SYSTEM (VALIDATION DATE: 8505) | A MISC | AS | | 04-DEC-64 | ER | AS | 11 | |
| D | | | MIL-STD-789C | CONTRACTOR TECHNICAL INFORMATION CODING OF REPLENISHMENT PARTS REVIEWER: 11 99 EC MI OS SA SH TM YD1 | A MISC | AS | | 14-OCT-83 | AV | AS | 16 | |
| | | | MIL-STD-790E(1) | PRODUCT ASSURANCE PROGRAM FOR ELECTRONIC AND FIBER OPTIC PARTS SPECIFICATIONS USER: CC MC REVIEWER: 11 17 19 99 AR AS CR DH MI OS SH | A RELI | EC | | 27-JUL-90 | ER | EC | 85 | |
| M | L | | MIL-STD-792E NOTICE 2 | IDENTIFICATION MARKING REQUIREMENTS FOR SPECIAL PURPOSE COMPONENTS | A GDRQ | SH | | 20-JAN-93 | | SH | | |
| | I | | MIL-STD-794E NOTICE 1 | PART AND EQUIPMENT, PROCEDURES FOR PACKAGING OF USER: MI REVIEWER: 10 11 18 19 AV EA EC IS MC OS SA | A PACK | AS | | 28-APR-89 | SM | AS | 69 | |
| | L | | MIL-STD-796A | CHEMICAL CLEANING OF MAIN AND AUXILIARY BOILERS (HYDROCHLORIC ACID METHOD | A MISC | SH | | 16-MAR-88 | | SH | | |
| | L | | MIL-STD-797C | DAMAGE CONTROL BOOKS FOR SUBMARINES PREPARATION AND REVISION OF | A TMSS | SH | | 25-MAR-88 | | SH | | |
| | L | | MIL-STD-798(1) | NONDESTRUCTIVE TESTING, WELDING, QUALITY CONTROL, MATERIAL CONTROL AND IDENTIFICATION AND HI-SHOCK TEST REQUIREMENTS FOR PIPING SYSTEM COMPONENTS FOR NAVAL SHIPBOARD USE (VALIDATION DATE: 8802) | A MISC | SH | | 28-FEB-88 | | SH | | |
| | | | MIL-STD-801A | INSPECTION AND ACCEPTANCE STANDARDS FOR PROPULSION FLUID CELLS AND FITTINGS REVIEWER: 99 MI | A 4730 | AS | | 13-MAY-81 | AV | AS | | |
| | | | MIL-STD-804C(1) | FORMATS AND CODING OF APERTURE, CAMERA, COPY, AND TABULATING CARDS USER: AT REVIEWER: 99 AG AR EC GS MI SH | A EDRS | CR | | 01-JUL-91 | CR | AS | 16 | |
| | | | MIL-STD-805B NOTICE 1 | TOWING FITTINGS & PROVISIONS FOR MILITARY AIRCRAFT, DESIGN REQUIREMENTS FOR | A 1620 | 70 | | 07-SEP-87 | AV | AS | 99 | |
| | L | | MIL-STD-808A NOTICE 1 | FINISH, MATERIALS & PROCESSES FOR CORROSION PREVENTION & CONTROL IN SUPPORT EQUIPMENT USER: 14 ME REVIEWER: 99 AS MI | A MFFP | 11 | | 30-JUL-87 | | | 11 | |
| | | | MIL-STD-809B | ADAPTER, AIRCRAFT, JACKING POINT, DESIGN AND INSTALLATION OF REVIEWER: 1, 70 | A 1730 | AS | | 01-DEC-86 | AV | AS | 99 | |
| D | | | MIL-STD-810E(1) | ENVIRONMENTAL TEST METHODS AND ENGINEERING GUIDELINES USER: ES REVIEWER: 10 18 19 AT AV EC GL ME MI OS SH YD1 | A ENVR | 11 | | 09-FEB-90 | TE | AS | 11 | |
| | | | MIL-STD-814B NOTICE 1 | REQUIREMENTS FOR TIEDOWN, SUSPENSION AND EXTRACTION PROVISIONS ON MILITARY MATERIEL FOR AIRDROP (VALIDATION DATE: 9203) REVIEWER: 82 AV MC TS | A 1670 | GL | | 27-MAR-92 | GL | AS | 99 | |
| | L | | MIL-STD-815A | DESIGNATION SYSTEM FOR LIQUID, SOLID, AND LIQUID-SOLID (HYBRID) PROPELLANT ROCKET ENGINES AND MOTORS (SUPERSEDES AMA BUL NO 352 AND AMA BUL NO 353) (VALIDATION DATE: 8205) USER: MI REVIEWER: 13 19 99 | A 2845 | 11 | | 30-SEP-70 | | | 11 | |
| D | | | MIL-STD-831 | TEST REPORTS, PREPARATION OF (VALIDATION DATE: 8204) USER: ES ME MT YD1 REVIEWER: 99 MI | A QCIC | OS | | 28-AUG-63 | AV | AS | 11 | |
| A | I | | MIL-STD-834C(1) | PACKAGING DATA FORMS, INSTRUCTIONS FOR PREPARATION AND USE OF USER: ES REVIEWER: MI | A PACK | AS | | 08-SEP-89 | AV | AS | 69 | |
| | | | MIL-STD-838C | LUBRICATION OF MILITARY EQUIPMEN REVIEWER: 68 AR AT AV GS MI OS SH | A 9150 | 11 | | 30-DEC-83 | ME | AS | 11 | |
| | L | | MIL-STD-841B | MARKING OF AIRCRAFT AND MISSILE PROPULSION SYSTEM PARTS FABRICATED FROM CRITICAL HIGH TEMPERATURE ALLOYS (VALIDATION DATE: 8412) | A MISC | 16 | | 01-JUL-71 | | | 16 | |
| | L | | MIL-STD-842 | UNIFORM PROCEDURES FOR TYPE DESIGNATION AND ITEM IDENTIFICATION (VALIDATION DATE: 8205) USER: 15 MT REVIEWER: 67 99 AR CT | A MISC | 11 | | 07-JAN-65 | | | 11 | |
| | | | MIL-STD-845A | FITTING, TETRAFLUOROETHYLENE HOSE HIGH TEMPERATURE, MEDIUM PRESSURE CLASSIFICATION OF DEFECTS (VALIDATION DATE: 8503) USER: ME MI SH | A 4730 | 82 | | 30-JUN-72 | | AS | 99 | |
| | L | | MIL-STD-846C(1) | ESCAPE SYSTEM TESTING: GROUND, TRACK, AND FLIGHT TEST (VALIDATION DATE: 8802) REVIEWER: 99 | A 1680 | 11 | | 26-FEB-88 | | | 11 | |
| | | | MIL-STD-849A | INSPECTION REQUIREMENTS, DEFINITIONS AND CLASSIFICATION OF DEFECTS FOR PARACHUTES (VALIDATION DATE: 8012) USER: MC REVIEWER: 11 AV TE | A 1670 | 82 | | 15-MAR-74 | GL | AS | 99 | |
| | | | MIL-STD-850B NOTICE 1 | AIRCREW STATION VISION REQUIREMENTS FOR MILITARY AIRCRAFT | A 1500 | 11 | | 23-NOV-84 | AV | AS | 11 | |
| A | | | MIL-STD-851A(2) | CODING, MANUFACTURER S COLOR, NYLON PARACHUTE CLOTH (VALIDATION DATE: 8410) | A 8305 | CT | | 15-APR-75 | | AS | | CT |
| | L | | MIL-STD-852 NOTICE 1 | GLASS BEAD PEENING PROCEDURES (VALIDATION DATE: 8804) REVIEWER: IS | A 5350 | 84 | | 18-APR-88 | | | 99 | |
| | | | MIL-STD-858 | TESTING STANDARD FOR PERSONNEL PARACHUTES (VALIDATION DATE: 8205) REVIEWER: 82 99 MD TE | A 1670 | AS | | 26-JUN-69 | GL | AS | | |
| | | | MIL-STD-859A(1) | STANDARD CALIBRATION TABLE FOR AERONAUTICAL PRESSURE MEASURING EQUIPMENT (VALIDATION DATE: 8503) | A QCIC | 82 | | 01-FEB-79 | AV | AS | 11 | |
| | | | DOD-STD-863B(2) | WIRING DATA AND SYSTEM SCHEMATIC DIAGRAMS PREPARATION OF REVIEWER: 11 13 14 85 99 AR | A DRPR | 16 | | 17-MAR-81 | AV | | 16 | |
| | | | MIL-STD-864B | SUPPORT EQUIPMENT FUNCTIONAL CLASSIFICATION CATEGORIES REVIEWER: 11 26 71 | A MISC | 99 | | 29-JAN-82 | AV | AS | 99 | |
| | L | | MIL-STD-865C | SELECTIVE (BRUSH PLATING), ELECTRODEPOSITION | A MFFP | 70 | | 01-NOV-88 | | | 99 | |
| | L | | MIL-STD-866B | GRINDING OF CHROME PLATED STEEL AND STEEL PARTS HEAT TREATED TO 180,000 PSI OR OVER (VALIDATION DATE: 8910) REVIEWER: 70 99 | A MFFP | 11 | | 04-OCT-89 | | | 11 | |
| | L | | MIL-STD-867A | TEMPER ETCH INSPECTION (VALIDATION DATE: 8504) REVIEWER: AR | A NDTI | 70 | | 23-MAR-79 | | | 99 | |
| | L | | MIL-STD-868A NOTICE 1 | NICKEL PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION (VALIDATION DATE: 8603) | A MFFP | 70 | | 24-MAR-86 | | | 99 | |
| | L | | MIL-STD-869C | FLAME SPRAYING | A MFFP | 70 | | 20-OCT-88 | | | 99 | |
| | L | | MIL-STD-870B | CADMIUM PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION | A MFFP | 70 | | 30-JUL-86 | | | 99 | |
| | L | | MIL-STD-871A NOTICE 1 | ELECTRO-CHEMICAL STRIPPING OF INORGANIC FINISHES (VALIDATION DATE: 8604) REVIEWER: 11 | A MFFP | 70 | | 11-APR-86 | | | 99 | |
| | L | | MIL-STD-872(1) | TEST REQUIREMENTS AND PROCEDURES FOR AIRCRAFT EMERGENCY GROUND AND DITCHING ESCAPE PROVISIONS (VALIDATION DATE: 8809) | A 15GP | 11 | | 30-SEP-88 | | | 11 | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-STD-875A | TYPE DESIGNATION SYSTEM FOR AERONAUTICAL AND SUPPORT EQUIPMENT [VALIDATION DATE: 8205] USER: AV TD REVIEWER: 68 99 MI | A | MISC | 11 | | 30-APR-74 | | AS | 11 | |
| | MIL-STD-877(1) | ANTENNA SUBSYSTEM, AIRBORNE, CRITERIA FOR DESIGN AND LOCATION OF [VALIDATION DATE: 8104] USER: 19 CG REVIEWER: AV ES MI | A | 5985 | 11 | | 08-NOV-68 | ER | AS | 11 | |
| | MIL-STD-878A(1) NOTICE 2 | METHOD OF DIMENSIONING AND DETERMINING CLEARANCE FOR AIRCRAFT TIRES AND RIMS [VALIDATION DATE: 9006] | A | 2620 | 70 | | 29-JUN-90 | AV | AS | 11 | |
| | MIL-STD-879A | DESIGNATION OF AIRCRAFT PROPULSION GAS TURBINE ENGINES [VALIDATION DATE: 8205] USER: MI | A | 2840 | 11 | | 14-NOV-72 | AV | AS | | |
| M | MIL-STD-881B | WORK BREAKDOWN STRUCTURES FOR DEFENSE MATERIAL ITEMS REVIEWER: 11 16 19 70 71 80 82 84 AR AS AT AV CR MC OS SH | A | MISC | 10 | | 25-MAR-93 | MI | MW | 10 | |
| D | MIL-STD-882C | SYSTEM SAFETY PROGRAM REQUIREMENTS REVIEWER: 11 13 19 26 AR AT EC MD MI OS SA SC SH YD1 | A | SAFT | 10 | | 19-JAN-93 | AV | AS | 10 | |
| | MIL-STD-883D | TEST METHODS AND PROCEDURES FOR MICROELECTRONICS USER: AS CG MC SM REVIEWER: 19 99 AR ES MI OS SH TD | A | 5962 | 17 | | 15-NOV-91 | ER | EC | 17 | |
| | MIL-STD-884C NOTICE 1 | ELECTRONICALLY OR OPTICALLY GENERATED DISPLAYS FOR AIRCRAFT CONTROL AND COMBAT CUE INFORMATION [VALIDATION DATE: 8811] | A | 6610 | 71 | | 05-NOV-88 | AV | AS | 99 | |
| D | MIL-STD-889B(1) NOTICE 2 | DISSIMILAR METALS USER: ME MR SH YD1 REVIEWER: 13 14 17 99 AR AV EC MI OS . | A | GDRQ | 11 | | 04-MAR-88 | ER | AS | 11 | |
| | MIL-STD-900C | BACTERIAL STANDARDS FOR STARCHES, FLOURS, CEREALS, ALIMENTARY PASTES, DRY MILKS, AND SUGARS USED IN THE PREPARATION OF CANNED FOODS FOR THE ARMED FORCES REVIEWER: MD MS SS | A | 89GP | GL | | 09-APR-85 | GL | SA | 50 | |
| A | MIL-STD-901B | PROVISIONS FOR EVALUATING QUALITY OF CAPS, GARRISON, MEN S USER: MC REVIEWER: 82 99 | A | 8405 | CT | | 08-APR-88 | GL | MU | 11 | CT |
| A | MIL-STD-902A | PROVISIONS FOR EVALUATING QUALITY OF CAPS, GARRISON, WOMEN S REVIEWER: 82 99 MC | A | 8410 | CT | | 12-JUN-88 | GL | MU | 11 | CT |
| | MIL-STD-903C | SANITARY STANDARDS FOR COMMISSARIES REVIEWER: MD MS ..... | A | 89GP | GL | | 20-NOV-86 | GL | SA | 50 | |
| | MIL-STD-904A | GUIDELINES FOR DETECTION, EVALUATION, AND PREVENTION OF PEST INFESTATION OF SUBSISTENCE REVIEWER: MC MD MS SS | A | 89GP | GL | | 13-JAN-84 | GL | SA | 45 | |
| | MIL-STD-905 NOTICE 2 | IDENTIFICATION, NYLON CORD MANUFACTURERS COLOR CODE [VALIDATION DATE: 8711] REVIEWER: SH | A | 4020 | GL | | 05-NOV-87 | GL | AS | 11 | |
| | MIL-STD-906A | SANITARY STANDARDS FOR ICE PLANTS REVIEWER: MD MS ..... | A | 89GP | GL | | 01-MAR-90 | GL | SA | 50 | |
| A | MIL-STD-907B NOTICE 1 | ENGINEERING AND DESIGN CRITERIA FOR SHELTERS, EXPANDABLE AND NON-EXPANDABLE [VALIDATION DATE: 9207] REVIEWER: 84 CS | A | 5411 | GL | | 20-JUL-92 | GL | MC | 99 | |
| | MIL-STD-908 | PROVISIONS FOR EVALUATING THE QUALITY OF SPARE PARTS FOR MECHANICAL & TEXTILE END ITEMS REVIEWER: AL AV CT GS | A | QCIC | GL | | 31-JAN-85 | GL | | | |
| | MIL-STD-909 | SANITATION STANDARDS FOR FOOD STORAGE FACILITIES ..... | A | 89GP | GL | | 31-AUG-89 | GL | SA | 50 | |
| L | MIL-STD-910 | MOBILE TACTICAL SYSTEMS OVERLOAD PREVENTION PROCEDURES ..... | A | GDRQ | GL | | 16-FEB-90 | GL | | | |
| | MIL-STD-911 | THE DEPARTMENT OF DEFENSE STANDARD FAMILY OF TACTICAL RIGID WALL SHELTERS REVIEWER: 84 AS | A | 5411 | GL | | 29-JUN-90 | GL | MC | 99 | |
| | MIL-STD-912 | PHYSICAL EAR NOISE ATTENUATION TESTING REVIEWER: CR MD MI ..... | A | HFAC | GL | | 11-DEC-90 | GL | AS | 11 | |
| D | MIL-STD-913 | REQUIREMENTS FOR THE CERTIFICATION OF EXTERNALLY TRANSPORTED MILITARY EQUIPMENT BY DEPARTMENT OF DEFENSE ROTARY WING AIRCRAFT USER: SA REVIEWER: 84 99 AR AT ER MC ME MI | A | 1670 | GL | | 03-JAN-91 | GL | YD1 | 11 | |
| D | MIL-STD-961C(1) NOTICE 1 | MILITARY SPECIFICATIONS AND ASSOCIATED DOCUMENTS, PREPARATION OF REVIEWER: 14 16 17 19 23 AL AS AT AV EC ER IP MI OS SA YD1 | A | SDMP | SO | | 08-NOV-88 | AR | SH | 11 | DH |
| D | MIL-STD-962B | MILITARY STANDARDS, HANDBOOKS, AND BULLETINS, PREPARATION OF USER: 90 CG MC MR REVIEWER: 11 26 85 AT CR EC GS ME SH YD1 | A | SDMP | OS | | 20-MAY-88 | AR | OS | 16 | |
| | DOD-STD-963A | DATA ITEM DESCRIPTIONS (DIDS), PREPARATION OF USER: 23 REVIEWER: 01 14 16 20 AM AR AS AT AV CR CS EC ES GS IS MC MM OM | A | MISC | DO | | 15-AUG-86 | MI | SH | 10 | DH |
| | MIL-STD-964(1) | MANUFACTURE AND PACKAGING OF DRUGS, PHARMACEUTICALS AND BIOLOGICAL PRODUCTS [VALIDATION DATE: 8202] | A | 6505 | DM | | 01-MAR-76 | MD | MS | 03 | |
| A | MIL-STD-965B | PARTS CONTROL PROGRAM REVIEWER: 10 11 13 15 17 18 19 AL AM AR AT AV CR CS EC ER ES GL GS MD IS MC ME MR OS SA SH TD | A | SDMP | 10 | | 22-JAN-93 | MI | AS | 10 | DH |
| D | MIL-STD-970 | STANDARDS AND SPECIFICATIONS, ORDER OF PREFERENCE FOR THE SELECTION OF USER: 13 14 17 18 19 AL AT EA REVIEWER: 68 79 AV CR CS EC ER ES GL GS ME MI MR OS SA SH SM TE TM YD1 | A | GDRQ | SO | | 01-OCT-87 | AR | AS | 99 | DH |
| D | MIL-STD-973 | CONFIGURATION MANAGEMENT USER: 13 14 17 CE CG MD MR TE REVIEWER: 24 26 AC AL AM AT AV CR DH EA EC ER ET GL IE LM MC MD ME MI MM OS PT SC SH SM TM YD1 | A | CMAN | DO | | 17-APR-92 | AR | AS | 10 | |
| D L | MIL-STD-973(1) | CONFIGURATION MANAGEMENT USER: 13 17 19 CE CG MR TE REVIEWER: 10 24 AC AL AM AT AV CR DH EA EC ER ET GL LM MC MD ME MI MM OS SC SH SM TM YD1 | A | CMAN | DO | | 01-DEC-92 | | | | |
| M L | MIL-STD-975K NOTICE 1 | NASA STANDARD ELECTRICAL, ELECTRONIC AND ELECTROMECHANICAL (EEE) PARTS LIST | A | 59GP | NA | | 26-MAR-93 | | | | |
| | MIL-STD-976B(2) NOTICE 2 | CERTIFICATION REQUIREMENTS FOR JAN MICROCIRCUITS USER: AS CG MC OS SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5962 | NA | | 31-AUG-90 | ER | EC | 17 | |
| | MIL-STD-977 | TEST METHODS & PROCEDURES FOR MICROCIRCUIT LINE CERTIFICATION USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH | A | 5962 | NA | | 25-JAN-82 | ER | EC | 17 | NA |
| | MIL-STD-978(1) | PETROLEUM LABORATORY CALIBRATION SYSTEM REVIEWER: MI MM ..... | A | 91GP | PS | | 01-OCT-79 | ME | SA | 68 | |
| A | MIL-STD-980 NOTICE 1 | FOREIGN OBJECT DAMAGE (FOD) PREVENTION IN AEROSPACE PRODUCTS [VALIDATION DATE: 8805] | A | QCIC | DH | | 27-MAY-88 | AR | AS | 10 | DH |
| M | MIL-STD-981B NOTICE 1 | DESIGN, MANUFACTURING AND QUALITY STANDARDS FOR CUSTOM ELECTROMAGNETIC DEVICES FOR SPACE APPLICATIONS REVIEWER: ES | A | 5950 | NA | | 27-APR-93 | | | 19 | |
| | MIL-STD-982 NOTICE 1 | CEMENTED CARBIDES, METAL CUTTING TOOL GRADES (GOVERNMENT GRADING SYSTEM, INTENDED USES AND PHYSICAL PROPERTIES) [VALIDATION DATE: 9104] USER: MC REVIEWER: 84 DH GS | A | 3455 | IP | | 17-APR-91 | AL | | 99 | IP |
| | MIL-STD-983A | SUBSTITUTION LIST FOR MICROCIRCUITS USER: AS CG MC SM REVIEWER: 19 85 99 AR MI OS SH TD | A | 5962 | ES | | 28-FEB-92 | ER | EC | 17 | ES |
| A | MIL-STD-984(1) | PROVISIONS FOR SIZE LABELING FOR WOMEN'S UNIFORM CLOTHING USER: GL REVIEWER: 45 82 99 MC | A | 8410 | CT | | 23-JUN-92 | | MU | 11 | CT |
| | MIL-STD-989 | CERTIFICATION REQUIREMENTS FOR JAN SEMICONDUCTOR DEVICES USER: AS CG MC OS SM REVIEWER: 11 19 85 99 AR ES MI SH | A | 5961 | NA | | 11-NOV-91 | ER | EC | 17 | |
| A | MIL-STD-1005 NOTICE 1 | RENOVATION, CLEANING AND GLAZING OF BAKE PANS [VALIDATION DATE: 9302] ..... | A | 7330 | GL | | 26-FEB-93 | GL | SA | 99 | |
| | MIL-STD-1105E | SANITARY STANDARDS FOR BAKERIES REVIEWER: MD MS ..... | A | 8920 | GL | | 27-DEC-91 | GL | SA | 50 | |
| | MIL-STD-1130B(2) | CONNECTION, ELECTRICAL, SOLDERLESS WRAPPED USER: 19 CG MC MI REVIEWER: 11 85 99 AR AS ES SH TD | A | 5935 | EC | | 20-JUL-83 | CR | EC | 17 | |
| | MIL-STD-1131B | STORAGE SHELF LIFE AND REFORMING PROCEDURES FOR ALUMINUM ELECTROLYTIC FIXED CAPACITORS [VALIDATION DATE: 8502] REVIEWER: 17 ES | A | 5910 | ER | | 01-JUN-79 | ER | EC | 85 | |
| | MIL-STD-1132A(5) | SWITCHES AND ASSOCIATED HARDWARE, SELECTION AND USE OF USER: CG REVIEWER: 17 99 ES | A | 5930 | EC | | 19-JUL-90 | ER | EC | 85 | |
| | MIL-STD-1155C | SANITARY STANDARDS FOR FROZEN DESSERTS PLANTS REVIEWER: MA MD ..... | A | 8910 | GL | | 18-MAY-82 | GL | SA | 50 | |
| | MIL-STD-1156C NOTICE 1 | SANITARY STANDARDS FOR SOFT DRINK PLANTS [VALIDATION DATE: 8710] REVIEWER: MD MS SS | A | 8960 | GL | | 01-OCT-87 | GL | SA | 50 | |
| A | MIL-STD-1157 | CALIBRATION AND CALIBRATION VERIFICATION PROCEDURES FOR TEXTILE TEST METHODS [VALIDATION DATE: 8501] USER: MI REVIEWER: 82 AS | A | 83GP | CT | | 09-JUL-65 | GL | SA | 11 | CT |
| | MIL-STD-1158A | CUSTODIAL CLEANING SERVICES [VALIDATION DATE: 8403] USER: AL REVIEWER: EA MD | A | 7930 | GL | | 05-DEC-78 | GL | | 99 | |
| | MIL-STD-1160 | SHEET SIZES AND HOLE-PUNCHING DATA FOR FILLER PAPER AND FORMS BOUND IN RING, POST AND PRONG BINDERS [VALIDATION DATE: 8402] | A | 7530 | GL | | 08-SEP-66 | GL | SA | 99 | |
| A L | MIL-STD-1161 | TEST FACILITY, BALLISTIC, FOR PERSONAL ARMOR MATERIAL [VALIDATION DATE: 8501] | A | 8470 | CT | | 28-DEC-66 | GL | | | CT |
| | MIL-STD-1162C | SANITARY STANDARDS FOR CHEESE AND CHEESE PRODUCTS PLANTS REVIEWER: MD MS .. | A | 8910 | GL | | 01-NOV-86 | GL | SA | 50 | |
| | MIL-STD-1163 | LITHOGRAPHIC CHEMICALS [VALIDATION DATE: 8501] USER: MR REVIEWER: EA GS MD MP | A | 6850 | GL | | 02-FEB-67 | GL | | 68 | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-STD-1165 | GLOSSARY OF ENVIRONMENTAL TERMS (TERRESTRIAL) USER: CG EC MC OS REVIEWER: 71 84 MD MR MS | A | ENVR | CE | CE | 25-MAR-68 | CE | AS | 11 | |
| | | | MIL-STD-1166A | RADIOGRAPHIC TESTING REQUIREMENTS FOR SOLID PROPELLANTS REVIEWER: EA MR TE TM | A | NDTI | MI | MI | 19-SEP-91 | MI | | 11 | |
| | | | MIL-STD-1167C | AMMUNITION DATA CARD USER: MC REVIEWER: 70 MI | A | 1395 | AR | AR | 12-MAR-86 | AR | OS | 99 | |
| | . | | NOTICE 1 | | | | | | | | | | |
| A | | | MIL-STD-1168A(2) | AMMUNITION LOT NUMBERING REVIEWER: 70 MC MI | A | 1395 | AR | AR | 17-MAR-93 | AR | OS | 99 | |
| | L | | MIL-STD-1169B | PACKAGING, PACKING AND MARKING FOR SHIPMENT OF INERT AMMUNITION COMPONENTS REVIEWER: EA | A | 8140 | AR | AR | 20-OCT-87 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-STD-1171 | ACCEPTANCE AND DESCRIPTION SHEETS (FOR PROPELLANTS AND EXPLOSIVES) [VALIDATION DATE: 8301] | A | 1376 | AR | AR | 15-JAN-71 | AR | | | |
| D | L | | MIL-STD-1179D(3) | LAMPS, REFLECTORS AND ASSOCIATED SIGNALING EQUIPMENT FOR MILITARY VEHICLES USER: 99 MC YD1 | A | 23GP | AT | AT | 09-NOV-92 | AT | | | |
| D | | | MIL-STD-1180B(1) | SAFETY STANDARDS FOR MILITARY GROUND VEHICLES USER: CE REVIEWER: AR ME TE | A | 23GP | AT | AT | 07-AUG-91 | AT | YD1 | | |
| | | | MIL-STD-1183 | WELDING, GAS, STEELS, CONSTRUCTIONAL, READILY WELDABLE, FOR LOW STRESSED JOINTS [VALIDATION DATE: 8310] | A | THJM | AT | AT | 12-DEC-73 | AT | | | |
| D | L | | MIL-STD-1184 | ELECTRICAL COMPONENTS FOR AUTOMOTIVE VEHICLES, WATERPROOFNESS TESTS [VALIDATION DATE: 8705] USER: ME YD1 REVIEWER: CS | A | 2920 | AT | AT | 26-MAY-87 | AT | | | |
| | L | | MIL-STD-1185 | WELDING, HIGH HARDNESS ARMOR [VALIDATION DATE: 8412] REVIEWER: MR | A | THJM | AT | AT | 31-DEC-79 | AT | | | |
| D | | | MIL-STD-1186A | CUSHIONING, ANCHORING, BRACING, BLOCKING AND WATERPROOFING; WITH APPROPRIATE TEST METHODS [VALIDATION DATE: 9001] USER: SH REVIEWER: 99 EA EC GS IS MC MI MT SM YD1 | A | PACK | ME | ME | 09-JAN-90 | ME | SA | 69 | |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | MIL-STD-1189B | STANDARD DEPARTMENT OF DEFENSE BAR CODE SYMBOLOGY REVIEWER: 11 16 99 AL AR AS AT CR CS CT ES GS IS MC ME OS SH YD1 | A | PACK | SM | SM | 10-AUG-89 | SM | SA | 69 | DH |
| | L | | MIL-STD-1190 | MINIMUM GUIDELINES FOR LEVEL C PRESERVATION, PACKING & MARKING REVIEWER: AL AT AV CR ME | A | PACK | SM | SM | 12-APR-88 | | | | |
| | | | MIL-STD-1191 | FOAM-IN-PLACE PACKAGING, PROCEDURES FOR REVIEWER: 11 43 70 71 79 AL AS AT CS EA ES MD ME OS | A | PACK | SM | SM | 31-DEC-89 | SM | SA | 69 | DH |
| | | | MIL-STD-1201B | ETHYL ALCOHOL (ETHANOL), TECHNICAL AND DENATURED GRADES USER: MC SA REVIEWER: GL GS MD MI SM | A | 6810 | EA | EA | 09-JUN-87 | EA | SH | 68 | |
| | | | MIL-STD-1202A | FACESHIELD, INDUSTRIAL REVIEWER: GS | A | 4240 | EA | EA | 19-AUG-88 | EA | | 99 | |
| D | | | MIL-STD-1203B | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (ALUMINUM CHLORIDE THROUGH BORON NITRIDE) USER: AS ME REVIEWER: AR GL MD YD1 | A | 6810 | EA | EA | 26-JUL-91 | EA | OS | 68 | |
| | | | MIL-STD-1204C | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (CADMIUM CARBONATE THROUGH CUPRIC SULFATE) REVIEWER: DS GL MD ME SM | A | 6810 | EA | EA | 04-SEP-90 | EA | | 68 | |
| M | | | MIL-STD-1205B | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (FERRIC CHLORIDE THROUGH LITHIUM TETRAFLUOROBORATE) USER: ME MS OS YD1 REVIEWER: AR DP GS MD SM | A | 6810 | EA | EA | 28-MAY-93 | EA | SH | 68 | |
| D | | | MIL-STD-1206A | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (FERRIC CHLORIDE THROUGH LITHIUM TETRAFLUOROBORATE (METRIC) USER: AS MC SA REVIEWER: AR AV GL MD | A | 6810 | EA | EA | 30-JUL-86 | EA | YD1 | 68 | |
| | | | MIL-STD-1207B | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (POTASSIUM BICARBONATE THROUGH SILVER CYANIDE) USER: MC OS SA SH REVIEWER: AR GL GS MD MI | A | 6810 | EA | EA | 23-NOV-87 | EA | | 68 | |
| | | | MIL-STD-1208B | INORGANIC SODIUM SALTS AND COMPOUNDS, TECHNICAL GRADE (SODIUM BICARBONATE THROUGH SODIUM TRIPOLYPHOSPHATE) USER: CG REVIEWER: AR GL MD ME OS SM | A | 6810 | EA | EA | 25-SEP-91 | EA | SH | 68 | |
| D | | | MIL-STD-1209A | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (STRONTIUM NITRATE THROUGH ZINC OXIDE) REVIEWER: AS GL GS MD MI OS YD1 | A | 6810 | EA | EA | 30-MAR-88 | EA | SH | 68 | |
| D | | | MIL-STD-1210B | FOG AND ICE PREVENTIVE COMPOUNDS USER: MC ME OS YD1 REVIEWER: GS MD MI MS | A | 6850 | EA | EA | 30-JUN-72 | EA | AS | 68 | |
| D | | | MIL-STD-1212A | INDUSTRIAL SAFETY BELTS, STRAPS, AND RELATED EQUIPMENT USER: ME REVIEWER: AS GS MC SH | A | 4240 | EA | EA | 21-DEC-88 | EA | YD1 | 99 | |
| D | | | MIL-STD-1213A | ORGANIC LABORATORY REAGENTS (INCLUDING ACS AND USP/NF) USER: AS MI REVIEWER: GS MD ME | A | 6810 | EA | EA | 08-FEB-88 | EA | YD1 | 68 | |
| D | | | MIL-STD-1214A | ESTERS AND METAL ORGANICS, TECHNICAL GRADE USER: AS CG MC REVIEWER: GS MI | A | 6810 | EA | EA | 28-SEP-90 | EA | YD1 | 68 | |
| D | | | MIL-STD-1215B | WATER PURIFICATION COMPOUNDS USER: MC MS REVIEWER: GS ME | A | 6850 | EA | EA | 25-MAY-88 | EA | YD1 | 68 | |
| | | | MIL-STD-1216A | PREVENTIVE COMPOUNDS (CORROSION) AND INHIBITORS USER: MS REVIEWER: GS MD MI | A | 6850 | EA | EA | 02-OCT-90 | EA | AS | 68 | |
| D | | | MIL-STD-1217C | ORGANIC ACIDS AND ACID ANHYDRIDES TECHNICAL GRADE USER: AS MC YD1 REVIEWER: AR MI | A | 6810 | EA | EA | 30-SEP-91 | EA | SH | 68 | |
| | | | MIL-STD-1220B | ALCOHOLS AND AMINES, TECHNICAL GRADE USER: MC SA REVIEWER: 11 AR AS GL MD ME SM | A | 6810 | EA | EA | 23-SEP-91 | EA | OS | 68 | |
| D | | | MIL-STD-1221B | PROTECTIVE COMPOUNDS (FOR PERSONNEL) USER: MC REVIEWER: GL MS SH | A | 6850 | EA | EA | 28-SEP-90 | EA | YD1 | 68 | |
| D | | | MIL-STD-1223AC | NONTACTICAL WHEELED VEHICLES TREATMENT, PAINTING, IDENTIFICATION MARKING AND DATA PLATE STANDARDS REVIEWER: 84 MC | A | 23GP | AT | AT | 01-AUG-91 | AT | YD1 | 99 | |
| | | | MIL-STD-1226A | ENGINE, GAS, AIR COOLED, IND TYPE, 1-1/2 BHP MILSTD, MODEL 1A08 INSTALL PROC [VALIDATION DATE: 8711] USER: AT EL | A | 2805 | ME | ME | 16-NOV-87 | ME | MC | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-STD-1227B(1) | ENGINE, GASOLINE, AIRCOOLED, 3 BHP, 4-CYCLE, MILITARY DESIGN, MODEL 2A016, INSTALLATION PROCEDURES [VALIDATION DATE: 8711] USER: AT | A | 2805 | ME | ME | 16-NOV-87 | ME | MC | 99 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | L | | MIL-STD-1232 | VISUAL INSPECTION STANDARDS FOR CUPS AND DISKS USED IN SMALL ARMS AMMUNITION MANUFACTURE [VALIDATION DATE: 8601] | A | 1305 | AR | AR | 20-APR-61 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-STD-1233 | PROCEDURE FOR DETERMINING PARTICLE SIZE, PARTICLE SIZE DISTRIBUTION, AND PACKED DENSITY OF POWDERED MATERIALS [VALIDATION DATE: 8804] USER: MC | A | 1370 | AR | AR | 18-APR-88 | AR | OS | 18 | |
| | | | NOTICE 1 | REVIEWER: 11 EA | | | | | | | | | |
| | | | MIL-STD-1234(3) | PYROTECHNICS: SAMPLING, INSPECTION AND TESTING REVIEWER: EA | A | 1370 | AR | AR | 28-MAY-73 | AR | OS | 11 | |
| D | L | | MIL-STD-1235C | SINGLE AND MULTILEVEL CONTINUOUS SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES USER: ME REVIEWER: AS EA ES MC MI SH YD1 | A | QCIC | AR | AR | 15-MAR-88 | AR | OS | 10 | |
| | L | | MIL-STD-1235-1A(1) | SINGLE AND MULTI LEVEL CONTINUOUS SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES FUNCTIONAL CURVES OF THE CONTINUOUS SAMPLING PLANS [VALIDATION DATE: 8601] | A | MISC | AR | AR | 28-JUN-74 | AR | | | |
| | | | MIL-STD-1241A | OPTICAL TERMS AND DEFINITIONS [VALIDATION DATE: 8705] USER: AT AV MC MI | A | 6650 | AR | AR | 15-MAY-87 | AR | SH | 99 | |
| | | | NOTICE 1 | REVIEWER: ME | | | | | | | | | |
| | L | | MIL-STD-1246B | PRODUCT CLEANLINESS LEVELS AND CONTAMINATION CONTROL PROGRAM USER: 79 ES OS SH REVIEWER: 68 99 AR AS AT AV GS TM | A | 3694 | MI | MI | 04-SEP-87 | MI | | | |
| A | | | MIL-STD-1247C(2) | MARKINGS, FUNCTIONS AND HAZARD DESIGNATIONS OF HOSE, PIPE, AND TUBE LINES FOR AIRCRAFT MISSILE, AND SPACE SYSTEMS REVIEWER: 10 11 12 14 19 68 AR AV OS | A | SAFT | MI | MI | 24-MAR-93 | MI | AS | 16 | |
| A | | | MIL-STD-1249A | PROCEDURES FOR THE FUNCTIONAL CATEGORIZATION OF GUIDED MISSILE ELECTRICAL AND ELECTRONIC TEST FUNCTION ITEMS USER: 19 AR REVIEWER: 70 AS CR | A | 4935 | MI | MI | 12-APR-93 | MI | OS | 99 | |
| A | | | MIL-STD-1250A | CORROSION PREVENTION AND DETERIORATION CONTROL IN ELECTRONIC COMPONENTS AND ASSEMBLIES REVIEWER: 14 15 18 AL AV GL ME SH TD | A | MFFP | MI | MI | 29-JUN-92 | MI | AS | 11 | |
| | | | MIL-STD-1251A | SCREW & BOLTS PREFERRED FOR DESIGN, LISTING OF USER: AT MC SH REVIEWER: AV EA ME MV | A | 5306 | AR | AR | 15-SEP-81 | AR | OS | | |
| | | | MIL-STD-1252 | INERTIA FRICTION WELDING PROCESS, PROCEDURE AND PERFORMANCE QUALIFICATION [VALIDATION DATE: 8101] REVIEWER: AT EA MI MR | A | THJM | AR | AR | 30-JUN-75 | AR | SH | | |
| | L | | MIL-STD-1256A(1) | RUBBER COATED PARTS FOR MACHINE GUN, 7.62MM, M60 [VALIDATION DATE: 8601] | A | 1005 | AR | AR | 19-JAN-76 | AR | | | |
| | | | MIL-STD-1257A | RADIOGRAPHIC AND VISUAL SOUNDNESS REQUIREMENTS FOR COBALT-CHROMIUM ALLOY | A | NDTI | AR | AR | 15-JUL-87 | AR | OS | 99 | |
| | | | NOTICE 1 | LINERS (FOR SMALL ARMS BARRELS) [VALIDATION DATE: 8707] | | | | | | | | | |
| | L | | MIL-STD-1258 | CHROMIUM PLATED 5.56MM, 7.62MM, AND CALIBER .30 SMALL ARMS BARREL BORES [VALIDATION DATE: 8705] | A | 1005 | AR | AR | 28-MAY-87 | AR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | L | | MIL-STD-1260A | UNIFORM COST ACCOUNTING AND REPORTING SYSTEM (UCARS) REVIEWER: AR | A | MISC | AL | AL | 10-MAR-86 | AL | | | |
| | L | | MIL-STD-1261C(1) | ARC WELDING PROCEDURES FOR CONSTRUCTIONAL STEELS REVIEWER: AR AT DH ME MI | A | THJM | MR | MR | 05-FEB-91 | MR | | | |
| | | | MIL-STD-1264B | RADIOGRAPHIC INSPECTION FOR SOUNDNESS OF WELDS IN STEEL BY COMPARISON TO GRADED ASTM E390 REFERENCE RADIOGRAPHS USER: AT ME OS TE REVIEWER: EA MI | A | NDTI | MR | MR | 18-JAN-89 | MR | AS | 11 | |
| | | | NOTICE 2 | | | | | | | | | | |
| A | L | | MIL-STD-1265A | RADIOGRAPHIC INSPECTION, CLASSIFICATION AND SOUNDNESS REQUIREMENTS FOR STEEL CASTINGS [VALIDATION DATE: 9207] REVIEWER: AR AT AV EA ME | A | NDTI | MR | MR | 02-JUL-92 | MR | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-STD-1267 | DIMENSIONING OF BARREL CHAMBERS OF SMALL ARMS WEAPONS [VALIDATION DATE: 8604] USER: MC REVIEWER: 84 | A | 1005 | AR | AR | 16-APR-86 | AR | OS | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |

| Action | Old, Canc, Combination, Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-STD-1270A(1) NOTICE 2 | PATCHING OF WOOD STOCKS FOR THE 7.62MM, M14 AND M14E2 RIFLES [VALIDATION DATE: 8604] | A | 1005 | AR | AR | 16-APR-86 | AR | | | |
| L | | MIL-STD-1271B | SYMBOL TO SUPPLEMENT THE TEXT OF INSTRUCTION PLATE FOR MILITARY VEHICLES [VALIDATION DATE: 8709] USER: MC ME REVIEWER: 99 | A | 2320 | AT | AT | 09-SEP-87 | AT | | | |
| | | MIL-STD-1272A | DOOR HARDWARE, VEHICULAR [VALIDATION DATE: 8308] USER: MC REVIEWER: CS MI . | A | 2540 | AT | AT | 06-MAY-68 | AT | | 99 | |
| L | | MIL-STD-1275A(2) | ELECTRICAL CIRCUIT, 28 VOLT DC TRANSIENT CHARACTERISTICS FOR MILITARY VECHICLES [VALIDATION DATE: 8512] REVIEWER: CS TE | A | 2920 | AT | AT | 23-APR-81 | AT | | | |
| M | | MIL-STD-1276E | LEADS FOR ELECTRONIC COMPONENT PARTS USER: CG MC REVIEWER: 17 99 AS ES SH . | A | 5999 | ER | 18-MAY-93 | ER | EC | 85 | | |
| | | MIL-STD-1277B | SPLICES, CHIPS, TERMINALS, TERMINAL BOARDS, BINDING POSTS, ELECTRICAL [VALIDATION DATE: 8502] USER: AT MC REVIEWER: 17 AR AS EC GS MI OS | A | 5940 | ER | 28-DEC-83 | ER | SH | 85 | | |
| | | MIL-STD-1278 NOTICE 1 | FILTER, LIGHT, PHOTOGRAPHIC [VALIDATION DATE: 8605] USER: MI REVIEWER: CR GS | A | 6760 | 70 | 23-MAY-86 | ER | AS | 99 | | |
| | | MIL-STD-1279(1) NOTICE 2 | METERS, ELECTRICAL INDICATING SELECTION AND USE OF [VALIDATION DATE: 8604] USER: CG MI REVIEWER: 11 67 ES MC ME SH | A | 6625 | CR | 02-APR-86 | CR | EC | 99 | | |
| | | MIL-STD-1280 NOTICE 1 | KEYBOARD ARRANGEMENTS [VALIDATION DATE: 8205] REVIEWER: EC GL ..... | A | HFAC | CR | 28-JAN-69 | CR | SH | 11 | | |
| L | | MIL-STD-1281 | INTERNAL TRANSIENT CONTROL FOR SOLID STATE POWER SUPPLIES [VALIDATION DATE: 8502] REVIEWER: TE | A | MISC | ER | 10-OCT-68 | ER | | | | |
| | | MIL-STD-1285B | MARKING OF ELECTRICAL AND ELECTRONIC PARTS REVIEWER: 11 17 99 AR AS ES MC ME MI OS SH | A | 59GP | ER | 02-APR-90 | ER | EC | 85 | DH | |
| | | MIL-STD-1286D NOTICE 3 | TRANSFORMER, INDUCTORS, AND COILS SELECTION AND USE OF USER: AS CG MC ME REVIEWER: 11 17 99 ES MI OS | A | 5950 | ER | 30-JUN-87 | ER | EC | 85 | | |
| | | MIL-STD-1288(3) | AIRCREW PROTECTION REQUIREMENTS NONNUCLEAR WEAPONS THREAT ..... | A | 15GP | AV | 24-AUG-81 | AV | AS | | | |
| | | MIL-STD-1289B | AIRBORNE STORES GROUND FIT AND COMPATIBILITY, REQUIREMENTS FOR REVIEWER: MI | A | GDRQ | AV | 05-NOV-90 | AV | AS | 18 | | |
| L | | MIL-STD-1290A | LIGHT FIXED AND ROTARY-WING AIRCRAFT CRASH RESISTANCE ..... | A | 15GP | AV | 26-SEP-88 | AV | | | | |
| | | MIL-STD-1293 NOTICE 1 | ELECTRO-MECHANICAL COMMAND INSTRUMENT SYSTEM FOR ROTARY WING AIRCRAFT [VALIDATION DATE: 8604] REVIEWER: 11 TE | A | 6610 | AV | 16-APR-86 | AV | | 99 | | |
| | | MIL-STD-1294A | ACOUSTICAL NOISE LIMITS IN HELICOPTERS REVIEWER: MI ..... | A | HFAC | AV | 12-AUG-85 | AV | AS | 11 | | |
| L | | MIL-STD-1295A | HUMAN FACTORS ENGINEERING DESIGN CRITERIA FOR HELICOPTER COCKPIT ELECTRO-OPTICAL DISPLAY SYMBOLOGY | A | HFAC | AV | 26-JUN-84 | AV | | | | |
| D | | MIL-STD-1300A(1) NOTICE 2 | ENGINE, GASOLINE, AIR-COOLED, 6 BHP, MILITARY DESIGN, MODEL 4A032, INSTALLATION PROCEDURES [VALIDATION DATE: 8711] USER: AT REVIEWER: CS YD1 | A | 2805 | ME | 16-NOV-87 | ME | MC | 99 | | |
| L | | MIL-STD-1303B | PAINTING OF NAVAL ORDNANCE EQUIPMENT [VALIDATION DATE: 8204] USER: ME REVIEWER: MI | A | MISC | OS | 15-APR-75 | | OS | | | |
| | | MIL-STD-1306A | FLUERICS TERMINOLGY AND SYMBOLS [VALIDATION DATE: 8108] REVIEWER: 71 ..... | A | 1650 | AS | 08-DEC-72 | AV | AS | 99 | | |
| L | | MIL-STD-1308D | MATERIAL APPLICATION AND PROCESSING REQUIREMENTS (CONTROLLED DISTRIBUTION) | B | MISC | SH | 12-SEP-85 | | SH | | | |
| D | | MIL-STD-1309D | DEFINITIONS OF TERMS FOR TESTING, MEASUREMENT AND DIAGNOSTICS USER: CG ME OS YD1 REVIEWER: 11 17 AS MC MI | A | ATTS | SH | 12-FEB-92 | CR | SH | 99 | | |
| A L | | MIL-STD-1310F | SHIPBOARD BONDING, GROUNDING, AND OTHER TECHNIQUES FOR ELECTROMAGNETIC COMPATIBILITY AND SAFETY REVIEWER: AS EC OS | A | EMCS | SH | 30-DEC-92 | | SH | | | |
| | | MIL-STD-1311B(3) NOTICE 3 | TEST METHODS FOR ELECTRON TUBES USER: 19 AS AV CG MC ME OS SH REVIEWER: 11 17 99 AR MI SH | A | 5960 | EC | 04-MAR-83 | ER | EC | 85 | | |
| | | MIL-STD-1312B | FASTENERS, TEST METHODS REVIEWER: AV IS SH ..... | A | 53GP | AS | 19-OCT-84 | AR | AS | 99 | | |
| | | MIL-STD-1312-1 | FASTENER TEST METHODS - METHOD 1, SALT SPRAY REVIEWER: AR IS SH ..... ... | A | 53GP | AS | 19-OCT-84 | AV | AS | 11 | | |
| | | MIL-STD-1312-2 | FASTENER TEST METHODS - METHOD 2, INTERACTION REVIEWER: AR IS SH ..... | A | 53GP | AS | 19-OCT-84 | AV | AS | 11 | | |
| | | MIL-STD-1312-3 | FASTENER TEST METHODS - METHOD 3, HUMIDITY REVIEWER: AR IS SH ..... | A | 53GP | AS | 19-OCT-84 | AV | AS | 11 | | |
| | | MIL-STD-1312-4 | FASTENER TEST METHODS, METHOD 4, LAP JOINT SHEAR REVIEWER: AR IS SH ..... | A | 53GP | AS | 19-OCT-84 | AV | AS | 11 | | |
| | | DOD-STD-1312-5A | FASTENER TEST METHODS, METHOD 5, STRESS DURABILITY REVIEWER: AV IS SH ..... | A | 53GP | AS | 19-OCT-84 | AR | AS | 11 | | |
| | | MIL-STD-1312-5A | FASTENER TEST METHODS METHOD 5 STRESS DURABILITY REVIEWER: AR IS SH ..... | A | 53GP | AS | 19-OCT-84 | AV | AS | 11 | | |
| | | MIL-STD-1312-6 | FASTENER TEST METHODS, METHOD 6, HARDNESS REVIEWER: AR IS SH ..... | A | 53GP | AS | 19-OCT-84 | AV | AS | 11 | | |
| | | MIL-STD-1312-7A | FASTENER TEST METHODS, METRIC, METHOD 7, VIBRATION (S/S BY DOD STD 1312-107) REVIEWER: AV IS SH | A | 53GP | AS | 26-MAR-84 | AR | AS | 11 | | |
| | | DOD-STD-1312-8A | FASTENER TEST METHODS, METHOD 8, TENSILE STRENGTH REVIEWER: AV IS SH ..... | A | 53GP | AS | 19-OCT-84 | AR | AS | 11 | | |
| | | MIL-STD-1312-8A | FASTENER TEST METHODS METHOD 8, TENSILE STRENGTH REVIEWER: AR IS SH ..... | A | 53GP | AS | 19-OCT-84 | AV | AS | 11 | | |
| | | DOD-STD-1312-9A(1) | FASTENER TEST METHODS, METHOD 9, STRESS CORROSION REVIEWER: AV IS SH ..... | A | 53GP | AS | 10-MAR-84 | AR | AS | 11 | | |
| | | MIL-STD-1312-9A | FASTENER TEST METHODS METHOD 9, STRESS CORROSION REVIEWER: AR IS SH ..... | A | 53GP | AS | 19-OCT-84 | AV | AS | 11 | | |
| | | MIL-STD-1312-10 | FASTENER TEST METHODS, METHOD 10, STRESS RUPTURE REVIEWER: AR IS SH ..... | A | 53GP | AS | 19-OCT-84 | AV | AS | 11 | | |
| | | DOD-STD-1312-11A(1) | FASTENER, TEST METHODS METHOD 11, TENSION FATIGUE REVIEWER: AV IS SH ..... | A | 53GP | AS | 10-MAR-84 | AR | AS | 11 | | |
| | | MIL-STD-1312-11A | FASTENER TEST METHODS METHOD 11, TENSION FATIGUE REVIEWER: AR IS SH ..... | A | 53GP | AS | 19-OCT-84 | AV | AS | 11 | | |
| | | MIL-STD-1312-12 | FASTENER TEST METHODS, METHOD 12, THICKNESS OF METALLIC COATINGS REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-13A | FASTENER TEST METHODS METHOD 13 DOUBLE SHEAR TEST REVIEWER: AV IS SH ..... | A | 53GP | AS | 23-AUG-91 | AR | AS | 99 | | |
| | | MIL-STD-1312-14 | FASTNER TEST METHODS METHOD 14 STRESS DUPABILITY INTERNALLY THREADED FASTENERS REVIEWER: 99 AV IS SH | A | 53GP | AS | 05-JAN-87 | AR | AS | 11 | | |
| | | MIL-STD-1312-15 | FASTENER TEST METHODS, METHOD 15, TORQUE - TENSION REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-16A | FASTENER TEST METHODS METHOD 16, CLAMPING FORCE FOR INSTALLATION FORMED FASTENERS REVIEWER: IS SH | A | 53GP | AS | 20-NOV-91 | AV | AS | 99 | | |
| | | MIL-STD-1312-17 | FASTENER TEST METHODS, METHOD 17, STRESS RELATION REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-18 | FASTENER TEST METHODS, METHOD 18, ELEVATED TEMPERATURE TENSILE STRENGTH REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-19A | FASTENER TEST METHODS METHOD 19 FASTENER SEALING REVIEWER: IS SH ..... | A | 53GP | AS | 12-DEC-90 | AV | AS | 99 | | |
| | | MIL-STD-1312-20 | FASTENER TEST METHODS, METHOD 20, SINGLE SHEAR REVIEWER: AV IS SH ..... | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-21 | FASTENER TEST METHODS, METHOD 21, SHEAR JOINT FATIGUE CONSTANT AMPLITUDE REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-22 | FASTENER TEST METHODS, METHOD 22, RECEPTACLE PUSH OUT, PANEL FASTENERS REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-23 | FASTENER TEST METHODS, METHOD 23, TENSILE STRENGTH OF PANEL FASTENERS REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-24 | FASTENER TEST METHODS, METHOD 24, RECEPTACLE TORQUE OUT, PANEL FASTENERS REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-25 | FASTENER TEST METHODS, METHOD 25, DRIVING RECESS TORQUE QUALITY CONFORMANCE TEST REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-26 | FASTENER TEST METHODS, METHOD 26, STRUCTURAL PANEL FASTENER LAP JOINT SHEAR REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-27 | FASTENER TEST METHODS, METHOD 27, PANEL FASTENER SHEET PULL UP REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-28 | FASTENER TEST METHODS, METHOD 28, ELEVATED TEMPERATURE DOUBLE SHEAR REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-29 | FASTENER TEST METHODS, METHOD 29, MEASUREMENT TECHNIQUES FOR DETERMINING SHANK EXPANDING CHARACTERISTICS OF DEFORMABLE FASTENERS REVIEWER: 82 99 AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-30 | FASTENER TEST METHODS, METHOD 30, SHEET PULL-UP OF BLIND FASTENERS REVIEWER: AV IS SH | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | MIL-STD-1312-31 | FASTENER TEST METHODS, METHOD 31, TORQUE REVIEWER: AV IS SH ..... | A | 53GP | AS | 26-JUL-85 | AR | AS | 11 | | |
| | | DOD-STD-1312-105 | FASTENER TEST METHODS, METRIC METHOD 105 STRESS DURABILITY REVIEWER: AV IS SH | A | 53GP | AS | 26-MAR-84 | AR | AS | 11 | | |
| | | DOD-STD-1312-107 | FASTENER TEST METHODS, METRIC METHOD 107, VIBRATION REVIEWER: AV IS SH .... | A | 53GP | AS | 26-MAR-84 | AR | AS | 11 | | |
| | | DOD-STD-1312-108 | FASTENER TEST METHODS, METRIC METHOD 108 TENSILE STRENGTH REVIEWER: AV IS SH | A | 53GP | AS | 26-MAR-84 | AR | AS | 11 | | |
| | | DOD-STD-1312-109 | FASTENER TEST METHODS, METRIC METHOD 109 STRESS CORROSION REVIEWER: AV IS SH | A | 53GP | AS | 26-MAR-84 | AR | AS | 11 | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | DOD-STD-1312-111 | FASTENER TEST METHODS, METRIC METHOD 111 TENSION FATIGUE REVIEWER: AV IS SH | A | 53GP AS | 26-MAR-84 | AR | AS | 11 | |
| | | DOD-STD-1312-113 | FASTENER TEST METHODS, METRIC METHOD 113 DOUBLE SHEAR TEST REVIEWER: AV IS SH | A | 53GP AS | 26-MAR-84 | AR | AS | 11 | |
| | | MIL-STD-1316D | FUZE DESIGN SAFETY, CRITERIA FOR REVIEWER: 18 99 AS MI ..... | A | 13GP AR | 09-APR-91 | AR | OS | 11 | |
| D | | MIL-STD-1319A NOTICE 2 | ITEM CHARACTERISTICS AFFECTING TRANSPORTABILITY AND PACKAGING AND HANDLING EQUIPMENT DESIGN [VALIDATION DATE: 9103] REVIEWER: 10 11 13 15 16 AR AS AV DH DS GL MC ME MI SA SH YD] | A | 8140 OS | 13-MAR-91 | MT | OS | 69 | |
| L | | MIL-STD-1320C(1) NOTICE 1 | TRUCKLOADING OF AMMUNITION AND HAZARDOUS MATERIALS USER: SA SH REVIEWER: AS MC | A | 8140 OS | 01-MAR-91 | | OS | | |
| L | | MIL-STD-1320-1 NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS-PALLETIZED UNIT LOADS SINGLE ROW PATTERN [VALIDATION DATE: 8704] | A | 8140 OS | 08-APR-87 | | OS | | |
| L | | MIL-STD-1320-2 NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PALLETIZED UNIT LOADS DOUBLE ROW PATTERN [VALIDATION DATE: 8704] | A | 8140 OS | 08-APR-87 | | OS | | |
| L | | MIL-STD-1320-3 NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS, PALLETIZED UNIT LOADS CHIMNEY PATTERN [VALIDATION DATE: 8704] | A | 8140 OS | 08-APR-87 | | OS | | |
| L | | MIL-STD-1320-5 NOTICE 1 | TRUCKLOADING BOMBS, GENERAL PURPOSE MK 81 & MODS (250 LB) (WITH PLASTIC NOSE PLUGS) IN PALLET, BOMB MK 8 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] REVIEWER: AS | A | 8140 OS | 30-SEP-88 | | OS | | |
| L | | MIL-STD-1320-7A NOTICE 1 | TRUCKLOADING BOMB, GENERAL PURPOSE MK 83 AND MODS (1000 LB) IN PALLET ADAPTER MK 11 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] | A | 8140 OS | 30-SEP-88 | | OS | | |
| L | | MIL-STD-1320-8 NOTICE 1 | TRUCKLOADING, TALOS MISSILE WARHEAD ASSEMBLIES IN CONTAINER MK 286 [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| A L | | MIL-STD-1320-12A(1) | TRUCKLOADING, TORPEDO MK 44 AND MK 48 ASSEMBLIES IN CONTAINER MK 197 MOD 1 | A | 8140 OS | 02-DEC-91 | | OS | | |
| L | | MIL-STD-1320-15 NOTICE 1 | TRUCKLOADING ROCKET MOTOR MK 1 MOD 0 OR MK 37 MOD 0 (ASROC) IN CONTAINER MK 178 MOD 0 [VALIDATION DATE: 8809] | A | 8140 OS | 30-SEP-88 | | OS | | |
| L | | MIL-STD-1320-16 NOTICE 1 | TRUCKLOADING ADAPTION KIT MK 28 MOD 1 IN CONTAINER MK 182 MOD 1 [VALIDATION DATE: 8809] | A | 8140 OS | 30-SEP-88 | | OS | | |
| L | | MIL-STD-1320-18(2) NOTICE 4 | TRUCKLOADING BOOSTER MK 12 MOD 0 AND 1 IN CONTAINER MK 200 MOD 0 AND 1 [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-25 | TRUCKLOADING GUIDED WEAPON MK 1 MOD 0 ( WALLEYE) IN CONTAINER MK 426 MOD 0 REVIEWER: AS | A | 8140 OS | 10-MAR-87 | | OS | | |
| L | | MIL-STD-1320-44 NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 8/55 AP, MK 21 AND MODS MC, MK 24 OR MK 25 AND MODS FLEET ISSUE LOAD LIST [VALIDATION DATE: 8704] | A | 8140 OS | 08-APR-87 | | OS | | |
| LI | | MIL-STD-1320-49A NOTICE 2 | TRUCKLOADING MINE, UNDERWATER MK 55 AND MODS IN CRATE UNDERWATER MINE MK 55 MOD 1 DOMESTIC UNIT LOAD WR-53/714 | A | 8140 OS | 27-MAR-92 | | OS | | |
| L | | MIL-STD-1320-53C | TRUCKLOADING UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE, MK 84 AND MODS (2000 LB) IN ADAPTER, UNIT LOAD, MK 79 MOD 0 REVIEWER: AS | A | 8140 OS | 23-OCT-90 | | OS | | |
| LI | | MIL-STD-1320-55 NOTICE 2 | TRUCKLOADING TRAILER-ON-FLAT-CAR (TOFC) OR CONTAINER-ON-FLAT-CAR (COFC) MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 MOD 0 DOMESTIC AND UNDERWAY REPLENISHMENT UNIT LOADS | A | 8140 OS | 27-MAR-92 | | OS | | |
| L | | MIL-STD-1320-56 NOTICE 1 | TRUCKLOADING CHARGE, PROPELLING 5 INCH/38 IN TANK MK15 MOD 1 DOMESTIC UNIT LOAD [VALIDATION DATE: 8809] | A | 8140 OS | 30-SEP-88 | | OS | | |
| L | | MIL-STD-1320-65(1) NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS BOMB CLUSTER MK 20 MODS 2, 3, & 4 IN CONTAINER MK 427 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] | A | 8140 OS | 30-SEP-88 | | OS | | |
| A L | | MIL-STD-1320-73 | TRUCKLOADING SPARROW III MISSILE, (RIM-7D, RIM-7E, RIM-7F, RIM-7M, AND RIM-7P) IN CONTAINER MK 470 MOD 0 AND MOD 1 REVIEWER: AS | A | 8140 OS | 16-SEP-91 | | OS | | |
| L | | MIL-STD-1320-75A NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING, 5 INCH /54 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] | A | 8140 OS | 30-SEP-88 | | OS | | |
| L | | MIL-STD-1320-83 NOTICE 1 | TRUCKLOADING GUIDED MISSILE, AIM-9G OR 9H IN CRADLE, MK 16 MOD 0 OR AIM-9G, 9H OR 9L IN CONTAINER, CNU-287/E W/O WINGS AND FINS (SIDEWINDER) UNIT LOAD UNDERWAY REPLENISHMENT REVIEWER: AS | A | 8140 OS | 10-OCT-86 | | OS | | |
| L | | MIL-STD-1320-84A NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 5 INCH /38 IN CARTRIDGE TANK MK15 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] REVIEWER: AS | A | 8140 OS | 30-SEP-88 | | OS | | |
| L | | MIL-STD-1320-100 NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 82 AND MODS (500LB) AIR FORCE UNIT LOAD TPO 1325-294-4152 THROUGH REV AA [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-101 NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS BOOSTER MK 11 MODS 2 & 5 (TALOS) IN CONTAINER MK 576 MOD 0 [VALIDATION DATE: 8809] | A | 8140 OS | 30-SEP-88 | | OS | | |
| L | | MIL-STD-1320-102 NOTICE 1 | TRUCKLOADING SMOKELESS POWDER FOR CANNON IN PACKING BOX MK 7 AND MODS DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-103(1) NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS BOOSTER, MK 12 MOD 0 & 1 IN CONTAINER MK 578 MOD 0 [VALIDATION DATE: 8809] | A | 8140 OS | 30-SEP-88 | | OS | | |
| M LI | | MIL-STD-1320-104 NOTICE 2 | TRUCKLOADING BOMB, 500 LB, MK 82 MOD 2 (THERMALLY PROTECTED) ON BOMB PALLET MK 9 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD | A | 8140 OS | 25-FEB-93 | | OS | | |
| L | | MIL-STD-1320-106A NOTICE 1 | TRUCKLOADING CHARGE, PROPELLING, 5 INCH /54 DOMESTIC UNIT LOAD [VALIDATION DATE: 8809] REVIEWER: AS | A | 8140 OS | 30-SEP-88 | | OS | | |
| L | | MIL-STD-1320-108 NOTICE 1 | TRUCKLOADING ROCKET MOTOR MK 52 AND MODS (SPARROW) OR, ROCKET MOTOR MK 53 MOD 1 OR MK 78 MOD 0 (SHRIKE) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] REVIEWER: AS | A | 8140 OS | 30-SEP-88 | | OS | | |
| L | | MIL-STD-1320-109A(1) NOTICE 1 | TRUCKLOADING BOMB, PRACTICE MK 76 MODS 4, 5, AND 7 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] | A | 8140 OS | 30-SEP-88 | | OS | | |
| M LI | | MIL-STD-1320-112A NOTICE 3 | TRUCKLOADING BOMB 500 LB, MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MHU-122/E FLEET ISSUE UNIT LOAD | A | 8140 OS | 25-FEB-93 | | OS | | |
| A L | | MIL-STD-1320-113C(2) | TRUCKLOADING TORPEDO, MK 48 MODS 1,3,4 IN CONTAINER MK 481 MODS 0,1 OR TORPEDO MK 48 ADCAP IN CONTAINER MK 746 MOD 0 | A | 8140 OS | 30-OCT-91 | | OS | | |
| L | | MIL-STD-1320-114(1) NOTICE 2 | TRUCKLOADING, NITROGUANIDINE, HIGH BULK DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-115A NOTICE 2 | TRUCKLOADING, ROCKET LAUNCHER, LAU-69/A DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-116(2) NOTICE 3 | TRUCKLOADING GRAIN PROPELLANT MK 80 MOD 0 IN PALLET CRATE MK 107 MOD 0 DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-118(1) NOTICE 2 | TRUCKLOADING PROPULSION SECTION, (PHOENIX) IN CONTAINER CNU-159/E DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-119(1) NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS WING ASSEMBLIES AND TAIL FINS GUIDED MISSILE AGM-45A (SHRIKE) IN CONTAINER CNU-171/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-120 NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, M117, (750LB) AIR FORCE UNIT LOAD TPO 1325-232-6331 REV F [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-121 NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 6 INCHES AAC, HC OR AP IN PALLET ADAPTER MK 20 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8511] | A | 8140 OS | 29-JAN-74 | | OS | | |
| L | | MIL-STD-1320-132 | TRUCKLOADING WARHEAD, MK 103 MOD 0 (FOR MK 46 TORPEDO) IN CONTAINER, MK 301 MODS 0 AND 1 AND EXERCISE HEAD, MK 85 MODS 0, 1, 2, 3, 4, AND 6 DOMESTIC UNIT LOAD | A | 8140 OS | 18-NOV-88 | | OS | | |
| L | | MIL-STD-1320-140A(2) NOTICE 3 | TRUCKLOADING ROCKET MOTOR CLUSTER, LAU-10/A, LAU-10A/A LAU-10B/A OR LAU-10C/A LAUNCHER (ZUNI) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-150(1) NOTICE 2 | TRUCKLOADING GUIDED WEAPON MK 5 AND MODS (WALLEYE) IN CONTAINER CNU-154 A/E OR CNU-154 B/E [VALIDATION DATE: 9103] | A | 8140 OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1320-151A NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS 5 INCH/38 PROJECTILE IN PALLET ADAPTER MK11 MOD 1 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8704] REVIEWER: AS | A | 8140 OS | 08-APR-87 | | OS | | |
| L | | MIL-STD-1320-152A NOTICE 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 5 INCHES /54 IN PALLET ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8704] | A | 8140 OS | 08-APR-87 | | OS | | |

| Action | Opn / Obst Coordination Inactive | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-STD-1320-153(1) NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS BOMB, CLUSTER, CBU-55/B, CBU-55A/B OR CBU-72/B (FUEL AIR EXPLOSIVE) IN CONTAINER CNU-208/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-154(1) NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING, 6 INCH /47 IN CARTRIDGE TANK MK 4 IN PALLET ADAPTER MK 18 MODS FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] | A 8140 | OS | 30-SEP-88 | OS | | | |
| | L | MIL-STD-1320-155(1) NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS GUIDED MISSILE, AIM-7E OR 7F (SPARROW) (LESS WINGS AND FINS) IN CONTAINER CNU-166/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] REVIEWER: AS | A 8140 | OS | 30-SEP-88 | OS | | | |
| | L | MIL-STD-1320-157(1) NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 6 INCH /47 DOMESTIC UNIT LOAD [VALIDATION DATE: 8809] REVIEWER: AS | A 8140 | OS | 30-SEP-88 | OS | | | |
| | L | MIL-STD-1320-159A(1) NOTICE 2 | TRUCKLOADING PHOENIX MISSILE AIM-54A (WITH WINGS AND FINS) IN SHIPPING AND STORAGE CONTAINER CNU-242/E [VALIDATION DATE: 9103] REVIEWER: AS | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-160C | TRUCKLOADING MINE, UNDERWATER, MK 60 MOD 0 IN SKID, MK 24 MOD 0 ..... | A 8140 | OS | 18-NOV-88 | OS | | | |
| | L | MIL-STD-1320-161(1) NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS BEAKER, EXPLOSIVE, 5 INCH /54 PROJECTILE DOMESTIC UNIT LOAD [VALIDATION DATE: 8809] | A 8140 | OS | 30-SEP-88 | OS | | | |
| | L | MIL-STD-1320-162(1) NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) AND CBU-78/B (GATOR) IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] REVIEWER: AS | A 8140 | OS | 30-SEP-88 | OS | | | |
| | L | MIL-STD-1320-163(1) | TRUCKLOADING OF HAZARDOUS MATERIALS CRADLE, STORAGE, MK 20 MOD 0 OR 1 CRADLE, STORAGE, MK 8 MOD 0 DOMESTIC UNIT LOAD [VALIDATION DATE: 8809] | A 8140 | OS | 30-SEP-88 | OS | | | |
| | L | MIL-STD-1320-164 NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CARTRIDGE, 76 MM/62 CALIBER CHARGE, CLEANING, 76 MM/62 CALIBER IN PALLET ADAPTER MK 121 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] | A 8140 | OS | 30-SEP-88 | OS | | | |
| | L | MIL-STD-1320-165(1) | TRUCKLOADING OF HAZARDOUS MATERIALS GUIDED MISSILE, AGM-45 OR 45B (SHRIKE) IN CONTAINER CNU-167 /E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8809] | A 8140 | OS | 30-SEP-88 | OS | | | |
| | LI | MIL-STD-1320-166 NOTICE 3 | TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 56 MOD 0 IN CRATE MK 56 "CONFIGURATION B" SUB ASSEMBLY WITH ASSOCIATED FLIGHT GEAR | A 8140 | OS | 27-MAR-92 | OS | | | |
| | L | MIL-STD-1320-167(2) NOTICE 3 | TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 55 AND MOD 0 IN CRATE MK 55 MOD 1 (CONFIGURATION B) SUB ASSEMBLY W/ASSOCIATED FLIGHT GEAR [VALIDATION DATE: 8903] | A 8140 | OS | 14-MAR-89 | OS | | | |
| M | LI | MIL-STD-1320-168(2) NOTICE 4 | TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 52 IN CRATE MK 52 MOD 0 "CONFIGURATION B" SUB ASSEMBLY WITH ASSOCIATED FLIGHT GEAR | A 8140 | OS | 25-FEB-93 | OS | | | |
| | L | MIL-STD-1320-169(2) NOTICE 3 | TRUCKLOADING HARPOON MISSILE RGM-84A-1 (ASROC) IN CONTAINER MK 608 MOD 0 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| M | LI | MIL-STD-1320-170 NOTICE 3 | TRUCKLOADING BOMB, MK 82 AND MODS (500 LBS) IN MHU-149/E AIR FORCE UNIT LOAD TPO 01-006-5657 | A 8140 | OS | 25-FEB-93 | OS | | | |
| | L | MIL-STD-1320-171(1) | TRUCKLOADING DISPENSER AND BOMB AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) OR CBU-55A/B OR CBU-72/B (FAE) OR CBU-59/B (APAM) IN CONTAINER, CNU-238/E FLEET ISSUE UNIT LOADS [VALIDATION DATE: 8903] REVIEWER: AS | A 8140 | OS | 14-MAR-89 | OS | | | |
| | L | MIL-STD-1320-172(1) NOTICE 2 | TRUCKLOADING DISPENSER AND BOMB, AIRCRAFT, CBU-59/B, COMPLETE (APAM) DISPENSER AND BOMB, AIRCRAFT, CBU-59(T-1)/B, TRAINING IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8903] | A 8140 | OS | 14-MAR-89 | OS | | | |
| | L | MIL-STD-1320-173(1) NOTICE 2 | TRUCKLOADING DISPENSER, FLARE SUU-25 C/A (EMPTY) ON PALLET, LOADING AND STORAGE MHU-146/E [VALIDATION DATE: 8903] | A 8140 | OS | 14-MAR-89 | OS | | | |
| | L | MIL-STD-1320-174A | TRUCKLOADING WARHEADS, GUIDED MISSILE, MK 40 MOD 0 AND WDU-25/B DOMESTIC UNIT LOAD | A 8140 | OS | 11-JAN-90 | OS | | | |
| | L | MIL-STD-1320-175C | TRUCKLOADING ROCKET MOTOR MK 27 OR MK 56 AND MODS (DTRM) IN CONTAINER, MK 593 MOD 0 AND SUSTAINER, MK 30 MODS IN CONTAINER, MK 737 MOD 0 | A 8140 | OS | 11-JUL-88 | OS | | | |
| | L | MIL-STD-1320-176(1) NOTICE 2 | TRUCKLOADING WARHEAD, TACTICAL, WAU-3(V)/B (HARPOON) EXERCISE SECTION, AN/DTK-46 (HARPOON) IN CONTAINER MK 592 MOD 0 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-177 | TRUCKLOADING CARTRIDGE, 5.125 INCH MK 182 (SUPER RBOC) CARTRIDGE, 5.125 INCH MK 186 (TORCH) IN PALLET ADAPTER MK 144 UNIT LOAD, UNDERWAY REPLENISHMENT [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-178 NOTICE 1 | TRUCKLOADING CARTRIDGE, 20MM, M50 SERIES (LOOSE) IN CONTAINER M548 DOMESTIC AND FLEET ISSUE LOADS [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-179 NOTICE 1 | TRUCKLOADING 20MM, MK 100 SERIES NOT LINKED, BULK PACK FOR MK 11 OR MK 12 GUN FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-180 NOTICE 1 | TRUCKLOADING CARTRIDGE 20MM, MK 100 SERIES (NOT LINKED) FOR MK 11 OR MK 12 GUN IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| M | LI | MIL-STD-1320-183A NOTICE 3 | TRUCKLOADING MINE, UNDERWATER MK 65 MOD 0 AND MODS IN SKID MK 25 MOD 2 .... | A 8140 | OS | 25-FEB-93 | OS | | | |
| A | L | MIL-STD-1320-184B(2) | TRUCKLOADING, TORPEDO MK 48 EXERCISE/ADCAP SHAPES IN CONTAINER MK 481 MODS 0,1 OR CONTAINER MK 746 MOD 0 | A 8140 | OS | 30-OCT-91 | OS | | | |
| | L | MIL-STD-1320-185 NOTICE 1 | TRUCKLOADING PHOENIX GUIDANCE SECTION IN CONTAINER CNU-234/E [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| M | LI | MIL-STD-1320-186A NOTICE 3 | TRUCKLOADING MINE, UNDERWATER MK 57 MOD 0 "CONFIGURATION A" IN CRATE MK 109 MOD 0 | A 8140 | OS | 25-FEB-93 | OS | | | |
| M | LI | MIL-STD-1320-187B NOTICE 2 | TRUCKLOADING MINE, UNDERWATER MK 52 AND MODS CONFIGURATION B, C AND D IN CRATE, UNDERWATER MINE MK 52 AND MODS DOMESTIC AND UNDERWAY REPLENISHMENT UNIT LOADS | A 8140 | OS | 25-FEB-93 | OS | | | |
| | L | MIL-STD-1320-188 NOTICE 1 | TRUCKLOADING, HARPOON MISSILE AGM-84A (WITH WINGS AND FINS) IN SHIPPING AND STORAGE CONTAINER MK 607 MOD 0 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-189B(1) NOTICE 2 | ORUCKLOADING, HARPOON CANISTER LOADED WITH GUIDED MISSILE RGM-84A-3 IN SHIPPING AND STORAGE CONTAINER MK 631 MOD 0 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-190(1) NOTICE 2 | TRUCKLOADING, SUSTAINER SECTION A/B44G-1 HARPOON GUIDED MISSILE IN CONTAINER MK 621 MOD 0 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-191 NOTICE 1 | TRUCKLOADING, ROCKET MOTOR SECTION, BOOSTER A/B44G-2 OR A/B44G-3 HARPOON GUIDED MISSILE IN CONTAINER MK 618 MOD 0 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-192 NOTICE 1 | TRUCKLOADING, GUIDANCE SECTION, GUIDED MISSILE (HARPOON) AN/DSQ-28 IN CONTAINER MK 619 MOD 0 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-193 NOTICE 1 | TRUCKLOADING, TORPEDO, MK 37 MOD 3 MAIN ASSEMBLY IN CONTAINER MK 258 MOD 0 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-194 NOTICE 1 | TRUCKLOADING TORPEDO, MAIN ASSEMBLY MK 37 MOD 2 IN CONTAINER MK 318 MOD 0 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-196A NOTICE 1 | TRUCKLOADING, ENCAPSULATED, HARPOON MISSILE RGM-84A-3 IN SHIPPING AND STORAGE CONTAINER MK 630 MOD 0 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | LI | MIL-STD-1320-198A NOTICE 1 | TRUCKLOADING CASE, UNDERWATER MINE MK 25 AND MODS IN CRATE MK 25 FLEET ISSUE UNIT LOAD | A 8140 | OS | 27-MAR-92 | OS | | | |
| | L | MIL-STD-1320-200A NOTICE 1 | TRUCKLOADING TORPEDO, DUMMY AND EXERCISE MK 37 MOD 2 AND MOD 3 IN SHIPPING AND STORAGE SKID OR BARE [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-201A | TRUCKLOADING TORPEDO MK 46 ASSEMBLIES IN CONTAINER MK 535 MOD 0 ..... | A 8140 | OS | 20-AUG-90 | OS | | | |
| | L | MIL-STD-1320-202(1) NOTICE 2 | TRUCKLOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) IN CONTAINER CBU-319/E AND CBU-78/B (GATOR) UNIT LOAD UNDERWAY REPLENISHMENT [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-203 NOTICE 1 | TRUCKLOADING TORPEDO, MAIN ASSEMBLY MK 37 MOD 2 AND MOD 3 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1320-204 NOTICE 1 | TRUCKLOADING ROCKET MOTOR MK 45 IN CONTAINER OS 11130 [VALIDATION DATE: 8704] | A 8140 | OS | 08-APR-87 | OS | | | |
| A | L | MIL-STD-1320-205B NOTICE 2 | TRUCKLOADING STANDARD MISSILE (MR) IN VLS CANISTER MK 13 MOD 0 ..... | A 8140 | OS | 08-SEP-92 | OS | | | |
| | LI | MIL-STD-1320-206A NOTICE 2 | TRUCKLOADING MINE UNDERWATER, MK 55 AND MODS CONFIGURATION B & C IN CRATE MK 55 MOD 1 WITH ADAPTERS MK 112 MOD 0 FLEET ISSUE UNIT LOAD | A 8140 | OS | 27-MAR-92 | OS | | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | L | MIL-STD-1320-2070 | TRUCKLOADING GUIDED MISSILE U/RGM-109 (TOMAHAWK) IN SHIPPING AND STORAGE CONTAINER CNU-308/E | A | 8140 | | OS | 25-NOV-91 | | OS | | |
| | L | MIL-STD-1320-208 | TRUCKLOADING HARM MISSILE AGM-88A IN CONTAINER CNU-295/E [VALIDATION DATE: 8512] | A | 8140 | | OS | 22-SEP-81 | | OS | | |
| | L | MIL-STD-1320-210 NOTICE 1 | TRUCKLOADING WALLEYE I GUIDED WEAPON IN SHIPPING AND STORAGE CONTAINER CNU-356/E [VALIDATION DATE: 8903] | A | 8140 | | OS | 14-MAR-89 | | OS | | |
| | L | MIL-STD-1320-211 NOTICE 1 | TRUCKLOADING, WARHEAD SECTION FOR MISSILE, AGM-88A (HARM) IN CNU-353/E CONTAINER [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| | L | MIL-STD-1320-212 NOTICE 2 | TRUCKLOADING ROCKET MOTOR FOR MISSILE AGM-88A (HARM) IN CNU-354/E CONTAINER [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| | L | MIL-STD-1320-213(1) NOTICE 2 | TRUCKLOADING STANDARD MISSILE (MR) RIM-66A-1,2; RIM-66C; RIM-66D-1,2; RIM-66E-1,2; RIM-66H OR RIM-66J IN CONTAINER MK 372 MOD 7 [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| | L | MIL-STD-1320-214 | TRUCKLOADING MINE, UNDERWATER MK 55 CONFIGURATION A IN CRATE MK 111 MOD 0 . | A | 8140 | | OS | 13-SEP-85 | | OS | | |
| | LI | MIL-STD-1320-215 NOTICE 3 | TRUCKLOADING MINE, UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 258 MOD 0 | A | 8140 | | OS | 27-MAR-92 | | OS | | |
| | LI | MIL-STD-1320-216 NOTICE 1 | TRUCKLOADING MINE, UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 318 MOD 0 | A | 8140 | | OS | 27-MAR-92 | | OS | | |
| | LI | MIL-STD-1320-217 NOTICE 2 | TRUCKLOADING MINE, UNDERWATER MK 52 "CONFIGURATION A" IN CRATE MK 110 MOD 0 | A | 8140 | | OS | 14-APR-92 | | OS | | |
| | LI | MIL-STD-1320-218 NOTICE 2 | TRUCKLOADING AIRBOC IN PALLET CRATE, CNU-313/E REVIEWER: AS ..... | A | 8140 | | OS | 27-MAR-92 | | OS | | |
| | LI | MIL-STD-1320-219 NOTICE 2 | TRUCKLOADING MINE, UNDERWATER MK 67, SERVICE OR EXERCISE AND TRAINING IN CONTAINER MK 704 MOD 0 | A | 8140 | | OS | 27-MAR-92 | | OS | | |
| | LI | MIL-STD-1320-220 NOTICE 2 | TRUCKLOADING MINE UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 640 MOD 0 | A | 8140 | | OS | 27-MAR-92 | | OS | | |
| | L | MIL-STD-1320-221 | TRUCKLOADING MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 697 MOD 0 | A | 8140 | | OS | 09-APR-85 | | OS | | |
| | L | MIL-STD-1320-222(4) NOTICE 4 | TRUCKLOADING GUIDED MISSILE BGM-109 (TOMAHAWK-CLS) IN SHIPPING SKID MK 30 MODS 0 AND 1 | A | 8140 | | OS | 03-MAR-91 | | OS | | |
| | L | MIL-STD-1320-223B | TRUCKLOADING GUIDED MISSILE RGM-109 (TOMAHAWK) VLS CANISTER MK 14 MODS 0 AND 1 | A | 8140 | | OS | 11-OCT-89 | | OS | | |
| | L | MIL-STD-1320-224 | TRUCKLOADING VERTICAL LAUNCHING SYSTEM MK 33 MOD 0 LOADER DOLLY CANISTER/MISSILE | A | 8140 | | OS | 08-FEB-86 | | OS | | |
| | L | MIL-STD-1320-225 | TRUCKLOADING, AMRAAM, AIM-120A IN CONTAINER, CNU-415/E REVIEWER: AS ..... | A | 8140 | | OS | 15-APR-87 | | OS | | |
| | L | MIL-STD-1320-226 NOTICE 1 | TRUCKLOADING HARPOON THICKWALL CANISTER LOADED WITH GUIDED MISSILEREGM-84A-5 IN SHIPPING AND STORAGE CONTAINER MK 694 MOD 0 | A | 8140 | | OS | 09-APR-86 | | OS | | |
| | L | MIL-STD-1320-227 | TRUCKLOADING TORPEDO MK 50 (ALWT) FOR OPEVALAND TECHEVAL IN SHIPPING AND STORAGE CONTAINER EX 699 | A | 8140 | | OS | 14-APR-86 | | OS | | |
| | L | MIL-STD-1320-228 | TRUCKLOADING DOLLY, MISSILE TRANSFER, MK 30 MOD 0 ON SKID, TRANSPORT, DL6212586 UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT | A | 8140 | | OS | 11-JAN-88 | | OS | | |
| | L | MIL-STD-1320-231 | TRUCKLOADING GUIDED MISSILE, AGM-136A (TACIT RAINBOW) IN SHIPPING AND STORAGE CONTAINER, CNU-432/E UNIT LOAD FOR UNDERWAY REPLENISHMENT REVIEWER: AS | A | 8140 | | OS | 24-AUG-90 | | OS | | |
| | L | MIL-STD-1320-232A | TRUCKLOADING GUIDED MISSILE, AGM-119 B (PENGUIN) IN CONTAINER, SHIPPING AND STORAGE, CNU-443/E WITH WINGS AND CANARDS IN CONTAINER, SHIPPING AND STORAGE, CNU-450/E REVIEWER: AS | A | 8140 | | OS | 02-OCT-89 | | OS | | |
| | L | MIL-STD-1320-233 | TRUCKLOADING DUAL THRUST ROCKET MOTOR FOR SM-2 BLOCK II MISSILE MK 104 IN CONTAINER, MK 693 MOD 0 | A | 8140 | | OS | 13-DEC-88 | | OS | | |
| | L | MIL-STD-1320-235 | TRUCKLOADING ENCAPSULATED TOTEM, TOTEM VEHICLE AND EXPENDED CAPSULE ..... | A | 8140 | | OS | 18-NOV-88 | | OS | | |
| | L | MIL-STD-1320-237A | TRUCKLOADING MK 50 TORPEDO (WARSHOT AND EXERCISE) IN SHIPPING AND STORAGE CONTAINER, MK 714 MOD 0 AND 1 | A | 8140 | | OS | 18-MAR-91 | | OS | | |
| | L | MIL-STD-1320-238 | TRUCKLOADING AMPHIBIOUS UNIT LOAD 155MM PROJECTILES, LONG ROUND ..... | A | 8140 | | OS | 10-MAR-89 | | OS | | |
| | L | MIL-STD-1320-239 | TRUCKLOADING AMPHIBIOUS UNIT LOAD 155MM PROJECTILES, SHORT ROUND ..... | A | 8140 | | OS | 10-MAR-89 | | OS | | |
| | L | MIL-STD-1320-242 | TRUCKLOADING STANDARD MISSILE EXTENDED RANGE (ER) IN SHIPPING AND STORAGE CONTAINER MK 721 MOD 0 | A | 8140 | | OS | 08-JUN-89 | | OS | | |
| | L | MIL-STD-1320-243 | TRUCKLOADING RAM ROUND PACK IN MK 734 MOD 0 CONTAINER ..... | A | 8140 | | OS | 08-JUN-89 | | OS | | |
| | L | MIL-STD-1320-244 | TRUCKLOADING MINE, UNDERWATER, MK 67 MOD 0 (SLMM) BARE ..... | A | 8140 | | OS | 25-OCT-90 | | OS | | |
| | L | MIL-STD-1320-245 | TRUCKLOADING GUIDED MISSILE STANDARD MR AND (ASROC) IN VLS CANISTER MKS 13, 14 AND 15 AND MODS MIXED LOADS REVIEWER: AS | A | 8140 | | OS | 25-SEP-89 | | OS | | |
| | L | MIL-STD-1320-246A | TRUCKLOADING CLS BALLAST CANS CHOCKED ..... | A | 8140 | | OS | 15-OCT-90 | | OS | | |
| | L | MIL-STD-1320-247 | TRUCKLOADING UNIT LOADS AIM-9M (SIDEWINDER) AND AGM-122A (SIDEARM) IN CONTAINERS CNU-435/E AND CNU-434/E RESPECTIVELY | A | 8140 | | OS | 12-JUL-89 | | OS | | |
| | L | MIL-STD-1320-248 | TRUCKLOADING VERTICAL LAUNCHED ASROC MISSILE IN VLS CANISTER MK 15 MOD 0 .. | A | 8140 | | OS | 07-SEP-89 | | OS | | |
| | L | MIL-STD-1320-249(1) NOTICE 1 | TRUCKLOADING GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CNU-399/E OR CNU-472E UNIT LOAD FOR UNDERWAY REPLENISHMENT | A | 8140 | | OS | 29-JUN-90 | | OS | | |
| A | L | MIL-STD-1320-250(2) | TRUCKLOADING, ROCKET MOTOR, MK 114 MOD 0 IN CONTAINER MK 733 MOD 0 ..... | A | 8140 | | OS | 18-SEP-92 | | OS | | |
| | L | MIL-STD-1320-251 | TRUCKLOADING GUIDED MISSILE, AGM-84-E AND ATM-84-E (SLAM) IN CONTAINER MK 724 MOD 0 | A | 8140 | | OS | 11-JAN-90 | | OS | | |
| | L | MIL-STD-1320-253 | TRUCKLOADING UNIT LOADS OF AMRAAM, AIM-120A IN CONTAINER, CNU-415A/E REVIEWER: AS | A | 8140 | | OS | 08-MAY-91 | | OS | | |
| | L | MIL-STD-1320-254 | TRUCKLOADING UNIT LOADS GUIDED MISSILE AGM-65 (MAVERICK) IN SHIPPING AND STORAGE CONTAINER, CNU-447/E | A | 8140 | | OS | 01-MAY-91 | | OS | | |
| | L | MIL-STD-1320-257 | TRUCKLOADING RAM ROUND PACK IN MK 749 MOD 0 CONTAINER ..... | A | 8140 | | OS | 01-MAY-91 | | OS | | |
| A | L | MIL-STD-1320-258 | TRUCKLOADING VERSATILE EXERCISE MINE SYSTEM (VEMS) IN MINE CRATES MK113 AND MK114 | A | 8140 | | OS | 09-SEP-91 | | OS | | |
| A | L | MIL-STD-1320-260 | TRUCKLOADING AMRAAM MIXED LOAD CONTROL SECTION IN CNU-402/E (DOMESTIC UNIT LOAD) WARHEAD SECTION IN CNU-403/E (DOMESTIC UNIT LOAD) GUIDANCE SECTION I N CNU-463/E PROPULSION SECTION IN CNU-464/E REVIEWER: AS | A | 8140 | | OS | 29-JUL-91 | | OS | | |
| A | L | MIL-STD-1320-262 | TRUCKLOADING DUAL THRUST ROCKET MOTOR (DTRM) MK 104 MODS 1, 2 & 3 IN SHIPPING AND STORAGE CONTAINER MK 750 MOD 0 REVIEWER: AS | A | 8140 | | OS | 04-SEP-91 | | OS | | |
| A | L | MIL-STD-1320-264 | TRUCKLOADING VLS CANISTERS MKS 13, 14 & 15 AND ALL MODS AND MIXED LOADS "EMPTY AND W/O PHST" | A | 8140 | | OS | 23-SEP-92 | | OS | | |
| A | L | MIL-STD-1320-265 | TRUCKLOADING AMMO PAK, GFX 11/A49E-10 IN CNU-492/E AND GUN PAK, GAK 14/40E-10 IN CNU-493/E REVIEWER: AS | A | 8140 | | OS | 11-OCT-91 | | OS | | |
| A | L | MIL-STD-1320-268 | TRUCKLOADING MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 757 MOD 0 | A | 8140 | | AS | 20-JAN-92 | | AS | | |
| | L | MIL-STD-1322A NOTICE 4 | UNIT LOADS OF AMMUNITION AND EXPLOSIVES FOR DOMESTIC AND OVERSEAS SHIPMENT USER: SA REVIEWER: AR AS MC | A | 8140 | | OS | 19-MAR-86 | AL | OS | | |
| | L | MIL-STD-1322-1 | PALLETIZING DOMESTIC UNIT LOAD SPARROW III AAM-N-6-6A ANTENNA ASSEMBLY (REAR) (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| | L | MIL-STD-1322-2 | PALLETIZING DOMESTIC UNIT LOAD SPARROW III AAM-N-6-6A - IGNITER MK 172 MOD 0 - INERT (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| | L | MIL-STD-1322-3 | PALLETIZING DOMESTIC UNIT LOAD BULLPUP 7-BOMB FUZE WITH TWO BOOSTERS ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| | L | MIL-STD-1322-4 | PALLETIZING DOMESTIC UNIT LOAD BULLPUP 7A TRANSMITTER CRYSTAL (IN FIBERBOARD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| | L | MIL-STD-1322-5 | PALLETIZING DOMESTIC UNIT LOAD BULLPUP IGNITER (IN ROCKET CONTAINER MK 2 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| | L | MIL-STD-1322-6 | PALLETIZING DOMESTIC UNIT LOAD HAWK-INITIATOR, ROCKET MOTOR (IN WOOD BOX) . | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| | L | MIL-STD-1322-7 | PALLETIZING DOMESTIC UNIT LOAD HAWK-BOOSTER CHARGE, ROCKET MOTOR-INERT (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| | L | MIL-STD-1322-8 | PALLETIZING DOMESTIC UNIT LOAD BULLPUP, 7, 7A, TRACKING OR PARASITIC FLARES (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-STD-1322-9 | PALLETIZING DOMESTIC UNIT LOAD SPARROW III AAM-M6, 6A WINGS AND FINS (IN METAL CONTAINER) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-10 | PALLETIZING DOMESTIC UNIT LOAD WEAPON "A" ROCKET MOTOR 5.25-INERT (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-11 | PALLETIZING DOMESTIC UNIT LOAD ADAPTER, CLUSTER, BOMB M16 & 16A1 ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-12 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, AN-M-102A2-INERT (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-13 | PALLETIZING DOMESTIC UNIT LOAD PISTOL, DEPTH CHARGE MK 6 MOD 0-W/O DETONATOR-INERT (IN CONTAINER MK 1) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-14 | PALLETIZING DOMESTIC UNIT LOAD CONTROL UNIT, PARACHUTE, MK 66 MOD 0 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-15 | PALLETIZING DOMESTIC UNIT LOAD EXTENDER MECHANISM, UNDERWATER MINE, MK 14 MOD 2 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-16 | PALLETIZING DOMESTIC UNIT LOAD BATTERY, PROPULSION, MK 41 MOD 1 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-17 | PALLETIZING DOMESTIC UNIT LOAD FLARE, TRACKING, GUIDED MISSILE, MK 21 MOD 0, F/SIDEWINDER (IN AMMO COMPONENT BOX MK 2) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-18 | PALLETIZING DOMESTIC UNIT LOAD GENERATOR, GAS, MK 1 MOD 1, F/SIDEWINDER (IN CONTAINER MK 2 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-19 | PALLETIZING DOMESTIC UNIT LOAD IGNITER, GAS GENERATOR MK 244 MOD 0, F/SIDEWINDER-INERT (IN METAL CONTAINER) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-20 | PALLETIZING DOMESTIC UNIT LOAD AMMONIUM PERCHLORATE (IN 30 GAL. STEEL DRUM) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-21 | PALLETIZING DOMESTIC UNIT LOAD CALIBER .223 CENTER FIRE CARTRIDGES, BOXED OR IN MAGAZINES (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-22 | PALLETIZING DOMESTIC UNIT LOAD COLOR BURST UNIT MK 1 MOD 0 (IN WOOD BOX) .. | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-24 | PALLETIZING DOMESTIC UNIT LOAD 2.75 ROCKET MOTOR MK 1, 2 AND MODS (IN CONTAINER MK 15 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-25 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-26 | PALLETIZING DOMESTIC UNIT LOAD 20 MM AIRCRAFT AND SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-27 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-28 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-29 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-30 | PALLETIZING DOMESTIC UNIT LOAD 20 MM AMMUNITION (IN 20 MM AMMO BOX MK 3 MODS - ON MK 3 PALLET) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-31 | PALLETIZING DOMESTIC UNIT LOAD 20 MM AMMUNITION (IN 20 MM AMMO BOX MK 3 MODS - ON MK 12 PALLET | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-32 | PALLETIZING DOMESTIC UNIT LOAD DRIFT SIGNAL MK 5 MOD 4 (IN CONTAINER MK 7 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-33 | PALLETIZING DOMESTIC UNIT LOAD HAND ILLUMINATING GRENADE MK 1 MOD 0 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-34 | PALLETIZING DOMESTIC UNIT LOAD PRACTICE BOMB MK 76 MOD 4 (IN WOOD BOX) .... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-35 | PALLETIZING DOMESTIC UNIT LOAD NAPALM THICKENER (IN METAL DRUMS) ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-36 | PALLETIZING DOMESTIC UNIT LOAD AIR BURST KIT FOR T-66 PRACTICE UNIT ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-37 | PALLETIZING DOMESTIC UNIT LOAD 12.75 ROCKET HEAD MK1, 2, 3 AND MODS - INERT | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-38 | PALLETIZING DOMESTIC UNIT LOAD TORPEDO MK 44 WARHEAD OR EXERCISE HEAD (IN CONTAINER MK 188) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-39 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-40 | PALLETIZING DOMESTIC UNIT LOAD 250 LB GP BOMB AN-M57A1 ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | | MIL-STD-1322-42 | PALLETIZING DOMESTIC UNIT LOAD 220 LB FRAG BOMB AN-MB8 OR 260 LB FRAG BOMB AN-MB1, WITH & WITHOUT RETROFIT | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| M | LI | | | MIL-STD-1322-44 NOTICE 3 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SAFETY DEVICE ARMING GROUP, MK 45 TYPE IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 | A | 8140 | | OS | 25-FEB-93 | | OS | | |
| | L | | | MIL-STD-1322-46 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS, GUIDED MISSILE, MK 40 MOD 0 AND WDU-25/B | A | 8140 | | OS | 11-JAN-90 | | OS | | |
| A | L | | | MIL-STD-1322-47 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 309 MOD 0 IGNITER IN WOOD BOX REVIEWER: AS | A | 8140 | | OS | 25-OCT-91 | | OS | | |
| | L | | | MIL-STD-1322-48 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MARKER, LOCATION, MARINE MK 25 MOD 3 IN CONTAINER LD615124 [VALIDATION DATE: 8903] REVIEWER: AS | A | 8140 | | OS | 14-MAR-89 | | OS | | |
| | L | | | MIL-STD-1322-49 NOTICE 1 | UNIT LOAD FOR DOMESTIC SHIPMENT ONLY CABLE ASSEMBLIES, ASROC-MK 10 MOD 0, MK 21 MOD 0, AND MK 29 MOD 0 IN CONTAINER DWG. 1806337 [VALIDATION DATE: 8903] | A | 8140 | | OS | 14-MAR-89 | | OS | | |
| | L | | | MIL-STD-1322-50 NOTICE 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT STANDARD MISSILE CONTROL SURFACES MK 26 MOD 0 AND MK 36 MOD 0 IN MK 492 MOD 1 CONTAINER [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| | L | | | MIL-STD-1322-51 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BOMB, PRACTICE BDU-48/B [VALIDATION DATE: 8903] REVIEWER: AS | A | 8140 | | OS | 14-MAR-89 | | OS | | |
| | L | | | MIL-STD-1322-52 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 5 INCH-54 PROJECTILES WITH WATERPROOF PROTECTING CAPS, MK 4 MOD 0 OR MK 10 MOD 1 [VALIDATION DATE: 8903] | A | 8140 | | OS | 14-MAR-89 | | OS | | |
| | L | | | MIL-STD-1322-53 NOTICE 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROPELLANT GRAIN MK 90 MOD 0 IN CONTAINER DWG 233AS171 PACKED IN PALLET CRATE MK 2 MOD 0 [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| | L | | | MIL-STD-1322-54 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CARTRIDGE, CALIBER 9 MM: BALL, PARABELLUM IN AMMUNITION BOX M 2A1 OVERPACKED IN WIREBOUND WOODEN BOX [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| | L | | | MIL-STD-1322-55 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT HAZARDOUS MATERIALS IN 55 GALLON STEEL DRUM PPP-D-729 TYPE IV [VALIDATION DATE: 8903] REVIEWER: AS | A | 8140 | | OS | 14-MAR-89 | | OS | | |
| | L | | | MIL-STD-1322-56 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, MK 118 MOD 0 IN AMMO, COMPONENT BOX MK 2 MOD 0 [VALIDATION DATE: 8903] | A | 8140 | | OS | 14-MAR-89 | | OS | | |
| M | LI | | | MIL-STD-1322-58 NOTICE 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROPELLANT, FOR MK 57 UNDERWATER MINE IN CONTAINER DL 5166866 | A | 8140 | | OS | 25-FEB-93 | | OS | | |
| | L | | | MIL-STD-1322-59 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CARTRIDGE, 40 MM., MK 162 MOD 0 IN 40 MM, AMMUNITION BOX MK 1 MOD 0 [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| | L | | | MIL-STD-1322-60 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 2.75 INCH ROCKET MOTOR, MK 66 IN CONTAINER MK 1 MOD 0 [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| M | LI | | | MIL-STD-1322-61 NOTICE 4 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SLMM EXPLOSIVE SECTION MK 13 MOD 0 IN CONTAINER MK 639 MOD 0 REVIEWER: AS | A | 8140 | | OS | 25-FEB-93 | | OS | | |
| M | LI | | | MIL-STD-1322-62 NOTICE 3 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SLMM EXERCISE HEAD MK 91 MOD 0 IN CONTAINER MK 639 MOD 0 | A | 8140 | | OS | 25-FEB-93 | | OS | | |
| | L | | | MIL-STD-1322-64 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ARMING DEVICES MK 2 MODS AND MK 36 MOD 0 IN MK 2 MOD 0 AMMUNITION COMPONENT BOX | A | 8140 | | OS | 06-FEB-87 | | OS | | |
| M | LI | | | MIL-STD-1322-65 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ADAPTER, TARGET DETECTING DEVICE MK 141 IN CONTAINER DWG. 5003172 FOR MK 67 UNDERWATER MINE | A | 8140 | | OS | 25-FEB-93 | | OS | | |
| | L | | | MIL-STD-1322-66 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT TARGET DETECTING DEVICE MK 58 MOD 0 IN CONTAINER DWG 3268734 | A | 8140 | | OS | 25-SEP-85 | | OS | | |

| Action | OPR / Other Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-STD-1322-67 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 136 MOD 0 ADAPTER IN SMALL ARMS AMMO BOX M2A1 REVIEWER: AS | A | 8140 | | OS | 07-NOV-86 | | OS | | |
| L | | | MIL-STD-1322-68 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLODER MECHANISM, MK 19 MOD 15 IN CONTAINER, MK 4 MOD 2 | A | 8140 | | OS | 08-AUG-90 | | OS | | |
| | | | MIL-STD-1322-69 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT MK 42 MOD 6 FIRING MECHANISM IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 | A | 8140 | | OS | 10-JUN-86 | | OS | | |
| | | | MIL-STD-1322-70 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT FIRING DEVICE KIT, MK 48 MOD 0 IN M2A1 CONTAINER | A | 8140 | | OS | 12-APR-85 | | OS | | |
| L | | | MIL-STD-1322-71 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 697 MOD 0 | A | 8140 | | OS | 09-APR-85 | | OS | | |
| L | | | MIL-STD-1322-72 | UNIT LOAD FOR DOMESTICAND OVERSEAS SHIPMENT PROJECTILE 5-INCH/54, HI-FRAG (EMPTY) IN PALLET ADAPTER MK11 MOD 2 | A | 8140 | | OS | 22-JAN-86 | | OS | | |
| L | | | MIL-STD-1322-73 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT CARTRIDGE, CALIBER, .38 SPECIAL BALL, STEEL JACKETED WITH TRACER INAMMUNITION BOX M2A1 | A | 8140 | | OS | 28-MAY-87 | | OS | | |
| L | | | MIL-STD-1322-74 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT TARGET DETECTING DEVICE MK71 IN CONTAINER DWG 5479491 | A | 8140 | | OS | 10-APR-87 | | OS | | |
| L | | | MIL-STD-1322-75 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BATTERY MK 46 IN CONTAINER DWG 5167267 | A | 8140 | | OS | 15-NOV-85 | | OS | | |
| L | | | MIL-STD-1322-77 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 5 INCH G.P. WARHEAD MK 109 MOD 0 IN CONTAINER M548 | A | 8140 | | OS | 04-FEB-86 | | OS | | |
| M LI | | | MIL-STD-1322-78 NOTICE 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT TAIL SECTION MK 7 TYPE IN CONTAINER DWG 5363565 | A | 8140 | | OS | 25-FEB-93 | | OS | | |
| L | | | MIL-STD-1322-79 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SAFETY ARMING DEVICE ASSEMBLY, MK 75 IN AMMUNITION BOX M2A1 | A | 8140 | | OS | 15-NOV-85 | | OS | | |
| L | | | MIL-STD-1322-80 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 117 JATO ROCKET MOTOR IN WOOD BOX REVIEWER: AS | A | 8140 | | OS | 08-APR-86 | | OS | | |
| L | | | MIL-STD-1322-82 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT STANDARD MISSILE SM-2 BLOCK II SAFETY & ARMING DEVICE, MK 51 MODO & MK 76 MOD 0 IN CONTAINER, MK 688 MOD 0 | A | 8140 | | OS | 13-APR-87 | | OS | | |
| | | | MIL-STD-1322-86 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT MK 24 MOD 2 FIRING DEVICE, DEMOLITION IN WOOD BOX | A | 8140 | | OS | 19-SEP-86 | | OS | | |
| | | | MIL-STD-1322-87 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT KIT, FIRING DEVICE, TRAINING ADAPTER, MK 122 MOD 0 IN M19 SERIES METAL BOX OVERPACKED IN WIREBOUND BOX | A | 8140 | | OS | 22-SEP-86 | | OS | | |
| L | | | MIL-STD-1322-88 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT EXPLOSIVE SECTION, DESTRUCTOR, MK 14 MOD 0, LOADED IN CONTAINER, SHIPPING & STORAGE, DL5468241 | A | 8140 | | OS | 06-OCT-87 | | OS | | |
| L | | | MIL-STD-1322-89 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BATTERY, PRIMARY, ALKALINE, MK 141 MOD 0 IN CONTAINER, SHIPPING AND STORAGE DL5468249 | A | 8140 | | OS | 12-MAR-87 | | OS | | |
| L | | | MIL-STD-1322-90 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS MK 5, MK 10, MK 51, MK 90, MK 91, MK 115 AND MODS OR TELEMETERING INSERTS AN/DKT-26, AN/DKT-27, AN/DKT-42 AND MODS IN CONTAINER, MK 211 AND MODS | A | 8140 | | OS | 18-NOV-88 | | OS | | |
| L | | | MIL-STD-1322-91 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT DOLLY, MISSLE TRANSFER, MK 30 MOD 0 ON SKID, TRANSPORT, DL, 6212586 | A | 8140 | | OS | 11-JAN-88 | | OS | | |
| A LI | | | MIL-STD-1322-93 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PACK, PARACHUTE, UMN, MK 36 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 55 IN CONTAINER, SHIPPING, DL 5990532 | A | 8140 | | OS | 15-OCT-92 | | OS | | |
| A LI | | | MIL-STD-1322-94 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PACK, PARACHUTE, UMN, MK 35 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 52 IN CONTAINER, SHIPPING, DL 5990531 | A | 8140 | | OS | 15-OCT-92 | | OS | | |
| M LI | | | MIL-STD-1322-95 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CHARGE, DEMOLITION, MK 36 MOD 0 IN CONTAINER, DRAWING 10001-2511106 | A | 8140 | | OS | 25-FEB-93 | | OS | | |
| L | | | MIL-STD-1322-97 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS, MK 51 MODS 0 AND 1, MK 90 MOD 0, MK 115 MOD 0 AND TELEMETERING INSERTS, AN/DKT-26, AN/DKT-27, OR AN/DKT-42 IN MK 567 CONTAINER WARHEAD, MK 125 MOD 0 IN CONTAINER MK 753 MOD 0 REVIEWER: AS | A | 8140 | | OS | 10-JUN-91 | | OS | | |
| L | | | MIL-STD-1322-98 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FUZE, DISPENSER PROXIMITY FMU-140/B IN M592 CONTAINER | A | 8140 | | OS | 14-MAR-89 | | OS | | |
| L | | | MIL-STD-1322-99 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CHARGES, SHAPED, LINEAR, FLEXIBLE, (FLSC) 20 GRAINS/FT THROUGH 600 GRAINS/FT IN PALLET ADAPTER, MK 144 MOD 0 | A | 8140 | | OS | 16-JAN-90 | | OS | | |
| L | | | MIL-STD-1322-100 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLODER ASSEMBLY, MK 20 MOD 0 IN CONTAINER MK 569 MOD 0 | A | 8140 | | OS | 09-JUN-89 | | OS | | |
| L | | | MIL-STD-1322-102 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FIREBOMB, MK 77 MOD 5 ASSEMBLY (WITH DRY FUEL GELLING MIX) IN WOODEN CRATE | A | 8140 | | OS | 05-OCT-89 | | OS | | |
| A L | | | MIL-STD-1322-103 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ROCKET MOTORS, JATO MK 128 MOD 1 REVIEWER: AS | A | 8140 | | OS | 25-OCT-91 | | OS | | |
| A L | | | MIL-STD-1322-104(1) | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, ME, WDU-36/B ON PALLET, MK 12 MOD 1 REVIEWER: AS | A | 8140 | | OS | 04-MAR-92 | | OS | | |
| A L | | | MIL-STD-1322-106(1) | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLOSIVE SECTION, MK 15 MOD 0 IN CONTAINER, SHIPPING AND STORAGE, DL6209352 | A | 8140 | | OS | 23-SEP-92 | | OS | | |
| A L | | | MIL-STD-1322-107 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT RANGE AND AIRFRAME SEPARATION PROGRAMMER (RASP) MK 9 MOD 0 AND PAYLOAD CABLE ASSEMBLY 2541442, IN CONTAINER MK 589 MOD 0 | A | 8140 | | OS | 09-OCT-91 | | OS | | |
| A L | | | MIL-STD-1322-110 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CABLE ASSEMBLY MK 57 MOD 0 IN CONTAINER DWG 5622662 | A | 8140 | | OS | 09-OCT-91 | | OS | | |
| L | | | MIL-STD-1322-116 | PALLETIZING DOMESTIC UNIT LOAD FIN ASSEMBLY, BOMB, AN-M103A1 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-127 | PALLETIZING DOMESTIC UNIT LOAD ADAPTER-BOOSTER, BOMB, M115A1, TAIL TYPE (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-128 | PALLETIZING DOMESTIC UNIT LOAD FIN ASSEMBLY, BOMB, AN-M113A1, F/1000 LB BOMB (IN METAL CRATE) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-146 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, M117 (IN WOOD BOX) ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-171 | PALLETIZING DOMESTIC UNIT LOAD FUZE, MT, MK 25 MOD 1 (IN WOOD BOX) ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-172 | PALLETIZING DOMESTIC UNIT LOAD 100 LB GP BOMB AN-M30 ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-173 | PALLETIZING DOMESTIC UNIT LOAD 350 LB AD BOMB AN MK 54 MOD 0 OR 1 (IN BOMB CRATE MK 9 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-174 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AN-M146E1, M147A1, M147E3, M128, OR M145 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-175 | PALLETIZING DOMESTIC UNIT LOAD 500 LB GP BOMB AN-M64A1 ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-185 | PALLETIZING DOMESTIC UNIT LOAD CLUSTER, FRAG, BOMB, 100 LB, M28 OR M28A2 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-186 | PALLETIZING DOMESTIC UNIT LOAD BOMB, PRACTICE, 3-LB MINIATURE, MK 23 MODS 0 & 1 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-190 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, NOSE, PROXIMITY TYPE; AN-M168E1, AN-M168 T50E1, T50E4, T89, T90, T91, T92 OR T93 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-193 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL M185, T740 (IN WOOD BOX) .. | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-195 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, M124A1 (IN WOOD BOX) ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-196 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, M125A1 (IN WOOD BOX) ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-197 | PALLETIZING DOMESTIC UNIT LOAD DESTRUCTOR MODIFICATION KIT MK 75 (IN SMALL ARMS AMMUNITION BOX MK 1) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-199 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M 164 AND 165, MOS (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-200 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AN-MK 230 MODS, TAIL, HYDROSTATIC TYPE (IN FUZE CONTAINER MK 65 MOD 3) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | | | MIL-STD-1322-208 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M115, TAIL (IN WOOD BOX) .. .... | A | 8140 | | OS | 14-AUG-69 | | OS | | |

| Action | Doc. Number | Document Title | Distr. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-STD-1322-210 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AN-M158, T 70 NOSE (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-212 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M152A1(T152E3), TAIL (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-213 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M151(T79E1), TAIL (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-214 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M151(T79E1), TAIL (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-216 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AN-M100A2, TAIL (IN WOOD BOX) .. | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-218 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M164 & M165, NOSE (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-223 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, T791 (IN WOOD BOX) ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-231 | PALLETIZING DOMESTIC UNIT LOAD BOOSTERS, DEPTH CHARGE MK 6 MODS 0, 2, & 4; AND/OR EXTENDER, BOOSTER, DEPTH CHARGE MK6 MODS (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-235 | PALLETIZING DOMESTIC UNIT LOAD PISTOL, DEPTH CHARGE MK 12-0 W/DETONATOR (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-236 | PALLETIZING DOMESTIC UNIT LOAD EXPLOSIVE SECTION ASSEMBLY, PRACTICE DEPTH CHARGE, EXPL LOADED, DWG 602984 & 1273588, F/PRACTICE DEPTH CHARGE MK 15-1 (IN AMMO COMPONENT BOX MK 2 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-237 | PALLETIZING DOMESTIC UNIT LOAD EXPLOSIVE SECTION ASSEMBLY, PRACTICE DEPTH CHARGE, EXPL LOADED, DWG 1440249, F/PRACTICE DEPTH CHARGE MK 15-5 (IN AMMO COMPONENT BOX MK 2 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-239 | PALLETIZING DOMESTIC UNIT LOAD FIRING & ARMING MECHANISM, PRACTICE DEPTH CHARGE, F/PRACTICE DEPTH CHARGE MK 15 MODS - INERT (IN AMMO COMPONENT BOX MK 2 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-246 | PALLETIZING DOMESTIC UNIT LOAD DEMOLITION KIT, BANGALORE TORPEDO, M1A1 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-247 | PALLETIZING DOMESTIC UNIT LOAD DEMOLITION KIT, BANGALORE TORPEDO, M1A1, BOX 76-1-485 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-309 NOTICE 1 | FOR UNDERWAY REPLENISHMENT CHARG, PROPELLING16INCH/50, REDUCED, IN POWER TANK MK 8 MOD 0 ON WOODEN PALLET ADAPTER [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | | | |
| L | MIL-STD-1322-329 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AMRAAM, AIM-120A IN CONTAINER, CNU-415/E | A | 8140 | | OS | 15-APR-87 | | OS | | |
| L | MIL-STD-1322-503 | PALLETIZING DOMESTIC UNIT LOAD WALLEYE CONTROL SECTION (IN CONTAINER MK 423 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-504 | PALLETIZING DOMESTIC UNIT LOAD WALLEYE GUIDANCE SECTION (IN CONTAINER MK 424 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-505 | PALLETIZING DOMESTIC UNIT LOAD PROPELLANT GRAIN MK 49 MOD 0 (IN CONTAINER MK 22 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-702 | PALLETIZING DOMESTIC UNIT LOAD 500 LB LOW DRAG BOMB (G.P.) MK 82 & MODS, WITH METAL OR PLASTIC NOSE PLUGS | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-703 | PALLETIZING DOMESTIC UNIT LOAD 1000 LB, LOW DRAG BOMB (G.P.) MK 83 & MODS, WITH METAL OR PLASTIC NOSE PLUGS | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-704 | PALLETIZING DOMESTIC UNIT LOAD 250 LB LOW DRAG BOMB (G.P.) MK-81 & MODS, WITH METAL OR PLASTIC NOSE PLUGS | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-705 | PALLETIZING DOMESTIC UNIT LOAD 750 LB DEMOLITION BOMB M117A1 ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-706 | PALLETIZING DOMESTIC UNIT LOAD FINS, BOMB M131A1 FOR 750 LB DEMOLITION BOMB M117A1 (IN METAL CRATE) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-709 | PALLETIZING DOMESTIC UNIT LOAD PROPELLANT GRAIN MK 43 MOD 0 (IN CONTAINER MK 10 & MODS) (PACKED IN PALLET CRATE MK 2 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-710 | PALLETIZING DOMESTIC UNIT LOAD SENSING ELEMENT, IMPACT-INERT (FOR BOMB FUZING SYSTEM MK 1 MOD 0) (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-711 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BASE (FOR BOMB FUZING SYSTEM MK 1 MOD 0) (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-713 | PALLETIZING DOMESTIC UNIT LOAD COUNTER WEIGHTS (UPPER AND LOWER) LD 624589 (IN PLASTIC CONTAINER) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| A LI | MIL-STD-1322-714 NOTICE 2 | PALLETIZING DOMESTIC UNIT LOAD MINE, UNDERWATER, MK 55 AND MODS IN CRATE, UNDERWATER MINE, MK 55 MOD 1 (LD 538045) (LOADED) | A | 8140 | | OS | 15-OCT-92 | | OS | | |
| A LI | MIL-STD-1322-7158 NOTICE 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 AND MODS (LOADED) | A | 8140 | | OS | 15-OCT-92 | | OS | | |
| L | MIL-STD-1322-716 | PALLETIZING DOMESTIC UNIT LOAD PROBE, PRESSURE MK 1 MOD 0 (IN AMMO COMPONENT BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-717 | PALLETIZING DOMESTIC UNIT LOAD FUZE MECHANISM FOR GUIDED MISSILE FUZE, MK 328 MOD 0 (IN METAL BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-718 | PALLETIZING DOMESTIC UNIT LOAD TRIGGERING DEVICE, FUZE MK 10 MOD 0 (IN METAL BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-719 | PALLETIZING DOMESTIC UNIT LOAD GRENADE, H.I., MK 1 MOD 0 (IN FLARE CONTAINER MK 4 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-722 | PALLETIZING DOMESTIC UNIT LOAD COUNTER WEIGHTS (UPPER AND LOWER) LD 624589-INERT (IN CONTAINER, MODIFIED LD 269790) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-723 | PALLETIZING DOMESTIC UNIT LOAD FUZE M514A1 CVT (IN WOOD BOX) ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-725 | PALLETIZING DOMESTIC UNIT LOAD IGNITER MK 178 FOR BULLPUP A ROCKET MOTOR MK 8 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-726 | PALLETIZING DOMESTIC UNIT LOAD STANDARD ER STEERING CONTROL UNIT AND ROCKET MOTOR SPACER (IN CONTAINER MK 460 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-727 | PALLETIZING DOMESTIC UNIT LOAD STANDARD MR STEERING CONTROL UNIT AND ROCKET MOTOR SPACER (IN CONTAINER MK 460 MOD 1) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-728 | PALLETIZING DOMESTIC UNIT LOAD STANDARD MR AUTOPILOT BATTERY UNIT (IN CONTAINER MK 460 MOD 2) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-729 | PALLETIZING DOMESTIC UNIT LOAD STANDARD ER AUTOPILOT BATTERY UNIT (IN CONTAINER MK 460 MOD 3) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-731 | PALLETIZING DOMESTIC UNIT LOAD STANDARD MR OR ER GUIDANCE SECTION (IN CONTAINER MK 461 MOD 0) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-732 | PALLETIZING DOMESTIC UNIT LOAD BOOSTER, UNDERWATER MINE MK 18 MOD 2 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-733 | PALLETIZING DOMESTIC UNIT LOAD SUBMARINE WIRE DISPENSER - LD162459 FOR TORPEDOS MK 37 AND MK 45 (IN STEEL DRUM) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-734 | PALLETIZING DOMESTIC UNIT LOAD CHARGE, DEMOLITION, SHAPED, MK 45 MOD 0 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-736 | PALLETIZING DOMESTIC UNIT LOAD 5"/38 WARHEAD MK 74 MOD 0 FOR ROCKET ASSIST PROJECTILE (IN PALLET ADAPTER MK 11 MOD 1) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-737 | PALLETIZING DOMESTIC UNIT LOAD DISPENSER, FLARE, PARACHUTE SUU-44/A (EMPTY) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-738 | PALLETIZING DOMESTIC UNIT LOAD SOLUTION A FOR FIRE BOMB MIX (IN STEEL DRUM) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-739 | PALLETIZING DOMESTIC UNIT LOAD SOLUTION B FOR FIRE BOMB MIX (IN STEEL DRUM) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-740 | PALLETIZING DOMESTIC UNIT LOAD CARTRIDGE, PHOTOFLASH MK 54 MOD 0 OR SIMULATOR, ARTILLERY AIR BURST MK 18 MOD 0 (IN CONTAINER LD615231) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-741 | PALLETIZING DOMESTIC UNIT LOAD 500 LB. FIRE BOMB MK 77 MOD 2 (EMPTY) (IN WIREBOUND CRATE) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-742 | PALLETIZING DOMESTIC UNIT LOAD ARMING DEVICE MK 10 MOD 0 OR MK 11 MOD 0 (IN WOOD BOX) | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-743 | PALLETIZING DOMESTIC UNIT LOAD BATTERY, DRY, BA-1359/U (IN WOOD BOX) ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-744 | PALLETIZING DOMESTIC UNIT LOAD BATTERY, DRY BA-326/U (IN WOOD BOX) ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |
| L | MIL-STD-1322-745 | PALLETIZING DOMESTIC UNIT LOAD BATTERY, DRY, BA-310/U (IN WOOD BOX) ..... | A | 8140 | | OS | 14-AUG-69 | | OS | | |

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-STD-1322-792 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, MK 103 MODS 0 AND 1 AND EXERCISE HEAD, MK 85 MODS 0, 1, 2, 3, 4 AND 6 IN CONTAINER, MK 301 MOD 0 | A 8140 | OS | 17-NOV-88 | OS | | | |
| | | MIL-STD-1322-806 NOTICE 2 | UNIT LOAD FOR DOMESTIC& OVERSEAS SHIPMENT C ARTRIDGE, SIGNAL, PRACTICE BOMB MK 4 MOD 3 OR CXU-3 A/B IN BOX, AMMUNITION M2A1 | A 8140 | OS | 24-FEB-87 | OS | | | |
| | L | MIL-STD-1322-811 NOTICE 1 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT BOMB, PRACTICE MK 106 MOD 5 [VALIDATION DATE: 8704] | A 8140 | OS | 08-APR-87 | OS | | | |
| A | LI | MIL-STD-1322-815 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CUTTER, POWDER ACTUATED MK 23 MOD 0 OR CUTTER, POWDER ACTUATED MK 24 MOD 0 IN AMMUNITION BOX M2A1 | A 8140 | OS | 15-OCT-92 | OS | | | |
| | L | MIL-STD-1322-833 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FAIRING, UNDERWATER MINE, MK 20 TYPE FOR MINE MK 55 | A 8140 | OS | 02-APR-85 | OS | | | |
| | L | MIL-STD-1322-848 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CRYPTOGRAPHIC EQUIPMENT DESTROYERS, INCENDIARY, M1A2 W/TH4 [VALIDATION DATE: 9103] REVIEWER: AS | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1322-862 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROJECTILE, 5-INCH/54, MK 41, MK 48, MK 55, MK 61, MK 64, MK 65 AND MODS (EMPTY) AND FSN 1320-01-028-4929 EL-P (EXPL, LOADED) W/O FUSE IN PALLET ADAPTER MK 11 AND MODS [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| A | LI | MIL-STD-1322-865 NOTICE 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FAIRING, UNDERWATER MINE, MK 19 TYPE WITH FINS AND HARDWARE, F/MINE MK 52 | A 8140 | OS | 15-OCT-92 | OS | | | |
| A | L | MIL-STD-1322-883 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ROCKET MOTOR, JATO, MK 6 MOD 1 OR 2 OR ROCKET MOTOR, JATO, MK 128 MOD 0 OR 1 REVIEWER: AS | A 8140 | OS | 25-OCT-91 | OS | | | |
| | L | MIL-STD-1322-1000 NOTICE 1 | UNIT LOADS FOR DOMESTIC AND OVERSEAS SHIPMENT TYPICAL LOADS [VALIDATION DATE: 8903] | A 8140 | OS | 14-MAR-89 | OS | | | |
| | | MIL-STD-1323 NOTICE 1 | UNIT LOADS OF AMMUNITION AND EXPLOSIVES FOR UNDERWAY RELLENISHMENT ..... | A 8140 | OS | 19-DEC-85 | OS | | | |
| | L | MIL-STD-1323-1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 3-INCH/50 IN TANK, MK 5 AND MODS | A 8140 | OS | 14-MAR-89 | OS | | | |
| | L | MIL-STD-1323-4 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5/38 IN PALLET ADAPTER MK 11 AND MODS [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1323-5 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARDG, PROPELLING, 5-INCH/54 IN PALLET ADAPTER, MK 16 MOD 0 | A 8140 | OS | 08-MAY-87 | OS | | | |
| | L | MIL-STD-1323-6 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5"/54, WITH METAL ROTATING BAND IN PALLET ADAPTER MK 11 & MODS [VALIDATION DATE: 9106] | A 8140 | OS | 27-JUN-91 | OS | | | |
| | L | MIL-STD-1323-18 NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, ROCKET, 5-INCH, MK 6, MK 25, MK 29 AND MODS IN PALLET ADAPTER MK 11 AND MODS [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1323-29 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MISSILE BOOSTER FINS IN MK 206 MOD 0 CONTAINER | A 8140 | OS | 10-DEC-85 | | | | |
| | L | MIL-STD-1323-33(2) NOTICE 3 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, ROCKET, 5 INCH, MK 24, MK 32, MK 34, AND MODS (ZUNI) IN PALLET ADAPTER MK 11 AND MODS [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1323-54A | UNIT LOAD FOR UNDERWAY REPLENISHMENT MARKER, LOCATION, MARINE MK 25 MODS 3 & 4 IN CONTAINER LD 615124 REVIEWER: AS | A 8140 | OS | 25-SEP-85 | OS | | | |
| | L | MIL-STD-1323-92A | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20 MM, M90 SERIES BELTED WITH M8 OR M10 LINKS IN 20 MM AMMUNITION BOX, MK3 MODS | A 8140 | OS | 14-FEB-85 | | | | |
| | L | MIL-STD-1323-95 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WING ASSEMBLY, MK 9 MOD 0 AND FIN ASSEMBLY, MK 23 MOD 1 (WALLEYE I ERDL) IN CONTAINER, CNU-306/E [VALIDATION DATE: 9106] | A 8140 | OS | 27-JUN-91 | OS | | | |
| | L | MIL-STD-1323-96 NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, SPOTTING, CXU-4/B IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0 | A 8140 | OS | 14-AUG-87 | OS | | | |
| | L | MIL-STD-1323-97A | UNIT LOAD FOR UNDERWAY REPLENSIHMENT DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) IN CONTAINER, CNU-319/E | A 8140 | OS | 11-JAN-88 | OS | | | |
| | L | MIL-STD-1323-98C | UNIT LOAD FOR UNDERWAY REPLENISHMENT SONOBUOYS, IN PALLET CRATE, CNU-313/E | A 8140 | OS | 11-JAN-88 | OS | | | |
| | L | MIL-STD-1323-127 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 2000 LB MK 84 MODS 2, 4, AND 7 IN UNIT LOAD ADAPTER, MK 79 MOD 0 | A 8140 | OS | 08-JUN-89 | OS | | | |
| | L | MIL-STD-1323-149A(1) | UNIT LOAD FOR UNDERWAY REPLENISHMENT 16 INCH 50 CAL, H.C./H.E. PROJECTILE MK 13 AND MK 19 IN PALLET ADAPTER MK 88 MOD 0 | A 8140 | OS | 14-MAY-91 | OS | | | |
| | L | MIL-STD-1323-151 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16/50 INCH, REDUCED, IN POWDER TANK MK 8 MOD 0 ON PALLET ADAPTER MK 86 MOD 0 | A 8140 | OS | 01-OCT-85 | OS | | | |
| | L | MIL-STD-1323-157 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WING ASSEMBLIES, GUIDED MISSILE: MK 1 MOD 0 F/AIM-9D, 9G, 9H (SIDEWINDER) IN CONTAINER, MK 418 MOD 0 OR WING ASSEMBLIES, GUIDED MISSILE: MK 1 MOD 0 AND FINS, GUIDED MISSILE: BSU-14/B, F/AIM-9D, 9G, 9H (SIDEWINDER) IN CONTAINER, MK 418 MOD 1 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1323-159 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, SIGNAL, PRACTICE BOMB, MK 4 MOD 3 OR CXU-3A/B IN BOX, AMMUNITION M2A1 [VALIDATION DATE: 8704] REVIEWER: AS | A 8140 | OS | 29-APR-87 | OS | | | |
| | L | MIL-STD-1323-169 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AIM-9G, 9H, IN CRADLE MK 16 MOD 0 OR AIM-9G, 9H, 9L, IN CONTAINER, CNU-287/E W/O WINGS AND FINS (SIDEWINDER) [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1323-174 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ROCKETS MK 4, MK 40, OR MK 66 AND ROCKET MOTOR MK 66 IN ROCKET LAUNCHERS LAU-61C/A OR LAU-68D/A IN PALLET, LOADING AND STORAGE, MHU-108/E REVIEWER: AS | A 8140 | OS | 07-MAR-86 | OS | | | |
| | | MIL-STD-1323-182 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 106 MOD 5 [VALIDATION DATE: 8704] REVIEWER: AS | A 8140 | OS | 29-APR-87 | OS | | | |
| | L | MIL-STD-1323-187(1) NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20MM, M50 SERIES BELTED WITH MK 7 OR M-14 LINKS IN CONTAINER, M548 | A 8140 | OS | 08-JAN-91 | OS | | | |
| | L | MIL-STD-1323-192 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 7.62 MM, BALL, M80 (IN CLIPS) IN M2A1 BOXES OVERPACKED IN WIREBOUND BOX [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1323-193 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 7.62 MM (LINKED) IN M19A1 BOXES OVERPACKED IN WIREBOUND BOX [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1323-201(2) NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 5.125 INCH, MK 186 (TORCH) IN PALLET ADAPTER, MK 144 | A 8140 | OS | 03-DEC-90 | OS | | | |
| | L | MIL-STD-1323-205(1) NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 500 POUND MK 82 AND MODS AND BDU-45/B INERT LOAD (UNCOATED) ON PALLET, LOADING AND STORAGE, MHU-122/E DL 623AS100 [VALIDATION DATE: 9103] REVIEWER: AS | A 8140 | OS | 13-MAR-91 | OS | | | |
| A | LI | MIL-STD-1323-208A NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 AND MODS | A 8140 | OS | 15-OCT-92 | OS | | | |
| A | LI | MIL-STD-1323-209 NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATIONS "B", "C" AND "D" IN CRATE MK 55 MOD 1 WITH CRATE ADAPTERS MK 112 MOD 0 (LOADED) | A 8140 | OS | 15-OCT-92 | OS | | | |
| | | MIL-STD-1323-212 | UNIT LOAD FOR UNDERWAYREPLENISHMENT 2.75" ROCKET/ROCKET MOTOR MK 4MK 40 AND MODS AND MK66 MOD 2 IN CLEATED WOODEN BOX REVIEWER: AS | A 8140 | OS | 07-MAR-86 | OS | | | |
| | L | MIL-STD-1323-217(1) NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 76 MODS 5 AND 7 [VALIDATION DATE: 9103] | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1323-219 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT SPACER ASSEMBLY FOR MARINE LOCATION MARKER MK 25 AND MODS OR UNDERWATER SOUND SIGNAL MK 84 AND MODS [VALIDATION DATE: 9103] REVIEWER: AS | A 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1323-220 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ARMING WIRE ASSEMBLY MK 9 MOD 0 IN CONTAINER MK 2 MOD 2 [VALIDATION DATE: 8903] REVIEWER: AS | A 8140 | OS | 01-MAR-89 | OS | | | |
| | L | MIL-STD-1323-221 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE BDU-48/B [VALIDATION DATE: 8903] REVIEWER: AS | A 8140 | OS | 01-MAR-89 | OS | | | |
| A | LI | MIL-STD-1323-227 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FAIRING, UNDERWATER MINE, MK 20 TYPE FOR MINE MK 55 | A 8140 | OS | 15-OCT-92 | OS | | | |

| Action | Doc. / Ofnl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-STD-1323-229 NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT TAIL SECTION MK 11 MOD 0 FOR MK 41 DESTRUCTOR IN CONTAINER DL5177769 IN MK 154 MOD 0 PALLET ADAPTER [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | | OS | |
| | | MIL-STD-1323-239A NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE, 500 LB MK 82 MOD 2 (THER. PROTECT.) & BOMB, BDU-45/B, INSERT LOAD. (THER. PROTECT) ON PALL., LOAD. & STOR., MHU-122/E DL 623AS100 REVIEWER: AS | A | 8140 | OS | 08-OCT-85 | | | OS | |
| A | L | MIL-STD-1323-241 | UNIT LOAD FOR UNDERWAY REPLENISHMENT TORPEDO MK 44 AND MK 46 ASSEMBLIES IN CONTAINER MK 197 MOD 1 REVIEWER: AS | A | 8140 | OS | 27-JUN-91 | | | OS | |
| | | MIL-STD-1323-242A | WEAPON REQUIREMENT, PALLETIZING FLEET ISSUE UNIT LOAD FIN ASSEMBLY, BOMB, MK 15 & MODS (SNAKEYE) IN PALLET ADAPTER ADU-383/E REVIEWER: AS | A | 8140 | OS | 19-SEP-86 | | | OS | |
| A | LI | MIL-STD-1323-244 NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 56 IN CONTAINER MK 587 MOD 0 | A | 8140 | OS | 15-OCT-92 | | | OS | |
| A | LI | MIL-STD-1323-245 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 55 IN CONTAINER MK 586 MOD 0 | A | 8140 | OS | 15-OCT-92 | | | OS | |
| A | LI | MIL-STD-1323-246 NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 52 IN CONTAINER MK 585 MOD 0 | A | 8140 | OS | 15-OCT-92 | | | OS | |
| L | | MIL-STD-1323-251 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 52/55 MINE ACTUATION DUMMY FLIGHT GEAR SUB ASSEMBLY IN CONTAINER MK 662 MOD 0 | A | 8140 | OS | 07-MAY-87 | | | OS | |
| L | | MIL-STD-1323-252 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, AIRCRAFT, PARACHUTE, LUU-2 B/B (IN PLASTIC CONTAINER) REVIEWER: AS | A | 8140 | OS | 07-MAY-87 | | | OS | |
| L | | MIL-STD-1323-253 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 2000 LB MK 84 MODS 3, 5, AND 6 (THERMALLY PROTECTED) IN UNIT LOAD ADAPTER, MK 79 MOD 0 WITH SADDLES | A | 8140 | OS | 02-JUN-89 | | | OS | |
| L | | MIL-STD-1323-259 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT IGNITER ASSEMBLY FZU-408 (FIREBRAND) IN AMMUNITION COMPONENT BOX MK 1 MOD 0 | A | 8140 | OS | 04-MAY-87 | | | OS | |
| L | | MIL-STD-1323-262 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY BOMB, MAU-91A/B (SNAKEYE) [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | | OS | |
| L | | MIL-STD-1323-263 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 76MM/62 CAL OR CHARGE, CLEARING, 76MM/62 CAL IN PALLET ADAPTER MK 121 MOD 0 [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | | OS | |
| L | | MIL-STD-1323-268 | WEAPONS REQUIREMENT, PALLETIZING FLEET ISSUEUNIT LOAD DISPENSER & BOMB, AIRCRAFT CBU-MK 20 & MODS (ROCKEYE II) & CBU-78/B (GATOR) IN CONTAINER, CMU-238/E | A | 8140 | OS | 11-JAN-88 | | | OS | |
| | | MIL-STD-1323-271 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5 INCH/54, WITH PLASTIC ROTATING BAND IN PALLET ADAPTER MK 11 MOD 2 | A | 8140 | OS | 05-JUL-85 | | | OS | |
| | | MIL-STD-1323-273 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT TORPEDO MK 46 & MODS ASSEMBLIES IN CONTAINER MK 535 MOD 0 | A | 8140 | OS | 04-MAY-87 | | | OS | |
| L | | MIL-STD-1323-281 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, FOR 2000 POUND G.P. BOMB MK 84 IN ADAPTER, PALLET, ADU-415/E [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | | OS | |
| L | | MIL-STD-1323-283 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, FOR 1000 LB G.P. BOMB MK 83 IN ADAPTER, PALLET, ADU-425/E [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | | OS | |
| L | | MIL-STD-1323-284 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY, MJU-2/B IN CONTAINER DL 2816244 [VALIDATION DATE: 8903] | A | 8140 | OS | 01-MAR-89 | | | OS | |
| L | | MIL-STD-1323-285A | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, .50 CAL, LINKED, IN AMMUNITION BOX M2A1 IN WIRE BOUND CONTAINER 19200-7553346 REVIEWER: AS | A | 8140 | OS | 21-MAR-89 | | | OS | |
| L | | MIL-STD-1323-292 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY MK 46 MODS 0, 1, 1A AND 1C MK 50 MOD 0 OR MJU-8/B IN AMMUNITION BOX M2A1 [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | | OS | |
| L | | MIL-STD-1323-294 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20MM, M50 SERIES (LOOSE) IN CONTAINER M548 REVIEWER: AS | A | 8140 | OS | 05-AUG-86 | | | OS | |
| L | | MIL-STD-1323-297 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE BGM-71A-1 (TOW) OR BTM-71C (INERT) IN ADAPTER ADU-486/E [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | | OS | |
| L | | MIL-STD-1323-298C NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 5.125-INCH, MK 182 (SUPER RBOC) CARTRIDGE, 5.125-INCH, PRACTICE MK 193 [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | | OS | |
| L | | MIL-STD-1323-299 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, MERCURY MK 131 TYPE IN CONTAINER DWG. 3268751 [VALIDATION DATE: 8903] | A | 8140 | OS | 01-MAR-89 | | | OS | |
| L | | MIL-STD-1323-300(1) NOTICE 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 76 MODS 5 AND 7 BULK PACK IN WIREBOUND PALLET BOX ON METAL PALLET MK 3 MOD 0 [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | | OS | |
| L | | MIL-STD-1323-301 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT DETECTING DEVICE, TARGET MK 57 TYPE IN CONTAINER DRAWING 3268751 [VALIDATION DATE: 8903] | A | 8140 | OS | 01-MAR-89 | | | OS | |
| L | | MIL-STD-1323-303 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT KIT, CONVERSION, BOMB/MINE EXERCISE AND TRAINING MK 131 TYPE IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0 [VALIDATION DATE: 8903] | A | 8140 | OS | 01-MAR-89 | | | OS | |
| L | | MIL-STD-1323-304 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT KIT, CONVERSION, BOMB/MINE MK 130 MOD 0 IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0 [VALIDATION DATE: 8903] | A | 8140 | OS | 01-MAR-89 | | | OS | |
| L | | MIL-STD-1323-305 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BLU-80/B BALLONETTE IN CONTAINER, CMU-388/E REVIEWER: AS | A | 8140 | OS | 18-NOV-88 | | | OS | |
| L | | MIL-STD-1323-306(2) NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROPULSION SECTION WPU-5/B (SKIPPER) IN CONTAINER CMU-248/E | A | 8140 | OS | 18-JAN-89 | | | OS | |
| L | | MIL-STD-1323-307 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT COMPUTER CONTROL GROUP, MAU-169A/B, FOR LASER GUIDED BOMBS IN CONTAINER CMU-317/E [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | | OS | |
| | | MIL-STD-1323-308A | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE, 1000 LB MK 83 MOD 5 (THERMALLY PROTECTED) ON PALLET, LOADING & STORAGE MHU-187/E DL 145AS100 REVIEWER: AS | A | 8140 | OS | 25-SEP-85 | | | OS | |
| L | | MIL-STD-1323-309 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16 INCH/50, REDUCED IN POWDER TANK MK 8 MOD 0 ON WOODEN PALLET ADAPTER | A | 8140 | OS | 01-OCT-85 | | | | |
| L | | MIL-STD-1323-310A | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, BSU-86/B IN PALLET ADAPTER ADU-535/E REVIEWER: AS | A | 8140 | OS | 19-MAR-86 | | | OS | |
| L | | MIL-STD-1323-311 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT SOLID NOSE PLUG MXU-735/B, FOR MK 80 SERIES BOMBS IN CONTAINER MK 548 [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | | OS | |
| L | | MIL-STD-1323-312 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25 MM, LOOSE IN CONTAINER CMU-405/E REVIEWER: AS | A | 8140 | OS | 08-OCT-86 | | | OS | |
| L | | MIL-STD-1323-313A NOTICE 1 | UNIT LOAD CARTRIDGE, 5.125 INCH, MK 214 MOD 0 NATO SEA GNAT RF SEDUCTION & MK 216 MOD 0 NATO SEA GNAT RF DISTRACTION IN PALLET ADAPTER, MK 144 | A | 8140 | OS | 21-APR-87 | | | | |
| L | | MIL-STD-1323-314 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25MM BELTED WITH MK 28 LINKS IN CONTAINERS CMU-405/E [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | | OS | |
| L | | MIL-STD-1323-315 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25 MM, PGU-25/U(LOOSE) IN CLEATED WOODEN BOX REVIEWER: AS | A | 8140 | OS | 20-MAR-86 | | | OS | |
| A | LI | MIL-STD-1323-316 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FAIRING, UNDERWATER MINE, MK 19 TYPE WITH FINS AND HARDWARE, F/MINE MK 52 | A | 8140 | OS | 15-OCT-92 | | | OS | |
| L | | MIL-STD-1323-319 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 160 FLIGHT GEAR KIT ..... | A | 8140 | OS | 06-NOV-89 | | | OS | |
| L | | MIL-STD-1323-320A | UNIT LOAD FOR UNDERWAY REPLENISHMENT RETARDER, INFLATABLE, AIR BSU-85/B IN SHIPPING AND STORAGE CONTAINER, FIN CMU-419/E REVIEWER: AS | A | 8140 | OS | 18-NOV-88 | | | OS | |
| L | | MIL-STD-1323-322 | UNIT LOAD FOR UNDERWAY REPLENISHMENT SIGNAL, SMOKE, MARINE MK 131 MOD 0 AND SIGNAL, FLARES, MK 132 MOD 0 IN AMMUNITION BOX M2A1 | A | 8140 | OS | 10-DEC-86 | | | OS | |
| L | | MIL-STD-1323-324 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, MERCURY MK 130 TYPE IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 | A | 8140 | OS | 13-SEP-85 | | | OS | |
| L | | MIL-STD-1323-325 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR KIT IN CONTAINER DWG.5561732 & PALLET ADAPTER MK 103 MOD 0 FOR DESTRUCTOR MK 40 OR QUICKSTRIKE MK 63 | A | 8140 | OS | 13-SEP-85 | | | OS | |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-STD-1323-326 | UNIT LOAD FOR UNDERWAY REPLENISHMENT 5" G.P. PROPELLING CHARGE MK 82 MOD 0 IN 5"/54 CARTRIDGE TANK MK 14 MOD 3 IN PALLET ADAPTER MK 16 MOD 0 | A | 8140 | OS | 17-MAR-87 | | OS | |
| | L | MIL-STD-1323-329 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AMRAAM, AIM-120A IN CONTAINER, CNU-415/E | A | 8140 | OS | 15-APR-87 | | OS | |
| | L | MIL-STD-1323-330 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AMRAAM MISSILE, AIM-120 WINGS AND CONTROL SURFACES IN CONTAINER, CNU-424/E REVIEWER: AS | A | 8140 | OS | 18-NOV-86 | | OS | |
| | L | MIL-STD-1323-331 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16"/50, REDUCED IN 16" POWDER TANK MK 4 & MODS & MK 3 MOD 2 ON PALLET ADAPTER, MK 87 MOD 0 | A | 8140 | OS | 20-MAR-86 | | OS | |
| | L | MIL-STD-1323-332 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, BSU-33A/B IN ADAPTER, PALLET, ADU-426/E | A | 8140 | OS | 10-DEC-86 | | OS | |
| | L | MIL-STD-1323-333 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FUZE, BOMB FMU-139/B IN CONTAINER M548 | A | 8140 | OS | 05-AUG-86 | | OS | |
| A | L | MIL-STD-1323-334A(1) | UNIT LOAD FOR UNDERWAY REPLENISHMENT HELLFIRE MISSILE, AGM 114 IN CONTAINER, SHIPPING AND STORAGE | A | 8140 | OS | 21-JUN-91 | | OS | |
| | L | MIL-STD-1323-335 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, 2.75" ROCKET, SMOKE, MK 67 MOD 1 IN CONTAINER M548 REVIEWER: AS | A | 8140 | OS | 08-OCT-86 | | OS | |
| | L | MIL-STD-1323-339 | UNIT LOAD FOR UNDERWAY REPLENISHMENT 2.75 INCHES ROCKET MOTOR, MK 66 MOD 2 IN CONTAINER, MK 706 MOD 0 | A | 8140 | OS | 07-JUN-89 | | OS | |
| | L | MIL-STD-1323-340 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PACK, PARACHUTE, UMN, MK 36 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 55 IN CONTAINER, SHIPPING, DL 5990532 | A | 8140 | OS | 13-APR-89 | | OS | |
| A | LI | MIL-STD-1323-341 NOTICE 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PACK, PARACHUTE, UMN, MK 35 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 52 IN CONTAINER, SHIPPING, DL 5990531 | A | 8140 | OS | 15-OCT-92 | | OS | |
| | L | MIL-STD-1323-342 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-136A (TACIT RAINBOW) IN CONTAINER CNU-432/E REVIEWER: AS | A | 8140 | OS | 24-AUG-90 | | OS | |
| | L | MIL-STD-1323-344 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AIRBOCS, AN/SLQ-3 CHAFF BUE ELECTRONIC BUOYS IN PALLET CRATE, CNU-313/E | A | 8140 | OS | 11-JAN-88 | | OS | |
| | L | MIL-STD-1323-345 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, LITHIUM SULFUR DIOXIDE, AN/SLQ-44, AN/SLQ-45, BA 5391/SLQ OR BATTERY, LITHIUM THIONYL CHLORIDE, BA 6511/SLQ FOR OFFBOARD DECEPTION DEVICE (ODDS) IN PALLET ADAPTER, ADU-615/U | A | 8140 | OS | 11-JAN-88 | | OS | |
| | L | MIL-STD-1323-347 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CNU-399/E OR CNU-472/E | A | 8140 | OS | 09-JAN-90 | | OS | |
| | L | MIL-STD-1323-348 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 50 TORPEDO (WARSHOT AND EXERCISE) IN CONTAINER MK 714 MOD 0 | A | 8140 | OS | 13-JUL-89 | | OS | |
| | L | MIL-STD-1323-351A | UNIT LOAD FOR UNDERWAY REPLENISHMENT 2.75 INCH WARHEADS, M257, M261 OR M267 IN CONTAINER, PA 92 REVIEWER: AS | A | 8140 | OS | 30-NOV-90 | | OS | |
| | L | MIL-STD-1323-355 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLEET ISSUE UNIT LOAD MK 164 FLIGHT GEAR KIT | A | 8140 | OS | 01-DEC-89 | | OS | |
| | L | MIL-STD-1323-356A | UNIT LOAD FOR UNDERWAY REPLENISHMENT CANISTER, ADAPTER ASSEMBLY, MK 18 MOD 0 | A | 8140 | OS | 25-AUG-90 | | OS | |
| A | L | MIL-STD-1323-357(1) | UNIT LOAD FOR UNDERWAY REPLENISHMENT COVER, PLENUM CELL, MK 18 MOD 0 ..... | A | 8140 | OS | 25-SEP-91 | | OS | |
| | L | MIL-STD-1323-359 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CNU-447/E | A | 8140 | OS | 06-MAY-91 | | OS | |
| | L | MIL-STD-1323-360 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AMRAAM, AIM-120A IN CONTAINER, CNU-415A/E | A | 8140 | OS | 08-MAY-91 | | OS | |
| | L | MIL-STD-1323-361 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK-14 CANISTER PHST TOMAHAWK ..... | A | 8140 | OS | 10-MAY-91 | | OS | |
| | L | MIL-STD-1323-362 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK-13 CANISTER PHST SM-2 BLK-II ..... | A | 8140 | OS | 10-MAY-91 | | OS | |
| | L | MIL-STD-1323-363 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 15 CANISTER PHST VLASROC ..... | A | 8140 | OS | 10-MAY-91 | | OS | |
| | L | MIL-STD-1323-364 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WINGS AND CONTROL SURFACES (AMRAAM) IN CONTAINER, SHIPPING AND STORAGE CNU-452/E | A | 8140 | OS | 01-MAY-91 | | OS | |
| | L | MIL-STD-1323-365 | UNIT LOAD FOR UNDERWAY REPLENISHMENT RR-182/AL (CHAFF HEAD), AN/ALQ-190(V)1 SET OR AN/SLQ-39 (CHAFF BUOY) IN CNU-438(V)/E CONTAINER IN PALLET ADAPTER, ADU-702/E REVIEWER: AS | A | 8140 | OS | 05-MAR-91 | | OS | |
| | L | MIL-STD-1323-366 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 86 MOD 0 OR MK 88 MOD 0 EOD CHARGES IN AMMUNITION BOX M2A1 IN WIREBOUND CONTAINER 19200-7553346 | A | 8140 | OS | 19-NOV-90 | | OS | |
| | L | MIL-STD-1323-368 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY, MJU-22/B OR FLARE, SIMULATOR SM-875 (XM-1)/ALE IN CONTAINER, M548 REVIEWER: AS | A | 8140 | OS | 19-NOV-90 | | OS | |
| | L | MIL-STD-1323-370 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, COUNTERMEASURES, PRACTICE, MK 229 MOD 0 CARTRIDGE, COUNTERMEASURES, 5.125 INCH, DUMMY, MK 232 MOD 0 IN PALLET ADAPTER, MK 144 | A | 8140 | OS | 11-FEB-91 | | OS | |
| | L | MIL-STD-1323-371 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARM MISSILE, AGM-88 WINGS AND FINS IN CONTAINER, CNU-296/E | A | 8140 | OS | 01-MAY-91 | | OS | |
| | L | MIL-STD-1323-372 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 50 TORPEDO (WARSHOT AND EXERCISE) IN CONTAINER MK 714 MOD 1 | A | 8140 | OS | 25-MAR-91 | | OS | |
| | L | MIL-STD-1323-373 | UNIT LOAD FOR UNDERWAY REPLENISHMENT DECOY, TRANSPONDER, COUNTERMEASURES RT-1489/ALE GENERIC EXPENDABLE DECOY ( GEM-X ) IN CONTAINER, CNU-487/E | A | 8140 | OS | 20-MAR-91 | | OS | |
| A | L | MIL-STD-1323-377 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MORTAR, 81MM, M984, M983, OR M879 IN PA156 CONTAINER REVIEWER: AS | A | 8140 | OS | 02-DEC-91 | | OS | |
| | L | MIL-STD-1325A NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS (VALIDATION DATE: 9103) USER: SA REVIEWER: AS MC | A | 8140 | OS | 13-MAR-91 | | OS | |
| | L | MIL-STD-1325-9 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 81 MOD 0 (250 LB) IN PALLET, BOMB, MK 8 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | OS | |
| | L | MIL-STD-1325-13 NOTICE 1 | CARLOADING PROJECTILE, 5 INCH/38 MKS 35 OR 49 AND MODS IN ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) | A | 8140 | OS | 13-MAR-91 | | OS | |
| | L | MIL-STD-1325-15 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS PROJECTILES 5/54 IN PALLET ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8903) | A | 8140 | OS | 01-MAR-89 | | OS | |
| | L | MIL-STD-1325-37 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 16 AND MODS OR MK 71 MOD 0 (ZUNI) IN CONTAINER MK 38 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | OS | |
| | L | MIL-STD-1325-39A NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR CLUSTER LAU-10/A, LAU-10A/A, LAU-10B/A OR LAU-10C/A LAUNCHER (ZUNI) IN UNIT LOAD ADAPTER MK 58 MOD 1 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | OS | |
| | L | MIL-STD-1325-55(1) NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS ADAPTION KIT MK 28 MOD 1 IN CONTAINER MK 182 MOD 1 (VALIDATION DATE: 8903) | A | 8140 | OS | 01-MAR-89 | | OS | |
| | L | MIL-STD-1325-56 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS TORPEDO MK 44 MOD 0, ASROC IN CONTAINER MK 187 MOD 1 (VALIDATION DATE: 8903) | A | 8140 | OS | 01-MAR-89 | | OS | |
| | L | MIL-STD-1325-59 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 1 MOD 0 OR MK 37 MOD 0 (ASROC) IN CONTAINER MK 178 MOD 0 (VALIDATION DATE: 8903) | A | 8140 | OS | 01-MAR-89 | | OS | |
| | L | MIL-STD-1325-80 NOTICE 1 | CARLOADING PROJECTILE, 8 INCH MK 24, 25 AND MODS IN ADAPTER MK 74 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) | A | 8140 | OS | 13-MAR-91 | | OS | |
| | L | MIL-STD-1325-81 NOTICE 1 | CARLOADING PROJECTILE, 8 INCH MK 21, AND MODS IN ADAPTER MK 74 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) | A | 8140 | OS | 13-MAR-91 | | OS | |
| | L | MIL-STD-1325-83 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 8 INCH/55 CARTRIDGE TANK MK11 MOD 0 OR MK13 MOD 0 IN ADAPTER MK76 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8903) REVIEWER: AS | A | 8140 | OS | 01-MAR-89 | | OS | |
| M | LI | MIL-STD-1325-84 NOTICE 2 | RAILCAR LOADING MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATION "B" "C" AND "D" IN CRATE MK 55 MOD 1 | A | 8140 | OS | 25-FEB-93 | | OS | |
| M | LI | MIL-STD-1325-85 NOTICE 3 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 84 MODS 0, 1, AND 2 (2000 LB.) IN UNIT LOAD ADAPTER MK 79 MOD 0 REVIEWER: AS | A | 8140 | OS | 25-FEB-93 | | OS | |
| | L | MIL-STD-1325-86 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 MOD 0 (VALIDATION DATE: 8903) | A | 8140 | OS | 01-MAR-89 | | OS | |
| | L | MIL-STD-1325-92 NOTICE 1 | CARLOADING PROJECTILE, 16 INCH, AP MK 8 AND MODS IN HANDLING BAND MK 85 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) | A | 8140 | OS | 13-MAR-91 | | OS | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| A | LI | MIL-STD-1325-97 NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS EXPLOSIVE SECTION MK 1 MOD 1 IN CRATE MK 101 MOD 1 FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | | OS | |
| L | | MIL-STD-1325-100 NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL CARLOADING PROCEDURES FOR PALLETIZED UNIT LOADS (2 ROWS ACROSS CAR) [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-101 NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL CARLOADING PROCEDURES FOR PALLETIZED UNIT LOADS (3 ROWS ACROSS CAR) [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-102A NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL PARTIAL UPPER LAYER BRACING OF UNIT LOADS IN ALL METAL BOXCARS [VALIDATION DATE: 8903] | A | 8140 | OS | 01-MAR-89 | | OS | |
| L | | MIL-STD-1325-144 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-59/B, COMPLETE (APAM) OR DISPENSER AND BOMB, AIRCRAFT CBU-59(T-1)/B TRAINING IN CONTAINER MK 427 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8903] REVIEWER: AS | A | 8140 | OS | 01-MAR-89 | | OS | |
| L | | MIL-STD-1325-149 NOTICE 1 | CARLOADING GUIDED WEAPON MK 5 & MODS (WALLEYE) IN CONTAINER CNU-154 A/E OR CNU-154 B/E [VALIDATION DATE: 8902] | A | 8140 | OS | 23-FEB-89 | | OS | |
| A | LI | MIL-STD-1325-150 NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 82 & MODS (500 LB) AIR FORCE UNIT LOAD TPO 1325-294-4152 REVISION R THROUGH A-A REVIEWER: AS | A | 8140 | OS | 15-OCT-92 | | OS | |
| L | | MIL-STD-1325-152 NOTICE 1 | CARLOADING CARTRIDGE, 3 INCH/50, IN TANK MK 5 AND MODS DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| A | LI | MIL-STD-1325-156 NOTICE 2 | CARLOADING FIN ASSEMBLY, BOMB FOR 1000 LB MK 83 BOMB (UNCRATED) FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | | OS | |
| A | LI | MIL-STD-1325-157A NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, 500 LB, MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MHU-122/E FLEET ISSUE UNIT LOAD REVIEWER: AS | A | 8140 | OS | 15-OCT-92 | | OS | |
| L | | MIL-STD-1325-158 NOTICE 1 | CARLOADING LAUNCHER, ROCKET, LAU-69/A DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-160 NOTICE 1 | CARLOADING STANDARD ARM MISSILE AGM-78 IN CONTAINER CNU-183/E [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-161 NOTICE 1 | CARLOADING PROPULSION SECTION, (PHOENIX) IN CONTAINER CNU-159/E DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-162 NOTICE 1 | CARLOADING BOMB GUIDANCE KIT KMU-388/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-163 NOTICE 1 | CARLOADING BOMB GUIDANCE KIT KMU-351A/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-164(1) NOTICE 2 | CARLOADING CARTRIDGE 5 INCH/54 IN TANK MK 14, MK 14 MOD 1, MK 21 MOD 0 OR REDUCED MK 14 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-165 NOTICE 1 | CARLOADING CARTRIDGE, 6 INCH/47, IN CARTRIDGE TANK MK 4 FLEET UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| A | LI | MIL-STD-1325-166 NOTICE 2 | CARLOADING FIN ASSEMBLY, BOMB, MK15 AND MODS (SNAKEYE) IN PALLET ADAPTER ADU-383/E FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | | OS | |
| A | LI | MIL-STD-1325-167 NOTICE 2 | CARLOADING FIN ASSEMBLY, BOMB FOR 2000 LB G.P. BOMB MK 84 IN CRATE MK 13 MOD 1 FLEET UNIT LOAD | A | 8140 | OS | 15-OCT-92 | | OS | |
| L | | MIL-STD-1325-168 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, CLUSTER, MK 20 AND MODS (ROCKEYE II) IN CONTAINER CNU-208/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-169 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, CLUSTER, CBU-55/B, CBU-55A/B OR CBU-72/B (FUEL AIR EXPLOSIVE) IN CONTAINER CNU-208/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9104] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-170 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS PROPELLANT GRAIN MK 88 MOD 0 IN PALLET CRATE MK 107 MOD 0 DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-171 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, M117 (750 LB) AIR FORCE UNIT LOAD TPO 1325-232-6331 REVISION F [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-172 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS WING ASSEMBLY MK 7 MOD 2 AND FIN ASSEMBLY MK 32 MOD 2 FOR GUIDED WEAPON MK 5 MOD 4 (WALLEYE II) IN CONTAINER CNU-150/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8903] REVIEWER: AS | A | 8140 | OS | 01-MAR-89 | | OS | |
| L | | MIL-STD-1325-174 NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 MODS (ROCKEYE II) IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | OS | |
| M | LI | MIL-STD-1325-175 NOTICE 4 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, 2000 LB MK 84 MOD 3 (THERMALLY PROTECTED) IN UNIT LOAD ADAPTER MK 79 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD REVIEWER: AS OS | A | 8140 | OS | 25-FEB-93 | | OS | |
| L | | MIL-STD-1325-177 NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS CARTRIDGE, 76MM/62 CAL OR CHARGE, CLEARING, 76MM/62 CAL IN PALLET ADAPTER MK 121 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| A | LI | MIL-STD-1325-178 NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB MK 82 & MODS (500 LB.) ON BOM PALLET MHU-149/E AIR FORCE UNIT LOAD TPO-01-006-5657 REVIEWER: AS | A | 8140 | OS | 15-OCT-92 | | OS | |
| L | | MIL-STD-1325-179(1) NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK20 AND MODS (ROCKEYE II) OR CBU-55/B, CBU-55A/B OR CBU-72/B (FAE) OR CBU-59B (APAM) OR CBU-78/B (GATOR) IN CONTAINER, CNU-238/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] USER: AS | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-180 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-59/B, COMPLETE (APAM) OR DISPENSER AND BOMB, AIRCRAFT CBU-59(T-1)/B TRAINING IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8902] REVIEWER: AS | A | 8140 | OS | 23-FEB-89 | | OS | |
| L | | MIL-STD-1325-182 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 52 AND MODS (SPARROW) OR ROCKET MOTOR MK 53 MOD 1 OR MK 78 MOD 0 (SHRIKE) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8902] REVIEWER: AS | A | 8140 | OS | 23-FEB-89 | | OS | |
| L | | MIL-STD-1325-183 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS AIRFOIL GROUP, MXU-641/B, F/MK 83 BOMB FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8902] | A | 8140 | OS | 23-FEB-89 | | OS | |
| L | | MIL-STD-1325-184 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS SMOKELESS POWER FOR CANNON IN PACKING BOX MK 7 AND MODS [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-186 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS AIRFRAME MK 4 MOD 0, MK 5 MOD 0, OR MK 8 MOD 0 OR 1 (ASROC) IN CONTAINER MK 321 MOD 0 OR 1 [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| A | LI | MIL-STD-1325-186 NOTICE 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 60 MOD 0 IN SKID MK 24 MOD 0 | A | 8140 | OS | 15-OCT-92 | | OS | |
| L | | MIL-STD-1325-188 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS CARTRIDGE, 4.4 INCH CHAFF, MK 171, TYPE, MK 173, MK 178, MK 179 (RBOC) IN PALLET ADAPTER MK 132 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| A | LI | MIL-STD-1325-189 NOTICE 2 | RAILCAR LOADING MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATION "C" AND "D" IN CRATE MK 56 MOD 1 WITH CRATE ADAPTERS MK 112 MOD 0 | A | 8140 | OS | 15-OCT-92 | | OS | |
| M | LI | MIL-STD-1325-191 NOTICE 3 | RAILCAR LOADING MINE, UNDERWATER MK 65 MOD 0 AND MODS IN SKID MK 25 MOD 2 | A | 8140 | OS | 25-FEB-93 | | OS | |
| A | LI | MIL-STD-1325-192 NOTICE 2 | RAILCAR LOADING CASE, UNDERWATER MINE MK 25 AND MODS IN CRATE MK 25 ..... | A | 8140 | OS | 15-OCT-92 | | OS | |
| L | | MIL-STD-1325-193 NOTICE 1 | RAILCAR LOADING TORPEDO, MK 44 AND MK 46 ASSEMBLIES IN CONTAINER MK 197 MOD 1 [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1325-196 NOTICE 2 | RAILCAR LOADING DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) AND CBU-78/B (GATOR) IN CONTAINER CNU-319/E UNIT LOAD UNDERWAY RELEMISHMENT [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | OS | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-STD-1325-197 NOTICE 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS GUIDED MISSILE BGM-71A-1 (TOW) IN ADAPTER ADU-486/E UNIT LOAD FOR UNDERWAY REPLENISHMENT [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | | OS | |
| L | | MIL-STD-1326(1) | TEST POINT, TEST POINT SELECTION AND INTERFACE REQUIREMENTS FOR EQUIPMENTS MONITORED BO SHIPBOARD ON-LINE AUTOMATIC TEST EQUIPMENT [VALIDATION DATE: 8104] USER: SH REVIEWER: MI | A | ATTS | EC | 1'-JAN-68 | | EC | |
| | | MIL-STD-1327A(1) | FLANGE, COAXIAL AND WAVEGUIDE, AND COUPLING ASSEMBLIES SELECTION OF [VALIDATION DATE: 8104] USER: 19 AV CG MC REVIEWER: 17 99 AR AS ES MI OS | A | 5985 | EC | 19-AUG-75 | ER | EC | 85 |
| | | MIL-STD-1328C NOTICE 1 | COUPLERS, DIRECTIONAL SELECTION OF USER: 19 CG MC OS REVIEWER: 17 85 AR AS AV ES MI | A | 5985 | EC | 22-SEP-89 | ER | EC | 11 |
| | | MIL-STD-1329C | SWITCHES, RF COAXIAL, SELECTION OF USER: 19 AS AV CG MC OS REVIEWER: 11 17 99 ES MI SH | A | 5985 | EC | 15-JUL-88 | ER | EC | 85 |
| L | | MIL-STD-1330C | CLEANING & TESTING OF SHIPBOARD OXYGEN, NITROGEN & HYDROGEN GAS PIPING SYSTEMS | A | 4730 | SH | 01-FEB-85 | | SH | |
| | | MIL-STD-1331(1) | PARAMETERS TO BE CONTROLLED FOR THE SPECIFICATION OF MICROCIRCUITS USER: CG ME REVIEWER: 01 10 11 85 AR AS ES MI OS | A | 5962 | EC | 19-AUG-70 | ER | EC | 17 |
| D | | MIL-STD-1332B | DEFINITIONS OF TACTICAL, PRIME, PRECISE, AND UTILITY TERMINOLOGIES FOR CLASSIFICATION OF THE DOD MOBILE ELECTRIC POWER ENGINE GENERATOR SET FAMILY USER: 17 AR REVIEWER: 99 CE GS MC MI | A | 6115 | ME | 13-MAR-73 | ME | YD1 | 11 |
| | | MIL-STD-1333B | AIRCREW STATION GEOMETRY FOR MILITARY AIRCRAFT ..... | A | 1500 | AS | 09-JAN-87 | AV | AS | 11 |
| | | MIL-STD-1334B(1) NOTICE 2 | PROCESS FOR BARRIER COATING OF ANTI-FRICTION BEARINGS [VALIDATION DATE: 9110] REVIEWER: 11 17 84 AV EC ER MI OS SH | A | 3110 | AS | 02-OCT-91 | AR | AS | 85 |
| L | | MIL-STD-1339C | FITTING OUT PROCEDURES-SHIPS ..... | A | ILSS | SH | 27-FEB-90 | | SH | |
| L | | MIL-STD-1343 | GLOSSARY OF TERMS FOR ELECTRONIC AND WEAPONS CONTROL INTERFACE FUNCTIONS (NAVAL SHIP COMBAT SYSTEMS) [VALIDATION DATE: 8204] USER: EC OS | A | EDS | SH | 01-JUL-69 | | SH | |
| | | MIL-STD-1344A(3) NOTICE 4 | TEST METHODS FOR ELECTRICAL CONNECTORS REVIEWER: 11 17 AR EC MI ..... | A | 5935 | AS | 14-JUN-85 | CR | AS | 85 |
| L | | MIL-STD-1345B NOTICE 1 | TEST REQUIREMENTS DOCUMENT PREPARATION OF [VALIDATION DATE: 8807] REVIEWER: AS MC OS | A | MISC | SH | 08-JUL-88 | | SH | |
| D | | MIL-STD-1346B | RELAY, SELECTION AND APPLICATION USER: AS MC ME OS SH YD1 REVIEWER: 17 AR AT AV ES MI | A | 5945 | 85 | 29-APR-85 | ER | EC | 85 |
| | | MIL-STD-1347A NOTICE 3 | NAVIGATION DISPLAY MULTICOLOR MICROCHART/MAP TRANSPARENCIES [VALIDATION DATE: 9110] | A | 6605 | AS | 02-OCT-91 | AV | AS | 85 |
| | | MIL-STD-1348 | KNOB, CONTROL SELECTION OF USER: 19 AR CG MC REVIEWER: 17 ES ME MI OS ..... | A | 5355 | EC | 20-APR-88 | ER | EC | 11 |
| | | MIL-STD-1352F | ATTENUATOR, FIXED & VARIABLE, SELECTION OF USER: 19 AS AV CG MC ME SH REVIEWER: 11 17 99 AR ES MI OS | A | 5985 | EC | 24-APR-85 | ER | EC | 85 |
| | | MIL-STD-1353B(4) NOTICE 4 | ELECTRICAL CONNECTORS, PLUG-IN SOCKETS AND ASSOCIATED HARDWARE, SELECTION AND USE OF USER: 19 MC ME REVIEWER: 11 17 99 AS AV ES MI OS SH | A | 5935 | EC | 12-MAY-89 | CR | EC | 85 |
| | | MIL-STD-1358B | WAVEGUIDES, RECTANGULAR, RIDGE AND CIRCULAR, SELECTION OF [VALIDATION DATE: 8404] USER: 19 AS AV CG ME REVIEWER: 11 17 99 AR ES MI OS | A | 5985 | EC | 06-MAR-78 | ER | EC | 85 |
| | | MIL-STD-1359B | CLEANING METHODS AND PROCEDURES FOR BREATHING OXYGEN EQUIPMENT REVIEWER: 11 68 82 84 | A | 1660 | AS | 24-JUN-87 | | AS | |
| | | MIL-STD-1360A NOTICE 1 | FUSE, FUSEHOLDERS, AND ASSOCIATED HARDWARE, SELECTION AND USE OF USER: AT MC REVIEWER: 11 17 99 AS AV EC ES ME MI | A | 5920 | SH | 22-AUG-83 | ER | SH | 85 |
| | | MIL-STD-1361A | FLUIDICS TEST METHODS AND INSTRUMENTATION [VALIDATION DATE: 8108] REVIEWER: 71 | A | 1650 | AS | 28-SEP-73 | AV | AS | 99 |
| L | | MIL-STD-1362A NOTICE 1 | PROCEDURES FOR STEAM PURITY MEASUREMENT NAVAL PROPULSION BOILERS [VALIDATION DATE: 9204] | A | 4410 | SH | 16-APR-92 | | SH | |
| D | L | MIL-STD-1364J | GENERAL PURPOSE ELECTRONIC TEST EQUIPMENT USER: CG EC MC MO OM OS TD YD1 REVIEWER: AS SA | A | 6625 | SH | 07-OCT-91 | | SH | |
| D | | MIL-STD-1365A NOTICE 1 | GENERAL DESIGN CRITERIA FOR HANDLING EQUIPMENT ASSOCIATED WITH WEAPONS AND RELATED ITEMS [VALIDATION DATE: 8809] USER: AL REVIEWER: 69 AR AS EC MC MI MT SA SH | A | 8140 | OS | 30-SEP-88 | SH | OS | 99 |
| D | | MIL-STD-1366C | TRANSPORTABILITY CRITERIA REVIEWER: 13 18 43 69 99 AR AS AT AV CR DH EC GL MC ME MI OS SH SM TE YD1 | A | PACK | MT | 27-FEB-92 | MT | SA | 11 |
| | | MIL-STD-1367A | PACKAGING, HANDLING, STORAGE, AND TRANSPORTABILITY PROGRAM REQUIREMENTS FOR SYSTEMS AND EQUIPMENTS REVIEWER: 10 13 15 16 AS AT AV EC GL MC ME SH | A | PACK | 11 | 02-OCT-89 | SM | SA | 11 |
| L | | DOD-STD-1371B | INSPECTION PROCEDURE FOR USE OF ANAEROBIC THREAD LOCKING COMPOUNDS WITH STUDS [VALIDATION DATE: 8801] | A | 8030 | SH | 11-JAN-88 | | SH | |
| L | | MIL-STD-1371B NOTICE 1 | INSPECTION PROCEDURE FOR USE OF ANAEROBIC THREAD LOCKING COMPOUNDS WITH STUDS [VALIDATION DATE: 8801] | A | 8030 | SH | 11-JAN-88 | | SH | |
| L | | MIL-STD-1372A(1) | PROCESS FOR SOLDERING ACCIDENT DOSIMETER TO FILM BADGE HOLDER FOR RADIAC DETECTING ELEMENT [VALIDATION DATE: 8505] | A | THJM | SH | 12-OCT-72 | | SH | |
| | | MIL-STD-1373(3) NOTICE 3 | SCREW-THREAD, MODIFIED, 60 DEGREE, STUB, DOUBLE ..... | A | THDS | EC | 13-OCT-88 | ER | EC | |
| | | MIL-STD-1374A NOTICE 1 | WEIGHT AND BALANCE DATA REPORTING FORMS FOR AIRCRAFT (INCLUDING ROTORCRAFT) [VALIDATION DATE: 9110] | A | 15GP | AS | 02-OCT-91 | AV | AS | 11 |
| L | | MIL-STD-1375(1) | PROVISIONING, INITIAL SUPPORT, GENERAL REQUIREMENTS FOR (INT NOTICE 1 )EC() [VALIDATION DATE: 8002] REVIEWER: AS OS SH TD | A | MISC | SA | 23-NOV-70 | | SA | |
| L | | DOD-STD-1376A | PIEZOELECTRIC CERAMIC FOR SONAR TRANSDUCERS (HYDROPHONES AND PROJECTORS) [VALIDATION DATE: 8812] | A | 5845 | SH | 20-DEC-88 | | SH | |
| L | | MIL-STD-1376A | PIEZOELECTRIC CERAMIC FOR SONAR TRANSDUCERS (HYDROPHONES AND PROJECTORS) [VALIDATION DATE: 8812] | A | 5845 | SH | 20-DEC-88 | | SH | |
| | | MIL-STD-1377 | EFFECTIVENESS OF CABLE, CONNECTOR, AND WEAPON ENCLOSURE SHIELDING AND FILTERS IN PRECLUDING HAZARDS OF ELECTROMAGNETIC RADIATION TO ORDNANCE, MEASUREMENT OF [VALIDATION DATE: 8204] USER: MC REVIEWER: AS EC MI | A | EMCS | OS | 20-AUG-71 | | OS | 11 |
| | | MIL-STD-1378E | REQUIREMENTS FOR EMPLOYING STANDARD ELECTRONIC MODULES REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | MW | 21-APR-89 | ER | MW | 85 |
| | | MIL-STD-1379D | MILITARY TRAINING PROGRAMS REVIEWER: 94 AS EC MC TD TM ..... | A | ILSS | SH | 05-DEC-90 | AV | SH | 11 |
| L | | MIL-STD-1381 | TECHNICAL ELECTRONIC TERMS AND DEFINITIONS [VALIDATION DATE: 8404] ..... | A | MISC | EC | 15-AUG-72 | | EC | |
| | | MIL-STD-1385B | PRECLUSION OF ORDNANCE HAZARDS IN ELECTROMAGNETIC FIELDS, GENERAL REQUIREMENTS FOR USER: MC REVIEWER: AS EC MI | A | EMCS | OS | 01-AUG-86 | AV | OS | |
| L | | MIL-STD-1385 NOTICE 2 | LOADING OF HAZARDOUS MATERIALS IN MILVAN CONTAINERS [VALIDATION DATE: 9203] REVIEWER: AS | A | 8140 | OS | 18-MAR-92 | | OS | |
| L | | MIL-STD-1386-1 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MK 81 AND MODS (250 LB) FLEET ISSUE UNIT LOAD (WITH PLASTIC NOSE PLUGS) [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| A | LI | MIL-STD-1386-2A NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MK 83 AND MODS (1000 LB) IN PALLET, BOMB MK II MOD 0 FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | | OS | |
| L | | MIL-STD-1386-3 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MK 82 AND MODS (500 LBS) AIR FORCE UNIT LOAD (WITH PLASTIC NOSE PLUGS) [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| A | LI | MIL-STD-1386-4(1) NOTICE 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE, MK 82 & MODS (500 LBS) FLEET ISSUE UNIT LOAD (WITH PLASTIC NOSE PLUGS) | A | 8140 | OS | 15-OCT-92 | | OS | |
| L | | MIL-STD-1386-5 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ADAPTER, BOOSTER, NOSE T45 TYPE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | | OS | |
| A | LI | MIL-STD-1386-6 NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSY MAU-93/B FOR MK 82 BOMB AIR FORCE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | | OS | |
| A | LI | MIL-STD-1386-7 NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB, FOR 500 LB. L.D. BOMB (UNCRATED) FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | | OS | |

| Action | GPL / QML Cross-Reference Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-STD-1386-8 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FUZE, BOMB, M904 OR M990 TYPE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-9A NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILES, 5 INCH/54 IN PALLET ADAPTER MK II FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-10 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCH/54 CARTRIDGE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-11 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6-INCH AP IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-12 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6 INCH AAC OR HC WITH PROTECTIVE CAP MK 1 AND 3 IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-13 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6 INCH AAC OR HC WITH PROTECTIVE CAP MK 4 IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| M | LI | MIL-STD-1386-14 NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, 500 LB, MK 82 MOD 2 (THERMALLY PROTECTED) ON BOMB PALLET MK 9 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD | A | 8140 | | OS | 25-FEB-93 | | OS | | |
| L | | MIL-STD-1386-15 NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FUZE, BOMB MK 344 OR MK 376 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9108] | A | 8140 | | OS | 26-AUG-91 | | OS | | |
| L | | MIL-STD-1386-16 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FINS, BOMB TAIL MK 15 MOD 0 AND 1 IN CRATE MK 28 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-17 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 1000 LB MK 83 BOMB IN BOMB CRATE MK 10 AND MODS FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-18 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 1000 LB BOMB MK 83 UNCRATED FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-19 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 500 LB BOMB MK 82 IN CRATE MK 17 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-20 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET LAUNCHER, LAU-69/A DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-21A NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS-BOMB, 500 LB MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MHU-122/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-22(1) NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, PRACTICE MK 76 MOD 4, 5, AND 7 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-23 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS AIRCRAFT FLARE MLU 32/B99 (BRITEYE) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-24 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CHARGE, PROPELLING 6 INCH/47 IN CARTRIDGE TANK MK 4 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-25 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCHES/38 PROJECTILE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-26 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCH/38 CARTRIDGE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-27 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 3 INCH/50 CARTRIDGE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-28 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLARE, AIRCRAFT PARACHUTE MK 24 AND MODS FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-29 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLARE, AIRCRAFT PARACHUTE MK 45 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-30 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 20 MM, M50 SERIES BELTED WITH MK 7 OR M14 LINKS IN CONTAINER M548 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-31 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET LAUNCHER, LAU-611A, LAU-68/A OR LAU 69/A FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-32 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET HEAD, 5 INCH MK 24 OR MK 32 AND MODS (ZUNI) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8810] REVIEWER: AS | A | 8140 | | OS | 30-OCT-88 | | OS | | |
| L | | MIL-STD-1386-33 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 20 MM IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-34 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB, MK 15 AND MODS (SHAKEYE) IN PALLET ADAPTER ADU-383/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-35 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 40 MM, HE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-36 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS-BOMB GUIDANCE KIT, KMU-351 A/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-37 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS INITIATOR, MK 13 MOD 0 (FOR FIRE BOMB) IN CONTAINER CNU 157/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-38 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB GUIDANCE KIT, KMU-388/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-39 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS SAFETY AND ARMING DEVICE MK 13 MOD 0 AND 1 FOR AIM-9D, 9G AND 9H (SIDEWINDER 1C) IN CONTAINER CNU-189/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-40 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, .50 CALIBER IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-41 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET MOTOR, MK 16 AND MODS AND MK 71 MOD 0 AND 1 (ZUNI) IN CONTAINER MK 38 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-42 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 7.62MM, BALL M80 AMPHIBIOUS UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | | OS | 13-MAR-91 | | OS | | |
| L | | MIL-STD-1386-43 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS .50 CALIBER LINKED AMMUNITION IN AMMUNITION BOX MK 1 MOD 0 AMPHIBIOUS UNIT LOAD [VALIDATION DATE: 8511] | A | 8140 | | OS | 15-MAY-74 | | OS | | |
| L | I | MIL-STD-1386-44 NOTICE 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, G.P., MK 82 AND MODS (500LB.) EMPTY REVIEWER: AS | A | 8140 | | OS | 27-MAR-92 | | OS | | |

| Action | Opnl / Obsl, Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | MIL-STD-1386-45 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS (BOMB, G.P., MK 81 MOD 1 )250 LBS.( EMPTY [VALIDATION DATE: 8705] REVIEWER: AS | A | 8140 | OS | 21-MAY-87 | OS | | | |
| | L | MIL-STD-1386-46 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILES, 6 INCHES AAC, HC OR AP IN PALLET ADAPTER MK4 AND MODS FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8705] | A | 8140 | OS | 21-MAY-87 | OS | | | |
| | L | MIL-STD-1386-47 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8705] | A | 8140 | OS | 22-MAY-87 | OS | | | |
| A | LI | MIL-STD-1386-48 NOTICE 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MINE UNDERWATER MK 55 AND MODS, CONFIGURATION "C" IN CRATE MK 55 MOD 1 FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | OS | | | |
| | L | MIL-STD-1386-49 NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIRE BOMB, MK 77 MODS 2 AND 4 (EMPTY) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1386-50 NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, PACK ASSEMBLY, PARACHUTE, UNDERWATER MINE; MK 35 TYPE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1386-51 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, RELEASE, PARACHUTE, UNDERWATER MINE, MK 20 FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-MAY-87 | OS | | | |
| | L | MIL-STD-1386-52 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, RELEASE, PARACHUTE, UNDERWATER MINE, MK 33 TYPE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8705] | A | 8140 | OS | 28-MAY-87 | OS | | | |
| | L | MIL-STD-1386-53 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, FIN, TAIL, UNDERWATER MINE, MK 18 TYPE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8705] | A | 8140 | OS | 28-MAY-87 | OS | | | |
| | L | MIL-STD-1386-54A NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMSSIN MILVAN CONTAINERS, FAIRING, UNDERWATER MINE, MK 20 TYPE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8705] | A | 8140 | OS | 29-MAY-87 | OS | | | |
| | L | MIL-STD-1386-55 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 76 MM/62 CALIBER OR CHARGE, CLEARING 76 MM/62 CALIBER FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8705] | A | 8140 | OS | 29-MAY-87 | OS | | | |
| | L | MIL-STD-1386-56 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS EXPLOSIVE SECTION MK 1 MOD 0 FOR MINE MK 56 MOD 0 IN CRATE MK 101 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8810] | A | 8140 | OS | 30-OCT-88 | OS | | | |
| A | LI | MIL-STD-1386-57 NOTICE 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS EXPLOSIVE SECTION MK 2 MOD 2 )N CRATE MK 103 MOD 0 FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | OS | | | |
| | L | MIL-STD-1386-58 NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ANCHOR, UNDERWATER MINE MK 57 TYPE FOR UNDERWATER MINE MK 57 DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] | A | 8140 | OS | 13-MAR-91 | OS | | | |
| | L | MIL-STD-1386-59 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS EXPLOSIVE SECTION MK 2 MOD 2 (EMPTY) FOR MK 57 UNDERWATER MINE IN CRATE MK 103 MOD 0 DOMESTIC UNIT LOAD [VALIDATION DATE: 8705] | A | 8140 | OS | 27-MAY-87 | OS | | | |
| | L | MIL-STD-1386-60 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MECHANISM COMPARTMENT MK 2 MOD 3 FOR MK 57 UNDERWATER MINE IN CRATE MK 104 DOMESTIC UNIT LOAD [VALIDATION DATE: 8705] | A | 8140 | OS | 27-MAY-87 | OS | | | |
| A | LI | MIL-STD-1386-62 NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PARAPAC ASSEMBLY MK 36 MOD 0 FOR UNDERWATER MINE MK 55 FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | OS | | | |
| | L | MIL-STD-1386-63 NOTICE 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLIGHT GEAR, UNDERWATER MINE MK 55 IN CONTAINER MK 586 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8810] | A | 8140 | OS | 30-OCT-88 | OS | | | |
| A | LI | MIL-STD-1386-64 NOTICE 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLIGHT GEAR, UNDERWATER MINE MK 52 IN CONTAINER MK 585 MOD 0 FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | OS | | | |
| D | | MIL-STD-1388-1A(3) NOTICE 3 | LOGISTIC SUPPORT ANALYSIS REVIEWER: 11 13 15 16 17 AT AV CR DC DH MC ME MI NA NS OS SH YD1 | A | ILSS | TM | 28-MAR-91 | TM | AS | 10 | |
| D | | MIL-STD-1388-2B | DOD REQUIREMENTS FOR A LOGISTIC SUPPORT ANALYSIS RECORD REVIEWER: 11 13 15 16 17 AT AV CR DC DH DS MC ME MI NA NS OS SH YD1 | A | ILSS | TM | 28-MAR-91 | TM | AS | 10 | |
| | | MIL-STD-1389D | DESIGN REQUIREMENTS FOR STANDARD ELECTRONIC MODULES REVIEWER: 13 17 19 AS AT AV ES MC | A | 5963 | SH | 30-MAR-89 | ER | SH | 85 | |
| D | | MIL-STD-1390D | LEVEL OF REPAIR ANALYSIS (LORA) REVIEWER: 11 13 15 16 17 AR AT AV CL CR DC DH DS EC IR MC MI NA NS OS SH TM YD1 | A | ILSS | AS | 19-JAN-93 | TM | AS | 10 | |
| A | | MIL-STD-1391D | PROVISIONS FOR EVALUATING QUALITY OF OVERCOATS, MEN'S USER: MC ..... | A | 8405 | CT | 02-JUN-92 | GL | MU | | CT |
| A | | MIL-STD-1394B | PROVISIONS FOR EVALUATING QUALITY OF CAP CROWNS REVIEWER: 82 99 MC ..... | A | 8405 | CT | 06-NOV-89 | | MU | 11 | CT |
| | | MIL-STD-1395B | FILTERS AND NETWORKS SELECTION AND USE OF USER: 19 AT AV CG MC ME REVIEWER: 17 AR MI OS SH | A | 5915 | 85 | 06-MAR-87 | ER | EC | 85 | |
| | L | MIL-STD-1397B | INPUT/OUTPUT INTERFACES, STANDARD DIGITAL DATA, NAVY SYSTEMS USER: EC REVIEWER: MM OM | A | MCCR | SH | 03-MAR-89 | | SH | | |
| D | L | MIL-STD-1399C | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS USER: YD1 REVIEWER: AS EC OS ..... | A | 1990 | SH | 02-FEB-88 | | SH | | |
| | L | DOD-STD-1399-70-1 NOTICE 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 070 - PART 1 D.C. MAGNETIC FIELD ENVIRONMENT (METRIC) [VALIDATION DATE: 8911] USER: AS REVIEWER: EC OS | A | 1990 | SH | 30-NOV-89 | | SH | | |
| | L | DOD-STD-1399-71 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 071 MASS/SIZE/SHAPE, SHIPBOARD UNITS (METRIC) | A | 1990 | SH | 12-NOV-81 | | SH | | |
| | L | MIL-STD-1399-72 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072 - PART 1 BLAST ENVIRONMENT, MISSILE EXHAUST [VALIDATION DATE: 8209] | A | 1990 | SH | 14-OCT-77 | | SH | | |
| | L | MIL-STD-1399-72A-1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072.1 BLAST ENVIRONMENT, MISSILE EXHAUST REVIEWER: AS EC OS | A | 1990 | SH | 24-OCT-91 | | SH | | |
| | L | MIL-STD-1399-72A-2 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072.2 BLAST ENVIRONMENT, GUN MUZZLE REVIEWER: AS EC OS | A | 1990 | SH | 24-OCT-91 | | SH | | |
| | L | DOD-STD-1399-72-3 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072 - PART 3 BLAST ENVIRONMENT, NUCLEAR WEAPONS USER: AS SA SS REVIEWER: EC | A | 1990 | SH | 22-MAY-78 | | SH | | |
| | L | MIL-STD-1399-102A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 102 LOW PRESSURE DRY AIR SERVICE FOR SURFACE SHIPS REVIEWER: AS EC OS | A | 1990 | SH | 05-FEB-88 | | SH | | |
| | L | MIL-STD-1399-105 NOTICE 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 105 SEA WATER SERVICE FOR SURFACE SHIPS [VALIDATION DATE: 8707] USER: CG REVIEWER: AS EC OS | A | MISC | SH | 06-JUL-87 | | SH | | |
| | L | MIL-STD-1399-106B | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 106 COMPRESSED AIR SERVICE FOR SURFACE SHIPS USER: CG REVIEWER: AS EC OS | A | MISC | SH | 05-FEB-88 | | SH | | |
| | L | DOD-STD-1399-204A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 204A AMBIENT AIR CONDITIONS IN SURFACE SHIP COMPARTMENTS (METRIC) USER: CG REVIEWER: AS EC OS | A | 1990 | SH | 26-AUG-87 | | SH | | |
| | L | MIL-STD-1399-204A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 204A AMBIENT AIR CONDITIONS IN SURFACE SHIP COMPARTMENTS (METRIC) USER: CG REVIEWER: AS EC OS | A | 1990 | SH | 26-AUG-87 | | SH | | |
| D | L | MIL-STD-1399-300A(1) | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 300A ELECTRIC POWER, ALTERNATING CURRENT (METRIC) REVIEWER: OS YD1 | A | 1990 | SH | 11-MAR-92 | | SH | | |
| | L | DOD-STD-1399-301A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 301A SHIP MOTION AND ATTITUDE (METRIC) USER: CG REVIEWER: AS EC OS | A | 1990 | SH | 21-JUL-86 | | SH | | |
| | L | MIL-STD-1399-302A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 302 WEATHER ENVIRONMENT REVIEWER: AS EC OS | A | 1990 | SH | 29-FEB-88 | | SH | | |
| | L | DOD-STD-1399-304 NOTICE 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 304 ELECTRICAL CABLES AND CONNECTORS [VALIDATION DATE: 9106] USER: CG MC REVIEWER: AS EC | A | 1990 | SH | 12-JUN-91 | | SH | | |

| Action | OPR / Obsl. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MIL-STD-1399-390 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 390 ELECTRIC POWER, DIRECT CURRENT, (OTHER THAN SHIP'S BATTERY) FOR SUBMARINES (METRIC) REVIEWER: EC | A | 1990 | SH | 02-OCT-87 | | SH | | |
| | L | | DOD-STD-1399-406A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 406 DIGITAL COMPUTER GROUNDING (METRIC) | A | 1990 | SH | 02-JUN-82 | | SH | | |
| D | L | | MIL-STD-1399-408A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 408 ELECTROMAGNETIC RADIATION HAZARDS TO PERSONNEL AND FUELS [VALIDATION DATE: 8104] USER: AS OS REVIEWER: EC MS YD1 | A | MISC | SH | 16-JUL-73 | | SH | | |
| | L | | DOD-STD-1399-441 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 441 PRECISE TIME AND TIME INTERVAL (PTTI) | A | 1990 | EC | 01-JUN-82 | | EC | | |
| | L | | MIL-STD-1399-502 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 502 ELECTRONIC SYSTEMS PARAMETERS [VALIDATION DATE: 8104] | A | MISC | SH | 28-JUN-74 | | SH | | |
| | L | | DOD-STD-1399-532(1) NOTICE 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 532 COOLING WATER FOR SUPPORT OF ELECTRONIC EQUIPMENT (METRIC) | A | 1990 | SH | 28-FEB-90 | | SH | | |
| D | L | | DOD-STD-1399-533(1) NOTICE 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 533 POTABLE WATER SERVICE (METRIC) USER: AS EC REVIEWER: YD1 | A | 1990 | SH | 13-APR-90 | | SH | | |
| | L | | MIL-STD-1399-534(1) NOTICE 2 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 534 AUXILIARY STEAM SERVICE, SURFACE SHIPS REVIEWER: AS | A | 1990 | SH | 22-AUG-88 | | SH | | |
| D | L | | MIL-STD-1399-593 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 593 - PART 1 SEWAGE/WASTE DISPOSAL FOR SURFACE SHIPS [VALIDATION DATE: 8309] REVIEWER: YD1 | A | 1990 | SH | 26-JUL-78 | | SH | | |
| D | L | | MIL-STD-1399-593-1 NOTICE 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 593 - PART 1 SEWAGE/WASTE WATER DISPOSAL FOR SURFACE SHIPS [VALIDATION DATE: 8911] REVIEWER: YD1 | A | 1990 | SH | 30-NOV-89 | | SH | | |
| D | L | | MIL-STD-1399-593-2 NOTICE 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 593 - PART 2 SEWAGE/WASTE WATER DISPOSAL FOR SUBMARINES [VALIDATION DATE: 8911] REVIEWER: YD1 | A | 1990 | SH | 27-NOV-89 | | SH | | |
| | L | | MIL-STD-1399-702 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 702 SYNCHRO DATA TRANSMISSION [VALIDATION DATE: 8104] REVIEWER: EC OS | A | MISC | SH | 25-MAR-71 | | SH | | |
| | L | | DOD-STD-1399-703 NOTICE 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 703 WEAPONS HANDLING [VALIDATION DATE: 9008] USER: AS | A | 1990 | SH | 10-AUG-90 | | SH | | |
| D | | | MIL-STD-1400C | ENGINES, GASOLINE AND DIESEL, METHODS OF TEST USER: MC REVIEWER: 82 AR YD1 | A | 2805 | ME | 30-JUL-90 | ME | | 99 | |
| D | | | MIL-STD-1401(1) | ENGINE, GASOLINE, AIR COOLED, 20 BHP, 4 CYCLE, MILITARY DESIGN, MODEL 4A084 INSTALLATION PROCEDURES [VALIDATION DATE: 8711] USER: MI REVIEWER: MC | A | 2805 | ME | 16-NOV-87 | ME | YD1 | 99 | |
| D | | | MIL-STD-1402(1) NOTICE 2 | ENGINE, GASOLINE, AIR COOLED, 20 BHP, 4 CYCLE, MILITARY DESIGN, MODEL 4A084 INSTALLATION PROCEDURE [VALIDATION DATE: 8711] USER: MI REVIEWER: MC | A | 2805 | ME | 16-NOV-87 | ME | YD1 | 99 | |
| | | | MIL-STD-1407B | HEATER, VEHICULAR COMPARTMENT, HEATERS, COOLANT, ENGINE, HEATERS, SPACE, HEATERS, DUCT-TYPE USER: MI REVIEWER: AT CS | A | 4520 | ME | 17-DEC-85 | ME | MC | 84 | |
| | L | | MIL-STD-1408B | AIR CONDITIONERS, STANDARD FAMILY OF MILITARY AIR CONDITIONERS, GENERAL APPLICATION CHARACTERISTICS USER: ER REVIEWER: EA GL GS MC | A | 4120 | ME | 05-MAR-92 | ME | | | |
| | | | MIL-STD-1410A | METHODS FOR SELECTION OF INDUSTRIAL ENGINES FOR END ITEM APPLICATION USER: MC REVIEWER: CE CS EA | A | 2805 | ME | 17-MAR-89 | ME | | 99 | |
| | | | MIL-STD-1411(1) | INSPECTION AND MAINTENANCE OF COMPRESSED GAS CYLINDERS [VALIDATION DATE: 8501] USER: CE GS REVIEWER: EA | A | 8120 | ME | 08-SEP-81 | ME | SH | 68 | |
| | L | | MIL-STD-1412A | MOTOR, ELECTRIC, FOR AIR CONDITIONER APPLICATIONS METHODS OF TEST & INSTRUCTIONS | A | 6105 | ME | 07-MAR-86 | ME | | | |
| D | | | MIL-STD-1421 | BREATHING APPARATUS (SELF CONTAINED) [VALIDATION DATE: 8601] USER: 50 AL AK ER MC REVIEWER: 04 CE GS MA OS YD1 | A | 4240 | EA | 28-SEP-81 | EA | SH | 99 | |
| D | | | MIL-STD-1422A | MASK, CHEMICAL BIOLOGICAL USER: MC REVIEWER: AS GL YD1 | A | 4240 | EA | 23-AUG-91 | EA | SH | 84 | |
| | | | MIL-STD-1424 | HYDROGEN ION METERS | A | 6630 | EA | 01-NOV-79 | MD | MS | 03 | DM |
| | | | MIL-STD-1425A | SAFETY DESIGN REQUIREMENTS FOR MILITARY LASERS AND ASSOCIATED SUPPORT EQUIPMENT REVIEWER: AR AT CR GL GS MD TE | A | 4240 | EA | 30-AUG-91 | EA | | 99 | |
| | | | MIL-STD-1427A | ACTIVATED DESICCANTS (METRIC) REVIEWER: GS | A | 6850 | EA | 14-DEC-88 | EA | SH | 68 | |
| D | | | MIL-STD-1433A | CLIMBER SET, TREE AND POLE REVIEWER: GS | A | 4240 | EA | 25-MAY-88 | EA | YD1 | 99 | |
| D | | | MIL-STD-1434A | GOGGLES (METRIC) USER: AV MC ME REVIEWER: GS MD MS YD1 | A | 4240 | EA | 21-DEC-88 | EA | SH | 99 | |
| D | | | MIL-STD-1435 | ETHERS, REAGENT GRADE (INCLUDING ACS AND USP-NF COMPOUNDS) USER: ME MS OS YD1 REVIEWER: AR DP GS MD MI SH | A | 6810 | EA | 15-APR-88 | EA | SH | 68 | |
| D | | | MIL-STD-1437 | ORGANIC CHEMICAL COMPOUNDS, SOLID, TECHNICAL GRADE [VALIDATION DATE: 8404] REVIEWER: GS | A | 6810 | EA | 20-FEB-70 | EA | YD1 | 68 | |
| | | | MIL-STD-1439 NOTICE 1 | THICKENED HYDROCARBON FLAME FUELS, CONSISTENCY OF, MOBILOMETER TEST [VALIDATION DATE: 8704] USER: ME MR | A | 1365 | EA | 24-APR-87 | EA | AS | 99 | |
| | L | | MIL-STD-1440 | TEST FACILITY FOR DETERMINING PERCENT AGENT RECOVERY [VALIDATION DATE: 8112] | A | 1330 | EA | 19-DEC-67 | EA | | | |
| | L | | MIL-STD-1441 | EQUIPMENT, LEAK DETECTION, HELIUM, FOR CHEMICAL MUNITIONS [VALIDATION DATE: 8501] | A | 4925 | EA | 03-JUN-68 | EA | | | |
| | | | MIL-STD-1442 | INORGANIC PEROXIDES, TECHNICAL GRADE USER: AS AV MC MI OS REVIEWER: AR GS MD MR SA | A | 6810 | EA | 11-AUG-87 | EA | SH | 68 | |
| D | | | MIL-STD-1443 | INORGANIC ACIDS AND ACID ANHYDRIDES, REAGENTGRADE (INCLUDING ACS AND USP-NF COMPOUNDS) (METRIC) USER: MC OS YD1 REVIEWER: AR AV DM DP GS MD MI SA SH | A | 6810 | EA | 22-OCT-86 | EA | SH | 68 | |
| D | | | DOD-STD-1445 | METAL ORGANIC COMPOUNDS, TECHNICAL GRADE (METRIC) | A | 6810 | EA | 21-OCT-87 | EA | YD1 | 68 | |
| D | | | DOD-STD-1446 | METAL ORGANIC COMPOUNDS, REAGENT GRADE (METRIC) (INCLUDING ACS AND USP-NF COMPOUNDS) USER: CE ME MS OS YD1 REVIEWER: AR DP GS MD MI SH | A | 6810 | EA | 01-OCT-87 | EA | SH | 68 | |
| | | | MIL-STD-1447 | ETHERS AND ORGANIC PEROXIDES, TECHNICAL GRADE (METRIC) REVIEWER: AR AS AV DM GS MD OS | A | 6810 | EA | 24-AUG-88 | EA | SH | 68 | |
| | L | | MIL-STD-1448 | HYDROCARBON COMPOUNDS AND SOLVENT DISTILLATES, TECHNICAL GRADE REVIEWER: AL AR AT AV GL | A | 6810 | EA | 22-AUG-90 | EA | | | |
| | L | | MIL-STD-1450 NOTICE 1 | LUBRICATION OF FIRE CONTROL INSTRUMENTS [VALIDATION DATE: 9012] USER: MI REVIEWER: EA MD ME | A | 1220 | AR | 14-DEC-90 | AR | | | |
| | | | MIL-STD-1451A(1) | RESOLVER, ELECTRICAL, SELECTION OF [VALIDATION DATE: 8504] USER: 14 19 AT MC ME REVIEWER: 17 EC ES MI OS | A | 5990 | AR | 25-APR-78 | AR | AS | 85 | |
| | | | MIL-STD-1452 | GAGING, GENERAL PRINCIPLES OF [VALIDATION DATE: 8304] USER: AV ME REVIEWER: AT MI | A | 5220 | AR | 08-DEC-70 | AR | AS | 99 | |
| | L | | MIL-STD-1453 | BALLISTIC STANDARDS AND TEST METHOD FOR EVALUATING AND SELECTING 5.56MM AMMUNITION FOR M16/M16A1 WEAPON ACCEPTANCE TESTS [VALIDATION DATE: 8505] | A | 1305 | AR | 20-JUL-71 | AR | | | |
| | L | | MIL-STD-1454 | CALORIMETRY FOR THERMAL BATTERY HEAT SOURCES TEST AND CALIBRATION PROCEDURES [VALIDATION DATE: 8503] USER: MM | A | MISC | AR | 05-JUL-71 | AR | | | |
| | | | MIL-STD-1455A | DISPENSER AND SUB-MUNITION, AIR DELIVERED, SAFETY DESIGN AND SAFETY QUALIFICATION CRITERIA FOR | A | 1345 | 18 | 01-JUN-85 | AR | AS | 18 | |
| | L | | MIL-STD-1457 | MINES, LAND, PRACTICE AND LAND MINE SIMULATORS, COLOR OF INDICATING SMOKE FOR [VALIDATION DATE: 8504] | A | 1345 | AR | 01-AUG-72 | AR | | | |
| | L | | MIL-STD-1459A NOTICE 1 | MACROGRAPH STANDARDS FOR STEEL BARS, BILLETS, AND BLOOMS FOR AMMUNITION COMPONENTS [VALIDATION DATE: 8604] REVIEWER: 99 | A | 9640 | AR | 01-APR-86 | AR | | | |
| | | | MIL-STD-1461E | AMMUNITION MANUFACTURERS AND THIER SYMBOLS REVIEWER: MC | A | 13GP | AR | 05-NOV-90 | AR | OS | | |
| | L | | MIL-STD-1464A | ARMY NOMENCLATURE SYSTEM USER: GL REVIEWER: AT EA ME MI | A | CMAN | AR | 15-MAY-87 | AR | | | |
| | L | | MIL-STD-1465A(1) NOTICE 1 | CONFIGURATION MANAGEMENT OF ARMAMENTS, MUNITIONS, AND CHEMICAL PRODUCTION BASE MODERNIZATION REVIEWER: AL CE | A | CMAN | AR | 05-DEC-88 | AR | | | |
| | | | MIL-STD-1466 NOTICE 1 | SAFETY CRITERIA AND QUALIFICATION REQUIREMENTS FOR PYROTECHNIC INITIATED EXPLOSIVE (PIE) AMMUNITION [VALIDATION DATE: 8811] | A | 13GP | AR | 02-NOV-88 | AR | OS | 99 | |
| | L | | DOD-STD-1467(2) NOTICE 2 | SOFTWARE SUPPORT ENVIRONMENT REVIEWER: AV CR | A | MCCR | AR | 15-MAR-91 | AR | | | |
| | | | DOD-STD-1469 | BALLISTIC ACCEPTANCE TEST REQUIREMENTS FOR SOLID PROPELLANT FOR CANNON REVIEWER: TE | A | 1376 | AR | 08-AUG-85 | AR | | | |
| D | | | MIL-STD-1472D(2) | HUMAN ENGINEERING DESIGN CRITERIA FOR MILITARY SYSTEMS, EQUIPMENT, AND FACILITIES USER: AL YD1 REVIEWER: 13 14 19 26 AR AT AV CR EA EC ER GL MC MD ME MR MS OS PE SH TD TE TM | A | HFAC | MI | 30-JUN-92 | MI | AS | 11 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | | MIL-STD-1473B | STANDARD GENERAL REQUIREMENTS FOR COLOR AND MARKING OF ARMY MATERIAL USER: ME REVIEWER: AV GL MD MR | A | MFAC | MI | MI | 20-DEC-90 | MI | | | |
| | | | | MIL-STD-1474C | NOISE LIMITS FOR MILITARY MATERIAL (METRIC) USER: AR REVIEWER: 45 AM AT CE MD | A | MFAC | MI | MI | 08-MAR-91 | MI | AS | 11 | |
| | | | | MIL-STD-1475 NOTICE 1 | CONTAMINATION CONTROL TECHNOLOGY, PACKAGING PROTECTION OF PRECISION CLEANED MATERIEL [VALIDATION DATE: 8806] REVIEWER: GS | A | 3694 | MI | MI | 14-JUN-88 | MI | AS | 84 | |
| D | | | | MIL-STD-1476B(1) | METRIC SYSTEM APPLICATION IN NEW DESIGN USER: YD1 REVIEWER: 70 80 82 99 AV GS | A | MISC | MI | MI | 23-AUG-91 | MI | SH | 01 | |
| | | | | DOD-STD-1477 | SYMBOL FOR ARMY AIR DEFENCE SYSTEM DISPLAYS (METRIC) REVIEWER: AD AR AV CE CR | A | MFAC | MI | MI | 31-MAY-83 | MI | | | |
| L | | | | MIL-STD-1477A | SYMBOLS FOR ARMY AIR DEFENSE SYSTEM DISPLAYS (METRIC) REVIEWER: AD AR AV CE CR | A | MFAC | MI | MI | 29-SEP-89 | MI | | | |
| D | | | | MIL-STD-1478 | TASK PERFORMANCE ANALYSIS REVIEWER: AL AR AT AV CR ER GL MD MR MS OS PE SH TD TE TM YD1 | A | MFAC | MI | MI | 13-MAY-91 | MI | AS | | |
| A | | | | MIL-STD-1480D | COLOR CODES FOR WEBBING, TEXTILE: MANUFACTURERS' IDENTIFICATION USER: AT MC SH REVIEWER: 45 82 AS MI OS | A | 8305 | CT | 21-DEC-88 | GL | MU | 99 | CT |
| A | | | | MIL-STD-1481E | SANITATION STANDARDS FOR MEAT PROCESSING PLANTS IN OVERSEAS AREAS REVIEWER: MD MS | A | 8905 | GL | 30-JUN-92 | GL | SA | 50 | |
| | | | | MIL-STD-1482C | SANITARY STANDARDS FOR BUTTER (AND RELATED PRODUCTS) PLANTS REVIEWER: MD MS | A | 8910 | GL | 01-NOV-86 | GL | SA | 50 | |
| | | | | MIL-STD-1484 NOTICE 1 | CHEMICALS AND CHEMICAL PRODUCTS USED FOR DOD DRYCLEANING [VALIDATION DATE: 8710] USER: MC REVIEWER: EA GS MD | A | 7930 | GL | 30-OCT-87 | GL | SH | 99 | |
| D | | | | MIL-STD-1485A | CHEMICALS AND CHEMICAL PRODUCTS USED FOR DOD LAUNDERING [VALIDATION DATE: 8402] USER: MC REVIEWER: EA GS MD | A | 7930 | GL | 28-APR-78 | GL | YD1 | | |
| D | | | | MIL-STD-1487 NOTICE 1 | GLOSSARY OF CLOTH COATING IMPERFECTIONS [VALIDATION DATE: 8201] USER: AV MD ME YD1 REVIEWER: 45 99 AS MC | A | 8305 | CT | 01-JUN-70 | GL | MU | 11 | CT |
| A | | | | MIL-STD-1488G | PROVISIONS FOR EVALUATING QUALITY OF TROUSERS REVIEWER: 82 99 AS CG MC MD . | A | 8405 | CT | 30-MAR-90 | GL | MU | 11 | CT |
| | | | | MIL-STD-1489B | PERFORMANCE TESTING OF COMMERCIALLY OWNED HOUSEHOLD GOODS CONTAINERS [VALIDATION DATE: 8602] REVIEWER: 99 GL ME | A | 8115 | MT | 01-FEB-80 | MT | SA | 69 | |
| A | | | | MIL-STD-1490G | PROVISIONS FOR EVALUATING QUALITY OF COATS, MEN'S, DRESS REVIEWER: 82 99 MC MD | A | 8405 | CT | 26-AUG-92 | GL | MU | 11 | CT |
| D | | | | MIL-STD-1491(1) | GLOSSARY OF KNITTING IMPERFECTIONS [VALIDATION DATE: 8402] USER: 45 AV MC YD1 REVIEWER: 82 99 AS | A | 83GP | CT | 17-SEP-73 | GL | SA | 11 | CT |
| A | | | | MIL-STD-1492C | PROVISIONS FOR EVALUATING QUALITY OF MEN S SHIRTS ..... | A | 8405 | CT | 10-JUN-88 | GL | MU | 11 | CT |
| L | | | | MIL-STD-1493 | CONTRACTUAL SERVICE REQUIREMENTS FOR AUTOMATIC DISHWASHING MACHINE ACCESSORY EQUIPMENT AND SUPPLIES [VALIDATION DATE: 8501] | A | 7930 | GL | 11-MAY-73 | GL | | | |
| A | | | | MIL-STD-1494B | PROVISIONS FOR EVALUATING QUALITY OF RAINCOATS USER: 45 ..... | A | 8405 | CT | 14-JUN-88 | GL | MU | 11 | CT |
| D | | | | MIL-STD-1498B | CIRCUIT BREAKERS SELECTION AND USE OF USER: 19 MC YD1 REVIEWER: AR AS AT AV ES ME MI | A | 5925 | ER | 14-MAY-85 | ER | EC | 85 | |
| L | | | | MIL-STD-1500B | CADMIUM-TITANIUM PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION ..... | A | MFFP | 70 | 02-APR-90 | | | 99 | |
| L | | | | MIL-STD-1501C NOTICE 1 | CHROMIUM PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION ..... | A | MFFP | 70 | 02-APR-90 | | | 99 | |
| L | | | | MIL-STD-1503B | PREPARATION OF ALUMINUM ALLOYS FOR SURFACE TREATMENTS AND INORGANIC COATING | A | MFFP | 70 | 13-NOV-89 | | | 99 | |
| | | | | MIL-STD-1504B | ABRASIVE BLASTING ..... | A | MFFP | 70 | 08-JUN-89 | AR | | 99 | |
| | | | | MIL-STD-1510B | CONTAINER DESIGN RETRIEVAL SYSTEM PROCEDURES FOR USE OF ..... | A | PACK | 18 | 30-SEP-88 | SM | OS | 18 | |
| L | | | | MIL-STD-1512(1) | ELECTROEXPLOSIVE SUBSYSTEMS, ELECTRICALLY INITIATED, DESIGN REQUIREMENTS AND TEST METHODS (VALIDATION DATE: 8205) REVIEWER: 10 13 15 19 AV | A | EMCS | 18 | 06-JAN-76 | | | 18 | |
| L | | | | MIL-STD-1514 NOTICE 1 | FITTINGS, TETRAFLUOROETHYLENE HOSE HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI) HYDRAULIC AND PNEUMATIC CLASSIFICATION OF DEFECTS [VALIDATION DATE: 8911] | A | 4730 | 82 | 09-NOV-89 | | | 99 | |
| | | | | MIL-STD-1515A(3) NOTICE 3 | FASTENER SYSTEMS FOR AEROSPACE APPLICATIONS REVIEWER: 10 82 99 AR IS MI ... | A | 53GP | 11 | 24-JUN-83 | AV | AS | 11 | |
| | | | | MIL-STD-1516B | UNIFIED CODE FOR COATINGS AND FINISHES FOR DOD MATERIEL REVIEWER: 99 ..... | A | MFFP | 11 | 13-NOV-90 | MR | | 11 | |
| | | | | MIL-STD-1518B | STORAGE, HANDLING, AND SERVICING OF AVIATION FUELS, LUBRICATIN G OILS AND HYDRAULIC FLUIDS AT CONTRACTOR FACILITIES REVIEWER: AV | A | 9130 | 68 | 03-MAR-80 | AR | AS | 68 | |
| L | | | | MIL-STD-1519(1) NOTICE 2 | TEST REQUIREMENTS DOCUMENT, PREPARATION OF [VALIDATION DATE: 8802] USER: MT | A | MISC | 11 | 26-FEB-88 | | | 11 | |
| A | | | | MIL-STD-1520C(1) | CORRECTIVE ACTION AND DISPOSITION SYSTEM FOR NONCONFORMING MATERIAL USER: 10 REVIEWER: AS AV CR DH EC GL MC ME SA SH TD | A | QCIC | 05 | 05-MAR-93 | AR | OS | 05 | |
| L | | | | MIL-STD-1521B NOTICE 1 | TECHNICAL REVIEWS & AUDITS FOR SYSTEMS, EQUIPMENTS, & COMPUTER SOFTWARE REVIEWER: 10 11 80 85 CR EC TD | A | CMAN | 13 | 19-DEC-85 | | | 13 | |
| A L | | | | MIL-STD-1522A NOTICE 3 | STANDARD GENERAL REQUIREMENTS FOR SAFE DESIGN AND OPERATION OF PRESSURIZED MISSILE AND SPACE SYSTEMS [VALIDATION DATE: 9209] | A | 1810 | 19 | 04-SEP-92 | | | 19 | |
| | | | | MIL-STD-1523A | AGE CONTROLS OF AGE-SENSITIVE ELASTOMERIC MATERIEL (FOR AEROSPACE APPLICATIONS) USER: SH REVIEWER: 11 82 | A | 5330 | 0S | 01-FEB-84 | ME | OS | 99 | |
| A | | | | MIL-STD-1524 NOTICE 2 | TABLE OF DIFFERENTIAL PRESSURE IN RELATION TO CALIBRATED AIRSPEED [VALIDATION DATE: 9301] USER: ME | A | 6610 | 71 | 23-JAN-93 | AV | AS | 99 | |
| L | | | | MIL-STD-1525A(1) | VERIFICATION TESTING OF PARACHUTE TEXTILE MATERIALS REVIEWER: 11 ..... | A | 1670 | 82 | 08-JUL-80 | | | 99 | |
| L | | | | MIL-STD-1528A | MANUFACTURING MANAGEMENT PROGRAM USER: 01 11 13 14 15 ..... | A | MISC | 10 | 09-SEP-86 | | | 10 | |
| | | | | MIL-STD-1529(1) | VENDOR SUBSTANTIATION FOR AEROSPACE PROPULSION SYSTEM ITEMS [VALIDATION DATE: 8809] REVIEWER: 12 16 99 | A | 2840 | 11 | 30-SEP-88 | AV | AS | 11 | |
| L | | | | MIL-STD-1530A NOTICE 1 | AIRCRAFT STRUCTURAL INTEGRITY PROGRAM, AIRPLANE REQUIREMENTS USER: 01 10 .. | A | 1500 | 11 | 26-FEB-88 | | | 11 | |
| L | | | | MIL-STD-1531A | INSERT ARRANGEMENTS FOR MIL-C-83733 RACK TO PANEL CONNECTORS, SHELL SIZE A REVIEWER: 99 | A | 5935 | 85 | 25-MAR-88 | | | 85 | |
| L | | | | MIL-STD-1532A | INSERT ARRANGEMENTS FOR MIL-C-83733 RACK TO PANEL CONNECTORS, SHELL SIZE B USER: 11 REVIEWER: 70 82 99 | A | 5935 | 85 | 25-MAR-88 | | | 85 | |
| A | | | | MIL-STD-1535B | SUPPLIER QUALITY ASSURANCE PROGRAM REQUIREMENTS REVIEWER: 11 12 13 15 16 17 18 19 22 26 AS AV CR GL ME TM | A | QCIC | 10 | 17-AUG-92 | AR | OS | 10 | DH |
| | | | | MIL-STD-1537B | ELECTRICAL CONDUCTIVITY TEST FOR VERIFICATION OF HEAT TREATMENT OF ALUMINUM ALLOYS, EDDY CURRENT METHOD | A | NDTI | 11 | 19-JUL-88 | MR | AS | 11 | |
| A L | | | | MIL-STD-1538 NOTICE 1 | SPARE PARTS AND MAINTENANCE SUPPORT OF SPACE AND MISSILE SYSTEMS UNDERGOING RDT&E [VALIDATION DATE: 9209] | A | 1810 | 19 | 04-SEP-92 | | | 19 | |
| A L | | | | MIL-STD-1539 NOTICE 1 | ELECTRICAL POWER, DIRECT CURRENT, SPACE VEHICLE DESIGN REQUIREMENTS [VALIDATION DATE: 9209] REVIEWER: 11 | A | 1810 | 19 | 04-SEP-92 | | | 19 | |
| A L | | | | MIL-STD-1540B(3) | TEST REQUIREMENTS FOR SPACE VEHICLES ..... | A | 1810 | 19 | 12-FEB-91 | | | 19 | |
| L | | | | MIL-STD-1541A | ELECTROMAGNETIC COMPATIBILITY REQUIREMENTS FOR SPACE SYSTEMS ..... | A | EMCS | 19 | 30-DEC-87 | | | 19 | |
| L | | | | MIL-STD-1542B | ELECTROMAGNETIC COMPATIBILITY AND GROUNDING REQUIREMENTS FOR SPACE SYSTEM FACILITIES | A | EMCS | 19 | 15-NOV-91 | | | 19 | |
| L | | | | MIL-STD-1543B | RELIABILITY PROGRAM REQUIREMENTS FOR SPACE AND LAUNCH VEHICLES ..... | A | RELI | 19 | 25-OCT-88 | | | 19 | |
| A L | | | | MIL-STD-1545 NOTICE 1 | OPTIONAL SPARE PARTS, MAINTENANCE AND INVENTORY SUPPORT OF SPACE AND MISSILE SYSTEMS [VALIDATION DATE: 9209] | A | 1810 | 19 | 04-SEP-92 | | | 19 | |
| A L | | | | MIL-STD-1546B | PARTS, MATERIALS, AND PROCESSES CONTROL PROGRAM FOR SPACE AND LAUNCH VEHICLES | A | 1820 | 19 | 27-JUL-92 | | | 19 | |
| | | | | MIL-STD-1547A | ELECTRONIC PARTS, MATERIALS, & PROCESSES FOR SPACE & LAUNCH VEHICLES ..... | A | 1810 | 19 | 01-DEC-87 | | | 19 | |
| L | | | | MIL-STD-1548B | INTO-PLANE DELIVERY OF FUEL AND OIL AT COMMERCIAL AIRPORTS ..... | A | 9130 | 68 | 23-MAY-86 | AV | | 68 | |
| | | | | MIL-STD-1549A | COMMON TERMINATION SYSTEM FOR ELECTRICAL AND ELECTRONIC PARTS USER: MI SH REVIEWER: 10 11 17 80 99 AV EC ES OS | A | 59GP | 85 | 22-APR-88 | CR | AS | 85 | |
| L | | | | MIL-STD-1551C | QUALITY CONTROL OF GASEOUS AND LIQUID AVIATOR'S BREATHING OXYGEN AT AIRCRAFT CONTRACTOR FACILITIES REVIEWER: GS | A | 6830 | 68 | 01-APR-90 | | | 68 | |
| | | | | MIL-STD-1553B(1) NOTICE 2 | AIRCRAFT INTERNAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS ..... | A | MISC | 11 | 12-FEB-80 | AV | AS | 11 | |

| Action | ORL / ONAL Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-STD-1554(4) | INSERT ARRANGEMENTS FOR MIL-C-83723 SERIES III AND MIL-C-26500 ENVIRONMENT RESISTING, CIRCULAR, ELECTRICAL CONNECTORS REVIEWER: 11 15 17 99 AR AV EC ES MI | A | 5935 | 85 | 19-DEC-89 | CR | AS | 85 | |
| | | | MIL-STD-1555 NOTICE 1 | AIRCREW STATION DISPLAYS AND ASSOCIATED EQUIPMENT, DEFINITIONS OF [VALIDATION DATE: 8802] | A | MISC | 11 | 26-FEB-88 | AV | AS | 11 | |
| | L | | MIL-STD-1556B | GOVERNMENT/INDUSTRY DATA EXCHANGE PROGRAM CONTRACTOR PARTICIPATION REQUIREMENTS REVIEWER: 11 13 14 15 18 AL AM AR AS AT EA EC OM SH TD | A | QCIC | OS | 24-FEB-86 | AV | OS | 10 | |
| | | | MIL-STD-1557A NOTICE 2 | DESIGNATION OF AIRCRAFT PROPULSION RECIPROCATING ENGINES USER: MI REVIEWER: 82 99 | A | 2810 | 11 | 25-OCT-83 | AV | AS | 11 | |
| | | | MIL-STD-1559A(2) NOTICE 2 | NUMBERS, SERIAL, AIRCRAFT GAS TURBINE ENGINE AND ENGINE MODULE ASSIGNMENT OF REVIEWER: 82 99 | A | 2840 | 11 | 14-JUN-91 | AV | | 11 | |
| | | | MIL-STD-1560A(5) NOTICE 5 | INSERT ARRANGEMENTS FOR MIL-C-38999 AND MIL-C-27599 ELECTRICAL, CIRCULAR CONNECTORS REVIEWER: 11 15 99 AR EC ES MI OS | A | 5935 | 85 | 30-OCT-89 | CR | AS | 85 | |
| A | | | MIL-STD-1561B | PROVISIONING PROCEDURES, UNIFORM DOD REVIEWER: DH MC MS TD ..... | A | MISC | 16 | 17-NOV-85 | TM | SA | 16 | |
| | | | MIL-STD-1562W | LISTS OF STANDARD MICROCIRCUITS USER: AR AS CG MC REVIEWER: 11 19 85 99 AT ES MI OS SH SM TD | A | 5962 | 17 | 25-SEP-91 | ER | EC | 17 | |
| | L | | MIL-STD-1564A(1) | PROCEDURE FOR CALIBRATION AND ANALYSIS OF TRACE CONTAMINANTS IN AVIATOR S BREATHING OXYGEN BY INFRARED SPECTROSCOPY REVIEWER: GS | A | 6830 | 68 | 15-MAY-86 | | | 68 | |
| | | | MIL-STD-1567A | WORK MEASUREMENT USER: 11 13 17 18 19 REVIEWER: AL AR AT AV CE EC SH ..... | A | MISC | 10 | 30-JAN-87 | MI | AS | 10 | |
| | L | | MIL-STD-1568B | MATERIALS AND PROCESSES FOR CORROSION PREVENTION AND CONTROL IN AEROSPACE WEAPONS SYSTEMS REVIEWER: 10 14 AV | A | MFFP | 11 | 28-FEB-89 | | | 11 | |
| | | | MIL-STD-1570A | OIL ANALYSIS IN EQUIPMENT DESIGN, PROVISIONS FOR REVIEWER: 11 AT AV ME .... | A | MDTI | 99 | 04-JUN-87 | TM | | 99 | |
| | L | | MIL-STD-1574A | SYSTEM SAFETY PROGRAM FOR SPACE AND MISSILE SYSTEMS [VALIDATION DATE: 8908] | A | 1810 | 19 | 07-AUG-89 | | | 19 | |
| A | L | | MIL-STD-1576 NOTICE 1 | ELECTROEXPLOSIVE SUBSYTEM SAFETY REQUIREMENTS AND TEST METHODS FOR SPACE SYSTEMS [VALIDATION DATE: 9209] | A | SAFT | 19 | 04-SEP-92 | | | 19 | |
| A | | | MIL-STD-1577A | INTERCONTINENTAL BALLISTIC MISSILE SYSTEMS TRAINING/TRAINING EQUIPMENT MANAGEMENT | A | 1810 | 19 | 31-JUL-85 | | | 19 | |
| A | L | | DOD-STD-1578B NOTICE 1 | NICKEL-CADMIUM BATTERY USAGE PRACTICES FOR SPACE VEHICLES [VALIDATION DATE: 9209] | A | 1820 | 19 | 04-SEP-92 | | | 19 | |
| | L | | MIL-STD-1580A | DESTRUCTIVE PHYSICAL ANALYSIS FOR ELECTRONIC, ELECTROMAGNETIC, AND ELECTROMECHANICAL PARTS | A | 1820 | 19 | 22-DEC-89 | | | 19 | |
| | L | | MIL-STD-1586A | QUALITY PROGRAM REQUIREMENTS FOR SPACE AND LAUNCH VEHICLES ..... | A | QCIC | 19 | 15-JUN-89 | | | 19 | |
| A | L | | MIL-STD-1587C | MATERIALS AND PROCESS REQUIREMENTS FOR AIR FORCE WEAPON SYSTEMS REVIEWER: 14 | A | MFFP | 11 | 21-JUL-92 | | | 11 | |
| | L | | MIL-STD-1589C | JOVIAL (J73) ..... | A | IPSC | 11 | 06-JUL-84 | | | 02 | |
| | | | MIL-STD-1591 | ON AIRCRAFT, FAULT DIAGNOSIS, SUB SYSTEMS, ANALYSIS/SYNTHESIS OF [VALIDATION DATE: 8212] REVIEWER: 10 11 13 91 99 | A | MNTY | 17 | 03-JAN-77 | AV | AS | 17 | |
| | L | | MIL-STD-001591A | COMMAND, CONTROL AND COMMUNICATIONS (C3) SYSTEM AND COMPONENT FAULT DIAGNOSIS, SUBSYSTEMS, ANALYSIS/SYNTHESIS OF | A | MNTY | 17 | 08-DEC-78 | | | 17 | |
| | | | MIL-STD-1592 NOTICE 1 | MOCKUPS, AIR VEHICLE ENGINES, CONSTRUCTION & INSPECTION OF [VALIDATION DATE: 8604] REVIEWER: 99 CS | A | 2895 | 11 | 07-APR-86 | AV | AS | 11 | |
| | | | MIL-STD-1595A NOTICE 1 | QUALIFICATION OF AIRCRAFT, MISSILE & AEROSPACE FUSION WELDERS USER: AV REVIEWER: 99 AR EA MI | A | THJM | 11 | 30-JUL-87 | MR | AS | 11 | |
| | | | MIL-STD-1597A | QUALITY CONTROL OF LIQUID MISSILE PROPELLANTS AT CONTROL STORAGE POINTS USER: AS REVIEWER: 12 | A | 9135 | 68 | 16-FEB-87 | | | 68 | |
| | | | MIL-STD-1598 | STUDS PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8406] USER: OS REVIEWER: 15 AT AV CE GL MC | A | 5307 | 82 | 07-APR-78 | AR | | 99 | |
| A | | | MIL-STD-1599(4) | BEARINGS, CONTROL SYSTEM COMPONENTS, AND ASSOCIATED HARDWARE USED IN THE DESIGN AND CONSTRUCTION OF AEROSPACE MECHANICAL SYSTEMS AND SUBSYSTEMS REVIEWER: IS | A | 31GP | 84 | 04-JAN-93 | AV | AS | 99 | |
| | L | | MIL-STD-1604(2) NOTICE 2 | TECHNICAL AND MAINTENANCE OVERHAUL AND REPAIR STANDARDS, PREPARATION OF [VALIDATION DATE: 8204] | A | MISC | OS | 31-JAN-74 | | OS | | |
| | L | | MIL-STD-1605 | PROCEDURES FOR CONDUCTING A SHIPBOARD ELECTROMAGNETIC INTERFERENCE (EMI) SURVEY (SURFACE SHIPS) [VALIDATION DATE: 7810] | A | EMCS | SH | 20-APR '3 | | SH | | |
| | L | | MIL-STD-1606A | TECHNICAL INFORMATION REQUIREMENTS FOR AIR LAUNCHED GUIDED MISSILE PROPOSALS | A | 1410 | AS | 07-SEP-83 | | AS | | |
| | L | | MIL-STD-1607A NOTICE 1 | CHEMICAL CLEANING OF MAIN AND AUXILIARY BOILERS (SULFAMIC-CITRIC ACID METHOD) [VALIDATION DATE: 9201] | A | 4410 | SH | 22-JAN-92 | | SH | | |
| A | | | MIL-STD-1608C(1) NOTICE 1 | PROVISIONS FOR EVALUATING QUALITY OF COATS, WOMEN'S, DRESS REVIEWER: 82 99 MC | A | 8410 | CT | 04-JUN-90 | GL | MU | 11 | CT |
| A | | | MIL-STD-1609C | PROVISIONS FOR EVALUATING QUALITY OF WOMEN'S SKIRTS REVIEWER: 82 99 MC .... | A | 8410 | CT | 21-MAY-90 | GL | MU | 11 | CT |
| | L | | MIL-STD-1610A | MAGNETIC TAPE RECORDER/REPRODUCER FORMATS FOR ASW SENSOR & SYSTEMS DATA REVIEWER: EC MP TD | A | 6625 | SH | 06-JUL-87 | | SH | 99 | |
| A | | | MIL-STD-1611A NOTICE 1 | PROVISIONS FOR EVALUATING QUALITY OF HOODS AND HAVELOCKS, WOMAN S REVIEWER: 99 MC MD | A | 8410 | CT | 25-JAN-88 | GL | MU | 11 | CT |
| A | | | MIL-STD-1612B | PROVISIONS FOR EVALUATING QUALITY OF GLOVES, CLOTH, DRESS USER: CG REVIEWER: 82 99 MC | A | 8440 | CT | 17-OCT-88 | GL | MU | 11 | CT |
| A | | | MIL-STD-1613B | PROVISIONS FOR EVALUATING QUALITY OF GLOVES, LEATHER, DRESS USER: CG REVIEWER: 82 99 MC MD | A | 84GP | CT | 01-MAR-90 | GL | MU | 11 | CT |
| D | L | | MIL-STD-1621A NOTICE 1 | ACOUSTICAL AND VIBRATIONAL STANDARD REFERENCE QUANTITIES [VALIDATION DATE: 9112] USER: CG MC REVIEWER: AS EC OS YD1 | A | ENVR | SH | 11-DEC-91 | | SH | | |
| | L | | MIL-STD-1622A | CLEANING OF SHIPBOARD COMPRESSED AIR SYSTEMS ..... | A | 4310 | SH | 08-JAN-92 | | SH | | |
| D | L | | MIL-STD-1623D NOTICE 1 | FIRE PERFORMANCE REQUIREMENTS AND APPROVED SPECIFICATION FOR INTERIOR FINISH MATERIALS AND FURNISHINGS (NAVAL SHIPBOARD USE) USER: YD1 | A | 19GP | SH | 03-JUL-85 | | SH | | |
| A | L | | MIL-STD-1625C(1) | SAFETY CERTIFICATION PROGRAM FOR DRYDOCKING FACILITIES AND SHIPBUILDING WAYS FOR U.S. NAVY SHIPS | A | 1950 | SH | 30-DEC-92 | | SH | | |
| | L | | MIL-STD-1627B | BENDING OF PIPE OR TUBE FOR SHIP PIPING SYSTEMS ..... | A | 4710 | SH | 02-SEP-81 | | SH | | |
| | L | | MIL-STD-1628 | FILLET WELD SIZE, STRENGTH, AND EFFICIENCY DETERMINATION [VALIDATION DATE: 7911] REVIEWER: GS | A | 3439 | SH | 28-JUN-74 | | SH | | |
| | | | MIL-STD-1629A NOTICE 2 | PROCEDURES FOR PERFORMING A FAILURE MODE, EFFECTS & CRITICALITY ANALYSIS REVIEWER: AR EA OS SH TD | A | RELI | AS | 28-NOV-84 | CR | | 17 | |
| | L | | MIL-STD-1632A | INSERT ARRANGEMENTS FOR MIL-C-28804 HIGH DENSITY, RECTANGULAR, ELECTRICAL CONNECTORS [VALIDATION DATE: 8404] USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MI | A | 5935 | EC | 27-MAR-78 | CR | EC | 85 | |
| | L | | MIL-STD-1633 NOTICE 2 | INTERFACE STANDARD FOR SHIPBOARD EMISSION MONITOR-CONTROL SET, AN/SSQ-82 (V) MUTE SYSTEM | A | 5895 | SH | 29-NOV-91 | | SH | | |
| | | | MIL-STD-1634B NOTICE 2 | MODULE DESCRIPTIONS FOR THE STANDARD ELECTRONIC MODULES PROGRAM REVIEWER: 13 17 19 AS AT AV ES MC MI | A | 5963 | MW | 04-JAN-84 | ER | MW | 85 | |
| | L | | MIL-STD-1635 | RELIABILITY GROWTH TESTING [VALIDATION DATE: 8404] USER: GL REVIEWER: OS SH | A | RELI | EC | 03-FEB-78 | | EC | | |
| | | | MIL-STD-1636 | ADAPTERS, COAXIAL TO WAVEGUIDE SELECTION OF [VALIDATION DATE: 8304] USER: AR MC REVIEWER: 17 99 AV ES MI | A | 5985 | 85 | 22-APR-77 | ER | EC | 85 | |
| | | | MIL-STD-1637B | DUMMY LOADS, ELECTRICAL, WAVEGUIDE, COAXIAL, AND STRIPLINE, SELECTION OF USER: 19 AS AV CG MC REVIEWER: 17 AR ES MI OS SH | A | 5985 | EC | 22-SEP-89 | ER | EC | 85 | |
| | | | MIL-STD-1638A NOTICE 1 | WAVEGUIDE ASSEMBLIES, RIGID AND FLEXIBLE, SELECTION OF [VALIDATION DATE: 8710] USER: 19 AR AS CG MC REVIEWER: 17 99 AV ES MI OS | A | 5985 | EC | 27-OCT-87 | ER | EC | 85 | |
| | | | MIL-STD-1639A NOTICE 1 | POWER DIVIDERS, POWER COMBINERS, AND POWER DIVIDER/COMBINERS, SELECTION OF [VALIDATION DATE: 8710] USER: 19 AS AV CG MC REVIEWER: 17 AR ES MI OS SH | A | 5985 | EC | 27-OCT-87 | ER | EC | 85 | |
| | | | MIL-STD-1640B | MIXER STAGES, FREQUENCY, SELECTION OF [VALIDATION DATE: 8505] USER: 19 AS AV CG MC REVIEWER: 17 85 AR ES MI OS SH | A | 5985 | EC | 07-FEB-85 | ER | EC | 11 | |
| | | | MIL-STD-1646B | SERVICING TOOLS FOR ELECTRIC CONTACTS AND CONNECTIONS, SELECTION AND USE OF USER: 19 AT MC ME REVIEWER: 12 17 AR AV EC ES MI OS SH | A | 5120 | AS | 30-AUG-83 | CR | AS | 85 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-STD-1647C<br>NOTICE 1 | IDENTIFICATION MARKINGS FOR DOMESTICALLY MANUFACTURED BEARINGS, BALL, ANNULAR FOR INSTRUMENTS AND PRECISION COMPONENTS [VALIDATION DATE: 9110] REVIEWER: 84 | A | 3110 | AS | 02-OCT-91 | AT | AS | 99 | |
| L | | | | MIL-STD-1648A<br>NOTICE 1 | CRITERIA & TEST PROCEDURE FOR ORDNANCE EXPOSED TO AN AIRCRAFT FULE FIRE ... | A | SAFT | AS | 10-MAR-83 | | AS | | |
| | | | | MIL-STD-1651A | INSERT ARRANGEMENTS FOR MIL-C-5015, MIL-C-22992 (CLASSES C, J, AND R), AND MIL-C-83723 (SERIES II) ELECTRICAL CONNECTORS REVIEWER: 11 15 17 99 AR EC ES | A | 5935 | AS | 03-APR-92 | CR | AS | 85 | |
| L | | | | MIL-STD-1653A<br>NOTICE 1 | POWER CABLE ASSEMBLIES REVIEWER: GS ..... | A | 6150 | AS | 12-MAR-80 | | AS | | |
| | | | | MIL-STD-1655<br>NOTICE 1 | FITTINGS, FLARELESS, CLASSIFICATION OF DEFECTS OF [VALIDATION DATE: 8707] REVIEWER: 11 MI | A | 4730 | AS | 10-APR-75 | AV | AS | 99 | |
| L | | | | MIL-STD-1656 | VALIDATION PLANS FOR NAVAL ORDNANCE OVERHAUL AND REPAIR ACTIVITIES, PREPARATION OF [VALIDATION DATE: 8204] | A | MISC | OS | 18-SEP-74 | | OS | | |
| | | | | MIL-STD-1657A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION, REQUIREMENTS FOR | A | 1290 | SH | 02-MAY-83 | | SH | | |
| L | | | | MIL-STD-1658(3) | SHIPBOARD GUIDED MISSILE LAUNCHING SYSTEM SAFETY REQUIREMENTS, MINIMUM .... | A | 1440 | OS | 30-JUN-82 | | OS | | |
| L | | | | MIL-STD-1659 | SEALING CONDITION OF AMMUNITION PRIMER TUBE FLASH HOLES [VALIDATION DATE: 8304] | A | 1390 | OS | 20-OCT-76 | | OS | | |
| | | | | MIL-STD-1660(1)<br>NOTICE 2 | DESIGN CRITERIA FOR AMMUNITION UNIT LOADS [VALIDATION DATE: 9103] USER: MC ME MI SH SM REVIEWER: AS | A | 8140 | OS | 13-MAR-91 | AR | OS | 69 | |
| L | | | | MIL-STD-1661 | MARK AND MOD NOMENCLATURE SYSTEM [VALIDATION DATE: 8507] ..... | A | CMAN | OS | 01-AUG-78 | | OS | | |
| L | | | | MIL-STD-1662C | ORDNANCE ALTERATION (ORDALT) INSTRUCTIONS, PREPARATION OF ..... | A | CMAN | OS | 02-MAR-92 | | OS | | |
| | | | | MIL-STD-1663<br>NOTICE 1 | LOADING AND RESTRAINT OF AMMUNITION AND EXPLOSIVES IN COMMERCIAL INTERMODAL CONTAINERS UTILIZING THE INTERNAL RESTRAINT SYSTEM KIT [VALIDATION DATE: 9103] USER: 43 MC SA REVIEWER: AR AS SH | A | 8140 | OS | 13-MAR-91 | SM | OS | 99 | |
| A | L | I | | MIL-STD-1663-1<br>NOTICE 2 | COMMERCIAL CONTAINER LOADING EXPLOSIVE SECTION MK 1 MOD 0 FOR MINE MK 56 MOD 0 IN CRATE MK 101 MOD 0 FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | | OS | | |
| A | L | I | | MIL-STD-1663-2<br>NOTICE 2 | COMMERCIAL CONTAINER LOADING MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 AND MODS FLEET ISSUE UNIT LOAD | A | 8140 | OS | 15-OCT-92 | | OS | | |
| | L | | | MIL-STD-1664A | CONNECTION, ELECTRICAL CLIP TERMINATION ..... | A | 5935 | EC | 19-AUG-81 | | EC | | |
| | | | | MIL-STD-1665(4)<br>NOTICE 6 | TEST EQUIPMENT FOR THE STANDARD ELECTRONIC MODULES PROGRAM REVIEWER: 13 17 19 AS AT AV ES SH | A | 5963 | MW | 23-APR-85 | ER | MW | 85 | |
| A | | | | MIL-STD-1666B | CLASSIFICATION OF DEFECTS FOR EVALUATING QUALITY OF ALUMINIZED FIREMEN'S CLOTHING USER: 45 REVIEWER: MC | A | 8415 | CT | 10-OCT-88 | GL | MU | 99 | CT |
| A | | | | MIL-STD-1667A | PROVISIONS FOR EVALUATING QUALITY OF HOODS, COLD WEATHER, EXTREME COLD WEATHER AND FLYERS USER: 45 REVIEWER: 99 AS MC | A | 8415 | CT | 18-NOV-83 | GL | MU | 11 | CT |
| A | L | | | MIL-STD-1668B | PROVISIONS FOR EVALUATING QUALITY OF CLOTH COVERALLS REVIEWER: 82 99 AS MC MD | A | 8415 | CT | 09-FEB-88 | GL | MU | 11 | CT |
| | | | | MIL-STD-1669 | INSERT ARRANGEMENTS FOR MIL-C-26482 ENVIRONMENT RESISTING, CIRCULAR, ELECTRICAL CONNECTORS [VALIDATION DATE: 8207] USER: AV REVIEWER: 11 17 AR EC MI SH | A | 5935 | CR | 05-SEP-75 | CR | AS | 85 | |
| | | | | MIL-STD-1670A<br>NOTICE 1 | ENVIRONMENTAL CRITERIA AND GUIDELINES FOR AIR-LAUNCHED WEAPONS [VALIDATION DATE: 9110] USER: EC OS REVIEWER: AR CE EA | A | MISC | AS | 23-OCT-91 | AV | AS | 11 | |
| | | | | MIL-STD-1671<br>NOTICE 1 | SCHEMATIC WIRING DIAGRAM (EXTERNAL DC POWER CONNECTOR, AIRCRAFT) [VALIDATION DATE: 8903] REVIEWER: 85 AV | A | MISC | AS | 31-MAR-89 | ME | AS | 11 | |
| | | | | MIL-STD-1672<br>NOTICE 1 | CONNECTOR, UMBILICAL, INSERT ARRANGEMENTS [VALIDATION DATE: 9110] REVIEWER: 11 15 80 AR ES SH | A | 5935 | AS | 23-OCT-91 | CR | AS | 99 | |
| L | | | | MIL-STD-1674<br>NOTICE 1 | INSERT ARRANGEMENTS FOR MIL-C-85028(AS) CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW [VALIDATION DATE: 9110] REVIEWER: EC | A | 5935 | AS | 23-OCT-91 | | AS | | |
| | | | | DOD-STD-1678(1) | FIBER OPTICS TEST METHODS AND INSTRUMENTATION USER: AV OS REVIEWER: 11 13 14 17 80 90 AR EC MI SH | A | 60GP | AS | 26-DEC-84 | CR | AS | 85 | |
| | | | | MIL-STD-1678<br>NOTICE 1 | FIBER OPTICS TEST METHODS AND INSTRUMENTATION [VALIDATION DATE: 8410] REVIEWER: 11 | A | 9999 | AS | 30-NOV-77 | EL | AS | 85 | |
| L | | | | MIL-STD-1681 | FABRICATION, WELDING, AND INSPECTION OF HY-130 SUBMARINE HULL (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTY MUST BE SUBMITTED VIA THE PREPARING ACTY OF THE STANDARD) [VALIDATION DATE: 8104] | A | MISC | SH | 29-MAR-76 | | SH | | |
| L | | | | MIL-STD-1683B | CONNECTORS AND JACKETED CABLE, ELECTRIC, SELECTION STANDARD FOR SHIPBOARD USE | A | 5935 | SH | 31-MAR-89 | | SH | | |
| L | | | | MIL-STD-1684A<br>NOTICE 1 | CONTROL OF HEAT TREATMENT (THIS DOCUMENT SUBJECT TO SPECIAL EXPORT CONTROL RELEASE TO FOREIGN GOVTS/NATIONALS NEED PRIOR APPROVAL OF THE NAVAL SEA SYS COMD) | A | 95GP | SH | 01-NOV-85 | | SH | | |
| A | | | | MIL-STD-1686B | ELECTROSTATIC DISCHARGE CONTROL PROGRAM FOR PROTECTION OF ELECTRICAL AND ELECTRONIC PARTS, ASSEMBLIES AND EQUIPMENT (EXCLUDING ELECTRICALLY INITIATED EXPLOSIVE DEVICES) (METRIC) USER: 69 84 99 AR GL MC SM REVIEWER: 11 15 18 19 AS AT CR EC MI OS SA | A | REL1 | SH | 31-DEC-92 | ER | SH | 17 | |
| L | | | | MIL-STD-1687A | THERMAL SPRAY PROCESSES FOR NAVAL SHIP MACHINERY & ORDNANCE APPLICATIONS .. | A | MFFP | SH | 11-FEB-87 | | SH | | |
| L | | | | MIL-STD-1688A | FABRICATION, WELDING AND INSPECTION OF HY-80/100 SUBMARINE APPLICATIONS ... | A | THJM | SH | 15-DEC-90 | | SH | | |
| L | | | | MIL-STD-1689A | FABRICATION, WELDING, AND INSPECTION OF SHIPS STRUCTURE ..... | A | THJM | SH | 23-NOV-90 | | SH | | |
| D | | | | MIL-STD-1691E | CONSTRUCTION AND MATERIAL SCHEDULE FOR MILITARY MEDICAL AND DENTAL FACILITIES REVIEWER: MB | A | 6530 | YD1 | 01-MAR-91 | MD | YD1 | 03 | |
| D | L | | | MIL-STD-1693A<br>NOTICE 1 | FABRICATION, WELDING AND INSPECTION OF HYPERBARIC CHAMBERS AND OTHER CRITICAL LAND-BASED STRUCTURES [VALIDATION DATE: 8809] | A | THJM | YD1 | 30-SEP-88 | | YD1 | | |
| | L | | | MIL-STD-1605 | ENVIRONMENTS, WORKING, MINIMUM STANDARDS FOR [VALIDATION DATE: 8303] ..... | A | SAFT | AS | 13-SEP-77 | | AS | | |
| | L | | | MIL-STD-1697<br>NOTICE 1 | TAPE, ONE-HALF INCH VIDEO CASSETTE BROADCAST FORMAT [VALIDATION DATE: 8810] | A | 5820 | BC | 03-OCT-88 | | BC | | |
| | L | | | MIL-STD-1698(2) | INSERT ARRANGEMENTS FOR MIL-C-28840(EC) HIGH DENSITY HIGH SHOCK CIRCULAR ELECTRICAL CONNECTORS | A | 5935 | EC | 26-MAY-81 | | EC | | |
| D | L | | | MIL-STD-1699B | NONDESTRUCTIVE EVALUATION OF BUTT WELDS IN CRANE AND RAILROAD RAILS ..... | A | NDTI | YD1 | 17-JUL-92 | | YD1 | | |
| | L | | | DOD-STD-1700<br>NOTICE 1 | DATA MANAGEMENT PROGRAM ..... | A | MISC | MS | 15-MAY-86 | | | | |
| | L | | | DOD-STD-1701 | HARDWARE DIAGNOSTIC TEST SYSTEM REQUIREMENTS ..... | A | ATTS | MS | 10-JUN-85 | | | | MS |
| | | | | DOD-STD-1702 | INTEGRATED LOGISTICS SUPPORT PROGRAMS FOR EQUIPMENT, SUBSYSTEMS, &SYSTEMS (METRIC) | A | MISC | MS | 17-DEC-85 | | | | |
| | L | | | DOD-STD-1703 | SOFTWARE PRODUCT STANDARDS ..... | A | MCCR | MS | 12-FEB-87 | | | | |
| | L | | | MIL-STD-1750A | SIXTEEN-BIT COMPUTER INSTRUCTION SET ARCHITECTURE REVIEWER: 02 90 99 ..... | A | IPSC | 11 | 26-FEB-88 | | | 11 | |
| | L | | | MIL-STD-1751<br>NOTICE 1 | SAFTY & PERFORMANCE TEST FOR QUALIFICATION OF EXPLOSIVES [VALIDATION DATE: 8606] REVIEWER: 18 | A | 13GP | 70 | 20-JUN-86 | | | 99 | |
| | | | | MIL-STD-1753 | FORTRAN, DOD SUPPLEMENT TO AMERICAN NATIONAL STANDARD X3.9-1978 [VALIDATION DATE: 8601] | A | IPSC | 02 | 09-NOV-78 | AD | OM | 02 | |
| | | | | MIL-STD-1754 | FASTENING DEVICES PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8503] USER: 99 MC REVIEWER: AT AV DM EA ER IS MI MS OS SH | A | 5325 | AR | 29-DEC-78 | GL | | | |
| | | | | MIL-STD-1755 | KEYS AND PINS PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8503] USER: MC REVIEWER: EA ER IS MI OS SH | A | 5315 | AR | 15-JAN-79 | AR | | | |
| | | | | MIL-STD-1756 | RING, RETAINING, PREFERRED FOR DESIGN, LISTING OF USER: MC REVIEWER: 99 AS ER IS SH | A | 5365 | AR | 15-JAN-79 | AR | OS | | |
| A | | | | MIL-STD-1757A(2) | LIGHTNING QUALIFICATION TEST TECHNIQUES FOR AEROSPACE VEHICLES AND HARDWARE REVIEWER: 10 13 18 19 85 EC ER MI | A | EMCS | 11 | 31-JAN-93 | AV | AS | 11 | |
| D | L | | | MIL-STD-1758 | INSERT, SCREW THREAD, PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8503] USER: AT EC SH YD1 REVIEWER: AV EA ER IS MI OS | A | 5340 | AR | 15-FEB-79 | | | | |
| D | | | | MIL-STD-1759 | RIVETS AND RIVET TYPE FASTENERS PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8503] USER: GL ME OS YD1 REVIEWER: 99 EA ER IS MI SH | A | 5320 | 11 | 10-JUL-79 | AR | | 11 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MIL-STD-1760B(1) | AIRCRAFT/STORE ELECTRICAL INTERCONNECTION SYSTEM (CONTROLLED DISTRIBUTION) REVIEWER: 15 18 EC MC OS SH TD | A GDRQ 11 | 27-MAR-92 | | AS | 11 | |
| | L | MIL-STD-1761 NOTICE 1 | FASTENER RECESS TEST, METHOD FOR DAMAGE TOLERANCE EVALUATION [VALIDATION DATE: 8809] | A 53GP 11 | 30-SEP-88 | | | 11 | |
| | | MIL-STD-1762 | BEARINGS AND BUSHINGS, PLAIN, PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8503] | A 3120 84 | 20-AUG-79 | AR | | 11 | |
| A | | MIL-STD-1763A(1) | AIRCRAFT/STORES CERTIFICATION PROCEDURES REVIEWER: 11 | A MISC 22 | 15-JUL-92 | AV | AS | 22 | |
| | | MIL-STD-1764 NOTICE 1 | WASHER PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8602] USE: EC ME SH REVIEWER: EA IS MI OS | A 5310 AR | 31-JAN-80 | AR | | | |
| A | | DOD-STD-1766A | NUCLEAR HARDNESS & SURVIVABILITY PROGRAM REQUIREMENTS FOR ICBM WEAPON SYSTEMS REVIEWER: 79 | A EMVR 19 | 01-DEC-86 | | | 19 | |
| A | L | MIL-STD-1767A | PROCEDURES FOR QUALITY ASSURANCE AND CONFIGURATION CONTROL OF ICBM WEAPON SYSTEM TECHNICAL PUBLICATIONS/DATA | A 14GP 19 | 15-JUN-88 | | | 19 | |
| A | L | DOD-STD-1768A | PROCEDURES FOR DEVELOPMENT OF DEPOT TECHNICAL DATA | A MISC 19 | 05-JUN-89 | | | 19 | |
| | L | MIL-STD-1770A NOTICE 1 | QUALITY CONTROL PROCEDURES FOR HIGH DENSITY FUELS GRADES JP-9, JP-10, PF-1 AND RJ-4 AT CONTRACTOR FACILITIES [VALIDATION DATE: 9105] | A 9135 68 | 25-MAY-91 | | | 68 | |
| | | MIL-STD-1771 NOTICE 1 | VALUE ENGINEERING PROGRAM REQUIREMENTS [VALIDATION DATE: 8802] REVIEWER: SH | A MISC 11 | 26-FEB-88 | AR | AS | 11 | |
| | | MIL-STD-1772B | CERTIFICATION REQUIREMENTS FOR HYBRID MICROCIRCUIT FACILITIES AND LINES USER: AS CG MC OS SM REVIEWER: 11 19 85 99 AR ES MI SH | A 5962 17 | 22-AUG-90 | ER | EC | 17 | |
| | L | MIL-STD-1773(1) | FIBER OPTICS MECHANIZATION OF AN AIRCRAFT INTERNAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS | A MCCR 11 | 02-OCT-89 | | | 11 | |
| | | MIL-STD-1774 NOTICE 1 | PROCESS FOR CLEANING HYDRAZINE SYSTEMS AND COMPONENTS [VALIDATION DATE: 8808] REVIEWER: 12 | A 9135 68 | 22-AUG-88 | MI | AS | 68 | |
| | L | MIL-STD-1775 NOTICE 1 | PROPELLANT, HYDRAZINE-UNS-DIMETHYLHYDRAZINE 50/50 BLEND [VALIDATION DATE: 8808] | A 9135 68 | 22-AUG-88 | | | 68 | |
| | | MIL-STD-1776 NOTICE 1 | AIRCREW STATIONS & PASSENGER ACCOMMODATIONS (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) | D GDRQ 11 | 15-APR-86 | | | 11 | |
| | | MIL-STD-1777 | INTERNET PROTOCOL REVIEWER: 11 13 17 99 AD AS MC MD SC | A IPSC DC | 12-AUG-83 | CR | | 90 | DM |
| | | MIL-STD-1778 NOTICE 1 | TRANSMISSION CONTROL PROTOCOL REVIEWER: 11 13 17 99 | A IPSC DC | 26-OCT-83 | CR | | 90 | DM |
| | L | MIL-STD-1779 | INTERFACES FOR HIGH CAPACITY C3 LOCAL AREA NETWORKS [VALIDATION DATE: 8903] | A 5895 17 | 17-MAR-89 | | | 17 | |
| | | MIL-STD-1780 | FILE TRANSFER PROTOCOL REVIEWER: 01 11 13 17 99 AD AS EC MC SA SC | A SLMC DC | 10-MAY-84 | CR | OM | 90 | |
| | | MIL-STD-1781 | SIMPLE MAIL TRANSFER PROTOCOL REVIEWER: 01 02 11 13 17 AD AS MC SA SC | A IPSC DC | 10-MAY-84 | CR | OM | 90 | DC |
| | | MIL-STD-1782 | TELNET PROTOCOL REVIEWER: 01 02 11 13 17 AD AS MC SA SC | A IPSC DC | 10-MAY-84 | CR | OM | 90 | DC |
| | L | MIL-STD-1783 NOTICE 1 | ENGINE STRUCTURAL INTEGRITY PROGRAM (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) | D 2840 11 | 15-APR-86 | | | 11 | |
| | L | MIL-STD-1784 NOTICE 1 | MOBILITY, TOWED & MANUALLY PROPELLED SUPPORT EQUIPMENT (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) | D 1740 11 | 15-APR-86 | | | 11 | |
| | L | MIL-STD-1785 | SYSTEM SECURITY ENGINEERING PROGRAM MANAGEMENT REQUIREMENTS REVIEWER: 11 19 26 | A MISC 10 | 01-SEP-89 | | | 10 | |
| | | MIL-STD-1787 NOTICE 1 | AIRCRAFT DISPLAY SYMBOLOGY (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) | D MFAC 11 | 31-JUL-87 | | | 11 | |
| | | DOD-STD-1788 | AVIONICS INTERFACE DESIGN STANDARD (METRIC) USER: MC REVIEWER: 85 EC MI | A GDRQ 11 | 15-MAY-85 | AV | AS | 11 | |
| | | MIL-STD-1788A | AVIONICS INTERFACE DESIGN STANDARD USER: MC REVIEWER: 85 EC MI | A GDRQ 11 | 31-JUL-89 | AV | AS | 11 | |
| | L | MIL-STD-1789A(1) NOTICE 1 | SOUND PRESSURE LEVELS IN AIRCRAFT (CONTROLLED DISTRIBUTION) | D 15GP 11 | 19-JUL-89 | | | 11 | |
| | L | MIL-STD-1790B | DATA REQUIREMENTS ASSOCIATED WITH TECHNICAL MANUAL ACQUISITION AND MAINTENANCE USER: 11 13 REVIEWER: 10 90 99 | A TMSS 16 | 10-APR-91 | | | 16 | |
| | L | MIL-STD-1791(1) NOTICE 1 | DESIGNING FOR INTERNAL AERIAL DELIVERY IN FIXED WING AIRCRAFT (CONTROLLED DISTRIBUTION) | D 1510 11 | 15-APR-86 | | | 11 | |
| | L | MIL-STD-1792 | FASTENING SYSTEMS, MECHANICAL, AIR VEHICLE | A 5325 11 | 23-DEC-85 | | | 11 | |
| | L | MIL-STD-1793 NOTICE 1 | FLIGHT PERFORMANCE, AIR VEHICLE (REQUEST FORISSUE OTHER DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON RFB OH 45433-6503) | D 1510 11 | 15-APR-86 | | | 11 | |
| A | | MIL-STD-1794 | HUMAN FACTORS ENGINEERING PROGRAM FOR INTERCONTINENTAL BALLISTIC MISSILE SYSTEMS REVIEWER: 02 11 24 MI | A MFAC 19 | 01-OCT-86 | | | 19 | |
| | L | DOD-STD-1795A | LIGHTNING PROTECTION OF AEROSPACE VEHICLES & HARDWARE (CONTROLLED DISTRIBUTION) | B EMCS 11 | 30-MAY-86 | | | 11 | |
| | L | MIL-STD-1795 | LIGHTING PROTECTION OF AEROSPACE VEHICLES AND HARDWARE (CONTROLLED DISTRIBUTION) REVIEWER: 10 AS ER MI NM | D EMCS 11 | 30-MAY-86 | | | 11 | |
| | | MIL-STD-1797A | FLYING QUALITIES OF PILOTED AIRCRAFT (CONTROLLED DISTRIBUTION) | D 15GP 11 | 30-JAN-90 | AV | AS | 11 | |
| A | L | MIL-STD-1798 NOTICE 1 | MECHANICAL EQUIPMENT AND SUBSYSTEMS INTERITY PROGRAM [VALIDATION DATE: 9303] | D GDRQ 11 | 24-MAR-93 | | | 11 | |
| | L | MIL-STD-1799 | SURVIVABILITY, AERONAUTICAL SYSTEMS (FOR COMBAT MISSION EFFECTIVENESS (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) | D 15GP 11 | 01-DEC-86 | | | 11 | |
| | L | MIL-STD-1800A | HUMAN ENGINEERING PERFORMANCE REQUIREMENTS FOR SYSTEMS (ISSUE CONTROLLED) | D MFAC 11 | 10-OCT-90 | | | 11 | |
| | L | MIL-STD-1801 | USER/COMPUTER INTERFACE (CONTROLLED DISTRIBUTION) | B MFAC 11 | 29-MAY-87 | | | 11 | |
| | L | MIL-STD-1803 | SOFTWARE DEVELOPMENT INTEGRITY PROGRAM (SDIP) | D MCCR 11 | 15-DEC-88 | | | 11 | |
| | | MIL-STD-1805A | BREATHING APPARATUS, SELF-CONTAINED, 30 MINUTE | A 4240 84 | 08-APR-91 | | AS | 99 | |
| D | | MIL-STD-1806 | MARKING TECHNICAL DATA PREPARED BY OR FOR THE DEPARTMENT OF DEFENSE USER: 01 13 CG MC ME 02 OS REVIEWER: 11 16 AR AS DH ER SC SH | A MISC 10 | 01-FEB-90 | CR | SA | 10 | DX |
| | L | MIL-STD-1807 | CRASH SURVIVABILITY OF AIRCRAFT PERSONNEL (RELEASE TO OTHER THAN DOD ACTIVITY REQUIRE PRIOR APPROVAL OF ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503 | D 15GP 11 | 01-JUN-90 | | | | |
| A | L | MIL-STD-1808 NOTICE 1 | SYSTEM/SUBSYSTEM/SUBJECT NUMBER (S/S/SN) NUMBERING SYSTEM REVIEWER: 10 11 13 14 15 19 85 91 99 | A TMSS 16 | 28-MAR-97 | | | | |
| | L | MIL-STD-1809 | SPACE ENVIRONMENT FOR USAF SPACE VEHICLES | A 1810 19 | 15-FEB-91 | | | | |
| | L | MIL-STD-1811(1) | MASS PROPERTIES CONTROL FOR SPACE VEHICLES | A 1810 19 | 02-APR-97 | | | | |
| | | MIL-STD-1812 | TYPE DESIGNATION, ASSIGNMENT AND METHOD FOR OBTAINING REVIEWER: 13 15 19 68 99 MI | A MISC 11 | 28-FEB-97 | CR | A | | |
| | L | MIL-STD-1814 | INTEGRATED DIAGNOSTICS (REQUESTS OTHER THAN DOD REFER TO ASD/ENES, WRIGHT-PATTERSON AFB, OH 45433-6503 | D GDRQ 11 | 30-APR-96 | | | | |
| | | MIL-STD-1815A | ADA PROGRAMMING LANGUAGE (ANSI/MIL STD 1815A-1983) | A MCCR 02 | 22-JAN-92 | | | | |
| | | MIL-STD-1816 | PRESERVATION, PACKAGING, AND PACKING OF RUBBER AND NYLON FUEL, OIL, AND WATER-ALCOHOL CELLS REVIEWER: 70 71 80 99 AS ME | A PACK 69 | 20-APR-95 | CR | | | |
| A | L | MIL-STD-1818(2) | ELECTROMAGNETIC EFFECTS REQUIREMENTS FOR SYSTEMS | A EMCS | 25-MAY-95 | | | | |
| A | | MIL-STD-1819 | PERFORMANCE EVALUATION FOR PLASMA SPRAY MASKING TAPE REVIEWER: 71 82 | A MFFP | 15-FEB-95 | MP | | | |
| A | | MIL-STD-1820 | GENERIC TRANSFORMED DATA BASE DESIGN STANDARD | A 69GF | 15-JUL-96 | | | | |
| | L | MIL-STD-1832 | DISKETTE MESSAGE FILE FORMATS FOR DEFENSE MESSAGING REVIEWER: 17 93 DC MS OM SC | A IPSC | 15-MAR-96 | | | | |
| | L | MIL-STD-1833 | TEST REQUIREMENTS FOR GROUND EQUIPMENT AND ASSOCIATED COMPUTER SOFTWARE SUPPORTING VEHICLES | A | | | | | |
| A | | MIL-STD-1835(2) | MICROCIRCUIT CASE OUTLINES USER: AS CG OS SH SM REVIEWER: 19 85 99 AR ES MC MI | A | 15-MAY-95 | | | | |
| A | | MIL-STD-1836 | STANDARDIZATION & CONTROL PROGRAM FOR PARTS, MATERIALS & PROCESSES FOR INTERCONTINENTAL BALLISTIC MISSILE WEAPON SYSTEMS | A | 15-JUL-96 | | | | |
| | | MIL-STD-1837B | MISCELLANEOUS ELECTRICAL AND ELECTRONIC COMPONENTS, SELECTION GUIDE REVIEWER: 99 ES ME MI | | | | | | |
| | | DOD-STD-1838 | COMMON ADA PROGRAMMING SUPPORT ENVIRONMENT (APSE) INTERFACE SET USER: DM REVIEWER: 17 AR SH TD | A | 15-JUL-96 | | | | |

| Action | OPR / Old Coordination Inactive | Document Number | Document Title | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MIL-STD-1838A | COMMON ADA PROGRAMMING SUPPORT ENVIRONMENT (APSE) INTERFACE SET (CAIS) USER: DH OM REVIEWER: 17 AV SH TD | A NCCR 02 06-APR-89 | CR | EC | 10 | |
| | | MIL-STD-1839A | CALIBRATION AND MEASUREMENT REQUIREMENTS REVIEWER: 11 13 14 15 16 AR AT AV CR EC MC MM SC SH | A QCIC 30 28-OCT-88 | MI | OS | 30 | |
| D | | MIL-STD-1840B | AUTOMATED INTERCHANGE OF TECHNICAL INFORMATION USER: 11 13 17 18 19 60 79 99 AL AT AV EC ER GL ME MI MR SH TE TM YD1 REVIEWER: 01 02 AM AS OS SA | A IPSC 80 03-NOV-92 | CR | SH | 24 | BM |
| | | DOD-STD-1842 | INSERT ARRANGEMENTS FOR DOD-C-83527 RACK TO PANEL CONNECTORS (METRIC) REVIEWER: 11 15 17 99 AR EC ES MC MI OS | A 5935 85 15-MAY-89 | CR | [illegible] | 85 | |
| L | | MIL-STD-1843 | RELIABILITY-CENTERED MAINTENANCE FOR AIRCRAFT, ENGINES AND EQUIPMENT REVIEWER: 11 13 14 15 17 | A ILSS 24 08-FEB-[illegible] | | | 24 | |
| A L | | MIL-STD-1844(1) | GAS CHROMATOGRAPHY METHOD FOR DETERMINATION OF TRACE CHLORINATED SOLVENTS IN HYDRAULIC FLUID | A 9150 68 15-JAN | | | 68 | |
| L | | MIL-STD-1857 NOTICE 1 | GROUNDING, BONDING AND SHIELDING DESIGN PRACTICES (VALIDATION DATE: 8809) . | A EMCS CR 19-SEP-[illegible] | CR | | | |
| | | MIL-STD-1858 NOTICE 1 | IMAGE INTENSIFIER ASSEMBLIES, PERFORMANCE PARAMETERS OF (VALIDATION DATE: 8604) | A 5855 CR 28-APR-[illegible] | CR | | | |
| | | MIL-STD-1859 | THERMAL IMAGING DEVICES, PERFORMANCE PARAMETERS OF (VALIDATION DATE: 8804) | A 5855 CR 28-APR-86 | CR | | | |
| | | MIL-STD-1860 | BATTERIES, NON-RECHARGEABLE SELECTION AND USE OF USER: 85 ME REVIEWER: AR AT CR EC GS | A 6135 ER 21-DEC-88 | ER | SH | | |
| | | MIL-STD-1861 | ELECTRICAL AND ELECTRONIC ASSEMBLIES, BOARDS, CARDS, AND ASSOCIATED HARDWARE, SELECTION AND USE OF REVIEWER: 11 17 99 ME MI SL | A 5998 ER 23-AUG-89 | ER | EC | 85 | |
| | | MIL-STD-1862B | NEBULA INSTRUCTION SET ARCHITECTURE USER: 85 ME REVIEWER: AR AT EC GS ..... | A IPSC CR 03-JAN-83 | CR | | 10 | |
| | | MIL-STD-1863A NOTICE 1 | INTERFACE DESIGNS & DIMENSION FOR FIBER OPTIC INTERCONNECTION DEVICES USER: 14 AV MC REVIEWER: 11 13 19 AR AS MI OS | A 6060 CR 10-JUN-86 | CR | EC | 85 | |
| D | | MIL-STD-1864A | FIBER OPTIC SYMBOLS USER: MC OS YD1 REVIEWER: 99 AR EC ER ES SH ..... | A 6059 CR 14-FEB-91 | CR | AS | 85 | |
| | | DOD-STD-1866 NOTICE 1 | SOLDERING PROCESS GENERAL (NON ELECTRICAL) (METRIC) ..... | A SOLD AT 21-AUG-81 | AT | | 99 | |
| L | | MIL-STD-1869(1) NOTICE 1 | TURBINE BLADES AND VANES, CAST; ACCEPTANCE CRITERIA FOR ..... | A 2835 AT 13-MAY-91 | AT | | | |
| | | MIL-STD-1871 | ROTOR, TURBINE, CAST MATERIAL ACCEPTANCE CRITERIA FOR ..... | A 2835 AT 20-APR-83 | AT | | | |
| L | | MIL-STD-1873A | MASS FINISHING, PROCESS FOR ..... | A MFFP AT 05-JUN-85 | AT | | | |
| L | | MIL-STD-1875 | ULTRASONIC INSPECTION, REQUIREMENTS FOR ..... | A NDTI AT 15-APR-83 | AT | | | |
| L | | MIL-STD-1879 | COMPRESSOR ROTOR BLAD ES, GAS TURBINE TANK ENGINE, PROCESSING, I NSPECTION, & IDENTIFI CATION OF | A NDTI AT 02-MAY-83 | AT | | | |
| L | | MIL-STD-1884A | COATING, PLASMA SPRAY DEPOSITION ..... | A MFFP AT 31-OCT-91 | AT | | | |
| L | | MIL-STD-1886 | TUNGSTEN CARBIDE-COBALT COATING, DETONATION PROCESS FOR ..... | A MFFP AT 23-MAR-92 | AT | | | |
| L | | MIL-STD-1890A | WELDED JOINTS, INSPECTION OF ..... | A NDTI AT 21-NOV-91 | AT | | | |
| L | | MIL-STD-1891 | BOLTS AND SCREWS, INSPECTION OF ..... | A NDTI AT 10-JAN-92 | AT | | | |
| L | | MIL-STD-1893 | CLEANING ELECTROCHEMICALLY MACHINED NICKEL BASE ALLOY SURFACES, PROCESS FOR (METRIC) | A MFFP AT 14-AUG-91 | AT | | | |
| | | MIL-STD-1894A | REFERENCE STANDARDS & RADIOGRAPHIC PROCEDURES FOR PARTIAL PENETRATION STEEL WELDS REVIEWER: AR | A NDTI AT 17-OCT-86 | AT | | 11 | |
| L | | MIL-STD-1895A | REFERENCE STANDARDS + RADIOGRAPHIC PROCEDURES FOR PARTIAL PENETRATION ALUMINUM WELDS | A NDTI AT 20-OCT-86 | AT | | | |
| L | | MIL-STD-1897(1) | CASTINGS, INVESTMENT, TOLERANCES FOR ..... | A MECA AT 17-APR-91 | AT | | | |
| | | MIL-STD-1899 | PRESSURE TESTING, 10 PSI THROUGH 200 PSI ..... | A NDTI AT 04-JUN-87 | AT | | | |
| | | MIL-STD-1901 | MUNITION ROCKET AND MISSILE MOTOR IGNITION SYSTEM DESIGN, SAFETY CRITERIA FOR REVIEWER: 18 99 AS MI | A 13GP AR 22-JAN-92 | AR | OS | 11 | |
| | | MIL-STD-1903 | NUTS PREFERRED FOR DESIGN LISTING OF USER: MC ME MS REVIEWER: 11 17 AS AT AV GL IS SH | A 5310 AR 26-AUG-88 | AR | | 99 | |
| L | | MIL-STD-1904A | DESIGN AND TEST REQUIREMENTS FOR LEVEL A AMMUNITION PACKAGING ..... | A 8140 AR 01-APR-92 | AR | | | |
| L | | MIL-STD-1905A | DESIGN AND TEST REQUIREMENTS FOR LEVEL B AND LEVEL C AMMUNITION PACKAGING . | A 8140 AR 01-APR-92 | AR | | | |
| | | MIL-STD-1907(1) | INSPECTION, LIQUID PENETRANT AND MAGNETIC PARTICLE, SOUNDNESS REQUIREMENTS FOR MATERIALS, PARTS AND WELDMENTS USER: AL AT OS REVIEWER: 24 70 80 82 84 AR ME TM | A NDTI MI 22-MAR-90 | MR | AS | 11 | |
| D | | MIL-STD-1908 | DEFINITIONS OF HUMAN FACTORS TERMS USER: AL YD1 REVIEWER: 13 15 19 24 AR AT AV CR EA EC ER GL MC MD ME MR OS PE SH TD TE TM | A HFAC MI 24-DEC-92 | MI | AS | 11 | |
| L | | MIL-STD-1941(4) NOTICE 4 | METAL-ARC WELDING OF HOMOGENEOUS ARMOR USER: AL REVIEWER: AR AT ME TE ..... | A THJM MR 01-AUG-91 | MR | | | |
| | | MIL-STD-1942A | FLEXURAL STRENGTH OF HIGH PERFORMANCE CERAMICS AT AMBIENT TEMPERATURE REVIEWER: 99 GL GS SH | A 9390 MR 08-NOV-90 | MR | AS | 11 | |
| | | MIL-STD-1943 | WELDING REPAIR OF STEEL CASTINGS (OTHER THAN ARMOR) METAL-ARC, MANUAL USER: AT ME MI | A THJM MR 05-FEB-85 | MR | | | |
| | | MIL-STD-1944 | POLYMER MATRIX COMPOSITES USER: 79 MI SH REVIEWER: 70 84 99 AT AV ME ..... | A 9330 MR 10-JUN-85 | MR | | 11 | |
| | | MIL-STD-1945 NOTICE 1 | GLOSSARY OF TERMS AND DEFINITIONS FOR ACOUSTIC EMISSION TESTING PROCEDURES (VALIDATION DATE: 9102) USER: 80 AL MI REVIEWER: 70 71 82 99 AR AT AV OS | A NDTI MR 26-FEB-91 | MR | AS | 11 | |
| L | | MIL-STD-1946A(1) | WELDING OF ALUMINUM ALLOY ARMOR USER: ME MI REVIEWER: AR AT ..... | A THJM MR 05-JAN-90 | MR | | | |
| L | | MIL-STD-1947 | ULTRASONIC WELDING OF ALUMINUM AND ALUMINUM ALLOY MATERIALS ..... | A THJM MR 15-MAY-85 | MR | | | |
| | | MIL-STD-1948 NOTICE 1 | GLOSSARY OF TERMS AND DEFINITIONS FOR NEUTRON RADIOGRAPHIC TESTING (VALIDATION DATE: 9102) USER: EA MI OS REVIEWER: 24 70 71 80 82 AR AV ME SH | A NDTI MR 26-FEB-91 | MR | AS | 11 | |
| | | MIL-STD-2000A | STANDARD REQUIREMENTS FOR SOLDERED ELECTRICAL AND ELECTRONIC ASSEMBLIES USER: AV MC REVIEWER: 15 17 19 84 AR CR DH EC ER ES MR OS TD | A SOLD AS 14-FEB-91 | MI | AS | 11 | |
| | | DOD-STD-2000-1B(1) NOTICE 1 | SOLDERING TECHNOLOGY, HIGH QUALITY/HIGH RELIABILITY USER: AV MC REVIEWER: 15 17 19 20 99 AR DH ER ES MR OS | A SOLD AS 10-JUN-86 | MI | AS | 10 | |
| | | DOD-STD-2000-2A | PART & COMPONENT MOUNTING FOR HIGH QUALITY/HIGH RELIABILITY SOLDERED ELECTRICAL & ELECTRONIC ASSEMBLIES USER: AV DH MC REVIEWER: 11 15 17 19 84 AR CR EC ER ES MR OS | A SOLD AS 20-NOV-86 | MI | AS | 10 | NS |
| | | DOD-STD-2000-3A | CRITERIA FOR HIGH QUALITY/HIGH RELIABILITY SOLDERING TECHNOLOGY USER: AV REVIEWER: 11 15 17 19 84 AR CR EC ER ES MR OS | A SOLD AS 30-APR-87 | MI | AS | 10 | NS |
| | | DOD-STD-2000-4A | GENERAL PURPOSE SOLDERING REQUIREMENTS FOR ELECTRICAL & ELECTRONIC EQUIPMENT USER: AV DH MC REVIEWER: 11 15 17 84 99 AR CR EC ER ES MR OS | A SOLD AS 01-OCT-87 | MI | AS | 10 | |
| D | | MIL-STD-2001 | MANUALS, TECHNICAL, SYSTEMS OPERATOR S INTERFACE: PROCEDURES FOR WRITING USER: YD1 REVIEWER: AS CS EC TD | A TMSS MC 14-JAN-87 | TM | MC | | |
| | | MIL-STD-2002 | DOCUMENT INTERCHANGE FORMAT REVIEWER: 11 MT MC SA ..... | A IPSC OM 31-OCT-87 | SC | OM | 90 | |
| L | | DOD-STD-2003(1) NOTICE 1 | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES (CONTROLLED DISTRIBUTION) | B GDRQ SH 17-DEC-90 | | SH | | |
| L | | DOD-STD-2003-1(1) NOTICE 1 | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS AND SUBMARINES (CABLE) SECTION 1 OF 5 SECTIONS (CONTROLLED DISTRIBUTION) | B GDRQ SH 17-DEC-90 | | SH | | |
| L | | DOD-STD-2003-2(1) NOTICE 1 | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS AND SUBMARINES (EQUIPMENT) SECTIONS 2 OF 5 SECTIONS (CONTROLLED DISTRIBUTION) | B GDRQ SH 17-DEC-90 | | SH | | |
| L | | DOD-STD-2003-3(1) NOTICE 1 | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES (PENETRATIONS) SECTION 3 OF 5 SECTIONS (CONTROLLED DISTRIBUTION) | B GDRQ SH 17-DEC-90 | | SH | | |
| L | | DOD-STD-2003-4 NOTICE 1 | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS & SUBMARINES (CABLEWAYS) SEC 4 OF 5 (CONTROLLED DISTRIBUTION) | B GDRQ SH 24-JUN-87 | | SH | | |
| L | | DOD-STD-2003-5(1) NOTICE 1 | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES (CONNECTORS) SECTION 5 OF 5 SECTIONS (CONTROLLED DISTRIBUTION) | B GDRQ SH 17-DEC-90 | | SH | | |
| | | MIL-STD-2031 | FIRE AND TOXICITY TEST METHODS AND QUALIFICATION PROCEDURE FOR COMPOSITE MATERIAL SYSTEMS USED IN HULL, MACHINERY, AND STRUCTURAL APPLICATIONS INSIDE NAVAL SUBMARINES | A CMPS SH 26-FEB-91 | MR | SH | | |
| L | | MIL-STD-2032 | EDDY CURRENT INSPECTION OF HEAT EXCHANGER TUBING ON SHIPS OF THE UNITED STATES NAVY | A NDTI SH 14-SEP-90 | | SH | | |
| L | | MIL-STD-2035 | NONDESTRUCTIVE TESTING ACCEPTANCE CRITERIA ..... | A NDTI SH 04-JUL-91 | | SH | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-STD-2036 | GENERAL REQUIREMENTS FOR ELECTRONIC EQUIPMENT SPECIFICATIONS ..... | A | GDRQ | SH | ER | 18-JUN-91 | SH | 11 | | |
| L | MIL-STD-2037(1) | PROCEDURE TO OBTAIN CERTIFICATION FOR ELECTRIC MOTOR SEALED INSULATION SYSTEMS | A | 6105 | SH | | 23-OCT-91 | SH | | | |
| | MIL-STD-2038 | REQUIREMENTS FOR EMPLOYING STANDARD POWER SUPPLIES REVIEWER: AV GS ..... | A | 6130 | SH | ER | 29-NOV-91 | SH | 99 | | |
| L | MIL-STD-2039 | FIELD CHANGES AND FIELD CHANGE KITS PREPARATION OF ..... | A | TMSS | SH | | 07-FEB-92 | SH | | | |
| L | MIL-STD-2040 | TUG REQUIREMENTS FOR HANDLING U.S. NAVY SHIPS ..... | A | 1925 | SH | | 03-MAR-92 | SH | | | |
| L | MIL-STD-2046 | MARKING SYSTEM, PHOTOLUMINESCENT ..... | A | 4240 | SH | | 22-MAY-92 | SH | | | |
| | MIL-STD-2065 | TEST METHODS FOR STILL PHOTOGRAPHIC EQUIPMENT (LESS OPTICS) [VALIDATION DATE: 8303] | A | 67GP | AS | EL | 01-JUL-77 | AS | 99 | | |
| L | MIL-STD-2066 NOTICE 1 | CATAPULTING & ARRESTING GEAR FORCING FUNCTIONS FOR AIRCRAFT STRUCTURAL DESIGN | A | 1510 | AS | | 08-MAR-82 | AS | | | |
| L | MIL-STD-2067 | AIRCREW AUTOMATED ESCAPE SYSTEMS RELIABILITY AND MAINTAINABILITY (R/M) PROGRAM REQUIREMENTS FOR [VALIDATION DATE: 8509] | A | 1680 | AS | | 17-OCT-78 | AS | | | |
| | MIL-STD-2069 | REQUIREMENTS FOR AIRCRAFT NONNUCLEAR SURVIVABILITY PROGRAM ..... | A | 15GP | AS | | 24-AUG-81 | AS | | | |
| L | MIL-STD-2071 NOTICE 1 | TESTING OF CHAFF RADAR CROSS-SECTION [VALIDATION DATE: 9110] ..... | A | MISC | AS | | 23-OCT-91 | AS | | | |
| | MIL-STD-2072 | SURVIVABILITY, AIRCRAFT, ESTABLISHMENT AND CONDUCT OF PROGRAMS FOR [VALIDATION DATE: 8302] | A | 15GP | AS | | 25-AUG-77 | AS | | | |
| D | MIL-STD-2073-1B | DOD MATERIEL PROCEDURES FOR DEVELOPMENT AND APPLICATION OF PACKAGING REQUIREMENTS (PART 1 OF 2 PARTS) REVIEWER: 10 11 13 18 19 AT AV CR CS EC ES GL GS IP ME OS PS SA SH YD1 | A | PACK | AS | | 21-JUN-91 | SH AS | 69 | DH | |
| D | MIL-STD-2073-2C | PACKAGING REQUIREMENT CODES (PART 2 OF 2 PARTS) REVIEWER: 10 11 13 99 AL AR CR CS EC ES GS IP MC ME MI OS PS SA YD1 | A | PACK | AS | | 21-JUN-91 | SH AS | 69 | DH | |
| L | MIL-STD-2074 | FAILURE CLASSIFICATION FOR RELIABILITY TESTING [VALIDATION DATE: 8410] USER: GL REVIEWER: SH | A | RELI | AS | | 15-FEB-78 | AS | | | |
| L | MIL-STD-2076 NOTICE 1 | UNIT UNDER TEST COMPATIBILITY WITH AUTOMATIC TEST EQUIPMENT GENERAL REQUIREMENTS FOR [VALIDATION DATE: 9110] | A | MISC | AS | | 02-OCT-91 | AS | | | |
| L | MIL-STD-2077B | GENERAL REQUIREMENTS TEST PROGRAM SETS ..... | A | ATTS | AS | | 22-APR-91 | AS | | | |
| L | MIL-STD-2078 | REQUIREMENT FOR PREPARATION OF SUPPORT EQUIPMENT DEPOT LEVEL REWORK STANDARDS | A | MISC | AS | | 14-DEC-81 | AS | | | |
| L | MIL-STD-2081 NOTICE 1 | ASSEMBLY PROCEDURES, GIMBAL [VALIDATION DATE: 9110] ..... | A | 1420 | AS | | 02-OCT-91 | AS | | | |
| L | MIL-STD-2082A(1) NOTICE 1 | ASSEMBLY PROCEDURES, GYRO ..... | A | 1420 | AS | | 14-SEP-90 | AS | | | |
| L | MIL-STD-2084 NOTICE 2 | GENERAL REQUIREMENTS FOR MAINTAINABILITY OF AVIONIC AND ELECTRONIC SYSTEMS AND EQUIPMENT [VALIDATION DATE: 9107] | A | MNTY | AS | | 12-JUL-91 | AS | | | |
| | MIL-STD-2088 | BOMB RACK UNIT (BRU), AIRCRAFT, GENERAL DESIGN CRITERIA FOR ..... | A | 1095 | AS | | 20-FEB-81 | AV AS | 18 | | |
| | MIL-STD-2089 | AIRCRAFT NONNUCLEAR SURVIVABILITY TERMS ..... | A | 15GP | AS | | 21-JUL-81 | AV AS | 11 | | |
| L | MIL-STD-2093 NOTICE 1 | RELIABILITY PROCEDURES FOR PRODUCTION OF GUIDANCE AND CONTROL SECTION FOR GUIDED MISSILE AIM/RIM-7M [VALIDATION DATE: 9110] | A | 1430 | AS | | 02-OCT-91 | AS | | | |
| L | MIL-STD-2094 NOTICE 1 | MISSILE GUIDANCE SET, AIM/RIM-7M, FIRST ARTICLE TESTS [VALIDATION DATE: 8703] | A | 1425 | AS | | 19-MAR-87 | AS | | | |
| L | MIL-STD-2095 NOTICE 1 | MISSILE GUIDANCE SET, AIM/RIM-7M, PRODUCTION VERIFICATION TEST ..... | A | 1425 | AS | | 29-JUL-80 | AS | | | |
| | MIL-STD-2096A | MICROCIRCUIT DATA REQUIREMENTS REVIEWER: EC SA SH ..... | A | EDS | AS | | 20-NOV-86 | AS | | | |
| | MIL-STD-2097A | ACQUISITION OF SUPPORT EQUIPMENT AND ASSOCIATED INTEGRATED LOGISTICS SUPPORT REVIEWER: CL DH EC MC MP SA SC TD WS | A | ILSS | AS | | 02-JUN-89 | TM AS | 10 | | |
| | MIL-STD-2098 | ORDNANCE PREPARATION AND APPLICATION OF INTUMESCENT SHEET, TYPE III ..... | A | 8010 | AS | | 02-JUN-80 | AS | | | |
| L | MIL-STD-2100 | PROPELLANT, SOLID, CHARACTERIZATION OF (EXCEPT GUN PROPELLANT) [VALIDATION DATE: 8501] | A | 1376 | OS | | 30-MAR-79 | OS | | | |
| L | DOD-STD-2101 | CLASSIFICATION OF CHARACTERISTICS [VALIDATION DATE: 8510] ..... | A | QCIC | OS | | 10-MAY-79 | OS | | | |
| L | MIL-STD-2102A NOTICE 2 | AIRCREW ESCAPE PROPULSION SYSTEMS: VIBRATION AND SHOCK TESTS FOR [VALIDATION DATE: 9108] REVIEWER: AS | A | 1377 | OS | | 14-AUG-91 | OS | | | |
| L | MIL-STD-2105A | HAZARD ASSESSMENT TESTS FOR NON-NUCLEAR MUNITIONS REVIEWER: AS ..... | A | SAFT | OS | | 08-MAR-91 | OS | | | |
| L | DOD-STD-2106 | DEVELOPMENT OF SHIPBOARD INDUSTRIAL TEST PROCEDURES ..... | A | QCIC | OS | | 31-JUL-86 | OS | | | |
| L | DOD-STD-2107 | PRODUCT ASSURANCE PROGRAM REQUIREMENTS FOR CONTRACTORS ..... | A | QCIC | OS | | 08-JUL-86 | OS | | | |
| L | MIL-STD-2110 NOTICE 1 | RESTORATION, OVERHAUL, AND REPAIR OF ELECTRONIC EQUIPMENT [VALIDATION DATE: 8601] | A | MISC | EC | | 18-DEC-86 | EC | | | |
| L | MIL-STD-2111(1) | BOTTLE ASSEMBLIES, VACUUM, AIRCRAFT [VALIDATION DATE: 8601] ..... | A | TMSS | EC | | 24-JUL-86 | EC | | | |
| | MIL-STD-2113A NOTICE 1 | RADIO FREQUENCY CIRCULATORS AND ISOLATORS, SELECTION OF ..... | A | 5985 | EC | ER | 18-SEP-89 | EC | 85 | | |
| | MIL-STD-2114 | ELECTRO ACOUSTICAL, MECHANICAL AND ENVIRONMENTAL TEST METHODS FOR AUDIO OR ACOUSTICAL COMPONENT PARTS USER: 19 AT MC REVIEWER: AS ES MS SH | A | 5965 | EC | CR | 23-OCT-80 | EC | 85 | | |
| | MIL-STD-2115 | AUDIO DEVICES & COMPONENTS, SELECTION & USE OF REVIEWER: 11 99 AR CE ES MI SH | A | 5965 | EC | CR | 25-MAR-82 | EC | 85 | | |
| | MIL-STD-2117 | COMMUNICATIONS, DIGITAL CONTROL AND STATUS INFORMATION INTERCHANGE STANDARD | A | TCTS | EC | | 27-FEB-81 | EC | | | |
| A | MIL-STD-2118 NOTICE 1 | FLEXIBLE & RIGID FLEX PRINTED WIRING FOR ELECTRONIC EQUIPMENT DESIGN REQUIREMENTS FOR USER: 19 AS CG MC REVIEWER: 11 16 99 AR ES MI OS SH | A | 5999 | 8S | ER | 12-MAY-86 | EC | 17 | | |
| | MIL-STD-2119A | DESIGN REQUIREMENTS FOR PRINTED-WIRING ELECTRICAL BACKPLANE ASSEMBLIES USER: AS CG MC REVIEWER: ES OS | A | 5998 | MW | ER | 19-FEB-90 | MW | 8S | | |
| A | MIL-STD-2120 NOTICE 1 | CONNECTORS, ELECTROMAGNETIC INTERFERENCE (EMI) FILTER CONTACT [VALIDATION DATE: 9206] REVIEWER: AS ES MC TD | A | 5935 | EC | CR | 03-JUN-92 | EC | 85 | | |
| L | MIL-STD-2121A | DETERMINATION OF ELECTRONIC TEST EQUIPMENT PARAMETERS USER: AS OS ..... | A | 6625 | SH | | 09-JUN-92 | SH | | | |
| | MIL-STD-2124A NOTICE 1 | FLIGHT DATA RECORDER, FUNCTIONAL STANDARDS FOR REVIEWER: 80 ..... | A | 5835 | AS | AV | 02-JUL-84 | AS | 99 | | |
| | MIL-STD-2126A | REDUCED SMOKE ROCKET MOTOR PROCESSING & TEST PROCEDURES (SIDEWINDER) (REQ FOR ISSUE MUST BE SENT VIA COMMANDER, NAVAIRSYSCOM (PMA-259), WASH D.C. 20361-1259 | D | 1340 | AS | | 02-OCT-86 | AS | | | |
| L | MIL-STD-2128 | AIRCRAFT INVENTORY RECORD ..... | A | ILSS | AS | | 23-JUN-87 | AS | | | |
| L | MIL-STD-2131A | LAUNCHER, EJECTION, GUIDED MISSILE, AIRCRAFT, GENERAL DESIGN CRITERIA FOR . | A | 1440 | AS | | 16-DEC-91 | AS | | | |
| L | MIL-STD-2132A NOTICE 1 | NONDESTRUCTIVE EXAMINATION REQUIREMENTS FOR SPECIAL APPLICATIONS (CONTROLLED DISTRIBUTION) | F | NDTI | SH | | 15-MAR-85 | SH | | | |
| L | DOD-STD-2133(1) NOTICE 1 | CABLE ARRANGEMENT FOR MINIMUM STRAY MAGNETIC FIELD (METRIC) REVIEWER: CR .. | A | 6145 | SH | | 22-AUG-88 | SH | | | |
| L | DOD-STD-2134 | STORAGE BATTERY ARRANGEMENT FOR MINIMUM STRAY MAGNETIC FIELD (METRIC) [VALIDATION DATE: 8904] | A | 6140 | SH | | 21-APR-89 | SH | | | |
| | DOD-STD-2136 NOTICE 1 | STANDARD PROCEDURE FOR THE METALLURGICAL EXAMINAT OF GAS TURBINE HOT SECTION AIRFOIL COMPONENTS FOR HOT CORROSION DEGRADATION (METRIC) [VALIDATION DATE: 8801] | A | 2835 | SH | | 11-JAN-88 | SH | | | |
| L | DOD-STD-2137 | MASS PROPERTIES TECHNICAL REQUIREMENT FOR SURFACE SHIPS (METRIC) ..... | A | MISC | SH | | 13-APR-82 | SH | | | |
| L | MIL-STD-2138A | METAL SPRAYED COATINGS FOR CORROSION PROTECTION ABOARD NAVAL SHIPS (METRIC) | A | MFFP | SH | | 13-MAY-92 | SH | | | |
| | DOD-STD-2139 NOTICE 2 | SHIP INFORMATION BOOK, PREPARATION OF (METRIC) ..... | A | TMSS | SH | | 02-FEB-88 | SH | | | |
| | DOD-STD-2140 | MACHINERY ALTERATION (MACHALT) INSTRUCTIONS, PREPARATION OF (METRIC) ..... | A | CMAN | SH | | 20-OCT-82 | | | | |
| L | DOD-STD-2141 NOTICE 1 | DEFINITIONS AND SYSTEMS OF UNITS, MAGNETIC SILENCING (METRIC) [VALIDATION DATE: 8902] | A | 1905 | SH | | 16-FEB-89 | SH | | | |
| L | DOD-STD-2142A | MAGNETIC SILENCING CHARACTERISTICS, MEASUREMENT OF (METRIC) ..... | A | 1905 | SH | | 06-AUG-90 | SH | | | |
| L | MIL-STD-2142A | MAGNETIC SILENCING CHARACTERISTICS, MEASUREMENT OF (METRIC) ..... | A | 1905 | SH | | 06-AUG-90 | SH | | | |
| L | DOD-STD-2143 | MAGNETIC SILENCING REQUIREMENTS FOR THE CONSTRUCTION OF NONMAGNETIC SHIPS & CRAFT (METRIC) | A | 1905 | SH | | 01-JUN-83 | SH | | | |
| L | DOD-STD-2144 NOTICE 1 | INDUCTION CLUTCHES, LOW MAGNETIC FIELD DESIGN OF (METRIC) [VALIDATION DATE: 8902] | A | 2010 | SH | | 06-FEB-89 | SH | | | |

| Action | CSR / CSR Classification Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | DOD-STD-2146 | DISCONNECT SWITCH BOXES, CONTACTOR PANELS AND SWITCHBOARDS, LOW MAGNETIC FIELD DESIGN OF (METRIC) [VALIDATION DATE: 8910] | A | 6110 | SH | 03-OCT-89 | | | SH | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | DOD-STD-2146 | DIRECT CURRENT GENERATORS AND MOTORS, LOW STRAY MAGNETIC FIELD, DESIGN OF (METRIC) [VALIDATION DATE: 8902] | A | 6115 | SH | 16-FEB-89 | | | SH | | |
| | L | MIL-STD-2148 | VIBRATION DAMPING MATERIALS, PROCEDURES FOR INSTALLATION, MAINTENANCE, AND REPAIRS [VALIDATION DATE: 8910] | A | 93GP | SH | 03-OCT-89 | | | SH | | |
| | | NOTICE 1 | | | | | | | | | | |
| N | L | MIL-STD-2149A(1) | EXPLOSION TESTING FERROUS AND NON-FERROUS METALLIC MATERIALS AND WELDMENTS, STANDARD PROCEDURES FOR | A | THJM | SH | 05-APR-93 | | | SH | | |
| | L | DOD-STD-2150 | SHIP SPACE CLASSIFICATION SYSTEM | A | 1990 | SH | 23-MAR-84 | | | SH | | |
| | L | MIL-STD-2150A | SHIP COMPARTMENT NOMENCLATURE AND SPACE CLASSIFICATION SYSTEM | A | 1990 | SH | 28-SEP-89 | | | SH | | |
| | L | MIL-STD-2151 | INCLINED LADDER TREAD TEST METHODS AND EQUIPMENT FOR WEAR, SLIP-RESISTANCE AND IMPACT [VALIDATION DATE: 9103] | A | 2040 | SH | 21-MAR-91 | | | SH | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | MIL-STD-2154 | INSPECTION, ULTRASONIC, WROUGHT METALS, PROCESS FOR | A | NDTI | AS | 30-SEP-82 | MR | AS | | | 11 |
| | | MIL-STD-2155 | FAILURE REPORTING, ANALYSIS & CORRECTIVE ACTION SYSTEM | A | RELI | AS | 24-JUL-85 | | AS | | | |
| | L | MIL-STD-2156 | LAUNCHER, RAIL, GUIDED MISSILE, AIRCRAFT, GENERAL DESIGN CRITERIA FOR | A | 1440 | AS | 20-DEC-85 | | AS | | | |
| | | NOTICE 1 | | | | | | | | | | |
| N | L | MIL-STD-2161A | PAINT SCHEMES AND EXTERIOR MARKINGS FOR U.S. NAVY AND MARINE CORPS AIRCRAFT | A | MFFP | AS | 01-MAY-93 | | AS | | | |
| | | MIL-STD-2162 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE SELECTION OF USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH | A | 5985 | EC | 27-JUL-83 | ER | EC | | | 85 |
| A | | MIL-STD-2163C | INSERT ARRANGEMENTS FOR MIL-C-28876 CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI USER: OS REVIEWER: 17 19 80 ES MC MI | A | 6060 | SH | 16-FEB-93 | CR | SH | | | 85 |
| | L | MIL-STD-2164 | ENVIRONMENTAL STRESS SCREENING PROCESS FOR ELECTRONIC EQUIPMENT | A | RELI | EC | 14-APR-85 | | | | | |
| A | | MIL-STD-2165A | TESTABILITY PROGRAM FOR SYSTEMS AND EQUIPMENTS | A | ATTS | SH | 01-FEB-93 | CR | SH | | | 17 |
| | | MIL-STD-2166 | CONNECTION, ELECTRICAL, COMPLAINT PIN USER: 19 CG MC MI REVIEWER: 11 85 99 AR AS ES SH | A | 5935 | EC | 05-DEC-84 | CR | EC | | | 17 |
| | | DOD-STD-2167A | DEFENSE SYSTEM SOFTWARE DEVELOPMENT USER: 02 17 26 AS AV CR MC MI OM SC SH TD | A | MCCR | EC | 28-FEB-88 | AR | EC | | | 10 |
| A | | DOD-STD-2168 | DEFENSE SYSTEM SOFTWARE QUALITY PROGRAM REVIEWER: 02 14 15 17 23 AS AV MC MI OM SC SH TD | A | QCIC | AR | 29-APR-88 | AR | EC | | | 10 |
| | L | DOD-STD-2169 | HIGH ALTITUDE ELECTROMAGNETIC PULSE (HEMP) ENVIRONMENT (U) (CLASSIFIED) | A | EMCS | DS | 17-JUN-85 | | | | | |
| | L | MIL-STD-2172 | AERONAUTICAL EQUIPMENT SERVICE RECORD [VALIDATION DATE: 9110] | A | 76GP | AS | 09-OCT-91 | | AS | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MIL-STD-2173(1) | RELIABILITY-CENTERED MAINTENANCE REQUIREMENTS FOR NAVAL AIRCRAFT, WEAPONS SYSTEMS AND SUPPORT EQUIPMENT | A | ILSS | AS | 31-DEC-89 | | AS | | | |
| | | NOTICE 1 | | | | | | | | | | |
| D | | MIL-STD-2175 | CASTING, CLASSIFICATION & INSPECTION OF USER: ME YD1 REVIEWER: 70 71 80 82 84 AR EA IS MI OS SH | A | NDTI | AS | 12-OCT-84 | MR | AS | | | 11 |
| | L | MIL-STD-2177 | DEPOT REWORK SPECIFICATION, AIR-LAUNCHED WEAPONS, ARMAMENT, ORDNANCE, MISSILE LAUNCHERS, & PECULIAR SUPPORT EQUIPMENT, PREPARATION OF | A | SDMP | AS | 07-FEB-89 | | | | | |
| | | MIL-STD-2179B | HELICAL DIGITAL RECORDING FORMAT FOR 19-MM MAGNETIC TAPE CASSETTE RECORDER/REPRODUCERS REVIEWER: EC MC MS SH | A | 5895 | AS | 14-DEC-90 | CR | AS | | | 99 |
| | L | DOD-STD-2182 | ENGINEERING CHROMIUM PLATING (ELECTRODEPOSITED FOR REPAIR OF SHAFTING (METRIC) | A | MFFP | SH | 29-JAN-85 | | SH | | | |
| | L | DOD-STD-2183 | BOND TESTING, BABBITT-LINED BEARINGS [VALIDATION DATE: 9103] | A | 3120 | SH | 26-MAR-91 | | SH | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | L | MIL-STD-2184 | PROCEDURES FOR INSTALLATION, INSPECTION, MAINTENANCE, AND REPAIR OF-ABSORBER, REFLECTOR, AND DECOUPLER ACOUSTIC MATERIALS (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA PREP ACT - COMD., NAVSEASYSCOM, SEA 55Z3, DEPT OF NAVY, WASH DC 20362-5 | D | 5640 | SH | 04-NOV-85 | | SH | | | |
| | L | DOD-STD-2185 | REQUIREMENTS FOR REPAIR AND STRAIGHTENING OFBRONZE NAVAL SHIP PROPELLERS | A | 2010 | SH | 28-OCT-86 | | SH | | | |
| | L | DOD-STD-2186 | REAL-TIME OUTFITTING MANAGEMENT INFORMATION SYSTEM, GENERAL REQUIREMENTS FOR | A | ILSS | SH | 09-APR-87 | | SH | | | |
| A | L | MIL-STD-2186A | REAL-TIME OUTFITTING MANAGEMENT INFORMATION SYSTEM, GENERAL REQUIREMENTS FOR | A | ILSS | SH | 04-JAN-93 | | SH | | | |
| | L | DOD-STD-2187 | CHEMICAL CLEANING OF SALT WATER PIPING SYSTEMS (METRIC) | A | 4710 | SH | 20-AUG-87 | | SH | | | |
| | L | MIL-STD-2187 | CHEMICAL CLEANING OF SALT WATER PIPING SYSTEMS (METRIC) | A | 4710 | SH | 17-AUG-87 | | SH | | | |
| | L | DOD-STD-2188 | BABBITTING OF BEARING SHELLS (METRIC) | A | 3120 | SH | 01-APR-87 | | SH | | | |
| | L | MIL-STD-2189 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS | A | 1990 | SH | 13-NOV-87 | | SH | | | |
| | L | MIL-STD-2189-100 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 100-1 REINFORCEMENT OF OPENINGS IN STRUCTURE OF SURFACE SHIPS OTHER THAN IN PROTECTIVE PLATING | A | 1990 | SH | 22-JAN-88 | | SH | | | |
| | L | MIL-STD-2189-100-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 100-1 REINFORCEMENT OF OPENINGS IN STRUCTURE OF SURFACE SHIPS OTHER THAN IN PROTECTIVE PLATING | A | 1990 | SH | 22-JAN-88 | | SH | | | |
| | L | MIL-STD-2189-200-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 200-1 CALCULATION OF SURFACE SHIP ENDURANCE FUEL REQUIREMENTS | A | 1990 | SH | 08-JUL-88 | | SH | | | |
| | L | MIL-STD-2189-302-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 302-1 AC MOTOR AND CONTROLLER APPLICATION REQUIREMENTS | A | 1990 | SH | 21-MAR-88 | | SH | | | |
| | | MIL-STD-2189-305 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 305-1 DESIGNATION & MARKING OF ELECTRIC SYSTEM | A | 1990 | SH | 07-APR-88 | | | | | |
| | L | MIL-STD-2189-305-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 305-1 DESIGNATION AND MARKING OF ELECTRIC SYSTEM | A | 1990 | SH | 07-APR-88 | | SH | | | |
| | L | MIL-STD-2189-310-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 310-1 ELECTRIC SYSTEM LOAD AND POWER ANALYSIS FOR SURFACE SHIPS | A | 1990 | SH | 11-JAN-88 | | SH | | | |
| | | MIL-STD-2189-314 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS (SECTION 314-4) 400 HERTZ POWER SYSTEM TEST PROCEDURE | A | 1990 | SH | 02-FEB-88 | | SH | | | |
| | L | MIL-STD-2189-314-4 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 314-4 400 HERTZ POWER SYSTEM TEST PROCEDURE | A | 1990 | SH | 02-FEB-88 | | SH | | | |
| | L | MIL-STD-2189-562-2 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 562-2 CONTROL SURFACE STRUCTURE DESIGN | A | 1990 | SH | 02-JUN-92 | | SH | | | |
| | | MIL-STD-2189-672 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 672-1 CALCULATION OF STOREROOM CAPACITY | A | 1990 | SH | 30-MAR-88 | | | | | |
| | L | MIL-STD-2189-672-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 672-1 CALCULATION OF STOREROOM CAPACITIES | A | 1990 | SH | 24-DEC-87 | | SH | | | |
| | L | MIL-STD-2190 | NON-METALLIC SEAL MATERIALS (CONTROLLED DISTRIBUTION) | F | 9330 | SH | 15-SEP-87 | | SH | | | |
| A | L | MIL-STD-2191 | REPAIR WELDING, WELD CLADDING, STRAIGHTENING, AND COLD ROLLING OF MAIN PROPULSION SHAFTING | A | 2010 | SH | 05-NOV-92 | | SH | | | |
| | L | MIL-STD-2192 | NICKEL-CHROMIUM-IRON ALLOY MICROSTRUCTURE PROCEDURE REQUIREMENTS & ACCEPTANCE CRITERIA (CONTROLLED DISTRIBUTION) | B | NDTI | SH | 05-OCT-87 | | SH | | | |
| | L | MIL-STD-2193A | HYDRAULIC SYSTEM COMPONENTS, SHIP | A | 4810 | SH | 29-AUG-91 | | SH | | | |
| | L | MIL-STD-2194 | INFRARED THERMAL IMAGING SURVEY PROCEDURE FOR ELECTRICAL EQUIPMENT | A | 5855 | SH | 12-FEB-88 | | SH | | | |
| | L | MIL-STD-2195 | INSPECTION PROCEDURE FOR DETECTION AND MEASUREMENT OF DEALLOYING CORROSION ON ALUMINUM BRONZE AND NICKEL-ALUMINUM BRONZE COMPONENTS | A | NDTI | SH | 28-APR-89 | | SH | | | |
| | L | MIL-STD-2196 | GLOSSARY, FIBER OPTICS | A | 60GP | SH | 12-JAN-89 | | SH | | | |
| | L | MIL-STD-2197 | BRUSH ELECTROPLATING ON MARINE MACHINERY | A | MFFP | SH | 28-MAR-89 | | SH | | | |
| | | MIL-STD-2198 | DESIGN REQUIREMENTS FOR METAL ELECTRICAL BACKPLANE ASSEMBLIES REVIEWER: ES | A | 5998 | MW | 26-FEB-90 | ER | MW | | | 85 |
| | L | MIL-STD-2199 | GLASS REINFORCED PLASTIC COVERINGS FOR PROPELLER SHAFTING (METRIC) | A | 9330 | SH | 11-MAY-90 | | SH | | | |
| | | MIL-STD-2200 | REQUIREMENTS FOR EMPLOYING STANDARD ENCLOSURE SYSTEMS REVIEWER: CG | A | 5975 | MW | 29-NOV-91 | ER | MW | | | 85 |
| D | | MIL-STD-2202 | ENERGY MONITORING AND CONTROL SYSTEMS, FACTORY TESTS | A | ATTS | YD1 | 29-MAY-87 | CE | YD1 | | | 04 |
| D | | MIL-STD-2203 | ENERGY MONITORING AND CONTROL SYSTEMS, PERFORMANCE VERIFICATION AND ENDURANCE TESTS | A | ATTS | YD1 | 29-MAY-87 | CE | YD1 | | | 04 |
| A | | MIL-STD-2204 | SURVIVABLE ADAPTABLE FIBER OPTIC EMBEDDED NETWORK (SAFENET) REVIEWER: 02 17 21 23 26 AC CG ET IE SC TD TM | A | MCCR | EC | 31-OCT-92 | ER | EC | | | 10 |
| N | L | MIL-STD-2217(1) | MEMORY LOADER/VERIFIER MULTIPLEX BUS INTERFACE WITH AVIONIC SYSTEMS, REQUIREMENTS FOR | A | GDRQ | AS | 28-MAY-93 | | AS | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-STD-2218 | THERMAL DESIGN, ANALYSIS, AND TEST PROCEDURES FOR AIRBORNE ELECTRONIC EQUIPMENT | A | GDRQ | | AS | 20-MAY-92 | CR | AS | 11 | |
| | | | | MIL-STD-2219 | FUSION WELDING FOR AEROSPACE APPLICATIONS REVIEWER: 70 71 82 84 99 MI MR .. | A | THJM | | AS | 30-DEC-88 | AV | AS | 11 | |
| | | | | MIL-STD-2220 | INTERFACE SPECIFICATIONS FOR TARGET AUXILIARY AND AUGMENTATION SYSTEMS, PREPARATION OF | A | 1550 | | AS | 11-FEB-88 | | | | |
| A | L | | | MIL-STD-2222 | INTERFACE CONTROL DOCUMENTATION FOR AVIONIC SYSTEMS ..... | A | GDRQ | | AS | 12-AUG-92 | | AS | | |
| A | | | | MIL-STD-2223 | TEST METHODS FOR INSULATED ELECTRIC WIRE REVIEWER: AR ..... | A | 6145 | | AS | 31-AUG-92 | CR | AS | 85 | |
| A | | | | MIL-STD-5400 | ELECTRONIC EQUIPMENT, AIRBORNE, GENERAL REQUIREMENTS FOR REVIEWER: 15 17 19 AR AV EC ES MI | A | GDRQ | | AS | 15-JUN-92 | CR | AS | 11 | |
| | | | | MIL-STD-6866 NOTICE 1 | INSPECTION, LIQUID PENETRANT (VALIDATION DATE: 8910) USER: MI REVIEWER: 68 82 99 AR EA GS OS SH | A | MDTI | | 11 | 04-OCT-89 | MR | AS | 11 | |
| | | | | DOD-STD-7935A | DOD AUTOMATED INFORMATION SYSTEMS (AIS) DOCUMENTATION STANDARDS ..... | A | IPSC | | SC | 31-OCT-88 | SC | OM | 90 | DH |
| A | | | | MIL-STD-11991(1) | ELECTRICAL, ELECTRONIC, AND ELECTRO-MECHANICAL EQUIPMENT, GUIDED MISSILE AND ASSOCIATED WEAPON SYSTEMS, GENERAL STANDARD FOR THE DESIGN OF REVIEWER: AV ES | A | 1430 | | MI | 30-SEP-92 | MI | | 11 | |
| | | | | MIL-STD-14882 | TIRE, PNEUMATIC, AIRCRAFT, 36 X 11, 24 PR REVIEWER: CS ..... | A | 2620 | | AS | 23-AUG-85 | | AS | | |
| | L | | | MIL-STD-40000 | PARTS CONTROL PROGRAM FOR NONDEVELOPMENTAL ITEMS (NDIS) ..... | A | MISC | | AT | 30-APR-91 | AT | | | |
| | L | | | MIL-STD-40001A | PREPARATION OF FINAL INSPECTION RECORD (FIR) ..... | A | QCIC | | AT | 23-MAY-91 | AT | | | |
| | L | | | MIL-STD-40002 | HEAT TREATMENT CODING SYSTEM, GENERAL ..... | A | MFFP | | AT | 19-NOV-91 | AT | | | |
| | L | | | MIL-STD-40006 | CHROMIUM PLATE; VISUAL INSPECTION OF (METRIC) ..... | A | MDTI | | AT | 04-OCT-91 | AT | | | |
| | L | | | MIL-STD-40007 | RIVETS, SOLID, INSTALLATION OF ..... | A | 5320 | | AT | 20-SEP-91 | AT | | | |
| | L | | | MIL-STD-40008 | PNEUMATIC PRESSURE TESTING PARTS WITH PERMANENT JOINTS: WELDS, BRAZES, AND RIVETS (METRIC) | A | QCIC | | AT | 10-SEP-91 | AT | | | |
| | L | | | MIL-STD-40009 | CLEANING AND PASSIVATION, PROCESS FOR (AM350 AND AM355 STAINLESS STEELS) .. | A | MFFP | | AT | 08-NOV-91 | AT | | | |
| | | | | MIL-STD-45662A | CALIBRATION SYSTEMS REQUIREMENTS REVIEWER: AR AS AV DH EC ME SH SS ..... | A | QCIC | | MI | 01-AUG-88 | MI | OS | 06 | |
| A | L | | | MIL-STD-91621 | PRINCIPLES OF INSPECT, REPAIR ONLY AS NECESSARY (IROAN) PROCEDURES AND PREPARATION OF IROAN PUBLICATIONS | A | SDMP | | MC | 02-NOV-92 | | MC | | |
| | L | | | MIL-STD-600001 | MAPPING, CHARTING & GEODESY ACCURACY REVIEWER: 09 CE MO ..... | A | MCGT | | MP | 26-FEB-90 | | | | |
| | L | | | MIL-STD-600002 | DEPARTMENT OF DEFENSE DMA STOCK NUMBER BAR CODING REVIEWER: 09 MO PO ..... | A | MCGT | | MP | 22-AUG-90 | | | | MP |
| | | | | MIL-STD-600005 | MAPPING, CHARTING & GEODESY REPRODUCTION AND PRINTING REVIEWER: PO ..... | A | MCGT | | MP | 30-AUG-90 | | MO | 09 | |
| | L | | | MIL-STD-600006 | VECTOR PRODUCT FORMAT REVIEWER: 09 MO ..... | A | MCGT | | MP | 13-APR-92 | | | | |
| | L | | | MIL-STD-600010 | DEPARTMENT OF DEFENSE DMA STOCK NUMBER BAR CODING REVIEWER: 09 CE MO ..... | A | MCGT | | MP | 22-AUG-90 | | | | |
| | L | | | MIL-STD-600011 | DMA SINGLE COLOR OVERPRINT LIMITED REVISION UPDATES (SCO) REVIEWER: 09 MC MO | A | MCGT | | MP | 18-MAR-92 | | | | |

| Action | Qtr. / Qtrly. Coordination Inactive | Document Number | Document Title | Dist. Symbol FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | A-A-1C | RACKS, WEARING APPAREL, STEEL | A 7195 # FSS | 14-JUL-89 | | | | |
| | | A-A-2A | ELECTROGRAPHIC PAPER | A 6750 # | 01-JUN-81 | | | | |
| | | A-A-3 | CLEANING COMPOUND, PORCELAIN & CERAMIC TILE, ACID TYPE | A 7930 # | 10-APR-80 | | | | |
| | | A-A-5A | DISHWASHING COMPOUND, HAND (BUILT DETERGENT; FLAKE, GRANULAR OR BEAD | A 7930 # | 01-APR-84 | | | | |
| | | A-A-7B | CLEANING COMPOUND, SOLVENT-DETERGENT (ALKALINE CLEANER-DEGREASER FOR OVENS, GRILLS AND WASHABLE SURFACES | A 7930 # | 03-APR-84 | | | | |
| | | A-A-8 | SHELLAC VARNISH | A 8010 # | 17-SEP-79 | | | | |
| | | A-A-11 | CLEANING COMPOUND, SEPTIC TANK (ENZYME BACTERIA TYPE FOR DRAINS) | A 7930 # | 29-JUN-81 | | | | |
| | | A-A-12 | FLOOR CLEANING & POLISHING COMPOUND | A 7930 # | 06-MAR-80 | | | | |
| | | A-A-14 | SCOURING POWDER (GLASS CLEANING) | A 7930 # | 27-MAR-80 | | | | |
| | | A-A-15 | POLISH, AUTOMOBILE (LIQUID & PASTE) | A 7930 # | 23-APR-81 | | | | |
| | | A-A-16 | CLEANING COMPOUND, ACID PIPELINE (SULFURIC ACID, FOR INDUSTRIAL USE) | A 6850 # | 13-OCT-81 | | | | |
| | | A-A-17 | DETERGENT, LABORATORY GLASSWARE | A 7930 # | 06-MAY-80 | | | | |
| | | A-A-18A | SHAVING CREAM | A 8520 # | 09-DEC-79 | | | | |
| | | A-A-19B | SCALE REMOVING COMPOUND (POWER, SULFAMIC ACID | A 6850 # | 22-OCT-81 | | | | |
| | | A-A-21A | STAIN REMOVER, TABLEWARE (OXYGEN RELEASING TYPE) [VALIDATION DATE: 9201] | A 7930 # FSS | 27-JAN-92 | | | | |
| | | NOTICE 1 | | | | | | | |
| | | A-A-22 | SHAMPOO (ANTIDANDRUFF) | A 8520 # | 28-NOV-79 | | | | |
| | | A-A-23 | POLISH, SHOE, PASTE | A 7930 # | 07-FEB-80 | | | | |
| | | A-A-24 | DUST MOP TREATING COMPOUND | A 7930 # | 15-OCT-79 | | | | |
| | | A-A-28A | HOLDER, LABEL, DESK TRAY, WOOD | A 7510 # FSS | 15-MAY-90 | | | | |
| A | | A-A-29A | BOX, FILING, LETTER | A 7520 # FSS | 02-JAN-92 | | | | |
| | | A-A-31 | CLEANING COMPOUND, RUG & UPHOLSTERY SURFACE USER: MS SH REVIEWER: 03 MD | A 7930 * | 10-JUN-81 | | | | |
| | | A-A-39A | DETERGENT, GENERAL PURPOSE (HARD SURFACE CLEANER; LIQUID; CONCENTRATED) | A 7930 # | 05-APR-84 | | | | |
| | | A-A-40A | GLASS CLEANER, LIQUID (SPRAY AND AEROSOL) | A 7930 # | 18-SEP-80 | | | | |
| | | A-A-41 | SODIUM CARBONATE, ANHYDROUS | A 6810 # | 25-AUG-80 | | | | |
| | | A-A-42A | TALCUM POWDER REVIEWER: DS | A 8510 # | 09-NOV-79 | | | | |
| | | A-A-43A | SOAP, GRIT (PASTE WITH MINERAL SCRUBBER) | A 8520 # | 14-APR-80 | | | | |
| | | A-A-44 | SOAP, SCRUBBING, ALKALINE (POWDER) | A 7930 # | 19-SEP-79 | | | | |
| | | A-A-45 | SOAP, SCOURING (CAKE) | A 7930 # | 16-SEP-80 | | | | |
| | | A-A-46A | SOAP, GRIT (CAKE PUMICE SOAP) | A 8520 # | 27-NOV-79 | | | | |
| | | A-A-47 | SCOURING POWDER | A 7930 # | 31-AUG-79 | | | | |
| | | A-A-48 | SOAP, TOILET (MILLED CAKE) | A 8520 # | 21-SEP-79 | | | | |
| | | A-A-49 | SOAP, TOILET (WHITE FLOATING CAKE) | A 8520 # | 25-SEP-79 | | | | |
| | | A-A-50 | SOAP, TOILET (POWDERED) | A 8520 # | 15-NOV-79 | | | | |
| | | A-A-51 | SOAP, TOILET (FOR SOFT AND HARD WATER USE) | A 8520 # | 04-SEP-79 | | | | |
| | | A-A-52A | LANTERN, ELECTRIC (WARNING FLASHER & CONCENTRATED BEAM) | A 6230 * | 13-FEB-81 | | | | |
| | | A-A-54 | LANTERN, ELECTRIC, SINGLE CONCENTRATED LIGHT BEAM | A 6230 # | 26-SEP-79 | | | | |
| | | A-A-55A | LANTERN, ELECTRIC (FLOATING, CONCENTRATED BEAM, WITH WARNING FLASHER) | A 6230 # | 28-JUL-81 | | | | |
| | | A-A-56 | STENOTYPE MACHINE PAPER (PAPER SHORTHAND MACHINE) | A 7530 # | 22-OCT-79 | | | | |
| | | A-A-56(11) | STENOTYPE MACHINE PAPER (PAPER, SHORTHAND MACHINE) | A 7530 # FSS | 20-APR-89 | | | | |
| | | A-A-57 | ABSORBENT STENCIL FILING WRAPPER | A 7530 # | 21-FEB-80 | | | | |
| | | A-A-57(11) | ABSORBENT STENCIL FILING WRAPPER | A 7530 # FSS | 20-APR-89 | | | | |
| | | A-A-59A | TOOTHBRUSH, CHILD S (MULTITUFT) | A 8530 # | 30-NOV-79 | | | | |
| | | A-A-65A | PUNCH, PAPER (OFFICE TYPE), LIGHT DUTY | A 7520 # | 14-NOV-86 | | | | |
| | | A-A-65A(11) | PUNCH, PAPER (OFFICE TYPE), LIGHT DUTY | A 7520 # FSS | 07-DEC-89 | | | | |
| | | A-A-66 | PUNCH, PAPER, HAND HELD (HEAVY DUTY) | A 7520 # | 06-MAR-80 | | | | |
| | | A-A-67 | PUNCH, PAPER, HAND HELD (2 INCH REACH) | A 7520 # | 07-FEB-80 | | | | |
| M | | A-A-68B | DISPENSER, GUMMED TAPE, ELECTRICALLY OPERATED (DUAL PRESET) | A 7520 # FSS | 25-FEB-92 | | | | |
| A | | A-A-72B | CRAYON, MARKING, LUMBER | A 7510 # FSS | 05-JUN-92 | | | | |
| | | A-A-73 | HAIRBRUSH, SYNTHETIC | A 8530 # | 15-MAY-80 | | | | |
| M | | A-A-75A | COMBS, HAIR (PLASTIC) | A 8530 # FSS | 31-MAR-93 | | | | |
| M | | A-A-78C | DISPENSER, GUMMED TAPE (TEAR OFF TYPE) | A 7520 # FSS | 25-FEB-92 | | | | |
| M | | A-A-79C | DISPENSER, GUMMED TAPE (AUTOMATIC TYPE) | A 7520 # FSS | 25-FEB-92 | | | | |
| | | A-A-80D | CHALK, MARKING, COLORED | A 7510 # | 09-JAN-80 | | | | |
| | | A-A-81A | DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (HAND HELD) | A 7520 # | 21-SEP-79 | | | | |
| M | | A-A-82A | DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (COUNTER TYPE FOR 3 INCH TAPE) | A 7520 # FSS | 25-FEB-93 | | | | |
| M | | A-A-83A | DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (COUNTER TYPE FOR 2-INCH TAPE) | A 7510 # FSS | 25-FEB-92 | | | | |
| | | A-A-84A | DISPENSER, PRESSURE SENSITIVE ADHESIVER TAPE (DESK OR COUNTER TYPE) | A 7520 # | 10-NOV-79 | | | | |
| | | A-A-85B | DESPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (DESK TYPE) | A 7520 # | 10-NOV-79 | | | | |
| | | A-A-87B | PENCILS, WAX CHINA AND GLASS MARKING SPIRAL-PAPER-FORM | A 7520 % FSS | 20-FEB-90 | | | | |
| | | A-A-91B | APRON, FOOD HANDLERS | A 8415 # | 21-MAR-80 | | | | |
| | | A-A-93 | CLEANER & POLISH, HARD SURFACES REVIEWER: GS | A 7930 * | 21-OCT-81 | | | | |
| | | A-A-94A | STARCH, LAUNDRY | A 7930 # | 13-DEC-79 | | | | |
| | | A-A-96 | CLEANING COMPOUND, OVEN (AEROSOL) | A 7930 # | 08-OCT-79 | | | | |
| | | A-A-97 | DEODORANT, GENERAL PURPOSE (CONCENTRATED, WICK BOTTLE) | A 6840 # | 10-JAN-80 | | | | |
| | | A-A-98 | DEODORANT, GENERAL PURPOSE (CONCENTRATED) | A 6840 # | 10-JAN-80 | | | | |
| | | A-A-103 | TOOTH POWDER | A 8520 # | 06-SEP-79 | | | | |
| | | A-A-104 | TOOTHPASTE | A 8520 # | 13-OCT-82 | | | | |
| | | A-A-105A | POLISH, METAL, BRASS | A 7930 * SH | 04-FEB-91 | GL | SH | 69 | |
| | | A-A-106A | HAND CLEANER (PADS) | A 8520 # FSS | 05-JUN-91 | | | | |
| | | A-A-109 | TENT, WALL TYPE | A 8340 # | 18-SEP-79 | | | | |
| A | | A-A-110A | BOX, FILING, STEEL | A 7520 # FSS | 19-JUN-92 | | | | |
| | | A-A-112A | FILE, HORIZONTAL, DESK | A 7520 # FSS | 22-FEB-82 | | | | |
| | | A-A-113C | TAPE, PRESSURE-SENSITIVE ADHESIVE REVIEWER: DS | A 7510 # FSS | 15-FEB-89 | | | | |
| | | A-A-114 | SOCK, COTTON | A 8440 # | 09-NOV-79 | | | | |
| | | A-A-116 | RULE, LINE GUIDE | A 7510 # | 09-NOV-79 | | | | |
| | | A-A-117D | PROTECTOR, DOCUMENT (BINDER FILLER) | A 7510 # FSS | 31-DEC-90 | | | | |
| | | A-A-118 | TOWELS AND TOWELING, COTTON FOR GLASSWARE | A 7210 # | 06-JAN-80 | | | | |
| | | A-A-119B | PIN, SAFETY REVIEWER: CT | A 8315 # FSS | 09-SEP-91 | | | | |
| | | A-A-123B | TOOTHBRUSH, ADULT'S (MULTITUFT) | A 8530 # FSS | 15-JAN-86 | | | | |
| | | A-A-125B | RINGS, LOOSE-LEAF BINDER | A 7510 % FSS | 01-NOV-89 | | | | |
| | | A-A-127A | BOOKREST | A 7520 # FSS | 22-JAN-90 | | | | |
| | | A-A-128A | POCKET PLANNING SET | A 7510 # FSS | 30-JAN-91 | | | | |
| | | A-A-129 | PADS, DESK | A 7520 # | 12-OCT-79 | | | | |
| | | A-A-129(11) | PADS, DESK | A 7520 # FSS | 20-APR-89 | | | | |
| | | A-A-130 | STENCIL SET, MARKING | A 7520 # | 12-OCT-79 | | | | |
| | | A-A-131A | RUBBER BANDS | A 7510 # FSS | 17-NOV-88 | | | | |
| | | A-A-132A | ERASERS | A 7510 # FSS | 07-NOV-88 | | | | |
| | | A-A-132A(11) | ERASERS | A 7510 # FSS | 24-SEP-90 | | | | |
| M | | A-A-134B | FINGER PADS, RUBBER | A 7510 # FSS | 29-MAR-93 | | | | |
| M | | A-A-135B | OPENER, LETTER, HAND (METAL) | A 7520 # FSS | 22-APR-92 | | | | |
| | | A-A-136A | HOLDER, TELEPHONE RECEIVER | A 7520 # FSS | 02-APR-91 | | | | |
| M | | A-A-137A | MOISTENER, PAPER SEALING, FOUNTAIN-TYPE | A 7520 # FSS | 14-APR-92 | | | | |
| | | A-A-138A | STYLUS, DUPLICATING STENCIL | A 7510 # | 09-SEP-81 | | | | |
| | | A-A-140 | CLOTH, DENIM, COTTON | A 8305 # | 27-SEP-79 | | | | |
| M | | A-A-142B | CORRECTABLE TYPEWRITER RIBBONS (HIGH YIELD) | A 7510 # FSS | 02-MAR-92 | | | | |
| | | A-A-146 | SOAP, GRIT (CAKE PUMICE SOAP) | A 8520 # | 03-JUL-79 | | | | |
| | | A-A-148B | BAG, PLASTIC (SANDWICH) | A 8105 # FSS | 04-FEB-91 | | | | |
| | | A-A-150 | CLOTH, COATED (WINDOW SHADE) | A 8305 # | 30-JAN-81 | | | | |
| A | | A-A-153 | DRAWERS, MENS | A 8420 / CT | 31-MAR-81 | GL | MU | 99 | CT |
| | | A-A-156B | BAG, PAPER (HARDWARE) | A 8105 # | 07-DEC-83 | | | | |
| | | A-A-156B(11) | BAG, PAPER (HARDWARE) | A 8105 # FSS | 14-OCT-88 | | | | |
| | | A-A-157C | SACK, SHIPPING, PAPER (REINFORCED) | A 8105 # FSS | 27-DEC-89 | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | A-A-1578(11) | SACKS, SHIPPING, PAPER (REINFORCED) | A | 8105 | # | FSS | 14-OCT-88 | | | | |
| | | | | A-A-1600 | SACK, SHIPPING, PAPER (CUSHIONED) | A | 8105 | # | FSS | 12-DEC-89 | | | | |
| | | | | A-A-1600(11) | SACKS, SHIPPING, PAPER (CUSHIONED) | A | 8105 | # | FSS | 14-OCT-88 | | | | |
| | | | | A-A-162 | CLOTH, CLEANING (NONWOVEN) | A | 7920 | # | | 20-APR-81 | | | | |
| | | | | A-A-163 | PILLOWCASE AND COVER, HEADREST (DISPOSABLE) | A | 7210 | # | | 27-SEP-79 | | | | |
| | | | | A-A-164A | COVER, BEDDING (FLAME RESISTANT) | A | 7210 | # | | 16-JAN-81 | | | | |
| | | | | A-A-168 | CLOTH, POLISHING (FOR ELECTRICAL CONTACT SURFACES) | A | 7920 | # | | 17-APR-81 | | | | |
| | | | | A-A-169 | CALCIUM CHLORIDE, TECHNICAL | A | 6810 | % | FSS | 22-MAY-81 | | | | |
| | | | | A-A-175A | POST, LEDGER AND BINDER, SCREW TYPE | A | 7510 | # | FSS | 15-FEB-91 | | | | |
| | | | | A-A-177A | DICTIONARY, ENGLISH, TYPE II (MINIMUM 150,000 ENTRIES) | A | 7610 | # | | 10-JAN-80 | | | | |
| | | | | A-A-179 | PAD, DESK, PAPERBOARD | A | 7520 | # | | 12-OCT-79 | | | | |
| | L | | | A-A-180B | TAPE, PRESSURE-SENSITIVE ADHESIVE, DOUBLE-COATED REVIEWER: DS | A | 7510 | # | FSS | 02-FEB-89 | | | | |
| | | | | A-A-181 | MINING TRANSIT BOOK | A | 7530 | # | | 19-SEP-80 | | | | |
| | | | | A-A-182 | BASKET, WASTEPAPER, METAL, OFFICE AND LOBBY | A | 7520 | # | | 23-SEP-79 | | | | |
| | A | | | A-A-1838 | SHEATH, PEN AND PENCIL, POCKET (PLASTIC) | A | 7510 | # | FSS | 11-DEC-91 | | | | |
| | | | | A-A-186A | ERASER, BLACKBOARD | A | 7510 | # | FSS | 06-NOV-89 | | | | |
| | | | | A-A-188A | EYELET REINFORCEMENT, GUMMED CLOTH | A | 7510 | # | FSS | 09-JAN-90 | | | | |
| | | | | A-A-190A | PAPER, CORRECTION TYPE | A | 7510 | # | FSS | 27-DEC-90 | | | | |
| | | | | A-A-1948 | TAPE, PRESSURE-SENSITIVE ADHESIVE PAPER, DRAFTING | A | 7510 | # | FSS | 24-JAN-89 | | | | |
| | | | | A-A-195C | TAPE, PRESSURE-SENSITIVE ADHESIVE (EDGING) REVIEWER: AV SH | A | 7510 | * | GL | 16-AUG-89 | GL | SA | | |
| | | | | A-A-196A | CUP, PIN, CLIP AND SPONGE | A | 7510 | # | FSS | 28-SEP-89 | | | | |
| | | | | A-A-197 | HERBICIDE, 2,4-DICHLOROPHENOXYACETIC ACID (SALTS & ESTERS) | A | 6840 | # | | 06-NOV-80 | | | | |
| | | | | A-A-201A | CLEANING COMPOUND, HARD SURFACE-FLOOR (AEROSOL FOAM FLOOR CLEANER) | A | 7930 | # | | 23-MAR-81 | | | | |
| | A | | | A-A-203B | PAPER, KRAFT, UNTREATED USEK: AR CG CR ER MC MI SH REVIEWER: 99 AS EA MD ME SA | A | 8135 | * | GL | 22-NOV-91 | GL | | 69 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | A-A-203A(11) | PAPER, KRAFT, UNTREATED | A | 8135 | # | FSS | 20-APR-89 | | | | |
| | | | | A-A-204A | LABEL TAPE, PRESSURE SENSITIVE ADHESIVE | A | 7510 | # | | 14-DEC-82 | | | | |
| | | | | A-A-205B | DUPLICATING FLUID, DIRECT PROCESS (SPIRIT TYPE) | A | 7510 | # | FSS | 12-JAN-90 | | | | |
| | | | | A-A-206 | INK, DUPLICATING MACHINE STENCIL, PASTE, BLACK | A | 7510 | # | | 08-JAN-81 | | | | |
| | | | | A-A-207A | INKING PAD, RUBBER STAMP (FOAM PAD) | A | 7510 | # | FSS | 19-SEP-89 | | | | |
| | | | | A-A-208A | INK, MARKING, STENCIL, OPAQUE, (POROUS AND NON-POROUS SURFACES) USER: MC REVIEWER: 84 AR DS MD SM SS | A | 7510 | * | GL | 09-NOV-89 | GL | SA | 99 | |
| | | | | A-A-209A | INK, STAMP PAD | A | 7510 | % | FSS | 06-NOV-89 | | | | |
| | L | | | A-A-210B | TAPE, EMBOSSING (PRESSURE SENSITIVE, PLASTIC) REVIEWER: DS | A | 7510 | # | FSS | 01-JAN-89 | | | | |
| | | | | A-A-211A | EMBOSSING MACHINE, IDENTIFICATION TAPE (MANUALLY OPERATED) | A | 7490 | # | FSS | 29-MAR-91 | | | | |
| | | | | A-A-212A | CORRECTION FLUID, WHITE OPAQUE | A | 7510 | # | | 30-APR-81 | | | | |
| | | | | A-A-213A | CORRECTION FLUID, DUPLICATING MACHINE STENCIL | A | 7510 | # | | 13-NOV-79 | | | | |
| | | | | A-A-217A | SCOURING BRICK AND HOLDER | A | 7920 | # | | 12-DEC-79 | | | | |
| | D | | | A-A-218 | HINGE, BUTT (GENERAL PURPOSE) USER: YD1 REVIEWER: IS MC ME | A | 5340 | * | | 23-APR-81 | | | | |
| | D | | | A-A-219A | HINGE, BUTT (CABINET) USER: YD1 REVIEWER: IS MC ME | A | 5340 | * | | 21-APR-81 | | | | |
| | | | | A-A-220 | HINGE, BUTT (SPRING) REVIEWER: IS MC ME | A | 5340 | * | | 22-APR-81 | | | | |
| | | | | A-A-223 | BROOM, UPRIGHT, COARSE FIBER (BRASS FIBER) | A | 7920 | # | | 09-JAN-80 | | | | |
| | D | | | A-A-2248 | HINGE, TEE USER: YD1 REVIEWER: AR IS MC ME | A | 5340 | * | | 23-JUL-87 | | | | |
| | | | | A-A-225B | HINGE, STRAP REVIEWER: IS | A | 5340 | * | | 23-JUL-87 | | | | |
| | D | | | A-A-226 | HINGE, BUTT (TRANSOM) USER: YD1 REVIEWER: IS MC ME | A | 5340 | * | | 23-APR-81 | | | | |
| | | | | A-A-228 | TWINE, FIBROUS, JUTE | A | 4020 | # | | 12-MAR-80 | | | | |
| | A | | | A-A-230A | MAT, BATH (DISPOSABLE) | A | 7210 | # | FSS | 15-JUL-92 | | | | |
| | | | | A-A-231 | FAUCET, DOUBLE | A | 4510 | / | GS | 25-NOV-88 | | | | |
| | | | | A-A-232 | FAUCET, LAWN | A | 4510 | / | GS | 25-NOV-88 | | | | |
| | | | | A-A-233 | FAUCET, SINGLE (SINK, HOSE) | A | 4510 | / | GS | 25-NOV-88 | | | | |
| | | | | A-A-234 | FAUCET, SINGLE (LAVATORY) | A | 4510 | / | GS | 25-NOV-88 | | | | |
| | | | | A-A-235 | WASTE RECEPTACLE, PLASTIC, WITH LID | A | 7240 | # | | 30-SEP-79 | | | | |
| | | | | A-A-236 | PAN, PIE, DISPOSABLE (ALUMINUM FOIL) | A | 7330 | # | | 21-JAN-80 | | | | |
| | | | | A-A-2388 | SEAT, WATER CLOSET | A | 4510 | # | | 18-OCT-83 | | | | |
| | | | | A-A-240A | SHOWER HEAD, BALL JOINT | A | 4510 | * | CS | 25-APR-91 | | | 99 | CS |
| | | | | A-A-243A | SHEARS, PRUNING (TWO HAND, LOPPING USER: 99 | A | 3750 | * | | 29-JUN-84 | ME | | | GS |
| | | | | A-A-244 | VALVE, AIR VENTING, STEAM, THERMOSTATIC | A | 4520 | # | | 12-APR-80 | | | | |
| | L | | | A-A-246A | FLOAT, VALVE (WATER CLOSET) | A | 4510 | * | CS | 21-FEB-91 | | | | CS |
| | | | | A-A-247A | FASTENERS (PRONG TYPE) | A | 7510 | # | FSS | 26-FEB-91 | | | | |
| | | | | A-A-248A | VALVE, INLET, ANTISIPHON (WATER CLOSET) | A | 4510 | * | CS | 19-FEB-91 | | | | CS |
| | L | | | A-A-249A | ROD, TANK FLOAT (WATER CLOSET) | A | 4510 | * | CS | 20-FEB-91 | | | | CS |
| | | | | A-A-254 | MENTHOL LOTION | A | 6505 | # | | 20-SEP-79 | | | | |
| | | | | A-A-258 | BRUSH, FILE CLEANER | A | 7920 | # | | 12-OCT-79 | | | | |
| | | | | A-A-260A | HOLDERS, BINDER LABEL | A | 7510 | # | FSS | 25-SEP-89 | | | | |
| | | | | A-A-261A | WRINGER, MOP | A | 7920 | # | | 24-SEP-80 | | | | |
| | | | | A-A-262A | BUCKET, MOP, METAL | A | 7920 | # | | 27-JUN-80 | | | | |
| | | | | A-A-265 | MOPPING OUTFIT, FLOOR | A | 7920 | # | | 21-APR-80 | | | | |
| | | | | A-A-266A | DEODORANT, GENERAL PURPOSE (CAKES FOR URINALS AND TOILETS) | A | 6840 | # | FSS | 28-MAR-83 | | | | |
| | | | | A-A-267A | DEODORANT, GENERAL PURPOSE (AEROSOL AIR FRESHENER) REVIEWER: GS | A | 6840 | * | | 23-APR-82 | | | | |
| | | | | A-A-268 | HAND CLEANER (WATERLESS, LOTION FORM) | A | 8520 | # | | 03-JAN-80 | | | | |
| | | | | A-A-269 | SCOURING POWDER (WITH CHLORINE BLEACH) | A | 7930 | # | | 31-AUG-79 | | | | |
| | | | | A-A-270 | BRUSH, SCRUB, ALL PLASTIC, STEAMKETTLE | A | 7920 | # | | 15-NOV-79 | | | | |
| | | | | A-A-271 | BICYCLES, MEN S, & WOMEN S | A | 2330 | # | | 25-FEB-80 | | | | |
| | | | | A-A-272 | CAULKING COMPOUNDS | A | 8030 | # | | 26-FEB-80 | | | | |
| | | | | A-A-277 | SCRAPER, BAKER S (PLATE AND BOWL) | A | 7330 | # | | 16-MAY-80 | | | | |
| | | | | A-A-278 | OILED STENCIL FILING WRAPPER | A | 7530 | # | | 05-JAN-80 | | | | |
| | | | | A-A-279 | HAND CLEANER (WATERLESS: CREAM FORM: REGULAR AND ANTIMICROBIAL) | A | 8520 | # | | 14-JUN-83 | | | | |
| | | | | A-A-281 | WASTE RECEPTACLE, WALL OR POST MOUNTED | A | 7240 | # | | 21-SEP-79 | | | | |
| | | | | A-A-283 | EXTRACTOR, SCREW AND PIPE, TAPERED, SPIRAL FLUTES OR RIDGES, DRILL STYLE | A | 5120 | # | | 11-OCT-79 | | | | |
| | | | | A-A-284 | RIVETER, YOKE, HAND (RIVET SQUEEZER, HAND) | A | 5120 | # | | 16-OCT-79 | | | | |
| | | | | A-A-285 | DATING STAMP (REMOVABLE TYPE) | A | 7520 | # | | 09-NOV-79 | | | | |
| | M L | | | A-A-286C | ENVELOPE, PACKAGING (CORRUGATED FIBERBOARD) | A | 8105 | * | GL | 22-JAN-93 | GL | | | |
| | | | | A-A-288A | DATING STAMP (NONFIXED LEGEND) | A | 7520 | # | FSS | 22-JAN-90 | | | | |
| | | | | A-A-289 | BRUSHES, ACID, SWABBING | A | 7920 | # | | 12-OCT-79 | | | | |
| | | | | A-A-292 | RUBBER STAMP, FIXED LEGEND | A | 7520 | # | | 12-OCT-79 | | | | |
| | | | | A-A-294A | RACKS, WEARING APPAREL (SEMI-CONCEALED) | A | 7195 | # | | 01-NOV-82 | | | | |
| | | | | A-A-295 | WASTE RECEPTACLE, MOBILE, PLASTIC, WITH LID | A | 7240 | # | | 30-SEP-79 | | | | |
| | | | | A-A-296A | SOAP HOLDER, DISPOSABLE | A | 4510 | # | FSS | 26-APR-90 | | | | |
| | | | | A-A-297 | IRONING BOARD, HOUSEHOLD | A | 7290 | * | | 20-MAR-81 | | | | |
| | | | | A-A-299 | DUSTPAN (LONG HANDLE) | A | 7290 | # | | 07-MAY-80 | | | | |
| | | | | A-A-300A | DUSTPAN (SHORT HANDLE) | A | 7290 | # | FSS | 13-FEB-91 | | | | |
| | | | | A-A-301 | BAG, COTTON DUCK | A | 8105 | # | | 01-OCT-79 | | | | |
| | A | | | A-A-302D | BAG, PAPER (SHOPPING) | A | 8105 | # | FSS | 29-OCT-91 | | | | |
| | | | | A-A-303A | HOLDER, LABEL, DESK TRAY, METAL | A | 7510 | # | FSS | 27-NOV-89 | | | | |
| | A | | | A-A-304B | BAG, PAPER (FOIL LAMINATED, FLAME RESISTANT, MOISTURE RESISTANT) | A | 8105 | # | FSS | 27-NOV-91 | | | | |
| | | | | A-A-304A(11) | BAG, PAPER (FOIL LAMINATED, FLAME RETARDANT) | A | 8105 | # | FSS | 14-OCT-88 | | | | |
| | | | | A-A-305 | THREAD CUTTER, RECEDING SEGMENTAL DIE (ADJUSTABLE CEARED DIESTOCK) | A | 5136 | # | | 10-NOV-79 | | | | |
| | | | | A-A-306 | THREAD CUTTER, RECEDING SEGMENTAL DIE (SELF CONTAINED RATCHET THREADER) | A | 5136 | # | | 12-OCT-79 | | | | |
| | | | | A-A-307A | PICK, DRIFTING (WITHOUT HANDLE) | A | 5120 | # | | 10-NOV-79 | | | | |
| | | | | A-A-308A | PICK, CONTRACTORS, POINT AND CHISEL ENDS (WITHOUT HANDLE) | A | 5120 | # | | 06-JAN-80 | | | | |
| | | | | A-A-309B | BAG, PAPER MERCHANDISE | A | 8105 | # | | 03-MAY-87 | | | | |
| | | | | A-A-309B(11) | BAG, PAPER, MERCHANDISE | A | 8105 | # | FSS | 14-OCT-88 | | | | |
| | | | | A-A-310C | BAG, WASTE RECEPTACLE, PAPER | A | 8105 | # | FSS | 23-JUN-89 | | | | |
| | | | | A-A-310(11) | BAG, WASTE RECEPTACLE (PAPER) | A | 8105 | # | FSS | 14-OCT-88 | | | | |

| Action | OSR / QML Code | Construction Practice | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | A-A-311A | THREAD CUTTER, DIE HEAD, HAND | A | 5136 | # | | 07-DEC-82 | | | | |
| | | | A-A-312 | JACK KIT, HYDRAULIC, HAND (20 TON) | A | 5120 | # | | 19-SEP-79 | | | | |
| | | | A-A-313 | JACK KIT, HYDRAULIC, HAND (10 TON) | A | 5120 | # | | 01-OCT-79 | | | | |
| | | | A-A-314 | JACK KIT, HYDRAULIC, HAND (4 TON) | A | 5120 | # | | 20-SEP-79 | | | | |
| | | | A-A-315A | MATTOCK, PICK (WITHOUT HANDLE) | A | 5120 | * | | 05-JAN-88 | GL | | 99 | |
| | | | A-A-316A | WEDGEE, STEEL (FELLING) REVIEWER: 84 | A | 5120 | # | GL | 05-JAN-88 | GL | | 99 | |
| | | | A-A-317 | CARRY BARRELS, PLASTIC | A | 7240 | # | | 20-SEP-79 | | | | |
| | | | A-A-318A | CHALK, MARKING, WHITE (EXTRUDED) | A | 7510 | % | FSS | 21-AUG-90 | | | | |
| | | | A-A-319 | PAPER, WRAPPING, WET WAXED | A | 8135 | # | | 09-NOV-79 | | | | |
| | | | A-A-320A | CHALK, MARKING, WHITE (MOLDED) | A | 7510 | # | FSS | 16-JAN-91 | | | | |
| | | | A-A-321 | FILE, WORK ORGANIZER, POCKET | A | 7520 | # | | 12-DEC-79 | | | | |
| | | | A-A-322A | WASTE CONTAINER, PLASTIC, 2 WHEELED, 45 GALLON, WITH LID | A | 7240 | # | | 24-JAN-80 | | | | |
| | | | A-A-323 | BARREL, MOBILE, PLASTIC, WITH LID | A | 7240 | # | | 21-SEP-79 | | | | |
| | | | A-A-324 | WASTE RECEPTACLE, PLASTIC, WITH INTERCHANGEABLE TOPS, LID, OR COVER AND LINER | A | 7240 | # | | 05-OCT-79 | | | | |
| | | | A-A-325 | WASTE RECEPTACLE, FUNNEL TOP, PLASTIC | A | 7240 | # | | 03-OCT-79 | | | | |
| | | | A-A-326A | WASTE RECEPTACLE, SWING TOP, PLASTIC | A | 7240 | # | | 15-MAY-80 | | | | |
| | | | A-A-327 | WASTE RECEPTACLE, PLASTIC, WITH SQUARE TOP, WITH SWINGING DOORS AND LINER | A | 7240 | # | | 05-OCT-79 | | | | |
| | | | A-A-328 | WASTE RECEPTACLE, DOME TOP, WITH SWINGING DOOR, PLASTIC WITH LINER | A | 7240 | # | | 05-OCT-79 | | | | |
| | | | A-A-329 | TRUCK, TILT, LIGHT DUTY, MOBILE, PLASTIC | A | 7240 | # | | 15-FEB-80 | | | | |
| | | | A-A-330 | TRUCK, TILT, MEDIUM DUTY, MOBILE, PLASTIC | A | 7240 | # | | 15-FEB-80 | | | | |
| | | | A-A-331A | TRUCK, WHEELED, WITH LINER AND LID, PLASTIC | A | 7240 | # | | 15-APR-80 | | | | |
| | | | A-A-332 | PAIL, 5 GALLON, WITH REMOVABLE BAIL AND SNAP ON LID | A | 7240 | # | | 21-SEP-79 | | | | |
| | | | A-A-333A | FILE, WORK ORGANIZER, BOOK | A | 7520 | # | | 09-JAN-80 | | | | |
| | | | A-A-336 | WEDGE, STEEL (SPLITTING) | A | 5120 | # | | 05-DEC-79 | | | | |
| | | | A-A-337A | PICK, TAMPING (WITHOUT HANDLE) | A | 5120 | # | | 05-JAN-80 | | | | |
| | | | A-A-338A | PICK, CLAY, POINT AND CHISEL ENDS (WITHOUT HANDLE) | A | 5120 | # | | 10-NOV-79 | | | | |
| | | | A-A-340A | INSECTICIDE; MIXTURE OF D-TRANS ALLETHRIN AND RESMETHRIN | A | 6840 | # | FSS | 29-APR-85 | | | | |
| | | | A-A-341A | PIGMENT, ALUMINUM, POWDER AND PASTE | A | 8010 | # | | 09-NOV-79 | | | | |
| | | | A-A-342A | ADHESIVE, SEMI SOLID, STICK FORM, WITH DISPENSERS | A | 8040 | # | | 08-JAN-80 | | | | |
| | | | A-A-343A | DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (FOR FILAMENT REINFORCED TAPE) | A | 7520 | # | | 15-DEC-79 | | | | |
| | | | A-A-344A | LACQUER (CLEAR GLOSS) | A | 8010 | # | | 30-APR-84 | | | | |
| | | | A-A-345 | THREAD CUTTER, RECEDING SEGMENTAL DIE (POST TYPE RATCHET THREADER) | A | 5136 | # | | 18-OCT-79 | | | | |
| | | | A-A-346A | MATTOCK, CUTTER (WITHOUT HANDLE) REVIEWER: 84 | A | 5120 | # | GL | 05-JAN-88 | GL | | 99 | |
| D | | | A-A-350D | DINING PACKETS USER: YD1 REVIEWER: 84 MD SA TS | A | 8415 | # | GL | 31-DEC-90 | GL | | 99 | |
| | | | A-A-355A | RULER, WOOD (DESK) | A | 7510 | # | | 27-OCT-86 | | | | |
| | | | A-A-356 | TUBE TYPE MARKER | A | 7520 | # | | 27-NOV-79 | | | | |
| | | | A-A-359 | BRUSH, SCRUB, BASEBOARD | A | 7920 | # | | 27-NOV-79 | | | | |
| | | | A-A-360A | STAPLER AND TACKER, PAPER FASTENING, STANDARD DUTY, OFFICE | A | 7520 | # | | 07-DEC-87 | | | | |
| | | | A-A-363 | DIESTOCK (FOR RECTANGULAR, TWO PIECE DIES) | A | 5136 | # | | 31-OCT-79 | | | | |
| | | | A-A-364 | TAP, THREAD CUTTING (NPT AND NPS SERIES) | A | 5136 | # | | 09-OCT-79 | | | | |
| L | | | A-A-367 | DIE, THREAD CUTTING (RECTANGULAR, TWO-PIECE PIPE DIES) | A | 5136 | # | FSS | 13-NOV-79 | | | | |
| | | | A-A-368 | DIE, THREAD CUTTING (SOLID SQUARE DIES) | A | 5136 | # | | 10-OCT-79 | | | | |
| | | | A-A-370 | RIBBON, COMPUTING AND RECORDING MACHINES | A | 7510 | # | FSS | 01-OCT-85 | | | | |
| | | | A-A-371A | LINSEED OIL, BOILED (FOR USE IN ORGANIC COATINGS) | A | 8010 | # | | 28-SEP-79 | | | | |
| | | | A-A-373A | GLAZING COMPOUND, SASH (METAL) FOR BACK BEDDING AND FACE GLAZING (NOT FOR CHANNEL OR STOP GLAZING) | A | 8010 | # | | 23-JUL-80 | | | | |
| | | | A-A-374 | SODIUM BICARBONATE, TECHNICAL | A | 6810 | # | | 25-SEP-80 | | | | |
| | | | A-A-375 | GOLD LEAF | A | 8010 | # | | 01-OCT-79 | | | | |
| A | | | A-A-377B | BRUSH, ROOF, KNOTTED STYLE, THREE KNOTS | A | 8020 | # | FSS | 05-SEP-91 | | | | |
| | | | A-A-378 | PUTTY, LINSEED OIL TYPE, (FOR WOOD SASH GLAZING) | A | 8030 | # | | 18-OCT-79 | | | | |
| | | | A-A-379A | LINSEED OIL, RAW (FOR USE IN ORGANIC COATINGS) | A | 8010 | # | | 05-JAN-80 | | | | |
| | | | A-A-380 | JACK, BUMPER (HYDRAULIC) | A | 5120 | # | | 08-OCT-79 | | | | |
| | | | A-A-381 | JACK, HYDRAULIC, HAND (SELF CONTAINED) | A | 5120 | # | | 30-SEP-79 | | | | |
| | | | A-A-382 | JACK, HYDRAULIC, HAND (REMOTE CONTROL) | A | 5120 | # | | 19-SEP-79 | | | | |
| | | | A-A-383 | POLISH, METAL (SILVER) | A | 7930 | # | | 24-JUL-81 | | | | |
| | | | A-A-385A | EXTRACTOR, COTTER PIN | A | 5120 | # | | 27-NOV-79 | | | | |
| | | | A-A-388B | PAN, BAKING AND ROASTING | A | 7330 | * | GL | 19-FEB-91 | GL | SA | 99 | |
| | | | A-A-389A | SAUCEPAN | A | 7330 | * | GL | 14-FEB-91 | GL | SA | 99 | |
| | | | A-A-390B | PANS, PIE | A | 7330 | # | | 23-FEB-80 | | | | |
| N | | | A-A-391A | BOARD, FOOD CHOPPING AND SLICING USER: MC REVIEWER: 50 84 MD TS | A | 7330 | * | GL | 13-FEB-91 | GL | SA | 99 | |
| D | | | A-A-392A | EXTINGUISHER, FIRE, WATER-TYPE (2 1/2 GALLON STORED PRESSURE) USER: AT CE GL MC YD1 REVIEWER: CS | A | 4210 | * | | 03-OCT-84 | | | | |
| | | | A-A-393 | EXTINGUISHER, FIRE, DRY CHEMICAL (HAND PORTABLE) | A | 4210 | # | | 27-SEP-79 | | | | |
| N | | | A-A-394A | EGG WHIP USER: MC REVIEWER: 50 84 MD TS | A | 7330 | * | GL | 06-NOV-91 | GL | SA | 99 | |
| | | | A-A-395 | MASHER, POTATO, HAND | A | 7330 | # | | 15-APR-80 | | | | |
| | | | A-A-399A | WRENCH SET, SOCKET, POWER, 3/4 INCH DRIVE | A | 5130 | # | | 25-OCT-79 | | | | |
| | | | A-A-400 | TRICYCLE, INDUSTRIAL | A | 2330 | # | | 25-FEB-80 | | | | |
| | | | A-A-401A | MANUAL TYPEWRITER (NONPORTABLE MODEL) | A | 7430 | # | | 29-JAN-80 | | | | |
| | | | A-A-402B | TYPEWRITER, MANUAL, PORTABLE | A | 7430 | # | FSS | 30-JAN-89 | | | | |
| | | | A-A-403B | BINDER CLIP | A | 7510 | # | FSS | 20-SEP-88 | | | | |
| | | | A-A-405A | HAMMER, ROTARY, ELECTRIC | A | 5130 | # | | 20-FEB-81 | | | | |
| | | | A-A-407C | FASTENER, PAPER (COMPRESSOR TYPE) | A | 7510 | # | FSS | 28-AUG-89 | | | | |
| | | | A-A-409 | STAPLE REMOVER, OFFICE TYPE | A | 7520 | % | | 16-OCT-81 | | | | |
| | | | A-A-410 | DIE, THREAD CUTTING (ROUND, SPLIT, INCH SERIES) | A | 5136 | # | | 17-OCT-79 | | | | |
| | | | A-A-411 | DIE, THREAD CUTTING (ROUND, SPLIT, METRIC SERIES) | A | 5136 | # | | 23-OCT-79 | | | | |
| | | | A-A-412 | DIE AND COLLET (TWO PIECE DIES WITH COLLETS) | A | 5136 | # | | 06-NOV-79 | | | | |
| | | | A-A-413 | DIE, RETHREADING (HEXAGON) | A | 5136 | # | | 13-NOV-79 | | | | |
| | | | A-A-414 | DIE STOCK (FOR ROUND, SPLIT DIES) | A | 5136 | # | | 26-OCT-79 | | | | |
| | | | A-A-415 | DIESTOCK (FOR ROUND, COLLET DIES) | A | 5136 | # | | 13-NOV-79 | | | | |
| | | | A-A-416B | SINGLE STRIKE TYPEWRITER RIBBONS | A | 7510 | # | FSS | 05-APR-91 | | | | |
| | | | A-A-417B | RIBBONS, TYPEWRITER | A | 7510 | # | FSS | 05-APR-91 | | | | |
| | | | A-A-419 | RIBBON, TELETYPEWRITER | A | 7510 | # | FSS | 01-OCT-85 | | | | |
| | | | A-A-420A | RIBBON, ACCOUNTING MACHINE | A | 7510 | # | FSS | 10-APR-91 | | | | |
| | | | A-A-421 | PITCHER, VACUUM, ONE QUART | A | 7350 | # | | 21-APR-80 | | | | |
| N | | | A-A-422B | PAN SET, BREAD USER: MC REVIEWER: 50 84 MD TS | A | 7330 | * | GL | 29-AUG-91 | GL | SA | 99 | |
| N | | | A-A-424A | PITCHER, WATER USER: MC REVIEWER: 50 84 MD TS | A | 7350 | * | GL | 26-AUG-91 | GL | SA | 99 | |
| | | | A-A-425 | PITCHER, INSULATED, 10 OZ. | A | 7350 | # | | 30-MAY-80 | | | | |
| | | | A-A-426A | THUMBTACK | A | 7510 | % | FSS | 30-AUG-89 | | | | |
| | | | A-A-427B | SHARPENER, PENCIL | A | 7520 | % | | 14-NOV-86 | | | | |
| | | | A-A-428 | COPYHOLDER, TYPISTS | A | 7520 | # | | 15-DEC-82 | | | | |
| L | | | A-A-429C | CLAMP, C-, LIGHT SERVICE | A | 5120 | * | 99 | 01-APR-83 | | | 99 | |
| | | | A-A-430E | CLAMP, C-, VERY LIGHT SERVICE | A | 5120 | * | | 08-JAN-88 | GL | | 99 | |
| | | | A-A-431D | CLAMP, C-, MEDIUM SERVICE | A | 5120 | * | | 08-JAN-88 | GL | | 99 | |
| | | | A-A-432C | CLAMP, SCREW, QUICK ADJUSTING, FIXED HEAD | A | 5120 | # | | 01-APR-83 | | | | |
| | | | A-A-433D | CLAMP, C-, HEAVY DUTY | A | 5120 | * | GL | 08-JAN-88 | GL | | 99 | |
| L | | | A-A-434C | CLAMP, SCREW, QUICK-ADJUSTING, SLIDING HEAD | A | 5120 | * | 99 | 01-APR-83 | | | 99 | |
| | | | A-A-435D | CLAMP, SCREW, QUICK ADJUSTING, THREADED HEAD | A | 5120 | * | GL | 01-APR-83 | GL | | 99 | |
| | | | A-A-436 | DRIVER, PROJECTILE UNIT, .38 CALIBER, UNDERWATER | A | 5120 | # | | 12-OCT-79 | | | | |
| | | | A-A-437A | SAW, RECIPROCATING, PORTABLE, ELECTRIC, HEAVY DUTY | A | 5130 | # | | 05-NOV-80 | | | | |
| | | | A-A-438 | WRENCH, IMPACT, ELECTRIC, DOUBLE INSULATED | A | 5130 | # | | 08-NOV-79 | | | | |
| | | | A-A-440 | CUSHIONING MATERIAL, PLASTIC, OPEN CELL (FOR PACKAGING APPLICATIONS) REVIEWER: 99 AR AV CR MD ME | A | 8135 | # | | 03-OCT-79 | | | | |
| | | | A-A-444 | DRIVER, PROJECTILE UNIT, .27 CALIBER | A | 5130 | # | | 15-OCT-79 | | | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-446 | DRILL, ELECTRIC, PORTABLE, BATTERY POWERED, 750 RPM | A | 5130 | # | | 25-SEP-79 | | | | |
| | | A-A-450A | HAMMER, ROTARY, ELECTRIC | A | 5130 | # | | 20-FEB-81 | | | | |
| | | A-A-452 | FRAME, JEWELERS SAW (ADJUSTABLE LENGTH) | A | 5110 | # | | 05-JAN-80 | | | | |
| | | A-A-453 | FRAME, HAND HACKSAW, ADJUSTABLE LENGTH | A | 5110 | # | | 05-NOV-79 | | | | |
| | | A-A-457 | TUMBLER, DRINKING (PLASTIC) REVIEWER: MD MS | A | 7350 | * | | 26-JUL-82 | | | | |
| | | A-A-460 | CLEANING COMPOUND, TOILET BOWL, BISULFATE (VALIDATION DATE: 9112) | A | 7930 | # | FSS | 06-DEC-91 | | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | A-A-461A | HAND CLEANER (PREMOISTENED PAPER TOWELETTE IN PACKET) | A | 8520 | # | | 26-SEP-80 | | | | |
| | | A-A-462B | HOOK & EYE, DOOR | A | 5340 | # | | 10-SEP-80 | | | | |
| | | A-A-463A | SCOOP, ICE CREAM, MECHANICAL | A | 7330 | * | GL | 14-FEB-91 | GL | SA | | 99 |
| | | A-A-464 | EGG BEATER | A | 7330 | # | | 21-JAN-81 | | | | |
| | | A-A-465A | BRACKET, SHELF | A | 5340 | # | | 15-JAN-88 | | | | |
| | | A-A-466A | BOLT, BARREL | A | 5340 | # | | 10-SEP-80 | | | | |
| | | A-A-467A | SIFTER, FLOUR, HAND | A | 7330 | * | GL | 25-APR-91 | GL | SA | | 99 |
| D | | A-A-468 | SCOOP, KITCHEN USER: CG SM YD1 REVIEWER: MC MD MS | A | 7330 | * | | 27-OCT-82 | | | | |
| M | | A-A-469A | COLANDER USER: MC REVIEWER: 50 84 MD TS | A | 7330 | * | GL | 27-AUG-91 | GL | SA | | 99 |
| | | A-A-470A | INSERTS, CARD-LABEL HOLDER, PLASTIC | A | 9905 | % | FSS | 11-FEB-91 | | | | |
| | | A-A-471A | HOLDERS, CARD-LABEL AND INSERT | A | 9905 | % | FSS | 11-FEB-91 | | | | |
| | | A-A-472B | HASP, HINGED REVIEWER: AR | A | 5340 | % | FSS | 23-SEP-88 | | | | |
| | | A-A-478 | DRILL, TWIST, DOUBLE END | A | 5133 | # | | 26-SEP-79 | | | | |
| | | A-A-480A | BOLT, CHAIN | A | 5340 | # | | 10-SEP-80 | | | | |
| | | A-A-481 | DRILLS, ELECTRIC, PORTABLE | A | 5130 | # | | 06-NOV-79 | | | | |
| | | A-A-482 | ROUTER, ELECTRIC, PORTABLE | A | 5130 | # | | 10-OCT-79 | | | | |
| | | A-A-491 | SANDER FILER, PNEUMATIC | A | 5130 | # | | 27-SEP-79 | | | | |
| | | A-A-501 | COUNTERBORE SET | A | 5133 | # | | 26-OCT-79 | | | | |
| | | A-A-509 | SHAVER, WELD, PORTABLE, PNEUMATIC | A | 5130 | # | | 11-DEC-79 | | | | |
| | | A-A-511 | SANDER POLISHER, TRANSLATORY ACTION, PNEUMATIC, PORTABLE | A | 5130 | # | | 12-OCT-79 | | | | |
| | | A-A-512 | NAILER, PNEUMATIC, PORTABLE | A | 5130 | # | | 15-OCT-79 | | | | |
| | | A-A-517 | DRILL, TWIST, 1/4 INCH SHANK | A | 5133 | # | | 25-SEP-79 | | | | |
| | | A-A-521 | SAW, CIRCULAR, GASOLINE ENGINE DRIVEN, PORTABLE | A | 5130 | # | | 19-NOV-79 | | | | |
| | | A-A-522 | WRENCH, RATCHETING, PNEUMATIC | A | 5130 | # | | 12-OCT-79 | | | | |
| | | A-A-527 | DRILL, GASOLINE ENGINE DRIVEN | A | 5130 | # | | 01-OCT-79 | | | | |
| | | A-A-528 | HANGER, CLOTHES (WOOD, PLASTIC AND STEEL) | A | 7290 | # | | 30-SEP-79 | | | | |
| | | A-A-529 | ADHESIVE AND SEALING COMPOUND, CELLULOSE NITRATE BASE SOLVENT TYPE | A | 8040 | # | | 25-SEP-79 | | | | |
| | | A-A-531 | RAG WIPING, COTTON & COTTON SYNTHETIC | A | 7920 | # | | 21-SEP-79 | | | | |
| | | A-A-532 | WAXING & CLEANING COMPOUND, IRONER | A | 7930 | # | | 26-SEP-79 | | | | |
| | | A-A-534A | WRENCH SET, SOCKET, HAND | A | 5120 | # | | 18-NOV-83 | | | | |
| | | A-A-539 | INSTALLING TOOL SET, O-RING | A | 5120 | # | | 07-NOV-79 | | | | |
| | | A-A-542 | HEAD, RIVET PULLING | A | 5130 | # | | 01-OCT-79 | | | | |
| | | A-A-547D | CLAMP, HAND SCREW | A | 5120 | * | | 08-JAN-88 | GL | | | 99 |
| | | A-A-548D | CLAMP, CANTILEVER JAW REVIEWER: 84 | A | 5120 | * | | 08-JAN-88 | GL | | | 99 |
| L | | A-A-549C | CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM, FOR SHORT SHIPPING CYCLE APPLICATIONS) REVIEWER: 99 CG MI OS SM | A | 8135 | * | GL | 05-APR-90 | GL | | | |
| | | A-A-550A | BAGS, PAPER (GROCER S) REVIEWER: 99 MD | A | 8105 | # | | 18-NOV-82 | GL | SA | | 69 |
| | | A-A-550A(11) | BAGS, PAPER (GROCER'S) | A | 8105 | # | FSS | 14-OCT-88 | | | | |
| | | A-A-551 | DOUBLE BOILER, COOKING, 5-1/2 & 11 QUART | A | 7330 | # | | 02-JUN-80 | | | | |
| | | A-A-552 | DOUBLE BOILER, 3 QUART | A | 7330 | # | | 04-NOV-79 | | | | |
| | | A-A-554 | TEAKETTLE, 4 QUART | A | 7330 | # | | 23-MAY-80 | | | | |
| | | A-A-556A | STRAP, WEBBING | A | 5340 | # | FSS | 03-FEB-89 | | | | |
| L | | A-A-558A | MAPTACK | A | 7510 | % | FSS | 06-JAN-89 | | | | |
| | | A-A-559 | SCALE, MEASURING, TYPISTS | A | 7510 | # | | 09-SEP-81 | | | | |
| | | A-A-560C | PAPERWEIGHT, DRAFTING AND TOPOGRAPHICAL | A | 7510 | % | FSS | 04-MAY-90 | | | | |
| | | A-A-561 | RACKS, RUBBER STAMP | A | 7520 | % | | 01-JUL-81 | | | | |
| | | A-A-562 | LEAD REPOINTER, PENCIL | A | 7520 | * | GL | 24-SEP-81 | | | | |
| | | A-A-563 | RULER, PLASTIC (DESK) | A | 7510 | # | | 06-MAY-81 | | | | |
| | | A-A-564 | DISPENSER, GUMMED TAPE, ELECTRICALLY OPERATED (SINGLE LENGTH) | A | 7520 | # | | 20-FEB-80 | | | | |
| | | A-A-565A | DATING STAMP (TIME LEGEND) | A | 7520 | # | FSS | 22-JAN-90 | | | | |
| | | A-A-566 | DATING STAMP (FIXED LEGEND) | A | 7520 | # | | 29-JAN-80 | | | | |
| | | A-A-567A | NUMBERING AND LETTERING STAMP | A | 7520 | # | FSS | 22-JAN-90 | | | | |
| | | A-A-568A | CUTTER, GRINDER | A | 5130 | # | | 28-FEB-80 | | | | |
| | | A-A-569 | POLISHER, ELECTRIC, PORTABLE | A | 5130 | # | | 19-NOV-79 | | | | |
| | | A-A-571A | NUTRUNNER AND SCREWDRIVER, ELECTRIC | A | 5130 | # | | 28-FEB-86 | | | | |
| | | A-A-576 | DRILL, ELECTRIC, PORTABLE, 2 VARIABLE SPEEDS | A | 5130 | # | | 10-OCT-79 | | | | |
| | | A-A-577 | SANDER POLISHER, TRANSLATORY ACTION, ELECTRIC, PORTABLE | A | 5130 | # | | 12-OCT-79 | | | | |
| | | A-A-580 | LEAD HOLDER | A | 7520 | # | | 26-SEP-79 | | | | |
| | | A-A-581A | DESK TRAY, PLASTI ER SIZE) | A | 7520 | # | | 28-SEP-79 | | | | |
| | | A-A-582A | DESK TRAY, PLASTI SIZE) | A | 7520 | # | | 12-OCT-79 | | | | |
| | | A-A-583A | DESK TRAY, PLASTIC TER PRINTOUT SIZE) | A | 7520 | # | | 21-SEP-79 | | | | |
| | | A-A-584B | CASES, GENERAL UTIL ARTIFICIAL LEATHER) | A | 8460 | # | | 19-JUN-80 | | | | |
| | | A-A-585A | BRIEFCASE, GENERAL PURPOSE (ARTIFICIAL LEATHER) | A | 8460 | % | FSS | 25-APR-91 | | | | |
| | | A-A-586 | BATTERY CHARGER MOBILE, HIGH RATE, FOR 6 AND 12 VOLT BATTERIES | A | 6130 | # | | 31-OCT-79 | | | | |
| | | A-A-587 | DETECTOR, SMOKE ALARM, RESIDENTIAL, BATTERY POWERED, IONIZATION TYPE | A | 6350 | # | | 14-NOV-79 | | | | |
| | | A-A-588 | DETECTOR, SMOKE ALARM RESIDENTIAL, AC POWERED, IONIZATION TYPE | A | 6350 | # | | 01-NOV-79 | | | | |
| | | A-A-590 | DETECTOR, SMOKE/HEAT ALARM, RESIDENTIAL, AC POWERED, PHOTOELECTRIC TYPE | A | 6350 | # | | 14-NOV-79 | | | | |
| | | A-A-591 | DETECTOR, SMOKE, ALARM, RESIDENTIAL, AC POWERED, PHOTOELECTRIC TYPE | A | 6350 | # | | 14-NOV-79 | | | | |
| | | A-A-592 | DETECTOR, SMOKE ALARM, RESIDENTIAL, BATTERY POWERED, PHOTOELECTRIC TYPE | A | 6350 | # | | 13-NOV-79 | | | | |
| | | A-A-596 | BATTERY CHARGER AND ANALYZER, MOBILE, FOR 6 AND 12 VOLT BATTERIES | A | 6130 | # | | 15-NOV-79 | | | | |
| | | A-A-597 | BATTERY CHARGER AND ANALYZER, MOBILE HIGH RATE, FOR 6-, 12, AND 24 VOLT BATTERIES | A | 6130 | # | | 09-DEC-79 | | | | |
| | | A-A-598 | BATTERY CHARGER, PORTABLE, FOR 6 AND 12 VOLT BATTERIES | A | 6130 | # | | 05-DEC-79 | | | | |
| | | A-A-599 | BATTERY CHARGER, PORTABLE, SLOW RATE, FOR 24- OR 36-VOLT BATTERIES | A | 6130 | # | | 30-OCT-79 | | | | |
| | | A-A-601 | BATTERY CHARGER, PORTABLE, SLOWRATE FOR SERIES CHARGING OF 6 TO 84 VOLT BATTERIES | A | 6130 | # | | 11-DEC-79 | | | | |
| | | A-A-602 | BATTERY CHARGER, DUAL CIRCUIT, SLOW RATE, FOR SERIES CHARGING OF 72 OR 144 VOLTS OF BATTERIES | A | 6130 | # | | 31-OCT-79 | | | | |
| | | A-A-605 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 6 CELL INDUSTRIAL STORAGE BATTERIES | A | 6130 | # | | 31-OCT-79 | | | | |
| | | A-A-606A | BATTERY CHARGER, THREE PHASE, F OR CHARGING 6 CELL INDUSTRIAL STORAGE BATTERIES | A | 6130 | # | | 20-MAY-81 | | | | |
| | | A-A-609 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 9 CELL INDUSTRIAL STORAGE BATTERIES | A | 6130 | # | | 05-DEC-79 | | | | |
| | | A-A-610 | BATTERY CHARGER, THREE PHASE, FOR CHARGING NINE CELL INDUSTRIAL STORAGE BATTERIES | A | 6130 | # | | 31-OCT-79 | | | | |
| | | A-A-611 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 12 CELL INDUSTRIAL STORAG BATTERIES | A | 6130 | # | | 31-OCT-79 | | | | |
| | | A-A-612 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 12 CELL INDUSTRIAL STORAGE BATTERIES | A | 6130 | # | | 19-NOV-79 | | | | |
| | | A-A-613 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 15 CELL INDUSTRIAL STORAGE BATTERIES | A | 6130 | # | | 11-DEC-79 | | | | |
| | | A-A-614 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 15 CELL INDUSTRIAL STORAGE BATTERIES | A | 6130 | # | | 10-DEC-79 | | | | |
| | | A-A-615 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 16 CELL INDUSTRIAL STORAGE BATTERIES | A | 6130 | # | | 10-DEC-79 | | | | |

| Action | OPR / Orig. Coordination Indicator | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | A-A-616 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 16 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 # 09-DEC-79 | | | | |
| | | A-A-617 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 18 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 # 09-DEC-79 | | | | |
| | | A-A-618 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 18 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 # 09-DEC-79 | | | | |
| | | A-A-619 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 24 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 # 09-DEC-79 | | | | |
| | | A-A-620 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 24 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 # 09-DEC-79 | | | | |
| | | A-A-621 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 36 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 # 30-OCT-79 | | | | |
| | | A-A-624A | TAP, THREAD CUTTING (GROUND, HIGH SPEED STEEL, REGULAR, MACHINE SCREW TAPS) | A 5136 # 07-DEC-87 | | | | |
| | | A-A-625A | TAP, THREAD CUTTING (REGULAR, FRACTIONAL INCH SIZES) | A 5136 # 07-DEC-87 | | | | |
| | | A-A-630 | SCREWDRIVER, ELECTRIC, PORTABLE, BATTERY POWERED | A 5130 # 27-NOV-79 | | | | |
| M | | A-A-631A | PICK, ICE USER: MC REVIEWER: 50 84 MD TS | A 7330 * FSS 25-MAR-93 | GL | SA | 99 | |
| | | A-A-632 | FLATIRONS, ELECTRIC | A 7290 # 15-FEB-80 | | | | |
| | | A-A-635 | RUBBISH PICKER | A 5120 # 24-JAN-80 | | | | |
| | | A-A-659A | PASSENGER BIAS PLY TIRES, PNEUMATIC VEHICULAR (HIGHWAY) | A 2610 # 13-JUN-80 | | | | |
| | | A-A-660A | PASSENGER BIAS BELTED PLY TIRES, PNEUMATIC VEHICULAR (HIGHWAY) | A 2610 # 13-JUN-80 | | | | |
| | | A-A-661A | ENGRAVING MACHINE, PANTOGRAPH | A 3417 / IP 19-SEP-86 | | | | |
| A | L | A-A-665D | LACQUER REVIEWER: 84 | A 8010 * 99 19-NOV-91 | | | 99 | |
| D | | A-A-669A | BOX, SHELF, STATIONARY STORAGE USER: AR REVIEWER: AS EC SA SH YD1 | A 8115 * MC 09-JAN-92 | GL | MC | 69 | |
| A | | A-A-670B | BOXES, CORRUGATED FIBERBOARD, RECORDS RETIRING | A 8115 # FSS 19-DEC-91 | | | | |
| | | A-A-671 | CUSHIONING MATERIAL, EXPANDED POLYSTYRENE, LOOSE-FILL BULK USER: 70 80 82 AS REVIEWER: 71 84 | A 8135 69 13-MAR-84 | GL | SA | 69 | |
| A | | A-A-672A | CANS, MILK, STEEL, STAINLESS | A 8110 # FSS 10-DEC-91 | | | | |
| | | A-A-674 | HOLDER, CAN, GARBAGE | A 7240 * 01-MAY-80 | | | | |
| | | A-A-675 | COVER, RECEPTACLE, SWINGING DOOR | A 7240 # 28-JUL-82 | | | | |
| | | A-A-681A | HANGER, CLOTHES (WIRE) AND TROUSER GUARDS | A 7290 # 25-AUG-86 | | | | |
| | | A-A-682 | DISHWASHING COMPOUND, MACHINE (NONCHLORINATED, GRANULAR) | A 7930 # 09-NOV-79 | | | | |
| | | A-A-684 | DISHWASHING COMPOUND, MACHINE (CHLORINATED, GRANULAR) | A 7930 # 03-OCT-79 | | | | |
| A | | A-A-685A | BOTTLE, SCREW CAP (POLYETHYLENE), 36.96 CC (1.25 OUNCES) | A 8125 # FSS 06-OCT-92 | | | | |
| | | A-A-686 | BOX, FIBERBOARD, SPECIAL USE (POST OFFICE MONEY ORDER FORMS) | A 8115 # 02-MAY-80 | | | | |
| | | A-A-686(I1) | BOX, FIBERBOARD, SPECIAL USE (POST OFFICE MONEY ORDER FORMS) | A 8115 # FSS 14-OCT-88 | | | | |
| D | | A-A-687 | STRAPPING, NONMETALLIC (AND CONNECTORS REVIEWER: MC SC SH YD1 | A 8135 # 17-DEC-79 | | | | |
| | | A-A-688A | BAG, PAPER, INSULATED | A 8105 # 16-SEP-86 | | | | |
| | | A-A-688A(I2) | BAG, PAPER (INSULATED) | A 8105 # FSS 11-JUN-90 | | | | |
| | | A-A-689 | CARTON, EGG | A 8115 # 01-OCT-79 | | | | |
| | | A-A-689(I1) | CARTON, EGG | A 8115 # FSS 14-OCT-88 | | | | |
| | | A-A-690A | CANOES | A 1940 # 20-SEP-80 | | | | |
| | | A-A-694B | SODIUM CHLORIDE, TECHNICAL (WATER CONDITIONING GRADE) | A 6810 # 22-JUN-83 | | | | |
| | | A-A-696A | TOWEL, PAPER | A 8540 # 08-SEP-86 | | | | |
| | | A-A-696A(I1) | TOWEL, PAPER | A 8540 # FSS 14-OCT-88 | | | | |
| | | A-A-697C | PAPER, TOILET | A 8540 # FSS 12-APR-90 | | | | |
| | | A-A-700B | CHAIR, SHELL, ROTARY, HIGH BACK | A 7110 # 23-FEB-83 | | | | |
| | | A-A-701A | CHAIR, SHELL, ROTARY, LOW BACK | A 7110 # 23-FEB-83 | | | | |
| | | A-A-702A | CHAIR, SHELL, ROTARY, SIDE | A 7110 # 23-FEB-83 | | | | |
| | | A-A-703A | CHAIR, SHELL, ROTARY, SECRETARIAL | A 7110 # 23-FEB-83 | | | | |
| A | | A-A-704E | FILE CABINETS, VERTICAL, STEEL | A 7110 # FSS 04-DEC-91 | | | | |
| | | A-A-706 | STORAGE CABINETS FOR FLAMMABLE LIQUIDS | A 7125 # 15-APR-81 | | | | |
| | | A-A-708 | STORAGE CABINET FOR FORMS | A 7110 # 13-APR-81 | | | | |
| | | A-A-710 | CHAIRS, EASY (RECLINERS) | A 7105 # 07-MAY-81 | | | | |
| | | A-A-711 | DRY CLEANING SOLVENT REVIEWER: DS | A 6850 # 02-MAY-80 | | | | |
| | | A-A-713 | AEROSOL FLUORESCENT LACQUER | A 8010 # 14-MAY-80 | | | | |
| | | A-A-714 | LINSEED OIL, ALKALI REFINED | A 8010 # 10-APR-80 | | | | |
| | | A-A-719 | FOOD HANDLER S PAPER CAPS | A 8415 # 12-FEB-80 | | | | |
| | | A-A-720 | TOWEL, DISH & DISHCLOTHS REVIEWER: CG MC MD MS | A 7210 * 10-MAR-81 | | | | |
| | | A-A-723B | PENCIL, MECHANICAL (LEAD HOLDER) | A 7520 # 11-DEC-81 | | | | |
| | | A-A-725A | CLIP, PAPER (BULLDOG) | A 7510 # FSS 22-NOV-88 | | | | |
| M | | A-A-726A | TIMER, INTERVAL, MECHANICAL (60 MINUTE MAXIMUM INTERVAL) | A 6645 # FSS 08-MAY-92 | | | | |
| | | A-A-729 | GENERATOR SET, GASOLINE ENGINE (AIR COOLED, PORTABLE, 120 VOLTS, 60 HERTZ, SINGLE PHASE) | A 6115 # 24-FEB-81 | | | | |
| | | A-A-732 | GENERATOR SET, GASOLINE ENGINE (STATIONARY, 120/240 V, 60 HERTZ, SINGLE PHASE) | A 6115 # 20-FEB-81 | | | | |
| | | A-A-733 | GENERATOR SET, GASOLINE ENGINE PORTABLE, 120/240 V, 60 HERTZ, SINGLE PHASE) | A 6115 # 24-FEB-81 | | | | |
| | | A-A-734 | GENERATOR SET, GASOLINE ENGINE AIR COOLED, STATIONARY, 120 V, 60 HERTZ, SINGLE PHASE) | A 6115 # 25-FEB-81 | | | | |
| | | A-A-741 | MOWER, LAWN, ROTARY, WALK BEHIND (HAND PROPELLED) | A 3750 # 20-AUG-80 | | | | |
| | | A-A-744 | MOWER, LAWN, ROTARY, WALK BEHIND (HAND PROPELLED WITH BLADE STOP) | A 3750 # 20-AUG-80 | | | | |
| | | A-A-829A | HERBICIDE, SIMAZINE | A 6840 % FSS 15-SEP-88 | | | | |
| | | A-A-831 | BOTTLE, APPLICATOR | A 8135 % 14-MAY-82 | | | | |
| | | A-A-838 | MOWER, ROTARY RIDING (7 HP, 3 SPEED, ELECTRIC START) | A 3750 # 05-JUN-80 | | | | |
| | | A-A-839 | MOWER, ROTARY RIDING (7 HP, 3 SPEED, RECOIL START) | A 3750 # 05-JUN-80 | | | | |
| | | A-A-840 | MOWER, ROTARY RIDING (10 HP, 3 SPEED, ELECTRIC START) | A 3750 # 05-JUN-80 | | | | |
| | | A-A-842 | HOLDER, NAMEPLATE, DESK, PLASTIC | A 7520 # 14-MAY-80 | | | | |
| | L | A-A-843C | T-SQUARE (WOOD, WOOD AND PLASTIC, STEEL AND PLASTIC) | A 6675 * ME 21-MAR-91 | ME | | | |
| | | A-A-857B | THINNER, DOPE & LACQUER (CELLULOSE NITRATE) REVIEWER: 84 DS | A 8010 * 06-AUG-84 | | | | |
| | | A-A-858 | DREDGER, KITCHEN | A 7330 # 16-MAY-80 | | | | |
| | | A-A-859 | BREADBOX, PANTRY | A 7330 # 01-JUL-80 | | | | |
| | | A-A-860A | CANISTER, FOOD STORAGE | A 7330 * 20-OCT-80 | | | | |
| | | A-A-861 | REMOVER, FLOOR POLISH (POLYMER-TYPE AND WAX) | A 7930 # 22-OCT-84 | | | | |
| | | A-A-863 | ADHESIVE (RUBBER, FOR PAPER BONDING) USER: MC | A 8040 * AS 01-MAR-84 | MR | AS | 84 | GS |
| | | A-A-865B | MAILING AND FILING TUBES | A 8110 # FSS 17-DEC-91 | | | | |
| | | A-A-865A(I1) | MAILING AND FILING TUBES | A 8110 # FSS 20-APR-89 | | | | |
| | | A-A-866 | BOX, PAPERBOARD, METAL EDGE (TELESCOPING) | A 8115 # 12-MAY-80 | | | | |
| | | A-A-866(I1) | BOXES: PAPERBOARD, METAL EDGE (TELESCOPING) | A 8115 # FSS 20-APR-89 | | | | |
| | L | A-A-867A | POT HOLDER | A 7330 * GL 11-FEB-91 | GL | | | |
| | | A-A-870A | ANTIFREEZE/ COOLANT, ENGINE: ETHYLENE GLYCOL, INHIBITED CONCENTRATED USER: MC SH REVIEWER: DS ME | A 6850 # 08-JAN-87 | | | | |
| | | A-A-871 | BAG, MOTION SICKNESS | A 8105 # 14-JAN-80 | | | | |
| | | A-A-871(I1) | BAG, MOTION SICKNESS | A 8105 # FSS 20-APR-89 | | | | |
| | | A-A-872 | BAG, PLASTIC (CUSHIONED) | A 8105 # 06-MAR-80 | | | | |
| | | A-A-873A | STAPLER, HEAVY DUTY, PAPER FASTENING | A 7520 # FSS 30-NOV-90 | | | | |
| | | A-A-874 | RETRO REFLECTIVE GLASS BEADS | A 8010 # 01-JAN-80 | | | | |
| | | A-A-876 NOTICE 1 | ALKALI, LAUNDRY (VALIDATION DATE: 9201) | A 7930 # FSS 16-JAN-92 | | | | |
| | | A-A-877A | HERBICIDE, DIUROM | A 6840 # FSS 03-JUN-91 | | | | |
| D | | A-A-880 | STRAPPING, STEEL FLAT AND SEALS REVIEWER: 99 DS EA GS MC OS SH SS YD1 | A 8135 # 13-MAY-80 | | | | |
| D | | A-A-881B | BAGS, SHIPPING, BURLAP USER: AR CE MC ME SH YD1 REVIEWER: 71 80 84 99 EA MD | A 8105 * GL 30-DEC-88 | GL | | 69 | |
| | | A-A-883A | TAPE, PRESSURE SENSITIVE ADHESIVE, MASKING REVIEWER: DS | A 7510 # 13-JAN-83 | | | | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-884A | TAPE, PRESSURE-SENSITIVE ADHESIVE, BOX CLOSURE REVIEWER: 99 AR AV EA ER ME OS SH | A | 7510 | * | AS | 21-SEP-81 | GL | AS | 69 | |
| | | A-A-885C | TRAYS, PREPACKING (PLASTIC, FOAM AND CLEAR) | A | 8135 | # | | 17-JUN-83 | | | | |
| A | | A-A-886A | TOWELS, BATH, (TERRY) REVIEWER: MC MD | A | 7210 | / CT | | 05-NOV-92 | GL | MU | 99 | CT |
| | | A-A-887A | CARD, TABULATING, EAM | A | 7530 | # | | 17-MAR-81 | | | | |
| | | A-A-887A(12) | CARD, TABULATING, EAM | A | 7530 | # | FSS | 23-NOV-90 | | | | |
| D | | A-A-888B | CAN, SCREW CAP, METAL, 28-GAGE AND LIGHTER USER: AT OS YD1 REVIEWER: 99 AS GS ME MI SH | A | 8110 | * | GL | 18-DEC-91 | GL | SA | 69 | |
| | | A-A-889 | PALLET, MATERIAL HANDLING (WOOD, DOUBLE FACED, STRINGER CONSTRUCTION) | A | 3990 | # | | 24-AUG-81 | | | | |
| | | A-A-00889A | PALLET, MATERIAL HANDLING | A | 3990 | # | FSS | 15-MAR-90 | | | | |
| | | A-A-890C | TYPEWRITER (ELECTRIC, TYPEBAR) | A | 7430 | # | FSS | 23-FEB-83 | | | | |
| | | A-A-891B | TYPEWRITER, ELECTRIC, SINGLE ELEMENT | A | 7430 | # | | 23-JUN-81 | | | | |
| | | A-A-892 | TIRE, PNEUMATIC (RADIAL PLY, TUBELESS PASSENGER VEHICLE TIRES) | A | 2610 | # | | 01-APR-80 | | | | |
| M | | A-A-894A | PAPER, WRAPPING, DRY WAXED USER: SH REVIEWER: 71 AR MD | A | 8135 | # | GL | 10-SEP-91 | GL | SA | 69 | |
| | | A-A-895 | SODIUM HYDROXIDE, TECHNICAL | A | 6810 | # | | 10-AUG-81 | | | | |
| | | A-A-896A | PAPER SET, MANIFOLD AND CARBON (CORRESPONDENCE SET) | A | 7530 | % | FSS | 14-NOV-88 | | | | |
| | | A-A-896A(11) | PAPER SET, MANIFOLD AND CARBON (CORRESPONDENCE SET) | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | A-A-897 | PAPER PLACE MAT OR PAPER TRAY COVER (PAPER, DOILY) | A | 7530 | # | | 31-OCT-80 | | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | A-A-898 | INDEX SHEET SET, LOOSE-LEAF BINDER (WHITE, BLANK) | A | 7530 | * | | 04-JAN-82 | | | | |
| | | A-A-898(11) | INDEX SHEET SET, LOOSE-LEAF BINDER (WHITE, BLANK) | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | A-A-900B | TAG, SHIPPING, (PAPER) REVIEWER: 99 AT MC ME | A | 8135 | * | GL | 12-APR-91 | GL | SA | 69 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | A-A-907 | CANDLE, ILLUMINATING AND HOUR | A | 6260 | # | | 07-NOV-80 | | | | |
| | | A-A-912 | ROOFING COATING, ASPHALT EMULSION | A | 5610 | # | | 26-JUN-80 | | | | |
| | | A-A-913A | ASPHALT, PETROLEUM (PRIMER, ROOFING & WATERPROOFING) | A | 5610 | # | | 20-MAY-82 | | | | |
| | | A-A-914 | CUTBACK ASPHALT, RAPID CURING | A | 5610 | # | | 25-MAR-80 | | | | |
| | | A-A-916 | ASPHALT, ROOFING (HOT CEMENT, MOPPING COAT) | A | 5610 | # | | 24-JAN-80 | | | | |
| | | A-A-931 | AIR CONDITIONERS, ELECTRIC MOTOR DRIVEN SELF CONTAINED (FOR SHORE USE) | A | 4120 | # | | 28-NOV-80 | | | | |
| | | A-A-932 | AIR CONDITIONER, ELECTRIC MOTOR DRIVEN SELF CONTAINED (FOR SHORE USE) | A | 4120 | # | | 10-DEC-80 | | | | |
| | | A-A-949A | CABLE AND CONDUIT ASSEMBLY, ELECTRICAL | A | 6150 | # | | 22-APR-81 | | | | |
| | | A-A-962 | SHEARS, PRUNING (ONE HAND OPERATED) USER: 99 ME | A | 3750 | * | | 21-FEB-84 | | | | |
| | | A-A-970 | BUSH HOOK, HAND USER: 99 | A | 3750 | * | | 21-FEB-84 | ME | | | GS |
| | | A-A-973 | SPONGES, METAL | A | 7920 | # | | 07-FEB-80 | | | | |
| | | A-A-974A | PORTFOLIO, ENVELOPE, SLIDE FASTENER (ARTIFICIAL LEATHER) | A | 8460 | # | | 14-FEB-80 | | | | |
| M | | A-A-975A | LEAD, DRAWING | A | 7510 | # | FSS | 02-MAY-92 | | | | |
| M | | A-A-976A | PENCIL, LEAD DRAWING | A | 7510 | # | FSS | 08-MAY-92 | | | | |
| | | A-A-978A | TAPE, TYPEWRITER, CORRECTION (LIFT OFF) | A | 7510 | # | | 05-AUG-80 | | | | |
| | | A-A-979B | MULTI-STRIKE TYPEWRITER RIBBONS | A | 7510 | # | FSS | 28-DEC-90 | | | | |
| | | A-A-982 | WHEELBARROW, CONTRACTORS | A | 3920 | # | | 20-MAY-82 | | | | |
| | | A-A-983 | WHEELBARROW, GENERAL UTILITY | A | 3920 | # | | 20-MAY-82 | | | | |
| | | A-A-984 | TRUCK, HAND, TWO WEELE (LIGHT DUTY) | A | 3920 | # | | 05-MAY-81 | | | | |
| | | A-A-996A | PIPE, PLASTIC REVIEWER: 82 | A | 4710 | * | | 06-AUG-85 | | | 99 | |
| D | | A-A-1003 | STEEL BAR, REINFORCING USER: CE | A | 5680 | * | ME | 05-APR-85 | ME | YD1 | 84 | |
| | | A-A-1007A | WIRE, STEEL, CARBON (NONELECTRICAL) REVIEWER: OS | A | 9505 | % | FSS | 07-AUG-90 | | | | |
| D | | A-A-1011 | CASTER, SWIVEL (CHAIR) USER: YD1 REVIEWER: IS MC ME | A | 5340 | * | | 06-JAN-83 | | | | |
| D | | A-A-1012 | CASTER, SWIVEL (INDUSTRIAL DUTY) USER: *YD1 REVIEWER: IS* MC ME | A | 5340 | * | | 17-MAR-83 | | | | |
| | | A-A-1013 | LOCK OFFICE MACHINE REVIEWER: IS MC ME | A | 5340 | * | | 17-MAR-83 | | | | |
| | | A-A-1014A | BELT, ABRASIVE (COATED CLOTH, POWER MACHINE (VALIDATION DATE: 8306) USER: ME SD SH REVIEWER: IS | A | 5345 | / 84 | | 21-APR-81 | MR | | 99 | |
| A L | | A-A-1016C | DISK, ABRASIVE (CLOTH & FIBRE) REVIEWER: 84 | A | 5345 | * 99 | | 10-JUL-91 | | | 99 | |
| | | A-A-1017 | BAG, COTTON DUCK (SOIL AND GRAIN) | A | 8105 | # | | 05-MAR-80 | | | | |
| | | A-A-1019A | STAPLE, PAPER FASTENING, STANDARD DUTY | A | 7510 | # | | 07-DEC-87 | | | | |
| | | A-A-1020A | PERFORATOR, PAPER, TWO HOLE, DESK | A | 7520 | # | FSS | 21-JUN-90 | | | | |
| | | A-A-1021A | PERFORATOR, PAPER, THREE HOLE, DESK | A | 7520 | # | FSS | 21-JUN-90 | | | | |
| | | A-A-1022A | TRIMMER, PAPER, DROP KNIFE | A | 7520 | # | FSS | 16-JUN-89 | | | | |
| | | A-A-1022A(11) | TRIMMER, PAPER, DROP KNIFE | A | 7520 | # | FSS | 15-JAN-91 | | | | |
| | | A-A-1023 | FRAME, FILE DRAWER | A | 7520 | # | | 18-JAN-80 | | | | |
| | | A-A-1030 | RACK, DISTRIBUTOR, DESK | A | 7520 | % | | 11-MAY-81 | | | | |
| | | A-A-1032 | ERASER, STEEL | A | 7510 | # | | 03-JUL-80 | | | | |
| | | A-A-1036C | WIRE FABRIC (INSECT SCREENING) USER: MC REVIEWER: DS EA IS MD MI MS | A | 5335 | % | FSS | 18-SEP-90 | | | | |
| D | | A-A-1037B | WIRE FABRIC, (INDUSTRIAL) USER: MC REVIEWER: EA IS | A | 5335 | * | ME | 19-APR-90 | ME | YD1 | 99 | |
| | | A-A-1038A | SEAL, ANTIPILFERAGE (SELF-LOCKING) | A | 5340 | * | | 30-JUN-81 | | | | |
| | | A-A-1039 | SEAL, ANTIPILFERAGE | A | 5340 | # | | 26-MAR-80 | | | | |
| | | A-A-1040A | KEY CHAIN, REEL (DOOR KEY AND DRILL CHUCK KEYS) | A | 5340 | # | FSS | 04-JUN-90 | | | | |
| | | A-A-1041B | STEEL GRIT | A | 5350 | % | FSS | 20-MAR-89 | MR | | | |
| | | A-A-1042B | STEEL SHOT | A | 5350 | # | | 28-APR-86 | | | | |
| | | A-A-1043A | STEEL WOOL REVIEWER: DS | A | 5350 | # | | 04-SEP-80 | | | | |
| | | A-A-1044A | WOOL, METALLIC (COPPER AND ALUMINUM) | A | 5350 | # | FSS | 04-JUN-90 | | | | |
| | | A-A-1045 | GRAIN, ABRASIVE (MINERAL) | A | 5350 | # | | 26-JUN-80 | | | | |
| | | A-A-001045A | GRAIN, ABRASIVE (MINERAL) | A | 5350 | # | FSS | 13-JUN-89 | | | | |
| | | A-A-1047A | PAPER, ABRASIVE, SILICON CARBIDE, WATERPROOF REVIEWER: 84 AT DS ME | A | 5350 | # | | 01-APR-87 | | | | |
| D | | A-A-1048A | COATED ABRASIVE CLOTH, ALUMINUM OXIDE REVIEWER: DS | A | 5350 | * | YD1 | 21-SEP-88 | MR | YD1 | 99 | |
| D | | A-A-1049A | CLOTH, ABRASIVE & PAPER, ABRASIVE (EMERY) USER: YD1 | A | 5350 | % | | 22-FEB-85 | | | | |
| D | | A-A-1051A | PAPERBOARD, WRAPPING & CUSHIONING (HEAVY DUTY) REVIEWER: 99 CR EA GS MC MD ME MI OS YD1 | A | 8135 | * | | 17-MAR-86 | GL | SA | 69 | |
| | | A-A-1051A(11) | PAPERBOARD, WRAPPING AND CUSHIONING, (HEAVY DUTY) | A | 8135 | # | FSS | 20-APR-89 | | | | |
| | | A-A-1052A | TUBE, DRINKING, PLASTIC USER: MS REVIEWER: 84 DM MD TS | A | 7350 | # | GL | 17-FEB-88 | GL | SA | 99 | |
| | | A-A-1053A | DISPENSER, PAPER NAPKIN | A | 7350 | # | FSS | 25-APR-91 | | | | |
| A | | A-A-1054A | DISPENSER, TOOTHPICK USER: MC REVIEWER: 50 84 MD TS | A | 7350 | * | GL | 21-NOV-91 | GL | SA | 99 | |
| | | A-A-1056A | *TOOTHPICK* (WOOD) | A | 7350 | # | FSS | 03-MAY-91 | | | | |
| D | | A-A-1060A | TABLEWARE, GLASS (SALT AND PEPPER SHAKERS; SYRUP PITCHER; SUGAR DISPENSER, CONDIMENT CRUET; AND SHERBET CUP) USER: SM YD1 REVIEWER: MC MD ME MS | A | 7350 | * | GL | 25-APR-91 | GL | SA | 99 | |
| M | | A-A-1061A | TUMBLER, DRINKING (GLASS) USER: MC REVIEWER: 50 84 MD TS | A | 7350 | * | GL | 30-AUG-91 | GL | SA | 99 | |
| | | A-A-1063 | BASKET, FRAME MOUNTED | A | 7240 | # | | 09-MAY-80 | | | | |
| | | A-A-1065A | FUNNEL, METAL, SHALLOW RIM, GENERAL PURPOSE, WITH STRAINER | A | 7240 | * | | 27-APR-81 | | | | |
| | | A-A-1066A | FUNNEL (METAL, PLAIN, GENERAL PURPOSE, WITH STAINER) | A | 7240 | * | | 08-AUG-85 | | | | |
| | | A-A-1068A | FUNNEL (METAL, FLEXIBLE SPOUT, GARAGE USE, WITH STRAINER) | A | 7240 | # | | 08-AUG-85 | | | | |
| | | A-A-1069A | CANS, ASH AND GARBAGE, AND COVERS | A | 7240 | # | FSS | 23-APR-82 | | | | |
| | | A-A-1070A | WASTE RECEPTACLE, FUNNEL TOP, PLASTIC | A | 7240 | # | | 24-JAN-80 | | | | |
| | | A-A-1072A | SKIMMER, KITCHEN USER: MC REVIEWER: MD | A | 7330 | * | GL | 18-APR-90 | GL | SA | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| A | | A-A-1073A | PANS: CAKE, MUFFIN, AND PUDDING USER: MC REVIEWER: 50 84 MD TS | A | 7330 | * | GL | 06-NOV-91 | GL | SA | 99 | |
| | | A-A-1074 | LINER, BAKING CUP (PAPER) | A | 7330 | * | | 23-JAN-81 | | | | |
| D | | A-A-1075A | JUG, INSULATED (WATER) USER: YD1 | A | 7330 | * | GL | 21-FEB-90 | GL | SA | 99 | |
| | | A-A-1076A | FOOD TURNER (PERFORATED BLADE) | A | 7330 | # | FSS | 28-AUG-89 | | | | |
| | | A-A-1078A | COFFEE-MAKER, VACUUM | A | 7330 | # | FSS | 25-APR-91 | | | | |
| | | A-A-1079 | BOWL, FOOD MIXING (STRAINLESS STEEL) | A | 7330 | # | | 29-JUL-80 | | | | |
| | | A-A-1080 | OPENER, CAN, HAND (DISPOSABLE, COMBINATION OPENER AND PUNCH | A | 7330 | # | | 29-JUL-80 | | | | |
| | | A-A-1081A | STIRRING STICK, BEVERAGE (WOOD) USER: MC REVIEWER: 50 84 MD TS | A | 7340 | * | GL | 13-FEB-91 | GL | SA | 99 | |
| | | A-A-1082A | SPOON, FOOD SERVICE (BASTING, STRAINING, AND MIXING) USER: MC | A | 7340 | * | GL | 21-AUG-89 | GL | SA | 99 | |
| | | A-A-1083A | PAD, LITHOGRAPH WIPING | A | 3610 | # | FSS | 27-NOV-90 | | | | |
| | | A-A-1105 | EXTINGUISHER, FIRE, DRY CHEMICAL WHEELED | A | 4210 | # | | 07-JUL-80 | | | | |
| D | | A-A-11068 | EXTINGUISHER, FIRE, CARBON DIOXIDE USER: AR CE MC OS REVIEWER: CS SM | A | 4210 | * | ME | 31-JAN-85 | ME | YD1 | 99 | |

| Action | Qpl. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | A-A-1107A | EXTINGUISHER, FIRE, HOLOGENATED AGENT (AUTOMATIC) USER: AR CE MC OS REVIEWER: CS SM | A | 4210 | * | GS | 24-JUL-81 | ME | YD1 | 99 | |
| | | A-A-1108B | EXTINGUISHER, FIRE, VAPORIZING LIQUID | A | 4210 | # | | 28-AUG-85 | | | | |
| | | A-A-1109 | CLIMBER SET TREE AND POLE, STEEL, INTERCHANGEABLE GAFF, W/NYLON NEOPRENE COATED STRAPS | A | 4240 | # | | 30-MAY-80 | | | | |
| | | A-A-1110A | GOGGLES, INDUSTRIAL, PLASTIC USER: ME REVIEWER: 11 GS | A | 4240 | / | EA | 13-SEP-91 | EA | | 99 | |
| | | A-A-1112 | BREATHING APPARATUS, SELF CONTAINED | A | 4240 | # | | 30-MAY-80 | | | | |
| | | A-A-1152B | DISPENSER, DRINKING WATER, MECHANICALLY COOLED | A | 4110 | # | | 06-JUN-80 | | | | |
| | | A-A-1153B | DISPENSER, DRINKING WATER, MECHANICALLY COOLED | A | 4110 | # | | 13-JUN-80 | | | | |
| | | A-A-1154B | DISPENSER, DRINKING WATER, MECHANICALLY COOLED | A | 4110 | # | | 26-JUN-80 | | | | |
| | | A-A-1184A | PACKING MATERIAL (PLASTIC) | A | 5330 | # | FSS | 04-JUN-90 | | | | |
| | | A-A-1186 | OAKUM (PACKING, JUTE, TWISTED) | A | 5330 | # | | 23-JUL-81 | | | | |
| | | A-A-1187 | GASKET (ASBESTOS) USER: AR | A | 5330 | * | IS | 29-SEP-81 | MR | SH | 85 | |
| | | A-A-1188 | CORK SHEET (PACKAGING & GASKETING) | A | 5330 | * | OS | 30-JUN-81 | | OS | 99 | |
| | | A-A-1189 | CALKING LEAD (PACKING & GASKETING) | A | 5330 | * | SH | 07-MAY-81 | MR | SH | 99 | |
| | | A-A-1190 | WIRE FABRIC (SPLINT, WIRE MESH) | A | 5335 | # | | 27-APR-81 | | | | |
| D | | A-A-1192A | HANGER, PIPE USER: MC REVIEWER: 1S | A | 5340 | * | YD1 | 13-MAY-81 | | YD1 | 99 | |
| | | A-A-1193A | HANGER, PICTURE (MAGNETIC) REVIEWER: 82 IS | A | 5340 | * | FSS | 23-JUN-89 | | | 99 | |
| | | A-A-1194 | GLIDE, FURNITURE | A | 5340 | # | | 09-JUN-81 | | | | |
| | | A-A-1196 | CUP FURNITURE | A | 5340 | # | | 09-JUN-81 | | | | |
| | | A-A-1197A | RUBBING COMPOUND, LACQUER USER: AT MC ME MI REVIEWER: AS MR SH | A | 5350 | * | 84 | 04-FEB-87 | | | 99 | |
| D | | A-A-1200A | COATED ABRASIVE CLOTH, SILICON CARBIDE USER: AS REVIEWER: 84 | A | 5350 | * | YD1 | 22-MAY-89 | MR | YD1 | | |
| D | | A-A-001200A | COATED ABRASIVE CLOTH, SILICON CARBIDE USER: AS REVIEWER: 82 | A | 5350 | | YD1 | 22-MAY-89 | | YD1 | | |
| | | A-A-1201A | PAPER, ABRASIVE (GARNET COATED) REVIEWER: DS | A | 5350 | # | | 02-JAN-86 | | | | |
| | | A-A-1202 | COATED ABRASIVE PAPER, FLINT REVIEWER: DS | A | 5350 | # | | 17-APR-80 | | | | |
| | | A-A-1203B | LAPPING & GRINDING COMPOUND (VALVE) | A | 5350 | * | | 21-MAR-86 | | | | |
| D | | A-A-1206A | COATED ABRASIVE CLOTH, CROCUS REVIEWER: 84 AT DS | A | 5350 | * | | 16-APR-87 | ME | YD1 | 99 | |
| | | A-A-1210 | TOWEL, MACHINERY WIPING (RENTAL) | A | 7920 | # | | 18-AUG-81 | | | | |
| A | | A-A-1214A | CLOTH, COATED | A | 8305 | # | FSS | 20-JUL-92 | | | | |
| | | A-A-1217 | INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF) | A | 7530 | * | GL | 04-JAN-82 | | | | |
| | | A-A-1217(I1) | INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF) | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | A-A-1219 | PAPER, CARBON, PENCIL | A | 7530 | # | | 17-MAR-81 | | | | |
| | | A-A-1219(I1) | PAPER, CARBON, PENCIL | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | A-A-1220 | COVER, TOILET SEAT, PAPER | A | 8540 | # | | 04-APR-81 | | | | |
| | | A-A-1223A | BAG, LAUNDRY (WATER SOLUBLE PLASTIC) | A | 8465 | # | | 02-JUL-87 | | | | |
| | | A-A-1225 | PAPER, CARBON, DUPLICATING MACHINE | A | 7530 | # | FSS | 20-SEP-82 | | | | |
| | | A-A-1232 | BOTTLE, DRINKING WATER DISPENSER | A | 8125 | # | | 02-SEP-82 | | | | |
| D | | A-A-1234A | BOX, SHIPPING (WOOD, NAIL, AND LOCK-CORNER WITH FULL CLEATED ENDS AND BUTT JOINTS) (BOX: TOP-BOTTOM, SIDES, OR ENDS) REVIEWER: 99 MD ME MI MT SM YD1 | A | 8115 | * | GL | 24-AUG-84 | GL | SA | 69 | |
| | | A-A-1235 | CONTAINERS, PLASTIC, MOLDED (FOR LIQUIDS, PASTES, & POWDERS) USER: SH REVIEWER: EA MD MS | A | 8115 | * | | 06-DEC-84 | GL | SA | 69 | |
| | | A-A-1241 | BOX, SHIPPING (WOOD, NAIL AND LOCK- CORNER WITH TWO EXTERIOR END CLEATS; (TOP, BOTTOM, SIDE, OR END) | A | 8115 | # | | 11-JAN-83 | | | | |
| | | A-A-1243A | TAPE, PRESSURE-SENSITIVE ADHESIVE DOUBLE-COATED VINYL, CARPET | A | 7510 | # | FSS | 17-MAY-89 | | | | |
| | | A-A-1244 | PAPER, WRAPPING, DRY WAXED (NON-FOOD WRAPPING USES) | A | 8135 | # | | 12-DEC-79 | | | | |
| | | A-A-1244(I1) | PAPER, WRAPPING, DRY-WAXED (NON-FOOD WRAPPING USES) | A | 8135 | # | FSS | 20-APR-89 | | | | |
| M | | A-A-1245B | PAPER, WRAPPING, FREEZER (PLASTIC-COATED) REVIEWER: 99 MD | A | 8135 | * | GL | 04-MAR-93 | GL | | 69 | |
| | | A-A-1246A | BAG, PLASTIC (PRODUCE AND POULTRY) | A | 8105 | # | FSS | 21-SEP-90 | | | | |
| A | | A-A-1247B | BAG, CELLOPHANE REVIEWER: 84 MD SS | A | 8105 | * | GL | 29-SEP-92 | GL | SA | 99 | |
| | | A-A-1249 | PAPER, WRAPPING, TISSUE REVIEWER: 99 DS EA GS MD ME OS SA | A | 8135 | # | | 29-APR-80 | | | | |
| | | A-A-1249(I2) | PAPER, WRAPPING, TISSUE | A | 8135 | # | FSS | 15-MAR-91 | | | | |
| | | A-A-1252A | PAD, MEAT & POULTRY (PAPER) REVIEWER: MD | A | 8135 | * | GL | 16-SEP-86 | GL | | | |
| | | A-A-1253B | BOARD, PREPACKING (PAPERBOARD & MOLDED PULP TRAYS) | A | 8135 | # | | 19-JUN-83 | | | | |
| D | | A-A-1266B | TAG, SHIPPING (CLOTH) USER: AT MC REVIEWER: 99 AR MD ME YD1 | A | 8135 | * | GL | 09-JAN-91 | GL | SA | 69 | |
| | | A-A-1267A | TAP, THREAD CUTTING (SPIRAL POINTED | A | 5136 | # | | 07-DEC-87 | | | | |
| M | | A-A-1272A | PLASTER, GYPSUM (SPACKLING COMPOUND) | A | 5610 | # | FSS | 01-NOV-91 | | | | |
| | | A-A-1273 | PAIL, UTILITY, METAL, GALVANIZED, (ZINC COATED) | A | 7240 | # | | 17-JUN-80 | | | | |
| D | | A-A-1274A | WRENCH, TORQUE, DEFLECTING BEAM | A | 5120 | * | | 26-MAY-87 | GL | YD1 | 99 | |
| D | | A-A-1280A | SORBENT, OIL (ROLL, SWEEP, PAD) | A | 9330 | / | YD1 | 31-MAR-89 | | YD1 | 84 | |
| D | | A-A-1281A | SORBENT, OIL (PARTICULATE) | A | 9330 | / | YD1 | 31-MAR-89 | | YD1 | 84 | |
| D | | A-A-1282A | SORBENT, OIL (ENCLOSED) | A | 9330 | / | YD1 | 31-MAR-89 | GL | YD1 | 84 | |
| | | A-A-1284B | HAMMER, HAND, MAUL, SPIKE (RAILROAD) | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1285B | HAMMER, HAND, MAUL, SHIP (TOP) | A | 5120 | * | GL | 17-APR-89 | GL | SH | 99 | |
| | | A-A-1286B | HAMMER, HAND, STONEWORKERS', MASONS' | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1288B | HAMMER, HAND, STONEWORKERS', MAPPING | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1289 | HAMMER, HAND, STONEWORKERS, STRIKING (DRILLING) | A | 5120 | * | | 16-MAY-84 | GL | SH | 99 | |
| | | A-A-1290B | HAMMER, HAND, STONEWORKERS', HAND DRILLING, SHORT PATTERN | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1291B | HAMMER, HAND, BLACKSMITHS' OR ENGINEERS', STRAIGHT PEEN | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1292B | HAMMER, HAND, BLACKSMITHS' OR ENGINEERS' CROSS PEEN | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| D | | A-A-1293B | HAMMER, HAND, BLACKSMITHS' OR ENGINEERS' DOUBLE FACE USER: YD1 | A | 5120 | * | GL | 17-APR-89 | GL | SH | 99 | |
| | | A-A-1294B | HAMMER, HAND, TINNERS', SETTING (PANELING) | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1295B | HAMMER, HAND, TINNERS', RIVETING | A | 5120 | * | GL | 17-APR-89 | GL | SH | 99 | |
| | | A-A-1297B | HAMMER, HAND, TRIMMERS', TACK, MAGNETIZED | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1300B | HAMMER, HAND, SCALING | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1304B | HAMMER, HAND, MACHINISTS', RIVETING | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1305B | HAMMER, HAND, MACHINISTS', BALL PEEN | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1306B | HAMMER, HAND, CARPENTERS', RIPPING STRAIGHT CLAW | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1307B | HAMMER, HAND, CARPENTERS', NAIL, CURVED CLAW | A | 5120 | * | GL | 17-APR-89 | GL | | 99 | |
| | | A-A-1340 | WRENCH, BOX, STUB END TYPE, OFFSET HANDLE | A | 5120 | # | | 14-JAN-80 | | | | |
| | | A-A-1341 | WRENCH, BOX, STUB END TYPE, STRAIGHT HANDLE | A | 5120 | # | | 14-JAN-80 | | | | |
| | | A-A-1342A | WRENCH, BOX, DOUBLE HEAD 15 DEG. OFFSET EACH END, REGULAR LENGTH | A | 5120 | * | GL | 05-MAR-91 | GL | | 99 | |
| | | A-A-1343A | WRENCH, BOX, DOUBLE HEAD 15 DEG. OFFSET EACH END, SHORT LENGTH | A | 5120 | * | GL | 05-MAR-91 | GL | | 99 | |
| | | A-A-1344A | WRENCH, BOX, DOUBLE HEAD OFFSET EACH END (DEEP OR MODIFIED), REGULAR LENGTH | A | 5120 | * | GL | 05-MAR-91 | GL | | 99 | |
| | | A-A-1345A | WRENCH, BOX, DOUBLE HEAD OFFSET EACH END (DEEP OR MODIFIED), SHORT LENGTH | A | 5120 | * | GL | 05-MAR-91 | GL | | 99 | |
| | | A-A-1346 | WRENCH, BOX, DOUBLE HEAD, 12 POINT, HALF MOON | A | 5120 | # | | 14-JAN-80 | | | | |
| | | A-A-1348 | WRENCH, TAPPET, DOUBLE SPEARHEAD, OPEN END, 15 DEG. HEAD | A | 5120 | # | | 09-MAY-80 | | | | |
| D | | A-A-1349 | WRENCH, SLUGGING, BOX, 12 POINT USER: YD1 | A | 5120 | # | | 26-FEB-80 | | | | |
| | | A-A-1350A | WRENCH, FLARE NUT, SINGLE HEAD, MODIFIED 12-POINT | A | 5120 | * | GL | 18-JAN-89 | GL | | 99 | |
| | | A-A-1351 | WRENCH, OPEN END, THIN DOUBLE HEAD | A | 5120 | # | | 14-JAN-80 | | | | |
| | | A-A-1352 | WRENCH, OPEN END, SINGLE THIN HEAD, STRAIGHT | A | 5120 | # | | 14-JAN-80 | | | | |
| | | A-A-1353 | WRENCH, OPEN END, SINGLE THIN HEAD, 30 DEG. HEAD | A | 5120 | # | | 26-FEB-80 | | | | |
| | | A-A-1354 | WRENCH, OPEN END, SINGLE THIN HEAD, 15 DEG. HEAD | A | 5120 | # | | 14-JAN-80 | | | | |
| | | A-A-1355 | WRENCH, IGNITION, DOUBLE HEAD, OPEN END, 15 DEG. AND 60 DEG. HEADS | A | 5120 | # | | 14-JAN-80 | | | | |
| | | A-A-1356A | WRENCH, ENGINEER'S, DOUBLE HEAD, OPEN END, 15 DEGREE HEAD | A | 5120 | * | GL | 17-JAN-89 | GL | | 99 | |
| | | A-A-1357A | WRENCH, ENGINEER'S, SINGLE HEAD, OPEN END, 15 DEGREE HEAD | A | 5120 | * | GL | 19-JAN-89 | GL | | 99 | |
| | | A-A-1358A | WRENCH, COMBINATION, OPEN END AND 15 DEG. OFFSET BOX OPENING | A | 5120 | # | | 15-JAN-80 | | | | |
| | | A-A-1359 | WRENCH, ANGLE, DOUBLE HEAD, OPEN END, 15 DEG & 60 DEG. HEADS | A | 5120 | # | | 08-MAY-80 | | | | |
| | | A-A-1360 | WRENCH, STRIKING, BOX 12 POINT | A | 5120 | # | | 14-JAN-80 | | | | |
| | | A-A-1374 | SOUR, LAUNDRY (FLUORIDATED) | A | 7930 | # | | 30-APR-80 | | | | |
| | | A-A-1375A | SOAP, LAUNDRY, BAR | A | 7930 | # | | 07-MAY-80 | | | | |
| | | A-A-1376 | DETERGENT, GENERAL PURPOSE (POWDERED, LIGHT TO MEDIUM DUTY) | A | 7930 | # | | 25-FEB-80 | | | | |
| | | A-A-1381A | LANTERN, ELECTRIC ONE CONCENTRATED BEAM | A | 6230 | # | | 02-JUN-81 | | | | |
| | | A-A-1382 | LANTERN, ELECTRIC (RECHARGEABLE) | A | 6230 | # | | 31-MAR-81 | | | | |

| Action | CIPL / CIML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-1383A | INKING PAD, RUBBER STAMP (FABRIC PAD) | A | 7510 # | FSS | | 23-JAN-90 | | | | |
| M | L | A-A-1384A | HOLDER, DOOR | A | 5340 * | IS | | 04-MAR-93 | | | | IS |
| D | | A-A-1392 | SOCKET, SOCKET WRENCH, NONPOWER, 1 INCH DRIVE, 12-POINT USER: YD1 REVIEWER: AL | A | 5120 | GL | | 14-DEC-82 | GL | | 99 | |
| | | A-A-1393 | SOCKET, SOCKET WRENCH,NONPOWER, 1 INCH DRIV E, 6-POINT REVIEWER: AL | A | 5120 | GL | | 14-DEC-82 | GL | | 99 | |
| D | | A-A-1394 | SOCKET, SOCKET WRENCH,NONPOWER, 3/4 INCH DR IVE, 12-POINT, REGULARLENGTH USER: YD1 REVIEWER: AL | A | 5120 | GL | | 14-DEC-82 | GL | | 99 | |
| D | | A-A-1395 | SOCKET, SOCKET WRENCH, NONPOWER, 3/4 INCH DRIVE, 12 POINT, LONG LENGTH USER: YD1 REVIEWER: AL | A | 5120 | GL | | 13-JUN-85 | GL | | 99 | |
| D | | A-A-1396 | SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, UNIVERSAL JOINT USER: YD1 REVIEWER: AL | A | 5120 * | GL | | 14-DEC-82 | GL | | 99 | |
| | | A-A-1397 | SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, 8-POINT REVIEWER: AL | A | 5120 * | GL | | 14-DEC-82 | GL | | 99 | |
| D | | A-A-1398 | SOCKET, SOCKET WRENCH,NONPOWER, 1/2 INCH DR IVE, 12-POINT, LONG LENGTH USER: YD1 REVIEWER: AL | A | 5120 | GL | | 14-DEC-82 | GL | | 99 | |
| D | | A-A-1399 | SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, 12-POINT, REGULA R LENGTH USER: YD1 REVIEWER: AL | A | 5120 * | GL | | 14-DEC-82 | GL | | 99 | |
| D | | A-A-1401 | SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, UNIVERSAL JOINT USER: YD1 REVIEWER: AL | A | 5120 * | | | 14-DEC-82 | | | | |
| D | | A-A-1402 | SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, 8 POINT USER: YD1 REVIEWER: AL | A | 5120 * | GL | | 14-DEC-82 | | | | |
| D | | A-A-1403 | SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, 12-POINT, LONG LENGTH USER: YD1 REVIEWER: AL | A | 5120 | GL | | 14-DEC-82 | GL | | 99 | |
| D | | A-A-1404A | SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, 12 POINT, REGULARLENGTH USER: YD1 REVIEWER: AL | A | 5120 * | GL | | 07-DEC-87 | GL | | 99 | |
| | | A-A-1405 | SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 4 AND 8 POINT REVIEWER: AL | A | 5120 * | | | 14-DEC-82 | | | | |
| | | A-A-1406 | SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 12 POINT, LONG LENGTH REVIEWER: AL | A | 5120 * | | | 14-DEC-82 | | | | |
| | | A-A-1407 | SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 12 POINT, REGULARLENGTH REVIEWER: AL | A | 5120 * | GL | | 14-DEC-82 | GL | | 99 | |
| | | A-A-1408 | SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 6-POINT, LONG LENGTH REVIEWER: AL | A | 5120 * | GL | | 14-DEC-82 | GL | | 99 | |
| | | A-A-1409 | SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 6 POINT, REGULAR LENGTH REVIEWER: AL | A | 5120 * | GL | | 14-DEC-82 | GL | | 99 | |
| | | A-A-14190 | FILTER ELEMENT, AIR CONDITIONING (VISCOUS-IMPINGEMENT AND DRY TYPES, REPLACEABLE) | A | 4130 # | FSS | | 18-JUN-91 | | | | |
| | | A-A-1420 | AEROSOL FIXATIVE LACQUER | A | 8010 # | | | 06-MAY-80 | | | | |
| | | A-A-1427A | SODIUM HYPOCHLORITE SOLUTION | A | 6810 # | | | 28-MAR-83 | | | | |
| | | A-A-1430 | PAD, SCOURING, PLASTIC SPONGE (WITH ABRASIVE BACK) | A | 7920 # | | | 07-MAR-80 | | | | |
| | | A-A-1432 | TOWEL, PAPER (INDUSTRIAL WIPING) | A | 7920 # | | | 06-MAY-81 | | | | |
| A | L | A-A-1433B | SHEET, BED (POLYESTER/COTTON) | A | 7210 * | MU | | 27-AUG-92 | | MU | | |
| | | A-A-1438 | DISINFECTANT, GENERAL PURPOSE (LIQUID PHENOLIC TYPE) REVIEWER: MD | A | 6840 * | GS | | 30-JUL-81 | GL | MS | 68 | |
| | | A-A-1439 | DISINFECTANT-DETERGENT, GENERAL PURPOSE (PHENOLIC TYPE) | A | 6840 * | GS | | 02-JAN-81 | ME | SH | 68 | |
| | | A-A-1440 | DISENFECTANT-DETERGENT, GENERAL PURPOSE (IODOPHOR) REVIEWER: GS MD | A | 6840 * | GL | | 22-MAY-81 | GL | | 68 | |
| | | A-A-1441 NOTICE 1 | DISINFECTANT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND) [VALIDATION DATE: 8902] REVIEWER: AS GS | A | 6840 * | 68 | | 01-FEB-89 | | SH | 68 | |
| | | A-A-1442 | SANITIZER-DETERGENT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND) | A | 6840 # | | | 22-MAY-81 | | | | |
| D | | A-A-1443 | DISINFECTANT-DETERGENT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND) REVIEWER: MC MD MS YD1 | A | 6840 * | GS | | 21-JAN-81 | GL | SH | 68 | |
| | | A-A-1446D | ENVELOPE, MAILING REVIEWER: CG MC | A | 7530 * | GL | | 30-APR-91 | GL | SA | 99 | |
| | | A-A-001446C | ENVELOPE, MAILING | A | 7530 # | | | 19-JAN-90 | | | | |
| | | A-A-1446B(I1) | ENVELOPE, MAILING | A | 7530 # | FSS | | 20-APR-89 | | | | |
| | | A-A-1447A | TOWEL, PAPER (PLASTIC WIPING) | A | 7920 # | FSS | | 15-AUG-84 | | | | |
| | | A-A-1451 | TWINE, FIBROUS (WRAPPING) USER: OS REVIEWER: AR IS | A | 4020 * | GL | | 11-MAY-81 | GL | MU | 99 | |
| | | A-A-1452A NOTICE 1 | LACQUER (SPRAYING, CHEMICAL RESISTANT) [VALIDATION DATE: 8702] | A | 8010 * | ME | | 10-FEB-87 | MR | SH | | |
| A | | A-A-1453B | STOPWATCH, DIGITAL, ELECTRIC | A | 6645 # | FSS | | 10-APR-92 | | | | |
| | | A-A-1454 | TIMER, INTERVAL, ELECTRIC (ANALOG) | A | 6645 # | | | 26-SEP-80 | | | | |
| | | A-A-1455 | MOPPING OUTFIT, FLOOR | A | 7920 # | | | 18-SEP-81 | | | | |
| M | | A-A-1457A | TIMER, INTERVAL, MECHANICAL (120 MINUTE MAXIMUM INTERVAL) | A | 6645 # | FSS | | 24-APR-92 | | | | |
| | | A-A-1460 | LABEL, PAPER, PRESSURE SENSITIVE ADHESIVE (GENERAL PURPOSE WITH MARGINAL SLOT FEED PERFORATIONS) | A | 7530 # | | | 10-MAR-81 | | | | |
| | | A-A-1462B | LABEL, PAPER, PRESSURE SENSITIVE ADHESIVE (FILE FOLDER LABEL) REVIEWER: 84 | A | 7530 * | GL | | 27-JUL-83 | | | 99 | |
| | | A-A-1464 | HANDLE, ACME THREADED END (TELESCOPIC) | A | 7920 # | | | 24-AUG-81 | | | | |
| | | A-A-1491A | CLOTH, CHEESECLOTH (COTTON, RAYON, & COTTON/RAYON | A | 8305 # | | | 18-DEC-80 | | | | |
| | | A-A-1492B | TAPE, GUMMED, PAPER, PLAIN REVIEWER: CG ME SA SH | A | 8135 % | FSS | | 08-AUG-90 | | | | |
| | | A-A-1492A(I1) | TAPE, GUMMED, PAPER, PLAIN USER: CG ME SA SH | A | 8135 # | FSS | | 20-APR-89 | | | | |
| | | A-A-1493 | TIMER, INTERVAL, ELECTRIC (DIGITAL) | A | 6645 # | | | 27-MAR-81 | | | | |
| | | A-A-1495 | WASTE RECEPTACLE, STEP ON, PLASTIC, WITH LINER | A | 7240 # | | | 18-JUL-80 | | | | |
| D | | A-A-1496A | RECEPTACLE, TRASH (PLASTIC, 2 WHEELED, 2-WHEELED, 85 GALLONS, WITH LID) | A | 7240 * | GL | | 28-MAY-81 | GL | YD1 | 99 | |
| | | A-A-1498 | SODIUM OR THOSILICATE, TECHNICAL USER: AS REVIEWER: GL MD ME SM | A | 6810 * | GS | | 01-FEB-83 | EA | | 68 | |
| D | | A-A-1500A | SEALER SURFACE (LATEX BLOCK FILLER) | A | 8010 # | | | 29-JUL-81 | | YD1 | | |
| | | A-A-1501 | PAPER SET, DUPLICATING, MASTER | A | 7530 # | | | 20-SEP-82 | | | | |
| | | A-A-1502A | PAPER, CARBON, TYPEWRITER | A | 7530 % | FSS | | 24-JAN-90 | | | | |
| | | A-A-1505C | TISSUE, FACIAL | A | 8540 # | FSS | | 30-MAY-90 | | | | |
| | | A-A-1507 | CHIPBOARD | A | 8135 # | | | 27-FEB-81 | | | | |
| | | A-A-1507(I1) | CHIPBOARD | A | 8135 # | FSS | | 20-APR-89 | | | | |
| | | A-A-1508 | TAG, CLOTH, DRY CLEANING & LAUNDRY | A | 8135 # | | | 07-OCT-80 | | | | |
| | | A-A-1509 | CLOCK, WALL ELECTRIC, SYNCHRONOUS MOTOR | A | 6645 # | | | 26-MAR-81 | | | | |
| | | A-A-1511 | CLOCK, WALL (ELECTRIC, DIGITAL) | A | 6645 # | | | 04-MAR-81 | | | | |
| | | A-A-1519A | CASE, DISPATCH (ARTIFICIAL LEATHER) REVIEWER: 82 | A | 8460 % | FSS | | 27-APR-90 | | | | |
| | | A-A-1533 | AIRBRUSH, ARTIST (KIT) | A | 7520 # | | | 24-AUG-81 | | | | |
| | | A-A-1534A | FIXTURE LIGHTING (FLUORESCENT INDUSTRIAL) | A | 6210 # | | | 23-FEB-82 | ME | | 99 | |
| | | A-A-1535 | FIXTURE, LIGHTING (FLUORESCENT SURFACE MOUNTED) | A | 6210 # | | | 28-JUL-81 | | | | |
| | | A-A-1540 | TIRE CHAIN, REINFORCED, PASSENGER CAR (TYPE RP) WITH REPLACEMENT CROSS CHAINS | A | 2540 # | | | 20-MAY-80 | | | | |
| | | A-A-1541 | TIRE CHAIN, REINFORCED, DUAL TRIPLE TRUCK, (TYPE RDT) WITH REPLACEMENT CROSS CHAINS | A | 2540 # | | | 12-MAY-80 | | | | |
| | | A-A-1542 | TIRE CHAIN, REINFORCED, SINGLE TRUCK (TYPE RS) WITH REPLACEMENT CROSS CHAINS | A | 2540 # | | | 16-MAY-80 | | | | |
| | | A-A-1543A | SOAP, BORAX (POWDERED) REVIEWER: MD | A | 8520 * | GL | | 14-MAY-82 | GL | | 99 | |
| | | A-A-1544 | CLEANING COMPOUND, SOLVENT (NON-CONDUCTIVE, NON-FILM FORMING, DEGREASING) | A | 6850 # | | | 15-FEB-82 | | | | |
| | | A-A-1545 | SODIUM CHLORIDE, TECHNICAL (FOR ICE REMOVAL) | A | 6810 # | | | 17-APR-81 | | | | |
| | | A-A-1546A | RUBBING VARNISH | A | 8010 # | | | 07-AUG-80 | | | | |
| | | A-A-1547 | TAPE, PAPER, DRY CLEANING, MARKING | A | 8135 # | | | 10-OCT-80 | | | | |
| | | A-A-1550 | WAX, GENERAL PURPOSE, SOLVENT TYPE | A | 7930 # | | | 22-MAR-85 | | | | |
| | | A-A-1551 | PRIMER COATING (GENERAL PURPOSE, AEROSOL) | A | 8010 # | | | 30-APR-81 | | | | |
| | | A-A-1552A | PRIMER COATING (FERRIC OXIDE, AEROSOL) | A | 8010 # | | | 24-MAR-81 | | | | |
| | | A-A-1555 | WATER PAINT, POWDER (CEMENTITIOUS, WHITE & COLORS) | A | 8010 # | | | 14-APR-81 | | | | |
| | | A-A-1556 | SEALING COMPOUND (ELASTOMERIC JOINT SEALANTS) | A | 8030 # | | | 24-APR-81 | | | 99 | |
| | | A-A-1558 | PAINT, STENCIL REVIEWER: OS | A | 8010 # | | | 24-APR-81 | | | | |
| | | A-A-1565 | SWAB, TOILET BOWL, ALL SYNTHETIC | A | 7920 # | | | 02-MAY-83 | | | | |
| | | A-A-1566 | PAIL, UTILITY, METAL, ENAMEL, WITH LID AND BAIL | A | 7240 # | | | 29-JUL-80 | | | | |

| Action | Qtr. / Cont. Cancellation Inactive | Document Number | Document Title | Dist. Symbol FSC / Area NICA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | A-A-1568 | TIRE CHAIN, REGULAR, PASSENGER CAR WITH RESTRICTED CLEARANCES (TYPE PL) AND REPLACEMENT CROSS CHAINS | A 2540 # 19-MAY-80 | | | | |
| | | A-A-1570 | PAPER, TELETYPEWRITER, ROLL (SPIRIT PROCESS) REVIEWER: ER | A 7530 * GL 22-MAR-83 | GL | SA | | |
| | | A-A-1570(11) | PAPER, TELETYPEWRITER, ROLL (SPIRIT PROCESS) | A 7530 # FSS 20-APR-89 | | | | |
| | | A-A-1572 | SEALER, SURFACES (SANDING) | A 8010 * GL 23-APR-82 | | | | |
| | | A-A-1573 | PAPER, XEROGRAPHIC | A 7530 # 23-APR-80 | | | | |
| | | A-A-1577 | LAMP, INCANDESCENT, 150 WATT, FLOODLIGHT, 150PAR/FL | A 6240 # 19-FEB-81 | | | | |
| | | A-A-1578 | LAMP, INCANDESCENT, 150 WATT, SPOTLIGHT, 150 PAR/SP | A 6240 # 18-FEB-81 | | | | |
| | | A-A-1579 | LAMP, FLUORESCENT, F40LW/RS ENERGY SAVING REVIEWER: GS | A 6240 # 20-FEB-81 | | | | |
| | | A-A-1584 | LAMP, INCANDESCENT, TRADE NO. 60A/D | A 6240 # 19-FEB-81 | | | | |
| | | A-A-1585 | PAINT, STENCIL (AEROSOL) | A 8010 # 13-MAY-81 | | | | |
| | | A-A-1588C | SACK, SHIPPING, PAPER (CUSHIONED WITH CLOSED CELL PLASTIC FILM) | A 8105 # FSS 23-JAN-90 | | | | |
| | | A-A-1588C(11) | SACK, SHIPPING, PAPER (CUSHIONED WITH CLOSED CELL PLASTIC FILM) | A 8105 # FSS 11-OCT-90 | | | | |
| | | A-A-1591A | PAPER, MEAT INTERLEAVING (DRY WAXED) REVIEWER: MD | A 8135 * GL 25-MAY-90 | GL | SA | 69 | |
| | | A-A-1592A | CALCULATING MACHINE (DESK TOP, 12 DIGIT DISPLAY/PRINT) USER: AT MI REVIEWER: 84 | A 7420 # GL 31-JAN-83 | GL | SA | 99 | |
| | | A-A-1593A | CALCULATING MACHINE (DESK TOP, 10 DIGIT, DISPLAY ONLY, BATTERY POWERED WITH AC ADAPTER) USER: AT MI REVIEWER: 84 | A 7420 * 31-JAN-83 | GL | SA | 99 | |
| | | A-A-1594A | CALCULATING MACHINE (DESK TOP, 12-DIGIT DISPLAY ONLY) USER: AT MI REVIEWER: 84 | A 7420 * 31-JAN-83 | GL | SA | 99 | |
| | | A-A-1595A | CALCULATING MACHINE (DESK TOP, 10 DIGIT DISPLAY/THERMAL PRINT) USER: AT MI REVIEWER: 84 | A 7420 * 31-JAN-83 | GL | SA | 99 | |
| | | A-A-1596A | CALCULATING MACHINE (DESK TOP, 12-DIGIT PRINT ONLY) USER: AT MI REVIEWER: 84 | A 7420 * 31-JAN-83 | GL | SA | 99 | |
| | | A-A-1605 | SHOES, CONDUCTIVE (MENS SAFETY) | A 8430 # 18-AUG-81 | | | | |
| D | | A-A-1606 | OPENER-DISPENSER CAN | A 7240 * GL 11-MAY-81 | GL | YD1 | 99 | |
| D | | A-A-1607 | MEASURE, LIQUID | A 7240 * GL 02-MAR-81 | GL | YD1 | 99 | |
| | | A-A-1608 | READER MICROFORM (1.24 SOURCE DOCUMENT & 1.48 COM MICROFICHE) REVIEWER: AG | A 6730 # 19-JAN-82 | | | | |
| | | A-A-1610 | STAY, METAL, PAPERBOARD BOX | A 8135 # 02-FEB-81 | | | | |
| | | A-A-1611 | CARD, INDEX | A 7530 # 17-APR-81 | | | | |
| | | A-A-1611(11) | CARD, INDEX | A 7530 # FSS 20-APR-89 | | | | |
| | | A-A-1613 | PAPER, WRAPPING, MEAT REVIEWER: MD | A 8135 # 15-APR-81 | | | | |
| | | A-A-1615 | ENVELOPE, MAILING | A 7530 # 17-MAR-81 | | | | |
| | | A-A-1615(11) | ENVELOPE, MAILING | A 7530 # FSS 20-APR-89 | | | | |
| | | A-A-1616 | ENVELOPE, MAILING | A 7530 # 17-MAR-81 | | | | |
| | | A-A-1616(11) | ENVELOPE, MAILING | A 7530 # FSS 20-APR-89 | | | | |
| | | A-A-1617B | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, DESK TOP, STANDARD CASSETTE) | A 7450 # 19-MAR-81 | | | | |
| | | A-A-1618 | RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, STANDARD CASSETTE) | A 7450 # 19-MAR-81 | | | | |
| | | A-A-1619B | RECORDER-REPRODUCER, SOUND (DICATATING & TRANSCRIBIBG MACHINE, COMBINATION, STANDARD CASSETTE) | A 7450 # 20-MAR-81 | | | | |
| | | A-A-1620B | RECORDER-REPRODUCER, SOUND (DICATING MACHINE, TAPE, PORTABLE STANDARD CASSETTE) | A 7450 # 20-MAR-81 | | | | |
| | | A-A-1621B | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, PORTABLE, MICRO-CASSETTE) | A 7450 # 19-MAR-81 | | | | |
| | | A-A-1622B | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, PORTABLE, MINI-CASSETTE) | A 7450 # 19-MAR-81 | | | | |
| | | A-A-1623 | STAY, METAL, PAPERBOARD BOX | A 8135 # 10-APR-81 | | | | |
| | | A-A-1624 | NECKTIE (STRIPE) | A 8440 # 24-JUN-81 | | | | |
| | | A-A-1626 | SHIRT, MANS & WOMENS (LONG OR SHORT SLEEVE) | A 8405 # 02-JUN-81 | | | | |
| | | A-A-1628 | LABEL (ADDRESS) | A 7530 # 22-MAY-81 | | | | |
| | | A-A-1628(11) | LABEL (ADDRESS) | A 7530 # FSS 20-APR-89 | | | | |
| | | A-A-1629 | LABEL (IN BOOK FORM) | A 7530 * GL 23-FEB-83 | GL | SA | | |
| | | A-A-1629(11) | LABEL (IN BOOK FORM) | A 7530 # FSS 20-APR-89 | | | | |
| | | A-A-1630 | LABEL (INDIVIDUAL) | A 7530 * GL 28-MAR-83 | GL | SA | | |
| | | A-A-1630(11) | LABEL (INDIVIDUAL) | A 7530 # FSS 20-APR-89 | | | | |
| | | A-A-1631 | LABEL (FILE FOLDER) | A 7530 # 22-MAY-81 | | | | |
| | | A-A-1631(11) | LABEL (FILE FOLDER) | A 7530 # FSS 20-APR-89 | | | | |
| D | | A-A-1632 | VARNISH, ASPHALT USER: 99 YD1 | A 8010 * ME 10-JUN-81 | | | | |
| D | | A-A-1633 | RESPIRATOR, AIR FILTERING (DUST & MIST) USER: CG MC SH REVIEWER: GS MD | A 4240 * EA 14-MAY-81 | EA | YD1 | 99 | |
| | | A-A-1636 NOTICE 1 | BAG, PAPER (GLASSINE) | A 8105 # 20-SEP-82 | | | | |
| | | A-A-1640A | FOOD TURNER | A 7330 * GL 27-JUL-89 | GL | SA | 99 | |
| | | A-A-1642 | LINER, TOILET BOWL | A 8105 # 28-JAN-81 | | | | |
| | | A-A-1642(11) | LINER, TOILET BOWL | A 8105 # FSS 20-APR-89 | | | | |
| L | | A-A-1658B | ENVELOPE, PACKING LIST (SELF-ADHESIVE, PLASTIC) REVIEWER: 99 AR | A 8105 * GL 24-MAY-90 | GL | | | |
| M | | A-A-1659A | ENVELOPE, PACKING LIST (DOUBLE SAFETY FOLD) | A 8105 * GL 27-DEC-91 | GL | | 69 | |
| A | | A-A-1660A | ENVELOPE, PACKING LIST (SINGLE SAFETY FOLD) | A 8105 * GL 13-JAN-92 | GL | | 69 | |
| | | A-A-1663 | FUNNEL (PLASTIC) USER: GL MC MD MS | A 7240 % 11-MAY-81 | | | | |
| | | A-A-1664 | BLEACH, LAUNDRY, ACTIVE OXYGEN (SODIUM PERCARBONATE) REVIEWER: 99 GS MD | A 6850 * GL 22-APR-81 | GL | SA | 69 | |
| | | A-A-1665A | GLOVES, MEN S AND WOMEN S, (WORK) | A 8415 # 22-MAR-83 | | | | |
| | | A-A-1666A | TAPE, MEASURING (DRESSMAKERS) | A 8315 # 07-JAN-88 | | | | |
| | | A-A-1667B | BLANKET, BED (FLAME RESISTANT) | A 7210 # 30-MAY-86 | | | | |
| | | A-A-1668C | BAG, PLASTIC, GENERAL PURPOSE REVIEWER: DS | A 8105 # 07-DEC-87 | | | | |
| | | A-A-1668C(11) | BAG, PLASTIC, GENERAL PURPOSE | A 8105 # FSS 03-AUG-89 | | | | |
| M L | | A-A-1669A | BAG, PAPER (BURN BAG) | A 8105 * GL 13-FEB-92 | GL | | | |
| | | A-A-1669(11) | BAG, PAPER (BURN BAG) | A 8105 # FSS 14-OCT-88 | | | | |
| | | A-A-1671B | TAPE, GUMMED (PAPER, REINFORCED, ASPHALT LAMINATED) REVIEWER: 99 AR CG CT EA MD ME SA SH | A 8135 % FSS 10-AUG-90 | | | | |
| | | A-A-1671B(11) | TAPE, GUMMED (PAPER, REINFORCED, LAMINATED) USER: CG SA SH REVIEWER: ME | A 8135 % FSS 06-NOV-90 | | | | |
| D | | A-A-1674 | CAN, FLAMMABLE WASTE | A 7240 * GL 23-MAR-81 | GL | YD1 | 99 | |
| | | A-A-1676 | ALUMINUM FOIL (FOOD HANDLING & PROCESSING) | A 8135 # 26-FEB-81 | | | | |
| | | A-A-1681I | VIEWER-PRINTER, PROJECTION, PHOTOGRAPHIC (READER/PRINTER, MICROFICHE) REVIEWER: AS | A 6730 # FSS 01-OCT-90 | | | | |
| | | A-A-1683B | TAPE, PRESSURE-SENSITIVE ADHESIVE (PACKAGING, PAPER) REVIEWER: DS MI SH | A 7510 * GL 08-NOV-90 | GL | AS | 69 | |
| | | A-A-1684B | TAPE, PRESSURE-SENSITIVE ADHESIVE (PLASTIC FILM) | A 7510 # FSS 21-DEC-90 | | | | |
| | | A-A-1685B | TAPE, PRESSURE-SENSITIVE ADHESIVE (HIGH TENSILE STRENGTH, BLACK, WEATHER-RESISTANT, GLASS FILAMENT REINFORCED) | A 7510 # FSS 08-NOV-90 | | | | |
| | | A-A-1685B(11) | TAPE, PRESSURE-SENSITIVE ADHESIVE (HIGH TENSILE STRENGTH, BLACK, WEATHER-RESISTANT, GLASS FILAMENT REINFORCED) | A 7510 # FSS 10-APR-91 | | | | |
| | | A-A-1686A | TAPE, PRESSURE-SENSITIVE ADHESIVE, (LOW-TENSILE STRENGTH, POLYESTER FILAMENT, REINFORCED) | A 7510 # 09-DEC-82 | | | | |
| | | A-A-1687B | TAPE, PRESSURE-SENSITIVE ADHESIVE (MEDIUM TENSILE STRENGTH, GLASS FILAMENT, REINFORCED TAPE) | A 7510 # FSS 17-SEP-90 | | | | |
| | | A-A-1687B(11) | TAPE, PRESSURE-SENSITIVE ADHESIVE (MEDIUM TENSILE STRENGTH, GLASS FILAMENT, REINFORCED TAPE) | A 7510 # FSS 04-DEC-90 | | | | |
| | | A-A-1688 | TAPE, PRESSURE SENSITIVE ADHESIVE (PAPER, PHOTOGRAPHIC) USER: GL | A 7510 % 23-JUL-81 | | | | |
| | | A-A-1689B | TAPE, PRESSURE-SENSITIVE ADHESIVE (PLASTIC FILM) REVIEWER: DS | A 7510 # FSS 18-MAY-89 | | | | |
| | | A-A-1694B | RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, MINI-CASSETTE) | A 7450 # 19-MAR-81 | | | | |
| | | A-A-1695B | RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, MICRO-CASSETTE) | A 7450 # 19-MAR-81 | | | | |
| M | | A-A-1696A | BAG, PLASTIC (GARMENT) | A 8105 * GL 29-APR-92 | GL | SA | 69 | |
| | | A-A-1699 | BOXES, SHIPPING, CORRUGATED FIBERBOARD WEATHER RESISTANT, WAX-RESIN TREATED USER: AV EC MC REVIEWER: 70 84 AS GS OS SH | A 8115 * GL 29-APR-82 | GL | SA | 69 | |

| Action | Obsl. / Obsl. Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | A-A-1701 | BOX, SHIPPING, CORRUGATED FIBERBOARD, HIGH COMPRESSION STRENGTH, WEATHER RESISTANT, WAX RESIN TREATED USER: 70 84 AR AS AV CR EC MC YD1 | A | 8115 | * | GL | 18-OCT-82 | GL | SA | 69 | |
| D | | A-A-1708 | ROOFING FELT (ASPHALT SATURATED BASE SHEET) USER: MC REVIEWER: CE | A | 5650 | * | ME | 20-MAY-82 | ME | YD1 | 99 | |
| | | A-A-1709E | FILE CABINETS, LATERAL, STEEL | A | 7110 | # | | 15-SEP-88 | | | | |
| L | | A-A-1710 | GAGE, TIRE PRESSURE, PRECISION TYPE | A | 4910 | / | AL | 30-MAY-81 | AL | | | |
| | | A-A-1711 | INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF, 3X5) | A | 7530 | * | GL | 04-JAN-82 | | | | |
| | | A-A-1711(I1) | INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF, 3 X 5) | A | 7530 | # | FSS | 20-APR-89 | | | | |
| D | | A-A-1712 | MASK, AIR LINE (TYPE CE) USER: CG SH REVIEWER: MC MD | A | 4240 | * | EA | 16-APR-81 | ME | YD1 | 99 | |
| D | | A-A-1718 | MAGNETIC STRIP | A | 5340 | * | IS | 27-APR-81 | AR | YD1 | 99 | |
| | | A-A-1719 | RUBBER, SHEET, SOLID USER: AS OS REVIEWER: 85 MI | A | 5330 | * | SH | 23-JUL-81 | AV | SH | | |
| D | | A-A-1721A | HOOK, COAT & HAT (ROBE HOOK, BATHROOM) USER: CE CG GL MC SH REVIEWER: 82 AR IS | A | 5340 | * | YD1 | 31-JUL-87 | AL | YD1 | 99 | |
| | | A-A-1722 | GRAIN, ABRASIVE (SOFT BLASTING) [VALIDATION DATE: 8306] USER: MC REVIEWER: AR ME SH | A | 5350 | / | 84 | 05-FEB-81 | MR | | 99 | |
| | | A-A-1723 | CLEANING COMPOUND, PORCELAIN AND CERAMIC TILE (CREAM CLEANSER) | A | 7930 | # | | 19-OCT-82 | | | | |
| L | | A-A-1724 | GAGE, TIRE PRESSURE, LOW PRESSURE TYPE | A | 4910 | / | AL | 30-MAY-81 | AL | | | |
| L | | A-A-1725 | GAGE, TIRE PRESSURE, HEAVY-DUTY, GENERAL SERVICE, SHORT EXTENSION, SINGLE-CHUCK FOOT | A | 4910 | / | AL | 30-MAY-81 | AL | | | |
| L | | A-A-1726 | GAGE, TIRE PRESSURE, HEAVY DUTY, GENERAL SERVICE, LONG EXTENSION, DUAL-CHUCK FOOT | A | 4910 | / | AL | 30-MAY-81 | AL | | | |
| A | L | A-A-1728A | BAG, PLASTIC (BREAD) | A | 8105 | * | GL | 29-MAY-92 | GL | | | |
| D | | A-A-1729 | MASK, AIR LINE (TYPE C) USER: CG SH REVIEWER: MC MD | A | 4240 | * | EA | 16-APR-81 | ME | YD1 | 99 | |
| D | | A-A-1730 | MASK, AIR LINE USER: CG SH REVIEWER: MC MD | A | 4240 | * | EA | 16-APR-81 | ME | YD1 | 99 | |
| L | | A-A-1731 | GAGE, TIRE PRESSURE, AIR & LIQUID TYPE | A | 4910 | / | AL | 30-MAY-81 | AL | | | |
| L | | A-A-1732 | GAGE, TIRE PRESSURE, GENERAL SERVICE, HIGH PRESSURE TYPE | A | 4910 | / | AL | 30-MAY-81 | AL | | | |
| D | | A-A-1733 | STENCILBOARD USER: YD1 | A | 9310 | * | GL | 13-MAY-82 | | | | |
| | | A-A-1733(I1) | STENCILBOARD | A | 9310 | # | FSS | 20-APR-89 | | | | |
| | | A-A-1734 | TIE, STRIP, BAG REVIEWER: MD | A | 8135 | * | GL | 14-MAY-81 | GL | | 69 | |
| D | | A-A-1735 | PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD) USER: CG MC YD1 RLVIEWER: AR EA ME | A | 9310 | * | GL | 29-APR-81 | GL | SA | 99 | |
| | | A-A-1735(I1) | PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD) | A | 9310 | # | FSS | 20-APR-89 | | | | |
| | | A-A-1736 | PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD) USER: CG MC REVIEWER: AR EA ME | A | 9310 | * | GL | 29-APR-81 | GL | SA | 99 | |
| | | A-A-1736(I1) | PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD) | A | 9310 | # | FSS | 20-APR-89 | | | | |
| | | A-A-1737 | BUCKET, MOP (PLASTIC) | A | 7920 | # | | 27-APR-81 | | | | |
| | | A-A-1738A | BOX, SMALL PARTS (PLASTIC, COMPARTMENTED) REVIEWER: 99 MD | A | 8115 | * | GL | 27-SEP-90 | GL | SA | 69 | |
| | | A-A-1739 | PAPER, NONCARBON TRANSFER | A | 7530 | # | | 17-MAR-81 | | | | |
| | | A-A-1740 | LAMP, PHOTO, PROJECTION USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| | | A-A-1741 | BATTERY CHARGER (FOR 6/12/18/24 VOLTS) | A | 6130 | # | | 17-APR-81 | | | | |
| | | A-A-1742A | PLASTIC SHEET AND STRIP (FOR USE IN CONTACT WITH FOOD) REVIEWER: 99 EA MD | A | 8135 | * | GL | 26-DEC-90 | GL | SA | 69 | |
| | | A-A-1743 | LAMP, PHOTO, PROJECTION, DYS/DYV/BHC USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| | | A-A-1744 | LAMP, PHOTO, PROJECTION, MOVIE USER: 99 | A | 6240 | % | | 24-NOV-81 | | | | |
| D | | A-A-1748 | PADS, KNEE, INDUSTRIAL USER: ME YD1 | A | 4240 | * | GS | 20-FEB-81 | EA | | 99 | |
| | | A-A-1749 | HEADBAND, SWEAT | A | 4240 | # | | 25-FEB-81 | | | | |
| A | | A-A-1751A | MEASURE, LIQUID (ALUMINUM) USER: MC REVIEWER: 50 84 MD TS | A | 7330 | * | GL | 26-NOV-91 | GL | SA | 99 | |
| A | | A-A-1752A | DIPPER, KITCHEN USER: MC REVIEWER: 50 84 MD TS | A | 7330 | * | GL | 21-NOV-91 | GL | SA | 99 | |
| | | A-A-1753 | POACHER, EGG (ALUMINUM) USER: MC MS REVIEWER: CG MD | A | 7330 | * | GL | 08-JUL-81 | GL | SA | 99 | |
| | | A-A-1754 | SIEVE, FLOUR (ALUMINUM) USER: MC MS REVIEWER: CG MD | A | 7330 | * | GL | 08-JUL-81 | GL | SA | 99 | |
| | | A-A-1755A | STRAINER, CHINA CAP REVIEWER: 84 CG MD TS | A | 7330 | * | GL | 10-JUL-87 | GL | SA | 99 | |
| | | A-A-1756 | LAMP, PHOTO, PROJECTION USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| | | A-A-1757 | LAMP, SODIUM (HIGH PRESSURE) USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| | | A-A-1758 | LAMP, METAL HALIDE (250 WATTS) USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| | | A-A-1759 | LAMP, METAL HALIDE (400 WATTS) USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| | | A-A-1760 | LAMP, METAL HALIDE (1000 WATTS) USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| D | | A-A-1761 | LAMP, METAL HALIDE (175 WATTS) USER: 99 | A | 6240 | % | GS | 31-DEC-81 | | | | GS |
| | | A-A-1762 | LAMP, MERCURY VAPOR (SAFTY) USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| | | A-A-1763 | LAMP SODIUM (HIGH PRESSURE, REPLACEMENT) USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| | | A-A-1764 | LAMP, METAL HALID (1,500 WATTS) USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| | | A-A-1765 | LAMP, MERCURY VAPOR USER: 99 | A | 6240 | % | | 31-DEC-81 | | | | |
| | | A-A-1767 | SHOES, SAFETY (MENS LOW QUARTER) | A | 8430 | # | | 12-MAY-81 | | | | |
| D | | A-A-1770 | FACESHIELD, INDUSTRIAL USER: MC MD YD1 REVIEWER: GS ME | A | 4240 | * | EA | 12-FEB-81 | EA | | 99 | |
| D | | A-A-1774 | CHARGE, FIRE EXTINGUISHER, ANTI-FREEZE USER: AT CE GL MC YD1 REVIEWER: CS | A | 4210 | * | ME | 07-APR-81 | ME | | 99 | |
| D | | A-A-1776 | STRAP, SAFTY, INDUSTRIAL (POLE) USER: CG REVIEWER: 11 CR MC ME | A | 4240 | * | EA | 12-NOV-81 | EA | YD1 | 99 | |
| | | A-A-1778 | CALCULATING MACHINE (CALCULATOR, DESK TOP, NON-PROGRAMMABLE, DISPLAY ONLY, 10 DIGIT) | A | 7420 | # | | 04-MAR-81 | | | | |
| | | A-A-1779A | CALCULATING MACHINE (DESK TOP, 10-DIGIT THERMAL PRINT ONLY) USER: AT MI REVIEWER: 84 | A | 7420 | * | | 31-JAN-83 | GL | SA | 99 | |
| | | A-A-1780A | CALCULATING MACHINE (DESK TOP, 10-DIGIT PRINT ONLY USER: AT MI REVIEWER: 84 | A | 7420 | * | GL | 31-JAN-83 | GL | SA | 99 | |
| | | A-A-1781 | PAPER, CREPE, DISPLAY | A | 9310 | # | | 07-JUL-82 | | | | |
| | | A-A-1782 | CAP, CIVILIAN, UNIFORM | A | 8405 | # | | 22-MAY-81 | | | | |
| | | A-A-1783 | SHIRT, MANS (AND WOMANS: LONG SLEEVE) | A | 8415 | # | | 29-MAY-81 | | | | |
| | | A-A-1784 | TROUSERS, MANS (AND WOMANS-SUMMER WEIGHT) | A | 8415 | # | | 29-MAY-81 | | | | |
| | | A-A-1785 | TROUSERS, MANS & WOMANS (WINTER WEIGHT) | A | 8405 | # | | 15-MAY-81 | | | | |
| | | A-A-1786 | SHIRT, MANS (AND WOMANS: SHORT SLEEVE) | A | 8415 | # | | 29-MAY-81 | | | | |
| | | A-A-1787 | NECKTIE | A | 8440 | # | | 22-MAY-81 | | | | |
| | | A-A-1796 | CLEANING COMPOUND, SOLVENT-DETERGENT (FOR AIR-CONDITIONING COILS & FILTERS) | A | 6850 | # | | 16-OCT-81 | | | | |
| D | | A-A-1798 | PAPERBOARD, WRAPPING & CUSHIONING (LIGHT DUTY) USER: MC MT YD1 REVIEWER: 71 99 ER MD MI | A | 8135 | * | | 17-MAR-86 | GL | SA | 69 | |
| | | A-A-1798(I1) | PAPERBOARD, WRAPPING AND CUSHIONING, (LIGHT DUTY) | A | 8135 | # | FSS | 20-APR-89 | | | | |
| | | A-A-1799A | BAG, PLASTIC (INTERLOCKING SEAL CLOSURE) REVIEWER: 99 MD | A | 8105 | * | GL | 12-MAR-91 | GL | SA | 69 | |
| | | A-A-1801 | COATING COMPOUND, OBLITERATING AEROSOL | A | 8010 | # | | 28-OCT-81 | | | | |
| | | A-A-1802 | CARD SET, GUIDE, FILE | A | 7530 | # | | 06-OCT-83 | | | | |
| | | A-A-1802(I1) | CARD SET, GUIDE, FILE | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | A-A-1803 | BOOTS, SAFETY (MENS HIGH TOP) | A | 8430 | # | | 12-MAY-81 | | | | |
| | | A-A-1804 | SHOES, SAFETY (MENS HIGH TOP) | A | 8430 | # | | 12-MAY-81 | | | | |
| | | A-A-1805A | COVER, IRONING BOARD | A | 7290 | * | | 07-FEB-86 | | | | |
| | | A-A-1806 | PAD, IRONING BOARD | A | 7290 | * | GL | 20-MAR-81 | GL | | 99 | |
| | | A-A-1808B | FLATWARE, SILVERPLATED USER: CG MC REVIEWER: MD MS | A | 7340 | * | | 05-APR-88 | | | | |
| | | A-A-1809B | TABLEWARE, SILVERPLATED USER: CG MC REVIEWER: MD MS | A | 7350 | * | | 27-APR-88 | | | | |
| | | A-A-1811A | COVER, TYPEWRITER | A | 7430 | # | FSS | 21-DEC-90 | | | | |
| | | A-A-1812A | NAPHTHALENE, TECHNICAL USER: OS REVIEWER: MC ME | A | 6810 | * | GS | 01-MAY-81 | EA | SH | 68 | |
| D | | A-A-1813 | LENS, GOGGLES, INDUSTRIAL USER: YD1 | A | 4240 | * | EA | 15-APR-81 | EA | | 99 | |
| D | | A-A-1814 | GOGGLES, INDUSTRIAL (EYECUP, COVER-CUP TYPE) USER: YD1 | A | 4240 | * | EA | 15-APR-81 | EA | | 99 | |
| | | A-A-1817C | BOOKCASE (STEEL, CONTEMPORARY STYLE) | A | 7110 | # | FSS | 11-MAY-90 | | | | |
| | | A-A-1818 | SODIUM METASILICATE, TECHNICAL | A | 6810 | # | | 24-JUL-81 | | | | |
| | | A-A-1820 | TAPE, CORRECTION (TAPE, TYPEWRITER, CORRECTION (COVER UP) | A | 7510 | # | | 19-SEP-82 | | | | |
| | | A-A-1821 | CLEANING COMPOUND, MASONRY SURFACES | A | 7930 | # | | 23-FEB-82 | | | | |
| | | A-A-1822A | RIBBON, FLAGGING, SURVEYOR'S (PLASTIC, PLAIN COLORS) | A | 9905 | # | FSS | 24-JUL-90 | | | | |
| | | A-A-1823A | RIBBON, FLAGGING, SURVEYOR'S (PLASTIC, FLUORESCENT COLORS) | A | 9905 | # | FSS | 24-JUL-90 | | | | |
| | | A-A-1824A | RIBBON, FLAGGING, SURVEYOR'S (PLASTIC, STRIPED) | A | 9905 | # | FSS | 24-JUL-90 | | | | |
| | | A-A-1826 | SHAKER, SALT, OR PEPPER USER: SH REVIEWER: 82 MC MD MS | A | 7350 | | GL | 07-OCT-82 | GL | SA | 99 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | A-A-1827 | PLASTIC SHEET, (POLYETHYLENE, HEAT SHRINKABLE) USER: MC REVIEWER: 99 AR CR MD | A | 8135 | * | GL | 19-APR-82 | GL | SA | 69 | |
| | | | | A-A-1828A | LEAD, PENCIL | A | 7510 | # | FSS | 20-FEB-90 | | | | |
| | | | | A-A-1830A | TAPE PRESSURE SENSITIVE ADHESIVE BOX CLOSURE | A | 7510 | * | GS | 07-JAN-83 | GL | AS | 99 | |
| | | | | A-A-1833 | CLOTH, SHEETING (LAUNDRY COVER CLOTH) | A | 8305 | # | | 11-AUG-81 | | | | |
| | | | | A-A-1834 | BOX, FOLDING | A | 8115 | * | GL | 23-FEB-82 | | SA | | |
| | | | | A-A-1834(11) | BOX, FOLDING | A | 8115 | # | FSS | 14-OCT-88 | | | | |
| | | | | A-A-1835 | BAG, RODENT (PLASTIC, ENTOMOLOGICAL SPECIMENS) | A | 6640 | * | MP | 18-MAY-82 | GL | MS | 69 | |
| | | | | A-A-1837A | MOBILE PROJECTION STANDS | A | 6760 | # | FSS | 12-DEC-88 | | | | |
| | | | | A-A-1840 | MITT, PAINT (WITH TWO POLYETHYLENE LINERS) | A | 8020 | # | | 08-AUG-83 | | | | |
| | | | | A-A-1841A | LAMP, FLUORESCENT (F8T5/D) REVIEWER: GS | A | 6240 | # | | 12-JUN-81 | | | | |
| | | | | A-A-1842A | LAMP, FLUORESCENT (F8T5/CW) REVIEWER: GS | A | 6240 | # | | 12-JUN-81 | | | | |
| | | | | A-A-1843A | LAMP, FLUORESCENT (F15T8/W) REVIEWER: GS | A | 6240 | # | | 12-JUN-81 | | | | |
| | | | | A-A-1844A | LAMP, FLUORESCENT (F15T8/WW) REVIEWER: GS | A | 6240 | # | | 29-AUG-84 | | | | |
| | | | | A-A-1845A | LAMP, FLUORESCENT (F15T8/D) REVIEWER: GS | A | 6240 | # | | 29-AUG-84 | | | | |
| | | | | A-A-1846A | LAMP, FLUORESCENT (F15T8/CW) REVIEWER: GS | A | 6240 | # | | 29-AUG-84 | | | | |
| | | | | A-A-1847A | LAMP, FLUORESCENT (FC12T10/CW/RS OR FC12T9/CW/RS) REVIEWER: GS | A | 6240 | # | | 29-AUG-84 | | | | |
| | | | | A-A-1850A | LAMP, FLUORESCENT (F40W) REVIEWER: GS | A | 6240 | # | | 29-AUG-84 | | | | |
| | | | | A-A-1856A | LAMP, FLUORESCENT (F40CW ENERGY SAVING) REVIEWER: GS | A | 6240 | # | | 20-AUG-84 | | | | |
| | | | | A-A-1857A | LAMP, FLUORESCENT (F40W ENERGY SAVING) REVIEWER: GS | A | 6240 | # | | 20-AUG-84 | | | | |
| | | | | A-A-1858A | LAMP, FLUORESCENT (F40WW ENERGY SAVING) REVIEWER: GS | A | 6240 | # | | 17-AUG-84 | | | | |
| | | | | A-A-1859A | LAMP, FLUORESCENT (F40D ENERGY SAVING) | A | 6240 | # | | 17-AUG-84 | | | | |
| | | | | A-A-1864A | LAMP, FLUORESCENT (F96T12/CW/HO ENERGY SAVING) REVIEWER: GS | A | 6240 | # | | 05-SEP-84 | | | | |
| | | | | A-A-1868 | RIBBON, TYPEWRITER (WORD PROCESSING, MULTI- STRIKE) | A | 7510 | # | | 08-DEC-82 | | | | |
| | D | | | A-A-1887 | HOSE, NON METALLIC (FIRE, SINGLE JACKET) USER: CG MC REVIEWER: CS SH | A | 4210 | * | ME | 07-JAN-82 | ME | YD1 | 99 | |
| | | | | A-A-1888 | HOSE, NON METALLIC (FIRE, DOUBLE JACKET) USER: CG MC REVIEWER: CS SH | A | 4210 | * | ME | 07-JAN-82 | ME | | 99 | |
| | D | | | A-A-1889 | HOSE, NON METALLIC (FIRE, COTTON, DOUBLE JACKET USER: CG MC REVIEWER: CS SH | A | 4210 | * | ME | 07-JAN-82 | ME | YD1 | 99 | |
| | | | | A-A-1890 | SHOES, ELECTRICAL HAZARD PROTECTIVE (MENS SAFETY) | A | 8430 | # | | 18-AUG-81 | | | | |
| | | | | A-A-1894 | PAPER, KRAFT, TREATED (FIRE RESISTANT) USER: AR CG CR ER MC MI SH REVIEWER: 99 AS EA SA | A | 8135 | * | GL | 18-JAN-91 | GL | | 69 | |
| | | | | A-A-1895 | TAPE, SOUND RECORDING,1/4-INCH, GENERAL PURPOSE [VALIDATION DATE: 8306] REVIEWER: CG | A | 5835 | / | 80 | 24-JUL-81 | CR | MV | 99 | |
| | | | | A-A-1896 | TAPE, SOUND RECORDING, 1/4-INCH, MASTERING [VALIDATION DATE: 8306] | A | 5835 | / | 80 | 24-JUL-81 | CR | MV | 99 | |
| | | | | A-A-1897 | CASSETTE, MAGNETIC TAPE, 3/4-INCH, U-MATIC, VIDEO COLOR | A | 5835 | * | CR | 24-JUL-81 | CR | | | |
| | | | | A-A-18988 | CUSHIONING MATERIAL, CELLULOSIC, PACKAGING REVIEWER: AT ME MI SH SS | A | 8135 | * | GL | 17-JUN-91 | GL | AS | 99 | |
| | | | | A-A-1899 | CUSHIONING MATERIAL, PACKAGING (CELLULOSIC, WATER RESISTANT) REVIEWER: AT ME MI SH SS | A | 8135 | / | GL | 24-NOV-86 | | AS | 99 | |
| | | | | A-A-1907A | PROTECTOR, PACKING LIST | A | 8105 | # | FSS | 14-FEB-90 | | | | |
| | | | | A-A-1909 | FERTILIZER | A | 8720 | # | | 21-FEB-82 | | | | |
| | | | | A-A-1911 | CLEANING COMPOUND, ALKALI, PIPELINE | A | 6850 | # | | 17-MAY-84 | | | | |
| | | | | A-A-1912B | PAPER, COPYING, XEROGRAPHIC AND OFFSET PROCESSES (DUAL PURPOSE: WHITE AND COLORS) | A | 7530 | # | | 09-NOV-83 | | | | |
| | M | | | A-A-1913A | GRID, PAINT ROLLER | A | 8020 | # | FSS | 01-MAR-93 | | | | |
| | | | | A-A-1914 | ROLLER FRAME, PAINT | A | 8020 | # | | 08-AUG-83 | | | | |
| | | | | A-A-1915 | TRAY, ROLLER (FOR USE WITH PAINT ROLLERS) | A | 8020 | # | | 08-AUG-83 | | | | |
| | D | | | A-A-1916A(1) | TAG, SHIPPING (STOCK, CIRCULAR) USER: AT MC YD1 REVIEWER: 99 AR MD ME | A | 8135 | * | GL | 13-JUN-90 | GL | SA | 69 | |
| | | | | A-A-1918 | SOAP, LAUNDRY (NEUTRAL) | A | 7930 | # | | 17-AUG-84 | | | | |
| | D | | | A-A-1920A | LUMBER, SOFTWOOD, BOARD USER: YD1 REVIEWER: CS | A | 5510 | * | | 31-OCT-85 | ME | | | |
| | D | | | A-A-1922 | SHIELD, EXPANSION (CAULKING ANCHORS, SINGLE LEAD) | A | 5340 | * | AR | 02-MAY-83 | AR | YD1 | 99 | |
| | D | | | A-A-1923 | SHIELD, EXPANSION (LAG SHIELD) | A | 5340 | * | AR | 02-MAY-83 | AR | YD1 | 99 | |
| | D | | | A-A-1924 | SHIELD, EXPANSION (SELF DRILLING TUBULAR EXPANSION SHELL) | A | 5340 | * | IS | 02-MAY-83 | AR | YD1 | 99 | |
| | D | | | A-A-1925 | SHIELD, EXPANSION (NAIL ANCHORS) | A | 5340 | * | IS | 02-MAY-83 | AR | YD1 | 99 | IS |
| | | | | A-A-1926A | CLOSER, DOOR | A | 5340 | # | | 15-JAN-88 | | | | |
| | D | | | A-A-1927C(1) | PADLOCK (PIN TUMBLER MECHANISM) USER: AT CE MC OS REVIEWER: AR AV IS | A | 5340 | * | YD1 | 02-AUG-89 | ME | YD1 | 99 | |
| | D | | | A-A-1928B | PADLOCK (COMBINATION) USER: CE CG MC REVIEWER: AR IS | A | 5340 | * | YD1 | 02-AUG-82 | ME | YD1 | 99 | |
| | D | | | A-A-1930A | PADLOCK (DISK OR BLADE TUMBLER) USER: CE CG MC REVIEWER: AR YD1 | A | 5340 | * | IS | 29-JUL-82 | ME | SH | 99 | |
| | D | | | A-A-1931A | LOCK SET (BORED) USER: ME REVIEWER: IS | A | 5340 | * | | 31-MAR-88 | AR | YD1 | 99 | |
| | | | | A-A-1932A | LOCK SET, RIM USER: ME REVIEWER: IS | A | 5340 | % | FSS | 02-MAR-90 | | | | |
| | | L | | A-A-1939A | FAN, CIRCULATING, (DESK/WALL, OSCILLATING) | A | 4140 | # | FSS | 29-DEC-88 | | | | |
| | | L | | A-A-1941A | FAN, CIRCULATING, PEDESTAL (30 INCH, NON-OSCILLATING) | A | 4140 | # | FSS | 29-DEC-88 | | | | |
| | | L | | A-A-1942 | FAN, CIRCULATING (HASSOCK) | A | 4140 | # | FSS | 29-DEC-88 | | | | |
| | | L | | A-A-1943A | FAN, CIRCULATING, (MULTIPURPOSE, HIGH VELOCITY) | A | 4110 | # | FSS | 29-DEC-88 | | | | |
| | | | | A-A-1946 | BOOTS, ELECTRICAL HAZARD PROTECTIVE (MENS SAFETY) | A | 8430 | # | | 28-AUG-81 | | | | |
| | | | | A-A-1952A | SHOES, LADDER SAFETY | A | 5440 | % | FSS | 20-SEP-90 | | | | |
| | D | | | A-A-1953 | PEELER, POTATO, HAND USER: CG YD1 REVIEWER: MC MD | A | 7330 | * | GL | 31-AUG-82 | | SA | 99 | |
| | D | | | A-A-1954 | MEASURING SET, SPOON (STAINLESS STEEL) USER: YD1 REVIEWER: 45 MC MD MS | A | 7330 | * | GL | 29-SEP-82 | GL | SA | 99 | |
| | | L | | A-A-1955 | HOLDER AND CUTTER, WRAPPING PAPER | A | 7290 | * | 99 | 04-JUN-82 | | | 99 | |
| | | | | A-A-1956A | LADLE, KITCHEN USER: CG MS REVIEWER: 45 MC MD | A | 7330 | # | FSS | 23-FEB-89 | | | | |
| | D | | | A-A-1957A | FASTENER, CORRUGATED, WOOD JOINT USER: AS SH REVIEWER: 82 GS SA | A | 5315 | * | IS | 21-FEB-84 | AR | YD1 | 99 | |
| | D | | | A-A-1959 | NAIL (CASING) USER: AS ME REVIEWER: 82 GS MC | A | 5315 | * | IS | 17-MAR-83 | AR | YD1 | 99 | |
| A | L | | | A-A-1964A | ENVELOPE, WALLET REVIEWER: 84 SA | A | 7530 | * | 99 | 14-JAN-92 | | | 99 | |
| A | | | | A-A-1965A | JACKET, FILING, WALLET | A | 7530 | * | SA | 21-JUN-91 | | SA | 84 | |
| | | | | A-A-1966 | LAMP, INCANDESCENT (3 WAY) | A | 6240 | * | | 12-JAN-82 | | | | |
| | | | | A-A-1967 | LAMPS, HALOGEN (TUBULAR Q500T3/CL) USER: SH REVIEWER: ME | A | 6240 | # | | 12-FEB-82 | | | | |
| | | | | A-A-1968 | LAMP, HALOGEN (TUBULAR Q150T4/CL) USER: SH REVIEWER: ME | A | 6240 | # | | 23-FEB-81 | | | | |
| | | | | A-A-1969 | LAMP, INCANDESENT (SEALED BEAM) | A | 6240 | * | | 23-FEB-82 | | | | |
| | | | | A-A-1970 | LAMP, HALOGEN (TUBULAR Q1500T3/CL) USER: SH REVIEWER: ME | A | 6240 | # | | 23-FEB-82 | | | | |
| | | | | A-A-1971 | LAMP, INCANDESCENT (6.6A/110/IP) USER: SH REVIEWER: ME | A | 6240 | # | | 23-FEB-82 | | | | |
| | | | | A-A-1972 | LAMP, INCANDESCENT (50/50P25/2B) REVIEWER: ME | A | 6240 | # | | 23-FEB-82 | | | | |
| | | | | A-A-1974 | FLASHLIGHT (ROUGH SERVICE) | A | 6230 | # | | 19-MAY-82 | | | | |
| | | | | A-A-1975A | DOWEL, WOOD REVIEWER: 84 | A | 5510 | * | CS | 03-APR-86 | ME | | 99 | |
| | | | | A-A-1977 | BELT, SAFETY (LINEMANS) | A | 4240 | # | | 12-JUN-84 | | | | |
| | | | | A-A-1978 | HELMET, FIREMAN'S (POLYCARBONATE) | A | 8415 | # | | 07-OCT-82 | | | | |
| | | | | A-A-1979 | ABSORBENT MATERIAL, OIL AND WATER (FOR FLOORS AND DECKS) | A | 7930 | # | FSS | 29-AUG-84 | | | | |
| | | | | A-A-1984 | LAMP, FLUORESCENT (F30T12/CW/RS, ENERGY SAVING) REVIEWER: GS | A | 6240 | # | | 11-JAN-82 | | | | |
| | | | | A-A-1985 | LAMP, FLUORESCENT (F40CWX/RS, ENERGY SAVING) REVIEWER: GS | A | 6240 | # | | 11-JAN-82 | | | | |
| | | | | A-A-1986 | LAMP, FLUORESCENT (F96T12/CW/1500, VERY HIGH OUTPUT, ENERGY SAVING) REVIEWER: GS | A | 6240 | # | | 11-JAN-82 | | | | |
| | | | | A-A-1987 | LAMP, FLUORESCENT (F96T12/LW/1500, VERY HIGH OUTPUT, ENERGY SAVING) REVIEWER: GS | A | 6240 | # | | 11-JAN-82 | | | | |
| | | | | A-A-1988 | LAMP, FLUORESCENT (F40CW/U/6 OR FB40/CW/6) REVIEWER: GS | A | 6240 | # | | 11-JAN-82 | | | | |
| | | | | A-A-1989A | CELLOPHANE REVIEWER: 99 MD | A | 8135 | * | | 11-MAR-85 | GL | | 69 | |
| | | | | A-A-1992 | CLEANING COMPOUND, HARD SURFACE-FLOOR (POWDERED, HEAVY DUTY) | A | 7930 | # | | 30-MAY-84 | | | | |
| | | | | A-A-1993 | EXTINGUISHER, FIRE, WATER (HAND-PUMP) | A | 4210 | * | ME | 09-APR-82 | ME | | 99 | |
| | D | | | A-A-1994 | HELMET, WELDER'S USER: AS MC MS OS YD1 | A | 4240 | * | EA | 01-NOV-82 | | | 99 | |
| | D | | | A-A-1995 | SPECTACLES, INDUSTRIAL (PLASTIC FRAMES) USER: YD1 REVIEWER: MS | A | 4240 | * | EA | 08-FEB-83 | AR | SH | 99 | |
| | | | | A-A-1996 | SPECTACLES, INDUSTRIAL(METAL FRAMES) REVIEWER: MS | A | 4240 | * | EA | 08-FEB-83 | AR | SH | 99 | |
| | | | | A-A-1997 | LADDER, PORTABLE (WOOD) USER: MC | A | 5440 | * | | 02-JUN-82 | | | | |
| | | | | A-A-1998 | LADDER, STRAIGHT (WOOD) | A | 5440 | * | ME | 02-JUN-82 | ME | | 99 | |
| | | | | A-A-2006 | PAPER, PLAY CONSTRUCTION | A | 7530 | # | | 15-MAR-83 | | | | |
| | | | | A-A-2006(11) | PAPER, PLAY CONSTRUCTION | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | | | A-A-2009C | TABLES, OFFICE (CONTEMPORARY STYLE) | A | 7110 | # | FSS | 07-SEP-90 | | | | |
| | | | | A-A-2010A | REFRIGERATORS, MECHANICAL, HOUSEHOLD COMPACT (ELECTRICAL, SELF CONTAINED) | A | 7320 | # | | 03-OCT-83 | | | | |

| Action Code | Old / New Coordination Indicator | Document Number | Document Title | Use | Auth | Type | Specification Number | Change | Customers | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-2011 | REFRIGERATORS, MECHANICAL, HOUSEHOLD (ELECTRIC, SELF-CONTAINED) | A | 4..0 | # | FSS | 01-JUN-82 | | | |
| A | | A-A-2015C | CREDENZA (STEEL, CONTEMPORARY STYLE) | A | ..10 | # | FSS | 10-DEC-91 | | | |
| | | A-A-2016 | BOX, FOLDING | A | 8115 | # | | 17-SEP-82 | | | |
| | | A-A-2017 | BOX, FIBERBOARD, SPECIAL USE (POST OFFICE MONEY ORDER FORMS) | A | 8115 | # | | 17-SEP-82 | | | |
| | | A-A-2017(11) | BOX, FIBERBOARD, SPECIAL USE (POST OFFICE MONEY ORDER FORMS) | A | 8115 | # | FSS | 14-OCT-88 | | | |
| | | A-A-2018 | BOX, FIBERBOARD SPECIAL USE, TYPE III, STYLE A (POST OFFICE MONEY ORDER FORMS) | A | 8115 | # | | 18-OCT-82 | | | |
| | | A-A-2018(11) | BOX, FIBERBOARD SPECIAL USE, TYPE III, STYLE A (POST OFFICE MONEY ORDER FORMS) | A | 8115 | # | FSS | 14-OCT-88 | | | |
| | | A-A-2019 | BOX, FIBERBOARD, SPECIAL USE TYPE IV, STYLE A (POST OFFICE MONEY ORDER FORMS) | A | 8115 | # | | 01-FEB-83 | | | |
| | | A-A-2020 | BOX, FIBERBOARD, OVERPACK FOR SINGLE, TYPE IV BOX FOR POST OFFICE MONEY ORDER FORMS | A | 8115 | # | | 19-OCT-82 | | | |
| | | A-A-2020(11) | BOX, FIBERBOARD, OVERPACK FOR SINGLE, TYPE IV BOX FOR POST OFFICE MONEY ORDER FORMS) | A | 8115 | # | FSS | 14-OCT-88 | | | |
| | | A-A-2021 | BOX, FIBERBOARD, OVERPACK FOR TWO TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS | A | 8115 | # | | 19-OCT-82 | | | |
| | | A-A-2022 | BOX, FIBERBOARD, OVERPACK FOR THREE TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS | A | 8115 | # | | 19-OCT-82 | | | |
| | | A-A-2022(11) | BOX, FIBERBOARD, OVERPACK FOR THREE TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS | A | 8115 | # | FSS | 14-OCT-88 | | | |
| | | A-A-2023 | BOX, FIBERBOARD, OVERPACK FOR FIVE TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS | A | 8115 | # | | 19-OCT-82 | | | |
| | | A-A-2023(11) | BOX, FIBERBOARD, OVERPACK FOR FIVE TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS | A | 8115 | # | FSS | 14-OCT-88 | | | |
| D | | A-A-2027 | STRAPPING, NONMETALLIC (NYLON, FLAT & CONNECTORS) USER: MC SH YD1 REVIEWER: OS SC | A | 8135 | * | GL | 29-JUL-82 | GL | SA | 99 |
| D | | A-A-2028 | STRAPPING, NONMETALLIC (BONDED CORD TYPE & CONNECTORS) USER: MC SH YD1 REVIEWER: OS SC | A | 8135 | * | GL | 15-SEP-82 | GL | SA | 99 |
| D | | A-A-2029 | STRAPPING, NONMETALLIC (POLYOLEFIN, POLYESTER & CONNECTORS) REVIEWER: MC SC SH YD1 | A | 8135 | * | GL | 29-JUL-82 | GL | SA | 69 |
| | | A-A-2042 | LAMP, INCANDESCENT (SEALED BEAM,TRADE NO. 4546) | A | 6240 | # | | 31-AUG-82 | | | |
| | | A-A-2043 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO.4554) | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2044 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4860) | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2045 | LAMP, TUNGSTEN-HALOGEN (SEALED BEAM, TRADE NO. 04681) | A | 6240 | # | FSS | 31-AUG-82 | | | |
| | | A-A-2046 | LAMP, INCANDESCANT (SEALED BEAM, TRADE NO. 4811) | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2047 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 6014) | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2048 | LAMP, TUNGSTEN-HALOGEN (SEALED BEAM, TRADE NO. 04559) | A | 6240 | # | FSS | 31-AUG-82 | | | |
| | | A-A-2059 | LAMP, PHOTOGRAPHIC (TRADE NO. ELC) | A | 6240 | # | | 31-AUG-82 | | | |
| | | A-A-2060 | LAMP, PHOTOGRAPHIC (TRADE NO. FCS) | A | 6240 | # | FSS | 31-AUG-82 | | | |
| | | A-A-2061 | LAMP, PHOTO (TRADE NO.DCA) | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2062 | LAMP, PHOTO (TRADE NO.BVE | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2063 | LAMP, PHOTOGRAPHIC (TRADE NO. EJL) | A | 6240 | # | FSS | 31-AUG-82 | | | |
| | | A-A-2065 | LAMP, INCANDESCENT (TRADE NO. 100A/RS/TF, 100A21/RS/SL OR 100A21/RS/VS/STC)] | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2066 | LAMP INCANDESCANT (TRADE NO. 300PAR56/2SP) | A | 6240 | # | | 31-AUG-82 | | | |
| | | A-A-2067 | LAMP, INCANDESCENT (TUNGSTEN-HALOGEN, TRADE NO. Q100T3/6CL | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2068 | LAMP, INCANDESCANT (TRADE NO. IIOR30/FL/RS) | A | 6240 | # | | 31-AUG-82 | | | |
| | | A-A-2069 | LAMP, INCANDESCENT (TRADE NO. Q6.6A/PAR64/3P) | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2070 | LAMP, INCANDESCANT (TRADE NO. 50/50T12) | A | 6240 | # | | 31-AUG-82 | | | |
| | | A-A-2071 | LAMP, INCANDESCENT (TRADE NO. 6.6A/T14P) | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2072 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4863 | A | 6240 | # | | 10-DEC-82 | | | |
| | | A-A-2074 | BRUSH SCRUB (POT AND PAN) USER: MC SA REVIEWER: AD | A | 7920 | * | GL | 02-MAY-83 | GL | | 99 |
| | | A-A-2075 | BRUSH, PLATER'S (HAND) | A | 7920 | * | GL | 02-MAY-83 | GL | SA | 99 |
| | | A-A-2076 | BRUSH, DUSTING, LENS AND PHOTOGRAPHIC NEGATIVE USER: EC | A | 7920 | * | GL | 02-MAY-83 | GL | | 99 |
| | | A-A-2077 | BRUSH, ADHESIVE (GLUE) USER: CE CG MC | A | 7920 | * | GL | 02-MAY-83 | GL | SA | 99 |
| | | A-A-2078 | BRUSH, PLATERS, HAND (SHOE HANDLES STYLE) | A | 7920 | * | GL | 02-MAY-83 | GL | SA | 99 |
| D | | A-A-2079B | FAUCET, SINGLE (DRUM & BARREL) USER: MC REVIEWER: CS | A | 4510 | * | ME | 25-FEB-91 | ME | YD1 | |
| | | A-A-2080B | TABLES, OFFICE (TRADITIONAL STYLE) | A | 7110 | # | FSS | 24-OCT-89 | | | |
| | | A-A-2081B | CREDENZAS, OFFICE (TRADITIONAL STYLE) | A | 7110 | # | FSS | 01-JUN-89 | | | |
| | | A-A-2082C | STANDS, OFFICE MACHINE (TRADITIONAL STYLE) | A | 7110 | # | FSS | 24-OCT-89 | | | |
| | | A-A-2083 | SIGN (NON-POWERED, EXIT) [VALIDATION DATE: 9104] | A | 9905 | # | FSS | 08-APR-91 | | | |
| | | A-A-2084 | SIGN (ELECTRICALLY POWERED, EXIT) [VALIDATION DATE: 9104] | A | 9905 | # | FSS | 08-APR-91 | | | |
| | | A-A-2085 | SIGN (SELF-ILLUMINATING, EXIT) [VALIDATION DATE: 9104] | A | 9905 | # | FSS | 08-APR-91 | | | |
| A | | A-A-2086C | DESK, (OFFICE, TRADITIONAL STYLE) | A | 7110 | # | FSS | 10-DEC-91 | | | |
| A | | A-A-2087C | DESK ATTACHMENT, L-UNIT (OFFICE, TRADITIONAL STYLE) | A | 7110 | # | FSS | 10-DEC-91 | | | |
| A | | A-A-2093C | DESK ATTACHMENTS, L-RETURN (STEEL, CONTEMPORARY STYLE) | A | 7110 | # | FSS | 10-DEC-91 | | | |
| | | A-A-2094 | TAPE, INSULATION, ELECTRICAL (FRICTION) | A | 5970 | # | | 14-OCT-82 | | | |
| A | | A-A-2095C | DESK (STEEL, CONTEMPORARY STYLE) | A | 7110 | # | FSS | 10-DEC-91 | | | |
| A | | A-A-2098B | WRAPPER, COIN | A | 8135 | # | FSS | 27-SEP-91 | | | |
| | | A-A-2099A | PAPER, WRAPPING, WAXED | A | 8135 | # | FSS | 26-APR-91 | | | |
| | | A-A-2099(11) | PAPER, WRAPPING, WAXED | A | 8135 | # | FSS | 20-APR-89 | | | |
| | | A-A-2100 | BAND, PAPER, CURRENCY | A | 8135 | # | | 15-SEP-82 | | | |
| | | A-A-2100(11) | BAND, PAPER, CURRENCY | A | 8135 | # | FSS | 20-APR-89 | | | |
| | | A-A-2103 | BALE TIE | A | 8135 | # | | 17-SEP-82 | | | |
| | | A-A-2104 | WIRE TIE USER: 69 AL AS | A | 8135 | % | | 14-SEP-82 | | | |
| | | A-A-2105A | METAL STRIP BAG TIE | A | 8135 | # | | 14-SEP-82 | | | |
| | | A-A-2106 | PAPER, PROTECTIVE, ADHESIVE USER: 69 | A | 8135 | % | | 14-SEP-82 | | | |
| | | A-A-2106(11) | PAPER, PROTECTIVE, ADHESIVE | A | 8135 | # | FSS | 20-APR-89 | | | |
| | | A-A-2107 | BAND, PAPER, SHIRT WRAPPING | A | 8135 | # | | 07-SEP-82 | | | |
| | | A-A-2107(11) | BAND, PAPER, SHIRT WRAPPING | A | 8135 | # | FSS | 20-APR-89 | | | |
| | | A-A-2110 | BAG, CANVAS, HARDWARE | A | 8105 | # | | 08-DEC-82 | | | |
| | | A-A-2111 | SEALS, STRAPPING (HEAVY DUTY, STEEL, FLAT) | A | 8135 | # | | 17-SEP-82 | | | |
| | | A-A-2112A | COSTUMER, METAL (CONTEMPORARY STYLE) | A | 7195 | # | FSS | 19-JAN-90 | | | |
| | | A-A-2113 | CABINETS, WARDROBE AND STORAGE, CONTEMPORARY STYLE, STEEL GENERAL OFFICE | A | 7105 | # | | 22-NOV-82 | | | |
| D | | A-A-2114 | CASTER, RIGID (INDUSTRIAL DUTY) REVIEWER: MC ME | A | 5340 | * | IS | 17-MAR-83 | AR | YD1 | 99 |
| | | A-A-2116A | FILING CABINETS, SHELF (STEEL, CONTEMPORARY STYLE) | A | 7110 | # | FSS | 01-JUN-89 | | | |
| | | A-A-2118A | ASH RECEIVER, TOBACCO | A | 9920 | % | FSS | 07-AUG-90 | | | |
| | | A-A-2121 | PAINT, ROLLER COVER | A | 8020 | # | | 08-AUG-83 | | | |
| | | A-A-2122E | STANDS, OFFICE MACHINE | A | 7110 | # | FSS | 21-SEP-90 | | | |
| | | A-A-2123 | STENCIL, DUPLICATING MACHINE | A | 7530 | # | | 18-APR-83 | | | |
| | | A-A-2124 | STOPPER, WASTE DRAIN | A | 4510 | # | | 08-JUN-83 | | | |
| D | | A-A-2125 | CLEANING COMPOUND, SOLVENT-DETERGENT (CONCENTRATED ALKALINE BUTYL CLEANER) USER: YD1 REVIEWER: MD | A | 7930 | * | GL | 31-DEC-83 | GL | SH | 99 |
| | | A-A-2127 | GRASS HOOK (SCYTHE TYPE) USER: 99 ME | A | 3750 | # | | 21-FEB-84 | | | |
| D | | A-A-2128A | REFLECTOR SET, HIGHWAY WARNING, TRIANGULAR | A | 9905 | * | GL | 05-APR-90 | GL | YD1 | 99 |
| | | A-A-2129 | REFLECTOR, INDICATING, CLEARANCE USER: GL SH REVIEWER: 85 | A | 9905 | | A7 | 21-FEB-84 | AT | | 84 |
| D | | A-A-2131A | HOSE ASSEMBLY, NONMETALLIC (FIRE, 600 LBS. TEST PRESSURE USER: CG MC REVIEWER: CS SH | A | 4210 | * | ME | 04-OCT-83 | ME | YD1 | 99 |
| D | | A-A-2132A | HOSE ASSEMBLY, NONMETALLIC (FIRE, 800 LBS. TEST PRESSURE) USER: CG MC REVIEWER: CS SH | A | 4210 | * | ME | 04-OCT-83 | ME | YD1 | 99 |
| | | A-A-2136 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1157A) | A | 6240 | # | | 06-AUG-83 | | | |
| | | A-A-2137 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1228) | A | 6240 | # | | 06-AUG-83 | | | |
| | | A-A-2138 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1157NA | A | 6240 | # | | 06-AUG-83 | | | |

| Action | Qty / CGC Certification Required | Document Number | Document Title | Dist. Symbol / FSC / Area / MICA Symbol / Preparing Activity | Date | Customers: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | A-A-2139 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1813R) | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2140 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1142) | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2141 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4570) | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2142 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4596) | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2143 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4651) | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2144 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4652) | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2145 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 6052 | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2146 | LAMP, INCANDESCENT (TUNGSTEN-HALOGEN, Q1500T3/CL) | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2147 | LAMP, METAL HALIDE (REPLACEMENT, TRADE NO. MS9PJ-R400/I/U) | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2148 | LAMP, FLUORESCENT (TRADE NO. F14T12/SW) REVIEWER: GS | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2149 | LAMP, FLUORESCENT (TRADE NO. F15T8/PL/AQ) REVIEWER: GS | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2152 | LAMP, FLUORESCENT (TRADE NO. F14T8/D) REVIEWER: GS | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2153 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4551 | A 6240 # | 06-AUG-83 | | | | |
| N | | A-A-2154A | PAPER, COPYING, XEROGRAPHIC PROCESS (WATERMARK) | A 7530 # FSS | 01-FEB-93 | | | | |
| | | A-A-2155 | PAPER, COPYING, XEROGRAPHIC PROCESS (WET TONER) | A 7530 # | 06-JUN-83 | | | | |
| | | A-A-2156(11) | PAPER, COPYING, XEROGRAPHIC PROCESS (WET TONER) | A 7530 # FSS | 20-APR-89 | | | | |
| D | | A-A-2156 | HOSE, ASSEMBLY, NONMETALLIC (RELAY-SUPPLY) USER: OG MC REVIEWER: CS SH | A 4210 * ME | 15-JUL-83 | ME | YD1 | 99 | |
| D | | A-A-2158 | HOSE, NONMETALLIC (FIRE, SUCTION, HARD & SOFT) USER: OG MC REVIEWER: CS SH | A 4210 * ME | 30-NOV-83 | ME | YD1 | 99 | |
| D | | A-A-2160A | HOSE ASSEMBLY, NONMETALLIC (BOOSTER) USER: OG MC REVIEWER: CS SH | A 4210 * ME | 03-OCT-83 | ME | YD1 | 99 | |
| | | A-A-2161 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4581) | A 6240 # | 06-AUG-83 | | | | |
| | | A-A-2162 | BREATHING APPARATUS, SELF-CONTAINED | A 4240 # | 15-JUL-83 | | | | |
| | | A-A-2163 | BREATHING APPARATUS, SELF-CONTAINED (60 MINUTE) | A 4240 # | 15-JUN-83 | | | | |
| D | | A-A-2164 | HANDLE, HINGED USER: YD1 | A 5120 * | 25-MAY-84 | GL | | 99 | |
| | | A-A-2166A | HANDLE, SPEEDER, BRACE TYPE | A 5120 * GL | 26-JAN-89 | GL | | 99 | |
| | | A-A-2167 | HANDLE, SPIN TYPE | A 5120 * | 25-MAY-84 | GL | | 99 | |
| | | A-A-2168 | HANDLE, TEE, SLIDING | A 5120 * | 25-MAY-84 | GL | | 99 | |
| | | A-A-2169 | UNIVERSAL JOINT, SOCKET WRENCH | A 5120 * | 25-MAY-84 | GL | | 99 | |
| D | | A-A-2170 | EXTENSION, SOCKET WRENCH, SOLID USER: YD1 | A 5120 * | 25-MAY-84 | GL | | 99 | |
| | | A-A-2171 | EXTENSION, SOCKET WRENCH, FLEXIBLE | A 5120 * | 25-MAY-84 | GL | | 99 | |
| D | | A-A-2172 | ADAPTER, SOCKET WRENCH USER: YD1 | A 5120 * | 25-MAY-84 | GL | | 99 | |
| | | A-A-2173 | ADAPTER, RATCHET, SOCKET WRENCH | A 5120 * | 25-MAY-84 | GL | | 99 | |
| | | A-A-2174 | TOWEL, PAPER (DENTAL) | A 8540 # | 28-MAR-85 | | | | |
| | | A-A-2175 | BATTERY FILLER, GRAVITY | A 6140 # | 11-OCT-83 | | | | |
| | | A-A-2192 | PAPER, BLOTTING | A 7530 # | 23-SEP-83 | | | | |
| | | A-A-2196 | FILING CABINET, STEEL, LEGAL AND LETTER SIZE, INSULATED | A 7110 # | 11-JAN-84 | | | | |
| | | A-A-2202 | STAKES, WOOD | A 5510 # FSS | 07-JUN-90 | | | | |
| | | A-A-2208 | LUMBER, HARDWOOD REVIEWER: CS | A 5510 * | 13-SEP-85 | ME | | | |
| | | A-A-2210 | FILLER, WOOD, PASTE | A 8010 # | 13-MAR-84 | | | | |
| | | A-A-2211 | WIRE FABRIC, STEEL, WELDED (FOR CONCRETE REINFORCEMENT) | A 5335 # FSS | 17-OCT-88 | | | | |
| | | A-A-2212 | LAMP SODIUM (HIGH PRESSURE) | A 6240 # | 18-JUL-84 | | | | |
| | | A-A-2213 | LAMP, INCANDESCENT (ELLIPTICAL REFLECTOR) | A 6240 # | 18-JUL-84 | | | | |
| | | A-A-2214 | LAMP UNIT, PHOTOFLASH (MULTIFLASH) | A 6750 # | 29-JUN-84 | | | | |
| | | A-A-2215 | LAMP, INCANDESCENT (SUBMINIATURE, TRADE NO. 6839) | A 6240 # | 29-JUN-84 | | | | |
| | | A-A-2217 | LAMP, INCANDESCENT, (ROUGH SERVICE, TRADE NO. 100A/RS, 130V) | A 6240 # | 29-JUN-84 | | | | |
| | | A-A-2218 | LAMP, MERCURY VAPOR | A 6240 # | 19-JUL-84 | | | | |
| | | A-A-2219 | LAMP, INCANDESCENT (MINIATURE TRADE NO. 325) | A 6240 # | 29-JUN-84 | | | | |
| | | A-A-2220 | LAMP, INCANDESCENT (SUBMINIATURE) | A 6240 # | 03-JUL-84 | | | | |
| | | A-A-2221 | LAMP, INCANDESCENT (TRADE NO. 25T8DC) | A 6240 # | 07-JUL-84 | | | | |
| | | A-A-2222 | LAMP, INCANDESCENT (FLOODLIGHT TRADE NO. 75 R30/FL) | A 6240 # | 09-JUL-84 | | | | |
| | | A-A-2223 | LAMP, MERCURY VAPOR (TRADE NO. H33 GL-400/C) | A 6240 # | 25-JUL-84 | | | | |
| | | A-A-2224 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1835) | A 6240 # | 09-JUL-84 | | | | |
| | | A-A-2225 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 24X) | A 6240 # | 09-JUL-84 | | | | |
| | | A-A-2226 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1662) | A 6240 # | 09-JUL-84 | | | | |
| | | A-A-2227 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4515) | A 6240 # | 09-JUL-84 | | | | |
| | | A-A-2228 | LAMP, INCANDESCENT (TRADE NO. 25A/TF) | A 6240 # | 09-JUL-84 | | | | |
| | | A-A-2229 | LAMP, PHOTO PROJECTION | A 6240 # | 21-AUG-84 | | | | |
| | | A-A-2230 | LABELS (HEAT SEALING TAPE | A 7530 * | 07-FEB-84 | GL | SA | | |
| | | A-A-2235 | CHAIRS, ROTARY, (OFFICE, ERGONOMIC, UPHOLSTERED) | A 7110 # | 26-SEP-85 | | | | |
| D | | A-A-2236 | PANELS INTERCONNECTING, LOADBEARING, WITH HANG-ON COMPONENTS) REVIEWER: 84 | A 7110 GL | 08-OCT-85 | GL | YD1 | 99 | |
| D | | A-A-2237 | TABLES, TASK (CLOSED BASE) | A 7110 / GL | 08-OCT-85 | GL | YD1 | 99 | |
| D | | A-A-2238 | STAND, OFFICE MACHINE (EDP TERMINAL, DUAL SURFACE) | A 7110 / GL | 08-OCT-85 | GL | YD1 | 99 | |
| D | | A-A-2239 | STAND, OFFICE MACHINE (EDP, PRINTER) | A 7110 / GL | 08-OCT-85 | GL | YD1 | 99 | |
| | | A-A-2240 | TABLES, TASK (OPEN BASE) | A 7110 # FSS | 08-OCT-85 | | | | |
| | | A-A-2242 | PEDESTALS, MOBILE | A 7110 # FSS | 08-OCT-85 | | | | |
| | | A-A-2244 | SHIELD, ARC VIEWING, HAND HELD | A 4240 / EA | 19-MAR-84 | EA | | 99 | |
| | | A-A-2245 | HOSE ASSEMBLY, NONMETALLIC (STANDPIPES; RACK & REEL) REVIEWER: MI | A 4210 / ME | 25-JUL-84 | ME | | 99 | |
| D | | A-A-2246 | PAINT, LATEX (GLOSS, INTERIOR) USER: SH YD1 REVIEWER: 84 MD | A 8010 / ME | 27-JUN-84 | ME | | 99 | |
| D | | A-A-2247 | PAINT, LATEX (SEMI-GLOSS, INTERIOR) USER: SH YD1 REVIEWER: 84 MD | A 8010 % FSS | 27-JUN-84 | | | 99 | |
| D | | A-A-2248 | PAINT, LATEX (FLAT, INTERIOR) USER: SH YD1 REVIEWER: 84 MD | A 8010 / | 27-JUN-84 | ME | | 99 | |
| | | A-A-2256 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 MEMORY, PRINT/DISPLAY, TWO-COLOR PRINT) | A 7420 # FSS | 09-MAR-84 | | | | |
| | | A-A-2257 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 MEMORY, PRINT/DISPLAY) (SINGLE-COLOR PRINT) | A 7420 # FSS | 09-MAR-84 | | | | |
| | L | A-A-2258C | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 MEMORY, PRINT/DISPLAY) (TWO COLOR PRINT) | A 7420 * 99 | 10-MAY-91 | | | 99 | |
| | | A-A-2259 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 MEMORY, PRINT/DISPLAY) (SINGLE-COLOR PRINT) | A 7420 # FSS | 09-MAR-84 | | | | |
| | L | A-A-2260C | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 2 OR MORE MEMORIES, PRINT/DISPLAY) (TWO-COLOR PRINT) | A 7420 * 99 | 10-MAY-91 | | | 99 | |
| | | A-A-2261 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 2 OR MORE MEMORIES, PRINT/DISPLAY) (SINGLE-COLOR PRINT) | A 7420 # FSS | 09-MAR-84 | | | | |
| | L | A-A-2262C | CALCULATING MACHINE (DESK TOP, 14 DIGIT, 1 OR MORE MEMORIES, PRINT/DISPLAY) (TWO-COLOR PRINT) | A 7420 * 99 | 10-MAY-91 | | | 99 | |
| | L | A-A-2263D | CALCULATING MACHINE (DESK PORTABLE, 10 DIGIT, 1 OR MORE MEMORIES, PRINT/DISPLAY) | A 7420 * 99 | 10-MAY-91 | | | 99 | |
| | | A-A-2264 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY | A 7420 # | 09-MAR-84 | | | | |
| | | A-A-2265 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY) | A 7420 # | 09-MAR-84 | | | | |
| | | A-A-2266 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 0 MEMORY, PRINT ONLY) (TWO COLOR PRINT) | A 7420 # | 09-MAR-84 | | | | |
| | | A-A-2267 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 0 MEMORY, PRINT ONLY) (TWO COLOR PRINT) | A 7420 # | 09-MAR-84 | | | | |
| | | A-A-2268 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, PRINT ONLY) (TWO COLOR PRINT) | A 7420 # | 09-MAR-84 | | | | |
| N | | A-A-2269A | HELMET, SAFETY USER: 45 OG REVIEWER: 82 CT MD | A 8415 * GL | 01-APR-93 | GL | MU | | |
| A | | A-A-2270 | HELMET, SAFETY (ELECTRICAL WORKER) USER: 45 OG REVIEWER: 82 MD MU | A 8415 / CT | 09-JUL-84 | GL | SA | | CT |
| A | | A-A-2271 | HELMET, SAFETY (WITH HEADLAMP CLIPS) USER: 45 OG REVIEWER: 82 MD MU | A 8415 / CT | 09-JUL-84 | GL | SA | | CT |
| | | A-A-2278A | LEVELING DEVICE, LADDER | A 5440 # FSS | 26-SEP-90 | | | | |
| | | A-A-2279 | NOZZLE, FIRE HOSE, WATER (FIXED GALLONAGE) REVIEWER: ME | A 4210 * | 07-NOV-84 | | | | |
| | | A-A-2280 | NOZZLE, FIRE HOSE, WATER (SELF-ADJUSTING) REVIEWER: ME | A 4210 * | 07-NOV-84 | | | | |
| | | A-A-2281 | NOZZEL, FIRE HOSE, WATER (VARIABLE GALLONAGE, CONSTANT FLOW) REVIEWER: ME | A 4210 * | 06-NOV-84 | | | | |
| | | A-A-2282 | AIR CONDITIONER (WINDOW, HEAT PUMP) | A 4120 % FSS | 31-MAY-85 | | | | |
| | | A-A-2283 | SIAMESE CONNECTION, FIRE HOSE (WYES PLAIN, TWO AND THREE WAY HYDRANT) REVIEWER: ME | A 4210 * | 27-NOV-84 | | | | |
| | | A-A-2284 | HOSE ASSEMBLY, NON-METALLIC (FIRE; COTTON; SINGLE-JACKETED) | A 4210 * | 27-AUG-84 | ME | | | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-2285 | CALCULATING MACHINE (HANDHELD, GENERAL PURPOSE) | A | 7420 | # | FSS | 15-MAY-85 | | | | |
| | | A-A-2286 | CALCULATING MACHINE (HANDHELD, GENERAL PURPOSE) | A | 7420 | # | FSS | 15-MAY-84 | | | | |
| | | A-A-2287 | CALCULATING MACHINE (HANDHELD, PRINT/DISPLAY) | A | 7420 | # | FSS | 15-MAY-84 | | | | |
| | L | A-A-2288A | CALCULATING MACHINE (HANDHELD, BASIC SCIENTIFIC) | A | 7420 | * | 99 | 10-MAY-91 | | | 99 | |
| | L | A-A-2289A | CALCULATING MACHINE (HANDHELD, BASIC SCIENTIFIC) (SOLAR POWER) | A | 7420 | * | 99 | 10-MAY-91 | | | 99 | |
| | | A-A-2290 | CALCULATING MACHINE (HANDHELD, PROFESSIONAL SCIENTIFIC) | A | 7420 | # | FSS | 15-MAY-84 | | | | |
| | | A-A-2291 | CALCULATING MACHINE (HANDHELD, PROFESSIONAL SCIENTIFIC) | A | 7420 | # | FSS | 15-MAY-84 | | | | |
| | | A-A-2292 | CALCULATING MACHINE (HANDHELD, GENERAL PURPOSE) | A | 7420 | # | FSS | 15-MAY-84 | | | | |
| | D | A-A-2293 | GAGE, WHEEL ALIGNMENT USER: AT MC | A | 5210 | * | YD1 | 15-MAY-84 | GL | YD1 | | |
| | | A-A-2294 | EDUCTOR (BY PASS & INLINE) REVIEWER: ME | A | 4210 | * | | 21-NOV-84 | | | | |
| | | A-A-2297 | BALL VALVE (DROP-OUT TYPE: LINE; INLINE; SUCTION; DISCHARGE) REVIEWER: ME | A | 4210 | # | FSS | 09-APR-85 | | | | |
| | | A-A-2298 | SIAMESE CONNECTION, FIRE HOSE (PLAIN; CLAPPERED; PUMPER SUCTION; WATER THIEF) | A | 4210 | # | | 29-NOV-84 | | | | |
| | | A-A-2299B | BAG, PLASTIC, GENERAL PURPOSE REVIEWER: 99 MD ME | A | 8105 | * | GL | 17-NOV-89 | GL | | 69 | |
| | | A-A-2302A | COPYING MACHINE, INDIRECT ELECTROSTATIC PROCESS (PLAIN PAPER) | A | 3610 | # | | 26-SEP-84 | | | | |
| | | A-A-2303 | RULER, STEEL (BUSINESSFORMS) | A | 7510 | # | | 24-JUL-85 | | | | |
| | | A-A-2305A | COPYING MACHINE, INDIRECT ELECTROSTATIC PROCESS (PLAIN PAPER) | A | 3610 | # | | 09-NOV-84 | | | | |
| | | A-A-2306A | COPYING MACHINE, INDIPECT ELECTROSTATIC PROCESS (PLAIN PAPER) | A | 3610 | # | | 09-NOV-84 | | | | |
| | | A-A-2307 | FILE, HAND (AMERICAN PATTERN), ALUMINUM | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2308 | FILE, HAND (AMERICAN PATTERN), BANDSAW BLUNT | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2309 | FILE, HAND (AMERICAN PATTERN), CANTSAW | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2310 | FILE, HAND (AMERICAN PATTERN), CROSSCUT | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2311 | FILE, HAND (AMERICAN PATTERN), FLAT | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2312 | FILE, HAND (AMERICAN PATTERN), HALF ROUND | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2313 | FILE, HAND (AMERICAN PATTERN)H HAND, REGULAR | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2314 | FILE, HAND (AMERICAN PATTERN), KNIFE | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2315 | FILE, HAND (AMERICAN PATTERN), LEAD FLOAT, FLAT | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2316 | FILE, HAND (AMERICAN PATTERN) MILL | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2317 | FILE, HAND (AMERICAN PATTERN), PILLAR | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2318 | FILE, HAND (AMERICAN PATTERN), ROUND, REGULAR | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2319 | FILE, HAND (AMERICAN PATTERN), ROUND CHAIN SAW | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2320 | FILE, HAND (AMERICAN PATTERN), SQUARE | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2321 | FILE, HAND (AMERICAN PATTERN), TAPER | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2322 | FILE, HAND (AMERICAN PATTERN), THREE SQUARE | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2323 | FILE, HAND (AMERICAN PATTERN), WARDING | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2324 | FILE, HAND (AMERICAN PATTERN), LONG ANGLE LATHE | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2325 | FILE, HAND (AMERICAN PATTERN), MILLED CURVED TEETH, FLAT FLEXIBLE BLADE | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2326 | RASP, HAND, CABINET | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2327 | RASP, HAND, HORSE, PLAIN, REGULAR | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2328 | RASP HAND, SHOE, HALF -ROUND | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2329 | RASP, HAND, WOOD | A | 5110 | # | | 27-SEP-85 | | | | |
| | | A-A-2330 | PLIERS, DIAGONAL CUTTING | A | 5110 | # | | 01-APR-85 | | | | |
| | | A-A-2331 | INK, DRAWING (WATERPROOF, COLORED) | A | 7510 | # | | 01-OCT-85 | | | | |
| | | A-A-2335 | SEALER, SURFACE (VARNISH TYPE, WOOD & CORK FLOORS) | A | 8010 | # | | 11-DEC-84 | | | | |
| | | A-A-2336 | PRIMER COATING (OIL-ALKYD, EXTERIOR WOOD, WHITE & TINTS) | A | 8010 | # | | 11-JAN-85 | | | | |
| | D | A-A-2337 | TRIMMER, TREE, POLE-MOUNTED USER: YD1 REVIEWER: 84 | A | 3750 | * | | 08-NOV-84 | ME | | 99 | |
| | D | A-A-2338 | SPADE (GARDENING TYPE) USER: YD1 REVIEWER: 84 | A | 3750 | * | | 20-SEP-84 | ME | | 99 | |
| | | A-A-2339 | STAIN (WOOD, SOLVENT-DYE TYPE) | A | 8010 | # | | 26-NOV-84 | | | | |
| | | A-A-2340 | PRIMER COATING (LATEX, WHITE, FOR GYPSUM WALLBOARD) | A | 8010 | # | | 15-JAN-85 | | | | |
| | | A-A-2344A | WRENCHES, ADJUSTABLE | A | 5120 | # | | 14-MAY-85 | | | | |
| | | A-A-2345 | WRENCH, OPEN END, ADJUSTABLE | A | 5120 | # | | 26-OCT-84 | | | | |
| | | A-A-2346 | WRENCH, AUTO, ADJUSTABLE | A | 5120 | # | | 26-OCT-84 | | | | |
| | | A-A-2347 | WRENCH, MONKEY | A | 5120 | # | | 26-OCT-84 | | | | |
| | D L | A-A-2348B | INDICATOR, DIAL, ACCESSORIES, AND TEST SETS USER: SH YD1 REVIEWER: 84 | A | 5210 | * | GL | 30-JUL-91 | GL | | | |
| | | A-A-2349 | WRAPPING TOOL, WIRE | A | 5130 | # | | 01-NOV-84 | | | | |
| | | A-A-2350A | HAMMERS, PNEUMATIC, PORTABLE, CHIPPING | A | 5130 | * | GL | 01-APR-91 | GL | | 99 | |
| | | A-A-2351 | SCALING & CHIPPING TOOL, ROTARY, PORTABLE, ELECTRIC, & CUTTER BUNDLES | A | 5130 | # | | 29-NOV-85 | | | | |
| | | A-A-2352 | NIBBLERS, ELECTRIC, PORTABLE | A | 5130 | # | | 29-NOV-85 | | | | |
| | | A-A-2355 | CASE, FILING, TRANSFER, (WOOD OR FIBER) | A | 7520 | # | | 08-JUL-85 | | | | |
| | | A-A-2356 | CASE, FILING, TRANSFER, (COLLAPSIBLE) | A | 7520 | / | | 26-JUN-85 | | | | |
| | | A-A-2359A | CRAYON, MARKING | A | 7510 | # | FSS | 05-DEC-90 | | | | |
| | | A-A-2360A | CRAYON ASSORTMENT, MARKING, COLORED | A | 7510 | # | FSS | 16-JAN-90 | | | | |
| | | A-A-2361A | CHALK, LINE MARKING, POWDER AND CHALK MARKING | A | 7510 | # | FSS | 21-DEC-90 | | | | |
| | A | A-A-2364A | TYPING, ELEMENT (96 CHARACTERS) | A | 7510 | # | FSS | 06-JAN-92 | | | | |
| | A | A-A-2365A | TYPING, ELEMENT (88 CHARACTERS) | A | 7510 | # | FSS | 15-DEC-91 | | | | |
| | | A-A-2367 | RIBBON, COMPUTING MACHINE (WORD PROCESSING) | A | 7510 | * | GL | 03-OCT-85 | GL | SA | 99 | |
| | | A-A-2368 | ROLLING PIN, WOOD USER: CG MC REVIEWER: 84 85 MD | A | 7330 | * | | 29-AUG-85 | GL | SA | 99 | |
| | L | A-A-2369A | HOLDER, FLOOR POLISHING MACHINE PAD | A | 7910 | * | 99 | 06-JAN-86 | | | 99 | |
| | | A-A-2370 | PAD, FLOOR POLISHING MACHINE (THIN) | A | 7910 | # | | 05-DEC-85 | | | | |
| | | A-A-2371 | CALCULATING MACHINE (HANDHELD, BUSINESS/FINANCIAL) | A | 7420 | # | FSS | 19-FEB-85 | | | | |
| | | A-A-2372 | CALCULATING MACHINE (HANDHELD, GENERAL PURPOSE) | A | 7420 | # | FSS | 22-JAN-85 | | | | |
| | | A-A-2373 | CALCULATING MACHINE (DESK TOP, 1 OR MORE MEMORIES, DISPLAY ONLY) (SOLAR POWER) | A | 7420 | # | FSS | 18-DEC-84 | | | | |
| | | A-A-2375 | MASK, GAS (INDUSTRIAL) | A | 4240 | # | | 28-AUG-85 | | | | |
| | | A-A-2376 | NOZZLE, FIRE HOSE, WATER (PLASTIC) REVIEWER: ME | A | 4210 | * | | 29-AUG-85 | | | | |
| | | A-A-2377 | VALVE, BALL (SINGLE LINE) REVIEWER: ME | A | 4210 | / | | 28-AUG-85 | | | | |
| | D | A-A-2380 | DISPENSER, PAPER TOWEL USER: MC YD1 REVIEWER: 84 CE | A | 4510 | * | | 22-AUG-85 | ME | | 99 | |
| | | A-A-2382 | WRENCH, SOCKET, CONVENTIONAL SIZE | A | 5120 | # | | 09-AUG-85 | | | | |
| | | A-A-2383 | WRENCH, SOCKET, POCKET | A | 5120 | # | | 09-AUG-85 | | | | |
| | | A-A-2385 | WRENCH, SOCKET, STUBBY | A | 5120 | # | | 09-AUG-85 | | | | |
| | | A-A-2395 | LAMP, PHOTOGRAPHIC (ANSI NO. FHS) | A | 6240 | * | | 09-AUG-85 | | | | |
| | | A-A-2397 | LAMP, PHOTOGRAPHIC (ANSI NO DDH) | A | 6240 | / | | 15-SEP-85 | | | | |
| | | A-A-2398A | CURTAIN, SHOWER AND WINDOW | A | 7230 | # | FSS | 25-NOV-88 | | | | |
| | | A-A-2400 | PAD, FLOOR POLISHING MACHINE (THICK) | A | 7910 | # | | 07-MAR-86 | | | | |
| | L | A-A-2402 | EXTINGUISHER, FIRE, VAPORIZING LIQUID (HEAT-ACTUATED, HALON 1301) | A | 4210 | | ME | 19-FEB-86 | ME | | | |
| | | A-A-2428 | FILE, HAND (SWISS PATTERN) BARRETTE | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2429 | FILE, HAND (SWISS PATTERN), HALF-ROUND | A | 5110 | # | | 20-JUN-86 | | | | |
| | | A-A-2430 | FILE, HAND (SWISS PATTERN) | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2431 | FILE, HAND (SWISS PATTERN), KNIFE | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2432 | FILE, HAND (SWISS PATTERN), PILLAR, EXTRA-NARROW | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2433 | FILE, HAND (SWISS PATTERN), PILLAR, NARROW | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2434 | FILE, HAND (SWISS PATTERN), PILLAR, REGULAR | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2435 | FILE, HAND (SWISS PATTERN), PIPPIN | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2436 | FILE, HAND (SWISS PATTERN), ROUND, STRAIGHT | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2437 | FILE, HAND (SWISS-PATTERN), ROUND, TAPER | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2440 | FILE, HAND (SWISS PATTERN), THREE-SQUARE | A | 5110 | # | FSS | 02-JUN-86 | | | | |
| | | A-A-2441 | FILE, HAND (SWISS PATTERN), WARDING | A | 5110 | # | FSS | 02-JUN-86 | | | | |
| | | A-A-2442 | FILE, HAND (SWISS PATTERN), NEEDLE, ROUND | A | 5110 | # | FSS | 02-JUN-86 | | | | |
| | | A-A-2443 | FILE, HAND (SWISS PATTERN), NEEDLE, HALF-ROUND | A | 5110 | # | FSS | 02-JUN-86 | | | | |
| | | A-A-2444 | FILE, HAND (SWISS PATTERN), NEEDLE, THREE-SQUARE | A | 5110 | # | FSS | 02-JUN-86 | | | | |
| | | A-A-2445 | FILE, HAND (SWISS PATTERN), NEEDLE, CROSSING | A | 5110 | # | FSS | 02-JUN-86 | | | | |
| | | A-A-2446 | FILE, HAND (SWISS PATTERN), NEEDLE, KNIFE | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2447 | FILE, HAND (SWISS PATTERN), NEEDLE, FLAT | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2448 | FILE, HAND (SWISS PATTERN), NEEDLE, SQUARE | A | 5110 | # | | 02-JUN-86 | | | | |

| Action | QPL / QML Coordination Activity | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-2452 | FILE, HAND (SWISS PATTERN), NEEDLE, SLITTING | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2453 | FILE, HAND (SWISS PATTERN), NEEDLE, MARKING, HALF-ROUND | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2454 | FILE, HAND (SWISS PATTERN), SCREWHEAD | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2455 | FILE, HAND (SWISS PATTERN), CONTACT-POINT | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2456 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 1 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2457 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 3 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2458 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 4 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2459 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 5 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2460 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 6 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2461 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 7 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2462 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 8 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2463 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 9 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2464 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 10 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2465 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 11 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2466 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 12 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2469 | RIFFLER, DIE SINKERS, (SWISS PATTERN), SHAPENUMBER 15 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2470 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 16 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2471 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 17 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2472 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 18 | A | 5110 | # | | 02-JUN-86 | | | | |
| | | A-A-2474 | BAR, WRECKING (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2475 | CHISEL, COLD, HAND (NONSPARKING AND NONMAGNETIC) | A | 5110 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2476 | HAMMER, HAND (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-SEP-88 | | | | |
| | | A-A-2477 | KEY, SOCKET HEAD SCREW (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2478 | MARLINSPIKE (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2479 | PLIERS, (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2480 | SAW, HAND, CROSSCUT (NONSPARKING AND NONMAGNETIC) | A | 5110 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2481 | SCRAPER, SHIP (NONSPARKING AND NONMAGNETIC) | A | 5110 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2482 | SCRAPER, SPRAY BOOTH (NONSPARKING AND NONMAGNETIC) | A | 5110 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2483 | SCREWDRIVER, CROSS TIP (PHILLIPS, NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2484 | SCREWDRIVER, FLAT TIP (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2485 | SCREWDRIVER, OFFSET (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2486 | SOCKET, SOCKET WRENCH (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2487 | TROWEL (BRICKLAYER'S, NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2488 | WEDGE, JOINT BREAKING (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2489 | WRENCHES, ADJUSTABLE (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2490 | WRENCH, BOX (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2491 | WRENCH, BOX AND OPEN END, COMBINATION (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2493 | WRENCH, OPEN END (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2495 | WRENCH, SOCKET (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2496 | WRENCH, SPANNER (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2497 | WRENCH SET, SOCKET (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2505 | PLIERS, SLIP JOINT (NONSPARKING AND NONMAGNETIC) | A | 5120 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2506 | PLIERS, DIAGONAL CUTTING (NONSPARKING AND NONMAGNETIC) | A | 5110 | # | FSS | 15-AUG-88 | | | | |
| | | A-A-2507 | CHISEL, DIAMOND POINT, HAND (NONSPARKING AND NONMAGNETIC) | A | 5110 | # | FSS | 15-AUG-88 | | | | |
| | L | A-A-2510A | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY) (SOLAR POWER) REVIEWER: 84 | A | 7420 | * | 99 | 10-MAY-91 | | | | 99 |
| | | A-A-2511 | BRUSHES, WIRE, ROTARY, CUP, CRIMPED WIRE | A | 5130 | # | | 01-APR-87 | | | | |
| | | A-A-2512 | BRUSHES, WIRE, ROTARY, CUP, TWISTED TUFT | A | 5130 | # | | 01-APR-87 | | | | |
| | | A-A-2513 | BRUSHES, WIRE, ROTARY, END ATTACHMENT, SOLID WIRE FILLED | A | 5130 | # | | 01-APR-87 | | | | |
| | | A-A-2514 | BRUSHES, WIRE, ROTARY, END ATACHMENT, CIRCULAR, SIDE FLARE | A | 5130 | # | | 01-APR-87 | | | | |
| | | A-A-2516 | BRUSHES, WIRE, ROTARY, WHEEL, CRIMPED WIRE | A | 5130 | # | | 01-APR-87 | | | | |
| | | A-A-2517 | BRUSHES, WIRE, ROTARY, WHEEL, TWISTED TUFT | A | 5130 | # | | 01-APR-87 | | | | |
| | | A-A-2518 | DRILL, TWIST (CARBIDE TIP) USER: AR MC ME REVIEWER: 84 | A | 5133 | * | | 07-DEC-87 | GL | | | 99 |
| | | A-A-2522 | RAGS, WIPING (COTTON AND COTTON-SYNTHETIC) | A | 7920 | # | FSS | 19-JUL-89 | | | | |
| | | NOTICE 1 | | | | | | | | | | |
| N | | A-A-2523B | CASE, DISPATCH, MOLDED PLASTIC | A | 8460 | # | FSS | 01-MAY-92 | | | | |
| D | | A-A-2524 | HOLDER, TOILET PAPER (SINGLE ROLL) REVIEWER: CS | A | 4510 | * | YD1 | 14-MAR-91 | ME | | YD1 | 99 |
| | L | A-A-2527A | WAX, CARNAUBA | A | 9160 | / | AR | 05-JUL-89 | AR | | | |
| | | A-A-2528 | LADLES, MELTING, HAND | A | 5120 | # | | 06-FEB-87 | | | | |
| | | A-A-2529 | IRON: CALKING WOOD | A | 5130 | # | | 01-APR-87 | | | | |
| | | A-A-2530B | CHALKBOARD (STAND AND WALL MOUNTED) | A | 7110 | # | FSS | 24-SEP-90 | | | | |
| | | A-A-2531 | MARLINSPIKE ( MANILA ROPE) | A | 5120 | # | | 19-FEB-87 | | | | |
| | | A-A-2532 | BEVELS, SLIDING T REVIEWER: 84 | A | 5210 | * | | 15-JAN-87 | | | | 99 |
| | | A-A-2539B | HAMMER, HAND, BRICKLAYERS' | A | 5120 | * | GL | 18-DEC-89 | GL | | SH | 99 |
| D | | A-A-2540 | NAIL SET USER: ER MC ME YD1 REVIEWER: 84 | A | 5120 | * | GL | 06-FEB-91 | GL | | | 99 |
| | | A-A-002544 | COATING, RUST PREVENTIVE FOR INACTIVE FLEET SHIPS | A | 8010 | # | | 23-APR-87 | | | | |
| | | A-A-2546 | PAD, WRITING PAPER (REPOSITIONABLE | A | 7530 | # | | 09-DEC-87 | | | | |
| | | A-A-2546(11) | PAD, WRITING PAPER (REPOSITIONABLE) | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | A-A-2547 | CABINET, KEY AND IDENTIFICATION SYSTEMS | A | 7125 | # | FSS | 20-JAN-88 | | | | |
| | | A-A-2549 | BINDER, LOOSE-LEAF (RING) | A | 7510 | # | FSS | 28-JUN-89 | | | | |
| | | A-A-2549(11) | BINDER, LOOSE-LEAF (RING) | A | 7510 | # | FSS | 04-DEC-90 | | | | |
| | | A-A-2551 | DRILL, HAND REVIEWER: 84 | A | 5110 | * | GL | 06-FEB-88 | GL | | | 99 |
| | | A-A-2555 | DRILL, MASONRY, HAND (STAR (FOUR-FLUTE) DRILL) | A | 5110 | * | GL | 17-MAR-88 | GL | | | 99 |
| | | A-A-2565 | BAR, PRY (ROLLING - HEAD) REVIEWER: 84 | A | 5120 | * | GL | 25-MAR-88 | GL | | | 99 |
| | | A-A-2567 | BAR, DIGGING AND TAMPING REVIEWER: 84 GS | A | 5120 | | GL | 25-MAR-88 | GL | | | 99 |
| | | A-A-2574 | SAW, BUTCHER'S; AND BLADE, BUTCHER'S HANDSAW USE: MD TS | A | 7330 | * | GL | 15-DEC-88 | GL | | SA | 99 |
| M | | A-A-2576A | SCALE, AREA (TRANSPARENT PLASTIC) | A | 6675 | # | FSS | 30-APR-92 | | | | |
| | | A-A-2579 | PSYCHROMETER, SLING, POCKET TYPE | A | 6685 | # | FSS | 02-MAY-88 | | | | |
| | | A-A-2581 | PLATE, EATING (POLYSTYRENE, DISPOSABLE) REVIEWER: 84 MD MS | A | 7350 | * | GL | 04-MAY-88 | GL | | SA | 99 |
| | | A-A-2585 | DINNERWARE, CHINA (WHITE) USE: MC REVIEWER: 84 MD TS | A | 7350 | * | GL | 13-DEC-88 | GL | | SA | 99 |
| D | | A-A-2588 | HERBICIDE, BROMACIL USER: GB EA GS YD1 | A | 6840 | % | FSS | 15-SEP-88 | | | | |
| D | | A-A-2589 | HERBICIDE, HEXAZINONE USER: GB EA GS YD1 | A | 6840 | % | FSS | 15-SEP-88 | | | | |
| D | | A-A-2590 | DISPENSER, DRINKING WATER, MECHANICALLY COOLED (BARRIER FREE, WATER COOLER) USER: YD1 | A | 4110 | # | FSS | 20-DEC-88 | | | | |
| | | A-A-2594 | TRAY, SERVICE | A | 7350 | # | FSS | 16-MAR-89 | | | | |
| | | A-A-2595 | CUP, DISPOSABLE: LID, DISPOSABLE CUP REVIEWER: 84 MD TS | A | 7350 | / | GL | 08-FEB-89 | GL | | SA | 99 |
| | L | A-A-2596 | PITCHER, INSULATED | A | 7350 | # | FSS | 20-DEC-88 | | | | |
| | | A-A-2597 | DISHPAN (STAINLESS STEEL) USER: MS REVIEWER: 84 MD | A | 7330 | * | GL | 01-AUG-90 | GL | | SA | 99 |
| | | A-A-2598B | CLOCK, ALARM (GENERAL PURPOSE) | A | 6645 | # | FSS | 16-AUG-91 | | | | |
| | | A-A-2599A | SHREDDING MACHINE, PAPER, OFFICE (HIGH SECURITY, CROSS-CUT) | A | 7490 | # | FSS | 19-NOV-90 | | | | |
| | L | A-A-2601 | CLIP, PAPER, WIRE | A | 7510 | % | FSS | 19-DEC-88 | | | | |
| | | A-A-2602A | SHREDDING MACHINE, PAPER, OFFICE (CROSS-CUT) | A | 7490 | # | FSS | 19-NOV-90 | | | | |
| | | A-A-2603A | SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT CUT, HIGH SPEED) | A | 7450 | # | FSS | 19-NOV-90 | | | | |
| | | A-A-2605 | TRAY, MESS, COMPARTMENTED (PLASTIC) USER: MC REVIEWER: 84 MD | A | 7350 | * | GL | 10-SEP-90 | GL | | SA | 99 |
| | | A-A-2606 | PAN, FRYING (ALUMINUM) REVIEWER: 84 MC MD | A | 7330 | * | GL | 06-JUN-89 | GL | | SA | 99 |
| | | A-A-2607A | SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT CUT) | A | 7450 | # | FSS | 19-NOV-90 | | | | |
| | | A-A-2608A | SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT AND CROSS CUT, PERSONAL TYPE) | A | 7490 | # | FSS | 19-NOV-90 | | | | |
| | | A-A-2609A | SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT CUT, HIGH VOLUME) | A | 7490 | # | FSS | 19-NOV-90 | | | | |
| | | A-A-2610B | PULVERIZING MACHINE, PAPER, CLASSIFIED WASTE | A | 3615 | # | FSS | 04-JAN-91 | | | | |
| | | A-A-2611 | PUNCH: BINDER AND PUNCH/BINDER MACHINES (FOR SPIRAL BINDERS) | A | 3610 | # | FSS | 01-DEC-89 | | | | |
| | | A-A-2615A | PLATE, ELECTROSTATIC | A | 3610 | # | FSS | 07-DEC-90 | | | | |
| | | A-A-2618 | RIBBON, INKING TAPE, LIFT-OFF | A | 7510 | # | FSS | 28-MAR-91 | | | | |
| D | | A-A-2622 | ADAPTERS, PIPE TO HOSE, STRAIGHT OR REDUCING USER: CG REVIEWER: 84 GS OS | A | 4210 | / | YD1 | 20-FEB-90 | ME | | YD1 | 99 |
| | | A-A-2623A | PLATE, ELECTROSTATIC USER: ME | A | 3610 | # | FSS | 14-DEC-90 | | | | |

| Action | CPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-2625A | PLATE, ELECTROSTATIC USER: ME | A | 3610 | # | FSS | 14-DEC-90 | | | | |
| | | A-A-2627A | PLATE, LITHOGRAPHIC, PRESENSITIZED USER: ME | A | 3610 | # | FSS | 28-DEC-90 | | | | |
| | L | A-A-2628 | SCANNER, STENCIL MAKER, ELECTRONIC/DIGITAL, DESK-TOP REVIEWER: 84 | A | 3610 | * | 99 | 09-NOV-90 | | | 99 | |
| | | A-A-2629 | DUPLICATING MACHINE, STENCIL-PROCESS, TABLE MOUNTED REVIEWER: 84 GS | A | 3610 | * | GL | 09-NOV-90 | GL | SA | 99 | |
| | L | A-A-2630 | DUPLICATING MACHINE, SPIRIT, TABLE MOUNTED REVIEWER: 84 | A | 3610 | * | 99 | 09-NOV-90 | | | 99 | |
| | | A-A-2631 | MIRROR, GLASS, (HARDWOOD FRAMED) | A | 7105 | # | FSS | 02-JAN-90 | | | | |
| | | A-A-2635 | SOCKET, SOCKET WRENCH USER: CR ER MC REVIEWER: 84 | A | 5120 | * | GL | 15-AUG-89 | GL | | 99 | |
| | | A-A-2636 | ALGICIDE | A | 6840 | % | FSS | 25-AUG-89 | | | | |
| D | | A-A-2637 | HERBICIDE, TRICLOPYR USER: 68 EA GS YD1 | A | 6840 | % | FSS | 30-JUN-89 | | | | |
| | | A-A-2638 | DUPLICATOR, DIGITAL STENCIL (COPIER-PRINTER) | A | 3610 | # | FSS | 01-FEB-90 | | | | |
| | | A-A-2651 | BINDER, AWARD CERTIFICATE | A | 7510 | * | GL | 14-FEB-91 | GL | SA | 99 | |
| | | A-A-2652 | BINDER, NOTE PAD REVIEWER: 84 GS | A | 7510 | * | GL | 04-SEP-90 | GL | SA | 99 | |
| A | | A-A-2653 | BINDER, NOTE PAD, SPRING-BACK | A | 7510 | # | FSS | 02-OCT-92 | | | | |
| | | A-A-2654 | PROTECTOR, DOCUMENT | A | 7510 | # | FSS | 02-JAN-90 | | | | |
| | | A-A-2655 | BINDER, LOOSE-LEAF, FLEXIBLE PRONG | A | 7510 | % | FSS | 06-JUL-90 | | | | |
| | | A-A-2656 | TAB, SIGNAL, PLASTIC TAB SET, SIGNAL, PLASTIC | A | 7510 | # | FSS | 09-MAY-90 | | | | |
| | | A-A-2657 | BINDER, AWARD CERTIFICATE | A | 7510 | # | FSS | 20-NOV-90 | | | | |
| | | A-A-2658 | BINDER, LOOSE-LEAF, (WITH OR WITHOUT FLEXIBLE PRONG) | A | 7510 | % | FSS | 10-JAN-91 | | | | |
| | | A-A-2660 | PORTFOLIO, DOUBLE-POCKET PRESENTATION | A | 7510 | # | FSS | 18-NOV-90 | | | | |
| A | | A-A-2661 | BRUSHES, MUCILAGE | A | 7510 | # | FSS | 30-DEC-91 | | | | |
| A | | A-A-2664 | FLATWARE, STAINLESS STEEL USER: MC REVIEWER: 84 MD TS | A | 7340 | * | GL | 24-MAR-93 | GL | SA | 99 | |
| | | A-A-2666 | PENCIL, ELECTROGRAPHIC | A | 7510 | # | FSS | 03-AUG-91 | | | | |
| | L | A-A-2667 | SAND, SANDBLAST USER: AS SH REVIEWER: 84 | A | 5350 | * | 99 | 20-APR-90 | | | 99 | |
| D | | A-A-2668 | DISPENSER, TOILET PAPER, CABINET USER: MC REVIEWER: 84 CS | A | 4510 | * | YD1 | 26-APR-90 | | YD1 | 99 | |
| | | A-A-2669 | BOX, FILING, PLASTIC | A | 752G | # | FSS | 19-MAY-90 | | | | |
| | L | A-A-2670 | STAPLE, TACKER REVIEWER: GL | A | 5315 | * | 82 | 04-MAY-90 | | | 99 | |
| | | A-A-2671 | SEEDS, AGRICULTURAL | A | 8730 | # | FSS | 08-FEB-91 | | | | |
| | | A-A-2673 | NUTRUNNER AND SCREWDRIVER, PNEUMATIC REVIEWER: 84 | A | 5130 | * | GL | 01-MAY-91 | GL | | 99 | |
| | | A-A-2678 | WRENCH, IMPACT, PNEUMATIC, PORTABLE (PISTOL GRIP) REVIEWER: 84 | A | 5130 | * | GL | 01-JUL-91 | GL | | 99 | |
| | | A-A-2679 | SAW, CIRCULAR, PNEUMATIC, PORTABLE | A | 5130 | * | GL | 01-MAY-91 | GL | | 99 | |
| | L | A-A-2681 | PLASTIC SHEET, PRESSURE SENSITIVE ADHESIVE COATED, PAPER-BACKED USER: MC REVIEWER: 11 | A | 9330 | * | MR | 19-FEB-91 | MR | | | |
| | | A-A-2687 | SANDER, PAD, PNEUMATIC, PORTABLE (ORBITAL MOTION) REVIEWER: 84 | A | 5130 | * | GL | 01-JUN-91 | GL | | 99 | |
| | | A-A-2688 | SANDER, PAD, PNEUMATIC, PORTABLE (RECIPROCATING MOTION) REVIEWER: 84 | A | 5130 | * | GL | 01-JUN-91 | GL | | 99 | |
| | | A-A-2689 | SANDER, DISK, PNEUMATIC, PORTABLE (RIGHT ANGLE) REVIEWER: 84 | A | 5130 | * | GL | 01-JUN-91 | GL | | 99 | |
| | L | A-A-2690 | SANDER, DISK, PNEUMATIC, PORTABLE (DUEL MOTION) REVIEWER: 84 | A | 5130 | * | GL | 01-JUN-91 | GL | | | |
| | | A-A-2691 | WRENCH, IMPACT, PNEUMATIC, PORTABLE (CLOSED GRIP) REVIEWER: 84 | A | 5130 | * | GL | 01-JUL-91 | GL | | 99 | |
| | | A-A-2692 | WRENCH, IMPACT, PNEUMATIC, PORTABLE (BODY GRIP) REVIEWER: 84 | A | 5130 | * | GL | 01-JUL-91 | GL | | 99 | |
| | | A-A-2695 | PEN, ROLLERBALL | A | 7520 | # | FSS | 16-AUG-90 | | | | |
| | | A-A-2697 | DISC, ABRASIVE (PAPER) | A | 5345 | # | FSS | 27-DEC-90 | | | | |
| | L | A-A-2699 | TACKER, STAPLE, (COMPRESSION TYPE, MANUALLY-OPERATED) REVIEWER: GL | A | 5120 | * | 82 | 01-APR-91 | | | 82 | |
| D | | A-A-2703 | DISPENSERS, SOAP USER: MC REVIEWER: CS | A | 4510 | * | YD1 | 19-MAR-91 | | YD1 | 84 | |
| | | A-A-2704 | PAD, TYPEWRITER, SPONGE RUBBER | A | 7510 | # | FSS | 13-NOV-90 | | | | |
| | | A-A-2707 | STAPLES, HEAVY DUTY, PAPER FASTENING | A | 7510 | # | FSS | 30-NOV-90 | | | | |
| | | A-A-2709 | SANDER, DISK, PNEUMATIC, PORTABLE (VERTICAL DRIVE) REVIEWER: 84 | A | 5130 | * | GL | 01-JUN-91 | GL | | 99 | |
| | | A-A-2710 | POT, COOKING USER: MC REVIEWER: 50 84 MD TS | A | 7330 | / | GL | 12-FEB-91 | GL | SA | 99 | |
| | | A-A-2711 | SCREWDRIVER, CROSS TIP (HIGH PERFORMANCE) | A | 5120 | % | FSS | 15-MAR-91 | | | | |
| | | A-A-2712 | SCREWDRIVER, FLAT TIP (HIGH PERFORMANCE) | A | 5120 | % | FSS | 15-MAR-91 | | | | |
| | | A-A-2714 | BAG, CLOTH, MAILING REVIEWER: SH | A | 8105 | * | GL | 31-MAY-91 | GL | SA | | |
| | | A-A-2717 | CLOCKS, WALL (QUARTZ CRYSTAL-BATTERY OPERATED) | A | 6645 | # | FSS | 16-AUG-91 | | | | |
| | | A-A-2722 | STENCIL CUTTING MACHINE, HAND-OPERATED | A | 7490 | # | FSS | 29-MAR-91 | | | | |
| D | | A-A-2738(1) | SEALS, ANTIPILEFRAGE USER: MC ME SH REVIEWER: 99 IS SA | A | 5340 | | YD1 | 31-JAN-91 | AR | YD1 | | |
| A | | A-A-2741 | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, PORTABLE) | A | 7450 | # | FSS | 24-JUN-91 | | | | |
| A | | A-A-2742 | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, DESK TOP) | A | 7450 | # | FSS | 24-JUN-91 | | | | |
| A | | A-A-2744 | RAZOR, SAFETY, DISPOSABLE | A | 8530 | * | MC | 22-OCT-91 | | MC | | GS |
| A | | A-A-2748A | ENVELOPE, TRANSLUCENT | A | 7530 | # | FSS | 29-JUN-92 | | | | |
| N | | A-A-2749 | INK, WRITING RED | A | 7510 | # | FSS | 26-FEB-92 | | | | |
| N | | A-A-2752 | INK, WRITING FOR FOUNTAIN AND DIP PENS | A | 7510 | # | FSS | 15-NOV-91 | | | | |
| A | | A-A-2755 | PENCIL, COLORED LEAD | A | 7510 | # | FSS | 30-DEC-91 | | | | |
| A | | A-A-2757 | PENCIL, CARPENTER | A | 7510 | # | FSS | 15-DEC-91 | | | | |
| | | A-A-2758 | MARKER, TUBE TYPE | A | 7520 | # | FSS | 18-OCT-91 | | | | |
| A | | A-A-2762 | TYPING, ELEMENT (DAISY WHEEL - DISK TYPE) | A | 7510 | # | FSS | 07-JAN-92 | | | | |
| A | | A-A-2763 | TYPING, ELEMENT (DISK TYPE) | A | 7510 | # | FSS | 07-JAN-92 | | | | |
| N | | A-A-2764 | PENCIL, MECHANICAL FOR 0.5 AND 0.7 MM LEAD SIZES | A | 7520 | # | FSS | 02-DEC-91 | | | | |
| N | | A-A-2765 | PENCIL, MECHANICAL FOR 1.1 MM LEAD SIZE | A | FACR | # | FSS | 12-DEC-91 | | | | |
| | | A-A-2766 | TYPING, ELEMENT (TELETYPE AND FACSIMILE EQUIPMENT) | A | 7510 | # | FSS | 30-DEC-91 | | | | |
| A | | A-A-2767 | INK, DRAWING, WATERPROOF, BLACK | A | 7510 | # | FSS | 02-OCT-92 | | | | |
| N | | A-A-2768 | PENCIL, MECHANICAL FOR 0.9 MM LEAD SIZE | A | 7520 | # | FSS | 02-DEC-91 | | | | |
| A | | A-A-2770 | PENCIL, COPYING | A | 7510 | # | FSS | 13-JAN-92 | | | | |
| A | | A-A-2776 | PENCIL, WHITE CORRECTION LEAD | A | 7510 | # | FSS | 02-JAN-92 | | | | |
| A | | A-A-2779 | MARKER, TUBE TYPE, HIGHLIGHTER | A | 7520 | # | FSS | 15-DEC-91 | | | | |
| N | | A-A-2780 | TYPE CLEANER | A | 7510 | # | FSS | 01-APR-92 | | | | |
| A | | A-A-2784 | INK, ROLL | A | 7510 | # | FSS | 15-JAN-92 | | | | |
| A | | A-A-2785 | PENCIL, DRAFTING | A | 7510 | # | FSS | 21-JUL-92 | | | | |
| A | | A-A-2786 | PRIMER COATING (AEROSOL, LEAD AND CHROMATE FREE) | A | 8010 | # | FSS | 31-MAR-92 | | | | |
| A | | A-A-2790 | ENVELOPE, TRANSPARENT REVIEWER: 84 | A | 7510 | * | GL | 25-JUN-92 | GL | | 99 | |
| A | | A-A-2793 | CLEANER-DISINFECTANT (PINE TYPE) | A | 6840 | # | FSS | 06-JUL-92 | | | | |
| A | | A-A-2794 | CASE, FILING, TRANSFER | A | 7520 | # | FSS | 18-JUN-92 | | | | |
| A | | A-A-2798 | LEAD, SYNTHETIC | A | 7510 | # | FSS | 15-SEP-92 | | | | |
| N | | A-A-2801 | PENCIL, MECHANICAL FOR 0.9 MM AND 1.1 MM SIZE, COLORED OR BLACK LEADS | A | 7520 | # | FSS | 03-MAY-92 | | | | |
| A | | A-A-2802 | DOG FOOD, HIGH PERFORMANCE, DRY | A | 8710 | # | FSS | 22-JUL-92 | | | | |
| A | | A-A-2806 | BOTTLE, APPLICATOR, 473.12 CC (16 OUNCE) CAPACITY, SPRAYER NOZZLE | A | 8125 | # | FSS | 09-OCT-92 | | | | |
| A | | A-A-2807 | BOX, FILE | A | 7520 | # | FSS | 13-OCT-92 | | | | |
| N | | A-A-2819 | PAPER, TELETYPEWRITER, ROLL REVIEWER: GL | A | 7530 | * | FSS | 10-DEC-92 | | | 84 | |
| | | A-A-005337 | INTERIM COMMERCIAL ITEM DESCRIPTION WAX, DENTAL, IMPRESSION | A | 6520 | | MB | 07-FEB-88 | MD | MS | 03 | |
| | L | A-A-11111 | TEST | A | 5220 | | 84 | 08-JUL-89 | | | 99 | |
| | | A-A-20000A | CEREAL, PREPARED, READY-TO-EAT REVIEWER: MC MD SS TS | A | 8920 | * | GL | 30-DEC-88 | GL | SA | 50 | |
| | | A-A-20022A | CEREAL FOR BABIES, INSTANT | A | 8920 | # | FV | 06-MAR-92 | | | | |
| | | A-A-20030A | SALAD DRESSING MIXES REVIEWER: MC MD QM SS | A | 8950 | / | GL | 27-AUG-91 | GL | SA | 50 | |
| A | | A-A-20032D | POTATOES, WHITE, DEHYDRATED REVIEWER: MC MD QM SA SS | A | 8915 | * | GL | 30-SEP-92 | GL | SA | 50 | |
| | | A-A-20033A | TEA, BLACK (BAGS OR LOOSE REVIEWER: MC MD MS SS TS | A | 8955 | | GL | 10-JAN-86 | GL | SA | 50 | |
| | | A-A-20034 | COCOA REVIEWER: MC MD MS SS TS | A | 8955 | / | GL | 06-APR-83 | GL | SA | 50 | |
| | | A-A-20035A | HOMINY GRITS, ENRICHED REVIEWER: MC MD MS SS TS | A | 8920 | | GL | 14-JUL-83 | GL | SA | 50 | |
| | | A-A-20036A | MUSTARD, PREPARED REVIEWER: MC MD MS SS TS | A | 8950 | | GL | 08-FEB-88 | GL | SA | 50 | |
| | | A-A-20037A | MEAL, PRECOOKED, FROZEN REVIEWER: MC MD SA SS TS | A | 8970 | / | GL | 26-AUG-88 | GL | | 50 | |
| | | A-A-20038A | POTATO PRODUCTS, PREFORMED, PRECOOKED, FROZEN REVIEWER: MC MD MS TS | A | 8915 | / | GL | 29-AUG-86 | GL | SA | 50 | |
| | | A-A-20039 | POTATOES, WHITE, (PEELED) | A | 8915 | * | GL | 17-AUG-81 | | | | |
| | | A-A-20041A | SALT, TABLE, IODIZED REVIEWER: MC MD SS TS | A | 8950 | / | GL | 08-FEB-89 | GL | SA | 50 | |
| | | A-A-20042A | BEAN SPROUTS, CANNED REVIEWER: MC MD MS SS | A | 8915 | / | GL | 01-JUN-89 | GL | SA | 50 | |
| | | A-A-20043 | CREAMER, NON-DAIRY, DRY REVIEWER: MC MD MS SS TS | A | 8940 | / | GL | 16-AUG-82 | GL | SA | 50 | |
| | | A-A-20044 | BUTTER REVIEWER: MC MD MS SS TS | A | 8910 | * | | 16-NOV-84 | GL | SA | 99 | |
| | | A-A-20045 | CUSTARD MIX, EGG, DRY, NO-BAKE REVIEWER: MC MD MS SS TS | A | 8940 | * | GL | 27-DEC-82 | GL | SA | 50 | |
| | | A-A-20046 | EGGNOG MIX, DRY REVIEWER: MC MD MS SS TS | A | 8910 | * | GL | 27-DEC-82 | GL | SA | 50 | |
| | | A-A-20047B | MEAT PUREES, WITH MEAT BROTHS (CANNED) REVIEWER: MC MD MS SS | A | 8940 | * | | 06-DEC-84 | | | | |

| Action | Qpl. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | A-A-20048 | RAVIOLI, MEAT, IN SAUCE, CANNED REVIEWER: MC MD MS SS TS | A 8940 * DP | 31-JAN-83 | GL | SA | 50 | |
| | | A-A-20049A | CREAMER, NON-DAIRY, FOR RECONSTITUTION REVIEWER: MC MD MS SS TS | A 8940 * GL | 22-JUN-84 | GL | SA | 50 | |
| | | A-A-20050C | VEGETABLE PUREES, CANNED REVIEWER: SS | A 8940 # FV | 12-JUL-90 | | | | |
| | | A-A-20051B | PUDDINGS, CANNED REVIEWER: MC MD MS SS TS | A 8940 * GL | 11-APR-86 | GL | SA | 50 | |
| | | A-A-20052A | BREAD, FRESH OR FROZEN REVIEWER: MC MD MS SS | A 8920 * GL | 21-SEP-81 | | | | |
| | | A-A-20053A | ROLLS, BREAD, FRESH OR FROZEN REVIEWER: MC MD MS SS | A 8920 * GL | 21-SEP-81 | | | | |
| | | A-A-20054A | DOUGHNUTS, FRESH, PLAIN, COATED, OR FILLED REVIEWER: MC MD QM SS | A 8920 / GL | 28-JUN-91 | GL | SA | 50 | |
| | | A-A-20055A | CAKE, FRESH OR FROZEN, INDIVIDUALLY PACKAGED REVIEWER: MC MD SS TS | A 8920 / GL | 20-SEP-88 | GL | SA | 50 | |
| | | A-A-20062B | PASTA PRODUCTS, ENRICHED REVIEWER: MC MD QM SS | A 8920 / GL | 29-MAR-91 | GL | SA | 50 | |
| | | A-A-20063B | NOODLES, EGG, ENRICHED REVIEWER: MC MD SS TS | A 8920 / GL | 29-MAR-91 | GL | SA | 50 | |
| | | A-A-20064 | STARCHES, EDIBLE REVIEWER: MC MD MS SS TS | A 8920 GL | 09-DEC-86 | GL | SA | 50 | |
| | | A-A-20066 | CORNMEAL, ENRICHED (YELLOW OR WHITE) REVIEWER: MC MD SS TS | A 8920 / GL | 29-JUL-88 | GL | SA | 50 | |
| | | A-A-20068 | BEVERAGE, NONALCOHOLIC, CARBONATED (GINGER ALE REVIEWER: MC MD MS SS TS | A 8940 # | 23-DEC-83 | | | | |
| M | | A-A-20069A | SALT SUBSTITUTE (INDIVIDUAL PACKET) | A 8940 # FV | 16-MAR-92 | | | | |
| | | A-A-20070A | PEPPERS, GREEN AND RED, DEHYDRATED REVIEWER: MC MD SS | A 8915 / GL | 26-JAN-90 | GL | SA | 50 | |
| A | | A-A-20071A | ROLLS, BROWN AND SERVE, FRESH REVIEWER: MC MD QM SS | A 8920 / GL | 28-JUN-91 | GL | SA | 50 | |
| | | A-A-20072A | MILK, EVAPORATED REVIEWER: MC MD MS SS TS | A 8910 * GL | 01-NOV-84 | GL | SA | 50 | |
| | | A-A-20073 | PIES, FROZEN, BAKED AND UNBAKED, 8, 9, OR 10 INCH DIAMETER REVIEWER: MC MD | A 8920 / GL | 16-NOV-81 | GL | SA | 50 | |
| | | A-A-20074A | PIE, FRESH, FRUIT FILLLD, READY TO EAT REVIEWER: MC MD MS SS TS | A 8920 / GL | 31-JAN-83 | GL | SA | 50 | |
| | | A-A-20078 | JELLY, FRUIT REVIEWER: MC MD MS SS | A 8930 * | 16-APR-84 | GL | SA | 50 | |
| | | A-A-20079 | PRESERVES (OR JAMS), FRUIT REVIEWER: MC MD MS SS | A 8930 * | 16-APR-84 | GL | SA | 50 | |
| | | A-A-20081B | BACON, SLICED, PRECOOKED, CANNED REVIEWER: SS TS | A 8905 # | 28-MAR-83 | | | | |
| | | A-A-20084 | CHEESE, AMERICAN, PROCESS, PASTURIZED, & CHEESE, PIMENTO, PROCESS PASTEURIZED REVIEWER: MC MD MS SS TS | A 8910 / GL | 12-OCT-82 | GL | SA | 50 | |
| | | A-A-20085A | MILK, DRY, NONFAT; AND MILK, DRY, NONFAT, INSTAND ( SPRAY PROCESS) REVIEWER: MC MD MS SS TS | A 8910 / DP | 20-MAR-87 | GL | SA | 50 | |
| | | A-A-20086A | BAKING SODA (SODIUM BICARBONATE) REVIEWER: MC MD SS TS | A 8950 / GL | 29-SEP-89 | GL | SA | 50 | |
| | | A-A-20087A | SOY SAUCE REVIEWER: MC MD MS SS TS | A 8950 / GL | 26-MAR-87 | GL | SA | 50 | |
| | | A-A-20089A | YEAST, BAKER'S (ACTIVE DRY) REVIEWER: MC MD SS | A 8950 / GL | 30-MAR-90 | GL | SA | 50 | |
| | | A-A-20090A | CEREALS, ROLLED OATS REVIEWER: MC MD MS SS TS | A 8920 / GL | 26-MAR-86 | GL | SA | 50 | |
| | | A-A-20091A | SALAD OILS, VEGETABLE) REVIEWER: MC MD MS SS TS | A 8945 / GL | 22-MAR-83 | GL | SA | 50 | |
| | | A-A-20092A | STEAK SAUCE REVIEWER: MC MD MS SS TS | A 8950 / GL | 26-MAY-89 | GL | SA | 50 | |
| | | A-A-20093 | CHEESECAKE, FROZEN REVIEWER: MC MD MS SS TS | A 8920 / GL | 28-MAR-83 | GL | SA | 50 | |
| | | A-A-20094A | BAKING POWDER REVIEWER: MC MD MS SS TS | A 8950 / GL | 04-DEC-87 | GL | SA | 50 | |
| | | A-A-20097B | HOT SAUCE REVIEWER: MC MD QM SS | A 8950 / GL | 15-APR-92 | GL | SA | 50 | |
| | | A-A-20098A | BEVERAGE BASES (POWDERED) REVIEWER: MC MD MS SS TS | A 8960 / GL | 26-JAN-90 | GL | SA | 50 | |
| | | A-A-20099A | WORCESTERSHIRE SAUCE REVIEWER: MC MD MS SS TS | A 8950 / GL | 22-MAR-83 | GL | SA | 50 | |
| | | A-A-20100A | SHORTENING COMPOUNDS REVIEWER: MC MD MS SS TS | A 8945 / GL | 28-OCT-83 | GL | SA | 50 | |
| | | A-A-20101 | BACON BITS, IMITATION REVIEWER: MC MD MS SS TS | A 8940 / GL | 17-JUL-84 | GL | SA | 50 | |
| | | A-A-20102A | JUICE, LEMON, FROZEN (CONCENTRATED) REVIEWER: MC MD SS | A 8915 / GL | 30-MAR-90 | GL | SA | 50 | |
| | | A-A-20107 | PIES, FRESH OR CHILLED, SOFT-FILLED, READY-TO-EAT REVIEWER: MC MD MS SS TS | A 8920 / GL | 11-JUL-83 | GL | SA | 50 | |
| | | A-A-20108 | CEREAL, WHEAT, FARINA AND WHOLE WHEAT MEAL REVIEWER: MC MD MS SS TS | A 8920 / GL | 03-AUG-84 | GL | SA | 50 | |
| | | A-A-20109 | TERIYAKI SAUCE REVIEWER: MC MD SS TS | A 8950 / GL | 16-SEP-88 | GL | SA | 50 | |
| M | | A-A-20112A | NOODLES, CHOW MEIN REVIEWER: DP MC MD QM SS | A 8920 / GL | 08-APR-93 | GL | SA | 50 | |
| | | A-A-20113B | MILK AND MILK PRODUCTS REVIEWER: MC MD MS SS TS | A 8910 * | 22-JUN-84 | GL | SA | 50 | |
| | | A-A-20115 | JUICE-DRINK, PINEAPPLE AND PINK GRAPEFRUIT, CANNED | A 8915 # | 26-JUL-84 | | | | |
| | | A-A-20116 | COFFEE, ROASTED (GROUND, HIGH EXTRACTION) | A 8955 # | 26-JUL-84 | | | | |
| | | A-A-20117 | JUICE, PRUNE, CANNED | A 8915 # | 26-JUL-84 | | | | |
| | | A-A-20118 | NECTARS, FRUIT, CANNED (APRICOT, PEAR, & PEACH REVIEWER: MC MD MS SS TS | A 8915 * | 29-JAN-85 | GL | SA | 50 | |
| | | A-A-20119 | ORANGES, CANNED (MANDARIN) | A 8915 # | 26-JUL-84 | | | | |
| | | A-A-20120A | VEGETABLES, MIXED, CANNED | A 8915 # FV | 10-MAR-92 | | | | |
| | | A-A-20121 | CRANBERRY JUICE COCKTAIL, CANNED REVIEWER: MC MD MS SS TS | A 8915 * GL | 24-JUN-85 | GL | SA | 50 | |
| | | A-A-20122 | JUICE, LIME, FROZEN, & FROZEN CONCENTRATE FOR LIMEADE REVIEWER: MC MD MS SS TS | A 8915 * | 16-JAN-85 | GL | SA | 50 | |
| | | A-A-20124 | SYRUP, CORN (HIGH-FRUCTOSE) | A 8925 # | 06-SEP-84 | | | | |
| | | A-A-20126B | FLOUR, WHEAT, ENRICHED; FLOUR, WHOLE WHEAT; AND FLOUR, RYE REVIEWER: MC MD QM SS | A 8920 * GL | 29-JUN-90 | GL | SA | 50 | |
| | | A-A-20127 | HAM PATTIES, CANNED REVIEWER: MC MD MS SS TS | A 8905 GL | 02-MAY-85 | GL | SA | 50 | |
| | | A-A-20128A | FORMULAS, INFANT ( MILK- BASED) | A 8940 # | 30-JAN-87 | | | | |
| | | A-A-20130 | CHICKEN FILLETS, CHUNKED AND FORMED, BREADED, PRECOOKED, FROZEN REVIEWER: MC MD MS SS TS | A 8905 / GL | 17-JUN-85 | GL | SA | 50 | |
| | | A-A-20131 | CHERRY, MARASCHINO, PITTED, RED REVIEWER: MC MD MS SS TS | A 8915 * | 16-AUG-85 | GL | SA | 50 | |
| | | A-A-20132 | FRANKFURTERS REVIEWER: MC MS SS | A 8905 * | 11-FEB-86 | GL | SA | 50 | |
| | | A-A-20133 | SAUCE, SPAGHETTI, MEATLESS REVIEWER: MC MD MS SS TS | A 8940 * | 14-MAR-86 | GL | SA | 50 | |
| | | A-A-20134 | BEAN, DRIED, CANNED (IN TOMATO SAUCE OR BRINE, WITH OR WITHOUT MEAT OR MEAT PRODUCT) REVIEWER: MC MD MS SS TS | A 8915 / GL | 03-JUL-86 | GL | SA | 50 | |
| M | | A-A-20135A | SUGAR, REFINED AND SUGAR, BROWN REVIEWER: MC MD QM | A 8925 * GL | 10-JAN-92 | GL | SA | 50 | |
| | | A-A-20136 | HASH, CORNED BEEF, CANNED REVIEWER: MC MS SS | A 8940 / GL | 25-JUL-86 | GL | SA | 50 | |
| A | | A-A-20140A | MAYONNAISE, SALAD DRESSING, AND TARTAR SAUCE REVIEWER: MC MD QM SS | A 8950 / GL | 27-AUG-92 | GL | SA | 50 | |
| | | A-A-20141 | PEPPERS, PICKLED, CHERRY & JALAPEMO REVIEWER: MC MD MS SS TS | A 8950 GL | 17-JUN-87 | GL | SA | 50 | |
| | | A-A-20143 | TORTILLAS, TACO SHELLS, AND CHALUPA SHELLS REVIEWER: MC MD MS SS TS | A 8920 GL | 30-APR-87 | GL | SA | 50 | |
| M | | A-A-20144 | JUICE, LEMON, RECONSTITUTED | A 8915 # FV | 01-FEB-93 | | | | |
| | | A-A-20145A | SOUPS, CANNED REVIEWER: MC MD SS TS | A 8935 / GL | 24-SEP-90 | GL | SA | 50 | |
| | | A-A-20147 | EGGNOG, LIQUID, CANNED REVIEWER: MC MD MS SS TS | A 8910 / GL | 07-NOV-86 | GL | SA | 50 | |
| | | A-A-20149A | HAM, CANNED REVIEWER: MC MD SS TS | A 8905 * | 15-JAN-87 | GL | SA | 50 | |
| | | A-A-20150 | CHICKEN PARTS, FROZEN, FULLY COOKED, BREADED REVIEWER: MC MD SS TS | A 8905 / GL | 04-AUG-89 | GL | SA | 50 | |
| | | A-A-20151 | DESSERT POWDER, IMATATION GELATIN, ARTIFICIALLY COLORED, NONCHILL SET | A 8940 GL | 28-JUL-87 | GL | SA | 50 | |
| | | A-A-20152 | CABBAGE, FRESH, SHREDDED REVIEWER: MC MD MS SS TS | A 8915 * | 26-MAR-87 | GL | SA | 50 | |
| A | | A-A-20154 | COTTAGE CHEESE REVIEWER: MC MD MS SS TS | A 8910 * GL | 24-MAR-87 | GL | SA | 50 | |
| A | | A-A-20155A | TUNA, CANNED REVIEWER: MC MD SS TS | A 8905 * GL | 16-NOV-92 | GL | SA | 50 | |
| | | A-A-20156 | JUICE, VEGETABLE, CANNED REVIEWER: MC MD MS SS TS | A 8915 / | 06-MAY-87 | GL | SA | 50 | |
| | | A-A-20157 | CRABAPPLES, SPICED, CANNED REVIEWER: MC MD MS SS TS | A 8915 * | 18-JUN-87 | GL | SA | 50 | |
| | | A-A-20158 | SALMON, PINK, CANNED REVIEWER: MC MD SS TS | A 8905 / GL | 28-APR-89 | GL | SA | 50 | |
| | | A-A-20160 | CRACKERS & COOKIES | A 8920 # | 01-DEC-87 | | | | |
| | | A-A-20161 | PIE FILLINGS, FRUIT, PREPARED REVIEWER: MC MD MS SS TS | A 8940 GL | 22-DEC-87 | GL | SA | 50 | |
| | | A-A-20162 | SALAD DRESSINGS, POURABLE REVIEWER: MC MD SS TS | A 8940 / GL | 24-JUN-88 | GL | SA | 50 | |
| | | A-A-20164A | NUTS, SHELLED, ROASTED REVIEWER: MC MD MS SS TS | A 8925 * GL | 28-SEP-90 | GL | SA | 50 | |
| | | A-A-20165 | POTATO MIX, DEHYDRATED(FOR FRENCH-FRIED TYPEPOTATOES) REVIEWER: MC MD SS TS | A 8915 GL | 29-JAN-88 | GL | SA | 50 | |
| | | A-A-20167 | EXTRACTS AND FLAVORS REVIEWER: MC MD SS TS | A 8950 / GL | 29-JUL-88 | GL | SA | 50 | |
| | | A-A-20169 | CAKE MIX, CHEESE, UNBAKED REVIEWER: MC MD SS TS | A 8920 / GL | 28-APR-88 | GL | SA | 50 | |
| | | A-A-20172 | FORMULAS, INFANT (SOY-BASED) | A 8940 # FSS | 21-JAN-88 | | | | |
| | | A-A-20174 | COCONUT, DRIED, PREPARED REVIEWER: MC MD SS TS | A 8925 / GL | 29-JUN-89 | GL | SA | 50 | |
| | | A-A-20175 | CHEWING GUM REVIEWER: MC MD SS TS | A 8925 / GL | 13-NOV-89 | GL | SA | 50 | |
| | | A-A-20177 | CANDY AND CHOCOLATE CONFECTIONS REVIEWER: MC MD SS TS | A 8925 / GL | 23-JUN-89 | GL | SA | 50 | |
| | | A-A-20178 | SUGAR SUBSTITUTES REVIEWER: MC MD QM SS | A 8940 / GL | 27-AUG-91 | GL | SA | 50 | |
| A L | | A-A-20179 | SAUCE FOR BROWNING AND SEASONING | A 8950 / GL | 18-OCT-91 | GL | | | |
| | | A-A-20180 | PIE CRUST, PREFORMED, GRAHAM CRACKER REVIEWER: MC MD SS | A 8920 / GL | 29-JAN-90 | GL | SA | 50 | |
| | | A-A-20181 | BAKERY, MIXES, PREPARED REVIEWER: MC MD SS | A 8920 / GL | 30-APR-90 | GL | SA | 50 | |
| | | A-A-20182 | PIE CRUST MIX (PREPARED) REVIEWER: MC MD QM SS | A 8920 / GL | 23-JUL-90 | GL | SA | 50 | |
| | | A-A-20183 | TEA, INSTANT | A 8955 / GL | 01-NOV-90 | GL | SA | 50 | |
| A | | A-A-20186 | LOBSTER TAIL, SPINY, RAW, FROZEN REVIEWER: MC MD QM SS | A 8905 / GL | 28-JUN-91 | GL | SA | 50 | |
| | | A-A-20189 | COCOA BEVERAGE POWDER REVIEWER: MC MD QM SS | A 8960 / GL | 14-FEB-92 | GL | SA | 50 | |
| A | | A-A-20190 | ONIONS, GREEN, FRESH, READY-TO-USE REVIEWER: MC MD QM SS | A 8915 * GL | 19-SEP-91 | GL | SA | 50 | |

| Action | OPL / CML Coordination Inactive | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| A | | A-A-20191 | CARROTS, FRESH, READY-TO-USE REVIEWER: MC MD QM SS | A 8915 * GL | 19-SEP-91 | GL | SA | | 50 |
| A | | A-A-20193 | ONIONS, DRY, READY-TO-USE REVIEWER: MC MD QM SS | A 8915 * GL | 19-SEP-91 | GL | SA | | 50 |
| M | | A-A-20195A | POTATO STICKS REVIEWER: DP MC MD QM SS | A 8940 / GL | 08-APR-93 | GL | SA | | 50 |
| | | A-A-22344A | WRENCHES, ADJUSTABLE | A 5120 # | 14-MAY-85 | | | | |
| | | A-A-30011B | PAD, COTTON (EYE PADS) | A 6510 * | 08-FEB-85 | | | | |
| | | A-A-30012B | BOTTLE, SAFETY CAP (TABLETS & CAPSULES) | A 6530 / DP | 01-JUL-86 | MD | MS | | 03 |
| | | A-A-30013A | CATHETER, URETHRAL (FOLEY, SILICONE) | A 6515 / DP | 07-OCT-83 | MD | MS | | 33 |
| | | A-A-30016C | APPLICATOR, DISPOSABLE (STERILE AND NONSTERILE) | A 6515 * MB | 21-MAY-91 | MD | MS | | 0. |
| | | A-A-30017 | ALUMINUM HYDROXIDE GEL, DRIED, CAPSULES | A 6505 * MB | 03-AUG-81 | MD | MS | | 03 |
| | | A-A-30018A | PROSTHETIC SOCKS | A 6515 / MB | 30-APR-82 | MD | MS | | 03 |
| | | A-A-30019 | ALUMINUM HYDROXIDE GEL, DRIED,MAGNESIUM HYDROXIDE, AND SIMETHICONE TABLET USER: SD | A 6505 / MB | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30020A | BECLOMETHASONE DIPROPIONATE INHALATION AEROSOL REVIEWER: SD | A 6505 * MB | 31-MAR-83 | MD | MS | | 03 |
| | | A-A-30021 | BELLADONNA ALKALOIDS WITH PHENOBARBITAL TABLETS REVIEWER: SD | A 6505 / MB | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30022 | CARISOPRODOL TABLETS REVIEWER: SD | A 6505 / DP | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30023 | DYPHYLLINE TABLETS | A 6505 / DP | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30024 | DOCUSATE SODIUM & CASANTHRANOL CAPSULES REVIEWER: SD | A 6505 * | 28-OCT-81 | | | | |
| | | A-A-30025 | HEMORRHOIDAL SUPPOSITORIES REVIEWER: SD | A 6505 / MB | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30026 | ISOSORBIDE DINITRATE TABLETS,MODIFIED REVIEWER: SD | A 6505 / MB | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30027 | LUBRICANT, SURGICL REVIEWER: SD | A 6505 / DP | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30028 | METHENAMINE HIPPURATE TABLETS REVIEWER: SD | A 6505 / MB | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30029 | *MINERAL OIL, LANOLATED, WATER DISPERSIBLE* REVIEWER: SD | A 6505 / MB | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30030 | POLYMYXIN B BACITRACIN OINTMENT REVIEWER: SD | A 6505 / MB | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30031 | PSYLLIUM HYDROPHILIC MUCILLOID WITH DEXTROSE REVIEWER: SD | A 6505 / MB | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30032 | TRIPROLIDINE HYDROCHLORIDE AND PSEUDOEPHEDRINE HYDROCHLORIDE TABLETS REVIEWER: SD | A 6505 / MB | 28-OCT-81 | MD | MS | | 03 |
| | | A-A-30033 | CODEINE PHOSPHATE AND ACETAMINOPHEN TABLETS REVIEWER: SD | A 6505 / MB | 28-OCT-81 | MD | MS | | 03 |
| M | | A-A-30034D | APPLICATOR, GLYCERIN-LEMON OIL IMPREGNATED | A 6510 * MB | 24-JUL-91 | MD | MS | | 03 |
| M | | A-A-30035C | WATER SET (PLASTIC) | A 7350 * MB | 22-JAN-93 | MD | MS | | 03 |
| A | | A-A-30036B | PUMP UNIT, ALTERNATING PRESSURE POINT PAD, PHYSIOCOTHERAPEUTIC | A 6530 * MB | 27-NOV-91 | MD | MS | | 03 |
| A | | A-A-30041A | DEPRESSOR, TONGUE, WOOD | A 6515 / MB | 27-NOV-91 | MD | MS | | 03 |
| A | | A-A-30043C | URINAL, MALE PATIENT | A 6530 * MB | 28-FEB-92 | MD | MS | | 03 |
| | | A-A-30045A | BOTTLE, URINE SPECIMEN | A 6530 * MB | 31-MAY-91 | MD | MS | | 03 |
| A | | A-A-30046B | BAG, TUBE FEEDING | A 6515 * MB | 27-NOV-91 | MD | MS | | 03 |
| | | A-A-30048 | *CUSHION, RING, INFLATABLE (DONUT)* | A 6530 # | 22-SEP-82 | | | | |
| | | A-A-30049B | BOTTLES, SAFETY CAP (LIQUID) | A 6530 # | 15-MAR-85 | | | | |
| | | A-A-30051C | IRRIGATION KIT, PATIENT | A 6530 * MB | 01-DEC-89 | MD | MS | | 03 |
| | | A-A-30052B | SOCKS, MEN'S | A 8440 * MB | 21-DEC-90 | MD | MS | | 03 |
| | | A-A-30054C | JAR, SCREW CAP, OINTMENT | A 6530 # | 12-DEC-84 | MD | MS | | 03 |
| M | | A-A-30055C | ENEMA ADMINISTRATION SETS | A 6530 * MB | 24-JUL-91 | MD | MS | | 03 |
| A | | A-A-30056E | CUP, SPECIMEN (STERILE AND NONSTERILE) | A 6530 * MB | 13-OCT-92 | MD | MS | | 03 |
| | | A-A-30057B | BASIN, WASH (PLASTIC AUTOCLAVABLE) | A 6530 / MB | 15-APR-87 | MD | MS | | 03 |
| A | | A-A-30058F | BEDPANS (PLASTIC) | A 6530 * MB | 15-JUL-92 | MD | MS | | 03 |
| M | | A-A-30059A | BOTTLE, SPECIMEN COLLECTING (SPUTUM) | A 6515 * MB | 24-JUL-91 | MD | MS | | 03 |
| | | A-A-30060B | BASIN, EMESIS (DISPOSABLE, SINGLE-PATIENT USE) | A 6530 * MB | 31-MAY-91 | MD | MS | | 03 |
| A | | A-A-30065B | BOTTLE, SAFETY CAP (CONTROLLED SUBSTANCE) | A 6530 * MB | 28-FEB-92 | MD | MS | | 03 |
| M | | A-A-30066B | STOCKINGS, ANTI-EMBOLISM | A 6515 * MB | 27-NOV-91 | MD | MS | | 03 |
| M | | A-A-30067C | *PAPER SHEETING, EXAMINATION-TREATMENT TABLES* | A 6530 * MB | 08-JAN-93 | MD | MS | | 03 |
| | | A-A-30069A | PAD, PRESSURE POINT, PHYSICOTHERAPEUTIC (WATER MATTRESS) | A 6530 # | 13-MAY-83 | | | | |
| | | A-A-30070A | TRAPEZE ASSEMBLY, HOSPITAL BED | A 6530 # | 12-DEC-84 | | | | |
| M | | A-A-30071D | CRUTCH (ADJUSTABLE, WOOD) | A 6515 * MB | 08-JAN-93 | MD | MS | | 03 |
| | | A-A-30072C | SUCTION SET, TRACHEAL | A 6515 * MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-30073 | PENS, SKIN MARKING | A 6515 / DP | 11-MAR-83 | MD | MS | | |
| | | A-A-30074A | ADHESIVE TAPE, SURGICAL | A 6510 / DP | 29-OCT-84 | MD | MS | | 03 |
| | | A-A-30075 | CHLORPROMAZINE HYDROCHLORIDE SOLUTION | A 6505 * MB | 31-MAR-83 | MD | MS | | 03 |
| M | | A-A-30076C | ADHESIVE TAPE, SURGICAL (PAPER TYPE) | A 6510 * MB | 19-AUG-91 | MD | MS | | 03 |
| | | A-A-30078A | CUSHION, CRUTCH | A 6515 * MB | 15-MAR-90 | MD | MS | | 03 |
| | | A-A-30080A | GAUZE, ABSORBENT (NONSTERILE) | A 6510 # | 11-APR-86 | | | | |
| M | | A-A-30081B | TIP, CANE AND CRUTCH | A 6515 * MB | 24-JUL-91 | MD | MS | | 03 |
| | | A-A-30082B | BAG, URINE COLLECTION | A 6530 * MB | 26-JUL-89 | MD | MS | | 03 |
| A | | A-A-30083A | DIAPER, ADULT'S | A 6532 * MB | 18-SEP-92 | MD | MS | | 03 |
| | | A-A-30084A | ENVELOPES, STERILIZATION | A 6530 # | 10-JUN-83 | | | | |
| | | A-A-30085D | SPECIMEN KIT, URINE MIDSTREAM | A 6530 * MB | 09-JUN-89 | MD | MS | | 03 |
| A | | A-A-30087C | WALKER, INVALID | A 6530 * MB | 27-NOV-91 | MD | MS | | 03 |
| | | A-A-30090A | CANE, WALKING (WOOD) | A 6515 * DP | 10-AUG-84 | MD | MS | | 03 |
| A | | A-A-30092C | CRUTCH (CANE TYPE, FOREARM AND ELBOW) | A 6515 * MB | 18-SEP-92 | MD | MS | | 03 |
| | | A-A-30093 | PADS, BED LINEN PROTECTIVE | A 6530 * DP | 19-JUL-83 | MD | MS | | 03 |
| | | A-A-30094A | WHEELCHAIR, FOLDING | A 6530 * DP | 28-JAN-87 | MD | MS | | 03 |
| | | A-A-30096A | PADS, ISOPROPYL ALCOHOL IMPREGNATED | A 6510 * | 08-FEB-85 | | | | |
| | | A-A-30099C | CATHETERIZATION SET, URETHRAL | A 6515 * MB | 27-NOV-91 | MD | MS | | 03 |
| | | A-A-30100B | RAZOR, SURGICAL PREPARATION, SAFETY, DISPOSABLE | A 6515 * MB | 24-JUL-91 | MD | MS | | 03 |
| | | A-A-30101 | TUBE, CONNECTING, GENERAL PURPOSE | A 6515 # | 07-OCT-83 | | | | |
| | | A-A-30102A | SYRINGE, IRRIGATING, PLASTIC | A 6515 * MB | 28-JUL-89 | MD | MS | | 03 |
| M | | A-A-30104C | SPONGE, LAPAROTOMY, STERILE | A 6510 * MB | 24-JUL-91 | MD | MS | | 03 |
| | | A-A-30109 | TUBE, INHALER (OXYGEN) | A 6515 # | 02-FEB-84 | | | | |
| M | | A-A-30111F | TRACHEOSTOMY CARE KIT | A 6515 * MB | 20-APR-93 | MD | MS | | 03 |
| | | A-A-30116A | DRAPE, SURGICAL (ANTIMICROBIAL) | A 6530 * MB | 08-SEP-89 | MD | MS | | 03 |
| A | | A-A-30117A | CATHETER, URETHRAL (TEFLON COATED) | A 6515 * MB | 27-NOV-91 | MD | MS | | 03 |
| | | A-A-30118 | MASK, FACE, ASEPTIC ( ISOLATION) | A 6532 / MB | 17-DEC-86 | MD | MS | | 03 |
| | | A-A-0030118 | MASK, FACE, ASEPTIC (ISOLATION) | A 6532 / MB | 17-DEC-86 | MD | MS | | 03 |
| A | | A-A-30121A | PAD, TRACHEOSTOMY | A 6510 / MB | 27-NOV-92 | MD | MS | | 03 |
| A | | A-A-30122A | SPONGE, SURGICAL - STERILE AND NONSTERILE (KERLIX) | A 6510 * MB | 13-OCT-92 | MD | MS | | 03 |
| M | | A-A-30125A | TUBE, FEEDING, SURGICAL | A 6515 * MB | 28-MAY-92 | MD | MS | | 03 |
| | | A-A-0030128 | DRESSING, WET | A 6510 / MB | 24-MAR-87 | MD | MS | | 03 |
| A | | A-A-30129A | BANDAGE, GAUZE, CALAMINE-GELATIN-GLYCERIN-ZINC OXIDE IMPREGNATED | A 6510 * MB | 28-FEB-92 | MD | MS | | 03 |
| | | A-A-0030132 | DISPOSABLE CONTAINER, HYPODERMIC NEEDLE & SYRINGE | A 6530 / MB | 18-MAY-87 | MD | MS | | 03 |
| | | A-A-0030133 | LINER, SURGICAL SUCTION CANISTER | A 6515 * MB | 08-JUL-87 | MD | MS | | 03 |
| M | | A-A-30134C | SURGICAL PACK, DISPOSABLE (SKIN PREPARATION TYPE) | A 6530 * MB | 08-JAN-93 | MD | MS | | 03 |
| | | A-A-30136 | BED, ADJUSTABLE (MANUAL) | A 6530 * MB | 20-MAR-89 | MD | MS | | 03 |
| | | A-A-30137 | BED, ADJUSTABLE (ELECTRIC) | A 6530 * MB | 20-MAR-89 | MD | MS | | 03 |
| M | | A-A-30138A | MORTUARY PACK | A 9930 * MB | 08-JAN-93 | MD | MS | | 03 |
| | | A-A-30140 | BLADE, SURGICAL KNIFE, DETACHABLE | A 6515 * MB | 01-DEC-89 | MD | MS | | 03 |
| | | A-A-30142 | LANCET, FINGER BLEEDING | A 6515 * MB | 01-AUG-89 | MD | MS | | 03 |
| | | A-A-30151 | PAD, ABDOMINAL (STERILE) | A 6510 * MB | 24-JUL-91 | MD | MS | | 03 |
| | | A-A-30152 | PAD, ABDOMINAL (NONSTERILE) | A 6510 * MB | 24-JUL-91 | MD | MS | | 03 |
| A | | A-A-30156 | CAP, OPERATING, SURGICAL (WOMEN'S) | A 6532 * MB | 24-JUL-91 | MD | MS | | 03 |
| A | | A-A-30161 | TEST PACK, AIR REMOVAL | A 6530 * MB | 28-MAY-92 | MD | MS | | 03 |
| A | | A-A-30163 | STERILIZATION TEST PACK, BIOLOGICAL | A 6530 * MB | 30-APR-92 | MD | MS | | 03 |
| A | | A-A-30164 | COVER, STERILITY MAINTENANCE | A 6530 * MB | 28-MAY-92 | MD | MS | | 03 |
| N | | A-A-30165 | INDICATOR, STERILIZATION, BACTERIAL SPORE (STEAM AND ETHYLENE OXIDE CYCLES) | A 6530 * MB | 30-APR-92 | MD | MS | | 03 |
| A | | A-A-30170 | CUSHION, WHEELCHAIR SEAT (RUBBER AIR CELLS) | A 6530 * MB | 28-FEB-92 | MD | MS | | 03 |
| N | | A-A-30172 | SPONGE, SURGICAL (STERILE) | A 6510 * MB | 20-APR-93 | MD | MS | | 03 |
| N | | A-A-30173 | SPONGE, SURGICAL (NON-STERILE) | A 6510 * MB | 20-APR-93 | MD | MS | | 03 |

| Action | QPL / QML | Coordination Indicator | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | | A-A-30174 | INDICATOR, STERILIZATION (STEAM AND ETHYLENE OXIDE) | A | 6530 | * | MB | 30-APR-92 | MD | MS | 03 | |
| A | | | A-A-30177 | CATHETER & NEEDLE UNIT, INTRAVENOUS (CRITIKON) | A | 6515 | * | MB | 28-MAY-92 | MD | MS | 03 | |
| A | | | A-A-30178 | EXERCISER, LUNG INHALATION THERAPY | A | 6530 | * | MB | 28-MAY-92 | MD | MS | 03 | |
| A | | | A-A-30179 | TEETH CLEANING DEVICE, DISPOSABLE | A | 6520 | * | MB | 28-MAY-92 | MD | MS | 03 | |
| A | | | A-A-30180 | BAG, SPECIMEN, (TRANSPORT HANDLING) | A | 6530 | * | MB | 28-MAY-92 | MD | MS | 03 | |
| A | | | A-A-30181A | URINAL INCONTINENT | A | 6530 | * | MB | 15-JUL-92 | MD | MS | 03 | |
| A | | | A-A-30182 | URINAL, INCONTINENT (EXTERNAL CATHETER) | A | 6530 | * | MB | 30-APR-92 | MD | MS | 03 | |
| N | | | A-A-30186A | PAD, BED LINEN PROTECTIVE (REUSABLE) | A | 6530 | * | MB | 08-JAN-93 | MD | MS | 03 | |
| A | | | A-A-30188 | MASK, SURGICAL (SUB-MICRON) | A | 6515 | * | MB | 18-SEP-92 | MD | MS | 03 | |
| A | | | A-A-30189 | RESPIRATOR, PARTICULATE HEALTHCARE | A | 6515 | * | MB | 18-SEP-92 | MD | MS | 03 | |
| N | | | A-A-30190 | PAD, PETROLATUM AND BISMUTH TRIBROMOPHENATE | A | 6510 | * | MB | 08-JAN-93 | MD | MS | 03 | |
| A | | | A-A-30192 | PITCHER, WATER (PLASTIC) | A | 7350 | * | MB | 18-SEP-92 | MD | MS | 03 | |
| N | | | A-A-30193 | CHAIR, BATHTUB AND SHOWER | A | 6530 | * | MB | 08-JAN-93 | MD | MS | 03 | |
| A | | | A-A-30198 | ADAPTER, INJECTION-ASPIRATION SITE (CRITIKON) | A | 6515 | * | MB | 13-OCT-92 | MD | MS | 03 | |
| | | | A-A-50001B | CLOTH, CLEANING, ARTIFICIAL CHAMOIS REVIEWER: 84 MD | A | 7920 | / | GL | 08-NOV-85 | GL | | 99 | |
| A | | | A-A-50003B | DRAWERS, MEN'S (BRIEF TYPE) USER: 45 MC REVIEWER: MD NV | A | 8420 | / | CT | 13-MAR-91 | GL | MU | 99 | CT |
| D | | | A-A-50005A | DISPENSER, BREAD, FRONT AND REAR LOADING, 5 COMPARTMENT REVIEWER: 84 GS MD SA | A | 7320 | * | GL | 20-JUN-86 | GL | YD1 | 99 | |
| D | | | A-A-50006A | DISPENSER, BUTTER, SELF-CONTAINED, EUTECTIC USER: MC SA REVIEWER: GS MD | A | 7320 | / | GL | 30-APR-90 | GL | YD1 | 99 | |
| D | | | A-A-50007 | DISPENSER, CONDIMENT, LEVER TYPE PUMP, MANUALLY OPERATED REVIEWER: GS MD | A | 7320 | * | GL | 24-AUG-81 | GL | YD1 | 99 | |
| D | | | A-A-50008A | GRILL, FRANKFURTER, ROLLER TYPE, ELECTRIC REVIEWER: GS MD SA TS | A | 7310 | * | GL | 30-JUN-88 | GL | YD1 | 99 | |
| D | | | A-A-50009B | GRIDDLE, SELF-HEATING, ELECTRIC, STAND MOUNTED USER: CE REVIEWER: GS MC MD SA | A | 7310 | / | GL | 23-FEB-89 | GL | YD1 | 99 | |
| D | | | A-A-50010A | TOASTERS, CONVEYOR, HEAVY DUTY, GAS | A | 7310 | * | GL | 23-MAR-87 | GL | YD1 | 99 | |
| A | | | A-A-50011 NOTICE 1 | UNIFORM, WOMAN,TUNIC AND SLACKS, WHITE, FOOD HANDLER REVIEWER: 99 MD | A | 8410 | * | CT | 0,-FEB-88 | GL | MU | 11 | CT |
| D | | | A-A-50012 | GARBAGE DISPOSAL MACHINE, COMMERCIAL REVIEWER: CS | A | 4540 | * | GL | 28-OCT-81 | | YD1 | 99 | |
| A | | | A-A-50013D | UNDERSHIRT, MAN'S (QUARTER-SLEEVE) REVIEWER: 45 82 MC MD | A | 8420 | / | CT | 13-APR-92 | GL | MU | 99 | CT |
| A | | | A-A-50014A | WADDING, COTTON, (SHEET FORM) REVIEWER: 82 MC MD | A | 8320 | / | CT | 16-MAY-90 | GL | MU | 99 | CT |
| A | | | A-A-50015B | SOCKS, RIBBED KIT, STRETCH TYPE USER: 45 REVIEWER: 82 99 MC MD | A | 8440 | / | CT | 30-SEP-91 | GL | MU | 11 | CT |
| D | L | | A-A-50016A | GLOVE, MEN'S: CLOTH, LEATHER PALM, KNITTED WRISTLET, SIZE MEDIUM USER: MC YD1 REVIEWER: MD | A | 8415 | / | CT | 08-JAN-90 | GL | | | CT |
| | | | A-A-50017B | CASE PRODUCE DISPLAY, NON REFRIGERATED REVIEWER: 84 GS MD | A | 7195 | / | GL | 08-JUL-86 | GL | | 99 | |
| | | | A-A-50019B | RACKS, MILK CONTAINER,MOBILE AND RACKS, EGG CONTAINER, MOBILE REVIEWER: 84 GS MD TS | A | 7320 | / | GL | 18-MAR-88 | GL | | 99 | |
| D | | | A-A-50020 | OVEN, PIZZA, COUNTER TOP, ELECTRIC | A | 7310 | * | GL | 13-JAN-82 | GL | YD1 | 99 | |
| A | | | A-A-50021A | GLOVES, MEN'S, CLOTH, LEATHER PALM WITH GAUNTLET USER: 45 CG REVIEWER: 82 MC MD | A | 8415 | / | CT | 30-JAN-90 | GL | MU | 99 | CT |
| D | | | A-A-50022A | GLOVES, WELDER'S, LEATHER, GAUNTLET USER: 45 MC MS SH YD1 REVIEWER: 82 MD | A | 8415 | / | CT | 13-DEC-89 | GL | MU | 99 | CT |
| D | | | A-A-50023A | SAW, HAND, MEAT CUTTING, RECIPROCATING, ELECTRIC USER: CE REVIEWER: GS MC MD SA | A | 7320 | / | GL | 03-JUN-88 | GL | YD1 | 99 | |
| D | | | A-A-50024 | BONE DUST REMOVING MACHINE, ELECTRIC, AUTOMATIC, MOBILE USER: CE REVIEWER: MC MD SA | A | 7320 | / | GL | 09-APR-82 | GL | YD1 | 99 | |
| A | | | A-A-50025A | TRUCK, HAND, BOX, LAUNDRY, PLASTIC USER: MC REVIEWER: 82 GS MD | A | 3510 | / | GL | 30-SEP-92 | GL | | 99 | |
| A | | | A-A-50026A | DRYING AND CONDITIONING TUMBLERS, LAUNDRY USER: ME REVIEWER: 82 GS | A | 3510 | / | GL | 30-SEP-92 | GL | | 99 | |
| D | | | A-A-50027B | MEAT TENDERIZER, ELECTRIC USER: MC REVIEWER: 84 GS MD SA TS | A | 7320 | / | GL | 02-SEP-88 | GL | YD1 | 99 | |
| D | | | A-A-50028 | BIN, INGREDIENT, MOBILE, 250 LB.CAPACITY USER: SA REVIEWER: MC MD | A | 7320 | / | GL | 27-JUL-82 | GL | YD1 | 99 | |
| | | | A-A-50029 | STEAM TABLE, HOT FOOD, GAS REVIEWER: GS MD | A | 7310 | / | GL | 27-JUL-82 | GL | | | |
| D | | | A-A-50030A | SLICING MACHINE, BUN REVIEWER: 84 GS MC MD MS YD1 | A | 7320 | * | GL | 15-APR-88 | GL | SA | 99 | |
| D | | | A-A-50031A | COOKIE CUTTING MACHINE, ELECTRIC REVIEWER: MC MD SA | A | 7320 | * | GL | 18-JUN-86 | GL | YD1 | | |
| D | | | A-A-50032B | FANS, VENTILATING, PROPELLER USER: CE REVIEWER: 82 GS ME | A | 4140 | / | GL | 10-SEP-92 | GL | YD1 | 99 | |
| A | | | A-A-50033A | SUPPORTER, ATHLETE'S USER: MC MS REVIEWER: MD | A | 8415 | / | CT | 10-DEC-90 | GL | MU | 99 | CT |
| D | | | A-A-50034 | DISPENSERS, BREAD, SELF-LEVELING, DROP-IN USER: MD MS YD1 | A | 7320 | * | GL | 27-SEP-82 | GL | SA | | |
| D | | | A-A-50035 | RANGES, ELECTRIC INDUSTRIAL USER: CE REVIEWER: 84 MC MD | A | 7310 | | GL | 27-SEP-82 | GL | YD1 | 99 | |
| D | | | A-A-50036 | DOUGH TROUGHS REVIEWER: MC MD MS SA | A | 7320 | * | GL | 30-SEP-82 | GL | YD1 | 99 | |
| D | | | A-A-50037A | GRIDDLES, SELF HEATING, GAS, COUNTER OR STAND MOUNTER USER: CE MC REVIEWER: 84 GS MD TS YD1 | A | 7310 | * | GL | 26-SEP-86 | GL | SA | 99 | |
| D | | | A-A-50038 | FILTERS, COOKING GREASE USER: CE REVIEWER: GS MC MD MS YD1 | A | 7330 | / | GL | 30-SEP-82 | GL | SA | 99 | |
| D | | | A-A-50039A | OVENS, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC USER: CE MC REVIEWER: GS MD SA | A | 7310 | / | GL | 06-NOV-90 | GL | YD1 | 99 | |
| | | | A-A-50040 | FILTER UNIT, COOKING GREASE, PRESSURE USER: CE REVIEWER: GS MC MD MS | A | 7330 | * | GL | 01-NOV-82 | GL | SA | 99 | |
| A | | | A-A-50041C | SNAP LINK, MOUNTAIN PITON, LOCKING AND NONLOCKING | A | 8465 | / | CT | 21-FEB-90 | GL | MU | | CT |
| D | | | A-A-50042A | OVENS, BAKING AND ROASTING, FORCED CONVECTION, GAS REVIEWER: 84 GS MC MD | A | 7310 | / | GL | 30-APR-90 | GL | YD1 | 99 | |
| | | | A-A-50043A | WARMER, FOOD, PORTABLE, INFRARED USER: CG MC REVIEWER: 50 84 GS MD TS | A | 7310 | / | GL | 12-MAR-91 | GL | SA | 99 | |
| D | | | A-A-50044 | DISPENSER, SILVERWARE REVIEWER: 84 MC MD MS | A | 7320 | / | GL | 09-MAR-83 | GL | YD1 | 99 | |
| D | | | A-A-50045 | DISPENSER, CONDIMENTS, COUNTERTOP USER: MC REVIEWER: 84 CG MD SA SH | A | 7320 | | GL | 18-MAR-83 | GL | YD1 | 99 | |
| | | | A-A-50046 | MARKING MACHINES, LAUNDRY REVIEWER: 50 ME | A | 3510 | / | GL | 23-MAR-83 | GL | | 99 | |
| A | | | A-A-50047A | DRY CLEANING UNIT ASSEMBLY, DRY TO DRY, PERCHLOROETHYLENE SOLVENT USER: CE REVIEWER: 50 82 GS MD | A | 3510 | / | GL | 15-DEC-92 | GL | | 99 | |
| | | | A-A-50048 | WAFFLE IRON, ELECTRIC REVIEWER: GS MD | A | 7310 | / | GL | 11-APR-83 | GL | SA | 50 | |
| D | | | A-A-50049A | DISPENSER, FREEZE-DRIED COFFEE REVIEWER: GS MC MD TS YD1 | A | 7310 | / | GL | 15-FEB-90 | GL | SA | 99 | |
| D | | | A-A-50050 | MOLDING MACHINES, MEAT - FISH REVIEWER: 84 GS MC MD SA TS | A | 7320 | / | GL | 10-MAY-83 | GL | YD1 | 99 | |
| D | | | A-A-50052 | RINSER-SANITIZER, CAN REVIEWER: 84 MC MD | A | 7320 | | GL | 25-MAY-83 | GL | YD1 | 99 | |
| A | | | A-A-50053A | CUTTERS, PAPER, GUILLOTINE, HAND OPERATED REVIEWER: 84 GS TR | A | 3610 | / | GL | 15-DEC-92 | GL | SA | 99 | |
| A | | | A-A-50054A | GLOVES, BANDED TAPE - WIRE HANDLERS' USER: 45 REVIEWER: 82 MC MD | A | 8415 | / | CT | 06-MAR-90 | GL | MU | 99 | CT |
| D | | | A-A-50055 | GRINDERS AND MIXER-GRINDERS, MEAT, ELECTRIC USER: CE REVIEWER: MC MD SA SH TS | A | 7320 | | GL | 23-JUN-83 | GL | YD1 | 84 | |
| | | | A-A-50056 | REFRIGERATORS, MECHANICAL,MORTUARY REVIEWER: 34 MD | A | 4110 | | GL | 08-AUG-83 | GL | | 99 | |
| | | | A-A-50057B | ROPE, FIBROUS, TENT-LAY REVIEWER: 82 IS MD ME | A | 4020 | / | GL | 23-AUG-91 | GL | | 99 | |
| | | | A-A-50059 | SCALES, PERSON WEIGHING REVIEWER: GS MD | A | 6670 | / | GL | 22-SEP-83 | GL | MS | | |
| D | | | A-A-50060A | BALANCES, TRIP, LABORATORY USER: MS YD1 REVIEWER: 82 99 GS MD ME | A | 6670 | / | GL | 26-OCT-92 | GL | | 03 | |
| D | | | A-A-50062 | SCALES, SPRING, (SUSPENSION MOUNTED) REVIEWER: 82 GS MS | A | 6670 | | GL | 26-SEP-83 | GL | YD1 | 99 | |
| D | | | A-A-50063B | BOOTS, KNEE AND HIP (RUBBER) USER: 45 MC YD1 REVIEWER: 82 MD | A | 8430 | / | CT | 14-JAN-91 | GL | MU | 99 | CT |
| | | | A-A-50064 | RANGE, GAS, COMMERCIAL USER: CE MC REVIEWER: 84 MD TS | A | 7310 | / | GL | 14-OCT-83 | GL | | 99 | |
| D | | | A-A-50065B | INSECT REPELLENT, PERSONAL APPLICATION, STICK USER: MC MS YD1 REVIEWER: GS MD | A | 6840 | / | GL | 24-SEP-92 | GL | | 68 | |
| D | | | A-A-50066 | ICE CREAM CABINETS, MECHANICALLY REFRIGERATED REVIEWER: GS MC MD | A | 4110 | | GL | 31-OCT-83 | GL | YD1 | 99 | |
| A | | | A-A-50067 | CLOTH, FLANNEL, WOOL USER: MC REVIEWER: 82 99 MD | A | 8305 | / | CT | 03-JUN-87 | GL | MU | 11 | CT |
| A | | | A-A-50068 | APRON, LABORATORY, PLASTIC USER: 45 MC REVIEWER: 82 MD | A | 8415 | / | CT | 27-MAY-87 | GL | MU | 99 | CT |
| | | | A-A-50071 | RACKS, FOOD CONTAINER, MOBILE REVIEWER: GS MD | A | 7330 | / | GL | 31-DEC-84 | GL | | | |
| A | L | | A-A-50072A | HAT, SERVICE, WOMAN'S, DRILL INSTRUCTOR REVIEWER: MD | A | 8410 | / | CT | 30-NOV-88 | GL | | | CT |
| | L | | A-A-50073A | CONVEYOR, BELT: POWERED, MEAT PROCESSING REVIEWER: GS MD TS | A | 7320 | / | GL | 17-MAY-89 | GL | | | |
| | | | A-A-50074 | BIN, DISPLAY, PORTABLE REVIEWER: MD | A | 7125 | / | GL | 28-MAR-85 | GL | | | |
| | | | A-A-50075 | IRONERS, FLATWORK, THERMAL FLUID REVIEWER: GS MD | A | 3510 | / | GL | 07-OCT-85 | GL | | | |
| A | L | | A-A-50079A | HANDCART, GROCERY, NESTING | A | 7290 | / | GL | 05-NOV-92 | GL | | | |
| | | | A-A-50082 | BEADING MACHINE, SHEETMETAL, ROTARY, MANUALLY OPERATED | A | 3441 | / | 1P | 30-SEP-86 | AL | | 99 | |
| | | | A-A-50083 | BAG, PLASTIC, FOLDED GARMET USER: MU | A | 8105 | / | GL | 30-SEP-86 | GL | SA | 69 | |
| | L | | A-A-50084 | HAND BASKET, GROCERY REVIEWER: TS | A | 7290 | | GL | 22-OCT-86 | GL | | | |
| | L | | A-A-50085 | WEIGHT SET, COMMERCIALSCALE TESTING, 10 POUNDS MAXIUM | A | 6670 | | GL | 03-NOV-86 | GL | | | |
| | L | | A-A-50086 | ADSORBENT MATERIAL (OILS, ACIDS, CAVSTICS, SOLVENTS AND TOXICS) | A | 7930 | / | GL | 24-NOV-86 | GL | | | |
| | L | | A-A-50087 | WEIGHT, COMMERCIAL SCALE TESTING, 50 POUNDS | A | 6670 | / | GL | 24-NOV-86 | GL | | | |
| | | | A-A-50088A | MEAT SLICING MACHINES, ELECTRIC REVIEWER: 84 CG GS MD MS TS | A | 7320 | | GL | 26-APR-88 | GL | SA | 99 | |
| | | | A-A-50089 | SHELVING, COMMISSARY, GONDOLA TYPE REVIEWER: 84 MD TS | A | 7125 | | GL | 18-DEC-86 | GL | | 99 | |
| A | | | A-A-50090A | CLEANERS, VACUUM, ELECTRIC (COMMERCIAL/INDUSTRIAL) REVIEWER: 84 TR | A | 7910 | / | GL | 23-DEC-92 | GL | | 99 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | | | A-A-50092A | BINDING, ASSEMBLY, SKI, DOWNHILL AND CROSS COUNTRY USER: 45 REVIEWER: 11 82 | A | 8465 / CT | | GL | 25-MAR-88 | GL | | 99 | CT |
| | | | | A-A-50094 | BALER, AUTOMATIC, VERTICAL REVIEWER: TS | A | 3540 | GL | GL | 26-FEB-87 | GL | SA | 99 | |
| | L | | | A-A-50095 | RAMP, MOBILE, LIFT ( DOCK) REVIEWER: ME TS | A | 3990 | GL | GL | 26-FEB-87 | GL | | | |
| A | | | | A-A-50096C | HAMMER, ROCK REVIEWER: 82 84 CT | A | 5120 / GL | | GL | 19-MAR-93 | GL | | 99 | |
| | | | | A-A-50097A | PULLEY, MOUNTAIN RESCUE USER: MC REVIEWER: 82 CT | A | 3020 / GL | | GL | 21-FEB-90 | GL | | 99 | |
| A | | | | A-A-50098A | STOPPER, HEXAGON, IRREGULAR USER: MC REVIEWER: 82 84 | A | 8465 / CT | | GL | 21-FEB-90 | GL | MU | 99 | CT |
| | | | | A-A-50099 | SHELVING UNIT, THREE STEP, DISPLAY REVIEWER: TS | A | 7125 | GL | GL | 18-MAR-87 | GL | | | |
| | | | | A-A-50100 | WRAPPING MACHINE, MEATAND PRODUCE, MANUAL REVIEWER: TS | A | 3540 / GL | | GL | 19-MAR-87 | GL | | | |
| | | | | A-A-50101 | TABLE, MERCHANDISE DISPLAY, PEDESTAL MOUNTED REVIEWER: TS | A | 7195 | GL | GL | 19-MAR-87 | GL | | | |
| | | | | A-A-50102 | BALER, AUTOMATIC, HORIZONTAL | A | 3540 / GL | | GL | 19-MAR-87 | GL | SA | 99 | |
| | L | | | A-A-50103A | RACK, STORAGE, LOADED PALLET, GALVANIZED REVIEWER: TS | A | 7125 / GL | | GL | 08-MAR-91 | GL | | | |
| A | | | | A-A-50104B | RACK, STORAGE, WAREHOUSE REVIEWER: 84 | A | 7125 / GL | | GL | 28-OCT-92 | GL | | 99 | |
| | | | | A-A-50105 | SCALE, DIGITAL, OVERHEAD, MONORAIL | A | 6670 | MB | MD | 27-MAR-87 | MD | MS | 03 | |
| A | | | | A-A-50106A | STOPPER, WIRED, WEDGED USER: MC REVIEWER: 82 84 | A | 8465 / CT | | GL | 21-FEB-90 | GL | MU | 99 | CT |
| D | | | | A-A-50107 | DOLLY, FOOD HANDLING EQUIPMENT WDISHWASHING RACKS) | A | 7320 | GL | GL | 31-MAR-87 | GL | YD1 | 99 | |
| D | | | | A-A-50108 | FOOD BLENDER, ELECTRIC USER: MS REVIEWER: 84 GS MC MD TS | A | 7320 | GL | GL | 31-MAR-87 | GL | YD1 | 99 | |
| D | | | | A-A-50109 | DISPENSERS, TABLEWARE, AUTOMATIC, SELF- LEVELING, MOBILE REVIEWER: 84 GS MD SA TS | A | 7320 | GL | GL | 10-APR-87 | GL | YD1 | 99 | |
| D | | | | A-A-50110 | RACK, BREAD, BAKER S; 10- SHELF, KNOCKDOWN TYPE REVIEWER: 84 GS MD MS SA TS | A | 7320 | GL | GL | 31-MAR-87 | GL | YD1 | 99 | |
| A | | | | A-A-50111B | PITON, MOUNTAIN, FLAT USER: MC REVIEWER: 82 | A | 8465 / CT | | GL | 21-FEB-90 | GL | | 99 | CT |
| A | | | | A-A-50112A | PITON, MOUNTAIN, ANGLE USER: MC REVIEWER: 82 | A | 8465 / CT | | GL | 21-FEB-90 | GL | | 99 | CT |
| A | | | | A-A-50113A | PITON, MOUNTAIN, ICE USER: MC REVIEWER: 82 | A | 8465 / CT | | GL | 21-FEB-90 | GL | | 99 | CT |
| A | | | | A-A-50114A | PITON, MOUNTAIN, KNIFEBLADE OFFSET USER: 45 MC REVIEWER: 82 | A | 8465 / CT | | GL | 21-FEB-90 | GL | MU | 99 | CT |
| A | | | | A-A-50115A | PITON, MOUNTAIN, CLIFFHANGER USER: MC REVIEWER: 82 | A | 8465 / CT | | GL | 21-FEB-90 | GL | | 99 | CT |
| | L | | | A-A-50116A | AXE, ICE USER: MC REVIEWER: CT | A | 5110 / GL | | GL | 21-FEB-90 | GL | | | |
| A | | | | A-A-50117A | CRAMPONS, HINGED USER: MC REVIEWER: 82 | A | 8465 / CT | | GL | 21-FEB-90 | GL | MU | 99 | CT |
| A | | | | A-A-50118A | STRAPS, CRAMPON USER: MC | A | 8465 / CT | | GL | 21-FEB-90 | GL | MU | | CT |
| A | | | | A-A-50119A | ANCHOR, SNOW, WIRED USER: MC REVIEWER: 82 | A | 8465 / CT | | GL | 21-FEB-90 | GL | | 99 | CT |
| A | | | | A-A-50120A | HARNESS, CLIMBING, FULL-BODY USER: MC | A | 8465 / CT | | GL | 21-FEB-90 | GL | MU | | CT |
| A | | | | A-A-50121A | PROTECTOR, CRAMPON USER: MC REVIEWER: 82 | A | 8465 / CT | | GL | 21-FEB-90 | GL | MU | 99 | CT |
| | | | | A-A-50122A | TRUCKS, HAND, 3 SHELVES STAINLESS STEEL UTILITY | A | 3920 / GL | | GL | 09-DEC-87 | GL | SA | 99 | |
| | | | | A-A-50123 | TRUCKS, HAND, 4 SHELVES, STAINLESS STEEL | A | 3920 | GL | GL | 25-JUN-87 | GL | SA | 99 | |
| A | | | | A-A-50125B | DESCENDER, FIGURE-8 USER: MC | A | 8465 / CT | | GL | 21-FEB-90 | GL | MU | | CT |
| | | | | A-A-50126 | RACKS, FOOD SERVICE TRAY REVIEWER: 84 GS MD TS | A | 7320 | GL | GL | 28-JUL-87 | GL | | 99 | |
| A | | | | A-A-50127A | ASCENDERS, CAM ACTION USER: MC REVIEWER: 82 | A | 8465 / CT | | GL | 21-FEB-90 | GL | MU | 99 | CT |
| | | | | A-A-50128 | CLOTH, INTERLINING, NONWOVEN REVIEWER: 82 99 CT MD | A | 8305 | GL | GL | 15-SEP-87 | GL | MU | 11 | |
| | | | | A-A-50129 | CLOTH, FLANNEL, LIGHTWEIGHT REVIEWER: 82 CT MC MD | A | 8305 | GL | GL | 18-SEP-87 | GL | MU | 99 | |
| | L | | | A-A-50131 | SCALE, HANGING, DIAL, 30 POUND REVIEWER: TS | A | 6670 | GL | GL | 28-SEP-87 | GL | | | |
| A | L | | | A-A-50134A | HANDCART, GROCERY, HANDICAPPED | A | 7290 / GL | | GL | 05-NOV-92 | GL | | | |
| | | | | A-A-50135 | CLOTH, INTERLINING, POLYESTER REVIEWER: 82 CT MC MD | A | 8305 | GL | GL | 05-OCT-87 | GL | MU | 11 | |
| A | | | | A-A-50136A | BAG, MONEY REVIEWER: 45 82 | A | 8460 / CT | | GL | 12-FEB-92 | GL | MU | 99 | CT |
| A | | | | A-A-50137A | SHOES, GYMNASIUM, BASKETBALL AND OTHER ACTIVITIES, HEAVY DUTY USER: 45 REVIEWER: 82 99 MD | A | 8430 / CT | | GL | 30-JUN-89 | GL | MU | 11 | CT |
| D | | | | A-A-50138 | FREEZER, MECHANICAL, FOOD | A | 4110 | GL | GL | 31-MAR-88 | GL | YD1 | 99 | |
| | | | | A-A-50139A | ROPE, KERNMANTLE | A | 4020 / GL | | GL | 16-FEB-90 | GL | AS | | |
| D | | | | A-A-50140 | MIXER, FLUID, ELECTRIC USER: CE REVIEWER: MC MD SA SH TS | A | 7320 | GL | GL | 16-DEC-87 | GL | YD1 | 50 | |
| | L | | | A-A-50141 | BAKERY ISLAND MERCHANDISER | A | 7195 | GL | GL | 06-JAN-88 | GL | | | |
| | L | | | A-A-50142 | TABLE, SPECIALTY ITEM,DISPLAY, PEDESTAL MOUNTED REVIEWER: TS | A | 7195 | GL | GL | 06-JAN-88 | GL | | | |
| | L | | | A-A-50143 | SCALE, DIGITAL, PLATFORM | A | 6670 | GL | GL | 06-JAN-88 | GL | | | |
| | L | | | A-A-50144 | SCALE SYSTEM,DIGITAL, DELICATESSEN | A | 6670 | GL | GL | 06-JAN-88 | GL | | | |
| A | | | | A-A-50145 | CLOTH, SHEETING, COTTON, AND POLYESTER/COTTON, WHITE USER: 45 MC REVIEWER: 82 EA MD MS SH | A | 8305 / CT | | GL | 20-APR-88 | GL | MU | 99 | CT |
| | L | | | A-A-50146 | CASE, ITEM DISPLAY, FRAMED REVIEWER: TS | A | 7195 | GL | GL | 06-JAN-88 | GL | | | |
| | L | | | A-A-50147 | DISPENSER, ICE, AUTOMATIC DISPENSING HEAD, MOBILE USER: MS REVIEWER: MC MD | A | 7320 | GL | GL | 06-JAN-88 | GL | | 84 | |
| | | | | A-A-50148 | GLASS, VOTIVE REVIEWER: GS | A | 9925 | GL | GL | 21-JAN-88 | GL | PE | 28 | |
| | | | | A-A-50149 | VASE, CHAPEL, ALTAR REVIEWER: GS | A | 9925 | GL | GL | 21-JAN-88 | GL | PE | 28 | |
| | | | | A-A-50150 | SANCTUARY LAMPS, CANDLE TYPE, ELECTRIC TYPE REVIEWER: GS | A | 9925 / GL | | GL | 21-JAN-88 | GL | PE | 28 | |
| | | | | A-A-50151 | STAND, BIBLE & MISSAL REVIEWER: GS | A | 9925 | GL | GL | 21-JAN-88 | GL | PE | 28 | |
| | | | | A-A-50152 | FAIR LINEN, ALTAR REVIEWER: GS | A | 9925 | GL | GL | 19-JAN-88 | GL | PE | 28 | |
| | | | | A-A-50153 | DETERGENT, LAUNDRY, NONIONIC, LIQUID | A | 7930 / GL | | GL | 01-FEB-88 | GL | | 99 | |
| | | | | A-A-50154 | FREEZER, MECHANICAL, WORK TOP TYPE USER: MC SA REVIEWER: 50 MD TS | A | 4110 | GL | GL | 01-MAR-88 | GL | | 99 | |
| A | | | | A-A-50155 | CLOTH, MUSLIN, COTTON USER: 45 IH REVIEWER: 82 99 MC MD | A | 8305 * CT | | GL | 21-MAR-88 | GL | MU | 11 | CT |
| D | | | | A-A-50156 | HEATERS, HOT WATER BOOSTER, ELECTRIC: SINK, SANITIZING USER: YD1 REVIEWER: 84 GS MD SA TS | A | 7320 / GL | | GL | 24-MAR-88 | GL | | 99 | |
| | | | | A-A-50157 | TRAY, CRUET, COMMUNION REVIEWER: GS | A | 9925 | GL | GL | 22-MAR-88 | GL | PE | 28 | |
| | | | | A-A-50158 | CANDLESTICK, ALTAR REVIEWER: GS | A | 9925 | GL | GL | 22-MAR-88 | GL | PE | 28 | |
| | | | | A-A-50159 | CANDELABRA, CHAPEL REVIEWER: GS | A | 9925 | GL | GL | 22-MAR-88 | GL | PE | 28 | |
| A | | | | A-A-50160 | CLOTH, BROADCLOTH, COTTON MERCERIZED USER: ME REVIEWER: 82 MC MD | A | 8305 / CT | | GL | 01-APR-88 | GL | MU | 99 | CT |
| A | | | | A-A-50161 | CLOTH, DENIM, COTTON REVIEWER: 82 MC MD | A | 8305 / CT | | GL | 01-APR-88 | GL | MU | 99 | CT |
| A | | | | A-A-50162 | CLOTH, JEAN, COTTON REVIEWER: 82 EA MC MD MI | A | 8305 / CT | | GL | 01-APR-88 | GL | MU | 99 | CT |
| A | | | | A-A-50165 | BATTING, COTTON, NONABSORBENT, UNBLEACHED REVIEWER: DS MD | A | 8320 / CT | | GL | 21-APR-88 | GL | | | CT |
| A | | | | A-A-50166 | PADDING, COTTON, STITCHED ROVING USER: 45 CG MC MS REVIEWER: MD | A | 8320 / CT | | GL | 12-MAY-88 | GL | MU | | CT |
| A | | | | A-A-50167 | WADDING, COTTON REVIEWER: 99 | A | 8320 / CT | | GL | 18-MAY-88 | GL | | 11 | CT |
| | | | | A-A-50168 | CABINETS, FOOD WARMING, ELECTRICALLY HEATED, DRAWER TYPE USER: MC REVIEWER: 84 GS MD TS | A | 7310 / GL | | GL | 03-JUN-88 | GL | SA | 99 | |
| | | | | A-A-50169 | SKIN PROTECTIVE COMPOUNDS, CHEMICAL BARRIER USER: 11 AS MC REVIEWER: GS MD | A | 6850 / GL | | GL | 26-JUL-88 | GL | | 68 | |
| | | | | A-A-50170 | EMBALMING FLUID, CAVITY USER: SH REVIEWER: GS MD | A | 9930 / GL | | GL | 26-JUL-88 | GL | | 50 | |
| | | | | A-A-50171 | CUTTER SET, COOKIE USER: CG MC REVIEWER: 84 MD TS | A | 7330 / GL | | GL | 15-JUL-88 | GL | SA | 99 | |
| | | | | A-A-50172 | COLLECTION PLATE | A | 9925 / GL | | GL | 03-OCT-88 | GL | PE | 28 | |
| | | | | A-A-50173 | CANDLE BURNER | A | 9925 / GL | | GL | 05-OCT-88 | GL | PE | 28 | |
| | | | | A-A-50174 | CANDLELIGHTER AND SNUFFER | A | 9925 / GL | | GL | 05-OCT-88 | GL | PE | 28 | |
| | | | | A-A-50175 | CUP, COMMUNION, PLASTIC REVIEWER: GS | A | 9925 / GL | | GL | 05-OCT-88 | GL | PE | 28 | |
| | | | | A-A-50176 | BOWL, BAPTISMAL | A | 9925 / GL | | GL | 07-OCT-88 | GL | PE | 28 | |
| | | | | A-A-50177 | PAPER, LENS USER: MI OS REVIEWER: AR EA MD ME | A | 6640 / GL | | GL | 05-OCT-88 | GL | MS | 99 | |
| | | | | A-A-50178 | WAX, MACHINE STITCHING USER: SH REVIEWER: GS ME TS | A | 9160 / GL | | GL | 23-SEP-88 | GL | SH | 68 | |
| | | | | A-A-50179 | PANS, FOOD SERVING, RECTANGULAR, ROUND AND INSETS FOR HOT FOOD TABLES AND COLD FOOD COUNTERS USER: MC SH REVIEWER: 84 GS MD | A | 7310 / GL | | GL | 08-SEP-88 | GL | SA | 99 | |
| D | | | | A-A-50180A | FRYERS, DEEP FAT, ELECTRIC USER: MC REVIEWER: 50 84 GS MD SA TS | A | 7310 * GL | | GL | 15-MAR-90 | GL | YD1 | 99 | |
| D | | | | A-A-50181 | FRYERS, DEEP-FAT (GAS, HEAVY DUTY) REVIEWER: GS MD MS SA TS | A | 7310 / GL | | GL | 20-OCT-88 | GL | YD1 | 99 | |
| D | | | | A-A-50182 | URN, COFFEE, TWIN, AUTOMATIC (ELECTRIC, STEAM, AND GAS) USER: CG REVIEWER: 84 GS MC MD MS TS | A | 7310 / GL | | GL | 20-OCT-88 | GL | YD1 | 99 | |
| D | | | | A-A-50183 | ICE CREAM MAKER; SHAKE MAKER; AND COMBINATION ICE CREAM AND SHAKE MAKER, SOFT SERVE, MECHANICALLY REFRIGERATED REVIEWER: 50 82 GS MC MD MS SA TS | A | 4110 / GL | | GL | 19-OCT-88 | GL | YD1 | 99 | |
| D | | | | A-A-50184 | TABLES, FOOD PREPARATION, AND RACKS, TABLE, KITCHEN UTENSILS USER: MC REVIEWER: 84 GS MD SA TS | A | 7320 / GL | | GL | 21-OCT-88 | GL | YD1 | 99 | |
| A | L | | | A-A-50185 | CLOTH, BATISTE, COTTON, POLISHING | A | 8305 / CT | | GL | 15-NOV-88 | GL | | | CT |
| A | | | | A-A-50186 | CLOTH, BUCKRAM, WOVEN AND NONWOVEN REVIEWER: 82 99 MC MD | A | 8305 / CT | | GL | 18-NOV-88 | GL | MU | 11 | CT |
| | | | | A-A-50187 | PREFLUSHING MACHINE, DISH | A | 7320 / GL | | GL | 02-DEC-88 | GL | | 99 | |
| | | | | A-A-50188 | COFFEE BOILER, METAL | A | 7330 / GL | | GL | 02-DEC-88 | GL | SA | 84 | |
| | | | | A-A-50189 | DISPENSER, ICE, SELF-LEVELING, MOBILE USER: MC MS REVIEWER: GS MD | A | 7320 / GL | | GL | 28-DEC-88 | GL | | 84 | |
| D | | | | A-A-50190 | CABINETS, DELIVERY AND STORAGE, PASTRY: AND TRUCK DOLLY, PASTRY CABINETS USER: MC YD1 REVIEWER: 84 GS MD | A | 7320 / GL | | GL | 04-JAN-89 | GL | SA | 99 | |

# NUMERICAL LISTING
# COMMERCIAL ITEM DESCRIPTIONS

| Action | OPR / Qual. Coordination Indicator | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | A-A-50191 | CANDLELIGHTER, TAPER REVIEWER: GS | A 9925 / GL 10-FEB-89 | GL | PE | 28 | |
| | | A-A-50192 | CANDLES, ALTAR USER: GS | A 9925 / GL 17-FEB-89 | GL | PE | 28 | |
| | L | A-A-50193 | ETHYLENE ABSORBER/SHELF-LIFE EXTENDER, FOR FRESH FRUITS AND VEGETABLES REVIEWER: 68 GS MC MD SH SS TS | A 6850 / GL 21-MAR-89 | GL | | | |
| A | | A-A-50194A | HOOD, BALACLAVA, EXTENDED COLD WEATHER REVIEWER: 45 82 MC | A 8415 / CT 28-APR-92 | GL | MU | 99 | CT |
| A | | A-A-50195 | THREAD, ARAMID REVIEWER: 11 82 AS MD | A 8310 / CT 10-MAY-89 | GL | MU | 99 | CT |
| A | | A-A-50196A | THREAD, SILK USER: AR MC OS REVIEWER: 82 99 MD | A 8310 / CT 23-MAY-91 | GL | MU | 11 | CT |
| A | | A-A-50197 | THREAD, LINEN USER: ME REVIEWER: DS EA MC MD | A 8310 / CT 30-JUN-89 | GL | MU | | CT |
| A | | A-A-50198 | THREAD, GIMP, COTTON, BUTTONHOLE USER: MC REVIEWER: 82 99 MD | A 8310 / CT 30-JUN-89 | GL | MU | 11 | CT |
| A | | A-A-50199 | THREAD, POLYESTER CORE, COTTON- OR POLYESTER-COVERED USER: MC REVIEWER: 11 82 MD | A 8310 / CT 30-JUN-89 | GL | MU | 99 | CT |
| A | | A-A-50200 | BOOTS, SKI-MOUNTAIN, PLASTIC SHELL USER: MC REVIEWER: 82 MD | A 8430 / CT 07-FEB-90 | GL | MU | 99 | CT |
| | | A-A-50201A | COMPASS, DRAFTING, PIVOT, DROP SPRING BOW, PEN & PENCIL, WITH CASE REVIEWER: GS | A 6675 / ME 18-MAY-88 | ME | | | |
| D | | A-A-50202 | PUMP, BUCKET, LUBRICATION, HAND-OPERATED USER: MC REVIEWER: CS | A 4930 / ME 06-MAY-83 | ME | YD1 | 99 | |
| | | A-A-50203A | COMPASS, DRAFTING, BEAM REVIEWER: GS MC | A 6675 / ME 10-JUN-88 | ME | | 99 | |
| | | A-A-50204A | DIVIDER, DRAFTING, PROPORTIONAL USER: MC REVIEWER: 82 GS | A 6675 / ME 28-JAN-88 | ME | | 99 | |
| | | A-A-50206A | RULER, DRAFTING, ADJUSTABLE CURVE USER: MC REVIEWER: 82 | A 6675 / ME 03-MAY-83 | ME | | 99 | |
| | L | A-A-50207A | MICROSCOPE, OPTICAL: MONOCULAR, FIXED-FOCUS, POCKET-TYPE, BETWEEN 40X AND 60X MAGNIFICATION | A 6650 ME 25-JAN-88 | | | | |
| | | A-A-50208A | PROTRACTOR, RECTANGULAR REVIEWER: 82 GS | A 6675 ME 05-AUG-87 | ME | MC | 99 | |
| D | | A-A-50209A | STRAIGHTEDGES, STEEL, DRAFTMEN'S REVIEWER: GS | A 6675 / ME 15-SEP-86 | ME | YD1 | 99 | |
| D | | A-A-50210A | RODS, LEVEL, PHILADELPHIA REVIEWER: GS MC | A 6675 / ME 18-MAY-88 | ME | YD1 | 99 | |
| | L | A-A-50211A | RODS, STADIA (FOLDING) REVIEWER: GS | A 6675 ME 05-FEB-88 | ME | | | |
| | | A-A-50212A | PARALLEL RULERS, FOLDING TYPE REVIEWER: 82 GS | A 6675 ME 18-MAY-88 | ME | | 99 | |
| D | | A-A-50213A | CURVES, DRAFTING, REGULAR AND IRREGULAR: CURVE SETS, DRAFTING, REGULAR AND IRREGULAR: FRENCH, MECHANICAL ENGINEERS, RAILROAD, AND SHIPS USER: ER MC REVIEWER: 82 GS | A 6675 ME 18-MAY-88 | ME | YD1 | 99 | |
| D | | A-A-50214 | RAILWAY, MAINTENANCE-OF-WAY, 56-1/2 INCH GAGE | A 2230 ME 03-AUG-83 | ME | YD1 | 84 | |
| | | A-A-50215A | PLANIMETER, POLAR, COMPENSATING, WITH CASE REVIEWER: GS | A 6675 ME 11-FEB-88 | ME | | | |
| D | | A-A-50216A | ALIDADES, SURVEYING: TELESCOPE, WITH CASE REVIEWER: 82 GS | A 6675 ME 10-JUN-88 | ME | YD1 | 99 | |
| | | A-A-50217A | PEN, LETTERING, SCRIBER TEMPLATE, RESERVOIR USER: MC REVIEWER: GS | A 6675 / ME 31-AUG-87 | ME | | | |
| D | | A-A-50218 | RAILWAY MOTOR CARS, MAINTENANCE 8-MAN, 3000 LB LOAD CAPACITY, 56 1/2 INCH GAUGE | A 2230 ME 15-DEC-83 | ME | YD1 | 84 | |
| | | A-A-50219 | WHEEL, LATHE RAILWAY, DUAL END DRIVE REVIEWER: CS | A 4940 / ME 20-JAN-84 | ME | | | |
| | | A-A-50220 | LATHE, AXLE, JOURNAL TRUING RAILWAY, DUAL OR SINGLE END DRIVE REVIEWER: CS | A 4940 / ME 20-JAN-84 | ME | | | |
| | L | A-A-50222 | BUCKET, HELICOPTER, FIRE FIGHTING | A 4210 / ME 08-JUL-86 | ME | | | |
| | | A-A-50223 | SCALE, BEAM INDICATING: WEIGHING, SPECIFIC GRAVITY; CAPACITY 0.01 NOT LESS THAN 200 GRAMS, THREE OR FOUR WEIGHT BEAMS 0.01 GRAM SENSITIVITY USER: GL REVIEWER: 82 GS MD | A 6670 / ME 23-SEP-86 | ME | | 99 | |
| | | A-A-50224 | EXPOSURE CONTROL, PHOTOLITHOGRAPHIC, LIGHT-INTEGRATING REVIEWER: 70 GS | A 6760 ME 22-SEP-86 | ME | | 99 | |
| D | | A-A-50225 | CALCULATING MACHINE, HAND-HELD (PROGRAMMABLE) REVIEWER: MC | A 7420 ME 29-SEP-86 | ME | YD1 | | |
| | | A-A-50227 | T-SQUARES (METAL, WOOD, & PLASTICS USER: MC REVIEWER: 82 GS | A 6675 / ME 29-OCT-86 | ME | | 99 | |
| | | A-A-50229A | OPAQUES, PHOTOGRAPHIC FILM-PLATE RETOUCHING USER: CR OS REVIEWER: 70 GS | A 6750 / ME 30-MAR-87 | ME | AS | 99 | |
| | | A-A-50230 | BLANKET, FIRE (WOOL, WITH CASE) USER: MC REVIEWER: 84 CS MD | A 4210 / ME 03-FEB-87 | ME | | 99 | |
| | L | A-A-50302 | PLUG SET, RADIATOR TEST | A 4910 / AL 09-AUG-91 | AL | | | |
| | L | A-A-50304 | DYNAMOMETER, ENGINE RUN-IN, 500 HORSEPOWER CAPACITY USER: AT REVIEWER: ME | A 4910 / AL 25-MAR-91 | AL | | | |
| | L | A-A-50305 | DIOCTYL-P-PHENYLENEDIAMINE (ANTIOZONANT) | A 6810 / AL 17-FEB-90 | AL | | | |
| D | | A-A-50306 | CLEANER, SPARK PLUG, 12 VDC POWERED AIRLESS TYPE, EIGHT PLUG CAPACITY USER: 82 REVIEWER: GS MD | A 4910 / AL 17-FEB-90 | AL | YD1 | 99 | |
| | L | A-A-50308 | BALANCER, VEHICLE WHEEL, BUBBLE-TYPE, PORTABLE | A 4910 / AL 31-JAN-91 | AL | | | |
| | | A-A-50310 | SPRAY GUN, PAINT (HEAVY DUTY, SIPHON FEED) REVIEWER: CS | A 4940 / AV 30-MAY-90 | AL | MC | 99 | |
| | | A-A-50351 NOTICE 1 | HOSE, BRONZE, ANNULAR CORRUGATED METAL, SINGLE BRAID, FLEXIBLE, GAS TIGHT REVIEWER: CS | A 4720 / SH 29-JUL-87 | | SH | | |
| D | | A-A-50352B | CLAMP, MATERIAL LIFTING (PLATE, VERTICAL LIFT) REVIEWER: 84 GS | A 3940 / YD1 29-MAR-91 | | YD1 | 99 | |
| A | | A-A-50353 | UNDERSHIRT, MANS (POLYESTER/COTTON) QUARTER SLEEVE | A 8420 / CT 27-JAN-81 | | MU | | CT |
| D | | A-A-50354A | COFFEE MAKERS, PERCOLATOR: ELECTRIC USER: CE CG GS MC REVIEWER: 84 MD SA | A 7310 / YD1 03-JUN-88 | GL | YD1 | 99 | |
| A | | A-A-50355B | GLOVES, MEN'S AND WOMEN'S CLOTH, VINYL COATED | A 8415 / CT 17-JUL-92 | | MU | | CT |
| A | | A-A-50356B | HANDKERCHIEF, MEN'S OR WOMEN'S USER: 45 MC REVIEWER: 11 82 | A 8440 / CT 01-MAR-90 | GL | MU | 99 | CT |
| A | | A-A-50357A | SHOE, SUBMARINE DECK USER: 45 REVIEWER: 11 82 SH | A 8430 / CT 31-JAN-85 | | MU | 99 | CT |
| A | L | A-A-50358B | COVERALLS, DISPOSABLE, GENERAL PURPOSE REVIEWER: SH | A 8415 / CT 10-DEC-90 | | MU | | C |
| A | | A-A-50359A | SHOES, CONDUCTIVE USER: 45 REVIEWER: 11 OS | A 8430 / CT 12-JUN-84 | | MU | 99 | CT |
| A | L | A-A-50363A | JUMPER, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL) REVIEWER: SH | A 8415 / CT 07-JAN-91 | | MU | | CT |
| A | L | A-A-50364A | TROUSERS, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL) REVIEWER: SH | A 8415 / CT 07-JAN-91 | | MU | | CT |
| A | L | A-A-50365A | SWEATER, WOMAN'S, ACRYLIC | A 8410 / CT 09-OCT-90 | | MU | | CT |
| A | L | A-A-50366 | SWEATER, MAN'S, MODACRYLIC/WOOL | A 8405 / CT 01-MAR-89 | | MU | | CT |
| A | L | A-A-50367A | COAT, MAN'S, ALL WEATHER, WITH REMOVABLE LINER | A 8405 / CT 16-DEC-91 | | MU | | CT |
| A | L | A-A-50368A | COAT, WOMAN'S, ALL WEATHER, WITH REMOVABLE LINER | A 8410 / CT 16-DEC-91 | | MU | | CT |
| A | L | A-A-50369 | CAP, KNIT (WATCH) | A 8405 / CT 01-MAR-89 | | MU | | CT |
| D | | A-A-50370 | GLOVES, CLOTH, VINYL DIPPED USER: AS MC OS YD1 REVIEWER: 11 MD SH SS | A 8415 / CT 31-MAY-89 | | MU | 99 | CT |
| A | L | A-A-50371 | BOOTS, FIREMEN'S | A 8430 / CT 20-MAR-89 | | MU | | CT |
| A | | A-A-50373A | VEST, COOLING (WITH FREEZEABLE GEL STRIPS) USER: CG | A 8415 / CT 07-DEC-92 | | MU | | CT |
| A | L | A-A-50374 | BAG, FIREMAN'S UTILITY USER: AS CG SH REVIEWER: MC | A 8460 / CT 11-DEC-89 | | MU | | CT |
| A | L | A-A-50375 | LACES, LEGGINGS | A 8315 / CT 14-MAY-90 | | MU | | CT |
| D | | A-A-50378 | DRAWERS, EXTREME COLD WEATHER, MEN'S AND WOMEN'S USER: 45 CG YD1 REVIEWER: 11 | A 8415 / CT 06-FEB-91 | | MU | 99 | CT |
| A | L | A-A-50379 | MITTEN SHELLS, MEN'S | A 8415 / CT 29-AUG-90 | | MU | | CT |
| A | | A-A-50380 | COAT, FOOD HANDLER'S (STEWARD) USER: 45 REVIEWER: 82 | A 8415 / CT 24-SEP-90 | | MU | 99 | CT |
| D | | A-A-50383 | UNDERSHIRT, EXTREME COLD WEATHER, MAN'S AND WOMAN'S USER: 45 CG YD1 REVIEWER: 11 | A 8415 / CT 09-NOV-90 | | MU | 99 | CT |
| A | L | A-A-50385 | ARM SLEEVE, RADIOACTIVE CONTAMINANTS, PROTECTIVE | A 8415 / CT 10-DEC-90 | | MU | | CT |
| A | | A-A-50386 | GLOVES, MEN'S AND WOMEN'S | A 8440 / CT 13-MAR-91 | GL | MU | 11 | CT |
| | L | A-A-50390 | SHIRT, DISPOSABLE REVIEWER: CT OS SH | A 8415 / MU 26-MAY-92 | | MU | | |
| A | L | A-A-50391 | FOOTWEAR COVERS, DISPOSABLE REVIEWER: CT | A 8430 / MU 24-JUN-92 | | MU | | |
| D | | A-A-50431A | COUPLINGS - QUICK DISCONNECT, BOWES TYPE (AIR HOSES AND PIPING) USER: AL YD1 | A 4730 / SH 07-NOV-91 | AR | SH | | |
| | | A-A-50432 | HINGE, BUTT (SHIPBOARD/MARINE) USER: AS MC OS REVIEWER: IS | A 5340 / SH 20-APR-89 | AR | SH | 99 | |
| | | A-A-50433 | GREASE, SEA WATER WASH RESISTANT REVIEWER: GS PS | A 9150 / SH 15-AUG-89 | CD | SH | | |
| | | A-A-50434 | PATCH REPAIR EMERGENCY WATER ACTIVATED DAMAGE CONTROL REVIEWER: MD | A 4730 / SH 15-AUG-90 | ME | SH | | |
| | L | A-A-50435B | ROPES (ARAMID) | A 4020 / SH 24-MAR-92 | | SH | | |
| D | | A-A-50437 | EXOTHERMIC CUTTING RODS FOR USE IN PORTABLE EXOTHERMIC CUTTING UNIT (PECU) REVIEWER: YD1 | A 4240 / SH 20-MAR-91 | ME | SH | | |
| D | | A-A-50438 | CLEANER, BLOWER AND VACUUM, PORTABLE, INDUSTRIAL REVIEWER: 85 CR ER ME YD1 | A 7910 / SH 26-MAR-91 | GL | SH | 84 | |
| | | A-A-50439 | LAMP, INCANDESCENT, T-3-1/4, MINIATURE SCREW BASE REVIEWER: 82 GS | A 6240 / SH 22-JUL-91 | ME | SH | 99 | |
| | | A-A-50440 | LAMP, INCANDESCENT, T-5, PREFOCUSING, DOUBLE CONTACT REVIEWER: 82 GS | A 6240 / SH 22-JUL-91 | ME | SH | 99 | |
| | | A-A-50441 | LAMP, INCANDESCENT, T-12, MEDIUM SCREW, 3 CONTACT REVIEWER: 82 GS | A 6240 / SH 22-JUL-91 | ME | SH | 99 | |
| | | A-A-50442 | LAMP, INCANDESCENT, T-8, CANDELABRA SCREW REVIEWER: 82 GS | A 6240 / SH 22-JUL-91 | ME | SH | 99 | |
| | | A-A-50443 | LAMP, INCANDESCENT, T-8, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: 82 GS | A 6240 / SH 22-JUL-91 | ME | SH | 99 | |
| D | | A-A-50444 | LIGHT, STROBE, LIFE PRESERVER USER: MC YD1 REVIEWER: AS AT AV EA | A 6230 / SH 12-AUG-91 | ME | SH | | |
| | | A-A-50445 | LAMP, INCANDESCENT, G-8, MINIATURE SCREW REVIEWER: 82 GS | A 6240 / SH 15-JAN-92 | ME | SH | 99 | |
| | | A-A-50446 | LAMP, INCANDESCENT, S-6, CANDELABRA SCREW REVIEWER: 82 GS | A 6240 / SH 15-JAN-92 | ME | SH | 99 | |
| | | A-A-50447 | LAMP, INCANDESCENT, T-4, CANDELABRA SCREW REVIEWER: 82 GS | A 6240 / SH 15-JAN-92 | ME | SH | 99 | |

| Action | CPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MICA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | A-A-50448 | LAMP, INCANDESCENT, G-16-1/2, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: 82 GS | A 6240 / SH 15-JAN-92 ME | SH | 99 | | |
| | | A-A-50449 | LAMP, INCANDESCENT, A-19, MEDIUM SCREW REVIEWER: 82 GS | A 6240 / SH 15-JAN-92 ME | SH | 99 | | |
| | | A-A-50450 | LAMP, INCANDESCENT, T-12, MEDIUM PREFOCUSING, SINGLE CONTACT REVIEWER: 82 GS | A 6240 / SH 24-JAN-92 ME | SH | 99 | | |
| | | A-A-50451 | LAMP, INCANDESCENT, RP-11, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: 82 GS | A 6240 / SH 24-JAN-92 ME | SH | 99 | | |
| | | A-A-50452 | LAMP, INCANDESCENT, S-6, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: 82 GS | A 6240 / SH 24-JAN-92 ME | SH | 99 | | |
| | | A-A-50453 | LAMP, INCANDESCENT, G-8 BULB, DOUBLE CONTACT, BAYONET CANDELABRA BASE REVIEWER: 82 GS | A 6240 / SH 24-JAN-92 ME | SH | 99 | | |
| | | A-A-50454 | LAMP, INCANDESCENT, G-6, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: 82 GS | A 6240 / SH 24-JAN-92 ME | SH | 99 | | |
| | L | A-A-50455 | PORTABLE FILTRATION CART | A 4330 / SH 26-FEB-92 | SH | | | |
| | D | A-A-50456A | VALVES, RADIATOR, HEATING PACKED BONNET, CLASS 150 PSIG USER: CE REVIEWER: CS | A 4520 / YD1 07-APR-89 ME | YD1 | 99 | | |
| | D | A-A-50457A | VALVES, RADIATOR, HEATING PACKLESS BONNET, CLASS 125 PSIG USER: CE REVIEWER: CS | A 4520 / YD1 07-APR-89 ME | YD1 | 99 | | |
| | D | A-A-50459A | SHEARS, METAL CUTTING, ELECTRIC (PORTABLE) REVIEWER: 84 | A 5130 / YD1 14-APR-89 | YD1 | 99 | | |
| | D | A-A-50460A | CARRIER, STORAGE BATTERY, HAND REVIEWER: 84 | A 5120 / YD1 21-AUG-89 GL | YD1 | 99 | | |
| | D | A-A-50461B | NOZZLES; GARDEN HOSE (FOR 5/8- AND 3/4-INCH HOSE) USER: MC REVIEWER: 82 CS | A 4730 / YD1 26-MAR-93 | YD1 | 99 | | |
| | D L | A-A-50464A | CAP, FLUE; CYLINDRICAL USER: MC REVIEWER: CS | A 4520 / YD1 07-APR-89 | YD1 | | | |
| | D | A-A-50465A | OVEN, MICROWAVE, ELECTRIC (600-1199 WATT MICROWAVE POWER OUTPUT) REVIEWER: 84 MS | A 7310 / YD1 12-MAY-89 GL | YD1 | 99 | | |
| | D | A-A-50466A | OVEN, MICROWAVE, ELECTRIC (1800-2199 WATT MICROWAVE POWER OUTPUT) USER: CE MS REVIEWER: MD | A 7310 / YD1 12-MAY-89 GL | YD1 | 99 | | |
| | D | A-A-50467A | OVEN, MICROWAVE, ELECTRIC (1200-1499 WATT MICROWAVE POWER OUTPUT) USER: MS | A 7310 / YD1 12-MAY-89 GL | YD1 | 99 | | |
| | D L | A-A-50468A | GATE, BLAST, LOW PRESSURE, SHEET METAL PIPE SYSTEMS | A 4460 / YD1 29-MAR-91 | YD1 | | | |
| | D | A-A-50469A | HOOK, REGULAR EYE, LATCH TYPE USER: OS SH REVIEWER: 82 IS | A 4030 / YD1 08-SEP-89 | YD1 | 99 | | |
| | D L | A-A-50470A | OILERS, HAND, FILLER USER: MC ME REVIEWER: CS EA | A 4930 / YD1 11-APR-89 | YD1 | | | |
| | D L | A-A-50471A | OILER, HAND, RECTANGULAR, PUSH SIDES USER: MC ME REVIEWER: CS EA | A 4930 / YD1 11-APR-89 | YD1 | | | |
| | D | A-A-50472A | HOOK, SWIVEL, LATCH TYPE USER: OS REVIEWER: 82 IS SH | A 4030 / YD1 21-SEP-88 | YD1 | 99 | | |
| | D L | A-A-50473A | OILERS, HAND, PUSH-BOTTOM USER: MC REVIEWER: CS GL ME | A 4930 / YD1 11-APR-89 | YD1 | | | |
| | D L | A-A-50474A | OILERS, HAND, TYPEWRITER USER: MC ME REVIEWER: CS EA | A 4930 / YD1 11-APR-89 | YD1 | | | |
| | D | A-A-50475A | POLISHER, FLOOR, ELECTRIC, DIVIDED WEIGHT (COMMERCIAL TYPE) USER: MC REVIEWER: 84 MD | A 7910 / YD1 23-OCT-89 | YD1 | 99 | | |
| | D | A-A-50476 | POLISHER, FLOOR, ELECTRIC, CONCENTRATED WEIGHT TWO BRUSH (COMMERCIAL TYPE) USER: MC REVIEWER: 84 MD | A 7910 / YD1 13-JAN-84 | YD1 | 99 | | |
| | D | A-A-50477B | OILERS, HAND, PUMP USER: MC REVIEWER: CS EA | A 4930 / YD1 12-JAN-90 | YD1 | 99 | | |
| | D | A-A-50478A | POLISHER, FLOOR, ELECTRIC, CONCENTRATED WEIGHT SINGLE BRUSH (COMMERCIAL TYPE) USER: CE MC TS REVIEWER: 84 MD | A 7910 / YD1 25-OCT-89 | YD1 | 99 | | |
| | D | A-A-50479 | DISHWASHING MACHINES, SINGLE TANK (RACK MANUAL AND CONVEYOR) AND DOUBLE TANK (RACK CONVEYOR) COMMERCIAL REVIEWER: 84 MC MD MS SA TS | A 7320 / YD1 15-NOV-85 GL | YD1 | 99 | | |
| | D | A-A-50480 | DISHWASHING MACHINES, COMMERCIAL (RACKLESS CONVEYOR) USER: CE CG MC REVIEWER: 84 MD MS SA TS | A 7320 / YD1 15-NOV-85 GL | YD1 | 99 | | |
| | D | A-A-50481 | DISHWASHING MACHINES, COMMERCIAL (RACK, STATIONARY) USER: CG GS MC MS REVIEWER: 84 MD SA | A 7320 / YD1 15-NOV-85 GL | YD1 | 99 | | |
| | D | A-A-50486A | CONTAINER, INSULATED, SHIPPING REVIEWER: GS MD | A 8145 / YD1 23-NOV-92 GL | YD1 | | | |
| | D L | A-A-50492 | OILERS, AIR LINE REVIEWER: CS | A 4930 / YD1 28-FEB-89 | YD1 | | | |
| | D | A-A-50493 | OIL, PENETRATING (FOR LOOSENIG FROZEN METALLIC PARTS) USER: AT MC REVIEWER: AR AV GS MS SA SH | A 9150 / YD1 19-FEB-90 ME | YD1 | 68 | | |
| | D L | A-A-50494 | EXHAUST HEAD, STEAM | A 4730 / YD1 16-APR-90 | YD1 | | | |
| | D L | A-A-50495 | HEATING ELEMENT, ELECTRICAL (REPLACEMENTS FOR DOMESTIC APPLIANCES) USER: MC | A 4540 / YD1 24-APR-90 | YD1 | | | |
| | D | A-A-50496 | COFFEE MAKER, PERCOLATOR, ELECTRIC USER: CE CG GS MC REVIEWER: 84 MD MS SA | A 7310 / YD1 10-SEP-90 GL | YD1 | 99 | | |
| | D | A-A-50497 | COFFEE MAKER, ELECTRIC, AUTOMATIC USER: MC SA REVIEWER: 84 CG GS MD MS | A 7310 / YD1 11-SEP-90 GL | YD1 | 99 | | |
| | D | A-A-50498 | VALVE, FOOT, CAST IRON, BRONZE AND POLYVINYL CHLORIDE (PVC) USER: OS SH REVIEWER: 82 CS GL MC | A 4820 / YD1 05-JUL-90 ME | YD1 | 99 | | |
| | D L | A-A-50499A | TAMPER, VIBRATING PLATE TYPE, GASOLINE AND DIESEL ENGINE DRIVEN | A 3895 / YD1 11-MAY-92 | YD1 | | | |
| | D | A-A-50500 | DOUGH DIVIDER, ROLL, HAND OPERATED, 36-PART AND DOUGH DIVIDER AND ROUNDING MACHINE, ROLL, 36-PART REVIEWER: 50 84 GS MC SA | A 7320 / YD1 06-SEP-91 | YD1 | 99 | | |
| | D L | A-A-50501 | AUGER MACHINES, PIPE AND SEWER CLEANER: GASOLINE-ENGINE-DRIVEN, TRAILER MOUNTED REVIEWER: CS | A 4940 / YD1 18-JUL-91 | YD1 | | | |
| | D L | A-A-50502 | AIR CONDITIONER, (UNITARY HEAT PUMP), AIR TO AIR (3,000 TO 300,000 BTU) USER: CE REVIEWER: GS | A 4120 / YD1 29-NOV-90 | YD1 | | | |
| | D | A-A-50503 | SCALE, BALANCE, BEAM INDICATING: METRIC, 2610 GRAM CAPACITY REVIEWER: GS ME MS | A 6670 / YD1 28-FEB-92 GL | YD1 | 99 | | |
| | D | A-A-50504 | ANALYZERS, FLUE-GAS, ORSAT-TYPE, PORTABLE USER: 82 | A 6630 / YD1 28-FEB-92 | YD1 | 99 | | |
| | D L | A-A-50505 | CONNECTOR ASSEMBLY, ELECTRICAL, IN-LINE USER: ES | A 5935 / YD1 08-NOV-91 | YD1 | | | |
| | | A-A-50506A | FAN, TUBEAXIAL, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT | A 4140 / EC 01-DEC-82 ME | EC | 99 | | |
| | A | A-A-50526A | HAT, SERVICE: WITH CHIN STRAP USER: 45 REVIEWER: 82 99 MD | A 8405 / CT 30-SEP-82 GL | MC | 11 | | CT |
| | A L | A-A-50527 | TRUNKS, GENERAL PURPOSE | A 8415 / CT 29-SEP-88 | MC | | | CT |
| | A | A-A-50528A | COAT, SHOOTER'S, GREEN | A 8415 / CT 20-NOV-92 | MC | | | CT |
| | A | A-A-50531 | CLOTH, POPLIN: POLYESTER AND COTTON (WATER REPELLENT) | A 8305 / CT 14-JUN-90 GL | MC | | | CT |
| | L | A-A-50532 | CLOTH, SERGE: POLYESTER/WOOL | A 8305 / MC 19-SEP-90 | MC | | | |
| | A | A-A-50537 | CHEST, TOOL: CARPENTER OR COMPANY REVIEWER: 84 | A 5140 / MC 21-SEP-92 | MC | 99 | | |
| | D | A-A-50538 | APPLICATOR, BAIT, INSECTICIDE REVIEWER: CS MS | A 3740 / YD1 14-SEP-92 MD | YD1 | 99 | | |
| | D | A-A-50539 | VIBRATORS, CONCRETE, ELECTRIC-MOTOR-DRIVEN | A 3895 / YD1 22-JUN-92 ME | YD1 | | | |
| | D | A-A-50541 | VALVES, TANK FLOAT, ANGLE AND GLOBE PATTERN USER: CE REVIEWER: 82 CS | A 4820 / YD1 22-JAN-93 ME | YD1 | 99 | | |
| | D | A-A-50542 | COATING SYSTEM: REFLECTIVE, SLIP-RESISTANT, CHEMICAL-RESISTANT URETHANE FOR MAINTENANCE FACILITY FLOORS USER: CE REVIEWER: 84 AS MC SH | A 8010 / YD1 08-FEB-93 ME | YD1 | 99 | | |
| | | A-A-50588 | LAMP, INCANDESCENT, T-3-1/4, MINIATURE BAYONET, SINGLE CONTACT REVIEWER: 82 GS | A 6240 / SH 21-FEB-92 ME | SH | 99 | | |
| | | A-A-50589 | LAMP, INCANDESCENT, G-4-1/2, MINIATURE BAYONET, SINGLE CONTACT REVIEWER: 82 GS | A 6240 / SH 21-FEB-92 ME | SH | 99 | | |
| | | A-A-50590 | LAMP, INCANDESCENT, G-3-1/2, MINIATURE BAYONET, SINGLE CONTACT REVIEWER: 82 GS | A 6240 / SH 21-FEB-92 ME | SH | 99 | | |
| | | A-A-50591 | LAMP, INCANDESCENT, T-7, CANDELABRA SCREW REVIEWER: 82 GS | A 6240 / SH 21-FEB-92 ME | SH | 99 | | |
| | | A-A-50592 | LAMP, INCANDESCENT, S-11, CANDELABRA SCREW REVIEWER: 82 GS | A 6240 / SH 21-FEB-92 ME | SH | 99 | | |
| | | A-A-50593 | LAMP, INCANDESCENT, T-2, TELEPHONE SLIDE, TUNGSTEN FILAMENT, CLEAR FINISH REVIEWER: 82 GS | A 6240 / SH 26-FEB-92 ME | SH | 99 | | |
| | | A-A-50594 | LAMP, INCANDESCENT, C-7, BAYONET, DOUBLE CONTACT REVIEWER: 82 GS | A 6240 / SH 26-FEB-92 ME | SH | 99 | | |
| | | A-A-50595 | LAMP, INCANDESCENT, PAR-36, SCREW TERMINAL REVIEWER: 82 GS | A 6240 / SH 26-FEB-92 ME | SH | 99 | | |
| | | A-A-50596 | LAMP, FLUORESCENT, T-12, HIGH OUTPUT-HIGH TEMPERATURE, BASE RECESSED, DOUBLE CONTACT REVIEWER: 82 GS | A 6240 / SH 26-FEB-92 ME | SH | 99 | | |
| | | A-A-50597 | LAMP, FLUORESCENT, T-12, PREHEAT, COOL WHITE, MEDIUM BIPIN REVIEWER: 82 GS | A 6240 / SH 26-FEB-92 ME | SH | 99 | | |
| | A L | A-A-50598 | KIT, PHOTOLUMINESCENT MARKING | A 4240 / SH 22-MAY-92 | SH | | | |
| | A | A-A-50599 | FAN, TUBEAXIAL, PORTABLE, DESMOKING, AND VENTILATING USER: GS REVIEWER: 82 SA | A 4140 / SH 16-JUL-92 | SH | 99 | | |
| | A | A-A-50600 | LAMPS, INCANDESCENT, G-9, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: 82 GS | A 6240 / SH 31-JUL-92 ME | SH | 99 | | |
| | A L | A-A-50601 | AUDIO ENTERTAINMENT DISTRIBUTION EQUIPMENT | A 5830 / SH 14-JAN-93 | SH | | | |
| | N | A-A-50602 | SELF-LUBRICATED BEARINGS | A 3120 / SH 05-APR-93 AT | SH | 99 | | |

| Action | GPL / CNAL Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | A-A-50603 | LOUDSPEAKER - MICROPHONE (MEGAPHONE, ELECTRONIC, PORTABLE) USER: 90 CG IP IS LS MC MT YD1 REVIEWER: 13 85 AS AT CE DP ES GS TD | A 5830 / SH 11-FEB-93 | CR | SH | | |
| A | | A-A-50651 NOTICE 1 | BOOTS, CLIMBER'S (VALIDATION DATE: 9003) REVIEWER: 11 MD | A 8430 / CT 09-MAR-90 | GL | | 99 | CT |
| | | A-A-50652 | LIFE PRESERVER, VEST, ADULT OR CHILD (35 POUND BUOYANCY) | A 4220 / 84 04-MAR-81 | | | 99 | |
| | | A-A-50653 | MAINTENANCE STAND, SELF PROPELLED, SISSORS LIFT | A 1730 * 11 11-SEP-81 | | | 11 | |
| | | A-A-50680 | VOLTMETER, AC REVIEWER: 11 68 MC | A 6625 / 82 22-MAR-89 | | AS | 99 | |
| | | A-A-50681 | TRAILER, MAINTENANCE POWER | A 4940 / 82 30-MAY-89 | AL | | 99 | |
| | L | A-A-50682 | TANK, STORAGE, LIQUID ARGON-NITROGEN-OXYGEN, CRYOGENIC, HORIZONTAL, 3000 AND 6000 GALLON | A 3655 / 68 07-FEB-92 | | | 99 | |
| | L | A-A-50683 | FOLDING MACHINE, PAPER REVIEWER: GS SA | A 3610 / 84 22-MAY-89 | | | 99 | |
| | L | A-A-50684 | TOOL, WIRE WRAP | A 5130 / 84 08-JUL-89 | | | 99 | |
| | L | A-A-50685 | LEVEL, PRECISION MASTER, SINGLE FACE | A 5220 / 84 08-JUL-89 | | | 99 | |
| | L | A-A-50686 | AIR CONDITIONER, TRAILER MOUNTED, ELECTRIC MOTOR, DRIVEN | A 4120 / 82 13-NOV-89 | | | 99 | |
| | L | A-A-50687 | AIR CONDITIONER, TRAILER MOUNTED, DIESEL ENGINE DRIVEN | A 4120 / 82 13-NOV-89 | | | 99 | |
| | L | A-A-50688 | SENTRY BUILDING, MOBILE | A 5410 / 84 21-MAR-90 | | | 99 | |
| | L | A-A-50689 | CRANE, RAILWAY, DIESEL, 25-TON CAPACITY | A 2230 / 84 28-MAY-90 | | | 99 | |
| | L | A-A-50690 | TIRE FILL, SOLID POLYURETHANE | A 2630 / 84 26-NOV-90 | | | 84 | |
| | L | A-A-50691 | TRUCK, AIRCRAFT BAGGAGE LOADING-UNLOADING | A 3930 / 84 02-NOV-90 | | | 99 | |
| | L | A-A-50692 | OSCILLOGRAPH, PORTABLE | A 6625 / 82 11-OCT-90 | | | 99 | |
| | L | A-A-50693B | TRUCK, AIRCRAFT CARGO LOADING-UNLOADING, WIDE BODY | A 3930 / 84 11-MAY-92 | | | 99 | |
| | L | A-A-50694 | CUTTER, TILE, ASPHALT, PLASTIC, RUBBER | A 5110 / 84 31-DEC-90 | | | 99 | |
| | L | A-A-50695 | DIES, THREADING DIE HEAD | A 5136 / 84 27-MAR-92 | | | 99 | |
| | L | A-A-50696 | REELS, STATIC DISCHARGE, GROUNDING, 50 AND 75 FOOT CABLE LENGTHS REVIEWER: 68 79 CS | A 4930 / 82 11-JUL-91 | | | 99 | |
| | | A-A-50717 | ATTENUATOR VARIABLE DC TO 18 GHZ USER: SH REVIEWER: CR ES | A 5985 / 82 15-MAR-89 | | | 99 | |
| | L | A-A-50718 | TEST SET, FUEL SYSTEM USER: SH | A 6625 / 82 15-FEB-89 | | | 99 | |
| | | A-A-50719 | FOOT REST REVIEWER: GL | A 7110 / 84 12-JAN-89 | | | 99 | |
| | L | A-A-50720 | VACUUM GAGE, PORTABLE REVIEWER: AS ER GS | A 6685 / 82 30-DEC-88 | | | 99 | |
| | L | A-A-50721 | SCALE, LOW PROFILE, PALLET WEIGHING | A 6670 / 84 15-JAN-90 | | | 99 | |
| | | A-A-50722 | BREATHING APPARATUS, SELF-CONTAINED, 30 MINUTE | A 4240 / 84 06-DEC-88 | | AS | 99 | |
| | L | A-A-50723 | MARKING MACHINE, ELECTRICAL WIRE-FLEXIBLE INSULATING SLEEVING | A 3611 / 84 11-OCT-88 | | | 99 | |
| | L | A-A-50724 | BUILDING, PORTABLE | A 5410 / 84 09-SEP-88 | | | 99 | |
| | L | A-A-50725 | TEST SET, TELEPHONE SIGNAL | A 6625 / 82 30-JUL-88 | | | 99 | |
| | L | A-A-50726 | TEST SET, TELEPHONE | A 6625 82 25-FEB-88 | | | 99 | |
| | | A-A-50728 | FREQUENCY SELECTIVE LEVELMETER & SPECTRUM DISPLAY (FSLSD) | A 6625 82 01-JAN-88 | | | 99 | |
| | | A-A-50730 | GENERATOR, SIGNAL 10 KHZ TO 1 GHZ REVIEWER: CR | A 6625 82 15-DEC-87 | | EC | 99 | ES |
| | | A-A-50733 | HYGROTHERMOGRAPH REVIEWER: GS | A 6680 / 82 27-NOV-87 | ME | | 99 | |
| | L | A-A-50734 | MULTIMETER | A 6625 / 82 15-MAY-88 | | | 99 | |
| | | A-A-50736 | GENERATOR, ELECTRONIC MARKER, DIGITAL SIGNAL | A 6625 82 15-NOV-87 | | | 99 | |
| | L | A-A-50737 | RECORDER, COORDINATE DATA | A 6625 / 82 30-NOV-87 | | | 99 | |
| | L | A-A-50739 | TEST SET, TELEPHONE USER: SH REVIEWER: CR | A 6625 82 30-OCT-87 | | | 99 | |
| | L | A-A-50740 | SPECTRUM ANALYZER 10 HZ TO 50 KHZ REVIEWER: GL | A 6625 / 82 30-OCT-87 | | | 99 | |
| | L | A-A-50741 | DIVIDER, POWER, RADIO FREQUENCY | A 6625 / 82 30-OCT-87 | | | 99 | |
| | | A-A-50742 | AIRCRAFT MOVER, ELECTRICALLY POWERED REVIEWER: GL IS MS | A 1740 / 82 15-OCT-87 | AV | AS | 99 | |
| | L | A-A-50743A | CLEANER, ULTRASONIC, WITH RINSE AND DRY, 5.5 GALLON | A 4940 / 82 29-SEP-89 | | | 99 | |
| | L | A-A-50744A | CLEANER, ULTRASONIC, NINE GALLON CAPACITY, AEROSPACE MAINTENANCE REVIEWER: AL CS | A 4940 / 82 27-SEP-89 | | | 99 | |
| | | A-A-50745 | RADIACMETER, POCKET-SIZED, DIGITAL ALARM, DOSIMETER | A 6665 82 30-AUG-87 | EA | SH | 99 | |
| D | L | A-A-50746 | DEHUMIDIFIER, SPACE REVIEWER: ME YD1 | A 4440 84 07-AUG-87 | | | 99 | |
| M | | A-A-50747(1) NOTICE 1 | POUCH, AMMUNITION MAGAZINE, 9MM (VALIDATION DATE: 9305) | A 1095 / 84 05-MAY-93 | AR | OS | 99 | |
| | | A-A-50748(1) | HOLSTER, HIP, PISTOL, SEMI-AUTOMATIC, 9MM | A 1095 84 06-MAY-88 | AR | OS | 99 | |
| | | A-A-50749 | CURRENT-VOLTAGE STANDARD REVIEWER: CR | A 6625 82 12-MAY-87 | | EC | 99 | ES |
| | | A-A-50750 | CALIBRATOR, VOLTAGE REVIEWER: CR | A 6625 82 15-MAY-87 | | EC | 99 | ES |
| | | A-A-50751 | MAGNETIC PARTICLE PROCESS CONTROL KIT | A 6635 82 02-APR-87 | | | 99 | |
| | | A-A-50752 | TEST KIT, PENETRANT REVIEWER: GL | A 6635 82 31-MAR-87 | | AS | 99 | |
| | | A-A-50753 | GENERATOR, VARIABLE FREQUENCY REVIEWER: CR | A 6625 82 02-MAR-87 | | EC | 99 | ES |
| | | A-A-50754 | MODULATOR, PULSE REVIEWER: CR | A 6625 / 82 02-MAR-87 | | EC | 99 | ES |
| | | A-A-50755 | CONTROL HEAD ASSEMBLY TEST FIXTURE | A 6625 / 82 15-OCT-86 | | EC | 99 | |
| | | A-A-50756 | SWEEP GENERATOR | A 6625 / 82 01-OCT-86 | ER | EC | 99 | |
| | | A-A-50757 | FOUR CHANNEL RECORDER REVIEWER: CR ES | A 6625 / 82 01-OCT-86 | | EC | 99 | |
| | | A-A-50758 | DEODORANT, CHEMICAL FOR HOLDING TANKS & RECIRCULATING TOILETS | A 6840 / 68 25-MAY-86 | | | 68 | |
| | | A-A-50759 | SIX-OUTPUT SWITCHING POWER SUPPLY REVIEWER: GS SH | A 6130 82 15-MAY-86 | ER | AS | 99 | |
| | | A-A-50760 | SIGNAL GENERATOR | A 6625 82 30-MAY-86 | | EC | 99 | ES |
| | | A-A-50761 | OSCILLOSCOPE REVIEWER: CR | A 6625 82 30-MAY-86 | ER | EC | 99 | |
| | | A-A-50762 | SIGNAL GENERATOR | A 6625 82 30-MAY-86 | | EC | 99 | |
| | | A-A-50763 | PULSE GENERATOR REVIEWER: CR | A 6625 / 82 30-APR-86 | | EC | 99 | |
| | | A-A-50764 | QUAD-OUTPUT SWITCHING POWER SUPPLY REVIEWER: GS SH | A 6130 82 14-APR-86 | ER | | 99 | |
| | | A-A-50765 | FORCEPS: SHEET MOLDER REVIEWER: AL | A 5120 84 14-JAN-85 | GL | SH | 99 | |
| D | | A-A-50766 | BUS, MOTOR, 16 PASSENGER | A 2310 / 84 12-MAR-84 | AT | YD1 | 99 | |
| | | A-A-50767 | ANALYZER, SURFACE FINISH | A 5220 / 84 15-AUG-83 | | | 99 | |
| | | A-A-50782 NOTICE 1 | WORK STATION, LAMINAR FLOW (VALIDATION DATE: 8910) | A 3694 / 84 20-OCT-89 | | AS | 99 | |
| A | | A-A-50783A | SLEEPING BAG, ARCTIC SURVIVAL, CONTAINERIZED, PRESSURE VACUUM PACKED USER: 45 | A 8465 / CT 22-OCT-84 | | | 99 | CT |
| D | | A-A-50784 | SPOTLIGHT, AUTOMOTIVE, ROOF MOUNTED | A 6220 / 82 08-DEC-82 | ME | YD1 | 99 | |
| | | A-A-50796 | SIREN, ELECTRONIC REVIEWER: ME | A 6350 82 05-MAY-82 | | | 99 | |
| D | | A-A-50797 | CRANE, FLOOR, PORTABLE (VALIDATION DATE: 8306) | A 3950 / 84 16-APR-82 | | YD1 | 99 | |
| | | A-A-50798 | FREQUENCY STANDARD, OSCILLATOR (5MHZ, 1MHZ & 100KHZ) | A 6625 / 82 30-APR-82 | | | 99 | |
| | | A-A-50799 | CHARGER ANALYZER FOR VENTED CELL NICKEL CADMIUM BATTERIES (VALIDATION DATE: 8306) | A 6130 / 80 16-FEB-82 | | | 99 | |
| | | A-A-50800 NOTICE 1 | CADMIUM OXIDE (VALIDATION DATE: 8810) REVIEWER: GS | A 6810 / 68 07-OCT-88 | | AS | 68 | |
| | | A-A-50801A | WATER BATH, ELECTRIC, SEROLOGICAL USER: DM | A 6640 / MB 16-MAR-87 | MD | MS | 03 | |
| | | A-A-50802A | COUNTER, BLOOD CELLS, DIFFERENTIAL | A 6640 / MB 22-JUN-92 | MD | MS | 03 | |
| | | A-A-50803A | SHAKING MACHINE, LABORATORY, 115 VOLT, 60 HZ, AC USER: DM | A 6640 / MB 17-APR-81 | MD | MS | 03 | |
| | | A-A-50804A | SHAKING MACHINE, LABORATORY SINGLE CUP, 115 VOLT, 50-60 HZ, AC USER: DM | A 6640 / MB 17-APR-81 | MD | MS | 03 | |
| | | A-A-50805 | RACK, TEST TUBE, LABORATORY WINTROBE, ENAMELED STEEL, 10 TUBE USER: DM | A 6640 / MB 17-APR-81 | MD | MS | 03 | |
| | | A-A-50806B | BOTTLE, SCREW CAP (URINE SPECIMEN, SHIPPING) USER: DM | A 6640 / MB 19-JAN-88 | MD | MS | 03 | |
| | | A-A-50807 | CYLINDER, GRADUATED, LABORATORY, GLASS USER: DM | A 6640 / MB 17-APR-81 | MD | MS | 03 | |
| | | A-A-50808 | URINOMETER, SQUIBB & MICRO | A 6630 * MB 05-AUG-81 | MD | MS | 03 | |
| | | A-A-50809 | SHAKING MACHINE, LABORATORY, SLIDE, 115 VOLT, AC-DC | A 6640 / MB 05-AUG-81 | MD | MS | 03 | |
| | | A-A-50810 | PELLET, ABSORBENT, COTTON | A 6510 / MB 05-AUG-81 | MD | MS | 03 | |
| | | A-A-50811 | ADHESIVE TAPE, SURGICAL, 1 INCH BY 1 1/2 YARDS, 1005 | A 6510 * MB 05-AUG-81 | MD | MS | 03 | |
| | | A-A-50812A | PIPET, BLOOD DILUTING | A 6640 / MB 17-APR-89 | MD | MS | 03 | |
| | | A-A-50813A | BALL, ABSORBENT, COTTON OR RAYON | A 6510 * MB 14-FEB-83 | MD | MS | 03 | |
| | | A-A-50814A | BASIN, WASH CORROSION-RESISTING STEEL | A 6630 / MB 31-JAN-89 | MD | MS | 03 | |
| | | A-A-50815A | LIGHT, DESK HIGH INTENSITY REVIEWER: SD | A 6230 / MB 24-MAR-89 | MD | MS | 03 | |
| | | A-A-50816A | JAR, SURGICAL DRESSING CORROSION-RESISTING STEEL | A 6530 / MB 30-MAY-89 | MD | MS | 03 | |
| | | A-A-50817A | COMPARATOR SET, COLOR CHLORINE-BROMINE AND PH DETERMINATION | A 6630 / MB 07-SEP-88 | MD | MS | 03 | |
| | | A-A-50818 | TIP, PIPET, PLASTIC, 0.2 ML, DISPOSABLE, 1000 | A 6640 * MB 26-OCT-81 | MD | MS | 03 | |
| | | A-A-50819 | TOWEL, HAND, GREEN, HUCK, COTTON | A 7210 / MB 27-JUL-82 | MD | MS | 03 | |
| | | A-A-50820 | BLANKET, CASUALTY, LIGHTWEIGHT, WATERPROOF, ALUMINIZED PLASTIC | A 7210 / MB 27-JUL-82 | MD | MS | 03 | |

| Action | Opt. / Obsl. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | A-A-50822B | BOWL, SURGICAL SPONGE METAL | A | 6630 | MB | MD | 24-MAR-89 | MD | MS | 03 | |
| | | | A-A-50823 | FELT SHEET, WOOL, WHITE, SOFT [VALIDATION DATE: 8810] | A | 8305 | MB | MD | 31-OCT-88 | MD | MS | 03 | |
| | | | A-A-50824A | BOTTLE, SPRAY PLASTIC | A | 6530 | MB | MD | 31-JAN-89 | MD | MS | 03 | |
| | | | A-A-50825 | CHAMBER, COUNTING, BLOOD CELLS, HEMACYTOMETER | A | 6630 | * MB | MD | 02-DEC-81 | MD | MS | 03 | |
| | | | A-A-50826 | TRAYS, INSERT, DENTAL INSTRUMENT AND SUPPLIES CABINET, PLASTIC [VALIDATION DATE: 8812] | A | 6520 | MB | MD | 09-DEC-88 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | A-A-50827 | ANTISEPTIC ANESTHETIC SOLUTION, PHENOLATED | A | 6505 | MB | MD | 30-DEC-81 | MD | MS | 03 | |
| | | | A-A-50828 | DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN SYRUP | A | 6505 | MB | MD | 30-DEC-81 | MD | MS | 03 | |
| | | | A-A-50829 | POLYVINYL ALCOHOL OPHTHALMIC SOLUTION | A | 6505 | MB | MD | 30-DEC-81 | MD | MS | 03 | |
| | | | A-A-50830 | ALUMINUM OXIDE SCRUB CLEANSER | A | 6505 | MB | MD | 30-DEC-81 | MD | MS | 03 | |
| | | | A-A-50831 | SLIDE, MICROSCOPE | A | 6640 | MB | MD | 08-JAN-82 | MD | MS | | |
| | | | A-A-50832 | TUBE, FILTERING, DISPOSABLE | A | 6640 | MB | MD | 08-MAR-82 | MD | MS | 03 | |
| | | | A-A-50833A | MIRROR, DIAGNOSTIC HEAD LIGHT, SLOTTED | A | 6515 | MB | MD | 02-JUN-89 | MD | MS | 03 | |
| | | | A-A-50834 | FLASK, ERLENMEYER (GRADUATED) | A | 6640 | MB | MD | 14-MAY-82 | MD | MS | 03 | DM |
| | | | A-A-50836A | BASIN, EMESIS, CORROSION-RESISTING STEEL | A | 6530 | MB | MD | 31-JAN-89 | MD | MS | 03 | |
| | | | A-A-50837 | PULMONARY EXERCISE UNIT, PLASTIC [VALIDATION DATE: 8810] | A | 6530 | MB | MD | 31-OCT-88 | MD | MS | 03 | |
| | | | A-A-50838 | PROMETHAZINE HYDROCHLORIDE, IPECAC FLUIDEXTRACT, AND POTASSIUM GUAIACOLSULFONATE ELIXIR | A | 6505 | MB | MD | 26-JUL-82 | MD | MS | 03 | |
| | | | A-A-50839 | UNDECYLENIC ACID AND ZINC UNDECYLENATE POWDER | A | 6505 | DM | MD | 26-JUL-82 | MD | MS | 03 | |
| | | | A-A-50840A | CARRIAGE, RAIL CORROSION-RESISTING STEEL | A | 6530 | MB | MD | 24-MAR-89 | MD | MS | 03 | |
| | | | A-A-50841A | ENEMA ADMINISTRATION SET | A | 6530 | MB | MD | 29-JUL-88 | MD | MS | 03 | |
| | | | A-A-50843A | FLASHLIGHT, PATIENT, EXAMINING, DISPOSABLE | A | 6230 | MB | MD | 31-MAR-86 | MD | MS | 03 | |
| | | | A-A-50844A | URINAL, MALE PATIENT CORROSION-RESISTING STEEL | A | 6530 | MB | MD | 24-MAR-89 | MD | MS | 03 | |
| | | | A-A-50845 | BENZOYL PEROXIDE GEL, USP | A | 6505 | MB | MD | 10-AUG-82 | MD | MS | 03 | |
| | | | A-A-50846 | IODOCHLORHYDROXYQUIN AND HYDROCORTISONE CREAM | A | 6505 | MB | MD | 10-AUG-82 | MD | MS | 03 | |
| | | | A-A-50847 | SULFUR AND SALICYLIC ACID CAKE | A | 6505 | MB | MD | 10-AUG-82 | MD | MS | 03 | |
| | | | A-A-50848 | THEOPHYLLINE ELIXIR | A | 6505 | MB | MD | 10-AUG-82 | MD | MS | 03 | |
| | | | A-A-50849 | BROMPHENIRAMINE MALEATE, PHENYLEPHRINE HYDROCHLORIDE, AND PHENYLPROPANOLAMINE HYDROCHLORIDE ELIXIR | A | 6505 | MB | MD | 10-AUG-82 | MD | MS | 03 | |
| | | | A-A-50851A | NEBULIZER, MEDICINAL | A | 6515 | * MB | MD | 12-AUG-86 | MD | MS | 03 | |
| | | | A-A-50852A | MICROSCOPE, OPTICAL, BINOCULAR | A | 6550 | MB | MD | 13-DEC-85 | MD | MS | 03 | |
| | | | A-A-50853 | DISH, CULTURE, PETRI, STERILE, PLASTIC, DISPOSABLE | A | 6640 | * MB | MD | 14-OCT-82 | MD | MS | 03 | |
| A | | | A-A-50855A | FINGER COT, SURGICAL, DISPOSABLE | A | 6515 | MB | MD | 30-APR-93 | MD | MS | 03 | |
| | | | A-A-50856 | WATER BATH, ELECTRIC, SEROLOGICAL | A | 6640 | * MB | MD | 29-OCT-82 | MD | MS | 03 | |
| | | | A-A-50857A | CUP, MEDICINE, PLASTIC | A | 6530 | MB | MD | 29-JUL-88 | MD | MS | 03 | |
| | | | A-A-50858A | PERPHENAZINE AND AMITRIPTYLINE HYDROCHLORIDE TABLETS | A | 6505 | MB | MD | 06-JAN-89 | MD | MS | 03 | |
| | | | A-A-50859B | ANTIPYRINE AND BENZOCAINE OTIC SOLUTION, USP | A | 6505 | MB | MD | 15-JUN-90 | MD | MS | 03 | |
| | | | A-A-50860A | CUSHION, RING, INFLATABLE PLASTIC | A | 6530 | MB | MD | 24-MAR-89 | MD | MS | 03 | |
| | | | A-A-50861A | COVERS, DENTAL BRACKET TABLE, PAPER | A | 6520 | MB | MD | 27-OCT-89 | MD | MS | 03 | |
| D | | | A-A-50862A | MIXING SLAB, DENTAL USER: YD1 | A | 6520 | * MB | MD | 12-JUN-85 | MD | MS | 03 | |
| | | | A-A-50863 | URINAL, MALE PATIENT, PLASTIC | A | 6530 | MB | MD | 04-MAR-83 | MD | MS | 03 | |
| | | | A-A-50864 | BEDSPREAD (LIGHTWEIGHT, COTTON, WHITE) [VALIDATION DATE: 8810] | A | 7210 | MB | MD | 31-OCT-88 | MD | MS | 03 | |
| | | | A-A-50865 | MIXING PAD, PARCHMENT PAPER, DENTAL | A | 6520 | MB | MD | 25-FEB-83 | MD | MS | 03 | |
| | | | A-A-50866B | STOOL, REVOLVING | A | 6530 | MB | MD | 30-MAY-89 | MD | MS | 03 | |
| | | | A-A-50867 | PAD, GROUNDING, ELECTROSURGICAL | A | 6515 | MB | MD | 16-DEC-85 | MD | MS | 03 | |
| | | | A-A-50868 | SUPPORT, CERVICAL, MEDIUM SIZE (JAW CUT-OUT) [VALIDATION DATE: 8902] | A | 6515 | MB | MD | 10-FEB-89 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | A-A-50869 | PIPET, SEROLOGICAL (DISPOSABLE, STERILE) | A | 6640 | MB | MD | 01-JUN-83 | MD | MS | 03 | |
| | | | A-A-50870A | COVER, OPERATING TABLE | A | 6530 | MB | MD | 29-JUL-88 | MD | MS | 03 | |
| | | | A-A-50871A | PREVENTIVE DENTISTRY KIT, PATIENT | A | 6520 | MB | MD | 28-JUL-89 | MD | MS | 03 | |
| | | | A-A-50873A | BASSINET AND DRESSING TABLE COMBINATION, HOSPITAL | A | 6530 | MB | MD | 30-MAY-89 | MD | MS | 03 | |
| | | | A-A-50874A | STOOL, STRAIGHT METAL | A | 6530 | MB | MD | 30-MAY-89 | MD | MS | 03 | |
| | | | A-A-50875B | TUBE, BLOOD COLLECTING (VACUUM) | A | 6630 | MB | MD | 05-OCT-90 | MD | MS | 03 | |
| | | | A-A-50876A | BATH, PARAFFIN | A | 6530 | MB | MD | 24-MAR-89 | MD | MS | 03 | |
| | | | A-A-50877A | ELECTRODE, ELECTROSURGICAL APPARATUS | A | 6515 | DM | MD | 29-APR-88 | MD | MS | 03 | |
| | | | A-A-50878A | CUP, SPECIMEN PAPER | A | 6530 | MB | MD | 30-MAY-89 | MD | MS | 03 | |
| | | | A-A-50879A | STERILIZATION TEST STRIP SET, BACTERIAL SPORE | A | 6530 | MB | MD | 30-AUG-91 | MD | MS | 03 | |
| | | | A-A-50880A | TUBING, STERILIZATION | A | 6530 | MB | MD | 30-MAY-89 | MD | MS | 03 | |
| | | | A-A-50881A | PAD, DENTAL RUBBER DAM | A | 6520 | MB | MD | 28-OCT-85 | MD | MS | 03 | |
| | | | A-A-50882B | RAIL, UTILITY, (CORROSION-RESISTING STEEL) | A | 7240 | MB | MD | 15-JUN-90 | MD | MS | 03 | |
| | | | A-A-50883A | BEDPAN | A | 6530 | MB | MD | 31-JAN-89 | MD | MS | 03 | |
| | | | A-A-50884 | ESTROGENS, CONJUGATED, CREAM, VAGINAL | A | 6505 | MB | MD | 21-NOV-85 | MD | MS | 03 | |
| | | | A-A-50885 | SULFUR & POLYOXYETHYLNE LAURYL ETHER CREAM | A | 6505 | MB | MD | 21-NOV-85 | MD | MS | 03 | |
| | | | A-A-50886 | LUBRICANT, OPHTHALMIC | A | 6505 | MB | MD | 16-DEC-85 | MD | MS | 03 | |
| | | | A-A-50887A | LINDANE SHAMPOO, USP | A | 6508 | MB | MD | 23-SEP-86 | MD | MS | 03 | |
| | | | A-A-50888A | EMOLLIENT LOTION | A | 6508 | MB | MD | 29-JUN-90 | MD | MS | 03 | |
| | | | A-A-50889 | GLUCOSE TEST SOLUTION | A | 6505 | MB | MD | 09-OCT-85 | MD | MS | 03 | |
| | | | A-A-50890A | SCREEN, X-RAY PROTECTIVE MOBILE | A | 6525 | MB | MD | 24-MAR-89 | MD | MS | 03 | |
| | | | A-A-50891 | VIBRATOR, DENTAL MOLDING | A | 6520 | MB | MD | 22-AUG-85 | MD | MS | 03 | |
| | | | A-A-50893B | LIGHT, DIAGNOSTIC-EXAMINATION (HAND HELD) | A | 6530 | MB | MD | 15-JUN-90 | MD | MS | 03 | |
| | | | A-A-50894 | INVESTMENT, DENTAL, INLAY | A | 6520 | MB | MD | 03-AUG-83 | MD | MS | 03 | |
| | | | A-A-50895A | DISPENSER, DENTAL X-RAY FILM | A | 6525 | MB | MD | 30-MAY-89 | MD | MS | 03 | |
| | | | A-A-50897A | DESK, FLAT TOP CORROSION-RESISTING STEEL | A | 6530 | MB | MD | 24-MAR-89 | MD | MS | 03 | |
| | | | A-A-50898A | CUP, SOLUTION | A | 6530 | MB | MD | 24-MAR-89 | MD | MS | 03 | |
| | | | A-A-50899 | STERILIZER, DRY HEAT | A | 6530 | MB | MD | 30-DEC-85 | MD | MS | 03 | |
| A | | | A-A-50900A | STERILIZER, SURGICAL INSTRUMENT AND DRESSING | A | 6530 | MB | MD | 15-JAN-93 | MD | MS | 03 | |
| | | | A-A-50902A | HANDLE, ELECTRODE, ELECTROSURGERY | A | 6515 | MB | MD | 29-JUL-88 | MD | MS | 03 | |
| | | | A-A-50904A | MUELLER HINTON MEDIUM, DEHYDRATED | A | 6550 | MB | MD | 17-SEP-86 | MD | MS | 03 | |
| | | | A-A-50905 | TUBE, SUCTION, SURGICAL, STERILE | A | 6515 | MB | MD | 21-JAN-85 | MD | MS | 03 | |
| | | | A-A-50906 | KNIFE, PLASTER | A | 6520 | MB | MD | 08-MAY-85 | MD | MS | 03 | |
| | | | A-A-50907 | PLASTIC STRIP, DENTAL MATRIX (POLYETHYLENE TEREPHTHALATE, CLEAR, 45 FEET) | A | 6520 | MB | MD | 13-MAY-85 | MD | MS | 03 | |
| | | | A-A-50908 | BOWL, PLASTER OF PARIS MIXING | A | 6520 | MB | MD | 14-JUN-85 | MD | MS | 03 | |
| | | | A-A-50909B | TUBES, DRAINAGE, SURGICAL (PENROSE TYPE) | A | 6515 | MB | MD | 05-AUG-91 | MD | MS | 03 | |
| | | | A-A-50910 | HANGER, X-RAY FILM DEVELOPING AND DRYING | A | 6525 | MB | MD | 29-JAN-85 | MD | MS | 03 | |
| | | | A-A-50961A | DOG, LATHE USER: MC SH REVIEWER: 84 GS | A | 3460 | / IP | MD | 19-JUN-89 | AL | | 99 | IP |
| | | | A-A-50962 | FORMING MACHINE, SHEET METAL, SLIP ROLL, HAND OPERATED [VALIDATION DATE: 8906] USER: MC REVIEWER: 84 DH GS | A | 3441 | / IP | MD | 29-JUN-89 | | | 99 | IP |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | A-A-50964A | GRINDING MACHINES, TOOL ATTACHMENT, PRECISION USER: MC SH REVIEWER: 84 GS | A | 3460 | / IP | MD | 29-DEC-89 | AL | | 99 | IP |
| | | | A-A-50965A | HOLDER, CUT-OFF OR SIDE CUTTING BLADE, LATHE USER: MC REVIEWER: 84 GS | A | 3460 | / IP | MD | 29-SEP-89 | AL | | 99 | IP |
| | | | A-A-50966 | CHUCKS, DRILL, AUTOMATIC, TAPER SHANK WITH TANG [VALIDATION DATE: 8906] REVIEWER: 84 GS | A | 3460 | / IP | MD | 29-JUN-89 | | | 99 | IP |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | A-A-50967A | GRINDING MACHINE, BENCH, HAND POWERED USER: GS REVIEWER: 84 | A | 3415 | / IP | MD | 28-FEB-90 | | | 99 | IP |
| | | | A-A-50968 | CHUCKS, DRILL, KEYLESS TYPE, THREE JAW, BALL BEARINGS [VALIDATION DATE: 8906] REVIEWER: 84 GS | A | 3460 | / IP | MD | 29-JUN-89 | | | 99 | IP |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | A-A-50969 | ARBORS, DRILL CHUCK, STRAIGHT SHANK [VALIDATION DATE: 8906] REVIEWER: 84 GS | A | 3460 | / IP | MD | 28-JUN-89 | AL | | 99 | IP |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | A-A-50970 | ARBORS, DRILL CHUCK, TAPER SHANK WITH TANG [VALIDATION DATE: 8906] | A | 3460 | / IP | MD | 28-JUN-89 | | | 99 | IP |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | A-A-50971A | SOLDERING IRON, NON-ELECTRIC (SOLDERING COPPERS) REVIEWER: 84 DH GS | A | 3439 | / IP | MD | 04-JAN-90 | | SH | 99 | IP |
| | | | A-A-50972 | CONDOM, PROPHYLACTIC | A | 6515 | / MB | MD | 05-JUN-85 | MD | MS | 03 | |
| | | | A-A-50973 | WHEEL, ABRASIVE, (SILICON CARBIDE, IMPREGNATED RUBBER, COURSE, SQUARE EDGE) | A | 6520 | / MB | MD | 12-JUN-85 | MD | MS | 03 | |
| D | | | A-A-50974 | METAL FOIL (TIN) USER: YD1 | A | 6520 | / MB | MD | 12-JUN-85 | MD | MS | 03 | |
| | | | A-A-50975 | STIRRER-HOT PLATE, MAGNETIC, LABORATORY | A | 6640 | / MB | MD | 14-JUN-85 | MD | MS | 03 | |

| Action | GPL / QML Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-50976 | HOLDER, RUBBER DAM, DENTAL, (METAL, "U" SHAPED) | A | 6520 / | MB | | 25-JUN-85 | MD | MS | 03 | |
| | | A-A-50977 | HOLDER, RUBBER DAM, DENTAL | A | 6520 / | MB | | 25-JUN-85 | MD | MS | 03 | |
| | | A-A-50978 | TUBE, BIOLOGICAL CULTURE SAMPLING, PLEDGET STYLE, WITH TRANSPORT MEDIA, PLASTIC | A | 6640 / | MB | | 25-AUG-85 | MD | MS | 03 | |
| | | A-A-50979 | BOTTLE, SCREW CAP (PRESCRIPTION) | A | 6530 / | MB | | 01-JUL-85 | MD | MS | 03 | |
| | | A-A-50980 | SLIDE, MICROSCOPE, (FROSTED END, BEVELED EDGE) | A | 6640 / | MB | | 15-JUL-85 | MD | MS | 03 | |
| | | A-A-50981 | CEMENT, ZINC PHOSPHATE, DENTAL | A | 6520 / | MB | | 19-JUL-85 | MD | MS | 03 | |
| | | A-A-50982A | BAG, ICE | A | 6530 / | MB | | 31-JAN-89 | MD | MS | 03 | |
| | | A-A-50983A | BOTTLE, SAFETY CAP, GLASS, LIGHT RESISTANT, LIQUID PRESCRIPTION | A | 6530 / | MB | | 03-SEP-87 | MD | MS | 03 | |
| | | A-A-50984 | BOTTLE DROPPER (PRESCRIPTION) | A | 6530 | MB | | 24-JUL-85 | MD | MS | 03 | |
| | | A-A-50985 | RULER, SURGICAL (CORROSION-RESISTING STEEL) | A | 6515 / | MB | | 29-JUL-85 | MD | MS | 03 | |
| | | A-A-50987 | BAND, COPPER, DENTAL | A | 6520 / | MB | | 02-AUG-85 | MD | MS | 03 | |
| | | A-A-50988 | HOLDER, NAPKIN, DENTAL | A | 6520 / | MB | | 23-AUG-85 | MD | MS | 03 | |
| | | A-A-50989 | TUBE, COILED, BLOOD WARMING, (STERILE) | A | 6515 / | MB | | 03-OCT-85 | MD | MS | 03 | DM |
| | | A-A-50990A | SOUND, URETHRAL, CURVED, VAN-BUREN | A | 6515 / | MB | | 04-OCT-85 | MD | MS | 03 | |
| | | A-A-50991 | PAD, MAGNETIC, SURGICAL INSTRUMENT | A | 6515 / | MB | | 04-OCT-85 | MD | MS | 03 | |
| | | A-A-50992 | OTOSCOPE (BATTERY TYPE) | A | 6515 / | MB | | 03-OCT-85 | MD | MS | 03 | |
| | | A-A-50993 | MIRROR, LARYNGEAL | A | 6515 / | MB | | 04-SEP-85 | MD | MS | 03 | |
| | | A-A-50994B | CATHETER, URETHRAL, (FOLEY-TYPE) | A | 6515 / | MB | | 10-JUL-90 | MD | MS | 03 | |
| | | A-A-50995 | CATHETER, URETHRAL, PLASTIC, DISPOSABLE ROUND TIP, ROBINSON-NELATON TYPE | A | 6515 / | MB | | 04-OCT-85 | MD | MS | 03 | |
| | | A-A-50996 | APPLICATOR, NASAL, LATHBURY | A | 6515 / | MB | | 04-SEP-85 | MD | MS | 03 | |
| | | A-A-50997 | CATHETER & NEEDLE UNIT, INTRAVENOUS, STERILE | A | 6515 / | MB | | 04-SEP-85 | MD | MS | 03 | |
| | | A-A-50999 | CYLINDER, GRADUATED, LABORATORY, POLYPROPYLENE | A | 6640 / | MB | | 14-AUG-85 | MD | MS | 03 | |
| | | A-A-51000 | RACK, TEST TUBE, LABORATORY | A | 6640 / | MB | | 08-AUG-85 | MD | MS | 03 | |
| | | A-A-51001 | CATHETER, CHOLANGIOGRAM, PLASTIC, DISPOSABLE, STERILE | A | 6515 / | MB | | 05-SEP-85 | MD | MS | 03 | |
| | | A-A-51002 | LABEL, PAPER, PRESSURE SENSITIVE ADHESIVE | A | 7530 / | MB | | 03-OCT-85 | MD | MS | 03 | |
| | | A-A-51003 | BRUSH, SCRATCH, DENTAL | A | 6520 / | MB | | 30-AUG-85 | | MS | 03 | DM |
| | | A-A-51004 | GAGE, ENDODONTIC | A | 6520 | MB | | 03-AUG-85 | MD | MS | 03 | |
| | | A-A-51005 | STAND, DISK, DENTAL | A | 6520 / | MB | | 30-AUG-85 | MD | MS | 03 | |
| | | A-A-51006A | CLAY, MODELING (DENTAL) | A | 6520 / | MB | | 25-NOV-85 | MD | MS | 03 | |
| | | A-A-51007 | FLASHLIGHT, SURGICAL | A | 6515 / | MB | | 13-SEP-85 | MD | MS | 03 | |
| | | A-A-51008 | CAUTERY, BATTERY OPERATED | A | 6515 / | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51009 | CAUTERY, OPHTHALMIC, BATTERY OPERATED, LOW TEMPERATURE | A | 6515 / | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51010A | VIEWER, DENTAL RADIOGRAPHIC FILM | A | 6525 / | MB | | 25-OCT-89 | MD | MS | 03 | |
| | | A-A-51011A | SCREEN, X-RAY PROTECTIVE (FRAME MOUNTED, [illegible]) | A | 6525 / | MB | | 25-OCT-89 | MD | MS | 03 | |
| | | A-A-51012A | PAD, HEAT TREATMENT (MOIST HEAT) | A | 6530 / | MB | | 25-OCT-89 | MD | MS | 03 | |
| | | A-A-51013 | SPECIMEN KIT, URINE | A | 6530 / | MB | | 13-SEP-85 | MD | MS | 03 | |
| | | A-A-51014A | BOWLS, SURGICAL SPONGE (PLASTIC) | A | 6530 / | MB | | 17-MAY-92 | MD | MS | 03 | |
| | | A-A-51015 | CUP, SPECIMEN | A | 6530 / | MB | | 20-SEP-85 | MD | MS | 03 | |
| | | A-A-51016 | TRAY, CATHETER | A | 6532 / | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51017 | SPECIMEN KIT, URINE | A | 6530 | MB | | 13-SEP-85 | MD | MS | 03 | |
| | | A-A-51018 | BOTTLE, URINE SPECIMEN & CAP, SNAP ON | A | 6530 | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51019 | ADAPTER, CATHETER TO LUER SYRINGE | A | 6515 / | MB | | 20-SEP-85 | MD | MS | 03 | |
| | | A-A-51020 | APPLICATOR NASAL, FARRELL | A | 6515 / | MD | | 23-SEP-85 | MD | MS | 03 | |
| | | A-A-51021A | PATIENT UTILITY KIT (PLASTIC) | A | 6530 / | MB | | 19-JAN-90 | MD | MS | 03 | |
| | | A-A-51022 | TRAY, MEDICINE | A | 6530 | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51023 | PROTECTOR, DENTURE MODEL, FOAMED PLASTIC, THREE-PIECE | A | 6520 | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51024 | CATHETER, VETERINARY, HORSE, PLASTIC | A | 6515 / | MB | | 20-SEP-85 | MD | MS | 03 | |
| | | A-A-51025 | SWAB, PROCTOSIGMOIDOSCOPIC TIP, (NON-STERILE, SOOS) | A | 6515 | MB | | 03-OCT-85 | MD | MS | 03 | |
| | | A-A-51026 | NEEDLE, SUTURE, VETERINARY, SURGEONS' | A | 6515 / | MB | | 20-SEP-85 | MD | MS | 03 | |
| | | A-A-51027 | BRUSH, FIBER, ROTARY WHEEL (DENTAL) | A | 6520 | MB | | 14-OCT-85 | MD | MS | 03 | |
| | | A-A-51028 | JAR, FORCEPS, | A | 6530 / | MB | | 09-DEC-85 | MD | MS | 03 | |
| | | A-A-51029 | MATTRESS, BED | A | 7210 / | MB | | 10-OCT-85 | MD | MS | 03 | DM |
| A | | A-A-51030B | PULMONARY EXERCISE UNITS | A | 6530 / | MB | | 19-MAR-93 | MD | MS | 03 | |
| | | A-A-51031 | SPECIMEN COLLECTION UNIT, URINE & STOOL | A | 6530 / | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51032 | FORCEPS, CASTING REMOVING, DENTAL | A | 6520 / | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51033 | PAPER, ELECTROCARDIOGRAPH RECORDING | A | 6515 / | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51034 | DISPENSER, SURGICAL DETERGENT | A | 6530 / | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51035 | GUIDE WIRE, CARDIOVASCULAR CATHETER, DISPOSABLE, MOVEABLE CORE | A | 6515 / | MB | | 04-OCT-85 | MD | MS | 03 | |
| | | A-A-51036 | ADAPTER, CATHETER TO LUER SYRINGE, SMALL LUMEN | A | 6515 / | MD | | 20-SEP-85 | MD | MS | 03 | |
| | | A-A-51037 | AMOXAPINE TABLETS | A | 6505 / | MB | | 11-OCT-85 | MD | MS | 03 | |
| | | A-A-51038B | ALPRAZOLAM TABLETS, USP | A | 6505 / | MB | | 11-JUN-87 | MD | MS | 03 | |
| | | A-A-0051038A | ALPRAZOLAM TABLETS, USP | A | 6505 | MB | | 26-SEP-86 | MD | MS | 03 | |
| | | A-A-51039A | ALUMINUM HYDROXIDE GEL AND MAGNESIUM CARBONATE SUSPENSION | A | 6505 / | MB | | 10-AUG-90 | MD | MS | 03 | |
| | | A-A-51040 | ACYCLOVIR OINTMENT | A | 6505 / | MB | | 06-OCT-85 | MD | MS | 03 | DM |
| | | A-A-51041 | ACYCLOVIR SODIUM FOR INJECTION | A | 6505 / | MB | | 04-OCT-85 | MD | MS | 03 | DM |
| | | A-A-51042 | BENZQUINAMIDE HYDROCHLORIDE FOR INJECTION | A | 6505 / | MB | | 04-OCT-85 | MD | MS | 03 | |
| | | A-A-51043A | BRETYLIUM TOSYLATE INJECTION | A | 6505 / | MB | | 17-MAR-89 | MD | MS | 03 | DM |
| | | A-A-51044 | BUTALBITAL, ASPRIN, AND CAFFEINE TABLETS | A | 6505 / | MB | | 04-OCT-85 | MD | MS | 03 | |
| | | A-A-51045 | CHLORDIAZEPOXIDE HYDROCHLORIDE & CLIDINIUM BROMIDE CAPSULES | A | 6505 / | MB | | 04-OCT-85 | MD | MS | 03 | |
| | | A-A-51046A | CIMETIDINE TABLETS, USP | A | 6505 / | MB | | 19-SEP-86 | MD | MS | 03 | |
| | | A-A-51047 | GUANABENZ ACETATE TABLETS | A | 6505 / | MB | | 04-OCT-85 | MD | MS | 03 | DM |
| | | A-A-51048 | LEUCOVORIN CALCIUM TABLETS | A | 6505 / | MB | | 04-OCT-85 | MD | MS | 03 | |
| | | A-A-51049 | CHLORPHENESIN CARBAMATE TABLETS | A | 6505 / | MB | | 04-OCT-85 | MD | MS | 03 | |
| | | A-A-51050 | GUIDE WIRE, CEREBRAL CATHETER | A | 6515 / | MB | | 07-OCT-85 | MD | MS | 03 | |
| | | A-A-51051 | GUIDE WIRE, CARDIOVASCULAR CATHETER, FIXED CORE, HEPARIN COATED | A | 6515 / | MB | | 07-OCT-85 | MD | MS | 03 | |
| | | A-A-51052A | TABLE, OVERBED MOBILE | A | 6530 / | MB | | 30-MAY-89 | MD | MS | 03 | |
| | | A-A-51053 | TUBE, STOMACH, SURGICAL, SILICONE, SALEM, DISPOSABLE | A | 6515 / | MB | | 07-OCT-85 | MD | MS | 03 | |
| | | A-A-51054 | TRIMMER, ANIMAL TOENAIL | A | 6515 / | MB | | 09-OCT-85 | MD | MS | 03 | |
| | | A-A-51057A | STOOL, STRAIGHT CORROSION RESISTING STEEL | A | 6530 / | MB | | 25-OCT-89 | MD | MS | 03 | |
| | | A-A-51058B | WASTE RECEPTACLE, STEP ON TYPE | A | 7240 / | MB | | 26-JUN-87 | MD | MS | 03 | |
| | | A-A-51059 | GRADUATE, LIQUID, LABORATORY, (CORROSION RESISTING) | A | 6640 / | MB | | 09-OCT-85 | MD | MS | 03 | |
| | | A-A-51060 | MALLET, ORAL SURGERY, HAND TYPE, MEAD | A | 6520 / | MB | | 22-OCT-85 | MD | MS | 03 | |
| | | A-A-51061 | BUR, DENTURE TRIMMING (STRAIGHT HANDPIECE, TUNGSTEN CARBIDE) | A | 6520 / | MB | | 21-OCT-85 | MD | MS | 03 | |
| | | A-A-51062A | STERILIZER, SURGICAL INSTRUMENT | A | 6530 / | MB | | 15-JUN-90 | MD | MS | 03 | |
| | | A-A-51063A | CHEMICAL COOLING PAD | A | 6530 / | MB | | 29-APR-88 | MD | MS | 03 | |
| | | A-A-51065 | TUBE, SUCTION, SURGICAL RHOTON MERZ, STRAIGHT TIP | A | 6515 / | MB | | 10-OCT-85 | MD | MS | 03 | |
| | | A-A-51066 | IRRIGATION SET, UROLOGICAL, SINGLE PORT, STERILE, DISPOSABLE | A | 6515 / | MB | | 20-DEC-85 | MD | MS | 03 | |
| | | A-A-51067 | CODEINE PHOSPHATE AND ASPIRIN TABLETS | A | 6505 / | MB | | 26-NOV-85 | MD | MS | 03 | |
| | | A-A-51068 | DANTROLENE SODIUM CAPSULES | A | 6505 / | MB | | 11-OCT-85 | MD | MS | 03 | |
| | | A-A-51069 | NAPHAZOLINE HYDROCHLORIDE AND PHENIRAMINE MALEATE OPHTHALMIC SOLUTION | A | 6505 / | MB | | 11-OCT-85 | MD | MS | 03 | |
| | | A-A-51070A | MASK, SURGICAL | A | 6515 / | MB | | 30-AUG-91 | MD | MS | 03 | |
| | | A-A-51071 | MIRROR, MOUTH EXAMINING, (PLASTIC, PLANE GLASS, DISPOSABLE) | A | 6520 / | MB | | 30-OCT-85 | MD | MS | 03 | |
| | | A-A-51072 | DISH, MEDICAMENT, DENTAL | A | 6520 / | MB | | 16-OCT-85 | MD | MS | 03 | |
| | | A-A-51073 | ROD ASSORTMENT, STIRRING, LABORATORY, GLASS | A | 6640 / | MB | | 28-OCT-86 | MD | MS | 03 | |
| | | A-A-51075B | COVER, X-RAY CASSETTE | A | 6525 | MB | | 26-FEB-88 | MD | MS | 03 | |
| | | A-A-51076 | GLASS TUBING ASSORTMENT | A | 6640 / | MB | | 29-OCT-85 | MD | MS | 03 | |
| | | A-A-51077 | PROBUCOL TABLETS | A | 6505 / | MB | | 21-NOV-85 | MD | MS | 03 | |
| | | A-A-51078 | CODEINE PHOSPHATE AND ACETAMINOPHEN ELIXIR | A | 6505 / | MB | | 21-NOV-85 | MD | MS | 03 | |
| | | A-A-51079 | PROMETHAZINE HYDROCHLORIDE AND CODEINE PHOSPHATE SYRUP | A | 6505 / | MB | | 21-NOV-85 | MD | MS | 03 | |
| | | A-A-51080 | VINCRISTINE SULFATE INJECTION | A | 6505 / | MB | | 21-NOV-85 | MD | MS | 03 | |
| | | A-A-51081 | TRIPROLIDINE & PSEUDOEPHEDRINE HYDROCHLORIDES SYRUP, USP | A | 6505 / | MB | | 15-DEC-85 | MD | MS | 03 | |
| | | A-A-51082 | BAG, TUBE FEEDING STERILE | A | 6515 / | MB | | 06-DEC-85 | MD | MS | 03 | |
| | | A-A-51083 | TRIAMTERENE AND HYDROCHLOROTHIAZIDE CAPSULES | A | 6505 / | MB | | 26-NOV-85 | MD | MS | 03 | |

| Action | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | A-A-51084 | OXYBUTYNIN CHLORIDE TABLETS | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51085 | MORPHINE SULFATE ORAL SOLUTION | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51087 | COAL TAR AND MINERAL OIL, LANOLATED, WATER-DISPERSIBLE, BATH OIL | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51088 | CIMETIDINE HYDROCHLORIDE INJECTION | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51089A | TUBE, STOMACH, SURGICAL (SALEM) | A 6515 / MB | 26-AUG-88 | MD | MS | 03 | |
| | A-A-51090 | ENDOSCOPIC INSTRUMENT, FIBER OPTIC, FLEXIBLE | A 6515 / MB | 25-OCT-85 | MD | MS | 03 | |
| | A-A-51091A | ILLUMINATOR, X-RAY FILM SINGLE, 14 BY 17 INCHES | A 6525 / MB | 30-MAY-89 | MD | MS | 03 | |
| | A-A-51092A | ILLUMINATOR, X-RAY FILM (FOUR SECTION, MOBILE) | A 6525 / MB | 15-JUN-90 | MD | MS | 03 | |
| | A-A-51093A | SAFELIGHT, DARKROOM, RADIOGRAPHIC | A 6525 / MB | 23-NOV-90 | MD | MS | 03 | |
| | A-A-51094A | JAR, SURGICAL DRESSING (GLASS) | A 6530 / MB | 31-JUL-90 | MD | MS | 03 | |
| | A-A-51095 | PINDOLOL TABLETS | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51096 | ALUMINUM ACETATE & ACETIC ACID SOLUTION | A 6505 / MB | 26-DEC-85 | MD | MS | 03 | |
| | A-A-51097 | BOOT, EXERCISER, PHYSICAL THERAPY | A 6530 / MB | 30-OCT-85 | MD | MS | 03 | |
| | A-A-51098 | TRIETHANOLAMINE POLYPEPTIDE OLEATE CONDENSATE SOLUTION, OTIC | A 6505 / MB | 27-DEC-85 | MD | MS | 03 | |
| | A-A-51099 | LORAZEPAM TABLETS | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51100 | NADOLOL TABLETS | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51101B | BEAKER, LABORATORY (BOROSILICATE GLASS) | A 6640 / MB | 13-MAY-91 | MD | MS | 03 | |
| | A-A-51102 | RITODRINE HYDROCHLORIDE INJECTION | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51106 | NITROFURAZONE FOR SOLUTION, VETERINARY | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51107 | DETERGENT, SURGICAL, (4% CHLORHEXIDINE GLUCONATE SOLUTION) | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| D | A-A-0051108A | URINE SUGAR TEST TABLETS USER: YD1 | A MISC / MB | 18-SEP-86 | MD | MS | 03 | |
| | A-A-51109 | FLASK, KJELDAHL, (BOROSILICATE GLASS) | A 6640 / MB | 29-NOV-85 | MD | MS | 03 | |
| | A-A-51110A | FLASHLIGHTS, EYE EXAMINING | A 6515 / MB | 23-NOV-90 | MD | MS | 03 | |
| | A-A-51111 | BANDAGE, GAUZE, (FINE MESH) | A 6510 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51112 | PROPRANOLOL HYDROCHLORIDE AND HYDROCHLOROTHIAZIDE TABLETS | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51113 | PEMOLINE TABLETS | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51114 | VALPROATE SODIUM SYRUP | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51115 | TRACHEOSTOMY KIT, EMERGENCY, STERILE | A 6515 / MB | 15-JAN-86 | MD | MS | 03 | |
| | A-A-51116 | CLAMP, TEST TUBE | A 6640 / MB | 20-NOV-85 | MD | MS | 03 | |
| | A-A-51117 | PLIER, OPTICIANS, ENDPIECE GRIPPING | A 6540 / MB | 12-NOV-85 | MD | MS | 03 | |
| | A-A-51118 | PLIER, OPTICIANS, RIVET & SHIELD BURNISHING | A 6540 / MB | 08-NOV-85 | MD | MS | 03 | |
| | A-A-51119 | PLIER, OPTICIANS,TEMP LE ANGLING | A 6540 / MB | 14-NOV-85 | MD | MS | 03 | |
| | A-A-51120 | PLIER, OPTICIANS, LENS & ALIGNING, 7-1/4 IN. | A 6540 / MB | 20-NOV-85 | MD | MS | 03 | |
| | A-A-51121 | PLIER, OPTICIANS, CHIPPING | A 6540 / MB | 22-NOV-85 | MD | MS | 03 | |
| | A-A-51122 | SINCALIDE FOR INJECTION | A 6505 / MB | 26-NOV-85 | MD | MS | 03 | |
| | A-A-51123A | VISES, MACHINE TABLE BENCH & MACHINE TABLE REVIEWER: 84 GS ME | A 3460 / IP | 27-JAN-88 | AL | | 99 | |
| D | A-A-51124 | ADAPTER, DRILL CHUCK, MOTOR SHAFT [VALIDATION DATE: 8909] USER: YD1 REVIEWER: 84 DH GS | A 3460 / IP | 15-SEP-89 | AL | | 99 | IP |
| | NOTICE 1 | | | | | | | |
| D | A-A-51125B | BLADES, BAND SAW, CARBON STEEL, METAL CUTTING USER: MC REVIEWER: 84 GS YD1 | A 3455 / IP | 09-JAN-91 | AL | | 99 | IP |
| | A-A-51126A | ANODES, CADMIUM USER: OS REVIEWER: 84 GS | A 3426 / IP | 09-FEB-90 | | SH | 99 | IP |
| | A-A-51127A | HOLDER, KNURLING TOOL, LATHE USER: MC REVIEWER: 84 GS | A 3460 / IP | 12-JAN-90 | AL | SH | 99 | IP |
| | A-A-51128A | TORCH KIT, SOLDERING (PROPANE GAS) USER: OS REVIEWER: 84 DH GS | A 3439 / IP | 08-JUN-90 | AL | | 99 | IP |
| D | A-A-51129B | MANDRELS, MACHINE, SOLID REVIEWER: 84 GS | A 3460 / IP | 21-MAY-92 | AL | YD1 | 99 | IP |
| | A-A-51130A | CUTTER BIT BLANKS AND CUT-OFF BLADES REVIEWER: 84 | A 3455 / IP | 03-FEB-90 | AL | SH | 99 | IP |
| | A-A-51131A | TOOL HOLDER, SHAPER EXTENSION USER: MC REVIEWER: 84 GS | A 3460 / IP | 30-JAN-90 | AL | | 99 | IP |
| D | A-A-51132A | SOCKET, STRAIGHT SHANK (TURRET TOOL HOLDER) USER: CG MC REVIEWER: 84 GS | A 3460 / IP | 28-JAN-91 | AL | YD1 | 99 | IP |
| | A-A-51133A | HOLDER, PLANNER AND SHAPER, ADJUSTABLE USER: MC REVIEWER: 84 GS | A 3460 / IP | 30-JAN-90 | AL | SH | 99 | IP |
| D | A-A-51134B | BLADES, BAND SAW, COMPOSITE STEEL, METAL CUTTING, M2 HIGH SPEED STEEL USER: MC SH REVIEWER: 84 GS YD1 | A 3455 / IP | 17-JAN-91 | AL | | 99 | IP |
| | A-A-51135A | HOLE SAWS, HOLE SAW ARBORS, AND HOLE SAW DRIED PLATES [VALIDATION DATE: 9008] USER: MC SH REVIEWER: 84 GS | A 3455 / IP | 15-AUG-90 | AL | | 99 | IP |
| | NOTICE 1 | | | | | | | |
| | A-A-51136A | TOOL HOLDER, THREADING TOOL TYPE, LATHE USER: MC REVIEWER: 84 GS | A 3460 / IP | 23-JAN-90 | AL | SH | 99 | IP |
| | A-A-51137A | TOOL HOLDERS, BORING TOOL AND BORING BAR, LATHE REVIEWER: 84 GS | A 3460 / IP | 05-FEB-90 | AL | | 99 | IP |
| | A-A-51138 | BRAZING AND SOLDERING SET (ACETYLENE GAS) [VALIDATION DATE: 9007] REVIEWER: GS | A 3433 / IP | 18-JUL-90 | AL | | 99 | IP |
| | NOTICE 1 | | | | | | | |
| | A-A-51139A | HOLDER, TURNING TOOL, LATHE USER: MC SH REVIEWER: 84 GS | A 3460 / IP | 31-OCT-84 | AL | | 99 | IP |
| | A-A-51140A | CHUCKS, DRILL, KEY TYPE, THREE-JAW, GEARED REVIEWER: 84 GS | A 3460 / IP | 23-MAR-90 | AL | | 99 | IP |
| | A-A-51141A | PLATE, LAPPING REVIEWER: 84 GS | A 3460 / IP | 14-FEB-90 | AL | SH | 99 | IP |
| | A-A-51142A | ANODES, NICKEL, CARBONIZED USER: OS SH REVIEWER: GS | A 3426 / IP | 09-FEB-90 | | AS | 99 | IP |
| | A-A-51143A | CUTTER BIT (CARBIDE TIP) REVIEWER: 84 GS | A 3455 / IP | 24-JUL-90 | AL | | 99 | IP |
| | A-A-51144 | ANODES, COPPER [VALIDATION DATE: 9012] USER: OS SH REVIEWER: 84 GS | A 3426 / IP | 17-DEC-90 | AR | AS | 99 | IP |
| | NOTICE 1 | | | | | | | |
| | A-A-51145C | FLUX, SOLDERING, NON-ELECTRONIC, PASTE AND LIQUID USER: AT MC REVIEWER: 84 EA GS MI | A 3439 / IP | 30-APR-92 | AL | SH | 99 | IP |
| | A-A-51146A | FILES, ROTARY, CYLINDRICAL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE REVIEWER: 84 GS SH | A 3455 / IP | 06-MAR-89 | AL | | 99 | IP |
| D | A-A-51147A | BLADES, BAND SAW, CARBON STEEL, WOOD CUTTING USER: MC REVIEWER: 84 AL GS YD1 | A 3455 / IP | 08-JAN-91 | ME | SH | 99 | IP |
| | A-A-51148 | BLADES, BAND SAW, CARBON STEEL, MEAT CUTTING [VALIDATION DATE: 9009] REVIEWER: 84 GS MC | A 7320 / IP | 18-SEP-90 | GL | SA | 99 | IP |
| | NOTICE 1 | | | | | | | |
| D | A-A-51149A | CHUCKS, INDEPENDENT TYPE, FOUR-JAW USER: MC YD1 REVIEWER: 84 AS GS | A 3460 / IP | 05-MAR-91 | AL | SH | 99 | IP |
| | A-A-51150A | "V" BLOCKS AND CLAMPS, SINGLE "V" GROOVE REVERSIBLE CLAMPING REVIEWER: 84 GS | A 3460 / IP | 24-SEP-91 | AL | SH | 99 | IP |
| | A-A-51151A | FILES, ROTARY, TREE SHAPE, RADIUS NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE REVIEWER: 84 GS | A 3455 / IP | 26-OCT-90 | AL | SH | 99 | IP |
| | A-A-51152 | FILES, ROTARY, CYLINDRICAL SHAPE, BALL NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE REVIEWER: 84 GS | A 3455 IP | 14-APR-86 | AL | SH | 99 | IP |
| | A-A-51153A | CLEANING SETS, OXYGEN AND ACETYLENE, WELDING AND CUTTING TORCH TIPS REVIEWER: 84 GS | A 3439 / IP | 19-MAR-91 | AL | SH | 99 | IP |
| | A-A-51154 | FILES, ROTARY, BALL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE REVIEWER: 84 GS | A 3455 IP | 06-JUN-86 | AL | SH | 99 | |
| | A-A-51155A | FILES, ROTARY, OVAL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE USER: SH REVIEWER: 84 GS | A 3455 / IP | 16-MAR-89 | AL | | 99 | IP |
| | A-A-51160A | FOLDING MACHINES, SHEET METAL, BAR TYPE, HAND OPERATED, BENCH MOUNTED USER: SH REVIEWER: 84 GS | A 3441 / IP | 12-DEC-91 | | | 99 | IP |
| D | A-A-51161A | HOLDERS, ELECTRODE, SHIELDED METAL, ARC WELDING, POSITIVE GRIP TYPE USER: AS MC YD1 REVIEWER: 84 GS | A 3439 / IP | 04-FEB-92 | AL | SH | 99 | IP |
| | A-A-51162 | FILES, ROTARY, TREE SHAPED, POINTED NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE REVIEWER: 84 GS SH | A 3455 IP | 27-OCT-86 | AL | | 99 | IP |
| | A-A-51163 | FILES, ROTARY, FLAME SHAPE, HIGH SPEED STEELOR TUNGSTEN CARBIDE REVIEWER: 84 AL GS SH | A 3455 / | 27-OCT-86 | | | | |
| D | A-A-51164 | CRIMPING & BEADING MACHINE, SHEET METAL, ROTARY, MANUALLY OPERATED USER: YD1 REVIEWER: 84 GS | A 3441 IP | 04-NOV-86 | AL | | 99 | IP |
| | A-A-51165 | MOISTURE STABILIZER, WELDING ELECTRODE REVIEWER: 84 GS | A 3439 IP | 20-MAR-87 | AL | SH | 99 | |
| | A-A-51166 | FILES, ROTARY, INVERTED CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE REVIEWER: 84 GS | A 3455 IP | 30-APR-87 | AL | SH | 99 | |
| D | A-A-51168 | FORMING MACHINE, DOUBL USER: YD1 REVIEWER: 84 GS | A 3441 IP | 30-JUL-87 | AL | | 99 | |
| D | A-A-51169 | GROOVING MACHINE, SHEET METAL, HAND OPERATED, BENCH MOUNTED REVIEWER: 84 GS YD1 | A 3441 IP | 18-AUG-87 | AL | | 99 | |
| | A-A-51170 | FORMING MACHINE, SETTING DOWN TYPE, MANUALLY OPERATED, BENCH MOUNTED | A 3441 IP | 18-SEP-87 | AL | | 99 | |
| | A-A-51171 | FILES, ROTARY, 60 DEG. CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE | A 3455 IP | 23-SEP-87 | AL | | 99 | |
| | A-A-51172 | FORMING MACHINE, SHEET METAL, ROTARY, MANUALLY OPERATED, BENCH MOUNTED COMBINATION TYPE | A 3441 IP | 18-SEP-87 | AL | | 99 | |
| | A-A-51174 | WHEEL, EXPANDING REVIEWER: 84 GS | A 3460 / IP | 29-DEC-87 | | | 99 | IP |

| Action | Old / Old Combination / Inactive | Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | A-A-51175 | WHEEL, BUFFING (BUFFS), FULL DISC, CLOTH TYPE | A 3460 / IP 28-JUL-88 | AL | | 99 | IP |
| | | A-A-51176 | FILES, ROTARY, TAPERED, CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE TYPE USER: SH REVIEWER: 84 GS | A 3455 / IP 20-MAR-89 | AL | | 99 | IP |
| | | A-A-51177 | ANODES, NICKEL, DEPOLARIZED USER: OS SH REVIEWER: 84 GS | A 3426 / IP 09-FEB-90 | | AS | 99 | IP |
| | | A-A-51178 | ANODES, NICKEL, ELECTRO-REFINED USER: OS SH REVIEWER: 84 GS | A 3426 / IP 07-FEB-90 | | AS | 99 | IP |
| D | | A-A-51179 | GRINDING MACHINES, UTILITY, BENCH AND PEDESTAL USER: MC YD1 REVIEWER: 84 ME | A 3415 / IP 16-APR-90 | AL | SH | 99 | IP |
| D | | A-A-51180 | GRINDING MACHINES, UTILITY, PEDESTAL, COMBINATION WET-DRY USER: MC YD1 REVIEWER: 84 ME | A 3415 / IP 16-APR-90 | AL | SH | 99 | IP |
| D | | A-A-51181 | GRINDING AND BUFFING MACHINES, UTILITY, BENCH AND PEDESTAL USER: MC YD1 REVIEWER: 84 ME | A 3415 / IP 16-APR-90 | AL | SH | 99 | IP |
| | | A-A-51182 | WIRE, WELDING, HARD FACING, COBALT BASE ALLOY REVIEWER: GS | A 3439 / IP 23-APR-90 | AL | SH | 99 | IP |
| D | | A-A-51183 | POWER SOURCE, ARC, DC, CONSTANT CURRENT, FOR SHIELDED METAL ARC WELDING (SMAW) USER: AS MC ME REVIEWER: 84 CG GS YD1 | A 3431 / IP 19-JUN-90 | AL | SH | 99 | IP |
| D | | A-A-51184 | BLADES, BAND SAW, COMPOSITE STEEL, METAL CUTTING, M42 HIGH SPEED STEEL USER: MC SH REVIEWER: 84 GS YD1 | A 3455 / IP 15-JAN-91 | AL | | 99 | IP |
| D | | A-A-51185 | BLADES, BAND SAW, COMPOSITE STEEL, METAL CUTTING, MATRIX HIGH SPEED STEEL USER: MC SH REVIEWER: 84 GS YD1 | A 3455 / IP 09-JAN-91 | AL | | 99 | IP |
| | | A-A-51186 | FILES, ROTARY, TAPERED, 14 DEGREE CONE SHAPE, RADIUS NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE TYPE REVIEWER: 84 GS | A 3455 / IP 26-OCT-90 | AL | SH | 99 | IP |
| D | | A-A-51187A | WELDING TORCHES AND COMPONENT PARTS, GAS TUNGSTEN ARC WELDING (GTAW) USER: MC YD1 REVIEWER: 84 CE GS ME | A 3431 / IP 12-FEB-91 | AL | SH | 99 | IP |
| D | | A-A-51188 | SOCKET, TAPER, EXTENSION REVIEWER: 84 GS | A 3460 / IP 28-JAN-91 | AL | YD1 | 99 | IP |
| D | | A-A-51189 | SOCKET, TAPER, REDUCING SLEEVE REVIEWER: 84 GS | A 3460 / IP 29-JAN-91 | AL | YD1 | 99 | IP |
| D | | A-A-51190 | SOCKET, TAPER, REDUCING SLEEVE (BROWN AND SHARPE TAPERS) REVIEWER: 84 GS | A 3460 / IP 23-JAN-91 | AL | YD1 | 99 | IP |
| D | | A-A-51191 | SOCKET, TAPER, SLEEVE (USE-EM-UP) REVIEWER: 84 GS | A 3460 / IP 29-JAN-91 | AL | YD1 | 99 | IP |
| D | | A-A-51194 | PRESS, "H" FRAME, HYDRAULIC, HAND OPERATED, NON ROLL BED USER: AV ME WV REVIEWER: 84 GS YD1 | A 3444 / IP 15-FEB-91 | AL | SH | 99 | IP |
| | | A-A-51195 | PRESS, ARBOR, "C" FRAME, HYDRAULIC, HAND OPERATED USER: AS AV MC ME WV REVIEWER: 84 GS | A 3444 / IP 19-FEB-91 | AL | SH | 99 | IP |
| | | A-A-51196 | PRESS, ARBOR, MECHANICAL, HAND OPERATED, ELEVATING KNEE USER: AS AV MC ME WV REVIEWER: 84 GS | A 3444 / IP 20-FEB-91 | AL | SH | 99 | IP |
| | | A-A-51197 | PRESS, ARBOR, MECHANICAL, HAND OPERATED, RATCHET LEVERAGE USER: AS AV MC ME WV REVIEWER: 84 GS | A 3444 / IP 20-FEB-91 | AL | SH | 99 | IP |
| D | | A-A-51198 | PRESS, ARBOR, MECHANICAL, HAND OPERATED, COMPOUND LEVERAGE USER: AV ME WV REVIEWER: 84 GS YD1 | A 3444 / IP 19-FEB-91 | AL | SH | 99 | IP |
| D | | A-A-51199 | PRESS, ARBOR, MECHANICAL, HAND OPERATED, SINGLE LEVERAGE USER: AV ME WV REVIEWER: 84 GS YD1 | A 3444 / IP 19-FEB-91 | AL | SH | 99 | IP |
| D | | A-A-51200 | PRESS, "H" FRAME, HYDRAULIC, HAND OPERATED, ROLL BED USER: AV ME WV REVIEWER: 84 GS YD1 | A 3444 / IP 20-FEB-91 | AL | SH | 99 | IP |
| | | A-A-51202 | SALSALATE TABLETS | A 6505 / MB 27-NOV-85 | MD | MS | 03 | |
| | | A-A-51203 | BACLOFEN TABLETS | A 6505 / MB 27-NOV-85 | MD | MS | 03 | |
| | | A-A-51204 | ESTRAMUSTINE PHOSPHATE SODIUM CAPSULES | A 6505 / MB 27-NOV-85 | MD | MS | 03 | |
| | | A-A-51205 | IMIPRAMINE PAMOATE CAPSULES | A 6505 / MB 27-NOV-85 | MD | MS | 03 | |
| | | A-A-51206 | BUR, DENTURE TRIMMING, (HIGH SPEED TOOL STEEL) | A 6520 / DM 20-NOV-85 | MD | MS | 03 | |
| | | A-A-51207 | WEDGE AND WEDGE SET, DENTAL (WOOD) | A 6520 / MB 12-DEC-85 | MD | MS | 03 | |
| | | A-A-51208A | CROMOLYN SODIUM NASAL SOLUTION, USP | A 6505 / MB 19-SEP-86 | MD | MS | 03 | |
| | | A-A-51209 | CHLORPHENIRAMINE MALEATE AND PSEUDOEPHEDRINE HYDROCHLORIDE CAPSULES, SUSTAINED-RELEASE | A 6505 / MB 22-NOV-85 | MD | MS | 03 | |
| | | A-A-51210 | OXYCODONE HYDROCHLORIDE, ASPIRIN, & OXYCODONE TEREPHTHALATE TABLETS | A 6505 / MB 22-NOV-85 | MD | MS | 03 | |
| | | A-A-51211 | STAND, LABORATORY APPARATUS SUPPORT | A 6640 / MB 05-DEC-85 | MD | MS | 03 | |
| | | A-A-51212 | FUNNEL, COMMON, LABORATORY (RIBBED, POLYPROPYLENE) | A 6640 / MB 05-DEC-85 | MD | MS | 03 | |
| | | A-A-51214 | DISPENSER, DENTAL ACRYLIC RESIN | A 6520 / MB 09-DEC-85 | MD | MS | 03 | |
| | | A-A-51215 | BRUSH, DENTURE | A 6520 / MB 20-NOV-85 | MD | MS | 03 | |
| | | A-A-51216 | POLISHING COMPOUND, DENTAL | A 6520 / MB 20-NOV-85 | MD | MS | 03 | |
| | | A-A-51217 | CHART, VISION ACUITY TESTING, ASTIGMATIC DIAL, GREEN | A 6540 / MB 20-NOV-85 | MD | MS | 03 | |
| | | A-A-51219A | STERILIZATION TEST AMPULES, BACTERIAL SPORE | A 6530 MB 30-MAY-86 | MD | MS | 03 | |
| | | A-A-51220 | TROUSERS, PNEUMATIC, ANTI-SHOCK | A 6515 MB 20-NOV-85 | MD | MS | 03 | |
| | | A-A-51221 | PLIER, OPTICIANS, SCREW & RIVET PEENING | A 6540 / MB 22-NOV-85 | MD | MS | 03 | |
| | | A-A-51222 | PLIER, OPTICIANS, SCREW CUTTING | A 6540 / MB 20-NOV-85 | MD | MS | 03 | |
| | | A-A-51223 | PLIER, OPTICIANS, FINGER PIECE, 5 INCH | A 6540 / MB 20-NOV-85 | MD | MS | 03 | |
| | | A-A-51225 | SIMULATOR, ARRHYTHMIA,ECG | A 6910 / MB 09-DEC-85 | MD | MS | 03 | |
| | | A-A-51226 | LINER, SURGICAL SUCTION CANISTER | A 6515 / MB 20-DEC-85 | MD | MS | 03 | |
| | | A-A-51227A | CLIPER: X-RAY TECHNIQUE | A 6525 / MB 23-NOV-90 | MD | MS | 03 | |
| | | A-A-51228 | CHLORPHENIRAMINE MALEATE, ACETAMINOPHEN, AND PHENYLPROPANOLAMINE HYDROCHLORIDE TABLETS | A 6505 / MB 29-NOV-85 | MD | MS | 03 | |
| | | A-A-51229 | SPATULA, BRAIN, DAVIS, MALLEABLE, 7 INCH | A 6515 / MB 10-DEC-85 | MD | MS | 03 | |
| | | A-A-51233 | ADHESIVE TAPE, SURGICAL, ELASTIC | A 6510 / MB 22-DEC-85 | MD | MS | 03 | |
| | | A-A-51237A | BACTERIOLOGICAL SPECIMEN COLLECTION AND TRANSPORTATION SYSTEM (ANAEROBIC BACTERIA, COLLECTING AND TRANSPORTING) USER: 85 REVIEWER: GS | A 6550 / MB 18-SEP-89 | MD | MS | 03 | |
| | | A-A-51239 | HOOK, SKIN, KLEINERT KURTZ, SHARP POINT, MEDIUM | A 6515 / MB 17-DEC-85 | MD | MS | 03 | |
| | | A-A-51240 | WRIGHT'S STAIN | A 6505 / MB 29-NOV-85 | MD | MS | 03 | |
| | | A-A-51241 | OXYCODONE HYDROCHLORIDE & ACETAMINOPEN TABLETS | A 6505 / MB 01-AUG-86 | MD | MS | 03 | |
| | | A-A-51242 | BURNER, GAS, LABORATORY, (BUNSEN, AUTOMATIC) | A 6640 / MB 22-NOV-85 | MD | MS | 03 | |
| | | A-A-51246 | BURET, LABORATORY, (STRAIGHT, AUTOMATIC 50 ML) | A 6640 / MB 21-JAN-86 | MD | MS | 03 | |
| | | A-A-51247 | BURET, LABORATORY (MICRO) | A 6640 / MB 06-DEC-86 | MD | MS | 03 | |
| | | A-A-51248 | BURET, LABORATORY, (STRAIGHT) | A 6640 / MB 05-DEC-85 | MD | MS | 03 | |
| | | A-A-51249B | CASSETTE, RADIOGRAPHIC FILM | A 6525 / MB 29-JUL-88 | MD | MS | 03 | |
| | | A-A-51250 | BOTTLE, WEIGHTED | A 6640 / MB 25-NOV-86 | MD | MS | 03 | |
| | | A-A-51251 | OINTMENT BASE | A 6505 / MB 16-DEC-85 | MD | MS | 03 | |
| A | | A-A-51253 | MINERAL OIL LOTION, LANOLATED | A 6505 / MB 01-AUG-86 | MD | MS | 03 | |
| | | A-A-51254 | GAUZE, ABSORBENT, IODOFORM IMPREGNATED | A 6510 / MB 17-DEC-85 | MD | MS | 03 | |
| | | A-A-51255 | ADHESIVE PAD, COLOSTOMY-ILEOSTOMY-TRACHEOSTOMY | A 6510 / MB 19-DEC-85 | MD | MS | 03 | |
| | | A-A-51257 | SPONGE, SURGICAL, GAUZE, TONSIL | A 6510 / MB 22-DEC-85 | MD | MS | 03 | |
| | | A-A-51258A | TUBE, CAPILLARY, BLOOD SAMPLE | A 6630 / MB 03-AUG-87 | MD | MS | 03 | |
| | | A-A-51261 | HANDGRIP COVER, CRUTCH | A 6515 / MB 20-DEC-85 | MD | MS | 03 | |
| | | A-A-51262 | QUINIDINE POLYGALACTURONATE TABLETS | A 6505 / MB 12-DEC-85 | MD | MS | 03 | |
| | | A-A-51264B | SURGICAL PACK, GOWN AND TOWEL | A 6532 / MB 30-MAY-89 | MD | MS | 03 | |
| | | A-A-51265 | STONE, SHARPENING | A 6520 / MB 09-DEC-85 | MD | MS | 03 | |
| | | A-A-51266 | IMPRESSION MATERIAL, DENTAL (CARTRIDGE FORM, HYDROCOLLOID, AGAR TYPE) | A 6520 / MB 09-DEC-85 | MD | MS | 03 | |
| | | A-A-51267A | SURGICAL PACK DISPOSABLE | A 6530 MB 19-SEP-86 | MD | MS | 03 | |
| | | A-A-51268 | TAB, DENTAL BITEWING | A 6525 / MB 09-DEC-85 | MD | MS | 03 | |
| | | A-A-51269 | JAR, SURGICAL NEEDLE | A 6530 / MB 09-DEC-85 | MD | MS | 03 | |
| | | A-A-51270 | TAPE, MEASURING, SURGICAL | A 6515 / MB 11-DEC-85 | MD | MS | 03 | |
| | | A-A-51271 | COVER GLASS, MICROSCOPE SLIDE | A 6640 / MB 10-DEC-85 | MD | MS | 03 | |
| | | A-A-51273 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 24 GAUGE CATHETER, RADIOPAQUE, DISPOSABLE, 50S | A 6515 / MB 09-DEC-85 | MD | MS | 03 | |
| | | A-A-51275 | HANGER, X RAY FILM | A 6525 / MB 09-DEC-85 | MD | MS | 03 | |
| | | A-A-51276A | STRETCHER, AMBULANCE | A 6530 / MB 25-OCT-89 | MD | MS | 03 | |
| | | A-A-51279 | CURETTE, SUCTION, UTERINE, STERILE | A 6515 / MB 24-FEB-86 | MD | MS | 03 | |
| | | A-A-51280A | NEUROSURGICAL HEADREST SYSTEM | A 6530 / MB 17-JUN-88 | MD | MS | 03 | |
| A | | A-A-51281A | TAPE, SEALING, STERILIZATION INDICATOR (GAS) | A 6530 / MB 19-MAR-93 | MD | MS | 03 | |
| | | A-A-51282 | PAD, HOSPITAL STRETCHER | A 6530 / MB 09-DEC-85 | MD | MS | 03 | |
| | | A-A-51283 | GAGE, THICKNESS, DIAL INDICATING | A 6640 / MB 19-DEC-86 | MD | MS | 03 | |

| Action | Doc. Number | Document Title | Dist. SIMA / FSC / Area / NICA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | A-A-51285 | WHEEL, ABRASIVE, (DENTAL) | A 6520 / MB | 18-DEC-85 | MD | MS | 03 | |
| | A-A-51286 | WEDGE SET, DENTAL, (WOOD) | A 6520 / MB | 18-DEC-85 | MD | MS | 03 | |
| | A-A-51287 | PROP, MOUTH, DENTAL, RUBBER | A 6520 / MB | 18-DEC-85 | MD | MS | 03 | |
| | A-A-51288 | MAGNIFIER, DENTAL OPERATING | A 6520 / MB | 18-DEC-85 | MD | MS | 03 | |
| | A-A-51289 | MAGNIFIER, (DENTAL LABORATORY) | A 6520 MB | 18-DEC-85 | MD | MS | 03 | |
| | A-A-51290 | CLOTH, SQUEEZE, DENTAL | A 6520 / DM | 18-DEC-85 | MD | MS | 03 | |
| | A-A-51291 | WAX, DENTAL (UTILITY) | A 6520 / MB | 23-DEC-85 | MD | MS | 03 | |
| | A-A-51292 | RULE, ANATOMICAL | A 6525 MB | 12-DEC-85 | MD | MS | 03 | |
| | A-A-51293 | CART, MEDICINE | A 6530 / MB | 12-DEC-85 | MD | MS | 03 | |
| | A-A-51294A | BAG, HOT WATER-ICE | A 6530 / MB | 31-JAN-89 | MD | MS | 03 | |
| | A-A-51295 | TUBING, STERILIZATION | A 6530 / MB | 12-DEC-85 | MD | MS | 03 | |
| | A-A-51296 | WAX, DENTAL (BOXING) | A 6520 / MB | 18-DEC-85 | MD | MS | 03 | DM |
| | A-A-51297 | WIRE, NONELECTRICAL (CORROSION-RESISTING STEEL) | A 6520 MB | 18-DEC-85 | MD | MS | 03 | |
| | A-A-51298 | FLASK, BOILING, FLORENCE | A 6640 / MB | 28-JAN-86 | MD | MS | 03 | |
| | A-A-51300A | MICROTOME, ROTARY, AUTOMATIC | A 6640 / MB | 04-JUN-90 | MD | MS | 03 | |
| | A-A-51301A | FOOTWEAR COVERS, OPERATING ROOM (DISPOSABLE) | A 6532 / MB | 24-JAN-92 | MD | MS | 03 | |
| | A-A-51302 | CATHETER AND NEEDLE UNIT, INTRAVENOUS 16 GAGE CATHETER, 5-1/4 INCHES LONG, 50S | A 6515 / MB | 19-DEC-85 | MD | MS | 03 | |
| | A-A-51303 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 16 GAGE CATHETER, 8 INCHES LONG, 50S | A 6515 / MB | 19-DEC-85 | MD | MS | 03 | |
| | A-A-51304A | CHEST, X-RAY FILM PROTECTIVE (STEEL) | A 6525 / MB | 14-FEB-91 | MD | MS | 03 | |
| | A-A-51305A | MATTRESS, STRETCHER (AMBULANCE) | A 6530 / MB | 19-JAN-90 | MD | MS | 03 | |
| | A-A-51306 | TUBE, SERUM SHIPPING AND STORING, (NARROW MOUTH, ROUND, TRANSLUCENT) | A 6640 / MB | 20-DEC-85 | MD | MS | 03 | |
| | A-A-51307 | DISH, CULTURE, PETRI | A 6540 / MB | 20-DEC-85 | MD | MS | 03 | |
| | A-A-51308 | SPLINT, ARM AND SPLINT, LEG (PNEUMATIC) | A 6515 MB | 12-MAR-86 | MD | MS | 03 | |
| | A-A-51310B | IMPRESSION MATERIAL, DENTAL (MODELING COMPOUND) | A 6520 / MB | 15-MAY-92 | MD | MS | 03 | |
| | A-A-51311 | WHEEL, ABRASIVE, IMPREGNATED RUBBER, PUMICE | A 6520 / MB | 30-DEC-85 | MD | MS | 03 | |
| | A-A-51312 | WHEEL SET, ABRASIVE (RUBBER, STRAIGHT HANDPIECE | A 6520 / MB | 30-DEC-85 | MD | MS | 03 | |
| D | A-A-51313 | MASK, ORONASAL USER: YD1 | A 6515 MB | 17-MAR-86 | MD | MS | 03 | |
| | A-A-51314 | LIGHT, BED, HOSPITAL | A 6230 / MB | 26-DEC-85 | MD | MS | 03 | |
| | A-A-51315 | MANIKIN, CARDIOPULMONARY RESUSCITATION TRAINING (HEAD AND TORSO) | A 6530 / MB | 27-DEC-85 | MD | MS | 03 | |
| | A-A-51316 | OPHTHALMOSCOPE, RETINOSCOPE AND TRANSILLUMINATOR SET | A 6540 / MB | 20-DEC-85 | MD | MS | 03 | |
| | A-A-51317 | EDGER, HAND, OPHTHAMIC LENS | A 6540 / MB | 26-DEC-85 | MD | MS | 03 | |
| | A-A-51318 | MEASURE, LENS, OPHTHALMIC | A 6540 / MB | 18-DEC-85 | MD | MS | 03 | |
| | A-A-51319 | PAD, CONTAMINATION CONTROL MAT | A 6530 / MB | 27-DEC-85 | MD | MS | 03 | |
| | A-A-51320 | ELECTRODE, ELECTROCARDIOGRAPH | A 6515 / MB | 27-DEC-85 | MD | MS | 03 | |
| | A-A-51321A | FOOTPRINTER, INFANT IDENTIFICATION (DISPOSABLE) | A 6530 / MB | 31-JUL-90 | MD | MS | 03 | |
| | A-A-51327 | CONNECTOR, SURGICAL TUBING STRAIGHT, PLASTIC | A 6515 / MB | 31-DEC-85 | MD | MS | 03 | |
| | A-A-51328 | COMMERCIAL ITEM DESCRIPTION CANNULA, LARYNEGAL | A 6515 / MB | 21-FEB-86 | MD | MS | 03 | |
| | A-A-51330 | BLOOD PLATELET ADMINISTRATION-POOLING SET | A 6515 MB | 14-MAR-86 | MD | MS | 03 | |
| | A-A-51331 | PHOROPTER, ADDITIVE TYPE | A 6540 | 14-JAN-86 | MD | MS | 03 | |
| | A-A-51332 | FRAME, OPHTHALMIC,TRIAL LENS SET | A 6540 MB | 28-FEB-86 | MD | MS | 03 | |
| | A-A-51336 | TIP, PIPET, PLASTIC, DISPOSABLE | A 6640 / MB | 28-JAN-86 | MD | MS | 03 | |
| | A-A-51337 | GAGE SET, OPHTHALMIC LENS GRINDING TOOLS, METAL | A 6540 / MB | 27-JAN-86 | MD | MS | 03 | |
| | A-A-51340A | IRRIGATOR (CORROSION-RESISTING STEEL) | A 6530 / MB | 30-MAR-90 | MD | MS | 03 | |
| | A-A-51341 | LABEL, X-RAY FILM IDENTIFICATION | A 6525 / MB | 31-JAN-86 | MD | MS | 03 | |
| | A-A-51342 | SHAKING MACHINE, LABORATORY, (BLOOD COLLECTING TUBE) | A 6640 / MB | 31-JAN-86 | MD | MS | 03 | |
| | A-A-51343 | SURGICAL PACK, LOWER EXTREMITY | A 6530 / MB | 14-FEB-86 | MD | MS | 03 | |
| | A-A-51344B | GRADUATE, LIQUID, LABORATORY | A 6640 / MB | 11-FEB-92 | MD | MS | 03 | |
| | A-A-51345 | LARYNGEAL STENTS, SILICONE RUBBER | A 6515 / MB | 07-FEB-86 | MD | MS | 03 | |
| | A-A-51346 | CONNECTOR, ELASTIC TUBING | A 6515 / MB | 30-JUL-86 | MD | MS | 03 | |
| | A-A-51348A | CONNECTOR, ELASTIC TUBING, BRANCHED, PLASTIC, T-SHAPED | A 6515 / MB | 20-MAR-92 | MD | MS | 03 | |
| | A-A-51349 | LUBRICANT, DENTAL HANDPIECE | A 6520 MB | 12-FEB-86 | MD | MS | 03 | |
| | A-A-51350 | SHIELD, GONADAL, X-RAY PROTECTIVE | A 6525 / MB | 21-FEB-86 | MD | MS | 03 | |
| | A-A-51351 | CENTRIFUGE, LABORATORY (MICROHEMATOCRIT, BATTERY POWERED) | A 6640 / MB | 28-FEB-86 | MD | MS | 03 | |
| | A-A-51353 | KNIFE-CURETTE, EAR (SHEEHY-HOUSE) | A 6515 / MB | 12-SEP-86 | MD | MS | 03 | |
| | A-A-51354 | BEDPAN | A 6530 MB | 14-MAR-86 | MD | MS | 03 | |
| | A-A-51355B | STRETCHER, HOSPITAL (WHEELED) | A 6530 / MB | 24-DEC-91 | MD | MS | 03 | |
| | A-A-51356 | BATTERY SUPPORT SYSTEM | A 6625 MB | 07-MAR-86 | | MS | | |
| | A-A-51357A | ADHESIVE TAPE, SURGICAL, (PERFORATED) | A 6510 / MB | 25-JUN-90 | MD | MS | 03 | |
| | A-A-51358 | TONGS, LABORATORY | A 6640 / MB | 28-APR-86 | MD | MS | 03 | |
| | A-A-51360A | FLASK, VOLUMETRIC (BOROSILICATE GLASS) | A 6640 / MB | 30-AUG-91 | MD | MS | 03 | |
| | A-A-51361A | SURGICAL PACK, GOWN AND TOWEL | A 6532 / MB | 17-MAY-92 | MD | MS | 03 | |
| | A-A-51362A | BATH, WHIRLPOOL ARM | A 6530 / MB | 24-MAR-89 | MD | MS | 03 | |
| A | A-A-51363A | DRAIN, SURGICAL, RUBBER, T-TYPE, STERILE | A 6515 / MB | 15-JUN-92 | MD | MS | 03 | |
| | A-A-51365A | CANNULA, EAR (HOUSE, SUCTION-IRRIGATOR) | A 6515 MB | 22-SEP-87 | MD | MS | 03 | |
| | A-A-51366 | SUCTION APPARATUS, SURGICAL | A 6515 MB | 31-MAR-86 | MD | MS | 03 | |
| | A-A-51367 | DEMINERALIZER, WATER, ION EXCHANGE | A 4610 / MB | 14-MAR-86 | MD | MS | 03 | |
| | A-A-51369A | PROBE, GENERAL OPERATING | A 6515 / MB | 25-NOV-91 | MD | MS | 03 | |
| A | A-A-51370C | DRAPES, SURGICAL (SELF-ADHERING) | A 6530 / MB | 25-JAN-93 | MD | MS | 03 | |
| | A-A-51371 | RESUSCIATOR AND ASPIRATOR | A 6515 MB | 31-MAR-86 | MD | MS | 03 | |
| | A-A-51373A | GOWN OPERATING, SURGICAL | A 6532 / MB | 22-AUG-86 | MD | MS | 03 | |
| | A-A-51376 | GUIDE, WIRE STRUT (V SHAPE, HOUSE) | A 6515 / MB | 08-JUL-86 | MD | MS | 03 | |
| | A-A-51378A | CEFTRIAXONE SODIUM FOR INJECTION | A 6505 MB | 10-AUG-87 | MD | MS | 03 | |
| | A-A-0051378 | CEFTRIAXONE SODIUM FOR INJECTION | A 6505 / MB | 01-APR-86 | MD | MS | 03 | |
| | A-A-51379A | CHLORTHALIDONE TABLETS, USP | A 6505 / MB | 18-SEP-86 | MD | MS | 03 | |
| | A-A-51381A | MAGALDRATE ORAL SUSPENSION, USP | A 6505 / MB | 11-SEP-86 | MD | MS | 03 | |
| | A-A-51382A | STERILIZER, SURGICAL INSTRUMENT | A 6530 / MB | 28-NOV-86 | MD | MS | 03 | |
| | A-A-51383A | NEISSERIA ENRICHMENT MEDIA, DEHYDRATED | A MISC / MB | 19-SEP-86 | MD | MS | 03 | |
| | A-A-51384B | NAFCILLIN SODIUM FOR INJECTION, USP | A 6505 / MB | 13-JUN-90 | MD | MS | 03 | |
| | A-A-51385 | CONNECTOR, CANNULA, HEMODIALYSIS | A 6515 MB | 09-APR-86 | MD | MS | 03 | |
| | A-A-51386 | CANNULA, HEMODIALYSIS | A 6515 MB | 10-APR-86 | MD | MS | 03 | |
| | A-A-51387A | POVIDONE-IODINE TOPICAL SOLUTION, USP | A 6505 MB | 21-JUL-87 | MD | MS | 03 | |
| | A-A-51388A | MENOTROPINS FOR INJECTION, USP | A 6505 / MB | 02-APR-86 | MD | MS | 03 | |
| | A-A-51389A | STOCKINET, SURGICAL (NYLON), 2 INCH BY 25 YARDS | A 6510 / MB | 01-APR-88 | MD | MS | 03 | |
| | A-A-51390A | WIRE, ELECTRODE, PATIENT | A 6515 / MB | 22-AUG-86 | MD | MS | 03 | |
| | A-A-51391A | SPONGE, SURGICAL, (GAUZE, RADIOPAQUE, PRECOUNTED, IN TRAYS) | A 6510 / MB | 16-JUN-89 | MD | MS | 03 | |
| | A-A-51393A | DRESSING, BURN | A 6510 MB | 11-SEP-87 | MD | MS | 03 | |
| | A-A-51394A | BANDAGE, GAUZE (TWO-PLY) | A 6510 / MB | 01-JUN-88 | MD | MS | 03 | |
| | A-A-51395A | OATMEAL, COLLOIDAL CONCENTRATE | A 6505 / MB | 11-SEP-86 | MD | MS | 03 | |
| | A-A-51396A | CONTROL URINE CHEMISTRY, NORMAL | A MISC / MB | 17-SEP-86 | MD | MS | 03 | |
| | A-A-51397 | TUBING, SURGICAL PLASTIC, 3/16 INCH INSIDE DIAMETER | A 6515 MB | 11-APR-86 | MD | MS | 03 | |
| | A-A-51398 | BOUGIE, URETHRAL, OTIS | A 6515 MB | 14-APR-86 | MD | MS | 03 | |
| | A-A-51399A | THEOPHYLLINE CAPSULES, MODIFIED | A 6505 / MB | 19-SEP-86 | MD | MS | 03 | |
| | A-A-51401A | NORGESTREL & ETHINYL ESTRADIOL TABLETS, USP | A 6505 / MB | 16-SEP-86 | MD | MS | 03 | |
| | A-A-51402A | PENTOXIFYLLINE TABLETS, (SUSTAINED RELEASE) | A 6505 / MB | 16-SEP-86 | MD | MS | 03 | |
| | A-A-51403A | POTASSIUM CHLORIDE EXTENDED-RELEASE TABLETS, USP | A 6505 / MB | 15-SEP-86 | MD | MS | 03 | |
| | A-A-51405A | SPONGE, SURGICAL (NONWOVEN, RAYON, PATTIE, RADIOPAQUE) | A 6510 / MB | 15-JUL-88 | MD | MS | 03 | |
| | A-A-0051405 | SPONGE, SURGICAL, NONWOVEN, RAYON, PATTIE, RADIOPAQUE | A 6510 / MB | 07-APR-86 | MD | MS | 03 | |
| | A-A-51406A | ISOSORBIDE DINITRATE CAPSULES, (SUSTAINED-RELEASE) | A 6505 / MB | 09-SEP-86 | MD | MS | 03 | |
| | A-A-51407A | BISACODYL SUPPOSITORIES, USP | A 6505 / MB | 16-SEP-86 | MD | MS | 03 | |
| | A-A-51408 | TUBE, COLON, SURGICAL (DISPOSABLE) | A 6515 / MB | 15-APR-86 | MD | MS | 03 | |
| | A-A-51409 | TUBE, DRAINAGE, SURGICAL, THORACIC | A 6515 MB | 16-APR-86 | MD | MS | 03 | |
| | A-A-51410 | SUTURE, NONABSORBABLE, SURGICAL POLYPROPYLENE, MONOFILAMENT, SINGLE ARMED | A 6515 MB | 16-APR-86 | MD | MS | 03 | |

| Action Opt. / Qlty. Coordination Inactive | Document Number | Document Title | Doc. Stmt. FSC / Area NICA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | A-A-51412 | ANOSCOPE, FANSLER, 6 CM | A 6515 | MB | 08-MAY-86 | MD | MS | 03 | |
| D | A-A-51413 | ANOSCOPE, HIRSCHMAN | A 6515 | YD1 | 08-MAY-86 | MD | YD1 | 03 | |
| | A-A-51414 | CANNULA, BRAIN, HAYNES, 13 GAGE | A 6515 | MB | 17-APR-86 | MD | MS | 03 | |
| | A-A-51417A | DEXTRANOMER BEADS | A 6505 | MB | 01-JUL-87 | MD | MS | 03 | |
| | A-A-51418A | PREDNISOLONE SODIUM SUCCINATE, STERILE, VETERINARY | A 6505 / | MB | 16-SEP-86 | MD | MS | 03 | |
| | A-A-51419A | CEFTIZOXIME SODIUM, STERILE, USP | A 6505 / | MB | 11-SEP-86 | MD | MS | 03 | |
| | A-A-51420 | CENTRIFUGE, LABORATORY | A 6640 / | MB | 18-APR-86 | EA | MS | 99 | |
| | A-A-51421A | FLUOROMETHOLONE OPHTHALMIC SUSPENSION, USP | A 6505 / | MB | 16-SEP-86 | MD | MS | 03 | |
| | A-A-51422A | CALCITONIN-SALMON INJECTION | A 6505 / | MB | 09-SEP-86 | MD | MS | 03 | |
| | A-A-51424B | COVER, SURGICAL INSTRUMENT STAND | A 6530 / | MB | 24-NOV-89 | MD | MS | 03 | |
| | A-A-51425A | BRUSH-SPONGE, SURGICAL SCRUB | A 6530 / | MB | 19-SEP-86 | MD | MS | 03 | |
| | A-A-51427A | POTASSUIN CHLORIDE INJECTION, USP | A 6505 / | MB | 16-SEP-86 | MD | MS | 03 | |
| | A-A-51429 | CALIPER, WAX THICKNESS MEASURING, DENTAL | A 6520 / | MB | 12-MAY-86 | MD | MS | 03 | |
| | A-A-51430 | SPLINT SET, ARCH WIRE,DENTAL AND BAND, LIGATURE, DENTAL | A 6520 | MB | 20-MAY-86 | MD | MS | 03 | |
| | A-A-51431 | BLOWTORCH, ALCOHOL | A 6520 / | MB | 08-MAY-86 | MD | MS | 03 | |
| | A-A-51432A | BENZOYLE PEROXIDE CLEANSING LIQUID | A 6505 / | MB | 23-SEP-86 | MD | MS | 03 | |
| | A-A-51433A | HYDROCORTISONE VALERATE OINTMENT | A 6505 / | MB | 16-SEP-86 | MD | MS | 03 | |
| | A-A-51434 | BLOCKER SET, X-RAY FILM IDENTIFICATION | A 6525 | MB | 30-MAY-86 | MD | MS | 03 | |
| | A-A-51435 | BAG, URINE COLLECTION, PEDIATRIC | A 6530 | MB | 20-MAY-86 | MD | MS | 03 | |
| | A-A-51436 | LIDOCAINE HYDROCHLORIDE INJECTION, USP | A 6505 | MB | 25-MAR-87 | MD | MS | 03 | |
| | A-A-51438A | DRAINAGE UNIT, PLEURAL CAVITY (3 CHAMBER) | A 6515 / | MB | 31-JUL-90 | MD | MS | 03 | |
| D | A-A-51439 | TUBING, SURGICAL (PLASTIC) | A 6515 | YD1 | 09-MAY-86 | | YD1 | 03 | DM |
| | A-A-51442A | ASPIRIN, ALUMINUM HYDROXIDE GEL, DRIED, AND MAGNESIUM HYDROXIDE TABLETS, USP | A 6505 / | MB | 29-DEC-89 | MD | MS | 03 | |
| | A-A-51443A | ASPIRIN ALUMINUM HYDROXIDE GEL, DRIED, & MAGNESION OXIDE TABLETS | A 6505 / | MB | 11-SEP-86 | MD | MS | 03 | |
| | A-A-51444A | POVIDONE-IODINE OINTMENT, USP | A 6505 | MB | 21-JUL-87 | MD | MS | 03 | |
| | A-A-0051444 | POVIDONE-IODINE OINTMENT, USP, 10% | A 6505 / | MB | 06-MAY-86 | MD | MS | 03 | |
| D | A-A-51445 | KIT, DISPOSABLE, LENSECTOMY | A 6515 | YD1 | 12-MAY-86 | | YD1 | 03 | DM |
| | A-A-51446 | TUBE, DRAINAGE, SURGICAL (PENROSE) | A 6515 | MB | 12-MAY-86 | | MS | 03 | DM |
| | A-A-51447 | STRETCHER,(VETERINARY) | A 3770 | MB | 30-MAY-86 | MD | MS | 03 | |
| | A-A-51448A | TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING ANGULAR-TOP | A 6530 / | MB | 30-MAY-89 | MD | MS | 03 | |
| | A-A-51449A | TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING STRAIGHT-TOP | A 6530 / | MB | 24-MAR-89 | MD | MS | 03 | |
| | A-A-51450A | METAPROTERENOL SULFATEINHALATION SOLUTION, USP | A 6505 | MB | 10-AUG-87 | MD | MS | 03 | |
| | A-A-51451A | CLOTRIMAZOLE TOPICAL SOLUTION, USP | A 6505 / | MB | 11-SEP-86 | MD | MS | 03 | |
| | A-A-51452A | SUPPORT, KNEE | A 6515 / | MB | 22-AUG-86 | MD | MS | 03 | |
| | A-A-51453A | KETOCONAZOLE TABLETS, USP | A 6505 / | MB | 11-SEP-86 | MD | MS | 03 | |
| | A-A-51454A | STOCKINET, SURGICAL, COTTON (6 INCHES BY 48 INCHES, ROLLED AND SEWN) | A 6510 / | MB | 13-MAR-89 | MD | MS | 03 | |
| | A-A-51455 | TUBE, DRAINAGE, SURGICAL, THORACIC, PLASTIC, RADIOPAQUE, STRAIGHT,DISPOSABLE, 28 FR, 10 S | A 6515 | MB | 20-MAY-86 | MD | MS | 03 | |
| | A-A-51456A | TUBE, CENTRIFUGE | A 6640 | MB | 07-MAR-88 | MD | MS | 03 | |
| | A-A-51458A | CHLORZOXAZONE & ACETAMINOPHEN TABLETS, USP | A 6505 | MB | 11-JUN-87 | MD | MS | 03 | |
| | A-A-51460 | WHEEL, ABRASIVE, (ALUMINUM OXIDE, MANDREL MOUNTED) | A 6520 / | MB | 23-JUN-86 | MD | MS | 03 | |
| | A-A-51461B | TEST KIT, TEST STRIPS AND COLOR CHART, ANTIFREEZE, FREEZE POINT AND CORROSION REVIEWER: DM | A 6630 / | ME | 30-JAN-89 | ME | MS | 99 | |
| | A-A-0051461 | FORM, PRINTED, MINNESOTA MULTIPHASIC PERSONALITY INVENTORY | A 6515 / | MB | 03-SEP-86 | MD | MS | 03 | |
| | A-A-51462A | SULFACETAMIDE SODIUM AND PREDNISOLONE ACETATE OPHTHALMIC SUSPENSION | A 6505 / | MB | 15-NOV-91 | MD | MS | 03 | |
| | A-A-51463 | SUCTION SET, TRACHEAL | A 6515 | MB | 06-JUN-86 | MD | MS | 03 | |
| | A-A-51464 | RESERVOIR, SUCTION, CKSON-PRATT, SILICONE | A 6515 | MB | 09-JUN-86 | MD | MS | 03 | |
| | A-A-51466A | BAG, BIOHAZARD DISPOSAL REVIEWER: SS TS | A 6530 / | MB | 29-APR-88 | MD | MS | 03 | |
| | A-A-51467 | DYNAMOMETER, HAND, HYDRAULIC | A 6530 / | MB | 16-JUN-86 | MD | MS | 03 | |
| | A-A-51468 | INTRAVENOUS INJECTION SET, WITH FLEXIBLE DRIP CHAMBER, NON-VENTED, ADULT, WITHOUT NEEDLE, DISPOSABLE, 50'S | A 6515 / | MB | 10-JUN-86 | MD | MS | 03 | |
| | A-A-51471 | MALLET NASAL, COPPER, SMALL | A 6515 | MB | 10-JUN-86 | MD | MS | 03 | |
| | A-A-51472 | HOLDER, BAG, BIOHAZARD | A 6530 / | MB | 16-JUN-86 | MD | MS | 03 | |
| | A-A-51474 | BONE PLATE, BROAD, ORTHOPEDIC IMPLANT, SELF-COMPRESSING HOLES | A 6515 | MB | 11-JUN-86 | MD | MS | 03 | |
| | A-A-51475 | NAIL, BONE, SCHNEIDER, DOUBLE POINT | A 6515 | MB | 11-JUN-86 | MD | MS | 03 | |
| | A-A-51476A | OTOSCOPE (BRUENING) | A 6515 / | MB | 06-MAY-87 | MD | MS | 03 | |
| | A-A-51480A | BAG, URINE COLLECTION, PEDIATRIC | A 6530 / | MB | 30-MAY-89 | MD | MS | 03 | |
| | A-A-51481A | WHEEL, ABRASIVE (SILICON CARBIDE, NON-HEATINGD | A 6520 | MB | 28-DEC-87 | MD | MS | 03 | |
| | A-A-51482 | WIRE SNARE, NO. 24 STUBS WIRE GAGE, CARBON STEEL | A 6515 / | MB | 13-JUN-86 | MD | MS | 03 | |
| | A-A-51483 | BLADE & FRAME, DENTAL LABORATORY SAW (PLASTIC & SYPSUM MATERIALS) | A 6520 | MB | 23-JUN-86 | MD | MS | 03 | |
| | A-A-51485 | BRUSH, CLEANING, DENTAL SUCTION APPARATUS TIP | A 6520 | MB | 23-JUN-86 | MD | MS | 03 | |
| | A-A-51486 | HOLDER, TOOTH DIE PIN (SPRING TYPE) | A 6520 | MB | 23-JUN-86 | MD | MS | 03 | |
| | A-A-51488B | FLUORIDE APPLICATION TRAY, DENTAL | A 6520 / | MB | 31-DEC-90 | MD | MS | 03 | |
| | A-A-51490 | PROBE, GENERAL OPERATING (HALL) | A 6515 | MB | 03-JUN-87 | MD | MS | 03 | |
| | A-A-51492B | INCISION-DRAINAGE SET | A 6515 | MB | 12-JUN-87 | MD | MS | 03 | |
| | A-A-51493 | BIN, STORAGE | A 7125 | MB | 20-JUN-86 | MD | MS | 03 | |
| | A-A-51494A | ELECTRODE, ELECTROCARDIOGRAPH | A 6515 / | MB | 31-MAR-87 | MD | MS | 03 | |
| | A-A-51495 | WAX, DENTAL (PERIPHERY) | A 6520 / | MB | 21-JUL-86 | MD | MS | 03 | |
| | A-A-51496A | RECOVERY PACK, BLOOD CELL COLLECTION | A 6515 | MB | 05-OCT-87 | MD | MS | 03 | |
| A | A-A-51497A | SODIUM FLUORIDE ORAL SOLUTION, USP | A 6505 / | MB | 25-SEP-92 | MD | MS | 03 | |
| | A-A-51498A | PENICILLIN G BENZATHINE SUSPENSION, STERILE,USP | A 6505 | MB | 11-SEP-87 | MD | MS | 03 | |
| | A-A-51501A | FAT EMULSION INJECTION | A 6505 | MB | 30-JUL-87 | MD | MS | 03 | |
| | A-A-51503A | TRETINOIN GEL, USP | A 6505 | MB | 30-JUL-87 | MD | MS | 03 | |
| | A-A-0051503 | TRETINOIN GEL, USP | A 6505 / | MB | 23-JUN-86 | MD | MS | 03 | |
| | A-A-51505A | OXACILLIN SODIUM FOR INJECTION, USP | A 6505 | MB | 11-JUN-87 | MD | MS | 03 | |
| | A-A-51507 | TUBE, TRACHEAL, MAGILL | A 6515 / | MB | 23-JUN-86 | MD | MS | 03 | |
| | A-A-51508B | SYRINGE, IRRIGATING, BULB TYPE, 3 OZ., DISPOSABLE, 50S | A 6515 / | MB | 27-MAR-92 | MD | MS | 03 | |
| A | A-A-51509B | TUBE, TRACHEAL, RADIOPAQUE (MURPHY) | A 6515 / | MB | 12-FEB-93 | MD | MS | 03 | |
| | A-A-51510 | HOLDER, DENTAL BUR (ALUMINUM) | A 6520 / | MB | 30-JUL-86 | MD | MS | 03 | |
| | A-A-51511B | CABINET, STORAGE, X-RAY FILM | A 6525 / | MB | 24-MAR-89 | MD | MS | 03 | |
| | A-A-51513B | CATHETER AND CONNECTOR, SUCTION, TRACHEAL | A 6515 / | MB | 03-AUG-90 | MD | MS | 03 | |
| | A-A-51514B | SYRINGE AND NEEDLE HYPODERMIC, DISPOSABLE, U-100 INSULIN | A 6515 / | MB | 18-MAR-91 | MD | MS | 03 | |
| | A-A-0051514A | SYRINGE & NEEDLE HYPODERMIC, DISPOSABLE, U-100 INSULIN | A 6515 / | MB | 16-OCT-86 | MD | MS | 03 | |
| | A-A-51516 | RACK, CARD | A 7110 / | MB | 03-JUL-86 | MD | MS | 03 | |
| | A-A-51517 | DUMBBELL SET, PHYSICALTHERAPY | A 6530 / | MB | 03-JUL-86 | MD | MS | 03 | |
| | A-A-51518 | MAT, EXERCISE, PHYSICAL THERAPY | A 6530 / | MB | 03-JUL-86 | MD | MS | 03 | |
| | A-A-51520B | SCREW, BONE, CANCELLOUS | A 6515 / | MB | 27-JAN-92 | MD | MS | 03 | |
| | A-A-51522A | COVER, BEDPAN (PAPER) | A 6530 / | MB | 15-JUN-90 | MD | MS | 03 | |
| | A-A-51524 | BLADE AND FRAME, DENTAL LABORATORY SAW (DIE MATERIALS) | A 6520 | MB | 07-JUL-86 | MD | MS | 03 | |
| | A-A-51525A | CENTRIFUGE, LABORATORY (SMALL) | A 6640 / | MB | 18-JUN-90 | MD | MS | 03 | |
| | A-A-51526A | NORETHINDRONE AND MESTRANOL TABLETS, USP, 635 | A 6505 / | MB | 23-JUL-87 | MD | MS | 03 | |
| | A-A-51528A | SUPPORT, KNEE | A 6515 / | MB | 30-JAN-87 | MD | MS | 03 | |
| | A-A-51529A | HOOK, BONE (9 INCH) | A 6515 / | MB | 28-JUN-89 | MD | MS | 03 | |
| | A-A-51530B | AMESTHESIA SET, SPINAL | A 6515 / | MB | 21-DEC-89 | MD | MS | 03 | |
| | A-A-0051530A | AMESTHESIA SET, SPINAL | A 6515 | MB | 15-JUL-87 | MD | MS | 03 | |
| | A-A-51532 | PIN, BONE (KIRSCHNER) | A 6515 / | MB | 08-JUL-86 | MD | MS | 03 | |
| | A-A-51533 | SCREW, BONE (WOODRUFF HEAD) | A 6515 / | MB | 08-JUL-86 | MD | MS | 03 | |
| | A-A-51534 | SCREW, BONE (82 DEG. COUNTERSUNK HEAD) | A 6515 / | MB | 08-JUL-86 | MD | MS | 03 | |
| | A-A-51536 | BLOCK, SOLDERING, DENTAL | A 6520 / | MB | 21-JUL-86 | MD | MS | 03 | |
| | A-A-51537 | DISPENSER, COTTON PELLET, DENTAL | A 6520 | MB | 21-AUG-86 | MD | MS | 03 | |
| | A-A-51539 | DISPENSER, DENTAL FLOSS | A 6520 | MB | 21-JUL-86 | MD | MS | 03 | |
| | A-A-51540 | CATHETER, IRRIGATION, COLONOSCOPE | A 6515 / | MB | 10-JUL-86 | MD | MS | 03 | |
| | A-A-51541A | BENZTROPINE MESYLATE TABLETS, USP | A 6505 | MB | 26-AUG-87 | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Symb. FSC / Area NSCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | A-A-51542 | TEST SET, ELECTRONIC CIRCUIT-COMPONENT | A 6625 / MB 02-AUG-86 | MD | MS | 03 | |
| | | A-A-51544 | SYRINGE, FOUNTAIN | A 6530 MB 18-JUL-86 | MD | MS | 03 | |
| | | A-A-51545B | HUMIDIFIER, INHALATION THERAPY APPARATUS | A 6515 / MB 24-MAR-89 | MD | MS | 03 | |
| | | A-A-51546A | DRAIN, CLOSED SUCTION (JACKSON-PRATT STYLE) | A 6515 / MB 03-FEB-87 | MD | MS | 03 | |
| | | A-A-51550 | SPLINT, HAND (MASON-ALLEN) | A 6515 / MB 14-JUL-86 | MD | MS | 03 | |
| A | | A-A-51552A | AIRWAY, PHARYNGEAL (GUEDEL) | A 6515 / MB 15-JAN-93 | MD | MS | 03 | |
| | | A-A-51554A | ERYTHROMYCIN OPHTHALMIC OINTMENT, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| | | A-A-51555 | TRAZODONE HYDROCHLORIDE TABLETS | A 6505 MB 09-JUL-87 | MD | MS | 03 | |
| | | A-A-51557A | KNIFE-ELEVATOR (PAPARELLA) | A 6515 / MB 10-JUL-89 | MD | MS | 03 | |
| | | A-A-51559 | VERAPAMIL HYDROCHLORIDE INJECTION | A 6505 / MB 16-JUL-86 | MD | MS | 03 | |
| | | A-A-51560A | DEFIBRILLATOR, MONITOR-RECORDER, BATTERY OPERATED WITH CHARGER | A 6515 / MB 29-JUL-88 | MD | MS | 03 | |
| | | A-A-0051560 | DEFIBRILLATOR, MONITOR-RECORDER, BATTERY OPERATED WITH CHARGER | A 6505 / MB 25-AUG-86 | MD | MS | 03 | |
| | | A-A-51563 | ARBOR AND BAND SET, DENTAL HANDPIECE | A 6520 / MB 28-JUL-86 | MD | MS | 03 | |
| | | A-A-51564 | APRON, DENTAL (PLASTIX, DISPOSABLE) | A 6532 / MB 28-JUL-86 | MD | MS | 03 | |
| | | A-A-51566 | IMPRESSION MATERIAL, DENTAL (AGAR TYPE) | A 6520 MB 28-JUL-86 | MD | MS | 03 | |
| | | A-A-51567A | NORETHINDRONE & ETHINYL ESTRADIOL TABLETS, USP (TRIPHASIC) | A 6505 MB 03-SEP-87 | MD | MS | 03 | |
| A | | A-A-51568A | BENZOIN TINCTURE TOPICAL AEROSOL | A 6505 / MB 13-NOV-92 | MD | MS | 03 | |
| | | A-A-0051569 | MORPHINE SULFATE TABLETS, SUSTAINED-RELEASE,OVER 12 HOURS | A 6505 MB 09-JUN-87 | MD | MS | 03 | |
| | | A-A-0051570A | IMIPENEM AND CILASTATIN SODIUM FOR INJECTION | A 6505 MB 20-JUL-87 | MD | MS | 03 | |
| | | A-A-51571A | DISULFIRAM TABLETS, USP | A 6505 / MB 15-DEC-89 | MD | MS | 03 | |
| | | A-A-0051571 | DISULFIRAM TABLETS, USP | A 6505 MB 14-JUL-86 | MD | MS | 03 | |
| | | A-A-51572A | THIABENDAZOLE TABLETS, USP | A 6505 / MB 11-JUN-87 | MD | MS | 03 | |
| | | A-A-51574A | AMOXICILLIN & POTASSIUM CLAVULANATE TABLETS | A 6505 MB 01-JUL-87 | MD | MS | 03 | |
| | | A-A-51575A | HYDROCHLORIDE & EPINEPHRINE INJECTION, USP | A 6505 MB 19-AUG-87 | MD | MS | 03 | |
| | | A-A-51576A | PREVENTIVE DENTISTRY PAST (FLUORIDATED) | A 6520 / MB 19-MAR-90 | MD | MS | 03 | |
| | | A-A-51579A | SPECULUM, EYE (BARRAQUER) | A 6515 / MB 12-JUN-89 | MD | MS | 03 | |
| | | A-A-51581A | RESUSCITATOR, HAND OPERATED | A 6515 MB 31-AUG-87 | MD | MS | 03 | |
| | | A-A-51582A | GUIDE, SHADE, DENTAL | A 6520 / MB 20-AUG-90 | MD | MS | 03 | |
| | | A-A-51583A | CRUCIBLE, CASTING MACHINE, DENTAL | A 6520 MB 30-JUN-87 | MD | MS | 03 | |
| | | A-A-51586A | RETRACTOR, GENERAL, SENN | A 6515 / MB 03-FEB-87 | MD | MS | 03 | |
| | | A-A-51587A | CHISEL, DENTAL, (RHODES NO. 36 AND 37) | A 6520 MB 15-FEB-88 | | MS | 03 | MB |
| | | A-A-51588 | WET GLOBE TEMPERATURE KIT ( DIAL THERMOMETER TYPE, MECHANICAL) | A 6665 / MB 01-AUG-86 | MD | MS | 03 | |
| | | A-A-51589 | STAIR, EXERCISE | A 6530 / MB 12-AUG-86 | MD | MS | 03 | |
| | | A-A-51590 | PADDLE, PNEUMATIC COMPRESSION | A 6525 / MB 12-AUG-86 | MD | MS | 03 | |
| | | A-A-51591 | SHAVE KIT, PATIENT | A 6530 / MB 12-AUG-86 | MD | MS | 03 | |
| | | A-A-51592A | CLEANER, AUTOMATIC FILM PROCESSOR (TWO PART CLEANER) | A 6525 / MB 31-JUL-90 | MD | MS | 03 | |
| | | A-A-51595 | CATHETER, CARDIOVASCULAR, IRRIGATION | A 6515 / MB 05-AUG-86 | MD | MS | 03 | |
| | | A-A-0051596 | INSERT, HANDPIECE, DENTAL ULTRASONIC PROPHYLAXIS UNIT | A 6520 / MB 04-AUG-86 | MD | MS | 03 | |
| | | A-A-51597A | ELECTRODE, ELECTROCARDIOGRAPH | A 6515 / MB 15-JUN-90 | MD | MS | 03 | |
| | | A-A-0051598 | PLASMA PROTEIN FRACTION, USP, HEAT-TREATED | A 6505 / MB 28-JUL-86 | MD | MS | 03 | |
| | | A-A-51599A | TOBRAMYCIN SULFATE INJECTION, USP | A 6505 / MB 22-MAY-92 | MD | MS | 03 | |
| | | A-A-51600A | TIMOLOLMALEATE OPHTHALMIC SOLUTION, USP | A 6505 MB 11-JUN-87 | MD | MS | 03 | |
| | | A-A-0051600 | TIMOLOL MALEATE OPHTHALMIC SOLUTION, USP | A 6505 / MB 30-JUL-86 | MD | MS | 03 | |
| | | A-A-51601B | MASK, ORONASAL, TRANSPARENT | A 6515 / MB 17-MAY-92 | MD | MS | 03 | |
| | | A-A-51602A | CANISTER, ASSEMBLY, SUCTION, SURGICAL | A 6515 MB 31-AUG-87 | MD | MS | 03 | |
| | | A-A-51603A | RESUSCITATOR, CARDIOPULMONARY | A 6515 / MB 17-APR-87 | MD | MS | 03 | |
| | | A-A-51605A | ADAPTER, CATHETER-TO-LUER SYRINGE, TUOHY | A 6515 / MB 21-MAY-87 | MD | MS | 03 | |
| | | A-A-51608A | DESIPRAMINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB 11-JUN-87 | MD | MS | 03 | |
| | | A-A-51611 | METHYLPREDNISOLONE ACETATE SUSPENSION, STERILE, USP | A 6505 MB 08-JUL-87 | MD | MS | 03 | |
| | | A-A-51612A | SUTURE, ABSORBABLE, SURGICAL ( GLYCOLIDE- LACTIDE COPOLYMER) | A 6515 / MB 12-MAR-87 | MD | MS | 03 | |
| A | | A-A-51614A | BRUSH-SPONGE, SURGICAL SCRUB | A 6530 / MB 26-FEB-93 | MD | MS | 03 | |
| | | A-A-51615A | CLIP, HEMOSTATIC, SMALL | A 6515 / MB 06-FEB-89 | MD | MS | 03 | |
| | | A-A-51616A | DICLOXACILLIN SODIUM CAPSULES, USP | A 6505 / MB 15-DEC-89 | MD | MS | 03 | |
| | | A-A-0051616 | DICLOXACILLIN SODIUM CAPSULES, USP | A 6505 / MB 11-AUG-86 | MD | MS | 03 | |
| | | A-A-51617 | PLIERS, OPTICIANS, LENS AXIS ALIGNING, 6 INCH | A 6540 / MB 31-OCT-86 | MD | MS | 03 | |
| | | A-A-51618 | AMOSCOPE (BRINKERHOFF) | A 6515 / MB 10-SEP-86 | MD | MS | 03 | |
| | | A-A-51619 | MATRIX SET, DENTAL (CERVICAL) | A 6520 / MB 25-AUG-86 | MD | MS | 03 | |
| | | A-A-51620 | PAD, HOT-COLD TREATMEN T, CIRCULATING | A 6530 MB 22-AUG-86 | MD | MS | 03 | |
| | | A-A-51621A | HOLDER, LEG | A 6515 / MB 23-NOV-90 | MD | MS | 03 | |
| | | A-A-51622 | PARALLEL BARS, PHYSICAL THERAPY | A 6530 MB 22-AUG-86 | MD | MS | 03 | |
| | | A-A-51623A | BATH, WHIRLPOOL LEG | A 6530 / MB 24-MAR-89 | MD | MS | 03 | |
| | | A-A-51624 | COVER, PROTECTIVE, HEAT PAD | A 6530 MB 22-AUG-86 | MD | MS | 03 | |
| | | A-A-51625B | DISPOSAL CONTAINER, HYPODERMIC NEEDLE AND SYRINGE (NON-NEEDLE REMOVAL) | A 6530 / MB 14-FEB-91 | MD | MS | 03 | |
| | | A-A-51626 | HANDLE, INSTRUMENT TRAY | A 6530 MB 22-AUG-86 | MD | MS | 03 | |
| A | | A-A-51630A | BLOOD SAMPLE, COLLECTING SET | A 6515 / MB 12-MAR-93 | MD | MS | 03 | |
| | | A-A-0051631 | HYDROMORPHONE HYDROCHLORIDE TABLETS, USP | A 6505 / MB 15-AUG-86 | MD | MS | 03 | |
| | | A-A-0051632 | INSULIN, HUMAN, ZINC SUSPENSION, 100 U/ML, 10 ML | A 6505 MB 15-MAY-87 | MD | MS | 03 | |
| | | A-A-51633A | DISPENSER, SENSITIVITYDISCS | A 6640 MB 26-JAN-87 | MD | MS | 03 | |
| | | A-A-51634 | HANDLE-ELECTRODE, ELECTROSURGERY | A 6515 / MB 28-NOV-86 | MD | MS | 03 | |
| | | A-A-51636A | SYRINGE, FLUID DISPENSING, 10 ML (PHARMACEUTICAL) | A 6515 MB 05-MAY-87 | MD | MS | 03 | |
| A | | A-A-51637A | BLEOMYCIN SULFATE STERILE, USP, 15 UNITS OF BLEOMYCIN | A 6505 / MB 22-JAN-93 | MD | MS | 03 | |
| | | A-A-0051637 | BLEOMYCIN SULFATE STERILE, USP, 15 UNITS OF BLEOMYCIN | A 6505 / MB 28-JUL-86 | MD | MS | 03 | |
| | | A-A-51638A | TICARCILLIN DISODIUM, STERILE, USP | A 6505 MB 19-AUG-87 | MD | MS | 03 | |
| | | A-A-51639A | ARCH SUPPORTS | A 6515 / MB 30-JAN-87 | MD | MS | 03 | |
| | | A-A-51644 | BELT, ROUND, (ENGINE) | A 3030 MB 09-MAR-87 | MD | MS | 03 | |
| | | A-A-51647 | TRAY, ENDOSCOPIC INSTRUMENT STERILIZATION | A 6530 MB 24-APR-87 | MD | MS | 03 | |
| | | A-A-51648 | TRAY SET, ENDOSCOPIC INSTRUMENT STERILIZATION | A 6530 MB 24-APR-87 | MD | MS | 03 | |
| | | A-A-51649 | AUDIOMETER (DUAL CHANNEL) | A 6515 / MB 19-SEP-86 | MD | MS | 03 | |
| A | | A-A-51651A | AMINO ACIDS AND GLYCERIN INJECTION WITH ELECTROLYTES | A 6505 / MB 21-AUG-92 | MD | MS | 03 | |
| | | A-A-51652A | GENTAMICIN SULFATE INJECTION, USP | A 6505 / MB 31-MAY-90 | MD | MS | 03 | |
| | | A-A-51654B | TUBE, TRACHEOSTOMY, DISPOSABLE (LOW PRESSURE CUFF, SHILEY) | A 6515 / MB 24-JAN-92 | MD | MS | 03 | |
| | | A-A-0051654 | TUBE, TRACHEOSTOMY, DISPOSABLE, SHILEY | A 6515 / MB 18-SEP-86 | MD | MS | 03 | |
| | | A-A-51655 | BUTTRESS, SUTURE (POLYTETRAFLUOROETHYLENE) | A 6515 / MB 05-SEP-86 | MD | MS | 03 | |
| | | A-A-51656 | ELECTROSURGICAL APPARATUS, (PORTABLE) | A 6515 / MB 19-SEP-86 | MD | MS | 03 | |
| | | A-A-51657A | TRAY, INSTRUMENT, (CORROSION-RESISTING STEEL) | A 6530 / MB 25-OCT-89 | MD | MS | 03 | |
| | | A-A-51658B | SODIUM HYALURONATE INJECTION | A 6505 / MB 30-SEP-88 | MD | MS | 03 | |
| | | A-A-51662 | SPECIMEN TRAP, MUCUS | A 6530 / MB 19-SEP-86 | MD | MS | 03 | |
| | | A-A-51663 | MINERAL OIL, DI ISOPROPYL SEBACATE, AND ISOPROPYL MYRISTATE LOTION | A 6505 / MB 12-SEP-86 | MD | MS | 03 | |
| A | | A-A-51665A | CANTHARIDIN COLLODION TOPICAL SOLUTION | A 6505 / MB 18-DEC-92 | MD | MS | 03 | |
| | | A-A-51667 | CASSETTE, X-RAY TUBE CALIBRATION TEST | A 6525 MB 26-JUN-87 | MD | MS | 03 | |
| | | A-A-51668A | DENSITOMETER | A 6525 MB 31-AUG-87 | MD | MS | 03 | |
| | | A-A-0051668 | DENSITOMETER | A 6525 / MB 12-SEP-86 | MD | MS | 03 | |
| | | A-A-51671 | INTRODUCER SET, CATHETER, PERCUTANEOUS | A 6515 / MB 07-OCT-86 | MD | MS | 03 | |
| | | A-A-0051672 | AMOXICILLIN AND POTASSIUM CLAVULANATE FOR ORAL SUSPENSION | A 6505 MB 16-SEP-86 | MD | MS | 03 | |
| | | A-A-51673A | VITAMIN E CAPSULES, USP | A 6505 / MB 11-JUN-87 | MD | MS | 03 | |
| | | A-A-0051673 | VITAMIN E CAPSULES, USP | A 6505 / MB 10-SEP-86 | MD | MS | 03 | |
| | | A-A-51675B | HOLDER, CLINICAL CHART ALUMINUM | A 6530 / MB 24-MAR-89 | MD | MS | 03 | |
| | | A-A-51676 | CARTRIDGE, LABORATORY GAS BURNER | A 6640 MB 30-JUN-87 | MD | MS | 03 | |
| | | A-A-51677 | LAMP, INCANDESCENT | A 6240 / MB 22-SEP-86 | MD | MS | 03 | |
| | | A-A-51678 | FILAMENT, COMBUSTIBLE GAS INDICATOR | A 6665 / MB 20-OCT-86 | MD | MS | 03 | |
| | | A-A-51679 | SPATULA, LABORATORY ( HARD RUBBER) | A 6640 / MB 31-MAR-87 | MD | MS | 03 | |
| | | A-A-51680 | BURNER, GAS, LABORATORY | A 6640 / MB 31-MAR-87 | MD | MS | 03 | |
| | | A-A-51681 | CETYLPYRIDINIUM CHLORIDE & BENZOCAINE LOZENGES | A 6505 / MB 22-SEP-86 | MD | MS | 03 | |
| | | A-A-51684A | CONTROLLER, DROP RATE,INTRAVENOUS INJECTION | A 6515 / MB 21-DEC-87 | MD | MS | 03 | |

| Action | GPL / QML Cancellation Inactive | Document Number | Document Title | Dist. Symbol FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|
| | | A-A-51685 | BOX,MICROSCOPE SLIDE (CHIPBOARD) | A 6640 / MB 10-OCT-86 | MD | MS | 03 | | |
| | | A-A-51687 | STIRRING BAR SET, (MAGNETIC) | A 6640 / MB 10-OCT-86 | MD | MS | 03 | | |
| | | A-A-51688 | TEST TUBE | A 6640 / MB 10-OCT-86 | MD | MS | 03 | | |
| | | A-A-51690A | MASK, ORONASAL (PLASTIC, ELONGATED) | A 6515 MB 19-FEB-88 | MD | MS | 03 | | |
| | | A-A-51692 | CASE, NEEDLE & BLADE | A 6515 / MB 26-SEP-86 | MD | MS | 03 | | |
| | | A-A-51693A | ALCOHOL, DENYDRATED, USP | A 6505 / MB 28-JUL-89 | MD | MS | 03 | | |
| | | A-A-51694 | STOPCOCK, ARTERIAL-VENOUS PRESSURE MONITORING (ONE-WAY) | A 6515 / MB 29-SEP-86 | MD | MS | 03 | | |
| | | A-A-51695A | RETRACTOR, RECTAL (HILL-FERGUSON) | A 6515 MB 20-MAY-87 | MD | MS | 03 | | |
| | | A-A-0051695 | RETRACTOR, RECTAL (HILL-FERGUSON) | A 6515 MB 14-OCT-86 | MD | MS | 03 | | |
| A | | A-A-51696A | CEFADROXIL CAPSULES, USP | A 6505 / MB 18-DEC-92 | MD | MS | 03 | | |
| | | A-A-0051696 | CEFADROXIL CAPSULES, USP | A 6505 / MB 16-OCT-86 | MD | MS | 03 | | |
| | | A-A-51697A | PENTAGASTRIN INJECTION | A 6505 / MB 21-JUL-87 | MD | MS | 03 | | |
| N | | A-A-51698A | DIETHYLPROPION HYDROCHLORIDE EXTENDED-RELEASE TABLETS | A 6505 / MB 01-APR-93 | MD | MS | 03 | | |
| | | A-A-0051698 | DIETHYLPROPION HYDROCHLORIDE TABLETS, MODIFIED (SUSTAINED-RELEASE) | A 6505 / MB 24-SEP-86 | MD | MS | 03 | | |
| | | A-A-51700 | DISK, ABRASIVE (SILICON CARBIDE) | A 6520 MB 27-OCT-86 | MD | MS | 03 | | |
| | | A-A-51701 | MALLET, ORAL SURGERY (GARDNER, HAND TYPE) | A 6520 / MB 24-NOV-86 | MD | MS | 03 | | |
| | | A-A-51702A | SPECULUM, SEPTUM (COTTLE) | A 6515 MB 05-JUN-87 | MD | MS | 03 | | |
| | | A-A-0051703 | CONTAINER & PUMP, DENTAL (MOUTHRINSE) | A 6520 / MB 13-OCT-86 | MD | MS | 03 | | |
| | | A-A-51704A | DEXBROMPHENIRAMINE MALEATE & PSEUDOEPHEDRINE SULFATE TABLETS (SUSTAINED-RELEASE) | A 6505 / MB 31-JUL-87 | MD | MS | 03 | | |
| | | A-A-51705A | GLYBURIDE TABLETS | A 6505 MB 16-JUL-87 | MD | MS | 03 | | |
| | | A-A-0051705 | GLYBURIDE TABLETS | A 6505 / MB 03-OCT-86 | MD | MS | 03 | | |
| | | A-A-51706A | STETHOSCOPE, ESOPHAGEAL (DISPOSABLE, 20S) | A 6515 / MB 29-AUG-87 | MD | MS | 03 | | |
| | | A-A-51707 | LENS, OPHTHALMIC, PLASTIC | A 6540 MB 08-OCT-86 | MD | MS | 03 | | |
| | | A-A-51708 | MALLET, BONE SURGERY, STAINLESS STEEL | A 6515 / MB 17-OCT-86 | MD | MS | 03 | | |
| | | A-A-51709 | THERMOMETER, CLINICAL, HUMAN | A 6515 / MB 31-OCT-86 | MD | MS | 03 | | |
| A | | A-A-51710A | ACETAMINOPHEN ORAL SOLUTION, USP, ALCOHOL FREE | A 6505 / MB 13-NOV-92 | MD | MS | 03 | | |
| | | A-A-51711 | VISCOMETER, CAPILLARY TYPE, CANNON-FENSKE REVERSE FLOW | A 6630 / MB 16-OCT-86 | MD | MS | 03 | | |
| | | A-A-0051713 | LIDOCAINE HYDROCHLORIDE TOPICAL SOLUTION, USP | A 6505 / MB 22-OCT-86 | MD | MS | 03 | | |
| | | A-A-0051714 | VITAMIN B COMPLEX & ASCORBIC ACID TABLETS | A 6505 / MB 09-OCT-86 | MD | MS | 03 | | |
| | | A-A-51715A | SULFASALAZINE TABLETS, USP | A 6505 / MB 31-DEC-91 | MD | MS | 03 | | |
| | | A-A-0051715 | SULFASALAZINE TABLETS, USP, ENTERIC COATED | A 6505 / MB 10-OCT-86 | MD | MS | 03 | | |
| | | A-A-0051716 | IPECAC SYRUP, USP | A 6505 / MB 10-OCT-86 | MD | MS | 03 | | |
| | | A-A-0051717 | THEOPHYLLINE, EPHEDRINE SULFATE AND HYDROXYZINE HYDROCHLORIDE TABLETS | A 6505 MB 06-OCT-86 | MD | MS | 03 | | |
| | | A-A-0051719 | MULTIVITAMIN SOLUTION FOR INJECTION | A 6505 MB 24-NOV-86 | MD | MS | 03 | | |
| | | A-A-51720A | CARRIER, AMALGAM | A 6520 / MB 19-JUN-89 | MD | MS | 03 | | |
| | | A-A-0051720 | CARRIER, AMALGAM | A 6520 / MB 17-NOV-86 | MD | MS | 03 | | |
| | | A-A-51721B | RACK, SPINAL GOUGE STERILIZATION | A 6515 / MB 30-NOV-91 | MD | MS | 03 | | |
| | | A-A-51723 | METER FOOTCANDLE, PHOTOELECTRIC | A 6695 / MB 28-NOV-86 | MD | MS | 03 | | |
| | | A-A-51724 | CARRIER, SUTURE WIRE (RUSH) | A 6515 / MB 27-OCT-86 | MD | MS | 03 | | |
| | | A-A-51725 | MAILING CASE, LABORATORY SPECIMEN | A 6640 / MB 27-OCT-86 | MD | MS | 03 | | |
| | | A-A-51727 | SEALING COMPOUND, PULPCANAL, DENTAL | A 6520 / MB 03-NOV-86 | MD | MS | 03 | | |
| | | A-A-51729A | BANDAGE, GAUZE, (COTTON, ELASTIC, SPUN RAYON, AND POLYESTER) | A 6510 / MB 15-JUN-91 | MD | MS | 03 | | |
| | | A-A-0051729 | BANDAGE, GAUZE, ELASTIC | A 6510 / MB 24-OCT-86 | MD | MS | 03 | | |
| | | A-A-51731A | IOTHALAMATE MEGLUMINE INJECTION, USP | A 6505 / MB 31-JUL-90 | MD | MS | 03 | | |
| | | A-A-51733A | LAMP, INCADESCENT | A 6240 / MD 31-MAR-87 | | MS | 03 | | |
| | | A-A-0051733 | BAND,ALLERGY IDENTIFICATION | A 6530 MB 28-NOV-86 | MD | MS | 03 | | |
| | | A-A-51735A | RESUSCITATOR, HAND-OPERATED (INTERMITTENT POSITIVE PRESSURE, HIGH OXYGEN CONCENTRATION CAPACITY) | A 6515 / MB 17-MAY-92 | MD | MS | 03 | | |
| | | A-A-0051736 | DENTAL ENGINE, BENCH TYPE, HIGH SPEED, 115 VOLTS, 60 HZ, AC | A 6520 / MB 03-NOV-86 | MD | MS | 03 | | |
| | | A-A-51737A | RETRACTOR, TISSUE (HIBBS) | A 6515 / MB 01-JUN-88 | MD | MS | 03 | | |
| | | A-A-51738 | DICHLORODIFLUOROMETHANE, TECHNICAL | A 6830 / MB 29-NOV-86 | MD | MS | 03 | | |
| | | A-A-51739A | RETRACTOR, UNIVERSAL, DELEE | A 6515 / MB 06-JUL-88 | MD | MS | 03 | | |
| | | A-A-0051739 | RETRACTOR, UNIVERSAL, DELEE | A 6515 / MB 28-JAN-87 | MD | MS | 03 | | |
| A | | A-A-51740A | AMINO ACIDS INJECTION | A 6505 / MB 28-AUG-92 | MD | MS | 03 | | |
| | | A-A-51741B | TRIAZOLAM TABLETS, USP | A 6505 / MB 15-SEP-88 | MD | MS | 03 | | |
| | | A-A-51742A | DRILL, HAND, BONE (BUNNELL) | A 6515 / MB 27-JUN-88 | MD | MS | 03 | | |
| | | A-A-51743A | CANISTER ASSEMBLE, SUCTION, SURGICAL | A 6515 MB 26-FEB-88 | MD | MS | 03 | | |
| | | A-A-0051744 | ENALAPRIL MALEATE TABLETS | A 6505 / MB 05-NOV-86 | MD | MS | 03 | | |
| | | A-A-0051745 | EDROPHONIUM CHLORIDE INJECTION, USP | A 6505 / MB 05-NOV-86 | MD | MS | 03 | | |
| A | | A-A-51746A | ANTHRALIN CREAM | A 6505 / MB 13-NOV-92 | MD | MS | 03 | | |
| A | | A-A-51747A | BARIUM SULFATE SUSPENSION | A 6505 / MB 13-NOV-92 | MD | MS | 03 | | |
| | | A-A-51748B | PHENTOLAMINE MESYLATE FOR INJECTION, USP, LYOPHILIZED | A 6505 / MB 16-SEP-88 | MD | MS | 03 | | |
| | | A-A-0051748 | PHENTOLAMINE MESYLATE FOR INJECTION, USP, LYOPHILIZED | A 6505 / MB 01-DEC-86 | MD | MS | 03 | | |
| | | A-A-0051749 | THEOPHYLLINE CAPSULES, MODIFIED, SUSTAINED-RELEASE | A 6505 MB 20-OCT-86 | MD | MS | 03 | | |
| | | A-A-51750 | BAND, MATRIX, DENTAL (CONTOURED) | A 6520 MB 02-JUN-87 | MD | MS | 03 | | |
| | | A-A-51751 | WHEEL, ABRASIVE (ALUMINUM OXIDE) | A 6520 MB 31-MAR-87 | MD | MS | 03 | | |
| A | | A-A-51754A | DEXTRAN 40 AND SODIUM CHLORIDE INJECTION | A 6505 / MB 01-APR-93 | MD | MS | 03 | | |
| | | A-A-0051754 | DEXTRAN & SODIUM CHLORIDE INJECTION | A 6505 / MB 19-NOV-86 | MD | MS | 03 | | |
| A | | A-A-51755A | CROMOLYN SODIUM INHALATION AEROSOL, ORAL | A 6505 / MB 18-DEC-92 | MD | MS | 03 | | |
| | | A-A-0051755 | CROMOLYN SODIUM INHALATION AEROSOL, ORAL | A 6505 MB 19-NOV-86 | MD | MS | 03 | | |
| | | A-A-51756A | GUIDE, ANGLE (ADJUSTABLE) | A 6515 / MB 15-AUG-88 | MD | MS | 03 | | |
| | | A-A-51758 | CANNULA, EAR, (BARON) | A 6515 / MB 24-NOV-86 | MD | MS | 03 | | |
| | | A-A-51759 | CART, MEDICINE | A 6530 / MB 30-JAN-87 | MD | MS | 03 | | |
| | | A-A-51760 | BEDPAN | A 6530 / MB 30-JAN-87 | MD | MS | 03 | | |
| | | A-A-51762A | BETHANECHOL CHLORIDE TABLETS, USP | A 6505 MB 02-JUL-87 | MD | MS | 03 | | |
| | | A-A-0051762 | BETHANECHOL CHLORIDE TABLETS, USP | A 6505 / MB 01-DEC-86 | MD | MS | 03 | | |
| | | A-A-51763 | CANNULA, EAR ( ROSEN) | A 6515 / MB 02-DEC-86 | MD | MS | 03 | | |
| | | A-A-51764A | FORCEPS, DRESSING (ADSON) | A 6515 / MB 05-MAY-88 | MD | MS | 03 | | |
| | | A-A-51765A | MASK, OXYGEN | A 6515 / MB 25-APR-88 | MD | MS | 03 | | |
| | | A-A-0051765 | MASK, OXYGEN | A 6515 / MB 04-DEC-86 | MD | MS | 03 | | |
| | | A-A-51766 | CATHETER & NEEDLE UNIT, INTRAVENOUS, (18 GAGE CATHETER) | A 6515 / MB 04-DEC-86 | MD | MS | 03 | | |
| | | A-A-51767A | PIN, GUIDE, CALIBRATED | A 6515 / MB 15-AUG-88 | MD | MS | 03 | | |
| | | A-A-0051768 | FLUPHENAZINE HYDROCHLORIDE ELIXIR, USP | A 6505 MB 25-NOV-86 | MD | MS | 03 | | |
| | | A-A-51770 | BOTTLE, SCREW CAP, (PLASTIC) | A 6530 / MB 15-DEC-86 | MD | MS | 03 | | |
| | | A-A-51771 | BRACE, KNEE DRESSING | A 6515 / 30-JAN-87 | MD | MS | 03 | | MB |
| | | A-A-51772 | BOTTLE, SAFETY CAP (TABLET AND CAPSULE) | A 6530 / MB 16-DEC-86 | MD | MS | 03 | | |
| A | | A-A-51774A | MEPIVACAINE HYDROCHLORIDE INJECTION, USP | A 6505 / MB 15-FEB-93 | MD | MS | 03 | | |
| | | A-A-0051774 | MEPIVACAINE HYDROCHLORIDE INJECTION, USP | A 6505 / MB 08-DEC-86 | MD | MS | 03 | | |
| | | A-A-51776A | NALOXONE HYDROCHLORIDE INJECTION, USP | A 6505 / MB 11-JUL-88 | MD | MS | 03 | | |
| | | A-A-0051776 | NALOXONE HYDROCHLORIDE INJECTION, USP | A 6505 / MB 03-DEC-86 | MD | MS | 03 | | |
| | | A-A-51778A | CATHETERIZATION SET, URETHRAL | A 6515 / MB 10-APR-89 | MD | MS | 03 | | |
| | | A-A-0051778 | CATHETERIZATION SET, URETHAL | A 6515 / MB 11-FEB-87 | MD | MS | 03 | | |
| | | A-A-51780 | SURGICAL PACK, DISPOSABLE (WOUND CLOSURE) | A 6515 / MB 12-JAN-87 | MD | MS | 03 | | |
| | | A-A-51781A | HOOK, TISSUE, DOUBLE PRONG (JOSEPH) | A 6515 / MB 06-JUN-89 | MD | MS | 03 | | |
| | | A-A-0051782 | UREA LOTION | A 6505 MB 15-APR-87 | MD | MS | 03 | | |
| | | A-A-0051783 | BENZOCAINE, BUTAMBEN AND TETRACAINE HYDROCHLORIDE TOPICAL AEROSOL | A 6505 / MB 16-DEC-86 | MD | MS | 03 | | |
| | | A-A-51784A | HALOPERIDOL TABLETS, USP | A 6505 MB 03-SEP-87 | MD | MS | 03 | | |
| | | A-A-0051784 | HALOPERIDOL TABLETS, USP | A 6505 / MB 11-DEC-86 | MD | MS | 03 | | |
| | | A-A-51786A | BELLADONNA ALKALOIDS WITH PHENOBARBITAL ELIXIR | A 6505 / MB 28-APR-89 | MD | MS | 03 | | |
| | | A-A-0051787 | ETOPOSIDE INJECTION | A 6505 MB 23-DEC-86 | MD | MS | 03 | | |
| | | A-A-0051788 | PAREGORIC, KAOLIN, AND PECTIN SUSPENSION | A 6505 MB 23-DEC-86 | MD | MS | 03 | | |
| | | A-A-0051789 | GLIPIZIDE TABLETS | A 6515 MB 23-DEC-86 | MD | MS | 03 | | |
| A | | A-A-51790A | DISOPYRAMIDE PHOSPHATE CAPSULES, USP | A 6505 / MB 01-APR-93 | MD | MS | 03 | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-0051790 | DISOPYRAMIDE PHOSPHATE CAPSULES, USP | A | 6505 | MB | MD | 08-DEC-86 | MD | MS | | 03 |
| | | A-A-51791A | ALBUTEROL INHALATION AEROSOL | A | 6505 / | MB | MD | 07-JUN-90 | MD | MS | | 03 |
| | | A-A-51792A | SIMULATOR, PATIENT | A | 6515 | MB | MD | 31-AUG-87 | MD | MS | | 03 |
| | | A-A-0051793 | HYPODERMIC INJECTION APPARATUS (JET, AUTOMATIC, GAS PRESSURE POWER SOURCE) | A | 6515 | MB | MD | 28-JAN-87 | MD | MS | | 03 |
| | | A-A-517948 | PIPET, SEROLOGICAL (KAHN) | A | 6640 / | MB | MD | 12-OCT-90 | MD | MS | | 03 |
| | | A-A-0051794 | PIPET, SEROLOGICAL, KAHN | A | 6640 / | MB | MD | 02-FEB-87 | MD | MS | | 03 |
| | | A-A-51795B | PIPET, SEROLOGICAL (BOROSILICATE GLASS) | A | 6640 / | MB | MD | 03-MAY-89 | MD | MS | | 03 |
| | | A-A-51796A | MICROSCOPE, OPTICAL (BINOCULAR) | A | 6650 / | MB | MD | 22-APR-91 | MD | MS | | 03 |
| | | A-A-51797 | TIP, PIPET | A | 6640 / | MB | MD | 22-JAN-87 | MD | MS | | 03 |
| | | A-A-51798 | PIPET TIP, BLOOD AND PLASMA COAGULATION TIMER | A | 6640 | MB | MD | 01-MAY-87 | MD | MS | | 03 |
| | | A-A-51799 | BASKET, TEST TUBE | A | 6640 / | MB | MD | 21-JAN-87 | MD | MS | | 03 |
| | | A-A-51800 | BAND, CIRCLING (SILICONE) | A | 6515 / | MB | MD | 23-JAN-87 | MD | MS | | 03 |
| | | A-A-51802A | PRESS, HYDRAULIC, OPHTHALMIC LAP | A | 6540 / | MB | MD | 17-MAY-89 | MD | MS | | 03 |
| | | A-A-51803 | FILLER, PIPET (RUBBER) | A | 6640 / | MB | MD | 17-MAR-87 | MD | MS | | 03 |
| | | A-A-51804 | FORCEPS, EYE, SUTURE, ANGULAR | A | 6515 / | MB | MD | 30-JAN-87 | MD | MS | | 03 |
| | | A-A-51805 | SLEEVE, CIRCLE BAND (SILICONE | A | 6515 / | MB | MD | 30-JAN-87 | MD | MS | | 03 |
| | | A-A-0051806 | DIFLORASONE DIACETATE | A | 6505 | MB | MD | 20-JAN-87 | MD | MS | | 03 |
| A | | A-A-51807A | AMINO ACID AND UREA CERVICAL CREAM | A | 6505 / | MB | MD | 21-AUG-92 | MD | MS | | 03 |
| | | A-A-0051808 | ELECTROLYTE SOLUTION, ORAL | A | 6505 | MB | MD | 13-JAN-87 | MD | MS | | 03 |
| | | A-A-51810 | TIMER, INTERVAL | A | 6645 / | MB | MD | 04-FEB-87 | MD | MS | | 03 |
| | | A-A-51811A | CARTRIDGE EXTRACTION ASSEMBLY, SAMPLE PROCESSOR | A | 6630 | MB | MD | 19-AUG-87 | MD | MS | | 03 |
| | | A-A-0051811 | CARTRIDGE EXTRACTION ASSEMBLY, SAMPLE PROCESSOR | A | 6630 / | MB | MD | 04-FEB-87 | MD | MS | | 03 |
| | | A-A-51812A | FORCEPS, EYE, SUTURE | A | 6515 / | MB | MD | 20-FEB-89 | MD | MS | | 03 |
| A | | A-A-51813A | AMIODARONE HYDROCHLORIDE TABLETS | A | 6505 / | MB | MD | 28-AUG-92 | MD | MS | | 03 |
| | | A-A-0051814 | GEMFIBROZIL CAPSULES, USP | A | 6505 | MB | MD | 29-JAN-87 | MD | MS | | 03 |
| | | A-A-0051815 | VITAMIN E SOLUTION, WATER-MISCIBLE | A | 6505 | MB | MD | 28-JAN-87 | MD | MS | | 03 |
| | | A-A-0051816A | POLYETHYLENE GLYCOL AND ELECTROLYTES FOR ORAL SOLUTION | A | 6505 / | MB | MD | 16-FEB-88 | MD | MS | | 03 |
| A | | A-A-51817A | AMCINONIDE OINTMENT, USP | A | 6505 / | MB | MD | 28-AUG-92 | MD | MS | | 03 |
| | | A-A-51818A | CEPHALOTHIN SODIUM FOR INJECTION, USP | A | 6505 / | MB | MD | 16-MAR-90 | MD | MS | | 03 |
| | | A-A-51821 | FILIFORM, URETHRAL | A | 6515 / | MB | MD | 11-FEB-87 | MD | MS | | 03 |
| | | A-A-51822A | CYLINDER, GRADUATED, LABORATORY | A | 6640 | DM | MD | 20-JUL-87 | EA | MS | | 99 |
| | | A-A-51823A | TUBE, CENTRIFUGAL HEMATOLOGY | A | 6630 | MB | MD | 03-FEB-88 | MD | MS | | 03 |
| | | A-A-51825A | FORCEPS, HEMOSTATIC CLIP APPLYING, MEDIUM, SERRATED JAWS, ANGLED | A | 6515 / | MB | MD | 08-JUN-89 | MD | MS | | 03 |
| | | A-A-51828A | METOCLOPRAMIDE INJECTION, USP | A | 6505 / | MB | MD | 30-JAN-91 | MD | MS | | 03 |
| | | A-A-0051828 | METOCLOPRAMIDE HYDROCHLORIDE INJECTION | A | 6505 | MB | MD | 06-FEB-87 | MD | MS | | 03 |
| A | | A-A-51829A | FORCEPS, TENDON-DILATION, STRAIGHT | A | 6515 / | MB | MD | 22-JAN-93 | MD | MS | | 03 |
| | | A-A-0051829 | FORCEPS, TENDON DILATION (8 1/2 INCH) | A | 6515 | MB | MD | 12-MAR-87 | MD | MS | | 03 |
| | | A-A-51830 | ADAPTER, EAR CANNULA TO TUBING (.HOUGH) | A | 6515 / | MB | MD | 18-FEB-87 | MD | MS | | 03 |
| | | A-A-51831A | FORCEPS, COAGULATION (MALIS) | A | 6515 / | MB | MD | 02-FEB-90 | MD | DS | | 03 |
| | | A-A-51832 | BANDAGE, ADHESIVE | A | 6510 / | MB | MD | 13-MAY-87 | MD | MS | | 03 |
| | | A-A-51833 | IBUPROFEN TABLETS, USP | A | 6505 | MB | MD | 23-JUL-87 | MD | MS | | 03 |
| | | A-A-51834A | ALBUMIN HUMAN, USP, HEAT TREATED | A | 6505 / | MB | MD | 30-MAY-89 | MD | MS | | 03 |
| | | A-A-0051834 | ALBUMIN HUMAN, USP, HEAT TREATED | A | 6505 | MB | MD | 19-FEB-87 | MD | MS | | 03 |
| | | A-A-51835A | CYCLOPHOSHAMIDE FOR INJECTION, USP | A | 6505 / | MB | MD | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-0051835 | CYCLOPHOSPHAMIDE FOR INJECTION, USP | A | 6505 | MB | MD | 18-FEB-87 | MD | MS | | 03 |
| | | A-A-51836A | FORCEPS, EYE SUTURE, STRAIGHT, TWEEZERS-TYPE (CASTROVIEJO) | A | 6515 / | MB | MD | 13-FEB-89 | MD | MS | | 03 |
| | | A-A-0051837 | DRAPE, SURGICAL | A | 6530 | MB | MD | 20-FEB-87 | MD | MS | | 03 |
| | | A-A-51838 | STRIP ASSORTMENT, ABRASIVE, DENTAL (ALUMINUM OXIDE, METAL BACKED) | A | 6520 | MB | MD | 09-MAR-87 | MD | MS | | 03 |
| | | A-A-51839A | CLAMP, ARTERY, (GLOVER) | A | 6515 / | MB | MD | 16-FEB-89 | MD | MS | | 03 |
| | | A-A-51840A | SCISSORS, EAR, SERRATED (JOSEPH) | A | 6515 / | MB | MD | 06-JUN-89 | MD | MS | | 03 |
| | | A-A-51841 | RULER, ENDODONTIC INSTRUMENT (FINGER RING, RIGHT HANDED) | A | 6520 | MB | MD | 13-APR-87 | MD | MS | | 03 |
| | | A-A-51843A | FORCEPS, FIXATION (LESTER) | A | 6515 / | MB | MD | 10-OCT-89 | MD | MS | | 03 |
| | | A-A-51844 | ENVELOPE, STERILIZATION | A | 6530 / | MB | MD | 31-MAR-87 | MD | MS | | 03 |
| | | A-A-51845 | CABINET, ELECTROCARDIOGRAPH | A | 6530 | MB | MD | 31-MAR-87 | MD | MS | | 03 |
| | | A-A-51846 | HEADBAND, HEADLIGHT | A | 6515 | MB | MD | 31-MAR-87 | MD | MS | | 03 |
| A | | A-A-51847B | INDICATOR, STERILIZATION | A | 6530 / | MB | MD | 19-MAR-93 | MD | MS | | 03 |
| | | A-A-51848A | FORCEPS, ELECTROCOAGULATION, BIPOLAR, 6 INCH (MALIS) | A | 6515 / | MB | MD | 21-FEB-89 | MD | MS | | 03 |
| | | A-A-51849A | ELEVATOR AND RETRACTOR, BONE (BENNETT DESIGN) | A | 6515 / | MB | MD | 08-MAR-89 | MD | MS | | 03 |
| | | A-A-51850 | DILATOR, VASCULAR, STERILE | A | 6515 | MB | MD | 04-MAR-87 | MD | MS | | 03 |
| | | A-A-51851A | NEEDLE, HYPODERMIC DISPOSABLE 30 GAGE BY 1/2 INCH (1.3 CM) | A | 6515 / | MB | MD | 14-MAY-90 | MD | MS | | 03 |
| | | A-A-51852A | ADAPTER, AUTOMATIC RETRACTOR HOLDER | A | 6515 / | MB | MD | 27-JUN-88 | MD | MS | | 03 |
| | | A-A-51853A | EPINEPHRINE INJECTION, USP | A | 6505 / | MB | MD | 15-FEB-90 | MD | MS | | 03 |
| | | A-A-0051853 | EPINEPHRINE INJECTION, USP | A | 6505 / | MB | MD | 09-MAR-87 | MD | MS | | 03 |
| | | A-A-0051854 | SORBITOL IRRIGATION | A | 6505 | MB | MD | 25-FEB-87 | MD | MS | | 03 |
| | | A-A-0051855 | VITAMIN A AND VITAMIN D OINTMENT | A | 6505 | MB | MD | 17-FEB-87 | MD | MS | | 03 |
| | | A-A-51856A | SPONGE, SURGICAL, (NONWOVEN SYNTHETIC FIBER, SPEAR SHAPED) | A | 6510 | MB | MD | 01-MAR-88 | MD | MS | | 03 |
| | | A-A-0051857 | VITAMIN B COMPLEX AND ASCORBIC ACID CAPSULES | A | 6505 | MB | MD | 18-FEB-87 | MD | MS | | 03 |
| | | A-A-0051858 | CASE, MEDICAL, SHIPPING AND STORAGE, POLYETHYLENE, RIGID | A | 6545 | MB | MD | 17-MAR-87 | MD | MS | | 03 |
| | | A-A-51859A | FORCEPS, HEMOSTATIC CLIP APPLYING, LARGE, SERRATED JAWS, ANGLED | A | 6515 / | MB | MD | 01-JUN-89 | MD | MS | | 03 |
| | | A-A-51860A | PARTITION, MEDICAL CASE | A | 6515 | MB | MD | 16-DEC-87 | MD | MS | | 03 |
| | | A-A-51862A | GUIDE WIRE, VEIN CATHETERIZATION | A | 6515 / | MB | MD | 18-AUG-88 | MD | MS | | 03 |
| | | A-A-51863A | HOOK, DURA (DANDY) | A | 6515 / | MB | MD | 02-MAY-89 | MD | MS | | 03 |
| | | A-A-51865A | SPONGE, SURGICAL, (NONWOVEN SYNTHETIC FIBER, SPEAR-SHAPED) | A | 6510 | MB | MD | 01-MAR-88 | MD | MS | | 03 |
| | | A-A-0051865 | UREA CREAM | A | 6505 | MB | MD | 18-FEB-87 | MD | MS | | 03 |
| | | A-A-51867A | ELECTROSURGICAL APPARATUS | A | 6515 / | MB | MD | 12-JUL-91 | MD | MS | | 03 |
| | | A-A-51868 | TABLE, OPHTHALMIC INSTRUMENT, ADJUSTABLE | A | 6540 | MB | MD | 20-MAR-87 | MD | MS | | 03 |
| | | A-A-0051869 | HALCINONIDE SOLUTION | A | 6505 | MB | MD | 09-MAR-87 | MD | MS | | 03 |
| | | A-A-51872 | SUTURE, ABSORBABLE, SURGICAL (POLYGLYCOLIC ACID) | A | 6515 | MB | MD | 18-MAR-87 | MD | MS | | 03 |
| | | A-A-51875A | HOLDER, SUTURE NEEDLE, DELICATE JAWS | A | 6515 / | MB | MD | 05-JUN-89 | MD | MS | | 03 |
| | | A-A-0051875 | HOLDER, SUTURE NEEDLE, DELICATE JAWS | A | 6515 / | MB | MD | 20-MAY-87 | MD | MS | | 03 |
| | | A-A-51876A | FORCEPS, THORACIC (HARRINGTON) | A | 6515 / | MB | MD | 08-MAY-89 | MD | MS | | 03 |
| | | A-A-0051876 | FORCEPS, THORACIC (HARRINGTON) | A | 6515 | MB | MD | 21-APR-87 | MD | MS | | 03 |
| | | A-A-0051877 | BLADE, SURGICAL KNIFE | A | 6515 | MB | MD | 06-APR-87 | MD | MS | | 03 |
| | | A-A-0051878 | RANITIDINE HYDROCHLORIDE INJECTION | A | 6505 | MB | MD | 12-MAR-87 | MD | MS | | 03 |
| | | A-A-51879A | TUBE, CENTRIFUGAL HEMATOLOGY | A | 6630 | MB | MD | 02-FEB-88 | MD | MS | | 03 |
| | | A-A-51881A | HOLDER, SUTURE NEEDLE (TROUTMAN) | A | 6515 / | MB | MD | 10-JUL-89 | MD | MS | | 03 |
| | | A-A-51882A | HOLDER, SUTURE NEEDLE, (BARRAQUER) | A | 6515 / | MB | MD | 11-OCT-89 | MD | MS | | 03 |
| | | A-A-0051882 | HOLDER,SUTURE NEEDLE (BARRAQUER) | A | 6515 | MB | MD | 27-APR-87 | MD | MS | | 03 |
| | | A-A-51884 | CATHETER, CHOLANGIOGRAM (PLASTIC) | A | 6515 | MB | MD | 23-MAR-87 | MD | MS | | 03 |
| | | A-A-51885 | DRAIN, SURGICAL (RUBBER, MUSHROOM TIP, PEZZER) | A | 6515 | MB | MD | 23-MAR-87 | MD | MS | | 03 |
| | | A-A-51886 | INTRAVENOUS INJECTION SET, (WITH FLEXIBLE DRIP CHAMBER, NON VENTED, ADULT, WITHOUT NEEDLE, DISPOSABLE) | A | 6515 | MB | MD | 24-MAR-87 | MD | MS | | 03 |
| | | A-A-51887 | NEEDLE, HYPODERMIC, ( BLOOD COLLECTING, MULTILE SAMPLE | A | 6515 / | MB | MD | 24-MAR-87 | MD | MS | | 03 |
| | | A-A-51888 | RETRACTOS, HIP JOINT (AUFRANC COBRA) | A | 6515 | MB | MD | 19-FEB-88 | MD | MS | | 03 |
| | | A-A-51889 | WAX, DENTAL (INLAY) | A | 6520 | MB | MD | 06-APR-87 | MD | MS | | 03 |
| | | A-A-51890 | LAMP, HEADLIGHT, SURGICAL | A | 6515 | MB | MD | 17-APR-87 | MD | MS | | 03 |
| A | | A-A-51894C | CEFOXITIN SODIUM, STERILE, USP | A | 6505 / | MB | MD | 23-MAR-93 | MD | MS | | 03 |
| A | | A-A-51895A | BAGS, WASTE RECEPTACLE | A | 8105 / | MB | MD | 24-JUL-92 | MD | MS | | 03 |
| | | A-A-51896 | PLATFORM, EXERCISE MAT, PHYSICAL THERAPY | A | 6530 | MB | MD | 24-APR-87 | MD | MS | | 03 |
| | | A-A-51897 | TRAY, INSTRUMENT | A | 6530 / | MB | MD | 24-APR-87 | MD | MS | | 03 |
| | | A-A-51898 | STORAGE UNIT, PHARMACEUTICALS | A | 6530 | MB | MD | 24-APR-87 | MD | MS | | 03 |
| | | A-A-51899 | PAPER, ELECTROENCEPHALOGRAPH RECORDING | A | 6515 | MB | MD | 24-APR-87 | MD | MS | | 03 |
| | | A-A-51900 | RETRACTOR, ABDOMINAL (LEMPON, EXTRA DEEP, DEAVER, 9-1/2 INCH BLADE) | A | 6515 | MB | MD | 17-SEP-87 | MD | MS | | 03 |
| | | A-A-51901 | MAGNIFIER | A | 6650 | MB | MD | 30-MAR-87 | MD | MS | | 03 |

# NUMERICAL LISTING
# COMMERCIAL ITEM DESCRIPTIONS

| Action | GPL / QML Coordination Indicator | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | A-A-51902 | MAGNIFIER | A 6650 / MB 30-MAR-87 | MD | MS | 03 | |
| | | A-A-0051903 | SPLINT, NASAL (LARGE, BROWN) | A 6515 MB 13-APR-87 | MD | MS | 03 | |
| | | A-A-51905A | SPECULUM, EYE, LANCASTER, NON-MAGNETIC, 3 INCH | A 6515 / MB 17-MAY-89 | MD | MS | 03 | |
| | | A-A-0051905 | SPECULUM, EYE (LANCASTER) | A 6515 MB 24-AUG-87 | MD | MS | 03 | |
| | | A-A-51906A | TUBE, INHALER | A 6515 / MB 31-AUG-90 | MD | MS | 03 | |
| | | A-A-51907A | SPECTACLES, PROTECTIVE, DENTAL PATIENT, CLEAR LENSES | A 6520 MB 01-DEC-87 | MD | MS | 03 | |
| | | A-A-51908A | FORCEPS, ENDOSCOPIC, (LARGE, FORWARD GRASPING, JACKSON) | A 6515 / MB 14-FEB-89 | MD | MS | 03 | |
| | | A-A-51909A | FORCEPS, ENDOSCOPIC (ALLIGATOR, GRASPING, JACKSON) | A 6515 / MB 14-FEB-89 | MD | MS | 03 | |
| | | A-A-0051909 | FORCEPS, ENDOSCOPE (ALLIGATOR, GRASPING, JACKSON) | A 6515 MB 15-SEP-87 | MD | MS | 03 | |
| | | A-A-0051910 | GLOBULIN, RHO(D) IMMUNE | A 6505 MB 30-MAR-87 | MD | MS | 03 | |
| | | A-A-0051911 | DIETHYLPROPION HYDROCHLORIDE TABLETS, MODIFID | A 6505 MB 30-MAR-87 | MD | MS | 03 | |
| | | A-A-0051912 | SODIUM FLUORIDE, USP, POWDER | A 6505 MB 25-MAR-87 | MD | MS | 03 | |
| | | A-A-0051914 | OPHTHALMIC IRRIGATING SOLUTION | A 6505 MB 20-MAR-87 | MD | MS | 03 | |
| | | A-A-51915A | TESTER, DEFIBRILLATOR ENERGY | A 6625 / MB 29-APR-88 | MD | MS | 03 | |
| | | A-A-51916A | FORCEPS, COAGULATION (GERALD) | A 6515 / MB 19-MAY-89 | MD | MS | 03 | |
| | | A-A-51917A | FORCEPS, SEPTUM, JANSEN-MIDDLETON, SMALL, THROUGH CUTTING | A 6515 / MB 19-MAY-89 | MD | MS | 03 | |
| | | A-A-51918A | ELEVATOR, EAR (LEMPERT) | A 6515 / MB 13-FEB-89 | MD | MS | 03 | |
| | | A-A-0051918 | ELEVATOR, EAR (LEMPERT) | A 6515 MB 17-AUG-87 | MD | MS | 03 | |
| | | A-A-51919 | SLIDE MICROSCOPE (PLAIN, FROSTED END) | A 6640 MB 10-APR-87 | MD | MS | 03 | |
| | | A-A-51920A | FORCEPS, TISSUE, BISHOP-HARMON, STRAIGHT | A 6515 / MB 12-JUN-89 | MD | MS | 03 | |
| | | A-A-0051920 | FORCEPS, TISSUE (BISHOP-HARMON, STRAIGHT) | A 6515 MB 20-MAY-87 | MD | MS | 03 | |
| | | A-A-0051921 | INFUSION SET, SCALP VEIN, 25 GAGE | A 6515 / MB 21-MAR-87 | MD | MS | 03 | |
| | | A-A-51922A | DIAPHRAGM, VAGINAL (ARCING) | A 6515 / MB 06-APR-92 | MD | MS | 03 | |
| | | A-A-51923 | SHEETING, IMPLANT AND FABRICATION, (SILICONERUBBER) | A 6515 MB 08-APR-87 | MD | MS | 03 | |
| A | | A-A-51924A | MILK OF MAGNESIA, USP | A 6505 / MB 30-SEP-92 | MD | MS | 03 | |
| | | A-A-51925A | CHIGGER REPELLENT AND ANTIPRURITIC LOTION | A 6505 / MB 26-SEP-88 | MD | MS | 03 | |
| | | A-A-0051925 | CHIGGER REPELLENT & ANTIPRURITIC, 4 FL OZ (118 ML) | A 6505 MB 03-APR-87 | MD | MS | 03 | |
| | | A-A-51926A | DIPHENHYDRAMINE HYDROCHLORIDE CAPSULES, USP | A 6505 / MB 30-NOV-89 | MD | MS | 03 | |
| | | A-A-0051926 | DIPHENHYDRAMINE HYDROCHLORIDE CAPSULES, USP | A 6505 MB 03-APR-87 | MD | MS | 03 | |
| A | | A-A-51927A | BUTOCONAZOLE NITRATE CREAM, VAGINAL | A 6505 / MB 18-DEC-92 | MD | MS | 03 | |
| | | A-A-0051927 | BUTOCONAZOLE NITRATE CREAM, VAGINAL | A 6505 MB 06-APR-87 | MD | MS | 03 | |
| | | A-A-0051928 | TRIAMCINOLONE ACETONIDE INHALATION AEROSOL | A 6505 MB 06-APR-87 | MD | MS | 03 | |
| A | | A-A-51931A | FORCEPS, MAXILLARY DISIMPACTION, ROWE'S DESIGN | A 6515 / MB 18-DEC-92 | MD | MS | 03 | |
| A | | A-A-51933A | ASPIRIN SUPPOSITORIES, USP | A 6505 / MB 13-NOV-92 | MD | MS | 03 | |
| | | A-A-0051934 | NITROGLYCERIN TRANSDERMAL SYSTEM, MICROSEALED | A 6505 MB 10-APR-87 | MD | MS | 03 | |
| | | A-A-0051935 | NITROGLYCERIN TRANSDERMAL SYSTEM, MEMBRANE - PERMEATION CONTROLLED | A 6505 MB 13-APR-87 | MD | MS | 03 | |
| | | A-A-51936A | ALLOPURINOL TABLETS, USP | A 6505 / MB 30-MAY-89 | MD | MS | 03 | |
| | | A-A-0051936 | ALLOPURINOL TABLETS, USP | A 6505 MB 10-APR-87 | MD | MS | 03 | |
| | | A-A-0051937 | NITROGLYCERIN LINGUAL AEROSOL | A 6505 MB 15-APR-87 | MD | MS | 03 | |
| | | A-A-51938A | CASSETTE, RADIOGRAPHIC FILM (LIGHTWEIGHT) | A 6525 / MB 10-SEP-90 | MD | MS | 03 | |
| | | A-A-51939 | MONITOR, TRI-GAS | A 6665 MB 24-APR-87 | MD | MS | 03 | |
| | | A-A-51940A | RETRACTOR, ORAL (OBWEGESER, 14 BY 70 MM CURVED DOWNWARD) | A 6520 / MB 13-NOV-89 | MD | MS | 03 | |
| | | A-A-0051940 | RETRACTOR, ORAL OBWEGESER DESIGN | A 6520 MB 15-JUN-87 | MD | MS | 03 | |
| | | A-A-51941 | POSITIONING SET, SURGICAL | A 6530 MB 29-MAY-87 | MD | MS | 03 | |
| | | A-A-51942A | FORCEPS, THORACIC, CURVED, MIXTER | A 6515 / MB 06-JUN-89 | MD | MS | 03 | |
| | | A-A-0051942 | FORCEPS, THORACIC (MIXTER) | A 6515 MB 20-MAY-87 | MD | MS | 03 | |
| | | A-A-51943A | ELEVATOR, EAR (SMALL, LEMPERT) | A 6515 / MB 16-FEB-89 | MD | MS | 03 | |
| | | A-A-0051943 | ELEVATOR, EAR (SMALL, LEMPERT) | A 6515 MB 25-AUG-87 | MD | MS | 03 | |
| | | A-A-51945 | ELECTROCARDIOGRAPH (ECG) | A 6515 / MB 31-JUL-90 | MD | MS | 03 | |
| | | A-A-0051947 | SULFACETAMIDE SODIUM LOTION, USP | A 6505 MB 16-APR-87 | MD | MS | 03 | |
| | | A-A-0051948 | DEFIBRILLATOR & CARDIOSCOPE (THREE LEAD, WITH RECORDER) | A 6515 MB 22-APR-87 | MD | MS | 03 | |
| | | A-A-0051949 | LEVONORGESTREL & ETHINYL ESTRADIOL TABLETS, USP, TRIPHASIC, 84S | A 6505 MB 09-APR-87 | MD | MS | 03 | |
| | | A-A-51950A | GAUZE, OIL EMULSION IMPREGNATED | A 6510 / MB 29-AUG-88 | MD | MS | 03 | |
| | | A-A-0051950 | GAUZE, OIL EMULSION IMPREGNATED | A 7310 / 23-APR-87 | | | | |
| | | A-A-51951 | TIRE, RETINAL IMPLANT, (SILICONE) | A 6515 MB 28-APR-87 | MD | MS | 03 | |
| | | A-A-51953 | APRON, X-RAY PROTECTIVE (DENTAL PATIENT) | A 6532 MB 29-MAY-87 | MD | MS | 03 | |
| | | A-A-51954A | CURETTE, BONE (BRUN) | A 6515 / MB 06-FEB-89 | MD | MS | 03 | |
| | | A-A-0051954 | CURETTE, BONE (BRUN) | A 6515 MB 04-MAY-87 | MD | MS | 03 | |
| | | A-A-51955A | ELEVATOR, EAR (LAMPERT, NARROW) | A 6515 / MB 13-FEB-89 | MD | MS | 03 | |
| A | | A-A-51956A | BUTALBITAL, ASPIRIN AND CAFFEINE CAPSULES | A 6505 / MB 18-DEC-92 | MD | MS | 03 | |
| | | A-A-0051956 | BUTALBITAL, ASPIRIN AND CAFFEINE CAPSULES | A 6505 MB 27-APR-87 | MD | MS | 03 | |
| | | A-A-51957A | MINERAL INJECTION, TRACE ELEMENTS | A 6505 / MB 12-AUG-88 | MD | MS | 03 | |
| | | A-A-0051957 | MINERAL INJECTION, TRA CE ELEMENTS | A 6505 MB 24-APR-87 | MD | MS | 03 | |
| | | A-A-0051958 | GLOBULIN, IMMUNE FOR INJECTION, HUMAN, DRIED | A 6505 MB 27-APR-87 | MD | MS | 03 | |
| | | A-A-0051960 | INTRAVENOUS INJECTION SET (NON-VENTED, WITH METERING CHAMBER) | A 6515 MB 01-MAY-87 | MD | MS | 03 | |
| A | | A-A-51961A | TUBE, STOMACH, SURGICAL (LEVIN) | A 6515 / MB 21-AUG-92 | MD | MS | 03 | |
| | | A-A-51962 | BURNER, ALCOHOL (DENTAL) | A 6640 / MB 11-MAY-87 | MD | MS | 03 | |
| | | A-A-51963 | WEIGHT, BLOOD BAG, WATER BATH (LEAD) | A 6640 MB 11-MAY-87 | MD | MS | 03 | |
| | | A-A-51964 | OXYGEN ABSORBENT, CHEMICAL, SEEZ O2 | A 6630 MB 15-MAY-87 | EA | MS | 99 | |
| | | A-A-51967A | APPLICATOR, ACETONE-ALCOHOL IMPREGNATED | A 6510 / MB 01-APR-88 | MD | MS | 03 | |
| | | A-A-51968A | BULB, PIPET, BACTERIOLOGICAL (RUBBER) | A 6640 / MB 14-SEP-87 | MD | MS | 03 | |
| | | A-A-0051968 | BULB, PIPET, BACTERIOLOGICAL (RUBBER) | A 6640 / MB 15-MAY-87 | MD | MS | 03 | |
| | | A-A-51969 | PRESSURE INDICATING COMPOUND AND BRUSH, DENTAL | A 6520 MB 02-JUN-87 | MD | MS | 03 | |
| | | A-A-51970 | STONE, SHARPENING | A 6520 MB 15-JUN-87 | MD | MS | 03 | |
| A | | A-A-51971A | BROMPHENIRAMINE MALEATE AND PHENYLPROPANOLAMINE HYDROCHLORIDE TABLETS, EXTENDED RELEASE | A 6505 / MB 18-DEC-92 | MD | MS | 03 | |
| | | A-A-0051971 | BROMPHENIRAMINE MALEATE & PHENYLPROPANOLAMINE HYDROCHLORIDE TABLETS, SUSTAINED RELEASE | A 6505 MB 11-MAY-87 | MD | MS | 03 | |
| A | | A-A-51972A | CHLORAMPHENICOL OPHTHALMIC OINTMENT, USP | A 6505 / MB 18-DEC-92 | MD | MS | 03 | |
| | | A-A-0051972 | CHLORAMPHENICOL OPHTHALMIC OINTMENT, USP | A 6505 MB 12-MAY-87 | MD | MS | 03 | |
| | | A-A-0051973 | POTASSIUM CHLORIDE EXTENDED-RELEASE CAPSULES, USP | A 6505 MB 27-APR-87 | MD | MS | 03 | |
| | | A-A-51974A | TRANSFER SET, INTRAVENOUS SOLUTION (NON-VENTED, 27 INCHES) | A 6515 / MB 05-MAY-89 | MD | MS | 03 | |
| | | A-A-0051974 | TRANSFER SET, INTRAVENOUS SOLUTION (NON-VENTED, 27 INCHES) | A 6515 MB 29-MAY-87 | MD | MS | 03 | |
| | | A-A-51975 | LIGHT, HEAD, SURGICAL | A 6515 MB 26-JUN-87 | MD | MS | 03 | |
| A | | A-A-51976A | DIAPER, INFANT'S | A 6532 / MB 15-OCT-92 | MD | MS | 03 | |
| | | A-A-51977 | CANNULA SET, LACHRYMAL | A 6515 MB 19-MAY-87 | MD | MS | 03 | |
| | | A-A-51978 | CATHETER AND NEEDLE UNIT, INTRAVENOUS (20 GAGE) | A 6515 MB 20-MAY-87 | MD | MS | 03 | |
| | | A-A-51979 | CONE, FELT (DENTAL GRINDING AND POLISHING MACHINE) | A 6520 MB 09-JUN-87 | MD | MS | 03 | |
| | | A-A-0051980 | OINTMENT BASE, WASHABLE | A 6505 MB 28-MAY-87 | MD | MS | 03 | |
| | | A-A-51983 | SPECULUM, EAR (BOUCHERON) | A 6515 MB 22-MAY-87 | MD | MS | 03 | |
| | | A-A-51984 | TABLE, TREATMENT | A 6530 MB 26-JUN-87 | MD | MS | 03 | |
| | | A-A-51985 | APRON, X-RAY PROTECTIVE | A 6532 MB 26-JUN-87 | MD | MS | 03 | |
| | | A-A-51986A | HANDLE, ELECTRODE, ELECTROSURGERY | A 6515 / MB 12-AUG-88 | MD | MS | 03 | |
| M | | A-A-51987A | TABLE, OPERATING, ORTHOPEDIC (HAND) | A 6530 / MB 04-JUN-93 | MD | MS | 03 | |
| | | A-A-51988 | STOOL, RVOLVING | A 6530 MB 26-JUN-87 | MD | MS | 03 | |
| | | A-A-51989 | INDICATOR, STERILIZATION | A 6530 MB 26-JUN-87 | MD | MS | 03 | |
| | | A-A-51990A | SYRINGE, CARTRIDGE (MEDICAL, PLASTIC) | A 6515 / MB 04-MAY-89 | MD | MS | 03 | |
| | | A-A-51991 | SCOOP, GALLSTONE (DOUBLE-ENDED, MAYO) | A 6515 MB 21-MAY-87 | MD | MS | 03 | |
| A | | A-A-51992B | HOLDER, SUTURE NEEDLE, CASTROVIEJO | A 6515 / MB 19-MAR-93 | MD | MS | 03 | |
| A | | A-A-51992/1 | HOLDER, SUTURE NEEDLE, CASTROVIEJO | A 6515 / MB 19-MAR-93 | MD | MS | 03 | |
| A | | A-A-51992/2 | HOLDER, SUTURE NEEDLE, CASTROVIEJO | A 6515 / MB 19-MAR-93 | MD | MS | 03 | |
| | | A-A-51994A | TESTER, PULP, CANAL | A 6520 / MB 12-JUN-89 | MD | MS | 03 | |
| | | A-A-0051994 | TESTER, PULP, DENTAL | A 6520 MB 15-JUN-87 | MD | MS | 03 | |
| | | A-A-51995 | INFUSOR, PRESSURE, BLOOD COLLECTING-DISPENSING BAG | A 6515 MB 04-JUN-87 | MD | MS | 03 | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | A-A-51996 | ESOPHAGOSCOPE (FIBER OPTIC HOLINGER) | A 6515 MB 04-JUN-87 MD MS 03 | | | | |
| | | A-A-51997 | MANDREL, DENTAL HANDPIECE, NO. 303 | A 6520 MB 22-JUN-87 MD MS 03 | | | | |
| | | A-A-51998 | MANDREL, DENTAL HANDPIECE, NO. 303-1/2 | A 6520 MB 22-JUN-87 MD MS 03 | | | | |
| | | A-A-51999 | MANDREL, DENTAL HANDPIECE, NO. X350 | A 6520 MB 22-JUN-87 MD MS 03 | | | | |
| D | | A-A-52001 | PLANETABLES, SURVEYING, WITH TRIPOD AND CARRYING CASE USER: CG MC REVIEWER: 82 GS | A 6675 ME 01-APR-87 ME YD1 99 | | | | |
| | | A-A-52002 | LEVEL, CIRCULAR, ROD REVIEWER: GS | A 6675 / ME 29-APR-87 ME | | | | |
| | | A-A-52003 | MEASURER, MAP USER: MC REVIEWER: 82 GS | A 6675 ME 23-JUN-87 ME 99 | | | | |
| | | A-A-52004 | RODS SET, LEVEL REVIEWER: 82 GS | A 6675 ME 16-JUL-87 ME MC 99 | | | | |
| D | | A-A-52005 | ALTIMETER/BAROMETER, POCKET SIZE, WITH CASE | A 6675 ME 09-SEP-87 ME YD1 99 | | | | |
| | | A-A-52007A | THERMOMETER, SELF-INDICATING LIQUID-IN-GLASS USER: 82 REVIEWER: ER GS | A 6685 / ME 20-FEB-90 ME 99 | | | | |
| | L | A-A-52008 | CUTTING EDGES, MOLDBOARD, GRADER | A 3805 / ME 17-AUG-88 ME | | | | |
| | L | A-A-52009 | SURVEYOR'S TOOL POUCH | A 5210 / ME 11-AUG-89 ME | | | | |
| D | L | A-A-52010 | CLAMP, HANDLE, STEEL TAPE USER: GL MC YD1 | A 5210 / ME 11-AUG-89 ME | | | | |
| | | A-A-52011A | RULES, STEEL, MACHINIST'S ENGLISH AND ENGLISH-METRIC GRADUATION USER: GL | A 5210 / ME 21-DEC-89 ME 84 | | | | |
| | | A-A-52012 | OUTBOARD MOTOR, GASOLINE USER: MC REVIEWER: ER | A 2805 / ME 15-AUG-89 ME SH | | | | |
| | L | A-A-52014 | HARROW, DISK TYPE, TANDEM | A 3710 / ME 17-NOV-89 ME | | | | |
| | | A-A-52015 | TAGLINES, CRANE, SPRING-LOADED, REEL TYPE USER: AT CE REVIEWER: CS | A 3815 / ME 09-JAN-90 ME 99 | | | | |
| | L | A-A-52017 | COMPRESSOR UNIT: DIESEL-ENGINE-DRIVEN, 450-650 CFM, 350 PSI, WHEEL-MOUNTED | A 4310 / ME 12-JAN-90 ME | | | | |
| | L | A-A-52018A | SANDER, FLOOR: POWER DRIVEN, PORTABLE USER: GS | A 3220 / ME 06-JAN-91 ME | | | | |
| D | | A-A-52021 | SCALE, BEAM INDICATING; WEIGHING SENSITIVE TO 1 GRAM USER: YD1 REVIEWER: 82 GL GS SM | A 6670 / ME 10-MAY-91 ME 99 | | | | |
| A | | A-A-52022 | REPAIR OUTFIT, COLLAPSIBLE TANKS AND DRUMS (ROCTAD) USER: GS REVIEWER: 82 CS MC | A 5430 / ME 14-JAN-91 ME 99 | | | | |
| | | A-A-52023 | TARGET SET, SURVEYING REVIEWER: 82 GS | A 6675 / ME 19-FEB-91 ME 99 | | | | |
| | | A-A-52024 | COMPASS, MAGNETIC: SURVEYOR'S AND TRANSIT, POCKET: WITH OPTIONAL BALL AND SOCKET JOINT OR BALL AND SOCKET HEAD, AND JACOB'S STAFF REVIEWER: 82 GS | A 6675 / ME 12-MAR-91 ME 99 | | | | |
| D | | A-A-52025 | LEVELS, SURVEYING: ABNEY TYPE USER: CE MC REVIEWER: GS | A 6675 / ME 04-FEB-91 ME YD1 | | | | |
| | | A-A-52026 | PUMPS, CENTRIFUGAL: SUMP, PNEUMATIC-MOTOR-DRIVEN, 210 GPM AT 25 FOOT TOTAL HEAD USER: MC REVIEWER: 84 | A 4320 / ME 10-MAY-91 ME 99 | | | | |
| | L | A-A-52027 | PUMPING UNIT, FRAME MOUNTED, 1-1/2 INCH, ELECTRIC MOTOR DRIVEN, 35 GPM AT 25 FEET TOTAL HEAD | A 4320 / ME 26-FEB-91 ME | | | | |
| | | A-A-52028 | DRAIN, FLOOR, CAST-IRON REVIEWER: 84 CS | A 4510 / ME 21-JUN-91 ME 99 | | | | |
| | L | A-A-52029 | CONTAINER, CARGO, SIDE OPENING | A 8115 / ME 09-MAY-91 ME | | | | |
| D | | A-A-52030 | NOZZLES, FUEL AND OIL SERVICING, NONAUTOMATIC SHUTOFF AND NOZZLES, FUEL SERVICING, AUTOMATIC SHUTOFF USER: CE CG MC REVIEWER: 82 AV CS | A 4930 / ME 09-MAY-91 ME YD1 | | | | |
| | L | A-A-52031 | DRAWING BOARD, ILLUMINATED, PORTABLE REVIEWER: GS MC | A 6675 / ME 15-MAY-91 ME | | | | |
| | L | A-A-52032 | CONTAINER, CARGO, END OPENING | A 8115 / ME 16-MAY-91 ME | | | | |
| | L | A-A-52033 | CONTAINER, CARGO, HALF HEIGHT | A 8115 / ME 29-MAY-91 ME | | | | |
| D | | A-A-52034A | DRAFTING INSTRUMENT SETS AND DRAFTING INSTRUMENTS USER: MC YD1 REVIEWER: GS | A 6675 / ME 13-FEB-92 ME 99 | | | | |
| D | | A-A-52035 | PROTRACTOR, ONE ARM: SEMICIRCULAR (CORROSION-RESISTANT ALLOY, WITH CASE) USER: MC YD1 REVIEWER: GS | A 6675 / ME 13-DEC-91 ME 99 | | | | |
| D | | A-A-52036 | LEVELS, SURVEYING, SELF-LEVELING AND TILTING USER: MC YD1 REVIEWER: GS | A 6675 / ME 01-MAY-92 ME 99 | | | | |
| D | | A-A-52037 | STENCIL SET, MARKING: MANILA BOUND: CONSISTING OF LETTERS, NUMBERS, AND TRAFFIC SIGNS USER: MC REVIEWER: GS | A 7520 / ME 28-APR-92 ME YD1 99 | | | | |
| | L | A-A-52038 | PUMP ASSEMBLY, CENTRIFUGAL, WATER, DIESEL-ENGINE-DRIVEN, 3-INCH, SKID-MOUNTED, 200 GPM AT 300 FEET | A 4320 / ME 25-OCT-91 ME | | | | |
| | | A-A-52039A | LUBRICATING OIL, AUTOMOTIVE ENGINE, API SERVICE SG USER: AT CD OS SM REVIEWER: 11 AS GS MC PS SA | A 9150 / ME 20-APR-92 ME SH 68 | | | | |
| | L | A-A-52040 | STEREOSCOPES, LENS, AERIAL PHOTOGRAPH INTERPRETATION (POCKET) | A 6675 / ME 06-JAN-92 ME | | | | |
| | L | A-A-52041 | CASE, COMPUTER SUPPLIES, CARRYING REVIEWER: GS | A 6675 / ME 19-MAR-92 ME | | | | |
| D | L | A-A-52042 | SCALE, PLOTTING COORDINATE: PLASTIC, GRADUATED IN YARDS AND METERS IN 1:25000 AND 1:50000 SCALES USER: AS MC OS YD1 REVIEWER: GS | A 6675 / ME 12-MAR-92 ME | | | | |
| | | A-A-52043 | PARALLEL RULERS (ROLLING) REVIEWER: GS | A 6675 / ME 11-MAR-92 ME SH 99 | | | | |
| | L | A-A-52044 | POLE, RANGE, METAL, WITH CASE USER: MC REVIEWER: GS | A 6675 / ME 03-JAN-92 ME | | | | |
| | | A-A-52045 | TENSION HANDLE, STEEL MEASURING TAPE, SURVEYOR'S REVIEWER: GS | A 6675 / ME 07-JAN-92 ME 99 | | | | |
| D | | A-A-52046 | ARROW SETS, SURVEYING USER: MC REVIEWER: GS | A 6675 / ME 09-JAN-92 ME YD1 99 | | | | |
| D | | A-A-52047 | TUBING, NONMETALLIC (RUBBER AND PLASTIC) USER: AS AT MS OS REVIEWER: 82 AR CS EA MD MI | A 4720 / ME 01-APR-92 ME YD1 99 | | | | |
| | L | A-A-52048 | THERMOMETER, SELF-INDICATING, LIQUID-IN-GLASS POCKET TYPE REVIEWER: GS | A 6685 / ME 12-MAR-92 ME | | | | |
| D | | A-A-52049 | TRIPOD, SURVEYING: FOR RANGE POLE USER: MC REVIEWER: GS | A 6675 / ME 16-JAN-92 ME YD1 | | | | |
| | | A-A-52050 | PROTRACTORS, SEMICIRCULAR, PLASTIC, GRADUATED IN MILS, YARDS, METERS, AND INCHES USER: AR MC REVIEWER: GS | A 6675 / ME 24-JAN-92 ME 99 | | | | |
| A | | A-A-52051 | BINDING, SKI, ALPINE AND CROSS COUNTRY, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) USER: 45 REVIEWER: 11 82 | A 8465 / CT 12-OCT-89 GL 99 | CT | | | |
| D | | A-A-52052 | DETERGENT, DRY CLEANING (LIQUID) USER: MC SH YD1 REVIEWER: 84 MD | A 7930 / GL 03-AUG-89 GL 99 | | | | |
| | | A-A-52053 | SAWS, BAND, MEAT CUTTING REVIEWER: 84 GS MC MD TS | A 7320 / GL 05-OCT-89 GL 99 | | | | |
| D | | A-A-52054 | MIXING MACHINES, FOOD, ELECTRIC, (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) REVIEWER: 84 GS MC MD SA | A 7320 / GL 29-SEP-89 GL YD1 99 | | | | |
| A | | A-A-52055 | GLOVES, MEN'S AND WOMEN'S, LEATHER, LIGHT DUTY USER: 45 MC REVIEWER: 11 82 MD | A 8415 / CT 05-DEC-89 GL MU 99 | CT | | | |
| | L | A-A-52056 | TWINE, FIBROUS, LINE, (WAXED AND BLOCKING) USER: AR ME REVIEWER: AV CR MD | A 4020 / GL 09-APR-90 GL | | | | |
| | | A-A-52057 | REFRIGERATED BASE, SELF-CONTAINED, DRAWER TYPE USER: CE MC REVIEWER: 50 82 GS MD TS | A 4110 / GL 19-JAN-90 GL SA 99 | | | | |
| | | A-A-52058 | OVEN, WARMING, FOOD, PASS-THROUGH, ELECTRIC USER: CE MC REVIEWER: 50 84 GS MD TS | A 7310 / GL 19-JAN-90 GL SA 99 | | | | |
| | | A-A-52059 | DISPENSER, BEVERAGE, MECHANICALLY COOLED, ICE/CARBONATED DRINK, COUNTERTOP USER: CE MC REVIEWER: 50 84 GS MD TS | A 7310 / GL 19-JAN-90 GL SA 99 | | | | |
| D | | A-A-52060 | COLD FOOD COUNTER, DROP-IN, MECHANICALLY REFRIGERATED REVIEWER: GS MC MD TS YD1 | A 7310 / GL 22-JAN-90 GL SA 99 | | | | |
| | | A-A-52061 | DISPENSER, CUPS, CUP LIDS, AND DRINKING STRAWS USER: CE MC REVIEWER: 50 84 MD TS | A 4510 / GL 22-JAN-90 GL SA 99 | | | | |
| | | A-A-52062 | TABLE, FOOD PREPARATION, WITH SINK USER: CE MC REVIEWER: 50 84 GS MD TS | A 7320 / GL 31-JAN-90 GL SA 99 | | | | |
| | | A-A-52063 | GRIDDLE, WITH OVERHEAD BROILER, ELECTRIC USER: CE MC REVIEWER: 50 84 GS MD TS | A 7310 / GL 06-FEB-90 GL SA 99 | | | | |
| | | A-A-52064 | RANGE, ELECTRIC, TWO BURNER USER: CE MC REVIEWER: 50 84 GS MD TS | A 7310 / GL 06-APR-90 GL SA 99 | | | | |
| | | A-A-52065 | CARDBOARD AND PAPER, EMBOSSING, TOP USER: MC REVIEWER: 84 | A 9310 / GL 23-FEB-90 GL SA 99 | | | | |
| | | A-A-52066 | RACK, DISPENSING, CAN USER: CE MC REVIEWER: 50 84 GS MD TS | A 7320 / GL 15-FEB-90 GL SA 99 | | | | |
| A | | A-A-52067 | BINDING, TEXTILE, COTTON, BIAS-CUT REVIEWER: MD | A 8315 / CT 13-MAR-90 GL MU | CT | | | |
| | | A-A-52068 | SCRAPER, BAKERS REVIEWER: 84 MD MS TS | A 7330 / GL 12-MAR-90 GL SA 99 | | | | |
| | | A-A-52069 | FIBER ROPE ASSEMBLY, SINGLE LEG USER: SH REVIEWER: 82 IS ME | A 4020 / GL 23-APR-90 GL 99 | | | | |
| D | L | A-A-52070 | CORD, PLUMB BOB USER: MC YD1 REVIEWER: IS MD | A 4020 / GL 23-APR-90 GL | | | | |
| A | | A-A-52071 | TAPE, TEXTILE, COTTON, GENERAL PURPOSE USER: 45 MD OS REVIEWER: 11 82 EA MC | A 8315 / CT 25-APR-90 GL MU 99 | CT | | | |
| A | | A-A-52072 | WEBBING, TEXTILE, COTTON, SPLINT REVIEWER: 82 MD MS | A 8305 / CT 01-MAY-90 GL SA 99 | CT | | | |
| D | | A-A-52073 | PAPER, WRAPPING, LAMINATED AND CREPED USER: SH YD1 REVIEWER: 84 99 MC MD OS | A 8135 / GL 28-JUN-90 GL SA 69 | | | | |
| A | | A-A-52074 | CLOTH, SATIN, LINING MATERIAL REVIEWER: 82 99 CG MD | A 8305 / CT 02-JUL-90 GL MU 11 | CT | | | |
| | | A-A-52075 | AMBALMING FLUID, ARTERIAL REVIEWER: GS MD | A 9930 / GL 31-JUL-90 GL MS 50 | | | | |
| A | | A-A-52077 | PILLOWS, BED (FEATHER) REVIEWER: 82 MD | A 7210 / CT 15-AUG-90 GL MU 99 | CT | | | |
| | | A-A-52078A | LANTERN, GASOLINE, NONLEADED FUEL, WITH CASE USER: CG MC ME REVIEWER: 82 GS MD | A 6260 / GL 09-AUG-91 GL 99 | | | | |
| | | A-A-52079 | MANTLE, ILLUMINATING (GASOLINE LANTERN) USER: CG MC ME REVIEWER: 82 MD | A 6260 / GL 10-SEP-90 GL 99 | | | | |

| Action | CRL / Obsl. | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | A-A-52080 | TAPE, LACING AND TYING, NYLON USER: MC ME OS REVIEWER: AR AS CR IS MD MI .. | A | 4020 / GL | | 31-DEC-90 | GL | SH | 99 | |
| | | | A-A-52081 | TAPE, LACING AND TYING, POLYESTER USER: MC ME OS REVIEWER: AR AS CR IS MD MI | A | 4020 / GL | | 31-DEC-90 | GL | SH | | |
| | | | A-A-52082 | TAPE, LACING AND TYING, TFE-FLUOROCARBON USER: MC ME OS REVIEWER: AR AS CR IS MD MI | A | 4020 / GL | | 31-DEC-90 | GL | SH | | |
| | | | A-A-52083 | TAPE, LACING AND TYING, GLASS USER: MC ME OS REVIEWER: AR AS CR IS MD MI .. | A | 4020 / GL | | 31-DEC-90 | GL | SH | | |
| | | | A-A-52084 | TAPE, LACING AND TYING, ARAMID USER: MC ME OS REVIEWER: AR AS CR IS MD MI . | A | 4020 / GL | | 31-DEC-90 | GL | SH | | |
| A | | | A-A-52085 | CLOTH, DRILL, COTTON USER: MC REVIEWER: 82 99 MD ..... | A | 8305 / CT | | 02-JAN-91 | GL | MU | 11 | CT |
| A | L | | A-A-52086 | CLOTH, INTERLINING, COTTON WARP, RAYON FILLING REVIEWER: MD ..... | A | 8305 / CT | | 10-JAN-91 | GL | | | CT |
| A | | | A-A-52087A | GLOVE INSERTS (COLD WEATHER) USER: MC REVIEWER: 11 45 82 MD ..... | A | 8415 / CT | | 22-JUL-92 | GL | MU | 99 | CT |
| | | | A-A-52088 | ROPE, COTTON, OR COTTON/POLYESTER BLEND USER: AV MC REVIEWER: 82 IS MD SH . | A | 4020 / GL | | 07-MAR-91 | GL | | 99 | |
| | | | A-A-52089 | BOWL, FOOD MIXING, CORROSION-RESISTING STEEL USER: MC REVIEWER: 84 MD TS .. | A | 7330 / GL | | 13-MAR-91 | GL | SA | 99 | |
| | | | A-A-52090 | BREAD SLICING MACHINE, ELECTRIC OPERATED, MULTIPLE KNIFE USER: MC REVIEWER: 50 84 GS MD | A | 7320 / GL | | 11-MAR-91 | GL | | 99 | |
| | | | A-A-52091 | BLEACH, LAUNDRY, ORGANIC CHLORINE USER: AR REVIEWER: GS MD ..... | A | 6850 / GL | | 14-MAR-91 | GL | | 68 | |
| | | | A-A-52092 | AMMONIUM CHLORIDE, TECHNICAL REVIEWER: AR GS MD SH ..... | A | 6810 / GL | | 14-MAR-91 | GL | | 68 | |
| | | | A-A-52093 | DETERGENT, DRY CLEANING SOLVENT USER: AR MC SH REVIEWER: 84 GS MD ..... | A | 7930 / GL | | 14-MAR-91 | GL | | 99 | |
| A | | | A-A-52094 | THREAD, COTTON USER: MC ..... | A | 8310 / CT | | 15-MAR-91 | GL | MU | 11 | CT |
| A | | | A-A-52095 | THREAD, POLYESTER, TEXTURED USER: MC REVIEWER: 82 99 MD ..... | A | 8310 / CT | | 15-MAR-91 | GL | MU | 11 | CT |
| A | | | A-A-52096 | CLOTH, PRESSING, NYLON REVIEWER: 82 MD ..... | A | 8305 / CT | | 26-MAR-91 | GL | | 99 | CT |
| A | | | A-A-52097 | CLOTH, WIGAN, COTTON USER: MC REVIEWER: MD ..... | A | 8305 / CT | | 26-MAR-91 | GL | MU | 99 | CT |
| A | | | A-A-52098 | CLOTH, INTERLINING, ACETATE AND COTTON REVIEWER: 82 99 MD ..... | A | 8305 / CT | | 26-MAR-91 | GL | MU | 11 | CT |
| A | | | A-A-52099 | CLOTH, BIRDSEYE AND GAUZE, COTTON REVIEWER: MD MS ..... | A | 8305 / CT | | 29-MAR-91 | GL | MU | 99 | CT |
| | | | A-A-52100 | SPOT REMOVER (FOR REMOVAL OF OIL AND GREASE FROM CLOTHING) ..... | A | 6850 / GL | | 03-APR-91 | GL | | 68 | |
| D | | | A-A-52101 | TAGS, BLANK, CABLE IDENTIFICATION (CABLE MARKERS MX-892 ( )/G, MX-893 ( )/G, MX-894 ( )/G AND MX-895 ( )/G) | A | 9905 / GL | | 29-MAR-91 | GL | YD1 | 99 | |
| | | | A-A-52102 | DETERGENT, LAUNDRY (NON-PHOSPHATE, LOW TEMPERATURE) REVIEWER: 84 MD ..... | A | 7930 / GL | | 15-APR-91 | GL | | 99 | |
| A | | | A-A-52103 | CLOTH, FLANNEL, WOOL AND COTTON, WOOL AND NYLON REVIEWER: 82 99 MC MD ..... | A | 8305 / CT | | 17-MAY-91 | GL | MU | 11 | CT |
| A | | | A-A-52104 | CLOTH, BURLAP, JUTE (OR KENAF) USER: MC REVIEWER: 82 99 MD ..... | A | 8305 / CT | | 22-MAY-91 | GL | MU | 11 | CT |
| A | | | A-A-52105 | CLOTH, INTERLINING, COTTON OR SYNTHETIC WARP, AND SPUN HAIR-WOOL OR RAYON FILLING REVIEWER: 82 MC MD | A | 8305 / CT | | 07-MAY-91 | GL | MU | 99 | CT |
| A | | | A-A-52106 | CLOTH, TWILL OR PLAIN WEAVE, POLYESTER AND POLYESTER BLEND REVIEWER: 82 99 MC MD | A | 8305 / CT | | 28-JUN-91 | GL | MU | 11 | CT |
| A | | | A-A-52107 | CLOTH, PILE, SYNTHETIC FIBER PILE USER: MC REVIEWER: 82 MD ..... | A | 8305 / CT | | 28-JUN-91 | GL | MU | 99 | CT |
| A | | | A-A-52108 | CLOTH, INTERLINING, COTTON AND SYNTHETIC, OR SYNTHETIC REVIEWER: 82 99 MC MD | A | 8305 / CT | | 28-JUN-91 | GL | MU | 11 | CT |
| | | | A-A-52109 | TUBING, BIAS SEWN, OSNABURG OR BURLAP CLOTH REVIEWER: SH ..... | A | 8135 / GL | | 28-JUN-91 | GL | MU | | |
| A | | | A-A-52110 | CLOTH, PLAIN WEAVE, POLYESTER/COTTON FOR POCKETS (WATER REPELLENT) REVIEWER: 82 MC MD | A | 8305 / CT | | 23-AUG-91 | GL | MU | 99 | CT |
| A | | | A-A-52111 | SUN GLASSES, IMPACT RESISTANT REVIEWER: 82 AS GS MC MD MS ..... | A | 8465 / CT | | 30-SEP-91 | GL | SA | 11 | CT |
| A | | | A-A-52112A | SHIRT, MAN'S SHORT SLEEVE, POLYESTER/COTTON, ARMY GREEN 415 ..... | A | 8405 / CT | | 30-APR-92 | GL | | | CT |
| D | | | A-A-52113 | HANDCUFFS AND LEG IRONS USER: MC YD1 REVIEWER: 11 45 82 84 CT SA ..... | A | 8465 / GL | | 13-MAR-92 | GL | MU | 99 | |
| A | | | A-A-52114 | MATTAX, WITH CARRIER REVIEWER: 84 ..... | A | 5120 / GL | | 30-SEP-92 | GL | SH | 99 | |
| A | | | A-A-52115 | SWEATER, MAN'S, OLIVE DRAB USER: MU REVIEWER: 11 45 82 CT MD ..... | A | 8405 / GL | | 30-JUN-92 | GL | | 99 | |
| A | | | A-A-52116 | OPENERS, CAN, ELECTRIC HEAVY DUTY REVIEWER: 50 MD ..... | A | 7330 / GL | | 01-SEP-92 | GL | SA | 84 | |
| A | | | A-A-52117 | TONGS, FOOD SERVICING USER: CG MC REVIEWER: 50 GS MD TS ..... | A | 7330 / GL | | 25-SEP-92 | GL | AS | 84 | |
| A | | | A-A-52118 | DISPENSER, COMPRESSIBLE BOTTLE, CONDIMENT REVIEWER: CG GS ..... | A | 7350 / GL | | 02-NOV-92 | GL | SA | 99 | |
| A | | | A-A-52119 | TABLET, CHLORINE, FLOCCULATING, EMERGENCY WATER PURIFICATION REVIEWER: 50 EA GS MC MD OM SH SS | A | 6850 / GL | | 11-DEC-92 | GL | MC | 68 | |
| A | | | A-A-52120 | SPECTACLES SET, BALLISTICS PROTECTIVE USER: MC REVIEWER: 82 99 AS CT MD ... | A | 8465 / GL | | 31-DEC-92 | GL | MU | 11 | |
| N | | | A-A-52121 | CABINET, DOUGH-PROOFING, (18 PAN CAPACITY) REVIEWER: MC MD MS SA ..... | A | 7320 / GL | | 15-MAR-93 | GL | YD1 | 99 | |
| A | | | A-A-52122 | KIT, WATER PURIFICATION, EMERGENCY REVIEWER: 50 EA GS MD ..... | A | 6850 / GL | | 03-MAR-93 | GL | MC | 68 | |
| D | | | A-A-52123 | BARS, BUCKING, RIVET USER: CR MC OS YD1 REVIEWER: 84 ME ..... | A | 5120 / GL | | 24-MAR-93 | GL | | 99 | |
| N | | | A-A-52125 | CAN, RADIATOR FILLING AND CAN SPRINKLING; PLASTIC USER: AT CG MC REVIEWER: 84 ME | A | 7240 / GL | | 16-APR-93 | GL | | 99 | |
| N | | | A-A-52126 | POLISHER, PORTABLE, ELECTRIC REVIEWER: 84 CR ME ..... | A | 5130 / GL | | 17-MAY-93 | GL | | 99 | |
| | L | | A-A-52151 | BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE COMMERCIAL VEHICLES USER: ME ..... | A | 2540 / AT | | 18-MAY-90 | AT | | | |
| | L | | A-A-52152 | INSULATION SLEEVING, THERMAL, TUBULAR REVIEWER: SM ..... | A | 5640 / AT | | 28-MAR-90 | AT | | | |
| | | | A-A-52155 | ENGINE ACCESSORY DRIVE V-BELTS ..... | A | 3030 / AT | | 20-APR-90 | AT | | 99 | |
| | L | | A-A-52158 | CAP, FILLER OPENING, RADIATOR, PRESSURE, 7 PSI ASSEMBLY USER: MC REVIEWER: CS ME | A | 2930 / AT | | 14-MAY-90 | AT | | | |
| | L | | A-A-52160 | INDUSTRIAL V-BELTS (MULTIPLE DRIVE) ..... | A | 3030 / AT | | 25-AUG-90 | AT | | | |
| | L | | A-A-52161 | CAP, FILLER OPENING RADIATOR, "7" PSI PRESSURE 2 1/2 INCH USER: CR MC ME REVIEWER: CS | A | 2930 / AT | | 27-NOV-90 | AT | | | |
| | L | | A-A-52162 | AUTOMOBILE, HEARSE: COMMERCIAL ..... | A | 2320 / AT | | 28-FEB-91 | AT | | | |
| | L | | A-A-52163 | LADDER, VEHICLE-BOARDING ..... | A | 2540 / AT | | 17-JUN-91 | AT | | | |
| | L | | A-A-52164 | MOTORCYCLE: DUAL PURPOSE, NOMINAL 250 CC, MODIFIED COMMERCIAL ..... | A | 2340 / AT | | 22-MAR-91 | AT | | | |
| | L | | A-A-52165 | MOTORCYCLES: 1000 AND 1300 CC, COMMERCIAL ..... | A | 2340 / AT | | 30-AUG-91 | AT | | | |
| | | | A-A-52166 | SNOWMOBILES: GASOLINE ENGINE DRIVEN, COMMERCIAL REVIEWER: 84 ER ..... | A | 2340 / AT | | 21-AUG-91 | AT | | 99 | |
| | L | | A-A-52167 | FIBER METAL, SHEET, NICKEL BASE, UNBACKED ..... | A | 9515 / AT | | 09-AUG-91 | AT | | | |
| | L | | A-A-52168 | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-STRAIGHT TYPE, BUTTON AND THREADED FITTINGS REVIEWER: CS | A | 2530 / AT | | 13-SEP-91 | AT | | | |
| M | L | | A-A-52169A | INSULATION: SOUND, VIBRATION, AND THERMAL ..... | A | 5640 / AT | | 19-FEB-93 | AT | | | |
| | | | A-A-52175 | PISTONS, HYDRAULIC BRAKE, WHEEL CYLINDER: SINTERED IRON (METRIC) REVIEWER: 84 CS | A | 2530 / AT | | 28-MAY-92 | AT | | 99 | |
| | L | | A-A-52176 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION ..... | A | 5905 / ER | | 30-MAY-90 | ER | | | |
| N | | | A-A-52203 | SUSPENDERS, TROUSERS (FLYING SUIT) REVIEWER: 82 ..... | A | 8440 / CT | | 03-MAY-93 | AV | AS | 99 | CT |
| D | | | A-A-52286 | SPRAYER, PESTICIDE, PUSHCART MOUNTED USER: AV MS REVIEWER: 84 CS MC PH .... | A | 3740 / MD | | 10-JUL-90 | MD | YD1 | 99 | |
| | L | | A-A-52287 | INSECTICIDE, PARADICHLOROBENZENE ..... | A | 6840 / EA | | 25-APR-91 | EA | | | |
| | L | | A-A-52296 | STENCIL SET: STENCIL BOARD: NONADJUSTABLE REVIEWER: GL ..... | A | 7520 / ME | | 04-FEB-92 | ME | | | |
| | L | | A-A-52297 | TABLE, PHOTOINTERPRETER AND ANALYST, ILLUMINATED, SPLIT STAGE ..... | A | 6675 / ME | | 03-FEB-92 | ME | | | |
| | L | | A-A-52298 | TRIPOD, SURVEYING: EXTENSION-LEG-TYPE USER: AR REVIEWER: GS ..... | A | 6675 / ME | | 20-FEB-92 | ME | | | |
| D | | | A-A-52299 | LEVELS, SURVEYING: LOCATORS, HAND-TYPE REVIEWER: 82 GS MC ..... | A | 6675 / ME | | 29-JAN-92 | ME | YD1 | 99 | |
| | | | A-A-52300 | PROTRACTORS, CIRCULAR AND SEMICIRCULAR, (MILS, DEGREES) USER: CG REVIEWER: 82 GS MC | A | 6675 / ME | | 03-MAR-92 | ME | | 99 | |
| D | | | A-A-52301 | DRAWING BOARD AND DRAWING BOARD TRESTLES USER: GL MC YD1 REVIEWER: 82 GS .. | A | 6675 / ME | | 03-APR-92 | ME | | 99 | |
| D | L | | A-A-52302 | GASKET, SPLIT INTEGRAL, FOR INLAND PETROLEUM DISTRIBUTION SYSTEM (IPDS) SNAP-JOINT COUPLING REVIEWER: 99 CE CS YD1 | A | 5330 / ME | | 06-APR-92 | ME | | | |
| | L | | A-A-52303 | HOOKS, BOAT, BALL POINT USER: SH ..... | A | 2040 / ME | | 08-APR-92 | ME | | | |
| D | | | A-A-52304 | LETTERING SETS AND ACCESSORIES USER: AR MC YD1 REVIEWER: GS ..... | A | 6675 / ME | | 15-MAY-92 | ME | | 99 | |
| A | L | | A-A-52305 | AUGER, EARTH, BOOM MOUNTED REVIEWER: AT ..... | A | 3820 / ME | | 20-AUG-92 | ME | | | |
| D | | | A-A-52306 | LUBRICATING OIL, HEAVY-DUTY DIESEL ENGINE USER: AR AT AV OS SH REVIEWER: 11 GS MI PS SA YD1 | A | 9150 / ME | | 06-NOV-92 | ME | AS | 68 | |
| A | | | A-A-52400 | HEADLAMP, SEALED BEAM, 12 VOLT (TRADE NO. 6015) REVIEWER: 82 GS ..... | A | 6240 / AT | | 17-JUL-92 | AT | | 99 | |
| A | | | A-A-52401 | BEARING, SLEEVE (STEEL-BACKED) USER: MI REVIEWER: 84 IS MC SH ..... | A | 3120 / AT | | 10-JUL-92 | AT | OS | 99 | |
| A | L | | A-A-52402 | GUARD, SPLASH, WHEEL USER: MC REVIEWER: CS ..... | A | 2540 / AT | | 10-JUL-92 | AT | | | |
| A | | | A-A-52403 | MENDER, HOSE (LOW PRESSURE) USER: AV MC OS REVIEWER: 69 82 AR CS ME ..... | A | 4730 / AT | | 21-JAN-93 | AT | AS | 99 | |
| A | | | A-A-52404 | INSULATION SHEET, CELLULAR, PLASTIC: THERMAL (METRIC) USER: AV ME REVIEWER: 84 AR MI MR | A | 5640 / AT | | 20-JUL-92 | AT | | 99 | |
| A | | | A-A-52405 | TEE, HOSE (LOW PRESSURE) REVIEWER: 82 CS ..... | A | 4730 / AT | | 30-NOV-92 | AT | AS | 99 | |
| A | | | A-A-52406 | CLAMP, LOOP, MUFFLER REVIEWER: 82 ..... | A | 5340 / AT | | 06-AUG-92 | AT | | 99 | |
| A | | | A-A-52407 | GLASS, FILTER, COLORED (METRIC) REVIEWER: 84 GS MI ..... | A | 9340 / AT | | 15-SEP-92 | AT | AS | 99 | |
| D | | | A-A-52409 | LAMPS, INCANDESCENT-SEALED BEAM USER: 82 SH REVIEWER: 11 GS ..... | A | 6240 / AT | | 03-NOV-92 | AT | YD1 | 99 | |

| Action | Doc. Number | Document Title | Class Stmt / FSC / Area / MICA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| A L | A-A-52410 | BOOT, DUST AND MOISTURE SEAL: HYDRAULIC BRAKE CYLINDER, SYNTHETIC RUBBER REVIEWER: CS MI | A 2530 / AT | 09-FEB-93 | AT | | | |
| A L | A-A-52411 | INSULATION, MOLDED, NOISE BARRIER | A 5640 / AT | 09-OCT-92 | AT | | | |
| A L | A-A-52412 | INCLINOMETER, BALL STYLE | A 6695 / AT | 03-NOV-92 | AT | | | |
| A L | A-A-52413 | HOSE, RUBBER: OIL SUCTION, WIRE-REINFORCED REVIEWER: CS | A 4720 / AT | 18-JAN-93 | AT | | | |
| D | A-A-52414 | BEARING, ROLLER, THRUST USER: MC SH REVIEWER: 84 AR IS YD1 | A 3110 / AT | 09-MAR-93 | AT | OS | | 99 |
| A L | A-A-52415 | CLAMP ASSEMBLY - EXHAUST MUFFLER AND TAILPIPE | A 2990 / AT | 18-JAN-93 | AT | | | |
| A | A-A-52416 | TERMINALS, LUG: AND SPLICES, CONDUCTOR (ELECTRICAL, SOLDERLESS, FOR AUTOMOTIVE USE) REVIEWER: AR EA GS MI | A 5940 / AT | 07-DEC-92 | AT | | | 99 |
| N | A-A-52417 | BATTERY, STORAGE: ALKALINE, NICKEL-CADMIUM USER: CR ME REVIEWER: 82 GS | A 6140 / AT | 07-JAN-93 | AT | | | 99 |
| D | A-A-52418 | LIGHT, WARNING, VEHICULAR: ROTATING UNIT, 14 AND 28 VOLT DC USER: MC SH REVIEWER: 82 GS ME | A 6220 / AT | 11-JAN-93 | AT | YD1 | | 99 |
| A | A-A-52420 | PLUG, EXPANSION USER: AR AV MC ME REVIEWER: 82 IS | A 5340 / AT | 13-JAN-93 | AT | AS | | 99 |
| A L | A-A-52421 | ACCESSORY KIT: WARNING DEVICE, DEMOUNTABLE, FOR EMERGENCY VEHICLES REVIEWER: ME | A 6220 / AT | 11-JAN-93 | AT | | | |
| A | A-A-52422 | BELTS, V: INDUSTRIAL DRIVE, NARROW TYPE USER: ER MC REVIEWER: 82 | A 3030 / AT | 12-JAN-93 | ME | | | 99 |
| A L | A-A-52423 | PUMP, SUBMERSIBLE, BILGE, AXIAL FLOW: ELECTRIC-MOTOR-DRIVEN | A 4320 / AT | 25-JAN-93 | AT | | | |
| A | A-A-52424 | CAPS, RADIATOR: PRESSURE RELIEVING (METRIC) REVIEWER: 82 CS ME | A 2930 / AT | 02-FEB-93 | AT | MC | | 99 |
| A L | A-A-52426 | HOSE AND HOSE ASSEMBLIES, NON-METALLIC, SILICONE, POLYESTER AND WIRE REINFORCED (FOR COOLANT AND HEATING SYSTEMS OF DIESEL AND GASOLINE POWERED ENGINES) USER: ME REVIEWER: CS | A 4720 / AT | 10-FEB-93 | AT | | | |
| A | A-A-52427 | NUT, PLAIN, SINGLE BALL SEAT, HEXAGON WHEEL MOUNTING - 3/4 AND 1-1/8 INCH USER: ME REVIEWER: 82 ER IS MI | A 5310 / AT | 12-FEB-93 | AT | | | 99 |
| A L | A-A-52429 | VALVE, SOLENOID OPERATED | A 4810 / AT | 15-FEB-93 | AT | | | |
| A L | A-A-52430 | PADS, CUSHIONING: PERSONNEL-PROTECTION, VEHICULAR (METRIC) REVIEWER: CS | A 2590 / AT | 15-FEB-93 | AT | | | |
| A L | A-A-52431 | EVAPORATOR, ALCOHOL - AIR BRAKE SYSTEM USER: ME REVIEWER: CS | A 2530 / AT | 18-FEB-93 | AT | | | |
| A L | A-A-52433 | CUSHION ASSEMBLIES (METRIC) | A 2540 / AT | 26-FEB-93 | AT | | | |
| N L | A-A-52435 | HOSE ASSEMBLIES, METAL: FLEXIBLE, FUEL AND OIL REVIEWER: CS EA | A 4720 / AT | 02-APR-93 | AT | | | |
| N | A-A-52440 | CONDUIT, METAL, FLEXIBLE: ELECTRICAL SHIELDED REVIEWER: 99 AR EA GS | A 5975 / AT | 10-MAR-93 | AT | AS | | 86 |
| N | A-A-52441 | MOTORS, WINDSHIELD WIPER: PNEUMATIC, AND VALVES, CONTROL FOR USER: CS MC REVIEWER: CR | A 2540 / AT | 17-MAR-93 | AT | YD1 | | |
| A L | A-A-52442 | REPAIR KIT, PUNCTURE, PNEUMATIC TIRE (METRIC) REVIEWER: CS SH | A 2640 / AT | 24-MAR-93 | AT | | | |
| A L | A-A-52443 | LUBRICANT, MOLD, TIRE, SILICON BASE EMULSION (METRIC) | A 2640 / AT | 24-MAR-93 | AT | | | |
| N | A-A-52448 | COCK, PLUG: AIR SUPPLY, VEHICULAR, AIR BRAKE SYSTEM USER: MC REVIEWER: CS | A 2530 / AT | 07-MAY-93 | AT | | | 99 |
| A | A-A-52450 | VERMICULITE, ABSORBENT (FOR PACKAGING LIQUID HAZARDOUS MATERIALS) | A 8135 / SM | 26-JUN-92 | SM | MC | | |
| N | A-A-52464 | COUPLER, DRAWBAR, RING: LIGHT DUTY, 60,000 LB GVW; OFFSET (TAPER SHANK), 60,000 LB GVW; AND HEAVY DUTY 120,000 LB GVW USER: MC ME REVIEWER: 84 ES | A 2540 / AT | 28-APR-93 | AT | YD1 | | 99 |
| | A-A-0053001 | PHENYLPROPANOLAMINE HYDROCHLORIDE & GUAIFENESIN TABLETS | A 6505 MB | 01-JUN-87 | MD | MS | | 03 |
| | A-A-53002 | HOOD, DENTAL LABORATORY GRINDING AND POLISHING MACHINE, COLLAPSIBLE, FIELD | A 6520 MB | 27-JUL-87 | MD | MS | | 03 |
| | A-A-53003A | CART, CARDIAC RESUSCITATION KIT MOBILE | A 6530 / MB | 30-MAY-89 | MD | MS | | 03 |
| | A-A-53004 | MARKER, IDENTIFICATION | A 7690 MS | 26-JUN-87 | MD | MS | | 03 |
| | A-A-53005 | BOTTLE, NEBULIZER | A 6515 MB | 26-JUN-87 | MD | MS | | 03 |
| | A-A-53006 | BRUSH, CLEANING, COLONOSCOPE | A 1615 MB | 26-JUN-87 | MD | MS | | 03 |
| | A-A-53007 | ANALYZER, DEFIBRILLATOR | A 6625 MB | 26-JUN-87 | MD | MS | | 03 |
| | A-A-53008 | PAD, LEG HOLDER | A 6515 MB | 26-JUN-87 | MD | MS | | 03 |
| | A-A-53009 | FORCEPS, EYE, SUTURE, STRAIGHT | A 6515 MB | 08-JUN-87 | MD | MS | | 03 |
| | A-A-53010 | CATHETER AND NEEDLE UNIT, INTRAVENOUS (16 GAGE BY 24 INCH CATHETER, RADIOPAQUE, DISPOSABLE) | A 6515 MB | 08-JUN-87 | MD | MS | | 03 |
| | A-A-53011 | SCISSORS, NASAL (CURVED, JOSEPH) | A 6515 MB | 09-JUN-87 | MD | MS | | 03 |
| | A-A-53012 | SCISSORS, WIRE CUTTING (ANGULAR) | A 6515 MB | 09-JUN-87 | MD | MS | | 03 |
| | A-A-53013A | SCISSORS, GENERAL SURGICAL (CURVED, METZENBAUM) | A 6515 / MB | 16-SEP-88 | MD | MS | | 03 |
| | A-A-53014A | SPREADER, BONE, PEDIATRIC (BABY INGE) | A 6515 / MB | 13-FEB-90 | MD | MS | | 03 |
| | A-A-53016A | STRIP, ABRASIVE, DENTAL, ALUMINUM OXIDE | A 6520 MB | 18-JUL-88 | MD | MS | | 03 |
| | A-A-0053017 | HYDROQUINONE CREAM, USP | A 6505 MB | 03-JUN-87 | MD | MS | | 03 |
| | A-A-53018 | BUFFER SOLUTION, STANDARD (PH) | A 6550 / MB | 22-JUN-87 | MD | MS | | 03 |
| | A-A-53019 | PRISM SET, OPHTHALMIC | A 6540 MB | 19-JUN-87 | MD | MS | | 03 |
| | A-A-53020 | BEAD, LABORATORY | A 6640 MB | 19-JUN-87 | MD | MS | | 03 |
| | A-A-53021 | WHEEL, BUFFING, CLOTH, DENTAL | A 6520 MB | 30-JUN-87 | MD | MS | | 03 |
| | A-A-53022A | STAPLES, BONE FIXATION | A 6515 / MB | 07-JAN-91 | MD | MS | | 03 |
| | A-A-53023A | INCUBATOR, INFANT | A 6530 / MB | 17-JUN-88 | MD | MS | | 03 |
| | A-A-53024A | SPECULUM, VAGINAL (AUVARD) | A 6515 / MB | 09-FEB-90 | MD | MS | | 03 |
| | A-A-53025A | DEXAMETHASONE TABLETS, USP | A 6505 / MB | 15-DEC-89 | MD | MS | | 03 |
| | A-A-53027 | LINER, FLASK, DENTAL CASTING MACHINE (NON-WATER ABSORBING) | A 6520 MB | 06-JUL-87 | MD | MS | | 03 |
| | A-A-53028 | GAGE, PROSTHODONTIC (BOLEY) | A 6520 MB | 06-JUL-87 | MD | MS | | 03 |
| | A-A-0053029 | KNIFE, GENERAL SURGICAL (DISPOSABLE) | A 6515 MB | 05-AUG-87 | MD | MS | | 03 |
| | A-A-53030 | OPHTHALMOSCOPE, BINOCULAR, INDIRECT | A 6540 MB | 29-JUN-87 | MD | MS | | 03 |
| | A-A-53031 | PRISM BAR, OPHTHALMIC | A 6540 MB | 29-JUN-87 | MD | MS | | 03 |
| | A-A-53032 | SCREEN, TANGENT, EYE EXAMINING | A 6540 MB | 29-JUN-87 | MD | MS | | 03 |
| | A-A-53034 | THERMOMETER, SELF-INDICATING, BIMETALLIC | A 6685 MB | 30-JUN-87 | MD | MS | | 03 |
| | A-A-53035 | OPHTHALMOMETER | A 6540 MB | 30-JUN-87 | MD | MS | | 03 |
| | A-A-53036 | OPHTHALMOSCOPE, POLARIZING TYPE | A 6540 MB | 30-JUN-87 | MD | MS | | 03 |
| | A-A-53038 | PLASTIC STRIP, DENTAL SURFACE PROTECTION, (MOUTHGUARD) | A 6520 MB | 06-JUL-87 | MD | MS | | 03 |
| | A-A-53039A | ETHYNODIOL DIACETATE AND ETHINYL ESTRADIOL TABLETS, USP | A 6505 / MB | 30-NOV-90 | MD | MS | | 03 |
| | A-A-0053039 | ETHYNODIOL DIACETATE & ETHINYL ESTRADIOL TABLETS | A 6505 MB | 17-JUN-87 | MD | MS | | 03 |
| | A-A-0053040 | IOHEXOL INJECTION | A 6505 MB | 24-JUN-87 | MD | MS | | 03 |
| | A-A-0053041A | MULTIVITAMIN TABLETS | A 6505 MB | 25-JAN-88 | MD | MS | | 03 |
| | A-A-0053042 | SODIUM CHLORIDE TABLETS FOR SOLUTION, USP | A 6505 MB | 19-JUN-87 | MD | MS | | 03 |
| | A-A-0053043 | MICONAZOLE NITRATE TREATMENT KIT, 3&S | A 6505 MB | 19-JUN-87 | MD | MS | | 03 |
| | A-A-53044 | CLINDAMYCIN PHOSPHATE INJECTION, USP | A 6505 MB | 01-JUL-87 | MD | MS | | 03 |
| | A-A-53045 | CATHETER, CARDIOVASCULAR (TRIPLE LUMEN, RADIOPAQUE, DISPOSABLE, 110 CM LONG) | A 6515 MB | 07-JUL-87 | MD | MS | | 03 |
| | A-A-53046A | FORCEPS, UTILITY (STRAIGHT, SMALL) | A 6515 / MB | 18-MAY-89 | MD | MS | | 03 |
| | A-A-0053046 | FORCEPS, UTILITY (STRAIGHT, SMALL) | A 6515 MB | 27-JUL-87 | MD | MS | | 03 |
| | A-A-0053047 | GLOBULIN, HEPATITIS B IMMUNE, USP | A 6505 MB | 26-JUN-87 | MD | MS | | 03 |
| | A-A-0053048 | FORMALDEHYDE SOLUTION, USP | A 6505 MB | 01-JUL-87 | MD | MS | | 03 |
| | A-A-53049 | DIATRIZOATE SODIUM INJECTION, USP | A 6505 MB | 02-JUL-87 | MD | MS | | 03 |
| | A-A-53050 | AMPICILLIN CAPSULES, USP | A 6505 MB | 02-JUL-87 | MD | MS | | 03 |
| | A-A-53051 | CISPLATIN FOR INJECTION | A 6505 MB | 06-JUL-87 | MD | MS | | 03 |
| | A-A-53052 | ISOETHARINE INHALATIONSOLUTION, USP | A 6505 MB | 02-JUL-87 | MD | MS | | 03 |
| | A-A-53053 | SOYBEAN-CASEIN DIGEST AGAR MEDIUM, DEHYDRATED | A 6545 MB | 21-JUL-87 | MD | MS | | 03 |
| | A-A-53056 | HOLDER, LABORATORY NEEDLE (DISSECTING) | A 6640 MB | 10-JUL-87 | MD | MS | | 03 |
| | A-A-53057 | SWAB, CULTURE (CALCIUM ALGINATE WOOL TIPPED) | A 6515 MB | 13-JUL-87 | | | | |
| ^ | A-A-53058A | PIPET, BACTERIOLOGICAL (PASTEUR TYPE) | A 6640 / MB | 01-FEB-93 | MD | MS | | 03 |
| | A-A-0053059 | KITS, THREAD-FORMING MOUNTED PINS, DENTAL | A 6520 MB | 17-AUG-87 | MD | MS | | 03 |
| | A-A-53061 | TEMAZE PAM CAPSULES | A 6505 MB | 09-JUL-87 | MD | MS | | 03 |
| | A-A-53062A | SCISSORS, GENERAL SURGICAL, 9 INCH (CURVED, METZENBAUM) | A 6515 / MB | 18-JUL-89 | MD | MS | | 03 |
| | A-A-0053062 | SCISSORS, GENERAL SURGICAL (CURVED, METZENBAUM) | A 6515 MB | 01-OCT-87 | MD | MS | | 03 |
| | A-A-0053063 | INFUSION SET, SCALP VEIN, (27 GAGE BY 3/8 INCH NEEDLE, WITH 8 INCH TUBING, DISPOSABLE, 40S) | A 6515 MB | 10-JUL-87 | MD | MS | | 03 |
| | A-A-53064 | DOXYCYCLINE HYCLATE CAPSULES, USP | A 6505 MB | 08-JUL-87 | MD | MS | | 03 |
| | A-A-53065A | TEST TUBE | A 6640 / MB | 15-JAN-88 | MD | MS | | 03 |
| | A-A-0053065 | TEST TUBE | A 6640 MB | 19-JUL-87 | MD | MS | | 03 |
| | A-A-53066 | BOTTLE, SCREW CAP | A 6640 MB | 20-JUL-87 | MD | MS | | 03 |
| | A-A-0053067 | POLARISCOPE, OPHTHALMIC LENS | A 6540 MB | 20-JUL-87 | MD | MS | | 03 |

| Action Code | Doc. Identifier Code / Coordination Indicator | Document Number | Document Title | Distr. Restr. / FSC / Area / NCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-53068 | FLUOCINONIDE OINTMENT, USP | A 6505 / MB | 20-JUL-87 | MD | MS | 03 | | |
| | | A-A-53069 | FLUOCINONIDE CREAM, USP | A 6505 MB | 20-JUL-87 | MD | MS | 03 | | |
| | | A-A-53070 | STIRRER, ELECTRIC, LABORATORY | A 6640 MB | 20-JUL-87 | EA | MS | 99 | | |
| | | A-A-53071 | OVEN, LABORATORY | A 6640 DM | 20-JUL-87 | EA | MS | 99 | | |
| A | | A-A-53072A | BRONCHOSCOPE, FIBER OPTIC, HOLINGER | A 6515 / MB | 12-FEB-93 | MD | MS | 03 | | |
| | | A-A-0053072 | BRONCHOSCOPE (HOLINGER) | A 6515 MB | 15-JUL-87 | MD | MS | 03 | | |
| | | A-A-53073A | GLOVES, DENTAL (RUBBER, NON-STERILE, DISPOSABLE, 50 PR) | A 6520 / MB | 11-JUL-89 | MD | MS | 03 | | |
| | | A-A-0053073 | GLOVES, DENTAL (RUBBER, NON-STERILE, DISPOSABLE, 50 PR) | A 6515 MB | 15-JUL-87 | MD | MS | 03 | | |
| | | A-A-0053074 | PHENYLEPHRINE HYDROCHLORIDE NASAL SOLUTION, USP | A 6505 MB | 07-JUL-87 | MD | MS | 03 | | |
| A | | A-A-53075A | DIFLUNISAL TABLETS, USP | A 6505 / MB | 01-APR-93 | MD | MS | 03 | | |
| | | A-A-0053075 | DIFLUNISAL TABLETS, USP | A 6505 MB | 06-JUL-87 | MD | MS | 03 | | |
| | | A-A-53077 | SPLINT, NASAL (BROWN STYLE) | A 6515 MB | 22-JUL-87 | MD | MS | 03 | | |
| | | A-A-53078 | TUBE AND SYRINGE, STOMACH (ADULT, LAVAGE, EDLICH, DISPOSABLE, 34 FR) | A 6515 MB | 16-JUL-87 | MD | MS | 03 | | |
| | | A-A-0053079 | INFUSION SET, SCALP VEIN, (21 GAGE BY 3/4 INCH NEEDLE, WITH 3-1/2 INCH TUBING, DISPOSABLE, 40S) | A 6515 MB | 17-JUL-87 | MD | MS | 03 | | |
| | | A-A-53080 | PROTECTOR, HEEL | A 6515 MB | 27-JUL-87 | MD | MS | 03 | | |
| | | A-A-53081 | AMANTADINE HYDROCHLORIDE CAPSULES, USP | A 6505 MB | 21-JUL-87 | MD | MS | 03 | | |
| | | A-A-53082A | HANGER, X-RAY FILM | A 6525 / MB | 17-JUN-88 | MD | MS | 03 | | |
| | | A-A-0053082 | HANGER, X-RAY FILM | A 6525 MB | 20-JUL-87 | MD | MS | 03 | | |
| A | | A-A-53083A | CALCIUM CARBONATE AND VITAMIN D TABLETS | A 6505 / MB | 18-DEC-92 | MD | MS | 03 | | |
| | | A-A-0053083 | CALCIUM CARBONATE AND VITAMIN D2 TABLETS | A 6505 MB | 29-MAY-87 | MD | MS | 03 | | |
| | | A-A-0053086 | FAMOTIDINE TABLETS | A 6505 MB | 16-JUL-87 | MD | MS | 03 | | |
| | | A-A-53087 | PIPERACILLIN SODIUM, STERILE, USP | A 6505 MB | 23-JUL-87 | MD | MS | 03 | | |
| | | A-A-53088 | LENS, OPHTHALMIC, GLASS | A 6540 MB | 31-JUL-87 | MD | MS | 03 | | |
| | | A-A-53090 | RACK, INSTRUMENT STERILIZATION | A 6530 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53091 | CHAIR, WHIRLPOOL BATH | A 6530 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53092A | TRAY, INSTRUMENT (CORROSION-RESISTING STEEL) | A 6530 / MB | 31-JUL-90 | MD | MS | 03 | | |
| | | A-A-53093 | PATIENT UTILITY KIT | A 6530 MB | 31-AUG-87 | MD | MS | 03 | | |
| M | | A-A-53094A | RACKS, X-RAY FILM HANGER | A 6525 / MB | 04-JUN-93 | MD | MS | 03 | | |
| | | A-A-53095 | BLOCK SET, RADIOGRAPHIC POSITIONING | A 6525 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53096 | SUPPORT, CERVICAL | A 6515 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53097 | RING, CERVICAL SPINE TRACTION | A 6515 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53098 | CALIBRATOR, TIMER | A 6625 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53099 | RACK-BIN ASSEMBLY, PHARMACEUTICAL STORAGE | A 6530 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53100 | GLOVES, X-RAY PROTECTIVE | A 6532 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53101 | APPLICATOR, DISPOSABLE, (WOOD OR PLASTIC, COTTON OR POLYESTER TIPPED END) | A 6515 MB | 28-JUL-87 | MD | MS | 03 | | |
| | | A-A-53102 | ADAPTER, HYPODERMIC NEEDLE-TO-TUBING | A 6515 MB | 28-JUL-87 | MD | MS | 03 | | |
| | | A-A-53103A | SYRINGE, ASPIRATING | A 6515 / MB | 09-JUL-90 | MD | MS | 03 | | |
| | | A-A-0053103 | SYRINGE, ASPIRATING | A 6515 MB | 30-JUL-87 | MD | MS | 03 | | |
| | | A-A-53105 | HOLDER, RADIOGRAPHIC FILM EXPOSURE | A 6525 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53106 | APPLICATOR, CRANIAL IMMOBILIZATION RING | A 6515 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53107 | CART, PLASTER CAST MATERIALS | A 6530 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53108 | NUMERAL SET, X-RAY FILM MARKING | A 6525 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53109 | LETTER SET, X-RAY FILM MARKING | A 6525 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53110 | MODEL, ANATOMICAL (TEETH & GUMS) | A 6910 MB | 17-AUG-87 | MD | MS | 03 | | |
| | | A-A-53111 | BRUSH, POLISHING, DENTAL HANDPIECE (SCREW STEM) | A 6520 MB | 17-AUG-87 | MD | MS | 03 | | |
| | | A-A-53114A | PHENYTOIN SODIUM INJECTION, USP | A 6505 / MB | 30-APR-92 | MD | MS | 03 | | |
| | | A-A-0053115 | CEFUROXIME SODIUM, STERILE | A 6505 / MB | 23-JUL-87 | MD | MS | 03 | | |
| | | A-A-53116 | CUFF, TOURNIQUET, EXTREMITY, SYNTHETIC RUBBER | A 6515 MB | 07-AUG-87 | MD | MS | 03 | | |
| | | A-A-53117 | TEST GAGE, TOURNIQUET | A 6515 MB | 05-AUG-87 | MD | MS | 03 | | |
| | | A-A-53118 | PLUGGER, AMALGAM, DENTAL, BACK ACTION, UNIVERSITY OF MINNESOTA, NO. 4 | A 6520 MB | 17-AUG-87 | MD | MS | 03 | | |
| | | A-A-53120 | METHOTREXATE SODIUM FOR INJECTION | A 6505 MB | 31-JUL-87 | MD | MS | 03 | | |
| | | A-A-53121A | DILTIAZEM HYDROCHLORIDE TABLETS | A 6505 / MB | 30-OCT-89 | MD | MS | 03 | | |
| | | A-A-53122 | METHYLDOPA TABLETS, USP | A 6505 MB | 27-JUL-87 | MD | MS | 03 | | |
| | | A-A-53124A | TABLE, TREATMENT | A 6530 / MB | 17-JUN-88 | MD | MS | 03 | | |
| | | A-A-0053124 | TABLE, TREATMENT | A 6530 MB | 12-AUG-87 | MD | MS | 03 | | |
| | | A-A-53125 | PIN, INSECT TRANSFIXION | A 6640 MB | 07-AUG-87 | MD | MS | 03 | | |
| | | A-A-53127 | PLUGS, EAR (HEARING PROTECTION, CYLINDRICAL, WITH CORD) | A 6515 MB | 06-AUG-87 | MD | MS | 03 | | |
| | | A-A-53128 | FUROSEMIDE TABLETS, USP | A 6505 MB | 10-AUG-87 | MD | MS | 03 | | |
| | | A-A-53129 | METHYLPREDNISOLONE SODIUM SUCCINATE FOR INJECTION, USP | A 6505 MB | 13-AUG-87 | MD | MS | 03 | | |
| | | A-A-53130 | METHYLPREDNISOLONE TABLETS, USP | A 6505 MB | 05-AUG-87 | MD | MS | 03 | | |
| | | A-A-0053131 | INFUSION SET, SCALP VEIN, (21 GAGE BY 3/4 INCH NEEDLE, WITH 3-1/2 INCH TUBING, DISPOSABLE, 40S) | A 6515 MB | 13-AUG-87 | MD | MS | 03 | | |
| | | A-A-53132 | WHEELS, ABRASIVE (ALUMINUM OXIDE, STRAIGHT HANDPIECE | A 6520 MB | 17-AUG-87 | MD | MS | 03 | | |
| | | A-A-53133A | CUFF SET, TOURNIQUET, PNEUMATIC | A 6515 / MB | 15-APR-88 | MD | MS | 03 | | |
| | | A-A-0053134 | GLOVES, SURGEONS' (POWDER-FREE, STERILE, DISPOSABLE | A 6515 MB | 17-AUG-87 | MD | MS | 03 | | |
| | | A-A-53135 | COLD PACK AND WRAPPER, CRYOTHERAPY | A 6530 MB | 31-AUG-87 | MD | MS | 03 | | |
| | | A-A-53136 | ISOETHARINE MESYLATE INHALATION AEROSOL, USP | A 6505 MB | 13-AUG-87 | MD | MS | 03 | | |
| | | A-A-53137 | METRONIDAZOLE INJECTION, USP | A 6505 MB | 13-AUG-87 | MD | MS | 03 | | |
| | | A-A-53138 | GUAIFENESIN SYRUP, USP | A 6505 MB | 13-AUG-87 | MD | MS | 03 | | |
| | | A-A-53139 | INDOMETHACIN CAPSULES, USP | A 6505 MB | 13-AUG-87 | MD | MS | 03 | | |
| | | A-A-53140A | COMPARATOR SET, COLOR, (FREE RESIDUAL CHLORINE AND PH DETERMINATION) | A 6630 / MB | 25-JAN-88 | MD | MS | 03 | | |
| | | A-A-53143 | WIRE CUTTER, EAR (GUILFORD-WRIGHT) | A 6515 MB | 21-AUG-87 | MD | MS | 03 | | |
| | | A-A-53144 | TUBE, BIOLOGICAL CULTURE SAMPLING (PLASTIC) | A 6640 / MB | 21-AUG-87 | MD | MS | 03 | | |
| | | A-A-53145A | TRANSCERVICAL INTRAUTERINE KIT | A 6515 / MB | 07-JUL-89 | MD | MS | 03 | | |
| | | A-A-0053145 | TRANSCERVICAL INTRAUTERINE KIT | A 6515 MB | 05-OCT-87 | MD | MS | 03 | | |
| | | A-A-53146A | HOLDER, RADIOGRAPHIC FILM CASSETTE | A 6525 / MB | 29-JUL-88 | MD | MS | 03 | | |
| | | A-A-53147A | BOTTLE, SCREW CAP (SWIVEL LOCK DISPENSING) | A 6640 / MB | 14-AUG-88 | MD | MS | 03 | | |
| | | A-A-0053147 | BOTTLE, SCREW CAP, SWIVEL LOCK DISPENSING | A 6640 MB | 20-AUG-87 | MD | MS | 03 | | |
| | | A-A-53148A | SCISSORS, GENERAL SURGICAL (CURVED, 7 INCH, METZENBAUM, TONSILECTOMY) | A 6515 / MB | 13-JUL-89 | MD | MS | 03 | | |
| | | A-A-53150 | SWAB, CULTURE (CALCIUM ALGINATE) | A 6515 MB | 25-AUG-87 | MD | MS | 03 | | |
| | | A-A-0053151 | LEVOBUNOLOL HYDROCHLORIDE OPHTHALMIC SOLUTION | A 6505 * | 19-AUG-87 | MD | MS | 03 | | |
| A | | A-A-53152A | DEXTRAN 40 AND DEXTROSE INJECTION | A 6505 / MB | 01-APR-93 | MD | MS | 03 | | |
| | | A-A-0053152 | DEXTRAN & DEXTROSE INJECTION | A 6505 MB | 04-AUG-87 | MD | MS | 03 | | |
| | | A-A-0053154 | CHLORHEXIDINE GLUCONATE ORAL RINSE | A 6505 MB | 04-AUG-87 | MD | MS | 03 | | |
| A | | A-A-53155A | DOBUTAMINE HYDROCHLORIDE INJECTION | A 6505 / MB | 01-APR-93 | MD | MS | 03 | | |
| | | A-A-0053156 | WATER FOR INJECTION, STERILE,USP | A 6505 * | 11-AUG-87 | MD | MS | 03 | | |
| | | A-A-53158 | PROCAINAMIDE HYDROCHLORIDE TABLETS (SUSTAINED-RELEASE) | A 6505 MB | 19-AUG-87 | MD | MS | 03 | | |
| | | A-A-0053160 | INFUSION SET, SCALP VEIN, (19 GAGE BY 7/8 INCH NEEDLE, WITH 3-1/2 INCH TUBING, DISPOSABLE) | A 6515 MB | 10-SEP-87 | MD | MS | 03 | | |
| | | A-A-53161 | PROPRANOLOL HYDROCHLORIDE CAPSULES | A 6505 MB | 21-AUG-87 | MD | MS | 03 | | |
| | | A-A-53163 | VERAPAMIL HYDROCHLORIDE TABLETS | A 6505 MB | 27-AUG-87 | MD | | 03 | | |
| | | A-A-53164 | PENICILLIN V POTASSIUM FOR ORAL SOLUTION, USP | A 6505 MB | 27-AUG-87 | MD | MS | 03 | | |
| | | A-A-0053166 | PORTABLE BLOOD WARMER | A 6515 MB | 10-SEP-87 | MD | MS | 03 | | |
| | | A-A-53167 | MARKER, IDENTIFICATION, DENTAL HEALTH RECORD | A 7690 MB | 14-SEP-87 | MD | MS | 03 | | |
| | | A-A-53168 | METHOTREXATE SODIUM INJECTION, USP | A 6505 MB | 27-AUG-87 | MD | MS | 03 | | |
| | | A-A-53170 | THIOTHIXENE CAPSULES, USP | A 6505 MB | 27-AUG-87 | MD | MS | 03 | | |
| | | A-A-0053171 | INTERN COMMERCIAL ITEM DESCRIPTION ISOTRETINOIN CAPSULES | A 6505 MB | 19-JAN-88 | MD | MS | 03 | DM | |
| A | | A-A-53173A | AMINOGLUTETHIMIDE TABLETS, USP | A 6505 / MB | 18-DEC-92 | MD | MS | 03 | | |
| | | A-A-0053173 | AMINOGLUTHETIMIDE TABLETS, USP | A 6505 MB | 20-AUG-87 | MD | MS | 03 | | |
| | | A-A-0053174 | SODIUM POLYSTYRENE SULFONATE SUSPENSION | A 6505 / MB | 21-AUG-87 | MD | MS | 03 | | |
| | | A-A-0053175 | TEST KIT, BLOOD UREA NITROGEN DETERMINATION | A 6505 MB | 20-AUG-87 | MD | MS | 03 | | |
| | | A-A-53176 | STOCKINET, SURGICAL (DRAPE) | A 6510 MB | 28-AUG-87 | MD | MS | 03 | | |
| | | A-A-53177 | FORCEPS, DENTAL ARTICULATING PAPER | A 6520 MB | 21-SEP-87 | MD | MS | 03 | | |

| Action Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | A-A-53179 | CHISEL, BONE | A 6515 MB | 14-SEP-87 | MD | MS | | 03 |
| | A-A-53180 | SEALER-HOLDER, CAPILLARY TUBE | A 6640 MB | 14-SEP-87 | MD | MS | | 03 |
| | A-A-0053181 | VANCOMYCIN HCL, STERILE, USP | A 6505 / MB | 24-AUG-87 | MD | MS | | 03 |
| | A-A-0053182 | PERMETHRIN CREAM RINSE, 1%, 2 FL OZ (59 ML) | A 6505 MB | 25-AUG-87 | MD | MS | | 03 |
| | A-A-53184B | NAFCILLIN SODIUM INJECTION, USP | A 6505 / MB | 13-JUN-90 | MD | MS | | 03 |
| | A-A-0053184 | FIRST AID KIT, INDIVIDUAL | A 6545 MB | 18-SEP-87 | MD | MS | | 03 |
| | A-A-53185 | INSULIN INJECTION, HUMAN, USP (U-100, 10 ML) | A 6505 MB | 03-SEP-87 | MD | MS | | 03 |
| | A-A-53186 | BANDAGE, CAST, FIBERGLASS RESIN IMPREGNATED | A 6510 MB | 21-SEP-87 | MD | MS | | 03 |
| | A-A-53187 | INSULIN HUMAN, SUSPENSION, ISOPHANE, U-100, 10 ML | A 6505 MB | 04-SEP-87 | MD | MS | | 03 |
| | A-A-53188 | MEZLOCILLIN SODIUM, STERILE, USP | A 6505 MB | 04-SEP-87 | MD | MS | | 03 |
| | A-A-53189A | FLURAZEPAM HYDROCHLORIDE CAPSULES, USP | A 6505 / MB | 31-JAN-90 | MD | MS | | 03 |
| | A-A-53190 | ACETYLCYSTEINE SOLUTION, USP | A 6505 MB | 04-SEP-87 | MD | MS | | 03 |
| | A-A-53191 | PRAZOSIN HYDROCHLORIDE CAPSULES, USP | A 6505 MB | 04-SEP-87 | MD | MS | | 03 |
| | A-A-53192A | SPLINT, TRACTION-EXTRICATION | A 6515 / MB | 22-JAN-88 | MD | MS | | 03 |
| | A-A-53193 | HAMMER, HAND (OPTICAL) | A 5120 MB | 15-SEP-87 | MD | MS | | 03 |
| | A-A-53194 | CANNULA, SUCTION, SURGICAL (ADSON) | A 6515 MB | 06-OCT-87 | MD | MS | | 03 |
| | A-A-53195A | ANALYZING KIT, MEAT FAT CONTENT | A 6695 / MB | 12-FEB-90 | MD | MS | | 03 |
| | A-A-53196 | PAD, WITCH HAZEL-LANOLIN IMPREGNATED | A 6510 MB | 14-SEP-87 | MD | MS | | 03 |
| | A-A-53197 | TUBE, FEEDING (ENTERAL, 12 FRENCH) | A 6515 / MB | 30-SEP-88 | MD | MS | | 03 |
| | A-A-53199 | PIPET, DROPPING (PLASTIC, DISPOSABLE) | A 6640 MB | 28-SEP-87 | MD | MS | | 03 |
| | A-A-53200 | CENTRIFUGE, LABORATORY(HAND HELD) | A 6640 MB | 21-SEP-87 | MD | MS | | 03 |
| | A-A-53201 | FORCEPS, ARTHROSCOPIC (STRAIGHT) | A 6515 MB | 18-SEP-87 | MD | MS | | 03 |
| | A-A-53202 | CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP | A 6505 MB | 17-SEP-87 | MD | MS | | 03 |
| | A-A-53203A | DIALYSIS PROCEDURAL SET, ACUTE PERITONEAL | A 6515 / MB | 17-MAY-90 | MD | MS | | 03 |
| | A-A-53207 | CHLORPROMAZINE HYDROCHLORIDE TABLETS, USP | A 6505 MB | 23-SEP-87 | MD | MS | | 03 |
| | A-A-53208 | PERPHENAZINE TABLETS, USP | A 6505 MB | 23-SEP-87 | MD | MS | | 03 |
| | A-A-0053209 | CANNULA, SUCTION (FRAZIER) | A 6515 MB | 24-SEP-87 | MD | MS | | 03 |
| | A-A-53210A | RESIN, ACRYLIC, DENTAL, INLAY PATTERN AND RESIN, ACRYLIC, LIQUID, DENTAL | A 6520 / MB | 15-SEP-89 | MD | MS | | 03 |
| | A-A-53211A | CLORAZEPATE DIPOTASSIUM TABLETS | A 6505 / MB | 15-JAN-91 | MD | MS | | 03 |
| | A-A-0053213 | CEFOPERAZONE SODIUM, STERILE, USP | A 6505 MB | 17-SEP-87 | MD | MS | | 03 |
| | A-A-0053215 | INSULIN ISOPHANE SUSPENSION, USP, PURIFIED, BEEF, 10 ML | A 6505 MB | 17-SEP-87 | MD | MS | | 03 |
| | A-A-0053216 | TEST STRIPS AND COLOR CHART, GLUCOSE, LEUKOCYTES, NITRATE, AND PROTEIN IN URINE, 100S | A 6550 / MB | 23-SEP-87 | MD | MS | | 03 |
| | A-A-53218A | CASE, MEDULLARY PIN STERILIZATION (DACRON) | A 6530 / MB | 06-MAR-92 | MD | MS | | 03 |
| | A-A-53219 | LOUNGE, BLOOD DONOR | A 6530 MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53220 | RACK, WEIGHT SET, STORAGE | A 6530 MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53221 | STRAP, LEG-HOLDER, EXAMINATION TABLE | A 6530 MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53223 | WEIGHT SET, WRIST & ANKLE | A 6530 MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53224 | SPATULA, DENTAL & CARVER, DENTAL (WAX) | A 6520 / MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53225 | DOCUSATE CALCIUM CAPSULES, USP | A 6505 / MB | 17-MAR-88 | MD | MS | | 03 |
| | A-A-53226A | WRAPPER, STERILIZATION (CELLULOSE WITH REINFORCED POLYESTER FIBERS) | A 6530 / MB | 29-JUL-88 | MD | MS | | 03 |
| | A-A-53227A | WRAPPER, STERILIZATION (HEAVY DUTY) | A 6530 / MB | 17-JUN-88 | MD | MS | | 03 |
| | A-A-53228A | WRAPPER, STERILIZATION (BONDED WOOD PULP) | A 6530 / MB | 29-JUL-88 | MD | MS | | 03 |
| | A-A-53229A | INTRODUCER SET, CATHETER, PERCUTANEOUS | A 6515 / MB | 13-OCT-89 | MD | MS | | 03 |
| | A-A-0053229 | INTRODUCER SET, CATHETER, PERCUTANEOUS | A 6515 MB | 06-OCT-87 | MD | MS | | 03 |
| | A-A-53230A | TUBE, TRACHEAL, PEDIATRIC (MURPHY) | A 6515 / MB | 08-JUN-89 | MD | MS | | 03 |
| | A-A-0053230 | TUBE, TRACHEAL (PEDIATRIC, MURPHY) | A 6515 MB | 28-SEP-87 | MD | MS | | 03 |
| | A-A-53231A | FORCEPS, HEMOSTATIC CLIP APPLYING, SMALL, SERRATED JAWS, ANGLED | A 6515 / MB | 15-MAR-89 | MD | MS | | 03 |
| | A-A-53232 | STRIP ABRASIVE, DENTAL (ALUMINUM OXIDE) | A 6520 / MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53233 | BENDER, THREAD-FORMING PIN, DENTAL | A 6520 / MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53234 | PLIERS, DENTAL (STEIGLITZ, 5-3/16 INCHES) | A 6520 / MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53235 | WIRE, NONELECTRICAL (CHROMIUM-COBALT ALLOY) | A 6520 MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53236 | SPECTACLES, PROTECTIVE, DENTAL PATIENT, GREEN LENSES | A 6520 MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53237 | BATH, WATER, DENTAL IMPRESSION MATERIAL, LOW TEMPERATURE | A 6520 / MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53238 | ENVELOPE, STERILIZATION | A 6530 MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-53239 | GRID, RADIOGRAPHIC | A 6525 MB | 29-SEP-87 | MD | MS | | 03 |
| | A-A-0053240 | ZIDOVUDINE CAPSULES | A 6505 MB | 07-OCT-87 | MD | MS | | 03 |
| | A-A-53241 | DILATOR SET, UTERINE, HANK | A 6515 MB | 23-SEP-87 | MD | MS | | 03 |
| | A-A-0053241 | CEFTAZIDIME FOR INJECTION | A 6505 / MB | 23-SEP-87 | MD | MS | | 03 |
| | A-A-0053242 | CALCIUM CARBONATE TABLETS, USP | A 6505 MB | 23-SEP-87 | MD | MS | | 03 |
| | A-A-53245A | LUMBAR PUNCTURE KIT | A 6515 / MB | 02-JUN-89 | MD | MS | | 03 |
| | A-A-0053245 | LUMBAR PUNCTURE KIT | A 6515 MB | 13-OCT-87 | MD | MS | | 03 |
| | A-A-53246 | FORCEPS, HYSTERECTOMY (HEANEY-BALLANTINE) | A 6515 MB | 08-OCT-87 | MD | MS | | 03 |
| | A-A-53247A | OBTURATOR, CARDIOVASCULAR TOURNIQUET (RUMEL) | A 6515 / MB | 28-JUL-88 | MD | MS | | 03 |
| | A-A-0053247 | OBTURATOR, CARDIOVASCULAR TOURNIQUET (RUMEL) | A 6515 MB | 07-OCT-87 | MD | MS | | 03 |
| | A-A-53248A | PUMP, ENTERAL FEEDING | A 6515 / MB | 29-JUN-88 | MD | MS | | 03 |
| | A-A-0053248 | PUMP, ENTERNAL FEEDING | A 6515 MB | 28-OCT-87 | MD | MS | | 03 |
| A | A-A-53249A | AMINO ACID INJECTION, WITHOUT ELECTROLYTES | A 6505 / MB | 28-AUG-92 | MD | MS | | 03 |
| | A-A-0053250 | ISOPROTERENOL HYDROCHLORIDE INJECTION, USP | A 6505 * | 02-OCT-87 | MD | MS | | 03 |
| | A-A-0053251 | MIDAZOLAM HYDROCHLORIDE INJECTION | A 6505 MB | 02-OCT-87 | MD | MS | | 03 |
| | A-A-53253 | RONGER (STRAIGHT, LEMPERT) | A 6515 MB | 26-OCT-87 | MD | MS | | 03 |
| | A-A-53254A | ANALYZER, CARBON DIOXIDE (MICRO CO2, SERUM) | A 6630 / MB | 0.-MAY-88 | MD | MS | | 03 |
| A | A-A-53256A | AMMONIUM LACTATE LOTION | A 6505 / MB | 13-NOV-92 | MD | MS | | 03 |
| | A-A-0053257 | FERROUS GLUCONATE TABLETS, USP | A 6505 MB | 19-OCT-87 | MD | MS | | 03 |
| | A-A-53258A | CEFAZOLIN SODIUM, STERILE, USP | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |
| | A-A-0053260 | GLOBULIN, IMMUNE FOR INJECTION | A 6505 MB | 19-OCT-87 | MD | MS | | 03 |
| | A-A-0053261 | TETRACAINE HYDROCHLORIDE & DEXTROSE INJECTION | A 6505 MB | 16-OCT-87 | MD | MS | | 03 |
| | A-A-53262 | PAD, NONADHERENT | A 6510 / MB | 01-MAR-88 | MD | MS | | 03 |
| | A-A-53263 | ADHESIVE LIQUID, SURGICAL (AEROSOL) | A 6510 MB | 01-MAR-88 | MD | MS | | 03 |
| | A-A-53267 | PRESS, DENTURE FLASK | A 6520 / MB | 07-DEC-87 | MD | MS | | 03 |
| | A-A-53268A | ANALYZER, CENTRIFUGAL, HEMATOLOGY | A 6630 / MB | 20-APR-90 | MD | MS | | 03 |
| | A-A-53269A | STAINING PACK, CYTOLOGY | A 6550 / MB | 11-APR-88 | MD | MS | | 03 |
| | A-A-53270 | TIP, DENTAL SUCTION APPARATUS | A 6520 MB | 16-NOV-87 | MD | MS | | 03 |
| | A-A-53271 | ARTICULATOR, DENTAL (SEMI-ADJUSTABLE, ARCON STYLE) AND PLATE, MOUNTING, DENTAL ARTICULATOR | A 6520 / MB | 30-NOV-87 | MD | MS | | 03 |
| | A-A-53272A | MIXING PAD, PAPER, DENTAL | A 6520 / MB | 20-FEB-89 | MD | MS | | 03 |
| | A-A-0053272 | MIXING PAD, PAPER, DENTAL | A 6520 MB | 14-DEC-87 | MD | MS | | 03 |
| A | A-A-53280A | CAPTOPRIL TABLETS | A 6505 / MB | 13-NOV-92 | MD | MS | | 03 |
| | A-A-0053282 | HEPATITIS B VACCINE, INACTIVATED, USP | A 6505 MB | 30-OCT-87 | MD | MS | | 03 |
| N | A-A-53283A | DESONIDE OINTMENT | A 6505 / MB | 01-APR-93 | MD | MS | | 03 |
| | A-A-0053283 | DESONIDE OINTMENT 0.05% | A 6505 MB | 29-OCT-87 | MD | MS | | 03 |
| A | A-A-53284A | MEDROXYPROGESTERONE ACETATE TABLETS, USP | A 6505 / MB | 01-AUG-92 | MD | MS | | 03 |
| | A-A-53285 | PAD, WITCH HAZEL-GLYCERINE IMPREGNATED | A 6510 MB | 01-MAR-88 | MD | MS | | 03 |
| | A-A-0053286 | CEFOTETAN DISODIUM, STERILE | A 6505 MB | 12-NOV-87 | MD | MS | | 03 |
| A | A-A-53287A | CARBINOXAMINE MALEATE, DEXTROMETHORPHAN HYDROBROMIDE, AND PSEUDOEPHEDRINE HYDROCHLORIDE ORAL SOLUTION | A 6505 / MB | 18-DEC-92 | MD | MS | | 03 |
| | A-A-0053287 | CARBINOXAMINE MALEATE, PSEUDOEPHEDRINE HYDROCHLORIDE, & DEXTROMETHORPHAN HYDROBROMIDE ORAL SOLUTION, 30 ML | A 6505 MB | 09-NOV-87 | MD | MS | | 03 |
| | A-A-53289 | VISCOMETER, CAPILLARY TYPE | A 6630 MB | 30-[illegible]-87 | MD | MS | | 03 |
| | A-A-53290A | FORCEPS, EAR, SERRATED POINTED JAWS (BELLUCCI) | A 6515 / MB | 05-JUN-89 | MD | MS | | 03 |
| | A-A-0053290 | FORCEPS, EAR, SERRATED POINTED JAWS (BELLUCCI) | A 5515 MB | 18-DEC-87 | MD | MS | | 03 |
| | A-A-53291 | RETRACTOR PERIOSTEAL, (PRICHARD NO. 3) | A 6520 MB | 07-DEC-87 | MD | MS | | 03 |
| | A-A-53292 | PROCESSING UNIT, DENTAL RESINS | A 6520 MB | 01-DEC-87 | MD | MS | | 03 |
| | A-A-53293A | CONTROL STRIPS, VISUAL URINALYSIS | A 6550 / MB | 22-JUL-88 | MD | MS | | 03 |

| Action | Qlfy / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-53294A | SCISSORS, EAR, (ALLIGATOR JAWS, HOUSE-BELLUCCI) | A | 6515 | MB | 01-JUN-89 MD | MS | 03 | | |
| | | A-A-0053294 | SCISSORS, EAR, (ALLIGATOR JAWS, HOUSE-BELLUCCI) | A | 6515 / | MB | 23-JUN-88 MD | MS | 03 | | |
| | | A-A-53296 | ADAPTER, CATHETER-TO-LUER SYRINGE, EYNARD | A | 6515 | MB | 11-DEC-87 MD | MS | 03 | | |
| | | A-A-53298A | SCOOP, DUCT, COMMON (MAYO) | A | 6515 / | MB | 07-JUL-89 MD | MS | 03 | | |
| | | A-A-53299A | BAG, BIOHAZARD DISPOSAL | A | 6530 / | MB | 30-MAY-89 MD | MS | 03 | | |
| | | A-A-53300 | DIPPER,ENTOMOLOGICAL | A | 6640 | MB | 21-DEC-87 MD | MS | 03 | | |
| | | A-A-0053302 | PENTAMIDINE ISETHIONATE, STERILE | A | 6505 | MB | 01-MAR-88 MD | MS | 03 | | |
| | | A-A-0053303 | NORFLOXACIN TABLETS | A | 6505 / | MB | 03-FEB-88 MD | MS | 03 | | |
| | | A-A-53305A | CARBAMAZEPINE TABLETS, USP | A | 6505 / | MB | 22-JUL-88 MD | MS | 03 | | |
| | | A-A-0053305 | INTERIM COMMERCIAL ITEM DESCRIPTION CARBAMAZEPINE TABLETS, USP | A | 6505 | MB | 25-JAN-88 MD | MS | 03 | DM | |
| | | A-A-0053307 | VECURONIUM BROMIDE FOR INJECTION | A | 6505 | MB | 29-JAN-88 MD | MS | 03 | | |
| | | A-A-0053308 | TICARCILLIN DISODIUM AND CLAVULANATE POTASSIUM FOR INJECTION | A | 6505 | MB | 14-FEB-88 MD | MS | 03 | | |
| | | A-A-53309A | DOXORUBICIN HYDROCHLORIDE FOR INJECTION, USP | A | 6505 / | MB | 15-FEB-90 MD | MS | 03 | | |
| | | A-A-53310A | DEXTROSE INJECTION, USP | A | 6505 / | MB | 15-DEC-89 MD | MS | 03 | | |
| | | A-A-0053312 | OPHTHALMIC IRRIGATING SOLUTION | A | 6505 | MB | 25-JAN-88 MD | MS | 03 | DM | |
| | | A-A-53315 | EXTRACTION APPARATUS, | A | 6515 / | MB | 26-FEB-88 MD | MS | 03 | DM | |
| | | A-A-53316 | BOOTH, AUDIOMETRIC EXAMINATION | A | 6515 | MB | 24-FEB-88 MD | MS | 03 | | |
| | | A-A-53317 | CENTRIFUGE, LABORATORY | A | 6640 | MB | 28-DEC-87 MD | MS | 03 | | |
| | | A-A-53318 | MARKER STE, X-RAY ELIMINDENTIFICATION | A | 6525 | MB | 26-FEB-88 MD | MS | 03 | | |
| | | A-A-53319 | SPECIMEN KIT, SPUTUM | A | 6530 | MB | 26-FEB-88 MD | MS | 03 | | |
| | | A-A-53320 | TEST PATTERN, RADIOGRAPHIC IMAGE INTENSIFIER | A | 6525 | MB | 26-FEB-88 MD | MS | 03 | | |
| | | A-A-53321 | SPREADER BAR, HEAD SLING | A | 6530 | MB | 26-FEB-88 MD | MS | 03 | | |
| | | A-A-53322 | SLING, HEAD | A | 6530 | MB | 24-FEB-88 MD | MS | 03 | | |
| | | A-A-53323 | LIDDING SHEET, UNIT DOSE | A | 6530 | MB | 26-FEB-88 MD | MS | 03 | | |
| | | A-A-53324 | HOLDER, RADIOGRAPHIC FILM CASSETTE | A | 6525 | MB | 26-FEB-88 MD | MS | 03 | | |
| M | | A-A-53325A | ENVELOPE, STERILIZATION (HEAT SEAL) | A | 6530 / | MB | 30-APR-93 MD | MS | 03 | | |
| | | A-A-53326 | ENVELOPE, STERLIZIATION | A | 6530 | MB | 26-FEB-88 MD | MS | 03 | | |
| | | A-A-53327A | CASSETTES, RADIOGRAPHIC FILM (HEAVY DUTY TYPE) | A | 6525 / | MB | 12-JUL-91 MD | MS | 03 | | |
| | | A-A-0053329 | INSULIN HUMAN, ZINC SUSPENSION, U-100, 10 ML | A | 6505 | MB | 08-FEB-88 MD | MS | 03 | | |
| | | A-A-0053330 | INSULIN HUMAN, ZINC SUSPENSION, EXTENDED, U-100, 10 ML | A | 6505 | MB | 09-FEB-88 MD | MS | 03 | | |
| | | A-A-53331A | SPONGE, SURGICAL, GAUZE, (12 PLY, DOUBLE PACK) | A | 6515 / | MB | 13-MAR-89 MD | MS | 03 | | |
| | | A-A-0053331 | SPONGE, SURGICAL, GAUZE, 12 PLY (DOUBLE PACK) | A | 6510 | MB | 16-FEB-88 MD | MS | 03 | | |
| | | A-A-0053332 | SODIUM CHLORIDE INJECTION, USP, PARTIAL-FILL BAGS WITH VIAL ADDITIVE PORT | A | 6505 / | MB | 14-FEB-88 MD | MS | 03 | | |
| | | A-A-53335 | RETRACTOR, TONGUE AND CHEEK (UNIVERSITY OF MINNESOTA) | A | 6520 | MB | 18-JAN-88 MD | MS | 03 | | |
| | | A-A-53336 | KNIFE, PERIODONTAL | A | 6520 | * | 01-FEB-88 MD | MS | 03 | | |
| | | A-A-0053338 | SULFANILAMIDE VAGINAL CREAM, 15 PERCENT | A | 6505 | MB | 16-FEB-88 MD | MS | 03 | | |
| | | A-A-0053339 | SULFANILAMIDE VAGINAL SUPPOSITORIES, 1.05 GRAM | A | 6505 / | MB | 25-FEB-88 MD | MS | 03 | | |
| | | A-A-53341A | MAGNESIA AND ALUMINA ORAL SUSPENSION, USP | A | 6505 / | MB | 29-MAR-91 MD | MS | 03 | | |
| | | A-A-53342 | BOTTLE, SCREW CAP, CPLASTIC SQUARE) | A | 6530 | MB | 22-OCT-87 MD | MS | 03 | | |
| | | A-A-53343 | HOOK, GLAND (VETERINARY) | A | 6515 | MB | 14-JAN-88 MD | MS | 03 | | |
| | | A-A-53344 | RONGEUR (KERRISON, 3-3/4 INCH) | A | 6515 | * | 14-JAN-88 MD | MS | 03 | | |
| | | A-A-53345 | THERMOMETER, CLINICAL, VETERINARY | A | 6515 | * | 15-JAN-88 MD | MS | 03 | | |
| | | A-A-53348 | PLASTER, DENTAL, (MODELING) | A | 6520 | MB | 15-FEB-88 MD | MS | 03 | | |
| | | A-A-53349 | INSERT PAD, HEEL, FOOTWEAR | A | 8335 | * | 22-JAN-88 MD | MS | 03 | | |
| | | A-A-53350 | INSERT PAD, HEEL, FOOTWEAR (ACCOMMODATIVE) | A | 8335 | MB | 22-JAN-88 MD | MS | 03 | | |
| | | A-A-53351 | INSOLES, FOOTWEAR | A | 8335 | * | 22-JAN-88 MD | MS | 03 | | |
| | | A-A-53353 | RONGEUR (KERRISON, 7-1/2 INCH | A | 6515 | MB | 19-JAN-88 MD | MS | 03 | | |
| | | A-A-0053354 | METHYL SALICYLATE AND MENTHOL CREAM | A | 6505 / | MB | 02-FEB-88 MD | MS | 03 | | |
| | | A-A-0053355 | BISMUTH SUBSALICYLATE SUSPENSION | A | 6505 | MB | 11-FEB-88 MD | MS | 03 | | |
| | | A-A-0053356 | HALCINONIDE CREAM, USP | A | 6505 | MB | 14-FEB-88 MD | MS | 03 | | |
| | | A-A-0053357 | EMOLLIENT CREAM, SKIN CAKE | A | 6505 | MB | 14-FEB-88 MD | MS | 03 | | |
| | | A-A-0053358 | RACEPINEPHRINE INHALATION SOLUTION, USP | A | 6505 / | MB | 14-FEB-88 MD | MS | 03 | | |
| | | A-A-0053361 | THEOPHYLLINE CAPSULES, MODIFIED | A | 6505 | MB | 13-FEB-88 MD | MS | 03 | | |
| | | A-A-0053363 | NIFEDIPINE CAPSULES, USP | A | 6505 / | MB | 14-FEB-88 MD | MS | 03 | | |
| | | A-A-53365A | AMPICILLIN SODIUM, STERILE, USP | A | 6505 / | MB | 26-MAY-89 MD | MS | 03 | | |
| | | A-A-0053365 | AMPICILLIN SODIUM, STERILE USP | A | 6505 | MB | 28-FEB-88 MD | MS | 03 | | |
| | | A-A-53366 | CURETTES, PERIODONTAL, (GRACEY) | A | 6520 | * | 15-FEB-88 MD | MS | 03 | | |
| | | A-A-53367A | SONIC PROPHYLAXIS UNIT, DENTAL, PORTABLE, AIR DRIVEN | A | 6520 / | MB | 19-JUN-89 MD | MS | 03 | | |
| | | A-A-53368A | LIPSTICK, ANTICHAP | A | 6508 / | MB | 15-NOV-91 MD | MS | 03 | | |
| | | A-A-53369 | CONDUCTOR, BONE CUTTING WIRE SAW (BAILEY) | A | 6515 | MB | 12-FEB-88 MD | MS | 03 | DM | |
| | | A-A-53370 | FORCEPS,EEAR (STRUT, HOUSE) | A | 6515 | MB | 29-JAN-88 MD | MS | 03 | | |
| | | A-A-53371A | STOP, ENDODONTIC, SILICONE | A | 6520 / | MB | 19-JUN-89 MD | MS | 03 | | |
| | | A-A-53372 | FORCEPS, SUTURE, TYING (TROUTMAN) | A | 6515 | * | 05-FEB-88 MD | MS | 03 | | |
| | | A-A-53373 | MARKER, TUBE TYPE | A | 7520 | MB | 05-FEB-88 MD | MS | 03 | | |
| | | A-A-0053375 | CYTARABINE, STERILE, USP | A | 6505 | MB | 01-MAR-88 MD | MS | 03 | | |
| A | | A-A-53376A | WATER FOR IRRIGATION, STERILE, USP | A | 6505 / | MB | 22-JAN-93 MD | MS | 03 | | |
| | | A-A-0053376 | WATER FOR IRRIGATION, STERILE, USP | A | 6505 / | MB | 01-MAR-88 MD | MS | 03 | | |
| | | A-A-0053377 | POTASSIUM CITRATE TABLETS | A | 6505 / | MB | 01-MAR-88 MD | MS | 03 | | |
| | | A-A-0053378 | LOVASTATIN TABLETS | A | 6505 / | MB | 23-FEB-88 MD | MS | 03 | | |
| A | | A-A-53379A | DESMOPRESSIN ACETATE INJECTION | A | 6505 / | MB | 01-APR-93 MD | MS | 03 | | |
| | | A-A-0053379 | DESMOPRESSIN ACETATE INJECTION | A | 6505 / | MB | 01-APR-88 MD | MS | 03 | | |
| | | A-A-0053380 | MICONAZOLE NITRATE VAGINAL SUPPOSITORIES | A | 6505 / | MB | 01-MAR-88 MD | MS | 03 | | |
| | | A-A-53381 | ARTICULATOR, DENTAL (PLAIN LINE, LINGUAL ACCESS DESIGN) | A | 6520 | * | 22-FEB-88 MD | MS | 03 | | |
| | | A-A-53382 | TUBE, SUCTION, SURGICAL | A | 6515 | MB | 09-FEB-88 MD | MS | 03 | DM | |
| | | A-A-53383 | CLIP, HEMOSTATIC, STEEL (HANEY) | A | 6515 | MB | 10-FEB-88 MD | MS | 03 | DM | |
| | | A-A-53384A | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL (ENCAPSULATED) | A | 6520 / | MB | 19-JUN-89 MD | MS | 03 | | |
| | | A-A-0053384 | CEMENT, ZINC OXIDE & EUGENOL | A | 6520 | MB | 14-MAR-88 MD | MS | 03 | | |
| | | A-A-53385 | ADHESIVE, IMPRESSION MATERIAL, DENTAL (RUBBER BASE) | A | 6520 | MB | 12-FEB-88 MD | MS | 03 | | |
| | | A-A-53386 | SPLINT, FINGER | A | 6515 | MB | 12-FEB-88 MD | MS | 03 | | |
| | | A-A-53387 | SEPARATOR, TEETH, DENTAL | A | 6520 | MB | 14-MAR-88 MD | MS | 03 | | |
| | | A-A-53388 | IMPRESSION MATERIAL, DENTAL (ALINATE) | A | 6520 | MB | 14-MAR-88 MD | MS | 03 | | |
| | | A-A-53389 | STONE, ARTIFICIAL, DENTAL | A | 6520 | MB | 14-MAR-88 MD | MS | 03 | | |
| | | A-A-53391 | CUVETTE, BLOOD COAGULATION (POLYSTYRENE, DISPOSABLE | A | 6640 | MB | 26-FEB-88 MD | MS | 03 | | |
| | | A-A-53392 | HOOK, RETINAL DETACHMENT (GASS) | A | 6515 | MB | 01-MAR-88 MD | MS | 03 | | |
| | | A-A-53393 | OSTEOTOME SET, (LAMBOTTE) | A | 6515 | MB | 01-MAR-88 MD | MS | 03 | | |
| | | A-A-53394 | RONGEUR, STRAIGHT (LOVE-KERRISON) | A | 6515 | MB | 02-MAR-88 MD | MS | 03 | | |
| | | A-A-53395 | FORCEPS, SLEEVE SPREADING (WATER) | A | 6515 | MB | 02-MAR-88 MD | MS | 03 | | |
| | | A-A-53396A | RASP, ANTRUM (WIENER, TROCAR TIP) | A | 6515 / | MB | 03-MAY-89 MD | MS | 03 | | |
| | | A-A-0053396 | RASP, ANTRUM (WIENER, TROCAR TIP) | A | 6505 | MB | 19-FEB-88 MD | MS | 03 | | |
| | | A-A-53397 | WAX, DENTAL OCCLUSAL INDICATOR | A | 6520 / | MB | 07-MAR-88 MD | MS | 03 | | |
| | | A-A-53398 | FORCEPS, NASAL SEPTUM CUTTING, CUPPED BLADES | A | 6515 | MB | 03-MAR-88 MD | MS | 03 | | |
| | | A-A-53399A | BLOOD RECOVERY DELIVERY SYSTEM | A | 6515 / | MB | 18-AUG-88 MD | MS | 03 | | |
| | | A-A-0053399 | BLOOD RECOVERY DELIVERY SYSTEM | A | 6515 | MB | 08-MAR-88 MD | MS | 03 | | |
| | | A-A-53400 | FORCEPS, HEMOSTATIC | A | 6515 / | MB | 27-JUN-88 MD | MS | 03 | | |
| | | A-A-53400/1 | FORCEPS, HEMOSTATIC, HALSTED | A | 6515 / | MB | 27-JUN-88 MD | MS | 03 | | |
| | | A-A-53400/2 | FORCEPS, HEMOSTATIC, ROCHESTER-PEAN | A | 6515 / | MB | 27-JUN-88 MD | MS | 03 | | |
| | | A-A-53400/3 | FORCEPS, HEMOSTATIC, KELLY | A | 6515 / | MB | 27-JUN-88 MD | MS | 03 | | |
| | | A-A-53400/4 | FORCEPS, HEMOSTATIC, CRILE | A | 6515 / | MB | 27-JUN-88 MD | MS | 03 | | |
| | | A-A-53400/5A | FORCEPS, HEMOSTATIC, HARTMAN | A | 6515 / | MB | 13-MAY-91 MD | MS | 03 | | |
| | | A-A-53400/6 | FORCEPS, HEMOSTATIC, ROCHESTER-OCHSNER | A | 6515 / | MB | 27-JUN-88 MD | MS | 03 | | |
| | | A-A-53400/7 | FORCEPS, HEMOSTATIC MAYO-CARMALT | A | 6515 / | MB | 27-JUN-88 MD | MS | 03 | | |
| | | A-A-53400/8 | FORCEPS, HEMOSTATIC, MIXTER | A | 6515 / | MB | 27-JUN-88 MD | MS | 03 | | |
| | | A-A-53400/9 | FORCEPS, HEMOSTATIC, PEAN | A | 6515 / | MB | 27-JUN-88 MD | MS | 03 | | |
| | | A-A-53400/10 | FORCEPS, HEMOSTATIC, RANKIN | A | 6515 / | MB | 27-JUN-88 MD | MS | 03 | | |

| Action | OPL / ONL Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-53400/11 | FORCEPS, HEMOSTATIC, PRATT | A | 6515 | / MB | MD | 27-JUN-88 | MD | MS | 03 | |
| | | A-A-53400/12 | FORCEPS, HEMOSTATIC CURVED, (ROCHESTER-OCHSNER) | A | 6515 | / MB | MD | 23-JAN-89 | MD | MS | 03 | |
| | | A-A-53400/13 | FORCEPS, HEMOSTATIC, CURVED (DANDY) | A | 6515 | / MB | MD | 12-JUL-89 | MD | MS | 03 | |
| | | A-A-53400/14 | FORCEPS, HEMOSTATIC (9-1/4 INCH, SAROT) | A | 6515 | / MB | MD | 06-OCT-89 | MD | MS | 03 | |
| | | A-A-53400/15 | FORCEPS, HEMOSTATIC (STOREY, RIGHT ANGLE) | A | 6515 | / MB | MD | 15-JAN-90 | MD | MS | 03 | |
| | | A-A-53400/16 | FORCEPS, HEMOSTATIC, CURVED, MIXTER, 5-1/2 INCH | A | 6515 | / MB | MD | 11-FEB-91 | MD | MS | 03 | |
| | | A-A-53400/17 | FORCEPS, HEMOSTATIC, SCHMIDT, 7-1/4 INCH | A | 6515 | / MB | MD | 28-FEB-92 | MD | MS | 03 | |
| | | A-A-53400/18 | FORCEPS, HEMOSTATIC, LEWIS, 7-1/2 INCH | A | 6515 | / MB | MD | 17-JAN-92 | MD | MS | 03 | |
| | | A-A-53400/19 | FORCEPS, HEMOSTATIC, KOCHER, 5-1/2 INCH | A | 6515 | / MB | MD | 20-MAR-92 | MD | MS | 03 | |
| A | | A-A-53400/21 | FORCEPS, HEMOSTATIC, PENNINGTON | A | 6515 | / MB | MD | 15-JAN-93 | MD | MS | 03 | |
| | | A-A-53401 | BANDAGE ELASTIC | A | 6510 | / MB | MD | 01-APR-88 | MD | MS | 03 | |
| | | A-A-0053402 | CHLORAMPHENICOL CAPSULES, USP | A | 6505 | / MB | MD | 28-MAR-88 | MD | MS | 03 | |
| A | | A-A-53403A | ACETOHYDROXAMIC ACID TABLETS | A | 6505 | / MB | MD | 21-AUG-92 | MD | MS | 03 | |
| | | A-A-0053404 | FERROUS FUMARATE AND DOCUSATE SODIUM TABLETS, SUSTAINED-RELEASE | A | 6505 | / MB | MD | 20-JUL-88 | MD | MS | 03 | |
| | | A-A-0053405 | FLECAINIDE ACETATE TABLETS | A | 6505 | MB | MD | 28-MAR-88 | MD | MS | 03 | DM |
| | | A-A-0053406 | POTASSIUM ACETATE INJECTION, USP | A | 6505 | / MB | MD | 28-MAR-88 | MD | MS | 03 | |
| A | | A-A-53407A | BUPRENORPHINE HYDROCHLORIDE INJECTION | A | 6505 | / MB | MD | 13-NOV-92 | MD | MS | 03 | |
| | | A-A-53409 | PLIERS, DENTAL, (BENDING) | A | 6520 | / MB | MD | 21-MAR-88 | MD | MS | 03 | DM |
| | | A-A-53410 | TUBE, DRAINAGE (T-TUBE, EAR) | A | 6515 | MB | MD | 21-MAR-88 | MD | MS | 03 | |
| | | A-A-53412 | FORCEPS, FOREIGN BODY, INTRAOCULAR (VITREOUS, WILSON) | A | 6515 | / MB | MD | 21-MAR-88 | MD | MS | 03 | |
| | | A-A-53413 | HOLDER, ANAEROBIC JAR & STRIP RACK | A | 6640 | / MB | MD | 24-MAR-88 | MD | MS | 03 | |
| A | | A-A-53414A | BENZOCAINE ORAL TOPICAL AEROSOL | A | 6505 | / MB | MD | 18-DEC-92 | MD | MS | 03 | |
| | | A-A-0053414 | BENZOCAINE ORAL TOPICAL AEROSOL, USP | A | 6505 | / MB | MD | 01-JUN-88 | MD | MS | 03 | |
| | | A-A-53416 | FORCEPS, GALL DUCT (LAHEY) | A | 6515 | MB | MD | 21-MAR-88 | MD | MS | 03 | |
| | | A-A-53418 | RETRACTOR, CHEEK, LIGHT ANGLE (JOHNSON) | A | 6515 | MB | MD | 22-MAR-88 | MD | MS | 03 | |
| | | A-A-53420A | CALIBRATION AND VERIFICATION SYSTEM | A | 6625 | / MB | MD | 31-JAN-89 | MD | MS | 03 | |
| | | A-A-53422 | CATHETER, URETHRAL (RUBBER, WHISTLE TIP) | A | 6515 | MB | MD | 22-MAR-88 | MD | MS | 03 | DM |
| | | A-A-53423 | BAG, BLOOD WARMING (DISPOSABLE) | A | 6515 | / MB | MD | 23-MAR-88 | MD | MS | 03 | |
| | | A-A-53424 | FORCEPS, TISSUE (CUSHING,STRAIGHT | A | 6515 | MB | MD | 22-MAR-88 | MD | MS | 03 | |
| | | A-A-53425 | JAR, ANAEROBIC CULTURE APPARATUS | A | 6640 | / MB | MD | 25-MAR-88 | MD | MS | 03 | DM |
| | | A-A-53426 | TESTER, ANTIFREEZ & BATTERY ELECTROYTE SOLUTION | A | 6630 | / MB | MD | 28-MAR-88 | MD | MS | 03 | DM |
| | | A-A-53428 | CONTROL STRIP, REAGENT SUITABILITY | A | 6550 | / MB | MD | 31-MAR-88 | MD | MS | 03 | |
| A | | A-A-53429A | DEXTROSE INJECTION, USP, 5% PARTIAL-FILL BAGS WITH VIAL ADDITIVE PORT | A | 6505 | / MB | MD | 01-APR-93 | MD | MS | 03 | |
| | | A-A-0053429 | DEXTROSE INJECTION, USP, PARTIAL-FILL BAGS WITH VIAL ADDITIVE PORT | A | 6505 | / MB | MD | 17-JUN-88 | MD | MS | 03 | |
| | | A-A-0053430 | TEST STRIPS AND COLOR CHART, BILIRUBIN, BLOOD, GLUCOSE, KETONE, LEUKOCYTES, NITRITE, PH, PROTEIN, SPECIFIC GRAVITY AND UROBILINOGEN IN URINE | A | 6550 | / MB | MD | 12-MAY-88 | MD | MS | 03 | |
| | | A-A-53432 | TEST SET, BINOCULAR VISION | A | 6540 | / MB | MD | 11-APR-88 | MD | MS | 03 | |
| | | A-A-53433 | INDEX, ANALYTICAL PROFILE, ANAEROBE IDENTIFICATION | A | 6550 | / MB | MD | 08-APR-88 | MD | MS | 03 | |
| | | A-A-53435 | BLEEDER, HIGH VOLTAGE, X-RAY GENERATOR SERVICING | A | 6525 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| | | A-A-53436 | BLISTER SHEET, UNIT DOSE | A | 6530 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| | | A-A-53437 | BOTTLE AND TUMBLER SET | A | 7360 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| | | A-A-53438 | BRUSH SET, INSTRUMENT CLEANING | A | 6515 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| M | | A-A-53441B | ENVELOPE, STERILIZATION (SELF SEALING) | A | 6530 | / MB | MD | 30-APR-93 | MD | MS | 03 | |
| | | A-A-53442 | FECAL SPECIMEN COLLECTION AND PREPARATION KIT | A | 6550 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| | | A-A-53443 | GOWN, OPERATING, SURGICAL | A | 6532 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| | | A-A-53444 | SLING, HEAD | A | 6530 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| | | A-A-53446 | SYRINGE, FOUNTAIN | A | 6530 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| | | A-A-53448A | TRAY, INSTRUMENT (OPHTHALMIC MICROSURGERY) | A | 6530 | / MB | MD | 15-APR-91 | MD | MS | 03 | |
| | | A-A-53449 | TRAY, STERILIZATION, ARTHROSCOPIC INSTRUMENT COMPONENTS | A | 6530 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| | | A-A-53451 | WRAPPER, STERILIZATION | A | 6530 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| | | A-A-53452 | SHAMPOO, MEDICATED (SULFUR AND SALICYLIC ACID) USER: AT REVIEWER: CS | A | 6508 | / MB | MD | 07-SEP-89 | MD | MS | 03 | |
| | | A-A-53453 | POTASSIUM CHLORIDE, L-LYSINE MONOHYDROCHLORIDE, AND POTASSIUM BICARBONATE TABLETS, EFFERVESCENT | A | 6505 | / MB | MD | 07-JUL-88 | MD | MS | 03 | |
| | | A-A-53454 | POTASSIUM CHLORIDE, L-LYSINE MONOHYDROCHLORIDE, AND POTASSIUM BICARBONATE GRANULES, EFFERVESCENT | A | 6505 | / MB | MD | 07-JUL-88 | MD | MS | 03 | |
| | | A-A-53455 | MOUTHPIECE, PIPETTING | A | 6640 | MB | MD | 12-APR-88 | MD | MS | 03 | |
| | | A-A-53456 | SPLINT, HAND, (COCK-UP WRIST) | A | 6515 | / MB | MD | 12-APR-88 | MD | MS | 03 | |
| | | A-A-53458 | ELEVATOR-RETRACTOR, PERIOSTEAL (CREGO) | A | 6515 | / MB | MD | 20-APR-88 | MD | MS | 03 | |
| | | A-A-53459 | SUCTION APPARATUS, SURGICAL | A | 6515 | / MB | MD | 15-DEC-88 | MD | MS | 03 | |
| | | A-A-53460A | BOTTLE, SAFETY CAP (PLASTIC, LIGHT-RESISTANT, LIQUID PRESCRIPTION) | A | 6530 | / MB | MD | 13-SEP-88 | MD | MS | 03 | |
| | | A-A-53461 | CONTAINER, MOUTHRINSE, DENTAL | A | 6520 | / MB | MD | 29-JUN-88 | MD | MS | 03 | |
| | | A-A-53462 | PUMP, DENTAL (MOUTHRINSE) | A | 6520 | / MB | MD | 30-JUN-88 | MD | MS | 03 | |
| | | A-A-53465 | CURETTE, EAR (HOUSE, LIGHT, ANGLE) | A | 6515 | / MB | MD | 29-JUL-88 | MD | MS | 03 | |
| | | A-A-53468 | FURNACE, DENTAL LABORATORY, ELECTRIC | A | 6520 | / MB | MD | 25-MAY-90 | MD | MS | 03 | |
| | | A-A-53470 | GENERAL SPECIFICATION, BURS, BONE SURGERY, DIAMOND, FOR | A | 6515 | / MB | MD | 22-AUG-88 | MD | MS | 03 | |
| | | A-A-53470/1 | BUR, BONE SURGERY (DIAMOND, 2MM, ROUND HEAD, LONG SHANK) | A | 6515 | / MB | MD | 22-AUG-88 | MD | MS | 03 | |
| | | A-A-53470/2 | BUR, BONE SURGERY (DIAMOND, 3 MM, ROUND HEAD, LONG SHANK) | A | 6515 | / MB | MD | 22-AUG-88 | MD | MS | 03 | |
| | | A-A-53470/3 | BUR, BONE SURGERY (DIAMOND, 5 MM, ROUND HEAD, LONG SHANK) | A | 6515 | / MB | MD | 22-AUG-88 | MD | MS | 03 | |
| | | A-A-53470/4 | BUR, BONE SURGERY (DIAMOND, 2 MM, RHINOPLASTIC HEAD, LONG SHANK) | A | 6515 | / MB | MD | 22-AUG-88 | MD | MS | 03 | |
| | | A-A-53470/5 | BUR, BONE SURGERY (DIAMOND, 4 MM, ROUND HEAD, LONG SHANK) | A | 6515 | / MB | MD | 22-AUG-88 | MD | MS | 03 | |
| | | A-A-53470/6 | BUR, BONE SURGERY (DIAMOND, 4 MM, OVAL HEAD, LONG SHANK) | A | 6515 | / MB | MD | 22-AUG-88 | MD | MS | 03 | |
| | | A-A-53470/7 | BUR, BONE SURGERY (DIAMOND, 4MM, DERMABRADER HEAD, MEDIUM SHANK) | A | 6515 | / MB | MD | 22-AUG-88 | MD | MS | 03 | |
| | | A-A-53473 | ELEVATOR, PERIOSTEAL (MATSON) | A | 6515 | / MB | MD | 26-APR-88 | MD | MS | 03 | |
| | | A-A-53474 | BEAD, GLASS, LABORATORY, (PLASTIC SPECTACLE FRAME WARMER) | A | 6640 | / MB | MD | 29-APR-88 | MD | MS | 03 | |
| | | A-A-53475 | PLATINUM FOIL (1 PENNYWEIGHT) | A | 6520 | MB | MD | 23-MAY-88 | MD | MS | 03 | |
| | | A-A-53477 | PAPER, ARTCULATING, DENTAL (25 FOOT ROLL) | A | 6520 | MB | MD | 16-MAY-88 | MD | MS | 03 | |
| | | A-A-53478 | SPATULA, DENTAL, (PLASTIC) | A | 6520 | / MB | MD | 16-MAY-88 | MD | MS | 03 | |
| | | A-A-0053480 | SUNSCREEN PREPARATION, NON-ALCOHOLIC, LOTION BASE, NON-PABA | A | 6505 | / MB | MD | 07-JUL-88 | MD | MS | 03 | |
| | | A-A-53481 | STAPLER, SURGICAL (INTRALUMINAL) | A | 6515 | / MB | MD | 08-MAY-88 | MD | MS | 03 | |
| | | A-A-53483 | STAPLER, SURGICAL, (GASTRO-INTESTINAL) | A | 6515 | / MB | MD | 08-MAY-88 | MD | MS | 03 | |
| | | A-A-53494 | PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC | A | 6525 | / MB | MD | 17-JUN-88 | MD | MS | 03 | |
| | | A-A-53495 | PUMP, INFLATING, MANUAL | A | 4320 | / MB | MD | 17-JUN-88 | MD | MS | 03 | |
| | | A-A-53496 | SLING, HEAD | A | 6530 | / MB | MD | 17-JUN-88 | MD | MS | 03 | |
| | | A-A-53497 | SUPPORT, CERVICAL | A | 6515 | / MB | MD | 17-JUN-88 | MD | MS | 03 | |
| | | A-A-53498 | TABLE, TREATMENT | A | 6530 | / MB | MD | 17-JUN-88 | MD | MS | 03 | |
| | | A-A-53499 | SURGICAL PACK, DISPOSABLE | A | 6530 | / MB | MD | 17-JUN-88 | MD | MS | 03 | |
| | | A-A-53500 | STAPLER, SURGICAL, THORACIC-ABDOMINAL | A | 6515 | / MB | MD | 11-MAY-88 | MD | MS | 03 | |
| | | A-A-53503 | SUPPORT, BACK, ELASTIC | A | 6515 | / MB | MD | 17-JUN-88 | MD | MS | 03 | |
| | | A-A-53504A | BAGS, URINE COLLECTION - MEASURING DEVICE | A | 6530 | / MB | MD | 24-DEC-91 | MD | MS | 03 | |
| | | A-A-53505 | PLUGGER, AMALGAM, DENTAL (MODIFIED MORTONSON, NO. 2; DOUBLE-ENDED) | A | 6520 | / MB | MD | 25-JUL-88 | MD | MS | 03 | |
| | | A-A-53507 | PLUGGER, PLASTIC FILLING, DENTAL CONTOURING INSTRUMENT, MATRIX, DENTAL | A | 6520 | / MB | MD | 28-JAN-91 | MD | MS | 03 | |
| | | A-A-53508 | PLUGGER, PLASTIC FILLING, DENTAL (GLICK NO. 1) | A | 6520 | / MB | MD | 27-JUN-88 | MD | MS | 03 | |
| | | A-A-0053510 | KETOPROFEN CAPSULES | A | 6505 | / MB | MD | 08-JUN-88 | MD | MS | 03 | |
| | | A-A-53511 | SPLINT, LEG, (TRACTION) | A | 6515 | / MB | MD | 01-JUN-88 | MD | MS | 03 | |
| | | A-A-53512 | WHEEL, ABRASIVE, (SILICON CARBIDE, DENTAL MODEL TRIMMINGS) | A | 6520 | / MB | MD | 20-JUN-88 | MD | MS | 03 | |
| A | | A-A-53513A | GLOVE, PATIENT EXAMINING AND TREATMENT, LATEX RUBBER, PRE-POWDERED, DISPOSABLE, NON-STERILE | A | 6515 | / MB | MD | 30-JAN-93 | MD | MS | 03 | |
| | | A-A-0053513 | GLOVES, PATIENT EXAM AND TREATMENT (NON-STERILE, DISPOSABLE) | A | 6515 | / MB | MD | 08-AUG-88 | MD | MS | 03 | |
| | | A-A-53514 | LID, ANAEROBIC CULTURE APPARATUS | A | 6640 | / MB | MD | 01-JUN-88 | MD | MS | 03 | |
| | | A-A-53515 | CATHETER KIT, PACING, TRANSVENOUS (BIPOLAR) | A | 6515 | / MB | MD | 02-JUN-88 | MD | MS | 03 | |
| | | A-A-53516 | FORCEPS, EYE, VITREOUS MICROEXTRACTOR (NEUBAUER) | A | 6515 | / MB | MD | 02-JUN-88 | MD | MS | 03 | |
| | | A-A-53517 | RONGEUR (KERRISON, 7-1/2 INCH, 40 DEG. UPBITE) | A | 6515 | / MB | MD | 03-JUN-88 | MD | MS | 03 | |
| | | A-A-53518 | STAPLE UNIT, SURGICAL (END-TO-END ANASTOMOSIS) | A | 6515 | / MB | MD | 03-JUN-88 | MD | MS | 03 | |

| Action | QPL / QML / Cancellation / Inactive | Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | A-A-53519 | HANDLE, BONE CUTTING SAW (GIGLI) | A 6515 / MB 06-JUN-88 | MD | MS | | 03 |
| | | A-A-53520 | RETRACTOR, RIB (TUFFIER) | A 6515 / MB 06-JUN-88 | MD | MS | | 03 |
| | | A-A-53521 | SPLINT, ORTHOPEDIC SHEET | A 6510 / MB 01-JUN-88 | MD | MS | | 03 |
| | | A-A-53522 | AMINOPHYLLINE INJECTION, USP | A 6505 / MB 10-JUN-88 | MD | MS | | 03 |
| | | A-A-53523 | SPECULUM, ENDURAL-NASAL | A 6515 / MB 17-JUN-88 | MD | MS | | 03 |
| | | A-A-53524 | ACETAMINOPHEN TABLETS, USP | A 6505 / MB 17-JUN-88 | MD | MS | | 03 |
| | | A-A-53525 | RULE, ACCOMMODATION TEST AND TEST CARD | A 6540 / MB 17-JUN-88 | MD | MS | | 03 |
| | | A-A-53526 | AMCINONIDE CREAM, USP | A 6505 / MB 17-JUN-88 | MD | MS | | 03 |
| | | A-A-53527 | ACETYLCHOLINE CHLORIDE FOR OPHTHALMIC SOLUTION, USP | A 6505 / MB 17-JUN-88 | MD | MS | | 03 |
| | | A-A-53528 | ALUMINUM HYDROXIDE GEL, USP | A 6505 / MB 17-JUN-88 | MD | MS | | 03 |
| | | A-A-53529 | ACETAZOLAMIDE CAPSULES | A 6505 / MB 17-JUN-88 | MD | MS | | 03 |
| | | A-A-53530 | AMIKACIN SULFATE INJECTION, USP | A 6505 / MB 17-JUN-88 | MD | MS | | 03 |
| | | A-A-53531 | DILATOR - CATHETER (WALTHER, FEMALE) | A 6515 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53532 | PAPER, CHART, FETAL-UTERINE MONITOR | A 6515 / MB 17-JUN-88 | MD | MS | | 03 |
| | | A-A-53533 | MODEL, ANATOMICAL, HUMAN SKULL | A 6910 / MB 17-JUN-88 | MD | MS | | 03 |
| | | A-A-53534 | CATHETER-SPECIMEN COLLECTING UNIT, ENDOTRACHEAL (LUKENS) | A 6515 / MB 13-JUN-88 | MD | MS | | 03 |
| | | A-A-53535 | STAPLER, SKIN, SURGICAL (DISPOSABLE) | A 6515 / MB 27-JUN-88 | MD | MS | | 03 |
| | | A-A-53536 | EMBEDDING COMPOUND, LABORATORY (PARAFFIN AND PLASTIC POLYMERS) | A 6640 / MB 24-JUN-88 | MD | MS | | 03 |
| | | A-A-53537 | SPLINT, ALL PURPOSE, EMERGENCY TRANSPORT | A 6515 / MB 22-JUN-88 | MD | MS | | 03 |
| | | A-A-53540 | CALIPER, EYE, CASTROVIEJO | A 6540 / MB 27-JUN-88 | MD | MS | | 03 |
| | | A-A-53542 | KNIFE, EAR (STRAIGHT, HOUSE) | A 6515 / MB 27-JUN-88 | MD | MS | | 03 |
| | | A-A-53543 | BOTTLE, SCREWCAP | A 6640 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53544 | WAX, DENTAL (DISCLOSING) | A 6520 / MB 18-JUL-88 | MD | MS | | 03 |
| | | A-A-53545 | MAGNIFIER, FOLDING, DOUBLE LENS | A 6650 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53546 | EVACUATOR, SURGICAL WOUND | A 6515 / MB 28-JUN-88 | MD | MS | | 03 |
| | | A-A-53547A | ELEVATOR, PERIOSTEAL (KEY) | A 6515 / MB 16-SEP-91 | MD | MS | | 03 |
| A | | A-A-53548A | CIPROFLOXACIN TABLETS, USP | A 6505 / MB 23-MAR-93 | MD | MS | | 03 |
| | | A-A-0053548 | CIPROFLOXACIN HYDROCHLORIDE TABLETS | A 6505 / MB 01-AUG-88 | MD | MS | | 03 |
| A | | A-A-53549A | AZTREONAM FOR INJECTION | A 6505 / MB 18-DEC-92 | MD | MS | | 03 |
| | | A-A-0053549 | AZTREONAM FOR INJECTION | A 6505 / MB 01-AUG-88 | MD | MS | | 03 |
| A | | A-A-53550A | BETAXOLOL HYDROCHLORIDE OPHTHALMIC SOLUTION | A 6505 / MB 13-NOV-92 | MD | MS | | 03 |
| | | A-A-53551 | ACETAZOLAMIDE TABLETS, USP | A 6505 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53552 | GLYCOPYRROLATE INJECTION, USP | A 6505 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53553 | DIPYRIDAMOLE TABLETS, USP | A 6505 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53554 | BUTORPHANOL TARTRATE INJECTION, USP | A 6505 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53555 | ATENOLOL TABLETS | A 6505 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53556 | GENTAMICIN SULFATE CREAM, USP | A 6505 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53557 | FLURANDRENOLIDE CREAM, USP | A 6505 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53558 | CEPHALEXIN CAPSULES, USP | A 6505 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53559A | JAR, SCREW CAP (PATHOLOGICAL SPECIMEN) | A 6640 / MB 15-DEC-88 | MD | MS | | 03 |
| | | A-A-0053559 | JAR, SCREW CAP (PATHOLOGICAL SPECIMEN) | A 6640 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53560 | CANNULA, BRONCHIAL (HOLINGER) | A 6515 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53561 | LITHIUM SOLUTION, STANDARD | A 6550 / MB 08-JUL-88 | MD | MS | | 03 |
| | | A-A-53562 | GLOVE, PATIENT EXAMINING AND TREATMENT (PLASTIC, LARGE SIZE, STERILE) | A 6515 / MB 30-JUN-88 | MD | MS | | 03 |
| | | A-A-53563 | ALGINATE COMPOUND SOLUTION, DENTAL | A 6520 / MB 15-JUL-88 | MD | MS | | 03 |
| | | A-A-53564 | FLUPHENAZINE DECANOATE INJECTION | A 6505 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53565 | GENTAMICIN SULFATE OPHTHALMIC SOLUTION, USP | A 6505 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53566 | DESONIDE CREAM | A 6505 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53567 | FLUOXYMESTERONE TABLETS, USP | A 6505 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53568 | GLYCERIN SUPPOSITORIES, USP | A 6505 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53569 | CLOXACILLIN SODIUM CAPSULES, USP | A 6505 / MB 22-JUN-88 | MD | MS | | 03 |
| | | A-A-53570 | FLUPHENAZINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53571 | LENS, INDIRECT OPHTHALMOSCOPE | A 6540 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53572 | BRACE, KNEE | A 6515 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53573A | BRUSH-SPONGE, SURGICAL SCRUB | A 6530 / MB 30-APR-92 | MD | MS | | 03 |
| | | A-A-53574 | CANISTER, SUCTION, SURGICAL | A 6515 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53575 | CARD, IDENTIFICATION | A 7530 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53576 | CASSETTE, RADIOGRAPHIC FILM | A 6525 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53577 | ELECTROSURGICAL APPARATUS (PORTABLE, UNBLENDED CURRENT) | A 6515 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53579 | HANGER, X-RAY FILM | A 6525 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53580 | HOLDER, SURGICAL INSTRUMENT STERILIZATION | A 6530 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53581 | HOLDER, SURGICAL INSTRUMENT STERILIZATION | A 6530 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53582 | MOUNT, RADIOGRAPHIC FILM, DENTAL | A 6525 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53583 | MOUNT, RADIOGRAPHIC FILM, DENTAL | A 6525 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53584 | RESERVOIR ASSEMBLY, SIMULATED BLOOD | A 6910 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53585 | TANK, INSERT, X-RAY FILM PROCESSING | A 6525 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53586 | TOURNIQUET, NON-PNEUMATIC | A 6515 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53587 | WRAPPER, STERILIZATION | A 6530 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53588 | PIPET, VOLUMETRIC (MICRO) | A 6640 / MB 15-JUL-88 | MD | MS | | 03 |
| | | A-A-53589 | SCREW, INSTRUMENT, SPECTACLE FRAME, 3-BARREL | A 5305 / MB 15-JUL-88 | MD | MS | | 03 |
| | | A-A-53590 | ANVIL, OPTICIAN'S, RIVETING | A 6540 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53593 | DOLL, TRAINING, NURSING TECHNIQUE | A 6910 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53594 | SKELETON, HUMAN | A 6910 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-0053595 | LABETALOL HYDROCHLORIDE TABLETS | A 6505 / MB 12-AUG-88 | MD | MS | | 03 |
| A | | A-A-53596A | BUMETANIDE INJECTION | A 6505 / MB 13-NOV-92 | MD | MS | | 03 |
| A | | A-A-53597A | BUMETANIDE TABLETS | A 6505 / MB 18-DEC-92 | MD | MS | | 03 |
| | | A-A-0053597 | BUMETANIDE TABLETS | A 6505 / MB 12-AUG-88 | MD | MS | | 03 |
| | | A-A-53599 | DOXEPIN HYDROCHLORIDE CAPSULES, USP | A 6505 / MB 22-JUL-88 | MD | MS | | 03 |
| | | A-A-53600 | TRAYS, IMPRESSION, DENTAL (NON-WATER COOLED) | A 6520 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53601 | EXCAVATOR, DENTAL (CARBON STEEL, BLACK'S FORMULA) | A 6520 / MB 18-AUG-88 | MD | MS | | 03 |
| | | A-A-53602 | GENTAMICIN SULFATE OPHTHALMIC OINTMENT, USP | A 6505 / MB 29-JUL-88 | MD | MS | | 03 |
| | | A-A-53603 | RETRACTOR, ABDOMINAL (BALFOUR, SELF-RETAINING) | A 6515 / MB 28-JUL-88 | MD | MS | | 03 |
| | | A-A-53604 | RESIN, ACRYLIC, DENTAL (TRAY MATERIAL) | A 6520 / MB 06-SEP-88 | MD | MS | | 03 |
| | | A-A-53605 | CHUCK AND KEY, BONE PIN (JACOBS) | A 6515 / MB 01-AUG-88 | MD | MS | | 03 |
| | | A-A-53606 | ERYTHROMYCIN STEARATE TABLETS, USP | A 6505 / MB 05-AUG-88 | MD | MS | | 03 |
| | | A-A-0053607 | TERBUTALINE SULFATE INHALATION AEROSOL | A 6505 / MB 29-AUG-88 | MD | MS | | 03 |
| | | A-A-53608 | HYDROMETERS, GRADUATED SCALE (WITH THERMOMETER, API GRAVITY) | A 6630 / MB 10-AUG-88 | MD | MS | | 03 |
| | | A-A-53609 | FORCEPS, MICROSCOPE COVER GLASS | A 6640 / MB 11-AUG-88 | MD | MS | | 03 |
| | | A-A-53610A | DRESSING, HYDROCOLLOID (OCCLUSIVE) | A 6510 / MB 06-JUL-89 | MD | MS | | 03 |
| | | A-A-0053611 | CONTROL SET, SYPHILIS | A 6550 / MB 29-AUG-88 | MD | MS | | 03 |
| | | A-A-0053612 | LEVOTHYROXINE SODIUM FOR INJECTION, LYOPHILIZED | A 6505 / MB 29-AUG-88 | MD | MS | | 03 |
| | | A-A-53613 | DIGOXIN TABLETS, USP | A 6505 / MB 12-AUG-88 | MD | MS | | 03 |
| | | A-A-53614 | TRIMMERS, GINGIVAL MARGIN, (CARBON STEEL) | A 6520 / MB 15-AUG-88 | MD | MS | | 03 |
| | | A-A-0053615 | LORAZEPAM INJECTION | A 6505 / MB 29-AUG-88 | MD | MS | | 03 |
| A | | A-A-53616A | ALFENTANIL HYDROCHLORIDE INJECTION | A 6505 / MB 13-NOV-92 | MD | MS | | 03 |
| | | A-A-0053617 | SOMATREM FOR INJECTION | A 6505 / MB 29-AUG-88 | MD | MS | | 03 |
| | | A-A-53618A | TERBUTALINE SULFATE TABLETS, USP | A 6505 / MB 20-MAR-92 | MD | MS | | 03 |
| | | A-A-0053619 | PLICAMYCIN FOR INJECTION, USP | A 6505 / MB 29-AUG-88 | MD | MS | | 03 |
| | | A-A-0053620 | CEFTAZIDIME FOR INJECTION | A 6505 / MB 26-AUG-88 | MD | MS | | 03 |
| A | | A-A-53621A | CEPHRADINE FOR ORAL SUSPENSION, USP | A 6505 / MB 18-DEC-92 | MD | MS | | 03 |
| | | A-A-0053621 | CEPHRADINE FOR ORAL SUSPENSION, USP | A 6505 / MB 26-AUG-88 | MD | MS | | 03 |
| | | A-A-0053623 | SUCRALPATE TABLETS | A 6505 / MB 29-AUG-88 | MD | MS | | 03 |
| | | A-A-0053624 | INDAPAMIDE TABLETS | A 6505 / MB 29-AUG-88 | MD | MS | | 03 |
| A | | A-A-53625B | RESUSCITATOR, HAND OPERATED (ADULT, SINGLE USE) | A 6515 / MB 15-OCT-92 | MD | MS | | 03 |

| Action | QPL / QML Coordination | Inactive | Document Number | Document Title | Dist Symb | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | A-A-0053625 | RESUSCITATOR, HAND OPERATED ADULT SINGLE USE | A | 6515 | / MB | | 08-AUG-88 | MD | MS | | 03 |
| | | | A-A-53626 | SCISSORS, GENERAL SURGICAL (CURVED, METZENBAUM) | A | 6515 | / MB | | 08-AUG-88 | MD | MS | | 03 |
| | | | A-A-53627 | FORCEPS, NASAL SEPTUM STRAIGHTENING (MALSHAN) | A | 6515 | / MB | | 09-AUG-88 | MD | MS | | 03 |
| | | | A-A-53628 | RONGEUR, STRAIGHT (ADSON) | A | 6515 | / MB | | 10-AUG-88 | MD | MS | | 03 |
| | | | A-A-53629 | ELEVATOR, SEPTUM (COTTLE, DOUBLE-ENDED, GRADUATED) | A | 6515 | / MB | | 11-AUG-88 | MD | MS | | 03 |
| | | | A-A-53630 | FORCEPS, DRESSING (POTTS-SMITH) | A | 6515 | / MB | | 30-SEP-88 | MD | MS | | 03 |
| | | | A-A-53631 | AMITRIPTYLINE HYDROCHLORIDE TABLETS, USP | A | 6505 | / MB | | 12-AUG-88 | MD | MS | | 03 |
| | | | A-A-53632 | ERYTHROMYCIN LACTOBIONATE FOR INJECTION, USP | A | 6505 | / MB | | 12-AUG-88 | MD | MS | | 03 |
| | | | A-A-53633A | RESUSCITATOR, MOUTH TO MASK, ADULT, SINGLE USE | A | 6515 | / MB | | 24-MAR-89 | MD | MS | | 03 |
| | | | A-A-0053633 | RESUSCITATOR, MOUTH TO MASK, ADULT, SINGLE USE, 10S | A | 6515 | / MB | | 12-AUG-88 | MD | MS | | 03 |
| | | | A-A-53634 | CATHETER, URETHRAL (FOLEY, CARSON TYPE) | A | 6515 | / MB | | 12-AUG-88 | MD | MS | | 03 |
| | | | A-A-53635 | CONNECTOR, TRACHEAL TUBE (ACUTE ANGLED) | A | 6515 | / MB | | 12-AUG-88 | MD | MS | | 03 |
| | | | A-A-53636 | CLIP, HEMOSTATIC, LARGE | A | 6515 | / MB | | 10-AUG-88 | MD | MS | | 03 |
| | | | A-A-53637 | TEST PAPER, HYDROGEN ION | A | 6640 | / MB | | 15-AUG-88 | MD | MS | | 03 |
| | | | A-A-53638 | MIXER, DENTAL CASTING INVESTMENT (MECHANICAL) | A | 6520 | / MB | | 20-AUG-88 | MD | MS | | 03 |
| | | | A-A-53639 | WAX, DENTAL (STICKY) | A | 6520 | / MB | | 06-SEP-88 | MD | MS | | 03 |
| | | | A-A-53640 | DRIVER-BENDER-EXTRACTOR, BONE PIN (MCNUTT, 13 INCHES) | A | 6515 | / MB | | 12-AUG-88 | MD | MS | | 03 |
| | | | A-A-53641 | CONDOM (PROPHYLACTIC, NATURAL RUBBER) | A | 6515 | / MB | | 14-NOV-88 | MD | MS | | 03 |
| | | | A-A-53642 | INTRAVENOUS INJECTION CASSETTE SET | A | 6515 | / MB | | 12-AUG-88 | MD | MS | | 03 |
| | | | A-A-53643 | CARVER, DENTAL, INTERPROXIMAL | A | 6520 | / MB | | 17-APR-89 | MD | MS | | 03 |
| | | | A-A-53644 | SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE | A | 6515 | / MB | | 12-AUG-88 | MD | MS | | 03 |
| | | | A-A-53645 | CLIP, HEMOSTATIC (MEDIUM) | A | 6515 | / MB | | 15-AUG-88 | MD | MS | | 03 |
| | | | A-A-53646 | IMPLANT, ARTERIAL (STRAIGHT, KNITTED POLYESTER) | A | 6515 | / MB | | 15-AUG-88 | MD | MS | | 03 |
| | | | A-A-53647 | ELECTROSURGICAL APPARATUS | A | 6515 | / MB | | 19-AUG-88 | MD | MS | | 03 |
| | | | A-A-53648 | COOLANT AND CUTTING FLUID, LENS PREPARATION | A | 6540 | / MB | | 19-AUG-88 | MD | MS | | 03 |
| | | | A-A-53650 | INTRAVENOUS EXCHANGE SET | A | 6515 | / MB | | 16-AUG-88 | MD | MS | | 03 |
| | | | A-A-53652 | FLOSS, DENTAL | A | 6520 | / MB | | 26-AUG-88 | MD | MS | | 03 |
| | | | A-A-53653 | CEMENT POWDER, ZINC OXIDE, DENTAL | A | 6520 | / MB | | 19-AUG-88 | MD | MS | | 03 |
| | | | A-A-53654 | ABRASIVE, DENTAL (STICK FORM, SILICON CARBIDE) | A | 6520 | / MB | | 19-AUG-88 | MD | MS | | 03 |
| | | | A-A-53656 | THERMOMETER, CLINICAL, HUMAN (ELECTRONIC, BATTERY POWERED) | A | 6515 | / MD | | 19-AUG-88 | MD | MS | | 03 |
| | | | A-A-53657 | TEST TUBE (DISPOSABLE) | A | 6640 | / MB | | 26-AUG-88 | MD | MS | | 03 |
| | | | A-A-53658 | CARRIER, BRONCHOSCOPIC SPONGE (JACKSON EXTRA HEAVY) | A | 6515 | MB | | 24-AUG-88 | MD | MS | | 03 |
| | | | A-A-53659 | BOTTLE, SCREW CAP | A | 6640 | / MB | | 26-AUG-88 | MD | MS | | 03 |
| | | | A-A-53660 | FLASK, SAYBOLT VISCOSITY | A | 6630 | / MB | | 31-AUG-88 | MD | MS | | 03 |
| | | | A-A-53662 | DRAPE, SURGICAL, SPLIT SHEET, NONWOVEN FABRIC | A | 6530 | / MB | | 26-AUG-88 | MD | MS | | 03 |
| | | | A-A-53663 | COUNTING APPARATUS, BACTERIAL COLONY | A | 6640 | / MB | | 01-SEP-88 | MD | MS | | 03 |
| | | | A-A-53664 | PLATE COUNTING, BACTERIOLOGICAL | A | 6640 | MB | | 02-SEP-88 | MD | MS | | 03 |
| | | | A-A-53665 | TRAY AND RACK, LABORATORY | A | 6640 | / MB | | 06-SEP-88 | MD | MS | | 03 |
| | | | A-A-53666A | ADHESIVE TIES, SURGICAL | A | 6510 | / MB | | 02-JUN-89 | MD | MS | | 03 |
| | | | A-A-0053666 | ADHESIVE TIES, SURGICAL | A | 6510 | / MB | | 19-OCT-88 | MD | MS | | 03 |
| A | | | A-A-53667A | THROMBIN, USP | A | 6505 | / MB | | 15-MAR-93 | MD | MS | | 03 |
| | | | A-A-0053667 | THROMBIN, USP | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53668A | BANDAGE, ELASTIC (RUBBER WARP THREADS-SELF-ADHERING) | A | 6510 | / MB | | 17-AUG-89 | MD | MS | | 03 |
| | | | A-A-0053668 | BANDAGE, ELASTIC, RUBBER WARP THREADS, SELF-ADHERING | A | 6510 | / MB | | 07-OCT-88 | MD | MS | | 03 |
| | | | A-A-0053669 | CLOTRIMAZOLE VAGINAL TABLETS, USP | A | 6505 | / MB | | 06-OCT-88 | MD | MS | | 03 |
| | | | A-A-0053670 | TESTOSTERONE ENANTHATE INJECTION, USP | A | 6505 | / MB | | 19-SEP-88 | MD | MS | | 03 |
| | | | A-A-0053671 | AURANOFIN CAPSULES | A | 6505 | / MB | | 19-OCT-88 | MD | MS | | 03 |
| | | | A-A-53672 | ELEVATOR, MUSCLE (CHANDLER) | A | 6515 | / MB | | 06-SEP-88 | MD | MS | | 03 |
| | | | A-A-53673 | FORCEPS, EAR, SMOOTH JAW (HARTMAN) | A | 6515 | / MB | | 06-SEP-88 | MD | MS | | 03 |
| | | | A-A-53674 | SHEARS, RIB CUTTING (STILLE) | A | 6515 | / MB | | 06-SEP-88 | MD | MS | | 03 |
| | | | A-A-53675 | RONGEUR, STRAIGHT (DECKER, 6 INCHES) | A | 6515 | / MB | | 06-SEP-88 | MD | MS | | 03 |
| | | | A-A-0053675 | RESUSCITATOR, HAND OPERATED ADULT SINGLE USE | A | 6515 | MB | | 08-AUG-88 | MD | MS | | 03 |
| | | | A-A-53676 | FORCEPS, INTESTINAL (SINGLEY) | A | 6515 | / MB | | 07-SEP-88 | MD | MS | | 03 |
| | | | A-A-53677 | FORCEPS SET, CLAMP APPLYING, INTESTINAL, STONE | A | 6515 | / MB | | 07-SEP-88 | MD | MS | | 03 |
| | | | A-A-53678 | FORCEPS, ARTHOSCOPIC (STRAIGHT, LOOSE BODY TIP) | A | 6515 | / MB | | 07-SEP-88 | MD | MS | | 03 |
| | | | A-A-0053679 | ACEBUTOLOL HYDROCHLORIDE CAPSULES | A | 6505 | / MB | | 10-OCT-88 | MD | MS | | 03 |
| | | | A-A-0053680 | BENZOCAINE ORAL TOPICAL SOLUTION | A | 6505 | / MB | | 14-OCT-88 | MD | MS | | 03 |
| | | | A-A-53681 | MARKER, OPHTHALMIC LENS | A | 6540 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53682 | ROD, STIRRING, LABORATORY POLYTETRAFLOUROETHYLENE | A | 6640 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53683 | BOX, MICROSCOPE SLIDE | A | 6640 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53684 | PROPRANOLOL HYDROCHLORIDE TABLETS, USP | A | 6505 | / MB | | 29-SEP-88 | MD | MS | | 03 |
| | | | A-A-53685 | LACTULOSE SYRUP, USP | A | 6505 | / MB | | 19-SEP-88 | MD | MS | | 03 |
| | | | A-A-53686 | OXTRIPHYLLINE TABLETS, USP | A | 6505 | / MB | | 19-SEP-88 | MD | MS | | 03 |
| | | | A-A-53687 | METHYLDOPATE HYDROCHLORIDE INJECTION, USP | A | 6505 | / MB | | 19-SEP-88 | MD | MS | | 03 |
| | | | A-A-53688 | FORCEPS, PINNING, ENTOMOLOGICAL SPECIMEN | A | 6640 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53689 | LUBRICANT, SILICATE CEMENT, DENTAL | A | 6520 | / MB | | 15-SEP-88 | MD | MS | | 03 |
| | | | A-A-53690 | VEST ASSEMBLY, TRACTION APPARATUS | A | 6515 | / MB | | 15-SEP-88 | MD | MS | | 03 |
| | | | A-A-53691 | MANIKIN, HEAD AND TORSO | A | 6910 | / MB | | 15-SEP-88 | MD | MS | | 03 |
| | | | A-A-53692 | ELECTROCARDIOGRAPH, GENERATOR/CALIBRATOR | A | 6515 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53693 | CERVICAL UNIT, TRACTION APPARATUS, HALO | A | 6515 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53694 | HYDRALAZINE HYDROCHLORIDE INJECTION, USP | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53695 | AMPICILLIAN FOR ORAL SUSPENSION, USP | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53696 | ERGOLOID MESYLATES TABLETS, USP | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53697 | HYDROCORTISONE ACETATE AND PRAMOXINE HYDROCHLORIDE AEROSOL FOAM | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53698 | LINDANE LOTION, USP | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53699 | HYDROCORTISONE ACETATE AEROSOL | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53700 | BASKET, PIPET | A | 6640 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53701 | JAR, PIPET | A | 6640 | / MB | | 20-SEP-88 | MD | MS | | 03 |
| | | | A-A-53702 | BULB, DROPPING PIPET | A | 6640 | / MB | | 20-SEP-88 | MD | MS | | 03 |
| | | | A-A-53703 | TEST TUBE | A | 6640 | / MB | | 20-SEP-88 | MD | MS | | 03 |
| | | | A-A-53704 | BETAMETHASONE VALERATE CREAM, USP | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53705 | HYDROCORTISONE CREAM, USP | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53706 | IOPANOIC ACID TABLETS, USP | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53707 | HYDROGEN PEROXIDE TOPICAL SOLUTION, USP | A | 6505 | / MB | | 16-SEP-88 | MD | MS | | 03 |
| | | | A-A-53708 | STONE, SHARPENING (FINE INDIA) | A | 6520 | / MB | | 26-SEP-88 | MD | MS | | 03 |
| | | | A-A-53709 | STERILIZER, SURGICAL INSTRUMENT AND DRESSING | A | 6530 | / MB | | 30-SEP-88 | MD | MS | | 03 |
| | | | A-A-53710 | MINOCYCLINE HYDROCHLORIDE CAPSULES, USP | A | 6505 | / MB | | 29-SEP-88 | MD | MS | | 03 |
| | | | A-A-53711 | NAPHAZOLINE HYDROCHLORIDE AND ANTAZOLINE PHOSPHATE OPHTHALMIC SOLUTION | A | 6505 | / MB | | 26-SEP-88 | MD | MS | | 03 |
| | | | A-A-53712 | NALIDIXIC ACID TABLETS, USP | A | 6505 | / MB | | 26-SEP-88 | MD | MS | | 03 |
| | | | A-A-53713 | STONE, SHARPENING (SOFT ARKANSAS) | A | 6520 | / MB | | 30-SEP-88 | MD | MS | | 03 |
| | | | A-A-53714 | WAX, DENTAL (CASTING) | A | 6520 | / MB | | 23-SEP-88 | MD | MS | | 03 |
| | | | A-A-53715 | STOOL, DENTAL LABORATORY, MOBILE, ADJUSTABLE | A | 6520 | / MB | | 24-OCT-88 | MD | MS | | 03 |
| | | | A-A-53717 | PLASTIC STRIP, DENTAL SURFACE PROTECTION | A | 6520 | / MB | | 30-SEP-88 | MD | MS | | 03 |
| | | | A-A-53718 | PLASTIC STRIP, DENTURE TRIAL PACK | A | 6520 | / MB | | 30-SEP-88 | MD | MS | | 03 |
| | | | A-A-53719 | DOCUSATE SODIUM CAPSULES, USP | A | 6505 | / MB | | 30-SEP-88 | MD | MS | | 03 |
| | | | A-A-53720 | METHOCARBAMOL TABLETS, USP | A | 6505 | / MB | | 26-SEP-88 | MD | MS | | 03 |
| | | | A-A-53721 | LITHIUM CARBONATE CAPSULES, USP | A | 6505 | / MB | | 26-SEP-88 | MD | MS | | 03 |
| | | | A-A-53722 | PHENOBARBITAL TABLETS, USP | A | 6505 | / MB | | 26-SEP-88 | MD | MS | | 03 |
| | | | A-A-53723 | KANAMYCIN SULFATE INJECTION, USP | A | 6505 | / MB | | 30-SEP-88 | MD | MS | | 03 |
| | | | A-A-0053724 | THIETHYLPERAZINE MALEATE SUPPOSITORIES, USP | A | 6505 | / MB | | 28-OCT-88 | MD | MS | | 03 |
| | | | A-A-0053725 | SUFENTANIL CITRATE INJECTION | A | 6505 | / MB | | 28-OCT-88 | MD | MS | | 03 |
| | | | A-A-0053726 | MITOMYCIN FOR INJECTION, USP | A | 6505 | / MB | | 28-OCT-88 | MD | MS | | 03 |
| | | | A-A-0053728 | ERYTHROMYCIN ETHYLSUCCINATE TABLETS, USP | A | 6505 | / MB | | 28-OCT-88 | MD | MS | | 03 |
| | | | A-A-0053729 | DIMETHYL SULFOXIDE INJECTION | A | 6505 | / MB | | 31-OCT-88 | MD | MS | | 03 |

| Action | Doc. Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| A | A-A-53730A | BETAMETHASONE DIPROPIONATE LOTION, USP | A 6505 / MB 13-NOV-92 | MD | MS | | 03 |
| | A-A-0053731 | POLYMYXIN B SULFATE, STERILE, USP | A 6505 / MB 31-OCT-88 | MD | MS | | 03 |
| | A-A-0053732 | MERCAPTOPURINE TABLETS, USP | A 6505 / MB 31-OCT-88 | MD | MS | | 03 |
| | A-A-0053733 | PHENYLEPHRINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP | A 6505 / MB 28-OCT-88 | MD | MS | | 03 |
| | A-A-53734 | IODOQUINOL TABLETS, USP | A 6505 / MB 28-OCT-88 | MD | MS | | 03 |
| | A-A-0053734 | IODOQUINOL TABLETS, USP | A 6505 / MB 28-OCT-88 | MD | MS | | 03 |
| | A-A-53736 | AMOXICILLIN CAPSULES, USP | A 6505 / MB 30-SEP-88 | MD | MS | | 03 |
| | A-A-53737 | HYDROCHLOROTHIAZIDE TABLETS, USP | A 6505 / MB 30-SEP-88 | MD | MS | | 03 |
| | A-A-53738 | MEMBRANE KIT, BLOOD GAS ANALYZER (PO2) | A 6630 / MB 03-OCT-88 | MD | MS | | 03 |
| | A-A-53739 | PANCRELIPASE CAPSULES, MODIFIED | A 6505 / MB 30-SEP-88 | MD | MS | | 03 |
| | A-A-53740 | MINERAL OIL, USP | A 6505 / MB 30-SEP-88 | MD | MS | | 03 |
| | A-A-53741 | METAPROTERENOL SULFATE TABLETS, USP | A 6505 / MB 30-SEP-88 | MD | MS | | 03 |
| | A-A-53742 | METAPROTERENOL SULFATE INHALATION AEROSOL, USP | A 6505 / MB 30-SEP-88 | MD | MS | | 03 |
| | A-A-53743 | PENTAZOCINE LACTATE INJECTION, USP | A 6505 / MB 30-SEP-88 | MD | MS | | 03 |
| | A-A-53745A | DRAINAGE UNIT, PLEURAL CAVITY | A 6630 / MB 24-NOV-89 | MD | MS | | 03 |
| | A-A-0053745 | DRAINAGE UNIT, PLEURAL CAVITY | A 6515 / MB 17-OCT-88 | MD | MS | | 03 |
| | A-A-53746 | WATCH GLASS, LABORATORY | A 6640 / MB 17-OCT-88 | MD | MS | | 03 |
| | A-A-53747 | FERRIC CHLORIDE SOLUTION | A 6550 / MB 17-OCT-88 | MD | MS | | 03 |
| | A-A-53748 | A-NAPHTHOL REAGENT | A 6550 / MB 17-OCT-88 | MD | MS | | 03 |
| | A-A-53749A | REFRIGERATOR, MECHANICAL, BIOLOGICALS | A 4110 / MB 09-MAR-90 | MD | MS | | 03 |
| | A-A-53750 | THIORIDAZINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB 17-OCT-88 | MD | MS | | 03 |
| | A-A-53751 | HYDRALAZINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB 28-OCT-88 | MD | MS | | 03 |
| | A-A-53752 | ALUMINUM HYDROXIDE GEL, DRIED, AND MAGNESIUM TRISILICATE TABLETS | A 6505 / MB 28-OCT-88 | MD | MS | | 03 |
| | A-A-53753 | MANIKIN, RESUSCITATION TRAINING | A 6910 / MB 28-OCT-88 | MD | MS | | 03 |
| | A-A-53754 | WHEEL, ABRASIVE (SILICON CARBIDE, IMPREGNATED RUBBER, FINE, SQUARE EDGE, 2 BY 1/4 INCHES) | A 6520 / MB 07-NOV-88 | MD | MS | | 03 |
| | A-A-53755 | BLADE, GAG, RING RETRACTOR | A 6515 / MB 11-NOV-88 | MD | MS | | 03 |
| | A-A-53756A | GAUZE, OINTMENT IMPREGNATED | A 6510 / MB 23-JUN-89 | MD | MS | | 03 |
| | A-A-0053756 | GAUZE, OINTMENT IMPREGNATED | A 6510 / MB 31-OCT-88 | MD | MS | | 03 |
| | A-A-53757 | LINER, FLASK, DENTAL CASTING MACHINE (ALUMINUM SILICATE, WATER ABSORBING) | A 6520 / MB 18-NOV-88 | MD | MS | | 03 |
| | A-A-53758 | POTASSIUM HYDROXIDE SOLUTION | A 6550 / MB 08-NOV-88 | MD | MS | | 03 |
| | A-A-53759 | PROBE, NERVE LOCATOR-STIMULATOR | A 6515 / MB 28-FEB-89 | MD | MS | | 03 |
| | A-A-53760 | ASCORBIC ACID TABLETS, USP | A 6505 / MB 18-NOV-88 | MD | MS | | 03 |
| | A-A-53761 | ALUMINUM HYDROXIDE GEL, MODIFIED | A 6505 / MB 30-NOV-88 | MD | MS | | 03 |
| | A-A-53762 | AMINOPHYLLINE TABLETS, USP | A 6505 / MB 18-NOV-88 | MD | MS | | 03 |
| | A-A-53763 | HYDROXYZINE HYDROCHLORIDE INJECTION, USP | A 6505 / MB 18-NOV-88 | MD | MS | | 03 |
| | A-A-53764 | CLEANING COMPOUND, DENTAL VACUUM SYSTEM | A 6520 / MB 18-NOV-88 | MD | MS | | 03 |
| | A-A-53766 | THIMBLE, EXTRACTION | A 6640 / MB 09-NOV-88 | MD | MS | | 03 |
| | A-A-53767 | RETRACTOR, RIB (BURFORD-FINOCHIETTO) | A 6515 / MB 15-NOV-88 | MD | MS | | 03 |
| | A-A-53768 | RETRACTOR, ABDOMINAL (O'SULLIVAN-O'CONNOR) | A 6515 / MB 15-NOV-88 | MD | MS | | 03 |
| | A-A-53769 | RETRACTOR, GENERAL OPERATING | A 6515 / MB 18-NOV-88 | MD | MS | | 03 |
| | A-A-53770 | PLATE, SPOT TEST (WHITE PORCELAIN) | A 6640 / MB 12-DEC-88 | MD | MS | | 03 |
| | A-A-53771 | PROTECTOR, TRANSDUCER, PHYSIOLOGICAL PRESSURE | A 6515 / MB 30-NOV-88 | MD | MS | | 03 |
| | A-A-53772 | MASK, OROMASAL | A 6515 / MB 30-NOV-88 | MD | MS | | 03 |
| | A-A-53773 | SPONGE, SCLERAL, SILICONE (LINCAFF) | A 6515 / MB 01-DEC-88 | MD | MS | | 03 |
| | A-A-53774 | KOVACS' REAGENT | A 6550 / MB 12-DEC-88 | MD | MS | | 03 |
| | A-A-53775 | STONE DISLODGER, CYSTOSCOPE, RADIOPAQUE (DAVIS) | A 6515 / MB 01-DEC-88 | MD | MS | | 03 |
| | A-A-53777 | AUDIOMETER, MANUALLY OPERATED, PORTABLE, 110/220 VOLT, 50/60 HZ, AC | A 6515 / MB 10-DEC-88 | MD | MS | | 03 |
| | A-A-53778 | NITROGLYCERIN INJECTION, USP | A 6505 / MB 16-DEC-88 | MD | MS | | 03 |
| | A-A-53779 | NITROGLYCERIN TABLETS, USP | A 6505 / MB 06-JAN-89 | MD | MS | | 03 |
| | A-A-53780 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 50S | A 6515 / MB 18-APR-90 | MD | MS | | 03 |
| | A-A-53780/1 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 14 GAGE CATHETER, 50S | A 6515 / MB 18-APR-90 | MD | MS | | 03 |
| | A-A-53780/2 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 16 GAGE CATHETER, 50S | A 6515 / MB 18-APR-90 | MD | MS | | 03 |
| | A-A-53780/3 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 18 GAGE CATHETER, 50S | A 6515 / MB 18-APR-90 | MD | MS | | 03 |
| | A-A-53780/4 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 20 GAGE CATHETER, 50S | A 6515 / MB 18-APR-90 | MD | MS | | 03 |
| | A-A-53780/5 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 22 GAGE CATHETER, 50S | A 6515 / MB 18-APR-90 | MD | MS | | 03 |
| | A-A-53780/6 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 24 GAGE CATHETER, 50S | A 6515 / MB 18-APR-90 | MD | MS | | 03 |
| | A-A-53781 | MASK, OROMASAL, RESUSCITATOR AND ANESTHESIA, PEDIATRIC | A 6515 / MB 14-DEC-88 | MD | MS | | 03 |
| | A-A-53782 | ORPHENADRINE CITRATE, ASPIRIN AND CAFFEINE TABLETS | A 6505 / MB 06-JAN-89 | MD | MS | | 03 |
| | A-A-53783 | MIRRORS AND MIRROR HANDLE, MOUTH EXAMINING | A 6520 / MB 20-FEB-89 | MD | MS | | 03 |
| | A-A-53784 | WHEEL SET, ABRASIVE (SHARPENERS, DENTAL) | A 6520 / MB 21-DEC-88 | MD | MS | | 03 |
| | A-A-53785 | PLACEMENT KIT, TOOTH DIE PIN | A 6520 / MB 01-FEB-89 | MD | MS | | 03 |
| | A-A-53786 | RECTRACTOR SET, ABDOMINAL (DOUBLE-ENDED, RICHARDSON-EASTMAN) | A 6515 / MB 14-DEC-88 | MD | MS | | 03 |
| | A-A-53787 | COLLECTING TUBING SET, UTERINE, PLASTIC, DISPOSABLE | A 6515 / MB 15-DEC-88 | MD | MS | | 03 |
| | A-A-53788 | CUTTER, BONE PIN (6 INCHES) | A 6515 / MB 15-DEC-88 | MD | MS | | 03 |
| | A-A-53789 | TEST LUNG | A 6910 / MB 30-DEC-88 | MD | MS | | 03 |
| | A-A-53790 | TEST SET, ELECTROSURGICAL APPARATUS | A 6625 / MB 30-DEC-88 | MD | MS | | 03 |
| | A-A-53791 | TESTER, CURRENT LEAKAGE | A 6625 / MB 30-DEC-88 | MD | MS | | 03 |
| | A-A-53793 | STOOL, STEP, SURGICAL | A 6530 / MB 30-DEC-88 | MD | MS | | 03 |
| | A-A-53794 | CLAMP, ARTERY, 8 INCH (DEBAKEY) | A 6515 / MB 27-DEC-88 | MD | MS | | 03 |
| | A-A-53795 | DRILL GUIDE, CRANIAL (ADSON) | A 6515 / MB 30-DEC-88 | MD | MS | | 03 |
| | A-A-53797 | IMPRESSION TRAY, DENTAL (WATER-COOLED) | A 6520 / MB 13-FEB-89 | MD | MS | | 03 |
| | A-A-53798 | PLUGGER SET, FINGER ENDODONTIC | A 6520 / MB 31-AUG-89 | MD | MS | | 03 |
| | A-A-53799 | SPREADER SET, FINGER, ENDODONTIC | A 6520 / MB 31-AUG-89 | MD | MS | | 03 |
| | A-A-53800 | ELEVATOR, PERIOSTEAL (JOSEPH STRAIGHT BLADE) | A 6515 / MB 13-FEB-89 | MD | MS | | 03 |
| | A-A-53801 | KNIFE, MARGIN FINISHING, DENTAL | A 6520 / MB 13-FEB-89 | MD | MS | | 03 |
| | A-A-53802 | PLUGGERS, PULP CANAL, ENDODONTIC | A 6520 / MB 27-MAR-89 | MD | MS | | 03 |
| | A-A-53803B | SYRINGE, HYPODERMIC, GENERAL PURPOSE, DISPOSABLE | A 6515 / MB 15-APR-92 | MD | MS | | 03 |
| | A-A-53804 | RASP, NASAL (LEWIS, FINE) | A 6515 / MB 06-JAN-89 | MD | MS | | 03 |
| | A-A-53805 | ELECTRODE SET, ELECTROCARDIOGRAPH | A 6515 / MB 13-JAN-89 | MD | MS | | 03 |
| | A-A-53806 | RETRACTOR, KNEE (BLOUNT) | A 6515 / MB 12-JAN-89 | MD | MS | | 03 |
| | A-A-53807 | REGULATOR, PRESSURE, MEDICAL GAS ADMINISTRATION APPARATUS | A 6680 / MB 18-JAN-89 | MD | MS | | 03 |
| | A-A-53808 | DRILL, TWIST, BONE | A 6515 / MB 19-JAN-89 | MD | MS | | 03 |
| | A-A-53809 | PIN, BONE NAIL GUIDE (KUNTSCHER) | A 6515 / MB 19-JAN-89 | MD | MS | | 03 |
| | A-A-53810 | CAP, SCREW, BOTTLE AND JAR | A 6640 / MB 01-FEB-89 | MD | MS | | 03 |
| | A-A-53811 | CLAMP, VASCULAR (SERREFINE, DIEFFENBACH) | A 6515 / MB 23-JAN-89 | MD | MS | | 03 |
| | A-A-53813 | SIMULATOR, ARRHYTHMIA, ELECTROCARDIOGRAM | A 6910 / MB 31-JAN-89 | MD | MS | | 03 |
| | A-A-53814 | AUDIOMETER, AUTOMATIC, PORTABLE | A 6515 / MB 31-JAN-89 | MD | MS | | 03 |
| | A-A-53815 | AUDIOMETER | A 6515 / MB 31-JAN-89 | MD | MS | | 03 |
| | A-A-53816 | ELECTROCARDIOGRAPH, SINGLE CHANNEL | A 6515 / MB 31-JAN-89 | MD | MS | | 03 |
| | A-A-53817 | DISH, BIOLOGICAL STAINING (WITH TRAY) | A 6640 / MB 01-FEB-89 | MD | MS | | 03 |
| | A-A-53818 | SUCTION APPARATUS, DENTAL | A 6520 / MB 18-DEC-90 | MD | MS | | 03 |
| | A-A-53819 | FUNNEL (ENTOMOLOGICAL) | A 6640 / MB 06-FEB-89 | MD | MS | | 03 |
| | A-A-53820 | GRID, WIRE GAUZE, LABORATORY | A 6640 / MB 06-FEB-89 | MD | MS | | 03 |
| | A-A-53821 | RETRACTOR, NERVE ROOT, LOVE | A 6515 / MB 08-FEB-89 | MD | MS | | 03 |
| | A-A-53822 | WIRE, NONELECTRICAL (CORROSION-RESISTING STEEL, SOFT) | A 6520 / MB 28-FEB-89 | MD | MS | | 03 |
| | A-A-53823 | BUR, DENTAL, FINISHING (STEEL) | A 6520 / MB 20-FEB-89 | MD | MS | | 03 |
| | A-A-53824 | CURETTE, BONE (SCOVILLE) | A 6515 / MB 14-FEB-89 | MD | MS | | 03 |
| | A-A-53825 | FORCEPS, TOOTH EXTRACTING, DENTAL, GENERAL SPECIFICATION FOR | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/1 | FORCEPS, TOOTH EXTRACTING, NO. 22 | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/2 | FORCEPS, TOOTH EXTRACTING, NO. 222 | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/3 | FORCEPS, TOOTH EXTRACTING, NO. 13 | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/4 | FORCEPS, TOOTH EXTRACTING, NO. 150-AS | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/5 | FORCEPS, TOOTH EXTRACTING, NO. 17 | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |

| Action | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| | A-A-53825/6 | FORCEPS, TOOTH EXTRACTING, NO. 151-AS | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/7 | FORCEPS, TOOTH EXTRACTING, NO. 210-S | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/8 | FORCEPS, TOOTH EXTRACTING, NO. 53L | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/9 | FORCEPS, TOOTH EXTRACTING, NO. 53R | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/10 | FORCEPS, TOOTH EXTRACTING NO. 65 | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/11 | FORCEPS, TOOTH EXTRACTING NO. 150 | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/12 | FORCEPS, TOOTH EXTRACTING, NO. 151 | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/13 | FORCEPS, TOOTH EXTRACTING, NO. 150S | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/14 | FORCEPS, TOOTH EXTRACTING, NO.151S | A 6520 / MB 15-JUN-89 | MD | MS | | 03 |
| | A-A-53825/15 | FORCEPS, TOOTH EXTRACTING (NO. 23) | A 6520 / MB 10-OCT-89 | MD | MS | | 03 |
| | A-A-53825/16 | FORCEPS, TOOTH EXTRACTING, NO. 217 | A 6520 / MB 28-JAN-91 | MD | MS | | 03 |
| | A-A-53826 | BUFFER SOLUTION (STANDARD) | A 6550 / MB 13-FEB-89 | MD | MS | | 03 |
| | A-A-53827 | THERMOMETER, CLINICAL, HUMAN (SUBNORMAL) | A 6515 / MB 21-FEB-89 | MD | MS | | 03 |
| | A-A-53828 | BOTTLE, SCREW CAP | A 6640 / MB 17-FEB-89 | MD | MS | | 03 |
| | A-A-53829 | SYRINGE, IRRIGATING (SURGICAL, BARREL AND PLUNGER TYPE, DISPOSABLE) | A 6515 / MB 17-FEB-89 | MD | MS | | 03 |
| | A-A-53830 | FORCEPS, ARTHROSCOPIC, STRAIGHT, HOOK BASKET | A 6515 / MB 10-MAR-89 | MD | MS | | 03 |
| | A-A-53831 | FORCEPS, KIDNEY STONE REMOVING (RANDALL) | A 6515 / MB 10-MAR-89 | MD | MS | | 03 |
| | A-A-53832 | AMPHOTERICIN B LOTION, USP | A 6505 / MB 28-FEB-89 | MD | MS | | 03 |
| | A-A-53833 | ALUMINUM ACETATE SOLUTION TABLETS EFFERVESCENT | A 6505 / MB 28-FEB-89 | MD | MS | | 03 |
| | A-A-53834 | ACETOHEXAMIDE TABLETS, USP | A 6505 / MB 28-FEB-89 | MD | MS | | 03 |
| | A-A-53835 | TEST SET, AUDIOMETER CALIBRATION, PORTABLE | A 6515 / MB 28-FEB-89 | MD | MS | | 03 |
| | A-A-53836 | PHENOL RED PH TEST TABLETS | A 6550 / MB 03-MAR-89 | MD | MS | | 03 |
| | A-A-53837 | ELECTROSURGICAL APPARATUS | A 6515 / MB 30-MAY-89 | MD | MS | | 03 |
| | A-A-53838 | IRRIGATION TIP, SURGICAL | A 6530 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53839 | LINER, UTILITY PAIL, PLASTIC | A 7240 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53840 | HOOK | A 6515 / MB 10-MAY-90 | MD | MS | | 03 |
| | A-A-53840/1 | HOOK, ADSON | A 6515 / MB 10-MAY-90 | MD | MS | | 03 |
| | A-A-53840/2 | HOOK, FRAZIER | A 6515 / MB 10-MAY-90 | MD | MS | | 03 |
| | A-A-53840/3 | HOOK, TYRELL | A 6515 / MB 10-MAY-90 | MD | MS | | 03 |
| | A-A-53840/4 | HOOK, GRAEFE | A 6515 / MB 10-MAY-90 | MD | MS | | 03 |
| | A-A-53841 | PAIL, PLASTIC 14 QUART CAPACITY | A 7240 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53842 | TEST PATTERN AND PENETROMETER ASSEMBLY, X-RAY | A 6525 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53843 | TUBING ASSEMBLY, SURGICAL IRRIGATOR | A 6530 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53844A | LEAD, MARKING, DENTAL SURVEYOR | A 6520 / MB 22-JUN-92 | MD | MS | | 03 |
| | A-A-53845 | BURS, DENTAL, FINISHING (TUNGSTEN CARBIDE) | A 6520 / MB 10-APR-89 | MD | MS | | 03 |
| | A-A-53846 | BLOWPIPE, SOLDERING, DENTAL LABORATORY | A 6520 / MB 13-MAR-89 | MD | MS | | 03 |
| | A-A-53847 | SPECIMEN KIT, URINE | A 6530 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53848 | TUBING, NONMETALIC (RUBBER) | A 4720 / MB 03-MAR-89 | MD | MS | | 03 |
| | A-A-53849 | BUPIVACAINE HYDROCHLORIDE AND EPINEPHRIN INJECTION, USP | A 6505 / MB 14-MAR-89 | MD | MS | | 03 |
| | A-A-53850 | ASPIRIN TABLETS, USP | A 6505 / MB 14-MAR-89 | MD | MS | | 03 |
| | A-A-53851 | AZATHIOPRINE TABLETS, USP | A 6505 / MB 14-MAR-89 | MD | MS | | 03 |
| | A-A-53852 | CASSETTE, RADIOGRAPHIC FILM LIGHTWEIGHT | A 6525 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53853 | CLAMP, ARTERY, AORTIC ANEURYSM (DEBAKEY) | A 6515 / MB 08-MAR-89 | MD | MS | | 03 |
| | A-A-53854 | CABINET, TOOTH ASSORTMENT, COMPARTMENTED | A 6520 / MB 20-MAR-89 | MD | MS | | 03 |
| | A-A-53856 | REFRACTOMETER | A 6650 / MB 15-MAR-89 | MD | MS | | 03 |
| | A-A-53857 | PAD, OPERATING TABLE TWO SECTIONS | A 6530 / MB 30-MAY-89 | MD | MS | | 03 |
| | A-A-53858 | TURNING FRAME, ORTHOPEDIC BED | A 6530 / MB 30-MAY-89 | MD | MS | | 03 |
| | A-A-53859 | FORCEPS, TISSUE, BROWN AND BROWN-ADSON | A 6515 / MB 15-MAR-89 | MD | MS | | 03 |
| | A-A-53860 | NIPPER, INGROWN TOENAIL | A 6515 / MB 15-MAR-89 | MD | MS | | 03 |
| | A-A-53861 | INDICATOR, COMBUSTIBLE GAS, PORTABLE (DUEL RANGE) | A 6665 / MB 17-MAR-89 | MD | MS | | 03 |
| | A-A-53862 | POLISHERS, DENTAL: MANDRELS, DENTAL HANDPIECE | A 6520 / MB 20-MAR-89 | MD | MS | | 03 |
| | A-A-53863 | FORCEPS, DRESSING, STRAIGHT, 5-1/2 INCH | A 6515 / MB 16-MAR-89 | MD | MS | | 03 |
| | A-A-53864 | REGULATOR, NITROGEN, SINGLE PORT | A 6515 / MB 16-MAR-89 | MD | MS | | 03 |
| A | A-A-53865A | HOLDER, BLOOD COLLECTING TUBE (PLASTIC) | A 6630 / MB 19-FEB-93 | MD | MS | | 03 |
| | A-A-53866 | BACITRACIN OINTMENT, USP | A 6505 / MB 30-MAY-89 | MD | MS | | 03 |
| | A-A-53867 | AMOXICILLIAN FOR ORAL SUSPENSION, USP | A 6505 / MB 31-MAR-89 | MD | MS | | 03 |
| | A-A-53868 | BETAMETHASONE BENZOATE GEL, USP | A 6505 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53869 | BETAMETHASONE SODIUM PHOSPHATE AND BETAMETHASONE ACETATE SUSPENSION, STERILE, USP | A 6505 / MB 31-MAR-89 | MD | MS | | 03 |
| | A-A-53870 | TUBE, CENTRIFUGE (POLYETHYLENE, CONICAL BOTTOM, GRADUATED) | A 6640 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53871 | TEST TUBE, (SCREW CAP, DISPOSABLE) | A 6640 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53872 | READER, MICROHEMATOCRIT | A 6640 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53873 | BENZION TINCTURE COMPOUND, USP | A 6505 / MB 31-MAR-89 | MD | MS | | 03 |
| | A-A-53874 | ANTIVENIN, CROTALIDAE, POLYVALENT, USP | A 6505 / MB 31-MAR-89 | MD | MS | | 03 |
| | A-A-53875 | ATROPINE SULFATE OPHTHALMIC OINTMENT, USP | A 6505 / MB 31-MAR-89 | MD | MS | | 03 |
| | A-A-53877 | BENZOYL PEROXIDE GEL, USP | A 6505 / MB 31-MAR-89 | MD | MS | | 03 |
| | A-A-53878 | MAGNIFIER, SINGLE LENS, FLIP-UP, PLASTIC | A 6515 / MB 24-MAR-89 | MD | MS | | 03 |
| | A-A-53879 | AMYL NITRITE INHALANT, USP | A 6505 / MB 31-MAR-89 | MD | MS | | 03 |
| | A-A-53880 | ALCOHOL, USP | A 6505 / MB 31-MAR-89 | MD | MS | | 03 |
| | A-A-53881 | RONGUER, CURVED, 7-1/4 INCH (BEYER) | A 6515 / MB 23-MAY-89 | MD | MS | | 03 |
| | A-A-53882 | ELEVATOR, EAR, HEAVY, CURVED BLADE | A 6515 / MB 10-AUG-89 | MD | MS | | 03 |
| | A-A-53883 | FLOSS, WAXED, DENTAL, FLAVORED, 50 YARDS | A 6520 / MB 19-JUN-89 | MD | MS | | 03 |
| A | A-A-53884A | GOLD ALLOY, CASTING, DENTAL | A 6515 / MB 30-SEP-92 | MD | MS | | 03 |
| | A-A-53885 | SPATULA, DENTAL, CEMENT (NO. 324) | A 6520 / MB 12-JUN-89 | MD | MS | | 03 |
| | A-A-53886 | PHOSPHORIC ACID GEL, DENTAL | A 6520 / MB 19-JUN-89 | MD | MS | | 03 |
| | A-A-53887 | PROP, MOUTH, DENTAL, STYROFOAM | A 6520 / MB 12-JUN-89 | MD | MS | | 03 |
| | A-A-53889 | FLASKS, DENTURE, UPPER AND LOWER, EJECTOR TYPE | A 6520 / MB 12-JUN-89 | MD | MS | | 03 |
| | A-A-53890 | PIPET, VOLUMETRIC | A 6640 / MB 07-APR-89 | MD | MS | | 03 |
| | A-A-53891 | TOOL KIT, OPTICIAN | A 6540 / MB 07-APR-89 | MD | MS | | 03 |
| | A-A-53892 | STIMULATOR, FACIAL NERVE | A 6515 / MB 28-APR-89 | MD | MS | | 03 |
| | A-A-53893 | POWER SUPPLY (120 VOLT, 50/60 HZ, AC) | A 6640 / MB 14-APR-89 | MD | MS | | 03 |
| | A-A-53894 | ELECTRODE, ELECTROCARDIOGRAPH, INFANT | A 6515 / MB 28-APR-89 | MD | MS | | 03 |
| | A-A-53895 | SURGICAL PACK, DISPOSABLE | A 6530 / MB 30-MAY-89 | MD | MS | | 03 |
| | A-A-53896 | CHAIR, SITZ BATH | A 6530 / MB 30-MAY-89 | MD | MS | | 03 |
| | A-A-53897 | JAR, SURGICAL DRESSING ALUMINUM | A 6530 / MB 09-MAR-90 | MD | MS | | 03 |
| | A-A-53898 | CALIBRATOR, X-RAY GENERATOR | A 6625 / MB 28-APR-89 | MD | MS | | 03 |
| A | A-A-53899A | STOPCOCK, INTRAVENOUS THERAPY | A 6515 / MB 08-JAN-93 | MD | MS | | 03 |
| | A-A-53900 | CURETTE, ENDOMETRIAL BIOPSY, CURVED, 11-3/4 INCH, DISPOSABLE, 12S | A 6515 / MB 02-MAY-89 | MD | MS | | 03 |
| | A-A-53902 | SCISSORS, HYSTERECTOMY, ADNEXAL, 210 MM | A 6515 / MB 04-MAY-89 | MD | MS | | 03 |
| | A-A-53903 | STIMULATOR, ULTRASOUND, HIGH GALVANIC, MVS | A 6515 / MB 30-MAY-89 | MD | MS | | 03 |
| | A-A-53904 | BULB, PIPET, DROPPING | A 6640 / MB 04-MAY-89 | MD | MS | | 03 |
| | A-A-53905A | ELECTROCARDIOGRAPH, AUTOMATIC | A 6515 / MB 07-SEP-90 | MD | MS | | 03 |
| | A-A-53906 | MOUTHPIECE, SALIVA EJECTOR, DENTAL, (PLASTIC, DISPOSABLE) | A 6520 / MB 19-JUN-89 | MD | MS | | 03 |
| | A-A-53907 | APPLICATOR SET, PIN RETENTION, DENTAL, SPIRAL, CEMENT | A 6520 / MB 19-JUN-89 | MD | MS | | 03 |
| | A-A-53908 | SYRINGE, DENTAL IMPRESSION MATERIAL AND ACCESSORY KIT REVIEWER: ES | A 6520 / MB 04-SEP-89 | MD | MS | | 03 |
| | A-A-53909 | DRILL, PULP CANAL, DENTAL (GATES GLIDDEN) | A 6520 / MB 26-JUN-89 | MD | MS | | 03 |
| | A-A-53910 | DRILL, PULP CANAL, DENTAL (PEESO) | A 6520 / MB 26-JUN-89 | MD | MS | | 03 |
| | A-A-53911 | CARVER, DENTAL (AMALGAM AND WAX) | A 6520 / MB 10-OCT-89 | MD | MS | | 03 |
| | A-A-53912 | TRIMMERS, GINGIVAL MARGIN, DENTAL (CORROSION-RESISTING STEEL) | A 6520 / MB 13-JUN-90 | MD | MS | | 03 |
| | A-A-53913 | CHISELS, DENTAL (CARBON STEEL) | A 6520 / MB 19-JUN-89 | MD | MS | | 03 |
| | A-A-53914 | WIRE, MAXILLOFACIAL, IMPLANT | A 6515 / MB 11-DEC-89 | MD | MS | | 03 |
| | A-A-53915 | STRIP, MATRIX, DENTAL | A 6520 / MB 19-JUN-89 | MD | MS | | 03 |
| | A-A-53916 | BUR, BONE (WIRE PASS DRILL) | A 6515 / MB 26-JUN-89 | MD | MS | | 03 |
| | A-A-53917 | CURETTES, ALVEOLAR, MOLT | A 6520 / MB 19-JUN-89 | MD | MS | | 03 |

| Action | Obs. / Old Coordination Inactive | Document Number | Document Title | Doc. Sent. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | A-A-53918 | PROJECTOR, VISUAL ACUITY TEST | A 6540 / MB | 30-MAY-89 | MD | MS | | 03 |
| | | A-A-53919 | BAND, ABRASIVE (SILICON CARBIDE) | A 6520 / MB | 19-JUN-89 | MD | MS | | 03 |
| | | A-A-53920 | CAN, PETRI CULTURE DISH | A 6640 / MB | 20-JUL-89 | MD | MS | | 03 |
| | | A-A-53921 | WATCH GLASS SET | A 6640 / MB | 30-MAY-89 | MD | MS | | 03 |
| | | A-A-53922 | ALUMINUM HYDROXIDE GEL, DRIED, TABLETS, USP | A 6505 / MB | 30-MAY-89 | MD | MS | | 03 |
| | | A-A-53924 | RINSE SOLUTION, BLOOD GAS ANALYZER | A 6630 / MB | 07-JUN-89 | MD | MS | | 03 |
| | | A-A-53925 | SURGICAL SYSTEM, ADVANCED INTRA-ARTICULAR | A 6515 / MB | 13-JUN-89 | MD | MS | | 03 |
| | | A-A-53926 | SCALE, DENTAL, DOUBLE-ENDED | A 6520 / MB | 26-JUN-89 | MD | MS | | 03 |
| | | A-A-53927 | INFUSOR, PRESSURE, BLOOD-INTRAVENOUS BAG | A 6515 / MB | 22-JUN-89 | MD | MS | | 03 |
| | | A-A-53928 | RETRACTOR, SCAPULAR (DAVIDSON) | A 6515 / MB | 22-JUN-89 | MD | MS | | 03 |
| | | A-A-53929 | FORCEPS, THORACIC, ANGULAR, MIXTER, SOFT JAW | A 6515 / MB | 23-JUN-89 | MD | MS | | 03 |
| | | A-A-53930 | KNIFE, STERNUM (LEBSCHE) | A 6515 / MB | 26-JUN-89 | MD | MS | | 03 |
| | | A-A-53931 | CLAMP, COARCTATION, (GLOVER) | A 6515 / MB | 05-JUL-89 | MD | MS | | 03 |
| | | A-A-53932 | FORCEPS, TENDON-RETRIEVAL, HOEN, ALLIGATOR | A 6515 / MB | 25-JUL-89 | MD | MS | | 03 |
| | | A-A-53933 | PROBE, PERIODONTAL | A 6520 / MB | 31-JUL-89 | MD | MS | | 03 |
| | | A-A-53934 | BAG, DENTAL PROSTHESIS (PLASTIC) | A 6520 / MB | 24-JUL-89 | MD | MS | | 03 |
| | | A-A-53935 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS (TOTAL IMMERSION) | A 6685 / MB | 30-JUN-89 | MD | MS | | 03 |
| | | A-A-53936 | SCREWDRIVER, MAXILLOFACIAL SURGERY, BONE SCREW | A 6515 / MB | 07-AUG-89 | MD | MS | | 03 |
| | | A-A-53937 | KNIFE, CARTILAGE, CURVED | A 6515 / MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-53938 | BRAZING ALLOY, SILVER | A 6520 / MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-53939 | POINT, ENDODONTIC, ALXILIARY, GUTTA-PERCHA | A 6520 / MB | 21-MAR-90 | MD | MS | | 03 |
| | | A-A-53940 | RESIN, ACRYLIC, DENTAL | A 6520 / MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-53941 | SPECTACLES, POST CYCLOPLEGIC | A 6540 / MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-53942 | DEPTH PERCEPTION APPARATUS, OPHTHALMIC, VERHOEFF | A 6540 / MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-53943 | PLATE SET, PSEUDOISOCHROMATIC, 15 PLATE | A 6540 / MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-53944 | TROCAR, GALLBLADDER, OCHSNER | A 6515 / MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-53945 | TEST PAPER, CHLORINE DETERMINATION | A 6630 / MB | 26-JUL-89 | MD | MS | | 03 |
| | | A-A-53946 | SCISSORS, ORAL SURGICAL (GOLDMAN-FOX) REVIEWER: ES | A 6520 / MB | 31-AUG-89 | MD | MS | | 03 |
| | | A-A-53947 | ARCH BOARD FILE AND BOX, PRESCRIPTION FILING | A 7520 / MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-53948 | TRIPOD, LABORATORY APPARATUS | A 6640 / MB | 07-AUG-89 | MD | MS | | 03 |
| | | A-A-53950 | RACK, TEST TUBE, LABORATORY | A 6640 / MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-53951 | TOURNIQUET SYSTEM, PNEUMATIC | A 6515 / MB | 28-JUL-89 | MD | MS | | 03 |
| | | A-A-53953 | CLEANER, ULTRASONIC | A 6530 / MB | 21-AUG-89 | MD | MS | | 03 |
| | | A-A-53954 | BUR, DENTURE TRIMMING (STRAIGHT HANDPIECE, TUNGSTEN CARBIDE, STAGGERED-TOOTH) REVIEWER: ES | A 6520 / MB | 31-AUG-89 | MD | MS | | 03 |
| | | A-A-53955 | CHLORINE TEST TABLETS (DPD METHOD NO. 1) | A 6810 / MB | 15-AUG-89 | MD | MS | | 03 |
| | | A-A-53956 | BAG, TUBE FEEDING, PLASTIC | A 6515 / MB | 30-AUG-89 | MD | MS | | 03 |
| | | A-A-53957A | CANNULA, NASAL, OXYGEN (PLASTIC, DISPOSABLE) | A 6515 / MB | 24-OCT-90 | MD | MS | | 03 |
| | | A-A-53958 | FORCEPS, VASCULAR TISSUE, DEBAKEY | A 6515 / MB | 16-OCT-89 | MD | MS | | 03 |
| | | A-A-53959 | HOLDER, SUTURE NEEDLE, MASSON, 10-1/2 INCH | A 6515 / MB | 18-OCT-89 | MD | MS | | 03 |
| | | A-A-53960 | FORCEPS, TISSUE (DEBAKEY) | A 6515 / MB | 19-OCT-89 | MD | MS | | 03 |
| | | A-A-53961 | RONGUER, LEKSELL, 9-3/4 INCH | A 6515 / MB | 20-OCT-89 | MD | MS | | 03 |
| | | A-A-53962 | KNIFE, EYE, NEEDLE TYPE, ZIEGLER | A 6515 / MB | 06-NOV-89 | MD | MS | | 03 |
| | | A-A-53963 | BATTERY, NONRECHARGEABLE, HEARING AID | A 6135 / MB | 30-AUG-89 | MD | MS | | 03 |
| | | A-A-53964 | REFRIGERATOR, COLD PACK THERAPY | A 4110 / MB | 30-AUG-89 | MD | MS | | 03 |
| | | A-A-53965 | CROTAMITON CREAM, USP | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |
| | | A-A-53966 | CROMOLYN SODIUM FOR INHALATION, USP | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |
| | | A-A-53967 | CALCIUM THIOGYCOLLATE, TRIHYDRATE, CREAM | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |
| | | A-A-53968 | CHLORPHENIRAMINE MALEATE SYRUP, USP | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |
| | | A-A-53969 | CLOMIPHENE CITRATE TABLETS, USP | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |
| | | A-A-53970 | CLOXACILLIN SODIUM FOR ORAL SOLUTION, USP | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |
| | | A-A-53971 | CUFF, BLOOD WARMER | A 6515 / MB | 07-NOV-89 | MD | MS | | 03 |
| | | A-A-53972 | FILTER, BLOOD TRANSFUSION | A 6515 / MB | 08-NOV-89 | MD | MS | | 03 |
| | | A-A-53973 | BAG, BLOOD COLLECTING-DISPENSING-FREEZING | A 6515 / MB | 09-NOV-89 | MD | MS | | 03 |
| | | A-A-53974 | BUR KIT, DENTAL FINISHING (TUNGSTEN CARBIDE) USER: 19 AT AV ME REVIEWER: 11 99 ES MI | A 6520 / MB | 11-SEP-89 | MD | MS | | 03 |
| A | | A-A-53975A | SAW, BONE CUTTING, WIRE | A 6515 / MB | 18-DEC-92 | MD | MS | | 03 |
| | | A-A-53976 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS REVIEWER: 70 | A 6685 / MB | 25-AUG-89 | MD | MS | | 03 |
| | | A-A-53977 | PIPET, VOLUMETRIC (MICRO, LANG-LEVY) REVIEWER: 70 | A 6640 / MB | 25-AUG-89 | MD | MS | | 03 |
| | | A-A-53978 | POINT, ENDODONTIC, CORE, GUTTA-PERCHA USER: 19 AT AV ME REVIEWER: 11 99 ES MI | A 6520 / MB | 15-SEP-89 | MD | MS | | 03 |
| | | A-A-53979 | WIRE, NONELECTRICAL (PLATINUM ALLOY) USER: AR REVIEWER: 11 19 99 DS ES MI . | A 9545 / MB | 15-SEP-89 | MD | MS | | 03 |
| | | A-A-53980 | FLASK, DENTURE, CROWN AND BRIDGE USER: AT REVIEWER: CS | A 6520 / MB | 02-OCT-89 | MD | MS | | 03 |
| | | A-A-53981 | CHISEL, DENTAL, BONE, SURGICAL USER: AT REVIEWER: CS | A 6520 / MB | 10-OCT-89 | MD | MS | | 03 |
| | | A-A-53982 | CALCIUM LACTATE TABLETS, USP | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |
| | | A-A-53983 | BLOCK, INSECT FIXATION (DOUBLE MOUNT) REVIEWER: 70 | A 6640 / MB | 01-SEP-89 | MD | MS | | 03 |
| | | A-A-53984 | WIRE TWISTER, DENTAL, BLUNT REVIEWER: ES | A 6520 / MB | 15-SEP-89 | MD | MS | | 03 |
| | | A-A-53985 | ARTICULATOR, DENTAL, GALETTI TYPE | A 6520 / MB | 23-FEB-90 | MD | MS | | 03 |
| | | A-A-53986 | RUBBER DAM (DENTAL) 36S USER: 19 AT AV ME REVIEWER: 11 99 ES MI | A 6520 / MB | 15-SEP-89 | MD | MS | | 03 |
| | | A-A-53987 | PIPET, BLOOD CHEMISTRY (MICRO-FOLIN) | A 6640 / MB | 18-SEP-89 | MD | MS | | 03 |
| | | A-A-53988 | PIPET, SEROLOGICAL (BOROSILICATE GLASS) | A 6640 / MB | 18-SEP-89 | MD | MS | | 03 |
| | | A-A-53989 | CAP, SCREW, BOTTLE AND JAR | A 6640 / MB | 18-SEP-89 | MD | MS | | 03 |
| | | A-A-53991 | VALVE, SURGICAL DRAIN, CHEST, HEIMLECH, DISPOSABLE | A 6515 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-53992 | LENS, CONTACT, THREE-MIRROR, GOLDMANN | A 6540 / MB | 30-SEP-89 | MD | MS | | 03 |
| | | A-A-53993 | RACK, BUR, H-SHAPED, 6 INCHES BY 4 INCHES USER: AT REVIEWER: CS | A 6615 / MB | 10-OCT-89 | MD | MS | | 03 |
| | | A-A-53994 | CURETTE, ALVEOLAR, MILLER USER: AT REVIEWER: CS | A 6520 / MB | 10-OCT-89 | MD | MS | | 03 |
| | | A-A-53995 | GINGIVAL RETRACTION CORD (IMPREGNATED WITH ALUMINUM SULFATE) | A 6520 / MB | 10-OCT-89 | MD | MS | | 03 |
| | | A-A-53996 | TOOTHBRUSH, POST-SURGICAL, ULTRA-SOFT | A 6520 / MB | 10-OCT-89 | MD | MS | | 03 |
| | | A-A-53997 | MOUTHPIECE, SALIVA EJECTOR WITH REFLECTOR BLADES, DENTAL | A 6520 / MB | 10-OCT-89 | MD | MS | | 03 |
| | | A-A-53998 | DRILL, PIN HOLE, DENTAL | A 6520 / MB | 10-OCT-89 | MD | MS | | 03 |
| | | A-A-53999 | INSERT, HANDPIECE, DENTAL, ULTRASONIC PROPHYLAXIS UNIT | A 6520 / MB | 10-OCT-89 | MD | MS | | 03 |
| | | A-A-54000 | MESH, MAXILLOFACIAL IMPLANT | A 6515 / MB | 11-DEC-89 | MD | MS | | 03 |
| | | A-A-54002 | BUR, BONE (FAST CUTTING, CORROSION-RESISTING STEEL) USER: AT REVIEWER: CS . | A 6515 / MB | 10-OCT-89 | MD | MS | | 03 |
| | | A-A-54003 | SPATULA, DENTAL, CEMENT (NO. 313) | A 6520 / MB | 20-OCT-89 | MD | MS | | 03 |
| | | A-A-54004 | ANESTHESIA BLOCK SET, PARACERVICAL-PUDENDAL | A 6515 / MB | 13-NOV-89 | MD | MS | | 03 |
| | | A-A-54005 | THORACENTESIS SET, DISPOSABLE | A 6515 / MB | 13-NOV-89 | MD | MS | | 03 |
| | | A-A-54006 | FORCEPS, EAR, GELFOAM PRESSURE, 6 INCH (MOUSE) | A 6515 / MB | 15-NOV-89 | MD | MS | | 03 |
| | | A-A-54007 | POLYP, RETRIEVER, RECTAL, FLEXIBLE, 3 OR 4 PRONG, 2.4 MM DIAMETER | A 6515 / MB | 02-FEB-90 | MD | MS | | 03 |
| | | A-A-54008 | LENS, DIPLOPIA TEST, RED USER: AT REVIEWER: CS | A 6540 / MB | 27-SEP-89 | MD | MS | | 03 |
| | | A-A-54009 | STERILIZER, SURGICAL INSTRUMENTS | A 6530 / MB | 15-OCT-89 | MD | MS | | 03 |
| | | A-A-54010 | SPREADER, GUTTA-PERCHA, DENTAL | A 6520 / MB | 28-FEB-90 | MD | MS | | 03 |
| | | A-A-54011 | PLIERS, DENTAL (AMALGAM REINFORCEMENT PIN) | A 6520 / MB | 06-NOV-89 | MD | MS | | 03 |
| | | A-A-54012 | CARVERS, DENTAL (PKT) | A 6520 / MB | 14-FEB-90 | MD | MS | | 03 |
| | | A-A-54013 | ELECTRODE, PERIPHERAL NERVE STIMULATOR | A 6515 / MB | 25-OCT-89 | MD | MS | | 03 |
| | | A-A-54014 | GINGIVAL RETRACTION CORD (IMPREGNATED WITH RACEMIC EPINEPHRINE HYDROCHLORIDE) | A 6520 / MB | 06-NOV-89 | MD | MS | | 03 |
| | | A-A-54015 | ELECTROCARDIOGRAPH AUTOMATIC, SOLID STATE, PORTABLE | A 6515 / MB | 25-OCT-89 | MD | MS | | 03 |
| A | | A-A-54016 | REFRIGERATOR, SOLID STATE BIOLOGICALS | A 4110 / MB | 19-MAR-93 | MD | MS | | 03 |
| | | A-A-54017 | PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC | A 6525 / MB | 24-NOV-89 | MD | MS | | 03 |
| | | A-A-54018 | SCISSORS, GENERAL SURGICAL (CURVED, 7 INCH, METZENBAUM, DISSECTION) | A 6515 / MB | 01-FEB-90 | MD | MS | | 03 |
| | | A-A-54019 | KNIFE, COMPOUND, DENTAL (WITH DETACHABLE BLADE) | A 6520 / MB | 13-NOV-89 | MD | MS | | 03 |
| | | A-A-54020 | CHLORAMPHENICOL OPHTHALMIC SOLUTION, MODIFIED | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |
| | | A-A-54021 | CEPHALEXIN FOR ORAL SUSPENSION, USP | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |
| | | A-A-54022 | CHLOROQUINE PHOSPHATE TABLETS, USP | A 6505 / MB | 30-OCT-89 | MD | MS | | 03 |

| Action | Opn / Obsl Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | A-A-54023 | CHOLESTYRAMINE FOR ORAL SUSPENSION, USP | A 6505 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-54024 | FILES AND REAMERS, PULP CANAL, DENTAL, STANDARDIZED | A 6520 / MB | 13-NOV-89 | MD | MS | | 03 |
| | | A-A-54025 | FORCEPS, BONE HOLDING (KERN) | A 6515 / MB | 05-JAN-90 | MD | MS | | 03 |
| | | A-A-54026 | FORCEPS, BONE CUTTING (CORYLLOS) | A 6515 / MB | 03-JAN-90 | MD | MS | | 03 |
| | | A-A-54027 | LOOP, EAR, SIZE 2 (HOUSE-BILLEAU) | A 6515 / MB | 14-DEC-89 | MD | MS | | 03 |
| | | A-A-54028 | CLAMP, ARTERY, INFANT, PARTIAL OCCLUDING (CASTANEDA) | A 6515 / MB | 07-AUG-90 | MD | MS | | 03 |
| | | A-A-54029 | CANNULA, EYE (BISHOP-HARMON) | A 6515 / MB | 18-DEC-89 | MD | MS | | 03 |
| | | A-A-54030 | BRUSH, BRISTLE, DENTAL HANDPIECE (MANDREL MOUNTED) | A 6520 / MB | 16-NOV-89 | MD | MS | | 03 |
| | | A-A-54031 | INDICATOR, STERILIZATION, STEAM | A 6530 / MB | 24-NOV-89 | MD | MS | | 03 |
| | | A-A-54032 | REFRIGERATOR, MORTUARY MOBILE, TWO BODY CAPACITY | A 4110 / MB | 24-NOV-89 | MD | MS | | 03 |
| | | A-A-54033 | BRACKET, CONTAINER, HYPODERMIC NEEDLE AND SYRINGE | A 6530 / MB | 24-NOV-89 | MD | MS | | 03 |
| | | A-A-54034 | DISPOSAL CONTAINER, HYPODERMIC NEEDLE AND SYRINGE (WITH NEEDLE REMOVER) | A 6530 / MB | 24-NOV-89 | MD | MS | | 03 |
| | | A-A-54035 | LABEL (GAS STERILIZE ONLY) | A 7690 / MB | 24-NOV-89 | MD | MS | | 03 |
| | | A-A-54036 | UNDERSHIRT, INFANT'S | A 6532 / MB | 19-JAN-90 | MD | MS | | 03 |
| | | A-A-54037 | SUPPORT, CERVICAL | A 6515 / MB | 19-JAN-90 | MD | MS | | 03 |
| | | A-A-54038 | SUCTION APPARATUS, OROPHARYNGEAL, TRACHEAL PORTABLE, BATTERY OPERATED, (AEROMEDICAL) | A 6515 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54039 | SUCTION APPARATUS, OROPHARYNGEAL TRACHEAL, AEROMEDICAL, PORTABLE/DUAL VOLTAGE | A 6515 / MB | 30-MAR-90 | MD | MS | | 03 |
| A | | A-A-54040 | REGULATOR, OXYGEN PRESSURE | A 6680 / MB | 19-MAR-93 | MD | MS | | 03 |
| | | A-A-54041 | PIN, SAFETY, SURGICAL | A 6530 / MB | 19-JAN-90 | MD | MS | | 03 |
| | | A-A-54042 | PACEMAKER, CARDIAC EXTERNAL TYPE, BATTERY POWERED | A 6515 / MB | 19-JAN-90 | MD | MS | | 03 |
| | | A-A-54043A | OTOSCOPE AND OPHTHALMOSCOPE SET | A 6515 / MB | 29-JUL-91 | MD | MS | | 03 |
| | | A-A-54044 | TONOMETER, OPHTHALMIC, SCHIOTZ | A 6540 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-54045 | MAGNIFIER, SPECTACLE, GULLSTRAND | A 6540 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-54046 | EPINEPHRYL BORATE OPHTHALMIC SOLUTION, USP | A 6505 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-54047 | ETHAMBUTOL HYDROCHLORIDE TABLETS, USP | A 6505 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-54048 | CARBIDOPA AND LEVODOPA TABLETS, USP | A 6505 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-54049 | CODEINE SULFATE TABLETS, USP | A 6505 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-54050 | DICYCLOMINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-54051 | CYPROHEPTADINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-54052 | COLISTIN SULFATE, HYDROCORTISONE ACETATE, NEOMYCIN SULFATE, AND THONZONIUM BROMIDE SUSPENSION, OTIC | A 6505 / MB | 30-NOV-89 | MD | MS | | 03 |
| | | A-A-54053 | FLUOROURACIL INJECTION, USP | A 6505 / MB | 15-DEC-89 | MD | MS | | 03 |
| | | A-A-54054 | DIAZEPAM TABLETS, USP | A 6505 / MB | 15-DEC-89 | MD | MS | | 03 |
| | | A-A-54055 | DIPHENHYDRAMINE HYDROCHLORIDE ELIXIR, USP | A 6505 / MB | 15-DEC-89 | MD | MS | | 03 |
| | | A-A-54056 | DEXAMETHASONE SODIUM PHOSPHATE INHALATION AEROSOL, USP | A 6505 / MB | 15-DEC-89 | MD | MS | | 03 |
| | | A-A-54057 | DIPHENHYDRAMINE HYDROCHLORIDE SYRUP | A 6505 / MB | 29-DEC-89 | MD | MS | | 03 |
| | | A-A-54058 | DEXAMETHASONE SODIUM PHOSPHATE OPHTHALMIC SOLUTION, USP | A 6505 / MB | 15-DEC-89 | MD | MS | | 03 |
| | | A-A-54059 | DIENESTROL CREAM, USP | A 6505 / MB | 15-DEC-89 | MD | MS | | 03 |
| | | A-A-54060 | DICLOXACILLIN SODIUM FOR ORAL SUSPENSION, USP | A 6505 / MB | 15-DEC-89 | MD | MS | | 03 |
| | | A-A-54061 | CONDOM, PROPHYLACTIC, NATURAL RUBBER, NON-LUBRICATED | A 6515 / MB | 18-DEC-90 | MD | MS | | 03 |
| | | A-A-54062 | FORCEPS, ANEURYSM CLIP APPLYING, BAYONET, 8-1/4 INCH (YASARGIL) | A 6515 / MB | 07-FEB-90 | MD | MS | | 03 |
| | | A-A-54063 | PIPET, TRANSFER (URINALYSIS) | A 6640 / MB | 19-JAN-90 | MD | MS | | 03 |
| | | A-A-54064 | SCALER, DENTAL (YOUNGER-GOOD) | A 6520 / MB | 15-FEB-90 | MD | MS | | 03 |
| | | A-A-54065 | SLIDE, MICROSCOPE (BOERNER TEST) | A 6640 / MB | 12-JAN-90 | MD | MS | | 03 |
| | | A-A-54066 | FLUOCINOLONE ACETONIDE CREAM, USP | A 6505 / MB | 31-JAN-90 | MD | MS | | 03 |
| | | A-A-54067 | EPINEPHRINE OPHTHALMIC SOLUTION, USP | A 6505 / MB | 31-JAN-90 | MD | MS | | 03 |
| | | A-A-54068 | FLAVOXATE HYDROCHLORIDE TABLETS | A 6505 / MB | 31-JAN-90 | MD | MS | | 03 |
| | | A-A-54069 | FLUOROURACIL CREAM, USP | A 6505 / MB | 31-JAN-90 | MD | MS | | 03 |
| | | A-A-54070 | MIXING TIPS, DENTAL IMPRESSION, SYRINGE, DISPOSABLE, 48S | A 6520 / MB | 15-OCT-90 | MD | MS | | 03 |
| | | A-A-54071 | GAG, MOUTH, DENTAL, ADULT | A 6520 / MB | 23-FEB-90 | MD | MS | | 03 |
| | | A-A-54072 | LIGHT, SLIT, OPHTHALMIC (WITH TONOMETER | A 6640 / MB | 22-JAN-90 | MS | MS | | 03 |
| | | A-A-54073 | BOTTLE, SCREW CAP | A 6640 / MB | 22-JAN-90 | MD | MS | | 03 |
| | | A-A-54074 | FORCEPS, BONE HOLDING (CURVED, DINGMAN) | A 6515 / MB | 23-JAN-90 | MD | MS | | 03 |
| | | A-A-54075 | VITRECTOMY KIT, OPHTHALMOLOGY | A 6515 / MB | 31-JAN-90 | MD | MS | | 03 |
| | | A-A-54076 | HYDROMETER, GRADUATED SCALE API GRAVITY | A 6630 / MB | 29-JAN-90 | MD | MS | | 03 |
| | | A-A-54077 | ARM, PHOROPTER, REFRACTOR | A 6540 / MB | 30-JAN-90 | MD | MS | | 03 |
| | | A-A-54078 | BAG, TISSUE SPECIMEN | A 6640 / MB | 31-JAN-90 | MD | MS | | 03 |
| | | A-A-54079 | SURVEYOR, DENTAL, CLASP, STATIONARY | A 6520 / MB | 23-FEB-90 | MD | MS | | 03 |
| | | A-A-54080 | CENTRIFUGE, LABORATORY, MICRO-HEMATOCRIT | A 6640 / MB | 30-JAN-90 | MD | MS | | 03 |
| | | A-A-54081 | SYRINGE, IRRIGATING, DENTAL, STERILE (DISPOSABLE) | A 6520 / MB | 15-FEB-90 | MD | MS | | 03 |
| | | A-A-54082 | HYDROXYZINE HYDROCHLORIDE SYRUP, USP | A 6505 / MB | 15-FEB-90 | MD | MS | | 03 |
| | | A-A-54083 | HYDROCORTISONE SODIUM SUCCINATE FOR INJECTION, USP | A 6505 / MB | 15-FEB-90 | MD | MS | | 03 |
| | | A-A-54084 | FERROUS SULFATE ORAL SOLUTION, USP | A 6505 / MB | 15-FEB-90 | MD | MS | | 03 |
| | | A-A-54085 | HYDROCORTISONE, USP | A 6505 / MB | 15-FEB-90 | MD | MS | | 03 |
| | | A-A-54086 | HIDROCORTISONE, ENEMA, USP | A 6505 / MB | 15-FEB-90 | MD | MS | | 03 |
| | | A-A-54087 | HYDROXYZINE PAMOATE CAPSULES, USP | A 6505 / MB | 15-FEB-90 | MD | MS | | 03 |
| | | A-A-54088 | SYRINGE, IRRIGATING, SURGICAL, BARREL AND PLUNGER TYPE | A 6515 / MB | 22-MAY-90 | MD | MS | | 03 |
| A | | A-A-54089A | BLOOD RECIPIENT SET, INDIRECT TRANSFUSION (DISPOSABLE) | A 6515 / MB | 30-JUN-92 | MD | MS | | 03 |
| | | A-A-54090 | CATHETER, SPECIMEN COLLECTING UNIT, ENDOTRACHEAL (DELEE) | A 6515 / MB | 15-FEB-90 | MD | MS | | 03 |
| | | A-A-54091 | CHLORINE TEST TABLETS (DPD METHOD NO. 4) | A 6810 / MB | 20-FEB-90 | MD | MS | | 03 |
| | | A-A-54092 | TUBE, BLOOD COLLECTING (VACUUM WITH SEPARATOR GEL) | A 6630 / MB | 16-FEB-90 | MD | MS | | 03 |
| | | A-A-54093 | HEATER, HEAT TREATMENT PAD | A 6530 / MB | 09-MAR-90 | MD | MS | | 03 |
| | | A-A-54094 | LIGHT, SURGICAL, STAND | A 6530 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54095 | PILLOW, BED (POLYESTER FIBER) | A 7210 / MB | 09-MAR-90 | MD | MS | | 03 |
| | | A-A-54096 | TRAY, INSTRUMENT (PLASTIC) | A 6530 / MB | 09-MAR-90 | MD | MS | | 03 |
| | | A-A-54097 | TRUCK, HAND, SHELF (SURGICAL DRESSING) | A 6530 / MB | 09-MAR-90 | MD | MS | | 03 |
| | | A-A-54098 | WASHCLOTH | A 7210 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54099 | BATTERY-CHARGER, MEDICAL ANALYZER | A 6625 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54100 | CABINET, STORAGE, FLAMMABLE LIQUID | A 7125 / MB | 09-MAR-90 | MD | MS | | 03 |
| | | A-A-54101 | CART, ANESTHESIOLOGY EQUIPMENT (CORROSION-RESISTING STEEL) | A 6530 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54102 | CASE, BONE NAIL AND INSTRUMENT STERILIZATION | A 6530 / MB | 09-MAR-90 | MD | MS | | 03 |
| | | A-A-54103 | COVER, PILLOW | A 7210 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54104 | COVER, SURGICAL INSTRUMENT AND DRESSING TRAY (ALUMINUM) | A 6530 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54105 | DISPENSER, SURGICAL DETERGENT (FREE-STANDING) | A 6530 / MB | 09-MAR-90 | MD | MS | | 03 |
| | | A-A-54106 | ENVELOPE, DRUG DISPENSING (POLYETHYLENE) | A 8105 / MB | 09-MAR-90 | MD | MS | | 03 |
| | | A-A-54107 | RETRACTOR, ABDOMINAL, 12 INCHES (DEAVER) | A 6515 / MB | 01-MAR-90 | MD | MS | | 03 |
| | | A-A-54108 | RETRACTOR, GENERAL OPERATING (VOLKMANN) | A 6515 / MB | 02-MAR-90 | MD | MS | | 03 |
| | | A-A-54109 | TAG, TISSUE SPECIMEN | A 6640 / MB | 26-FEB-90 | MD | MS | | 03 |
| | | A-A-54110 | TRACHOMETER, STROBOSCOPIC (PORTABLE, BATTERY POWERED) | A 6680 / MB | 05-MAR-90 | MD | MS | | 03 |
| | | A-A-54111 | CHLORPHENIRAMINE MALEATE TABLETS, MODIFIED | A 6505 / MB | 16-MAR-90 | MD | MS | | 03 |
| | | A-A-54112 | CALCIUM GLUCEPTATE INJECTION, USP | A 6505 / MB | 16-MAR-90 | MD | MS | | 03 |
| | | A-A-54113 | COLLODION, FLEXIBLE, USP | A 6505 / MB | 16-MAR-90 | MD | MS | | 03 |
| | | A-A-54114 | CHLORPHENIRAMINE MALEATE TABLETS, USP | A 6505 / MB | 16-MAR-90 | MD | MS | | 03 |
| | | A-A-54115 | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL | A 6520 / MB | 21-MAR-90 | MD | MS | | 03 |
| | | A-A-54116 | PREVENTIVE DENTISTRY PASTE, PATIENT | A 6520 / MB | 21-MAR-90 | MD | MS | | 03 |
| | | A-A-54117 | FLURANDRENOLIDE TAPE, USP | A 6505 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54118 | GLOBULIN, TETANUS IMMUNE, USP | A 6505 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54119 | HALOPROGIN CREAM, USP | A 6505 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54120 | DIMENHYDRINATE TABLETS, USP | A 6505 / MB | 23-MAR-90 | MD | MS | | 03 |
| | | A-A-54121 | FOLIC ACID TABLETS, USP | A 6505 / MB | 23-MAR-90 | MD | MS | | 03 |
| | | A-A-54122 | ERYTHROMYCIN ETHYLSUCCINATE FOR ORAL SUSPENSION, USP | A 6505 / MB | 30-MAR-90 | MD | MS | | 03 |
| | | A-A-54123 | FLURANDRENOLIDE OINTMENT, USP | A 6505 / MB | 30-MAR-90 | MD | MS | | 03 |

| Action Opt. / Cnfl. Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| A-A-54124 | FUROSEMIDE INJECTION, USP | A 6505 / MB 30-MAR-90 | MD | MS | 03 | |
| A-A-54125 | ISOXSUPRINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB 30-MAR-90 | MD | MS | 03 | |
| A-A-54126 | PIPET-DILUENT, BLOOD, LABORATORY REVIEWER: ES | A 6630 / MB 09-APR-90 | MD | MS | 03 | |
| A-A-54127 | TUBE, DRYING, LABORATORY REVIEWER: ES | A 6640 / MB 16-APR-90 | MD | MS | 03 | |
| A-A-54128 | DISPENSER, STRIP, DENTAL | A 6520 / MB 16-MAY-90 | MD | MS | 03 | |
| A-A-54129 | DISSECTORS, GENERAL SURGICAL (CURVED, PENFIELD) | A 6515 / MB 11-APR-90 | MD | MS | 03 | |
| A-A-54130 | FORCEPS, TISSUE, (CUSHING) | A 6515 / MB 12-APR-90 | MD | MS | 03 | |
| A-A-54131 | RACK, HEMOSTATIC CLIP (MCKENZIE) | A 6515 / MB 17-APR-90 | MD | MS | 03 | |
| A-A-54132 | CLAMP, PYLORUS (PAYR) | A 6515 / MB 18-APR-90 | MD | MS | 03 | |
| A-A-54133 | CARVER, DENTAL (B)WANGLE, THARP NO. 1) | A 6520 / MB 30-APR-90 | MD | MS | 03 | |
| A-A-54134 | FLURANDRENOLIDE LOTION, USP | A 6505 / MB 20-APR-90 | MD | MS | 03 | |
| A-A-54135 | FERROUS SULFATE TABLETS, USP | A 6505 / MB 20-APR-90 | MD | MS | 03 | |
| A-A-54136 | ISOPROTERNOL SULFATE INHALATION AEROSOL, USP | A 6505 / MB 20-APR-90 | MD | MS | 03 | |
| A-A-54137 | IMIPRAMINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB 20-APR-90 | MD | MS | 03 | |
| A-A-54138 | ISONIAZID TABLETS, USP | A 6505 / MB 20-APR-90 | MD | MS | 03 | |
| A-A-54139 | FENTANYL CITRATE INJECTION, USP | A 6505 / MB 20-APR-90 | MD | MS | 03 | |
| A-A-54140 | HEPARIN SODIUM INJECTION, USP | A 6505 / MB 20-APR-90 | MD | MS | 03 | |
| A-A-54141 | ANALYZER, INTRAVENOUS INFUSION PUMP | A 6515 / MB 20-APR-90 | MD | MS | 03 | |
| A-A-54142 | MONITORING DEVICE, DENTAL X-RAY FILM | A 6525 / MB 15-JUN-90 | MD | MS | 03 | |
| A-A-54143 | BLANKET, BED (COTTON, THERMAL WEAVE) | A 7210 / MB 15-JUN-90 | MD | MS | 03 | |
| A-A-54144 | FORCEPS, UTERINE PACKING, CURVED, BOZEMAN, 10 INCH | A 6515 / MB 30-APR-90 | MD | MS | 03 | |
| A-A-54145 | SCISSORS, GENERAL SURGICAL, CURVED, 6-1/2 INCH | A 6515 / MB 30-APR-90 | MD | MS | 03 | |
| A-A-54146 | FORCEPS, LARYNGEAL, APPLICATING, JACKSON | A 6515 / MB 30-APR-90 | MD | MS | 03 | |
| A-A-54147 | RONGEUR, CURVED, HARTMANN, 7-1/4 INCH | A 6515 / MB 30-APR-90 | MD | MS | 03 | |
| A-A-54148 | RETRACTOR, HYSTERECTOMY, HEANEY, LARGE | A 6515 / MB 30-APR-90 | MD | MS | 03 | |
| A-A-54149 | FORCEPS, NASAL SEPTUM, STRAIGHTENING, ASCH, 8-1/2 INCH | A 6515 / MB 30-APR-90 | MD | MS | 03 | |
| A-A-54150 | SCISSORS, IRIS, CURVED, 4-7/8 INCH | A 6515 / MB 30-APR-90 | MD | MS | 03 | |
| A-A-54151 | TUBE, CAPILLARY, MICROHEMATOCRIT | A 6640 / MB 07-MAY-90 | MD | MS | 03 | |
| A-A-54152 | CLAMP, UMBILICAL CORD, PLASTIC | A 6515 / MB 15-MAY-90 | MD | MS | 03 | |
| A-A-54153 | SNARE, NASAL (KRAUSE) | A 6515 / MB 16-MAY-90 | MD | MS | 03 | |
| A-A-54154 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, RADIOPAQUE, DISPOSABLE 50S (CATHETER INTO NEEDLE) | A 6515 / MB 17-MAY-90 | MD | MS | 03 | |
| A-A-54155 | RETRACTOR, ORTHOPEDIC (5-1/2 INCH, SMILLIE) | A 6515 / MB 18-MAY-90 | MD | MS | 03 | |
| A-A-54156 | HOLDER, SUTURE NEEDLE (HEANEY) | A 6515 / MB 21-MAY-90 | MD | MS | 03 | |
| A-A-54158 | RONGEUR, CURVED, 7 INCH (BEYER) | A 6515 / MB 23-MAY-90 | MD | MS | 03 | |
| A-A-54159 | CLAMP, ARTERY, BULLDOG (DEBAKEY) | A 6515 / MB 24-MAY-90 | MD | MS | 03 | |
| A-A-54160 | RETRACTOR, VAGINAL (SIMS) | A 6515 / MB 05-JUN-90 | MD | MS | 03 | |
| A-A-54161 | FORCEPS, LARYNGEAL (JACKSON) | A 6515 / MB 06-JUN-90 | MD | MS | 03 | |
| A-A-54162 | CUTTER-VACUUM, ORTHOPEDIC CAST (110/230 V, 50/60 HZ, AC) | A 6515 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54163 | CLIP, HEMOSTATIC, SILVER (MCKENZIE) | A 6515 / MB 08-JUN-90 | MD | MS | 03 | |
| A-A-54164 | FLUOCINOLONE ACETONIDE TOPICAL SOLUTION, USP | A 6505 / MB 31-MAY-90 | MD | MS | 03 | |
| A-A-54165 | BUR, BONE, TUNGSTEN CARBIDE GENERAL SPECIFICATION FOR | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/1 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 19 MM CUTTING LENGTH, TAPERED, LONG SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/2 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 1.5 MM HEAD DIAMETER, LONG SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/3 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 2 MM HEAD DIAMETER, LONG SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/4 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 2 MM HEAD DIAMETER, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/5 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 7.5MM CUTTING LENGTH, TAPERED, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/6 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 19 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/7 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 1.5 MM HEAD DIAMETER, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/8 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 7.5 MM CUTTING LENGTH, TAPERED, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/9 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 8 MM CUTTING LENGTH, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/10 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 10 MM CUTTING LENGTH, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/11 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 8 MM CUTTING LENGTH, LONG SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/12 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 10 MM CUTTING LENGTH, LONG SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/13 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 5 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/14 | BUR, BONE, TUNGSTEN CARBIDE, BARREL CUTTING, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/15 | BUR, BONE, TUNGSTEN CARBIDE, BARREL CUTTING, LONG SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/16 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 3 MM HEAD DIAMETER, LONG SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/17 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 5 MM HEAD DIAMETER, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/18 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 5 MM HEAD DIAMETER, LONG SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/19 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 4.0 MM HEAD DIAMETER, LONG SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/20 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 4.0 MM HEAD DIAMETER, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/21 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 4.5 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/22 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 10 MM CUTTING LENGTH, TAPERED, MEDIUM SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54165/23 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 12 MM CUTTING LENGTH, TAPERED, LONG SHANK | A 6515 / MB 12-APR-91 | MD | MS | 03 | |
| A-A-54166 | DEXTROSE INJECTION, USP (LARGE VOLUME INJECTION FOR SINGLE DOSE INFUSION) | A 6505 / MB 31-MAY-90 | MD | MS | 03 | |
| A-A-54167 | FORCEPS, EYE, UTILITY, ANGULAR, MUGENT | A 6515 / MB 31-MAY-90 | MD | MS | 03 | |
| A-A-54168 | RETRACTOR, ORTHOPEDIC, HOHMANN | A 6515 / MB 31-MAY-90 | MD | MS | 03 | |
| A-A-54169 | HALOPROGIN TOPICAL SOLUTION, USP | A 6505 / MB 31-MAY-90 | MD | MS | 03 | |
| A-A-54170 | GAGE, ANEROID, SPHYGMOMANOMETER | A 6515 / MB 11-JUN-90 | MD | MS | 03 | |
| A-A-54171 | CLINDAMYCIN HYDROCHLORIDE CAPSULES, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54172 | DIPIVEFRIN HYDROCHLORIDE OPHTHALMIC SOLUTION, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54173 | GRISEOFULVIN TABLETS, ULTRAMICROSIZE, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54174 | ERYTHROMYCIN TABLETS, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54175 | COAL TAR GEL | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54176 | DIBUCAINE OINTMENT, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54177 | BETAMETHASONE VALERATE LOTION, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54178 | BROMOCRIPTINE MESYLATE TABLETS, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54179 | BETAMETHASONE VALERATE OINTMENT, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54180 | ARTIFICIAL TEARS SOLUTION | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54181 | FLUNISOLIDE NASAL SOLUTION, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54182 | CETYLPYRIDINIUM CHLORIDE SOLUTION, ALCOHOLIC | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54183 | CEPHAPIRIN SODIUM, STERILE, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54184 | DESOXIMETASONE CREAM, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54185 | CHLORPROMAZINE HYDROCHLORIDE INJECTION, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54186 | CALCIUM GLUCONATE INJECTION, USP | A 6505 / MB 07-JUN-90 | MD | MS | 03 | |
| A-A-54187A | FREEZER, MECHANICAL, BLOOD PRODUCTS | A 4110 / MB 23-NOV-91 | MD | MS | 03 | |

| Action OPR / Qtrly Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MICA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | A-A-54188 | REFRIGERATOR, MECHANICAL, BIOLOGICALS | A 4110 / MB | 15-JUN-90 | MD | MS | | 03 |
| | A-A-54189 | SCRAPER, UTERINE, CERVICAL (AYRE, 7 INCH) | A 6515 / MB | 14-JUN-90 | MD | MS | | 03 |
| | A-A-54190 | HOLDER, BLOOD COLLECTING-DISPENSING BAG | A 6515 / MB | 15-JUN-90 | MD | MS | | 03 |
| | A-A-54191 | BAG, COMPRESSION, SPHYGMOMANOMETER | A 6515 / MB | 19-JUN-90 | MD | MS | | 03 |
| | A-A-54192 | GLYCOPYRROLATE TABLETS, USP | A 6505 / MB | 15-JUN-90 | MD | MS | | 03 |
| | A-A-54193 | PAD, POST-SURGICAL-OBSTETRICAL, BELTLESS, POSTPARTUM OR POSTOPERATIVE | A 6510 / MD | 01-JUL-90 | MD | MS | | 03 |
| | A-A-54194 | STOPPER, BOTTLE (RUBBER, SOLID) | A 6640 / MB | 25-JUN-90 | MD | MS | | 03 |
| | A-A-54195 | STOPPER SET, BOTTLE | A 6640 / MB | 18-JUL-90 | MD | MS | | 03 |
| | A-A-54196 | PIPET, SEROLOGICAL (PLASTIC, DISPOSABLE) | A 6640 / MB | 25-JUN-90 | MD | MS | | 03 |
| | A-A-54197 | SYRINGE, DENTAL, IMPRESSION MATERIAL | A 6520 / MB | 27-JUN-90 | MD | MS | | 03 |
| | A-A-54198A | AIRWAY, PHARYNGEAL (BERMAN) | A 6515 / MB | 27-MAR-92 | MD | MS | | 03 |
| | A-A-54199 | CALIBRATING GAS MIXTURE | A 6830 / MB | 25-JUN-90 | MD | MS | | 03 |
| | A-A-54200 | CLAMP, ARTERY, DEBAKEY, ANGULAR JAWS, 7 INCH | A 6515 / MB | 20-JUL-90 | MD | MS | | 03 |
| | A-A-54201 | ISOPROPYL ALCOHOL, USP | A 6505 / MB | 13-JUL-90 | MD | MS | | 03 |
| | A-A-54202 | LIDOCAINE OINTMENT, USP | A 6505 / MB | 29-JUN-90 | MD | MS | | 03 |
| | A-A-54203 | DIGOXIN ELIXIR, USP | A 6505 / MB | 30-NOV-90 | MD | MS | | 03 |
| | A-A-54205 | STEREOSCOPE, VISION TESTING | A 6540 / MB | 25-JUN-90 | MD | MS | | 03 |
| | A-A-54206 | CATHETER, CARDIOVASCULAR (OCCLUSION) | A 6515 / MB | 31-AUG-90 | MD | MS | | 03 |
| | A-A-54207 | CATHETER, CARDIOVASCULAR (VENOUS THROMBECTOMY) | A 6515 / MB | 10-SEP-90 | MD | MS | | 03 |
| | A-A-54208 | SYRINGE, IRRIGATING (METAL, EAR, 2 OZ) | A 6515 / MB | 18-JUL-90 | MD | MS | | 03 |
| | A-A-54209 | FORCEPS, GAUZE PAD HOLDING (FOERSTER) | A 6515 / MB | 19-JUL-90 | MD | MS | | 03 |
| | A-A-54210 | SCISSORS, EYE (IRIS, STRABISMUS, TENOTOMY AND ENUCLEATION) | A 6515 / MB | 07-NOV-90 | MD | MS | | 03 |
| | A-A-54210/1 | SCISSORS, IRIS | A 6515 / MB | 07-NOV-90 | MD | MS | | 03 |
| | A-A-54210/2 | SCISSORS, STRABISMUS | A 6515 / MB | 07-NOV-90 | MD | MS | | 03 |
| | A-A-54210/3 | SCISSORS, TENOTOMY | A 6515 / MB | 07-NOV-90 | MD | MS | | 03 |
| | A-A-54210/4 | SCISSORS, ENUCLEATION | A 6515 / MB | 07-NOV-90 | MD | MS | | 03 |
| | A-A-54211 | CARVER, DENTAL, (BINANGLE, CLEOID-DISCOID, NO. UWD-5) | A 6520 / MB | 13-JUL-90 | MD | MS | | 03 |
| | A-A-54212 | SHEET, BED (NONWOVEN) | A 7210 / MB | 31-JUL-90 | MD | MS | | 03 |
| | A-A-54213 | SIMULATED BLOOD POWDER | A 6910 / MB | 31-JUL-90 | MD | MS | | 03 |
| | A-A-54214 | TABLE, ANESTHETIST'S | A 6530 / MB | 31-JUL-90 | MD | MS | | 03 |
| | A-A-54215 | SUPPORT, CERVICAL | A 6515 / MB | 31-JUL-90 | MD | MS | | 03 |
| | A-A-54216 | STAND, BASIN (CORROSION-RESISTING STEEL) | A 6530 / MB | 31-JUL-90 | MD | MS | | 03 |
| | A-A-54217 | REFRIGERATOR, MECHANICAL, BLOOD BANK | A 4110 / MB | 31-JUL-90 | MD | MS | | 03 |
| | A-A-54219 | CART, SURGICAL DRESSING (CORROSION-RESISTING STEEL) | A 6530 / MB | 31-JUL-90 | MD | MS | | 03 |
| | A-A-54220 | CLAMP, ARTERY, DEBAKEY, ANGULAR JAWS, 7 INCH | A 6515 / MB | 20-JUL-90 | MD | MS | | 03 |
| | A-A-54221 | FORCEPS, UTERINE ELEVATING, SOMER | A 6515 / MB | 28-SEP-90 | MD | MS | | 03 |
| | A-A-54222 | WATER BATH, ELECTRIC (MICROTOME TISSUE SPECIMEN SECTION MOUNTING) | A 6640 / MB | 20-JUL-90 | MD | MS | | 03 |
| | A-A-54223 | RETRACTOR, STERNAL, COOLEY, WITH WIDE CONCAVE BLADES | A 6515 / MB | 30-JUL-90 | MD | MS | | 03 |
| | A-A-54224 | FORCEPS, TISSUE, ADSON, 4-1/2 INCH | A 6515 / MB | 30-JUL-90 | MD | MS | | 03 |
| | A-A-54225 | FORCEPS, TISSUE, RUSSIAN, 6 INCH | A 6515 / MB | 30-NOV-90 | MD | MS | | 03 |
| | A-A-54226 | FORCEPS, TISSUE, MAYO-RUSSIAN | A 6515 / MB | 31-JUL-90 | MD | MS | | 03 |
| | A-A-54227 | DIATRIZOATE MEGLUMINE AND DIATRIZOATE SODIUM INJECTION, USP | A 6505 / MB | 31-JUL-90 | MD | MS | | 03 |
| | A-A-54228 | VIEWER, AGGLUTINATION, TEST TUBE | A 6640 / MB | 27-JUL-90 | MD | MS | | 03 |
| | A-A-54229 | BUPIVACAINE HYDROCHLORIDE INJECTION, USP | A 6505 / MB | 31-JUL-90 | MD | MS | | 03 |
| | A-A-54230 | FORCEPS, RUBBER DAM CLAMP, DENTAL | A 6520 / MB | 13-AUG-90 | MD | MS | | 03 |
| | A-A-54231 | PIN, TOOTH DIE | A 6520 / MB | 14-AUG-90 | MD | MS | | 03 |
| | A-A-54232 | CATHETER, CARDIOVASCULAR (ARTERIAL EMBOLECTOMY) | A 6515 / MB | 05-SEP-90 | MD | MS | | 03 |
| | A-A-54233 | CLAMP, KIDNEY VESSEL, 8-1/2 INCH (OCKERBLAD) | A 6515 / MB | 16-AUG-90 | MD | MS | | 03 |
| | A-A-54234 | CURETTES, PERIODONTAL, DOUBLE-ENDED | A 6520 / MB | 30-AUG-90 | MD | MS | | 03 |
| | A-A-54235A | SURGICAL PREPARATION KIT, DISPOSABLE, PRE-SURGICAL SHAVE TYPE, NONSTERILE | A 6515 / MB | 20-NOV-91 | MD | MS | | 03 |
| | A-A-54236 | RETRACTOR, MASTOID (WEITLANER) | A 6515 / MB | 07-SEP-90 | MD | MS | | 03 |
| | A-A-54237 | RETRACTOR, GOITER (BECKMAN) | A 6515 / MB | 10-SEP-90 | MD | MS | | 03 |
| | A-A-54238 | RETRACTOR, LAMINECTOMY (MEYERDING) | A 6515 / MB | 11-SEP-90 | MD | MS | | 03 |
| | A-A-54239 | DRILL, WIRE-PASS, BONE | A 6515 / MB | 27-AUG-90 | MD | MS | | 03 |
| | A-A-54240 | FORCEPS, TISSUE, ALLIS, STRAIGHT, 6 INCH | A 6515 / MB | 30-AUG-90 | MD | MS | | 03 |
| | A-A-54241 | IRRIGATION KIT, CATHETER-NASOGASTRIC TUBE | A 6515 / MB | 12-SEP-90 | MD | MS | | 03 |
| | A-A-54242 | PROBE, CRYOSURGICAL, STRAIGHT, 1 MM TIP | A 6515 / MB | 13-SEP-90 | MD | MS | | 03 |
| | A-A-54243 | PROBE, CRYOSURGICAL, MICRO, CURVED, WITHOUT THERMOCOUPLE, 1 MM TIP | A 6515 / MB | 14-SEP-90 | MD | MS | | 03 |
| | A-A-54244 | FILES, PULP CANAL, DENTAL, ( HEDSTROM) | A 6520 / MB | 03-SEP-90 | MD | MS | | 03 |
| | A-A-54245 | FORCEPS, GOITER, LAHEY, 6 INCH | A 6515 / MB | 30-SEP-90 | MD | MS | | 03 |
| | A-A-54246 | DISPENSER, FILTERING SOLVENT | A 6640 / MB | 27-AUG-90 | MD | | | 99 |
| | A-A-54247 | REMOVER, DENTAL CROWN (SIMPLEX) | A 6520 / MB | 21-SEP-90 | MD | MS | | 03 |
| | A-A-54248 | SUTURE REMOVAL KIT (DISPOSABLE) | A 6515 / MB | 19-SEP-90 | MD | MS | | 03 |
| | A-A-54249 | TUBES, NASAL FEEDING, SURGICAL, INFANT, DISPOSABLE | A 6515 / MB | 20-SEP-90 | MD | MS | | 03 |
| | A-A-54250 | IRON DEXTRAN INJECTION, USP | A 6505 / MB | 31-AUG-90 | MD | MS | | 03 |
| | A-A-54251 | LIGHT, SURGICAL, FIELD | A 6530 / MB | 23-NOV-90 | MD | MS | | 03 |
| | A-A-54252 | SURGICAL PACK, DISPOSABLE (ARTHROSCOPIC) | A 6530 / MB | 21-SEP-90 | MD | MS | | 03 |
| | A-A-54253 | LIDOCAINE HYDROCHLORIDE TOPICAL SOLUTION, USP | A 6505 / MB | 14-SEP-90 | MD | MS | | 03 |
| | A-A-54254 | KETAMINE HYDROCHLORIDE INJECTION, USP | A 6505 / MB | 28-SEP-90 | MD | MS | | 03 |
| | A-A-54255 | TABLE, EXAMINING AND TREATMENT (STEEL, CABINET TYPE) | A 6530 / MB | 17-SEP-90 | MD | MS | | 03 |
| | A-A-54256 | DIFFERENTIATION DISKS, MICROORGANISM | A 6550 / MB | 28-SEP-90 | MD | MS | | 03 |
| | A-A-54257 | ISOSORBIDE DINITRATE TABLETS, USP | A 6505 / MB | 31-OCT-90 | MD | MS | | 03 |
| | A-A-54258 | KETAMINE HYDROCHLORIDE INJECTION, USP VETERINARY | A 6505 / MB | 28-SEP-90 | MD | MS | | 03 |
| | A-A-54259 | ELEVATOR, PERIOSTEAL, HAIGHT, 12 INCH | A 6515 / MB | 15-OCT-90 | MD | MS | | 03 |
| | A-A-54260 | BLADE, ORTHOPEDIC CAST CUTTER | A 6515 / MB | 15-OCT-90 | MD | MS | | 03 |
| | A-A-54261A | RONGUER, ANGLED, LOVE-GRUENWALD | A 6515 / MB | 11-MAY-91 | MD | MS | | 03 |
| | A-A-54262 | FORCEPS, EYE MUSCLE, ANGULAR (JAMESON) | A 6515 / MB | 02-NOV-90 | MD | MS | | 03 |
| | A-A-54263 | FORCEPS, TISSUE (POTTS-SMITH, DELICATE) | A 6515 / MB | 01-NOV-90 | MD | MS | | 03 |
| | A-A-54264 | RETRACTOR, GENERAL OPERATING, BLAIR, FOUR CURVED-PRONGS | A 6515 / MB | 02-NOV-90 | MD | MS | | 03 |
| | A-A-54265 | SAMPLING KIT, ARTERIAL BLOOD GAS | A 6515 / MB | 11-OCT-90 | MD | MS | | 03 |
| | A-A-54266 | SURFACER, OPHTHALMIC LENS | A 6540 / MB | 12-OCT-90 | MD | MS | | 03 |
| | A-A-54267 | PELVIMETER, MARTIN | A 6515 / MB | 30-OCT-90 | MD | MS | | 03 |
| | A-A-54268 | GENERATOR, GAS ENVELOPE | A 6640 / MB | 26-OCT-90 | MD | MS | | 03 |
| | A-A-54269 | GENERATOR, GAS ENVELOPE | A 6640 / MB | 26-OCT-90 | MD | MS | | 03 |
| | A-A-54270 | ELEVATORS, DENTAL, SURGICAL, GENERAL REQUIREMENTS FOR | A 6520 / MB | 28-FEB-92 | MD | MS | | 03 |
| | A-A-54270/1 | ELEVATOR, ROOT | A 6520 / MB | 28-FEB-92 | MD | MS | | 03 |
| | A-A-54270/2 | ELEVATOR, ROOT | A 6520 / MB | 28-FEB-92 | MD | MS | | 03 |
| | A-A-54270/3 | ELEVATOR, ROOT | A 6520 / MB | 28-FEB-92 | MD | MS | | 03 |
| | A-A-54270/4 | ELEVATOR, ROOT | A 6520 / MB | 28-FEB-92 | MD | MS | | 03 |
| | A-A-54270/5 | ELEVATOR, ROOT | A 6520 / MB | 28-FEB-92 | MD | MS | | 03 |
| | A-A-54270/6 | ELEVATOR, ROOT | A 6520 / MB | 28-FEB-92 | MD | MS | | 03 |
| | A-A-54270/7 | ELEVATOR, ROOT | A 6520 / MB | 28-FEB-92 | MD | MS | | 03 |
| | A-A-54270/8 | ELEVATOR, PERIOSTEAL | A 6520 / MB | 28-FEB-92 | MD | MS | | 03 |
| | A-A-54270/9 | ELEVATOR, MALAR, IVY | A 6520 / MB | 28-FEB-92 | MD | MS | | 03 |
| | A-A-54271 | CANNULA, TRACHEOSTOMY, MODIFIED, JACKSON | A 6515 / MB | 07-NOV-90 | MD | MS | | 03 |
| | A-A-54272 | IMPRESSION MATERIAL, DENTAL, PASTE, VARIABLE VISCOSITY | A 6520 / MB | 15-NOV-90 | MD | MS | | 03 |
| | A-A-54273 | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL (INTERMEDIATE RESTORATIVE MATERIAL) | A 6520 / MB | 31-OCT-90 | MD | MS | | 03 |
| | A-A-54274 | RETRACTOR, SPINAL (ADSON-BECKMAN) | A 6515 / MB | 05-NOV-90 | MD | MS | | 03 |
| | A-A-54275 | FORCEPS, NASAL (TAKAHASHI) | A 6515 / MB | 06-NOV-90 | MD | MS | | 03 |
| | A-A-54276 | FORCEPS, ENDOSCOPIC, GLOBULAR OBJECT GRASPING (JACKSON) | A 6515 / MB | 07-NOV-90 | MD | MS | | 03 |
| | A-A-54277 | RETRACTOR SET, GENERAL OPERATING | A 6515 / MB | 31-OCT-90 | MD | MS | | 03 |
| | A-A-54278 | BOTTLE, SCREW CAP | A 6640 / MB | 31-OCT-90 | MD | MS | | 03 |
| | A-A-54279 | FUNNEL, COMMON, LABORATORY (SMOOTH) | A 6640 / MB | 31-OCT-90 | MD | MS | | 03 |
| | A-A-54280 | SPECULUM, SIGMOID (PLASTIC, DISPOSABLE) | A 6515 / MB | 14-NOV-90 | MD | MS | | 03 |

| Action | CPL / CMIL Coordination Inactive | Document Number | Document Title | Dist. Symbol FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | A-A-54281 | HOLDER, SUTURE NEEDLE (4-5/8 INCH, TROUTMAN) | A 6515 / MB | 03-DEC-90 | MD | MS | 03 | |
| | | A-A-54282 | RACK, OPHTHALMIC LAP | A 6640 / MB | 15-NOV-90 | MD | MS | 03 | |
| | | A-A-54283 | FORCEPS, BIOPSY, NASAL-ETHMOID, (WATSON-WILLIAMS) | A 6515 / MB | 10-DEC-90 | MD | MS | 03 | |
| | | A-A-54284 | CHAIR, HOSPITAL WARD METAL | A 6530 / MB | 23-NOV-90 | MD | MS | 03 | |
| | | A-A-54285 | TABLE, EXERCISER, PHYSICAL THERAPY | A 6530 / MB | 23-NOV-90 | MD | MS | 03 | |
| | | A-A-54286 | SURGICAL PACK, DISPOSABLE (UNIVERSAL) | A 6530 / MB | 23-NOV-90 | MD | MS | 03 | |
| | | A-A-54287 | SIMULATION, CASUALTY KIT | A 6910 / MB | 23-NOV-90 | MD | MS | 03 | |
| | | A-A-54288 | HUMIDIFIER, OXYGEN | A 6515 / MB | 23-NOV-90 | MD | MS | 03 | |
| | | A-A-54289 | DRAPE, SURGICAL (BREAST) | A 6530 / MB | 23-NOV-90 | MD | MS | 03 | |
| | | A-A-54290 | ELEVATOR, ZYGOMA, DINGMAN, HEAVY DUTY | A 6515 / MB | 11-DEC-90 | MD | MS | 03 | |
| | | A-A-54291 | BAG, BUCKSHOT | A 6530 / MB | 23-NOV-90 | MD | MS | 03 | |
| | | A-A-54292 | BURS, DENTAL EXCAVATING (TUNGSTEN CARBIDE) | A 6520 / MB | 30-NOV-90 | MD | MS | 03 | |
| | | A-A-54293 | STOPPER, BOTTLE (WHITE RUBBER) | A 6640 / MB | 30-NOV-90 | MD | MS | 03 | |
| | | A-A-54294 | INSERT, HANDPIECE, DENTAL ULTRASONIC PROPHYLAXIS UNIT | A 6520 / MB | 14-DEC-90 | MD | MS | 03 | |
| M | | A-A-54295A | TUBE, SUCTION, SURGICAL, PLASTIC, DISPOSABLE | A 6515 / MB | 31-MAY-93 | MD | MS | 03 | |
| | | A-A-54296 | FIXATION DEVICE, EXTERNAL, ORTHOPEDIC | A 6515 / MB | 14-NOV-90 | MD | MS | 03 | |
| | | A-A-54297 | NOREPINEPHRINE BITARTRATE INJECTION, USP | A 6505 / MB | 30-NOV-90 | MD | MS | 03 | |
| | | A-A-54298 | VIAL, CRYOGENIC STORAGE | A 6640 / MB | 14-DEC-90 | MD | MS | 03 | |
| | | A-A-54299 | AWL, ORAL SURGERY, WIRE PASSING | A 6520 / MB | 18-DEC-90 | MD | MS | 03 | |
| | | A-A-54300 | FORCEPS, CORNEAL (4-1/8 INCH, COLIBRI) | A 6515 / MB | 13-DEC-90 | MD | MS | 03 | |
| | | A-A-54301 | SPECULUM, VAGINAL (GRAVES) | A 6515 / MB | 14-DEC-90 | MD | MS | 03 | |
| | | A-A-54302 | SOUND, URETHRAL, CURVED, ADULT MALE | A 6515 / MB | 08-JAN-91 | MD | MS | 03 | |
| | | A-A-54303 | FORCEPS, BRONCHOSCOPIC, BIOPSY, CANNULATED | A 6515 / MB | 09-JAN-91 | MD | MS | 03 | |
| | | A-A-54304 | SHIELDS, EYE SURGICAL | A 6515 / MB | 14-DEC-90 | MD | MS | 03 | |
| | | A-A-54305 | ETHYLENE OXIDE-DICHLORODIFLUOROMETHANE MIXTURE, FILLED CYLINDER | A 6505 / MB | 01-APR-91 | MD | MS | 03 | |
| | | A-A-54306 | PERIOSTEOTOME | A 6515 / MB | 17-DEC-90 | MD | MS | 03 | |
| | | A-A-54307 | TUBE, SPECIMEN (PINWORM, DISPOSABLE) | A 6640 / MB | 14-DEC-90 | MD | MS | 03 | |
| | | A-A-54308 | BONE PLATE | A 6515 / MB | 16-SEP-91 | MD | MS | 03 | |
| | | A-A-54309 | BANDAGE, CAST, POLYESTER FABRIC, RESIN IMPREGNATED | A 6510 / MB | 31-DEC-90 | MD | MS | 03 | |
| | | A-A-54310 | ELEVATOR, PERIOSTEAL (ADSON) | A 6515 / MB | 14-FEB-91 | MD | MS | 03 | |
| | | A-A-54311 | SCISSORS, TENOTOMY | A 6515 / MB | 08-MAR-91 | MD | MS | 03 | |
| | | A-A-54312 | CASE, DENTAL INSTRUMENTS (STERILIZING AND STORAGE) | A 6520 / MB | 21-JAN-91 | MD | MS | 03 | |
| | | A-A-54315 | CATHETERS, UMBILICAL | A 6515 / MB | 11-JAN-91 | MD | MS | 03 | |
| | | A-A-54316 | DRILL, TWIST, BONE, ROUND SHAFT | A 6515 / MB | 14-JAN-91 | MD | MS | 03 | |
| | | A-A-54317 | RETRACTOR, MASTOID (PEDIATRIC, 4-INCH, WULLSTEIN) | A 6515 / MB | 15-JAN-91 | MD | MS | 03 | |
| | | A-A-54318 | PROBE SET, LACHRYMAL, WILLIAMS, SET OF 3 | A 6515 / MB | 15-JAN-91 | MD | MS | 03 | |
| | | A-A-54319 | CHISEL, BONE, FREER, STRAIGHT, 3/16 INCH | A 6515 / MB | 15-JAN-91 | MD | MS | 03 | |
| | | A-A-54320 | ELEVATOR, EAR, BAYONET TYPE, CURVED BLADE (HOUSE) | A 6515 / MB | 12-FEB-91 | MD | MS | 03 | |
| | | A-A-54321 | CASE, DENTAL INSTRUMENTS (STERILIZING AND STORAGE) | A 6520 / MB | 21-JAN-91 | MD | MS | 03 | |
| | | A-A-54322 | BROACH, PULP CANAL, BARBET, STERILE | A 6520 / MB | 04-FEB-91 | MD | MS | 03 | |
| | | A-A-54324 | AIRWAY, NASOPHARYNGEAL (ARGYLE) | A 6515 / MB | 18-MAR-91 | MD | MS | 03 | |
| | | A-A-54325 | AIRWAY, PHARYNGEAL, RUBBER (GUEDEL) | A 6515 / MB | 18-JAN-91 | MD | MS | 03 | |
| | | A-A-54326 | SPECULUM, RECTAL, 8-1/2 INCHES (PRATT) | A 6515 / MB | 14-FEB-91 | MD | MS | 03 | |
| | | A-A-54327 | DRILL, TWIST, BONE (JACOBS CHUCK) | A 6515 / MB | 05-FEB-91 | MD | MS | 03 | |
| | | A-A-54328 | ADAPTER, REAMER (HUDSON TO TRINKLE) | A 6515 / MB | 12-APR-91 | MD | MS | 03 | |
| | | A-A-54329 | RETRACTOR, ANTRAL (DWUCK-LEVINE) | A 6515 / MB | 12-APR-91 | MD | MS | 03 | |
| | | A-A-54330 | RETRACTOR, ABDOMINAL, RICHARDSON | A 6515 / MB | 13-MAR-91 | MD | MS | 03 | |
| | | A-A-54331 | SCOOP, GALLSTONE, CYSTIC DUCT, MAYO | A 6515 / MB | 12-APR-91 | MD | MS | 03 | |
| | | A-A-54332 | CLAMP, INTESTINAL ANASTOMOSIS (BEST, RIGHT ANGLE) | A 6515 / MB | 12-APR-91 | MD | MS | 03 | |
| | | A-A-54333 | FORCEPS, KIDNEY PEDICLE, GUYON-PEAN | A 6515 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54334 | CELL WASHING SYSTEM | A 6640 / MB | 04-FEB-91 | MD | MS | 03 | |
| | | A-A-54335 | PUMP, CIRCULATING | A 6640 / MB | 04-FEB-91 | MD | MS | 03 | |
| | | A-A-54336 | CHART SET, ANATOMICAL | A 6910 / MB | 14-FEB-91 | MD | MS | 03 | |
| | | A-A-54337 | SHEET, BED (COTTON-POLYESTER, WHITE, FITTED) | A 7210 / MB | 14-FEB-91 | MD | MS | 03 | |
| | | A-A-54338 | STERILIZATION TEST AMPULES, BACTERIAL SPORE | A 6530 / MB | 14-FEB-91 | MD | MS | 03 | |
| | | A-A-54339 | SURGICAL PACK, HEAD AND NECK, DISPOSABLE | A 6530 / MB | 14-FEB-91 | MD | MS | 03 | |
| | | A-A-54340 | NEBULIZER, INHALATION THERAPY APPARATUS PLASTIC, JET TYPE | A 6515 / MB | 14-FEB-91 | MD | MS | 03 | |
| | | A-A-54341 | BUR, DENTAL, EXCAVATING EXTRA LONG SHANK (STEEL) | A 6520 / MB | 12-FEB-91 | MD | MS | 03 | |
| | | A-A-54342 | LOOP, INOCULATING, LABORATORY (QUANTITATIVE) | A 6640 / MB | 04-FEB-91 | MD | MS | 03 | |
| | | A-A-54343 | LANCET, FINGER BLEEDING | A 6515 / MB | 01-APR-91 | MD | MS | 03 | |
| | | A-A-54344 | CURETTE, ENDOMETRIAL BIOPSY (STRAIGHT, PLASTIC) | A 6515 / MB | 30-APR-91 | MD | MS | 03 | |
| | | A-A-54345 | BATH, WATER, DENTAL IMPRESSION COMPOUND | A 6520 / MB | 15-FEB-91 | MD | MS | 03 | |
| | | A-A-54346 | TUBING, GLASS (LABORATORY USE) | A 6640 / MB | 28-FEB-91 | MD | MS | 03 | |
| | | A-A-54347 | MONITOR, FETAL HEART (WITH RECORDER) | A 6515 / MB | 01-MAR-91 | MD | MS | 03 | |
| | | A-A-54348 | FORCEPS, UTERINE, STRAIGHT, BRAUN | A 6515 / MB | 08-MAR-91 | MD | MS | 03 | |
| | | A-A-54349 | SCISSORS, NASAL, ANGULAR, KNIGHT, 6-1/4 INCH | A 6515 / MB | 08-MAR-91 | MD | MS | 03 | |
| | | A-A-54350 | BOLT, TIBIAL | A 6515 / MB | 08-MAR-91 | MD | MS | 03 | |
| | | A-A-54351 | SPECULUM, VAGINAL (PLASTIC) | A 6515 / MB | 15-MAR-91 | MD | MS | 03 | |
| | | A-A-54352 | TUBE, CONNECTING, SURGICAL APPARATUS, GLASS | A 6515 / MB | 08-MAR-91 | MD | MS | 03 | |
| | | A-A-54353 | FORCEPS, DRESSING, EYE, STRAIGHT, 4 INCH | A 6515 / MB | 08-MAR-91 | MD | MS | 03 | |
| | | A-A-54354 | LOOP, EYE LENS, WILDER | A 6515 / MB | 15-MAR-91 | MD | MS | 03 | |
| | | A-A-54355 | SPATULA, EYE (CASTROVIEJO) | A 6515 / MB | 12-APR-91 | MD | MS | 03 | |
| | | A-A-54356 | FORCEPS, BONE HOLDING (CURVED) | A 6515 / MB | 01-APR-91 | MD | MS | 03 | |
| | | A-A-54357 | FORCEPS, DRESSING, STRAIGHT, CUSHING, 7 INCH | A 6515 / MB | 29-MAR-91 | MD | MS | 03 | |
| | | A-A-54358 | CALAMINE LOTION, USP | A 6505 / MB | 22-MAR-91 | MD | MS | 03 | |
| | | A-A-54359 | NEOMYCIN OPHTHALMIC SUSPENSION, USP | A 6505 / MB | 29-MAR-91 | MD | MS | 03 | |
| | | A-A-54360 | NYSTATIN CREAM, USP | A 6505 / MB | 22-MAR-91 | MD | MS | 03 | |
| | | A-A-54361 | NYSTATIN VAGINAL TABLETS, USP | A 6505 / MB | 22-MAR-91 | MD | MS | 03 | |
| | | A-A-54362 | OXACILLIN SODIUM CAPSULES, USP | A 6505 / MB | 27-MAR-91 | MD | MS | 03 | |
| | | A-A-54363 | OXACILLIN SODIUM FOR ORAL SOLUTION, USP | A 6505 / MB | 27-MAR-91 | MD | MS | 03 | |
| | | A-A-54364 | OXAZEPAM CAPSULES, USP | A 6505 / MB | 29-MAR-91 | MD | MS | 03 | |
| | | A-A-54366 | CANISTER ASSEMBLY, SUCTION, SURGICAL (ONE CANISTER WITH FIFTY LINERS) | A 6515 / MB | 15-APR-91 | MD | MS | 03 | |
| | | A-A-54368 | DEFIBRILLATOR AND CARDIOSCOPE (THREE LEAD, PORTABLE, WITH CHARGER) | A 6515 / MB | 15-APR-91 | MD | MS | 03 | |
| | | A-A-54369 | DEFIBRILLATOR AND CARDIOSCOPE (12-LEAD, WITH RECORDER) | A 6515 / MB | 15-APR-91 | MD | MS | 03 | |
| | | A-A-54370 | DRAPE, SURGICAL PLASTIC, DISPOSABLE | A 6530 / MB | 15-APR-91 | MD | MS | 03 | |
| | | A-A-54371 | HEATER, HEAT TREATMENT PAD | A 6530 / MB | 15-APR-91 | MD | MS | 03 | |
| A | | A-A-54372A | MASK, SURGICAL (PLEATED) | A 6515 / MB | 15-JAN-93 | MD | MS | 03 | |
| | | A-A-54373 | ROBE, DRESSING (STRIPED SEERSUCKER) | A 6532 / MB | 15-APR-91 | MD | MS | 03 | |
| | | A-A-54374 | CURING UNIT, DENTURE, ONE STAGE | A 6520 / MB | 12-APR-91 | MD | MS | 03 | |
| | | A-A-54375 | FORCEPS, DRESSING, 3 1/2 INCH | A 6515 / MB | 15-APR-91 | MD | MS | 03 | |
| | | A-A-54376 | GUIDE WIRE, CARDIOVASCULAR, CATHETER, (STERILE, DISPOSABLE, 50'S) | A 6515 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54377 | FILE, BONE, (DENTAL, DOUBLE-ENDED) SELDIN, NO. 11 | A 6520 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54378 | CURETTE SET, ANTRUM, COAKLEY | A 6515 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54379 | SPECULUM, OTOSCOPE (PLASTIC, 4 MM, DISPOSABLE) | A 6515 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54380 | SPECULUM, EYE (GUYTON-PACK, NONMAGNETIC) | A 6515 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54381 | CRUTCH, CANE TYPE, ADJUSTABLE, CHILD | A 6515 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54382 | ANESTHESIA SET SPINAL (SADDLE BLOCK, DISPOSABLE) | A 6515 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54383 | FACE-BOW, ARTICULATOR, DENTAL | A 6520 / MB | 10-JUN-91 | MD | MS | 03 | |
| | | A-A-54385 | CRIMPER, MESH, MAXILLOFACIAL IMPLANT | A 6515 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54386 | MICROSCOPE, OPTICAL (BINOCULAR, BRIGHFIELD) | A 6650 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54387 | MIRROR, MOUTH EXAMINING, (PLASTIC HANDLE, DISPOSABLE) | A 6520 / MB | 22-APR-91 | MD | MS | 03 | |
| | | A-A-54388 | TUBE, TRACHEOSTOMY, DOUBLE CUFF | A 6515 / MB | 12-MAY-91 | MD | MS | 03 | |
| | | A-A-54389 | PROMETHAZINE HYDROCHLORIDE INJECTION, USP | A 6505 / MB | 30-APR-91 | MD | MS | 03 | |
| | | A-A-54390 | NYSTATIN OINTMENT, USP | A 6505 / MB | 30-APR-91 | MD | MS | 03 | |

| Action | OPL / QML Cooordination Inactive | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | A-A-54391 | CURING UNIT, DENTURE, TWO STAGE | A 6520 / MB | 30-APR-91 | MD | MS | 03 | |
| | | A-A-54392 | HYDROXYPROGESTERONE CAPROATE INJECTION, USP | A 6505 / MB | 30-APR-91 | MD | MS | 03 | |
| | | A-A-54393 | SCISSORS, CORNEAL, CASTROVIEJO | A 6515 / MB | 17-MAY-91 | MD | MS | 03 | |
| | | A-A-54394 | CURETTE, UTERINE, BLUNT, THOMAS | A 6515 / MB | 30-APR-91 | MD | MS | 03 | |
| | | A-A-54395 | GAG, DENHARDT | A 6515 / MB | 30-APR-91 | MD | MS | 03 | |
| | | A-A-54396 | CURETTES, PERIODONTAL (MCCALL) | A 6520 / MB | 30-APR-91 | MD | MS | 03 | |
| | | A-A-54397 | TIP, DENTAL SUCTION APPARATUS, PLASTIC | A 6520 / MB | 30-APR-91 | MD | MS | 03 | |
| | | A-A-54398 | CAVITY LINING AND THINNER SET, DENTAL NITROCELLULOSE BASE | A 6520 / MB | 30-APR-91 | MD | MS | 03 | |
| | | A-A-54399 | SPECULUM, NASAL (VIENNA, 5-3/4 INCH) | A 6515 / MB | 17-MAY-91 | MD | MS | 03 | |
| | | A-A-54401 | DILATOR SET, LACHRYMAL, METTLESHIP-WILDER, SET OF 3 | A 6515 / MB | 17-MAY-91 | MD | MS | 03 | |
| | | A-A-54402 | EXTRACTOR AND LANCET, COMEDO (SAALFELD) | A 6515 / MB | 17-MAY-91 | MD | MS | 03 | |
| | | A-A-54403 | INTRAUTERINE DEVICE, CONTRACEPTIVE | A 6515 / MB | 22-MAY-91 | MD | MS | 03 | |
| | | A-A-54404A | LUMBAR PUNCTURE KIT, STERILE, DISPOSABLE | A 6515 / MB | 29-MAY-92 | MD | MS | 03 | |
| | | A-A-54405 | SPECULUM, EYE (WEEKS, NONMAGNETIC, 3 INCH) | A 6515 / MB | 22-MAY-91 | MD | MS | 03 | |
| | | A-A-54406 | TIP ASSORTMENT, UTERINE CANNULA (PLASTIC, DISPOSABLE) | A 6515 / MB | 17-MAY-91 | MD | MS | 03 | |
| | | A-A-54407 | GOWN, OPERATING, SURGICAL | A 6532 / MB | 17-MAY-91 | MD | MS | 03 | |
| | | A-A-54408 | BLOOD EXCHANGE-TRANSFUSION KIT, DISPOSABLE | A 6515 / MB | 12-SEP-91 | MD | MS | 03 | |
| | | A-A-54409 | BLANKET, BURN, (WATER-GEL TYPE, 6 BY 5 FEET) | A 6510 / MB | 14-JUN-91 | MD | MS | 03 | |
| | | A-A-54410 | HOLDER, SUTURE NEEDLE, COLLIER | A 6515 / MB | 31-MAY-91 | MD | MS | 03 | |
| | | A-A-54411 | CURETTE, UTERINE, MALLEABLE, SHARP, SIMS | A 6515 / MB | 31-MAY-91 | MD | MS | 03 | |
| | | A-A-54412 | CLAMP, BONE AND PLATE HOLDING, LOWMAN'S MODIFIED | A 6515 / MB | 31-MAY-91 | MD | MS | 03 | |
| | | A-A-54413 | FORCEPS, EAR, BAYONET SHAPED, SERRATED JAWS, LUCAE, 5-1/2 INCH | A 6515 / MB | 31-MAY-91 | MD | MS | 03 | |
| | | A-A-54414 | FORCEPS, INTESTINAL, (GLASSMAN) | A 6515 / MB | 31-MAY-91 | MD | MS | 03 | |
| | | A-A-54415 | SNARE, TONSIL, TYDING | A 6515 / MB | 31-MAY-91 | MD | MS | 03 | |
| | | A-A-54416 | PIN, BONE, STEINMANN, BAYONET AND TROCAR POINT | A 6515 / MB | 14-JUN-91 | MD | MS | 03 | |
| | | A-A-54417 | SUSPENSORY, SCROTAL | A 6510 / MB | 15-JUN-91 | MD | MS | 03 | |
| | | A-A-54418 | ADHESIVE TAPE, SURGICAL, (1 INCH BY 10 YARDS PERFORATED) | A 6510 / MB | 14-JUN-91 | MD | MS | 03 | |
| | | A-A-54419 | GAUZE, PETROLATUM | A 6510 / MB | 28-JUN-91 | MD | MS | 03 | |
| | | A-A-54420 | PACK, PETROLATUM GAUZE | A 6510 / MB | 28-JUN-91 | MD | MS | 03 | |
| | | A-A-54421 | SKIN CLOSURE, ADHESIVE, SURGICAL, (POROUS) | A 6510 / MB | 28-JUN-91 | MD | MS | 03 | |
| | | A-A-54422 | PROPAHACAIN HYDROCHLORIDE OPHTHALMIC SOLUTION, USP | A 6505 / MB | 14-JUN-91 | MD | MS | 03 | |
| | | A-A-54423 | PROPYLTHIOURACIL TABLETS, USP | A 6505 / MB | 14-JUN-91 | MD | MS | 03 | |
| | | A-A-54424 | ZINC OXIDE OINTMENT, USP | A 6505 / MB | 14-JUN-91 | MD | MS | 03 | |
| | | A-A-54425 | CLAMPS, ARTERY, DEBAKEY, SHALLOW "U" JAWS | A 6515 / MB | 14-JUN-91 | MD | MS | 03 | |
| | | A-A-54426 | ABRASIVE, DENTAL (PASTE, ALUMINUM OXIDE) | A 6520 / MB | 17-JUN-91 | MD | MS | 03 | |
| | | A-A-54427 | MEASLES, MUMPS AND RUBELLA VIRUS VACCINE, LIVE, USP | A 6505 / MB | 28-JUN-91 | MD | MS | 03 | |
| | | A-A-54428 | DIPHTHERIA AND TETANUS TOXOIDS AND PERTUSSIS VACCINE, ADSORBED, USP | A 6505 / MB | 28-JUN-91 | MD | MS | 03 | |
| | | A-A-54429 | BAG, PLASTIC | A 8105 / MB | 29-JUL-88 | MD | MS | 03 | |
| | | A-A-54430 | PIPET, MEASURING (MOHR) | A 6640 / MB | 14-JUN-91 | MD | MS | 03 | |
| | | A-A-54431 | LEUCOVORIN CALCIUM FOR INJECTION (FREEZE-DRIED) | A 6505 / MB | 28-JUN-91 | MD | MS | 03 | |
| | | A-A-54432 | BOTTLE SET, PHYSICIAN'S SATCHEL | A 6515 / MB | 25-JUN-91 | MD | MS | 03 | |
| | | A-A-54433 | CAP, OPERATING, SURGICAL | A 6532 / MB | 25-JUN-91 | MD | MS | 03 | |
| | | A-A-54434 | DRAPE, OPERATING MICROSCOPE | A 6530 / MB | 25-JUN-91 | MD | MS | 03 | |
| | | A-A-54435 | MASK, SURGICAL (NON-WOVEN FABRIC, POUCH) | A 6515 / MB | 25-JUN-91 | MD | MS | 03 | |
| | | A-A-54436 | PAD, HEAT TREATMENT (ELECTRIC) | A 6530 / MB | 25-JUN-91 | MD | MS | 03 | |
| | | A-A-54437 | PITCHER, CLINICAL SOLUTIONS (ALUMINUM) | A 6530 / MB | 25-JUN-91 | MD | MS | 03 | |
| | | A-A-54438 | PRIMAQUINE PHOSPHATE TABLETS, USP | A 6505 / MB | 28-JUN-91 | MD | MS | 03 | |
| | | A-A-54439 | *PYRANTEL PAMOATE ORAL SUSPENSION, USP* | A 6505 / MB | 28-JUN-91 | MD | MS | 03 | |
| | | A-A-54440 | PROCHLORPERAZINE EDISYLATE INJECTION, USP | A 6505 / MB | 28-JUN-91 | MD | MS | 03 | |
| | | A-A-54441 | CEMENT, ZINC POLYCARBOXYLATE, DENTAL | A 6520 / MB | 15-JUL-91 | MD | MS | 03 | |
| | | A-A-54442 | NIPPER-RONGUER, SUGARMAN | A 6520 / MB | 10-JUL-91 | MD | MS | 03 | |
| | | A-A-54443 | PLATE, GROUNDING, ELECTROSURGICAL | A 6515 / MB | 12-JUL-91 | MD | MS | 03 | |
| | | A-A-54444 | VENTILATOR, VOLUME, PORTABLE | A 6530 / MB | 19-JUL-91 | MD | MS | 03 | |
| | | A-A-54445 | PASTE, PERIODONTAL PROTECTIVE, SURGICAL (SOFT DRESSING) | A 6520 / MB | 15-JUL-91 | MD | MS | 03 | |
| | | A-A-54446 | APPLICATOR, POVIDONE-IODINE IMPREGNATED | A 6510 / MB | 12-JUL-91 | MD | MS | 03 | |
| | | A-A-54447 | SEALANT KIT, DENTAL, PIT AND FISSURE | A 6520 / MB | 19-JUL-91 | MD | MS | 03 | |
| | | A-A-54448 | ADENOTOME, LAFORCE | A 6515 / MB | 31-JUL-91 | MD | MS | 03 | |
| | | A-A-54449 | CLAMP, ARTERY, BULLDOG, GLOVER | A 6515 / MB | 26-JUL-91 | MD | MS | 03 | |
| | | A-A-54450 | CLAMP, BRONCHUS, DOUBLE CURVED, DAEMS, 9-1/2 INCH | A 6515 / MB | 30-SEP-91 | MD | MS | 03 | |
| | | A-A-54451 | CLAMP, VENA CAVA, SATINSKY, LARGE, 10 INCH | A 6515 / MB | 26-JUL-91 | MD | MS | 03 | |
| | | A-A-54452 | OXYTOCIN INJECTION, USP | A 6505 / MB | 26-JUL-91 | MD | MS | 03 | |
| | | A-A-54453 | OXYMETAZOLINE HYDROCHLORIDE NASAL SOLUTION, USP | A 6505 / MB | 26-JUL-91 | MD | MS | 03 | |
| | | A-A-54454 | PHENYLBUTAZONE TABLETS, USP | A 6505 / MB | 26-JUL-91 | MD | MS | 03 | |
| | | A-A-54455 | PREDNISONE TABLETS, USP | A 6505 / MB | 26-JUL-91 | MD | MS | 03 | |
| | | A-A-54456 | PREDNISOLONE ACETATE OPHTHALMIC SUSPENSION, USP | A 6505 / MB | 16-AUG-91 | MD | MS | 03 | |
| | | A-A-54457 | WIRE, NONELECTRICAL, CORROSION RESISTING STEEL | A 6520 / MB | 31-JUL-91 | MD | MS | 03 | |
| | | A-A-54458 | BURNISHER, DENTAL | A 6520 / MB | 31-JUL-91 | MD | MS | 03 | |
| | | A-A-54459 | PANCRELIPASE CAPSULES, USP | A 6505 / MB | 31-JUL-91 | MD | MS | 03 | |
| | | A-A-54460 | FORCEPS, GALLSTONE REMOVING, CURVED, ROCHESTER, 8-1/2 INCH | A 6515 / MB | 31-JUL-91 | MD | MS | 03 | |
| | | A-A-54461 | RESTRAINT SET, WRIST AND ANKLE | A 6530 / MB | 10-FEB-92 | MD | MS | 03 | |
| | | A-A-54462 | ELECTRODE, PACEMAKER | A 6515 / MB | 30-AUG-91 | MD | MS | 03 | |
| | | A-A-54463 | PAPER, ELECTROCARDIOGRAPH RECORDING | A 6515 / MB | 30-AUG-91 | MD | MS | 03 | |
| | | A-A-54464 | RONGEUR, DENTAL | A 6520 / MB | 02-AUG-91 | MD | MS | 03 | |
| | | A-A-54465 | SYRINGE KIT, DENTAL IMPRESSION AND IRRIGATING | A 6520 / MD | 15-AUG-91 | MD | MS | 03 | |
| | | A-A-54466 | HOOD, DENTAL LABORATORY (GRINDING AND POLISHING MACHINE) | A 6520 / MB | 16-AUG-91 | MD | MS | 03 | |
| | | A-A-54467 | SPONGE, SURGICAL, GAUZE (COMPRESSED) | A 6510 / MB | 30-SEP-91 | MD | MS | 03 | |
| | | A-A-54468 | ROLL, ABSORBENT | A 6510 / MB | 30-SEP-91 | MD | MS | 03 | |
| | | A-A-54469 | NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE OTIC SOLUTION, USP | A 6505 / MB | 15-AUG-91 | MD | MS | 03 | |
| | | A-A-54470 | NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE OTIC SUSPENSION, USP | A 6505 / MB | 15-AUG-91 | MD | MS | 03 | |
| | | A-A-54471 | SPLINT, WIRE (MALLEABLE ALUMINUM) | A 6515 / MB | 12-AUG-91 | MD | MS | 03 | |
| | | A-A-54472 | TIP, PIPET (PLASTIC, DISPOSABLE) | A 6640 / MB | 12-AUG-91 | MD | MS | 03 | |
| | | A-A-54473 | CENTRIFUGE, LABORATORY (HEMATOLOGY) | A 6640 / MB | 19-AUG-91 | MD | MS | 03 | |
| | | A-A-54474 | MICROSCOPE, SURGICAL (CO-OBSERVATION, BINOCULAR) | A 6515 / DM | 23-AUG-91 | MD | MS | 03 | DM |
| | | A-A-54475 | REFRIGERATOR, MECHANICAL, BIOLOGICALS (BLOOD BANK) | A 4110 / MB | 30-AUG-91 | MD | MS | 03 | |
| | | A-A-54476 | WATER QUALITY ANALYSIS SET (MBT) | A 6630 / DM | 30-AUG-91 | MD | MS | 03 | DM |
| | | A-A-54477 | GUIDE, PUDENTDAL NEEDLE, 5-1/2 INCH | A 6515 / MB | 30-AUG-91 | MD | MS | 03 | |
| | | A-A-54479 | HEELS, ORTHOPEDIC, CAST | A 6515 / MB | 30-AUG-91 | MD | MS | 03 | |
| A | | A-A-54480 | MASK, FACE, ASEPTIC | A 6532 / MB | 20-NOV-92 | MD | MS | 03 | |
| | | A-A-54481 | SHOE, WALKING CAST, CURVED, ROCKER SOLE | A 6532 / MB | 30-AUG-91 | MD | MS | 03 | |
| | | A-A-54482 | PRIMIDONE TABLETS, USP | A 6505 / MB | 30-SEP-91 | MD | MS | 03 | |
| | | A-A-54484 | HUMIDIFIER, INHALATION THERAPY APPARATUS (PLASTIC, DISPOSABLE, HEAT & MOISTURE EXCHANGER TYPE) | A 6515 / MB | 30-AUG-91 | MD | MS | 03 | |
| | | A-A-54485 | BAGS, CONTAMINATED WASTE (PLASTIC) | A 6530 / MB | 13-SEP-91 | MD | MS | 03 | |
| | | A-A-54486 | FILE, BONE, 3-1/2 INCH BLADE | A 6515 / MB | 16-SEP-91 | MD | MS | 03 | |
| | | A-A-54487 | NEEDLE, HYPODERMIC, MALLEABLE, SPINAL PUNCTURE (LEMMON) | A 6515 / MB | 09-SEP-91 | MD | MS | 03 | |
| | | A-A-54488 | VIBRATOR, DENTAL MOLDING (4 INCH PLATFORM) | A 6520 / MB | 16-SEP-91 | MD | MS | 03 | |
| | | A-A-54489 | ILLUMINATOR SET, VAGINAL SPECULUM | A 6515 / MB | 30-SEP-91 | MD | MS | 03 | |
| | | A-A-54490 | PAV, POVIDONE-IODINE, IMPREGNATED | A 6510 / MB | 30-SEP-91 | MD | MS | 03 | |
| | | A-A-54491 | CANNULA, TRACHEOTOMY, UNIVERSITY OF KANSAS DESIGN | A 6515 / MB | 30-SEP-91 | MD | MS | 03 | |
| | | A-A-54492 | PETROLATUM, WHITE, USP | A 6505 / MB | 30-SEP-91 | MD | MS | 03 | |
| | | A-A-54493 | MECLIZINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB | 30-AUG-91 | MD | MS | 03 | |
| | | A-A-54494 | PANCURONIUM BROMIDE INJECTION | A 6505 / MB | 30-SEP-91 | MD | MS | 03 | |
| | | A-A-54495 | SUPPORTS, LEG CALF (ELASTIC, SEAMLESS) | A 6515 / MB | 25-SEP-91 | MD | MS | 03 | |
| | | A-A-54496 | PACEMAKER, CARDIAC NON-INVASIVE, TEMPORARY, DESK TOP TYPE | A 6515 / MB | 25-SEP-91 | MD | MS | 03 | |

| Action | Doc. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-54497 | PAD, PRESSURE POINT, PHYSICOTHERAPEUTIC (EGGCRATE STYLE FOAM PAD) | A 6530 / MB | 25-SEP-91 | MD | MS | 03 | | |
| | | A-A-54498 | BETAMETHASONE DIPROPIONATE CREAM, USP | A 6505 / MB | 30-SEP-91 | MD | MS | 03 | | |
| | | A-A-54499 | CLINDAMYCIN PHOSPHATE TOPICAL SOLUTION, USP | A 6505 / MB | 30-SEP-91 | MD | MS | 03 | | |
| | | A-A-54500 | CALCIUM CHLORIDE INJECTION, USP | A 6505 / MB | 15-OCT-91 | MD | MS | 03 | | |
| | | A-A-54501 | PENICILLIN V POTASSIUM TABLETS, USP | A 6505 / MB | 15-OCT-91 | MD | MS | 03 | | |
| | | A-A-54502 | MEPERIDINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB | 15-OCT-91 | MD | MS | 03 | | |
| | | A-A-54503 | SCISSORS, COLLAR AND CROWN | A 6520 / MB | 22-OCT-91 | MD | MS | 03 | | |
| | | A-A-54504 | ANALYZER, BLOOD GAS | A 6630 / MB | 18-OCT-91 | MD | MS | 03 | | |
| | | A-A-54505 | RIFAMPIN CAPSULES, USP | A 6505 / MB | 30-OCT-91 | MD | MS | 03 | | |
| | | A-A-54506 | METHICILLIN SODIUM FOR INJECTION, USP | A 6505 / MB | 30-OCT-91 | MD | MS | 03 | | |
| | | A-A-54507 | WAX, DENTAL, BITE, METAL IMPREGNATED | A 6520 / MB | 01-NOV-91 | MD | MS | 03 | | |
| | | A-A-54508 | BURS, BONE SURGERY ("J" NOTCHED) | A 6515 / MB | 08-NOV-91 | MD | MS | 03 | | |
| | | A-A-54509 | TESTER, FLASH POINT, CLOSED-TYPE (120 VOLT, 50/60 HZ, AC) | A 6630 / DM | 01-NOV-91 | MD | MS | 03 | DM | |
| | | A-A-54510 | NITROGLYCERIN OINTMENT, USP | A 6505 / MB | 15-NOV-91 | MD | MS | 03 | | |
| | | A-A-54511 | SCISSORS, GENERAL SURGICAL, NELSON, 9 INCH | A 6515 / MB | 25-NOV-91 | MD | MS | 03 | | |
| | | A-A-54512 | FORCEPS, TONSIL SEIZING, ALLIS-COAKLEY | A 6515 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54513 | SCISSORS, BANDAGE, ANGULAR, LISTER | A 6515 / MB | 06-MAR-92 | MD | MS | 03 | | |
| | | A-A-54514 | FORCEPS, TOWEL, BACKHAUS | A 6515 / MB | 25-NOV-91 | MD | MS | 03 | | |
| | | A-A-54515 | PILOCARPINE OCULAR SYSTEM, USP | A 6505 / MB | 15-NOV-91 | MD | MS | 03 | | |
| | | A-A-54516 | MANITOL INJECTION, USP | A 6505 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54517 | POTASSIUM CHLORINE ORAL SOLUTION, USP | A 6505 / MB | 15-NOV-91 | MD | MS | 03 | | |
| | | A-A-54518 | PASTE, PERIODONTAL PROTECTIVE, SURGICAL (MEDIUM FIRM DRESSING) | A 6520 / MB | 20-NOV-91 | MD | MS | 03 | | |
| | | A-A-54519 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS (BLOOD BANK) | A 6685 / DM | 12-NOV-91 | MD | MS | 03 | DM | |
| | | A-A-54520 | THERMOMETER, SELF-INDICATING, BIMETALLIC | A 6685 / DM | 12-NOV-91 | MD | MS | 03 | DM | |
| | | A-A-54521 | SULFACETAMIDE, SULFABENZAMIDE, SULFATHIAZOLE AND UREA CREAM | A 6505 / MB | 15-NOV-91 | MD | MS | 03 | | |
| | | A-A-54522 | SCREWDRIVER, BONE SCREW (HEXAGONAL SOCKET) | A 6515 / MB | 30-NOV-91 | MD | MS | 03 | | |
| | | A-A-54523 | NYSTATIN ORAL SUSPENSION, USP | A 6505 / MD | 15-NOV-91 | MD | MS | 03 | | |
| | | A-A-54524 | CUP, EARPHONE, AUDIOMETER | A 6515 / MB | 23-NOV-91 | MD | MS | 03 | | |
| | | A-A-54525 | FREEZER, MECHANICAL, BLOOD PRODUCTS | A 4110 / MB | 23-NOV-91 | MD | MS | 03 | | |
| | | A-A-54526 | INDICATOR, STERILIZATION | A 6530 / MB | 25-NOV-91 | MD | MS | 03 | | |
| | | A-A-54527 | PAD, ELECTRODE, DEFIBRILLATOR | A 6515 / MB | 23-NOV-91 | MD | MS | 03 | | |
| | | A-A-54528 | SURGICAL PACK, DISPOSABLE | A 6530 / MB | 23-NOV-91 | MD | MS | 03 | | |
| | | A-A-54529 | ULTRASONIC CLEANING SYSTEM, DENTAL | A 6520 / MB | 23-NOV-91 | MD | MS | 03 | | |
| | | A-A-54530 | SURGICAL PACK, DISPOSABLE | A 6530 / MB | 25-OCT-91 | MD | MS | 03 | | |
| | | A-A-54531 | SULFACETAMIDE SODIUM OPHTHALMIC OINTMENT, USP | A 6505 / MB | 25-NOV-91 | MD | MS | 03 | | |
| | | A-A-54532 | SECOBARBITAL SODIUM CAPSULES, USP | A 6505 / MB | 25-NOV-91 | MD | MS | 03 | | |
| | | A-A-54533 | FORCEPS, INTESTINAL, STRAIGHT, BABCOCK | A 6515 / MB | 25-NOV-91 | MD | MS | 03 | | |
| | | A-A-54534 | CURRET, EYE, KNAPP, 5 INCH | A 6515 / MB | 25-NOV-91 | MD | MS | 03 | | |
| | | A-A-54535 | RETRACTOR, MASTOID, JANSEN, 3-VS-3, BLUNT PRONGS | A 6515 / MB | 25-NOV-91 | MD | MS | 03 | | |
| | | A-A-54536 | RETRACTOR, EYELID, NONMAGNETIC, DESMARRES, 5-1/2 INCH | A 6515 / MB | 31-DEC-91 | MD | MS | 03 | | |
| | | A-A-54537 | FORCEPS, FIXATION, STRAIGHT, NONMAGNETIC, 4-1/2 INCH | A 6515 / MB | 25-NOV-91 | MD | MS | 03 | | |
| | | A-A-54538 | INJECTOR, TUBE, PLASTIC, REUSABLE | A 6515 / MB | 20-DEC-91 | MD | MS | 03 | | |
| A | | A-A-54539 | FORCEPS, HYSTERECTOMY, STRAIGHT (BALLENTINE) | A 6515 / MB | 12-MAR-93 | MD | MS | 03 | | |
| | | A-A-54540 | RETRACTOR, EYELID, (JAEGER, 3-1/2 INCH) | A 6515 / MB | 20-DEC-91 | MD | MS | 03 | | |
| | | A-A-54541 | SPREADER, PLASTIC CAST (STRYKER) | A 6515 / MB | 06-DEC-91 | MD | MS | 03 | | |
| A | | A-A-54542 | CANNULA, ESOPHAGEAL, ASPIRATING, CURVED, JACKSON, 4 MM DIAMETER | A 6515 / MB | 15-JAN-93 | MD | MS | 03 | | |
| | | A-A-54543 | FORCEPS, HYSTERECTOMY, HEANEY | A 6515 / MB | 28-FEB-92 | MD | MS | 03 | | |
| | | A-A-54544 | FORCEPS, BONE HOLDING (SELF-CENTERING) | A 6515 / MB | 20-MAR-92 | MD | MS | 03 | | |
| | | A-A-54545 | FORCEPS, INTESTINAL, (DOYEN) | A 6515 / MB | 30-APR-92 | MD | MS | 03 | | |
| | | A-A-54546 | FORCEPS, TOWEL, NONPERFORATING | A 6515 / MB | 28-FEB-92 | MD | MS | 03 | | |
| | | A-A-54547 | FORCEPS, OBSTETRICAL, LUIKART-MCLEAN | A 6515 / MB | 20-MAR-92 | MD | MS | 03 | | |
| | | A-A-54548 | FORCEPS, CONJUNCTIVAL, STRAIGHT, NONMAGNETIC | A 6515 / MB | 20-MAR-92 | MD | MS | 03 | | |
| | | A-A-54549 | RONGEUR, CURVED, BANE, 7 INCH | A 6515 / MB | 20-MAR-92 | MD | MS | 03 | | |
| | | A-A-54550 | TUBING, ASSEMBLY, BAG, ASEPTIC SOLUTION | A 6515 / MB | 20-DEC-91 | MD | MS | 03 | | |
| | | A-A-54551 | POUCH, LIQUID ABSORBENT (BREAK OPEN TYPE) | A 6530 / MB | 20-DEC-91 | MD | MS | 03 | | |
| | | A-A-54552 | POUCH, LIQUID ABSORBENT | A 6530 / MB | 20-DEC-91 | MD | MS | 03 | | |
| | | A-A-54553 | MASK, SURGICAL | A 6515 / MB | 31-DEC-91 | MD | MS | 03 | | |
| | | A-A-54554 | SAW, FINGER RING | A 6515 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54555 | SPONGE, LAPAROTOMY | A 6510 / MB | 15-DEC-91 | MD | MS | 03 | | |
| | | A-A-54556 | BAG, SPECIMEN | A 6530 / MB | 20-DEC-91 | MD | MS | 03 | | |
| | | A-A-54557 | ELECTRODE, PACEMAKER | A 6515 / MB | 24-DEC-91 | MD | MS | 03 | | |
| | | A-A-54558 | BURN CARE KIT, MEDICAL | A 6515 / MB | 24-JAN-92 | MD | MS | 03 | | |
| | | A-A-54559 | BEAKER, WATER | A 6530 / MB | 24-JAN-92 | MD | MS | 03 | | |
| | | A-A-54560 | SELENIUM SULFIDE LOTION, USP | A 6505 / MB | 31-DEC-91 | MD | MS | 03 | | |
| | | A-A-54561 | SPIRONOLACTONE TABLETS, USP | A 6505 / MB | 31-DEC-91 | MD | MS | 03 | | |
| | | A-A-54562 | SODIUM FLUORIDE TABLETS, USP | A 6505 / MB | 31-DEC-91 | MD | MS | 03 | | |
| | | A-A-54563 | LIDOCAINE HYDROCHLORIDE JELLY, USP | A 6505 / MB | 31-DEC-91 | MD | MS | 03 | | |
| | | A-A-54564 | SPIRONOLACTONE AND HYDROCHLOROTHIAZIDE TABLETS | A 6505 / MB | 31-DEC-91 | MD | MS | 03 | | |
| | | A-A-54565 | SULFIXOXAZOLE TABLETS, USP | A 6505 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54566 | SULFACETAMIDE SODIUM OPHTHALMIC SOLUTION, USP | A 6505 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54567 | SPECULUM, VAGINAL, PLASTIC | A 6515 / MB | 24-JAN-92 | MD | MS | 03 | | |
| | | A-A-54568 | SCISSORS, TENOTOMY, CURVED, WESTCOTT, 4-1/2 INCH | A 6515 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54569 | FORCEPS, HEMOSTATIC, COARCTATION, STRAIGHT, 8-3/4 INCH | A 6515 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54570 | HOLDER, SUTURE NEEDLE, BROWN | A 6515 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54571 | HOLDER, SUTURE NEEDLE (MEGAR-MAYO) | A 6515 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54572 | RETRACTOR, TRACHEAL, HUPP | A 6515 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54573 | SCISSORS-DAGGER, TRACHEOTOMY, UNIVERSITY OF KANSAS DESIGN, CURVED BLADES, 5-3/16 INCH LONG | A 6515 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54574 | FORCEPS, BULLETS EXTRACTING, SENN, 8 INCH | A 6515 / MB | 17-JAN-92 | MD | MS | 03 | | |
| | | A-A-54575 | DRAINING KIT, CLOSED SUCTION JACKSON-PRATT | A 6515 / MB | 24-JAN-92 | MD | MS | 03 | | |
| | | A-A-54576 | AUDIOMETER | A 6515 / MB | 24-JAN-92 | MD | MS | 03 | | |
| | | A-A-54577 | BAG, SPECIMEN | A 6530 / MB | 20-JAN-92 | MD | MS | 03 | | |
| | | A-A-54578 | SUCCINYLCHOLINE CHLORIDE, STERILE, USP | A 6505 / MB | 24-JAN-92 | MD | MS | 03 | | |
| | | A-A-54579 | INSTRUMENT SET, SURGICAL, DISSECTION, VITREORETINAL | A 6515 / MB | 28-FEB-92 | MD | MS | 03 | | |
| | | A-A-54580 | FILES, PULP CANAL, DENTAL (RHOMBOIDAL) | A 6520 / MB | 20-APR-92 | MD | MS | 03 | | |
| | | A-A-54582 | SPECTINOMYCIN HYDROCHLORIDE, STERILE, USP | A 6505 / MB | 31-JAN-92 | MD | MS | 03 | | |
| | | A-A-54583 | LABEL (FOUR PART, TAMPER EVIDENT) | A 7530 / MB | 03-FEB-92 | MD | MS | 03 | | |
| | | A-A-54584 | RAZOR, SURGICAL PREPARATION | A 6515 / MB | 10-FEB-92 | MD | MS | 03 | | |
| | | A-A-54586 | SCISSORS, BANDAGE, ANGULAR, 7-1/4 INCH | A 6515 / MB | 14-FEB-92 | MD | MS | 03 | | |
| | | A-A-54587 | THIABENDAZOLE ORAL SUSPENSION, USP | A 6505 / MB | 14-FEB-92 | MD | MS | 03 | | |
| | | A-A-54588 | SUPPORT, CERVICAL | A 6515 / MB | 10-FEB-92 | MD | MS | 03 | | |
| A | | A-A-54589A | TAPES, SEALING, STERILIZATION INDICATOR | A 6530 / MB | 16-APR-93 | MD | MC | 03 | | |
| | | A-A-54590 | NEOMYCIN AND POLYMYXIN B SULFATES, BACITRACIN ZINC, AND HYDROCORTISONE OPHTHALMIC OINTMENT, USP | A 6505 / MB | 14-FEB-92 | MD | MS | 03 | | |
| | | A-A-54591 | TETRACAINE AND MENTHOL OINTMENT, USP | A 6505 / MB | 14-FEB-92 | MD | MS | 03 | | |
| | | A-A-54592 | TETRACYCLINE HYDROCHLORIDE CAPSULES | A 6505 / MB | 14-FEB-92 | MD | MS | 03 | | |
| | | A-A-54593 | ROLL, COTTON TAPE, (RADIOPAQUE) | A 6510 / MB | 14-FEB-92 | MD | MS | 03 | | |
| | | A-A-54594 | CEPHRADINE CAPSULES, USP | A 6505 / MB | 14-FEB-92 | MD | MS | 03 | | |
| | | A-A-54595 | CHLORPROPAMIDE TABLETS, USP | A 6505 / MB | 14-FEB-92 | MD | MS | 03 | | |
| | | A-A-54596 | CURETTE, PERIODONTAL (COLUMBIA) | A 6520 / MB | 28-FEB-92 | MD | MS | 03 | | |
| | | A-A-54597 | STERILIZER, SURGICAL INSTRUMENT AND DRESSING | A 6530 / MB | 06-MAR-92 | MD | MS | 03 | | |
| | | A-A-54598 | CLIPPER, HAIR, AND BLADE SETS (SMALL ANIMAL) REVIEWER: CS | A 3770 / MB | 06-MAR-92 | MD | MS | 03 | | |
| | | A-A-54599 | BANDS, PERSONAL IDENTIFICATION | A 6530 / MB | 06-MAR-92 | MD | MS | 03 | | |
| | | A-A-54601 | ULTRASONIC PROPHYLAXIS UNIT, DENTAL, PORTABLE | A 6520 / MB | 20-MAR-92 | MD | MS | 03 | | |

| Action | QPL / QML Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-54602 | STOCKINET, SURGICAL (COTTON, 25 YARDS, ROLLED) | A | 6510 | / MB | MD | 30-MAR-92 | MD | MS | | 03 |
| | | A-A-54603 | SULFUR AND SALICYLIC ACID CREAM | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54604 | TROPICAMIDE OPHTHALMIC SOLUTION, USP | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54605 | TRIMETHOBENZAMIDE HYDROCHLORIDE AND BENZOCAINE SUPPOSITORIES | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54606 | THEOPHYLLINE AND GUAIFENESIN CAPSULES | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54607 | TETRAHYDROZOLINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54608 | SILVER NITRATE APPLICATORS | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54609 | SULFISOXAZOLE ACETYL ORAL SUSPENSION, USP | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54610 | TETRACYCLINE ORAL SUSPENSION, USP | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54611 | TETRACAINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54612 | TEST KIT, HUMAN CHORIONIC GONADOTROPIN DETERMINATION | A | 6550 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54613 | TEST KIT, BILIRUBIN DETERMINATION | A | 6550 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54614 | SODIUM PHOSPHATES ENEMA, USP | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54615 | FORCEPS, BIOPSY, UTERINE, GAYLOR, THOMS MODIFICATION | A | 6515 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54616 | FORCEPS, BONE HOLDING, STRAIGHT, LANE | A | 6515 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54617 | SCISSORS, TENOTOMY, SUB-MINIATURE | A | 6515 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54618 | CURETTE, CHALAZION, MEYHOEFER | A | 6515 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| | | A-A-54619 | SCISSORS, NASAL, FORMON | A | 6515 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| A | | A-A-54620 | ARTHROSCOPIC SYSTEM, SURGICAL, 4 MM | A | 6515 | / MB | MD | 21-AUG-92 | MD | MS | | 03 |
| | | A-A-54621 | SUCCINYLCHOLINE CHLORIDE INJECTION, USP | A | 6505 | / MB | MD | 20-MAR-92 | MD | MS | | 03 |
| | | A-A-54622 | ARTHROGRAM KIT, DISPOSABLE, 10S | A | 6515 | / MB | MD | 31-MAR-92 | MD | MS | | 03 |
| | | A-A-54623 | MASK, TRACHEOSTOMY, PLASTIC, DISPOSABLE | A | 6515 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54624 | LAMP, INCANDESCENT | A | 6240 | / MB | MD | 17-APR-92 | MD | MS | | 03 |
| | | A-A-54625 | CUTTER, ORTHOPEDIC CAST, STRYKER, 110 VOLT, AC-DC | A | 6515 | / MB | MD | 15-APR-92 | MD | MS | | 03 |
| | | A-A-54626 | LANCE KIT, FINGER BLEEDING | A | 6515 | / MB | MD | 20-APR-92 | MD | MS | | 03 |
| | | A-A-54627 | FORCEPS EAR, HARTMAN-HERZFELD, STRAIGHT | A | 6515 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54628 | SLIDE, MICROSCOPE (PLAIN) | A | 6640 | / MB | MD | 17-APR-92 | MD | MS | | 03 |
| | | A-A-54629 | BLANKET, BURN RELIEF | A | 6532 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54630 | DISPENSER, SCRUB BRUSH | A | 7920 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54631 | STRAP, ABDOMINAL, TRANSDUCER | A | 6515 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54632 | HOLSTER KIT, PHYSICIAN, COMPARTMENTED | A | 6515 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54633 | CATHETERIZATION SET, CARDIOVASCULAR | A | 6515 | / MB | MD | 30-MAY-92 | MD | MS | | 03 |
| | | A-A-54634 | TRETINOIN CREAM, USP | A | 6505 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54635 | TOLNAFTATE CREAM, USP | A | 6505 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54636 | TOLNAFTATE TOPICAL SOLUTION, USP | A | 6505 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54637 | UNDECYLENIC ACID OINTMENT, COMPOUND, USP | A | 6505 | / MB | MD | 15-MAY-92 | MD | MS | | 03 |
| | | A-A-54638 | SHAMPOO, MEDICATED, COAL TAR EXTRACT, SALICYLIC ACID, AND SULFUR | A | 6505 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54639 | FORCEPS, IRIS, GRAEFE | A | 6515 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54640 | FORCEPS, EAR, SERRATED JAWS, HARTMANN | A | 6515 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54641 | FORCEPS, LUNG GRASPING, COLLIN, 8 INCH | A | 6515 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54642 | SLIPPERS, CONVALESCENT PATIENT'S (POLYURETHANE FOAM, DISPOSABLE) | A | 6532 | / MB | MD | 17-MAY-92 | MD | MS | | 03 |
| | | A-A-54643 | DEFIBRILLATOR/ECG MONITOR-RECORDER (WITH EXTERNAL NON-INVASIVE CARDIAC PACING CASSETTE) | A | 6515 | / MB | MD | 17-MAY-92 | MD | MS | | 03 |
| | | A-A-54644 | METHYLERGONOVINE MALEATE INJECTION , USP | A | 6505 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| | | A-A-54645 | PENTOBARBITAL SODIUM INJECTION, USP | A | 6505 | / MB | MD | 30-APR-92 | MD | MS | | 03 |
| A | | A-A-54646A | SUCTION SET, TRACHEAL | A | 6515 | / MB | MD | 19-FEB-93 | MD | MS | | 03 |
| | | A-A-54647 | WIRE, BONE, KIRSCHNER | A | 6515 | / MB | MD | 22-MAY-92 | MD | MS | | 03 |
| | | A-A-54648 | PENTAZOCINE AND NALOXONE HYDROCHLORIDES TABLETS, USP | A | 6505 | / MB | MD | 15-MAY-92 | MD | MS | | 03 |
| | | A-A-54649 | BONE PLATE, NARROW | A | 6515 | / MB | MD | 15-MAY-92 | MD | MS | | 03 |
| | | A-A-54650 | CRANIOTOME SET, NEUROSURGICAL AIR POWERED | A | 6515 | / MB | MD | 15-MAY-92 | MD | MS | | 03 |
| | | A-A-54652 | CATHETER, URETHRAL, X-RAY, WHISTLE TIP | A | 6515 | / MB | MD | 30-MAY-92 | MD | MS | | 03 |
| | | A-A-54653 | TOLBUTAMIDE TABLETS, USP | A | 6505 | / MB | MD | 15-MAY-92 | MD | MS | | 03 |
| | | A-A-54654 | DEXAMETHASONE SODIUM PHOSPHATE INJECTION, USP | A | 6505 | / MB | MD | 29-MAY-92 | MD | MS | | 03 |
| | | A-A-54655 | DISSECTOR, SURGICAL (KITTNER) | A | 6510 | / MB | MD | 15-MAY-92 | MD | MS | | 03 |
| | | A-A-54656 | IMMERSION OIL, MICROSCOPY | A | 6640 | / MB | MD | 15-MAY-92 | MD | MS | | 03 |
| | | A-A-54657 | CURING SYSTEM, DENTAL, VISIBLE LIGHT | A | 6520 | / MB | MD | 29-MAY-92 | MD | MS | | 03 |
| | | A-A-54658 | CRUTCH, ALUMINUM, CAN TYPE, ADJUSTABLE | A | 6515 | / MB | MD | 30-MAY-92 | MD | MS | | 03 |
| | | A-A-54659 | TRIFLUOPERAZINE HYDROCHLORIDE TABLETS, USP | A | 6505 | / MB | MD | 22-MAY-92 | MD | MS | | 03 |
| | | A-A-54660 | TRIAMCINOLONE ACETONIDE DENTAL PASTE, USP | A | 6505 | / MB | MD | 22-MAY-92 | MD | MS | | 03 |
| | | A-A-54661 | THYROID TABLETS, USP | A | 6505 | / MB | MD | 22-MAY-92 | MD | MS | | 03 |
| | | A-A-54662 | TEST STRIPS AND COLOR CHART, URINARY GLUCOSE AND PROTEIN | A | 6550 | / MB | MD | 22-MAY-92 | MD | MS | | 03 |
| | | A-A-54663 | SULFAMETHOXAZOLE AND TRIMETHOPRIM TABLETS, USP | A | 6505 | / MB | MD | 22-MAY-92 | MD | MS | | 03 |
| | | A-A-54664 | NEEDLE, HYPODERMIC, CARTRIDGE TYPE, DISPOSABLE | A | 6515 | / MB | MD | 29-MAY-92 | MD | MS | | 03 |
| | | A-A-54665 | FORCEPS, OBSTETRICAL, PIPER, 17-1/2 INCH | A | 6515 | / MB | MD | 29-MAY-92 | MD | MS | | 03 |
| | | A-A-54666 | FORCEPS, BONE CUTTING, STRAIGHT, LISTON, 8-3/4 INCH | A | 6515 | / MB | MD | 29-MAY-92 | MD | MS | | 03 |
| | | A-A-54668 | FORCEPS, OBSTETRICAL, SIMPSON | A | 6515 | / MB | MD | 29-MAY-92 | MD | MS | | 03 |
| | | A-A-54669 | FORCEPS, HEMOSTATIC CLIP, APPLYING, SMITHWICK | A | 6515 | / MB | MD | 29-MAY-92 | MD | MS | | 03 |
| | | A-A-54670 | PLUGGER, COMPOSITE RESIN, (DR. FELT, DOUBLE-ENDED) | A | 6520 | / MB | MD | 15-JUN-92 | MD | MS | | 03 |
| | | A-A-54671 | INHALER, MEDICAMENT, PLASTIC | A | 6515 | / MB | MD | 15-JUN-92 | MD | MS | | 03 |
| | | A-A-54672 | ANESTHESIA KIT, LARYNGOTHRACHEAL, DISPOSABLE | A | 6515 | / MB | MD | 15-JUN-92 | MD | MS | | 03 |
| A | | A-A-54673 | DRAIN, SURGICAL, RUBBER, WHISTLE TIP, RIGHT ANGLE, 13 INCHES LONG, 3-1/2 INCH LEG | A | 6515 | / MB | MD | 15-JUN-92 | MD | MS | | 03 |
| | | A-A-54674 | BOX, PATHOLOGICAL SPECIMEN SHIPPING, INSULATED | A | 8115 | / MB | MD | 22-JUN-92 | MD | MS | | 03 |
| | | A-A-54675 | BAND AND BAND SET, MATRIX, DENTAL, TOFFLEMIRE | A | 6520 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| | | A-A-54676 | SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, TUBERCULIN | A | 6515 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| | | A-A-54677 | TOLNAFTATE POWDER, USP | A | 6505 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| A | | A-A-54678 | SIMETHICONE TABLETS, USP | A | 6505 | / MB | MD | 17-JUL-92 | MD | MS | | 03 |
| | | A-A-54679 | NEOMYCIN AND POLYMYXIN B SULFATES AND BACITRACIN ZINC OPHTHALMIC OINTMENT, USP | A | 6505 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| | | A-A-54680 | NEOMYCIN SULFATE AND BACITRACIN OINTMENT, USP | A | 6505 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| | | A-A-54681 | RONGEUR, ANGULARY, STILLE, 8-3/4 INCH | A | 6515 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| A | | A-A-54682 | FORCEPS, TISSUE, DEBAKEY | A | 6515 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| A | | A-A-54683 | HOLDER, SUTURE NEEDLE, DEBAKEY | A | 6515 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| | | A-A-54684 | CONTRACTOR, RIB, BAILEY | A | 6515 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| | | A-A-54685 | TROCAR, COAKLEY, ANTRUM | A | 6515 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| | | A-A-54686 | PLUGGER, AMALGAM, DENTAL (MARKLEY) | A | 6520 | / MB | MD | 19-JUN-92 | MD | MS | | 03 |
| | | A-A-54687 | CARTRIDGE, WATER DEMINERALIZER | A | 4610 | / MB | MD | 22-JUN-92 | MD | MS | | 03 |
| | | A-A-54688 | NET, INSECT | A | 6640 | / MB | MD | 22-JUN-92 | MD | MS | | 03 |
| A | | A-A-54689 | STERILIZER, SURGICAL DRESSING (PRESSURE) | A | 6530 | / MB | MD | 25-JUN-92 | MD | MS | | 03 |
| A | | A-A-54690 | PAD, ELECTRODE, DEFIBRILLATOR | A | 6515 | / MB | MD | 25-JUN-92 | MD | MS | | 03 |
| A | | A-A-54691 | LIGHT, FLOOR | A | 6530 | / MB | MD | 25-JUN-92 | MD | MS | | 03 |
| A | | A-A-54692 | CAGE, ANIMAL | A | 3770 | / MB | MD | 24-JUL-92 | MD | MS | | 03 |
| A | | A-A-54694 | CALIPER, DENTAL, METAL THICKNESS | A | 6520 | / MB | MD | 22-JUN-92 | MD | MS | | 03 |
| | | A-A-54695 | PSYCHROMETER (SLING) | A | 6685 | / MB | MD | 29-JUN-92 | MD | MS | | 03 |
| A | | A-A-54696 | SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, ALLERGY | A | 6515 | / MB | MD | 11-SEP-92 | MD | MS | | 03 |
| A | | A-A-54697 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS, INCUBATOR, 0 DEG. TO 70 DEG. C | A | 6685 | / MB | MD | 13-JUL-92 | MD | MS | | 03 |
| A | | A-A-54698 | GAGE, COMPOUND PRESSURE-VACUUM, DIAL INDICATING | A | 6685 | / MB | MD | 06-JUL-92 | MD | MS | | 03 |
| A | | A-A-54699 | THERMOMETER, SELF-INDICATING, BIMETALLIC, DIAL, 8-1/2 INCH | A | 6685 | / MB | MD | 13-JUL-92 | MD | MS | | 03 |
| A | | A-A-54700 | NITROFURANTOIN ORAL SUSPENSION, USP | A | 6505 | / MB | MD | 01-JUL-92 | MD | MS | | 03 |
| A | | A-A-54701 | PROCHLORPERAZINE MALEATE TABLETS, USP | A | 6505 | / MB | MD | 01-JUL-92 | MD | MS | | 03 |
| A | | A-A-54702 | METRONIDAZOLE TABLETS, USP | A | 6505 | / MB | MD | 01-JUL-92 | MD | MS | | 03 |
| A | | A-A-54703 | DEMINERALIZER, WATER, ION EXCHANGE, HAND OPERATED | A | 4610 | / MB | MD | 20-JUL-92 | MD | MS | | 03 |
| A | | A-A-54704 | GLUCOSE, ENZYMATIC TEST STRIP, USP | A | 6550 | / MB | MD | 17-JUL-92 | MD | MS | | 03 |

| Action | GRL / CAGE Coordination Indicator | Document Number | Document Title | Dist. Symbol FSC / Area MICA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| A | | A-A-54705 | FUNNEL, COMMON, LABORATORY | A 6640 / MB 20-JUL-92 | MD | MS | | 03 |
| A | | A-A-54706 | INDICATOR, STERILIZATION, GAS | A 6530 / MB 24-JUL-92 | MD | MS | | 03 |
| A | | A-A-54707 | INDICATOR, STERILIZATION | A 6530 / MB 24-JUL-92 | MD | MS | | 03 |
| A | | A-A-54708 | STERILIZER, SURGICAL INSTRUMENT AND DRESSING (AUTOCLAVE) | A 6530 / MB 24-JUL-92 | MD | MS | | 03 |
| A | | A-A-54710 | NEEDLE, HYPODERMIC, SPINAL ANESTHESIA, TUOHY | A 6515 / MB 14-AUG-92 | MD | MS | | 03 |
| A | | A-A-54712 | VACUUM PUMP, ROTARY, POWER DRIVEN, SMALL | A 4310 / MB 31-JUL-92 | MD | MS | | 03 |
| A | | A-A-54713 | STOPCOCK, SURGICAL SYRINGE, THREE WAY, AYER | A 6515 / MB 14-AUG-92 | MD | MS | | 03 |
| A | | A-A-54714 | STOPCOCK, SURGICAL SYRINGE, ONE WAY | A 6515 / MB 14-AUG-92 | MD | MS | | 03 |
| A | | A-A-54715 | STOPCOCK, SURGICAL SYRINGE, 3-WAY, TUOHY | A 6515 / MB 14-AUG-92 | MD | MS | | 03 |
| A | | A-A-54716 | BAG, TUBE FITTING | A 6515 / MB 10-SEP-92 | MD | MS | | 03 |
| A | | A-A-54717 | COMPRESSOR AND OXYGEN BLENDER, VENTILATOR (PORTABLE, BATTERY AND LINE POWERED) | A 6530 / MB 10-SEP-92 | MD | MS | | 03 |
| A | | A-A-54718 | DRAPE, SURGICAL | A 6350 / MB 10-AUG-92 | MD | MS | | 03 |
| A | | A-A-54719 | NEBULIZER-MANIFOLD ASSEMBLY, INHALATION THERAPY APPARATUS | A 6515 / MB 10-AUG-92 | MD | MS | | 03 |
| A | | A-A-54720 | GAGE, FRUIT AND VEGETABLE SIZING | A 6695 / MB 03-AUG-92 | MD | MS | | 03 |
| A | | A-A-54721 | WATER BATH, ELECTRIC | A 6640 / MB 03-AUG-92 | MD | MS | | 03 |
| A | | A-A-54722 | PENICILLIN G PROCAINE SUSPENSION, STERILE, USP | A 6505 / MB 14-AUG-92 | MD | MS | | 03 |
| A | | A-A-54723 | CORROSION TEST STRIP, COPPER, 3 BY 1/2 INCH | A 6640 / MB 10-AUG-92 | MD | MS | | 03 |
| A | | A-A-54724 | PENICILLIN G POTASSIUM FOR INJECTION, USP | A 6505 / MB 14-AUG-92 | MD | MS | | 03 |
| A | | A-A-54725 | TEST TUBE, HEMATOCRIT DETERMINATION, WINTROBE, DISPOSABLE | A 6640 / MB 10-AUG-92 | MD | MS | | 03 |
| A | | A-A-54726 | WIRE FABRIC (FOR SURGICAL USE) | A 5335 / MB 10-AUG-92 | MD | MS | | 03 |
| A | | A-A-54727 | DISK, COLOR STANDARDS, ANTI-ICING ADDITIVE | A 6630 / MB 10-AUG-92 | MD | MS | | 03 |
| A | | A-A-54728 | PROPOXYPHENE HYDROCHLORIDE CAPSULES, USP | A 6505 / MB 18-SEP-92 | MD | MS | | 03 |
| A | | A-A-54729 | PSEUDOEPHEDRINE HYDROCHLORIDE TABLETS, USP | A 6505 / MB 25-SEP-92 | MD | MS | | 03 |
| A | | A-A-54730 | MUMPS VIRUS VACCINE, LIVE, USP | A 6505 / MB 28-AUG-92 | MD | MS | | 03 |
| A | | A-A-54731 | PAPER, BIBULOUS AND LENS 4 X 6 INCHES, 12S | A 6640 / MB 10-AUG-92 | MD | MS | | 03 |
| A | | A-A-54732 | FORCEPS, DRESSING (DENTAL) | A 6520 / MB 30-SEP-92 | MD | MS | | 03 |
| A | | A-A-54733 | GRADUATE, LIQUID, LABORATORY, PLASTIC | A 6640 / MB 11-SEP-92 | MD | MS | | 03 |
| A | | A-A-54734 | FILTER UNIT, CONTAMINATION ANALYSIS, GRAVIMETRIC | A 6630 / MB 11-SEP-92 | MD | MS | | 03 |
| A | | A-A-54735 | STERILIZER, SURGICAL INSTRUMENT AND RESIN | A 6530 / MB 10-SEP-92 | MD | MS | | 03 |
| A | | A-A-54736 | THERMOMETER, CLINICAL, HUMAN (ELECTRONIC, BATTERY POWERED, WITH BATTERY CHARGER) | A 6515 / MB 23-NOV-92 | MD | MS | | 03 |
| A | | A-A-54737 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 16 GAUGE, RADIOPAQUE, DISPOSABLE (CATHERER INTO NEEDLE) | A 6515 / MB 16-OCT-92 | MD | MS | | 03 |
| A | | A-A-54738 | PIPETTING MACHINE, SEMI-AUTOMATIC | A 6640 / MB 11-SEP-92 | MD | MS | | 03 |
| A | | A-A-54739 | CASSEROLE, LABORATORY (PORCELAIN) | A 6640 / MB 01-SEP-92 | MD | MS | | 03 |
| A | | A-A-54740 | CRUCIBLE, FILTERING, LABORATORY (GOOCH, LOW FORM) | A 6640 / MB 01-SEP-92 | MD | MS | | 03 |
| A | | A-A-54741 | QUINIDINE SULFATE TABLETS, USP | A 6505 / MB 18-SEP-92 | MD | MS | | 03 |
| A | | A-A-54742 | PROBENECID TABLETS, USP | A 6505 / MB 18-SEP-92 | MD | MS | | 03 |
| A | | A-A-54743 | PROCAINAMIDE HYDROCHLORIDE CAPSULES, USP | A 6505 / MB 25-SEP-92 | MD | MS | | 03 |
| A | | A-A-54744 | MICONAZOLE NITRATE CREAM, USP | A 6505 / MB 25-SEP-92 | MD | MS | | 03 |
| A | | A-A-54745 | QUINIDINE GLUCONATE TABLETS | A 6505 / MB 25-SEP-92 | MD | MS | | 03 |
| A | | A-A-54746 | STOPCOCK, INTRAVENOUS THERAPY, 3-WAY, PLASTIC | A 6515 / MB 25-SEP-92 | MD | MS | | 03 |
| A | | A-A-54747 | BANDAGE, FELT, ORTHOPEDIC, (RAYON) | A 6510 / MB 15-SEP-92 | MD | MS | | 03 |
| A | | A-A-54748 | WADDING, COTTON SURGICAL | A 6510 / MB 15-SEP-92 | MD | MS | | 03 |
| A | | A-A-54749 | SPONGE, SURGICAL (FOR FORCEPS) | A 6510 / MB 15-SEP-92 | MD | MS | | 03 |
| A | | A-A-54750 | METHYLPHENIDATE HYDROCHLORIDE TABLETS, USP | A 6505 / MB 18-DEC-92 | MD | MS | | 03 |
| A | | A-A-54751 | DISH, BIOLOGICAL PREPARATION (STENDER DESIGN) | A 6640 / MB 21-SEP-92 | MD | MS | | 03 |
| A | | A-A-54752 | DISK, FILTERING, MICROPOROUS | A 6640 / MB 21-SEP-92 | MD | MS | | 03 |
| A | | A-A-54753 | LOOP, VASCULAR, SURGICAL | A 6515 / MB 09-OCT-92 | MD | MS | | 03 |
| A | | A-A-54755 | BANDAGE, GAUZE, SIX-PLY, 4-1/2 INCHES WIDE BY 4 YARDS | A 6510 / MB 30-SEP-92 | MD | MS | | 03 |
| A | | A-A-54756 | BANDAGE, FELT, ORTHOPEDIC (COTTON) | A 6510 / MB 30-SEP-92 | MD | MS | | 03 |
| A | | A-A-54757 | PAD, COTTON, GAUZE COVERED (EYE PAD) | A 6510 / MB 30-SEP-92 | MD | MS | | 03 |
| A | | A-A-54758 | STAND, SHELF (CORROSION RESISTING STEEL) | A 6530 / MB 15-OCT-92 | MD | MS | | 03 |
| A | | A-A-54759 | CANISTER AND TIMER SYSTEM (OROPHARYNGEAL SUCTION APPARATUS) | A 6515 / MB 15-OCT-92 | MD | MS | | 03 |
| | | A-A-54760 | TUBERCULIN, USP | A 6505 / MB 31-MAR-93 | MD | MS | | 03 |
| A | | A-A-54760/1 | TUBERCULIN, USP, PURIFIED PROTEIN DERIVATIVE (PPD) | A 6505 / MB 31-MAR-93 | MD | MS | | 03 |
| A | | A-A-54760/2 | TUBERCULIN, USP, OLD, LIQUID | A 6505 / MB 31-MAR-93 | MD | MS | | 03 |
| A | | A-A-54760/3 | TUBERCULIN, USP, OLD, DRIED | A 6505 / MB 31-MAR-93 | MD | MS | | 03 |
| A | | A-A-54761 | TIP ASSEMBLY, SONIC PROPHYLAXIS UNIT, DENTAL | A 6520 / MB 20-NOV-92 | MD | MS | | 03 |
| A | | A-A-54762 | PAN, BIOLOGICAL STAINING | A 6640 / MB 19-OCT-92 | MD | MS | | 03 |
| A | | A-A-54763 | PAPER, GLASSINE, WEIGHING | A 8134 / MB 19-OCT-92 | MD | MS | | 03 |
| A | | A-A-54764 | BAGS, WET DRESSING | A 6515 / MB 24-OCT-92 | MD | MS | | 03 |
| A | | A-A-54765 | LABEL, PRESSURE SENSITIVE ADHESIVE | A 7690 / MB 06-NOV-92 | MD | MS | | 03 |
| A | | A-A-54766 | RACK, TEST TUBE, LABORATORY, POLYPROPYLENE | A 6640 / MB 30-OCT-92 | MD | MS | | 03 |
| A | | A-A-54767 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 14 GAUGE CATHETER, RADIOPAQUE, DISPOSABLE | A 6515 / MB 20-NOV-92 | MD | MS | | 03 |
| A | | A-A-54768 | LABEL, ADD-ON | A 7690 / MB 06-NOV-92 | MD | MS | | 03 |
| A | | A-A-54769 | CATHETERIZATION SET, URETHRAL DISPOSABLE, PLASTIC | A 6515 / MB 18-DEC-92 | MD | MS | | 03 |
| A | | A-A-54770 | METHYL SALICYLATE, NF | A 6505 / MB 13-NOV-92 | MD | MS | | 03 |
| A | | A-A-54771 | LIGHT, HEAD, DIAGNOSTIC, LEMPERT-STORZ | A 6515 / MB 18-DEC-92 | MD | MS | | 03 |
| A | | A-A-54772 | STETHOSCOPE, COMBINATION TYPE, LIGHT WEIGHT | A 6515 / MB 31-DEC-92 | MD | MS | | 03 |
| A | | A-A-54773 | NEEDLES, HYPODERMIC, DISPOSABLE | A 6515 / MB 18-DEC-92 | MD | MS | | 03 |
| A | | A-A-54775 | DISH, CULTURE, PETRI (BOROSILICATE GLASS) | A 6640 / MB 30-NOV-92 | MD | MS | | 03 |
| A | | A-A-54776 | GAGE, FOOD BLEMISH, VETERINARY | A 6695 / MB 30-NOV-92 | MD | MS | | 03 |
| A | | A-A-54777 | BRIDGE, BOWELS, LOOP COLOSTOMY | A 6515 / MB 18-DEC-92 | MD | MS | | 03 |
| A | | A-A-54778 | ANALYZER, CLINICAL CHEMISTRY, DRY | A 6630 / MB 15-JAN-93 | MD | MS | | 03 |
| A | | A-A-54779 | ELECTROSURGICAL APPARATUS | A 6515 / MB 15-JAN-93 | MD | MS | | 03 |
| A | | A-A-54780 | SCISSORS, HYSTERECTOMY (SLIGHTLY CURVED, CURVED, STRONGLY CURVED, PARAMETRIUM) | A 6515 / MB 15-JAN-93 | MD | MS | | 03 |
| A | | A-A-54784 | FORCEPS, TISSUE, JUDD-ALLIS, STRAIGHT | A 6515 / MB 04-JAN-93 | MD | MS | | 03 |
| A | | A-A-54785 | MANOMETER, SPINAL FLUID | A 6515 / MB 08-JAN-93 | MD | MS | | 03 |
| A | | A-A-54786 | STOPCOCK, INTRAVENOUS THERAPY | A 6515 / MB 08-JAN-93 | MD | MS | | 03 |
| A | | A-A-54787 | PROPOXYPHENE NAPSYLATE AND ACETAMINOPHEN TABLETS, USP | A 6505 / MB 08-JAN-93 | MD | MS | | 03 |
| A | | A-A-54788 | PROPANTHELINE BROMIDE TABLETS, USP | A 6505 / MB 08-JAN-93 | MD | MS | | 03 |
| A | | A-A-54789 | PROTAMINE SULFATE INJECTION, USP | A 6505 / MB 08-JAN-93 | MD | MS | | 03 |
| A | | A-A-54790 | QUINIDINE SULFATE EXTENDED-RELEASE TABLETS, USP | A 6505 / MB 08-JAN-93 | MD | MS | | 03 |
| A | | A-A-54791 | GLOVES, SURGEONS', LATEX RUBBER, PRE-POWDERED, DISPOSABLE, STERILE | A 6515 / MB 30-JAN-93 | MD | MS | | 03 |
| A | | A-A-54792 | PLATE, EGG TESTING | A 6695 / MB 08-JAN-93 | MD | MS | | 03 |
| A | | A-A-54793 | BOXES, SETUP (MAILING, DENTAL) | A 8115 / MB 08-JAN-93 | MD | MS | | 03 |
| A | | A-A-54794 | HUMIDIFIER, OXYGEN DIFFUSER TYPE | A 6515 / MB 15-JAN-93 | MD | MS | | 03 |
| A | | A-A-54795 | WATER TESTING KIT, BACTERIOLOGICAL | A 6665 / MB 11-JAN-93 | MD | MS | | 03 |
| A | | A-A-54796 | HYDROMETER, GRADUATED SCALE (SPECIFIC GRAVITY RANGE 1.196 TO 1.286) | A 6630 / MB 11-JAN-93 | MD | MS | | 03 |
| A | | A-A-54797 | SODIUM CHLORIDE IRRIGATION, USP | A 6505 / MB 22-JAN-93 | MD | MS | | 03 |
| A | | A-A-54799 | SODA LIME, NF | A 6505 / MB 22-JAN-93 | MD | MS | | 03 |
| A | | A-A-54800 | CUTTER, BONE PIN, 18 INCH | A 6515 / MB 16-APR-93 | MD | MS | | 03 |
| A | | A-A-54802 | FORCEPS, HYSTERECTOMY, SLIGHTLY CURVED, PARAMETRIUM | A 6515 / MB 22-JAN-93 | MD | MS | | 03 |
| A | | A-A-54803 | INFLUENZA VIRUS VACCINE, USP | A 6505 / MB 26-FEB-93 | MD | MS | | 03 |
| A | | A-A-54804 | BOX, INSECT, SPECIMEN | A 6640 / MB 18-JAN-93 | MD | MS | | 03 |
| A | | A-A-54805 | FORCEPS, TISSUE, TWEEZERS TYPE | A 6515 / MB 22-JAN-93 | MD | MS | | 03 |
| A | | A-A-54806 | TUBE, SAYBOLT VISCOSIMETER | A 6630 / MB 25-JAN-93 | MD | MS | | 03 |
| A | | A-A-54807 | GLOVES, SURGEONS', BROWN-MILLED RUBBER, PRE-POWDERED, TALC-FREE, DISPOSABLE, STERILE | A 6515 / MB 12-FEB-93 | MD | MS | | 03 |
| A | | A-A-54808 | NEEDLE, HYPODERMIC, SPINAL PUNCTURE | A 6515 / MB 12-FEB-93 | MD | MS | | 03 |

| Action | OPR / ONA Coordination Required | Document Number | Document Title | Dist. Stmt. FSC / Type MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|
| A | | A-A-54809 | PUNCH AND DISK, DENTAL RUBBER DAM | A 6520 / MB 12-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54810 | BLOCK, BITE, PLASTIC | A 6515 / MB 12-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54811 | SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, ALLERGY, DETACHABLE NEEDLE | A 6515 / MB 12-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54812 | SYRINGE, IRRIGATING, BULB-TYPE | A 6515 / MB 12-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54813 | RESIN, ACRYLIC, DENTAL, FIBERED, DENTURE BASE MATERIAL | A 6520 / MB 12-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54814 | MASK, ORONASAL, PLASTIC, DISPOSABLE | A 6515 / MB 12-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54815 | RETRACTOR, NERVE ROOT, HOLSHER | A 6515 / MB 26-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54816 | METHYSERGIDE MALEATE TABLETS, USP | A 6505 / MB 15-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54817 | SCISSORS, ORAL SURGICAL | A 6520 / MB 12-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54818 | SAMPLER, BUTTER-CHEESE-LARD | A 6695 / MB 12-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54819 | MEPERIDINE HYDROCHLORIDE INJECTION, USP | A 6505 / MB 15-FEB-93 | MD | MS | 03 | | |
| A | | A-A-54820 | CELLULOSE, OXIDIZED, REGENERATED, USP | A 6510 / MB 16-APR-93 | MD | MS | 03 | | |
| A | | A-A-54821 | SODIUM BICARBONATE INJECTION, USP | A 6505 / MB 23-MAR-93 | MD | MS | 03 | | |
| A | | A-A-54822 | SODIUM NITROPRUSSIDE, STERILE, USP | A 6505 / MB 23-MAR-93 | MD | MS | 03 | | |
| N | | A-A-54823 | RETRACTOR, HEMILAMINECTOMY, HAVERFIELD-SCOVILLE AND BLADES, INTERCHANGEABLE | A 6515 / MB 28-MAY-93 | MD | MS | 03 | | |
| A | | A-A-54825 | BLOOD COLLECTING-DISPENSING BAG, INDIRECT TRANSFUSION, PLASTIC DISPOSABLE TYPE | A 6515 / MB 05-MAR-93 | MD | MS | 03 | | |
| A | | A-A-54826 | NEEDLE, HYPODERMIC, TONSIL | A 6515 / MB 12-APR-93 | MD | MS | 03 | | |
| A | | A-A-54827 | NEEDLE, BIOPSY, DISPOSABLE | A 6515 / MB 12-APR-93 | MD | MS | 03 | | |
| A | | A-A-54828 | SYRINGE, HYPODERMIC, ANGIOGRAPHIC INJECTOR | A 6515 / MB 12-MAR-93 | MD | MS | 03 | | |
| A | | A-A-54829 | CATHETER, CARDIOVASCULAR, FLOW DIRECTED, THERMODILUTION | A 6515 / MB 19-MAR-93 | MD | MS | 03 | | |
| A | | A-A-54830 | TABLE, AUTOPSY | A 6530 / MB 19-MAR-93 | MD | MS | 03 | | |
| A | | A-A-54831 | ELECTRODE, ELECTROCARDIOGRAPH | A 6515 / MB 19-MAR-93 | MD | MS | 03 | | |
| A | | A-A-54832 | SUPPORT, LEG CALF | A 6515 / MB 19-MAR-93 | MD | MS | 03 | | |
| N | | A-A-54833 | DRILL, HAND, BONE, SMEDBERG | A 6515 / MB 19-APR-93 | MD | MS | 03 | | |
| A | | A-A-54834 | POVIDONE IODINE DOUCHE | A 6505 / MB 23-MAR-93 | MD | MS | 03 | | |
| A | | A-A-54836 | BOX, PATHOLOGICAL SPECIMEN, SHIPPING | A 8115 / MB 26-MAR-93 | MD | MS | 03 | | |
| N | | A-A-54837 | SYRINGE, IRRIGATING, GLASS | A 6515 / MB 12-APR-93 | MD | MS | 03 | | |
| A | | A-A-54838 | IMPLANT, MESH, SURGICAL | A 6515 / MB 31-MAR-93 | MD | MS | 03 | | |
| A | | A-A-54839 | NEEDLE, HYPODERMIC, BLOOD COLLECTING | A 6515 / MB 12-APR-93 | MD | MS | 03 | | |
| A | | A-A-54840 | SYRINGE, HYPODERMIC, GLASS | A 6515 / MB 12-APR-93 | MD | MS | 03 | | |
| A | | A-A-54841 | SAW, BONE, ELECTRIC, OSCILLATING, AUTOPSY | A 6515 / MB 31-MAR-93 | MD | MS | 03 | | |
| N | | A-A-54842 | SCISSORS, GENERAL SURGICAL, MAYO | A 6515 / MB 30-APR-93 | MD | MS | 03 | | |
| A | | A-A-54843 | SCISSORS, GENERAL SURGICAL, STRAIGHT | A 6515 / MB 16-APR-93 | MD | MS | 03 | | |
| A | | A-A-54844 | NEEDLE, HYPODERMIC, BLOOD COLLECTING | A 6515 / MB 12-APR-93 | MD | MS | 03 | | |
| A | | A-A-54846 | INDICATOR, OXYGEN, ANAEROBIC CULTURE APPARATUS | A 6640 / MB 01-APR-93 | MD | MS | 03 | | |
| A | | A-A-54847 | PAPER, FILTER QUALITATIVE, FINE PRECIPITATES | A 6640 / MB 29-MAR-93 | MD | MS | 03 | | |
| A | | A-A-54848 | COMPASS, MAGNETIC, UNMOUNTED | A 6605 / MB 16-APR-93 | MD | MS | 03 | | |
| A | | A-A-54849 | ELECTRODE, GROUNDING, ELECTROSURGICAL | A 6515 / MB 16-APR-93 | MD | MS | 03 | | |
| A | | A-A-54850 | LIGHT, SURGICAL, CEILING VENTILATED DOME, ROTATION TYPE | A 6530 / MB 16-APR-93 | MD | MS | 03 | | |
| A | | A-A-54851 | LITTER-SPLINT, EXTRICATION | A 6530 / MB 16-APR-93 | MD | MS | 03 | | |
| A | | A-A-54852 | CASE, BRONCHOSCOPIC, INSTRUMENTS STERILIZING AND STORAGE, EMPTY | A 6515 / MB 12-APR-93 | MD | MS | 03 | | |
| A | | A-A-54854 | SUTURE CLIP KIT, AUTOMATIC | A 6515 / MB 16-APR-93 | MD | MS | 03 | | |
| A | | A-A-54855 | GAUZE, ABSORBENT, STERILE, COMPRESSED | A 6510 / MB 16-APR-93 | MD | MS | 03 | | |
| A | | A-A-54856 | PAD, POST SURGICAL OBSTETRICAL | A 6510 / MB 16-APR-93 | MD | MS | 03 | | |
| A | | A-A-54857 | FORCEPS, BONE CUTTING, CURVED, LISTON-STILLE | A 6515 / MB 30-APR-93 | MD | MS | 03 | | |
| N | | A-A-54858 | DEPRESSOR, TONGUE, METAL, WEDER | A 6515 / MB 16-APR-93 | MD | MS | 03 | | |
| N | | A-A-54859 | TUBE, EXTENSION, INFECTION SET | A 6515 / MB 21-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54860 | FORCEPS, SUTURE CLIP, APPLYING AND REMOVING, MICHEL | A 6515 / MB 30-APR-93 | MD | MS | 03 | | |
| N | | A-A-54861 | INDICATOR, CLINICAL CHART HOLDER, METAL | A 6530 / MB 30-APR-93 | MD | MS | 03 | | |
| N | | A-A-54862 | TUNING FORK SET | A 6515 / MB 30-APR-93 | MD | MS | 03 | | |
| N | | A-A-54863 | TRIAMTERENE CAPSULES, USP | A 6505 / MB 30-APR-93 | MD | MS | 03 | | |
| N | | A-A-54864 | BRONCHOSCOPE, FLEXIBLE, FIBER OPTIC, TRANSNASAL OR TRANSORAL | A 6515 / MB 15-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54866 | TOURNIQUET, PNEUMATIC | A 6515 / MB 03-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54867 | OTOSCOPE AND OPHTHALMOSCOPE SET | A 6515 / MB 14-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54868 | MICROSCOPE, OPTICAL STEREOSCOPIC | A 6650 / MB 17-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54869 | MICROSCOPE, SURGICAL BINOCULAR, MULTI-DISCIPLINARY | A 6515 / MB 17-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54870 | CAPS, OPERATING, SURGICAL (WOMAN'S) | A 6532 / MB 17-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54871 | PILLOWCASE (NONWOVEN FABRIC, WHITE, DISPOSABLE) | A 6532 / MB 17-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54872 | BLOOD EXCHANGE-TRANSFUSION KIT, DISPOSABLE | A 6515 / MB 01-JUN-93 | MD | MS | 03 | | |
| N | | A-A-54873 | BOXES, MICROSCOPE SLIDE, PLASTIC | A 6640 / MB 21-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54874 | BANDAGE, ELASTIC, RUBBER WARP THREADS | A 6510 / MB 21-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54875 | SPRAY BOTTLE, PLASTIC | A 6530 / MB 21-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54876 | SPONGE, ABSORBABLE GELATIN, USP | A 6510 / MB 21-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54877 | COMPARATOR, VISCOSITY, OIL | A 6630 / MB 20-MAY-93 | MD | MS | 03 | | |
| N | | A-A-54880 | BOTTLE, ASPIRATOR (5 GALLON) | A 6640 / MB 04-JUN-93 | MD | MS | 03 | | |
| N | | A-A-54881 | ELECTRODE ASSEMBLY, FETAL | A 6515 / MB 04-JUN-93 | MD | MS | 03 | | |
| N | | A-A-54882 | FORCEPS, TRACHEAL TUBE | A 6515 / MB 28-MAY-93 | MD | MS | 03 | | |
| | | A-A-55002 | LAMP, FLUORESCENT, F40/T12(COLOR)/RS | A 6240 / AS 10-SEP-90 | MR | AS | 99 | | |
| | | A-A-55003 | LAMP, FLUORESCENT, F96T12/(COLOR)/IS, ENERGY SAVING | A 6240 / AS 10-SEP-90 | MR | AS | 99 | | |
| | | A-A-55004 | LAMP, FLUORESCENT, F96/T12/(COLOR)/IS | A 6240 / AS 10-SEP-90 | MR | AS | 99 | | |
| | | A-A-55005 | LAMP, FLUORESCENT, F20/T12/(COLOR) | A 6240 / AS 10-SEP-90 | MR | AS | 99 | | |
| | | A-A-55006 | "V" BLOCKS, SOLID BODY, WITHOUT CLAMP REVIEWER: 84 AR GS | A 3460 / IP 24-SEP-91 | AL | SH | 99 | IP | |
| | | A-A-55007 | "V" BLOCKS AND CLAMPS, COMBINATION TOP AND END "V" GROOVES REVIEWER: 84 AR GS | A 3460 / IP 24-SEP-91 | AL | SH | 99 | IP | |
| | | A-A-55008 | "V" BLOCKS AND CLAMPS, DOUBLE "V" GROOVE, SINGLE LEVEL CLAMPING REVIEWER: 84 AR GS | A 3460 / IP 19-SEP-91 | AL | SH | 99 | IP | |
| | | A-A-55009 | "V" BLOCK, RIBBED BODY, WITHOUT CLAMP REVIEWER: 84 AR GS | A 3460 / IP 19-SEP-91 | AL | SH | 99 | IP | |
| | | A-A-55010 | WHEEL, POLISHING, CANVAS REVIEWER: 84 GS | A 3460 / IP 16-SEP-91 | | | 99 | IP | |
| | | A-A-55011 | WHEEL, POLISHING, FELT REVIEWER: 84 GS | A 3460 / IP 19-NOV-91 | AL | | 99 | IP | |
| | | A-A-55012 | PRESS, "H" FRAME TYPE, HYDRAULIC, ELECTRIC MOTOR DRIVEN USER: AR AS MC OS REVIEWER: 84 GS | A 3442 / IP 28-APR-92 | AL | SH | 99 | IP | |
| D | | A-A-55013 | HOLDERS, ELECTRODE, SHIELDED METAL, ARC WELDING, TONG TYPE USER: AS MC YD1 REVIEWER: 84 GS | A 3439 / IP 04-FEB-92 | AL | SH | 99 | IP | |
| D | | A-A-55014 | TORCH OUTFITS, WELDING, GAS TUNGSTEN ARC WELDING (GTAW) AND COMPONENT PARTS USER: MC YD1 REVIEWER: 84 CE GS ME | A 3431 / IP 12-FEB-92 | AL | SH | 99 | IP | |
| | | A-A-55015 | PRESS, "H" FRAME TYPE, HYDRAULIC, ELECTIRC MOTOR DRIVEN, WITH ROLL OUT WORK TABLE USER: AR AS MC OS REVIEWER: 84 GS | A 3442 / IP 28-APR-92 | AL | SH | 99 | IP | |
| D | | A-A-55016 | MANDRELS, MACHINE, EXPANDING, STEP REVIEWER: 84 GS | A 3460 / IP 21-MAY-92 | AL | YD1 | 99 | IP | |
| D | | A-A-55017 | MANDRELS, MACHINE, EXPANDING REVIEWER: 84 GS | A 3460 / IP 21-MAY-92 | AL | YD1 | 99 | IP | |
| D | | A-A-55018 | CUTTING MACHINE, MOTOR DRIVEN, PORTABLE REVIEWER: 84 GS | A 3433 / GS 12-MAR-93 | AL | YD1 | 99 | GS | |
| N | | A-A-55021 | TROUSERS, DISPOSABLE USER: SH REVIEWER: OS | A 8415 / CT 14-APR-93 | | MU | | CT | |
| D | | A-A-55057 | PANELS, WOOD/WOOD BASED; CONSTRUCTION AND DECORATIVE USER: MC MR SH YD1 REVIEWER: 84 AR EA GL MI SM | A 5530 / CS 25-MAR-91 | | | 99 | CS | |
| | | A-A-55058 | CLUB, POLICEMAN'S USER: CG MC REVIEWER: 45 82 GL | A 8465 / CT 27-MAY-92 | | MU | 99 | CT | |
| | | A-A-55059 | CARRIER, POLICEMAN'S CLUB, WITH GROMMET REVIEWER: 45 82 | A 8465 / CT 04-JUN-92 | GL | | 99 | CT | |
| A | | A-A-55060 | GLOVES, MEN'S AND WOMEN'S HEAVY DUTY USER: MC SH REVIEWER: 45 82 MD | A 8415 / CT 19-JUN-92 | GL | MU | 99 | CT | |
| A | | A-A-55062A | SUITCASE, FLYERS REVIEWER: 45 82 | A 8460 / CT 30-DEC-92 | | | 99 | CT | |
| D | | A-A-55063 | APRON, UTILITY, IMPERMEABLE, RUBBER COATED FABRIC (GENERAL PURPOSE) USER: MC YD1 REVIEWER: 11 45 82 MD | A 8415 / CT 13-AUG-92 | GL | MU | 99 | CT | |
| A | L | A-A-55064 | LANYARD, INDIVIDUAL EQUIPMENT CARRYING USER: MC | A 8465 / CT 17-FEB-93 | | | | CT | |
| A | | A-A-55065 | APRON, MEAT CUTTER'S REVIEWER: 82 MD | A 8415 / CT 13-JUL-92 | GL | | 99 | CT | |
| A | | A-A-55066 | NEEDLES, EXCEPT SURGICAL, HAND USER: MC | A 8315 / CT 15-JUL-92 | GL | MU | 99 | CT | |

| Action | Doc. Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| A | A-A-55067 | SMOCK, FOOD INSPECTOR'S USER: 45 REVIEWER: 82 MD | A 8415 / CT 16-JUL-92 | GL | | 99 | CT |
| A | A-A-55068 | JERSEY, FLIGHT DECK CREWMAN'S USER: SH REVIEWER: AS CG | A 8415 / CT 20-SEP-91 | | MU | | CT |
| A | A-A-55069 | T-SHIRT, ATHLETE'S PHYSICAL FITNESS UNIFORM (PFU) | A 8415 / CT 17-JUL-92 | GL | | | CT |
| A | A-A-55070 | BAG, WET WEATHER CLOTHING: (PARKA AND TROUSERS) REVIEWER: 45 82 | A 8465 / CT 31-JUL-92 | GL | | 99 | CT |
| A | A-A-55071 | TAPE, TEXTILE, 1-INCH REVIEWER: GL | A 8315 / CT 07-AUG-92 | EA | | | CT |
| A | A-A-55072 | BADGE, IDENTIFICATION, PERSONNEL REVIEWER: 45 82 99 | A 8455 / CT 03-AUG-92 | | | 11 | CT |
| A | A-A-55073 | NECKTIE, WOMAN'S (COAST GUARD) | A 8445 / CT 14-AUG-92 | | CG | | CT |
| A | A-A-55074 | MAT, SLEEPING, SELF-INFLATING REVIEWER: 82 MC | A 8465 / CT 11-AUG-92 | GL | MU | 99 | CT |
| A | A-A-55075 | GLOVES: MEN'S AND WOMEN'S ANTI-CONTACT USER: CG MC REVIEWER: MD | A 8415 / CT 17-AUG-92 | GL | MU | | |
| A | A-A-55076 | OVERSHOES, WOMEN'S, PLASTIC, GRAY USER: 45 REVIEWER: 82 99 MC | A 8435 / CT 26-AUG-92 | GL | MU | 11 | CT |
| A | A-A-55077 | BAG, DUFFEL REVIEWER: 45 82 MC | A 8465 / CT 02-SEP-92 | GL | MU | 99 | CT |
| A | A-A-55079 | SOCKS: MEN'S, CUSHION SOLE, STRETCH TYPE USER: MC REVIEWER: 11 45 82 | A 8440 / CT 01-OCT-92 | GL | MU | 99 | CT |
| A | A-A-55080 | COVER, WATERPROOF, MULTIPURPOSE USER: MC | A 8465 / CT 01-OCT-92 | GL | MU | | CT |
| A | A-A-55081 | CLOTH, BRATTICE: COTTON, FIRE RESISTANT | A 8305 / CT 05-OCT-92 | | MU | | CT |
| A | A-A-55082 | INSECT NET, HAT, SUN, HOT WEATHER USER: 45 REVIEWER: 82 MD | A 8415 / CT 24-NOV-92 | GL | | 99 | CT |
| A | A-A-55083 | SCARF, NECKWEAR, SAGE GREEN, FLYING, TUBULAR N-1B (SCARF, SAGE GREEN, FLYING TUBULAR, TYPE N-1B) | A 8440 / CT 05-JAN-93 | | | 99 | CT |
| A | A-A-55084 | POCKET, AMMUNITION MAGAZINE USER: MC REVIEWER: MD | A 8465 / CT 21-OCT-92 | GL | | | CT |
| N | A-A-55085 | TROUSERS, MEN'S POLYESTER/COTTON | A 8405 / CT 06-APR-93 | | MU | | CT |
| A | A-A-55086 | TROUSERS, MEN'S, UNDRESS, POLYESTER/COTTON (CG) | A 8405 / CT 26-OCT-92 | | CG | | CT |
| A L | A-A-55087 | SHOES, SWIMMERS | A 8430 / CT 29-OCT-92 | | | | CT |
| L | A-A-55088 | RESISTORS, FLAMEPROOF, FUSIBLE | A 5905 / ES 13-SEP-91 | | | | ES |
| L | A-A-55089A | CAPACITORS, FIXED, CERAMIC DIELECTRIC | A 5910 / ES 23-MAR-92 | | | | ES |
| L | A-A-55090 | FILTER, RADIO FREQUENCY INTERFERENCE | A 5915 / ES 22-NOV-91 | | | | ES |
| A | A-A-55091 | SHIRT, MAN'S, POLYESTER AND WOOL, LONG SLEEVE | A 8405 / CT 25-FEB-93 | | MU | | CT |
| A | A-A-55092 | BAG, CLOTHING, WATERPROOF USER: MC REVIEWER: 45 82 MD | A 8465 / CT 16-NOV-92 | GL | MU | 99 | CT |
| A | A-A-55093 | LACES, FOOTWEAR USER: MC REVIEWER: 45 82 MD | A 8335 / CT 15-NOV-92 | GL | MU | 99 | CT |
| A | A-A-55095 | COVERALLS, UTILITY USER: SH REVIEWER: CG | A 8405 / CT 10-MAR-93 | | MU | | CT |
| A L | A-A-55096 | TRANSFORMER, PRINTED CIRCUIT POWER, 6 PIN | A 5950 / ES 29-JAN-93 | | | | ES |
| A L | A-A-55097 | TRANSFORMER, PRINTED CIRCUIT POWER, 8 PIN | A 5950 / ES 29-JAN-93 | | | | ES |
| A | A-A-55098 | CLOTHING, LEATHER, (APRONS, SLEEVES, AND JACKETS) USER: MC REVIEWER: 45 82 MD | A 8415 / CT 04-DEC-92 | GL | MU | 99 | CT |
| D | A-A-55099 | ROD, INSECT BAR USER: MU YD1 REVIEWER: 82 MD | A 7210 / CT 16-DEC-92 | GL | | 99 | CT |
| A L | A-A-55100 | YARN: COTTON | A 8310 / CT 10-NOV-92 | | | | CT |
| A L | A-A-55101 | CLOTH, KNITTED: COTTON REVIEWER: EA GL | A 8305 / CT 10-DEC-92 | | | | CT |
| A | A-A-55103 | OVERSHOES, RADIOACTIVE CONTAMINANTS, PROJECTIVE USER: AS OS REVIEWER: 99 SH | A 8430 / CT 08-DEC-92 | | MU | 11 | CT |
| A | A-A-55104 | COVERALLS, SAFETY, INDUSTRIAL USER: 45 REVIEWER: 82 MD | A 8415 / CT 10-DEC-92 | GL | MU | 99 | CT |
| A L | A-A-55105 | BAG, BARRACKS REVIEWER: GL | A 8465 / CT 17-DEC-92 | | | | CT |
| A | A-A-55106 | WHISTLE, BALL, PLASTIC REVIEWER: 45 82 MC MD | A 8465 / CT 15-DEC-92 | GL | MU | 99 | CT |
| D | A-A-55107 | SOCKS: MEN'S, NYLON, CUSHION SOLE, STRETCH TYPE USER: YD1 | A 8440 / CT 17-DEC-92 | GL | SA | | CT |
| A | A-A-55108 | HAT, SERVICE (WHITE) | A 8405 / CT 16-DEC-92 | | MU | | CT |
| N | A-A-55109 | FOOT MEASURING DEVICE, MEN'S USER: 45 REVIEWER: 99 MU | A 8335 / CT 08-JAN-93 | GL | | | CT |
| A | A-A-55110 | COAT, ALL-WEATHER, MAN'S, W/REMOVABLE LINER REVIEWER: 82 99 MU | A 8405 / CT 28-DEC-92 | | CG | 11 | CT |
| A | A-A-55111 | COAT, ALL-WEATHER, WOMAN'S, W/REMOVABLE LINER REVIEWER: 82 99 MU | A 8410 / CT 28-DEC-92 | | CG | 11 | CT |
| A | A-A-55112 | BAG, FLYER'S HELMET REVIEWER: MD | A 8415 / CT 23-DEC-92 | GL | | | CT |
| A | A-A-55113 | HANDBAG, WOMEN'S: SYNTHETIC, BLACK USER: 45 REVIEWER: 82 99 | A 8445 / CT 07-JAN-93 | GL | | 11 | CT |
| A | A-A-55114 | BAG, LAUNDRY USER: MC REVIEWER: 82 | A 8465 / CT 06-JAN-93 | GL | MU | | CT |
| A | A-A-55117 | SKIS, MILITARY, ALL TERRAIN REVIEWER: 45 82 GL MC | A 8465 / CT 11-JAN-93 | | MU | 99 | CT |
| A | A-A-55118 | FOOTWEAR COVERS, RADIOACTIVE CONTAMINANTS PROTECTIVE USER: AS CG OS REVIEWER: 45 82 SH | A 8430 / CT 11-JAN-93 | | MU | 99 | CT |
| N | A-A-55119 | GLOVE INSERTS, COLD WEATHER USER: CG MC REVIEWER: 11 45 82 AS | A 8415 / CT 23-MAR-93 | GL | MU | 99 | CT |
| A | A-A-55120 | LANYARD, INDIVIDUAL EQUIPMENT CARRYING USER: MC | A 8465 / CT 21-JAN-93 | GL | MU | | CT |
| A | A-A-55121 | APRON, UTILITY, DISPOSABLE USER: SH REVIEWER: OS | A 8475 / CT 25-JAN-93 | | MU | | CT |
| A | A-A-55122 | HOOD, RAIN, WOMAN'S REVIEWER: 45 82 | A 8410 / CT 19-JAN-93 | | | 11 | CT |
| A | A-A-55123 | SMOCK, GENERAL PURPOSE REVIEWER: 45 82 MD | A 8415 / CT 17-FEB-93 | GL | MU | 99 | CT |
| A | A-A-55124 | CREEPERS, ICE USER: 45 REVIEWER: 82 | A 8465 / CT 25-JAN-93 | GL | | 99 | CT |
| A | A-A-55126 | FASTENER TAPE, HOOK AND PILE, SYNTHETIC USER: 45 AR AS EA MC OS REVIEWER: 82 99 MD | A 8315 / CT 05-FEB-93 | GL | MU | 11 | CT |
| N | A-A-55127 | BATTING, SYNTHETIC FIBERS, POLYESTER (UNQUILTED AND QUILTED) REVIEWER: 11 82 MD | A 8320 / CT 17-FEB-93 | GL | | 99 | CT |
| D | A-A-55129 | RODENTICIDE, ANTICOAGULANT, PELLETS/BLOCKS AND UNIVERSAL CONCENTRATE USER: MC ME MS REVIEWER: 68 AR CE MD PM YD1 | A 6840 / GS 05-OCT-92 | GL | SH | | GS |
| D | A-A-55131 | LIGHT, CHEMILUMINESCENT, 6 IN - 8 HR - A, G USER: YD1 REVIEWER: GS | A 6260 * EC 10-DEC-92 | | EC | 99 | |
| D | A-A-55132 | LIGHT, CHEMILUMINESCENT, 6-IN - 30 MIN E, F USER: YD1 REVIEWER: GS | A 6260 / EC 10-DEC-92 | | EC | 99 | |
| D | A-A-55133 | LIGHT, CHEMILUMINESCENT, 6-IN - 30 MIN - G USER: YD1 REVIEWER: GS | A 6260 / EC 10-DEC-92 | | EC | 99 | |
| D | A-A-55134 | LIGHT, CHEMILUMINESCENT, 6 IN - 12 HOUR - B, C, E, F USER: YD1 REVIEWER: GS | A 6260 / EC 10-DEC-92 | | EC | 99 | |
| D | A-A-55135 | LIGHT, CHEMILUMINESCENT, 6 IN - 5 IN - C USER: YD1 REVIEWER: GS | A 6260 / EC 10-DEC-92 | | EC | 99 | |
| A L | A-A-55157 | RESISTOR, FIXED, WIREWOUND, INDUCTIVE, POWER TYPE | A 5905 / ES 11-JUN-92 | | | | ES |
| A L | A-A-55159 | RESISTOR, WIREWOUND, INDUCTIVE, POWER TYPE | A 5905 / ES 11-JUN-92 | | | | ES |
| A L | A-A-55160 | TRANSFORMER, PRINTED CIRCUIT POWER, 6 PIN TOP LUG TYPE | A 5950 / ES 29-JAN-93 | | | | ES |
| A L | A-A-55161 | FILTER, RADIO FREQUENCY INTERFERENCE | A 5915 / ES 09-APR-93 | | | | ES |
| A L | A-A-55163 | FILTER, RADIO FREQUENCY INTERFERENCE | A 5915 / ES 09-APR-93 | | | | ES |
| A L | A-A-55166 | FILTER, RADIO FREQUENCY INTERFERENCE | A 5915 / ES 09-APR-93 | | | | ES |
| A L | A-A-55167 | FILTER, RADIO FREQUENCY INTERFERENCE | A 5915 / ES 09-APR-93 | | | | ES |
| A L | A-A-55169 | FILTER, RADIO FREQUENCY INTERFERENCE | A 5915 / ES 09-APR-93 | | | | ES |
| A L | A-A-55170 | FILTER, RADIO FREQUENCY INTERFERENCE | A 5915 / ES 09-APR-93 | | | | ES |
| A L | A-A-55171 | FILTER, RADIO FREQUENCY INTERFERENCE | A 5915 / ES 09-APR-93 | | | | ES |
| A | A-A-55172 | LAST, FOOTWEAR, FIELD, WOMEN'S REVIEWER: 45 82 | A 8335 / CT 04-FEB-93 | | | 99 | CT |
| A | A-A-55173 | BELT, MILITARY POLICE, 1-3/4 INCH WIDE, MAN'S USER: MC REVIEWER: 45 82 GL | A 8465 / CT 08-FEB-93 | | | 99 | CT |
| A | A-A-55174 | COVER, BEDDING, FLAME RESISTANT REVIEWER: SH | A 7210 / CT 01-MAR-93 | | MU | | CT |
| A | A-A-55178 | COVERALLS, MEN'S, COTTON, SATEEN REVIEWER: MC | A 8405 / CT 09-MAR-93 | GL | | | CT |
| A | A-A-55179 | BAG, MONEY USER: MC | A 8460 / CT 03-MAR-93 | | MU | | CT |
| N | A-A-55181 | HOLDER, BADGE, PLASTIC, SECURITY POLICE USER: 45 REVIEWER: 82 | A 8455 / CT 25-MAY-93 | | | 11 | CT |
| A | A-A-55183 | CLOTH, NETTING, PARACHUTE SKIRT EXTENSION, NYLON, RASCHEL KNIT | A 8305 / CT 08-MAR-93 | GL | | | CT |
| A | A-A-55184 | BERET, MAN'S, WOOL REVIEWER: 45 82 99 GL | A 8405 / CT 10-MAR-93 | GL | | 11 | CT |
| A | A-A-55185 | TROUSERS, MEN'S (WHITE) | A 8405 / CT 10-MAR-93 | | MU | | CT |
| A | A-A-55186 | PONCHO, WET WEATHER, HEAVY DUTY REVIEWER: MC MD | A 8405 / CT 12-MAR-93 | GL | MU | | CT |
| N | A-A-55187 | BRAID, TEXTILE (FLAT) USER: 45 MC REVIEWER: 82 99 GL | A 8315 / CT 17-MAR-93 | | MU | 11 | CT |
| A | A-A-55188 | BLANKETS, BED, WOOL, SHRINK RESISTANT AND MOTHPROOFED USER: 45 MC MS REVIEWER: 03 82 DM MD | A 7210 / CT 17-MAR-93 | GL | MU | 99 | CT |
| A L | A-A-55189 | SKIRT, MATERNITY REVIEWER: MC | A 8410 / CT 25-MAR-93 | | | | CT |
| A | A-A-55190 | SEWING KIT USER: 11 REVIEWER: 82 | A 8315 / CT 29-MAR-93 | GL | | 99 | CT |
| A | A-A-55191 | SHOULDER STRAP, SIDE ARM, MILITARY POLICE, LEATHER, BLACK REVIEWER: 11 MD | A 8465 / CT 29-MAR-93 | GL | | 82 | CT |
| A | A-A-55192 | CASE, MAP USER: MC | A 8460 / CT 07-APR-93 | GL | MU | | CT |
| A L | A-A-55193 | HOLDER, CARTRIDGE, BELT, CAL. .38, LEATHER, BLACK, 6-ROUND REVIEWER: GL | A 8465 / CT 29-MAR-93 | | | | CT |
| A | A-A-55194 | PROTECTOR, TROUSERS, PISTOL HOLSTER | A 8465 / CT 01-APR-93 | | MC | | CT |
| A | A-A-55195 | THREAD: PARA-ARAMID, SPUN, INTERMEDIATE MODULUS REVIEWER: 11 82 99 AS MD | A 8310 / CT 07-APR-93 | GL | MU | 11 | CT |
| N | A-A-55196 | COVERALLS, DISPOSABLE REVIEWER: SH | A 8415 / CT 09-APR-93 | | MU | | CT |
| N | A-A-55197 | BELT, MAN'S, WAIST, BLUE 334 (ARMY BAND UNIFORM) | A 8405 / CT 08-APR-93 | GL | | | CT |
| N | A-A-55199 | NECKTIE USER: 45 REVIEWER: 82 99 MC MD | A 8440 / CT 20-MAY-93 | GL | MU | 11 | CT |
| N | A-A-55202 | HELMET, FIREMAN'S REVIEWER: 45 50 82 MD | A 8415 / CT 22-APR-93 | GL | | 99 | CT |
| N | A-A-55204 | HEELS, FOOTWEAR (RUBBER) USER: CG MC REVIEWER: MD | A 8335 / CT 14-MAY-93 | GL | MU | 99 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| N | | | | A-A-55205 | BAG, PERSONAL EFFECTS USER: MC | A | 8465 / CT | | GL | 18-MAY-93 | | MU | | CT |
| N | | | | A-A-55207 | BELT, ALL-WEATHER, COAT, MEN'S USER: MC | A | 8405 / CT | | GL | 19-MAY-93 | | | | CT |
| N | | | | A-A-55280 | CLOTH, COATED: GLASS SILICONE RUBBER REVIEWER: CT MD | A | 8305 / CT | | GL | 26-APR-93 | | | | CT |
| N | L | | | A-A-55423 | FUSE, INCLOSED LINK, AUTOMOTIVE BLADE TYPE | A | 5920 / ES | | | 22-APR-93 | | | | ES |
| N | L | | | A-A-55424 | RETAINER, CAPACITOR | A | 5910 / ES | | | 30-MAY-93 | | | | ES |
| N | L | | | A-A-55425 | RETAINER, CAPACITOR | A | 5910 / ES | | | 30-MAY-93 | | | | ES |
| | L | | | A-A-56001 | TEST SET, ELECTRICAL POWER AN/UPM-93( ) | A | 6625 / CR | | | 11-JUL-89 | CR | | | |
| | L | | | A-A-56002 | TEST SET, INSULATION BREAKDOWN AN/GSM-6( ) | A | 6625 / CR | | | 17-JUL-89 | CR | | | |
| | L | | | A-A-56011 | HANDLE, FOLDING, MALE 90 DEG. DETENT | A | 5340 / MI | | | 16-AUG-89 | MI | | | |
| | L | | | A-A-56012 | HANDLE, FOLDING, FEMALE 90 DEG. DETENT | A | 5340 / MI | | | 16-AUG-89 | MI | | | |
| | L | | | A-A-56013 | HANDLE, FOLDING, MALE 90 DEG. DETENT | A | 5340 / MI | | | 15-AUG-89 | MI | | | |
| | L | | | A-A-56014 | HANDLE, FOLDING, MALE 65 DEG. DETENT | A | 5340 / MI | | | 16-AUG-89 | MI | | | |
| | L | | | A-A-56015A | ADHESIVE SYSTEM, EPOXY, FOR DISSIMILAR METAL BONDING USER: AR REVIEWER: MR | A | 8040 / MI | | | 30-JUL-91 | MI | | | |
| | L | | | A-A-56017 | CELLULOSE ACETATE | A | 6810 / MI | | | 12-APR-90 | MI | | | |
| | L | | | A-A-56019 | TAPE, PRESSURE-SENSITIVE, FLOURINATED ETHYLENE-PROPYLENE REVIEWER: 80 | A | 5970 / MI | | | 06-OCT-89 | MI | | | |
| D | | | | A-A-56021 | PLASTIC SHEET, POLYETHYLENE, TEREPHTHALATE (FOR CARTOGRAPHIC OPERATIONS) USER: CC ER GL MC REVIEWER: GS MD MR | A | 9330 / MI | | | 31-JAN-91 | MI | YD1 | 99 | |
| A | L | | | A-A-56022 | COMPOUND, HEAT SINK, SILICONE AND/OR NON-SILICONE REVIEWER: GS | A | 6850 / MI | | | 19-OCT-92 | MI | | | |
| A | L | | | A-A-56023 | INSULATING COMPOUND, ELECTRICAL, SILICONE RUBBER, ROOM TEMPERATURE VULCANIZING USER: ME REVIEWER: GS MD MR | A | 5970 / MI | | | 10-MAR-93 | MI | | | |
| A | | | | A-A-56024 | FOIL, TITANIUM REVIEWER: AT CC GS | A | 6610 / MI | | | 20-JAN-93 | MI | SH | | |
| A | | | | A-A-56025 | PASTE, CONDUCTIVE REVIEWER: 84 | A | 8030 / MI | | | 20-JAN-93 | MI | | 99 | |
| | | | | A-A-56036 | TOTE TRAY, ELECTROSTATIC DISCHARGE PROTECTIVE REVIEWER: 15 18 84 99 AM AT CR GL MI | A | 8145 / SM | | | 01-DEC-89 | SM | | 69 | ES |
| A | | | | A-A-57174 | NUT, CAP, DUAL WHEEL MOUNTING USER: ME REVIEWER: CS | A | 2530 / AT | | | 17-SEP-92 | AT | | 99 | |
| | L | | | A-A-58000 | TANK, STORAGE, LIQUID ARGON-NITROGEN-OXYGEN, CRYOGENIC, HORIZONTAL, 3000 AND 6000 GALLON | A | 3655 / 68 | | | 16-MAR-92 | | | 99 | |
| | L | | | A-A-58001 | GENERATOR, SIGNAL, DIGITAL WORD | A | 6625 / 82 | | | 01-JUN-92 | | | 99 | |
| | L | | | A-A-58002 | GENERATOR, PULSE 5 HZ TO 50 MHZ REVIEWER: CR EC ES | A | 6625 / 82 | | | 01-JUN-92 | | | 99 | |
| | L | | | A-A-58003 | TRUCK, FIRE FIGHTING (STRUCTURAL, 4 X 2 OR 4 X 4) | A | 4210 / 84 | | | 02-APR-92 | | | 99 | |
| | L | | | A-A-58004 | TRUCK, FIRE FIGHTING (WATER TANKER, 5,000 GALLON CAPACITY) | A | 4210 / 84 | | | 18-FEB-92 | | | 99 | |
| | L | | | A-A-58005 | TRUCK, FIRE FIGHTING (TELESCOPING AERIAL LADDER AND WORK PLATFORM) | A | 4210 / 84 | | | 02-APR-92 | | | 99 | |
| | L | | | A-A-58006 | 4-WHEEL DRIVEN, MULTI-PURPOSE TRACTOR | A | 2420 / 84 | | | 10-APR-92 | | | 99 | |
| A | L | | | A-A-58008 | TEST SET, TELEPHONE, TONE GENERATOR REVIEWER: ES | A | 6625 / 82 | | | 31-AUG-92 | | | 99 | |
| A | L | | | A-A-58009 | TRUCK, FIRE FIGHTING (HEAVY RESCUE VEHICLE (HRV)) | A | 4210 / 84 | | | 01-OCT-92 | | | 99 | |
| A | L | | | A-A-58010 | RAILWAY CAR SPOTTER, SELF-PROPELLED 30,000 POUND DRAW BAR PULL | A | 2210 / 84 | | | 16-NOV-92 | | | 99 | |
| A | L | | | A-A-58011 | CLEANER, ULTRASONIC, SIX GALLON | A | 4940 / 82 | | | 30-JAN-93 | | | 99 | |
| N | L | | | A-A-58014 | MOTOR GRADER, DED | A | 3805 / 84 | | | 29-MAR-93 | | | 99 | |
| N | L | | | A-A-58015 | TRAILER, FIRE FIGHTING (FOAM 1,000 GALLON CAPACITY) | A | 4210 / 84 | | | 27-MAY-93 | | | 99 | |
| | | | | A-A-82587 | TRAP, FLYING INSECTS, ELECTROCUTING USER: AV MS REVIEWER: 50 GL | A | 3740 / PM | | | 31-AUG-88 | MD | | 99 | |

| Action | Char. / Class Coordination Indicator | Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| N | | A-B-2787(1) | BOOMS: FLOATING OIL AND DEBRIS CONTAINMENT, DEPLOYABLE (FOR HARBOR USE) | A 1945 / YD1 28-MAY-93 | ME | YD1 | | |
| | | C-T-91C | TALLOW, INEDIBLE | A 9160 # 18-NOV-68 | | | | |
| | | C-H-111D | HAIR, ANIMAL, CURLED | A 8320 * GL 17-NOV-80 | GL | | | |
| | L | C-H-111D(11) | HAIR, ANIMAL, CURLED | A 8320 / GL 17-NOV-80 | GL | | | |
| A | | C-F-158C(1) | FEATHER, LANDFOWL, (WHOLE) AND (CRUSHED) [VALIDATION DATE: 8711] REVIEWER: MD | A 8320 / CT 12-NOV-87 | GL | | 99 | CT |
| | | NOTICE 1 | | | | | | |
| A | | C-F-160C | FEATHER, WATERFOWL, AND DOWN, WATERFOWL [VALIDATION DATE: 8711] USER: 26 MS REVIEWER: 45 DM MD | A 8320 / CT 12-NOV-87 | GL | SA | 99 | CT |
| | | NOTICE 1 | | | | | | |
| | | C-N-200A(2) | NEATS FOOT OIL | A 8030 # 05-JUL-63 | | | | |
| A | | C-F-202F | FELT SHEET (HAIR) AND FELT ROLL (HAIR) REVIEWER: 82 MD | A 8305 / CT 31-DEC-85 | GL | MU | 99 | CT |
| A | | C-F-206G | FELT SHEET: CLOTH, FELT, WOOL, PRESSED USER: 45 MC OS REVIEWER: 82 MD | A 8305 / CT 27-JUN-89 | GL | MU | 99 | CT |
| | | C-E-230E | EGG AND EGG PRODUCTS, FROZEN REVIEWER: 03 MC MD MS SS | A 8910 * GL 28-SEP-77 | GL | SA | 50 | |
| | | C-O-376A | OIL, LARD | A 9150 # 17-JUN-46 | | | | |
| | | D-P-355A(1) | PISTOL, CALIBER .45, AUTOMATIC, M1911A1 [VALIDATION DATE: 8604] | A 1005 / AR 18-APR-86 | AR | MC | 99 | |
| | | NOTICE 1 | | | | | | |
| | | D-R-1187C(1) | REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, COMMERCIAL AND MILITARY: GENERAL SPECIFICATION FOR USER: 11 | A 1005 / AR 04-OCT-91 | AR | OS | 84 | |
| | | D-R-1187/1 | REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, | A 1005 / AR 18-APR-86 | AR | OS | 99 | |
| | | NOTICE 2 | COMMERCIAL [VALIDATION DATE: 8604] USER: 11 ME | | | | | |
| | | D-R-1187/2 | REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, MILITARY | A 1005 / AR 18-APR-86 | AR | OS | 99 | |
| | | NOTICE 2 | [VALIDATION DATE: 8604] USER: 11 | | | | | |
| D | | F-F-320B | FILTERS, ELECTRONIC AIR CLEANING, IONIZING PLATE TYPE [VALIDATION DATE: 9102] REVIEWER: GS | A 4460 / YD1 15-FEB-91 | | YD1 | 99 | |
| | | NOTICE 1 | | | | | | |
| DQ | | F-F-351D | FILTER AND FILTER ELEMENTS, FLUID, PRESSURE, LUBRICATING OIL, BYPASS AND FULL FLOW [VALIDATION DATE: 8310] REVIEWER: CS ME YD1 | A 2940 / AT 22-APR-83 | AT | SH | 99 | |
| | | F-F-1658 | MEDIA FOR ROLL TYPE AIR FILTERS | A 4130 * 82 14-SEP-73 | | | | |
| D | | F-F-2790 | FILTER, AIR-EXTENDED AREA, INITIAL INSTALLATION USER: ME REVIEWER: GS | A 4130 / YD1 27-NOV-91 | | YD1 | 99 | |
| D | L | F-C-2791 | COOLING TOWERS, LIQUID | A 4130 / YD1 29-NOV-91 | | YD1 | | |
| | | G-C-116F(2) | CARD, TABULATING [VALIDATION DATE: 8306] | A 7530 * 84 12-SEP-75 | GL | | 99 | |
| | | G-D-331D | DICTIONARY, ENGLISH | A 7610 # 28-JUN-74 | | | | |
| | | G-E-550C | ENVELOPE, PHOTOGRAPHIC NEGATIVE, PAPER [VALIDATION DATE: 8202] USER: GL | A 7530 / DM 23-OCT-75 | MD | MS | 03 | |
| | | H-B-518 | BROOM, UPRIGHT (CORN) USER: GL | A 7920 % 14-OCT-60 | | | | |
| | | H-B-0051C | BROOM, UPRIGHT (CORN) | A 7920 # 11-JAN-72 | | | | |
| | | H-B-56A | BROOM, UPRIGHT, COARSE FIBERS (VEGETABLE FIBER AND SYNTHETIC FIBER) USER: GL | A 7920 % 22-MAY-73 | | | | |
| | | H-B-71B | BROOM, PUSH, VEGETABLE FIBER | A 7920 / GL 02-JAN-64 | GL | SA | 99 | |
| | | H-B-71B(I2) | BROOM, PUSH, VEGETABLE FIBER | A 7920 % FSS 12-OCT-70 | | | | |
| | | H-B-101A | BROOM, WHISK USER: AS GL MC SA | A 7920 % 13-FEB-51 | | | | |
| | | H-B-00101B | BROOM, WHISK | A 7920 # 10-OCT-68 | | | | |
| | | H-B-118E | BRUSHES: ARTISTS | A 8020 # FSS 04-OCT-76 | | | | |
| | | H-B-118E(11) | BRUSHES: ARTISTS | A 8020 # FSS 22-JUN-77 | | | | |
| | | H-B-141H | BRUSH, CALCIMINE, WALL COATING | A 8020 # 28-JAN-86 | | | | |
| | | H-B-178D | BRUSH, WIRE AND PLATERS GENERAL SPECIFICATION FOR USER: CE CG MC SH | A 7920 * GL 10-MAY-76 | GL | SA | 99 | |
| | | H-B-178/1 | BRUSH, WIRE & PLATER, CURVED HANDLE, 4 ROW BRUSHES | A 7920 * GL 10-MAY-76 | GL | SA | 99 | |
| | | H-B-178/2 | BRUSH, WIRE AND PLATERS, CURVED HANDLE, 3 ROW BRUSHES | A 7920 * GL 10-MAY-76 | GL | SA | 99 | |
| | | H-B-178/3 | BRUSH, WIRE AND PLATERS, SHOE HANDLE BRUSHES | A 7920 * GL 10-MAY-76 | GL | SA | 99 | |
| | | H-B-178/4 | BRUSH, WIRE AND PLATERS, STRAIGHT BLOCK BRUSHES | A 7920 * GL 10-MAY-76 | GL | SA | 99 | |
| | | H-B-178/5 | BRUSH, WIRE AND PLATERS, CURVED BLOCK BRUSH | A 7920 * GL 10-MAY-76 | GL | SA | 99 | |
| D | | H-B-181D | BRUSH, CHASSIS AND RUNNING GEAR USER: MC | A 7920 * GL 09-FEB-76 | GL | YD1 | 99 | |
| | | H-B-190 | BRUSH, DUSTING USER: GL MC SA | A 7920 % 13-MAR-63 | | | | |
| | | H-B-00190A(3) | BRUSHES, DUSTING | A 7920 # 12-JUL-71 | | | | |
| M | | H-B-241H | BRUSH, ARTIST'S | A 8020 # FSS 01-APR-93 | | | | |
| | | H-B-292A(1) | BRUSH, ADHESIVE (GLUE) USER: GL | A 7920 % 14-OCT-66 | | | | |
| | | H-B-371E | BRUSH, ARTIST S, MARKING USER: ME | A 8020 % 18-MAY-77 | | | | |
| | | H-B-391E | BRUSH, MOTTLING | A 8020 % 31-OCT-77 | | | | |
| | | H-B-420K | BRUSH, PAINT | A 8020 # FSS 30-AUG-91 | | | | |
| | | H-B-420J(11) | BRUSH, PAINT, FLAT, METAL-BOUND | A 8020 # FSS 11-JAN-89 | | | | |
| | | H-B-421 | BRUSH, FILE CLEANER | A 7920 / GL 19-JUN-64 | GL | SA | 99 | |
| | | H-B-421(11) | BRUSH, FILE CLEANER | A 7920 % FSS 11-OCT-68 | | | | |
| | | H-B-451F | BRUSH, RADIATOR BRONZING | A 8020 # FSS 05-SEP-91 | | | | |
| | | H-B-471H | BRUSH, ROOF, KNOTTED-STYLE, THREE KNOTS | A 8020 # 31-MAY-78 | | | | |
| | | H-B-481C | BRUSHES, SANITARY | A 7920 / GL 31-AUG-65 | GL | SA | 69 | |
| | | H-B-00481D | BRUSHES, SANITARY | A 7920 # FSS 15-OCT-70 | | | | |
| | | H-B-481C(I1) | BRUSHES, SANITARY | A 7920 # FSS 08-JUN-67 | | | | |
| | | H-B-491J | BRUSH, PAINT, SASH AND TRIM | A 8020 # 21-MAR-86 | | | | |
| | | H-B-491J(I1) | BRUSH, PAINT, SASH AND TRIM | A 8020 # FSS 11-JAN-89 | | | | |
| | | H-B-00515A | BRUSH, SCRUB, BASEBOARD | A 7920 # 27-SEP-66 | | | | |
| | | H-B-531C | BRUSH, SCRUB, DECK USER: GL | A 7920 % 16-NOV-62 | | | | |
| | | H-B-00531D(1) | BRUSH, SCRUB, DECK | A 7920 # 20-NOV-67 | | | | |
| D | | H-R-550B(1) | ROLLER, KIT, PAINT USER: CE CG MC ME YD1 | A 8020 * SH 18-JUL-77 | | SH | 99 | |
| | | H-B-555A | BRUSH, SCRUB, VEGETABLE USER: GL | A 7920 % 28-JAN-66 | | | | |
| | | H-B-00555B | BRUSH, SCRUB, VEGETABLE | A 7920 # 28-JAN-71 | | | | |
| | | H-T-560A | TOOTHBRUSH (FOR ADULTS AND CHILDREN) USER: GL | A 8530 % 15-SEP-72 | | | | |
| | | H-B-571A(2) | BRUSH, SHAVING USER: GL | A 8530 % 11-APR-45 | | | | |
| | | H-B-00571B | BRUSH, SHAVING | A 8530 % 02-JUN-69 | | | | |
| | | H-B-581(1) | BRUSH, SHOE USER: GL | A 7920 % 31-JUL-50 | | | | |
| | | H-B-00581A | BRUSH, SHOE | A 7920 # 15-JAN-70 | | | | |
| | | H-A-00600A | APPLICATOR, WAX | A 7920 # 06-JAN-69 | | | | |
| | | H-B-621F | BRUSH, STENCIL USER: GL MC REVIEWER: 99 | A 7520 * 29-DEC-58 | | | | |
| | | H-B-00621G | BRUSH, STENCIL | A 7520 # 07-OCT-70 | | | | |
| | | H-B-643C | BRUSHES, ACID SWABBING | A 7920 / GL 02-JUN-66 | GL | SA | 99 | |
| | | H-B-643C(I1) | BRUSHES, ACID SWABBING | A 7920 # FSS 29-APR-71 | | | | |
| | | H-B-651J | BRUSHES, FLOOR SWEEPING USER: GL MC | A 7920 # FSS 11-JUN-91 | | | | |
| | | H-B-681B(2) | BRUSH, TYPEWRITER USER: GL | A 7510 % 24-SEP-82 | | | | |
| | | H-B-00681D | BRUSH, TYPEWRITER | A 7510 # 03-FEB-83 | | | | |
| D | | H-B-695H | BRUSH, VARNISH, FLAT REVIEWER: YD1 | A 8020 * 01-OCT-76 | | | | |
| | | H-B-695H(I1) | BRUSHES, VARNISH, FLAT | A 8020 # FSS 11-JAN-89 | | | | |
| | | H-B-711H | BRUSH, VARNISH, OVAL | A 8020 # 06-MAR-86 | | | | |
| | | H-B-731G | BRUSH, WHITEWASH | A 8020 # 10-JUN-78 | | | | |
| | | H-B-751C | BRUSH, WINDOW USER: GL MC SA REVIEWER: 99 | A 7920 * 18-JAN-73 | | | | |
| | Q | H-B-771B | BRUSH, WIRE, ROTARY, GENERAL PURPOSE | A 5130 # 29-SEP-66 | | | | |
| | | H-S-951D | SYNTHETIC FILAMENT FOR BRUSHES, GENERAL SPECIFICATION FOR USER: 45 CS | A 9420 * GL 12-AUG-76 | GL | | 99 | |
| | | H-B-1049 | BRUSH, FLASK USER: GL | A 7920 % 21-AUG-74 | | | | |
| | | H-B-1050A | BRUSH, BOTTLE AND BURETTE USER: GL MC SA REVIEWER: 99 | A 7920 * 18-JAN-73 | | | | |
| | | H-B-1051A | BRUSH, TEST TUBE AND BRUSH, PIPET USER: GL MC SA REVIEWER: 99 | A 7920 * 15-JAN-73 | | | | |
| | | H-B-001137 | BRUSH, SCRUB, ALL-PLASTIC, STEAM KETTLE | A 7920 # 08-JUN-66 | | | | |
| | | H-H-001193A | HAIRBRUSH, SYNTHETIC | A 8530 # 10-DEC-71 | | | | |
| | | H-B-1490A(1) | BRUSH, SCRUB, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8601] USER: MC | A 7920 / GL 23-APR-76 | GL | | 99 | |
| | | SUPPL 1C1 | ME MS SA REVIEWER: 03 MD | | | | | |
| | | H-B-1490/1A | BRUSH, SCRUB, HAND [VALIDATION DATE: 8601] USER: MC SA REVIEWER: MD | A 7920 / GL 23-APR-76 | GL | | 99 | |
| | L | H-B-1490/2 | BRUSH, SCRUB, SURGICAL, U-SHAPED BLOCK [VALIDATION DATE: 8601] USER: DM MC SA REVIEWER: 03 MD | A 7920 / GL 17-OCT-73 | GL | | 99 | |
| | | H-B-1490/3A | BRUSH, SCRUB, HOUSEHOLD [VALIDATION DATE: 8601] USER: MC SA REVIEWER: MD | A 7920 / GL 23-APR-76 | GL | | 99 | |
| | | H-B-1490/4A | BRUSH, SCRUB, CLOTHES [VALIDATION DATE: 8601] USER: MC SA REVIEWER: MD | A 7920 / GL 23-APR-76 | GL | | 99 | |

| Action | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| | H-B-1490/5A | BRUSH, SCRUB, FLOOR [VALIDATION DATE: 8601] ..... | A 7920 / GL 23-APR-76 | GL | | | 99 |
| | H-B-1490/6A | BRUSH, SCRUB, POT AND PAN [VALIDATION DATE: 8601] USER: MC SA REVIEWER: MD | A 7920 / GL 23-APR-76 | GL | | | 99 |
| | H-B-1490/7A | BRUSH, SCRUB, GENERAL UTILITY [VALIDATION DATE: 8601] USER: MC SA REVIEWER: MD | A 7920 / GL 23-APR-76 | GL | | | 99 |
| | H-B-1490/8A | BRUSH, SCRUB, POT AND SINK [VALIDATION DATE: 8601] USER: MC SA REVIEWER: MD | A 7920 / GL 23-APR-76 | GL | | | 99 |
| | H-B-1654 | BRUSH, DUSTING, LENS AND PHOTOGRAPHIC NEGATIVES [VALIDATION DATE: 7602] ... | A 7920 * GL 07-JUN-71 | GL | | | 99 |
| D | J-C-308(1) | CABLE AND WIRE, ELECTRICAL (POWER, FIXED INSTALLATION) USER: 11 AR MC MI REVIEWER: 99 AS EA IS ME | A 6145 / CR 28-JAN-90 | CR | YD1 | | 85 |
| D | J-C-96A(2) NOTICE 1 | CABLE, TELEPHONE (W-108-B) [VALIDATION DATE: 9109] USER: CG REVIEWER: 80 IS SH | A 6145 / CR 20-SEP-91 | CR | YD1 | | 17 |
| | J-C-145C | CABLE, POWER, ELECTRICAL AND WIRE, ELECTRICAL, (WEATHER-RESISTANT) ..... | A 6145 % 25-MAR-83 | | | | |
| | J-C-175F | CABLE ASSEMBLY, POWER, ELECTRICAL, FOR 125 VOLT, 250 VOLT, AND 125/250 VOLT, 50-60 HZ, EQUIPMENT [VALIDATION DATE: 8504] USER: CG MC REVIEWER: 85 AS GS | A 6150 / ES 23-JAN-80 | CR | SH | | 17 |
| D | J-L-231C | LEADS, STORAGE-BATTERY ..... | A 6140 / YD1 20-JAN-87 | ER | YD1 | | 99 |
| D | J-C-5808(3) NOTICE 1 | CORD, ELECTRICAL AND WIRE, ELECTRICAL (0- TO 600- VOLT SERVICE) [VALIDATION DATE: 8808] USER: AV MC ME REVIEWER: 85 AT ES IS OS SH | A 6145 * CR 08-AUG-88 | CR | YD1 | | 17 |
| Q | J-W-1177B SUPPL 1C] | WIRE, MAGNET, ELECTRICAL, GENERAL SPECIFICATION USER: AS CG MC ME OS REVIEWER: AR MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/1A | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE E OLEORESINOUS-ENAMEL-COATED, ROUND [VALIDATION DATE: 8204] USER: AS CG MC ME REVIEWER: AR MI | A 6145 / SH 27-SEP-76 | CR | SH | | 85 |
| | J-W-1177/2B | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SU, SOLDERABLE POLYURETHANE COATED, ROUND USER: AS CG MC ME REVIEWER: AR MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/3B | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SN, SOLDERABLE POLYAMIDE COATED, ROUND USER: AS CG MC ME REVIEWER: AR MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/4B | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE T, POLYVINYL-FORMAL-COATED, ROUND | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/5B | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE TN, POLYVINYL FORMAL OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME REVIEWER: AR MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/6B | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE TB, POLYVINYL-FORMAL-COATED, SELF-BONDING, ROUND USER: AS CG MC ME REVIEWER: AR MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/7A | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SA, SOLDERABLE-ACRYLIC-COATED, ROUND [VALIDATION DATE: 8204] USER: AS CG ME REVIEWER: AR MI | A 6145 / SH 27-SEP-76 | CR | SH | | 85 |
| | J-W-1177/8A | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SAN, SOLDERABLE ACRYLIC NYLON COATED, ROUND [VALIDATION DATE: 8204] USER: AS CG MC ME REVIEWER: AR MI | A 6145 / SH 27-SEP-76 | CR | SH | | 85 |
| | J-W-1177/9B | WIRE, MAGNET, ELECTRICAL, CLASS 130, TYPE UN, POLYURETHANE-NYLON-COATED, ROUND USER: AS CG MC ME REVIEWER: AR MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/10B | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE L, POLYESTER-COATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/11B | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE LN, POLYESTER OR POLYESTER-IMIDE OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/12B | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE H, POLYESTER-IMIDE OR POLYESTER-AMIDE-IMIDE-COATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/13B | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE K, POLYESTER, POLYESTER-IMIDE OR POLYESTER-AMIDE-IMIDE OVERCOATED WITH POLYAMIDE-IMIDE, RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/14B | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE K, POLYESTER, POLESTER-IMIDE OR POLYESTER-AMIDE-IMIDE OVERCOATED WITH POLYAMIDE-IMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/15B | WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE M, AROMATIC POLYIMIDE COATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/16B | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE T, POLYVINYL FORMAL COATED, RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/18B | WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE M,POLYIMIDE-COATED, RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/19B | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE GV, GLASS-FIBER-COVERED, ROUND [VALIDATION DATE: 8204] USER: AS CG MC ME REVIEWER: AR MI | A 6145 / SH 27-SEP-76 | CR | SH | | 85 |
| | J-W-1177/20B | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE DGV POLYESTER-GLASS-FIBER-COVERED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/21B | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE GK, GLASS-FIBER-COVERED,SILICONE TREATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/22B | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE GV, GLASS-FIBER-COVERED, RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/23B | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE GK, GLASS-FIBER-COVERED,SILICONE TREATED, RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/24B | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE DGH, POLYESTER-GLASS-FIBER-COVERED, SILICONETREATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/25B | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE DGV, POLYESTER-GLASS-FIBER-COVERED, RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/26B | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE DGH, POLYESTER-GLASS-FIBER-COVERED, RECTANGULAR USER: AS CG MC ME REVIEWER: AR MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/27B | WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE M2DGGM, POLYESTER-GLASS-FIBER-COVERED, RECTANGULAR USER: AS CG MC ME REVIEWER: AR MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/28 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE SPE, SOLDERABLE POLYESTER-IMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/29 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE SPEN, SOLDERABLE POLYESTER-IMIDE OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/30 | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SUNB, SOLDERABLE POLYURETHANE/POLYAMIDE WITH SELF-BONDING THERMOPLASTIC OVERCOAT, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/31 | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE GO, GLASS-FIBER-COVERED, ORGANIC VARNISH TREATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/32 | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE OGO POLYESTER-GLASS-FIBER-COVERED, ORGANIC VARNISH TREATED, ROUND USER: AS CG MC OS REVIEWER: AR ER IS ME MI | A 6145 / SH 10-JAN-88 | CR | SH | | 85 |
| | J-W-1177/33 | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE GO, GLASS-FIBER-COVERED, ORGANIC VARNISH TREATED, RECTANGULAR USER: AS CG MC OS REVIEWER: AR ER IS ME MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/34 | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE OGO, POLYESTER-GLASS-FIBER-COVERED, ORGANIC VARNISH TREATED, RECTANGULAR USER: AS CG MC OS REVIEWER: AR ER IS ME MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/35 | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE PAP, AROMATIC POLYAMIDE-PAPER-COVERED, RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |
| | J-W-1177/36 | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE PAP, AROMATIC POLYAMIDE-PAPER-COVERED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A 6145 / SH 10-JUN-88 | CR | SH | | 85 |

| Action | Obsl. / Obsl. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | J-W-1177/37 | WIRE, MAGNET, ELECTRICAL, CLASS 130, TYPE SP, SOLDERABLE POLYURETHANE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| | | J-W-1177/38 | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE PEIN, POLYESTER, POLYESTER-IMIDE OR POLYESTER-AMIDE-IMIDE, OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| | | J-W-1177/39 | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE SPEI, SOLDERABLE POLYESTER-IMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| | | J-W-1177/40 | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE SPEIN, SOLDERABLE POLYESTER-IMIDE, OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| | | J-W-1177/41 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE SPU, SOLDERABLE POLYURETHANE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| | | J-W-1177/42 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE SPUN, SOLDERABLE POLYURETHANE OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| | | J-W-1177/43 | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE PEAI, POLYESTER-AMIDE-IMIDE COATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| | | J-W-1177/44 | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SUB, SOLDERABLE POLYURETHANE WITH SELF-BONDING THERMOPLASTIC OVERCOAT, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| | | J-W-1177/45 | WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE MDGGM, POLYESTER-GLASS AND GLASS-FIBER, POLYIMIDE-TREATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| | | J-W-1177/46 | WIRE, MAGNET, ELECTRICAL, CLASS 90, TYPE C, COTTON COVERED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| | | J-W-1177/47 | WIRE, MAGNET, ELECTRICAL, CLASS 90, TYPE F, NYLON-COVERED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI | A | 6145 / SH | | | 10-JUN-88 | CR | SH | 85 | |
| D | | J-C-12708 | CABLE ASSEMBLY, POWER, ELECTRICAL USER: AT YD1 REVIEWER: 99 | A | 6150 | | ME | 05-OCT-73 | ME | | | |
| D | | J-L-2744 | LEADS, ELECTRICAL, ARC-WELDING REVIEWER: 80 CR GS | A | 6150 / YD1 | | | 31-DEC-90 | ME | YD1 | 99 | |
| D | | K-B-100C | BASKET, FRAME MOUNTED, REMOVABLE CLOTH OR PLASTIC LINERS AND NONREMOVABLE CLOTH LINERS [VALIDATION DATE: 7706] USER: SA | A | 7240 * | | GL | 24-JUL-67 | GL | YD1 | 99 | |
| D | | K-P-146E | TARPAULIN, COTTON DUCK, FIRE, WATER, WEATHER AND MILDEW RESISTANT [VALIDATION DATE: 8511] USER: CG MC YD1 REVIEWER: 45 MD | A | 8340 / CT | | | 13-FEB-79 | GL | MU | 99 | CT |
| L | | K-P-146E(11) | TARPAULINS, COTTON DUCK, FWMMR | A | 8340 / GL | | | 10-OCT-90 | GL | | | |
| | | K-B-1069A(1) | BASKET, FRAME MOUNTED USER: GL | A | 7240 % | | | 23-MAY-77 | | | | |
| | | K-B-1378A | BAG, SOILED CLOTHES, NYLON USER: 45 | A | 8465 # | | | 28-JUN-74 | | | | |
| | | L-W-25D(1) | WASTE RECEPTACLE, PLASTIC | A | 7240 * | | GL | 05-MAR-74 | GL | | 99 | |
| | | L-T-0030 | TAB, SIGNAL, PLASTIC, TAB SET, SIGNAL, PLASTIC | A | 7510 # | | | 10-JUN-64 | | | | |
| D | | L-F-36C(3) | FACESHIELD, INDUSTRIAL [VALIDATION DATE: 8201] USER: MC MD YD1 REVIEWER: GS ME SH | A | 4240 * | | EA | 27-NOV-74 | EA | | 99 | |
| | | L-T-48E | TABLEWARE, PLASTIC USER: SA REVIEWER: CG MC MD | A | 7350 * | | GL | 20-JAN-75 | GL | | 99 | |
| | | L-P-508 | PAD, SCOURING USER: GL | A | 7920 % | | FSS | 25-NOV-66 | | | | |
| | | L-P-0050C | PAD, SCOURING | A | 7920 % | | FSS | 14-APR-71 | | | | |
| | | L-P-508(18) | PADS, SCOURING | A | 7920 % | | FSS | 18-SEP-68 | | | | |
| D | | L-P-65C | PAILS, UTILITY, PLASTIC USER: CG REVIEWER: DM MD ME | A | 7240 * | | GL | 30-SEP-77 | GL | YD1 | 99 | |
| | | L-T-80B | TAPE, PRESSURE-SENSITIVE ADHESIVE (ALUMINUM-BACKED) REVIEWER: AR ER GL MI | A | 8030 / MR | | | 01-OCT-71 | MR | | 11 | |
| | | L-T-99C | TAPE, PRESSURE SENSITIVE ADHESIVE IDENTIFICATION REVIEWER: AV SM | A | 7510 * | | GL | 01-JAN-75 | GL | SA | 84 | |
| | | L-T-100B | TAPE, PRESSURE&SENSITIVE ADHESIVE, POLYESTER FILM REVIEWER: 84 OS EA ME | A | 7510 * | | | 30-AUG-60 | | | | |
| | | L-C-110J | CELLOPHANE (COATED AND NONCOATED REGENERATED CELLULOSE FILM) USER: SS REVIEWER: 99 EA GS MD | A | 8135 * | | GL | 02-JAN-75 | GL | SA | 69 | |
| D | | L-S-125B | SCREENING, NONMETALLIC, INSECT [VALIDATION DATE: 8711] USER: MC MD | A | 8305 / CT | | | 12-NOV-87 | GL | SA | 82 | CT |
| | NOTICE 1 | | REVIEWER: EA MS YD1 | | | | | | | | | |
| | | L-S-281C | SHIELD, ERASING, TYPIST USER: GL REVIEWER: 99 | A | 7510 * | | | 09-JUL-63 | | | | |
| AQ | | L-S-300C | SHEETING AND TAPE, REFLECTIVE: NONEXPOSED LENS (S/S BY ASTM-D4956) | A | 9390 # | | FSS | 06-FEB-92 | | | | |
| | | L-F-315C | FILM, DIAZOTYPE, SENSITIZED (DIRECT IMAGE MICROFORMS) [VALIDATION DATE: 8006] REVIEWER: 16 | A | 6750 / AS | | | 15-NOV-71 | ER | AS | 70 | |
| | | L-F-315C(11) | FILM, DIAZOTYPE, SENSITIZED (DIRECT IMAGE MICROFORMS) [VALIDATION DATE: 8006] | A | 6750 # | | FSS | 28-OCT-75 | | | | |
| | | L-P-315C(2) | PIPE, PLASTIC (POLYETHYLENE, PE, SDR-PR) REVIEWER: CS | A | 4710 # | | | 01-APR-75 | | | | |
| | | L-P-00315D | PIPE AND TUBING, NONMETALLIC (PLASTIC) | A | 4710 # | | | 22-OCT-76 | | | | |
| | | L-F-320B | FILM, THERMAL DEVELOPING [VALIDATION DATE: 8305] | A | 6750 # | | | 04-MAY-66 | | | | |
| | | L-F-00320D | FILM, THERMAL DEVELOPING, VESICULAR REVIEWER: 16 MC OS | A | 6750 * | | CR | 21-AUG-75 | CR | AS | 99 | |
| D | | L-P-3208(1) | PIPE AND FITTINGS, PLASTIC (POLYVINYL CHLORIDE, PVC, DRAIN, WASTE, AND VENT, DWV) [VALIDATION DATE: 8305] USER: CG YD1 REVIEWER: 99 CS | A | 4710 * | | ME | 30-MAR-77 | ME | | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | L-L-3308(1) | LINER, PLASTIC, WASTE RECEPTACLE USER: GL REVIEWER: 99 | A | 7240 * | | | 16-MAY-74 | | | | |
| | | L-F-333A | FILM, PHOTOGRAPHIC, MOTION-PICTURE (BLACK AND WHITE) USER: EC MC REVIEWER: 85 MI | A | 6750 / CR | | | 26-FEB-74 | CR | AS | 99 | |
| | | L-F-3408(2) | FILM, DIAZOTYPE, SENSITIZED, MOIST AND DRY PROCESS, ROLL AND SHEET [VALIDATION DATE: 8303] USER: AV ME | A | 6750 * | | AS | 06-OCT-76 | ER | AS | 99 | |
| D | | L-D-350D | DINING PACKETS USER: YD1 REVIEWER: 84 GS MD TS | A | 7360 / GL | | | 31-DEC-90 | GL | | 99 | |
| | | L-P-375C(3) | PLASTIC FILM, FLEXIBLE, VINYL CHLORIDE [VALIDATION DATE: 8501] USER: ME MI OS REVIEWER: AR GS MD SA | A | 8135 / GL | | | 10-JAN-79 | GL | SH | | |
| | | L-P-3778 | PLASTIC SHEET AND STRIP, POLYESTER [VALIDATION DATE: 8201] REVIEWER: DS MD ME MI OS SM | A | 8135 / GL | | | 28-FEB-66 | GL | SA | | |
| A | | L-P-378D(1) | PLASTIC SHEET AND STRIP, THIN GAUGE, POLYOLEFIN [VALIDATION DATE: 8801] USER: AV EC MC REVIEWER: 99 AR EA ER GS MD OS SM SS | A | 8135 * | | GL | 25-JAN-88 | GL | SA | 69 | |
| | NOTICE 1 | | | | | | | | | | | |
| | | L-P-380C | PLASTIC MOLDING MATERIAL METHACRYLATE [VALIDATION DATE: 8908] USER: 17 AS ME REVIEWER: 99 EA EC GS MD MI OS SH | A | 9330 / MR | | | 03-AUG-89 | MR | | 11 | |
| | | L-P-383(1) | PLASTIC MATERIAL, POLYESTER RESIN, GLASS FIBER BASE, LOW PRESSURE LAMINATED [VALIDATION DATE: 9110] USER: 17 OS SH REVIEWER: AR GS ME MI | A | 9330 / AS | | | 30-OCT-91 | MR | AS | 11 | |
| | NOTICE 1 | | | | | | | | | | | |
| | | L-P-386C | PLASTIC MATERIAL, CELLULAR, URETHANE (FLEXIBLE) | A | 9330 # | | | 26-AUG-77 | | | | |
| D | | L-P-387A(1) | PLASTIC SHEET, LAMINATED, THERMOSETTING (FOR DESIGNATION PLATES) [VALIDATION DATE: 8502] USER: YD1 | A | 9330 / SH | | | 04-JUN-68 | ER | SH | 11 | |
| | | L-P-387A(12) | PLASTIC SHEET, LAMINATED, THERMOSETTING (FOR DESIGNATION PLATES) [VALIDATION DATE: 8502] REVIEWER: 11 84 85 AS | A | 9330 # | | FSS | 09-JUL-71 | | | | |
| | | L-P-390C(2) | PLASTIC, MOLDING AND EXTRUSION MATERIAL, POLYETHYLENE AND COPOLYMERS (LOW, MEDIUM, AND HIGH DENSITY) [VALIDATION DATE: 8707] USER: 17 AS MC REVIEWER: 99 AT AV EA GS MI MR OS | A | 9330 / ER | | | 07-JUL-87 | ER | | 11 | |
| | NOTICE 1 | | | | | | | | | | | |
| D | | L-P-391D(1) | PLASTIC SHEETS, RODS AND TUBING, RIGID CAST, METHACRYLATE (MULTIAPPLICATION) USER: GL OS PA YD1 REVIEWER: AS CR GS ME MI | A | 9330 / MR | | | 06-JUN-90 | MR | SH | 11 | |
| | NOTICE 1 | | | | | | | | | | | |
| | | L-P-397C | PLASTIC MOLDING MATERIAL, CELLULOSE ACETATE [VALIDATION DATE: 8601] REVIEWER: 17 99 AR EA GS MI SM | A | 9330 / MR | | | 16-DEC-77 | MR | SH | 11 | |
| | | L-P-410A(3) | PLASTIC, POLYAMIDE (NYLON), RIGID, RODS, TUBES, FLATS, MOLDED & CAST PARTS [VALIDATION DATE: 8004] USER: MC REVIEWER: EC ME MI OS SH | A | 9330 / AS | | | 21-MAY-74 | MR | | 11 | |
| D | | L-F-475A(1) | FLOOR COVERING VINYL, SURFACE (TILE AND ROLL), WITH BACKING USER: ME | A | 7220 / YD1 | | | 11-OCT-65 | | YD1 | 99 | |
| | | L-F-475A(13) | FLOOR COVERING VINYL, SURFACE (TILE AND ROLL), WITH BACKING | A | 7220 # | | FSS | 24-SEP-82 | | | | |
| | | L-H-4908 | HOLDER, CARD-LABEL, (PLASTIC) REVIEWER: 84 SA | A | 9905 * | | GL | 06-JAN-92 | GL | | 99 | |
| | | L-H-490A(11) | HOLDER, CARD-LABEL, (PLASTIC) | A | 9905 % | | FSS | 24-NOV-67 | | | | |
| | | L-P-504E | PLASTIC SHEET AND FILM, CELLULOSE ACETATE REVIEWER: CR EA GL GS ME | A | 9330 / AS | | | 17-JUN-91 | MR | AS | 11 | |
| D L | | L-P-508H | PLASTIC SHEET, LAMINATED, DECORATIVE AND NONDECORATIVE [VALIDATION DATE: 9104] REVIEWER: GL GS MI YD1 | A | 9330 / MR | | | 10-APR-91 | MR | | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | L-P-509A(1) | PLASTIC SHEET, ROD AND TUBE, LAMINATED, THERMOSETTING [VALIDATION DATE: 7209] USER: AS MC REVIEWER: AR CS EA GS ME MR OS | A | 9330 * | | GL | 17-OCT-67 | GL | | 99 | |

| Action | Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | L-P-511(1) | PLASTIC SHEET, LAMINATED, THERMOSETTING, COTTON FABRIC BASE, PHENOLIC-RESIN, POST-FORMING (VALIDATION DATE: 9110) REVIEWER: 69 AR ER MI | A 9330 / AS | 30-OCT-91 | MR | AS | 11 | |
| | NOTICE 1 | | | | | | | |
| | L-P-512C | PLASTIC SHEET (SHEETING): POLYETHYLENE (VALIDATION DATE: 9104) USER: MC SH | A 9330 / MR | 10-APR-91 | MR | AS | 11 | |
| | NOTICE 2 | REVIEWER: AR GL GS MI OS SM | | | | | | |
| | L-P-513C | PLASTIC SHEET & INSULATION SHEET, ELECTRICAL (LAMINATED, THERMOSETTING, PAPER BASE, PHENOLIC RESIN) (VALIDATION DATE: 8707) USER: MC ME REVIEWER: AS EA EC GS MI MR | A 9330 / ER | 07-JUL-87 | | | 11 | |
| | NOTICE 1 | | | | | | | |
| | L-P-516A | PLASTIC SHEET & PLASTIC ROD, THERMOSETTING, CAST (VALIDATION DATE: 8707) USER: MC REVIEWER: 17 CS EC GS MI | A 9330 / ER | 21-MAR-67 | ER | | 11 | |
| | NOTICE 1 | | | | | | | |
| | L-P-517C(1) | PLASTIC SHEET, SCRIBE-COATED (VALIDATION DATE: 8004) USER: OS REVIEWER: 68 AR GS | A 9330 / AS | 09-JUL-74 | EL | AS | 11 | |
| D | L-H-520G(1) | HOSE AND HOSE ASSEMBLIES, NON-METTALIC (RUBBER, PLASTIC) USER: CG REVIEWER: CS | A 4720 / YD1 | 10-JUL-91 | ME | YD1 | | |
| | L-P-527B | PLASTIC SHEET, STYRENE-BUTADIENE (VALIDATION DATE: 8702) USER: OS SH | A 9330 / MR | 10-FEB-87 | MR | AS | 11 | |
| | NOTICE 1 | REVIEWER: 99 ER GL GS MI | | | | | | |
| D | L-C-530C | COATING, PIPE, THERMOPLASTIC RESIN | A 9330 / YD1 | 17-FEB-87 | ME | YD1 | 99 | |
| | L-E-530A | ENVELOPE, TRANSPARENT USER: AR GL MC MD | A 7510 % | 27-APR-66 | | | | |
| | L-P-535E | PLASTIC SHEET (SHEETING): PLASTIC STRIP: POLY(VINYL CHLORIDE) AND POLY(VINYL CHLORIDE-VINYL ACETATE), RIGID (VALIDATION DATE: 9103) USER: AS ME REVIEWER: 99 EA GS MI SM | A 9330 / MR | 29-MAR-91 | MR | SH | 11 | |
| | L-B-560A | BOTTLE, SCREW CAP (POLYETHYLENE), 1.25 OUNCES REVIEWER: GS MT | A 8125 * GL | 08-FEB-74 | GL | SA | 99 | |
| | L-F-560F | FORK, KNIFE, AND SPOON, PICNIC, (PLASTIC) USER: CG MC REVIEWER: MD MS | A 7340 / GL | 31-DEC-90 | GL | SA | | |
| | L-B-00565A(1) | BOX, FILING, PLASTIC. | A 7520 # | 31-AUG-70 | | | | |
| | NOTICE 1 | | | | | | | |
| | L-C-566C | COMB, HAIR (PLASTIC) USER: GL MC | A 8530 % | 17-SEP-57 | | | | |
| | L-H-00575(1) | HOLDER, DESK MEMORANDUM PAPER, SHEET TYPE | A 7520 # | 09-MAY-73 | | | | |
| | L-H-580A(1) | HOLDER, NAMEPLATE, DESK, PLASTIC USER: GL | A 7520 % | 03-APR-72 | | | | |
| | L-P-600A(1) | PORTFOLIO, PLASTIC USER: GL | A 7510 # FSS | 13-DEC-72 | | | | |
| | L-P-600A(12) | PORTFOLIO, PLASTIC | A 7510 # FSS | 14-JAN-87 | | | | |
| | L-S-626C | SPONGES, SYNTHETIC (VALIDATION DATE: 7209) USER: AS ME | A 7920 / SA | 02-MAY-67 | GL | SA | 84 | |
| | L-S-00626D | SPONGES, SYNTHETIC | A 7920 # FSS | 15-JAN-70 | | | | |
| L | L-S-626C(11) | SPONGES, SYNTHETIC (VALIDATION DATE: 7209) | A 7920 / GL | 13-SEP-67 | GL | | | |
| | L-P-00665A | PROTECTOR, DUPLICATING STENCIL | A 7510 # | 15-FEB-68 | | | | |
| | L-P-00670B(2) | PROTECTOR, DOCUMENT | A 7510 # | 11-MAY-72 | | | | |
| | L-T-7908 | TUBE, NONMETALLIC: POLYVINYL CHLORIDE (PVC), FLEXIBLE (FOR LABORATORY AND MEDICAL USE) (VALIDATION DATE: 8404) USER: ME SH | A 4720 * CS | 14-APR-76 | | | 82 | CS |
| | L-T-7908(11) | TUBE, NONMETALLIC: POLYVINYL CHLORIDE (PVC), FLEXIBLE (FOR LABORATORY AND MEDICAL USE) (VALIDATION DATE: 8404) | A 4720 # FSS | 11-MAR-77 | | | | |
| | L-T-9408 | TYPE CLEANER, PLASTIC RUBBER TYPE USER: GL | A 7510 % | 12-NOV-73 | | | | |
| | L-C-1021C | COVER, MATTRESS, AND PILLOW (PLASTIC) | A 7210 % | 30-APR-79 | | | | |
| | L-P-1036A | PLASTIC ROD SOLID, PLASTIC TUBES AND TUBING, HEAVY WALLED, POLYVINYL CHLORIDE, RIGID (VALIDATION DATE: 8702) USER: AR SH REVIEWER: 99 EA GL GS ME | A 9330 / MR | 10-FEB-87 | MR | | 11 | |
| | NOTICE 1 | | | | | | | |
| D | L-P-10408 | PLASTIC SHEETS AND STRIPS (POLYVINYL FLUORIDE) (VALIDATION DATE: 8601) USER: ME REVIEWER: ER GL GS YD1 | A 9330 / MR | 22-JUL-77 | MR | | | |
| | L-P-1041A | PLASTIC MOLDING AND EXTRUSION MATERIAL, VINYLIDENE CHLORIDE VINYL CHLORIDE COPOLYMER (VALIDATION DATE: 8702) USER: AS OS REVIEWER: 17 EC ER GL GS ME MI | A 9330 / MR | 10-FEB-87 | MR | | 11 | |
| | NOTICE 1 | | | | | | | |
| D | L-P-1221A(1) | PIPE AND FITTINGS, PLASTIC, RIGID (STYRENE-RUBBER, DRAIN) USER: YD1 | A 4730 * | 12-APR-77 | | | | |
| | L-B-1283A | BAG, SOILED CLOTHES (WATER SOLUBLE PLASTIC USER: 45 | A 8465 # | 07-OCT-77 | | | | |
| | L-C-001369 | CUSHION, CARPET AND RUG, BONDED URETHANE | A 7220 # | 10-DEC-69 | | | | |
| D | L-T-1512A | TAPE, PRESSURE SENSITIVE ADHESIVE, PIPE WRAPPING USER: YD1 | A 8030 * | 09-JUN-75 | | | | |
| | L-F-1593 | FUNNEL, PLASTIC (VALIDATION DATE: 7602) USER: GL MC MD MS | A 7240 % | 07-JUL-70 | | | | |
| | L-F-001641(2) | FLOOR COVERING, VINYL RESIN | A 7220 # FSS | 24-SEP-82 | | | | |
| | L-W-1653(1) | WASTE RECEPTACLE, MOBILE, PLASTIC | A 7240 # | 27-DEC-76 | | | | |
| | L-W-001653(1) | WASTE RECEPTACLE, MOBILE, PLASTIC | A 7240 # | 21-MAY-71 | | | | |
| D | L-C-001676(1) | CUSHION, CARPET AND RUG, VIRGIN URETHANE USER: YD1 | A 7220 # | 07-SEP-71 | | | | |
| | L-S-1805 | DRY TRANSFER SHEETS USER: GL | A 7510 # FSS | 01-JUL-74 | | | | |
| | L-S-1805(11) | DRY TRANSFER SHEETS | A 7510 # FSS | 14-OCT-75 | | | | |
| | L-B-2009(1) | BASKET, WASTEPAPER, PLASTIC | A 7520 # | 08-AUG-77 | | | | |
| | M-B-35K(1) | BAKERY MIXES, PREPARED USER: MC REVIEWER: MD MS SS TS | A 8920 / GL | 12-DEC-84 | GL | SA | 50 | |
| D | M-F-170F | FEED, DRY, FOR DOGS (VALIDATION DATE: 8201) USER: SS REVIEWER: 03 MD | A 8710 / GL | 22-MAR-74 | GL | YD1 | 99 | |
| D | O-B-41E | BATTERY WATER USER: MC ME SM YD1 REVIEWER: GS | A 6810 / EA | 29-AUG-84 | EA | | 68 | |
| A | O-A-51H | ACETONE, TECHNICAL USER: AS REVIEWER: GS MD MI SM | A 6810 / EA | 23-APR-92 | EA | OS | 68 | |
| | O-A-76E | ACETIC ACID, GLACIAL, TECHNICAL USER: AS ER MI OS REVIEWER: GS MD | A 6810 / EA | 03-JUL-84 | EA | | 68 | |
| | O-P-0099A | PARADICHLOROBENZENE, TECHNICAL (DICHLOROBENZENE, PARA) REVIEWER: EA | A 6810 % | 09-MAR-65 | | | | |
| | O-C-101A(1) | CALCIUM CARBIDE USER: ME REVIEWER: GS | A 6810 / EA | 06-MAR-51 | EA | | 68 | |
| | O-C-105D(1) | CALCIUM CHLORIDE, DIHYDRATE AND CALCIUM CHLORIDE, ANHYDROUS, TECHNICAL USER: CE ME | A 6810 % | 10-FEB-76 | | | | |
| A | O-C-110C | CALCIUM HYDROXIDE, TECHNICAL (VALIDATION DATE: 9205) USER: MC REVIEWER: GS MD ME | A 6810 / EA | 14-MAY-92 | EA | | 68 | |
| | NOTICE 1 | | | | | | | |
| D | O-C-114B(2) | CALCIUM HYPOCHLORITE, TECHNICAL USER: CE MC REVIEWER: GL GS MD ME MS YD1 | A 6810 * | 09-MAR-77 | EA | SH | 68 | |
| D | O-L-160A | LEAK PREVENTIVE COMPOUND, RADIATOR | A 6850 / MR | 28-SEP-67 | MR | YD1 | 68 | |
| | O-L-160A(12) | LEAK PREVENTIVE COMPOUND, RADIATOR | A 6850 # FSS | 08-JUN-78 | | | | |
| A | O-L-164D | LEATHER DRESSING, MILDEW PREVENTIVE (VALIDATION DATE: 9301) USER: MC ME | A 8030 / GL | 04-JAN-93 | GL | | 99 | |
| | NOTICE 2 | REVIEWER: EA IS MD MR | | | | | | |
| N | O-L-172A(1) | LEATHER DRESSING, VESICANT GAS RESISTANT (VALIDATION DATE: 8502) USER: CE REVIEWER: 99 | A 8030 * ER | 27-AUG-71 | ER | MC | | |
| | O-D-1908 | DEICING-DEFROSTER FLUID (AEROSOL) | A 6850 # FSS | 10-SEP-76 | | | | |
| | O-D-1908(11) | DEICING-DEFROSTER FLUID (AEROSOL) | A 6850 # FSS | 03-JUN-77 | | | | |
| | O-H-200C | HERBICIDE, 2,4-DICHLOROPHENOXYACETIC ACID (SALTS AND ESTERS) USER: MC REVIEWER: GS | A 6840 * EA | 05-MAY-69 | EA | | | |
| D | O-H-206B | HERBICIDE, DCPA (DIMETHYL ESTER OF TETRACHLOROTEREPHTHALIC ACID) USER: MC REVIEWER: GS MD MS | A 6840 * GL | 09-NOV-76 | GL | YD1 | 68 | |
| | O-D-210A | DESICCANT, ACTIVATED, CALCIUM SULFATE, ANHYDROUS (VALIDATION DATE: 8404) USER: SH REVIEWER: GS | A 6850 / EA | 25-FEB-76 | EA | | 68 | |
| | O-H-210C | HERBICIDE, 2, 4, 5-TRICHLOROPHENOXYACETIC ACID (2, 4, 5-T) (SALTS AND ESTERS) | A 6840 # | 26-SEP-69 | | | | |
| | O-H-215A | HERBICIDE, SILVEX ESTER AND SILVEX POTASSIUM SALT (VALIDATION DATE: 8205) | A 6840 # | 11-AUG-65 | | | | |
| | O-W-221C | WETTING AGENT, LIQUID, PHOTOGRAPHIC GRADE (VALIDATION DATE: 8902) | A 6750 / AS | 20-FEB-89 | ER | AS | 70 | |
| | NOTICE 1 | REVIEWER: GS | | | | | | |
| D | O-C-230(4) | CHARGE, FIRE EXTINGUISHER, FOAM REVIEWER: CS | A 4210 * ME | 12-SEP-61 | ME | YD1 | | |
| | O-M-232J | METHANOL (METHYL ALCOHOL) USER: AS REVIEWER: AR DS GL GS MD MI | A 6810 / EA | 19-NOV-90 | EA | OS | 68 | |
| L | O-M-00232H | METHANOL (METHYL ALCOHOL) | A 6810 / EA | 09-JUL-90 | EA | | | |
| D | O-T-236C | TETRACHLOROETHYLENE (PERCHLOROETHYLENE), TECHNICAL GRADE USER: YD1 REVIEWER: DS GL GS MD MI OS SM | A 6810 * | 06-AUG-79 | | | | |
| D | O-C-265C | CHEMICALS, ANALYTICAL: GENERAL SPECIFICATION FOR USER: MI MS OS YD1 REVIEWER: AR GS MD SM | A 6810 / EA | 30-OCT-91 | EA | | 68 | |
| | O-C-275C | CHEMICALS, PHOTOGRAPHIC (SINGLE SUBSTANCE) GENERAL SPECIFICATION FOR (VALIDATION DATE: 7302) REVIEWER: GS ME | A 6750 / CR | 30-JUN-69 | CR | AS | 99 | |
| | O-C-00275D | CHEMICALS, PHOTOGRAPHIC (SINGLE SUBSTANCE), GENERAL SPECIFICATION FOR USER: ME | A 6750 * CR | 04-APR-74 | CR | AS | 70 | |
| | O-C-289G | CHLORINATION KIT, WATER PURIFICATION, (FOR TREATMENT OF DRINKING WATER) USER: CR REVIEWER: GS MD MS | A 6850 / GL | 27-DEC-85 | GL | MC | 68 | |

| Action | Qty / Cont. Coordination Inactive | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | O-C-2918 | CHLOROFORM, TECHNICAL [VALIDATION DATE: 8907] REVIEWER: GS MD | A 6810 / EA | 10-JUL-89 | EA | | | 68 |
| | | NOTICE 1 | | | | | | | |
| | | O-L-2988 | LITHOGRAPHIC BLANKET-ROLLER WASH [VALIDATION DATE: 7502] USER: MC REVIEWER: GS MD | A 6850 / GL | 04-APR-69 | GL | | | 68 |
| | | O-L-2988(11) | LITOGRAPHIC BLANKET ROLLER WASH [VALIDATION DATE: 7502] | A 6850 # FSS | 15-MAY-74 | | | | |
| | | O-C-303D(1) | CHROMIUM TRIOXIDE, TECHNICAL USER: AS ER OS REVIEWER: AR DS GS MD ME MI | A 6810 / EA | 01-AUG-86 | EA | | | 68 |
| | | O-N-335 | NICKEL SALT, ELECTROPLATING | A 6810 # | 11-JAN-62 | | | | |
| | | O-N-350C | NITRIC ACID, TECHNICAL REVIEWER: AR GS MD MI OS | A 6810 / EA | 13-NOV-91 | EA | SH | | 68 |
| | | O-T-370 | THIONYL CHLORIDE, REAGENT REVIEWER: GS | A 6810 * EA | 21-NOV-62 | EA | SH | | 68 |
| | | O-F-3718 | FIRE EXTINGUISHING AGENT, SODIUM BICARBONATE DRY CHEMICAL | A 4210 # | 02-FEB-79 | | | | |
| | | O-S-3778 | SODIUM PYROPHOSPHATE, ANHYDROUS, TECHNICAL (TETRASODIUM-PYROPHOSPHATE) (S/S BY DOD-S-51517) | A 6810 # | 20-APR-66 | | | | |
| | | O-B-420C | BLEACH, LAUNDRY, ORGANIC CHLORINE USER: AR MS REVIEWER: MD | A 6850 / GL | 09-MAR-76 | GL | | | 68 |
| | | O-B-420C(11) | BLEACH, LAUNDRY, ORGANIC CHLORINE [VALIDATION DATE: 8711] REVIEWER: AR EA GS MD MS | A 6850 / GL | 10-NOV-87 | GL | | | 68 |
| D | | O-A-429D | ALUMINUM SULFATE, TECHNICAL USER: YD1 REVIEWER: GS MD ME | A 6810 / EA | 03-JUL-84 | EA | | | 68 |
| | | O-C-430A | CLEANING COMPOUND, PAINT BRUSH | A 6850 # | 09-JUL-75 | | | | |
| | | O-C-00432(1) | CLEANING COMPOUND, ENGINE COOLING SYSTEM | A 6850 # | 31-JAN-69 | | | | |
| | | O-A-445B(1) | AMMONIA, TECHNICAL [VALIDATION DATE: 8501] | A 6830 / ME | 05-MAY-83 | ME | AS | | 68 |
| | | O-A-451F(1) | AMMONIUM HYDROXIDE, TECHNICAL | A 6810 # | 10-DEC-75 | | | | |
| | | O-I-004908 | INHIBITOR, CORROSION, LIQUID COOLING SYSTEM [VALIDATION DATE: 8206] | A 6850 # | 04-SEP-74 | | | | |
| | | O-B-491D | BLUING, LAUNDRY [VALIDATION DATE: 7206] USER: MC SH REVIEWER: GS MD | A 7930 * GL | 31-MAY-68 | GL | | | 99 |
| A | | O-G-491D | GLYCEROL, TECHNICAL (HIGH GRAVITY) USER: OS REVIEWER: GS MD MI | A 6810 / EA | 01-MAY-92 | EA | | | 68 |
| | | O-R-00497C | RODENTICIDE, ANTICOAGULANT, UNIVERSAL, CONCENTRATE | A 6840 * GL | 24-FEB-76 | | | | |
| | | O-A-4988 | AMMONIUM DICHROMATE, PHOTOGRAPHIC, (AMMONIUM BICHROMATE) [VALIDATION DATE: 8705] | A 6750 / OS | 07-SEP-66 | | OS | | |
| | | NOTICE 1 | | | | | | | |
| | | O-F-499D | FLUX, BRAZING, (SILVER BRAZING FILLER METAL, LOW MELTING POINT) [VALIDATION DATE: 9102] USER: AT MC REVIEWER: 99 EA GS ME MI | A 3439 / SH | 20-FEB-91 | AR | SH | | 11 |
| | | NOTICE 1 | | | | | | | |
| D | | O-R-500D | RODENTICIDE, BAIT, ANTICOAGULANT [VALIDATION DATE: 8307] USER: MC MS REVIEWER: 68 CE GS MD MU YD1 | A 6840 * SH | 31-JAN-78 | GL | SH | | |
| | | O-I-501B | INHIBITORS, PICKLING (FOR USE WITH SULPHURIC ACID) [VALIDATION DATE: 8809] USER: AS OS SH REVIEWER: GS MR | A 6850 / EA | 23-SEP-88 | EA | | | 11 |
| | | NOTICE 1 | | | | | | | |
| D | | O-I-503F | INSECT REPELLENT, CLOTHING AND PERSONAL APPLICATION USER: MC MS YD1 REVIEWER: GS MD | A 6840 / GL | 30-APR-86 | GL | SH | | 68 |
| D | | O-I-520B | INSECTICIDE, DIAZINON, EMULSIFIABLE CONCENTRATE [VALIDATION DATE: 8402] USER: AR MC REVIEWER: MD YD1 | A 6840 / GL | 16-AUG-77 | GL | SH | | 68 |
| | | O-A-549A | ANTI-FOGGING COMPOUND | A 6850 # FSS | 03-MAR-73 | | | | |
| | | O-A-549A(11) | ANTI-FOGGING COMPOUND | A 6850 # FSS | 20-NOV-75 | | | | |
| | | O-I-556C | INSECTICIDE, METHYL BROMIDE [VALIDATION DATE: 8809] REVIEWER: GS | A 6840 / EA | 23-SEP-88 | EA | SH | | 68 |
| | | NOTICE 1 | | | | | | | |
| | | O-P-559 | POTASSIUM DICHROMATE (POTASSIUM BICHROMATE) TECHNICAL GRADE [VALIDATION DATE: 8505] REVIEWER: GS | A 6810 / AR | 26-MAY-52 | AR | SH | | 68 |
| D | | O-I-565C | INSECTICIDE, MALATHION, EMULSIFIABLE CONCENTRATE [VALIDATION DATE: 8907] | A 6840 / EA | 10-JUL-89 | EA | YD1 | | 68 |
| | | NOTICE 1 | USER: AS MC REVIEWER: GL GS MD | | | | | | |
| | | O-P-5668 | POTASSIUM HYDROXIDE, TECHNICAL REVIEWER: GS MD | A 6810 * EA | 30-OCT-84 | EA | SH | | 68 |
| D | | O-I-568D | INSECTICIDE, DDT (75 PERCENT, WATER-DISPERSIBLE POWDER) USER: AS REVIEWER: GL GS | A 6840 * EA | 04-DEC-69 | EA | YD1 | | 68 |
| | | O-I-568D(11) | INSECTICIDE, DDT (75 PERCENT, WATER-DISPERSIBLE POWDER) | A 6840 # FSS | 14-AUG-70 | | | | |
| D | | O-S-571G | SODIUM CARBONATE, ANHYDROUS, TECHNICAL USER: MC SH SM YD1 REVIEWER: AR GS MD ME | A 6810 / EA | 13-NOV-91 | EA | | | 68 |
| | | O-S-571F(11) | SODIUM CARBONATE, ANHYDROUS, TECHNICAL | A 6810 # FSS | 02-JAN-73 | | | | |
| | | O-M-575A | MORPHOLINE, TECHNICAL USER: ME SH REVIEWER: 68 GS | A 6810 * | 13-SEP-75 | | | | |
| D | | O-S-588C | SODIUM CHROMATE, ANHYDROUS, TECHNICAL USER: AS ME YD1 REVIEWER: GS OS | A 6810 * | 20-JUN-85 | EA | | | 68 |
| | | O-S-5958(1) | SODIUM DICHROMATE, DIHYDRATE, TECHANICAL [VALIDATION DATE: 8501] REVIEWER: MI | A 6810 * OS | 23-APR-70 | | OS | | |
| | | O-S-5988 | SODIUM HYDROXIDE, TECHNICAL [VALIDATION DATE: 8809] USER: OS REVIEWER: AS GS MD | A 6810 / EA | 23-SEP-88 | EA | SH | | 68 |
| | | NOTICE 1 | | | | | | | |
| D | | O-S-602E | SODIUM HYPOCHLORITE SOLUTION USER: AS GL MC OS YD1 REVIEWER: GS MD MI | A 6810 * | 24-FEB-77 | EA | | | 68 |
| | | O-S-604D | SODIUM METASILICATE, TECHNICAL [VALIDATION DATE: 8809] USER: MI OS REVIEWER: GL GS MD | A 6810 / EA | 23-SEP-88 | EA | | | 68 |
| | | NOTICE 1 | | | | | | | |
| | | O-S-605D | SODIUM SILICATE SOLUTION REVIEWER: MI | A 6810 % | 23-FEB-67 | | | | |
| | | O-T-620C | 1, 1, 1-TRICHLOROETHANE, TECHNICAL INHIBITED (METHYL CHLOROFORM) [VALIDATION DATE: 8204] USER: GL OS REVIEWER: AS DS MC | A 6810 / SH | 13-SEP-67 | AR | SH | | 68 |
| | | O-T-620C(13) | 1, 1, 1-TRICHLOROETHANE, TECHNICAL, INHIBITED (METHYL CHLOROFORM) [VALIDATION DATE: 8404] | A 6810 # FSS | 06-JUN-77 | | | | |
| | | O-S-6348 | SODIUM NITRATE, TECHNICAL (NITRATE OF SODA) [VALIDATION DATE: 8501] | A 6810 / OS | 14-DEC-70 | | OS | | |
| | | O-T-634C(1) | TRICHLOROETHYLENE, TECHNICAL USER: AS GL MC REVIEWER: DS GS MD MI OS SM | A 6810 / EA | 24-OCT-85 | EA | SH | | 68 |
| D | | O-S-635D | SODIUM POLYPHOSPHATES, TECHNICAL USER: SH REVIEWER: GS MD | A 6810 * | 04-MAY-77 | EA | YD1 | | 68 |
| | | O-S-6398 | SODIUM PHOSPHATE, DIBASIC, ANHYDROUS, TECHNICAL USER: AS REVIEWER: GS | A 6810 / SH | 27-AUG-84 | GL | SH | | 68 |
| M | | O-S-642G | SODIUM PHOSPHATE, TRIBASIC, ANHYDROUS, DODECAHYDRATE; AND MONOHYDRATE; TECHNICAL USER: MC MI REVIEWER: AR MD | A 6810 / SH | 07-MAY-93 | GL | SH | | 68 |
| | | O-C-6508 | CORRECTION FLUID, WHITE, OPAQUE, AND THINNER USER: GL | A 7510 % | 08-DEC-75 | | | | |
| | | O-S-00650 | SODIUM SULFITE, ANHYDROUS, TECHNICAL, AND SODIUM BISULFITE, ANHYDROUS, TECHNICAL, FOR WATER TREATMENT | A 6810 # | 25-FEB-65 | | | | |
| | | O-E-661D | ERADICATOR, INK USER: GL | A 7510 % | 17-APR-74 | | | | |
| | | O-O-670C | ORTHOPHOSPHORIC (PHOSPHORIC) ACID, TECHNICAL REVIEWER: GS MD ME | A 6810 / EA | 13-NOV-91 | EA | OS | | 68 |
| A | | O-O-690C | OXALIC ACID, DIHYDRATE, TECHNICAL REVIEWER: GS MD | A 6810 / EA | 14-MAY-92 | EA | | | 68 |
| | | O-E-751B | ETHER, PETROLEUM, TECHNICAL-GRADE [VALIDATION DATE: 6508] | A 6810 # | 11-APR-56 | | | | |
| | | O-H-007650 | HYDROCHLORIC ACID, TECHNICAL | A 6810 / EA | 29-MAY-90 | EA | | | |
| A | | O-E-790B | ETHYLENE GLYCOL MONOMETHYL ETHER, TECHNICAL REVIEWER: GS MD OS SH | A 6810 / EA | 28-APR-92 | EA | | | 68 |
| | | O-H-795(2) | HYDROFLUORIC ACID, TECHNICAL [VALIDATION DATE: 7707] | A 6810 # | 03-JUL-57 | | | | |
| D | | O-S-801E | SULFURIC ACID, ELECTROLYTE (FOR STORAGE BATTERIES) USER: MC SA REVIEWER: GS MD MI YD1 | A 6810 / EA | 21-NOV-90 | EA | SH | | 68 |
| L | | O-S-008010 | SULFURIC ACID, ELECTROLYTE, FOR STORAGE BATTERIES | A 6810 / EA | 10-JUL-90 | EA | | | |
| A | | O-S-809E(1) | SULFURIC ACID, TECHNICAL REVIEWER: GS MD MI | A 6810 / EA | 21-OCT-92 | EA | | | 68 |
| | | O-S-008090 | SULFURIC ACID, TECHNICAL | A 6810 * EA | 29-MAY-90 | EA | | | |
| | | O-D-825C | DUPLICATING FLUID, DIRECT PROCESS (SPIRIT TYPE) USER: GL | A 7510 # | 01-OCT-73 | | | | |
| | | O-C-828C | CUPRIC SULFATE, PENTAHYDRATE, TECHNICAL [VALIDATION DATE: 8907] USER: OS REVIEWER: AR GS MD | A 6810 / EA | 10-JUL-89 | EA | | | 68 |
| | | NOTICE 1 | | | | | | | |
| | | O-C-9408 | CYCLOHEXYLAMINE, TECHNICAL | A 6810 # | 12-JUN-75 | | | | |
| | | O-E-950A | EXTRACT, QUEBRACHO | A 6810 # | 10-MAR-75 | | | | |
| | | O-L-1031A(1) | LITHOGRAPHIC SOLVENT [VALIDATION DATE: 7502] REVIEWER: AR GS MD ME | A 6850 / GL | 05-SEP-68 | GL | PE | | 68 |
| L | | O-L-1031A(12) | LITHOGRAPHIC SOLVENT [VALIDATION DATE: 7502] | A 6850 / GL | 12-MAY-69 | GL | | | |
| | | O-F-1044B(1) | FUEL, ENGINE PRIMER, COLD STARTING, IN PRESSURIZED AND NONPRESSURIZED CONTAINERS [VALIDATION DATE: 8402] USER: AS REVIEWER: MR | A 6850 / ME | 28-NOV-77 | ME | | | 68 |
| | | O-R-1151B | REGENERATOR, LITHOGRAPHIC BLANKET [VALIDATION DATE: 7511] USER: MR REVIEWER: GS MD ME PE | A 6850 * GL | 13-NOV-69 | GL | SA | | |
| | | O-D-1271B | DIETHYLENETRIAMINE, TECHNICAL REVIEWER: GS MD | A 6810 / EA | 20-JUN-85 | EA | | | 68 |
| L | | O-D-1271B(11) | DIETHYLENETRIAMINE, TECHNICAL | A 6810 / EA | 02-JUN-86 | EA | | | |
| D | | O-D-1276B | DISINFECTANT DETERGENT, GENERAL PURPOSE (PINE OIL) | A 6840 * | 09-MAY-80 | | YD1 | | |
| | | O-I-1279A | ION EXCHANGE RESINS [VALIDATION DATE: 8908] REVIEWER: ME SM | A 6810 / SH | 08-AUG-89 | EA | SH | | |
| | | O-W-12848 | WATER DISPLACING COMPOUND (WITH CORROSION INHIBITOR) USER: 68 | A 6850 % | 25-FEB-77 | | | | |
| D | | O-D-1407 | DRY CHEMICAL, FIRE EXTINGUISHING, POTASSIUM BICARBONATE | A 4210 / YD1 | 09-AUG-72 | ME | YD1 | | 84 |
| D L | | O-D-1407(11) | DRY CHEMICAL, FIRE EXTINGUISHING, POTASSIUM BICARBONATE | A 4210 / YD1 | 03-MAY-76 | | YD1 | | |

| Action | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| A | O-D-1435B | SANITIZER, PHENOLIC TYPE, CONCENTRATE REVIEWER: MD MS | A 6840 / GL 30-JUN-92 | GL | | | 68 |
| D | O-P-1731 | PENETRATING FLUID USER: OS SH YD1 REVIEWER: MC | A 6850 * MR 05-OCT-73 | MR | AS | | 68 |
| | O-P-1731(11) | PENETRATING FLUID | A 6850 # FSS 07-MAY-79 | | | | |
| | O-C-1824 | CLEANING COMPOUND, SOLVENT, HEAVY DUTY, LIQUID | A 6850 # 13-SEP-73 | | | | |
| | O-C-1889 NOTICE 1 | CLEANING COMPOUND, SOLVENT (VALIDATION DATE: 8709) USER: ME MI REVIEWER: AR MD | A 6850 / GL 27-NOV-74 | GL | AS | | |
| | O-C-1901 | CLEANING COMPOUND, WINDSHIELD (SOLVENT AND ANTI-FREEZE, CONCENTRATED) | A 6850 % FSS 07-MAR-75 | | | | |
| | O-C-1901(11) | CLEANING COMPOUND, WINDSHIELD (SOLVENT AND ANTI-FREEZE, CONCENTRATED) | A 6850 % FSS 19-JUL-77 | | | | |
| | P-M-31E(2) | HAND CLEANER, WATERLESS (DUPLICATING INK AND GREASE USER: GL | A 8520 % 05-NOV-76 | | | | |
| | P-P-101E(1) | PAPER, ABRASIVE, SILICON CARBIDE, WATERPROOF (VALIDATION DATE: 8306) USER: AS MC ME MI OS | A 5350 / 84 14-JUN-78 | MR | | | 99 |
| AQ | P-C-111D(2) NOTICE 2 | CARBON REMOVING COMPOUND (VALIDATION DATE: 9304) REVIEWER: 99 AR MD ME | A 6850 / MR 13-APR-93 | MR | AS | | 11 |
| | P-S-120B | SCALE REMOVING COMPOUND USER: 11 | A 6850 % 08-APR-77 | | | | |
| | P-W-120C | WAX, AUTOMOBILE, PASTE USER: GL MC MI MR | A 7930 % 22-APR-75 | | | | |
| | P-L-130C(1) | LAUNDRY SOUR (BLUING AND BRIGHTENER) | A 7930 * GL 17-MAY-78 | GL | | | 99 |
| Q | P-W-155C | WAX, FLOOR, WATER-EMULSION USER: GL SH REVIEWER: 99 | A 7930 % FSS 22-FEB-78 | | | | |
| Q | P-W-155C(11) | WAX, FLOOR, WATER-EMULSION | A 7930 # FSS 03-MAR-80 | | | | |
| | P-B-172B | BELTS AND BANDS, ABRASIVE (COATED CLOTH, POWER MACHINE) (VALIDATION DATE: 8306) USER: ME | A 5345 / 84 16-MAR-73 | MR | | | 99 |
| | P-P-2000 | PEN CLEANER, LIQUID USER: GL | A 7510 % 15-NOV-73 | | | | |
| | P-D-2200 | DETERGENT, GENERAL PURPOSE USER: GL | A 7930 % 06-AUG-79 | | | | |
| | P-D-223C | DETERGENT, GENERAL PURPOSE, LIQUID, HEAVY DUTY (BUILT, SYNTHETIC) USER: GL | A 7930 % 16-AUG-78 | | | | |
| L | P-D-225A | DETERGENT, GENERAL PURPOSE, SOLVENT TYPE | A 7930 % GL 12-APR-76 | GL | | | |
| | P-D-225A(11) | DETERGENT, GENERAL PURPOSE, SOLVENT TYPE | A 7930 # FSS 14-JUN-77 | | | | |
| D | P-D-245F(1) | DETERGENT, GENERAL PURPOSE, LAUNDRY AND HAND DISHWASHING (GRANULAR) USER: MC MS SH REVIEWER: 84 MD | A 7930 / GL 11-OCT-91 | GL | YD1 | | 99 |
| D | P-S-300C | SCOURING BRICKS AND HOLDER USER: GL YD1 | A 7920 % 10-MAR-72 | | | | |
| | P-S-311F | SCOURING POWDER USER: CG MC MS REVIEWER: MD | A 7930 * GL 14-JUL-78 | GL | | | 99 |
| | P-G-406D | GLASS CLEANER, LIQUID (CONCENTRATED AND READY-TO-USE) | A 7930 # 27-OCT-77 | | | | |
| | P-D-410C | DISHWASHING COMPOUND, HAND, (SYNTHETIC DETERGENT, SOLID AND LIQUID FORM) USER: MS REVIEWER: 03 MD OS | A 7930 * GL 18-MAY-77 | GL | SH | | 84 |
| | P-D-410C(11) | DISHWASHING COMPOUND, HAND (SYNTHETIC DETERGENT, SOLID AND LIQUID FORM) | A 7930 # FSS 24-AUG-83 | | | | |
| | P-S-411A | SKIN PROTECTIVE COMPOUND, CHEMICAL BARRIER (S/S BY A-A-50169) USER: 11 AR CG MC MD | A 6850 / GL 20-SEP-91 | GL | MS | | 68 |
| DQ | P-F-430C(1) | FINISH, FLOOR, WATER EMULSION (FOR USE ON LIGHT COLORED FLOORS) USER: GL YD1 | A 7930 % 15-APR-83 | | | | |
| | P-C-435B | CLEANING COMPOUND, GENERAL PURPOSE (POWDERED, HEAVY DUTY) USER: MC REVIEWER: MD | A 7930 * GL 05-APR-78 | GL | | | 99 |
| | P-C-436E NOTICE 1 | CLEANING COMPOUND, ALKALI, BOILING VAT (SOAK) OR HYDROSTEAM (VALIDATION DATE: 9104) USER: GS SH REVIEWER: MC ME MI | A 6850 / MR 04-APR-91 | MR | | | 68 |
| DQ | P-C-437B(1) NOTICE 1 | CLEANING COMPOUND, HIGH PRESSURE (STEAM) CLEANER (VALIDATION DATE: 9104) USER: MC YD1 REVIEWER: AR AS GS OS | A 6850 / MR 04-APR-91 | MR | SH | | 68 |
| | P-C-438A NOTICE 1 | CLEANING COMPOUND, OPTICAL LENS (VALIDATION DATE: 8709) REVIEWER: AR EA GS MD | A 6850 / GL 26-APR-68 | GL | | | 68 |
| Q | P-C-444B | CLEANING COMPOUND, SOLVENT SOLUBLE, GREASE EMULSIFYING REVIEWER: 20 EA GS MS OS SH | A 6850 / AS 26-MAY-83 | AR | AS | | 68 |
| | P-A-4508(1) | ALKALI, LAUNDRY, CONTAINING CARBOXYMETHYL CELLULOSE REVIEWER: MD | A 7930 / GL 06-JUN-77 | GL | | | 84 |
| | P-C-535B | CLEANING COMPOUND, PLATERS ELECTROCLEANING, FOR STEEL (VALIDATION DATE: 8505) REVIEWER: 68 AS MR OS | A 6850 / 11 10-JAN-78 | AV | SH | | 11 |
| | P-P-553B | POLISH, FURNITURE USER: GL MC | A 7930 % 20-OCT-77 | | | | |
| Q | P-P-560B(2) | POLISH, PLASTIC REVIEWER: EA MD | A 7930 / AS 19-JUN-86 | GL | AS | | 99 |
| | P-S-560B | SOAP, FLOOR, LIQUID AND PASTE USER: GL | A 7930 % 14-MAR-75 | | | | |
| | P-S-577C(1) | SOAP, GRIT (PASTE WITH MINERAL SCURBBER, AND POWER WITH VEGETABLE SCRUBBER) USER: GL MC SA | A 8520 % 23-MAR-77 | | | | |
| | P-S-591H | SOAP, LAUNDRY, BAR | A 7930 * GL 10-FEB-76 | GL | | | 99 |
| | P-S-591H(11) | SOAP, LAUNDRY, BAR | A 7930 # FSS 23-JUN-77 | | | | |
| | P-S-609C(1) | SOAP, SADDLE (LEATHER GOODS) USER: MC REVIEWER: MD | A 7930 * GL 13-MAY-73 | GL | | | 99 |
| | P-S-624J | SOAP, TOILET (LIQUID AND PASTE) USER: CG SH REVIEWER: 85 MD | A 8520 * GL 23-APR-80 | GL | | | 99 |
| A | P-D-680B | DRY CLEANING AND DEGREASING SOLVENT USER: MC SH REVIEWER: AS AV DP GS MD MI SM | A 6850 / ME 29-OCT-92 | ME | | | 68 |
| | P-S-683B | SOUR, LAUNDRY (FLUORIDATED) | A 7930 / GL 28-DEC-65 | GL | SH | | 69 |
| | P-S-683B(12) | SOUR, LAUNDRY (FLUORIDATED) | A 7930 # FSS 06-JUL-78 | | | | |
| | P-S-730B | STAIN REMOVER, TABLEWARE, OXYGEN RELEASING TYPE USER: GL MC | A 7930 % FSS 30-JUN-76 | | | | |
| | P-S-730B(11) | STAIN REMOVER, TABLEWARE, OXYGEN RELEASING TYPE | A 7930 # FSS 19-AUG-77 | | | | |
| | P-L-790(1) | LUBRICATE, SILICATE CEMENT, DENTAL (VALIDATION DATE: 8202) | A 6520 / DM 06-FEB-57 | MD | MS | | 03 |
| | P-L-00790A | LUBRICANT, SILICATE CEMENT, DENTAL (VALIDATION DATE: 8406) | A 6520 / DM 15-JAN-71 | MD | MS | | 03 |
| | P-S-863F | SWEEPING COMPOUND | A 7930 # 11-JUN-76 | | | | |
| D | P-A-1056B | ABSORBENT MATERIAL, OIL AND WATER (FOR FLOORS AND DECKS) USER: GL MC MD YD1 REVIEWER: DS | A 7930 % 24-FEB-76 | | | | |
| | P-C-1121B | CLEANING AND POLISHING COMPOUND, STAINLESS STEEL | A 7930 # 13-JAN-78 | | | | |
| | P-C-1239(2) | CLEANING COMPOUND, LINOLEUM-TOPPED FURNITURE USER: GL | A 7930 % 29-OCT-76 | | | | |
| | P-R-1272C | RINSE ADDITIVE, DISHWASHING, CONCENTRATED USER: MS SH REVIEWER: 03 MD | A 7930 * GL 19-MAR-76 | GL | MC | | 84 |
| | P-R-1272C(11) | RINSE ADDITIVE, DISHWASHING, CONCENTRATED | A 7930 # FSS 08-JUN-77 | | | | |
| | P-R-1420C | RINSE ADDITIVE, LAUNDRY (FABRIC SOFTENER AND ANTI-STATIC AGENT) (VALIDATION DATE: 8106) REVIEWER: MD | A 7930 * GL 21-JUN-74 | GL | SH | | 99 |
| | P-C-1632B(11) | CLEANING COMPOUND, RUG AND UPHOLSTERY | A 7930 # FSS 03-JAN-77 | | | | |
| | P-H-001722A(1) | HAND CLEANER (PRE-MOISTENED PAD AND TOWELETTE, FOR INK AND OFFICE SOILS) | A 8520 # 24-SEP-76 | | | | |
| | P-D-1747C | DETERGENT, GENERAL PURPOSE (SPRAY ON, WIPE OFF) USER: MC MS SH REVIEWER: MD | A 7930 * GL 11-MAY-83 | GL | | | 99 |
| | P-S-1792(1) | SOAP, LAUNDRY (NEUTRAL AND BUILT) (VALIDATION DATE: 8104) USER: SH | A 7930 * GL 20-JUN-75 | GL | | | 99 |
| | P-D-1800A | DISHWASHING COMPOUND, MACHINE (GRANULAR, BEAD OR FLAKE USER: MC REVIEWER: MD | A 7930 * GL 01-JUN-77 | GL | SH | | 99 |
| L | P-C-1891 | CLEANING COMPOUND, PORCELAIN AND CERAMIC TILE | A 7930 * GL 27-SEP-76 | GL | | | |
| | P-C-1891(11) | CLEANING COMPOUND, PORCELAIN AND CERAMIC TILE | A 7930 # FSS 03-JUN-77 | | | | |
| | P-C-1947A | CLEANING COMPOUND, OVEN | A 7930 # 15-SEP-77 | | | | |
| | O-C-571C | COKE (COAL) (VALIDATION DATE: 7504) | A 9110 # 12-AUG-69 | | | | |
| | R-N-0091C(1) | NAPHTHALENE, TECHNICAL | A 6810 # 17-DEC-70 | | | | |
| | R-C-1424A | COAL TAR, (FOR USE IN ROAD CONSTRUCTION) | A 5610 # 10-MAY-74 | ME | | | 99 |
| | S-R-440 | RANGE, GAS, DOMESTIC | A 7310 # 11-AUG-70 | | | | |
| | S-R-0044E | RANGES, GAS (DOMESTIC) | A 7310 # 21-JUL-77 | | | | |
| | S-T-540E(2) | TOASTER, CONTINUOUS (CONVEYOR, HEAVY DUTY), ALL ELECTRIC AND COMBINATION GAS AND ELECTRIC (VALIDATION DATE: 8303) USER: MC SA | A 7310 / SH 28-JUN-77 | | SH | | |
| D | S-F-695G(1) | FRYERS, DEEP-FAT (ELECTRIC) USER: CE REVIEWER: 84 GS MC MD SA SH | A 7310 / GL 15-DEC-83 | GL | YD1 | | 99 |
| L | S-F-695G(14) | FRYERS, DEEP-FAT (ELECTRIC) | A 7310 / SH 07-APR-92 | | SH | | |
| D | S-F-700F(1) | FRYER, DEEP FAT (GAS, HEAVY DUTY) REVIEWER: GS MD MS SA | A 7310 / GL 29-MAR-85 | GL | YD1 | | 99 |
| D | S-S-710H | STEAM TABLES (COMMERCIAL, HEAVY DUTY, STEAM, GAS, OR ELECTRICALLY HEATED) (VALIDATION DATE: 8201) REVIEWER: CE MC MD | A 7310 / GL 23-JAN-76 | GL | YD1 | | 84 |
| L | S-S-710H(11) | STEAM TABLES (COMMERCIAL, HEAVY DUTY, STEAM, GAS, OR ELECTRICALLY HEATED) (VALIDATION DATE: 8201) | A 7310 / GL 14-JUN-77 | GL | | | |
| D | S-O-865B NOTICE 1 | OVEN, REVOLVING TRAY, BAKING AND ROASTING, COMPACT, (GAS, ELECTRIC) (VALIDATION DATE: 8709) REVIEWER: GS MD | A 7310 / GL 30-APR-74 | GL | YD1 | | 99 |
| D | S-O-1425B | OVENS, MICROWAVE, ELECTRIC USER: CE REVIEWER: 84 MD SA SH | A 7310 / YD1 10-AUG-89 | GL | YD1 | | 99 |
| | T-O-56A | OAKUM, MARINE (VALIDATION DATE: 8210) REVIEWER: 82 AR IS SA | A 5330 / SH 22-DEC-70 | | SH | | 99 |

| Action | OPR / QMAL Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | T-M-550A | MOP, DUSTING, COTTON, UNIVERSAL ACTION SWIVEL USER: GL | A | 7920 | % FSS | 19-SEP-61 | | | | |
| | | T-M-00550B | MOP, DUSTING, COTTON, UNIVERSAL ACTION SWIVEL | A | 7920 | # FSS | 29-MAR-67 | | | | |
| | | T-M-550A(1) | MOP, DUSTING, COTTON, UNIVERSAL ACTION SWIVEL | A | 7920 | # FSS | 03-JUL-63 | | | | |
| | | T-M-561G | MOPHEAD, WET (COTTON-SYNTHETIC AND SYNTHETIC) | A | 7920 | # FSS | 11-FEB-91 | | | | |
| | | T-M-00566 | MOP, DUSTING, GENERAL USE, WITH DISPOSABLE PAD | A | 7920 | # | 14-MAY-64 | | | | |
| | | T-M-567A | MOP, DUSTING, COTTON, RECTANGULAR AND TRIANGULAR USER: GL SA | A | 7920 | % | 02-JUN-58 | | | | |
| | | T-M-00567B | MOP, DUSTING, COTTON, TRIANGULAR | A | 7920 | # | 22-SEP-70 | | | | |
| | | T-D-568A | DUSTER, VENETIAN BLIND USER: GL | A | 7920 | % FSS | 04-MAR-65 | | | | |
| | | T-D-00568B | DUSTER, VENETIAN BLIND | A | 7920 | # FSS | 01-JUN-70 | | | | |
| | | T-D-568A(1) | DUSTER, VENETIAN BLIND | A | 7920 | # FSS | 07-FEB-68 | | | | |
| | | T-M-570 | MOP, DUSTING, COTTON, SLIP-ON (WITH HANDLE) USER: GL | A | 7920 | % | 07-FEB-55 | | | | |
| | | T-M-00570A | MOP, DUSTING, COTTON, SLIP-ON (WITH HANDLE) | A | 7920 | # | 08-DEC-67 | | | | |
| D | | T-C-571F(2) | CORD, COTTON, GENERAL AND SPECIAL PURPOSE, SASH AND VENETIAN BLIND USER: AV CE MC ME REVIEWER: EA IS MD | A | 4020 | / GL | 25-SEP-85 | GL | YD1 | 99 | |
| | | T-R-571E | ROPE, COTTON, OR COTTON AND POLYESTER USER: AV MC ME REVIEWER: 82 IS MD SH | A | 4020 | / GL | 13-MAR-90 | GL | | 99 | |
| | | T-M-580(3) | MOP, WET, COTTON, (WITH FIXED HANDLE) USER: GL | A | 7920 | % | 17-MAR-80 | | | | |
| D | | T-R-605B(3) | ROPE, MANILA AND SISAL (VALIDATION DATE: 8204) USER: CE MC YD1 REVIEWER: AR CS EA IS ME | A | 4020 | / SH | 17-APR-73 | GL | SH | 99 | |
| | | T-T-616B | TREATMENT MILDEW RESISTANT FOR ROPE AND CORD (VALIDATION DATE: 8201) USER: MD REVIEWER: 82 IS MC MI | A | 4020 | / GL | 29-SEP-69 | GL | AS | 99 | |
| D | | T-R-650(1) | ROPE, YARN AND TWINE, BAST FIBER (VALIDATION DATE: 8302) USER: AR CG MC ME YD1 REVIEWER: MD | A | 4020 | / SH | 19-MAY-69 | GL | SH | 99 | |
| | | T-T-871E(1) | TWINE, COTTON, WRAPPING USER: ME SH REVIEWER: AR EA OS | A | 4020 | / GL | 20-MAY-75 | GL | SA | 99 | |
| | | T-T-871E(12) | TWINE, COTTON, WRAPPING | A | 4020 | # FSS | 15-APR-77 | | | | |
| | | T-T-881D | TWINE, COTTON, SEINE (VALIDATION DATE: 7502) USER: MC ME SH REVIEWER: 82 85 IS MD | A | 4020 | * GL | 12-FEB-69 | GL | SA | 99 | |
| | | T-T-891D | TWINE, LINEN (VALIDATION DATE: 8201) | A | 4020 | / GL | 28-DEC-67 | GL | | 99 | |
| | | T-T-911F | TWINE, FIBROUS, JUTE USER: MC SH REVIEWER: IS MD ME | A | 4020 | * GL | 22-JAN-74 | GL | | 99 | |
| | | T-M-001203(2) | MOP, DUSTING (RENTAL SERVICE) | A | 7920 | # | 27-JUN-73 | | | | |
| | | T-C-2754 | CORD, POLYESTER, CORELESS REVIEWER: 82 IS ME SH IS | A | 4020 | / GL | 05-FEB-90 | GL | AS | 99 | |
| | | U-T-30C | TALCUM POWDER USER: GL MC | A | 8510 | % FSS | 24-SEP-75 | | | | |
| | | U-T-30C(11) | TALCUM POWDER | A | 8510 | % FSS | 19-MAY-77 | | | | |
| | | U-W-135B | WAX, BASE-PLATE, DENTAL (VALIDATION DATE: 8202) | A | 6520 | / DM | 15-JAN-76 | MD | MS | 03 | |
| | | U-W-00140A | WAX, DENTAL, CASTING | A | 6520 | / DM | 14-JUN-67 | MD | MS | 03 | DM |
| | | U-W-149 | WAX, STICKY, DENTAL (VALIDATION DATE: 8202) | A | 6520 | / DM | 23-NOV-48 | MD | MS | 03 | |
| | | U-P-401E | TAPE, ADHESIVE, SURGICAL (VALIDATION DATE: 8202) REVIEWER: EA | A | 6510 | / DM | 16-SEP-75 | MD | MS | 03 | |
| | | U-P-00401F | TAPE, ADHESIVE, SURGICAL (VALIDATION DATE: 8406) | A | 6510 | / DM | 14-MAR-78 | | | | |
| | | U-I-498C | IMPRESSION MATERIAL, DENTAL HYDROCOLLOID, ALGINATE TYPE (VALIDATION DATE: 8202) | A | 6520 | / DM | 12-JAN-76 | MD | MS | 03 | |
| | | U-A-500B | AMMONIA, AROMATIC (INHALANTS) (VALIDATION DATE: 8202) | A | 6505 | * DM | 30-MAR-76 | MD | MS | 03 | |
| | | U-I-500B | IMPRESSION MATERIAL, DENTAL, PASTE | A | 6520 | * DM | 29-APR-86 | MD | MS | 03 | |
| | | U-I-00500A | IMPRESSION MATERIAL, DENTAL ZINC OXIDE EUGENOL PASTE (VALIDATION DATE: 8202) | A | 6520 | / DM | 08-MAR-72 | MD | MS | 03 | |
| A | | V-L-61J | LACES, NYLON USER: 45 MC REVIEWER: 82 MD | A | 8335 | / CT | 08-OCT-87 | GL | MU | 99 | CT |
| | | V-M-81F(1) | MATTRESSES, BED, FELT (VALIDATION DATE: 8201) USER: 45 REVIEWER: CT DM MC MD | A | 7210 | * GL | 06-MAY-76 | GL | MU | 99 | |
| A | L | V-M-96K | MATTRESS, BED, INNERSPRING USER: SH REVIEWER: CT MD | A | 7210 | * CT | 15-FEB-90 | GL | | | CT |
| | | V-M-96K(11) | MATTRESS, BED, INNERSPRING | A | 7210 | # FSS | 24-MAY-90 | | | | |
| | | V-F-106F(2) | FASTENER, SLIDE, INTERLOCKING USER: MC MU OS SA REVIEWER: 82 IS MI | A | 5325 | / GL | 20-APR-90 | GL | AS | 99 | |
| A | | V-T-285F | THREAD, POLYESTER USER: 82 AR AS MC OS REVIEWER: 99 DS EA MD | A | 8310 | / CT | 03-JAN-91 | GL | MU | 11 | CT |
| A | | V-T-295E | THREAD, NYLON USER: AR AS CG MC REVIEWER: 99 DS EA MD MI | A | 8310 | / CT | 01-AUG-85 | GL | MU | 11 | CT |
| A | | V-P-356E | PILLOW, BED (FEATHER) USER: 45 REVIEWER: CT | A | 7210 | / CT | 23-SEP-86 | GL | MU | 99 | CT |
| | | V-V-632 | GREASE, INDUSTRIAL, GENERAL PURPOSE REVIEWER: AT CD GS MI SH TE | A | 9150 | / ME | 12-OCT-89 | ME | | 68 | |
| | | V-V-671F | GREASE, GRAPHITE REVIEWER: AL AR AT DT GS | A | 9150 | / ME | 12-OCT-89 | ME | | 68 | |
| A | | V-B-871F | BUTTON, SEWING HOLE, AND BUTTON, STAPLE, (PLASTIC) USER: 45 CG REVIEWER: 11 82 MC MD | A | 8315 | / CT | 28-MAR-84 | GL | MU | 99 | CT |
| M | | W-C-20E(1) NOTICE 2 | CABINET, DOUGH-PROOFING, (18 PAN CAPACITY) (VALIDATION DATE: 9302) REVIEWER: GS MC MD SA | A | 7320 | / GL | 26-FEB-93 | GL | YD1 | 99 | |
| Q | | W-B-30A(2) | BALLAST, FLUORESCENT LAMP | A | 6250 | # | 06-MAR-78 | | | | |
| | | W-R-360 | RACEWAY AND FITTINGS, METALLIC, UNDERFLOOR | A | 5975 | # | 25-NOV-83 | | | | |
| D | | W-H-50B(1) NOTICE 1 | HAND DRIER, BLOWER, ELECTRIC (VALIDATION DATE: 9102) USER: MC YD1 REVIEWER: 84 CS | A | 4510 | / SH | 20-FEB-91 | GL | SH | 99 | |
| | | W-S-00908(2) | SAW, RECIPROCATING, PORTABLE ELECTRIC | A | 5130 | # | 26-APR-73 | | | | |
| DQ | | W-B-101J | BATTERY, DRY USER: AT MC OS YD1 REVIEWER: 80 CR MD ME MI SH | A | 6135 | * ER | 19-NOV-82 | | | 99 | |
| DQ | | W-L-101H SUPPL 1C1 | LAMP, INCANDESCENT (ELECTRIC, LARGE TUNGSTEN-FILAMENT) (GENERAL SPECIFICATION) USER: YD1 REVIEWER: GS | A | 6240 | * SH | 06-DEC-77 | | SH | 85 | |
| | | W-R-101F(2) | RANGE, ELECTRIC, DOMESTIC | A | 7310 | # | 31-DEC-70 | | | | |
| | | W-L-101/1A | LAMP, INCANDESCENT 100 WATT, 120 VOLTS A-19 BULB, INSIDE FROSTED, MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 17-NOV-77 | | | | |
| | | W-L-101/2A | LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 17-NOV-77 | | | | |
| | | W-L-101/3A | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 17-NOV-77 | | | | |
| | | W-L-101/4A | LAMP, INCADESCENT 60 WATT, 120 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 17-NOV-77 | | | | |
| | | W-L-101/5A | LAMP, INCANDESCENT 60 WATT, 125 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 17-NOV-77 | | | | |
| | | W-L-101/6A | LAMP, INCANDESCENT 60 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/7A | LAMP, INCANDESCENT 75 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/8A | LAMP, INCANDESCENT 75 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/9A | LAMP, INCANDESCENT 75 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/10A | LAMP, INCADESCENT 150 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/11A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-23 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/12A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-23 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/13B | LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/14B | LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/15B | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-21 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/16A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/17A | LAMP, INCANDESCENT 200 WATT, 125 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |
| | | W-L-101/18A | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A | 6240 | # | 18-NOV-77 | | | | |

| Action O/R / QML Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army Navy Air Force DLA |
|---|---|---|---|---|
| W-L-101/19A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/20A | LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-35 BULB, INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/21A | LAMP, INCADESCENT, 300 WATT, 130 VOLTS PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/22B | LAMP, INCANDESCENT 40 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/23 | LAMP INCANDESCENT 40 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED, MEDIUM SCREW BASE | A 6240 # FSS | 15-JAN-69 | |
| W-L-101/24B | LAMP, INCANDESCENT 40 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/25B | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/26B | LAMP, INCANDESCENT 200 WATT, 125 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: 85 GS SH | A 6240 # | 18-NOV-77 | |
| W-L-101/27B | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: 85 GS SH | A 6240 # | 18-NOV-77 | |
| W-L-101/28A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-25 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/29A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/30A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/31B | LAMP, INCANDESCENT 25 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/33B | LAMP, INCANDESCENT 25 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/34A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/35A | LAMP, INCANDESCENT 1000 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/36A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB CLEAR MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 01-DEC-77 | |
| W-L-101/37B | LAMP, INCANDESCENT 15 WATT, 120 VOLTS, A-15 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/38B | LAMP, INCANDESCENT 15 WATT, 130 VOLTS, A-15 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/39A | LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB, CLEAR MOGUL SCREW BASE REVIEWER: 85 GS SH | A 6240 * | 18-NOV-77 | |
| W-L-101/40A | LAMP, INCANDESCENT 750 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE REVIEWER: 85 GS SH | A 6240 * | 18-NOV-77 | |
| W-L-101/41A | LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/42A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/43A | LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/44A | LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: 85 GS SH | A 6240 * | 18-NOV-77 | |
| W-L-101/45A | LAMP, INCANDESCENT 1500 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/46A | LAMP, INCANDESCENT 1500 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/47A | LAMP, INCANDESCENT 1500 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/48A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/49A | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/50A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/51A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/52A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/53A | LAMP, INCANDESCENT 50 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/54A | LAMP, INCANDESCENT 50 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/56A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/57A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/58A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/59A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-25 BULB CLEAR MEDIUM SCREW BASE,EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/60A | LAMP, INCANDESCENT 60 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/61A | LAMP, INCANDESCENT 60 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/62A | LAMP, INCANDESCENT 60 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/63A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/64A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/65A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/66A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/67A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/68A | LAMP, INCANDESCENT 40 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/69A | LAMP, INCANDESCENT 40 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 21-NOV-77 | |
| W-L-101/72A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/73A | LAMP, INCANDESCENT 750 WATT, 130 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 18-NOV-77 | |
| W-L-101/74A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # | 18-NOV-77 | |

| Action, OPR / Obtg. Coordination Inactive, Document Number | Document Title | Dist. Stmt, FSC / Area, MCA Symbol, Preparing Activity, Date | Custodians: Army, Navy, Air Force, DLA |
|---|---|---|---|
| W-L-101/75A | LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # 18-NOV-77 | |
| W-L-101/76A | LAMP, INCANDESCENT 100 WATT, 115 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 18-NOV-77 | |
| W-L-101/77A | LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 18-NOV-77 | |
| W-L-101/78A | LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-21 BULB INSIDE COATED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 18-NOV-77 | |
| W-L-101/79A | LAMP, INCANDESCENT 50 WATT, 115 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 18-NOV-77 | |
| W-L-101/80A | LAMP, INCANDESCENT 50 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 18-NOV-77 | |
| W-L-101/81A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 18-NOV-77 | |
| W-L-101/83A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB CLEAR MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 18-NOV-77 | |
| W-L-101/84A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 18-NOV-77 | |
| W-L-101/85A | LAMP, INCANDESCENT 75 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 18-NOV-77 | |
| W-L-101/86C | LAMP, INCANDESCENT 6 WATT, 120 VOLTS, S-6 BULB, CLEAR, CANDELABRA BASE REVIEWER: GS | A 6240 * 10-JUN-81 | |
| W-L-101/87C | LAMP, INCANDESCENT 6 WATT, 130 VOLTS, S-6 BULB CLEAR CANDELABRA BASE REVIEWER: GS | A 6240 * 10-JUN-81 | |
| W-L-101/88C | LAMP, INCANDESCENT 6-WATT, 145 VOLTS, S-6 BULB CLEAR CANDELABRA BASE REVIEWER: GS | A 6240 * 10-JUN-81 | |
| W-L-101/89C | LAMP, INCANDESCENT 6 WATT, 155 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE REVIEWER: GS | A 6240 * 10-JUN-81 | |
| W-L-101/90A | LAMP, INCANDESCENT 10 WATT, 230 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/91A | LAMP, INCANDESCENT 10 WATT, 250 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/92B | LAMP, INCANDESCENT 3 WATT, 120 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/94A | LAMP, INCANDESCENT 25 WATT, 120 VOLTS, T-10 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/95B | LAMP, INCANDESCENT 6 WATT, 120 VOLTS, T- 4 1/2 BULB CLEAR, CANDELABRA BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/98A | LAMP, INCANDESCENT 10 WATT, 120 VOLTS, S-14 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/99A | LAMP, INCANDESCENT 25 WATT, 120 VOLTS, T-6 1/2 BULB CLEAR INTERMEDIATESCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/100A | LAMP, INCANDESCENT 40 WATT, 120 VOLTS, T-8 BULB CLEAR MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/101A | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/102A | LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/103A | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/104A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/105A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/106A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/107A | LAMP, INCANDESCENT 150 WATT, 115 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/108A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/109A | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, PS-30 BULB CLEAR MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/110A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/111A | LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/112A | LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE REVIEWER: 85 GS SH | A 6240 * 21-NOV-77 | |
| W-L-101/113A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/114A | LAMP, INCANDESCENT 500 WATT, 130 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS | A 6240 # 21-NOV-77 | |
| W-L-101/115A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS | A 6240 # 22-NOV-77 | |
| W-L-101/116A | LAMP, INCANDESCENT 75 WATT, 130 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE REVIEWER: 85 GS SH | A 6240 * 22-NOV-77 | |
| W-L-101/117A | LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # 22-NOV-77 | |
| W-L-101/118A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # 22-NOV-77 | |
| W-L-101/119A | LAMP, INCANDESCENT TRADE NO. 40 A/W, 40 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 11-NOV-77 | |
| W-L-101/120A | LAMP, INCANDESCENT TRADE NO. 60 A/W, 60 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 11-NOV-77 | |
| W-L-101/121A | LAMP, INCANDESCENT TRADE NO. 75 A/W, 75 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 11-NOV-77 | |
| W-L-101/122A | LAMP, INCANDESCENT TRADE NO. 100 A/W, 100 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 11-NOV-77 | |
| W-L-101/123B | LAMP, INCANDESCENT TRADE NO. 100 A/W, 100 WATT, 125 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 01-DEC-77 | |
| W-L-101/124A | LAMP, INCANDESCENT TRADE NO. 200A/99, 200 WATT, 130 VOLTS, PS-25 BULB, INSIDE FROSTED, MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS | A 6240 # 22-NOV-77 | |
| W-L-101/125A | LAMP, INCANDESCENT TRADE NO. 300/RS, 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE, ROUGH SERVICE REVIEWER: GS | A 6240 # 22-NOV-77 | |
| W-L-101/126A | LAMP, INCANDESCENT TRADE NO. 150 A/W, 150 WATT, 120 VOLTS, A-21 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 11-NOV-77 | |
| W-L-101/127A | LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 120 VOLTS, PS25 BULB INSIDE FROSTED, MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 24-NOV-77 | |
| W-L-101/128A | LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED, MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 22-NOV-77 | |
| W-L-101/129A | LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 120 VOLTS, PS-25 BULB CLEAR, MEDIUM SCREW BASE REVIEWER: GS | A 6240 # 22-NOV-77 | |
| W-L-101/130 | LAMP, INCANDESCENT TRADE NO. 6S6DC, 6 WATT, 120 VOLT, S-6 BULB, CLEAR, DOUBLE CONTACT BAYONET BASE USER: 85 SH REVIEWER: GS | A 6240 * 21-JAN-81 | |

| Action QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MICA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| D | W-P-115C | PANEL, POWER DISTRIBUTION USER: MC SH REVIEWER: 80 GS ..... | A 6110 / YD1 14-MAR-90 | ME | YD1 | 99 | |
| | W-L-116A(3) | LAMP, ELECTRIC INCANDESCENT MINIATURE, TUNGSTEN FILAMENT REVIEWER: GS ..... | A 6240 # 23-JUN-64 | | | | |
| | W-L-00116D | LAMP, FLUORESCENT REVIEWER: GS ..... | A 6240 # 26-MAY-76 | | | | |
| | W-L-00116/1B | LAMP FLUORESCENT TRADE NO. F6T5/CW, PREHEAT, 6WATT, T-5 BULB COOL WHITE, MINIATURE BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/3C | LAMP FLUORESCENT TRADE NO. F8T5/CW, PREHEAT, 8 WATT, T-5 BULB COOL WHITE, MINIATURE BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/5A | LAMP FLUORESCENT TRADE NO. F30T8/CW, PREHEAT, 30 WATT, T-8 BULB COOL WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/6C | LAMP FLUORESCENT TRADE NO. F8T5/D, PREHEAT, 8 WATT, T-5 BULB DAYLIGHT, MINIATURE BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/7B | LAMP FLUORESCENT TRADE NO. F14T12/CW, PREHEAT, 14 WATT, T-12 BULB (15") COOL WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 26-AUG-77 | | | | |
| | W-L-00116/8A | LAMP FLUORESCENT TRADE NO. F14T12/W, PREHEAT, 14 WATT, T-12 BULB WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/9A | LAMP FLUORESCENT TRADE NO. F15T8/CW, PREHEAT, 15 WATT, T-8 COOL WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/10A | LAMP FLUORESCENT TRADE NO. F15T8/W, PREHEAT, 15 WATT, T-8 BULB WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/11A | LAMP FLUORESCENT TRADE NO. F15T8/WW, PREHEAT, 15 WATT, T-8 BULB WARM WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/12A | LAMP FLUORESCENT TRADE NO. F15R8/D, PREHEAT, 15 WATT, T-8 BULB DAYLIGHT, MEDIUM BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/13A | LAMP FLUORESCENT TRADE NO. F15T12/CW, PREHEAT, 15 WATT, T-12 BULB COOL WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/14A | LAMP FLUORESCENT TRADE NO. F15T12/W, PREHEAT, 15 WATT, T-12 BULB WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/15A | LAMP FLUORESCENT TRADE NO. F15T12/D, PREHEAT, 15 WATT, T-12 BULB DAYLIGHT, MEDIUM BIPIN BASE | A 6240 # FSS 26-MAY-76 | | | | |
| | W-L-00116/19A | LAMP FLUORESCENT TRADE NO. F30T8/W, PREHEAT, 30 WATT, T-8 BULB WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/20A | LAMP FLUORESCENT TRADE NO. F30T8/D, PREHEAT, T-8 BULB DAYLIGHT, MEDIUM BIPIN BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/21B | LAMP FLUORESCENT TRADENO. F90T12/CW OR F90T17/CW, PREHEAT, 90 WATT, T-12 OR T-17 BULB (60 IN.) COOL WHITE, MOGUL BIPIN BASE (DETAIL SPECIFICATION) | A 6240 # 04-NOV-77 | | | | |
| | W-L-00116/22B | LAMP FLUORESCENT TRADE NO. T90T12/W OR F90T17/W, PREHEAT, 90 WATT, T-12 OR T-17 BULB (60") WHITE, MOGUL BIPIN BASE | A 6240 # FSS 04-NOV-77 | | | | |
| | W-L-00116/23B | LAMP FLUORESCENT TRADE NO. F90T12/D OR F90T17/D, PREHEAT, 90 WATT, T-12 OR T-17 BULB (60") DAYLIGHT, MOGUL BIPIN BASE | A 6240 # FSS 04-NOV-77 | | | | |
| | W-L-00116/24B | LAMP FLUORESCENT TRADENO. FC8T9/CW/RS, RAPID START, 22 WATT, T-9 BULB COOL WHITE, 4 PIN BASE, CIRCULAR 8-1/4 IN. DIAMETER (DETAIL SPECIFICATION) | A 6240 # 26-AUG-77 | | | | |
| | W-L-00116/25B | LAMP FLUORESCENT TRADE NO. FC12T10/CW/RS, RAPID START, 32 WATT, T-10 BULB COOL WHITE, 4-PIN BASE, CIRCULAR 12" DIAMETER | A 6240 # FSS 26-AUG-77 | | | | |
| | W-L-00116/26A | LAMP FLUORESCENT TRADE NO. F30T12/CW/RS, RAPID START, 30 WATT, T-12 BULB (36") COOL WHITE, MEDIUM BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/27A | LAMP FLUORESCENT TRADE NO. F30T12/WW/RS, RAPID START, 30 WATT, T-12 BULB (36") WARM WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/29A | LAMP FLUORESCENT TRADE NO. F40W, RAPID START, 40 WATT, T-12 BULB WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/32A | LAMP FLUORESCENT TRADE NO. F48T12/CW/HO, RAPID START, 60 WATT, T-12 BULB COOL WHITE, RECESSED DOUBLE CONTACT BASE, HIGH OUTPUT | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/34A | LAMP FLUORESCENT TRADE NO. F96T12/CW/1500, RAPID START, 215 WATT, T-12 BULB (96") COOL WHITE, RECESSED DOUBLE CONTACT BASE, HIGH OUTPUT | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/35A | LAMP FLUORESCENT TRADE NO. F40T12/CW/IS, INSTANT START, 40 WATT, T-12 BULB COOL WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/36A | LAMP FLUORESCENT TRADE NO. F48T12/CW, INSTANT START, 40 WATT, T-12 BULB COOL WHITE, SINGLE PIN BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/38A | LAMP FLUORESCENT TRADE NO. F48T12/D, INSTANT START, 40 WATT, T-12 BULB DAYLIGHT, SINGLE PIN BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/39C | LAMP FLUORESCENT TRADE NO. F40T12/CW/IS OR F40T17/CW/IS, INSTANT START, 40 WATT T-12 OR T-17 BULB (60") COOL WHITE, MOGUL BIPIN BASE | A 6240 # FSS 04-NOV-77 | | | | |
| | W-L-00116/40B | LAMP FLUORESCENT TRADE NO. F40T12/WW/IS OR F40T17/WW/IS, 40 WATT, T-12 OR T-17 BULB (60") WARM WHITE, MOGUL BIPIN BASE | A 6240 # FSS 04-NOV-77 | | | | |
| | W-L-00116/41A | LAMP FLUORESCENT TRADE NO. F96T8/CW, INSTANT START, 50 WATT, T-8 BULB COOL WHITE, SINGLE PIN BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/42A | LAMP FLUORESCENT TRADE NO. F72T12/CW, INSTANT START, 55 WATT, T-12 BULB (72") COOL WHITE, SINGLE PIN BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/46A | LAMP FLUORESCENT TRADE NO. F96T12/D, INSTANT START, 75 WATT, T-12 BULB (96 INCH) DAYLIGHT, SINGLE PIN BASE | A 6240 # FSS 27-MAY-76 | | | | |
| | W-L-00116/47 | LAMP FLUORESCENT TRADE NO. F40CW, RAPID START, 35 WATT, T-12 BULB, COOL WHITE MEDIUM BIPIN BASE | A 6240 # FSS 23-SEP-77 | | | | |
| | W-L-00116/48 | LAMP FLUORESCENT TRADE NO. F40W, RAPID START, 35 WATT, T-12 BULB, WHITE, MEDIUM BIPIN BASE | A 6240 # FSS 23-SEP-77 | | | | |
| | W-L-00116/49 | LAMP FLUORESCENT TRADE NO. F40WW, RAPID START, 35 WATT, T-12 BULB, WARM WHITE, MEDIUM BIPIN BASE (DETAIL SPECIFICATION) REVIEWER: GS | A 6240 # 23-SEP-77 | | | | |
| | W-L-00116/50 | LAMP FLUORESCENT TRADE NO. F40D, RAPID START, 35 WATT, T-12 BULB, DAYLIGHT, MEDIUM BIPIN BASE | A 6240 # FSS 23-SEP-77 | | | | |
| | W-L-00116/55 | LAMP FLUORESCENT TRADE NO. F96T12/CW/HO, RAPID START, 95/100 WATT, T-12 BULB (96") COOL WHITE, RECESSED DOUBLE CONTACT BASE, HIGH OUTPUT | A 6240 # FSS 13-SEP-78 | | | | |
| | W-L-122C | LAMP, PHOTOFLASH REVIEWER: CG ..... | A 6750 * 18-APR-73 | | | | |
| D | W-B-131M(1) | BATTERY, STORAGE, VEHICULAR, IGNITION, LIGHTING, AND STARTING USER: YD1 REVIEWER: 80 | A 6140 # 26-NOV-85 | | | | |
| | W-B-133D | BATTERY, STORAGE (LEAD ACID, INDUSTRIAL PORTABLE SERVICE) USER: ME SH REVIEWER: MC SA | A 6140 * ER 26-JUL-85 | ER | | 99 | |
| | W-B-134C | BATTERY, STORAGE, (LEAD-ACID, INDUSTRIAL, FLOATING SERVICE) ..... | A 6140 # 99 16-FEB-73 | | | 99 | |
| | W-B-137C | BATTERY, STORAGE, (NICKEL-ALKALINE, INDUSTRIAL, FLOATING SERVICE) ..... | A 6140 # 04-APR-73 | | | | |
| D | W-L-142A(2) | LAMPHOLDER, ADAPTER, AND SHADEHOLDER, MEDIUM-SCREW-SHELL, 125, 250, AND 600 VOLTS REVIEWER: GS | A 6250 / YD1 28-FEB-67 | ME | YD1 | 85 | |
| D | W-L-142A(14) | LAMPHOLDER, ADAPTER, AND SHADEHOLDER, MEDIUM-SCREW-SHELL, 125, 250, AND 600 VOLTS USER: GL MC REVIEWER: CR OS SH | A 6250 / YD1 30-APR-76 | ME | YD1 | 85 | |
| | W-H-00150(1) | HEATER, COOLANT, ENGINE (ELECTRIC) ..... | A 2990 # 25-JUL-58 | | | | |
| | W-R-1750(1) | REEL AND HUB FOR MAGNETIC RECORDING TAPE, GENERAL SPECIFICATION FOR USER: AS REVIEWER: 80 ES MV OM | A 5835 / SH 22-DEC-86 | CR | SH | 99 | |
| | W-R-175/10(1) | REELS, PLASTIC & FIBERGLASS, WITH 5/16-INCH CENTER HOLE USER: AS REVIEWER: 80 ES MV OM | A 5835 / SH 23-MAR-88 | CR | SH | 99 | |
| | W-R-175/20(1) | REEL, HUBS, FIBERGLASS & METALLIC, WITH 3-INCH CENTER HOLE USER: AS MV REVIEWER: 80 ES OM | A 5835 / SH 23-MAR-88 | CR | SH | 99 | |
| | W-R-175/30(1) | REELS, PLASTIC, FIBERGLASS, METALLIC, & METALLIC FLANGE PHENOLIC HUB, WITH 3-INCH CENTER HOLE USER: AS REVIEWER: 80 ES MV OM | A 5835 / SH 23-MAR-88 | CR | SH | 99 | |
| | W-R-175/40(1) | REELS, PRECISION, ALUMINUM, WITH 3-INCH CENTER HOLE USER: AS REVIEWER: 80 ES MV OM | A 5835 / SH 23-MAR-88 | CR | SH | 99 | |
| | W-R-175/6A(1) | REELS, PRECISION, GLASS FLANGE WITH ALUMINUM HUB, 3-INCH CENTER HOLE REVIEWER: 80 ES MV OM | A 5835 / SH 23-MAR-88 | CR | SH | 99 | |
| | W-H-193D | HEATER, SPACE, ELECTRIC (PORTABLE) REVIEWER: CS ..... | A 4520 * ME 13-SEP-77 | ME | | | |

| Action | GSA / GMC Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | NCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | W-H-196J | HEATER, WATER, ELECTRIC, AND GAS FIRED, RESIDENTIAL USER: CE MC REVIEWER: CS GL MD | A | 4520 | * ME | | 14-DEC-73 | ME | YD1 | 84 | |
| | | W-H-196J(11) | HEATER, WATER, ELECTRIC, AND GAS FIRED, RESIDENTIAL | A | 4520 | # FSS | | 20-DEC-76 | | | | |
| | | W-L-200(2) | LANTERN, ELECTRIC | A | 6230 | # GS | | 26-OCT-64 | | | | |
| | | W-L-00200C(2) | LANTERN, ELECTRIC USER: GS | A | 6230 | % | | 08-SEP-71 | | | | |
| Q | | W-L-215(2) | LANTERN, ELECTRIC, HEAD | A | 6230 | # | | 10-MAY-61 | | | | |
| | | W-L-00215B | LANTERN, ELECTRIC, HEAD | A | 6230 | # | | 07-JAN-77 | | | | |
| | | W-C-260C | CHARGERS, BATTERY, SEMICONDUCTOR RECTIFIER (FOR CHARGING INDUSTRIAL STORAGE BATTERIES) REVIEWER: 85 GL SH | A | 6130 | / ER | | 30-JUN-78 | ER | SA | 82 | |
| | | W-C-260C(11) | CHARGERS, BATTERY, SEMICONDUCTOR RECTIFIER (FOR CHARGING INDUSTRIAL STORAGE BATTERIES) | A | 6130 | # FSS | | 05-SEP-84 | | | | |
| | | W-L-305D | LIGHT SET, GENERAL ILLUMINATION (EMERGENCY OR AUXILIARY) | A | 6230 | % FSS | | 12-MAY-76 | | | | |
| | | W-L-305D(11) | LIGHT SET, GENERAL ILLUMINATION (EMERGENCY OR AUXILIARY) | A | 6230 | # FSS | | 29-JUN-77 | | | | |
| | | W-L-310A(2) | LIGHT, DESK, FLUORESCENT, PEDESTAL | A | 6230 | # | | 23-JUN-64 | | | | |
| | | W-L-00310B(4) | LIGHT, DESK (FLUORESCENT PEDESTAL) | A | 6230 | # | | 04-NOV-77 | | | | |
| | | W-L-311A(2) | LIGHT, DESK, INCANDESCENT, FLEXIBLE COLUMN | A | 6230 | # FSS | | 23-JUN-64 | | | | |
| | | W-L-00311B(2) | LIGHT, DESK, INCANDESCENT, FLEXIBLE COLUMN USER: GS | A | 6230 | # FSS | | 13-NOV-73 | | | | |
| | | W-L-311A(13) | LIGHT, DESK, INCANDESCENT, FLEXIBLE COLUMN | A | 6230 | # FSS | | 16-FEB-88 | | | | |
| | | W-L-312C | LIGHT, FLOOR AND DESK FLUORESCENT, SWINGING-ARM REVIEWER: GS | A | 6230 | * | | 25-FEB-85 | ME | | | |
| | | W-L-314/1 | LIGHT, HOUSEHOLD DRESSER, TYPE VIII | A | 6230 | % | | 06-MAY-80 | | | | |
| | | W-L-314/2 | LIGHT, HOUSEHOLD, DRESSING TABLE, TYPE IX | A | 6230 | % | | 06-MAY-80 | | | | |
| | | W-L-314/3 | LIGHT, HOUSEHOLD, LARGE FLOOR, TYPE XIII | A | 6230 | % | | 06-MAY-80 | | | | |
| | | W-L-314/4 | LIGHT, HOUSEHOLD, LARGE TABLE, TYPE XV | A | 6250 | % | | 06-MAY-80 | | | | |
| | | W-L-314/5 | LIGHT, HOUSEHOLD, TALL TABLE, TYPE XVI | A | 6230 | % | | 06-MAY-80 | | | | |
| | | W-L-314/6 | LIGHT, HOUSEHOLD, EXTRA TALL TABLE, TYPE XVII | A | 6230 | % | | 06-MAY-80 | | | | |
| | | W-L-314/7 | LIGHT, HOUSEHOLD, JUNIOR FLOOR, TYPE XVIII | A | 6230 | % | | 06-MAY-80 | | | | |
| | | W-L-314/8 | LIGHT, HOUSEHOLD, SWING ARM FLOOR, TYPE XIX | A | 6230 | % | | 06-MAY-80 | | | | |
| | | W-L-314/9 | LIGHT, HOUSEHOLD, SMALL TABLE, (STUDY) TYPE XX | A | 6230 | % | | 06-MAY-80 | | | | |
| | | W-L-314/10 | LIGHT, HOUSEHOLD, SMALL TABLE, SWING ARM (STUDY), TYPE XXI | A | 6230 | % | | 06-MAY-80 | | | | |
| | | W-L-316B | LIGHT, FLOOR [VALIDATION DATE: 8202] | A | 6530 | / DM | | 22-SEP-76 | MD | MS | 03 | |
| L | | W-L-316B(11) | LIGHT, FLOOR [VALIDATION DATE: 8202] | A | 6530 | / DM | | 03-FEB-77 | | | | DM |
| DQ | | W-C-375B<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE [VALIDATION DATE: 8611] USER: MC OS REVIEWER: 80 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | ES |
| D | | W-C-375/1<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (10 THRU 70 AMPERES) [VALIDATION DATE: 8611] USER: MC OS REVIEWER: 80 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | ES |
| D | | W-C-375/2<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (15 THRU 70 AMPERES) [VALIDATION DATE: 8611] USER: MC OS REVIEWER: 80 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | ES |
| D | | W-C-375/3A | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (10 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 80 | A | 5925 | / ES | | 04-SEP-90 | | YD1 | 85 | ES |
| D | | W-C-375/5A | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (15 THROUGH 50 AMPERES) USER: MC OS SH REVIEWER: 99 | A | 5925 | / ES | | 29-JAN-91 | | YD1 | 85 | ES |
| D | | W-C-375/6B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (15 THROUGH 125 AMPERES) USER: MC OS SH REVIEWER: 99 | A | 5925 | / ES | | 13-DEC-91 | | YD1 | 85 | ES |
| D | | W-C-375/7B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (15 THROUGH 100 AMPERES) USER: MC OS SH REVIEWER: 99 | A | 5925 | / ES | | 13-DEC-91 | | YD1 | 85 | ES |
| D | | W-C-375/10A<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVIC, TYPE I, SERIES TRIP, SINGLE POLE (15 THROUGH 100 AMPERES USER: MC OS REVIEWER: 99 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | ES |
| D | | W-C-375/11A<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVIC, TYPE I, SERIES TRIP, TWO POLE (15 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 99 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | ES |
| D | | W-C-375/12A<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVIC, TYPE I, SERIES TRIP, THREE POLE (15 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 99 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | ES |
| D | | W-C-375/13<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I SERIES TRIP, SINGLE POLE (15 THRU 50 AMPERES) USER: MC OS REVIEWER: 99 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | ES |
| D | | W-C-375/14<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (15 THRU 125 AMPERES) USER: MC OS REVIEWER: 99 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | ES |
| D | | W-C-375/15<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (15 THRU 100 AMPERES) USER: MC OS REVIEWER: 99 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | ES |
| D | | W-C-375/16A | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (10 THRU 100 AMPERES) USER: MC OS REVIEWER: 80 | A | 5925 | / ES | | 11-APR-88 | | YD1 | 85 | ES |
| D | | W-C-375/17A | CIRCUIT BREAKERS, MOLDED CASES, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (10 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 80 | A | 5925 | / ES | | 11-APR-88 | | YD1 | 85 | ES |
| D | | W-C-375/18A | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I,SERIES TRIP, THREE POLE (10 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 80 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | ES |
| D | | W-C-375/19A<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE III, SERIES TRIP, SINGLE POLE (10 THRU 100 AMPERES) USER: MC OS REVIEWER: 99 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | |
| D | | W-C-375/20A<br>NOTICE 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE III, SERIES TRIP, TWO POLE (10 THRU 100 AMPERES) USER: MC OS REVIEWER: 99 | A | 5925 | / ES | | 19-NOV-86 | | YD1 | 85 | |
| D | | W-C-375/21 | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES TRIP, ONE POLE (15 THROUGH 70 AMPERES) USER: MC OS REVIEWER: 99 MI NA | A | 5925 | / ES | | 18-JUL-88 | ER | YD1 | 85 | ES |
| D | | W-C-375/22 | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES TRIP, TWO POLE (15 THROUGH 125 AMPERES) | A | 5925 | / ES | | 18-JUL-88 | ER | YD1 | 85 | ES |
| D | | W-C-375/23 | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES TRIP, THREE POLE (15 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 99 MI NA | A | 5925 | / ES | | 18-JUL-88 | ER | YD1 | 85 | ES |
| D | | W-C-375/24 | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES TRIP, THREE POLE (100 THROUGH 225 AMPERES) USER: MC OS REVIEWER: 99 MI NA | A | 5925 | / ES | | 18-JUL-88 | ER | YD1 | 85 | ES |
| D | | W-F-396C(2) | FIRE ALARM SYSTEM: LOCAL, ELECTRIC, SUPERVISED, SELECTIVE CODED, SHUNT NONINTERFERING TYPE | A | 4210 | * ME | | 22-JUL-65 | ME | YD1 | 99 | |
| D | | W-F-406E | FITTINGS FOR CABLE, POWER, ELECTRICAL AND CONDUIT, METAL, FLEXIBLE REVIEWER: 99 GS | A | 5975 | / YD1 | | 26-MAR-93 | ER | YD1 | 85 | |
| D | | W-F-408E | FITTINGS FOR CONDUIT, METAL, RIGID, (THICK-WALL AND THIN-WALL (EMT) TYPE) USER: CE MC REVIEWER: 99 GS | A | 5975 | / YD1 | | 20-DEC-89 | ME | YD1 | 85 | |
| D | | W-B-411A(1) | BLASTING MACHINE, GALVANOMETER, BLASTING, RESISTOR ASSEMBLY [VALIDATION DATE: 7905] USER: MC YD1 | A | 1375 | / AR | | 02-MAY-72 | AR | OS | 99 | |
| | | W-F-414E | FIXTURE, LIGHTING (FLUORESCENT, ALTERNATING-CURRENT, PENDANT MOUNTING) | A | 6210 | # FSS | | 09-FEB-73 | | | | |
| | | W-F-414E(11) | FIXTURE, LIGHTING (FLUORESCENT, ALTERNATING-CURRENT, PENDANT MOUNTING) | A | 6210 | # FSS | | 12-SEP-73 | | | | |
| | | W-C-421H | CLEANER, VACUUM (ELECTRIC, PORTABLE, BACK-PACK) USER: GL | A | 7910 | % | | 02-NOV-87 | | | | |
| | | W-C-00421G(4) | CLEANER, VACUUM, ELECTRIC (HOUSEHOLD/COMMERCIAL) | A | 7910 | # | | 11-APR-79 | | | | |
| Q | | W-F-421B | FLASHLIGHTS, ELECTRIC, HAND | A | 6230 | # FSS | | 24-SEP-56 | | | | |
| Q | | W-F-00421C(1) | FLASHLIGHT, ELECTRIC, HAND USER: GS | A | 6230 | # FSS | | 15-MAR-76 | | | | |
| Q | | W-F-421B(11) | FLASHLIGHTS, ELECTRIC, HAND | A | 6230 | # FSS | | 13-NOV-63 | | | | |
| | | W-C-440B | CLIP, ELECTRICAL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8502] USER: ME REVIEWER: 99 EA MI | A | 5999 | / ER | | 11-AUG-70 | ER | SH | 85 | |
| | | W-G-441A | CLUEPOT, ELECTRIC (PORTABLE, DRY AND WET) | A | 5120 | * GL | | 19-NOV-87 | GL | | 99 | |
| Q | | W-A-450C | COMPONENTS FOR INTERIOR ALARM SYSTEMS | A | 6350 | # FSS | | 28-AUG-90 | | | | |
| | | W-A-450/1 | COMPONENTS FOR INTERIOR ALARM SYSTEMS, BALANCED MAGNETIC SWITCHES | A | 6350 | # FSS | | 28-AUG-90 | | | | |
| | | W-A-450/2 | COMPONENTS FOR INTERIOR ALARM SYSTEMS FOIL | A | 5340 | # FSS | | 28-AUG-90 | | | | |
| | | W-A-450/3 | COMPONENTS FOR INTERIOR ALARM SYSTEM BREAKWIRE | A | 5340 | # FSS | | 10-DEC-90 | | | | |
| A | | W-A-450/5 | DETECTOR, BEAMBREAK, INFRARED | A | 6350 | # FSS | | 03-JAN-92 | | | | |
| A | | W-A-450/6 | DETECTOR, INFRARED, PASSIVE (PIR) | A | 6350 | # FSS | | 03-JAN-92 | | | | |
| A | | W-A-450/7 | DETECTOR, VIBRATION | A | 6350 | # FSS | | 03-JAN-92 | | | | |
| A | | W-A-450/8 | DETECTOR, PROXIMITY/CAPACITANCE | A | 6350 | # FSS | | 03-JAN-92 | | | | |
| A | | W-A-450/9 | DETECTOR, MOTION, ULTRASONIC | A | 6350 | # FSS | | 03-JAN-92 | | | | |

| Action | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| A | W-A-450/10 | DETECTOR, MICROWAVE, MOTION | A 6350 # FSS 03-JAN-92 | | | | |
| A | W-A-450/11 | DETECTOR, MAT, PRESSURE | A 6350 # FSS 03-JAN-92 | | | | |
| A | W-A-450/12 | DETECTOR, MOTION, VIDEO, INTERIOR (CLOSED CIRCUIT TELEVISION) | A 6350 # FSS 03-JAN-92 | | | | |
| A | W-A-450/14 | DETECTOR, CABLE, FLEXIBLE | A 6350 # FSS 03-JAN-92 | | | | |
| A | W-A-450/16 | DETECTOR, ACOUSTIC, PASSIVE / DISCRIMINATOR, SONIC | A 6350 # FSS 03-JAN-92 | | | | |
| A | W-A-450/17 | DETECTOR, MOTION, DUAL TECHNOLOGY | A 6350 # FSS 03-JAN-92 | | | | |
| DQ | W-S-506C | SPARK PLUG USER: AR AV GL MC MI SH REVIEWER: 82 CS | A 2920 / AT 26-APR-83 | AT | YD1 | 99 | |
| D | W-R-550A(1) NOTICE 1 | ROD, GROUND (WITH ATTACHMENTS) [VALIDATION DATE: 8301] USER: AR REVIEWER: 11 99 ER GS MC MI | A 5975 / ME 18-AUG-77 | ME | YD1 | 85 | |
| D | W-T-550D NOTICE 1 | TOASTER, ELECTRIC, POP-UP/POP-DOWN, HEAVY-DUTY, INTERMITTENT [VALIDATION DATE: 9203] REVIEWER: 82 GS MD TS YD1 | A 7310 / GL 27-MAR-92 | GL | SH | 99 | |
| | W-S-564C | SOLDERING GUNS, ELECTRIC REVIEWER: GS | A 3439 / IP 10-APR-91 | AL | | 99 | IP |
| | W-S-570B(1) | SOLDERING IRON ELECTRIC | A 3439 / IP 19-OCT-90 | AR | SH | 99 | IP |
| D | W-C-571C | CONDUIT & FITTINGS, NONMETAL, RIGID, (ASBESTOS CEMENT OR FIRE CLAY CEMENT), (FOR ELECTRICAL PURPOSES) REVIEWER: 99 | A 5975 * YD1 15-JAN-81 | ME | YD1 | 85 | |
| | W-C-575B | CONDUIT & FITTINGS, NONMETALLIC, RIGID, BITUMINIZED FIBER, LAMINATED WALL | A 5975 # 16-JAN-81 | | | | |
| | W-C-582A | CONDUIT, RACEWAY, METAL, AND FITTING, SURFACE | A 5975 # 25-JUN-81 | | | | |
| D | W-C-586D(1) | CONDUIT OUTLET BOXES, BODIES, AND ENTRANCE CAPS, ELECTRICAL: CAST METAL REVIEWER: GL | A 5975 / YD1 27-MAR-92 | ME | YD1 | 99 | |
| DQ | W-C-596F(1) SUPPL 1C1 | CONNECTOR, ELECTRICAL, POWER, GENERAL SPECIFICATION FOR USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 19-JUL-90 | CR | YD1 | 85 | ES |
| D | W-C-596/3B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 2 POLE, GENERAL GRADE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 08-JAN-80 | CR | YD1 | 85 | ES |
| D | W-C-596/4C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, CABLE OUTLET, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/14) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | W-C-596/7B | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 08-JAN-80 | CR | YD1 | 85 | ES |
| D | W-C-596/8C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, GENERAL GRADE, LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/101 USER: AV MC ME MI SH REVIEWER: 11 99 AS EC | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | W-C-596/11C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | W-C-596/12E | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE AND HOSPITAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | W-C-596/13C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, HOSPITAL GRADE GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [VALIDATION DATE: 8504] USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 06-OCT-80 | CR | YD1 | 85 | ES |
| D | W-C-596/14C | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, HOSPITAL GRADE CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HER [VALIDATION DATE: 8504] USER: AR AV MC SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 06-OCT-80 | CR | YD1 | 85 | ES |
| D | W-C-596/15D | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | W-C-596/16C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUL-92 | CR | YD1 | 85 | ES |
| D | W-C-596/17D | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, GENERAL GRADE 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ [VALIDATION DATE: 8504] USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 13-FEB-85 | CR | YD1 | 85 | ES |
| D | W-C-596/18B | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS [VALIDATION DATE: 8504] USER: AV MC ME MI SH REVIEWER: AS EC | A 5935 / ES 06-OCT-80 | CR | YD1 | 85 | ES |
| D | W-C-596/20B | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AR AV MC ME MI SH REVIEWER: 99 AS AT EC | A 5935 / ES 13-FEB-80 | CR | YD1 | 85 | ES |
| D | W-C-596/23B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 RTZ USER: AV MC ME MI SH REVIEWER: 11 99 AS EC | A 5935 / ES 13-FEB-80 | CR | YD1 | 85 | ES |
| D | W-C-596/26B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 13-FEB-80 | CR | YD1 | 85 | ES |
| D | W-C-596/27C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | W-C-596/29B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 13-FEB-80 | CR | YD1 | 85 | ES |
| D | W-C-596/30C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | W-C-596/33C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/188) USER: AR AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | W-C-596/34B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS [VALIDATION DATE: 8504] USER: AV MC ME SH REVIEWER: 11 99 AS AT EC MI | A 5935 / ES 23-APR-80 | CR | YD1 | 85 | ES |
| D | W-C-596/35C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, 3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS, 50/50 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/190) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | W-C-596/36C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, 3 POLE, 3 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/184 USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | W-C-596/37C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 3 POLE, 3 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/185) USER: AV MC ME SH REVIEWER: 11 99 AS AT EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | W-C-596/39B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 4 POLE, 4 WIRE, 60 AMPERES, 3 PHASE W&YE, 120/208 VOLTS, 50/60 HERTZ [VALIDATION DATE: 8504] USER: AV MC ME SH REVIEWER: 11 99 AS AT EC MI | A 5935 / ES 23-APR-80 | CR | YD1 | 85 | ES |
| D | W-C-596/40C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE AND HOSPITAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | W-C-596/41C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, HOSPITAL GRADE GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | W-C-596/42C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, HOSPITAL GRADE, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ [VALIDATION DATE: 8504] USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 05-SEP-81 | CR | YD1 | 85 | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | W-C-596/43C | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/44C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/121) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | | W-C-596/45C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/122) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | | W-C-596/46B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 04-SEP-81 | CR | YD1 | 85 | |
| D | | W-C-596/59C | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/60B | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) | A 5935 / ES 04-SEP-81 | CR | YD1 | 85 | |
| D | | W-C-596/61B | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 AV MC ME SH REVIEWER: 19 99 AS MI | A 5935 / ES 04-SEP-81 | CR | YD1 | 85 | |
| D | | W-C-596/64C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | | W-C-596/65C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | | W-C-596/66C | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 AV MC ME SH REVIEWER: 19 99 AS MI | A 5935 / ES 07-AUG-81 | CR | YD1 | 85 | |
| D | | W-C-596/67B | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) | A 5935 / ES 07-AUG-81 | CR | YD1 | 85 | |
| D | | W-C-596/68B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: AV MC ME SH REVIEWER: 99 AS EC MI | A 5935 / ES 07-AUG-81 | CR | YD1 | 85 | |
| D | | W-C-596/69B | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 AV MC ME SH REVIEWER: 99 AS EC MI | A 5935 / ES 07-AUG-81 | CR | YD1 | 85 | |
| D | | W-C-596/70B | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS (VALIDATION DATE: 8403) USER: AR AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-MAY-76 | CR | YD1 | 85 | ES |
| D | | W-C-596/73C | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS AC, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 07-AUG-81 | CR | YD1 | 85 | |
| D | | W-C-596/74B | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS AC, 50/60 HERTZ (VALIDATION DATE: 8504) USER: AV MC ME SH REVIEWER: 11 19 99 AS EC MI | A 5935 / ES 07-AUG-81 | CR | YD1 | 85 | |
| D | | W-C-596/77B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) | A 5935 / ES 07-AUG-81 | CR | YD1 | 85 | |
| D | | W-C-596/78B | CONNECTOR, PLUG,ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCK, GROUNDING 2 POLE, 3 WIRE, 30 AMPERS, 250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 AV MC SH REVIEWER: 19 99 AS EC MI | A 5935 * ES 07-AUG-81 | CR | YD1 | 85 | |
| D | | W-C-596/79B | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERALGRADE, GROUNDING, LOCKING, 2 POLE 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 19 | A 5935 * ES 07-AUG-81 | CR | YD1 | 85 | |
| D | | W-C-596/80A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/81A | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | | W-C-596/82A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/83B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/84A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/85A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | | W-C-596/86A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | | W-C-596/87A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | | W-C-596/88B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 01-OCT-87 | CR | YD1 | 85 | |
| D | | W-C-596/89B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/90 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | ES |
| D | | W-C-596/91A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/92A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | | W-C-596/93A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/94A | CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |

| Action | Old / Old Cancellation / Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | W-C-596/95A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/96A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/97A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AS EC ER MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/98A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | | W-C-596/99A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 05-JUN-92 | CR | YD1 | 85 | ES |
| D | | W-C-596/100A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/101B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 01-OCT-87 | CR | YD1 | 85 | ES |
| D | | W-C-596/102B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/103 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | ES |
| D | | W-C-596/104A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/105A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | | W-C-596/106A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/107 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | |
| D | | W-C-596/108A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | | W-C-596/109A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/110A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/111 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | |
| D | | W-C-596/112 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | ES |
| D | | W-C-596/113A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/114A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/115B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/116 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | |
| D | | W-C-596/117 | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | ES |
| D | | W-C-596/118A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/119A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/120 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | |
| D | | W-C-596/121 | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | ES |
| D | | W-C-596/122A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | | W-C-596/123A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/124 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | ES |
| D | | W-C-596/125 | CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | |
| D | | W-C-596/126A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/127A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/128 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | |

| Action | Obs. / Obst. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area NSN Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | W-C-596/129A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 3 POLE, 4 WIRE, 30 AMPERES 250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | | W-C-596/130A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/131A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/132 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | |
| D | | W-C-596/133 | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | ES |
| D | | W-C-596/134A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | ES |
| D | | W-C-596/135A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE Y USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/136 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | ES |
| D | | W-C-596/137 | CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 11-AUG-78 | CR | YD1 | 85 | |
| D | | W-C-596/138B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/139A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/140B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/141B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/142B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: 11 AV MC ME SH REVIEWER: 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/143A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 24-JUN-83 | CR | YD1 | 85 | |
| D | | W-C-596/144B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 10-MAY-90 | CR | YD1 | 85 | ES |
| D | | W-C-596/145 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, HOSPITAL GRADE, ISOLATED GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 24-MAR-82 | CR | YD1 | 85 | ES |
| D | | W-C-596/148A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 03-MAY-88 | CR | YD1 | 85 | |
| D | | W-C-596/149A | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 03-MAY-88 | CR | YD1 | 85 | ES |
| D | | W-C-596/150A | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 03-MAY-88 | CR | YD1 | 85 | |
| D | | W-C-596/151B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC | A 5935 / ES 03-MAY-88 | CR | YD1 | 85 | |
| D | | W-C-596/152A | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE | A 5935 / ES 03-MAY-88 | CR | YD1 | 85 | |
| D | | W-C-596/153A | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: 11 99 AS EC | A 5935 / ES 31-JUL-79 | CR | YD1 | 85 | ES |
| D | | W-C-596/154A | CONNECTOR, RECEPTACLE, ELECTRICAL SPECIFIC PURPOSE, SINGLE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 03-MAY-88 | CR | YD1 | 85 | |
| D | | W-C-596/155A | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE A USER: AV MC ME SH REVIEWER: 11 99 AS EC | A 5935 / ES 03-MAY-88 | CR | YD1 | 85 | ES |
| D | | W-C-596/156A | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 03-MAY-88 | CR | YD1 | 85 | |
| D | | W-C-596/157A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, LOCKING GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 03-MAY-88 | CR | YD1 | 85 | |
| D | | W-C-596/158A | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: 11 99 AS | A 5935 / EC 31-JUL-79 | CR | YD1 | 85 | |
| D | | W-C-596/159A | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, LOCKING GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 31-JUL-79 | CR | YD1 | 85 | ES |
| D | I | W-C-596/161A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/163A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/165A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/167A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/169A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | I | W-C-596/171A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/173A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/175A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/177A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/179A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/181A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/185A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | I | W-C-596/189A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | | W-C-596/196 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE (VALIDATION DATE: 8504) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 28-OCT-80 | CR | YD1 | 85 | ES |
| D | | W-C-596/200 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE (VALIDATION DATE: 8504) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 28-OCT-80 | CR | YD1 | 85 | ES |
| D | I | W-C-596/205A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI | A 5935 / ES 30-APR-92 | CR | YD1 | 85 | ES |
| D | | W-C-596/212 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GROUNDING, HOSPITAL GRADE, GROUND FAULT CIRCUIT INTERRUPTING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 60 HERTZ USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 24-MAR-82 | CR | YD1 | 85 | ES |
| D | | W-S-610E | SPLICE CONNECTORS REVIEWER: 99 GS | A 5940 / YD1 05-JUL-90 | | YD1 | 85 | |
| D | | W-T-631C(2) | TRANSFORMER, POWER DISTRIBUTION USER: 11 CE MC MI REVIEWER: GS | A 6120 * ME 07-OCT-66 | ME | YD1 | 99 | |
| D | | W-H-636G | HOT PLATE, ELECTRIC USER: MC REVIEWER: 84 MD SA SH | A 7310 / GL 20-MAR-88 | GL | YD1 | 99 | |
| D | | W-H-640 NOTICE 2 | HOTPLATES, GAS AND ELECTRIC, COFFEE-MAKER (VALIDATION DATE: 9302) USER: CG MS REVIEWER: MC MD SH YD1 | A 7310 / GL 26-FEB-93 | GL | YD1 | 99 | |
| | | W-D-650A | DRILL, ELECTRIC, PORTABLE (BATTERY-POWERED) AND ACCESSORIES | A 5130 * GL 15-MAY-67 | GL | | 99 | |
| | | W-W-650C | WRENCH, IMPACT, ELECTRIC USER: AV MC OS | A 5130 / SH 22-JUN-70 | GL | SH | 84 | |
| | | W-W-650C(13) | WRENCH, IMPACT, ELECTRIC | A 5130 % FSS 21-MAR-74 | | | | |
| D | | W-D-661D | DRILLS, ELECTRIC, PORTABLE (EXCLUSIVE OF HIGH FREQUENCY TYPES) AND STAND, PORTABLE ELECTRIC DRILL, VERTICAL USER: YD1 | A 5130 / SH 13-OCT-69 | GL | SH | 84 | |
| | | W-D-661D(11) | DRILLS, ELECTRIC, PORTABLE (EXCLUSIVE OF HIGH FREQUENCY TYPES) AND STAND, *PORTABLE ELECTRIC DRILL, VERTICAL* | A 5130 # FSS 17-AUG-70 | | | | |
| | | W-E-006618 | ERASER, ELECTRIC | A 7490 # 15-JAN-69 | | | | |
| D | | W-L-661D | LIGHT, EXTENSION, ELECTRICAL USER: MC REVIEWER: 82 GS MI | A 6230 / YD1 04-FEB-85 | ME | YD1 | 99 | |
| | | W-G-663B | GRINDER, ELECTRIC, PORTABLE USER: CE MC | A 5130 * GL 30-OCT-70 | GL | | 99 | |
| D | | W-G-690C | GRINDING KIT, VALVE SEAT, ELECTRIC USER: AT REVIEWER: MC ME | A 4910 / AL 23-JUL-85 | AL | YD1 | 99 | |
| | | W-F-785E | FURNACE, HEAT TREATING, ELECTRIC, HORIZONTAL BOX TYPE USER: AR AS AV OS | A 3424 % 31-AUG-78 | | | | |
| D | | W-P-796B | PULLER, FUSE (VALIDATION DATE: 8306) USER: YD1 | A 5120 * 84 24-APR-74 | GL | | 99 | |
| D | | W-J-800F | JUNCTION BOX: EXTENSION, JUNCTION BOX; COVER, JUNCTION BOX (STEEL, CADMIUM, OR ZINC-COATED) USER: CE ER SH REVIEWER: 99 GS | A 5975 / YD1 24-JUL-92 | ME | YD1 | 85 | |
| | | W-B-820A | BELL, ELECTRICAL, LOW VOLTAGE, BUZZER, ELECTRICAL, LOW VOLTAGE | A 6350 # 18-SEP-78 | | | | |
| D | | W-S-896E(2) NOTICE 1 | SWITCH, TOGGLE (TOGGLE AND LOCK), FLUSH MOUNTED (GENERAL SPECIFICATION) (VALIDATION DATE: 8804) USER: 11 CG REVIEWER: 99 ER | A 5930 / ES 01-APR-88 | AT | YD1 | 85 | |
| D | | W-S-896/2C | SWITCHES, TOGGLE AND LOCK, FLUSH MOUNTED (AC) (DETAIL SPECIFICATION) USER: 11 CG REVIEWER: 99 AT | A 5930 / ES 27-DEC-89 | ER | YD1 | 85 | ES |
| D | | W-S-896/3A NOTICE 1 | SWITCH, TOGGLE, FLUSH MOUNTED (MERCURY) (AC) (VALIDATION DATE: 8804) USER: 11 CG REVIEWER: 99 AT | A 5930 / ES 01-APR-88 | ER | YD1 | 85 | ES |
| | | W-C-1094A | CONDUIT AND CONDUIT FITTINGS PLASIC, RIGID | A 5975 # 03-JUL-75 | | | | |
| Q | | W-D-1114A | DRILLS, ELECTRIC, PORTABLE, DOUBLE-INSULATED (DIELECTRIC HOUSING) | A 5130 / SH 17-SEP-70 | GL | SH | 84 | |
| L | | W-D-1114A(12) | DRILLS, ELECTRIC, PORTABLE, DOUBLE-INSULATED (DIELECTRIC HOUSING) | A 5130 / SH 15-JUL-71 | | SH | | |
| Q | | W-G-1115A | GRINDER, ELECTRIC, PORTABLE, DOUBLE-INSULATED (DIELECTRIC HOUSING) | A 5130 # 30-OCT-70 | | | | |
| | | W-F-1234A | FIXTURE, LIGHTING (FLUORESCENT LAMP, INDUSTRIAL) (VALIDATION DATE: 8404) REVIEWER: GS | A 6210 * ME 02-OCT-73 | ME | | 99 | |
| | | W-S-001361 | SAFETY DEVICE, FLUORESCENT LAMP | A 6210 # 25-MAR-68 | | | | |
| | | W-L-001418(1) | FLASHLIGHT (PENLIGHT) | A 6230 * 30-DEC-74 | | | | |
| Q | | W-T-1553A(4) | TAPE, RECORDING, INSTRUMENTATION, MAGNETIC OXIDE-COATED USER: AS REVIEWER: 80 ES MV OM | A 5835 / SH 16-OCT-91 | CR | SH | 99 | |
| AQL | | W-T-1553A(15) | TAPE, *RECORDING, INSTRUMENTATION, MAGNETIC OXIDE-COATED* | A 5835 / SH 25-JAN-92 | | SH | | |
| Q | | W-T-001572 | TAPE, RECORDING, AUDIO, 1/4 INCH MAGNETIC OXIDE COATED (VALIDATION DATE: 8201) | A 5835 * 82 17-MAY-72 | | | 99 | |
| Q | | W-B-001573B(1) | BAND, WRAPAROUND TAPE REEL (FOR COMPUTER TAPE STORAGE) | A 7440 # 05-MAR-80 | | | | |
| Q | | W-D-001663(1) | DISK PACK, FOR DATA STORAGE (MAGNETIC RECORDING, 14 INCH, 11 DISKS) | A 7045 # 28-MAY-76 | | | | |
| Q | | W-C-1684 | CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN-HUB, COPLANAR) (VALIDATION DATE: 8303) | A 5835 % FSS 04-APR-77 | | | | |
| Q | | W-C-1684(11) | CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN-HUB, COPLANAR) (VALIDATION DATE: 8303) | A 5835 # FSS 12-JAN-78 | | | | |
| | | W-C-001749(2) | CLEANER, VACUUM, ELECTRIC (INSTITUTIONAL/HOSPITAL) | A 7910 # 07-APR-76 | | | | |
| | | W-C-001750(1) | CLEANER, VACUUM, ELECTRIC (COMMERCIAL/INDUSTRIAL) | A 7910 # 28-MAY-75 | | | | |
| DQ | | W-F-1814A SUPPL 1(1), NOTICE 1 | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY USER: AL AR OS REVIEWER: 99 AT ME MS | A 5920 / ES 06-APR-88 | ER | YD1 | 85 | |
| D | | W-F-1814/1 NOTICE 1 | FUSE, CARTR.DGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 0-15 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME MS | A 5920 / ES 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | W-F-1814/2 NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 16-20 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME MS | A 5920 / ES 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | W-F-1814/3 NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMIT NG) 300 VOLTS, 21-30 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME MS | A 5920 / ES 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | W-F-1814/4 NOTICE 1 | FUSE, *CARTRIDGE, HIGH INTERRUPTING CAPACITY*, CLASS G (CURRENT-LIMITING) 300 VOLTS, 31-60 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME MS | A 5920 / ES 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | W-F-1814/5 NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME MS | A 5920 / ES 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | W-F-1814/6 NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 31-60 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME MS | A 5920 / ES 29-NOV-88 | ER | YD1 | 85 | ES |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | | W-F-1814/7 NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME MC NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/8 NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 101-200 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/9 NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AL AT ME NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/10 NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/47A NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 601-800 AMPERES USER: AR OS REVIEWER: 99 AL AT | A | 5920 / ES | | 19-NOV-86 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/48A | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 801-1200 AMPERES (VALIDATION DATE: 8811) USER: AR OS REVIEWER: 80 AL AT NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/49A NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 1201-1600 AMPERES (VALIDATION DATE: 8811) USER: AR OS REVIEWER: 80 AL AT NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/50A NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 1601-2000 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/51A NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 2001-2500 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/52A NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 2501-3000 AMPERES (VALIDATION DATE: 8811) USER: AR OS REVIEWER: 80 AL AT NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/53A | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 3001-4000 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: AT NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/54A NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 4001-5000 AMPERES (VALIDATION DATE: 8811) USER: AR OS REVIEWER: 80 AL AT NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/55A NOTICE 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 5001-6000 AMPERES (VALIDATION DATE: 8811) USER: AR OS REVIEWER: 80 AL AT NS | A | 5920 / ES | | 29-NOV-88 | ER | YD1 | 85 | ES |
| D | | | | W-F-1814/56A | FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 0-30 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS | A | 5920 * ES | | 21-OCT-82 | ER | YD1 | 85 | |
| D | | | | W-F-1814/57A | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 31-60 AMPERES USER: AR OS REVIEWER: AL AT ME NS | A | 5920 * ES | | 21-OCT-82 | ER | YD1 | 99 | |
| D | | | | W-F-1814/58A | FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 &RK5 (CURRENT-LIMITING) 250 VOLTS, 61-100 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS | A | 5920 * ES | | 21-OCT-82 | ER | YD1 | 85 | |
| D | | | | W-F-1814/59A | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 101-200 AMPERES USER: AR OS REVIEWER: 99 AL AT ME | A | 5920 * ES | | 21-OCT-82 | ER | YD1 | 85 | |
| D | | | | W-F-1814/60A | FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 201-400 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS | A | 5920 * ES | | 21-OCT-82 | ER | YD1 | 85 | |
| D | | | | W-F-1814/61A | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CUR- RENT LIMITING) 250 VOLTS, 401-600 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS | A | 5920 * ES | | 21-OCT-82 | ER | YD1 | 85 | |
| D | | | | W-F-1814/62A | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CUR-RENT-LIMITING) 600 VOLTS, 0-30 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS | A | 5920 * ES | | 21-OCT-82 | ER | YD1 | 85 | |
| D | | | | W-F-1814/63B | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CUR-RENT-LIMITING) 600 VOLTS, 31-60 AMPERE USER: AR OS REVIEWER: 99 AL AT EA ME NS | A | 5920 * ES | | 15-JUL-85 | ER | YD1 | 85 | |
| D | | | | W-F-1814/64A | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CUR-RENT-LIMITING) 600 VOLTS, 61-100 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS | A | 5920 * ES | | 21-OCT-82 | ER | YD1 | 85 | |
| | | | | W-F-1814/65A | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CUR-RENT-LIMITING) 600 VOLTS, 101-200 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS | A | 5920 * ES | | 21-OCT-82 | | | | |
| D | | | | W-F-1814/66A | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CUR-RENT-LIMITING) 600 VOLTS, 201-400 AMPERES USER: AR OS REVIEWER: AL AT ME NS | A | 5920 * ES | | 21-OCT-82 | ER | YD1 | 99 | |
| D | | | | W-F-1814/67A | FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS | A | 5920 * ES | | 21-OCT-82 | ER | YD1 | 85 | |
| | | | | W-F-2190 | FILTER, RADIO FREQUENCY INTERFERENCE USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR MI SH | A | 5915 / ES | | 13-DEC-83 | ER | EC | 85 | |
| D | L | | | W-F-2793 | FANS, CENTRIFUGAL, DRAFT, FORCED AND INDUCED REVIEWER: GS | A | 4140 * | YD1 | 02-JUL-92 | | YD1 | | |
| | | | | AA-R-20A | RACK, DISPLAY, BOOK, (WOOD) USER: GL | A | 7110 % | | 01-JUL-59 | | | | |
| | | | | AA-R-0020B | RACK, DISPLAY, BOOK, (WOOD) | A | 7110 @ | | 07-JAN-72 | | | | |
| | | | | AA-C-30D | CABINET, KEY, (BOXES AND RACKS METAL & IDENTIFICATION SYSTEMS) USER: GL | A | 7125 % | | 21-JUL-60 | | | | |
| D | | | | AA-C-31E | CABINET, STORAGE, METAL | A | 7125 * | GL | 01-JUN-72 | GL | YD1 | 99 | |
| | | | | AA-C-338 | CABINETS, SMALL PARTS, STORAGE | A | 7125 @ | | 19-JUN-63 | | | | |
| | | | | AA-E-35E | EASEL, DISPLAY & TRAINING | A | 7520 @ | FSS | 08-MAY-89 | | | | |
| | | | | AA-R-0040C | RACK, WEARING APPAREL, STEEL | A | 7195 @ | | 31-MAY-74 | | | | |
| D | L | | | AA-C-458 | CABINET, TOOL, MOBILE USER: AR MC YD1 REVIEWER: AT | A | 5140 * | GL | 29-JUN-77 | GL | | | |
| | | | | AA-C-458(11) | CABINET, TOOL, MOBILE | A | 5140 @ | FSS | 10-MAR-88 | | | | |
| | | | | AA-R-0046 | RACK, STORAGE, LOADED PALLET | A | 7125 @ | | 27-JAN-69 | | | | |
| | | | | AA-T-50D | TABLE, EXAMINING (VALIDATION DATE: 8202) | A | 6530 / | DM | 28-JAN-76 | MD | MS | 03 | |
| | | | | AA-S-81B | SAFES, OFFICE, FIRE RESISTANT, BURGLARY PROTECTION USER: GL MC SA | A | 7110 % | | 09-OCT-62 | | | | |
| | | | | AA-T-112 | TABLES, WOOD, GENERAL OFFICE USER: GL | A | 7110 % | FSS | 25-JUL-55 | | | | |
| | | | | AA-T-00112A(1) | TABLE, WOOD, GENERAL OFFICE | A | 7110 @ | FSS | 16-AUG-76 | | | | |
| | | | | AA-T-112(13) | TABLES, WOOD, GENERAL OFFICE USER: GL | A | 7110 % | FSS | 10-JUN-66 | | | | |
| | | | | AA-S-1308 | SCREENS, BEDSIDE, ALUMINUM | A | 6530 / | MB | 14-FEB-91 | MD | MS | 03 | |
| | | | | AA-D-191A(3) | DESK, STEEL, GENERAL OFFICE USER: GL | A | 7110 % | | 04-AUG-55 | | | | |
| | | | | AA-D-00191E | DESK, STEEL, GENERAL OFFICE | A | 7110 @ | | 10-JUL-70 | | | | |
| | | | | AA-D-1958 | DESK, FLAT TOP, STEEL, CONFERENCE-TYPE USER: GL | A | 7110 % | FSS | 02-MAR-61 | | | | |
| | | | | AA-D-00195D | DESK, STEEL, CONFERENCE TYPE | A | 7110 @ | | 07-APR-67 | | | | |
| | | | | AA-D-1958(13) | DESK, FLAT TOP, STEEL, CONFERENCE-TYPE | A | 7110 @ | FSS | 29-JAN-63 | | | | |
| D | | | | AA-R-200F | REFRIGERATOR, MECHANICAL, COMMERCIAL, SELF-CONTAINED, REACH-IN AND PASS-THROUGH USER: CE REVIEWER: MC MD ME NS | A | 4110 / | GL | 19-MAR-87 | GL | YD1 | 99 | |
| | L | | | AA-R-200F(11) | REFRIGERATOR, MECHANICAL, FOOD: SELF-CONTAINED, REACH-IN AND PASS-THROUGH . | A | 4110 / | GL | 04-JAN-90 | GL | | | |
| | | | | AA-V-200A | VENETIAN BLINDS USER: GL MC | A | 7230 % | | 06-NOV-65 | | | | |
| | | | | AA-V-002008 | VENETIAN BLINDS | A | 7230 @ | | 05-JUN-73 | | | | |
| D | | | | AA-R-211G(3) | REFRIGERATOR, MECHANICAL, HOUSEHOLD, (ELECTRICAL, SELF CONTAINED) | A | 4110 * | GL | 18-SEP-75 | GL | YD1 | 99 | |
| | L | | | AA-R-00211H | REFRIGERATORS, MECHANICAL, HOUSEHOLD (ELECTRICAL, SELF-CONTAINED) | A | 4110 / | GL | 27-APR-77 | GL | | | |

| Action | Qlfy / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | AA-O-230A(1) | OFFICE FURNITURE, EXECUTIVE TYPE, WOOD, TRADITIONAL (GENERAL SPECIFICATION) | A 7110 # FSS 17-DEC-64 | | | | |
| | | AA-O-00230C | OFFICE FURNITURE: EXECUTIVE TYPE, WOOD, TRADITIONAL (GENERAL SPECIFICATION) | A 7110 # FSS 21-JUL-89 | | | | |
| | | AA-O-230A(15) | OFFICE FURNITURE, EXECUTIVE TYPE, WOOD, TRADITIONAL (GENERAL SPECIFICATION) | A 7110 # FSS 15-AUG-68 | | | | |
| | | AA-O-230/1A | OFFICE FURNITURE: BOOKCASE, EXECUTIVE TYPE, WOOD, TRADITIONAL | A 7110 # FSS 07-OCT-64 | | | | |
| | | AA-O-00230/1B | OFFICE FURNITURE: BOOKCASES EXECUTIVE TYPE, WOOD, TRADITIONAL | A 7110 # FSS 15-JUN-79 | | | | |
| | | AA-O-230/1A(11) | OFFICE FURNITURE: BOOKCASE, EXECUTIVE TYPE, WOOD, TRADITIONAL | A 7110 # FSS 15-NOV-56 | | | | |
| | | AA-O-230/2A | OFFICE FURNITURE, CABINET, TELEPHONE, EXECUTIVE TYPE, WOOD, TRADITIONAL, (DETAILED SPECIFICATION) | A 7110 # 07-OCT-64 | | | | |
| | | AA-O-00230/2B | OFFICE FURNITURE, CABINET, TELEPHONE, EXECUTIVE TYPE, WOOD TRADITIONAL (DETAILED SPECIFICATION) | A 7110 # 15-JUN-79 | | | | |
| | | AA-O-230/3A(1) | OFFICE FURNITURE, COSTUMER, EXECUTIVE TYPE, WOOD, TRADITIONAL, (DETAILED SPECIFICATION) | A 7110 # 16-APR-75 | | | | |
| | | AA-O-00230/3C | OFFICE FURNITURE: CUSTOMER, EXECUTIVE TYPE, WOOD, TRADITIONAL (DETAILED SPECIFICATION) | A 7195 # FSS 21-JUL-89 | | | | |
| | | AA-O-230/4A | OFFICE FURNITURE: DESK, EXECUTIVE TYPE, WOOD, TRADITIONAL | A 7110 # FSS 07-OCT-64 | | | | |
| | | AA-O-00230/4B | OFFICE FURNITURE: DESKS, DESK ATTACHMENTS, EXECUTIVE TYPE, WOOD TRADITIONAL | A 7110 # FSS 15-JUN-79 | | | | |
| | | AA-O-230/4A(16) | OFFICE FURNITURE: DESK, EXECUTIVE TYPE, WOOD, TRADITIONAL | A 7110 # FSS 12-MAY-76 | | | | |
| | | AA-O-230/5A | OFFICE FURNITURE, TABLE, EXECUTIVE TYPE, WOOD, TRADITIONAL (DETAILED SPECIFICATION) | A 7110 # 07-OCT-64 | | | | |
| | | AA-O-00230/5B | OFFICE FURNITURE, TABLES, EXECUTIVE TYPE, WOOD, TRADITIONAL (DETAILED SPECIFICATION) | A 7110 # 15-JUN-79 | | | | |
| | | AA-O-230/6A | OFFICE FURNITURE: CREDENZA, EXECUTIVE OFFICE, WOOD, TRADITIONAL | A 7110 # FSS 07-OCT-64 | | | | |
| | | AA-O-00230/6B | OFFICE FURNITURE: CREDENZA, EXECUTIVE OFFICE, WOOD, TRADITIONAL | A 7110 # FSS 15-JUN-79 | | | | |
| | | AA-O-230/6A(13) | OFFICE FURNITURE: CREDENZA, EXECUTIVE OFFICE, WOOD, TRADITIONAL | A 7110 # FSS 15-NOV-66 | | | | |
| | | AA-O-230/7A | OFFICE FURNITURE: TYPEWRITER STAND, EXECUTIVE OFFICE, WOOD, TRADITIONAL | A 7110 # FSS 07-OCT-64 | | | | |
| | | AA-O-00230/7B | OFFICE FURNITURE: TYPEWRITER STAND, EXECUTIVE OFFICE, WOOD, TRADITIONAL | A 7110 # FSS 15-JUN-79 | | | | |
| | | AA-O-230/7A(11) | OFFICE FURNITURE: TYPEWRITER STAND, EXECUTIVE OFFICE, WOOD, TRADITIONAL | A 7110 # FSS 15-NOV-66 | | | | |
| L | | AA-O-00235 | OFFICE FURNITURE, STEEL, SECTIONAL | A 7110 # 31-JAN-62 | | | | |
| | | NOTICE 1 | | | | | | |
| | | AA-O-240 | OFFICE FURNITURE, STEEL, UNITIZED | A 7110 # 02-FEB-61 | | | | |
| | | AA-O-00240C | OFFICE FURNITURE, STEEL, UNITIZED, GENERAL SPECIFICATION | A 7110 # 15-JUL-71 | | | | |
| | | AA-O-00240/1C | OFFICE FURNITURE, DESK, L-UNIT, STEEL, UNITIZED | A 7110 # 08-SEP-70 | | | | |
| | | AA-O-00240/2C(1) | OFFICE FURNITURE, DESK ATTACHMENT, L-UNIT, TABLE, STEEL, UNITIZED | A 7110 # 15-JUL-71 | | | | |
| | | AA-O-00240/3C | OFFICE FURNITURE, BOOKCASE, STEEL, UNITIZED | A 7110 # 08-SEP-70 | | | | |
| | | AA-O-00240/4C | OFFICE FURNITURE, CREDENZA, OFFICE, STEEL | A 7110 # 08-SEP-70 | | | | |
| | | AA-O-00240/5C | OFFICE FURNITURE, TOP ASSEMBLY, DESK AND SUPPORT PANELS, STEEL, UNITIZED | A 7110 # 08-SEP-70 | | | | |
| | | AA-O-00240/6C | OFFICE FURNITURE, TOP AND SHELF ASSEMBLY, STEEL, UNITIZED | A 7110 # 08-SEP-70 | | | | |
| | | AA-O-00245B | OFFICE FURNITURE, TABLE, EXECUTIVE, WOOD AND METAL | A 7110 # 07-SEP-76 | | | | |
| | | AA-O-00250E | OFFICE FURNITURE, WOOD, UNITIZED (GENERAL SPECIFICATION) | A 7110 # FSS 21-JUL-89 | | | | |
| | | AA-O-00250/1D | OFFICE FURNITURE, BOOKCASE, WOOD UNITIZED (DETAILED SPECIFICATION) | A 7110 # FSS 21-JUL-89 | | | | |
| | | AA-O-00250/2D | OFFICE FURNITURE, CREDENZA, WOOD UNITIZED (DETAILED SPECIFICATION) | A 7110 # FSS 21-JUL-89 | | | | |
| | | AA-O-00250/3C | OFFICE FURNITURE, DESK, DESK ATTACHMENT, WOOD UNITIZED (DETAILED SPECIFICATION) | A 7110 # 02-OCT-78 | | | | |
| | | AA-O-00250/5C(1) | OFFICE FURNITURE, STORAGE UNIT, WOOD, UNITIZED (DETAILED SPECIFICATION) | A 7110 # 22-JUL-80 | | | | |
| | | AA-O-00250/6E | OFFICE FURNITURE, TABLES, WOOD, UNITIZED (DETAILED SPECIFICATION) | A 7110 # FSS 21-JUL-89 | | | | |
| | | AA-O-00250/7B | OFFICE FURNITURE, TYPEWRITER STAND, WOOD, UNITIZED | A 7110 # 02-OCT-78 | | | | |
| D | | AA-B-260F | BEDSPRING, BOX-TYPE USER: 45 MD REVIEWER: CT | A 7210 * GL 30-JUL-75 | GL | YD1 99 | | |
| D | | AA-S-271D(1) | SHELVING, STORAGE AND DISPLAY, STEEL, INTERCHANGEABLE, NUT AND BOLT TYPE (VALIDATION DATE: 7502) USER: AR MC SM | A 7125 * GL 06-NOV-68 | GL | YD1 99 | | |
| M | | AA-C-275F | CHAIRS, ROTARY AND STRAIGHT, (ALUMINUM, OFFICE) | A 7110 # FSS 09-APR-93 | | | | |
| | | AA-C-00275E | CHAIRS, ROTARY AND STRAIGHT, ALUMINUM, OFFICE | A 7110 # FSS 01-MAR-76 | | | | |
| | | AA-S-00275 | SHELVING, STORAGE AND DISPLAY, STEEL, BOLTLESS | A 7125 # 23-JUL-64 | | | | |
| | | AA-C-002888 | CHAIR, FOLDING, WOOD, WITHOUT ARMS | A 7105 # 01-APR-68 | | | | |
| | | AA-C-291G | CHAIRS, FOLDING, (STEEL) | A 7105 # FSS 08-FEB-89 | | | | |
| | | AA-C-293C | CHAIRS, ROTARY AND STRAIGHT, (STEEL, GENERAL OFFICE) USER: GL | A 7110 # FSS 29-JAN-90 | | | | |
| | | AA-C-00293B | CHAIR, STEEL, GENERAL OFFICE | A 7110 # 03-MAY-74 | | | | |
| | | AA-C-295 | CHAIR, ROTARY, STEEL TUBULAR, SPECIAL PURPOSE USER: GL MI | A 7110 % 05-AUG-55 | | | | |
| | | AA-C-00295A(2) | CHAIR, ROTARY, STEEL, TUBULAR SPECIAL PURPOSE | A 7110 # 07-AUG-69 | | | | |
| | | AA-C-300A(1) | CHAIR, WOOD, EXECUTIVE OFFICE USER: GL | A 7110 % 10-DEC-53 | | | | |
| | | AA-C-00300F | CHAIRS, WOOD, EXECUTIVE OFFICE, TRADITIONAL | A 7110 # FSS 10-JUL-90 | | | | |
| | | AA-F-00300 | FILE, ROLL DRAWING | A 7110 # 09-MAR-65 | | | | |
| | | AA-S-00300A | SHELF, FILING USER: GL | A 7520 % 17-FEB-67 | | | | |
| | | AA-F-00355B | FILING CABINET STEEL, LEGAL AND LETTER SIZE, INSULATED USER: GL | A 7110 % 10-JAN-72 | | | | |
| Q | | AA-F-358G | FILING CABINET, LEGAL & LETTER SIZE, UNINSULATED, SECURITY | A 7110 # FSS 07-MAR-89 | | | | |
| Q | | AA-F-358G(11) | FILLING CABINETS, STEEL, LEGAL AND LETTER SIZE, UNINSULATED, SECURITY | A 7110 # FSS 01-DEC-90 | | | | |
| A | | AA-F-359H | FILING CABINETS, STEEL, LEGAL AND LETTER SIZE, VERTICAL | A 7110 # FSS 05-DEC-91 | | | | |
| | | AA-F-00359E | FILLING CABINETS, STEEL, LEGAL AND LETTER SIZE, VERTICAL | A 7110 # FSS 27-MAR-91 | | | | |
| | | NOTICE 1 | | | | | | |
| | | AA-F-360 | FILING CABINETS, STEEL, MAP AND PLAN (SECTIONAL) | A 7110 # FSS 14-MAR-56 | | | | |
| | | AA-F-00360A | FILING CABINETS STEEL, MAP AND PLAN, (SECTIONAL) | A 7110 # FSS 05-NOV-71 | | | | |
| | | AA-F-360(11) | FILING CABINET STEEL, MAP AND PLAN (SECTIONAL) | A 7110 # FSS 30-APR-65 | | | | |
| Q | | AA-F-363B | FILING CABINET, SECURITY, MAPS AND PLANS, GENERAL FILING, AND STORAGE (VALIDATION DATE: 7502) | A 7110 # FSS 02-JUN-69 | | | | |
| Q | | AA-F-00363C | FILING CABINET, SECURITY, MAPS AND PLANS, GENERAL FILING AND STORAGE | A 7110 # FSS 01-DEC-90 | | | | |
| | | AA-F-367 | FILING CABINET, STEEL, TABULATING MACHINE CARD SIZE USER: GL | A 7110 % FSS 20-AUG-56 | | | | |
| | | AA-C-00400F | CHAIRS, ROTARY AND STRAIGHT, WOOD OFFICE (UNITIZED FURNITURE STYLE) | A 7110 # FSS 20-DEC-91 | | | | |
| | | AA-B-450B(1) | BLACKBOARD, PORTABLE USER: GL | A 7110 % 30-MAY-75 | | | | |
| D | | AA-L-486G(1) | LOCKERS, CLOTHING, STEEL USER: YD1 | A 7125 * GL 07-DEC-67 | GL | 84 | | |
| M | | AA-L-00486J | LOCKERS, CLOTHING, STEEL | A 7125 # FSS 16-MAR-93 | | | | |
| | | AA-H-540A | HOLDER, NAMEPLATE, DESK, WOOD | A 7520 # 28-SEP-66 | | | | |
| | | AA-B-551D | BOOKENDS, STEEL USER: GL | A 7520 % FSS 18-JAN-73 | | | | |
| | | AA-B-551D(13) | BOOKENDS, STEEL | A 7520 # FSS 21-MAY-76 | | | | |
| | | AA-C-556B | COSTUMER, WOOD, GENERAL OFFICE | A 7195 # 26-MAY-52 | | | | |
| | | AA-C-00556D | COSTUMER, WOOD, GENERAL OFFICE | A 7195 # 28-FEB-75 | | | | |
| | | AA-P-560A | POINTER, LECTURE USER: GL ME | A 7520 % FSS 27-APR-66 | | | | |
| | | AA-P-560A(12) | POINTER, LECTURE | A 7520 # FSS 03-OCT-68 | | | | |
| U | | AA-C-571G(1) | COT, FOLDING REVIEWER: 84 GS MC MD | A 7105 / GL 19-DEC-84 | GL | YD1 99 | | |
| Q | | AA-D-600B | DOOR, VAULT, SECURITY (VALIDATION DATE: 7502) | A 7110 # FSS 26-MAR-69 | | | | |
| Q | | AA-D-600B(14) | DOOR, VAULT, SECURITY (VALIDATION DATE: 7502) | A 7110 # FSS 13-JUN-73 | | | | |
| | | AA-B-605A | BOX, FILING, STEEL USER: GL | A 7520 % 23-MAY-73 | | | | |
| M | | AA-B-606D | BOX, FILING, WOOD | A 7520 # FSS 01-APR-93 | | | | |
| | | AA-B-606C(11) | BOXES, FILING, WOOD | A 7520 # FSS 30-APR-74 | | | | |
| | | AA-T-633(1) | TRAYS, DESK, WOOD, EXECUTIVE OFFICE TYPE USER: GL | A 7520 % FSS 04-AUG-52 | | | | |
| | | AA-T-00633A | TRAY, DESK, WOOD, EXECUTIVE OFFICE TYPE | A 7520 # FSS 16-DEC-68 | | | | |
| | | AA-T-633(12) | TRAYS, DESK, WOOD, EXECUTIVE OFFICE TYPE | A 6520 % FSS 17-APR-62 | | | | |
| | | AA-T-636A | TRAY, DESK, AND SUPPORT SET, STACKING, DESK TRAY USER: GL MC | A 7520 % 14-OCT-57 | | | | |
| | | AA-T-00636B(1) | TRAY, DESK, WOOD, SUPPORT SET, STACKING | A 7520 # 01-MAY-72 | | | | |
| | | AA-T-00670(1) | TRAY, STATIONARY, METAL, FOR STEEL DESK | A 7110 # 17-FEB-67 | | | | |
| | | AA-F-680B(2) | FRAME, PICTURE (WOOD) | A 7105 % FSS 10-AUG-90 | | | | |
| | | AA-F-00680A | FRAME, PICTURE, WOOD USER: GL | A 7105 % 21-APR-78 | | | | |

| Action | Qtr. / Qtrly. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | AA-S-683A | STANDS, TYPEWRITER, WOOD USER: GL | A 7110 % FSS 29-AUG-52 | | | | |
| | | AA-S-683A(I2) | STANDS, TYPEWRITER, WOOD | A 7110 # FSS 28-MAY-71 | | | | |
| | | AA-S-006978 | STOOL, STEP, STEEL, FOLDING STEPS | A 7105 # 09-JUN-69 | | | | |
| | | AA-A-700D | ASH RECEIVERS, TOBACCO, (CIGARETTE) USER: GL | A 9920 % FSS 26-JUL-90 | | | | |
| D | | AA-F-700B | FROZEN FOOD CABINETS, MECHANICALLY REFRIGERATED, HOUSEHOLD [VALIDATION DATE: 8201] REVIEWER: MD | A 4110 / GL 31-OCT-75 | GL | YD1 | 99 | |
| | | AA-S-700 | STOOLS, FILING AND GENERAL PURPOSE, STEEL USER: GL | A 7110 % FSS 20-FEB-56 | | | | |
| | | AA-S-700(I3) | STOOLS, FILING AND GENERAL PURPOSE, STEEL | A 7110 # FSS 17-MAR-75 | | | | |
| | | AA-S-704A | STOOL, STEP, CASTER MOUNTED, SAFETY USER: GL | A 7105 % FSS 22-JAN-71 | | | | |
| | | AA-S-704A(I3) | STOOL, STEP, CASTER MOUNTED, SAFETY | A 7105 # FSS 25-NOV-75 | | | | |
| | | AA-A-710D | ASH RECEIVERS, TOBACCO, (DESK TYPE) USER: GL MC | A 9920 % FSS 26-JUL-90 | | | | |
| | | AA-F-791B(3) | FURNITURE AND CABINETS, OFFICE, SECTIONAL, STEEL USER: GL | A 7110 % 10-APR-52 | | | | |
| D | | AA-S-1048 | SHELVING, STORAGE AND DISPLAY STEEL, CLIP TYPE [VALIDATION DATE: 7209] USER: CE MC ME SA SH | A 7125 * GL 10-MAR-67 | GL | YD1 | 99 | |
| | | AA-D-001091C | OFFICE FURNITURE: SOFA; CHAIR, EASY, EXECUTIVE, TRADITIONAL | A 7110 # FSS 10-JUL-90 | | | | |
| | | AA-D-001107(2) | DESK, FLAT TOP, STEEL, OFFICE, 30 INCHES DEEP | A 7110 # 01-SEP-71 | | | | |
| | | AA-F-001165B | FURNITURE, METAL FRAME, LAMINATED PLASTIC SURFACED PANELS, CASE GOODS AND TABLES | A 7105 # FSS 01-JUN-89 | | | | |
| | | AA-T-1315A | TRAY, DESK, STEEL, AND SUPPORT SET, STACKING | A 7520 / GL 29-APR-68 | GL | | 84 | |
| | | AA-T-1315A(I2) | TRAY, DESK, STEEL, AND SUPPORT SET, STACKING REVIEWER: GL | A 7520 % FSS 12-MAY-75 | | | | |
| Q | | AA-S-1518A | SAFE, TOOL-RESISTANT, UNINSULATED, SECURITY [VALIDATION DATE: 7511] | A 7110 # FSS 01-JUN-70 | | | | |
| QL | | AA-S-1518A(I2) | SAFE, TOOL-RESISTANT, UNINSULATED, SECURITY [VALIDATION DATE: 7511] | A 7110 * GL 12-JUN-72 | GL | | | |
| | | AA-B-001596A | BOOKCASE, WOOD, GENERAL OFFICE | A 7110 # 29-MAR-74 | | | | |
| D | | AA-R-001691 | RACK, STORAGE, SOLID SHELF, GENERAL PURPOSE USER: MC SA YD1 REVIEWER: ME SH | A 7125 * GL 29-DEC-72 | GL | | 99 | |
| | | AA-C-001770A | CABINET, WARDROBE AND STORAGE, CONTEMPORARY STYLE, STEEL, GENERAL OFFICE USER: GL | A 7105 % 31-MAR-78 | | | | |
| | | AA-C-001771C | CHAIRS, DOUBLE SHELL, MOLDED PLASTIC, ROTARY, UPHOLSTERED | A 7110 # FSS 23-JUL-79 | | | | |
| | | AA-C-1779E | FILING CABINET, STEEL LATERAL AND FRONT TO BACK FILING, LEGAL AND LETTER SIZE MATERIAL, GENERAL OFFICE | A 7110 # FSS 20-NOV-91 | | | | |
| | | AA-W-001791A | WARDROBE AND JANITOR S CLOSET, WOOD, STEEL FRAME | A 7105 # 07-DEC-73 | | | | |
| | | AA-T-001794C | TABLE, OFFICE (STEEL, CONTEMPORARY STYLE) | A 7110 # 19-NOV-81 | | | | |
| | | AA-C-001870 | COSTUMER, METAL, CONTEMPORARY STYLE | A 7110 # 24-JUN-74 | | | | |
| | | AA-F-001873A(1) | FURNITURE, CONTEMPORARY, OAK (GENERAL SPECIFICATION) | A 7105 # 09-NOV-78 | | | | |
| | | AA-F-001873/1A(1) | FURNITURE, CONTEMPORARY OAK, SEATING PIECES (DETAILED SPECIFICATIONS) | A 7105 # 09-NOV-78 | | | | |
| | | AA-F-001873/2A | FURNITURE, CONTEMPORARY OAK, TABLES, OCCASIONAL (DETAILED SPECIFICATION) | A 7105 # 23-AUG-77 | | | | |
| | | AA-F-001873/3A | FURNITURE, CONTEMPORARY OAK, BED (DETAILED SPECIFICATION) | A 7105 # 23-AUG-77 | | | | |
| | | AA-F-001873/4A | FURNITURE, CONTEMPORARY OAK, CASE PIECES (DETAILED SPECIFICATION) | A 7105 # 23-AUG-77 | | | | |
| | | AA-H-001895C | HOUSEHOLD FURNITURE, WOOD TRADITIONAL | A 7105 # FSS 14-JUN-89 | | | | |
| | | AA-D-001918 | DESK, FLAT TOP, STEEL, CONTEMPORARY STYLE | A 7110 # 05-SEP-75 | | | | |
| | | AA-D-001923 | DESK ATTACHMENTS, L, RETURN PLATFORM, CONTEMPORARY STYLE | A 7110 # 03-NOV-75 | | | | |
| | | AA-D-001949 | DORMITORY FURNITURE MODULAR COMPOSITE METAL AND WOOD | A 7105 # 10-OCT-75 | | | | |
| | | AA-W-001950(1) | WARDROBE WITH ACCESSORY PIECES, WOOD, STEEL FRAME | A 7105 # 06-MAY-76 | | | | |
| | | AA-P-2750(1) | PARTITION, OFFICE, PORTABLE, FABRIC COVERED CURVED AND STRAIGHT | A 7195 # FSS 19-SEP-89 | | | | |
| D | | AA-T-2753 | TABLE, FOLDING, STEEL TUBE (ADVANCE BASE) REVIEWER: 84 GL | A 7105 / YD1 30-APR-91 | | YD1 | 99 | |
| | | BB-C-101B | CARBON DIOXIDE (CO2) TECHNICAL AND U.S.P. [VALIDATION DATE: 8302] USER: AS REVIEWER: MI MS | A 6830 / ME 15-APR-71 | ME | SH | 68 | |
| | | BB-C-1048 | CARBON DIOXIDE, TECHNICAL, SOLID [VALIDATION DATE: 8501] | A 6830 / ME 01-MAR-71 | ME | SH | 68 | |
| D | | BB-[illegible]-106B | ACETYLENE, TECHNICAL, DISSOLVED [VALIDATION DATE: 8302] | A 6830 / ME 22-APR-71 | ME | YD1 | 68 | |
| D | | BB-G-110A(2)(1) NOTICE 1 | BUTANE, PROPANE & BUTANE PROPANE MIXTURES | A 6830 * YD1 27-FEB-81 | | YD1 | | |
| D | | BB-C-120C | CHLORINE, TECHNICAL, LIQUID [VALIDATION DATE: 8402] USER: MS YD1 | A 6830 / ME 23-APR-80 | ME | | 68 | |
| D | | BB-N-411C | NITROGEN, TECHNICAL [VALIDATION DATE: 8302] USER: AS MC YD1 REVIEWER: AR DS EA MD OS | A 6830 / ME 03-JAN-73 | ME | SH | 68 | |
| | | BB-H-886C | HYDROGEN [VALIDATION DATE: 8503] | A 6830 / GB 10-APR-78 | ME | | | |
| | | BB-O-925A | OXYGEN, TECHNICAL, GAS AND LIQUID [VALIDATION DATE: 8204] | A 6830 / SH 22-AUG-61 | | SH | 68 | |
| | | BB-A-1034B NOTICE 1 | COMPRESSED AIR, BREATHING [VALIDATION DATE: 9110] USER: AR CG MS OS REVIEWER: MD MI SH | A 6830 / AS 30-OCT-91 | ME | AS | 68 | |
| D | | BB-H-1168B | HELIUM, TECHNICAL [VALIDATION DATE: 8307] USER: 19 SH YD1 REVIEWER: DS | A 6830 * GB 09-MAY-77 | | | 68 | |
| | | BB-S-1419 | SULFUR HEXAFLUORIDE, TECHNICAL GRADE [VALIDATION DATE: 8501] USER: CR GS REVIEWER: MD | A 6830 / ME 29-JUN-70 | ME | | 68 | |
| D | | BB-F-1421B | FLUOROCARBON REFRIGERANTS USER: YD1 REVIEWER: EA GS MD MI | A 6830 / ME 05-MAR-82 | ME | SH | 68 | |
| D L | | CC-G-2745 | GENERATOR SETS, DIESEL ENGINE, ALTERNATING CURRENT, FOR FACILITIES CONSTRUCTION: 10 KW THROUGH 1000 KW (NOT STOCKED) | A 6115 / YD1 26-FEB-93 | | YD1 | | |
| D | | DD-S-50C | SALT AND PEPPER SHAKERS, SUGAR DISPENSERS (MOISTURE RESISTANT) USER: CG YD1 REVIEWER: MC MD MS | A 7350 * GL 23-APR-73 | GL | SA | | |
| | | DD-P-1008 | PAPERWEIGHT, GLASS USER: GL | A 7510 % 09-JUL-63 | | | | |
| | | DD-P-00100C(1) | PAPERWEIGHT, GLASS USER: GL | A 7510 % 02-NOV-71 | | | | |
| | | DD-J-112B | JAR, BIOLOGICAL STAINING, COPLIN [VALIDATION DATE: 8406] REVIEWER: EA | A 6640 / DM 03-NOV-76 | MD | MS | 03 | |
| | | DD-M-200A | MEDICINE GLASS [VALIDATION DATE: 8202] | A 6530 / DM 06-AUG-58 | MD | MS | 03 | |
| | | DD-M-002008 | MEDICINE GLASS [VALIDATION DATE: 8202] | A 6520 / DM 13-MAY-70 | MD | MS | 03 | |
| | | DD-T-200 | TEST TUBES, BLOOD SEDIMENTATION [VALIDATION DATE: 8406] | A 6640 / DM 05-JUL-55 | MD | MS | 03 | |
| | | DD-P-00355A | PIPET, DROPPING, GLASS OR PLASTIC [VALIDATION DATE: 8202] | A 6530 / DM 27-MAY-75 | MD | MS | 03 | |
| | | DD-M-411C | MIRRORS, GLASS | A 7105 % FSS 02-JAN-90 | | | | |
| | | DD-G-426A | GLASS, COVER, (FOR) MICROSCOPY | A 6650 # 21-JUL-54 | | | | |
| D | | DD-G-511E | GLASS TUBING, ROUND [VALIDATION DATE: 8907] USER: CE YD1 REVIEWER: 84 GS | A 9340 / SH 25-JUL-89 | ME | SH | 99 | |
| | | DD-G-541B(1) | GLASS (LABORATORY) [VALIDATION DATE: 8406] USER: ME MR REVIEWER: EA MI | A 6640 / DM 12-JAN-66 | MD | MS | 03 | |
| | | DD-B-599A | BOTTLE, STOPPER, VACCINE, ROUND AND STOPPER, BOTTLE, RUBBER | A 6530 # 01-DEC-61 | | | | |
| | | DD-B-601 | BOTTLE, STOPPER, MILK DILUTION, 160 MILLILITERS [VALIDATION DATE: 8406] | A 6640 * DM 29-JUL-59 | MD | MS | 03 | |
| | | DD-T-700(1) | TUBE, ANTIGEN-DILUTION, GLASS (KAHN) [VALIDATION DATE: 8406] | A 6640 / DM 22-MAR-55 | MD | MS | 03 | |
| | | DD-S-720A | STOPCOCK, LABORATORY APPARATUS, TAPER-GROUND | A 6640 # 04-APR-60 | | | | |
| | | DD-F-786C | FUNNEL, FILTERING, LABORATORY, PROCELAIN, BUCHNER TYPE [VALIDATION DATE: 8406] USER: MR REVIEWER: 99 EA | A 6640 / DM 04-NOV-60 | MD | MS | 03 | |
| | | DD-C-00791D | CUP, GLASS, PIN, CLIP, AND SPONGE | A 7510 # 24-OCT-63 | | | | |
| D | | DD-G-1403C | GLASS, FLOAT, SHEET, FIGURED, COATED (HEAT-STRENGTHENED AND TEMPERED) USER: CE MC REVIEWER: 84 | A 5620 * YD1 13-SEP-83 | ME | YD1 | 99 | |
| D | | EE-M-101J(1) NOTICE 1 | MATCHES, SAFETY AND MATCHES, NONSAFETY (STRIKE ANYWHERE) USER: MC YD1 REVIEWER: MD SS | A 9920 / GL 12-FEB-88 | GL | | 99 | |
| A | | EE-I-116E NOTICE 1 | ICE CREAM, ICE MILK AND SHERBET, REGULAR AND MELLORINE OR MELLORINE TYPES, ICES AND NOVELTIES [VALIDATION DATE: 9207] REVIEWER: MC MD MS SS | A 8910 / GL 10-JUL-92 | GL | SA | 45 | |
| A L | | EE-I-116E(I3) NOTICE 1 | ICE CREAM, ICE MILK AND SHERBET, REGULAR AND MELLORINE OR MELLORINE TYPES, ICES AND NOVELTIES [VALIDATION DATE: 9207] | A 8910 / GL 10-JUL-92 | GL | | | |
| | | EE-C-281A(2) | CHILI CON CARNE, WITH OR WITHOUT BEANS, CANNED [VALIDATION DATE: 8201] REVIEWER: MC MD MS SS | A 8940 / GL 16-SEP-76 | GL | SA | 50 | |
| | | EE-B-575E | BOUILLON (SOUP AND GRAVY BASES) REVIEWER: MC MD MS SS | A 8935 / GL 29-SEP-89 | GL | SA | 50 | |
| | | EE-C-1827A | DINING PACKETS (DIETETIC OR NONDIETETIC, TRAY SERVICE) REVIEWER: MC MD MS SS | A 7360 / GL 31-DEC-84 | GL | SA | 45 | |
| | | EE-C-002141 | CAKES, CANNED, THERMOSTABILIZED, TRAY PACK | A 8920 / GL 30-JUN-82 | | | | |
| L | | EE-C-002143 | CAKE, COFFEE, APPLE, TRAY PACK | A 8920 GL 27-JUN-83 | | | | |
| L | | EE-C-002147 | CHILI CON CARNE, THERMOSTABILIZED, TRAY PACK | A 8940 GL 26-JUL-82 | | | | |
| | | EE-P-002152A | APPLE DESSERT, TRAY PACK | A 8940 / GL 29-MAY-85 | | | | |
| | | EE-B-002157 | BEEF SWISS STEAK, WITH GRAVY, THERMOSTABILIZED, TRAY PACK | A 8940 / GL 31-MAR-83 | GL | | | |
| | | FF-T-510 | MAPTACKS USER: GL ME | A 7510 % 09-JAN-75 | | | | |
| D | | FF-C-77C(1) | CASTERS, RIGID AND SWIVEL (INSTITUTIONAL DUTY) USER: ER REVIEWER: MD | A 5340 / GL 22-AUG-88 | GL | YD1 | | |

| Action | Cancellation / Change / Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | FF-C-82B(2) | CASTER, SWIVEL CHAIR | A 5340 # | 08-MAY-72 | | | | |
| D | | FF-W-84A(4) | WASHERS, LOCK (SPRING) USER: AS CR GL OS YD1 REVIEWER: 85 AT AV EA IS ME | A 5310 / AR | 27-MAY-92 | AR | 99 | | |
| | | FF-S-85C(1) | SCREW, CAP, SLOTTED AND HEXAGON HEAD [VALIDATION DATE: 7904] USER: CE MC ME OS REVIEWER: 82 85 AS AV EA IS MI | A 5305 / AR | 27-FEB-73 | AR | SH | 99 | |
| | | FF-S-86E(4) | SCREW, CAP, SOCKET-HEAD USER: AT MC REVIEWER: 82 AV EA IS MI | A 5305 / AR | 16-JAN-91 | AR | SH | 99 | |
| | | FF-C-88C(1) | CASTERS, RIGID AND SWIVEL, INDUSTRIAL DUTY USER: CE GL ME | A 5340 % | 12-JAN-71 | | | | |
| | | FF-S-88B | SCREW, EYE [VALIDATION DATE: 8304] USER: AV MC ME REVIEWER: AT IS | A 5305 / AR | 29-JUN-77 | AR | | 99 | |
| | | FF-S-92B(1) | SCREW, MACHINE, SLOTTED, CROSS RECESSED OR HEXAGON HEAD [VALIDATION DATE: 8203] USER: AS AT MC ME SH REVIEWER: AV EA IS MI OS | A 5305 / AR | 31-JUL-75 | AR | | 99 | |
| D | | FF-W-92B | WASHER, FLAT (PLAIN) [VALIDATION DATE: 8003] USER: AS MC SH YD1 REVIEWER: 82 AT AV CE IS ME | A 5310 / AR | 09-MAY-74 | AR | OS | 99 | |
| | | FF-W-100C(1) | WASHER, LOCK (TOOTH) USER: SH REVIEWER: AT IS | A 5310 / AR | 01-OCT-80 | AR | AS | 99 | |
| D | | FF-N-105B(3) | NAILS, BRADS, STAPLES AND SPIKES: WIRE, CUT AND WROUGHT [VALIDATION DATE: 8704] USER: AS AV CE MC ME MI SH SS REVIEWER: DS EA GS IS OS SA | A 5315 / AR | 27-APR-87 | AR | YD1 | 82 | |
| | L | FF-N-105B(I4) | NAILS, BRADS, STAPLES AND SPIKES: WIRE, CUT AND WROUGHT [VALIDATION DATE: 8704] | A 5315 / AR | 23-AUG-77 | AR | | | |
| | | FF-H-106C | HARDWARE, BUILDERS LOCKS & DOOR TRIM REVIEWER: IS | A 5340 # | 19-JUL-74 | | | | |
| D | | FF-H-106/1 | HARDWARE, BUILDERS, LOCKS & DOOR TRIM, CYLINDER ENTRANCE DOOR LOCK TYPE 121A & 122A | A 5340 / YD1 | 19-JUL-74 | | YD1 | | |
| D | | FF-H-106/2 | HARDWARE, BUILDERS, LOCKS & DOOR TRIM, CYLINDER ENTRANCE DOOR LOCK TYPE 123A & 123B | A 5340 / YD1 | 19-JUL-74 | | YD1 | 82 | |
| | | FF-H-106/3 | HARDWARE, BUILDERS, LOCKS AND DOOR TRIM, LETTER BOX PLATES REVIEWER: IS | A 5340 # | 19-JUL-74 | | | | |
| | | FF-S-107C(2) | SCREW, TAPPING AND DRIVE [VALIDATION DATE: 8504] USER: ME REVIEWER: 82 EA MI OS | A 5305 / AR | 01-SEP-70 | AR | | 99 | |
| D | | FF-P-110G(3) | PADLOCK, CHANGEABLE COMBINATION (RESISTANT TO OPENING BY MANIPULATION AND SURREPTITIOUS ATTACK) USER: CG GL MC OS SH REVIEWER: 82 AR AV IS | A 5340 / YD1 | 29-JUN-92 | ME | YD1 | 99 | |
| D | | FF-S-111D(1) | SCREW, WOOD USER: CE MC MI REVIEWER: 82 EA IS ME OS SH | A 5305 / AR | 28-JUL-89 | AR | YD1 | 99 | |
| D | | FF-F-133A | FASTENERS, WOOD JOINT, CORRUGATED (SAW EDGE) [VALIDATION DATE: 8205] USER: AT MC SA REVIEWER: GL IS ME | A 5315 / AR | 05-OCT-67 | AR | YD1 | 82 | |
| AQ | | FF-B-171A(1) | BEARINGS, BALL, ANNULAR (GENERAL PURPOSE) [VALIDATION DATE: 8107] USER: GL ME REVIEWER: AR EA MI OS | A 3110 / IS | 31-MAY-57 | AT | | 11 | IS |
| D | | FF-N-180A | NEEDLES, EXCEPT SURGICAL, HAND USER: MC YD1 | A 8315 / CT | 03-FEB-66 | | SA | 03 | CT |
| | L | FF-N-180A(11) | NEEDLES, EXCEPT SURGICAL, HAND | A 8315 / CT | 26-MAR-70 | | | | CT |
| AQ | | FF-B-185(4) | BEARINGS, ROLLER, CYLINDRICAL, AND BEARINGS, ROLLER, SELF& ALIGNING [VALIDATION DATE: 8107] USER: AT MC ME REVIEWER: MI OS | A 3110 / IS | 26-DEC-63 | AR | | 11 | IS |
| AQ | | FF-B-187A | BEARING, ROLLER, TAPERED [VALIDATION DATE: 6607] USER: ME REVIEWER: OS | A 3110 / IS | 01-JUL-60 | | | 11 | IS |
| | | FF-B-195 | BEARING, SLEEVE, (BRONZE, PLAIN OR FLANGED) [VALIDATION DATE: 8509] USER: AS REVIEWER: IS MI | A 3120 * OS | 08-FEB-60 | AT | OS | | |
| | | FF-S-200A(2) | SETSCREW, HEXAGON SOCKET AND SPLINE SOCKET, HEADLESS [VALIDATION DATE: 8203] USER: CE EL MC OS REVIEWER: AV EA IS MI | A 5305 / AR | 29-JUL-76 | AR | SH | 99 | |
| | | FF-S-210B | SETSCREWS, SQUARE HEAD (INCH) & SLOTTED HEADLESS (INCH & METRIC) USER: CE ER MC ME OS SH REVIEWER: AV IS MI NS | A 5305 / AR | 16-JUL-81 | AR | | 99 | |
| D | | FF-T-276B(1) | THIMBLES, ROPE [VALIDATION DATE: 8903] USER: MC YD1 REVIEWER: EA IS ME MI | A 4030 / SH | 31-MAR-89 | AR | SH | 99 | |
| D | | FF-T-305C | THUMBSCREW [VALIDATION DATE: 8604] USER: AS MC ME OS SH REVIEWER: 82 AV IS | A 5305 / AR | 09-APR-86 | AR | YD1 | 99 | |
| | | FF-S-325 | SHIELD, EXPANSION; NAIL, EXPANSION; AND NAIL, DRIVE SCREW (DEVICES, ANCHORING, MASONRY) [VALIDATION DATE: 8604] REVIEWER: EA IS MI | A 5340 % FSS | 10-SEP-57 | | | | |
| D | | FF-S-325(13) | SHIELD, EXPANSION; NAIL, EXPANSION; AND NAIL, DRIVE SCREW (DEVICES, ANCHORING, MASONRY) *[VALIDATION DATE: 8604) REVIEWER: 69* AR YD1 | A 5340 % FSS | 16-JUL-65 | | | | |
| | | FF-P-386D(1) | PIN, COTTER (SPLIT) [VALIDATION DATE: 8504] REVIEWER: 82 EA MI | A 5315 / AR | 16-DEC-71 | AR | OS | 99 | |
| D | | FF-P-395C | PIN, DRIVE GUIDED AND PIN DRIVE, POWER ACTUATED (FASTENERS FOR POWER ACTUATED AND HAND ACTUATED FASTENING TOOLS) USER: CG ME REVIEWER: 82 IS | A 5315 * YD1 | 17-OCT-88 | | YD1 | 99 | |
| D | | FF-P-395/1 | PIN, DRIVE, POWER ACTUATED, TYPE I - FOR USE WITH DIRECT-ACTING (GAS DRIVEN, NO PISTON) HIGH VELOCITY TOOLS CLASS 1 - FASTENER GUIDE BORE DIAMETER 0.251 -0.261 INCH USER: CG ME REVIEWER: 82 IS | A 5315 * YD1 | 17-OCT-88 | | YD1 | 99 | |
| D | | FF-P-395/2 | PIN, DRIVE, POWER ACTUATED, TYPE I - FOR USE WITH DIRECT-ACTING (GAS DRIVEN, NO PISTON) HIGH VELOCITY TOOLS CLASS 4 - FASTENER GUIDE BORE DIAMETER 0.376 - 0.390 INCH USER: CG ME REVIEWER: 82 IS | A 5315 * YD1 | 17-OCT-88 | | YD1 | 99 | |
| D | | FF-P-395/3 | PIN, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 1 - FASTENER GUIDE BORE DIAMETER 0.251 - 0.261 INCH USER: CG ME REVIEWER: 82 IS | A 5315 * YD1 | 17-OCT-88 | | YD1 | 99 | |
| D | | FF-P-395/4 | PIN, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 2 - FASTENER GUIDE BORE DIAMETER 0.313 - 0.330 INCH USER: CG ME REVIEWER: 82 IS | A 5315 * YD1 | 17-OCT-88 | | YD1 | 99 | |
| D | | FF-P-395/5 | PIN, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 3 - FASTENER GUIDE BORE DIAMETER 0.340 - 0.345 INCH USER: CG ME REVIEWER: 82 IS | A 5315 * YD1 | 17-OCT-88 | | YD1 | 99 | |
| D | | FF-P-395/6 | PIN, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 4 - FASTENER GUIDE BORE DIAMETER 0.376 - 0.390 INCH USER: CG ME REVIEWER: 82 IS | A 5315 * YD1 | 17-OCT-88 | | YD1 | 99 | |
| D | | FF-P-395/7 | PIN, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 5 - FASTENER GUIDE BORE DIAMETER 0.392 - 0.400 INCH USER: CG ME REVIEWER: 82 IS | A 5315 * YD1 | 17-OCT-88 | | YD1 | 99 | |
| D | | FF-P-395/8A | PIN, DRIVE, HAND ACTUATED, TYPE III-FOR USE WITH HAND DRIVEN TOOLS CLASS 1-FASTENER GUIDE BORE DIAMETER 0.251-0.261 INCH USER: CG ME REVIEWER: 82 IS | A 5315 * YD1 | 14-DEC-88 | | YD1 | 99 | |
| D | | FF-P-395/9 | PIN, DRIVE, HAND ACTUATED, TYPE III - FOR USE WITH HAND DRIVEN TOOLS CLASS 1 - FASTENER GUIDE BORE DIAMETER 0.251 - 0.261 INCH USER: CG ME REVIEWER: 82 IS | A 5315 * YD1 | 17-OCT-88 | | YD1 | 99 | |
| D | | FF-P-419C | PIN, NET, LAUNDRY, (5 INCH) [VALIDATION DATE: 8201] REVIEWER: GS | A 3510 / GL | 27-MAR-70 | GL | YD1 | 99 | |
| | | FF-C-431A(2) | CLIP, PAPER (BINDER) USER: GL | A 7510 % | 28-OCT-55 | | | | |
| | | FF-C-00431B | CLIP, PAPER (BINDER) | A 7510 # | 06-OCT-70 | | | | |
| D | | FF-C-450D(1) | CLAMP, WIRE ROPE [VALIDATION DATE: 8002] USER: AT AV MC REVIEWER: GL IS ME YD1 | A 4030 / AR | 14-MAY-74 | AR | SH | 99 | |
| | | FF-R-556D(1) | RIVET, SOLID, SMALL: RIVET, SPLIT, SMALL; RIVET, TUBULAR, SMALL FLAT WASHER (BURR); AND CAP, RIVET, GENERAL PURPOSE USER: MC ME REVIEWER: 85 AT GL IS MI NS | A 5320 / AR | 17-JUL-81 | AR | | 99 | |
| | L | FF-B-561D | BOLTS, (SCREW), LAG USER: AV GL MC REVIEWER: MI | A 5306 * 99 | 20-JUL-89 | | | 99 | |
| D | | FF-H-571E | HOLDER AND CUTTER, WRAPPING PAPER (9&INCH DIAMETER ROLLS) USER: GL YD1 | A 7290 % | 10-MAY-74 | | | | |
| D | | FF-B-575C | BOLT, HEXAGON AND SQUARE [VALIDATION DATE: 8304] USER: CE MC OS YD1 REVIEWER: AT AV EA IS MI | A 5306 / AR | 26-MAY-70 | AR | | 99 | |
| | | FF-B-584F | BOLTS, SQUARE NECK AND TEE HEAD REVIEWER: IS | A 5306 % FSS | 07-DEC-89 | | | | |
| D | L | FF-B-588D | BOLT, TOGGLE: AND EXPANSION SLEEVE, SCREW USER: MC YD1 REVIEWER: IS | A 5306 * AR | 02-OCT-89 | AR | | | |
| D | | FF-O-601F | OPENERS, CAN, HAND AND MOUNTED USER: CG MC SH YD1 REVIEWER: MD MS TS | A 7330 / GL | 30-MAR-90 | GL | SA | 99 | |
| D | | FF-S-611A | SPIKE, TRACK, SQUARE SHANK [VALIDATION DATE: 8504] REVIEWER: IS ME | A 2250 / AR | 26-JUN-72 | AR | YD1 | 99 | |
| D | | FF-S-760A(2) | STRAP, RETAINING, (METAL, FOR CONDUIT, PIPE, AND CABLE) [VALIDATION DATE: 8304] USER: ME REVIEWER: EA IS MI | A 5340 * AR | 26-AUG-66 | AR | YD1 | 99 | |
| D | | FF-T-791B(1) | TURNBUCKLE [VALIDATION DATE: 8208] USER: MC ME OS YD1 REVIEWER: EA ER IS MI | A 5340 / SH | 14-FEB-69 | AR | SH | 99 | |
| D | | FF-N-836D(3) | NUT: SQUARE, HEXAGON, CAP, SLOTTED, CASTLE, KNURLED, WELDING AND SINGLE BALL SEAT USER: AS AT GL MC YD1 REVIEWER: AV EA IS MI OS | A 5310 / AR | 31-JAN-89 | AR | SH | 99 | |
| | | FF-N-845D | NUT, PLAIN, WING, INCH AND METRIC USER: AV ME REVIEWER: EA IS | A 5310 / AR | 08-MAY-81 | AR | | 99 | |
| | | FF-S-1362 | STUD, PLAIN, GENERAL PURPOSE [VALIDATION DATE: 8304] USER: AT CE EL MC MI OS REVIEWER: AV IS | A 5307 / AR | 18-MAY-70 | AR | | 99 | |
| | | FF-H-1687A | LOCKS, OFFICE MACHINE | A 5340 # | 01-MAR-74 | | | | |

| Action | Obsl / Canc / Combination / Inactive | Document Number | Document Title | Dist. Symbol / FSC / Area / MICA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | FF-H-001687B | LOCKS, OFFICE MACHINE | A 5340 # | 16-MAY-76 | | | | |
| D | | FF-T-1813 | TACK [VALIDATION DATE: 8101] USER: AT MC SA SH REVIEWER: 82 IS ME | A 5315 / AR | 31-JUL-73 | AR | YD1 | 99 | |
| | | FF-H-1820 | HARDWARE, BUILDERS, EXIT DEVICES | A 5340 # | 30-JUL-74 | | | | |
| D | | FF-S-2738(1) | SEALS, ANTIPILFERAGE USER: 99 MC ME SH REVIEWER: IS SA | A 5340 / YD1 | 31-JAN-91 | AR | YD1 | | |
| N | | FF-L-2740 | LOCKS, COMBINATION | A 7110 # FSS | 12-OCT-89 | | | | |
| | | GG-R-25 | RACK, DRYING, RADIOGRAPHIC FILM [VALIDATION DATE: 8202] | A 6525 / DM | 07-MAY-53 | MD | MS | 03 | |
| | | GG-R-00258 | RACK, X-RAY FILM HANGER [VALIDATION DATE: 8202] | A 6525 / DM | 27-JUN-73 | MD | MS | 03 | |
| | | GG-T-35C | TABLES: DRAWING, TRACING, AND SCRIBING USER: MC | A 6675 / ME | 27-APR-89 | ME | | 99 | |
| | | GG-R-42B | RACKS, RUBBER STAMP | A 7520 # | 08-AUG-74 | | | | |
| | | GG-C-48 | CABINETS, COMPARTMENTED, METAL; DENTAL, FOR PORCELAIN TEETH [VALIDATION DATE: 8202] | A 6520 / DM | 27-JUL-50 | MD | MS | 03 | DM |
| | | GG-B-60D(4) | BALL POINT PEN, SINGLE CARTRIDGE USER: GL | A 7510 % | 17-NOV-78 | | | | |
| | | GG-B-60D(15) | PEN, BALLPOINT | A 7510 % FSS | 04-JAN-91 | | | | |
| | | GG-R-60C | RAZORS, SAFETY: AND BLADES, RAZOR USER: GL | A 8530 % FSS | 09-APR-65 | | | | |
| | | GG-R-60C(11) | RAZORS, SAFETY: AND BLADES, RAZOR | A 8530 # FSS | 26-JUL-67 | | | | |
| | | GG-C-71 | CABINETS, INSTRUMENT, MEDICAL [VALIDATION DATE: 8903] | A 6530 / MB | 02-MAR-89 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | |
| | | GG-C-0071A | CABINETS, SURGICAL INSTRUMENT; SURGICAL INSTRUMENT AND DRESSING; AND MEDICINE, COMBINATION [VALIDATION DATE: 8903] | A 6530 / DM | 02-MAR-89 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | |
| | | GG-C-0080 | CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL [VALIDATION DATE: 8202] | A 6515 / DM | 31-MAR-65 | MD | MS | 03 | |
| | | GG-H-80 | HANDLE AND BLADE SET, SURGICAL KNIFE DETACHABLE BLADE [VALIDATION DATE: 8202] | A 6515 / DM | 18-SEP-56 | MD | MS | 03 | |
| | | GG-H-0080A(1) | HANDLE AND BLADE SET, SURGICAL KNIFE, DETACHABLE BLADE [VALIDATION DATE: 8202] | A 6515 / DM | 09-SEP-70 | MD | MS | 03 | |
| | | GG-G-86C | GAGE, SHEET AND PLATE, TWIST DRILL, DRILL ROD, AND WIRE | A 5210 # | 15-JAN-87 | | | | |
| | | GG-S-86D | SAFELIGHT, DARKROOM, PHOTOGRAPHIC USER: MC REVIEWER: MD ME | A 6740 / CR | 05-NOV-85 | CR | AS | 99 | |
| D | | GG-G-91D | GAGE, TIRE PRESSURE, SELF CONTAINED AND INFLATON GAGE, PNEUMATIC TIRE USER: AT AV MC REVIEWER: ME SM | A 4910 / AL | 15-DEC-72 | AL | YD1 | 82 | |
| L | | GG-M-95A | MAGNIFIER AND REDUCING GLASS USER: ME MI | A 6650 * AR | 19-OCT-89 | AR | | | |
| | | GG-M-95A(11) | MAGNIFIER AND REDUCING GLASS | A 6650 # FSS | 19-OCT-89 | | | | |
| | | GG-B-101G | BANDAGE, CAST, PLASTER OF PARIS IMPREGNATED (HARD COATED) | A 6510 / DM | 29-APR-86 | MD | MS | 03 | |
| | | GG-C-101F | CALENDAR PADS AND STANDS USER: GL REVIEWER: 99 | A 7510 # FSS | 21-MAY-90 | | | | |
| | | GG-C-00101E(4) | CALENDER PAD AND STAND | A 7510 # | 28-FEB-73 | | | | |
| | | GG-T-1168 | TAPE, MEASURING, STEEL, SURVEYORS | A 5210 # | 30-OCT-51 | | | | |
| | | GG-T-00116A(1) | TAPE, MEASURING (STEEL, SURVEYORS) | A 5210 # | 19-JUN-72 | | | | |
| | | GG-M-117(3) | MARKER, FOUNTAIN TYPE, FELT TIP USER: GL MC | A 7520 % | 16-NOV-59 | | | | |
| | | GG-C-121 | CANNULA, BRAIN, FRAZIER [VALIDATION DATE: 8202] | A 6515 * DM | 30-JUN-59 | MD | MS | 03 | |
| | | GG-S-125 | SAW, PLASTER-CAST, ENGEL [VALIDATION DATE: 8811] | A 6515 / MB | 16-NOV-88 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | | |
| | | GG-C-139 | CATHETER, URETHAL, WOVEN, (BRAIDED) [VALIDATION DATE: 8202] | A 6515 / DM | 21-JUL-49 | MD | MS | 03 | |
| | | GG-B-00140C | BATH, WATER, DENTAL IMPRESSION COMPOUND, THERMOSTATICALLY CONTROLLED [VALIDATION DATE: 8406] | A 6520 / DM | 17-SEP-70 | MD | MS | 03 | |
| | | GG-P-146A | PEN SETS, DESK (FOR GENERAL OFFICE USE) USER: GL | A 7520 % | 25-JUN-56 | | | | |
| | | GG-P-00146D(2) | PEN SET, DESK [VALIDATION DATE: 7807] | A 7520 # | 08-MAR-74 | | | | |
| | | GG-S-150A(1) | SCALE, AREA (TRANSPARENT PLASTIC) USER: GS | A 6675 # | 21-SEP-64 | | | | |
| D | | GG-S-161D | SCALES, DRAFTING, AND SCALES, PLOTTING (GENERAL SPECIFICATION) USER: 82 REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/1D | SCALE, DRAFTING, ARCHITECT S USER: 82 REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/2D | SCALE, DRAFTING, ENGINEERS USER: 82 REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/3D | SCALE, DRAFTING, MECHANICAL USER: 82 REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/4D | SCALE, DRAFTING, COMBINATION ENGLISH AND METRIC MEASUREMENT SYSTEM USER: 82 REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/5D | SCALE, DRAFTING SURVEYOR S REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/6D | SCALE, DRAFTING, DECIMAL-INCH DIMENSIONING USER: 82 REVIEWER: GL GS | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/7D | SCALE, PLOTTING USER: 82 REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/8D | SCALE, PLOTTING, METRIC USER: 82 REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/9D | SCALE, PLOTTING, FEET AND YARDS USER: 82 REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/10D | SCALE, PLOTTING, METER AND YARD USER: 82 REVIEWER: GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/11D | SCALE, PLOTTING, SOIL SURVEY USER: 82 REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/12B | SCALE, DRAFTING, ENLARGING USER: 82 AR CG ER REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| D | | GG-S-161/13 | SCALE, DRAFTING: METRIC PROPORTIONAL USER: 82 ER REVIEWER: GL GS MC | A 6675 / ME | 01-MAY-85 | ME | YD1 | 99 | |
| | | GG-P-171C | PENCIL, SKIN MARKING [VALIDATION DATE: 8202] | A 6515 / DM | 28-JAN-76 | MD | MS | 03 | |
| | | GG-S-176A | SCREEN, X-RAY INTENSIFYING, ROENTGENOGRAPHIC, FOR DIAGNOSTIC RADIOGRAPHY [VALIDATION DATE: 8202] | A 6525 / DM | 27-SEP-60 | MD | MS | 03 | |
| | | GG-S-00176C | SCREEN X-RAY INTENSIFYING [VALIDATION DATE: 8202] | A 6525 / DM | 15-OCT-73 | MD | MS | 03 | |
| | | GG-L-180A | LEAD REPOINTER, PENCIL USE: GL | A 7520 % | 21-SEP-72 | | | | |
| | | GG-P-181C | PENHOLDER (WRITING) USER: GL SA REVIEWER: 99 | A 7510 * | 14-AUG-63 | | | | |
| | | GG-P-00181D | PENHOLDER, WRITING | A 7510 # | 22-MAR-66 | | | | |
| | | GG-P-191F | PERFORATOR, PAPER, DESK USER: GL | A 7520 % | 08-NOV-72 | | | | |
| | | GG-N-00195B(1) | NEEDLE, HYPODERMIC, BLOOD COLLECTING, DOUBLE POINTED, DISPOSABLE, 20 GAUGE [VALIDATION DATE: 8202] | A 6515 / DM | 07-SEP-72 | MD | MS | 03 | |
| | | GG-N-00195B(13) | NEEDLE, HYPODERMIC, BLOOD COLLECTING, DOUBLE-POINTED, DISPOSABLE, 20 GAUGE [VALIDATION DATE: 8202] | A 6515 / DM | 15-AUG-74 | MD | MS | 03 | |
| | | GG-N-196(5) | NEEDLE, HYPODERMIC, FOR LUER SYRINGES [VALIDATION DATE: 8202] REVIEWER: EA | A 6515 / DM | 10-APR-47 | MD | MS | 03 | |
| | | GG-N-211B | NEEDLE, SUTURE, (EYED) [VALIDATION DATE: 8406] | A 6515 / DM | 29-AUG-61 | MD | MS | 03 | |
| | | GG-H-216C | HEMACYTOMETER SET [VALIDATION DATE: 8406] REVIEWER: EA | A 6630 / DM | 22-OCT-76 | MD | MS | 03 | |
| | | GG-D-223B | DEPRESSOR, TONGUE, METAL [VALIDATION DATE: 8406] | A 6515 / DM | 05-MAY-58 | MD | MS | 03 | |
| | | GG-W-239C | WHEEL, ABRASIVE, SILICON CARBIDE, MOUNTED, DENTAL | A 6520 / DM | 19-JUL-85 | MD | MS | 03 | |
| D | | GG-T-250A | TESTER, ANTIFREEZE SOLUTIONS USER: AS CE MC | A 6630 * DP | 14-JUN-74 | AR | YD1 | 99 | |
| | | GG-T-258A | TESTER, BATTERY ELECTROLYTE SOLUTION [VALIDATION DATE: 8202] | A 6630 / DM | 27-SEP-67 | MD | MS | 03 | |
| | | GG-W-262A | WHEEL, PLOTTER S | A 3630 # | 10-DEC-52 | | | | |
| | | GG-I-271C | IGNITER, FRICTION, OXYACETYLENE-TORCH | A 5120 # GL | 20-FEB-64 | GL | SH | 99 | |
| | | GG-I-271C(11) | IGNITER, FRICTION, OXYACETYLENE-TORCH | A 5120 # FSS | 21-OCT-64 | | | | |
| | | GG-T-315C | THERMOMETER, SELF INDICATING, LIQUID IN GLASS REVIEWER: GS | A 6685 # 99 | 01-OCT-75 | | | 99 | |
| | | GG-S-321D | SHIELD, ERASING, DRAFTSMEN S USER: GL SA REVIEWER: 99 | A 7510 * | 09-MAR-72 | | | | |
| | | GG-S-325 | SHIELD, EYE, SURGICAL, FOX | A 6515 # FSS | 04-AUG-61 | | | | |
| | | GG-F-340(1) | FILIFORMS; URETHRAL, WOVEN (BRAIDED) [VALIDATION DATE: 8202] | A 6515 / DM | 24-FEB-54 | MD | MS | 03 | DM |
| | | GG-T-3530 | THERMOMETER, SELF INDICATING, BIMETALLIC [VALIDATION DATE: 8106] | A 6685 # 99 | 14-JUL-75 | | | 99 | |
| | | GG-F-355A | FINGERPRINT IDENTIFICATION KITS USER: MC SA REVIEWER: MD | A 7520 / GL | 25-JAN-88 | GL | | 99 | |
| | | NOTICE 1 | | | | | | | |
| | | GG-T-3558 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS, MAXIMUM (METEOROLOGICAL) [VALIDATION DATE: 85C2] REVIEWER: 01 AS ME | A 6660 / CR | 25-SEP-67 | CR | OS | 11 | |
| | | GG-T-3558(11) | THERMOMETER, SELF-INDICATING, LIQUID-IN-GLASS, MAXIMUM, (METEOROLOGICAL) [VALIDATION DATE: 8502] | A 6660 # FSS | 17-JUN-70 | | | | |
| | | GG-T-356A | THERMOMETER, SELF INDICATING, LIQUID IN GLASS, MINIMUM, (METEOROLOGICAL) [VALIDATION DATE: 8308] REVIEWER: 01 AS ME | A 6660 / CR | 25-SEP-67 | CR | OS | 99 | |
| | | GG-C-390 | CLAMP, CIRCUMCISION (NO S/S DOCUMENT) [VALIDATION DATE: 8202] | A 6515 / DM | 25-SEP-61 | MD | MS | 03 | DM |
| | | GG-K-391A(4) | KIT (EMPTY) FIRST-AID, BURN-TREATMENT AND SNAKE BITE, AND KIT CONTENTS (UNIT-TYPE) | A 6545 # | 03-MAR-59 | | | | |
| | | GG-K-392(3) | KIT, FIRST AID (COMMERCIAL TYPES), AND KIT CONTENTS | A 6545 # | 25-APR-57 | | | | |
| | | GG-C-405 | CLAMP, HEMORRHOID, BUIE [VALIDATION DATE: 8202] | A 6515 / DM | 08-AUG-61 | MD | MS | 03 | |
| | | GG-M-408B | MIRROR, HEADBAND, AND PROTECTOR, HEAD MIRROR [VALIDATION DATE: 8202] | A 6515 / DM | 06-AUG-58 | MD | MS | 03 | |
| | | GG-L-00410 | LINE GUIDE, LETTERING, ADJUSTABLE USER: GS | A 6675 # | 30-JAN-64 | | | | |
| | | GG-D-419E | DISK, ABRASIVE: MANDREL, DENTAL HANDPIECE | A 6520 / MB | 10-AUG-87 | MD | MS | 03 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | GG-C-00420 | CLAMP, RUBBER TUBING, SHUTOFF | A 6515 / DM 12-NOV-64 | MD | MS | 03 | DM |
| | | GG-A-438A | ALBUMINOMETER [VALIDATION DATE: 8406] | A 6630 / DM 30-JUL-56 | | | | |
| | | GG-C-439B(1) | CLIP, SUTURE (METAL) | A 6515 # FSS 22-OCT-57 | | | | |
| | | GG-C-00439C | CLIP, SUTURE, MICHEL, 16 MM [VALIDATION DATE: 8202] | A 6515 / DM 24-JAN-75 | MD | MS | 03 | |
| D | | GG-A-440C | ALIDADE, SURVEYING, TELESCOPE [VALIDATION DATE: 8310] REVIEWER: GS | A 6675 / ME 18-NOV-81 | ME | YD1 | 99 | |
| | | GG-D-00450A(1) | DISPENSER, GUMMED TAPE | A 7520 # 24-FEB-71 | | | | |
| A | | GG-P-455B(2) NOTICE 2 | PLATES AND FOILS, PHOTOGRAPHIC (PHOTOSENSITIVE ANODIZED ALUMINUM) | A 6750 / AS 29-JUL-91 | MR | AS | 11 | |
| | | GG-D-4588 | DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE USER: GL | A 7520 % FSS 02-APR-62 | | | | |
| | | GG-D-00458C(2) | DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE | A 7520 % FSS 21-MAY-73 | | | | |
| | | GG-D-4588(12) | DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE | A 7520 # FSS 03-JUL-69 | | | | |
| | | GG-I-460(1) | ILLUMINATORS, MICROSCOPE, 115 VOLT [VALIDATION DATE: 8406] | A 6650 / DM 15-AUG-52 | MD | MS | 03 | |
| D | | GG-D-465A | DISTILLING APPARATUS, LABORATORY [VALIDATION DATE: 8406] USER: MR YD1 REVIEWER: 99 EA | A 6640 / DM 18-FEB-77 | MD | MS | 03 | |
| | | GG-C-00466E(1) | CLOCKS, WALL (SYNCHRONOUS MOTOR)(S/S BY A-A-1509) [VALIDATION DATE: 7902] . | A 6645 % 18-JUN-68 | | | | |
| | | GG-B-511 | BLOWPIPE OUTFIT, ACETYLENE | A 6520 # 31-JUL-52 | | | | |
| | | GG-I-5268 | INSTRUMENT, DENTAL AND SURGICAL, GENERAL SPECIFICATIONS [VALIDATION DATE: 8202] USER: MI | A 6515 / DM 11-OCT-65 | MD | MS | 03 | |
| | | GG-G-531C NOTICE 1 | GOGGLES, INDUSTRIAL AND SPECTACLES, INDUSTRIAL, PLASTIC [VALIDATION DATE: 8809] USER: ME | A 4240 / EA 23-SEP-88 | EA | | 99 | |
| | | GG-I-550B | INKING PAD, OFFICE TYPE NUMBERING MACHINE USER: GL SA | A 7520 % 11-OCT-74 | | | | |
| | | GG-R-563B | ROLL, ABSORBENT COTTON AND ROLL, CELLULOSE [VALIDATION DATE: 8202] | A 6510 / DM 09-DEC-57 | MD | MS | 03 | |
| | | GG-M-565C(1) | MOISTENER, PAPER SEALING, WELL TYPE USER: GL MC | A 7520 % 26-FEB-75 | | | | |
| | | GG-M-571D | MOISTENER, PAPER SEALING, FOUNTAIN-TYPE USER: GL | A 7520 % 29-MAR-73 | | | | |
| | | GG-R-571B | ROLLER, BANDAGE | A 6510 / DM 24-MAY-57 | MD | | | |
| | | GG-P-581B | POINT ASSORTMENT, PULP CANAL, (PAPER, ABSORBENT) | A 6520 / DM 21-APR-58 | MD | MS | 03 | DM |
| | | GG-P-00581D | POINTS, PULP CANAL, DENTAL, PAPER [VALIDATION DATE: 8202] | A 6520 / DM 18-OCT-73 | MD | MS | 03 | |
| | | GG-O-588B | OPENER, LETTER, HAND, METAL USER: GL MC | A 7520 % 10-APR-64 | | | | |
| | | GG-O-00588C(2) | OPENER, LETTER, HAND, METAL | A 7520 # 11-APR-72 | | | | |
| | | GG-C-005908 | COPYHOLDER, TYPIST S USER: GL | A 7520 % 18-MAY-70 | | | | |
| | | GG-G-590 | GONIOMETER, ORTHOPEDIC [VALIDATION DATE: 8202] | A 6515 / DM 11-AUG-61 | MD | MS | 03 | |
| | | GG-B-596A | BOUGIE, EUSTACHIAN, SET OF FIVE [VALIDATION DATE: 8202] | A 6515 / DM 20-MAR-53 | MD | MS | 03 | |
| | | GG-B-005968 | BOUGIE, EUSTACHIAN, SET OF FIVE [VALIDATION DATE: 8202] | A 6515 / DM 22-APR-70 | MD | MS | 03 | |
| | | GG-S-605 | SPECULUM SET, EAR [VALIDATION DATE: 8202] | A 6515 * DM 29-AUG-60 | MD | MS | 03 | |
| | | GG-C-611C | COUNTING APPARATUS, BACTERIAL COLONY AND PLATE, COUNTING, BACTERIOLOGICAL [VALIDATION DATE: 8202] | A 6640 / DM 12-SEP-75 | MD | MS | 03 | |
| | | GG-A-614 | APPLICATOR, METAL [VALIDATION DATE: 7407] | A 6515 # FSS 19-JAN-60 | | | | |
| | | GG-F-615 | FORCEPS, SPLINTER [VALIDATION DATE: 8202] | A 6515 / DM 25-SEP-61 | MD | MS | 03 | |
| | | GG-A-616E | APPLICATOR, DISPOSABLE [VALIDATION DATE: 8406] REVIEWER: EA | A 6515 / DM 20-JUL-78 | MD | MS | 03 | |
| | | GG-F-617 | FORCEPS, STERILIZER [VALIDATION DATE: 8202] | A 6515 / DM 29-SEP-61 | MD | MS | 03 | |
| | | GG-S-618D | SPHYGMOMANOMETER, ANEROID AND MERCURIAL [VALIDATION DATE: 8406] | A 6515 / DM 30-JUN-78 | MD | MS | 03 | |
| | | GG-C-620C(2) | COUNTER, RECIPROCATING, HAND-HELD | A 6680 # 25-MAR-69 | | | | |
| | | GG-C-00620F | COUNTER, RECIPROCATING, HAND HELD | A 6680 # 15-APR-76 | | | | |
| | | GG-C-00620F(11) | COUNTER, RECIPROCATING, HAND HELD | A 6680 # FSS 07-MAY-90 | | | | |
| | | GG-T-621C | TRANSIT, ONE MINUTE, AND TRANSIT TRIPODS | A 6675 # 18-NOV-86 | | | | |
| | | GG-O-635A | OPTICAL FLATS [VALIDATION DATE: 8306] USER: AV MC OS | A 5210 / 84 29-MAR-77 | AR | | 99 | |
| | | GG-X-635D | X-RAY APPARATUS SET, RADIOGRAPHIC AND FLUOROSCOPIC, MEDICAL [VALIDATION DATE: 8202] | A 6525 / DM 13-AUG-68 | MD | MS | 03 | |
| | | GG-E-651C | ERASER, BLACKBOARD | A 7510 # 04-JUN-75 | | | | |
| | | GG-P-655B | PRINTING SET, RUBBER TYPE USER: GL MC | A 7520 % 20-SEP-74 | | | | |
| | | GG-P-00661B(2) | PROJECTOR, STILL PICTURE, OVERHEAD, ATTACHMENTS AND ACCESSORIES REVIEWER: GS | A 6730 # 30-JAN-73 | | | | |
| | | GG-E-671B | ERASER, STEEL USER: GL | A 7510 % 22-NOV-72 | | | | |
| | | GG-T-671F | TRIANGLE, DRAFTING, LINE GUIDE, LETTERING, ADJUSTABLE, AND NONADJUSTABLE (GENERAL SPECIFICATION) USER: CG GL MC REVIEWER: GS | A 6675 / ME 10-MAR-81 | ME | | 99 | |
| D | | GG-T-671/1C | TRIANGLES, DRAFTING, PLASTIC, TRANSPARENT REVIEWER: GS | A 6675 / ME 10-MAR-81 | ME | YD1 | 99 | |
| | | GG-T-671/2B | TRIANGLE, LINE GUIDE, LETTERING, NONADJUSTABLE REVIEWER: GS | A 6675 / ME 10-MAR-81 | ME | | 99 | |
| D | | GG-T-671/3B | TRIANGLE, DRAFTING, ADJUSTABLE, PLASTIC REVIEWER: GS | A 6675 / ME 10-MAR-81 | ME | YD1 | 99 | |
| D | | GG-T-671/4B | TRIANGLE, DRAFTING, STEEL, OPEN CENTER USER: MC REVIEWER: GS | A 6675 / ME 10-MAR-81 | ME | YD1 | 99 | |
| D | | GG-T-671/5B | TRIANGLE, DRAFTING, STEEL, BEAD SUPPORTS AND LIFTING KNOB REVIEWER: GS .... | A 6675 / ME 10-MAR-81 | ME | YD1 | 99 | |
| D | | GG-T-671/6D | LINE GUIDE, LETTERING, ADJUSTABLE, PLASTIC USER: CG MC REVIEWER: GS ..... | A 6675 / ME 10-MAR-81 | ME | YD1 | 99 | |
| D | | GG-B-675E | BREATHING APPARATUS, SELF-CONTAINED USER: YD1 | A 4240 / EA 28-JUN-88 | EA | | | |
| | | GG-U-675C | URINAL, MALE PATIENT, GLASS AND CORROSION-RESISTING STEEL [VALIDATION DATE: 8406] | A 6530 / DM 19-JUL-77 | MD | MS | 03 | |
| | | GG-U-675C(11) | URINAL, MALE PATIENT, GLASS AND CORROSION-RESISTING STEEL AND PLASTIC [VALIDATION DATE: 8406] | A 6530 / DM 15-NOV-77 | MD | MS | 03 | |
| | | GG-P-725B(1) | PSYCHROMETER REVIEWER: CR | A 6685 * ER 29-MAR-91 | ER | SH | | |
| | | GG-P-00725A(1) | PSYCHROMETER | A 6685 # 12-DEC-69 | | | | |
| | | GG-S-743C | STAND, SURGICAL INSTRUMENT [VALIDATION DATE: 8202] | A 6530 / DM 28-JUL-75 | MD | MS | 03 | |
| | | GG-S-745A | STAPLERS AND STAPLES, PAPER FASTENING, OFFICE TYPE USER: GL ME MI | A 7510 % FSS 25-JUL-56 | | | | |
| | | GG-S-00745C | STAPLERS AND STAPLES PAPER FASTENING, OFFICE TYPE | A 7510 # FSS 02-JUN-89 | | | | |
| | | GG-S-745A(14) | STAPLERS AND STAPLES, PAPER FASTENING, OFFICE TYPE | A 7510 # FSS 29-AUG-73 | | | | |
| | | GG-S-747D | STENCIL-CUTTING MACHINE, HAND-OPERATED | A 7490 # FSS 12-JAN-89 | | | | |
| | | GG-S-00750B | STENCIL DUPLICATING PRINT KIT, HAND STAMP | A 7520 # 07-JAN-70 | | | | |
| | | GG-T-750 | TUBE, DUODENAL, SURGICAL, (REHFUSS) [VALIDATION DATE: 8202] | A 6515 / DM 04-MAR-58 | MD | MS | 03 | |
| | | GG-T-00750A | TUBE, DUODENAL, SURGICAL, REHFUSS [VALIDATION DATE: 8202] | A 6515 / DM 22-JUN-70 | MD | MS | 03 | |
| | | GG-S-764C(1) NOTICE 1 | STOP WATCH, LABORATORY [VALIDATION DATE: 8204] | A 6645 * 82 26-FEB-74 | | | 99 | |
| | | GG-O-770D | OTOSCOPE AND OPHTHALMOSCOPE SET, BATTERY TYPE | A 6515 / MB 18-MAR-86 | MD | MS | 03 | |
| | | GG-S-771C | STRAIGHTEDGE, PARALLEL RULING, GUIDE CORD | A 6675 # 12-FEB-66 | ME | | | |
| | | GG-S-773D | STRAIGHTEDGE, PLASTIC AND WOOD [VALIDATION DATE: 8305] REVIEWER: GS ..... | A 6675 # 09-JUN-78 | | | | |
| D | | GG-M-775C | NUMBERING MACHINES, OFFICE TYPE, HAND OPERATED USER: YD1 | A 7520 # 20-MAY-74 | | | | |
| | | GG-R-791D(1) | RULER, WOOD (DESK) USER: GL | A 7510 % 20-OCT-59 | | | | |
| | | GG-S-00792 | STYLUS, DUPLICATING STENCIL | A 7520 # FSS 02-JUL-63 | | | | |
| | | GG-S-00800 | SUCTION APPARATUS, SURGICAL, AUTOMATIC, THERMOTIC, MOBILE, 110 VOLT, AC-DC [VALIDATION DATE: 8202] | A 6515 / DM 19-FEB-65 | MD | MS | 03 | |
| | | GG-S-00812C NOTICE 1 | SUTURES, ABSORBABLE, SURGICAL (GUT) [VALIDATION DATE: 8810] | A 6515 / MB 20-OCT-88 | MD | MS | 03 | |
| | | GG-B-818B | BURNER, ALCOHOL, PRESSURE-TYPE [VALIDATION DATE: 8406] USER: CE MC MD ..... | A 6640 / DM 23-NOV-59 | | MS | 99 | |
| | | GG-S-816A | SUTURE, NONABSORABLE, SURGICAL (NONMETALLIC) [VALIDATION DATE: 8903] ..... | A 6515 / MB 01-MAR-89 | MD | MS | 03 | |
| | | GG-S-00816C(2) | SUTURE, NONABSORABLE, SURGICAL (NONMETALLIC) [VALIDATION DATE: 8903] ..... | A 6515 / MB 01-MAR-89 | MD | MS | 03 | |
| | | GG-S-915B | SYRINGE, AIR, DENTAL AND BULB, AIR SYRINGE, DENTAL, (ELASTOMER) ..... | A 6520 * MB 21-SEP-87 | MD | MS | 03 | |
| | | GG-E-916A | EXPLORERS, DENTAL: EXPLORER-PROBE, DENTAL | A 6520 / DM 05-JUN-87 | MD | MS | 03 | |
| | | GG-E-00916A | EXPLORER, DENTAL [VALIDATION DATE: 8202] | A 6520 / DM 06-APR-73 | MD | MS | 03 | |
| | | GG-C-921 | CYSTOSCOPE [VALIDATION DATE: 8202] | A 6515 / DM 28-SEP-48 | MD | MS | 03 | |
| | | GG-C-00921A | CYSTOSCOPE [VALIDATION DATE: 8202] | A 6515 * DM 11-JUN-57 | MD | MS | 03 | |
| | | GG-S-928B | SYRINGE, METAL [VALIDATION DATE: 8202] | A 6515 / DM 02-MAY-58 | MD | MS | 03 | DM |
| | | GG-S-931(1) | SYRINGE, GLASS, WITH BULB [VALIDATION DATE: 8202] | A 6515 / DM 18-JAN-50 | MD | MS | 03 | |
| | | GG-S-935A | SYRINGES, HYPODERMIC, NEEDLE LOCK, GLASS, 3 ML (CC) [VALIDATION DATE: 8406] | A 6515 / DM 16-JUN-77 | MD | MS | 03 | |
| | | GG-S-945A | SYRINGE AND NEEDLE, DISPOSABLE, HYPODERMIC, STERILE, SINGLE INJECTION, .... | A 6515 # 04-DEC-59 | | | | |
| | | GG-S-001015A | SYRINGE, FOUNTAIN, DISPOSABLE ENEMA [VALIDATION DATE: 8406] ..... | A 6530 / DM 25-SEP-69 | MD | MS | 03 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area NICA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | GG-S-001090A | SUCTION AND PRESSURE APPARATUS, SURGICAL, EXPLOSION-PROOF, SINGLE COMPRESSOR, MOBILE, 110 VOLT, 60 CYCLE, AC, (FOR EAR, NOSE AND THROAT PROCEDURES) [VALIDATION DATE: 8202] | A 6515 / DM | 18-MAY-73 | MD | MS | 03 | |
| | | GG-M-001130(1) | MARKER, TUBE TYPE, FINE TIP | A 7520 # | 05-DEC-67 | | | | |
| | | GG-F-001189(2) | FOUNTAIN PEN, TECHNICAL | A 7520 # | 03-JUL-74 | | | | |
| | | GG-H-1212A | HAMMER, REFLEX TESTING, TAYLOR [VALIDATION DATE: 8202] | A 6515 / DM | 31-OCT-75 | MD | MS | 03 | |
| | | GG-C-1213A | CURETTE, EAR, BILLEAU [VALIDATION DATE: 8406] | A 6515 / DM | 23-FEB-77 | MD | MS | 03 | |
| | | GG-E-1230C | EXCAVATORS, DENTAL (CORROSION-RESISTING STEEL) | A 6520 / DM | 08-JUN-87 | MD | MS | 03 | MB |
| | | GG-M-1262A | MARKER, TUBE TYPE WHITE USER: GL | A 7520 % | 05-DEC-72 | | | | |
| | | GG-P-001264 | PENPOINTS AND PENHOLDER, CROWQUILL | A 7510 # | 19-DEC-67 | | | | |
| | | GG-H-1314A | HOLDER, BINDER LABEL USER: GL | A 7510 % | 01-AUG-73 | | | | |
| | | GG-C-13208 | CUP, POLISHING, DENTAL HANDPIECE (SCREW STEM) | A 6520 / DM | 02-OCT-85 | MD | MS | 03 | |
| D | | GG-S-1340A | STERILIZER, SURGICAL INSTRUMENT AND SUPPLY GRAVITY AIR REMOVAL, NON PORTABLE (HEAT AND MOISTURE STABLE) [VALIDATION DATE: 8202] USER: YD1 | A 6530 * DM | 24-NOV-75 | | | | |
| D | | GG-S-1341A | WASHER STERILIZER, SURGICAL INSTRUMENT [VALIDATION DATE: 8202] USER: YD1 .. | A 6530 * DM | 26-NOV-75 | | | | |
| D | | GG-S-1343A | STERILIZER, SURGICAL INSTRUMENT AND SUPPLY MECHANICAL AIR REMOVAL, NONPORTABLE (HEAT AND MOISTURE STABLE) [VALIDATION DATE: 8202] USER: YD1 | A 6530 * DM | 26-NOV-75 | | | | |
| D | | GG-S-1344A | STERILIZER, ETHYLENE OXIDE GAS, FOR HEAT AND MOISTURE LABILE SURGICAL INSTRUMENTS AND SUPPLIES (NONPORTABLE) [VALIDATION DATE: 8202] USER: YD1 | A 6530 * DM | 26-NOV-75 | | | | |
| | | GG-C-1433B | CHISELS (CUTTING INSTRUMENTS), DENTAL [VALIDATION DATE: 8406] | A 6520 / DM | 12-JUL-76 | MD | MS | 03 | |
| | | GG-R-1472B | RETAINER, MATRIX, DENTAL, TOFFLEMIRE | A 6520 / DM | 30-APR-87 | MD | MS | 03 | |
| | | GG-H-1488A | HOLDER, DESK TRAY LABEL USER: GL | A 7510 % | 01-AUG-73 | | | | |
| | | GG-S-1554 | STAMP, TIME (ELECTRIC CORRESPONDENCE) [VALIDATION DATE: 8002] REVIEWER: 99 GS | A 6645 * AR | 02-APR-73 | AR | | | |
| | | GG-S-001616 | SCISSORS, COLLAR AND CROWN [VALIDATION DATE: 8202] | A 6520 / DM | 01-SEP-70 | MD | MS | 03 | |
| | | GG-T-1837A | TEMPLATE, DRAFTING FLOWCHART, (AUTOMATIC DATA PROCESSING, FEDERAL INFORMATION PROCESSING SYSTEM) REVIEWER: GS | A 6675 * ME | 28-JAN-75 | ME | SH | 99 | |
| | | GG-D-1958 | DISPENSER GUMMED TAPE (ELECTRICALLY OPERATED) | A 7520 # | 01-SEP-75 | | | | |
| | | GG-C-1969A | CURETTE, MASTOID, SPRATT [VALIDATION DATE: 8406] REVIEWER: MB | A 6515 / DM | 14-NOV-77 | MD | MS | 03 | |
| | | GG-H-1970 | HOLDER, SUTURE NEEDLE, CASTROVIEJO, 5 1/2 INCH [VALIDATION DATE: 8202] .... | A 6515 / DM | 04-MAY-76 | MD | MS | 03 | |
| | | GG-R-1971 | RETRACTOR, RIB, HARKEN [VALIDATION DATE: 8202] | A 6515 / DM | 24-MAR-76 | MD | MS | 03 | |
| | | GG-B-2043 | BRUSH, SURGICAL SCRUB [VALIDATION DATE: 8406] REVIEWER: MB | A 6530 / DM | 08-DEC-77 | MD | MS | 03 | |
| D | | GG-M-2742 | METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, AIRCRAFT FUEL, 600 GPM REVIEWER: 82 GS | A 6680 / YD1 | 26-JUN-91 | ME | YD1 | 99 | |
| D | | GG-D-2782 | DRIVE, POWER, PORTABLE: FOR PIPE AND BOLT THREADING, ELECTRIC (WITH ACCESSORIES) USER: MC REVIEWER: 84 GS | A 3450 YD1 | 11-JUN-91 | AL | YD1 | 99 | |
| | | MH-T-0025(2) | TAPE, PRESSURE-SENSITIVE ADHESIVE, PLASTIC (FOR ELECTROPLATING) USER: GL .. | A 7510 * | 31-OCT-69 | | | | |
| | | MH-T-29A | TAPE, ADHESIVE, LEAD FOIL USER: GL | A 7510 % FSS | 11-JUL-74 | | | | |
| | | MH-P-31F | PACKING MATERIAL, ASBESTOS, METALLIC CLOTH AND TAPE REVIEWER: 82 AT AV IS MC | A 5330 / SH | 05-JUN-87 | MR | SH | 99 | |
| Q | | MH-P-46E(2) NOTICE 1 | PACKING; ASBESTOS, SHEET, COMPRESSED [VALIDATION DATE: 9104] USER: MC OS REVIEWER: AT IS | A 5330 / SH | 04-APR-91 | MR | SH | | |
| I | | MH-G-76C(1) NOTICE 1 | GASKETS, ASBESTOS METALLIC CLOTH REVIEWER: 85 | A 5330 / SH | 07-AUG-91 | MR | SH | 99 | |
| D | | MH-G-101E | GASKET, METALLIC-ENCASED USER: CG EA REVIEWER: 82 IS | A 5330 / MR | 23-MAY-90 | MR | YD1 | 99 | |
| | | MH-P-151F NOTICE 1 | PACKING; RUBBER-SHEET, CLOTH-INSERT [VALIDATION DATE: 9103] USER: AT ME REVIEWER: IS | A 5330 / SH | 27-MAR-91 | AR | SH | 82 | |
| M | | MH-G-156E | GASKET MATERIAL, GENERAL PURPOSE; RUBBER SHEETS, STRIPS, AND SPECIAL SHAPES USER: AV GL MC REVIEWER: 82 AR AS IS OS | A 5330 / SH | 05-APR-93 | MR | SH | 99 | |
| D | | MH-G-156D(11) | GASKET MATERIAL, GENERAL PURPOSE; RUBBER SHEETS, STRIPS AND SPECIAL SHAPES [VALIDATION DATE: 8105] USER: AV MC REVIEWER: AS CR GL OS YD1 | A 5330 # SH | 13-MAY-68 | MR | SH | 82 | |
| | | MH-F-341F(1) | FILLER, EXPANSION JOINT, BITUMINOUS (ASPHALT AND TAR) AND NONBITUMINOUS (PREFORMED FOR CONCRETE) | A 5610 # | 06-JUN-77 | | | | |
| | | MH-L-361G | LINING, BRAKE, AND LINING MATERIAL BRAKE, AUTOMOTIVE [VALIDATION DATE: 8503] REVIEWER: CS | A 2530 / AT | 01-MAY-80 | AT | | 99 | |
| D | | MH-I-435B | INSULATOR, ELECTRIC, PORCELAIN AND GLASS [VALIDATION DATE: 8301] USER: EC MC SH REVIEWER: 99 ER GS | A 5970 / ME | 23-AUG-77 | ME | YD1 | 85 | |
| | | MH-G-450D(1) | GLOVES, CLOTH (ASBESTOS) | A 8415 # 99 | 25-NOV-74 | | | 99 | |
| D | | MH-I-515E | INSULATION, THERMAL (LOOSE-FILL FOR PNEUMATIC OR POURED APPLICATION): CELLULOSIC OR WOOD FIBER USER: ME | A 5640 / YD1 | 19-JUN-92 | | YD1 | 84 | |
| | | MH-I-536 NOTICE 2 | INSULATION SHEET, ELECTRICAL, NATURAL MUSCOVITE MICA [VALIDATION DATE: 8307] REVIEWER: MI | A 5970 * ER | 23-JAN-52 | ER | SH | | |
| | | MH-I-553C(1) | INSULATION TAPE, ELECTRICAL, (RUBBER, NATURAL AND SYNTHETIC) [VALIDATION DATE: 8307] REVIEWER: AR EA | A 5970 * ER | 02-AUG-77 | | | | |
| | | MH-I-558C | INSULATION, BLANKETS, THERMAL (MINERAL FIBER, INDUSTRIAL TYPE) USER: GL ... | A 5640 % FSS | 07-JAN-92 | | | | |
| | | MH-C-576B | CORK SHEET (GASKETS, SHEETS, AND STRIPS) [VALIDATION DATE: 8204] USER: AT CS REVIEWER: 82 DS EA IS ME MI | A 5330 / OS | 01-AUG-61 | | OS | 99 | |
| | | MH-C-576B(11) | CORK SHEET (GASKETS, SHEETS, AND STRIPS) [VALIDATION DATE: 8204] ..... | A 5330 # MBS | 05-SEP-62 | | | | |
| | | MH-I-595C | INSULATION TAPE, ELECTRICAL, PRESSURE SENSITIVE ADHESIVE, PLASTIC [VALIDATION DATE: 8307] USER: AR AT MI REVIEWER: AV ME | A 5970 * ER | 09-APR-76 | ER | | | |
| | | MH-M-622D | MORTAR, REFRACTORY, HEAT SETTING, BONDING (WET & DRY TYPES) [VALIDATION DATE: 8403] USER: MC REVIEWER: OS | A 9350 / AR | 18-MAY-77 | | | | |
| | | MH-T-1782 | TAPE, ASBESTOS | A 5640 # | 30-OCT-73 | | | | |
| | | MH-P-1784(2) | PAPER, ASBESTOS | A 5640 # | 19-APR-73 | | | | |
| D | | MH-I-1972(1) NOTICE 1 | INSULATION BOARD, THERMAL, FACED, POLYURETHANE OR POLYISOCYANURATE [VALIDATION DATE: 9102] | A 5640 / YD1 | 07-FEB-91 | ME | YD1 | 99 | |
| D | | MH-I-1972/1(1) NOTICE 1 | INSULATION BOARD, THERMAL, FACED, POLYURETHANE OR POLYISOCYANURATE [VALIDATION DATE: 9102] REVIEWER: 84 CE | A 5640 / YD1 | 07-FEB-91 | ME | YD1 | 99 | |
| D | | MH-I-1972/2(1) NOTICE 1 | INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH ASPHALT/ORGANIC FELT, POLYMER/ORGANIC MAT, ASPHALT/GLASS MAT, OR POLYMER/GLASS MAT ON BOTH SIDES OF THE FOAM [VALIDATION DATE: 9102] REVIEWER: 8' CE | A 5640 / YD1 | 07-FEB-91 | ME | YD1 | 99 | |
| D | | MH-I-1972/3 NOTICE 1 | INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH PERLITE INSULATION BOARD ON ONE SIDE AND ASPHALT/ORGANIC FELT OR ASPHALT/GLASS FIBER FELT ON THE OTHER SIDE OF THE FOAM [VALIDATION DATE: 9102] REVIEWER: 84 CE | A 5640 / YD1 | 07-FEB-91 | ME | YD1 | 99 | |
| D | | MH-I-1972/4 NOTICE 1 | INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH GYPSUM BOARD ON ONE SIDE AND ALUMINUM FOIL OR ASPHALT/ORGANIC FELT ON THE OTHER SIDE OF THE FOAM [VALIDATION DATE: 9102] REVIEWER: 84 CE | A 5640 / YD1 | 07-FEB-91 | ME | YD1 | 99 | |
| D | | MH-I-1972/5 NOTICE 1 | INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH PERLITE BOARD ON BOTH SIDES OF THE FOAM [VALIDATION DATE: 9102] REVIEWER: 84 CE | A 5640 / YD1 | 07-FEB-91 | ME | YD1 | 99 | |
| A | | JJ-W-155H | WEBBING, TEXTILE, (COTTON, ELASTIC) USER: 45 AR AS ME REVIEWER: 11 82 ER MC MD | A 8305 / CT | 30-JUN-88 | GL | MU | 99 | CT |
| D | | JJ-N-180G NOTICE 1 | NETS, LAUNDRY [VALIDATION DATE: 8908] REVIEWER: MC | A 3510 / GL | 31-AUG-89 | GL | YD1 | 99 | |
| D | | JJ-G-451H | GLOVE, MEN'S AND WOMENS, CLOTH, LEATHER PALM USER: MC YD1 REVIEWER: MD .... | A 8415 / CT | 28-SEP-84 | GL | MU | | CT |
| | | JJ-U-513D(2) | UNDERSHIRT, MAN S, (QUARTER SLEEVE) | A 8420 # | 25-AUG-78 | | | | |
| | | JJ-S-566A(1) | SOCKS, COTTON USER: 45 | A 8440 # | 02-DEC-83 | | | | |
| | | JJ-H-571B(2) | HOSE, FIRE, LINEN, UNLINED (WITH OR WITHOUT COUPLINGS) [VALIDATION DATE: 8306] REVIEWER: CS | A 4210 * 84 | 14-JAN-77 | | | 99 | |
| | | JJ-G-001396(1) | GLOVES, FLANNEL, COTTON, WORK USER: 45 | A 8415 # | 15-MAY-72 | | | | |
| D | | KK-P-918 | PALMS, SEWING (SAILMAKERS AND SADDLERS) [VALIDATION DATE: 7104] USER: MC YD1 | A 5120 * GL | 16-AUG-63 | GL | SH | 99 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | KK-B-151H(2) | BELT, LINEMAN S, AND STRAP, POLE LINEMAN S TYPE USER: CG REVIEWER: 11 GS MC ME | A | 4240 / YD1 | | 04 | JUN-82 | EA | YD1 | 99 | |
| | | KK-S-151C | SATCHELS, PHYSICIAN'S | A | 6532 / MD | | 31 | JUL-89 | MD | MS | 03 | |
| A | | KK-L-154F | LEATHER, CATTLEHIDE, (BAG AND CASE) [VALIDATION DATE: 8201] USER: ME REVIEWER: MC MD | A | 8330 / CT | | 14 | APR-76 | GL | MU | 99 | CT |
| A | | KK-L-156D | LEATHER, CATTLEHIDE, HARNESS, VEGETABLE-TANNED [VALIDATION DATE: 8201] REVIEWER: 82 EA MD SH | A | 8330 / CT | | 26 | AUG-76 | GL | MU | 11 | CT |
| A | | KK-L-164A(2) | LEATHER, CATTLEHIDE, PACKING, VEGETABLE-TANNED, CHROME-TANNED, CHROME-VEGETABLE RETANNED [VALIDATION DATE: 8303] USER: AS MC OS REVIEWER: EA | A | 8330 / CT | | 18 | MAY-77 | GL | MU | 99 | CT |
| A | | KK-L-165C(2) NOTICE 1 | LEATHER, CATTLEHIDE, VEGETABLE-TANNED AND CHROME RETANNED, IMPREGNATED, AND SOLES [VALIDATION DATE: 8201] REVIEWER: MD | A | 8330 / CT | | 28 | JUN-76 | GL | MU | 99 | CT |
| A | | KK-L-170C(2) NOTICE 1 | LEATHER, KIDSKIN, OR GOATSKIN, CHROME-TANNED [VALIDATION DATE: 8710] REVIEWER: MD | A | 8330 / CT | | 23 | OCT-87 | GL | MU | 99 | CT |
| A | | KK-L-201F(1) | LEATHER, CATTLEHIDE, LACE AND CUT LACES [VALIDATION DATE: 8201] REVIEWER: MD | A | 8330 / CT | | 18 | FEB-71 | GL | MU | 99 | CT |
| | | KK-W-231D | WELTING, LEATHER, SHOE USER: MC REVIEWER: 82 MD | A | 8330 / GL | | 19 | SEP-86 | GL | MU | 11 | |
| A | | KK-L-241D(3) | LEATHER, CATTLEHIDE, RIGGING REVIEWER: EA MD | A | 8330 / CT | | 13 | MAY-82 | GL | MU | | CT |
| A | | KK-L-254D(1) | LEATHER, SHEEPSKIN, CHROME TANNED [VALIDATION DATE: 8410] REVIEWER: 99 MD | A | 8330 / CT | | 27 | NOV-78 | GL | MU | 11 | CT |
| A | | KK-L-271H NOTICE 1 | LEATHER, CATTLEHIDE, STRAP, VEGETABLE-TANNED [VALIDATION DATE: 8201] USER: 45 AT ME MI REVIEWER: EA MD | A | 8330 / CT | | 09 | MAR-76 | GL | | 99 | CT |
| D | | KK-L-291G(2) NOTICE 1 | LEATHER, CATTLEHIDE, UPHOLSTERY [VALIDATION DATE: 8710] USER: YD1 REVIEWER: MD | A | 8330 / CT | | 23 | OCT-87 | GL | | 99 | CT |
| | | KK-C-300C(2) NOTICE 1 | CHAMOIS, LEATHER, SHEEPSKIN, OIL TANNED [VALIDATION DATE: 8904] USER: AV MC REVIEWER: EA MD MI | A | 8330 / GL | | 22 | APR-89 | GL | MU | 99 | |
| | | KK-M-330B | MITT, PAINT, LAMBSKIN (FURNISHED WITH TWO POLYETHYLENE LINERS) | A | 8020 # | | 18 | JUL-75 | | | | |
| A | | KK-C-450F | CLOTHING, LEATHER, (APRONS, SLEEVES, AND JACKETS) USER: 45 MC REVIEWER: MD | A | 8415 / CT | | 25 | MAR-86 | GL | MU | 99 | CT |
| D | | KK-G-476E(1) | GLOVES, LEATHER, (GAUNTLET, LINEMEN S) [VALIDATION DATE: 8402] USER: 45 MC OS SM REVIEWER: MD YD1 | A | 8415 / CT | | 19 | OCT-77 | GL | MU | 99 | CT |
| A | | KK-I-570D | INSOLE, FOOTWEAR, LEATHER, CATTLEHIDE USER: 45 MC REVIEWER: MD | A | 8335 / CT | | 29 | MAY-90 | GL | MU | | CT |
| A L | | KK-B-650A(1) | BRIEF CASE (LEATHER) [VALIDATION DATE: 8306] USER: 45 MC REVIEWER: GL SA | A | 8460 / CT | | 23 | FEB-71 | | | 99 | CT |
| L | | KK-B-650A(12) | BRIEF CASE (LEATHER) [VALIDATION DATE: 8306] | A | 8460 / CT | | 06 | MAR-72 | | | | CT |
| | | KK-S-756D | STROP, MICROTOME KNIFE, AND STROP, RAZOR [VALIDATION DATE: 7602] USER: MC REVIEWER: MD MS SA | A | 8530 * GL | | 24 | JUN-71 | GL | | 99 | |
| | | KK-P-001170A | PORTFOLIO, ENVELOPE, LEATHER, ARTIFICAL LEATHER, SLIDE FASTENER USER: 45 | A | 8460 # | | 29 | MAR-68 | | | | |
| A | | KK-L-2004 NOTICE 1 | LEATHER, CATTLEHIDE, DEERSKIN AND HORSEHIDE, CHROME TANNED [VALIDATION DATE: 8904] USER: MC REVIEWER: MD | A | 8330 / CT | | 22 | APR-89 | GL | MU | 99 | CT |
| D | | MM-P-371C | PILE, AND POLE, WOOD REVIEWER: CE CS | A | 5510 / ME | | 14 | DEC-72 | ME | YD1 | 99 | |
| D | | MM-T-371E | TIE, RAILROAD, WOOD (CROSS AND SWITCH) USER: YD1 REVIEWER: CE CS | A | 5510 / ME | | 31 | JUL-75 | ME | | | |
| D | | MM-L-736C(1) | LUMBER, HARDWOOD USER: CE MC SH REVIEWER: CS OS SC | A | 5510 / ME | | 11 | MAR-83 | ME | YD1 | 99 | |
| | | MM-L-751H | LUMBER, SOFTWOOD [VALIDATION DATE: 8006] USER: MC OS REVIEWER: AS CS MS | A | 5510 / ME | | 13 | AUG-70 | ME | SH | 84 | |
| | | MM-P-71C NOTICE 1 | PALLETS, MATERIAL HANDLING, WOOD, STRINGER CONSTRUCTION, 2-WAY AND 4-WAY (PARTIAL) [VALIDATION DATE: 8201] USEn: SS REVIEWER: EA GS OS SM | A | 3990 / ME | | 20 | DEC-73 | ME | SA | 84 | |
| L | | MM-P-71C(12) | PALLETS, MATERIAL HANDLING, WOOD, STRINGER CONSTRUCTION, 2-WAY AND 4-WAY (PARTIAL) [VALIDATION DATE: 8201] | A | 3990 / SA | | 02 | MAY-77 | | SA | | |
| | | MM-H-81A(1) | HANDLE, ASH, FOR TOOLS USER: ME | A | 5120 * GL | | 20 | AUG-52 | GL | SH | 99 | |
| | | MM-H-0081B(1) | HANDLES, ASH | A | 3750 # FSS | | 27 | OCT-87 | | | | |
| | | MM-H-0085 | HANDLE, FILE (ADJUSTIFIABLE) | A | 5110 # | | 18 | JUN-64 | | | | |
| D | | MM-H-93A(1) | HANDLE, HICKORY, STRIKING TOOL USER: AR AT MC YD1 | A | 5120 * GL | | 20 | AUG-52 | GL | SH | 99 | |
| | | MM-H-00938(4) | HANDLES: HICKORY, STRIKING TOOL | A | 5120 # FSS | | 24 | MAY-70 | | | | |
| | | MM-H-101F | HANDLE, MOP (WET) USER: GL | A | 7920 % | | 12 | MAR-73 | | | | |
| | | MM-H-104 | HANDLES, WOOD, ACME THREADED AND CIRCULAR TAPERED END USER: MC | A | 7920 / SA | | 11 | AUG-65 | GL | SA | 69 | |
| | | MM-H-104(11) | HANDLES, WOOD, ACME THREADED AND CIRCULAR TAPERED END | A | 7920 # FSS | | 13 | JUN-72 | | | | |
| D | | MM-H-106(3) | HANDLE, WOOD MISCELLANEOUS (FOR) TOOLS USER: AR MC YD1 | A | 5110 * GL | | 08 | OCT-52 | | | | |
| | | MM-H-00106C | HANDLES; WOOD, MISCELLANEOUS (FOR) TOOLS | A | 5110 # FSS | | 01 | NOV-63 | | | | |
| D | | OO-M-38J | MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) [VALIDATION DATE: 8402] USER: CE SA REVIEWER: GS MC MD | A | 7320 / GL | | 23 | NOV-77 | GL | YD1 | 99 | |
| D | | OO-M-0038K(1) | MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) USER: CE SA REVIEWER: 84 GS MC MD SH | A | 7320 / GL | | 12 | FEB-88 | GL | YD1 | 99 | |
| L | | OO-M-38J(11) | MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) [VALIDATION DATE: 8402] REVIEWER: GS | A | 7320 / GL | | 25 | FEB-81 | GL | | | |
| L | | OO-M-0038K(12) | MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) | A | 7320 / SH | | 03 | JUN-92 | | SH | | |
| | | OO-P-00400 | PAD, FLOOR POLISHING MACHINE: AND HOLDER, FLOOR POLISHING MACHINE PAD | A | 7910 # FSS | | 15 | JUN-77 | | | | |
| | | OO-M-595 NOTICE 1 | MILLING MACHINES, BENCH TYPE, HORIZONTAL, VERTICAL, GENERAL PURPOSE [VALIDATION DATE: 8702] USER: MC REVIEWER: GS | A | 3417 / IP | | 17 | FEB-87 | | SH | 99 | |
| | | OO-L-90E | LATHE, HEAVY DUTY, FOR BRAKE DRUM AND DISC BRAKE ROTOR TURNING AND TRUING USER: 82 MC | A | 4910 / AL | | 01 | JUN-88 | AL | | 99 | |
| D | | OO-S-90C | SANDERS, ELECTRIC, PORTABLE, BELT, DISK, AND OSCILLATING PAD USER: MC ME YD1 | A | 5130 / SH | | 22 | JUN-70 | GL | SH | 84 | |
| | | OO-S-90C(11) | SANDERS, ELECTRIC, PORTABLE, BELT, DISK, AND OSCILLATING PAD | A | 5130 # FSS | | 26 | APR-73 | | | | |
| D | | OO-S-101B(1) | SANDER, DISK AND OSCILLAING PAD, PNEUMATIC, PORTABLE USER: MD ME YD1 | A | 5130 * GL | | 05 | MAY-75 | GL | SH | 99 | |
| | | OO-H-103B(1) | HAMMER, ELECTRIC, PORTABLE AND HAMMER DRILLS, ELECTRIC, PORTABLE | A | 5130 * GL | | 10 | APR-75 | GL | SH | 99 | |
| Q | | OO-H-116D | HAMMERS, PNEUMATIC, PORTABLE (CHIPPING AND SCALING) | A | 5130 * GL | | 20 | JUL-67 | GL | SH | 69 | |
| QL | | OO-H-116D(12) | HAMMERS, PNEUMATIC, PORTABLE (CHIPPING AND SCALING) | A | 5130 / SH | | 15 | DEC-69 | | SH | | |
| D | | OO-L-125D(1) | LATHE, ENGINE AND TOOLROOM, 10 INCH USER: MC ME WV REVIEWER: GS YD1 | A | 3416 / IP | | 07 | MAR-84 | AL | SH | 99 | |
| D | | OO-L-131K(1) | LAUNDRY EQUIPMENT, MISCELLANEOUS, COMMERCIAL [VALIDATION DATE: 8303] USER: 50 CE MC REVIEWER: GS MD | A | 3510 / GL | | 04 | NOV-76 | GL | YD1 | 99 | |
| D | | OO-L-138C(1) | LAUNDRY PRESSES, COMMERCIAL [VALIDATION DATE: 8303] USER: 50 CE REVIEWER: GS MC MD ME | A | 3510 / GL | | 02 | NOV-76 | GL | YD1 | 99 | |
| D | | OO-V-185F | VEGETABLE PEELING MACHINE, ELECTRIC [VALIDATION DATE: 8303] USER: SA REVIEWER: CE MC MD | A | 7320 / GL | | 14 | JUN-83 | GL | YD1 | 99 | |
| D | | OO-V-185F(12) | VEGETABLE PEELING MACHINE, ELECTRIC USER: SA REVIEWER: 84 CE GS MC MD SH | A | 7320 / GL | | 01 | MAR-88 | GL | YD1 | 99 | |
| D | | OO-V-205H(1) | VEGETABLE CUTTING AND SLICING MACHINES, (ELECTRIC), AND TABLE, (FOOD PREPARATION) [VALIDATION DATE: 8405] USER: MC REVIEWER: MS SA | A | 7320 / GL | | 28 | JUN-79 | GL | YD1 | 99 | |
| | | OO-K-220B | KEY, MACHINE USER: AT AV GL MC REVIEWER: ME SA | A | 5315 / AR | | 21 | APR-89 | AR | AS | 99 | |
| D | | OO-S-236D NOTICE 1 | SAW, CIRCULAR, TABLE TYPE, WOODWORKING, SINGLE TILTING ARBOR, FLOOR MOUNTED USER: AS CE MC OS REVIEWER: GS YD1 | A | 3220 / IP | | 10 | FEB-89 | ME | SH | 99 | IP |
| | | OO-S-246D | SAW, RECIPROCATING, WOODWORKING, PNEUMATIC, PORTABLE | A | 5130 * GL | | 08 | AUG-67 | GL | | 99 | |
| | | OO-S-255A(1) | SCRUBBING MACHINE, FLOOR, ELECTRIC (BATTERY POWERED) | A | 7910 # | | 18 | AUG-80 | | | | |
| A | | OO-S-256H(2) | SEWING MACHINE, INDUSTRIAL, GENERAL SPECIFICATION FOR USER: 50 MC SA REVIEWER: 84 GS | A | 3530 / GL | | 10 | NOV-92 | GL | | 99 | |
| L | | OO-S-256H(11) | SEWING MACHINE, INDUSTRIAL, GENERAL SPECIFICATION FOR | A | 3530 / GL | | 14 | NOV-90 | GL | | | |
| A | | OO-S-256/1B | SEWING MACHINES, INDUSTRIAL; FLATBED, SINGLE-NEEDLE, MACHINES USER: MC SA REVIEWER: 84 GS | A | 3530 / GL | | 10 | NOV-92 | GL | | 99 | |
| L | | OO-S-256/1A(11) | SEWING MACHINES, INDUSTRIAL; FLATBED, SINGLE-NEEDLE, MACHINES | A | 3530 / GL | | 14 | NOV-90 | GL | | | |
| | | OO-S-256/2A | SEWING MACHINES, INDUSTRIAL, FLATBED, TWO-NEEDLE [VALIDATION DATE: 8410] USER: GS MC SA | A | 3530 / GL | | 16 | NOV-78 | GL | | 99 | |
| A | | OO-S-256/3B | SEWING MACHINES, INDUSTRIAL; CYLINDER BED, SINGLE-NEEDLE, MACHINES USER: MC SA REVIEWER: 84 GS | A | 3530 / GL | | 10 | NOV-92 | GL | | 99 | |
| L | | OO-S-256/3A(11) | SEWING MACHINES, INDUSTRIAL; CYLINDER BED, SINGLE-NEEDLE, MACHINES | A | 3530 / GL | | 14 | NOV-90 | GL | | | |
| | | OO-S-256/4A | SEWING MACHINES, INDUSTRIAL, POST BED, SINGLE NEEDLE, MACHINE [VALIDATION DATE: 8410] USER: GS MC SA | A | 3530 / GL | | 16 | NOV-78 | GL | | | |

| Action | Qlfy. / Obsl. Canceled/Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activ. / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | 00-S-256/5A | SEWING MACHINE, INDUSTRIAL, ZIGZAG, SINGLE NEEDLE, MACHINES [VALIDATION DATE: 8410] USER: GS MC SA | A 3530 / GL 16-NOV-78 | GL | | 99 | |
| | | 00-S-256/6A | SEWING MACHINE, INDUSTRIAL, BUTTONHOLE, STRAIGHT, BARRED ENDS, MACHINE [VALIDATION DATE: 8410] USER: ER MC REVIEWER: GS | A 3530 / GL 16-NOV-78 | GL | | 99 | |
| | | 00-S-256/7A | SEWING MACHINES, INDUSTRIAL, BUTTONHOLE MACHINE, EYELET END [VALIDATION DATE: 8410] USER: CR ER MC SA REVIEWER: GS | A 3530 / GL 16-NOV-78 | GL | | 99 | |
| | | 00-S-256/8A | SEWING MACHINES, INDUSTRIAL, BUTTON-SEWING MACHINE [VALIDATION DATE: 8410] USER: CR ER MC REVIEWER: GS | A 3530 / GL 16-NOV-78 | GL | | 99 | |
| | | 00-S-256/9A | SEWING MACHINES, INDUSTRIAL, TACKING MACHINE (DETAIL SPECIFICATION) [VALIDATION DATE: 8410] USER: MC SA REVIEWER: GS | A 3530 / GL 16-NOV-78 | GL | | 99 | |
| | | 00-S-256/10A | SEWING MACHINES, INDUSTRIAL, OVEREDGE MACHINE (DETAIL SPECIFICATION) [VALIDATION DATE: 8410] | A 3530 / GL 16-NOV-78 | GL | | 99 | |
| M | | 00-S-256/11B | SEWING MACHINES, INDUSTRIAL: BLIND STITCH, MACHINES USER: MC SA REVIEWER: 84 GS | A 3530 / GL 25-MAY-93 | GL | | 99 | |
| | | 00-S-256/12B | SEWING MACHINES, INDUSTRIAL, SINGLE-NEEDLE MACHINE, HEAVY-LEATHER DUTY [VALIDATION DATE: 8410] USER: ER MC SA | A 3530 / GL 16-NOV-79 | GL | | 99 | |
| A | | 00-S-256/13D | SEWING MACHINE, INDUSTRIAL: FLATBED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR REVIEWER: 84 GS | A 3530 / GL 16-DEC-92 | GL | | 99 | |
| L | | 00-S-00256/13C | SEWING MACHINE, INDUSTRIAL: FLATBED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR | A 3530 / GL 28-JUN-91 | GL | | | |
| | | 00-S-256/14A | SEWING MACHINE, INDUSTRIAL, FLATBED, SINGLE NEEDLE, 308 STITCH, PARACHUTE REPAIR USER: 50 REVIEWER: GS | A 3530 / GL 13-JUN-86 | GL | | 99 | |
| L | | 00-S-00256/14B | SEWING MACHINE, INDUSTRIAL: FLATBED, SINGLE NEEDLE, 308 STITCH, PARACHUTE REPAIR | A 3530 / GL 07-OCT-88 | GL | | | |
| | | 00-S-256/15A | SEWING MACHINE, INDUSTRIAL: FLATBED, DOUBLE NEEDLE, 301 STITCH, PARACHUTE REPAIR USER: GS | A 3530 / GL 13-JUN-86 | GL | | 99 | |
| L | | 00-S-00256/15B | SEWING MACHINE, INDUSTRIAL: FLATBED, DOUBLE NEEDLE, 301 STITCH, PARACHUTE REPAIR USER: GS | A 3530 / GL 07-OCT-88 | GL | | | |
| A | | 00-S-256/16C | SEWING MACHINE, INDUSTRIAL: DARNING, CYLINDER BED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR REVIEWER: 84 GS | A 3530 / GL 15-DEC-92 | GL | | 99 | |
| L | | 00-S-00256/16B | SEWING MACHINE, INDUSTRIAL: DARNING, CYLINDER BED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR USER: GS | A 3530 / GL 07-OCT-88 | GL | | | |
| | | 00-S-260A | SEALING AND PACKAGING MACHINE, PLASTIC FILM REVIEWER: MD SH | A 3540 * GL 04-APR-78 | GL | SA | 99 | |
| | | 00-M-280G(3) | MEAT SLICER, HAND-OPERATED, AND MEAT SLICING MACHINE, ELECTRIC [VALIDATION DATE: 8601] USER: MC REVIEWER: MS SA | A 7320 / SH 18-AUG-80 | | SH | | |
| L | | 00-M-280G(14) | MEAT SLICER, HAND-OPERATED, AND MEAT SLICING MACHINES, ELECTRIC | A 7320 / SA 23-NOV-90 | | SA | | |
| D | | 00-T-290F | THREADING MACHINES: PIPE AND BOLT, POWER DRIVEN (BENCH AND FLOOR TYPE) USER: MC SH REVIEWER: GS | A 3419 / AL 28-FEB-92 | AL | YD1 | | |
| D | | 00-M-340E | MILLING, GRINDING, DRILLING, AND SLOTTING ATTACHMENT USER: AV CE MC YD1 REVIEWER: GS ME | A 3460 / AL 25-MAR-91 | AL | SH | 99 | |
| D | | 00-S-355B | SIFTING MACHINE, FLOUR, ELECTRIC [VALIDATION DATE: 8201] REVIEWER: GS MD | A 7320 / GL 26-JUL-71 | GL | YD1 | 99 | |
| | | 00-L-360D | LIFT, MOTOR VEHICLE USER: 82 | A 4910 / AL 20-SEP-85 | AL | | 99 | |
| D | | 00-A-372E | AIR CONDITIONER, ELECTRIC MOTOR DRIVEN SELF CONTAINED (FOR SHORE USE) USER: MC REVIEWER: 82 CE GS | A 4120 * YD1 16-MAR-88 | ME | YD1 | 99 | |
| D | | 00-A-373C | AIR CONDITIONERS, SINGLE PACKAGE TYPE USER: CE MC REVIEWER: 84 GS | A 4120 / YD1 22-JUL-90 | | YD1 | 99 | |
| D | L | 00-A-373C(11) | AIR CONDITIONERS, SINGLE PACKAGE TYPE | A 4120 / YD1 19-NOV-90 | | YD1 | | |
| D | | 00-A-374B | AIR CONDITIONERS WITH REMOTE CONDENSING UNITS OR REMOTE AIR-COOLED, AND WATER-COOLED CONDENSER UNITS, UNITARY REVIEWER: CE GL GS | A 4120 / YD1 21-DEC-88 | ME | YD1 | 99 | |
| Q | | 00-R-421B(2) | RIVETER, PNEUMATIC, JAM AND HAMMER; AND HOLDER-ON, PORTABLE [VALIDATION DATE: 8301] | A 5130 / SH 01-AUG-80 | GL | SH | 99 | |
| QL | | 00-R-421B(11) | RIVETER, PNEUMATIC, JAM AND HAMMER: AND HOLDER-ON, PORTABLE | A 5130 / SH 25-JUN-79 | | SH | | |
| D | | 00-D-431E | DISHWASHING MACHINES, COMMERCIAL (RACK, STATIONARY) USER: CG MS REVIEWER: 84 GS MC MD SA | A 7320 / YD1 04-MAY-84 | GL | YD1 | 99 | |
| D | | 00-D-450C(1) | DISPENSERS, BULK MILK, MECHANICALLY COOLED; AND DISPOSABLE MILK CONTAINERS USER: CG MC SA REVIEWER: 84 CE GS MD MS SH | A 7310 / YD1 12-FEB-93 | GL | YD1 | 99 | |
| D | | 00-F-545F | FOOD BLENDER, ELECTRIC REVIEWER: 84 GS MD MS TS | A 7320 / GL 27-DEC-85 | GL | YD1 | 99 | |
| D | | 00-P-570E(2) | POLISHER, FLOOR, ELECTRIC (COMMERCIAL TYPE) | A 7910 / YD1 04-NOV-81 | | YD1 | | |
| D | | GG-J-571E | JOINTERS, WOODWORKING USER: CE GS MC REVIEWER: 84 YD1 | A 3220 / 1P 20-JUN-86 | ME | SH | 99 | |
| D | | 00-B-580D | BORING MACHINE, ENGINE CYLINDER, (PORTABLE) USER: ER MC ME REVIEWER: SH SM | A 4910 / AL 23-DEC-86 | AL | YD1 | 99 | |
| D | | 00-D-582D | DOUGHNUT MACHINE, CUTTING AND FRYING [VALIDATION DATE: 8410] USER: CE CG YD1 REVIEWER: MC MD | A 7320 / GL 01-FEB-78 | GL | SA | | |
| D | | 00-G-630F | GRADER, ROAD, MOTORIZED REVIEWER: AT CS MC | A 3805 / YD1 22-MAY-85 | ME | YD1 | | |
| D | | 00-P-631D NOTICE 1 | PRESS BRAKE, POWER OPERATED, MECHANICAL, SHEET AND PLATE [VALIDATION DATE: 9002] USER: MC ME YD1 REVIEWER: 84 GS | A 3441 / 1P 14-FEB-90 | AL | SH | 99 | IP |
| | | 00-P-660D | PRESS, LAMINATING, PROTECTIVE COVERING [VALIDATION DATE: 7502] REVIEWER: EA | A 3590 * GL 16-JAN-69 | GL | | 99 | |
| D | | 00-G-667F(1) | GRINDERS, MEAT, ELECTRIC, GRINDERS MEAT, HAND, AND MIXER-GRINDER, MEAT, ELECTRIC [VALIDATION DATE: 8303] USER: CE MC SH REVIEWER: GS MD SA | A 7320 / GL 30-NOV-76 | GL | YD1 | 99 | |
| Q | | 00-G-669F | GRINDER, PNEUMATIC, HORIZONTAL AND VERTICAL [VALIDATION DATE: 8301] | A 5130 # FSS 12-DEC-77 | | | | |
| QL | | 00-G-669F(12) | GRINDER, PNEUMATIC, HORIZONTAL AND VERTICAL [VALIDATION DATE: 8301] | A 5130 / SH 17-OCT-80 | | SH | | |
| D | | 00-I-675F(3) | IRONERS, FLATWORK, COMMERCIAL (AND ACCESSORIES) [VALIDATION DATE: 8403] USER: CE MC MS REVIEWER: GS MD | A 3510 / GL 12-SEP-77 | GL | YD1 | 99 | |
| | | 00-G-684 | GRINDING AND POLISHING MACHINE, DENTAL LABORATORY, FLOOR MOUNTED, 110 VOLT, 60 CYCLE, A.C. [VALIDATION DATE: 8406] | A 6520 / DM 31-JUL-58 | MD | MS | 03 | |
| | | 00-G-006848 | GRINDING AND POLISHING MACHINE, DENTAL LABORATORY, FLOOR MOUNTED, 110 VOLT, 60 CYCLE, A.C. (USE IN LIEU OF FED SPEC 00-G-684) [VALIDATION DATE: 8202] | A 6520 / DM 15-MAR-67 | MD | MS | 03 | |
| D | | 00-G-686C | GRINDING MACHINE, VALVE FACE USER: AT REVIEWER: 82 ME | A 4910 / AL 22-FEB-85 | AL | YD1 | 99 | |
| Q | | 00-D-691E(6) | DRILL, PNEUMATIC, PORTABLE: AND BORER, WOOD, PNEUMATIC [VALIDATION DATE: 8204] | A 5130 # FSS 02-JUN-81 | | | | |
| | | 00-D-735C(1) | DRYCLEANING FINISHING EQUIPMENT, MISCELLANEOUS [VALIDATION DATE: 8303] USER: 50 SH REVIEWER: MD | A 3510 / GL 23-FEB-77 | GL | | 99 | |
| D | | 00-D-738C | DRYCLEANING PRESSES AND PUFF IRONS [VALIDATION DATE: 8402] USER: CE REVIEWER: GS MD | A 3510 / GL 10-FEB-78 | GL | YD1 | 99 | |
| | | 00-S-811D(1) | SURFACERS (PLANERS), WOODWORKING USER: CE MC REVIEWER: 84 GS | A 3220 / 1P 31-OCT-89 | ME | SH | 99 | IP |
| D | | 00-W-860D(1) NOTICE 1 | WASHING MACHINE AND DRYING TUMBLERS, HOUSE HOLD LAUNDRY, POWER OPERATED AND LAUNDRY COMMERCIAL (SELF-SERVICE) USER: 50 MC REVIEWER: GS MD | A 3510 * GL 27-MAY-77 | GL | YD1 | 99 | |
| D | | 00-S-870E | SWEEPER, ROTARY, SELF-PROPELLED, INDUSTRIAL TYPE, RIDER OPERATED USER: CE CS MC REVIEWER: 84 | A 3825 / YD1 06-JAN-84 | ME | YD1 | 99 | |
| | | 00-S-873C | SWEEPERS, ROTARY, SELF-PROPELLED, VACUUMIZED; 1.75 CUBIC YARD MINIMUM HOPPER CAPACITY | A 3825 # FSS 23-JAN-84 | | | | |
| D | | 00-S-875F | SWEEPERS, ROTARY, SELF-PROPELLED (STREET TYPE) REVIEWER: 84 MC ME | A 3825 / YD1 02-MAR-89 | | YD1 | 99 | |
| Q | | 00-W-891E(1) | WRENCH, IMPACT, PNEUMATIC, PORTABLE [VALIDATION DATE: 8301] | A 5130 / SH 16-OCT-67 | GL | SH | 84 | |
| QL | | 00-W-891E(17) | WRENCH, IMPACT, PNEUMATIC, PORTABLE [VALIDATION DATE: 8301] | A 5120 / SH 02-JAN-76 | | SH | | |
| Q | | 00-S-001116A | SANDER, ELECTRIC, PORTABLE, BELT, DISK AND ORBITAL PAD, DOUBLE INSULATED | A 5130 # 01-JUL-71 | | | | |
| D | | 00-D-1297B | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8201] USER: CE MC ME REVIEWER: GS | A 3510 / GL 05-APR-74 | GL | YD1 | 99 | |
| D | | 00-D-1297/1 NOTICE 1 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL ONE DOOR TYPE, END LOADING STYLE, REVERSIBLE AND NON REVERSIBLE [VALIDATION DATE: 8702] USER: CE MC ME REVIEWER: GS | A 3510 / GL 27-FEB-87 | GL | YD1 | 84 | |
| D | | 00-D-1297/2 NOTICE 1 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL, CYLINDER TYPE, END LOADING STYLE, REVERSIBLE AND NON-REVERSIBLE [VALIDATION DATE: 8702] USER: CE MC ME | A 3510 / GL 27-FEB-87 | GL | YD1 | 84 | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | QQ-D-1297/3(1)<br>NOTICE 1 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL: ONE DOOR TYPE, END LOADING STYLE, REVERSIBLE [VALIDATION DATE: 8908] USER: CE MC ME REVIEWER: GS | A | 3510 / GL | | 31-AUG-89 | GL | | 99 | | |
| D | | QQ-D-1297/4<br>NOTICE 1 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL, PASS THROUGH TYPE, END LOADING STYLE, REVERSIBLE [VALIDATION DATE: 8702] USER: CE MC ME REVIEWER: GS | A | 3510 / GL | | 27-FEB-87 | GL | YD1 | 84 | | |
| | | QQ-D-1297/5(1)<br>NOTICE 1 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL: ROLL OVER TYPE, END LOADING STYLE, REVERSIBLE [VALIDATION DATE: 8908] USER: CE MC ME | A | 3510 / GL | | 31-AUG-89 | GL | | 99 | | |
| D | | QQ-W-1307B | WASHING MACHINES, POT AND PAN, COMMERCIAL (INCLUDING ACCESSORY EQUIPMENT) USER: CG GS MC REVIEWER: 85 MD MS SA | A | 7320 / YD1 | | 12-APR-85 | GL | YD1 | 99 | | |
| A | | QQ-D-13888(1) | DISHWASHING MACHINES, COMMERCIAL (RACKLESS CONVEYOR) USER: CE CG MC REVIEWER: 84 MD MS TS | A | 7320 / SA | | 14-JUL-92 | GL | SA | 99 | | |
| D | | QQ-D-13908(3) | DISHWASHING MACHINES, SINGLE TANK (RACK, MANUAL AND CONVEYOR) AND DOUBLE TANK (RACK, CONVEYOR), COMMERCIAL REVIEWER: 84 GS MC MD MS SA SH | A | 7320 / YD1 | | 30-NOV-92 | GL | YD1 | 99 | | |
| | L | QQ-D-13908(I2) | DISHWASHING MACHINES, SINGLE TANK (RACK, MANUAL AND CONVEYOR) AND DOUBLE TANK (RACK, CONVEYOR), COMMERCIAL | A | 7320 / SH | | 06-APR-92 | | SH | | | |
| D | | QQ-G-15138 | GARBAGE DISPOSERS, HOUSEHOLD USER: YD1 | A | 4540 # | | 19-AUG-76 | | | | | |
| D | | QQ-M-1688 | MOWER, LAWN, POWER (ROTATING REEL, GASOLINE ENGINE DRIVEN) | A | 3750 * ME | | 03-NOV-72 | ME | YD1 | 99 | | |
| | | QQ-T-1719A | TYING MACHINES, BUNDLE, INDUSTRIAL USER: SM REVIEWER: MD | A | 3540 * GL | | 31-JUL-75 | GL | MC | 99 | | |
| | | QQ-M-1724A | MARKING MACHINE, LAUNDRY [VALIDATION DATE: 8201] | A | 3510 # | | 30-APR-74 | | | | | |
| D | | QQ-T-1848(2) | TUNNEL, FINISHING, GARMENT, STEAM ELECTRIC [VALIDATION DATE: 8104] USER: MC SH YD1 REVIEWER: GS | A | 3510 / GL | | 13-MAR-75 | GL | | | | |
| D | | QQ-I-1874B | IRONER, FLATWORK, LARGE ROLL, COMMERCIAL (APRONLESS) [VALIDATION DATE: 8410] REVIEWER: GS MC MD | A | 3510 / GL | | 27-MAR-79 | GL | YD1 | 99 | | |
| D | | QQ-I-2100 | IRONER, FLATWORK, COMMERCIAL [VALIDATION DATE: 8501] USER: MC REVIEWER: GS MD | A | 3510 / GL | | 30-MAR-79 | GL | YD1 | 99 | | |
| D | | QQ-R-2741 | REFUSE CONTAINERS, HOISTING UNIT: TILT-OVER, FOR FRONT LOADING COMPACTION TYPE TRUCKS REVIEWER: GS | A | 3990 / YD1 | | 21-SEP-92 | ME | YD1 | | | |
| D | L | QQ-D-2747 | DITCHING MACHINES, BOOM TYPE: CRAWLER-MOUNTED, GED AND DED USER: CE ME REVIEWER: 99 | A | 3895 / YD1 | | 23-MAR-91 | | YD1 | | | |
| D | L | QQ-S-2762 | SWEEPER, VACUUM OR REGENERATIVE, STREET, SELF PROPELLED, DED | A | 3825 / YD1 | | 10-DEC-92 | | YD1 | | | |
| D | L | QQ-C-2763 | CRANES, HYDRAULIC, CARRIER MOUNTED USER: MC | A | 3810 / YD1 | | 30-MAY-91 | | YD1 | | | |
| D | | QQ-C-2764(1) | CRANES, CRAWLER MOUNTED, COMMERCIAL, DED USER: MC REVIEWER: 84 CS | A | 3810 / YD1 | | 22-OCT-91 | | YD1 | 99 | | |
| D | L | QQ-D-2765 | DITCHING MACHINES: LADDER-TYPE, LIGHT DUTY, 4-WHEEL-DRIVE, PNEUMATIC-TIRED, GED OR DED | A | 3805 / YD1 | | 07-MAY-91 | | YD1 | | | |
| D | L | QQ-S-2771 | SCRAPER-TRACTORS: EARTH MOVING, HYDRAULIC OPERATED, 12 AND 20 CUBIC YARD MINIMUM HEAPED CAPACITY, DED REVIEWER: 84 99 CS ME | A | 3805 / YD1 | | 14-SEP-92 | | YD1 | | | |
| D | L | QQ-E-2772 | EXCAVATORS, CRAWLER MOUNTED, DED, HYDRAULICALLY OPERATED | A | 3805 / YD1 | | 14-MAY-92 | | YD1 | | | |
| D | L | QQ-C-2774 | CRANES, ROUGH TERRAIN, HYDRAULIC, FULL REVOLVING, WHEEL MOUNTED, 4X4, DED | A | 3810 / YD1 | | 30-AUG-91 | | YD1 | | | |
| D | L | QQ-A-2775 | AUGER, EARTH, PORTABLE: HAND-HELD TWO-MAN GASOLINE ENGINE DRIVEN | A | 3820 / YD1 | | 01-NOV-91 | | YD1 | | | |
| D | | QQ-D-2776 | DRILL, PNEUMATIC DRIFTER, SELF-PROPELLED, CRAWLER MOUNTED (TRACK DRILL) REVIEWER: 84 AT CS MC | A | 3820 / YD1 | | 12-NOV-92 | ME | YD1 | 99 | | |
| D | | QQ-S-2779 | SNOW REMOVAL UNITS, ROTARY BLOWER, TRUCK MOUNTED 2400 TONS PER HOUR CAPACITY USER: CE REVIEWER: 84 AT | A | 3825 / YD1 | | 30-JAN-92 | ME | YD1 | 99 | | |
| D | | QQ-R-2780 | ROLLERS, MOTORIZED, PNEUMATIC-TIRED | A | 3895 / YD1 | | 05-JUN-92 | ME | YD1 | | | |
| D | | QQ-R-2783 | ROLLER, TOWED, OPEN-FACE TYPE, TWO DRUM USER: MC REVIEWER: 84 | A | 3895 / YD1 | | 09-MAR-92 | | YD1 | 99 | | |
| D | L | QQ-L-2788 | LUBRICATING AND SERVICING UNIT, POWER-OPERATED, PORTABLE, INDUSTRIAL TYPE REVIEWER: CS | A | 4930 / YD1 | | 12-SEP-91 | | YD1 | | | |
| D | L | QQ-I-2795 | ICE CREAM PLANT USER: MS REVIEWER: GS MC | A | 4120 / YD1 | | 20-AUG-92 | | YD1 | | | |
| D | L | QQ-S-2796 | SWEEPER, VACUUM OR REGENERATIVE, AIRFIELD RUNWAY, SELF-PROPELLED, DED | A | 3825 / YD1 | | 22-FEB-93 | | YD1 | | | |
| D | | QQ-S-2797 | SWEEPER, PERMANENT MAGNET, ROAD, TOWED USER: MC REVIEWER: 84 CS | A | 3830 / YD1 | | 13-NOV-92 | | YD1 | 99 | | |
| D | L | QQ-W-2803 | WINCHES, DRUM, HAND-OPERATED, SAFETY TYPE FOR PONTOON BARGES REVIEWER: CS | A | 3950 / YD1 | | 23-NOV-92 | | YD1 | | | |
| N | | QQ-C-2804 | CONVEYOR, BELT, PORTABLE, DED, GED, OR EMD REVIEWER: CS | A | 3910 / YD1 | | 29-MAR-93 | ME | YD1 | | | |
| D | | QQ-C-2817 | CENTRAL MIX PLANT, CONCRETE, MOBILE, 150 CUBIC YARDS PER HOUR CAPACITY REVIEWER: CS | A | 3895 / YD1 | | 07-APR-93 | ME | YD1 | 99 | | |
| D | L | QQ-C-2818 | CONCRETE SPRAYING MACHINE, MIX-ELEVATOR TYPE UNIT, TRAILER MOUNTED | A | 3895 / YD1 | | 26-MAR-93 | | YD1 | | | |
| | | PP-R-21E(1) | RABBITS, CHILLED OR FROZEN, READY TO COOK REVIEWER: MC MD MS SS | A | 8905 * GL | | 12-SEP-77 | GL | SA | 50 | | |
| | | PP-S-31F(1) | SALMON, CANNED REVIEWER: MC MD SS | A | 8905 * GL | | 26-OCT-76 | GL | SA | 50 | | |
| | | PP-S-51H | SARDINES, CANNED [VALIDATION DATE: 8101] REVIEWER: MC MD MS SS | A | 8905 * GL | | 13-FEB-75 | GL | SA | 45 | | |
| | | PP-S-51H(I1) | SARDINES, CANNED [VALIDATION DATE: 8101] | A | 8905 / GL | | 28-MAY-75 | GL | SA | 45 | | |
| | | PP-B-81J | BACON, SLAB OR SLICED, CHILLED OR FROZEN [VALIDATION DATE: 8303] | A | 8905 # | | 18-MAY-77 | | | | | |
| | | PP-H-91C | HASH, CORNED&BEEF, CANNED USER: MC | A | 8940 % | | 02-SEP-58 | | | | | |
| | | PP-C-248K | CHICKENS AND CHICKEN PARTS, READY-TO-COOK, CHILLED AND FROZEN REVIEWER: MC MD MS SS TS | A | 8905 * GL | | 01-FEB-84 | GL | SA | 50 | | |
| | | PP-S-311C | SHRIMP, CANNED [VALIDATION DATE: 8001] USER: MC REVIEWER: 03 MD MS SS | A | 8905 * GL | | 03-SEP-65 | GL | SA | 50 | | |
| | | PP-B-00351D | BEEF LIVER, CHILLED OR FROZEN (WHOLE) [VALIDATION DATE: 8501] | A | 8905 / GL | | 06-MAR-63 | GL | SA | 50 | | |
| | | PP-C-400B(1) | CLAMS, CANNED REVIEWER: MC MD MS SS | A | 8905 * GL | | 29-JUL-80 | GL | SA | 50 | | |
| | | PP-D-745H | DUCK, GOOSE, GUINEA, AND SQUAB, (CHILLED AND FROZEN) READY-TO-COOK [VALIDATION DATE: 8001] USER: MC MS REVIEWER: MD SS | A | 8905 * GL | | 12-JUL-74 | GL | SA | 50 | | |
| | | PP-T-791L | TURKEY AND TURKEY PARTS, READY-TO-COOK, CHILLED AND FROZEN REVIEWER: MC MD MS SS TS | A | 8905 * GL | | 01-FEB-84 | GL | SA | 50 | | |
| A | | PP-L-800E(1) | LUNCHEON MEAT, CANNED (READY TO EAT) REVIEWER: MC MD QM SS | A | 8905 / LS | | 13-MAR-92 | GL | SA | 50 | LS | |
| | | PP-O-956G | OYSTERS, FRESH (CHILLED) AND FROZEN: SHUCKED [VALIDATION DATE: 7901] REVIEWER: MC MD MS SS | A | 8905 * GL | | 23-AUG-73 | GL | SA | 45 | | |
| | | PP-O-956G(I1) | OYSTERS, FRESH (CHILLED) AND FROZEN: SHUCKED [VALIDATION DATE: 7901] | A | 8905 / GL | | 27-DEC-76 | GL | SA | 45 | | |
| | | PP-C-1802A | CHICKEN OR TURKEY, CANNED, BONED REVIEWER: MC MD MS SS | A | 8905 * GL | | 15-AUG-80 | GL | SA | 50 | | |
| | | PP-B-2120B(1) | GROUND BEEF PRODUCTS, FROZEN REVIEWER: MC MD QM SS | A | 8905 * GL | | 14-NOV-91 | GL | SA | 50 | | |
| | | PP-B-002129 | CANADIAN BACON WITH BRINE, THERMOSTABILIZED, TRAY PACK | A | 8905 / GL | | 25-MAR-83 | | | | | |
| | | PP-T-002149A | TURKEY SLICES WITH GRAVY, THERMOSTABILIZED, TRAY PACK | A | 8940 / GL | | 10-JUN-83 | GL | | | | |
| | | PP-B-2176 | BEEF, GROUND, CREAMED, THERMOSTABILIZED, TRAY PACK | A | 8940 GL | | 28-JUN-83 | | | | | |
| | L | PP-C-2198 | CHICKEN BREASTS IN GRAVY, THERMOSTABILIZED, TRAY PACK | A | 8940 GL | | 22-JUN-84 | GL | | | | |
| | L | PP-P-002211 | PORK SLICES, WITH GRAVY, THERMOSTABILIZED, TRAY PACK | A | 8940 GL | | 27-SEP-84 | GL | | | | |
| | | QQ-P-35C | PASSIVATION TREATMENTS FOR CORROSION-RESISTANT STEEL REVIEWER: 70 80 99 AR AS AV EA GL IS MI OS | A | MFFP * MR | | 28-OCT-88 | MR | SH | 11 | | |
| | | QQ-C-40(2)<br>NOTICE 1 | CALKING, LEAD WOOL AND LEAD PIG [VALIDATION DATE: 8109] REVIEWER: 82 | A | 5330 / SH | | 17-NOV-70 | MR | SH | 99 | | |
| D | | QQ-M-40B(1) | MAGNESIUM ALLOY FORGINGS [VALIDATION DATE: 8407] USER: AT GL MI YD1 | A | FORG * AS | | 13-APR-66 | MR | AS | 99 | | |
| | | QQ-L-101C | LATH, METAL, (AND OTHER METAL PLASTER BASES ) | A | 5680 # | | 27-APR-72 | | | | | |
| | | QQ-L-171E<br>NOTICE 1 | LEAD PIG [VALIDATION DATE: 8803] USER: MI REVIEWER: EA IS | A | 9650 / SH | | 01-MAR-88 | MR | SH | 99 | | |
| D | | QQ-A-200E(1)<br>NOTICE 1 | ALUMINUM ALLOY, BAR, ROD, SHAPES, STRUCTURAL SHAPES, TUBE AND WIRE, EXTRUDED: GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] USER: CR EC MC SH REVIEWER: 99 AR EA IS ME MI OS YD1 | A | 9530 / AS | | 30-OCT-91 | MR | AS | 11 | | |
| | | QQ-A-200/1D<br>NOTICE 1 | ALUMINUM ALLOY 3003, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR EC MC ME SH REVIEWER: 99 AR IS MI | A | 9530 / AS | | 30-OCT-91 | MR | AS | 11 | | |
| D | | QQ-A-200/2F<br>NOTICE 1 | ALUMINUM ALLOY 2014, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR MC SH YD1 REVIEWER: AR EA IS MI | A | 9530 / AS | | 30-OCT-91 | MR | AS | 11 | | |
| | | QQ-A-200/3F | ALUMINUM ALLOY 2024, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED USER: CR MC SH REVIEWER: AR EA IS MI | A | 4710 / AS | | 23-SEP-83 | MR | AS | 11 | | |
| | | QQ-A-200/4D(1)<br>NOTICE 1 | ALUMINUM ALLOY 5083, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR MC SH REVIEWER: 99 EA IS MI | A | 9530 / AS | | 30-OCT-91 | MR | AS | 11 | | |
| | | QQ-A-200/5D<br>NOTICE 1 | ALUMINUM ALLOY 5086, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR MC SH REVIEWER: AR EA IS MI | A | 9530 / AS | | 30-OCT-91 | MR | AS | 11 | | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | QQ-A-200/6E(1) NOTICE 1 | ALUMINUM ALLOY 5454, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: MC SH REVIEWER: MI | A 9530 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-200/7E(1) NOTICE 1 | ALUMINUM ALLOY 5456, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: MC SH REVIEWER: AR MI | A 9530 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-200/8F NOTICE 1 | ALUMINUM ALLOY 6061, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: EC MC ME SH REVIEWER: 99 AR EA IS MI | A 9530 / AS | 30-OCT-91 | MR | AS | 11 | |
| D | | QQ-A-200/9D NOTICE 1 | ALUMINUM ALLOY 6063, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR MC SH REVIEWER: AR EA MI OS YD1 | A 9530 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-200/10E NOTICE 1 | ALUMINUM ALLOY 6066, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR MC REVIEWER: AR EA IS MI SH | A 9530 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-200/11E NOTICE 1 | ALUMINUM ALLOY 7075, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR MC SH REVIEWER: AR EA IS MI | A 9530 / AS | 30-OCT-91 | MR | AS | 11 | |
| D | | QQ-A-200/13C NOTICE 1 | ALUMINUM ALLOY 7178, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR MC YD1 REVIEWER: IS MI | A 9530 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-200/14B NOTICE 1 | ALUMINUM ALLOY BAR, ROD, SHAPES, AND WIRE, EXTRUDED, 7178-T76 (IMPROVED EXFOLIATION RESISTANT) [VALIDATION DATE: 9110] REVIEWER: 99 IS SH | A 9525 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-200/15B NOTICE 1 | ALUMINUM ALLOY BAR, ROD AND SHAPES, EXTRUDED, 7075-T76 (IMPROVED EXFOLIATION RESISTANT) [VALIDATION DATE: 9110] USER: CR EC REVIEWER: 99 AV SH | A 9525 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-200/16A | ALUMINUM ALLOY STRUCTURAL SHAPES, EXTRUDED, 6061 [VALIDATION DATE: 8004] USER: AR MC ME MI REVIEWER: 99 EA GL SH | A 9530 / AS | 09-JAN-74 | MR | AS | 11 | |
| | | QQ-A-200/17A | ALUMINUM ALLOY 6162, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED REVIEWER: 99 AR IS | A 9530 / AS | 14-JUL-83 | MR | AS | 11 | |
| D | | QQ-L-201F(2) | LEAD SHEET [VALIDATION DATE: 8301] USER: AT REVIEWER: ME OS YD1 ..... | A 9535 / SH | 17-NOV-70 | MR | SH | 84 | |
| D | | QQ-T-201F | TERNEPLATE, FOR ROOFING AND ROOFING PRODUCTS REVIEWER: IS ..... | A 9515 / MR | 12-NOV-86 | MR | YD1 | 99 | |
| | | QQ-A-225G | ALUMINUM AND ALUMINUM ALLOY BAR, ROD, WIRE, OR SPECIAL SHAPES; ROLLED, DRAWN, OR COLD FINISHED; GENERAL SPECIFICATION FOR USER: EC MC SH REVIEWER: 99 AR CR EA IS | A 9525 / AS | 28-SEP-90 | MR | AS | 11 | |
| | | QQ-A-225/1D(1) NOTICE 1 | ALUMINUM ALLOY BAR, ROD, AND WIRE; ROLLED, DRAWN OR COLD FINISHED, 1100 [VALIDATION DATE: 9110] USER: MC REVIEWER: AR EA ER IS MI OS SH | A 9525 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-225/2D NOTICE 1 | ALUMINUM ALLOY BAR, ROD, AND WIRE; ROLLED, DRAWN, OR COLD FINISHED, 3003 [VALIDATION DATE: 9110] USER: EC MC OS REVIEWER: 84 85 AR MI SH | A 9525 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-225/3D | ALUMINUM ALLOY BAR, ROD, AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 2011 [VALIDATION DATE: 8004] USER: MC OS REVIEWER: 85 MI SH | A 9530 / AS | 09-JUN-71 | MR | AS | 11 | |
| | | QQ-A-225/4E | ALUMINUM ALLOY BAR, ROD, WIRE, AND SPECIAL SHAPES, ROLLED, DRAWN, OR COLD FINISHED, 2014 USER: ER MC OS REVIEWER: 99 AR EA IS MI SH | A 9525 / AS | 15-NOV-82 | MR | AS | 11 | |
| | | QQ-A-225/5E(2) | ALUMINUM ALLOY 2017, BAR, ROD AND WIRE; ROLLED, DRAWN OR COLD FINISHED USER: ER MC OS SH REVIEWER: 99 AR CR EA IS | A 9525 / AS | 31-JAN-86 | MR | AS | 11 | |
| D | | QQ-A-225/6E(1) | ALUMINUM ALLOY BAR, ROD, AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 2024 USER: MC SH YD1 REVIEWER: AR CR EA IS | A 9525 / AS | 29-MAR-85 | MR | AS | 11 | |
| | | QQ-A-225/7D NOTICE 1 | ALUMINUM ALLOY 5052, BAR, ROD, AND WIRE; ROLLED, DRAWN, OR COLD FINISHED [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 99 AR CR MI | A 9525 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-225/8E NOTICE 1 | ALUMINUM ALLOY 6061, BAR, ROD, WIRE AND SPECIAL SHAPES; ROLLED, DRAWN OR COLD FINISHED [VALIDATION DATE: 9110] USER: MC ME SH REVIEWER: 99 AR CR EA IS OS | A 9525 / AS | 30-OCT-91 | MR | AS | 11 | |
| D | | QQ-A-225/9E NOTICE 1 | ALUMINUM ALLOY 7075, BAR, ROD, WIRE AND SPECIAL SHAPES; ROLLED, DRAWN OR COLD FINISHED [VALIDATION DATE: 9110] USER: EC MC ME SH YD1 REVIEWER: 85 99 AR CR EA IS OS | A 9525 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-225/10B NOTICE 1 | ALUMINUM ALLOY 6262, BAR, ROD AND WIRE; ROLLED, DRAWN, OR COLD FINISHED [VALIDATION DATE: 9110] REVIEWER: AR EA IS | A 9525 / AS | 30-OCT-91 | MR | AS | 11 | |
| D | | QQ-A-250F | ALUMINUM AND ALUMINUM ALLOY PLATE AND SHEET, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8407] USER: MC ME OS REVIEWER: AR IS MI SH YD1 | A 9535 / AS | 25-SEP-78 | MR | AS | 11 | |
| | | QQ-A-250/1F NOTICE 1 | ALUMINUM 1100, PLATE AND SHEET [VALIDATION DATE: 9110] USER: ME REVIEWER: 85 CR MI OS SH | A 9535 / AS | 30-OCT-91 | MR | AS | 11 | |
| D | | QQ-A-250/2E NOTICE 1 | ALUMINUM ALLOY 3003, PLATE AND SHEET [VALIDATION DATE: 9110] USER: CR MC ME REVIEWER: 99 EA MI OS YD1 | A 9535 / AS | 30-OCT-91 | MR | AS | 11 | |
| D | | QQ-A-250/3F NOTICE 1 | ALUMINUM ALLOY ALCLAD 2014, PLATE AND SHEET [VALIDATION DATE: 9110] USER: EC MC ME OS REVIEWER: AR EA ER IS MI SH YD1 | A 9535 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-250/4E(1) NOTICE 1 | ALUMINUM ALLOY 2024, PLATE AND SHEET [VALIDATION DATE: 9110] USER: MC ME OS REVIEWER: 84 AR EC ER MI SH | A 9535 / AS | 30-OCT-91 | MR | AS | 11 | |
| A L | | QQ-A-250/4E(12) NOTICE 2 | ALUMINUM ALLOY 2024, PLATE AND SHEET [VALIDATION DATE: 9212] ..... | A 9535 / AS | 10-DEC-92 | | AS | | |
| | | QQ-A-250/5F(1) NOTICE 1 | ALUMINUM ALLOY ALCLAD 2024, PLATE AND SHEET [VALIDATION DATE: 9110] USER: MC ME OS REVIEWER: 84 AR EC ER MI SH | A 9535 / AS | 30-OCT-91 | MR | AS | 11 | |
| A L | | QQ-A-250/5F(12) NOTICE 2 | ALUMINUM ALLOY ALCLAD 2024, PLATE AND SHEET [VALIDATION DATE: 9212] ..... | A 9535 / AS | 10-DEC-92 | | AS | | |
| D | | QQ-A-250/6G | ALUMINUM ALLOY 5083, PLATE AND SHEET [VALIDATION DATE: 8407] USER: MC ME OS YD1 REVIEWER: 85 AR EA IS MI SH | A 9535 / AS | 21-SEP-78 | MR | AS | 11 | |
| | | QQ-A-250/7E NOTICE 1 | ALUMINUM ALLOY 5086, PLATE AND SHEET [VALIDATION DATE: 9110] USER: ER MC MD OS REVIEWER: 85 AR EC MI SH | A 9535 / AS | 30-OCT-91 | MR | AS | 11 | |
| | | QQ-A-250/8F NOTICE 1 | ALUMINUM ALLOY 5052, PLATE AND SHEET [VALIDATION DATE: 9111] USER: EC MC ME OS REVIEWER: AR EA ER IS MI SH | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |
| | | QQ-A-250/9F NOTICE 1 | ALUMINUM ALLOY 5456, PLATE AND SHEET [VALIDATION DATE: 9111] USER: ER MC OS REVIEWER: 85 AR EC MI SH | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |
| | | QQ-A-250/10E NOTICE 1 | ALUMINUM ALLOY 5454, PLATE AND SHEET [VALIDATION DATE: 9111] USER: EC MC ME OS REVIEWER: 84 AR ER IS MI SH | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |
| D | | QQ-A-250/11F NOTICE 1 | ALUMINUM ALLOY 6061, PLATE AND SHEET [VALIDATION DATE: 9111] USER: MC ME REVIEWER: AR EC ER IS MI OS YD1 | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |
| | | QQ-A-250/12F NOTICE 1 | ALUMINUM ALLOY 7075, PLATE AND SHEET [VALIDATION DATE: 9111] USER: ER MC ME OS REVIEWER: AR IS MI | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |
| | | QQ-A-250/13E(1) | ALUMINUM ALLOY ALCLAD 7075, PLATE AND SHEET [VALIDATION DATE: 8004] USER: MC ME OS REVIEWER: AR IS MI | A 9535 / AS | 28-DEC-73 | MR | AS | 11 | |
| D | | QQ-A-250/14E NOTICE 1 | ALUMINUM ALLOY 7178, PLATE AND SHEET [VALIDATION DATE: 9111] USER: ER MC ME OS REVIEWER: 85 AR EC MI SH YD1 | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |
| D | | QQ-A-250/15E NOTICE 1 | ALUMINUM ALLOY ALCLAD 7178, PLATE AND SHEET [VALIDATION DATE: 9111] USER: ER MC ME OS REVIEWER: 85 AR EC MI SH YD1 | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |
| | | QQ-A-250/18F NOTICE 1 | ALUMINUM ALLOY ALCLAD ONE SIDE 7075, PLATE AND SHEET [VALIDATION DATE: 9111] USER: EC MC ME OS REVIEWER: AR ER IS MI SH | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |
| | | QQ-A-250/21B NOTICE 1 | ALUMINUM ALLOY, 7178-T76, PLATE AND SHEET (IMPROVED EXFOLIATION RESISTANT) [VALIDATION DATE: 9111] USER: OS SH REVIEWER: 99 IS ME | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |
| | | QQ-A-250/22A | ALUMINUM ALLOY 7178-T76, PLATE AND SHEET, ALCLAD (IMPROVED EXFOLIATION RESISTANT) [VALIDATION DATE: 8004] USER: OS SH REVIEWER: 99 AR GL IS ME | A 9535 / AS | 27-JUN-74 | MR | AS | 11 | |
| | | QQ-A-250/24B | ALUMINUM ALLOY, 7075, PLATE AND SHEET (IMPROVED EXFOLIATION RESISTANT) [VALIDATION DATE: 8004] USER: OS SH REVIEWER: 99 AR IS ME | A 9535 / AS | 26-JUN-74 | MR | AS | 11 | |
| | | QQ-A-250/25A | ALUMINUM ALLOY ALCLAD 7075, PLATE AND SHEET (IMPROVED EXFOLIATION RESISTANT) [VALIDATION DATE: 8004] | A 9535 / AS | 25-JUN-74 | MR | AS | 11 | |
| | | QQ-A-250/26A | ALUMINUM ALLOY, 7011 ALCLAD 7075, PLATE AND SHEET [VALIDATION DATE: 8004] USER: SH REVIEWER: IS | A 9535 / AS | 14-SEP-73 | MR | AS | 84 | |
| | | QQ-A-250/28A | ALUMINUM ALLOY, 7011 ALCLAD 7178, PLATE AND SHEET [VALIDATION DATE: 8004] . | A 9535 / AS | 14-SEP-73 | MR | AS | 11 | |
| | | QQ-A-250/29A NOTICE 1 | ALUMINUM ALLOY 2124, PLATE [VALIDATION DATE: 9111] USER: ME OS REVIEWER: 99 AR ER GL IS MI | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |
| | | QQ-A-250/30A(1) NOTICE 1 | ALUMINUM ALLOY 2219, PLATE AND SHEET [VALIDATION DATE: 9111] USER: MC SH REVIEWER: 84 99 IS | A 9535 / AS | 05-NOV-91 | MR | AS | 11 | |

| Action | OPR / GNRL Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | QQ-N-281D(2) | NICKEL-COPPER ALLOY BAR, ROD, PLATE, SHEET, STRIP, WIRE, FORGINGS, AND STRUCTURAL AND SPECIAL SHAPED SECTIONS USER: ME OS REVIEWER: 84 85 99 AR AS IS MI YD1 | A | 9535 / SH | | 23-OCT-85 | MR | SH | | 11 |
| | | | QQ-N-286E | NICKEL-COPPER-ALUMINUM ALLOY, WROUGHT (UNS N05500) USER: GL ME REVIEWER: 84 99 AR ER IS OS | A | 9535 / SH | | 02-AUG-85 | MR | SH | | 11 |
| | L | | QQ-N-002B6F | NICKEL-COPPER-ALUMINUM ALLOY, WROUGHT (UNS N05500) | A | 9525 / SH | | 29-NOV-90 | | SH | | |
| | | | QQ-N-286E(I2) | NICKEL-COPPER-ALUMINUM ALLOY, WROUGHT (UNS N05500) USER: ER GL OS REVIEWER: 84 99 IS ME | A | 9535 / SH | | 19-SEP-89 | MR | SH | | 11 |
| | | | QQ-N-290A | NICKEL PLATING (ELECTRODEPOSITED) [VALIDATION DATE: 8410] REVIEWER: 99 AR EA GL IS MI OS SH | A | MFFP / AS | | 12-NOV-71 | MR | AS | | 11 |
| | | | QQ-C-320B(4) | CHROMIUM PLATING (ELECTRODEPOSITED) USER: GL REVIEWER: 82 99 IS | A | MFFP / AS | | 10-APR-87 | MR | AS | | 11 |
| | | | QQ-W-321/1 | WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 240 USER: ME SH REVIEWER: 84 AR AV EA MI | A | 9525 / MR | | 02-APR-91 | MR | AS | | 99 |
| | | | QQ-W-321/2 | WIRE, METAL, FLAT, NON-ELECTRICAL, COPPER ALLOY 240 USER: ME SH REVIEWER: 84 AR AV EA MI | A | 9525 / MR | | 02-APR-91 | MR | AS | | 99 |
| | | | QQ-W-321/3 | BAR, METAL, FLAT, COPPER ALLOY 240 USER: ME SH REVIEWER: 84 AR AV EA MI | A | 9530 / MR | | 02-APR-91 | MR | AS | | 99 |
| | | | QQ-W-321/4 | WIRE, METAL, FLAT, NON-ELECTRICAL, COPPER ALLOY 260 USER: ME SH REVIEWER: 84 AL AR AV GL MI | A | 9525 / MR | | 02-APR-91 | MR | AS | | 99 |
| | | | QQ-W-321/5 | WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 260 USER: ME SH REVIEWER: 84 AR AV EA MI | A | 9525 / MR | | 02-APR-91 | MR | AS | | 99 |
| | | | QQ-W-321/6 | BAR, METAL, FLAT, COPPER ALLOY 260 USER: ME SH REVIEWER: 84 AR AV EA MI | A | 9530 / MR | | 02-APR-91 | MR | AS | | 99 |
| | | | QQ-W-321/7 | WIRE, METAL, FLAT, NON-ELECTRICAL, COPPER ALLOY 270 USER: ME SH REVIEWER: 84 AR AV EA MI | A | 9525 / MR | | 02-APR-91 | MR | AS | | 99 |
| | | | QQ-W-321/8 | WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 270 USER: ME SH REVIEWER: 84 AR AV EA MI | A | 9525 / MR | | 02-APR-91 | MR | AS | | 99 |
| | | | QQ-W-321/9 | BAR, METAL, FLAT, COPPER ALLOY 270 USER: ME SH REVIEWER: 84 AR AV EA MI | A | 9530 / MR | | 02-APR-91 | MR | AS | | 99 |
| | | | QQ-W-321/10 | WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 510 USER: ME SH REVIEWER: 84 AR AV EA MI | A | 9525 / MR | | 02-APR-91 | MR | AS | | 99 |
| D | | | QQ-W-343F NOTICE 1 | WIRE, ELECTRICAL, COPPER (UNINSULATED) USER: CG MC OS SH REVIEWER: 11 99 AR ES IS MI | A | 6145 / CR | | 21-DEC-90 | CR | YD1 | | 85 |
| D | | | QQ-W-345B(2) NOTICE 1 | WIRE, ELECTRICAL, STEEL, COPPER-COVERED [VALIDATION DATE: 9109] USER: AR AT AV MC REVIEWER: ME MI SH | A | 6145 / CR | | 20-SEP-91 | CR | YD1 | | 17 |
| | | | QQ-S-365D | SILVER PLATING, ELECTRODEPOSITED, GENERAL REQUIREMENTS FOR USER: AT IH REVIEWER: AR EC IS MI | A | MFFP / MR | | 03-JUN-85 | MR | SH | | |
| | | | QQ-A-367H(2) | ALUMINUM ALLOY FORGINGS REVIEWER: 99 AR AT EA GL OS SH | A | FORG / 11 | | 03-JAN-83 | MR | AS | | 11 |
| | | | QQ-C-390B | COPPER ALLOY CASTINGS (INCLUDING CAST BAR) [VALIDATION DATE: 8901] USER: ME REVIEWER: AR EA IS MI OS | A | MECA / MR | | 24-JAN-89 | MR | SH | | 99 |
| | | | QQ-T-390A | TIN ALLOY INGOTS AND CASTINGS AND LEAD ALLOY INGOTS AND CASTINGS (ANTIFRICTION METAL) FOR BEARING APPLICATIONS [VALIDATION DATE: 9102] REVIEWER: EA MI | A | 9650 / MR | | 14-FEB-91 | MR | | | 84 |
| | | | QQ-W-390/1 | WIRE NONELECTRICAL, ROUND, NICKEL-CHROMIUM-IRON ALLOY USER: GL ME SH REVIEWER: 84 85 AR CR IS MI SA | A | 9525 / MR | | 27-JUN-89 | MR | AS | | 11 |
| | | | QQ-W-4148 | WIRE, STEEL, CARBON, BOOKBINDER [VALIDATION DATE: 8502] REVIEWER: EA IS | A | 9505 / AR | | 09-JUN-67 | AR | | | 99 |
| D | | | QQ-P-416F(1) | PLATING, CADMIUM (ELECTRODEPOSITED) USER: AT MC ME MI YD1 REVIEWER: 70 82 84 99 AL AR CS ER ES GL IS SH | A | MFFP / AS | | 01-MAR-93 | MR | AS | | 11 |
| | | | QQ-T-425B(1) | TINPLATE (ELECTROLYTIC) [VALIDATION DATE: 8602] REVIEWER: AR AT GL IS OS | A | 9515 / MR | | 21-OCT-76 | MR | AS | | 99 |
| | | | QQ-W-00428A | WIRE, STEEL, CARBON (HIGH CARBON, ROUND, FOR MECHANICAL SPRINGS, GENERAL PURPOSE) | A | 9505 # | | 16-SEP-70 | | | | |
| | | | QQ-W-428B(1) | WIRE, STEEL, CARBON (HIGH CARBON, ROUND, FOR MECHANICAL SPRINGS, GENERAL PURPOSE) USER: AV MI REVIEWER: 84 AS IS | A | 9505 * OS | | 09-APR-91 | MR | OS | | |
| | | | QQ-W-428/1 | WIRE, STEEL, HIGH CARBON, ROUND, TYPE I USER: AV REVIEWER: 99 AR AS IS | A | 9505 / MR | | 09-APR-91 | MR | OS | | |
| | | | QQ-W-428/2 | WIRE, STEEL, HIGH CARBON, ROUND, TYPE II USER: AV REVIEWER: 99 AR AS IS | A | 9505 / MR | | 09-APR-91 | MR | OS | | |
| | | | QQ-A-430C(1) | ALUMINUM ALLOY ROD AND WIRE; FOR RIVETS AND COLD HEADING REVIEWER: 99 AR AV EA IS MI MR | A | 9525 / AS | | 10-JUL-90 | ME | AS | | 11 |
| | | | QQ-C-450A NOTICE 1 | COPPER-ALUMINUM ALLOY (ALUMINUM BRONZE) PLATE, SHEET, STRIP, AND BAR (COPPER ALLOY NUMBERS 606, 610, 613, 614, AND 630) [VALIDATION DATE: 9102] REVIEWER: AR AS IS MI | A | 9530 / MR | | 22-FEB-91 | MR | SH | | 11 |
| | L | | QQ-C-450A(I1) | COPPER-ALUMINUM ALLOY (ALUMINUM BRONZE) PLATE, SHEET, STRIP, AND BAR (COPPER ALLOY NUMBERS 606, 610, 613, 614, AND 630) [VALIDATION DATE: 8601] | A | 9530 / SH | | 21-JAN-81 | | SH | | |
| | | | QQ-C-523A | COPPER ALLOY INGOTS, BRASS (YELLOW, HIGH STRENGTH) MANGANESE AND MANGANESE ALUMINUM BRONZE (FOR REMELTING) [VALIDATION DATE: 8306] | A | 9650 / 84 | | 23-JUN-72 | MR | SH | | 99 |
| | | | QQ-G-540A(1) | GOLD: CASTING, DENTAL [VALIDATION DATE: 8811] | A | 6520 / MB | | 21-NOV-88 | MD | MS | | 03 |
| | | | QQ-G-547B | GOLD LEAF | A | 8010 # | | 14-JUL-75 | | | | |
| | Q | | QQ-S-571E(4) | SOLDER, TIN ALLOY TIN LEAD ALLOY & LEAD ALLOY USER: 80 REVIEWER: 19 84 99 GS | A | 3439 / ER | | 16-AUG-86 | ER | EC | | 11 |
| | QL | | QQ-S-571E(I6) | SOLDER, ELECTRONIC (96 TO 485 DEG. C) | A | 3439 / ER | | 10-DEC-90 | ER | | | |
| | | | QQ-B-575B(1) NOTICE 1 | BRAID, WIRE, (COPPER, TIN-COATED, OR SILVER COATED, TUBULAR, OR FLAT) [VALIDATION DATE: 8809] USER: AT AV MC SH REVIEWER: 99 OS IS MS OS | A | 6145 / CR | | 19-SEP-88 | CR | AS | | 85 |
| | | | QQ-S-632C | STEEL BAR, REINFORCING (FOR CONCRETE) | A | 5680 # | | 21-MAR-73 | | | | |
| D | | | QQ-B-639B NOTICE 1 | BRASS, NAVAL: FLAT PRODUCTS (PLATE, BAR, SHEET, AND STRIP) [VALIDATION DATE: 9103] USER: AT MC ME YD1 REVIEWER: AS IS MI OS | A | 9530 / MR | | 05-MAR-91 | MR | SH | | 84 |
| | | | QQ-B-653B | BRAZING ALLOY, GOLD [VALIDATION DATE: 8406] | A | 6520 / DM | | 23-MAR-60 | MD | MS | | 03 |
| D | | | QQ-B-654A(1) NOTICE 1 | BRAZING ALLOYS, SILVER [VALIDATION DATE: 9102] USER: 99 MC REVIEWER: MD ME YD1 | A | 3439 / SH | | 07-FEB-91 | AR | SH | | |
| D | 1 | | QQ-S-698(3) | STEEL, SHEET AND STRIP, LOW CARBON [VALIDATION DATE: 8803] REVIEWER: IS ME MI OS YD1 | A | 9515 / MR | | 04-MAR-88 | MR | AS | | 11 |
| D | | | QQ-S-700D NOTICE 1 | STEEL SHEET AND STRIP, MEDIUM AND HIGH CARBON [VALIDATION DATE: 9101] USER: AT ME YD1 REVIEWER: IS MI MR | A | 9515 / AR | | 17-JAN-91 | AR | | | 11 |
| D | | | QQ-S-763E(1) NOTICE 1 | STEEL BARS, WIRE, SHAPES, AND FORGINGS, CORROSION RESISTING USER: MC REVIEWER: AR AT IS ME MI OS YD1 | A | 9510 / AS | | 15-MAY-90 | MR | AS | | 11 |
| D | | | QQ-S-766D | STEEL, STAINLESS AND HEAT RESISTING, ALLOYS, PLATE, SHEET AND STRIP USER: ME REVIEWER: AS EA IS MC MI OS YD1 | A | 9515 / SH | | 05-FEB-88 | MR | SH | | |
| D | | | QQ-S-775E | STEEL SHEETS, CARBON, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS [VALIDATION DATE: 8204] USER: AS CE MC REVIEWER: ME WV YD1 | A | 9515 / SH | | 10-FEB-76 | MR | SH | | 84 |
| | L | | QQ-S-775E(I1) | STEEL SHEETS, CARBON, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS [VALIDATION DATE: 8204] | A | 9515 / SH | | 29-SEP-78 | | SH | | |
| D | | | QQ-A-1876 NOTICE 1 | ALUMINUM FOIL [VALIDATION DATE: 9008] USER: MC MD SA SH SS YD1 REVIEWER: 99 DS EA GS IS SH | A | 8135 / MR | | 16-AUG-90 | MR | AS | | 84 |
| D | L | | RR-T-25C | TABLE, STEAM-JACKETED KETTLE REVIEWER: GS MC | A | 7320 / YD1 | | 21-JUL-89 | | YD1 | | |
| D | | | RR-S-30F | SAFETY CAN, SPRING CLOSING TYPE USER: CG MC OS REVIEWER: MI | A | 7240 * GL | | 18-APR-75 | GL | YD1 | | 99 |
| | | | RR-P-35C | PAIL, UTILITY, METAL (ZINC-COATED) USER: CE GL MC | A | 7240 % | | 30-JUL-71 | | | | |
| | | | RR-H-40B | HANDCART, GROCERY, (NESTING) USER: GL | A | 7290 % | | 04-MAY-73 | | | | |
| D | | | RR-P-58E | PAN, BREAD USER: YD1 REVIEWER: MC MD | A | 7330 * GL | | 02-JUN-78 | GL | SA | | 99 |
| | | | RR-H-0060 | HANDLE, EXTENSION, ALUMINUM, TELESCOPIC, INSULATED HANDLE SHAFT (AND ACCESSORIES) | A | 7920 # FSS | | 12-AUG-65 | | | | |
| | | | RR-H-0060(I1) | HANDLE, EXTENSION, ALUMINUM, TELESCOPIC, INSULATED HANDLE SHAFT (AND ACCESSORIES) | A | 7920 # FSS | | 18-OCT-65 | | | | |
| D | | | RR-C-82F | CANS, ASH AND GARBAGE, AND COVERS USER: CE REVIEWER: MD | A | 7240 * GL | | 04-NOV-76 | GL | YD1 | | 99 |
| | | | RR-L-112D | LANTERN, KEROSENE, HAND, GLOBE | A | 6260 # 99 | | 16-MAR-73 | | | | 99 |
| D | | | RR-C-114E(1) | CAN, FLAMMABLE WASTE USER: CG MD | A | 7240 * GL | | 02-JAN-76 | GL | YD1 | | 99 |
| D | | | RR-P-125B | PARTS CLEANING CAN, SAFETY, BENCH [VALIDATION DATE: 8909] USER: CE MC REVIEWER: CS | A | 4940 / GL | | 07-SEP-89 | GL | YD1 | | 99 |
| | | | RR-B-130C(1) NOTICE 1 | BASIN, WASH AND TUB, FOOT, OVAL REVIEWER: 03 DM MD | A | 7240 * GL | | 03-AUG-77 | GL | | | 99 |

# NUMERICAL LISTING
# FEDERAL SPECIFICATIONS

| Action | GPA / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | RR-C-140(1) | CASH BOX, STEEL USER: GL | A 7520 % FSS 15-JUL-63 | | | | |
| | | RR-C-00140A | BOX, CASH, STEEL USER: GL | A 7520 % FSS 29-DEC-69 | | | | |
| | | RR-C-140(12) | CASH BOX, STEEL | A 7520 # FSS 01-APR-69 | | | | |
| D | | RR-F-191K | FENCING, WIRE AND POST METAL (AND GATES, CHAIN-LINK FENCE FABRIC, AND ACCESSORIES) (GENERAL SPECIFICATION) USER: CE REVIEWER: 84 CS | A 5660 / YD1 14-MAY-90 | ME | YD1 | 99 | |
| D | | RR-F-191/1D | FENCING, WIRE AND POST METAL (CHAIN-LINK FENCE FABRIC) USER: CE CG MC REVIEWER: 84 CS | A 5660 / YD1 14-MAY-90 | ME | YD1 | 99 | |
| D | | RR-F-191/2D | FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE GATES) USER: CE CG MC REVIEWER: 84 CS | A 5660 / YD1 14-MAY-90 | ME | YD1 | 99 | |
| D | | RR-F-191/3D | FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE POSTS, TOP RAILS AND BRACES) USER: CE CG MC REVIEWER: 84 CS | A 5660 / YD1 14-MAY-90 | ME | YD1 | 99 | |
| D | | RR-F-191/4D | FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE ACCESSORIES) USER: CE CG MC REVIEWER: CS | A 5660 / YD1 14-MAY-90 | ME | YD1 | 99 | |
| D | | RR-K-193E NOTICE 1 | KETTLES, STEAM-JACKETED (STAINLESS STEEL), GAS [VALIDATION DATE: 9302] USER: AS REVIEWER: 84 GS MD MS SA TS | A 7310 / GL 26-FEB-93 | GL | YD1 | 99 | |
| D | | RR-K-195J(1) | KETTLE, STEAM-JACKETED, (STAINLESS STEEL, STEAM HEATED) USER: CE MS REVIEWER: 45 MC MD SA SH | A 7310 / GL 01-FEB-88 | GL | YD1 | 99 | |
| | | RR-F-221G | FENCING, WIRE, FENCE POSTS AND ACCESSORIES (BARBED WIRE, WOVEN WIRE, AND NETTING) (GENERAL SPECIFICATION) USER: CE CG ME REVIEWER: CS | A 5660 * MC 28-AUG-73 | | MC | | |
| D | | RR-C-271D | CHAINS AND ATTACHMENTS, WELDED AND WELDLESS USER: CS GL OS REVIEWER: 82 AR AT DS EA IS MI YD1 | A 4010 / SH 25-SEP-90 | ME | SH | 99 | |
| | | RR-B-00300 | BINDER, NOTE PAD, SPRING-BACK | A 7510 # 21-APR-66 | | | | |
| | | RR-R-3308 | RING, LOOSE-LEAF BINDER USER: GL | A 7510 % 01-SEP-72 | | | | |
| D L | | RR-S-331D | SHOES: FOR WOOD PILES | A 5680 / YD1 12-SEP-89 | | YD1 | | |
| D | | RR-W-365A | WIRE FABRIC (INSECT SCREENING) [VALIDATION DATE: 8501] USER: MC REVIEWER: 82 DS EA IS MD MI MS OS | A 5335 / ME 05-SEP-80 | ME | YD1 | 99 | |
| L | | RR-W-365A(11) | WIRE FABRIC (INSECT SCREENING) | A 5335 / ML 29-JAN-86 | ME | | | |
| | | RR-S-366E | SIEVE, TEST USER: MC ME SH SM | A 6635 * 09-NOV-73 | | | | |
| D | | RR-W-410D(1) | WIRE ROPE AND STRAND REVIEWER: 82 IS YD1 | A 4010 / SH 22-APR-88 | ME | SH | 99 | |
| D | | RR-B-425C(1) | BLEACHERS, PORTABLE USER: MC REVIEWER: CS | A 5450 * GL 27-JUN-85 | GL | YD1 | | |
| | | RR-F-450D(1) | FLATWARE, CORROSION RESISTING STEEL [VALIDATION DATE: 8201] | A 7340 # 20-APR-76 | | | | |
| D | | RR-C-550D(1) | CONTAINERS, FLUID, FOR PAINT SPRAY EQUIPMENT REVIEWER: 82 MC | A 4940 / AL 19-FEB-93 | AL | YD1 | 99 | |
| D | | RR-S-550D(1) | SOCKET, WIRE ROPE USER: CG MC REVIEWER: IS YD1 | A 4030 / SH 20-FEB-86 | AR | SH | | |
| | | RR-H-571 | HOOK, CHAIN | A 5120 # 04-APR-33 | | | | |
| | | RR-D-575B | DOOR, METAL, SLIDING AND SWINGING, DOOR FRAME, METAL (FLUSH AND SEMIFLUSH) | A 5670 # 02-DEC-71 | | | | |
| D | | RR-P-586A | POT, MELTING, (NONELECTRIC, SOLDER STYLE) USER: YD1 | A 5120 * GL 20-FEB-58 | GL | | 99 | |
| | | RR-P-586A(11) | POT, MELTING, (NONELECTRIC, SOLDER STYLE) | A 5120 * GL 17-SEP-63 | GL | SH | 99 | |
| | | RR-S-615C(1) | SPONGE, METAL USER: SA REVIEWER: MD | A 7920 * GL 01-FEB-78 | GL | | 99 | |
| D | | RR-F-621E | FRAMES, COVERS, GRATINGS, STEPS, SUMP AND CATCH BASIN, MANHOLE USER: CE MC REVIEWER: 84 | A 5680 / YD1 23-FEB-89 | | YD1 | 99 | |
| | | RR-C-625C(1) | COVER, RECEPTACLE, SWINGING DOOR USER: GL MC REVIEWER: 99 | A 7240 * 29-NOV-71 | | | | |
| | | RR-F-00625A | FRAME, FILE DRAWER | A 7520 # 15-JUN-65 | | | | |
| | | RR-B-6288(1) | BOX, DOCUMENT, STEEL USER: MC | A 7520 * GL 25-APR-77 | GL | SA | 99 | |
| D | | RR-T-650D | TREADS, METALLIC AND NONMETALLIC, SKID RESISTANT USER: CE CG REVIEWER: 84 . | A 5670 / YD1 22-SEP-88 | ME | YD1 | 99 | |
| | | RR-I-660B | IRONING BOARD, PADS AND COVERS, (HOUSEHOLD) USER: GL | A 7290 % 23-JUN-70 | | | | |
| D | | RR-G-661E(1) | GRATING, METAL, BAR TYPE (FLOOR, EXCEPT FOR NAVAL VESSELS) USER: CE ME .... | A 5670 / YD1 21-MAR-84 | | YD1 | 99 | |
| | | RR-W-670D | WRINGER, MOP USER: GL | A 7920 % 17-OCT-72 | | | | |
| D | | RR-G-691B(1) | GRIP, CABLE JAW USER: ME YD1 | A 5120 * GL 23-AUG-73 | GL | | 99 | |
| | | RR-G-700B | GRIP, WIRE, STRAND, WIRE ROPE AND CABLE USER: ME | A 5120 * GL 03-SEP-63 | GL | | 99 | |
| | | RR-S-714D | STENCIL, SET, MARKING USER: GL | A 7520 % 21-JUN-74 | | | | |
| | | RR-S-720E | STEPLADDER AND PLATFORM LADDERS, ALUMINUM MAGNESIUM, FIBERGLASS | A 5440 # 20-MAR-78 | | | | |
| D | | RR-D-780C | DUSTERS, PESTICIDE, MANUALLY-OPERATED, TUBULAR-PUMP MANUALLY-CARRIED AND MANUALLY-OPERATED ROTARY FAN, STRAP-CARRIED REVIEWER: 84 MC MS | A 3740 / CS 27-NOV-87 | MD | YD1 | 99 | CS |
| | | RR-K-795A | KEY CHAIN, REEL (DOOR KEY AND DRILL CHUCK KEYS) | A 5340 # 19-AUG-74 | | | | |
| | | RR-D-00799A | DUSTPAN (LONG HANDLE, SWINGING PAN) | A 7290 # 25-SEP-70 | | | | |
| | | RR-B-800E | BUCKET, MOP, (METAL) USER: GL SA | A 7920 % 22-SEP-72 | | | | |
| | | RR-F-800D NOTICE 1 | FUNNEL, METAL USER: GL | A 7240 % 13-JUL-73 | | | | |
| D | | RR-J-800F | JUG, INSULATED; THERMAL EFFICIENT [VALIDATION DATE: 8402] USER: CG MC YD1 REVIEWER: 84 MD MS | A 7330 / GL 14-JUN-83 | GL | SA | 99 | |
| D | | RR-C-901C | CYLINDER, COMPRESSED GAS, HIGH PRESSURE, STEEL DOT 3AA, AND ALUMINUM APPLICATIONS, GENERAL SPECIFICATION FOR USER: CS MC YD1 REVIEWER: AS EA MI MS OS PS | A 8120 / ME 15-JAN-81 | ME | SH | 68 | |
| D | | RR-C-901/1 | CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA AND ALUMINUM APPLICATIONS, FOR INDUSTRIAL SERVICES [VALIDATION DATE: 8601] USER: GS MC PS YD1 REVIEWER: AS EA MI MS OS | A 8120 / ME 15-JAN-81 | ME | SH | 68 | |
| D | | RR-C-901/2 | CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA AND ALUMINUM APPLICATIONS FOR CARBON DIOXIDE [VALIDATION DATE: 8601] USER: GS MC PS YD1 REVIEWER: AS EA MI MS OS | A 8120 / ME 15-JAN-81 | ME | SH | 68 | |
| D | | RR-C-901/3 | CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA AND ALUMINUM APPLICATIONS, FOR MEDICAL SERVICES USER: GS MC PS YD1 REVIEWER: AS EA MI MS OS | A 8120 / ME 15-JAN-81 | ME | SH | 68 | |
| D | | RR-C-910D | CYLINDERS, COMPRESSED GAS, ICC4BA, ICC 4BW, AND ICC 4E [VALIDATION DATE: 8402] USER: CE MC MS YD1 REVIEWER: GS | A 8120 / ME 11-DEC-80 | ME | SH | 68 | |
| | | RR-C-910/1 | CYLINDER, COMPRESSED GAS, DOT SPECIFICATIONS 4BA, 4BW, & 4E FOR REFRIGERANTS, FIRE EXTINGUISHING AGENTS & STERILIZATION GASES [VALIDATION DATE: 8402] | A 8120 / ME 11-DEC-80 | ME | SH | 68 | |
| D | | RR-C-910/2 | CYLINDER, COMPRESSED GAS, DOT SPECIFICATIONS 4BA, 4BW, & 4E LIQUIFIED PETROLEUM GAS & FUEL GAS MIXTURES [VALIDATION DATE: 8402] USER: CG MS YD1 REVIEWER: 11 CE GS | A 8120 / ME 11-DEC-80 | ME | SH | 68 | |
| | | RR-H-1070B | HOLDER, GARBAGE CAN | A 7240 # 20-DEC-73 | | | | |
| | | RR-M-1075A | MOPPING OUTFITS, FLOOR USER: GL | A 7920 % FSS 16-NOV-72 | | | | |
| | | RR-M-1075A(11) | MOPPING OUTFITS, FLOOR | A 7920 % FSS 01-NOV-73 | | | | |
| | | RR-W-1101A | WASTE RECEPTACLE, SWINGING DOORS USER: GL | A 7240 % 31-OCT-72 | | | | |
| | | RR-D-1131C | DISPENSER, DRINKING WATER, NONMECHANICALLY COOLED (TO BE USED ONLY WHEN PRESSURE TYPE DISPENSERS ARE IMPRACTICABLE) | A 4110 # 02-MAR-79 | | | | |
| | | RR-A-1147B | ARM, WINDSHIELD WIPER, BLADE, WINDSHIELD WIPER, AND BLADE REFILL, WINDSHIELDED WIPER (VEHICULAR) [VALIDATION DATE: 8501] USER: MC REVIEWER: CS | A 2540 / AT 13-JUN-80 | AT | | 99 | |
| | | RR-B-001184 | BRACE, FLOOR SWEEPING BRUSH | A 7920 # 25-JAN-68 | | | | |
| | | RR-A-1255D | ASH RECEIVERS, TOBACCO, (WALL MOUNTED, PARABOLOIDAL SHAPE, 2 QUART CAPACITY) REVIEWER: 84 SA | A 9920 * GL 06-JAN-92 | GL | | 99 | |
| | | RR-F-1256A | FRAME, CLOTH BASKET (FOLDING) USER: GL REVIEWER: 99 | A 7240 * 15-JUN-73 | | | | |
| | | RR-S-001301 | SAFETY EQUIPMENT, CLIMBING [VALIDATION DATE: 8312] | A 4240 / SH 22-JUN-67 | | SH | | |
| D | | RR-P-1352C | PARTITIONS, TOILET, COMPLETE USER: CE CG MC ME SA | A 5670 / YD1 08-FEB-89 | | YD1 | 99 | |
| | | RR-W-001588 | WASTE RECEPTACLE, WALL OR POST MOUNTED | A 7240 # 20-MAR-70 | | | | |
| D | | RR-G-1602C | GRATING, METAL, OTHER THAN BAR TYPE (FLOOR, EXCEPT FOR NAVAL VESSELS) USER: CE ME | A 5670 / YD1 29-JUN-89 | | YD1 | 99 | |
| | | RR-M-1850 | MEASURE, LIQUID | A 7240 # 08-MAR-74 | | | | |
| | | RR-S-1862 | SHOES, SAFETY, LADDER AND LEVELING DEVICES, LADDER | A 5440 # FSS 24-MAR-75 | | | | |
| | | RR-S-1862(11) | SHOES, SAFETY, LADDER AND LEVELING DEVICES, LADDER | A 5440 # FSS 08-FEB-76 | | | | |
| | | RR-S-1989 | SHERBET CUP, STAINLESS STEEL | A 7350 # 04-MAY-76 | | | | |
| D | | SS-W-40A | WALL BASE: RUBBER, AND VINYL PLASTIC REVIEWER: YD1 | A 5680 # FSS 07-JUN-74 | | | | |
| | | SS-W-40A(11) | WALL BASE: RUBBER, AND VINYL PLASTIC | A 5680 # FSS 07-JUN-74 | | | | |
| | | SS-S-71A | SAND, FOR USE IN SHEET-ASPHALT OR BITUMINOUS-CONCRETE PAVEMENTS | A 5610 # 28-AUG-42 | | | | |

| Action | Qtr. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | SS-S-0071B | SAND, FINE, AGGREGATE | A 5610 # 08-AUG-68 | | | | |
| | | SS-W-110C | WATER REPELLENT, COLORLESS, SILICONE RESIN BASE | A 8030 # 16-JUN-72 | | | | |
| D | | SS-C-153C | CEMENT, BITUMINOUS, PLASTIC USER: CE ME | A 5610 * 13-DEC-74 | | YD1 | | |
| | | SS-P-155D(3) | PENCIL AND LEAD, ELECTROGRAPHIC USER: GL | A 7510 % FSS 22-SEP-72 | | | | |
| | | SS-P-155D(14) | PENCIL AND LEAD, ELECTROGRAPHIC | A 7510 # FSS 08-MAR-74 | | | | |
| A | | SS-P-166D(6) | PENCILS, LEAD (S/S BY A-A-2757, A-A-2769, A-A-2770, A-A-2771, A-A-2772, AND A-A-2773) | A 7510 # FSS 02-MAR-92 | | | | |
| | | SS-S-1698(1) | SEALER, JOINT, SEWER, MINERAL-FILLED, HOT-POUR | A 8030 # 04-JAN-78 | | | | |
| | | SS-P-186E | PENCIL, MECHANICAL (INCLUDING LEADS AND ERASERS) USER: GL ME SA REVIEWER: 99 | A 7520 % FSS 24-OCT-88 | | | | |
| | | SS-P-196E | PENCIL: SPIRAL-PAPER-FORM; WAX, GLASS AND CHINA MARKING | A 7510 * 20-JUL-78 | | | | |
| D | | SS-S-200E(1) | SEALANT, JOINT, TWO COMPONENT, JET BLAST RESISTANT, COLD APPLIED, FOR PORTLAND CEMENT CONCRETE PAVEMENT USER: MC REVIEWER: CE MD MR MS | A 8030 / YD1 23-AUG-88 | ME | YD1 | 99 | |
| D | | SS-S-210A(1) | SEALING COMPOUND, PREFORMED PLASTIC, FOR EXPANSION JOINTS & PIPE JOINTS USER: YD1 | A 8030 * 31-OCT-78 | | | | |
| | | SS-C-255 | CHALK, CARPENTERS AND RAILROAD USER: GL | A 7510 % 30-AUG-49 | | | | |
| | | SS-C-00255A | CHALK, CARPENTER S AND RAILROAD | A 7510 # 10-JAN-69 | | | | |
| | | SS-C-266F | CHALK, MARKING, WHITE AND COLORED USER: GL REVIEWER: EA | A 7510 * 20-AUG-73 | | | | |
| | | SS-A-281B(1) | AGGREGATE, (FOR) PORTLAND-CEMENT-CONCRETE (FOR DOD USE: ASTMC33) | A 5610 # 25-JAN-57 | | | | |
| D | | SS-T-312B | TILE, FLOOR: ASPHALT, RUBBER, VINYL, AND VINYL COMPOSITION [VALIDATION DATE: 9005] USER: CG MC | A 7220 / YD1 28-MAY-90 | CE | YD1 | 99 | |
| D | | NOTICE 1<br>SS-T-312B(11) | TILE, FLOOR: ASPHALT, RUBBER, VINYL, AND VINYL COMPOSITION [VALIDATION DATE: 9005] USER: CG MC | A 7220 / YD1 28-MAY-90 | CE | YD1 | 99 | |
| | | SS-T-315B | TILE, GYPSUM (INTERIOR, FLOOR AND ROOF, PRECAST) | A 5620 # 10-JUL-74 | | | | |
| | | SS-P-371E | PIPE, CONCRETE (NONREINFORCED, SEWER, STORM DRAIN, AND CULVERT) [VALIDATION DATE: 6901] | A 5630 # 28-AUG-68 | | | | |
| D | | SS-P-00402B | PLASTER, GYPSUM | A 5610 * ME 22-SEP-70 | ME | YD1 | 84 | |
| | | SS-C-466E(2) | CLOTH, THREAD, AND TAPE-ASBESTOS [VALIDATION DATE: 8204] | A 5640 # 02-JUL-64 | | | | |
| | | SS-R-501D(2) | ROOFING FELT, ASPHALT PREPARED, SMOOTH SURFACED | A 5650 # 20-JUN-69 | | | | |
| D | | SS-S-535B | SODIUM BORATE, DECAHYD [VALIDATION DATE: 8201] USER: MC MS REVIEWER: GS MD | A 6810 / EA 22-APR-70 | EA | YD1 | 68 | |
| | | SS-C-540B | COAL TAR (CUTBACK) ROOF COATING, BRUSHING CONSISTENCY( | A 5610 # 11-JUN-75 | | | | |
| | | SS-J-570B(1) | JOINT COMPOUNDS AND TAPE, WALLBOARD (FOR GYPSUM WALLBOARD CONSTRUCTION) | A 5640 # 09-AUG-77 | | | | |
| | | SS-C-635B | CRAYON ASSORTMENT, DRAWING, COLORED USER: GL | A 7510 % 07-DEC-66 | | | | |
| | | SS-C-646B(2) | CRAYON, MARKING, LUMBER USER: GL | A 7510 % 31-OCT-63 | | | | |
| D | | SS-G-659A | GRAPHITE, DRY (LUBRICATING) [VALIDATION DATE: 8306] USER: MC ME MI YD1 REVIEWER: AV DS SA | A 9620 / 84 01-MAR-67 | MR | OS | 99 | |
| | | SS-C-661A | CRAYON, MARKING USER: GL | A 7510 % 11-JAN-74 | | | | |
| | | SS-B-663B | BRICK BUILDING, CONCRETE | A 5620 # 09-JUN-65 | | | | |
| D | | SS-A-666D<br>NOTICE 1 | ASPHALT, PETROLEUM (BUILT-UP ROOFING, WATER-PROOFING AND DAMPPROOFING) | A 5610 * 07-MAY-68 | ME | YD1 | 84 | |
| | | SS-A-671C | ASPHALT, LIQUID, SLOW CURING, MEDIUM CURING, AND RAPID CURING | A 5610 # 08-SEP-66 | | | | |
| | | SS-A-701B | ASPHALT, PETROLEUM (PRIMER, ROOFING, AND WATERPROOFING) [VALIDATION DATE: 7804] | A 5610 # 15-JUL-74 | | | | |
| | | SS-S-736D | STONES, SHARPENING USER: GL REVIEWER: 84 AV | A 5345 % FSS 01-JUN-89 | | | | |
| D | | SS-S-736/1 | STONES, SHARPENING TYPE I - MOUNTED-IN-BOX CLASS B - NATURAL (NOVACULITE) STYLE 1 - RECTANGULAR USER: YD1 REVIEWER: 84 AV | A 5345 % FSS 01-JUN-89 | | | | |
| | | SS-S-736/2 | STONES, SHARPENING TYPE II - UNMOUNTED STONES CLASS A-1 - ARTIFICIAL (ALUMINUM OXIDE) USER: GL REVIEWER: 84 AV | A 5345 % FSS 01-JUN-89 | | | | |
| | | SS-S-736/3 | STONES, SHARPENING TYPE II - UNMOUNTED STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) USER: GL REVIEWER: 84 AV | A 5345 % FSS 01-JUN-89 | | | | |
| | | SS-S-736/4 | STONES, SHARPENING TYPE II - UNMOUNTED STONES CLASS B - NATURAL (NOVACULITE) USER: GL REVIEWER: 84 AV | A 5345 % FSS 01-JUN-89 | | | | |
| D | | SS-S-736/5A | STONES, SHARPENING TYPE II - UNMOUNTED STONES COMBINATION STONES (SEE TABLE I FOR CLASSES) STYLE 1 - RECTANGULAR USER: YD1 REVIEWER: 84 AV | A 5345 % FSS 05-DEC-89 | | | | |
| D | | SS-S-736/6 | STONES, SHARPENING TYPE III - TAPER ROUND STONES CLASS A-1 - ARTIFICIAL (ALUMINUM OXIDE) REVIEWER: 84 AV YD1 | A 5345 % FSS 01-JUN-89 | | | | |
| D | | SS-S-736/7 | STONES SHARPENING TYPE IV - SCYTHE STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) REVIEWER: 84 AV YD1 | A 5345 % FSS 01-JUN-89 | | | | |
| D | | SS-S-736/8 | STONES, SHARPENING TYPE V - KNIFE SHARPENING STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) REVIEWER: 84 AV YD1 | A 5345 % FSS 01-JUN-89 | | | | |
| D | | SS-S-736/9 | STONES, SHARPENING TYPE VI - GROOVED, SURGICAL AND DENTAL STONES CLASS B - NATURAL (NOVACULITE) USER: YD1 REVIEWER: 84 AV | A 5345 % FSS 01-JUN-89 | | | | |
| D | | SS-S-736/10 | STONES, SHARPENING TYPE VII - AX SHARPENING STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) REVIEWER: 84 AV YD1 | A 5345 % FSS 01-JUN-89 | | | | |
| D | | SS-S-736/11 | STONES, SHARPENING TYPE X - SHOEMAKER SHARPENING STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) REVIEWER: 84 AV YD1 | A 5345 % FSS 01-JUN-89 | | | | |
| | | SS-P-821C | PUMICE: GROUND, ABRASIVE REVIEWER: 84 DS IS | A 5350 % FSS 20-MAY-89 | | | | |
| | | SS-P-1229A | PIPE, CLAY (DRAIN) USER: CE CG MC | A 5630 % 02-MAY-68 | | | | |
| M | | SS-S-1401C(1) | SEALANT, JOINT, NON-JET-FUEL-RESISTANT, HOT-APPLIED, FOR PORTLAND CEMENT CONCRETE AND ASPHALT CONCRETE PAVEMENTS USER: MC REVIEWER: MD MR MS | A 8030 / YD1 14-MAY-93 | CE | YD1 | 99 | |
| | | SS-P-1540B | PIPE, BITUMINIZED FIBER (AND FITTINGS) | A 5630 # 25-SEP-73 | | | | |
| M | | SS-S-1614A(1) | SEALANTS, JOINT, JET-FUEL-RESISTANT, HOT-APPLIED, FOR PORTLAND CEMENT AND TAR CONCRETE PAVEMENTS REVIEWER: MD MR MS | A 8030 / YD1 14-MAY-93 | CE | YD1 | 99 | |
| | | SS-L-1682 | LAPPING AND GRINDING COMPOUND, VALVE [VALIDATION DATE: 7704] | A 5350 # 28-JAN-71 | | | | |
| | | SS-C-1783 | CLOTH, ASBESTOS | A 5640 # 29-MAR-73 | | | | |
| | | SS-C-1960/1A | CEMENT, MASONRY | A 5610 # 24-MAY-77 | | | | |
| | | SS-S-1996 | SEALER, WATER AND WEATHER RESISTANT, FOR ASPHALT, CONCRETE, AND MASONRY SURFACES REVIEWER: 04 99 CE | A 8030 * 01-JUN-76 | | | | |
| D | | TT-P-19D | PAINT, LATEX (ACRYLIC EMULSION, EXTERIOR WOOD & MASONRY) USER: CE MC REVIEWER: MD MR | A 8010 * YD1 07-FEB-85 | ME | YD1 | | |
| D | | TT-L-20A | LACQUER, CAMOUFLAGE USER: 11 MC YD1 REVIEWER: AR DS MD MI OS | A 8010 * ME 25-APR-67 | ME | AS | 99 | |
| | L | TT-L-20A(11) | LACQUER, CAMOUFLAGE | A 8010 / MR 04-AUG-75 | MR | | | |
| D | | TT-P-24E | PAINT, OIL (EXTERIOR CONCRETE AND MASONRY) USER: MC REVIEWER: 84 | A 8010 * YD1 02-APR-85 | | YD1 | 99 | |
| | L | TT-P-25F | PRIMER COATING, EXTERIOR (LOW VOC UNDERCOAT FOR WOOD, WHITE AND TINTS) USER: MC REVIEWER: 69 AT | A 8010 * 99 08-JAN-92 | | | 99 | |
| | | TT-L-26C | LACQUER (BRUSHING, CLEAR AND PIGMENTED FOR EXTERIOR AND INTERIOR USE) | A 8010 * 18-MAY-81 | | | | |
| D | | TT-P-26C(1) | PAINT, INTERIOR, WHITE, TINTS AND BLACK, FIRE RETARDANT USER: MC SA YD1 REVIEWER: MR | A 8010 * ME 23-JUN-77 | ME | SH | 99 | |
| DQ | | TT-P-28G | PAINT, ALUMINUM, HEAT RESISTING (1200 DEG. F.) USER: OS REVIEWER: 84 99 AS MD YD1 | A 8010 / ME 08-JUL-85 | ME | SH | 11 | |
| DQ | | TT-P-29K | PAINT, LATEX USER: CE REVIEWER: 84 | A 8010 * YD1 31-OCT-91 | | YD1 | 99 | |
| D | | TT-P-30E(1) | PAINT, ALKYD, ODORLESS, INTERIOR, FLAT, WHITE AND TINTS REVIEWER: YD1 | A 8010 # 21-MAR-84 | | | | |
| D | | TT-P-31D | PAINT, OIL, IRON-OXIDE, READY-MIXED, RED AND BROWN [VALIDATION DATE: 8401] USER: AT MC REVIEWER: MR SA YD1 | A 8010 / ME 06-JUL-73 | ME | | 99 | |
| | | TT-L-32A(1) | LACQUER, CELLULOSE NITRATE, GLOSS, FOR AIRCRAFT USE USER: AV REVIEWER: 99 AR DS EA MI OS SH | A 8010 / ME 09-MAR-73 | MR | AS | 84 | |
| | | TT-P-32B | PAINT, BLACKBOARD COATING | A 8010 # 16-FEB-78 | | | | |
| D | | TT-P-37D | PAINT, ALKYD RESIN, EXTERIOR TRIM, DEEP COLORS REVIEWER: YD1 | A 8010 # 30-MAY-80 | | | | |
| D | | TT-P-38E | PAINT, ALUMINUM, READY-MIXED REVIEWER: EA YD1 | A 8010 * ME 16-JAN-85 | ME | | | |
| | | TT-P-47G | PAINT, OIL (NONPENETRATING - FLAT, READY-MIXED TINTS AND WHITE) | A 8010 # 17-JUL-84 | | | | |
| | | TT-L-50G(2) | LACQUER, NITROCELLULOSE, ACRYLIC AND ACRYLIC BUTYRATE, AEROSAL (IN PRESSURIZED DISPENSERS) | A 8010 # 12-AUG-77 | | | | |
| | | TT-V-51F | VARNISH, ASPHALT USER: ME | A 8010 # 31-DEC-74 | | | | |
| | | TT-P-52D(2) | PAINT, OIL (ALKYD-OIL) WOOD SHAKES AND ROUGH SIDING | A 8010 # 23-JUN-77 | | | | |

| Action | Qty / Cond. | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | TT-L-54C | LACQUER: SPRAYING, ACID-RESISTANT, (FOR ALUMINUM SURFACES AROUND STORAGE BATTERIES) USER: EL REVIEWER: EA MD MI OS | A | 8010 | * | ME | 09-JUN-76 | ME | SH | | |
| | | | | TT-L-54C(11) | LACQUER: SPRAYING, ACID-RESISTANT, (FOR ALUMINUM SURFACES AROUND STORAGE BATTERIES) | A | 8010 | # | FSS | 14-NOV-77 | | | | |
| | | | | TT-P-54C(1) | PAINT, PHOSPHORESCENT, READY&MIXED (NON&RADIOACTIVE) USER: AS MC ME OS SA REVIEWER: DS MR | A | 8010 | / | CG | 03-FEB-77 | | CG | | |
| | | | | TT-L-57C(1) | LACQUER, RUBBING, CLEAR, (FOR WOOD FURNITURE) | A | 8010 | # | | 23-JUN-77 | | | | |
| D | | | | TT-L-58E | LACQUER, SPRAYING, CLEAR AND PIGMENTED.(GENERAL INTERIOR USE) USER: AT MC REVIEWER: DS EA MI SA | A | 8010 | * | ME | 26-OCT-78 | ME | YD1 | 99 | |
| | | | | TT-P-59E(1) | PAINT, READY MIXED, INTERNATIONAL ORANGE (NOT FOR RESIDENTIAL USE) | A | 8010 | # | | 23-JUN-77 | | | | |
| | | | | TT-V-71H | VARNISH, INTERIOR, FLOOR AND TRIM USER: MC ME | A | 8010 | % | | 31-JAN-79 | | | | |
| D | | | | TT-P-81E | PAINT, OIL, ALKYD, READY MIXED EXTERIOR, MEDIUM SHADES USER: YD1 | A | 8010 | # | | 15-NOV-73 | | | | |
| D | | | | TT-V-81G | VARNISH, MIXING, FOR ALUMINUM PAINT USER: MR REVIEWER: GL MI | A | 8010 | * | ME | 07-MAR-78 | | YD1 | 99 | |
| D | | | | TT-P-85E | PAINT, TRAFFIC AND AIRFIELD MARKING, SOLVENT BASE (VALIDATION DATE: 8306) USER: YD1 | A | 8010 | * | 84 | 15-SEP-77 | | | 99 | |
| D | | | | TT-V-85C(1) | VARNISH, OIL, LOW SHEEN, BRUSH OR SPRAY APPLICATION REVIEWER: YD1 | A | 8010 | # | | 18-JAN-83 | | | | |
| | | | | TT-V-85C(12) | VARNISH, OIL (LOW SHEEN, BRUSH OR SPRAY APPLICATION) | A | 8010 | # | FSS | 18-JAN-83 | | | | |
| D | | | | TT-P-86H | PAINT, RED-LEAD BASE, READY-MIXED USER: CE ME REVIEWER: AS MS | A | 8010 | / | YD1 | 19-JUL-87 | | YD1 | | |
| | | | | TT-V-86C(1) | VARNISH, OIL, RUBBING (FOR METAL AND WOOD FURNITURE) | A | 8010 | # | | 06-OCT-78 | | | | |
| | | | | TT-P-87D | PAINT, TRAFFIC, PREMIXED REFLECTORIZED | A | 8010 | # | | 29-MAY-78 | | | | |
| | | | | TT-P-91D(2) | PAINT, RUBBER BASE, FOR INTERIOR USE (CONCRETE AND MASONRY FLOORS) | A | 8010 | # | | 12-JUL-83 | | | | |
| | | | | TT-N-95B(1) NOTICE 1 | NAPHTHA: ALIPHATIC (VALIDATION DATE: 9111) USER: MC OS SH | A | 6810 | / | AS | 05-NOV-91 | AR | AS | 68 | |
| | | | | TT-P-95C(1) | PAINT, RUBBER, FOR SWIMMING POOLS AND OTHER CONCRETE AND MASONRY SURFACES REVIEWER: MD MR | A | 8010 | * | | 23-JUN-77 | | | | |
| | | | | TT-P-96D(2) | PAINT, LATEX BASE, FOR EXTERIOR SURFACES (WHITE AND TINTS) | A | 8010 | # | | 27-JUN-83 | | | | |
| | | | | TT-N-97C NOTICE 1 | NAPHTHA: AROMATIC (VALIDATION DATE: 9111) USER: GS MC MI OS | A | 6810 | / | AS | 05-NOV-91 | | AS | 68 | |
| | | | | TT-P-97D | PAINT, STYRENE-BUTADIENE SOLVENT TYPE, WHITE (FOR EXTERIOR MASONRY) | A | 8010 | # | MBS | 25-JAN-68 | | | | |
| | | | | TT-P-97D(11) | PAINT, STYRENE-BUTADIENE SOLVENT TYPE, WHITE (FOR EXTERIOR MASONRY) | A | 8010 | # | FSS | 01-FEB-72 | | | | |
| D | L | | | TT-P-102F | PAINT, OIL, (ALKYD MODIFIED, EXTERIOR, LOW VOC) | A | 8010 | * | YD1 | 21-JAN-92 | | YD1 | | |
| D | | | | TT-V-109C | VARNISH, INTERIOR, ALKYD-RESIN USER: YD1 | A | 8010 | * | ME | 30-JAN-78 | ME | SH | 99 | |
| D | | | | TT-P-110C | PAINT, TRAFFIC BLACK (NONREFLECTORIZED) | A | 8010 | * | YD1 | 13-APR-77 | | YD1 | | |
| D | | | | TT-P-115F | PAINT, TRAFFIC, HIGHWAY, WHITE AND YELLOW USER: YD1 REVIEWER: 84 MR | A | 8010 | * | | 05-DEC-84 | | | | |
| | | | | TT-V-119D(2) | VARNISH, SPAR, PHENOLIC-RESIN | A | 8010 | % | FSS | 23-JUN-77 | | | | |
| | | | | TT-V-121H | VARNISH, SPAR, WATER RESISTING | A | 8010 | * | ME | 05-JAN-78 | ME | | 99 | |
| | | | | TT-W-156B(2) NOTICE 1 | WATER-REPELLENT COMPOUND, TEXTILE FINISH (VALIDATION DATE: 8710) REVIEWER: EA IS MC MD MR | A | 8030 | / | GL | 23-OCT-87 | GL | SA | 99 | |
| D | | | | TT-S-176E(1) | SEALER, SURFACE, VARNISH TYPE, FLOOR, WOOD OR CORK REVIEWER: YD1 | A | 8010 | # | | 23-JUN-77 | | | | |
| | | | | TT-S-178B(1) | SEALER, SURFACE RENEWER FOR WOOD AND SEALER FOR CONCRETE | A | 8010 | # | | 23-JUN-77 | | | | |
| D | | | | TT-S-179B(1) | SEALER SURFACE, PIGMENTED OIL, FOR PLASTER AND WALLBOARD USER: YD1 | A | 8010 | * | ME | 23-JUN-77 | | | | |
| | | | | TT-L-190D(1) | LINSEED OIL, BOILED, (FOR USE IN ORGANIC COATING) REVIEWER: OS | A | 8010 | * | ME | 01-JUL-77 | ME | | | |
| | | | | TT-S-190F | SEALER, SANDING, LACQUER TYPE (FOR WOOD FURNITURE) | A | 8010 | # | | 02-FEB-81 | | | | |
| D | | | | TT-L-201A | LINSEED OIL, HEAT POLYMERIZED USER: AT MC YD1 REVIEWER: GL | A | 8010 | * | ME | 31-JAN-78 | MR | | 99 | |
| | | | | TT-S-223B(1) | SEALER, SURFACE, FLOOR, WATER EMULSION TYPE USER: CE | A | 8010 | * | ME | 16-JAN-85 | ME | | | |
| | | | | TT-S-227B(1) | SEALING COMPOUND, RUBBER BASE, TWO COMPONENT (FOR CALKING, SEALING, & GLAZING IN BUILDING CONSTRUCTION) | A | 8030 | # | | 24-JUN-65 | | | | |
| | | | | TT-S-00227E(3) | SEALING COMPOUND, ELASTOMERIC TYPE, MULTI-COMPONENT (FOR CALKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES) | A | 8030 | # | | 09-OCT-70 | | | | |
| D | | | | TT-R-230B | REMOVER, PAINT (ALKALI-TYPE FOR HOT APPLICATION) (VALIDATION DATE: 7408) USER: YD1 REVIEWER: MD | A | 8010 | * | ME | 06-NOV-68 | ME | | | |
| | | | | TT-S-230A(1) | SEALING COMPOUND, SYNTHETIC-RUBBER BASE, SINGLE COMPONENT, CHEMICALLY CURING (FOR CAULKING, SEALING AND GLAZING IN BUILDING CONSTRUCTION) | A | 8030 | # | | 06-SEP-67 | | | | |
| | | | | TT-S-00230C(2) | SEALING COMPOUND, ELASTOMERIC TYPE, SINGLE COMPONENT (FOR CALKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES) | A | 8030 | # | | 09-OCT-70 | | | | |
| | | | | TT-R-248B | REMOVER, PAINT AND LACQUER, SOLVENT TYPE USER: AV MC MI REVIEWER: 11 85 | A | 8010 | / | AS | 29-OCT-81 | MR | AS | 99 | |
| D | | | | TT-R-251J(1) | REMOVER, PAINT (ORGANIC SOLVENT TYPE) USER: CE MC YD1 REVIEWER: 11 DS MD | A | 8010 | * | ME | 13-MAY-86 | ME | | | |
| D | | | | TT-R-266D | RESIN, ALKYD, SOLUTIONS (VALIDATION DATE: 8302) USER: AT YD1 REVIEWER: AS ME MI OS | A | 8010 | / | SH | 17-NOV-71 | | SH | 84 | |
| | | | | TT-T-266D | THINNER: DOPE AND LACQUER (CELLULOSE-NITRATE) USER: AS MC MI SA REVIEWER: DS GL OS | A | 8010 | * | ME | 30-MAR-76 | ME | SH | 99 | |
| | | | | TT-T-266D(12) | THINNER: DOPE AND LACQUER (CELLULOSE-NITRATE) | A | 8010 | # | FSS | 14-JUN-78 | | | | |
| M | | | | TT-T-291F(2) | THINNER, PAINT, MINERAL SPIRITS, REGULAR AND ODORLESS USER: MC REVIEWER: AR MR OS YD1 | A | 8010 | * | FSS | 12-FEB-93 | ME | SH | 99 | |
| | | | | TT-T-291F(11) | THINNER, PAINT, MINERAL SPIRITS, REGULAR AND ODORLESS | A | 8010 | # | FSS | 30-NOV-78 | | | | |
| | | | | TT-S-300A | SHELLAC, CUT USER: ME REVIEWER: OS | A | 8010 | # | | 25-APR-77 | | | | |
| M | | | | TT-T-306D | THINNER, SYNTHETIC RESIN ENAMELS USER: GL OS REVIEWER: 84 MI | A | 8010 | * | FSS | 31-DEC-92 | | | 99 | |
| | | | | TT-F-322D | FILLER TWO-COMPONENT TYPE: FOR DENTS, CRACKS, SMALL-HOLES, AND BLOW HOLES USER: SH REVIEWER: 99 MI | A | 8010 | * | MR | 24-OCT-73 | MR | | 85 | |
| | | | | TT-F-322D(11) | FILLER, TWO-COMPONENT TYPE: FOR DENTS, CRACKS, SMALL HOLES, AND BLOW HOLES | A | 8010 | # | FSS | 16-OCT-75 | | | | |
| | | | | TT-F-325A(2) | FILLER, ENGRAVING, STAMPED MARKING (VALIDATION DATE: 8302) USER: MC REVIEWER: AR EA MI MR | A | 8010 | / | ME | 05-JUN-73 | ME | SA | 99 | |
| | | | | TT-F-336E | FILLER, WOOD, PASTE REVIEWER: ME MI OS | A | 8010 | % | MR | 01-MAR-78 | | | | |
| | | | | TT-F-340C | FILLER, WOOD, PLASTIC REVIEWER: OS | A | 8010 | # | | 06-FEB-79 | | | | |
| D | | | | TT-N-350B | NITROCELLULOSE, TECHNICAL (FOR USE IN ORGANIC COATINGS) (VALIDATION DATE: 8501) USER: AS SH | A | 6810 | / | ME | 19-SEP-73 | ME | YD1 | 68 | |
| | | | | TT-P-350B | PIGMENT, LAMPBLACK-DRY (VALIDATION DATE: 7904) REVIEWER: MR OS SH | A | 8010 | * | AS | 15-MAY-67 | ME | AS | 99 | |
| | | | | TT-T-390A(2) | TINTING MEDIUM, CONCENTRATE GENERAL PURPOSE | A | 8010 | # | | 23-JUN-77 | | | | |
| DQ | I | | | TT-E-485F(1) NOTICE 1 | ENAMEL, SEMIGLOSS, RUST-INHIBITING USER: AT MC REVIEWER: 85 CR IS ME MI YD1 | A | 8010 | / | AR | 25-FEB-91 | AR | SH | 84 | |
| | | | | TT-E-487E(1) | ENAMEL, FLOOR AND DECK USER: CE REVIEWER: 84 | A | 8010 | * | | 22-AUG-84 | | | | |
| | | | | TT-E-004888(3) | ENAMEL, PRIMER COATING AND CLEAR LACQU R (IN PRESSURIZED DISPENSERS) REVIEWER: DS | A | 8010 | # | | 12-AUG-77 | | | | |
| DQ | | | | TT-E-489H | ENAMEL, ALKYD, GLOSS, LOW VOC CONTENT USER: MC MI OS REVIEWER: 11 84 AR AS DS YD1 | A | 8010 | / | ME | 22-AUG-88 | ME | SH | 99 | |
| D | | | | TT-C-490D | CLEANING METHODS FOR FERROUS SURFACES AND PRETREATMENTS FOR ORGANIC COATINGS USER: MC OS SH REVIEWER: 80 AL AR AS AT AV EA ER ME MI SH | A | MFFP | / | MR | 31-MAR-93 | MR | YD1 | 11 | |
| D | | | | TT-E-490E(3) | ENAMEL, SILICONE ALKYD COPOLYMER, SEMIGLOSS (FOR EXTERIOR & INTERIOR NON RESIDENTIAL USE) USER: ME REVIEWER: OS SH YD1 | A | 8010 | * | | 09-NOV-78 | | | | |
| | | | | TT-E-491C | ENAMEL, GLOSS, SYNTHETIC (FOR METAL AND WOOD FURNITURE) | A | 8010 | # | | 01-AUG-77 | | | | |
| D | | | | TT-C-492C(1) | COATING COMPOUND, PAINT ANTISWEAT REVIEWER: SH | A | 8010 | * | YD1 | 23-JUN-77 | | YD1 | 99 | |
| D | | | | TT-C-494B NOTICE 1 | COATING COMPOUND, BITUMINOUS, SOLVENT TYPE ACID-RESISTANT (VALIDATION DATE: 9103) REVIEWER: 11 84 ME YD1 | A | 8030 | / | MR | 20-MAR-91 | MR | SH | 99 | |
| | | | | TT-C-495D | COATING, EXTERIOR, FOR TINNED FOOD CANS (VALIDATION DATE: 8402) USER: MC MS SS REVIEWER: EA MD MR | A | 8030 | / | GL | 14-JUL-78 | GL | SA | | |
| | | | | TT-E-496B(3) | ENAMEL, HEAT-RESISTING (400 DEG. F.), BLACK USER: AR MI REVIEWER: EA | A | 8010 | * | | 29-JAN-85 | | | | |
| | | | | TT-C-498C | COATING COMPOUND, BITUMINOUS, FILLERS, SOLVENT TYPE, ALUMINUM PIGMENTED | A | 8030 | # | | 10-MAR-80 | | | | |
| | | | | TT-C-499A | COATING COMPOUND, CHEMICAL RESISTANT, CLEAR | A | 8010 | # | | 16-JUN-75 | | | | |
| | L | | | TT-E-505B | ENAMEL (ODORLESS, ALKYD, INTERIOR, HIGH GLOSS) USER: MC | A | 8010 | * | ME | 04-FEB-85 | ME | | | |
| | | | | TT-E-506K(1) | ENAMEL, ALKYD, GLOSS, TINTS AND WHITE (FOR INTERIOR USE) | A | 8010 | * | | 18-MAY-84 | | | | |
| D | | | | TT-E-508C | ENAMEL, INTERIOR SEMIGLOSS, TINTS AND WHITES USER: MD SH REVIEWER: CE MR | A | 8010 | * | | 17-JUL-84 | | YD1 | 99 | |
| D | | | | TT-E-509C | ENAMEL, ODORLESS, ALKYD, INTERIOR, SEMIGLOSS, WHITE AND TINTS USER: MC ME REVIEWER: CE MD MR | A | 8010 | / | YD1 | 05-DEC-86 | | YD1 | 99 | |
| A | | | | TT-A-511E | AMYL ACETATE, TECHNICAL USER: AS OS SH REVIEWER: GS MD | A | 6810 | / | EA | 20-MAY-92 | EA | | 68 | |

| Action | QPL / QML Cancellation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| Q | | TT-E-515A(1) | ENAMEL, ALKYD, LUSTERLESS, QUICK-DRYING [VALIDATION DATE: 8411] USER: CE MI OS REVIEWER: DS EA GL | A 8010 / ME 14-AUG-72 | ME | | 99 | |
| | | TT-I-521(1) | INK, COPYING AND RECORD USER: GL SA | A 7510 % 30-JAN-40 | | | | |
| | | TT-I-00521A(1) | INK, COPYING AND RECORD | A 7510 # 27-DEC-67 | | | | |
| | | TT-I-526A(2) | INK, DRAWING, BLACK AND COLORS: (FOR GLAZED PLASTIC SURFACES) [VALIDATION DATE: 7403] USER: SA | A 7510 * GL 18-DEC-64 | GL | | 99 | |
| | | TT-I-526A(14) | INK, DRAWING, BLACK AND COLOR: (FOR GLAZED PLASTIC SURFACES) [VALIDATION DATE: 7403] | A 7510 # FSS 28-OCT-71 | | | | |
| | | TT-E-527D | ENAMEL, ALKYD, LUSTERLESS, LOW VOC CONTENT | A 8010 / ME 06-JUN-88 | ME | AS | 99 | |
| | | TT-I-528C(1) | INK, DRAWING, WATERPROOF, BLACK USER: GL ME | A 7510 % FSS 05-MAR-76 | | | | |
| DQ | | TT-E-529G | ENAMEL, ALKYD, SEMIGLOSS, LOW VOC CONTENT USER: AT SA REVIEWER: 84 AR EA ER MI | A 8010 / ME 06-JUN-88 | ME | YD1 | 99 | |
| D | | TT-E-00529E | ENAMEL, ALKYD, SEMIGLOSS | A 8010 / ME 15-MAR-83 | ME | YD1 | 99 | |
| Q | | TT-C-5308 | COATING COMPOUND, RUST INHIBITIVE, FISH OIL BASE [VALIDATION DATE: 8204] | A 8030 # 20-JUL-78 | | | | |
| | | TT-I-531C(2) | INK, DRAWING, WATERPROOF, COLORED (S/S BY A-A-2331) | A 7510 * 07-SEP-65 | | | | |
| | | TT-I-533B(1) | INK, DRAWING, WATERPROOF, BLACK (FOR USE ON WATER REPELLENT AND PLASTIC DRAFTING SURFACES) USER: GL | A 7510 % 03-MAR-76 | | | | |
| D | | TT-C-535B(2) | COATING, EPOXY, TWO COMPONENT, FOR INTERIOR USE ON METAL, WOOD, WALLBOARD, PAINTED SURFACES CONCRETE AND MASONRY REVIEWER: YD1 | A 8010 * ME 23-JUN-77 | | | | |
| | | TT-I-535D | INK, DUPLICATING MACHINE STENCIL, PASTE, BLACK USER: GL | A 7510 % FSS 29-SEP-72 | | | | |
| | | TT-I-535D(11) | INK, DUPLICATING MACHINE STENCIL, PASTE, BLACK | A 7510 # FSS 11-FEB-75 | | | | |
| D | | TT-C-542E | COATING, POLYURETHANE, OIL-FREE, MOISTURE-CURING [VALIDATION DATE: 8306] REVIEWER: YD1 | A 8010 * 84 14-JUL-78 | MR | SH | 99 | |
| | | TT-I-542E | INK, MARKING, LAUNDRY, BLACK USER: GL MI REVIEWER: 99 | A 7510 * 15-APR-75 | | | | |
| | | TT-I-544(2) | INK: MARKER, FELT TIP | A 7510 * GL 10-APR-61 | GL | SA | 99 | |
| | | TT-I-544(14) | INK: MARKER, FELT TIP | A 7510 * GL 22-SEP-70 | GL | SA | 85 | |
| D | | TT-E-545C | PRIMER ( ENAMEL - UNDERCOAT, ALKYD, ODORLESS, INTERIOR, FLAT, TINTS & WHITE) REVIEWER: YD1 | A 8010 * ME 11-SEP-87 | ME | | | |
| | | TT-I-547A | INK, NUMBERING MACHINE, FOR PHOTOGRAPHIC NEGATIVES USER: GL OS | A 7510 % 20-DEC-56 | | | | |
| | | TT-I-00547B | INK, NUMBERING MACHINE, FOR PHOTOGRAPHIC NEGATIVES | A 7510 # 10-FEB-67 | | | | |
| | | TT-T-548F | TOLUENE, TECHNICAL USER: MC REVIEWER: AR GS MD MI OS | A 6810 / EA 01-NOV-91 | EA | SH | 68 | |
| | | TT-W-550G | WOOD PRESERVATIVE, CHROMATED COPPER ARSENATE MIXTURE | A 8030 # 22-APR-76 | | | | |
| | | TT-W-551F | WOOD PRESERVATIVE, CHROMATED ZINC CHLORIDE MIXTURE USER: AT | A 8030 % 15-APR-76 | | | | |
| | | TT-I-554A | INK: STAMP-PAD, RED, FOR PHOTOGRAPHIC PRINTS | A 7510 # FSS 10-APR-56 | | | | |
| | | TT-I-00554A | INK: STAMP-PAD, RED, FOR PHOTOGRAPHIC PRINTS | A 7510 # FSS 12-JAN-55 | | | | |
| | | TT-I-554A(11) | INK: STAMP-PAD, RED, FOR PHOTOGRAPHIC PRINTS | A 7510 # FSS 29-APR-70 | | | | |
| D | | TT-C-555B(1) | COATING, TEXTURED (FOR INTERIOR AND EXTERIOR MASONRY SURFACES) USER: YD1 | A 8010 * CG 05-AUG-75 | | CG | | |
| | | TT-I-556F(1) | INK, STAMP PAD USER: MI REVIEWER: DS GL | A 7510 * 04-NOV-75 | | | | |
| | | TT-I-564C | INK, STENCIL, DUPLICATING MACHINE, BLACK USER: MC SA REVIEWER: ME | A 7510 * GL 11-NOV-75 | GL | | 99 | |
| | | TT-W-568E | WOOD-PRESERVATIVE, CREOSOTE-PETROLEUM SOLUTION USER: CS | A 8030 % 06-JUN-75 | | | | |
| | | TT-W-5711(2) | WOOD PRESERVATION, TREATING PRACTICES USER: SH REVIEWER: AT CS MD | A 5510 * ME 03-OCT-72 | ME | | 84 | |
| | | TT-W-00571J | WOOD PRESERVATION, TREATING PRACTICE REVIEWER: CS EA | A 5510 * ME 31-OCT-74 | ME | SH | 84 | |
| | | TT-W-572B(2) | FUNGICIDE: PENTACHLOROPHENOL | A 6840 # FSS 04-JUN-90 | | | | |
| Q | | TT-P-595A | PRESERVATIVE COATING, CANVAS [VALIDATION DATE: 8201] USER: MC ME OS | A 8030 / GL 13-APR-72 | GL | SA | 99 | |
| D | | TT-C-598B(2) NOTICE 1 | CALKING COMPOUND, OIL AND RESIN BASE TYPE (FOR MASONRY AND OTHER STRUCTURES) [VALIDATION DATE: 8702] REVIEWER: EA MI SA | A 8030 * MR 10-FEB-87 | MR | YD1 | 99 | |
| | | TT-C-00598C(1) | CALKING COMPOUND, OIL AND RESIN BASE TYPE (FOR BUILDING CONSTRUCTION) | A 8030 # 18-MAR-71 | | | | |
| | | TT-I-600C | INKING PAD, RUBBER STAMP USER: GL | A 7510 % 25-APR-75 | | | | |
| | | TT-P-605B(1) | PRIMER COATING, ALL PURPOSE GRAY, ALKYD (IN PRESSURIZED DISPENSERS) | A 8010 # 23-JUN-77 | | | | |
| | | TT-P-620C(3) | PRIMER COATING, CONDITIONER FOR CHALKING EXTERIOR SURFACES | A 8010 # 23-JUN-77 | | | | |
| | | TT-C-621B | CORRECTION FLUID, DUPLICATING MACHINE STENCIL USER: GL SA REVIEWER: 99 | A 7510 * 31-MAY-73 | | | | |
| D | | TT-P-641G(1) | PRIMER, PAINT, ZINC DUST-ZINC OXIDE (FOR GALVANIZED SURFACES) USER: ME REVIEWER: YD1 | A 8010 # MR 23-JUN-77 | | | | |
| D | L | TT-P-645B | PRIMER, PAINT, ZINC-MOLYBDATE, ALKYD TYPE USER: EC MS REVIEWER: ME OS SA YD1 | A 8010 / SH 12-MAR-90 | | SH | | |
| D | | TT-P-650D | PRIMER COATING, LATEX BASE, INTERIOR, WHITE (FOR GYPSUM WALLBOARD) USER: CE | A 8010 / YD1 25-FEB-88 | | YD1 | | |
| A | | TT-T-656C | TRICRESYL PHOSPHATE REVIEWER: GS OS SH | A 6810 / AS 05-OCT-92 | | AS | 68 | |
| DQ | | TT-P-662B(1) | PRIMER SURFACER, SANDING, LACQUER AND ENAMEL TYPE [VALIDATION DATE: 8411] USER: AT SH REVIEWER: EA GL MR | A 8010 / AR 20-JUN-72 | AR | YD1 | 84 | |
| DQ | | TT-P-664D | PRIMER COATING, ALKYD, CORROSION-INHIBITING, LEAD AND CHROMATE FREE, VOC-COMPLIANT USER: AS YD1 REVIEWER: 85 AR GL MR OS | A 8010 / ME 01-SEP-88 | ME | SH | 99 | |
| | | TT-S-708A(2) | STAIN, OIL, SEMI-TRANSPARENT, WOOD, EXTERIOR | A 8010 # 23-JUN-77 | | | | |
| D | | TT-S-711C | STAIN, OIL TYPE, WOOD, INTERIOR USER: AR MC MD MR YD1 REVIEWER: GL | A 8010 * ME 01-JUN-78 | ME | SH | | |
| | | TT-I-735A(3) NOTICE 1 | ISOPROPYL ALCOHOL [VALIDATION DATE: 9111] REVIEWER: EA GS MI | A 6810 / AS 05-NOV-91 | | AS | 68 | |
| | | TT-S-735A | STANDARD TEST FLUIDS, HYDROCARBON USER: AT AV MI REVIEWER: 68 EA GS OS PS | A 6810 / ME 31-AUG-88 | ME | SH | 11 | |
| | | TT-E-751C | ETHYL ACETATE, TECHNICAL [VALIDATION DATE: 7403] USER: ME REVIEWER: EA GS MD MI OS | A 6810 * GL 13-APR-67 | GL | SH | 68 | |
| A | | TT-E-781D | ETHYLENE GLYCOL MONOETHYL ETHER, TECHNICAL USER: SA REVIEWER: GS MD | A 6810 / EA 03-DEC-92 | EA | | 68 | |
| | | TT-P-791A(3) NOTICE 1 | PUTTY, PURE-LINSEED-OIL, FOR WOOD-SASH GLAZING [VALIDATION DATE: 8702] USER: MC | A 8030 * MR 10-FEB-87 | MR | SA | 99 | |
| D | | TT-P-00791B(2) | PUTTY, LINSEED-OIL TYPE, (FOR WOOD-SASH-GLAZING) USER: YD1 | A 8030 # 23-MAR-71 | | | | |
| | | TT-P-1046A | PRIMER COATING, ZINC DUST, CHLORINATED RUBBER, (FOR STEEL AND GALVANIZED SURFACES) | A 8010 # 14-MAY-75 | | | | |
| D | | TT-F-1098D | FILLER, BLOCK SOLVENT THINNER, FOR POROUS SURFACES (CONCRETE BLOCK, CINDER BLOCK, STUCCO, ETC.) REVIEWER: MC | A 8010 * YD1 23-SEP-74 | | YD1 | | |
| | | TT-L-1155 | LINSEED OIL, ALKALI REFINED [VALIDATION DATE: 8204] USER: CE ME MR | A 8010 / SH 26-OCT-67 | | | | |
| D | | TT-P-1181A(1) | PAINT, STYRENE-ACRYLATE SOLVENT TYPE, TINTS AND DEEP TONES (FOR EXTERIOR MASONRY) | A 8010 * ME 24-JAN-72 | ME | YD1 | 99 | |
| D | | TT-B-1325B | BEAD, (GLASS SPHERES), RETRO-REFLECTIVE [VALIDATION DATE: 8306] REVIEWER: YD1 | A 8010 * 84 25-APR-78 | | | 99 | |
| | | TT-E-001384 | ENAMEL, GLOSS, SYNTHETIC (FOR METAL EQUIPMENT) | A 8010 # FSS 05-AUG-79 | | | | |
| | | TT-E-001384(11) | ENAMEL, GLOSS, SYNTHETIC (FOR METAL EQUIPMENT) | A 8010 # FSS 17-JAN-84 | | | | |
| | | TT-P-001385 | PRIMER COATING, SYNTHETIC, GRAY (FOR METAL EQUIPMENT) | A 8010 # FSS 17-SEP-76 | | | | |
| | | TT-P-001385(11) | PRIMER COATING, SYNTHETIC, GRAY (FOR METAL EQUIPMENT) | A 8010 # FSS 06-FEB-84 | | | | |
| | | TT-T-001386(2) | THINNER, SYNTHETIC RESIN ENAMEL | A 8010 # FSS 15-NOV-83 | | | | |
| | | TT-P-1411A(1) | PAINT, COPOLYMER-RESIN, CEMENTITIOUS (FOR WATERPROOFING CONCRETE AND MASONRY WALLS) | A 8010 # 28-JUN-77 | | | | |
| | | TT-P-1510A(1) | PAINT, LATEX, EXTERIOR, FOR WOOD SURFACES, WHITE AND TINTS | A 8010 # 23-JUN-77 | | | | |
| D | | TT-P-1511B | PAINT, LATEX (GLOSS & SEMIGLOSS, TINTS & WHITE) (FOR INTERIOR USE) USER: MC REVIEWER: ME | A 8010 * YD1 15-JUL-81 | CE | YD1 | | |
| | | TT-P-1536A | PLUMBING FIXTURE SETTING COMPOUND | A 8030 # 08-JUL-75 | | | | |
| D | | TT-S-001543A | SEALING COMPOUND, SILICONE RUBBER BASE (FOR CALKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES) REVIEWER: YD1 | A 8030 # 09-JUN-71 | | | | |
| | | TT-P-1565B | PAINT, BOOT-TOPPING BLACK | A 8010 % 10-JAN-78 | | | | |
| D | | TT-E-15938 NOTICE 1 | ENAMEL, SILICONE ALKYD COPOLYMER, GLOSS (FOR EXTERIOR AND INTERIOR USE) [VALIDATION DATE: 8702] REVIEWER: YD1 | A 8010 / ME 10-FEB-87 | MR | SH | 84 | |
| D | | TT-S-001657 | SEALING COMPOUND SINGLE COMPONENT, BUTYL RUBBER BASED, SOLVENT RELEASE TYPE (FOR BUILDINGS AND OTHER TYPES OF CONSTRUCTION) REVIEWER: YD1 | A 8030 # 08-OCT-70 | | | | |
| D | | TT-P-1728A(1) | PAINT, LATEX-BASE, INTERIOR, FLAT, DEEP TONE USER: SH REVIEWER: CE | A 8010 * ME 23-JUN-77 | ME | YD1 | | |
| | | TT-S-1732 | SEALING COMPOUND, PIPE JOINT AND THREAD, LEAD FREE GENERAL PURPOSE [VALIDATION DATE: 8403] USER: CE REVIEWER: DS EA MD MR OS | A 8030 / ME 03-DEC-71 | ME | | 99 | |

| Action / GPL / QML / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MICA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| D | TT-P-1757A | PRIMER COATING, ZINC CHROMATE, LOW-MOISTURE-SENSITIVITY [VALIDATION DATE: 8407] USER: MI OS YD1 REVIEWER: DS GL MD | A 8010 / AS 26-SEP-83 | ME | AS | | |
| | TT-P-1757A(11) | PRIMER COATING, ZINC CHROMATE, LOW-MOISTURE-SENSITIVITY USER: AT AV OS REVIEWER: AR GL MD MI SH | A 8010 / AS 21-AUG-84 | ME | AS | | |
| | TT-I-1788(1) | INK, DUPLICATING, LITHOGRAPHIC PROCESS KIT [VALIDATION DATE: 8601] USER: MC REVIEWER: MD ME | A 7510 / GL 23-MAY-73 | GL | SA | 99 | |
| | TT-E-001793(1) | ENAMEL, SEMI-GLOSS, FOR METAL AND WOOD FURNITURE | A 8010 * ME 06-OCT-78 | ME | | | |
| D | TT-C-1796A | CALKING COMPOUNDS, METAL SEAM AND WOOD SEAM USER: ME YD1 | A 8030 * 04-SEP-74 | | | | |
| | TT-C-001951(1) | COATING, CLEAR (SATIN FINISH), POLYURETHANE, LATEX, FOR INTERIOR USE | A 8010 # 23-JUN-77 | | | | |
| D | TT-P-1952B | PAINT, TRAFFIC & AIRFIELD MARKING, WATER EMULSION BASE | A 8010 * ME 07-FEB-79 | ME | YD1 | 99 | |
| | TT-P-001957 | PAINT, LATEX (BACTERIOSTATIC AND FUNGISTATIC) | A 8010 # 15-MAY-84 | | | | |
| | TT-P-001975 | PRIMER COATING, LATEX-BASE, EXTERIOR (FOR METALS) | A 8010 # 11-FEB-76 | | | | |
| | TT-P-001984 | PRIMER COATING, LATEX BASE, EXTERIOR, UNDERCOAT FOR WOOD, WHITE AND TINTS | A 8010 # 18-SEP-75 | | | | |
| | TT-S-001992 | STAIN, LATEX, EXTERIOR FOR WOOD SURFACES | A 8010 # 29-DEC-75 | | | | |
| MN | TT-P-2118D | PAINT (TREE MARKING WITH TRACER) | A 8010 # FSS 01-APR-93 | | | | |
| | TT-P-002118 | PAINT, TREE MARKING | A 8010 # 06-MAR-80 | | | | |
| D | TT-P-002119 | PAINT, LATEX BASE, HIGH TRAFFIC AREA, FLAT AND EGGSHELL FINISH (LOW LUSTRE), (FOR INTERIOR USE) | A 8010 / YD1 24-JUN-80 | | YD1 | | |
| L | TT-E-2124A(1) | ENAMEL (VINYL-ALKYD, EXTERIOR) | A 8010 / CG 12-DEC-82 | | CG | | |
| L | TT-E-0021248 | ENAMEL (VINYL-ALKYD, EXTERIOR) | A 8010 / CG 07-OCT-87 | | CG | | |
| ML | TT-P-2756(1) | POLYURETHANE COATING: SELF-PRIMING TOPCOAT, LOW VOLATILE ORGANIC COMPOUNDS (VOC) | A 8010 / AS 20-JAN-92 | | AS | | |
| QL | TT-P-2760 | PRIMER COATING: POLYURETHANE, ELASTOMERIC | A 8010 / AS 22-OCT-90 | | AS | | |
| D L | TT-E-2784 | ENAMEL (ACRYLIC-EMULSION, EXTERIOR GLOSS AND SEMIGLOSS) USER: MC YD1 REVIEWER: 11 AR AS MI OS | A 8010 * 99 09-JAN-91 | | | 99 | |
| M | UU-P-12C(3) | PAD, COLUMNAR | A 7530 * FSS 24-FEB-93 | GL | SA | 84 | |
| | UU-P-12C(12) | PAD, COLUMNAR | A 7530 # FSS 20-APR-89 | | | | |
| | UU-P-00168(2) | PAD, DESK, BLOTTER | A 7520 # 26-OCT-76 | | | | |
| | UU-P-21F(4) | PAD, WRITING PAPER | A 7530 % FSS 26-NOV-74 | | | | |
| | UU-P-21F(16) | PAD, WRITING PAPER | A 7530 # FSS 20-APR-89 | | | | |
| | UU-P-318 | PAPER, GENERAL SPECIFICATIONS AND METHODS OF TESTING USER: GL MC MI MS REVIEWER: OS | A 75GP % 03-MAR-49 | | | | |
| | UU-B-36J(3) | BAG, PAPER (GROCERS) USER: SM REVIEWER: 99 EA MD | A 8105 * GL 08-FEB-74 | GL | SA | 69 | |
| | UU-B-388(3) | BAG, PAPER (HARDWARE) USER: GL SH REVIEWER: 99 | A 8105 % 20-SEP-75 | | | | |
| | UU-B-39L | BAG, PAPER, MERCHANDISE USER: GL | A 8105 % 21-MAR-76 | | | | |
| D | UU-S-48F | SACKS, SHIPPING, PAPER USER: 80 82 AS MC OS REVIEWER: 84 AR ER MD ME SH SM YD1 | A 8105 / GL 05-FEB-92 | GL | SA | 69 | |
| | UU-L-490 | LABEL, PAPER, GUMMED (WATER ACTIVATED) USER: 69 GL SA | A 7530 % 03-MAR-76 | | | | |
| | UU-P-63J | PAPER, BLOTTING USER: GL ME | A 7530 % 30-MAY-72 | | | | |
| D | UU-T-81J(1) | TAGS, SHIPPING AND STOCK [VALIDATION DATE: 8904] USER: MC REVIEWER: 99 AT DS EA GS ME OS SM YD1 | A 8135 / GL 22-APR-89 | GL | SA | 69 | |
| D | UU-T-81J(12) | TAGS, SHIPPING AND STOCK [VALIDATION DATE: 8904] USER: AT MC MS OS SM REVIEWER: AR EA GS MD ME YD1 | A 8135 # FSS 22-APR-89 | | | | |
| | UU-C-958(1) | CARD, GUIDE, FILE AND CARD SET, GUIDE, FILE USER: GL | A 7530 % 20-SEP-73 | | | | |
| | UU-C-958(12) | CARDS, GUIDE, FILE; AND CARD SETS, GUIDE, FILE | A 7530 # FSS 08-AUG-89 | | | | |
| | UU-T-110C | TAPE, PAPER, COMPUTING MACHINE USER: GL | A 7530 % FSS 12-JAN-76 | | | | |
| | UU-T-110C(12) | TAPE, PAPER, COMPUTING MACHINE | A 7530 # FSS 20-APR-89 | | | | |
| | UU-T-120G | TAPE, TELETYPEWRITER, PERFORATOR USER: MC | A 7530 * GL 31-OCT-80 | GL | SA | 99 | |
| | UU-C-128F | CARD, INDEX USER: GL | A 7530 % 06-JAN-69 | | | | |
| | UU-P-134E(2) | PAPER, WRAPPING, WET WAXED REVIEWER: MD | A 8135 * GL 22-NOV-76 | GL | SA | 69 | |
| | UU-P-00175(1) | PAPER, CORRECTION | A 7510 # 16-AUG-73 | | | | |
| | UU-C-190B(1) | CARDBOARD, BRISTOL (DRAFTING) USER: CG MC ME REVIEWER: EA | A 9310 * GL 21-MAR-79 | GL | SA | 99 | |
| | UU-P-196D | PAPER, COVER USER: GL | A 9310 % 18-JAN-74 | | | | |
| | UU-P-196D(11) | PAPER, COVER | A 9310 # FSS 20-APR-89 | | | | |
| | UU-P-200B | PAPER, CREPED, DISPLAY | A 9310 # 15-OCT-76 | | | | |
| M | UU-C-201G(2) | CARDBOARD AND RAILROAD BOARD (MANILA AND WOOD) REVIEWER: GL | A 9310 % FSS 02-DEC-92 | | | | |
| | UU-C-201G(11) | CARDBOARD AND RAILROAD BOARD (MANILA AND WOOD) | A 9310 # FSS 20-APR-89 | | | | |
| | UU-P-202D | PAPER, GRAPH USER: CG GL MC SA | A 7530 % 14-SEP-73 | | | | |
| | UU-P-221B | PAPER, DIRECT POSITIVE SENSITIZED (DIAZOTYPE) USER: AR MI REVIEWER: MC ME | A 6750 * GS 26-DEC-72 | CR | AS | 70 | GS |
| | UU-P-221B(11) | PAPER, DIRECT POSITIVE, SENSITIZED (DIAZOTYPE) | A 6750 # FSS 01-JUL-75 | | | | |
| | UU-P-223C | PAPER, DRAWING [VALIDATION DATE: 7206] USER: CG MC SM | A 7530 * GL 07-SEP-67 | GL | SA | 99 | |
| | UU-P-223C(11) | PAPER, DRAWING | A 7530 # FSS 20-APR-89 | | | | |
| | UU-C-225A(2) | CARTON, EGG USER: GL | A 8115 % 12-DEC-75 | | | | |
| | UU-P-00232F(1) | PAPER, DUPLICATING, COPY, LIQUID PROCESS | A 7530 # FSS 20-APR-89 | | | | |
| | UU-C-250A | CASE, FILING, TRANSFER, COLLAPSIBLE USER: GL MC MD SA | A 7520 % 07-DEC-65 | | | | |
| | UU-C-002508 | CASE, FILING, TRANSFER, COLLAPSIBLE | A 7520 # 12-APR-71 | | | | |
| | UU-C-255A | CASE, FILING, TRANSFER, FIBERBOARD USER: GL | A 7520 % 05-MAY-64 | | | | |
| | UU-P-258K | PAPER, INDEX USER: ME | A 9310 * GL 15-MAR-73 | GL | SA | 99 | |
| | UU-P-258K(11) | PAPER: INDEX | A 9310 # FSS 20-APR-89 | | | | |
| | UU-P-268G(3) | PAPER, KRAFT, WRAPPING [VALIDATION DATE: 8410] USER: AT CG MC REVIEWER: 99 AS GS MD ME MI SA SM | A 8135 / GL 09-MAR-77 | GL | SH | 69 | |
| | UU-P-270F(2) | PAPER, WRAPPING, WAXED (DRY) REVIEWER: 71 AR MD SH | A 8135 * GL 24-FEB-76 | GL | SA | 69 | |
| | UU-P-272C | PAPER, WRAPPING, FREEZER (POLYETHYLENE COATED) REVIEWER: GS | A 8135 * GL 22-DEC-72 | GL | SA | 99 | |
| | UU-C-282D | CHIPBOARD USER: GL REVIEWER: AR OS | A 8135 * FSS 24-JUL-74 | | | | |
| | UU-C-282D(11) | CHIPBOARD | A 8135 # FSS 07-JUN-77 | | | | |
| | UU-P-288J(11) | PAPER, LEDGER, UNRULED | A 7530 # FSS 20-APR-89 | | | | |
| | UU-B-320A(4) | BINDER, LOOSE-LEAF, POST USER: GL | A 7510 % FSS 15-MAR-63 | | | | |
| | UU-B-00320D(2) | BINDER, LOOSE-LEAF, POST, SOLID AND TELESCOPIC | A 7510 # FSS 15-OCT-72 | | | | |
| | UU-P-320D | PAPER, LOOSE-LEAF, RULED AND BLANK USER: GL MC | A 7530 % 16-SEP-83 | | | | |
| | UU-P-320D(11) | PAPER, LOOSE-LEAF, RULED AND BLANK | A 7530 # FSS 20-APR-89 | | | | |
| | UU-P-328J | PAPER, MANIFOLD USER: EA GL | A 7530 % 16-MAY-80 | | | | |
| | UU-P-00328K | PAPER, MANIFOLD | A 7530 % 21-FEB-78 | | | | |
| | UU-P-328J(11) | PAPER, MANIFOLD | A 7530 # FSS 20-APR-89 | | | | |
| | UU-B-336D | BINDERS, LOOSE-LEAF (FOR TABULATING MACHINE PAPER); AND ACCESSORIES USER: GL | A 7510 % FSS 24-SEP-73 | | | | |
| | UU-B-336D(11) | BINDERS, LOOSE-LEAF (FOR TABULATING MACHINE PAPER); AND ACCESSORIES | A 7510 # FSS 07-AUG-75 | | | | |
| | UU-B-338C | BINDER, LOOSE-LEAF, FLEXIBLE-TAPE-TYPE USER: GL | A 7510 % 20-MAR-64 | | | | |
| | UU-B-342A(1) | BINDER, LOOSE-LEAF, RING, ENGINEER S FIELD BOOK USER: GL | A 7510 % 07-SEP-65 | | | | |
| | UU-B-00342C(1) | BINDER, LOOSE-LEAF, RING, ENGINEER S FIELD BOOK | A 7510 # 31-OCT-75 | | | | |
| | UU-B-00344(2) | BINDER, LOOSE-LEAF, MULTIPLE RING TYPE | A 7510 # 15-OCT-72 | | | | |
| | UU-F-350A | FILE BACKER, PAPER USER: GL SA | A 7510 % 14-JUL-59 | | | | |
| | UU-F-00350B | FILE BACKER, PAPER | A 7510 # 15-JAN-69 | | | | |
| | UU-B-366A | BINDER, LOOSE-LEAF, SECTIONAL-POST-TYPE USER: GL | A 7510 % 27-DEC-62 | | | | |
| | UU-B-00366B(2) | BINDER, LOOSE LEAF, SECTIONAL POST TYPE | A 7510 # 15-OCT-72 | | | | |
| | UU-B-368A(5) | BINDER, LOOSE-LEAF, SPRING BACK USER: GL | A 7510 % 04-AUG-75 | | | | |
| | UU-B-370A | BINDER, LOOSE-LEAF, POST-TYPE, (STORAGE-TYPE) USER: GL SA | A 7510 % 11-APR-58 | | | | |
| | UU-F-00370(2) | FILE, WORK ORGANIZER | A 7520 # 17-JAN-69 | | | | |
| | UU-P-381B<br>NOTICE 1 | PAPER, MASKING, PHOTOLITHOGRAPHIC, (COATED) [VALIDATION DATE: 8710] REVIEWER: MD ME | A 3610 / GL 23-OCT-87 | GL | SA | 99 | |
| | UU-P-388M | PAPER, MIMEOGRAPH USER: GL | A 7530 % 05-SEP-80 | | | | |
| | UU-P-388M(11) | PAPER, MIMEOGRAPH | A 7530 # FSS 20-APR-89 | | | | |
| | UU-P-405C | PAPER, NEWSPRINT [VALIDATION DATE: 7403] | A 9310 * GL 09-DEC-65 | GL | | 99 | |
| | UU-P-405C(11) | PAPER, NEWSPRINT | A 9310 # FSS 20-APR-89 | | | | |
| | UU-P-417C | PAPER, BLOTTING, PHOTOGRAPHIC PRINTS USER: GL MC MS | A 7530 % 24-AUG-65 | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | UU-P-465G | PAPER, BOOK USER: EC PE REVIEWER: EA ME MS | A | 9310 | * | GL | 14-JUL-71 | GL | SA | 99 | |
| | | | | UU-P-465G(12) | PAPER, BOOK | A | 9310 | # | FSS | 12-DEC-90 | | | | |
| | | | | UU-E-522E | ENVELOPE, MAILING USER: MC REVIEWER: DS EA | A | 7530 | * | GL | 11-JAN-74 | GL | SA | 99 | |
| | | | | UU-E-525A | ENVELOPE, MAILING (RADIOGRAPHIC FILM) | A | 7530 | / | SA | 07-MAR-66 | GL | SA | 69 | |
| | | | | UU-E-525A(11) | ENVELOPE, MAILING (RADIOGRAPHIC FILM) | A | 7530 | # | FSS | 25-MAY-72 | | | | |
| | | | | UU-P-546D | PAPER, TABULATING MACHINE CONTINUOUS FLAT FOLD | A | 7530 | * | GL | 11-JUL-90 | GL | | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | UU-P-547J(4) | PAPER, TELETYPEWRITER, ROLL USER: GL MC SA REVIEWER: 99 | A | 7530 | % | FSS | 30-APR-77 | | | | |
| | | | | UU-P-547J(16) | PAPER, TELETYPEWRITER, ROLL | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | | | UU-P-548B | PAPER, TELETYPEWRITER, ROLL, FOR SPIRIT-PROCESS DUPLICATION [VALIDATION DATE: 7206] | A | 7530 | * | GL | 03-SEP-65 | GL | SA | | |
| | | | | UU-P-553C | PAPER, WRAPPING, TISSUE USER: ME REVIEWER: 99 DS EA GS MD OS | A | 8135 | * | GL | 12-FEB-76 | GL | SA | 69 | |
| | | | | UU-P-561H | PAPER, TRACING USER: GL | A | 7530 | % | | 12-DEC-72 | | | | |
| | | | | UU-P-561H(11) | PAPER, TRACING | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | | | UU-T-595C(1) | TOWEL, WIPING, PAPER, INDUSTRIAL AND INSTITUTIONAL | A | 7920 | # | | 08-APR-77 | | | | |
| | | | | UU-T-598A(1) | TOWEL, PAPER, (PLASTIC-WIPING) | A | 7920 | * | GL | 09-APR-77 | GL | SA | 99 | |
| | | | | UU-N-600B | NOTEBOOK, STENOGRAPHER S USER: GL | A | 7530 | % | | 06-SEP-79 | | | | |
| | | | | UU-B-623B | BOOK COVER BOARD USER: GL | A | 9310 | % | | 20-SEP-72 | | | | |
| | | | | UU-B-623B(11) | BOOK COVER BOARD | A | 9310 | # | FSS | 20-APR-89 | | | | |
| | | | | UU-B-00625(1) | BOOKS, ENGINEERS' FIELD USER: ME | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | | | UU-B-00625(11) | BOOKS, ENGINEERS' FIELD | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | | | UU-S-625A | STENCILBOARD [VALIDATION DATE: 7207] USER: ME REVIEWER: EA | A | 9310 | / | GL | 19-APR-65 | GL | SA | 99 | |
| | | | | UU-S-625A(11) | STENCILBOARD [VALIDATION DATE: 7207] | A | 9310 | # | FSS | 30-JAN-68 | | | | |
| | | | | UU-M-650B | MOUNT, FILM SLIDE, PHOTOGRAPHIC (OVERHEAD PROJECTORS) [VALIDATION DATE: 8303] | A | 6750 | * | AS | 07-JUL-76 | ER | AS | 99 | |
| | | | | UU-P-663B(1) | PAPERBOARD, DRAWING USER: MC MD | A | 7530 | * | GL | 23-MAY-75 | GL | SA | 69 | |
| | | | | UU-P-663B(13) | PAPERBOARD, DRAWING | A | 7530 | # | FSS | 14-OCT-88 | | | | |
| | | | | UU-P-665B | PLATE, BAKING, PIE (PAPER) [VALIDATION DATE: 8105] | A | 7330 | # | | 28-MAR-74 | | | | |
| | | | | UU-P-701J | PRESSBOARD, COLORED [VALIDATION DATE: 7502] REVIEWER: EA | A | 9310 | * | GL | 31-JAN-69 | GL | SA | 99 | |
| | | | | UU-T-770B | TUBE, DRINKING, (PAPER) USER: GL | A | 7350 | % | | 22-APR-77 | | | | |
| | | | | UU-T-940B | TYPE CLEANER, (SHEET FORM) USER: GL | A | 7510 | % | | 30-JUL-75 | | | | |
| | | | | UU-F-1206B(1) | FOLDER, FILE USER: AV REVIEWER: 84 | A | 7530 | * | GL | 21-JUN-90 | GL | SA | 99 | |
| | | | | UU-W-1231 | WRAPPER, STENCIL FILING | A | 7530 | # | FSS | 28-AUG-72 | | | | |
| | | | | UU-W-1231(12) | WRAPPER, STENCIL, FILING | A | 7530 | # | FSS | 25-MAR-73 | | | | |
| | | | | UU-B-001254(2) | BINDER, LOOSE-LEAF, RING, ONE-PIECE COVER | A | 7510 | # | | 06-AUG-75 | | | | |
| | | | | UU-T-1331A | TAPE, POSTAGE METER | A | 7530 | # | | 10-JUN-76 | | | | |
| | | | | UU-T-1331A(11) | TAPE, POSTAGE METER | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | | | UU-T-1366 | TAG BOARD, JUTE AND MANILA USER: GL | A | 9310 | % | | 20-SEP-72 | | | | |
| | | | | UU-T-1366(11) | TAG BOARD, JUTE AND MANILA | A | 9310 | # | FSS | 20-APR-89 | | | | |
| | | | | UU-C-1387B | CAP, FOOD HANDLERS, PAPER, WHITE, ADJUSTABLE USER: 45 | A | 8415 | # | | 16-JUL-76 | | | | |
| | | | | UU-L-1644A | LABEL, PAPER, PRESSURE-SENSITIVE ADHESIVE USER: 69 AR GL SA SM | A | 7530 | % | | 05-DEC-75 | | | | |
| | | | | UU-N-1650A | NAPKIN, TABLE, PAPER USER: GL SA | A | 8540 | % | | 01-MAY-73 | | | | |
| | | | | UU-N-001650B | NAPKINS, TABLE, PAPER USER: SA | A | 8540 | % | FSS | 09-NOV-89 | | | | |
| | | | | UU-T-001665(1) | TAB, INDEX, PRESSURE SENSITIVE, TRANSPARENT | A | 7510 | # | | 20-AUG-76 | | | | |
| | | | | UU-F-1762(2) | FOLDER, FILE, FOLLOW-UP AND INNER | A | 7530 | * | GL | 05-OCT-73 | GL | SA | 99 | |
| | | | | UU-F-1762(13) | FOLDERS, FILE, FOLLOW-UP AND INNER | A | 7530 | # | FSS | 20-APR-89 | | | | |
| | | | | UU-B-1780(1) | BUILDING PAPER, VEGETABLE FIBER OR INORGANIC FIBER REINFORCEMENT, REFLECTIVE | A | 5640 | # | | 02-NOV-72 | | | | |
| | | | | UU-C-1846 | COAT, LABORATORY, DISPOSABLE USER: 45 | A | 8415 | # | | 24-NOV-75 | | | | |
| D | | | | VV-W-95C | WAX, PARAFFIN, TECHNICAL USER: AS GL MC REVIEWER: GS MD MI SA | A | 9160 | / | YD1 | 16-JUL-90 | EA | YD1 | | |
| | | | | VV-S-190 | SEALING COMPOUND, DIPCOATING [VALIDATION DATE: 8306] REVIEWER: EA MD ME SM | A | 8030 | / | 84 | 26-OCT-61 | MR | SH | 99 | |
| D | | | | VV-P-236A(2) | PETROLATUM, TECHNICAL [VALIDATION DATE: 9111] USER: YD1 REVIEWER: AR AT GS MI OS PS SA SC SH | A | 9150 | / | AS | 05-NOV-91 | ME | AS | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | VV-I-530A | INSULATING OIL ELECTRICAL [VALIDATION DATE: 8403] USER: CE EL REVIEWER: GS MD MI MR OS PS | A | 9160 | / | AR | 20-MAR-67 | AR | SH | 68 | |
| | | | | VV-G-632B | GREASE, INDUSTRIAL, GENERAL PURPOSE USER: AS AT MC OS SA SH REVIEWER: CD GS MI SM TE | A | 9150 | / | ME | 12-OCT-89 | ME | | 68 | |
| | | | | VV-G-671F | GREASE, GRAPHITE USER: AS MS REVIEWER: AL AR AT AV CD GS MC SA SH | A | 9150 | / | ME | 12-OCT-89 | ME | | 68 | |
| | | | | VV-L-765A(1) | LUBRICANT, ENCLOSED-GEAR, NONEXTREME-PRESSURE [VALIDATION DATE: 7306] | A | 9150 | # | | 27-SEP-68 | | | | |
| D | | | | VV-F-800D(2) | FUEL OIL, DIESEL USER: AR MC REVIEWER: 11 AT GL MI YD1 | A | 9140 | / | ME | 29-JUL-88 | ME | SH | 68 | |
| DQ | | | | VV-L-800C(1) | LUBRICATING OIL, GENERAL PURPOSE, PRESERVATIVE, (WATER-DISPLACING, LOW TEMPERATURE) USER: MC REVIEWER: 68 AR AT GS MD MI OS PS SA SM YD1 | A | 9150 | / | ME | 15-SEP-86 | ME | AS | 11 | |
| M | | | | VV-L-825B(2) | LUBRICATING OIL, REFRIGERANT COMPRESSOR, UNINHIBITED REVIEWER: GS MI | A | 9150 | / | SH | 23-APR-93 | MR | SH | 68 | |
| | | | | VV-C-846A(1) | CUTTING FLUID, EMULSIFIABLE OILS [VALIDATION DATE: 8103] USER: MI SH REVIEWER: GS PS SA | A | 9150 | / | AR | 18-SEP-68 | AR | AS | 68 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | VV-C-850A(1) | CUTTING FLUIDS, SULFURIZED FATTY AND MINERAL OILS [VALIDATION DATE: 8104] USER: CE REVIEWER: GS MI PS | A | 9150 | / | AR | 26-SEP-68 | AR | SH | 68 | |
| | | | | VV-D-1078B | DAMPING FLUID, SILICONE BASE (DIMETHYL POLYSILOXANE) [VALIDATION DATE: 9111] USER: OS SH REVIEWER: 68 AR EA MC MI | A | 9150 | / | AS | 05-NOV-91 | ME | AS | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | VV-I-2117 | INSULATING FLUID, ELECTRICAL, SILICONE [VALIDATION DATE: 8504] USER: CE REVIEWER: MR MS | A | 9160 | / | AR | 24-JUL-79 | AR | | 68 | |
| D | | | | WW-V-35C | VALVE, BALL REVIEWER: CS | A | 4820 | / | YD1 | 31-JUL-85 | | YD1 | | |
| D | | | | WW-H-191D | HEATER, FLUID, INDUSTRIAL (INSTANTANEOUS, STEAM, WATER CONVERTER TYPE) USER: CE MS REVIEWER: 84 CS | A | 4520 | / | YD1 | 01-FEB-90 | | YD1 | 99 | |
| | | | | WW-P-325B | PIPE, BENDS, TRAPS, CAPS AND PLUGS, LEAD (FOR INDUSTRIAL PRESSURE, AND SOIL AND WASTE APPLICATIONS) | A | 4730 | # | | 09-JUN-76 | | | | |
| | | | | WW-P-351A(1) | PIPE, RED BRASS, (COPPER ALLOY NO. 230), SEAMLESS STANDARD PIPE SIZE, REGULAR & EXTRA STRONG [VALIDATION DATE: 8204] | A | 4710 | * | | 06-NOV-75 | MR | | | CS |
| | | | | WW-P-377D(1) | PIPE, COPPER, SEAMLESS, STANDARD SIZES [VALIDATION DATE: 8306] | A | 4710 | / | 82 | 20-OCT-76 | MR | | 99 | |
| D | | | | WW-P-401F | PIPE AND PIPE FITTINGS, CAST-IRON, SOIL USER: CE REVIEWER: CS MC | A | 4710 | / | ME | 13-JUL-89 | ME | YD1 | 99 | |
| | | | | WW-P-402C(1) | PIPE, CORRUGATED (ALUMINUM ALLOY) [VALIDATION DATE: 8305] | A | 4710 | * | | 22-AUG-72 | | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | WW-P-404D(1) | PIPE, STEEL (SEAMLESS & WELDED, BLACK & ZINC COATED) (GALVANIZED) | A | 4710 | / | ME | 17-MAR-75 | | | 99 | |
| | | | | WW-P-421D | PIPE, CAST GRAY AND DUCTILE IRON, PRESSURE (FOR WATER AND OTHER LIQUIDS) | A | 4710 | # | | 13-SEP-76 | | | | |
| | | | | WW-C-440B(2) | CLAMP, HOSE (LOW PRESSURE) | A | 4730 | # | | 28-AUG-73 | | | | |
| D | | | | WW-P-460C(1) | PIPE FITTING, BRASS OR BRONZE (THREADED), 125-POUND AND 250-POUND [VALIDATION DATE: 8711] USER: MC REVIEWER: AR CE CG EA | A | 4730 | / | YD1 | 16-NOV-87 | ME | YD1 | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| D | | | | WW-P-471C(1) | PIPE-FITTING, BUSHINGS, LOCKNUTS, AND PLUGS, IRON, STEEL, AND ALUMINUM, (THREADED), 125-150 POUNDS USER: AR REVIEWER: CS EA MC | A | 4730 | / | YD1 | 29-DEC-81 | ME | YD1 | 99 | |
| D | | | | WW-P-501E | PIPE FITTINGS, CAST IRON, SCREWED 125 & 250 POUND | A | 4730 | % | YD1 | 27-NOV-74 | | YD1 | | |
| D | | | | WW-U-516B | UNIONS, BRASS OR BRONZE, THREADED PIPE CONNECTIONS AND SOLDER-JOINT TUBE CONNECTIONS [VALIDATION DATE: 9002] USER: CE CG MC REVIEWER: 82 CS GL | A | 4730 | / | YD1 | 12-FEB-90 | ME | YD1 | 99 | |
| | | | | WW-P-521G | PIPE FITTINGS, FLANGE FITTINGS, AND FLANGES, STEEL AND MALLEABLE IRON (THREADED AND BUTT WELDING) CLASS 150 | A | 4730 | # | | 19-OCT-77 | | | | |
| D | | | | WW-U-531F | UNION, PIPE, STEEL OR MALLEABLE IRON, THREADED CONNECTION, 150 LB, 250 LB & 300 LB WSP USER: AR CE CG MC REVIEWER: CS | A | 4730 | / | YD1 | 16-APR-84 | ME | YD1 | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | WW-C-540A | CONDUIT, METAL, RIGID, (ELECTRICAL, ALUMINUM) | A | 5975 | % | FSS | 02-NOV-60 | | | | |
| | | | | WW-C-00540C | CONDUIT, METAL, RIGID: AND COUPLING, ELBOW, AND NIPPLE, ELECTRICAL CONDUIT: ALUMINUM | A | 5975 | # | FSS | 15-MAY-67 | | | | |
| | | | | WW-C-00540C(11) | CONDUIT, METAL, RIGID: AND COUPLING, ELBOW, AND NIPPLE, ELECTRICAL CONDUIT: ALUMINUM | A | 5975 | # | FSS | 18-JUL-68 | | | | |
| D | | | | WW-P-541E(1) | PLUMBING FIXTURES (GENERAL SPECIFICATION) USER: MC REVIEWER: CE CS MS | A | 4510 | / | YD1 | 16-APR-90 | ME | YD1 | 99 | |
| D | | | | WW-P-541/3B(1) | PLUMBING FIXTURES (BATHTUBS) USER: CE MC MS REVIEWER: CS | A | 4510 | / | YD1 | 16-APR-90 | ME | YD1 | 99 | |
| D | | | | WW-P-541/4B(1) | PLUMBING FIXTURES (LAVATORIES) USER: CE MC MS REVIEWER: CS | A | 4510 | / | YD1 | 16-APR-90 | ME | YD1 | 99 | |

| Action | OPR / Ltr. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | WW-P-541/58(1) | PLUMBING FIXTURES (SINKS, KITCHEN, SERVICE, AND LAUNDRY TRAYS) USER: CE MC MS REVIEWER: CS | A 4510 / YD1 16-APR-90 | ME | YD1 | 99 | |
| D | | WW-P-541/68 | PLUMBING FIXTURES (DRINKING FOUNTAINS) [VALIDATION DATE: 8505] ..... | A 4510 / YD1 01-AUG-80 | ME | YD1 | 99 | |
| D | | WW-P-541/68(11) | PLUMBING FIXTURES (DRINKING FOUNTAINS) USER: CE MC MS REVIEWER: CS ..... | A 4510 / YD1 02-MAY-88 | ME | YD1 | 99 | |
| D | | WW-P-541/7C(1) | PLUMBING FIXTURES (SHOWER BATH AND EMERGENCY EYE AND FACE WASH OUTFITS) [VALIDATION DATE: 8505] USER: MC MS REVIEWER: CE CS | A 4510 / YD1 01-AUG-80 | ME | YD1 | 99 | |
| D | | WW-P-541/88(1) | PLUMBING FIXTURES (ACCESSORIES, LAND USE) USER: CE MC MS REVIEWER: CS ..... | A 4510 / YD1 16-APR-90 | ME | YD1 | 99 | |
| D | | WW-P-541/98(1) | PLUMBING FIXTURES (MEDICAL FACILITIES, LAND USE) USER: CE MC MS REVIEWER: CS | A 4510 / YD1 16-APR-90 | ME | YD1 | 99 | |
| D | | WW-C-566C | CONDUIT, METAL, FLEXIBLE [VALIDATION DATE: 8307] REVIEWER: 99 ME ..... | A 5975 / ER 21-OCT-75 | ER | YD1 | 85 | |
| D | | WW-S-610B(1) | SPRINKLER, LAWN, (SURFACE CONNECTED) USER: YD1 ..... | A 3750 # 19-MAR-76 | | | | |
| D | | WW-C-621G | COUPLING ASSEMBLY, HOSE (FIRE, WOVEN-JACKETED, RUBBER- OR FABRIC-LINED AND UNLINED) USER: AR CG MC REVIEWER: CS SH | A 4210 / YD1 07-FEB-90 | ME | YD1 | 99 | |
| D | | WW-C-624E | COUPLING ASSEMBLY, HOSE (GARDEN, WATER, AND WATER SUCTION) REVIEWER: 82 CS | A 4730 / YD1 21-AUG-89 | ME | YD1 | 99 | |
| D | | WW-C-633D | COUPLING HALVES, CAP AND WYE; QUICK DISCONNECT PNEUMATIC HOSE, TWO-LUG UNIVERSAL TYPE USER: AL MC OS SA REVIEWER: CS | A 4730 / ME 11-MAY-92 | ME | YD1 | | |
| D | | WW-T-696E<br>NOTICE 1 | TRAPS, STEAM [VALIDATION DATE: 8907] USER: CE MC REVIEWER: CS ..... | A 4730 / YD1 05-JUL-89 | ME | YD1 | 99 | |
| | | WW-T-700F(1) | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052 GENERAL SPECIFICATION FOR USER: MC REVIEWER: 99 AR CS EA ME MI OS SH | A 4710 / AS 09-JAN-85 | MR | AS | 11 | |
| | | WW-T-700/1E | TUBE, ALUMINUM, DRAWN, SEAMLESS, 1100 USER: MC REVIEWER: 99 AR CS MI OS SH | A 4710 / AS 29-DEC-83 | MR | AS | 11 | |
| | | WW-T-700/2E | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 3003 USER: MC REVIEWER: 99 AR CS EA MI OS SH | A 4710 / AS 29-DEC-83 | MR | AS | 11 | |
| | | WW-T-700/3F(1) | TUBE, ALUMINUM ALLOY,DRAWN, SEAMLESS, 2024 USER: AR MC MI REVIEWER: 99 CS EA OS | A 4710 / AS 29-DEC-83 | MR | AS | 11 | |
| | | WW-T-700/4F(1) | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052 USER: MC REVIEWER: 99 AR CS EA MI OS SH | A 4710 / AS 09-JAN-85 | MR | AS | 11 | |
| | | WW-T-700/5E | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5086 USER: MC REVIEWER: 99 AR CS EA MI OS | A 4710 / AS 29-DEC-83 | MR | AS | 11 | |
| | | WW-T-700/6F(2) | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 6061 USER: MC REVIEWER: 99 AR CS EA ME OS SH | A 4710 / AS 09-JAN-85 | MR | AS | 11 | |
| | | WW-T-700/7B | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 7075 USER: MC REVIEWER: 99 AR CS ME MI OS | A 4710 / AS 29-DEC-83 | MR | AS | 11 | |
| | | WW-N-7018 | NOZZLES, HOSE, GARDEN (FOR 5/8 INCH AND 3/4 INCH HOSE) ..... | A 4730 # 20-JUL-77 | | | | |
| | | WW-T-725A | TUBE FITTING, COPPER AND COPPER ALLOY, WROUGHT OR CAST, SOLDER ENDS [VALIDATION DATE: 8306] USER: AR CE CG GL MC REVIEWER: CS MI | A 4730 * 82 27-APR-73 | ME | | 99 | |
| | | WW-T-791A | TUBE, BRASS, SEAMLESS [VALIDATION DATE: 8005] USER: CE REVIEWER: 99 CS EA MI | A 4710 / 11 12-JUL-71 | ME | AS | 11 | |
| D | | WW-T-799F | TUBE, COPPER, SEAMLESS, WATER (FOR USE WITH SOLDER- FLARED- OR COMPRESSION-TYPE FITTINGS) USER: 99 CG MC REVIEWER: AR | A 4710 / YD1 20-AUG-79 | ME | YD1 | | |
| | | WW-T-825B | TUBE, MAGNESIUM-ALLOY, EXTRUDED [VALIDATION DATE: 8407] USER: AV ME OS REVIEWER: 99 AR CS SH | A 4710 / AS 20-AUG-71 | MR | AS | 11 | |
| L | | WW-H-1053A<br>NOTICE 1 | HOSE, METAL (FLEXIBLE, ALUMINUM ALLOY, AND CORROSION-RESISTANT AND HEAT-RESISTANT STEEL) [VALIDATION DATE: 9009] REVIEWER: CS | A 4720 / MI 06-SEP-90 | MI | | | |
| | | WW-H-001220 | HEAD, SPRINKLER, (UNDERGROUND CONNECTED) USER: 82 ME SH ..... | A 4730 % 13-DEC-66 | | | | |
| L | | WW-P-1432C | PIPE, STEEL (COAL TAR ENAMEL OR CEMENT-MORTAR LINING, AND COAL TAR ENAMEL COATED AND WRAPPED) USER: CE REVIEWER: CS | A 4710 / ME 13-JUL-89 | ME | | | |
| | | WW-C-1692A | COUPLING ASSEMBLY AND MENDER, HOSE, HOSE (PLASTIC AND RUBBER) ..... | A 4730 * ME 08-MAY-73 | ME | | 99 | |
| | | WW-F-001910(2) | FAUCET, DOUBLE, SINGLE, AND LAWN (LAUNDRY SINK, KITCHEN, AND LAVATORY) (LAND USE) | A 4510 / 02-AUG-77 | | | | |
| | | WW-T-001914(1) | TRAP, DRAIN, PLUMBING FIXTURE (P-TRAP), (LAND USE) USER: SH ..... | A 4510 # 05-OCT-77 | | | | |
| L | | WW-V-1967 | VALVE, BUTTERFLY (THREADED ENDS) BRASS OR BRONZE [VALIDATION DATE: 8111] REVIEWER: CS | A 4820 * ME 09-JUL-76 | ME | | | |
| | | WW-V-1967(11) | VALVE, BUTTERFLY (THREADED ENDS) BRASS OR BRONZE [VALIDATION DATE: 8111] .. | A 4820 # FSS 13-MAY-77 | | | | |
| | | WW-D-001991 | DRAIN, LAVATORY AND STOPPER, WASTE DRAIN [VALIDATION DATE: 8811] ..... | A 4510 / GS 27-JAN-78 | | | | |
| D | | WW-S-2739 | STRAINERS, SEDIMENT; PIPELINE, WATER, AIR, GAS, OIL, OR STEAM USER: CE CG MC REVIEWER: 82 CS | A 4730 / YD1 24-OCT-89 | ME | YD1 | 99 | |
| D | | WW-F-2743 | FURNACES, WARM AIR AND HEATERS, UNIT, FORCED AIR CIRCULATION, OIL - AND GAS - FIRED USER: CE REVIEWER: 84 CS | A 4520 / YD1 31-OCT-89 | | YD1 | 99 | |
| D | | WW-S-2811 | SINKS, SCULLERY SERVICE AND DRAINBOARDS USER: MC REVIEWER: GS ..... | A 4510 / YD1 16-APR-93 | | YD1 | 99 | |
| | | XX-D-3700 | DISPENSING PUMP, HAND DRIVEN, DRUM, 1 QUART OIL, (FOR 15- TO 55 GALLON DRUMS) USER: CG MC REVIEWER: CS | A 4930 / 99 24-OCT-83 | ME | | 99 | |
| D | | XX-D-385E | DISPENSING PUMP, HAND DRIVEN, LIQUID PETROLEUM FUEL USER: AT CE CG MC REVIEWER: CS | A 4930 / ME 28-OCT-82 | ME | YD1 | 99 | |
| D | | XX-P-746E | PUMP, INFLATING, MANUAL, (FOR RUBBER TIRES) USER: MC YD1 REVIEWER: AR AT CS | A 4320 * ME 25-MAY-78 | ME | | | |
| D | | XX-P-2801 | PUMP AND HEATER, FUEL OIL USER: CG REVIEWER: CS MD ..... | A 4320 / YD1 28-AUG-92 | ME | YD1 | | |
| M | | XX-C-2812 | COMPRESSOR, AIR, DIESEL-ENGINE-DRIVEN, PORTABLE, WHEEL-MOUNTED USER: ME REVIEWER: CS | A 4310 / YD1 23-APR-93 | | YD1 | 99 | |
| D | | ZZ-V-25E | VALVES AND VALVE SPUDS CAPS AND CORES, PNEUMATIC TIRE USER: AS CG MC ME OS SH REVIEWER: 84 CS | A 2640 * AT 23-JUN-82 | AT | YD1 | 99 | |
| | | ZZ-M-43A | MAT, FLOOR (FOR CHAIR) ..... | A 7220 # 15-JUL-52 | | | | |
| | | ZZ-M-00438(1) | MAT, FLOOR (FOR CHAIRS) ..... | A 7220 # 05-APR-67 | | | | |
| D | | ZZ-M-46C | MAT, FLOOR (LINK-TYPE) USER: CG MC ..... | A 7220 / YD1 08-JUL-66 | | YD1 | 69 | |
| | | ZZ-M-46C(11) | MAT, FLOOR (LINK-TYPE) ..... | A 7220 # FSS 28-SEP-70 | | | | |
| D | | ZZ-M-71F | MATTING, RUBBER AND VINYL USER: CE MC REVIEWER: GL MD ..... | A 7220 / YD1 03-MAY-79 | | YD1 | 99 | |
| | | ZZ-M-71F(11) | MATTING, RUBBER AND VINYL ..... | A 7220 # FSS 15-NOV-88 | | | | |
| | | ZZ-M-81C | MATTING, RUBBER & PLASTIC (SPECIAL, DIELECTRIC) ..... | A 7220 # 13-OCT-69 | | | | |
| | | ZZ-M-91E | MATTRESS, BED, LATEX FOAM ..... | A 7210 / GL 28-FEB-63 | GL | SA | 99 | |
| | | ZZ-M-91E(11) | MATTRESS, BED, FOAM ..... | A 7210 # FSS 20-MAR-68 | | | | |
| | | ZZ-G-100A | GLOVES, RUBBER, AUTOPSY USER: 45 ..... | A 8415 # 04-JAN-61 | | | | |
| | | ZZ-C-101A(1) | CATHETER, URETHRAL, RUBBER [VALIDATION DATE: 8202] ..... | A 6515 / DM 17-APR-57 | MD | MS | 03 | |
| D | | ZZ-P-112D(1) | PATCH, REPAIR, FOR INNER TUBES AND TUBELESS TIRE LINERS [VALIDATION DATE: 8502] USER: CS REVIEWER: AR | A 2640 / AT 17-JUL-74 | AT | YD1 | 99 | |
| A | | ZZ-H-141D(1)<br>NOTICE 1 | HEELS, RUBBER [VALIDATION DATE: 8904] USER: CG MC REVIEWER: MD ..... | A 8335 / CT 22-APR-89 | GL | MU | 99 | CT |
| D | | ZZ-B-215B<br>NOTICE 1 | BELTS, V: LIGHT-DUTY OR FRACTIONAL-HORSEPOWER [VALIDATION DATE: 8905] USER: AV MC REVIEWER: CS | A 3030 / AT 26-MAY-89 | AT | YD1 | 99 | |
| DQ | | ZZ-B-225B<br>NOTICE 1 | BELTS, V: INDUSTRIAL (MULTIPLE DRIVE) [VALIDATION DATE: 8905] REVIEWER: AV CS EA | A 3030 / AT 26-MAY-89 | AT | YD1 | 99 | |
| D | | ZZ-G-381C | GLOVES, RUBBER, INDUSTRIAL USER: 45 AS OS YD1 REVIEWER: AR MC MD SH ..... | A 8415 / CT 20-JUL-77 | GL | MU | 99 | CT |
| DQL | | ZZ-T-381Q | TIRES, PNEUMATIC, VEHICULAR (HIGHWAY) USER: CE REVIEWER: CS YD1 ..... | A 2610 * AT 01-AUG-89 | AT | | | |
| D | | ZZ-T-391E | TIRE, SOLID RUBBER, AND WHEELS, SOLID RUBBER TIRE, (INDUSTRIAL) USER: MC MD REVIEWER: CS | A 2630 / ME 23-JUN-82 | AT | YD1 | 99 | |
| DQ | | ZZ-T-410E | TIRE, PNEUMATIC, INDUSTRIAL REVIEWER: CS ..... | A 2610 / AT 23-JUN-84 | AT | YD1 | 99 | |
| D | | ZZ-T-416H | TIRE, PNEUMATIC, RETREAD AND REPAIR MATERIALS [VALIDATION DATE: 8502] REVIEWER: CS | A 2640 / AT 26-SEP-75 | AT | YD1 | 99 | |
| DQ | | ZZ-H-428D(2) | HOSE, NON METALLIC AND HOSE, PREFORMED, (FOR THE COOLANT SYSTEMS OF AUTOMOTIVE AND OTHER LIQUID COOLED ENGINE USER: AR ME REVIEWER: CS EA | A 4720 / AT 20-AUG-84 | AT | YD1 | | |
| D | | ZZ-T-441G | TIRE, PNEUMATIC, RETREADED AND REPAIRED REVIEWER: CS MC ..... | A 2640 * AT 13-JAN-86 | AT | YD1 | 99 | |
| A | | ZZ-C-450C<br>NOTICE 1 | CLOTH, COATED (RUBBER AND PLASTIC) AND PLASTIC SHEETING FOR HOSPITAL USE [VALIDATION DATE: 8711] USER: CG REVIEWER: 99 MD | A 8305 / CT 15-JAN-74 | GL | MU | 11 | CT |
| D | | ZZ-H-451G | HOSE, FIRE, WOVEN JACKETED RUBBER- OR LATEX OR RUBBER COATED FABRIC LINED, WITH COUPLINGS USER: MC REVIEWER: CG CS SH | A 4210 / YD1 13-JAN-84 | ME | YD1 | 99 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | ZZ-H-461E | HOSE AND HOSE ASSEMBLY, RUBBER, GAS (ACETYLENE HYDROGEN, AIR AND OXYGEN USER: AR GL MC REVIEWER: CS ME MI SH | A 4720 / 82 11-NOV-86 | | YD1 | 99 | |
| L | | ZZ-H-466C(1) | HOSE ASSEMBLY, METAL (RUBBER COVERED), HYDROCARBON CONVEYING | A 4720 # 99 03-OCT-72 | | | 99 | |
| D | | ZZ-H-500C(1) | HOSE, RUBBER, AND HOSE ASSEMBLIES, RUBBER: PNEUMATIC (YARN OR FABRIC REINFORCED) USER: MC REVIEWER: 82 CS ME SH | A 4720 / YD1 20-MAR-92 | | YD1 | 99 | |
| M | | ZZ-H-521F | HOSE AND HOSE ASSEMBLIES, NONMETALLIC, SPRAY USER: CG MC SA REVIEWER: 82 CS | A 4720 / YD1 28-MAY-93 | ME | YD1 | 99 | |
| | | ZZ-I-550E(4) | INNER TUBE, PNEUMATIC TIRE USER: ME | A 2610 # 20-JUL-78 | | | | |
| D | | ZZ-H-561K | HOSE, RUBBER, AND HOSE ASSEMBLIES, RUBBER, SMOOTH BORE, WATER SUCTION AND DISCHARGE USER: MC SH REVIEWER: 82 CS | A 4720 / YD1 26-JUL-88 | ME | YD1 | 99 | |
| D | | ZZ-F-566B | FORCE CUP, PLUMBER'S USER: YD1 | A 5120 * GL 03-MAY-63 | GL | SH | 99 | |
| | | ZZ-F-566B(11) | FORCE CUP, PLUMBER'S | A 5120 # FSS 16-MAY-66 | | | | |
| D | | ZZ-H-601E | HOSE AND HOSE ASSEMBLIES, RUBBER (YARN OR FABRIC REINFORCED) WATER SERVICE USER: AT MC REVIEWER: CS MI OS SH | A 4720 / YD1 11-JUN-90 | ME | YD1 | 99 | |
| | | ZZ-A-605B | APRON, LABORATORY USER: 45 | A 8415 % FSS 19-DEC-66 | | | | |
| | | ZZ-A-605B(11) | APRON, LABORATORY | A 8415 # FSS 10-APR-68 | | | | |
| DQ | | ZZ-H-617B(1) NOTICE 1 | HOSE, RUBBER, WINDSHIELD WIPER [VALIDATION DATE: 8211] USER: MC ME REVIEWER: CS EA | A 4720 / AT 30-OCT-72 | AT | YD1 | 99 | |
| | | ZZ-S-666D | SQUEEGEES, FLOOR AND WINDOW | A 7920 # FSS 18-APR-91 | | | | |
| | | ZZ-R-710A | RUBBER GASKET MATERIAL, 35 DUROMETER HARDNESS [VALIDATION DATE: 8105] USER: OS REVIEWER: EA | A 5330 / SH 11-MAY-67 | ME | SH | | |
| N | | ZZ-G-710B | GASKET MATERIAL, RUBBER 35 DUROMETER HARDNESS USER: AS OS REVIEWER: 1S | A 5330 / SH 05-APR-93 | ME | SH | | |
| D | | ZZ-R-765E | RUBBER, SILICONE (GENERAL SPECIFICATION) USER: YD1 REVIEWER: 82 99 AR CR ER GL GS MD ME MI OS SH SM | A 9320 / MR 20-DEC-91 | MR | AS | 11 | |
| | | ZZ-R-765/1 NOTICE 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/2 NOTICE 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/3 NOTICE 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/4 NOTICE 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/5 NOTICE 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/6 NOTICE 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/7 NOTICE 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/8 NOTICE 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/9 NOTICE 1 | RUBBER, SILICONE; TUBING, NONMETALLIC, ROUND, FLEXIBLE [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/10 NOTICE 1 | RUBBER, SILICONE; ROUND SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/11 NOTICE 1 | RUBBER, SILICONE; PACKING MATERIAL [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/12 NOTICE 1 | RUBBER, SILICONE; PACKING MATERIAL [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/13 NOTICE 1 | RUBBER, SILICONE; GASKET [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/14 NOTICE 1 | RUBBER, SILICONE; GASKET [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/15C | RUBBER, SILICONE; RUBBER SHEET SOLID REVIEWER: GS | A 9320 / MR 08-NOV-88 | MR | AS | 11 | |
| | | ZZ-R-765/16 NOTICE 1 | RUBBER, SILICONE; RUBBER STRIP [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/17 NOTICE 1 | RUBBER, SILICONE; RUBBER STRIP [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/18A NOTICE 1 | RUBBER, SILICONE; RUBBER STRIP [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/19 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/20 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/21 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/22 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/23 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/24 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/25 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/26 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 11-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/27 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/28 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/29 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/30 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] USER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/31 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/32 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/33 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/34 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/35 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/36 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/37 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/38 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | | ZZ-R-765/39 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | | |
| | | ZZ-R-765/40 NOTICE 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS | A 9320 / MR 19-APR-91 | MR | AS | | |

| Action | Obs. / Canc. / Consolidation / Inactive | Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activ. / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | ZZ-R-765/41 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/42 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/43 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/44 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/45 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/46 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/47 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/48 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/49 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/50 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/51 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/52 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/53 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/54 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/55 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/56 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| | | ZZ-R-765/57 | RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION (VALIDATION DATE: | A 9320 / MR 19-APR-91 | MR | AS | 11 | |
| | NOTICE 1 | | 9104) REVIEWER: GS | | | | | |
| D | | ZZ-R-765/58 | RUBBER, SILICONE: PACKING, PREFORMED USER: OS YD1 REVIEWER: 82 99 AR CR ER GL GS MD ME MI SH SM | A 9320 / MR 21-JAN-92 | MR | AS | 11 | |
| | | ZZ-C-766D | CUSHION, CHAIR AND STOOL USER: 45 | A 7210 # 14-SEP-77 | | | | |
| | | ZZ-R-768A | RUBBER FOR MOUNTINGS (UNBONDED-SPOOL) AND COMPRESSION TYPES (VALIDATION | A 9320 / SH 05-FEB-91 | MR | SH | | |
| | NOTICE 1 | | DATE: 9102) USER: AR EL MC REVIEWER: GS MI | | | | | |
| | | ZZ-R-800A | RUBBER STAMP, BAND TYPE USER: GL | A 7520 % 31-MAR-71 | | | | |
| | | ZZ-R-804 | RUBBER STAMP, FIXED TYPE USER: GL SA | A 7520 % 07-MAR-66 | | | | |
| | | ZZ-C-811(1) | CUSHION (UNDERLAY), CARPET AND RUG, SPONGE-RUBBER AND SYNTHETIC-RUBBER | A 7220 # 29-NOV-45 | | | | |
| | | ZZ-C-00811B | CUSHION, CARPET AND RUG, CELLULAR RUBBER | A 7220 # 02-JAN-63 | | | | |
| | | ZZ-M-001033 | MATTING FLOOR, RUBBER, APERTURE SURFACE | A 7220 # 26-NOV-65 | | | | |
| | | ZZ-T-1083E | TIRE, PNEUMATIC, LOW SPEED, OFF HIGHWAY (VALIDATION DATE: 8502) | A 2610 # 20-AUG-76 | | | | |
| | | ZZ-R-001207 | RUBBER STAMP, FIXED TYPE, PRE-INKED USER: GL | A 7520 % 29-MAR-72 | | | | |
| | | ZZ-P-001235A | PILLOW, BED (FLAKED URETHANE) USER: 45 | A 7210 # 13-JAN-76 | | | | |
| | | ZZ-T-001237 | TREAD, STAIR, FLEXIBLE AND SEMI-RIGID TYPE RUBBER AND VINYL | A 7220 # 25-MAR-70 | | | | |
| | | ZZ-R-1414 | RUBBER STAMP, FIXED AND REMOVABLE TYPE USER: GL | A 7520 % 31-MAR-71 | | | | |
| | | ZZ-R-1415A(1) | RUBBER BAND | A 7510 # 25-MAR-80 | | | | |
| | | ZZ-M-15388 | MAT, FLOOR: PLASTIC (FOR CHAIRS) | A 7220 # FSS 13-JUL-89 | | | | |
| | | ZZ-C-001597A | CONDOM, RUBBER CONTRACEPTIVE | A 6515 # 19-SEP-77 | | | | |
| Q | | ZZ-T-16198(1) | TIRES, PNEUMATIC, AGRICULTURAL | A 2610 # 06-JAN-78 | | | | |
| | NOTICE 1 | | | | | | | |
| | | ZZ-P-2012 | PILLOW, BED (LATEX FOAM AND FIBERFILL) USER: 45 | A 7210 # 16-SEP-76 | | | | |
| | | AAA-B-920 | BALANCE, ANALYTICAL (VALIDATION DATE: 8402) REVIEWER: GS MD | A 6670 / GL 23-NOV-77 | GL | SH | 99 | |
| | | AAA-B-1058 | BALANCE, PRESCRIPTION (VALIDATION DATE: 8303) REVIEWER: GS | A 6670 / GL 31-DEC-70 | GL | MS | 03 | |
| | | BBB-F-695(1) | FROCK, MAN S (BUTCHERS , WHITE) USER: 45 | A 8415 # 30-JAN-61 | | | | |
| A | | BBB-S-1268B(1) | SWEAT SHIRT (VALIDATION DATE: 8702) USER: 45 MC REVIEWER: MD | A 8415 / CT 27-FEB-87 | GL | SA | 99 | CT |
| | NOTICE 1 | | | | | | | |
| A | | BBB-S-1269B(2) | SWEAT PANTS (VALIDATION DATE: 8410) USER: 45 MC REVIEWER: MD | A 8415 / CT 21-MAR-79 | GL | MU | 99 | CT |
| L | | CCC-C-460 | CLOTH, CLEANING, NONWOVEN FABRIC (VALIDATION DATE: 9111) | A 7920 / AS 05-NOV-91 | | AS | | |
| | NOTICE 1 | | | | | | | |
| | | CCC-P-86E(1) | PADDING, COTTON, STITCHED ROVING (VALIDATION DATE: 8104) REVIEWER: MD | A 8320 # GL 21-NOV-72 | | | | |
| | | CCC-P-91C | PADDING, RUBBERIZED, CURLED HAIR REVIEWER: OS | A 8320 * 01-OCT-73 | | | | |
| | | CCC-G-101C(1) | GAUZE, ABSORBENT (VALIDATION DATE: 8202) REVIEWER: EA OS | A 6510 / DM 16-JUN-59 | MD | MS | 03 | |
| | | CCC-S-00320 | SHEETING AND TAPE, REFLECTIVE, ADHESIVE BACKING USER: 45 | A 8305 # 18-NOV-63 | | | | |
| L | | CCC-C-406B | CLOTH, AWNING, COTTON REVIEWER: SA | A 8305 / CT 25-APR-67 | | | | CT |
| D L | | CCC-W-408C | WALL COVERING, VINYL-COATED USER: SH REVIEWER: ME | A 5640 / YD1 11-JUL-89 | | YD1 | | |
| A | | CCC-C-419G | CLOTH, DUCK, UNBLEACHED, PLIED-YARNS, ARMY AND NUMBERED USER: 45 AR AT ME REVIEWER: 82 EA MC MD | A 8305 / CT 15-DEC-89 | GL | MU | 99 | CT |
| | | CCC-C-422 | CLOTH, COTTEN, MUSLIN (MERCERIZED) | A 8305 # 10-MAY-53 | | | | |
| | | CCC-C-00422B | CLOTH, COTTON, MUSLIN, (MERCERIZED) | A 8305 # 21-JAN-75 | | | | |
| A | | CCC-C-425E | CLOTH, BIRDSEYE AND GAUZE, COTTON (VALIDATION DATE: 8402) USER: DM REVIEWER: MD MS | A 8305 / CT 08-DEC-83 | GL | MU | 99 | CT |
| A | | CCC-C-426D | CLOTH, COTTON, DRILL (VALIDATION DATE: 8711) REVIEWER: 99 | A 8305 / CT 12-NOV-87 | GL | MU | 11 | CT |
| | NOTICE 1 | | | | | | | |
| A | | CCC-C-428G | CLOTH, DUCK, COTTON, FIRE, WATER, WEATHER AND MILDEW RESISTANT USER: 45 AT DM ME REVIEWER: 82 AR EA MC MD SH | A 8305 / CT 09-MAR-87 | GL | MU | 99 | CT |
| L | | CCC-C-428G(11) | CLOTH, DUCK, COTTON: FIRE, WATER, WEATHER, AND MILDEW RESISTANT | A 8305 / GL 31-OCT-90 | GL | | | |
| A | | CCC-C-429F | CLOTH, OSNABURG, COTTON USER: 45 MC ME REVIEWER: 82 AR CG MD MI | A 8305 / CT 18-FEB-88 | GL | SA | 99 | CT |
| A | | CCC-C-430F | CLOTH, SHEETING, COTTON AND POLYESTER AND COTTON (VALIDATION DATE: 8908) | A 8305 / CT 11-AUG-89 | GL | MU | 99 | CT |
| | NOTICE 1 | | USER: 45 REVIEWER: 82 EA MD MS SH | | | | | |
| A | | CCC-C-432D | CLOTH, SHEETING, COTTON, (UNBLEACHED, BLEACHED, AND DYED) (VALIDATION | A 8305 / CT 12-NOV-87 | GL | SA | 99 | CT |
| | NOTICE 1 | | DATE: 8711) REVIEWER: 11 MD | | | | | |
| A | | CCC-C-436E | CLOTH, TICKING TWILL, COTTON USER: 45 DM MC REVIEWER: 82 MD | A 8305 / CT 14-FEB-86 | GL | MU | 99 | CT |
| A | | CCC-C-439G | CLOTH, BUNTING, COTTON, MERCERIZED USER: MC REVIEWER: 11 IH MD | A 8305 / CT 15-MAY-90 | GL | MU | 99 | CT |
| D | | CCC-C-440E | CLOTH, CHEESECLOTH, COTTON, BLEACHED AND UNBLEACHED (VALIDATION DATE: | A 8305 * CT 12-NOV-87 | GL | MU | 99 | CT |
| | NOTICE 1 | | 8711) USER: 45 AV CG MD ME YD1 REVIEWER: OS EA MC SH | | | | | |
| A | | CCC-C-441C | CLOTH, CORDUROY, COTTON (VALIDATION DATE: 8711) REVIEWER: MD | A 8305 / CT 12-NOV-87 | GL | MU | 99 | CT |
| | NOTICE 1 | | | | | | | |
| A | | CCC-C-442E | CLOTH, DUCK, COTTON, BLEACHED REVIEWER: MD | A 8305 / CT 30-NOV-89 | GL | MU | | CT |
| D | | CCC-C-443E(2) | CLOTH, DUCK, COTTON (SINGLE AND PLIED FILLING YARNS, FLAT) (VALIDATION | A 8305 / CT 12-NOV-87 | GL | MU | | CT |
| | NOTICE 1 | | DATE: 8711) REVIEWER: MD YD1 | | | | | |
| | | CCC-C-447C | CLOTH, PERCALE, COTTON USER: 45 | A 8305 / GL 19-FEB-68 | GL | SA | 99 | |
| | | CCC-C-447C(11) | CLOTH, PERCALE, COTTON | A 8305 % FSS 17-JUL-70 | | | | |
| A | | CCC-C-458C | CLOTH, FLANNEL, COTTON (VALIDATION DATE: 8104) USER: AV MC ME REVIEWER: EA MD | A 8305 / CT 07-JUL-76 | GL | SA | 99 | CT |
| | NOTICE 1 | | | | | | | |
| A | | CCC-C-460C | CLOTH, COTTON, FLANNEL, (HEAVY, FOR TABLE FELTS) (VALIDATION DATE: 8108) USER: 45 CG MC MS | A 8305 / CT 21-JAN-76 | GL | MU | 99 | CT |
| A | | CCC-C-461C(1) | CLOTH, TWILL, UNIFORM COTTON (VALIDATION DATE: 8711) USER: 45 MC REVIEWER: EA MD | A 8305 / CT 12-NOV-87 | GL | MU | 99 | CT |
| | NOTICE 1 | | | | | | | |
| D | | CCC-C-467C | CLOTH, BURLAP, JUTE (OR KENAF) (VALIDATION DATE: 8601) USER: AT MC SH YD1 . | A 8305 / CT 08-FEB-72 | GL | SA | 99 | CT |
| | NOTICE 1 | | | | | | | |

| Action | OPR / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MICA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| A | | CCC-C-476H | CLOTH, BUNTING, NYLON; AND NYLON AND WOOL USER: 45 OS SH REVIEWER: 82 IH MC | A 8305 / CT 29-JAN-90 | GL | MU | 99 | CT |
| D | | CCC-C-482C NOTICE 1 | CLOTH, PRESSING, NYLON [VALIDATION DATE: 8711] USER: YD1 REVIEWER: MD ..... | A 8305 / CT 12-NOV-87 | GL | MU | 99 | CT |
| | | CCC-C-531E | CLOTH, TRACING USER: GL ME ..... | A 7510 % 20-FEB-63 | | | | |
| | | CCC-C-00531F | CLOTH, TRACING ..... | A 7510 # 06-JAN-71 | | | | |
| D | | CCC-C-00540(5) | CLOTH, UPHOLSTERY USER: 45 YD1 ..... | A 8305 # FSS 20-JUL-83 | | | | |
| | | CCC-A-680A | ARTIFICIAL LEATHER (CLOTH COATED), VINYL RESIN, EXPANDED LAYER, (UPHOLSTERY) [VALIDATION DATE: 7803] USER: CG MC SH SM REVIEWER: 82 SA | A 8305 % FSS 26-MAY-66 | | | | |
| | | CCC-A-680A(11) | ARTIFICIAL LEATHER (CLOTH COATED), VINYL RESIN, EXPANDED LAYER, (UPHOLSTERY) [VALIDATION DATE: 7803] USER: CG MC SH SM REVIEWER: 82 GL SA | A 8305 # FSS 07-MAR-72 | | | | |
| A | | CCC-C-700J | CLOTH, COATED, VINYL COATED (ARTIFICIAL LEATHER) USER: 45 CG MC SH REVIEWER: 82 MD ME | A 8305 / CT 15-SEP-86 | GL | MU | 99 | CT |
| D | | CCC-D-950F | DYEING AND AFTERTREATING PROCESSES FOR COTTON CLOTHS USER: ME REVIEWER: MC MD YD1 | A 8305 / CT 26-JUN-89 | GL | MU | | CT |
| L | | CCC-D-950F(11) | DYEING AND AFTERTREATING PROCESSES FOR COTTON CLOTHS ..... | A 9305 / GL 31-OCT-90 | GL | | | |
| D | | CCC-C-001703A | CLOTH, DRAPERY, GLASS FIBER USER: YD1 ..... | A 8305 # FSS 05-FEB-73 | | | | |
| A | | CCC-C-1798 NOTICE 1 | CLOTH, COATED COTTON, PLASTIC COATED TICKING [VALIDATION DATE: 8702] USER: 13 REVIEWER: MD MS | A 8305 / CT 27-FEB-87 | GL | SA | | CT |
| A | | DDD-L-20F(1) | LABEL: FOR CLOTHING, EQUIPAGE, AND TENTAGE, (GENERAL USE) USER: 45 AS REVIEWER: 82 AR CG EA MC MD | A 8315 / CT 23-MAY-91 | GL | MU | 99 | CT |
| | | DDD-R-30G | RAG, WIPING, COTTON AND COTTON SYNTHETIC USER: CG GL MC ..... | A 7920 % 05-JUL-83 | | | | |
| | | DDD-B-40A | BANDAGE, CANTON FLANNEL [VALIDATION DATE: 8406] ..... | A 6510 / DM 23-DEC-58 | MD | MS | 03 | |
| | | DDD-C-48E | CAP, OPERATING, SURGICAL, GREEN [VALIDATION DATE: 8406] ..... | A 6532 / DM 27-MAR-68 | MD | MS | 99 | |
| | | DDD-P-50 | PAD, COTTON, DRESSING, EYE PAD [VALIDATION DATE: 8202] ..... | A 6510 * DM 10-JUN-59 | MD | MS | 03 | |
| | | DDD-P-52 | PAD, CLOTH, COPPER-SULFATE IMPREGNATED [VALIDATION DATE: 6605] ..... | A 6510 # FSS 22-DEC-59 | | | | |
| | | DDD-P-53B(1) | PAD, ABDOMINAL (DRAINAGE DRESSING COMBINES) [VALIDATION DATE: 7901] ..... | A 6510 / DM 06-JUN-58 | MD | MS | 03 | |
| | | DDD-P-0053C | PAD, ABDOMINAL (DRAINAGE DRESSING, COMBINATION) [VALIDATION DATE: 7901] ... | A 6510 * DM 14-OCT-63 | MD | MS | 03 | |
| | | DDD-P-54(1) | PADS GAUZE, GAUZE AND COTTON, AND GAUZE CELLULOSE AND COTTON [VALIDATION DATE: 8202] | A 6510 / DM 09-AUG-57 | MD | MS | 03 | |
| A | | DDD-P-56F | PAD, MATTRESS, POLYESTER BATTING, QUILTED, FLAT OR FITTED USER: 45 MC MS REVIEWER: CT MD | A 7210 / CT 27-SEP-88 | GL | MU | 99 | CT |
| | | DDD-B-60 | BANDAGE, GAUZE, TUBULAR [VALIDATION DATE: 8202] ..... | A 6510 * DM 02-MAR-59 | MD | MS | 03 | |
| | | DDD-B-61E | BANDAGE, GAUZE, (ROLLER AND COMPRESSED) [VALIDATION DATE: 8202] ..... | A 6510 % FSS 11-SEP-72 | | | | |
| | | DDD-B-61E(11) | BANDAGE, GAUZE, (ROLLER AND COMPRESSED) [VALIDATION DATE: 8202] ..... | A 6510 / DM 10-MAR-78 | MD | MS | 03 | DM |
| | | DDD-P-66B | PAD, SANITARY [VALIDATION DATE: 7901] ..... | A 6515 * DM 29-JUN-73 | MD | MS | 03 | |
| A | | DDD-W-80E | WASHCLOTH, TERRY, COTTON USER: 45 REVIEWER: CT MD ..... | A 7210 / CT 29-JUN-87 | GL | MU | 99 | CT |
| | | DDD-B-81D | BANDAGE, MUSLIN (UNBLEACHED), ROLLER [VALIDATION DATE: 8202] ..... | A 6510 / DM 06-JUN-75 | MD | MS | 03 | |
| A | | DDD-T-86H | TAPE, TEXTILE, COTTON, GENERAL PURPOSE.T(UNBLEACHED, BLEACHED OR DYED) USER: AR DM ME REVIEWER: 82 DS EA MC MD | A 8315 / CT 23-DEC-85 | GL | MU | 99 | CT |
| | | DDD-W-90A | WASHCLOTH (DISPOSABLE) ..... | A 7210 # 01-DEC-76 | | | | |
| D | | DDD-C-95 | CARPETS AND RUGS, WOOL, NYLON, ACRYLIC, MODACRYLIC REVIEWER: MD ..... | A 7220 / GL 16-APR-65 | GL | YD1 | 69 | |
| | | DDD-C-0095A | CARPET AND RUGS, WOOL, NYLON, ACRYLIC, MODACRYLIC POLYESTER, POLYPROPYLENE | A 7220 # FSS 15-MAR-72 | | | | |
| | | DDD-C-95(12) | CARPETS AND RUGS, WOOL, NYLON, ACRYLIC, MODACRYLIC POLYESTER, POLYPROPYLENE | A 7220 # FSS 09-JUL-70 | | | | |
| A | | DDD-W-101C(2) NOTICE 1 | WASTE, MATTED YARNS [VALIDATION DATE: 8511] USER: MC MD ME REVIEWER: CE ... | A 8305 * CT 27-APR-70 | GL | MU | 99 | CT |
| | | DDD-G-148D | GAUZE, ABSORBENT, STERILE AND GAUZE, ABSORBENT, IODOFORM IMPREGNATED (PACKING STRIPS) [VALIDATION DATE: 8406] | A 6510 / DM 15-OCT-76 | MD | MS | 03 | |
| A | | DDD-B-151J | BEDSPREAD, COTTON, COTTON/RAYON, COTTON/POLYESTER OR POLYESTER/RAYON BLEND USER: 45 82 REVIEWER: CT | A 7210 / CT 30-JUN-88 | | MU | 99 | CT |
| | | DDD-M-156D | MAT, FLOOR, (COIR FIBER) ..... | A 7220 # FSS 21-OCT-64 | | | | |
| | | DDD-M-156D(11) | MAT, FLOOR, (COIR FIBER) ..... | A 7220 # FSS 20-JAN-66 | | | | |
| | | DDD-R-250E(6) | RIBBON, ACCOUNTING MACHINE USER: GL ..... | A 7510 % 05-APR-76 | | | | |
| | | DDD-R-00255(1) | RIBBON, ADDRESS PLATE MACHINE ..... | A 7510 # 08-AUG-74 | | | | |
| | | DDD-S-281K | SHEET, BED, COTTON, AND POLYESTER COTTON USER: 45 CG MC REVIEWER: CT DM MD MS SH | A 7210 * GL 02-FEB-78 | GL | MU | 99 | |
| A | | DDD-P-351H(1) | PILLOWCASE, COTTON AND POLYESTER/COTTON USER: 45 MC SH REVIEWER: CT DM MD . | A 7210 / CT 01-OCT-82 | GL | MU | 99 | CT |
| | | DDD-P-00360A | PILLOWCASE, AND COVER, HEADREST (DISPOSABLE) USER: 45 ..... | A 7210 # 09-APR-73 | | | | |
| | | DDD-F-410C | FLAG, NATIONAL, UNITED STATES OF AMERICA INDOOR SET USER: 45 ..... | A 8345 # FSS 15-AUG-88 | | | | |
| A | | DDD-F-416E NOTICE 2 | FLAG, NATIONAL, UNITED STATES OF AMERICA AND FLAG, UNION JACK [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CG CT MC | A 8345 / IH 20-NOV-92 | IH | MU | 11 | |
| | | DDD-B-421F | BLANKET, BED (OTHER THAN ALL WOOL) ..... | A 7210 # 99 27-MAR-67 | | | 99 | |
| | | DDD-C-441C | CLOTH, POLISHING ..... | A 7920 * GL 07-SEP-72 | GL | | 99 | |
| | | DDD-T-501C | TOWEL, COTTON, FOR GLASSWARE ..... | A 7210 # 27-AUG-53 | | | | |
| | | DDD-T-00501D(1) | TOWEL AND TOWELING, COTTON FOR GLASSWARE ..... | A 7210 # 10-MAR-70 | | | | |
| | | DDD-T-511D | TOWELS, DISH AND SISCLOTH (CRASH, COTTON, AND COTTON AND LINEN-M IXED), CLOTH, CRASH, COTTON [VALIDATION DATE: 7602] USER: 45 CG MC MS REVIEWER: CT MD | A 7210 * GL 21-DEC-70 | GL | MU | 99 | |
| | | DDD-I-00520A | INSIGNIA, UNIFORM, GSA USER: 45 ..... | A 8455 # 28-DEC-67 | | | | |
| | | DDD-T-531H | TOWEL, HAND: AND CLOTH, HUCK, COTTON REVIEWER: 82 84 CT DM MC MD ..... | A 7210 / GL 14-OCT-88 | GL | MU | 99 | |
| | | DDD-T-541C | TOWEL, MACHINERY WIPING USER: MC ..... | A 7920 / SA 23-JUL-65 | GL | SA | 69 | |
| | | DDD-T-541C(12) | TOWEL, MACHINERY WIPING ..... | A 7920 # FSS 15-MAR-72 | | | | |
| A | | DDD-T-551K | TOWEL, BATH, COTTON, TERRY [VALIDATION DATE: 8410] REVIEWER: CT MC MD MS .. | A 7210 * CT 19-OCT-77 | GL | SA | 99 | CT |
| | | DDD-C-570C | COMPRESS, GAUZE, &, COMPRESS & SKULLCAP, HEAD DRESSING, CAMOUFLAGED [VALIDATION DATE: 8202] | A 6510 / DM 28-FEB-80 | MD | MS | 03 | |
| D | | DDD-A-616G NOTICE 1 | APRON, FOOD HANDLERS' [VALIDATION DATE: 8904] USER: MS YD1 REVIEWER: 45 MC MD | A 8415 / CT 22-APR-89 | GL | MU | 99 | CT |
| | | DDD-D-626A | DRAPE, SURGICAL [VALIDATION DATE: 8202] ..... | A 6530 / DM 28-APR-59 | MD | MS | 03 | |
| | | DDD-D-006260(1) | DRAPE, SURGICAL, CLOTH [VALIDATION DATE: 8202] ..... | A 6530 / DM 10-FEB-76 | MD | MS | 03 | |
| A | | DDD-C-628F NOTICE 1 | COVER, MATTRESS USER: 45 CG MC REVIEWER: CT DM MD MS ..... | A 7210 / CT 31-DEC-88 | GL | MU | 99 | CT |
| | | DDD-C-641B | CURTAIN, AIR-PORT, CURTAIN, DOORWAY, AND CURTAIN FIXTURES USER: GL SA ..... | A 7230 % 30-JUN-64 | | | | |
| | | DDD-D-646B | DRAWERS, MEN S, COTTON, THIGH LENGTH USER: 45 ..... | A 8420 % 18-NOV-59 | | | | |
| | | DDD-D-00646C | DRAWERS, MEN S, THIGH LENGTH ..... | A 8420 # 30-MAR-72 | | | | |
| | | DDD-D-690C | DROPCLOTH, PAINTER'S (PLASTIC AND COTTON DUCT CLOTH) ..... | A 8340 # FSS 04-SEP-91 | | | | |
| | | DDD-D-006908 | DROPCLOTHS, PAINTER S, PLASTIC, COTTON CLOTH (DUCK) USER: 45 ..... | A 8340 % 11-FEB-75 | | | | |
| | | DDD-C-800A | CURTAIN, BEDSIDE SCREEN ..... | A 6530 / MB 31-JUL-90 | MD | MS | 03 | |
| | | DDD-E-940 | EYELET REINFORCEMENT, GUMMED, CLOTH USER: GL ..... | A 7510 % 31-OCT-63 | | | | |
| | | DDD-E-00940A | EYELET REINFORCEMENT, GUMMED, CLOTH ..... | A 7510 # 22-AUG-69 | | | | |
| | | DDD-B-1022A(1) | BLANKET, BED (THERMAL TYPE), COTTON ..... | A 7210 # 07-FEB-77 | | | | |
| D | | DDD-C-001023(1) | CUSHION, CARPET AND RUG (HAIR FELT AND RUBBER COATED JUTE AND ANIMAL HAIR OR FIBER) USER: YD1 | A 7220 # 10-MAR-72 | | | | |
| | | DDD-P-001024 | PAD, MEDICATED [VALIDATION DATE: 8202] ..... | A 6510 / DM 15-JUN-65 | MD | MS | 03 | |
| | | DDD-T-10968 | TABLECLOTH AND NAPKIN, TABLE, TEXTILE USER: 45 ..... | A 7210 % 04-AUG-78 | | | | |
| | | DDD-C-001173(1) | CARPET, NONWOVEN, POLYPROPYLENE, OUTDOOR-INDOOR TYPE ..... | A 7220 # 09-JUL-70 | | | | |
| | | DDD-L-1257A(1) | LINER, LAUNDRY BASKET FRAME USER: GL ..... | A 7240 % 13-FEB-73 | | | | |
| | | DDD-M-001349(1) | MAT, FLOOR, AND MATTING, PILE SURFACE, ENTRANCE WAY TYPE ..... | A 7220 # 19-OCT-70 | | | | |
| | | DDD-M-001370 | MAT, FLOOR, CELLULOSIC PILE YARNS, FLAME RETARDANT (RENTAL SERVICE) ..... | A 7220 # 28-MAR-69 | | | | |
| | | DDD-C-1374A | CLOTHS, CLEANING, WAFFLE, COTTON ..... | A 7920 % 07-NOV-80 | | | | |
| | | DDD-C-001410(1) | CLOTH, CLEANING, TREATED (RENTAL SERVICE) ..... | A 7920 # 02-NOV-71 | | | | |
| D | | DDD-A-1466C | APRON, CONSTRUCTION WORKER'S USER: 45 REVIEWER: 82 MD YD1 ..... | A 8415 / CT 10-JAN-91 | GL | MU | 99 | CT |
| | | DDD-C-001559(1) | CARPET, LOOP, LOW PILE HEIGHT, HIGH DENSITY, WOVEN OR TUFTED WITH ATTACHED CUSHIONING | A 7220 # 09-JUL-70 | | | | |

| Action | OPR / Obsl. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | DDD-C-001630 | CARPETS AND RUGS, EXTRA HEAVY PILE WEIGHT, WOVEN, TUFTED AND CUSTOM TUFTED SPECIAL PURPOSE | A | 7220 | # | | 20-AUG-73 | | | | |
| | | | DDD-C-001799 | CARPET, SQUARES, PILE SURFACE, TILE TYPE, WITH OR WITHOUT ATTACHED CUSHION | A | 7220 | # | FSS | 20-DEC-72 | | | | |
| | | | FFF-D-191D | DENTIFRICE USER: GL | A | 8520 | % | | 16-APR-75 | | | | |
| | | | FFF-C-641D | CREAM, SHAVING AND SOAP, SHAVING USER: GL MC | A | 8520 | % | | 17-APR-75 | | | | |
| D | | | GGG-G-15C(1) | GAGE BLOCKS AND ACCESSORIES (INCH AND METRIC) USER: AS CE MC ME OS YD1 | A | 5210 | % | GL | 16-AUG-76 | GL | SH | | 99 |
| | | | GGG-G-17C | GAGE, GENERAL PURPOSE USER: MI | A | 5210 | % | | 26-JUN-87 | | | | |
| D | | | GGG-H-20A | HAMMER, HAND, (BODY AND FENDER, FORGED STEEL HEAD) USER: YD1 | A | 5120 | * | GL | 06-JUL-61 | GL | SH | | 99 |
| D | | | GGG-T-20B(3) | TACKER, STAPLE, (COMPRESSION TYPE, MANUALLY OPERATED), AND STAPLE, TACKER USER: YD1 REVIEWER: ME | A | 5120 | * | GL | 24-JUN-74 | GL | SH | | 99 |
| | | | GGG-T-0030 | TACKER, STAPLE (COMPRESSION TYPE, MANUALLY OPERATED FOR ROUND CROWNED STAPLES) AND STAPLE, TACKER (ROUND CROWNED) | A | 5120 | # | | 10-DEC-65 | | | | |
| | | | GGG-G-31B | GAGE, MARKING AND MORTISING | A | 5210 | # | | 09-DEC-64 | | | | |
| D | | | GGG-H-33A(5) | HAMMERS, HAND AND MALLETS, SURFACE PROTECTIVE: HOLDERS AND ADAPTERS, INSERTED HAMMER FACE, AND FACES, HAMMER, INSERTED USER: YD1 | A | 5120 | / | GL | 26-AUG-63 | GL | SH | | 99 |
| | | | GGG-H-33A(16) | HAMMERS, HAND AND MALLETS, SURFACE PROTECTIVE: HOLDERS AND ADAPTERS, INSERTED HAMMER FACE, AND FACES, HAMMER, INSERTED | A | 5120 | # | FSS | 07-MAY-64 | | | | |
| | | | GGG-H-35A | HAMMER, HAND: WELDER'S, CHIPPING | A | 5120 | / | GL | 28-FEB-57 | GL | SH | | 99 |
| | | | GGG-H-35A(14) | HAMMER, HAND: WELDER'S, CHIPPING | A | 5120 | # | FSS | 10-FEB-72 | | | | |
| | | | GGG-Y-35B | YARDSTICK (WOOD & ALUMINUM | A | 5210 | # | | 24-NOV-86 | | | | |
| | | | GGG-L-36A | LADLES, DECK-PAVING | A | 5120 | # | | 14-SEP-53 | | | | |
| | | | GGG-T-0040A(1) | TAMPERS, HAND | A | 5120 | # | | 15-MAR-68 | | | | |
| D | | | GGG-M-45D(1) | MACHETES, RIGID HANDLE [VALIDATION DATE: 9007] USER: ME YD1 REVIEWER: MD | A | 5110 | / | GL | 30-JUL-90 | GL | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | GGG-B-50A | BAG, LINEMAN'S TOOL, ROUND USER: YD1 | A | 5140 | * | GL | 08-FEB-66 | GL | SH | | 99 |
| | | | GGG-B-50A(11) | BAG, LINEMAN'S TOOL, ROUND | A | 5140 | % | FSS | 19-MAY-66 | | | | |
| | | | GGG-J-51E | JACK, MECHANICAL, HAND OPERATED (SCREW, SCISSORS, REEL, PLANER, AND HACK BAR | A | 5120 | # | | 29-MAR-67 | | | | |
| D | | | GGG-S-51D | SAW, CIRCULAR, PORTABLE, ELECTRIC USER: CE MC YD1 | A | 5130 | / | GL | 12-NOV-69 | GL | SH | | 84 |
| | | | GGG-S-51D(12) | SAW, CIRCULAR, PORTABLE, ELECTRIC | A | 5130 | # | FSS | 19-JAN-71 | | | | |
| D | | | GGG-S-58E | SAW, RADIAL-OVERARM, WOODWORKING USER: CG REVIEWER: 84 GS | A | 3220 | / | ME | 24-JUL-92 | ME | YD1 | | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | GGG-B-0060A(1) | BAG, TOOL SATCHEL USER: GL | A | 5140 | # | FSS | 05-OCT-70 | | | | |
| | | | GGG-J-60A | JACK KIT, HYDRAULIC, HAND (WITH TRUCK OR CHEST) [VALIDATION DATE: 7207] USER: MC REVIEWER: AR | A | 5120 | * | GL | 11-JAN-67 | GL | SH | | 99 |
| | | | GGG-T-60A | TAPS, THREAD CUTTING, CARBON STEEL, HAND CUT THREAD, AMERICAN NATIONAL AND METRIC THREAD FORM, SCREW AND BOLT USER: AR MC | A | 5136 | * | GL | 24-NOV-70 | GL | SH | | 99 |
| | | | GGG-G-61 | GAGE, PLUG AND RING, PLAIN AND THREAD | A | 5220 | / | AH | 23-AUG-32 | | | | |
| | | | GGG-P-61A(2) | PARALLEL, STEEL AND CAST-IRON, PRECISION GROUND [VALIDATION DATE: 8306] USER: MC SH REVIEWER: GS | A | 5220 | / | 84 | 04-JAN-80 | AR | | | 99 |
| DQ | | | GGG-S-62D | SAW, CHAIN, PORTABLE, POWER USER: ER REVIEWER: GL GL MC MD | A | 3695 | / | ME | 24-OCT-86 | ME | YD1 | | 99 |
| D | | | GGG-J-63C | JACK, HYDRAULIC, HAND; JACK, BUMPER (HYDRAULIC) USER: AR CE YD1 | A | 5120 | % | FSS | 09-JUN-75 | | | | |
| Q | | | GGG-S-63C(3) | SAW, CIRCULAR, PORTABLE, PNEUMATIC | A | 5130 | # | FSS | 23-FEB-79 | | | | |
| | | | GGG-S-64(2) | SAWS, CROSSCUT, HAND, ONE-MAN AND TWO-MAN | A | 5110 | / | GL | 20-AUG-59 | GL | SH | | 99 |
| | | | GGG-S-0064A | SAW, BOW AND CROSSCUT, ONE-MAN AND TWO-MAN | A | 5110 | # | FSS | 20-JUL-66 | | | | |
| D | | | GGG-S-64(13) | SAWS, CROSSCUT, ONE-MAN AND TWO-MAN USER: MC MD YD1 | A | 5110 | / | GL | 31-DEC-63 | GL | SH | | |
| | | | GGG-J-65A | JOINTER, BRICK | A | 5120 | % | FSS | 26-APR-65 | | | | |
| | | | GGG-J-65A(11) | JOINTER, BRICK | A | 5120 | # | FSS | 24-JUL-67 | | | | |
| | | | GGG-S-65A | SAWS, HAND USER: GL | A | 5110 | * | SH | 05-APR-61 | AR | SH | | |
| | | | GGG-S-0065B(1) | SAWS, HAND | A | 5110 | # | FSS | 16-AUG-76 | | | | |
| | | | GGG-S-65A(13) | SAWS, HAND | A | 5110 | # | FSS | 11-JUN-64 | | | | |
| | | | GGG-S-69D(1) | SAW, POWER HACK, DRY CUT, PORTABLE (3 INCH CAPACITY) USER: ME REVIEWER: GS | A | 3450 | / | AL | 09-JAN-86 | AL | | | |
| | | | GGG-T-70B(1) | TAP, THREAD CUTTING, (STANDARD, AMERICAN NATIONAL FORM AND METRIC SPARK PLUG THREAD, HIGH-SPEED STEEL, GROUND THREAD, HAND) | A | 5136 | * | GL | 26-JUN-72 | GL | SH | | 99 |
| | | | GGG-T-0070C(1) | TAP, THREAD CUTTING (HIGH SPEED STEEL, GROUND THREAD, HAND AND SPARK PLUG) | A | 5136 | # | FSS | 26-JUN-72 | | | | |
| D | | | GGG-N-71C | NAIL SET USER: YD1 | A | 5120 | % | FSS | 23-JUL-76 | | | | |
| D | | | GGG-S-75(1) | SAW SET, HAND REVIEWER: YD1 | A | 5110 | % | FSS | 15-DEC-58 | | | | |
| | | | GGG-S-0075A(1) | SAW SET, HAND | A | 5120 | # | FSS | 29-NOV-66 | | | | |
| | | | GGG-S-75(12) | SAW SET, HAND | A | 5110 | # | FSS | 28-OCT-59 | | | | |
| | | | GGG-R-0080 | RAKE (ASPHALT, ROAD) | A | 5120 | # | | 05-MAR-65 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | GGG-T-80A | TAP, THREAD CUTTING, CARBON STEEL HAND, CUT THREAD, AMERICAN STANDARD TAPER PIPE THREADS USER: AR CE MC | A | 5136 | * | GL | 24-NOV-70 | GL | SH | | 99 |
| D | | | GGG-H-86C | HAMMER, HAND, (FORGED STEEL HEAD) USER: ME MI YD1 | A | 5120 | / | GL | 08-MAR-63 | GL | SH | | 99 |
| | | | GGG-H-86C(12) | HAMMER, HAND, (FORGED STEEL HEAD) | A | 5120 | # | FSS | 15-MAR-71 | | | | |
| | | | GGG-C-95A | CALIPER, GENERAL PURPOSE | A | 5210 | % | | 26-JUN-87 | | | | |
| | | | GGG-R-96E | RAKE, HAND (GARDEN AND LAWN) | A | 3750 | % | | 06-JUN-78 | | | | |
| A | | | GGG-I-100B | ICE SCRAPPER AND CHIPPER, SIDEWALK | A | 5110 | % | FSS | 20-JAN-92 | | | | |
| D | | | GGG-B-101D(3) | BAR, CHISEL, PINCH, PRY, WRECKING, DIGGING, TAMPING, DIGGING AND TAMPING, AND CROWBAR USER: YD1 | A | 5120 | * | GL | 17-FEB-65 | GL | SH | | 99 |
| | | | GGG-B-00101E | BARS: CHISEL, PINCH, PRY, WRECKING, DIGGING, TAMPING, DIGGING AND TAMPING : AND CROWBARS | A | 5120 | # | FSS | 19-JAN-68 | | | | |
| D | | | GGG-C-105C | CALIPER, MICROMETER (INSIDE, OUTSIDE, TUBE) AND GAGE, DEPTH, MICROMETER USER: YD1 REVIEWER: 84 GL | A | 5210 | * | | 15-MAR-65 | | | | |
| M | | | GGG-T-106F | TAPE, MEASURING, (GENERAL USE) REVIEWER: 84 | A | 5210 | * | FSS | 12-APR-93 | | YD1 | | 99 |
| | | | GGG-B-110A | BAR, COMBINATION PRY AND SCRAPER | A | 5120 | * | GL | 14-SEP-66 | GL | SH | | 99 |
| | | | GGG-H-00110 | HANDLING TOOL, SHEET MATERIAL (VACUUM TYPE) | A | 5120 | # | | 10-FEB-64 | | | | |
| | | | GGG-C-111C | CALIPERS AND GAGES, VERNIER USER: MC | A | 5210 | / | SH | 12-FEB-87 | GL | SH | | |
| A | | | GGG-S-113A | SCRAPER, BEARING REVIEWER: 84 | A | 5110 | * | GL | 11-MAY-92 | GL | | | 99 |
| | | | GGG-C-116B(2) | CASE, TWIST DRILL SET, AND STAND, TWIST DRILL SET - EMPTY | A | 5140 | * | GL | 18-MAR-63 | GL | SH | | 99 |
| | | | GGG-C-00116D | CASE, TWIST DRILL; AND STAND, TWIST DRILL | A | 5140 | # | FSS | 16-MAR-71 | | | | |
| A | | | GGG-S-116C | SCRAPERS, SHIP, (PAINT AND SCALE REMOVING) USER: MC REVIEWER: 84 | A | 5110 | * | GL | 11-MAY-92 | GL | | | 99 |
| | | | GGG-S-118A | SCRAPER, WOOD AND GLASS | A | 5110 | * | GL | 22-NOV-63 | GL | SH | | |
| | | | GGG-S-118A(11) | SCRAPERS, WOOD AND GLASS | A | 5110 | # | FSS | 10-SEP-64 | | | | |
| D | | | GGG-C-120B | CALKING GUN, BULK AND CARTRIDGE COMPOUNDS USER: MC YD1 | A | 5120 | * | GL | 26-DEC-63 | GL | SH | | 99 |
| | | | GGG-B-121B | BAR, SINE, PLATE SINE (AND FIXTURES) [VALIDATION DATE: 8304] | A | 5220 | * | AR | 04-JUN-64 | AR | AS | | 99 |
| D | | | GGG-S-121E(1) | SCREWDRIVER AND SCREW STARTER, HAND USER: MD YD1 REVIEWER: AR ME MI | A | 5120 | % | FSS | 25-MAR-76 | | | | |
| D | | | GGG-M-125G | RESPIRATOR AND RESPIRATOR ASSEMBLIES; AIR LINE; NON-POWERED AIR-PURIFYING AND POWERED AIR-PURIFYING USER: CG MC SH REVIEWER: GS MD ME | A | 4240 | / | YD1 | 14-OCT-85 | EA | YD1 | | 99 |
| D | | | GGG-M-125/1B | RESPIRATOR ASSEMBLIES, AIR LINE, WITH FACE PIECE (SUPPLIED AIR) [VALIDATION DATE: 8708] USER: CG MC SH REVIEWER: GS MD ME | A | 4240 | / | YD1 | 17-AUG-87 | EA | YD1 | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | GGG-M-125/2A | RESPIRATOR ASSEMBLIES, AIR LINE, WITH HELMET (SUPPLIED AIR) [VALIDATION DATE: 8708] USER: CG MC SH REVIEWER: GS MD ME | A | 4240 | / | YD1 | 17-AUG-87 | EA | YD1 | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | GGG-M-125/3A | RESPIRATOR ASSEMBLIES, AIR LINE, WITH DISPOSABLE HOOD (SUPLIED AIR) [VALIDATION DATE: 8708] USER: CG MC SH REVIEWER: GS MD ME | A | 4240 | / | YD1 | 17-AUG-87 | EA | YD1 | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| D | | | GGG-M-125/4C | RESPIRATOR ASSEMBLY: HALF MASK, AIR-PURIFYING, CHEMICAL CARTRIDGE (FOR ORGANIC VAPORS) USER: CG SH REVIEWER: GS MC MD ME | A | 4240 | / | YD1 | 14-OCT-85 | EA | YD1 | | 99 |
| D | | | GGG-M-125/5B | RESPIRATOR ASSEMBLY, HALF MASK, AIR PURIFING PARTICULATE FILTER (FOR DUSTS, FUMES, & MISTS) USER: CG MC SH REVIEWER: GS MD ME | A | 4240 | / | YD1 | 14-OCT-85 | EA | YD1 | | 99 |
| D | | | GGG-M-125/6B | RESPIRATOR ASSEMBLY: HALF MASK, AIR-PURIFYING, COMBINATION CHEMICAL CARTRIDGE & FILTER (FOR PAINT SPRAY & ORGANIC VAPORS) USER: CG SH REVIEWER: GS MD ME | A | 4240 | / | YD1 | 14-OCT-85 | EA | YD1 | | 99 |

| Action | GPL / CML Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | GGG-H-125/7B | RESPIRATOR ASSEMBLY: HALF MASK, AIR-PURIFYING, COMBINATION CHEMICAL CARTRIDGE AND FILTER (FOR PESTICIDES AND ORGANIC VAPORS) USER: CG MC SH REVIEWER: GS MD ME | A | 4240 / YD1 | | | 14-OCT-85 | EA | YD1 | 99 | |
| D | | GGG-H-125/8B | RESPIRATOR ASSEMBLY: HALF MASK, AIR PURIFYING PARTICULATE-FILTER (FOR DUSTS AND MISTS) USER: CG MC SH REVIEWER: GS MD ME | A | 4240 / YD1 | | | 14-OCT-85 | EA | YD1 | 99 | |
| D | | GGG-H-125/9A NOTICE 1 | RESPIRATOR ASSEMBLIES, AIR LINE, HOOD AND HELMET, (FOR ABRASIVE BLASTING OPERATIONS) [VALIDATION DATE: 8708] USER: CG MC SH REVIEWER: GS MD ME | A | 4240 / YD1 | | | 17-AUG-87 | EA | YD1 | 99 | |
| D | | GGG-H-125/10A NOTICE 1 | RESPIRATOR ASSEMBLY, HELMET WITH POWERED AIR PURIFYING UNIT [VALIDATION DATE: 8708] USER: CG SH REVIEWER: GS MC MD ME | A | 4240 / YD1 | | | 17-AUG-87 | EA | YD1 | 99 | |
| D | | GGG-H-125/11A NOTICE 1 | RESPIRATOR ASSEMBLY, HELMET WITH POWERED AIR PURIFYING UNIT (PORTABLE BACK&PACK) [VALIDATION DATE: 8708] USER: CG MC SH REVIEWER: GS MD ME | A | 4240 / YD1 | | | 17-AUG-87 | EA | YD1 | 99 | |
| | | GGG-H-131C(3) | HATCHET (CLAW, HALF, LATHING, BROAD AND BARREL) | A | 5110 / GL | | | 11-JAN-62 | GL | SH | 99 | |
| | | GGG-H-131C(15) | HATCHET (CLAW, HALF, LATHING, BROAD AND BARREL) | A | 5110 * GL | | | 31-OCT-66 | GL | SH | 99 | |
| | | GGG-H-131C | MASK, GAS (INDUSTRIAL) | A | 4240 # | | | 07-FEB-78 | | | | |
| | | GGG-S-131E(1) | SCRIBER, MACHINISTS USER: AR MC ME | A | 5120 * GL | | | 24-FEB-66 | GL | SH | 99 | |
| | | GGG-C-135A | CALKING TOOL, HAND | A | 5120 # | | | 25-OCT-66 | | | | |
| | | GGG-H-135 | HAWK, PLASTERER S | A | 5120 # | | | 29-JAN-66 | | | | |
| | | GGG-C-137A | CAP, VISE JAW USER: MC | A | 5120 * GL | | | 11-JAN-65 | GL | SH | 99 | |
| | | GGG-C-00137B | CAPS, VISE JAW | A | 5120 # | FSS | | 09-JAN-68 | | | | |
| | | GGG-H-142G(1) | HELMET, CONSTRUCTION WORKERS USER: 45 CE CG REVIEWER: 82 CT DP GL MD MU SA | A | 8415 % | | | 26-AUG-83 | | | | |
| D | | GGG-A-145A | ADJUSTING TOOL, BRAKE SHOE (SPOON TYPE) USER: MC YD1 | A | 5120 * GL | | | 06-AUG-65 | GL | SH | 99 | |
| D | | GGG-A-151D | ADZ USER: YD1 | A | 5110 * GL | | | 26-FEB-64 | GL | SA | 99 | |
| D | | GGG-P-151A | PEAVY USER: MC YD1 | A | 5120 * GL | | | 13-OCT-53 | GL | SH | 99 | |
| | | GGG-P-00151B | PEAVY; HOOK, CANT; AND CARRIER, TIMBER | A | 5120 # | FSS | | 01-FEB-71 | | | | |
| | | GGG-W-171 | WEDGES, METAL (MAGNESIUM) USER: AR GL MC REVIEWER: 99 | A | 5120 * | | | 16-JUN-52 | | | | |
| D | | GGG-B-175A | BENDER, ELECTRICAL CONDUIT, HAND (PORTABLE) USER: AR AS OS YD1 | A | 5120 * GL | | | 01-APR-64 | GL | | 99 | |
| Q | | GGG-H-177B(1) | HELMET, SAFETY, ELECTRICAL WORKERS USER: CG REVIEWER: 45 CT MD MU SA | A | 8415 % | DP | | 26-AUG-83 | GL | SH | 99 | |
| | | GGG-R-180F(1) | REAMERS, HAND AND MACHINE: ARBORS, SHELL REAMER; AND PILOTS, ADJUSTABLE HAND AND REAMER USER: MC REVIEWER: 84 GL | A | 3455 / AL | | | 10-MAY-93 | AL | | 99 | |
| D | | GGG-W-181B | WEDGES, TOOL HANDLE USER: YD1 | A | 5120 * GL | | | 04-APR-91 | GL | | 99 | |
| | | GGG-N-185A | NEEDLE, CABLE LACING | A | 5120 # | | | 21-OCT-64 | | | | |
| | | GGG-S-190A | SEAMER SHEET METAL, HAND | A | 5120 # | | | 12-MAR-65 | | | | |
| D | | GGG-B-191C | BENDER, TUBE, HAND, (PORTABLE) USER: YD1 REVIEWER: 84 MC | A | 5120 * GL | | | 04-MAY-92 | GL | SH | 99 | |
| | | GGG-R-200B | REMOVAL TOOL, OIL FILTER | A | 5120 # | | | 16-NOV-65 | | | | |
| | | GGG-W-201B | WEDGE, METAL: JOINTING AND BREAKING USER: AR | A | 5120 * GL | | | 06-JUN-90 | GL | | 99 | |
| A | | GGG-N-202C NOTICE 1 | NEEDLE, SAILMAKER S | A | 8315 / CT | | | 01-FEB-88 | GL | MU | 99 | CT |
| | | GGG-B-211B(1) | BEVEL, SLIDING T, UNIVERSAL AND SHIP CARPENTERS | A | 5210 % | | | 05-APR-67 | | | | |
| D | | GGG-H-211D(1) | HELMETS, WELDERS': HANDSHIELD, WELDING; AND PLATES, WELDING REVIEWER: 84 GS YD1 | A | 4240 / EA | | | 11-SEP-89 | EA | SH | 99 | |
| | | GGG-L-211D(1) | LEVELS AND PLUMBS, AND LEVELS REVIEWER: ME | A | 5210 % | FSS | | 23-SEP-88 | | | 99 | |
| | | GGG-K-275D | KEY, SOCKET HEAD SCREW,AND KEY SETS SOCKET HEAD (WRENCH, HEXAGON, SPLINE AND SQUARE) USER: EA | A | 5120 * GL | | | 19-MAR-74 | GL | SH | 99 | |
| | | GGG-K-275D(11) | KEY, SOCKET HEAD SCREW AND KEY SETS SOCKET HEAD (WRENCH, HEXAGON, SPLINE AND SQUARE) | A | 5120 # | FSS | | 14-APR-88 | | | | |
| | | GGG-S-00275 | SHEARS, BARBERS | A | 3590 # | | | 21-OCT-65 | | | | |
| | | GGG-S-278 | SHEARS AND SCISSORS USER: MC ME MI | A | 5110 % | FSS | | 27-NOV-56 | | | | |
| | | GGG-S-00278A(4) | SHEARS AND SCISSORS | A | 5110 # | FSS | | 01-MAR-71 | | | | |
| | | GGG-S-278(11) | SHEARS AND SCISSORS | A | 5110 # | FSS | | 10-JAN-62 | | | | |
| | | GGG-D-280C | DIES, METAL STAMPING, HAND, STEEL, AND DIE SET, LEATHER STAMPING , HAND (LETTER AND NUMERAL) | A | 5110 # | | | 14-JAN-66 | | | | |
| | | GGG-S-280F(1) | SHEARS, GRASS CUTTING AND SHEARS, HEDGE TRIMMING | A | 3750 # | | | 07-NOV-72 | | | | |
| | | GGG-S-283A | SHEARS, METAL CUTTING, PNEUMATIC (PORTABLE) USER: GL | A | 5130 % | | | 01-MAY-67 | | | | |
| | | GGG-S-284B | SHEARS, PRUNING, HAND, (ONE-HAND OPERATED) | A | 3750 # | | | 15-MAY-64 | | | | |
| | | GGG-S-285B(2) | SHEARS: PRUNING, HAND, (TWO-HAND OPERATED, LOPPING) | A | 3750 % | FSS | | 31-DEC-61 | | | | |
| | | GGG-S-285B(14) | SHEARS: PRUNING, HAND, (TWO-HAND OPERATED, LOPPING) | A | 3750 # | FSS | | 17-MAY-77 | | | | |
| | | GGG-C-291A | CHALK LINE AND REEL (SELF-CHALKING) | A | 5210 % | | | 01-MAR-63 | | | | |
| D | | GGG-S-291F | SHEARS, METAL CUTTING, BENCH AND HAND USER: AR AV GL MC YD1 REVIEWER: 99 | A | 5110 % | | | 12-MAR-76 | | | | |
| D | | GGG-D-2968(1) | DIE, THREADCUTTING AND RETHREADING, COLLET, THREADING DIE, AND DIESTOCK (BOLT AND SCREW THREADING, UNIFIED, AMERICAN NATIONAL AND METRIC FORM THREADS) USER: CE MC YD1 | A | 5136 * GL | | | 09-AUG-74 | GL | | 99 | |
| | | GGG-W-3018 | WHEEL, BUFFING AND POLISHING (VALIDATION DATE: 8307] | A | 3460 | IP | | 08-JAN-63 | | | | IP |
| | | GGG-C-311C | CHISELS AND GOUGES, WOODWORKING | A | 5110 # | | | 23-JUL-74 | | | | |
| | | GGG-C-313C | CHISEL, HAND, CAPE, DIAMOND POINT, COLD, ROUND NOSE, AND SIDE CUTTING | A | 5110 % | | | 16-AUG-76 | | | | |
| D | | GGG-C-315A | CHISEL, BRICK USER: YD1 | A | 5110 * GL | | | 10-APR-67 | GL | SH | 99 | |
| | | GGG-C-315A(11) | CHISEL, BRICK | A | 5110 # | FSS | | 09-MAY-74 | | | | |
| D | | GGG-B-325B | BINDER, LOAD USER: SH YD1 REVIEWER: GS | A | 3990 * | ME | | 17-JUL-87 | ME | SA | | |
| | | GGG-B-00325C | BINDER, LOAD | A | 3990 | ME | | 07-JUL-87 | | | | |
| Q | | GGG-F-325B(3) | FILE, HAND (AMERICAN PATTERN) AND RASP, HAND [VALIDATION DATE: 8204] | A | 5110 / SH | | | 30-AUG-73 | GL | SH | 84 | |
| QL | | GGG-F-325B(15) | FILE, HAND (AMERICAN PATTERN) AND RASP, HAND [VALIDATION DATE: 8204] | A | 5110 / SH | | | 30-MAY-80 | | SH | | |
| D | | GGG-D-326C | DIGGER, POSTHOLE, HINGED USER: YD1 | A | 5120 * GL | | | 26-MAR-64 | GL | SH | 99 | |
| D | | GGG-S-326D | SHOVELS, SCOOPS, SPADES, SNOW PUSHERS, AND TELEGRAPH SPOONS USER: ME YD1 | A | 5120 * GL | | | 01-NOV-63 | GL | SH | 99 | |
| | | GGG-S-326D(13) | SHOVELS, SCOOPS, SPADES, SNOW PUSHERS, AND TELEGRAPH SPOONS | A | 5120 # | FSS | | 15-JUL-68 | | | | |
| | | GGG-C-330C | CHISEL, TOOL BLANK, CALKING TOOL AND METAL-FORMING TOOL, POWER HAMMER USER: MC ME | A | 5130 * GL | | | 15-MAY-67 | | | | |
| D | | GGG-T-330B | THREADING SET, SCREW USER: YD1 | A | 5180 * GL | | | 17-AUG-67 | GL | | 99 | |
| DQ | | GGG-F-331B | FILE, HAND (SWISS PATTERN) [VALIDATION DATE: 8204] USER: MC YD1 REVIEWER: EA | A | 5110 / SH | | | 14-OCT-66 | GL | SH | 99 | |
| QL | | GGG-F-331B(12) | FILE, HAND (SWISS PATTERN) [VALIDATION DATE: 8204] | A | 5110 / SH | | | 30-MAY-80 | | SH | | |
| | | GGG-P-00335A | PIKE POLE | A | 5120 # | | | 24-APR-70 | | | | |
| | | GGG-P-00340A | PIN STRAIGHTENER, ELECTRON TUBE | A | 5120 # | | | 18-OCT-67 | | | | |
| D | | GGG-W-340B | WIRE TWISTER PLIER (WITH SIDE CUTTER) USER: YD1 | A | 5120 * GL | | | 17-OCT-74 | GL | SH | 99 | |
| | | GGG-L-350(3) | LIFTER, VALVE SPRING, COMPRESSOR, VALVE SPRING [VALIDATION DATE: 6503] | A | 5120 # | | | 20-FEB-65 | | | | |
| | | GGG-M-350B | MIRROR, INSPECTION | A | 5120 * GL | | | 16-JUL-90 | GL | SA | 99 | |
| | | GGG-N-350A | NIPPERS AND PINCERS | A | 5110 / SH | | | 08-JUN-59 | AR | SH | 99 | |
| | | GGG-N-350A(14) | NIPPERS AND PINCERS | A | 5110 # | FSS | | 09-DEC-63 | | | | |
| | | GGG-T-350B | TIRE LOCK RING TOOL, TIRE REMOVING TOOL, AND TIRE IRON | A | 5120 # | | | 28-JAN-66 | | | | |
| | | GGG-B-351B | BIN, STORAGE AND DISPLAY, ROTARY USER: AR GL MC SA | A | 7125 % | | | 18-OCT-63 | | | | |
| | | GGG-D-351F | DIVIDER, MECHANICS USER: GL | A | 5210 % | | | 06-MAY-87 | | | | |
| | | GGG-F-360B | FINGER, MECHANICAL, AND RETRIEVER TOOL, MAGNETIC | A | 5120 * GL | | | 05-OCT-64 | GL | SH | 99 | |
| | | GGG-F-00360D | FINGER, MECHANICAL, AND RETRIEVER TOOL, MAGNETIC | A | 5120 # | FSS | | 08-AUG-69 | | | | |
| D | | GGG-B-376B | BIT, SCREW-DRIVER USER: AR EL MC YD1 | A | 5120 * GL | | | 03-MAY-63 | GL | SH | 99 | |
| M | | GGG-B-3838 NOTICE 1 | BITS, WOOD-BORING; AND CHISELS, MORTISING, HOLLOW [VALIDATION DATE: 9302] USER: CE MC ME YD1 | A | 5315 * | FSS | | 16-FEB-93 | GL | SH | 69 | |
| | | GGG-R-00395(1) | RIVETER, BLIND, HAND AND HEADS | A | 5120 # | | | 10-AUG-67 | | | | |
| Q | | GGG-W-398A(3) | NUT RUNNER, PNEUMATIC, PORTABLE | A | 5130 / SH | | | 06-AUG-70 | GL | SH | 84 | |
| | | GGG-R-400D | RIVET, SET, HAND | A | 5120 # | | | 21-JAN-65 | | | | |
| D | | GGG-C-406D | CLAMP AND HAND SCREWS REVIEWER: YD1 | A | 5120 * GL | | | 11-FEB-75 | GL | SH | 99 | |
| | | GGG-V-410A | VISE, BENCH, CLAMP BASE: SHEET METAL WORKER'S, BENCH AND PIPE; JEWELER'S; MACHINIST'S AND MULTIPOSITION | A | 5120 * SH | | | 26-MAY-66 | GL | SH | 69 | |
| | | GGG-V-410A(13) | VISE, BENCH, CLAMP BASE: SHEET METAL WORKER'S; BENCH AND PIPE: JEWELER'S; MACHINIST'S AND MULTIPOSITION | A | 5120 # | FSS | | 16-JAN-73 | | | | |
| Q | | GGG-C-412B(2) | CLAMP, MATERIAL LIFTING, (PLATE, HORIZONTAL LIFT AND VERTICAL LIFT) REVIEWER: GL IS | A | 3940 # | | | 01-MAY-68 | | | | |

| Action | QPL / QML | Cancellation / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | | GGG-V-412A | VISE: HAND: PIN: WIRE ROPE SPLICING: AND SQUARE END SAWING, TUBE USER: YD1 | A | 5120 | * | GL | 29-JUN-66 | GL | | | |
| | | | GGG-V-412A(11) | VISE: HAND: PIN: WIRE ROPE SPLICING: AND SQUARE END SAWING, TUBE | A | 5120 | # | FSS | 30-JAN-69 | | | | |
| | | | GGG-C-00413(1) | CLAMPING TOOL, STRAP BAND, HOSE | A | 5120 | # | | 13-OCT-66 | | | | |
| | | | GGG-C-414A | CLAMP, WIRE SPLICING | A | 5120 | # | | 27-APR-65 | | | | |
| | | | GGG-C-415A | CLAW, TACK | A | 5120 | # | | 08-JUN-65 | | | | |
| | L | | GGG-V-415A | VISE, PIPE USER: ME | A | 5120 | * | GL | 04-APR-67 | GL | | | |
| | | | GGG-V-415A(11) | VISE, PIPE | A | 5120 | # | FSS | 12-SEP-67 | | | | |
| | | | GGG-F-00420 | FISHING TOOL, PNEUMATIC TIRE VALVE | A | 5120 | # | | 29-NOV-63 | | | | |
| | | | GGG-B-425 | BLADE, RECIPROCATING SAW | A | 5130 | % | | 01-MAY-75 | | | | |
| | | | GGG-R-425B | RIVET SETS, PNEUMATIC TOOL (VALIDATION DATE: 8501) | A | 5130 | * | GL | 20-FEB-74 | GL | SH | 99 | |
| | | | GGG-C-430A | CLEANER, VALVE, STEM GUIDE | A | 5110 | # | | 24-MAR-67 | | | | |
| D | | | GGG-P-436C | PLANES, BLOCK, RABBET, BENCH, MATCHING AND ROUTING USER: MC YD1 | A | 5110 | % | FSS | 09-MAR-76 | | | | |
| | | | GGG-B-4408(1) | BLADE, CIRCULAR SAW, WOODCUTTING | A | 3230 | % | | 01-NOV-68 | | | | |
| | | | GGG-P-441A | PLATE, ANGLE, ADJUSTABLE AND SOLID | A | 5220 | % | | 09-APR-65 | | | | |
| | | | GGG-V-445A | VISE, WOODWORKER S AND PATTERNMAKER S USER: GL | A | 5120 | % | | 03-AUG-66 | | | | |
| | | | GGG-A-00460 | ALIGNMENT TOOL, ELECTRIC EQUIPMENT | A | 5120 | # | | 13-APR-64 | | | | |
| | | | GGG-K-00450B | KNIFE, CRAFTSMAN S, MULTIPURPOSE, (STENCIL, ETCHING, AND CUTTING, REMOVABLE BLADES) | A | 5110 | # | | 14-SEP-70 | | | | |
| | Q | | GGG-B-451D | BLADE, HAND HACKSAW AND BLADE, POWER HACKSAW USER: 99 MI | A | 5110 | / | SH | 31-JAN-68 | GL | SH | 69 | |
| | Q | | GGG-B-451D(11) | BLADE, HAND HACKSAW AND BLADE, POWER HACKSAW | A | 5110 | % | FSS | 29-JAN-69 | | | | |
| M | | | GGG-F-451D | FLARING TOOL, TUBE HAND USER: AT CE MC ME YD1 REVIEWER: 84 AV | A | 5120 | * | FSS | 16-NOV-92 | GL | | 99 | |
| | | | GGG-M-451C | MITER BOX, WOODWORKERS | A | 5110 | % | | 10-MAR-76 | GL | SH | 99 | |
| | | | GGG-P-453A(1) | PLATE, SURFACE, CAST IRON (VALIDATION DATE: 8306) USER: MC OS | A | 5220 | / | 84 | 23-APR-79 | AR | | 99 | |
| | | | GGG-B-461A | BLOCK, STEP, MACHINISTS (VALIDATION DATE: 8304) REVIEWER: GS | A | 5220 | * | AR | 17-AUG-66 | AR | | 99 | |
| | | | GGG-P-463C(1) | PLATE, SURFACE, (GRANITE) (INCH AND METRIC) (VALIDATION DATE: 8304) USER: MI SH | A | 5220 | * | AR | 15-JUN-77 | AR | | 99 | |
| D | | | GGG-B-471B | BLADE, COPING SAW, AND BLADE, JEWELERS SAW USER: AR MC YD1 | A | 5110 | * | GL | 03-SEP-64 | GL | | 99 | |
| | | | GGG-K-471C | KNIFE, DRAW | A | 5110 | # | | 25-APR-63 | | | | |
| | | | GGG-P-471E | PLIERS, PLIERS, SLIP JOINT USER: GL ME | A | 5120 | % | | 06-APR-76 | | | | |
| | | | GGG-P-00474 | PLIERS, HOG RING STAPLE (UPHOLSTERER S), BRAKE REPAIR (BRAKE SPRING), AND HOSE (WIRE) | A | 5120 | # | | 11-MAY-67 | | | | |
| | | | GGG-C-475B | CLIPPER, HAIR, HAND (VALIDATION DATE: 8104) USER: CG MC REVIEWER: MD MS | A | 3590 | / | GL | 23-OCT-73 | GL | SA | 99 | |
| | | | GGG-P-00475 | PLIERS, JEWELER S | A | 5120 | # | | 01-JUN-64 | | | | |
| | | | GGG-P-00477A | PLIER, SLIP JOINT (LINE CLAMP) | A | 5120 | # | | 23-MAY-67 | | | | |
| D | | | GGG-P-480t | PLIERS, RETAINING RING USER: YD1 | A | 5120 | * | GL | 11-MAR-74 | GL | | 99 | |
| D | | | GGG-B-481A(2) | BLOCK, DOLLY, SHEET METAL USER: YD1 | A | 5120 | * | GL | 09-APR-63 | | | | |
| D | | | GGG-K-481C | KNIFE, CRAFTSMAN, (HAWKBILL, SHOE, CHIPPING) PUTTY AND SCRAPING USER: AR MC ME YD1 | A | 5110 | * | GL | 30-JUL-63 | GL | SH | 99 | |
| | | | GGG-K-484C | KNIFE, POCKET, (HEAVY DUTY) | A | 5110 | # | | 23-AUG-67 | | | | |
| | | | GGG-K-00484D(1) | KNIFE, POCKET, (HEAVY DUTY) | A | 5110 | # | | 23-AUG-67 | | | | |
| | | | GGG-B-485B | BLOCK, TACKLE, WIRE ROPE, WITH SWIVEL HOOK, (FOR CRANE USE) | A | 3940 | # | | 12-JUL-78 | | | | |
| D | | | GGG-B-490F | BLOCKS, TACKLE (MANILA AND NYLON ROPE) USER: SH YD1 REVIEWER: 84 GS IS | A | 3940 | / | ME | 13-APR-92 | ME | | 99 | |
| | | | GGG-K-494B | KNIVES: GENERAL PURPOSE SHOP, DETACHABLE BLADE | A | 5110 | % | FSS | 10-APR-74 | | | | |
| | | | GGG-K-494B(12) | KNIVES: GENERAL PURPOSE SHOP, DETACHABLE BLADE | A | 5110 | % | FSS | 11-DEC-78 | | | | |
| D | | | GGG-H-496C | HOE, GARDEN, MORTAR, AND MORTAR MIXING USER: YD1 | A | 3750 | # | | 06-FEB-61 | | | | |
| D | | | GGG-B-500C | BLOCK, TACKLE, (WIRE-ROPE) REVIEWER: IS SH | A | 3940 | / | ME | 11-OCT-83 | ME | YD1 | 84 | |
| D | | | GGG-P-501F | PLUMB BOB USER: MC YD1 REVIEWER: ME | A | 5210 | % | | 26-AUG-63 | | | | |
| D | | | GGG-H-506D | HOE, MATTOCK, AND PICK (VALIDATION DATE: 8108) USER: AR MC ME MI YD1 | A | 5120 | / | GL | 21-AUG-62 | GL | SH | 99 | |
| | | | GGG-H-506D(11) | HOE, MATTOCK, AND PICK (VALIDATION DATE: 8108) | A | 5120 | # | FSS | 26-APR-66 | | | | |
| | | | GGG-C-5208(1) | CLOTH AND DISKS, ABRASIVE, OPEN MESH, WATERPROOF (VALIDATION DATE: 8306) USER: AS MC MD OS REVIEWER: DS | A | 5350 | / | 84 | 17-JUL-69 | MR | | 99 | |
| D | | | GGG-T-546 | TONGS, BLACKSMITHS USER: AR MC YD1 | A | 5120 | * | GL | 07-JAN-55 | GL | SH | 99 | |
| D | | | GGG-C-555 | COMPRESSOR, PISTON RING, BAND-TYPE USER: AR MC YD1 | A | 5120 | * | GL | 08-DEC-55 | GL | SH | 99 | |
| | | | GGG-C-00555B(2) NOTICE 1 | COMPRESSOR, PISTON RING, BAND-TYPE USER: GL | A | 5120 | # | FSS | 15-JUL-68 | | | | |
| D | | | GGG-C-555(11) | COMPRESSOR, PISTON RING, BAND TYPE | A | 5120 | / | GL | 30-SEP-63 | GL | YD1 | 99 | |
| D | | | GGG-T-558C(1) | TOOL BOX, PORTABLE: GENERAL SPECIFICATION FOR USER: AT AV MC ME YD1 REVIEWER: AR MD | A | 5140 | * | GL | 02-MAR-87 | GL | SH | 84 | |
| | | | GGG-T-558C(12) | TOOL BOX, PORTABLE: GENERAL SPECIFICATION FOR | A | 5140 | # | FSS | 02-MAR-87 | | | | |
| D | | | GGG-T-558/1B | TOOLBOX, PORTABLE (UNIVERSAL TYPE) USER: AT AV MC ME YD1 REVIEWER: AR MD | A | 5140 | * | GL | 09-APR-73 | GL | SH | 99 | |
| D | | | GGG-T-558/2B | TOOL BOX, PORTABLE (GENERAL TYPE) USER: AT AV MC ME YD1 REVIEWER: AR MD | A | 5140 | * | GL | 09-APR-73 | GL | SH | 84 | |
| M | | | GGG-T-558/3C | TOOL BOX, PORTABLE (SHIPFITTER'S TYPE) USER: MC YD1 REVIEWER: MD | A | 5140 | * | FSS | 19-OCT-92 | GL | | 99 | |
| | | | GGG-T-558/4B | TOOL BOX, PORTABLE (CARPENTER S TYPE) | A | 5140 | * | GL | 09-APR-73 | GL | SH | 99 | |
| D | | | GGG-T-558/5A | TOOL BOX, PORTABLE (MECHANIC S CHEST TYPE) USER: AT AV MC ME YD1 REVIEWER: AR MD | A | 5140 | * | GL | 09-APR-73 | GL | SH | 99 | |
| M | | | GGG-T-558/6B | TOOL BOX, PORTABLE (GENERAL, TWO-HANDLE TYPE) USER: AR AT MC ME YD1 REVIEWER: MD | A | 5140 | * | FSS | 19-OCT-92 | GL | | 99 | |
| D | | | GGG-T-558/7B | TOOL BOX, PORTABLE (MACHINISTS, TILL-IN-TOP) USER: YD1 | A | 5140 | * | GL | 09-APR-73 | GL | SH | 99 | |
| | | | GGG-T-558/9B | TOOL BOX, PORTABLE (HELICAL THREAD REPAIR) USER: AT AV ME REVIEWER: AR MD | A | 5140 | * | GL | 09-APR-73 | GL | | 99 | |
| | | | GGG-T-00559(2) | TOOL KIT, LEATHERCRAFT | A | 5180 | # | | 07-JUN-68 | | | | |
| | | | GGG-T-563A(4) | TOOLS BLACKSMITH S (CHISELS, FLATTERS, FULLERS, HARDIES, BOLT HEADING TOOLS, PUNCHES AND SWAGES) (VALIDATION DATE: 7502) | A | 5110 | * | GL | 02-APR-64 | GL | | 99 | |
| | | | GGG-T-00563B(1) | TOOLS, BLACKSMITHS' (CHISELS, FLATTERS, FULLERS, HARDIES, BOLT HEADING TOOLS, PUNCHES, AND SWAGES) | A | 5120 | # | FSS | 27-MAY-68 | | | | |
| | | | GGG-F-570A(1) | FORCEPS, SHEET HOLDER (VALIDATION DATE: 8506) | A | 5120 | # | | 27-APR-72 | | | | |
| | | | GGG-H-570A | HOLDER AND GUIDE, DRIVE PIN | A | 5120 | # | GL | 19-JAN-65 | GL | SH | 99 | |
| | | | GGG-H-575 | HOLDER, SHEET METAL, HOLE AND EDGE GRIP (VALIDATION DATE: 8204) USER: GL | A | 5120 | / | AS | 10-NOV-66 | | AS | | |
| D | | | GGG-A-576B | ANVIL, BLACKSMITHS USER: YD1 | A | 5120 | * | GL | 11-JUL-73 | GL | SH | 99 | |
| D | | | GGG-T-581B | TAPS, DIES, DIESTOCKS, AND THREADING SET-PIPE THREADING, HAND (VALIDATION DATE: 6804) USER: AR MC YD1 REVIEWER: ME | A | 5136 | * | GL | 17-OCT-62 | GL | | 99 | |
| | | | GGG-T-581B(11) | TAPS, DIES, DIESTOCKS, AND THREADING SET-PIPE THREADING, HAND (VALIDATION DATE: 6804) | A | 5136 | # | FSS | 09-SEP-64 | | | | |
| | | | GGG-C-589(2) | CORK PRESSERS, ROTARY USER: MR REVIEWER: AR | A | 6640 | * | MS | 03-OCT-50 | | | | |
| D | | | GGG-P-611C | POT, MELTING, ELECTRIC, PORTABLE USER: AR YD1 | A | 5120 | * | GL | 21-MAR-88 | GL | | 99 | |
| | | | GGG-C-613D | COUNTERSINKS, & COUNTERSINKS & DRILLS | A | 5133 | # | | 28-SEP-73 | | | | |
| | | | GGG-R-00620(1) | ROLLER, HAND (RUBBER ROLLER) | A | 5120 | # | | 13-NOV-67 | | | | |
| | | | GGG-S-00625 | SPOON, BODY AND FENDER | A | 5120 | # | | 06-MAY-64 | | | | |
| D | | | GGG-F-626 | FORK, STONE, HAND, D-HANDLE USER: YD1 | A | 5120 | * | GL | 25-OCT-54 | GL | SH | 99 | |
| | | | GGG-F-00626A | FORK, STONE, HAND, D-HANDLE | A | 5120 | # | FSS | 15-JAN-66 | | | | |
| | | | GGG-F-626(11) | FORK, STONE, HAND, D-HANDLE | A | 5120 | / | GL | 17-SEP-63 | GL | | 99 | |
| D | | | GGG-S-6300 | SPREADER, TIRE, (PNEUMATICALLY OPERATED) | A | 4910 | / | AL | 19-FEB-86 | AL | YD1 | 99 | |
| D | | | GGG-D-631C | DRESSER, ABRASIVE WHEEL, HAND, REVOLVING CUTTER TYPE USER: YD1 | A | 5120 | * | GL | 30-JAN-75 | GL | SH | 99 | |
| D | | | GGG-W-636E | WRENCH, (BOX, OPEN END, AND COMBINATION) USER: MC ME YD1 | A | 5120 | * | | 13-JAN-75 | | | | |
| | | | GGG-W-641E | WRENCH, SOCKET (AND SOCKETS, HANDLES, AND ATTACHMENTS FOR SOCKET WRENCHES, HAND) | A | 5120 | # | | 16-JAN-75 | | | | |
| DQ | | | GGG-W-642B | WRENCH, BUNG, (NONSPARKING AND NON MAGNETIC) (VALIDATION DATE: 7707) USER: YD1 REVIEWER: GS | A | 5120 | / | SH | 08-AUG-68 | GL | SH | 99 | |
| | | | GGG-D-00643A | DRIFTPIN (DOUBLE TAPER) | A | 5120 | # | | 02-MAY-68 | | | | |
| D | | | GGG-P-643A | PULLER KIT, MECHANICAL USER: AR AS AT AV CG ME OS YD1 | A | 5120 | / | 84 | 17-JUL-68 | GL | | 84 | |
| | | | GGG-P-643A(11) | PULLER KIT, MECHANICAL | A | 5120 | # | FSS | 04-FEB-69 | | | | |
| | | | GGG-W-643B | WRENCH, PIPE, INTERNAL-GRIPPING | A | 5120 | * | GL | 03-APR-63 | GL | SH | 99 | |
| | | | GGG-W-643B(11) | WRENCH, PIPE INTERNAL-GRIPPING | A | 5120 | # | FSS | 27-MAR-67 | | | | |
| D | | | GGG-W-644C | WRENCH, SOCKET (WHEEL NUT) USER: AR CE MC | A | 5120 | / | YD1 | 30-APR-92 | GL | YD1 | | |

| Action | GPA / GMIL Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | GGG-W-00645B(1) | WRENCH, OPEN END BOX (AND BOX COMBINATION, CROWFOOT, RATCHET, AND RATCHET CROWFOOT) | A 5120 # 12-SEP-68 | | | | |
| | | GGG-W-646(3) | WRENCH, OPEN END, RATCHET (TAC PATTERN), FOR TUBE FITTINGS, ELECTRIC CABLE TERMINALS AND STUFFING TUBE GLAND NUTS | A 5120 * GL 15-JAN-62 | GL | SH | 99 | |
| | | GGG-W-646(14) | WRENCH, OPEN END, RATCHET (TAC PATTERN), FOR TUBE FITTINGS, ELECTRIC CABLE TERMINALS AND STUFFING TUBE GLAND NUTS | A 5120 # FSS 31-AUG-62 | | | | |
| | | GGG-D-647A | DRILL BLANKS AND DRILL BLANK SETS USER: GL | A 5133 % 21-SEP-65 | | | | |
| | | GGG-W-00647 | WRENCH, BUNG, AND WRENCH, DRAIN PLUG | A 5120 # 11-OCT-66 | | | | |
| D | | GGG-W-648B | WRENCH, LINEMAN'S USER: AR CE | A 5120 / YD1 30-APR-92 | GL | YD1 | | |
| | | GGG-W-00649 | WRENCH, PLIER, CLAMP, PLIER, AND PLIER, TUBING PINCH | A 5120 # 11-JAN-66 | | | | |
| | | GGG-D-650B | DRILL, MASONRY, ROTARY DRIVEN (CORELESS) | A 5130 # 31-AUG-67 | | | | |
| | | GGG-D-651D | DRILL, BREAST | A 5110 * GL 21-OCT-64 | GL | SH | 99 | |
| | | GGG-W-651E | WRENCH, PIPE WRENCH AND BASIN WRENCH USER: MC REVIEWER: MI | A 5120 * GL 20-AUG-62 | GL | SH | 99 | |
| | | GGG-W-00651D(1) | WRENCH, PIPE WRENCH AND BASIN WRENCH | A 5120 # 09-DEC-71 | | | | |
| D | | GGG-W-653B | WRENCH, RATCHET, REVERSIBLE USER: AS YD1 | A 5120 * GL 12-MAR-64 | GL | SH | 99 | |
| | | GGG-P-655B | PRICKER, SAILMAKER'S USER: AR | A 5120 / SH 26-MAR-64 | GL | SH | 99 | |
| | | GGG-P-655B(11) | PRICKER, SAILMAKER'S | A 5120 # FSS 01-AUG-66 | | | | |
| | | GGG-S-656D | SQUARES, CARPENTERS, DIEMAKERS, AND MACHINISTS | A 5210 % 05-FEB-73 | | | | |
| | | GGG-W-657C | WRENCH, SOCKET (SPIN TYPE, SCREWDRIVER GRIP) USER: AV GL SH | A 5120 % 12-FEB-76 | | | | |
| D | | GGG-W-660A | SOCKET, SOCKET WRENCH AND ATTACHMENTS (FOR POWER DRIVEN IMPACT WRENCHES) USER: MC ME YD1 REVIEWER: MI | A 5130 * GL 19-SEP-73 | GL | SH | 99 | |
| D | | GGG-T-661B(1) | TRAMMELS AND TRAMMEL POINTS USER: AR GL YD1 | A 5210 % 13-OCT-66 | | | | |
| | | GGG-S-665C | STRIPPER, CABLE, HAND, AND STRIPPER, WIRE, HAND | A 5110 * GL 20-AUG-63 | GL | SH | 99 | |
| D | | GGG-W-665B | WRENCH, SPANNER USER: MC ME MI YD1 | A 5120 / GL 30-OCT-63 | GL | SH | 99 | |
| | | GGG-W-665B(11) | WRENCH, SPANNER | A 5120 # FSS 28-APR-67 | | | | |
| | | GGG-G-670 | GRASS HOOKS, WHIP GRASS CUTTERS, AND WHIP WEED CUTTERS [VALIDATION DATE: 6502] | A 3750 % FSS 19-APR-56 | | | | |
| | | GGG-G-670(12) | GRASS HOOKS, WHIP GRASS CUTTERS, AND WHIP WEED CUTTERS | A 3750 % FSS 09-APR-76 | | | | |
| D | | GGG-B-671F | BRACE, BIT, RATCHET, BRACE, CORNER, AND EXTENSIONS, BIT USER: AV ME YD1 | A 5110 * GL 11-FEB-76 | GL | | 99 | |
| D | | GGG-D-671D | DRILL, HAND, AND PUSH USER: YD1 | A 5110 * GL 10-APR-64 | | | | |
| | | GGG-F-671B(4) | FRAME, HAND HACKSAW: FRAME, JEWELER'S SAW: AND FRAME, COPING SAW | A 5110 * GL 09-AUG-60 | GL | SH | 99 | |
| | | GGG-F-671B(15) | FRAME, HAND HACKSAW: FRAME, JEWELER'S SAW: AND FRAME, COPING SAW | A 5110 / GL 27-SEP-63 | GL | SH | 99 | |
| | | GGG-I-671A | IRON, CALKING, WOOD | A 5120 # 21-APR-53 | | | | |
| A | | GGG-T-671C | TROWELS USER: AT MC REVIEWER: 84 | A 5120 * GL 11-MAY-92 | GL | | 99 | |
| | | GGG-T-00671B(1) | TROWELS | A 5120 # FSS 16-APR-68 | | | | |
| | | GGG-T-671A(11) | TROWELS | A 5120 / GL 17-SEP-63 | GL | SH | 99 | |
| | | GGG-W-00675A | WRENCH, SOCKET (SPINE TYPE, SCREWDRIVER GRIP) | A 5120 # FSS 24-AUG-70 | | | | |
| | | GGG-P-676B | PROTRACTOR, MECHANIC S BEVEL AND PLAIN USER: MC | A 5210 % 05-JAN-65 | | | | |
| D | | GGG-W-680A(2) | WRENCH, TAP AND REAMER, ADJUSTABLE USER: AR MC MI YD1 | A 5120 * GL 18-JUL-73 | GL | | 99 | |
| D | | GGG-W-686D(2) | WRENCH, TORQUE USER: MC YD1 | A 5120 / 84 16-AUG-89 | GL | SH | 99 | |
| | | GGG-W-686D(11) | WRENCH, TORQUE | A 5120 # FSS 17-NOV-88 | | | | |
| A | | GGG-G-690B | GROOVERS, EDGERS, AND CORNER TOOLS - CONCRETE, HAND | A 5120 # FSS 20-JAN-92 | | | | |
| | | GGG-D-691B | DRILL, MASONRY, HAND AND HOLDER, MASONRY DRILL HAND | A 5110 * GL 27-SEP-62 | GL | SH | 99 | |
| D | | GGG-D-694A(2) | DRILL, MASONRY, ROTARY DRIVEN USER: YD1 | A 5130 * GL 18-NOV-63 | GL | SH | 99 | |
| | | GGG-D-694A(13) | DRILL, MASONRY, ROTARY DRIVEN | A 5130 # FSS 15-OCT-69 | | | | |
| | | GGG-G-00695A(1) | GROOVER, SHEET METAL, HAND | A 5120 # 30-APR-68 | | | | |
| | | GGG-D-698A | DRILL, RATCHET (REVERSIBLE) | A 5110 * GL 15-MAY-63 | GL | SH | 99 | |
| D | | GGG-S-731 | STAKES, SHEET METALWORKING: AND PLATE, BENCH STAKEHOLDER USER: YD1 | A 5120 * GL 31-MAY-56 | GL | SH | 99 | |
| | | GGG-S-00731A | STAKES, SHEET METALWORKING: AND PLATE, BENCH STAKEHOLDER | A 5120 # FSS 03-AUG-67 | | | | |
| | | GGG-S-731(13) | STAKES, SHEET METALWORKING: AND PLATE, BENCH STAKEHOLDER | A 5120 # FSS 20-JUL-61 | | | | |
| | | GGG-C-735B | CUTTER, ANGLE, HAND OPERATED | A 5110 * 28-FEB-88 | GL | | 99 | |
| A | | GGG-S-735B(1) SUPPL 1C1 | STAMPING AND MARKING EQUIPMENT; GENERAL SPECIFICATION FOR REVIEWER: 84 GS MS SH | A 5120 / GL 30-SEP-92 | GL | SA | 99 | |
| | | GGG-S-735/1 | STAMPING AND MARKING EQUIPMENT, STENCILS [VALIDATION DATE: 8303] REVIEWER: CS MD MS | A 7520 / GL 05-OCT-76 | GL | SA | 99 | |
| | | GGG-S-735/2 | STAMPING AND MARKING EQUIPMENT, RUBBER STAMP, HAND, FIXED TYPE [VALIDATION DATE: 8303] REVIEWER: CS MD MS | A 7520 / GL 05-OCT-76 | GL | SA | 99 | |
| | | GGG-S-735/3 | STAMPING AND MARKING EQUIPMENT, RUBBER STAMP, HAND, FIXED AND REMOVEABLE TYPE, FOOD INSPECTION, VETERINARY [VALIDATION DATE: 8303] | A 7520 / GL 05-OCT-76 | GL | SA | 99 | |
| | | GGG-S-735/4A | STAMPING AND MARKING EQUIPMENT; RUBBER STAMP, POCKET REVIEWER: 84 CS MD MS | A 7520 / GL 08-NOV-90 | GL | SA | 99 | |
| | | GGG-S-735/5 NOTICE 1 | STAMPING AND MARKING EQUIPMENT; DIES METAL STAMPING, HAND TYPE [VALIDATION DATE: 8904] REVIEWER: CS MD MS | A 5110 / GL 22-APR-89 | GL | SA | 99 | |
| | | GGG-S-735/6 NOTICE 1 | STAMPING AND MARKING EQUIPMENT; DIES, LUMBER STAMPING, HAMMER TYPE [VALIDATION DATE: 8904] REVIEWER: CS MD MS | A 5110 / GL 22-APR-89 | GL | SA | 99 | |
| | | GGG-S-735/7 NOTICE 1 | STAMPING AND MARKING EQUIPMENT; PRESS, LEAD SEAL, HAND, REVERSIBLE TYPE [VALIDATION DATE: 8904] REVIEWER: CS MD MS | A 5120 / GL 22-APR-89 | GL | SA | 99 | |
| | | GGG-S-735/8 NOTICE 1 | STAMPING AND MARKING EQUIPMENT; PRESS, LEAD SEAL, HAND, NONREVERSIBLE TYPE [VALIDATION DATE: 8904] | A 5120 / GL 22-APR-89 | GL | SA | 99 | |
| D | | GGG-C-740D | CUTTER, BOLT USER: MC YD1 | A 5110 * GL 11-JAN-63 | GL | SH | 99 | |
| | | GGG-C-740D(12) | CUTTER, BOLT | A 5110 # FSS 18-NOV-68 | | | | |
| D | | GGG-S-740B | STAND, PIPE VISE, AND VISES AND STANDS, PIPE USER: YD1 | A 5120 * GL 05-NOV-87 | GL | SH | 99 | |
| | | GGG-S-00740A | STAND, PIPE VISE, AND VISES AND STANDS, PIPE | A 5120 # 15-JUL-65 | | | | |
| D | | GGG-C-744A | CUTTER AND FLARING TOOL KIT, TUBE, HAND: CUTTER, FLARING AND BENDER TOOL KIT, TUBE HAND USER: YD1 | A 5180 * GL 15-MAY-65 | GL | SH | 99 | |
| | | GGG-C-744A(11) | CUTTER AND FLARING TOOL KIT, TUBE, HAND: CUTTER, FLARING AND BENDER TOOL KIT, TUBE HAND | A 5180 # FSS 12-JAN-71 | | | | |
| | | GGG-C-746G | CUTLERY, GALLEY AND KITCHEN (CLEAVER, FORKS, KNIVES, SPATULAS, STEEL AND SERVER) [VALIDATION DATE: 8501] | A 7330 % GL 26-JUL-79 | GL | SA | 99 | |
| | | GGG-C-746G(11) | CUTLERY, GALLEY AND KITCHEN (CLEAVER, FORKS, KNIVES, SPATULAS, STEEL AND SERVER) | A 7330 # FSS 15-JUL-86 | | | | |
| | | GGG-C-748B(3) | CUTTER, CIRCLE (ADJUSTABLE); FOR GASKETS AND WASHERS | A 5110 * GL 18-APR-63 | GL | SH | 99 | |
| | | GGG-C-00748C | CUTTER, CIRCLE (ADJUSTABLE); FOR GASKETS AND WASHERS | A 5110 # FSS 15-MAR-66 | | | | |
| | | GGG-C-748B(15) | CUTTER, CIRCLE (ADJUSTABLE); FOR GASKETS AND WASHERS | A 5110 # FSS 17-JUN-65 | | | | |
| | | GGG-C-749A | CUTTER, CABLE, HAND OPERATED | A 5110 * GL 29-MAR-54 | GL | SH | 99 | |
| | | GGG-C-749A(12) | CUTTER, CABLE, HAND OPERATED | A 5110 / GL 17-SEP-63 | GL | SH | 99 | |
| | | GGG-C-750A | CUTTER, CABLE, HAND OPERATED, LIGHT DUTY | A 5110 # 16-NOV-65 | | | | |
| D | | GGG-C-751D | CUTTER, GLASS, WHEEL TYPE (FOR SHEET GLASS AND ROUND GAGE GLASS USER: YD1 | A 5110 * GL 01-FEB-66 | GL | SH | 99 | |
| DQ | | GGG-D-751D | DRILLS, TWIST (TAPER-SQUARE STRAIGHT, AND TAPER-ROUND SHANKS) USER: AR AS MC OS YD1 REVIEWER: MI | A 5133 / ME 19-JAN-89 | ME | | 99 | |
| D | | GGG-G-770B | GUN, AIR BLOW, (BLAST CLEANING) | A 4940 % YD1 09-MAY-73 | AR | YD1 | 82 | |
| D L | | GGG-G-770B(11) | GUN, AIR BLOW, (BLAST CLEANING) | A 4940 / YD1 20-JAN-75 | | YD1 | | |
| | | GGG-P-00770A | PULLER, FUSE, (S-SHAPE) | A 5120 # 20-SEP-67 | | | | |
| D | | GGG-C-771D | CUTTERS, PIPE: AND CUTTERS, TUBE USER: YD1 | A 5110 * GL 31-JAN-64 | GL | SH | 99 | |
| | | GGG-C-771D(11) | CUTTERS, PIPE: AND CUTTERS, TUBE | A 5110 # FSS 27-AUG-64 | | | | |
| | | GGG-C-00775 | CUTTER, PIPE (CHAIN TYPE) | A 5110 # 27-JAN-64 | | | | |
| D | | GGG-S-775A(2) | STUD REMOVER AND SETTER [VALIDATION DATE: 7006] USER: MC YD1 | A 5120 * GL 11-JAN-65 | GL | SH | 99 | |
| DQ | | GGG-D-777B | DRIVER, PROJECTILE UNIT, POWDER ACTUATED (HIGH VELOCITY) (ABOVE WATER ONLY) PIN, DRIVE, POWDER ACTUATED, ANDCARTRIDGE, POWDER ACTUATED TOOL [VALIDATION DATE: 7708] USER: YD1 | A 5130 # 31-OCT-66 | | | | |
| | | GGG-D-780A | DRIVER, PROJECTILE UNIT, POWDER ACTUATED (TRIGGER-FIRED, LOW VELOCITY, PISTON TYPE) | A 5130 # 18-FEB-65 | | | | |
| D | | GGG-P-781D | PULLER ATTACHMENT, MECHANICAL, AND PULLER SET, MECHANICAL REVIEWER: YD1 | A 5120 * 20-FEB-69 | | | | |
| | | GGG-B-785B | BURNISHERS,CONTACT, H AND (AND BLADES) | A 5120 06-OCT-87 | | | | |
| | | GGG-P-00788 | PULLER, MECHANICAL, WATCH AND CLOCK HAND | A 5120 # 24-FEB-64 | | | | |

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|
| D | | GGG-V-790E | VULCANIZERS, HOT PATCH AND PLATE, INNER TUBE USER: MC REVIEWER: AT CS ME .. | A 4910 / AL 01-APR-92 | AL | YD1 | | | |
| D | | GGG-P-791C(2) | PULLER, NAIL, HAND USER: YD1 ..... | A 5120 * GL 11-DEC-61 | GL | SH | 99 | | |
| D | | GGG-R-791G | RULE, MEASURING USER: MC YD1 REVIEWER: MI ..... | A 5210 * 84 10-JUL-87 | | | 99 | | |
| D | | GGG-S-793A | STRIPPER, WIRE, BENCH USER: EL MC OS YD1 ..... | A 5110 * GL 29-SEP-64 | GL | SH | 99 | | |
| | | GGG-L-795E | LUBRICATING UNIT, POWER OPERATED, AND PUMPING UNITS, PRESSURE LUBRICATING, DRUM MOUNTING USER: MC REVIEWER: CS | A 4930 / ME 21-FEB-90 | ME | SH | 99 | | |
| | | GGG-B-800A | BUSH HOOKS, HAND (VALIDATION DATE: 8403) ..... | A 3750 * 84 15-APR-77 | | | 99 | | |
| D | | GGG-C-800B | CUTTER, WIRE ROPE, HAND OPERATED USER: AR MC YD1 ..... | A 5110 * GL 27-FEB-64 | GL | SH | 99 | | |
| | | GGG-C-800B(11) | CUTTER, WIRE ROPE, HAND OPERATED ..... | A 5110 # FSS 23-AUG-67 | | | | | |
| D | | GGG-A-821D | AUGER, PIPE AND SEWER, HAND; AND AUGER, WATER-CLOSET, HAND USER: YD1 ..... | A 5120 * GL 15-MAY-89 | GL | | 99 | | |
| | | GGG-S-00825A | SWAGING TOOL, FLEXIBLE CABLE TERMINAL ..... | A 5130 # 25-JAN-71 | | | | | |
| | | GGG-P-831E | PUNCHES; CENTER, COOPERS', DRIVE PIN, ALIGNING, AND PRICK ..... | A 5120 % FSS 27-JAN-66 | | | | | |
| | | GGG-P-831E(14) | PUNCHES; CENTER, COOPERS', DRIVE PIN, ALIGNING, AND PRICK ..... | A 5120 % FSS 28-JUN-73 | | | | | |
| | | GGG-P-833A | PUNCHES, CUTTING ..... | A 5110 % FSS 14-JAN-66 | | | | | |
| | | GGG-P-833A(11) | PUNCHES, CUTTING ..... | A 5110 % FSS 17-FEB-66 | | | | | |
| D | | GGG-C-835A | CUTTER, STEEL STRAPPING USER: AR MC YD1 ..... | A 5110 * GL 04-SEP-63 | GL | SH | 99 | | |
| | | GGG-C-00835B | CUTTER, STEEL STRAPPING ..... | A 5110 # FSS 27-OCT-70 | | | | | |
| | | GGG-C-835A(12) | CUTTER, STEEL STRAPPING ..... | A 5110 # FSS 21-JUL-66 | | | | | |
| | | GGG-P-836(1) | PUNCH AND DIE, KNOCKOUT USER: AR ..... | A 5110 / SH 16-FEB-59 | CR | SH | 99 | | |
| | | GGG-P-836(12) | PUNCH AND DIE, KNOCKOUT ..... | A 5110 / GL 27-SEP-63 | GL | SH | 99 | | |
| D | | GGG-P-840A(1) | PUNCHES AND DIES, AND PUNCH AND DIE SETS---METAL CUTTING, HAND, AND PUNCH, CLIP, SHEET METAL USER: AR YD1 | A 5110 * GL 17-JUL-73 | GL | SH | 99 | | |
| | | GGG-T-870A | TWEEZERS, CRAFTSMAN'S ..... | A 5120 * GL 11-JUL-57 | GL | SH | 99 | | |
| | | GGG-T-00870B(1) | TWEEZERS, CRAFTSMAN'S ..... | A 5120 # FSS 02-MAY-67 | | | | | |
| | | GGG-T-870A(12) | TWEEZERS, CRAFTSMANS ..... | A 5120 / GL 20-JUN-63 | GL | SH | 99 | | |
| D | | GGG-A-891B | AWLS USER: MC YD1 REVIEWER: 84 ..... | A 5120 * GL 21-JUN-90 | GL | | 99 | | |
| D | | GGG-A-926C | AX, (SINGLE BIT, DOUBLE BIT, PICK HEAD AND MATTOCK HEAD) USER: AT GL YD1 .. | A 5110 * ME 13-JUL-61 | ME | SH | 99 | | |
| | | GGG-A-926C(12) | AX, (SINGLE BIT, DOUBLE BIT, PICK HEAD AND MATTOCK HEAD) ..... | A 4210 # FSS 20-SEP-68 | | | | | |
| | | GGG-E-926B | EXTRACTOR, COTTER-PIN USER: AR ..... | A 5120 * GL 18-SEP-63 | GL | SH | 99 | | |
| | | GGG-E-00926C | EXTRACTOR, COTTER PIN ..... | A 5120 # 14-MAR-68 | | | | | |
| | | GGG-E-00930 | EXTRACTOR, ELECTRON TUBE (TONG TYPE) ..... | A 5120 # 20-DEC-63 | | | | | |
| D | | GGG-E-936C | EXTRACTOR, SCREW (STUD AND PIPE), AND EXTRACTOR, TAP USER: YD1 ..... | A 5120 * GL 24-FEB-67 | GL | SH | 99 | | |
| D | | GGG-E-950A | EXTRACTOR, STUFFING BOX AND PUMP PACKING (AND TAMPER), AND EXTRACTOR, LANTERN GLAND USER: AR MC YD1 | A 5120 * GL 28-FEB-88 | GL | | 99 | | |
| | | GGG-B-001013(1) | BIT, SCREWDRIVER (TORQ&SET ..... | A 5130 # 08-APR-69 | | | | | |
| | | GGG-B-001222 | BIT, SCREWDRIVER (AND ADAPTER, SCREWDRIVER BIT) ..... | A 5120 # FSS 11-OCT-67 | | | | | |
| | | GGG-T-001310 | TAPE, FISH, STEEL ..... | A 5120 # FSS 27-DEC-67 | | | | | |
| | | GGG-S-001333A | SCRAPER AND SQUEEGEE, VEHICLE WINDOW ..... | A 7920 # 16-OCT-75 | | | | | |
| | | GGG-L-001345 | LEAD JOINT RUNNER ..... | A 5120 # 08-DEC-67 | | | | | |
| | | GGG-M-001347 | HOT LINE STICKS ..... | A 5120 # 24-MAR-69 | | | | | |
| | | GGG-B-001351 | BROACH, JEWELER S AND PIVOT ..... | A 5110 # 28-MAR-68 | | | | | |
| | | GGG-F-001391 | FILER, PISTON RING ..... | A 5110 # 30-OCT-67 | | | | | |
| | | GGG-W-001405(1) | WRENCH, BOX (RATCHETING) ..... | A 5120 # 04-MAR-68 | | | | | |
| | | GGG-S-1408A | SCREWDRIVER, RATCHET, RIGHT ANGLE OFFSET, RIGHT AND LEFT HAND TURNING ..... | A 5120 / GL 15-MAR-73 | GL | SH | 84 | | |
| | | GGG-S-1408A(12) | SCREWDRIVER, RATCHET, RIGHT ANGLE OFFSET ..... | A 5120 # FSS 20-APR-76 | | | | | |
| | | GGG-C-1507A | CROWFOOT ATTACHMENT, SOCKET WRENCH USER: GL ..... | A 5120 % 05-SEP-73 | | | | | |
| N | | GGG-C-001507B | CROWFOOT ATTACHMENT, SOCKET WRENCH ..... | A 5120 # FSS 01-OCT-92 | | | | | |
| D | | GGG-C-1520 | CARRIER TOOL (VALIDATION DATE: 7511) USER: AV CE MC ME MI ..... | A 5140 / GL 06-NOV-69 | GL | YD1 | 99 | | |
| D | | GGG-J-1564C | JACKS, DOLLY TYPE, HYDRAULIC, AUTOMOTIVE USER: AT REVIEWER: 82 ME ..... | A 4910 / AL 31-MAR-92 | AL | YD1 | 99 | | |
| | | GGG-L-1763 | LABELING MACHINES REVIEWER: MD SH ..... | A 3540 * GL 15-FEB-74 | GL | SA | 99 | | |
| | | GGG-S-1808 | SCREWDRIVER, JEWELERS, (SWIVEL KNOB, INTERCHANGEABLE BLADES) USER: GL ..... | A 5120 % 23-APR-73 | | | | | |
| | | GGG-W-1907 | NUTRUNNER AND SCREWDRIVER, PNEUMATIC USER: AR AS AV CE ..... | A 5130 * GL 04-JUN-75 | GL | SH | 99 | | |
| | | GGG-C-1968 NOTICE 1 | CARRIERS, STORAGE BATTERY, HAND ..... | A 5120 # 05-APR-76 | | | | | |
| D | | GGG-T-2761 | TONGS, MATERIAL LIFTING, PIPE REVIEWER: GS SH ..... | A 3940 / YD1 05-JUN-91 | ME | YD1 | | | |
| D | | GGG-C-2773 | CYLINDER RECONDITIONING AND CORRECTION EQUIPMENT: PORTABLE USER: ME REVIEWER: 84 | A 5110 / YD1 12-MAR-92 | GL | YD1 | 99 | | |
| D | | GGG-D-2782 | DRIVE, POWER, PORTABLE: FOR PIPE AND BOLT THREADING, ELECTRIC (WITH ACCESSORIES) USER: MC REVIEWER: 84 GS | A 3450 / YD1 11-JUN-91 | AL | YD1 | 99 | | |
| D | | GGG-C-2794 | CUPS, OIL, LUBRICATING, AND OILERS, SELF-FEEDING USER: AR AS MC REVIEWER: 82 CS | A 4730 / YD1 10-APR-92 | ME | YD1 | 99 | | |
| | | MMM-C-571F | COFFEE REVIEWER: MC MD MS SS ..... | A 8955 / GL 23-SEP-85 | GL | SA | 50 | | |
| | | MMM-C-575E(1) | COFFEE, INSTANT REVIEWER: MC MD SS TS ..... | A 8955 / GL 10-AUG-88 | GL | SA | 50 | | |
| | | MMM-V-1867/7 | RADISHES, FRESH, READY-TO-USE (VALIDATION DATE: 8001) REVIEWER: MC MD MS SS | A 8915 * GL 10-JUL-74 | GL | SA | 50 | | |
| | | MMM-V-002133 | PEAS AND MUSHROOMS, THERMOSTABILIZED, TRAY PACK ..... | A 8915 GL 05-OCT-83 | | | | | |
| | | MMM-V-002136A | ESCALLOPED POTATOES, THERMOSTABILIZED, TRAY PACK ..... | A 8940 / GL 26-SEP-85 | | | | | |
| | | MMM-V-002140 | BEANS WITH PORK, THERMOSTABILIZED, TRAY PACK ..... | A 8915 / GL 26-JUL-82 | GL | | | | |
| | | MMM-B-002166 | BEAN, GREEN, THERMOSTABILIZED, TRAY PACK ..... | A 8915 / GL 31-MAR-83 | | | | | |
| | | JJJ-A-20 | ACACIA, TECHNICAL (GUM ARABIC) (VALIDATION DATE: 8004) REVIEWER: 68 EA GS . | A 6810 / AR 24-JAN-58 | AR | AS | 99 | | |
| | | JJJ-B-81E | BALL, ABSORBENT, COTTON OR RAYON, NON STERILE ..... | A 6510 / DM 19-OCT-76 | MD | MS | 03 | DM | |
| | | JJJ-C-86A NOTICE 1 | CASTOR OIL, TECHNICAL (VALIDATION DATE: 8901) USER: AS MC MI REVIEWER: EA GS OS | A 9150 / 68 29-JAN-89 | MR | SH | 68 | | |
| | | JJJ-S-351H | SYRUP (VALIDATION DATE: 8201) REVIEWER: MC MD MS SS ..... | A 8925 * GL 20-OCT-81 | GL | SA | 50 | | |
| | | JJJ-C-561E | COTTON, PURIFIED (STERILE) AND NONSTERILE (VALIDATION DATE: 8406) REVIEWER: MD | A 6510 / DM 28-SEP-78 | MD | MS | 03 | | |
| | | JJJ-V-002169A | POTATOES, DICED IN BUTTER SAUCE, THERMOSTABILIZED, TRAY PACK ..... | A 8940 GL 08-AUG-85 | GL | | | | |
| | | JJJ-V-002173A | CARROTS, SLICED, THERMOSTABILIZED, TRAY PACK ..... | A 8915 / GL 08-JUL-85 | GL | | | | |
| L | | JJJ-V-002180A | POTATOES, SWEET, GLAZED, THERMOSTABILIZED TRAY PACK ..... | A 8940 GL 08-AUG-85 | | | | | |
| | | KKK-W-291F | WHEELBARROW USER: MC REVIEWER: GL GS ..... | A 3920 / ME 15-JAN-85 | ME | | | | |
| D | | KKK-L-370D | LINING, FRICTION, (CLUTCH AND BRAKE, METALLIC, METAL-CERAMIC AND SEMIMETALLIC USER: AR REVIEWER: CS | A 2520 * AT 16-JUN-88 | AT | YD1 | | | |
| D | | KKK-T-631E | TRACTOR, FULL-TRACKED, LOW SPEED (DIESEL-ENGINE-DRIVEN) USER: MC REVIEWER: AT CR CS | A 2410 / YD1 04-JAN-80 | ME | YD1 | 99 | | |
| L | | KKK-T-631E(11) | TRACTOR, FULL-TRACKED, LOW SPEED (DIESEL-ENGINE-DRIVEN) ..... | A 2410 / ME 07-JAN-86 | ME | | | | |
| D | | KKK-T-640E | TRACTOR, WHEELED, AGRICULTURAL, (GASOLINE-ENGINE DRIVEN, DIESEL-ENGINE DRIVEN OR LP-GAS ENGINE DRIVEN) USER: MC REVIEWER: AT CS | A 2420 / YD1 05-DEC-90 | ME | YD1 | 99 | | |
| D | | KKK-T-642B | TRACTOR, WHEELED, GENERAL PURPOSE INDUSTRIAL (DIESEL-ENGINE-DRIVEN) USER: MC REVIEWER: AT | A 2420 / YD1 30-DEC-92 | ME | YD1 | 99 | | |
| D | | KKK-C-650E(1) | CREEPER, MECHANICS (AUTOMOTIVE) USER: AV MC ..... | A 4910 / AL 09-JAN-86 | AL | YD1 | | | |
| | | KKK-T-6540 | TRUCK, DOLLY (ROLLER) REVIEWER: 84 AT GS ..... | A 3920 / ME 20-MAY-85 | ME | SA | 99 | | |
| | | KKK-T-683E | TRUCK, HAND, TWO WHEELED USER: MC MD REVIEWER: CE GS SH ..... | A 3920 / ME 06-JAN-87 | ME | SA | 99 | | |
| D | | KKK-T-728A | TRUCK, HAND, TWO-WHEELED (LIGHT DUTY) 300 POUND CAPACITY (VALIDATION DATE: 8501) REVIEWER: GL GS SH SM | A 3920 * ME 02-FEB-73 | ME | YD1 | 99 | | |
| D | | KKK-T-00728B(1) | TRUCK, HAND, TWO WHEELED (LIGHT DUTY) 300 POUND CAPACITY (VALIDATION DATE: 8501) | A 3920 * ML 21-MAR-77 | ME | YD1 | 99 | | |
| D | | KKK-L-1086D | LOADER, SCOOP TYPE, FULL TRACKED USER: MC REVIEWER: 84 AT CR CS ..... | A 3805 / YD1 15-OCT-91 | ME | YD1 | 99 | | |
| L | | KKK-T-1286A | TRUCK, HAND, SHELF (TRAY-SERVICE AND GENERAL UTILITY) ..... | A 3920 * GS 17-APR-74 | | | | GS | |
| | | KKK-T-1286A(11) | TRUCK, HAND, SHELF (TRAY-SERVICE AND GENERAL UTILITY) ..... | A 3920 # FSS 24-SEP-74 | | | | | |
| D | | KKK-L-1542C | LOADER, SCOOP TYPE, FOUR WHEEL DRIVE, PNEUMATIC-TIRED REVIEWER: 85 CS ME .. | A 3805 / YD1 01-FEB-83 | | YD1 | | | |
| D | | KKK-B-1579B | BUSES, MOTOR: SCHOOL, WITH HIGH HEADROOM, 20-, 28-, 36-, 44-, 58-PASS-ENGER, TWO-WHEEL DRIVE | A 2310 / AT 01-OCT-85 | AT | YD1 | 84 | | |
| | | KKK-T-1725 | TRUCK, HAND, BOX AND TUB TYPE REVIEWER: GS ..... | A 3920 # 16-NOV-72 | | | | | |
| | | KKK-A-1822C | AMBULANCE EMERGENCY MEDICAL CARE SURFACE VEHICLE ..... | A 2310 * AT 01-JAN-90 | AT | | 99 | | |

| Action | GPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | KKK-F-19648 | FIRETRUCK (PUMPER), STRUCTURAL, CUSTOM CAB AND CHASSIS (4X2, 4X4, 6X4, 6X6) 35,000 POUNDS G.V.W. AND OVER 1000 THROUGH 2000 G.P.M. PUMP, 500 THROUGH 3000 GALLON TANK | A 4210 # FSS 01-JAN-89 | | | |
| | | KKK-F-001964 | FIRE TRUCK (PUMPER), GASOLINE OR DDIESE ENGINE (4X2, 6X4) 20,000 POUNDS G.V.W. AND OVER | A 4210 # 01-APR-77 | | | |
| | | KKK-T-001985 | TRUCK, LIGHT, COMMERCIAL, ELECTRIC POW ERED, FRONT OR REAR WHEEL DRIVEN (4 X 2, 500 TO 3000 POUNDS MAXIMUM PAYLOAD) | A 2320 # 01-SEP-77 | | | |
| D | | KKK-T-2107M | TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL OR GASOLINE ENGINE DRIVEN, 6350 TO 9530 KILOGRAMS (14,000 TO 21,000 POUNDS) GVW, 4X2 | A 2320 / AT 15-SEP-91 | AT | YD1 | | 99 |
| D | | KKK-T-2108M | TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL OR GASOLINE ENGINE DRIVEN, 10 900 TO 14 500 KILOGRAMS (24,000 TO 32,000 POUNDS) GVW, 4X2 | A 2320 / AT 15-SEP-91 | AT | YD1 | | 99 |
| D | | KKK-T-2109M | TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL ENGINE DRIVEN, 15 650 TO 30 000 KILOGRAMS (34,500 TO 66,000 POUNDS) GVW, 6X4 | A 2320 / AT 15-SEP-91 | AT | YD1 | | 99 |
| D | | KKK-T-2110M | TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL OR GASOLINE ENGINE DRIVEN, 10 000 TO 15 850 KILOGRAMS (24,000 TO 35,000 POUNDS) GVW, 4X4 | A 2320 / AT 15-SEP-91 | AT | YD1 | | 99 |
| D | | KKK-T-2111M | TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL ENGINE DRIVEN, 16 350 TO 28 100 KILOGRAMS (36,000 TO 62,000 POUNDS) GVW, 6X6 | A 2320 / AT 15-SEP-91 | AT | YD1 | | 99 |
| | | KKK-F-2115 | FIRETRUCK (PUMPER), DIESEL ENGINE, 4X2 OR 4X4, 11000 TO 20000 POUNDS G.V.W. | A 4210 # 01-JUN-85 | | | | |
| | | KKK-F-2201 | FIRETRUCK, WILDLAND, 4X2, 4X4, GASOLINE OR DIESEL ENGINE, 8,700 POUND TO 27,500 POUND GVWR | A 4210 # 01-MAR-86 | | | | |
| D | | KKK-S-2766 | SEMITRAILERS, TILT DECK: COMMERCIAL USER: 84 MC ME | A 2330 / YD1 02-DEC-91 | AT | YD1 | | 99 |
| D | | KKK-S-2768 | SEMITRAILERS, BOLSTER, COMMERCIAL, POLE TYPE, 2 TO 20 TONS | A 2330 / YD1 20-JUN-91 | AT | YD1 | | 99 |
| D | | KKK-S-002769A | SEMITRAILERS, STAKE: MODIFIED COMMERCIAL USER: MC REVIEWER: 84 | A 2330 / AT 15-DEC-92 | AT | YD1 | | 99 |
| D | | KKK-S-2769 | SEMITRAILERS, STAKE; COMMERCIAL USER: MC REVIEWER: 84 | A 2330 / YD1 30-APR-92 | AT | YD1 | | 99 |
| D | | KKK-S-2777 | SNOWPLOWS, TRUCK MOUNTED, DISPLACEMENT TYPE, 36,000 GVWR, 4 BY 4 USER: AV . | A 3825 / YD1 24-FEB-92 | ME | YD1 | | |
| D | L | KKK-D-2778 | DISTRIBUTORS, WATER TANK, TRUCK MOUNTED FRONT AND REAR SPRAY | A 3825 / YD1 26-MAR-92 | | YD1 | | |
| D | L | KKK-S-2806 | SEMITRAILER, BOTTOM DUMP, 18 CUBIC YARD MINIMUM CAPACITY | A 2330 / YD1 16-OCT-92 | | YD1 | | |
| D | L | KKK-T-2807 | TRUCKS, LUBRICATING AND FUEL SERVICING 4 BY 2 AND 4 BY 4 USER: AT MC | A 2320 / YD1 12-NOV-92 | | YD1 | | |
| D | | KKK-E-2808 | EXCAVATOR, MULTIPURPOSE, TRUCK MOUNTED, TWO CABS USER: MC REVIEWER: 84 CS . | A 3805 / YD1 30-DEC-92 | AT | YD1 | | 99 |
| N | L | KKK-A-2809 | AUGER, EARTH, TRUCK-MOUNTED, 4 BY 4, DIESEL ENGINE DRIVEN, 28,000 LB MINIMUM GVW, WITH POLE SETTER AND WIRE REEL | A 3820 / YD1 23-APR-93 | | YD1 | | |
| D | | KKK-E-2810 | EXCAVATOR, MULTIPURPOSE, WHEEL-UNDERCARRIAGE DIESEL-ENGINE-DRIVEN REVIEWER: 84 | A 3805 / YD1 08-MAR-93 | AT | YD1 | | 99 |
| | | LLL-L-51D | LADDER, PORTABLE, WOOD, EXTENSION AND STRAIGHT USER: MC OS SH REVIEWER: CS | A 5440 * ME 04-SEP-85 | ME | | | 99 |
| | | LLL-M-71B | MALLETS AND MAULS, WOOD | A 5120 * GL 19-DEC-63 | GL | SH | | 99 |
| | | NOTICE 1 | | | | | | |
| | | LLL-M-71B(11) | MALLETS AND MAULS, WOOD | A 5120 # FSS 03-NOV-67 | | | | |
| | | LLL-C-00110A | CASE, FILING, TRANSFER, WOOD OR FIBER USER: GL | A 7520 % 15-NOV-68 | | | | |
| | | LLL-B-211(1) | BELLOWS, HAND; FOUNDRY, SECTION 4 (PART 5) USER: GL | A 5120 % 04-DEC-50 | | | | |
| | | LLL-C-251A | CHARCOAL, WOOD [VALIDATION DATE: 7504] REVIEWER: DS | A 9110 # 26-AUG-69 | | | | |
| D | | LLL-L-354C | LINOLEUM: DESK TOP | A 7220 / YD1 27-APR-67 | GL | YD1 | | 69 |
| D | L | LLL-L-354C(11) | LINOLEUM: DESK TOP | A 7220 / YD1 03-SEP-68 | | YD1 | | |
| | | LLL-R-626D | ROSINS: GUM, WOOD, AND TALL OIL [VALIDATION DATE: 9101] REVIEWER: GS MD MI | A 6810 / EA 15-JAN-91 | EA | OS | | 68 |
| | | LLL-A-650D | ARCH AND CLIP BOARD FILES, COMPOSITION HARDBOARD BACK | A 7520 # FSS 11-APR-90 | | | | |
| | | LLL-A-00650C | ARCH AND CLIP BOARD FILES, COMPOSITION HARDBOARD BACK | A 7520 # FSS 29-APR-69 | | | | |
| | | LLL-A-650B(1) | ARCH AND CLIP BOARD FILES, WOOD OR COMPOSITION HARDBOARD BACK | A 7520 # FSS 05-NOV-65 | | | | |
| | | LLL-B-650A | BOX, FILING, CLOTH, WOOD OR FIBER USER: GL MC SH | A 7520 % 20-OCT-65 | | | | |
| | | NOTICE 2 | | | | | | |
| | | LLL-B-00650B(1) | BOX, FILING, CLOTH COVERED WOOD OR FIBER | A 7520 # 02-NOV-71 | | | | |
| | | LLL-B-800B | BUILDING BOARD (WOOD PARTICLEBOARD) HARD PRESSED, VEGETABLE FIBER | A 5640 # 20-AUG-74 | | | | |
| | | LLL-H-1142A | HANGER, TROUSER USER: GL | A 7290 % 08-MAY-73 | | | | |
| | | LLL-C-001491 | CASE, FILING, TRANSFER, KNOCKDOWN | A 7520 # 10-NOV-69 | | | | |
| | | MMM-A-1000 | ADHESIVE, ANIMAL-GLUE | A 8040 % 07-FEB-78 | | | | |
| | | MMM-A-105 | ADHESIVE AND SEALING COMPOUNDS CELLULOSE NITRATE BASE, SOLVENT TYPE [VALIDATION DATE: 8103] USER: CE REVIEWER: GL SA SH | A 8040 * AR 23-JUN-67 | AR | AS | | 99 |
| | | MMM-A-1108(1) | ADHESIVE, ASPHALT, CUT-BACK TYPE (FOR ASPHALT AND VINYL ASBESTOS TILES) | A 8040 * MR 10-FEB-87 | MR | AS | | 99 |
| | | NOTICE 1 | [VALIDATION DATE: 8702] USER: AR | | | | | |
| | | MMM-A-1108(12) | ADHESIVE, ASPHALT, CUT-BACK TYPE (FOR ASPHALT AND VINYL ASBESTOS TILES) ... | A 8040 # FSS 12-JAN-76 | | | | |
| D | | MMM-A-115C | ADHESIVE, ASPHALT, WATER EMULSION TYPE (FOR ASPHALT AND VINYL ASBESTOS TILE) USER: GL | A 8040 * YD1 06-AUG-79 | MR | YD1 | | |
| Q | | MMM-A-121 | ADHESIVE, BONDING VULCANIZED SYNTHETIC RUBBER TO STEEL [VALIDATION DATE: 8907] USEP: AS OS REVIEWER: AR DS GL MI | A 8040 / SH 24-JUL-89 | MR | SH | | |
| | | MMM-A-122C | ADHESIVE, F [illegible]EME ACRYLONITRILE BASE, MEDIUM SOLIDS, GENERAL PURPOSE | A 8040 * MR 10-FEB-87 | MR | AS | | 99 |
| | | NOTICE 1 | [VALIDAT E: 8702] USER: MC ME MI REVIEWER: EA GL MD | | | | | |
| D | | MMM-A-1308 | ADHESIVE, USER: MI YD1 REVIEWER: DS | A 8040 * ME 09-DEC-74 | ME | | | 84 |
| | | MMM-A-1308(13) | ADHESIVE, | A 8040 # FSS 07-APR-76 | | | | |
| Q | | MMM-A-132A(3) | ADHESIVE, ME [illegible]ISTANT, AIRFRAME STRUCTURAL, METAL TO METAL USER: MC REVIEWER: 84 [illegible] AR ME MI OS | A 8040 / AS 12-APR-84 | MR | AS | | 11 |
| Q | | MMM-A-134 | ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING [VALIDATION DATE: 8304] USER: CG OS REVIEWER: AV DS GL ME | A 8040 / AS 17-AUG-70 | MR | AS | | 11 |
| D | | MMM-A-137D | ADHESIVE, RESILIENT FLOORING (WATER SOLUBLE) [VALIDATION DATE: 8702] ..... | A 8040 * MR 10-FEB-87 | MR | YD1 | | 99 |
| | | NOTICE 1 | | | | | | |
| | | MMM-A-138B | ADHESIVE, METAL TO WOOD, STRUCTURAL [VALIDATION DATE: 9111] USER: CR MC ... | A 8040 / AS 05-NOV-91 | MR | AS | | 99 |
| | | NOTICE 1 | | | | | | |
| DQ | | MMM-A-139B | ADHESIVE, NATURAL OR SYNTHETIC NATURAL RUBBER [VALIDATION DATE: 9111] USER: AT MC ME OS SH YD1 REVIEWER: 84 AV GL | A 8040 / AS 05-NOV-91 | MR | AS | | 11 |
| | | NOTICE 1 | | | | | | |
| | | MMM-A-001508 | ADHESIVE FOR ACOUSTICAL MATERIALS | A 8040 # 29-APR-76 | | | | |
| D | | MMM-A-179B | ADHESIVE, PAPER LABEL USER: AR EL GL MI OS SH YD1 REVIEWER: SA SH | A 8040 / MR 22-MAR-88 | MR | AS | | 99 |
| | | MMM-A-180C | ADHESIVE, POLYVINYL ACETATE EMULSION [VALIDATION DATE: 8004] USER: AT EA REVIEWER: MI | A 8040 * AS 06-AUG-79 | MR | AS | | 99 |
| D | | MMM-A-181D | ADHESIVES, PHENOL, RESORCINOL OR MELAMINE BASE [VALIDATION DATE: 8908] USER: AS CR MC MI OS SH REVIEWER: DS GL MD | A 8040 / MR 02-AUG-89 | MR | YD1 | | 99 |
| L | | MMM-A-182A | ADHESIVE, RUBBER [VALIDATION DATE: 8809] USER: ME SH REVIEWER: MD MI MR ... | A 8040 / EA 23-SEP-88 | EA | | | |
| | | NOTICE 1 | | | | | | |
| A | | MMM-A-1858 | ADHESIVE, RUBBER (FOR PAPER BONDING) [VALIDATION DATE: 9209] USER: MC ..... | A 8040 * AS 30-SEP-92 | MR | AS | | 99 |
| | | NOTICE 1 | | | | | | |
| A | L | MMM-A-1858(12) | ADHESIVE, RUBBER (FOR PAPER BONDING) [VALIDATION DATE: 9209] ..... | A 8040 * AS 30-SEP-92 | | AS | | |
| | | NOTICE 1 | | | | | | |
| | | MMM-A-187B(1) | ADHESIVE, EPOXY RESIN BASE LOW AND INTERMEDIATE STRENGTH, GENERAL PURPOSE USER: ME REVIEWER: EA MI OS | A 8040 * AS 03-AUG-89 | MR | AS | | 99 |
| A | | MMM-A-188C | ADHESIVE: UREA-RESIN-TYPE (LIQUID AND POWDER) [VALIDATION DATE: 9209] | A 8040 / AS 30-SEP-92 | MR | AC | | 99 |
| | | NOTICE 1 | USER: AT ER OS SH REVIEWER: EA GL ME | | | | | |
| | | MMM-A-189C | ADHESIVE, SYNTHETIC-RUBBER, THERMOPLASTIC, GENERAL-PURPOSE [VALIDATION | A 8040 / MR 29-MAR-91 | MR | | | 84 |
| | | NOTICE 1 | DATE: 9103] REVIEWER: MD ME MI | | | | | |
| | | MMM-A-250C(1) | ADHESIVE, WATER-RESISTANT (FOR CLOSURE OF FIBERBOARD BOXES) [VALIDATION | A 8040 / MR 02-AUG-89 | MR | | | 99 |
| D | | MMM-A-260C | DATE: 8908] USER: MC ME SH SS REVIEWER: DP OS GL IS MD OS SM ADHESIVE, WATER-RESISTANT, (FOR SEALING WATERPROOFED PAPER) [VALIDATION | A 8040 / MR 29-MAR-91 | MR | AS | | 11 |
| | | NOTICE 1 | DATE: 9103] USER: MC ME YD1 REVIEWER: 69 OS EA GL OS SM SS | | | | | |
| | | MMM-A-1058A | ADHESIVE, RUBBER BASE, (IN PRESSURIZED DISPENSERS) [VALIDATION DATE: 8104] | A 8040 * AS 16-JAN-75 | | AS | | 11 |
| | | | USER: MR SH | | | | | |
| | | MMM-A-1058A(11) | ADHESIVE, RUBBER (IN PRESSURIZED DISPENSERS) [VALIDATION DATE: 8104] ..... | A 8040 # FSS 26-JAN-78 | | | | |
| Q | | MMM-A-1617A | ADHESIVE, RUBBER BASE, GENERAL PURPOSE USER: AT MC REVIEWER: 11 DS GL ME MI OS SM | A 8040 / AS 18-JUN-81 | MR | AS | | 99 |

| Action | OBS / OMB Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MMM-A-1754 | ADHESIVE AND SEALING COMPOUND, EPOXY, METAL FILLED (VALIDATION DATE: 8508) USER: AR AV MC OS | A | 8040 | * | AS | 01-JUL-73 | MR | AS | 99 | |
| | | MMM-A-1931 | ADHESIVE, EPOXY, SILVER FILLED, CONDUCTIVE (VALIDATION DATE: 8104) USER: AR CR | A | 8040 | * | AS | 19-SEP-75 | MR | AS | 99 | |
| D | | MMM-A-001993 | ADHESIVE, EPOXY, FLEXIBLE, FILLED (FOR BINDING, SEALING AND GROUTING) (VALIDATION DATE: 8407) USER: YD1 | A | 8040 | / | AS | 28-FEB-78 | | AS | | |
| | | MMM-A-002015 | ADHESIVE, SEMI-SOLID, STICK FORM, WITH DISPENSERS | A | 8040 | # | | 06-APR-77 | | | | |
| | | MMM-A-2048 | ADHESIVE, FIRE-RESISTANT, THERMAL INSULATION | A | 8040 | # | | 01-APR-78 | | | | |
| | | MMM-A-002048 | ADHESIVE, FIRE RESISTANT, THERMAL INSULATION | A | 8040 | # | | 01-APR-78 | | | | |
| | | MMM-C-20 | CAN, PIPET STERILIZING (VALIDATION DATE: 8202) | A | 6640 | * | MB | 17-MAR-65 | MD | MS | 03 | |
| L | | MMM-C-20(11) | CAN, PIPET STERILIZING (VALIDATION DATE: 8202) | A | 6640 | / | DH | 27-FEB-76 | | | | DH |
| | | MMM-W-258 | WASH BOTTLES, LABORATORY (VALIDATION DATE: 8406) REVIEWER: CE | A | 6640 | / | DH | 29-JUN-76 | MD | MS | 99 | |
| | | MMM-J-358 | JAR, CYLINDRICAL (VALIDATION DATE: 8202) | A | 6640 | / | DH | 06-AUG-75 | MD | MS | 03 | |
| | | MMM-R-0055(1) | RACK, TEST TUBE LABORATORY (VALIDATION DATE: 8406) | A | 6640 | / | DH | 30-JUN-71 | MD | MS | 03 | |
| | | MMM-S-00100 | SCRAPER, LABORATORY, RUBBER (VALIDATION DATE: 8202) | A | 6640 | / | DH | 05-APR-65 | MD | MS | 03 | |
| | | MMM-T-1898 | TEST TUBE, LABORATORY, GLASS (VALIDATION DATE: 8202) | A | 6640 | / | DH | 02-JUL-76 | MD | MS | 03 | |
| | | MMM-F-2400 | FLASK, LABORATORY | A | 6640 | / | EA | 01-SEP-76 | EA | | | |
| | | MMM-F-2890 | FLASK, VOLUMETRIC | A | 6640 | / | EA | 07-FEB-77 | EA | MS | 99 | |
| | | MMM-B-300A | BLOOD COLLECTING CULTURE UNIT, LABORATORY (VALIDATION DATE: 8406) | A | 6630 | / | DH | 19-AUG-77 | MD | MS | 03 | |
| | | MMM-D-345A | DISH, EVAPORATING, PLATINUM (VALIDATION DATE: 8201) | A | 6640 | / | EA | 11-JAN-63 | EA | MS | 99 | |
| | | MMM-D-350A | DISH, GUM TEST (VALIDATION DATE: 8201) | A | 6640 | / | EA | 26-DEC-62 | EA | MS | 99 | |
| | | MMM-T-3608 | TISSUE GRINDER, TENBROECK (VALIDATION DATE: 8406) | A | 6640 | * | DH | 08-DEC-76 | MD | MS | 03 | |
| | | MMM-C-004358 | CLAMPS, RUBBER TUBING, REGULATING AND SHUTOFF (LABORATORY) (S/S BY A-A-51245 | A | 6640 | # | | 22-JUN-70 | | | | |
| | | MMM-C-440 | CLAMP, UTILITY, LABORATORY & HOLDER BURET & CLAMP | A | 6640 | / | EA | 01-MAR-63 | EA | MS | 99 | |
| | | MMM-M-560 | MORTAR AND PESTLE (VALIDATION DATE: 6803) USER: CE REVIEWER: MD | A | 6640 | / | EA | 26-OCT-62 | EA | MS | 99 | |
| | | MMM-C-00680A | CRUCIBLES, FILTERING AND IGNITION, AND COVERS, LABORATORY (VALIDATION DATE: 7901) | A | 6640 | / | DH | 24-MAY-72 | MD | MS | 03 | |
| | | MMM-G-690 | GRADUATE, LIQUID, LABORATORY, PLASTIC | A | 6640 | / | EA | 19-FEB-63 | EA | MS | 99 | |
| | | MMM-G-692C(1) | GRADUATE, LIQUID, LABORATORY AND PHARMACEUTICAL, GLASS USER: MI SM REVIEWER: MD | A | 6640 | * | DP | 10-FEB-77 | AR | MS | | |
| | | MMM-R-770 | RULE, LABORATORY (MEASURING, PLASTIC AND WOOD) (VALIDATION DATE: 8406) USER: CC GL | A | 6640 | * | DH | 07-APR-66 | MD | MS | 03 | |
| | | MMM-T-7808 | TUBE, CENTRIFUGE, GLASS USER: MI REVIEWER: 99 DP MD | A | 6640 | * | EA | 10-MAR-70 | EA | MS | | |
| | | MMM-T-792A | TUBE, DRYING, LABORATORY (VALIDATION DATE: 8201) | A | 6640 | / | EA | 29-MAR-63 | EA | MS | 99 | |
| | | MMM-F-800A | FUNNEL, SEPARATORY (VALIDATION DATE: 6803) | A | 6640 | / | EA | 05-NOV-62 | EA | MS | 99 | |
| | | MMM-E-920A(1) | EXTRACTION ASSEMBLY, WITH FRIEDRICH CONDENSER | A | 6640 | / | EA | 02-JUL-63 | EA | MS | 99 | |
| | | MMM-E-009208 | EXTRACTION ASSEMBLY (VALIDATION DATE: 8202) | A | 6640 | / | DH | 16-FEB-67 | MD | MS | 03 | |
| | | MMM-B-001291 | BASKET, TEST TUBE (VALIDATION DATE: 8406) | A | 6640 | / | DH | 04-MAR-70 | MD | MS | 03 | |
| | | MMM-T-901293 | TUBE, BLOOD COLLECTING, VACUUM, NONSTERILE | A | 6630 | / | DH | 04-NOV-69 | MD | MS | 03 | DH |
| | | MMM-P-1475B | PAPER, FILTER, ANALYTICAL (VALIDATION DATE: 8202) USER: MI REVIEWER: DP | A | 6640 | / | DH | 18-JUN-76 | MD | MS | 03 | |
| | | MMM-D-1478B | DISH, CULTURE, PETRI (GLASS) | A | 6640 | * | DP | 07-MAR-78 | AR | MS | 03 | |
| | | MMM-P-001482B | PIPET, SEROLOGICAL, SAHLI, DILUTING, HEMOGLOBINOMETER, 0.02 ML. (VALIDATION DATE: 7901) | A | 6640 | / | MB | 18-OCT-72 | MD | MS | 03 | |
| | | MMM-C-149C | CUP, BLOOD SAMPLE | A | 6640 | # | | 27-APR-73 | | | | |
| | | MMM-B-1505A | BOTTLES, SCREWCAP, GLASS (LABORATORY USE) (VALIDATION DATE: 8406) | A | 6640 | / | DH | 10-SEP-76 | MD | MS | | |
| | | MMM-B-001522 | BOTTLE, STOPPER (NARROW AND WIDE MOUTH) | A | 6640 | # | | 31-DEC-69 | | | | |
| | | PPP-B-15C | BAG AND ENVELOPE, CELLOPHANE, FOR PACKAGING USER: MC REVIEWER: MD SH SM | A | 8105 | * | GL | 06-JUN-75 | GL | SA | 59 | |
| | | PPP-P-0015D(5) | PACKAGING AND PACKING OF STORAGE CABINETS, WARDROBES AND CLOTHING LOCKERS, METAL | A | PACK | # | FSS | 29-JUN-72 | | | | |
| | | PPP-P-16C(1) | PACKAGING OF PHOTOGRAPHIC DRY AND LIQUID CHEMICALS, GENERAL SPECIFICATION FOR REVIEWER: SM | A | PACK | / | 70 | 19-JUN-69 | | | 99 | |
| | | PPP-C-0020B | PACKAGING AND PACKING OF FILING CABINETS, STEEL, CARD SIZE (TABULATING, MACHINE AND INDEX) | A | PACK | # | FSS | 01-OCT-76 | | | | |
| | | PPP-B-238 | BAG, MOTION SICKNESS REVIEWER: 99 DH MD MS | A | 8105 | / | 69 | 31-JAN-74 | GL | SA | 69 | |
| | | PPP-P-25F | PRINTING AND STATIONARY PAPER, PACKAGING AND PACKING OF USER: MC REVIEWER: SM | A | PACK | * | GL | 11-SEP-81 | GL | SA | 99 | |
| | | PPP-P-25F(13) | PRINTING AND STATIONARY PAPER, PACKAGING AND PACKING OF | A | PACK | # | FSS | 11-SEP-81 | | | | |
| | | PPP-B-26E(2) NOTICE 1 | BAG, PLASTIC, (GENERAL PURPOSE) (VALIDATION DATE: 8904) USER: MC SS REVIEWER: 99 AR DS MD OS | A | 8105 | / | GL | 22-APR-89 | GL | SA | 69 | |
| | | PPP-C-29G | CANNED SUBSISTENCE ITEMS, PACKAGING OF REVIEWER: DP MC MD SM | A | 89GP | / | GL | 03-MAY-89 | GL | SA | 50 | |
| | | PPP-P-408 | PACKAGING AND PACKING OF HAND TOOLS USER: AR AS MC OS SA REVIEWER: ME SM | A | 51GP | / | AL | 16-DEC-86 | AL | SH | 99 | |
| | | PPP-T-45D NOTICE 1 | TAPE, GUMMED, PAPER, REINFORCED AND PLAIN, FOR SEALING AND SECURING (VALIDATION DATE: 9003) USER: CG CR MC ME SA SS REVIEWER: 99 AS DS MD SH SM | A | 8135 | / | GL | 05-MAR-90 | GL | OS | 69 | |
| A | | PPP-P-50A(1) NOTICE 1 | PACKAGING AND PACKING OF THREAD FOR DOMESTIC AND OVERSEAS SHIPMENT (VALIDATION DATE: 8711) USER: 45 AS MI REVIEWER: 11 SM | A | 8310 | / | CT | 12-DEC-87 | GL | SA | 99 | CT |
| | | PPP-B-51C | PACKAGING, PACKING AND MARKING OF TEXTILE FABRICS (WOOLENS, WORSTEDS, COTTONS, SILKS AND SYNTHETICS)(S/S BY PPP-P-1132 THRU PPP-P-1136) | A | PACK | # | | 01-JAN-67 | | | | |
| | | PPP-C-55B NOTICE 1 | CAN, COMPOSITE, FOR DRY PRODUCTS REVIEWER: GS | A | 8110 | * | GL | 16-APR-75 | GL | SA | 99 | |
| | | PPP-C-58B | CAN, TELESCOPE TOP REVIEWER: 82 GS | A | 8110 | * | GL | 13-JAN-92 | GL | SA | 69 | |
| | | PPP-C-58A(11) | CAN, TELESCOPE TOP | A | 8110 | # | FSS | 20-APR-89 | | | | |
| D | | PPP-T-60E | TAPE, PACKAGING, WATERPROOF USER: ES REVIEWER: AR AV DS ER MC ME OS SA SH YD1 | A | 7510 | * | | 06-NOV-86 | GL | AS | 69 | |
| | | PPP-T-66E | TAPE, PACKAGING, VINYL PLASTIC FILM USER: ME | A | 7510 | % | | 04-MAY-83 | | | | |
| | | PPP-T-70A | TAPE, PACKAGING, PLASTIC FILM (VALIDATION DATE: 8602) REVIEWER: EA | A | 7510 | / | GL | 05-FEB-74 | GL | SA | 99 | |
| | | PPP-T-76C | TAPE, PACKAGING, PAPER (FOR CARTON SEALING) REVIEWER: 71 80 84 AR ER MI SA | A | 7510 | * | GL | 02-AUG-84 | GL | AS | 69 | |
| D | | PPP-C-96E | CANS, METAL, 28 GAGE AND LIGHTER USER: AV DP MC ME MI YD1 REVIEWER: 68 70 99 AS AT CR SH | A | 8110 | / | GL | 31-DEC-92 | GL | SA | 69 | |
| D | | PPP-T-97D | TAPE, PRESSURE SENSITIVE ADHESIVE, FILAMENT REINFORCED | A | 8135 | / | QS | 01-MAY-70 | GL | OS | 01 | |
| | | PPP-T-0097E | TAPE, PACKAGING/INDUSTRIAL, FILAMENT REINFORCED | A | 7510 | # | FSS | 02-AUG-84 | | | | |
| | | PPP-P-115D | PAD, PAPER, MACERATED USER: GL | A | 8135 | % | | 09-JUL-73 | | | | |
| | | PPP-P-115D(11) | PADS, PAPER, MACERATED | A | 8135 | # | FSS | 20-APR-89 | | | | |
| | | PPP-P-130A(2) | PAIL, CANS, AND WASTE RECEPTACLES, PACKING OF (VALIDATION DATE: 8402) REVIEWER: SM | A | 7520 | / | GL | 10-SEP-71 | GL | | | |
| M | | PPP-B-140C | BATTERIES, STORAGE, INDUSTRIAL, AUTOMOTIVE, AIRCRAFT AND NAVY PORTABLE: PACKAGING OF USER: EC MC ME REVIEWER: 80 AS AT CR GS SA SH SM | A | PACK | / | YD1 | 01-MAR-93 | ER | YD1 | 99 | |
| | | PPP-C-186C | CONTAINERS, PACKAGING AND PACKING FOR DRUGS, CHEMICALS, AND PHARMACEUTICALS (VALIDATION DATE: 8812) REVIEWER: SM | A | PACK | / | MB | 15-DEC-88 | MD | MS | 03 | |
| | | PPP-V-205C | VENEER, PAPER OVERLAID, CONTAINER GRADE (VALIDATION DATE: 8402) USER: 03 MC REVIEWER: CS ME SM | A | 5530 | / | GL | 13-OCT-69 | GL | SA | 99 | |
| D | | PPP-P-291E | PAPERBOARD, WRAPPING AND CUSHIONING (VALIDATION DATE: 8602) USER: MC MD REVIEWER: 99 CR EA GS MI OS SM YD1 | A | 8135 | / | GL | 09-FEB-76 | GL | SA | 69 | |
| | | PPP-C-300A | CHEMICALS, LIQUID: PACKAGING AND PACKING OF (S/S BY PPP-C-2020 REVIEWER: MI SM | A | PACK | / | EA | 28-MAR-83 | EA | SH | 68 | |
| | | PPP-F-320D(3) | FIBERBOARD: CORRUGATED AND SOLID, SHEET STOCK (CONTAINER GRADE) AND CUT SHAPES USER: MC SS REVIEWER: 99 AS DS EA GS MD ME OS | A | 8135 | * | GL | 17-OCT-73 | GL | SA | 69 | |
| D | | PPP-F-00320E | FIBERBOARD: CORRUGATED AND SOLID, SHEET STOCK (CONTAINER GRADE), AND CUT SHAPES USER: MC MD REVIEWER: AR AS OS SM YD1 | A | 8135 | * | SA | 04-JAN-91 | GL | SA | 69 | |
| | | PPP-I-350C | INDIVIDUAL SERVINGS OF SUBSISTENCE, PACKAGING OF REVIEWER: MC MD MS SM SS | A | PACK | / | GL | 30-OCT-81 | GL | SA | 50 | |
| | | PPP-T-360A(1) | TIME MEASURING INSTRUMENTS, PACKAGING OF REVIEWER: GS SM | A | 6645 | / | AR | 25-OCT-73 | AR | SH | 99 | |
| | | PPP-P-420B(1) | PLUG AND FLANGE (FOR DRUM CLOSURE) USER: MC ME SA REVIEWER: 68 99 GS | A | 8110 | * | GL | 08-APR-74 | GL | AS | 69 | |
| D | | PPP-T-495B | TUBES, MAILING, AND FILING USER: AV MC SH YD1 REVIEWER: 99 EA GS SM | A | 8110 | / | GL | 25-FEB-74 | GL | SA | 69 | |

| Action | Qlfy. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | PPP-T-495B(12) | TUBES, MAILING, AND FILING | A 8110 # FSS | 14-OCT-88 | | | | |
| | | PPP-B-566E(3) NOTICE 1 | BOXES, FOLDING, PAPERBOARD [VALIDATION DATE: 8801] USER: MC REVIEWER: 99 AR DS EA MD ME SH SM SS | A 8115 / GL | 25-JAN-88 | GL | SA | 69 | |
| | | PPP-C-569C(2) | CONTAINER, PLASTIC, MOLDED (FOR LIQUIDS, PASTES AND POWDERS), OVERPACKED USER: AR SH REVIEWER: EA MD SM | A 8115 * GL | 15-MAY-72 | GL | SA | 99 | |
| A | | PPP-B-576C | BOXES, WOOD-CLEATED PANELBOARD USER: AR AS MS SH REVIEWER: 99 AV EA SM | A 8115 / GL | 22-DEC-92 | GL | SA | 69 | |
| | | PPP-B-580D | BOX, HOUSEHOLD GOODS USER: GL REVIEWER: 99 SM | A 8115 / MT | 22-MAR-79 | MT | SA | 69 | |
| | | PPP-B-580D(12) | BOX, HOUSEHOLD GOODS | A 8115 # FSS | 15-MAY-80 | | | | |
| M | | PPP-B-585D | BOXES, WOOD, WIREBOUND USER: AV CR MC MD OS SH REVIEWER: 84 99 AR AS ME SM SS YD1 | A 8115 / GL | 31-DEC-92 | GL | SA | 69 | |
| | | PPP-B-587B | BOX, WOOD, WIREBOUND PALLET TYPE USER: CE REVIEWER: 70 71 80 99 DM EA ME SH SM | A 8115 / 69 | 31-MAR-87 | GL | SA | 69 | |
| | | PPP-B-591B(1) NOTICE 1 | BOXES, SHIPPING, FIBERBOARD, WOOD-CLEATED USER: AR AS MS SH REVIEWER: 99 AV EA | A 8115 / GL | 25-JAN-88 | GL | SA | 69 | |
| A | | PPP-P-600G | PORCELAIN ENAMEL PRODUCTS AND HOUSEHOLD APPLIANCES, ELECTRICAL AND MECHANICAL - REQUIREMENTS FOR PACKAGING OF REVIEWER: SM | A PACK / GL | 31-DEC-92 | GL | SA | 99 | |
| D | | PPP-B-601H | BOXES, WOOD, CLEATED-PLYWOOD USER: MC OS SH REVIEWER: 84 99 AR EA MD ME SM YD1 | A 8115 / GL | 22-MAY-89 | GL | SA | 69 | |
| A L | | PPP-B-601H(12) | BOXES, WOOD, CLEATED-PLYWOOD | A 8115 / GL | 10-SEP-92 | GL | | | |
| D | | PPP-B-621D(3) | BOX, WOOD, NAILED AND LOCK-CORNER USER: OS SH REVIEWER: 43 84 99 AR MD MI MT YD1 | A 8115 / GL | 30-DEC-85 | GL | SA | 69 | |
| D | | PPP-B-636J(1) | BOXES, SHIPPING, FIBERBOARD USER: 80 EC MC OS REVIEWER: 70 71 82 84 AS ME MI SH SM YD1 | A 8115 * GL | 20-JAN-82 | GL | SA | 69 | |
| | | PPP-B-00636L | BOXES, SHIPPING, FIBERBOARD | A 8115 # FSS | 01-JAN-91 | | | | |
| | L | PPP-B-636J(14) | BOXES, SHIPPING, FIBERBOARD | A 8115 / SA | 09-SEP-88 | | SA | | |
| D | | PPP-B-638B NOTICE 1 | BOX, CAPS, LINERS AND SLEEVES, FIBERBOARD, KNOCKED DOWN, FLAT, PACKING OF [VALIDATION DATE: 8801] USER: MC ME MI SS YD1 REVIEWER: 99 SM | A 8115 / GL | 25-JAN-88 | GL | SA | 69 | |
| | | PPP-B-640D(1) | BOXES, FIBERBOARD, CORRUGATED, TRIPLE-WALL [VALIDATION DATE: 7511] USER: ME SS REVIEWER: EA MI OS | A 8115 / GL | 07-AUG-69 | GL | SA | 69 | |
| | L | PPP-B-640D(16) | BOXES, FIBERBOARD, CORRUGATED, TRIPLE-WALL | A 8115 / SA | 09-SEP-88 | | SA | | |
| | | PPP-B-650B(2) | BOXES, CORRUGATED FIBERBOARD, SPECIAL PURPOSE (RECORDS RETIRING) | A 8115 # | 25-JUN-76 | | | | |
| D | | PPP-B-665D | BOXES, PAPERBOARD, METAL EDGED AND COMPONENTS USER: ME SA SS YD1 REVIEWER: AS OS EA MI OS SM | A 8115 * | 01-NOV-72 | | | | |
| | | PPP-B-676D(2) | BOXES SETUP [VALIDATION DATE: 8501] REVIEWER: 99 AR AS CR DS EA ES MC MI MS OS SH SM | A 8115 / GL | 10-AUG-77 | GL | SA | 69 | |
| | | PPP-B-676D(13) | BOXES, SETUP | A 8115 # FSS | 20-APR-89 | | | | |
| D | | PPP-T-680E | TAPE, PRESSURE SENSITIVE ADHESIVE, PACKAGING AND PACKING OF [VALIDATION DATE: 8301] USER: SH REVIEWER: 69 GS MC MI MR SA SM YD1 | A 7510 * GL | 17-NOV-75 | GL | AS | 99 | |
| D | | PPP-T-681D(1) | TAPE, GUMMED, PACKAGING AND PACKING OF [VALIDATION DATE: 8301] USER: MC OS YD1 REVIEWER: 69 AS GS SM | A 8135 / GL | 18-MAY-76 | GL | SA | 99 | |
| | | PPP-F-690D | FROZEN FRUIT, FROZEN FRUIT JUICES, & FROZEN VEGETABLES, PACKAGING OF REVIEWER: MC MD SM SS | A PACK / GL | 20-NOV-81 | GL | SA | 50 | |
| D | | PPP-P-704E(2) | PAILS, METAL: (SHIPPING, STEEL, 1 THROUGH 12 GALLONS) USER: OS SA SH YD1 REVIEWER: 99 EA MD PS | A 8110 / GL | 20-FEB-87 | GL | AS | 69 | |
| D | | PPP-D-705D(1) NOTICE 1 | DRUM, SHIPPING AND STORAGE: STEEL, 16 AND 30 GALLON CAPACITY [VALIDATION DATE: 8908] USER: CR MC YD1 REVIEWER: 82 AR AS EA GS MI SM | A 8110 / GL | 28-AUG-89 | GL | SA | 69 | |
| | | PPP-D-711E | DRUM, METAL SHIPPING, STEEL, LIGHTWEIGHT (55 GALLON) [VALIDATION DATE: 8201] | A 8110 # | 16-DEC-75 | | | | |
| | | PPP-D-723J | DRUM, FIBER [VALIDATION DATE: 8104] USER: OS SH REVIEWER: 99 EA GS MD SM | A 8110 / GL | 16-SEP-80 | GL | SA | 69 | |
| | | PPP-D-729E(1) | DRUMS, SHIPPING AND STORAGE, STEEL, 55 GALLON (208 LITERS) [VALIDATION DATE: 8402] USER: AR AT MC MS SS REVIEWER: 99 AS EA GS MI PS SM | A 8110 / GL | 30-DEC-83 | GL | SA | 69 | |
| D | | PPP-D-732D | DRUM, METAL, 55 GALLON RECONDITIONED (FOR SHIPMENT OF NONCORROSIVE MATERIAL) [VALIDATION DATE: 8201] USER: EC MC YD1 REVIEWER: GS SM | A 8110 / GL | 14-APR-76 | GL | SA | 99 | |
| | | PPP-D-736C | DRUMS, SHIPPING, STEEL DOT-6A, DOT-6B AND DOT 17C | A 8110 * GL | 15-FEB-75 | GL | SA | 69 | |
| A | | PPP-D-736C(13) | DRUMS, SHIPPING, STEEL DOT-6A, DOT-6B AND DOT 17C | A 8110 # FSS | 14-FEB-92 | | | | |
| | | PPP-C-795C NOTICE 1 | CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM FOR LONG SHIPPING CYCLE APPLICATIONS) USER: AV REVIEWER: 99 AR CG MD MI | A 8135 * GL | 02-JAN-92 | GL | AS | 69 | |
| | L | PPP-C-795C(11) NOTICE 1 | CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM FOR LONG SHIPPING CYCLE APPLICATIONS) | A 8135 / SA | 02-JAN-92 | | SA | | |
| | | PPP-C-850D(5) | CUSHIONING MATERIAL, POLYSTYRENE EXPANDED, RESILENT (FOR PACKAGING USES) [VALIDATION DATE: 8402] USER: GL ME MI REVIEWER: EA | A 8135 * SM | 03-SEP-76 | SM | | | |
| | | PPP-B-1055B(2) NOTICE 1 | BARRIER MATERIAL, WATERPROOF, FLEXIBLE [VALIDATION DATE: 8904] USER: SH SM SS REVIEWER: 99 AS AV GS ME | A 8135 / GL | 22-APR-89 | GL | SA | 69 | |
| | | PPP-B-1087B | BAG, COTTON DUCK (SOIL AND GRAIN) | A 8105 # | 31-MAR-83 | | | | |
| | | PPP-B-1088B | BAG, COTTON DRILL | A 8105 # | 21-JAN-77 | | | | |
| | | PPP-C-1120B | CUSHIONING MATERIAL, UNCOMPRESSED BOUND FIBER FOR PACKAGING USER: 03 CR DM MC MS REVIEWER: 99 AV OS EA ME MI SA SH | A 8135 / 69 | 15-APR-82 | GL | OS | 69 | |
| | | PPP-C-1128A(1) | CONTAINER ASSEMBLY, SAMPLE AND SPECIMEN SHIPPING [VALIDATION DATE: 8402] USER: EA SM REVIEWER: 99 GS MD MS | A 8110 / GL | 18-APR-78 | GL | | 69 | |
| A | | PPP-P-1132C NOTICE 1 | PACKAGING OF WOOLEN, WORSTED AND WOOL BLEND (SYNTHETIC FIBER; COTTON) FABRICS [VALIDATION DATE: 8904] USER: CG MC REVIEWER: 82 AS GS MD MU SM | A PACK / CT | 22-APR-89 | GL | SA | 99 | CT |
| A | | PPP-P-1133C NOTICE 1 | PACKAGING OF SYNTHETIC FIBER FABRICS [VALIDATION DATE: 8904] USER: CG REVIEWER: 82 AS GS MD MU SM | A PACK / CT | 22-APR-89 | GL | SA | 99 | CT |
| A | | PPP-P-1134D NOTICE 1 | PACKAGING OF COTTON AND COTTON-SYNTHETIC FIBER BLEND FABRICS (EXCLUDING DUCK FABRICS) [VALIDATION DATE: 8904] USER: CG MC REVIEWER: 82 AS GS MD MU SM | A PACK / CT | 22-APR-89 | GL | SA | 99 | CT |
| | | PPP-P-1135B | PACKAGING OF DUCK FABRICS (COTTON; SYNTHETIC FIBER; COTTON-SYNTHETIC FIBER BLENDS) USER: 45 CG MC REVIEWER: AS CT SM | A PACK / GL | 28-SEP-84 | GL | SA | 99 | |
| A | | PPP-P-1136D | PACKAGING OF COATED (PLASTIC; RUBBER) AND LAMINATED FABRICS REVIEWER: 82 AS GS MD SA SM | A PACK / CT | 30-DEC-86 | GL | MU | 99 | CT |
| | | PPP-P-1148A(2) | PACKAGING AND PACKING OF TYPEWRITERS [VALIDATION DATE: 7502] USER: MC REVIEWER: SM | A 7430 * GL | 15-MAY-69 | GL | SA | 99 | |
| D | | PPP-B-1163B(2) | BOX, CORRUGATED FIBERBOARD, HIGH COMPRESSION STRENGTH, WEATHER-RESISTANT, WAX-RESIN IMPREGNATED USER: AR MC SS YD1 REVIEWER: 99 EA OS SM | A 8115 * GL | 29-JUN-71 | GL | SA | 69 | |
| | | PPP-B-1163B(14) | BOX, CORRUGATED FIBERBOARD, HIGH COMPRESSION STRENGTH, WEATHER-RESISTANT, WAX-RESIN IMPREGNATED | A 8115 # FSS | 14-OCT-88 | | | | |
| D | | PPP-A-1182B | ALUMINUMWARE, BAKESHOP AND KITCHEN, PACKAGING, PACKING, AND MARKING OF [VALIDATION DATE: 8301] USER: CG MC REVIEWER: MD MS YD1 | A 7330 * GL | 19-DEC-74 | GL | SA | 99 | |
| | | PPP-P-1260B | PLYWOOD, PACKAGING, PACKING, AND MARKING OF REVIEWER: CS OS SM | A 5530 * ME | 18-APR-74 | ME | AS | 99 | |
| A | | PPP-C-1266B NOTICE 2 | CONTAINER, THERMAL, SHIPPING, FOR MEDICAL MATERIAL REQUIRING CONTROLLED TEMPERATURE RANGES | A 8115 / MB | 05-OCT-92 | MD | MS | 03 | |
| A L | | PPP-C-1266B(11) NOTICE 2 | CONTAINER, THERMAL, SHIPPING, FOR MEDICAL MATERIAL REQUIRING CONTROLLED TEMPERATURE RANGES | A 8115 / MB | 05-OCT-92 | | | | |
| | | PPP-C-1337B NOTICE 2 | CONTAINER, COMPOSITE, (STEEL DRUM WITH POLYETHYLENE INSERT) USER: MI OS SH REVIEWER: 70 71 84 85 AS EA GS SM | A 8115 / 69 | 26-NOV-76 | GL | SA | 69 | |
| A | | PPP-B-1364D | BOXES, SHIPPING, CORRUGATED FIBERBOARD, HIGH STRENGTH WEATHER RESISTANT, DOUBLE WALL | A 8115 # FSS | 31-JAN-92 | | | | |
| | | PPP-B-1364C(12) | BOXES, SHIPPING, CORRUGATED FIBERBOARD, HIGH STRENGTH, WEATHER-RESISTANT, DOUBLE-WALL | A 8115 # FSS | 14-OCT-88 | | | | |
| | | PPP-D-1427A | DUNNAGE, PNEUMATIC, CARGO SHORING [VALIDATION DATE: 8402] USER: AS MC OS REVIEWER: GS MT | A 3990 / ME | 29-JAN-73 | ME | SA | | |
| | | PPP-D-1427A(11) | DUNNAGE, PNEUMATIC, CARGO SHORING [VALIDATION DATE: 8402] | A 3990 # FSS | 24-MAR-77 | | | | |
| | | PPP-C-1581A | CAN, COMPOSITE, WITH METAL ENDS, FOR LIQUID ITEMS [VALIDATION DATE: 8402] USER: SM REVIEWER: AS GS MD | A 8110 / GL | 08-OCT-71 | GL | SA | 99 | |

# NUMERICAL LISTING
# FEDERAL SPECIFICATIONS

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | PPP-H-1581A NOTICE 1 | HARDWARE (FASTENERS AND RELATED ITEMS), PACKAGING OF (VALIDATION DATE: 8901) USER: MC OS SH REVIEWER: AT AV IS ME MI SA SM YD1 | A | PACK / AR | | 24-JAN-89 | AR | AS | 99 | | |
| | | PPP-B-1606A | BOX, FIBERBOARD SPECIAL USE (POST OFFICE MONEY ORDER FORMS) | A | 8115 # | | 08-MAR-74 | | | | | |
| D | | PPP-L-1607A | LAGGING, WOOD, WIREBOUND (VALIDATION DATE: 8303) REVIEWER: SM | A | 8115 / GL | | 19-JAN-71 | GL | YD1 | 69 | | |
| | | PPP-T-1637 | TUBE, SHIPPING, COLLAPSIBLE (VALIDATION DATE: 8402) USER: EA MD REVIEWER: 99 GS MS | A | 8110 / GL | | 06-AUG-71 | GL | SA | 69 | | |
| D | | PPP-P-1655A | PAIL, PLASTIC, SHIPPING AND STORAGE USER: SA YD1 REVIEWER: 99 GS SM | A | 8110 * GL | | 24-AUG-73 | GL | AS | 69 | | |
| | | PPP-P-1660A | PALLET, EXPENDABLE REVIEWER: EA GS | A | 3990 * ME | | 12-APR-73 | ME | SA | 99 | | |
| | | PPP-P-1660A(11) | PALLET, EXPENDABLE | A | 3990 # FSS | | 18-MAR-75 | | | | | |
| | | PPP-B-1672C(4) | BOXES, SHIPPING, REUSABLE WITH CUSHIONING USER: 70 71 82 GL REVIEWER: 43 99 SA | A | 8115 / 69 | | 29-AUG-86 | SM | AS | 69 | | |
| | | PPP-C-1683A | CUSHIONING MATERIAL, EXPANDED POLYSTYRENE LOOSE-FILL BULK (FOR PACKAGING APPLICATION) USER: AS REVIEWER: 99 | A | 8135 / 69 | | 05-DEC-88 | GL | SA | 69 | | |
| D | | PPP-B-1714(1) | BAGS, SHIPPING, WOVEN POLYPROPYLENE USER: MC SH YD1 | A | 8105 * GL | | 22-JUN-76 | GL | SA | 99 | | |
| M | | PPP-C-1752D(3) | CUSHIONING MATERIAL, PACKAGING, POLYETHYLENE FOAM USER: 70 71 80 84 SM REVIEWER: AR MI OS SA SH | A | 8135 / 69 | | 01-FEB-93 | GL | AS | 69 | | ES |
| D | | PPP-C-1797A | CUSHIONING MATERIAL, RESILIENT, LOW DENSITY, UNICELLULAR, POLYPROPYLENE FOAM USER: AT ME OS YD1 REVIEWER: 99 AR CR GL SA SH | A | 8135 / AS | | 01-SEP-82 | SM | AS | 69 | | |
| A | | PPP-C-1842B | CUSHIONING MATERIAL, FLEXIBLE OPEN CELL PLASTIC FILM (FOR PACKAGING APPLICATIONS) USER: AR AV CR ME REVIEWER: 99 AS SM | A | 8135 * GL | | 11-FEB-92 | GL | SA | 69 | | |
| | | PPP-S-1853 | SKIDS, WOOD WITH CAPS REVIEWER: GS SM | A | 3990 * GL | | 10-DEC-74 | GL | SA | 99 | | |
| | | PPP-D-001860 | DRUMS, PLASTIC, MOLDED POLYETHYLENE | A | 8110 # FSS | | 21-NOV-75 | | | | | |
| D | | PPP-B-1880 NOTICE 2 | BRUSHES, PACKING, PACKAGING, PRESERVATION AND TRANSPORTABILITY REVIEWER: DH ME SM | A | 7920 / GL | | 30-MAR-88 | GL | YD1 | 99 | | |
| D | | PPP-P-1892 | PAINT, VARNISH, LACQUER, AND RELATED MATERIALS: PACKAGING, PACKING, AND MARKING OF REVIEWER: YD1 | A | PACK * ME | | 31-DEC-74 | ME | AS | 84 | | |
| | | PPP-P-1892(12) | PAINT, VARNISH, LACQUER, AND RELATED MATERIALS: PACKAGING, PACKING, AND MARKING OF | A | PACK # FSS | | 23-JUN-77 | | | | | |
| | | PPP-P-1899(1) | PREPARATION FOR DELIVERY REQUIREMENTS FOR TABLES, STEEL, GENERAL OFFICE | A | PACK # | | 12-JAN-76 | | | | | |
| D | | PPP-C-1924 | DUNNAGE MATERIAL, VERMICULITE AND PERLITE (FOR PACKAGING PURPOSE) USER: MC ME REVIEWER: 99 AS CR OS SM YD1 | A | 8135 * GL | | 07-JAN-75 | GL | SA | 69 | | |
| | | PPP-B-1980 NOTICE 1 | BOARD, BULLETIN & CONTROL, PACKAGING & PACKING OF (VALIDATION DATE: 8801) | A | 7520 / GL | | 25-JAN-88 | GL | | 99 | | |
| D | | PPP-C-2020(1) | CHEMICALS, LIQUID, DRY, AND PASTE, PACKAGING OF USER: 99 AR OS REVIEWER: AS CG MD ME SA SM YD1 | A | PACK / EA | | 18-JUN-81 | EA | SH | 68 | | |
| | | PPP-B-2122 | BOX, FOLDING (PAPERBOARD, FOR ARCHIVAL MICROFICHE) | A | 8115 # | | 01-OCT-81 | | | | | |

| Action | DR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | FED-STD-1A | STANDARD FOR LABORATORY ATMOSPHERIC CONDITIONS FOR TESTING ..... | A MISC # 27-APR-72 | | | | |
| | | FED-STD-3(1) | COLOR, AERONAUTICAL LIGHTING [VALIDATION DATE: 8306] USER: MC MS REVIEWER: MI | A 7650 * AS 27-AUG-51 | AV | AS | 11 | |
| D | | FED-STD-48(2) NOTICE 1 | GLOSSARY OF FABRIC IMPERFECTIONS [VALIDATION DATE: 8710] USER: AT AV MD SH REVIEWER: MC YD1 | A 8305 / CT 01-OCT-87 | GL | SA | 11 | CT |
| | | FED-STD-5F | STANDARD GUIDES FOR PREPARATION OF PROPOSED ITEM LOGISTICS DATA RECORDS REVIEWER: EA | A 7610 * GL 23-APR-82 | GL | SA | 99 | |
| | | FED-STD-H28(3) SUPPL 1C1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES USER: 15 REVIEWER: 82 EC ..... | A THDS / IS 12-MAR-90 | AR | AS | 99 | IS |
| | | FED-STD-H28/1A NOTICE 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 1 NOMENCLATURE, DEFINITIONS AND LETTER SYMBOLS FOR SCREW THREADS [VALIDATION DATE: 9009] REVIEWER: AT AV ER GL ME | A THDS / IS 12-SEP-90 | AR | AS | 99 | IS |
| | | FED-STD-H28/2B | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 2 UNIFIED INCH SCREW THREADS- UN AND UNR THREAD FORMS USER: AT MI REVIEWER: 11 15 82 CR EA ER ME | A THDS / IS 20-AUG-91 | AR | AS | 99 | IS |
| | | FED-STD-H28/4 NOTICE 1 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 4, CONTROLLED RADIUS ROOT SCREW THREADS, UNJ SYMBOL | A THDS / IS 09-FEB-88 | AR | AS | 99 | |
| | | FED-STD-H28/5 | SCREW THREAD STANDARDS FOR FEDERAL SEVICES, SECTION 5, UNIFIED MINIATURE SCREW THREADS [VALIDATION DATE: 8305] | A THDS / IS 31-MAR-78 | AR | AS | 99 | |
| | | FED-STD-H28/6A(1) | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 6 GAGES AND GAGING FOR UNIFIED SCREW THREADS-UN AND UNR THREAD FORMS USER: EC SH REVIEWER: AT AV GL ME OS | A THDS / IS 27-AUG-91 | AR | AS | 99 | IS |
| | | FED-STD-H28/7A NOTICE 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 7 PIPE THREADS, GENERAL PURPOSE [VALIDATION DATE: 8910] | A THDS / IS 12-OCT-89 | AR | AS | 99 | IS |
| | | FED-STD-H28/8B | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 8 DRYSEAL PIPE THREADS REVIEWER: AT ME MI OS | A THDS / IS 10-JUN-92 | AR | AS | | IS |
| | | FED-STD-H28/9A | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 9 GAS CYLINDER VALVE OUTLET AND INLET THREADS REVIEWER: 15 68 GS | A THDS / IS 24-MAR-89 | AR | AS | 99 | IS |
| M | | FED-STD-H28/10A | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 10 HOSE COUPLING AND FIRE HOSE COUPLING SCREW THREADS USER: YD1 REVIEWER: 82 84 AT CS SH | A THDS / IS 01-JUN-93 | AR | AS | 99 | |
| | | FED-STD-H28/11 NOTICE 1 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 11, HOSE CONNECTIONS FOR WELDING AND CUTTING EQUIPMENT | A THDS / IS 24-MAR-88 | AR | AS | 99 | |
| | | FED-STD-H28/12A | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 12 ACME THREADS USER: 15 REVIEWER: 82 EC | A THDS / IS 20-SEP-89 | AR | AS | 99 | IS |
| | | FED-STD-H28/13A | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 13, STUB ACME THREADS | A THDS / IS 17-FEB-89 | AR | AS | 99 | IS |
| | | FED-STD-H28/14A NOTICE 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 14 BUTTRESS SCREW THREADS-7 DEG./45 DEG. FLANK ANGLES [VALIDATION DATE: 8804] USER: EC REVIEWER: 15 80 82 AT AV MI | A THDS / IS 09-JUN-83 | AR | AS | 99 | |
| D | | FED-STD-H28/15A NOTICE 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 15 ROLLED THREADS FOR SCREW-SHELLS FOR ELECTRIC LAMPHOLDERS AND LAMP BASES [VALIDATION DATE: 8906] USER: EC OS SH YD1 REVIEWER: 82 CR GS ME MI | A THDS / IS 05-JUN-89 | AR | | 11 | IS |
| | | FED-STD-H28/16 NOTICE 1 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES SECTION 16 MICROSCOPE OBJECTIVE AND NOISE PIECE, 0.800 - 36AMO | A THDS / IS 24-MAR-88 | AR | AS | 99 | |
| | | FED-STD-H28/17A NOTICE 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 17 SURVEYING INSTRUMENT MOUNTING THREADS [VALIDATION DATE: 9001] | A THDS / IS 26-JAN-90 | AR | | 99 | IS |
| | | FED-STD-H28/18B | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 18 PHOTOGRAPHIC EQUIPMENT THREADS | A THDS / IS 20-AUG-91 | AR | AS | 99 | IS |
| | | FED-STD-H28/19A | SCREW THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 19, MISCELLANEOUS THREADS | A THDS / IS 18-FEB-88 | AR | AS | 11 | |
| D | | FED-STD-H28/20A(1) | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 20 INSPECTION METHODS FOR ACCEPTABILITY OF UN, UNR, UNJ, M, AND MJ SCREW-THREADS REVIEWER: 99 AT EC ER ME MI OS SH YD1 | A THDS / IS 22-FEB-91 | AR | AS | 11 | IS |
| | | FED-STD-H28/21B NOTICE 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 21 METRIC SCREW-THREADS [VALIDATION DATE: 8911] USER: OS REVIEWER: AT AV GL ME MI | A THDS / IS 22-NOV-89 | AR | AS | 99 | IS |
| | | FED-STD-H28/22A(1) | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 22 GAGES AND GAGING FOR METRIC SCREW THREADS-M AND MJ THREAD FORMS USER: CR ER SH REVIEWER: 82 AT AV ME OS | A THDS / IS 27-AUG-91 | AR | AS | 99 | IS |
| | | FED-STD-H28/23 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 23 CLASS 5 INTERFERENCE-FIT SCREW THREADS USER: CR ER REVIEWER: 15 AT EC ME | A THDS / IS 20-JAN-89 | AR | AS | 99 | IS |
| | | FED-STD-48B | TOLERANCES FOR STEEL WROUGHT PRODUCTS, AND FOR CENTRIFUGALLY CAST STEEL [VALIDATION DATE: 8303] USER: OS REVIEWER: AR MI | A 4710 * MR 31-DEC-70 | MR | SH | 11 | |
| | | FED-STD-49D | FANS, CIRCULATING, COLUMN (ELECTRIC, RIGID-BLADES NON-OSCILLATING, NOT FOR MARINE SERVICE) | A 4140 # 31-MAR-76 | | | | |
| | | FED-STD-50H | FAN, CIRCULATING, BRACKET AND FAN CIRCULATING, DESK (RIGID BLADES) ..... | A 4140 # 31-MAR-76 | | | | |
| | | FED-STD-59 | SHEET, BED, COTTON (BLEACHED) ..... | A 7210 # 16-JUL-54 | | | | |
| | | FED-STD-0059A | SHEET, BED, COTTON (BLEACHED) ..... | A 7210 # 23-NOV-60 | | | | |
| | | FED-STD-61A | PILLOWCASE, (COTTON BLEACHED) ..... | A 7210 # 04-JAN-61 | | | | |
| | | FED-STD-62A | APRON, FOOD HANDLER S USER: 45 ..... | A 8415 # 29-DEC-60 | | | | |
| | | FED-STD-63A | COVER, PILLOW ..... | A 7210 # 04-JAN-61 | | | | |
| | | FED-STD-65C | FAN, CIRCULATING, RADIAL DISCHARGE ..... | A 4140 # 29-MAR-76 | | | | |
| D | | FED-STD-66D NOTICE 1 | STEEL: CHEMICAL COMPOSITION AND HARDENABILITY [VALIDATION DATE: 9101] USER: AR AT ME SA REVIEWER: AS EA IS MI YD1 | A 95GP / MR 18-JAN-91 | MR | SH | 11 | |
| D | | FED-STD-101C(3) NOTICE 3 | TEST PROCEDURES FOR PACKAGING MATERIALS REVIEWER: EA EC GL ME MI MR OS SA SH YD1 | A PACK * AS 14-OCT-88 | SH | AS | 99 | |
| | | FED-STD-102B | PRESERVATION, PACKAGING, AND PACKING LEVELS [VALIDATION DATE: 8304] USER: MT REVIEWER: MI | A PACK * 29-JAN-63 | | | | |
| | | FED-STD-00116 | MATTRESS, BED (FELTED, COTTON) ..... | A MISC # 15-MAY-57 | | | | |
| D | L | FED-STD-122AE | AUTOMOBILES: SEDANS AND STATION WAGONS GASOLINE POWERED REVIEWER: 84 99 CR ER MC YD1 | A 2310 * AT 01-OCT-90 | AT | | | |
| | | FED-STD-123F | MARKING FOR SHIPMENT (CIVIL AGENCIES) ..... | A PACK # FSS 15-MAY-91 | | | | |
| | | FED-STD-125D | FILM, PHOTOGRAPHIC AND FILM, PHOTOGRAPHIC, PROCESSED, (FOR PERMANENT RECORD USE) | A 67GP * 24-JAN-77 | EL | AS | 99 | |
| A | | FED-STD-131C NOTICE 1 | DIAZOTYPE PAPER SHEET SIZES [VALIDATION DATE: 9210] USER: AR MC ME REVIEWER: 85 | A 6750 / AS 19-OCT-92 | EA | AS | 70 | |
| | | FED-STD-00131E | DIAZOTYPE PAPER SHEET AND ROOL SIZES ..... | A 6750 # 05-MAR-76 | | | | |
| D | | FED-STD-141C NOTICE 1 | PAINT, VARNISH, LACQUER AND RELATED MATERIALS: METHODS OF INSPECTION, SAMPLING AND TESTING [VALIDATION DATE: 9203] USER: ES MS REVIEWER: AS CE CR ER MI YD1 | A 8010 / ME 24-MAR-92 | ME | SH | 99 | |
| | | FED-STD-143A | SPARK PLUG, HEAT RATING OF, METHOD OF CLASSIFYING [VALIDATION DATE: 8512] USER: CS | A 2920 / AT 09-AUG-60 | AT | | 99 | |
| | | FED-STD-00143B | SPARK PLUG, HEAT RATING OF, METHOD OF CLASSIFYING ..... | A 2920 # FSS 10-AUG-62 | | | | |
| A | | FED-STD-148A(2) | CLASSIFICATION, IDENTIFICATION AND TESTING OF FEATHER FILLING MATERIAL [VALIDATION DATE: 8101] | A 8320 / CT 10-DEC-64 | GL | | | CT |
| | | FED-STD-149A | SYRINGE, LUER, INTERCHANGEABLE COMPONENT, DIMENSIONS OF ..... | A MISC # 03-AUG-61 | | | | |
| D | | FED-STD-151B(2) | METAL: TEST METHODS REVIEWER: 23 69 AR AT AV CR MI OS SA SH YD1 ..... | A 95GP / MR 07-OCT-71 | MR | AS | 11 | |
| | | FED-STD-00160 | RUBBER PRODUCTS, DEFINITIONS AND TERMS FOR VISIBLE DEFECTS OF ..... | A MISC # 05-JAN-62 | | | | |
| D | | FED-STD-162A(1) NOTICE 2 | HOSE, RUBBER, VISUAL INSPECTION GUIDE FOR [VALIDATION DATE: 9102] REVIEWER: YD1 | A 4720 / SH 20-FEB-91 | ME | SH | 69 | |
| | | FED-STD-170B NOTICE 1 | FILM, PHOTOGRAPHIC, BLACK AND WHITE, CLASSIFICATION AND TESTING METHODS [VALIDATION DATE: 8605] USER: AR REVIEWER: 11 AV GS MI | A 6750 / 70 12-MAY-86 | ER | AS | 99 | |
| D | | FED-STD-182B | CONTINUOUS IDENTIFICATION MARKING OF NICKEL AND NICKEL-BASE ALLOYS [VALIDATION DATE: 8412] USER: IS ME REVIEWER: 11 13 23 99 AR MI OS SH YD1 | A 95GP / 16 15-JUN-79 | MR | AS | 16 | |
| D | | FED-STD-183C | CONTINUOUS IDENTIFICATION MARKING OF IRON AND STEEL PRODUCTS USER: MC YD1 REVIEWER: AR IS MI | A 4710 / 16 01-SEP-84 | MR | SH | 16 | |

| Action | Doc. / Data Coordination Incorp. | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | FED-STD-184B | IDENTIFICATION MARKING OF ALUMINUM, MAGNESIUM, & TITANIUM [VALIDATION DATE: 8412] USER: ME REVIEWER: 13 23 99 AR MI OS SH YD1 | A 95GP / 16 20-NOV-80 | MR | AS | 16 | |
| D | | FED-STD-185A | IDENTIFICATION MARKING OF COPPER AND COPPER BASE ALLOY MILL PRODUCTS USER: ME REVIEWER: 13 23 99 AR MI OS SH YD1 | A 95GP / 16 20-NOV-80 | MR | AS | 16 | |
| | | FED-STD-186 | MARKING OF VALVES, FITTINGS, FLANGES, AND UNIONS USED IN NUCLEAR REACTOR SYSTEMS | A MISC # 26-NOV-62 | | | | |
| | | FED-STD-001868 | MARKING OF VALVES, FITTINGS, FLANGES, AND UNIONS USED IN NUCLEAR REACTOR SYSTEMS | A MISC # 01-MAR-68 | | | | |
| | | FED-STD-187B | IDENTIFICATION OF PRESSED BENDS, FORMS, SEAMS, AND JOINTS, (SHEET METAL) .. | A MISC # 03-JUN-63 | | | | |
| A | | FED-STD-191A(6) | TEXTILE TEST METHODS REVIEWER: 82 99 AR AS EA MD ME SH TE ..... | A 83GP / CT 21-JUN-90 | GL | MU | 11 | CT |
| A | | FED-STD-209E | AIRBORNE PARTICULATE CLEANLINESS CLASSES IN CLEANROOMS AND CLEAN ZONES REVIEWER: 84 | A 3694 % FSS 11-SEP-92 | | | | |
| | | FED-STD-224A(1) | CLOSING, SEALING AND REINFORCING OF FIBERBOARD SHIPPING CONTAINER, GENERAL METHOD FOR (INTERIM) | A 8115 * GL 28-JUL-72 | GL | SA | 69 | |
| D | | FED-STD-228 NOTICE 2 | CABLE AND WIRE, INSULATED, METHODS OF TESTING USER: MC SH YD1 REVIEWER: 11 14 15 99 AR AT 1S MI | A 6145 / CR 17-OCT-85 | CR | EC | 85 | |
| D | | FED-STD-236A NOTICE 2 | CLEANING AND RENOVATING OF COTTON FELTED MATTRESSES [VALIDATION DATE: 9301] REVIEWER: CT MC MD SM | A 7210 / GL 04-JAN-93 | GL | YD1 | 99 | |
| | | FED-STD-245E | TOLERANCE FOR ALUMINUM ALLOY AND MAGNESIUM ALLOY WROUGHT PRODUCTS REVIEWER: 99 AL AR AV 1S MI SH | A 95GP / AS 26-OCT-85 | MR | AS | 11 | |
| | | FED-STD-255B | MOUNT, FILM SLIDE, PHOTOGRAPHIC (OVERHEAD PROJECTOR) REVIEWER: GS ..... | A 6750 * CR 08-SEP-76 | CR | AS | 99 | |
| | | FED-STD-265 | CARPET AND RUGS ..... | A 7220 # 28-JUN-68 | | | | |
| D | L | FED-STD-292S | TRUCKS, LIGHT COMMERCIAL, GASOLINE/DIESEL FUELED, FOUR WHEEL DRIVEN (4X4, 3,000 TO 11,000 POUNDS GVW) REVIEWER: 84 99 CR ER MC YD1 | A 2320 * AT 01-OCT-90 | AT | | | |
| | L | FED-STD-297E | RUSTPROOFING OF COMMERCIAL (NONTACTICAL) VEHICLES ..... | A 23GP / AT 01-AUG-90 | AT | | | |
| | | FED-STD-302 | TOWEL, (BATH, DISH, GLASS AND HAND) ..... | A 7210 # 08-OCT-70 | | | | |
| | L | FED-STD-307T | TRUCKS, LIGHT COMMERCIAL, GASOLINE/DIESEL FUELED, TWO WHEEL DRIVEN (4X2, 3,000 TO 14,500 POUNDS GVW) REVIEWER: 84 99 EL ER | A 2320 * AT 01-OCT-90 | AT | | | |
| | | FED-STD-308B | INNER TUBE, PNEUMATIC TIRE ..... | A 2610 # 01-AUG-77 | | | | |
| A | | FED-STD-311(3) | LEATHER, METHODS OF SAMPLING AND TESTING [VALIDATION DATE: 8101] USER: OS REVIEWER: AS MC | A 83GP / CT 15-JAN-69 | GL | SA | 99 | CT |
| D | | FED-STD-313C | MATERIAL SAFETY DATA SHEETS PREPARATION AND THE SUBMISSION OF REVIEWER: 43 AS MS SH SM YD1 | A MISC * DH 01-FEB-85 | MD | SA | 10 | |
| D | | FED-STD-316F | TIRE, PNEUMATIC, VEHICULAR (PASSENGER HIGHWAY) USER: CE REVIEWER: AR YD1 .. | A 2610 * AT 01-JUN-83 | AT | | | |
| D | | FED-STD-347B | TIRES, PNEUMATIC, VEHICULAR (PASSENGER HIGHWAY - HIGH SPEED PURSUIT) USER: CE REVIEWER: AR CS YD1 | A 2610 * GS 23-JUN-83 | AT | | | |
| | | FED-STD-358 | SAMPLING PROCEDURES ..... | A MISC # 10-JAN-75 | | | | |
| | | FED-STD-359 | TAPE, VIDEO, MAGNETIC, RECORDING, FORMATS FOR ..... | A 5820 * ER 21-JAN-77 | ER | EC | 80 | |
| | | FED-STD-360 NOTICE 1 | CARTRIDGE, CO PLANAR, MAGNETIC, TYPE CP11 (COMPACT CASSETTE), AUDIO VISUAL USE OF [VALIDATION DATE: 8705] USER: AV MI REVIEWER: AS | A 5835 * CR 08-MAR-76 | CR | EC | 99 | |
| | | FED-STD-361 NOTICE 1 | TAPE, AUDIO, MAGNETIC, 1/4 INCH, RECORDING FORMATS FOR [VALIDATION DATE: 8705] USER: AV MI TD REVIEWER: AS | A 5835 * CR 01-SEP-75 | CR | EC | 99 | |
| | | FED-STD-362 | MOTION PICTURE FORMAT, SOUND, 16 MILLIMETER USER: AV MI TD REVIEWER: GS ... | A 6730 * CR 10-JUN-75 | CR | AS | 99 | |
| | | FED-STD-362(1) | MOTION PICTURE FORMAT, SOUND, 16 MILLIMETER ..... | A 6730 # FSS 29-AUG-75 | | | | |
| | | FED-STD-363 | FILMSTRIP, PHOTOGRAPHIC, SUPER 8 MILLIMETER, FORMAT FOR USER: AV MI TD REVIEWER: GS | A 6770 * CR 07-NOV-75 | CR | AS | 99 | |
| | | FED-STD-364 NOTICE 1 | MOTION PICTURE, SOUND, SUPER 8 MILLIMETER, FORMAT FOR [VALIDATION DATE: 8902] REVIEWER: AV GS MC MI | A 6730 * AS 20-FEB-89 | ER | AS | 70 | |
| | | FED-STD-365 | FILM SLIDE, PROJECTION, PHOTOGRAPHIC, FORMAT FOR 50 MILLIMETER BY 50 MILLIMETER (2 INCH BY 2 INCH) REVIEWER: GS | A 6750 * 26-NOV-75 | | | | |
| | | FED-STD-366 | MOUNT, FILM SLIDE, PHOTOGRAPHIC, FILEABLE (OVERHEAD PROJECTOR) FORMAT FOR REVIEWER: GS | A 6750 * 25-FEB-77 | | | | |
| | | FED-STD-368A | QUALITY CONTROL SYSTEM REQUIREMENTS ..... | A MISC # 10-DEC-79 | | | | |
| | | FED-STD-369 | SANITATION STANDARDS FOR FISH PLANTS [VALIDATION DATE: 8303] REVIEWER: 03 MC MD MS SS | A 8905 / GL 02-AUG-77 | GL | SA | 50 | |
| | | FED-STD-370 | INSTRUMENTAL PHOTOMETRIC MEASUREMENTS OF RETROREFLECTIVE MATERIALS AND RETROREFLECTIVE DEVICES | A 8010 # 01-MAR-77 | | | | |
| | | FED-STD-372 | TEST FOR CRITICAL RADIANT FLUX OF CAPPET FLOORING SYSTEMS (FLOORING RADIANT PANEL TEST) | A 7220 # 31-AUG-77 | | | | |
| | | FED-STD-373 | INSTRUMENTAL COLOR MEASUREMENTS OF RETROREFLECTIVE MATERIALS AND DEVICES UNDER NIGHTTIME ILLUMINATING & VIEWING CONDITIONS | A 8010 # 01-DEC-79 | | | | |
| M | | FED-STD-376B | PREFERRED METRIC UNITS FOR GENERAL USE BY THE FEDERAL GOVERNMENT ..... | A MISC # FSS 27-JAN-93 | | | | |
| D | | FED-STD-501A(1) | FLOOR COVERING, RESILIENT, NONTEXTILE, SAMPLING AND TESTING USER: YD1 ..... | A 7220 # 15-JUN-66 | | | | |
| | | FED-STD-536A | SOAP AND SOAP PRODUCTS (INCLUDING SYNTHETIC DETERGENTS) SAMPLING AND TESTING USER: ME REVIEWER: EA | A 7930 * GL 09-MAY-75 | GL | SH | | |
| D | | FED-STD-595B | COLORS USE IN GOVERMENT PROCUREMENT USER: ME REVIEWER: AS AV EA EC MI OS SS YD1 | A 8010 % FSS 15-DEC-89 | | | | |
| D | | FED-STD-601(7) | RUBBER, SAMPLING AND TESTING [VALIDATION DATE: 8601] USER: AT AV ME REVIEWER: GS MI TE YD1 | A 9320 / MR 17-AUG-76 | MR | SH | 11 | |
| A | | FED-STD-751A NOTICE 1 | STITCHES, SEAMS, AND STITCHINGS [VALIDATION DATE: 8303] USER: MC ME REVIEWER: 82 EA OS | A 83GP / CT 21-NOV-83 | GL | MU | 99 | CT |
| | | FED-STD-791C | LUBRICANTS, LIQUID FUELS, AND RELATED PRODUCTS; METHODS OF TESTING ..... | A 91GP / ME 30-SEP-86 | ME | SH | 11 | |
| | | FED-STD-793 NOTICE 1 | DEPOT STORAGE STANDARDS ..... | A MISC 27-JAN-87 | | | | |
| | | FED-STD-794G | TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL OR GASOLINE ENGINE DRIVEN, (4X2, 16,000 TO 32,000 POUNDS GVW) | A 2320 # FSS 01-OCT-90 | | | | |
| D | | FED-STD-795 | UNIFORM FEDERAL ACCESSIBILITY STANDARDS ..... | A FACR / HP 01-APR-88 | CE | YD1 | 04 | |
| | | FED-STD-800 | TERMS, DEFINITIONS AND SYMBOLS FOR SECURITY EQUIPMENT AND PRACTICES ..... | A MISC # FSS 05-JAN-89 | | | | |
| | | FED-STD-802 | PACKAGING OF SYNTHETIC FIBER FABRICS USER: CG MC REVIEWER: 82 84 AS CT GS MD MU SM | A PACK / GL 19-APR-91 | GL | SA | 99 | |
| | | FED-STD-803 | PACKAGING OF COTTON AND COTTON-SYNTHETIC FIBER BLEND FABRICS (EXCLUDING DUCK FABRICS) USER: CG MC REVIEWER: 82 84 AS CT GS MD MU SM | A PACK GL 19-APR-91 | GL | SH | 99 | |
| | | FED-STD-804 | PACKAGING OF DUCK FABRICS (COTTON; SYNTHETIC FIBER; COTTON-SYNTHETIC FIBER BLENDS) USER: CG MC REVIEWER: 82 84 AS CT GS MD MU SM | A PACK / GL 19-APR-91 | GL | SA | 99 | |
| | | FED-STD-1001 | TELECOMMUNICATIONS, SYNCHRONOUS HIGH SPEED DATA SIGNALING RATES BETWEEN DATA TERMINAL EQUIPMENT AND DATA COMMUNICATION EQUIPMENT | A TELE # 15-JUN-75 | | | | |
| | | FED-STD-1002 | TIME AND FREQUENCY REFERENCE INFORMATION IN TELECOMMUNICATION SYSTEMS ..... | A TELE # 22-APR-74 | | | | |
| | | FED-STD-1003A | TELECOMMUNICATIONS, SYNCHRONOUS BIT ORIENTATED DATA LINK CONTROL PROCEDURES (ADVANCED DATA COMMUNICATION CONTROL PROCEDURES) | A TELE * DC 19-AUG-81 | CR | EC | 90 | |
| | | FED-STD-1005A | TELECOMMUNICATIONS, CODING AND MODULATION REQUIREMENTS FOR NONDIVERSITY 2400 BIT/SECOND MODEMS | A TELE # 20-JAN-77 | | | | |
| | | FED-STD-1006 | TELECOMMUNICATION, CODING AND MODULATION REQUIREMENTS FOR 4800 BIT/SECOND MODEMS | A TELE # 22-DEC-77 | | | | |
| | | FED-STD-1007 | TELECOMMUNICATIONS, CODING AND MODULATION REQUIREMENTS FOR DUPLEX 9600BIT SECND MODEMS REVIEWER: 17 MC SC TT | A TELE * DC 24-MAR-81 | CR | EC | 90 | |
| | | FED-STD-1008 | TELECOMMUNICATION, CODING & MODULATION REQUIREMENTS FOR DUPLEX 600 AND 1200 BIT/SECOND MODEMS | A TELE # 16-JUN-80 | | | | |
| | | FED-STD-1010 | TELECOMMUNICATIONS, BIT SEQUENCING OF THE AMERICAN NATIONAL STANDARD CODE FOR INFORMATION INTERCHANGE IN SERIAL BY BIT DATA TRANSMISSION | A TELE # 11-AUG-77 | | | | |
| | | FED-STD-1011 | TELECOMMUNICATION, CHARACTER STRUCTURE AND CHARACTER PARITY SENSE FOR SERIAL BY BIT DATA COMMUNICATION IN THE AMERICAN NATIONAL STANDARD CODE FOR INFORMATION INTERCHANGE | A TELE # 11-AUG-77 | | | | |

| Action Qty. / Obsl. Coordination Inactive | Document Number | Document Title | Doc. Simpl. FSC / Area MCA Symbol Preparing Activ. Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| | FED-STD-1012 | TELECOMMUNICATIONS, CHARACTER STRUCTURE AND CHARACTER PARITY SENSE FOR PARALLEL BY BIT DATA COMMUNICATION IN THE AMERICAN NATIONAL STANDARD CODE FOR INFORMATION INTERCHANGE | A TELE # 11-AUG-77 | | | | |
| | FED-STD-1013 | TELECOMMUNICATIONS, SYNCHRONOUS SIGNALING RATES BETWEEN DATA TERMINAL EQUIPMENT AND DATA CIRCUIT TERMINATING EQUIPMENT UTILIZING 4KHZ CIRCUITS | A TELE # 11-AUG-77 | | | | |
| | FED-STD-1015 | TELECOMMUNICATIONS: ANALOG TO DIGITAL CONVERSION OF VOICE BY 2,400 BIT/SECOND LINEAR PREDICTIVE CODING REVIEWER: AD AS CR OM | A TELE DC 28-NOV-84 | SC | EC | 90 | |
| | FED-STD-1016 | TELECOMMUNICATIONS: ANALOG TO DIGITAL CONVERSION OF RADIO VOICE BY 4,800 BIT/SECOND CODE EXCITED LINEAR PREDICTION (CELP) | A TELE # FSS 14-FEB-91 | | | | |
| | FED-STD-1020A | TELECOMMUNICATION, ELECTRICAL CHARACTERISTICS OF BALANCED VOLTAGE DIGITAL INTERFACE CIRCUITS | A TELE # 01-JAN-80 | | | | |
| | FED-STD-1023 | TELECOMMUNICATIONS: INTEROPERABILITY REQUIREMENTS FOR ENCRYPTED, DIGITIZED VOICE UTILIZED WITH 25 KHZ CHANNEL FM RADIOS OPERATING ABOVE 30 MHZ | A TELE * DC 25-SEP-89 | SC | EC | 90 | |
| | FED-STD-1026 | INTEROPERABILITY AND SECURITY REQUIREMENTS FOR USE OF THE DATA ENCRYPTION STANDARD IN THE PHYSICAL LAYER OF DATA COMMUNICATIONS USER: MC SH REVIEWER: 90 AD AS CR DC DH OM | A TELE NS 03-AUG-83 | SC | EC | 02 | |
| | FED-STD-1027 | GENERAL SECURITY REQUIREMENTS FOR EQUIPMENT USING THE DATA ENCRYPTION STANDARD USER: MC SH REVIEWER: 90 AD AS CR DC DH OM | A TELE * NS 14-APR-82 | SC | EC | 02 | |
| | FED-STD-1028 | TELECOMMUNICATIONS: INTEROPERABILITY AND SECURITY REQUIREMENTS FOR USE OF THE DATA ENCRYPTION STANDARD WITH CCITT GROUP 3 FACSIMILE EQUIPMENT USER: MC SH REVIEWER: 90 AS CR DH OM | A TELE * NS 04-APR-85 | SC | EC | 02 | |
| | FED-STD-1030A | TELECOMMUNICATION, ELECTRICAL CHARACTERISTICS OF UNBALANCED VOLTAGE DIGITAL INTERFACE CIRCUITS | A TELE # 31-JAN-80 | | | | |
| | FED-STD-001033 | TELECOMMUNICATION, DIGITAL COMMUNICATION PERFORMANCE PARAMETERS ..... | A TELE # 29-AUG-79 | | | | |
| | FED-STD-1035 | TELECOMMUNICATIONS, CODING, MODULATION AND TRANSMISSION REQUIREMENTS FOR SINGLE CHANNEL MEDIUM AND HIGH FREQUENCY RADIOTELEGRAPH SYSTEMS USED IN GOVERNMENT MARITIME MOBILE TELECOMMUNICATIONS | A TELE # 29-MAR-77 | | | | |
| | FED-STD-1037B | TELECOMMUNICATIONS: GLOSSARY OF TELECOMMUNICATION TERMS ..... | A TELE # FSS 03-JUL-91 | | | | |
| | FED-STD-1041(1) | INTERFACE BETWEEN DATA TERMINAL EQUIPMENT (DTE) AND DATA CIRCUIT-TERMINATING EQUIPMENT (DCE) FOR OPERATION WITH PACKET-SWITCHED DATA COMMUNICATIONS NETWORKS | A TELE # FSS 27-AUG-84 | | | | |
| | FED-STD-001041 | INTERFACE BETWEEN DATA TERMINAL EQUIPMENT & DATA CIRCUIT-TERMINATING EQUIPMENT FOR OPERATION WITH PACKET-SWITCHED DATA TELECOMMUNICATIONS NETWORKS REVIEWER: 11 DS NS SC TT | A TELE DC 24-MAR-81 | CR | OM | 90 | DC |
| D | FED-STD-1045 | TELECOMMUNICATIONS: HF RADIO AUTOMATIC LINK ESTABLISHMENT REVIEWER: 02 11 13 17 26 AC AS CG CR MC NC ND OM OS SH TD YD1 | A TELE / 90 24-JAN-90 | SC | EC | 90 | |
| | FED-STD-1061 | TELECOMMUNICATIONS, GROUP 2 FACSIMILE APPARATUS FOR DOCUMENT TRANSMISSION . | A TELE * DC 24-MAR-81 | CR | EC | 90 | |
| | FED-STD-1062 | TELECOMMUNICATIONS, GROUP 3 FACSIMILE FOR DOCUMENT TRANSMISSION REVIEWER: SC | A TELE * DC 19-AUG-81 | CR | EC | 90 | |
| | FED-STD-1063 | PROCEDURES FOR DOCUMENT FACSIMILE TRANSMISSION REVIEWER: NS TT ..... | A TELE DC 04-APR-82 | CR | EC | 90 | |

# NUMERICAL LISTING
# FEDERAL INFORMATION PROCESSING STANDARDS

| Action Opt. / Ofcl. Coordination Inactive Document Number | Document Title | Dist. Symb. FSC / Area MICA Symbol Preparing Activity | Date | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| FIPS-PUB-0 | GENERAL DESCRIPTION OF THE FEDERAL INFORMATION PROCESSING STANDARDS REGISTER [VALIDATION DATE: 8306] | A IPSC 02 | 01-NOV-68 | | | OM | 02 | |
| FIPS-PUB-1<br>SUPPL 1C1 | CODE FOR INFORMATION INTERCHANGE (WITH ANSI X3.4-1977) ..... | A IPSC 02 | 16-JUN-81 | | | OM | 02 | |
| FIPS-PUB-2 | PERFORATED TAPE CODE FOR INFORMATION INTERCHANGE (USAS X3.6-1965) [VALIDATION DATE: 8306] | A IPSC 02 | 01-NOV-68 | | | OM | 02 | |
| FIPS-PUB-3-1 | RECORDED MAGNETIC TAPE FOR INFORMATION INTERCHANGE (800 CPI, NRZI, WITH ANSI X3.22-1983) | A IPSC 02 | 30-JUN-73 | AD | | OM | 02 | |
| FIPS-PUB-11<br>SUPPL 3C1 | GUIDELINE: AMERICAN NATIONAL DICTIONARY FOR INFORMATION PROCESSING SYSTEMS (WITH X3.172-1990) | A IPSC 02 | 01-FEB-91 | AC | | OM | 02 | DC |
| FIPS-PUB-13 | RECTANGULAR HOLES IN TWELVE-ROW PUNCHED CARDS (ANSI X3.21-1967/R1980) [VALIDATION DATE: 8601] | A IPSC 02 | 01-OCT-71 | | | OM | 02 | |
| FIPS-PUB-14<br>SUPPL 1C1 | HOLLERITH PUNCHED CARD CODE (ANSI X3.26-1980) ..... | A IPSC 02 | 24-DEC-80 | | | OM | 02 | |
| FIPS-PUB-16<br>SUPPL 1C1 | BIT SEQUENCING OF THE CODE FOR INFORMATION INTERCHANGE IN SERIAL BY BIT DATA TRANSMISSION (WITH ANSI X3.15-1976) [VALIDATION DATE: 8306] | A IPSC 02 | 01-DEC-76 | | | OM | 02 | |
| FIPS-PUB-17<br>SUPPL 1C1 | CHARACTER STRUCTURE & CHARACTER PARITY SENSE FOR SERIAL BY BIT DATA COMMUNICATION IN THE CODE FOR INFORMATION INTERCHANGE (WITH ANSI X3.16-1976/R1983) [VALIDATION DATE: 8306] | A IPSC 02 | 01-SEP-77 | | | OM | 02 | |
| FIPS-PUB-18<br>SUPPL 1C1 | CHARACTER STRUCTURE & CHARACTER PARITY SENSE FOR PARALLEL BY BIT DATA COMMUNICATION IN THE CODE FOR INFORMATION INTERCHANGE (WITH ANSI X3.25-1976/R1983) [VALIDATION DATE: 8306] | A IPSC 02 | 01-OCT-71 | | | OM | 02 | |
| FIPS-PUB-20 | GUIDELINES FOR DESCRIBING INFORMATION INTERCHANGE FORMATS [VALIDATION DATE: 8601] | A IPSC 02 | 01-MAR-72 | | | OM | 02 | |
| FIPS-PUB-21-2 | COBOL PROGRAMMING LANGUAGE FOR INFORMATION SYSTEMS WITH ANSI-X3.23-1985 ... | A IPSC 02 | 18-MAR-86 | | | OM | 02 | |
| FIPS-PUB-22<br>SUPPL 1C1 | SYNCHRONOUS SIGNALING RATES BETWEEN DATA TERMINAL & DATA COMMUNICATION EQUIPMENT (WITH ANSI X3.1-1976) [VALIDATION DATE: 8306] | A IPSC 02 | 01-SEP-77 | | | OM | 02 | |
| FIPS-PUB-24 | FLOWCHART SYMBOLS AND THEIR USAGE IN FORMATION PROCESSING (WITH ANSI X3.5-1970) [VALIDATION DATE: 8601] | A IPSC 02 | 30-JUN-73 | | | OM | 02 | |
| FIPS-PUB-26 | ONE-INCH PERFORATED PAPER TAPE FOR INFORMATION INTERCHANGE (WITH ANSI X3.18-1967) [VALIDATION DATE: 8601] | A IPSC 02 | 30-JUN-73 | | | OM | 02 | |
| FIPS-PUB-27 | TAKE-UP REELS FOR ONE-INCH PERFORATED TAPE FOR INFORMATION INTERCHANGE (WITH ANSI X3.20-1967) [VALIDATION DATE: 8601] | A IPSC 02 | 30-JUN-73 | | | OM | 02 | |
| FIPS-PUB-29<br>SUPPL 1C1 | INTERPRETATION PROCEDURES FOR FEDERAL INFORMATION PROCESSING STANDARD PROGRAMMING LANGUAGES | A IPSC 02 | 05-APR-82 | AD | | OM | 02 | |
| FIPS-PUB-30 | SOFTWARE SUMMARY FOR DESCRIBING COMPUTER PROGRAMS AND AUTOMATED DATA SYSTEMS [VALIDATION DATE: 8601] | A IPSC 02 | 30-JUN-74 | | | OM | 02 | |
| FIPS-PUB-31 | GUIDELINES FOR AUTOMATIC DATA PROCESSING PHYSICAL SECURITY AND RISK MANAGEMENT [VALIDATION DATE: 8601] | A IPSC 02 | 01-JUN-74 | AD | | OM | 02 | |
| FIPS-PUB-32<br>SUPPL 1C1 | CHARACTER SETS FOR OPTICAL CHARACTER RECOGNITION (OCR) (WITH ANSI X3.2-70R76, ANSI X3.17-81, & ANSI X3.49-75R82 | A IPSC 02 | 25-JUN-83 | AD | | OM | 02 | |
| FIPS-PUB-33 | CHARACTER SET FOR HANDPRINTING (ANSI X3.45-1974) [VALIDATION DATE: 8106] .. | A IPSC 02 | 01-OCT-74 | AD | | OM | 02 | |
| FIPS-PUB-34 | GUIDE FOR THE USE OF INTERNATIONAL SYSTEM OF UNITS (SI) IN FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATIONS [VALIDATION DATE: 8306] | A IPSC 02 | 01-JAN-75 | | | OM | 02 | |
| FIPS-PUB-39 | GLOSSARY FOR COMPUTER SYSTEMS SECURITY [VALIDATION DATE: 8306] ..... | A IPSC 02 | 15-FEB-76 | | | OM | 02 | |
| FIPS-PUB-40 | GUIDELINES FOR OPTICAL CHARACTER RECOGNITION FORMS, 1975 [VALIDATION DATE: 8306] | A IPSC 02 | 01-MAY-76 | | | OM | 02 | |
| FIPS-PUB-41 | COMPUTER SECURITY GUIDELINES FOR IMPLEMENTING THE PRIVACY ACT OF 1974 [VALIDATION DATE: 8106] | A IPSC 02 | 30-MAY-75 | | | OM | 02 | |
| FIPS-PUB-42<br>SUPPL 1C1 | GUIDELINES FOR BENCHMARKING ADP SYSTEMS IN THE COMPETITIVE PROCUREMENT ENVIRO [VALIDATION DATE: 8306] | A IPSC 02 | 15-MAY-77 | | | OM | 02 | |
| FIPS-PUB-46 | DATA ENCRYPTION STANDARD [VALIDATION DATE: 8306] ..... | A IPSC 02 | 15-JAN-77 | | | OM | 02 | |
| FIPS-PUB-48 | GUIDELINE ON EVALUATION OF TECHNIQUES FOR AUTOMATED PERSONAL IDENTIFICATION [VALIDATION DATE: 8306] | A IPSC 02 | 01-APR-77 | | | OM | 02 | |
| FIPS-PUB-49 | GUIDELINES ON COMPUTER PERFORMANCE MANAGEMENT, AN INTRODUCTION [VALIDATION DATE: 8306] | A IPSC 02 | 11-MAR-77 | | | OM | 02 | |
| FIPS-PUB-53 | TRANSMITTAL FORM FOR DESCRIBING COMPUTER MAGNETIC TAPE FILE [VALIDATION DATE: 8601] | A IPSC 02 | 16-DEC-77 | | | OM | 02 | |
| FIPS-PUB-54<br>SUPPL 1C1 | COMPUTER OUTPUT MICROFORM (COM) FORMATS AND REDUCTION RATIOS, 16MM AND 105MM | A IPSC 02 | 15-JAN-91 | AC | | OM | 02 | DC |
| FIPS-PUB-56 | GUIDELINE FOR MANAGING MULTIVENDOR PLUG COMPATIBLE ASDP SYSTEMS [VALIDATION DATE: 8601] | A IPSC 02 | 15-SEP-78 | | | | 02 | |
| FIPS-PUB-57 | GUIDELINES FOR THE MEASUREMENT OF INTERACTIVE COMPUTER SERVICE RESPONSE TIME AND TURNAROUND TIME [VALIDATION DATE: 8601] | A IPSC 02 | 01-AUG-78 | | | | | |
| FIPS-PUB-60<br>SUPPL 2C1 | I/O CHANNEL INTERFACE ..... | A IPSC 02 | 22-FEB-84 | | | OM | 02 | |
| FIPS-PUB-61<br>SUPPL 1C1 | CHANNEL LEVEL POWER CONTROL INTERFACE ..... | A IPSC 02 | 13-JUL-82 | | | OM | 02 | |
| FIPS-PUB-62 | MAGNETIC TAPE SUBSYSTEM, OPERATIONAL SPECIFICATION FOR [VALIDATION DATE: 8601] | A IPSC 02 | 16-FEB-79 | | | OM | 02 | |
| FIPS-PUB-63<br>SUPPL 1C1 | OPERATIONAL SPECIFICATIONS FOR VARIABLE BLOCK ROTATING MASS STORAGE SUBSYSTEMS (W/SUPPL 1 4-14-83) | A IPSC 02 | 14-APR-83 | | | | | |
| FIPS-PUB-65 | GUIDELINE FOR AUTOMATIC DATA PROCESSING RISK ANALYSIS [VALIDATION DATE: 8601] | A IPSC 02 | 01-AUG-79 | | | OM | 02 | |
| FIPS-PUB-67 | GUIDELINE FOR SELECTION OF DATA ENTRY EQUIPMENT [VALIDATION DATE: 8601] ... | A IPSC 02 | 30-SEP-79 | | | OM | 02 | |
| FIPS-PUB-68 | MINIMAL BASIC WITH ANS X3.60-1978 [VALIDATION DATE: 8601] ..... | A IPSC 02 | 04-SEP-80 | | | OM | 02 | |
| FIPS-PUB-69 | FORTRAN (WITH ANSI X3.9-1978) [VALIDATION DATE: 8601] ..... | A IPSC 02 | 05-FEB-80 | | | OM | 02 | |
| FIPS-PUB-71<br>SUPPL 1C1 | ADVANCED DATA COMMUNICATION CONTROL PROCEDURES (ADCCP) (WITH ANSI X3.66-1979) | A IPSC 02 | 11-JUN-82 | | | OM | 02 | |
| FIPS-PUB-72 | GUIDELINES FOR THE MEASUREMENT OF REMOTE BATCH COMPUTER SERVICE ..... | A IPSC 02 | 01-SEP-81 | | | OM | 02 | |
| FIPS-PUB-73 | GUIDELINE FOR SECURITY OF COMPUTER APPLICATIONS ..... | A IPSC 02 | 01-DEC-81 | | | OM | 02 | |
| FIPS-PUB-74 | GUIDELINES FOR IMPLEMENTING AND USING THE NBS DATA ENCRYPTION STANDARD .... | A IPSC 02 | 02-DEC-80 | | | OM | 02 | |
| FIPS-PUB-75 | GUIDELINE ON CONSTRUCTING BENCHMARKS FOR ADP SYSTEM ACQUISITIONS ..... | A IPSC 02 | 01-SEP-81 | | | OM | 02 | |
| FIPS-PUB-76 | GUIDELINE FOR PLANNING & USING A DATA DICTIONARY SYSTEM ..... | A IPSC 02 | 01-DEC-81 | | | OM | 02 | |
| FIPS-PUB-77 | GUIDELINE FOR PLANNING AND MANAGEMENT OF DATABASE APPLICATIONS ..... | A IPSC 02 | 01-JAN-81 | | | OM | 02 | |
| FIPS-PUB-81<br>NOTICE 1 | DES MODES OF OPERATION ..... | A IPSC 02 | 01-JUN-81 | | | OM | 02 | |
| FIPS-PUB-82 | GUIDELINE FOR INSPECTION & QUALITY CONTROL FOR ALPHANUMERIC COMPUTER OUTPUT MICROFORMS REVIEWER: AG | A IPSC 02 | 01-APR-81 | | | OM | 02 | |
| FIPS-PUB-83 | GUIDELINE ON USER AUTHENTICATION TECHNIQUES FOR COMPUTER NETWORK ACCESS CONTROL | A IPSC 02 | 01-APR-81 | | | OM | 02 | |
| FIPS-PUB-84 | MICROFILM READERS REVIEWER: AG ..... | A IPSC 02 | 01-MAY-81 | | | OM | 02 | |
| FIPS-PUB-85 | OPTICAL CHARACTER RECOGNITION (OCR) INKS (WITH ANSI X3.86-1980) ..... | A IPSC 02 | 01-FEB-81 | | | OM | 02 | |
| FIPS-PUB-86 | ADDITIONAL CONTROLS FOR USE WITH ASCII (WITH ANSI X3.64-1979) REVIEWER: AG | A IPSC 02 | 10-FEB-83 | | | OM | 02 | |
| FIPS-PUB-87 | GUIDELINES FOR ADP CONTINGENCY PLANNING ..... | A IPSC 02 | 01-JUL-81 | | | OM | 02 | |
| FIPS-PUB-88 | GUIDELINE ON INTEGRITY ASSURANCE & CONTROL IN DATABASE ADMINISTRATION ..... | A IPSC 02 | 14-AUG-81 | | | OM | 02 | |
| FIPS-PUB-89 | OPTICAL CHARACTER RECOGNITION (OCR) CHARACTER POSITIONING ..... | A IPSC 02 | 04-SEP-81 | | | OM | 02 | |
| FIPS-PUB-90 | GUIDELINE FOR OPTICAL CHARACTER RECOGNITION (OCR) PRINT QUALITY (ANSI X 3.99-83 | A IPSC 02 | 29-SEP-83 | AD | | OM | 02 | |
| FIPS-PUB-94 | GUIDELINE ON ELECTRICAL POWER FOR ADP INSTALLIONS ..... | A IPSC 02 | 21-SEP-83 | AD | | OM | 02 | |
| FIPS-PUB-96 | GUIDELINE FOR DEVELOPING & IMPLEMENTING A CHARGE SYSTEM FOR DATA PROCESSING SERVICES | A IPSC 02 | 06-DEC-82 | AD | | OM | 02 | |
| FIPS-PUB-97 | OPERATIONAL SPECIFICATIONS FOR FIXED BLOCK ROTATING MASS STORAGE SUBSYSTEMS | A IPSC 02 | 04-FEB-83 | AD | | OM | 02 | |

# NUMERICAL LISTING
# FEDERAL INFORMATION PROCESSING STANDARDS

| Action / OPL / QML / Coordination / Inactive / Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians: Army | Custodians: Navy | Custodians: Air Force | Custodians: DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| FIPS-PUB-98 | MESSAGE FORMAT FOR COMPUTER BASED MESSAGE SYSTEMS REVIEWER: 90 DC EC NS SC | A | IPSC | 02 | 01-MAR-83 | | AD | OM | 02 | |
| FIPS-PUB-99 | GUIDLINE, A FRAMEWORK FOR THE EVALUATION & COMPARISON OF SOFTWARE DEVELOPMENT TOOLS | A | IPSC | 02 | 31-MAR-83 | | AD | OM | 02 | |
| FIPS-PUB-100 | INTERFACE BETWEEN DATA TERMINAL EQUIPMENT (DTE) & DATA CIRCUIT TERMINATING EQUIPMENT (DCE) FOR OPERATION WITH PACKET SWITCHED DATA COMMUNICATIONS NETWORKS (FEDERAL STANDARD 1041) REVIEWER: AD OM | A | TELE | 02 | 06-JUL-83 | | SC | EC | 90 | DC |
| FIPS-PUB-101 | GUIDELINE FOR LIFECYCLE VALIDATION, VERIFICATION, & TESTING OF COMPUTER SOFTWARE | A | IPSC | 02 | 06-JUN-83 | | AD | OM | 02 | |
| FIPS-PUB-121 | VIDEOTEX/TELETEXT PRESENTATION LEVEL PROTOCOL SYNTAX (NORTH AMERICAN PLPS) WITH ANSI X3.110-1983 | A | IPSC | 02 | 06-MAY-86 | | AD | OM | 02 | DC |
| FIPS-PUB-122 | INTERFACE BETWEEN DATATERMINAL EQUIPMENT (DTE) AND DATA CIRCUIT-TERMINATING EQUIPMENT (DCE) FOR OPERATION WITHPACKETT-SWITCHED DATA COMMUNICATIONS NETWORKS | A | IPSC | 02 | 28-MAY-86 | | AD | OM | 02 | DC |
| FIPS-PUB-156 | DATA MANAGEMENT APPLICATIONS, SOFTWARE STANDARD ..... | A | IPSC | 02 | 05-APR-90 | | SC | OM | 02 | |

| Action | QPL / QML Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army Navy Air Force DLA |
|---|---|---|---|---|---|
| A | QPL-1-116 | ELECTRON TUBES, GENERAL SPECIFICATION FOR | A 5960 | EC 28-JAN-93 | |
| | QPL-2-6 | VALVE, CYLINDER, GAS (FOR COMPRESSED OR LIQUIFIED GASES) | A 8120 | GB 28-JUL-77 | |
| M | QPL-5-105 | CAPACITOR, FIXED, MICA-DIELECTRIC, GENERAL SPECIFICATION FOR | A 5910 | BS 10-MAY-93 | |
| M | QPL-10-105 | INSULATING COMPOUND, ELECTRICAL, CERAMIC, CLASS L | A 5970 | ER 04-MAY-93 | |
| | QPL-11-79 | RESISTOR, FIXED, COMPOSITION (INSULATED) GENERAL SPECIFICATION FOR | A 5905 | ER 30-DEC-88 | |
| A | QPL-14-76 | MOLDING COMPOUNDS, THERMOSETTING | A 9330 | SH 03-AUG-92 | |
| M | QPL-17-148 | CABLE, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR | A 6145 | CR 07-MAY-93 | |
| | QPL-19-54 | RESISTOR, VARIABLE, WIREWOUND, (LOW OPERATING TEMPERATURE) GENERAL SPECIFICATION FOR | A 5905 | ER 10-JUL-90 | |
| M | QPL-20-123 | CAPACITOR, FIXED, CERAMIC-DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | BS 25-MAY-93 | |
| | QPL-22-65 | RESISTOR, VARIABLE (WIREWOUND, POWER-TYPE) GENERAL SPECIFICATION FOR | A 5905 | EC 27-JUN-90 | |
| A | QPL-25-68 | CAPACITOR, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES), GENERAL SPECIFICATION FOR | A 5910 | BS 05-NOV-92 | |
| A | QPL-26-142 | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), GENERAL SPECIFICATION FOR | A 5905 | ER 05-FEB-93 | |
| M | QPL-27-134 | TRANSFORMER AND INDUCTOR (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR | A 5950 | ER 08-APR-93 | |
| | QPL-29-48 | RESISTOR, FIXED, METER MULTIPLIER, EXTERNAL (HIGH VOLTAGE, FERRULE TERMINAL TYPE) | A 5905 | ER 10-MAR-86 | |
| A | QPL-62-82 | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED), GENERAL SPECIFICATION FOR | A 5910 | ER 10-DEC-92 | |
| | QPL-81-35 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, GENERAL SPECIFICATION FOR | A 5910 | BS 27-APR-92 | |
| A | QPL-93-103 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), GENERAL SPECIFICATION FOR | A 5905 | ER 25-MAR-93 | |
| | QPL-94-90 | RESISTOR, VARIABLE, COMPOSITION, GENERAL SPECIFICATION FOR | A 5905 | ER 22-MAY-92 | |
| A | QPL-122-13 | RESISTOR, FIXED, PRECISION, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | EC 29-JUL-92 | |
| A | QPL-123-21 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE STABLE AND GENERAL PURPOSE) HIGH RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | MA 24-AUG-92 | |
| | QPL-131-43 | BARRIER MATERIALS, WATER VAPORPROOF, GREAS PROOF, FLEXIBLE, HEAT | A 8135 | AS 21-FEB-90 | |
| | QPL-149-12 | PLASTIC COATING COMPOUND, STRIPPABLE (HOT DIPPING) [VALIDATION DATE: 8601] | A 8030 | MR 10-JUL-68 | |
| | QPL-172-18 | CASES, BASES, MOUNTING, AND MOUNTS, VIBRATION (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) | A 5340 | AS 04-DEC-88 | |
| | QPL-287-2 | WAVEGUIDE ASSEMBLY, FLEXIBLE, TWISTABLE & NONTWISTABLE, GENERAL SPECIFICATION FOR | A 5985 | EC 04-MAY-83 | |
| A | QPL-372-19 | CLEANING COMPOUND, SOLVENT (FOR BORE OF SMALL ARMS AND AUTOMATIC AIRCRAFT WEAPONS) | A 6850 | MR 10-JUN-92 | |
| | QPL-450-19 | COATING COMPOUND, BITUMINOUS SOLVENT TYPE, BLACK (FOR AMMUNITION) | A 8030 | OS 09-AUG-85 | |
| | QPL-604 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 F 3000 PSI HYDRAULIC HEAVY BRAID | A 4720 | BZ 24-FEB-89 | |
| A | QPL-631-68 | INSULATION, ELECTRICAL, SYNTHETIC-RESIN COMPOSITION, NONRIGID | A 5970 | SH 31-MAR-93 | |
| | QPL-641-62 | JACK, TELEPHONE GENERAL SPECIFICATION FOR | A 5935 | CR 19-JUL-90 | |
| | QPL-642-46 | PLUG, TELEPHONE, AND ACCESSORY SCREWS, GENERAL SPECIFICATION FOR | A 5935 | CR 19-JUL-90 | |
| | QPL-684-18 | CUP, BULLET JACKET, COPPER ALLOY CLAD STEEL, FOR SMALL ARMS AMMUNITION | A 1305 | AR 04-FEB-83 | |
| | QPL-781-11 | TERMINAL, WIRE ROPE, SWAGING | A 4030 | BZ 10-MAR-83 | |
| | QPL-904-57 | HOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION | A 3950 | SH 16-APR-92 | |
| | QPL-914-1 | RESISTOR NETWORKS, FIXED, FILM, SURFACE MOUNT, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | ER 06-MAR-92 | |
| | QPL-915-61 | CABLE AND CORD, ELECTRICAL, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR | A 6145 | SH 03-MAR-92 | |
| | QPL-960-23 | TRAPS, STEAM, INTERMITTENT DISCHARGE AND CONTINUOUS FLOW, NAVAL SHIPBOARD | A 4730 | SH 06-FEB-92 | |
| A | QPL-2042-26 | VALVES, REDUCING, WATER SERVICE, FOR NAVAL SHIPBOARD USE | A 4820 | SH 08-OCT-92 | |
| A | QPL-2104-34 | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, TACTICAL SERVICE | A 9150 | ME 25-JUN-92 | |
| A | QPL-2105-22 | LUBRICATING OIL, GEAR, MULTIPURPOSE | A 9150 | ME 06-JAN-93 | |
| | QPL-2678-18 | BRUSH, WIRE, BOILER TUBE, (EXPANDING TYPE FOR USE WITH ELECTRIC AND MOTOR DRIVEN BOILER TUBE CLEANING OUTFITS, AND FIXED SECTIONAL HAND TYPE | A 5130 | SH 13-JUN-91 | |
| | QPL-2781-57 | INSULATION, PIPE, THERMAL | A 5640 | SH 18-OCT-91 | |
| | QPL-2819-59 | INSULATION BLOCK, THERMAL | A 5640 | SH 18-OCT-91 | |
| | QPL-2863-19 | PACKING, PREFORMED, CONDENSER TUBE (SYMBOL 1435) | A 5330 | SH 08-JAN-91 | |
| | QPL-2911-22 | PACKING ASSEMBLY, HYDRAULIC CONICAL AND V TYPES | A 5330 | SH 26-AUG-91 | |
| | QPL-2939-22 | COOLING COILS, AIR, DUCT TYPE AND GRAVITY TYPE: COOLER UNITS, AIR, NAVAL SHIPBOARD ENVIRONMENTAL CONTROL SYSTEMS | A 4130 | SH 12-MAR-92 | |
| A | QPL-2940-23 | SNUBBERS, FLUID PRESSURE, INSTRUMENT PROTECTION | A 6685 | SH 29-JUL-92 | |
| A | QPL-3064-21 | INSULATION, ELECTRICAL, PLASTIC-SEALER | A 5970 | SH 10-MAR-93 | |
| M | QPL-3098-79 | CRYSTAL UNITS, QUARTZ, GENERAL SPECIFICATION FOR | A 5955 | ER 19-MAY-93 | |
| | QPL-3105-23 | SEALING COMPOUND, INERT (FOR USE IN AMMUNITION) [VALIDATION DATE: 8208] | A 8030 | OS 30-OCT-75 | |
| A | QPL-3117-19 | HEATERS, CONVECTION, STEAM AND HOT WATER | A 4520 | SH 27-AUG-92 | |
| | QPL-3134-78 | DECK COVERING MATERIALS | A 5610 | SH 06-MAR-92 | |
| A | QPL-3135-60 | DECK COVERING UNDERLAY MATERIALS | A 5610 | SH 21-MAY-92 | |
| A | QPL-3150-26 | LUBRICATING OIL, PRESERVATIVE, MEDIUM | A 9150 | ME 19-AUG-92 | |
| | QPL-3155-12 | VALVE, TEMPERATURE REGULATING VENTILATION HEATER, STEAM CONTROL, NAVAL SHIPBOARD USE | A 4820 | SH 20-DEC-91 | |
| | QPL-3190-21 | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, GENERAL SPECIFICATION FOR | A 5970 | SH 06-MAR-92 | |
| | QPL-3301-17 | COMPOUND, ASPHALTIC, HOTMELT (CAVITY LINING) [VALIDATION DATE: 8204] | A 8030 | OS 30-SEP-76 | |
| | QPL-3316-70 | ADHESIVES, FIRE-RESISTANT, THERMAL INSULATION | A 8040 | SH 21-JAN-92 | |
| | QPL-3420-25 | PACKAGING MATERIALS, VOLATILE CORROSION INHIBITOR TREATED, OPAQUE | A 8135 | AS 28-APR-89 | |
| A | QPL-3464-71 | DESICCANTS, ACTIVATED, BAGGED, PACKAGING USE AND STATIC DEHUMIDIFICATION | A 6850 | SH 30-OCT-92 | |
| A | QPL-3661-23 | LAMPHOLDER, INDICATOR LIGHTS, INDICATOR LIGHT HOUSINGS, AND INDICATOR LIGHT LENSES, GENERAL SPECIFICATION FOR | A 6210 | EC 30-SEP-92 | |
| | QPL-3702-12 | CABLE, POWER, ELECTRICAL, IGNITION, HIGH-TENSION | A 6145 | AT 05-APR-91 | |
| | QPL-3785-12 | STARTER, ENGINE, ELECTRICAL: 24-VOLT DIRECT CURRENT | A 2920 | AT 12-OCT-91 | |
| | QPL-3786-36 | SWITCH, ROTARY (CIRCUIT SELECTOR, LOW CURRENT CAPACITY), GENERAL SPECIFICATION FOR | A 5930 | BS 31-AUG-90 | |
| A | QPL-3920-11 | ADHESIVES: OPTICAL THERMOSETTING | A 8040 | AR 10-SEP-92 | |
| | QPL-3926-11(5) | KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) | A 5355 | EC 30-OCT-91 | |
| | QPL-3928-21 | SWITCH (COAXIAL), RADIO FREQUENCY TRANSMISSION LINE, GENERAL SPECIFICATION FOR | A 5985 | EC 21-APR-92 | |
| M | QPL-3933-16 | ATTENUATORS, FIXED, GENERAL SPECIFICATION FOR | A 5985 | EC 27-APR-93 | |
| | QPL-3950-19 | SWITCH, TOGGLE, ENVIRONMENTALLY SEALED REVIEWER: 80 | A 5930 | BS 04-APR-90 | |
| | QPL-3954-18 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE GENERAL SPECIFICATION FOR | A 5985 | EC 09-FEB-84 | |
| A | QPL-3965-64 | CAPACITOR, FIXED, ELECTROLYTIC, (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR | A 5910 | BS 05-OCT-92 | |
| A | QPL-3971-43 | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL | A 6645 | AR 09-OCT-92 | |
| | QPL-3990-7 | BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTIFRICTION, INCH | A 3110 | AS 04-DEC-87 | |
| | QPL-3992-15(2) | HOSE AND HOSE ASSY, RUBBER, AIR AND VACCUM BRAKE AUTOMOTIVE | A 2530 | AT 10-MAR-88 | |
| | QPL-4343-19 | GREASE, PNEUMATIC SYSTEMS | A 9150 | AS 10-JUN-91 | |
| | QPL-4383-12 | SEALING COMPOUND, TOPCOAT, FUEL TANK, BUNA-N TYPE | A 8030 | AS 09-NOV-88 | |
| A | QPL-4556-23 | COATING KIT, EPOXY, FOR INTERIOR OF STEEL FUEL TANKS | A 8010 | ME 31-AUG-92 | |
| | QPL-4640-4 | PLASTIC FILM, POLYETHYLENE, FOR BALLOON USE [VALIDATION DATE: 8011] | A 9330 | 13 01-SEP-68 | |
| | QPL-4751-9 | CASTER, RIGID AND SWIVEL, PRECISION HEAVY DUTY, AND SHOCK ABSORBIN | A 5340 | BZ 05-OCT-83 | |
| | QPL-4952-9 | CARTRIDGE, OXYGEN PURIFIER, TYPE MA-1 | A 4440 | 84 13-MAR-87 | |
| A | QPL-5015-32 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATIN FOR | A 5935 | AS 15-SEP-92 | |
| A | QPL-5027-18 | VALVES, CHECK, OXYGEN, HIGH PRESSURE | A 1660 | AS 20-JAN-93 | |
| | QPL-5041-31 | TIRE, PNEUMATIC, AIRCRAFT | A 2620 | 70 14-APR-80 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Doc. Sheet, FSC / Area, MCA Symbol, Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| A | | QPL-5049-28 | RING, WIPER, PISTON ROD | A 5330 | 71 | 22-JUL-92 | | | |
| | | QPL-5070-17 | ADAPTER, HOSE TO TUBE, PIPE AND FLANGE, REUSABLE, HYDRAULIC, FUEL AND OI L LINES | A 4730 | 82 | 01-JUL-83 | | | |
| | | QPL-5086-33 | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, COPPER OR COPPER ALLOY | A 6145 | AS | 30-AUG-91 | | | |
| | | QPL-5091/2-2 | TRANSMISSION, POWER, CONSTANT RATIO SHAFT, FLEXIBLE DRIVE, 47HP [VALIDATION DATE: 8205] | A 1680 | AS | 14-DEC-73 | | | |
| | | QPL-5091/3-2 | TRANSMISSION, POWER, CONSTANT RATIO GEARBOX, ENGINE MOUNTED 47HP [VALIDATION DATE: 8205] | A 1680 | AS | 14-DEC-73 | | | |
| | | QPL-5184-20 | INDICATOR, POSITION | A 6610 | 71 | 13-MAR-92 | | | |
| | | QPL-5315-21(3) | PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT | A 5330 | 11 | 26-JUN-89 | | | |
| | | QPL-5372-5 | FUSE, CURRENT LIMITER TYPE, AIRCRAFT | A 5920 | AS | 15-MAY-87 | | | |
| | | QPL-5373-6 | FUSEHOLDER, BLOCK TYPE, AIRCRAFT | A 5920 | 85 | 12-DEC-86 | | | |
| | | QPL-5413-24 | GENERATORS, TACHOMETER, FOUR POLE | A 6620 | AS | 30-JAN-91 | | | |
| | | QPL-5416-15 | INDICATOR, INDICATED AIRSPEED, 10-150 KNOTS | A 6610 | AS | 30-JAN-91 | | | |
| | | QPL-5423-26 | BOOT, DUST AND WATER SEAL (FOR TOGGLE AND PUSHBUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS) GENERAL SPECIFICATION FOR | A 5930 | ER | 09-JUL-91 | | | |
| A | | QPL-5425-19 | PLASTIC SHEET, ACRYLIC, HEAT RESISTANT | A 9330 | AS | 30-DEC-92 | | | |
| | | QPL-5482-16 | INDICATORS, PRESSURE, SYNCHRO, AIRCRAFT, 165-DEG. SCALE | A 6620 | AS | 30-JAN-91 | | | |
| | | QPL-5483-12 | TRANSMITTERS, PRESSURE, SYNCHRO, AIRCRAFT, 165-DEGREE MOVEMENT | A 6620 | AS | 30-JAN-91 | | | |
| | | QPL-5498-24 | ACCUMULATORS, AIRCRAFT HYDROPNEUMATIC PRESSURE | A 1650 | AS | 25-MAY-91 | | | |
| | | QPL-5500-16 | CAPS: AIR PRESSURE AIR VALVE | A 1650 | 71 | 08-MAY-92 | | | |
| | | QPL-5504-34 | FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC MICRONIC TYPE | A 1650 | AS | 12-MAR-90 | | | |
| A | | QPL-5508-14 | FUSES, AUTOMATIC QUANTITY MEASURING, HYDRAULIC | A 1650 | 71 | 11-JAN-93 | | | |
| M | | QPL-5510-16 | PACKING, PREFORMED, STRIAGHT THREAD TUBE FITTING BOSS, TYPE I HYDRAULIC (-65 DEG. TO 160 DEG.F) | A 5330 | 11 | 15-MAR-93 | | | |
| | | QPL-5515-15 | PUMP, HYDRAULIC RAM, HAND DRIVEN | A 4320 | 71 | 23-FEB-83 | | | |
| | | QPL-5516-17 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, 160 DEG. F (USE MIL-P-25732 OR MIL-P-83461) | A 5330 | 11 | 10-SEP-90 | | | |
| | | QPL-5519-23 | VALVES, REGULATING FLUID PRESSURE | A 4820 | 71 | 05-JUL-91 | | | |
| | | QPL-5521-12 | WASHER, AIRCRAFT HYDRAULIC PACKING BACK-UP | A 5310 | 82 | 19-JUL-85 | | | |
| | | QPL-5524-23 | VALVES, CHECK, HYDRAULIC, AIRCRAFT, TYPE I SYSTEMS | A 1650 | AS | 28-JUN-85 | | | |
| | | QPL-5527-17 | VALVES, AIRCRAFT, HYDRAULIC THERMAL EXPANSION RELIEF | A 1650 | AS | 12-NOV-86 | | | |
| | | QPL-5530-26 | VALVE, AIRCRAFT HYDRAULIC SHUTTLE | A 4820 | 71 | 15-APR-91 | | | |
| | | QPL-5540-24 | ADHESIVE, POLYCHLOROPHENE | A 8040 | AS | 10-SEP-87 | | | |
| | | QPL-5545-16 | CORROSION PREVENTIVE, AIRCRAFT ENGINE, HEAVY OIL TYPE | A 6850 | AS | 26-SEP-84 | | | |
| | | QPL-5567-35 | LIFE RAFTS, INFLATABLE - 4 AND 7 MAN-FOR AIRCRAFT USE | A 4220 | AS | 20-JUL-87 | | | |
| | | QPL-5583-22 | TRANSMITTER, POSITION, 28-VOLT DC | A 6610 | 71 | 02-JUL-90 | | | |
| | | QPL-5591-3(2) | FASTENERS, PANEL [VALIDATION DATE: 8410] | A 5325 | AS | 09-MAR-60 | | | |
| | | QPL-5593-19 | HOSE: AIRCRAFT, LOW-PRESSURE, FLEXIBLE | A 4720 | 82 | 03-APR-92 | | | |
| | | QPL-5594-10 | SWITCHES, TOGGLE, ELECTRICALLY HELD, SEALED, GENERAL SPECIFICATION FOR | A 5930 | AS | 30-AUG-91 | | | |
| | | QPL-5606-29 | HYDRAULIC FLUID, PETROLEUM BASE, AIRCRAFT AND ORDNANCE | A 9150 | 11 | 01-MAY-92 | | | |
| | | QPL-5678-15 | GAGE, PRESSURE, DIAL INDICATING, MANIFOLD PRESSURE [VALIDATION DATE: 8306] | A 6620 | 71 | 15-AUG-78 | | | |
| | | QPL-5721-8 | INDICATOR, INDICATED AIRSPEED, PITOT STATIC 20-250 KNOTS [VALIDATION DATE: 8703] | A 6610 | AV | 20-MAR-87 | | | |
| | | QPL-5756-24 | CABLE, POWER, ELECTRICAL, PORTABLE GENERAL SPECIFICATION FOR | A 6145 | AS | 15-AUG-91 | | | |
| A | | QPL-5757-86 | RELAY, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR | A 5945 | EC | 13-JUL-92 | | | |
| | | QPL-5790-15 | TRANSMITTER, PRESSURE, OIL, SYNCHRO, 0-200 PSI 320-DEGREE MOVEMENT, 26V, *SINGLE PHASE, 400 CYCLES* | A 6620 | 71 | 30-JAN-92 | | | |
| | | QPL-5796-15 | TRANSMITTER, PRESSURE, OIL, 0-100 PSI | A 6620 | 71 | 15-DEC-91 | | | |
| | | QPL-5809-38 | CIRCUIT BREAKER, TRIP-FREE, AIRCRAFT, GENERAL SPECIFICATION FOR | A 5925 | AS | 30-OCT-91 | | | |
| A | | QPL-5877-13 | NOZZLE, PRESSURE FUEL SERVICING, LOCKING TYPE D-1 AND D-2, NOMINAL 2 1/2 INCH DIAMETER | A 4930 | AS | 08-JAN-93 | | | |
| | | QPL-5882-15 | TRANSMITTER, PRESSURE, MULTIPURPOSE, 0-50 PSI | A 6620 | 71 | 30-JAN-92 | | | |
| | | QPL-5914-17 | INDICATOR, RATE OF FLOW, FUEL TYPE EFU-24/A AND TYPE EFU-25/A | A 6620 | 71 | 15-MAY-91 | | | |
| A | | QPL-6000-17 | HOSE, RUBBER (FUEL, OIL, COOLANT, WATER AND ALCOHOL) | A 4720 | 82 | 08-DEC-92 | | | |
| | | QPL-6032-16 | GREASE, PLUG VALVE, GASOLINE AND OIL RESISTANT | A 9150 | AS | 18-JAN-90 | | | |
| | | QPL-6039-3(1) | BEARING, DOUBLE ROW, BALL, SEALED, ROD END, ANTI-FRICTION, SELF-ALIGNING | A 3110 | 84 | 28-AUG-88 | | | |
| A | | QPL-6081-28 | LUBRICATING OIL, JET ENGINE | A 9130 | 11 | 18-SEP-92 | | | |
| M | | QPL-6082-22 | LUBRICATING OIL, AIRCRAFT PISTON ENGINE, (NON-DISPERSANT MINERAL OIL) | A 9150 | AS | 05-MAY-93 | | | |
| | | QPL-6083-17 | HYDRAULIC FLUID, PETROLEUM BASE, FOR PRESERVATION & OPERATION | A 9150 | ME | 04-DEC-91 | | | |
| A | | QPL-6085-14 | LUBRICATING OIL, INSTRUMENT, AIRCRAFT, LOW VOLATILITY | A 9150 | 11 | 16-SEP-92 | | | |
| A | | QPL-6086-12 | LUBRICATING OIL, GEAR, PETROLEUM BASE | A 9150 | 11 | 16-SEP-92 | | | |
| | | QPL-6100-4 | RECEPTACLE, ROCKET IGNITER [VALIDATION DATE: 8004] | A 1340 | AS | 31-JUL-72 | | | |
| A | | QPL-6106-34 | RELAYS, ELECTROMAGNETIC (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), GENERAL SPECIFICATION FOR | A 5945 | 85 | 18-SEP-92 | | | |
| | | QPL-6150-17 | STARTER, ENGINE, ELECTRICAL, DIRECT CRANKING, AIRCRAFT, 28-VOLT DC | A 2925 | 82 | 22-DEC-81 | | | |
| | | QPL-6162-21 | GENERATORS, & STARTER-GENERATORS, ELECTRIC DIRECT CURRENT, NOMINAL 30 VOLTS, AIRCRAFT GENERAL SPECIFICATION FOR | A 6115 | AS | 01-NOV-88 | | | |
| | | QPL-6193-8 | JOINT, UNIVERSAL, PLAIN, LIGHT AND HEAVY DUTY | A 3010 | 82 | 03-FEB-89 | | | |
| A | | QPL-6301-18 | INDICATOR, PRESURE, FUEL, 0-600 PSI | A 6620 | 71 | 15-AUG-92 | | | |
| A | | QPL-6363-4 | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, GENERAL SPECIFICATION FOR | A 6240 | AS | 25-NOV-92 | | | |
| | | QPL-6482-8 | MASK ASSEMBLIES, OXYGEN, PRESSURE BREATHING | A 1660 | AS | 22-FEB-82 | | | |
| | | QPL-6484-14 | LIGHT, COCKPIT UTILITY, AIRCRAFT GENERAL SPECIFICATION FOR | A 6220 | 82 | 10-APR-89 | | | |
| | | QPL-6529-22 | CORROSION-PREVENTATIVE, AIRCRAFT ENGINE | A 6850 | 11 | 09-MAR-87 | | | |
| | | QPL-6599-17 | INDICATOR, RATE OF FLOW, FUEL, TYPE A-19 | A 6620 | 71 | 30-JAN-92 | | | |
| | | QPL-6645-23(2) | PARACHUTE, PERSONNEL, GENERAL SPECIFICATION FOR | A 1670 | 82 | 20-OCT-85 | | | |
| | | QPL-6749-9 | RHEOSTAT, AIRCRAFT POWER | A 5905 | AS | 29-APR-88 | | | |
| | | QPL-6752-18 | AMMETERS, VOLTMETERS, AND LOADMETERS; DIRECT CURRENT | A 6625 | AS | 27-MAR-92 | | | |
| | | QPL-6753-13 | VOLTMETERS, 0-150 VOLT, 330 TO 1200 CYCLE, ALTERNATING CURRENT | A 6625 | AS | 08-OCT-87 | | | |
| | | QPL-6799-18 | COATINGS, SPRAYABLE, STRIPPLE, PROTECTIVE WATER EMULSION | A 8030 | AS | 23-FEB-90 | | | |
| | | QPL-6807-11 | SWITCH, ROTARY, SELECTOR POWER, GENERAL SPECIFICATION FOR | A 5930 | 85 | 31-JUL-91 | | | |
| | | QPL-6839-26 | INDICATOR, SYMBOL INDICATING, LANDING GEAR POSITION | A 6610 | 71 | 17-JAN-92 | | | |
| | | QPL-6856-16 | INDICATOR, PRESSURE, SYNCHRO, 1 1/2 INCH | A 6685 | AS | 30-JAN-91 | | | |
| | | QPL-6864-14 | CLEANING COMPOUND, SOLVENT, OIL COOLER | A 6850 | AS | 03-DEC-82 | | | |
| | | QPL-6882-12 | WATER REPELLENT, WINDOW AND WINDSHIELD, GLASS AND PLASTIC | A 6850 | AS | 20-FEB-91 | | | |
| | | QPL-6985-14 | CLAMP HOSE | A 4730 | 82 | 15-DEC-83 | | | |
| M | | QPL-7032-33(1) | INVERTER, AIRCRAFT, GENERAL SPECIFICATION FOR | A 6125 | AS | 19-APR-93 | | | |
| | | QPL-7034-17 | PULLEY, GROOVE, ANTIFRICTION BEARING, GREASE-LUBRICATED, AIRCRAFT | A 3020 | 82 | 24-FEB-84 | | | |
| | | QPL-7065-12 | INDICATOR, POSITION, AILERON TRIM TAB | A 6610 | 71 | 18-MAY-87 | | | |
| | | QPL-7072-12 | WIRE, ELECTRICAL, 600-VOLT, ALUMINUM, AIRCRAFT, GENERAL SPECIFICATION FOR | A 6145 | AS | 15-AUG-91 | | | |
| | | QPL-7075-9 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -50 DEG. TO PLUS 50 DEG. C, 2 INCH SIZE [VALIDATION DATE: 8410] | A 6685 | AS | 19-SEP-78 | | | |
| | | QPL-7077-12 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, MINUS 70 DEG. TO PLUS 150 DEG. C, 2-INCH SIZE | A 6685 | 82 | 25-MAY-90 | | | |
| | | QPL-7079-8 | CIRCUIT BREAKER, NON TRIP-FREE REVIEWER: 80 | A 5925 | 85 | 20-SEP-85 | | | |
| | | QPL-7082-12 | LIGHT, RUNWAY, MARKER, ELEVATED, TYPE M-1 | A 6210 | 82 | 14-MAY-82 | | | |
| | | QPL-7084-15 | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI | A 6610 | 82 | 21-OCT-85 | | | |
| | | QPL-7085-19 | INDICATOR, PRESSURE, MULTIPURPOSE, 0-50 PSI | A 6620 | 71 | 29-FEB-92 | | | |
| | | QPL-7086-25 | INDICATOR, PRESSURE, OIL, 0-100 PSI TYPE A-19 | A 6620 | 71 | 30-APR-92 | | | |
| | | QPL-7087-24 | INDICATOR, PRESSURE, OIL, 0-200 PSI | A 6620 | 71 | 30-APR-92 | | | |
| | | QPL-7088-18 | INDICATOR, PRESSURE, OIL, 0-1,000 PSI | A 6620 | 71 | 30-APR-92 | | | |
| | | QPL-7099-10 | TERMINAL, LUG AND SPLICE, CRIMP STYLE ALUMINUM FOR ALUMINUM AIRCRAFT WIRE | A 5940 | AS | 21-MAR-86 | | | |
| | | QPL-7101-14 | TRANSMISSION, POWER, CONSTANT SPEED, GENERAL SPECIFICATION (AIRCRAFT USE) | A 1650 | AS | 04-SEP-85 | | | |
| | | QPL-7101/7-3 | TRANSMISSION, CONSTANT SPEED, HYDRAULIC 20KVA, S-2/E-1 AIRCRAFT | A 1650 | AS | 26-NOV-80 | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | QPL-7112-8 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD | A | 6685 | 82 | 31-OCT-83 | | | | |
| M | | QPL-7115-26(1) | CONVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 6130 | AS | 01-APR-93 | | | | |
| | | QPL-7124-9 | SEALING COMPOUND, POLYSULFIDE, ACCELERATOR REQUIRED, FOR AIRCRAFT STRUCTURES | A | 8030 | AS | 17-JUN-88 | | | | |
| A | | QPL-7474-11 | CASTERS, INDUSTRIAL | A | 5340 | 82 | 09-SEP-92 | | | | |
| | | QPL-7560-15 | VALVE ASSEMBLIES, OXYGEN CYLINDER, BAILOUT | A | 4820 | 71 | 15-APR-92 | | | | |
| | | QPL-7605-12 | REGULATOR, OXYGEN, DEMAND, PRESSURE BREATHING, TYPE A-21 | A | 1660 | 71 | 07-SEP-90 | | | | |
| | | QPL-7703-9 | GUARD, SWITCH REVIEWER: 80 | A | 5930 | 85 | 17-APR-90 | | | | |
| | | QPL-7723-5 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO +150 DEG. C., DUAL | A | 6620 | AS | 25-NOV-85 | | | | |
| | | QPL-7726-8 | REPAIR AND REBUILDING OF USED AIRCRAFT PNEUMATIC TIRES | A | 2620 | 70 | 12-OCT-83 | | | | |
| | | QPL-7734-22 | GAGES, PRESSURE, ENGINE AND UTILITY, AIRCRAFT | A | 6685 | AS | 30-JAN-91 | | | | |
| | | QPL-7748-21 | TRANSMITTERS, PRESSURE, SYNCHRO, AIRCRAFT 320-DEGREE MOVEMENT HIGH TEMPERATURE, (177 DEGREE C), GENERAL PURPOSE) | A | 6620 | AS | 30-JAN-91 | | | | |
| | | QPL-7780-11 | STARTER, ELECTRIC, CONSTANT CURRENT, DC [VALIDATION DATE: 8311] | A | 2990 | AS | 05-SEP-77 | | | | |
| | | QPL-7788-64 | PANELS, INFORMATION, INTEGRALLY ILLUMINATED | A | 6220 | AS | 28-JUN-91 | | | | |
| | | QPL-7790-6 | RESISTOR, THERMOCOUPLE LEAD SPOOL | A | 6685 | 82 | 01-FEB-84 | | | | |
| A | | QPL-7793-32 | METER, TIME TOTALIZING | A | 6645 | AS | 30-DEC-92 | | | | |
| | | QPL-7808-34(2) | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE, NATO CODE NUMBER O-148 | A | 9150 | 11 | 25-NOV-88 | | | | |
| A | | QPL-7838-36 | BOLT, INTERNAL WRENCHING, 160 KSI FTU | A | 5306 | AS | 02-SEP-92 | | | | |
| A | | QPL-7870-12 | LUBRICATING OIL: GENERAL PURPOSE, LOW TEMPERATURE | A | 9150 | 11 | 16-SEP-92 | | | | |
| A | | QPL-7873-22 | NUT, SELF-LOCKING, 1200 DEG. F | A | 5310 | AS | 29-JUL-92 | | | | |
| | | QPL-7874-12 | BOLT, MACHINE, 1200 DEG. F | A | 5306 | AS | 07-APR-92 | | | | |
| A | | QPL-7885-23 | RIVETS: BLIND, STRUCTURAL, PULL-STEM, AND CHEMICALLY EXPANDED | A | 5320 | AS | 14-OCT-92 | | | | |
| | | QPL-7886-13 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL C47/R1830A-90C/D 92/A (5/8 - 24 CONNECTORS) | A | 2925 | AS | 25-MAY-84 | | | | |
| | | QPL-7886/5-9 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL T28/R1820A | A | 2925 | AS | 05-AUG-87 | | | | |
| | | QPL-7886/6-12 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL R1820-82B/C | A | 2925 | AS | 05-AUG-87 | | | | |
| | | QPL-7886/9-8 | SPARK PLUG, SHIELDED AIRCRAFT RECIPROCATING ENGINE MODEL R1820-76B-D | A | 2925 | AS | 05-AUG-87 | | | | |
| | | QPL-7886/11-8 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL C/R2800-52W | A | 2925 | AS | 10-JUN-83 | | | | |
| | | QPL-7886/20-4 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL T34/O-470-4 | A | 2925 | AS | 20-AUG-82 | | | | |
| | | QPL-7886/28-5 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL R1820-76 A/C | A | 2925 | AS | 05-AUG-87 | | | | |
| | | QPL-7886/501-6 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATION FOR | A | 2925 | 82 | 11-NOV-83 | | | | |
| | | QPL-7886/503-5 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATION FOR | A | 2925 | 82 | 11-NOV-83 | | | | |
| | | QPL-7886/1002-4 | SPARK PLUG, SHIELDED, FINE WIRE PLATINUM ELECTRODE, TYPE 1, FOR AIRCRAFT RECIPROCATING ENGINES | A | 2925 | AV | 29-JAN-82 | | | | |
| | | QPL-7886/1004-4 | SPARK PLUG, SHIELDED, FINE WIRE PLATINUM ELECTRODE, TYPE 4 FOR AIRCRAFT RCIPROCATING ENGINES | A | 2925 | AV | 29-JAN-82 | | | | |
| | | QPL-7899-16(1) | VALVES, CHECK, AIRCRAFT FUEL SYSTEM | A | 4820 | 82 | 12-FEB-92 | | | | |
| A | | QPL-7905-49(1) | CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE | A | 1660 | AS | 13-JAN-93 | | | | |
| | | QPL-7928-23 | TERMINAL, LUG SPLICES, CONDUCTOR, CRIMP STYLE COPPER, GENERAL SPECIFICATION FOR | A | 5940 | AS | 04-OCT-91 | | | | |
| A | | QPL-7949-19 | BEARING, BALL, AIRFRAME, ANTIFRICTION | A | 3110 | AS | 07-OCT-92 | | | | |
| | | QPL-7961-12 | LIGHT, INDICATOR, PRESS TO TEST | A | 6220 | 82 | 10-JUN-87 | | | | |
| | | QPL-7968-6 NOTICE 1 | POSITION INDICATING ASSEMBLIES, ELECTRICAL, WHEELS AND FLAPS [VALIDATION DATE: 8410] | A | 6610 | AS | 30-JUN-65 | | | | |
| | | QPL-7974-30 | CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 6150 | AS | 30-JUN-91 | | | | |
| A | | QPL-7990-13 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C | A | 6685 | 82 | 30-OCT-92 | | | | |
| | | QPL-8184-17 | PLASTIC, ACRYLIC SHEET, MODIFIED | A | 9330 | AS | 15-JAN-91 | | | | |
| | | QPL-8188-17 | CORROSION-PREVENTIVE OIL, GAS TURBINE ENGINE AIRCRAFT SYNTHETIC BASE | A | 6850 | 11 | 06-SEP-89 | | | | |
| | | QPL-8236-12 | REEL, SHOULDER HARNESS TAKEUP, INERTIA LOCK | A | 1680 | 82 | 08-AUG-86 | | | | |
| | | QPL-8276-16 | INDICATOR, RATE OF FLOW, FUEL SYNCHRO STYLE, TYPE MA-2 | A | 6620 | 71 | 29-FEB-92 | | | | |
| | | QPL-8516-23 | SEALING COMPOUND, POLYSULFIDE RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED | A | 8030 | AS | 15-DEC-88 | | | | |
| M | | QPL-8565-25 | BATTERY, STORAGE, AIRCRAFT, GENERAL SPECIFICATION FOR | A | 6140 | AS | 04-MAR-93 | | | | |
| | | QPL-8605-17 | CAP, PRESSURE FUEL SERVICING | A | 1560 | AS | 31-JUL-91 | | | | |
| A | | QPL-8660-11 | SILICONE COMPOUND, NATO CODE NUMBERS S-736 | A | 6850 | AS | 31-JUL-87 | | | | |
| | | QPL-8703-4 | CHAIN ASSEMBLY, SINGLE LEG, 10,000-LB CAPACITY, FOR USE WITH TYPE MC-1 CARGO TIE DOWN | A | 1670 | 82 | 02-DEC-81 | | | | |
| | | QPL-8777-19 | WIRE, ELECTRICAL, SILICONE-INSULATED, COPPER, 600-VOLT, 200 DEG C 270962 | A | 6145 | 85 | 10-MAR-89 | | | | |
| | | QPL-8783-8 | CLAMP, HOSE, FLAT BAND 500 F | A | 4730 | 82 | 02-JUN-92 | | | | |
| | | QPL-8788-13 | HOSE, HYDRAULIC, HIGH PRESSURE | A | 4720 | 82 | 06-DEC-91 | | | | |
| | | QPL-8789-14 | FITTING END, ATTACHABLE HYDRAULIC AND PNEUMATIC HIGH-PRESSURE HOSE | A | 4730 | 82 | 05-JUL-85 | | | | |
| A | | QPL-8794-16 | HOSE, RUBBER, HYDRAULIC, FUEL, AND OIL RESISTANT | A | 4720 | 82 | 10-JUN-92 | | | | |
| | | QPL-8802-22 | SEALING COMPOUND, TEMPERATURE-RESISTANT, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, HIGH-ADHESION | A | 8030 | 11 | 16-MAR-92 | | | | |
| A | | QPL-8805-80 | SWITCHES AND SWITCH ASSEMBLIES, SENSITIVE AND PUSH, SNAP ACTION, GENERAL SPECIFICATION FOR | A | 5930 | EC | 30-DEC-92 | | | | |
| | | QPL-8813-12 | VALVES, AIRCRAFT, HYDRAULIC PRESSURE RELIEF, TYPE II SYSTEMS | A | 4820 | AS | 23-JUN-86 | | | | |
| A | | QPL-8815-34 | FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE AND 5 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR | A | 1650 | AS | 09-OCT-92 | | | | |
| A | | QPL-8831-35 | BOLT, 180 KSI FTU AND 108 KSI FSU, 450 DEG. F PROTRUDING AND FLUSH HEAD, GENERAL SPECIFICATION FOR | A | 5306 | AS | 26-AUG-92 | | | | |
| | | QPL-8834-15 | SWITCH, TOGGLE, POSITIVE BREAK, GENERAL SPECIFICATION FOR | A | 5930 | 85 | 05-DEC-89 | | | | |
| A | | QPL-8878-8 | TURNBUCKLES, POSITIVE SAFETYING | A | 5340 | 82 | 08-APR-92 | | | | |
| | | QPL-8903-7 | RESISTOR, VARIABLE, LINER PRECISION, TAPPABLE | A | 5905 | AS | 22-NOV-85 | | | | |
| A | | QPL-8906-11 | BOLT, ALLOY STEEL, SHEAR AND TENSILE, (132 KSI FSU AND 220 KSI FTU, 450 DEG. F) | A | 5306 | AS | 26-AUG-92 | | | | |
| | | QPL-8907-9 | BOLT, ALLOY STEEL, SHEAR AND TENSILE, 156 KSI FSU AND 260 KSI FTU, EXTERNAL WRENCHING, FLANGED HEAD | A | 5306 | AS | 20-MAY-87 | | | | |
| | | QPL-8914-7 | BEARING, ROLLER, SELF-ALIGNING, AIRFRAME, ANTIFRICTION | A | 3110 | AS | 04-MAR-87 | | | | |
| | | QPL-8922-12 | NUT, SELF-LOCKING, STEEL, 220 KSI FTU, 450 DEGREES F | A | 5310 | AS | 16-NOV-88 | | | | |
| | | QPL-8937-12 | LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING | A | 9150 | AS | 10-APR-85 | | | | |
| | | QPL-8942-22 | BEARINGS, PLAIN, TSE LINED, SELF-AL ALIGNING | A | 3120 | AS | 10-MAR-88 | | | | |
| | | QPL-8943-17 | BEARINGS, JOURNAL-PLAIN AND FLANGED, TFE LINED | A | 3120 | AS | 10-MAR-88 | | | | |
| | | QPL-8948-15 | BEARINGS, PLAIN, ROD END, TFE LINED SELF ALIGNING | A | 3120 | AS | 31-MAR-88 | | | | |
| | | QPL-8952-4 | BEARING, ROLLER, ROD END, ANTIFRICTION SELF ALIGNING | A | 3110 | AS | 04-MAR-87 | | | | |
| | | QPL-8954-7 | BASE AND ACCESSORIES, AIRPORT MARKER LIGHTS, GENERAL SPECIFICATION FOR | A | 6210 | 82 | 22-AUG-83 | | | | |
| A | | QPL-8961-7 | FASTENER, EXTERNALLY THREADED, 450 DEG. F AND 1200 DEG. F, SELF-LOCKING ELEMENT FOR | A | 5306 | AS | 17-JUN-92 | | | | |
| | | QPL-8971-6 | ELECTRODE, GRAPHITE, SPECTROMETRIC GRADE | A | 5977 | 85 | 11-DEC-90 | | | | |
| | | QPL-8974-3 | INDICATOR, EVENT COUNTING | A | 6620 | AS | 13-JUL-87 | | | | |
| | | QPL-8975-15 | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT STEEL, HEAT RESISTANT STEEL AND TITANIUM GENERAL SPECIFICATION FOR | A | 5320 | AS | 25-JAN-89 | | | | |
| | | QPL-8976-10 | BEARINGS, PLAIN, SELF- ALIGNING, ALL- METAL | A | 3120 | AS | 16-NOV-90 | | | | |
| | | QPL-8984-13 | NUT, SELF LOCKING, STEEL, 260 KSI FTU 450 DEG F. | A | 5310 | AS | 29-JUN-88 | | | | |
| A | | QPL-8985-9 | NUT, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F | A | 5310 | AS | 07-OCT-92 | | | | |
| A | | QPL-9000-92 | LUBRICATING OIL, SHIPBOARD INTERNAL COMBUSTION ENGINE, HIGH OUTPUT DIESEL | A | 9150 | SH | 08-FEB-93 | | | | |
| A | | QPL-9050-13 | VALVES, OXYGEN, PRESSURE RELIEF, AIRCRAFT | A | 4820 | 71 | 28-JUL-92 | | | | |
| | | QPL-9131-25 | LIFE RAFTS, INFLATABLE, TWENTY MAN | A | 4220 | AS | 20-JUL-87 | | | | |

| Action | QPL / QML Qualification Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | QPL-9177-9 | CONNECTOR, AUDIO, AIRBORNE | A 5935 | 85 09-DEC-88 | | | | |
| | | QPL-9198-7(1) | REGULATOR, OXYGEN, HIGH PRESSURE, TYPE MA-1 | A 6680 | 82 31-OCT-85 | | | | |
| | | QPL-9320-15 | SIGNAL, WARNING, AUDIBLE, FOR HEADSET, TYPE MA-1 | A 6340 | 82 07-FEB-78 | | | | |
| | | QPL-9343-6 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-1 | A 6685 | 82 31-MAY-83 | | | | |
| A | | QPL-9370-25 | VALVE, AUTOMATIC, PRESSURE REGULATING, ANTI-G SUIT | A 1660 | AS 13-JAN-93 | | | | |
| | | QPL-9395-13 | SWITCHES, PRESSURE, (ABSOLUTE, GAGE AND DIFFERENTIAL) | A 5930 | 85 15-NOV-91 | | | | |
| | | QPL-9398-12 | GENERATOR, TACHOMETER, HIGH TEMPERATURE, TWO-POLE, AIRCRAFT | A 6610 | AS 30-JAN-91 | | | | |
| | | QPL-9419-12 | SWITCHES, TOGGLE, MOMENTARY, FOUR-POSITION ON, CENTER OFF, GENERAL SPECIFICATION FOR | A 5930 | 85 02-MAR-92 | | | | |
| A | | QPL-9443-9 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-2 | A 6685 | 82 15-FEB-93 | | | | |
| | | QPL-9954-7 | GLASS BEADS, FOR CLEANING AND PREENING | A 5350 | 84 21-MAR-88 | | | | |
| | | QPL-9983-9 | MULTIMETER, CLAMP ON | A 6625 | 82 16-JUL-86 | | | | |
| | | QPL-9999-7 | VOLTMETER, ELECTRONIC | A 6625 | 82 27-JAN-76 | | | | |
| | | QPL-10036-12 | RUST ARRESTING COATING (FOR TREATMENT OF RUSTED METAL) | A 8030 | MR 05-MAY-87 | | | | |
| | | QPL-10215-15 | SPEEDOMETERS, TACHOMETERS, FLEXIBLE SHAFT ASSEMBLIES FLEXIBLE SHAFT ASSEMBLY CORES, ADAPTERS AND TRANSMITTERS | A 6620 | AT 29-NOV-91 | | | | |
| | | QPL-10304-69 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, GENERAL SPECIFICATION FOR | A 6625 | CR 02-APR-92 | | | | |
| A | | QPL-10509-148 | RESISTOR, FIXED, FILM (HIGH STABILITY), GENERAL SPECIFICATION FOR | A 5905 | ER 05-AUG-92 | | | | |
| A | | QPL-10924-31 | GREASE, AUTOMOTIVE AND ARTILLERY | A 9150 | ME 01-JUL-92 | | | | |
| | | QPL-10950-29 | CAPACITOR, FIXED, MICA-DIELECTRIC, BUTTON STYLES GENERAL SPECIFICATION FOR | A 5910 | EC 02-MAR-87 | | | | |
| A | | QPL-11015-109 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), GENERAL SPECIFICATION FOR | A 5910 | EC 20-AUG-92 | | | | |
| | | QPL-11040-12 | BELT, V, ENGINE ACCESSORY DRIVE | A 3030 | AT 22-SEP-83 | | | | |
| A | | QPL-11090-17 | CLEANING COMPOUND, DEGREASING AND DEPRESERVING SOLVENT; SELFEMULSIFYING | A 6850 | MR 19-JUN-92 | | | | |
| | | QPL-11188-18(2) | BATTERY, STORAGE, LEAD ACID (STARTING, LIGHTING & IGNITION-AUTOMOTIVE TYPE) | A 6140 | AT 27-JUL-84 | | | | |
| A | | QPL-11195-22 | LACQUER, LUSTRELESS, HOT SPRAY | A 8010 | ME 31-AUG-92 | | | | |
| | | QPL-11272-24 | CAPACITOR, FIXED, GLASS-DIELECTRIC GENERAL SPECIFICATION FOR | A 5910 | 85 17-JAN-90 | | | | |
| A | | QPL-11414-18 | PRIMER COATING; LACQUER, RUST-INHIBITING | A 8010 | ME 31-AUG-92 | | | | |
| | | QPL-11520-11 | PRESERVATIVE COATING, RUBBER, FOR RUBBER SURFACES | A 8030 | AT 26-MAR-91 | | | | |
| A | | QPL-11693-45 | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE, REDUCTION, AC AND DC (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | ER 06-OCT-92 | | | | |
| A | | QPL-11796-24 | CORROSION PREVENTIVE, COMPOUND PETROLATUM, HOT APPLICATION | A 8030 | MR 15-JUN-92 | | | | |
| A | | QPL-11891-14(3) | TRACK SHOE ASSEMBLIES, TRACK SHOE PADS AND TRACK SHOE SETS, VEHICULAR, RUBBERIZED | A 2530 | AT 14-DEC-92 | | | | |
| | | QPL-12109-9(1) | SOLENOID, ELECTRICAL, GUN FIRING MECHANISMS | A 5945 | AT 30-MAY-83 | | | | |
| | | QPL-12211-8(1) | SWITCH, PRESSURE | A 5930 | AT 02-APR-87 | | | | |
| | | QPL-12285-10 | SWITCH, THERMOSTATIC | A 5930 | AT 08-AUG-85 | | | | |
| A | | QPL-12606-12 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 3-INCH AND 4-INCH DIAMETER CONE, 2-WATT; FUNGUS, GUMBLAST, AND IMMERSION-RESISTANT) TYPE LS-445/U, M12606-01 AND M12606-02 | A 5965 | CR 31-DEC-92 | | | | |
| A | | QPL-12883-18 | SOCKET AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, GENERAL SPECIFICATION FOR | A 5935 | CR 22-DEC-92 | | | | |
| | | QPL-12889-11 | CAPACITORS, BY&PASS, RADIO&INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES) GENERAL SPECIFICATION FOR | A 5910 | ER 29-AUG-80 | | | | |
| | | QPL-12934-46 | RESISTOR, VARIABLE, WIREWOUND, PRECISION, GENERAL SPECIFICATION FOR | A 5905 | ER 29-NOV-91 | | | | |
| A | | QPL-13444-17 | HOSE AND HOSE ASSEMBLIES, RUBBER: FUEL AND OIL | A 4720 | AT 12-JUN-92 | | | | |
| | | QPL-13484-8 | SWITCH SENSITIVE, 30 VOLTS DIRECT CURRENT, MAXIMUM, WATERPROOF | A 5930 | AT 15-APR-91 | | | | |
| | | QPL-13486-18 | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION HEAVY DUTY SINGLE-CONDUCTOR & MULTICONDUCTOR | A 6145 | AT 21-FEB-92 | | | | |
| A | | QPL-13531-19 | HOSE, RUBBER AND HOSE ASSEMBLY RUBBER (HYDRAULIC, FLEXIBLE) | A 4720 | AT 24-JUN-92 | | | | |
| | | QPL-13625-15(1) | SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING HEADLIGHT; ELECTRICAL (28 VOLTS MAXIMUM, FOR MILITARY VEHICLES) | A 5930 | AT 10-OCT-91 | | | | |
| | | QPL-13719-12 | HOSE ASSEMBLY, RUBBER, HYDRAULIC BRAKE | A 2530 | AT 23-MAY-86 | | | | |
| | | QPL-13735-8 | SWITCHES, TOGGLE (28 VOLT D.C.) | A 5930 | AT 28-JUL-87 | | | | |
| | | QPL-13777-33 | CABLE, SPECIAL PURPOSE, ELECTRICAL: GENERAL SPECIFICATION FOR | A 6145 | AR 12-MAR-92 | | | | |
| A | | QPL-13791-16 NOTICE 1 | DISTRIBUTOR IGNITION SYSTEM: INTEGRAL COIL WATERPROOF 24-VOLT | A 2920 | AT 19-JAN-93 | | | | |
| | | QPL-13811-12 | VARNISH, WATERPROOFING, ELECTRICAL IGNITION | A 8010 | AR 10-JUN-88 | | | | |
| A | | QPL-13949-88 | PLASTIC SHEET, LAMINATED, METAL CLAD (FOR PRINTED WIRING BOARDS), GENERAL SPECIFICATION FOR | A 5998 | ER 01-FEB-93 | | | | |
| | | QPL-14055-11 | CUP, HYDRAULIC BRAKE ACTUATING CYLINDER, SYNTHETIC RUBBER (GENERAL SPECIFICATION FOR) | A 2530 | ME 11-MAR-88 | | | | |
| | | QPL-14107-23 | LUBRICATING OIL, WEAPONS, LOW TEMPERATURE | A 9150 | AR 11-MAY-92 | | | | |
| A | | QPL-14256-74 | FLUX, SOLDERING, LIQUID (ROSIN BASE) | A 3439 | ER 13-APR-92 | | | | |
| | | QPL-14293-3 | RESISTOR, FIXED, HIGH MEGOHM (HERMETICALLY SEALED) | A 5905 | ER 11-JAN-83 | | | | |
| | | QPL-14370-3 | COMPRESSOR, RECIPROCATING POWER&DRIVEN, OPEN TYPE FOR USE WITH DICHLORODIFLUOROMETHANE [VALIDATION DATE: 8303] | A 4130 | GL 13-MAY-68 | | | | |
| A | | QPL-14409-50 | CAPACITOR, VARIABLE (PISTON-TYPE, TUBULAR TRIMMER), GENERAL SPECIFICATION FOR | A 5910 | AR 24-NOV-92 | | | | |
| | | QPL-14823-23 | STOP WATCH, MILITARY | A 6645 | AR 02-MAR-92 | | | | |
| | | QPL-15074-36 | CORROSION PREVENTIVE, FINGERPRINT REMOVER | A 8030 | MR 11-MAY-92 | | | | |
| A | | QPL-15103-16 | SALINITY INDICATING EQUIPMENT | A 6630 | SH 06-MAY-92 | | | | |
| M | | QPL-15108-33 | TRANSFORMERS, POWER, STEP-DOWN, SINGLE-PHASE, 60-HERTZ, 1-KILOVOLTAMPERE APPROXIMATE MINIMUM RATING, DRY TYPE, NAVAL SHIPBOARD | A 6120 | SH 31-MAR-93 | | | | |
| A | | QPL-15109-31 | RESISTORS AND RHEOSTATS, NAVAL SHIPBOARD | A 5905 | SH 10-MAR-93 | | | | |
| A | | QPL-15160-59 | FUSES: INSTRUMENT, POWER AND TELEPHONE | A 5920 | SH 31-MAR-93 | | | | |
| | | QPL-15208-8 | PROPORTIONERS, MECHANICAL FOAM LIQUID | A 4210 | SH 14-MAY-87 | | | | |
| | | QPL-15214-6 | GAGE, DEPTH, WRIST, MARK I, MOD 0, NONMAGNETIC, SELF-LUMINOUS DIAL | A 4220 | SH 27-FEB-81 | | | | |
| A | | QPL-15265-12 | INSULATION, ELECTRICAL, PLASTIC (SUBMARINE BUS BAR COVERING) | A 5970 | SH 10-MAR-93 | | | | |
| A | | QPL-15280-22 | PLASTIC MATERIAL, UNICELLULAR (SHEETS AND TUBES) | A 5640 | SH 10-MAR-93 | | | | |
| | | QPL-15291-19 | SWITCH, ROTARY, SNAP ACTION AND DETENT/SPRING RETURN ACTION GENERAL SPECIFICATION FOR | A 5930 | SH 07-JUN-91 | | | | |
| | | QPL-15303-40 | AUDIBLE SIGNALS, ALARMS, BELLS, BUZZERS, HORN, SIRENS, AND ELECTRONIC SHIPBOARD | A 6350 | SH 14-SEP-85 | | | | |
| A | | QPL-15305-80 | COILS, ELECTRICAL, FIXED AND VARIABLE, RADIOFREQUENCY, GENERAL SPECIFICATION FOR | A 5950 | ER 04-AUG-92 | | | | |
| A | | QPL-15342-18 | GASKETS, METALLIC ASBESTOS, SPIRAL WOUND, FOR BOILERS | A 5330 | SH 27-JUL-92 | | | | |
| A | | QPL-15465-25 | EJECTOR ASSEMBLIES, AIR | A 4320 | SH 24-JUL-92 | | | | |
| | | QPL-15508-7 | VALVES, CONTROL, REMOTE OPERATION, DIAPHRAGM ACTUATED, AND CONTROLS, FOR FLUID SYSTEMS, 150 P.S.I.W.P. 140 DEGREES F. MAXIMUM | A 4810 | SH 23-JUL-86 | | | | |
| | | QPL-15581-27 | LIFE PRESERVERS, CO2 INFLATABLE, POUCH TYPE | A 4220 | SH 07-JUL-87 | | | | |
| | | QPL-15606-49 | BRICKS, REFRACTORY, AND BURNER TILE, NAVAL BOILER FURNACE LINING QUALITY | A 9350 | SH 30-AUG-91 | | | | |
| A | | QPL-15618-40 | FILTER-SEPARATORS AND FILTER-ELEMENTS, FLUID, PRESSURE, AVIATION AND DIESEL FUEL, NAVAL SHIPBOARD | A 4330 | SH 05-OCT-92 | | | | |
| A | | QPL-15719-20 | LUBRICATING GREASE, (HIGH TEMPERATURE, ELECTRIC MOTOR, BALL AND ROLLER BEARINGS) | A 9150 | SH 24-JUL-92 | | | | |
| A | | QPL-15731-48 | PLASTIC MIX, REFRACTORY FIRE-CLAY, SUPERDUTY | A 9350 | SH 15-DEC-92 | | | | |
| M | | QPL-15733-80 | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, GENERAL SPECIFICATION FOR | A 5915 | EC 09-JUN-93 | | | | |
| | | QPL-15805-14 | WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT (TYPE B) [VALIDATION DATE: 8410] | A 6660 | AS 18-APR-78 | | | | |

| Action | Opt / Obsl Cancellation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | QPL-15842-50 | MORTAR, REFRACTORY (HI[illegible]EMPERATURE, AIR SETTING) | A 9350 | SH 15-JAN-92 | | | | |
| | | QPL-15931-11 | PAINT, ANTIFOULING, VI[illegible] (FORMULAS NO. 121, 121A, 129 AND 129A) | A 8010 | SH 06-MAR-92 | | | | |
| A | | QPL-16032-48 | SWITCHES AND DETECTOR[illegible] SHIPBOARD ALARM SYSTEMS | A 5930 | SH 12-FEB-93 | | | | |
| A | | QPL-16034-57 | METERS, ELECTRICAL-IN[illegible] ATING (SWITCHBOARD AND PORTABLE TYPES) | A 6625 | SH 29-MAR-93 | | | | |
| | | QPL-16173-71 | CORROSION PREVENTIVE [illegible] POUND, SOLVENT CUTBACK, COLD-APPLICATION | A 8030 | SH 12-NOV-91 | | | | |
| | | QPL-16235-23 | HEATERS, VENTILATION[illegible] CT TYPE, SHIPBOARD | A 4520 | SH 08-OCT-91 | | | | |
| A | | QPL-16305-31 | BRICK, REFRACTORY, [illegible] LATING | A 9350 | SH 10-MAR-93 | | | | |
| | | QPL-16383-23 | LIFE PRESERVER, CO2 [illegible] LATABLE, UNDERWATER DEMOLITION TEAM | A 4220 | SH 13-OCT-86 | | | | |
| A | | QPL-16392-39 | BRACES, MAGNET, MAN[illegible] SHIPBOARD | A 6110 | SH 12-FEB-93 | | | | |
| A | | QPL-16552-21 | FILTERS, AIR ENVIR[illegible] NTAL CONTROL SYSTEM, CLEANABLE, IMPINGEMENT (HIGH VEOLOCITY TYPE) | A 4130 | SH 30-SEP-92 | | | | |
| | | QPL-16680-28 | DECK COVERING MAGN[illegible] A AGGREGATE MIXTURE | A 5610 | SH 06-FEB-92 | | | | |
| | | QPL-16923-55 | INSULATING COMPOUN[illegible] ELECTRICAL, EMBEDDING, EPOXY | A 5970 | SH 26-AUG-91 | | | | |
| A | | QPL-17000-34 | SWITCHING EQUIPME[illegible] COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL, AND INTERIOR COMMUN[illegible] TION, GENERAL SPECIFICATION FOR | A 1290 | SH 19-JAN-93 | | | | |
| | | QPL-17111-13 | FLUID, POWER TRAN[illegible] SSION | A 9150 | OS 01-FEB-89 | | | | |
| | | QPL-17191-35 | MOUNTING, RESILI[illegible] PORTSMOUTH BONDED SPOOL TYPE | A 5340 | SH 13-NOV-90 | | | | |
| | | QPL-17196-30 | ALARM SWITCHBOAR[illegible] ALARM PANELS, REMOTE SENTRY ALARM SWITCH,SIGNAL UNITS, AND SPECIAL A[illegible] CONNECTION BOX, NAVAL SHIPBOARD | A 6320 | SH 29-OCT-87 | | | | |
| M | | QPL-17221-31 | TRANSFORMERS, P[illegible] R, DISTRIBUTION; SINGLE PHASE, 400 HERTZ, INSULATION SYSTEM CLASS[illegible] DEG. C, DRY (AIR COOLED) (NAVAL SHIPBOARD USE) | A 6120 | SH 31-MAR-93 | | | | |
| | | QPL-17303-44 | PACKING MATERI[illegible] PLASTIC METALLIC AND PLASTIC NONMETALLIC | A 5330 | SH 12-AUG-91 | | | | |
| A | | QPL-17331-93 | LUBRICATING OIL[illegible] STEAM TURBINE AND GEAR, MODERATE SERVICE | A 9150 | SH 01-JUL-92 | | | | |
| | | QPL-17360-22 | VALVE, CYLINDE[illegible] GAS, CARBON DIOXIDE FIRE EXTINGUISHER | A 4210 | SH 01-MAY-87 | | | | |
| A | | QPL-17361-33 | CIRCUIT-BREAKE[illegible] AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) | A 5925 | SH 26-MAR-93 | | | | |
| A | | QPL-17370-18 | TUBE AND FLUE[illegible] AMER, BOILER, INTERNAL, AIR-MOTOR DRIVEN | A 4540 | SH 24-JUL-92 | | | | |
| | | QPL-17501-12 | VALVES, GLOBE[illegible] HYDRAULICALLY OPERATED, PISTON AND DIAPHRAGM TYPE, MAGAZINE AND HANGAR[illegible] K SPRINKLING | A 4810 | SH 02-AUG-88 | | | | |
| | | QPL-17508-37 | MOUNT RESILI[illegible] TYPES 6E2000, 6E900, 6E90088, 7E450, 7E45088, 6E150, AND 6E100 | A 5340 | SH 13-NOV-90 | | | | |
| A | | QPL-17563-29 | IMPREGNANTS[illegible] R ALUMINUM, COPPER, IRON, MAGNESIUM AND ZINC ALLOY CASTINGS | A 6850 | SH 28-AUG-92 | | | | |
| | | QPL-17578-13 | PACKING MAT[illegible] AL, PLASTIC (FOR DOGS FOR WATERTIGHT CLOSURES) (SYMBOL 1425) | A 5340 | SH 12-AUG-91 | | | | |
| | | QPL-17587-29 | CIRCUIT BR[illegible] R, LOW VOLTAGE, ELECTRIC POWER, AIR OPEN FRAME, REMOVABLE CONSTRUCTION | A 5925 | SH 06-JUL-91 | | | | |
| | | QPL-17588-25 | CIRCUIT BR[illegible] ERS (AUTOMATIC - ALB-1) AND SWITCH, TOGGLE (CIRCUIT BREAKER, NON-AUT[illegible] IC - NLB-1) AIR, INSULATED HOUSING, 125 VOLTS AND BELOW, A.C. AND D.C. (NAVAL SHIPBOARD USE) | A 5925 | SH 22-JUN-87 | | | | |
| A | | QPL-17672-62 | HYDRAULI[illegible] UID, PETROLEUM, INHIBITED | A 9150 | SH 23-JUN-92 | | | | |
| | | QPL-17773-42 | SWITCHES[illegible] US TRANSFER, ELECTRIC POWER, AUTOMATIC AND MANUAL (METRIC) | A 6110 | SH 01-NOV-91 | | | | |
| | | QPL-17775-19 | BOAT, LI[illegible] NG, INFLATABLE CO2, 7-PERSON CAPACITY | A 1940 | SH 04-OCT-90 | | | | |
| | | QPL-17848-24 | VALVE, P[illegible] SURE REDUCING, STEAM SERVICE | A 4820 | SH 04-JUN-90 | | | | |
| | | QPL-17856-4 | ARMOR, [illegible] MENT, NON-METALLIC [VALIDATION DATE: 8407] | A 8470 | AS 21-FEB-75 | | | | |
| A | | QPL-17869-58 | PUMPS [illegible] MOTORS, POWER, OIL HYDRAULIC (NAVAL SHIPBOARD USE) | A 4320 | SH 26-MAR-93 | | | | |
| A | | QPL-17881-18 | PUMPS, [illegible] NTRIFUGAL, BOILER FEED, (MULTI)-STAGE) | A 4320 | SH 27-JUL-92 | | | | |
| A | | QPL-17882-22 | REPAIR[illegible] TS, METALLIC PIPE AND GENERAL PURPOSE, DAMAGE CONTROL | A 4730 | SH 24-JUL-92 | | | | |
| A | | QPL-17901-29 | BEARI[illegible] COMPONENTS, BONDED SYNTHETIC RUBBER, WATER LUBRICATED | A 3130 | SH 08-FEB-93 | | | | |
| A | | QPL-18052-13 | LAMP, M[illegible] RCURY XENON VAPOR, SEARCHLIGHT | A 6240 | SH 24-JUL-92 | | | | |
| | | QPL-18110-24 | VALVE[illegible] GATE, CAST OR FORGED STEEL AND ALLOY STEEL, OUTSIDE SCREW AND YOKE (SI[illegible] 2-1/2 INCHES AND LARGER) | A 4820 | SH 21-JUN-90 | | | | |
| | | QPL-18119-8 | BOAT[illegible] ANDING, INFLATABLE, CO2, 10-PERSON CAPACITY | A 1940 | SH 19-APR-83 | | | | |
| | | QPL-18140-15 | PUM[illegible] ROTARY, FUEL OIL TRANSFER, POWER DRIVEN | A 4320 | SH 22-JUL-85 | | | | |
| | | QPL-18148-8 | PLU[illegible] ELECTRIC, AIRCRAFT STORAGE BATTERY | A 5935 | AS 26-JUL-82 | | | | |
| | | QPL-18239-10 | EAR[illegible] MES, H-87B/U [VALIDATION DATE: 8509] | A 5965 | AS 20-APR-79 | | | | |
| | | QPL-18240-30 | FA[illegible] MER, EXTERNALLY THREADED, 250 DEGREES F., SELF-LOCKING ELEMENT FOR | A 53GP | AS 21-AUG-91 | | | | |
| A | | QPL-18255-27 | CA[illegible] NG COMPOUND, SYNTHETIC RUBBER BASE, WOODEN DECK SEAM APPLICATION | A 8030 | SH 08-OCT-92 | | | | |
| | | QPL-18266-8 | CO[illegible] P/O H-87A/U [VALIDATION DATE: 8410] | A 5965 | AS 16-DEC-77 | | | | |
| A | | QPL-18280-40 | F[illegible] LINGS, FLARELESS, TUBE, FLUID CONNECTION | A 4730 | AS 09-OCT-92 | | | | |
| A | | QPL-18312-38 | C[illegible] CITOR, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) [illegible] ELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL [illegible] PECIFICATION FOR | A 5910 | EC 30-SEP-92 | | | | |
| A | | QPL-18324-37 | [illegible] ASTIC MATERIAL, LAMINATED PHENOLIC, FOR BEARINGS (WATER OR GREASE LUBRICATION) | A 9330 | SH 08-OCT-92 | | | | |
| | | QPL-18327-35 | [illegible] ILTER, HIGH PASS, LOW PASS, BAND PASS, BAND SUPPRESSION, AND DUAL FUNCTIONING, GENERAL SPECIFICATION FOR | A 5915 | EC 21-MAY-92 | | | | |
| A | | QPL-18375-4 | [illegible] IRE, ROPE, FLEXIBLE, CORROSION-RESISTING, NONMAGNETIC, FOR AIRCRAFT CONTROL | A 4010 | 82 01-MAY-92 | | | | |
| A | | QPL-18458-29 | GREASE, WIRE ROPE-EXPOSED GEAR | A 9150 | SH 24-JUL-92 | | | | |
| | | QPL-18494-24 | LIFT RAFT, INFLATABLE, LRU-14/A | A 4220 | AS 10-AUG-87 | | | | |
| A | | QPL-18546-57 | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), GENERAL SPECIFICATION FOR | A 5905 | EC 28-JAN-93 | | | | |
| A | | QPL-18641-36 | DISTILLATION UNITS, WATER: STEAM OR FLASHED VAPOR OPERATED, OR FRESH WATER HEATED, LOW PRESSURE, NAVAL SHIPBOARD | A 4620 | SH 19-JAN-93 | | | | |
| | | QPL-18804-14 | INDICATOR, VERTICAL SPEED,0-6000 FPM,2 INCH | A 6610 | AS 30-JAN-90 | | | | |
| | | QPL-18856-7 | INDICATOR, ANGLE OF ATTACK, 28V DC MS28062 AND MS28067 | A 6610 | AS 30-JAN-91 | | | | |
| | | QPL-18953-26 | FAN, VANEAXIAL AND TUBEAXIAL, FIXED AND PORTABLE VENTILATION AND AIR-CONDITIONING, NAVAL SHIPBOARD | A 4140 | SH 27-NOV-90 | | | | |
| | | QPL-19004-20 | FANS, CENTRIFUGAL, FIXED AND PORTABLE, VENTILATION, NAVAL SHIPBOARD | A 4140 | SH 25-MAR-92 | | | | |
| | | QPL-19067-6 | VALVES, CHECK, CONTROLLABLE, HYDRAU LIC, AIRCRAFT, TYPE II SYSTEMS | A 1650 | AS 12-NOV-86 | | | | |
| | | QPL-19068-11 | VALVE, SHUTTLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS | A 1650 | AS 28-FEB-86 | | | | |
| | | QPL-19069-20 | VALVES, CHECK, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS | A 1650 | AS 13-FEB-89 | | | | |
| A | | QPL-19088-15 | WATTMETERS, SWITCHBOARD TYPE, 4-1/2-INCH | A 6625 | SH 30-SEP-92 | | | | |
| | | QPL-19089-6 | HARNESSES, INTEGRATED PARACHUTE | A 1670 | AS 25-SEP-85 | | | | |
| A | | QPL-19140-68 | LUMBER AND PLYWOOD, FIRE-RETARDANT TREATED | A 5510 | SH 10-FEB-93 | | | | |
| A | | QPL-19166-29 | INSULATION TAPE, ELECTRICAL, HIGH-TEMPERATURE, GLASS FIBER, PRESSURE-SENSITIVE | A 5970 | SH 10-MAR-93 | | | | |
| | | QPL-19180-41 | REGULATOR, PRESSURE, COMPRESSED GAS | A 4820 | 82 07-DEC-88 | | | | |
| A | | QPL-19207-34 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING | A 5920 | SH 08-MAR-93 | | | | |
| | | QPL-19229-7 | TRANSMITTER, ANGLE OF ATTACK OR SIDESLIP, LOCAL [VALIDATION DATE: 8410] | A 6610 | AS 18-SEP-70 | | | | |
| | | QPL-19246-11 | CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A | A 1660 | AS 05-OCT-87 | | | | |
| | | QPL-19328-13 | CONVERTER, LIQUID OXYGEN, 5 LITER, MB-5A | A 1660 | 71 06-DEC-91 | | | | |
| | | QPL-19365-21 | RESISTOR, ADJUSTABLE, WIREWOUND, POWER | A 5905 | ER 23-FEB-87 | | | | |
| A | | QPL-19417-15 | MASK, ASSEMBLIES, OXYGEN AND SMOKE, FULL FACE | A 1660 | AS 13-JAN-93 | | | | |
| | | QPL-19468-40 | PLASTIC RODS, POLYTETRAFLUOROETHYLENE, MOLDED AND EXTRUDED | A 9330 | SH 17-APR-87 | | | | |
| | | QPL-19496-16 | LIFEBOAT, CO2 INFLATABLE, MARK 5 MOD 1, 15-PERSON CAPACITY | A 1940 | SH 19-APR-83 | | | | |
| M | | QPL-19500-124 | SEMICONDUCTOR DEVICE, GENERAL SPECIFICATION FOR | A 5961 | EC 28-APR-93 | | | | |
| | | QPL-19557-30 | STARTER, AIRCRAFT ENGINE, AIR TURBINE | A 2995 | AS 25-JUL-88 | | | | |
| | | QPL-19565-24 | COATING COMPOUND, THERMAL INSULATION, FIRE- AND WATER-RESISTANT, VAPOR-BARRIER | A 8030 | SH 27-AUG-91 | | | | |
| | | QPL-19576-3 | TRANSMITTER, REMOTE COMPASS, THIN WING, ML-1 (UNSTABILIZED) | A 6605 | AS 15-DEC-80 | | | | |
| | | QPL-19701-8 | LUBRICANT, ALL-WEATHER, SEMI-FLUID, FOR AIRCRAFT ORDNANCE | A 9150 | AS 10-APR-91 | | | | |
| | | QPL-19772-38 | VALVES, TEMPERATURE REGULATING, AUTOMATIC NAVAL SHIPBOARD | A 4820 | SH 21-APR-92 | | | | |
| A | | QPL-19803-19 | CONVERTER, LIQUID OXYGEN, 10-LITER, GCU-24A/A | A 1660 | AS 20-JAN-93 | | | | |
| | | QPL-19834-26 | PLATE, IDENTIFICATION, METAL FOIL, ADHESIVE BACKED, GENERAL SPECIFICATION FOR | A 9905 | EC 27-DEC-91 | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | QPL-19844-18 | LEADS, SHIELDED, DETACHABLE IGNITION (VALIDATION DATE: 8) | A | 2925 | | AS | 22-AUG-83 | | | | |
| | | QPL-19853-15(1) | CARBON REMOVING COMPOUND (FOR USE IN AGITATED TANK) | A | 6850 | | AS | 01-AUG-89 | | | | |
| | | QPL-19863-18 | MOUNT, RESILIENT, TYPE SB5000H | A | 5340 | | SH | 14-NOV-90 | | | | |
| A | | QPL-19933-62 | ELECTRODES AND RODS - WELDING, BARE, CHROMIUM AND CHROMI | A | 3439 | | SH | 10-SEP-92 | | | | |
| M | | QPL-19978-53 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC), DIELECTRIC (NICKEL STEELS .. SEALED IN METAL, CERAMIC, OR GLASS CASES) ESTABLISHED R ERMETICALLY ABILITY OR NON-ESTABLISHED RELIABILITY | A | 5910 | | BS | 10-MAY-93 | | | | |
| A | | QPL-20213-17 | LITHIUM HYDROXIDE (LIOH), TECHNICAL | A | 6810 | | SH | 24-JUL-92 | | | | |
| | | QPL-20222-25 | ANNOUNCING-EQUIPMENT, SHIPBOARD | A | 5830 | | SH | 06-MAY-88 | | | | |
| | | QPL-20553-8 | WAX, DESENSITIZING | A | 9160 | | AR | 08-JUL-91 | | | | |
| | | QPL-20627-26 | FILTER ASSEMBLY & FILTER ELEMENTS, FLUID, PRESSURE (FOR ENG WITH LIQUID FUEL INJECTION SYSTEMS) | A | 2910 | | SH | 14-JUN-89 | | | | |
| | | QPL-20632-8 | PURIFIERS, CENTRIFUGAL, OIL NAVAL SHIPBOARD | A | 4330 | | SH | 20-SEP-85 | | | | |
| A | | QPL-20708-14(1) | SYNCHROS, GENERAL SPECIFICATION FOR | A | 5990 | | AS | 08-FEB-93 | | | | |
| | | QPL-21013-4 | COMPASS, DIRECTIONAL REFERENCE SYSTEM, MAGNETIC SLAVED GYRO, STABILIZED, 3 DEG./HR, TYPE MF-1 (VALIDATION DATE: 8509) | A | 6605 | | AS | 30-AUG-79 | | | | |
| A | | QPL-21038-40 | TRANSFORMER, PULSE, LOW POWER, GENERAL SPECIFICATION FOR | A | 5950 | | EC | 27-OCT-92 | | | | |
| A | | QPL-21049-21 | COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN TEMS | A | 1660 | | AS | 20-JAN-93 | | | | |
| | | QPL-21097-41 | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD, GENERAL PURPOSE, ERAL SPECIFICATION FOR | A | 5935 | | EC | 19-AUG-91 | | | | |
| | | QPL-21099-29 | PACKING ASSEMBLY, HYDRAULIC CONICAL AND V TYPES, FIRE RESISTANT PE HYDRAULIC FLUIDS | A | 5330 | | SH | 25-FEB-87 | | | | |
| | | QPL-21164-23 | GREASE, MOLYBDENUM DISULFIDE, FOR LOW & HIGH TEMPERATURE NATO CL NUMBER G-353 | A | 9150 | | AS | 26-APR-91 | | | | |
| | | QPL-21205-4 | TRANSMITTER, RATE OF FLOW, FUEL, TYPE TRU-12/A (500 TO 15,000 PP (VALIDATION DATE: 8310) | A | 6620 | | AS | 29-AUG-75 | | | | |
| M | | QPL-21260-24 | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, PRESERVATIVE AND BRE IN | A | 9150 | | ME | 27-APR-93 | | | | |
| | | QPL-21393-11 | MICROPHONE, DYNAMIC M-92C/U | A | 5965 | | AS | 26-AUG-82 | | | | |
| | | QPL-21480-15(2) | GENERATOR SYSTEM, 400 HERTZ ALTERNATING CURRENT AIR CRAFT, GENERAL SPECIFICATION FOR | A | 6115 | | AS | 02-SEP-88 | | | | |
| A | | QPL-21562-40 | ELECTRODES AND RODS-WELDING, BARE, NICKEL ALLOY | A | 3439 | | SH | 15-SEP-92 | | | | |
| A | | QPL-21563-6(3) | PAINT SYSTEM, FLUORESCENT, FOR AIRCRAFT APPLICATIONS (VALIDATION DA (VALIDATION DATE: 8310) | A | 8010 | | AR | 07-MAY-76 | | | | |
| | | QPL-21567-4 | COMPOUND, SILICONE, SOFT FILM (VALIDATION DATE: 8204) | A | 6850 | | OS | 25-AUG-75 | | | | |
| | | QPL-21600-6 | PAINT SYSTEM, FLUORESCENT, REMOVABLE, FOR AIRCRAFT APPLICATION | A | 8010 | | AS | 30-NOV-84 | | | | |
| | | QPL-21604-22 | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, GENERAL SPECIFICATION FOR | A | 5930 | | SH | 04-AUG-88 | | | | |
| A | | QPL-21607-28 | RESINS, POLYESTER, LOW PRESSURE LAMINATING, FIRE-RETARDANT | A | 9330 | | SH | 27-JUL-92 | | | | |
| | | QPL-21608-10 | FERRULE, SHIELD TERMINATING, CRIMP STYLE | A | 5940 | | AS | 30-JUN-86 | | | | |
| | | QPL-21617-8 | CONNECTORS, PLUG AND RECEPTACLE---ELECTRICAL RECTANGULAR, POLARIZED SH MINIATURE TYPE | A | 5935 | | EC | 14-JAN-80 | | | | |
| | | QPL-21631-30 | DECK COVERING, LATEX CONCRETE | A | 5610 | | SH | 21-JAN-92 | | | | |
| | | QPL-21649-17 | MOUNT, RESILIENT, TYPE SM10,000-H | A | 5340 | | SH | 14-NOV-90 | | | | |
| | | QPL-21685-3 | INDICATOR, COMPASS REPEATER, ROTATING DIAL, TYPE MW-2 (VALIDATION DATE: 8509) | A | 6605 | | AS | 16-OCT-78 | | | | |
| A | | QPL-21701-13 | VALVE, CHECK, OXYGEN MASK, INLET | A | 1660 | | AS | 20-JAN-93 | | | | |
| | | QPL-21734-7 | MICROPHONE, DYNAMIC, OXYGEN MASK, M-94B/A | A | 5965 | | AS | 05-DEC-77 | | | | |
| | | QPL-22001-5 | MICROPHONE, CARBON, OXYGEN MASK, AN8-M-C1 | A | 5965 | | AS | 26-AUG-82 | | | | |
| | | QPL-22019-17 | BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORRISON INHIBITOR TREATED | A | 8135 | | AS | 23-OCT-89 | | | | |
| | | QPL-22030-4 | TRANSMITTER, RATE OF FLOW, FUEL, TRU-26/A (300 TO 10,000 PPH) | A | 6620 | | AS | 26-NOV-80 | | | | |
| | | QPL-22036-12 | BRIDLE AND PENDANT ASSEMBLIES, AIRCRAFT LAUNCHING | A | 1720 | | AS | 09-FEB-90 | | | | |
| | | QPL-22052-20 | VALVES, STOP AND STOP CHECK, GLOBE, ANGLE, AND Y PATTERN, CAST OR FORGED CARBON OR ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER) | A | 4820 | | SH | 21-JUN-90 | | | | |
| | | QPL-22062-4 | INTERCONNECTING BOX, J-1013A/AIC (VALIDATION DATE: 8509) | A | 5831 | | AS | 30-NOV-78 | | | | |
| | | QPL-22072-11 | HYDRAULIC FLUID, CATAPULT | | 9150 | | AS | 18-JAN-90 | | | | |
| | | QPL-22075-14 | INDICATOR, BEARING-DISTANCE-HEADING ID663/U | | 6605 | | AS | 30-JAN-91 | | | | |
| | | QPL-22085-16 | TAPES, PRESSURE - SENSITIVE, ADHESIVE, PRESERVATION AND SEALING | | 7510 | | AS | 02-DEC-88 | | | | |
| M | | QPL-22097-86 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE), GENERAL SPECIFICATION FOR | | 5905 | | BS | 13-APR-93 | | | | |
| | | QPL-22110-10 | INHIBITORS, CORROSSION, VOLATILE, CRYSTALLINE | | 6850 | | AS | 22-NOV-89 | | | | |
| | | QPL-22126-6 | INDICATOR, TORQUE METER, ENGINE, TURBOPROP | | 6520 | | AS | 05-AUG-86 | | | | |
| | | QPL-22165-2 | AMPLIFIER, COMPASS, SERVO (TYPE MF-1 COMPASS) (VALIDATION DATE: 8410) | | 6605 | | AS | 15-JUN-78 | | | | |
| | | QPL-22169-1 | GYRO, VERTICAL AND MOUNT (TYPE MF-1 COMPASS) (VALIDATION DATE: 7909) | | 6605 | | AS | 18-APR-62 | | | | |
| | | QPL-22179-5 | MICROPHONE, DYNAMIC M-968/A (VALIDATION DATE: 8311) | | 5965 | | AS | 19-AUG-77 | | | | |
| | | QPL-22191-30 | BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, HEAT SEALABLE | | 8135 | | AS | 21-DEC-89 | | | | |
| A | | QPL-22200-55 | ELECTRODES, WELDING, COVERED: GENERAL SPECIFICATION FOR | | 3439 | | SH | 21-SEP-92 | | | | |
| | | QPL-22227-6 | BEARING, BALL, ANNULAR, GENERATOR AND MOTOR-GENERATOR (VALIDATION DATE: 8101) | | 3110 | | AS | 21-JUL-66 | | | | |
| A | | QPL-22262-16 | ABRASIVE BLASTING MEDIA SHIP HULL BLAST CLEANING | | 5350 | | SH | 12-FEB-93 | | | | |
| A | | QPL-22272-11 | VISOR, NEODYMIUM LASER, PROTECTIVE FOR AIRCREWMAN'S HELMET | | 8415 | | AS | 20-JAN-93 | | | | |
| | | QPL-22332-6 | PAINT, PRIMING, EXTERIOR AND INTERIOR (FOR AMMUNITION) (VALIDATION DATE: 8204) | | 8010 | | OS | 30-SEP-76 | | | | |
| | | QPL-22397-22 | ADHESIVE, PHENOL AND RESORCINOL RESIN BASE (FOR MARINE SERVICE USE) | | 8040 | | SH | 27-AUG-91 | | | | |
| A | | QPL-22442-11 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), GENERAL SPECIFICATION FOR | | 5995 | | AS | 04-SEP-92 | | | | |
| | | QPL-22518-8 | STARTER, AIRTURBINE TYPE I DETAIL MODEL, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, SPECIFICATION FOR | | 2995 | | AS | 17-JUL-87 | | | | |
| | | QPL-22520-25 | CRIMPING TOOLS, TERMINAL HAND OR POWER ACTUATED, WIRE TERMINATION, AND TOOL KITS GENERAL SPECIFICATION FOR | | 5120 | | | 30-JUN-91 | | | | |
| | | QPL-22542-22(1) | CLEANING COMPOUND, HIGH PRESSURE CLEANER, LIQUID | | 6850 | | | 05-MAY-90 | | | | |
| | | QPL-22587-6 | CARTRIDGE, GREASE, 14 OUNCE (FOR CARTRIDGE TYPE GREASE GUN) | | 4930 | | | 21-MAY-84 | | | | |
| A | | QPL-22681-15 | ARRESTER, FLASH, MAIN STORAGE BATTERY, (SUBMARINE USE), GENERAL SPECIFICATION FOR | | 6140 | | | 06-NOV-92 | | | | |
| A | | QPL-22684-66 | RESISTOR, FIXED, FILM, INSULATED, GENERAL SPECIFICATION FOR | | 5905 | | | 25-AUG-92 | | | | |
| | | QPL-22706-17 | DUCT AND SCUFF COVER, PNEUMATIC, FLEXIBLE | | 4720 | | | 13-MAR-92 | | | | |
| | | QPL-22710-20 | SWITCH, CODE, INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL & PUSHBUTTON) | | 5930 | | | 2-JUN-91 | | | | |
| A | | QPL-22750-3 | COATING, EPOXY, VOC - COMPLIANT | | 8010 | | | -AUG-92 | | | | |
| A | | QPL-22759-26 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY | | 6145 | | | SEP-92 | | | | |
| M | | QPL-22851-15 | LUBRICATING OIL, AIRCRAFT PISTON ENGINE, (ASHLESS DISPERSANT) | | 9150 | | | MAY-93 | | | | |
| | | QPL-22858-4 | ATTITUDE INDICATING SYSTEM, REMOTE STANDBY, TWO INCH | | 6610 | | | EC-85 | | | | |
| M | | QPL-22885-67 | SWITCH, PUSHBUTTON, ILLUMINATED, GENERAL SPECIFICATION FOR | | 5930 | | | AY-93 | | | | |
| | | QPL-22900-9 | WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE F (VALIDATION DATE: 8505) | | 6660 | | | B-79 | | | | |
| | | QPL-22978-8 | FASTENER, ROTARY, QUICK-OPERATING, HIGH STRENGTH | | 5325 | | | -89 | | | | |
| A | | QPL-22992-33 | CONNECTOR, PLUGS AND RECEPTACLES, ELECTRICAL, WATERPROOF, QUICK DISCONNECT, HEAVY DUTY TYPE, GENERAL SPECIFICATION FOR | | 5935 | | | -92 | | | | |
| | | QPL-22999-16 | STARTERS, AIRCRAFT ENGINE, HYDRAULIC, GENERAL SPECIFICATION FOR | | 2995 | | | JL85 | | | | |
| | | QPL-23001-1 | ELECTRIC GENERATOR SYSTEMS, AIRCRAFT, VSCF, 20KVA, 115/200 VOLT, 3 PHASE, 400 HZ | | 6115 | | | JA88 | | | | |
| | | QPL-23001/3-2 | ELECTRIC GENERATOR SYSTEM, AIRCRAFT, VSCF, 20KVA, 115/200 VOLT, 3 PHASE, 400 HZ (VALIDATION DATE: 8311) | | 6115 | | | APR | | | | |
| A | | QPL-23003-35 | DECK COVERING COMPOUND, NONSLIP, ROLLABLE | | 5610 | | | 27-AUG- | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | QPL-23007-11 | LIFEBOAT, MAN OVERBOARD CO2 INFLATABLE | A | 1940 | SH | 19-APR-83 | | | | |
| | | QPL-23071-22 | BLOWER, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT GENERAL SPECIFICATION FOR | A | 4140 | EC | 18-JUL-90 | | | | |
| | | QPL-23072-9 | BLOWER, ANTI-EXPOSURE SUIT VENTILATION, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8505] | A | 1660 | AS | 12-MAR-79 | | | | |
| | | QPL-23098-11 | REGULATOR, LINE VOLTAGE, SINGLE PHASE, 400 HERTZ A.C. NAVAL SHIPBOARD | A | 6110 | SH | 08-NOV-76 | | | | |
| | | QPL-23124-14 | OSCILLOSCOPE, 5-MEGACYCLE, MINIATURE, TRANSISTORIZED AN/USM-117( ) [VALIDATION DATE: 8505] | A | 6625 | EC | 29-JAN-73 | | | | |
| | | QPL-23125-6 | TEST SET, ELECTRON TUBE, SEMI-AUTOMATIC AN/USM-118( ) [VALIDATION DATE: 8505] | A | 6625 | EC | 05-FEB-73 | | | | |
| A | | QPL-23151-23 | VOLTMETER, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE) | A | 6625 | SH | 08-MAR-93 | | | | |
| | | QPL-23155-18 | ESCAPE APPLIANCE, HOODED, AIR INFLATABLE, WITH POUCH, SUBMARINE PERSONNEL | A | 4220 | SH | 27-APR-87 | | | | |
| A | | QPL-23167-28 | METER FREQUENCY, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE) | A | 6625 | SH | 08-MAR-93 | | | | |
| | | QPL-23183-7 | CAPACITOR, FIXED OR VARIABLE, VACUUM DIELECTRIC, GENERAL SPECIFICATION FOR | A | 5910 | EC | 04-OCT-85 | | | | |
| A | | QPL-23190-31 | STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TIME AND SUPPORT, GENERAL SPECIFICATION FOR | A | 5975 | AS | 15-SEP-92 | | | | |
| A | | QPL-23236-60 | PAINT COATING SYSTEMS, STEEL SHIP TANK, FUEL AND SALT WATER BALLAST (METRIC) | A | 8030 | SH | 24-AUG-92 | | | | |
| | | QPL-23237-4 | CHARGER, RADIAC DETECTOR, PP-4276( )/PD | A | 6665 | EC | 09-AUG-84 | | | | |
| | | QPL-23269-16 | CAPACITOR, FIXED, GLASS DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A | 5910 | EC | 30-MAR-90 | | | | |
| A | | QPL-23285-15 | RESISTORS, VARIABLE, NONWIRE-WOUND, GENERAL SPECIFICATION FOR | A | 5905 | ER | 28-SEP-92 | | | | |
| | | QPL-23310-9 | INHIBITORS, CORROSION, VOLATILE, OIL TYPE | A | 6850 | AS | 29-FEB-88 | | | | |
| A | | QPL-23377-15(1) | PRIMER COATINGS: EPOXY, CHEMICAL AND SOLVENT RESISTANT | A | 8010 | AS | 24-SEP-92 | | | | |
| | | QPL-23398-14(1) | LUBRICANT, SOLID FILM AIR DRYING, CORROSION INHIBITING | A | 9150 | AS | 21-AUG-90 | | | | |
| A | | QPL-23419-30 | FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR | A | 5920 | EC | 17-DEC-92 | | | | |
| | | QPL-23426-14 | TENSION BAR/RELEASE ELEMENT, AIRCRAFT LAUNCHING | A | 1720 | AS | 29-JUL-88 | | | | |
| | | QPL-23439-4 | TOWLINES, AERIAL TARGET, CONSTANT AND STEPPED DIAMETER WIRE AND STRANDED | A | 1680 | AS | 30-APR-85 | | | | |
| A | | QPL-23460-19 | PIN, QUICK-RELEASE, SELF-RETAINING, POSITIVE-LOCKING | A | 5340 | AS | 07-OCT-92 | | | | |
| | | QPL-23479-11 | INDICATOR, PRESSURE, 1-1/2-INCH, INTEGRALLY LIGHTED | A | 6620 | AS | 18-AUG-86 | | | | |
| | | QPL-23492-8(1) | SCALER, NEEDLE TYPE, PNEUMATIC, PORTABLE | A | 5130 | ME | 15-NOV-84 | | | | |
| | | QPL-23549-13 | GREASE, GENERAL PURPOSE | A | 9150 | AS | 11-APR-88 | | | | |
| | | QPL-23586-13 | SEALING COMPOUND, ELECTRICAL, SILICONE RUBBER, ACCELERATOR REQUIRED | A | 8030 | AS | 21-NOV-88 | | | | |
| | | QPL-23595-12 | AMPLIFIER, AUDIO FREQUENCY AM-3597C/A AND AM-4326B/A [VALIDATION DATE: 8509] | A | 5831 | AS | 01-AUG-79 | | | | |
| | | QPL-23622-3 | ACTUATOR, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT | A | 1680 | AS | 19-JUL-83 | | | | |
| | | QPL-23648-19 | THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED, GENERAL SPECIFICATION FOR | A | 5905 | EC | 18-MAR-92 | | | | |
| A | | QPL-23653-25 | PLASTIC TILES, VIBRATION DAMPING | A | 9330 | SH | 15-JAN-93 | | | | |
| | | QPL-23671-4 | INDICATOR, MSI7264, AIRSPEED & MACH NUMBER, INTEGRALLY LIGHTED, PITOT STATIC, 80 TO 850 KNOTS | A | 6610 | AS | 30-JAN-91 | | | | |
| | | QPL-23699-14 | LUBRICATING OIL, AIRCRAFT TURBINE ENGINES, SYNTHETIC BASE | A | 9150 | AS | 20-MAR-92 | | | | |
| | | QPL-23750 NOTICE 1 | RATE GYRO FOR AN/APQ-59, AN/APQ-72, AN/APQ-100, AN/APQ-109, AND AN/APQ-120 RADAR SETS | A | 1430 | AS | 17-MAR-83 | | | | |
| | | QPL-23761-15 | REGULATORS, VOLTAGE AND CONTROL PANELS, AIRCRAFT DIRECT CURRENT GENERATOR, GENERAL SPECIFICATION FOR | A | 6110 | AS | 22-NOV-85 | | | | |
| A | | QPL-23765-39 | ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, GENERAL SPECIFICATION FOR | A | 3439 | SH | 12-FEB-93 | | | | |
| | | QPL-23827-21(1) | GREASE, AIRCRAFT AND INSTRUMENT, GEAR AND ACTUATOR SCREW | A | 9150 | AS | 26-JUN-90 | | | | |
| | | QPL-23830-16 | INDICATOR, MULTI-VOLTAGE, MULTI-FREQUENCY AND POLARITY, HAND, PORTABLE | A | 6625 | SH | 20-DEC-91 | | | | |
| | | QPL-23864-1 | RADAR TRANSPONDER AN/DPN-77(*) [VALIDATION DATE: 8107] | A | 5895 | AS | 30-MAR-73 | | | | |
| A | | QPL-23886-27 | LIQUID LEVEL INDICATING EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE) | A | 6680 | SH | 28-AUG-92 | | | | |
| | | QPL-23899-9 | AURAL PROTECTOR, SOUND | A | 4240 | AS | 03-MAR-86 | | | | |
| | | QPL-23953-9 | VALVE, COMBINED VENT CHECK FOR SUBMARINE MBT BLOW LINES | A | 4820 | SH | 07-AUG-84 | | | | |
| | | QPL-23964-21 | BOLT, SELF-RETAINING, POSITIVE LOCK | A | 5306 | AS | 01-AUG-89 | | | | |
| | | QPL-24021-17 | ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT | A | 6115 | AS | 08-SEP-91 | | | | |
| A | | QPL-24041-18 | MOLDING AND POTTING COMPOUND, CHEMICALLY CURED, POLYURETHANE | A | 9320 | SH | 08-MAR-93 | | | | |
| | | QPL-24092-35 | INSULATING VARNISHES AND SOLVENTLESS RESINS FOR APPLICATION BY THE DIP PROCESS | A | 5970 | SH | 01-MAR-91 | | | | |
| | | QPL-24095-7 | BATTERY CHARGER, AUTOMATIC, PORTABLE, RECTIFIER TYPE | A | 6130 | SH | 06-MAY-86 | | | | |
| | | QPL-24105 NOTICE 1 | CONVERTER, SYNCHRO SIGNAL (PANEL MOUNTED) [VALIDATION DATE: 8204] | A | 6125 | SH | 09-MAY-68 | | | | |
| | | QPL-24109-8 | VALVES, GLOBE, ANGLE, QUICK CHANGE CARTRIDGE TRIM, HIGH PRESSURE (H.P.) HYDRAULIC AND PNEUMATIC (SIZES 1/8 - 1-1/4 INCHES) | A | 4820 | SH | 26-MAR-90 | | | | |
| A | | QPL-24131-9 | LUBRICANT, COLLOIDAL GRAPHITE IN ISOPROPANOL | A | 9150 | SH | 08-OCT-92 | | | | |
| A | | QPL-24135-28 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, AND END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR | A | 4720 | SH | 28-SEP-92 | | | | |
| A | | QPL-24136-27 | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, AND END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR | A | 4730 | SH | 20-JUL-92 | | | | |
| | | QPL-24139-17 | GREASE, MULTIPURPOSE, WATER RESISTANT | A | 9150 | SH | 15-APR-91 | | | | |
| | | QPL-24144-4 | INDICATOR, FROST POINT DEW POINT, SELF COOLING, SEMI PORTABLE | A | 6685 | SH | 27-APR-88 | | | | |
| | | QPL-24176-25 | CEMENT, EPOXY, METAL REPAIR AND HULL SMOOTHING (METRIC) | A | 8030 | SH | 08-AUG-91 | | | | |
| | | QPL-24179-21 | ADHESIVE, FLEXIBLE UNICELLULAR-PLASTIC THERMAL INSULATION | A | 8040 | SH | 03-SEP-91 | | | | |
| | | QPL-24187-14 | SWITCH ASSEMBLIES, LINEAR MOVEMENT MANUAL AND REMOTE OPERATION, GENERAL SPECIFICATION FOR | A | 5930 | SH | 09-OCT-91 | | | | |
| | | QPL-24200-14 | BATTERY CELLS & ELEMENTS, LEAD-ACID, LEAD-ANTIMONY, MAIN STORAGE, SUBMARINE, GENERAL SPECIFICATION FOR (METRIC) | A | 6140 | SH | 06-MAY-86 | | | | |
| | | QPL-24204-9 | INSULATION, ELECTRICAL, HIGH TEMPERATURE, BONDED, SYNTHETIC FIBER PAPER | A | 5970 | SH | 09-JAN-91 | | | | |
| A | | QPL-24212-22 | PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) | A | 6685 | SH | 30-JUL-92 | | | | |
| | | QPL-24236-18 | SWITCHES, THERMOSTATIC, (METALLIC AND BIMETALLIC) GENERAL SPECIFICATION FOR | A | 5930 | EC | 29-APR-88 | | | | |
| | | QPL-24247-17 | LIFE PRESERVER, VEST TYPE, U.S. NAVY, MARK I | A | 4220 | SH | 16-MAY-91 | | | | |
| | | QPL-24249-4 | PLASTIC MATERIAL, CELLULAR POLYURETHANE, RIGID, VOID FILLER, FOAM-IN-PLACE, LARGE SCALE AND INSTALLATION OF | A | 9330 | SH | 19-APR-90 | | | | |
| A | | QPL-24304-12 | DIFFERENTIAL PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE) | A | 6685 | SH | 27-APR-92 | | | | |
| N | | QPL-24308-78 | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR | A | 5935 | EC | 27-APR-93 | | | | |
| | | QPL-24317-10 | SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED AND NON-ILLUMINATED), GENERAL SPECIFICATION FOR | A | 5930 | EC | 17-JUL-91 | | | | |
| A | | QPL-24340-12 | SEALING COMPOUND, DECK POLYURETHANE (POLYETHER BASE) | A | 8030 | SH | 26-FEB-93 | | | | |
| | | QPL-24350-4 | MONITOR, REVERSE POWER, ELECTRICAL POWER (NAVAL SHIPBOARD USE) | A | 5925 | SH | 09-AUG-88 | | | | |
| | | QPL-24355-4 | ELECTRODE, WELDING, BARE, SOLID, NICKEL MANGANESE,CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY-130 WELDMENTS FOR AS WELDED APPLICATIONS | A | 3439 | SH | 14-MAR-78 | | | | |
| | | QPL-24356-15 | COUPLINGS, SEGMENTED, & SPLIT CLAMPS REATTACHABLE, 2-1/2-, 4-, 6- & 7-INCH, FOR REFUELING AT SEA HOSE | A | 4730 | SH | 31-MAY-88 | | | | |
| A | | QPL-24368-18 | CONNECTOR ASSEMBLIES, PLUGS AND RECEPTACLES, ELECTRIC, POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR | A | 5935 | SH | 28-SEP-92 | | | | |
| A | | QPL-24385-26 | FIRE EXTINGUISHING AGENT, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE, FOR FRESH AND SEA WATER | A | 4210 | SH | 13-NOV-92 | | | | |
| | | QPL-24387-15 | TEMPERATURE MEASUREMENT EQUIPMENT SIGNAL CONDITIONER AND POWER SUPPLY (ELECTRICAL) (NAVAL SHIPBOARD USE) | A | 6685 | SH | 20-FEB-90 | | | | |
| | | QPL-24388-15 | THERMOCOUPLE & RESISTANCE TEMPERATURE ELEMENTS ASSEMBLIES, GENERAL SPECIFICATION FOR (NAVAL SHIPBOARD USE) | A | 6685 | SH | 23-JUL-90 | | | | |

| Action | QPL / QML Coordination Indicator | Document Number | Document Title | Disc. Govt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| A | | QPL-24391-13 | INSULATION TAPE, ELECTRICAL, PLASTIC, PRESSURE-SENSITIVE | A 5970 | SH 08-OCT-92 | | | | |
| A | | QPL-24402-32 | FILTERS (HYDRAULIC), FILTER ELEMENTS (HIGH EFFICIENCY), AND FILTER DIFFERENTIAL PRESSURE INDICATORS | A 4330 | SH 26-FEB-93 | | | | |
| A | | QPL-24403-20 | ELECTRODES-WELDING, FLUX CORED, GENERAL SPECIFICATION FOR | A 3439 | SH 12-FEB-93 | | | | |
| A | | QPL-24439-10 | VALVES, OXYGEN, HELIUM AND HELIUM OXYGEN MIXTURE, HIGH PRESSURE FOR GAS SERVICES | A 4820 | SH 27-JUL-92 | | | | |
| A | | QPL-24441-30 | PAINT, EPOXY-POLYAMIDE, GENERAL SPECIFICATION FOR | A 8010 | SH 12-FEB-93 | | | | |
| | | QPL-24453-11 | INHIBITOR, CORROSION, SOLUBLE OIL | A 6850 | SH 11-FEB-91 | | | | |
| A | | QPL-24456-15 | ADHESIVE FOR PLASTIC VIBRATION-DAMPING TILES | A 8040 | SH 30-SEP-92 | | | | |
| A | | QPL-24483-27 | DECK COVERING, SPRAY-ON, NONSLIP | A 5610 | SH 21-AUG-92 | | | | |
| | | QPL-24489-6 | LIFEBOAT, INFLATABLE MARK 6, 25 PERSON CAPACITY | A 1940 | SH 25-APR-86 | | | | |
| | | QPL-24508-10 | GREASE, HIGH PERFORMANCE, MULTI-PURPOSE | A 9150 | SH 08-MAR-90 | | | | |
| | | QPL-24517-4 | VALVE, STEAM PRESSURE REDUCING, QUIET DESIGN | A 4820 | SH 07-JAN-88 | | | | |
| A | | QPL-24519-26 | MOLDING PLASTICS, ELECTRICAL, THERMOPLASTIC | A 5970 | SH 26-FEB-93 | | | | |
| | | QPL-24552-7 | TERMINAL AND PLUGS, CASUALTY POWER SYSTEMS, RECEPTACLE TYPE, GENERAL SPECIFICATION FOR | A 5940 | SH 23-AUG-91 | | | | |
| | | QPL-24572-13 | EXTINGUISHER, FIRE, BROMOTRIFLUOROMETHANE (HALON 1301) SYSTEMS (FIXED, PIPE, PNEUMATICALLY ACTUATED, NAVAL SHIPBOARD USE) | A 4210 | SH 25-MAR-91 | | | | |
| | | QPL-24574-5 | LUBRICATING FLUID FOR LOW AND HIGH PRESSURE OXIDIZING GAS SYSTEMS | A 9150 | SH 06-MAY-85 | | | | |
| A | | QPL-24577-9 | DISTILLER SCALE PREVENTIVE TREATMENT FORMULATIONS (METRIC) | A 4620 | SH 27-JUL-92 | | | | |
| A | | QPL-24596-8 | COATING COMPOUNDS, NONFLAMING, FIRE PROTECTIVE (METRIC) | A 8010 | SH 06-NOV-92 | | | | |
| A | | QPL-24613-17 | DECK COVERING MATERIALS, INTERIOR, COSMETIC POLYMERIC | A 5610 | SH 04-NOV-92 | | | | |
| A | | QPL-24624-11 | VALVES, BUTTERFLY, WAFER AND LUG STYLE, SHIPBOARD SERVICE | A 4820 | SH 10-FEB-93 | | | | |
| A | | QPL-24630-1 | VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID | A 4820 | SH 16-SEP-91 | | | | |
| A | | QPL-24635-6 | ENAMEL, SILICONE ALKYD COPOLYMER (METRIC) | A 8010 | SH 05-JUN-92 | | | | |
| A | | QPL-24640-17 | CABLE, ELECTRICAL, LIGHTWEIGHT, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR | A 6145 | SH 26-OCT-92 | | | | |
| A | | QPL-24643-16 | CABLE AND CORD, ELECTRICAL, LOW SMOKE, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR | A 6145 | SH 19-OCT-92 | | | | |
| A | | QPL-24647-1 | PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL | A 8010 | SH 12-JUN-92 | | | | |
| | | QPL-24648-3 | PRIMER COATING, ZINC DUST PIGMENTED FOR EXTERIOR STEEL SURFACES (METRIC) | A 8010 | SH 20-NOV-91 | | | | |
| A | | QPL-24655-3 | PAINT, UNDERWATER HULL, ANTICORROSION (METRIC) | A 8010 | SH 28-SEP-92 | | | | |
| | | QPL-24659 NOTICE 1 | GUAGE, DIFFERENTIAL, DIAL INDICATING | A 6685 | SH 20-MAR-87 | | | | |
| A | | QPL-24667-11 | COATING SYSTEM, NONSKID, FOR ROLL OR SPRAY APPLICATION (METRIC) | A 8010 | SH 27-AUG-92 | | | | |
| A | | QPL-24682-2 | ADDITIVE, FUEL OIL STABILIZER | A 6850 | SH 04-MAY-92 | | | | |
| A | | QPL-24702-3 | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE, GENERAL SPECIFICATION FOR (METRIC) | A 4330 | SH 26-OCT-92 | | | | |
| | | QPL-25013-25 | GREASE, AIRCRAFT, BALL AND ROLLER BEARING, NATO CODE NUMBER G-372, METRIC | A 9150 | AS 10-APR-91 | | | | |
| | | QPL-25017-16 | INHIBITOR, CORROSION/LUBRICITY IMPROVER, FUEL SOLUBLE (METRIC) | A 6850 | 11 06-SEP-89 | | | | |
| | | QPL-25023-19(1) | VALVE, FUEL DRAIN, SELF-LOCKING | A 2915 | 82 30-JUL-82 | | | | |
| | | QPL-25027-14(3) | NUT, SELF LOCKING, 250 DEG. F, 450 DEG. F, AND 800 DEG. F | A 5310 | AS 28-SEP-88 | | | | |
| A | | QPL-25038-23 | WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, GENERAL SPECIFICATION FOR | A 6145 | AS 15-SEP-92 | | | | |
| | | QPL-25049-9(1) | KNOB, CONTROL, EQUIPMENT, AIRCRAFT (VALIDATION DATE: 8311) | A 5355 | AS 01-JUL-69 | | | | |
| | | QPL-25130-16 | INDICATOR, PRESSURE, OIL, 0-300 PSI, TYPE MO-1 | A 6620 | AS 30-JAN-91 | | | | |
| | | QPL-25134-20 | REMOVER, PAINT, AND LAQUER, SOLVENT TYPE | A 8010 | 84 03-MAY-88 | | | | |
| | | QPL-25135-15(1) | INSPECTION MATERIALS, PENETRANT | A 6850 | 11 10-JUL-87 | | | | |
| | | QPL-25161-20 | NOZZLE, AERIAL REFUELING, TYPE MA-2 | A 1680 | 82 30-MAY-89 | | | | |
| A | | QPL-25162-13 | COUPLING, RECEPTION, FLIGHT PRESSURE REFUELING TYPE MA-2 | A 1680 | AS 30-DEC-92 | | | | |
| | | QPL-25374-5 | PLASTIC SHEET, ACRYLIC, MODIFIED, LAMINATED | A 9330 | AS 24-JAN-84 | | | | |
| | | QPL-25427-18 | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK-DISCONNECT | A 4730 | AS 25-JUN-84 | | | | |
| | | QPL-25438-16 | INDICATOR, PRESSURE, TYPE MD-2 | A 6620 | 71 30-MAR-92 | | | | |
| | | QPL-25446-10 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE | A 6685 | 82 21-NOV-86 | | | | |
| | | QPL-25463-30(1) | ADHESIVE, FILM FORM, METALLIC STRUCTURAL, SANDWICH CONSTRUCTION | A 8040 | AS 05-OCT-87 | | | | |
| A | | QPL-25469-9 | VALVES, FILLER, LIQUID OXYGEN, AIRCRAFT TYPE | A 4820 | 71 19-MAR-93 | | | | |
| | | QPL-25482-14 | INDICATOR, THRUST, SYNCHRO STYLE, PRESSURE RATIO SENSITIVE, 1.1-3.4 UNITS, 2 INCH SIZE, TYPE MR-2 | A 6620 | 71 29-FEB-92 | | | | |
| | | QPL-25516-10 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENTAL RESISTANT TYPE | A 5935 | 85 21-FEB-90 | | | | |
| | | QPL-25531-16 | COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW PRESSURE | A 4730 | 82 11-OCT-85 | | | | |
| | | QPL-25537-18 | GREASE, AIRCRAFT, HELICUPTER OSCILLATING BEARING, NATO CODE NUMBER G-36 6, METRIC | A 9150 | AS 06-MAR-90 | | | | |
| | | QPL-25579-20 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE | A 4720 | 82 17-AUG-90 | | | | |
| | | QPL-25597-19 | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH, TYPE MD-1 | A 6615 | 71 14-FEB-91 | | | | |
| A | | QPL-25623-24 | INDICATOR, ELECTRICAL TACHOMETER, AIRCRAFT TURBO SPEED 0-110 PERCENT RPM, 2-INCH SIZE, TYPE MU-1 | A 6620 | 71 30-JUL-92 | | | | |
| | | QPL-25624-27 | TRANSMITTER, PRESSURE TRU-80/A, OIL, ENGINE-MOUNTED, 0-100 PSI | A 6620 | 71 29-FEB-92 | | | | |
| | | QPL-25627-16 | TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OF SIDESLIP | A 6610 | 71 17-JAN-92 | | | | |
| | | QPL-25670-9 | EARPHONE ELEMENTS REVIEWER: 80 | A 5965 | 85 22-APR-92 | | | | |
| | | QPL-25674-12 | CONVERTER, LIQUID, OXYGEN, TYPE ME-3 | A 1660 | 71 06-DEC-91 | | | | |
| | | QPL-25675-17 | VALVES, CHECK, MINIATURE, HYDRAULIC, AIRCRAFT AND MISSILE | A 4820 | 71 14-FEB-92 | | | | |
| | | QPL-25676-10 | ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT | A 4730 | 82 14-JUN-84 | | | | |
| | | QPL-25677-8 | NOZZLE, PRESSURE LUBRICATING OIL SERVICING, LOCKING | A 4930 | 82 12-APR-74 | | | | |
| W | | QPL-25690-13(5) | PLASTIC, SHEETS AND FORMED PARTS, MODIFIED ACRYLIC BASE, MONOLITHIC, CRACK PROPAGATION RESISTANT | A 9330 | AS 11-FEB-93 | | | | |
| | | QPL-25708-7 | ANTENNA, BLADE, L-BAND GENERAL SPECIFICATION FOR | A 5985 | 85 22-AUG-89 | | | | |
| | | QPL-25716-10 | PARACHUTE SYSTEM, HEAVY DUTY, GENERAL SPECIFICATION FOR | A MUDR | 79 01-OCT-84 | | | | |
| 1 | | QPL-25732-16(1) | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, LIMITED SERVICE AT 275 DEG. F (135 DEG. C) | A 5330 | 11 26-MAR-92 | | | | |
| | | QPL-25777-13 | CONVERTER, LIQUID OXYGEN GCU-2A/A | A 1660 | 71 07-AUG-91 | | | | |
| | | QPL-25781-12 | CONVERTER, LIQUID OXYGEN GCU-3/A | A 1660 | 71 07-AUG-91 | | | | |
| | | QPL-25798-3 | LIFE PRESERVER, UNDERARM, CASUALTY, TYPE MB-1 | A 4220 | 82 16-OCT-81 | | | | |
| | | QPL-25861-18 | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI INTEGRALLY LIGHTED | A 6685 | 82 01-JUN-92 | | | | |
| | | QPL-25863-21 | INDICATOR, ELECTRICAL TACHOMETER, 0-110 PERCENT RPM 2-INCH SIZE, INTERNALLY LIGHTED | A 6620 | 71 15-MAR-91 | | | | |
| | | QPL-25867-10 | GAGE, PRESSURE, DIAL INDICATING, PNEUMATIC | A 6685 | 82 30-APR-82 | | | | |
| | | QPL-25879-3 | SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE TYPE SA-521A/A | A 5985 | 85 09-NOV-90 | | | | |
| | | QPL-25896-17 | ADAPTER, PRESSURE FUEL SERVICING, AIRCRAFT, NOMINAL 2 1/2 INCH DIAMETER (VALIDATION DATE: 8505) | A 1560 | 84 12-JUL-84 | | | | |
| | | QPL-25916-17 | REGULATOR, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE-BREATHING, GENERAL SPECIFICATION FOR | A 1660 | 71 26-NOV-90 | | | | |
| | | QPL-25933-9 | ALTIMETER, PRESSURIZED COMPARTMENT AAU-3/A, INTEGRALLY LIGHTED, 0-50,000 FEET, 1-7/8 INCH DIAL | A 6610 | 82 15-AUG-83 | | | | |
| A | | QPL-25950-20 | INDICATOR, PRESSURE, OIL, 0-100 PSI | A 6620 | 71 30-JUN-92 | | | | |
| A | I | QPL-25955-4 | CONNECTORS, ELECTRICAL, ENVIRONMENTAL RESISTING, MINIATURE, WITH SNAP-IN CONTACTS | A 5935 | 85 26-AUG-92 | | | | |
| | | QPL-25959-15 | TIE DOWNS, CARGO, AIRCRAFT | A 1670 | 82 15-MAY-84 | | | | |
| | | QPL-25961-17 | VALVE, FILL-BUILDUP-VENT, LIQUID OXYGEN CONVERTER, CRU-50/A | A 4820 | 71 20-MAR-92 | | | | |
| | | QPL-25962-12 | VALVES, LIQUID OXYGEN DRAIN | A 4820 | 71 31-JAN-91 | | | | |
| | | QPL-25973-13 | CONVERTER, LIQUID OXYGEN, GCU-12A/A | A 1660 | 71 06-DEC-91 | | | | |
| | | QPL-25974-5 | CONVERTER, LIQUID OXYGEN GCU-10/A | A 1660 | 71 27-JAN-91 | | | | |
| | | QPL-26026-7 | BATTERY, STORAGE, AIRCRAFT, TYPE MA-2 | A 6140 | 80 16-JAN-87 | | | | |
| | | QPL-26058-10 | CARTRIDGE, GAS PURIFIER, EXTREMELY LOW DEWPOINT, TYPE MA-2 | A 4440 | 84 13-MAR-87 | | | | |
| | | QPL-26202-7 | LIGHT, MARKER, AIRPORT, SEMIFLUSH, GENERAL SPECIFICATION FOR | A 6210 | 82 31-AUG-87 | | | | |
| | | QPL-26220-20(1) | BATTERIES, STORAGE, AIRCRAFT, NICKEL-CADMIUM, GENERAL SPECIFICATIONS FOR | A 6140 | 80 16-NOV-84 | | | | |

| Action | QPL / QML Cross-Reference Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | QPL-26301-7 | FLASHER, AIRCRAFT NAVIGATIONAL LIGHT REVIEWER: 80 | A 5945 | 85 12-JUN-91 | | | | |
| | | QPL-26380-8 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-5/A | A 6680 | 82 17-FEB-89 | | | | |
| | | QPL-26382-9 | INDICATOR SET, LIQUID OXYGEN QUANTITY A/A24J-4 | A 6680 | 82 30-DEC-83 | | | | |
| A | | QPL-26482-59 | CONNECTOR, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR | A 5935 | CR 15-MAR-93 | | | | |
| | | QPL-26499-4 | HOSE ASSEMBLY, METAL, FLEXIBLE, BREATHING OXYGEN | A 4720 | 82 10-APR-89 | | | | |
| A | | QPL-26500-47 | CONNECTORS, GENERAL PURPOSE, ELECTRICAL, MINIATURE, CIRCULAR, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR | A 5935 | 85 13-APR-93 | | | | |
| | | QPL-26517-8 | POWER SUPPLY, TRANSFORMER-RECTIFIER, AIRCRAFT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8304) | A 6130 | 80 25-AUG-78 | | | | |
| | | QPL-26518-8 | CONNECTORS, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTING, 200 DEGREE C AMBIENT TEMPERATURE | A 5935 | ES 18-DEC-90 | | | | |
| | | QPL-26542-5 | MICROPHONE, DYNAMIC | A 5965 | 85 22-APR-92 | | | | |
| | | QPL-26547-7 | STARTER-GENERATOR, ENGINE STU-6/A | A 2925 | 82 27-MAY-83 | | | | |
| | | QPL-26549-7(1) | DESCALING COMPOUND, ALKALINE, HOT SECTION JET ENGINE PARTS | A 6850 | 82 29-AUG-85 | | | | |
| M | | QPL-26611-25 | GENERATOR, TACHOMETER GEU-7/A, MINIATURE | A 6620 | 71 07-MAY-93 | | | | |
| | | QPL-26626-19 | HOSE ASSEMBLY NON-METALLIC TETRAFLUOROETHYLENE, OXYGEN | A 4720 | 71 31-JAN-92 | | | | |
| | | QPL-26633-13 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE OXYGEN | A 1730 | 82 14-OCT-85 | | | | |
| | | QPL-27188-14 | INDICATOR, PRESSURE EGU-2/A, OIL 0-100 PSI | A 6620 | 71 29-FEB-92 | | | | |
| | | QPL-27189-19 | INDICATOR, PRESSURE OIL | A 6620 | 71 30-MAR-92 | | | | |
| | | QPL-27190-7 | INDICATOR, PRESSURE AGU-3/A, HYDRAULIC, 0-4,000 PSI | A 6685 | 82 31-DEC-87 | | | | |
| | | QPL-27191-16 | INDICATOR, POSITION, VARIABLE NOZZLE | A 6620 | 71 29-FEB-92 | | | | |
| | | QPL-27193-16 | INDICATOR, ATTITUDE ARU-28/A | A 6610 | 71 04-MAR-91 | | | | |
| A | | QPL-27[illegible]27-21 | INDICATOR, AIR SPEED, MACH NUMBER AND MAXIMUM ALLOWABLE SPEED | A 6610 | 71 15-AUG-92 | | | | |
| | | QPL-27200-19 | TRANSMITTER, RATE GYROSCOPE TRU-2A/A | A 6615 | 71 11-OCT-91 | | | | |
| | | QPL-27202-19 | INDICATOR, ELECTRICAL TACHOMETER 0-110 PERCENT RPM, 2-INCH SIZE, INTEGRALLY LIGHTED | A 6620 | 71 15-AUG-91 | | | | |
| | | QPL-27203-14 | INDICATOR, POSITION, WING FLAP | A 6610 | 71 08-MAR-91 | | | | |
| | | QPL-27208-38 | RESISTOR, VARIABLE, WIRE WOUND (ADJUSTMENT TYPE) GENERAL SPECIFICATION FOR REVIEWER: 80 | A 5905 | 85 23-AUG-89 | | | | |
| A | | QPL-27209-14 | INDICATOR, TEMPERATURE, THERMOCOUPLE SELF-BALANCING, POTENTIOMETER TYPE | A 6685 | 82 15-NOV-92 | | | | |
| A | | QPL-27260-16(1) | TIE DOWN, CARGO, AIRCRAFT, CGU-1/B | A 1670 | 82 22-FEB-93 | | | | |
| | | QPL-27267-13(2) | HOSE, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE | A 4720 | 82 05-MAR-92 | | | | |
| | | QPL-27272-7(1) | FITTING, TETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, MEDIUM PRESSURE, GENERAL REQUIREMENTS FOR | A 4730 | 82 26-MAR-85 | | | | |
| | | QPL-27287-19 | CAPACITORS, FIXED, PLASTIC DIELECTRIC, DIRECT CURRENT (NON-METALLIC CASES) | A 5910 | 85 19-SEP-90 | | | | |
| | | QPL-27296-10 | VALVE, OXYGEN MASK, COMBINATION INHALATION AND EXHALATION | A 1660 | 82 25-JUL-83 | | | | |
| | | QPL-27336-10 | CONVERTER, LIQUID OXYGEN GCU-17/A | A 1660 | 71 23-FEB-91 | | | | |
| A | | QPL-27535-7 | TRANSFORMER, POWER, ISOLATION, SERIES CIRCUIT AIRPORT LIGHTING, GENERAL SPECIFICATION FOR REVIEWER: 80 | A 5950 | 85 23-NOV-92 | | | | |
| | | QPL-27536-5 | COUPLING, CLAMP, GROOVED, V-BAND | A 5340 | 82 22-FEB-85 | | | | |
| | | QPL-27552-18 | INDICATOR, TEMPERATURE, THERMOCOUPLE EHU-15A/A, POTENTIOMETER TYPE, WHITE LIGHTED | A 6685 | 82 16-APR-91 | | | | |
| | | QPL-27599-9 | CONNECTOR, ELECTRICAL, MINIATURE, QUICK DISCONNECT (FOR WEAPONS SYSTEMS) ESTABLISHED RELIABILITY | A 5935 | 85 20-MAR-91 | | | | |
| | | QPL-27601-4 | HYDRAULIC FLUID, PETROLEUM BASE, HIGH TEMPERATURE, FLIGHT VEHICLE | A 9150 | 11 28-JAN-83 | | | | |
| | | QPL-27617-7 | GREASE, AIRCRAFT, AND INSTRUMENT, FUEL AND OXIDIZER RESISTANT | A 9150 | 11 17-JAN-92 | | | | |
| M | | QPL-27619-17 | INDICATORS, ATTITUDE DIRECTOR | A 6610 | 71 01-JUN-93 | | | | |
| | | QPL-27623-17 | INDICATOR, ATTITUDE, REMOTE STANDBY, 2 INCH | A 661[illegible] | 71 08-MAR-91 | | | | |
| | | QPL-27652-7 | CONVERTER, LIQUID OXYGEN GCU-20/A | A 166[illegible] | 71 09-AUG-91 | | | | |
| | | QPL-27656-10 | FILTER UNIT, FLUID, PRESSURE MXU-408/M, ABSOLUTE 5 MICRON, HYDRAULIC | A 4920 | 84 29-AUG-83 | | | | |
| | | QPL-27680-7 | INDICATOR, ATTITUDE ARU-12/A, REMOTE | A 6610 | AV 20-MAY-82 | | | | |
| | | QPL-27693-2 | GYROSCOPE, DISPLACEMENT SBU-6/A, ROLL AND PITCH (VALIDATION DATE: 8011) | A 6615 | ER 06-MAR-68 | | | | |
| | | QPL-27710-11 | INDICATOR, ATTITUDE, REMOTE | A 6610 | 11 25-FEB-91 | | | | |
| | | QPL-27715-3 | CIRCUIT BREAKER, TRIP FREE, HIGH TEMPERATURE, AIRCRAFT GENERAL SPECIFICATION FOR | A 5925 | 85 20-MAY-88 | | | | |
| | | QPL-27725-6 | COATING, CORROSION PREVENTIVE, FOR AIRCRAFT INTEGRAL FUEL TANKS | A 8030 | 11 30-OCT-89 | | | | |
| | | QPL-27848-15 | INDICATOR, HORIZONTAL SITUATION AQU-4/A | A 6605 | 71 15-MAR-92 | | | | |
| | | QPL-27853-6 | VALVE, FEMALE FILLER, LIQUID NITROGEN MRU-2/L | A 3655 | 68 27-APR-81 | | | | |
| A | | QPL-27882-12 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-37/A | A 6680 | 82 12-AUG-92 | | | | |
| | | QPL-28208-12 | VALVE, DRAIN, HYDROCARBON FUEL SELF LOCKING (THIS QPL APPLIES TO USAF SPEC 28208) | A 2915 | 82 20-JUL-77 | | | | |
| | | QPL-28731-19 | CONNECTOR, ELECTRICAL, RECTANGULAR, REMOVABLE CONTACT, FORMED BLADE, FORK TYPE (FOR RACK AND PANEL AND OTHER APPLICATIONS), GENERAL SPECIFICATION FOR | A 5935 | EC 17-JAN-92 | | | | |
| | | QPL-28748-50 | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE AND CRIMP TYPE CONTACTS, GENERAL SPECIFICATION FOR | A 5935 | EC 21-APR-92 | | | | |
| | | QPL-28750-19 | RELAY, SOLID STATE, GENERAL SPECIFICATION FOR | A 5945 | EC 13-AUG-91 | | | | |
| M | | QPL-28754-33 | CONNECTORS, ELECTRICAL, MODULAR, AND COMPONENT PARTS, GENERAL SPECIFICATION FOR | A 5935 | SH 13-APR-93 | | | | |
| | | QPL-28770-3 | ASSEMBLIES, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATON FOR | A 5998 | SH 24-FEB-92 | | | | |
| A | | QPL-28776-22 | RELAY, HYBRID, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5945 | 85 03-NOV-92 | | | | |
| M | | QPL-28787-64 | MODULES, STANDARD ELECTRONIC, GENERAL SPECIFICATION FOR | A 5963 | SH 16-DEC-92 | | | | |
| | | QPL-28788-5 | SWITCH, AIR AND LIQUID FLOW, SENSING, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8601) | A 5930 | 85 10-MAR-86 | | | | |
| | | QPL-28803-6 | DISPLAY, OPTOELECTRONIC, READOUTS, BACKLIGHTED SEGMENTED | A 6240 | EC 28-DEC-90 | | | | |
| | | QPL-28804-8 | CONNECTOR, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, GENERAL SPECIFICATION FOR | A 5935 | EC 04-DEC-90 | | | | |
| | | QPL-28827-1 NOTICE 1 | SWITCHES, THERMOSTATIC, (VOLATILE LIQUID), HERMETICALLY SEALED GENERAL SPECIFICATION FOR | A 5930 | EC 24-MAR-81 | | | | |
| | | QPL-28830-6 | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, GENERAL SPECIFICATION FOR | A 6145 | EC 20-MAR-87 | | | | |
| | | QPL-28837-5 | MIXER STAGES, RADIO FREQUENCY GENERAL SPECIFICATION FOR | A 5985 | EC 19-MAY-87 | | | | |
| M | | QPL-28840-18 | CONNECTOR, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D, GENERAL SPECIFICATION FOR | A 5935 | EC 27-MAY-93 | | | | |
| | | QPL-28859-6 | CONNECTOR COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, GENERAL SPECIFICATION FOR | A 5935 | SH 15-FEB-92 | | | | |
| A | | QPL-28861-21 | FILTER AND CAPACITOR, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, GENERAL SPECIFICATION FOR | A 59GP | EC 25-FEB-93 | | | | |
| | | QPL-28870-2 | ASSEMBLIES, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR | A 5999 | EC 29-SEP-89 | | | | |
| | | QPL-28875-1 | AMPLIFIER, RADIO FREQUENCY & MICROWAVE, SOLID STATE, GENERAL SPECIFICATION FOR | A 5985 | EC 07-JUL-88 | | | | |
| | | QPL-28876-3 | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG & RECEPTACLE STYLES, MULTIPLE REMOVABLE TERMINI | A 6060 | EC 23-MAR-87 | | | | |
| A | | QPL-29504-4 | TERMINI, FIBER OPTIC CONNECTOR, REMOVABLE, GENERAL SPECIFICATION FOR | A 6060 | EC 29-JUL-92 | | | | |
| | | QPL-29576-1 | CYLINDER, OXYGEN, STEEL, NON-SHATTERABLE, WELDED, 2100 PSI | A 1660 | AS 19-DEC-90 | | | | |
| | | QPL-38026-9 | POWER SUPPLY ECU-23/A (VALIDATION DATE: 8303) | A 6130 | 80 07-SEP-77 | | | | |
| A | | QPL-38121-12 | INDICATOR, PRESURE EGU-9/A | A 6620 | 71 15-AUG-92 | | | | |
| | | QPL-38133-9 | INDICATOR, PRESSURE, OIL | A 6620 | AS 30-JAN-91 | | | | |
| | | QPL-38144-8 | TRANSMITTER, RATE OF FLOW, FUEL | A 6620 | 71 29-FEB-92 | | | | |
| | | QPL-38200-7 | LIFE PRESERVER, UNDERARM, ADULT LPU-5/P | A 4220 | 82 22-APR-83 | | | | |
| | | QPL-38207-7 | CLOCK, AIRCRAFT, MECHANICAL ABU-11/A | A 6645 | 82 05-MAY-78 | | | | |
| | | QPL-38230-10 | TRANSMITTER, PRESSURE TRU-66/A OIL, VARIABLE RELUCTANCE | A 6620 | 71 15-FEB-90 | | | | |

| Action | QPL / QML Coordination Activity | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | QPL-38268-13 | AURAL PROTECTOR, SOUND | A 4240 | 84 02-JUL-85 | | | | |
| | | QPL-38271-10 | CONNECTOR, OXYGEN MASK TO REGULATOR CRU-60/P | A 1660 | 82 24-APR-85 | | | | |
| | | QPL-38334-6 | CORROSION REMOVING COMPOUND, PREPAINT, FOR AIRCRAFT ALUMINUM SURFACES | A 6850 | 11 31-JAN-83 | | | | |
| | | QPL-38359-13 | CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE | A 6145 | 85 12-JUN-92 | | | | |
| M | | QPL-38394-8 | TRANSMITTER, PRESSURE, TRU-81/A, OIL, 0-500 PSI | A 6620 | 71 30-MAY-93 | | | | |
| M | | QPL-38510-94 | MICROCIRCUITS, GENERAL SPECIFICATION FOR | A 5962 | 17 30-APR-93 | | | | |
| | | QPL-38534-14 | CUSTOM HYBRID MICROCIRCUITS, GENERAL REQUIREMENTS FOR | A 5962 | 17 08-APR-92 | | | | |
| | | QPL-38534-11 | CUSTOM HYBRID MICROCIRCUITS GENERAL REQUIREMENTS FOR | A 5962 | 17 10-APR-91 | | | | |
| A | | QPL-38535-2 | MICROCIRCUITS MANUFACTURING, GENERAL REQUIREMENTS FOR | A 5962 | 17 21-AUG-92 | | | | |
| | | QPL-38726-7 | ADAPTER ASSEMBLY, REUSABLE, FLEXIBLE HOSE, LOW PRESSURE | A 4730 | 82 15-DEC-83 | | | | |
| M | | QPL-38999-62 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR | A 5935 | 85 12-APR-93 | | | | |
| | | QPL-39001-38 | CAPACITOR, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | ER 13-JUL-90 | | | | |
| | | QPL-39002-6 | RESISTOR, VARIABLE, WIREWOUND, SEMI-PRECISION, GENERAL SPECIFICATION FOR .. | A 5905 | ER 19-SEP-89 | | | | |
| A | | QPL-39003-78 | CAPACITOR, FIXED, ELECTROLYTIC (SOLID-ELECTROLYTE) TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | EC 29-OCT-92 | | | | |
| | | QPL-39005-53 | RESISTOR, FIXED, WIREWOUND (ACCURATE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | ER 26-DEC-91 | | | | |
| M | | QPL-39006-78 | CAPACITORS, FIXED, ELECTROLYTIC, (NON-SOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | EC 25-FEB-93 | | | | |
| A | | QPL-39007-77 | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | ER 28-DEC-92 | | | | |
| A | | QPL-39008-38 | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | ER 27-NOV-92 | | | | |
| A | | QPL-39009-33 | RESISTOR, FIXED, WIREWOUND (POWER TYPE, CHASSIS MOUNTED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | ER 27-NOV-92 | | | | |
| M | | QPL-39010-34 | COILS, ELECTRICAL, FIXED RADIO FREQUENCY, MOLDED, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5950 | ER 04-MAY-93 | | | | |
| M | | QPL-39012-90 | CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR | A 5935 | CR 25-MAY-93 | | | | |
| A | | QPL-39014-98 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | ER 30-OCT-92 | | | | |
| A | | QPL-39015-56 | RESISTOR, VARIABLE, WIREWOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | ER 28-AUG-92 | | | | |
| M | | QPL-39016-65 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5945 | EC 07-MAY-93 | | | | |
| A | | QPL-39017-66 | RESISTOR, FIXED, FILM (INSULATED) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | ER 08-FEB-93 | | | | |
| A | | QPL-39018-60 | CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | EC 09-DEC-92 | | | | |
| A | | QPL-39019-20 | CIRCUIT BREAKERS, MAGNETIC, LOW POWER, SEALED, TRIP FREE, GENERAL SPECIFICATION FOR | A 5925 | ER 06-NOV-92 | | | | |
| A | | QPL-39022-44 | CAPACITOR, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL OR CERAMIC CASES), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | EC 30-SEP-92 | | | | |
| | | QPL-39023-16 | RESISTOR, VARIABLE, NON-WIREWOUND, PRECISION, GENERAL SPECIFICATION FOR ... | A 5905 | ER 12-FEB-92 | | | | |
| | | QPL-39024-27 | CONNECTOR, ELECTRICAL, JACKS, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR | A 5935 | EC 12-MAR-91 | | | | |
| | | QPL-39027-3 NOTICE 1 | READOUTS, INCANDESCENT TYPE, GENERAL SPECIFICATION FOR \|VALIDATION DATE: 80031 | A 5999 | EC 31-JUL-72 | | | | |
| | | QPL-39029-27 | CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR | A 5935 | AS 15-AUG-91 | | | | |
| A | | QPL-39030-13 | DUMMY LOADS, ELECTRICAL, COAXIAL AND STRIPLINE, GENERAL SPECIFICATION FOR . | A 5985 | EC 17-DEC-92 | | | | |
| A | | QPL-39035-63 | RESISTOR, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | 85 04-AUG-92 | | | | |
| | | QPL-43616-14(1) | CLEANING COMPOUND, AIRCRAFT SURFACE | A 6850 | AS 30-OCT-90 | | | | |
| A | | QPL-45005-13(2) | SEAL, PLAIN AND SEAL, PLAIN, ENCASED: FLUID, RADIAL, SINGLE AND MULTIPLE LIP SEALING MEMBER, SPRING LOADED | A 5330 | AT 17-FEB-93 | | | | |
| | | QPL-45328-10 | PUMP, FUEL, ELECTRICAL, 24 VOLTS, D. C. | A 2910 | AT 03-APR-85 | | | | |
| | | QPL-45334-6(1) | COMPRESSORS, RECIPROCATING, POWER-DRIVEN, AIR AND WATER COOLED 7 1/4, 12 AND 24 CFM,COMPRESSORS, ROTATING, POWER-DRIVEN, AIR AND WATER COOLED, 9 AND 12 CRM GOVERNOR ASSEMBLY-AIR BRAKE, ETC. | A 2530 | AT 28-MAR-84 | | | | |
| | | QPL-45337-6 | SPOTLIGHT, 24 VOLT DIRECT CURRENT | A 6220 | AT 31-MAY-83 | | | | |
| | | QPL-45359-7 | COIL, STARTING, ENGINE IGNITION WITH FILTER, 24 VOLT DIRECT CURRENT | A 2920 | AT 28-MAR-84 | | | | |
| | | QPL-46000-11 | LUBRICANT SEMI-FLUID (AUTOMATIC WEAPONS) | A 9150 | AR 03-APR-92 | | | | |
| | | QPL-46003-10 | GREASE, RIFLE | A 9150 | AR 02-MAR-92 | | | | |
| | | QPL-46010-8 | LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING | A 9150 | ME 26-JAN-83 | | | | |
| M | | QPL-46058-67 | INSULATING COMPOUND, ELECTRICAL (FOR COATING PRINTED CIRCUIT ASSEMBLIES), GENERAL SPECIFICATION FOR | A 5970 | ER 26-MAR-93 | | | | |
| | | QPL-46081-7 | COATING COMPOUND, THERMAL INSULATING (INTUMESCENT) | A 8010 | SH 29-OCT-90 | | | | |
| A | | QPL-46105-7 | PRIMER COATING, WELD THROUGH, ZINC-RICH | A 8010 | ME 15-DEC-92 | | | | |
| | | QPL-46117-5 | ENAMEL, ALKYD, LUSTRELESS, SOLAR HEAT REFLECTING, OLIVE DRAB | A 8010 | ME 25-OCT-84 | | | | |
| | | QPL-46147-4 NOTICE 2 | LUBRICANT, SOLID FILM: AIR-CURED (CORROSION INHIBITING) | A 9150 | ME 03-DEC-91 | | | | |
| A | | QPL-46150-12 | LUBRICANT, WEAPONS, SEMIFLUID (HIGH LOAD-CARRYING CAPACITY) | A 9150 | AR 16-JUN-92 | | | | |
| A | | QPL-46159-7 | LACQUER, ACRYLIC, LOW REFLECTIVE | A 8010 | ML 31-AUG-92 | | | | |
| | | QPL-46167-9 | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, ARCTIC | A 9150 | ME 26-APR-91 | | | | |
| A | | QPL-46168-25 | COATING, ALIPHATIC POLYURETHANE, CHEMICAL AGENT RESISTANT | A 8010 | ME 02-APR-93 | | | | |
| | | QPL-46170-7 | HYDRAULIC FLUID, RUST-INHIBITED, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE | A 9150 | ME 06-DEC-91 | | | | |
| | | QPL-46176-5 | BRAKE FLUID, SILICONE, AUTOMOTIVE, ALL WEATHER, OPERATIONAL AND PRESERVATIVE | A 9150 | ME 06-DEC-91 | | | | |
| A | | QPL-46320-30 | POWER SUPPLY, 10516158 (TRANSISTORIZED) | A 1240 | AR 10-JUN-92 | | | | |
| | | QPL-46354-13 | HEADREST, OPTICAL INSTRUMENT | A 1240 | AR 10-APR-92 | | | | |
| | | QPL-46369-28 | CONVERTER-REGULATOR: 10553449 | A 1240 | AR 22-APR-92 | | | | |
| M | | QPL-46374-44 | WATCH, WRIST: GENERAL PURPOSE | A 6645 | AR 19-APR-93 | | | | |
| A | | QPL-46676-9 | EXPLOSIVE, FLEXIBLE | A 1375 | AR 15-JUN-92 | | | | |
| | | QPL-48611-7 | ADHESIVE SYSTEM EPOXY - ELASTOMERIC, FOR GLASS TO METAL | A 8040 | AR 06-MAR-92 | | | | |
| | | QPL-49055-17 | CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR | A 6145 | CR 09-NOV-90 | | | | |
| A | | QPL-49137-27 | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, MOLDED, CONFORMAL COATED AND METAL CASED WITH PLASTIC END FILL, NONHERMETICALLY SEALED, GENERAL SPECIFICATION FOR | A 5910 | ER 25-AUG-92 | | | | |
| | | QPL-49142-9 | CONNECTOR, PLUGS & RECEPTACLES, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR | A 5935 | CR 02-APR-92 | | | | |
| | | QPL-49462-2 | RESISTORS, FIXED, FILM, HIGH VOLTAGE GENERAL SPECIFICATION FOR | A 5905 | ER 30-NOV-89 | | | | |
| A | | QPL-49464-4 | CAPACITORS, CHIP, SINGLE LAYER, FIXED, PARALLEL PLATE, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | ER 30-OCT-92 | | | | |
| M | | QPL-49465-8 | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), (VERY LOW RESISTANCE VALUES), GENERAL SPECIFICATION FOR | A 5905 | ER 04-MAY-93 | | | | |
| | | QPL-50508-8 | MOUNTS, RESILIENT (FOR USE IN AMMUNITION SHIPPING CONTAINERS) | A 8140 | AR 15-APR-92 | | | | |
| M | | QPL-50884-23 | PRINTED WIRING, FLEXIBLE AND RIGID-FLEX, GENERAL SPECIFICATION FOR | A 5998 | 85 10-MAY-93 | | | | |
| | | QPL-51068-4 | FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT | A 4240 | EA 24-JAN-92 | | | | |

| Action | QPL / QML Coordination Inactive Document Number | Document Title | Dist. Symbol FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army Navy Air Force DLA |
|---|---|---|---|---|---|
| | QPL-51079-5 | FILTER MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY | A 4240 | EA 24-JAN-92 | |
| | QPL-52043-13 | LACQUER, SEMI&GLOSS, CELLULOSE NITRATE | A 8010 | MR 07-MAY-87 | |
| | QPL-52079-10 | HOSE, PREFORMED, SEMI&FLEXIBLE, REINFORCED | A 2940 | AT 09-JAN-84 | |
| | QPL-52108-10 | PAINT, WATER EMULSION TYPE (FOR STENCILING AND OBLITERATING) | A 8010 | ME 11-MAY-90 | |
| A | QPL-52308-15 | FILTER ELEMENT, FLUID PRESSURE | A 4330 | ME 11-MAR-93 | |
| | QPL-52471-6 | HOSE AND HOSE ASSEMBLY, RUBBER, HYDRAULIC, PRESSURE TYPE | A 4720 | AT 13-JAN-88 | |
| | QPL-52525-5 | FITTINGS WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES GENERAL SPECIFICATION FOR | A 4730 | AT 13-JAN-88 | |
| | QPL-52717-1 | COMPRESSOR, HERMETIC, FOR AIR CONDITIONER APPLICATION | A 4130 | ME 12-FEB-82 | |
| A | QPL-52891-14 | ENAMEL, LUSTRELESS, ZINC PHOSPHATE, STYRENATED, ALKYD TYPE | A 8010 | ME 31-AUG-92 | |
| | QPL-53021-5 | STABILIZER ADDITIVE, DIESEL FUEL | A 6850 | ME 28-FEB-92 | |
| | QPL-53022-10 | PRIMER, EPOXY COATING, CORROSION INHIBITING, LEAD AND CHROMATE FREE | A 8010 | ME 26-FEB-92 | |
| A | QPL-53030-5 | PRIMER COATING, EPOXY, WATER REDUCIBLE, LEAD AND CHROMATE FREE | A 8010 | ME 15-DEC-92 | |
| A | QPL-53039-18 | COATING, ALIPHATIC POLYURETHANE, SINGLE COMPONENT, CHEMICAL AGENT RESISTANT | A 8010 | ME 31-AUG-92 | |
| A | QPL-53084-2 | PRIMER, CATHODIC ELECTRODEPOSITION, CHEMICAL AGENT RESISTANT | A 8010 | ME 31-AUG-92 | |
| | QPL-55041 NOTICE 1 | SWITCH, WAVEGUIDE [VALIDATION DATE: 8601] | A 5985 | EC 24-SEP-79 | |
| | QPL-55074-4 | CONNECTOR, PLUG & RECEPTACLE, TELEPHONE, ELECTRICAL, GENERAL SPECIFICATION FOR | A 5935 | CR 31-AUG-89 | |
| M | QPL-55110-36 | PRINTED-WIRING BOARDS | A 5998 | ER 20-APR-93 | |
| A | QPL-55116-8 | CONNECTORS, MINIATURE AUDIO, FIVE-PIN AND SIX-PIN, GENERAL SPECIFICATION FOR | A 5935 | CR 24-FEB-93 | |
| | QPL-55181-11 | CONNECTOR, PLUG AND RECEPTACLE, INTERMEDIATE POWER (ELECTRICAL, WATERPROOF) TYPE MW, GENERAL SPECIFICATION FOR | A 5935 | CR 30-APR-92 | |
| A | QPL-55182-117 | RESISTOR, FIXED, FILM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | ER 05-FEB-93 | |
| A | QPL-55302-72 | CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, GENERAL SPECIFICATION FOR | A 5935 | CR 10-DEC-92 | |
| M | QPL-55310-46 | OSCILLATORS, CRYSTAL CONTROLLED, GENERAL SPECIFICATION FOR | A 5955 | ER 04-MAY-93 | |
| M | QPL-55339-36 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR | A 5935 | CR 25-MAY-93 | |
| M | QPL-55342-55 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | ER 19-MAY-93 | |
| M | QPL-55365-41 | CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | ER 04-MAY-93 | |
| M | QPL-55514-33 | CAPACITORS, FIXED, PLASTIC (OR METALLIZED PLASTIC) DIELECTRIC, DC OR DC-AC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | ER 08-APR-93 | |
| | QPL-55624-5 | PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS GENERAL SPECIFICATION FOR | A 5920 | ER 04-MAY-83 | |
| A | QPL-55629-12 | CIRCUIT BREAKER, MAGNETIC, UNSEALED OR PANEL SEAL, TRIP-FREE, GENERAL SPECIFICATION FOR | A 5925 | ER 06-NOV-92 | |
| M | QPL-55681-88 | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | ER 08-APR-93 | |
| | QPL-60091-2 | ADHESIVE FOR BONDING DEMOLITION CHARGES TO STRUCTURAL SURFACES | A 1375 | AR 12-MAR-92 | |
| | QPL-62028-6 | HOSE AIR DUCT, HIGH TEMPERATURE, FLEXIBLE, REINFORCED | A 2590 | AT 21-JUN-84 | |
| A | QPL-62218-7(1) | CORROSION PREVENTATIVE COMPOUNDS, COLD-APPLICATION (FOR NEW & FIELDED MOTOR VEHICLES AND TRAILERS) | A 8030 | AT 13-NOV-92 | |
| A | QPL-62346-5 | BATTERIES, STORAGE: LEAD ACID (LOW MAINTENANCE) | A 6140 | AT 18-SEP-92 | |
| | QPL-63460-14 | LUBRICANT, CLEANER AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS | A 9150 | AR 20-MAR-92 | |
| | QPL-81002-5 | WIRE ROPE, 1 3/8 INCH DIAMETER, 6 X 30, TYPE G, LANG LAY FLATTENED STRAND, FIBER CORE, HIGH STRENGTH (FOR AIRCRAFT ARRESTING) | A 4010 | AS 20-NOV-85 | |
| | QPL-81014-7 | HOOK, HELICOPTER EXTERNAL CARGO, 20,000 POUND CAPACITY, TYPE C | A 1670 | AS 29-JUL-88 | |
| | QPL-81019-8 | HYDRAULIC FLUID, PETROLEUM BASE, ULTRA-LOW TEMPERATURE | A 9150 | AS 31-MAY-91 | |
| | QPL-81044-10 | WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY, GENERAL SPECIFICATION FOR | A 6145 | AS 04-OCT-91 | |
| | QPL-81087-6 | SILICONE FLUID, CHLORINATED PHENYL METHYL POLYSILOXANE NATO CODE NUMBER H-536 | A 9150 | AS 02-FEB-88 | |
| | QPL-81099-10 | ELECTRIC DEVICES, SIMPLE, GENERAL SPECIFICATION FOR | A 6150 | AS 01-DEC-86 | |
| | QPL-81177-20 | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL, GENERAL SPECIFICATION FOR | A 5320 | AS 25-JAN-89 | |
| | QPL-81219-11 | INDICATOR, ELAPSED TIME, ELECTROCHEMICAL | A 6645 | AS 13-JUN-88 | |
| | QPL-81261-7 | RAIN REPELLENT, GLASS WINDOW AND WINDSHIELDS, FOR IN-FLIGHT APPLICATIONS | A 6850 | AS 02-NOV-83 | |
| A | QPL-81294-24(1) | REMOVER, PAINT, EPOXY, POLYSULFIDE AND POLYURETHANE SYSTEMS | A 8010 | AS 30-DEC-92 | |
| | QPL-81305-5 | POWER, DISTRIBUTION PANEL, ALTERNATING CURRENT, F-4 AIRCRAFT, SPECIFICATION FOR | A 6110 | AS 14-NOV-80 | |
| | QPL-81306-7 | TOOL, FORMING, FOR ADJUSTABLE PLASTIC AND METAL CABLE STRAPS | A 5120 | AS 30-SEP-88 | |
| A | QPL-81309-21 | CORROSION PREVENTIVE COMPOUNDS, WATER DISPLACING, ULTRA THIN FILM | A 8030 | AS 08-JAN-93 | |
| A | QPL-81322-18 | GREASE, AIRCRAFT, GENERAL PURPOSE, WIDE TEMPERATURE RANGE | A 9150 | AS 16-MAR-93 | |
| A | QPL-81346-8 | COMPOUND, DECK COVERING, NONSLIP, LIGHTWEIGHT, FOR ALUMINUM ALLOY LANDING MATS | A 8010 | AS 22-OCT-92 | |
| | QPL-81356-10 | VALVE, FUEL SYSTEM PRESSURIZATION AND VENT | A 2910 | AS 29-DEC-88 | |
| | QPL-81380-5 | MONITOR CONTAMINATION, FUEL DISPENSING SYSTEM | A 4330 | AS 29-AUG-88 | |
| | QPL-81381-9 | WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY, GENERAL SPECIFICATION FOR | A 6145 | AS 30-APR-92 | |
| | QPL-81387-8 | INDICATOR, LIQUID OXYGEN QUANTITY | A 1660 | AS 20-JUL-87 | |
| | QPL-81388-8 | INDICATOR REPEATERS, LIQUID OXYGEN QUANTITY | A 1660 | AS 20-JUL-87 | |
| | QPL-81454-3 | INDICATOR, GYROSCOPE VERTICAL REFERENCE ID-1481/A | A 6610 | AS 30-JAN-91 | |
| | QPL-81511-5 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, GENERAL SPECIFICATION FOR | A 5935 | AS 30-APR-92 | |
| | QPL-81542-19 | LIFE RAFT, INFLATABLE, ONE MAN, TYPE LR-1 | A 4220 | AS 13-JUL-87 | |
| | QPL-81550-4 | INSULATING COMPOUND, ELECTRICAL, EMBEDDING, REVERSION RESISTANT SILICONE | A 5970 | AS 03-FEB-84 | |
| | QPL-81551-3 | SWITCH, TOGGLE, HERMETICALLY SEALED | A 5930 | AS 14-FEB-90 | |
| A | QPL-81552-9 | VALVE, EXHALATION, OXYGEN MASK, PRESSURE COMPENSATING, WITH SAFETY RELIEF | A 1660 | AS 20-JAN-93 | |
| | QPL-81553-18 | REGULATOR, CHEST MOUNTED, 100 PERCENT OXYGEN POSITIVE PRESSURE CRU- 79/P | A 1660 | AS 14-AUG-91 | |
| | QPL-81561-14 | LIFE PRESERVER, INFLATABLE, CEMENTED, AIRCREWMAN, (WITH ARAMID CASING), TYPE LPU-21B/P | A 4220 | AS 13-JUL-87 | |
| | QPL-81574-10 | RESCUE HAND TOOL, PNEUMATIC | A 4240 | AS 20-JUL-87 | |
| | QPL-81581/1-11 | HOSE ASSEMBLIES, AIR, LOW PRESSURE, HIGHLY FLEXIBLE | A 1660 | AS 20-JUL-87 | |
| A | QPL-81581/2-10 | HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE, WITH CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM | A 1660 | AS 20-JAN-93 | |
| | QPL-81581/3-14 | HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE WITHOUT CONNECTIONS FOR COMMUNICATION SYSTEM | A 1660 | AS 20-JUL-87 | |
| | QPL-81581/4-9 | HOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE, WITH/WITHOUT CONNECTIONS FOR INTERGRATED COMMUNICATION SYSTEM | A 1660 | AS 20-JUL-87 | |
| | QPL-81581/5-8 | HOSE ASSEMBLY, BREATHING OXYGEN, LOW PRESSURE CONNECTOR TO REGULAR | A 1660 | AS 20-JUL-87 | |
| | QPL-81581/6-8 | HOSE ASSEMBLY, BREATHING, OXYGEN AND AIR, HOSE KITS AND MATED ASSEMBLIES | A 1660 | AS 20-JUL-87 | |
| | QPL-81581/7-8 | HOSE ASSEMBLY, COMBINED ASSEMBLIES, HOSE AND COMMUNICATION CABLE | A 1660 | AS 20-JUL-87 | |
| | QPL-81581/8-10 | HOSE ASSEMBLIES, CABLE ASSEMBLIES, COMMUNICATIONS, ASSOCIATED | A 1660 | AS 20-JUL-87 | |
| | QPL-81582-2 | CONECTORS, ELECTRIC, BAYONNET COUPLING, RFI SHIELDED, UMBILICAL | A 5935 | AS 05-FEB-88 | |
| | QPL-81582/1-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED, UMBILICAL [VALIDATION DATE: 8509] | A 5935 | AS 27-FEB-70 | |
| | QPL-81582/2-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED, UMBILICAL [VALIDATION DATE: 8207] | A 5935 | AS 27-FEB-70 | |

| Action | QPL / QML Configuration Indicator | Document Number | Document Title | Doc. Sheet, FSC / Area, NICA Symbol, Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | QPL-81582/4-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED, UMBILICAL [VALIDATION DATE: 8509] | A 5935 | AS 27-FEB-70 | | | | |
| | | QPL-81582/5-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED AND NON SHIELDED, UMBILICAL [VALIDATION DATE: 8509] | A 5935 | AS 12-AUG-70 | | | | |
| | | QPL-81582/6-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED AND NON SHIELDED, UMBILICAL [VALIDATION DATE: 8207] | A 5935 | AS 12-AUG-70 | | | | |
| | | QPL-81582/7-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED AND NON SHIELDED, UMBILICAL [VALIDATION DATE: 8509] | A 5935 | AS 12-AUG-70 | | | | |
| | | QPL-81655-4 | PITOT STATIC TUBE, L-SHAPED COMPENSATED GENERAL SPECIFICATION FOR [VALIDATION DATE: 8509] | A 6610 | AS 20-MAY-79 | | | | |
| | | QPL-81659-10 | CONNECTOR, ELECTRICAL, RECTANGULAR CRIMP CONTACTS, GENERAL SPECIFICATION FOR | A 5935 | AS 30-OCT-91 | | | | |
| | | QPL-81703-6 | CONNECTOR, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR | A 5935 | AS 04-OCT-91 | | | | |
| A | | QPL-81705-12 | BARRIER MATERIALS, FLEXIBLE, ELECTROSTATIC PROTECTIVE, HEAT-SEALABLE | A 8135 | AS 05-APR-93 | | | | |
| A | | QPL-81706-15 | CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS | A MFFP | AS 31-AUG-92 | | | | |
| | | QPL-81714-6 | TERMINAL JUNCTION SYSTEM (TJS), ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR | A 5940 | AS 30-APR-92 | | | | |
| | | QPL-81722-12 | VALVE, INFLATION, LIFE RAFT, FLU-6/P | A 4220 | AS 05-OCT-87 | | | | |
| | | QPL-81733-8 | SEALING AND COATING COMPOUND, CORROSION INHIBITIVE | A 8030 | AS 16-JAN-92 | | | | |
| | | QPL-81757-15 | BATTERIES AND CELLS, STORAGE NICKEL-CADMIUM, AIRCRAFT, GENERAL SPECIFICATION FOR | A 6140 | AS 30-JUN-86 | | | | |
| | | QPL-81787-11 | LIFE PRESERVERS, INFLATABLE, UTILITY, TYPE LPP-1A | A 4220 | AS 13-JUL-87 | | | | |
| | | QPL-81790-5 | CONNECTORS, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, GENERAL SPECIFICATION FOR | A 5935 | AS 31-MAR-92 | | | | |
| | | QPL-81820-25 | BEARINGS, PLAIN, SELF ALIGNING, SELF LUBRICATING, LOW SPEED OSCILLATION | A 3120 | AS 02-MAY-90 | | | | |
| | | QPL-81824-2 | SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT | A 5940 | AS 31-JAN-86 | | | | |
| | | QPL-81827-10 | GREASE, AIRCRAFT, HIGH LOAD CAPACITY, WIDE TEMPERATURE RANGE | A 9150 | AS 10-MAY-91 | | | | |
| | | QPL-81830-6 | GROUT MATERIAL, RAPID SETTING | A 5610 | AS 30-APR-88 | | | | |
| | | QPL-81836-6 | FILTER AND DISPOSABLE ELEMENT, FLUID PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE | A 4920 | AS 06-MAY-92 | | | | |
| | | QPL-81851-6 | ALTIMETER AAU-31/A | A 6610 | AS 30-JAN-91 | | | | |
| | | QPL-81852-7 | ALTIMETER ENCODER AAU-32/A | A 6610 | AS 30-JAN-91 | | | | |
| | | QPL-81903-12 | REMOVER, ACID ACTIVATED, FOR AMINE-CURED EPOXY COATING SYSTEMS | A 8010 | AS 21-APR-92 | | | | |
| | | QPL-81904-5 | COATING COMPOUND, THERMAL INSULATION, ABLATIVE | A 8010 | AS 11-JUN-90 | | | | |
| | | QPL-81905-6 | ANTI-G GARMENT, CUTAWAY, ARAMID, CSU-14/P AND CSU-14P AND CSU15P | A 8475 | AS 03-JUN-83 | | | | |
| A | | QPL-81934-11 | BEARINGS, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING | A 3120 | AS 21-DEC-92 | | | | |
| A | | QPL-81935-13 | BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING | A 3120 | AS 14-DEC-92 | | | | |
| | | QPL-81936-8 | BEARINGS, PLAIN, SELF-ALIGNING (BE-CU BALL, CRES RACE), GENERAL SPECIFICATION FOR | A 3120 | AS 25-JUN-86 | | | | |
| | | QPL-81937-5 | GREASE, INSTRUMENT, ULTRA CLEAN | A 9150 | AS 08-MAR-91 | | | | |
| A | | QPL-81940-11 | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS | A 1650 | AS 25-JUL-92 | | | | |
| | | QPL-81945-6 | COATING COMPOUND, WEAPON INSULATION INTUMESCENT | A 8010 | AS 03-DEC-90 | | | | |
| | | QPL-81947-3 NOTICE 2 | COATING COMPOUND, THERMAL INSULATION THREE COMPONENT, INTUMESCENT | A 8010 | AS 28-JUN-90 | | | | |
| | | QPL-81956-2 | DETERGENT, EXTERNAL REMOVABLE FUEL TANKS | A 7930 | AS 03-FEB-88 | | | | |
| | | QPL-81969-7 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, GENERAL SPECIFICATION FOR | A 5120 | AS 30-APR-92 | | | | |
| A | | QPL-81975-5 | COUPLING, REGULATED, AERIAL PRESSURE REFUELING, TYPE MA-3 | A 1680 | AS 30-DEC-92 | | | | |
| | | QPL-81991/1-1 | CONVERTER, 4 AMPERE, DC TO DC, BOOST, CLASS A MULTIPURPOSE [VALIDATION DATE: 8311] | A 6130 | AS 03-MAR-76 | | | | |
| | | QPL-81995-10 | VALVES, STARTER CONTROL, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR | A 2995 | AS 05-SEP-88 | | | | |
| | | QPL-82604-2 | COMPOUND, ASPHALTIC, HIGH MELTING HOT-MELT (CAVITY LINING) [VALIDATION DATE: 8204] | A 8030 | OS 24-JUL-75 | | | | |
| | | QPL-82633-2 | COMPOUND, POLYMERIC ELASTOMER, THERMOSETTING (FOR USE AS BOMB TAIL PAD) [VALIDATION DATE: 8204] | A 8030 | OS 22-JAN-76 | | | | |
| | | QPL-82646-3 | PLASTIC FILM, CONDUCTIVE, HEAT SEALABLE, FLEXIBLE | A 8135 | OS 30-SEP-88 | | | | |
| | | QPL-83034-7 | INDICATOR, HORIZONTAL SITUATION AQU-6/A | A 6610 | 11 27-FEB-91 | | | | |
| | | QPL-83050-13 | BOLT, SELF RETAINING, IMPEDANCE TYPE | A 5306 | 99 12-APR-84 | | | | |
| | | QPL-83054-5 | BAFFLE & INERTING MATERIAL, AIRCRAFT FUEL TANK | A 9330 | 84 27-MAY-88 | | | | |
| | | QPL-83147-8 | HELMET SHELL, FLYING HGU-22/P | A 8475 | 82 09-SEP-83 | | | | |
| | | QPL-83178-9 | REGULATOR, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE-BREATHING, GENERAL SPECIFICATION FOR | A 1660 | 71 07-SEP-90 | | | | |
| | | QPL-83231-6 | COATING, POLYURETHANE, RAIN EROSION RESISTANT FOR EXTERIOR AIRCRAFT AND MISSILE PLASTIC PARTS | A 8010 | 11 05-SEP-89 | | | | |
| | | QPL-83282-13 | HYDRAULIC FLUID, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, AIRCRAFT NATO CODE NUMBER H-537 | A 9150 | AS 11-APR-88 | | | | |
| | | QPL-83286-6 | COATING, URETHANE, ALIPHATIC ISOCYANATE, FOR AEROSPACE APPLICATIONS | A 8010 | 11 09-MAY-86 | | | | |
| | | QPL-83287-13 | INDICATOR, FAULT LOCATING, GENERAL SPECIFICATION FOR | A 6625 | 85 31-MAR-92 | | | | |
| | | QPL-83287/3 | INDICATORS, FAULT LOCATING, GENERAL SPECIFICATION FOR | A 5999 | 85 26-JUL-83 | | | | |
| | | QPL-83296-6 | FITTING, TETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC | A 4730 | 99 15-JUN-91 | | | | |
| | | QPL-83298-7(1) | HOSE, TETRAFLUOROETHYENE, HIGH TEMPERATURE HIGH PRESSURE (3000 PSI), HYDUAULIC AND PNEUMATIC | A 4720 | 82 18-JUN-90 | | | | |
| | | QPL-83315-4 | SEALING COMPOUND, ALUMINUM STRUCTURE, PRESSURE AND WEATHER SEALING, LOW DENSITY | A 8030 | 11 26-MAY-89 | | | | |
| | | QPL-83318-3 | SEALING COMPOUND, LOW TEMPERATURE CURING, QUICK REPAIR, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES | A 8030 | 11 28-FEB-85 | | | | |
| | | QPL-83383-8 | CIRCUIT BREAKER, REMOTE CONTROL, THERMAL, TRIP FREE GENERAL SPECIFICATON FOR | A 5925 | 85 16-MAR-88 | | | | |
| A | | QPL-83401-64 | RESISTOR NETWORKS, FIXED, FILM & RESISTOR-CAPACITOR NETWORKS, FIXED FILM RESISTORS AND CERAMIC CAPACITOR, GENERAL SPECIFICATION FOR | A 5905 | 85 19-MAR-93 | | | | |
| | | QPL-83406-5 | ANTI-G GARMENT, CUTAWAY, CSU-13B/P | A 8475 | 82 31-MAR-92 | | | | |
| | | QPL-83407-4 | RELAYS, REED (MERCURY WETTED) GENERAL SPECIFICATION FOR | A 5945 | 85 06-APR-90 | | | | |
| | | QPL-83411-4 | DEICER/ANTI-ICER FLUID (FOR RUNWAYS AND TAXIWAYS) | A 6850 | 11 31-JAN-83 | | | | |
| | | QPL-83419-7 | ALTIMETER, SERVO CONTROLLED, AUTOMATIC PRESSURE STANDBY | A 6610 | 71 07-SEP-90 | | | | |
| | | QPL-83420-7(6) | WIRE ROPE, FLEXIBLE, FOR AIRCRAFT CONTROL | A 4010 | 82 23-JAN-89 | | | | |
| A | | QPL-83421-41 | CAPACITOR, FIXED, METALLIZED PLASTIC FILM DIELECTRIC (DC, AC, OR DC AND AC) HERMETICALLY SEALED IN METAL OR CERAMIC CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | 85 05-OCT-92 | | | | |
| | | QPL-83430-13 | SEALING COMPOUND, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, INTERMITTENT USE TO 360 DEG. F | A 8030 | 11 24-OCT-90 | | | | |
| | | QPL-83439-13 | CAPACITOR, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, (AC, DC, AND AC-DC), (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR | A 5910 | 85 18-FEB-92 | | | | |
| | | QPL-83445-2 | COATING SYSTEM, POLYURETHANE, NON YELLOWING, WHITE, RAIN EROSION RESISTANT, THERMALLY REFLECTIVE | A 8010 | 11 31-JAN-83 | | | | |
| | | QPL-83446-23 | COILS, RADIO FREQUENCY, CHIP, FIXED OR VARIABLE, GENERAL SPECIFICATION FOR | A 5950 | ER 10-SEP-91 | | | | |
| A | | QPL-83461-6 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C) | A 5330 | 11 15-MAR-93 | | | | |
| | | QPL-83500-4 | CAPACITOR, FIXED, ELECTROLYTIC, (NONSOLID ELECTROYLTE), TANTALUM CATHODE, GENERAL SPECIFICATION FOR | A 5910 | 85 22-OCT-87 | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Doc. Sym. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| M | | QPL-83502-2 | SOCKET, PLUG IN ELECTRONIC COMPONENTS, ROUND STYLE, GENERAL SPECIFICATION FOR | A 5935 | 85 10-MAY-93 | | | | |
| | | QPL-83503-25 | CONNECTOR, ELECTRICAL, FLAT CABLE, AND/OR PRINTED WIRING BOARD, NONENVIRONMENTAL, GENERAL SPECIFICATION FOR | A 5935 | 85 10-MAR-92 | | | | |
| | | QPL-83504-9 | SWITCH, DUAL IN LINE PACKAGE (DIP), GENERAL SPECIFICATION FOR ..... | A 5930 | 85 05-DEC-90 | | | | |
| | | QPL-83505-15 | SOCKET, (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR ..... | A 5935 | 85 07-JUN-91 | | | | |
| | | QPL-83507-8 | TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS AND CONNECTORS AND CABLE ACCESSORIES, GENERAL SPECIFICATION FOR | A 5180 | 85 08-MAY-87 | | | | |
| | | QPL-83511-4 | HEADSET-MICROPHONE AND HEADSET-ELECTRICAL (MEDIUM NOISE ATTENUATION, HEARING PROTECTIVE) | A 5965 | 85 15-JUN-92 | | | | |
| A | | QPL-83513-24 | CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR | A 5935 | 85 13-APR-93 | | | | |
| A | | QPL-83516-8 | RELAY, REED, DRY, GENERAL SPECIFICATION FOR ..... | A 5945 | 85 22-DEC-92 | | | | |
| M | | QPL-83517-8 | CONNECTOR, COAXIAL, RADIO FREQUENCY FOR COAXIAL, STRIP OR MICROSTRIP, TRANSMISSION LINE, GENERAL SPECIFICATION FOR | A 5935 | 85 12-APR-93 | | | | |
| A | | QPL-83519-6 | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR | A 5950 | 85 25-NOV-92 | | | | |
| M | | QPL-83522-7 | CONNECTORS, FIBER OPTIC, SINGLE TERMINUS, GENERAL SPECIFICATION FOR ..... | A 6060 | 85 13-APR-93 | | | | |
| | | QPL-83527-1 | CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR | A 5935 | 85 11-JUN-92 | | | | |
| M | | QPL-83528-23 | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, GENERAL SPECIFICATION FOR | A 5999 | 85 19-MAY-93 | | | | |
| | | QPL-83530 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL-OXIDE) GENERAL SPECIFICATION FOR | A 5905 | 85 21-JUN-91 | | | | |
| | | QPL-83531-2 | DELAY LINES, PASSIVE GENERAL SPECIFICATION FOR ..... | A 5999 | 85 25-AUG-89 | | | | |
| | | QPL-83532-2 | DELAY LINES, ACTIVE GENERAL SPECIFICATION FOR ..... | A 5999 | 85 31-OCT-90 | | | | |
| A | | QPL-83534-1 | HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL, GENERAL SPECIFICATION FOR | A 5965 | 85 22-FEB-93 | | | | |
| A | | QPL-83723-41 | CONNECTOR, ELECTRICAL (CIRCULAR, ENVIRONMENT RESISTING) RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR | A 5935 | 85 19-MAR-93 | | | | |
| | | QPL-83725-9 | RELAYS, VACUUM, GENERAL SPECIFICATION FOR ..... | A 5945 | 85 30-JAN-92 | | | | |
| A | | QPL-83726-10 | RELAYS, HYBRID OR SOLID STATE, TIME DELAY, GENERAL SPECIFICATION FOR ..... | A 5945 | 85 18-SEP-92 | | | | |
| M | | QPL-83731-11 | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE, GENERAL SPECIFICATION FOR REVIEWER: 80 | A 5930 | 85 23-APR-93 | | | | |
| | | QPL-83733-3 | CONNECTOR, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 200 DEGREES C TOTAL CONTINOUS OPERATING TEMPERATURE | A 5935 | 85 15-SEP-89 | | | | |
| | | QPL-83734-24 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPS) GENERAL SPECI FICATION FOR | A 5935 | 85 24-MAY-91 | | | | |
| | | QPL-83739-5 | SWITCH, ANTENNA, RADIO FREQUENCY, SOLID STATE GENERAL SPECIFICATION FOR ... | A 5985 | 85 22-AUG-89 | | | | |
| | | QPL-83769-5 | BATTERY, STORAGE, LEAD ACID, GENERAL SPECIFICATION FOR ..... | A 6140 | AS 04-MAY-85 | | | | |
| | | QPL-83797 NOTICE 1 | HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FUEL AND OIL RESISTANT (VALIDATION DATE: 8306) | A 4720 | 82 27-SEP-74 | | | | |
| | | QPL-83797/1-5 | HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FUEL AND OIL RESISTANT ..... | A 4720 | 82 13-FEB-89 | | | | |
| | | QPL-83798-2(2) | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR | A 4730 | 82 10-AUG-82 | | | | |
| A | | QPL-83860-17 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR | A 1650 | 71 28-AUG-92 | | | | |
| A | | QPL-83861-14 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 AND 15 MICRON ABSOLUTE TYPE II SYSTEMS, GENERAL SPECIFICATION FOR | A 1650 | 71 17-AUG-92 | | | | |
| | | QPL-83866-3 | RECEIVER, OXYGEN MASK, ASSEMBLY OF (VALIDATION DATE: 8205) ..... | A 1660 | 82 10-FEB-82 | | | | |
| | | QPL-83867-2 | CONNECTOR, OXYGEN MASK HOSE-NON-EJECTION TYPE ..... | A 1660 | 82 03-SEP-85 | | | | |
| A | | QPL-83870-11 | FILTER ELEMENT, FLUID PRESSURE, TRANSMISSION, AIRCRAFT DISPOSABLE, 20 MICRON ABSOLUTE | A 1650 | 71 05-AUG-92 | | | | |
| | | QPL-83936-8 | REMOVER, PAINT, TANK TYPE, FOR AIRCRAFT WHEELS, LANDING GEAR COMPONENTS, AND OTHER AIRCRAFT AND AGE COMPONENTS | A 8010 | 84 25-NOV-85 | | | | |
| | | QPL-83982-1 | COMPOUND, SEALING, FLUID RESISTANT (VALIDATION DATE: 8106) ..... | A 8030 | 84 17-MAR-75 | | | | |
| | | QPL-85028-3 | CONNECTOR, ELECTRICAL, RECTANGULAR, INDL CONTACT SEALING, POLARIZED CENTER JACKSCREW, GENERAL SPECIFICATION FOR | A 5935 | AS 30-JUN-86 | | | | |
| A | | QPL-85047-5 | HELMET ASSEMBLY, HGU-34/P ..... | A 8475 | AS 20-JAN-93 | | | | |
| A | | QPL-85049-9 | CONNECTOR ACCESSORIES, ELECTRICAL, GENERAL SPECIFICATION FOR ..... | A 5935 | AS 15-SEP-92 | | | | |
| | | QPL-85050-1 | CHARGER, BATTERY NICKEL CADMIUM, AIRCRAFT GENERAL SPECIFICATION FOR ..... | A 6130 | AS 11-JUN-84 | | | | |
| A | | QPL-85052-7 | CLAMP, LOOP, CUSHION, GENERAL SPECIFICATION FOR ..... | A 5340 | AS 30-SEP-92 | | | | |
| | | QPL-85062-3 | INHIBITOR, CORROSION, VOLATILE, TRANSMISSION AND GEARBOX ..... | A 6850 | AS 20-MAR-89 | | | | |
| | | QPL-85071-1 | INVERTERS, AIRCRAFT, DC TO AC, GENERAL SPECIFICATION FOR ..... | A 6130 | AS 10-MAY-85 | | | | |
| A | | QPL-85285-5 | COATING: POLYURETHANE, HIGH-SOLIDS ..... | A 8010 | AS 17-NOV-92 | | | | |
| | | QPL-85322-1 | COATING, ELASTOMERIC, POLYURETHANE ..... | A 8010 | AS 27-NOV-91 | | | | |
| A | | QPL-85334-3 | SEALING COMPOUND, NON-CURING, LOW CONSISTENCY, SILICONE, GROOVE INJECTION, FOR INTEGRAL FUEL TANKS | A 8030 | AS 08-JAN-93 | | | | |
| | | QPL-85336-5 | LUBRICANT, ALL WEATHER (AUTOMATIC WEAPONS) ..... | A 9150 | AS 10-APR-91 | | | | |
| | | QPL-85347-5 | LIFE PRESERVER, INFLATABLE, CEMENTED, AIRCREWMAN (WITH ARAMID CASING), TYPE LPU-238/P | A 4220 | AS 13-JUL-87 | | | | |
| | | QPL-85353-5 | NUT (FASTENERS), INTERNALLY THREADED, PRELOAD LOCKING, 450 DEG. F, 800 DEG. F, & 1200 DEG. F, GENERAL SPECIFICATION FOR | A 5310 | AS 01-DEC-89 | | | | |
| | | QPL-85449-2 | CLAMP ASSEMBLY, SADDLE-TYPE, CUSHION, GENERAL SPECIFICATION FOR ..... | A 5340 | AS 12-JUN-89 | | | | |
| A | | QPL-85485-4 | CABLE, ELECTRIC, FILTER LINE, RADIO FREQUENCY ABSORPTIVE ..... | A 6145 | AS 15-SEP-92 | | | | |
| | | QPL-85560-1 | BEARINGS, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN AND FLANGED, SELF LUBRICATIONN GENERAL SPECIFICATION FOR | A 3120 | AS 14-NOV-85 | | | | |
| | | QPL-85570-8 | CLEANING COMPOUND, AIRCRAFT, EXTERIOR ..... | A 6850 | AS 23-AUG-91 | | | | |
| A | | QPL-85582-3(2) | PRIMER COATINGS: EPOXY, WATERBORNE ..... | A 8010 | AS 07-AUG-92 | | | | |
| | | QPL-85584-3 SUPPL 1C1 | BATTERY RELAY CONTROL UNIT, AIRCRAFT ..... | A 6140 | AS 30-OCT-89 | | | | |
| | | QPL-85604-5 | BOLT, NICKEL ALLOY 718, TENSION, HIGH STRENGTH, (125 KSI FSU AND 220 KSI FTU) HIGH TEMPERATURE, SPLINE DRIVE | A 5306 | AS 17-DEC-90 | | | | |
| | | QPL-85633-2 | COVERALLS, FLYERS, ANTI-EXPOSURE, CWU-62/P ..... | A 8475 | AS 01-DEC-86 | | | | |
| | | QPL-85670-1 | ANTENNA, BROADBAND AS-3191/A, AS-3792/A, AND AS-3793/A ..... | A 5821 | AS 10-AUG-91 | | | | |
| | | QPL-85704-5 | CLEANING COMPOUND, TURBINE ENGINE GAS PATH ..... | A 6850 | AS 28-OCT-91 | | | | |
| | | QPL-85705-1 | ADHESIVE, AIRCRAFT, FOR STRUCTURAL REPAIR ..... | A 8040 | 06 10-SEP-89 | | | | |
| | | QPL-85730-3 | NUT, SELF-LOCKING, SPLINE DRIVE, ASSEMBLED WASHER, NICKEL ALLOY 718, 220 KSI FTU, 900 DEGREE F, GENERAL SPECIFICATION FOR | A 5310 | AS 21-SEP-90 | | | | |
| | | QPL-85733 | GREASE, HIGH TEMPERATURE, CATAPULT SYSTEM ..... | A 9150 | AS 29-JAN-88 | | | | |
| | | QPL-85734-3 | LUBRICATING OIL, HELICOPTER TRANSMISSION SYSTEM, SYNTHETIC BASE ..... | A 9150 | AS 20-MAR-91 | | | | |
| | | QPL-85824-2 | LIFE RAFT, INFLATABLE, ONE MAN VEE BOTTOM LRU-18/U ..... | A 4220 | AS 24-APR-91 | | | | |
| | | QPL-87100-3 | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, POLYPHENYL ETHER BASE ..... | A 9150 | 11 27-JAN-89 | | | | |
| | | QPL-87104-2 | COAXIAL ASSEMBLIES GENERAL SPECIFICATION FOR ..... | A 5985 | 85 16-FEB-90 | | | | |
| A | | QPL-87157-7 | DISPLAY, DIODE, LIGHT EMITTING, SOLID STATE, GENERAL SPECIFICATION FOR .... | A 5980 | 85 22-DEC-92 | | | | |
| | | QPL-87161-4 | WIRE, STRAND, NONFLEXIBLE, FOR AIRCRAFT APPLICATION ..... | A 4010 | 82 01-MAY-92 | | | | |
| A | | QPL-87175-6 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, PHOSPHONITRILIC FLOUROELASTOMER | A 5330 | 11 15-MAR-93 | | | | |
| | | QPL-87217-5 | CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY | A 5910 | 85 07-AUG-91 | | | | |
| | | QPL-87218-2 | CABLE, LOCKCLAD, FOR AIRCRAFT CONTROL ..... | A 4010 | 82 08-APR-92 | | | | |
| M | | QPL-87252-1 | COOLANT FLUID, HYDROLYTICALLY STABLE, DIELECTRIC ..... | A 9160 | 11 15-APR-93 | | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | QPL-87936-8 | CLEANING COMPOUNDS, AIRCRAFT EXTERIOR SURFACES, WATER DILUTABLE | A 6850 68 | 07-FEB-92 | | | | |
| | | QPL-87965-2 | INDICATOR, THRUST, ENGINE TESTING, TEST STAND, AIRCRAFT ENGINE, A/M37 SERIES | A 6620 82 | 10-JUN-87 | | | | |
| | | QPL-87978-1 | REMOVER, PAINT, EPOXY & POLYURETHANE SYSTEM, TANK TYPE AMBIENT TEMPERATURE, FOR AIRCRAFT WHEELS & LANDING GEAR COMPONENTS | A 8010 84 | 28-JUN-89 | | | | |
| | | QPL-F-F-310-3 | FILTER, AIR CONDITIONING, VISCOUS-IMPINGEMENT AND DRY TYPES, REPLACEABLE | A 4130 # | 17-AUG-76 | | | | |
| | | QPL-F-F-351-10(1) | FILTERS AND FILTER ELEMENTS, FLUID, PRESSURE: LUBRICATING OIL, BYPASS AND FULL FLOW | A 2940 / AT | 28-AUG-91 | | | | |
| A | | QPL-J-W-1177-27 | WIRE, MAGNET, ELECTRICAL | A 6145 / SH | 28-SEP-92 | | | | |
| | | QPL-P-C-111-24 | CARBON REMOVING COMPOUND | A 6850 / MR | 23-SEP-91 | | | | |
| | | QPL-P-W-155-22 | WAX, FLOOR, WATER EMULSION | A 7930 # | 22-SEP-82 | | | | |
| | | QPL-P-F-430-18 | FINISH, FLOOR, WATER EMULSION | A 7930 # | 13-MAR-81 | | | | |
| | | QPL-P-C-437-13 | CLEANING COMPOUND, HIGH PRESSURE (STEAM) CLEANER | A 6850 / MR | 05-MAY-87 | | | | |
| | | QPL-P-C-444-13 | CLEANING COMPOUND, SOLVENT, GREASE EMULSIFYING | A 6850 / AS | 17-OCT-89 | | | | |
| | | QPL-P-P-560-11 | POLISH, PLASTIC | A 7930 / AS | 26-SEP-85 | | | | |
| | | QPL-W-T-0051-16 | TAPE, ELECTRONIC DATA PROCESSING, 1/2 INCH, MAGNETIC OXIDE COATED | A 7045 # | 05-APR-78 | | | | |
| | | QPL-W-F-101-6 | FAN, ELECTRIC, BRACKET AND DESK RIGID BLADES, (FOR SHORE USE) | A 4140 # | 27-DEC-66 | | | | |
| | | QPL-W-L-00111-5 | LAMP, INCANDESCENT (ELECTRIC, MINIATURE AND SUBMINIATURE, TUNGSTEN FILAMENT) | A 6240 | 10-NOV-80 | | | | |
| | | QPL-W-R-00168 | RECORDER REPRODUCER, SOUND (MAGNETIC TAPE TYPE) | A 5835 # | 09-OCT-70 | | | | |
| | | QPL-W-R-00170 | RECORDER REPRODUCER, SOUND (PORTABLE, BATTERY OPERATED, OPEN REEL TYPE) | A 5835 # | 09-OCT-70 | | | | |
| | | NOTICE 1 | | | | | | | |
| | | QPL-W-R-175-17 | REELS AND HUBS FOR MAGNETIC RECORDING TAPE, GENERAL SPECIFICATION FOR | A 5835 / | 04-JUN-91 | | | | |
| | | QPL-W-L-215-1 | LANTERN, ELECTRIC HEAD | A 6230 # | 13-NOV-58 | | | | |
| | | QPL-W-L-314-5 | LIGHTS, HOUSEHOLD | A 6250 # | 21-SEP-73 | | | | |
| A | | QPL-W-C-375-16 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, GENERAL SPECIFICATION FOR | A 5925 / ES | 27-OCT-92 | | | | |
| | | QPL-W-F-421-5 | FLASHLIGHT, ELECTRIC, HAND | A 6230 # | 09-DEC-65 | | | | |
| | | NOTICE 1 | | | | | | | |
| | | QPL-W-A-00450-3 | ALARM SYSTEM, INTERIOR, SECURITY, COMPONENTS FOR | A 6350 # | 16-JAN-74 | | | | |
| M | | QPL-W-C-596-47 | CONNECTOR, ELECTRICAL, POWER, GENERAL SPECIFICATION FOR | A 5935 / ES | 28-MAY-93 | | | | |
| M | | QPL-W-S-896-33 | SWITCH, TOGGLE (TOGGLE AND LOCK) FLUSH MOUNTED, GENERAL SPECIFICATION FOR | A 5930 / ES | 07-MAY-93 | | | | |
| | | QPL-W-R-001404 | RECORDER REPRODUCER, SOUND (PORTABLE, BATTERY OPERATED, CASSETTE TYPE) | A 5835 # | 09-OCT-70 | | | | |
| | | NOTICE 1 | | | | | | | |
| | | QPL-W-T-1553-13 | TAPE, RECORDING, INSTRUMENTATION, MAGNETIC OXIDE-COATED | A 5835 SH | 06-AUG-91 | | | | |
| | | QPL-W-T-001567-2 | TAPE, RECORDING, QUADRUPLEX VIDEO, MAGNETIC OXIDE-COATED | A 5820 * | 14-MAY-76 | | | | |
| | | QPL-W-T-001572-3 | TAPE, RECORDING, AUDIO, 1/4 INCH MAGNETIC OXIDE-COATED | A 5835 # | 19-FEB-74 | | | | |
| | | QPL-W-B-001573-4 | BAND, WRAPAROUND TAPE REEL | A 7440 # | 02-JUN-75 | | | | |
| | | QPL-W-T-1604 | TAPE, PERFORATOR TYPE, POLYESTER BASE | A 7045 * ER | 29-JUL-74 | | | | |
| | | NOTICE 1 | | | | | | | |
| | | QPL-W-T-001604-1 | TAPE, PERFORATOR TYPE, POLYESTER BASE | A 7440 # | 02-AUG-72 | | | | |
| | | QPL-W-T-1633-2 | TAPE, MAGNETIC, AND CARTRIDGE, FOR MAGNETIC TAPE AUTOMATIC TYPEWRITER, MT/ST AND MT/SC | A 7430 # | 05-MAR-76 | | | | |
| | | QPL-W-D-001663-2 | DISK PACK, FOR DATA STORAGE (MAGNETIC RECORDING, 14 INCH, 11 DISKS) | A 6310 # | 02-JUN-75 | | | | |
| | | QPL-W-C-1684 | CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN HUB, COPLANAR) | A 5835 # | 17-MAY-77 | | | | |
| | | NOTICE 1 | | | | | | | |
| | | QPL-W-F-1814-21 | FUSE, CARTRIDGE, HIGH INTERUPTING CAPACITY, (GENERAL SPECIFICATION) | A 5920 / ES | 25-NOV-91 | | | | |
| | | QPL-W-C-001851-3 | CARD, MAGNETIC, DATA RECORDING (7.375 INCH X 3.25 INCH NOMINAL SIZE) | A 7430 # | 01-OCT-78 | | | | |
| | | QPL-X-C-51-4 | CAP, BLASTING, ELECTRIC AND NON-ELECTRIC | A 1375 # | 08-DEC-67 | | | | |
| | | QPL-AA-F-357-6 | FILING CABINET, STEEL, LEGAL AND LETTER SIZE, INSULATED, SECURITY | A 7110 # | 10-MAR-72 | | | | |
| | | QPL-AA-F-358-5 | FILING CABINET, STEEL, LEGAL AND LETTER SIZE, UNINSULATED, SECURITY | A 7110 # | 17-JAN-73 | | | | |
| | | QPL-AA-F-363-13 | FILING CABINET, SECURITY, STEEL, MAPS PLANS, GENERAL FILING, AND STORAGE | A 7110 # | 05-JAN-73 | | | | |
| | | QPL-AA-D-600-4 | DOOR, VAULT, SECURITY | A 7110 # | 23-MAR-70 | | | | |
| | | QPL-AA-S-1518-4 | SAFE, TOOL RESISTANT, UNINSULATED, SECURITY | A 7110 # | 10-MAR-72 | | | | |
| | | QPL-FF-B-171-53 | BEARINGS, BALL ANNULAR, (GENERAL PURPOSE) | A 3110 / SH | 03-MAR-92 | | | | |
| | | QPL-FF-B-185-38 | BEARINGS, ROLLER, CYLINDRICAL, AND BEARINGS, ROLLER, SELF-ALIGNING | A 3110 / SH | 04-MAY-89 | | | | |
| | | QPL-FF-B-187-32 | BEARING, ROLLER, TAPERED | A 3110 / SH | 04-MAY-89 | | | | |
| | | QPL-FF-P-001480-1 | PADLOCK, KEY OPERATION (RESISTANT TO OPENING BY FORCE, PICK, & BYPASS TECHNIQUES [VALIDATION DATE: 8203] | A 5340 # | 03-AUG-72 | | | | |
| | | QPL-GG-W-113-19 | WATCH, WRIST | A 6645 / AR | 25-MAR-87 | | | | |
| | | NOTICE 1 | | | | | | | |
| | | QPL-GG-C-620-1 | COUNTER, RECIPROCATING, HAND HELD | A 6680 # | 19-SEP-74 | | | | |
| | | QPL-GG-C-00620-3 | COUNTER, RECIPROCATING, HAND HELD | A 6680 # | 26-JUL-78 | | | | |
| | | QPL-GG-N-775-4 | NUMBERING MACHINE, OFFICE TYPE, HAND-OPERATED | A 7520 # | 13-OCT-77 | | | | |
| | | QPL-HH-P-46-15 | PACKING, ASBESTOS, SHEET, COMPRESSED | A 5330 / SH | 07-JUN-91 | | | | |
| | | QPL-JJ-B-185-6 | BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE | A 2540 # | 11-DEC-63 | | | | |
| | | QPL-OO-R-421-35 | RIVETER, PNEUMATIC, JAM AND HAMMER, AND HOLDER-ON, PORTABLE | A 5130 / ME | 14-MAY-87 | | | | |
| | | QPL-OO-G-669-61(1) | GRINDER, PNEUMATIC, HORIZONTAL AND VERTICAL | A 5130 / ME | 27-DEC-84 | | | | |
| | | QPL-OO-D-691-64 | DRILL, PNEUMATIC, PORTABLE, AND BORER, WOOD, PNEUMATIC | A 5130 / ME | 23-MAR-88 | | | | |
| | | QPL-OO-W-891-68(2) | WRENCH, IMPACT, PNEUMATIC, PORTABLE | A 5130 / ME | 31-MAY-85 | | | | |
| M | | QPL-QQ-S-571-97 | SOLDER, ELECTRONIC (96 TO 485 DEG. C) | A 3439 / ER | 08-APR-93 | | | | |
| | | QPL-TT-P-28-13 | PAINT, ALUMINUM, HEAT RESISTING (1200 DEG. F) | A 8010 / ME | 02-JAN-92 | | | | |
| | | QPL-TT-R-248-13 | REMOVER, PAINT AND LACQUER, SOLVENT TYPE | A 8010 / AS | 25-MAR-91 | | | | |
| | | QPL-TT-E-485-22 | ENAMEL, SEMI&GLOSS, RUST&INHIBITING | A 8010 / ME | 31-MAR-86 | | | | |
| A | | QPL-TT-E-489-38 | ENAMEL, ALKYD, GLODD (FOR EXTERIOR AND INTERIOR SURFACES) LOW VOC | A 8010 / ME | 31-AUG-92 | | | | |
| | | QPL-TT-E-515-11 | ENAMEL, ALKYD, LUSTERLESS, QUICK DRYING | A 8010 / ME | 28-APR-87 | | | | |
| | | QPL-TT-E-516-10 | ENAMEL, LUSTERLESS, QUICK DRYING, STYRENATED ALKYD TYPE | A 8010 / ME | 02-APR-86 | | | | |
| | | QPL-TT-E-527-27 | ENAMEL, ALKYD, LUSTRELESS, LOW VOC | A 8010 / ME | 02-JAN-92 | | | | |
| | | QPL-TT-E-529-36 | ENAMEL, ALKYD, SEMI-GLOSS, LOW VOC | A 8010 / ME | 02-JAN-92 | | | | |
| | | QPL-TT-C-530-3 | COATING COMPOUND, RUST INHIBITIVE, FISH OIL BASE | A 8030 / SH | 07-MAY-68 | | | | |
| | | QPL-TT-P-595-2 | PRESERVATIVE COATING, CANVAS [VALIDATION DATE: 8204] | A 8030 / SH | 05-FEB-68 | | | | |
| | | QPL-TT-P-636-17 | PRIMER COATING, ALKYD, WOOD & FERROUS METAL | A 8010 | 09-JUN-88 | | | | |
| | | QPL-TT-P-662-10 | PRIMER SURFACER, SANDING, LACQUER AND ENAMEL TYPE | A 8010 / AR | 02-APR-86 | | | | |
| | | QPL-TT-P-664-19 | PRIMER COATING, ALKYD, CORROSION INHIBITING, LEAD AND CHROMATE FREE, VOC COMPLIANT | A 8010 / ME | 02-JAN-92 | | | | |
| A | | QPL-TT-P-2760-2 | PRIMER COATING: POLYURETHANE, ELASTOMERIC | A 8010 / AS | 29-JAN-93 | | | | |
| | | QPL-VV-B-680-13 | BRAKE FLUID, AUTOMOTIVE | A 9150 / ME | 11-MAR-88 | | | | |
| | | QPL-VV-L-800-18 | LUBRICATING OIL, GENERAL PURPOSE, PRESERVATIVE (WATER-DISPLACING, LOW TEMPERATURE) | A 9150 / ME | 01-MAY-92 | | | | |
| | | QPL-ZZ-B-190-2 | BELT, V, ENGINE ACCESSORY DRIVE | A 3030 / AT | 22-SEP-83 | | | | |
| | | QPL-ZZ-B-225-6 | BELTS, V: INDUSTRIAL (MULTIPLE DRIVE) | A 3030 / AT | 01-OCT-91 | | | | |
| | | QPL-ZZ-T-381-2 | TIRES, PNEUMATIC, VEHICULAR (HIGHWAY) (SUPL-1 1 MAR 83) | A 2610 | 01-MAR-83 | | | | |
| | | QPL-ZZ-T-410-1 | TIRES, PNEUMATIC, INDUSTRIAL | A 2610 % | 30-NOV-81 | | | | |
| | | QPL-ZZ-H-428-9 | HOSE, NON-METALLIC AND HOSE, PREFORMED, (FOR THE COOLANT SYSTEMS OF AUTOMOTIVE AND OTHER LIQUID-COOLED ENGINES) | A 4720 / AT | 29-JUL-83 | | | | |
| | | QPL-ZZ-H-617-15 | HOSE, RUBBER: WINDSHIELD WIPER | A 4720 / AT | 10-OCT-91 | | | | |
| | | QPL-ZZ-T-1083-2 | TIRES, PNEUMATIC, LOW SPEED, OFF HIGHWAY | A 2610 AT | 01-DEC-79 | | | | |
| | | QPL-ZZ-T-1619-2(2) | TIRES, PNEUMATIC, AGRICULTURAL | A 2610 # | 01-MAY-78 | | | | |
| | | SUPPL 1C1 | | | | | | | |
| | | QPL-GGG-S-63 | SAW, CIRCULAR, PORTABLE, PNEUMATIC | A 5130 ME | 27-OCT-81 | | | | |
| | | NOTICE 1 | | | | | | | |
| | | QPL-GGG-F-325-31 | FILE, HAND, (AMERICAN PATTERN) AND RASP, HAND | A 5110 # | 05-MAR-82 | | | | |
| | | QPL-GGG-F-331-28 | FILES, HAND, (SWISS PATTERN) | A 5110 | 02-NOV-81 | | | | |
| | | QPL-GGG-D-751-48 | DRILLS, TWIST (TAPER-SQUARE, STRAIGHT, AND TAPER-ROUND SHANKS) | A 5133 / ME | 08-JUN-87 | | | | |

| Action | QPL / QML Qualification Inactive | Document Number | Document Title | Doc. Govt. FSC / Army MICA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | QPL-GGG-D-777-15 | DRIVER, PROJECTILE UNIT, POWER ACTUATED (HIGH VELOCITY) (ABOVE WATER ONLY), PIN, DRIVE, POWER ACTUATED, AND CARTRIDGE, POWER ACTUATED TOOL | A 5130 # | 09-JUN-80 | | | | |
| | | QPL-MMM-A-121-18 | ADHESIVE, BONDING VULCANIZED SYNTHETIC RUBBER TO STEEL | A 8040 / SH | 16-APR-91 | | | | |
| | | QPL-MMM-A-132-9(4) | ADHESIVES, HEAT RESISTANT, AIRFRAME STRUCTURAL: METAL TO METAL | A 8040 / AS | 04-OCT-91 | | | | |
| | | QPL-MMM-A-134-9 | ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING | A 8040 / AS | 31-MAY-88 | | | | |
| | | QPL-MMM-A-139-5 | ADHESIVE, NATURAL OR SYNTHETIC-NATURAL RUBBER | A 8040 / AS | 29-JAN-88 | | | | |
| | | QPL-MMM-A-1617-3 | ADHESIVE, RUBBER BASE, GENERAL PURPOSE | A 8040 / AS | 20-NOV-89 | | | | |
| | | QPL-AS604-2 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH-TEMPERATURE, 3000 PSI, HYDRAULIC AND PNEUMATIC, HEAVYWIGHT (HEAVY BRAID) | A 4720 | 82 15-FEB-90 | | | | |
| A | | QPL-AS1339-4 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 DEG. F, 3000 PSI, HYDRAULIC LIGHTWEIGHT | A 4720 | 82 24-FEB-93 | | | | |

| Action Code | Document Number | Document Title | Date Entered | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | MIL-HDBK-5F(2) | METALLIC MATERIALS AND ELEMENTS FOR AEROSPACE VEHICLE STRUCTURES REVIEWER: 80 82 84 99 CG ME MI | A 1560 | 11 | | 15-DEC-92 | AV | AS | 11 | |
| | MIL-HDBK-7B | LUMBER & ALLIED PRODUCTS REVIEWER: CS | A 55GP | ME | | 06-AUG-82 | ME | | 99 | |
| | MIL-HDBK-17A | PLASTIC FOR AEROSPACE VEHICLES PART I REINFORCED PLASTICS [VALIDATION DATE: 8304] | A 1500 | MR | | 01-JAN-71 | MR | AS | 11 | |
| A | MIL-HDBK-17/1C(1) | POLYMER MATRIX COMPOSITES VOLUME I. GUIDELINES USER: ME REVIEWER: 12 15 17 19 71 79 80 84 AP AT AV CR MI MM SH | A CMPS | MR | | 04-NOV-92 | MR | AS | 11 | |
| | MIL-HDBK-17/2A | PLASTIC FOR AEROSPACE VEHICLES PART II TRANSPARENT GLAZING MATERIALS | A 1560 | 11 | | 08-JUN-77 | AV | AS | 11 | |
| A | MIL-HDBK-17/3C(1) | POLYMER MATRIX COMPOSITES VOLUME III. UTILIZATION OF DATA USER: ME REVIEWER: 12 15 17 19 71 79 80 84 AP AT AV CR MI MM SH | A CMPS | MR | | 04-NOV-92 | MR | AS | 11 | |
| | MIL-HDBK-50A | EVALUATION OF A CONTRACTOR'S QUALITY PROGRAM | A QCIC | DH | | 26-JUL-90 | AR | OS | 05 | DH |
| L | MIL-HDBK-51 | EVALUATION OF A CONTRACT S INSPECTION SYSTEM (HANDBOOK H51) [VALIDATION DATE: 7405] | A MISC | DH | | 03-JAN-67 | | | | DH |
| | MIL-HDBK-52B | EVALUATION OF CONTRACTOR'S CALIBRATION SYSTEM REVIEWER: AR AS AV EC SH | A QCIC | MI | | 16-AUG-89 | MI | OS | 05 | |
| D | MIL-HDBK-53/1A | GUIDE FOR ATTRIBUTE LOT SAMPLING INSPECTION AND MIL-STD-105 REVIEWER: 99 AL AS AT AV CR EC GL OS YD1 | A QCIC | AR | | 01-FEB-82 | AR | SH | 10 | DH |
| L | MIL-HDBK-57B | LISTING OF FASTENER MANUFACTURERS' IDENTIFICATION SYMBOLS | A 53GP | IS | | 30-NOV-90 | | | | IS |
| D | MIL-HDBK-59A | DEPARTMENT OF DEFENSE COMPUTER-AIDED ACQUISITION AND LOGISTIC SUPPORT (CALS) PROGRAM IMPLEMENTATION GUIDE USER: 11 13 AL AS AT EC MI OS SA TE YD1 REVIEWER: 01 02 AM | A ILSS | CL | | 28-SEP-90 | CR | SH | 24 | DH |
| | MIL-HDBK-60 | THREADED FASTENERS - TIGHTENING TO PROPER TENSION REVIEWER: 11 15 82 AT AV CR ME MI | A THDS | IS | | 12-MAR-90 | AR | AS | 99 | IS |
| L | MIL-HDBK-108 | QUALITY CONTROL AND RELIABILITY - SAMPLING PROCEDURES AND TABLES FOR LIFE AND RELIABILITY TESTING (BASED ON EXPONENTIAL DISTRIBUTION) [VALIDATION DATE: 8208] | A QCIC | OS | | 29-APR-60 | | OS | | |
| L | MIL-HDBK-109 | QUALITY CONTROL AND RELIABILITY - STATISTICAL PROCEDURES FOR DETERMINING VALIDITY OF SUPPLIERS ATTRIBUTES INSPECTION OF [VALIDATION DATE: 8402] | A QCIC | AR | | 06-MAY-60 | AR | | | |
| D | MIL-HDBK-113C | GUIDE FOR THE SELECTION OF LUBRICANTS, FUNCTIONAL FLUIDS, PRESERVATIVES AND SPECIALTY PRODUCTS FOR USE IN GROUND EQUIPMENT SYSTEMS | A 9150 | ME | | 24-APR-89 | ME | YD1 | 68 | |
| D | MIL-HDBK-114A | FUELS, MOBILITY, USER HANDBOOK USER: AR AS AV MC REVIEWER: AT YD1 | A 91GP | ME | | 20-JUL-90 | ME | | 68 | |
| L | MIL-HDBK-115 | U.S. ARMY REVERSE ENGINEERING HDBK (GUIDELINES & PROCEDURES) REVIEWER: AL AM AT AV CH | A MISC | ME | | 20-APR-87 | | | | |
| | MIL-HDBK-116 | ENVIRONMENTAL CONTROL OF SMALL SHELTERS | A 4120 | ME | | 30-JUN-89 | ME | SH | | GS |
| | MIL-HDBK-117 | MOTORS, ELECTRIC, SMALL ACQUISITION, OPERATIONS AND SUPPORT FOR PRIMER USER: 70 71 80 REVIEWER: AV GS SH | A 6105 | ME | | 01-APR-91 | ME | | 99 | |
| | MIL-HDBK-131A | IDENTIFICATION MARKINGS FOR FASTENERS (HANDBOOK H-131) [VALIDATION DATE: 8202] | A 5325 | AR | | 15-SEP-66 | AR | SH | 99 | |
| L | MIL-HDBK-132A | PROTECTIVE FINISHES FOR METAL & WOOD SURFACES REVIEWER: ME | A MFFP | MR | | 09-MAY-84 | MR | SH | 11 | |
| | MIL-HDBK-134A | TRUCK AND TRUCK TRACTORS, TACTICAL (MILITARY) DESIGN, CHARACTERISTICS OF [VALIDATION DATE: 8012] REVIEWER: AV | A 2320 | AT | | 15-OCT-65 | AT | MC | | |
| L | MIL-HDBK-138 | CONTAINER INSPECTION HANDBOOK FOR COMMERCIAL AND MILITARY INTERMODAL CONTAINERS (DRY CARGO TYPE) [VALIDATION DATE: 8402] REVIEWER: 43 69 AM MT SD | A 8115 | AR | | 14-AUG-78 | AR | | 99 | |
| L | MIL-HDBK-139 | PLASTIC, PROCESSING OF [VALIDATION DATE: 8302] REVIEWER: GS | A 9330 | AR | | 30-JAN-67 | AR | | | |
| L | MIL-HDBK-142A(1) NOTICE 1 | GUIDED MISSILE TEST EQUIPMENT FUNCTIONAL CATEGORIZATION SYSTEM [VALIDATION DATE: 8806] | A 4935 | MI | | 01-JUN-88 | MI | | | |
| | MIL-HDBK-143 NOTICE 1 | GLOSSARY OF GUIDED MISSILE TERMINOLOGY [VALIDATION DATE: 8806; REVIEWER: 12 15 19 AR MC | A 1410 | MI | | 01-JUN-88 | MI | AS | 99 | |
| | MIL-HDBK-144 | AIR CLEANING FOR CHEMICAL DEMILITARIZATION, ENGINEERING DESIGN HANDBOOK | A 4240 | EA | | 15-DEC-78 | EA | | 99 | |
| | MIL-HDBK-145A | ACTIVE FUZE CATALOG ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA CONDR. ARMAMENT RESEARCH & DEVELOPMENT CNTR, ATTN: SMCAR-ESC-S, DOVER, N.J. 07801-5001 REVIEWER: 11 AS MI | C 1390 | AR | | 01-JAN-87 | AR | OS | 99 | |
| | MIL-HDBK-146 NOTICE 1 | FUZE CATALOG LIMITED STANDARD, OBSOLESCENT, OBSOLETE, TERMINATED, AND CANCELLED FUZES [VALIDATION DATE: 8807] REVIEWER: AS MI | A 1390 | AR | | 11-JUL-88 | AR | OS | 99 | |
| | MIL-HDBK-149B NOTICE 1 | RUBBER REVIEWER: 11 AR GS | A 9320 | MR | | 24-JUL-87 | MR | SH | 99 | |
| A | MIL-HDBK-150B | CLOTHING COMPONENTS FOR MILITARY UNIFORMS [VALIDATION DATE: 8501] | A 8315 | CT | | 28-FEB-79 | GL | SA | 99 | CT |
| | MIL-HDBK-154B | INSPECTION OF FRUIT AND VEGETAB.. FARMS AND PACKING SHEDS IN OVERSEA AREAS REVIEWER: MD | A 89GP | GL | | 09-JUL-82 | GL | SA | 45 | |
| D | MIL-HDBK-156 | GLOSSARY OF MILITARY CLOTHING FABRICATION TERMS [VALIDATION DATE: 8402] USER: AS MS SH YD1 REVIEWER: 99 MC | A 84GP | CT | | 01-FEB-67 | GL | MU | 11 | CT |
| | MIL-HDBK-162/1B | RADAR EQUIPMENT, UNITED STATES CH-1 1 MAR 79 [VALIDATION DATE: 8201] | A 5840 | 99 | | 15-DEC-73 | EL | SH | 99 | |
| | MIL-HDBK-173A NOTICE 1 | AUDIO EQUIPMENT [VALIDATION DATE: 8609] REVIEWER: 99 AR EC ES MI | A 5965 | CR | | 23-SEP-86 | CR | SH | 85 | |
| | MIL-HDBK-175 | MICROELECTRONIC DEVICE DATA HANDBOOK [VALIDATION DATE: 8502] USER: ME SH REVIEWER: 17 ES MI | A 5962 | ER | | 01-MAY-68 | ER | EC | 11 | |
| | MIL-HDBK-176 | GUIDANCE FOR FLEXIBLE FLAT MULTICONDUCTOR CABLE (FLAT CONDUCTORS) USER: MC REVIEWER: 11 17 AR AT AV EC ES IS MI OS SG | A 6145 | CR | | 17-MAY-72 | CR | AS | 85 | |
| | DOD-HDBK-178 | QUANTITATIVE DESCRIPTION OF OBSCURATION FACTORS FOR ELECTRO-OPTICAL & MILLIMETER WAVE SYSTEMS (METRIC) | A MISC | ER | | 25-JUL-86 | ER | | | |
| | MIL-HDBK-188 | GUIDE FOR DEVELOPERS & USERS OF COMM. SYS. STDS IN THE MIL-STD-188 SERIES (VOL I & VOL II) REVIEWER: AS CR MC OM SD | A SLHC | SC | | 21-JAN-83 | | EC | 90 | |
| D | MIL-HDBK-188/1 | GUIDE FOR DEVELOPERS AND USERS OF COMMUNICATIONS SYSTEMS STANDARDS IN THE MIL-STD-188 SERIES VOLUME 1 OF 2 VOLUMES STANDARDS DEVELOPMENT AND USE/ORGANIZATIONAL RELATIONSHIPS REVIEWER: AS CR MC OM YD1 | A SLHC | SC | | 21-JAN-83 | SC | EC | 90 | |
| D | MIL-HDBK-188/2 | GUIDE FOR DEVELOPERS AND USERS OF COMMUNICATIONS SYSTEMS STANDARDS IN THE MIL-STD-188 SERIES VOLUME II OF 2 VOLUMES DETAILS CONCERNING STANDARDIZATION ORGANIZATIONS REVIEWER: AS CR MC OM YD1 | A SLHC | SC | | 21-JAN-83 | SC | EC | 90 | |
| D | MIL-HDBK-188/3 | GUIDE FOR DEVELOPERS AND USERS OF COMMUNICATIONS SYSTEMS STANDARDS IN THE MIL-STD-188 SERIES, VOL III REVIEWER: AS CR OM MC YD1 | A TCTS | EC | | 31-JUL-85 | SC | EC | 90 | |
| | MIL-HDBK-189 | RELIABILITY GROWTH MANAGEMENT REVIEWER: AS SH | A RELI | CR | | 13-FEB-81 | CR | EC | 17 | |
| A | MIL-HDBK-200G | QUALITY SURVEILLANCE HANDBOOK FOR FUELS, LUBRICANTS AND RELATED PRODUCTS (CONTROLLED DISTRIBUTION) REVIEWER: 68 | E 91GP | PS | | 31-JAN-90 | GL | SA | 10 | |
| A L | MIL-HDBK-201B(1) | PETROLEUM OPERATIONS | A 91GP | SA | | 01-OCT-92 | | SA | | |
| | MIL-HDBK-203C | MANUFACTURERS SYMBOLS AND DESIGNATIONS FOR ANTI-FRICTION BEARINGS [VALIDATION DATE: 8301] USER: AV MC REVIEWER: 69 84 AS EC IS ME OS SH | A 3110 | SH | | 05-JAN-77 | AT | SH | 99 | |
| L | MIL-HDBK-204A | DESIGN OF INSPECTION EQUIPMENT FOR DIMENSIONAL CHARACTERISTICS REVIEWER: AL AT AV CR MR | A 5220 | AR | | 30-NOV-90 | AR | | | |
| | MIL-HDBK-205A | PHOSPHATIZING AND BLACK OXIDE COATING OF FERROUS METALS USER: 12 70 82 84 REVIEWER: 99 AS AT GL ME OS | A MFFP | MR | | 15-JUL-85 | MR | SH | 11 | |
| D | MIL-HDBK-210A NOTICE 1 | CONVERSION FACTORS AND LOGISTICS DATA FOR PETROLEUM PLANNING [VALIDATION DATE: 9003] USER: CG SH REVIEWER: EA MC ME PS SM | A 9130 | YD2 | | 09-MAR-90 | MR | YD2 | 68 | |
| | MIL-HDBK-212 NOTICE 1 | GASKET MATERIALS(NONMETALLIC) [VALIDATION DATE: 8804] | A 5330 | MR | | 19-APR-88 | MR | AS | | |
| | MIL-HDBK-216 | RF TRANSMISSION LINES & FITTINGS (NOTICE 10) USER: MC OS REVIEWER: 11 99 AR AS ES ME MI SH | A MISC | EC | | 11-MAR-82 | EL | EC | 85 | |
| D | MIL-HDBK-217F(1) | RELIABILITY PREDICTION OF ELECTRONIC EQUIPMENT USER: 85 AT CG GL MC ME TD YD1 REVIEWER: 11 13 14 15 18 19 99 AS AV ER MI OS SH | A RELI | 17 | | 10-JUL-92 | CR | EC | 17 | |
| | MIL-HDBK-218 NOTICE 1 | APPLICATION OF ELECTRICAL RESOLVERS [VALIDATION DATE: 8704] REVIEWER: 18 99 ES | A 5990 | AR | | 29-APR-87 | AR | AS | 85 | |
| | MIL-HDBK-220B | GLOSSARY OF TRAINING DEVICE TERMS USER: MC SH REVIEWER: 99 AR AS DM | A 69GP | TD | | 01-APR-86 | EL | TD | 11 | |
| | MIL-HDBK-221 | FIRE PROTECTION DESIGN HANDBOOK FOR U.S. NAVY AIRCRAFT POWERED BY TURBINE ENGINES [VALIDATION DATE: 8312] | A MISC | AS | | 03-MAY-65 | AV | AS | | |
| | MIL-HDBK-223 NOTICE 2 | CODED LIST OF MATERIALS | A DRPR | AS | | 14-DEC-82 | AR | AS | 01 | |

| Action | OPR / Orig. Coordination Indicator | Document Number | Document Title | Class. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-HDBK-225A | SYNCHROS DESCRIPTION AND OPERATION USER: OS REVIEWER: ES MI ..... | A | 5990 | AS | 25-MAR-91 | AR | AS | 85 | | |
| L | | MIL-HDBK-227A | SELECTION AND INSTALLATION OF REGULATING AND CONTROL VALVES FOR NAVAL SHIPBOARD USE (VALIDATION DATE: 8007) | A | 4820 | SH | 31-JAN-89 | | SH | | | |
| L | | MIL-HDBK-228A | PRESSURE-SENSITIVE ADHESIVE, SOLVENT ACTIVATED AND MISCELLANEOUS TAPES REVIEWER: GS | A | 7690 | AS | 23-JUL-82 | | AS | | | |
| | | MIL-HDBK-231A | ENCODERS SHAFT ANGLE TO DIGITAL ..... | A | 5990 | AS | 30-SEP-91 | AR | AS | 85 | | |
| | | MIL-HDBK-232A | RED/BLACK ENGINEERING-INSTALLATION GUIDELINES REVIEWER: 17 80 CR MC ..... | A | SLMC | SC | 20-MAR-87 | SC | EC | 90 | | |
| | | MIL-HDBK-235A | ELECTROMAGNETIC (RADIATED) ENVIRONMENT CONSIDERATIONS FOR DESIGN AND PROCUREMENT OF ELECTRICAL AND ELECTRONIC EQUIPMENT, SUBSYSTEMS AND SYSTEMS PART 1A -VALIDATED MAR 1979 (VALIDATION DATE: 8505) USER: TE REVIEWER: 10 15 17 18 19 AR AS AV ER MC MI SH | A | EMCS | EC | 05-FEB-79 | CR | EC | 11 | | |
| | | MIL-HDBK-235/1A | ELECTROMAGNETIC (RADIATED) ENVIRONMENT CONSIDERATIONS FOR DESIGN AND PROCUREMENT OF ELECTRICAL AND ELECTRONIC EQUIPMENT, SUBSYSTEMS AND SYSTEMS (VALIDATION DATE: 8612) USER: TE REVIEWER: 10 15 17 18 19 AR AS AV ER MC MI SH | A | EMCS | EC | 18-DEC-86 | CR | EC | 11 | | |
| L | | MIL-HDBK-236T | INDEX TO STANDARDS FOR PALLETIZING, TRUCK LOADING, RAILCAR LOADING AND CONTAINER LOADING OF HAZARDOUS MATERIALS | A | 8140 | OS | 04-APR-83 | | OS | | | |
| D L | | MIL-HDBK-237A(2) | ELECTROMAGNETIC COMPATIBILITY MANAGEMENT GUIDE FOR PLATFORMS, SYSTEMS AND EQUIPMENT USER: YD1 REVIEWER: AS OS SH TD | A | EMCS | EC | 14-FEB-92 | | EC | | | |
| | | MIL-HDBK-241B NOTICE 1 | DESIGN GUIDE FOR EMI REDUCTION IN POWER SUPPLIES REVIEWER: 13 17 70 89 AS MA SA SC SH | A | EMCS | EC | 29-NOV-84 | CR | EC | 99 | | |
| | | MIL-HDBK-242 | FUNCTIONALLY ORIENTED MAINTENANCE MANUAL (FOMM) WRITER S GUIDE FOR MIL-M-241008 (VALIDATION DATE: 8401) | A | TMSS | SH | 25-OCT-74 | TM | SH | | | |
| | | MIL-HDBK-244A | GUIDE TO AIRCRAFT/STORES COMPATIBILITY ..... | A | 15GP | AS | 06-APR-90 | AV | AS | 18 | | |
| D | | MIL-HDBK-245C | PREPARATION OF STATEMENT OF WORK (SOW) USER: SC YD1 REVIEWER: 11 13 AS AT MC SH | A | MISC | EC | 10-SEP-91 | CR | EC | 90 | | |
| | | MIL-HDBK-246A | PROGRAM MANAGERS GUIDE FOR THE STANDARD ELECTRONIC MODULES PROGRAM USER: MC MI REVIEWER: 11 13 17 19 AR AS AT AV ES | A | 5963 | MM | 03-SEP-82 | ER | MM | 85 | | |
| | | MIL-HDBK-248B | ACQUISITION STREAMLINING REVIEWER: SH ..... | A | MISC | AS | 09-FEB-89 | MI | AS | 11 | DH | |
| | | MIL-HDBK-251 | RELIABILITY/DESIGN THERMAL APPLICATIONS (VALIDATION DATE: 8404) USER: MC REVIEWER: 13 15 17 19 85 AR AS SH | A | RELI | EC | 19-JAN-78 | CR | EC | 11 | | |
| | | MIL-HDBK-253 | GUIDANCE FOR THE DESIGN AND TEST OF SYSTEMS PROTECTED AGAINST THE EFFECTS OF ELECTROMAGNETIC ENERGY (VALIDATION DATE: 8404) | A | EMCS | EC | 28-JUL-78 | CR | EC | | | |
| L | | MIL-HDBK-255A | NUCLEAR WEAPONS SYSTEMS, SAFETY, DESIGN AND EVALUATION CRITERIA FOR (VALIDATION DATE: 8407) | A | NUOR | AS | 06-SEP-84 | | AS | | | |
| L | | MIL-HDBK-258 NOTICE 1 | INTERFACE CONTROL DOCUMENT FOR INFRARED DETECTING SET AN/AAS-36 (VALIDATION DATE: 9110) | A | 5855 | AS | 24-OCT-91 | | AS | | | |
| L | | MIL-HDBK-259 | LIFE CYCLE COST IN NAVY ACQUISITIONS REVIEWER: EC OS SA SH ..... | A | MISC | AS | 01-APR-83 | | AS | | | |
| | | MIL-HDBK-263A | ELECTROSTATIC DISCHARGE CONTROL HANDBOOK FOR PROTECTION OF ELECTRICAL AND ELECTRONIC PARTS, ASSEMBLIES AND EQUIPMENT (EXCLUDING ELECTRICALLY INITIATED EXPLOSIVE DEVICES) (METRIC) USER: MC REVIEWER: 11 15 18 19 99 AR AS AT CR EC GL MI OS SA | A | RELI | SH | 22-FEB-91 | ER | SH | 17 | | |
| | | MIL-HDBK-264 NOTICE 1 | STEEL SHAPES & PLATE BEAM COMBINATION USED IN SHIPBUILDING, PROPERTIES OF (VALIDATION DATE: 8605) | A | 19GP | SH | 22-MAY-86 | | SH | | | |
| L | | MIL-HDBK-267A | GUIDE FOR SELECTION OF LUBRICANTS & HYDRAULIC FLUIDS FOR USE IN SHIPBOARD EQUIPMENT | A | 9150 | SH | 02-MAR-81 | | SH | | | |
| L | | MIL-HDBK-268 | SURVIVABILITY ENHANCEMENT, AIRCRAFT CONVENTIONAL WEAPON THREATS, DESIGN & EVALUATION GUIDELINES | A | 15GP | AS | 05-AUG-82 | | | | | |
| L | | MIL-HDBK-270A | METALLIC MATERIALS FOR LOW MAGNETIC APPLICATIONS, MAGNETIC PERMEABILITY AND ELECTRICAL CONDUCTIVITY, CHARACTERISTICS OF (METRIC) | A | 95GP | SH | 19-MAR-91 | | SH | | | |
| | | MIL-HDBK-271/102 | AIRCRAFT FASTENERS INSTALLATION & REMOVAL METHODS FOR MS14218 120 DEG. RIVETS | A | 5320 | AS | 15-AUG-84 | | AS | | | |
| | | MIL-HDBK-271/103 | AIRCRAFT FASTENER INSTALLATION & REMOVALL METHODS FOR ATTACHED RETENTION ELEMENT (A.R.E.) SELF-LOCKING FLOATING NUT ASSEMBLIES | A | 53GP | AS | 14-JAN-86 | AV | AS | 11 | | |
| | | MIL-HDBK-271/104 | AIRCRAFT FASTENERS INSTALLATION AND REMOVAL METHODS FOR MIL B 8831 & MIL B 85667 EXPANDABLE STRAIGHT SHANK BOLTS (SLEEVEBOLTS) | A | 53GP | AS | 15-NOV-85 | AV | AS | 11 | | |
| | | MIL-HDBK-271/105 NOTICE 1 | AIRCRAFT FASTENERS USAGE AND INSTALLATION FOR MIL-S-85069 FASTENER SLEEVES (VALIDATION DATE: 9110) REVIEWER: 99 AR IS | A | 53GP | AS | 09-OCT-91 | AV | AS | 11 | | |
| | | MIL-HDBK-271/106 | STRUCTURAL PANEL FASTENERS-INSTALLATION & REMOVAL METHODS FOR MIL-F-85616, MIL-F-85617 & MIL-F-85618 | A | 53GP | AS | 20-JAN-86 | AV | AS | 11 | | |
| M L | | MIL-HDBK-272A | NUCLEAR WEAPONS SYSTEMS, SAFETY DESIGN AND EVALUATION CRITERIA FOR REVIEWER: SH | A | NUOR | OS | 02-APR-93 | | OS | | | |
| | | MIL-HDBK-273 | SURVIVABILITY ENHANCEMENT, AIRCRAFT, NUCLEAR WEAPON THREAT, DESIGN & EVALUATION GUIDELINES | A | 15GP | AS | 30-DEC-83 | | AS | | | |
| L | | MIL-HDBK-274(1) | ELECTRICAL GROUNDING FOR AIRCRAFT SAFETY ..... | A | EMCS | AS | 29-JUN-90 | | AS | | | |
| | | MIL-HDBK-275A | GUIDE FOR SELECTION OF LUBRICANTS, FLUIDS, AND COMPOUNDS FOR USE IN FLIGHT VEHICLES AND COMPONENTS REVIEWER: 68 ME MI MR TE | A | MISC | AS | 29-JUN-76 | AV | AS | 11 | | |
| L | | MIL-HDBK-276/1 | LIFE CYCLE COST MODEL FOR DEFENSE MATERIEL SYSTEMS DATA COLLECTION WORKBOOK | A | MISC | MC | 03-FEB-84 | | MC | | | |
| L | | MIL-HDBK-276/2 | LIFE CYCLE COST MODEL FOR DEFENSE MATERIEL SYSTEMS OPERATING INSTRUCTIONS . | A | MISC | MC | 03-FEB-84 | | MC | | | |
| | | MIL-HDBK-279 | TOTAL DOSE HARDNESS ASSURANCE GUIDELINE FOR SEMICONDUCTOR DEVICE &MICROCIRCUIT USER: AS CG MC OS SH REVIEWER: 11 19 85 99 AR DS ES MI SH | A | 59GP | EC | 25-JAN-85 | ER | EC | 17 | MA | |
| | | MIL-HDBK-280 | NEUTRON HARDNESS ASSURANCE GUIDELINES FOR SEMICONDUCTOR DEVICES AND MICROCIRCUITS USER: AS CG MC OS SH REVIEWER: 11 19 85 99 AR DS ES MI SH | A | 59GP | EC | 19-FEB-85 | ER | EC | 17 | MA | |
| L | | MIL-HDBK-283 NOTICE 1 | STRUCTURAL SHIPBUILDING DETAILS USING TEE STIFFENERS (VALIDATION DATE: 9103) | A | 9520 | SH | 26-MAR-91 | | SH | | | |
| A | | MIL-HDBK-284/1 | INTERACTIVE COURSEWARE (ICW) FOR MILITARY TRAINING, MANAGER'S GUIDE FOR DEVELOPMENT, ACQUISITION, AND MANAGEMENT OF (PART 1 OF 3 PARTS) REVIEWER: 13 94 AS EC MC TD TM | A | ILSS | SH | 22-JUL-92 | AV | SH | 11 | | |
| A | | MIL-HDBK-284/2 | INTERACTIVE COURSEWARE (ICW) FOR MILITARY TRAINING, PORTABILITY PRACTICES FOR (PART 2 OF 3 PARTS) REVIEWER: 13 94 AS EC MC TD TM | A | ILSS | SH | 22-JUL-92 | AV | SH | 11 | | |
| A | | MIL-HDBK-284/3 | INTERACTIVE COURSEWARE (ICW) FOR MILITARY TRAINING, GLOSSARY FOR (PART 3 OF 3 PARTS) REVIEWER: 13 94 AS EC MC TD TM | A | ILSS | SH | 22-JUL-92 | AV | SH | 11 | | |
| | | MIL-HDBK-286 | A GUIDE FOR DOD-STD-2168 DEFENSE SYSTEM SOFTWARE QUALITY PROGRAM ..... | A | QCIC | AR | 14-DEC-90 | AR | EC | 10 | | |
| | | MIL-HDBK-287 | A TAILORING GUIDE FOR DOD-STD-2167A, DEFENSE SYSTEM SOFTWARE DEVELOPMENT USER: 85 REVIEWER: 02 17 CR GS MI | A | MCCR | EC | 11-AUG-89 | AR | EC | 10 | | |
| | | MIL-HDBK-288 | REVIEW AND ACCEPTANCE OF ENGINEERING DRAWING PACKAGES ..... | A | DRPR | MC | 14-JAN-91 | AR | MC | 16 | | |
| L | | DOD-HDBK-289 | LIGHTING ON NAVAL SHIPS (METRIC) ..... | A | 62GP | SH | 26-NOV-86 | | SH | | | |
| L | | MIL-HDBK-290 NOTICE 1 | STANDARD ELECTRICAL SYMBOL LIST ..... | A | DRPR | SH | 22-AUG-86 | | SH | | | |
| L | | MIL-HDBK-291 | CARGO TANK CLEANING ..... | A | 5430 | SH | 26-SEP-86 | | SH | | | |
| L | | DOD-HDBK-292/1 | TRAINING MATERIALS DEVELOPMENT PART 1 OF 2 ..... | A | ILSS | SH | 31-OCT-86 | | SH | | | |
| L | | DOD-HDBK-292/2 | TRAINING MATERIALS DEVELOPMENT PART 2 OF 2 ..... | A | ILSS | SH | 31-OCT-86 | | SH | | | |
| L | | MIL-HDBK-293 | ELECTRONIC COUNTER-COUNTERMEASURES CONSIDERATIONS IN RADAR SYSTEMS ACQUISITION USER: AS OS | A | EMCS | EC | 05-JUN-87 | | | | | |
| L | | MIL-HDBK-294 | ELECTRONIC COUNTER-COUNTERMEASURES CONSIDERATIONS IN NAVAL COMMUNICATION SYSTEMS USER: OS | A | EMCS | EC | 31-DEC-86 | | EC | | | |
| L | | MIL-HDBK-297 | INTRODUCTION TO WEAPON EFFECTS FOR SHIPS (METRIC) ..... | A | 1990 | SH | 28-DEC-87 | | | | | |
| L | | MIL-HDBK-298 | SELECTION, INSTALLATION AND TROUBLESHOOTING OF RESISTANCE THERMOMETERS AND THERMOCOUPLE SENSORS | A | 6685 | SH | 30-SEP-88 | | SH | | | |
| L | | MIL-HDBK-299(1) | CABLE COMPARISON HANDBOOK DATA PERTAINING TO ELECTRIC SHIPBOARD CABLE ..... | A | 6145 | SH | 15-OCT-91 | | SH | | | |
| | | MIL-HDBK-300L | TECHNICAL INFORMATION FILE OF SUPPORT EQUIPMENT (AVAILABLE IN MICROFICHE )24X( )ONLY( | A | MISC | 99 | 01-OCT-83 | AV | AS | 99 | | |

| Action | Opt. / Obs. | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-HDBK-303 NOTICE 1 | MICRO-REPRODUCTION OF ENGINEERING DOCUMENTS [VALIDATION DATE: 8201] USER: MC REVIEWER: AG AR CG ER OS | A | EDRS | 16 | 15-SEP-64 | MI | SH | 16 | |
| D | | | | MIL-HDBK-304B(1) NOTICE 1 | PACKAGE CUSHIONING DESIGN USER: 10 MC ME YD1 REVIEWER: 11 99 AT CR GL SA SH SM | A | PACK | 69 | 28-NOV-88 | AR | AS | 69 | |
| D | | | | MIL-HDBK-331D(1) NOTICE 1 | DIRECTORY OF DOD ENGINEERING DATA REPOSITORIES USER: YD1 REVIEWER: 11 AR AS MI | A | EDRS | 16 | 31-JAN-90 | SC | SA | 16 | |
| | | | | MIL-HDBK-332 NOTICE 1 | EVALUATION OF HIGH FREQUENCY ANTENNAS IN AN OPERATIONAL ENVIRONMENT REVIEWER: ES | A | 5985 | 17 | 31-MAR-87 | | EC | 17 | |
| A | L | | | MIL-HDBK-335 NOTICE 2 | MANAGEMENT AND DESIGN GUIDANCE ELECTROMAGNETIC RADIATION HARDNESS FOR AIR LAUNCHED ORDNANCE SYSTEMS [VALIDATION DATE: 9212] | A | EMCS | 17 | 28-DEC-92 | | | 17 | |
| | | | | MIL-HDBK-336/1 | SURVIVABILITY, AIRCRAFT, NONNUCLEAR, GENERAL CRITERIA-VOLUME 1 [VALIDATION DATE: 8809] REVIEWER: 26 MC ME MR | A | MISC | 11 | 30-SEP-88 | AV | AS | 11 | |
| | | | | MIL-HDBK-336/2 | SURVIVABILITY, AIRCRAFT, NONNUCLEAR, AIRFRAME-VOLUME 2 [VALIDATION DATE: 8809] REVIEWER: 26 MC ME MR | A | MISC | 11 | 30-SEP-88 | AV | AS | 11 | |
| | | | | MIL-HDBK-336/3 | SURVIVABILITY, AIRCRAFT, NONNUCLEAR, ENGINE-VOLUME 3 [VALIDATION DATE: 8809] REVIEWER: 26 MC ME MR | A | MISC | 11 | 30-SEP-88 | AV | AS | 11 | |
| | | | | MIL-HDBK-337 | ADHESIVE BONDED AEROSPACE STRUCTURE REPAIR USER: 99 ..... | A | 8040 | 11 | 01-DEC-82 | AR | AS | 11 | |
| | | | | MIL-HDBK-338/1A | ELECTRONIC RELIABILITY DESIGN HANDBOOK USER: AT CG GL ME REVIEWER: 11 13 18 19 99 AS AV MI OS SH | A | RELI | 17 | 12-OCT-88 | CR | EC | 17 | |
| | | | | MIL-HDBK-338/2 | ELECTRONIC RELIABILITY DESIGN HANDBOOK VOLUME 2 USER: AT CG GL ME REVIEWER: 11 13 18 19 99 AS AV MI OS SH | A | RELI | 17 | 15-OCT-84 | | | | |
| | L | | | MIL-HDBK-339 | CUSTOM LARGE SCALE INTEGRATED CIRCUIT DEVELOPMENT & ACQUISITION FOR SPACE VEHICLES | A | 1820 | 19 | 31-JUL-84 | | | 19 | |
| | L | | | MIL-HDBK-340(1) | APPLICATION GUIDELINES FOR MIL-STD-1540B: TEST REQUIREMENTS FOR SPACE VEHICLES | A | 1810 | 19 | 31-JUL-89 | | | 19 | |
| A | L | | | DOD-HDBK-343 NOTICE 1 | DESIGN, CONSTRUCTION, AND TESTING REQUIREMENTS FOR ONE OF A KIND SPACE EQUIPMENT [VALIDATION DATE: 9209] | A | 1810 | 19 | 04-SEP-92 | | | 19 | |
| | | | | DOD-HDBK-345 | MIL-STD-1567, WORK MEASUREMENT VERIFICATION AND COMPLIANCE PLAN REVIEWER: 01 11 13 14 17 AR AT AV CE CR EC SH | A | MISC | 10 | 20-JUN-88 | AL | AS | 10 | DH |
| | | | | MIL-HDBK-347 | MISSION-CRITICAL COMPUTER RESOURCES SOFTWARE SUPPORT REVIEWER: 11 71 80 AM AR AS DH ER MC MI SA SH | A | MCCR | 10 | 22-MAY-90 | CR | EC | 70 | |
| | L | | | MIL-HDBK-348(1) NOTICE 1 | SATELITE CONTROL NETWORK HARDWARE AND SOFTWARE OPERATIONAL ACCEPTANCE PROCESS | A | 1810 | 19 | 30-JUL-90 | | | 19 | |
| | | | | MIL-HDBK-350 | A GUIDE FOR MIL-STD-1520C CORRECTIVE ACTION AND DISPOSITION SYSTEM FOR NONCONFORMING MATERIAL REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | 05 | 07-JUN-91 | AR | OS | 05 | |
| | | | | MIL-HDBK-400 NOTICE 1 | CRITERIA FOR PREPARATION OF GEAR AND SPLINE ENGINEERING DRAWINGS REVIEWER: ME | A | 3020 | AT | 04-JUN-85 | AT | | 99 | |
| | L | | | MIL-HDBK-401 | HOT ISOSTATIC PROCESSING (CONTROLLED DISTRIBUTION) [VALIDATION DATE: 9202] | X | CMPS | AT | 28-FEB-92 | AT | | | |
| D | | | | MIL-HDBK-402(1) | GUIDELINES FOR THE IMPLEMENTATION OF THE DOD PARTS CONTROL PROGRAM REVIEWER: 13 17 89 CR OS SH YD1 | A | MISC | AT | 28-AUG-89 | AT | AS | 01 | ES |
| | L | | | MIL-HDBK-404 | CALCULATION AND DESIGN OF MASTER GEARS ..... | A | QCIC | AT | 12-JUN-90 | AT | | | |
| | | | | MIL-HDBK-406 NOTICE 1 | CONTAMINATION CONTROL TECHNOLOGY CLEANING MATERIALS FOR PRECISION PRECLEANING AND USE IN CLEAN ROOMS AND CLEAN WORK STATIONS [VALIDATION DATE: 8806] USER: AT REVIEWER: 12 14 AV GS OS SH | A | 3694 | MI | 14-JUN-88 | MI | AS | 84 | |
| | | | | MIL-HDBK-407 NOTICE 1 | CONTAMINATION CONTROL TECHNOLOGY PRECISION CLEANING METHODS AND PROCEDURES REVIEWER: GS SH | A | 3694 | MI | 20-JAN-84 | MI | AS | 99 | |
| | | | | MIL-HDBK-408 NOTICE 1 | CONTAMINATION CONTROL TECHNOLOGY MICROBIAL DETERIORATION IN ELECTRONICS ITS ORIGIN AND CONTROL [VALIDATION DATE: 8806] USER: AT REVIEWER: 19 AV GS OS | A | 3694 | MI | 14-JUN-88 | MI | AS | 84 | |
| | | | | MIL-HDBK-410 NOTICE 1 | CONTAMINATION CONTROL TECHNOLOGY LOGISTIC PROTECTION OF PRECISION CLEANED MATERIEL [VALIDATION DATE: 8804] REVIEWER: AR AT GS MR | A | 3694 | MI | 25-APR-88 | MI | AS | 99 | |
| D | | | | MIL-HDBK-411A | LONG HAUL COMMUNICATIONS (DCS POWER & ENVIRONMENTAL CONTROL FOR PHYSICAL PLANT (VOLUMES 1 & 2) REVIEWER: 50 CE CR DC MP | A | SLHC | SC | 08-JUL-82 | SC | YD1 | 90 | |
| D | | | | MIL-HDBK-411/1B | POWER AND THE ENVIRONMENT FOR SENSITIVE DOD ELECTRONIC EQUIPMENT (GENERAL) VOLUME I REVIEWER: 50 CE CR MC YD1 | A | SLHC | SC | 15-MAY-90 | SC | EC | 90 | |
| D | | | | MIL-HDBK-411/2B | POWER AND THE ENVIRONMENT FOR SENSITIVE DOD ELECTRONIC EQUIPMENT (POWER) VOLUME II REVIEWER: 50 CE CR MC YD1 | A | SLHC | SC | 15-MAY-90 | SC | EC | 90 | |
| D | | | | MIL-HDBK-411/3B | POWER AND THE ENVIRONMENT FOR SENSITIVE DOD ELECTRONIC EQUIPMENT (ENVIRONMENTAL CONTROL) VOLUME III REVIEWER: 50 CE CR MC YD1 | A | SLHC | SC | 15-MAY-90 | SC | EC | 90 | |
| | | | | MIL-HDBK-412 | SITE SURVEY & FACILITY DESIGN HANDBOOK FOR SATELLITE EARTH STATIONS REVIEWER: 13 17 89 CR | A | SLHC | SC | 20-MAY-81 | SC | EC | 90 | |
| D | | | | MIL-HDBK-413 | DESIGN HANDBOOK FOR HIGH FREQUENCY RADIO COMMUNICATIONS SYSTEMS REVIEWER: 02 11 13 17 26 AC CR MC NC OM TD YD1 | A | TCTS | SC | 28-MAR-86 | SC | EC | 90 | |
| | | | | MIL-HDBK-414 NOTICE 1 | TECHNICAL CONTROL FACILITIES & EQUIPMENT FOR LONG HAUL COMMUNICATIONS - VOLUME 1 OF 2 VOLUMES | A | SLHC | 90 | 23-MAR-81 | SC | EC | 90 | |
| D | | | | MIL-HDBK-415 | DESIGN HANDBOOK FOR FIBER OPTIC COMMUNICATIONS SYSTEMS USER: 02 ER YD1 REVIEWER: 13 CR MS OM TT | A | SLHC | SC | 01-FEB-85 | SC | EC | 90 | |
| | | | | MIL-HDBK-416 | DESIGN HANDBOOK FOR LINE OF SIGHT MICROWAVE COMMUNICATION SYSTEMS ..... | A | SLHC | 90 | 15-NOV-77 | SC | EC | 90 | |
| | | | | MIL-HDBK-417 | FACILITY DESIGN FOR TROPOSPHERIC SCATTER (TRANSHORIZON MICROWAVE SYSTEM DESIGN) | A | SLHC | 90 | 25-NOV-77 | SC | EC | 90 | DC |
| | | | | MIL-HDBK-419A | GROUNDING, BONDING & SHIELDING FOR ELECTRONIC EQUIPMENTS & FACILITIES, VOLUME 1 & 2 | A | SLHC | 90 | 29-DEC-87 | SC | EC | 90 | |
| | | | | MIL-HDBK-419/1A | GROUNDING, BONDING, AND SHIELDING FOR ELECTRONIC EQUIPMENTS AND FACILITIES VOLUME 1 OF 2 VOLUMES BASIC THEORY REVIEWER: 02 04 11 14 15 17 50 AC AR CR NC NV OM | A | EMCS | 90 | 29-DEC-87 | SC | EC | 90 | |
| | | | | MIL-HDBK-419/2A | GROUNDING, BONDING, AND SHIELDING FOR ELECTRONIC EQUIPMENTS AND FACILITIES VOLUME II OF 2 VOLUMES APPLICATIONS REVIEWER: 02 04 11 14 15 17 50 AC AR CR NC NV OM | A | EMCS | 90 | 29-DEC-87 | SC | EC | 90 | |
| | | | | MIL-HDBK-420 | SITE SURVEY HANDBOOK FOR COMMUNICATIONS FACILITIES REVIEWER: CR DC MS OM .. | A | SLHC | SC | 20-MAR-87 | SC | EC | 90 | |
| | | | | MIL-HDBK-421 | COMMUNICATIONS TIMING AND SYNCHRONIZATION SUBSYSTEMS ..... | A | TCTS | DC | 17-MAY-91 | SC | EC | 90 | |
| | | | | MIL-HDBK-472 NOTICE 1 | MAINTAINABILITY PREDICTION REVIEWER: 13 14 CR EC OS SH TD ..... | A | MNTY | AS | 12-JAN-84 | MI | AS | 17 | |
| | | | | MIL-HDBK-660A | FABRICATION OF RIGID WAVEGUIDE ASSEMBLIES (SWEEP BENDS AND TWISTS) [VALIDATION DATE: 8505] REVIEWER: 17 ES | A | 5985 | EC | 07-JUL-72 | EL | EC | 85 | |
| | L | | | MIL-HDBK-682 | TOLERANCING, DIMENSIONING, AND GAGING TECHNIQUES FOR THE DESIGN OF INSPECTION EQUIPMENT | A | QCIC | AT | 12-JUL-91 | AT | | | |
| | L | | | MIL-HDBK-683 | *STATISTICAL PROCESS CONTROL (SPC) IMPLEMENTATION AND EVALUATION AID* REVIEWER: CR | A | QCIC | AT | 30-OCT-91 | AT | | | |
| D | L | | | MIL-HDBK-691A | ADHESIVE USER: AT YD1 REVIEWER: 11 84 AR AS ME MI SH ..... | A | 8040 | MR | 12-MAR-87 | MR | | | |
| | | | | MIL-HDBK-692B | *A GUIDE TO THE SELECTION OF RUBBER O-RINGS* USER: MD REVIEWER: 82 AR AV EA GL IS | A | 5330 | MR | 14-OCT-83 | MR | | 99 | |
| | | | | MIL-HDBK-693A NOTICE 1 | MAGNESIUM AND MAGNESIUM ALLOY [VALIDATION DATE: 8804] REVIEWER: IS ..... | A | 95GP | MR | 19-APR-88 | MR | AS | 99 | |
| | L | | | MIL-HDBK-694A NOTICE 1 | ALUMINUM AND ALUMINUM ALLOYS [VALIDATION DATE: 8701] REVIEWER: IS ..... | A | MISC | MR | 14-JAN-87 | MR | | | |
| | | | | MIL-HDBK-695C(1) NOTICE 2 | RUBBER PRODUCTS: RECOMMENDED SHELF LIFE [VALIDATION DATE: 9104] USER: OS REVIEWER: 11 AR AS CH GL GS MI WC | A | 93GP | MR | 29-APR-91 | MR | SH | 99 | |
| | | | | MIL-HDBK-697A | TITANIUM AND TITANIUM ALLOYS [VALIDATION DATE: 9007] USER: OS REVIEWER: AR GL IS MI | A | 95GP | MR | 20-JUL-90 | MR | AS | 99 | |
| | | | | MIL-HDBK-698A NOTICE 1 | COPPER AND COPPER ALLOYS [VALIDATION DATE: 9007] REVIEWER: IS ..... | A | 95GP | MR | 20-JUL-90 | MR | AS | 99 | |
| | L | | | MIL-HDBK-699B | A GUIDE TO THE SPECIFICATION FOR FLEXIBLE RUBBER PRODUCTS USER: GL MI REVIEWER: AR GS | A | 9320 | MR | 28-FEB-89 | MR | | | |
| | L | | | MIL-HDBK-700A | PLASTICS [VALIDATION DATE: 8104] REVIEWER: GS ..... | A | 9330 | MR | 17-MAR-75 | MR | | | |

| Action | Opt. | Cat. / Coordination Inactive | Document Number | Document Title | Class. Symb. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | MIL-HDBK-701C | BLOCKING, BRACING AND SKIDDING OF INDUSTRIAL PLANT EQUIPMENT FOR SHIPMENT AND STORAGE USER: MC SA YD1 REVIEWER: DM SH | A | PACK | IP | 30-SEP-89 | AL | SH | 99 | | IP |
| D | | | MIL-HDBK-702 | ENGINEERING PRACTICES PRODUCTIVITY ENHANCEMENT OF INDUSTRIAL PLANT EQUIPMENT & PRODUCTION SUPPORT SYSTEMS REVIEWER: 84 AS AV GS SH YD1 | A | 34GP | IP | 01-AUG-85 | AL | SH | 99 | | |
| D | | | MIL-HDBK-705C | GENERATOR SETS, ELECTRICAL, MEASUREMENT AND INSTRUMENTATION METHODS | A | 6115 | ME | 03-NOV-92 | ME | YD1 | 99 | | |
| | | NOTICE 1 | | (VALIDATION DATE: 9211) USER: AT ER MC REVIEWER: 11 AS CE TE | | | | | | | | | |
| | L | | MIL-HDBK-722 | GLASS (VALIDATION DATE: 8308) REVIEWER: GS | A | 9340 | MR | 01-AUG-69 | MR | | | | |
| D | | | MIL-HDBK-723A | STEEL AND IRON WROUGHT PRODUCTS (VALIDATION DATE: 8302) USER: AS MC OS YD1 REVIEWER: IS | A | 95GP | MR | 30-NOV-70 | MR | | 99 | | |
| D | | | MIL-HDBK-725 | ADHESIVES: A GUIDE TO THEIR PROPERTIES AND USES AS DESCRIBED BY FEDERAL | A | 8040 | MR | 29-MAR-91 | MR | AS | 84 | | |
| | | NOTICE 1 | | AND MILITARY SPECIFICATIONS (VALIDATION DATE: 9103) USER: AT MC OS SA YD1 REVIEWER: 11 GL ME MI SH | | | | | | | | | |
| | | | MIL-HDBK-727 | DESIGN GUIDANCE FOR PRODUCIBILITY (VALIDATION DATE: 9002) | A | MISC | MR | 13-FEB-90 | MR | AS | 11 | | |
| | | NOTICE 1 | | | | | | | | | | | |
| A | | | MIL-HDBK-728/1 | NONDESTRUCTIVE TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS | A | NDTI | MR | 01-JUL-92 | MR | AS | 11 | | |
| | | NOTICE 1 | | | | | | | | | | | |
| A | | | MIL-HDBK-728/2 | EDDY CURRENT TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS | A | NDTI | MR | 01-JUL-92 | MR | AS | 11 | | |
| | | NOTICE 1 | | | | | | | | | | | |
| A | | | MIL-HDBK-728/3 | LIQUID PENETRANT TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS | A | NDTI | MR | 01-JUL-92 | MR | AS | 11 | | |
| | | NOTICE 1 | | | | | | | | | | | |
| A | | | MIL-HDBK-728/4 | MAGNETIC PARTICLE TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS | A | NDTI | MR | 01-JUL-92 | MR | AS | 11 | | |
| | | NOTICE 1 | | | | | | | | | | | |
| A | | | MIL-HDBK-728/5 | RADIOGRAPHIC TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS | A | NDTI | MR | 01-JUL-92 | MR | AS | 11 | | |
| | | NOTICE 1 | | | | | | | | | | | |
| A | | | MIL-HDBK-728/6 | ULTRASONIC TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS | A | NDTI | MR | 01-JUL-92 | MR | AS | 11 | | |
| | | NOTICE 1 | | | | | | | | | | | |
| | | | MIL-HDBK-729 | CORROSION & CORROSION PREVENTION METALS | A | MFFP | MR | 21-NOV-83 | MR | SH | 11 | | |
| | | NOTICE 1 | | | | | | | | | | | |
| | L | | MIL-HDBK-730 | MATERIALS JOINING (NO S/S DOCUMENT) (VALIDATION DATE: 9102) | A | THJM | MR | 08-FEB-91 | MR | | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| A | | | MIL-HDBK-731 | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - THERMOGRAPHY | A | NDTI | MR | 12-JUN-92 | MR | AS | 11 | | |
| | | NOTICE 1 | | (VALIDATION DATE: 9206) USER: 80 84 OS REVIEWER: 82 99 AT AV MI SH | | | | | | | | | |
| D | | | MIL-HDBK-732A | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS ACOUSTIC EMISSION | A | NDTI | MR | 24-APR-91 | MR | AS | 11 | | |
| | | | | USER: 80 MI YD1 REVIEWER: 70 71 82 99 AR AT AV ME OS SH | | | | | | | | | |
| A | | | MIL-HDBK-733 | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - RADIOGRAPHY | A | NDTI | MR | 02-JUL-92 | MR | AS | 11 | | |
| | | NOTICE 1 | | (VALIDATION DATE: 9207) USER: ME SH REVIEWER: 80 82 84 99 AR AT AV MI OS | | | | | | | | | |
| D | | | MIL-HDBK-737A | MILITARY STANDARDIZATION HANDBOOK, HANDBOOK FOR TEXTILE LABORATORY | A | 83GP | CT | 28-FEB-79 | GL | SA | 11 | | CT |
| | | | | PERSONNEL 300667 (VALIDATION DATE: 8501) USER: AR AT AV CG IH MI YD1 REVIEWER: 99 AS MC | | | | | | | | | |
| D | | | MIL-HDBK-739 | FIELD REFRIGERATION EQUIPMENT (VALIDATION DATE: 8702) USER: CE REVIEWER: | A | 4130 | GL | 27-FEB-87 | GL | YD1 | 99 | | |
| | | NOTICE 1 | | GS ME | | | | | | | | | |
| | | | MIL-HDBK-740 | DISHWASHING OPERATIONS (VALIDATION DATE: 8402) USER: MS | A | 7930 | GL | 29-DEC-72 | GL | SH | 99 | | |
| A | L | | MIL-HDBK-741 | FABRIC DESIGN (VALIDATION DATE: 8702) REVIEWER: MD | A | 8305 | CT | 27-FEB-87 | GL | | | | CT |
| | | NOTICE 1 | | | | | | | | | | | |
| | | | MIL-HDBK-742 | WASTE DISPOSAL METHODS FOR MILITARY PACKAGING MATERIALS (VALIDATION DATE: | A | 81GP | GL | 27-FEB-87 | GL | SA | 69 | | |
| | | NOTICE 1 | | 8702) | | | | | | | | | |
| | | | DOD-HDBK-743A | ANTHROPOMETRY OF U.S. MILITARY PERSONNEL (METRIC) REVIEWER: 10 AT AV CU MD | A | HFAC | GL | 13-FEB-91 | GL | AS | 11 | | |
| | | | | MI MU | | | | | | | | | |
| D | | | MIL-HDBK-753 | CB COLLECTIVE PROTECTION OF MOBILE VEHICLES, VANS AND SHELTERS USER: CE MC | A | 4240 | EA | 31-AUG-71 | EA | YD1 | 99 | | |
| | | | | MI REVIEWER: AS GS MD | | | | | | | | | |
| | L | | MIL-HDBK-754 | PLASTIC MATRIX COMPOSITES WITH CONTINUOUS FIBER REINFORCEMENT REVIEWER: MR | A | 9330 | AR | 19-SEP-91 | AR | | | | |
| | L | | MIL-HDBK-755 | PLASTIC MATERIAL PROPERTIES FOR ENGINEERING DESIGN REVIEWER: MR | A | 9330 | AR | 16-SEP-91 | AR | | | | |
| | L | | MIL-HDBK-756 | MANUFACTURE OF PROJECTILES, PROJECTILE COMPONENTS, AND CARTRIDGE CASES FOR | A | 13GP | AR | 29-APR-91 | AR | | | | |
| | | | | ARTILLERY, TANK MAIN ARMAMENT, AND MORTARS | | | | | | | | | |
| A | L | | MIL-HDBK-759B(2) | HUMAN FACTORS ENGINEERING DESIGN FOR ARMY MATERIEL METRIC REVIEWER: AR AT | A | HFAC | MI | 10-JAN-93 | MI | | | | |
| | | | | AV CR EA GL MD ME MR TE TM | | | | | | | | | |
| | | | MIL-HDBK-761A | HUMAN ENGINEERING GUIDELINES FOR MANAGEMENT INFORMATION SYSTEMS REVIEWER: | A | HFAC | MI | 30-SEP-89 | MI | AS | 11 | | |
| | | | | 13 14 19 26 AT AV CR EC GL MC MR MS OS PE | | | | | | | | | |
| | L | | MIL-HDBK-762 | DESIGN OF AERODYNAMICALLY STABILIZED FREE ROCKETS REVIEWER: AR | A | GDRQ | MI | 17-JUL-90 | MI | | | | |
| D | | | DOD-HDBK-763 | HUMAN ENGINEERING PROCEDURES GUIDE USER: AL CR ME YD1 REVIEWER: 13 14 19 | A | HFAC | MI | 27-FEB-87 | MI | AS | 11 | | |
| | | | | 24 AR AT AV GL MD MR MS OM OS PE SH TD | | | | | | | | | |
| | | | MIL-HDBK-763 | HUMAN ENGINEERING PROCEDURES GUIDE REVIEWER: 13 14 19 24 AR AT AV GL MS OM | A | HFAC | MI | 27-FEB-87 | MI | AS | 11 | | |
| | | | | OS PE SH | | | | | | | | | |
| | L | | MIL-HDBK-764 | SYSTEM SAFETY ENGINEERING DESIGN GUIDE FOR ARMY MATERIEL REVIEWER: AL AT | A | SAFT | MI | 12-JAN-90 | MI | | | | |
| | | | | AV CR ER | | | | | | | | | |
| | L | | MIL-HDBK-765(1) | GUIDELINES FOR SAFE DESIGN OF POLYPHASE ELECTRICAL SYSTEMS | A | SAFT | MI | 27-JUL-89 | MI | | | | |
| | | NOTICE 1 | | | | | | | | | | | |
| | | | MIL-HDBK-766 | DESIGN TO COST REVIEWER: 14 15 18 AR EA EC GS | A | MISC | MI | 25-AUG-89 | MI | AS | 11 | | |
| | | | MIL-HDBK-770A | SHRINK FILM/STRETCH FILM IN MILITARY PACKAGING (VALIDATION DATE: 8901) | A | PACK | SM | 18-JAN-89 | SM | SA | 69 | | DH |
| | | NOTICE 1 | | REVIEWER: 71 80 82 AL AT CS GL GS MR MT | | | | | | | | | |
| D | | | MIL-HDBK-772 | MILITARY PACKAGING ENGINEERING (VALIDATION DATE: 8812) REVIEWER: AR AT AV | A | PACK | SM | 30-DEC-88 | SM | AS | 69 | | DH |
| | | NOTICE 1 | | CS CT EA GS IS ME PS YD1 | | | | | | | | | |
| | | | MIL-HDBK-773(1) | ELECTROSTATIC DISCHARGE PROTECTIVE PACKAGING REVIEWER: 01 11 70 80 82 AM | A | PACK | SM | 24-MAY-90 | SM | SH | 69 | | ES |
| | | | | AS AT CG CR EC MC MI MS | | | | | | | | | |
| A | L | | MIL-HDBK-776 | SHAFTS, ELASTIC TORSIONAL STRESS ANALYSIS OF (VALIDATION DATE: 9301) USER: | A | GDRQ | AR | 07-JAN-93 | AR | | | | |
| | | NOTICE 2 | | OS REVIEWER: AV ME | | | | | | | | | |
| | | | MIL-HDBK-777 | FUZE CATALOG PROCUREMENT STANDARD AND DEVELOPMENT FUZE EXPLOSIVE | C | 1390 | AR | 01-OCT-85 | AR | OS | 99 | | |
| | | | | COMPONENTS | | | | | | | | | |
| | L | | DOD-HDBK-778 | RECOIL SYSTEMS METRIC | A | 10GP | AR | 18-JUL-88 | AR | | | | |
| | | | MIL-HDBK-780A | STANDARDIZED MILITARY DRAWINGS USER: GL REVIEWER: 13 14 18 19 70 71 79 80 | A | DRPR | AR | 20-SEP-91 | AR | OS | 16 | | |
| | | | | 84 99 AS AT AV CE CR DH EC ER MC ME MI SA SH TD | | | | | | | | | |
| | | | MIL-HDBK-781 | RELIABILITY TEST METHODS, PLANS, AND ENVIRONMENTS FOR ENGINEERING | A | RELI | EC | 14-JUL-87 | CR | EC | 11 | | |
| | | | | DEVELOPMENT, QUALIFICATION, AND PRODUCTION REVIEWER: 01 10 13 16 19 AR AS AV IS MI OS SH TD | | | | | | | | | |
| | | | MIL-HDBK-782 | SOFTWARE SUPPORT ENVIRONMENT ACQUISITION IMPLEMENTATION GUIDE FOR | A | MCCR | 99 | 29-FEB-88 | CR | SH | 99 | | |
| | | | | DOD-STD-1467 (AR) "SOFTWARE SUPPORT ENVIRONMENT" REVIEWER: AV | | | | | | | | | |
| | L | | MIL-HDBK-783 | CHEMICAL AND BIOLOGICAL (CB) CONTAMINATION AVOIDANCE AND DECONTAMINATION | A | 4230 | EA | 15-OCT-90 | EA | | | | |
| D | | | MIL-HDBK-784 | GUIDELINES-DESIGN TO MINIMIZE CONTAMINATION AND TO FACILITATE | A | 4230 | EA | 21-DEC-87 | EA | YD1 | 99 | | |
| | | | | DECONTAMINATION OF MILITARY VEHICLES AND OTHER EQUIPMENT: INTERIORS AND EXTERIORS USER: MC REVIEWER: 84 AL AR AT AV | | | | | | | | | |
| | L | | MIL-HDBK-785 | DESIGN OF TOWED ARTILLERY WEAPON SYSTEMS | A | 10GP | AR | 30-MAR-90 | AR | | | | |
| M | | | MIL-HDBK-786 | FIELD ASSURANCE OF ACOUSTIC EMISSION SYSTEM OPERATION USING SIMULATED | A | NDTI | MR | 05-MAY-93 | MR | AS | 11 | | |
| | | NOTICE 1 | | ACOUSTIC EMISSION EVENTS (VALIDATION DATE: 9305) REVIEWER: AT AV | | | | | | | | | |
| M | | | MIL-HDBK-787 | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - ULTRASONIC | A | NDTI | MR | 05-MAY-93 | MR | AS | 11 | | |
| | | NOTICE 1 | | (VALIDATION DATE: 9305) USER: ME SH REVIEWER: 80 82 84 99 AR AT AV MI OS | | | | | | | | | |
| | | | MIL-HDBK-788 | SELECTION OF ACOUSTIC EMISSION SENSORS | A | NDTI | MR | 25-JUL-89 | MR | AS | 11 | | |
| | L | | MIL-HDBK-789 | ARMOR FOR DEFENSE AGAINST KINETIC ENERGY PROJECTILE ATTACK (REQUEST OTHER | C | MECA | MR | 12-SEP-91 | AR | | | | |
| | | | | THAN DOD SUBMIT REQUEST VIA THE PREPARING ACTIVITY) REVIEWER: AT | | | | | | | | | |
| D | | | MIL-HDBK-790(1) | FRACTOGRAPHY AND CHARACTERIZATION OF FRACTURE ORIGINS IN ADVANCED | A | 9350 | MR | 30-OCT-92 | MR | AS | 99 | | |
| | | | | STRUCTURAL CERAMICS REVIEWER: 11 84 AT EA ER GS ME MI OS SH YD1 | | | | | | | | | |
| | L | | DOD-HDBK-791 | MAINTAINABILITY DESIGN TECHNIQUES METRIC | A | MISC | AM | 17-MAR-88 | AM | | | | |
| | | | MIL-HDBK-791 | MAINTAINABILITY DESIGN TECHNIQUES (METRIC) | A | MISC | AM | 17-MAR-88 | AM | | | | |
| | L | | MIL-HDBK-792 | PROVE OUT OF PRODUCTION FACILITIES | A | QCIC | AR | 24-MAR-89 | AR | | | | |
| | L | | MIL-HDBK-793 | NONDESTRUCTIVE TESTING TECHNIQUES FOR STRUCTURAL COMPOSITES REVIEWER: MR | A | NDTI | AR | 06-NOV-89 | AR | | | | |

| Action | OPR / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | L | | MIL-HDBK-800 | DOCUMENTATION STREAMLINING | A | SDMP | AS | | 30-MAY-89 | | AS | | |
| | L | | MIL-HDBK-801 | LIST OF PRESSURE GAUGES | A | 6685 | SH | | 31-OCT-90 | | SH | | |
| | L | | MIL-HDBK-802 | DESIGN OF ELECTRICAL EQUIPMENT WITH SMALL STRAY MAGNETIC FIELDS (METRIC) | A | 1905 | SH | | 02-JUL-90 | | SH | | |
| | L | | MIL-HDBK-803 | GLASS REINFORCED PLASTICS PREVENTIVE MAINTENANCE AND REPAIR | A | 9330 | SH | | 20-APR-90 | | SH | | |
| | L | | MIL-HDBK-804 | NETWORK USER ID AND PASSWORD PROCEDURES | A | IPSC | DH | | 15-FEB-90 | | DH | | |
| | L | | MIL-HDBK-805 | MICROCOMPUTER SOFTWARE AND HARDWARE GUIDELINES | A | IPSC | DH | | 26-FEB-90 | | DH | | |
| A | | | MIL-HDBK-818/1 | SURVIVABLE ADAPTABLE FIBER OPTIC EMBEDDED NETWORK (SAFENET) NETWORK DEVELOPMENT GUIDANCE REVIEWER: 02 17 21 23 26 AC CG ET IE SC TD TM | A | MCCR | | EC | 31-OCT-92 | ER | EC | | 10 |
| | L | | MIL-HDBK-826 | DRYDOCKING TIMBERS AND BLOCKS STRENGTH PROPERTIES OF | A | 1950 | | SH | 11-OCT-91 | | SH | | |
| N | | | MIL-HDBK-828 | LASER RANGE SAFETY | A | 4240 | | EC | 15-APR-93 | EA | EC | | 10 |
| A | L | | MIL-HDBK-844 | AIRCRAFT REFUELING HANDBOOK | A | 9130 | | AS | 20-OCT-92 | | AS | | |
| N | | | MIL-HDBK-845 | STANDARD POWER SUPPLY APPLICATIONS HANDBOOK REVIEWER: GS | A | 6130 | | MM | 31-DEC-92 | ER | MM | | 99 |
| | L | | MIL-HDBK-978/1B | NASA PARTS APPLICATION HANDBOOK (VOLUME 1 OF 5) GENERAL INTRODUCTION, CAPACITORS, RESISTORS, THERMISTORS | A | 59GP | | NA | 01-MAR-88 | | | | |
| | L | | MIL-HDBK-978/2B(1) | NASA PARTS APPLICATION HANDBOOK (VOLUME 2 OF 5) DIODES, TRANSISTORS, MICROWAVE DEVICES | A | 59GP | | NA | 01-SEP-89 | | | | |
| | L | | MIL-HDBK-978/3B(3) | NASA PARTS APPLICATION HANDBOOK (VOLUME 3 OF 5) MICROCIRCUITS | A | 59GP | | NA | 25-MAR-91 | | | | |
| | L | | MIL-HDBK-978/4B | NASA PARTS APPLICATION HANDBOOK (VOLUME 4 OF 5) CRYSTALS, FILTERS, TRANSFORMERS, INDUCTORS, DELAY LINES, MOTORS | A | 59GP | | NA | 01-MAR-88 | | | | |
| | L | | MIL-HDBK-978/5B(3) | NASA PARTS APPLICATION HANDBOOK (VOLUME 5 OF 5) CONNECTORS, PROTECTIVE DEVICES, SWITCHES, RELAYS, WIRE, CABLE | A | 59GP | | NA | 25-MAR-91 | | | | |
| D | L | | MIL-HDBK-1001/1 | BASIC ARCHITECTURAL REQUIREMENTS AND DESIGN CONSIDERATIONS | A | FACR | | YD2 | 30-APR-92 | | YD2 | | |
| D | L | | MIL-HDBK-1001/2 NOTICE 1 | MATERIALS AND BUILDING COMPONENTS | A | FACR | | YD2 | 15-JUL-87 | | YD2 | | |
| D | L | | MIL-HDBK-1001/5 | ROOFING AND WATERPROOFING | A | FACR | | YD2 | 28-FEB-90 | | YD2 | | |
| D | L | | MIL-HDBK-1002 | TIMBER STRUCTURES | A | FACR | | YD2 | 30-MAR-87 | | YD2 | | |
| D | L | | MIL-HDBK-1002/1 NOTICE 1 | STRUCTURAL ENGINEERING GENERAL REQUIREMENTS | A | FACR | | YD2 | 30-NOV-87 | | YD2 | | |
| D | L | | MIL-HDBK-1002/2 | LOADS | A | FACR | | YD2 | 30-SEP-88 | | YD2 | | |
| D | L | | MIL-HDBK-1002/3 | STRUCTURAL ENGINEERINGSTEEL STRUCTURES | A | MISC | | YD2 | 30-SEP-87 | | YD2 | | |
| D | L | | MIL-HDBK-1002/5 | TIMBER STRUCTURES | A | FACR | | YD2 | 30-MAR-87 | | YD2 | | |
| D | L | | MIL-HDBK-1002/6 | ALUMINUM STRUCTURES, COMPOSITE STRUCTURES, STRUCTURAL PLASTICS, AND FIBER-REINFORCED COMPOSITES | A | FACR | | YD2 | 30-JUN-87 | | YD2 | | |
| D | L | | MIL-HDBK-1003/2 | INCINERATORS | A | FACR | | YD2 | 30-SEP-89 | | YD2 | | |
| D | L | | MIL-HDBK-1003/6 | CENTRAL HEATING PLANTS | A | FACR | | YD2 | 15-JAN-91 | | YD2 | | |
| D | L | | MIL-HDBK-1003/7 | STEAM POWER PLANTS - FOSSIL FUELED | A | FACR | | YD2 | 15-SEP-90 | | YD2 | | |
| D | L | | MIL-HDBK-1003/8A(2) | EXTERIOR DISTRIBUTION OF STEAM, HIGH TEMPERATURE WATER, CHILLED WATER, NATURAL GAS, AND COMPRESSED AIR | A | FACR | | YD2 | 30-DEC-91 | | YD2 | | |
| D | L | | MIL-HDBK-1003/11 | DIESEL-ELECTRIC GENERATING PLANTS | A | FACR | | YD2 | 13-OCT-87 | | YD2 | | |
| D | L | | MIL-HDBK-1003/12 | BOILER CONTROLS | A | FACR | | YD2 | 31-OCT-89 | | YD2 | | |
| D | L | | MIL-HDBK-1003/13A | SOLAR HEATING OF BUILDINGS & DOMESTIC HOT WATER | A | FACR | | YD2 | 09-NOV-81 | | YD2 | | |
| D | L | | MIL-HDBK-1003/17A | INDUSTRIAL VENTILATION SYSTEMS | A | FACR | | YD2 | 31-JAN-90 | | YD2 | | |
| D | | | MIL-HDBK-1003/19 | DESIGN PROCEDURES FOR PASSIVE SOLAR BUILDINGS | A | FACR | | YD2 | 03-MAY-87 | CE | YD2 | | 04 |
| D | L | | MIL-HDBK-1004/1 | ELECTRICAL ENGINEERING PRELIMINARY DESIGN CONSIDERATIONS | A | FACR | | YD2 | 30-MAY-88 | | YD2 | | |
| D | L | | MIL-HDBK-1004/2(1) | POWER DISTRIBUTION SYSTEMS | A | FACR | | YD2 | 15-FEB-91 | | YD2 | | |
| D | L | | MIL-HDBK-1004/3(1) | SWITCHGEAR AND RELAYING | A | FACR | | YD2 | 30-DEC-91 | | YD2 | | |
| D | L | | MIL-HDBK-1004/4(1) | ELECTRICAL UTILIZATION SYSTEMS | A | FACR | | YD2 | 15-FEB-91 | | YD2 | | |
| D | L | | MIL-HDBK-1004/6 | LIGHTNING PROTECTION | A | FACR | | YD2 | 30-MAY-86 | | YD2 | | |
| D | L | | MIL-HDBK-1004/7 | WIRE COMMUNICATIONS AND SIGNAL SYSTEMS | A | FACR | | YD2 | 30-SEP-91 | | YD2 | | |
| D | L | | MIL-HDBK-1004/10 | ELECTRICAL ENGINEERING CATHODIC PROTECTION | A | FACR | | YD2 | 31-JAN-90 | | YD2 | | |
| D | L | | MIL-HDBK-1005/2 | HYDROLOGY | A | FACR | | YD2 | 30-JUN-90 | | YD2 | | |
| D | L | | MIL-HDBK-1005/3 | DRAINAGE SYSTEMS | A | FACR | | YD2 | 20-SEP-90 | | YD2 | | |
| D | L | | MIL-HDBK-1005/6 | TRACKAGE | A | FACR | | YD2 | 30-APR-92 | | YD2 | | |
| D | L | | MIL-HDBK-1005/7 | WATER SUPPLY SYSTEMS | A | FACR | | YD2 | 30-NOV-88 | | YD2 | | |
| D | L | | MIL-HDBK-1005/8 | DOMESTIC WASTEWATER CONTROL | A | FACR | | YD2 | 30-SEP-88 | | YD2 | | |
| D | L | | MIL-HDBK-1005/9 | INDUSTRIAL AND OILY WASTEWATER CONTROL | A | FACR | | YD2 | 30-SEP-88 | | YD2 | | |
| D | L | | MIL-HDBK-1005/13 | HAZARDOUS WASTE STORAGE FACILITIES | A | FACR | | YD2 | 30-APR-87 | | YD2 | | |
| D | L | | MIL-HDBK-1006/1 NOTICE 1 | POLICY & PROCEDURES FOR PROJECT DRAWING & SPECIFICATION PREPARATION | A | MISC | | YD2 | 31-JUL-87 | | YD2 | | |
| D | L | | MIL-HDBK-1006/2A(1) | POLICY AND PROCEDURES FOR GUIDE SPECIFICATION PREPARATION | A | FACR | | YD2 | 01-MAR-91 | | YD2 | | |
| D | L | | MIL-HDBK-1006/3B | POLICY AND PROCEDURES FOR ENGINEERING AND DESIGN CRITERIA MANUAL PREPARATION | A | FACR | | YD2 | 15-OCT-90 | | YD2 | | |
| D | L | | MIL-HDBK-1006/4 | POLICY AND PROCEDURES FOR DEFINITIVE AND STANDARD DESIGN AND STANDARD SPECIFICATION PREPARATION | A | FACR | | YD2 | 31-JUL-87 | | YD2 | | |
| D | | | MIL-HDBK-1008A | FIRE PROTECTION FOR FACILITIES ENGINEERING, DESIGN, AND CONSTRUCTION | A | FACR | | YD2 | 31-MAR-88 | CE | YD2 | | 04 |
| D | L | | MIL-HDBK-1010A | COST ENGINEERING: POLICY AND PROCEDURES | A | FACR | | YD2 | 01-AUG-92 | | YD2 | | |
| D | L | | MIL-HDBK-1010/2 | COST ENGINEERING: HISTORICAL COST DATA | A | FACR | | YD2 | 30-SEP-88 | | YD2 | | |
| D | L | | MIL-HDBK-1011/1 | TROPICAL ENGINEERING | A | FACR | | YD2 | 31-OCT-91 | | YD2 | | |
| D | L | | MIL-HDBK-1011/2 | COOLING BUILDINGS BY NATURAL VENTILATION | A | FACR | | YD2 | 31-JAN-90 | | YD2 | | |
| D | L | | MIL-HDBK-1012/1 | ELECTRONIC FACILITIES ENGINEERING | A | FACR | | YD2 | 15-MAY-89 | | YD2 | | |
| D | L | | MIL-HDBK-1013/1(1) | DESIGN GUIDELINES FOR PHYSICAL SECURITY OF FIXED LAND-BASED FACILITIES | A | FACR | | YD2 | 31-JUL-89 | | YD2 | | |
| D | L | | MIL-HDBK-1013/3 | BOLT-ON INSTALLATION AND CHECKOUT PROCEDURES FOR THE HIGH-SECURITY HASP WITH OR WITHOUT ANTI-INTRUSION BAR COVER | A | FACR | | YD2 | 31-JAN-88 | | YD2 | | |
| D | L | | MIL-HDBK-1013/4 | INSTRUCTION FOR DESIGN, FABRICATION, AND CONSTRUCTION/INSTALLATION OF SECURE ENCLOSURES | A | FACR | | YD2 | 31-JAN-88 | | YD2 | | |
| D | L | | MIL-HDBK-1013/5 | STEEL-PLY WALL HARDENING SELECTION AND INSTALLATION GUIDE | A | FACR | | YD2 | 31-JAN-88 | | YD2 | | |
| D | L | | MIL-HDBK-1013/7 | SECURITY HARDWARE INSTALLATION, OPERATION, AND MAINTENANCE | A | FACR | | YD2 | 15-JUN-88 | | YD2 | | |
| D | L | | MIL-HDBK-1013/8 | COMBINATION LOCKS | A | FACR | | YD2 | 31-DEC-89 | | YD2 | | |
| N | L | | MIL-HDBK-1013/10 | DESIGN GUIDELINES FOR SECURITY FENCING, GATES, BARRIERS, AND GUARD FACILITIES | A | FACR | | YD2 | 14-MAY-93 | | YD2 | | |
| D | L | | MIL-HDBK-1015/1 | ELECTROPLATING FACILITIES | A | FACR | | YD2 | 31-MAY-89 | | YD2 | | |
| D | L | | MIL-HDBK-1015/2 | CHEMICAL ENGINEERING ELECTROPLATING TECHNICAL SYNOPSIS | A | FACR | | YD2 | 31-MAY-89 | | YD2 | | |
| D | L | | MIL-HDBK-1021/1(1) | AIRFIELD GEOMETRIC DESIGN | A | FACR | | YD2 | 31-AUG-92 | | YD2 | | |
| D | L | | MIL-HDBK-1021/2 | GENERAL CONCEPTS FOR AIRFIELD PAVEMENT DESIGN | A | FACR | | YD2 | 30-SEP-88 | | YD2 | | |
| D | L | | MIL-HDBK-1021/4(2) | RIGID PAVEMENT DESIGN FOR AIRFIELDS | A | FACR | | YD2 | 31-AUG-92 | | YD2 | | |
| D | L | | MIL-HDBK-1023/1(1) NOTICE 1 | AIRFIELD LIGHTING | A | FACR | | YD2 | 15-OCT-90 | | YD2 | | |
| D | L | | MIL-HDBK-1024/2 | HELIUM PLANTS AND STORAGE | A | FACR | | YD2 | 15-APR-87 | | YD2 | | |
| D | L | | MIL-HDBK-1024/3(1) | OXYACETYLENE AND NITROGEN AND BREATHING OXYGEN FACILITIES | A | FACR | | YD2 | 30-JUN-92 | | YD2 | | |
| D | L | | MIL-HDBK-1025/1(2) | PIERS AND WHARVES | A | FACR | | YD2 | 28-FEB-92 | | YD2 | | |
| D | L | | MIL-HDBK-1025/2 | DOCKSIDE UTILITIES FOR SHIP SERVICE | A | FACR | | YD2 | 01-MAY-88 | | YD2 | | |
| D | L | | MIL-HDBK-1025/4 | SEAWALLS, BULKHEADS, AND QUAYWALLS | A | FACR | | YD2 | 30-SEP-88 | | YD2 | | |
| C | L | | MIL-HDBK-1025/6 | GENERAL CRITERIA FOR WATERFRONT CONSTRUCTION | A | FACR | | YD2 | 15-MAY-88 | | YD2 | | |
| D | L | | MIL-HDBK-1027/1 | FIREFIGHTING SCHOOL FACILITIES | A | FACR | | YD2 | 15-MAR-91 | | YD2 | | |
| D | L | | MIL-HDBK-1027/3B | RANGE FACILITIES AND MISCELLANEOUS TRAINING FACILITIES OTHER THAN BUILDINGS | A | FACR | | YD2 | 30-NOV-92 | | YD2 | | |
| D | L | | MIL-HDBK-1028/1A | AIRCRAFT MAINTENANCE FACILITIES | A | FACR | | YD2 | 31-OCT-91 | | YD2 | | |
| D | L | | MIL-HDBK-1028/3 | MAINTENANCE FACILITIES FOR AMMUNITION, EXPLOSIVES, AND TOXINS | A | FACR | | YD2 | 31-DEC-87 | | YD2 | | |
| D | L | | MIL-HDBK-1028/5 | ENVIRONMENTAL CONTROL - DESIGN OF CLEAN ROOMS | A | FACR | | YD2 | 15-MAY-89 | | YD2 | | |
| D | L | | MIL-HDBK-1028/6 | AIRCRAFT FIXED POINT UTILITY SYSTEMS | A | FACR | | YD2 | 30-SEP-88 | | YD2 | | |
| D | | | MIL-HDBK-1028/8A | DESIGN OF PEST MANAGEMENT FACILITIES | A | FACR | | YD2 | 01-NOV-91 | | YD2 | | 04 |
| D | L | | MIL-HDBK-1029/1 | GRAVING DRYDOCKS | A | FACR | | YD2 | 31-JAN-89 | | YD2 | | |
| D | L | | MIL-HDBK-1029/2 | MARINE RAILWAYS | A | FACR | | YD2 | 30-JUN-89 | | YD2 | | |
| D | L | | MIL-HDBK-1029/3 | DRYDOCKING FACILITIES CHARACTERISTICS | A | FACR | | YD2 | 30-SEP-88 | | YD2 | | |

| Action | Opt. / GNL Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | | MIL-HDBK-1032/2 | COVERED STORAGE | A | MISC | | YD2 | 30-SEP-87 | | YD2 | | |
| D | L | | MIL-HDBK-1034 NOTICE 1 | ADMINISTRATIVE FACILITIES | A | FACR | | YD2 | 30-OCT-87 | | YD2 | | |
| D | | | MIL-HDBK-1035 | FAMILY HOUSING | A | FACR | | YD2 | 15-JUN-89 | CE | YD2 | | |
| D | L | | MIL-HDBK-1036/4 | ENLISTED DINING FACILITIES | A | FACR | | YD2 | 15-AUG-90 | | YD2 | | |
| D | | | MIL-HDBK-1037/2 | CHILD DEVELOPMENT CENTERS | A | FACR | | YD2 | 31-JAN-89 | CE | YD2 | 04 | |
| D | L | | MIL-HDBK-1037/3 | OUTDOOR SPORTS AND RECREATIONAL FACILITIES USER: AR REVIEWER: EL IS ME MI . | A | FACR | | YD2 | 30-JUN-89 | | YD2 | | |
| D | L | | MIL-HDBK-1037/4 | BRIGS AND DETENTION FACILITIES | A | FACR | | YD2 | 15-JUL-89 | | YD2 | | |
| D | L | | MIL-HDBK-1037/7 | OFFICERS, NON-COMMISSIONED OFFICERS DINING FACILITIES: OPEN ENLISTED DINING FACILITIES | A | FACR | | YD2 | 29-FEB-88 | | YD2 | | |
| D | L | | MIL-HDBK-1038/3 | YARD CRAFT REVIEWER: MD SS | A | FACR | | YD2 | 15-NOV-87 | | YD2 | | |
| D | L | | MIL-HDBK-1038/5 | TOWING NONSELF-PROPELLED FLOATING STRUCTURES REVIEWER: MD SS | A | FACR | | YD2 | 15-NOV-87 | | YD2 | | |
| D | | | MIL-HDBK-1040 | BASIC GUIDELINES FOR CHEMICAL WARFARE HARDENING OF NEW MILITARY FACILITIES | A | FACR | | YD2 | 28-FEB-89 | CE | YD2 | 04 | |
| D | L | | MIL-HDBK-1114/2 | MAINTENANCE AND OPERATION OF HEATING SYSTEMS | A | FACR | | YD2 | 31-DEC-91 | | YD2 | | |
| D | L | | MIL-HDBK-1119 | FOOD SERVICE EQUIPMENT | A | FACR | | YD2 | 30-AUG-91 | | YD2 | | |
| D | L | | MIL-HDBK-1130 | INACTIVATION, CARETAKER MAINTENANCE, REACTIVATION, AND CLOSURE OF SHORE FACILITIES | A | FACR | | YD2 | 31-DEC-91 | | YD2 | | |
| D | | | MIL-HDBK-1190 | FACILITY PLANNING AND DESIGN GUIDE | A | FACR | | YD2 | 01-SEP-87 | CE | YD2 | 04 | |
| D | | | MIL-HDBK-1191 | DEPARTMENT OF DEFENSE MEDICAL AND DENTAL TREATMENT FACILITIES DESIGN AND CONSTRUCTION CRITERIA | A | FACR | | YD2 | 15-OCT-91 | CE | YD2 | 04 | |
| D | L | | MIL-HDBK-1195 | RADIO FREQUENCY SHIELDED ENCLOSURES | A | FACR | | YD2 | 30-SEP-88 | | YD2 | | |
| D | L | | MIL-HDBK-1197 | AERO-ACOUSTICS TEST PROGRAMS REVIEWER: 82 | A | FACR | | YD2 | 11-MAR-88 | | YD2 | | |
| A | L | | MIL-HDBK-1200 | CHEMICAL AND BIOLOGICAL (CB) AGENTS DETECTION AND MONITORING SYSTEMS | A | 6665 | | EA | 16-NOV-92 | EA | | | |
| A | | | MIL-HDBK-1553A NOTICE 1 | MULTIPLEX APPLICATION HANDBOOK (CONTROLLED DISTRIBUTION) (VALIDATION DATE: 93011 | A | MCCR | | 11 | 31-JAN-93 | ER | AS | 11 | |
| A | | | MIL-HDBK-2000 | SOLDERING OF ELECTRICAL AND ELECTRONIC ASSEMBLIES USER: AV MC REVIEWER: 15 17 19 84 AH CR EC ER MR | A | SOLD | | AS | 04-JUL-90 | MI | AS | 11 | |
| | | | MIL-HDBK-63038/1A | TECHNICAL MANUAL WRITING HANDBOOK | A | TMSS | | TM | 15-MAY-84 | | | | |
| | | | MIL-HDBK-63038/2 | TECHNICAL WRITING STYLE GUIDE | A | TMSS | | TM | 01-MAY-77 | | | | |

# NUMERICAL LISTING
# MILITARY AND ANA BULLETINS

| Action | OPR / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity Data | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | | MIL-BUL-34T | ENGINEERING AND DESIGN CRITERIA FOR NAVY FACILITIES ..... | A | FACR | YD1 | 01-JAN-93 | | YD1 | | |
| D | L | | MIL-BULL-34K | ENGINEERING AND DESIGN CRITERIA FOR NAVY FACILITIES ..... | A | FACR | YD1 | 01-JAN-91 | | YD1 | | |
| D | L | | MIL-BUL-35C | MATRIX OF GUIDE SPECIFICATIONS FOR FACILITIES CONSTRUCTION - FEDERAL AND PRIVATE | A | FACR | YD1 | 15-JUN-92 | | YD1 | | |
| D | L | | MIL-BUL-36 | U.S. BUILDING CODES AND STANDARDS AN OVERVIEW ..... | A | FACR | YD1 | 30-JUN-89 | | YD1 | | |
| A | | | MIL-BUL-103P | LIST OF STANDARDIZED MILITARY DRAWINGS (SMD'S) USER: MR OS SH ..... | A | 5962 | ES | 09-MAR-93 | AV | EC | | ES |
| | | | MIL-BUL-147E | SPECIFICATIONS & STANDARDS OF NON-GOVERNMENT ORGANIZATIONS RELEASED FOR FLIGHT VEHICLE DESIGN & CONSTRUCTION USER: AR REVIEWER: 10 ME | A | MISC | AS | 14-APR-89 | AV | AS | 11 | |
| | | | ANA-BUL-306M | ENGINES, AIRCRAFT TURBINE AND JET, DESIGNATION OF [VALIDATION DATE: 8304] . | A | MISC | AS | 27-DEC-63 | | AS | 11 | |
| | | | MIL-BUL-343A | DOCUMENTS APPLICABLE TO AIRCRAFT ENGINES AND PROPELLERS, USE OF ..... | A | MISC | 11 | 18-DEC-87 | AV | AS | 11 | |
| | | | MIL-BUL-418 NOTICE 1 | DIFFERENTIAL PRESSURES [VALIDATION DATE: 8304] ..... | A | MISC | 11 | 21-NOV-52 | | | 11 | |
| | | | ANA-BUL-431A NOTICE 1 | AIR FORCE-NAVY AERONAUTICAL BULLETIN FITTINGS, FLARED, CLASSIFICATION OF DEFECTS OF [VALIDATION DATE: 8910] | A | 4730 | 82 | 31-OCT-89 | | AS | 99 | |
| | L | | ANA-BUL-446 | PROCEDURE FOR SUBMITTAL AND LISTING OF INDUSTRY SPECIFICATIONS AND STANDARDS IN ANA BULLETIN NO. 147 [VALIDATION DATE: 8304] | A | MISC | 11 | 17-JUL-63 | | | 11 | |
| | L | | MIL-BUL-544/1F | LIST OF FEDERAL/MILITARY/INDUSTRY SPECIFICATIONS AND STANDARDS, AND NAVAIR SERIES DOCUMENTS APPROVED BY THE NAVAL AIR SYSTEMS COMMAND - PART I ALPHABETICAL LISTING | A | GDRQ | AS | 01-MAY-86 | | AS | | |
| | | | MIL-BUL-544/2F | LIST OF FEDERAL/MILITARY/INDUSTRY SPECIFICATIONS AND STANDARDS, AND NAVAIR SERIES DOCUMENTS APPROVED BY THE NAVAL AIR SYSTEMS COMMAND - PART II NUMERICAL LISTING | A | GDRQ | AS | 01-MAY-86 | | AS | | |
| | L | | MIL-BUL-544/3F | LIST OF FEDERAL/MILITARY/INDUSTRY SPECIFICATIONS AND STANDARDS, AND NAVAIR SERIES DOCUMENTS APPROVED BY THE NAVAL AIR SYSTEMS COMMAND - PART III NUMERIC LISTING (CANCELLED DOCUMENTS) | A | GDRQ | AS | 01-MAY-86 | | AS | | |

| Action | Off. / Coll. Coordination Inactive | Document Number | Document Title | Dist. Sht. F&C / Area MCA Symbol Preparing Activity | | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| A | L | AFGS-87145A | ENVIRONMENTAL CONTROL, AIRBORNE | D 1660 | 11 | 01-OCT-92 | | | | 11 |
| A | L | AFGS-87154A | FUEL SYSTEMS GENERAL DESIGN SPECIFICATION FOR | D 2915 | 11 | 01-JUL-92 | | | | 11 |
| A | L | AFGS-87213B | DISPLAYS, AIRBORNE, ELECTRONICALLY/OPTICALLY GENERATED | D 6610 | 11 | 08-JAN-93 | | | | 11 |
| | L | AFGS-87216A | INSTRUMENT SYSTEMS, AIRBORNE | D 6695 | 11 | 05-AUG-88 | | | | 11 |
| A | L | AFGS-87219A | ELECTRICAL POWER SYSTEMS, AEROSPACE VEHICLES | D 61GP | 11 | 30-MAR-93 | | | | 11 |
| A | L | AFGS-87221A | AIRCRAFT STRUCTURES, GENERAL SPECIFICATION FOR | D 1510 | 11 | 08-JUN-90 | | | | 11 |
| | L | AFGS-87226A(1) | OXYGEN SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR | D 1660 | 11 | 01-APR-92 | | | | 11 |
| A | L | AFGS-87233A | SUPPORT SYSTEMS AND EQUIPMENT | D GDRQ | 11 | 05-APR-93 | | | | 11 |
| | L | AFGS-87234A | PERSONAL PROTECTIVE EQUIPMENT, AIRCREW | D 8475 | 11 | 30-SEP-91 | | | | 11 |
| | L | AFGS-87235B | EMERGENCY ESCAPE, AIRCRAFT | D 1510 | 11 | 16-MAR-92 | | | | 11 |
| | L | AFGS-87237 | NAVIGATION EQUIPMENT, AIRBORNE (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) | D 1510 | 11 | 26-MAY-89 | | | | 11 |
| | L | AFGS-87238 | SURVIVAL AND FLOTATION SYSTEMS, AIRBORNE (REQ OTHER THAN DOD REF TO ASD,ENES, WRIGHT-PATERSON AFB OH 45433-6503) REVIEWER: CS | D 1689 | 11 | 12-JAN-88 | | | | 11 |
| | L | AFGS-87240A | LIGHTING EQUIPMENT, AIRBORNE, INTERIOR AND EXTERIOR | D 6220 | 11 | 31-DEC-87 | | | | 11 |
| | L | AFGS-87241A | SIMULATORS, FLIGHT | D 6930 | 11 | 09-JAN-89 | | | | 11 |
| | L | AFGS-87242A | FLIGHT CONTROL SYSTEM GENERAL SPECIFICATION FOR | D 6610 | 11 | 30-AUG-91 | | | | 11 |
| | L | AFGS-87249 | MECHANICAL EQUIPMENT AND SUBSYSTEMS, REQUIREMENTS FOR THE INTEGRITY OF | D GDRQ | 11 | 15-MAR-88 | | | | 11 |
| A | L | AFGS-87253A | SYSTEM SPECIFICATION | D 15GP | 11 | 19-MAR-93 | | | | 11 |
| A | L | AFGS-87256 | INTEGRATED DIAGNOSTICS | D GDRQ | 11 | 30-APR-91 | | | | 11 |
| A | L | AFGS-87265 | TRAINING SYSTEMS | A 69GP | 11 | 30-SEP-92 | | | | 11 |
| A | L | AFGS-87266 | AIRCRAFT COCKPIT TRANSPARENCY SYSTEM | D 15GP | 11 | 01-JUL-92 | | | | 11 |
| A | L | AFGS-87267 | SUSTENANCE AND WASTE MANAGEMENT SYSTEMS, AIRBORNE | A 15GP | 11 | 13-NOV-92 | | | | 11 |
| D | | NFGS-02250 | SITE WORK, SECTION 02250, SOIL TREATMENT FOR SUBTERRANEAN TERMITE CONTROL | A FACR | YD3 | 31-AUG-85 | CE | YD3 | 04 | |
| D | | NFGS-02420 | SITE WORK, SECTION 02420, STORM DRAINAGE SYSTEM | A FACR | YD3 | 01-MAY-82 | CE | YD3 | 04 | |
| D | | NFGS-02444 | SITE WORK, SECTION 02444, FENCE, CHAIN LINK | A FACR | YD3 | 01-OCT-92 | CE | YD3 | 04 | |
| M | | NFGS-02510A | ASPHALT CONCRETE PAVING USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02513W | SITE WORK, SECTION 02513, ASPHALT CONCRETE FOR VEHICULAR TRAFFIC | A FACR | YD3 | 01-JAN-83 | CE | YD3 | 04 | |
| D | | NFGS-02543A | SITE WORK, SECTION 02543, COAL TAR SEAL COAT WITH UNVULCANIZED RUBBER | A FACR | YD3 | 09-JUN-89 | CE | YD3 | 04 | |
| D | | NFGS-02558A | SITE WORK, SECTION 02558, BITUMINOUS TACK COAT | A FACR | YD3 | 09-JUN-89 | CE | YD3 | 04 | |
| D | | NFGS-02559 | SITE WORK, SECTION 02559, PORTLAND CEMENT CONCRETE PAVEMENT FOR ROADS AND AIRFIELDS | A FACR | YD3 | 31-OCT-83 | CE | YD3 | 04 | |
| D | | NFGS-02573(1) | SITE WORK, SECTION 02573, BITUMINOUS HOT MIX PAVEMENT | A FACR | YD3 | 31-AUG-85 | CE | YD3 | 04 | |
| M | | NFGS-01010D | GENERAL PARAGRAPHS USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-01011G | ADDITIONAL GENERAL PARAGRAPHS USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-01013 | GENERAL REQUIREMENTS, SECTION 01013, CPM-NETWORK ANALYSIS SYSTEM | A FACR | YD3 | 01-JUL-82 | CE | YD3 | 04 | |
| M | | NFGS-01090J | REFERENCES USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-01300H | GENERAL REQUIREMENTS, SECTION 01300, SUBMITTALS | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| M | | NFGS-0131 | CONTRACTOR PREPARED NETWORK ANALYSIS SYSTEM (NAS) USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-014C | GENERAL REQUIREMENTS, SECTION 01400, QUALITY CONTROL | A FACR | YD3 | 31-DEC-91 | CE | YD3 | 04 | |
| M | | NFGS-01560J | ENVIRONMENTAL PROTECTION USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-01730E | GENERAL REQUIREMENTS, SECTION 01730, OPERATION AND MAINTENANCE DATA | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | NFGS-02050E | SITE WORK, SECTION 02050, DEMOLITION AND REMOVAL | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| M | | NFGS-02076A | REMOVAL AND DISPOSAL OF POLYCHLORINATED BIPHENYLS (PCBS) USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02080D | REMOVAL AND DISPOSAL OF ASBESTOS MATERIALS USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02082 | REMOVAL AND DISPOSAL OF UNDERGROUND STORAGE TANKS USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02090B | SITE WORK, SECTION 02090, REMOVAL AND DISPOSAL OF LEAD-CONTAINING PAINT | A FACR | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | NFGS-02102C | SITE WORK, SECTION 02102, CLEARING AND GRUBBING | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | NFGS-02220E | SITE WORK, SECTION 02220, GENERAL EXCAVATION, FILLING, AND BACKFILLING | A FACR | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| M | | NFGS-02221F | EARTHWORK FOR STRUCTURES AND PAVEMENTS USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02225H | EXCAVATION, BACKFILLING, AND COMPACTING FOR UTILITIES USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02232B | SITE WORK, SECTION 02232, (BASE COURSE FOR RIGID) (AND SUBBASE COURSE FOR FLEXIBLE) PAVING | A FACR | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| M | | NFGS-02233C | GRADED CRUSHED AGGREGATE BASE COURSE FOR FLEXIBLE PAVEMENT USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02234D | BITUMINOUS BASE COURSE USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02236B | SITE WORK, SECTION 02236, SAND-CLAY (BASE) (SUBBASE) COURSE | A FACR | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| M | | NFGS-02237C | ECONOCRETE BASE COURSE USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02247C | CEMENT STABILIZED (BASE) (SUBBASE) COURSE AT AIRFIELDS AND ROADS USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02248D | LIME TREATED SUBGRADE (LIME MODIFIED SOILS) USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02284D | SITE WORK, SECTION 02284, SOIL TREATMENT FOR SUBTERRANEAN TERMITE CONTROL | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| M | | NFGS-02361G | ROUND TIMBER PILES USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02363D | CAST-IN-PLACE CONCRETE PILING, STEEL CASING USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02366D | STEEL SHEET PILES USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02367D | PRESTRESSED CONCRETE PILING USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02368D | ROLLED STEEL SECTION PILES USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02369B | SITE WORK, SECTION 02369, PRESSURE-INJECTED FOOTINGS | A FACR | YD3 | 30-JUN-91 | CE | YD3 | 04 | |
| M | | NFGS-02371D | AUGER-PLACED GROUT PILES USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02383B | SITE WORK, SECTION 02383, DRILLED FOUNDATION CAISSONS (PIERS) | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| M | | NFGS-02452G | RAILROAD TRACKWORK USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02453B | WELDING CRANE AND RAILROAD RAIL - THERMITE METHOD USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02482C | SITE WORK, SECTION 02482, DREDGING | A FACR | YD3 | 30-NOV-91 | CE | YD3 | 04 | |
| M | | NFGS-02483E | WOOD MARINE PILING USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02488A | RESILIENT FOAM-FILLED MARINE FENDERS USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02489D | ARCH-TYPE RUBBER MARINE FENDERS USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02491D | PIER TIMBERWORK USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02511F | BITUMINOUS HOT MIX PAVEMENT USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02520D | PORTLAND CEMENT CONCRETE PAVEMENT FOR ROADS AND AIRFIELDS USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02522B | JOINTS, REINFORCEMENT, AND MOORING EYES IN CONCRETE PAVEMENT USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02546B | SITE WORK, SECTION 02546, COLD-MILLING OF BITUMINOUS PAVEMENT | A FACR | YD3 | 31-DEC-91 | CE | YD3 | 04 | |
| D | | NFGS-02551B | SITE WORK, SECTION 02551, BITUMINOUS PRIME COAT | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | NFGS-02552B | SITE WORK, SECTION 02552, BITUMINOUS TACK COAT | A FACR | YD3 | 30-JUN-92 | | YD3 | 04 | |
| D | | NFGS-02554B | SITE WORK, SECTION 02554, COAL TAR SEAL COAT WITH UNVULCANIZED RUBBER | A FACR | YD3 | 31-MAR-91 | CE | YD3 | 04 | |
| D | | NFGS-02555C | SITE WORK, SECTION 02555, BITUMINOUS SURFACE TREATMENT | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | NFGS-02560B | SITE WORK, SECTION 02560, BITUMINOUS SEAL COAT | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| M | | NFGS-02562D | RESEALING OF JOINTS IN RIGID PAVEMENT USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02563F | PAVEMENT, PORTLAND CEMENT CONCRETE (MINOR) USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | NFGS-02564B | PATCHING OF RIGID PAVEMENT DEPTH USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02575C | SITE WORK, SECTION 02575, FOG SEAL | A FACR | YD3 | 30-JUN-91 | CE | YD3 | 04 | |
| D | | NFGS-02576C | SITE WORK, SECTION 02576, ASPHALT SLURRY SEAL | A FACR | YD3 | 31-MAR-91 | CE | YD3 | 04 | |
| D | | NFGS-02577E | SITE WORK, SECTION 02577, PAVEMENT MARKINGS (AIRFIELDS AND ROADS) | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | NFGS-02578B | SITE WORK, SECTION 02578, RUBBER AND PAINT REMOVAL FROM AIRFIELD PAVEMENTS | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | NFGS-02579C | SITE WORK, SECTION 02579, REINFORCING FABRIC UNDERSEAL IN ASPHALT OVERLAYS | A FACR | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| D | | NFGS-02660E | SITE WORK, SECTION 02660, EXTERIOR WATER DISTRIBUTION SYSTEM | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | NFGS-02661F | SITE WORK, SECTION 02661, EXTERIOR WATER DISTRIBUTION SYSTEM (MINOR CONSTRUCTION) | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| M | | NFGS-02670E | ROTARY-DRILLED WATER WELL USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02682E | SITE WORK, SECTION 02682, EXTERIOR FUEL DISTRIBUTION SYSTEM | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| M | | NFGS-02685F | GAS DISTRIBUTION SYSTEMS USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02693D | SITE WORK, SECTION 02693, EXTERIOR SHALLOW TRENCH HEAT DISTRIBUTION SYSTEM | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | NFGS-02694F | SITE WORK, SECTION 02694, EXTERIOR UNDERGROUND HEAT DISTRIBUTION SYSTEM | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| M | | NFGS-02695G | EXTERIOR ABOVEGROUND STEAM DISTRIBUTION SYSTEM USER: NA | A FACR | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | NFGS-02696E | SITE WORK, SECTION 02696, EXTERIOR PIPING INSULATION | A FACR | YD3 | 30-JUN-92 | | YD3 | 04 | |
| D | | NFGS-02697D | SITE WORK, SECTION 02697, EXTERIOR BURIED PUMPED CONDENSATE RETURN SYSTEM | A FACR | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | NFGS-02698G | SITE WORK, SECTION 02698, EXTERIOR BURIED PRE-INSULATED WATER PIPING | A FACR | YD3 | 30-JUN-92 | | YD3 | 04 | |

| Action | OPR / ONE Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | NFGS-02713L | SITE WORK, SECTION 02713, EXTERIOR WATER DISTRIBUTION SYSTEM | A | FACR | | YD3 | 01-MAR-83 | CE | | YD3 | 04 |
| M | | | NFGS-02720H | STORM DRAINAGE SYSTEM USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-02730H | EXTERIOR SANITARY SEWER SYSTEM USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-02776E | POND AND RESERVOIR LINERS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-02808B | REMOVAL AND DISPOSAL OF ASBESTOS MATERIALS | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| M | | | NFGS-02811E | IRRIGATION SPRINKLER SYSTEMS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-02831D | SITE WORK, SECTION 02831, FENCE, CHAIN LINK | A | FACR | | YD3 | 30-JUN-92 | | | YD3 | 04 |
| D | | | NFGS-02930E | SITE WORK, SECTION 02930, TURF | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-02950G | SITE WORK, SECTION 02950, TREES, PLANTS, AND GROUND COVERS | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-03300F | CONCRETE, SECTION 03300, CAST-IN-PLACE CONCRETE | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-03302E | CONCRETE, SECTION 03302, CAST-IN-PLACE CONCRETE (MINOR CONSTRUCTION) | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-03361D | CONCRETE, SECTION 03361, SHOTCRETE | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-03410D | CONCRETE, SECTION 03410, PRECAST CONCRETE (NON-PRESTRESSED) | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-03411E | CONCRETE, SECTION 03411, PRECAST CONCRETE WALL PANELS | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-03412F | CONCRETE, SECTION 03412, PRECAST PRESTRESSED CONCRETE | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-03498D | CONCRETE, SECTION 03498, CONCRETE POLES | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-03501D | CONCRETE, SECTION 03501, INSULATING CONCRETE ROOF DECK SYSTEM | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-03730F | CONCRETE, SECTION 03730, CONCRETE REPAIR USING EPOXY RESIN | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-04200G | MASONRY, SECTION 04200, UNIT MASONRY | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-04230E | MASONRY, SECTION 04230, REINFORCED MASONRY | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| M | | | NFGS-04250F | GLAZED STRUCTURAL CLAY TILE AND PREFACED CONCRETE MASONRY UNITS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-04270C | MASONRY, SECTION 04270, GLASS UNIT MASONRY | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| M | | | NFGS-05120J | STRUCTURAL STEEL USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-05210C | METALS, SECTION 05210, STEEL JOISTS (AND JOISTS GIRDERS) | A | FACR | | YD3 | 31-MAY-91 | CE | | YD3 | 04 |
| M | | | NFGS-05310C | STEEL DECKS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-05400E | METALS, SECTION 05400, COLD-FORMED METAL FRAMING | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-05500F | METALS, SECTION 05500, METAL FABRICATIONS | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-06100J | WOODS & PLASTICS, SECTION 06100, ROUGH CARPENTRY | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| M | | | NFGS-06101C | CARPENTRY USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-06200D | FINISH CARPENTRY USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-07110B | THERMAL & MOISTURE PROTECTION, SECTION 07110, MEMBRANE WATERPROOFING | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| D | | | NFGS-07111C | THERMAL & MOISTURE PROTECTION, SECTION 07111, ELASTOMERIC WATERPROOFING, SHEET-APPLIED | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-07119B | MEMBRANE WATERPROOFING | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| M | | | NFGS-07120E | ELASTOMERIC WATERPROOFING SYSTEM, FLUID-APPLIED USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-07130D | BENTONITE WATERPROOFING USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-07140C | THERMAL & MOISTURE PROTECTION, SECTION 07140, METALLIC OXIDE WATERPROOFING | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-07160D | THERMAL & MOISTURE PROTECTION, SECTION 07160, BITUMINOUS DAMPPROOFING | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| M | | | NFGS-07212 | MINERAL FIBER BLANKET THERMAL INSULATION USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-07214 | BOARD AND BLOCK THERMAL INSULATION USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-07216D | LOOSE FILL THERMAL INSULATION USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-07218B | THERMAL & MOISTURE PROTECTION, SECTION 07218, SPRAY APPLIED CELLULOSE INSULATION | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| M | | | NFGS-07220G | ROOF INSULATION USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-07221C | THERMAL & MOISTURE PROTECTION, SECTION 07221, MASONRY WALL INSULATION | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| D | | | NFGS-07230A | THERMAL & MOISTURE PROTECTION, SECTION 07230, PERIMETER AND UNDER-SLAB INSULATION | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| D | | | NFGS-07232C | THERMAL & MOISTURE PROTECTION, SECTION 07232, CEILING, WALL, AND FLOOR INSULATION | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| M | | | NFGS-07250E | SPRAY-APPLIED FIREPROOFING USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-07270D | FIRESTOPPING USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-07310B | THERMAL & MOISTURE PROTECTION, SECTION 07310, ASPHALT SHINGLES | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| D | | | NFGS-07410C | THERMAL & MOISTURE PROTECTION, SECTION 07410, PREFORMED METAL (ROOFING) (AND) (SIDING) | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| D | | | NFGS-07414C | THERMAL & MOISTURE PROTECTION, SECTION 07414, PREFORMED STEEL STANDING SEAM ROOFING | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| M | | | NFGS-07415D | PREFORMED ALUMINUM STANDING SEAM ROOFING USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-07511G | THERMAL & MOISTURE PROTECTION, SECTION 07511, AGGREGATE SURFACED BITUMINOUS BUILT-UP ROOFING | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| M | | | NFGS-07512G | SMOOTH SURFACED BITUMINOUS BUILT-UP ROOFING USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-07513G | THERMAL & MOISTURE PROTECTION, SECTION 07513, MINERAL SURFACED BITUMINOUS BUILT-UP ROOFING | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-07520D | THERMAL & MOISTURE PROTECTION, SECTION 07520, PREPARED ROLL ROOFING | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| M | | | NFGS-07530G | ELASTOMERIC SHEET ROOFING SYSTEM (EPDM) USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-07531E | ELASTOMERIC SHEET ROOFING SYSTEM (CSPE) USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-07532F | ELASTOMERIC SHEET ROOFING SYSTEM (PIB) USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-07533F | ELASTOMERIC SHEET ROOFING SYSTEM (TPA) USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-07534F | THERMOPLASTIC SHEET ROOFING SYSTEM (PVC) USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-07535E | MODIFIED BITMAN SHEET ROOFING USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-07540F | ELASTOMERIC ROOF COATINGS OVER POLYURETHANE FOAM (PUF) USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-07545C | THERMAL & MOISTURE PROTECTION, SECTION 07545, SPRAYED POLYURETHANE FOAM (PUF) FOR ROOFING SYSTEMS | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-07600E | THERMAL & MOISTURE PROTECTION, SECTION 07600, FLASHING AND SHEET METAL | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| M | | | NFGS-07920D | SEALANTS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-08110F | STEEL DOORS AND FRAMES USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-08120C | ALUMINUM DOORS AND FRAMES USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-08210D | DOORS & WINDOWS, SECTION 08210, WOOD DOORS | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| M | | | NFGS-08310F | SLIDING FIRE DOORS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-08331D | ROLLING SERVICE (AND FIRE) DOORS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-08360D | SECTIONAL OVERHEAD DOORS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-08367E | VERTICAL LIFT METAL DOORS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-08371E | DOORS & WINDOWS, SECTION 08371, ALUMINUM SLIDING GLASS DOORS | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-08372F | DOORS & WINDOWS, SECTION 08372, STEEL SLIDING HANGAR DOORS | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-08392D | DOORS & WINDOWS, SECTION 08392, ALUMINUM STORM DOORS | A | FACR | | YD3 | 31-MAR-91 | CE | | YD3 | 04 |
| D | | | NFGS-08510B | DOORS & WINDOW, SECTION 08510, STEEL WINDOWS | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| M | | | NFGS-08520E | ALUMINUM WINDOWS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-08562B | ALUMINUM STORM WINDOWS | A | FACR | | YD3 | 28-FEB-91 | CE | | YD3 | 04 |
| M | | | NFGS-08610F | WOOD WINDOWS | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-08630D | POLY (VINYL CHLORIDE) (PVC) (WINDOWS) USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-08652C | ALUMINUM STORM WINDOWS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-08661D | DOORS & WINDOWS, SECTION 08661, BLAST RESISTANT TEMPERED GLASS WINDOWS | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| M | | | NFGS-08710M | FINISH HARDWARE USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-08800G | GLAZING USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-08900E | GLAZED CURTAIN WALL SYSTEM USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| M | | | NFGS-09100D | METAL SUPPORT SYSTEMS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-09150 | FINISHES, SECTION 09150, PLASTERING AND STUCCOING | A | FACR | | YD3 | 01-JUL-85 | CE | | YD3 | 04 |
| M | | | NFGS-09200C | LATHING USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-09212B | FINISHES, SECTION 09212, PLASTERING AND STUCCOING | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| M | | | NFGS-09215E | VENEER PLASTER USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-09250E | FINISHES, SECTION 09250, GYPSUM BOARD | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-09310C | FINISHES, SECTION 09310, CERAMIC TILE, QUARRY TILE, AND PAVER TILE | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| M | | | NFGS-09331F | CHEMICAL-RESISTANT QUARRY TILE FLOORING USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-09411C | FINISHES, SECTION 09411, TERRAZZO, BONDED TO CONCRETE | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| M | | | NFGS-09500E | ACOUSTICAL TREATMENT USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | | MFGS-09561E | FINISHES, SECTION 09561, GYMNASIUM-TYPE HARDWOOD STRIP FLOORING SYSTEMS ... | A | FACR | | YD3 | 30-SEP-92 | | YD3 | 04 | |
| D | | | | MFGS-09563D | FINISHES, SECTION 09563, PORTABLE (DEMOUNTABLE) WOOD FLOORING ..... | A | FACR | | YD3 | 30-SEP-92 | | YD3 | 04 | |
| D | | | | MFGS-09570D | FINISHES, SECTION 09570, WOOD PARQUET FLOORING ..... | A | FACR | | YD3 | 30-SEP-92 | | YD3 | 04 | |
| D | | | | MFGS-09660F | FINISHES, SECTION 09660, RESILIENT TILE FLOORING ..... | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | | | MFGS-09665D | FINISHES, SECTION 09665, SHEET VINYL FLOORING ..... | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | | | MFGS-09666E | FINISHES, SECTION 09666, INSTITUTIONAL SHEET VINYL FLOORING ..... | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | | | MFGS-09670E | FINISHES, SECTION 09670, FLUID APPLIED RESILIENT (RESINOUS) FLOORING ..... | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| D | | | | MFGS-09680D | FINISHES, SECTION 09680, CARPET ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-09690C | FINISHES, SECTION 09690, CARPET TILE ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-09785E | FINISHES, SECTION 09785, METALLIC TYPE CONDUCTIVE/SPARK RESISTANT CONCRETE FLOOR FINISH | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| D | | | | MFGS-09804 | FINISHES, SECTION 09804, LINSEED OIL PROTECTION OF CONCRETE SURFACES ..... | A | FACR | | YD3 | 01-OCT-84 | CE | YD3 | 04 | |
| D | | | | MFGS-09809E | FINISHES, SECTION 09809, PROTECTION OF BURIED STEEL PIPING AND STEEL BULKHEAD TIE RODS | A | FACR | | YD3 | 31-DEC-91 | | YD3 | 04 | |
| D | | | | MFGS-09815B | FINISHES, SECTION 09815, HIGH-BUILD GLAZE COATINGS ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-09871C | FINISHES, SECTION 09871, INTERIOR LINING FOR CONCRETE STORAGE TANKS (FOR PETROLEUM FUELS) | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-09872E | FINISHES, SECTION 09872, INTERIOR COATINGS FOR WELDED STEEL TANKS (FOR PETROLEUM FUELS) | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| D | | | | MFGS-09874F | FINISHES, SECTION 09874, EXTERIOR COATING SYSTEM FOR WELDED STEEL PETROLEUM STORAGE TANKS | A | FACR | | YD3 | 30-SEP-92 | | YD3 | 04 | |
| D | | | | MFGS-09875C | FINISHES, SECTION 09875, INTERIOR COATING SYSTEM FOR WELDED STEEL PETROLEUM STORAGE TANKS | A | FACR | | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| M | | | | MFGS-09877G | COATING OF STEEL WATERFRONT STRUCTURES USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-09881C | FINISHES, SECTION 09881, LINSEED OIL PROTECTION OF CONCRETE SURFACES ..... | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| D | | | | MFGS-09900B | FINISHES, SECTION 09900, PAINTING ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| M | | | | MFGS-09955D | VINYL-COATED FABRIC WALL COVERING USER: NA .... ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-10152E | SPECIALTIES, SECTION 10152, HOSPITAL CUBICLE [illegible] K ..... | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| D | | | | MFGS-10162D | SPECIALTIES, SECTION 10162, TOILET PARTITION[illegible] ..... | A | FACR | | YD3 | 30-SEP-92 | | YD3 | 04 | |
| D | | | | MFGS-10201D | SPECIALTIES, SECTION 10201, METAL (WALL) (AND) (DOOR) LOUVERS ..... | A | FACR | | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| M | | | | MFGS-10260D | WALL AND CORNER GUARDS USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-10270G | SPECIALTIES, SECTION 10270, ACCESS FLOORING ..... | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| M | | | | MFGS-10440G | SIGNS USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-10505 | SPECIALTIES, SECTION 10505, STEEL CLOTHING LOCKERS ..... | A | FACR | | YD3 | 30-NOV-91 | CE | YD3 | 04 | |
| D | | | | MFGS-10605A | SPECIALTIES, SECTION 10605, WIRE MESH PARTITIONS ..... | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| D | | | | MFGS-10652A | SPECIALTIES, SECTION 10652, OPERABLE PANEL PARTITIONS ..... | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| M | | | | MFGS-10655F | ACCORDION FOLDING PARTITIONS USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-10800B | SPECIALTIES, SECTION 10800, TOILET AND BATH ACCESSORIES ..... | A | FACR | | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11161E | EQUIPMENT, SECTION 11161, FIXED TYPE INDUSTRIAL DOCK LEVELER ..... | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| D | | | | MFGS-11171B | EQUIPMENT, SECTION 11171, INCINERATORS, PACKAGED, CONTROLLED-AIR TYPE ..... | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11191B | EQUIPMENT, SECTION 11191, DETENTION AND SECURITY WINDOWS ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-11192B | EQUIPMENT, SECTION 11192, DETENTION AND SECURITY GLAZING ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-11193C | EQUIPMENT, SECTION 11193, DETENTION HOLLOW METAL FRAMES, DOORS, AND DOOR FRAMES | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | | | MFGS-11194B | EQUIPMENT, SECTION 11194, DETENTION HARDWARE ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-11195A | EQUIPMENT, SECTION 11195, DETENTION FURNITURE AND ACCESSORIES ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-11196D | EQUIPMENT, SECTION 11196, LOCKING CONTROL SYSTEMS (FOR BRIG FACILITIES) ... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-11198C | EQUIPMENT, SECTION 11198, DURESS SIGNAL SYSTEM (FOR BRIG FACILITIES) ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-11199C | EQUIPMENT, SECTION 11199, WATCHTOUR SYSTEM (FOR BRIG FACILITIES) ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-11301D | EQUIPMENT, SECTION 11301, PARALLEL PLATE (OR VERTICAL TUBE), GRAVITY OIL-WATER SEPARATOR | A | FACR | | YD3 | 31-DEC-91 | CE | YD3 | 04 | |
| D | | | | MFGS-11306E | EQUIPMENT, SECTION 11306, PACKAGE LIFT STATIONS ..... | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| M | | | | MFGS-11320D | GRIT REMOVAL SYSTEM USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-11330D | EQUIPMENT, SECTION 11330, MECHANICALLY CLEANED BAR RACKS ..... | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | | | MFGS-11334E | EQUIPMENT, SECTION 11334, COMMINUTOR ..... | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| M | | | | MFGS-11336C | RECTANGULAR CHAIN-AND-FLIGHT CLARIFIER USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | | | MFGS-11337C | RECTANGULAR RECIPROCATING TRAVELING-BRIDGE CLARIFIER USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | | | MFGS-11338G | CIRCULAR CLARIFIER EQUIPMENT USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-11361 | EQUIPMENT, SECTION 11361, RECTANGULAR CLARIFIER EQUIPMENT ..... | A | FACR | | YD3 | 30-SEP-80 | CE | YD3 | 04 | |
| M | | | | MFGS-11365D | TRICKLING FILTER USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-11371 | EQUIPMENT, SECTION 11371, TRICKLING FILTER ..... | A | FACR | | YD3 | 31-DEC-82 | CE | YD3 | 04 | |
| D | | | | MFGS-11400E | EQUIPMENT, SECTION 11400, FOOD SERVICE EQUIPMENT ..... | A | FACR | | YD3 | 31-MAR-92 | | YD3 | 04 | |
| D | | | | MFGS-11401D | EQUIPMENT, SECTION 11401, ELECTRIC KITCHEN EQUIPMENT ..... | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| D | | | | MFGS-11601E | EQUIPMENT, SECTION 11601, LABORATORY EQUIPMENT AND FUMEHOODS ..... | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11613E | EQUIPMENT, SECTION 11613, STILLS AND ASSOCIATED EQUIPMENT ..... | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11700D | EQUIPMENT, SECTION 11700, GENERAL REQUIREMENTS FOR MEDICAL AND DENTAL EQUIPMENT | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | | | MFGS-11702C | EQUIPMENT, SECTION 11702, MEDICAL EQUIPMENT, MISCELLANEOUS ..... | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11704C | EQUIPMENT, SECTION 11704, (CASEWORK) (AND) (MATERIAL HANDLING UNITS) IN MEDICAL FACILITIES | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11713C | EQUIPMENT, SECTION 11713, SURGICAL LIGHTING FIXTURES ..... | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11716D | EQUIPMENT, SECTION 11716, HYDROTHERAPHY EQUIPMENT ..... | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11722D | EQUIPMENT, SECTION 11722, STERILIZERS AND ASSOCIATED EQUIPMENT ..... | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11730D | EQUIPMENT, SECTION 11730, HOSPITAL AND LABORATORY WASHING EQUIPMENT ..... | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11744D | EQUIPMENT, SECTION 11744, DENTAL EQUIPMENT ..... | A | FACR | | YD3 | 31-MAR-92 | | YD3 | 04 | |
| D | | | | MFGS-11757F | EQUIPMENT, SECTION 11757, RADIOGRAPHIC DARKROOM EQUIPMENT ..... | A | FACR | | YD3 | 31-MAR-92 | CE | YD3 | 04 | |
| D | | | | MFGS-11770C | EQUIPMENT, SECTION 11700, INSTALLATION OF GOVERNMENT-FURNISHED MEDICAL EQUIPMENT | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | | | MFGS-12322 | FURNISHINGS, SECTION 12322, WARDROBES ..... | A | FACR | | YD3 | 01-AUG-82 | CE | YD3 | 04 | |
| D | | | | MFGS-12331E | FURNISHINGS, SECTION 12331, PREFABRICATED VANITIES ..... | A | FACR | | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| D | | | | MFGS-12332E | FURNISHINGS, SECTION 12332, WARDROBE STORAGE CABINETS (THREE DRAWER) ..... | A | FACR | | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| D | | | | MFGS-12333D | FURNISHINGS, SECTION 12333, WARDROBES ..... | A | FACR | | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| D | | | | MFGS-12337C | FURNISHINGS, SECTION 12337, CASEWORK, METAL AND WOOD (MEDICAL AND DENTAL) . | A | FACR | | YD3 | 30-JUN-92 | | YD3 | 04 | |
| M | | | | MFGS-12391F | RESIDENTIAL KITCHEN (AND VANITY) CABINETS USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-12510B | FURNISHINGS, SECTION 12510, BLINDS, VENETIAN (AND AUDIO VISUAL) ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| M | | | | MFGS-12540F | DRAPERIES USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | | | MFGS-12711E | THEATER SEATING USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-13034G | SPECIAL CONSTRUCTION, SECTION 13034, PREFABRICATED AUDIOMETRIC ROOMS ..... | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | | | MFGS-13038D | SPECIAL CONSTRUCTION, SECTION 13038, COLD-STORAGE ROOMS (PREFABRICATED PANEL TYPE) | A | FACR | | YD3 | 30-JUN-92 | CE | YD3 | 04 | |
| D | | | | MFGS-13092D | SPECIAL CONSTRUCTION, SECTION 13092, X-RAY SHIELDING ..... | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | | | MFGS-13093C | SPECIAL CONSTRUCTION, SECTION 13093, RADIO FREQUENCY SHIELDED ENCLOSURES, DEMOUNTABLE TYPE | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-13094C | SPECIAL CONSTRUCTION, SECTION 13094, RADIO FREQUENCY SHIELDED ENCLOSURES, WELDED TYPE | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-13121G | SPECIAL CONSTRUCTION, SECTION 13121, PREENGINEERED METAL BUILDINGS ..... | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| D | | | | MFGS-13205A | SPECIAL CONSTRUCTION, SECTION 13205, STEEL TANKS WITH FIXED ROOFS ..... | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |
| D | | | | MFGS-13209J | WATER STORAGE TANKS USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-13216A | SPECIAL CONSTRUCTION, SECTION 13216, UNDERGROUND PETROLEUM TANKS ..... | A | FACR | | YD3 | 31-DEC-92 | | YD3 | 04 | |
| M | | | | MFGS-13217G | FIBERGLASS-PLASTIC LINING FOR STEEL TANKS BOTTOMS (FOR PETROLEUM) USER: NA | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| M | | | | MFGS-13219F | CLEANING PETROLEUM STORAGE TANKS USER: NA ..... | A | FACR | | YD3 | 31-MAR-93 | | YD3 | 04 | |
| D | | | | MFGS-13321C | SPECIAL CONSTRUCTION, SECTION 13321, FLOW MEASURING EQUIPMENT (POTABLE WATER) (SEWAGE TREATMENT PLANT) | A | FACR | | YD3 | 28-FEB-91 | CE | YD3 | 04 | |

| Action | Opt. / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | NFGS-13610F | SPECIAL CONSTRUCTION, SECTION 13610, SOLAR ENERGY SYSTEMS (LIQUID FLAT-PLATE COLLECTORS) | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-13951A | SPECIAL CONSTRUCTION, SECTION 13951, VEHICLE BARRIERS | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| D | | | NFGS-14200H | CONVEYING SYSTEMS, SECTION 14200, ELECTRIC (PASSENGER) (FREIGHT) ELEVATORS | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| D | | | NFGS-14214J | CONVEYING SYSTEMS, SECTION 14214, HYDRAULIC (PASSENGER) (FREIGHT) ELEVATORS | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| D | | | NFGS-14304 | CONVEYING SYSTEMS, SECTION 14304, PORTAL CRANE TRACK INSTALLATION | A | FACR | | YD3 | 01-JAN-84 | CE | | YD3 | 04 |
| D | | | NFGS-14334D | CONVEYING SYSTEMS, SECTION 14334, MONORAILS WITH MANUAL HOIST | A | FACR | | YD3 | 30-JUN-91 | CE | | YD3 | 04 |
| D | | | NFGS-14335F | CONVEYING SYSTEMS, SECTION 14335, MONORAILS WITH AIR MOTOR POWERED HOIST | A | FACR | | YD3 | 30-JUN-92 | | | YD3 | 04 |
| D | | | NFGS-14606C | CONVEYING SYSTEMS, SECTION 14606, PORTAL CRANE TRACK INSTALLATION | A | FACR | | YD3 | 30-JUN-92 | | | YD3 | 04 |
| D | | | NFGS-14636E | CONVEYING SYSTEMS, SECTION 14636, CRANES, OVERHEAD ELECTRIC, TOP RUNNING (UNDER 50,000 POUNDS) | A | FACR | | YD3 | 30-JUN-92 | | | YD3 | 04 |
| D | | | NFGS-14637H | CONVEYING SYSTEMS, SECTION 14637, CRANES, OVERHEAD ELECTRIC, UNDERRUNNING (UNDER 50,000 POUNDS) | A | FACR | | YD3 | 30-JUN-92 | | | YD3 | 04 |
| M | | | NFGS-15011H | MECHANICAL GENERAL REQUIREMENTS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-15052E | MECHANICAL, SECTION 15052, LARGE CENTRIFUGAL AIR COMPRESSORS (OVER 200 HP) | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15053E | MECHANICAL, SECTION 15053, LARGE NONLUBRICATED RECIPROCATING AIR COMPRESSORS (OVER 300 HP) | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15054F | MECHANICAL, SECTION 15054, NONLUBRICATED ROTARY SCREW AIR COMPRESSORS (100 HP AND LARGER) | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15116D | MECHANICAL, SECTION 15116, WELDING PRESSURE PIPING | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15176A | MECHANICAL, SECTION 15176, STEEL TANKS WITH FIXED ROOFS | A | FACR | | YD3 | 14-JUL-89 | CE | | YD3 | 04 |
| D | | | NFGS-15200D | MECHANICAL, SECTION 15200, NOISE, VIBRATION, (AND SEISMIC) CONTROL | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-15250H | MECHANICAL, SECTION 15250, MECHANICAL INSULATION | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15320E | MECHANICAL, SECTION 15320, FIRE PUMPS | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15330H | MECHANICAL, SECTION 15330, FIRE EXTINGUISHING SPRINKLER SYSTEMS (WET PIPE) | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15335E | MECHANICAL, SECTION 15335, FIRE EXTINGUISHING SPRINKLER SYSTEMS (DRY PIPE) | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15340E | MECHANICAL, SECTION 15340, FIRE EXTINGUISHING SPRINKLER SYSTEMS ((DELUGE)) ((PREACTION)) | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15355 | MECHANICAL, SECTION 15355, FUEL GAS PIPING | A | FACR | | YD3 | 30-SEP-85 | CE | | YD3 | 04 |
| D | | | NFGS-15356B | MECHANICAL, SECTION 15356, AFFF FIRE EXTINQUISHING SYSTEM FOR AIRCRAFT HANGARS | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15357B | MECHANICAL, SECTION 15357, AFFF FIRE EXTINGUISHING SYSTEM FOR FUEL TANK PROTECTION | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15358B | MECHANICAL, SECTION 15358, AFFF FIRE EXTINGUISHING SYSTEM FOR HAZ/FLAM MATERIAL FACILITY | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15361G | MECHANICAL, SECTION 15361, CARBON DIOXIDE FIRE EXTINGUISHING SYSTEMS ((HIGH PRESSURE)) | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15362D | MECHANICAL, SECTION 15362, CARBON DIOXIDE FIRE EXTINGUISHING SYSTEMS (LOW PRESSURE) | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15365D | MECHANICAL, SECTION 15365, HALON 1301 FIRE EXTINGUISHING SYSTEM | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15371F | MECHANICAL, SECTION 15371, CHEMICAL EXTINGUISHING SYSTEMS FOR KITCHEN EQUIPMENT | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15392 | MECHANICAL, SECTION 15392, GRIT HANDLING EQUIPMENT | A | FACR | | YD3 | 22-AUG-89 | CE | | YD3 | 04 |
| D | | | NFGS-15396D | MECHANICAL, SECTION 15396, AERATION AND COMPLETE MIXING SEWAGE TREATMENT PLANTS | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15400H | MECHANICAL, SECTION 15400, PLUMBING SYSTEMS | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15460E | MECHANICAL, SECTION 15460, HOSPITAL PLUMBING FIXTURES | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15482F | MECHANICAL, SECTION 15482, FIBERGLASS REINFORCED PLASTIC (FRP) PIPING (FOR PETROLEUM) | A | FACR | | YD3 | 30-JUN-92 | | | YD3 | 04 |
| D | | | NFGS-15483F | MECHANICAL, SECTION 15483, FUEL OIL HANDLING SYSTEM | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15484C | MECHANICAL, SECTION 15484, MEDICAL GAS AND VACUUM SYSTEMS | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15485 | MECHANICAL, SECTION 15485, GASOLINE/DIESEL DISPENSING SYSTEMS | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15486E | MECHANICAL, SECTION 15486, AVIATION FUEL DISTRIBUTION AND DISPENSING | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15488D | MECHANICAL, SECTION 15488, LOW PRESSURE COMPRESSED AIR SYSTEMS (NON-BREATHING AIR TYPE) | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15489D | MECHANICAL, SECTION 15489, HIGH AND MEDIUM PRESSURE COMPRESSED AIR SYSTEMS | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15492D | MECHANICAL, SECTION 15492, FUEL GAS PIPING | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-15511B | MECHANICAL, SECTION 15511, LOW TEMPERATURE WATER (LTW) HEATING SYSTEM | A | FACR | | YD3 | 31-DEC-92 | CE | | YD3 | 04 |
| D | | | NFGS-15512D | MECHANICAL, SECTION 15512, CHILLED, CONDENSER, OR DUAL SERVICE WATER PIPING | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15521F | MECHANICAL, SECTION 15521, STEAM SYSTEM AND TERMINAL UNITS | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15530C | MECHANICAL, SECTION 15530, REFRIGERANT PIPING | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15554G | MECHANICAL, SECTION 15554, STEAM HEATING PLANT NO. 4, 20,000 TO 75,000 POUNDS PER HOUR | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15555C | MECHANICAL, SECTION 15555, LOW PRESSURE WATER HEATING BOILERS (UNDER 800,000 BTU/HR OUTPUT) | A | FACR | | YD3 | 30-JUN-92 | | | YD3 | 04 |
| D | | | NFGS-15556C | MECHANICAL, SECTION 15556, LOW PRESSURE WATER HEATING BOILERS (OVER 800,000 BTU/HR OUTPUT) | A | FACR | | YD3 | 30-JUN-92 | | | YD3 | 04 |
| D | | | NFGS-15612 | MECHANICAL, SECTION 15612, GAS DISTRIBUTION SYSTEM | A | FACR | | YD3 | 30-APR-84 | CE | | YD3 | 04 |
| D | | | NFGS-15620E | MECHANICAL, SECTION 15620, UNIT HEATERS AND INFRARED HEATERS | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-15621A | MECHANICAL, SECTION 15621, WARM AIR HEATING SYSTEMS | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15631F | MECHANICAL, SECTION 15631, STEAM BOILERS AND EQUIPMENT (500,000 - 18,000,000 BTU/HR) | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15632F | MECHANICAL, SECTION 15632, STEAM BOILERS AND EQUIPMENT (18,000,000 - 60,000,000 BTU/HR) | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15652F | MECHANICAL, SECTION 15652, CENTRAL REFRIGERATION EQUIPMENT FOR AIR CONDITIONING | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| D | | | NFGS-15653 | MECHANICAL, SECTION 15653, UNITARY AIR CONDITIONING SYSTEMS | A | FACR | | YD3 | 30-JUN-84 | CE | | YD3 | 04 |
| D | | | NFGS-15654F | MECHANICAL, SECTION 15654, REFRIGERATION EQUIPMENT FOR COLD STORAGE | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15705 | MECHANICAL, SECTION 15705, PRE-ENGINEERED UNDERGROUND HEAT DISTRIBUTION SYSTEMS | A | FACR | | YD3 | 01-JUN-81 | CE | | YD3 | 04 |
| D | | | NFGS-15751D | MECHANICAL, SECTION 15751, (HIGH) (MEDIUM) TEMPERATURE WATER SYSTEM WITHIN BUILDINGS | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15780E | MECHANICAL, SECTION 15780, PACKAGED AIR CONDITIONING UNITS | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15822F | MECHANICAL, SECTION 15822, EVAPORATIVE COOLING SYSTEM | A | FACR | | YD3 | 30-JUN-92 | CE | | YD3 | 04 |
| D | | | NFGS-15850E | MECHANICAL, SECTION 15850, AIR HANDLING EQUIPMENT | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| D | | | NFGS-15852G | MECHANICAL, SECTION 15852, MECHANICAL CYCLONE DUST COLLECTOR OF FLUE GAS PARTICULATES | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| D | | | NFGS-15853E | MECHANICAL, SECTION 15853, ELECTROSTATIC DUST COLLECTOR OF FLUE GAS PARTICULATES | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| D | | | NFGS-15854E | MECHANICAL, SECTION 15854, FABRIC FILTER DUST COLLECTOR OF FLYASH PARTICLES IN FLUE GAS | A | FACR | | YD3 | 30-SEP-92 | | | YD3 | 04 |
| D | | | NFGS-15871G | MECHANICAL, SECTION 15871, INDUSTRIAL VENTILATION AND EXHAUST SYSTEMS (DUCTS AND FANS) | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15877E | MECHANICAL, SECTION 15877, DUST AND GAS COLLECTOR, DRY SCRUBBER AND FABRIC FILTER TYPE | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |
| D | | | NFGS-15881 | MECHANICAL, SECTION 15881, DUST-COLLECTOR, MECHANICAL CYCLONE TYPE (FLUE GAS PARTICULATES) | A | FACR | | YD3 | 01-JUL-85 | CE | | YD3 | 04 |
| D | | | NFGS-15895J | MECHANICAL, SECTION 15895, DUCTWORK AND DUCTWORK ACCESSORIES | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15971F | MECHANICAL, SECTION 15971, SPACE TEMPERATURE CONTROL SYSTEMS | A | FACR | | YD3 | 31-DEC-92 | | | YD3 | 04 |
| D | | | NFGS-15972C | MECHANICAL, SECTION 15972, DIRECT DIGITAL CONTROL SYSTEMS | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 84 |
| M | | | NFGS-15936J | TESTING/ADJUSTING/BALANCING: HEATING/VENTILATING/COOLING SYSTEMS USER: NA | A | FACR | | YD3 | 31-MAR-93 | | | YD3 | 04 |
| D | | | NFGS-15997B | MECHANICAL, SECTION 15997, TESTING INDUSTRIAL VENTILATION SYSTEM | A | FACR | | YD3 | 31-MAR-92 | CE | | YD3 | 04 |

| Action | OPR / GNR Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| D | | MFGS-16011E | ELECTRICAL, SECTION 16011, ELECTRICAL GENERAL REQUIREMENTS | A FACR | YD3 31-DEC-92 | | YD3 04 | | |
| M | | MFGS-16113E | UNDERFLOOR RACEWAY SYSTEM USER: NA | A FACR | YD3 31-MAR-93 | | YD3 04 | | |
| D | | MFGS-16202F | ELECTRICAL, SECTION 16202, DIESEL-ELECTRIC GENERATORS (DESIGN 1) 500 TO 2,500 KW - PRIME DUTY | A FACR | YD3 30-JUN-91 | CE | YD3 04 | | |
| D | | MFGS-16203F | ELECTRICAL, SECTION 16203, DIESEL-ELECTRIC GENERATORS (DESIGN 2) 2,501 KW OR LARGER - PRIME DUTY | A FACR | YD3 30-JUN-91 | CE | YD3 04 | | |
| D | | MFGS-16204F | ELECTRICAL, SECTION 16204, STANDBY DIESEL-ELECTRIC GENERATORS (DESIGN 3) 301 TO 1,000 KW | A FACR | YD3 30-JUN-91 | CE | YD3 04 | | |
| D | | MFGS-16205E | ELECTRICAL, SECTION 16205, STANDBY DIESEL-ELECTRIC GENERATORS (DESIGN 4) 1,001 KW OR LARGER | A FACR | YD3 30-JUN-91 | CE | YD3 04 | | |
| D | | MFGS-16207 | ELECTRICAL, SECTION 16207, ELECTRIC DIESEL GENERATORS (DESIGN 6) 1,001 KW AND LARGER | A FACR | YD3 01-NOV-81 | CE | YD3 04 | | |
| D | | MFGS-16208E | ELECTRICAL, SECTION 16208, DIESEL ENGINE-GENERATOR SETS - PRIME AND STANDBY - 10 TO 500 KW | A FACR | YD3 30-JUN-91 | CE | YD3 04 | | |
| M | | MFGS-16262E | AUTOMATIC TRANSFER (AND BYPASS/ISOLATION) SWITCHES USER: NA | A FACR | YD3 31-MAR-93 | | YD3 04 | | |
| D | | MFGS-16301 | ELECTRICAL, SECTION 16301, UNDERGROUND ELECTRICAL WORK | A FACR | YD3 30-APR-84 | CE | YD3 04 | | |
| D | | MFGS-16302A | ELECTRICAL, SECTION 16302, OVERHEAD ELECTRICAL WORK | A FACR | YD3 09-JUN-89 | CE | YD3 04 | | |
| D | | MFGS-16304C | ELECTRICAL, SECTION 16304, PIER, ELECTRICAL DISTRIBUTION FOR NAVAL STATIONS | A FACR | YD3 28-FEB-91 | CE | YD3 04 | | |
| M | | MFGS-16305C | 400-HERTZ LOW VOLTAGE SUBSTATION USER: NA | A FACR | YD3 31-MAR-93 | | YD3 04 | | |
| D | | MFGS-16312B | ELECTRICAL, SECTION 16312, LOW-VOLTAGE SWITCHGEAR AND SECONDARY UNIT SUBSTATIONS | A FACR | YD3 31-MAR-92 | CE | YD3 04 | | |
| D | | MFGS-16313A | ELECTRICAL, SECTION 16313, MEDIUM-VOLTAGE SWITCHGEAR AND PRIMARY UNIT SUBSTATIONS | A FACR | YD3 31-MAR-92 | CE | YD3 04 | | |
| D | | MFGS-16370E | ELECTRICAL, SECTION 16370, OVERHEAD ELECTRICAL WORK | A FACR | YD3 31-DEC-92 | | YD3 04 | | |
| D | | MFGS-16375E | ELECTRICAL, SECTION 16375, UNDERGROUND ELECTRICAL WORK | A FACR | YD3 30-JUN-92 | | YD3 04 | | |
| M | | MFGS-16402G | INTERIOR WIRING SYSTEMS USER: NA | A FACR | YD3 31-MAR-93 | | YD3 04 | | |
| D | | MFGS-16462F | ELECTRICAL, SECTION 16462, PAD-MOUNTED TRANSFORMERS | A FACR | YD3 30-SEP-92 | | YD3 04 | | |
| D | | MFGS-16475 | ELECTRICAL, SECTION 16475, INTERIOR SWITCHGEAR AND SWITCHBOARDS, LOW-VOLTAGE | A FACR | YD3 28-FEB-86 | CE | YD3 04 | | |
| D | | MFGS-16492D | ELECTRICAL, SECTION 16492, MOTOR-GENERATOR SETS, 400 HERTZ (HZ) | A FACR | YD3 30-SEP-92 | | YD3 04 | | |
| D | | MFGS-16510D | ELECTRICAL, SECTION 16510, INTERIOR LIGHTING | A FACR | YD3 31-MAY-91 | CE | YD3 04 | | |
| D | | MFGS-16530E | ELECTRICAL, SECTION 16530, EXTERIOR LIGHTING | A FACR | YD3 28-FEB-91 | CE | YD3 04 | | |
| D | | MFGS-16560E | ELECTRICAL, SECTION 16560, AIRFIELD LIGHTING | A FACR | YD3 31-DEC-92 | | YD3 04 | | |
| D | | MFGS-16610 | ELECTRICAL, SECTION 16610, INSTALLATION OF UNINTERRUPTIBLE POWER SUPPLY (UPS SYSTEM) | A FACR | YD3 30-JUN-92 | | YD3 04 | | |
| D | | MFGS-16641C | ELECTRICAL, SECTION 16641, CATHODIC PROTECTION BY GALVANIC ANODES | A FACR | YD3 28-FEB-91 | CE | YD3 04 | | |
| D | | MFGS-16642C | ELECTRICAL, SECTION 16642, CATHODIC PROTECTION BY IMPRESSED CURRENT | A FACR | YD3 28-FEB-91 | CE | YD3 04 | | |
| D | | MFGS-16650C | ELECTRICAL, SECTION 16650, RADIO FREQUENCY INTERFERENCE POWER LINE FILTERS | A FACR | YD3 28-FEB-91 | CE | YD3 04 | | |
| D | | MFGS-16670A | ELECTRICAL, SECTION 16670, LIGHTING PROTECTION SYSTEM | A FACR | YD3 31-DEC-92 | | YD3 04 | | |
| M | | MFGS-16721G | EXTERIOR FIRE ALARM SYSTEM, CLOSED CIRCUIT TELEGRAPHIC TYPE USER: NA | A FACR | YD3 31-MAR-93 | | YD3 04 | | |
| M | | MFGS-16722E | INTERIOR FIRE ALARM SYSTEM USER: NA | A FACR | YD3 31-MAR-93 | | YD3 04 | | |
| D | | MFGS-16723D | ELECTRICAL, SECTION 16723, FIRE ALARM SYSTEM, RADIO TYPE | A FACR | YD3 28-FEB-91 | CE | YD3 04 | | |
| D | | MFGS-16726D | ELECTRICAL, SECTION 16726, BASIC INTRUSION DETECTION SYSTEMS (IDS) | A FACR | YD3 31-DEC-92 | | WD3 04 | | |
| D | | MFGS-16727C | ELECTRICAL, SECTION 16727, COMMERCIAL INTRUSION DETECTION SYSTEMS (IDS) | A FACR | YD3 28-FEB-91 | CE | YD3 04 | | |
| D | | MFGS-16740D | ELECTRICAL, SECTION 16740, TELEPHONE DISTRIBUTION SYSTEM, INSIDE PLANT | A FACR | YD3 30-JUN-92 | | YD3 04 | | |
| D | | MFGS-16741 | ELECTRICAL, SECTION 16741, TELEPHONE DISTRIBUTION SYSTEM, OUTSIDE PLANT | A FACR | YD3 30-JUN-92 | | YD3 04 | | |
| D | | MFGS-16742 | ELECTRICAL, SECTION 16742, PIER TELEPHONE DISTRIBUTION SYSTEMS | A FACR | YD3 28-FEB-91 | CE | YD3 04 | | |
| D | | MFGS-16744A | ELECTRICAL, SECTION 16744, FIBER OPTICS DATA TRANSMISSION FOR INTERIOR SYSTEM | A FACR | YD3 30-JUN-92 | | YD3 04 | | |
| D | | MFGS-16745A | ELECTRICAL, SECTION 16745, FIBER OPTICS DATA TRANSMISSION FOR EXTERIOR SYSTEM | A FACR | YD3 30-JUN-92 | | YD3 04 | | |
| D | | MFGS-16751B | ELECTRICAL, SECTION 16751, NURSE CALL SYSTEM | A FACR | YD3 30-JUN-92 | | YD3 04 | | |
| D | | MFGS-16760D | ELECTRICAL, SECTION 16760, INTERCOMMUNICATION SYSTEM | A FACR | YD3 31-DEC-92 | | YD3 04 | | |
| D | | MFGS-16782E | ELECTRICAL, SECTION 16782, (MASTER) (COMMUNITY) ANTENNA TELEVISION SYSTEM | A FACR | YD3 30-SEP-92 | | YD3 04 | | |
| D | | MFGS-16852D | ELECTRICAL, SECTION 16852, ELECTRIC SPACE HEATING EQUIPMENT | A FACR | YD3 31-MAR-92 | CE | YD3 04 | | |
| M | L | MFGS-M-01010 | SUMMARY OF WORK | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-01025 | MEASUREMENT AND PAYMENT | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-01090 | REFERENCES | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-01100 | SPECIAL PROJECT PROCEDURES | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-01300 | SUBMITTALS | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-01370 | PROGRESS SCHEDULES | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-01400 | QUALITY CONTROL | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-01500 | CONSTRUCTION FACILITIES | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-01560 | TEMPORARY CONTROLS | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-01700 | PROJECT CLOSEOUT | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-01730 | OPERATION AND MAINTENANCE DATA | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02050 | DEMOLITION AND REMOVAL | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02076 | REMOVAL AND DISPOSAL OF POLYCHLORINATED BIPHENYLS (PCBS) | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02090 | REMOVAL AND DISPOSAL OF LEAD-CONTAINING PAINT | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02102 | CLEARING AND GRUBBING | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02220 | GENERAL EXCAVATION, FILLING, AND BACKFILLING | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02232 | (BASE COURSE FOR RIGID) (AND SUBBASE COURSE FOR FLEXIBLE) PAVING | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02233 | GRADED CRUSHED AGGREGATE BASE COURSE FOR FLEXIBLE PAVEMENT | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02234 | BITUMINOUS BASE COURSE | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02236 | SAND-CLAY (BASE) (SUBBASE) COURSE | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02247 | CEMENT STABILIZED (BASE) (SUBBASE) COURSE AT AIRFIELDS AND ROADS | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02248 | LIME TREATED SUBGRADE (LIME MODIFIED SOILS) | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02284 | SOIL TREATMENT FOR SUBTERRANEAN TERMITE CONTROL | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02363 | CAST-IN-PLACE CONCRETE PILING, STEEL CASING | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02366 | STEEL SHEET PILES | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02368 | ROLLED STEEL SECTION PILES | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02369 | PRESSURE-INJECTED FOOTINGS | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02371 | AUGER-PLACED GROUT PILES | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02383 | DRILLED FOUNDATION CAISSONS (PIERS) | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02453 | WELDING CRANE AND RAILROAD RAIL-THERMITE METHOD | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02482 | DREDGING | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02483 | WOOD MARINE PILING | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02488 | RESILIENT FOAM-FILLED MARINE FENDERS | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02489 | ARCH-TYPE RUBBER MARINE FENDERS | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02491 | PIER TIMBERWORK | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02510 | ASPHALT CONCRETE PAVING | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-02660 | EXTERIOR WATER DISTRIBUTION SYSTEM | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-03300 | CAST-IN-PLACE CONCRETE | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-05310 | STEEL DECKS | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-05400 | COLD-FORMED METAL FRAMING | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-06100 | ROUGH CARPENTRY | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-06101 | CARPENTRY | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-06200 | FINISH CARPENTRY | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-07110 | MEMBRANE WATERPROOFING | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-07111 | ELASTOMERIC WATERPROOFING, SHEET-APPLIED | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-07120 | ELASTOMERIC WATERPROOFING SYSTEM, FLUID-APPLIED | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-07130 | BENTONITE WATERPROOFING | A FACR | YD3 31-MAR-93 | | YD3 | | |
| M | L | MFGS-M-07140 | METALLIC OXIDE WATERPROOFING | A FACR | YD3 31-MAR-93 | | YD3 | | |

| Action | OPR / Ltr. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NAVCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| N | L | | NFGS-M-07160 | BITUMINOUS DAMPPROOFING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07218 | SPRAY APPLIED CELLULOSE INSULATION | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07220 | ROOF INSULATION | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07250 | SPRAY-APPLIED FIREPROOFING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07270 | FIRESTOPPING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07310 | ASPHALT SHINGLES | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07410 | PREFORMED METAL (ROOFING) (AND) (SIDING) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07414 | PREFORMED STEEL STANDING SEAM ROOFING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07415 | PREFORMED ALUMINUM STANDING SEAM ROOFING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07511 | AGGREGATE SURFACED BITUMINOUS BUILT-UP ROOFING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07512 | SMOOTH SURFACED BITUMINOUS BUILT-UP ROOFING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07513 | MINERAL SURFACED BITUMINOUS BUILT-UP ROOFING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07520 | PREPARED ROLL ROOFING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07530 | ELASTOMERIC SHEET ROOFING SYSTEM (EPDM) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07531 | ELASTOMERIC SHEET ROOFING SYSTEMS (CSPE) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07532 | ELASTOMERIC SHEET ROOFING SYSTEM (PIB) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07533 | ELASTOMERIC SHEET ROOFING SYSTEM (TPA) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07534 | THERMOPLASTIC SHEET ROOFING SYSTEM (PVC) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07535 | MODIFIED BITUMEN SHEET ROOFING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07540 | ELASTOMERIC ROOF COATINGS OVER POLYURETHANE FOAM (PUF) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07545 | SPRAYED POLYURETHANE FOAM (PUF) FOR ROOFING SYSTEMS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07600 | FLASHING AND SHEET METAL | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-07920 | SEALANTS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08110 | STEEL DOORS AND FRAMES | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08120 | ALUMINUM DOORS AND FRAMES | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08210 | WOOD DOORS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08310 | SLIDING FIRE DOORS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08318 | SECURITY VAULT DOOR (AND DAY GATE) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08331 | ROLLING SERVICE (AND FIRE) DOORS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08360 | SECTIONAL OVERHEAD DOORS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08371 | ALUMINUM SLIDING GLASS DOORS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08372 | STEEL SLIDING HANGAR DOORS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08392 | METAL STORM DOORS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08510 | STEEL WINDOWS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08520 | ALUMINUM WINDOWS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08562 | ALUMINUM STORM WINDOWS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08610 | WOOD WINDOWS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08630 | POLY(VINYL CHLORIDE) (PVC) (WINDOWS) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08710 | FINISH HARDWARE | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-08900 | GLAZED CURTAIN WALL SYSTEM | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09100 | METAL SUPPORT SYSTEMS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09200 | LATHING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09212 | PLASTER AND STUCCOING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09215 | VENEER PLASTER | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09250 | GYPSUM BOARD | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09310 | CERAMIC TILE, QUARRY TILE, AND PAVER TILE | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | | | NFGS-M-09331 | CHEMICAL-RESISTANT QUARRY TILE FLOORING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09411 | TERRAZZO, BONDED TO CONCRETE | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09500 | ACOUSTICAL TREATMENT | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09561 | GYMNASIUM-TYPE HARDWOOD STRIP FLOORING SYSTEMS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09563 | PORTABLE (DEMOUNTABLE) WOOD FLOORING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09570 | WOOD PARQUET FLOORING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09660 | RESILIENT TILE FLOORING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09665 | SHEET VINYL FLOORING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09666 | INSTITUTIONAL SHEET VINYL FLOORING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09670 | FLUID APPLIED RESILIENT (RESINOUS) FLOORING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09680 | CARPET | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09690 | CARPET TILE | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09785 | METALLIC TYPE CONDUCTIVE/SPARK RESISTANT CONCRETE FLOOR FINISH | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09815 | HIGH-BUILD GLAZE COATINGS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-09877 | COATING OF STEEL WATERFRONT STRUCTURES | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| ! | | | NFGS-M-09900 | PAINTING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | I | | NFGS-M-09955 | VINYL-COATED FABRIC WALL COVERING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-10152 | HOSPITAL CUBICLE TRACK | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-10162 | TOILET PARTITIONS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-10201 | METAL (WALL) (AND) (DOOR) LOUVERS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-10260 | WALL AND CORNER GUARDS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-10270 | ACCESS FLOORING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-10440 | SIGNS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11161 | FIXED TYPE INDUSTRIAL DOCK LEVELER | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11400 | FOOD SERVICE EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11401 | ELECTRIC KITCHEN EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11601 | LABORATORY EQUIPMENT AND FUMEHOODS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11700 | GENERAL REQUIREMENTS FOR MEDICAL AND DENTAL | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11702 | MEDICAL EQUIPMENT, MISCELLANEOUS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11704 | (CASEWORK) (AND) (MATERIAL HANDLING UNITS) IN MEDICAL FACILITIES | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11716 | HYDROTHERAPY EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11722 | STERILIZERS AND ASSOCIATED EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11730 | HOSPITAL AND LABORATORY WASHING EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11744 | DENTAL EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11757 | RADIOGRAPHIC DARKROOM EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-11770 | INSTALLATION OF GOVERNMENT-FURNISHED MEDICAL EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-12331 | PREFABRICATED VANITIES | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-12332 | WARDROBE STORAGE CABINETS (THREE DRAWER) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-12333 | WARDROBES | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-12337 | CASEWORK, METAL AND WOOD (MEDICAL AND DENTAL) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-12391 | RESIDENTIAL KITCHEN (AND VANITY) CABINETS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-12540 | DRAPERIES | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-12711 | THEATER SEATING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-14200 | ELECTRIC (PASSENGER) (FREIGHT) ELEVATORS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-14214 | HYDRALIC (PASSENGER) (FREIGHT) ELEVATORS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15011 | MECHANICAL GENERAL REQUIREMENTS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15052 | LARGE CENTRIFUGAL AIR COMPRESSORS (OVER 149 KW) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15053 | LARGE NONLUBRICATED RECIPROCATING AIR COMPRESSORS (OVER 224 KW) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15054 | NONLUBRICATED ROTARY SCREW AIR COMPRESSORS (75 KW AND LARGER) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15116 | WELDING PRESSURE PIPING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15200 | NOISE, VIBRATION, (AND SEISMIC) CONTROL | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15250 | MECHANICAL INSULATION | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15320 | FIRE PUMPS | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15322 | REFRIGERANT PIPING | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15330 | FIRE EXTINGUISHING SPRINKLER SYSTEMS (WET PIPE) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15335 | FIRE EXTINGUISHING SPRINKLER SYSTEMS (DRY PIPE) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15340 | FIRE EXTINGUISHING SPRINKLER SYSTEM (DELUGE) (PREACTION) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |
| N | L | | NFGS-M-15361 | CARBON DIOXIDE FIRE EXTINGUISHING SYSTEMS (HIGH PRESSURE) | A | FACR | | YD3 | 31-MAR-93 | | | | YD3 |

| Action | OPI / CWE Coordination | Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| N | L | | NFGS-M-15362 | CARBON DIOXIDE FIRE EXTINGUISHING SYSTEMS (LOW PRESSURE) | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15366 | HALON 1301 FIRE EXTINGUISHING SYSTEM | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15371 | CHEMICAL EXTINGUISHING SYSTEMS FOR KITCHEN EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15400 | PLUMBING SYSTEMS | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15460 | HOSPITAL PLUMBING FIXTURES | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15482 | FIBERGLASS REINFORCED PLASTIC (FRP) PIPING (FOR PETROLEUM) | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15483 | FUEL OIL HANDLING SYSTEM | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15484 | MEDICAL GAS AND VACUUM SYSTEMS | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15485 | GASOLINE/DIESEL DISPENSING SYSTEMS | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15486 | AVIATION FUEL DISTRIBUTION AND DISPENSING | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15488 | LOW PRESSURE COMPRESSED AIR SYSTEMS (NON-BREATHING AIR TYPE) | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15489 | HIGH AND MEDIUM PRESSURE COMPRESSED AIR SYSTEMS | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15492 | FUEL GAS PIPING | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15511 | LOW TEMPERATURE WATER (LTW) HEATING SYSTEM | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15512 | CHILLED, CONDENSER, OR DUAL SERVICE WATER PIPING | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15521 | STEAM SYSTEM AND TERMINAL UNITS | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15621 | WARM AIR HEATING SYSTEMS | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15751 | (HIGH) (MEDIUM) TEMPERATURE WATER SYSTEM WITHIN BUILDINGS | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15850 | AIR HANDLING EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-15895 | DUCTWORK AND DUCTWORK ACCESSORIES | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16011 | ELECTRICAL GENERAL REQUIREMENTS | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16113 | UNDERFLOOR RACEWAY SYSTEM | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16304 | 480 V PIER POWER OUTLET ASSEMBLIES | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16306 | 400-HERTZ (HZ) SOLID STATE FREQUENCY CONVERTER | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16307 | MARINA ELECTRICAL WORK | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16492 | MOTOR-GENERATOR SETS, 400 HERTZ (HZ) | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16610 | INSTALLATION OF UNINTERRUPTIBLE POWER SUPPLY (UPS) SYSTEM | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16641 | CATHODIC PROTECTION BY GALVANIC ANODES | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16642 | CATHODIC PROTECTION BY IMPRESSED CURRENT | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16643 | CATHODIC PROTECTION SYSTEM (STEEL WATER TANKS) | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16650 | RADIO FREQUENCY INTERFERENCE POWER LINE FILTERS | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16670 | LIGHTNING PROTECTION SYSTEM | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16744 | FIBER OPTICS DATA TRANSMISSION FOR INTERIOR SYSTEM | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16745 | FIBER OPTICS DATA TRANSMISSION FOR EXTERIOR SYSTEM | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16782 | (MASTER) (COMMUNITY) ANTENNA TELEVISION SYSTEM | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| N | L | | NFGS-M-16852 | ELECTRIC SPACE HEATING EQUIPMENT | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| D | L | | NFGS-SF-02050 | SITE WORK, SECTION 02050, DEMOLITION AND REMOVAL | A | FACR | | YD3 | 30-SEP-92 | YD3 | | | |
| D | L | | NFGS-SF-02102 | SITE WORK, SECTION 02102, CLEARING AND GRUBBING | A | FACR | | YD3 | 30-SEP-92 | YD3 | | | |
| N | | | NFGS-SF-01090 | REFERENCES USER: NA | A | FACR | | YD3 | 31-MAR-93 | YD3 | 04 | | |
| D | L | | NFGS-SF-01300 | GENERAL REQUIREMENTS, SELECTION 01300, SUBMITTALS | A | FACR | | YD3 | 30-JUN-92 | YD3 | | | |
| D | L | | NFGS-SF-01400A | GENERAL REQUIREMENTS, SELECTION 01400, QUALITY CONTROL (QC) | A | FACR | | YD3 | 30-JUN-92 | YD3 | | | |
| D | L | | NFGS-SF-01731 | GENERAL REQUIREMENTS, SECTION 01731, SHORT FORM OPERATION AND MAINTENANCE DATA | A | FACR | | YD3 | 31-DEC-92 | YD3 | | | |
| D | L | | NFGS-SF-02510 | SITE WORK, SECTION 02510, ASPHALT CONCRETE PAVING | A | FACR | | YD3 | 31-DEC-92 | YD3 | | | |
| D | L | | NFGS-SF-02720 | SITE WORK, SECTION 02720, STORM DRAINAGE SYSTEM | A | FACR | | YD3 | 31-DEC-92 | YD3 | | | |
| D | L | | NFGS-SF-02730 | SITE WORK, SECTION 02730, EXTERIOR SANITARY SEWER SYSTEM | A | FACR | | YD3 | 31-DEC-92 | YD3 | | | |
| N | L | | NFGS-SF-03300A | CAST-IN PLACE CONCRETE SHORT FORM | A | FACR | | YD3 | 31-MAR-93 | YD3 | | | |
| D | L | | NFGS-SF-04200 | MASONRY, SECTION 04200, UNIT MASONRY | A | FACR | | YD3 | 31-DEC-92 | YD3 | | | |
| D | L | | NFGS-SF-05310 | METALS, SECTION 05310, STEEL ROOF DECKS | A | FACR | | YD3 | 31-DEC-92 | YD3 | | | |
| D | L | | NFGS-SF-05500 | METALS, SECTION 05500, METAL FABRICATIONS | A | FACR | | YD3 | 31-DEC-92 | YD3 | | | |
| D | L | | NFGS-SF-06100 | WOODS & PLASTICS, SECTION 06100, ROUGH CARPENTRY | A | FACR | | YD3 | 31-DEC-92 | YD3 | | | |
| D | L | | NFGS-SF-15850 | MECHANICAL, SECTION 15850, AIR HANDLING EQUIPMENT | A | FACR | | YD3 | 30-SEP-92 | YD3 | | | |
| D | L | | NFGS-SF-15895 | MECHANICAL, SECTION 15895, DUCTWORK AND DUCTWORK ACCESSORIES | A | FACR | | YD3 | 30-SEP-92 | YD3 | | | |
| D | L | | NFGS-SF-16120A | ELECTRICAL, SECTION 16120, INTERIOR ELECTRICAL WORK | A | FACR | | YD3 | 30-SEP-92 | YD3 | | | |
| D | L | | NFGS-SF-16400A | ELECTRICAL, SECTION 16400, SERVICE AND DISTRIBUTION | A | FACR | | YD3 | 30-SEP-92 | YD3 | | | |
| D | L | | NFGS-SF-16500A | ELECTRICAL, SECTION 16500, INTERIOR LIGHTING | A | FACR | | YD3 | 30-SEP-92 | YD3 | | | |
| D | L | | NFGS-SF-16501A | ELECTRICAL, SECTION 16501, EXTERIOR LIGHTING | A | FACR | | YD3 | 30-SEP-92 | YD3 | | | |
| D | L | | NFGS-SF-16720A | ELECTRICAL, SECTION 16720, FIRE ALARM (AND SMOKE DETECTION) SYSTEMS | A | FACR | | YD3 | 30-SEP-92 | YD3 | | | |
| D | L | | NFGS-SF-16743A | ELECTRICAL, SECTION 16743, INTERIOR TELEPHONE SYSTEM | A | FACR | | YD3 | 30-SEP-92 | YD3 | | | |

| Action | OPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NACA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | AN3THRUAN20 REV 12 | BOLT - MACHINE, AIRCRAFT REVIEWER: MI | A | 5306 | AS | AV | 14-JAN-91 | AV | AS | 99 | IS |
| D | | | AN21THRUAN37 REV 7 | BOLT & CLEVIS [VALIDATION DATE: 8306] REVIEWER: 82 | A | 5306 | 1S | AV | 25-MAY-83 | AV | | 99 | |
| | | | AN42THRUAN49 REV 6 | BOLT, EYE USER: ME REVIEWER: IS MI | A | 5306 | AS | AV | 04-AUG-82 | AV | AS | 99 | |
| A | 1 | | AN100 REV 3 | THIMBLE - WIRE CABLE REVIEWER: 82 | A | 4030 | AS | AV | 08-MAR-93 | AV | AS | 99 | |
| | | | AN116 REV 2 | SHACKLE, ANCHOR, FORGED CARBON STEEL SC REW PIN [VALIDATION DATE: 8312] REVIEWER: IS MI | A | 4030 | AS | AV | 20-NOV-56 | AV | AS | 99 | |
| | 1 | | AN173THRUAN186 REV 7 | BOLT-MACHINE, CLOSE TOLERANCE, AIRCRAFT USER: ME REVIEWER: IS MI | A | 5306 | AS | AV | 09-APR-90 | AV | AS | 99 | |
| | | | AN226 | FASTENER & COML, POST TYPE (SEE AN10076) [VALIDATION DATE: 8208] REVIEWER: IS | A | 5325 | AS | AV | 18-NOV-48 | | AS | 99 | |
| | | | AN227 REV 9 | FASTENERS - SNAP AND CURTAIN (INACTIVE USE MS27977 THRU MS27986 [VALIDATION DATE: 8410] REVIEWER: IS MI | A | 5325 | AS | AV | 22-MAY-70 | AV | AS | 99 | |
| | | | AN229 REV 5 | FASTENER - INTERLOCKING SLIDE [VALIDATION DATE: 8303] REVIEWER: IS MI | A | 5325 | AS | AV | 15-AUG-68 | AV | AS | 99 | |
| | | | AN231 REV 4 | GROMMET & DRAINAGE, PLASTIC [VALIDATION DATE: 8207] REVIEWER: IS | A | 5325 | AS | AV | 14-JUL-69 | AV | AS | 99 | |
| | | | AN240 REV 1 | EYELET & LACING [VALIDATION DATE: 7705] REVIEWER: IS OS | A | 5325 | MI | AV | 15-APR-43 | MI | | 99 | |
| | | | AN254 REV 3 | SCREW & THUMB, NECKED (SUPERSEDES USAF DWG. 36A4486 IN PART) [VALIDATION DATE: 8306] | A | 5305 | 82 | AV | 10-SEP-82 | | AS | 99 | |
| | | | AN255 REV 5 | SCREW - EXTERNALLY RELIEVED BODY (INACTIVE) [VALIDATION DATE: 8207] REVIEWER: IS | A | 5305 | AS | AV | 15-APR-74 | AV | AS | 99 | |
| | | | AN256 REV 5 | NUT & SELF LOCKING, RIGHT ANGLE PLATE (SUPERSEDES USAF 35A2939) REVIEWER: EC IS MI | A | 5310 | 82 | AV | 24-FEB-83 | AV | AS | 99 | |
| | | | AN302 | PIN ESCRUTCHEON [VALIDATION DATE: 8208] REVIEWER: 82 IS | A | 5315 | AS | AV | 06-JUN-48 | AV | AS | 99 | |
| | | | AN310 REV 10 | NUT, PLAIN, CASTELLATED, AIRFRAME REVIEWER: IS MI | A | 5310 | AS | AV | 17-MAY-91 | AV | AS | 99 | |
| | | | AN315 REV J | NUT, PLAIN, AIRFRAME [VALIDATION DATE: 8107] USER: AT REVIEWER: IS MI | A | 5310 | AS | AV | 29-DEC-72 | AV | AS | 99 | |
| | | | AN316 REV 11 | NUT, JAM, HEXAGON REVIEWER: IS | A | 5310 | AS | AV | 25-FEB-91 | AV | AS | 99 | |
| A | | | AN320 REV 12 | NUT, PLAIN, CASTELLATED, SHEAR REVIEWER: 82 AR IS | A | 5310 | AS | AV | 06-AUG-92 | AV | AS | 99 | |
| | 1 | | AN340 REV 5 NOTICE 1 | NUT, PLAIN, HEXAGON, NON-STRUCTURAL, COARSE THREAD [VALIDATION DATE: 8911] REVIEWER: 99 IS MI | A | 5310 | AS | AV | 01-NOV-89 | AV | AS | | |
| | 1 | | AN345 REV 6 NOTICE 1 | NUT, PLAIN, HEXAGON, NON-STRUCTURAL, FINE THREAD [VALIDATION DATE: 8911] REVIEWER: IS MI | A | 5310 | AS | AV | 01-NOV-89 | AV | AS | 99 | |
| | 1 | | AN367 REV 2 NOTICE 1 | NUT-PLATE, COUNTERSUNK, 82 DEG. [VALIDATION DATE: 8910] REVIEWER: 82 IS | A | 5310 | AS | | 01-OCT-89 | | AS | 99 | |
| | | | AN386 REV 3 | PIN & THREADED TAPER [VALIDATION DATE: 8204] REVIEWER: 82 IS | A | 5315 | AS | AV | 23-FEB-54 | AV | AS | 99 | |
| | | | AN415 REV 3 | PIN, LOCK (HITCH PIN) REVIEWER: 82 IS MI | A | 5315 | AS | AV | 30-APR-90 | AV | AS | 99 | |
| | | | AN416 REV 3 | PIN & RETAINING, SAFETY REVIEWER: IS MI | A | 5315 | 82 | AV | 04-JAN-85 | AV | | 99 | |
| | | | AN490 REV 8 | ROD END & THREADED, AIRCRAFT [VALIDATION DATE: 8207] REVIEWER: IS | A | 5340 | AS | AV | 12-OCT-70 | AV | AS | 99 | |
| | | | AN500 REV 7 | SCREW, MACHINE, FILLISTER HEAD, COARSE THREAD | A | MISC | AS | AV | 12-NOV-80 | | AS | 99 | |
| | | | AN501 REV 6 | SCREW, MACHINE, FILLISTER HEAD, FINE THREAD [VALIDATION DATE: 8504] | A | 5306 | AS | AV | 12-AUG-59 | | | 99 | |
| | | | AN502 REV 6 | SCREW & MACHINE, DRILLED FILLISTER HEAD,FINE THREAD [VALIDATION DATE: 8207] REVIEWER: IS | A | 5305 | AS | AV | 11-MAY-53 | AV | AS | 99 | |
| | | | AN503 REV 5 | SCREW & MACHINE, DRILLED FILLISTER HEAD,COARSE THREAD [VALIDATION DATE: 8204] REVIEWER: IS MI | A | 5305 | AS | AV | 11-MAY-53 | AV | AS | 99 | |
| | | | AN504 REV 6 | SCREW, TAPPING, THREAD CUTTING, ROUND HEAD, MACHINE SCREW THREAD (INACTIVE FOR NEW DESIGN AFTER 4 MAR 82) | A | MISC | AS | AV | 04-MAR-82 | | | | |
| | | | AN505 REV 3 | SCREW-MACHINE, FLAT HEAD, 82 DEGREE, COARSE THREAD [VALIDATION DATE: 8107] REVIEWER: IS MI | A | 5305 | AS | AV | 17-FEB-59 | | AS | 99 | |
| | | | AN508 REV A | SCREW & ROUND HEAD MACHINE (FOR ELECTRICAL USE) REVIEWER: IS MI | A | 5305 | 82 | AV | 23-MAR-84 | AV | | 99 | |
| D | | | AN510 REV 5 | SCREW, MACHINE, FLAT HEAD, 82 DEGREE, FINE THREAD (INACTIVE USE MS-35191, MS-35199, MS-51960 AND MS-35203) REVIEWER: MI | A | 5305 | 1S | AV | 16-MAR-83 | AV | AS | 99 | IS |
| | L | | AN525 REV 2 | SCREW - WASHER HEAD USER: ME REVIEWER: IS MI | A | 5305 | 82 | AV | 29-JAN-85 | AV | AS | 99 | |
| | | | AN531 REV 5 | SCREW, TAPPING, THREAD FORMING OR THREAD CUTTING, 82 DEG FLAT HEAD, SPACED THREAD [VALIDATION DATE: 8107] REVIEWER: IS MI | A | 5305 | AS | AV | 17-FEB-59 | | AS | 99 | |
| | | | AN565 REV 5 | SETSCREW HEXAGON AND FLUTED SOCKET, HEADLESS [VALIDATION DATE: 8204] USER: ME REVIEWER: 11 AV IS MI | A | 5305 | AS | AV | 23-JUN-75 | | AS | 99 | |
| | | | AN665 REV 4 NOTICE 1 | TERMINAL-THREADED CLEVIS TYPE TIE ROD [VALIDATION DATE: 8909] REVIEWER: IS MI | A | 5340 | AS | AV | 30-SEP-89 | | AS | 99 | |
| | | | AN706 REV 3 | TIE ROD & INTERNAL 8000 LB (3-8824) [VALIDATION DATE: 8406] REVIEWER: IS | A | 5340 | 82 | AV | 15-JUN-66 | | AS | 99 | |
| | | | AN735 REV 5 | CLAMP, LOOP TYPE BONDING [VALIDATION DATE: 8107] USER: CS REVIEWER: 99 IS MI | A | 5340 | AS | AV | 29-DEC-72 | | AS | 11 | |
| | | | AN737 REV 8 | CLAMP, HOSE, AIRCRAFT [VALIDATION DATE: 8312] REVIEWER: CS IS MI | A | 4730 | AS | AV | 05-JAN-56 | | AS | 99 | |
| | | | AN742 REV J | CLAMP, PLAIN, SUPPORT, LOOP-TYPE, AIRCRAFT [VALIDATION DATE: 8107] REVIEWER: IS MI | A | 5340 | AS | AV | 17-DEC-68 | AR | AS | 99 | |
| | | | AN743 REV 7 | BRACKET, SUPPORT CLAMP | A | 5340 | AS | AV | 16-AUG-82 | | | | |
| | L | | AN763 REV 1 | GASKET - SWIVEL FITTING, FLANGED [VALIDATION DATE: 8312] REVIEWER: 82 MI | A | 4730 | 99 | AV | 01-OCT-62 | | | 99 | |
| | | | AN774 REV 7 | BOLT FLARED TUBE FITTING END UNIVERSAL [VALIDATION DATE: 8404] | A | 4730 | 82 | AV | 04-AUG-83 | AV | AS | 99 | |
| A | | | AN775 REV 12 | BOLT - FLUID PASSAGE USER: AV CS REVIEWER: IS | A | 4730 | 82 | AV | 22-MAR-84 | | AS | 99 | |
| | | | AN776 REV 9 | CONNECTOR, MULTIPLE FLUID PRESSURE LINE 90 DEG. REVIEWER: CS MI | A | 4730 | 82 | AV | 10-FEB-88 | AV | AS | 99 | |
| | | | AN777 REV 9 | CONNECTOR, MULTIPLE FLUID PRESSURE LINE , 75 DEG. | A | 4730 | 82 | AV | 19-MAR-79 | | | 99 | |
| | | | AN778 REV J | CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 45 DEG. REVIEWER: CS | A | 4730 | 82 | AV | 10-FEB-88 | AV | AS | 99 | |
| | | | AN779 REV 6 | CONNECTOR, MULTIPLE FLUID PRESSURE LINE, STRAIGHT | A | 4730 | 82 | AV | 10-FEB-88 | | | 99 | |
| | | | AN780 REV 6 | NIPPLE, UNION [VALIDATION DATE: 8312] REVIEWER: CS | A | 4730 | AS | AV | 23-JUL-56 | AV | AS | 99 | |
| | | | AN783 REV J | TEE, FLARED TUBE INTERNAL THREAD ON SIDE | A | 4730 | 82 | AV | 10-FEB-88 | AV | AS | 99 | |
| | | | AN784 REV L | TEE, FLARED TUBE, INTERNAL THREAD ON RUN REVIEWER: CS MI | A | 4730 | 82 | AV | 05-OCT-83 | AV | AS | 99 | |
| | | | AN785 REV 6 | COUPLING, UNION, BRAZING [VALIDATION DATE: 8901] USER: CS | A | 4730 | 82 | AV | 16-JAN-89 | AV | AS | 99 | |
| | L | | AN786 REV 4 | COUPLING-AIRSPEED TUBE UNION (BRAZING) | A | 4730 | 82 | AV | 22-JUN-83 | | | 99 | |
| | | | AN791 REV 5 | ELBOW - UNION 45 DEG. [VALIDATION DATE: 8312] USER: CS | A | 4730 | AS | AV | 20-AUG-56 | AV | AS | 99 | |
| | | | AN795 REV 4 | TEE, UNION [VALIDATION DATE: 8107] USER: CS | A | 4730 | 82 | AV | 20-AUG-56 | AV | | 99 | |
| | | | AN800 REV 5 | CONE&UNION [VALIDATION DATE: 8312] REVIEWER: CS | A | 4730 | AS | AV | 01-JUN-54 | AV | AS | 99 | |
| | | | AN804 REV 6 | TEE, FLARED TUBE WITH BULKHEAD ON RUN | A | 4730 | 82 | AV | 05-AUG-83 | AV | AS | 99 | |
| | | | AN805 REV 7 | NUT - UNION [VALIDATION DATE: 8312] REVIEWER: CS | A | 4730 | AS | AV | 14-AUG-56 | AV | AS | 99 | |
| | | | AN806 REV 7 | PLUG FLARED TUBE [VALIDATION DATE: 8306] | A | 4730 | 82 | AV | 16-APR-82 | AV | AS | 99 | |
| | | | AN807 REV 6 | ADAPTER, STRAIGHT, TUBE TO HOSE | A | 4730 | 82 | AV | 30-AUG-82 | | | 99 | |
| | | | AN809 REV 4 | CORE & HIGH PRESSURE AIR VALVE USER: CS REVIEWER: MI | A | 1650 | 71 | AV | 26-DEC-86 | AV | AS | 99 | |
| | | | AN814 REV M | PLUG & BLEEDER - SCREW THREAD | A | 4730 | 82 | AV | 17-AUG-83 | | AS | 99 | |
| | | | AN815 REV 9 | UNION - FLARED TUBE | A | 4730 | 82 | AV | 04-AUG-83 | AV | AS | 99 | |
| | | | AN816 REV M | ADAPTER, STRAIGHT, PIPE TO TUBE | A | 4730 | 82 | AV | 19-MAR-79 | | | 99 | |
| | | | AN817 REV L | NUT, TUBE COUPLING, LONG REVIEWER: AS AV CS | A | 4730 | 82 | AV | 31-MAR-87 | | | 99 | |
| | | | AN818 REV R | NUT, TUBE COUPLING, SHORT REVIEWER: AV CS ME | A | 4730 | 82 | AV | 14-FEB-77 | | AS | 99 | |
| | | | AN821 REV 8 | ELBOW FLARED TUBE, 90 DEG. | A | 4730 | 82 | AV | 05-AUG-83 | AV | AS | 99 | |
| | | | AN824 REV 7 | TEE - FLARED TUBE USER: CS REVIEWER: MI | A | 4730 | 82 | AV | 05-OCT-83 | AV | AS | 99 | |
| | | | AN827 REV 7 | CROSS, FLARED TUBE (USE MS 24403) [VALIDATION DATE: 8306] REVIEWER: CS MI | A | 4730 | 82 | AV | 10-FEB-67 | AV | AS | 99 | |
| | | | AN832 REV 8 | UNION, FLARED TUBE, 3/8 BULKHEAD & UNIVERSAL | A | 4730 | 82 | AV | 02-AUG-83 | AV | AS | 99 | |
| | | | AN833 REV 8 | ELBOW FLARED TUBE & BULKHEAD UNIVERSAL, 90 DEG | A | 4730 | 82 | AV | 04-AUG-83 | AV | AS | 99 | |
| | | | AN834 REV 9 | TEE, BULKHEAD & UNIVERSAL FLARED TUBE | A | 4730 | 82 | AV | 04-AUG-83 | AV | AS | 99 | |
| | | | AN837 REV 8 | ELBOW, FLARED TUBE & UNIVERSAL, 45 DEG. | A | 4730 | 82 | AV | 04-AUG-83 | AV | AS | 99 | |
| | | | AN838 REV 8 | ELBOW, TUBE TO HOSE, 90 DEG. | A | 4730 | 82 | AV | 30-AUG-82 | | | 99 | |
| | | | AN839 REV 7 | ELBOW, TUBE TO HOSE, 45 DEG. | A | 4730 | 82 | AV | 30-AUG-82 | | | 99 | |
| | L | | AN840 REV 9 | ADAPTER, STRAIGHT, PIPE TO HOSE [VALIDATION DATE: 7408] REVIEWER: AV CS ME | A | 4730 | 82 | AV | 01-JUN-54 | | | 99 | |
| | | | AN841 REV 5 | ADAPTER - HOSE TO FLARED TUBE [VALIDATION DATE: 8306] | A | 4730 | 82 | AV | 19-APR-82 | AV | | 99 | |
| | | | AN842 REV K | ELBOW, PIPE TO HOSE, 90 DEG. | A | 4730 | 82 | AV | 02-SEP-82 | | AS | 99 | |
| | L | | AN844 REV K | ELBOW, PIPE TO HOSE, 45 DEG. REVIEWER: AV CS ME | A | 4730 | 82 | AV | 02-SEP-82 | | | 99 | |
| | | | AN846 REV 7 | ELBOW, HOSE, 45 DEG. | A | 4730 | 82 | AV | 20-MAR-79 | | | 99 | |
| | | | AN848 REV K | ELBOW, HOSE, 90 DEG. | A | 4730 | 82 | AV | 20-MAR-79 | | | 99 | |
| | | | AN849 REV K | NIPPLE, HOSE | A | 4730 | 82 | AV | 02-SEP-82 | | | 99 | |
| | | | AN871 REV 9 | FLANGE & STRAIGHT THREAD BOSS WELDING REVIEWER: CS MI | A | 4730 | AS | AV | 13-DEC-85 | AV | | 99 | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | AN876 REV 2 | COLLAR & TUBING END HOSE CONNECTION (VALIDATION DATE: 8312) USER: CS ..... | A | 4730 | AS | 01-JUN-54 | | | AS | 99 |
| | | | AN887 REV 1 | GASKET & CIRCULAR FORMATION LIGHT COVER (VALIDATION DATE: 8106) REVIEWER: 82 GS | A | 5330 | AS | 30-APR-51 | | | AS | 99 |
| | | | AN893 REV J | BUSHING SCREW THREAD REDUCER (USE MS 24397) REVIEWER: 11 CS MI ..... | A | 4730 | 82 | 05-OCT-83 | AV | | AS | 99 |
| | | | AN894 REV 9 | BUSHING, SCREW THREAD, EXPANDER REVIEWER: 11 CS MI ..... | A | 4730 | 82 | 06-APR-84 | AV | | AS | 99 |
| | | | AN899 REV 2 | GASKET, FUSELAGE LIGHT & COVER SCREW (VALIDATION DATE: 8208) REVIEWER: 82 GS | A | 5330 | AS | 23-AUG-55 | AV | | AS | 99 |
| | | | AN901 REV 8 | GASKET & METAL TUBE CONNECTION SEAL (VALIDATION DATE: 8105) REVIEWER: MI .. | A | 5330 | AS | 11-JUN-68 | AV | | AS | 99 |
| | | | AN904 REV 1 | GASKET & UPWARD RECOGNITION LIGHT COVER (VALIDATION DATE: 8106) REVIEWER: GS | A | 5330 | AS | 30-APR-43 | AV | | AS | 99 |
| | L | | AN910 REV J | COUPLING, PIPE USER: CS REVIEWER: MI ..... | A | 4730 | 82 | 05-OCT-83 | AV | | AS | 99 |
| | | | AN911 REV 9 | NIPPLE, PIPE (INACTIVE FOR SESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS AND GROUND SERVICE EQUIPMENT) | A | 4730 | 82 | 20-MAR-79 | | | | 99 |
| | D L | | AN912 REV 9 | BUSHING, PIPE (VALIDATION DATE: 7305) REVIEWER: 82 AV CS ME ..... | A | 4730 | IS | 10-FEB-67 | | | | 99 |
| | L | | AN912/1 | BUSHING, PIPE (VALIDATION DATE: 7305) REVIEWER: AV CS ME ..... | A | 4730 | 82 | 10-FEB-67 | | | | 99 |
| | D | | AN914 REV 9 | ELBOW, PIPE, INTERNAL AND EXTERNAL THREAD, 90 DEG. (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS AND GROUND SERVICE EQUIPMENT) REVIEWER: 82 | A | 4730 | IS | 20-MAR-79 | | | | 99 |
| | D L | | AN915 REV K | ELBOW, PIPE, 45 DEG. (VALIDATION DATE: 7305) REVIEWER: 82 AV CS ME ..... | A | 4730 | IS | 10-FEB-67 | | | | 99 |
| | D L1 | | AN916 REV 10 | ELBOW, PIPE, INTERNAL THREAD, 90 DEGREE REVIEWER: 82 ..... | A | 4730 | IS | 20-OCT-92 | | | | 99 |
| | D | | AN917 REV 8 | TEE, PIPE (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS AND GROUND SERVICE EQUIPMENT) REVIEWER: 82 MI | A | 4730 | IS | 21-MAR-79 | | | | 99 |
| | | | AN917/2 | TEE, PIPE (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS AND GROUND SERVICE EQUIPMENT) REVIEWER: MI | A | 4730 | 82 | 21-MAR-79 | | | | 99 |
| | D L | | AN918 REV 8 | CROSS, PIPE (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS & GROUND SERVICE EQUIPMENT) REVIEWER: 82 AV CS ME | A | 4730 | IS | 21-MAR-79 | | | | 99 |
| | D | | AN919 REV 9 | REDUCER EXTERNAL THREAD FLARED TUBE REVIEWER: 82 ..... | A | 4730 | IS | 04-AUG-83 | AV | | AS | 99 |
| | D | | AN924 REV K | NUT, TUBE, BULKHEAD AND UNIVERSAL FITTING (VALIDATION DATE: 8510) REVIEWER: 82 | A | 4730 | IS | 21-MAR-79 | | | | 99 |
| | D | | AN929 REV K | CAP ASSEMBLY, TUBE, PRESSURE SEAL REVIEWER: 82 ..... | A | 4730 | IS | 23-MAR-83 | | | | 99 |
| | D | | AN933 REV 6 | PLUG, PIPE, HEX HEAD REVIEWER: 82 ..... | A | 4730 | IS | 21-MAR-79 | | | | 99 |
| | | | AN936 REV 7 | WASHER, TOOTH LOCK (INACTIVE) (VALIDATION DATE: 8207) REVIEWER: AR IS MI .. | A | 5310 | AS | 28-SEP-70 | AV | | AS | 99 |
| | D | | AN937 REV 6 | CROSS, TUBE, INTERNAL THREAD (VALIDATION DATE: 8510) REVIEWER: 82 ..... | A | 4730 | IS | 21-MAR-79 | | | | 99 |
| | D | | AN938 REV 6<br>NOTICE 1 | TEE, TUBE, INTERNAL THREAD (VALIDATION DATE: 8609) REVIEWER: 82 ..... | A | 4730 | IS | 01-SEP-86 | | | | 99 |
| | D L | | AN939 REV 7 | ELBOW, TUBE, INTERNAL THREAD, 90 DEG. USER: MI REVIEWER: 82 AV CS ME ..... | A | 4730 | IS | 22-MAR-84 | | | | 99 |
| | D L | | AN941 REV 6 | ELBOW, TUBE, INTERNAL THREAD, 45 DEG. (VALIDATION DATE: 8510) REVIEWER: 82 CS | A | 4730 | IS | 21-MAR-79 | | | AS | 99 |
| | | | AN943 REV A | BEARING - ROD END, INTERNAL THREAD, SELF - ALIGNING, PLAIN, AIRFRAME-INACTIVE 14 MAY 71 (VALIDATION DATE: 8208) REVIEWER: 84 IS | A | 3120 | AS | 28-FEB-50 | AT | | AS | 99 |
| | | | AN947 REV A | BEARING-ROD END, EXTERNAL THREAD, SELF-ALIGNING, PLAIN, AIRFRAME -INACTIVE 14 MAY 1971 (VALIDATION DATE: 8208) REVIEWER: 84 | A | 3120 | AS | 14-MAY-71 | AT | | AS | 99 |
| A | 1 | | AN960 REV 21 | WASHER, FLAT REVIEWER: 82 EA IS ..... | A | 5310 | AS | 06-AUG-92 | AV | | AS | 99 |
| D | | | AN961 REV 2 | WASHER & FLAT, ELECTRICAL (VALIDATION DATE: 8406) REVIEWER: 82 AV IS MI ... | A | 5310 | IS | 10-AUG-67 | AR | | AS | 99 |
| D | | | AN970 REV 6 | WASHER, FLAT REVIEWER: 82 AV GL MI ..... | A | 5310 | IS | 04-DEC-84 | AR | | SA | 99 |
| | | | AN975 REV 3 | WASHER & TAPER PIN (VALIDATION DATE: 8204) REVIEWER: AV IS ..... | A | 5310 | AS | 29-DEC-72 | | | AS | 99 |
| | | | AN996 REV 2 | RING - LOCK (INACTIVE) (VALIDATION DATE: 8208) REVIEWER: AV IS ..... | A | 5340 | AS | 15-APR-74 | | | AS | 99 |
| | | | AN2531 | INDICATOR ASSEMBLY AND WIND CONE (UNLIGHTED AND EXTERNALLY LIGHTED) (VALIDATION DATE: 8112) REVIEWER: 99 GS | A | 6660 | 13 | 14-AUG-44 | | | AS | 13 |
| | D | | AN2541 REV 3<br>NOTICE 1 | LENS, AIRCRAFT OBSTRUCTION MARKER LIGHT (VALIDATION DATE: 8804) REVIEWER: 11 82 GS | A | 6210 | IS | 26-APR-88 | | | AS | 99 |
| | D | | AN2547 REV 5 | LIGHT, MARKER, AIRCRAFT OBSTRUCTION (VALIDATION DATE: 8106) REVIEWER: 11 82 GS | A | 6210 | IS | 29-APR-68 | ME | | AS | 99 |
| | | | AN2555 REV 1 | NOZZLE & AIRCRAFT FUELING (VALIDATION DATE: 8210) ..... | A | 4730 | AS | 16-SEP-44 | | | AS | |
| | D | | AN2578 REV 1 | COVER, DRUMETYPE ROTATING BEACON, 24& INCH (VALIDATION DATE: 8506) REVIEWER: 82 GS | A | 6210 | IS | 15-FEB-57 | | | AS | 99 |
| | | | AN3030 REV 8 | LIGHT ASSEMBLY & CIRCULAR FORMATION (VALIDATION DATE: 8307) REVIEWER: GS .. | A | 6220 | AS | 11-JAN-54 | AV | | AS | 11 |
| | | | AN3032 REV J | LIGHT ASSEMBLY - WING POSITION RECESSED (INACTIVE 1-3-67) (VALIDATION DATE: 8106) REVIEWER: GS | A | 6220 | AS | 03-JAN-67 | | | AS | 11 |
| | | | AN3033 REV L | LIGHT ASSEMBLY, WING POSITION, WING TIP (VALIDATION DATE: 8106) REVIEWER: GS | A | 6220 | AS | 28-DEC-56 | | | AS | 11 |
| | | | AN3036 REV 4 | LIGHT ASSEMBLY, BERTH (INACTIVE 1-3-67) (VALIDATION DATE: 8106) REVIEWER: GS | A | 6220 | AS | 03-JAN-67 | | | AS | 11 |
| | | | AN3037 REV 6 | LIGHT ASSEMBLY, CABIN DOME (VALIDATION DATE: 8106) REVIEWER: GS ..... | A | 6220 | AS | 28-APR-72 | AV | | AS | 11 |
| | | | AN3040 REV 5 | COVER & CIRCULAR FORMATION LIGHT (INACTIVE) (VALIDATION DATE: 8303) REVIEWER: GS | A | 6220 | AS | 15-DEC-75 | AV | | AS | 99 |
| | A | | AN3042 REV 7 | COVER-POSITION LIGHT ..... | A | 6220 | AS | 22-SEP-92 | AV | | AS | 99 |
| | | | AN3043 REV 7 | COVER & ANCHOR LIGHT (VALIDATION DATE: 8303) REVIEWER: GS ..... | A | 6220 | AS | 15-DEC-75 | | | AS | |
| | | | AN3048 REV 4 | FERRULE& CONDUIT, FLEXIBLE, ONE STEP SYNTHETIC COVERED (VALIDATION DATE: 8509) REVIEWER: 99 GS | A | 5975 | AS | 08-OCT-53 | | | AS | 85 |
| | | | AN3049 REV 2 | LIGHT ASSEMBLY - OPEN CABIN DOME (INACTIVE 1-3-67) (VALIDATION DATE: 8106) REVIEWER: GS | A | 6220 | AS | 03-JAN-67 | | | AS | 11 |
| | | | AN3050 REV 4 | FERRULE & CONDUIT, FLEXIBLE (VALIDATION DATE: 8509) REVIEWER: 99 GS ..... | A | 5975 | AS | 08-OCT-53 | AV | | AS | 85 |
| | | | AN3051 REV 5 | FERRULE & CONDUIT, FLEXIBLE, ONE STEP (VALIDATION DATE: 8509) REVIEWER: 99 GS MI | A | 5975 | AS | 08-OCT-53 | AV | | AS | 85 |
| | | | AN3052 REV 5 | FERRULE & CONDUIT, FLEXIBLE, TWO STEP (VALIDATION DATE: 8509) REVIEWER: 99 GS | A | 5975 | AS | 09-NOV-53 | | | AS | 85 |
| | | | AN3053 REV 3 | FERRULE & RIGID CONDUIT (VALIDATION DATE: 8509) REVIEWER: 99 GS ..... | A | 5975 | AS | 13-MAY-52 | AV | | AS | 85 |
| | | | AN3054 REV 8<br>NOTICE 1 | NUT, COUPLING, ELECTRICAL CONDUIT (VALIDATION DATE: 8803) REVIEWER: 99 .... | A | 5975 | 85 | 25-MAR-88 | | | | 85 |
| | L | | AN3055 REV 6<br>NOTICE 1 | BOX CONNECTOR, ELECTRICAL (VALIDATION DATE: 8803) REVIEWER: GS MI ..... | A | 5975 | 85 | 25-MAR-88 | | | | 85 |
| | | | AN3056 REV 6 | ADAPTER, ELECTRICAL CONDUIT, RIGID TO FLEXIBLE (VALIDATION DATE: 8105) USER: AR MC REVIEWER: 99 AV GS | A | 5975 | AS | 31-JUL-74 | | | WP | 11 |
| | | | AN3058 REV 6 | COUPLING, ELECTRICAL CONDUIT, RIGID (VALIDATION DATE: 8105) USER: AR MC REVIEWER: 99 AV GS | A | 5975 | AS | 31-JUL-74 | | | AS | 11 |
| | | | AN3060 REV 4 | ELBOW - ELECTRICAL CONDUIT, 45 DEG. (VALIDATION DATE: 8105) REVIEWER: 99 GS | A | 5975 | AS | 16-APR-53 | | | AS | 85 |
| | | | AN3061 REV 3 | ELBOW - ELECTRICAL CONDUIT, 45 DEG. JUNCTION BOX (VALIDATION DATE: 8105) REVIEWER: 99 GS MI | A | 5975 | AS | 16-APR-53 | | | AS | 85 |
| | | | AN3062 REV 3 | ELBOW - ELECTRICAL CONDUIT, 90 DEG. (VALIDATION DATE: 8105) REVIEWER: 99 GS MI | A | 5975 | AS | 16-APR-53 | | | AS | 85 |
| | | | AN3063 REV 3 | ELBOW - ELECTRICAL CONDUIT, 90 DEG. JUNCTION BOX (VALIDATION DATE: 8105) REVIEWER: 99 GS | A | 5975 | AS | 16-APR-53 | AV | | AS | 85 |
| | | | AN3064 REV 5 | BOX CONNECTOR, ELECTRICAL (VALIDATION DATE: 8105) REVIEWER: GS MI ..... | A | 5975 | AS | 21-SEP-56 | AV | | AS | 85 |
| | | | AN3066 REV 3 | NUT, PLAIN, HEXAGON, CONDUIT COUPLING (VALIDATION DATE: 8105) REVIEWER: MI | A | 6625 | AS | 27-SEP-56 | | | AS | |
| | D | | AN3067 REV 3 | SEAL ASSEMBLY - 3/8 INCH CONDUIT BOSS (VALIDATION DATE: 8405) REVIEWER: 82 | A | 5330 | IS | 09-JUL-54 | | | | 99 |
| | | | AN3068 REV 3 | COUPLING & ELECTRICAL CONDUIT (VALIDATION DATE: 8105) REVIEWER: 99 GS ..... | A | 5975 | AS | 16-APR-53 | | | AS | 85 |
| | | | AN3069 REV 1 | ADAPTER ASSEMBLY - 3/16 INCH CONDUIT (VALIDATION DATE: 8207) REVIEWER: 99 GS | A | 5975 | AS | 09-MAY-52 | | | AS | 85 |
| | | | AN3083 REV 2 | FERRULE & CONDUIT, FLEXIBLE, TWO STEP, SYNTHETIC COVERED (VALIDATION DATE: 8509) REVIEWER: 99 GS | A | 5975 | AS | 19-MAY-52 | | | AS | 85 |
| | | | AN3088 REV 5<br>NOTICE 1 | LIGHT ASSEMBLY, ANCHOR (VALIDATION DATE: 8712) REVIEWER: GS ..... | A | 6220 | AS | 31-DEC-87 | | | AS | 11 |

| Action | Opt. / Obs. Coordination Inactive | Document Number | | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | AN3091 | REV 5 | LIGHT ASSEMBLY & EXTERIOR, EDGE MOUNTING (VALIDATION DATE: 8106) REVIEWER: GS | A 6220 | AS | 03-FEB-49 | | AS | 11 |
| | | AN3092 | REV 7 | LIGHT ASSEMBLY & EXTERIOR, SURFACE MOUNTING (VALIDATION DATE: 8307) REVIEWER: GS | A 6220 | AS | 15-DEC-75 | | AS | 11 |
| | | AN3093 | REV 5 | COVER & EXTERIOR LIGHT ASSEMBLY (VALIDATION DATE: 8508) REVIEWER: GS ..... | A 6220 | AS | 15-DEC-75 | AV | AS | 99 |
| | | AN3105 | REV 3 | TERMINAL, GROUND (VALIDATION DATE: 8608) REVIEWER: 99 GS ..... | A 5940 | 85 | 12-DEC-47 | AV | AS | 85 |
| | | AN3111 | | RING - BONDING, ELECTRICAL CONNECTOR (VALIDATION DATE: 8509) REVIEWER: 99 GS MI | A 5975 | AS | 22-OCT-48 | AV | AS | 85 |
| A | | AN3115 | | RECEPTACLE - AIRSPEED TUBE ELECTRICAL (VALIDATION DATE: 9301) ..... | A 5935 | 85 | 25-JAN-93 | AV | AS | 85 |
| | | NOTICE 1 | | | | | | | | |
| A | | AN3116 | REV 2 | PLUG ASSEMBLY - INSTRUMENT ELECTRICAL (VALIDATION DATE: 9301) ..... | A 5935 | 85 | 25-JAN-93 | AV | | 85 |
| | | NOTICE 2 | | | | | | | | |
| | | AN3119 | REV 2 | GASKET & COMMON, TAIL POSITION LIGHT (VALIDATION DATE: 8106) REVIEWER: 82 GS | A 5330 | AS | 31-JAN-51 | | AS | 99 |
| D | L | AN3146 | REV A | LIGHT ASSEMBLY & PASSING (SUPERSEDES USAF DWG 43B12276) REVIEWER: 82 GS ... | A 6220 | 1S | 21-NOV-83 | | | 99 |
| D | L | AN3147 | REV A | LIGHT ASSEMBLY & FIXED LANDING (PAR&46 BULB, FLAT) REVIEWER: 82 GS ..... | A 6220 | 1S | 17-NOV-83 | | | 99 |
| D | L | AN3148 | REV 1 | LIGHT ASSEMBLY & FIXED LANDING (PAR&64 BULB, FLAT) (VALIDATION DATE: 8408) REVIEWER: 82 GS | A 6220 | 1S | 05-JUN-45 | | | 99 |
| | | AN3155 | REV 5 | RHEOSTAT & AIRCRAFT POWER (VALIDATION DATE: 7812) REVIEWER: 99 ES ..... | A 5905 | 85 | 02-FEB-48 | AV | | 85 |
| | | AN3156 | REV 5 | CLAMP & BATTERY HOLD&DOWN (SUPERSEDES USAF DWG 44A5098) (VALIDATION DATE: 7407) REVIEWER: GS | A 6140 | 80 | 28-AUG-53 | AV | AS | 99 |
| | | AN3177 | REV 6 | LIGHT ASSEMBLY, TOP AND BOTTOM FUSELAGE (TWO LAMPS) (VALIDATION DATE: 8307) REVIEWER: GS | A 6220 | AS | 20-DEC-56 | AV | AS | 11 |
| | | AN3201 | REV 2 | AMMETER, DIRECT CURRENT (VALIDATION DATE: 7105) ..... | A 6625 | 82 | 06-SEP-45 | AV | AS | 99 |
| | | AN3250 | REV 1 | COUPLING&CONDUIT Y (VALIDATION DATE: 8108) REVIEWER: GS ..... | A 5975 | AS | 09-APR-47 | AV | AS | |
| | L | AN3303 | REV 2 | RELAY, 3 AMP, 4 PDT, SEALED, CONNECTOR MOUNTING, CLASS O (VALIDATION DATE: 8803) REVIEWER: ES | A 5945 | 85 | 31-MAR-88 | | | 85 |
| | L | AN3304 | REV 5 | RELAY, 3 AMP, 4PDT, SEALED, PANEL MOUNTING, CLASS O (INACTIVE) USE | A 5945 | 85 | 31-MAR-88 | | | 85 |
| | | NOTICE 1 | | MS-25267 (VALIDATION DATE: 8803) REVIEWER: 99 ES | | | | | | |
| | | AN3306 | REV 4 | RELAY, 10 AMP, 2PDT, SEALED, CONNECTOR MOUNTING, CLASS O (SUPERSEDES USAF | A 5945 | 85 | 31-MAR-88 | AV | | 85 |
| | | NOTICE 1 | | DWG 5086186) (VALIDATION DATE: 8803) REVIEWER: 99 ES | | | | | | |
| | | AN3307 | REV 4 | RELAY, 10 AMP, 2PDT, SEALED, PANEL MOUNTING, GLASS O (INACTIVE) | A 5945 | 85 | 31-MAR-88 | AV | | 85 |
| | | NOTICE 1 | | (VALIDATION DATE: 8803) REVIEWER: 99 ES | | | | | | |
| | L | AN3308 | REV 4 | RELAY, 10 AMP, 3PDT, SEALED, CONNECTOR MOUNTING, CLAASS O (INACTIVE) | A 5945 | 85 | 31-MAR-88 | | | 85 |
| | | NOTICE 1 | | (VALIDATION DATE: 8803) REVIEWER: 99 ES | | | | | | |
| | L | AN3310 | REV 4 | RELAY, 10 AMP, 4 PDT, SEALED, CONNECTOR MOUNTING, CLASS O (SUPERSEDES USAF | A 5945 | 85 | 31-MAR-88 | | | 85 |
| | | NOTICE 1 | | DWG 5086188) (VALIDATION DATE: 8803) REVIEWER: 99 ES | | | | | | |
| | L | AN3312 | REV 3 | RELAY, 10 AMP, 3PDT, SEALED, CLASS O (INACTIVE) (VALIDATION DATE: 8803) | A 5945 | 85 | 31-MAR-88 | | | 85 |
| | | NOTICE 1 | | REVIEWER: 99 ES | | | | | | |
| | | AN3314 | REV 2 | RELAY, 10 AMP, 1PDT, UNSEALED, CLASS O (INACTIVE) (VALIDATION DATE: 8803) | A 5945 | 85 | 31-MAR-88 | AV | | 85 |
| | | NOTICE 1 | | REVIEWER: 99 ES | | | | | | |
| | L | AN3316 | REV 6 | RELAY, 10 AMP 3 PDT, UNSEALED, CLASS O (VALIDATION DATE: 8803) REVIEWER: | A 5945 | 85 | 31-MAR-88 | | | 85 |
| | | NOTICE 1 | | 99 ES | | | | | | |
| | L | AN3319 | REV 1 | RELAY, 20 AMP, 1PST, NORMALLY CLOSED, UNSEALED, CLASS O (INACTIVE) | A 5945 | 85 | 31-MAR-88 | | | 85 |
| | | NOTICE 1 | | (VALIDATION DATE: 8803) REVIEWER: 99 ES | | | | | | |
| | | AN3320 | REV 2 | RELAY, 25 AMP, 1PST, UNSEALED, CLASS O (INACTIVE) (VALIDATION DATE: 8803) | A 5945 | 85 | 31-MAR-88 | AV | | 85 |
| | | NOTICE 1 | | REVIEWER: 99 ES | | | | | | |
| | | AN3324 | REV 2 | RELAY, 25 AMP, 1PDT, UNSEALED, CLASS O (INACTIVE) (VALIDATION DATE: 8803) | A 5945 | 85 | 31-MAR-88 | AV | | 85 |
| | | NOTICE 1 | | REVIEWER: 99 ES | | | | | | |
| | | AN3335 | REV 3 | RELAY, 5 AMP, 1PST, UNSEALED, CLASS O (INACTIVE) (VALIDATION DATE: 7907) REVIEWER: 99 ES | A 5945 | 85 | 17-DEC-57 | AV | | 85 |
| | L | AN3337 | REV 3 | RELAY, 25 AMP, 1 PST, UNSEALED, CLASS O (VALIDATION DATE: 8803) REVIEWER: | A 5945 | 85 | 31-MAR-88 | | | 85 |
| | | NOTICE 1 | | 99 ES | | | | | | |
| | I | AN3362 | REV 5 | RELAY, 100 AMP, 2PST, UNSEALED, CLASS O (VALIDATION DATE: 8803) REVIEWER: | A 5945 | 85 | 31-MAR-88 | AV | | 85 |
| | | NOTICE 1 | | ES | | | | | | |
| | L | AN3372 | REV 4 | RELAY, 200 AMP, 2PST, CLASS O UNSEALED (INACTIVE) (VALIDATION DATE: 8803) REVIEWER: 99 ES | A 5945 | 85 | 31-MAR-88 | | | 85 |
| | L | AN3381 | REV 9 | RELAY, 400 AMP, 1PST, INTERMITTENT UNSEALED, CLASS O (S/S BY MS24179) REVIEWER: MI | A 5945 | 85 | 25-JUL-76 | | | 85 |
| | | AN4052 | REV 7 | COUPLING, SHAFT, RIGID ..... | A 3010 | 71 | 10-JUN-87 | | AS | 11 |
| | | AN4060 | REV 6 | PROTECTOR & IGNITION LEAD TERMINAL (VALIDATION DATE: 8104) ..... | A 2925 | AS | 27-DEC-63 | | AS | 99 |
| | | AN4076 | REV 4 | FITTING & ENGINE CYLINDER HEAD TEMPERATURE MEASURING ELEMENT (VALIDATION DATE: 8708) REVIEWER: GS | A 6685 | AS | 25-AUG-87 | AV | AS | 99 |
| | L | AN4081 | REV 4 | TUBE & OIL COOLER (VALIDATION DATE: 8505) ..... | A 2935 | 71 | 30-JUN-53 | | | 99 |
| | | AN4116 | REV 6 | STARTER & AIRCRAFT, DIRECT CRANKING, 28 V DC (VALIDATION DATE: 8005) ..... | A 2925 | AS | 31-OCT-67 | AV | AS | 99 |
| | L | AN4141 | REV 3 | ADAPTER - TYPE XII-J AND TYPE XII-K DRIVE SPLINE (VALIDATION DATE: 8211) .. | A 3040 | 82 | 05-AUG-49 | | | 99 |
| | | AN4149 | REV 1 | PUMP - 3 GPM AT 3000 PSI POWER DRIVEN HYDRAULIC (INACTIVE 5-25-67) (VALIDATION DATE: 8108) | A 1650 | 71 | 25-MAY-67 | | AS | 99 |
| | | AN4181 | REV 4 | VIBRATOR, AIRCRAFT ENGINE STARTING, RADIO&INTERFERENCE SUPPRESSED | A 2925 | 82 | 29-JUL-59 | AV | AS | 99 |
| | | NOTICE 1 | | (VALIDATION DATE: 8711) | | | | | | |
| | | AN4182 | | ADAPTER & TYPE XVII DRIVE SPLINE (VALIDATION DATE: 8312) ..... | A 3040 | AS | 05-AUG-49 | AV | AS | 99 |
| | | AN5025 | REV 4 | COVER & PROPELLER GOVERNOR DRIVE (VALIDATION DATE: 8506) ..... | A 2995 | 71 | 19-FEB-74 | AV | | 99 |
| | L | AN5532 | REV 3 | INDICATOR, ENGINE SYNCHROSCOPE (INACTIVE) (VALIDATION DATE: 8410) ..... | A MISC | AS | 07-APR-59 | | AS | |
| | | NOTICE 1 | | | | | | | | |
| | | AN5534 | REV 1 | RESISTOR & THERMOCOUPLE LEAD SPOOL REVIEWER: 99 ES ..... | A 5905 | 85 | 30-JAN-87 | | AS | 85 |
| A | | AN5537 | REV 1 | CONNECTOR ASSEMBLY - THERMOCOUPLE LEAD (VALIDATION DATE: 9301) ..... | A 5935 | 85 | 26-JAN-93 | | AS | 85 |
| | | NOTICE 2 | | | | | | | | |
| A | | AN5538 | REV 2 | TERMINAL - THERMOCOUPLE LEAD SOLDERING REVIEWER: 99 GS MI ..... | A 5940 | 85 | 12-APR-93 | AV | AS | 85 |
| A | | AN5539 | REV 4 | TERMINAL-THERMOCOUPLE, BRASS REVIEWER: 99 GS MI ..... | A 5940 | 85 | 12-APR-93 | AV | AS | 85 |
| | | AN5540 | REV 4 | THERMOCOUPLE & AIRCRAFT ENGINE GASKET TYPE (VALIDATION DATE: 8110) REVIEWER: GS | A 6685 | AS | 02-DEC-47 | AV | AS | 99 |
| | | AN5542 | REV 2 | TERMINAL-THERMOCOUPLE (VALIDATION DATE: 8302) REVIEWER: 67 99 GS ..... | A 5940 | 85 | 03-APR-53 | | AS | 85 |
| A | | AN5548 | REV 2 | TERMINAL - LUG, THERMOCOUPLE, CHROMEL AND ALUMEL REVIEWER: 99 GS ..... | A 5940 | 85 | 19-APR-93 | | AS | 85 |
| | | AN5743 | REV 3 | CLOCK - AIRCRAFT, 1-7/8 INCH DIAL (VALIDATION DATE: 8706) REVIEWER: GS .... | A 6645 | AS | 19-JUN-87 | | AS | |
| | | NOTICE 1 | | | | | | | | |
| | | AN5744 | REV 2 | INCLINATOR & AIRCRAFT, BALL STYLE (VALIDATION DATE: 8103) ..... | A 6610 | AS | 14-JUN-50 | AV | AS | |
| | | AN5785 | REV 3 | TRANSMITTER-ELECTRICAL, WHEELS AND FLAP POSITION (VALIDATION DATE: 8302) .. | A 6610 | 71 | 15-OCT-76 | AV | AS | |
| | | AN5786 | REV 2 | TRANSMITTER& POSITION, 28 VOLT DC (VALIDATION DATE: 8202) ..... | A 6610 | 71 | 01-APR-52 | AV | AS | 99 |
| | | AN5787 | REV 1 | TRANSMITTER - POSITION, GEARLESS (VALIDATION DATE: 9108) REVIEWER: 11 ..... | A 6610 | 71 | 09-AUG-91 | AV | AS | 99 |
| | | NOTICE 2 | | | | | | | | |
| | | AN5792 | REV 2 | INDICATOR - TEMPERATURE, ELECTRICAL-RESISTANCE, MINUS 50 DEG. TO PLUS 300 DEG. (VALIDATION DATE: 8303) REVIEWER: GS | A 6685 | AS | 15-MAR-76 | | AS | 99 |
| | | AN5812 | REV 7 | TUBE, PITOT, ELECTRICALLY HEATED, L SHAPED (VALIDATION DATE: 8004) REVIEWER: 11 | A 6610 | AV | 30-MAR-56 | AV | | |
| | | AN5813 | REV 2 | TUBE & PITOT, ELECTRICALLY HEATED (VALIDATION DATE: 8004) REVIEWER: 11 .... | A 6610 | AS | 23-OCT-52 | AV | AS | |
| | | AN5814 | REV 9 | TUBE, PITOT STATIC, L SHAPED, ELECTRICALLY HEATED (VALIDATION DATE: 8004) . | A 6610 | 71 | 30-NOV-55 | AV | | 99 |
| | | AN5816 | REV 6 | TUBE PITOT STATIC, STRAIGHT, ELECTRICALLY HEATED (INACTIVE) (VALIDATION DATE: 8204) REVIEWER: 11 | A 6610 | AS | 17-SEP-53 | AV | AS | |
| | | AN5823 | REV 1 | CARD & COMPASS CORRECTION (VALIDATION DATE: 8105) REVIEWER: 99 ..... | A 6610 | AS | 03-JAN-67 | AV | AS | 11 |
| | | AN5829 | REV 4 | VALVE & INSTRUMENT VACUUM CONTROL (VALIDATION DATE: 8403) ..... | A 1650 | AS | 12-DEC-55 | | AS | 99 |
| | | AN5830 | REV 5 | VALVE & LOW PRESSURE CHECK, INTERNAL PIPE THREADS (USE MS28050) (VALIDATION DATE: 8312) USER: CS | A 1650 | AS | 21-SEP-55 | | AS | 99 |
| | | AN5832 | REV 5 | VALVE, PRESSURE GAGE LINES BLEEDER AND FILLER CHECK (USE MS28050) (VALIDATION DATE: 8107) | A 1650 | AS | 21-SEP-55 | AV | AS | 99 |

| Action | Ofc / Offic Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | AN5853 | COLLIMATOR & SEXTANT [VALIDATION DATE: 8303] | A | 6605 | | AS | 29-MAY-43 | | AS | | 99 |
| | | | AN6004 REV 4 | REGULATOR - DILUTER DEMAND OXYGEN (INACTIVE 12-7-71) [VALIDATION DATE: 8102] | A | 1660 | | AS | 07-DEC-71 | | AS | | 99 |
| | | | AN6010 REV B | REGULATOR & AUTOMATIC CONTINUOUS FLOW OXYGEN REVIEWER: 11 | A | 1660 | | 71 | 06-JAN-82 | | AS | | 99 |
| | | | AN6011 REV 3 | GAGE&PANEL MOUNTING HIGH PRESSURE OXYGEN [VALIDATION DATE: 8403] | A | MISC | | AS | 13-JUL-59 | AV | AS | | 67 |
| | | | AN6012 REV 3 | VALVE, HIGH PRESSURE OXYGEN LINE [VALIDATION DATE: 8403] | A | 4820 | | AS | 12-SEP-55 | AV | AS | | 99 |
| | | | AN6014 REV 2 | VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE A [VALIDATION DATE: 8709] | A | 4820 | | AS | 30-SEP-87 | | AS | | 99 |
| | | | NOTICE 1 | REVIEWER: 11 | | | | | | | | | |
| | | | AN6015 REV 6 | VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE B [VALIDATION DATE: 8709] | A | 4820 | | AS | 30-SEP-87 | AV | AS | | 99 |
| | | | NOTICE 1 | REVIEWER: 11 | | | | | | | | | |
| | | | AN6016 REV 3 | VALVE-HIGH PRESSURE OXYGEN CHECK, STYLEC [VALIDATION DATE: 8709] REVIEWER: 11 | A | 4820 | | AS | 30-SEP-87 | | AS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | AN6017 REV 2 | VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE D [VALIDATION DATE: 8009] REVIEWER: 11 | A | 4820 | | AS | 14-JAN-72 | | AS | | 99 |
| | | | AN6018 REV 2 | VALVE HIGH PRESSURE OXYGEN CHECK, STYLE E [VALIDATION DATE: 8009] | A | 4820 | | AS | 14-JAN-72 | | AS | | 99 |
| L | | | AN6021 REV 5 | GAGE, PANEL MOUNTING LOW PRESSURE OXYGEN [VALIDATION DATE: 8812] REVIEWER: GS | A | 6685 | | 82 | 09-DEC-88 | | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | AN6024 REV 8 | VALVE, FILLER LOW PRESSURE OXYGEN [VALIDATION DATE: 8801] REVIEWER: CS | A | 4820 | | 71 | 21-JAN-88 | AV | AS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | AN6026 REV 4 | GAGE, PRESSURE, DIAL INDICATING [VALIDATION DATE: 8304] REVIEWER: GS | A | 6685 | | 82 | 28-OCT-70 | AV | AS | | 99 |
| L | | | AN6027 REV 3 | COUPLING HALF, QUICK DISCONNECT [VALIDATION DATE: 8906] USER: CS REVIEWER: 11 | A | 4730 | | AV | 28-JUN-89 | AV | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| LI | | | AN6043 REV 3 | CONNECTION ASSEMBLY - DEMAND MASK TO REGULATOR TUBE INTERNAL | A | 1660 | | 99 | 15-MAY-53 | | | | 99 |
| | | | AN6044 REV 5 | ADAPTER - PORTABLE OXYGEN RECHARGER ORIFICE | A | 1660 | | 71 | 08-FEB-91 | AV | AS | | 99 |
| L | | | AN6045 | EXTINGUISHER ASSEMBLY - FIRE, CARBON DIOXIDE, PORTABLE [VALIDATION DATE: 8208] REVIEWER: CS | A | 4210 | | AS | 24-FEB-50 | | AS | | |
| | | | AN6046 | BRACKET - MOUNTING, EXTINGUISHER, FIRE [VALIDATION DATE: 8208] | A | 5975 | | AS | 24-FEB-50 | | AS | | |
| L | | | AN6201 REV A | PUMP - HYDRAULIC HAND [VALIDATION DATE: 9012] USER: CS REVIEWER: MI | A | 4320 | | 71 | 24-DEC-90 | | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | AN6204 REV H | VALVE, HYDRAULIC BLEEDER REVIEWER: 70 | A | 4820 | | 99 | 16-JUN-78 | AV | AS | | 99 |
| | | | AN6206 REV 4 | REGULATOR & 10 GPM HYDRAULIC PRESSURE | A | 1650 | | AS | 06-NOV-86 | | AS | | 99 |
| | | | AN6207 REV 4 | VALVE & 1500 PSI HYDRAULIC CHECK [VALIDATION DATE: 8312] USER: CS REVIEWER: MI | A | 1650 | | AS | 29-OCT-45 | AV | AS | | 99 |
| LI | | | AN6211 REV 3 | VALVE - IN LINE TYPE 6 GPM HYDRAULIC DIRECTIONAL CONTROL [VALIDATION DATE: 9205] | A | 4820 | | 71 | 15-MAY-92 | | | | 99 |
| | | | NOTICE 2 | | | | | | | | | | |
| A LI | | | AN6213 REV 3 | VALVE - RADIAL TYPE 3-1/2 G.P.M. HYDRAULIC DIRECTIONAL CONTROL [VALIDATION DATE: 9208] | A | 4820 | | 71 | 04-AUG-92 | | | | 99 |
| | | | NOTICE 2 | | | | | | | | | | |
| LI | | | AN6214 REV 3 | VALVE - RADIAL TYPE 6 GPM HYDRAULIC DIRECTIONAL CONTROL [VALIDATION DATE: 9205] | A | 4820 | | 71 | 15-MAY-92 | | | | 99 |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | AN6215 REV 3 | VALVE & RADIAL TYPE 16 GPM HYDRAULIC DIRECTIONAL CONTROL [VALIDATION DATE: 8107] | A | 1650 | | 71 | 10-JUL-50 | | | | 99 |
| | | | AN6225 REV 7 | PACKING, PREFORMED (INACTIVE 12-16-52) [VALIDATION DATE: 8406] REVIEWER: IS | A | 5330 | | 82 | 22-OCT-71 | AV | | | 99 |
| L | | | AN6226 REV 6 | PACKING & U CUP HYDRAULIC REVIEWER: IS MI | A | 5330 | | 82 | 31-JAN-79 | | | | 82 |
| L | | | AN6228 REV 5 | V RING FEMALE HYDRAULIC PACKING (INACTIVE 12-16-52) [VALIDATION DATE: 8405] REVIEWER: AV IS | A | 5330 | | 82 | 10-DEC-71 | | | | 99 |
| | | | AN6230 REV 9 | GASKET, (O) RING HYDRAULIC (INACTIVE AFTER JULY 13 1981 USE MS28775) | A | 5330 | | 82 | 01-NOV-82 | AV | AS | | 99 |
| | | | AN6234 REV 3 | FILTER & HYDRAULIC REPLACEABLE ELEMENT LINE TYPE [VALIDATION DATE: 8312] | A | 1650 | | AS | 28-FEB-52 | AV | AS | | 99 |
| | | | AN6235 REV 4 | FILTER ELEMENT - HYDRAULIC REPLACEABLE MICRONIC LINE TYPE [VALIDATION DATE: 8312] USER: CS REVIEWER: MI | A | 1650 | | AS | 04-NOV-52 | AV | AS | | 99 |
| | | | AN6236 REV 4 | FILTER ELEMENT & HYDRAULIC REPLACEABLE MICRONIC RESERVOIR TYPE [VALIDATION DATE: 8312] USER: CS REVIEWER: MI | A | 1650 | | AS | 27-MAR-51 | AV | AS | | 99 |
| | | | AN6237 REV 1 | FILTER ELEMENT & HYDRAULIC REPLACEABLE MICRONIC VENT TYPE [VALIDATION DATE: 8312] REVIEWER: MI | A | 1650 | | AS | 27-SEP-48 | AV | AS | | 99 |
| | | | AN6238 REV 3 | GASKET - HYDRAULIC REPLACEABLE RESERVOIR TYPE FILTER ELEMENT [VALIDATION DATE: 8312] | A | 1650 | | AS | 25-NOV-53 | AV | AS | | 99 |
| | | | AN6240 REV 1 | FILTER - HYDRAULIC REPLACEABLE ELEMENT VENT TYPE [VALIDATION DATE: 8608] | A | 1650 | | AS | 15-AUG-86 | AV | AS | | 99 |
| | | | NOTICE 1 | REVIEWER: MI | | | | | | | | | |
| | | | AN6244 | RING & HYDRAULIC GASKET BACKUP [VALIDATION DATE: 8412] REVIEWER: MI | A | 1650 | | AS | 30-OCT-45 | AV | AS | | 99 |
| | | | AN6246 REV 4 | VALVE & HYDRAULIC THERMAL EXPANSION RELIEF [VALIDATION DATE: 8412] USER: CS REVIEWER: MI | A | 1650 | | AS | 13-OCT-53 | AV | AS | | 99 |
| | | | AN6248 REV 2 | PUMP - HYDRAULIC HAND, TYPE 3000 [VALIDATION DATE: 9012] REVIEWER: MI | A | 4320 | | 71 | 26-DEC-90 | AV | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | AN6249 REV 2 | VALVE, 3000 PSI HYDRAULIC CHECK [VALIDATION DATE: 8009] USER: CS REVIEWER: MI | A | 1650 | | AS | 30-SEP-59 | AV | AS | | 99 |
| | | | AN6270 REV 7 | HOSE ASSEMBLY & DETACHABLE SWIVEL FITTING, LOW PRESSURE [VALIDATION DATE: 8109] USER: CS REVIEWER: MI | A | 4720 | | 82 | 19-AUG-74 | | AS | | 99 |
| LI | | | AN6278 REV 3 | VALVE HYDRAULIC-SHUTTLE, 3,000 PSI (UNIVERSAL AND INTERNAL THREAD FITTING OUTLET) [VALIDATION DATE: 9103] | A | 4820 | | 71 | 15-MAR-91 | | | | 71 |
| A I | | | AN6279 REV 6 | VALVE-HYDRAULIC PRESSURE RELIEF TWO PORT [VALIDATION DATE: 9209] | A | 4820 | | 71 | 18-SEP-92 | AV | AS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | AN6280 REV 2 | VALVE & 3000 PSI HYDRAULIC CHECK INTERNAL PARTS [VALIDATION DATE: 8406] USER: CS REVIEWER: MI | A | 1650 | | AS | 01-MAR-78 | AV | AS | | 99 |
| L | | | AN6281 REV 3 | FUSE & HYDRAULIC QUANTITY MEASURING CLASS 3000, TYPE 1 | A | 1650 | | 71 | 12-JAN-87 | | | | 99 |
| | | | AN6282 REV 4 | FUSE & HYDRAULIC QUANTITY MEASURING CLASS 3000, TYPE 2 [VALIDATION DATE: 8605] | A | 1650 | | 71 | 27-APR-81 | | AS | | 99 |
| | | | AN6285 REV 3 | ADAPTER, AIR PRESSURE GAGE [VALIDATION DATE: 8510] | A | 4730 | | 82 | 21-MAR-79 | | | | 99 |
| | | | AN6287 REV 5 | VALVE -AIR HIGH PRESSURE 3/4 HEX (INACTIVE FOR DESIGN 1 DEC 1955) REVIEWER: MI | A | 4820 | | 71 | 10-MAR-86 | AV | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | AN6289 REV 7 | NUT, TUBE [VALIDATION DATE: 8609] | A | 4730 | | 82 | 01-SEP-86 | | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | AN6293 REV 3 | VALVE, 4-WAY ROTARY SELECTOR, 3,000 PSI, NON-INTERFLOW [VALIDATION DATE: 9206] | A | 4820 | | 71 | 09-JUN-92 | | | | 99 |
| | | | NOTICE 2 | | | | | | | | | | |
| A L | | | AN6295 REV 1 | REGULATOR - 10 GPM HYDRAULIC PRESSURE [VALIDATION DATE: 9209] | A | 1650 | | 71 | 30-SEP-92 | | | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | AN6506 REV 5 | BELT ASSEMBLY - TROOP AND TURRET GUNNER'S SAFETY | A | 1680 | | 82 | 28-AUG-91 | AV | | | 99 |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | AN6571 REV 5 | GRIP & PARACHUTE RIP CORD, TRAPEZOIDAL [VALIDATION DATE: 8505] | A | 1670 | | AS | 04-MAY-53 | | AS | | 99 |
| | | | AN6572 | FASTENER - PARACHUTE PACK TAB (OVAL) [VALIDATION DATE: 8103] | A | 1670 | | AS | 30-NOV-45 | | AS | | |
| | | | AN7023 REV 2 | CONNECTOR & VACUUM HOSE, PHOTOGRAPHIC REVIEWER: 70 | A | 6760 | | 82 | 23-SEP-53 | | | | 99 |
| | | | AN7508 REV 2 | BELT, GUNNER S SAFETY [VALIDATION DATE: 8203] | A | 1680 | | AS | 09-APR-52 | | AS | | |
| | | | AN7516 REV 3 | FITTING & CARGO AIRPLANE TIE DOWN | A | 1670 | | 82 | 13-SEP-82 | AV | | | 99 |
| | | | AN8005 | STOP & FLEXIBLE PUSH&PULL CONTROL CASING [VALIDATION DATE: 8208] | A | 1680 | | AS | 12-JUN-44 | | AS | | 99 |
| I | | | AN8011 REV 3 | CASE - FLIGHT REPORT HOLDER AND MAP | A | 1680 | | AS | 05-JUN-58 | AV | AS | | 99 |
| | | | AN8015 REV 3 | KIT & AIRPLANE MOORING | A | 1730 | | 82 | 30-JUN-83 | | AS | | 99 |
| | | | AN8016 REV 3 | CASING - FLEXIBLE, STEEL, PUSH-PULL CONTROL [VALIDATION DATE: 8208] | A | 1680 | | AS | 05-DEC-51 | | AS | | 99 |
| | | | AN8018 REV A | HORN, FLYER'S RELIEF TUBE [VALIDATION DATE: 8908] | A | 1680 | | 82 | 26-AUG-89 | AV | AS | | 99 |
| | | | AN8019 REV 1 | TEE - FLYER'S RELIEF TUBE [VALIDATION DATE: 8901] REVIEWER: CS | A | 4730 | | 82 | 16-JAN-89 | AV | AS | | 99 |
| | | | AN8020 REV 2 | BRACKET, FLYERS RELIEF TUBE HORIZONTAL | A | 1680 | | 82 | 01-FEB-76 | AV | AS | | 82 |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | AN8030 | REEL - TOW TARGET, 12,000 FOOT CABLE CAPACITY, AIRBORNE [VALIDATION DATE: 8410] | A | 6920 | | AS | 07-JUN-49 | | AS | | |
| | | | AN8510 REV 2 | KNOCKOUT & THREADED TAPER PIN [VALIDATION DATE: 8307] USER: GL | A | 5120 | | AS | 24-FEB-47 | | AS | | 99 |

| Action | Opt. | Obsl. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | | AN8516 REV A | WRENCH AND 1-2 INCH SQUARE DRIVE ADJUSTABLE SPANNER (3.5 TO 6 INCHES DIA) (INACTIVE USE MS8516 FOR DESIGN) [VALIDATION DATE: 8301] USER: GL | A 5120 84 29-JUL-75 | AV | | 99 |
| | | | AN100036 REV 2 | COVER & TYPE XI ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8205] | A 2995 82 08-JAN-58 | AV | AS | 99 |
| D | | | AN100039 REV 2 | COVER-TYPE XIII ENGINE ACCESSORY DRIVE (INACTIVE FOR DESIGN 26 OCT 1972) [VALIDATION DATE: 8401] REVIEWER: 82 | A 2995 IS 26-OCT-72 | AV | AS | 99 |
| | | | AN10004] REV 2 | COVER&TYPE XII, XIV&A, XIV&B, XIV&E, XVII&A AND XVII&B ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8205] | A 2995 82 08-JAN-58 | AV | AS | 99 |
| | | | AN100044 REV 3 | COVER&TYPE XVI, XVII&C,D,E AND F ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8111] | A 2995 82 08-JAN-58 | | AS | 99 |
| D | 1 | | AN101001THRUAN101100 REV 3 | BOLT - HEX HEAD, .190-32 REVIEWER: 82 MI | A 5306 IS 30-JUN-86 | AV | AS | 11 |
| D | 1 | | AN101101THRUAN101200 REV 3 | BOLT - HEX HEAD .250-28 USER: ME REVIEWER: 82 | A 5306 IS 30-JUN-86 | AV | AS | 11 |
| D | 1 | | AN101201THRUAN101300 REV 3 | BOLT - HEX HEAD .3125-24 USER: ME REVIEWER: 82 MI | A 5306 IS 30-JUN-86 | AV | AS | 11 |
| D | | | AN101301THRUAN101400 REV 3 | BOLT - HEX HEAD .375-24 (INACTIVE AFTER.3 MAR 1969) [VALIDATION DATE: 8205] USER: ME REVIEWER: 82 | A 5306 IS 03-MAR-69 | AV | AS | 99 |
| | | | AN101401THRUAN101500 REV 3 | BOLT - HEX HEAD .4375-20 (INACTIVE AFTER 3 MAR 1969) REVIEWER: IS | A 5306 11 30-JUN-86 | | AS | 11 |
| | | | AN101501THRUAN101600 REV 3 | BOLT - HEX HEAD .500-20 (INACTIVE AFTER 3 MAR 69 REVIEWER: IS | A 5306 11 30-JUN-86 | AV | AS | 11 |
| D | | | AN101601THRUAN101700 REV 3 | BOLT - HEX HEAD .5625-18 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8202] REVIEWER: 82 | A 5306 IS 03-MAR-69 | | AS | 99 |
| | | | AN101701THRUAN101800 REV 3 | BOLT - HEX HEAD .625-18 (INACTIVE AFTER 3 MAR 1969) REVIEWER: IS | A 5306 11 30-JUN-86 | AV | AS | 11 |
| | | | AN101901THRUAN102000 REV 3 | BOLT - HEX HEAD, DRILLED SHANK, .190-32 (INACTIVE AFTER 3 MAR 1969) REVIEWER: IS | A 5306 11 30-JUN-86 | AV | AS | 99 |
| D | | | AN102001THRUAN102100 REV 3 | BOLT - HEX HEAD, DRILLED SHANK, .250-28 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 82 | A 5306 IS 03-MAR-69 | AV | AS | 99 |
| D | | | AN102101THRUAN102200 REV 3 | BOLT - HEX HEAD, DRILLED SHANK, .3125-24 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82 | A 5306 IS 03-MAR-69 | AV | AS | 99 |
| D | | | AN102201THRUAN102300 REV 3 | BOLT - HEX HEAD, DRILLED SHANK, .375-24 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82 | A 5306 IS 03-MAR-69 | | AS | 99 |
| D | | | AN102301THRUAN102400 REV 3 | BOLT - HEX HEAD, DRILLED SHANK, .4375-20 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82 | A 5306 IS 03-MAR-69 | | AS | 99 |
| D | | | AN102401THRUAN102500 REV 3 | BOLT - HEX HEAD, DRILLED SHANK, .500-20 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82 | A 5306 IS 03-MAR-69 | | AS | 99 |
| D | | | AN102501THRUAN102600 REV 3 | BOLT - HEX HEAD, DRILLED SHANK, .5625-18 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82 | A 5306 IS 03-MAR-69 | | AS | 99 |
| D | | | AN102601THRUAN102700 REV 3 | BOLT - HEX HEAD, DRILLED SHANK, .625-18 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82 | A 5306 IS 03-MAR-69 | | AS | 99 |
| D | 1 | | AN102701THRUAN102800 REV 3 | BOLT - HEX HEAD, DRILLED SHANK, .750-16 REVIEWER: 82 | A 5306 IS 30-JUN-86 | AV | AS | 11 |
| D | 1 | | AN102801THRUAN102900 REV 3 | BOLT - DRILLED HEX HEAD, 1 HOLE, .190-32 USER: ME REVIEWER: 82 | A 5306 IS 30-JUN-86 | AV | AS | 11 |
| D | | | AN102901THRUAN103000 REV 3 | BOLT - DRILLED HEX HEAD, 1 HOLE, .250-28 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] USER: ME REVIEWER: 82 | A 5306 IS 03-MAR-69 | AV | AS | 99 |
| | | | AN103001THRUAN103100 REV 5 | BOLT - DRILLED HEX HEAD, 1 HOLE, .3125-24 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | AV | AS | 11 |
| | | | AN103101THRUAN103200 REV 3 | BOLT - DRILLED HEX HEAD, 1 HOLE, .375-24 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | AV | AS | 99 |
| | 1 | | AN103201THRUAN103300 REV 3 | BOLT - DRILLED HEX HEAD, 1 HOLE, .4375-20 REVIEWER: IS | A 5306 11 30-JUN-86 | AV | AS | 11 |
| | | | AN103301THRUAN103400 REV 3 | BOLT - DRILLED HEX HEAD, 1 HOLE, .500-20 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS MI | A 5306 99 03-MAR-69 | | AS | 99 |
| | | | AN103401THRUAN103500 REV 3 | BOLT - DRILLED HEX HEAD, 1 HOLE, .5625-18 (INACTIVE 3-3-69) [VALIDATION DATE: 8202] REVIEWER: IS | A 5306 99 03-MAR-69 | | AS | 99 |
| | | | AN103501THRUAN103600 REV 3 | BOLT - DRILLED HEX HEAD, 1 HOLE, .625-18 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | AV | AS | 99 |
| | | | AN103601THRUAN103700 REV 3 | BOLT - DRILLED HEX HEAD, 1 HOLE, .750-16 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | | AS | 99 |
| | 1 | | AN103701THRUAN103800 REV 3 | BOLT - DRILLED HEX HEAD, 6 HOLES, .190-32 REVIEWER: IS MI | A 5306 11 30-JUN-86 | AV | AS | 11 |
| | | | AN103801THRUAN103900 REV 2 | BOLT - DRILLED HEX HEAD, 6 HOLES, .250-28 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | AV | AS | 99 |
| | | | AN103901THRUAN104000 REV 3 | BOLT - DRILLED HEX HEAD, 6 HOLES, .3125-24 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | AV | AS | 99 |
| D | | | AN104001THRUAN104100 REV 3 | BOLT - DRILLED HEX HEAD, 6 HOLES, .375-24 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 82 | A 5306 IS 03-MAR-69 | | AS | 99 |
| | | | AN104001 | BOLT - DRILLED HEX HEAD, 6 HOLES, .375-24 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 82 03-MAR-69 | | AS | 99 |
| | | | AN104101THRUAN104200 REV 3 | BOLT - DRILLED HEX HEAD, 6 HOLES, .4375-20 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | AV | AS | 99 |
| | | | AN104201THRUAN104300 REV 3 | BOLT - DRILLED HEX HEAD, 6 HOLES, .500-20 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | AV | AS | 99 |
| | | | AN104301THRUAN104400 REV 3 | BOLT - DRILLED HEX HEAD, 6 HOLES, .5625-18 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | AV | AS | 99 |
| | | | AN104401THRUAN104500 REV 3 | BOLT - DRILLED HEX HEAD, 6 HOLES, .625-18 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | | AS | 99 |
| | | | AN104501THRUAN104600 REV 3 | BOLT - DRILLED HEX HEAD, 6 HOLES, .750-16 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 03-MAR-69 | | AS | 99 |
| | | | AN104601THRUAN104700 REV 2 | BOLT - CRES HEX HEAD, .190-32 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] USER: ME REVIEWER: IS MI | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN104701THRUAN104800 REV 3 | BOLT - CRES HEX HEAD, .250-28 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS MI | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN104801THRUAN104900 REV 3 | BOLT - CRES HEX HEAD .3125-24 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN104901THRUAN105000 REV 3 | BOLT - CRES HEX HEAD .375-24 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN105001THRUAN105100 REV 3 | BOLT - CRES HEX HEAD .4375-20 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN105101THRUAN105200 REV 3 | BOLT - CRES HEX HEAD .5000-20 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN105201THRUAN105300 REV 3 | BOLT - CRES HEX HEAD .5625-18 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN105301THRUAN105400 REV 3 | BOLT - CRES HEX HEAD .625-18 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | 1 | | AN105401THRUAN105500 REV 3 | BOLT - CRES HEX HEAD .750-15 REVIEWER: IS | A 5306 11 30-JUN-86 | AV | AS | 11 |
| | | | AN105501THRUAN105600 REV 3 | BOLT - CRES HEX HEAD, DRILLED SHANK, .190-32 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN105601THRUAN105700 REV 3 | BOLT - CRES HEX HEAD, DRILLED SHANK, .250-28 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN105601THRUAN105650 REV 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .250-28 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 82 27-DEC-66 | AV | AS | 99 |
| | | | AN105701THRUAN105800 REV 4 | BOLT - CRES HEX HEAD, DRILLED SHANK, .3125-24 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | 1 | | AN105801THRUAN105900 REV 3 | BOLT - CRES HEX HEAD, DRILLED SHANK, .375-24 REVIEWER: IS | A 5306 11 30-JUN-86 | AV | AS | 11 |
| | 1 | | AN105901THRUAN106000 REV 3 | BOLT - CRES HEX HEAD, DRILLED SHANK, .4375-20 REVIEWER: IS | A 5306 11 30-JUN-86 | AV | AS | 11 |
| | | | AN106001THRUAN106100 REV 3 | BOLT - CRES HEX HEAD, DRILLED SHANK, .500-20 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN106101THRUAN106200 REV 3 | BOLT - CRES HEX HEAD, DRILLED SHANK, .5625-18 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |
| | | | AN106201THRUAN106300 REV 3 | BOLT - CRES HEX HEAD, DRILLED SHANK, .625-18 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: IS | A 5306 99 27-DEC-66 | AV | AS | 99 |

| Action | Opt. | Qual. Coordination Inactive | Document Number | | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | AN106301THRUAN106400 | REV 3 | BOLT - CRES HEX HEAD, DRILLED SHANK, .750-16 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN106401THRUAN106500 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .190-32 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN106501THRUAN106600 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .250-28 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN106601THRUAN106700 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .3125-24 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| 1 | | | AN106701THRUAN106800 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .375-24 REVIEWER: IS ..... | A | 5306 | 11 | AV | 30-JUN-86 | AV | AS | 11 | |
| | | | AN106801THRUAN106900 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .4375-20 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN106901THRUAN107000 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .500-20 (INACTIVE AFTER 27 DEC 1966) REVIEWER: IS | A | 5306 | 11 | AV | 30-JUN-86 | AV | AS | 11 | |
| | | | AN107001THRUAN107100 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .5625-18 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN107101THRUAN107200 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .625-18 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN107201THRUAN107300 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .750-16 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN107301THRUAN107400 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .190-32 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN107401THRUAN107500 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .250-28 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN107501THRUAN107600 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .3125-24 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN107601THRUAN107700 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .375-24 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN107701THRUAN107800 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .4375-20 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN107801THRUAN107900 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .500-20 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN107901THRUAN108000 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .5625-18 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN108001THRUAN108100 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .625-18 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN108101THRUAN108200 | REV 3 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .750-16 (INACTIVE AFTER 27 DEC 1966) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5306 | 99 | AV | 27-DEC-66 | AV | AS | 99 | |
| | | | AN115401THRUAN115450 | REV 2 | SCREW & FLAT FILLISTER HEAD, .190&32 (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5305 | 99 | 04 | OCT-54 | AV | AS | 99 | |
| | | | AN115451THRUAN115500 | REV 3 | SCREW & FLAT FILLISTER HEAD, .250&28 (VALIDATION DATE: 8205) REVIEWER: IS , | A | 5305 | 99 | 24 | JUL-63 | AV | AS | 99 | |
| | | | AN115501THRUAN115550 | REV 2 | SCREW & FLAT FILLISTER HEAD, .3125&24 (VALIDATION DATE: 8205) REVIEWER: IS | A | 5305 | 99 | 04 | OCT-54 | | AS | 99 | |
| | | | AN115551THRUAN115600 | REV 3 | SCREW FLAT FILLISTER HEAD, .375-24 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: 99 IS | A | 5305 | 11 | 26 | OCT-72 | | AS | 11 | |
| | | | AN115601THRUAN115650 | REV 2 | SCREW & FLAT FILLISTER HEAD, DRILLED SHANK, .190&32 (VALIDATION DATE: 8205) REVIEWER: IS | A | 5305 | 99 | 04 | OCT-54 | | AS | 99 | |
| | | | AN115651THRUAN115700 | REV 3 | SCREW & FLAT FILLISTER HEAD, DRILLED SHANK, .250&28 (VALIDATION DATE: 8205) REVIEWER: IS | A | 5305 | 99 | 01 | AUG-55 | | AS | 99 | |
| | | | AN115701THRUAN115750 | REV 3 | SCREW-FLAT FILLISTER HEAD, DRILLED SHANK, .3125-24 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS | A | 5305 | 11 | 26 | OCT-72 | | AS | 11 | |
| | | | AN115751THRUAN115800 | REV 3 | SCREW FLAT FILLISTER HEAD, DRILLED SHANK, .375-24 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A | 5305 | 11 | 26 | OCT-72 | AV | AS | 11 | |
| | | | AN115801THRUAN115850 | REV 2 | SCREW & FLAT FILLISTER, DRILLED HEAD, .190&32 (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5305 | 99 | 04 | OCT-54 | | AS | 99 | |
| | | | AN115851THRUAN115900 | REV 2 | SCREW & FLAT FILLISTER, DRILLED HEAD, .250&20 (VALIDATION DATE: 8205) REVIEWER: IS | A | 5305 | 99 | 04 | OCT-54 | AV | AS | 99 | |
| | | | AN115901THRUAN115950 | REV 2 | SCREW & FLAT FILLISTER, DRILLED HEAD, .250&28 (VALIDATION DATE: 8205) REVIEWER: IS | A | 5305 | 99 | 04 | OCT-54 | AV | AS | 99 | |
| | | | AN115951THRUAN116000 | REV 2 | SCREW & FLAT FILLISTER, DRILLED HEAD, .3125&18 (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5305 | 99 | 04 | OCT-54 | | AS | 99 | |
| | | | AN116001THRUAN116050 | REV 2 | SCREW & FLAT FILLISTER, DRILLED HEAD, .3125&24 (VALIDATION DATE: 8205) REVIEWER: IS | A | 5305 | 99 | 04 | OCT-54 | | AS | 99 | |
| | | | AN116051THRUAN116100 | REV 2 | SCREW & FLAT FILLISTER, DRILLED HEAD, .375&16 (VALIDATION DATE: 8205) REVIEWER: IS | A | 5305 | 99 | 04 | OCT-54 | | AS | 99 | |
| | | | AN116101THRUAN116150 | REV 2 | SCREW & FLAT FILLISTER, DRILLED HEAD, .375&24 (VALIDATION DATE: 8205) REVIEWER: IS | A | 5305 | 99 | 04 | OCT-54 | | AS | 99 | |
| | | | AN116901THRUAN116912 | REV 1 | SCREW & OVAL FILLISTER HEAD, .112&40 REV (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5305 | 99 | 14 | DEC-54 | | AS | 99 | |
| | | | AN116913THRUAN116924 | REV 2 | SCREW & OVAL FILLISTER DRILLED HEAD, .112&40 (VALIDATION DATE: 8205) REVIEWER: IS | A | 5305 | 99 | 14 | DEC-54 | AV | AS | 99 | |
| | | | AN116925THRUAN116960 | REV 1 | SCREW & OVAL FILLISTER HEAD, .138&32 (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5305 | 99 | 14 | DEC-54 | AV | AS | 99 | |
| | | | AN116961THRUAN117000 | REV 2 | SCREW & OVAL FILLISTER DRILLED HEAD, .138&32 (VALIDATION DATE: 8312) REVIEWER: IS MI | A | 5305 | 82 | 31 | MAR-58 | AV | AS | 99 | |
| | | | AN117001THRUAN117040 | REV 1 | SCREW & OVAL FILLISTER HEAD, .164&32 (VALIDATION DATE: 8205) REVIEWER: IS MI | A | 5305 | 99 | 14 | DEC-54 | AV | AS | 99 | |
| | | | AN117041THRUAN117080 | REV 1 | SCREW & OVAL FILLISTER DRILLED HEAD, .164&32 (VALIDATION DATE: 8205) REVIEWER: IS | A | 5305 | 99 | 14 | DEC-54 | AV | AS | 82 | |
| | | | AN121501THRUAN121525 | REV 2 | NUT & PLAIN (VALIDATION DATE: 8205) REVIEWER: IS MI ..... | A | 5310 | 99 | 25 | MAR-55 | AV | AS | 99 | |
| | | | AN121551THRUAN121575 | REV 2 | NUT, PLAIN, CASTELLATED HEXAGON (INACTIVE USE AN 121562 (VALIDATION DATE: 8304) REVIEWER: IS | A | 5310 | 11 | 25 | MAR-55 | AV | AS | 99 | |
| D | | | AN121601THRUAN121650 | REV 3 | PIN, STRAIGHT, HEADED - .125 NOM. (VALIDATION DATE: 8304) REVIEWER: 82 .... | A | 5315 | IS | 28 | AUG-62 | AR | AS | 11 | |
| D | | | AN121651THRUAN121700 | REV 3 | PIN, STRAIGHT, HEADED - .187 NOM. (VALIDATION DATE: 8304) REVIEWER: 82 .... | A | 5315 | IS | 28 | AUG-62 | AR | AS | 11 | |
| D | | | AN121701THRUAN121750 | REV 3 | PIN, STRAIGHT, HEADED - .250 NOM. (VALIDATION DATE: 8205) REVIEWER: 82 .... | A | 5315 | IS | 28 | AUG-62 | AR | AS | 99 | |
| D | | | AN121751THRUAN121800 | REV 3 | PIN, STRAIGHT, HEADED - .312 NOM. (VALIDATION DATE: 8205) REVIEWER: 82 .... | A | 5315 | IS | 28 | AUG-62 | AR | AS | 99 | |
| | | | AN121801THRUAN121850 | REV 3 | PIN, STRAIGHT, HEADED - .375 NOM. (VALIDATION DATE: 8304) REVIEWER: IS .... | A | 5315 | 11 | 28 | AUG-62 | AR | AS | 11 | |
| D | | | AN121851THRUAN121925 | REV 3 | PIN, STRAIGHT, HEADED - .500 NOM. (VALIDATION DATE: 8205) REVIEWER: 82 .... | A | 5315 | IS | 28 | AUG-62 | AR | AS | 99 | |
| | | | AN122676THRUAN122775 | REV 2 | PIN --DOWEL, STEEL (VALIDATION DATE: 8205) REVIEWER: IS MI ..... | A | 5315 | 82 | 06 | NOV-73 | AV | AS | 99 | |
| | | | AN122776THRUAN122802 | REV 2 | KEY-CHAMFERED WOODRUFF (INACTIVE AFTER 29 JAN 1960) (VALIDATION DATE: 8205) REVIEWER: IS | A | 5315 | 99 | 29 | JUL-59 | AV | | 99 | |
| | | | AN123020THRUAN123119 | REV 6 | GASKET, ALUMINUM-ASBESTOS, ANNULAR (VALIDATION DATE: 8304) REVIEWER: 11 IS | A | 5330 | 99 | 02 | NOV-73 | AV | AS | 82 | |
| | | | AN123151THRUAN123300 NOTICE 1 | REV 4 | RIVET & UNIVERSAL HEAD, HIGH TEMPERATURE, AMS7229 (VALIDATION DATE: 8104) REVIEWER: IS | A | 5320 | 99 | 27 | JUN-74 | AV | AS | 82 | |
| D | | | AN123301THRUAN123450 NOTICE 1 | REV 4 | RIVET & UNIVERSAL HEAD, HIGH TEMPERATURE, AMS7232 (VALIDATION DATE: 8005) REVIEWER: 82 | A | 5320 | IS | 27 | JUN-74 | AV | AS | | |
| | | | AN123451THRUAN123600 | REV 4 | RIVET & COUNTERSUNK HEAD, HIGH TEMPERATURE, AMS 7229 (VALIDATION DATE: 8005) REVIEWER: IS MI | A | 5320 | 99 | 27 | JUN-74 | AV | AS | 82 | |
| D | | | AN123601THRUAN123750 NOTICE 1 | REV 4 | RIVET & COUNTERSUNK HEAD, HIGH TEMPERATURE, AMS7232 (VALIDATION DATE: 8005) REVIEWER: 82 | A | 5320 | IS | 27 | JUN-74 | AV | AS | 99 | |
| D | | | AN123851THRUAN123950 | REV 1 | PACKING, PERFORMED-AMS 7274 (O) RING (VALIDATION DATE: 8306) REVIEWER: 11 82 MI | A | 5330 | IS | 08 | JUN-49 | AV | AS | 99 | |
| D | | | AN123951THRUAN124050 | REV 2 | SEAL - O RING, AMS 7270 (VALIDATION DATE: 8306) REVIEWER: 11 82 AT ..... | A | 5330 | IS | 24 | DEC-64 | AV | AS | 99 | |
| D | | | AN124951THRUAN125100 NOTICE 1 | REV 3 | RIVET - 100 DEG. COUNTERSUNK HEAD CORROSION RESISTANT STEEL (VALIDATION DATE: 9004) REVIEWER: 82 MI | A | 5320 | IS | 23 | APR-90 | AV | AS | 99 | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| D | | AN125401THRUAN125550 REV 3 NOTICE 1 | RIVET & UNIVERSAL HEAD, CORROSION RESISTANT STEEL (VALIDATION DATE: 8005) REVIEWER: 82 MI | A 5320 IS | 27-JUN-74 | AV | AS | 99 | |
| D | | AN125551THRUAN125700 REV 3 | RIVET & UNIVERSAL HEAD, MILD STEEL (VALIDATION DATE: 8005) REVIEWER: 82 ... | A 5320 IS | 27-JUN-74 | AV | AS | 99 | |
| | | AN125901THRUAN125950 REV 1 | PLUG, STRAIGHT THREAD, O RING SEAL, STEEL (VALIDATION DATE: 8205) ..... | A 5330 82 | 01-SEP-55 | AV | AS | 99 | |
| D | | AN125951THRUAN126274 REV 2 | STUD-STRAIGHT, .250-20 X .250-28 (INACTIVE FOR NEW DESIGN) (VALIDATION DATE: 8205) REVIEWER: 82 | A 5307 IS | 23-JUN-58 | AV | AS | 99 | |
| D | | AN126275THRUAN126586 REV 2 | STUD-STRAIGHT, .3125-18 X .3125-24 (INACTIVE FOR NEW DESIGN) (VALIDATION DATE: 8205) REVIEWER: 82 | A 5307 IS | 23-JUN-58 | AV | AS | 99 | |
| D | | AN126587THRUAN126652 REV 2 | STUD & STRAIGHT, .375&16 X .375&24 (VALIDATION DATE: 8205) REVIEWER: 82 ... | A 5307 IS | 23-JUN-58 | | AS | 99 | |
| D | | AN126653THRUAN126712 REV 3 | STUD-STRAIGHT, .4375-14 X .4375-20 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN126713THRUAN126766 REV 3 | STUD STRAIGHT, .500-13 X .500-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | I | AN126767THRUAN126820 REV 3 | STUD - STRAIGHT, .5625-12 X .5625-18 REVIEWER: 82 ..... | A 5307 IS | 30-JUN-86 | AV | AS | 11 | |
| D | | AN126821THRUAN126880 REV 3 | STUD-STRAIGHT, .625-11 X .625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN126881THRUAN127192 REV 2 | STUD & STRAIGHT, NECKED, .375&16 X .375&24 (VALIDATION DATE: 8205) REVIEWER: 82 | A 5307 IS | 23-JUN-58 | AV | AS | 99 | |
| D | | AN127193THRUAN127492 REV 2 | STUD - STRAIGHT, NECKED, .4375-14 X .4375-20 REVIEWER: 82 ..... | A 5307 IS | 30-JUN-86 | AV | AS | 11 | |
| D | | AN127493THRUAN127786 REV 3 | STUD STRAIGHT, NECKED, .500-13 X .500-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN127787THRUAN128086 REV 3 | STUD-STRAIGHT, NECKED, .5625-12 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8503) REVIEWER: 82 | A 5307 82 | 26-OCT-72 | | AS | 11 | |
| D | | AN128087THRUAN128362 REV 3 | STUD STRAIGHT, NECKED, .625-11 X .625-18 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN128363THRUAN128686 REV 2 | STUD & STRAIGHT, DRILLED, .250&20 X .250&28 (VALIDATION DATE: 8205) REVIEWER: 82 | A 5307 IS | 23-JUN-58 | AV | AS | 99 | |
| D | | AN128687THRUAN128998 REV 2 | STUD & STRAIGHT, DRILLED, .3125&18 X .3125&24 (VALIDATION DATE: 8205) REVIEWER: 82 | A 5307 IS | 23-JUN-58 | | AS | 99 | |
| D | | AN128999THRUAN129064 REV 3 | STUD, STRAIGHT, DRILLED, .375-16 X .375-24 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN129065THRUAN129124 REV 3 | STUD STRAIGHT, DRILLED, .4375-14 X .4375-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN129125THRUAN129178 REV 3 | STUD-STRAIGHT, DRILLED, .500-13 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN129179THRUAN129232 REV 3 | STUD STRAIGHT, DRILLED, .5625-12 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN129233THRUAN129292 REV 3 | STUD-STRAIGHT, DRILLED, .625-11 X .625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8005) REVIEWER: 82 | A 5307 IS | 26-OCT-73 | | AS | 11 | |
| D | | AN129293THRUAN129604 REV 2 | STUD & STRAIGHT, DRILLED, NECKED, .375&16 X .375&24 (VALIDATION DATE: 8205) REVIEWER: 82 | A 5307 IS | 23-JUN-58 | | AS | 99 | |
| D | | AN129605THRUAN129904 REV 3 | STUD STRAIGHT, DRILLED, NECKED, .4375-14 X .4375-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN129905THRUAN130198 REV 3 | STUD-STRAIGHT, DRILLED, NECKED, .500-13 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN130199THRUAN130498 REV 3 | STUD STRAIGHT, DRILLED, NECKED, .5625-12 X .5625-18 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| D | | AN130499THRUAN130774 REV 3 | STUD-STRAIGHT, DRILLED, NECKED, .625-11 X .625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 IS | 26-OCT-72 | | AS | 11 | |
| | I | AN148551THRUAN148650 REV 3 | BOLT - SOCKET HEAD, 6-HOLE DRILLED, .190-32 REVIEWER: IS ..... | A 5307 11 | 30-JUN-86 | AV | AS | 11 | |
| | | AN148651THRUAN148750 REV 3 (SEE MS 9089) | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .250-28 (INACTIVE AFTER 1 JAN 1960) (VALIDATION DATE: 8205) REVIEWER: IS | A 5306 99 | 01-AUG-58 | AV | AS | 99 | |
| | | AN148751THRUAN148850 REV 3 (SE MS 9090) | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .3125-24 (INACTIVE AFTER 1 JAN 1960) (VALIDATION DATE: 8205) REVIEWER: IS | A 5306 99 | 01-AUG-58 | AV | AS | 99 | |
| | | AN148851THRUAN148950 REV 3 MS 9091( (VALIDATION DATE: 8304) REVIEWER: IS | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .375-24 (INACTIVE AFTER 1 JAN 1960 )SEE | A 5306 11 | 01-AUG-58 | AV | AS | 11 | |
| | | AN148951THRUAN149050 REV 3 (SEE MS 9092) | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .4375-20 (INACTIVE AFTER 1 JAN 1960) (VALIDATION DATE: 8205) REVIEWER: IS | A 5306 99 | 01-AUG-58 | | AS | 99 | |
| | | AN149051THRUAN149150 REV 3 (USE MS 9093) | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .500-20 (INACTIVE AFTER 1 JAN 1960) (VALIDATION DATE: 8205) REVIEWER: IS | A 5306 99 | 01-AUG-58 | | AS | 99 | |
| | | AN149151THRUAN149250 REV 2 (SEE MS 9094) | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .5625-18 (INACTIVE AFTER 1 JAN 1960) (VALIDATION DATE: 8205) REVIEWER: IS | A 5306 82 | 01-AUG-58 | | AS | 99 | |
| | | AN149251THRUAN149350 REV 2 | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .625-18 (VALIDATION DATE: 8306) REVIEWER: IS | A 5306 82 | 01-AUG-58 | | AS | 99 | |
| | | AN149251THRUAN194350 | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .625-18 (VALIDATION DATE: 8306) REVIEWER: IS | A 5306 82 | 01-AUG-58 | | AS | 99 | |
| | | AN150301THRUAN150400 | PIN & LOCK, BRASS (VALIDATION DATE: 8205) REVIEWER: IS ..... | A 5315 82 | 26-JUL-49 | AV | AS | 99 | |
| | | AN150401THRUAN150425 | NUT & HEX, CHECK (VALIDATION DATE: 8306) REVIEWER: IS ..... | A 5310 82 | 09-JUN-50 | AV | AS | 99 | |
| | | AN150426THRUAN150450 | NUT & HEX, SHEAR, SLOTTED (VALIDATION DATE: 8306) REVIEWER: IS ..... | A 5310 82 | 09-JUN-50 | AV | AS | 99 | |
| D | | AN150501THRUAN150800 REV 3 NOTICE 1 | STUD, STEPPED, 1.5 DIA ENGAGEMENT, .250-20 X .190-32 (VALIDATION DATE: 8807) REVIEWER: 82 | A 5307 IS | 22-JUL-88 | AV | AS | 99 | |
| D | | AN150801THRUAN151100 REV 2 | STUD, STEPPED, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28 (VALIDATION DATE: 8306) REVIEWER: 82 | A 5307 IS | 14-OCT-81 | AV | AS | 99 | |
| D | | AN151101THRUAN151400 REV 2 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .375-16 X .3125-24 (INACTIVE FOR DESIGN) | A 5307 IS | 14-OCT-81 | AV | AS | 11 | IS |
| D | | AN151401THRUAN151700 REV 2 | STUD, STEPPED, 1.5 DIA ENGAGEMENT, .4375-14X .375-24 REVIEWER: 82 ..... | A 5307 IS | 14-OCT-81 | AV | AS | 99 | |
| D | | AN151701THRUAN152000 REV 3 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20 (INACTIVE FOR DESIGN 26 OCT 1972) REVIEWER: 82 | A 5307 IS | 14-OCT-81 | AV | AS | 11 | |
| D | | AN152001THRUAN152300 REV 4 | STUD STEPPED, 1.5 DIA. ENGAGEMENT, .5625-12 X .500-20 (INACTIVE 10-26-72) . | A 5307 IS | 14-OCT-81 | | AS | 11 | IS |
| | | AN152301THRUAN152600 REV 3 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .625-11 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 11 | 26-OCT-72 | | AS | 11 | |
| D | | AN152601THRUAN152900 REV 3 | STUD, STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .250-20 X .190-32 REVIEWER: 82 | A 5307 IS | 30-JUN-86 | AV | AS | 99 | IS |
| D | | AN152901THRUAN153200 REV 2 82 MS | STUD & STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .3125&18 X .250&28 REVIEWER: | A 5307 IS | 14-OCT-81 | | AS | 99 | |
| D | | AN153201THRUAN153500 REV 4 | STUD STEPPED, DRILLED, 1.5 DIA. ENGAGEMENT, .375-16 X .3125-24 (INACTIVE 10-26-72) REVIEWER: 82 MS | A 5307 IS | 14-OCT-81 | | AS | 11 | |
| | | AN153501THRUAN153800 REV 4 | STUD-STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24 (INACTIVE FOR DESIGN) REVIEWER: IS MS | A 5307 11 | 14-OCT-81 | | AS | 11 | |
| | | AN153801THRUAN154100 REV 4 | STUD-STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20 (INACTIVE FOR DESIGN 26 OCT 1972) REVIEWER: IS MS | A 5307 11 | 14-OCT-81 | | AS | 11 | |
| | | AN154101THRUAN154400 REV 4 | STUD-STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .5625-12 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972) REVIEWER: IS MS | A 5307 11 | 14-OCT-81 | | AS | 11 | |
| D | | AN154401THRUAN154700 REV 4 | STUD STEPPED, DRILLED, 1.5 DIA. ENGAGEMENT, .625-11 X .5625-18 (INACTIVE 10-26-72) REVIEWER: MS | A 5307 IS | 09-AUG-87 | | AS | 11 | IS |
| D | | AN154701THRUAN155000 REV 2 8205) REVIEWER: MS | STUD & STEPPED, 2 DIA ENGAGEMENT, .250&20 X .190&32 (VALIDATION DATE: | A 5307 IS | 14-OCT-81 | AV | AS | 99 | IS |
| D | | AN155001THRUAN155300 REV 3 | STUD, STEPPED, 2 DIA ENGAGEMENT, .3125-18 X .250-28 ..... | A 5307 IS | 30-JUN-86 | AV | AS | 99 | IS |
| D | | AN155301THRUAN155600 REV 2 | STUD, STEPPED, 2 DIA ENGAGEMENT, .375-16 X .3125-24 ..... | A 5307 IS | 14-OCT-81 | AV | AS | 99 | IS |
| | | AN155601THRUAN155900 REV 4 OCT 1972) REVIEWER: IS MI | STUD-STEPPED, 2 DIA ENGAGEMENT, .4375-14 X .375-24 (INACTIVE FOR DESIGN 26 | A 5307 11 | 14-OCT-81 | | AS | 11 | |
| D L | | AN155901THRUAN156200 REV 4 | STUD STEPPED, 2 DIA ENGAGEMENT, .500-13 X .4375-20 REVIEWER: 82 ..... | A 5307 IS | 28-FEB-93 | | | | |
| | | AN156201THRUAN156500 REV 4 REVIEWER: IS | STUD-STEPPED, 2 DIA ENGAGEMENT, .5625-12 X .500-20 (INACTIVE 26 OCT 1972) | A 5307 11 | 14-OCT-81 | | AS | 11 | |
| | | AN156501THRUAN156800 REV 4 REVIEWER: IS | STUD STEPPED, 2 DIA. ENGAGEMENT, .625-11 X .5625-18 (INACTIVE 10-26-72) | A 5307 11 | 14-OCT-81 | | AS | 11 | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | AN156801THRUAN157100 | REV 3 | STUD, STEPPED, DRILLED, 2 DIA ENGAGEMENT, .250-20 X .190-32 REVIEWER: IS .. | A 5307 | 11 14-OCT-81 | AV | AS | 11 | |
| | | AN157101THRUAN157400 | REV 4 | STUD-STEPPED, DRILLED, 2 DIA ENGAGEMENT, .3125-18 X .250-28 (INACTIVE FOR DESIGN) REVIEWER: IS | A 5307 | 11 14-OCT-81 | AV | AS | 11 | |
| | | AN157401THRUAN157700 | REV 4 | STUD STEPPED, DRILLED, 2 DIA. ENGAGEMENT, .375-16 X .3125-24 (INACTIVE 10-26-72) REVIEWER: IS | A 5307 | 11 14-OCT-81 | | AS | 11 | |
| | | AN157701THRUAN158000 | REV 4 | STUD-STEPPED, DRILLED, 2 DIA ENGAGEMENT, .4375-14 X .375-24 (INACTIVE FOR DESIGN 26 OCT 1972) REVIEWER: IS | A 5307 | 11 14-OCT-81 | | AS | 11 | |
| | | AN158001THRUAN158300 | REV 4 | STUD STEPPED, DRILLED, 2 DIA. ENGAGEMENT, .500-13 X .4375-20 (INACTIVE 10-26-72) REVIEWER: IS | A 5307 | 11 14-OCT-81 | | AS | 11 | |
| | | AN158301THRUAN158600 | REV 4 | STUD-STEPPED, DRILLED, 2 DIA ENGAGEMENT, .5625-12X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972) REVIEWER: IS | A 5307 | 11 14-OCT-81 | | AS | 11 | |
| | | AN158601THRUAN158900 | REV 4 | STUD, STEPPED, DRILLED, 2 DIA. ENGAGEMENT, .625-11 X .5625-18 (INACTIVE 10-26-72) REVIEWER: IS | A 5307 | 11 14-OCT-81 | | AS | 11 | |
| D | | AN158901THRUAN159200 | REV 2 | STUD & STEPPED, NECKED, 1.5 DIA ENGAGEMENT, .4375&14 X .375&24 (VALIDATION DATE: 8304) REVIEWER: 82 | A 5307 | IS 25-MAR-55 | AV | AS | 11 | |
| | | AN159201THRUAN159500 | REV 3 | STUD-STEPPED, NECKED, 1.5 DIA ENGAGEMENT, .500-13 X 4375-20 (INACTIVE FOR DESIGN 26 OCT 72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN159501THRUAN159800 | REV 3 | STUD STEPPED, NECKED, 1.5 DIA. ENGAGEMENT, .5625-12 X .500-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 25-OCT-72 | | AS | 11 | |
| | | AN159801THRUAN160100 | REV 3 | STUD-STEPPED, NECKED, 1.5 DIA ENGAGEMENT, .625-11 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN160101THRUAN160400 | REV 3 | STUD STEPPED, DRILLED, NECKED, 1.5 DIA. ENGAGEMENT, .4375-14 X .375-24 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 25-OCT-72 | | AS | 11 | |
| | | AN160401THRUAN160700 | REV 2 | STUD-STEPPED, DRILLED, NECKED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN160701THRUAN161000 | REV 3 | STUD STEPPED, DRILLED, NECKED, 1.5 DIA. ENGAGEMENT, .5625-12 X .500-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| D | | AN162201THRUAN162500 | REV 3 | STUD-STEPPED, NECKED, 2 DIA ENGAGEMENT, .625-11 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972) | A 5307 | IS 30-JUN-86 | | AS | 11 | IS |
| D | | AN162501THRUAN162800 | REV 2 | STUD & STEPPED, DRILLED, NECKED, 2 DIA ENGAGEMENT, .4375&14 X .37 ..... | A 5307 | IS 30-JUN-86 | AV | AS | 99 | IS |
| D | | AN163101THRUAN163400 | REV 3 | STUD-STEPPED, DRILLED, NECKED, 2 DIA ENGAGEMENT, .5625-12 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972) | A 5307 | IS 30-JUN-86 | | AS | 11 | IS |
| L | | AN164601THRUAN164900 | REV 3 | STUD STEPPED, NECKED, WRENCH PAD, 1.5 DIA. ENLARGEMENT, .500-13 X .4375-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) | A 5307 | 11 26-OCT-72 | | | 11 | |
| L | | AN164901THRUAN165200 | REV 3 | STUD-STEPPED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .5625-12 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | | 11 | |
| | | AN165201THRUAN165500 | REV 3 | STUD STEPPED, NECKED, WRENCH PAD, 1.5 DIA. ENGAGEMENT, .625-11 X .5625-18 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | | 11 | |
| | | AN165501THRUAN165800 | REV 3 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN165801THRUAN166100 | REV 3 | STUD STEPPED, DRILLED, NECKED, WRENCH PAD 1.5 DIA. ENGAGEMENT, .375-16 X .3125-24 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN166101THRUAN166400 | REV 3 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN166401THRUAN166700 | REV 3 | STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA. ENGAGEMENT, .500-13 X .4375-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN166701THRUAN167000 | REV 3 | STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA. ENGAGEMENT, .5625-12 X .500-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN167001THRUAN167300 | REV 3 | STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA. ENGAGEMENT, .625-11 X .5625-18 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| L | | AN167301THRUAN167600 | REV 3 | STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .3125-18 AN 167600-REV 1 (INACTIVE) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | | 11 | |
| | | AN167601THRUAN167900 | REV 3 | STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .375-16 X .3125-24 (INACTIVE FOR DESIGN) (VALIDATION DATE: 8005) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN167901THRUAN168200 | REV 3 | STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .4375-14 X .375-24 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN168201THRUAN168500 | REV 3 | STUD STEPPED, NECKED, WRENCH PAD, 2 DIA. ENGAGEMENT, .500-13 X .4375-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN168501THRUAN168800 | REV 3 | STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, 15625-12 X .500-20 (INACTIVE FOR DESIGN) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN168801THRUAN169100 | REV 3 | STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .625-11 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN169101THRUAN169400 | REV 3 | STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA. ENGAGEMENT, .3125-18 X .250-28 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN169401THRUAN169700 | REV 3 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .375-16 X .3125-24 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN169701THRUAN170000 | REV 3 | STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA. ENGAGEMENT, .4375-14 X .375-24 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN170001THRUAN170300 | REV 3 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .500-13 X .4375-20,(INACTIVE FOR DESIGN) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN170301THRUAN170600 | REV 3 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .5625-12 X .5000-20 (INACTIVE FOR DESIGN 26 OCT 1972 (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 26-OCT-72 | | AS | 11 | |
| | | AN170601THRUAN170900 | REV 3 | STUD AND STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .625-11 X .5625-18 (INACTIVE FOR DESIGN) (VALIDATION DATE: 8304) REVIEWER: IS | A 5307 | 11 25-MAR-55 | | AS | 11 | |

| Action | OPR / Old Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | AND10002 REV 2 | MOUNTING PAD AND DRIVE - AIRCRAFT ENGINE GENERATOR AND POWER TAKE-OFF [VALIDATION DATE: 8004] | A | 2925 | AS | | 24-OCT-49 | | AS | | |
| | | AND10050 REV S | BOSSES, STANDARD DIMENSIONS FOR GASKET SEAL STRAIGHT THREAD (INACTIVE) REVIEWER: 11 | A | MISC | 82 | | 24-JUL-84 | | WP | 99 | |
| | | AND10051 REV 3 | HUBS, CONDUIT CONNECTION, STANDARD DIMENSIONS | A | 5975 | AS | | 30-OCT-90 | AV | AS | 99 | |
| | | AND10052 REV 2 | BOSS-STANDARD DIMENSIONS FOR EXTERNAL PIPE THREAD [VALIDATION DATE: 7806] USER: 71 | A | 4730 | 82 | | 01-JUN-54 | | AS | 99 | |
| | | AND10059 REV 3 | FITTING - STYLE OF PIPE THREADED, FLARED TUBE AND HOSE [VALIDATION DATE: 8503] | A | 4730 | 82 | | 09-JAN-64 | | AS | 11 | |
| | | AND10065 REV 2 | CONNECTION ASSEMBLY - FLEXIBLE, FLUID, STANDARD DESIGN OF [VALIDATION DATE: 8107] | A | MISC | AS | | 26-MAR-46 | | AS | 11 | |
| L | | AND10067 REV 3 | VALVE INSTALLATION - HYDRAULIC BLEEDER (STANDARD DIMENSIONS FOR) [VALIDATION DATE: 8312] | A | 4820 | AS | | 01-JUN-54 | | AS | | |
| | | AND10068 REV 4 | NUTS AND PLATE NUTS - SELF LOCKING, FUNCTIONAL LIMITATIONS OF (USE MS33588) [VALIDATION DATE: 8509] | A | 5310 | AS | | 13-OCT-77 | | AS | 11 | |
| | | AND10070 REV 3 | ADAPTER - OXYGEN FILLER [VALIDATION DATE: 8406] REVIEWER: AV | A | 4730 | 82 | | 24-JUL-70 | | AS | 99 | |
| L | | AND10071 REV 5 | BOSS & INSTALLATIONS, AIR CONNECTION (AN 6287) [VALIDATION DATE: 8312] USER: ME REVIEWER: MI | A | 4730 | AS | | 14-DEC-66 | | AS | | |
| L | | AND10079 REV 1 | TERMINAL - EYE AND FORK CABLE [VALIDATION DATE: 8208] | A | MISC | AS | | 16-MAR-45 | | AS | | |
| L | | AND10081 REV 3 | TERMINAL SHANK - SWAGING, DIMENSIONS FOR [VALIDATION DATE: 8312] | A | 4030 | AS | | 02-AUG-65 | | AS | | |
| | | AND10089 REV 5 | FITTING END, STANDARD DIMENSIONS FOR CONE CONNECTION | A | 4730 | 82 | | 07-JAN-85 | | AS | 99 | |
| | | AND10102 REV 3 | TUBING - STANDARD DIMENSIONS FOR ROUND SEAMLESS ALLOY STEEL [VALIDATION DATE: 8409] | A | MISC | AS | | 01-JUL-65 | | AS | 11 | |
| | | AND10104 REV 4 | TUBING, STEEL, CORROSION RESISTANT, ROUND STANDARD DIMENSIONS FOR [VALIDATION DATE: 8707] | A | MISC | 11 | | 05-MAY-67 | | AS | 11 | |
| L | | AND10133 REV 2 | ANGLE - EQUAL LEG EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI | A | 9540 | 84 | | 26-FEB-89 | | | 84 | |
| L | | AND10134 REV 3 | ANGLE - UNEQUAL LEG EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI | A | 9540 | 84 | | 26-FEB-89 | | | 84 | |
| L | | AND10135 REV 3 NOTICE 1 | ANGLE - BULB SECTION EXTRUDED [VALIDATION DATE: 8902] | A | 9540 | 84 | | 26-FEB-89 | | | 84 | |
| | | AND10136 REV 3 | TEE - EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI | A | 9540 | 84 | | 26-FEB-89 | AV | | 84 | |
| L | | AND10137 REV 2 | CHANNEL - EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI | A | 9540 | 84 | | 26-FEB-89 | | | 84 | |
| | | AND10138 REV 2 | ZEE - EQUAL LEG EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI | A | 9540 | 84 | | 26-FEB-89 | AV | | 84 | |
| L | | AND10139 REV 3 | ZEE - UNEQUAL LEG EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI | A | 9540 | 84 | | 26-FEB-89 | | | 84 | |
| L | | AND10141 REV 4 | TEE - BULB SECTION EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI | A | 9540 | 84 | | 26-FEB-89 | | | 84 | |
| | | AND10152 REV 5 | SHAFT ENDS - PROPELLER [VALIDATION DATE: 8409] | A | 1610 | AV | | 10-JUN-53 | | AS | | |
| | | AND10230 REV 3 | REFERENCE CHART, AIRCRAFT ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8401] | A | MISC | 82 | | 23-NOV-54 | | AS | 99 | |
| L | | AND10260 REV 1 | FLANGE-TYPE X ACCESSORY MOUNTING [VALIDATION DATE: 8401] REVIEWER: MI | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND10261 REV 1 | FLANGE-TYPE XI ACCESSORY MOUNTING [VALIDATION DATE: 8401] REVIEWER: MI | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND10262 REV 1 | FLANGE-TYPE XII ACCESSORY MOUNTING [VALIDATION DATE: 8401] REVIEWER: MI | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND10263 REV 1 | FLANGE-TYPE XIII ACCESSORY MOUNTING [VALIDATION DATE: 8401] REVIEWER: MI | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND10264 REV 1 | FLANGE-TYPE XIV ACCESSORY MOUNTING [VALIDATION DATE: 8401] | A | 2995 | 82 | | 26-NOV-54 | | | 99 | |
| L | | AND10265 REV 1 | FLANGE-TYPE XV ACCESSORY MOUNTING [VALIDATION DATE: 8401] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND10266 REV 1 | FLANGE-TYPE XVI ACCESSORY MOUNTING [VALIDATION DATE: 8401] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND10267 REV 1 | FLANGE-TYPE XVII ACCESSORY MOUNTING [VALIDATION DATE: 8401] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND10268 REV 1 | FLANGE-TYPE XVIII ACCESSORY POWER INPUT [VALIDATION DATE: 8401] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND10269 REV 1 | FLANGE-TYPE XIX ACCESSORY MOUNTING [VALIDATION DATE: 8401] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| | | AND10302 REV 4 | INSTALLATION CLEARANCE-IX DRIVE [VALIDATION DATE: 8401] | A | 2995 | 82 | | 05-AUG-49 | | | 99 | |
| | | AND10303 REV 5 | INSTALLATION CLEARANCE-TYPE XIV DRIVE [VALIDATION DATE: 8410] | A | 2995 | AS | | 04-MAR-53 | | AS | 11 | |
| | | AND10305 REV 5 | INSTALLATION CLEARANCE-TYPE XII AND TYPE XVII DRIVE (GENERATOR-POWER TAKE-OFF) [VALIDATION DATE: 8401] | A | 2995 | 82 | | 12-AUG-49 | | | 99 | |
| | | AND10310 REV 3 | INSTALLATION CLEARANCE-TYPE XV DRIVE [VALIDATION DATE: 8401] | A | 2995 | 82 | | 20-MAR-50 | | | 99 | |
| L | | AND10320 REV 4 | INSTALLATION CLEARANCE-TYPE XII DRIVE [VALIDATION DATE: 8410] | A | 2995 | AS | | 04-MAR-53 | | AS | | |
| | | AND10325 REV 1 | SELF TAPPING SCREWS-COARSE THREAD (HOLE SIZES FOR) [VALIDATION DATE: 8205] | A | 5305 | 11 | | 29-APR-49 | | AS | 99 | |
| | | AND10326 REV 1 | SELF TAPPING SCREWS-MACHINE SCREW THREAD (HOLE SIZES FOR) [VALIDATION DATE: 8205] | A | 5305 | 11 | | 12-APR-43 | | AS | 99 | |
| LI | | AND10331 REV 2 | INSTALLATION CLEARANCE - TYPE XII-J DRIVE (FLUID POWER PUMP) [VALIDATION DATE: 8406] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| | | AND10336 REV 1 | INSTALLATION CLEARANCE-TYPE XV-II DRIVE [VALIDATION DATE: 8406] | A | 2995 | 82 | | 15-JUL-49 | | | 99 | |
| | | AND10338 REV 1 | INSTALLATION CLEARANCE-TYPE XII-K (FLUID POWER PUMP) [VALIDATION DATE: 8406] | A | 2995 | 82 | | 05-AUG-49 | | | 99 | |
| L | | AND10341 REV 2 | TRANSMITTER INSTALLATION CLEARENCE FUEL AND OIL PRESSURE [VALIDATION DATE: 8103] | A | 6620 | AS | | 24-APR-57 | | AS | | |
| L | | AND10343 REV 1 | INSTALLATION CLEARANCE TYPE XVI DRIVE [VALIDATION DATE: 8406] | A | 2995 | 82 | | 05-AUG-49 | | | 99 | |
| L | | AND10367 REV 1 | TOLERANCE, ALLOY STEEL SHEET AND STRIP (INACTIVE, USE FED STD-48) [VALIDATION DATE: 8205] | A | MISC | 11 | | 09-SEP-69 | | | 11 | |
| | | AND10380 REV 3 | COUPLING INSTALLATIONS, STANDARD CONDUIT, ELECTRICAL | A | 5975 | AS | | 12-MAR-90 | ER | AS | 85 | |
| L | | AND10387 REV 6 | DRILL SIZES AND DRILLED HOLE TOLERANCES TWIST [VALIDATION DATE: 8401] USER: GL REVIEWER: MI | A | MISC | AS | | 25-MAY-53 | | AS | | |
| L | | AND10405 REV 2 | INSTRUMENT BOARD-INSTALLATION OF VIBRATION INSULATED [VALIDATION DATE: 8103] REVIEWER: GS | A | 5940 | AS | | 08-SEP-65 | | AS | | |
| L | | AND10460 | INDENTORS AND NESTS-COPPER ELECTRIC TERMINAL, POWER OPERATED PRESS [VALIDATION DATE: 8509] REVIEWER: GS | A | 3442 | AS | | 28-OCT-49 | | AS | | |
| LI | | AND10527 REV 1 NOTICE 1 | PROPELLER HUBS - STANDARD DIMENSIONS FOR GROUND-ADJUSTABLE [VALIDATION DATE: 8809] | A | 1610 | AV | | 20-SEP-88 | AV | | | |
| | | AND10529 REV 3 | PROPELLER HUBS-STANDARD DIMENSIONS FOR INVOLUTE TOOTH SPLINE CONTROLLABLE PITCH [VALIDATION DATE: 8409] | A | 1610 | AV | | 22-JUL-52 | AV | AS | | |
| | | AND10530 REV 1 | PROPELLER HUBS-STANDARD DIMENSIONS FOR STRAIGHT TOOTH SPLINE CONTROLLABLE PITCH [VALIDATION DATE: 8409] | A | 1610 | AV | | 16-FEB-51 | AV | AS | | |
| | | AND10573 REV E | RIM CONTOURS-26X6.6, 30X7.7, 32X8.8, 34X9.9, 36X11, 38X11, 40X12, 44X13, TYPE VII, EXTRA HIGH PRESSURE MAIN LANDING GEAR WHEELS [VALIDATION DATE: 8811] USER: MC | A | 1630 | 70 | | 04-NOV-88 | AV | AS | 99 | |
| | | AND10576 REV C NOTICE 1 | RIM CONTOUR-24 X 7.7, TYPE VII, EXTRA HIGH PRESSURE, MAIN LANDING GEAR WHEEL [VALIDATION DATE: 8811] USER: MC | A | 1630 | 70 | | 04-NOV-88 | AV | AS | 99 | |
| | | AND10578 REV B | RIM CONTOUR-5.00-5, TYPE III, LOW PRESSURE, HELICOPTER LANDING GEAR WHEEL [VALIDATION DATE: 8810] USER: MC | A | 1630 | 70 | | 31-OCT-88 | AV | AS | 99 | |
| | | AND10581 REV C | RIM CONTOUR-20 X 4.4, TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL [VALIDATION DATE: 8810] USER: MC | A | 1630 | 70 | | 31-OCT-88 | AV | AS | 99 | |
| | | AND10582 | *RIM CONTOURS - 22 X 5.5 AND 5.5 TYPE VII, EXTRA HIGH PRESSURE, LANDING* GEAR WHEEL [VALIDATION DATE: 8207] | A | 1630 | AS | | 16-SEP-49 | | AS | 11 | |
| | | AND10583 REV B | RIM CONTOUR-25.00-28, TYPE III, LOW PRESSURE, MAIN LANDING GEAR WHEEL [VALIDATION DATE: 8810] | A | 1630 | 70 | | 31-OCT-88 | AV | AS | 99 | |
| | | AND10598 | CHAMFER OR RADIUS - VALVE HOLES IN AIRPLANE WHEEL RIMS [VALIDATION DATE: 8207] | A | 1630 | AS | | 08-NOV-49 | | AS | 11 | |
| L | | AND20001 REV 2 | DRIVE - TYPE XI ENGINE ACCESSORY | A | 2995 | MI | | 26-JUN-89 | MI | | | |
| L | | AND20002 REV 3 | DRIVE - TYPE XII ENGINE ACCESSORY [VALIDATION DATE: 8406] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND20003 REV 2 | DRIVE - TYPE XIII ENGINE ACCESSORY [VALIDATION DATE: 8406] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| | | AND20005 REV 4 | DRIVE - TYPE XV ENGINE ACCESSORY [VALIDATION DATE: 8401] | A | MISC | 82 | | 04-OCT-76 | | AS | 99 | |
| I | | AND20006 REV 7 | DRIVE-TYPE XVI ENGINE ACCESSORY | A | 2995 | AS | | 22-MAY-89 | AV | AS | | |
| | | AND20007 REV 1 | DRIVE - TYPE XVII ENGINE ACCESSORY [VALIDATION DATE: 8401] | A | MISC | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND20008 REV 3 | DRIVE - TYPE XVIII ENGINE ACCESSORY [VALIDATION DATE: 8401] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND20009 REV 2 | DRIVE - TYPE XIX ENGINE ACCESSORY [VALIDATION DATE: 8401] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |
| L | | AND20010 REV 2 | DRIVE - TYPE XX ENGINE ACCESSORY [VALIDATION DATE: 8401] | A | 2995 | 82 | | 04-MAR-53 | | | 99 | |

# NUMERICAL LISTING
# STANDARDIZATION DIRECTORIES

| Action / QPL / QML / Coordination / Inactive / Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Acty. / Date | Custodians: Army / Navy / Air Force / DLA |
|---|---|---|---|
| SD-5 | MARKET ANALYSIS FOR NONDEVELOPMENTAL ITEMS ..... | A SDMP SO 01-FEB-92 | |

# NUMERICAL LISTING
# INTERNATIONAL STANDARDIZATION DOCUMENTS

| Action | Ofc / Ofc Coordination | Inactive | Document Number | Document Title | Doc Strat / FSC / Area / MCA Symbol / Preparing Activity | | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | AAP-15 ED. D | GLOSSARY OF ABBREVIATIONS USED IN NATO DOCUMENTS | C | ISDN | NI 01-SEP-90 | | | | |
| A | | | AAP-23 ED. 2 | NATO GLOSSARY OF PACKAGING TERMS AND DEFINITIONS (ENGLISH AND FRENCH) | C | ISDA | SH 17-JUN-92 | | | | |
| | | | ABC-STD-6F | BOILER WATER TREATMENT CHEMICALS | C | ISDN | SH 22-SEP-83 | | | | |
| | | | ABC-STD-20 | SHOCK AND VIBRATION TERMINOLOGY [VALIDATION DATE: 7912] | C | ISDN | SH 22-AUG-55 | | | | |
| | | | ABC-STD-23B | QUALITY STANDARDS FOR POTABLE WATER [VALIDATION DATE: 8302] | C | ISDN | SH 16-AUG-77 | | | | |
| | | | ABC-STD-37B | REFERENCE VALUES FOR USE IN REPORTING MECHANICAL VIBRATION LEVELS [VALIDATION DATE: 7901] | C | ISDN | SH 10-APR-72 | | | | |
| | | | ABC-STD-38 | METHODS FOR SPECIFYING AND CALIBRATING SHOCK AND VIBRATION INSTRUMENTS [VALIDATION DATE: 7901] | C | ISDN | SH 11-MAY 67 | | | | |
| | | | ABC-STD-41A | INTERCHANGEABILITY/EQUIVALENCY OF CARBON AND ALLOY STEELS IN BAR FORM FOR GENERAL DOCKYARD REPAIRS | C | ISDN | SH 29-MAR-78 | | | | |
| | | | ABC-STD-44 | COMPARATIVE COMPILATION OF ALUMINUM ALLOYS FOR INTERCHANGEABILITY/EQUIVALENCY [VALIDATION DATE: 8012] | C | ISDN | SH 05-JAN-68 | | | | |
| | | | ABC-STD-48 | GENERAL PRINCIPLES OF GAUGING [VALIDATION DATE: 8204] | C | ISDN | SH 29-JAN-70 | | | | |
| | | | ABC-STD-50 | SURFACE TEXTURE [VALIDATION DATE: 8204] | C | ISDN | SH 24-JUN-70 | | | | |
| | | | ABC-STD-51 | COMPARATIVE COMPILATION OF COPPER ALLOYS FOR INTERCHANGEABILITY/EQUIVALENCY [VALIDATION DATE: 8204] | C | ISDN | SH 25-JUN-70 | | | | |
| | | | ABC-STD-54A | STEEL SHIPS PLATES | C | ISDN | SH 09-AUG-79 | | | | |
| | | | ABC-STD-56 | SILICONE INSULATED ELECTRIC POWER AND CONTROL CABLES [VALIDATION DATE: 7901] | C | ISDN | SH 07-NOV-72 | | | | |
| | | | ABCA-STD-18B | FURNACE LINING MATERIAL FOR MARINE BOILERS 01108] | C | ISDN | SH 01-OCT-81 | | | | |
| | | | ABCA-STD-19D | HEAT EXCHANGER TUBES | C | ISDN | SH 15-OCT-82 | | | | |
| | | | ABCA-STD-21A | DEFINITIONS AND BASIC REQUIREMENTS FOR ELECTRIC AND ELECTRONIC EQUIPMENT ENCLOSURES [VALIDATION DATE: 8012] | C | ISDN | SH 09-OCT-74 | | | | |
| | | | ABCA-STD-25B | NAVAL BOILER TUBES SPECIFICATION AND SIZES [VALIDATION DATE: 7901] | C | ISDN | SH 14-DEC-72 | | | | |
| | | | ABCA-STD-30C(1) | SYMBOL FOR NAVAL ARCHITECTURE FOR USE IN TECHNICAL WRITING | C | ISDN | SH 15-OCT-82 | | | | |
| | | | ABCA-STD-32C | COMPARISON OF METHODS OF TESTING FERROUS METALLIC MATERIALS [VALIDATION DATE: 7901] | C | ISDN | SH 23-AUG-73 | | | | |
| | | | ABCA-STD-49A | DISTILLING UNITS CLEANING, FEED TREATMENT | C | ISDN | SH 15-OCT-82 | | | | |
| | | | ABCA-STD-55 | STANDARDS FOR RADIOACTIVE CONTAMINATION LIMITS IN WATER [VALIDATION DATE: 7912] | C | ISDN | SH 28-FEB-74 | | | | |
| | | | ABCA-STD-59 | BASIC ELEMENTS OF A CALIBRATION PROGRAMME [PREPARED UNDER PROJECT Z-52) [VALIDATION DATE: 7912] | C | ISDN | SH 24-APR-74 | | | | |
| | | | ABCA-STD-60 | NYLON ROPE (3 STRAND HAWSERLAID) (PREPARED UNDER PROJECT Z-16.2.1) [VALIDATION DATE: 8012] | C | ISDN | SH 09-OCT-74 | | | | |
| | | | ABCA-STD-61 | POLYESTER ROPE (3 STRAND HAWSERLAID) (PREPARED UNDER PROJECT Z-16.2.1) [VALIDATION DATE: 8012] | C | ISDN | SH 09-OCT-74 | | | | |
| | | | ABCA-STD-62 | CLASSIFICATION SYSTEM FOR VULCANIZED RUBBER [VALIDATION DATE: 8204] | C | ISDN | SH 24-SEP-76 | | | | |
| | | | AIR-STD-10/2H | UNITS OF MEASUREMENT | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/4E | ACCELEROMETER INDICATORS | C | ISDF | 06 15-OCT-80 | | | | |
| | | | AIR-STD-10/5F | TURN & SLIP INDICATORS (REL TO OTHER THAN DOD ACT REQ PRIOR APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF | 06 03-JUN-83 | | | | |
| | | | AIR-STD-10/6F | NUMERALS AND LETTERS FOR AIRCREW STATION DISPLAYS | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/7H | DIMENSIONS FOR INSTRUMENT CASES (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/8E | CIRCULAR DIAL - TYPE VERTICAL SPEED INDICATOR (BAROMETRIC) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 03-JUN-84 | | | | |
| | | | AIR-STD-10/9D | MACHMETERS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/10D | FUEL CONTENTS GAUGES (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX, (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 15-NOV-90 | | | | |
| | | | AIR-STD-10/11G | LAYOUT OF FLIGHT INSTRUMENTS [VALIDATION DATE: 8411] | C | ISDF | 06 03-APR-79 | | | | |
| | | | AIR-STD-10/12H | OPERATION OF ALL CONTROLS AND SWITCHES AT AIRCREW STATIONS (REQ OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON DC 20330-5058 | C | ISDF | 06 15-NOV-90 | | | | |
| | | | AIR-STD-10/13H | ENGINE CONTROLS & SWITCHES IN FIXED WING AIRCRAFT (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 03-JUN-83 | | | | |
| | | | AIR-STD-10/14F | LOCATION & GROUPING OF ELECTRICAL SWITCHES | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/15Q | LOCATION & ACTUATION OF AIRFRAME CONTROLS IN FIXED WING AIRCRAFT (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX (ISO), WASHINGTON DC 20330-5058 | C | ISDF | 06 15-NOV-90 | | | | |
| | | | AIR-STD-10/16L | AUTOMATIC FLIGHT CONTROL SYSTEMS (AFCS) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058 | C | ISDF | 06 15-NOV-90 | | | | |
| | | | AIR-STD-10/19H | ILLUMINATION OF AIRCREW STATIONS (REQUESTS FOR ISSUE OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON DC 20330-5058 | C | ISDF | 06 15-NOV-90 | | | | |
| | | | AIR-STD-10/20J | LOCATION, ACTUATION & SHAPE OF AIRFRAME CONTROLS FOR ROTARY WING AIRCRAFT (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/21F | POSITION OF PILOT OPERATED NAVIGATION AND RADIO CONTROLS IN FIXED WING AIRCRAFT (REL TO OTHER THAN DOD ACT REQPR APPR OF CNM, MAT 09B21, WASH, D.C. 20360 | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/22K | SERVICES OPERABLE FROM STICK GRIPS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON DC 20330-5058 | C | ISDF | 06 15-NOV-90 | | | | |
| | | | AIR-STD-10/23E | EMERGENCY CONTROL COLOUR SCHEMES | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/25F | LOCATION AND ARRANGEMENT OF ENGINE INSTRUCTMENTS IN AIRCRAFT (CHANGE 1) [VALIDATION DATE: 8302] | C | ISDF | 06 20-SEP-74 | | | | |
| | | | AIR-STD-10/30L | AIRCREW STATION WARNING, CAUTIONARY AND ADVISORY SIGNALS (REQ OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 15-NOV-90 | | | | |
| | | | AIR-STD-10/34C | MOUNTING CLAMPS FOR AIRCRAFT INSTRUMENTS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 15-NOV-91 | | | | |
| | | | AIR-STD-10/35B | STANDARD ATMOSPHERE TABLES (CH-1 30 MAY 1977) [VALIDATION DATE: 8302] | C | ISDF | 06 06-JAN-69 | | | | |
| | | | AIR-STD-10/36D | CIRCULAR DIAL TACHOMETER (NON SERVOED) (REL TO OTHER THAN DOD REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 03-JUN-83 | | | | |
| | | | AIR-STD-10/38C | PRINCIPLES OF PRESENTATION OF INFORMATION [VALIDATION DATE: 8411] | C | ISDF | 06 03-APR-79 | | | | |
| | | | AIR-STD-10/39C | NUMBERING OF ENGINES & THEIR ASSOCIATED CONTROLS & DISPLAYS IN AIRCRAFT (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/40C | THRUST VECTOR CONTROLS FOR VSTOL AIRCRAFT, LOCATION & ACTUATION OF | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/41D | AIRSPEED INDICATORS | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/42E | ATTITUDE INDICATORS (REQ OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 15-NOV-91 | | | | |
| | | | AIR-STD-10/43E | COLOURS AND MARKINGS USED TO DENOTE OPERATING RANGES OF AIRCRAFT DISPLAYS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM MAT 09B21, WASH, D.C. 20360) | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/44B | CONTROL SHAPES (CHG-2 - 15 OCT 85) | C | ISDF | 06 15-OCT-80 | | | | |
| | | | AIR-STD-10/45G | HORIZONTAL SITUATION INDICATOR (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 15-NOV-91 | | | | |
| | | | AIR-STD-10/46A | STANDARD DYNAMIC PRESSURE CALIBRATED AIRSPEED TABLES FOR AIRCRAFT EQUIPMENT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF | 06 03-JUN-83 | | | | |
| | | | AIR-STD-10/47E | LEGENDS IN AIRCREW STATIONS (REQ OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 15-NOV-91 | | | | |
| | | | AIR-STD-10/49A | AIR TO AIR REFUELING COCKPIT CONTROLS AND DISPLAYS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 15-NOV-91 | | | | |
| | | | AIR-STD-10/50B | GLASS, AIRCRAFT INSTRUMENT, LIGHTING WEDGE AND COVER | C | ISDF | 06 15-OCT-80 | | | | |
| | | | AIR-STD-10/53F | EXTERNAL VISION FROM AIRCREW STATIONS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF | 06 22-NOV-85 | | | | |
| | | | AIR-STD-10/54E | ATTITUDE DIRECTOR INDICATOR (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 22-NOV-85 | | | | |

| Action Ofc. / Date Coordination Initiated | Document Number | Document Title | Dist. Stmt. FSC / Area NSCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | AIR-STD-10/55D | AIRCREW STATION DIMENSIONAL DESIGN FACTORS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH D.C. 20360 | C ISDF 06 | 22-NOV-85 | | | | |
| | AIR-STD-10/56D | ELECTRONICALLY AND OPTICALLY GENERATED DISPLAYS FORMATS AND SYMBOLOGY FOR FIXED WING AIRCRAFT (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO) WASHINGTON, DC 20330-5058 | C ISDF 06 | 15-NOV-91 | | | | |
| | AIR-STD-10/57A | VERTICAL SCALE FLIGHT INSTRUMENTS | C ISDF 06 | 03-APR-79 | | | | |
| | AIR-STD-10/58D | AIRCRAFT INTERIOR COLOUR SCHEMES (REQEUSTS OTHER THAN DOD SHALL REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C ISDF 06 | 15-NOV-90 | | | | |
| | AIR-STD-10/59B | CALIBRATION AND ACCURACY OF AIRCRAFT BAROMETRIC NON SERVOED ALTIMETERS | C ISDF 06 | 15-OCT-80 | | | | |
| | AIR-STD-10/60D | CIRCULAR DIAL ALTIMETERS | C ISDF 06 | 22-NOV-85 | | | | |
| | AIR-STD-10/61B | COATING, REFLECTION REDUCING FOR AIRCREW STATION DISPLAYS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C ISDF 06 | 15-NOV-90 | | | | |
| | AIR-STD-10/62D | AIRCREW STATION CONTROL PANELS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C ISDF 06 | 15-NOV-90 | | | | |
| | AIR-STD-10/63A | CIRCULAR DIAL ENGINE TEMPERATURE INDICATORS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDF 06 | 03-JUN-83 | | | | |
| | AIR-STD-10/64A | AIRCRAFT MOCK UP INSPECTION TECHNIQUES | C ISDF 06 | 15-OCT-80 | | | | |
| | AIR-STD-10/66 | EMERGENCY ESCAPE/EVACUATION ILLUMINATION [VALIDATION DATE: 8411] | C ISDF 06 | 03-APR-79 | | | | |
| | AIR-STD-10/67 | INTEGRATED AIRSPEED & MACH NUMBER INDICATORS | C ISDF 06 | 15-OCT-80 | | | | |
| | AIR-STD-10/68A | ARMOUR PROTECTION FOR AIRCREWS | C ISDF 06 | 22-NOV-85 | | | | |
| | AIR-STD-10/69A | CIRCULAR DIAL RATE OF FUEL FLOW INDICATORS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDF 06 | 03-JUN-83 | | | | |
| | AIR-STD-10/70A | AIRBORNE RADIO CONTROL UNITS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM MAT 09B21, WASH, D.C. 20360) | C ISDF 06 | 03-JUN-84 | | | | |
| | AIR-STD-10/72 | ELECTRONIC COLOUR DISPLAY SYSTEMS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON DC 20330-5058 | C ISDF 06 | 15-NOV-90 | | | | |
| | AIR-STD-11/1H | AIRCRAFT SERVICING/HAZARD MARKINGS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDF 06 | 30-JUL-82 | | | | |
| | AIR-STD-11/3F | AIRCRAFT FUELLING (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDF 06 | 30-JUL-82 | | | | |
| | AIR-STD-11/7C(3) | JACKING OF AIRCRAFT (CHG 7 10 SEP 86) (RELEASE TO OTHER THAN DOD HQ USAF/XOXX(ISO) WASH, DC 20330-5058 [VALIDATION DATE: 8302] | C ISDF 06 | 22-MAR-76 | | | | |
| | AIR-STD-11/8B | LUNETTE EYE OR TOWING RING [VALIDATION DATE: 8302] | C ISDF 06 | 30-JUL-82 | | | | |
| | AIR-STD-11/9F | CROSS-SERVICING ADAPTORS WITH AMD 2 CHG 1 10SEP 86 REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC | C ISDF 06 | 19-FEB-81 | | | | |
| | AIR-STD-11/12H | PRESSURE REPLENISHMENT OF ENGINE OIL [VALIDATION DATE: 8312] | C ISDF 06 | 15-DEC-77 | | | | |
| | AIR-STD-11/13G(1) | AIRCRAFT CROSS SERVICING CHG 3 10 SEP 86) REQUESTS OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASHDC 20330-5058 [VALIDATION DATE: 8302] | C ISDF 06 | 22-MAR-76 | | | | |
| | AIR-STD-11/16A | CROSS SERVICING INFORMATION TO BE CARRIED IN AIRCRAFT (CH 3 10 SEPT 86) REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH, DC 20330-5058 [VALIDATION DATE: 8302] | C ISDF 06 | 18-FEB-74 | | | | |
| | AIR-STD-11/17D(3) | GROUND AIR CONDITIONING OF AIRCRAFT & AIRCREW EQUIPMENT (CHG 4 10 SEP 86) (RELEASE TO OTHER THAN DOD HQ USAF/XOXX (ISO) WASH, DC 20330-5058) [VALIDATION DATE: 8302] | C ISDF 06 | 18-FEB-74 | | | | |
| | AIR-STD-11/18B | AVAILABILITY OF CROSS-SERVICING SUPPORT ON SELECTED AIRFIELDS (WITH AMENDMENT 1) (CHANGE 2 - 20 JAN 78) [VALIDATION DATE: 8302] | C ISDF 06 | 24-JAN-72 | | | | |
| | AIR-STD-11/20 | AIRCRAFT CROSS-SERVICING GUIDES [VALIDATION DATE: 8302] | C ISDF 06 | 18-FEB-74 | | | | |
| | AIR-STD-12/1E | ELECTRICAL POWER SUPPLIES AT HARDSTANDINGS | C ISDF 06 | 06-MAR-84 | | | | |
| | AIR-STD-12/2C | AIRCRAFT LAMPS | C ISDF 06 | 06-MAR-84 | | | | |
| | AIR-STD-12/4F | INTERCHANGEABILITY OF TINNED COPPER TERMINALS (LUGS) | C ISDF 06 | 06-MAR-84 | | | | |
| | AIR-STD-12/5E | ELECTRIC CABLES [VALIDATION DATE: 8411] | C ISDF 06 | 15-MAR-79 | | | | |
| | AIR-STD-12/6C | CONNECTORS FOR 28 VOLT DC SERVICING POWER (CHANGE 1 | C ISDF 06 | 05-NOV-81 | | | | |
| | AIR-STD-12/7E | CONNECTORS FOR 115/200 VOLT 400 HZ 3-PHASE AC SERVICING POWER (CHANGE 2) | C ISDF 06 | 24-MAR-83 | | | | |
| | AIR-STD-12/10C | AIRCRAFT ELECTRICAL SYSTEMS CHARACTERISTICS | C ISDF 06 | 06-MAR-84 | | | | |
| | AIR-STD-12/11B | ELECTRICAL POWER SUPPLIES AT HARDSTANDINGS (CH-1 5 FEB 1980) [VALIDATION DATE: 8302] | C ISDF 06 | 25-MAY-67 | | | | |
| | AIR-STD-12/12C | GROUND ELECTRICAL POWER SUPPLIES FOR AIRCRAFT | C ISDF 06 | 06-MAR-84 | | | | |
| | AIR-STD-12/13D | INTERCHANGEABILITY OF CABLE SPLICES (IN LINE CONNECTORS) TINNED COPPER | C ISDF 06 | 06-MAR-84 | | | | |
| | AIR-STD-12/15B(1) | AIRCRAFT STORAGE BATTERIES (CHG 2 10 SEPT 86) REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH, DC 20330-5058 [VALIDATION DATE: 8302] | C ISDF 06 | 16-JUL-74 | | | | |
| | AIR-STD-12/18 | AIRCRAFT STORAGE ELECTRIC PLUG (CH 1 10 SEPT 86) REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH, DC 20330-5058 [VALIDATION DATE: 8302] | C ISDF 06 | 22-AUG-68 | | | | |
| | AIR-STD-12/20B | GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES | C ISDF 06 | 06-MAR-84 | | | | |
| | AIR-STD-12/23B | ELECTRICAL SAFETY INTERCONNECTIONS BETWEEN AIRCRAFT, SUPPORT EQUIPMENT & EARTH | C ISDF 06 | 06-MAR-84 | | | | |
| | AIR-STD-12/25A | EARTHING/GROUNDING PLUG & SOCKET | C ISDF 06 | 06-MAR-84 | | | | |
| | AIR-STD-14/3E | CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID OXYGEN | C ISDF 06 | 12-JUL-84 | | | | |
| | AIR-STD-14/6G | OIL TOLERANT COMPRESSED NITROGEN CHARACTERISTICS SUPPLY PRESSURE AND HOSES | C ISDF 06 | 12-JUL-84 | | | | |
| | AIR-STD-14/7G | COMPRESSED AIR FOR TECHNICAL PURPOSES, CHARACTERISTICS, SUPPLY PRESSURE & HOSES | C ISDF 06 | 12-JUL-84 | | | | |
| | AIR-STD-14/10C | LIQUID NITROGEN CHARACTERISTICS | C ISDF 06 | 12-JUL-84 | | | | |
| | AIR-STD-14/11E | CYLINDER STORED COMPRESSED BREATHING AIR CHARACTERISITICS | C ISDF 06 | 12-JUL-84 | | | | |
| | AIR-STD-14/12C | CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID NITROGEN | C ISDF 06 | 12-JUL-84 | | | | |
| | AIR-STD-14/13D | AIRCRAFT GASEOUS OXYGEN REPLENISHMENT CONNECTION [VALIDATION DATE: 8302] | C ISDF 06 | 30-MAY-77 | | | | |
| | AIR-STD-14/14B(4) | AIRCRAFT GASEOUS NITROGEN REPLENISHMENT CONNECTIONS (WITH AMENDMENT 2) [VALIDATION DATE: 8302] | C ISDF 06 | 29-AUG-74 | | | | |
| | AIR-STD-14/15C | AIRCRAFT COMPRESSED AIR REPLENISHMENT CONNECTIONS [VALIDATION DATE: 8302] | C ISDF 06 | 30-MAY-77 | | | | |
| | AIR-STD-14/17A | OIL FREE COMPRESSED NITROGEN CHARACTERISTIC, SUPPLY PRESSURE AND HOSES | C ISDF 06 | 12-JUL-84 | | | | |
| | AIR-STD-15 | GLOSSARY OF ABBREVIATIONS USED IN NATO DOCUMENTS | C ISDF 06 | 01-JAN-86 | | | | |
| | AIR-STD-15/1Y | INTERCHANGEABILITY CHART OF STANDARDIZED AVIATION FUELS, LUBRICANTS & ALLIED PRODUCTS | C ISDF 06 | 10-JUL-85 | | | | |
| | AIR-STD-15/3G | PETROLEUM PRODUCTS, MINIMUM QUALITY SURVEILLANCE FOR (REL TO OTHER THAN DOD ACT REQ PRI APR OF HQ USAF / XOXX ( ISO ), WASH D C 20330-5058( | C ISDF 06 | 12-JUN-90 | | | | |
| N | AIR-STD-15/4J | ALLOWABLE DETERIORATION LIMITS FOR FUELS, LUBRICANTS AND ALLIED PRODUCTS | C ISDF 06 | 28-APR-92 | | | | |
| | AIR-STD-15/5 | GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR AVIATION GASOLINE, NATO F-18 (CHG 1 - 4 OCT 1985) | C ISDF 06 | 12-MAR-84 | | | | |
| | AIR-STD-15/6D | GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR AVIATION FUELS: NATO F-34, F-35, F-40, AND F-44 | C ISDF 06 | 04-SEP-91 | | | | |
| N | AIR-STD-15/7F | GUIDE SPECIFICATION FOR PETROLEUM BASE AVIATION HYDRAULIC FLUIDS (H-515 AND H-520) | C ISDF 06 | 28-APR-92 | | | | |
| | AIR-STD-15/8 | REPLENISHMENT OF ENGINE THRUST AUGMENTATION SYSTEMS | C ISDF 06 | 29-OCT-84 | | | | |
| | AIR-STD-15/9C | INTERCHANGEABILITY CHART OF STANDARDIZED AVIATION FUELS, LUBRICANTS AND ALLIED PRODUCTS | C ISDF 06 | 04-SEP-91 | | | | |
| N | AIR-STD-15/10 | COMPRESSED NITROGEN CHARACTERISTICS FOR OIL TOLERANT USE (INCLUDING SUPPLY PRESSURE AND HOSES) | C ISDF 06 | 28-APR-92 | | | | |
| N | AIR-STD-15/11 | OIL FREE COMPRESSED NITHOGEN CHARACTERISTICS, (INCLUDING SUPPLY PRESSURE AND HOSES) | C ISDF 06 | 28-APR-92 | | | | |
| N | AIR-STD-15/12 | LIQUID NITROGEN CHARACTERISTICS | C ISDF 06 | 28-APR-92 | | | | |
| N | AIR-STD-15/13 | COMPRESSED AIR CHARACTERISTICS (INCLUDING SUPPLY PRESSURE AND HOSES) | C ISDF 06 | 28-APR-92 | | | | |
| N | AIR-STD-15/14 | BREATHING OXYGEN CHARACTERISTICS (INCLUDING SUPPLY PRESSURE AND HOSES) | C ISDF 06 | 28-APR-92 | | | | |
| | AIR-STD-17/1C | AIRCRAFT JACKING PADS (CH 1 10 SEPT 86) REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH, DC 20330-5058 [VALIDATION DATE: 8411] | C ISDF 06 | 23-MAY-79 | | | | |
| | AIR-STD-17/6E | TIRE VALVE COUPLINGS [VALIDATION DATE: 8411] | C ISDF 06 | 29-MAY-79 | | | | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC/Area | MCA Symbol Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | AIR-STD-17/11D | DIAMETERS FOR AIRCRAFT GRAVITY FILLING ORIFICES [VALIDATION DATE: 8411] ... | C | ISDF | 06 | 23-MAY-79 | | | | |
| | AIR-STD-17/23C | PICKETING OR TIEDOWN FITTINGS FOR SHIPBORNE AIRCRAFT (INCLUDING HELICOPTERS) (CH 1 10 SEPT 86) REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH, DC 20330-5058 | C | ISDF | 06 | 23-MAY-81 | | | | |
| | AIR-STD-17/31C | PRESSURE REPLENISHMENT CONNECTIONS FOR METHANOL WATER AND DEMINERALIZED WATER [VALIDATION DATE: 8312] | C | ISDF | 06 | 30-NOV-77 | | | | |
| | AIR-STD-17/33B | AIR SUPPLY & TEST CONNECTIONS (CHANGE 1 - 23 MAY 79) [VALIDATION DATE: 8302] | C | ISDF | 06 | 27-JUN-75 | | | | |
| | AIR-STD-17/34C | REPLENISHMENT CONNECTION FOR POTABLE (DRINKING) WATER [VALIDATION DATE: 8312] | C | ISDF | 06 | 30-NOV-77 | | | | |
| | AIR-STD-17/48(1) | FLOOR RAILS AND MATING EQUIPMENT ATTACHMENT PINS [VALIDATION DATE: 8302] .. | C | ISDF | 06 | 19-MAY-76 | | | | |
| | AIR-STD-17/62 | PRESSURE FUELLING REPLENISHMENT CONNECTION [VALIDATION DATE: 8302] ..... | C | ISDF | 06 | 25-MAY-76 | | | | |
| | AIR-STD-19/1 | JOINT ELECTRONICS TYPE DESIGNATOR SYSTEMS ..... | C | ISDF | 06 | 29-OCT-80 | | | | |
| | AIR-STD-19/2 | STANDARD AIRBORNE ELECTRONIC DATA TRANSMISSION SYSTEM ..... | C | ISDF | 06 | 29-OCT-80 | | | | |
| | AIR-STD-19/3 | INTEROPERABILITY OF AIRCRAFT VHF AM AND/OR FM MULTI-FREQUENCY TRANSCEIVER INSTALLATIONS AND COMPATIBLE GROUND RADIO EQUIPMENTS. REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH, DC 20330-5058 | D | ISDF | 06 | 23-FEB-87 | | | | |
| | AIR-STD-19/4B | INTEROPERABILITY OF AIRCRAFT UHF MULTI-FREQUENCY TRANSCEIVER INSTALLATION & COMPATIBLE GROUND TRANSMITTERS & RECEIVERS (REQ OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, 20330-5058) | C | ISDF | 06 | 23-FEB-87 | | | | |
| | AIR-STD-19/6 | AVIONICS LIFE CYCLE COST MODELS AND TECHNIQUES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, 20330-5058) | C | ISDF | 06 | 12-JUL-90 | | | | |
| | AIR-STD-20/9E | DESIGN SAFETY PRINCIPLES FOR AIRCRAFT STORES FUZING ..... | C | ISDF | 06 | 22-JAN-85 | | | | |
| | AIR-STD-20/10K | EJECTOR RELEASE UNITS FOR AIRCRAFT STORES (REQUESTS FOR ISSUE OTHER THANDOD SHALL REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 | 10-OCT-90 | | | | |
| | AIR-STD-20/11A | METHODOLOGY FOR COCKPIT THERMAL ASSESSMENTS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX, (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 | 20-SEP-90 | | | | |
| A | AIR-STD-20/12G | CARTRIDGES FOR STORE EJECTION RELEASE UNITS ..... | C | ISDF | 06 | 18-JUL-91 | | | | |
| | AIR-STD-20/13F | SUSPENSION LUG WELLS, REINFORCED AREAS AND DESIGN LOAD CRITERIA FOR DROPPABLE AIRCRAFT STORES(REQ OTHER THAN DOD SHALL REFER TO HQ USAF/XOXX (ISO), WASHINGTON DC 20330-5058 | C | ISDF | 06 | 10-OCT-90 | | | | |
| A | AIR-STD-20/14G | LOCATION OF ELECTRICAL CONNECTORS FOR AIRCRAFT STORES ..... | C | ISDF | 06 | 18-JUL-91 | | | | |
| | AIR-STD-20/15E | SUSPENSION LUGS FOR 1,000 LB CLASS AND 2,000 TO 5,500 LB CLASS STORES ..... | C | ISDF | 06 | 22-JAN-85 | | | | |
| | AIR-STD-20/16B | ELECTROMAGNETIC COMPATIBILITY OF AIRCRAFT ELECTRO-EXPLOSIVE SUB-SYSTEMS ... | C | ISDF | 06 | 22-JAN-85 | | | | |
| A | AIR-STD-20/17G | MECHANICAL CONNECTORS BETWEEN STORES AND SUSPENSION EQUIPMENT FOR ARMING AND ASSOCIATED FUNCTIONS OF STORES | C | ISDF | 06 | 18-JUL-91 | | | | |
| A | AIR-STD-20/18C | LABORATORY TESTS FOR STORES SUSPENSION EQUIPMENT ..... | C | ISDF | 06 | 18-JUL-91 | | | | |
| | AIR-STD-20/19 | NON EJECT RELEASE UNITS FOR AIRCRAFT STORES - CHG 1 DTD 10/18/81 ..... | C | ISDF | 06 | 18-OCT-81 | | | | |
| A | AIR-STD-20/20B | STANDARDIZED DATA LIST FOR INTEROPERABILITY STUDIES AND CERTIFICATION OF AIRCRAFT STORES | C | ISDF | 06 | 18-JUL-91 | | | | |
| | AIR-STD-20/21 | GROUND FIT & COMPATIBILITY CRITERIA FOR AIRCRAFT STORES ..... | C | ISDF | 06 | 22-JAN-85 | | | | |
| A | AIR-STD-20/22C | AIRCRAFT STORE ELECTRICAL INTERCONNECTION SYSTEM ..... | C | ISDF | 06 | 18-JUL-91 | | | | |
| | AIR-STD-20/23 | DESIGN SAFETY PRINCIPLES & GENERAL DESIGN CRITERIA FOR AIRBORNE DISPENSER WEAPONS, BOTH CAPTIVE & FREE FALL | C | ISDF | 06 | 22-JAN-85 | | | | |
| A | AIR-STD-20/25A | INTEROPERABILITY OF AIRCRAFT STORES ..... | C | ISDF | 06 | 18-JUL-91 | | | | |
| A | AIR-STD-20/26A | AIRCRAFT STORES INTERFACE MANUAL ..... | C | ISDF | 06 | 18-JUL-91 | | | | |
| | AIR-STD-25/1B | PRESSURE REPLENISHMENT CONNECTIONS FOR ENGINE LUBRICATING OIL ..... | C | ISDF | 06 | 24-AUG-91 | | | | |
| | AIR-STD-25/2B | LOW PRESSURE AIR AND ASSOCIATED ELECTRICAL CONNECTIONS FOR AERO ENGINE STARTING | C | ISDF | 06 | 24-AUG-91 | | | | |
| | AIR-STD-25/3A(1) | AIRCRAFT SERVICING/HAZARD MARKINGS ..... | C | ISDF | 06 | 24-MAY-91 | | | | |
| | AIR-STD-25/4 | AIRCRAFT FUELLING (RELEASE TO OTHER THAN DOD HQ USAF/XOXX(ISO) WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/5B | LUNETTE EYE OR TOWING RING ..... | C | ISDF | 06 | 24-AUG-91 | | | | |
| | AIR-STD-25/6 | AIRCRAFT HYDRAULIC SYSTEM SERVICING (RELEASE TO OTHER THAN DOD HQ USAF/XOXX(ISO) WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/9 | AIRCRAFT TOWING ATTACHMENTS (RELEASE TO OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO) WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/10 | AIRCRAFT EMERGENCY TOWING ATTACHMENTS (RELEASE TO OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO) WASH, DC 20330-5058 | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/11A | DIAMETERS FOR AIRCRAFT GRAVITY FILLING ORIFICES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 20-JAN-90 | | | | |
| | AIR-STD-25/12A | PICKETING OR TIEDOWN FITTINGS FOR SHIPBORNE AIRCRAFT (INCLUDING HELICOPTERS) | C | ISDF | 06 | 24-AUG-91 | | | | |
| | AIR-STD-25/13A | IN FLIGHT (AERIAL) REFUELLING EQUIPMENT, DIMENSIONS AND FUNCTIONAL CHARACTERISTICS | C | ISDF | 06 | 24-AUG-91 | | | | |
| | AIR-STD-25/14 | PRESSURE REPLENISHMENT CONNECTIONS FOR METHANOL WATER & DEMINERALIZED WATER (RELEASE TO OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO) WASH, DC 20330-5058 | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/15C | AIR SUPPLY AND TEST CONNECTIONS ..... | C | ISDF | 06 | 24-AUG-91 | | | | |
| | AIR-STD-25/16A | REPLENISHMENT CONNECTION FOR POTABLE (DRINKING WATER) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 20-JAN-90 | | | | |
| | AIR-STD-25/17B | PRESSURE FUELLING REPLENISHMENT CONNECTION ..... | C | ISDF | 06 | 24-AUG-91 | | | | |
| | AIR-STD-25/18A | CONNECTORS FOR 28 VOLTDC SERVICING POWER (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 20-JAN-90 | | | | |
| | AIR-STD-25/19A | CONNECTORS FOR 115/200 VOLT 400HZ 3-PHASE AC SERVICING POWER ..... | C | ISDF | 06 | 02-MAR-92 | | | | |
| | AIR-STD-25/20 | AIRCRAFT ELECTRICAL SYSTEMS CHARACTERISTICS, (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/21B | GROUND ELECTRICAL POWER SUPPLIES FOR AIRCRAFT ..... | C | ISDF | 06 | 02-MAR-92 | | | | |
| | AIR-STD-25/24A | GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES, (REL KTO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 20-JAN-90 | | | | |
| | AIR-STD-25/25 | ELECTRICAL SAFETY INTERCONNECTIONS BETWEEN AIRCRAFT, SUPPORT EQUIPMENT AND EARTH, (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USSAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/26 | EARTHING/GROUNDING PLUG AND SOCKET, (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/27A | CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID OXYGEN (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 20-JAN-90 | | | | |
| | AIR-STD-25/28 | COMPRESSED NITROGEN CHARACTERISTICS, SUPPLY, PRESSURE & HOSES FOR OIL TOLERANT USE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/29A | COMPRESSED AIR, CHARACTERISTICS, SUPPLY, PRESSURE & HOSES FOR TECHNICAL PURPOSEES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 20-JAN-90 | | | | |
| | AIR-STD-25/30 | BREATHING OXYGEN CHARACTERISTICS, SUPPLY PRESSURE AND HOSES (REQUEST OTHER THAN DOD MUST BE SUBMITTED VIA THE PREPARING ACTIVITY) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/31A | LIQUID NITROGEN CHARACTERISTICS, (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 20-JAN-90 | | | | |
| | AIR-STD-25/32 | CYLINDER STORED COMPRESSED AIR FOR BREATHING PURPOSES (REQ TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | AIR-STD-25/33A | CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID NITROGEN, (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 20-JAN-90 | | | | |
| | AIR-STD-25/34 | AIRCRAFT GASEOUS OXYGEN REPLENISHMENT CONNECTIONS, (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |

| Action | OPR / ORIG Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | AIR-STD-25/35 | AIRCRAFT GASEOUS NITROGEN REPLENISHMENT CONNECTIONS, (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | | AIR-STD-25/36 | AIRCRAFT COMPRESSED AIR REPLENISHMENT CONNECTIONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | | AIR-STD-25/37 | OIL FREE COMPRESSED NITROGEN CHARACTERISTICS, SUPPLY PRESSURE & HOSES (REL TO OTHER ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | | AIR-STD-25/38 | AIRCRAFT ELECTRICAL SUPPORT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | | AIR-STD-25/39 | METHODS & AGENTS USED FOR CLEANING OXYGEN SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| | | AIR-STD-25/40 | TECHNIQUES OF SAMPLING & ANALYSIS OF GASES & LIQUIFIED GASES FOR AIRCRAFT SERVICING (REL TO OTHER THAN DOD REQ PRI APPR OF HQ USAF/XOXX-ISO 20330-5058) | C | ISDF | 06 | 10-SEP-86 | | | | |
| N | | AIR-STD-30/5 | INTERCHANGE OF DIGITAL TEXTUAL DATA | C | ISDF | 06 | 06-APR-93 | | | | |
| N | | AIR-STD-30/6 | INTERCHANGE OF DIGITAL RASTER GRAPHICS | C | ISDF | 06 | 06-APR-93 | | | | |
| N | | AIR-STD-30/7 | INTERCHANGE OF DIGITAL ILLUSTRATION DATA | C | ISDF | 06 | 06-APR-93 | | | | |
| | | AIR-STD-44/3C | LASHING FOR FIXED WING AIRCRAFT (CH-1 06 AUG1981) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) [VALIDATION DATE: 8601] | C | ISDF | 06 | 16-SEP-80 | | | | |
| | | AIR-STD-44/9E | HANDLING AND DOCUMENTATION OF DANGEROUS CARGO FOR AIR TRANSPORTATION | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/10E | AIR MOVEMENTS, DATA FOR PLANNING (REL TO OTHER THAN DOD ACT REQ PRIOR APPR OF CNM, MAT 09B21) | C | ISDF | 06 | 01-FEB-83 | | | | |
| | | AIR-STD-44/12D | RESTAINT FACTORS FOR FIXED WING AIRCRAFT (CHG 1 - 12 FEB 1986) | C | ISDF | 06 | 01-FEB-83 | | | | |
| | | AIR-STD-44/14D | RECOVERY AND RELEASE OF PARACHUTISTS TOWED BEHIND TRANSPORT AIRCRAFT | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/15G | PARACHUTE EXTRACTION SYSTEMS | C | ISDF | 06 | 12-DEC-85 | | | | |
| | | AIR-STD-44/16H | EXCHANGE OF INFORMATION - TRANSPORT AIRCRAFT LOADING DATA | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/17J | FIXED WING CARGO AIRCRAFT TIEDOWN FITTINGS | C | ISDF | 06 | 18-JUL-91 | | | | |
| A | | AIR-STD-44/18H | RESPONSIBILITIES OF AIR TRANSPORT UNITS AND AIR TRANSPORTED (USER) UNITS, FOR AIR MOVEMENT IN COMBINED OPERATIONS | C | ISDF | 06 | 29-SEP-92 | | | | |
| | | AIR-STD-44/21H | CRITERIA FOR THE DESIGN OF EQUIP REQUIRED TO BE AIR TRANSPORTED ORAIRDROPPED FROM FIXED WING & ROTARY WING TRANSPORT AIRCRAFT (REQ OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 | 30-APR-91 | | | | |
| A | | AIR-STD-44/22H(1) | EXCHANGE OF INFORMATION GROUND HANDLING CAPABILITIES FOR TRANSPORT AIRCRAFT | C | ISDF | 06 | 29-SEP-92 | | | | |
| | | AIR-STD-44/23A | DIVISION OF RESPONSIBILITY BETWEEN GROUND & AIR FORCES ON DROP/EXTRACTION ZONES IN TACTICAL OPERATIONS [VALIDATION DATE: 8411] | C | ISDF | 06 | 02-OCT-78 | | | | |
| | | AIR-STD-44/24C | GENERAL RULES COVERING THE TRANSPORT OF LOADS BY HELICOPTER | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/25F | TRANSPORT OF TROOPS BYHELICOPTER [VALIDATION DATE: 8601] | C | ISDF | 06 | 12-DEC-85 | | | | |
| | | AIR-STD-44/26D | ULTRA LOW LEVEL AIRDROP SYSTEM USING PARACHUTE EXTRACTION (CHG 3, 25 SEPT 84) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360 | C | ISDF | 06 | 01-FEB-83 | | | | |
| | | AIR-STD-44/27D | AIRDROP OF DOOR BUNDLE WITH STICKS OF PARACHUTISTS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 | 01-FEB-83 | | | | |
| | | AIR-STD-44/28A | COLOURS FOR THE IDENTIFICATION OF AIRDROPPED SUPPLIES [VALIDATION DATE: 8302] | C | ISDF | 06 | 22-MAY-73 | | | | |
| A | | AIR-STD-44/29C(1) | READY ACCESS IN FIXED WING TRANSPORT AIRCRAFT | C | ISDF | 06 | 29-SEP-92 | | | | |
| | | AIR-STD-44/31C | TACTICAL REFUELLING OF HELICOPTERS IN AIR TRANSPORT OPERATIONS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C | ISDF | 06 | 12-DEC-85 | | | | |
| | | AIR-STD-44/32C | TECHNICAL CRITERIA FOR THE TRANSPORT OF CARGO BY HELICOPTER (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) (CHG 1 - 12 FEB 1986) | C | ISDF | 06 | 01-FEB-83 | | | | |
| | | AIR-STD-44/33E | HELICOPTER TACTICAL OR NON-PERMANENT LANDING SITES | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/34C | TACTICAL FORMATION FLYING BY HELICOPTERS IN AIR TRANSPORT OPERATIONS | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/35G | DROP ZONES AND EXTRACTION ZONES: CRITERIA, MARKINGS AND INFORMATION CHECK LISTS (REQUESTS OTHER THAN DOD RLFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 | 30-APR-91 | | | | |
| | | AIR-STD-44/36D | AEROMEDICAL EVACUATION BY HELICOPTER | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/37B | CRITERIA FOR SELECTION & MARKING FOR FIXED WING AIRCRAFT (CHANGE 3 DTD 2-12-86) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF | 06 | 01-FEB-83 | | | | |
| | | AIR-STD-44/38B | WARTIME AIR MOVEMENT PRIORITIES SYSTEM (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21 WASH D.C. 20360) | C | ISDF | 06 | 25-SEP-84 | | | | |
| A | | AIR-STD-44/39B(1) | DESIGN CRITERIA FOR THE 10,000 LB (4,545 KG) AIR TRANSPORT PALLET | C | ISDF | 06 | 29-SEP-92 | | | | |
| A | | AIR-STD-44/40D(1) | PERFORMANCE CRITERIA FOR HONEYCOMB PAPER USED AS ENERGY DISSIPATING MATERIAL | C | ISDF | 06 | 29-SEP-92 | | | | |
| | | AIR-STD-44/41B | COMBINED AIR TERMINAL OPERATIONS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C | ISDF | 06 | 25-SEP-84 | | | | |
| | | AIR-STD-44/42A | MARSHALLING SIGNALS FOR FIXED WING & ROTARY WING AIRCRAFT (CHG 1 - 6 AUG 81) [VALIDATION DATE: 8601] | C | ISDF | 06 | 16-SEP-80 | | | | |
| | | AIR-STD-44/43B | ASCC FORM OF BAGGAGE TAG (CH-1 - 6 AUG 81) [VALIDATION DATE: 8601] | C | ISDF | 06 | 12-DEC-85 | | | | |
| | | AIR-STD-44/45D | PROCEDURES FOR TRACING AIR BAGGAGE AND MISSING AIR CARGO | C | ISDF | 06 | 18-JUL-91 | | | | |
| A | | AIR-STD-44/47C(1) | IDENTIFICATION AND CONTROL OF AIRCRAFT PALLETS AND ASSOCIATED RESTRAINT EQUIPMENT DURING COMBINED AIRLIFT OPERATIONS | C | ISDF | 06 | 29-SEP-92 | | | | |
| | | AIR-STD-44/48B | GROUND SECURITY PROCEDURES AGAINST HIJACKING OF AIR TRANSPORT AIRCRAFT | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/49A | MOVEMENT, HANDLING AND IN TRANSIT STORAGE OF CARGO REQUIRING TEMPERATURE CONTROLLED CONDITIONS | C | ISDF | 06 | 12-DEC-85 | | | | |
| | | AIR-STD-44/50C | EMPLANING AND DEPLANING AT THE HIGH HOVER | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/51 | FORMATS FOR REQUESTING & ANSWERING REQUESTS FOR AIR TRANSPORT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF (CNM) | C | ISDF | 06 | 01-FEB-83 | | | | |
| | | AIR-STD-44/52 | TRANSPORTATION OF TROOPS ON AIRCRAFT TRANSPORTING HAZARDOUS CARGO (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 | 01-FEB-83 | | | | |
| | | AIR-STD-44/53 | OPERATIONAL CARRIAGE BY HELICOPTER OF AMMUNITION & FUEL (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 | 01-FEB-83 | | | | |
| | | AIR-STD-44/54 | SUPPLY/EQUIPMENT AIRDROP SYSTEMS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | 06 | 24-MAY-83 | | | | |
| | | AIR-STD-44/55 | TROOP TYPE PERSONNEL PARACHUTES (CHG 1 - DTD 2-12-86 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C | ISDF | 06 | 24-MAY-83 | | | | |
| | | AIR-STD-44/56 | DIMENSIONAL FEATURES FOR STRETCHER (LITTER) SUPPORT & RETENTION BY THE HANDLES (CHG-1 - DTD 12 FEB 86 | C | ISDF | 06 | 29-OCT-84 | | | | |
| | | AIR-STD-44/57B | MULTI-MODAL DOCUMENTATION OF CARGO | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/58B | PLANNING PROCEDURES FOR TACTICAL AIR TRANSPORT OPERATIONS | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/59 | FLOOR RAILS & MATING EQUIPMENT ATTACHMENT PINS | C | ISDF | 06 | 12-DEC-85 | | | | |
| | | AIR-STD-44/60A | CROSS SERVICING OF HELICOPTERS ENGAGED IN LAND OPERATIONS (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058) | C | ISDF | 06 | 30-APR-91 | | | | |
| | | AIR-STD-44/62 | THE USE OF HORSE COLLAR (STROP) TYPE HELICOPTER HOISTING GEAR | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-44/64 | LOCATION AIDS FOR SURVIVORS OF AIRCRAFT ACCIDENTS | C | ISDF | 06 | 18-JUL-91 | | | | |
| | | AIR-STD-45/3A | TACTICAL AIR DOCTRINE | C | ISDF | 06 | 21-SEP-81 | | | | |
| | | AIR-STD-45/4B | TACTICAL AIR PROCEDURES COUNTER AIR OPERATIONS | C | ISDF | 06 | 16-DEC-86 | | | | |
| | | AIR-STD-45/5 | TACTICAL AIR PROCEDURES OFFENSIVE AIR SUPPORT OPERATIONS | C | ISDF | 06 | 21-SEP-81 | | | | |
| | | AIR-STD-45/6B | TACTICAL AIR PROCEDURES AIRSPACE CONTROL IN THE COMBAT ZONE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D. C 20360 | C | ISDF | 06 | 16-DEC-86 | | | | |
| | | AIR-STD-45/7A | TACTICAL AIR PROCEDURES AIR INTERDICTION OPERATIONS | C | ISDF | 06 | 16-DEC-86 | | | | |
| | | AIR-STD-45/8A | TACTICAL AIR PROCEDURES, TACTICAL AIR SUPPORT OF AMPHIBIOUS OPERATIONS | C | ISDF | 06 | 16-DEC-86 | | | | |
| A | | AIR-STD-50/1A | HIGH ORDER LANGUAGES | C | ISDF | 06 | 03-OCT-91 | | | | |

# NUMERICAL LISTING
# INTERNATIONAL STANDARDIZATION DOCUMENTS

| Action | Document Number | Document Title | Dist. Stmt | FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| A | AIR-STD-50/2A(1) | DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS | C | ISDF | 06 | 03-OCT-91 | | | |
| | AIR-STD-50/3A | SIXTEEN BIT COMPUTER INSTRUCTION SET ARCHITECTURE - CHG. 1 DTD 25 FEB 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/X/XX (ISO) WASH DC 20330-5058 | C | ISDF | 06 | 25-NOV-85 | | | |
| | AIR-STD-50/4 | SOFTWARE DOCUMENTATION STANDARDS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | 06 | 31-DEC-88 | | | |
| | AIR-STD-50/5 | STANDARDIZATION OF A REAL TIME HIGH ORDER COMPUTER PROGRAMMING LANGUAGE FOR AVIONICS SYSTEMS APPLICATION (REL TO OTHER THAN DOD REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH DC 20330 | C | ISDF | 06 | 31-DEC-88 | | | |
| | AIR-STD-50/6 | AVIONICS SYSTEM ARCHITECTURE GUIDELINES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | 06 | 31-DEC-88 | | | |
| | AIR-STD-50/7 | DISCRETE SIGNAL INTERFACES (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX (ISO), WASHINGTON DC 20330-5058 | C | ISDF | 06 | 21-JUN-91 | | | |
| | AIR-STD-50/8 | COMPUTER RESOURCES HANDBOOK FOR CRITICAL SYSTEMS REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058 | C | ISDF | 06 | 26-OCT-89 | | | |
| | AIR-STD-50/9 | MULTIPLEX APPLICATIONS HANDBOOK REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DE 20330-5058 | C | ISDF | 06 | 30-NOV-89 | | | |
| | AIR-STD-50/10 | ANALOGUE VIDEO STANDARD FOR AIRCRAFT SYSTEM APPLICATIONS (REQUESTS OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, DC 20330-5058 (CHANGE-1 WITH CORRECT PAGES 1 THRU 7) - 30 APRIL 1991) | C | ISDF | 06 | 15-APR-91 | | | |
| A | AIR-STD-50/11 | AIRBORNE VIDEO RECORDERS | C | ISDF | 06 | 21-FEB-92 | | | |
| | AIR-STD-50/23 | LM-230A PROGRAMMABLE AUTOMATIC CAMERA TEST SET (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5028) | C | ISDF | 06 | 31-DEC-88 | | | |
| | AIR-STD-51/1D | HELICOPTER HOISTING GEAR, THE USE OF HORSE COLLAR (STROP) TYPE | C | ISDF | 06 | 20-APR-82 | | | |
| | AIR-STD-51/2A | EMERGENCY MARKINGS [VALIDATION DATE: 8302] | C | ISDF | 06 | 08-JAN-68 | | | |
| | AIR-STD-51/4(2) | STANDARD SEARCH PLANNING DATA [VALIDATION DATE: 8302] | C | ISDF | 06 | 29-DEC-75 | | | |
| | AIR-STD-51/5C | BEACONS, PERSONAL LOCATOR, GENERAL CHARACTERISTICS OF | C | ISDF | 06 | 01-DEC-86 | | | |
| | AIR-STD-51/6B | CHARACTERISTICS OF EMERGENCY PERSONNEL PARACHUTES | C | ISDF | 06 | 01-DEC-86 | | | |
| | AIR-STD-51/7B | LOCATION AIDS FOR SURVIVORS OF AIRCRAFT ACCIDENTS | C | ISDF | 06 | 20-APR-82 | | | |
| | AIR-STD-51/8A | AIR DROP RESCUE EQUIPMENT (SEA) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058) | C | ISDF | 06 | 01-APR-90 | | | |
| | AIR-STD-51/9B | DATUM BUOYS MARKERS MARINE & FLARES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | C | ISDF | 06 | 01-APR-90 | | | |
| | AIR-STD-51/10A | GENERAL CHARACTERISTICS OF AIRCREW PERSONAL LOCATOR BEACONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | C | ISDF | 06 | 01-APR-90 | | | |
| | AIR-STD-51/12D | CHARACTERISTICS OF EMERGENCY PERSONNEL PARACHUTES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058) | C | ISDF | 06 | 30-APR-90 | | | |
| | AIR-STD-52/1E | FORMAT SIZES FOR AIR CAMERAS (FRAMING) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C | ISDF | 06 | 16-AUG-85 | | | |
| | AIR-STD-52/6F | DIMENSIONS, TOLERANCES & CHARACTERISTICS OF 16MM & 35MM ROLLED FILM FOR AERIAL CAMERAS (REL TO OTHER THAN DOD ACT REQ PAI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5028) | C | ISDF | 06 | 31-DEC-88 | | | |
| | AIR-STD-52/7F | METHOD OF DETERMINING THE PRINCIPAL SENSITOMETRIC CHARACTERISTICS OF BLACK AND WHITE ROLLED AIR FILM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | 06 | 20-JUL-90 | | | |
| | AIR-STD-52/13C | CALIBRATION CERTIFICATE FOR MAPPING CAMERAS [VALIDATION DATE: 8312] | C | ISDF | 06 | 04-NOV-83 | | | |
| | AIR-STD-52/14E(1) | DIMENSIONS, TOLERANCES AND CHARACTERISTICS OF 70MM, 126MM AND 240MM ROLLED FILM FOR AIR PHOTOGRAPHY (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC) | C | ISDF | 06 | 12-JUL-90 | | | |
| | AIR-STD-52/15C | CORES FOR 70 MM AIR FILM (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) [VALIDATION DATE: 8312] | C | ISDF | 06 | 04-NOV-83 | | | |
| | AIR-STD-52/17D | SPOOLS FOR 70 MM, 126 MM, AND 240 MM ROLLED AIR FILM (REL TO OTHER THAN DOD ACT REQ PR APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | 06 | 20-JUL-90 | | | |
| | AIR-STD-52/21A | TARGET PATTERN FOR DETERMINATION OF AERIAL PHOTOGRAPHIC RESOLUTION (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C | ISDF | 06 | 04-NOV-83 | | | |
| | AIR-STD-52/22C | RECONNAISSANCE INTEROPERABILITY HANDBOOK (REL TO OTHER THAN DOD ACT REQ PR APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | 06 | 31-AUG-90 | | | |
| | AIR-STD-53/1D | THE AIR ALMANAC [VALIDATION DATE: 8312] | C | ISDF | 06 | 14-OCT-77 | | | |
| | AIR-STD-53/2D | SIGHT REDUCTION TABLES (CH-1 - 15 MAR 79) | C | ISDF | 06 | 25-NOV-85 | | | |
| | AIR-STD-53/3D | THE PROPER NAMES OF 68 STARS | C | ISDF | 06 | 12-APR-91 | | | |
| | AIR-STD-53/5B | MINIMUM OPERATIONAL REQUIREMENT (MC) FOR LIGHTWEIGHT DOPPLER SYSTEMS FOR FIXED WING AIRCRAFT [VALIDATION DATE: 8302] | C | ISDF | 06 | 30-JUN-66 | | | |
| | AIR-STD-53/6D | TRUE AIRSPEED OUTPUTS | C | ISDF | 06 | 12-APR-91 | | | |
| | AIR-STD-53/7A | DATA TRANSMISSION FOR RADAR DOPPLER SYSTEMS [VALIDATION DATE: 8302] | C | ISDF | 06 | 15-AUG-68 | | | |
| | AIR-STD-53/9C | LIGHTWEIGHT DOPPLER NAVIGATION EQUIPMENT FOR HELICOPTERS [VALIDATION DATE: 8302] | C | ISDF | 06 | 30-JUN-66 | | | |
| | AIR-STD-53/10C | STANDARD ANALOGUE HEADING OUTPUTS | C | ISDF | 06 | 12-APR-91 | | | |
| | AIR-STD-53/11D | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF INERTIAL NAVIGATION SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058) | C | ISDF | 06 | 30-APR-90 | | | |
| | AIR-STD-53/12A | THE SPECIFICATION AND EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER GROUND VELOCITY SENSORS (CHG 1 DTD 10 JUN86) REQUEST OTHER THANDOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058 [VALIDATION DATE: 8601] | C | ISDF | 06 | 15-MAY-80 | | | |
| | AIR-STD-53/13A | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER NAVIGATION SYSTEMS [VALIDATION DATE: 8411] | C | ISDF | 06 | 15-MAR-79 | | | |
| | AIR-STD-53/14 | DEFINITION OF SEA STATE FOR USE IN CONNECTION WITH DOPPLER NAVIGATION [VALIDATION DATE: 8302] | C | ISDF | 06 | 15-DEC-74 | | | |
| | AIR-STD-53/16 | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF HYBIRD NAVIGATION SYSTEMS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH.D.C. 20360 | C | ISDF | 06 | 24-OCT-84 | | | |
| | AIR-STD-53/18D | MICROWAVE LANDING SYSTEMS (MLS) ( RELTO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058) | C | ISDF | 06 | 30-APR-90 | | | |
| | AIR-STD-61/1B | EJECTION ACCELERATION LIMITS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C | ISDF | 06 | 18-AUG-82 | | | |
| | AIR-STD-61/2A | RESTRAINT AND PARACHUTE HARNESSES FOR AIRCREW | C | ISDF | 06 | 11-SEP-84 | | | |
| | AIR-STD-61/3A | ESCAPE SYSTEM TEST METHODS [VALIDATION DATE: 8302] | C | ISDF | 06 | 30-SEP-76 | | | |
| | AIR-STD-61/4 | FLOTATION AND SEA SURVIVAL, TEST METHODS AND REQUIREMENTS [VALIDATION DATE: 8302] | C | ISDF | 06 | 05-SEP-75 | | | |
| A | AIR-STD-61/5A | ESCAPE PATH CLEARANCE IN EJECTION SEAT AIRCRAFT | C | ISDF | 06 | 03-SEP-91 | | | |
| | AIR-STD-61/6 | COLLECTION OF DATA FOR EVALUATION OF HELMETS DAMAGED IN SERVICE [VALIDATION DATE: 8302] | C | ISDF | 06 | 30-SEP-76 | | | |
| | AIR-STD-61/7B | MINIMAL PROTECTION FOR AIRCREW EXPOSED TO ALTITUDES ABOVE 50,000 FEET (CH-2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM 09B21 | C | ISDF | 06 | 14-SEP-81 | | | |
| | AIR-STD-61/8A | CRITERIA FOR REPORTING THE NATURE OF CLOTHING MATERIALS ON ASSEMBLIES SUBJECTED TO PHYSICAL & OPERATIONAL TESTING (REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH, DC 20330-5058 | C | ISDF | 06 | 06-JUL-86 | | | |
| | AIR-STD-61/9B | PROTECTION OF PERSONNEL AGAINST THE EFFECTS OF HIGH LEVELS OF SOUND UPON HEARING & OPERATIONAL EFFICIENCY (REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | 06 | 30-JUL-86 | | | |
| | AIR-STD-61/10B | DEVELOPMENTAL TEST & EVALUATION OF AIRCRAFT OXYGEN DELIVERY SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C | ISDF | 06 | 18-AUG-82 | | | |
| | AIR-STD-61/11 | METHODOLOGY FOR COCKPIT THERMAL ASSESSMENTS (CH-1 20 SEP 79) [VALIDATION DATE: 8601] | C | ISDF | 06 | 01-NOV-78 | | | |

| Action | Qtr. / Cont. Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | NICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | AIR-STD-61/12 | METHODOLOGY FOR EVALUATION OF ANTI EXPOSURE CLOTHING IN COLD WATER USING HUMAN SUBJECTS - CHANGE 1 - 20 SEP 79 [VALIDATION DATE: 8601] | C | ISDF | | 06 | 01-NOV-78 | | | | |
| | | AIR-STD-61/13A | MEASUREMENT OF SOUND ATTENUATION OF HEARING PROTECTIVE EQUIPMENT ..... | C | ISDF | | 06 | 03-SEP-91 | | | | |
| | | AIR-STD-61/14 | THE MEASUREMENT OF PROTECTION PROVIDED TO THE RESPIRATORY TRACT AND EYES AGAINST NBC AGENTS IN PARTICULATE, AEROSOL AND VAPOR FORM [VALIDATION DATE: 8411] | C | ISDF | | 06 | 01-NOV-78 | | | | |
| | | AIR-STD-61/15A | ANTHROPOMETRIC CRITERIA FOR LITTERS STANDARDS (REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | | 06 | 30-JUL-86 | | | | |
| | | AIR-STD-61/16 | AVIATION MEDICINE/PHYSIOLOGICAL TRAINING OF AIRCREW [VALIDATION DATE: 8601] | C | ISDF | | 06 | 20-SEP-79 | | | | |
| | | AIR-STD-61/17A | VIBRATION EXPOSURE LIMITS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C | ISDF | | 06 | 18-AUG-82 | | | | |
| | | AIR-STD-61/18 | COMPARATIVE ANTHROPOMETRY OF ASCC PERSONNEL FOR PERSONAL PROTECTIVE CLOTHING & DESIGN, FLIGHT GARMENTS (ADVISORY PUBLICATION) | C | ISDF | | 06 | 21-SEP-81 | | | | |
| | | AIR-STD-61/19 | GUIDANCE FOR THE CONTROL OF HEAT STRESS IN OPERATIONS OF HIGH PERFORMANCE MILITARY AIRCRAFT (ADVISORY PUBLICATION) | C | ISDF | | 06 | 21-SEP-81 | | | | |
| A | | AIR-STD-61/20A | METHOD OF PARTIAL PRESSURE SUIT EVALUATION FOR HIGH ALTITUDE PROTECTION ... | C | ISDF | | 06 | 03-SEP-91 | | | | |
| | | AIR-STD-61/21 | PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW OXYGEN MASKS FOR USE AT HIGH BREATHING PRESSURES (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON DC 20330-5058 | C | ISDF | | 06 | 20-SEP-90 | | | | |
| | | AIR-STD-61/22 | THE MINIMUM PHYSIOLOGICAL DESIGN REQUIREMENTS FOR AIRCREW BREATHING SYSTEMS (CHG 1) REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | | 06 | 18-AUG-82 | | | | |
| | | AIR-STD-61/23B | MINIMUM PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW NBC PROTECTIVE HEADGEAR .... | C | ISDF | | 06 | 03-SEP-91 | | | | |
| | | AIR-STD-61/24 | FILTER BLOWER PERFORMANCE FOR AIRCREW NBC HEADGEAR - CHG. 2 DTD 30 JULY 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | | 06 | 18-AUG-82 | | | | |
| | | AIR-STD-61/25 | HUMAN TOLERANCE TO REPEATED SHOCK (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH, DC 20330-5058 (CHG 1 DTD 30 JUL 86) | C | ISDF | | 06 | 23-MAR-83 | | | | |
| | | AIR-STD-61/26A | STANDARDIZED CENTRIFUGE G-STRESS PROFILES FOR MEDICAL EVALUATION OF AIRCRAFT MEMBERS (W/CHG 1) (REL TO OTHER THAN DOD ACTY REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF | | 06 | 25-NOV-85 | | | | |
| | | AIR-STD-61/27 | HIGH SPEED PASSIVE AND ACTIVE RESTRAINT (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAI 09B21, WASH D.C. 20360) | C | ISDF | | 06 | 24-MAY-83 | | | | |
| | | AIR-STD-61/28 | EJECTION SEAT INITIATING DEVICES (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | | 06 | 24-MAY-83 | | | | |
| | | AIR-STD-61/29 | TERMS & SYMBOLS FOR THERMAL PHYSIOLOGY (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF | | 06 | 24-MAY-83 | | | | |
| | | AIR-STD-61/30 | METHODOLOGY FOR MEASUREMENT OF CORE TEMPERATURE USING RADIO PILLS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF | | 06 | 24-MAY-83 | | | | |
| | | AIR-STD-61/31 | AIRCREW ENTRY HEARINGS STANDARDS (W/CHG 1) (REL TO OTHER THAN DOD ACTY REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF | | 06 | 25-NOV-85 | | | | |
| | | AIR-STD-61/32A | INTERCHANGEABILITY OF AIRCREW MEDICAL CATEGORIES ..... | C | ISDF | | 06 | 03-SEP-91 | | | | |
| | | AIR-STD-61/33 | EVALUATION PROCEDURES FOR FLIGHT HELMETS (RELEASE TO OTHER THAN DOD ACT REQ PR APPR OF CNM MAT 09B21 WASH DC | C | ISDF | | 06 | 24-MAY-83 | | | | |
| | | AIR-STD-61/34 | AEROMEDICAL ASPECTS OF AIRCRAFT ACCIDENT/INCIDENT INVESTIGATIONS ..... | C | ISDF | | 06 | 11-SEP-84 | | | | |
| | | AIR-STD-61/36 | AIRCREW ANTHROPOMETRIC SCALE MODELS FOR ENGINEERING DESIGN ..... | C | ISDF | | 06 | 11-SEP-84 | | | | |
| | | AIR-STD-61/37 | ANTHROPOMETRIC LIMITATIONS FOR THE SELECTION OF AIRCREW AND FOR AIRCRAFT CREW STATIONS IN THE ASCC NATIONS | C | ISDF | | 06 | 11-SEP-84 | | | | |
| | | AIR-STD-61/38 | THE SMOOTHING OF PERCENTILES, AN EMPIRICAL EVALUATION OF SEVERAL METHODS .. | C | ISDF | | 06 | 11-SEP-84 | | | | |
| | | AIR-STD-61/39 | MAXIMUM PERMISSBLE TEMPERATURES OF MATERIALS FOR SAFE CONTACT WITH BARE SKIN | C | ISDF | | 06 | 11-SEP-84 | | | | |
| | | AIR-STD-61/40 | A TECHNICAL BASIS FOR SPECIFYING THE INSULATION OF IMMERSION PROTECTIVE CLOTHING | C | ISDF | | 06 | 11-SEP-84 | | | | |
| | | AIR-STD-61/41 | PROCEDURES FOR CALIBRATION OF IN-FLIGHT RESPIRATORY DATA ACQUISITION EQUIPMENT | C | ISDF | | 06 | 16-AUG-85 | | | | |
| | | AIR-STD-61/42A | HUMAN TOLERANCE TO PARACHUTE OPENING SHOCK (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO, WASHINGTON, DC 20330-5058) | C | ISDF | | 06 | 20-SEP-90 | | | | |
| | | AIR-STD-61/43 | ASCC PERSONNEL FOR EQUIPMENT DESIGN: HELMETS(REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C | ISDF | | 06 | 30-JUL-86 | | | | |
| | | AIR-STD-61/44 | PROCEDURE FOR PROTECTING AIRCREW DURING ROUTINE OPERATIONS IN COLDCLIMATE (REQ FOR ISSUEOTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C | ISDF | | 06 | 30-JUL-86 | | | | |
| | | AIR-STD-61/45A | AVIATION MEDICINE/PHYSIOLOGICAL TRAINING OF HIGH ALTITUDE PARACHUTISTS (REQUESTS FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH, DC 20330-5058 | C | ISDF | | 06 | 20-SEP-90 | | | | |
| | | AIR-STD-61/46 | GLOSSARY OF MOLECULAR SIEVE OXYGEN GENERATION SYSTEM (MSOGS) TERMINOLOGY (REQ FOR ISSUEOTHER THAN D OD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC | C | ISDF | | 06 | 30-JUL-86 | | | | |
| | | AIR-STD-61/47 | ESCAPE PATH CLEARANCE - METHODS AND PROBLEMS(REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C | ISDF | | 06 | 30-JUL-86 | | | | |
| | | AIR-STD-61/48A | SINGLE NUMBER NOISE REDUCTION OF HEARING PROTECTORS (REQ FOR ISSUEOTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH, DC 20330-5058 | C | ISDF | | 06 | 20-SEP-90 | | | | |
| | | AIR-STD-61/49 | INTELLIGIBILITY OF SPEECH IN NOISE (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASHDC 20330-5058 | C | ISDF | | 06 | 30-JUL-86 | | | | |
| | | AIR-STD-61/50 | METHODS FOR ASSESSING VISUAL ENDPOINTS FOR ACCELERATION TOLERANCE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ, USAF/XOXX(ISO) WASH, DC 20330-5058 | C | ISDF | | 06 | 30-JUL-86 | | | | |
| | | AIR-STD-61/51A | CENTRIFUGE TRAINING TO INCREASE HIGH-G TOLERANCE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO) WASH, DC 20330-5058 | C | ISDF | | 06 | 20-SEP-90 | | | | |
| A | | AIR-STD-61/52A | ANTHROPOMETRIC OF ASCC AIRCREW POPULATIONS ..... | C | ISDF | | 06 | 07-NOV-92 | | | | |
| | | AIR-STD-61/53 | THE OPTICAL & MATERIAL REQUIREMENTS FOR AIRCREW PLANO SUNGLASSES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO) WASH, DC 20330-5058) | C | ISDF | | 06 | 30-JUL-86 | | | | |
| | | AIR-STD-61/55 | METHODOLOGY FOR ASSESSMENT OF THE THERMAL PERFORMANCE OF IMMERSION PROTECTIVE CLOTHING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ, USAF/XOXX(ISO) WASH, DC 20330-5058) | C | ISDF | | 06 | 30-JUL-86 | | | | |
| | | AIR-STD-61/56 | MEDICAL EXAMINATION OFAIRCREW FOLLOWING AN AIRCRAFT ACCIDENT/INCIDENT (REL TO OTHER THANDOD REQ PRI APPR OF HQ USAF/XOXX/ISO) WASH, DC 20330-5058) | C | ISDF | | 06 | 30-JUL-86 | | | | |
| A | | AIR-STD-61/57B | THE MANAGEMENT OF MOTION SICKNESS IN AIRCREW ..... | C | ISDF | | 06 | 07-NOV-91 | | | | |
| A | | AIR-STD-61/58B | AIRCREW MALARIA PROPHYLAXIS ..... | C | ISDF | | 06 | 07-NOV-91 | | | | |
| A | | AIR-STD-61/63C | DRUGS WHICH MAY BE USED WHILE MAINTAINING FLYING STATUS ..... | C | ISDF | | 06 | 07-NOV-91 | | | | |
| | | AIR-STD-61/72A | AIRCREW ENTRY VISUAL STANDARDS (REQUESTS OTHER THAN DOD MUST BE SENT VIA: H USAF/XOXX (ISO) WASHINGTON, DC 20330-5058 | C | ISDF | | 06 | 20-SEP-90 | | | | |
| | | AIR-STD-61/73 | MINIMUM STANDARDS FOR BREATHING EQUIPMENT FOR PARACHUTISTS BETWEEN 13,000 & 25,000 FEET PRESSURE ALTITUDE (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO), WASHINGTON, DC 20330-5058 | C | ISDF | | 06 | 14-SEP-90 | | | | |
| A | | AIR-STD-61/74A | REPORTING OF HYPERBARIC CHAMBER PHYSIOLOGICAL INCIDENTS ..... | C | ISDF | | 06 | 07-NOV-91 | | | | |
| | | AIR-STD-61/75 | DEFINITIONS OF THE VARIOUS CATEGORIES OF CABIN DECOMPRESSION (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | | 06 | 14-SEP-90 | | | | |
| | | AIR-STD-61/76 | A THREE DIMENSIONAL MAN MODELLING SYSTEM FOR COMPUTER AIDED DESIGN (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | | 06 | 14-SEP-90 | | | | |
| | | AIR-STD-61/77 | APPLICATION ORIENTED SELECTION OF ANTHROPOMETRIC DIMENSIONS (REQEUSTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | | 06 | 20-SEP-90 | | | | |
| | | AIR-STD-61/79 | AEROMEDICAL EVACUATION ..... | C | ISDF | | 06 | 20-SEP-90 | | | | |
| | | AIR-STD-61/80A | DOCUMENTATION OF AEROMEDICAL EVACUATION ..... | C | ISDF | | 06 | 03-SEP-91 | | | | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area NCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | AIR-STD-61/81 | TESTS FOR PROTECTIVE CAPACITY OF FIRE RESISTANT CLOTHING MATERIALS (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058 | C ISDF 06 | 20-SEP-90 | | | | |
| | | AIR-STD-61/82 | INSTRUMENTATION FOR ESCAPE SYSTEM THERMAL HAZARD ANALYSIS ..... | C ISDF 06 | 03-SEP-91 | | | | |
| | | AIR-STD-61/83 | A BASIS FOR COMMON PRACTICES AND GOALS IN THE CONDUCT OF ANTHROPOMETRIC SURVEYS | C ISDF 06 | 03-SEP-91 | | | | |
| | | AIR-STD-61/84 | INITIAL INVESTIGATION AND IMMEDIATE MANAGEMENT OF LASER EYE INJURY IN AIRCREW | C ISDF 06 | 03-SEP-91 | | | | |
| A | | AIR-STD-61/89 | ELECTRONIC COLOUR DISPLAY SYSTEMS ..... | C ISDF 06 | 07-NOV-91 | | | | |
| | | AIR-STD-64/6F | STANDARD UNITS OF LINEAR MEASUREMENT ON AERONAUTICAL CHARTS AND FLIGHT INFORMATION PUBLICATIONS (REQ OTHER THAN DOD REF HQ USAF/XOXX-ISO, WASHG., DC 20330-5058 | C ISDF 06 | 11-MAR-91 | | | | |
| | | AIR-STD-64/11B | DELINEATION OF AIR DEFENSE IDENTIFICATION ZONES ON AERONAUTICAL CHARTS AND FLIGHT INFORMATION PUBLICATIONS REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO)WASH, DC 20330-5058 | C ISDF 06 | 18-APR-86 | | | | |
| | | AIR-STD-64/12C | DELINEATION OF THE INTERNATIONAL DATE LINE ON AERONAUTICAL CHARTS AND FLIGHT INFORMATIONPUBLICATIONS (CHG 1 DTD 18 APR 86) | C ISDF 06 | 27-SEP-84 | | | | |
| | | AIR-STD-64/15J | FLIGHT INFORMATION PUBLICATION, ENROUTE (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH., DC 20330-5058) | C ISDF 06 | 11-MAR-91 | | | | |
| | | AIR-STD-64/16G | FLIGHT INFORMATION PUBLICATIONS-PLANNING REQVEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO)WASH, DC 20330-5058 | C ISDF 06 | 18-APR-86 | | | | |
| | | AIR-STD-64/18E | TITLE FOR FLIGHT INFORMATION PUBLICATIONS REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO)WASH DC 20330-5058 | C ISDF 06 | 18-APR-86 | | | | |
| | | AIR-STD-64/19F | EXPLANATORY INFORMATION REQUIRED ON AERONAUTICAL CHARTS (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH., DC 20330-5058 | C ISDF 06 | 11-MAR-91 | | | | |
| | | AIR-STD-64/23F | IDENTIFICATION OF SCALE ON AERONAUTICAL CHARTS (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C ISDF 06 | 11-MAR-91 | | | | |
| | | AIR-STD-64/24F | SYMBOLS FOR AERONAUTICAL CHARTS (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH., DC, 20330-5058) | C ISDF 06 | 11-MAR-91 | | | | |
| | | AIR-STD-64/25D | MINIMUM CONTENT AND COLOUR OF AERONAUTICAL INFORMATION FOR AERONAUTICAL CHARTS (CHG1 DTD 18 APR 86) REQUEST FORISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C ISDF 06 | 18-APR-86 | | | | |
| | | AIR-STD-64/26C | POSITION REFERENCE SYSTEMS FOR AERONAUTICAL CHARTS REQUEST FOR ISSUE OTHER THAN DOD MUSTBE SENT VIA: HQ USAF/XOXX (ISO) WASH, DC 20330-5058 | C ISDF 06 | 18-APR-86 | | | | |
| | | AIR-STD-64/27C | STANDARD SCALES FOR TOPOGRAPHIC AERONAUTICALCHARTS REQUEST FOR ISSUE OTHER THAN DOD MUSTBE SENT VIA: HQ USAF/XOXX (ISO) WASH, DC 20330-5058 | C ISDF 06 | 18-APR-86 | | | | |
| | | AIR-STD-64/29C | AERONAUTICAL CHART CATALOGUES REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO)WASH,DC 20330-5058 | C ISDF 06 | 18-APR-86 | | | | |
| | | AIR-STD-64/30F | FLIGHT INFORMATION PUBLICATION TERMINAL (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C ISDF 06 | 27-SEP-84 | | | | |
| | | AIR-STD-64/31D | IDENTIFICATION OF AERODROME BY NAME REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASHDC 20330-5058 | C ISDF 06 | 18-APR-86 | | | | |
| | | AIR-STD-64/33C | PORTRAYAL OF NAVIGATION GRID INFORMATION REQVEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA:HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C ISDF 06 | 18-APR-86 | | | | |
| | | AIR-STD-64/35D | MAXIMUM ELEVATION FIGURE CRITERIA FOR AERONAUTICAL CHARTS (CHG 1 DTD 4/18/86 REQUESTS OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C ISDF 06 | 28-SEP-83 | | | | |
| | | AIR-STD-64/36A | AIRCRAFT ARRESTING SYSEMS, INFORMATION FOR FLIPS REQUEST FOR ISSUEOTHER THAN DOD MUST BESENT VIA: HQ USAF/XOXX(ISO)WASH DC 20330-5058 | C ISDF 06 | 18-APR-86 | | | | |
| | | AIR-STD-64/37 | FLIP OPERATIONAL ABBREVIATIONS (CHG 1 DTD 18APR 86) REQUEST OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C ISDF 06 | 25-MAR-81 | | | | |
| | | AIR-STD-64/38 | ASW DEAD RECKONING TRACKER PLOTTING CHARTS (CHG 1 DTD 18 APR 86) REQUEST OTHER THAN DODMUST BE SENT VIA: HQ/USAF/XOXX (ISO)WASH DC 20330-5058 | C ISDF 06 | 28-SEP-83 | | | | |
| | | AIR-STD-64/39 | OPERATIONAL USAGE CRITERIA (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C ISDF 06 | 27-SEP-84 | | | | |
| | | AIR-STD-65/1F | LIGHTING OF INSTRUMENT & NON- INSTRUCTMENT RUNWAYS (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058 | C ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/2B | LIGHTING OF AIRFIELD OBSTRUCTIONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C ISDF 06 | 18-DEC-80 | | | | |
| | | AIR-STD-65/3F | LIGHTING AND MARKING OF AIRFIELD OBSTRUCTIONS (ISSUE CONTROLLED) ..... | C ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/4E | AIRFIELD APPROACH LIGHTING ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058) | C ISDF 06 | 14-AUG-86 | | | | |
| | | AIR-STD-65/5E | MARKING OF INSTRUMENT AND NON-INSTRUMENT RUNWAYS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/6E | AIRFIELD TAXIWAY MARKINGS ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058) | C ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/7A | VISUAL GLIDE SLOPE INDICATOR SYSTEMS - CHG. 1 DTD 14 AUG 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058) | C ISDF 06 | 02-OCT-84 | | | | |
| | | AIR-STD-65/8A | AIRFIELD PORTABLE LIGHTING SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C ISDF 06 | 18-DEC-80 | | | | |
| | | AIR-STD-65/9C | TAXIWAY LIGHTING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/10A | AIRFIELD LIGHTING CONTROL SYSTEMS - CHG. 1 DTD 14 AUG 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058) | C ISDF 06 | 02-OCT-84 | | | | |
| | | AIR-STD-65/11A | ILLUMINATED RUNWAY DISYANCE MARKERS @ ILLUMINATED HOOK CABLE MARKER - CHG. 1 DTD 14 AUG 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF(XOXX (ISO) WASH DC 20330-5058) | C ISDF 06 | 02-OCT-84 | | | | |
| | | AIR-STD-65/12B | AIRFIELD LIGHTING FOR CATEGORY II OPERATIONS -(REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058) | C ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/13A | EXTRANEOUS LIGHTING IN VICINITY OF AIRFIELDS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C ISDF 06 | 02-OCT-84 | | | | |
| | | AIR-STD-65/14A | AIRFIELD MARKING @ LIGHTING COLOUR STANDARDS - CHG. 1 DTD 14 AUG 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058) | C ISDF 06 | 02-OCT-84 | | | | |
| | | AIR-STD-65/15C | AIRFIELD LIGHTING CIRCUITRY - CHG. 1 DTD 14 AUG 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058) | C ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/16B | HELIPAD LIGHTING (VMC) - CHG 1 DTD 14 AUG 1986 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C ISDF 06 | 12-APR-83 | | | | |
| | | AIR-STD-65/17C | AIRFIELD SIGNS (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058) | C ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/18B | MOVEMENT AREA FLOODLIGHTING ( REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058 | C ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/19 | STANDBY POWER SUPPLY REQUIREMENTS FOR FIXED INSTALLATIONS CHG 1 DTD 14 AUG 1986 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQUSAF/XOXX (ISO) WASH DC 20330-5058 | C ISDF 06 | 18-DEC-80 | | | | |
| | | AIR-STD-65/21A | HELIPAD MARKING - CHG 1 DTD 14 AUG 1986 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C ISDF 06 | 02-OCT-84 | | | | |
| | | AIR-STD-65/22 | AIRFIELD CLEARANCE PLANES (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDF 06 | 02-OCT-84 | | | | |
| | | AIR-STD-65/23A | AIRCRAFT ARRESTING GEARS FOR AIRFIELDS - ( REQ OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058 | C ISDF 06 | 22-MAY-91 | | | | |

| Action | Opt. / Cond. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | AIR-STD-65/24 | AIR TRAFFIC CONTROL PROCEDURES FOR ARRESTMENT OF AIRCRAFT - CHG 1 DTD 14 AUG 1986 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C | ISDF 06 | 02-OCT-84 | | | | |
| | | AIR-STD-65/25 | SIGNALS FOR RUNWAY PARTY WHEN DISENGAGING AN AIRCRAFT AFTER A HOOK CABLE ARRESTMENT - CHG 1 DTD 14 AUG 1986 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058 | C | ISDF 06 | 02-OCT-84 | | | | |
| | | AIR-STD-65/26 | PILOTS OPERATING PROCEDURE FOR ENGAGEMENT OF AIRFIELD ARRESTING SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF 06 | 02-OCT-84 | | | | |
| | | AIR-STD-65/30A | PACIFIC NATIONS HELICOPTER OPERATIONS FROM SHIPS OTHER THAN AIRCRAFT CARRIERS (PAC HOSTAC) PUBLICATIONS (PAC HOSTAC (PAC 1) AND PAC HOSTAC SUPPLEMENT (PAC 1-1) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058) | C | ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/31D | AIRFIELD TONE-DOWN MARKING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058) | C | ISDF 06 | 30-APR-90 | | | | |
| | | AIR-STD-65/32 | NON-TACTICAL HELIPORT LIGHTING AND MARKING (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058) | C | ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/33 | AIRFIELD DECLARED DISTANCES(REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058 | C | ISDF 06 | 22-MAY-91 | | | | |
| | | AIR-STD-65/34 | HELIPORT AND HELIPAD LIGHTING AND MARKING ..... | C | ISDF 06 | 24-FEB-92 | | | | |
| | | AIR-STD-65/37 | AIRCRAFT ARRESTING SYSTEMS OPERATING PROCEDURES ..... | C | ISDF 06 | 20-FEB-92 | | | | |
| A | | AIR-STD-65/38 | VISUAL GLIDE SLOPE INDICATOR SYSTEMS ..... | C | ISDF 06 | 08-APR-92 | | | | |
| A | | AIR-STD-70/3 | INTEROPERABILITY OF AIRCRAFT VHF AM AND/OR FM MULTI-FREQUENCY TRANSCEIVE INSTALLATIONS AND COMPATIBLE GROUND RADIO EQUIPMENTS | C | ISDF 06 | 19-NOV-91 | | | | |
| A | | AIR-STD-70/4 | INTEROPERABILITY OF AIRCRAFT UHF MULTI-FREQUENCY TRANSCEIVER INSTALLATION AND COMPATIBLE GROUND TRANSMITTERS AND RECEIVERS | C | ISDF 06 | 19-NOV-91 | | | | |
| A | | AIR-STD-70/7 | DATA TRANSMISSION FOR RADAR DOPPLER SYSTEMS ..... | C | ISDF 06 | 19-NOV-91 | | | | |
| A | | AIR-STD-70/10 | STANDARD ANALOGUE HEADING OUTPUTS ..... | C | ISDF 06 | 19-NOV-91 | | | | |
| A | | AIR-STD-70/11 | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF INERTIAL NAVIGATION SYSTEMS | C | ISDF 06 | 19-NOV-91 | | | | |
| A | | AIR-STD-70/13 | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER NAVIGATION SYSTEMS | C | ISDF 06 | 19-NOV-91 | | | | |
| A | | AIR-STD-70/14 | DEFINITION OF SEA STATE FOR USE IN CONNECTION WITH DOPPLER NAVIGATION ..... | C | ISDF 06 | 19-NOV-91 | | | | |
| A | | AIR-STD-70/16 | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF HYBRID NAVIGATION SYSTEMS | C | ISDF 06 | 19-NOV-91 | | | | |
| A | | AIR-STD-70/17 | DEFINITIONS OF AIRCRAFT ATTITUDE AND HEADING ANGLES ..... | C | ISDF 06 | 19-NOV-91 | | | | |
| A | | AIR-STD-70/18 | MICROWAVE LANDING SYSTEMS (MLS) ..... | C | ISDF 06 | 19-SEP-91 | | | | |
| A | | AIR-STD-70/19 | INERTIAL NAVIGATION SYSTEMS STANDARDS IN USE ..... | C | ISDF 06 | 19-NOV-91 | | | | |
| A | | AIR-STD-80/1 | METHOD OF DETERMINING THE PRINCIPAL SENSITOMETRIC CHARACTERISTICS OF BLACK AND WHITE ROLLED AIR FILM | C | ISDF 06 | 27-MAR-92 | | | | |
| A | | AIR-STD-80/3 | DIMENSIONS, TOLERANCES AND CHARACTERISTICS OF 70MM, 126MM AND 240MM ROLLED FILM FOR AIR PHOTOGRAPHY | C | ISDF 06 | 27-MAR-92 | | | | |
| A | | AIR-STD-80/5 | TARGET PATTERN FOR DETERMINATION OF AERIAL PHOTOGRAPHIC RESOLUTION ..... | C | ISDF 06 | 27-MAR-92 | | | | |
| A | | AIR-STD-80/7 | LM-230A/B PROGRAMMABLE AUTOMATIC CAMERA TEST SET ..... | C | ISDF 06 | 27-MAR-92 | | | | |
| W | | AIR-STD-80/8 | AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS ..... | C | ISDF 06 | 27-MAR-92 | | | | |
| A | | AIR-STD-80/10 | AIR RECONNAISSANCE REQUEST/TASK FORM ..... | C | ISDF 06 | 27-MAR-92 | | | | |
| A | | AIR-STD-80/11 | TITLING OF HAND HELD FILM ..... | C | ISDF 06 | 27-MAR-92 | | | | |
| A | | AIR-STD-80/13 | AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE ..... | C | ISDF 06 | 27-MAR-92 | | | | |
| A | | AIR-STD-80/14 | POINT DESIGNATION TEMPLATE FOR IMAGERY ..... | C | ISDF 06 | 27-MAR-92 | | | | |
| A | | AIR-STD-80/15 | MINIMUM RESOLVED OBJECT SIZES FOR IMAGERY INTERPRETATION ..... | C | ISDF 06 | 27-MAR-92 | | | | |
| A | | AIR-STD-80/18 | REPORTING OF DATA USED FOR DIMENSIONAL ANALYSIS OF IMAGERY ..... | C | ISDF 06 | 27-MAR-92 | | | | |
| | | AIR-STD-84/2A | COMMANDER S GUIDE ON THE EFFECTS OF PENETRATING IONIZING RADIATION (WITH AMENDMENT 1) | C | ISDF 06 | 31-JUL-81 | | | | |
| | | AIR-STD-84/4 | NERVE AGENT ANTIDOTE INJECTION DEVICE (CH-1 - 31 JUL 81) [VALIDATION DATE: 8302] | C | ISDF 06 | 30-SEP-76 | | | | |
| | | AIR-STD-84/9 | NBC DEFENSE EVALUATION OF AIR BASES ..... | C | ISDF 06 | 18-OCT-85 | | | | |
| | | AIR-STD-85/1K | GLOSSARY OF TERMS AND DEFINITIONS ..... | C | ISDF 06 | 28-JUN-89 | | | | |
| M | | AIR-STD-90/4 | AIRCRAFT ARRESTING SYSTEMS INFORMATION FOR FLIPS ..... | C | ISDF 06 | 10-MAR-92 | | | | |
| A | | AIR-STD-90/9 | OPERATIONAL USAGE CRITERIA ..... | C | ISDF 06 | 10-MAR-92 | | | | |
| | | AIR-STD-94/3 | COMPARATIVE LIST OF ASCC TERMS AND DEFINITIONS FOR NUCLEAR ACCIDENT RESPONSE | C | ISDF 06 | 16-JUL-85 | | | | |
| | | AIR-STD-101/1J | AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO) WASH DC 20330-5058) | C | ISDF 06 | 01-MAR-90 | | | | |
| | | AIR-STD-101/2G | TITLING OF AIR RECONNAISSANCE, AIR SURVEY & MAPPING IMAGERY [VALIDATION DATE: 8302] | C | ISDF 06 | 17-DEC-81 | | | | |
| | | AIR-STD-101/3C | AIR RECONNAISSANCE REQUEST/TASK FORM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO) WASH, DC 20330-5058 [VALIDATION DATE: 8302] | C | ISDF 06 | 10-JAN-83 | | | | |
| | | AIR-STD-101/4E | TITLING OF HAND HELD FILM (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF 06 | 21-MAR-85 | | | | |
| | | AIR-STD-101/5D | TARGET REPORTING GUIDE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO) WASH, DC 20330-5058 | C | ISDF 06 | 03-SEP-86 | | | | |
| | | AIR-STD-101/6B | AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058) | C | ISDF 06 | 01-MAR-90 | | | | |
| | | AIR-STD-101/7B | THE POINT DESIGNATION TEMPLATE FOR IMAGERY (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058) | C | ISDF 06 | 01-MAR-90 | | | | |
| | | AIR-STD-101/8A | MINIMUM RESOLVED OBJECT SIZE FOR IMAGERY INTERPRETATION (CH-1 10 JAN 83) [VALIDATION DATE: 8302] | C | ISDF 06 | 24-JAN-80 | | | | |
| | | AIR-STD-101/9B | REQUEST FORM FOR IMAGERY TO BE USED IN IMAGERY INTERPRETATION KEYS PRODUCTION (REL TO OTHER THAN DOD ACT REQ PRI OF HQ USAF/XOXX(ISO), WASH DC 20330-5058) | C | ISDF 06 | 01-MAR-90 | | | | |
| | | AIR-STD-101/11A | IMAGERY INTERPRETABILITY RATING SCALE - CHG 2 DATED 4-15-85 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF 06 | 10-JAN-83 | | | | |
| | | AIR-STD-101/12 | REPORTING OF DATA USED FOR DIMENSIONAL ANALYSIS OF IMAGERY (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ (DACCOM)(DRCIRD) | C | ISDF 06 | 10-JAN-83 | | | | |
| | | AIR-STD-104/2C | GRAPHICAL SYMBOLOGY FOR USE ON ENGINEERING DRAWINGS & ASSOCIATED DATA (CHG 2 - 21 JAN 1987) (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO), WASH., D.C. 20330-5058 | C | ISDF 06 | 18-JUL-85 | | | | |
| | | AIR-STD-104/4A | EQUIPMENT INDEX SYSTEMS FOR MASTER/ORIGINAL ENGINEERING DRAWINGS ..... | C | ISDF 06 | 23-APR-82 | | | | |
| | | AIR-STD-104/5B | DEFINITIONS FOR USE ON ENGINEERING DRAWINGS AND ASSOCIATED DATA (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF 06 | 30-JUL-90 | | | | |
| | | AIR-STD-104/6C | ENGINEERING DRAWING FORMATS (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX-ISO) WASH DC 20330-5058 | C | ISDF 06 | 30-JUL-90 | | | | |
| | | AIR-STD-104/7A | ENGINEERING DRAWING PRACTICES (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO), WASH., D.C. 20330-5058 | C | ISDF 06 | 21-JAN-87 | | | | |
| | | AIR-STD-104/8B | ENGINEERING & ASSOCIATED DATA LISTS (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO), WASH., D.C. 20330-5058) | C | ISDF 06 | 21-JAN-87 | | | | |
| | | AIR-STD-104/9B | ABBREVIATIONS FOR USE ON ENGINEERING DRAWINGS & ASSOCIATED DATA (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH DC 20330-50 | C | ISDF 06 | 30-JUL-90 | | | | |
| | | AIR-STD-104/10A | ENGINEERING DRAWING TITLES (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH., D.C. 20330-5058 | C | ISDF 06 | 21-JAN-87 | | | | |
| | | AIR-STD-104/11C | TYPES OF ENGINEERING DRAWINGS (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH., D.C. 20330-5058) | C | ISDF 06 | 30-JUL-90 | | | | |

| Action Ofr / Ofrl Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| AIR-STD-104/12A | NUMBERING, CODING & IDENTIFICATION OF ENGINEERING DRAWINGS (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON, D.C. 20330-5058 | C | ISDF | 06 21-JAN-87 | | | | |
| AIR-STD-104/13C | REVISION OF ENGINEERING DRAWINGS (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH., D.C. 20330-5058) | C | ISDF | 06 30-JUL-90 | | | | |
| AIR-STD-104/14C | DIRECTORY OF ENGINEERING DATA REPOSITORIES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | 06 30-JUL-90 | | | | |
| AIR-STD-104/15C | MICROREPRODUCTION OF ENGINEERING DRAWINGS & ASSOCIATED DATA (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON, D.C. 20330-5058 | C | ISDF | 06 30-JUL-90 | | | | |
| AIR-STD-104/16B | METRICATION (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON, D.C. 20330-5058 | C | ISDF | 06 21-JAN-87 | | | | |
| AIR-STD-104/17C | 35MM APERTURE (CARRIER AND ASSOCIATED CARDS (REQ FOR 1SSSUE OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | 06 02-NOV-90 | | | | |
| AIR-STD-104/18 | GUIDE FOR ELECTRICAL MAINTENCE DIAGRAMS FOR AIRCRAFT SYSTEMS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDF | 06 29-OCT-84 | | | | |
| AIR-STD-104/19A | CIRCUIT IDENTIFICATION (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | 06 30-JUL-90 | | | | |
| AIR-STD-104/20 | ELECTRICAL & ELECTRONIC DIAGRAMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | 06 02-NOV-90 | | | | |
| AIR-STD-104/21 | DIMENSIONING & TOLERANCING (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON D.C. 20330-5058 | C | ISDF | 06 02-NOV-90 | | | | |
| AIR-STD-104/22 | CONFIGURATION MANAGEMENT DEFINITIONS AND ABBREVIATIONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | 06 30-JUL-90 | | | | |
| AIR-STD-104/23 | IDENTIFICATION MARKING OF MILITARY MATERIAL (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | 06 30-JUL-90 | | | | |
| AIR-STD-104/24 | ENGINEERING AND ASSOCIATED DATA LIST (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | 06 30-JUL-90 | | | | |
| AIR-STD-104/25C | METRICATION (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | 06 30-JUL-90 | | | | |
| AIR-STD-104/26 | ENGINEERING DRAWING PRACTICES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | 06 30-JUL-90 | | | | |
| ARMP-1 | NATO REQUIREMENTS FOR RELIABILITY & MAINTAINABILITY | C | ISDD | MM 01-DEC-84 | | | | |
| ARMP-2 | GENERAL APPLICATION GUIDANCE ON THE USE OF ARMP-1 | C | ISDD | SH 01-APR-86 | | | | |
| ARMP-3 | APPLICATION OF NATIONAL R AND M DOCUMENTS - ALLIED RELIABILITY AND MAINTAINABILITY PUBLICATION | C | ISDD | 06 01-MAY-88 | | | | |
| ARMP-6 | IN-SERVICE R & M, ALLIED RELIABILITY AND MAINTAINABILITY PUBLICATION | C | ISDD | 06 01-MAY-88 | | | | |
| AQAP-1(1) | NATO REQUIREMENTS FOR AN INDUSTRIAL QUALITY CONTROL SYSTEM (EDITION NO. 3) | C | ISDD | IQ 01-MAY-84 | | | | |
| AQAP-2 | GUIDE FOR THE EVALUATION OF A CONTRACTORS QUALITY CONTROL SYSTEM FOR COMPLIANCE WITH AQAP-1 (EDITION NO. 3) | C | ISDD | IQ 01-MAY-84 | | | | |
| AQAP-3 | LIST OF SAMPLING SCHEMES USED IN NATO COUNTRIES (EDITION NO. 2) (VALIDATION DATE: 7901) | C | ISDD | IQ 01-JAN-79 | | | | |
| AQAP-4 | NATO INSPECTION SYSTEM REQUIREMENTS FOR INDUSTRY (EDITION NO. 2) (VALIDATION DATE: 8212) | C | ISDD | IQ 01-JUN-76 | | | | |
| AQAP-5 | GUIDE FOR THE EVALUATION OF A CONTRACTORS INSPECTION SYSTEM FOR COMPLIANCE WITH AQAP 4 (EDITION 2) (VALIDATION DATE: 8212) | C | ISDD | IQ 01-MAR-76 | | | | |
| AQAP-6 | NATO CALIBRATION SYSTEM REQUIREMENTS FOR INDUSTRY (EDITION NO. 2) | C | ISDD | IQ 01-JUL-79 | | | | |
| AQAP-7 | GUIDE FOR THE EVALUATION OF A CONTRACTORS MEASUREMENT AND CALIBRATION SYSTEM FOR COMPLIANCE WITH AQAP 6 | C | ISDD | IQ 01-OCT-78 | | | | |
| AQAP-8 | NATO GUIDE TO THE PREPARATION OF SPECIFICATIONS FOR THE PROCUREMENT OF DEFENCE MATERIAL | C | ISDD | IQ 01-SEP-78 | | | | |
| AQAP-9 | NATO BASIC INSPECTION REQUIREMENTS FOR INDUSTRY (EDITION NO. 2) | C | ISDD | IQ 01-MAR-76 | | | | |
| AQAP-10 | NATO REQUIREMENTS FOR A GOVERNMENT QUALITY ASSURANCE PROGRAMS | C | ISDD | MM 01-SEP-78 | | | | |
| AQAP-11 | NATO GUIDELINE FOR SPECIFICATION OF TECHNICAL PUBLICATION | C | ISDD | IQ 01-JAN-79 | | | | |
| AQAP-13 | NATO SOFTWARE QUALITY CONTROL SYSTEM REQUIREMENTS (EDITION NO. 1) | C | ISDD | IQ 01-AUG-81 | | | | |
| AQAP-14 | GUIDE FOR THE EVALUATION OF A CONTRACTORS SOFTWARE QUALITY CONTROL SYSTEM FOR COMPLIANCE WITH AQAP-13 | C | ISDD | IQ 01-MAY-84 | | | | |
| AQAP-21 | TRILATERAL DESIGN AND TEST CODE FOR MILITARY BRIDGE AND GAP CROSSING EQUIPMENT (ED NO. 2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM MAT 09 B 21, WASH) | C | ISDD | AM 01-MAY-84 | | | | |
| ASTAMP-1 | INTERNATIONAL INDUSTRIAL STANDARDS ADOPTED BY NATO NATIONS FOR DEFENCE PURPOSES (VOLUME I) | C | ISDD | AR 01-APR-86 | | | | |
| ASTAMP-2 | NATO GUIDE TO VARIANCES IN DRAWING PRACTICE VOLUME 1 (EDITION NO. 2 | C | ISDD | AR 01-MAR-82 | | | | |
| ASTAMP-5 | NATO QUALITY ASSESSMENT RECOMMENDATION FOR ELECTRONIC/ELECTRICAL PARTS (VOLUME INFO) | C | ISDD | AR 01-APR-86 | | | | |
| QAP-9(1) | ENGINE HEALTH MONITORING FOR ARMY AIRCRAFT, MANUAL (ABCA) (RELEASE TO OTHER THAN DOD REQUIRES PRIOR APPROVAL OF HQ DARCOM DRCIRD | C | ISDA | AM 31-JAN-84 | | | | |
| QAP-15 | GLOSSARY OF TERMS USEDIN PROOF (REL TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY DARCOM, DRCDE) | C | ISDA | AM 15-NOV-82 | | | | |
| QAP-17 | METALLURICAL TERMS & DEFINITIONS, LISTING OF GLOSSARIES USED BY ARMIES (REQ OTHER THAN DOD REF TO DARCOM, DRCDE-1) | C | ISDA | AI 08-DEC-82 | | | | |
| QAP-22 | MILITARY OPERATIONS IN URBAN TERRAIN - BIBLIOGRAPHY | C | ISDA | AI 20-MAR-82 | | | | |
| QSTAG-2 | MILITARY LOAD CLASSIFICATION OF CIVIL BRIDGES BY THE RECONNAISSANCE AND CORRELATION METHODS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 2 | C | ISDA | AM 08-MAR-79 | | | | |
| QSTAG-5 | ABCA ARMIES LOGISTIC HANDBOOK (ABCA) | C | ISDA | AM 04-MAR-83 | | | | |
| QSTAG-7(1) | FINANCIAL ARRANGEMENTS IN SUPPORT OF OPERATIONS (UP TO THE YEAR 2000) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDA | AM 17-SEP-84 | | | | |
| QSTAG-13(1) | IMMERSION REQUIREMENT FOR GROUND ROLE SERVICE EQUIPMENT (BASED ON NATO STANAG 2842) (ABCA) EDITION 2 | C | ISDA | AM 01-MAY-85 | | | | |
| QSTAG-16 | DESIGNATION OF ARMOR THICKNESS AND OBLIQUITY (ABCA-16), EDITION NO. 2 | C | ISDA | AM 15-DEC-75 | | | | |
| QSTAG-18 | METRIC SYSTEM FOR THE MEASUREMENT OF WEAPON CALIBRES AND AMMUNITION AGREEMENT (ABCA-18) | C | ISDA | AM 24-AUG-73 | | | | |
| QSTAG-19 | MILITARY OPERATIONS IN URBAN TERRAIN COMPUTER MODEL EVALUATION, ARMIES STANDARDIZATION PROGRAM (ABCA QUADRIPARTITE 19) (REL TO OTHER THAN DOD REQ PRIOR APPR OF NAVMAT 09B21) | C | ISDA | AM 07-FEB-83 | | | | |
| QSTAG-21 | TRILATERAL DESIGN & TEST CODE FOR MILITARY BRIDGE & GAP CROSSING EQUIPMENT (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDA | AM 01-MAY-84 | | | | |
| QSTAG-23 | SAFTY & ENVIRONMENTAL TESTS FOR LAND MINES & DEMOLITION STORES (ABCA 23) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDA | AM 16-SEP-83 | | | | |
| QSTAG-26(1) | ARTILLERY FIRE CONTROL MATRIX (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDA | AM 30-MAY-84 | | | | |
| QSTAG-28(2) | SWITCHBOARD SB-22()/PT | C | ISDA | AM 01-DEC-78 | | | | |
| QSTAG-35(1) | TELETYPEWRITER SET AN/PGC-1() (ABCA-35) | C | ISDA | AM 24-MAR-76 | | | | |
| QSTAG-46(1) | RIFLE, RECOILLESS, 106MM: M40A2 WITH AMMUNITION (EDITION NO. 2) | C | ISDA | AM 25-APR-85 | | | | |
| QSTAG-47(1) | BARGE, DECK CARGO, NONPROPELLED, STEEL, SECTIONALIZED, NESTING, 81-FOOT, DESIGN 7001 (ABCA-47) | C | ISDA | AM 20-DEC-79 | | | | |
| QSTAG-56(1) | HOWITZER, LIGHT, TOWED, 105MM, M101A1 WITH AMMUNITION AND FIRE CONTROL EQUIPMENT (ABCA-56) (EDITION NO. 2) | C | ISDA | AM 24-SEP-80 | | | | |
| QSTAG-57 | HOWITZER, MEDIUM, TOWED, 155MM, M114A1 WITH AMMUNITION AND FIRE CONTROL EQUIPMENT (EDITION NO. 2) | C | ISDA | AM 16-OCT-79 | | | | |
| QSTAG-59(1) | MORTAR, 81MM, M29A1, MOUNT, MORTAR, 81MM, M23A1 WITH AMMUNITION AND SIGHTUNIT M53A1, RELEAS TO OTHER THAN DOD AGENCIES MUST BE APPROVE BY HQ DARCOM (DRCIRD) (EDITION NO. 2) | C | ISDA | AM 24-APR-85 | | | | |

| Action Opt. / Qual. Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area NCA Symbol Preparing Activity Date | Custodians Army Navy Air Force DLA |
|---|---|---|---|
| QSTAG-62(1) | WIRE DISPENSER (MX-306 A/G) (ABCA-62) | C ISDA AM 24-MAR-76 | |
| QSTAG-69(2) | TELEPHONE SET TA-43()/PT, TELEPHONE SET TA-312()/PT, AND TELEPHONE SET TA-5003/U (ABCA 69) | C ISDA AM 01-DEC-78 | |
| QSTAG-84 | DRILL RODS AND BITS FOR HAND-HELD AIR-DRIVEN ROCK DRILLS (ABCA-84), WITH AMEND. NO 1 [VALIDATION DATE: 7512] | C ISDA AM 16-NOV-59 | |
| QSTAG-86 | BARREL (TUBE) 105MM TANK GUN L.7 A.1 (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09821, WASH, D.C. 20360) | C ISDA AM 23-JAN-85 | |
| QSTAG-88(1) | FLOATING FOOTBRIDGE, ALUMINUM (ABCA-88) | C ISDA AM 12-AUG-80 | |
| QSTAG-97 | STANDARDIZATION OF WRENCH OPENING (INCH SERIES (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09821)(EDITION NO. 4) | C ISDA AM 12-MAR-82 | |
| QSTAG-101 | STANDARDIZATION OF 2 INCH FUZE HOLES AND FUZE CONTOURS FOR ARTILLERY PROJECTILES 75MM AND LARGER IN CALIBER INCLUDING 81MM, 4. 2 INCHES AND 107MM MORTARS [VALIDATION DATE: 7611] | C ISDA AM 05-APR-66 | |
| QSTAG-105(1) | SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES (ABCA-105) | C ISDA AM 22-SEP-76 | |
| QSTAG-108(1) | LINK, CARTRIDGE, METALLIC BELT 7.62MM, M13 (ABCA-108) | C ISDA AM 06-DEC-77 | |
| QSTAG-112 | WATER PURIFICATION UNIT VAN BODY MOUNTED, ELECTRIC MOTOR-DRIVEN, ERDLATOR-TYPE CLARIFIER, DIATOMITE TYPE FILTERS, 1500 GPH (ABCA-112) | C ISDA AM 25-SEP-73 | |
| QSTAG-113 | SPECIFICATION FOR CE (TETRYL)-(ABCA-113) | C ISDA AM 25-SEP-73 | |
| QSTAG-114 | SPECIFICATION FOR PICRITE (NITROGUANIDINE)-(ABCA-114) | C ISDA AM 25-SEP-73 | |
| QSTAG-115 | SPECIFICATION FOR RDX (HEXOGENE)-(ABCA-115) | C ISDA AM 25-SEP-73 | |
| QSTAG-116 | SPECIFICATION FOR PETN (PENTHRITE)-(ABCA-116) | C ISDA AM 01-NOV-73 | |
| QSTAG-117 | SPECIFICATION FOR AMMONIUM NITRATE (FOR USE IN EXPLOSIVES)-(ABCA-117) | C ISDA AM 25-SEP-73 | |
| QSTAG-118 | SPECIFICATION FOR TNT (TOLITE) *ABCA-118( | C ISDA AM 25-SEP-73 | |
| QSTAG-123 | SMALL ARMS AMMUNITION (7.62MM) RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD | C ISDA AM 06-MAR-81 | |
| QSTAG-125(1) | CHARGER FOR NATO 7.62 MM AMMUNITION (BASED ON NATO STANAG 2318) (EDITION 2) (ABCA 125) RELEASE TO OTHERTHAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 13-JAN-84 | |
| QSTAG-129(1) | STANDARDIZATION OF IMPACT TESTS FOR STEEL FOR GUNS (BASED ON NATO STANAG 4020) (ABCA 129) ED. (2 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRETE PRIOR APPROVAL OF DARCOM, DRCDE-1) | C ISDA AM 02-MAY-85 | |
| QSTAG-134 | SPECIFICATION FOR DNT (DINITROTOLUENE) FOR PROPELLANTS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (EDITION 2) ABCA 134 | C ISDA AM 27-JUL-81 | |
| QSTAG-141 | BOAT, BRIDGE ERECTION, INBOARD ENGINE, ALUMINUM, 27 FT. (ABCA-141) [VALIDATION DATE: 7512] | C ISDA AM 23-JAN-64 | |
| QSTAG-145 | INTERCHANGEABILITY OF INFRARED EQUIPMENTS MOUNTED ON PORTABLE INFANTRY WEAPONS-SHAPE AND DIMENSIONS OF INFRARED FILTERS (ABCA-145) [VALIDATION DATE: 7512] | C ISDA AM 14-MAY-64 | |
| QSTAG-148 | BORESCOPES M1 & M3 (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09821, WASH, D.C. 20360 | C ISDA AM 18-DEC-84 | |
| QSTAG-150(1) | GUN, FIELD ARTILLERY, SELF PROPELLED, 175MM, M107 WITH AMMUNITION AND ASSOCIATED STORES (ABCA 150) | C ISDA AM 24-SEP-80 | |
| QSTAG-151 | CARRIER, PERSONNEL, FULL TRACKED, ARMORED, M113A1/2 & CARRIER, COMMAND POST, LIGHT TRACKED, M577A1/2 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (EDITION NO. 2) (ABCA 151) | C ISDA AM 12-MAR-82 | |
| QSTAG-152 | PLATE, BASE, 81MM MORTAR, CDN, MK1 (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09821, WASH, D.C. 20360) | C ISDA AM 16-APR-84 | |
| QSTAG-157 | GUN, SPOTTING, CAL. 50, MBC AND MB AND CARTRIDGE, SPOTTER TRACER, CAL. 50, M48A1 (ABCA-157) | C ISDA AM 23-SEP-66 | |
| QSTAG-161 | RADIO SETS AM/VRC-12 SERIES (ABCA 161) W/AMDS 1, 2 AND 3 | C ISDA AM 01-DEC-78 | |
| QSTAG-162 | 3 AND 6 HP AIR COOLED GASOLINE ENGINES (EDITION NO. 2) (ABCA-162) | C ISDA AM 22-FEB-77 | |
| QSTAG-163 | MILITARY ABBREVIATIONS (EDITION NO. 2) (ABCA 163) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 23-APR-81 | |
| QSTAG-165(1) | MOVEMENTS PRINCIPLES, POLICIES, AND DUTIES (EDITION NO. 2) (ABCA-165) | C ISDA AM 16-MAR-78 | |
| QSTAG-171 | PROCEDURES FOR REQUESTING REPAIR & RECOVERY OF LAND MILITARY TECHNICAL EQUIPMENT (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09821) | C ISDA AM 01-JUN-83 | |
| QSTAG-180(1) | MILITARY LOAD CLASSIFICATION OF CIVIL BRIDGES BY THE RECONNAISSANCE AND CORRELATION METHODS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (EDITION NO. 2) | C ISDA AM 21-FEB-80 | |
| QSTAG-182 | BATTLEFIELD ILLUMINATION (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 182) (EDITION NO. 2) | C ISDA AM 14-NOV-80 | |
| QSTAG-187(1) | REPORTING NUCLEAR DETONATIONS, RADIOACTIVE FALLOUT, & BIOLOGICAL & CHEMICAL ATTACKS & PREDICTING ASSOCIATED HAZARDS (BASED ON NATO STANAG 2103) (EDITION NO. 2) (ABCA 187) | C ISDA AM 31-MAY-83 | |
| QSTAG-189 | FRIENDLY NUCLEAR STRIKE WARNING (BASED ON NATO STANAG 2104) (ED. 2) REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09821 | C ISDA AM 26-MAR-84 | |
| QSTAG-201 | ABCA TABLE OF MEDICAL EQUIVALENTS OF MEDICAL MATERIAL (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIORAPPROVAL OF HQ DARCOM, DRCIRD) (ASBCA 201) (EDITION NO. 2) | C ISDA AM 26-MAR-81 | |
| QSTAG-203 | CABLES, COAXIAL AND TWIN CONDUCTOR, FOR RADIO FREQUENCY (ABCA-203 [VALIDATION DATE: 7512] | C ISDA AM 12-JAN-68 | |
| QSTAG-207(6) | CALCULATOR SET, RADIAC AND NUCLEAR YIELD, ABC-M28A1 (EDITION NO. 2) (ABCA-207) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD) | C ISDA AM 31-MAY-83 | |
| QSTAG-208 | HEADLAMP LIGHT UNIT FOR WHEELED TACTICAL VEHICLES (ABCA 208) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM MAT 09821, WASH, 20360) | C ISDA AM 09-JUL-84 | |
| QSTAG-209(1) | DEFINITION OF WEIGHT OF A STANDARD MANPACK RADIO STATION (ABCA-209) | C ISDA AM 06-OCT-81 | |
| QSTAG-212(1) | INFRARED LIGHTING EQUIPMENT FOR MILITAAY VEHICLES (ABCA-212) | C ISDA AM 14-AUG-78 | |
| QSTAG-213 | CAMOUFLAGE STANDARDS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09821, WASH D.C. 20360 (ABCA 213 (EDITION NO. 2 | C ISDA AM 08-MAY-85 | |
| QSTAG-214(5) | FILTER, GAS PARTICULATE, CFM S, 600, ABC14, 1200, ABC-M15, 2500, ABC-M16, 5000, ABC-M17, 600, ABCM14A1, 1200, ABC-M15A1, 2500, ABC-M16A1, 5000, ABC-M17A1 (ABCA-214) | C ISDA AM 06-JUN-80 | |
| QSTAG-216(4) | CARRIER, (US), FIELD PROTECTIVE MASK, ABC M13A1 (CA) CARRIER, MBCM PROTECTIVE MASK, M14 (C1A1) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 21-NOV-78 | |
| QSTAG-217(1) | ARTILLERY, TACTICAL TASKS & RESPONSIBILITIES FOR CONTROL OF (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD (ABCA 217) (EDITION NO. 2) | C ISDA AM 04-MAR-83 | |
| QSTAG-218(2) | FILTER UNIT, GAS PARTICULATE, HOSPITAL, SIX MAN, 12 CFM, M7A1 RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 22-NOV-78 | |
| QSTAG-220 | ADOPTION OF A STANDARD CANNON ARTILLERY FIRING TABLE FORMAT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 220 (EDITION NO. 2) | C ISDA AM 08-DEC-81 | |
| QSTAG-221 | TARGET NUMBERING SYSTEM FOR POST-1970 (ABCA-221) [VALIDATION DATE: 7611] | C ISDA AM 03-SEP-70 | |
| QSTAG-222 | STANDARD PROCEDURES PRIOR TO INFANTRY/ARMOURED FIGHTING VEHICLE (AFV) OPERATIONS (U), (ABCA-222) [VALIDATION DATE: 7611] | C ISDA AM 03-SEP-70 | |
| QSTAG-223(2) | DECONTAMINATION APPARATUS, POWER DRIVEN, SKID MOUNTED, MULTI PURPOSE, NONINTEGRAL, 500 GALLON, M12A1 (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA AM 22-NOV-78 | |

| Action Code / Obsolescence Indicator / Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army / Navy / Air Force / DLA |
|---|---|---|---|---|
| QSTAG-224(3) | MANUAL FIRE DIRECTION EQUIPMENT, TARGET CLASSIFICATION AND METHODS OF ENGAGEMENT (ABCA 224 (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C ISDA AM | 29-APR-83 | |
| QSTAG-225(1) | CALL FOR FIRE PROCEDURES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (EDITION NO. 2) (ABCA 225) | C ISDA AM | 16-DEC-82 | |
| QSTAG-226(1) | MORTAR, MEDIUM, GROUND MOUNTED 81MM, & AMMUNITION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 226)(EDITION NO. 2) | C ISDA AM | 10-AUG-82 | |
| QSTAG-227 | LUBRICANT FITTINGS (ABCA-227) [VALIDATION DATE: 7611] ..... | C ISDA AM | 03-MAR-71 | |
| QSTAG-228 | CONNECTORS FOR MULTI-PAIR FIELD TELEPHONE CABLES (ABCA-228) (EDITION 2) ... | C ISDA AM | 30-NOV-82 | |
| QSTAG-229(3) | ABBREVIATIONS FOR USE ON DRAWINGS (ABCA-229 W/AMENDMENTS 1 AND 2) ..... | C ISDA AM | 14-AUG-80 | |
| QSTAG-230 | MORPHIA DOSAGE AGREEMENT (EDITION NO 2) (ABCA230) ..... | C ISDA AM | 15-JAN-73 | |
| QSTAG-232 | INSECTICIDE POWDER, PERSONAL APPLICATION, 1 PER CENT MALATHION, 25 POUND PAIL (ABCA-232) [VALIDATION DATE: 7611] | C ISDA AM | 03-MAR-71 | |
| QSTAG-233(2) | RADIO SET, AN/GRC-103 (EDITION NO. 2) (ABCA-233) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM,DRCIRD) | C ISDA AM | 01-DEC-78 | |
| QSTAG-234(5) | MASK, CHEMICAL AND BIOLOGICAL AIRCRAFT, ABC-M24 AND HOOD, AIRCRAFT, CHEMICAL AND BIOLOGICAL MASK, ABC-M7 RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM | 08-DEC-81 | |
| QSTAG-235(1) | DECONTAMINATING APPARATUS, PORTABLE, 1-1/2 QUART WITH DECONTAMINATION AGENTS (ABCA-235) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA AM | 27-NOV-78 | |
| QSTAG-236(2) | MEDICAL GAS CYLINDERS (ABCA-236) ..... | C ISDA AM | 18-JUN-84 | |
| QSTAG-237 | WATER PURIFICATION UNIT CARGO BODY MOUNTED, ELECTRIC MOTOR DRIVEN, ENDLATOR TYPE CLARIFIER, DIATOMITE TYPE FILTER, 600 GPH, TYPE II (ABCA-237) [VALIDATION DATE: 7611] | C ISDA AM | 08-APR-71 | |
| QSTAG-238 | MINIMUM CRITERIA FOR LOWER ECHELON (UNIT) LEVEL 2 - WIRE MAGNETO FIELD TELEPHONE SETS (ABCA-238) [VALIDATION DATE: 7611] | C ISDA AM | 08-APR-71 | |
| QSTAG-239(1) | STANDARD PROCEDURE FOR INFANTRY/ARMORED FIGHTING VEHICLE TARGET INDICATION (ABCA-239) | C ISDA AM | 04-DEC-74 | |
| QSTAG-240 | EQUIPMENT FOR RECEIPT AND DELIVERY OF LIQUID FUELS (ABCA-240) ..... | C ISDA AM | 14-DEC-73 | |
| QSTAG-243 | SURVEILLANCE (INCLUDING NIGHT OBSERVATION) PLAN ANNEX TO AN OPERATION ORDER (ABCA-243) | C ISDA AM | 27-JUN-78 | |
| QSTAG-245(1) | MINIMUM REQUIREMENTS FOR WATER POTABILITY (SHORT AND LONG TERM USE), (ABCA-245) | C ISDA AM | 28-JAN-75 | |
| QSTAG-246(1) | RADIOTELEPHONE PROCEDURES FOR THE CONDUCT OF ARTILLERY FIRE (EDITION NO. 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BYHQ DARCOM (DRCIRD) | C ISDA AM | 23-FEB-83 | |
| QSTAG-247(1) | UNIFIED SCREW THREADS (ABCA-247) ..... | C ISDA AM | 26-AUG-80 | |
| QSTAG-248(1) | IDENTIFICATION OF MEDICAL MATERIEL TO MEET URGENT NEEDS (ABCA-248) ..... | C ISDA AM | 20-SEP-76 | |
| QSTAG-250(1) | HELICOPTER, LIGHT OBSERVATION, OH58 SERIES ..... | C ISDA AM | 02-SEP-81 | |
| QSTAG-251 | ALARM, CHEMICAL AGENT, AUTOMATIC, PORTABLE, M8 & M8A1 WITH ACCESSORIES (EDITION 2) | C ISDA AM | 31-MAY-84 | |
| QSTAG-252(1) | ADOPTION OF A STANDARD ARTILLERY COMPUTER METEOROLOGICAL MESSAGE (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABEA 252 | C ISDA AM | 28-APR-80 | |
| QSTAG-253(5) | GENERAL DRAWING PRACTICE (ABCA-253) ..... | C ISDA AM | 13-AUG-80 | |
| QSTAG-255(2) | MINE, ANTIPERSONNEL M16A1, M16A2 AND FUZE MINE COMBINATION M605 (ABCA 255) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM | 27-JAN-79 | |
| QSTAG-257(1) | COLOR OF INDICATING SMOKE FOR PRACTICE LAND MINES AND LAND MINE SIMULATORS (ABCA-257) | C ISDA AM | 04-DEC-74 | |
| QSTAG-262 | METHODS OF SPECIFYING STEELS IN MANUFACTURING DATA (ABCA-262) ..... | C ISDA AM | 29-JAN-73 | |
| QSTAG-263/1 | STANDARDS TO ACHIEVE INTEROPERABILITY OF ABCA ARMIES HIGH FREQUENCY COMBAT NET RADIO EQUIPMENTS | C ISDA AM | 14-JUN-76 | |
| QSTAG-263/2 | STANDARDS TO ACHIEVE INTEROPERABILITY OF ABCA ARMIES VERY HIGH FREQUENCY COMBAT NET RADIO EQUIPMENTS | C ISDF AM | 03-MAR-77 | |
| QSTAG-263/3 | STANDARD TO ACHIEVE INTEROPERABILITY OF ABCA ARMIES ULTRA HIGH FREQUENCY COMBAT NET RADIO EQUIPMENTS | C ISDA AM | 14-JUN-76 | |
| QSTAG-264 | LUNETTES, PINTLES AND EMERGENCY TOWING FACILITIES (ABCA-264) ..... | C ISDA AM | 14-DEC-71 | |
| QSTAG-265(5) | SAMPLING AND ANALYZING KIT, CBR AGENTS, M19 (ABCA-265) ..... | C ISDA AM | 31-MAY-83 | |
| QSTAG-266 | STANDARDIZATION OF COMBAT IDENTIFICATION MARKINGS FOR ARMORED FIGHTING VEHICLES (AFVS) | C ISDA AM | 21-MAR-73 | |
| QSTAG-267 | STANDARD CHARACTER BY CHARACTER METEOROLOGICAL MESSAGE FORMAT (ABCA) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) | C ISDA AM | 10-FEB-82 | |
| QSTAG-271(1) | PERFORMANCE AND PROTECTIVE PROPERTIES OF COMBAT CLOTHING (ABCA 271) ..... | C ISDA AM | 28-APR-80 | |
| QSTAG-274 | CERTIFICATION OF RADIOGRAPHIC TESTING PERSONNEL (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVER BY HQ DARCOM (DRCIRD)) ABCA 274 | C ISDA AM | 27-MAR-81 | |
| QSTAG-275 | GRAPHICAL SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS (EDITION NO. 2) .. | C ISDA AM | 09-JUN-76 | |
| QSTAG-276 | FAMILY OF AERIAL VEHICLES FOR LAND FORCES UP TO THE YEAR 2000 (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM | 25-FEB-85 | |
| QSTAG-278(1) | STANDARDIZATION OF PROOF PRACTICES FOR PYROTECHNIC STORES (RELEASE OUTSIDE DOD MUST BE APPROVED BY DARCOM)DRCIRD( )ABCA 278( | C ISDA AM | 02-SEP-80 | |
| QSTAG-280 | STATIC PROOF OF DETONATORS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA AM | 20-SEP-83 | |
| QSTAG-281 | STATIC PROOF OF IGNIFEROUS INITIATORS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD) (ABCA 386) | C ISDA AM | 24-MAR-80 | |
| QSTAG-282 | STATIC PROOF OF CAPS (OTHER THAN SMALL ARMS) (ABCA 282) (REL TO OTHER THAN DOD ACT REQ PRI APR OF CNM, DEPT OF NAVY, MAT 09B21, WASH, D.C. 20360 | C ISDA AM | 21-SEP-83 | |
| QSTAG-283(4) | AREA PREDICTOR, RADIOLOGICAL FALLOUT, M5A2 (ABCA 283) (RELEASE TO OTHER THAN DO D AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD) | C ISDA AM | 31-MAY-83 | |
| QSTAG-284 | FIFTH WHEEL ATTACHMENTS (ABCA-284) ..... | C ISDA AM | 24-MAR-72 | |
| QSTAG-287(1) | PROCEDURE FOR REPORTING & INITIAL DISPOSITION OF UNSATISFACTORY MEDICAL MATERIEL (EDITION NO. 2) | C ISDA AM | 29-JUN-84 | |
| QSTAG-288(1) | INTRAVENOUS REPLACEMENT FLUIDS (ABCA-288) ..... | C ISDA AM | 13-AUG-80 | |
| QSTAG-289 | MINIMUM ESSENTIAL CHARACTERISTICS OF WHOLE BLOOD SHIPPING CONTAINER (EDITION NO. 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 289 | C ISDA AM | 09-MAR-79 | |
| QSTAG-290(2) | MINIMUM REQUIREMENTS FOR CONTROLLED TEMPERATURE STORAGE OF MEDICAL MATERIAL (ABCA-290) | C ISDA AM | 26-SEP-77 | |
| QSTAG-291 | INTERFACE OF MEDICAL MATERIAL PROCEDURES ..... | C ISDA AM | 05-JUN-74 | |
| QSTAG-292(2) | VACCINATION OF ARMED FORCES (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT, 09B21, WASH, D.C. 20360) | C ISDA AM | 05-DEC-84 | |
| QSTAG-293 | MATERIEL FOR EMERGENCY MEDICAL CARE OF MASS CASUALTIES (ABCA-293) ..... | C ISDA AM | 12-FEB-75 | |
| QSTAG-296(3) | FILTER UNIT, GAS PARTICULATE, GED OR EMD, 200 CFM, ABCA M6A1 (WITH AMENDMENTS 1 AND 2) ABCA 296 | C ISDA AM | 03-JUN-80 | |
| QSTAG-298(1) | ELECTRICAL CHARACTERISTICS OF ROTATING 28 VOLT D.C. GENERATING SETS FOR FIELD ARMY USE (ABCA-298) | C ISDA AM | 02-FEB-84 | |
| QSTAG-299(1) | ELECTRICAL CHARACTERISTICS OF ROTATING ALTERNATING CURRENT GENERATING SETS FOR FIELD ARMY USE (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM )DRCIRD( )ABCA-299( | C ISDA AM | 02-FEB-84 | |
| QSTAG-300 | TELEGRAPH AND DATA TRANSMISSION RATES (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 300) | C ISDA AM | 15-JAN-79 | |

| Action Opt. / Qual. Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army Navy Air Force DLA |
|---|---|---|---|
| QSTAG-301 | CHARACTERISTICS OF DEMOLITION ACCESSORIES TO DETERMINE THEIR OPERATIONAL INTERCHANGEABILITY (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 301 | C ISDA AM 05-MAR-79 | |
| QSTAG-304(1) | OPERATIONAL METEOROLOGICAL MESSAGES AND FORECASTS (ABCA 304) (RELEASE TO OTHER THAN DOD ACTIVITIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 25-FEB-80 | |
| QSTAG-305 | TENT, FRAME TYPE, MAINTENANCE, MEDIUM, LIGHT METAL, EXPANDABLE (ABCA - 305) 150274 | C ISDA AM 15-FEB-74 | |
| QSTAG-306 | FORTIFICATION FOR PARKED AIRCRAFT (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM )DRCIRD( )ABCA-306( | C ISDA AM 14-JUN-78 | |
| QSTAG-307(2) | CHARACTERISTICS OF 28V DC ELECTRICAL SYSTEMS IN MILITARY VEHICLES (ABCA-307) | C ISDA AM 01-DEC-82 | |
| QSTAG-309 | DEFINITION OF PRESSURES FOR USE IN THE DESIGN AND PROOF OF GUNS AND AMMUNITION (ABCA-309) | C ISDA AM 12-APR-73 | |
| QSTAG-310(1) | BRAKING SYSTEMS BETWEEN TOWING AND TOWED UNITS OF EQUIPMENT COMBINATIONS FOR MILITARY USE (ABCA 310) | C ISDA AM 30-OCT-74 | |
| QSTAG-312 | RADIO RECEIVING SET, AN/ARN-82 (ABCA-312) | C ISDA AM 31-JAN-75 | |
| QSTAG-313 | DIRECTION FINDER SET, AN/ARN-89 | C ISDA AM 05-DEC-74 | |
| QSTAG-314(3) | GENERAL PURPOSE VENTED NICKEL CADMIUM BATTERIES (ABCA-314) | C ISDA AM 13-MAR-84 | |
| QSTAG-315(3) | BATTERIES, RECHARGEABLE, NICKEL CADMIUM, SEALED | C ISDA AM 13-MAR-84 | |
| QSTAG-317(3) | DISPERSER, RIOT CONTROL AGENT, PORTABLE, 3 GALLON, M33A1 AND SERVICE KIT, PORTABLE, RIOT CONTROL AGENT DISPERSER, M254 (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA AM 14-FEB-85 | |
| QSTAG-319(4) | GRENADE HAND, RIOT, CS, M47 AND GRENADE, HAND, RIOT, RED SMOKE, M48 | C ISDA AM 14-FEB-85 | |
| QSTAG-322 | EMERGENCY WAR SURGERY (ABCA-322) | C ISDA AM 19-NOV-73 | |
| QSTAG-323(3) | WELDING SYMBOLS (ABCA-323) (WITH AMENDMENT 1) | C ISDA AM 29-APR-80 | |
| QSTAG-324(3) | WELDING TERMS AND DEFINITIONS (ABCA-324) (WITH AMENDMENT 1) | C ISDA AM 25-AUG-80 | |
| QSTAG-326(2) | GRAPHICAL SYMBOLS FOR USE IN DIAGRAMS FOR FLUID SYSTEMS IN ARMY VEHICLES (EXCLUDING AERONAUTIC OR GUIDED WEAPON )MISSILE(SYSTEM) | C ISDA AM 26-AUG-80 | |
| QSTAG-327 | TWELVE POINT ELECTRICAL CONNECTORS BETWEEN MILITARY VEHICLES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) (EDITION NO. 2) (ABCA 327) | C ISDA AM 23-APR-81 | |
| QSTAG-328 | SLINGING & TIEDOWN PROVISIONS FOR LIFTING & TYING DOWN MILITARY EQUIPMENT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) | C ISDA AM 24-MAR-82 | |
| QSTAG-332 | STANDARD BALLISTIC METEOROLOGICAL MESSAGE(ABCA 332) | C ISDA AM 15-DEC-75 | |
| QSTAG-334 | PROOF TESTING OF SMALL ARMS (ABCA 334) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, DC, 20360) | C ISDA AM 21-NOV-83 | |
| QSTAG-335(1) | CERTIFICATION OF INDUSTRIAL ULTRASONIC TESTING PERSONNEL (ABCA-335) | C ISDA AM 26-AUG-80 | |
| QSTAG-337(1) | GLOSSARY OF AIR DEFENSE TERMS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD() | C ISDA AM 31-DEC-81 | |
| QSTAG-339 | TEST PROCEDURES FOR BARIUM NITRATE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD (ABCA 339) | C ISDA AM 19-AUG-81 | |
| QSTAG-340(2) | SINGLE & MULTI LEVEL CONTINUOUS SAMPLING PROCEDURES & TABLES FOR INSPECTION BY ATTRIBUTES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRIES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 340) | C ISDA AM 03-SEP-82 | |
| QSTAG-342 | TEST PROCEDURES FOR MAGNESIUM POWER (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DCIRD) (ABCA 342) | C ISDA AM 19-AUG-81 | |
| QSTAG-343(1) | BASIC REQUIREMENTS FOR ELECTRONIC SURVEILLANCE OF PATIENTS IN THE FIELD (ABCA 343 | C ISDA AM 09-AUG-76 | |
| QSTAG-344 | BASIC VOLTAGE AND CURRENT CHARACTERISTICS OF ELECTRO-MEDICAL EQUIPMENT (ABCA 344) | C ISDA AM 07-MAY-75 | |
| QSTAG-345(1) | ESSENTIAL CHARACTERISTICS OF HIGH PRESSURE STEAM STERILIZERS (ABCA 345) | C ISDA AM 20-JUN-84 | |
| QSTAG-346(1) | STANDARD LIST OF GAP CROSSING INFORMATION REQUIREMENTS WHEN GATHERING DATA BY MEANS OF AERIAL OR GROUND SURVEY (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD() | C ISDA AM 23-NOV-82 | |
| QSTAG-347(1) | BATTERIES, RECHARGEABLE, LEAD ACID, VENTED (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABDA 347) | C ISDA AM 13-MAR-84 | |
| QSTAG-348(1) | BATTERIES, NON RECHARGEABLE | C ISDA AM 18-APR-84 | |
| QSTAG-351 | 5.56MM AMMUNITION (ABCA-351) | C ISDA AM 13-DEC-76 | |
| QSTAG-353 | METRIC (ISO) SCREW THREADS COARSE SERIES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 353) (EDITION NO. 2) | C ISDA AM 08-JUN-81 | |
| QSTAG-357 | MARKING OF GAS CYLINDERS (EXCLUDING MEDICAL) | C ISDA AM 29-NOV-84 | |
| QSTAG-358 | TEST PROCEDURES FOR DEXTRINATED LEAD AZIDE (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD( )ABCA 358( | C ISDA AM 14-JUN-78 | |
| QSTAG-359 | TEST PROCEDURES FOR BLACK POWER (ABCA-359) | C ISDA AM 14-JUN-78 | |
| QSTAG-360 | CLIMATIC ENVIRONMENTAL CONDITIONS AFFECTING THE DESIGN OF MILITARY MATERIEL (ABCA 360) | C ISDA AM 16-OCT-79 | |
| QSTAG-361 | FUNGAL CONTAMINANTS AFFECTING THE DESIGN OF MILITARY MATERIEL (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 361) | C ISDA AM 15-JAN-81 | |
| QSTAG-362(1) | CHEMICAL ENVIRONMENTAL CONTAMINANTS AFFECTING THE DESIGN OF MILITARY MATERIEL (ABCA 362) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 22-SEP-83 | |
| QSTAG-364 | HANDLING & TRANSPORT SHOCK & VIBRATION CONDITIONS AFFECTING DESIGN CRITERIA (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 364) | C ISDA AM 25-MAR-81 | |
| QSTAG-365(2) | THE FIRE ENVIRONMENTAL CONDITIONS AFFECTING DESIGN CRITERIA (ABCA 365) | C ISDA AM 19-SEP-84 | |
| QSTAG-386 | STANDARD FORMAT OF REQUEST FOR METEOROLOGICAL MESSAGES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 386) | C ISDA AM 18-JAN-80 | |
| QSTAG-389 | STANDARD TARGET ACQUISITION METEOROLOGICAL MESSAGE (ABCA) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) | C ISDA AM 10-FEB-82 | |
| QSTAG-390 | HELICOPTER, CARGO/TROOP CARRIER, CH-47 SERIES (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) EDITION NO. 2 | C ISDA AM 11-DEC-80 | |
| QSTAG-393 | ROCKET & LAUNCHER 2.75 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM DRCDE-1) (ABCA 393) | C ISDF AM 15-MAR-82 | |
| QSTAG-398 | ADAPTERS FOR GAS CYLINDER VALVES AND REGULATING EQUIPMENT | C ISDA AM 12-NOV-79 | |
| QSTAG-399 | AIRCRAFT COMMUNICATIONS RADIO SET, AN/ARC-114 SERIES | C ISDA AM 24-MAR-76 | |
| QSTAG-400 | AIRCRAFT COMMUNICATIONS RADIO SET, AN/ARC-115 | C ISDA AM 24-MAR-76 | |
| QSTAG-401 | AIRCRAFT COMMUNICATIONS RADIO SET, AN/ARC-116 | C ISDA AM 24-MAR-76 | |
| QSTAG-402 | LOW REFLECTIVE ACRYLIC LACQUER FOR ROTARY WING AIRCRAFT (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 402) | C ISDA AM 08-MAR-79 | |
| QSTAG-404(1) | M134 MACHINE GUN HIGH RATE 7.62MM, MINIGUN, (GAU-2B/A) | C ISDA AM 09-JUN-76 | |
| QSTAG-406(2) | TRANSFUSION EQUIPMENT FOR MEDICAL USE (ABCA-406) | C ISDA AM 26-APR-83 | |
| QSTAG-409 | AFV RECOGNITION TRAINING PACK | C ISDA AM 08-NOV-76 | |
| QSTAG-413(2) | DESCRIBING PHYSICAL CHARACTERISTICS OF STANG EQUIPMENT (ABCA 413) | C ISDA AM 01-JUN-77 | |
| QSTAG-414 | TUBES, UNIFORM STANDARDS FOR SPECIFYING PERFORMANCE PARAMETERS OF IMAGE INTENSIFIER (ABCA) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 02-OCT-80 | |
| QSTAG-415(1) | UNIFORM STANDARDS FOR SPECIFYING PERFORMANCE PARAMETERS OF THERMAL IMAGING DEVICES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 415) | C ISDA AM 22-MAY-84 | |
| QSTAG-418(1) | MEDIUM GIRDED BRIDGE MEDIUM GRIDER BRIDGE SPAN JUNCTION EQUIPMENT AND MEDIUM GRIDER BRIDGE PORTABLE PIER EQUIPMENT RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 25-AUG-81 | |
| QSTAG-423(4) | EQUATION OF MEDICAL FACILITIES IN THE FIELD (ABCA 423) | C ISDA AM 01-JUN-84 | |

| Action Opt. / Qual. Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MICA Symbol Preparing Activity Date | Custodians Army Navy Air Force DLA |
|---|---|---|---|
| QSTAG-425(2) | MASK, CHEMICAL-BIOLOGICAL, FIELD, M17A1 AND RESUSCITATION TUBE, CHEMICAL-BIOLOGICAL MASK, M1 (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD( | C ISDA AM 08-DEC-81 | |
| QSTAG-427(1) | IRRITANT KIT, (UK), SMOKE, CS AND (US) CAPSULE, CS (FOR RESPIRATOR TESTING) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 28-FEB-85 | |
| QSTAG-428 | HOWITZER, MEDIUM, SELF PROPELLED, 155MM, M109 WITH AMMUNITION + FIRE CONTROL EQUIPMENT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) EDITION NO. 2 | C ISDA AM 26-MAR-84 | |
| QSTAG-431 | STANDARDIZED LIST OF ABCA PREFERRED BATTERIES (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA AM 11-JAN-84 | |
| QSTAG-432(1) | DATA TRANSMISSION CODES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM) ABCA 432 | C ISDA AM 04-AUG-83 | |
| QSTAG-433(1) | ESSENTIAL PERFORMANCE CHARACTERISTICS OF FIELD SURGICAL LIGHTS (ABCA-433) . | C ISDA AM 01-JUN-84 | |
| QSTAG-434 | PATIENT & OPERATOR PROTECTION FROM FAILURE OF ELECTROMEDICAL EQUIPMENT (ABCA 434) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, DC 20360) | C ISDA AM 23-JAN-85 | |
| QSTAG-435(1) | MEDICAL MATERIEL MANAGEMENT DURING PATIENT EVACUATION (ABCA-435) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 20-JUN-84 | |
| QSTAG-436(1) | MINIMUM LABELLING REQUIREMENTS FOR MEDICAL MATERIAL (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABC-436 | C ISDA AM 08-OCT-80 | |
| QSTAG-438 | BASIC RANGE OF ELECTRO MECHANICAL PATHOLOGY EQUIPMENT FOR USE IN THE FIELD (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA AM 16-JAN-81 | |
| QSTAG-440 | ESSENTIAL CHARACTERISTICS OF ELECTRO-SURGICAL APPARATUS (ABCA 440) ..... | C ISDA AM 20-AUG-79 | |
| QSTAG-441 | ESSENTIAL CHARACTERISTICS OF FIELD X-RAY SYSTEM ..... | C ISDA AM 20-JUL-79 | |
| QSTAG-442(1) | ESSENTIAL CHARACTERISTICS OF MOBILE & PORTABLE RESPIRATOR/VENTILATORS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 42) | C ISDA AM 08-NOV-82 | |
| QSTAG-444 | ESSENTIAL CHARACTERISTICS OF MECHANICAL LUNG VENTILATORS (ABCA-444) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 22-APR-85 | |
| QSTAG-446(2) | SIMULATOR PROJECTILE AIRBURST (LIQUID CHEMICAL AGENT) L1A2 (SPAL) ..... | C ISDA AM 22-APR-85 | |
| QSTAG-447(2) | A TEST METHOD FOR METHOD FOR MEASURING ACOUSTICAL NOISE (RELEASE TO OTHER THAN DOD AGENCIES REQUIRE PRIOR APPROVAL OF HQ . ARCOM )DRCIRD( )ABCA-447( | C ISDA AM 29-OCT-80 | |
| QSTAG-449 | A GLOSSARY OF TERMS USED IN SAMPLING INSPECTION (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 25-FEB-85 | |
| QSTAG-451(1) | SHELTER SYSTEM, COLLECTIVE PROTECTION, CHEMICAL BIOLOGICAL, INFLATABLE, TRAILER TRANSPORTED, M51 (ABCA-451) | C ISDA AM 08-DEC-81 | |
| QSTAG-454 | GRENADE, DISCHARGER, SMOKE SCREENING, L8A1 (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) ABCA 454 | C ISDA AM 23-APR-81 | |
| QSTAG-456(1) | GRENADE, HAND, FRAGMENTATION, DELAY, M67 AND GRENADE, HAND, PRACTICE, DELAY M69 (ABCA-456) | C ISDA AM 06-MAY-80 | |
| QSTAG-458 | DESIGN CRITERIA FOR CRASHWORTHINESS (LIGHT FIXED WING & ROTARY WING AIRCRAFT) ABCA 458 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) | C ISDA AM 21-DEC-79 | |
| QSTAG-460(1) | GOGGLES, NIGHT VISION AN/PVS-5 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1 (ABCA 460) | C ISDA AM 28-JUN-85 | |
| QSTAG-461 | CLOSED CIRCUIT REFUELING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 26-APR-84 | |
| QSTAG-462 | DECONTAMINATING KIT, (US) SKIN, M258 (UK) DECONTAMINATING KIT, PERSONAL (DOKP) (CA) MITT, DECONTAMINATING, CN AGENT (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 12-MAR-79 | |
| QSTAG-467 | RADIO SET AN/PRC-77 (ABCA 467) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 31-JAN-79 | |
| QSTAG-468 | IMAGE INTENSIFIER TUBE ASSEMBLIES 18 MILLIMETER WAFER & 25 MILLIMETER INVERTER (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, (DRCIRD)) ABCA 468 | C ISDA AM 27-MAR-81 | |
| QSTAG-470(2) | DOCUMENTATION RELATIVE TO MEDICAL EVACUTATION, TREATMENT AND CAUSE OF DEATH OF PATIENTS, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 01-JUN-84 | |
| QSTAG-471 | SUPPLEMENTARY LABELS FOR DISPENSED MEDICINE (ABCA 471) ..... | C ISDA AM 20-JUL-79 | |
| QSTAG-480 | INTEROPERABILITY OF TACTICAL DIGITAL FACSIMILE EQUIPMENT (BASED ONNATO STANAG 5000) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D. C. 20360) | C ISDA AM 22-APR-85 | |
| QSTAG-481 | COLOR CODE & MARKINGS FOR AMMUNITION & ITS PACKAGING (RELEASE TO OTHER THAN DOD ACTIVITIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 06-MAR-81 | |
| QSTAG-495(2) | RIOT CONTROL & TRAINING AGENTS CS & CR ..... | C ISDA AM 14-FEB-85 | |
| QSTAG-496(2) | STANDARDS FOR NBC PROTECTIVE MASK & CANISTER SCREW THREADS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) | C ISDA AM 25-JUN-84 | |
| QSTAG-499 | TEST PROCEDURES FOR POTASSIUM NITRATE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 499 | C ISDA AM 27-JUL-81 | |
| QSTAG-500 | TEST PROCEDURES FOR ETHYL CENTRALITE (CARBAMITE) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 500) | C ISDA AM 27-JUL-81 | |
| QSTAG-501 | CONTAMINATED OR DANGEROUS LAND AREAS, COMPLETE EQUIPMENTS, SUPPLIES & STORES, WARNING SIGNS FOR THE MARKING OF(ABCA EDITION 2) (BASED ON NATO STAG 2002) | C ISDA AM 11-MAY-82 | |
| QSTAG-502 | PATROL REPORTS BY ARMY FORCES (ABCA-502) ..... | C ISDA AM 27-JUN-78 | |
| QSTAG-503 | BOMBING, SHELLING, MORTARING AND LOCATION REPORTS ..... | C ISDA AM 28-SEP-79 | |
| QSTAG-504(1) | BRIDGE CLASSIFICATION MARKINGS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 504) | C ISDA AM 12-AUG-80 | |
| QSTAG-505 | TARGET GRID PROCEDURES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRII( | C ISDA AM 27-JUN-78 | |
| QSTAG-506(2) | OPERATION ORDERS, WARNING ORDERS & ADMINISTRATIVE LOGISTICS ORDERS (BASED ON STANAG 2014) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 506) | C ISDA AM 26-APR-83 | |
| QSTAG-507(1) | MILITARY ROUTES & ROUTE ROAD NETWORKS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 507) | C ISDA AM 23-FEB-81 | |
| QSTAG-508 | ORDERS TO THE DEMOLITION GUARD COMMANDER & DEMOLITION FIRING PARTY COMMANDER (BASED ON NATO STANAG 2017) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRIES PRIOR APPROVAL OF DARCOM, DARCDE-1 (EDITION NO. 2) | C ISDA AM 15-MAR-82 | |
| QSTAG-509 | MILITARY SYMBOLS RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 509 | C ISDA AM 05-MAR-79 | |
| QSTAG-510 | OPERATIONAL SITUATION REPORTS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 15-JAN-79 | |
| QSTAG-511 | INTELLIGENCE REPORTS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 05-APR-79 | |
| QSTAG-512(2) | MARKING OF MILITARY VEHICLES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 02-MAY-83 | |
| QSTAG-513 | SYSTEM FOR FIELD WIRE LABELLING ABCA 513 ..... | C ISDA AM 23-FEB-79 | |
| QSTAG-514 | METHOD OF DESCRIBING GROUND LOCATIONS, AREAS AND BOUNDARIES ..... | C ISDA AM 05-MAR-79 | |
| QSTAG-515 | PROFORMA FOR ARTILLERY FIRE PLAN (BASED ON NATO STANAG 2031) (RELEASE TO OTHER THAN DOD ACT REQ PRI APPROVAL OF CNM, MAT 09B-21, WASH, D.C. 20390 | C ISDA AM 05-OCT-84 | |
| QSTAG-517 | MARKING OF HEADQUARTERS AND DUMPS RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 13-JAN-79 | |

| Action QPL / QML Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Agcy Date | Custodians Army Navy Air Force DLA |
|---|---|---|---|
| QSTAG-520 | OPERATION ORDERS, TABLES & GRAPHS FOR ROAD MOVEMENT (BASED ON NATO STANAG 2041) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 520) | C ISDA AM 25-AUG-81 | |
| QSTAG-523(1) | PROCEDURES FOR DEALING WITH PRISONERS OF WAR (PW) ..... | C ISDA AM 02-JUN-82 | |
| QSTAG-529 | MEDICAL EMPLOYMENT OF AIR TRANSPORT IN THE FORWARD AREA ABCA 529 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) | C ISDA AM 24-MAR-80 | |
| QSTAG-530 | REPORTING ENGINEERING INFORMATION IN THE FIELD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 530) | C ISDA AM 21-DEC-79 | |
| QSTAG-532 | MARKINGS FOR UMPIRES AND OTHER PERSONNEL, VEHICLES AND INSTALLATIONS DURING COMBINED EXERCISES | C ISDA AM 12-NOV-79 | |
| QSTAG-533 | PRINCIPLES AND PROCEDURES FOR ESTABLISHING LIAISON ABCA 533 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD | C ISDA AM 24-MAR-80 | |
| QSTAG-535 | MEDICAL TRAINING IN FIRST AID, BASIC HYGIENE AND EMERGENCY CARE (ABCA 535) | C ISDA AM 12-NOV-79 | |
| QSTAG-536(1) | MEDICAL, SURGICAL AND DENTAL INSTRUMENTS, EQUIPMENT AND SUPPLIES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 536) | C ISDA AM 01-JUN-84 | |
| QSTAG-538 | RECOGNITION & IDENTIFICATION OF FORCES ON THE BATTLEFIELD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 538) | C ISDA AM 15-JAN-81 | |
| QSTAG-539 | REGULATIONS FOR MILITARY MOTOR VEHICLE MOVEMENT BY ROAD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) | C ISDA AM 02-OCT-80 | |
| QSTAC-540 | IDENTIFICATION OF MOVEMENT CONTROL & TRAFFIC CONTROL PERSONNEL & AGENCIES ABCA 540 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) | C ISDA AM 05-FEB-80 | |
| QSTAG-541 | STANDARD UNIT OF VERTICAL MEASURE TO BE SHOWN ON LAND MAPS (BASED ON NATO STANAG 2201) (ABCA 541) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 18-JUN-84 | |
| QSTAG-542 | USE OF IDENTICAL MAPS BY ABCA ARMED FORCES OPERATING ON LAND (BASED ON NATO STANAG 2205 (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA AM 18-JUN-84 | |
| QSTAG-545 | GAZETTEERS (BASED ON NATO STANAG 2213) (ABCA 545) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 29-NOV-84 | |
| QSTAG-547 | VERTICAL AERIAL CARTOGRAPHIC, PHOTOGRAPHY (BASED ON NATO STANAG 2216) (ABCA 547) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360 | C ISDA AM 18-JUN-84 | |
| QSTAG-556(2) | EVALUATION & CONTROL OF LASER HAZARDS (BASEDON NATO STANAG 3606) (REL TO OTHER THAN DOD ACT REQ PRI APR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 16-MAY-84 | |
| QSTAG-562 | SURFACE TRANSPORTATION REQUEST AND REPLY TO SURFACE TRANSPORT REQUEST ..... | C ISDA AM 12-DEC-79 | |
| QSTAG-567 | COMMAND AND CONTROL OF INFANTRY BATTALION ANTIARMOR WEAPONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 567) | C ISDA AM 24-MAR-80 | |
| QSTAG-570 | EMPLANING AND DEPLANING AT THE HIGH WATER (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 570) | C ISDA AM 24-MAR-80 | |
| QSTAG-571(1) | PRINCIPLES GOVERNING THE DESIGN OF THE INDIVIDUAL LOAD CARRYING EQUIPMENT OF THE COMBAT SOLDIER, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA AM 07-MAY-80 | |
| QSTAG-572 | LANCE, FIELD ARTILLERY MISSILE SYSTEM W/AMMUNITION & FIRE CONTROL EQUIPMENT ABCA 572 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) | C ISDA AM 21-DEC-79 | |
| QSTAG-573(1) | TACTICAL HAND & ARM SIGNALS FOR THE CONTROL OF AFVS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES APPROVAL OF CHIEF OF NAVAL MATERIAL, DEPT OF NAVY, MAT 09B21, WASH DC 20360 (ABCA 573) | C ISDA AM 15-MAR-83 | |
| QSTAG-574(2) | HELICOPTER BLADE TRACKING DEVICE (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 574) | C ISDA AM 09-NOV-83 | |
| QSTAG-577 | MACHINE GUN, CAL. .50, BROWNING M2 (ABCA 577) ..... | C ISDA AM 12-NOV-79 | |
| QSTAG-579(1) | PASSIVE VIEWER, DRIVER S NIGHT VISION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 579) | C ISDA AM 19-OCT-81 | |
| QSTAG-580 | MEDICAL REQUIREMENT FOR BLOOD & BLOOD DONORS ..... | C ISDA AM 22-OCT-80 | |
| QSTAG-581 | RADAR, GROUND SURVEILLANCE, VERY SHORT RANGE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA AM 05-APR-79 | |
| QSTAG-582(1) | COMMON ELECTRICAL DEFINITIONS & TERMS ELECTRICAL POWER SUPPLIES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 582) | C ISDA AM 18-MAY-84 | |
| QSTAG-583 | QUALITY ASSURANCE PROCEDURES FOR DEMOLITION STORES, & ACCESSORIES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM (DRCIRD) (ABCA 583) | C ISDA AM 15-JAN-81 | |
| QSTAG-585(2) | PROCEDURES FOR MARSHALLING HELICOPTERS IN AIRMOBILE OPERATIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 585) | C ISDA AM 23-NOV-83 | |
| QSTAG-586 | PROCEDURES TO BE EMPLOYED IN THE EVENT OF DOWNED HELICOPTERS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) ABCA 586 | C ISDA AM 29-APR-83 | |
| QSTAG-590(1) | MARKING OF MILITARY CARGO FOR INTERNATIONAL MOVEMENT BY ALL INTERNATIONAL MEANS OF SUPPORT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA AM 02-MAY-83 | |
| QSTAG-591 | BASIC MILITARY ROAD TRAFFIC REGULATIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 591) | C ISDA AM 06-MAR-81 | |
| QSTAG-592 | FORECAST MOVEMENT REQUIREMENTS, RAIL, ROAD AND INLAND WATERWAYS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 592) | C ISDA AM 21-DEC-79 | |
| QSTAG-594 | ELECTRICAL CHARACTERISTICS OF DIGITAL INTERFACE CIRCUITS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 594) | C ISDA AM 25-MAR-81 | |
| QSTAG-595 | GLOSSARY OF TELECOMMUNICATION TERMS (EDITION 2) (RELEASE TO OTHER THAN DOD ACT REQ PR APPROVAL OF CNM, DEPT OF THE NAVY, MAT 09B21, WASH, DC 20360) ABCA | C ISDA AM 05-OCT-84 | |
| QSTAG-596 | TEST PROCEDURES FOR TNT (TOLITE) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRE PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 596 | C ISDA AM 08-DEC-81 | |
| QSTAG-597 | HANDHELD, LASER RANGEFINDER AN/GVS-5 (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 597) | C ISDA AM 25-MAR-81 | |
| QSTAG-606 | FUZE, PROXIMITY, ARTILLERY, M732 (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM (DRCIRD) (ABCA 606) | C ISDA AM 11-DEC-80 | |
| QSTAG-608 | DETECTOR KITS, CHEMICAL AGENT (REL TO OTHER THAN DOD REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 03-APR-85 | |
| QSTAG-611 | TERRAIN DESCRIPTION GLOSSARY (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-I (ABCA 611) | C ISDA AM 10-FEB-82 | |
| QSTAG-612 | CERTIFICATION OF MAGNETIC PARTICLE INSPECTION PERSONNEL (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRIES PRIOR APPROVAL OF DARCOM, DRCDE-U) (ABCA 612) | C ISDA AM 10-FEB-82 | |
| QSTAG-622 | ESSENTIAL CHARISTICSTICS OF SURGICAL INSTRUMENTS (ABCA 622) ..... | C ISDA AM 09-AUG-79 | |
| QSTAG-623 | STANDARD METHOD OF WRITING PRESCRIPTIONS FOR SPECTACLES ABCA 623 ..... | C ISDA AM 09-AUG-79 | |
| QSTAG-624 | MEDICAL DESIGN REQUIREMENTS FOR MILITARY MOTOR AMBULANCES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 23-AUG-84 | |
| QSTAG-626 | ABCA ARMIES FUZE PRODF PRACTICES FOR UNGUIDED TUBE -LAUNCHED PROJECTILES (ABCA 626) (RL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 21-NOV-83 | |
| QSTAG-627(1) | MATERIALS HANDLING IN THE FIELD (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 627 | C ISDA AM 15-NOV-82 | |

# NUMERICAL LISTING
# INTERNATIONAL STANDARDIZATION DOCUMENTS

| Action Ofpl / Cmnt Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area NCA Symbol Preparing Activity Date | Custodians Army Navy Air Force DLA |
|---|---|---|---|
| QSTAG-629(1) | TEST METHODS FOR ELASTOMETER (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) ABCA 629 | C ISDA AM 01-JUN-82 | |
| QSTAG-633 | INSPECTION AND QUALITY CONTROL REQUIREMENTS FOR INDUSTRY (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360) (ABCA 633) | C ISDA AM 03-JAN-85 | |
| QSTAG-634 | FLUERICS, GRAPHIC SYMBOLS TO BE USED ON ENGINEERING DRAWINGS AND DOCUMENTS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD) | C ISDA AM 11-DEC-80 | |
| QSTAG-637(1) | PRINCIPLES OF MEDICAL POLICY OF MASS CASUALTY SITUATION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 637) | C ISDA AM 27-JUL-81 | |
| QSTAG-639(1) | CONDITIONED DEPHASE MODULATION (ABCA 639) (REL TO OTHER THAN DOD ACT PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 01-FEB-84 | |
| QSTAG-642 | CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF ITEM IDENTIFICATION (BASED ON NATO STANAG 3151) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 642) | C ISDA AM 08-JUN-81 | |
| QSTAG-644 | RADAR SIGNAL DETECTING SET AN/APR-39(V)1 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 644) | C ISDA AM 08-MAR-82 | |
| QSTAG-645(1) | CROSS SERVICING OF HELICOPTERS ENGAGED IN LAND OPERATIONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 24-OCT-83 | |
| QSTAG-646 | PROCEDURES USED IN ESTABLISHING BALLISTIC STANDARD AMMUNITION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 646) | C ISDA AM 16-JAN-81 | |
| QSTAG-647 | PROCEDURE FOR THE TRANSFER OF STANDARD INTERNAL BALLISTIC PERFORMANCE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRIES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA647) | C ISDA AM 31-MAR-82 | |
| QSTAG-653 | STANDARDIZATION OF WRENCH OPENINGS (SI METRIC SERIES) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA AM 20-SEP-83 | |
| QSTAG-655(1) | EMERGENCY WAR BURIAL PROCEDURES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD)(ABCA 655) | C ISDA AM 02-MAY-83 | |
| QSTAG-657(1) | GUIDE PLCIFICATIONS F OR ABCA ARMY FUELS, LUBRICANTS & ASSOCIATED PRODUCTS (BASED ON STANAG 2845)(REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, DC 20360 | C ISDA AM 17-JAN-84 | |
| QSTAG-658 | COMMUNICATION AND NAVIGATIONAL FACILITIES FOR MULTINATIONAL AIRMOBILE OPERATIONS (EDITION 1) (REL TO OTHER THAN DOD ACT REQ PR APPROVAL OF CNM DEPT OF THE NAVY, MAT 09B21, WASH, DC 20360) ABCA | C ISDA AM 05-OCT-84 | |
| QSTAG-660 | MOVEMENT CONTROL (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA AM 01-FEB-84 | |
| QSTAG-665 | AIRMOBILE OPERATIONS (ABCA 665) ..... | C ISDA AM 05-JUN-81 | |
| QSTAG-666 | WIRE STRIKE PROTECTION SYSTEM (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA AM 03-MAY-84 | |
| QSTAG-669 | AIRCRAFT RECOGNITION TRAINING (ABCA 699) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360 | C ISDA AM 20-JAN-84 | |
| QSTAG-670 | STANDARDIZATION OF PROOF PHILOSOPHIES & PRACTICES FOR ABCA GUNS, MORTARS, AMMUNITION & EQUIPMENT UTILIZED AT PROOF RANGES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 26-APR-84 | |
| QSTAG-672 | NIGHT VISION SIGHT, INDIVIDUAL SERVED WEAPON AN/PVS-4 (ABCA 672) (REL TO OTHER THAN DOD ACT REQ PRI APR OF CNM, MAT 09B21, WASH, D.C.20360) | C ISDA AM 16-SEP-83 | |
| QSTAG-674 | MESSAGE TEXT FORMATTING SYSTEM (FORMETS) (BASED ON NATO STANAG 5500) RELEASE TO OTHER THAN DOD ACTIVITES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 674) | C ISDA AM 30-NOV-82 | |
| QSTAG-675 | DATA INFORMATION, PRINCIPLES FOR THE AUTOMATED TRANSFER OF, BETWEEN TACTICAL COMMAND & CONTROL SYSTEMS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1 (ABCA 675) | C ISDA AM 10-FEB-82 | |
| QSTAG-676 | RULES FOR ACHIEVING SUB-SYSTEMS INTEROPERABILITY BETWEEN THE AUTOMATED TACTICAL COMMAND & CONTROL SYSTEMS OF ABCA ARMIES (RELEASE TO OTHER THAN DOD ACT, REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 676) | C ISDA AM 14-APR-82 | |
| QSTAG-677 | RESUSCITATION MATERIEL FOR FIELD USE (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT, WASH, D.C. 20360 (ABCA 677) | C ISDA AM 23-JAN-85 | |
| QSTAG-680 | CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF SUPPLY CLASSIFICATION (BASED ON NATO STANAG 3150) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 680) | C ISDA AM 08-JUN-81 | |
| QSTAG-681 | BATTERIES, NON RECHARGEABLE,LITHIUM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH 20360) | C ISDA AM 11-JAN-84 | |
| QSTAG-683 | ELECTRIC POWER CONDITIONERS,GENERAL PURPOSE (REL TO OTHER THAN DOD ACT REG PR APPR OF CNM, MAT 09B21) | C ISDA AM 05-JAN-84 | |
| QSTAG-684(1) | BATTERY CHARGERS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF CHIEF OF NAVAL MATERIAL DEPT OF NAVY, MAT 09B21, WASH, D.C 20360 (ABCA 684 | C ISDA AM 25-FEB-85 | |
| QSTAG-691 | HELICOPTER TACTICAL REFUELING (REL OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA AM 05-JAN-84 | |
| QSTAG-693 | PRINCIPLES & CHARACTERISTICS OF INTEROPERABILITY SECURITY (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA AM 14-FEB-84 | |
| QSTAG-699 | AIRCRAFT RECOGNITION TRAINING (ABCA 699) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C ISDA AM 20-JAN-84 | |
| QSTAG-701 | AIRCRAFT GENERAL PURPOSE DISPENSER M-130 (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA AM 16-MAR-84 | |
| QSTAG-702 | HELICOPTER INFRARED HOT METAL & ENGINE PLUME SUPPRESSOR (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA AM 09-MAR-84 | |
| QSTAG-715 | BATTLEFIELD SPECTRUM MANAGEMENT HF (1.5-30 MHZ BAND) RELEASE TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360 | C ISDA AM 15-APR-85 | |
| QSTAG-718 | BATTLEFIELD SPECTRUM MANAGEMENT UHF (225-400 MHZ BAND: (ABCA 718) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 22-APR-85 | |
| QSTAG-719 | BATTLEFIELD SPECTRUM MANAGEMENT TACTICAL RADIO RELAY & TROPOSPHERIC SCATTER SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D C20360) | C ISDA AM 25-FEB-85 | |
| QSTAG-721 | BATTLEFIELD SPECTRUM MANAGEMENT-RADAR, POSITION NAVIGATION, TACTICAL SENSOR SYSTEMS & MULTIFUNCTION INFORMATION DISTRIBUTION SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 22-FEB-85 | |
| QSTAG-724 | CALIBRATION OF ULTRASONIC TEST EQUIPMENT WITH STANDARD TEST BLOCKS(REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA AM 12-JUL-83 | |
| QSTAG-726 | GUN, 105MM FIELD L118 & L119 WITH ASSOCIATED AMMUNITION & FIRE CONTROL EQUIPMENT (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM MAT 09-B21, WASH, | C ISDA AM 03-JAN-85 | |
| QSTAG-733 | TECHNICAL STANDARDS FOR SINGLE CHANNEL HIGH FREQUENCY RADIO EQUIPMENT (BASED ON NATO STANAG 4203) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, DC 20360) | C ISDA AM 03-JAN-85 | |
| QSTAG-742 | MARKING OF HAZARDOUS AREAS & ROUTES THROUGH THEM (BASED ON NATO STANAG 2889) REL TO OTHER THAN DOD REQ PRI APR OF CNM, MAT 09B21, WASH, D. C. 20360 | C ISDA AM 20-SEP-83 | |
| QSTAG-764 | SYSTEME INTERNATIONAL (SI) UNIT FOR COMBAT DOSIMETRY (REL TO OTHER THAN DOD ACTIVITES REQ PRIOR APPROVAL OF CHIEF OF NAVAL MATERIAL DEPT OF NAVY, MAT 09B2:, WASH D.C. 20360 | C ISDA AM 20-MAR-84 | |
| STANAG-4 ED. V | NATO STANDARDIZATION AGREEMENTS & ALLIED PUBLICATIONS ..... | C ISDF 06 01-DEC-80 | |
| STANAG-1001(1) | STANDARDIZED SYSTEM OF DESIGNATING DAYS & HOURS IN RELATION TO AN OPERATION OR EXERCISE (EDITION 6) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001 | C ISDA AI 10-JUN-91 | |
| STANAG-1005 | STANDARD SYSTEM OF VISUAL MARKINGS FOR NORTH ATLANTIC TREATY NAVAL VESSELS (EDITION NO. 5) (VALIDATION DATE: 7912) | C ISDN N1 05-NOV-73 | |

| Action | Opt. / Opt. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | STANAG-1006(3) | PREFERRED INCANDESCENT AND FLUORESCENT ELECTRIC LAMPS FOR LIGHTING PURPOSES ON NAVAL VESSELS OF NATO COUNTRIES (EDITION NO. 4) (REQUES FOR ISSUE OTHER THAN DOD MUST BE SENT VIA COMNAVSEASYSCOM CODE 56Z22), WASHINGTON DC 20362 | D | ISDN | NI | | 01-AUG-90 | | | | |
| | | STANAG-1007(2) | PREFERRED ELECTRIC LAMPS FOR SIGNALLING PURPOSES ON NAVAL VESSELS OF NATO COUNTRIES (EDITION NO. 4) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA COMNAVSEASYSCOM CODE 56Z22), WASHINGTON DC 20362 (AMD 2) | D | ISDN | NI | | 01-AUG-90 | | | | |
| A | | STANAG-1022 ED. 5(10) | COMBAT CHARTS, AMPHIBIOUS CHARTS AND COMBAT LANDING CHARTS | C | ISDF | 06 | | 10-FEB-93 | | | | |
| | | STANAG-1034 | ALLIED SPOTTING PROCEDURES FOR NAVAL GUNFIRE SUPPORT - ATP-4(B) (NAVY) (EDITION 7) | C | ISDN | MM | | 29-JUN-84 | | | | |
| | | STANAG-1040 | ALLIED NAVAL CONTROL OF SHIPPING MANUAL ATP2 VOLUME 1 (EDITION 13) | C | ISDN | MM | | 29-NOV-85 | | | | |
| M | | STANAG-1050 ED. 3(2) | DISTINCTIVE COLOUR OF CLOTHING FOR FLIGHT DECK PERSONNEL | C | ISDN | NI | | 17-MAR-93 | | | | |
| | | STANAG-1052 | ALLIED SUBMARINE & ANTI SUBMARINE EXERCISE MANUAL (EDITION 20) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDN | MM | | 07-JUN-84 | | | | |
| | | STANAG-1057 | STANDARD METHOD OF PASSING DEGAUSSING INFORMATION BETWEEN NATIONAL AUTHORITIES (WITH AMENDMENT 2 THRU 12) [VALIDATION DATE: 8206] | C | ISDN | NI | | 12-DEC-62 | | | | |
| | | STANAG-1059(1) | NATIONAL DISTINGUISHING LETTERS FOR USE BY NATO FORCES (EDITION 5) (REQ OTHER THAN DOD REF TO US AMC ATTN: AMCICP-A-A-N 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | | 06-OCT-88 | | | | |
| | | STANAG-1063 | ALLIED NAVAL COMMUNICATIONS EXERCISES - AXP-3(B) (NAVY/AIR) (EDITION NO. 10) | C | ISDN | MM | | 29-NOV-84 | | | | |
| | | STANAG-1065(1) | REPLENISHMENT AT SEA (EDITION NO. 10) | C | ISDN | MM | | 09-MAY-85 | | | | |
| | | STANAG-1068 | THE ALLIED MARITIME ABOVE WATER WARFARE EXERCISE MANUAL (EDITION NO 11) | C | ISDN | MM | | 30-NOV-84 | | | | |
| | | STANAG-1080 ED. 2(3) | NORTH ATLANTIC TREATY ORGANIZATION FISHING PERMIT | D | ISDN | NI | | 29-APR-92 | | | | |
| | | STANAG-1083(2) | TETHERED SUBMARINE MARKER BUOYS (EDITION NO. 4) | C | ISDN | MM | | 03-JUN-87 | | | | |
| | | STANAG-1084 | REPLENISHMENT OF FUEL AND WATER IN HARBOUR EDITION 4 ( REQUEST OTHER THAN DOD REQUIRE PRIOR APPROVAL OF CNO OP-731 WASHINGTON, DC 20530-2000 | D | ISDN | NI | | 18-SEP-89 | | | | |
| M | | STANAG-1095 ED. 5(1) | TIE-DOWN FITTINGS ON SHIPBORNE AIRCRAFT | C | ISDN | NI | | 02-APR-93 | | | | |
| A | | STANAG-1100 ED. 4(3) | PROCEDURES FOR VISITS TO NATO AND NON-NATO PORTS BY NAVAL SHIPS OF NATO NATIONS | D | ISDN | NI | | 26-AUG-92 | | | | |
| | | STANAG-1103(1) | EMERGENCY PUBLICATION OF NAUTICAL AND SPECIAL NAVAL CHARTS (ED 3) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058 | C | ISDF | 06 | | 23-MAY-91 | | | | |
| A | | STANAG-1110 ED. 6(7) | ALLOWABLE DETERIORATION LIMITS FOR NATO ARMED FORCES FUELS, LUBRICANTS AND ASSOCIATED PRODUCTS | B | ISDN | NI | | 30-OCT-92 | | | | |
| | | STANAG-1113(4) | GENERAL SPECIFICATIONS FOR PROJECTIONS REQUIRED FOR NAUTICAL CHARTS FOR POLAR REGIONS AND THE HIGHER LATITUDES (EDITION 3) (REQ OTHER THAN DOD REF TO HQ USAF XOXX-ISO, WASH., DC, 20330-5058 | C | ISDF | 06 | | 23-OCT-90 | | | | |
| | | STANAG-1116(2) | MINE WARFARE PILOTS -AMP-11 (EDITION 6) REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNO-OP-731, WASH, DC 20350-2000 | D | ISDN | SH | | 09-FEB-90 | | | | |
| | | STANAG-1120(6) | CODE DESIGNATION SYSTEM FOR SPECIAL NAVAL CHARTS (EDITION 2) (REQ FOR OTHER THAN DOD REF TO HQ USAF XOXX-ISO, WASH., DC, 20330-5058 | C | ISDF | 06 | | 23-OCT-90 | | | | |
| | | STANAG-1123 | COMPILATION DATA REFERENCES ON SPECIAL NAVAL CHARTS (WITH AMENDMENTS 1, 2, 3, 4) [VALIDATION DATE: 8302] | C | ISDF | 06 | | 02-MAR-71 | | | | |
| | | STANAG-1132(1) | TACTICAL INSTRUCTIONS AND PROCEDURES FOR THE CONDUCT OF MINE WARFARE OPERATIONS (EDITION NO. 11 | C | ISDN | MM | | 24-SEP-85 | | | | |
| | | STANAG-1133 | NBC DEFENCE OF MERCHANT SHIPS - AEP-3 (NAVY) (EDITION 3) | C | ISDN | MM | | 04-DEC-85 | | | | |
| | | STANAG-1135(2) | INTERCHANGEABILITY CHART OF NATO STANDARDIZED FUELS, LUBRICANTS AND ASSOCIATED PRODUCTS | C | ISDN | MM | | 16-OCT-91 | | | | |
| | | STANAG-1136(1) | STANDARDS FOR USE WHEN MEASURING & REPORTING RADIATED NOISE CHARACTERISTICS OF SURFACE SHIPS, SUBMARINES, HELICOPTERS, ETC, IN RELATION TO SONAR DETECTION AND TORPEDO AQUISITION RISK (EDITION 2) | C | ISDN | MM | | 04-MAR-85 | | | | |
| | | STANAG-1137(1) | HELICOPTER MINE COUNTERMEASURES MANUAL - AMP-7(B)(NAVY/AIR) (EDITION NO. 3) | C | ISDN | MM | | 24-APR-86 | | | | |
| | | STANAG-1149(1) | DOCTRINE FOR AMPHIBIONS OPERATIONS - ATP-8 (EDITION 10) | C | ISDN | MM | | 20-MAY-86 | | | | |
| | | STANAG-1152 | ALLIED ANTI-SUBMARINE WARFARE MANUAL - ATP-28 (ED 11) | C | ISDN | MM | | 21-MAY-87 | | | | |
| | | STANAG-1154 | NATO QUALIFICATIONS FOR HELICOPTER CONTROLLERS AT SEA - EDITION NO. 7 (REL TO OTHER THAN DOD MUST SEND REQUEST VIA CNO -OP-731, WASHINGTON DC 20350-2000) | C | ISDN | NI | | 13-DEC-90 | | | | |
| | | STANAG-1162 | VERTICAL REPLENISHMENT (VERTREP) OPERATING AREA MARKING, CLEARANCES AND LIGHTING (EDITION 4) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731 WASHINGTON DC 20350-2000 | C | ISDN | MM | | 03-MAY-91 | | | | |
| | | STANAG-1163 | NSATO MARITIME UNIT DATA & EQUIPMENT LIST (EDITION NO. 4) | C | ISDN | SH | | 20-JAN-86 | | | | |
| | | STANAG-1166(5) | STANDARD SHIP DESIGNATOR SYSTEM (ED. 4) OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON DC 20350-2000) | D | ISDN | NI | | 03-MAY-91 | | | | |
| | | STANAG-1167 | NATO ABOVE WATER WARFARE MANUAL (EDITION NO. 6) | C | ISDN | MM | | 19-APR-84 | | | | |
| | | STANAG-1173 | ALLIED MARITIME TACTICAL INSTRUCTIONS AND PROCEDURES-ATP-1(C) VOL I (NAVY-AIR) EDITION 8 | C | ISDN | MM | | 20-DEC-85 | | | | |
| | | STANAG-1174 | ALLIED MARITIME TACTICAL SIGNAL AND MANEUVERING BOOK ATP-1(C) VOL II (NAVY AIR) EDITION 7 | C | ISDN | MM | | 20-DEC-85 | | | | |
| | | STANAG-1175(1) | ALLIED MARITIME VOICE REPORTING PROCEDURES APP-1(A) (NAVY/AIR) (EDITION 8) | C | ISDN | MM | | 22-JUN-87 | | | | |
| | | STANAG-1180 | AMPHIBIOUS OPERATIONS - SHIP-TO-SHORE MOVEMENT - ATP-36 (EDITION NO. 4) | C | ISDN | MM | | 18-APR-86 | | | | |
| | | STANAG-1181 | SUPPORTING ARMS IN AMPHIBIOUS OPERATIONS (EDITION NO. 5) | C | ISDN | MM | | 19-FEB-86 | | | | |
| | | STANAG-1192(4) | DAMAGE TO MCM EQUIPMENT AS A RESULT OF MINE EXPLOSION (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000) (ED 1) | D | ISDN | NI | | 08-NOV-90 | | | | |
| | | STANAG-1194(2) | HELICOPTER OPERATIONS FROM SHIPS OTHER THAN AIRCRAFT CARRIERS - APP-2(B) (NAVY/AIR) (EDITION 3 W/SUPPL 1) | C | ISDN | MM | | 10-JUN-85 | | | | |
| | | STANAG-1200(1) | PROCEDURES FOR LOGISTIC SUPPORT BETWEEN NATO NAVIES & NAVAL PORT INFORMATION - ALP-1 (D) | C | ISDN | SH | | 18-DEC-86 | | | | |
| | | STANAG-1202(3) | NATO MINE COUNTERMEASURES VEHICLES AND EQUIPMENT VOLUME 1, (ED. 2) REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON, DC 20350-2000) | D | ISDN | NI | | 08-FEB-90 | | | | |
| | | STANAG-1203(1) | DEGAUSSING & ACOUSTIC RANGING INFORMATION CONCERNING NORTH ATLANTIC TREATY MINESWEEPERS & MINEHUNTERS (EDITION NO. 3) | C | ISDN | MM | | 21-MAR-86 | | | | |
| | | STANAG-1212 | NAVAL CONTROL OF SHIPPING - INFORMATION ON PORTS, AUTHORITES & NCS PUBLICATIONS - AAP-8 (ED 5) | C | ISDN | MM | | 22-MAY-87 | | | | |
| | | STANAG-1217 | STANDARD REQUIREMENTS FOR THE NIGHT TRANSFER STATION MARKER BOX AND/OR WAND (ED 3) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA | D | ISDN | NI | | 02-APR-91 | | | | |
| | | STANAG-1218 ED. 2 | STANDARD RECEPTION STATION ARRANGEMENTS DESIGNED TO SUPPORT UP TO 250 KILOGRAMES (550 POUNDS) TRANSFER LOAD | C | ISDN | SH | | 12-NOV-91 | | | | |
| | | STANAG-1229(1) | EVACUATION OF DIVING ACCIDENT PATIENTS (EDITION 2) | C | ISDN | NI | | 16-OCT-90 | | | | |
| A | | STANAG-1233 ED. 1(2) | PROCEDURES FOR RADHAZ CONTROL IN PORTS AND TERRITORIAL SEA | C | ISDN | NI | | 25-AUG-92 | | | | |
| | | STANAG-1235 ED. 2(1) | STANDARD REQUIREMENTS FOR THE USE OF DAY TRANSFER STATION MARKERS AND/OR BATS | C | ISDN | NI | | 06-DEC-91 | | | | |
| | | STANAG-1236 ED. 2(3) | GLIDE SCOPE INDICATORS FOR HELICOPTER OPERATIONS FROM NATO SHIPS | D | ISDN | NI | | 19-MAR-92 | | | | |
| | | STANAG-1242 | ALLIED DOCTRINE OF MINE WARFARE POLICY AND PRINCIPLES - ATP-6(A) VOLUME 1 (EDITION NO 4) | C | ISDN | MM | | 29-MAR-85 | | | | |
| | | STANAG-1243 | ALLIED DOCTRINE OF MINE WARFARE - PLANNING AND EVALUATION OF MINE WARFARE PRINCIPLES - ATP-6(A) (NAVY/AIR) VOL 2 (EDITION NO. 4) | C | ISDN | MM | | 29-MAR-85 | | | | |
| | | STANAG-1245(1) | 40 MM/L60 GUN AMMUNITION INTERCHANGEABLE WITHIN NTO NAVAL FORCES (ED 2) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000) | D | ISDN | NI | | 14-DEC-90 | | | | |
| | | STANAG-1249(1) | THE METHOD OF DETECTION AND CONTROL OF DYSBARIC OSTEONECROSIS IN DIVERS (ED 1) (REQUEST OTHER THAN DOD REQUIRE PRIOR APPROVAL OF CNO OP-731 WASHINGTON, DC 20530-2000 ) | C | ISDN | NI | | 06-JUN-89 | | | | |

| Action | Qty / Qtr. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | STANAG-1250(4) | 100 MM GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (ED 1) (REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON DC 20350-2000) | D ISDN | NI 04-APR-90 | | | | |
| A | | STANAG-1251 ED. 2(4) | SHIPBOARD HELICOPTER IN-FLIGHT REFUELLING (HIFR) OPERATING AREA MARKING, CLEARANCES AND LIGHTING | D ISDN | NI 25-AUG-92 | | | | |
| | | STANAG-1257(2) | NATO MINE DELIVERY SYSTEMS - AMP-3 (A) VOLUME II (EDITION NO. 2) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000 | C ISDN | NI 13-DEC-90 | | | | |
| | | STANAG-1258 | ALLIED MARITIME MESSAGES - APP-4 (NAVY/AIR) EDITION 2 ..... | C ISDN | NM 31-JAN-85 | | | | |
| | | STANAG-1274(3) | SHIPBOARD HAULDOWN CABLE END FITTING FOR HELICOPTER WIRE RECOVERY ASSIST SYSTEMS (EDITION NO. 1) | C ISDN | NM 29-SEP-86 | | | | |
| | | STANAG-1275 ED. 2(1) | MINIMUM STANDARD REQUIREMENTS FOR THE MARKING AND LIGHTING OF HELICOPTER DECK LANDING AREAS | C ISDN | NI 20-MAR-92 | | | | |
| | | STANAG-1277 | VERTREP EQUIPMENT & PROCEDURES (EDITION NO. 1) ..... | C ISDN | NM 12-AUG-85 | | | | |
| M | | STANAG-1278 ED. 1 | STANDARD FOR THE REQUIRED LEVEL OF COEFFICIENT OF FRICTION ON FLIGHT DECKS (M/AMD 1) | C ISDN | NI 11-MAR-82 | | | | |
| | | STANAG-1280(2) | HELICOPTER IN-FLIGHT REFUELLING (HIFR) OPERATING REQUIREMENTS (EDITION NO. 2) | C ISDN | NM 30-SEP-86 | | | | |
| | | STANAG-1286(2) | 5 IN/38 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (ED. 1) (REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON, DC 20350-2000 | D ISDN | NI 29-MAR-90 | | | | |
| | | STANAG-1289(5) | TOWING LINK (ED 1) OTHER THAN DOD REFER TO COMNAVSEASYSCOM CODE 56W24 WASH, DC 20362 | D ISDN | NM 14-FEB-89 | | | | |
| A | | STANAG-1297 ED. 3(2) | REQUIREMENTS FOR A NATO COMMON RESCUE SEAT ..... | C ISDN | SH 15-JAN-93 | | | | |
| | | STANAG-1298(1) | MINIMUM REQUIREMENTS FOR THE PROVISION OF DEVICES IN THE DISTRESSED SUBMARINE TO ASSIST LOCATION BY RESCUE FORCES (ED. 2) (REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON DC 20350-2000) | D ISDN | NI 05-MAR-90 | | | | |
| A | | STANAG-1301 ED. 3(1) | MINIMUM CONDITIONS FOR SURVIVAL IN A DISTRESSED SUBMARINE PRIOR TO ESCAPE OR RESCUE | D ISDN | NI 22-MAR-93 | | | | |
| | | STANAG-1307 | MAXIUM NATO NAVAL OPERATIONAL ELECTROMAGNETIC ENVIRONMENT PRODUCEDBY RADIO AND RADAR (EDITION 1) REQUESTS OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058 | D ISDA | AM 15-OCT-86 | | | | |
| | | STANAG-1310 | DESIGN CRITERIA FOR REPLENISHMENT ASPECTS OF NEW CONSTRUCTION NAVAL VESSELS (E&D 1) OTHER THAN DOD REFER TO C&NO-OP-731 C&OMNAVSEASYSCOM (CODE 56W24) WASHINGTON D.&C. 20362 | C ISDN | SH 16-OCT-89 | | | | |
| | | STANAG-1311 | NATO MARITIME EQUIPMENT CAPABILITIES & DATA (EDITION NO. 2) ..... | C ISDN | SH 22-JAN-86 | | | | |
| | | STANAG-1312 | CHARACTERISTICS OF NATO SEA MINES - AMP-13 VOLUME II (EDITION NO. 1) ..... | C ISDN | SH 29-MAY-87 | | | | |
| | | STANAG-1313 | ALLIED NAVAL CONTROL OF SHIPPING MANUAL MERCHANT SHIP REPORTING & CONTROL (MERCO) SYSTEM ATP 2 VOLUME 1 SUPP 1 (EDITION 2) | C ISDN | NM 29-NOV-85 | | | | |
| | | STANAG-1316(1) | THE MINE WARFARE SUPPLEMENT TO NATO EXPERIMENTAL TACTICS AND AMPLIFYING TACTICAL INSTRUCTIONS (ED. 1) (REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON, DC 20350-2000) | D ISDN | NI 07-FEB-90 | | | | |
| A | | STANAG-1317 ED. 1(4) | NATO OCEANOGRAPHIC DATA EXCHANGE FORMAT (NODEF-1) ..... | C ISDN | NI 21-AUG-92 | | | | |
| | | STANAG-1318 | ALLIED GUIDE TO MASTERS (EDITION NO. 2) ..... | C ISDN | SH 19-NOV-86 | | | | |
| | | STANAG-1319 | MINIMUM REQUIREMENTS FOR MEDICAL STORES IN SUBMARINE ESCAPE COMPARTMENTS (EDITION NO. 1) | C ISDN | SH 14-APR-86 | | | | |
| | | STANAG-1320 | MINIMUM REQUIREMENTS FOR ATMOSPHERIC MONITORING EQUIPMENT LOCATED IN SUBMARINES WITH ESCAPE CAPABILITY (ED 3) OTHER THAN DOD REFER TO CNO-OP-731 WASH, DC20350-2000 | D ISDN | SH 06-FEB-89 | | | | |
| | | STANAG-1328 | STANDARD DISTANCE LINE LIGHTING (ED. 1) ..... | C ISDN | SH 12-MAR-87 | | | | |
| | | STANAG-1336(1) | THE NATO MULTI SERVICE ELECTRONIC WARFARE SUPPORT GROUP (MEWSG) SUPPLEMENT TO AXP-2 (EDITION 1) | C ISDN | NM 30-NOV-84 | | | | |
| M | | STANAG-1341 ED. 1(2) | HARPOON MISSILE INTERCHANGEABLE WITHIN NATO NAVAL FORCES ..... | D ISDN | NI 16-FEB-93 | | | | |
| | | STANAG-1342 ED. 1 | MK-46 TORPEDO INTERCHANGEABLE WITHIN NATO NAVAL FORCES ..... | D ISDN | NI 26-SEP-91 | | | | |
| | | STANAG-1343 ED. 1(2) | ASROC SYSTEM INTERCHANGEABLE WITHIN NATO NAVAL FORCES ..... | D ISDN | NI 02-OCT-91 | | | | |
| | | STANAG-1349(1) | STANDARD MISSILE INTERCHANGEABLE WITHIN NATO NAVAL FORCES (EDITION 1) REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA (CNO-OP-731) WASHINGTON DC 20350-2000) | D ISDN | NI 09-AUG-90 | | | | |
| M | | STANAG-1350 ED. 2(1) | 100MM DECOY SYSTEM AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES .... | D ISDN | NI 01-MAR-93 | | | | |
| | | STANAG-1359(2) | 20 MM F2 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (ED 1) REQUEST OTHER THAN DOD REFER TO CNO-OP-731 WASHINGTON DC 20350-2000) | D ISDN | NI 04-SEP-91 | | | | |
| M | | STANAG-1368 ED. 1(5) | MINE WARFARE UTILITY MATRICES ..... | D ISDN | NI 15-MAR-93 | | | | |
| A | | STANAG-1382 ED. 1(1) | EMERGENCY SONAR BEACONS TO AID THE DETECTION AND LOCALIZATION OF DISTRESSED SUBMARINES AND THE HOMING ONTO THEM OF SUBMERGED RESCUE CRAFT | D ISDN | NI 10-DEC-92 | | | | |
| | | STANAG-1384 ED. 1 | NATO STANDARD REPLENISHMENT AT SEA (RAS) TELEPHONE CONNECTORS ..... | D ISDN | NI 16-MAR-92 | | | | |
| A | | STANAG-1385 ED. 1(2) | GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR FUEL, NAVAL DISTILLATE (F-76) | C ISDN | NI 11-JAN-93 | | | | |
| A | | STANAG-1391 ED. 1(2) | REQUIREMENTS OF A DISTRESSED SUBMARINE FOR THE RECEIPT OF EMERGENCY LIFE SUPPORT STORES (ELSS) BY POD POSTING | D ISDN | NI 16-DEC-92 | | | | |
| A | | STANAG-2002 ED. 7(4) | WARNING SIGNS FOR THE MARKING OF CONTAMINATED OR DANGEROUS LAND AREAS, COMPLETE EQUIPMENTS SUPPLIES AND STORES | C ISDA | AI 01-JUN-92 | | | | |
| M | | STANAG-2003 ED. 6(5) | PATROL REPORTS ..... | C ISDA | AI 17-NOV-92 | | | | |
| | | STANAG-2008(4) | BOMBING, SHELLING, ROCKETING, MORTARING AND LOCATION REPORTS (EDITION 6) .. | C ISDA | AM 13-MAY-88 | | | | |
| A | | STANAG-2010 ED. 5(6) | MILITARY LOAD CLASSIFICATION MARKINGS ..... | C ISDA | AI 02-JUL-92 | | | | |
| | | STANAG-2011 | ADJUSTMENT OF ARTILLERY FIRE (EDITION 4) (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS COMMAND, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE, ALEXANDRIA VA 22333-0001 | C ISDA | AM 10-JUN-87 | | | | |
| | | STANAG-2014 | OPERATION ORDERS, WARNING ORDERS & ADMINISTRATIVE/LOGISTICS ORDERS (EDITION 7) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001, | C ISDA | AI 14-AUG-91 | | | | |
| | | STANAG-2017(5) | ORDERS TO THE DEMOLITION GUARD COMMANDER & DEMOLITION FIRING PARTY COMMANDER (NON NUCLEAR) (EDITION 3) | C ISDA | AM 29-APR-88 | | | | |
| | | STANAG-2019(1) | MILITARY SYMBOLS FOR LAND BASED SYSTEMS - APP-6 (EDITION NO. 3) ( REQ OTHER THAN DOD REFER TO US (AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE, ALEXANDRIA, VA. 20330-5058 | C ISDA | AI 26-NOV-90 | | | | |
| | | STANAG-2020(7) | OPERATIONAL SITUATION REPORTS (EDITION NO. 3) (WITH AMENDMENTS 1 THRU 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY AQ DARCOM (DRCIRD) | C ISDA | AM 13-FEB-86 | | | | |
| | | STANAG-2021 | MILITARY COMPUTATION OF BRIDGE, FERRY, RAFT AND VEHICLE CLASSIFICATIONS (EDITION 5) (REQ OTHER THAN DOD REFER TO US, AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C ISDA | AI 18-SEP-90 | | | | |
| | | STANAG-2022(1) | INTELLIGENCE REPORTS ESTS OTHER THAN DOD BE SENT VIA US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001 | C ISDA | AM 22-APR-87 | | | | |
| | | STANAG-2023(4) | MARKING OF MILITARY CARGO FOR INTERNATIONAL MOVEMENT BY ALL INTERNATIONAL MEAN RAINSPOOT (EDITION NO. 2) RELEASE TO OTHER THN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM 03-MAR-83 | | | | |
| | | STANAG-2025(7) | BASIC MILITARY ROAD TRAFFIC REGULATIONS (EDITION NO. 4) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM 31-AUG-82 | | | | |
| | | STANAG-2026(3) | NATO TRAVEL ORDER (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI 31-AUG-89 | | | | |
| | | STANAG-2027(7) | MARKING OF MILITARY VEAICLES (EDITION 3) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI 25-APR-91 | | | | |
| | | STANAG-2028 | SYSTEM FOR FIELD CABLE OR FIELD WIRE LABELLING (EDITION NO. 4) ..... | C ISDA | AM 14-APR-83 | | | | |
| | | STANAG-2029(2) | METHOD OF DESCRIBING GROUND LOCATIONS, AREAS & BOUNDARIES (EDITION 7) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI 10-JUN-91 | | | | |
| | | STANAG-2031(3) | PROFORMA FOR ARTILLERY FIRE PLAN (EDITION NO. 5) RELEASE TO OTHER THAN DOOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM 17-JUN-88 | | | | |

| Action | Ofc / Ofc Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | STANAG-2033(1) | INTERROGATION OF PRISONERS OF WAR (PW) (EDITION NO. 4) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM 07-JUN-82 | | | | |
| | | STANAG-2034(6) | LAND FORCES PROCEDURES FOR ALLIED SUPPLY TRANSACTIONS (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI 04-SEP-89 | | | | |
| | | STANAG-2035(3) | SIGNING OF HEADQUARTERS & INSTALLATIONS (EDITION 5) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI 18-OCT-88 | | | | |
| | | STANAG-2036(2) | LAND MINEFIELD LAYING, RECORDING, REPORTING AND REPORTING PROCEDURES (EDITION NO.3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM 29-APR-88 | | | | |
| | | STANAG-2037(1) | VACCINATION OF NATO FORCES (EDITION 6) (REQ OTHER THAN DOD REF TO US AMC, ATTN, AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA., 22333-0001) | C | ISDA | AM 25-NOV-88 | | | | |
| | | STANAG-2040(2) | STRETCHERS, BEARING BRACKETS & ATTACHMENT SUPPORTS (EDITION NO. 5) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM 30-MAY-86 | | | | |
| | | STANAG-2041(3) | OPERATION ORDERS, TABLES & GRAPHS FOR ROAD MOVEMENT (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI 31-AUG-89 | | | | |
| | | STANAG-2044(4) | PROCEDURES FOR DEALING WITH PRISONERS OF WAR (PW) (EDITION NO.4) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM 04-AUG-80 | | | | |
| | | STANAG-2047(1) | EMERGENCY ALARMS OF HAZARD OR ATTACK (NBC & AIR ATTACK ONLY) (EDITION NO. 6) (REL TO OTHER THAN DOD REQ PRI APPR OF CNM, MAT 09821, WASH, D.C. 20360) | C | ISDA | AM 09-APR-86 | | | | |
| | | STANAG-2048(2) | INSECT & RODENT CONTROL, CHEMICAL METHODS OF (A MED P-3) (EDITION 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) | C | ISDA | AM 10-SEP-86 | | | | |
| | | STANAG-2050 ED. 5(2) | STATISTICAL CLASSIFICATION OF DISEASES, INJURIES AND CAUSES OF DEATH ..... | C | ISDA | AI 21-OCT-91 | | | | |
| | | STANAG-2060(1) | IDENTIFICATION OF MEDICAL MATERIAL FOR FIELD MEDICAL INSTALLATIONS (ED. NO. 2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT09821) | C | ISDA | AM 19-JUN-85 | | | | |
| | | STANAG-2061(5) | PROCEDURES FOR DISPOSITION OF ALLIED PATIENTS BY MEDICAL INSTALLATION (EDITION 4) (OTHER REQUESTS REFER TO US AMC, ATTN - AMCICP-AA-M, 5001 EISENHOWER AVENUE, ALEXANDRIA, VA22333-0001) | C | ISDA | AM 30-JUN-88 | | | | |
| | | STANAG-2066(3) | FORMAT FOR MILITARY CORRESPONDENCE AND USE OF ABBREVIATIONS (EDITION NO. 3) WITH AMENDMENTS 1 AND 2 | C | ISDA | AM 29-MAY-75 | | | | |
| | | STANAG-2067 | CONTROL & RETURN OF STRAGGLERS (EDITION 5) REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS COMMAND, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE, ALEXANDRIA VA 22333-0001 | C | ISDA | AM 10-JUN-87 | | | | |
| | | STANAG-2068(1) | EMERGENCY WAR SURGERY (ED. 4) (REQ FOR ISSUE MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-001) | C | ISDA | AM 28-OCT-86 | | | | |
| | | STANAG-2070(3) | EMERGENCY WAR BURIAL PROCEDURES (EDITION 3) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA., 22333-0001) | C | ISDA | AM 12-DEC-88 | | | | |
| | | STANAG-2074(1) | TREATMENT OF EXERCISE PRISONERS OF WAR DURING NATO EXERCISES (EDITION 6) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) | C | ISDA | AI 10-JUN-91 | | | | |
| | | STANAG-2077 | ORDER OF BATTLE (NON NATO GROUND FORCES) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)(EDITION NO. 4) | C | ISDA | AM 16-OCT-87 | | | | |
| | | STANAG-2079 | REAR AREA SECURITY (EDITION 4) ..... | C | ISDA | AM 17-DEC-79 | | | | |
| | | STANAG-2082(1) | RELIEF OF COMBAT TROOPS (EDITION NO. 6) ..... | C | ISDA | AI 24-JUL-91 | | | | |
| | | STANAG-2083(2) | COMMANDERS GUIDE ON NUCLEAR RADIATION EXPOSURE OF GROUPS (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001 | C | ISDA | AI 03-OCT-89 | | | | |
| | | STANAG-2084 | HANDLING AND REPORTING OF CAPTURED ENEMY EQUIPMENT AND DOCUMENTS (EDITION NO. 4) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM 08-JAN-79 | | | | |
| | | STANAG-2085(1) | NATO COMBINED MILITARY POLICE (EDITION NO. 3) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD( | C | ISDA | AM 06-AUG-85 | | | | |
| | | STANAG-2087(2) | MEDICAL EMPLOYMENT OF AIR TRANSPORT IN THE FORWARD AREA (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI 08-DEC-89 | | | | |
| | | STANAG-2088(1) | BATTLEFIELD ILLUMINATION (EDITION 5) ..... | C | ISDA | AM 25-MAY-83 | | | | |
| | | STANAG-2096(4) | REPORTING ENGINEER INFORMATION IN THE FIELD (EDITION NO. 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY DARCOM (DRCIRD) | C | ISDA | AM 23-APR-79 | | | | |
| | | STANAG-2097 | NOMENCLATURE FOR SOVIET BLOC ARMY WEAPONS AND EQUIPMENT (EDITION 5) ..... | C | ISDA | AM 16-DEC-85 | | | | |
| | | STANAG-2099(4) | FIRE COORDINATION IN SUPPORT OF LAND FORCES (EDITION NO. 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM 15-JUN-78 | | | | |
| | | STANAG-2100(2) | MARKINGS FOR UMPIRES AND OTHER PERSONNEL, VEHICLES AND INSTALLATIONS DURING COMBINED EXERCISES (EDITION NO. 4) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM 12-FEB-76 | | | | |
| | | STANAG-2101 | ESTABLISHING LIAISON (EDITION 7) (REQ OTHER THAN DOD REF TO US, AMC, ATTN, AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 223333-0001) | C | ISDA | AI 07-JUN-91 | | | | |
| | | STANAG-2103(1) | REPORTING NUCLEAR DETONATIONS, BIOLOGICAL & CHEMICAL ATTACKS & PREDICTING & WARNING OF ASSOCIATED HAZARDS & HAZARD AREAS (ATP-45) (EDITION NO. 5) (REL TOOTHER THAN DOD ACT REQ PRI APR OF CNM MAT 09821, WASH, D.C. 20360) | C | ISDA | AM 19-JUL-83 | | | | |
| | | STANAG-2104(1) | FRIENDLY NUCLEAR STRIKE WARNING (EDITION 6) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI 12-DEC-89 | | | | |
| | | STANAC-2105(2) | NATO TABLE OF MILITARY EQUIVALENTS (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI 26-NOV-86 | | | | |
| | | STANAG-2109(1) | POSTAL ORGANIZATION FOR THE NATO FORCES IN WARTIME (EDITION 3) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09821) | C | ISDA | AM 06-AUG-85 | | | | |
| A | | STANAG-2111 ED. 3(5) | TARGET ANALYSIS - NUCLEAR WEAPONS ..... | C | ISDA | AI 28-SEP-92 | | | | |
| A | | STANAG-2112 ED. 3(4) | NBC RECONNAISSANCE ..... | C | ISDA | AI 28-OCT-92 | | | | |
| | | STANAG-2113(1) | DENIAL OF A UNIT'S MILITARY EQUIPMENT AND SUPPLIES TO AN ENEMY (REQ OTHER THAN DOD REFER TO US ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) (EDITION 5) | C | ISDA | AI 11-JUL-91 | | | | |
| | | STANAG-2115(2) | FUEL CONSUMPTION UNIT (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI 21-SEP-89 | | | | |
| | | STANAG-2116(6) | NATO CODES FOR GRADES OF MILITARY PERSONNEL/CODE OTAN DES GRADES DU PERSONNEL MILITAIRE (EDITION 4) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA VA 22333-0001) | C | ISDA | AI 07-DEC-88 | | | | |
| | | STANAG-2117(1) | METHODS OF ASSESSING ENEMY LOGISTICAL MOVEMENT AND TRANSPORT CAPABILITIES (EDITION NO. 2) W/AMENDMENT 1( RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD( | C | ISDA | AM 10-AUG-72 | | | | |
| | | STANAG-2121(5) | CROSS SERVICING OF MEDICAL GAS CYLINDERS (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI 21-SEP-89 | | | | |
| | | STANAG-2122(5) | MEDICAL TRAINING IN FIRST AID, BASIC HYGIENE AND EMERGENCY CARE (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) | C | ISDA | AI 10-JUN-91 | | | | |
| | | STANAG-2123(3) | OBSTACLE FOLDER (EDITION 2) REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09821, WASH, D.C. 20360 | C | ISDA | AM 25-MAY-88 | | | | |

| Action Code | Chg. / Cnfm. Classification Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | STANAG-2126(1) | FIRST-AID KITS & EMERGENCY MEDICAL CARE KITS (EDITION 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09-B21, WASH, DC 20360) | C | ISDA | | AM | 06-JUN-86 | | | | |
| | | STANAG-2127 ED. 3(1) | MEDICAL, SURGICAL AND DENTAL INSTRUMENTS, EQUIPMENT AND SUPPLIES ..... | C | ISDA | | AI | 24-SEP-91 | | | | |
| | | STANAG-2128 ED. 4 | MEDICAL AND DENTAL SUPPLY PROCEDURES ..... | C | ISDA | | AM | 21-NOV-91 | | | | |
| | | STANAG-2129(1) | RECOGNITION & IDENTIFICATION OF FORCES ON THE BATTLEFIELD (EDITION NO. 4) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360) | C | ISDA | | AM | 30-JUN-86 | | | | |
| | | STANAG-2130(3) | EMPLOYMENT OF ATOMIC DEMOLITION MUNITIONS (ADM), (EDITION NO. 1), (ISSUE CONTROLLED-REQUESTS BY OTHER THAN U.S. GOVT AGENCIES MUST BE APPROVED BY DEPT OF THE ARMY) | C | ISDA | | AM | 22-MAR-76 | | | | |
| | | STANAG-2131(3) | MULTILINGUAL PHASE BOOK FOR USE BY THE NATO MEDICAL SERVICES (EDTIION NO. 3) REQ OTHER THAN DOD REF TO USATMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001) | C | ISDA | | AM | 31-AUG-88 | | | | |
| | | STANAG-2132(2) | DOCUMENTATION RELATIVE TO MEDICAL EVACUATION, TREATMENT AND CAUSE OF DEATH OF PATIENTS (EDITION NO. 2) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | | AM | 17-NOV-78 | | | | |
| | | STANAG-2133(4) | VULNERABILITY ASSESSMENT OF CHEMICAL AND BIOLOGICAL HAZARDS, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | | AM | 04-DEC-84 | | | | |
| | | STANAG-2135(4) | TECHNICAL DATA FOR HANDLING CUSTODIAL NUCLEAR WEAPONS (EDITION 3) ..... | C | ISDA | | AM | 05-DEC-86 | | | | |
| | | STANAG-2136(7) | MINIMUM STANDARDS OF WATER POTABILITY (EDITION NO.2) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | | AM | 05-DEC-85 | | | | |
| | | STANAG-2138(1) | TROOP TRIAL PROCEDURES - COMBAT CLOTHING AND EQUIPMENT (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD() (EDITION NO. 3) | C | ISDA | | AM | 26-FEB-79 | | | | |
| | | STANAG-2139 | ATOMIC DEMOLITION MUNITIONS (ADM) OPERATIONS ORDER (EDITION NO. 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED B HQ DARCOM (DRCIRD) | C | ISDA | | AM | 14-DEC-82 | | | | |
| | | STANAG-2143 | EXPLOSIVE ORDNANCE RECONNAISSANCE/EXPLOSIVE ORDNANCE DISPOSAL (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISEN- HOWER AVE., ALEXANDRIA, VA, 22333-0001) | C | ISDA | | AI | 24-JAN-91 | | | | |
| | | STANAG-2144(3) | CALL FOR FIRE PROCEDURES (ISSUE CONTROLLED-RELEASE TO OTHER DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) EDITION NO. 1 | C | ISDA | | AM | 14-OCT-77 | | | | |
| | | STANAG-2147(5) | TARGET NUMBERING SYSTEM (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 02-AUG-89 | | | | |
| | | STANAG-2149 | INTELLIGENCE REQUEST (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333- 0001) | C | ISDA | | AI | 05-FEB-91 | | | | |
| | | STANAG-2150 | NATO STANDARDS OF PROFICIENCY FOR NBC DEFENCE (EDITION NO 3) ..... | C | ISDA | | AM | 26-FEB-86 | | | | |
| | | STANAG-2152 ED. 5(1) | LOADING RAMPS ..... | C | ISDA | | AI | 17-SEP-91 | | | | |
| A | | STANAG-2154 ED. 6 | REGULATIONS FOR MILITARY MOTOR VEHICLE MOVEMENT BY ROAD ..... | C | ISDA | | AI | 19-JUN-92 | | | | |
| | | STANAG-2155(3) | ROAD MOVEMENT BID & CREDIT (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 03-FEB-89 | | | | |
| | | STANAG-2156(4) | TRANSPORT REQUEST AND REPLY TO TRANSPORT REQUEST (EDITION 2) (ISSUE CONTROLLED-RELEAS TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD( | C | ISDA | | AM | 12-MAR-79 | | | | |
| | | STANAG-2158(1) | IDENTIFICATION OF MILITARY TRAINS (EDITION NO. 3) (ISSUE CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD( | C | ISDA | | AM | 18-AUG-81 | | | | |
| | | STANAG-2159(2) | IDENTIFICATION OF MOVEMENT CONTROL AND TRAFFIC CONTROL, PERSONNEL AND AGENCIES (EDITION 4) (REQ OTHER THAN DOD REF TO US AMC ATTN: AMCICP- AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 29-APR-91 | | | | |
| | | STANAG-2165(4) | FORECAST MOVEMENT REQUIREMENTS - RAIL, ROAD AND INLAND WATERWAYS (EDITION NO. 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | | AM | 10-MAR-86 | | | | |
| | | STANAG-2166(3) | MOVEMENT & TRANSPORT DOCUMENTS USED FOR MOVEMENTS BY SHIP (EDITION 3) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 25-JUN-84 | | | | |
| | | STANAG-2171(3) | PROCEDURE FOR MILITARY TRAINS CROSSING FRONTIERS (EDITION 3) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 03-OCT-88 | | | | |
| | | STANAG-2173(2) | REGULATIONS FOR THE SECURITY OF MILITARY TRACKED & WHEELED VEHICLES ON RAILWAY WAGONS (EDITION 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ DARCOM DRCIRD) | C | ISDA | | AM | 23-JAN-87 | | | | |
| | | STANAG-2174(7) | MILITARY ROUTES AND ROUTE/ROAD NETWORKS (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 31-AUG-89 | | | | |
| | | STANAG-2175(2) | CLASSIFICATION AND DESIGNATION OF FLAT WAGONS SUITABLE FOR TRANSPORTING MILITARY EQUIPMENT (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA., 22333-0001) | C | ISDA | | AI | 29-JUL-91 | | | | |
| | | STANAG-2176 | PROCEDURES FOR MILITARY ROAD MOVEMENT ACROSS NATIONAL FRONTIERS (ISSUED CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD( | C | ISDA | | AM | 09-AUG-78 | | | | |
| | | STANAG-2201(5) | STANDARD UNIT OF VERTICAL MEASURE TO BE SHOWN ON LAND MAPS (EDITION NO. 3 W/AMD 2) (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX-ISO, WASHINGTON, D.C. 20330-5058 | C | ISDF | | 06 | 23-OCT-90 | | | | |
| | | STANAG-2205(3) | USE OF IDENTICAL MAPS & CHARTS (EXCLUDING NAUTICAL CHARTS) EDITION 4 (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-ISO WASH DC,20330-5058 | C | ISDF | | 06 | 23-OCT-90 | | | | |
| | | STANAG-2210(6) | TRIG LISTS (LISTS OF GEODETIC DATA (ED 3) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058 | C | ISDF | | 06 | 20-MAR-90 | | | | |
| | | STANAG-2211 ED. 5(2) | GEODETIC DATUMS, ELLIPSOIDS, GRIDS AND GRID REFERENCES ..... | C | ISDF | | 06 | 01-JUN-92 | | | | |
| | | STANAG-2213(5) | GAZETTEERS (EDITION 3) ..... | C | ISDF | | 06 | 29-OCT-90 | | | | |
| | | STANAG-2215(1) | EVALUATION OF LAND MAPS (ED 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH, DC 20330-5058) | C | ISDF | | 06 | 25-OCT-90 | | | | |
| | | STANAG-2216(8) | VERTICAL AERIAL CARTOGRAPHIC PHOTOGRAPHY (EDITION NO. 3) (W/AMENDMENTS 1 AND 2) (ISSUE CONTROLLED) | C | ISDF | | 06 | 23-OCT-90 | | | | |
| | | STANAG-2219(3) | MEDICAL PREVENTIVE AND PROTECTIVE MEASURES ASSOCIATED WITH MISSILE OPERATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 21-SEP-89 | | | | |
| | | STANAG-2225(4) | TECHNICAL DATA FOR HANDLING CUSTODIAL NUCLEAR WEAPONS (EDITION NO. 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA VA 22333-0001) | C | ISDA | | AI | 10-OCT-90 | | | | |
| | | STANAG-2251(7) | SCOPE & PRESENTATION OF MILITARY GEOGRAPHIC INFORMATION & DOCUMENTATION (MGID) EDITION NO. 5 (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO), WASHINGTON, D.C. 20330-5058 | C | ISDF | | 06 | 23-OCT-91 | | | | |
| | | STANAG-2253 | MILITARY GEOGRAPHIC DOCUMENTATION ON ROADS AND STRUCTURES (EDITION NO. 4) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21) | C | ISDA | | AM | 30-JAN-82 | | | | |
| | | STANAG-2254(8) | NAVIGABLE INLAND WATER WAYS (ED. 4) (ISSUE CONTROLLED) ..... | C | ISDF | | 06 | 23-MAY-91 | | | | |
| | | STANAG-2255 ED. 4(9) | MGD - PORTS ..... | C | ISDF | | 06 | 26-MAY-92 | | | | |
| | | STANAG-2256 ED. 4(9) | MGD - INLAND HYDROGRAPHY ..... | C | ISDF | | 06 | 26-MAY-92 | | | | |
| A | | STANAG-2257 ED. 4 | MGD - RAILWAYS ..... | C | ISDF | | 06 | 23-FEB-93 | | | | |
| | | STANAG-2259(8) | MILITARY GEOGRAPHIC DOCUMENTATION- TERRAIN ED. 4 ( REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX-ISO WASH DC 20330 5058 | C | ISDF | | 06 | 10-MAR-87 | | | | |
| | | STANAG-2260(2) | ELECTRIC POWER (ED 3) OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO), WASH, 20330-5058 | C | ISDF | | 06 | 29-MAY-87 | | | | |
| | | STANAG-2263(5) | COASTAL AREAS & LANDING BEACHES (EDITION 4) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO) WASHINGTON DC 20330-5058 | C | ISDF | | 06 | 06-MAY-91 | | | | |

# NUMERICAL LISTING
# INTERNATIONAL STANDARDIZATION DOCUMENTS

| Action | Ctrl / Cmd. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | STANAG-2269 ED. 3(3) | MDG - ENGINEER RESOURCES | C ISDF | 06 26-MAY-92 | | | | |
| | | STANAG-2310(2) | SMALL ARMS AMMUNITION (7.62 MM) (EDITION NO. 3) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD( | C ISDA | AM 13-APR-82 | | | | |
| | | STANAG-2311(1) | PRINCIPLES GOVERNING THE DESIGN OF THE INDIVIDUAL LOAD CARRING EQUIPMENT OF THE COMBAT SOLDIER (EDITION 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM 02-APR-85 | | | | |
| | | STANAG-2315(4) | SYMBOL TO DENOTE THE OPERATIONAL INTERCHANGE ABILITY OF AMMUNITION & DEMONOLITION ACCESSORIES (SHORT TITLE, NATO SYMBOL OF INTERCHANGEABILITY) (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENSHOWE AVE.,ALEXANDRIA, VA 22333-0001) | C ISDA | AI 21-SEP-89 | | | | |
| | | STANAG-2316(4) | AMMUNITION MARKING OF (AND ITS PACKAGING) OF A CALIBRE BELOW 20 MM(REQ FOR ISSUE OTHER IAAN DOD MUST BE SENT VIA US AMC ATTN AMCIP-AA-N, 5001 EISENHOWER AVE, ALEXANDRIA, VA 2233-0001) (ED 3) | C ISDA | AM 20-APR-88 | | | | |
| | | STANAG-2318 | CHARGER FOR NATO 7.62MM AMMUNITION (EDITION NO. 2) | C ISDA | AM 12-FEB-70 | | | | |
| | | STANAG-2320(4) | MARK NATO DESIGN (REL TO OTHER THAN DOD SEND TO US AMC, ATTN AMCICP-AA-N, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001) (ED 3) | C ISDA | AM 20-APR-88 | | | | |
| | | STANAG-2321(1) | AMMUNITION (EXCEPT AMMUNITION OF A CALIBRE BELOW 20MM) THE NATO CODE OF COLOURS FOR THE IDENTIFICATION OF (ED 4) (REQ FOR ISSUE OTHAN DOD MUST BE SENT VIA HQ DARCOM) DRCIRD | C ISDA | AM 31-DEC-74 | | | | |
| | | STANAG-2322(5) | MINIMUM MARKINGS FOR THE IDENTIFICATION OF AMMUNITION (AND ITS PACK-AGING) (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) | C ISDA | AI 12-MAR-90 | | | | |
| | | STANAG-2329(2) | LINKS FOR DISINTEGRATING BELTS FOR USE WITH NATO 7.62MM CARTRIDGES (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) | C ISDA | AI 26-AUG-91 | | | | |
| A | | STANAG-2333 ED. 4 | PERFORMANCE AND PROTECTIVE PROPERTIES OF COMBAT CLOTHING | C ISDA | AI 12-NOV-92 | | | | |
| | | STANAG-2335(3) | INTERCHANGEABILITY OF COMBAT CLOTHING SIZES (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA | AM 03-APR-84 | | | | |
| | | STANAG-2339(4) | SIZE MARKING FOR OPERATIONAL FOOTWEAR (ED. 1W/AMDS. 1-4) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21 WASH D.C. 20360) | C ISDA | AM 17-MAY-84 | | | | |
| | | STANAG-2342(1) | MINIMUM ESSENTIAL MEDICAL EQUIPMENT AND SUPPLIES FOR MOTOR AMBULANCES AT ALL LEVELS (ISSUE CONTROLLED-RLLEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD( | C ISDA | AM 22-SEP-77 | | | | |
| | | STANAG-2345(6) | CONTROL & EVALUATION OF EXPOSURE OF PERSONNEL TO RADIO FREQUENCY RADIATION (RELEASE TO OTHER THAN DOD AGENCIES MUST HAVE PRIOR APPROVAL FROM HQ DARCOM (DRCIRD) | C ISDA | AM 25-JUN-86 | | | | |
| | | STANAG-2346(5) | STANDARD METHOD OF WRITING PRESCRIPTIONS FOR SPECTACLES (ISSUED CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BYHQ DARCOM)DRICIRD( | C ISDA | AM 30-MAY-86 | | | | |
| | | STANAG-2347(5) | MEDICAL WARNING TAG (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI 21-SEP-89 | | | | |
| | | STANAG-2348(2) | BASIC MILITARY HOSPITAL (CLINICAL) RECORDS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI 28-FEB-89 | | | | |
| | | STANAG-2350(1) | MORHIA DOSAGE AND CASUALTY MARKING (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD( | C ISDA | AM 24-NOV-78 | | | | |
| | | STANAG-2351(2) | PROCEDURES FOR MARSHALLING HELICOPTERS IN MULTINATIONAL LAND OPERATIONS (EDITION NO. 2) (REL TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ,DARCOM (DRCIRD) | C ISDA | AM 09-JUN-86 | | | | |
| A | | STANAG-2352 ED. 3(1) | NBC DEFENCE EQUIPMENT OPERATIONAL GUIDELINES | C ISDA | AI 28-SEP-92 | | | | |
| | | STANAG-2353(3) | EVALUATION OF NBC DEFENCE CAPABILITY (EDITION 2), ISSUE CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM(ORCIRD) | C ISDA | AM 26-JUN-80 | | | | |
| | | STANAG-2355(2) | PROCEDURE FOR THE EMPLOYMENT OF HELICOPTERS IN THE ANTI ARMOUR ROLE (EDITION NO. 3) | C ISDA | AM 05-AUG-85 | | | | |
| | | STANAG-2356 | COMPARATIVE FORMATION/UNIT DESIGNATIONS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333 -0001 | C ISDA | AI 21-MAR-91 | | | | |
| | | STANAG-2357 | X-RAY FILM FORMAT, CASSETTES, SCREENS AND HANGERS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD( | C ISDA | AM 15-OCT-76 | | | | |
| | | STANAG-2358(1) | FIRST AID & HYGIENE TRAINING IN NBC OPERATIONS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001 | C ISDA | AI 10-NOV-89 | | | | |
| | | STANAG-2361(3) | MINIMUM ESSENTIAL MEDICAL SUPPLY ITEMS IN THEATRES OF OPERATIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST HAVE PRIOR APPROVAL BY HQ, DARCEM, (DRCIRD) | C ISDA | AM 16-SEP-82 | | | | |
| | | STANAG-2363 | SECURITY DOCTRINE (EDITION NO. 1) REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE , ALEXANDRIA, VA 22333-0001 | C ISDA | AM 08-DEC-86 | | | | |
| | | STANAG-2367 ED. 2(2) | NATO GLOSSARY OF NBC TERMS AND DEFINITIONS - AAP-21 | C ISDA | A; 18-DEC-91 | | | | |
| | | STANAG-2368 | GUIDE FOR THE RESTORATION OF FACILITIES ON THE LINES OF COMMUNICATIONS, PORTS & OTHER CRITICAL INSTALLATIONS AFTER HOSTILE ACTIONS -(EDITION NO. 1) | C ISDA | AM 13-DEC-85 | | | | |
| N | | STANAG-2369 ED. 1(2) | IDENTIFICATION AND DISPOSAL OF SURFACE AND AIR MUNITIONS - AEODP-2 | C ISDA | AM 28-SEP-92 | | | | |
| | | STANAG-2370(1) | PRINCIPLES OF IMPROVISED EXPLOSIVE DEVICE DISPOSAL (EDITION 1 (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI 21-SEP-89 | | | | |
| | | STANAG-2373 ED. 1(1) | SURVEY ACCURACY REQUIREMENTS FOR SURFACE TO SURFACE ARTILLERY | C ISDA | AI 30-DEC-91 | | | | |
| | | STANAG-2374(1) | METHOD OF APPLICATION OF A STANDARD MARKING SYSTEM FOR THE IDENTI-FICATION OF PROPELLING CHARGES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333- 0001) | C ISDA | AI 19-APR-91 | | | | |
| A | | STANAG-2386 ED. 1 | CODIFICATION OF EQUIPMENT ESTABLISHING COMMON USER ITEM LISTS AND MATRICES | C ISDA | AI 14-MAY-92 | | | | |
| | | STANAG-2398 | FRIENDLY CHEMICAL ATTACK WARNINGS (ED 1) REQUEST FOR ISSUE TO BE SENT TO AMC, ATTN AMCICP-AA-N, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001 | C ISDA | AM 11-APR-88 | | | | |
| A | | STANAG-2399 ED. 1(1) | BATTLEFIELD RECOVERY/EVACUATION OPERATIONS | C ISDA | AI 18-MAY-92 | | | | |
| A | | STANAG-2403 ED. 1(1) | TECHNICAL, CRITERIA FOR EXTERNAL CARGO CARRYING STROPS/PENDANTS | C ISDA | AI 18-FEB-92 | | | | |
| | | STANAG-2404 | JOINT ANTI-ARMOUR OPERATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) | C ISDA | AI 16-MAY-91 | | | | |
| | | STANAG-2406 | LAND FORCES LOGISTIC DOCTRINE (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) | C ISDA | AI 01-MAR-91 | | | | |
| A | | STANAG-2410 ED. 1(1) | LIST OF NATO CIVIL/MILITARY GROUND ENGINE LUBRICATING OIL INTERCHANGEABILITY | C ISDA | AI 17-NOV-92 | | | | |
| | | STANAG-2411 ED. 1 | SHAPE COMMENTS | C ISDA | AM 19-DEC-91 | | | | |
| | | STANAG-2500 | NATO HANDBOOK ON THE MEDICAL ASPECTS OF NBC DEFENSIVE OPERATIONS (AMEDP-6) (EDITION NO. 2) | C ISDA | AM 10-SEP-82 | | | | |
| | | STANAG-2601 | STANDARDIZATION OF VOLTAGE OF ELECTRICAL SYSTEMS IN TACTICAL VEHICLES (EDITION NO. 2) | C ISDA | AM 01-AUG-79 | | | | |
| A | | STANAG-2602 ED. 2 | SPARKING PLUGS | C ISDA | AI 20-NOV-92 | | | | |
| | | STANAG-2604(1) | BRAKING SYSTEMS BETWEEN TRACTOR, DRAW BAR TRAILER & SEMI-TRAILER EQUIPMENT COMBINATIONS FOR MILITARY USE (EDITION NO. 3) | C ISDA | AM 27-NOV-86 | | | | |
| | | STANAG-2754(2) | FUELS TO BE INTRODUCED INTO & DELIVERED BY THE CENTRAL EUROPE PIPELINE SYSTEMS (EDITION 9) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA., 22333-0001) | C ISDA | AI 21-NOV-90 | | | | |
| A | | STANAG-2764 ED. 4(3) | FUELS TO BE INTRODUCED INTO AND DELIVERED BY THE NORTH EUROPEAN PIPELINE SYSTEM (NEPS) | C ISDF | 06 03-MAR-93 | | | | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | STANAG-2818(8) | CHARACTERISTICS OF DEMOLITION ACCESSORIES TO DETERMINE THEIR OPERATIONAL INTERCHANGEABILITY (WITH AMENDMENT 1 AND 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM )DRCIRD( | C | ISDA | | AM | 20-DEC-79 | | | | |
| | | STANAG-2827(4) | MATERIALS HANDLING IN THE FIELD (EDITION NO. 2) ..... | C | ISDA | | AM | 13-MAR-87 | | | | |
| | | STANAG-2828 | MILITARY PALLETS, PACKAGES & CONTAINERS (EDITION NO. 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | | AI | 16-MAR-90 | | | | |
| | | STANAG-2829(6) | MATERIAL HANDLING EQUIPMENT (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN, AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) INCLUDES AMENDMENTS 1 THRU 6 | C | ISDA | | AM | 20-MAR-78 | | | | |
| | | STANAG-2830(4) | MATERIAL HANDLING AIDS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 13-DEC-88 | | | | |
| | | STANAG-2831 | CLIMATIC ENVIRONMENTAL CONDITIONS AFFECTING THE DESIGN OF MATERIAL FOR USE BY NATO FOTHER THAN DOD AGENCIES REQUIRES APPROVAL OF ORCES OPERATING IN A GROUND ROLE (RELEASE TO | C | ISDA | | AM | 28-APR-77 | | | | |
| | | STANAG-2832(1) | RESTRICTIONS FOR THE TRANSPORT OF MILITARY EQUIPMENT BY RAIL ON EUROPEAN RAILWAYS (EDITION NO. 2) | C | ISDA | | AM | 31-AUG-82 | | | | |
| M | | STANAG-2834 ED. 2(2) | THE OPERATION OF THE EXPLOSIVE ORDNANCE DISPOSAL TECHNICAL INFORMATION CENTRE (EODTIC) | C | ISDA | | AM | 28-SEP-92 | | | | |
| | | STANAG-2835(1) | RANGES OF NATO ULTRA VIOLET (UV) WHITE COLOUR FOR THE CAMOUFLAGE OF MILITARY EQUIPMENT IN SNOW ENVIRONMENTS (ISSUE CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD( | C | ISDA | | AM | 16-JAN-78 | | | | |
| | | STANAG-2836(3) | REMOVABLE PAINTS FOR CAMOUFLAGE (EDITION 2). (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD( | C | ISDA | | AM | 06-MAY-88 | | | | |
| | | STANAG-2845(3) | GUIDE SPECIFICATIONS FOR NATO ARMY FUELS, LUBRICANTS & ASSOCIATED PRODUCTS (ED. 2 W/AMDS 1 & 2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09821) | C | ISDA | | AM | 22-APR-87 | | | | |
| | | STANAG-2861(3) | PROCEDURES IN THE EVENT OF DOWNED HELICOPTERS (EDITION NO. 2 W/AMENDS 1 + 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09821, WASH, D.C. 20360) | C | ISDA | | AM | 06-AUG-85 | | | | |
| | | STANAG-2863(3) | NAVIGATIONAL & COMMUNICATION CAPABILITIES FOR HELICOPTERS IN MULTI-NATIONAL LAND OPERATIONS (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 12-DEC-89 | | | | |
| | | STANAG-2865 ED. 2(6) | RECORDING OF DATA FOR ARTILLERY SURVEY CONTROL POINTS ..... | C | ISDA | | AM | 30-DEC-91 | | | | |
| | | STANAG-2866(5) | MEDICAL EFFECTS OF IONIZING RADIATION (EDITION 3) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 16-DEC-88 | | | | |
| | | STANAG-2867(6) | RADIOTELEPHONE PROCEDURES FOR THE CONDUCT OF ARTILLERY FIRE (EDITION NO. 2) | C | ISDA | | AM | 12-MAY-86 | | | | |
| | | STANAG-2868(6) | LAND FORCE TACTICAL DOCTRINE (EDITION 4) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AM | 31-JAN-89 | | | | |
| | | STANAG-2871(1) | FIRST-AID MATERIAL FOR CHEMICAL INJURIES (EDITION 3) (REQ TO OTHER THAN DOD REFER TO US AMC, AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA., 22333-0001) | C | ISDA | | AI | 31-JUL-91 | | | | |
| | | STANAG-2872(1) | MEDICAL DESIGN REQUIREMENTS FOR MILITARY MOTOR AMBULANCES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) EDITION NO. 2 | C | ISDA | | AM | 13-MAY-85 | | | | |
| | | STANAG-2873 | CONCEPT OF OPERATIONS OF MEDICAL SUPPORT IN NUCLEAR, BIOLOGICAL & CHEMICAL ENVIRONMENTS -AMEDP-7(A) (EDITION NO. 2) | C | ISDA | | AM | 31-AUG-82 | | | | |
| | | STANAG-2874 | PLANNING GUIDE FOR THE ESTIMATION OF BATTLE CASUALTIES (NUCLEAR) - (AMEDP-8) (EDITION NO. 2) | C | ISDA | | AM | 27-NOV-81 | | | | |
| | | STANAG-2875 | CALL FOR DESTRUCTION, SMOKE, ILLUMINATION AND DANGER CLOSE MISSIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | | AM | 27-NOV-81 | | | | |
| | | STANAG-2879(2) | PRINCIPLES OF MEDICAL POLICY IN THE MANAGEMENT OF A MASS CASUALTY SITUATION (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 29-JAN-90 | | | | |
| | | STANAG-2884(1) | UNDERWATER MUNITION DISPOSAL PROCEDURES (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 12-FEB-90 | | | | |
| | | STANAG-2885(3) | PROCEDURES FOR THE TREATMENT, ACCEPTABILITY AND PROVISION OF POTABLE WATER IN THE FIELD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | | AM | 27-OCT-82 | | | | |
| | | STANAG-2887 | TACTICAL TASKS AND RESPONSIBILITIES FOR CONTROL OF ARTILLERY (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | | AM | 28-OCT-78 | | | | |
| | | STANAG-2888(4) | OPERATIONAL CARRIAGE OF AMMUNITION & FUEL BY HELICOPTER (EDITION NO. 1) (REL TO OTHER THAN DOD REQ PRI APPR OF CNM, MAT 09821, WASH, D.C. 20360) | C | ISDA | | AM | 20-MAY-85 | | | | |
| | | STANAG-2889(3) | MARKING OF HAZARDOUS AREAS & ROUTES THROUGH THEM (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 08-FEB-90 | | | | |
| | | STANAG-2890 | REGULATIONS FOR SAFETY IN THE TRANSPORT OF AMMUNITION & EXPLOSIVES BY MILITARY TRAIN (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 24-SEP-87 | | | | |
| | | STANAG-2895 | EXTREME CLIMATIC CONDITIONS AND DERIVED CONDITIONS FOR USE IN DEFINING DESIGN/TEST CRITERIA FOR NATO FORCES MATERIEL (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 15-FEB-90 | | | | |
| | | STANAG-2896 | WEAPON DANGER AREAS FOR HAND-HELD WEAPONS FOR USE BY NATO FORCES OPERATING IN A GROUND ROLE (REQUEST OTHER THAN DOD REFER TO U.S. ARMY SECURITY AFFAIRS COMMAND, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001) ED- 1 | C | ISDA | | AM | 21-SEP-87 | | | | |
| | | STANAG-2899(3) | PROTECTION OF HEARING (EDITION NO. 1) ..... | C | ISDA | | AM | 30-MAY-86 | | | | |
| | | STANAG-2900 | LASER RADIATION MEDICAL SURVEILLANCE AND EVALUATION OF OVER EXPOSURE (EDITION 2) ( REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 30-JUN-88 | | | | |
| | | STANAG-2902(1) | CRITERIA FOR A NATO COMBAT HELMET (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | | AM | 28-APR-81 | | | | |
| | | STANAG-2905(2) | BASIC VOLTAGE & CURRENT CHARACTERISTICS OF ELECTRO MEDICAL EQUIPMENT (EDITION 1) | C | ISDA | | AM | 04-JUL-86 | | | | |
| | | STANAG-2906(2) | ESSENTIAL PHYSICAL REQUIREMENTS & PERFORMANCE CHARACTERISTICS OF FIELD TYPE HIGH PRESSURE STEAM STERILIZERS (REL TO OTHER THAN DOD ACT REQ PRI APR OF CNM, MAT 09821, WASH, D.C. 20360) (ED. NO. 2) | C | ISDA | | AM | 29-APR-88 | | | | |
| | | STANAG-2907(2) | PROCEDURE FOR REPORTING & FOR INITIAL DISPOSITION OF UNSATISFACTORY MEDICAL MATERIAL & DRUGS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001 | C | ISDA | | AI | 24-FEB-89 | | | | |
| | | STANAG-2908(3) | PREVENTATIVE MEASURES FOR AN OCCUPATIONAL HEALTH PROGRAMME (EDITION NO. 2) | C | ISDA | | AM | 17-JUN-86 | | | | |
| | | STANAG-2911 | DESIGN CRITERIA FOR FRAGMENTATION PROTECTIVE BODY ARMOUR (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001 | C | ISDA | | AI | 25-AUG-89 | | | | |
| | | STANAG-2914 | MECHANICAL ENVIRONMENTAL CONDITIONS TO WHICH MATERIEL INTENDED FOR USE BY NATO FORCES COULD BE EXPOSED (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 12-JAN-90 | | | | |
| | | STANAG-2916 | NOSE FUZE CONTOURS AND MATCHING PROJECTILE CAVITIES FOR ARTILLERY AND MORTAR PROJECTILES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 06-NOV-89 | | | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | STANAG-2918 | MEASUREMENT CRITERIA FOR MILITARY SKIS & SKIPOLES (ED. NO. 1)(REL TO OTHER THAN DOD ACTREQ PRI APPR OF CNM, MAT 09B21) | C | ISDA | AM | 16-JUN-83 | | | | |
| | STANAG-2926(1) | PROCEDURE FOR THE USE & HANDLING OF FREIGHT CONTAINERS FOR MILITARY SUPPLIES (EDITION 1) (REQ OTHER THAN DOD REF TO US AMC, ATTN, AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AM | 05-DEC-88 | | | | |
| | STANAG-2927(2) | MARKING OF RESTRAINT EQUIPMENT FOR ROAD MOVEMENT (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 19-JUL-89 | | | | |
| | STANAG-2928(3) | LAND FORCES AMMUNITION INTERCHANGEABILITY CATALOGUE IN WARTIME (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 22-SEP-89 | | | | |
| A | STANAG-2929 ED. 3 | AIRFIELD DAMAGE REPAIR (ADR) | C | ISDF | 06 | 12-OCT-92 | | | | |
| | STANAG-2931 | ORDERS FOR THE CAMOUFLAGE OF THE RED CROSS AND RED CRESCENT ON LAND IN TACTICAL OPERATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICPOAA-M, 5001 EISENHOWER AVE., ALEXANDRIA VA., 22333-0001) | C | ISDA | AI | 11-JUN-91 | | | | |
| N | STANAG-2934 ED. 1(2) | ARTILLERY PROCEDURES - AARTYP-1 | C | ISDA | AM | 17-NOV-92 | | | | |
| | STANAG-2937(1) | SURVIVAL, EMERGENCY & INDIVIDUAL COMBAT RATIONS - NUTRITIONAL VALUES & PACKAGING (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXONDRIA, VA 22333-0001) | C | ISDA | AI | 04-SEP-89 | | | | |
| | STANAG-2939 | MEDICAL REQUIREMENTS FOR BLOOD, BLOOD DONORS & ASSOCIATED EQUIPMENT (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AM | 01-AUG-87 | | | | |
| | STANAG-2940(2) | REPORTING OF MAJOR AMMUNITION MALFUNCTIONS (EDITION NO 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360 | C | ISDA | AM | 19-APR-88 | | | | |
| A | STANAG-2941 ED. 2 | GUIDELINES FOR AIR AND GROUND PERSONNEL USING COLLECTIVE PROTECTIVE STRUCTURES ON PERMANENT AIR FORCE INSTALLATIONS | C | ISDA | AI | 19-JUN-92 | | | | |
| *A | STANAG-2943 ED. 1(2) | REGULATIONS FOR THE LATERAL OR END-ON LOADING AND UNLOADING OF WHEELED OR TRACKED MILITARY EQUIPMENT TRANSPORTED ON RAILWAY WAGONS | C | ISDA | AI | 10-JUL-92 | | | | |
| A | STANAG-2945 ED. 2 | NATO CIVIL/MILITARY GROUND FUELS INTERCHANGEABILITY CATALOGUE - AFLP-1(A) . | C | ISDA | AI | 18-NOV-92 | | | | |
| | STANAG-2946(1) | FORWARD AREA REFUELLING EQUIPMENT (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDA | AM | 20-MAY-85 | | | | |
| | STANAG-2947(2) | TECHNICAL CRITERIA FORA CLOSED CIRCUIT REFUELLING SYSTEM (EDITION NO. 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 11-JUL-89 | | | | |
| | STANAG-2949(3) | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING SLINGS (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICPOAA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 18-FEB-91 | | | | |
| | STANAG-2950 ED. 2 | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING NETS | C | ISDA | AI | 25-SEP-91 | | | | |
| | STANAG-2952(3) | PROCEDURE FOR PROVIDING RESTRICTED AREAS FORNATO MILITARY AIRCRAFT WHILE USING MILITARY AIRFIELDS OF OTHER NATO NATIONS (EDITION 1) (REQ OTHER THAN DOD REF TO US AMC, AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 26-NOV-90 | | | | |
| | STANAG-2953 | METHOD OF APPLICATION OF THE NATO CODE OF COLOURS FOR THE IDENTIFI- CATION OF AMMUNITION (EXCEPT AMMUNITION OF A CALIBRE BELOW 20MM) (ED. NO. 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, 22333-0001) | C | ISDA | AI | 28-FEB-90 | | | | |
| | STANAG-2956(1) | HELICOPTER TASKING MESSAGES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AV., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 22-SEP-89 | | | | |
| A | STANAG-2957 ED. 2(1) | INTERNATIONAL SYSTEM (IS) UNITS USED BY ARMED FORCES IN THE NUCLEAR FIELD . | C | ISDA | AI | 28-SEP-92 | | | | |
| A | STANAG-2961 ED. 1(6) | CLASSES OF SUPPLY OF NATO LAND FORCES | C | ISDA | AI | 09-JUN-92 | | | | |
| | STANAG-2962 | CALL FOR FIRE PROCEDURE (ED. 1 | C | ISDA | AM | 14-MAY-87 | | | | |
| A | STANAG-2963 ED. 1 | COORDINATION OF FIELD ARTILLERY SCATTERABLE MINES | C | ISDA | AI | 28-SEP-92 | | | | |
| | STANAG-2968 | LAND FORCES CATALOGUE OF BILATERAL AGREEMENTS ON THE INTERCHANGE- ABILITY AND SAFE FIRING OF AMMUNITION DURING PEACETIME TRAINING EXERCISES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRI | C | ISDA | AI | 27-MAR-90 | | | | |
| A | STANAG-2970 ED. 2 | AERIAL RECOVERY EQUIPMENT AND TECHNIQUES FOR HELICOPTERS | C | ISDA | AI | 29-SEP-92 | | | | |
| | STANAG-2978(1) | ESSENTIAL PERFORMANCE CHARACTERISTICS OF FIELD SURGICAL LIGHTS (EDITION 1) | C | ISDA | AM | 13-JUN-86 | | | | |
| | STANAG-2979(2) | ESSENTIAL CHARACTERISTICS OF ELECTRO SURGICAL APPARATUS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APR OF CNM, MAT 09B21, WASH,D.C. 20360) | C | ISDA | AM | 13-JUN-86 | | | | |
| | STANAG-2980 | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING NETS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360 | C | ISDA | AM | 20-OCT-83 | | | | |
| | STANAG-2981 ED. 1(3) | PREVENTION OF COLD INJURY | C | ISDA | AI | 24-SEP-91 | | | | |
| | STANAG-2984(1) | GRADUATED LEVELS OF NBC THREAT AND ASSOCIATED PROTECTION (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 11-JUL-91 | | | | |
| | STANAG-2989(4) | TRANSFER OF BARRIERS (EDITION 1) (REQ TO OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 05-JAN-90 | | | | |
| | STANAG-2990(1) | PRINCIPLES AND PROCEDURES FOR THE EMPLOYMENT IN LAND WARFARE OF SCATTERABLE MINES WITH A LIMITED LAID LIFE (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 26-OCT-89 | | | | |
| | STANAG-2991(1) | NATO GLOSSARY OF ENGINEER TERMS & DEFINITIONS (EDITION NO. 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 12-MAR-87 | | | | |
| A | STANAG-2999 ED. 2 | USE OF HELICOPTERS IN LAND OPERATIONS - ATP-49(A) | C | ISDA | AI | 26-MAR-92 | | | | |
| | STANAG-3052 ED. 4(5) | AERONAUTICAL BRIEFING FACILITIES | C | ISDF | 06 | 31-JAN-92 | | | | |
| | STANAG-3053 ED. 5 | CHARACTERISTICS OF BREATHING OXYGEN, SUPPLY PRESSURE AND HOSES | C | ISDF | 06 | 26-MAY-92 | | | | |
| | STANAG-3054 | CHARACTERISTICS OF COMPRESSED AIR FOR TECHNICAL PURPOSES, SUPPLY PRESSURE AND HOSES (EDITION NO. 5) (REQUEST FROM OTHER THAN DOD MUST BE SUBMITTED VIA THE PREPARING ACTIVITY HQ USAF/XOXX-ISO, WASHINGTON, DC 20330-5058) | C | ISDF | 06 | 27-SEP-89 | | | | |
| | STANAG-3056 ED. 5(4) | MARKING OF AIRBORNE AND GROUND GAS AND CRYOGENIC FLUID CONTAINERS | C | ISDF | 06 | 04-MAY-92 | | | | |
| A | STANAG-3094 ED. 1(2) | 16 BIT COMPUTER INSTRUCTION SET ARCHITECTURE | C | ISDF | 06 | 29-JUL-92 | | | | |
| | STANAG-3097(1) | SHORT TAKE-OFF & LANDING (STOL) AIRFIELD MARKING (EDITION NO. 1) | C | ISDF | 06 | 07-NOV-85 | | | | |
| N | STANAG-3098 ED. 10 | AIRCRAFT JACKING | C | ISDF | 06 | 28-APR-93 | | | | |
| A | STANAG-3101 ED. 8(2) | EXCHANGE OF ACCIDENT/INCIDENT INFORMATION CONCERNING AIRCRAFT AND MISSILES | C | ISDF | 06 | 29-JUN-92 | | | | |
| N | STANAG-3102 ED. 4(1) | FLIGHT SAFETY CO-OPERATION IN COMMON GROUND/AIR SPACE | C | ISDF | 06 | 29-MAR-93 | | | | |
| A | STANAG-3104 ED. 6(4) | IDENTIFICATION OF AIRCRAFT AND MISSILE PIPELINES AND ELECTRICAL CONDUITS .. | C | ISDF | 06 | 05-FEB-93 | | | | |
| | STANAG-3105 | AIRCRAFT PRESSURE FUELLING CONNECTIONS (EDITION NO. 4) (REL TO OTHER THAN DOD ACT REQ PRIOR APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | 06 | 02-JUL-91 | | | | |
| | STANAG-3109(4) | SYMBOL MARKING OF AIRCRAFT SERVICING AND SAFETY/HAZARD POINTS (EDITION 5) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 203305-58 | C | ISDF | 06 | 29-MAY-91 | | | | |
| A | STANAG-3111 ED. 1(3) | AIRFIELD MARKING TONE DOWN | C | ISDF | 06 | 27-JAN-93 | | | | |
| N | STANAG-3113 ED. 6 | PROVISION OF SUPPORT TO VISITING PERSONNEL, AIRCRAFT AND VEHICLES | C | ISDF | 06 | 07-MAY-93 | | | | |
| A | STANAG-3114 ED. 6(7) | AEROMEDICAL TRAINING OF FLIGHT PERSONNEL | C | ISDF | 06 | 20-NOV-92 | | | | |
| N | STANAG-3117 ED. 5(3) | AIRCRAFT MARSHALLING SIGNALS | C | ISDF | 06 | 29-MAR-93 | | | | |
| A | STANAG-3146 ED. 1(4) | PLANNING PROCEDURES FOR TACTICAL AIR TRANSPORT OPERATIONS | C | ISDF | 06 | 25-NOV-92 | | | | |
| N | STANAG-3149 ED. 7 | MINIMUM QUALITY SURVEILLANCE OF PETROLEUM PRODUCTS | C | ISDF | 06 | 30-APR-93 | | | | |
| | STANAG-3150(1) | CODIFICATION OF EQUIPMENT, UNIFORM SYSTEM OF SUPPLY CLASSIFICATION (EDITION 6) | C | ISDF | 06 | 05-JUL-85 | | | | |
| | STANAG-3151(1) | CODIFICATION OF EQUIPMENT, UNIFORM SYSTEM OF ITEM IDENTIFICATION (EDITION 6) | C | ISDF | 06 | 05-JUL-85 | | | | |
| N | STANAG-3153 ED. 7 | AIRCRAFT NAVIGATION AND ANTI-COLLISION LIGHTS | C | ISDF | 06 | 07-MAY-93 | | | | |

| Action | Ctrl. / Ctrld. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | STANAG-3158 ED. 4(4) | DAY MARKING OF AIRFIELD RUNWAYS AND TAXIWAYS | C | ISDF | | 06 | 01-JUN-92 | | | | |
| | | STANAG-3178(2) | ROLLED AIR FILM & AIR FRAMING CAMERA STANDARD IMAGE FORMAT SIZES (ED 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | | 06 | 26-OCT-89 | | | | |
| | | STANAG-3179 | 16 MM AND 35 MM ROLL FILM FOR AERIAL CAMERAS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) (ED 6) | C | ISDF | | 06 | 29-JUN-90 | | | | |
| | | STANAG-3189 ED. 6(1) | TITLING OF AIR RECONNAISSANCE, AIR SURVEY AND AIR MAPPING IMAGERY | C | ISDF | | 06 | 28-FEB-92 | | | | |
| A | | STANAG-3198 ED. 4(2) | FUNCTIONAL REQUIREMENTS OF AIRCRAFT OXYGEN EQUIPMENT AND PRESSURE SUITS | C | ISDF | | 06 | 27-NOV-92 | | | | |
| | | STANAG-3200 ED. 4(1) | ANTI-G SUITS | C | ISDF | | 06 | 01-OCT-91 | | | | |
| | | STANAG-3204 ED. 4(6) | AEROMEDICAL EVACUATION | C | ISDF | | 06 | 01-OCT-91 | | | | |
| | | STANAG-3205(3) | POINTS DESIGNATION TEMPLATE FOR AIR PHOTOGRAPHY (EDITION NO. 3) | C | ISDF | | 06 | 11-NOV-82 | | | | |
| A | | STANAG-3208 ED. 5(1) | AIR CONDITIONING CONNECTIONS | C | ISDF | | 06 | 03-MAR-93 | | | | |
| | | STANAG-3209 ED. 5(3) | TYRE VALVE COUPLINGS | C | ISDF | | 06 | 31-JAN-92 | | | | |
| A | | STANAG-3212 ED. 5(3) | DIAMETERS FOR GRAVITY FILLING ORIFICES | C | ISDF | | 06 | 03-MAR-93 | | | | |
| | | STANAG-3216 ED. 5(3) | LAYOUT OF FLIGHT DATA IN PILOTS DISPLAYS | C | ISDF | | 06 | 21-OCT-91 | | | | |
| | | STANAG-3217(5) | OPERATION OF CONTROLS AND SWITCHES AT AIRCREW STATIONS (EDITION 5 REQUESTS OTHER THAN D(OD MUST REFER TO HQ USAF/XOXX(ISO), WASH, D.C., 20330-5058 | C | ISDF | | 06 | 28-NOV-89 | | | | |
| | | STANAG-3218(2) | LOCATION, ACTUATION AND SHAPE OF ENGINE CONTROLS AND SWITCHES (EDITION NO. 6 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH, DC 20330-5058) | C | ISDF | | 06 | 29-NOV-89 | | | | |
| | | STANAG-3219 ED. 4 | LOCATION AND GROUPING OF ELECTRICAL SWITCHES IN AIRCRAFT | C | ISDF | | 06 | 05-MAY-92 | | | | |
| | | STANAG-3220(6) | LOCATION, ACTUATION AND SHAPE OF AIRFRAME CONTROL FOR FIXED WING AIRCRAFT (EDITION 4) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, DC 20330-5058) | C | ISDF | | 06 | 22-APR-91 | | | | |
| A | | STANAG-3221 ED. 6(7) | AUTOMATIC FLIGHT CONTROL SYSTEM (AFCS) IN AIRCRAFT - DESIGN STANDARDS AND LOCATION OF CONTROLS | C | ISDF | | 06 | 29-JUL-92 | | | | |
| | | STANAG-3224(6) | AIRCREW STATION LIGHTING (EDITION 5) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH DC 20330-5058) | C | ISDF | | 06 | 20-JAN-86 | | | | |
| | | STANAG-3225(7) | LOCATION, ACTUATION & SHAPE OF AIRFRAME CONTROLS FOR ROTARY WING AIRCRAFT (EDITION 4) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | | 06 | 22-APR-91 | | | | |
| | | STANAG-3230(3) | EMERGENCY MARKINGS ON AIRCRAFT (EDITION NO. 4) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, D.C. 20330-5058) | C | ISDF | | 06 | 28-JUL-87 | | | | |
| | | STANAG-3236 | DESIGNATION SYSTEM FOR AIRCRAFT AND DESIGNATION OF NOLE CODES OF AIRCRAFT (EDITION 8) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA- M, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) | C | ISDA | | AI | 23-JAN-91 | | | | |
| | | STANAG-3237 ED. 3(4) | APERTURE OF TERMINAL RING OR LINK OF AIRCRAFT LIFTING SLINGS | C | ISDF | | 06 | 31-JAN-92 | | | | |
| M | | STANAG-3254 ED. 3(3) | LOAN OF MATERIAL FOR TEST PURPOSES IN SUPPORT OF STANDARDIZATION, RESEARCH AND DEVELOPMENT | C | ISDF | | 06 | 26-APR-93 | | | | |
| A | | STANAG-3258 ED. 6 | POSITION OF PILOT OPERATED NAVIGATION AND RADIO CONTROLS | C | ISDF | | 06 | 15-DEC-92 | | | | |
| A | | STANAG-3275 ED. 2(5) | METHOD OF WARNING OWN AIRCRAFT OF (SUSPECTED) ENEMY FIGHTER ATTACKS | C | ISDF | | 06 | 28-JUL-92 | | | | |
| | | STANAG-3277(5) | AIR RECONNAISSANCE REQUEST/TASK FORM (EDITION NO. 6) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH D.C. 20330-5058) | C | ISDF | | 06 | 01-JUL-87 | | | | |
| | | STANAG-3278(1) | TOWING ATTACHMENTS ON AIRCRAFT (ED. 6) (REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX-ISO, WASH DC 20330-5058 | C | ISDF | | 06 | 29-MAY-91 | | | | |
| | | STANAG-3279(1) | EMERGENCY TOWING EQUIPMENT (EDITION NO. 3) | C | ISDF | | 06 | 20-APR-82 | | | | |
| | | STANAG-3281(6) | PERSONAL LOCATOR BEACONS (EDITION NO. 6 (REQOTHER THAN DOD REF TO HQ USSAF/XOXX-ISO WASH DC 20330-5058) | C | ISDF | | 06 | 01-AUG-88 | | | | |
| | | STANAG-3294(5) | AIRCRAFT FUEL CAPS & FUEL CAP ACCESS COVERS (ED 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH, DC 20330-5058) | C | ISDF | | 06 | 30-OCT-91 | | | | |
| | | STANAG-3295(4) | HORSE COLLAR/RESCUE STROP TYPE HELICOPTER HOISTING GEAR (EDITION NO. 6) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | | 06 | 21-FEB-90 | | | | |
| | | STANAG-3296(2) | AIRCRAFT GASEOUS OXYGEN REPLENISHMENT COUPLINGS (EDITION NO. 3) | C | ISDF | | 06 | 27-FEB-87 | | | | |
| A | | STANAG-3297 ED. 4(1) | FLAME-OUT PROCEDURES | C | ISDF | | 06 | 13-OCT-92 | | | | |
| | | STANAG-3300(1) | STANDARDIZED AIRCRAFT ARMAMENT TERMINOLOGY (ED 1) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX-ISO, WASH, DC 20330-5058 | C | ISDF | | 06 | 13-OCT-86 | | | | |
| A | | STANAG-3302 ED. 5(5) | CONNECTORS FOR 28 VOLTS "DC" SERVICING POWER | C | ISDF | | 06 | 03-MAR-93 | | | | |
| M | | STANAG-3303 ED. 3(4) | CONNECTORS FOR 115/200 VOLTS, 400 HERTZ, 3 PHASE, AC SERVICING POWER | C | ISDF | | 06 | 06-MAY-93 | | | | |
| | | STANAG-3312(5) | PROFILE DIMENSIONS OF FLANGES FOR V-BAND COUPLINGS FOR PIPING & DUCTING (ED 4) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH, DC 20330-5058) | C | ISDF | | 06 | 24-JUN-91 | | | | |
| | | STANAG-3315 ED. 7(5) | AIRCRAFT CABIN PRESSURIZING TEST CONNECTIONS | C | ISDF | | 06 | 28-NOV-91 | | | | |
| A | | STANAG-3316 ED. 8(1) | AIRFIELD LIGHTING | C | ISDF | | 06 | 29-JUN-92 | | | | |
| | | STANAG-3317(7) | CONNECTORS FOR 115/200 VOLTS, 400 HERTZ, 3 PHASE, AC SERVICING POWER (EDITION 5) (REL TO OTHER THAN DOD REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | | 06 | 31-OCT-83 | | | | |
| | | STANAG-3318 ED. 4(5) | AEROMEDICAL ASPECTS OF AIRCRAFT ACCIDENTS/INCIDENT INVESTIGATION | C | ISDF | | 06 | 03-OCT-91 | | | | |
| | | STANAG-3319(5) | DIMENSIONS FOR CASES OF CONTROL BOXES, INSTRUMENTS & PANEL MOUNTED EQUIPMENT (EDITION 6) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | | 06 | 29-JUN-90 | | | | |
| | | STANAG-3320(3) | CIRCULAR DIAL TYPE VERTICAL SPEED INDICATORS (BAROMETRIC) EDITION 6 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | | 06 | 04-JUN-86 | | | | |
| | | STANAG-3322(5) | TURN & SLIP INDICATORS (EDITION 7) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASG, DC 20330-5058) | C | ISDF | | 06 | 22-APR-91 | | | | |
| | | STANAG-3323(5) | PIPE (TUBE) CONNECTIONS TO AIRCRAFT INSTRUMENTS (IMPERIAL & METRIC) (EDITION 5) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | | 06 | 30-OCT-91 | | | | |
| | | STANAG-3327(2) | AIR TRANSPORTATION OF DANGEROUS CARGO (EDITION 2) [VALIDATION DATE: 8302] . | C | ISDF | | 06 | 27-FEB-75 | | | | |
| | | STANAG-3328 | NATO STANDARD CONVERSION TABLES FOR METRIC, AMERICAN AND BRITISH UNITS OF MEASUREMENT, AAP-9 (EDITION 2 W/AMDS 1 THRU 4) [VALIDATION DATE: 8411] | C | ISDF | | 06 | 09-AUG-71 | | | | |
| A | | STANAG-3329 ED. 6(4) | NUMERALS AND LETTERS IN AIRCREW STATIONS | C | ISDF | | 06 | 29-JUL-92 | | | | |
| | | STANAG-3330(6) | INDICATING ACCELEROMETERS (EDITION NO. 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | | 06 | 22-APR-91 | | | | |
| M | | STANAG-3334 ED. 3(5) | DEFUELLING OF AIRCRAFT | C | ISDF | | 06 | 01-APR-93 | | | | |
| | | STANAG-3338(3) | MACHMETERS (EDITION 4) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09821) | C | ISDF | | 06 | 14-MAR-86 | | | | |
| A | | STANAG-3339 ED. 5(1) | FUEL CONTENTS GAUGES | C | ISDF | | 06 | 29-JUL-92 | | | | |
| | | STANAG-3341(6) | EMERGENCY CONTROL COLOUR SCHEMES (ED 3) REQUEST FOR ISSUE OTHER THAN DOD MUST REFER TO HQ USAF/XOXX(ISO), WASH, D.C. 20330-5058 | C | ISDF | | 06 | 28-NOV-89 | | | | |
| | | STANAG-3345 ED. 5(3) | DATA/FORMS FOR PLANNING AIR MOVEMENTS | C | ISDF | | 06 | 27-FEB-92 | | | | |
| A | | STANAG-3346 ED. 5(1) | MARKING AND LIGHTING OF AIRFIELD OBSTRUCTIONS | C | ISDF | | 06 | 27-JAN-93 | | | | |
| A | | STANAG-3347 ED. 5(2) | IDENTIFICATION OF AIRCRAFT ELECTRICAL CIRCUITS | C | ISDF | | 06 | 03-MAR-93 | | | | |
| | | STANAG-3350 ED. 3(2) | ANALOGUE VIDEO STANDARD FOR AIRCRAFT SYSTEM APPLICATIONS | C | ISDF | | 06 | 08-MAY-92 | | | | |
| | | STANAG-3359(3) | LOCATION AND ARRANGEMENT OF ENGINE DISPLAYS IN AIRCRAFT (ED 5) REQVEST FOR ISSUE OTHER THAN DOD MUST REFER TO HQ USAF/XOXX(ISO), WASH, D.C. 20330-5058 | C | ISDF | | 06 | 03-OCT-89 | | | | |
| | | STANAG-3365(5) | SUSPENSION UNITS WITH GRAVITY RELEASE CAPABILITY FOR AIRCRAFT STORES (EDITION 2) (REQUEST FOR ISSUE OTHER THANDOD MUST BE SENT VIA:HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C | ISDF | | 06 | 21-OCT-86 | | | | |
| | | STANAG-3367 ED. 1(1) | CHARACTERISTICS OF BREATHING GAS SUPPLIED BY MOLECULAR SIEVE OXYGEN CONCENTRATING SYSTEMS (MSOCS) AND SUPPLY EQUIPMENT | C | ISDF | | 06 | 28-FEB-92 | | | | |
| | | STANAG-3368(5) | INTERNAL AIRCRAFT ENGINE STARTING SYSTEM (ED 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | | 06 | 24-OCT-88 | | | | |

# NUMERICAL LISTING
# INTERNATIONAL STANDARDIZATION DOCUMENTS

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | NCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | STANAG-3370 ED. 5(1) | AIRCREW STATION WARNING, CAUTIONARY AND ADVISORY SIGNALS | C | ISDF | | 06 | 29-JUL-92 | | | | |
| M | STANAG-3372 ED. 5(3) | LOW PRESSURE AIR AND ASSOCIATED ELECTRICAL CONNECTIONS FOR AIRCRAFT ENGINE STARTING | C | ISDF | | 06 | 31-MAR-93 | | | | |
| | STANAG-3374(3) | FLIGHT INSPECTION OF NATO RADIO RADAR NAVIGATION & APPROACH AIDS, AETP-1(B) (EDITION NO. 3) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, D.C. 20330-5058) | C | ISDF | | 06 | 01-AUG-88 | | | | |
| | STANAG-3377(6) | AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS (EDITION NO. 5) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, D.C. 20330-5058) | C | ISDF | | 06 | 03-SEP-88 | | | | |
| A | STANAG-3379 ED. 7(2) | IN-FLIGHT VISUAL SIGNALS | C | ISDF | | 06 | 16-DEC-92 | | | | |
| | STANAG-3381 | PROCEDURES FOR COMPENSATION AND FORM FOR REQUEST AND RECEIPT OF SUPPORT IN THE FORM OF SUPPLIES AND SERVICES (REL ,TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) (ED 1) | C | ISDF | | 06 | 26-OCT-89 | | | | |
| | STANAG-3388 | AIRBORNE RADIO CONTROLUNITS (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APP OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | | 06 | 03-MAR-89 | | | | |
| A | STANAG-3390 ED. 6(3) | INSPECTION STANDARDS FOR FUEL SOLUBLE CORROSION INHIBITORS/LUBRICITY IMPROVERS | C | ISDF | | 06 | 17-NOV-92 | | | | |
| A | STANAG-3400 ED. 3(4) | RESTRAINT OF CARGO IN FIXED WING AIRCRAFT | C | ISDF | | 06 | 25-NOV-92 | | | | |
| | STANAG-3408(8) | POSITION REFERENCE SYSTEM FOR AERONAUTICAL CHARTS (ED 2) OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C | ISDF | | 06 | 23-MAY-91 | | | | |
| | STANAG-3409(5) | PROJECTIONS FOR AERONAUTICAL CHARTS (ED 3)(W/AMD 1) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASH, DC 20330-5058 [VALIDATION DATE: 8302] | C | ISDF | | 06 | 23-OCT-90 | | | | |
| | STANAG-3412 ED. 4(4) | AERONAUTICAL INFORMATION ON AERONAUTICAL CHARTS | C | ISDF | | 06 | 01-JUN-92 | | | | |
| A | STANAG-3416 ED. 4(5) | METHANOL/WATER AND DEMINERALIZED WATER REPLENISHMENT | C | ISDF | | 06 | 03-MAR-93 | | | | |
| A | STANAG-3418 ED. 2(1) | FILM CORES | C | ISDF | | 06 | 27-AUG-92 | | | | |
| | STANAG-3419 | AERIAL FILM SPOOLS 70 MM, 5 INCH (126 MM) AND 9 1/2 INCH (240 MM) (EDITION NO. 3) | C | ISDF | | 06 | 02-JUL-91 | | | | |
| A | STANAG-3427 ED. 4(2) | COLOURS FOR THE IDENTIFICATION OF AIRDROPPED SUPPLIES | C | ISDF | | 06 | 23-NOV-92 | | | | |
| | STANAG-3428(2) | EXCHANGE OF INFORMATION ON AERIAL DELIVERY SYSTEMS (EDITION NO 4) REQUESTS OTHER THAN DOD MUST BE REFERRED TO HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C | ISDF | | 06 | 26-JUN-90 | | | | |
| | STANAG-3430 | RESPONSIBILITIES FOR AIRCRAFT CROSS-SERVICING (EDITION NO. 8) (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON, D.C. 20330 -5058 | C | ISDF | | 06 | 13-MAY-91 | | | | |
| | STANAG-3436(3) | COLOUR & MARKINGS USED TO DENOTE OPERATING RANGES OF AIRCRAFT INSTRUMENTS (EDITION NO. 4) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, D.C. 20330-5058) | C | ISDF | | 06 | 28-NOV-89 | | | | |
| A | STANAG-3441 ED. 5 | DESIGN OF AIRCRAFT STORES | C | ISDF | | 06 | 16-SEP-92 | | | | |
| | STANAG-3447(2) | AERIAL REFUELING EQUIPMENT DIMENSIONAL AND FUNCTIONAL CHARACTERISTICS (EDITION 3 (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH D.C. 20330-5058) | C | ISDF | | 06 | 24-JUN-91 | | | | |
| | STANAG-3451 ED. 2(3) | COMBINED SPEED INDICATOR | C | ISDF | | 06 | 21-OCT-91 | | | | |
| | STANAG-3454 ED. 4(1) | GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES | C | ISDF | | 06 | 11-NOV-91 | | | | |
| | STANAG-3455 | BASIC SYMBOLS FOR AIRCRAFT ELECTRICAL CIRCUITS (EDITION 3) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058) | C | ISDF | | 06 | 19-DEC-90 | | | | |
| A | STANAG-3456 ED. 4(5) | AIRCRAFT ELECTRICAL SYSTEM CHARACTERISTICS | C | ISDF | | 06 | 03-MAR-93 | | | | |
| | STANAG-3457(3) | GROUND ELECTRICAL POWER SUPPLIES FOR AIRCRAFT (ED 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, D.C. 20330-5058) | C | ISDF | | 06 | 18-SEP-90 | | | | |
| | STANAG-3459(3) | PRECISION, HIGH-MELTING-POINT, CARTRIDGE FUZE LINKS USED ON AIRCRAFT (EDITION 1 W/AMD 1) [VALIDATION DATE: 8302] | C | ISDF | | 06 | 09-APR-75 | | | | |
| | STANAG-3462(8) | AVAILABILITY OF WEIGHT & BALANCE REQUIREMENTS & LOADING CRITERIA FOR FIXED WING AIRCRAFT (ED. NO. 3) (REQ FOR OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO, WASH D.C. 20330-5058 | C | ISDF | | 06 | 01-AUG-89 | | | | |
| | STANAG-3464(4) | PROCEDURES FOR AIRCREW AND AIRLIFTED PERSONNEL IN TACTICAL AIR TRANSPORT OPERATIONS (REQUEST OTHER THAN DOD MUST REQUEST VIA HQ USAF/XOXX(ISO), WASH DC 20330-5058 (ED 3) | C | ISDF | | 06 | 09-MAR-88 | | | | |
| | STANAG-3465(9) | SAFETY, EMERGENCY AND SIGNALLING PROCEDURES FOR MILITARY AIR MOVEMENT - FIXED WING AIRCRAFT (ED 4) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA AQ USAF/XOXX(ISO) WASH, DC 20330-5058 | C | ISDF | | 06 | 01-AUG-89 | | | | |
| A | STANAG-3466 ED. 2(5) | RESPONSIBILITIES OF AIR TRANSPORT UNITS AND USER UNITS IN THE LOADING AND UNLOADING OF TRANSPORT AIRCRAFT IN TACTICAL AIR TRANSPORT OPERATIONS | C | ISDF | | 06 | 25-NOV-92 | | | | |
| | STANAG-3467(7) | CHARACTERISTICS OF AIR TRANSPORT (AIR LANDED) PALLETS FOR CARRIAGE INTERNALLY (ED. NO. 1) REQ FOR OTHER THAN DOD ACT REFER TO HQ USAF/XOXX-ISO, WASH D.C. 20330-5058 | C | ISDF | | 06 | 18-OCT-88 | | | | |
| | STANAG-3468(3) | GENERAL RULES CONCERNING THE TRANSPORT OF LOADS BY HELICOPTER | C | ISDA | | AM | 05-DEC-77 | | | | |
| | STANAG-3469(6) | PARACHUTE EXTRACTION ASSEMBLIES & AIRCRAFT EXTRACTION PARACHUTE EJECTOR INSTALLATIONS (ED. NO. 2) (REQ FOR OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO, WASH D.C. 20330-5058 | C | ISDF | | 06 | 18-OCT-88 | | | | |
| | STANAG-3474(10) | TEMPORARY FLYING RESTRICTIONS DUE TO EXOGENOUS FACTORS AFFECTING AIRCREW EFFICIENCY (ED 3) (REL TO OTHER THAN DOD ACT REQ PRI APPRR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | | 06 | 29-JUN-90 | | | | |
| A | STANAG-3483 ED. 3(1) | AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE - AIP-26(A) | C | ISDF | | 06 | 15-DEC-92 | | | | |
| | STANAG-3492(5) | CLAMPS, MOUNTING (IMPERIAL & METRIC) FOR AIRCRAFT INSTRUMENTS (EDITION 5 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330- 5058) | C | ISDF | | 06 | 22-APR-91 | | | | |
| A | STANAG-3497 ED. 1(3) | AEROMEDICAL TRAINING OF AIRCREW IN AIRCREW NBC EQUIPMENT AND PROCEDURES | C | ISDF | | 06 | 27-NOV-92 | | | | |
| | STANAG-3499(7) | CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID OXYGEN (ED 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | | 06 | 27-JAN-89 | | | | |
| A | STANAG-3501 ED. 2(2) | PERFORMANCE OF PORTABLE FILTER-BLOWERS FOR AIRCREW NBC RESPIRATORS | C | ISDF | | 06 | 25-NOV-92 | | | | |
| | STANAG-3504 | CATHODE RAY TUBE HEAD-DOWN DISPLAYS (ED 1) REQUESTS FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX, ISO, WASHINGTON, DC 20330-5058 | C | ISDF | | 06 | 22-APR-91 | | | | |
| M | STANAG-3510 ED. 3(1) | THE PROVISION OF HYDRAULIC POWER FOR SERVICING AIRCRAFT HYDRAULIC SYSTEMS | C | ISDF | | 06 | 28-APR-93 | | | | |
| | STANAG-3514 ED. 3(7) | AIRCRAFT MAIN BATTERIES | C | ISDF | | 06 | 04-NOV-91 | | | | |
| M | STANAG-3516 ED. 3 | ELECTROMAGNETIC INTERFERENCE AND TEST METHODS FOR AIRCRAFT ELECTRICAL AND ELECTRONIC EQUIPMENT | C | ISDF | | 06 | 10-MAY-93 | | | | |
| | STANAG-3518 | ENVIRONMENTAL TEST METHODS (EDITION 4)(REQUET OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058) | C | ISDF | | 06 | 19-DEC-90 | | | | |
| A | STANAG-3525 ED. 5(2) | DESIGN SAFETY PRINCIPLES AND GENERAL DESIGN CRITERIA FOR AIRBORNE WEAPON FUZING SYSTEMS | C | ISDF | | 06 | 09-FEB-93 | | | | |
| A | STANAG-3526 ED. 4(5) | INTERCHANGEABILITY OF NATO AIRCREW MEDICAL CATEGORIES | C | ISDF | | 06 | 26-NOV-92 | | | | |
| | STANAG-3527(5) | AIRCREW FLYING TIME AND REST PERIODS (EDITION 1 W/AMDS 1 THRU 4) [VALIDATION DATE: 8302] | C | ISDF | | 06 | 17-JUN-74 | | | | |
| A | STANAG-3530 ED. 4(4) | RADIO AID/OR NAVIGATIONAL AID FAILURE PROCEDURES FOR OPERATIONAL AIR TRAFFIC (OAT) FLIGHTS | C | ISDF | | 06 | 27-JAN-93 | | | | |
| M | STANAG-3531 ED. 6(2) | SAFETY INVESTIGATION AND REPORTING OF ACCIDENTS/INCIDENTS INVOLVING MILITARY AIRCRAFT AND/OR MISSILES | C | ISDF | | 06 | 29-MAR-93 | | | | |
| | STANAG-3532(5) | TRANSPORT OF TROOPS BY HELICOPTER (EDITION 5) (REL TO OTHER THAN DOD REQ APPR BY HQ DANCOM (DNCIRD)) | C | ISDA | | AM | 06-JUN-86 | | | | |
| | STANAG-3533 ED. 5 | FLYING AND STATIC DISPLAYS | C | ISDF | | 06 | 30-JAN-92 | | | | |
| | STANAG-3534 ED. 4(2) | AIRFIELD PORTABLE LIGHTING | C | ISDF | | 06 | 03-APR-92 | | | | |
| | STANAG-3535(3) | HELIPORT MARKING AND LIGHTING (EDITION NO. 1) | C | ISDF | | 06 | 26-FEB-87 | | | | |
| | STANAG-3542(1) | TECHNICAL CRITERIA FOR THE TRANSPORT OF CARGO BY HELICOPTER (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, 22333-0001) | C | ISDA | | AI | 01-JUL-91 | | | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | STANAG-3543 ED. 3(4) | AIR TRANSPORT CARGO/PASSENGER HANDLING SYSTEMS - REQUEST FOR INFORMATION .. | C | ISDF | 06 | | 28-FEB-92 | | | | |
| | | | | STANAG-3545(4) | CHARACTERISTICS OF BREATHABLE LIQUID OXYGEN (EDITION NO. 2) ..... | C | ISDF | 06 | | 10-SEP-86 | | | | |
| | | | | STANAG-3546(5) | LIQUID NITROGEN CHARACTERISTICS (ED 3 )REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO) WASHINGTON DC 20330-5058( | C | ISDF | 06 | | 26-APR-91 | | | | |
| | | | | STANAG-3547(2) | CHARACTERISTICS FO REPLENISHMENT EQUIPMENT FOR LIQUID NITROGEN OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO) WASH, DC 20330-5058 | C | ISDF | 06 | | 22-OCT-88 | | | | |
| A | | | | STANAG-3548 ED. 2(7) | TIE-DOWN FITTINGS ON AIR TRANSPORTED AND AIR-DROPPED EQUIPMENT AND CARGO CARRIED INTERNALLY BY FIXED WING AIRCRAFT | C | ISDF | 06 | | 20-NOV-92 | | | | |
| | | | | STANAG-3552(4) | SEARCH & RESCUE - ATP-10 (C) EDITION 7 (REQ FOR ISSUE OTHER THAN DOD & THEIR CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX-ISO WASH D.C 20330-5058 | C | ISDF | 06 | | 21-SEP-88 | | | | |
| | | | | STANAG-3554(6) | STANDARD VISUAL AERODROME AND HELIPORT TRAFFIC PATTERNS AND ASSOCIATED R/T PHASEOLOGY (EDITION NO. 2) | C | ISDF | 06 | | 02-DEC-85 | | | | |
| | | | | STANAG-3556 ED. 4 | AIRCRAFT STORE EJECTOR CARTRIDGES ..... | C | ISDF | 06 | | 31-MAR-92 | | | | |
| A | | | | STANAG-3558 ED. 3(5) | LOCATIONS FOR AIRCRAFT ELECTRICAL CONTROL CONNECTIONS FOR AIRCRAFT STORES . | C | ISDF | 06 | | 09-FEB-93 | | | | |
| | | | | STANAG-3564 ED. 2(8) | RULES FOR LIVE AIR WEAPONS DEMONSTRATIONS ..... | C | ISDF | 06 | | 31-JAN-92 | | | | |
| A | | | | STANAG-3570 ED. 3(5) | DROP ZONES AND EXTRACTION ZONES - CRITERIA AND MARKINGS ..... | C | ISDF | 06 | | 23-NOV-92 | | | | |
| | | | | STANAG-3572(8) | EXCHANGE OF INFORMATION ON TACTICAL AIR TRANSPORT OPERATIONS (ED 1) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX-ISO, WASH. DC 20330-5058 | C | ISDF | 06 | | 26-JUN-90 | | | | |
| A | | | | STANAG-3575 ED. 4 | AIRCRAFT STORES EJECTOR RACKS ..... | C | ISDF | 06 | | 15-DEC-92 | | | | |
| | | | | STANAG-3576(6) | ELECTRICAL CONNECTOR FOR DISPENSERS & INTERNAL INTERVALOMETER TYPE ROCKET LAUNCHERS FOR AIRCRAFT (ED 2) OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO) WASH, DC 20330-5058 | C | ISDF | 06 | | 20-DEC-88 | | | | |
| M | | | | STANAG-3583 ED. 3(1) | STANDARDS OF ACCURACY FOR DIFFERENTIAL PRESSURE GAUGES FOR AVIATION FUEL FILTERS AND FILTER SEPARATOR VESSELS | C | ISDF | 06 | | 29-APR-93 | | | | |
| A | | | | STANAG-3585 ED. 2(6) | 20 MM AMMUNITION FOR AIRCRAFT GUNS ..... | C | ISDF | 06 | | 29-JUL-92 | | | | |
| | | | | STANAG-3591(12) | CRITERIA FOR MAXIMUM ELEVATION FIGURE FOR AERONAUTICAL CHARTS CED 2) OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C | ISDF | 06 | | 30-NOV-88 | | | | |
| | | | | STANAG-3593(9) | NUMBERING OF ENGINES & THEIR ASSOCIATED CONTROLS & DISPLAYS IN AIRCRAFT (EDITION NO. 3) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-5058) | C | ISDF | 06 | | 22-APR-91 | | | | |
| | | | | STANAG-3595 ED. 3(5) | AIRCRAFT FITTING FOR PRESSURE REPLENISHMENT OF GAS TURBINE ENGINES WITH OIL | C | ISDF | 06 | | 31-JAN-92 | | | | |
| | | | | STANAG-3596 ED. 4(6) | AIR RECONNAISSANCE REQUESTING AND TARGET REPORTING GUIDE ..... | C | ISDF | 06 | | 02-APR-92 | | | | |
| | | | | STANAG-3597(3) | HELICOPTER TACTICAL OR NON PERMANENT LANDING SITES (EDITION 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09821) | C | ISDA | AM | | 20-FEB-86 | | | | |
| | | | | STANAG-3599(6) | EDGE NUMBERING OF FILMS USED FOR AERIAL PHOTOGRAPHY (ED 1) OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO), WASH, DC 20330-5058 | C | ISDF | 06 | | 17-JUN-88 | | | | |
| | | | | STANAG-3600(4) | TOPOGRAPHICAL LAND MAPS AND AERONAUTICAL CHARTS 1:250,000 FOR JOINT OPERATIONS (ED 3) | C | ISDF | 06 | | 25-OCT-90 | | | | |
| A | | | | STANAG-3601 ED. 3(4) | CRITERIA FOR SELECTION AND MARKING OF LANDING ZONES FOR FIXED WING TRANSPORT AIRCRAFT | C | ISDF | 06 | | 23-NOV-92 | | | | |
| | | | | STANAG-3605 ED. 3(1) | COMPATIBILITY OF ARMING UNITS AND EXPENDABLE AIRCRAFT STORES ..... | C | ISDF | 06 | | 27-FEB-92 | | | | |
| | | | | STANAG-3606 ED. 5 | EVALUATION AND CONTROL OF LASER HAZARDS ON MILITARY RANGES ..... | C | ISDA | AM | | 18-NOV-91 | | | | |
| M | | | | STANAG-3609 ED. 2(3) | STANDARDS FOR MAINTENANCE OF FIXED AVIATION FUEL RECEIPT, STORAGE AND DISPENSING SYSTEMS | C | ISDF | 06 | | 28-APR-93 | | | | |
| | | | | STANAG-3610(3) | CHARACTERISTICS OF CONDITIONED BREATHABLE AIR SUPPLIED TO AIRCRAFT ON THE GHOUND (EDITION 1) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX)ISO(, WASHINGTON DC 20330-5058) | C | ISDF | 06 | | 26-APR-91 | | | | |
| | | | | STANAG-3611(2) | CHARACTERISTICS OF COMPRESSED BREATHING AIR (EDITION NO. 2) [VALIDATION DATE: 8302] | C | ISDF | 06 | | 28-APR-77 | | | | |
| | | | | STANAG-3614 | ELECTROMAGNETIC COMPATIBILITY (EMC) OF AIRCRAFT SYSTEMS (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09821, WASH, D.C. 20360 | C | ISDF | 06 | | 27-OCT-83 | | | | |
| A | | | | STANAG-3616 ED. 1(5) | RESPONSIBILITY FOR THE DESIGN AND PROVISION OF ADAPTORS NECESSARY FOR THE COMPATIBILITY OF AIR CARGO LOADING, SECURING, UNLOADING OR DROPPING SYSTEMS IN FIXED WING AIRCRAFT | C | ISDF | 06 | | 26-NOV-92 | | | | |
| | | | | STANAG-3619(4) | HELIPAD MARKING (EDITION NO. 2) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, D.C. 20330-5058) | C | ISDF | 06 | | 29-APR-88 | | | | |
| | | | | STANAG-3622 ED. 3(7) | EXTERNAL VISION FROM AIRCREW STATIONS ..... | C | ISDF | 06 | | 21-OCT-91 | | | | |
| | | | | STANAG-3624(2) | CHARACTERISTICS OF OIL-FREE COMPRESSED NITROGEN, SUPPLY PRESSURE & HOSES (ED. 2) REQ TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C | ISDF | 06 | | 19-FEB-91 | | | | |
| | | | | STANAG-3625(3) | AIRCRAFT LOCKWIRE (EDITION NO. 2) ..... | C | ISDF | 06 | | 19-FEB-80 | | | | |
| | | | | STANAG-3626(3) | CIRCULAR DIAL BAROMETRIC ALTIMETERS (IMPERIAL & METRIC) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | | 22-APR-91 | | | | |
| | | | | STANAG-3627 ED. 3 | HELICOPTER DAY AND NIGHT TACTICAL FORMATION FLYING ..... | C | ISDA | AM | | 08-OCT-91 | | | | |
| | | | | STANAG-3628 | HELICOPTER TACTICAL REFUELLING (EDITION NO. 5) (REL TO OTHER THAN DOD REQ PRI APPR OF CNM, MAT 09821, WASH, D.C. 20360) | C | ISDA | AM | | 12-JUN-85 | | | | |
| | | | | STANAG-3630 | EMPLANING AND DEPLANING AT THE HIGH HOVER (EDITION NO. 2) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY DARCOM (DRCIRD) | C | ISDA | AM | | 18-JAN-78 | | | | |
| A | | | | STANAG-3632 ED. 4(1) | AIRCRAFT AND GROUND SUPPORT EQUIPMENT ELECTRICAL CONNECTIONS FOR STATIC GROUNDING | C | ISDF | 06 | | 03-MAR-93 | | | | |
| A | | | | STANAG-3634 ED. 3(1) | RUNWAY FRICTION AND BRAKING CONDITIONS ..... | C | ISDF | 06 | | 25-SEP-92 | | | | |
| M | | | | STANAG-3635 ED. 3(1) | AIRCRAFT STORES SUSPENSION UNITS WITH GRAVITY RELEASE CAPABILITY ..... | C | ISDF | 06 | | 29-MAR-93 | | | | |
| | | | | STANAG-3636(4) | AIRSPEED INDICATORS (IMPERIAL & METRIC) (EDITION 3) (REQ OTHER THAN DOD REF TO HQ UAF/XOXX-ISO WASH, DC 20330-5058) | C | ISDF | 06 | | 22-APR-91 | | | | |
| | | | | STANAG-3637 ED. 2(10) | ATTITUDE INDICATORS (SELF-CONTAINED AND REMOTE DRIVEN) ..... | C | ISDF | 06 | | 27-FEB-92 | | | | |
| M | | | | STANAG-3639 ED. 4(1) | AIRCREW STATION DIMENSIONAL DESIGN FACTORS ..... | C | ISDF | 06 | | 29-MAR-93 | | | | |
| | | | | STANAG-3640 ED. 3(8) | ATTITUDE DIRECTOR INDICATORS ..... | C | ISDF | 06 | | 28-FEB-92 | | | | |
| A | | | | STANAG-3642 ED. 3(2) | SINGLE FREQUENCY APPROACHES ..... | C | ISDF | 06 | | 26-NOV-92 | | | | |
| | | | | STANAG-3643(9) | COATING, REFLECTION REDUCING FOR GLASS ELEMENTS USED IN AIRCREW STATION DISPLAYS (EDITION 2) REQUESTS OTHER THAN DOD REFER TO: HQ USAF/XOXX(ISO), WASH.DC 20330-5058 | C | ISDF | 06 | | 22-APR-91 | | | | |
| | | | | STANAG-3647(2) | NOMENCLATURE IN AIRCREW STATIONS (EDITION 3)(REQUESTS FOR ISSUE OTHER THAN DOD MUST REFER TO HQ USAF/XOXX (ISO), WASHINGTON, D.C.,20330-5058 | C | ISDA | 06 | | 12-MAR-89 | | | | |
| | | | | STANAG-3648(6) | ELECTRONICALLY AND/OR OPTICALLY GENERATED AIRCRAFT DISPLAYS FOR FIXED WING AIRCRAFT (EDITION NO. 2) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, 20330-5058) | C | ISDF | 06 | | 29-JUN-90 | | | | |
| | | | | STANAG-3650(2) | ESSENTIAL SAR LOCATION EQUIPMENT AND ASSOCIATED CHARACTERISICS (AIRCRAFT) (EDITION NO 2) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C | ISDF | 06 | | 21-SEP-89 | | | | |
| A | | | | STANAG-3652 ED. 2(1) | HELIPAD LIGHTING (VMC) ..... | C | ISDF | 06 | | 29-JUN-92 | | | | |
| A | | | | STANAG-3659 ED. 1(7) | BONDING AND IN-FLIGHT LIGHTNING PROTECTION FOR AIRCRAFT ..... | C | ISDF | 06 | | 29-JUL-92 | | | | |
| A | | | | STANAG-3660 ED. 2(7) | AIRCRAFT MAIN BATTERY ELECTRIC PLUG ..... | C | ISDF | 06 | | 31-JUL-92 | | | | |
| | | | | STANAG-3662(3) | 16 MM FILM CORES EDITION 1 (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09821, WASH D.C. 20360) | C | ISDF | 06 | | 27-NOV-86 | | | | |
| A | | | | STANAG-3666 ED. 1(1) | MAXIMUM SIZES FOR MAPS, AERONAUTICAL CHARTS AND OTHER GEOGRAPHIC PRODUCTS (EXCLUDING NAUTICAL CHARTS) | C | ISDF | 06 | | 16-SEP-92 | | | | |
| A | | | | STANAG-3671 ED. 3(1) | EDITION DESIGNATION SYSTEM FOR LAND MAPS, AERONAUTICAL CHARTS AND MILITARY GEOGRAPHIC DOCUMENTATION | C | ISDF | 06 | | 09-FEB-93 | | | | |
| | | | | STANAG-3672 ED. 1(6) | INDEXES TO SERIES OF LAND MAPS AND AERONAUTICAL CHARTS AND INDEXES TO MILITARY GEOGRAPHIC INFORMATION AND DOCUMENTATION (MGID) | C | ISDF | 06 | | 26-MAY-92 | | | | |
| | | | | STANAG-3673 ED. 3(2) | IDENTIFICATION OF SOURCE DATA ON NAUTICAL AND SPECIAL NAVAL CHARTS ..... | C | ISDF | 06 | | 01-JUN-92 | | | | |

# NUMERICAL LISTING
# INTERNATIONAL STANDARDIZATION DOCUMENTS

| Action | Opn / Qual Coordination Inactive | Document Number | Document Title | Dist. Symb. | FSC / Area | NCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | STANAG-3675 ED. 1(12) | SYMBOLS ON LAND MAPS, AERONAUTICAL CHARTS AND SPECIAL NAVAL CHARTS | C | ISDF | | 06 | 01-JUN-92 | | | | |
| | | STANAG-3676(3) | MARGINAL INFORMATION ON LAND MAPS, AERONAUTICAL CHARTS & PHOTOMAPS (EDITION NO. 2) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, D.C. 20330-5058) | C | ISDF | | 06 | 26-APR-91 | | | | |
| | | STANAG-3677 ED. 2(4) | STANDARD SCALES FOR LAND MAPS AND AERONAUTICAL CHARTS | C | ISDF | | 06 | 01-JUN-92 | | | | |
| | | STANAG-3678(9) | METHOD OF ADDING THE MILITARY GRID TO NAUTICAL CHARTS IN THE NATO AREA (EDITION NO. 1) (ISSUE CONTROLLED) | C | ISDF | | 06 | 25-OCT-90 | | | | |
| | | STANAG-3680(1) | NATO GLOSSARY OF TERMS AND DEFINITIONS (ENGLISH & FRENCH) - AAP-6 (EDITION NO. 4) ( REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX-ISO WASH D.C. 20330-5058 [VALIDATION DATE: 8302] | C | ISDF | | 06 | 04-DEC-90 | | | | |
| A | | STANAG-3681 ED. 2 | CRITERIA FOR PRESSURE FUELLING/DEFUELLING OF AIRCRAFT | C | ISDF | | 06 | 05-FEB-93 | | | | |
| | | STANAG-3682 ED. 4(1) | ELECTROSTATIC SAFETY CONNECTION PROCEDURES FOR LIQUID FUEL LOADING/UNLOADING OPERATIONS DURING GROUND TRANSFER | C | ISDF | | 06 | 08-APR-92 | | | | |
| | | STANAG-3684 | HELIPAD LIGHTING (IMC) (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM,MAT 09B21, WASH, D.C. 20360 | C | ISDF | | 06 | 29-NOV-83 | | | | |
| | | STANAG-3685(1) | AIRFIELD PORTABLE MARKING (ED 2) OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO) WASH, DC 20330-5058 | C | ISDF | | 06 | 14-JUL-89 | | | | |
| | | STANAG-3686 | PLANNING PROCEDURES FOR SMALL SCALE TACTICAL AIR TRANSPORT OPERATIONS [VALIDATION DATE: 8302] | C | ISDF | | 06 | 09-JUL-73 | | | | |
| A | | STANAG-3687 ED. 3(2) | CAMOUFLAGE OF AIRCRAFT | C | ISDF | | 06 | 03-MAR-93 | | | | |
| | | STANAG-3688(2) | CHARACTERISTICS OF BREATHABLE OXYGEN SUPPLIED BY CHEMICAL SOLID GENERATORS (ED 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C | ISDF | | 06 | 28-NOV-89 | | | | |
| | | STANAG-3689(5) | PLACE NAME SPELLING ON MAPS AND CHARTS (ED 2) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASH, DC 20330-5058 | C | ISDF | | 06 | 22-MAY-90 | | | | |
| | | STANAG-3691(5) | CIRCULAR DIAL TACHOMETERS (NON-SERVOED), COMPATIBLE W/TWO POLE THREE PHASE GENERATORS (EDITION NO. 2) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-5058) | C | ISDF | | 06 | 29-JUN-90 | | | | |
| | | STANAG-3692 ED. 1(4) | LOCATION AND ACTUATION OF THRUST VECTOR CONTROLS FOR VSTOL AIRCRAFT OTHER THAN ROTARY WING AIRCRAFT | C | ISDF | | 06 | 21-OCT-91 | | | | |
| A | | STANAG-3697 ED. 3(4) | AIRCRAFT ARRESTING SYSTEMS | C | ISDF | | 06 | 27-JAN-93 | | | | |
| | | STANAG-3700 | NATO TACTTICAL AIR DOCTRINE - ATP-33(B) ED. 4 (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-ISO WASH DC 20330-505 | C | ISDF | | 06 | 01-AUG-88 | | | | |
| M | | STANAG-3701 ED. 3(1) | AIRCRAFT INTERIOR COLOUR SCHEMES | C | ISDF | | 06 | 25-MAR-93 | | | | |
| A | | STANAG-3703 ED. 6 | TACTICAL AIR SUPPORT FOR MARITIME OPERATIONS (TASMO) - ATP-34(B) | C | ISDF | | 06 | 02-MAR-93 | | | | |
| | | STANAG-3704(3) | GROUND RESOLUTION TARGETS FOR AERIAL PHOTOGRAPHY (EDITION NO. 1) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-5058) | C | ISDF | | 06 | 29-APR-88 | | | | |
| A | | STANAG-3705 ED. 3(1) | HUMAN ENGINEERING DESIGN CRITERIA FOR CONTROLS AND DISPLAYS IN AIRCREW STATIONS | C | ISDF | | 06 | 15-DEC-92 | | | | |
| | | STANAG-3710(6) | MILITARY CITY MAPS (EDITION 1) (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON, D.C. 20330-5058) | C | ISDF | | 06 | 04-JUN-87 | | | | |
| M | | STANAG-3711 ED. 2(1) | AIRFIELD MARKING AND LIGHTING COLOUR STANDARDS | C | ISDF | | 06 | 29-MAR-93 | | | | |
| A | | STANAG-3712 ED. 2(5) | AIRPORT RESCUE AND FIRE-FIGHTING SERVICES - IDENTIFICATION CATEGORIES | C | ISDF | | 06 | 29-JUN-92 | | | | |
| | | STANAG-3713 ED. 3(2) | DETERMINATION OF PARTICULATE MATTER IN AEROSPACE HYDRAULIC FLUIDS USING A PARTICLE SIZE ANALYSER | C | ISDF | | 06 | 25-FEB-92 | | | | |
| | | STANAG-3714(2) | STEAMERS, WARNING (ED. 2) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C | ISDF | | 06 | 30-OCT-91 | | | | |
| | | STANAG-3715(8) | GENERAL SPECIFICATIONS FOR NON-SUB CONTACT CHARTS (ED 1) REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(ISO), WASH, DC 20330-5058 | C | ISDF | | 06 | 25-OCT-90 | | | | |
| | | STANAG-3716(11) | MAP SERIES NUMBERING (EDITION 1) (REQUESTS FOR ISSUE OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | | 06 | 23-MAY-91 | | | | |
| A | | STANAG-3726 ED. 4 | BAIL (PORTAL) LUGS FOR THE SUSPENSION OF AIRCRAFT STORES | C | ISDF | | 06 | 31-JUL-92 | | | | |
| M | | STANAG-3731 ED. 2(2) | BIBLIOGRAPHY ON ELECTROMAGNETIC COMPATIBILITY (EMC) | C | ISDF | | 06 | 09-MAR-93 | | | | |
| | | STANAG-3732 | RECOGNITION TRAINING (EDITION 2 (REQ OTHER THAN DOD MUST BE SENT VIA: U.S.ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MP/S, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001 | C | ISDA | | A1 | 03-JUN-86 | | | | |
| | | STANAG-3736 | OFFENSIVE AIR SUPPORT OPERATIONS - ATP-27(B) ED. 8 (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-ISO WASH DC 203305058 | C | ISDF | | 06 | 26-APR-91 | | | | |
| | | STANAG-3738(4) | PERSONNEL PARACHUTES (EDITION NO. 2) | C | ISDF | | 06 | 22-APR-85 | | | | |
| | | STANAG-3739(2) | COMBINED AIR TERMINAL OPERATIONS (EDITION NO. 3) | C | ISDF | | 06 | 27-FEB-87 | | | | |
| M | | STANAG-3740 ED. 3 | PROCEDURES FOR TRACING AIR TRANSPORTED BAGGAGE AND MISSING AIR TRANSPORTED CARGO | C | ISDF | | 06 | 05-MAR-93 | | | | |
| | | STANAG-3741(3) | HORIZONTAL SITUATION INDICATORS (EDITION NO. 4) (REL TO OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO), WASH., D.C., 20330-5058) | C | ISDF | | 06 | 22-APR-91 | | | | |
| | | STANAG-3742(6) | CIRCULAR DIAL ENGINE TEMPERATURE INDICATORS (EDITION NO. 1) (REL TO OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX-ISO, WASH., D.C. 20330-5058 | C | ISDF | | 06 | 29-JUN-90 | | | | |
| | | STANAG-3744 ED. 2(3) | MINIMUM REQUIREMENTS OF MEDICAL EQUIPMENT IN SEARCH AND RESCUE (SAR) AIRCRAFT | C | ISDF | | 06 | 01-OCT-91 | | | | |
| | | STANAG-3745 ED. 1(7) | MEDICAL TRAINING FOR SEARCH AND RESCUE (SAR) PERSONNEL | C | ISDF | | 06 | 02-OCT-91 | | | | |
| | | STANAG-3746 ED. 1(6) | MEDICAL FIRST AID EQUIPMENT IN AIRCRAFT | C | ISDF | | 06 | 02-OCT-91 | | | | |
| M | | STANAG-3747 ED. 3(6) | GUIDE SPECIFICATIONS (MINIMUM QUALITY STANDARDS) FOR AVIATION TURBINE FUELS (F-34, F-35, F-40 AND F-44) | C | ISDF | | 06 | 28-APR-93 | | | | |
| | | STANAG-3748 ED. 2(5) | HYDRAULIC FLUIDS, PETROLEUM (H-515 AND H-520) | C | ISDF | | 06 | 28-NOV-91 | | | | |
| M | | STANAG-3750 ED. 4(2) | REPORTING AND INVESTIGATION OF AIRMISS INCIDENTS | C | ISDF | | 06 | 26-MAR-93 | | | | |
| M | | STANAG-3752 ED. 2(4) | WITNESS (BREAKING) WIRE FOR AIRCRAFT EMERGENCY CONTROLS & EQUIPMENT | C | ISDF | | 06 | 29-MAR-93 | | | | |
| A | | STANAG-3753 ED. 2(2) | THE TRANSPORTATION AND UTILITIES COMPATIBILITY OF MOBILE RECONNAISSANCE SUPPORT SHELTERS | C | ISDF | | 06 | 27-AUG-92 | | | | |
| | | STANAG-3754(2) | AUTOMATIC DATA PROCESSING (ADP) WAR RESERVE STOCK FILE FOR MAPS AND AERONAUTICAL CHARTS (REQ OTHER THAN DOD REF TO HQ USAF XOXX-ISO, WASH., DC, 20330-5058 (EDITION 2) | C | ISDF | | 06 | 23-MAY-91 | | | | |
| A | | STANAG-3756 ED. 3(2) | FACILITIES AND EQUIPMENT FOR RECEIPT AND DELIVERY OF LIQUID FUELS | C | ISDF | | 06 | 05-FEB-93 | | | | |
| | | STANAG-3758(2) | SIGNALS USED BY AIR TRAFFIC SERVICE UNITS FOR CONTROL OF PEDESTRIAN & VEHICULAR TRAFFIC IN THE MANOEUVRING AREA OF AIRFIELDS (ED. 2) (REQUEST FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX-ISO WASH D.C. 20330-5058 | C | ISDF | | 06 | 31-MAY-90 | | | | |
| | | STANAG-3759 ED. 4 | CRITERIA FOR THE PREPARATION OF INSTRUMENT APPROACH AND DEPARTURE PROCEDURES - APATC-1 | C | ISDF | | 06 | 30-JAN-92 | | | | |
| | | STANAG-3764 ED. 2(1) | EXCHANGE OF IMAGERY | C | ISDF | | 06 | 31-JAN-92 | | | | |
| M | | STANAG-3765 ED. 1(4) | PRESSURE REPLENISHMENT OF AIRCRAFT ENGINE OIL | C | ISDF | | 06 | 29-MAR-93 | | | | |
| | | STANAG-3766 ED. 2(4) | GREASE NIPPLES | C | ISDF | | 06 | 01-JUN-92 | | | | |
| | | STANAG-3767 ED. 1(11) | EXCHANGE OF DATA ON LOAD CAPABILITIES OF TRANSPORT AIRCRAFT | C | ISDF | | 06 | 27-FEB-92 | | | | |
| A | | STANAG-3768 ED. 2(3) | GUIDE TO SECURITY CLASSIFICATION OF AIR RECONNAISSANCE | C | ISDF | | 06 | 03-MAR-93 | | | | |
| | | STANAG-3769(5) | MINIMUM RESOLVED OBJECT SIZES & SCALES FOR IMAGERY INTERPRETATION (ED 1) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058 | C | ISDF | | 06 | 07-MAY-90 | | | | |
| A | | STANAG-3770 ED. 2(3) | AIR TRANSPORT BAGGAGE TAGS | C | ISDF | | 06 | 23-NOV-92 | | | | |
| A | | STANAG-3771 ED. 3(1) | GROUND SECURITY MEASURES AGAINST AIRCRAFT SABOTAGE/HIJACKING | C | ISDF | | 06 | 27-NOV-92 | | | | |
| A | | STANAG-3774 ED. 3(3) | CONTROL PROCEDURES FOR PALLETS AND ASSOCIATED RESTRAINT EQUIPMENT USED IN COMBINED AIR TRANSPORT OPERATIONS | C | ISDF | | 06 | 23-NOV-92 | | | | |
| A | | STANAG-3775 ED. 3(3) | AIR MOVEMENT AND IN-TRANSIT STORAGE OF CARGO REQUIRING CONTROLLED TEMPERATURE CONDITIONS | C | ISDF | | 06 | 25-NOV-92 | | | | |
| | | STANAG-3776 | MARGINAL INFORMATION ON LANDMAPS, AERONAUTICAL CHARTS & PHOTOMAPS (EDITION NO. 2) (REQ OTHER THAN DOS REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-505) | C | ISDF | | 06 | 19-FEB-80 | | | | |

# NUMERICAL LISTING
# INTERNATIONAL STANDARDIZATION DOCUMENTS

| Action | Opt / Qual Coordination Indicator | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | STANAG-3777(3) | AIRDROP OF DOOR BUNDLES WITH STICKS OF PARACHUTISTS FROM FIXED WING AIRCRAFT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDF 06 | 30-JAN-84 | | | | |
| | | STANAG-3778(3) | PERFORMANCE CRITERIA FOR HONEYCOMB PAPER USED AS ENERGY DISSIPATING MATERIAL (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDF 06 | 04-MAR-87 | | | | |
| | | STANAG-3781(1) | RECONNAISSANCE CROSS-SERVICING (EDITION 1) | C ISDF 06 | 28-JUN-88 | | | | |
| A | | STANAG-3783 ED. 2(6) | AIR WEAPONS RANGES - IDENTIFICATION OF CONTROL INSTALLATIONS AND SPECTATOR SITES DURING DAYLIGHT OPERATIONS | C ISDF 06 | 16-DEC-92 | | | | |
| A | | STANAG-3784 ED. 3 | TECHNICAL GUIDANCE FOR THE DESIGN AND CONSTRUCTION OF AVIATION AND GROUND FUEL INSTALLATIONS ON NATO AIRFIELDS | C ISDF 06 | 30-NOV-92 | | | | |
| M | | STANAG-3786 ED. 3(1) | SAFETY DESIGN REQUIREMENTS AND GENERAL DESIGN GUIDANCE FOR AIRBORNE DISPENSER WEAPONS | C ISDF 06 | 29-APR-93 | | | | |
| | | STANAG-3791 ED. 3 | INTEROPERABILITY OF NATO AIRCRAFT AND STORES - AOP-11(D) | C ISDF 06 | 04-OCT-91 | | | | |
| | | STANAG-3794(3) | IDENTIFICATION OF AIRCRAFT ELECTRICAL CABLES | C ISDF 06 | 02-FEB-87 | | | | |
| | | STANAG-3797(3) | MINIMUM QUALIFICATIONS FOR FORWARD AIR CONTROLLERS (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058) | C ISDF 06 | 18-DEC-89 | | | | |
| | | STANAG-3800(3) | NIGHT VISION GOGGLES LIGHTING COMPATIBILITY DESIGN CRITERIA (EDITION NO. 1) (REL TO OTHER THN DOD & DOD CONTRACTORS MUST BE SENT VIR HQ USAF/XOXX(ISO) WASH., D.C. 20330-5058 | C ISDF 06 | 22-APR-91 | | | | |
| A | | STANAG-3802 ED. 3 | SCREWDRIVER RECESSES (HIGH PERFORMANCE) | C ISDF 06 | 16-SEP-92 | | | | |
| | | STANAG-3805 | DOCTRINE AND PROCEDURES FOR AIRSPACE CONTROL IN THE COMBAT ZONE (EDITIONNO. 3) REL TO OHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C ISDF 06 | 21-SEP-89 | | | | |
| | | STANAG-3806(5) | AIRCRAFT GASEOUS AIR/NITROGEN SYSTEMS REPLENISHMENT CONNECTORS (EDITION 1) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058) | C ISDF 06 | 26-APR-91 | | | | |
| | | STANAG-3809 ED. 2(3) | DIGITAL TERRAIN ELEVATION DATA EXCHANGE FORMAT | C ISDF 06 | 01-JUN-92 | | | | |
| | | STANAG-3812(2) | RESPONSIBILITIES FOR AIRCRAFT CROSS-SERVICING GROUND CREW TRAINING (EDITION 5) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH., DC 20330-5058 | C ISDF 06 | 25-JUL-91 | | | | |
| | | STANAG-3817 ED. 4(4) | STANDARD R/T PHRASEOLOGY TO BE USED FOR AIRCRAFT | C ISDF 06 | 31-JAN-92 | | | | |
| | | STANAG-3820 ED. 1(2) | 27 MM X 145 AMMUNITION AND LINKS FOR AIRCRAFT GUNS | C ISDF 06 | 21-OCT-91 | | | | |
| A | | STANAG-3821 ED. 1(2) | CHAFF AND IR CARTRIDGES FOR AIRCRAFT | C ISDF 06 | 28-JUL-92 | | | | |
| | | STANAG-3824 ED. 2 | GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR AVIATION GASOLINE (F-18) | C ISDF 06 | 22-OCT-91 | | | | |
| A | | STANAG-3827 ED. 2(3) | RECOMMENDED REQUIREMENTS FOR TRAINING OF AIRCREW IN HIGH SUSTAINED "G" ENVIRONMENT | C ISDF 06 | 23-NOV-92 | | | | |
| | | STANAG-3828 ED. 1(8) | MINIMUM REQUIREMENTS FOR AIRCREW PROTECTION AGAINST THE HAZARDS OF LASER TARGET DESIGNATORS | C ISDF 06 | 02-OCT-91 | | | | |
| | | STANAG-3830 ED. 1(5) | AIRCREW NUCLEAR FLASH BLINDNESS PROTECTION | C ISDF 06 | 02-OCT-91 | | | | |
| M | | STANAG-3833 ED. 2 | SYMBOLS FOR USE ON MAPS OF TRAINING AREAS FOR LAND FORCES | C ISDF 06 | 03-MAR-93 | | | | |
| | | STANAG-3836(3) | MICROFORM (EDITION 3) (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-ISO, WASH DC 20330-5058 | C ISDF 06 | 26-APR-91 | | | | |
| | | STANAG-3837(2) | AIRCRAFT STORES ELECTRICAL INTERCONNECTION SYSTEM (EDITION 2) REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX-ISO WASH DC 20330-5058 | C ISDF 06 | 23-MAY-90 | | | | |
| M | | STANAG-3838 ED. 1(6) | DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS | C ISDF 06 | 22-APR-93 | | | | |
| | | STANAG-3842(2) | RAIL LAUNCHED MISSILE/LAUNCHER INTERFACE FOR AIRCRAFT (EDITION 1) (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-ISO, WASH D.C. 20330-5058) | C ISDF 06 | 23-MAY-90 | | | | |
| | | STANAG-3847(3) | HELICOPTER IN-FLIGHT REFUELLING (HIFR) EQUIPMENT (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C ISDF 06 | 27-JUL-89 | | | | |
| A | | STANAG-3854 ED. 2(4) | POLICIES AND PROCEDURES GOVERNING THE AIR TRANSPORTATION OF DANGEROUS CARGO | C ISDF 06 | 25-NOV-92 | | | | |
| A | | STANAG-3859 ED. 3 | STANDARDIZED DATA LIST FOR INTEROPERABILITY STUDIES AND CERTIFICATION OF AIRCRAFT STORES | C ISDF 06 | 19-NOV-92 | | | | |
| | | STANAG-3861(3) | HELIPORT RESCUE & FIRE-FIGHTING SERVICES- IDENTIFICATION CATEGORIES (EDITION 2) REQ OTHER THAN DOD REF TO HQ USAF XOXX-ISO, WASH., DC 20330-5058 | C ISDF 06 | 19-DEC-90 | | | | |
| | | STANAG-3864 ED. 1(5) | THE MEASUREMENT OF PROTECTION PROVIDED TO THE RESPIRATORY TRACT AND EYES BY AIRCREW EQUIPMENT ASSEMBLIES AGAINST NBC AGENTS IN PARTICULATE, AEROSOL AND VAPOUR FORM | C ISDF 06 | 02-OCT-91 | | | | |
| | | STANAG-3865 ED. 2(3) | PHYSIOLOGICAL REQUIREMENTS FOR AIRCRAFT MOLECULAR SIEVE OXYGEN CONCENTRATING SYSTEMS | C ISDF 06 | 08-MAY-92 | | | | |
| | | STANAG-3869(4) | AIRCREW STATION CONTROL PANELS (ED 1) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058 | C ISDF 06 | 22-APR-91 | | | | |
| | | STANAG-3870(2) | EMERGENCY/ESCAPE EVALUATION LIGHTING (ED 1) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C ISDF 06 | 21-SEP-89 | | | | |
| | | STANAG-3871 ED. 1(3) | NATO GLOSSARY OF AIRCRAFT DISPLAYS AND AIRCREW STATIONS (AI) SPECIALIST TERMINOLOGY AND ABBREVIATIONS | C ISDF 06 | 01-JUN-92 | | | | |
| | | STANAG-3872(5) | RATE OF FUEL FLOW INDICATORS (ED. 1) (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTOR MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH., D.C. 20330-5058 | C ISDF 06 | 22-APR-91 | | | | |
| | | STANAG-3873 | ELECTRONIC WARFARE (EW) IN AIR OPERATIONS - ATP-44(A) (EDITION 3) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058) | C ISDF 06 | 20-DEC-90 | | | | |
| | | STANAG-3879(3) | BIRDSTRIKE RISK/WARNING PROCEDURES (EUROPE) (ED 2) (REL TO OTHER THAN DOD REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058) | C ISDF 06 | 21-DEC-88 | | | | |
| | | STANAG-3880 | COUNTER AIR OPERATIONS ATP-42 (EDITION 2) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058) | C ISDF 06 | 20-DEC-90 | | | | |
| | | STANAG-3881 ED. 2(2) | FUELS TO BE INTRODUCED INTO AND DELIVERED BY THE NORTH ITALIAN PIPELINE SYSTEM (NIPS) | C ISDF 06 | 08-APR-92 | | | | |
| | | STANAG-3884 ED. 1(3) | AIR IMAGERY INTERPRETATION ANNOTATION | C ISDF 06 | 31-JAN-92 | | | | |
| | | STANAG-3888(1) | FUELS TO BE DISTRIBUTED BY THE UK PIPELINE SYSTEM (UKPS) (EDITION 1) W/CORRIGENDUM DTD. 2 AUG. 1990 ISSUED CONTROLLED | C ISDF | 31-JUL-91 | | | | |
| | | STANAG-3890(2) | ENVIRONMENTAL POLLUTION FROM PHOTOGRAPHIC EFFLUENTS (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO 20330-5058) | C ISDF 06 | 26-OCT-89 | | | | |
| | | STANAG-3892(2) | MOVEMENT AREA FLOODLIGHTING (EDITION NO. 2) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-ISO WASH, D.C. 20330-5058) | C ISDF 06 | 20-FEB-89 | | | | |
| | | STANAG-3896(1) | ILLUSTRATED INFORMATION ON FIRE HAZARDS & RESCUE FEATURES FOR NATO AIR-CRAFT (EDITION 2) (REW OTHER THAN DOD REF TO HW USAF XOXX-ISO, WASH., DC 20330-5058 | C ISDF 06 | 19-DEC-90 | | | | |
| | | STANAG-3898(1) | AIRCRAFT STORES INTERFACE MANUAL - AOP-12 (ED 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH, DC 20330-50580 | C ISDF 06 | 26-APR-91 | | | | |
| M | | STANAG-3899 ED. 2 | GROUND FIT AND COMPATIBILITY CRITERIA FOR AIRCRAFT STORES | C ISDF 06 | 07-MAY-93 | | | | |
| | | STANAG-3900(1) | EMC OF AIRBORNE ELECTRO EXPLOSIVE SUB-SYSTEMS (EDITION NO. 1) | C ISDF 06 | 16-DEC-86 | | | | |
| | | STANAG-3907(1) | CROSS SERVICING OF HELICOPTERS ENGAGED IN LAND OPERATIONS (EDITION NO. 1) | C ISDF 06 | 27-SEP-85 | | | | |
| | | STANAG-3908(2) | STANDARDIZED AVIONICS TERMINOLOGY & ABBREVIATIONS (ED 1) OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C ISDF 06 | 25-OCT-88 | | | | |
| | | STANAG-3909(1) | DISCRETE SIGNAL INTERFACES (EDITION NO 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH, DC 20330-5058) | C ISDF 06 | 23-NOV-90 | | | | |
| A | | STANAG-3912 ED. 1(2) | STANDARDIZATION OF A REAL-TIME HIGH ORDER COMPUTER PROGRAMMING LANGUAGE FOR AVIONICS SYSTEMS APPLICATIONS | C ISDF 06 | 28-OCT-92 | | | | |
| M | | STANAG-3917 ED. 2(3) | AIR CONDITIONING CONNECTIONS, GROUND HALF CONNECTORS | C ISDF 06 | 25-MAR-93 | | | | |
| | | STANAG-3920 | HANDBOOK FOR AIR RECONNAISSANCE TASKING AND REPORTING (REQ OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO), WASHINGTON D.C. 20330-5058 (EDITION 2) | C ISDF 06 | 27-SEP-90 | | | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | STANAG-3922(1) | AIR DROP SYSTEMS FOR PERSONNEL & SUPPLY/EQUIPMENT - ATP-46(A) (ED 2) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C | ISDF | | 06 | 26-JUN-90 | | | | |
| A | STANAG-3929 ED. 1(4) | EVALUATION GUIDE FOR NATO CRASH/FIRE/RESCUE SERVICES | C | ISDF | | 06 | 29-JUN-92 | | | | |
| | STANAG-3932(2) | AIR LAUNCHED WEAPONS DESIGNED FOR READY USE STORAGE (ALL UP ROUND) REL TO OTHER THAN DOD ACT REQUIRE PR APPR OF CNM, MAT 09B21, WASH. D.C. 20360) | C | ISDA | | 06 | 13-OCT-86 | | | | |
| | STANAG-3940 | AIRCRAFT ELECTRONIC COLOUR DISPLAY SYSTEMS (ED 1) REQUESTS FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX, ISO, WASHINGTON, DC 20330-5058 | C | ISDF | | 06 | 22-APR-91 | | | | |
| | STANAG-3943(1) | PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW NBC RESPIRATORS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDF | | 06 | 08-JUL-86 | | | | |
| A | STANAG-3946 ED. 1(3) | MAXIMUM DOSAGE OF NERVE AGENT VAPOUR TO THE EYES ACCEPTABLE FOR AIRCREW | C | ISDF | | 06 | 20-NOV-92 | | | | |
| A | STANAG-3947 ED. 1(6) | GROUND HALF AIR AND ELECTRICAL CONNECTORS FOR LOW PRESSURE AIR STARTING OF AIRCRAFT ENGINES | C | ISDF | | 06 | 03-MAR-93 | | | | |
| | STANAG-3948(3) | TOWING AND STEERING DEVICES FOR AIRCRAFT (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO , WASH , DC 20330-5058) | C | ISDF | | 06 | 29-MAY-91 | | | | |
| | STANAG-3950 | HELICOPTER CREW SEAT DESIGN (ED 1) REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058 | C | ISDF | | 06 | 25-JAN-91 | | | | |
| | STANAG-3957 ED. 2(1) | C/ATLAS HOL FOR APPLICATION IN AVIONICS TEST SYSTEMS | C | ISDF | | 06 | 21-OCT-91 | | | | |
| | STANAG-3961(1) | APPLICATION FORM FOR OVERFLIGHT & LANDING CLEARENCE (EDITION NO. 1) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH. D.C. 20330-5058) | C | ISDF | | 06 | 06-APR-88 | | | | |
| N | STANAG-3967 ED. 1 | DESIGN AND PERFORMANCE REQUIREMENTS FOR AVIATION FUEL FILTER SEPARATOR VESSELS AND COALESCER AND SEPARATOR ELEMENTS | C | ISDF | | 06 | 26-MAR-93 | | | | |
| A | STANAG-3968 ED. 2(1) | NATO GLOSSARY OF ELECTROMAGNETIC TERMINOLOGY | C | ISDF | | 06 | 16-DEC-92 | | | | |
| M | STANAG-3970 ED. 1(1) | CONTENT AND FORMAT OF FLIGHT INFORMATION PUBLICATION (FLIP) TERMINAL HIGH/LOW INSTRUMENT APPROACH PROCEDURES, INSTRUMENT DEPARTURE PROCEDURES, AND AERODROME DIAGRAMS/LAYOUTS | C | ISDF | | 06 | 29-MAR-93 | | | | |
| | STANAG-3971 | AIR-TO-AIR REFUELLING - ATP-56 (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH, DC 20330-5058) | C | ISDF | | 06 | 20-MAR-90 | | | | |
| A | STANAG-3977 ED. 1(1) | MANUAL OF TECHNIQUES OF SAMPLING AND ANALYSIS OF GASES AND LIQUEFIED GASES FOR AIRCRAFT SERVICING - AEP-6 | C | ISDF | | 06 | 16-DEC-92 | | | | |
| A | STANAG-3979 ED. 1(1) | PARACHUTE EXTRACTION ASSEMBLIES | C | ISDF | | 06 | 26-NOV-92 | | | | |
| | STANAG-3985 ED. 1(4) | PREFERRED MAGNETIC TAPE STANDARDS FOR THE EXCHANGE OF DIGITAL GEOGRAPHIC INFORMATION | C | ISDF | | 06 | 01-JUN-92 | | | | |
| M | STANAG-3986 ED. 1(3) | DIGITAL DATA FILE TRANSMITTAL FORM FOR GEOGRAPHIC INFORMATION | C | ISDF | | 06 | 26-APR-93 | | | | |
| A | STANAG-3988 ED. 1(2) | FUELS TO BE DISTRIBUTED BY THE UK PIPELINE SYSTEM (UKPS) | C | ISDF | | 06 | 16-SEP-92 | | | | |
| | STANAG-3990(1) | CHARACTERISTICS OF HIGH QUALITY OIL-FREE GASEOUS NITROGEN, SUPPLY PRESSURE AND HOSES, FOR AIRCRAFT, WEAPONS AND ELECTRONIC EQUIPMENT SERVICING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, 20330-5058) (ED 1) | C | ISDF | | 06 | 26-APR-91 | | | | |
| | STANAG-3991(1) | DESIGN CRITERIA TO MINIMIZE GENERATION OF STATIC ELECTRICITY WITHIN AIRCRAFT FUEL SYSTEMS (EDITION 2) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. DC, 20330-5058 | C | ISDF | | 06 | 25-JUL-91 | | | | |
| | STANAG-3992 | TERRAIN ANALYSIS -AGEOP-1 (ED. NO. 1) REQ FOR OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO WASH, D.C. 20330-5058 | C | ISDF | | 06 | 26-AUG-88 | | | | |
| | STANAG-3993(1) | AIR CONTROL TERMS AND DEFINITIONS (REQUEST FOR ISSUE OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO USAHINGTON, DC 20330-5058 (EDITION 1) | C | ISDF | | 06 | 01-JUL-88 | | | | |
| | STANAG-3994 ED. 1 | APPLICATION OF HUMAN ENGINEERING TO ADVANCED AIRCREW SYSTEMS | C | ISDF | | 06 | 23-OCT-91 | | | | |
| A | STANAG-3995 ED. 1(3) | MARKING OF PORTABLE FIRE EXTINGUISHERS | C | ISDF | | 06 | 29-JUN-92 | | | | |
| | STANAG-3998 | NATO AIR TRANSPORT POLICIES AND PROCEDURES - ATP-63 (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH, DC 20330-5058) | C | ISDF | | 06 | 24-NOV-89 | | | | |
| | STANAG-4004(1) | PNEUMATIC TYPES FOR TRANSPORT VEHICLES (EDITION 1) [VALIDATION DATE: 8212] | C | ISDN | | MM | 03-NOV-69 | | | | |
| | STANAG-4006/1(1) | SHIELDED SPARKING PLUGS FOR 5 MM LEAD) FOR WHEELED TACTICAL VEHICLES (EDITION 1, PT 1) | C | ISDN | | MM | 15-AUG-67 | | | | |
| | STANAG-4006/2(1) | SHIELDED IGNITION CABLES FOR WHEELED TACTICAL VEHICLES (EDITION 2, PT 2) | C | ISDN | | MM | 15-AUG-67 | | | | |
| | STANAG-4007 | ELECTRICAL CONNECTOR BETWEEN TRACTORS & TRAILERS (EDITION 1) [VALIDATION DATE: 7912] | C | ISDN | | MM | 13-SEP-59 | | | | |
| | STANAG-4008 | LAMPS FOR TACTICAL VEHICLES VALIDATED DEC 1979 [VALIDATION DATE: 7912] | C | ISDN | | MM | 22-AUG-58 | | | | |
| | STANAG-4009/1(4) | FIFTH WHEEL ATTACHMENTS (EDITION 1) (PT 1 - NATO KINGPIN) | C | ISDN | | MM | 29-AUG-67 | | | | |
| | STANAG-4009/2(3) | LOCATION AND HEIGHT OF FIFTH WHEEL ATTACHMENTS ON TRACTORS AND SEMI-TRAILERS (CLASS 1) (EDITION 1, PT 2) | C | ISDN | | MM | 25-AUG-67 | | | | |
| | STANAG-4009/3(7) | LOCATION AND HEIGHT OF FIFTH WHEEL ATTACHMENTS ON TRACTORS AND SEMI-TRAILERS (CLASS 2) (EDITION 1 PT 3) &/AMDS 5, 6, 7, & CORRECTION SHEETS) | C | ISDN | | MM | 29-AUG-67 | | | | |
| | STANAG-4009/4(5) | FIFTH WHEEL KINGPIN (FOR SEMI-TRAILERS OF A GROSS WEIGHT FROM 22 TO 72 TONS) (EDITION 1) (PT 4 & AMDS 1-5 | C | ISDN | | MM | 29-AUG-67 | | | | |
| | STANAG-4012 | TYPE DESIGNATION AND MARKING OF ELECTRON VALVES AND TUBES [VALIDATION DATE: 8204] | C | ISDA | | MM | 23-SEP-63 | | | | |
| | STANAG-4015/1 | STARTER BATTERY SPACES FOR WHEELED TACTICAL VEHICLES (EDITION NO. 2) PART 1 | C | ISDA | | AM | 09-MAR-65 | | | | |
| | STANAG-4015/2 | SIZES & POSITIONS OF STARTER BATTERY TERMINAL POSTS FOR WHEELED TACTICAL VEHICLES - PART 2 W/AMEND 1 | C | ISDA | | AM | 11-MAR-65 | | | | |
| | STANAG-4019 | EMERGENCY TOWING FACILITIES (EDITION 1 ) [VALIDATION DATE: 7912] | C | ISDN | | MM | 31-DEC-57 | | | | |
| | STANAG-4021 | SPECIFICATION FOR CE (TETRYL) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER (EDITION NO. 2) [VALIDATION DATE: 7912] | C | ISDN | | MM | 25-SEP-62 | | | | |
| A | STANAG-4022 ED. 3(1) | RDX (HEXOGENE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER, SPECIFICATION FOR | C | ISDA | | AI | 29-JUN-92 | | | | |
| A | STANAG-4023 ED. 3 | SPECIFICATION FOR PETN (PENTHRITE FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | 29-MAY-92 | | | | |
| | STANAG-4024(2) | SPECIFICATION FOR AMMONIUM NITRATE (FOR USE IN EXPLOSIVES) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER (EDITION NO. 2) | C | ISDA | | AM | 03-MAY-76 | | | | |
| | STANAG-4025 ED. 3 | SPECIFICATION FOR TNT (TOLITE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C | ISDA | | AI | 20-NOV-91 | | | | |
| | STANAG-4026(1) | SPECIFICATION FOR PICRITE (NITROGUNIDI NE) FOR DELIVERIES FROM ONE NATO NATION FOR ANOTHER (EDITION NO. 2) | C | ISDA | | AM | 20-DEC-77 | | | | |
| | STANAG-4037 | SPECIFICATION FOR A 40/70 AMMUNITION (EDITION 2 ) [VALIDATION DATE: 7912] . | C | ISDN | | MM | 23-SEP-63 | | | | |
| | STANAG-4038(6) | SPECIFICATION FOR A 40/70 AMMUNITION OPERATIONAL BOX (METAL) FOR NAVAL USE (EDITION 1) [VALIDATION DATE: 7912] | C | ISDN | | MM | 25-MAY-66 | | | | |
| | STANAG-4040(1) | WATER PROOF ELECTRICAL CONNECTORS (EDITION 1) [VALIDATION DATE: 8204] | C | ISDN | | MM | 04-SEP-69 | | | | |
| | STANAG-4041 | SPECIFICATION FOR DNT (DINITROTOLUENE) FOR PROPELLANTS (EDITION 1) [VALIDATION DATE: 7912] | C | ISDN | | MM | 15-AUG-60 | | | | |
| | STANAG-4042 | RULES FOR THE CONVERSION OF UNITED STATES AERONAUTICAL DRAWINGS (AIR FRAMES) FOR COUNTRIES EMPLOYING THE METRIC SYSTEM (EDITION 1) [VALIDATION DATE: 7912] | C | ISDN | | MM | 07-JUL-58 | | | | |
| | STANAG-4044 | ADOPTION OF A STANDARD ATMOSPHERE (EDITION 2) [VALIDATION DATE: 8012] | C | ISDN | | MM | 10-APR-69 | | | | |
| | STANAG-4050 | SYMBOLS DESIGNATING FUNCTION OF CONTROLS IN MILITARY VEHICLES (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | | AI | 19-JUN-91 | | | | |
| | STANAG-4061 | ADOPTION OF A STANDARD BALLISTIC METEOROLOGICAL MESSAGE (EDITION 3) [VALIDATION DATE: 7901] | C | ISDN | | MM | 19-MAY-69 | | | | |
| | STANAG-4062 | SLINGING AND TIE-DOWN FACILITIES FOR LIFTING AND TYING DOWN MILITARY EQUIPMENT FOR MOVEMENT BY LAND AND SEA (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 06-MAY-89 | | | | |
| | STANAG-4074(3) | AUXILLIARY POWER UNIT CONNECTIONS FOR STARI NG WHEELED TRANSPORT VEHICLES (EDITION 1)(REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDA | | AM | 18-MAY-84 | | | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | Preparing Activity | Date | Custodians |
|---|---|---|---|---|---|---|---|
| | STANAG-4079 | DESIGN OF 40/70 AMMUNITION (EDITION 1) [VALIDATION DATE: 7912] ..... | C | ISDN | MM | 12-DEC-62 | |
| | STANAG-4081 | SPECIFICATION FOR A LIGHTWEIGHT 40/70 AMMUNITION OPERATIONAL BOX (EDITION 1) [VALIDATION DATE: 7912] | C | ISDN | MM | 06-NOV-62 | |
| | STANAG-4082(1) | ADOPTION OF A STANDARD ARTILLERY COMPUTER METEOROLOGICAL MESSAGE (EDITION 1) [VALIDATION DATE: 8204] | C | ISDN | MM | 12-MAR-70 | |
| | STANAG-4090(1) | SMALL ARMS AMMUNITION (9 MM PARABELLUM) (EDITION NO 2) ..... | C | ISDA | AM | 11-APR-86 | |
| | STANAG-4093(2) | MUTUAL ACCEPTANCE OF QUALIFICATIONS APPROVALS FOR ELECTRONIC PARTS (EDITION 3) | C | ISDN | MM | 22-DEC-82 | |
| | STANAG-4097(3) | PROCEDURES WITH RESPECT TO CHANGE ADJUSTMENT FOR VELOCITY FOR STANDARDIZED GUN AMMUNITION (EDITION 1) [VALIDATION DATE: 8012] | C | ISDN | MM | 20-SEP-67 | |
| | STANAG-4098 | PROCEDURES FOR THE DETERMINATION OF PROPELLANT CHARGE TEMPERATURE CORRECTIONS (EDITION NO. 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09821, WASH, D.C. 20360) | C | ISDA | AM | 14-MAY-84 | |
| | STANAG-4101(2) | TOWING ATTACHMENTS (EDITION 1) [VALIDATION DATE: 8012] ..... | C | ISDN | MM | 20-SEP-67 | |
| | STANAG-4103(1) | FORMAT FOR REQUESTS FOR METEOROGICAL MESSAGES FOR BALLISTIC & SPECIAL PURPOSES (EDITION 2) [VALIDATION DATE: 8204] | C | ISDN | MM | 07-DEC-77 | |
| | STANAG-4106(1) | PROCEDURE FOR THE STATISTICAL COMPARISON OF EXTERNAL BALLISTIC PERFORMANCE OF SHELL -EDITION NO. 2 | C | ISDA | AM | 08-DEC-86 | |
| | STANAG-4107(2) | MUTUAL ACCEPTANCE OF GOVERNMENT QUALITY ASSURANCE (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCCICP-AA-N, 5001 EISENHOWER AVE., VA 22333-0001) | C | ISDA | AI | 17-AUG-89 | |
| | STANAG-4108(1) | ALLIED QUALITY ASSURANCE PUBLICATIONS - EDITION NO. 4 ..... | C | ISDA | AM | 14-AUG-86 | |
| | STANAG-4110 | DEFINITION OF PRESSURE TERMS AND THEIR INTER-RELATIONSHIP FOR USE IN THE DESIGN AND PROOF OF CANNONS AND AMMUNITION (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMS, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | AI | 13-JUN-91 | |
| | STANAG-4113 | NATO CRUSHER GAUGE (EDITION 2 ) [VALIDATION DATE: 8204] ..... | C | ISDN | MM | 20-AUG-76 | |
| | STANAG-4114 | MEASUREMENT OF PROJECTILE VELOCITIES (EDITION NO. 2) [VALIDATION DATE: 8302] | C | ISDN | MM | 04-AUG-77 | |
| | STANAG-4115 | DEFINITION & DETERMINATION OF BALLISTIC PROPERTIES OF GUN PROPELLANTS (EDITION 1) [VALIDATION DATE: 7901] | C | ISDN | MM | 31-MAR-70 | |
| | STANAG-4117(2) | STABILITY TEST PROCEDURES AND REQUIREMENTS FOR PROPELLANTS STABILIZED WITH DIPHENYLAMINE OR ETHYL CENTRALITE OR A MIXTURE OF BOTH (EDITION NO. 2) | C | ISDA | AM | 05-JUL-77 | |
| | STANAG-4119(2) | ADOPTION OF A STANDARD CANNON ARTILLERY FIRING TABLE FORMAT ..... | C | ISDA | AM | 26-MAY-80 | |
| | STANAG-4120 | NATO ELECTRONIC PARTS RECOMMENDATIONS (AETP-2) AND NATO ELECTRONIC TECHNICAL RECOMMENDATIONS (AETP-3) | C | ISDA | AM | 15-MAR-76 | |
| | STANAG-4123(4) | METHODS TO DETERMINE AND CLASSIFY THE HAZARDS OF AMMUNITION (EDITION 2) RELEASE TO OTHERTHAN DOD ACT REQ PR APPR OF CNM, MAT 09821, WASH, D.C. 20360) | C | ISDA | AM | 28-NOV-84 | |
| | STANAG-4131(1) | ADOPTION OF A STANDARD CHARACTER METEOROLOGICAL MESSAGE FORMAT (EDITION 1 ) [VALIDATION DATE: 8204] | C | ISDN | MM | 03-MAY-76 | |
| A | STANAG-4133 ED. 2 | METHOD OF SPECIFYING ELECTRICAL POWER SUPPLIES: STANDARD TYPES OF ELECTRICAL POWER | C | ISDA | AI | 07-JUL-92 | |
| | STANAG-4134 | ELECTRICAL CHARACTERISTICS OF ROTATING 28-VOLT DC GENERATING SETS ..... | C | ISDA | AI | 15-MAR-91 | |
| A | STANAG-4135 ED. 2 | ELECTRICAL CHARACTERISTICS OF ROTATING ALTERNATING CURRENT GENERATING SETS | C | ISDA | AI | 05-NOV-92 | |
| | STANAG-4139(5) | CRITERA FOR BALANCING OF SHIPBOARD ROTATING MACHINERY (ED. 1) REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON, DC 20350-2000) | D | ISDN | SH | 18-APR-90 | |
| | STANAG-4140 | STANDARDIZED SYSTEM OF DESIGNATING DAYS & HOURS IN RELATION TO AN OPERATION OR EXERCISE (EDITION 6) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001 | C | ISDA | AI | 29-JAN-91 | |
| | STANAG-4143(6) | SHIP/SHORE CONNECTION TERMINALS FOR 3-PHASE AC POWER (EDITION 1) (REQ OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON D.C. 20350-2000 | D | ISDN | SH | 06-MAR-90 | |
| | STANAG-4144(1) | DYNAMIC FIRING TECHNIQUES TO DETERMINE BALLASTIC DATA FOR CANNON ARTILLERY FIRING TABLES & ASSOCIATED FIRE CONTROL EQUIPMENT (ED NO.1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09821, WASH, D.C. 20360) | C | ISDA | AM | 18-MAR-85 | |
| | STANAG-4145 | NUCLEAR SURVIVABILITY CRITERIA FOR ARMED FORCES MATERIEL AND INSTALLATIONS | C | ISDA | AI | 29-JAN-91 | |
| | STANAG-4146(2) | NATO NAVAL DATA HANDLING EQUIPMENTS, INTERIM STANDARD SPECIFICATIONS FOR INPUT/OUTPUT INTERFACES IN [VALIDATION DATE: 8312] | C | ISDF | 06 | 14-NOV-77 | |
| A | STANAG-4147 ED. 1 | CHEMICAL COMPATIBILITY OF AMMUNITION COMPONENTS WITH EXPLOSIVES AND PROPELLANTS (NON NUCLEAR APPLICATIONS) | C | ISDA | AI | 01-JUN-92 | |
| | STANAG-4150(2) | SHOCK TESTING OF HEAVYWEIGHT SHIP EQUIPMENT IN FLOATING SHOCK VEHICLES (ED. 1) ( REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON, DC 20350-2000 | C | ISDN | SH | 13-MAR-90 | |
| | STANAG-4151 ED. 1(5) | INDICATING LIGHTS, STANDARD COLOURS FOR ..... | D | ISDN | SH | 13-MAR-92 | |
| | STANAG-4153(3) | STANDARD SPECIFICATION FOR AN ASYNCHRONOUS SERIAL DATA INTERFACE FOR POINT TO POINT CONNECTIONS & FOR CONNECTION TO DATA NETWORKS IN NATO SYSTEMS (EDITION NO. 1) | C | ISDN | MM | 28-JUN-85 | |
| | STANAG-4154(2) SUPPL 1C1 | GENERAL CRITERA & COMMON PROCEDURES FOR SEAKEEPING PERFORMANCE ASSESSMENT - EDITION 2 (RELEASE TO OTHER THAN DOD ACTIVITY REQUIRE PRIOR APPROVAL OF COMNAVSEASYSCOM (CODE 55Z232) WASHINGTON DC 20362 | D | ISDN | SH | 13-MAR-90 | |
| | STANAG-4155 | NBC PROTECTIVE MASK & FILTER CANISTER SCREW THREADS ..... | C | ISDA | AM | 16-JUN-81 | |
| | STANAG-4156(1) | STANDARD SPECIFICATION FOR A SERIAL DATA INTERFACE FOR SYNCHRONOUS CONNECTIONS TO A DATA NETWORK (EDITION NO 1) | C | ISDN | MM | 02-SEP-85 | |
| | STANAG-4157 | DEVELOPMENT OF SAFETY TEST METHODS AND PROCEDURES FOR FUZES FOR UNGUIDED TUBE LAUNCHED PROJECTILES (EDITION 1) (REQ OTHER OTHER THAN DOD REFER TO US AMD, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | AI | 07-AUG-91 | |
| | STANAG-4158(1) | GUIDELINES FOR CLASSIFYING INCIDENTS FOR RELIABILITY ESTIMATION OF TRACKED & WHEELED VEHICLES (EDITION NO. 1) | C | ISDA | AM | 25-FEB-91 | |
| A | STANAG-4159 ED. 2(1) | NATO MATERIEL CONFIGURATION MANAGEMENT POLICY AND PROCEDURES FOR MULTINATIONAL JOINT PROJECTS | C | ISDA | AI | 18-MAR-92 | |
| | STANAG-4161(1) | THE OPTICAL TRANSFER FUNCTION OF IMAGING SYSTEMS ..... | C | ISDF | 06 | 22-FEB-84 | |
| | STANAG-4164(1) | TEST PROCEDURES FOR ARMOUR PERFORATION TESTS OF ARMOUR DEFEATING AMMUNITION (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 12-FEB-90 | |
| | STANAG-4165(2) | ALLIED MATERIAL STANDARDS PUBLICATION (ED. NO. 1) ..... | C | ISDF | 06 | 04-JUL-85 | |
| | STANAG-4168(1) | CHARACTERISTICS OF HYDROGEN GENERATING EQUIPMENT (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09821, WASH, D.C. 20360) | C | ISDA | AM | 02-SEP-85 | |
| | STANAG-4170 | PRINCIPLES & METHODOLOGY FOR THE QUALIFICATION OF EXPLOSIVE MATERIALS FOR MILITARY USE (EDITION NO. 1) | C | ISDA | AM | 22-OCT-85 | |
| | STANAG-4172(4) | AMMUNITION 5.56MM (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | 17-AUG-89 | |
| | STANAG-4173(1) | AMMUNITION 25 MM X 137 (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333- 0001) | C | ISDA | AI | 12-FEB-90 | |
| A | STANAG-4174 ED. 1(1) | ALLIED RELIABILITY AND MAINTAINABILITY PUBLICATIONS ..... | C | ISDA | AI | 24-FEB-92 | |
| | STANAG-4177(1) | CODIFICATION OF ITEMS OF SUPPLY - UNIFORM SYSTEM OF DATA ACQUISITION (EDITION 1) (REQ OTHER THAN DOD REFER TO US, AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | AI | 06-MAR-90 | |
| | STANAG-4178 | TEST PROCEDURES FOR ASSESSING THE QUALITY OF DELIVERIES OF NITRO-CELLULOSE FROM ONE NATO NATION TO ANOTHER (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMD, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | AI | 06-AUG-91 | |
| | STANAG-4183(1) | NATO METRICATION POLICY (EDITION NO. 1) ..... | C | ISDF | 06 | 29-MAR-84 | |
| | STANAG-4184(2) | MICROWAVE LANDING SYSTEM (MLS) (EDITION NO. 1) ..... | C | ISDF | 06 | 22-MAY-86 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians |
|---|---|---|---|---|---|---|---|---|
| | STANAG-4186 | INTERIM STANDARD FOR A PARALLEL DIGITAL INTERFACE BETWEEN USER UNITS & A SHIP DISTRIBUTION NETWORK FOR VOICE COMMUNICATION (ED. 1) | C | ISDN | | SH | 19-MAR-90 | |
| | STANAG-4187(2) | FUZING SYSTEMS - SAFETY DESIGN REQUIREMENTS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 26-OCT-90 | |
| | STANAG-4190 | TEST PROCEDURES FOR MEASURING BEHIND-ARMOUR EFFECTS OF ANTI-ARMOUR AMMUNITION (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: , AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 28-NOV-89 | |
| | STANAG-4193/1 | TECHNICAL CHARACTERISTICS OF IFF MK XA & MK XII INTERROGATORS AND TRANSPONDERS - PART 1: GENERAL DESCRIPTION OF THE SYSTEM (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333 | C | ISDA | | AI | 12-NOV-90 | |
| | STANAG-4193/3 | TECHNICAL CHARACTERISTICS OF IFF MK XA & MK XII INTERROGATORS AND TRANSPONDERS - PART III: IFF INSTALLED SYSTEM CHARACTERISTICS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA., 22333 | C | ISDA | | AI | 12-NOV-90 | |
| | STANAG-4194(5) SUPPL 1C1 | STANDARDIZED WAVE AND WIND ENVIRONMENTS AND SHIPBOARD REPORTING OF SEA CONDITIONS (EDITION 1) REQUEST OTHER THAN DOD REFER TO COMNAVSEASYSCOM (CODE 55W3), WASHINGTON DC 20362 NOTE: AMEP-15, FAST PATR OL BOAT, ED 1 SUPL 1 TO STANG 4154 USE WITH 4194 | D | ISDN | | SH | 18-APR-90 | |
| | STANAG-4195(1) | NATO STANDARD ENGINE LABORATORY TEST FOR DIESEL AND GASOLINE ENGINES AND GAS TURBINE ENGINE (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | | AI | 26-MAR-90 | |
| | STANAG-4197(2) | MODULATION & CODING CHACTRISTICS THAT MUST BE COMMON TO ASSURE INTEROPERABILITY OF 2400 BPS LINEAR PREDICTIVE ENCODED DIGITAL SPEECH TRANSMITTED OVER HF RADIO FACILITIES (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, NAT 09B21) | C | ISDA | | AM | 26-NOV-85 | |
| | STANAG-4198(2) | PARAMETERS & CODING CHARACTERISTICS THAT MUST BE COMMON TO ASSURE INTERABILITY OF 2400 BPS LINEAR PREDICTIVE ENCODED DIGITAL SPEECH(ED. 1)(REL TO OTHER THAN DOD ACT REQ APPR OF CNM, NAT 09B21, WASH D.C. 20360) | C | ISDA | | AM | 10-DEC-85 | |
| | STANAG-4199 ED. 2 | CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF EXCHANGE OF MATERIEL MANAGEMENT DATA | C | ISDF | | 06 | 16-SEP-91 | |
| | STANAG-4201(1) | MARKING OF RIOT CONTROL & TRAINING CANISTERS (EDITION NO 1) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM NAT 09 B21, WASH) | C | ISDA | | AM | 04-OCT-85 | |
| | STANAG-4202(3) | TRANSMISSION ENVELOPE CHARACTERISTICS FOR HIGH RELIABILITY DATA EXCHANGE BETWEEN LAND TACTICAL DATA PROCESSING EQUIPMENT OVER SINGLE CHANNEL RADIO LINKS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, NAT 09B21) (EDITION 1) | C | ISDA | | AM | 30-MAY-88 | |
| | STANAG-4203(4) | TECHNICAL STANDARDS FOR SINGLE CHANNEL HF RADIO EQUIPMENT (ED 2) ..... | C | ISDA | | AM | 19-SEP-84 | |
| | STANAG-4204(4) | TECHNICAL STANDARDS FOR SINGLE CHANNEL VHF RADIO EQUIPMENT (EDITION 1 W/AMDS 1-4) (REL TO OTHER THAN DOD ACT REQ APPROVAL OF CNM, DEPT OF THE NAVY, NAT 09B21 WASH, DC 20360) | C | ISDA | | AM | 19-SEP-84 | |
| | STANAG-4205 | TECHNICAL STANDARDS FOR SINGLE CHANNEL UHF RADIO EQUIPMENT (ED 2) ..... | C | ISDA | | AM | 31-MAY-88 | |
| | STANAG-4206(2) | THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - SYSTEM STANDARDS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, NAT 09B21, WASH, D.C. 20360) | C | ISDA | | AM | 10-DEC-85 | |
| | STANAG-4207(2) | THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - MULTIPLEX GROUP FRAMING STANDARDS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, NAT 09B21, WASH, D.C. 20360) | C | ISDA | | AM | 10-DEC-85 | |
| | STANAG-4208(2) | NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - SIGNALLING STANDARDS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, NAT 09B21, WASH, D.C. 20360) | C | ISDA | | AM | 10-DEC-85 | |
| | STANAG-4209(2) | NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - STANDARDS FOR ANALOGUE TO DIGITAL CONVERSION OF SPEECH SIGNALS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, NAT 09B21, WASH, D.C. 20360 | C | ISDA | | AM | 10-DEC-85 | |
| | STANAG-4210(2) | LINK STANDARDS, THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY (EDITION NO. 1)(REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, NAT 09B21, WASH, D.C. 20360) | C | ISDA | | AM | 10-DEC-85 | |
| | STANAG-4211(2) | THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - SYSTEM CONTROL STANDARDS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, DEPT OF THE NAVY, NAT 09B21, WASH, D.C. 20360) | C | ISDA | | AM | 10-DEC-85 | |
| | STANAG-4212(3) | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY RADIO RELAY LINK STANDARDS (EDITION 1) (RELEASE TO OTHER THANDOD ACT PEQ PRI APPR OF CNM, NAT 09B21, WASH, D.C. 20360 | C | ISDA | | AM | 10-DEC-85 | |
| | STANAG-4213 | THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY DATA TRANSMISSION STANDARDS (ED 1) REQUEST FOR ISSUE TO BE SENT US AMC, ATTN AMCICP-AA-N, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001 | C | ISDA | | AM | 05-APR-88 | |
| | STANAG-4214(1) | INTERNATIONAL ROUTING AND DIRECTORY FOR TACTICAL COMMUNICATIONS SYSTEMS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001, EISENHOWER AVE., ALEANDARIA, VA. 22333-0001) | C | ISDA | | AI | 10-DEC-85 | |
| | STANAG-4217 | STANDARD SPECIFICATION FOR DIGITISED VIDEO DATA REPRESENTATION (ED. 1) (REQUEST OTHER THAN DOD REFER TO COMNAVSEASYSCOM (SEA 05M3 WASHINGTON DC 20362) | C | ISDN | | SH | 26-JUN-90 | |
| | STANAG-4222 | STANDARD SPECIFICATION FOR DIGITAL REPRESENTATION OF SHIPBOARD DATA PARAMETERS - EDITION 1 (RELEASE TO OTHER THAN DOD ACTIVITY REQUIRE PRIOR APPROVAL OF CNO-OP-731, WASHINGTON DC 20350-2000 | D | ISDN | | SH | 14-MAR-90 | |
| | STANAG-4224 | SAFETY AND SUITABILITY FOR SERVICE TESTING OF ARTILLERY AND NAVAL GUN AMMUNITION - 76MM AND GREATER (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA., 22333-0001) (EDITION 1) | C | ISDA | | AI | 12-NOV-90 | |
| A | STANAG-4234 ED. 1 | ELECTROMAGNETIC RADIATION (RADIO FREQUENCY) - 200KHZ TO 40 GHZ ENVIRONMENT - AFFECTING THE DESIGN OF MATERIEL FOR USE BY NATO FORCES | C | ISDA | | AI | 07-JUL-92 | |
| | STANAG-4240 | LIQUID FUEL FIRE TESTS FOR MUNITIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | | AI | 06-AUG-91 | |
| | STANAG-4241 | BULLET ATTACK TEST FOR MUNITIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | | AI | 06-AUG-91 | |
| | STANAG-4244 ED. 2 | ALLIED FORACS PUBLICATIONS ..... | C | ISDF | | 06 | 18-NOV-91 | |
| | STANAG-4246(1) | COMMUNICATIONS EQUIPMENT HAVE QUICK UHF SECURE & JAM RESISTANT (EDITION 2) | C | ISDA | | AM | 12-APR-88 | |
| | STANAG-4249 | THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY DATA TRANSMISSION (PACKET SWITCHING SERVICE) (ED 1)REQUEST FOR ISSUE TO BE SENT TO US AMC, ATTN AMCICP-AA-N, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001 | C | ISDA | | AM | 12-APR-88 | |
| | STANAG-4250 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - OVERVIEW (EDITION NO. 1) | C | ISDA | | AM | 29-APR-86 | |
| | STANAG-4270(1) | AVIATION FUEL DESIGN PARAMETER FOR FUTURE NATO LAND BASED TURBINE POWERED MILITARY AIRCRAFT (EDITION NO. 1) | C | ISDF | | 06 | 05-JUL-85 | |
| A | STANAG-4272 ED. 1 | NATO STANDARD METHODS PRESERVATION ..... | C | ISDA | | AI | 05-SEP-90 | |
| | STANAG-4278 | METHOD OF EXPRESSING NAVIGATION ACCURACIES NEDITION NO. 2) ..... | C | ISDA | | AM | 29-APR-86 | |
| A | STANAG-4279 ED. 1(1) | NATO GLOSSARY PACKAGING TERMS AND DEFINITIONS - AAP-23 ..... | C | ISDA | | AI | 06-APR-92 | |
| A | STANAG-4280 ED. 1 | NATO LEVELS OF REQUIREMENTS FOR PACKAGING ..... | C | ISDA | | AI | 02-SEP-90 | |
| A | STANAG-4281 ED. 1 | MARKING FOR SHIPMENT AND STORAGE ..... | C | ISDA | | AI | 02-FEB-93 | |
| | STANAG-4286 | TRANSDUCER OUTPUT (EDITION NO. 2) ..... | C | ISDN | | SH | 14-MAR-90 | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | STANAG-4287(2) | ELECTROLYTE FOR SUBMARINE MAIN LEAD ACID BATTERIES (ED 1) REQUEST OTHER THAN DOD MUST SEND VIA CNO (OP-731), WASHINGTON, DC 20350-2000 | C | ISDN | | SH | 07-AUG-91 | | | | |
| | STANAG-4291 | MODULATION & CODING CHAR. THAT MUST BE COMMON TO ASSURE INTEROPERABILITY OF 2400 BPS WIRELINE MOD. FOR USE IN NARROW-BAND SECURE VOICE SYS (ED. 1) (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA US ARMY SEC. AFFAIRS OFC ATTN AMSAC MP/S 5001 EIHR. AVE. ALEX., VA. | C | ISDA | | AM | 21-AUG-86 | | | | |
| | STANAG-4293 | GUIDELINES FOR THE ACOUSTICAL ENVIRONMENT IN NATO SURFACE SHIPS (ED. 1) REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON DC 20350-2000) | D | ISDN | | SH | 19-JUN-90 | | | | |
| | STANAG-4295 | SIGNIFICANT DATA & TELEGRAPH SIGNALLING CONDITIONS (EDITION NO. 1) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MP/S, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001 | C | ISDA | | AM | 14-JUL-86 | | | | |
| A | STANAG-4297 ED. 1(1) | GUIDANCE ON THE ASSESSMENT OF THE SAFETY AND SUITABILITY FOR SERVICE OF MUNITIONS FOR NATO ARMED FORCES - AOP-15 | C | ISDA | | AI | 09-JUN-92 | | | | |
| | STANAG-4316 ED. 1 | COUNTERSURVEILLANCE REQUIREMENTS FOR FUTURE MAIN BATTLE TANKS (FMBTS) - RADAR ASPECTS | C | ISDA | | AI | 18-NOV-91 | | | | |
| A | STANAG-4317 ED. 1 | SPECIFICATION OF COMMON CHARACTERISTS FOR FIRE DETECTION AND FIRE FIGHTING SYSTEMS FOR FUTURE MAIN BATTLE TANKS | C | ISDA | | AI | 09-NOV-92 | | | | |
| A | STANAG-4318 ED. 1 | COUNTER SURVEILLANCE REQUIREMENTS FOR MAIN BATTLE TANKS - ACOUSTIC ASPECTS | C | ISDA | | AI | 09-NOV-92 | | | | |
| | STANAG-4319 ED. 1 | COUNTERSURVEILLANCE REQUIREMENTS FOR FUTURE MAIN BATTLE TANKS INFRARED/THERMAL ASPECTS | C | ISDA | | AI | 18-NOV-91 | | | | |
| A | STANAG-4323 ED. 1 | SPECIFICATION OF CALCIUM HYPOCHLORITE USED FOR BIOLOGICAL AND CHEMICAL DECONTAMINATION | C | ISDA | | AI | 20-NOV-92 | | | | |
| | STANAG-4324 | ELECTROMAGNETIC RADIATION (RADIOFREQUENCY) TEST INFORMATION TO DETER- MINE THE SAFETY AND SUITABILITY FOR SERVICE OF ELECTRO-EXPLOSIVE DEVICES AND ASSOCIATED ELECTRONIC SYSTEMS IN MUNITIONS AND WEAPON SYSTEMS | C | ISDA | | AI | 25-JUN-91 | | | | |
| A | STANAG-4325 ED. 1 | ENVIRONMENTAL AND SAFETY TESTS FOR THE APPRAISAL OF AIR-LAUNCHED MUNITIONS | C | ISDA | | AI | 18-MAY-92 | | | | |
| | STANAG-4328 | GUIDELINES FOR THE ARMORED FIGHTING VEHICLES DESIGNER TO IMPROVE NUCLEAR RADIATION PROTECTION (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | | AI | 29-JAN-91 | | | | |
| A | STANAG-4329 ED. 1 | NATO STANDARD BAR CODE SYMBOLOGY | C | ISDA | | AI | 06-APR-92 | | | | |
| | STANAG-4330(2) | SPHEROID FOR USE IN MARITIME TACTICAL DATA SYSTEMS - EDITION 1 (RELEASE TO OTHER THAN DOD ACTIVITY REQUIRE PRIOR APPROVAL OF USMCEB - WASHINGTON DC 20301-5000 | D | ISDN | | SH | 14-MAR-90 | | | | |
| A | STANAG-4355 ED. 1 | THE MODIFIED POINT MASS TRAJECTORY MODEL | C | ISDA | | AI | 12-FEB-92 | | | | |
| | STANAG-4357 | ALLIED VEHICLE TESTING PUBLICATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | | AI | 06-AUG-91 | | | | |
| | STANAG-4358 | MUTUAL ACCEPTANCE OF GOVERNMENT VEHICLE TEST AND EVALUATION (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, ALEXANDRIA, VA. 22333-0001) | C | ISDA | | AI | 06-AUG-91 | | | | |
| | STANAG-4359 | NATO JAMDBPPK FOR SAMPLING AND IDENTIFICATION OF CHEMICAL WARFARE AGENTS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA- N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) | C | ISDA | | AI | 29-JAN-91 | | | | |
| A | STANAG-4367 ED. 1 | THERMODYNAMIC INTERIOR BALLISTIC MODEL WITH GLOBAL PARAMETERS | C | ISDA | | AI | 12-FEB-92 | | | | |
| | STANAG-4389 | TERMS AND DEFINITIONS COVERING SUBMARINE MAIN LEAD ACID BATTERIES (ED 1) REQUEST OTHER THAN DOD MUST SENT REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000 | D | ISDN | | SH | 26-JUL-90 | | | | |
| | STANAG-4390 | TESTS AND REQUIREMENTS FOR SUBMARINE MAIN LEAD-ACID BATTERIES, (ED 1) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000 | D | ISDN | | SH | 26-JUL-90 | | | | |
| | STANAG-4391 | COOLING WATER FOR SUBMARINE MAIN LEAD ACID BATTERIES (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731 WASHINGTON DC 20350-2000) | D | ISDN | | | 06-AUG-91 | | | | |
| N | STANAG-4435 ED. 1 | ELECTROMAGNETIC COMPATIBILITY TESTING PROCEDURE AND REQUIREMENTS FOR NAVAL ELECTRICAL AND ELECTRONIC EQUIPMENT (SURFACE SHIP, METALLIC HULL) | C | ISDN | | MM | 02-MAR-93 | | | | |
| N | STANAG-4436 ED. 1 | ELECTRO-MAGNETIC COMPATIBILITY TESTING PROCEDURE AND REQUIREMENTS FOR NAVAL ELECTRICAL AND ELECTRONIC EQUIPMENT (SURFACE SHIP, NON-METALLIC HULL) | C | ISDN | | MM | 02-MAR-93 | | | | |
| | STANAG-5000(1) | INTEROPERABILITY OF TACTICAL DIGITAL FACSIMILE EQUIPMENT (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 25-AUG-89 | | | | |
| | STANAG-5004(4) | MILITARY CHARACTER. FOR FIELD TELE. SETS (MINIMUM STD.) (ED. NO.2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT, 09B21) | C | ISDA | | AM | 14-DEC-83 | | | | |
| | STANAG-5018(4) | NOATO MANUAL INTERFACE BETWEEN THE MANUAL SWITCHED TELECOMMUNICATIONS SYSTEMS OF THE COMBAT ZONE (EDITION 1) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT, 09B21) | C | ISDA | | AM | 19-SEP-84 | | | | |
| | STANAG-5020(5) | INTEROPERABILITY OF AIRCRAFT UHF MULTIFREQUENCY TRANSCEIVER INSTALLATION & COMPATIBLE GROUND TRANSMITTERS & RECEIVERS (EDITION NO. 1) | C | ISDF | 06 | | 25-APR-80 | | | | |
| | STANAG-5021 | MILITARY CHARACTERISTICS FOR GROUND & SURFACE UHF DIRECTION FINDING EQUIPMENT (EDITION NO. 3) (REL TO OTHER THAN DOD ACT REQ PR1 APPR OF CNM, MAT 09B21, WASH, D.C, 20360) | C | ISDA | | AM | 18-MAR-85 | | | | |
| | STANAG-5034(2) | TACAN POLICY (EDITION NO. 2) | C | ISDF | 06 | | 03-APR-81 | | | | |
| | STANAG-5036(1) | PARAMETERS & PRACTICES FOR THE USE OF THE NATO 7-BIT CODE (EDITION 3) | C | ISDA | | AI | 19-MAR-90 | | | | |
| | STANAG-5037 ED. 2 | FUTURE REQUIREMENTS FOR NUMBER OF MORSE OPERATORS IN NATO NAVAL SHIPS | C | ISDN | | NI | 23-SEP-91 | | | | |
| | STANAG-5040 | NATO AUTOMATIC AND SEMI-AUTOMATIC INTERFACES BETWEEN THE NATIONAL SWITCHED TELECOMMUNICATIONS SYSTEMS OF THE COMBAT ZONE AND BETWEEN THESE SYSTEMS AND THE NATO INTEGRATED COMMUNICATIONS SYSTEM (NIC) - PERIOD FROM 1979 TO THE 1990S (ED. 3) | C | ISDA | | AM | 23-OCT-85 | | | | |
| | STANAG-5042(5) | MILITARY TELECOMMUNICATIONS - DIAGRAM SYMBOLS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C | ISDA | | AM | 08-OCT-85 | | | | |
| | STANAG-5045 | INTEROPERABILITY CHARACTERISTICS FOR TELEPRINTERS USING THE NATO 7-BIT CODE | C | ISDA | | AM | 23-JAN-78 | | | | |
| | STANAG-5046 | THE NATO MILITARY COMMUNICATIONS DIRECTORY SYSTEM (EDITION 2) | C | ISDA | | AM | 22-OCT-85 | | | | |
| | STANAG-5048 | MINIMUM SCALE OF COMMUNICATIONS FOR THE NATO LAND FORCES-REQUIREMENTS, PRINCIPLES AND PROCEDURES (ED. 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | | AI | 28-FEB-91 | | | | |
| | STANAG-5500(1) | NATO MESSAGE TEXT FORMATTING SYSTEM (FORMETS) ADATP-3 (ED. 3) | C | ISDA | | AM | 29-JUL-86 | | | | |
| | STANAG-5550(2) | NATO STANDARD DATA ELEMENTS, DATA ITEMS AND CODES (EDITION NO. 1) | C | ISDF | 06 | | 17-JAN-83 | | | | |
| | STANAG-5621(1) | STANDARDS FOR THE INTEROPERABILITY OF NATO LAND COMBAT & COMBINED OPERATIONS SYSTEMS (EDITION NO. 1) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MG/S, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AM | 05-JAN-87 | | | | |
| | STANAG-6001 | LANGUAGE PROFICIENCY LEVELS | C | ISDA | | AM | 21-OCT-76 | | | | |
| | STANAG-6002(3) | PRINCIPLES AND PROCEDURES FOR THE CONDUCT AND FINANCING OF TRAINING ASSISTANCE (ED 2) REQ OTHER THAN DOD ACT REF TO CNO-OP-731, WASH, DC 20530-2000 | C | ISDN | | SH | 22-FEB-89 | | | | |
| A | STANAG-6004 ED. 3 | MEACONING, INTRUSION JAMMING AND INTERFERENCE REPORT | C | ISDA | | AI | 13-MAR-92 | | | | |
| | STANAG-6005 | MANPOWER POLICIES AND PROCEDURES (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | | AI | 29-JAN-90 | | | | |
| A | STANAG-7005 ED. 2 | EXCHANGE OF FLIGHT INFORMATION PUBLICATION (FLIP) DATA | C | ISDF | 06 | | 29-JUL-92 | | | | |
| | STANAG-7007 | SEARCH & RESCUE AVIONIC SYSTEM (SARAS) (EDITION 1) (REL TO OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO WASH, DC 20330-5058 | C | ISDF | 06 | | 25-MAR-88 | | | | |

# NUMERICAL LISTING
# INTERNATIONAL STANDARDIZATION DOCUMENTS

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | STANAG-7008 | MILITARY AVIATION RADIO TELEPHONY (R/T) CALLSIGNS (EDITION 1) (REQ FROM OTHER THAN DOD AND THEIR CONTRACTORS REQ APPR FROM HQ USAF/XOXX(ISO), WASH D.C. 20330-5058) | C | ISDF | 06 | | 25-SEP-90 | | | | |
| | | STANAG-7010(1) | POSITION FOR INS SETTINGS ON AIR FIELDS (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) | C | ISDF | 06 | | 22-MAY-90 | | | | |
| | | STANAG-7012 ED. 2 | MINIMUM RADIOTELEPHONY (R/T) AERODROME DEPARTURE PROCEDURES ..... | C | ISDF | 06 | | 04-OCT-91 | | | | |
| M | | STANAG-7013 ED. 1(3) | AIRCRAFT FUELLING HAZARD ZONES ..... | C | ISDF | 06 | | 29-MAR-93 | | | | |
| M | | STANAG-7016 ED. 2 | GEOGRAPHIC MATERIALS, MAINTENANCE OF ..... | C | ISDF | 06 | | 30-APR-93 | | | | |
| N | | STANAG-7021 ED. 1(1) | POSITION INFORMATION GRAPHIC (PIG) ..... | C | ISDF | 06 | | 26-APR-93 | | | | |
| N | | STANAG-7023 ED. 1 | AIR RECONNAISSANCE IMAGERY DATA ARCHITECTURE ..... | C | ISDF | 06 | | 30-APR-93 | | | | |
| N | | STANAG-7024 ED. 1 | IMAGERY AIR RECONNAISSANCE TAPE RECORDER STANDARD ..... | C | ISDF | 06 | | 10-MAY-93 | | | | |
| A | | STANAG-7025 ED. 1(1) | AIR TRAFFIC MANAGEMENT AND CONTROL OF MINIMUM OPERATING STRIPS (MOS) OPERATIONS | C | ISDF | 06 | | 17-NOV-92 | | | | |
| | | STANAG-7028 ED. 1(2) | IDENTICAL AIRCRAFT FOR CROSS-SERVICING ..... | C | ISDF | 06 | | 26-FEB-92 | | | | |
| | | STANAG-7033 ED. 1 | ALLIED TACTICAL AIR MESSAGES (FORMATTED AND STRUCTURED) - APP-B ..... | C | ISDF | 06 | | 03-APR-92 | | | | |
| A | | STANAG-7049 ED. 1 | PERSONAL PROTECTIVE EQUIPMENT REQUIREMENT TOGETHER WITH STANDARD OPERATING PROCEDURES FOR CFR OPERATIONS IN AN NBC ENVIROMENT | C | ISDF | 06 | | 10-FEB-93 | | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. | Obst. Coordination Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | AAMA101-88 | ALUMINUM PRIME WINDOWS AND SLIDING GLASS DOORS, VOLUNTARY SPECIFICATIONS FOR - 27 JAN 88 USER: ER REVIEWER: 11 84 CS MI | A 5670 | YD1 | | 08-MAR-89 | AR | YD1 | 99 | | |
| D | | | AAMA101V-86 | DOORS, GLASS SLIDING, PRIME WINDOWS, POLY (VINYL CHLORIDE) (PVC) VOLUNTARY SPECIFICATIONS FOR - 1986 WITH ADDENDUM DATED 2 NOV 87 REVIEWER: 84 | A 5670 | YD1 | | 21-MAR-90 | ME | YD1 | 99 | | |
| D | | | AAMA800-86 NOTICE 1 | SEALANTS, VOLUNTARY SPECIFICATIONS AND TEST METHODS FOR REVIEWER: 84 | A 5680 | * YD1 | | 02-JAN-92 | ME | YD1 | 99 | | |
| D | | | AAMA1002.10-83 NOTICE 1 | VOLUNTARY SPECIFICATION FOR ALUMINUM INSULATING STORM PRODUCTS FOR WINDOW & SLIDING GLASS DOORS - 3 JAN 83 [VALIDATION DATE: 8803] REVIEWER: 84 MC ME | A 5670 | YD1 | | 25-MAR-88 | | YD1 | 99 | | |
| D | | | AAMA1102.7-77 | ORDER ANSI/AAMA 1102.7-77 | A 5670 | YD1 | | 08-FEB-79 | ME | YD1 | 99 | | |
| D | | | AAMA1503.1-88 | DOORS, WINDOWS, THERMAL, TRANSMITTANCE AND CONDENSATION RESISTANCE, OF GLAZED WALLED SECTIONS VOLUNTARY TEST METHOD FOR 1988 REVIEWER: 84 | A 5670 | YD1 | | 21-MAR-90 | ME | YD1 | 99 | | |
| | | | AAMI-BP22-86 | BLOOD PRESSURE TRANSDUCERS, GENERAL - 1986 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-BP23-86 | BLOOD PRESSURE TRANSDUCERS, INTERCHANGEABILITY AND PERFORMANCE OF RESISTIVE BRIDGE TYPE - 1986 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-BSV-81 | BIER/STEAM VESSELS | A 6530 | MB | | 20-JUN-91 | MD | MS | 03 | | |
| | | | AAMI-DF2-81 | ORDER ANSI/AAMI DF 2 | A 6530 | * MB | | 16-DEC-82 | MD | MS | 03 | | |
| | | | AAMI-EC11A-84 | ELECTROCARDIOGRAPHIC DEVICES, DIAGNOSTIC - 1984 (W/ANSI/AAMI-EC11 - 1982) | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-EC12-83 | ELECTRODES, PREGELLED ECG DISPOSABLE - 1983 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-EC13-83 | CARDIAC MONITORS, HEART RATE METERS AND ALARMS - 1983 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-ECAR-87 | VENTRICULAR ARRHYTHMIA DETECTION ALGORITHMS, TESTING AND REPORTING PERFORMANCE RESULTS OF - 1987 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-ECGC-83 | CONNECTORS, ECG - 1983 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-ESI-85 | ELECTROMEDICAL APPARATUS, SAFE CURRENT LIMITS FOR - 1985 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-HE-88 | MEDICAL DEVICES, HUMAN FACTORS ENGINEERING GUIDELINES AND PREFERRED PRACTICES FOR THE DESIGN OF - 1988 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-HF18-86 | ELECTROSURGICAL DEVICES - 1986 (W/ ERRATUM DTD 10/87) | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-NS4-85 | STIMULATORS, NERVE, TRANSCUTANEOUS ELECTRICAL - 20 MAY 1986 | A 6515 | MB | | 28-FEB-91 | MD | MS | 03 | | |
| | | | AAMI-RD5-81 | HEMODIALYSIS SYSTEMS - 1981 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-RD16-84 | HEMODIALYZERS, FIRST USE - 1984 (W/ ERRATA) | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-RD17-84 | HEMODIALYZER BLOOD TUBING - 1984 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-ROH-86 | HEMODIALYZERS, REUSE OF - 1986 | A 6515 | MB | | 31-AUG-89 | EA | MS | 99 | | MB |
| | | | AAMI-SCL-78 | SAFE CURRENT LIMITS FOR ELECTROMEDICAL APPARATUS - 19 JAN 78 | A 6530 | MB | | 16-DEC-82 | MD | MS | 03 | | |
| | | | AAMI-SP10-87 | SPHYGMOMANOMETERS, ELECTRONIC OR AUTOMATED, AMERICAN NATIONAL STANDARD FOR - 27 FEB. 1987 | A 6515 | MB | | 28-FEB-91 | MD | MS | 03 | | |
| | | | AAMI-ST8-88 | STERILIZERS, STEAM, HOSPITAL, AMERICAN NATIONAL STANDARD FOR - 26 SEPT. 1988 | A 6530 | MB | | 28-FEB-91 | MD | MS | 03 | | |
| | | | AAMI-ST19-85 | INDICATORS, BIOLOGICAL, FOR SATURATED STEAM STERILIZATION PROCESSES IN HEALTH CARE FACILITIES, AMERICAN NATIONAL STANDARD FOR - 17 MAR 1986 | A 6530 | MB | | 28-FEB-91 | MD | MS | 03 | | |
| | | | AAMI-ST21-86 | INDICATORS, BIOLOGICAL, FOR ETHYLENE OXIDE STERILIZATION PROCESSES IN HEALTH CARE FACILITIES - AMERICAN NATIONAL STANDARD FOR - 4 SEPT 1986 | A 6530 | MB | | 28-FEB-91 | MD | MS | 03 | | |
| | | | AAMI-ST24-87 | STERILIZERS AND ETHYLENE OXIDE STERILANT SOURCES INTENDED FOR USE IN HEALTH CARE FACILITIES, AUTOMATIC, GENERAL- PURPOSE ETHYLENE OXIDE - 13 JAN 1987 | A 6530 | MB | | 20-JUN-91 | MD | MS | 03 | | |
| | | | AAMI-ST31-90 | ELECTRON BEAM RADIATION STERILIZATION OF MEDICAL DEVICES, GUIDELINE FOR - 15 OCT 1990 | A 6515 | MB | | 30-SEP-91 | MD | MS | 03 | | |
| | | | AAMI-VP20-88 | VASCULAR GRAFT, PROSTHESES, STANDARD FOR - ?JUL 86 | A 6515 | MB | | 07-JUL-86 | MD | MS | 03 | | |
| | | | ABS-LAS3-66 | BIODEGRADABILITY *ABS & LAS - TEST PROCEDURE & STANDARDS - JAN 66* [VALIDATION DATE: 8402] REVIEWER: AR MD | A 7930 | GL | | 20-FEB-67 | GL | SH | 99 | | |
| D | | | ACI116-90 | CEMENT & CONCRETE TERMINOLOGY - 1990 | A 5610 | YD1 | | 01-FEB-91 | | YD1 | | | |
| D | | | ACI201.1R-68R84 | CONCRETE IN SERVICE, GUIDE FOR MAKING A CONDITION SURVEY OF - 1968 | A 5610 | YD1 | | 11-OCT-88 | | YD1 | | | |
| D | | | ACI201.2R-77R82 | CONCRETE, DURABLE, GUIDE TO -NOV 1986 | A 5610 | YD1 | | 14-OCT-87 | | YD1 | | | |
| D | L | | ACI201.2-77R82 NOTICE 2 | CONCRETE, DURABLE, GUIDE TO [VALIDATION DATE: 9211] | A 5610 | * YD1 | | 04-NOV-92 | | YD1 | | | |
| D | | | ACI207.1R-87 | CONCRETE, MASS - SEPT 1987 | A 5610 | YD1 | | 22-SEP-88 | | YD1 | | | |
| D | | | ACI207.2R-73R86 | CONCRETE, MASSIVE, EFFECT OF RESTRAINT, VOLUME CHANGE, & REINFORCEMENT ON CRACKING OF - 1973 (REAPPROVED 1986) | A 5610 | YD1 | | 11-OCT-88 | | YD1 | | | |
| D | | | ACI207.4R-80R86 | CONCRETE, MASS, COOLING & INSULATING SYSTEMS FOR | A 5610 | YD1 | | 11-OCT-88 | | YD1 | | | |
| D | | | ACI210R-87 | CONCRETE IN HYDRAULIC STRUCTURES, EROSION OF - 1987 | A 5610 | YD1 | | 11-OCT-88 | | YD1 | | | |
| D | | | ACI211.1-89 | CONCRETE, SELECTING PROPORTIONS FOR NARMAL, HEAVYWEIGHT, AND MASS - 1989 | A 5610 | YD1 | | 20-JUL-90 | | YD1 | | | |
| D | L | | ACI211.2-91 NOTICE 1 | SELECTING PROPORTIONS FOR STRUCTURAL LIGHTWEIGHT CONCRETE, STANDARD PRACTICE FOR | A 5610 | * YD1 | | 24-APR-92 | | YD1 | | | |
| D | | | ACI211.3-75R87 | CONCRETE, NO SLUMP, SELECTING PROPORTIONS FOR - 75 (REAPPROVED 87) | A 5610 | YD1 | | 26-APR-88 | | YD1 | | | |
| D | | | ACI213R-87 | CONCRETE, STRUCTURAL LIGHTWEIGHT AGGREGATE, GUIDE FOR - MAY 1988 | A 5610 | YD1 | | 28-JAN-91 | | YD1 | | | |
| D | | | ACI214-77R89 | CONCRETE, EVELUATION OF STRENGTH TEST RESULTS OF - MAY 1989 | A 5610 | YD1 | | 22-NOV-89 | | YD1 | | | |
| D | | | ACI221R-89 | AGGREGATES, NORMAL WEIGHT IN CONCRETE, GUIDE FOR USE OF - 1989 | A 5610 | YD1 | | 05-FEB-91 | | YD1 | | | |
| D | | | ACI223-90 | CONCRETE, SHRINKING-COMPENSATING, USE OF - JUL 1990 | A 5610 | YD1 | | 28-JAN-91 | | YD1 | | | |
| D | | | ACI224R-89 | CONCRETE STRUCTURES, CRACKING IN, CONTROL OF - MAY 1990 | A 5610 | YD1 | | 28-JAN-91 | | YD1 | | | |
| D | | | ACI244-88 | CONCRETE STRUCTURES, CRACKING IN, CONTROL OF - MAY 1990 | A 5610 | YD1 | | 28-JAN-91 | | YD1 | | | |
| D | | | ACI301-89 | STRUCTURAL CONCRETE FOR BUILDINGS - OCT 1989 | A 5610 | YD1 | | 22-NOV-89 | | YD1 | | | |
| D | | | ACI302.1R-89 | CONCRETE FLOOR AND SLAB CONSTRUCTION - MAR 1990 | A 5610 | YD1 | | 14-AUG-90 | | YD1 | | | |
| D | | | ACI303R-74R82 | ARCHITECTURAL CONCRETE PRACTICE, GUIDE TO CAST-IN-PLACE - 1974 | A 5610 | YD1 | | 05-FEB-91 | | YD1 | | | |
| D | | | ACI304R-89 | CONCRETE, MEASURING, MIXING, TRANSPORTING AND PLACING - APR 1990 | A 5610 | YD1 | | 14-AUG-90 | | YD1 | | | |
| D | | | ACI304.2R-71 | CONCRETE, PLACING BY PUMPING METHODS - 1971 | A 5610 | YD1 | | 01-FEB-91 | | YD1 | | | |
| D | | | ACI304.3R-89 | CONCRETE, HEAVYWEIGHT; MEASURING, MIXING, TRANSPORTING, AND PLACING - 1989 | A 5610 | YD1 | | 18-JUL-90 | | YD1 | | | |
| D | | | ACI304.4R-89 | CONVEYOR, BELT, PLACING CONCRETE WITH - 89 | A 5610 | YD1 | | 26-OCT-90 | | YD1 | | | |
| D | | | ACI304.5R-82 NOTICE 1 | CONCRETE, LIGHTWEIGHT BATCHING,MIXING & JOB CONTROL OF - 1982 [VALIDATION DATE: 8903] | A 5610 | YD1 | | 30-MAR-89 | | YD1 | | | |
| D | | | ACI305R-89 | CONCRETING HOT WEATHER - 5TH PRINTING APR 1989 | A 5610 | YD1 | | 02-OCT-89 | | YD1 | | | |
| D | | | ACI306R-88 | CONCRETING, RECOMMENDED PRACTICE FOR COLD WEATHER | A 5610 | YD1 | | 08-JUN-89 | | YD1 | | | |
| D | | | ACI306.1-90 | CONCRETING, COLD WEATHER - JUL 1990 | A 5610 | YD1 | | 01-FEB-91 | | YD1 | | | |
| D | | | ACI308-81R86 | CONCRETE, STANDARD PRACTICE FOR CURING | A 5610 | YD1 | | 16-OCT-87 | | YD1 | | | |
| D | | | ACI309R-87 | CONCRETE, STANDARD PRACTICE FOR CONSOLIDATION | A 5610 | YD1 | | 26-APR-89 | | YD1 | | | |
| D | | | ACI311.4R-89 | CONCRETE INSPECTION, GUIDE FOR - 1988 | A 5610 | YD1 | | 06-FEB-91 | | YD1 | | | |
| D | | | ACI318/318R-89 | CONCRETE REINFORCED, BUILDING CODE REQUIREMENTS FOR - AUG 1989 | A 5610 | YD1 | | 28-FEB-90 | | YD1 | | | |
| D | | | ACI336.2R-89 | FOOTINGS AND MATS, COMBINED, SUGGESTED ANALYSIS AND DESIGN PROCEDURES FOR - 1988 | A 5610 | YD1 | | 22-NOV-89 | | YD1 | | | |
| D | | | ACI346/346R-90 | PIPE, CONCRETE, CAST-IN-PLACE NONREINFORCED, SPECIFICATION FOR, AND RECOMMANDATIONS FOR CAST-IN-PLACE NONREINFORCED CONCRETE PIPE - 1990 | A 5610 | YD1 | | 06-FEB-91 | | YD1 | | | |
| D | | | ACI347R-88 | CONCRETE, GUIDE TO FORMWORK FOR - APR 1989 | A 5610 | YD1 | | 01-NOV-89 | | YD1 | | | |
| D | | | ACI503R-89 | EPOXY COMPOUND WITH CONCRETE, USE OF - MAY 1990 | A 5610 | YD1 | | 14-AUG-90 | | YD1 | | | |
| D | L | | ACI503.1-79R86 | EPOSY RESIN STANDARDS | A 5640 | YD1 | | 26-MAY-89 | | YD1 | | | |
| D | | | ACI506R-90 | SHOTCRETE, GIODE TP - JUN 1990 | A 5610 | YD1 | | 31-JAN-91 | | YD1 | | | |
| D | L | | ACI506.1R-84R89 NOTICE 1 | SHOTCRETE, FIBER REINFORCED, STATE-OF-THE-ART REPORT ON | A 5610 | * YD1 | | 24-AUG-92 | | YD1 | | | |
| D | L | | ACI506.2-90 | SHOTCRETE, MATERIALS, PROPORTIONING, AND APPLICATION OF - JUL 1990 | A 5610 | YD1 | | 01-FEB-91 | | YD1 | | | |
| D | L | | ACI506.3R-82 NOTICE 2 | GUIDE TO CERTIFICATION OF SHOTCRETE NOZZLEMEN [VALIDATION DATE: 9204] | A 5610 | * YD1 | | 09-APR-92 | | YD1 | | | |
| D | | | ACI515.1R-79R85 | CONCRETE, A GUIDE TO THE USE OF WATERPROOFING, DAMPPROOFING, PROTECTIVE & DECORATIVE BARRIER SYSTEMS FOR CONCRETE - JUNE 1987 | A 5610 | YD1 | | 21-SEP-88 | | YD1 | | | |
| D | | | ACI517.2R-87 | CONCRETE, ACCELERATED CURING OF AT ATMOSPHERIC PRESSURE -STATE OF THE ART - 1987 | A 5610 | YD1 | | 11-NOV-88 | | YD1 | | | |
| D | | | ACI544.1R-82R86 | CONCRETE FIBER REINFORCED, STATE OF THE ART REPORT | A 5610 | YD1 | | 11-NOV-88 | | YD1 | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area NICA Symbol Preparing Activity | Date | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | ACI544.2R-78R83 NOTICE 1 | CONCRETE, FIBER REINFORCED, PROPERTIES OF, MEASUREMENT OF - 1978 [VALIDATION DATE: 8903] | A | 5610 YD1 | 30-MAR-89 | | YD1 | | | |
| D | | ACI-SP15-89 | STRUCTURAL CONCRETE FOR BUILDINGS - 1990 | A | 5610 YD1 | 31-JAN-91 | | YD1 | | | |
| D | | ACI-SP66-88 | ACI DETAILING MANUAL - 1988 | A | 5610 YD1 | 03-MAR-89 | | YD1 | | | |
| | | ADA1-80 | ALLOY FOR DENTAL AMALGAM - FEB 80 | A | 6520 DM | 10-JUL-81 | MD | MS | 03 | | |
| | | ADA4 | WAX, DENTAL INLAY CASTING - 23 SEP 83 | A | 6520 MB | 23-SEP-83 | MD | MS | 03 | | |
| | | ADA8-77 | CEMENT, DENTAL ZINC - PHOSPHATE - 15 SEP 77 | A | 6520 MB | 24-JAN-83 | MD | MS | 03 | | |
| | | ADA29-75 | INSTRUMENTS, HAND - NOV 75 | A | 6520 DM | 10-JUL-81 | MD | MS | 03 | | |
| | | ADA30-90 NOTICE 1 | DENTAL ZINC OXIDE - EUGENOL CEMENTS AND ZINC OXIDE NON-EUGENOL CEMENTS, AMERICAN NATIONAL STANDARD FOR | A | 6520 MB | 29-MAY-92 | MD | MS | 03 | | |
| | | AGMA218.01-82 | GEAR TEETH, SPUR AND HELICAL INVOLUTE, AGMA STANDARD FOR RATING THE PITTING RESISTANCE AND BENDING STRENGTH OF- DEC 82 REVIEWER: 84 GS | A | 34GP IP | 01-MAR-89 | AL | SH | 99 | | |
| | | AGMA390.03A-80 | GEAR HANDBOOK - GEAR CLASSIFICATION, MATERIALS AND MEASURING METHODS FOR BEVEL, HYPOID,FINE PITCH WORMGEARINGAND RACKS ONLY AS UNASSEMBLED GEARS - MAR 80 REVIEWER: 84 GS | A | 34GP IP | 01-MAR-89 | AL | SH | 99 | | |
| | | AGMA2000A-88 | GEAR CLASSIFICATION AND INSPECTION HANDBOOK-TOLERANCE AND MEASURING METHODS FOR UNASSEMBLED AND HELICAL GEARS (INCLUDING METRIC EQUIVALENTS) MARCH 1988 REVIEWER: 84 GS | A | 34GP IP | 01-MAR-89 | AL | SH | 99 | | |
| | | AGMA2001B-88 | GEAR TEETH, INVOLUTE SPUR AND HELICAL, FUNDAMENTAL RATING FACTORS AND CALCULATION METHODS FOR - SEP 88 REVIEWER: 84 GS | A | 34GP IP | 21-NOV-89 | AL | SH | 99 | | |
| D | L | AGMA6019E-89 NOTICE 1 | GEARMOTORS USING SPUR, HELICAL, HERRINGBONE, STRAIGHT BEVEL, OR SPIRAL BEVEL GEARS, STANDARD FOR | A | 34GP * YD1 | 23-DEC-91 | | YD1 | | | |
| D | | AGMA9000C-90 NOTICE 1 | FLEXIBLE COUPLINGS - POTENTIAL UNBALANCE CLASSIFICATION REVIEWER: CS SH ... | A | 3040 * YD1 | 07-APR-92 | ME | YD1 | 99 | | |
| D | | AHA-A135.4-82R88 | STANDARD FOR BASIC HARDBOARD - 10 SEP 82 REAFFIRMED 11 JAN 88 REVIEWER: 84 | A | 5640 YD1 | 02-OCT-89 | | YD1 | | | |
| | | AIAA-S017-91 NOTICE 1 | AERODYNAMIC DECELARATOR AND PARACHUTE DRAWINGS, STANDARD FOR REVIEWER: 11 82 AR AS GS | | DRPR * GL | 03-JAN-92 | GL | OS | 16 | | |
| | | AIIM-MS1-88 | COMPUTER-OUTPUT MICROFORMS, ALPHANUMERIC, OPERATIONAL PRACTICES FOR INSPECTION AND QUALITY CONTROL, RECOMMENDED PRACTICE FOR - 10 MAY 88 - USER: 24 CS REVIEWER: 11 13 18 19 | A | EDRS 16 | 07-AUG-89 | CR | AS | 16 | DH | |
| | | AIIM-MS23-83 | SILVER-GELATIN, MICROFILM OF DOCUMENTS, FIRST GENERATION, PRACTICE FOR OPERATIONAL PROCEDURES/ INSPECTION & QUALITY CONTROL OF - 24 JAN 1983 USER: 11 70 71 79 80 DH ES GS IS MC OS SA SH | A | EDRS 16 | 02-JUN-86 | ER | AS | 16 | | |
| | | AIIM-MS24-80R87 | TEST TARGET FOR USE IN MICRORECORDING ENGINEERING GRAPHICS ON 35MM MICR OFILM - 31 MARCH 1987 USER: 24 REVIEWER: 11 13 18 19 | A | EDRS 16 | 21-AUG-89 | CR | AS | 16 | DH | |
| | | AIIM-MS26-90 | CAMERAS, 35MM PLANETARY (TOP LIGHT) - PROCEDURES FOR DETERMINING ILLUMINATION UNIFORMITY OF MICROFILMING ENGINEERING DRAWINGS - 13 APR 90 REVIEWER: 11 14 18 19 AR AT CS ES GS IS MI SA SC SH TD | A | EDRS 16 | 02-OCT-90 | CR | AS | 16 | DH | |
| | | AIIM-MS32-87 | MICROGRAPHICS-MICORECORDING OF ENGINEERING SOURCE DOCUMENTS ON 35-MM MICROFILM STANDARD FOR - 16 NOV 87 USER: 82 84 AT REVIEWER: 11 20 24 AR CR OS SH | A | EDRS 16 | 11-MAY-88 | ER | AS | 16 | | |
| | | AIIM-MS34-90 | MICROFILM, 16 MM AND 35 MM, DIMENSIONS FOR REELS USED FOR - 16 NOV 1990 REVIEWER: 19 AR AT CS ES GS IS MI SA SC SH TD | A | EDRS 16 | 12-AUG-91 | CR | AS | 16 | DH | |
| | | AIIM-MS43-88 | OPERATIONAL PROCEDURES/INSPECTION AND QUALITY CONTROL OF DUPLICATE MICROFORMS OF DOCUMENTS AND FORM COM - 11 AUG 88 USER: 24 80 CS ES GS IS REVIEWER: 11 13 18 | A | EDRS 16 | 01-AUG-89 | CR | AS | 16 | DH | |
| | | AIIM-MS46-90 | MICROFILM APERTURE CARDS, 35MM DIAZO, TEST PROCEDURE FOR DUPLICATING - 13 APR 90 REVIEWER: 11 14 18 19 AR AT CS ES GS IS MI SA SC SH TD | A | EDRS 16 | 02-OCT-90 | CR | AS | 16 | DH | |
| | | AIIM-TR2-80 | MICROGRAPHICS, GLOSSARY OF - 1980 USER: 07 11 26 70 71 ES GS IS MC SA REVIEWER: DH SH | A | EDRS 16 | 09-MAY-85 | ER | AS | 16 | | |
| D | | AITC200-83 | INSPECTION MANUAL USER: ME OS SH REVIEWER: CS | A | 55GP YD1 | 26-JUN-89 | | YD1 | | | |
| D | | AITC-A190.1-83 NOTICE 1 | TIMBER, STRUCTURAL GLUED LAMINATED - 3 JUN 83 [VALIDATION DATE: 8903] USER: ME REVIEWER: CS OS SH | A | 5510 YD1 | 30-MAR-89 | | YD1 | | | |
| D | | AMCA99-86 | STANDARDS HANDBOOK - 1986 | A | 4140 YD1 | 06-SEP-91 | | YD1 | | | |
| D | | AMCA210-85 | LABORATORY METHODS OF TESTING FANS FOR RATING - 23 JUL 1985 | A | 4140 YD1 | 20-SEP-91 | | YD1 | | | |
| D | L | AMCA300-85 | FANS, REVERBERANT ROOM METHOD FOR SOUND TESTING OF | A | 4140 YD1 | 27-NOV-91 | | YD1 | | | |
| D | | AMCA500-89 | LOUVERS, DAMPERS AND SHUTTERS, TEST METHOD FOR - 22 FEB 1989 | A | 4140 YD1 | 20-SEP-91 | | YD1 | | | |
| D | L | AMCA511-91 NOTICE 1 | CERTIFIED RATINGS PROGRAM FOR AIR CONTROL DEVICES | A | 4140 * YD1 | 01-JUN-92 | | YD1 | | | |
| D | | AMCA801-77 | FAN, POWER PLANT, SPECIFICATION GUIDELINES - 1977 | A | 4140 YD1 | 20-SEP-91 | | YD1 | | | |
| | | AMMC-7B | EDITORIAL GUIDE, METRIC - JAN 78 | A | MISC SH | 16-JAN-78 | MR | SH | 11 | | |
| | | ANSI-A5.50-85 | TOOL, V FLANGE SHANKS FOR MACHINING CENTERS WITH AUTOMATIC TOOL CHANGERS - 1985 REVIEWER: 99 AR IS MI | A | 34GP IP | 11-AUG-89 | MR | AL | 11 | | |
| D | | ANSI-A10.6-90 NOTICE 1 | DEMOLITION, OPERATIONS, SAFETY REQUIREMENTS FOR | A | FACR * YD1 | 11-SEP-92 | CE | YD1 | 04 | | |
| D | | ANSI-A14.3-84 | LADDERS - FIXED-SAFETY REQUIREMENTS ANS FOR 13 JAN 84 | A | 5440 YD1 | 26-JUL-89 | ME | YD1 | 99 | | |
| D | | ANSI-A21.14-89 | GAS, DUCTILE-IRON FITTINGS 3-INCH THROUGH 24-INCH, STANDARD FOR - 28 SEPT 89 USER: CE REVIEWER: CS SH | A | 4730 YD1 | 09-JUL-90 | ME | YD1 | 99 | | |
| D | | ANSI-A92.5-80 NOTICE 1 | PLATFORMS, ELEVATING WORK, BOOM,-SUPPORTED, AMERICAN NATIONAL STANDARD FOR REVIEWER: GS | A | 3990 * YD1 | 11-SEP-92 | ME | YD1 | 99 | | |
| D | | ANSI-A112.6.1M-79 NOTICE 1 | SUPPORTS FOR OFF THE FLOOR PLUMBING FIXTURES FOR PUBLIC USE - 15 NOV 79 [VALIDATION DATE: 8906] REVIEWER: CS | A | 4510 YD1 | 05-JUN-87 | ME | YD1 | 99 | | |
| D | | ANSI-A112.19.2M-90 | PLUMBING FIXTURES, VITREOUS CHINA - 6 DEC. 1990 USER: CE REVIEWER: 84 CS .. | A | 4510 YD1 | 01-MAR-91 | | YD1 | 99 | | |
| D | | ANSI-A112.19.4M-84 | PORCELAIN ENAMELED FORMED STEEL PLUMBING FIXTURES - 16 AUG 84 REVIEWER: 85 CS GS ME | A | 4510 YD1 | 29-MAY-87 | ER | YD1 | 99 | | |
| D | | ANSI-A112.19.5-79 NOTICE 1 | TRIM FOR WATER CLOSET BOWLS, TANKS, AND URINALS - 30 JUN 79 [VALIDATION DATE: 9102] USER: CE MC REVIEWER: CS | A | 4510 YD1 | 15-FEB-91 | ME | YD1 | 99 | | |
| D | | ANSI-A112.21.1M-80 NOTICE 1 | DRAIN, FLOOR - 1 DEC 80 [VALIDATION DATE: 8711] USER: CE MC REVIEWER: CS .. | A | 4510 YD1 | 06-NOV-87 | ME | YD1 | 99 | | |
| D | | ANSI-A112.21.2M-83 NOTICE 1 | DRAIN, ROOF, AMERICAN NATIONAL STANDARD - 31 JUL 83 [VALIDATION DATE: 8711] USER: CE MC REVIEWER: CS | A | 4510 YD1 | 06-NOV-87 | ME | YD1 | 99 | | |
| D | | ANSI-A112.26.2-82 NOTICE 1 | PERFORMANCE REQUIREMENTS FOR WATER PRESSURE REDUCING VALVES FOR DOMESTIC WATER SUPPLY SYSTEMS - 21 DEC 82 [VALIDATION DATE: 8811] REVIEWER: CS | A | 4820 YD1 | 25-NOV-88 | ME | YD1 | 99 | | |
| D | | ANSI-A112.36.2M-83 NOTICE 1 | CLEANOUTS - 5 MAY 83 [VALIDATION DATE: 8905] USER: CE MC REVIEWER: CS ..... | A | 4510 YD1 | 05-MAY-89 | ME | YD1 | 99 | | |
| D | | ANSI-A115.1-82 | STEEL DOOR AND STEEL FRAME PREPARATION FOR MORTISE LOCKS FOR 1-3/8" AND 1-3/4" DOORS STANDARD SPECIFICATION FOR - AUG 82 REVIEWER: 84 85 GS ME | A | 5670 YD1 | 17-NOV-88 | ER | YD1 | 99 | | |
| D | | ANSI-A115.2-80 | STEEL DOOR AND STEEL FRAME PREPARATION FOR BORED OR CYCLINDRICAL LOCKS FOR 1-3/8" AND 1-3/4" DOORS STANDARD SPECIFICATION FOR - 6 FEB 80 REVIEWER: 84 85 GS ME | A | 5670 YD1 | 17-NOV-88 | ER | YD1 | 99 | | |
| D | | ANSI-A115.4-82 | STEEL DOOR AND FRAME PREPARATION FOR LEVER EXTENSION FLUSH BOLTS STANDARD SPECIFICATION FOR - AUG 82 REVIEWER: 84 85 GS ME | A | 5670 YD1 | 17-NOV-88 | ER | YD1 | 99 | | |
| D | | ANSI-A115.5-82 | STEEL FRAME PREPARATION FOR 181 SERIES & 190 SERIES DEAD LOCK STRIKES, AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 1982 REVIEWER: 84 | A | 5670 YD1 | 17-NOV-88 | ME | YD1 | 99 | | |
| D | | ANSI-A115.6-82 | STEEL DOOR AND FRAME PREPARATION FOR PREASSEMBLED DOOR LOCKS STANDARD SPECIFICATION FOR - AUG 82 REVIEWER: 84 85 GS ME | A | 5670 YD1 | 17-NOV-88 | ER | YD1 | 99 | | |
| D | | ANSI-A115.7-82 | STEEL FRAME & STEEL DOOR PREPARATION FOR FLOOR CLOSERS, LIGHT DUTY, CENTER HUNG, SINGLE OR DOUBLE ACTING CENTER HUNG, SINGLE OR DOUBLE ACTING, OFFSET HUNG, SINGLE ACTING AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 1982 REVIEWER: 82 | A | 5670 YD1 | 17-NOV-88 | ME | YD1 | 99 | | |
| D | | ANSI-A115.12-82 | STEEL FRAME & STEEL DOOR PREPARATION FOR OFFSET INTERMEDIATE PIVOT AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 82 REVIEWER: 84 | A | 5670 YD1 | 17-NOV-88 | ME | YD1 | 99 | | |
| D | | ANSI-A115.13-82 | STEEL FRAME & STEEL DOOR PREPARATION FOR TUBULAR DEADLOCKS AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 82 REVIEWER: 84 | A | 5670 YD1 | 17-NOV-88 | ME | YD1 | 99 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | ANSI-A115.14-82 | STEEL DOORS FOR OPEN BACK STRIKES PREPARATION AMERICAN NATIONAL STANDARD SPECIFICATION - AUG 82 REVIEWER: 84 | A | 5670 | | YD1 | 17-NOV-88 | ME | YD1 | 99 | |
| D | | | ANSI-A115.15-85 | STEEL FRAME & STEEL DOOR PREPARATION FOR BORED OR CYLINDRICAL LOCKS INSTALLED IN PREHUNG INSULATED AMERICAN NATIONAL STANDARD SPECIFICATIONS FOR - OCT 85 REVIEWER: 84 | A | 5670 | | YD1 | 17-NOV-88 | ME | YD1 | 99 | |
| D | | | ANSI-A115.16-80 | DOUBLE TYPE LOCKS IN PREHUNG INSULATED STEEL DOORS AND STEEL FRAMES, PREPARATION FOR, STANDARD SPECIFICATION FOR - 6 FEB 80 REVIEWER: 84 85 GS ME | A | 5670 | | YD1 | 17-NOV-88 | ER | YD1 | 99 | |
| D | | | ANSI-A115.17-80 | DOUBLE TYPE LOCKS IN STANDARD 1-3/8" AND 1-3/4" STEEL DOORS AND STEEL FRAMES, PREPARATION FOR, STANDARD SPECIFICATION FOR - 9 APR 80 REVIEWER: 84 85 GS ME | A | 5670 | | YD1 | 17-NOV-88 | ER | YD1 | 99 | |
| D | | | ANSI-A118.3-85 | CHEMICAL RESISTANT, WATER CLEANABLE TILE SETTING AND GROUTING EPOXY AND WATER CLEANABLE TILE SETTING EPOXY ADHESIVE - 1985 REVIEWER: 84 | A | 5610 | | YD1 | 26-JUL-90 | ME | YD1 | 99 | |
| D | | | ANSI-A118.4-85 | CEMENT MORTAR, LATEX-PORTLAND - 1985 REVIEWER: 84 ..... | A | 5610 | | YD1 | 23-AUG-90 | EA | YD1 | 99 | |
| D | | | ANSI-A151.1-87 | PHYSICAL ENDURANCE FOR STEEL DOORS AND HARDWARE ENFORCINGS, PROCEDURE AND ACCEPTANCE CRITERIA FOR - 13 NOV 87 REVIEWER: 84 85 GS ME | A | 5670 | | YD1 | 26-JUL-89 | ER | YD1 | 99 | |
| D | | | ANSI-A161.1-90 | CABINETS, KITCHEN AND VANITY, RECOMMENDED PERFORMANCE & CONSTRUCTION | A | 7125 | * | YD1 | 18-DEC-91 | ME | YD1 | | |
| | | NOTICE 1 | | STANDARDS FOR USER: CE | | | | | | | | | |
| D | | | ANSI-A161.2-79R87 | COUNTERTOPS, FABRICATED HIGH PRESSURE DECORATIVE LAMINATE, PERFORMANCE | A | 7125 | * | YD1 | 18-DEC-91 | ME | YD1 | | |
| | | NOTICE 1 | | STANDARDS FOR USER: CE | | | | | | | | | |
| D | | | ANSI-A208.1-87 | MAT-FORMED WOOD PARTICLE BOARD, STANDARD FOR - 04 NOV 87 USER: MC REVIEWER: 85 CE GS ME SH | A | 5510 | | YD1 | 08-MAR-89 | ER | YD1 | 99 | |
| | | | ANSI-B4.1-67 | CYLINDRICAL PARTS, PREFERRED LIMITS AND FITS FOR - 18 SEP 67 [VALIDATION DATE: 8306] | A | MISC | | 70 | 04-JAN-72 | AR | SH | 99 | |
| | | | ANSI-B5.1-75 | BOLTS, NUTS & TONGUES, T-SLOT, THEIR - 75 [VALIDATION DATE: 8601] USER: GL REVIEWER: AR ME | A | 34GP | | IP | 12-DEC-78 | AL | SH | 99 | |
| | | | ANSI-B5.8-72 | CHUCKS & CHUCK JAWS - 1972 [VALIDATION DATE: 8601] USER: GL REVIEWER: AR ME | A | 34GP | | IP | 12-DEC-78 | AL | SH | 99 | |
| | | | ANSI-B5.9-67R72 | SPINDLE NOSES FOR TOOL ROOM LATHES,ENGINE LATHES, TURRET LATHES, & AUTOMATIC LATHES - 1967 [VALIDATION DATE: 8601] | A | 34GP | | IP | 12-DEC-78 | AL | SH | 99 | |
| | | | USAS-B5.9-67R72 | SPINDLE NOSES FOR TOOL ROOM LATHES, ENGINE LATHES, TURRET LATHES, AND AUTOMATIC LATHES - 1967 REVIEWER: AR ME | A | 34GP | | IP | 12-DEC-78 | AL | SH | 99 | |
| | | | ANSI-B5.10-81R87 | TAPERS, MACHINE, SELF HOLDING AND STEEP TAPER SERIES - 22 AMY 81 REVIEWER: 84 AR GS ME | A | 34GP | | IP | 07-SEP-90 | AL | SH | 99 | |
| | | | ANSI-B5.16-52R72 | LATHES, ENGINE & TOOL ROOM, ACCURACY OF - 1952 [VALIDATION DATE: 8601] USER: GL REVIEWER: AR ME | A | 34GP | | IP | 12-DEC-78 | AL | SH | 99 | |
| | | | ANSI-B5.18-72 | MILLING MACHINES, SPINDLE NOSES & TOOL SHANKS FOR - 1972 [VALIDATION DATE: 8601] USER: GL REVIEWER: AR ME | A | 34GP | | IP | 12-DEC-78 | AL | SH | 99 | |
| | | | ANSI-B5.35-69R75 | DISCS, ABRASIVE & PLATE MOUNTED WHEELS, MACHINE MOUNTING SPECIFICATIONS FOR - 1969 USER: GL REVIEWER: AR ME | A | 34GP | | IP | 12-DEC-78 | AL | SH | 99 | |
| | | | ANSI-B5.40-77 | MACHINES, HORIZONTAL BORING, SPINDLE NOSES & TOOL SHANKS FOR - 1977 [VALIDATION DATE: 8601] USER: GL REVIEWER: AR ME | A | 34GP | | IP | 12-DEC-78 | AL | SH | 99 | |
| | | | ANSI-B5.53M-82 | CUTTER & TOOL GRINDING MACHINES - 1982 REVIEWER: 84 ..... | A | 3415 | | IP | 06-JAN-84 | AL | SH | 99 | |
| | | | ANSI-B7.1-88 | ABRASIVE WHEELS, USE, CARE & PROTECTION OF, SAFETY CODES FOR THE - 18 FEBRUARY 1988 USER: GL REVIEWER: AR ME | A | 34GP | | IP | 22-MAY-90 | AL | SH | 99 | |
| | | | ANSI-B11.1-88 | MACHINE TOOLS-MECHANICAL POWER PRESSES SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE, AND USE - 4 APR 88 REVIEWER: 84 AR ME | A | 34GP | | IP | 04-APR-88 | AL | SH | 99 | |
| | | | ANSI-B11.2-82 | MACHINE TOOLS - HYDRAULIC PRESSES - REQUIREMENTS FOR CONSTRUCTION, CARE, & USE - 1982 REVIEWER: AR ME | A | 3442 | | IP | 02-AUG-82 | AL | SH | 99 | |
| | | | ANSI-B11.3-82 | MACHINE TOOLS - POWER PRESS BRAKES - SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE, USE - 1982 [VALIDATION DATE: 8903] | A | 34GP | | IP | 21-MAR-89 | AL | SH | 99 | |
| | | NOTICE 1 | | | | | | | | | | | |
| | | | ANSI-B11.4-83 | SHEARS, CONSTRUCTION, CARE & USE OF, SAFETY REQUIREMENTS FOR THE - 1983 [VALIDATION DATE: 8903] REVIEWER: 84 AR ME | A | 34GP | | IP | 21-MAR-89 | AL | SH | 99 | |
| | | NOTICE 1 | | | | | | | | | | | |
| | | | ANSI-B11.5-88 | IRONWORKERS, MACHINE TOOLS, SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE AND USE- AMERICAN NATIONAL STANDARD FOR - 23 AUGUST 1988 USER: SH REVIEWER: 11 19 84 99 AR ME MI | A | 3445 | | IP | 27-JAN-89 | ER | AL | 17 | |
| | | | ANSJ-B11.6-84 | LATHES, SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE & USE - 1984 | A | 34GP | | IP | 27-OCT-89 | AL | SH | 99 | |
| | | NOTICE 2 | | [VALIDATION DATE: 8910] REVIEWER: 84 | | | | | | | | | |
| | | | ANSI-B11.7-85 | COLD HEADERS & COLD FORMERS, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF - 1985 REVIEWER: 84 | A | 3446 | | IP | 21-MAY-85 | AL | SH | 99 | |
| | | | ANSI-B11.8-83 | MACHINES, DRILLING, MILLING & BORING, SAFETYREQUIREMENTS FOR THE | A | 34GP | | IP | 14-JUN-89 | AL | SH | 99 | |
| | | NOTICE 1 | | CONSTRUCTION, CARE & USE OF - 1983 [VALIDATION DATE: 8906] REVIEWER: 84 AR ME | | | | | | | | | |
| | | | ANSI-B11.9-75R87 | MACHINES, GRINING, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE, AND USE OF - 12 DEC 78 USER: GL REVIEWER: AR ME | A | 34GP | | IP | 22-MAY-90 | AL | SH | 99 | |
| | | | ANSI-B11.10-83 | SAWING MACHINES, METAL, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & | A | 3405 | | IP | 07-MAR-89 | AL | SH | 99 | |
| | | NOTICE 1 | | USE OF - 1983 [VALIDATION DATE: 8903] REVIEWER: 84 AR ME | | | | | | | | | |
| | | | ANSI-B11.11-85 | CUTTING MACHINES, GEAR, SAFETY REQUIREMENTS FOR THE CONSTRUCTION CARE & USE - 1985 REVIEWER: 84 | A | 3414 | | IP | 09-NOV-84 | AL | SH | 99 | |
| | | | ANSI-B11.12-83 | ROLL FORMING & ROLL BENDING MACHINES SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE - 1983 USER: MC REVIEWER: 84 GS | A | 3441 | | IP | 10-NOV-83 | AL | SH | 99 | |
| | | | ANSI-B11.13-83 | MACHINE TOOLS, SINGLE & MULTIPLE SPINDLE AUTOMATIC SCREW/BAR & CHUCKING MACHINES SAFTY REQUIREMENTS FOR THE CONSTRUCTION, CARE, & USE - 1983 REVIEWER: 84 AR ME | A | 3416 | | IP | 01-MAR-84 | AL | SH | 99 | |
| | | | ANSI-B11.15-84 | SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF, TUBE & SHAPE | A | 3441 | | IP | 01-MAY-89 | AL | SH | 99 | |
| | | NOTICE 1 | | BENDING MACHINES - 1984 [VALIDATION DATE: 8905] USER: MC REVIEWER: 84 GS | | | | | | | | | |
| D | | | ANSI-B16.1-75 | PIPE FLANGES & FLANGED FITTINGS, CAST IRON, CLASS 25, 125, 250 & 800 - 28 MAY 77 [VALIDATION DATE: 8511] USER: AL CE MC OS REVIEWER: CS | A | 4730 | | YD1 | 24-AUG-81 | ME | YD1 | 99 | |
| D | | | ANSI-B16.9-86 | FITTINGS, FACTORY-MADE WROUGHT STEEL BUTTWELDING-15 JUNE 87 USER: CE MC OS SH REVIEWER: 82 CS ME | A | 4730 | | YD1 | 24-AUG-87 | AR | YD1 | 99 | |
| D | | | ANSI-B16.11-80 | FITTINGS, FORGED STEEL, SOCKET WELDINGS & THREADED - 15 DEC 80 [VALIDATION | A | 4730 | | YD1 | 20-FEB-91 | ME | YD1 | 99 | |
| | | NOTICE 1 | | DATE: 9102] USER: CE MC SH REVIEWER: AR CS EA | | | | | | | | | |
| D | | | ANSI-B16.12-83 | FITTINGS, DRAINAGE, CAST IRON THREADED - 29 FEB 84 [VALIDATION DATE: 8907] | A | 4730 | | YD1 | 10-JUL-89 | ME | YD1 | 99 | |
| | | NOTICE 1 | | REVIEWER: CS | | | | | | | | | |
| D | | | ANSI-B16.14-83 | FERROUS TYPE PLUGS, BUSHINGS, AND LOCK NUTS WITH PIPE THREADS, STANDARD | A | 4730 | | YD1 | 20-FEB-91 | ER | YD1 | 99 | |
| | | NOTICE 2 | | FOR - 29 FEB 84 [VALIDATION DATE: 9102] USER: AR REVIEWER: 85 CS EA GS MC ME | | | | | | | | | |
| | | | ANSI-B16.18-78 | FITTING, PRESSURE, CAST COPPER ALLOY SOLDER JOINT - 21 NOV 78 [VALIDATION DATE: 8512] USER: MC SH | A | 4730 | | CS | 11-JAN-80 | | | 99 | |
| D | | | ANSI-B16.20-73 | GASKETS, RING-JOINT, AND GROOVES FOR STEEL PIPE FLANGES, STANDARD FOR | A | 5330 | * | YD1 | 10-JAN-92 | MR | YD1 | 99 | |
| | | NOTICE 2 | | [VALIDATION DATE: 9201] REVIEWER: IS SH | | | | | | | | | |
| D | | | ANSI-B16.21-78 | GASKETS, NONMETALLIC FLAT, FOR PIPE FLANGES, STANDARD FOR [VALIDATION | A | 5330 | * | YD1 | 10-JAN-92 | MR | YD1 | 99 | |
| | | NOTICE 2 | | DATE: 9201] USER: OS REVIEWER: 82 IS SH | | | | | | | | | |
| | | | ANSI-B16.23-76 | FITTINGS-DWV DRAINAGE, CAST COPPER ALLOY SOLDER JOINT - 2 FEB 76 [VALIDATION DATE: 8512] | A | 4730 | | CS | 13-OCT-78 | | | 99 | |
| D | | | ANSI-B16.24-79 | PIPE FLANGES, BRONZE & FLANGED FITTINGS, STANDARD FOR - 31 AUG 79 | A | 4730 | | YD1 | 20-FEB-91 | ME | YD1 | | |
| | | NOTICE 2 | | [VALIDATION DATE: 9102] USER: CG SH REVIEWER: CS | | | | | | | | | |
| D | | | ANSI-B17.2-67R78 | KEYS & KEYSEATS, WOODRUFF - 1967 [VALIDATION DATE: 8601] USER: GL YD1 REVIEWER: AR ME | A | 34GP | | IP | 12-DEC-78 | AL | SH | 99 | |
| | | | ANSI-B18.1.1-72 | RIVET, SMALL SOLID - 72 (REAFFIRMED 31 AUG 1989) [VALIDATION DATE: 8308] .. | A | 5320 | | AR | 20-NOV-72 | AR | | 99 | |
| | | | ANSI-B18.1.2-72 | RIVET, LARGE - 72 (REAFFIRMED 31 AUG 1989) [VALIDATION DATE: 8309] ..... | A | 5320 | | AR | 20-NOV-72 | AR | | 99 | |
| D | | | ANSI-B18.2.1-81 | BOLT, SQUARE & HEX, & SCREWS INCH SERIES - 24 JUN 81 USER: MC ME SH | A | 53GP | | AR | 11-JAN-82 | AR | YD1 | 99 | |
| | | | | REVIEWER: AT AV CR EA IS NS | | | | | | | | | |
| | | | ANSI-B18.2.2-87 | NUTS, HEX & SQUARE (INCH SERIES) - 27 FEB 1987 ..... | A | 5310 | | AR | 28-SEP-87 | AR | SH | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Qtrly Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ANSI-B18.2.3.1M-79 | SCREW, CAP, HEX HEAD - METRIC -26 APR 79 W/ERRATA (5/81) [VALIDATION DATE: 8504] | A | 5305 | | AR | 26-APR-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.3.2M-79 | SCREW, CAP, FORMED HEX HEAD-METRIC - 29 MAR 79 (W/ERRATA 12/80) [VALIDATION DATE: 8504] REVIEWER: AV ER IS MC MI NS | A | 5305 | | AR | 29-MAR-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.3.3M-79 | SCREW, HEAVY HEX HEAD - METRIC - 26 MAR 79 [VALIDATION DATE: 8504] ..... | A | 5305 | | AR | 26-MAR-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.3.4M-79 | SCREW, HEX FLANGE HEAD - METRIC - 17 MAY 79 USER: AT ME REVIEWER: AV ER MI | A | 5305 | | AR | 17-MAY-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.3.5M-79 | BOLT, HEX - METRIC - 26 APR 79 W/ERRATA (5/81) ..... | A | 5306 | | AR | 26-APR-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.3.6M-79 | BOLT, HEAVY HEX-METRIC - 26 APR 79 USER: ME REVIEWER: AV ER IS MC MI NS ... | A | 5305 | | AR | 26-APR-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.3.7M-79 | BOLT, STRUCTURAL, HEAVY HEX - METRIC - 26 APR 79 ..... | A | 5306 | | AR | 26-APR-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.3.8M-81R91 | SCREW, LAG, HEX HEAD - METRIC - 16 JUN 81 USER: AT ME SH REVIEWER: AV ER IS MC MI NS | A | 5306 | | AR | 16-JUN-81 | AR | AS | | 99 |
| | | | ANSI-B18.2.4.1M-79 | METRIC HEX NUTS, STYLE 1 - 6 DEC 79 (W/ERRATA) REVIEWER: AV ER MC MI NS ... | A | 5310 | | AR | 06-DEC-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.4.2M-79 | NUT, PLAIN, HEX, STYLE 2 - METRIC - 6 DEC 1979 - W/DOD EXCEPTIONS W/ERRATA - JAN 82 | A | 5310 | | AR | 06-DEC-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.4.3M-79 | NUT, SLOTTED, HEX METRIC - 6 DEC 79 W/DOD EXCEPTIONS W/ERRATA - MAY 81 REVIEWER: AV ER IS MC MI NS | A | 5310 | | AR | 06-DEC-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.4.4M-82 | NUT, FLANGE, HEX METRIC - 21 JUN 82 USER: MC SH REVIEWER: AT CR EA ER IS MI NS | A | 5310 | | AR | 30-JUN-82 | AR | AS | | 99 |
| | | | ANSI-B18.2.4.5M-79 | NUT, JAM, HEX - METRIC - 6 DEC 79 W/ERRATA - MAY 81 USER: AT ME SH REVIEWER: AV ER IS MC MI NS | A | 5310 | | AR | 06-DEC-79 | AR | AS | | 99 |
| | | | ANSI-B18.2.4.6M-79 | NUT, HEAVY HEX - METRIC - 6 DEC 79 (ERRATA 4/81) REVIEWER: AV ER IS MC MI NS | A | 5310 | | AR | 06-DEC-79 | AR | AS | | 99 |
| | | | ANSI-B18.3.2M-79 | KEYS & BITS, HEXAGON, METRIC SERIES - 17 MAY 79 USER: SH REVIEWER: AV ER GL IS MC ME MI NS | A | 5120 | | AR | 30-APR-82 | AR | AS | | 99 |
| | | | ANSI-B18.3.3M-79 | SCREW, SHOULDER, HEXAGON SOCKET HEAD-METRIC - 18 JUL 79 USER: AT ME OS SH REVIEWER: AV ER IS MC MI NS | A | 5305 | | AR | 18-JUL-79 | AR | AS | | 99 |
| | | | ANSI-B18.3.4M-79 | SCREW, CAP, HEXAGON, SOCKET BUTTON HEAD - METRIC - 9 AUG 1979 [VALIDATION DATE: 8504] REVIEWER: AV ER IS MC MI NS | A | 5305 | | AR | 09-AUG-79 | AR | AS | | 99 |
| | | | ANSI-B18.3.6M-79 | SETSCREW, HEXAGON SOCKET-METRIC - 14 AUG 79 USER: AT ME OS SH REVIEWER: AV ER IS MI NS | A | 5305 | | AR | 14-AUG-79 | AR | AS | | 99 |
| D | | | ANSI-B18.5-78 | BOLTS, ROUND HEAD (INCH SERIES) - 8 SEP 78 [VALIDATION DATE: 8203] REVIEWER: AT AV CR IS | A | 5306 | | AR | 27-AUG-79 | AR | YD1 | | 99 |
| | | | ANSI-B18.5.2.1M-81 | BOLT, ROUND HEAD, SHORT SQUARE NECK - METRIC - 14 AUG 81 REVIEWER: AT AV CR EA IS | A | 5306 | | AR | 11-JAN-82 | AR | AS | | 99 |
| | | | ANSI-B18.5.2.2M-82 | BOLT, ROUND HEAD, SQUARE NECK - METRIC - 24 AUG 82 USER: MC ME SH REVIEWER: AT AV CR EA IS NS | A | 5306 | | AR | 03-NOV-82 | AR | AS | | 99 |
| | | | ANSI-B18.6.1-81R91 | WOOD SCREWS (INCH SERIES) USER: MC ME REVIEWER: AT AV CR EA IS ..... | A | 5305 | * | AR | 06-APR-82 | AR | SH | | 99 |
| | | | ANSI-B18.6.2-72 | SCREW, SLOTTED HEAD CAP, SQUARE SET SCREW & SLOTTED HEADLES SET SCREWS 1972 (REAPPROVED 83) [VALIDATION DATE: 8401] REVIEWER: AT AV MI | A | 5305 | | AR | 22-SEP-72 | AR | SH | | 99 |
| | | | ANSI-B18.6.3-72 | SCREW, MACHINE, & SCREW NUTS, MACHINE, SLOTTED & RECESSED HEAD - 72 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: AT AV MI | A | 53GP | | AR | 22-SEP-72 | AR | SH | | 99 |
| | | | ANSI-B18.6.4-81R91 | THREAD FORMING AND THREAD CUTTING TAPPING SCREWS, AND METALLIC DRIVE SCREWS (INCH SERIES) USER: MC ME SH REVIEWER: AT AV CR EA IS | A | 5305 | * | AR | 11-JAN-82 | AR | | | 99 |
| | | | ANSI-B18.7-72 | RIVETS, GENERAL PURPOSE SEMI TUBULAR RIVETS, FULL TUBULAR SPLIT AND RIVET CAP - 72 [VALIDATION DATE: 8101] REVIEWER: AT AV MI | A | 5320 | | AR | 06-DEC-72 | AR | SH | | 99 |
| | | | ANSI-B18.8.1-72R77 | CLEVIS PINS & COTTER PINS - 10 MAY 72 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: 82 | A | 5315 | | AR | 10-JUN-81 | AR | OS | | 99 |
| | | | ANSI-B18.9-71 | BOLTS, PLOW - 71 [VALIDATION DATE: 8101] REVIEWER: AT ..... | A | 5306 | | AR | 07-APR-71 | AR | SH | | 99 |
| | | | ANSI-B18.11-61 | SCREW, MINIATURE - 61 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: AT AV | A | 5305 | | AR | 07-APR-71 | AR | SH | | 99 |
| | | | ANSI-B18.12-62R91 | FASTENERS, MECHANICAL GLOSSARY & TERMS FOR [VALIDATION DATE: 8504] REVIEWER: 82 AT AV | A | 53GP | * | AR | 07-APR-71 | AR | SH | | 99 |
| | | | ANSI-B18.13-65 | SCREW & WASHER ASSEMBLIES - 1 APR 65 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: AT | A | 53GP | | AR | 01-APR-71 | AR | SH | | 99 |
| | | | ANSI-B18.15-85 | EYEBOLTS, FORGED - 17 JUL 85 REVIEWER: 82 AT IS MC ..... | A | 5306 | | AR | 30-SEP-85 | AR | SH | | 99 |
| | | | ANSI-B18.17-68 | NUT, WING, THUMB SCREWS & WING SCREWS - 68 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: 82 AT | A | 53GP | | AR | 07-APR-71 | AR | SH | | 99 |
| | | | ANSI-B18.21.1-72 | WASHER, LOCK - 72 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: AT AV ER MI OS SH | A | 5310 | | AR | 20-NOV-72 | AR | AS | | 99 |
| D | | | ANSI-B18.22M-81 | WASHER, FLAT, PLAIN - METRIC - 1981 (W/ERRATA 7/83) USER: MC ME REVIEWER: AT CR EA IS MI NS YD1 | A | 5310 | | AR | 05-APR-82 | AR | SH | | 99 |
| | | | ANSI-B18.22.1-65R81 | WASHER, PLAIN - 20 SEP65 REVIEWER: AS AV CR EA ER ..... | A | 5310 | | AR | 20-NOV-81 | AR | SH | | 99 |
| D | | | ANSI-B29.1-75 | ROLLER CHAINS, TRANSMISSION, ATTACHMENTS & SPROCKETS, PRECISION POWER - 30 APR 75 [VALIDATION DATE: 8501] | A | 3020 | | ME | 08-JUN-78 | ME | YD1 | | 99 |
| | | | ANSI-B32.3-77 | METAL PRODUCTS, FLAT, PREFERRED METRIC SIZES FOR - 19 APR 77 (W/SUPL. ANSI B32.3A-78) USER: AL AR GL ME REVIEWER: 99 EC SH | A | 95GP | | IS | 28-SEP-79 | MR | AS | | 11 |
| | | | ANSI-B32.4M-80 | METAL PRODUCTS, PREFERRED METRIC SIZES FOR ROUND, SQUARE, RECTANGLE & HEXAGON - 1980 USER: AL ME REVIEWER: 99 EC SH | A | 95GP | | IS | 28-DEC-83 | MR | AS | | 11 |
| | | | ANSI-B32.5-77 | METAL PRODUCTS, TUBULAR, OTHER THAN PIPE, PREFERRED METRIC SIZES FOR - 7 SEP 77 USER: AL AR REVIEWER: 99 EC SH | A | 95GP | | IS | 28-SEP-79 | MR | AS | | 11 |
| | | | ANSI-B32.6-77 | METAL PRODUCTS, TUBULAR, PREFERRED METRIC EQUIVALENTS OF INCH SIZES FOR, OTHER THAN PIPE - 12 AUG 77 USER: AL AR GL ME REVIEWER: 99 EC SH | A | 95GP | | IS | 28-SEP-79 | MR | AS | | 11 |
| D | | | ANSI-B40.1-85 | GAUGE - PRESSURE, INDICATING DIAL TYPE - ELASTIC ELEMENT USER: MC REVIEWER: AR AS AT OS SH | A | 6685 | | YD1 | 07-JUL-88 | ME | YD1 | | 99 |
| D | | | ANSI-B40.1M-79 | GAUGE, PRESSURE INDICATING DIAL TYPE, ELASTIC ELEMENT (METRIC) - 15 JAN 79 USER: MC REVIEWER: AR AS AT GS OS SH | A | 6685 | | YD1 | 28-DEC-81 | ME | YD1 | | 99 |
| | | | ANSI-B47.1-81 | GAGE BLANKS - 23 MAR 81 ..... | A | 5220 | | AR | 23-MAR-81 | AR | AS | | 99 |
| D | | | ANSI-B57.1-77 | ORDER CGA-V1-77 USER: YD1 ..... | A | IPSC | | 02 | 15-NOV-78 | AD | | | 02 |
| | | | ANSI-B74.2-82 | GRINDING WHEELS, SHAPE & SIZES OF, MOUNTED WHEELS, SIZES & IDENTIFICATION OF, SPECIFICATION FOR - 15 APR 82 USER: GL REVIEWER: AR ME | A | 34GP | | IP | 22-MAY-90 | AL | SH | | 99 |
| | | | ANSI-B74.3-74 | DIAMOND GRINDING WHEELS, HAND HONES, & MOUNTED WHEELS, SHAPE & SIZES OF, SPECIFICATIONS FOR - 1974 [VALIDATION DATE: 8601] REVIEWER: AR ME | A | 34GP | | IP | 12-DEC-78 | AL | SH | | 99 |
| | | | ANSI-B74.12-76R82 | SPECIFICATIONS FOR THE SIZE OF ABRASIVE GRAIN GRINDING WHEELS, POLISHING & GENERAL INDUSTRIAL USES - 1976 USER: MC REVIEWER: 84 GS | A | 34GP | | IP | 13-MAR-84 | AL | SH | | 99 |
| | | | ANSI-B74.13-90 | GRINDING WHEELS & OTHER BONDED ABRASIVES, MARKING FOR IDENTIFYING - 20 MARCH 1990 USER: GL REVIEWER: AR ME | A | 34GP | | IP | 24-AUG-90 | AL | SH | | 99 |
| | | | ANSI-B92.1-70 | INVOLUTE SPLINES & INSPECTION - 1970 ..... | A | 34GP | | IP | 12-DEC-78 | AL | SH | | 99 |
| D | | | ANSI-B92.2M-80 | SPLINE, METRIC MODULE INVOLUTE - AUG 80 [VALIDATION DATE: 8809] USER: ME NOTICE 2 | A | DRPR | | AR | 13-SEP-88 | AR | AS | | 16 |
| | | | ANSI-B92.2MA-84 | OS SH REVIEWER: AT AV DH EA YD1 SPLINE, PART III, METRIC MODULE INVOLUTE INSPECTION - 23 MAR 84 ..... | A | DRPR | | AR | 29-MAR-85 | AR | AS | | 16 |
| | | | ANSI-B93.11M-87 | MACHINERY, INDUSTRIAL, PNEUMATIC FLUID POWER - SYSTEM STANDARD FOR - 15 DEC 87 REVIEWER: 84 GS | A | 34GP | | IP | 16-MAY-89 | MR | SH | | 99 |
| | | | ANSI-B94.2-83R88 | REAMER - 30 SEP 1983 (REAPPROVED 1988) REVIEWER: 84 AR ME ..... | A | 3455 | | IP | 26-JAN-89 | AL | SH | | 99 |
| | | | ANSI-B94.19-77 | MILLING CUTTERS & END MILLS - 1977 REVIEWER: GS ..... | A | 3455 | | AL | 08-JAN-82 | AL | | | 99 |
| | | | ANSI-B94.25-82 | TOOL, CUTTING, INDEXABLE INSERTS FOR - 5 MAR 1982 REVIEWER: 84 AR ME ..... | A | 3455 | | IP | 26-JAN-89 | AL | SH | | 99 |
| D | | | ANSI-B107.1-78R85 | WRENCHES, SOCKETS, HAND (INCH SERIES) - 8 NOV 1978 REAFFIRMED 1985 USER: MC ME YD1 REVIEWER: 84 AS GL | A | 5120 | | AR | 28-AUG-87 | AR | SH | | 99 |
| D | | | ANSI-B107.2-78R85 | WRENCHES, SOCKET, POWER DRIVE (IMPACT) (INCH SERIES - 1 JAN 1975 REAFFIRMED 1985 USER: MC ME YD1 REVIEWER: 84 AS GL | A | 5120 | | AR | 28-AUG-87 | AR | SH | | 99 |
| D | | | ANSI-B109.1-86 | GAS, DIAPHRAGM TYPE, DISPLACEMENT METERS (500 CUBIC FEET PER HOUR CAPACITY AND UNDER) - 9 JAN 1987 | A | 6680 | | YD1 | 17-SEP-91 | | YD1 | | |
| D | | | ANSI-B109.2-86 | GAS, DIAPHRAGM TYPE, DISPLACEMENT METERS (OVER 500 CUBIC FEET PER HOUR CAPACITY) - 9 JAN 1987 | A | 6680 | | YD1 | 17-SEP-91 | | YD1 | | |
| D | | | ANSI-B109.3-86 | GAS, ROTARY TYPE, DISPLACEMENT METERS - 9 JAN 1987 ..... | A | 6680 | | YD1 | 17-SEP-91 | | YD1 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | GPL / QML Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | ANSI-C2-84 | ELECTRICAL SAFETY CODE, NATIONAL - 15 JUL 83 USER: MC REVIEWER: 80 99 GS ME SH | A | 5975 | | YD1 | 27-OCT-85 | ER | YD1 | 85 | |
| D | | | ANSI-C12.20-81 | TRANSFORMERS, 500 KVA AND SMALLER: HIGH - VOLTAGE, 67,000 VOLTS & BELOW; LOW - VOLTAGE, 15,000 VOLTS & BELOW, REQUIREMENTS FOR OVERHEAD - TYPE DISTRIBUTION - 31 DEC 80 REVIEWER: 80 GS SH | A | 6120 | | ME | 16-JUL-85 | | YD1 | 99 | |
| D | | | ANSI-C29.1-81 | INSULATORS, ELECTRICAL POWER, TEST METHODS FOR - 30 OCT 81 USER: EC MC SH REVIEWER: 99 GS | A | 5970 | | ME | 09-JAN-84 | ME | YD1 | 85 | |
| D | | | ANSI-C29.2-83 | INSULATORS-WET-PROCESS PORCELAIN AND TOUGHENED GLASS-SUSPENSION TYPE - 16 JUN 1982 USER: EC MC SH REVIEWER: 99 GS | A | 5970 | | ME | 25-JUN-85 | ME | YD1 | 85 | |
| D | | | ANSI-C29.3-80 | INSULATORS-WET-PROCESS PORCELAIN (SPOOL TYPE) AMERICAN NATIONAL STANDARD - 31 DEC 79 USER: EC MC SH REVIEWER: 99 GS | A | 5970 | | ME | 09-JAN-84 | ME | YD1 | 85 | |
| D | | | ANSI-C29.4-84 | INSULATORS-STRAIN TYPE, WET PROCESS PORCELAIN - 24 JULY 1984 ..... | A | 5970 | | ME | 25-JUN-85 | ME | YD1 | 85 | |
| D | | | ANSI-C29.5-84 | INSULATOR, WET PROCESSPORCELAIN, LOW & MEDI UM VOLTAGE TYPES, AMERICAN NATIONAL STANDARD FOR - 7 AUG 84 USER: EC MC SH REVIEWER: 99 GS | A | 5970 | | ME | 25-JUN-85 | ME | YD1 | 85 | |
| D | | | ANSI-C29.6-84 | INSULATOR, WET PROCESS PORCELAIN (HIGH VOLTAGE PIN TYPE) - 7 AUG 84 USER: EC MC SH REVIEWER: 99 GS | A | 5970 | | ME | 25-JUN-85 | ME | YD1 | 85 | |
| D | | | ANSI-C37.6-79 NOTICE 1 | CIRCUIT BREAKER, AC HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS, PREFERRED RATINGS & RELATED REQUIRED CAPABILITIES FOR - 24 APR 79 [VALIDATION DATE: 8804] REVIEWER: 80 GS | A | 6110 | | YD1 | 11-APR-88 | ME | YD1 | 99 | |
| D | | | ANSI-C37.11-79 NOTICE 1 | CIRCUIT BREAKERS, HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS OR A TOTAL CURRENT BASIS, REQUIREMENTS FOR - 6 APR 79 [VALIDATION DATE: 8804] USER: SH REVIEWER: GS | A | 6110 | | YD1 | 19-APR-88 | ME | YD1 | 99 | |
| D | | | ANSI-C37.16-80 NOTICE 1 | CIRCUIT BREAKER, POWER & AC POWER CIRCUIT PROTECTORS, PREFERRED RATINGS & RELATED REQUIREMENTS & APPLICATION RECOMMENDATIONS FOR LOW VOLTAGE - 6 FEB 80 [VALIDATION DATE: 8805] USER: OS SH REVIEWER: 80 GS | A | 6110 | | YD1 | 04-MAY-88 | ME | YD1 | 99 | |
| D | | | ANSI-C37.17-79 NOTICE 1 | TRIP DEVICE, FOR AC & GENERAL PURPOSE DC LOW VOLTAGE POWER CIRCUIT BREAKER, STANDARD FOR - 9 MAY 79 [VALIDATION DATE: 8904] REVIEWER: 80 GS ME SH | A | 6110 | | YD1 | 27-APR-89 | | YD1 | 99 | |
| D | | | ANSI-C37.32-72 | AIR SWITCHE, BUS SUPPORTS, & SWITCH ACCESSORIES, AMERICAN NATIONAL STANDARD SCHEDULES OF PREFERRED RATINGS, MANUFACTURING SPECIFICATIONS & APPLICATION GUIDE FOR HIGH VOLTAGE - 4 MAY 72 REVIEWER: 80 ER GS | A | 6110 | | YD1 | 30-NOV-84 | ME | YD1 | 99 | |
| D | | | ANSI-C37.42-81 NOTICE 1 | DISTRIBUTION CUTOUT & FUSE LINK, SPECIFICATIONS FOR - 1981 [VALIDATION DATE: 8805] | A | 5920 | | YD1 | 04-MAY-88 | ME | YD1 | 85 | |
| D | | | ANSI-C37.44-81 | DISTRIBUTION OIL CUTOUTS AND FUSE LINKS, STANDARD SPECIFICATION FOR - 22 MAY 80 REVIEWER: 80 85 GS ME | A | 6110 | | YD1 | 07-OCT-83 | ER | YD1 | 99 | |
| D | | | ANSI-C37.46-81 | FUSE, POWER, & FUSE DISCONNECTING SWITCHES - 22 MAY 1980 REVIEWER: 80 GS .. | A | 6110 | | YD1 | 29-MAY-87 | | YD1 | 99 | |
| D | L | | ANSI-C39.1-81 NOTICE 1 | ELECTRICAL ANALOG INDICATING INSTRUMENTS, REQUIREMENTS FOR ..... | A | 6625 | * | YD1 | 21-OCT-91 | | YD1 | | |
| D | | | ANSI-C50.10-77 | MACHINE, SYNCHRONOUS, GENERAL REQUIREMENTS FOR - 4 AUG 75 REVIEWER: 80 GS . | A | 6115 | | YD1 | 14-JAN-85 | ME | YD1 | 99 | |
| D | | | ANSI-C50.13-89 | GENERATOR, CYLINDRICAL ROTOR SYNCHRONOUS, ROTATING ELECTRICAL MACHINERY AMERICAN NATIONAL STANDARD FOR - 23 JAN 89 REVIEWER: 80 GS | A | 6115 | | YD1 | 25-JUL-90 | ME | YD1 | 99 | |
| D | L | | ANSI-C50.41-82 NOTICE 1 | MOTORS, POLYPHASE INDUCTION, FOR POWER GENERATING STATIONS, STANDARDS FOR . | A | 6105 | * | YD1 | 23-DEC-91 | | YD1 | | |
| D | | | ANSI-C57.12.10-77 | TRANSFORMER 230 000 VOLTS & BELOW 833/958 THROUGH 8333/10 417 KVA,SINGLE PHASE, & 750/862 THROUGH 60 000/80 000/100 000 KVA, THREE PHASE, AMERICAN NATIONAL STANDARD REQUIREMENTS FOR - 13 SEPT 76 REVIEWER: 80 GS SH | A | 6120 | | YD1 | 28-JUN-86 | ME | YD1 | 99 | |
| D | | | ANSI-C57.12.20-81 | TRANSFORMER, 500 KVA 6 SMALLER: HIGH VOLTAGE, 67,000 VOLTS & BELOW; LOW VOLTAGE, 15,000 VOLTS & BELOW, OVERHEAD TYPE DISTRIBUTION, REQUIREMENTS FOR - 31 DEC 80 REVIEWER: 80 GS SH | A | 6120 | | YD1 | 16-JUL-85 | ME | YD1 | 99 | |
| D | | | ANSI-C57.12.22-80 | TRANSFORMER, WITH HIGH VOLTAGE BUSHINGS: HIGH VOLTAGE 34 500 GRDY/19 920 VOLTS & BELOW, 2500 KVA & SMALLER, PAD MOUNTED, COMPARTMENTAL TYPE, SELF COOLED, THREE PHASE DISTRIBUTION, AMERICAN NATIONAL STANDARD REQUIREMENTS FOR - 22 OCT 79 REVIEWER: GS SH | A | 6120 | | YD1 | 21-JUL-85 | ME | YD1 | 99 | |
| D | | | ANSI-C57.12.25-81 | TRANSFORMER, WITH SEPARABLE INSULATED HIGH VOLTAGE CONNECTORS, HIGH VOLTAGE, 34,500 GRDY/19 920 VOLTS & BELOW, LOW VOLTAGE 240/120 VOLTS, 167 KVA & SMALLER, PAD MOUNTED, COMPARTMENTAL TYPE, SELF COOLED, SINGLE PHASE DISTRIBUTION - 12 JAN 81 REVIEWER: 80 GS SH | A | 6120 | | YD1 | 15-AUG-85 | ME | YD1 | 99 | |
| | | | ANSI-C73A-80 | PLUGS AND RECEPTACLES, DIMENSIONS OF ATTACHMENT, FOR MARINE SHIP-TO-SHORE USE FOR SMALL CRAFT (SUPPLEMENT FOR ATTACHED ANSI C73-73) - 1980 | A | 6525 | | MB | 31-AUG-89 | EA | MS | 99 | MB |
| | | | ANSI-C78.1-78R84 | LAMP, FLUORESCENT, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF - RAPID START TYPES, AMERICAN NATIONAL STANDARD FOR THE - 10 APR 78 REVIEWER: 82 | A | 6240 | | ME | 25-JUN-85 | ME | SH | 99 | |
| | | | ANSI-C78.2-78R84 | LAMP, FLUORESCENT - PREHEAT-START TYPES, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF - 18 JUL 78 REVIEWER: 82 | A | 6240 | | ME | 25-JUN-85 | ME | SH | 99 | |
| | | | ANSI-C78.3-78R84 | LAMP, FLUORESCENT - INSTANT START & COLD-CATHODE TYPES, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF, AMERICAN NATIONAL STANDARD FOR -10 APR 78 REVIEWER: 84 GS | A | 6240 | | ME | 25-JUN-85 | ME | SH | 99 | |
| | | | ANSI-C78.40-85 | LAMPS, MERCURY - SPECIFICATIONS, AMERICAN NATIONAL STANDARD FOR - 25 MAY 85 USER: SH REVIEWER: 82 GS | A | 6240 | | ME | 15-DEC-86 | ME | | 99 | |
| D | | | ANSI-C78.41-87 NOTICE 2 | ELECTRIC LAMPS - LOW-PRESSURE SODIUM LAMPS, AMERICAN NATIONAL STANDARD FOR [VALIDATION DATE: 9204] USER: SH REVIEWER: 82 GS | A | 6240 | * | YD1 | 02-APR-92 | | YD1 | 99 | |
| A | | | ANSI-C78.180-72 NOTICE 1 | LAMP STARTERS, FLUORESCENT, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9206] | A | 6250 | * | ME | 22-JUN-92 | ME | SH | 99 | |
| A | | | ANSI-C78.390-85 NOTICE 1 | LAMPS, INCANDESCENT, MINIATURE AND SEALED BEAM, METHOD OF DESIGNATION REVIEWER: 82 AS AT AV MI | A | 6240 | * | GS | 12-FEB-93 | ME | SH | 99 | GS |
| D | | | ANSI-C78.1341-90 NOTICE 1 | ELECTRIC LAMPS - 750-WATT, 120-VOLT SELF-BALLASTED MERCURY LAMPS REVIEWER: 82 GS | A | 6240 | * | YD1 | 01-OCT-91 | ME | YD1 | 99 | |
| D | | | ANSI-C78.1342-90 NOTICE 1 | ELECTRIC LAMPS - 160-WATT 120-VOLT 887 SELF-BALLASTED MERCURY LAMPS REVIEWER: 82 GS | A | 6240 | * | YD1 | 01-OCT-91 | ME | YD1 | 99 | |
| D | | | ANSI-C78.1350-90 | LAMPS ELECTRIC- 400- WATT 100-VOLT, S51 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS - 11 MAY 90 USER: SH REVIEWER: 82 GS | A | 6240 | | YD1 | 22-FEB-91 | ME | YD1 | 99 | |
| D | | | ANSI-C78.1351-89 | LAMPS, SODIUM, HIGH PRESSURE, 250 WATT, 100-VOLT S50 SINGLE-ENDED, STANDARD FOR ELECTRIC LAMPS - 26 JUL 89 USER: YD1 REVIEWER: 82 | A | 6240 | | ME | 19-MAR-90 | ME | SH | 99 | |
| | | | ANSI-C78.1352-90 | LAMPS, ELECTRIC, 1000 WATT, 250-VOLT, S52 SINGLE-ENDED HIGH PRESSURE SODIUM LAMPS, STANDARD FOR - 11 MAY 90 USER: 82 | A | 6240 | | ME | 24-JAN-91 | ME | SH | 99 | |
| D | | | ANSI-C78.1353-90 | LAMP ELECTRIC - 70- WATT S62 HIGH PRESSURE SODIUM LAMPS - 11 MAY 90 USER: SH REVIEWER: 82 GS | A | 6240 | | YD1 | 22-FEB-91 | ME | YD1 | 99 | |
| D | | | ANSI-C78.1354-90 | LAMPS ELECTRIC - 100 WATT, 55 VOLT, S54 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS - 11 MAY 90 REVIEWER: 82 GS | A | 6240 | | YD1 | 22-FEB-91 | ME | YD1 | 99 | |
| D | | | ANSI-C78.1355-89 | LAMPS, ELECTRIC, 150-WATT, 55-VOLT, S55 HIGH-PRESSURE SODIUM LAMPS - 20 FEB 89 REVIEWER: 82 YD1 | A | 6240 | | ME | 31-JUL-90 | ME | SH | 99 | |
| D | | | ANSI-C78.1358-88 NOTICE 2 | ELECTRIC LAMPS, 35-WATT S76 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS, AMERICAN STANDARD FOR [VALIDATION DATE: 9204] USER: SH REVIEWER: 82 GS | A | 6240 | * | YD1 | 07-APR-92 | | YD1 | 99 | |
| D | | | ANSI-C78.1359-88 | LAMPS, ELECTRIC, 50-WATT, S68 SINGLE-ENDED, HIGH-PRESSURE SODIUM LAMP - 15 SEP 1988 REVIEWER: 82 GS | A | 6240 | | YD1 | 29-JUL-91 | ME | YD1 | 99 | |
| D | | | ANSI-C78.1375-90 | LAMPS, ELECTRIC - 400-WATT, M59 SINGLE-ENDED METAL-HALIDE LAMPS - 21 FEB 1990 REVIEWER: GS | A | 6240 | | YD1 | 05-SEP-91 | | YD1 | | |
| | | | ANSI-C78.1376-84 | LAMPS, 1,000-WATT M47 METAL-HALIDE, FOR ELECTRIC LAMPS - 23 MAR 1984 REVIEWER: GS | A | 6240 | | 82 | 07-NOV-85 | ME | SH | 99 | |
| D | | | ANSI-C78.1377-90 NOTICE 1 | ELECTRIC LAMPS - 175-WATT, M57 SINGLE-ENDED METAL-HALIDE LAMPS USER: SH REVIEWER: 82 GS | A | 6240 | * | YD1 | 01-OCT-91 | ME | YD1 | 99 | |
| D | | | ANSI-C78.1378-90 | LAMPS, ELECTRIC - 250-WATT, M58 SINGLE-ENDED METAL-HALIDE LAMPS - 21 FEB 1990 REVIEWER: GS | A | 6240 | | YD1 | 05-SEP-91 | | YD1 | | |
| | | | ANSI-C78.1403-89 | LAMP, FCS PROJECTION, LAMPS ELECTRIC STANDARD FOR - 26 JUL 89 ..... | A | 6240 | | ME | 19-MAR-90 | ME | SH | 99 | |
| D | | | ANSI-C78.1404-85 NOTICE 1 | ELECTRIC LAMPS - DHF PROJECTION LAMP REVIEWER: AS GS ..... | A | 6240 | * | YD1 | 01-OCT-91 | ME | YD1 | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | CRL / Cnfl. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | ANSI-C78.1405-85 NOTICE 1 | ELECTRIC LAMPS - ELM PROJECTION LAMP USER: MC REVIEWER: AS GS ..... | A | 6240 | * | YD1 | 01-OCT-91 | ME | YD1 | 99 | | |
| | | | ANSI-C78.1408-80 | LAMP CBA PROJECTION - 3 JUL 80 (VALIDATION DATE: 8306) ..... | A | 6240 | | 82 | 23-JUN-82 | | SH | 99 | | |
| D | | | ANSI-C78.1409-85 NOTICE 2 | LAMPS, ELECTRIC, EJL PROTECTION LAMPS REVIEWER: GS SH ..... | A | 6240 | | ME | 10-NOV-87 | ME | YD1 | 99 | | |
| | | | ANSI-C78.1414-82 | DDM PROJECTION LAMP - 8 MAR 82 USER: AS MC SH REVIEWER: GS ME ..... | A | 6240 | | 82 | 12-JAN-84 | | | 99 | | |
| | | | ANSI-C78.1415-82 | LAMP, DED PROJECTION - 8 MAR 82 USER: MC OS REVIEWER: AS GS ME ..... | A | 6240 | | 82 | 09-NOV-83 | | SH | 99 | | |
| D | | | ANSI-C78.1416-85 NOTICE 1 | ELECTRIC LAMPS - FHS PROJECTION LAMP REVIEWER: 82 GS ..... | A | 6240 | * | YD1 | 01-OCT-91 | ME | YD1 | 99 | | |
| D | | | ANSI-C80.1-83 | CONDUIT, RIGID STEEL, ZINC COATED, STANDARD FOR MAR 1983 REVIEWER: 99 GS .. | A | 5975 | | YD1 | 30-MAY-86 | ER | YD1 | 85 | | |
| D | | | ANSI-C80.3-83 NOTICE 2 | TUBING, ELECTRICAL METALLIC - ZINC COATED, STANDARD FOR (VALIDATION DATE: 9110) REVIEWER: 99 GS | A | 5975 | * | YD1 | 09-OCT-91 | ER | YD1 | 85 | | |
| D | | | ANSI-C80.5-90 NOTICE 1 | CONDUIT, ALUMINUM, RIGID, AMERICAN NATIONAL STANDARD FOR REVIEWER: 99 CE MC | A | 5975 | * | YD1 | 14-JUL-92 | ME | YD1 | 85 | | |
| D | | | ANSI-C81.10-76 | LAMP BASES & HOLDERS, ELECTRIC, - SCREW - SHELL TYPES - 1 SEP 76 W/REV PAGES USER: EC OS SH YD1 REVIEWER: 82 CR GS ME MI | A | THDS | | IS | 07-JUN-84 | AR | | 11 | IS | |
| D | L | | ANSI-C82.1-85 NOTICE 1 | LAMPS, FLUORESCENT, BALLASTS FOR - SPECIFICATIONS, STANDARD FOR ..... | A | 6240 | * | YD1 | 23-DEC-91 | | YD1 | | | |
| D | L | | ANSI-C82.2-84 NOTICE 1 | LAMP, FLUORESCENT, BALLASTS - METHODS OF MEASUREMENT, STANDARD FOR ..... | A | 6240 | * | YD1 | 23-DEC-91 | | YD1 | | | |
| D | | | ANSI-C82.4-85(2) | BALLASTS, FOR HIGH-INTENSITY-DISCHARGE, AND LOW-PRESSURE SODIUM LAMPS (MULTIPLE SUPPLY TYPE), STANDARD FOR REVIEWER: 82 GS | A | 6250 | * | YD1 | 13-JAN-92 | | YD1 | 99 | | |
| | | | ANSI-C95.3-73 | RADIATION, ELECTROMAGNETIC, POTENTIALLY HAZARDOUS, AT MICROWAVE FREQUENCIES, TECHNIQUES & INSTRUMENTATION FOR THE MEASUREMENT OF - 1973 (VALIDATION DATE: 8204) | A | EMCS | | EC | 01-SEP-72 | CR | EC | 11 | | |
| | | | ANSI-C98.18M-79 | TAPE RECORDING, VIDEO, BASIC SYSTEM & TRANSPORT GEOMETRY PARAMETERS FOR 1 IN TYPE C HELICAL SCAN - 9 AUG 79 (VALIDATION DATE: 8306) REVIEWER: ES | A | 5820 | | 80 | 22-JUL-81 | CR | CG | 99 | | |
| | | | ANSI-C98.19M-79 | TAPE RECORDING,VIDEO, DIMENSIONS & LOCATION OF RECORDS FOR 1 IN TYPE C HELICAL SCAN - 09 AUG 79 (VALIDATION DATE: 8306) REVIEWER: ES | A | 5820 | | 80 | 22-JUL-81 | CR | CG | 99 | | |
| | | | ANSI-C98.20M-79 | TAPE RECORDING, VIDEO, FREQUENCY RESPONSE & REFERENCE LEVEL OF RECORDERS & REPRODUCERS FOR AUDIO RECORDS FOR 1 IN TYPE C HELICAL SCAN - 9 AUG 79 (VALIDATION DATE: 8306) REVIEWER: ES | A | 5820 | | 80 | 22-JUL-81 | CR | CG | 99 | | |
| D | | | ANSI-C135.7-87 | ZINC-COATED SPOOL TYPE SECONDARY RACKS, AMERICAN NATIONAL STANDARD FOR - 1987 | A | 5970 | | YD1 | 29-AUG-90 | | YD1 | | | |
| D | L | | ANSI-C136.3-89 NOTICE 1 | ROADWAY LIGHTING EQUIPMENT - LUMINAIRE ATTACHMENTS, STANDARD FOR ..... | A | 6240 | * | YD1 | 23-DEC-91 | | YD1 | | | |
| D | L | | ANSI-C136.13-87 NOTICE 1 | ROADWAY LIGHTING - METAL BRACKETS FOR WOOD POLES, STANDARD FOR ..... | A | 6240 | * | YD1 | 23-DEC-91 | | YD1 | | | |
| D | | | ANSI-H35.1-85 | ALUMINUM, ALLOY & TEMPER DESIGNATION SYSTEMS AMERICAN NATIONAL STANDARD FOR - 22 OCT 85 USER: OS YD1 REVIEWER: 84 99 AL IS SH | A | 95GP | | AS | 15-MAR-88 | MR | AS | 11 | | |
| | | | ANSI-H35.1M-85 | ALUMINUM, ALLOY AND TEMPER DESIGNATION SYSTEMAMERICAN NATIONAL STANDARD FOR (METRIC) - 1985 | A | 95GP | | AS | 15-MAR-88 | MR | AS | 11 | | |
| D | | | ANSI-H35.2-85 | ALUMINUM MILL PRODUCTS, DIMENSIONAL TOLERANCES FOR - 22 OCT 1985 USER: OS YD1 REVIEWER: 84 99 AL IS SH | A | 95GP | | AS | 15-MAR-88 | MR | AS | 11 | | |
| D | | | ANSI-H35.2M-85 | ALUMINUM MILL PRODUCTS, DIMENSIONAL TOLERANCES FOR - 22 OCT 1985 (METRIC USER: OS YD1 REVIEWER: 84 99 AL AV IS SH | A | 95GP | | AS | 15-MAR-88 | MR | AS | 11 | | |
| | | | ANSI-IT9.10-91 NOTICE 1 | DETERMINATION OF THE CURL OF PHOTOGRAPHIC FILM USER: 11 14 18 19 AR AT CS ES GS IS MI SA SC SH TD | A | EDRS | / | 16 | 16-APR-92 | CR | AS | 16 | | |
| | | | ANSI-MC96.1-75 | THERMOCOUPLES, TEMPERATURE MEASUREMENT - 1975 (VALIDATION DATE: 8601) REVIEWER: AR ME | A | 34GP | | IP | 05-APR-79 | AL | SH | 99 | | |
| | | | ANSI-MD156.11-72 | DENTAL AGAR IMPRESSION MATERIAL, AMERICAN NATIONAL STANDARD FOR - 1972 .... | A | 6520 | | MB | 26-AUG-88 | MD | MS | 03 | | |
| | | | ANSI-MH1.1.2-79 | PALLET DEFINITIONS & TERMINOLOGY - 31 JAN 79 REVIEWER: 84 AR AS AT CS IS MC ME MI MT SH | A | PACK | | SM | 20-DEC-85 | SM | SA | 99 | | |
| | | | ANSI-MH2.1-79 | DRUM, UNIVERSAL STEEL, 55 GALLON (208 LITER) TIGHT HEAD (DOT-17E, UFC-RULE 40, NMFC-ITEM 260) 1979 | A | 8110 | | SA | 31-MAR-81 | GL | SA | 69 | | |
| | | | ANSI-MH2.3-79 | DRUM, 55 GALLON (208 LITER) TIGHT HEAD UNIVERSAL STEEL (DOT-5B)- 1979 ..... | A | 8110 | | SA | 15-APR-81 | GL | SA | 69 | | |
| | | | ANSI-MH2.5-79 | DRUM, 55 GALLON (208 LITER) FULL REMOVABLE HEAD UNIVERSAL STEEL, DOT 17H, UFC RULE 40, NMFC TEM 260) - 1979 | A | 8110 | | SA | 31-MAR-81 | GL | SA | 69 | | |
| | | | ANSI-MH2.8-79 | DRUM, UNIVERSAL STEEL, 16 GALLON (61 LITER) FULL REMOVABLE HEAD LUG COVER (UFC RULE 40, NMFC ITEM 260) - 1979 | A | 8110 | | SA | 31-MAR-81 | GL | SA | 69 | | |
| | | | ANSI-MH2.9-79 | PAIL, UNIVERSAL STEEL, 5 GALLON (19 LITER) TIGHT HEAD, DOT-17E, DOT-37B60, UFC RULE 40, NMFC-ITEM 260) - 1979 | A | 8110 | | SA | 31-MAR-81 | GL | SA | 69 | | |
| | | | ANSI-MH2.14-79 | DRUM, UNIVERSAL STEEL, 16 GALLON (61 LITER) FULL REMOVABLE HEAD (UFC RULE 40, NMFC-260) - 1979 | A | 8110 | | SA | 31-MAR-81 | GL | SA | 69 | | |
| | | | ANSI-MH2.15-79 | PAIL, UNIVERSAL STEEL, 5 GALLON (19 LITER) NESTING LUG-COVER, (DOT-37A80, DOT-37A60, UFC RULE 40, NMFC TTEM 260) - 1979 | A | 8110 | | SA | 31-MAR-81 | GL | SA | 69 | | |
| | | | ANSI-MH3.1-74 | CAN, ROUND METAL MOTOR OIL, REQUIREMENTS FOR - 1974 ..... | A | 8110 | | SA | 31-MAR-81 | GL | SA | 69 | | |
| | | | ANSI-MH3.3-75 | GREASE CARTRIDGE, 201.5 X 904.5 - 1975 ..... | A | 4930 | | SA | 31-MAR-81 | ME | SA | 99 | | |
| | | | ANSI-MH3.4-76 | CAN, ROUND COMPOSITE MOTOR OIL - 1976 ..... | A | 8110 | | SA | 31-MAR-81 | GL | SA | 69 | | |
| | | | ANSI-MH10.6M-83 | VEHICLES UNIT LOAD HEIGHTS FOR PALLATIZED LOADS, AMERICAN NATIONAL STANDARD FOR SURFACE - 1 APR 83 REVIEWER: 43 AS AT CS GS ME MI SA | A | PACK | | SM | 02-JUL-84 | SM | OS | 69 | DH | |
| D | | | ANSI-MH27.1-81 | CRANE, UNDERHUNG AND MONORAIL SYSTEMS - 8 JUN 1981 ..... | A | 3950 | | YD1 | 23-NOV-89 | | YD1 | | | |
| | | | ANSI-O1.1-75 | MACHINERY, WOODWORKING, SAFETY REQUIREMENTS FOR - 1975 (VALIDATION DATE: 8601) REVIEWER: AR ME | A | 34GP | | IP | 12-DEC-78 | AL | SH | 99 | | |
| D | | | ANSI-O5.1-87 | WOOD POLES, SPECIFICATIONS & DIMENSIONS FOR - 25 AUG 87 USER: SH REVIEWER: 99 CS | A | 5510 | | ME | 10-JUL-90 | ME | YD1 | | | |
| | | | ANSI-PH1.10-81 | FILM, PHOTOGRAPHIC, I N ROLLS, INCLUDING LE ADERS & TRAILERS FOR AERIAL & RELATED USES , DIMENSIONS FOR UNPE RFORATED & PERFORATED - 13 JUL 81 REVIEWER: NV | A | 6750 | | AS | 04-MAY-83 | ER | AS | 99 | | |
| | | | ANSI-PH1.13-79 NOTICE 1 | FILM ROLLS, PHOTOGRAPHIC, (PLASTIC, WOOD, OR METAL) DIMENSIONS FOR CORES FOR - 29 NOV 79 (VALIDATION DATE: 8705) REVIEWER: NV | A | 6750 | | AS | 12-MAY-87 | ER | AS | 99 | | |
| | | | ANSI-PH1.14-76 | FILM MAGAZINES,135 SIZE, & FILM FOR 135 SIZE STILL PICTURE CAMERAS, DIMENSIONS FOR - 28 MAY 76 REVIEWER: NV | A | 6750 | | AS | 15-MAY-80 | ER | AS | 99 | | |
| | | | ANSI-PH1.16-79 | FILM, GRAPHIC ARTS SH EETS & ROLL, DIMENSIO NS FOR - 6 APR 79 REVIEWER: NV | A | 6750 | | AS | 04-MAY-83 | ER | AS | 99 | | |
| | | | ANSI-PH1.17-83 | MEDICAL RADIOGRAPHIC SHEET & ROLL FILMS - DIMENSIONS ( FILM) AMERICAN NATIONAL STANDARD FOR PHOTOGRAPHY - 1983 | A | 6525 | | MB | 31-JUL-86 | MD | MS | 03 | | |
| | | | ANSI-PH1.21-80 | FILM, ROLL, BACKING P APER, & SPOOLS, DIMEN SIONS FOR - 22 OCT 79 REVIEWER: NV | A | 6750 | | AS | 04-MAY-83 | ER | AS | 99 | | |
| | | | ANSI-PH1.25-83 | PHOTOGRAPHY (FILM) SAFETY PHOTOGRAPHIC FILM - 2 NOV 82 ..... | A | 6760 | | AS | 31-MAY-83 | | AS | 16 | | |
| | | | ANSI-PH1.28-81 NOTICE 1 | FILM, PHOTOGRAPHIC, FOR ARCHIVAL RECORDS, SILVER GELATIN TYPE, ON CELLULOSE ESTER BASE, SPECIFICATION FOR - 24 FEB 81 USER: AR OS SH REVIEWER: AT MC ME MI SA | A | EDRS | | 16 | 13-JUN-83 | ER | AS | 16 | DH | |
| | | | ANSI-PH1.29-85 | PHOTOGRAPHY (FILM) METHODS FOR DETERMINING CURL - 7 JAN 85 - USER: 24 AL CS EC ES GS REVIEWER: 11 13 18 19 AR AT MI SA SC SH TD | A | EDRS | | 16 | 09-AUG-89 | CR | AS | 16 | DH | |
| | | | ANSI-PH1.30-80 | FILM, PHOTOGRAPHIC, 1M ROLLS FOR RECORDING INSTRUMENTS & MISCELLANEOUS USES, DIMENSIONS FOR - 22 OCT 79 REVIEWER: NV | A | 6750 | | AS | 16-JUN-80 | ER | AS | 99 | | |
| | | | ANSI-PH1.31-73R80 NOTICE 1 | FILM, PHOTOGRAPHIC, METHOD FOR DETERMINING THE BRITTLENESS OF - 27 DEC 1972 (REAFFIRMED 1980 (VALIDATION DATE: 8708) REVIEWER: NV | A | 6750 | | AS | 20-AUG-87 | ER | AS | 99 | | |
| | | | ANSI-PH1.32-73 | FILMS & PAPERS, PHOTOGRAPHIC, METHODS FOR DETERMINING THE DIMENSIONAL CHANGE CHARACTERISTICS OF - 8 JAN 73 | A | 6750 | | AS | 16-JUN-80 | ER | AS | 99 | | |
| | | | ANSI-PH1.33-80 | SPOOL, 16 MM 100 FT, 16MM 200 FT, 35MM 1 00 FT, & 70 MM 100 F T, FOR RECORDING INST RUMENTS & FOR MICROFI LM & STILL PICTURES C AMERAS, DIMENSIONS FO R - 8 FEB 80 REVIEWER: NV | A | 6750 | | AS | 04-MAY-83 | ER | AS | 99 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / ORM Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ANSI-PH1.39-79 NOTICE 1 | DIMENSIONS FOR 70MM FILM MAGAZINES & FILM FOR STILL PICTURE CAMERAS - 29 NOV 78 [VALIDATION DATE: 8705] REVIEWER: NV | A | 6750 | AS | 12-MAY-87 | ER | AS | 99 | |
| | | ANSI-PH1.43-85 | PHOTOGRAPHY (FILM) - PROCESSED SAFETY FILM - STORAGE - 7 AUG 85 USER: 24 CS ES GS REVIEWER: 11 13 18 19 | A | EDRS | 16 | 09-AUG-89 | CR | AS | 16 | DH |
| | | ANSI-PH1.49-79 | FILM CASSETTES, MEDICAL RADIOGRAPHIC, AMERICAN NATIONAL STANDARD SPECIFICATIONS FOR - 1979 | A | 6525 / MB | | 13-JUN-86 | MD | MS | 03 | |
| | | ANSI-PH1.50-82 | SCREENS, RADIOGRAPHIC FILM CASSETTE INTENSIFYING, DIMENSIONS FOR, AMERICAN NATIONAL STANDARD FOR - 1982 | A | 6530 | MB | 28-NOV-86 | MD | MS | 03 | |
| | | ANSI-PH1.53-78 | PROCESSED PHOTOGRAPHIC FILMS, PLATES, & PAPERS, PHOTOGRAPHIC FILING ENCLOSURES FOR STORING, REQUIREMENTS FOR - 10 APR 78 | A | 6760 | AS | 04-APR-83 | CE | AS | 16 | |
| | | ANSI-PH2.2-81 | SENSITOMETRY & GRADING OF BLACK & WHITE SILVER HALIDE PHOTOGRAPHIC PAPERS FOR CONTINUOUS TONE REFLECTION PRINTS - 18 JUN 81 REVIEWER: 70 NV | A | 6750 | AS | 20-FEB-84 | ER | AS | 99 | |
| | | ANSI-PH2.5-79R86 NOTICE 1 | PHOTOGRAPHIC NEGATIVE MATERIALS (MONOCHROME, CONTINUOUS TONE), METHOD FOR DETERMINING SPEED OF - 26 JUN 1979 (REAFFIRMED 1986 [VALIDATION DATE: 8708] REVIEWER: NV | A | 6760 | AS | 25-AUG-87 | ER | AS | 99 | |
| | | ANSI-PH2.19-86 | DENSITY MEASUREMENTS - GEOMETRIC CONDITIONS FOR TRANSMISSION DENSITY -9 JAN 86 USER: 24 AL CS EC ES GS REVIEWER: 11 13 18 19 AR AT MI SA SC SH TD | A | EDRS | 16 | 09-AUG-89 | CR | AS | 16 | DH |
| | | ANSI-PH2.34-69R77 NOTICE 1 | PHOTOGRAPHY, AERIAL, METHODS FOR DETERMINING THE SPEEDS OF MONOCHROME PHOTOGRAPHIC NEGATIVE FILMS FOR - 21 AUG 69 [VALIDATION DATE: 8705] REVIEWER: NV | A | 6750 | AS | 12-MAY-87 | ER | AS | 99 | |
| | | ANSI-PH2.50-83 | PHOTOGRAPHY - DIRECT-EXPOSURE MEDICAL & DENTAL RADIOGRAPHIC FILM/PROCESS COMBINATIONS - DETERMINATION OF ISO SPEED & AVERAGE GRADIENT - 1983 | A | 6525 | MB | 28-NOV-86 | MD | MS | 03 | |
| | | ANSI-PH3.20-75 | LENSES, DISTANCE SCALES FOR FOCUSING CAMERA - 4 AUG 75 REVIEWER: 99 ..... | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.22-79 | PHOTOGRAPHIC OBJECTIVE, ILLUMINANCE OVER THE FIELD OF A, METHOD FOR DETERMINING THE DISTRIBUTION OF - 24 JUL 79 REVIEWER: 99 | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.29-79 | LENSES, PHOTOGRAPHIC OBJECTIVES AND PROJECTION, METHODS OF DESIGNATING AND MEASURING APERTURES AND RELATED QUANTITIES PERTAINING TO - 19 DEC 1978 REVIEWER: 99 | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.30-78R84 NOTICE 1 | CAMERA ACCESSORY SHOES WITH & WITHOUT ELECTRICAL CONTACTS FOR PHOTOFLASH UNITS, DIMENSIONS FOR - 5 APR 1978 (REAFFIRMED 1984) [VALIDATION DATE: 8708] REVIEWER: NV | A | 6720 | AS | 25-AUG-87 | ER | AS | 99 | |
| | | ANSI-PH3.31-74R87 NOTICE 1 | ENLARGERS, PHOTOGRAPHIC, METHODS FOR TESTING - 21 MAR 1974 (REAFFIRMED 1987 [VALIDATION DATE: 8708] REVIEWER: NV | A | 6740 | AS | 25-AUG-87 | ER | AS | 99 | |
| | | ANSI-PH3.35-77 | LENSES, PHOTOGRAPHIC, METHODS OF DESIGNATING & MEASURING FOCAL LENGTHS & FOCAL DISTANCES OF - 19 JUL 77 REVIEWER: 99 | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.57-78 | OPTICAL TRANSFER FUNCTION MEASUREMENT & REPORTING, GUIDE TO - 7 SEP 77 REVIEWER: 99 | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.63-74 | LENSES, PHOTOGRAPHIC, METHOD OF DETERMINING THE PHOTOGRAPHIC RESOLVING POWER OF - 24 MAY 74 REVIEWER: 99 | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.64-78 NOTICE 1 | PROJECTOR WITH BUILT IN SMALL SCREENS, METHOD FOR TESTING OPTICAL PERFORMANCE OF SLIDE & FILMSTRIP - 19 MAY 78 [VALIDATION DATE: 8705] REVIEWER: NV | A | 6730 | AS | 12-MAY-87 | ER | AS | 99 | |
| | | ANSI-PH3.69-77R82 NOTICE 1 | EQUIPMENT, PHOTOGRAPHIC, METHOD OF MEASURING TEMPERATURE OF - 15 SEPT 1977 (REAFFIRMED 1982) [VALIDATION DATE: 8708] REVIEWER: NV | A | 67GP | AS | 25-AUG-87 | ER | AS | 99 | |
| | | ANSI-PH3.102-83 | TRIPOD CONNECTIONS FOR HEAVY-DUTY OF IMPORTED CAMERAS 3/8-1NCH - 16 THREAD WITH ADAPTER FOR 1/4-1NCH - 20 SCREW FOR PHOTOGRAPHY (CAMERAS) - 8 JUL 83 REVIEWER: 70 NV | A | 6760 | AS | 15-MAY-88 | | AS | 99 | |
| | | ANSI-PH3.601-81 | LENSES, FOCAL LENGTH MARKINGS OF - 21 SEP 81 REVIEWER: 99 ..... | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.607-81 | LENSES, PHOTOGRAPHIC, METHOD OF DETERMINING AND SPECIFYING THE COLOR CONTRIBUTION OF - 3 FEB 1981 REVIEWER: 99 | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.609-80 | OPTICS, PHOTOGRAPHIC, DIMENSIONS FOR RESOLUTION TEST TARGET FOR - 14 JULY 1980 REVIEWER: 99 | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.615-80 | CAMERA OBJECTIVE, STILL - PICTURE, METHOD OF TESTING VEILING GLARE OF - 13 NOV 79 REVIEWER: 99 | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.617-80 | OPTICAL ELEMENTS AND ASSEMBLIES, DEFINITIONS, METHODS OF TESTING, AND SPECIFICATIONS FOR APPEARANCE IMPERFECTIONS OF - 9 OCT 1979 REVIEWER: 99 | A | 6760 | 70 | 03-MAY-85 | ER | AS | 70 | |
| | | ANSI-PH3.704-80R85 NOTICE 1 | EQUIPMENT, PHOTOGRAPHIC STILL PROJECTION, PROJECTED MEDIA TEMPERATURE TEST FOR - 19 DEC 1979 (REAFFIRMED 1985) [VALIDATION DATE: 8708] REVIEWER: NV | A | 6730 | AS | 25-AUG-87 | ER | AS | 99 | |
| | | ANSI-PH3.705-80 | ILLUMINATION TESTS FOR PHOTOGRAPHIC STILL FRONT PROJECTION EQUIPMENT - 19 DEC 79 REVIEWER: 70 NV | A | 6730 | AS | 20-FEB-84 | ER | AS | 99 | |
| | | ANSI-PH4.3-86 | PHOTOGRAPHY PROCESSING TRAYS - 2 DEC 1985 REVIEWER: 70 82 GS MC NV ..... | A | 6740 | AS | 30-JUL-87 | ER | AS | 99 | |
| | | ANSI-PH4.8-85 | CHEMICALS, RESIDUAL THIOSULFATE AND OTHERS, IN FILMS, PLATES, AND PAPERS - DETERMINATION AND MEASUREMENT - 7 JAN 85 - USER: 24 AL CS EC ES GS REVIEWER: 11 13 18 19 AR AT MI SA SC SH TD | A | EDRS | 16 | 09-AUG-89 | CR | AS | 16 | DH |
| | | ANSI-PH4.29-75R80 | FILMS, PHOTOGRAPHIC, PLATES & PAPERS, METHODS FOR MANUAL PROCESSING OF BLACK & WHITE - 5 SEP 75 | A | 6740 | AS | 23-SEP-80 | ER | AS | 99 | |
| | | ANSI-PH5.8-72 NOTICE 1 | MICROFILM, UNITIZED, CARRIERS (APERTURE, CAMERA, COPY & IMAGE CARDS), DIMENSION FOR - 24 MAR 1971 [VALIDATION DATE: 8602] REVIEWER: AG AR AT MC ME MI OS SA SH | A | EDMS | CR | 13-FEB-86 | CR | AS | 16 | |
| | | ANSI-PH5.9-75 | MICROFICHE - 16 DEC 69 USER: MC REVIEWER: AT AV ME MI OS SA SH ..... | A | EDRS | 16 | 30-APR-75 | CR | AS | 16 | |
| | | ANSI-PH5.12-73 NOTICE 1 | MICROFILM CARRIER, THICKNESS OF BUILDUP AREA ON UNITIZED, (APERTURE, CAMERA, COPY & IMAGE CARDS), METHOD FOR MEASURING - 5 SEP 73 [VALIDATION DATE: 8602] REVIEWER: AG AR AT MC ME MI OS SA SH | A | EDRS | CR | 13-FEB-86 | ER | AS | 16 | |
| | | ANSI-PH5.14-73 | MICROFILM CARRIER, ADHESION OF PROTECTION SHEET TO APERTURE ADHESIVE OF UNITIZED, (APERTURE CARD), METHOD FOR DETERMINING - 5 SEP 73 [VALIDATION DATE: 8502] REVIEWER: AG AR AT MC ME MI OS SA SH | A | EDRS | CR | 30-APR-75 | ER | AS | 16 | |
| D | | ANSI-PH5.20-74 | RETRIEVAL SYSTEMS DOCUMENT MARK (BLIP) USED IN IMAGE MARK 1974 REVIEWER: AL AT MC ME MI MU OS SA SH YD1 | A | EDMS | 16 | 30-APR-75 | CR | AS | 16 | DH |
| | | ANSI-PH5.22-75 | CASSETT, DOUBLE CORE (8-1 AXIAL), DIMENSIONS & OPERATIONAL CONSTRAINTS FOR, FOR 16MM PROCESSED MICROFILM - 16 OCT 75 | A | 6760 | CR | 17-AUG-76 | ER | AS | 99 | |
| | | ANSI-PH22.8-81 | FILM, 16MM MOTION PICTURE, DIMENSIONS OF PROJECTABLE IMAGE AREA ON - 28 SEP 81 REVIEWER: NV | A | 6730 | AS | 04-MAY-83 | ER | AS | 99 | |
| | | ANSI-PH22.37-75 | FILM, MOTION PICTURE, DIMENSIONS OF RAW STOCK CORES FOR - 28 MAY 75 REVIEWER: NV | A | 6750 | AS | 18-AUG-80 | ER | AS | 99 | |
| | | ANSI-PH22.93-80 | FILM, 35 MM MOTION PICTURE, PERFORATED BH, DIMENSIONS FOR - 23 SEP 80 REVIEWER: NV | A | 6750 | AS | 04-MAY-83 | ER | AS | 99 | |
| | | ANSI-PH22.109-80 | FILM, 16 MM MOTION P ICTURE FILM, PERFORAT ED 1R, DIMENSIONS FOR - 6 OCT 80 REVIEWER: NV | A | 6750 | AS | 04-MAY-83 | ER | AS | 99 | |
| | | ANSI-PH22.110-80 | FILM, 16MM MOTION PI CTURE, PERFORATED 2R, DIMENSIONS FOR - 6 OC T 80 REVIEWER: NV | A | 6750 | AS | 04-MAY-83 | ER | AS | 99 | |
| | | ANSI-PH22.139-80 | FILM, 35MM MOTION PI CTURE, PERFORATED KS DIMENSIONS FOR - 23 SEP 80 REVIEWER: NV | A | 6750 | AS | 04-MAY-83 | ER | AS | 99 | |
| | | ANSI-PH22.154-82 | FILM, 8MM TYPES MOTION PICTURE, DIMENSIONS OF PROJECTABLE IMAGE AREA ON - 11 MAY 82 REVIEWER: NV | A | 6730 | AS | 04-MAY-83 | ER | AS | 99 | |
| | | ANSI-PH22.164-82 | FILM, 8MM TYPES MOTION PICTURE, POSITION, DIMENSIONS & REPRODUCING SPEED OF MAGNETIC SOUND RECORD ON - 11 MAY 82 REVIEWER: NV | A | 6730 | AS | 04-MAY-83 | ER | AS | 99 | |
| M | | ANSI-S1.4-83 | METERS, SOUND LEVEL, SPECIFICATION FOR REVIEWER: AM AT MD ME OS TD TE YD1 . | A | HFAC | MI | 27-MAY-93 | MI | AS | 11 | |
| M | | ANSI-S1.6-84 NOTICE 1 | MEASUREMENTS, ACOUSTICAL, PREFERRED FREQUENCIES, FREQUENCY LEVELS, AND BAND NUMBER FOR USER: AL YD1 REVIEWER: 10 13 19 AR AT AV CR EA EC MC MD ME MS OS PE SH TD TE | A | HFAC | MI | 27-MAY-93 | MI | AS | 11 | |
| A | | ANSI-S1.10-66 NOTICE 1 | CALIBRATION OF MICROPHONES, METHOD FOR THE REVIEWER: 19 AL AT MD TE TM .... | A | QCIC * | MI | 14-DEC-92 | MI | AS | 11 | |
| M | | ANSI-S1.40-84 | CALIBRATORS, ACOUSTICAL, SPECIFICATION FOR REVIEWER: AM AT MD ME OS TE YD1 | A | HFAC | MI | 27-MAY-93 | MI | AS | 11 | |
| M L | | ANSI-S3.1-91 NOTICE 1 | TEST ROOMS, AUDIOMETRIC, MAXIMUM PERMISSIBLE AMBIENT NOISE LEVELS FOR ..... | A | FACR | YD1 | 10-MAR-93 | | YD1 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| M | ANSI-S3.2-89 NOTICE 1 | SPEECH OVER COMMUNICATION SYSTEMS, METHOD FOR MEASURING THE INTELLIGIBILITY OF USER: AL YD1 REVIEWER: 10 13 19 AR AT AV CR EA EC MC MD ME MS OS PE SH TD TE | A | HFAC | MI | 27-MAY-93 | MI | AS | 11 | |
| A | ANSI-S3.5-69 NOTICE 1 | CALCULATION OF THE ARTICULATION INDEX, METHODS FOR THE REVIEWER: 19 AL AT MD TE TM | A | QCIC * | MI | 14-DEC-92 | MI | AS | 11 | |
| | ANSI-X3.2-70 | MAGNETIC INK CHARACTER RECOGNITION, PRINT SPECIFICATIONS FOR - 5 OCT 1970 [VALIDATION DATE: 8601] | A | IPSC | 02 | 05-OCT-70 | SC | OM | 02 | |
| | ANSI-X3.9-78 | FORTRAN, PROGRAMMING LANGUAGE, AMERICAN NATIONAL STANDARD - 3 APR 78 ..... | A | IPSC | 02 | 15-NOV-78 | AD | OM | 02 | |
| | ANSI-X3.11-69 | CARDS FOR INFORMATION PROCESSING - 1 OCT 1969 [VALIDATION DATE: 8106] ..... | A | IPSC | 02 | 01-OCT-69 | AD | OM | 02 | |
| | ANSI-X3.19-67 | TAPE FOR INFORMATION INTERCHANGE, ELEVEN-SIXTEENTHS INCH PERFORATED PAPER - 3 APR 1967 | A | IPSC | 02 | 03-APR-67 | SC | OM | 02 | |
| | ANSI-X3.34-72 | INFORMATION INTERCHANGE, INTERCHANGE ROLLS OF PERFORATED TAPE FOR - 9 DEC 1971 [VALIDATION DATE: 8106] REVIEWER: MC MM SA | A | IPSC | 02 | 09-DEC-71 | SC | OM | 02 | |
| | ANSI-X3.37-77 | LANGUAGE, PROGRAMMING, ASPT - 5 JAN 77 ..... | A | IPSC | 02 | 17-MAY-77 | AD | | 02 | |
| | ANSI-X3.52-76 | DISK CARTRIDGE, UNRECORDED SINGLE, (FRONT LOADING 2200 BPI) GENERAL, PHYSICAL AND MAGNETIC REQUIREMENTS - 3 FEB 1976 [VALIDATION DATE: 8601] | A | IPSC | 02 | 01-SEP-76 | SC | OM | 02 | |
| | ANSI-X3.53-53R76 | LANGUAGE, PROGRAMMING, PL/I - 9 AUG 76 [VALIDATION DATE: 8601] ..... | A | IPSC | 02 | 14-OCT-76 | AD | OM | 02 | |
| | ANSI-X3.55-77 | TAPE CARTRIDGE, UNRECORDED MAGNETIC, FOR INFORMATION INTERCHANGE, 0.250 IN. (6.30MM), 1600 BPI (63 BPMM) PHASE ENCODED - 27 JUN 77 [VALIDATION DATE: 8601] | A | IPSC | 02 | 27-OCT-77 | AD | OM | 02 | |
| | ANSI-X3.58-77 | DISK PACK, UNRECORDED ELEVEN, GENERAL, PHYSICAL & MAGNETIC REQUIREMENTS - 9 JUN 77 [VALIDATION DATE: 8601] | A | IPSC | 02 | 19-DEC-77 | AD | OM | 02 | |
| | ANSI-X4.13-83 | FINANCIAL SERVICES - FINANCIAL TRANSACTION CARDS AMERICAN NATIONAL STANDARD FOR - 1983 | A | 7530 | MB | 29-JUL-88 | MD | MS | 03 | |
| D | ANSI-Y10.5-68 | LETTER SYMBOLS FOR QUANTITIES USED IN ELECTRICAL SCIENCE & ELECTRICAL ENGINEERING - 15 APR 68 [VALIDATION DATE: 8101] USER: MC MI YD1 REVIEWER: AV ME OS | A | DRPR | AR | 15-APR-68 | AR | SH | 11 | |
| | ANSI-Y10.20-75 NOTICE 2 | MATHEMATICAL SIGNS & SYMBOLS FOR USE IN PHYSICAL SCIENCES & TECHNOLOGY - 75 [VALIDATION DATE: 8809] | A | DRPR | AR | 13-SEP-88 | AR | SH | 11 | |
| D | ANSI-Y14.1-80 NOTICE 1 | DRAWING SHEET SIZE & FORMAT - 22 DEC 80 [VALIDATION DATE: 8809] REVIEWER: 12 AT AV CR MC ME MI OS SA SH YD1 | A | DRPR | AR | 13-SEP-88 | AR | AS | 16 | |
| | ANSI-Y14.2M-79 | CONVENTION & LETTERING, LINE - 1979 [VALIDATION DATE: 8502] ..... | A | DRPR | AR | 04-JAN-79 | AR | OS | 16 | |
| | ANSI-Y14.3-75 NOTICE 2 | MULTI AND SECTIONAL VIEW DRAWINGS - 1975 [VALIDATION DATE: 8808] ..... | A | DRPR | AR | 23-AUG-88 | AR | AS | 16 | |
| D | ANSI-Y14.5M-82 | DIMENSIONING & TOLERANCING - 15 DEC 82 USER: DH MS REVIEWER: 11 12 99 AL AT AV CR MC MI OS SA SH YD1 | A | DRPR | AS | 20-DEC-82 | AR | AS | 16 | |
| | ANSI-Y14.6-78 | SCREW THREAD REPRESENTATION - 26 JUL 78 [VALIDATION DATE: 8502] ..... | A | DRPR | AR | 26-JUL-78 | AR | AS | 16 | |
| | ANSI-Y14.7.1-71 NOTICE 2 | GEAR DRAWING STANDARDS PART 1 FOR SPUR, HELICAL, DOUBLE HELICAL & RACK - 2 FEB 71 [VALIDATION DATE: 8808] | A | DRPR | AR | 23-AUG-88 | AR | OS | 16 | |
| D | ANSI-Y14.7.2-78 | GEAR & SPLINE DRAWING STANDARDS - PART 2, BEVEL & HYPOID GEARS - 1978 (REAPPROVED 84) [VALIDATION DATE: 8502] REVIEWER: 11 AT AV MC ME OS SH YD1 | A | DRPR | AR | 02-FEB-78 | AR | AS | 16 | |
| D | ANSI-Y14.13M-81 NOTICE 2 | MECHANICAL SPRING REPRESENTATION - 30 OCT 81 [VALIDATION DATE: 8808] USER: ME YD1 REVIEWER: AS AT AV EA IS MC SH | A | DRPR | AR | 23-AUG-88 | AR | OS | 16 | |
| | ANSI-Y14.15-66R73 | ELECTRICAL & ELECTRONICS DIAGRAMS - 15 MAY 67 (ANSI Y14.15A-71) (ANSI Y14.15B-73 INFO SHTS) [VALIDATION DATE: 8502] | A | DRPR | AR | 15-MAY-67 | AR | SH | 16 | |
| D | USAS-Y14.15-66 | ELECTRICAL AND ELECTRONICS DIAGRAMS - 2 DEC 66 REVIEWER: AS AT MC MI YD1 .. | A | DRPR | EL | 15-MAY-67 | EL | SH | 10 | |
| | ANSI-Y14.26M-81 | PRODUCT DEFINITION DATA, DIGITAL REPRESENTATION FOR COMMUNICATION OF - 21 SEP 81 USER: OS REVIEWER: 16 AD AT ER ME MI | A | IPSC | AR | 15-JAN-82 | AR | SH | 02 | |
| D | ANSI-Y14.26.3-75 | PRODUCT DEFINITION DATA, DICTIONARY OF TERMS FOR COMPUTER AIDED PREPARATION OF (INCL ENGINEERING DRAWINGS) - 1975 [VALIDATION DATE: 8101] REVIEWER: 11 12 99 AT AV ER ME MI OS SA SH YD1 | A | DRPR | AR | 15-AUG-75 | | AS | 16 | |
| | ANSI-Y14.36-78 | SYMBOL, SURFACE TEXTURE - 1978 [VALIDATION DATE: 8502] REVIEWER: 71 82 .... | A | DRPR | AR | 27-JAN-78 | AR | AS | 11 | |
| | ANSI-Y32.2-75 | ORDER IEEE 315-75 [VALIDATION DATE: 8502] ..... | A | DRPR | AR | 31-OCT-75 | AR | SH | 16 | |
| D | ANSI-Y32.4-77 | GRAPHIC SYMBOLS FOR PLUMBING FIXTURES FOR DIAGRAMS USED IN ARCHITECTUE & BUILDING CONSTRUCTION -77 [VALIDATION DATE: 8601] | A | DRPR | AR | 16-SEP-77 | AR | YD1 | | |
| D | ANSI-Y32.9-72 NOTICE 1 | GRAPHIC SYMBOLS FOR ELECTRICAL WIRING AND LAYOUT DIAGRAMS USED IN ARCHITECTURL AND BUILDING CONSTRUCTION - 1972 [VALIDATION DATE: 8204] USER: CG EC | A | DRPR | YD1 | 31-MAR-88 | AR | YD1 | 16 | |
| | ANSI-Y32.10-67 | DIAGRAMS, FLUID POWER, GRAPHIC SYMBOLS FOR - 21 FEB 67 [VALIDATION DATE: 8601] REVIEWER: AT MI | A | DRPR | AR | 01-AUG-79 | | SH | | |
| | ANSI-Y32.16-75 | ORDER IEEE 200-75 [VALIDATION DATE: 8202] ..... | A | DRPR | AR | 31-OCT-75 | AR | SH | 16 | |
| | ANSI-Z1.1,1.2,1.3-85 | GUIDE FOR QUALITY CONTROL CHARTS, CONTROL CHART METHOD OF ANALYZING DATA, CONTROL CHART OF METHOD OF CONTROLLING QUALITY DURING PRODUCTION -31 DEC 85 REVIEWER: CR | A | QCIC | AR | 13-MAR-89 | AR | | 05 | DH |
| D L | ANSI-Z8.1-90 NOTICE 1 | COMMERCIAL LAUNDRY AND DRYCLEANING OPERATIONS - SAFETY REQUIREMENTS, AMERICAN NATIONAL STANDARD FOR | A | 3510 | YD1 | 19-APR-93 | | YD1 | | |
| | ANSI-Z17.1-73 | NUMBERS, PREFERRED - 73 [VALIDATION DATE: 8101] ..... | A | MISC | AR | 30-SEP-74 | AR | | | |
| D | ANSI-Z21.13-91 NOTICE 1 | BOILERS, GAS-FIRED LOW-PRESSURE STEAM AND HOT WATER USER: CE MC REVIEWER: 84 | A | 4410 * | YD1 | 26-OCT-92 | | YD1 | 99 | |
| D | ANSI-Z21.22-86 NOTICE 2 | BOILERS, HOT WATER, GAS-FIRED, LOW-PRESSURE STEAM (ALSO INCLUDES ADDENDA ANSI-Z21.13A-72) USER: CE MC SH REVIEWER: 82 CS | A | 4820 * | YD1 | 20-MAR-92 | ME | YD1 | 99 | |
| D | ANSI-Z21.47-90 NOTICE 1 | GAS-FIRED CENTRAL FURNACES USER: MC REVIEWER: 84 CS ..... | A | 4430 * | YD1 | 18-SEP-91 | | YD1 | 99 | |
| D L | ANSI-Z21.64-90 NOTICE 1 | FURNACES, CENTRAL, DIRECT VENT, AMERICAN NATIONAL STANDARD FOR ..... | A | 4520 * | YD1 | 11-SEP-92 | | YD1 | | |
| D | ANSI-Z21.69-87 | CONNECTORS FOR MOVABLE GAS APPLIANCES, AMERICAN NATIONAL STANDARD FOR - SECOND EDITION - 10 MARCH 1989 USER: MC SH REVIEWER: 82 CS | A | 4720 | YD1 | 08-NOV-90 | ME | YD1 | 99 | |
| | ANSI-Z34.1-87 | THIRD-PARTY CERTIFICATION PROGRAM - 4 JUN 87 - REVIEWER: CR GL TM ..... | A | QCIC | AR | 01-MAR-88 | AL | | | DH |
| | ANSI-Z34.2-87 | SELF-CERTIFICATION BY PRODUCER OR SUPPLIER -2 APRIL 87- REVIEWER: CR GL TM | A | QCIC | AR | 01-MAR-88 | AR | | | DH |
| | ANSI-Z79.2-76 | TRACHEAL TUBE CONNECTORS AND ADAPTERS, AMERICAN NATIONAL STANDARD FOR - 19 NOV 1976 | A | 6515 / | MB | 19-SEP-86 | MD | MS | 03 | |
| | ANSI-Z79.6-75 | TUBES, BREATHING, AMERICAN NATIONAL STANDARD FOR - 11 FEB 1975 ..... | A | 6515 | MB | 25-APR-86 | MD | MS | 03 | |
| | ANSI-Z79.9-79 | HUMIDIFIERS AND NEBULIZERS FOR MEDICAL USE, AMERICAN NATIONAL STANDARD FOR - 1979 | A | 6530 | MB | 30-MAY-86 | MD | MS | 03 | |
| | ANSI-Z79.10-79 | OXYGEN ANALYZERS FOR MONITORING PATIENT BREATHING-MIXTURES, REQUIREMENTS FOR, 19 OCT 87 | A | 6515 | MB | 19-OCT-87 | MD | MS | 03 | |
| | ANSI-Z79.14-83 | TUBES, TRACHEAL, ANESTHETIC EQUIPMENT, STANDARD FOR - 14 DEC 1982 ..... | A | 6515 | MB | 20-NOV-85 | MD | MS | 03 | |
| | ANSI-Z80.1-79 | LENSES, RECOMMENDATIONS FOR PRESCRITION OPHTHALMIC - 21 NOV 78 ..... | A | 6540 | MB | 05-NOV-84 | MD | MS | 03 | DH |
| D | ANSI-Z83.3-71 NOTICE 1 | GAS-UTILIZATION EQUIPMENT IN LARGE BOILERS (ALSO INCLUDES ADDENDA ANSI-Z83.3A-72 AND ANSI-Z83.3B-76) USER: CE MC REVIEWER: 84 CS | A | 4430 * | YD1 | 11-OCT-91 | | YD1 | 99 | |
| D | ANSI-Z87.1-79 | PROTECTION, EYE & FACE, PRACTICE FOR OCCUPATIONAL & EDUCATIONAL - 27 FEB 79 USER: YD1 REVIEWER: AR AS GS | A | 4240 | EA | 12-JUL-89 | EA | SH | 99 | |
| | ANSI-Z88.2-80 | PRACTICES FOR RESPIRATORY PROTECTION - 22 MAY 80 USER: AR REVIEWER: GS MD . | A | 4240 | EA | 11-MAR-81 | EA | SH | | |
| D | ANSI-Z89-86 | HEADWEAR, PROTECTIVE, FOR INDUSTRIAL WORKERS - REQUIREMENTS - 31 JULY 1986 REVIEWER: 84 GS SH | A | 4240 | YD1 | 26-JUL-90 | EA | YD1 | 99 | |
| D | ANSI-Z97.1-84 | SAFETY GLAZING MATERIALS USED IN BUILDINGS - SAFETY PERFORMANCE SPECIFICATIONS AND METHODS OF TEST, STANDARD FOR - 19 JUL 84 REVIEWER: 84 99 GS | A | 5620 | YD1 | 03-JUL-89 | ER | YD1 | 85 | |
| D | ANSI-Z124.1-87 NOTICE 3 | BATHTUB UNITS, PLASTIC, AMERICAN NATIONAL STANDARD FOR - NOV. 3 1987 (ADDENDUMS DTD. 6 MAR. 1990 & 24 JULY 1991) USER: MC REVIEWER: 84 CS | A | 4510 | YD1 | 01-OCT-91 | | YD1 | 99 | |
| D | ANSI-Z124.2-87 NOTICE 2 | SHOWER RECEPTORS AND SHOWER STALLS, PLASTIC, STANDARD FOR -3 NOV 87 (ADDENDUM DTD. 6 MAR. 1990) USER: MC REVIEWER: 84 CS | A | 4510 | YD1 | 01-APR-91 | | YD1 | 99 | |
| D | ANSI-Z124.3-86 NOTICE 2 | PLASTIC LAVATORY, STANDARD FOR - 14 APR 1986 (ADDENDUM DTD. 6 MAR. 1990) USER: CE MC REVIEWER: CS | A | 4510 / | YD1 | 01-APR-91 | | YD1 | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | ANSI-Z124.4-86 NOTICE 2 | TANK, AND PLASTIC WATER CLOSET BOWLS, STANDARD FOR 14 APR 86 (ADDENDUM DTD. 6 MAR. 1990) USER: MC REVIEWER: CS | A | 4510 | YD1 | 01-APR-91 | ME | YD1 | | | | |
| D | ANSI-Z124.5-89 | SEATS, TOILET, PLASTIC (WATER CLOSET) - 24 AUG 1989 REVIEWER: 84 CS ..... | A | 4510 | YD1 | 21-MAY-90 | | YD1 | 99 | | | |
| D | ANSI-Z124.6-90 | SINKS, PLASTIC, AMERICN NATIONAL STANARD FOR - 13 DEC 1990 REVIEWER: 84 CS | A | 4510 | YD1 | 15-AUG-91 | | YD1 | 99 | | | |
| D | ANSI-Z129.1-82 | CHEMICALS, HAZARDOUS INDUSTRIAL, PRECAUTIONARY LABELLING OF - 21 SEP 82 REVIEWER: 99 AR AS GL MC ME MI MR OS SH YD1 | A | PACK | SA | 23-SEP-85 | SH | SA | 69 | | | |
| | ANSI-Z136.1-86 | LASER, SAFE USE OF - 23 MAY 1986 - REVIEWER: 85 ..... | A | SAFT | EC | 14-AUG-87 | | EC | 99 | | | |
| | ANSI-Z236.1-73 | THERMOMETERS, GLASS GENERAL PURPOSE LABORATORY - 78 SEP 5 ..... | A | 6685 | MB | 27-SEP-89 | | MS | | | | |
| D | ANSI-Z358.1-90 | EYEWASH AND SHOWER EQUIPMENT, EMERGENCY - 5 OCT. 1989 USER: CE MC MS REVIEWER: 84 CS | A | 4510 | YD1 | 04-FEB-91 | ME | YD1 | 99 | | | |
| | APA-PS1-83 | PLYWOOD, CONSTRUCTION & INDUSTRIAL - MAY 1984 REVIEWER: 84 CS ..... ..... | A | 5530 | ME | 20-MAR-87 | ME | | 99 | | | |
| D | APA-PRP108-88 | AMERICAN PLYWOOD ASSOCIATION (JUNE 1988) USER: GL YD1 REVIEWER: 84 ME MI .. | A | 5530 | CS | 25-OCT-89 | | | 99 | | | |
| D | API-BULL-1529-89 NOTICE 1 | HOSE, FUELING, AVIATION REVIEWER: 82 CS SH ..... | A | 4720 | * YD1 | 21-AUG-92 | ME | YD1 | 99 | | | |
| D | API-BULL-2516 NOTICE 1 | EVAPORATION LOSS FROM LOW-PRESSURE TANKS USER: AS CE MC YD1 REVIEWER: AM NM | A | 91GP | * ME | 09-DEC-91 | ME | SH | 68 | | | |
| D | API-BULL-2518 NOTICE 1 | EVAPORATION LOSS FROM FIXED-ROOF TANKS USER: AS CE MC YD1 REVIEWER: AM NM . | A | 91GP | * ME | 09-DEC-91 | ME | SH | 68 | | | |
| D | API-PUBL-2015-91 NOTICE 1 | SAFE ENTRY AND CLEANING OF PETROLEUM STORAGE TANKS (FOURTH EDITION) USER: CE MC REVIEWER: 82 CS | A | 5430 | * YD1 | 22-JAN-93 | ME | YD1 | 99 | | | |
| D | API-PUBL-2015A-82 | TANK ENTRY & CLEANING, GUIDE FOR CONTROLLING THE LEAD HAZARD ASSOCIATED WITH (SECOND EDITION) - JUNE 1982 USER: CE REVIEWER: 82 CS | A | 5430 | YD1 | 06-APR-87 | ME | YD1 | 99 | | | |
| D | API-PUBL-2015B-81 | TANK, FLOATING-ROOF, CLEANING OPEN-TOP & COVERED (FIRST EDITION) - AUG 1981 USER: CE MC REVIEWER: 82 CS | A | 5430 | YD1 | 06-APR-87 | ME | YD1 | 99 | | | |
| D | API-PUBL-2517 NOTICE 1 | EVAPORATION LOSS FROM EXTERNAL FLOATING-ROOF TANKS USER: AS CE MC YD1 REVIEWER: AM NM | A | 91GP | * ME | 09-DEC-91 | ME | SH | 68 | | | |
| D | API-PUBL-2518 NOTICE 1 | MANUAL OF PETROLEUM MEASUREMENT STANDARDS CHAPTER 19-EVAPORATION LOSS MEASUREMENT, SECTION 1- EVAPORATIVE LOSS USER: AS CE MC YD1 REVIEWER: AM NM | A | 91GP | * ME | 24-JAN-92 | ME | SH | 68 | | | |
| D | API-PUBL-2519 NOTICE 1 | EVAPORATION LOSS FROM INTERNAL FLOATING-ROOF TANKS USER: AS CE MC YD1 REVIEWER: AM NM | A | 91GP | * ME | 09-DEC-91 | ME | SH | 68 | | | |
| D | API-RP2003-82 | PROTECTION AGAINST IGNITIONS ARISING OUT OF STATIC, LIGHTENING AND STRAY CURRENTS - MAR 82 REVIEWER: 99 GS | A | SAFT | YD1 | 01-JUL-88 | ER | YD1 | 85 | | | |
| D | API-SPEC-5CT-90 | CASING AND TUBING, SPECIFICATION FOR (THIRD EDITION) - 01 DEC 1990 REVIEWER: GS | A | 4710 | YD1 | 25-MAY-91 | ME | YD1 | 99 | | | |
| D | API-SPEC-5L-88 | PIPE, LINE - REVIEWER: CS ..... | A | 4710 | YD1 | 30-JAN-89 | ME | YD1 | 99 | | | |
| D | API-SPEC-5D-91 | DRILL PIPE, SPECIFICATION FOR USER: CE MC REVIEWER: CS ..... | A | 4710 | * YD1 | 01-MAR-91 | ME | YD1 | 99 | | | |
| D | API-SPEC-6FA-85 | FIRE TEST FOR VALVES, SPECIFICATION FOR - FIRST EDITION - 01 MAY 85 USER: CE MC REVIEWER: 82 99 CS GS | A | 4820 | YD1 | 23-JUN-89 | ER | YD1 | 85 | | | |
| D | API-SPEC-6D-91 NOTICE 1 | VALVES, PIPELINE (GATE, PLUG, BALL, AND CHECK VALVES), SPECIFICATION FOR USER: SH REVIEWER: CS | A | 4820 | * YD1 | 06-APR-92 | ME | YD1 | | | | |
| D | API-SPEC-12D-82 | TANK, FIELD WELDED, FOR STORAGE OF PRODUCTION LIQUIDS, API SPECIFICATION FOR, NINTH EDITION, SUPPLEMENT 1 - JAN 82 REVIEWER: &C CS | A | 5430 | YD1 | 26-MAY-88 | ME | YD1 | 99 | | | |
| D | API-STD-5B-88 | CASING, TUBING, & LINE PIPE THREADS, THREADING, GAGING, & THREAD INSPECTION OF - 31 MAY 88 (13TH ED) USER: ME REVIEWER: 82 CS | A | 4710 | YD1 | 30-JAN-89 | | YD1 | 99 | | | |
| D | API-STD-526-84 | STEEL, FLANGED, SAFETY-RELIEF VALVES - THIRD EDITION - FEB 84 USER: MC REVIEWER: 82 CE CS GS | A | 4820 | YD1 | 21-JUN-89 | | YD1 | 99 | | | |
| D | API-STD-527-91 NOTICE 1 | SEAT TIGHTNESS OF PRESSURE RELIEF VALVES USER: MC REVIEWER: 82 CE CS ..... | A | 4820 | * YD1 | 06-APR-92 | ME | YD1 | 99 | | | |
| D | API-STD-594-91 NOTICE 1 | WAFER AND WAFER-LUG CHECK VALVES USER: CE MC REVIEWER: 82 CS ..... | A | 4820 | * YD1 | 06-APR-92 | ME | YD1 | 99 | | | |
| D | API-STD-598-90 NOTICE 1 | VALVE INSPECTION AND TESTING USER: CE MC REVIEWER: CS ..... | A | 4820 | * YD1 | 06-APR-92 | ME | YD1 | | | | |
| D | API-STD-599-88 NOTICE 1 | STEEL AND DUCTILE IRON PLUG VALVES USER: CE MC REVIEWER: 82 CS ..... | A | 4820 | * YD1 | 06-APR-92 | | YD1 | 99 | | | |
| D | API-STD-600-91 NOTICE 1 | STEEL GATE VALVES-FLANGED AND BUTT-WELDING ENDS USER: CE MC REVIEWER: CS .. | A | 4820 | * YD1 | 06-APR-92 | ME | YD1 | | | | |
| D | API-STD-607-85 | VALVE, FIRE TEST FOR SOFT-SEATED QUARTER-TURN - NOV 1985 (THIRD EDITION) .. | A | 4820 | YD1 | 04-JAN-90 | ME | YD1 | | | | |
| D | API-STD-609-91 NOTICE 1 | LUG- AND WAFER-TYPE BUTTERFLY VALVES USER: CE MC REVIEWER: 82 CS ..... | A | 4820 | * YD1 | 06-APR-92 | ME | YD1 | 99 | | | |
| D | API-STD-610-89 | PUMP, CENTRIFUGAL, FOR GENERAL REFINERY SERVICE - FEB 1989 USER: SH REVIEWER: 84 CS | A | 4320 | YD1 | 25-MAY-91 | ME | YD1 | 99 | | | |
| D | API-STD-617-88 | COMPRESSOR, AIR, INTEGRALLY GEARED, FOR GENERAL REFINERY SERVICES - APR 1988 | A | 4310 | YD1 | 01-MAR-91 | | YD1 | | | | |
| D | API-STD-618-86 | COMPRESSOR, RECIPROCATING FOR GENERAL REFINERY SERVICES - FEB 1986 ..... | A | 4310 | YD1 | 01-MAR-91 | | YD1 | | | | |
| D | API-STD-619-85 | COMPRESSOR, DISPLACEMENT, ROTARY-TYPE, FOR GENERAL REFINERY SERVICES - MAY 1985 | A | 4310 | YD1 | 01-MAR-91 | | YD1 | | | | |
| D | API-STD-650-84 | TANK, WELDED STEEL, FOR OIL STORAGE, STANDARD SPECIFICATION - FEB84 SEVENTH EDITION USER: CE MC REVIEWER: 82 CS | A | 5430 | YD1 | 24-APR-87 | ME | YD1 | 99 | | | |
| D | API-STD-1104-88 | WELDING PIPELINES AND RELATED FACILITIES, STANDARD FOR - SEVENTENTH EDITION - SEP 88 REVIEWER: 82 GS | A | THJM | YD1 | 18-DEC-88 | | YD1 | 99 | | | |
| D | API-STD-2000-82 | TANK, VENTING ATMOSPHERIC AND LOW-PRESSURE,STANDARD FOR - 1982 JANUARY THIRD EDITION USER: CE MC REVIEWER: 82 CS | A | 5430 | YD1 | 24-APR-87 | ME | YD1 | 99 | | | |
| D | API-STD-2550-65R84 | CYLINDRICAL TANK, UPRIGHT, STANDARD METHOD FOR MEASUREMENT & CALIBRATION OF - (REAPPROVED 84) 1980 | A | NDTI | YD1 | 25-AUG-88 | MP | YD1 | 99 | | | |
| D | API-STD-2551-65 | TANK, HORIZONTAL, STANDARD METHOD FOR MEASUREMENT & CALIBRATION OF (FIRST EDITION) - OCT 1965 USER: CE MC REVIEWER: 82 CS | A | 5430 | YD1 | 24-APR-87 | ME | YD1 | 99 | | | |
| D | API-STD-2555-66 | TANK, METHOD FOR LIQUID CALIBRATION OF-1966 USER: MC REVIEWER: 82 CS ..... | A | 5430 | YD1 | 24-APR-87 | ME | YD1 | 99 | | | |
| D | ARI210/240-89 NOTICE 1 | UNITARY AIR-CONDITIONING AND AIR-SOURCE HEAT, PUMP EQUIPMENT, STANDARD FOR USER: CE MC REVIEWER: 82 GS | A | 4120 | * YD1 | 28-JAN-91 | | YD1 | 99 | | | |
| D | ARI270-84 NOTICE 1 | EQUIPMENT, OUTDOOR UNITARY, SOUND RATING OF, STANDARD FOR - 1984 (VALIDATION DATE: 9010) USER: CE MC ME REVIEWER: GS MS | A | 4120 | YD1 | 15-OCT-90 | | YD1 | 99 | | | |
| D | ARI310-90 | AIR CONDITIONER, PACKAGED TERMINAL - 1990 USER: CE REVIEWER: GS ..... | A | 4130 | YD1 | 04-AUG-91 | MP | YD1 | 99 | | | |
| D | ARI320-86 | PUMPS, HEAT, WATER-SOURCE, STANDARD FOR - 1986 USER: CE REVIEWER: GS ..... | A | 4120 | YD1 | 15-NOV-91 | MP | YD1 | 99 | | | |
| D | ARI360-86 | AIR CONDITIONING EQUIPMENT, COMMERCIAL & INDUSTRIAL UNITARY, STANDARD FOR - 1986 USER: CE REVIEWER: GL GS | A | 4120 | YD1 | 15-NOV-91 | MP | YD1 | 99 | | | |
| D | ARI410-87 | COIL, AIR COOLING & AIR HEATING, FORCED CIRCULATION - MARCH 1987 USER: CE REVIEWER: GS ME | A | 4130 | YD1 | 15-NOV-91 | | YD1 | 99 | | | |
| D | ARI430-89 | AIR HANDLING UNIT, CENTRAL STATION, STANDARD FOR - 1989 USER: CE REVIEWER GS | A | 4130 | YD1 | 15-NOV-91 | MP | YD1 | 99 | | | |
| D | ARI440-89 | AIR CONDITIONING, FAN COIL, ROOM, STANDARD FOR - 1989 USER: CE REVIEWER GS | A | 4130 | YD1 | 15-NOV-91 | | YD1 | 99 | | | |
| D | ARI445-87 NOTICE 1 | ROOM AIR-INDUCTION UNITS, STANDARD FOR USER: CE REVIEWER: 82 GS MC ME | A | 4120 | YD1 | 15-NOV-91 | | YD1 | 99 | | | |
| D | ARI460-87 NOTICE 2 | CONDENSERS, REMOTE MECHANICAL-DRAFT, AIR-COOLED, REFRIGERANT, STANDARD FOR (VALIDATION DATE: 9207) USER: CE REVIEWER: 82 GS MC MS | A | 4120 | YD1 | 15-NOV-91 | MP | YD1 | 99 | | | |
| D | ARI495-85 NOTICE 2 | REFRIGERANT LIQUID RECEIVERS, AIR CONDITIONING, AND REFRIGERATION INSTITUTE, STANDARD FOR (VALIDATION DATE: 9207) USER: CE REVIEWER: GS MC MS | A | 4120 | YD1 | 15-NOV-91 | MP | YD1 | 99 | | | |
| D | ARI520-90 NOTICE 1 | COMPRESSOR, POSITIVE DISPLACEMENT REFRIGERANT, COMPRESSOR UNIT AND CONDENSING UNITS, STANDARD FOR USER: CE REVIEWER: GS MC MS | A | 4120 | YD1 | 15-NOV-91 | MP | YD1 | 99 | | | |
| D | ARI550-90 NOTICE 1 | PACKAGES, CENTRIFUGAL OR ROTARY SCREW WATER-CHILLING, STANDARD FOR - CE REVIEWER: 82 GS MC MS | A | 4120 | YD1 | 15-NOV-91 | MP | YD1 | 99 | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / NIIN / MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | ARI560-82<br>NOTICE 2 | PACKAGES, ABSORPTION WATER-CHILLING, STANDARD FOR [VALIDATION DATE: 9206] USER: CE MC REVIEWER: 82 GS MS | A | 4130 * YD1 | 19-JUN-92 | ME | YD1 99 | | | |
| D | ARI590-86<br>NOTICE 2 | PACKAGES, RECIPROCATING WATER-CHILLING, STANDARD FOR [VALIDATION DATE: 9206] USER: CE REVIEWER: 82 GS MC MS | A | 4130 * YD1 | 19-JUN-92 | ME | YD1 99 | | | |
| D | ARI610-89 | CENTRAL SYSTEM HUMIDIFIERS FOR RESIDENTIAL APPLICATIONS - APR 1989 REVIEWER: GS | A | 4130 YD1 | 11-JUL-91 | ME | YD1 99 | | | |
| D | ARI850-84 | FILTER EQUIPMENT, COMMERCIAL AND INDUSTRIAL AIR, STANDARD FOR - 1984 ..... | A | 4460 YD1 | 24-SEP-91 | | YD1 | | | |
| D | ARI1010-84<br>NOTICE 2 | DRINKING-FOUNTAINS AND SELF-CONTAINED, MECHANICALLY-REFRIGERATED DRINKING-WATER COOLERS, STANDARD FOR [VALIDATION DATE: 9203] USER: CE REVIEWER: 82 GS MC MS | A | 4110 * YD1 | 20-MAR-92 | ME | YD1 99 | | | |
| | ASC-C78.1410-85 | LAMP, ELB PROJECTION - 8 FEB 85 REVIEWER: GS ..... | A | 6240 | 82 | 15-MAY-86 | | SH | 99 | |
| | ASC-C78.1411-85 | ELC PROJECTION LAMP - 8 FEB 85 REVIEWER: GS ..... | A | 6240 | 82 | 04-MAY-86 | | SH | 99 | |
| | ASC-C78.1412-85 | LAMP, EMM PROJECTION - 8 FEB 85 USER: MC SH REVIEWER: 82 GS ..... | A | 6240 | ME | 15-DEC-86 | ME | | 99 | |
| D | ASHRAE15-78 | REFRIGERATION MECHANICAL, SAFETY CODE FOR - 1978 USER: CE REVIEWER: GS MC MS | A | 4130 YD1 | 20-JUL-88 | | YD1 | | | |
| D | ASHRAE20-70 | CONDENSER, RATING REMOTE MECHANICAL DRAFT AIR COOLED REFRIGENT - 1986 USER: CE REVIEWER: GS MC MS | A | 4130 YD1 | 20-JUL-88 | | YD1 | | | |
| D | ASHRAE52-76 | DEVICES, AIR-CLEANING, USED IN GENERAL VENTILATION FOR REMOVING PARTICULATE MATTER, STANDARD FOR METHOD OF TESTING - FEB 76 USER: CE REVIEWER: CS GS | A | 4130 YD1 | 02-JUN-88 | ME | YD1 99 | | | |
| D | ASHRAE68-86 | FAN, IN-DUCT SOUND POWER MEASUREMENT PROCEDURE FOR - 1986 USER: CE REVIEWER: GS MC MS | A | 4140 YD1 | 20-JUL-88 | | YD1 | | | |
| D | ASHRAE116-83 | SEASONAL EFFICIENCY OF UNITARY AIR CONDITIONS & HEAT PUMPS - 1983 USER: CE REVIEWER: GS MC MS | A | 4120 YD1 | 20-JUL-88 | | YD1 | | | |
| D | ASME-A39.1-87 | WINDOWING CLEANING, SAFETY REQUIREMENTS FOR - 4 JUN 1987 WITH ADDENDA A39.1B-89 REVIEWER: 84 | A | 5670 YD1 | 29-JUN-90 | ME | YD1 99 | | | |
| D | ASME-A112.6.1M-88<br>NOTICE 1 | SUPPORTS FOR OFF-THE-FLOOR PLUMBING FIXTURES FOR PUBLIC USE REVIEWER: CS .. | A | 4510 * YD1 | 16-DEC-91 | | YD1 99 | | | |
| D | ASME-A112.18.1M-89 | FITTINGS, PLUMBING FIXTURE - 15 NOV 1989 REVIEWER: 84 CS ..... | A | 4510 YD1 | 20-APR-90 | ME | YD1 99 | | | |
| D | ASME-A112.19.1M-87 | ENAMELED CAST IRON PLUMBING FIXTURES, AMERICAN NATIONAL STANDARD FOR - 3 APR 87 USER: CE REVIEWER: 84 CS | A | 4510 YD1 | 13-JAN-89 | ME | YD1 99 | | | |
| D | ASME-A112.19.2M-90 | PLUMBING FIXTURES, VITREOUS CHIA - 6 DEC. 1990, ANTI- BACKFLOW TYPES - MAR 1978 USER: CE REVIEWER: 84 CS MC | A | 4510 YD1 | 01-MAR-91 | | YD1 99 | | | |
| D | ASME-A112.19.3M-87 | STAINLESS STEEL PLUMBING FIXTURES (DESIGNED FOR RESIDENTIAL USE) AMERICAN NATIONAL STANDARD FOR 3 APR 87 USER: MC REVIEWER: 84 CS | A | 4510 YD1 | 13-JAN-89 | ME | YD1 99 | | | |
| D | ASME-A112.21.1M-91<br>NOTICE 1 | FLOOR DRAINS USER: CL MC REVIEWER: CS ..... | A | 4510 * YD1 | 02-JAN-92 | ME | YD1 99 | | | |
| D | ASME-A112.26.1M-84<br>NOTICE 1 | ARRESTER, WATER HAMMER - 31 DEC 84 [VALIDATION DATE: 9102] USER: CE MC REVIEWER: CS | A | 4510 YD1 | 15-FEB-91 | ME | YD1 99 | | | |
| D | ASME-A112.36.2M-91<br>NOTICE 1 | CLEANOUTS USER: CE MC REVIEWER: CS ..... | A | 4510 * YD1 | 17-JUL-92 | ME | YD1 99 | | | |
| | ASME-B1.1-89 | SCREW THREADS, UNIFIED, (UN AND UNR THREAD FORM) - 29 AUG 1989 USER: MI REVIEWER: 15 82 CR EA ER ME | A | THDS IS | 20-AUG-91 | AR | AS 11 | | | |
| | ASME-B1.2-83<br>NOTICE 1 | GAGES & GAGING FOR UNIFIED INCH SCREW THREADS - 16 MAY 83 [VALIDATION DATE: 9003] USER: EC REVIEWER: AT AV GL ME | A | THDS IS | 21-MAR-90 | AR | AS 11 | | | |
| D | ASME-B1.3M-86 | SCREWS THREAD GAGING SYSTEMS FOR DIMENSIONAL ACCEPTABILITY - INCH AND METRIC SCREW THREAD (UN, UNR, UNJ, M AND MJ) -20 FEB 86- REVIEWER: 99 AT AV EC ER ME MI OS SH YD1 | A | THDS IS | 21-SEP-87 | AR | AS 11 | | | |
| | ASME-B1.5-88 | GAGES & GAGING FOR UNIFIED INCH SCREW THREADS - 11 JAN 88 USER: EC REVIEWER: AT AV GL ME | A | THDS IS | 20-SEP-89 | AR | AS 11 | | | |
| | ASME-B1.7M-84<br>NOTICE 1 | SCREW THREADS, NOMENCLATURE, DEFINITIONS, AND LETTER SYMBOLS FOR - 2 NOV 1984 REVIEWER: 71 82 AT AV ER GL ME | A | THDS IS | 12-SEP-90 | AR | AS 99 | | | IS |
| | ASME-B1.7-84 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 1, NOMENCLATURE, DEFINITIONS AND LETTER SYMBOLS FOR SCREW THREADS - 2 NOV 84 REVIEWER: AT AV ER GL ME | A | THDS IS | 28-AUG-85 | AR | AS 11 | | | |
| | ASME-B1.8-88 | STUB ACME SCREW THREADS - 11 JAN 88 REVIEWER: EC ..... | A | THDS IS | 17-FEB-89 | AR | AS 99 | | | |
| | ASME-B1.9-73R85<br>NOTICE 1 | SCREW THREADS, BUTTRESS INCH - 22 OCT 73, W/ERRATA - FEB 79 (REAPPROVED 31 MAY 85 [VALIDATION DATE: 9005] USER: EC REVIEWER: 15 80 82 99 AT AV MI | A | THDS IS | 31-MAY-90 | AR | AS 11 | | | |
| | ASME-B1.12-87 | THREAD CLASS L INTERFERENCE-FIT - 13 JUL 87 USER: CR REVIEWER: 15 AT AV EC ME MI | A | THDS AR | 20-JAN-89 | AR | AS 99 | | | |
| D | ASME-B1.13M-83 | SCREW THREADS METRIC M PROFILE - 5 AUG 83 USER: OS REVIEWER: AT AV GL ME MI SH YD1 | A | THDS IS | 28-NOV-84 | AR | AS 11 | | | |
| | ASME-B1.16M-84 | GAGES & GAGING FOR METRIC M SCREW THREADS - 25 MAY 1984 USER: CR ER SH REVIEWER: 99 AT AV ME OS | A | THDS * IS | 05-NOV-87 | AR | AS 11 | | | |
| D | ASME-B1.20.1-83<br>NOTICE 1 | PIPE THREADS, (INCH) GENERAL PUPPOSE - 4 FEB 83 [VALIDATION DATE: 8910] REVIEWER: AT GL ME MI YD1 | A | THDS IS | 12-OCT-89 | AR | AS 11 | | | IS |
| D | ASME-B1.20.3-76R91 | THREAD, DRYSEAL PIPE - 18 NOV 76 (W/DOD EXCEPTIONS) (REAPPROVED 1982) [VALIDATION DATE: 8210] REVIEWER: 71 82 AT AV ER ME MI OS SH YD1 | A | THDS IS | 31-OCT-80 | AR | AS 99 | | | |
| | ASME-B1.20.5-91<br>NOTICE 1 | GAGING FOR DRYSEAL PIPE THREADS (INCH) REVIEWER: AT ME MI OS ..... | A | THDS * IS | 10-JUN-92 | AR | AS | | | IS |
| D | ASME-B1.20.7-66R83 | HOSE COUPLING SCREW THREADS STANDARD FOR - 30 DEC 66 REVIEWER: 82 CS SH ... | A | 4730 YD1 | 22-JUN-90 | ME | YD1 99 | | | |
| D | ASME-B1.21M-78R91<br>NOTICE 1 | METRIC SCREW THREADS - MJ PROFILE - 21 NOV 78 W/DOD EXCEPTIONS [VALIDATION DATE: 8911] USER: OS REVIEWER: 71 82 AT AV ER ME MI SH YD1 | A | THDS IS | 22-NOV-89 | AR | AS 99 | | | |
| | ASME-B1.22M-85 | GAGES & GAGING FOR MJ SERIES METRIC SCREW THREADS - 26 SEPT 1985 USER: CR ER SH REVIEWER: 99 AT AV ME OS | A | THDS * IS | 05-NOV-87 | AR | AS 11 | | | |
| D | ASME-B16.1-89 | PIPE, CAST IRON, FLANGES AND FLANGED FITTINGS - 30 JUNE 1989 USER: AL CE MC OS REVIEWER: CS | A | 4730 YD1 | 30-JUN-91 | ME | YD1 99 | | | |
| D | ASME-B16.3-85 | FITTING, MALLEABLE IRON THREADED USER: CL REVIEWER: 82 CS MC ME ..... | A | 4730 YD1 | 11-MAR-88 | AR | YD1 99 | | | |
| D | ASME-B16.4-85 | FITTING, CAST IRON THREADED FITTINGS, CLASSES 125, AMERICAN NATIONAL STANDARD USER: CE CG MC REVIEWER: AL CS | A | 4730 YD1 | 11-MAR-88 | ME | YD1 99 | | | |
| D | ASME-B16.5-88 | PIPE FLANGE & FLANGED FITTING USER: MC OS SH REVIEWER: CS ME ..... | A | 4730 YD1 | 23-JUN-89 | AR | YD1 99 | | | |
| D | ASME-B16.10-86 | VALVES, DIMENSIONS OF FACE-TO-FACE & END-TO-END STANDARD FOR 3-15-87 USER: CE MC REVIEWER: CS | A | 4820 YD1 | 06-JUN-89 | ME | YD1 99 | | | |
| D | ASME-B16.15-85 | FITTING, CAST BRONZE THREADED, STANDARD FOR REVIEWER: CS SH ..... | A | 4730 YD1 | 24-MAY-88 | ME | YD1 | | | |
| D | ASME-B16.22-80 | WROUGHT COPPER AND COPPER ALLOY SOLDER JOINT PRESSURE FITTINGS - 30 0 APR 1989 USER: MC SH | A | 4730 YD1 | 15-JUN-91 | | YD1 99 | | | |
| D | ASME-B16.25-86 | END, BUTTWELDING REVIEWER: CS SH ..... | A | 4730 YD1 | 30-MAY-89 | ME | YD1 | | | |
| D | ASME-B16.26-88 | FITTING, CAST COPPER ALLOY, FOR FLARED COPPER TUBES REVIEWER: CS ..... | A | 4730 YD1 | 30-MAY-89 | ME | YD1 | | | |
| D | ASME-B16.29-86 | FITTING - DWV, WROUGHT COPPER & WROUGHT COPPER ALLOY SOLDER JOINT DRAINAGE [VALIDATION DATE: 8511] USER: ME REVIEWER: CS | A | 4730 YD1 | 27-APR-88 | | YD1 99 | | | |
| D | ASME-B16.32-84 | JOINT FITTINGS, CAST COPPER ALLOY SOLDER, FOR SOVENT DRAINAGE SYSTEMS, STANDARD SPECIFICATION FOR - 02 NOV 84 USER: CE REVIEWER: CS | A | 4730 YD1 | 27-APR-88 | ME | YD1 99 | | | |
| D L | ASME-B16.33-81<br>NOTICE 1 | MANUALLY OPERATED METALLIC GAS VALVES FOR USE IN GAS PIPING SYSTEMS UP TO 125 PSIG | A | 4820 * YD1 | 17-SEP-91 | | YD1 | | | |
| D | ASME-B16.34-88 | VALVES - FLANGED, THREADED, AND WELDING END (30 NOV 88) REVIEWER: CS ..... | A | 4820 YD1 | 12-OCT-89 | ME | YD1 99 | | | |
| D L | ASME-B16.38-85<br>NOTICE 1 | LARGE METALLIC VALVES FOR GAS DISTRIBUTION (MANUALLY OPERATED, NPS 2-1/2 TO 12, 125 PSIG MAXIMUM) | A | 4820 * YD1 | 16-SEP-91 | | YD1 | | | |
| D | ASME-B16.39-86 | PIPE UNION, MALLEABLE IRON THREDED - 31 DEC 1986 USER: AR CE MC OS REVIEWER: CS | A | 4730 YD1 | 22-AUG-88 | ME | YD1 99 | | | |
| D L | ASME-B16.40-85<br>NOTICE 1 | MANUALLY OPERATED THERMOPLASTIC GAS SHUTOFFS AND VALVES IN GAS DISTRIBUTION SYSTEMS | A | 4820 * YD1 | 17-SEP-91 | | YD1 | | | |
| D | ASME-B17.1-67<br>NOTICE 1 | KEYS AND KEYSEATS REVIEWER: IS ..... | A | 5340 * YD1 | 16-OCT-92 | AR | YD1 99 | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | ORL / Orig. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASME-B18.1.3M-84 | RIVET, SOLID, SMALL METRIC - 8 SEP 83 USER: MC ME YD1 REVIEWER: 85 AT AV GL IS MI NS | A | 5320 | AR | 09-APR-84 | AR | AS | 99 | | |
| | | ASME-B18.2.2-87 | NUT, HEX AND SQUARE (INCH SERIES) - 27 FEB 87 USER: MC MI REVIEWER: AT AV CR ER GL IS | A | 5310 | AR | 28-SEP-87 | AR | SH | 99 | | |
| | | ASME-B18.2.3.4M-84 | NUT, HEX FLANGE METRIC - 30 JAN 85 USER: AT ME SH REVIEWER: AV ER IS MC MI NS | A | 5310 | AR | 28-SEP-87 | AR | AS | 99 | | |
| | | ASME-B18.2.3.9M-84 | SCREWS, HEX FLANGE HEAVY METRIC - 23 MAR 84 USER: AT ME SH REVIEWER: AV ER IS MC MI NS | A | 5305 | AR | 30-JAN-85 | AR | AS | 99 | | |
| | | ASME-B18.2.4M-84 | SCREWS HEX FLANGE METRIC - 23 MAR 84 REVIEWER: AV ER IS MC MI NS ..... | A | 5305 | AR | 30-JAN-85 | AR | AS | 99 | | |
| | | ASME-B18.3-86 | SCREWS SET (INCH SERIES) SOCKET CAP, SHOULDER AND - 7 AUG 86 USER: MC ME SH REVIEWER: AT AV CR EA IS | A | 5305 | AR | 27-APR-87 | AR | | 99 | | |
| | | ASME-B18.3.1M-86 | SCREW, CAP, SOCKET HEAD- METRIC SERIES - 29 AUG 1986 USER: MC ME OS SH REVIEWER: AT AV CR EA IS NS | A | 5305 | AR | 25-FEB-87 | AR | AS | 99 | | |
| | | ASME-B18.3.3M-86 | SCREW, SHOULDER, HEXAGON SOCKET HEAD- METRIC SERIES - 19 SEPT 1986 USER: AT ME OS SH REVIEWER: AV ER IS MC MI NS | A | 5305 | AR | 25-FEB-87 | AR | AS | 99 | | |
| | | ASME-B18.3.5M-83 | SCREW, HEXAGON SOCKET FLAT COUNTERSUNK HEAD CAP (METRIC SERIES) USER: MC ME OS SH REVIEWER: AT AV CR EA | A | 5305 | AR | 20-OCT-83 | AR | AS | 99 | | |
| | | ASME-B18.3.6M-86 | SET SCREWS, METRIC SERIES SOCKET - 16 OCT 86 USER: AT MC ME OS SH REVIEWER: AV ER IS MI | A | 5305 | AR | 27-FEB-87 | AR | AS | 99 | | |
| D | | ASME-B18.6.5M-86 | SCREWS, TAPPING, THREAD FORMING & THREAD CUTTING-METRIC - 3 FEB 86 USER: MC OS SH YD1 REVIEWER: 82 AT AV CR EA IS MI NS | A | 5305 | AR | 21-APR-86 | AR | AS | 99 | | |
| | | ASME-B18.6.7M-85 | SCREWS, MACHINE-METRIC - 23 JULY 1985 REVIEWER: 82 AT IS MC ..... | A | 5305 | AR | 08-NOV-85 | AR | SH | 99 | | |
| | | ASME-B18.7.1M-84 | RIVET, SEMI TUBULAR, GENERAL PURPOSE METRIC - 24 JUL 84 USER: AT ME SH REVIEWER: AV ER IS MC MI NS | A | 5320 | AR | 30-JAN-85 | AR | AS | 99 | | |
| | | ASME-B18.10-82 | BOLTS & NUTS, TRACK - 2 NOV 82 USER: ME REVIEWER: 82 IS ..... | A | 53GP | AR | 15-MAY-83 | AR | SH | 99 | | |
| | | ASME-B18.15-85 | EYEBOLT, FORGED - 17 JUL 85 REVIEWER: 82 AT IS MC ..... | A | 5306 | AR | 30-SEP-85 | AR | SH | 99 | | |
| D | | ASME-B18.18.1M-87 | FASTENERS, GENERAL PURPOSE, INSPECTION & QUALITY ASSURANCE FOR - 16 JAN 1987 USER: MC MI YD1 REVIEWER: 82 AT AV CR ER IS NS SH | A | QC1C | AR | 21-APR-87 | AR | OS | 99 | | |
| D | | ASME-B18.18.2M-87 | FASTENERS, HIGH VOLUME MACHINE ASSEMBLY, INSPECTION & QUALITY ASSURANCE FOR - 16 JAN 1987 USER: MC MI YD1 REVIEWER: 82 AT AV CR ER IS NS SH | A | QC1C | AR | 21-APR-87 | AR | OS | 99 | | |
| D | | ASME-B18.18.3M-87 | FASTENERS, SPECIAL PURPOSE, INSPECTION & QUALITY ASSURANCE FOR - 16 JAN 1987 USER: MC MI YD1 REVIEWER: 82 AT AV CR ER IS NS SH | A | QC1C | AR | 21-APR-87 | AR | OS | 99 | | |
| D | | ASME-B18.18.4M-87 | FASTENERS FOR HIGHLY SPECIALIZED ENGINEERED APPLICATIONS, INSPECTION & QUALITY ASSURANCE FOR - 16 JAN 1987 USER: MC MI YD1 REVIEWER: 82 AT AV CR ER IS NS SH | A | QC1C | AR | 21-APR-87 | AR | OS | 99 | | |
| D | | ASME-B30.10-87<br>NOTICE 1 | HOOKS (ALSO INCLUDES ADDENDA 10A-90 AND 10B-91) ..... | A | 4030 | * | YD1 | 06-APR-92 | ME | YD1 | 99 | |
| D | | ASME-B30.16-87<br>NOTICE 1 | HOISTS, OVERHEAD, (UNDERHUNG) REVIEWER: CS SH ..... | A | 3950 | * | YD1 | 16-OCT-92 | ME | YD1 | 99 | |
| D | | ASME-B31.3-90<br>NOTICE 2 | PIPING, CHEMICAL PLANT AND PETROLEUM REFINERY, CODE FOR PRESSURE PIPING - REFINERY PIPING - 15 MARCH 1990 (W/ADDENDA - ASME-B31, 3A-90 DTD 23 AUG 1991) USER: MC | A | FACR | | YD1 | 26-OCT-90 | ME | YD1 | 99 | |
| D L | | ASME-B31.9-88<br>NOTICE 1 | BUILDING SERVICES PIPING (ALSO INCLUDES ADDENDA ASME-B31.9A-1991) ..... | A | FACR | | YD1 | 22-JAN-93 | | YD1 | | |
| D | | ASME-B36.10M-85 | PIPE, WELDED AND SEAMLESS WROUGHT STEEL - 19 AUG 85 USER: SH REVIEWER: 82 CS | A | 4710 | | YD1 | 27-MAR-90 | ME | YD1 | 99 | |
| | | ASME-B46.1-85 | SURFACE TEXTURE - 7 OCT 1985 REVIEWER: AT AV CR EC GL ME OS SH ..... | A | DRPR | AR | 05-DEC-85 | AR | AS | 11 | | |
| | | ASME-B47.1MA-82 | GAGE BLANKS ..... | A | 5220 | AR | 22-MAR-84 | AR | AS | 99 | | |
| D | | ASME-B73.1M-91<br>NOTICE 1 | HORIZONTAL END SUCTION CENTRIFUGAL PUMPS FOR CHEMICAL PROCESS REVIEWER: 84 CS SH | A | 4320 | * | YD1 | 22-JAN-93 | ME | YD1 | 99 | |
| D | | ASME-B94.6-84 | KNURLING - 28 NOV 84 USER: ME YD1 REVIEWER: AS AT AV EA IS MC SH ..... | A | DRPR | AR | 28-NOV-84 | AR | OS | 16 | | |
| | | ASME-B94.51M-84 | BAND SAW BLADES (METAL CUTTING - 28 FEB 1985 REVIEWER: GS ..... | A | 3455 | IP | 02-SEP-86 | AL | SH | 99 | 1P | |
| | | ASME-B94.54-84 | SAWS, HOLE, HOLE SAW ARBORS, & HOLE SAW ACCESSORIES, SPECIFICATION FOR - 15 OCT 85 USER: ME SM REVIEWER: 84 GS MI | A | 3455 | IP | 31-MAR-86 | AL | SH | 99 | | |
| D | | ASME-B107.2-92<br>NOTICE 1 | WRENCHES, SOCKET, EXTENSIONS, ADAPTORS, AND UNIVERSAL JOINTS, POWER DRIVE (IMPACT) (INCH SERIES) USER: MC ME YD1 REVIEWER: 84 AS GL | A | 5120 | * | AR | 16-OCT-92 | AR | SH | 99 | |
| D | | ASME-B107.5M-87 | SOCKET WRENCHES, HAND (METRIC SERIES) - 15 JUN 1987 - USER: MC ME YD1 REVIEWER: 84 AS GL | A | 5120 | | AR | 21-APR-88 | AR | SH | 99 | |
| D | | ASME-B107.8M-91 | WRENCHES, ADJUSTABLE - 5 MAR 1991 USER: MC ME YD1 REVIEWER: 84 AS GL ..... | A | 5120 | | AR | 15-JUL-91 | AR | SH | 99 | |
| D | | ASME-B107.14M-85 | TOOLS, HAND, TORQUE - 24 MAY 1985 USER: MC ME YD1 REVIEWER: 84 AS GL ..... | A | 5120 | | AR | 28-AUG-87 | AR | SH | 99 | |
| N | | ASME-B107.16-92<br>NOTICE 1 | SHEARS (METAL CUTTING, BENCH AND HAND) ..... | A | 5130 | | AR | 18-MAR-93 | AR | | 99 | |
| | | ASME-B107.17M-91<br>NOTICE 1 | GAGES, WRENCH OPENINGS, REFERENCE USER: AS AT MC REVIEWER: 84 AV ER ..... | A | 5220 | * | AR | 12-MAR-92 | AR | | 99 | |
| A | | ASME-B107.20M-92<br>NOTICE 1 | PLIERS (LINEMAN'S, IRON WORKER'S, GAS, GLASS, AND FENCE) USER: ME REVIEWER: 84 GL | A | 5120 | * | AR | 18-DEC-92 | AR | | 99 | |
| | | ASME-B107.23M-91<br>NOTICE 1 | PLIERS, MULTIPLE POSITION, ADJUSTABLE (METRIC) REVIEWER: GL ..... | A | 5120 | * | AR | 29-APR-92 | AR | SH | | |
| D | | ASME-HST2M-89 | HOIST, CHAIN, HAND CHAIN MANUALLY OPERATED - 31 JAN 1990 USER: MC REVIEWER: 84 CS | A | 3950 | | YD1 | 29-JUN-90 | | YD1 | | |
| D | | ASME-HST4M-91<br>NOTICE 1 | HOISTS, WIRE ROPE, OVERHEAD ELECTRIC, PERFORMANCE STANDARD FOR REVIEWER: IS SH | A | 3950 | * | YD1 | 16-OCT-92 | ME | YD1 | 99 | |
| D | | ASME-HST5M-85 | HOIST, AIR CHAIN, PERFORMANCE STANDARD FOR - 15 NOV 1985 ..... | A | 3950 | | YD1 | 07-NOV-89 | | YD1 | | |
| D | | ASME-HST6M-86 | HOIST, AIR WIRE ROPE, PERFORMANCE STANDATRD FOR - 31 OCT 1986 ..... | A | 3950 | | YD1 | 29-NOV-89 | | YD1 | | |
| D | | ASME-PTC9-70 | COMPRESSOR, VACUUM PUMPS & BLOWERS, DISPLACEMENT - 1970 REVIEWER: YD1 ..... | A | 4920 | | 82 | 24-MAR-86 | AV | AS | 99 | |
| D L | | ASME-PTC19.5-72<br>NOTICE 1 | APPLICATION, PART II OF FLUID METERS: INTERIM SUPPLEMENT ON INSTRUMENTS AND APPARATUS | A | 6680 | * | YD1 | 11-SEP-92 | | YD1 | | |
| D L | | ASME-PTC19.11-70<br>NOTICE 1 | WATER AND STEAM IN THE POWER CYCLE (PURITY AND QUALITY, LEAK DETECTION AND MEASUREMENT) | A | 6695 | * | YD1 | 11-SEP-92 | | YD1 | | |
| D L | | ASME-PTC25.3-88<br>NOTICE 1 | SAFETY AND RELIEF VALVES ..... | A | 4820 | * | YD1 | 25-NOV-91 | | YD1 | | |
| D L | | ASME-PTC26-62<br>NOTICE 1 | SPEED-GOVERNING SYSTEMS FOR INTERNAL COMBUSTION ENGINE-GENERATOR UNITS .... | A | 28GP | * | YD1 | 07-AUG-92 | | YD1 | | |
| D | | ASME-Y10.11-84 | ACOUSTICS, LETTER SYMBOLS AND ABBREVIATIONS FOR QUANTITIES USED IN - 17 MAY 1984 USER: OS REVIEWER: AS AV MI YD1 | A | DRPR | | AR | 10-DEC-84 | AR | SH | 11 | |
| D | | ASME-Y14.1M-92<br>NOTICE 1 | METRIC DRAWING SHEET SIZE AND FORMAT USER: 68 70 71 80 84 GL ME REVIEWER: 11 13 14 18 19 79 90 99 AS AT AV CE CR CS EA EC ER ES GS IS MC MI OS SC SH SM TD TE YD1 | A | DRPR | * | AR | 30-SEP-92 | AR | SA | 16 | DH |
| D | | ASME-Y14.2M-92<br>NOTICE 1 | LINE CONVENTIONS AND LETTERING USER: 68 70 71 80 84 GL ME REVIEWER: 11 13 14 18 19 79 90 99 AS AT AV CE CR CS EA EC ER ES GS IS MC MI OS SC SH SM TD TE YD1 | A | DRPR | * | AR | 17-JUL-92 | AR | SA | 16 | DH |
| | | ASME-Y14.4M-89 | DRAWING, PICTORIAL - 15 SEP 1989 REVIEWER: 11 99 AT AV CR ME MI ..... | A | DRPR | | AR | 20-SEP-89 | AR | OS | 16 | |
| | | ASME-Y14.8M-89 | CASTINGS AND FORGINGS - 15 SEP 1989 USER: AT GL REVIEWER: 11 99 AV ME MI .. | A | DRPR | | AR | 22-DEC-89 | AR | OS | 16 | |
| | | ASME-Y14.24M-89 | DRAWING, ENGINEERING, TYPES AND APPLICATIONS OF - 3 NOV 1989 REVIEWER: 11 13 14 18 19 | A | DRPR | | AR | 30-MAR-90 | AR | OS | 16 | |
| | | ASME-Y14.26M-89 | DATA, PRODUCT DEFINITION, DIGITAL REPRESENTATION FOR COMMUNICATION OF - 27 NOV 1989 USER: OS REVIEWER: 16 AT EC ER ME MI MD NS OM SC | A | 1PSC | | AR | 22-DEC-89 | AR | SH | 02 | |
| | | ASME-Y14.34M-89 | PART LISTS, DATA LISTS, AND INDEX LISTS - 28 DEC 1989 REVIEWER: 11 13 14 18 19 | A | DRPR | | AR | 28-SEP-89 | AR | OS | 16 | |
| | | ASQC-A3-87 | QUALITY SYSTEMS TERMINOLOGY - 12 NOV 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QC1C | | 05 | 06-FEB-91 | AR | OS | 05 | |
| | | ASQC-Q90-87 | QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS - GUIDELINES FOR SELECTION AND USE - 8 JUN 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QC1C | | 05 | 06-FEB-91 | AR | OS | 05 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Other Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ASQC-Q91-87 | QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN DESIGN/DEVELOPMENT, PRODUCTION, INSTALLATION, AND SERVICING - 19 JUN 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | | OS | 06-FEB-91 | AR | OS | OS | |
| | | | ASQC-Q92-87 | QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN PRODUCTION AND INSTALLATION - 15 JUN 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | | OS | 06-FEB-91 | AR | OS | OS | |
| | | | ASQC-Q93-87 | QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN FINAL INSPECTION AND TEST - 15 JUN 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | | OS | 06-FEB-91 | AR | OS | OS | |
| | | | ASQC-Q94-87 | QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS - GUIDELINES - 15 JUN 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | | OS | 06-FEB-91 | AR | OS | OS | |
| D | | | ASSE1003-81 NOTICE 1 | PERFORMANCE REQUIREMENTS FOR WATER PRESSURE REDUCING VALVES FOR DOMESTIC WATER SUPPLY SYSTEMS REVIEWER: 82 CS | A | 4820 | * | YD1 | 09-SEP-91 | ME | YD1 | 99 | |
| D | | | ASSE1010-82 | ARRESTERS, WATER HAMMER - OCT, 1982 | A | 4510 | | YD1 | 01-MAR-91 | | YD1 | | |
| D | | | ASSE1019-78 | HYDRANTS, WALL, FROST PROOF AUTOMATIC DRAINING, ANTI- BACKFLOW TYPES - MAR 1978 | A | 4510 | | YD1 | 01-MAR-91 | | YD1 | | |
| D | | | ASSE1020-89 | VACUUM BREAKER ASSEMBLY, PRESSURE, PERFORMANCE STANDARD FOR - FEB, 1989 | A | 4510 | | YD1 | 12-APR-90 | | YD1 | | |
| D | | | ASSE1037-90 | FIXTURES, PLUMBING, PRESSURIZED FLUSHING DEVICES (FLUSHOMETERS) FOR - MARCH 1990 REVIEWER: 84 CS | A | 4510 | | YD1 | 08-NOV-90 | | YD1 | 99 | |
| D | | | ASTM-A1-84 | RAIL, CARBON STEEL TEE - 27 JAN 84 USER: CG MC | A | 2250 | | YD1 | 09-JUL-84 | ME | YD1 | 99 | |
| D | | | ASTM-A6/A6M-92 NOTICE 1 | ROLLED STEEL PLATES, SHAPES, SHEET PILING, AND BARS FOR STRUCTURAL USE, GENERAL REQUIREMENTS FOR USER: AT GL REVIEWER: 99 AR IS YD1 | A | 9515 | * | MR | 02-DEC-92 | MR | SH | | |
| D | | | ASTM-A20/A20M-92 NOTICE 1 | PLATES, STEEL, FOR PRESSURE VESSELS, GENERAL REQUIREMENTS FOR REVIEWER: AT IS YD1 | A | 9515 | * | MR | 30-NOV-92 | MR | SH | | |
| D | | | ASTM-A27/A27M-91 NOTICE 1 | STEEL CASTINGS, CARBON FOR GENERAL APPLICATION USER: OS YD1 REVIEWER: 70 80 82 AT | A | MECA | * | MR | 22-NOV-91 | MR | | 99 | |
| M | | | ASTM-A29/A29M-93 NOTICE 1 | STEEL BARS, CARBON AND ALLOY, HOT-WROUGHT AND COLD-FINISHED, GENERAL REQUIREMENTS FOR USER: OS SH REVIEWER: IS | A | 9510 | | MR | 05-MAY-93 | MR | | 11 | |
| D | | | ASTM-A36/A36M-89 | STEEL, STRUCTURAL, STANDARD SPECIFICATION FOR - 25 AUG 89 USER: OS REVIEWER: AT IS MI SH | A | 9520 | | YD1 | 12-JAN-90 | MR | YD1 | 99 | |
| D | | | ASTM-A47-90 NOTICE 1 | CASTINGS, IRON, FERRITIC MALLEABLE USER: CG MC REVIEWER: ME MI | A | MECA | * | YD1 | 04-DEC-92 | MR | YD1 | 99 | |
| D | | | ASTM-A47M-90 NOTICE 1 | CASTINGS, IRON, FERRITIC MALLEABLE (METRIC) USER: CG MC REVIEWER: ME MI | A | MECA | * | YD1 | 04-DEC-92 | MR | YD1 | 99 | |
| M | | | ASTM-A48-93 NOTICE 1 | GRAY IRON CASTINGS REVIEWER: ME SH | A | MECA | | MR | 03-MAY-93 | MR | YD1 | 99 | |
| D | | | ASTM-A53-89 | PIPE, STEEL, BLACK AND HOT-DIPPED, ZINC-COATED, WELDED AND SEAMLESS STANDARD SPECIFICATION FOR - 17 MAY 89 REVIEWER: CE CG MC SH | A | 4710 | | YD1 | 14-SEP-89 | ME | YD1 | 99 | NA |
| D | | | ASTM-A74-92 NOTICE 1 | PIPE AND FITTINGS, CAST IRON, SOIL USER: CE MC REVIEWER: CS MR | A | 4710 | * | YD1 | 04-DEC-92 | ME | YD1 | 99 | |
| D | | | ASTM-A82-90 | STEEL WIRE, PLAIN, FOR CONCRETE REINFORCEMENT - 27 APR 90 USER: CE MC | A | 9505 | | YD1 | 07-DEC-90 | ME | YD1 | 99 | |
| D | | | ASTM-A90-81 NOTICE 2 | ARTICLES, IRON OR STEEL, TESTS FOR WEIGHT OF COATING ON ZINC COATED (GALVANIZED) - 26 JUN 81 (VALIDATION DATE: 8803) USER: YD1 | A | MFFP | | MR | 30-MAR-88 | MR | SH | 11 | |
| D | | | ASTM-A105/A105MA-87 | FORGING, CARBON STEEL, FOR PIPING COMPONENTS - 28 AUG 87 REVIEWER: SH | A | FORG | | YD1 | 28-OCT-88 | MR | YD1 | | |
| D | | | ASTM-A106-91 | PIPE, SEAMLESS CARBON STEEL, FOR HIGH-TEMPERATURE SERVICE - 11 JUL 1991 USER: AR CE CG EA MC REVIEWER: SH | A | 4710 | | YD1 | 23-AUG-91 | ME | YD1 | 99 | |
| D | | | ASTM-A108A-90 | STEEL BARS, CARBON, COLD FINSIHED, STANDARD QUALITY - 27 JUL 90 USER: YD1 REVIEWER: 99 AR IS ME OS | A | 9510 | | MR | 12-OCT-90 | MR | SH | 11 | |
| D | | | ASTM-A109-91 NOTICE 1 | STEEL, STRIP, CARBON, COLD ROLLED USER: OS SH YD1 REVIEWER: 99 IS MI | A | 9515 | * | MR | 09-OCT-91 | MR | | 11 | |
| | | | ASTM-A109M-91 NOTICE 1 | STEEL, STRIP, CARBON, COLD-ROLLED (METRIC) USER: OS SH REVIEWER: 99 IS MI | A | 9515 | * | MR | 09-DEC-91 | MR | | 11 | |
| D | | | ASTM-A116-88 | ZINC-COATED (GALVANIZED) STEEL WOVEN WIRE FENCE FABRIC USER: CG MC REVIEWER: CS SH | A | 5660 | | YD1 | 18-MAY-89 | ME | YD1 | 99 | |
| D | | | ASTM-A121-86 | STEEL BARBED WIRE, ZINC- COATED ( GALVANIZED) - 29 AUG 1986 REVIEWER: CS | A | 5660 | | YD1 | 18-MAY-87 | ME | YD1 | 99 | |
| D | | | ASTM-A123A-89 | IRON AND STEEL PRODUCTS, ZINC (HOT-DIP GALVANIZED) COATINGS ON, STANDARDSPECIFICATION FOR - 29 SEP 89 REVIEWER: SH | A | MFFP | | YD1 | 14-JAN-90 | MD | YD1 | 11 | |
| D | | | ASTM-A126-84 NOTICE 2 | VALVE, FLANGES, & PIPE FITTINGS, GRAY IRON CASTINGS - 31 AUG 84 (VALIDATION DATE: 8907) USER: AT MI REVIEWER: AR IS ME SH | A | MECA | | YD1 | 31-JUL-89 | MR | YD1 | | |
| D | | | ASTM-A135A-89 | PIPE, STEEL, ELECTRIC-RESISTANCE-WELDED - 25 AUG 1989 USER: OS REVIEWER: CE CS MR | A | 4710 | | YD1 | 10-APR-90 | ME | YD1 | | |
| D | | | ASTM-A139B-89 | PIPE, STEEL, ELECTRIC-FUSION (ARC)-WELDED (NPS 4 AND OVER) STANDARD SPECIFICATION FOR - 27 OCT 89 REVIEWER: CS MR | A | 4710 | | YD1 | 16-MAY-90 | ME | YD1 | | |
| D | | | ASTM-A143-74R84 | STEEL PRODUCT, STANDARD PRACTICE FOR SAFEGUARDING AGAINST EMBRITTLEMENT OF HOT-DIP GALVANIZED STRUCTVRAL, AND PROCEDVRE FOR DETECTING EMBRITTLEMENT-4 NOV 74 (R1984) | A | MFFP | | YD1 | 05-SEP-88 | MR | YD1 | 11 | |
| D | | | ASTM-A148/A148M-90 | CASTINGS, STEEL, HIGH STRENGTH FOR STRUCTURAL PURPOSE - 28 DEC 90 USER: AT YD1 REVIEWER: 99 | A | MECA | | MR | 23-SEP-91 | MR | SH | 11 | |
| | | | ASTM-A150-91 | ALUMINUM BRONZE, ROD, BAR AND SHAPES - 15 JUN 91 USER: EA GL ME REVIEWER: AR ER | A | 9530 | | MR | 04-SEP-91 | MR | SH | | |
| | | | ASTM-A150M-91 | ALUMINUM BRONZE, ROD, BAR AND SHAPES (METRIC) - 15 JUN 91 USER: EA GL ME REVIEWER: AR ER | A | 9530 | | MR | 04-SEP-91 | MR | SH | | |
| D | | | ASTM-A153-82 NOTICE 1 | ZINC COATING (HOT DIP) ON IRON & STEEL HARDWARE - 27 AUG 82 (VALIDATION DATE: 8706) | A | MFFP | | YD1 | 15-JUN-87 | MR | YD1 | 11 | |
| D | | | ASTM-A159-83R88 NOTICE 2 | CASTING, AUTOMOTIVE GRAY CAST IRON - 29 JUL 1983 (REAPROVED 1988) REVIEWER: AR | A | 9515 | | MR | 23-JAN-89 | MR | YD1 | | |
| D | | | ASTM-A167B-92 NOTICE 1 | STAINLESS AND HEAT-RESISTING CHROMIUM-NICKEL STEEL PLATE, SHEET, AND STRIP USER: CE ME OS REVIEWER: AR ER GL IS MI SH | A | 9515 | * | MR | 16-SEP-92 | MR | YD1 | 11 | |
| D | | | ASTM-A176A-92 NOTICE 1 | STAINLESS AND HEAT-RESISTING CHROMIUM STEEL PLATE, SHEET, AND STRIP USER: CE ME OS REVIEWER: 99 AR ER GL IS SH | A | 9515 | * | MR | 16-SEP-92 | MR | YD1 | | |
| D | | | ASTM-A178/A178MA-90 | TUBES, CARBON STEEL AND CARBON MANGANESE ELECTRIC-RESISTANCE-WELDED STEEL BOILER - 27 JULY 1990 USER: YD1 REVIEWER: CS | A | 4710 | | MR | 09-NOV-90 | MR | SH | | |
| D | | | ASTM-A181/A181M-87 | FORGING, CARBON STEEL, FOR GENERAL-PURPOSE PIPING - 28 AUG 1987 USER: CG MC ME REVIEWER: CS SH | A | 4730 | | YD1 | 12-NOV-87 | | YD1 | 99 | |
| D | | | ASTM-A182/A182M-90 | PIPE, FLANGES, FORGED FITTINGS, AND VALVES, ND PARTS FOR HIGH-TEMPERATURE SERVICE FORGED OR ROLLED ALLOY-STEEL STANDARD SPECIFICATION FOR - 26 JAN 90 USER: CG MC ME REVIEWER: CS SH | A | 4730 | | YD1 | 05-JUN-90 | | YD1 | 99 | |
| D | | | ASTM-A183-83 NOTICE 2 | STEEL, CARBON, TRACK BOLTS AND NUTS - 29 JULY 1983 (VALIDATION DATE: 8907) REVIEWER: 82 | A | 53GP | | YD1 | 03-JUL-89 | ME | YD1 | 99 | |
| D | | | ASTM-A184/A184M-90 NOTICE 1 | FABRICATED DEFORMED STEEL BAR MATS FOR CONCRETE REINFORCEMENT, STANDARD SPECIFICATION FOR | A | 9510 | * | YD1 | 24-JUL-92 | ME | YD1 | | |
| D | | | ASTM-A185A-90 NOTICE 1 | STEEL WELDED WIRE FABRIC, PLAIN, FOR CONCRETE REINFORCEMENT, STANDARD SPECIFICATION FOR REVIEWER: MC | A | 9505 | * | YD1 | 24-JUL-92 | ME | YD1 | | |
| D | L | | ASTM-A192/A192MA-90 | TUBES, BOILER, SEAMLESS CARBON STEEL, FOR HIGH- PRESSURE SERVICE - 27 JULY 1990 USER: YD1 REVIEWER: CS | A | 4710 | | MR | 09-NOV-90 | MR | SH | | |
| D | | | ASTM-A193/A193M-90 | STEEL, STAINLESS AND ALLOY STEEL BOLTING MATERIALS FOR HIGH TEMPERATURE SERVICE - 5 MAR 90 USER: CE REVIEWER: IS | A | 9510 | | YD1 | 17-SEP-90 | AR | YD1 | | |
| D | | | ASTM-A194/A194MA-92 NOTICE 1 | NUTS FOR BOLTS, CARBON AND ALLOY STEEL FOR HIGH-PRESSURE AND HIGH-TEMPERATURE SERVICE USER: 99 CE REVIEWER: IS | A | 5310 | * | AR | 05-NOV-92 | AR | YD1 | | |
| | | | ASTM-A204/A204M-90 | PRESSURE VESSEL PLATES, ALLOY STEEL, MOLYBDENUM - 28 DEC 90 | A | 9515 | | MR | 06-JUN-91 | MR | SH | | |
| | | | ASTM-A213-83 | BOILER, SUPERHEATER, & HEAT EXCHANGER TUBES, SEAMLESS FERRITIC & AUSTENITIC ALLOY STEEL - 29 JUL 83 | A | 4710 | | SH | 08-NOV-83 | | | | |
| D | | | ASTM-A214/A214M-88 | TUBES, ELECTRIC-RESISTANCE-WELDED CARBON STEEL HEAT-EXCHANGER AND CONDENSER, STANDARD SPECIFICATION FOR - 29 JUL 89 REVIEWER: 82 CS | A | 4710 | | YD1 | 10-AUG-89 | ME | YD1 | 99 | |
| D | | | ASTM-A216/A216M-89 | CASTING, STEEL, CARBON, SUITABLE FOR FUSION WELDING, FOR HIGH TEMPERATURE SERVICE - 7 DEC 89 USER: OS SH | A | MECA | | MR | 12-JAN-90 | MR | YD1 | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Orig. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-A217/A217M-89 | STEEL CASTINGS, MARTENSITIC STAINLESS AND ALLOY, FOR PRESSURE CONTAINING PARTS, SUITABLE FOR HIGH-TEMPERATURE SERVICE - 7 DEC 89 USER: SH | A | MECA | MR | 17-JAN-90 | MR | 99 | | | |
| D | | ASTM-A220-88 | IRON, PEARLITIC MALLEABLE - 14 MAR 1988 USER: MI REVIEWER: AS AT ME OS SH . | A | MECA | MR | 26-OCT-88 | MR | YD1 | | | |
| D | | ASTM-A220M-88 | IRON, PEARLITIC MALLEABLE (METRIC) - 14 MAR 1988 USER: AS AT ME OS SH REVIEWER: MI | A | MECA | MR | 26-OCT-88 | MR | YD1 | | | |
| | | ASTM-A227/A227M-91 NOTICE 1 | STEEL WIRE, COLD-DRAWN FOR MECHANICAL SPRINGS REVIEWER: AR AV IS ..... | A | 9505 * | MR | 02-OCT-91 | MR | OS | 99 | | |
| | | ASTM-A228/A228M-91 NOTICE 1 | STEEL WIRE, MUSIC SPRING QUALITY USER: AT REVIEWER: EA IS ME OS ..... | A | 9505 * | MR | 02-OCT-91 | MR | | 99 | | |
| | | ASTM-A229/A229M-91 NOTICE 1 | STEEL WIRE, OIL-TEMPERED FOR MECHANICAL SPRINGS REVIEWER: AR AV IS ..... | A | 9505 * | MR | 02-OCT-91 | MR | OS | 99 | | |
| D | | ASTM-A234/A234MA-90 | PIPING FITTING OF WROUGHT CARBON STEEL AND ALLOY STEEL FOR MODERATE AND ELEVATED TEMPERATURES STANDARD SPECIFICATION FOR - 23 FEB 1990 USER: MC REVIEWER: CS SH | A | 4730 | YD1 | 09-JAN-91 | MR | YD1 | 99 | | |
| D | | ASTM-A239-89 | IRON OR STEEL STANDARD TEST METHOD FOR LOCATING THE THINNEST SPOT IN A ZINC (GALVANIZED) COATING ON ARTICLES BY THE PREECE TEST (COPPER SULFATE DIP) - 24 FEB 89 | A | 95GP | YD1 | 12-SEP-89 | | YD1 | 99 | | |
| D | | ASTM-A240B-92 NOTICE 1 | HEAT-RESISTING, CHROMIUM AND CHROMIUM-NICKEL STAINLESS STEEL PLATE, SHEET, AND STRIP FOR PRESSURE VESSELS USER: CE ME OS REVIEWER: 99 AR ER GL IS MI SH | A | 9515 * | MR | 16-SEP-92 | MR | YD1 | | | |
| D | | ASTM-A242/A242M-89 | STEEL, STRUCTURAL HIGH STRENGTH LOW ALLOY - 5 SEP 89 USER: OS SH REVIEWER: IS | A | 9520 | YD1 | 16-JAN-90 | MR | YD1 | 99 | | |
| D | | ASTM-A247-67R84 | GRAPHITE IN IRON CASTINGS, EVALUATING THE MICROSTRUCTURE OF, STANDARD SPECIFICATION FOR - 25 AUG 67 REVIEWER: SH | A | MECA | YD1 | 31-AUG-90 | MR | YD1 | 11 | | |
| D | | ASTM-A252-90 | WELDED AND SEAMLESS STEEL PIPE PILES - 26 JAN 1990 USER: CG MC REVIEWER: SH | A | 4710 | YD1 | 14-AUG-91 | ME | YD1 | 99 | | |
| | | ASTM-A254-91 | TUBING, COPPER BRAZED STEEL - 1 APR 1991 USER: MC REVIEWER: 82 AR ..... | A | 4710 | CS | 15-JUN-91 | ME | | 99 | CS | |
| | | ASTM-A255-89 | END-QUENCH TEST FOR HARDENABILITY OF STEEL - 25 AUG 89 ..... | A | 95GP | MR | 09-NOV-89 | MR | AS | 11 | | |
| | | ASTM-A262-91 NOTICE 1 | DETECTING SUSCEPTIBILITY TO INTERGRANULAR ATTACK IN AUSTENITIC STAINLESS STEELS, STANDARD PRACTICES FOR USER: SH | A | 95GP * | MR | 19-FEB-92 | MR | AS | 11 | | |
| D | | ASTM-A266/A266M-88 | FORGINGS, CARBON STEEL, FOR PRESSURE VESSEL COMPONENTS - 29 JAN. 1988 REVIEWER: SH | A | FORG | YD1 | 12-SEP-89 | | YD1 | 99 | | |
| D | | ASTM-A269A-90 | TUBING FOR GENERAL SERVICE, SEAMLESS & WELDED AUSTENITIC STAINLESS STEEL - 27 JUL 1990 USER: CG MC REVIEWER: CS SH | A | 4710 | YD1 | 15-AUG-91 | ME | YD1 | 99 | | |
| D | | ASTM-A270A-88 | TUBING, SEAMLESS & WELDED AUSTENTIC STAINLESS STEEL SANITARY USER: GL ME SH REVIEWER: CS | A | 4710 | YD1 | 19-OCT-88 | | YD1 | 99 | | |
| D | | ASTM-A275/A275M-90 | MAGNETIC PARTICLE EXAMINIATION OF STEEL FORGINGS - 27 JUL 1990 USER: YD1 .. | A | NDTI | MR | 14-MAY-91 | MR | SH | 11 | | |
| D | | ASTM-A276A-89 | BAR & SHAPE, STAINLESS & HEAT RESISTING STEEL - 25 AUG 89 USER: CE REVIEWER: 84 IS SH | A | 9510 | YD1 | 30-MAY-90 | MR | YD1 | 99 | | |
| D | | ASTM-A283/A283M-88 | STEEL PLATE, SHAPES AND BARS, LOW AND INTERMEDIATE TENSILE STRENGTH - 16 MAR 88 USER: OS SH REVIEWER: IS | A | 9520 | YD1 | 07-SEP-88 | ME | YD1 | 99 | | |
| D | | ASTM-A285/A285M-82R87 | STEEL, CARBON PRESSURE VESSEL PLATES, LOW & INTERMEDIATE-TENSILE STRENGTH, STANDARD SPECIFICATION FOR - 30 JUL 82 REVIEWER: IS SH | A | 9515 | YD1 | 28-JAN-89 | MR | YD1 | 99 | | |
| D | | ASTM-A295-92 NOTICE 1 | HIGH-CARBON ANTIFRICTION BEARING STEEL USER: AR ME SH YD1 REVIEWER: AT .... | A | 9640 * | MR | 19-OCT-92 | MR | OS | | | |
| | | ASTM-A302/A302M-90 | PRESSURE VESSEL PLATES, ALLOY STEEL, MANGANESE-MOLYBDENUM & MANGANESE-MOLYBDENUM NICKEL - 28 DEC 90 | A | 9515 | MR | 06-JUN-91 | MR | SH | | | |
| D | | ASTM-A304-90 | STEEL BARS, ALLOY, SUBJECT TO END-QUENCH HARDENABILITY REQUIREMENTS - 26JAN 90 USER: YD1 REVIEWER: 99 AL ME | A | 9510 | MR | 09-APR-90 | MR | SH | 11 | | |
| D | | ASTM-A307A-92 NOTICE 1 | BOLTS, AND STUDS, CARBON STEEL, 60,000 PSI TENSILE STRENGTH ..... | A | 53GP * | AR | 01-JUN-92 | AR | YD1 | | | |
| D | L | ASTM-A308-92 NOTICE 1 | STEEL, SHEET, LONG TERNE (LEAD-TIN ALLOY) COATED BY THE HOT-DIP PROCESS USER: YD1 REVIEWER: IS | A | 9515 * | MR | 30-NOV-92 | MR | | | | |
| D | | ASTM-A309-90 NOTICE 1 | WEIGHT AND COMPOSITION OF COATING ON LONG TERNE SHEET BY THE TRIPLE-SPOT TEST USER: 84 GL IS SA | A | MFFP * | MR | 09-OCT-91 | MR | YD1 | 99 | | |
| D | | ASTM-A312/A312MA-89 | PIPE, STAILESS STEEL, SEAMLESS AND WELDED AUSTENITIC, STANDARD SPECIFICATION FOR - 25 AUG 89 USER: CE REVIEWER: CS | A | 4710 | YD1 | 17-JAN-90 | MR | YD1 | | | |
| A | | ASTM-A313-92 NOTICE 1 | CHROMIUM-NICKEL STAINLESS AND HEAT-RESISTING STEEL SPRING WIRE REVIEWER: AR ER IS | A | 9505 * | MR | 03-DEC-92 | MR | AS | 99 | | |
| D | | ASTM-A320/A320M-88 | STEEL, ALLOY, BOLTING MATERIALS FOR LOW-TEMPERATURE SERVICE - 29 APR 1988 . | A | 5306 | YD1 | 26-FEB-89 | AR | YD1 | 99 | | |
| | | ASTM-A322M-90 | STEEL BARS, ALLOY, STANDARD GRADES - 26 JAN 90 REVIEWER: IS ..... | A | 9510 | MR | 09-APR-90 | MR | SH | | | |
| | | ASTM-A322-91 NOTICE 1 | STEEL BARS, ALLOY, STANDARD GRADES REVIEWER: IS ..... | A | 9510 * | MR | 03-OCT-91 | MR | SH | | | |
| D | | ASTM-A325A-92 NOTICE 1 | BOLTS, STEEL, HEAT-TREATED, 120/105 KSI MINIMUM TENSILE STRENGTH USER: CE REVIEWER: IS | A | 5306 * | AR | 23-OCT-92 | AR | YD1 | 99 | | |
| D | | ASTM-A325MA-92 NOTICE 1 | BOLTS, HIGH STENGTH FOR STRUCTURAL STEEL JOINTS (METRIC) USER: 99 CE REVIEWER: IS | A | 5306 * | AR | 23-OCT-92 | AR | YD1 | | | |
| D | | ASTM-A328-84 | STEEL SHEET PILING - 28 SEPT 1984 REVIEWER: IS ..... | A | 9520 | ME | 17-JUN-85 | ME | YD1 | | | |
| D | | ASTM-A331-90 | STEEL BARS, ALLOY, COLD- FINISHED - 26 JAN 90 USER: YD1 REVIEWER: 99 AR IS ME | A | 9510 | MR | 08-JUN-90 | MR | SH | 11 | | |
| A | | ASTM-A336-84 | FORGINGS, STEEL, ALLOY FOR PRESSURE & HIGH TEMPERATURE PARTS - 29 JUN 84 REVIEWER: IS | A | FORG | SH | 20-NOV-84 | MR | SH | 11 | | |
| D | | ASTM-A351/A351MB-91 NOTICE 1 | CASTINGS, AUSTENITIC, AUSTENITIC-FERRITIC (DUPLEX), FOR PRESSURE-CONTAINING PARTS, STANDARD SPECIFICATION FOR REVIEWER: SH | A | MECA * | YD1 | 30-OCT-92 | MR | YD1 | | | |
| D | | ASTM-A352/A352M-89 NOTICE 1 | STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE CONTAINING PARTS, SUITABLE FOR LOW-TEMPERATURE SERVICE, STANDARD SPECIFICATION FOR REVIEWER: IS MR | A | MECA * | YD1 | 12-JUN-92 | AR | YD1 | 99 | | |
| D | | ASTM-A354A-92 NOTICE 1 | BOLTS, STUDS, AND OTHER EXTERNALLY THREADED FASTENERS, QUENCHED AND TEMPERED ALLOY STEEL | A | 53GP * | AR | 23-OCT-92 | AR | YD1 | 99 | | |
| D | | ASTM-A361/A361M-85R90 NOTICE 1 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS FOR ROOFING AND SIDING, STANDARD SPECIFICATION FOR USER: MC REVIEWER: IS SH | A | 9515 * | YD1 | 21-SEP-92 | MR | YD1 | 99 | | |
| D | | ASTM-A366/A336M-91 NOTICE 2 | STEEL, SHEET, CARBON, COLD-ROLLED, COMMERCIAL QUALITY REVIEWER: YD1 ..... | A | 9515 * | MR | 09-OCT-91 | MR | SH | 11 | | |
| | | ASTM-A370-92 NOTICE 1 | MECHANICAL TESTING OF STEEL PRODUCTS REVIEWER: AT GL IS MI ..... | A | 95GP * | MR | 27-APR-92 | MR | AS | 11 | | |
| D | | ASTM-A380-88 | CLEANING & DESCALING STAINLESS STEEL PARTS, EQUIPMENT & SYSTEMS - 25 MAR78 USER: 99 OS YD1 REVIEWER: AR AS AV GL IS MI | A | MFFP | MR | 14-FEB-90 | MR | SH | 11 | | |
| D | | ASTM-A394A-92 NOTICE 1 | BOLTS, TRANSMISSION TOWER, ZINC-COATED AND BARE STEEL ..... | A | 5306 * | AR | 23-OCT-92 | AR | YD1 | 99 | | |
| D | | ASTM-A395-88 | CASTING, FERRITIC DUCTILE IRON PRESSURE-RETAINING, FOR USE AT ELEVATED TEMPERATURES - 13 JUN 88 USER: AT MI REVIEWER: AR IS ME SH | A | MECA | YD1 | 16-MAY-89 | MR | YD1 | | | |
| D | | ASTM-A400-69R88 NOTICE 2 | STEEL BAR COMPOSITIONS ACCORDING TO SECTION, SELECTION OF - 14 NOV 1969 [VALIDATION DATE: 8803] USER: AV GL YD1 REVIEWER: AT IS ME MI OS | A | 5520 | MR | 21-MAR-88 | MR | SH | 11 | | |
| D | | ASTM-A403/A403M-89 | PIPING, STAINLESS STEEL, FITTING WROUGHT AUSTENITIC, STANDARD SPECIFICATION FOR - 25 AUG 89 REVIEWER: CS SH | A | 4730 | YD1 | 09-OCT-89 | ME | YD1 | 99 | | |
| D | | ASTM-A416A-90 | STEEL STRAND, UNCOATED SEVEN-WIRE STRESS-RELIEVED FOR PRESTRESSED CONCRETE - 27 JUL 90 USER: CE MC REVIEWER: SH | A | 9505 | YD1 | 07-DEC-90 | | YD1 | 99 | | |
| D | | ASTM-A421-90 | WIRE, UNCOATED STRESS-RELIEVED, FOR PRESTRESSED CONCRETE - 27 APR 90 USER: MC REVIEWER: IS SH | A | 9505 | YD1 | 07-DEC-90 | ME | YD1 | 99 | | |
| D | | ASTM-A423/A423M-90 | TUBE, STEEL, SEAMLESS & ELECTRIC WELDED LOW-ALLOY - 23 FEB 1990 USER: ME SH REVIEWER: CS | A | 4710 | YD1 | 23-AUG-91 | | YD1 | 99 | | |
| D | | ASTM-A424-89 | PORCELAIN ENAMELING, STEEL SHEET FOR REVIEWER: IS ..... | A | 9515 | YD1 | 18-MAY-89 | MR | YD1 | 99 | | |
| D | | ASTM-A428-89 | IRON OR STEEL ARTICLES, STANDARD TEST METHOD FOR WEIGHT OF COATING ON ALUMINUM-COATED - 29 SEP 89 REVIEWER: 84 IS SH | A | 95GP | YD1 | 02-MAY-90 | MR | YD1 | 99 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Obs. Coordination Inactive | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-A436-84 NOTICE 1 | AUSTENITIC GRAY IRON CASTING - 27 JAN 84 [VALIDATION DATE: 8907] ..... | A MECA | YD1 10-JUL-89 | MR | YD1 | | |
| D | | ASTM-A438-80R85 | CAST IRON, GRAY, STANDARD METHOD FOR TRANSVERSE TESTING OF - 28 MAR 90 .... | A MECA | YD1 02-MAY-90 | MR | YD1 | 11 | |
| D | | ASTM-A444/A444M-89 | CULVERT & UNDERDRAIN, STEEL SHEET, ZINC COATED (GALVANIZED) BY THE HOT DIP PROCESS FOR - 26 MAY 89 USER: MC REVIEWER: IS SH | A 9515 | YD1 16-JAN-90 | MR | YD1 | 99 | |
| D | | ASTM-A446/A446M-91 NOTICE 1 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, STRUCTRUAL (PHYSICAL) QUALITY REVIEWER: IS SH | A 9515 * | YD1 30-OCT-92 | MR | YD1 | 99 | |
| D | | ASTM-A449B-92 NOTICE 1 | BOLTS AND STUDS, STEEL, QUENCHED AND TEMPERED ..... | A 53GP * | AR 23-OCT-92 | AR | YD1 | 99 | |
| D | | ASTM-A450/A450MA-92 NOTICE 1 | CARBON, FERRITIC ALLOY, AND AUSTENITIC ALLOY STEEL TUBES, GENERAL REQUIREMENTS FOR USER: YD1 REVIEWER: CS | A 4710 * | MR 02-DEC-92 | MR | SH | | |
| D | | ASTM-A463-88 | STEEL SHEET, COLD-ROLLED, ALUMINUM-COATED TYPE 1 & TYPE 2, STANDARD SPECIFICATION FOR - 30 SEP 88 REVIEWER: 84 IS SH | A 9515 | YD1 28-FEB-89 | MR | YD1 | 99 | |
| A | | ASTM-A470-84 | FORGINGS, VACUUM-TREATED CARBON & ALLOY STEEL, FOR TURBINE ROTORS & SHAFTS - 28 DEC 84 USER: MC REVIEWER: AR GS | A FORG | SH 24-JUN-86 | MR | SH | 11 | |
| D | | ASTM-A473-87 | FORGING, STEEL, STAINLESS & HEAT RESISTING, STANDARD SPECIFICATION FOR USER: AT OS REVIEWER: MI SH | A FORG | YD1 30-SEP-87 | MR | YD1 | 11 | |
| D | | ASTM-A475-89 | STEEL WIRE STRAND, ZINC COATED - STANDARD SPECIFICATION FOR 24 FEB89 REVIEWER: IS SH | A 9505 | YD1 10-AUG-89 | ME | YD1 | 99 | |
| D | | ASTM-A479/A479MB-91 NOTICE 1 | STAINLESS AND HEAT-RESISTING STEEL BARS AND SHAPES FOR USE IN BOILERS AND OTHER PRESSURE VESSELS, STANDARD SPECIFICATION FOR USER: AT ME OS REVIEWER: IS MI SH | A 9510 * | YD1 24-JUL-92 | MR | YD1 | | |
| A | | ASTM-A480/A480MC-92 NOTICE 1 | FLAT-ROLLED, STAINLESS AND HEAT-RESISTING STEEL PLATE, SHEET, AND STRIP, GENERAL REQUIREMENTS FOR USER: GL REVIEWER: 99 AR IS OS | A 9515 * | MR 30-NOV-92 | MR | SH | 11 | |
| D | | ASTM-A484/A484MA-92 NOTICE 1 | STEEL, BARS, BILLETS AND FORGINGS, STAINLESS AND HEAT RESISTING, GENERAL REQUIREMENTS FOR USER: AR AS SH REVIEWER: 99 IS MI OS | A 9510 * | MR 26-OCT-92 | MR | YD1 | 11 | |
| A | | ASTM-A485-92 NOTICE 1 | HIGH HARDENABILITY ANTIFRICTION BEARING STEEL USER: AT MC SH REVIEWER: GL ME | A 9640 * | MR 19-OCT-92 | MR | OS | | |
| D | | ASTM-A489-90 | EYEBOLTS, CARBON STEEL - 23 FEB 90 ..... | A 5306 | AR 18-JUN-90 | AR | YD1 | 99 | |
| D | | ASTM-A490A-92 NOTICE 1 | BOLTS, STRUCTURAL, STEEL, HEAT TREATED, 150 KSI MINIMUM TENSILE STRENGTH .. | A 5306 * | AR 23-OCT-92 | AR | YD1 | 99 | |
| D | | ASTM-A490MA-92 NOTICE 1 | BOLTS, STEEL, HIGH-STRENGTH, CLASSES 10.9 AND 10.9.3 FOR STRUCTURAL STEEL JOINTS (METRIC) USER: CE REVIEWER: IS | A 5306 * | AR 23-OCT-92 | AR | YD1 | 99 | |
| D | | ASTM-A492-82 NOTICE 1 | ROPE WIRE, STAINLESS & HEAT RESISTING STEEL - 30 JUL 82 [VALIDATION DATE: 87061 | A 9505 | YD1 12-JUN-87 | MR | YD1 | 99 | |
| A L | | ASTM-A493-92 NOTICE 1 | STAINLESS AND HEAT-RESISTING STEEL WIRE AND WIRE RODS FOR COLD HEADING AND COLD FORGING USER: SH REVIEWER: AR IS | A 9510 * | MR 26-OCT-92 | MR | | | |
| D | | ASTM-A496A-90 NOTICE 1 | STEEL WIRE, DEFORMED, FOR CONCRETE REINFORCEMENT, STANDARD SPECIFICATION FOR | A 9505 * | YD1 17-JUL-92 | ME | YD1 | 99 | |
| D | | ASTM-A499-81R88 | BAR, STEEL, & SHAPES, CARBON ROLLED FROM (T) RAILS, STANDARD SPECIFICATION FOR - 31 JUL 81 (REAPPROVED 88) USER: ME REVIEWER: IS | A 9510 | YD1 12-JAN-88 | MR | YD1 | | |
| D | | ASTM-A500-90 | TUBING, STRUCTURAL, COLD FORMED WELDED & SEAMLESS CARBON STEEL, IN ROUNDS & SHAPES - 27 JULY 1990 REVIEWER: SH | A 4710 | YD1 10-JUL-91 | ME | YD1 | 99 | |
| D | | ASTM-A501-89 | TUBING STEEL STRUCTURAL HOT-FORMED WELDED & SEAMLESS CARBON STANDARD SPECIFICATION FOR - 7 MAY 89 USER: OS REVIEWER: CS SH | A 4710 | YD1 16-MAY-90 | ME | YD1 | 99 | |
| D | | ASTM-A502-90 | RIVETS, STRUCTURAL, STEEL - 23 FEB 90 REVIEWER: AS AV IS ..... | A 5320 | AR 18-JUN-90 | AR | YD1 | 99 | |
| | | ASTM-A505-87 | STEEL, SHEET & STRIP, ALLOY, HOT-ROLLED & COLD-ROLLED, GENERAL REQUIREMENTA FOR - 31 JULL 1987 REVIEWER: 99 IS | A 9515 | MR 17-MAR-88 | MR | SH | 11 | |
| | | ASTM-A506-91 NOTICE 2 | STEEL, SHEET AND STRIP, ALLOY, HOT-ROLLED AND COLD-ROLLED, REGULAR QUALITY AND STRUCTURAL QUALITY REVIEWER: IS MI | A 9515 * | MR 10-OCT-91 | MR | SH | | |
| | | ASTM-A507-91 NOTICE 2 | STEEL, SHEET AND STRIP, ALLOY, HOT-ROLLED AND COLD-ROLLED, DRAWING QUALITY USER: OS REVIEWER: IS MI | A 9515 * | MR 10-OCT-91 | MR | SH | 11 | |
| | | ASTM-A508-84 | STEEL FORGINGS, QUENCHED AND TEMPERED VACUUM-TREATED CARBON AND ALLOY, FOR PRESSURE VESSELS - 29 JUNE 84 USER: MC OS REVIEWER: IS | A FORG | SH 25-JAN-85 | MR | SH | | |
| | | ASTM-A510-91 NOTICE 1 | WIRE RODS AND COARSE ROUND WIRE, CARBON STEEL, GENERAL REQUIREMENTS FOR ... | A 9505 * | MR 02-OCT-91 | MR | SH | | |
| | | ASTM-A510M-91 NOTICE 1 | WIRE RODS AND COARSE ROUND WIRE, CARBON STEEL (METRIC), GENERAL REQUIREMENTS FOR | A 9505 * | MR 02-OCT-91 | MR | SH | 11 | |
| D | | ASTM-A511-90 | TUBING, MECHANICAL, SEAMLESS STAINLESS STEEL - 23 FEB 90 USER: YD1 REVIEWER: CS | A 4710 | MR 12-APR-90 | MR | | | |
| D | | ASTM-A512-91 NOTICE 1 | COLD-DRAWN BUTTWELD CARBON STEEL MECHANICAL TUBING USER: AV GL OS YD1 REVIEWER: AR AT CS ME | A 4710 * | MR 09-MAR-92 | MR | SH | 11 | |
| D | | ASTM-A513-92 NOTICE 1 | ELECTRIC-RESISTANCE-WELDED CARBON AND ALLOY STEEL MECHANICAL TUBING USER: AV GL OS SH YD1 REVIEWER: 82 AR AT CS ME MI | A 4710 | MR 10-MAR-93 | MR | | 99 | |
| D | | ASTM-A514/A514M-90 | PLATE, HIGH-YIELD-STRENGTH, QUENCHED & TEMPERED ALLOY STEEL, SUITABLE FOR WELDING - 23 FEB 1990 USER: IS SH | A 9515 | YD1 10-DEC-90 | MR | YD1 | 99 | |
| | | ASTM-A515/A515M-90 | PRESSURE VESSEL PLATES, CARBON STEEL, FOR INTERMEDIATE & HIGHER TEMPERATURE SERVICE - 28 DEC 90 | A 9515 | MR 06-JUN-91 | MR | SH | | |
| D | | ASTM-A516/A516M-90 | PRESSURE VESSEL PLATES, CARBON STEEL, FOR MODERATE - AND LOWER - TEMPERATURE SERVICE - 28 DEC 1990 USER: YD1 | A 9515 | MR 06-JUN-91 | MR | SH | | |
| D | | ASTM-A517/A517M-90 | PLATES, PRESSURE VESSEL, ALLOY STEEL, HIGH STRENGTH, QUENCHED & TEMPERED - 28 DEC 1990 REVIEWER: 11 AL AR AT EA IS ME SH | A 9515 | MR 06-JUN-91 | MR | YD1 | 99 | |
| D | | ASTM-A518-92 NOTICE 1 | CASTINGS, IRON, HIGH-SILICON, CORROSION-RESISTANT USER: SH ..... | A MECA * | YD1 30-SEP-92 | MR | YD1 | | |
| | | ASTM-A519-90 | TUBING, SEAMLESS CARBON AND ALLOY STEEL MECHANICAL - 23 FEB 90 REVIEWER: AR AT CS MI SH | A 4710 | MR 02-MAY-90 | MR | | | |
| D | | ASTM-A520-90 | CARBON STEEL TUBULAR PRODUCTS FOR HIGH-TEMPERATURE SERVICE CONFORMING TO ISO RECOMMENDATIONS FOR BOILER CONSTRUCTION, SUPPLEMENTARY REQUIREMENTS FOR - 23 FEB 1990 REVIEWER: 82 CS SH | A 4710 | YD1 15-OCT-90 | ME | YD1 | 99 | |
| D | | ASTM-A525B-91 NOTICE 1 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, GENERAL REQUIREMENTS FOR REVIEWER: IS SH | A 9515 * | YD1 30-OCT-92 | MR | YD1 | 99 | |
| D | | ASTM-A525MA-91 NOTICE 1 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS (METRIC), GENERAL REQUIREMENTS FOR USER: MC REVIEWER: IS SH | A 9515 * | YD1 30-OCT-92 | MR | YD1 | 99 | |
| D | | ASTM-A526/A526M-90 NOTICE 1 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, COMMERCIAL QUALITY, STANDARD SPECIFICATION FOR REVIEWER: IS | A 9515 * | YD1 21-SEP-92 | CE | YD1 | 99 | |
| D | | ASTM-A527/A527M-90 NOTICE 1 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, LOCK-FORMING QUALITY, STANDARD SPECIFICATION FOR REVIEWER: IS SH | A 9515 * | YD1 21-SEP-92 | MR | YD1 | 99 | |
| D | | ASTM-A528/A528M-90 NOTICE 1 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, DRAWING QUALITY, STANDARD SPECIFICATION FOR USER: MC REVIEWER: IS SH | A 9515 * | YD1 21-SEP-92 | MR | YD1 | 99 | |
| D | | ASTM-A529/A529M-89 | STEEL, STRUCTURAL WITH 42 KSI (290 MPA) MINIMUM YIELD POINT (1/2 IN. (13 MM) MAXIMUM THICKNESS) STANDARD SPECIFICATION FOR - 5 SEP 89 REVIEWER: IS | A 9520 | YD1 22-JAN-90 | MR | YD1 | | |
| D | | ASTM-A530/A530MA-86 | CARBON, SPECIALIZED, & ALLOY STEEL PIPE, STANDARD SPECIFICATION FOR GENERAL REQUIREMENTS FOR - 27 JUN 1986 USER: MC MR REVIEWER: 82 YD1 | A 4710 | SH 10-MAR-87 | ME | SH | 99 | |
| D | | ASTM-A532/A532M-87 | CAST IRONS, ABRASION-RESISTANT, STANDARD SPECIFICATION FOR - 31 DEC 87 USER: CE REVIEWER: CS SH | A MECA | YD1 14-JUN-89 | ME | YD1 | 99 | |
| D | | ASTM-A534-92 NOTICE 1 | CARBURIZING STEELS FOR ANTI-FRICTION BEARINGS, STANDARD SPECIFICATION FOR USER: AR ME SH YD1 REVIEWER: AT | A 9640 * | MR 01-JUL-92 | MR | OS | 99 | |
| | | ASTM-A535-85 NOTICE 1 | STEEL, BALL & ROLLER BEARING, SPECIAL-QUALITY - 27 DEC 85 [VALIDATION DATE: 9006] USER: AR ME SH REVIEWER: AT | A 9640 | MR 22-JUN-90 | MR | OS | 99 | |
| D | | ASTM-A536-84 NOTICE 2 | CASTINGS, DUCTILE IRON - 15 JUN 84 [VALIDATION DATE: 9002] USER: 80 82 REVIEWER: AR | A MECA | MR 12-FEB-90 | MR | YD1 | 99 | |
| D | | ASTM-A537/A537M-86 | PLATE, PRESSURE VESSEL, HEAT TREATED, CARBON-MANGANESE-SILICON STEEL - 29 AUG 86 USER: CE OS REVIEWER: 84 SH | A 9520 | YD1 22-JAN-90 | MR | YD1 | 99 | |
| | | ASTM-A554-90 | TUBING, MECHANICAL, WELDED STAINLESS STEEL - 23 FEB 90 REVIEWER: CS GS .... | A 4710 | MR 08-JUN-90 | MR | SH | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | ASTM-A555/A555M-92 NOTICE 1 | STAINLESS AND HEAT-RESISTING STEEL WIRE AND WIRE RODS, GENERAL REQUIREMENTS FOR USER: OS REVIEWER: AL AS IS | A | 9505 * | MR | | 19-OCT-92 | MR | SH | 11 | |
| | | ASTM-A561-71R85 NOTICE 1 | TOOL STEEL BARS, MACROETCH TESTING OF - 25 OCT 71 REAPPROVED 1985 [VALIDATION DATE: 8803] REVIEWER: II AR IS OS | A | 9510 | MR | | 21-MAR-88 | MR | SH | 84 | |
| A | | ASTM-A563A-92 NOTICE 1 | NUTS, STEEL, CARBON AND ALLOY ..... | A | 5310 * | AR | | 23-OCT-92 | AR | AS | 99 | |
| D | | ASTM-A563M-92 NOTICE 1 | NUTS, STEEL, CARBON AND ALLOY (METRIC) USER: CE ME REVIEWER: IS ..... | A | 5310 * | AR | | 23-OCT-92 | AR | YD1 | | |
| A | | ASTM-A565-92 NOTICE 1 | MARTENSITIC STAINLESS STEEL BARS, FORGINGS, STOCK FOR HIGH-TEMPERATURE SERVICE, STANDARD SPECIFICATION FOR USER: MC REVIEWER: IS | A | FORG * | SH | | 09-DEC-92 | MR | SH | | |
| D | | ASTM-A568M-90 | STEEL, CARBON & HIGH STRENGTH LOW ALLOY HOT ROLLED SHEET & COLD ROLLED SHEET, GENERAL REQUIREMENTS FOR (METRIC) - 26 JAN 1990 USER: OS REVIEWER: 99 IS YD1 | A | 9515 | MR | | 18-APR-90 | MR | SH | | |
| D | | ASTM-A568/A568M-92 NOTICE 1 | STEEL, SHEET, CARBON, AND HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED AND COLD-ROLLED, GENERAL REQUIREMENTS FOR REVIEWER: 99 IS YD1 | A | 9515 * | MR | | 30-NOV-92 | MR | SH | | |
| D | | ASTM-A569/A569M-91 NOTICE 2 | STEEL, CARBON, (0.15 MAXIMUM, PERCENT), HOT-ROLLED SHEET AND STRIP COMMERCIAL QUALITY REVIEWER: IS MI YD1 | A | 9515 * | MR | | 10-OCT-91 | MR | SH | | |
| D | | ASTM-A570/A570M-92 NOTICE 1 | STEEL, SHEET AND STRIP, CARBON, HOT-ROLLED, STRUCTURAL QUALITY REVIEWER: IS MI YD1 | A | 9515 * | MR | | 18-SEP-92 | MR | SH | | |
| M | | ASTM-A572/A572MA-92 NOTICE 1 | STEELS, HIGH-STRENGTH LOW ALLOY COLUMBIUM-VANADIUM, OF STRUCTURAL QUALITY REVIEWER: AR IS | A | 9520 | MR | | 03-MAY-93 | MR | YD1 | | |
| A | | ASTM-A574M-92 NOTICE 1 | SCREW, CAP, SOCKET-HEAD, ALLOY STEEL (METRIC) USER: MC ME MI OS SH REVIEWER: AT AV CR EA IS | A | 5305 * | AR | | 23-OCT-92 | AR | AS | 99 | |
| A | | ASTM-A574A-92 NOTICE 1 | SCREW, CAP, SOCKET-HEAD, ALLOY STEEL ..... | A | 5305 * | AR | | 23-OCT-92 | AR | | 99 | |
| D | | ASTM-A575-89 | STEEL BARS, CARBON, MERCHANT QUALITY, M- GRADES - 7 DEC 89 USER: AT GL ME REVIEWER: AR IS MI YD1 | A | 9510 | MR | | 18-JAN-91 | MR | SH | 11 | |
| | | ASTM-A576B-90 | STEEL BARS, CARBON, HOT-WROUGHT, SPECIAL QUALITY - 31 AUG 90 REVIEWER: 99 AR AS IS MI OS | A | 9510 | MR | | 12-OCT-90 | MR | SH | 11 | |
| D | | ASTM-A580B-91 NOTICE 1 | WIRE, STEEL, STAINLESS AND HEAT-RESISTING USER: AT OS REVIEWER: AR IS MI SH | A | 9505 * | YD1 | | 04-DEC-92 | MR | YD1 | 99 | |
| A | | ASTM-A581-92 NOTICE 1 | FREE-MACHINING STAINLESS AND HEAT-RESISTING STEEL WIRE AND WIRE RODS USER: AL REVIEWER: AR IS | A | 9505 * | MR | | 02-DEC-92 | MR | SH | 11 | |
| A | | ASTM-A582-92 NOTICE 1 | FREE-MACHINING STAINLESS AND HEAT-RESISTING STEEL BARS, HOT-ROLLED OR COLD-FINISHED USER: AR REVIEWER: IS MI OS | A | 9510 * | MR | | 10-DEC-92 | MR | SH | 11 | |
| A | | ASTM-A582/A582M-93 NOTICE 1 | FREE-MACHINING STAINLESS AND HEAT-RESISTING STEEL BARS USER: AR REVIEWER: IS MI OS | A | 9510 | MR | | 16-MAR-93 | MR | SH | 11 | |
| D | | ASTM-A588/A588MA-88 | STEEL, STRUCTURAL, HIGH-STRENGTH LOW-ALLOY STRUCTURAL, WITH 50 KSI(345 MPA) MINIMUM YIELD POINT TO 4 IN (100 MM) THICK - 21 JUN 88 USER: OS SH REVIEWER: IS | A | 9520 | YD1 | | 09-MAY-89 | MR | YD1 | 99 | |
| D | | ASTM-A591-77R83 | STEEL SHEET, COLD-ROLLED, ELECTROLYTIC ZINC-COATED, STANDARD SPECIFICATION FOR - 28 JAN 77 USER: AT DS SH REVIEWER: 84 AR IS MI | A | 9515 | YD1 | | 28-OCT-88 | | YD1 | 99 | |
| D | | ASTM-A591/A591M-89 | STEEL SHEET, COLD-ROLLED, ELECTROLYTIC ZINC-COATED STANDARD SPECIFICATION FOR 31 MAR 89 USER: SH REVIEWER: 84 IS | A | 9515 | YD1 | | 12-SEP-89 | | YD1 | 99 | |
| | | ASTM-A597-79 | TOOL STEEL, CAST - 27 JUL 79 [VALIDATION DATE: 8601] REVIEWER: AR EA OS ... | A | MECA | MR | | 01-OCT-79 | MR | | | |
| A | | ASTM-A600A-92 NOTICE 1 | TOOL STEEL HIGH SPEED REVIEWER: 99 IS MI OS ..... | A | 9510 * | MR | | 10-DEC-92 | MR | SH | 11 | |
| D | | ASTM-A606A-91 NOTICE 1 | STEEL, SHEET AND STRIP, HIGH-STRENGTH, LOW ALLOY, HOT ROLLED AND COLD-ROLLED, WITH IMPROVED ATMOSPHERIC CORROSION RESISTANCE REVIEWER: AR EA IS SH YD1 | A | 9515 * | MR | | 16-MAR-92 | MR | AS | | |
| D | | ASTM-A607-92 NOTICE 1 | STEEL, SHEET AND STRIP, HIGH-STRENGTH, LOW-ALLOY, COLUMBIUM OR VANADIUM, OR BOTH, HOT-ROLLED AND COLD-ROLLED REVIEWER: IS SH | A | 9515 * | MR | | 04-NOV-92 | MR | YD1 | 99 | |
| D | | ASTM-A611-92 NOTICE 1 | STEEL, SHEET, CARBON, COLD-ROLLED, STRUCTURAL QUALITY USER: SH REVIEWER: 84 99 IS MI | A | 9515 * | MR | | 18-SEP-92 | MR | YD1 | 11 | |
| D | | ASTM-A615M-89 | BAR, DEFORMED AND PLAIN BILLET-STEEL, FOR CONCRETE REINFORCEMENT (METRIC ) - 7 DEC 1989 USER: ME | A | 5680 | YD1 | | 16-MAY-90 | | YD1 | | |
| D | | ASTM-A615-92 NOTICE 1 | BARS, DEFORMED AND PLAIN BILLET-STEEL, FOR CONCRETE REINFORCEMENT, STANDARD SPECIFICATION FOR REVIEWER: 84 IS | A | 9510 * | YD1 | | 29-SEP-92 | ME | YD1 | 99 | |
| D | | ASTM-A616/A616M-90 | CONCRETE, RAIL-STEEL DEFORMED AND PLAIN BARSFOR REINFORCEMENT, STANDARD SPECIFICATION FOR - 27 APR 90 USER: ME REVIEWER: 84 | A | 9510 | YD1 | | 10-DEC-90 | CE | YD1 | 99 | |
| D | | ASTM-A617/A617M-90 | AXLE- STEEL DEFORMED & PLAIN BARS FOR CONCRETE REINFORCEMENT - 27 APR 90 REVIEWER: 84 IS | A | 9510 | YD1 | | 10-DEC-90 | CE | YD1 | 99 | |
| D | | ASTM-A618-89 | TUBING, HOT-FORMED, WELDED AND SEAMLESS, HIGH-STREANGTH LOW-ALLOY, STRUCTURAL STANDARD SPECIFICATION FOR -17 MAY 89 REVIEWER: IS SH | A | 4710 | YD1 | | 14-SEP-89 | ME | YD1 | 99 | |
| | | ASTM-A619/A619M-91 NOTICE 1 | STEEL, SHEET, CARBON, COLD-ROLLED, DRAWING QUALITY USER: SH REVIEWER: 99 AR IS SA | A | 9515 * | MR | | 25-OCT-91 | MR | | 11 | |
| L | | ASTM-A620/A620M-91 NOTICE 1 | STEEL, SHEET, CARBON, DRAWING QUALITY, SPECIAL KILLED, COLD-ROLLED USER: ME SH REVIEWER: 99 AR IS | A | 9515 * | MR | | 29-OCT-91 | MR | | | |
| | | ASTM-A621/A621M-91 NOTICE 1 | STEEL, SHEET AND STRIP, CARBON, COLD-ROLLED, DRAWING QUALITY USER: SH REVIEWER: 99 AR IS SA | A | 9515 * | MR | | 29-OCT-91 | MR | | 11 | |
| | | ASTM-A622/A622M-91 NOTICE 1 | STEEL, SHEET AND STRIP, CARBON, DRAWING QUALITY, SPECIAL KILLED, HOT-ROLLED REVIEWER: 99 AR IS MI | A | 9515 * | MR | | 23-OCT-91 | MR | SH | 11 | |
| | | ASTM-A623-90 | TIN MILL PRODUCTS, GENERAL REQUIREMENTS FOR - 29 MAY 87 USER: SH REVIEWER: 11 99 IS | A | 9515 | MR | | 22-JUL-91 | MR | SA | | |
| | | ASTM-A623M-87 | TIN MILL PRODUCTS, GENERAL REQUIREMENTS (METRIC) - 31 OCT 1987 REVIEWER: 99 IS | A | 9515 | MR | | 26-APR-86 | MR | SH | | |
| | | ASTM-A624-90 | TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, SINGLE REDUCED - 28 DEC 90 USER: AS REVIEWER: AR GL IS | A | 9515 | MR | | 04-FEB-91 | MR | SH | 99 | |
| | | ASTM-A624M-90 | TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, SINGLE REDUCED - 28 FEB 1986 USER: AS REVIEWER: AR GL IS | A | 9515 | MR | | 04-FEB-91 | MR | SH | 99 | |
| | | ASTM-A626-90 | TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE DOUBLE REDUCED - 28 DEC 90 USER: AS REVIEWER: AR GL | A | 9515 | MR | | 04-FEB-91 | MR | SH | 99 | |
| | | ASTM-A626M-90 | TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, DOUBLE REDUCED (METRIC)- 28 DEC 90 USER: AS REVIEWER: 84 GL | A | 95GP | MR | | 04-FEB-91 | MR | SH | 99 | |
| | | ASTM-A630-91 NOTICE 1 | DETERMINATION OF TIN COATING WEIGHTS FOR HOT-DIP AND ELECTROLYTIC TIN PLATE REVIEWER: AR AS GL IS | A | 95GP * | MR | | 10-FEB-92 | MR | SH | 99 | |
| | | ASTM-A635-88 | STEEL SHEET & STRIP, HEAVY- THICKNESS COILS, CARBON HOT- ROLLED - 27 JUL1990 REVIEWER: 99 AR IS MI | A | 9515 | MR | | 20-SEP-90 | MR | SH | | |
| | | ASTM-A635M-88 | STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, CARBON, HOT-ROLLED (METRIC) - 27 JUL 90 REVIEWER: 99 AR IS MI | A | 9515 | MR | | 27-JUL-90 | MR | SH | | |
| A | | ASTM-A635/A635M-92 NOTICE 1 | STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, CARBON, HOT-ROLLED REVIEWER: 99 AR IS MI | A | 9515 * | MR | | 04-NOV-92 | MR | SH | | |
| D | | ASTM-A641-92 NOTICE 1 | WIRE, STEEL, CARBON, ZINC-COATED (GALVANIZED) USER: AR MC ME REVIEWER: 84 AT IS MI | A | 9505 * | YD1 | | 30-OCT-92 | MR | YD1 | 99 | |
| D | | ASTM-A642/A642M-90 NOTICE 1 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, DRAWING QUALITY, SPECIAL KILLED, STANDARD SPECIFICATION FOR USER: MC REVIEWER: IS SH | A | 9515 * | YD1 | | 21-SEP-92 | MR | YD1 | 99 | |
| D L | | ASTM-A644-92 NOTICE 1 | IRON CASTINGS, STANDARD TERMINOLOGY RELATING TO REVIEWER: 11 AR AS AT ME SH YD1 | A | MECA * | MR | | 24-JUL-92 | MR | | | |
| D | | ASTM-A659/A659M-92 NOTICE 1 | STEEL, CARBON (0.16 MAXIMUM TO 0.25 MAXIMUM PERCENT) HOT-ROLLED SHEET AND STRIP, COMMERCIAL QUALITY USER: YD1 REVIEWER: IS | A | 9515 * | MR | | 03-DEC-92 | MR | | 11 | |
| | | ASTM-A663/A663M-89 | STEEL BARS, CARBON, MERCHANT QUALITY, MECHANICAL PROPERTIES - 7 DEC 89 REVIEWER: IS | A | 9510 | MR | | 13-FEB-90 | MR | | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action / GPL / Cross Reference Indicator | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | ASTM-A656-92 NOTICE 1 | AUSTENITIC STAINLESS STEEL, SHEET, STRIP, PLATE, AND FLAT BAR USER: CE ME REVIEWER: 99 AR ER GL IS SH | A 9515 * MR | 18-SEP-92 | MR | YD1 | 11 | |
| D | ASTM-A667/A667M-87 | CYLINDERS, CENTRIFUGALLY CAST DUAL METAL (GRAY AND WHITE CAST IRON),STANDARD SPECIFICATION FOR - 30 OCT 87 | A MECA YD1 | 28-OCT-88 | ME | YD1 | | |
| D | ASTM-A668-91 NOTICE 1 | STEEL FORGINGS, CARBON AND ALLOY, FOR GENERAL INDUSTRIAL USE ..... | A FORG * YD1 | 30-SEP-92 | MR | YD1 | | |
| D | ASTM-A673/A673M-90 | STEEL, STRUCTURAL, SAMPLING PROCEDURE FOR IMPACT TESTING OF - 23 FEB 90 REVIEWER: IS SH | A 9520 YD1 | 10-DEC-90 | MR | YD1 | 99 | |
| A | ASTM-A675/A675M-90 | BARS, STEEL, CARBON, HOT WROUGHT, SPECIAL QUALITY, MECHANICAL PROPERTIES - 26 JAN 1990 REVIEWER: IS | A 9510 MR | 15-MAR-90 | MR | | 11 | |
| D | ASTM-A681-92 NOTICE 1 | TOOL STEELS ALLOY USER: GL ME SH REVIEWER: 85 AR IS MI OS ..... | A 9510 * MR | 26-OCT-92 | MR | YD1 | 11 | |
| D | ASTM-A682-91 NOTICE 1 | STEEL, STRIP, HIGH-CARBON, COLD-ROLLED, SPRING QUALITY, GENERAL REQUIREMENTS FOR REVIEWER: 99 AR GL IS ME MI YD1 | A 9515 * MR | 23-AUG-91 | MR | SH | 11 | |
| D | ASTM-A682M-91 NOTICE 1 | STEEL, STRIP, HIGH-CARBON, COLD-ROLLED, SPRING QUALITY, GENERAL REQUIREMENTS FOR (METRIC) REVIEWER: AR GL IS ME MI YD1 | A 9515 * MR | 23-OCT-91 | MR | SH | 11 | |
| A | ASTM-A684/A684M-86 NOTICE 1 | STEEL, STRIP, HIGH-CARBON, COLD-ROLLED, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9206) USER: MC REVIEWER: 99 AR GL ME MI | A 9515 * MR | 10-JUN-92 | MR | SH | 11 | |
| D | ASTM-A686-92 NOTICE 1 | TOOL STEEL, CARBON USER: OS SH YD1 REVIEWER: 11 84 AR IS ..... | A 9510 * MR | 26-OCT-92 | MR | | 99 | |
| D | ASTM-A687-92 NOTICE 1 | BOLTS AND STUDS, HIGH STRENGTH, NONHEADED, STEEL ..... | A 53GP * AR | 23-OCT-92 | AR | YD1 | | |
| D | ASTM-A690/A690M-89 | H-PILES & SHEET PILING, HIGH STRENGTH LOW ALLOY STEEL FOR USE IN MARINE ENVIRONMENTS - 25 AUG 1989 USER: SH REVIEWER: IS | A 9520 YD1 | 16-JAN-90 | MR | YD1 | 99 | |
| A L | ASTM-A693A-92 NOTICE 1 | PRECIPITATION-HARDENING STAINLESS AND HEAT-RESISTING STEEL PLATE, SHEET, AND STRIP USER: CE ME OS REVIEWER: 99 AR CR ER GL IS SH | A 9515 * MR | 18-SEP-92 | MR | | | |
| D | ASTM-A695-90 | STEEL BARS, CARBON, HOT-WROUGHT, SPECIAL QUALITY, FOR FLUID POWER APPLICATIONS, STANDARD SPECIFICATION FOR - 26 JAN 90 USER: OS REVIEWER: 84 AS IS SH | A 5305 YD1 | 31-JUL-90 | MR | YD1 | 99 | |
| D | ASTM-A700-90 | PACKAGING, MARKETING, & LOADING METHODS FOR STEEL PRODUCTS FOR DOMESTIC SHIPMENT - 26 JAN 90 REVIEWER: 84 AS IS OS SH YD1 | A 95GP MR | 23-FEB-90 | MR | SA | 11 | |
| D | ASTM-A702-89 | STEEL FENCE POSTS AND ASSEMBLIES, HOT WROUGHT - 7 DEC 1989 REVIEWER: CS ... | A 5660 YD1 | 08-AUG-91 | | YD1 | | |
| D | ASTM-A706/A706M-89 | STEEL, LOW ALLOY, DEFORMED BARS FOR CONCRETE REINFORCEMENT - 7 DEC 1989 REVIEWER: 84 | A 5680 YD1 | 16-MAY-90 | ME | YD1 | 99 | |
| A | ASTM-A711-92 NOTICE 1 | STEEL FORGING STOCK USER: AS REVIEWER: AR ..... | A 9640 * MR | 19-OCT-92 | MR | OS | 99 | |
| D | ASTM-A715-92 NOTICE 1 | STEEL, SHEET, AND STRIP, HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED, AND STEEL SHEET, COLD-ROLLED, HIGH-STRENGTH, LOW-ALLOY, WITH IMPROVED FORMABILITY USER: AS YD1 REVIEWER: 11 AR GL IS | A 9515 * MR | 18-SEP-92 | MR | SH | 99 | |
| D | ASTM-A733-89 | PIPE NIPPLE, WELDED & SEAMLESS CARBON STEEL & AUSTENITIC STAINLESS STEEL - 17 MAY 89 USER: AR CG MC REVIEWER: CS | A 4730 YD1 | 31-AUG-89 | ME | YD1 | 99 | |
| D | ASTM-A739-90 | STEEL BARS, ALLOY, HOT-WROUGH, FOR ELEVATED TEMPERATURE OR PRESSURE-CONTAINING PARTS, OR BOTH, STANDARD SPECIFICATION FOR - 26 JAN 1990 REVIEWER: IS | A 5305 YD1 | 31-JUL-90 | MR | YD1 | 99 | |
| | ASTM-A740-79 | CLOTH, HARDWARE (WOVEN OR WELDED GALVANIZED STEEL WIRE FABRIC) - 1979 (REAPPROVED 1985) (VALIDATION DATE: 8512) REVIEWER: 84 | A 5335 ME | 25-JUL-80 | ME | | 99 | |
| D | ASTM-A742/A742M-86 | STEEL SHEET, METALLIC COATED AND POLYMER PRECOATED FOR CORRUGATED STEEL PIPE, STANDARD SPECIFICATION FOR - 30 MAY 86 REVIEWER: 84 IS SH | A 9515 YD1 | 05-SEP-90 | MR | YD1 | 99 | |
| M | ASTM-A743/A743MB-92 NOTICE 1 | CASTINGS, IRON-CHROMIUM, IRON-CHROMIUM-NICKEL, CORROSION RESISTANT, FOR GENERAL APPLICATION REVIEWER: OS SH | A MECA MR | 11-MAY-93 | MR | YD1 | | |
| D | ASTM-A744/A744MA-91 NOTICE 1 | CASTINGS, IRON-CHROMIUM, IRON-CHROMIUM-NICKEL, CORROSION RESISTANT, FOR SEVERE SERVICE USER: OS SH | A MECA * MR | 27-AUG-92 | MR | YD1 | | |
| D | ASTM-A746-86 | PIPE, DUCTILE IRON GRAVITY SEWER STANDARD SPECIFICATION FOR - 31 OCT 86 USER: CE MC REVIEWER: CS SH | A 4710 YD1 | 07-JUL-89 | ME | YD1 | 99 | |
| | ASTM-A749MA-90 | STEEL, STRIP, CARBON AND HIGH-STRENGTH, LOW-ALLOY, HOT ROLLED GENERAL REQUIREMENTS FOR (METRIC) - 27 JUL 1990 USER: OS REVIEWER: 99 AR GL IS MI | A 9515 MR | 20-SEP-90 | MR | SH | | |
| A | ASTM-A749/A749M-92 NOTICE 1 | STEEL, STRIP, CARBON AND HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED, GENERAL REQUIREMENTS FOR USER: OS REVIEWER: 99 AR GL IS MI | A 9515 * MR | 02-DEC-92 | MR | SH | | |
| D | ASTM-A751-90 | STEEL PRODUCTS, STANDARD TEST METHODS, PRACTICES, AND TERMINOLOGY FOR CHEMICAL ANALYSIS OF STEEL PRODUCTS - 27 JUL 90 REVIEWER: 84 IS SH | A 95GP YD1 | 25-JUN-91 | MR | YD1 | 99 | |
| D | ASTM-A755/A755M-89 | SHEET, STEEL, ZINC COATED (GALVANIZED) BY THE HOT DIP PROCESS & COIL COATED FOR ROOFING & SIDING, GENERAL REQUIREMENTS - 29 SEP 89 USER: CE MC ME OS REVIEWER: AR IS | A 9515 YD1 | 30-MAY-90 | MR | YD1 | | |
| D | ASTM-A760/A760MA-90 | PIPE, STEEL CORRUGATED METALLIC-COATED FOR SEWERS & DRAINS - 28 SEP 1990 USER: CE REVIEWER: 82 | A 4710 YD1 | 07-AUG-91 | ME | YD1 | 99 | |
| D | ASTM-A762/A762M-89 | PIPE, CORRUGATED STEEL, POLYMER PRECOATED FOR SEWERS AND DRAINS, STANDARD SPECIFICATION FOR - 16 JAN 89 REVIEWER: 82 CE CS | A 4710 YD1 | 16-JAN-90 | ME | YD1 | 99 | |
| D | ASTM-A768-91 NOTICE 1 | VACUUM-TREATED 12% CHROMIUM ALLOY STEEL FORGINGS FOR TURBINE ROTORS AND SHAFTS, STANDARD SPECIFICATION FOR USER: MC YD1 REVIEWER: AR GS | A FORG * SH | 18-DEC-92 | MR | SH | 11 | |
| | ASTM-A770/A770M-88R90 NOTICE 1 | STEEL PLATES FOR SPECIAL APPLICATIONS, THROUGH-THICKNESS TENSION TESTING OF - 28 FEB 86 (VALIDATION DATE: 9106) REVIEWER: IS | A 95GP MR | 24-MAY-91 | MR | | 11 | |
| D | ASTM-A775/A775M-90 | BAR, STEEL, REINFORCING, EPOXY-COATED - 27 APR 1990 USER: CE REVIEWER: 84 . | A 9515 YD1 | 10-DEC-90 | ME | YD1 | 99 | |
| D | ASTM-A780-80R87 | COATINGS, GALVANIZED, DAMAGED HOT-DIP, STANDARD PRACTICE FOR REPAIR OF 29 SEP 80 REVIEWER: SH | A MFFP YD1 | 14-JUN-89 | MR | YD1 | 11 | |
| D | ASTM-A786-81 | PLATES, FLOOR ROLLED STEEL - 31 JUL 81 USER: AT ME REVIEWER: EA IS MI YD1 . | A 9515 SH | 24-SEP-84 | MR | SH | | |
| | ASTM-A788-92 NOTICE 1 | STEEL FORGINGS, GENERAL REQUIREMENTS USER: OS REVIEWER: IS ..... | A FORG * MR | 23-APR-92 | MR | SH | | |
| D | ASTM-A792-89 | STEEL SHEET, ALUMINUM-ZINC ALLOY-COATED BY THE HOT-DIP PROCESS, GENERAL REQUIREMENTS, STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: 84 IS SH | A 9515 YD1 | 16-JAN-90 | MR | YD1 | 99 | |
| D | ASTM-A792MA-85 | STEEL SHEET, ALUMINUM-ZINC ALLOY-COATED BY THE HOT DIP PROCESS, GENERAL REQUIREMENTS (METRIC) - 27 SEP 85 REVIEWER: 99 AR AS IS MI OS | A 9515 YD1 | 29-AUG-89 | MR | YD1 | 11 | |
| | ASTM-A793-85 | FLOOR PLATE, STAINLESSSTEEL, ROLLED, STANDARD SPECIFICATION FOR USER: MC REVIEWER: IS ME | A 9515 SH | 07-APR-87 | MR | SH | | |
| D | ASTM-A794-91 NOTICE 1 | STEEL SHEET (CARBON 0.16% MAXIMUM TO 0.25% MAXIMUM), COLD-ROLLED, COMMERCIAL QUALITY USER: AS YD1 REVIEWER: AR GL | A 9515 * MR | 25-MAR-92 | MR | SH | 99 | |
| D | ASTM-A796-90 | PIPE, PIPE-ARCHES, AND ARCHES FOR STORM AND SANITARY SEWERS AND OTHER BURIED APPLICATIONS STANDARD PRACTICE FOR STRUCTURAL DESIGN OF CORRUGATED STEEL 30 MAR 90 REVIEWER: 82 CS | A 4710 YD1 | 06-AUG-90 | MR | YD1 | 11 | |
| D | ASTM-A798-88 | TUBING, SEWR STEEL CORRUGATED INSTALLING FACTORY-MADE STANDARD PRACTICE FOR 6 OCT 88 REVIEWER: CE CS | A 4710 MR | 18-SEP-90 | ME | YD1 | | |
| D | ASTM-A805-91 NOTICE 1 | STEEL, FLAT WIRE, CARBON, COLD-ROLLED USER: YD1 REVIEWER: 11 AR ..... | A 9505 * MR | 25-MAR-92 | MR | SH | 99 | |
| D | ASTM-A806/A806M-88 | STEEL SHEET, ALUMINUM-ZINC ALLOY COATED BY THE HOT-DIP PROCESS FOR STORM SEWER AND DRAINAGE PIPE, STANDARD SPECIFICATION FOR - 31 OCT 88 REVIEWER: IS SH | A 9515 YD1 | 02-MAY-90 | MR | YD1 | 99 | |
| D | ASTM-A809-91 NOTICE 1 | WIRE, STEEL, CARBON, ALUMINUM-COATED (ALUMINIZED) USER: MC ME REVIEWER: AR AT IS MI | A 9505 * YD1 | 30-AUG-92 | MR | YD1 | 99 | |
| D | ASTM-A818-91 NOTICE 1 | WIRE, STEEL, CARBON, COPPERED USER: AR MC REVIEWER: AT IS ME MI ..... | A 9505 * YD1 | 30-OCT-92 | MR | YD1 | 99 | |
| D | ASTM-A819-90 NOTICE 1 | STEEL SHEET, ALUMINUM-COATED TYPE 2 FOR STORM SEWER AND DRAINAGE PIPE, STANDARD SPECIFICATION FOR REVIEWER: IS SH | A 9515 * YD1 | 24-JUN-92 | MR | YD1 | 99 | |
| A | ASTM-A827-85 NOTICE 1 | PLATES, CARBON STEEL, FOR FORGING AND SIMILAR APPLICATIONS, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9206) | A 9515 * MR | 10-JUN-92 | MR | OS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | ASTM-A829-89 | PLATES, ALLOY STEEL, STRUCTURAL QUALITY, STANDARD SPECIFICATION FOR - 7 DEC 89 | A | 9515 | | MR | 15-MAR-90 | MR | OS | 11 | |
| D | ASTM-A849-89 | PIPE, DRAINAGE, STEEL SEWER AND POST-COATED AND LINED CORRUGATED (BITUMINOUS OR CONCRETE) STANDARD SPECIFICATION FOR - 24 FEB 89 USER: CE REVIEWER: 82 CS | A | 4710 | | YD1 | 23-JUN-89 | ME | YD1 | 99 | |
| D | ASTM-A853-85 | STEEL WIRE, CARBON, FOR GENERAL USE - 21 DEC 85 | A | 9505 | | YD1 | 20-JUL-88 | MR | YD1 | 99 | |
| D | ASTM-A861-92 | PIPE AND FITTINGS, IRON, HIGH-SILICON USER: MC REVIEWER: 82 CS SH | A | 4730 | * | YD1 | 30-OCT-92 | ME | YD1 | 99 | |
| | NOTICE 1 | | | | | | | | | | |
| D | ASTM-A907/A907M-92 | STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, CARBON, HOT-ROLLED | A | 9515 | * | MR | 04-NOV-92 | MR | SH | 99 | |
| | NOTICE 1 | STRUCTURAL QUALITY USER: AS YD1 REVIEWER: 11 AR | | | | | | | | | |
| | ASTM-A908-91 | STAINLESS STEEL NEEDLE TUBING USER: AS REVIEWER: 11 MI | A | 4710 | * | MR | 25-MAR-92 | MR | SH | 99 | |
| | NOTICE 1 | | | | | | | | | | |
| | ASTM-A1965-87 | OILS, DRYING UNSAPONIFIABLE MATTER IN, FATTY ACIDS & POLYMERIZED FATTY ACIDS - 26 JUN 1987 REVIEWER: 84 | A | 8010 | | MR | 20-SEP-88 | MR | SH | 99 | |
| D | ASTM-B1-85 | COPPER WIRE, HARD- DRAWN - 29 NOV 1985 USER: CG MC REVIEWER: 80 99 AR IS MI | A | 6145 | | YD1 | 01-JUN-87 | CR | YD1 | 85 | |
| D | ASTM-B2-85 | COPPER WIRE, MEDIUM- HARD DRAWN - 30 AUG 1985 USER: CG MC REVIEWER: 80 99 AR MI | A | 6145 | | YD1 | 18-MAY-87 | CR | YD1 | 85 | |
| D | ASTM-B3-74 | WIRE, COPPER, SOFT OR ANNEALED - 28 JAN 74 [VALIDATION DATE: 8808] USER: | A | 6145 | | CR | 08-AUG-88 | CR | SH | 85 | |
| | NOTICE 2 | CG MC MI REVIEWER: 11 99 AR AS IS YD1 | | | | | | | | | |
| D | ASTM-B6-77R83 | ZINC (SLAB ZINC) - 10 NOV 77 USER: OS ME YD1 REVIEWER: 84 | A | 9650 | | SH | 01-JUN-84 | MR | SH | 99 | |
| D | ASTM-B8-86 | CONDUCTORS, COPPER, CONCENTRIC-LAY-STRANDED, MEDIUM-HARD, OR SOFT - 25 JUL 86 USER: CE REVIEWER: 80 82 CS IS | A | 6145 | | YD1 | 12-FEB-87 | ME | YD1 | 99 | |
| | ASTM-B16M-85 | ROD, BAR, AND SHAPES FOR USE IN SCREW MACHINES, (FREE CUTTING BRASS | A | 9530 | | MR | 22-JUN-90 | MR | SH | | |
| | NOTICE 2 | (METRIC) - 22 FEB 1985 [VALIDATION DATE: 9006] USER: GL ME MI REVIEWER: AR EA IS | | | | | | | | | |
| A | ASTM-B16-92 | FREE-CUTTING BRASS ROD, BAR AND SHAPES FOR USE IN SCREW MACHINES USER: GL | A | 9530 | * | MR | 04-NOV-92 | MR | SH | | |
| | NOTICE 1 | ME MI REVIEWER: AR EA ER IS | | | | | | | | | |
| | ASTM-B19-86 | CARTRIDGE BRASS SHEET, STRIP, PLATE, BAR, AMODISKS (BLANKS) - 31 JAN 1986 | A | 9535 | | MR | 23-MAY-91 | MR | SH | | |
| | NOTICE 2 | [VALIDATION DATE: 9105] USER: EA GL ME REVIEWER: AR ER | | | | | | | | | |
| D | ASTM-B21-90 | ROD, BAR, AND SHAPES, NAVAL BRASS - 23 FEB 90 USER: AV EA GL ME YD1 REVIEWER: ER | A | 9530 | | MR | 26-JUN-90 | MR | SH | | |
| | ASTM-B21M-90 | ROD, NAVAL BRASS, BAR, AND SHAPES (METRIC) -23 FEB 90 USER: AV EA GL ME REVIEWER: ER | A | 9530 | | MR | 26-JUN-90 | MR | SH | | |
| D | ASTM-B22A-89 | CASTINGS, BRONZE, FOR BRIDGES AND TURNTABLES, STANDARD SPECIFICATION FOR- 30 JUN 89 | A | MECA | | YD1 | 02-MAY-90 | MR | YD1 | 11 | |
| A | ASTM-B23-83R86 | WHITE METAL BEARING ALLOYS (KNOWN COMMERCIALLY AS "BABBITT METAL") USER: | A | 9650 | * | MR | 16-SEP-92 | MR | | 84 | |
| | NOTICE 1 | CE SH REVIEWER: 99 AR EA IS MI | | | | | | | | | |
| D | ASTM-B26/B26MA-92 | CASTINGS, ALUMINUM-ALLOY SAND USER: AR ME SH REVIEWER: 99 MD MI YD1 | A | MECA | * | MR | 28-OCT-92 | MR | | 11 | |
| | NOTICE 1 | | | | | | | | | | |
| D | ASTM-B30-90 | COPPER, BASED ALLOYS IN INGOT FORM STANDARD SPECIFICATION FOR - 27 JULY 90 USER: 99 REVIEWER: SH | A | MECA | | YD1 | 27-JUL-90 | MR | YD1 | | |
| D | ASTM-B32-89 | METAL, SOLDER, STANDARD SPECIFICATION FOR - 24 FEB 89 USER: 80 84 AT MC REVIEWER: 99 EA EC GL GS IP MI OS | A | 3439 | | YD1 | 09-MAY-89 | ER | YD1 | 11 | |
| D | ASTM-B33-85 | WIRE, TINNED SOFT OR ANNEALED COPPER, FOR ELECTRICAL PURPOSES USER: SH REVIEWER: 80 99 | A | 6145 | | YD1 | 16-AUG-85 | CR | YD1 | 85 | |
| | ASTM-B36/B36MA-91 | PLATE BRASS, SHEET, STRIP, AND ROLLED BAR - 22 FEB 91 USER: GL ME MI REVIEWER: EA ER IS MC SA | A | 9535 | | MR | 01-MAY-91 | MR | SH | | |
| D | ASTM-B42-89 | PIPE, COPPER, SEAMLESS, STANDARD SIZES, STANDARD SPECIFICATION FOR - 29 DEC 89 USER: AR MC MI REVIEWER: 82 CS | A | 4710 | | YD1 | 26-MAR-90 | ME | YD1 | 99 | |
| D | ASTM-B43-90 | PIPE, STANDARD SIZES, SEAMLESS RED BRASS - 26 JUL 1990 USER: 99 AR REVIEWER: CS MR | A | 4710 | | YD1 | 09-AUG-91 | ME | YD1 | | |
| | ASTM-B49-78 | ROD, REDRAW, HOT ROLLED COPPER, FOR ELECTRICAL PURPOSES - 10 MAR 78 | A | 6145 | | CR | 08-AUG-88 | CR | AS | 85 | |
| | NOTICE 2 | [VALIDATION DATE: 8808] USER: MC SH REVIEWER: 11 99 AR IS | | | | | | | | | |
| D | ASTM-B61-90 | CASTING, STEAM OR VALVE BRONZE - 27 JULY 90 | A | MECA | | YD1 | 17-SEP-90 | MR | YD1 | | |
| D | ASTM-B62-90 | BRONZE OR OUNCE METAL CASTINGS, COMPOSITION, STANDARD SPECIFICATION FOR - 27 JULY 90 | A | MECA | | YD1 | 17-SEP-90 | ME | YD1 | | |
| D | ASTM-B66A-90 | BRONZE CASTINGS IN THE ROUGH FOR LOCOMOTIVE WEARING PARTS REVIEWER: SH | A | MECA | * | YD1 | 04-DEC-92 | MR | YD1 | | |
| | NOTICE 1 | | | | | | | | | | |
| D | ASTM-B67-88 | BEARINGS, LINED, CAR AND TENDER JOURNAL - 26 FEB 1988 USER: SH REVIEWER: IS | A | 3130 | | YD1 | 02-MAY-90 | | YD1 | 99 | |
| | ASTM-B68-80 | TUBE, SEAMLESS COPPER, BRIGHT ANNEALED - 3 MAR 80 USER: ME REVIEWER: CS SH | A | 4710 | | MC | 17-JUL-81 | | MC | 99 | |
| A | ASTM-B69-92 | ZINC, ROLLED USER: AT REVIEWER: AR EA GL IS | A | 9535 | * | MR | 01-DEC-92 | MR | AS | 99 | |
| | NOTICE 1 | | | | | | | | | | |
| D | ASTM-B75-86 | TUBE, SEAMLESS COPPER, STANDARD SPECIFICATION FOR - 27 JUN 86 USER: ME MI REVIEWER: CS EA SH | A | 4710 | | YD1 | 29-DEC-86 | MR | YD1 | 99 | |
| D | ASTM-B75M-86 | COPPER TUBE, SEAMLESS (METRIC) - 27 JUNE 86 USER: ME MI REVIEWER: CG CS EA | A | 4710 | | YD1 | 31-DEC-86 | MR | YD1 | 99 | |
| L | ASTM-B80-91 | MAGNESIUM-ALLOY SAND CASTINGS - 22 FEB 1991 USER: 99 AL REVIEWER: GL MD ME | A | MECA | * | MR | 01-MAY-91 | MR | | | |
| D | ASTM-B85A-92 | CASTINGS, ALUMINUM-ALLOY DIE USER: AL CR ME SH REVIEWER: AR AT IS MI YD1 | A | MECA | * | MR | 28-OCT-92 | MR | AS | 11 | |
| | NOTICE 1 | | | | | | | | | | |
| | ASTM-B86-88 | ZINC ALLOY DIE CASTINGS - 26 FEB 88 REVIEWER: 11 80 AR AT CR ME MI | A | MECA | | MR | 04-AUG-88 | MR | AS | 99 | |
| D | ASTM-B88-92 | TUBE, WATER, COPPER, SEAMLESS, USER: AV CG MC MI REVIEWER: CS EA GL ME | A | 4710 | * | YD1 | 04-DEC-92 | MR | YD1 | | |
| | NOTICE 1 | | | | | | | | | | |
| D | ASTM-B88M-92 | TUBE, SEAMLESS, WATER (METRIC) USER: AV CG MC SH REVIEWER: CS EA GL | A | 4710 | * | YD1 | 04-DEC-92 | MR | YD1 | | |
| | NOTICE 1 | | | | | | | | | | |
| | ASTM-B90-87 | MAGNESIUM SHEET AND PLATE, STANDARD SPECIFICATION FOR [VALIDATION | A | 9535 | * | MR | 08-JUN-92 | MR | AS | | |
| | NOTICE 2 | DATE: , USER: AT ME REVIEWER: ER IS | | | | | | | | | |
| | ASTM-B90M-90 | SHEET & PLATE, MAGNESIUM-ALLOY (METRIC) - 23 FEB 90 USER: AT ME REVIEWER: ER IS | A | 9535 | | MR | 25-JUN-90 | MR | AS | | |
| | ASTM-B92/B92M-89 | INGOT, MAGNESIUM, AND STICK FOR REMELTING - 26 MAY 89 USER: AL | A | 9650 | | MR | 13-JUN-90 | MR | SH | 11 | |
| | ASTM-B93/B93M-92 | MAGNESIUM ALLOYS IN INGOT FORM FOR SAND CASTINGS, PERMANENT MOLD CASTINGS, | A | 9650 | * | MR | 12-MAY-92 | MR | | 11 | |
| | NOTICE 1 | AND DIE CASTINGS USER: AL REVIEWER: IS | | | | | | | | | |
| M | ASTM-B94-91 | MAGNESIUM-ALLOY DIE CASTINGS REVIEWER: 11 99 AL AR AV GL ME MI | A | MECA | | MR | 19-MAY-93 | MR | AS | 84 | |
| | NOTICE 1 | | | | | | | | | | |
| A | ASTM-B96-92 | COPPER-SILICON ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR FOR GENERAL | A | 9535 | * | SH | 18-DEC-92 | MR | SH | | |
| | NOTICE 1 | PURPOSES AND PRESSURE VESSELS, STANDARD SPECIFICATION FOR USER: MC OS REVIEWER: AR IS | | | | | | | | | |
| A | ASTM-B98-92 | COPPER-SILICON ALLOY ROD, BAR, AND SHAPES USER: EA GL ME OS REVIEWER: 99 | A | 9530 | * | MR | 01-DEC-92 | MR | SH | | |
| | NOTICE 1 | ER IS MC | | | | | | | | | |
| | ASTM-B98M-84 | ROD, BAR, & SHAPES, COPPER SILICON ALLOY (METRIC) - 27 JUL 1984 | A | 9530 | | MR | 22-JUN-90 | MR | SH | | |
| | NOTICE 2 | [VALIDATION DATE: 9006] USER: EA GL ME OS | | | | | | | | | |
| | ASTM-B99A-86 | COPPER-SILICON ALLOY WIRE FOR GENERAL PURPOSES, STANDARD SPECIFICATION FOR | A | 9525 | * | MR | 08-JUN-92 | MR | SH | | |
| | NOTICE 2 | [VALIDATION DATE: 9206] USER: EA GL ME REVIEWER: ER | | | | | | | | | |
| | ASTM-B99MA-86 | COPPER- SILICON ALLOY WIRE FOR GENERAL PURPOSES (METRIC) - 28 NOV 1986 USER: EA GL ME OS SA SH REVIEWER: ER MC | A | 9525 | | MR | 27-FEB-87 | | | | |
| D | ASTM-B101-83R88 | LEAD COATED COPPER SHEETS - 28 NOV 83 REVIEWER: IS | A | 9535 | | YD1 | 05-FEB-89 | MR | YD1 | 99 | |
| D | ASTM-B103/B103M-91 | BRONZE PLATE, SHEET, STRIP, AND ROLLED BAR, PHOSPHOR - 15 JUN 91 USER: YD1 REVIEWER: AR EA ER MC SA | A | 9535 | | MR | 04-SEP-91 | MR | SH | | |
| | ASTM-B105-88 | HARD DRAWN COPPER ALLOY WIRES FOR ELECTRICAL CONDUCTORS - 26 FEB 88 | A | 9540 | | MR | 28-FEB-91 | MR | | | |
| | ASTM-B107-87 | MAGNESIUM-ALLOY EXTRUDED BARS, RODS, SHAPES, TUBES, AND WIRE - 27 FEB 87 USER: SA REVIEWER: 69 AR CR EA IS MI | A | 95GP | | AS | 05-APR-90 | MR | AS | 11 | |
| D | ASTM-B108A-92 | ALUMINUM-ALLOY PERMANENT MOLD CASTINGS, STANDARD SPECIFICATION FOR USER: | A | MECA | * | MR | 26-JUN-92 | MR | | 11 | |
| | NOTICE 2 | AR AT ME MI OS SH REVIEWER: YD1 | | | | | | | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Obsolete / Cancellation Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-B111-92 | CONDENSER TUBES AND FERRULE STOCK, COPPER AND COPPER ALLOY SEAMLESS USER: | A | 4710 | * | YD1 | 04-DEC-92 | ME | YD1 | 99 | |
| | | NOTICE 1 | OS REVIEWER: CS MC SH | | | | | | | | | |
| D | | ASTM-B111MA-88 | COPPER & COPPER-ALLOY SEAMLESS CONDENSER TUBES & FERRULE STOCK (METRIC) | A | 4710 | | YD1 | 19-JAN-89 | ME | YD1 | 99 | |
| | | | STANDARD SEPCIFICATION FOR 29 JUL 88 REVIEWER: CS MC MR SH | | | | | | | | | |
| | | ASTM-B117-90 | SALT SPRAY (FOG) TESTING REVIEWER: IS ..... | A | 95GP | * | MR | 12-MAY-92 | MR | AS | 11 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | ASTM-B121-86 | PLATE, LEADED BRASS, SHEET, STRIP, & ROLLED BAR - 31 JAN 86 [VALIDATION | A | 9535 | | MR | 23-MAY-91 | MR | SH | | |
| | | NOTICE 2 | DATE: 9105] USER: GL MI OS REVIEWER: AR EA ER MC SA | | | | | | | | | |
| | | ASTM-B121/B121M-91 | LEADED BRASS PLATE, SHEET, STRIP, ROLLED BAR USER: GL ME MI REVIEWER: AR | A | 9535 | * | MR | 09-MAR-92 | MR | SH | | |
| | | NOTICE 1 | EA ER IS MC SA | | | | | | | | | |
| D | | ASTM-B122-86 | PLATE, SHEET, STRIP, & ROLLER BAR, COPPER NICKEL TIN ALLOY, COPPER NICKEL | A | 9535 | | MR | 06-AUG-86 | MR | SH | | |
| | | | ZINC ALLOY (NICKEL SILVER), AND COPPER NICKEL ALLOY - 27 JUNE 1986 USER: | | | | | | | | | |
| | | | EA GL ME MI OS YD1 REVIEWER: ER MC SA | | | | | | | | | |
| | | ASTM-B124A-89 | COPPER & COPPER ALLOY FORGING ROD, BAR, & SHAPES - 24 FEB 1989 USER: GL ME | A | 9530 | | MR | 17-APR-90 | MR | SH | | |
| | | | MI OS REVIEWER: AR EA MC SA | | | | | | | | | |
| D | | ASTM-B127-92 | NICKEL-COPPER ALLOY (UNS N04400) PLATE, SHEET, AND STRIP REVIEWER: AR OS | A | 9535 | * | YD1 | 30-SEP-92 | MR | YD1 | 99 | |
| | | NOTICE 1 | SH | | | | | | | | | |
| | | ASTM-B133-92 | COPPER ROD, BAR, AND SHAPES, STANDARD SPECIFICATION FOR USER: EA GL ME OS | A | 9530 | * | MR | 15-APR-92 | MR | SH | 99 | |
| | | NOTICE 1 | REVIEWER: 84 AR CR ER IS MC SA | | | | | | | | | |
| | | ASTM-B133M-92 | COPPER ROD, BAR, AND SHAPES (METRIC), STANDARD SPECIFICATION FOR USER: EA | A | 9530 | * | MR | 15-APR-92 | MR | SH | 99 | |
| | | NOTICE 1 | GL ME OS REVIEWER: 84 AR CR ER IS MC SA | | | | | | | | | |
| | | ASTM-B134-88 | WIRE, BRASS, - 29 JUL 1988 USER: AV GL REVIEWER: AR EA ER IS ..... | A | 9525 | | MR | 17-AUG-88 | MR | SH | | |
| D | | ASTM-B135-89 | TUBE SEAMLESS BRASS STANDARD SPECIFICATION FOR - 30 JUN 89 USER: 99 ME SH | A | 4710 | | YD1 | 28-JUL-89 | EA | YD1 | | |
| | | | REVIEWER: CS | | | | | | | | | |
| D | | ASTM-B135M-89 | TUBE SEAMLESS BRASS (METRIC) STANDARD SPECIFICATION FOR - 30 JUN 89 USER: | A | 4710 | | YD1 | 02-AUG-89 | EA | YD1 | | |
| | | | 99 ME REVIEWER: CS SH | | | | | | | | | |
| D | | ASTM-B136-84 | ALUMINUM, STANDARD METHOD FOR MEASUREMENT OF STAIN RESISTANCE OF ANODIC | A | 9535 | | YD1 | 30-AUG-84 | MR | YD1 | | |
| | | | COATINGS OF - 27 APR 84 USER: CE OS SH REVIEWER: IS | | | | | | | | | |
| D | | ASTM-B137-89 | ALUMINUM, MEASUREMENT OF MASS OF COATING ON ANODICALLY COATED, STANDARD | A | MFFP | | YD1 | 14-SEP-89 | MR | YD1 | 11 | |
| | | | TEST METHOD FOR - 28 JULY 89 REVIEWER: SH | | | | | | | | | |
| | | ASTM-B138M-84 | MANGANESE BRONZE ROD, BAR, AND SHAPES (METRIC) [VALIDATION DATE: 9206] | A | 9530 | * | MR | 08-JUN-92 | MR | SH | | |
| | | NOTICE 2 | USER: EA GL ME REVIEWER: AR ER | | | | | | | | | |
| A | | ASTM-B138-92 | ROD, MANGANESE BRONZE, BAR, AND SHAPES USER: EA GL ME REVIEWER: 99 AR AS | A | 9530 | * | MR | 31-AUG-92 | MR | SH | | |
| | | NOTICE 1 | ER IS | | | | | | | | | |
| | | ASTM-B139-90 | ROD, PHOSPHOR BRONZE, BAR, AND SHAPES - 23 FEB 90 USER: EA GL ME OS | A | 9530 | | MR | 26-JUN-90 | MR | SH | | |
| | | | REVIEWER: AR ER IS MC SA | | | | | | | | | |
| | | ASTM-B139M-90 | ROD, PHOSPHOR BRONZE, BAR, AND SHAPES (METRIC) - 23 FEB 1990 USER: EA GL | A | 9530 | | MR | 26-JUN-90 | MR | SH | | |
| | | | ME MI OS REVIEWER: AR IS MC SA | | | | | | | | | |
| A | | ASTM-B140-85 | COOPER-ZINC-LEAS (LEADED RED BRASS OR HARDWARE BRONZE) ROD, BARS, AND | A | 9530 | | AS | 31-JUL-87 | MR | AS | 11 | |
| | | | SHAPES - 26 JUL 1985 REVIEWER: IS | | | | | | | | | |
| A | | ASTM-B140M-85 | COPPER-ZINC-LEAD (LEADED RED BRASS OR HARDWARE BRONZE) ROD, BAR, AND | A | 9530 | | AS | 31-JUL-87 | MR | AS | 11 | |
| | | | SHAPES (METRIC) - 26 JUL 1985 REVIEWER: IS | | | | | | | | | |
| A | | ASTM-B148-82 | CASTINGS, ALUMINUM - BRONZE SAND - 29 JAN 82 ..... | A | MECA | | SH | 25-MAR-85 | MR | SH | 11 | |
| A | | ASTM-B150-92 | ROD, ALUMINUM BRONZE, BAR, AND SHAPES USER: EA GL ME MI REVIEWER: 99 AR AS | A | 9530 | * | MR | 31-AUG-92 | MR | SH | | |
| | | NOTICE 1 | ER IS | | | | | | | | | |
| | | ASTM-B151-89 | ALLOY (NICKEL SILVER) COPPER NICKEL ZINC & COPPER NICKEL ROD & BAR - 24 | A | 9530 | | MR | 13-JUN-90 | MR | SH | | |
| | | | FEB 89 USER: EA GL ME MI REVIEWER: ER IS | | | | | | | | | |
| | | ASTM-B151M-89 | ROD AND BAR, COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) AND COPPER-NICKEL | A | 9530 | | MR | 13-JUN-90 | MR | AS | 11 | |
| | | | (METRIC) - 24 FEB 1989 | | | | | | | | | |
| D | | ASTM-B152-92 | COPPER SHEET, STRIP, PLATE, AND ROLLED BAR USER: GL ME MI OS REVIEWER: AR | A | 9535 | * | MR | 15-APR-92 | MR | SH | | |
| | | NOTICE 1 | EA ER IS MC SA YD1 | | | | | | | | | |
| D | | ASTM-B152M-92 | COPPER SHEET, STRIP, PLATE, AND ROLLED BAR (METRIC) USER: GL ME MI OS | A | 9535 | * | MR | 15-APR-92 | MR | SH | | |
| | | NOTICE 1 | REVIEWER: AR EA ER IS MC SA YD1 | | | | | | | | | |
| | | ASTM-B153-91 | PIPE AND TUBING, COPPER AND COPPER-ALLOY, EXPANSION (PIN TEST) OF | A | 4710 | * | MR | 09-MAR-92 | MR | SH | | |
| | | NOTICE 1 | REVIEWER: AT CS | | | | | | | | | |
| A | | ASTM-B154-92 | MERCUROUS NITRATE TEST FOR COPPER AND COPPER ALLOYS, STANDARD TEST METHOD | A | 95GP | * | MR | 01-JUL-92 | MR | AS | 99 | |
| | | NOTICE 1 | FOR REVIEWER: 11 IS | | | | | | | | | |
| | | ASTM-B159-86 | WIRE, PHOSPHOR BRONZE - 31 JAN 86 [VALIDATION DATE: 9105] USER: EA GL ME | A | 9525 | | MR | 23-MAY-91 | MR | SH | | |
| | | NOTICE 1 | OS REVIEWER: AR ER IS MC SA | | | | | | | | | |
| | | ASTM-B159MA-86 | WIRE, PHOSPHOR WIRE (METRIC) - 28 NOV 1987 [VALIDATION DATE: 9105] USER: | A | 9525 | | MR | 23-MAY-91 | MR | SH | | |
| | | NOTICE 1 | EA GL MI OS REVIEWER: AR ER IS MC SA | | | | | | | | | |
| A | | ASTM-B162-91 | NICKEL PLATE, SHEET, AND STRIP, STANDARD SPECIFICATION FOR USER: MC OS | A | 9535 | * | SH | 18-DEC-92 | MR | SH | | |
| | | NOTICE 1 | REVIEWER: AR IS | | | | | | | | | |
| D | | ASTM-B163-89 | CONDENSER, SEAMLESS NICKEL ALLOY, AND HEAT EXCHANGER TUBES - 25 AUG 89 | A | 4710 | | YD1 | 25-OCT-89 | | YD1 | | |
| | | | USER: 99 REVIEWER: CS SH | | | | | | | | | |
| D | | ASTM-B164-91 | ROD, BAR, AND WIRE, NICKEL-COPPER ALLOY, STANDARD SPECIFICATION FOR | A | 9530 | * | YD1 | 17-JUL-92 | MR | YD1 | | |
| | | NOTICE 1 | REVIEWER: EA IS MI SH | | | | | | | | | |
| D | | ASTM-B165-87 | NICKEL-COPPER ALLOY (UNS N04400) SEAMLESS PIPE AND TUBE, STANDARD | A | 4710 | | YD1 | 20-NOV-87 | ME | YD1 | 99 | |
| | | | SPECIFICATION FOR - 25 SEP 87 | | | | | | | | | |
| D | | ASTM-B166-90 | ROD, BAR, & WIRE, NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600 & N06690) | A | 9530 | | YD1 | 30-MAY-90 | MR | YD1 | | |
| | | | STANDARD SPECIFICATION FOR - 23 FEB 90 USER: AT SH REVIEWER: EA IS | | | | | | | | | |
| D | | ASTM-B167-90 | PIPE & TUBE, SEAMLESS, NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600 & N06601 | A | 4710 | | YD1 | 30-JAN-89 | ME | YD1 | | |
| | | | AND N06690) STANDARD SPECIFICATION FOR - 23 FEB 90 USER: 99 REVIEWER: CS | | | | | | | | | |
| D | | ASTM-B168-90 | PLATE, SHEET, & STRIP, NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600 & N06690) | A | 9535 | | YD1 | 16-MAY-90 | MR | YD1 | | |
| | | | STANDARD SPECIFICATION FOR - 23 FEB 90 USER: AT SH REVIEWER: EA IS | | | | | | | | | |
| | | ASTM-B169A-85 | ALUMINUM BRONZE PLATE, SHEET, STRIP AND ROLLED BAR (REAPPROVED 91) - 26 | A | 9535 | | MR | 20-SEP-91 | MR | SH | | |
| | | NOTICE 1 | JUL 85 [VALIDATION DATE: 9109] USER: EA GL ME OS REVIEWER: ER IS MC SA | | | | | | | | | |
| | | ASTM-B169M-85 | PLATE, SHEET, STRIP, & ROLLED BAR, ALUMINUM BRONZE (METRIC) - 26 JUL 85 | A | 9535 | | MR | 20-FEB-86 | MR | SH | 99 | |
| | | | USER: EA GL ME OS REVIEWER: AR ER IS MC SA | | | | | | | | | |
| | | ASTM-B170-82 | COPPER, OXYGEN FREE ELECTROLYTIC, REFINERY SHAPES - 26 FEB 82 REVIEWER: 84 | A | 9650 | | AS | 10-DEC-82 | AR | AS | 99 | |
| | | ASTM-B172-71R80 | CONDUCTOR, COPPER, ROPE LAY STRANDED, HAVING BUNCH STRANDED MEMBERS, FOR | A | 6145 | | CR | 08-AUG-88 | CR | SH | 85 | |
| | | NOTICE 2 | ELECTRICAL CONDUCTORS - 15 APR 1971W/DOD EXCEPTIONS [VALIDATION DATE: | | | | | | | | | |
| | | | 8808] USER: CG MC MI REVIEWER: 11 99 AS | | | | | | | | | |
| | | ASTM-B173-71R80 | CONDUCTOR, COPPER, ROPE LAY STRANDED, HAVING CONCENTRIC STRANDED MEMBERS, | A | 6145 | | CR | 08-AUG-88 | CR | SH | 85 | |
| | | NOTICE 2 | FOR ELECTRICAL CONDUCTORS - 15 APR 71 [VALIDATION DATE: 8808] USER: CG MC | | | | | | | | | |
| | | | MI REVIEWER: 11 99 AR AS IS | | | | | | | | | |
| | | ASTM-B174-71R76 | CONDUCTOR, COPPER, BUNCH STRANDED FOR ELECTRICAL CONDUCTORS - 15 APR 71 | A | 6145 | | CR | 08-AUG-88 | CR | SH | 85 | |
| | | | W/DOD EXCEPTIONS [VALIDATION DATE: 8808] USER: CG MC MI REVIEWER: 11 99 AR | | | | | | | | | |
| | | | AS IS | | | | | | | | | |
| D | | ASTM-B179A-92 | ALUMINUM ALLOYS IN INGOT FORM FOR SAND CASTINGS, PERMANENT MOLD CASTINGS, | A | 9650 | * | MR | 01-DEC-92 | MR | | 84 | |
| | | NOTICE 1 | AND DIE CASTINGS REVIEWER: AR IS OS SH YD1 | | | | | | | | | |
| D | | ASTM-B187-92 | COPPER BUS BAR, ROD, AND SHAPES USER: MC SH REVIEWER: GS ..... | A | 6150 | * | YD1 | 04-DEC-92 | ME | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | ASTM-B188M-84 | PIPE & TUBE, SEAMLESS COPPER BUS - 30 NOV 84 USER: MC REVIEWER: AR GS ME | A | 6150 | | MR | 22-AUG-85 | MR | | | |
| | | | MI | | | | | | | | | |
| D | | ASTM-B189-81 | WIRE FOR ELECTRICAL PURPOSES, LEAD COATED & LEAD-ALLOY-COATED SOFT COPPER | A | 6145 | | YD1 | 26-OCT-85 | CR | YD1 | 85 | |
| | | | - 28 DEC 81 USER: SH REVIEWER: 80 99 | | | | | | | | | |
| | | ASTM-B193-87 | CONDUCTOR MATERIALS, ELECTRICAL, RESISTIVITY OF - 28 AUG 87 ..... | A | 95GP | | MR | 05-FEB-88 | MR | AS | 11 | |
| | | ASTM-B194-92 | COPPER-BERYLLIUM ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR USER: EA GL ME | A | 9535 | * | MR | 15-APR-92 | MR | SH | | |
| | | NOTICE 1 | MI OS REVIEWER: AR ER MC SA | | | | | | | | | |
| | | ASTM-B196-90 | ROD AND BAR, COPPER BERYLLIUM ALLOY - 29 JUN 90 USER: EA GL ME REVIEWER: | A | 9530 | | MR | 22-FEB-91 | MR | SH | | |
| | | | AR ER | | | | | | | | | |
| | | ASTM-B196M-90 | ROD & BAR, COPPER-BERYLLIUM ALLOY (METRIC) - 29 JUN 90 USER: EA GL MI | A | 9530 | | MR | 22-FEB-91 | MR | SH | | |
| | | | REVIEWER: AR ER | | | | | | | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-B197B-83 | WIRE, COPPER BERYLLIUM ALLOY - 28 NOV 83 USER: EA GL ME REVIEWER: AR ER ... | A | 9525 | | MR | 23-JUL-84 | MR | SH | | |
| | | ASTM-B197M-89 | COPPER-BERYLLIUM ALLOY WIRE (METRIC) - 30 JUN 1989 USER: EA GL ME REVIEWER: AR ER | A | 9525 | | MR | 19-APR-90 | MR | SH | | |
| A | | ASTM-B199-87 NOTICE 2 | CASTINGS, MAGNESIUM-ALLOY PERMANENT MOLD [VALIDATION DATE: 9206] REVIEWER: IS ME | A | MECA | * | MR | 10-JUN-92 | MR | | 11 | |
| | | ASTM-B206M-87 NOTICE 2 | COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) WIRE AND COPPER-NICKEL ALLOY WIRE (METRIC) [VALIDATION DATE: 9206] USER: AV EA GL ME OS REVIEWER: ER IS MC SA | A | 9525 | * | MR | 10-JUN-92 | MR | SH | | |
| | | ASTM-B206-87 NOTICE 2 | COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) WIRE AND COPPER-NICKEL ALLOY WIRE [VALIDATION DATE: 9206] USER: AV EA GL ME OS REVIEWER: ER IS MC SA | A | 9525 | * | MR | 10-JUN-92 | MR | SH | | |
| A | | ASTM-B208-90 NOTICE 1 | CASTINGS, SAND, PERMANENT MOLD, CENTRIFUGAL, AND CONTINUOUS, PREPARING TENSION TEST SPECIMENS FOR COPPER-BASE ALLOYS FOR, STANDARD PRACTICE FOR | A | MECA | * | SH | 20-AUG-92 | MR | SH | 11 | |
| D | | ASTM-B209-90 | SHEET AND PLATE, ALUMINUM-ALLOY, STANDARD SPECIFICATION FOR - 23 FEB 90 USER: AR MC OS SH REVIEWER: AT IS | A | 9535 | | YD1 | 16-MAY-90 | MR | YD1 | 99 | |
| D | | ASTM-B209MA-89 | ALUMINUM AND ALUMINUM-ALLOY SHEET AND PLATE (METRIC) - 21 JUN 89 USER: MC OS REVIEWER: AT IS SH | A | 9535 | | YD1 | 10-OCT-89 | MR | YD1 | 99 | |
| D | | ASTM-B210-90 | TUBE, ALUMINUM-ALLOY DRAWN SEAMLESS STANDARD SPECIFICATION FOR - 23 FEB 90 REVIEWER: CS SH | A | 4710 | | YD1 | 16-MAY-90 | MR | YD1 | | |
| D | | ASTM-B210M-90 | TUBE, SEAMLESS, ALUMINUM & ALUMINUM-ALLOY DRAWN (METRIC) - 23 FEB 90 REVIEWER: CS SH | A | 4710 | | YD1 | 16-MAY-90 | MR | YD1 | | |
| D | | ASTM-B211-88 | ALLOY, ALUMINUM, BAR, ROD & WIRE - 27 SEP 1988 USER: MC OS SH REVIEWER: AL AT IS | A | 9530 | | YD1 | 27-SEP-88 | MR | YD1 | 99 | |
| D | | ASTM-B211M-90 | BAR, ROD E WIRE, ALUMINUM ALLOY (METRIC) - 23 FEB 90 USER: AS MC SH REVIEWER: IS | A | 9530 | | YD1 | 30-MAY-90 | MR | YD1 | 99 | |
| | | ASTM-B214-86 | POWDERS, GRANULAR METAL, STANDARD TEST METHOD FOR SIEVE ANALYSIS OF - 28 FEB 1986 USER: AR SH REVIEWER: GS MD ME | A | 6810 | | EA | 02-FEB-88 | EA | | 68 | |
| D | | ASTM-B221-88 | ALUMINUM & ALUMINUM ALLOY EXTRUDED BARS, RODS, SHAPES & TUBES - 29APR 88 REVIEWER: IS | A | 9530 | | YD1 | 06-SEP-88 | MR | YD1 | 99 | |
| D | | ASTM-B221M-89 | ALUMINUM & ALUMINUM ALLOY EXTRUDED BARS, RODS, WIRE, SHAPES, & TUBES (METRIC) - 23 FEB 90 REVIEWER: IS | A | 9530 | | YD1 | 16-MAY-90 | MR | YD1 | 99 | |
| D | | ASTM-B228-88 | CONDUCTOR, CONCENTRIC-LAY-STRANDED COPPER-CLAY STEEL - 26 FEB 88 REVIEWER: 80 99 IS SH | A | 6145 | | YD1 | 19-APR-89 | CR | YD1 | 85 | |
| D | | ASTM-B230-85 | ALUMINUM 1350- H19 WIRE FOR ELECTRICAL PURPOSES - 30 AUG 1985 REVIEWER: 99 IS SH | A | 6145 | | YD1 | 13-MAY-87 | CR | YD1 | 85 | |
| D | | ASTM-B231-81 | CONDUCTOR, ALUMINUM 1350, CONCENTRIC-LAY-STRANDED - 28 DEC 1981 REVIEWER: 80 99 SH | A | 6145 | | YD1 | 12-JUL-85 | CR | YD1 | 85 | |
| D | | ASTM-B232-86 | CONDUCTOR, COATED STEEL REINFORCED (ACSR), CONCENTRIC-LAY-STRANDED ALUMINUM, STANDARD SPECIFICATION FOR - 26 DEC 86 REVIEWER: 80 99 SH | A | 6145 | | YD1 | 25-JUL-90 | CR | YD1 | 85 | |
| A | | ASTM-B236A-92 NOTICE 1 | ALUMINUM BARS FOR ELECTRICAL PURPOSES (BUS BARS) USER: AR REVIEWER: 99 AS IS ME | A | 9530 | * | MR | 25-NOV-92 | MR | OS | | |
| A | | ASTM-B236MA-92 NOTICE 1 | ALUMINUM BARS FOR ELECTRICAL PURPOSES (BUS BARS) (METRIC) USER: AR ME REVIEWER: 99 AS IS | A | 9530 | * | MR | 25-NOV-92 | MR | OS | | |
| | | ASTM-B240-87 | ALLOYS ZINC, CASTINGS DIE, IN INGOT FORM FOR 28 JAN 88 ..... | A | MECA | | MR | 28-JAN-88 | MR | AS | 99 | |
| D | | ASTM-B241/B241M-89 | PIPE SEAMLESS, AND TUBE SEAMLESS, EXTRUDED, ALUMINUM AND ALUMINUM ALLOY STANDARD SPECIFICATION FOR - 21 JUN 89 REVIEWER: CE CS | A | 4710 | | YD1 | 28-SEP-89 | ME | YD1 | 99 | |
| D | | ASTM-B244-79 NOTICE 1 | COATINGS, ANODIC, MEASURING THICKNESS OF, ON ALUMINUM WITH EDDY-CURRENT INSTRUMENTS - 12 FEB 79 [VALIDATION DATE: 9104] REVIEWER: YD1 | A | MFFP | | MR | 30-APR-91 | MR | AS | 11 | |
| | | ASTM-B246-64R80 NOTICE 1 | WIRE, COPPER, TINNED HARD DRAWN & MEDIUM HARD DRAWN, FOR ELECTRICAL PURPOSES - 31 AUG 64 [VALIDATION DATE: 8808] USER: CG MC MI REVIEWER: 11 99 AR AS IS | A | 6145 | | CR | 08-AUG-88 | CR | SH | 85 | |
| D | | ASTM-B247M-92 NOTICE 1 | ALUMINUM AND ALUMINUM-ALLOY DIE FORGINGS, HAND FORGINGS, AND ROLLED RING FORGINGS (METRIC) USER: AT OS REVIEWER: AR SH | A | FORG | * | MR | 10-APR-92 | MR | YD1 | | |
| D | | ASTM-B247A-92 NOTICE 1 | ALUMINUM AND ALUMINUM-ALLOY DIE FORGINGS, HAND FORGINGS, AND ROLLED RING FORGINGS USER: AT OS REVIEWER: AR SH | A | FORG | * | MR | 26-OCT-92 | MR | YD1 | | |
| A | | ASTM-B248-92 NOTICE 1 | PLATE, WROUGHT COPPER AND COPPER-ALLOY, SHEET, STRIP, AND ROLLED BAR, GENERAL REQUIREMENTS FOR USER: OS REVIEWER: 99 AS IS | A | 9530 | * | MR | 31-AUG-92 | MR | SH | 11 | |
| A | | ASTM-B248M-92 NOTICE 1 | PLATE, WROUGHT COPPER AND COPPER-ALLOY, SHEET, STRIP AND ROLLED BAR (METRIC), GENERAL REQUIREMENTS FOR USER: OS REVIEWER: 99 AS IS | A | 9530 | * | MR | 31-AUG-92 | MR | SH | | |
| | | ASTM-B249-91 NOTICE 1 | WROUGHT COPPER AND COPPER-ALLOY, ROD, BAR AND SHAPES, GENERAL REQUIREMENTS FOR USER: OS REVIEWER: 84 99 IS SH | A | 9530 | * | MR | 10-OCT-91 | MR | AS | 11 | |
| A | | ASTM-B249M-92 NOTICE 1 | ROD, WROUGHT COPPER AND COPPER-ALLOY, BAR, AND SHAPES (METRIC), GENERAL REQUIREMENTS FOR REVIEWER: 99 IS OS SH | A | 9530 | * | MR | 31-AUG-92 | MR | AS | 11 | |
| | | ASTM-B250M-88 | WIRE, WROUGHT COPPER-ALLOY (METRIC) GENERAL REQUIREMENTS FOR - 29 JUL 88 USER: OS | A | 9525 | | MR | 11-APR-90 | MR | SH | 11 | |
| A | | ASTM-B250-92 NOTICE 1 | WIRE, WROUGHT COPPER-ALLOY, GENERAL REQUIREMENTS FOR USER: 99 AS OS REVIEWER: IS | A | 9525 | * | MR | 31-AUG-92 | MR | SH | 11 | |
| D | | ASTM-B251-88 | TUBE, WROUGHT SEAMLESS, COPPER AND COPPER-ALLOY, GENERAL REQUIREMENTS FO R - 26 FEB 1988 USER: CG MI REVIEWER: 82 CS MR SH | A | 4710 | | YD1 | 26-MAY-88 | ME | YD1 | 99 | |
| D | | ASTM-B251M-88 | COPPER & COPPER-ALLOY TUBE, WROUGHT SEAMLESS, GENERAL REQUIREMENTS FOR REVIEWER: CS SH | A | 4710 | | YD1 | 26-MAY-88 | ME | YD1 | 99 | |
| | | ASTM-B265-89 | TITANIUM AND TITANIUM ALLOY STRIP, SHEET, AND PLATE - 26 MAY 1989 ..... | A | 6515 | | MB | 01-FEB-90 | MD | MS | 03 | |
| A | | ASTM-B271-81 | CASTINGS, COPPER-BASE ALLOY CENTRIFUGAL - 28 AUGUST 1981 ..... | A | MECA | | SH | 25-MAR-85 | MR | SH | 11 | |
| | | ASTM-B272-83 NOTICE 3 | COPPER FLAT PRODUCTS WITH FINISHED (ROLLED OR DRAWN) EDGES (FLAT WIRE AND STRIP) (REAPPROVED 91) - 27 JUL 83 [VALIDATION DATE: 9109] USER: EA GL ME REVIEWER: AR ER | A | 9535 | | MR | 20-SEP-91 | MR | SH | | |
| | | ASTM-B275-80 | METAL AND ALLOYS, CERTAIN NONFERROUS, CAST AND WROUGHT, CODIFICATION OF - 26 SEO 1980 USER: GL ME REVIEWER: AT AV MI | A | MISC | | MR | 03-JUN-81 | MR | SH | 11 | |
| D | | ASTM-B280A-92 NOTICE 1 | TUBE, COPPER, SEAMLESS, FOR AIR CONDITIONING AND REFRIGERATION FIELD SERVICE USER: MC OS REVIEWER: CS GL MI SH | A | 4710 | * | YD1 | 04-DEC-92 | ME | YD1 | 99 | |
| | | ASTM-B283-91 NOTICE 1 | COPPER AND COPPER-ALLOY DIE FORGINGS (HOT PRESSED) USER: AT GL ME REVIEWER: AR EA IS | A | FORG | * | MR | 16-MAR-92 | MR | SH | | |
| | | ASTM-B286-74R79 | CONDUCTOR, COPPER, FOR USE IN HOOKUP WIRE FOR ELECTRONIC EQUIPMENT - 29 JUL 74 USER: CG MC MI REVIEWER: 11 99 AR AS IS | A | 6145 | | CR | 18-AUG-81 | CR | SH | 85 | |
| | | ASTM-B298-87 | WIRE, COPPER, SILVER-COATED SOFT OR ANNEALED -27 MARCH 87 ..... | A | 6145 | | CR | 11-FEB-88 | CR | SH | 85 | |
| D | | ASTM-B306-88 | COPPER DRAINAGE TUBE (DWV) USER: 99 SH REVIEWER: CS ..... | A | 4710 | | YD1 | 26-MAY-88 | ME | YD1 | | |
| | | ASTM-B308-88 | ALUMINUM-ALLOY 6061-T6STANDARD STRUCTURAL SHAPES, ROLLED OR EXTRUDED - 29 APR 88 USER: ME SH REVIEWER: 11 84 AR IS | A | 9540 | | MR | 13-JUN-88 | MR | OS | 99 | |
| | | ASTM-B308M-84 | ALUMINUM-ALLOY 6061-T6 STANDARD STRUCTURAL SHAPES,ROLLED OR EXTRUDES (METRIC) - 24 FEB 1984 USER: ME SH REVIEWER: 84 AR | A | 9540 | | MR | 18-AUG-86 | MR | OS | 99 | |
| D | | ASTM-B308/B308MA-92 NOTICE 1 | ALUMINUM-ALLOY 6061-T6 STANDARD STRUCTURAL SHAPES USER: ME SH YD1 REVIEWER: 11 84 AR IS | A | 9540 | * | MR | 19-NOV-92 | MR | OS | 99 | |
| D | | ASTM-B313/B313MA-90 | TUBE, ALUMINUM & ALUMINUM ALLOY ROUND WELDED - 25 MAY 1990 REVIEWER: CS ... | A | 4710 | | YD1 | 09-AUG-91 | ME | YD1 | 99 | |
| | | ASTM-B315-91 NOTICE 1 | SEAMLESS COPPER ALLOY PIPE AND TUBE USER: MC REVIEWER: 82 ME SH ..... | A | 4710 | * | CS | 20-SEP-91 | | | 99 | CS |
| | | ASTM-B316-92 NOTICE 1 | ALUMINUM AND ALUMINUM-ALLOY RIVET AND COLD-HEADING WIRE AND RODS USER: AR AT ME SH REVIEWER: 11 AS IS | A | 9525 | * | MR | 02-APR-92 | MR | OS | 99 | |
| A | | ASTM-B316MA-92 NOTICE 1 | ALUMINUM AND ALUMINUM-ALLOY RIVET AND COLD-HEADING WIRE AND RODS (METRIC) USER: AR AT ME SH REVIEWER: 11 AS IS | A | 9525 | * | MR | 25-NOV-92 | MR | OS | 99 | |
| D | | ASTM-B317A-92 NOTICE 1 | ALUMINUM-ALLOY EXTRUDED BAR, ROD, TUBE, PIPE, AND STRUCTURAL SHAPES FOR ELECTRICAL PURPOSES (BUS CONDUCTOR) USER: AR ME REVIEWER: AS IS YD1 | A | 9530 | * | MR | 25-NOV-92 | MR | OS | 99 | |
| | | ASTM-B328-91 NOTICE 1 | DENSITY, OIL CONTENT, AND INTERCONNECTED POROSITY OF SINTERED POWDER METAL STRUCTURAL PARTS AND OIL-IMPREGNATED BEARINGS, STANDARD TEST METHOD FOR REVIEWER: IS MC MI MR OS | A | 3120 | | AT | 22-JAN-93 | AT | SH | 99 | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | ASTM-B329-81 | METALS & COMPOUNDS, STANDARD TEST METHOD FOR APPARENT DENSITY OF POWDERS OF REFRACTORY BY THE SCOTT VOLUMETER - 31 JUL 81 USER: MC REVIEWER: GL GS | A | 6810 | EA | EA | 25-JUN-84 | EA | | | |
| | | | | ASTM-B337-83R87 | PIPE, TITANIUM & TITANIUM ALLOY, SEAMLESS & WELDED - 27 MAY 1983 USER: AS REVIEWER: AR CS ME | A | 4710 | | MR | 15-APR-88 | MR | SH | | |
| | | | | ASTM-B338-91 NOTICE 1 | SEAMLESS AND WELDED TITANIUM AND TITANIUM ALLOY TUBES FOR CONDENSERS AND HEAT EXCHANGERS USER: AS REVIEWER: ME | A | 4710 | * | MR | 04-OCT-91 | MR | SH | | |
| D | | | | ASTM-B339-90 | PIG TIN - 23 FEB 90 REVIEWER: 84 ME MI | A | 9650 | | MR | 13-JUN-90 | MR | YD1 | 99 | |
| D | | | | ASTM-B345-90 | PIPE, AND SEAMLESS, ALUMINUM AND ALUMINUM-ALLOY SEAMLESS EXTRUDED TUBE FOR GAS AND OIL TRANSMISSION AND DISTRIBUTION PIPING SYSTEM - 1 APR 90 USER: OS REVIEWER: 82 ME YD1 | A | 4710 | | CS | 01-APR-90 | | | 99 | CS |
| D | | | | ASTM-B345M-90 | PIPE, AND SEAMLESS, ALUMINUM AND ALUMINUM-ALLOY SEAMLESS EXTRUDED TUBE FOR GAS AND OIL TRANSMISSION AND DISTRIBUTION PIPING SYSTEM (METRIC) 1 APR 90 USER: OS REVIEWER: 82 ME YD1 | A | 4710 | | CS | 01-APR-90 | | | 99 | CS |
| | | | | ASTM-B355-74 NOTICE 2 | NICKEL COATED SOFT OR ANNEALED COPPER WIRE - 28 JAN 74 (VALIDATION DATE: 8808) USER: CG MC REVIEWER: 99 AR AS IS MI | A | 6145 | | CR | 08-AUG-88 | CR | SH | 85 | |
| | | | | ASTM-B359-85 | COPPER AND COPPER-ALLOY SEAMLESS CONDENSER AND HEAT EXCHANGER TUBES WITH INTEGRAL FINS - 25 JAN 1985 | A | 4710 | | SH | 22-MAY-86 | ME | SH | 99 | |
| | | | | ASTM-B360-88 | TUBE, HARD DRAWN COPPER, FOR RESTRICTOR APPLICATION - 26 FEB 88 | A | 4710 | | CS | 30-SEP-88 | ME | | 99 | CS |
| D | | | | ASTM-B361-88 | FITTING, FACTORY-MADEWROUGHT ALUMINUM AND ALUMINUM-ALLOY WELDING FITTINGS - 29 APR 88 REVIEWER: CS SH | A | 4730 | | YD1 | 05-SEP-88 | ME | YD1 | 99 | |
| | | | | ASTM-B363-83R87 | SEAMLESS & WELDED UNALLOYED TITANIUM & TITANZUM ALLOY WELDING FITTINGS - 5 OCT 84 (VALIDATION DATE: 8804) USER: AS REVIEWER: ME | A | 4730 | | MR | 05-OCT-84 | MR | SH | | |
| | | | | ASTM-B368-85 NOTICE 1 | COPPER-ACCELERATED ACETIC ACID-SALT SPRAY (FOG) TESTING (CASE TEST) - 29 MAR 85 (VALIDATION DATE: 9102) USER: OS | A | MFFP | | MR | 19-FEB-91 | MR | | 11 | |
| M | | | | ASTM-B369-90 NOTICE 1 | COPPER-NICKEL ALLOY CASTINGS, STANDARD SPECIFICATION FOR | A | MECA | | SH | 10-MAY-93 | MR | SH | 11 | |
| D | | | | ASTM-B370-88 | SHEET & STRIP, COPPER, FOR BUILDING CONSTRUCTION, STANDARD SPECIFICATION FOR REVIEWER: IS | A | 9535 | | YD1 | 26-MAY-88 | MR | YD1 | 99 | |
| A | | | | ASTM-B373A-92 NOTICE 1 | CAPACITORS, ALUMINUM FOIL FOR REVIEWER: AS IS MD | A | 9535 | * | MR | 25-NOV-92 | MR | | 99 | |
| D | | | | ASTM-B395-88 | U-BEND SEAMLESS COPPER & COPPER ALLOY HEAT EXCHANGER & CONDENSER TUBES, STANDARD SEPCIFICATION FOR 29 JUL 88 USER: SH REVIEWER: CS | A | 4710 | | YD1 | 28-JAN-89 | ME | YD1 | 99 | |
| D | | | | ASTM-B395MA-88 | COPPER, U-BEND SEAMLESS, AND COPPER ALLOY HEAT EXCHANGER AND CONDENSER TUBES (METRIC), STANDARD SPECIFICATION FOR - 29 JUL 88 | A | 4710 | | YD1 | 11-FEB-89 | ME | YD1 | 99 | |
| D | | | | ASTM-B397-8 | CONDUCTOR, CONCENTRIC-LAY-STRANDED ALUMINUM-ALLOY 5005-H19, STANDARD SPECIFICATION FOR - 25 JAN 85 REVIEWER: 80 99 IS SH | A | 6145 | | YD1 | 02-OCT-85 | CR | YD1 | 85 | |
| D | | | | ASTM-B399-86 | ALUMINUM-ALLOY 6201-T81 CONDUCTORS, CONCENTRIC-LAY-STANDED - 27 JUN 1986 USER: SH REVIEWER: 80 99 IS | A | 6145 | | YD1 | 24-DEC-86 | CR | YD1 | 85 | |
| | | | | ASTM-B403-90 | CASTINGS, MAGNESIUM-ALLOY INVESTMENT - 31 AUG 1990 USER: AT ME OS REVIEWER: ER IS MD | A | MECA | | MR | 19-OCT-90 | MR | AS | 11 | |
| A | | | | ASTM-B411-92 NOTICE 1 | COPPER-NICKEL-SILICON ALLOY ROD AND BAR USER: EA GL ME REVIEWER: 99 ER IS | A | 9530 | * | MR | 01-DEC-92 | MR | SH | | |
| | | | | ASTM-B412-87 NOTICE 2 | COPPER-NICKEL-SILICON ALLOY WIRE, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9206) USER: EA GL ME OS REVIEWER: ER IS | A | 9525 | * | MR | 10-JUN-92 | MR | SH | | |
| D | | | | ASTM-B418-88 | ANODE, CAST AND WROUGHT GALVANIC ZINC - 26 FEB 88 REVIEWER: SH | A | 5340 | | YD1 | 10-MAR-89 | AR | YD1 | 99 | |
| L | | | | ASTM-B422-90 | COPPER-ALUMINUM-SILICON-COBALT ALLOY, COPPER-NICKEL-ALUMINUM-SILICON ALLOY, & COPPER-NICKEL-ALUMINUM-MAGNESIUM ALLOY, SHEET & STRIP - 28 SEP 1990 USER: GL ME REVIEWER: ER IS MC SA | A | 9535 | | MR | 12-MAR-91 | MR | | | |
| D | | | | ASTM-B427-90 | CASTINGS, GEAR BRONZE ALLOY, STANDARD SPECIFICATION FOR - 4 APR 90 | A | MECA | | YD1 | 31-AUG-90 | MR | YD1 | 11 | |
| | | | | ASTM-B428-87 | COPPER, RECTANGULAR & SQUARE, & COPPER ALLOYTUBE, ANGLE OF TWIST IN - 31 JULY REVIEWER: AT CS | A | 4710 | | MR | 21-MAR-88 | MR | | | |
| D | | | | ASTM-B429A-90 | PIPE & TUBE, ALUMINUM-ALLOY EXTRUDED, STANDARD SPECIFICATION FOR - 19 JULY 1990 REVIEWER: CS | A | 4710 | | YD1 | 19-JUN-91 | ME | YD1 | 99 | |
| D | | | | ASTM-B439 | BEARINGS, IRON-BASE SINTERED (OIL IMPREGNATED) - 25 MAR 83 (REAPPROVED 1989) REVIEWER: 84 IS OS SH | A | 3110 | | YD1 | 15-NOV-85 | AT | YD1 | 99 | |
| | | | | ASTM-B441-85 | COPPER-COBALT-BERYLLIUM (UNS NO. C17500) AND COPPER-NICKEL-BERYLLIUM (UNS NO. C17510) ROD AND BAR - 26 JUL 1985 USER: AL AT ER REVIEWER: IS MI | A | 9530 | | MR | 19-APR-90 | MR | AS | | |
| D | | | | ASTM-B447-89 | TUBE, COPPER, WELDED STANDARD SPECIFICATION FOR 24 FEB 89 USER: OS REVIEWER: CS | A | 4710 | | YD1 | 24-APR-89 | ME | YD1 | 99 | |
| | | | | ASTM-B453-88 | COPPER ZINC LEAD ALLOY (LEADED BRASS) ROD - 29 JUL 1988 USER: GL ME OS REVIEWER: AR EA ER MC SA | A | 9530 | | MR | 17-AUG-88 | MR | SH | | |
| | | | | ASTM-B453M-88 | COPPER-ZINC-LEAD ALLOY (LEADED BRASS) ROD METRIC USER: GL ME OS REVIEWER: AR EA ER MC SA | A | 9530 | | MR | 17-AUG-88 | MR | SH | | |
| | | | | ASTM-B483-90 | TUBES, ALUMINUM AND ALUMINUM ALLOY DRAWN, FOR GENERAL PURPOSE APPLICATION STANDARD SPECIFICATION FOR - 1 APR 90 REVIEWER: 82 OS | A | 4710 | | CS | 01-APR-90 | ME | | 99 | |
| A | | | | ASTM-B487-85 NOTICE 2 | METAL AND OXIDE COATING THICKNESS BY MICROSCOPICAL EXAMINATION OF A CROSS SECTION, MEASUREMENT OF - 22 FEB 1985 (REAPPROVED R90) (VALIDATION DATE: 9102) USER: AT GL OS SH REVIEWER: IS | A | MFFP | | MR | 16-FEB-91 | MR | AS | 11 | |
| | | | | ASTM-B488-86 NOTICE 1 | GOLD FOR ENGINEERING USES, ELECTRODEPOSITED COATINGS OF - 28 FEB 86 (VALIDATION DATE: 9105) | A | MFFP | | MR | 20-MAY-91 | MR | OS | 11 | |
| | | | | ASTM-B491/B491MA-90 | TUBES, ROUND, ALUMINUM AND ALUMINUM-ALLOY EXTRUDED, GENERAL-PURPOSE APPLICATIONS - 1 JUL 90 REVIEWER: 82 OS | A | 4710 | | CS | 20-AUG-90 | ME | SH | 99 | |
| | | | | ASTM-B499-88 | METAL, MAGNETIC BASIS MEASUREMENT OF COATING THICKNESS BY THE MAGNETIC METHOD, NONMAGNETIC COATINGS ON - 26 AUG 88 USER: AT GL OS SH REVIEWER: IS | A | MFFP | | MR | 13-JUN-90 | MR | AS | 11 | |
| | | | | ASTM-B504-82 NOTICE 1 | METALLIC COATINGS BY THE COULOMETRIC METHOD, MEASURING OF THICKNESS OF - 26 FEB 82 (VALIDATION DATE: 8906) | A | MFFP | | MR | 02-JUN-89 | MR | AS | 11 | |
| D | | | | ASTM-B505-92 NOTICE 1 | CASTINGS, COPPER-BASE ALLOY, CONTINUOUS REVIEWER: SH | A | MECA | * | YD1 | 04-DEC-92 | MR | YD1 | | |
| D | | | | ASTM-B506-81R86 | COPPER CLAD STAINLESS STEEL SHEET & STRIP FOR BUILDING CONSTRUCTION USER: 99 REVIEWER: AR IS | A | 9515 | | YD1 | 31-JUL-87 | MR | YD1 | | |
| | | | | ASTM-B508-86 | COPPER-ALLOY STRIP FORFLEXIBLE METAL HOSE STANDARD SPECIFICATION FOR - 31 JANUARY 1986 REVIEWER: IS MR OS SH | A | 9535 | | AR | 27-MAR-87 | AR | AS | 99 | |
| | | | | ASTM-B530-88 | NICKLE COATING ON MAGNETIC & NONMAGNETIC SUBSTRATES ELECTRODEPOSITED MEASUREMENT OF COATING THICKNESS BY THE MAGNETIC METHOD - 26 AUG 88 USER: AT GL OS SH REVIEWER: IS | A | MFFP | | MR | 14-FEB-90 | MR | AS | 11 | |
| D | | | | ASTM-B543-89 | TUBE, WELDED COPPER AND COPPER-ALLOY HEAT EXCHANGE STANDARD SPECIFICATION FOR - 29 DEC 89 REVIEWER: CS SH | A | 4710 | | YD1 | 26-MAR-90 | ME | YD1 | 99 | |
| D | | | | ASTM-B543M-89 | TUBE, WELDED COPPER AND COPPER-ALLOY HEAT EXCHANGE STANDARD SPECIFICATION FOR - 29 DEC 89 (METRIC) REVIEWER: CS SH | A | 4710 | | YD1 | 26-MAR-90 | ME | YD1 | 99 | |
| | | | | ASTM-B545-83 NOTICE 1 | TIN, ELECTRODEPOSITED COATINGS OF -25 FEB 1 983 (VALIDATION DATE: 9105) REVIEWER: AR EA EC MI | A | MFFP | | MR | 20-MAY-91 | MR | OS | 99 | |
| | | | | ASTM-B547-90 | TUBE ALUMINUM AND ALUMINUM -ALLOY FORMED AND ARC-WELDED ROUND - 1 JUL 90R 88 USER: OS REVIEWER: 82 | A | 4710 | | CS | 01-JUL-90 | ME | SH | 99 | |
| D | | | | ASTM-B557-84 NOTICE 2 | TENSION TESTING WROUGHT & CAST ALUMINUM & MAGNESIUM ALLOY PRODUCTS - 24 FEB 1984 (VALIDATION DATE: 9006) REVIEWER: IS | A | 95GP | | MR | 22-JUN-90 | MR | YD1 | 99 | |
| D | | | | ASTM-B557M-84 NOTICE 2 | TENSION TESTING WROUGHT & CAST ALUMINUM & MAGNESIUM ALLOY PRODUCTS (METRIC) - 24 FEB 84 (VALIDATION DATE: 9006) REVIEWER: IS | A | 95GP | | MR | 22-JUN-90 | MR | YD1 | | |
| D | | | | ASTM-B564A-89 | FORGINGS, NICKEL ALLOY, STANDARD SPECIFICATION FOR - 27 OCT. 1989 REVIEWER: SH | A | FORG | | YD1 | 26-MAR-90 | MR | YD1 | | |
| D | | | | ASTM-B565-87 | ALUMINUM & ALUMINUM-ALLOY RIVETS & COLD-HEADING WIRE & RODG, SHEAR TESTING OF, STANDARD METHOD FOR - 30 OCT 1987 | A | 95GP | | YD1 | 29-JAN-88 | MR | YD1 | 99 | |
| | | | | ASTM-B567-91 NOTICE 1 | MEASUREMENT OF COATING THICKNESS BY THE BETA BACKSCATTER METHOD USER: 99 AT ME OS SH REVIEWER: AR GL MI | A | MFFP | * | MR | 23-APR-92 | MR | AS | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / CRML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | ASTM-B568-90 NOTICE 1 | MEASUREMENT OF COATING THICKNESS BY X-RAY SPECTROMETRY USER: OS SH REVIEWER: 12 AR AT GL ME MI | A | MFFP | * MR | MR | 21-OCT-92 | MR | AS | | |
| | | ASTM-B577-82 | COPPER, HYDROGEN EMBRITTLEMENT OF, STANDARD TEST METHODS FOR - 25 JUN 82 REVIEWER: 84 IS | A | 95GP | AS | AS | 25-JUN-86 | | AS | 99 | |
| A | | ASTM-B579-73R82 | ALLOY, TIN-LEAD (SOLDER PLATE) ELECTRODEPOSITED COATINGS OF - 29 MAR 73 ... | A | MFFP | AS | MR | 12-APR-86 | MR | AS | 11 | |
| D | | ASTM-B580-79 NOTICE 1 | ALUMINUM, ANODIC OXIDE COATINGS ON - 25 MAY 79 [VALIDATION DATE: 9102] USER: YD1 REVIEWER: AR AT MI | A | MFFP | MR | MR | 19-FEB-91 | MR | | 99 | |
| D | | ASTM-B584-90 | CASTING , COPPER ALLOYSAND, STANDARD SPECIFICATION FOR - 4 APR 90 USER: 99 REVIEWER: SH | A | MECA | YD1 | MR | 16-MAY-90 | MR | YD1 | | |
| | | ASTM-B591-86 | COPPER-ZINC-TIN ALLOYSPLATE, SHEET, STRIP, AND ROLLED BAR - 31 JANUARY 1986 REVIEWER: IS MR OS SH | A | 9535 | AR | MR | 25-MAR-87 | AR | AS | 99 | |
| | | ASTM-B593-85 | COPPER-ALLOY SPRING MATERIALS, BENDING FATIGUE TESTING FOR - 25 JAN 1985 .. | A | 95GP | MR | MR | 11-MAR-86 | MR | AS | | |
| A | | ASTM-B594-82 | ALUMINUM ALLOY WROUGHT PRODUCTS FOR AEROSPACE APPLICATIONS, ULTRASONIC INSPECTION OF - 27 AUG 82 USER: MI REVIEWER: 71 99 AV OS SH | A | NDTI | AS | AS | 22-JUL-83 | MR | AS | 11 | |
| L | | ASTM-B597-92 NOTICE 1 | HEAT TREATMENT OF ALUMINUM ALLOYS USER: AR GL ME REVIEWER: AT AV ..... | A | 95GP | * MR | MR | 27-APR-92 | MR | | | |
| | | ASTM-B598-86R92 NOTICE 2 | DETERMINING OFFSET YIELD STRENGTH IN TENSION FOR COPPER ALLOYS [VALIDATION DATE: 9206] REVIEWER: IS | A | 95GP | * MR | MR | 08-JUN-92 | MR | AS | | |
| | | ASTM-B600-91 | TITANIUM AND TITANIUM ALLOY SURFACES, DESCALING AND CLEANING - 15 MAR 91 USER: AR REVIEWER: 99 ME | A | MFFP | MR | MR | 23-MAY-91 | MR | SH | 11 | |
| D | | ASTM-B601-88 | COPPER AND COPPER ALLOYS- WROUGHT AND CAST, TEMPER DESIGNATIONS FOR, STANDARD SPECIFICATION FOR - 25 NOV 88 REVIEWER: 84 AS IS SH | A | 95GP | YD1 | MR | 05-SEP-90 | MR | YD1 | 99 | |
| D | | ASTM-B609-85 | WIRE, ALUMINUM 1350 ROUND, ANNEALED & INTERMEDIATE TEMPERS, FOR ELECTRICAL PURPOSES REVIEWER: 80 99 IS | A | 6145 | YD1 | 13 | 13-NOV-86 | CR | YD1 | 85 | |
| D | | ASTM-B618A-92 NOTICE 2 | ALUMINUM-ALLOY INVESTMENT CASTINGS, STANDARD SPECIFICATION FOR USER: AR AT ME MI OS SH REVIEWER: YD1 | A | MECA | * MR | MR | 26-JUN-92 | MR | | 11 | |
| | | ASTM-B624-77 | WIRE, COPPER ALLOY, HIGH STRENGTH, HIGH CONDUCTIVITY, FOR ELECTRONIC APPLICATION - 27 MAY 77 | A | 6145 | AS | 18 | 18-JAN-82 | CR | AS | 85 | |
| A | | ASTM-B632A-92 | PLATE, ALUMINUM-ALLOY ROLLED TREAD, STANDARD SPECIFICATION FOR USER: AR MC | A | 9535 | * SH | 16 | 16-OCT-92 | MR | SH | 11 | |
| D | | ASTM-B633-78 | ZINC ON IRON & STEEL, ELECTRODEPOSITED COATINGS OF - 31 MAR 78 USER: EC REVIEWER: AR ME MI OS YD1 | A | MFFP | SH | 29 | 29-DEC-80 | MR | SH | 99 | |
| D | | ASTM-B638-86 | COPPER & COPPER- ALLOY SOLAR HEAT ABSORBER PANELS - 27 JUN 1986 REVIEWER: 82 CS | A | 4710 | / YD1 | 07 | 07-MAY-87 | ME | YD1 | 99 | |
| D | | ASTM-B640-88 | COPPER, WELDED, & COPPER ALLOY TUBE FOR AIR CONDITIONING & REFRIGERATION SERVICE - 26 FEB 1988 REVIEWER: CS SH | A | 4710 | YD1 | 27 | 27-SEP-88 | ME | YD1 | 99 | |
| A | | ASTM-B643-92 NOTICE 1 | TUBE, SEAMLESS, COPPER-BERYLLIUM ALLOY USER: GL MI REVIEWER: 11 82 AR CS ER ME | A | 4710 | * MR | 25 | 25-NOV-92 | MR | | 99 | |
| D | | ASTM-B644-88 | COPPER ALLOY ADDITION AGENTS - 29 JULY 1988 REVIEWER: IS OS ..... | A | 9630 | YD1 | 05 | 05-SEP-88 | MR | YD1 | | |
| D | | ASTM-B645-84 NOTICE 2 | ALLOY, ALUMINUM, PLANE STRAIN FRACTURE TOUGHNESS TESTING OF-24 FEB 1984 [VALIDATION DATE: 8907] REVIEWER: IS | A | 95GP | YD1 | 13 | 13-JUL-89 | MR | YD1 | 99 | |
| D | | ASTM-B646-87 | ALUMINUM ALLOY, FRACTURE TOUGHNESS TESTING OF - 27 FEB 1987 ..... | A | 95GP | YD1 | 01 | 01-JUN-87 | MR | YD1 | 99 | |
| D | | ASTM-B660-85 | PACKAGING/PACKING OF ALUMINUM AND MAGNESIUM PRODUCTS STANDARD PRACTICE FOR - 26 APR 85 USER: EC MC REVIEWER: 69 AR AT EA ME SA SH YD1 | A | PACK | SM | 30 | 30-JUN-86 | AV | AS | 84 | DH |
| A | | ASTM-B661-93 NOTICE 1 | HEAT TREATMENT OF MAGNESIUM ALLOYS REVIEWER: 11 84 AR AV IS MI SH ..... | A | 95GP | * MR | 16 | 16-MAR-93 | MR | AS | 99 | |
| D | | ASTM-B666-90 | ALUMINUM PRODUCT, IDENTIFICATION MARKING OF, STANDARD PRACTICE FOR - 23 FEB 90 REVIEWER: 11 99 AS IS MI SA | A | 95GP | YD1 | 30 | 30-MAY-90 | MR | YD1 | 16 | |
| D | | ASTM-B666M-90 | ALUMINUM PRODUCT (METRIC) IDENTIFICATION MARKING OF - 23 FEB 90 REVIEWER: 99 IS MI SH | A | 95GP | YD1 | 19 | 19-OCT-90 | MR | YD1 | 16 | |
| D | | ASTM-B687-88 | PIPE, NIPPLES, BRASS, COPPER, & CHROMIUM-PLATED - 26 FEB 88 USER: AR CG MC REVIEWER: CS | A | 4730 | YD1 | 26 | 26-MAY-88 | ME | YD1 | 99 | |
| D | | ASTM-B695-85 | IRON AND STEEL, COATINGS OF ZINC MECHANICALLY DEPOISTED ON, STANDARD SPECIFICTION FOR - 26 JUL 85 REVIEWER: SH | A | MFFP | YD1 | 05 | 05-SEP-90 | | YD1 | 11 | |
| | | ASTM-B732-84R89 NOTICE 1 | COPPER TUBING SYSTEMS, EVALUATING THE CORROSIVITY OF SOLDER FLUXES FOR - 24 FEB 1984 (REAPPROVED 1989) [VALIDATION DATE: 9102] REVIEWER: 82 AT CS | A | 4710 | MR | 22 | 22-FEB-91 | MR | AS | 11 | |
| | | ASTM-B740-91 | COPPER-NICKEL-TIN SPINODAL ALLOY STRIP - 15 JUN 91 REVIEWER: 84 IS ..... | A | 9535 | MR | 04 | 04-SEP-91 | MR | | 99 | |
| D | | ASTM-B745/B745M-92 NOTICE 1 | CORRUGATED ALUMINUM PIPE FOR SEWERS AND DRAINS, STANDARD SPECIFICATION FOR USER: CE REVIEWER: CS | A | 4710 | * YD1 | 17 | 17-JUL-92 | ME | YD1 | | |
| D | | ASTM-B746/B746MA-89 NOTICE 1 | CORRUGATED ALUMINUM ALLOY STRUCTURAL PLATE FOR FIELD-BOLTED PIPE, PIPE-ARCHES, AND ARCHES, STANDARD SPECIFICATION FOR USER: CE REVIEWER: 84 IS | A | 9535 | * YD1 | 17 | 17-JUL-92 | | YD1 | 99 | |
| D | | ASTM-B766-86 | CADMIUM, ELECTRODEPOSITED COATINGS OF, STANDARD SPECIFICATION FOR - 26 SEP 86 USER: CE OS REVIEWER: 82 CS SH | A | MFFP | YD1 | 18 | 18-NOV-88 | ME | YD1 | 99 | |
| D | | ASTM-B770A-87 | COPPER-BERYLLIUM ALLOY SAND CASTINGS FOR GENERAL APPLICATIONS, STANDARD SPECIFICATION FOR - 27 NOV 87 REVIEWER: SH | A | MECA | YD1 | 31 | 31-AUG-90 | MR | YD1 | | |
| | | ASTM-B2852-89 NOTICE 1 | STYRENE-RUBBER (SR) PLASTIC DRAIN PIPE AND FITTINGS, STANDARD SPECIFICATION FOR REVIEWER: 82 | A | 4710 | * CS | 20 | 20-SEP-91 | ME | | 99 | CS |
| D | | ASTM-C5-79R88 | QUICKLIME FOR STRUCTURAL PURPOSE - 30 NOV 79 (REAPPROVED 1988) USER: CE ... | A | 5610 | YD1 | 08 | 08-JUN-89 | EA | YD1 | 99 | |
| D | | ASTM-C12-91 NOTICE 1 | PIPE LINES, VITRIFIED CLAY, STANDARD PRACTICE FOR INSTALLING ..... | A | 5630 | * YD1 | 31 | 31-DEC-91 | CE | YD1 | 99 | |
| D | | ASTM-C14-92 NOTICE 1 | CONCRETE SEWER, STORM DRAIN AND CULVERT PIPE, STANDARD SPECIFICATION FOR USER: CE MC | A | 5630 | * YD1 | 10 | 10-JUL-92 | | YD1 | 99 | |
| D | | ASTM-C14M-92 NOTICE 1 | CONCRETE SEWER, STORM DRAIN, AND CULVERT PIPE (METRIC), STANDARD SPECIFICATION FOR USER: CE MC | A | 5630 | * YD1 | 10 | 10-JUL-92 | | YD1 | 99 | |
| | | ASTM-C20-83 | REFRACTORY BRICK & SHAPES, APPARENT POROSITY, WATER ABSORPTION, APPARENT SPECIFIC GRAVITY, & BULK DENSITY OF BURNED, BY BOILING WATER - 20 JUL 83 USER: CG MR REVIEWER: GS | A | 9350 | SH | 23 | 23-SEP-85 | ME | SH | | |
| | | ASTM-C24-79 | REFRACTORY MATERIALS, PYROMETRIC CONE EQUIVALENT (PCE) OF - 30 NOV 79 REVIEWER: GS MC | A | 9350 | SH | 01 | 01-JUN-84 | ME | SH | | |
| D | | ASTM-C25-83 | LIMESTONE, QUICKLIME & HYDRATED LIME, STANDARD METHODS OF CHEMICAL ANALYSIS - 25 MAR 83 USER: CE MC YD1 REVIEWER: 84 ME | A | 5610 | EA | 18 | 18-MAY-84 | EA | | 99 | |
| D | | ASTM-C27-84R88 | BRICK FIRECLAY & HIGH ALUMINA REFRACTORY - (REAPPROVED 88) USER: CE MC .... | A | 5620 | YD1 | 30 | 30-MAY-89 | ME | YD1 | 99 | |
| D | | ASTM-C28-91 NOTICE 1 | GYPSUM PLASTERS, STANDARD SPECIFICATION FOR REVIEWER: 84 ..... | A | 5610 | * YD1 | 25 | 25-OCT-91 | ME | YD1 | 99 | |
| D | | ASTM-C29/C29M-91 NOTICE 1 | UNIT WEIGHT AND VOIDS IN AGGREGATE, STANDARD TEST METHOD FOR ..... | A | 5610 | * YD1 | 13 | 13-JAN-92 | ME | YD1 | | |
| D | | ASTM-C31-91 NOTICE 1 | MAKING AND CURING CONCRETE TEST, STANDARD PRACTICE FOR USER: CE ..... | A | 5610 | * YD1 | 13 | 13-JAN-92 | ME | YD1 | | |
| D | | ASTM-C32-73R90 | BRICK, SEWER AND MANHOLE (MADE FROM CLAY OR SHALE) - 18 JUN 1973 (RE-APPROVED 1990) | A | 5620 | YD1 | 23 | 23-NOV-90 | ME | YD1 | 99 | |
| D | | ASTM-C33-90 | CONCRETE AGGREGATE - 9 FEB 1990 USER: MC ..... | A | 5610 | YD1 | 25 | 25-JUL-90 | ME | YD1 | | |
| D | | ASTM-C34-84R90 | TILE, WALL, STRUCTURAL CLAY LOAD-BEARING - 26 OCT 1984 ..... | A | 5620 | YD1 | 20 | 20-SEP-90 | ME | YD1 | 99 | |
| D | | ASTM-C35A-89 | AGGREGATE, INORGANIC, FOR USE IN GYPSUM PLASTER - 24 NOV 1989 REVIEWER: 84 | A | 5610 | YD1 | 30 | 30-MAY-90 | ME | YD1 | 99 | |
| D | | ASTM-C36-91 | WALLBOARD, GYPSUM - 15 MAR 1991 REVIEWER: 84 ..... | A | 5640 | YD1 | 15 | 15-AUG-91 | ME | YD1 | 99 | |
| D | | ASTM-C37-91 NOTICE 1 | GYPSUM LATH, STANDARD SPECIFICATION FOR USER: CE MC ..... | A | 5680 | * YD1 | 07 | 07-NOV-91 | ME | YD1 | 99 | |
| | | ASTM-C38-79 | BRICK, REFRACTORY, PANEL SPALLING TESTING - 5 NOV 79 REVIEWER: GS MC ..... | A | 9350 | SH | 01 | 01-JUN-84 | ME | SH | | |
| D | | ASTM-C39-86 | CONCRETE SPECIMENS, COMPRESSIVE STRENGTH OF CYLINDRICAL, STANDARD TEST METHOD FOR [VALIDATION DATE: 9204] | A | 5620 | * YD1 | 27 | 27-APR-92 | ME | YD1 | 99 | |
| D | | ASTM-C40-92 NOTICE 1 | ORGANIC IMPURITIES IN FINE AGGREGATES FOR CONCRETE STANDARD TEST METHOD FOR USER: MC REVIEWER: 84 | A | 5610 | YD1 | 08 | 08-MAR-93 | ME | YD1 | 99 | |
| D | | ASTM-C42-90 | CONCRETE, OBTAINING AND TESTING, DRILLED CORES AND SAWED BEAMS OF - 26 OCT 1990 USER: SH | A | 5610 | YD1 | 20 | 20-JUN-91 | ME | YD1 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | GIPL / GMIL Coordination Inactive | Document Number | Document Title | Dist. Symbol FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-C50-86R91 NOTICE 1 | LIME AND LIMESTONE PRODUCTS, SAMPLING, INSPECTION, PACKING AND MARKING OF, STANDARD METHODS OF USER: CE MC REVIEWER: SH | A 5610 * | YD1 | 28-OCT-91 | EA | YD1 | 99 | |
| D | | ASTM-C51-90 | LIME AND LIMESTONE, STANDARD TERMINOLOGY RELATING TO - 30 MAR 1990 USER: CE MC | A 5610 | YD1 | 14-SEP-90 | ME | YD1 | 99 | |
| D | | ASTM-C55-85 NOTICE 2 | BRICK, CONCRETE BUILDING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9204] | A 5620 * | YD1 | 27-APR-92 | ME | YD1 | 99 | |
| D | | ASTM-C56-91 NOTICE 1 | TILE, NON-LOA-BEARING, STRUCTURAL CLAY, STANDARD SPECIFICATION FOR ..... | A 5620 * | YD1 | 16-MAR-92 | ME | YD1 | 84 | |
| D | | ASTM-C59-91 | PLASTER, GYPSUM CASTING & MOLDING - 15 MAR 1991 REVIEWER: 84 ..... | A 5610 | YD1 | 15-AUG-91 | ME | YD1 | 99 | |
| D | | ASTM-C61-91 NOTICE 1 | CEMENT, GYPSUM KEENE'S, STANDARD SPECIFICATION FOR REVIEWER: 84 ..... | A 5610 * | YD1 | 26-DEC-91 | ME | YD1 | 99 | |
| D | | ASTM-C62B-91 NOTICE 1 | BUILDING BRICK (SOLID MASONRY UNITS MADE FROM CLAY OR SHALE), STANDARD SPECIFICATION FOR | A 5620 * | YD1 | 02-MAR-92 | ME | YD1 | 99 | |
| D | | ASTM-C67A-92 NOTICE 1 | TILE, BRICK AND STRUCTURAL CLAY, SAMPLING AND TESTING, STANDARD TEST METHODS OF | A 5620 * | YD1 | 22-JAN-93 | ME | YD1 | 99 | |
| D | | ASTM-C70-79R85 | AGGREGATE, FINE, SURFACE MOISTURE IN - 27 APR 1979 USER: MC REVIEWER: 84 .. | A 5610 | YD1 | 26-FEB-90 | ME | YD1 | 99 | |
| D | | ASTM-C73-85R89 | BRICK, CALCIUM SILICATE FACE, (SAND LIME BRICK) - 29 MAR 1985 USER: CE REVIEWER: MC | A 5620 | YD1 | 29-JUN-90 | ME | YD1 | | |
| D | | ASTM-C76-90 | CONCRETE, REINFORCED, CULVERT STORM DRAIN AND DEWER PIPE - 17 JUL 1990 USER: MC ME | A 5630 | YD1 | 12-FEB-91 | | YD1 | 99 | |
| D | | ASTM-C76M-90 | CONCRETE, REINFORCED, CULVERT STORM DRAIN, AND SEWER PIPE (METRIC) - 29 JUN 1990 USER: MC ME | A 5630 | YD1 | 12-FEB-91 | | YD1 | 99 | |
| D | | ASTM-C78-84 NOTICE 1 | CONCRETE FLEXURAL STRENGTH OF (USING SIMPLE BEAM WITH THIRD POINT LOADING - 1 MAR 84 [VALIDATION DATE: 8811] USER: CE MC | A 5610 | YD1 | 25-NOV-88 | ME | YD1 | 99 | |
| D | | ASTM-C79-91 NOTICE 1 | SHEATHING BOARD, GYPSUM, STANDARD SPECIFICATION FOR ..... | A 5640 * | YD1 | 27-DEC-91 | ME | YD1 | 99 | |
| D | | ASTM-C87-83R90 | AGGREGATE, FINE, EFFECT OF ORGANIC IMPURITIES IN, ON STRENGTH OF MORTAR - 28 OCT 1983 USER: CE MC | A 5610 | YD1 | 02-AUG-90 | | YD1 | | |
| D | | ASTM-C88-83R90 | AGGREGATE, SOUNDNESS OF, BY USE OF SODIUM SULFATE OR MAGNESIUM SULFATE - 26 OCT 1983 USER: SH | A 5610 | YD1 | 23-NOV-90 | ME | YD1 | | |
| D | | ASTM-C90-90 | CONCRETE MASONRY UNIT, HOLLOW LOAD- BEARING - 12 SEP 1990 USER: CE CG REVIEWER: MC | A 5610 | YD1 | 20-JUN-91 | | YD1 | 99 | |
| D | | ASTM-C91-91 NOTICE 1 | CEMENT, MASONRY, STANDARD SPECIFICATION FOR ..... | A 5610 * | YD1 | 28-OCT-91 | CE | YD1 | 99 | |
| D | | ASTM-C94A-91 NOTICE 1 | CONCRETE, READY-MIX, STANDARD SPECIFICATION FOR ..... | A 5610 * | YD1 | 31-MAR-92 | ME | YD1 | 99 | |
| D | | ASTM-C97-83R88 | STONE, NATURAL BUILDING, ABSORPTION & BULK SPECIFIC GRAVITY OF 24 JUNE 1983 USER: CE MC | A 5620 | YD1 | 21-SEP-88 | | YD1 | | |
| D | | ASTM-C99-87 | STONE, MODULUS OF RUPTURE OF NATURAL BUILDING, STANDARD TEST METHOD FOR - 25 SEP 87 USER: MC | A 5610 | YD1 | 12-APR-88 | CE | YD1 | 99 | |
| D | | ASTM-C109-92 NOTICE 1 | MOTORS, COMPRESSIVE STRENGTH OF HYDRAULIC CEMENT, (USING 2-IN. OR 50-MM CUBE SPECIMENS), STANDARD TEST METHOD FOR | A 5610 * | YD1 | 20-MAY-92 | CE | YD1 | 99 | |
| D | | ASTM-C110-87 | QUICKLIME, HYDRATED LIME, & LIMESTONE, PHYSICAL TESTING OF, STANDARD TEST METHOD FOR - 30 JAN 1987 USER: CE MC | A 5610 | YD1 | 21-SEP-88 | EA | YD1 | 99 | |
| | | ASTM-C113-74R79 | BRICK, REFRACTORY, REHEAT CHANGE OF - 28 NOV 1974 USER: MC REVIEWER: GS ... | A 9350 | SH | 01-JUN-84 | ME | SH | | |
| D | | ASTM-C116-89 | BEAM BROKEN IN FLEXURE, COMPRESSIVE STRENGTH OF CONCRETE USING PORTIONS OF - 24 NOV 1989 USER: MC REVIEWER: 84 | A 5610 | YD1 | 26-FEB-90 | ME | YD1 | 99 | |
| D | | ASTM-C117-90 | MATERIAL FINER THAN 75-UM (NO. 200) SIEVE IN MINERAL AGGREGATE BY WASHING - 26 OCT 1990 USER: CE MC | A 5610 | YD1 | 20-JUN-91 | ME | YD1 | 99 | |
| D | | ASTM-C119A-87 | STONE, STANDARD DEFINITIONS OF TERMS RELATING TO NATURAL BUILDING - 16 NOV 1987 | A 5610 | YD1 | 30-MAR-88 | ME | YD1 | 99 | |
| D | | ASTM-C120-85 | SLATE (MODULUS OF RUPTURE, MODULUS OF ELASTICITY), FLEXURE TESTING OF - 27 DEC 1985 USER: MC REVIEWER: 84 | A 5610 | YD1 | 16-FEB-90 | ME | YD1 | 99 | |
| D | | ASTM-C121-85 | SLATE, WATER ABSORPTION OF - 27 DEC 1985 USER: MC REVIEWER: 84 ..... | A 5610 | YD1 | 16-FEB-90 | ME | YD1 | 99 | |
| | | ASTM-C122-76 | PANEL SPALLING TESTING SUPER DUTY FIRECLAY BRICK - 27 FEB 76 USER: CE MC .. | A 9350 | SH | 01-JUN-84 | ME | SH | | |
| D | | ASTM-C123-83R90 | AGGREGATE, LIGHTWEIGHT PIECES IN - 25 MAR 1983 USER: MC REVIEWER: 84 ..... | A 5610 | YD1 | 20-JUN-91 | ME | YD1 | 99 | |
| D | | ASTM-C125-92 NOTICE 1 | CONCRETE AND CONCRETE AGGREGATES, STANDARD TERMINOLOGY RELATING TO USER: CE MC | A 5620 * | YD1 | 21-JUL-92 | ME | YD1 | | |
| D | | ASTM-C126-91 NOTICE 1 | CERAMIC GLAZED STRUCTURAL CLAY FACING TILE, FACING BRICK, AND SOLID MASONRY UNITS, STANDARD SPECIFICATION FOR | A 5620 * | YD1 | 14-AUG-92 | ME | YD1 | 99 | |
| D | | ASTM-C127-88 | AGGREGATE, COARSE, STANDARD TEST METHOD FOR SPECIFIC GRAVITY & ABSORPTION OF | A 5610 | YD1 | 10-MAR-89 | ME | YD1 | 99 | |
| D | | ASTM-C128-88 | AGGREGATE, GRAVITY & ABSORPTION OF FINE STANDARD TEST METHOD FOR SPECIFIC USER: CE MC | A 5610 | YD1 | 15-JUN-89 | ME | YD1 | 99 | |
| D | | ASTM-C129-85R90 NOTICE 1 | CONCRETE MASONRY UNITS, NON-LOAD-BEARING, STANDARD SPECIFICATION FOR USER: CE CG MC | A 5610 * | YD1 | 16-MAR-92 | | YD1 | 99 | |
| D | | ASTM-C131-89 | AGGREGATE, COARSE, RESISTANCE TO DEGRADATION OF SMALL SIZE BY ABRASION & IMPACT IN THE LOS ANGELES MACHINE - 15 JUN 89 USER: CE MC | A 5610 | YD1 | 11-JUL-89 | | YD1 | 99 | |
| | | ASTM-C133A-82 | BRICK REFRACTORY & SHAPES, COLD CRUSHING STRENGTH & MODULUS OF RUPTURE OF - 31 DEC 82 REVIEWER: GS MC | A 9350 | SH | 01-JUN-84 | ME | SH | | |
| D | | ASTM-C136A-84 NOTICE 1 | AGGREGATE, FINE & COARSE, SIEVE ANALYSIS OF, STANDARD METHOD FOR - 26 OCT 84 [VALIDATION DATE: 8811] | A 5610 | YD1 | 25-NOV-88 | CE | YD1 | | |
| D | | ASTM-C138-81 NOTICE 2 | UNIT WEIGHT, YIELD AND AIR CONTENT (GRAVIMETRIC) OF CONCRETE, STANDARD TEST METHOD FOR [VALIDATION DATE: 9204] USER: CE MC | A 5610 * | YD1 | 27-APR-92 | ME | YD1 | | |
| D | | ASTM-C139-73R89 | CONCRETE MASONRY UNITS FOR CONSTRUCTION OF CATCH BASINS AND MANHOLES - 27 APR 1973 | A 5620 | YD1 | 29-JUN-90 | ME | YD1 | 99 | |
| D | | ASTM-C140-90 | MASONRY UNIT, CONCRETE, SAMPLING AND TESTING - 30 MAR 1990 ..... | A 5620 | YD1 | 25-JUL-90 | CE | YD1 | 99 | |
| D | | ASTM-C141-85R89 | LIME, HYDRAULIC HYDRATED, FOR STRUCTURAL PURPOSES - 29 MAR 1985 USER: CE MC REVIEWER: 84 | A 5610 | YD1 | 28-FEB-90 | ME | YD1 | 99 | |
| D | | ASTM-C142-78R90 | CLAY LUMPS, AND FRIABLE PARTICLES IN AGGREGATES - 24 FEB 1978 USER: MC .... | A 5610 | YD1 | 15-AUG-91 | ME | YD1 | 99 | |
| D | | ASTM-C143A-90 | CONCRETE, CEMENT, HYDRAULIC, SLUMP OF - 9 JUL 1990 USER: SH ..... | A 5610 | YD1 | 20-JUN-91 | ME | YD1 | | |
| D | | ASTM-C144-89 | AGGREGATE, MASONARY MORTAR - 31 MAR 1989 USER: SH ..... | A 5610 | YD1 | 22-OCT-90 | ME | YD1 | | |
| D | | ASTM-C148-77 | CONTAINER, GLASS, POLARISCOPIC EXAMINATION OF - 28 JAN 77 [VALIDATION DATE: 8801] USER: AR OS SH REVIEWER: 84 99 GL GS ME MI MR SA YD1 | A PACK | AS | 25-JAN-88 | SH | AS | 69 | |
| | | ASTM-C149-77 | CONTAINER, THERMAL SHOCK TEST ON GLASS - 1977 REVIEWER: 84 GS MD ..... | A 7350 | GL | 15-MAR-85 | GL | SA | 99 | |
| D | | ASTM-C150-92 NOTICE 1 | CEMENT, PORTLAND, STANDARD SPECIFICATION FOR REVIEWER: CE SH ..... | A 5610 * | YD1 | 08-MAY-92 | | YD1 | 99 | |
| D | | ASTM-C156-89 | CONCRETE CURING MATERIAL, WATER RETENTION BY USER: CE MC ..... | A 5610 | YD1 | 07-JUL-89 | ME | YD1 | | |
| D | | ASTM-C157-91 NOTICE 1 | MORTAR AND CONCRETE, HARDENED HYDRAULIC-CEMENT LENGTH CHANGE OF, STANDARD TEST METHOD FOR USER: CE MC | A 5610 * | YD1 | 15-OCT-91 | ME | YD1 | | |
| D | | ASTM-C159-86 | BLOCK, VITRIFIED CLAY FILTER - 29 SEP 86 USER: SH ..... | A 4610 | YD1 | 13-NOV-86 | ME | YD1 | 99 | |
| D | | ASTM-C165-83 | INSULATIONS, THERMAL, STANDARD METHOD FOR MEASURING COMPRESSIVE PROPERTIES OF - 28 JAN 83 USER: MC OS SH REVIEWER: MI | A 5640 | YD1 | 02-JUN-88 | CE | YD1 | 99 | |
| D | | ASTM-C167-90 | THERMAL INSULATION, THICKNESS AND DENSITY OF BLANKET OR BATT - 10 JAN 1989 USER: CG MC REVIEWER: 84 CE SH | A 5640 | YD1 | 05-APR-90 | ME | YD1 | 99 | |
| | | ASTM-C169-80 | GLASS, STANDARD METHODS FOR CHEMICAL ANALYSIS OF SODA LIME & BOROSILICATE - 31 OCT 80 USER: SH REVIEWER: GS MD ME | A 6810 | EA | 08-JUN-84 | EA | | | |
| D | | ASTM-C170-87 | STONE, NATURAL BUILDING, STANDARD TEST METHOD FOR COMPRESSIVE STRENGTH OF, 26 JUN 87 REVIEWER: 84 MC | A 5610 | CE | 26-JUL-89 | CE | YD1 | 99 | |
| D | | ASTM-C171-91 NOTICE 1 | CONCRETE, SHEET MATERIALS FOR CURING, STANDARD SPECIFICATION FOR ..... | A 5680 * | YD1 | 31-MAR-92 | CE | YD1 | 99 | |
| D | | ASTM-C172-90 | CONCRETE, SAMPLING FRESHLY MIXED - 27 APR 1990 USER: SH ..... | A 5610 | YD1 | 03-AUG-90 | ME | YD1 | | |
| D | | ASTM-C173-78 NOTICE 1 | CONCRETE, FRESHLY MIXED, BY THE VOLUMETRIC METHOD, AIR CONTENT OF - 27 APR 78 [VALIDATION DATE: 8811] | A 5610 | YD1 | 25-NOV-88 | ME | YD1 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Cond. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | L | | ASTM-C174-87R91 NOTICE 1 | CONCRETE CORES, MEASURING LENGHT OF DRILLED, STANDARD TEST METHOD FOR USER: CE MC | A | 5620 | * | YD1 | 31-MAR-92 | | YD1 | | |
| D | | | ASTM-C177-85 | HEAT FLUX MEASUREMENTS AND THERMAL TRANSMISSION PROPERTIES BY MEANS OF THE GUARDED-HOT-PLATE APPARATUS, STEADY-STATE- 22 OCT 1985 REVIEWER: 99 AR GL ME MI MR OS SA SH YD1 | A | 5640 | | AS | 22-JUL-86 | SH | AS | 69 | |
| D | | | ASTM-C183-88 | CEMENT, HYDRAULIC, SAMPLING & ACCEPTANCE OF - 18 FEB 1988 USER: MC SH REVIEWER: 84 CE | A | 5610 | | YD1 | 26-NOV-88 | ME | YD1 | 99 | |
| D | | | ASTM-C186-89 | CEMENT, HYDRAULIC, DENSITY OF - 27 OCT 1989 USER: CE MC ..... | A | 5610 | | YD1 | 28-FEB-90 | | YD1 | | |
| D | | | ASTM-C192A-90 | CONCRETE, MAKING & CURING TEST SPECIMENTS IN THE LABORATORY - 27 APR 1990 USER: 99 CE MC | A | 5610 | | YD1 | 20-JUN-91 | | YD1 | | |
| D | | | ASTM-C195-90 | CEMENT, MINERAL FIBER THERMAL INSULATION - 26 JAN 1990 USER: MI REVIEWER: EA SH | A | 5640 | | YD1 | 19-OCT-90 | | YD1 | 99 | |
| D | | | ASTM-C196-87 NOTICE 2 | CEMENT, EXPANDED OR EXFOLIATED VERMICULITE THERMAL INSULATING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9207] USER: MC | A | 5640 | * | YD1 | 01-JUL-92 | | YD1 | 99 | |
| D | | | ASTM-C203-92 NOTICE 1 | THERMAL INSULATION, BREAKING LOAD AND FLEXURAL PROPERTIES OR BLOCK-TYPE, STANDARD TEST METHODS FOR USER: CG MC REVIEWER: 84 CE SH | A | 5640 | * | YD1 | 09-OCT-92 | ME | YD1 | 99 | |
| D | | | ASTM-C206-84R88 NOTICE 2 | LIME, FINISHING HYDRATED, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9207] USER: CE MC | A | 5610 | * | YD1 | 06-JUL-92 | EA | YD1 | 99 | |
| D | | | ASTM-C207-79R88 NOTICE 2 | LIME, FOR MASONRY PURPOSES, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9207] USER: CE MC REVIEWER: SH | A | 5610 | * | YD1 | 06-JUL-92 | EA | YD1 | 99 | |
| D | | | ASTM-C208-72R88 NOTICE 1 | INSULATING BOARD (CELLULOSIC FIBER), STRUCTURAL & DECORATIVE - 4 DEC 72 (REAPPROVED 1982) [VALIDATION DATE: 8803] | A | 5640 | | YD1 | 31-MAR-88 | ME | YD1 | | |
| D | | | ASTM-C209-92 NOTICE 1 | CELLULOSIC FIBER INSULATING BOARD, STANDARD TEST METHODS FOR REVIEWER: CE MC SH | A | 5640 | * | YD1 | 24-JUL-92 | ME | YD1 | | |
| D | | | ASTM-C212-91 NOTICE 1 | TILE, STRUCTURAL CLAY FACING, STANDARD SPECIFICATION FOR ..... | A | 5620 | * | YD1 | 31-MAR-92 | | YD1 | 99 | |
| D | | | ASTM-C215-85 | CONCRETE SPECIMENS, FUNDAMENTAL TRANSVERSE, LONGITUDINAL, AND TORSIONAL FREQUENCIES OF - 26 APR 1985 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 26-FEB-90 | ME | YD1 | 99 | |
| D | | | ASTM-C216-92 NOTICE 1 | FACING BRICK (SOLID MASONRY UNITS MADE FROM CLAY OF SHALE), STANDARD SPECIFICATION FOR | A | 5620 | * | YD1 | 14-AUG-92 | ME | YD1 | | |
| D | | | ASTM-C217-85R90 | SLATE, NATURAL, WEATHER RESISTANCE OF - 27 DEC 1985 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 29-JUN-90 | ME | YD1 | 99 | |
| | | | ASTM-C225-73R78 | CONTAINERS, RESISTANCE OF GLASS TO CHEMICAL ATTACK - 1978 REVIEWER: 84 GS MD | A | 7350 | | GL | 15-MAR-85 | GL | SA | 99 | |
| D | | | ASTM-C226-86 NOTICE 2 | FELT, ASPHALT-SATURATED ORGANIC, USED IN ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9208] USER: CE | A | 5610 | * | YD1 | 21-AUG-92 | | YD1 | 99 | |
| D | | | ASTM-C227-90 | CEMENT, AGGREGATE COMBINATIONS (MORTAR-BAR METHOD), POTENTIAL ALKALI REACTIVITY OF - 21 JUN 1990 USER: 11 CE MC | A | 5610 | | YD1 | 28-JUN-91 | ME | YD1 | 99 | |
| D | | | ASTM-C231A-91 NOTICE 1 | CONCRETE, FRESHLY MIXED, AIR CONTENT OF, BY THE PRESSURE METHOD, STANDARD TEST METHOD FOR USER: SH | A | 5610 | * | YD1 | 10-JAN-92 | ME | YD1 | | |
| D | | | ASTM-C232-92 NOTICE 1 | CONCRETE, BLEEDING OF, STANDARD TEST METHODS FOR USER: MC REVIEWER: 84 .... | A | 5610 | * | YD1 | 21-AUG-92 | ME | YD1 | 99 | |
| D | | | ASTM-C233-90 | CONCRETE, AIR ENTRAINING ADMIXTURES FOR - 24 AUG 1990 REVIEWER: CE MC ..... | A | 5610 | | YD1 | 28-JUN-91 | ME | YD1 | | |
| D | | | ASTM-C234-86 | CONCRETE ON BASIS OF THE BOND DEVELOPED WITH REINFORCING STEEL, STANDARD TEST METHOD FOR COMPARING - 31 OCT 1986 USER: CE MC SH REVIEWER: 84 | A | 5610 | | YD1 | 29-MAR-88 | ME | YD1 | 99 | |
| D | | | ASTM-C236-89 | STEADY-STATE THERMAL PERFORMANCE OF BUILDING ASSEMBLIES BY MEANS OF A GUARDED HOT BOX - 29 SEP 1989 USER: CE OS SH | A | 5640 | | YD1 | 19-OCT-90 | ME | YD1 | | |
| D | | | ASTM-C241-90 | STONE, SUBJECTED TO FOOT TRAFFIC, STANDARD TEST METHOD FOR ABRASION RESISTANCE OF - 27 APR 1990 | A | 56GP | | YD1 | 24-SEP-91 | CE | YD1 | 11 | |
| D | | | ASTM-C260-86 NOTICE 2 | AIR-ENTRAINING ADMIXTURES FOR CONCRETE, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9204] USER: SH | A | 5610 | * | YD1 | 27-APR-92 | ME | YD1 | | |
| D | | | ASTM-C267-82R90 | MORTAR, GROUTS & MONOLITHIC SURFACINGS, CHEMICAL RESISTANCE OF - 31 DEC 1982 USER: CG REVIEWER: MC | A | 5610 | | YD1 | 14-SEP-90 | ME | YD1 | | |
| D | | | ASTM-C270-91 NOTICE 1 | MORTAR FOR UNITARY MASONRY, STANDARD SPECIFICATION FOR ..... | A | 5610 | * | YD1 | 28-OCT-91 | CE | YD1 | 99 | |
| D | | | ASTM-C273-61R88 | SHEAR PROPERTY IN FLATWISE PLANE OF FLAT SANDWICH CONSTRUCTIONS OR SANDWICH CORES - 18 SEP 61 (REAPPROVED 1988) USER: MC REVIEWER: 82 | A | FACR | | YD1 | 26-SEP-88 | | YD1 | 99 | |
| D | | | ASTM-C286-83 | ENAMEL, PORCELAIN, & CERAMIC METAL SYSTEMS -25 FEB 83 REVIEWER: 84 ..... | A | MFFP | | ME | 12-DEC-83 | ME | YD1 | 99 | |
| D | | | ASTM-C289-87 | AGGREGATE, (CHEMICAL METHOD), POTENTIAL REACTIVITY OF, STANDARD TEST METHOD FOR | A | 5610 | | YD1 | 12-APR-88 | ME | YD1 | | |
| D | | | ASTM-C293-79 | FLEXURAL STRENGHT OF CONCRETE (USING SIMPLE BEAM WITH CENTER POINT LOADING) - 27 APR 79 [VALIDATION DATE: 8509] | A | 5610 | | YD1 | 11-SEP-85 | | YD1 | | |
| D | | | ASTM-C294-86R91 | AGGREGATES, NATURAL MINERAL, STANDARD DESCRIPTIVE NOMENCLATURE FOR CONSTITUENTS OF - 28 NOV 1986 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 31-JUL-91 | ME | YD1 | 99 | |
| D | | | ASTM-C295-90 NOTICE 1 | PETROGRAPHIC EXAMINATION OF AGGREGATES FOR CONCRETE, STANDARD GUIDE FOR REVIEWER: 84 | A | 5610 | | YD1 | 08-MAR-93 | ME | YD1 | 99 | |
| D | | | ASTM-C301-87 | PIPE, CLAY, VITRIFIED,STANDARD METHODS OF - 30 JAN 87 USER: MC REVIEWER: 84 | A | 5630 | | YD1 | 15-JUL-87 | | YD1 | 99 | |
| D | | | ASTM-C303-90 | INSULATION, THERMAL, DENSITY OF PREFORMED BLOCK-TYPE - 10 JAN 1989 USER: CG MC REVIEWER: CE SH | A | 5640 | | YD1 | 09-JAN-91 | ME | YD1 | 99 | |
| D | | | ASTM-C307-83R88 | MORTAR, CHEMICAL-RESISTANT, GROUTS, AND MONOLITHIC SURFACES, TENSILE STRENGTH OF - 30 SEPT 83 (REAPPROVED 88) USER: CE REVIEWER: MC | A | 5610 | | YD1 | 26-MAY-89 | ME | YD1 | | |
| D | | | ASTM-C309-91 NOTICE 1 | CONCRETE, LIQUID MEMBRANE-FORMING COMPOUNDS FOR CURING, STANDARD SPECIFICATION FOR | A | 5680 | * | YD1 | 10-JAN-92 | ME | YD1 | 99 | |
| D | | | ASTM-C315-91 NOTICE 1 | LININGS, CLAY FLUE, STANDARD SPECIFICATION FOR ..... | A | 5610 | * | YD1 | 28-OCT-91 | CE | YD1 | 99 | |
| D | | | ASTM-C317-91 NOTICE 1 | GYPSUM CONCRETE, STANDARD SPECIFICATION FOR USER: MI ..... | A | 5610 | * | YD1 | 07-NOV-91 | ME | YD1 | 99 | |
| | | | ASTM-C321-83 NOTICE 1 | BOND STRENGTH OF CHEMICAL-RESISTANT MORTARS, STANDARD TEST METHOD FOR ..... | A | 5610 | * | MI | 01-NOV-91 | MI | | 99 | |
| D | | | ASTM-C330-89 | AGGREGATE, LIGHTWEIGHT, FOR STRUCTURAL CONCRETE - 27 OCT 1989 USER: SH .... | A | 5610 | | YD1 | 02-FEB-90 | ME | YD1 | 99 | |
| D | | | ASTM-C331-89 | CONCRETE, MASONRY UNITS, LIGHTWEIGHT AGGREGATES FOR - 27 OCT 1989 ..... | A | 5610 | | YD1 | 24-AUG-90 | CE | YD1 | 99 | |
| D | | | ASTM-C332-87R91 NOTICE 1 | CONCRETE, INSULATING, LIGHTWEIGHT AGGREGATES FOR, STANDARD SPECIFICATION FOR | A | 5610 | * | YD1 | 31-MAR-92 | CE | YD1 | 99 | |
| | | | ASTM-C336-71R81 | GLASS BY FIBER ELONGATION, ANNEALING POINT & STRAIN POINT OF - 1981 REVIEWER: 84 GS MD | A | 7350 | | GL | 15-MAR-85 | GL | SA | 99 | |
| | | | ASTM-C338-73R83 | GLASS, SOFTENING POINT OF - 1983 REVIEWER: 84 GS MD ..... | A | 7350 | | GL | 15-MAR-85 | GL | SA | 99 | |
| D | | | ASTM-C347-57R78 | ENAMEL, WHITE PORCELAIN, REFLECTIVITY & COEFFICIENT OF - JAN 78 REVIEWER: 84 | A | MFFP | | ME | 12-DEC-83 | ME | YD1 | 99 | |
| D | | | ASTM-C360-91 NOTICE 1 | CONCRETE, PORTLAND CEMENT, BALL PENETRATION IN FRESH, STANDARD TEST METHOD FOR USER: CE MC | A | 5610 | * | YD1 | 13-JAN-92 | ME | YD1 | | |
| D | | | ASTM-C361-92 NOTICE 1 | REINFORCED CONCRETE LOW-HEAD PRESSURE PIPE, STANDARD SPECIFICATION FOR USER: MC | A | 5630 | * | YD1 | 24-JUL-92 | | YD1 | 99 | |
| D | | | ASTM-C361M-92 NOTICE 1 | REINFORCED CONCRETE LOW-HEAD PRESSURE PIPE (METRIC), STANDARD SPECIFICATION FOR USER: MC | A | 5630 | * | YD1 | 27-JUL-92 | | YD1 | 99 | |
| D | | | ASTM-C365-57R88 | CORE SANDWICH, FLATWISE COMPRESSIVE STRENGTH OF - 28 SEPT 1982 (REAPPROVED 1988 USER: CE | A | FACR | | YD1 | 26-SEP-88 | GL | YD1 | | |
| A | | | ASTM-C366-80 | CORE, SANDWICH, MEASUREMENT OF THICKNESS OF,STANDARD METHOD FOR- 1 JAN 80 . | A | 5680 | | AS | 16-MAY-85 | | AS | 11 | |
| D | | | ASTM-C390-79R89 | INSULATION, PREFORMED THERMAL LOTS, SAMPLING AND ACCEPTANCE OF, STANDARD CRITERIA FOR - 28 DEC 1979 (REAPPROVED 1989) USER: CG MC REVIEWER: 84 CE SH | A | 5640 | | YD1 | 12-OCT-89 | ME | YD1 | 99 | |
| D | | | ASTM-C395-90 | MORTAR, CHEMICAL-RESISTANT - 28 SEP 1990 USER: CE REVIEWER: MC ..... | A | 5610 | | YD1 | 21-MAR-91 | ME | YD1 | 99 | |
| D | L | | ASTM-C401-91 NOTICE 1 | ALUMINA AND ALUMINO-SILICATE, CASTABLE REFRACTORIES, STANDARD CLASSIFICATION OF USER: CE MC | A | 5610 | * | YD1 | 24-OCT-91 | | YD1 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Obsl. / Cancellation / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-C403-89 | CONCRETE MIXTURES TIME OF SETTING MIXTURES BY PENETRATION RESISTANCE STANDARD TEST METHOD FOR - 27 OCT 89 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 16-MAR-90 | ME | YD1 | 99 | |
| D | | ASTM-C404-92 NOTICE 1 | AGGREGATES FOR MASONRY GROUT, STANDARD SPECIFICATION FOR ..... | A | 5610 | * | YD1 | 20-NOV-92 | CE | YD1 | 99 | |
| | | ASTM-C408-76 | CONDUCTIVITY, THERMAL, BY CUT BAR APPARATUS - 24 NOV 76 REVIEWER: AR ..... | A | 5970 | | ER | 17-OCT-79 | ER | SH | 85 | |
| D | | ASTM-C412-90 | CONCRETE DRAIN TILE - 17 JUL 1990 USER: CE MC ..... | A | 5630 | | YD1 | 12-FEB-91 | | YD1 | 99 | |
| D | | ASTM-C412M-90 | CONCRETE DRAIN TILE, (METRIC) - 29 JUN 1990 USER: CE MC ..... | A | 5630 | | YD1 | 12-FEB-91 | | YD1 | 99 | |
| D | | ASTM-C413-83R88 | MORTAR, GROUTS, & MONOLITHIC SURFACINGS,ABSORPTION OF CHEMICAL RESISANT - 28 NOV 83 (REAPPROVED 88) USER: CE MC REVIEWER: SH | A | 5610 | | YD1 | 26-MAY-89 | ME | YD1 | | |
| | | ASTM-C414-83R88 NOTICE 1 | WORKING, SETTING, AND CURING TIMES OF CHEMICALLY SETTING CHEMICAL-RESISTANT SILICATE AND SILICA MORTARS, STANDARD TEST METHODS FOR REVIEWER: 84 GS MR | A | 9350 | * | MI | 01-NOV-91 | MI | SH | 99 | |
| D | | ASTM-C418-90 | CONCRETE, ABRASION RESISTANCE OF, BY SANDBLASTING - 26 OCT 1990 USER: CE MC | A | 5610 | | YD1 | 30-MAY-91 | ME | YD1 | | |
| D | | ASTM-C423-90 | SOUND ABSORPTION AND SOUND ABSORPTION COEFFICIENTS BY THE REVERBERATION ROOM METHOD - 23 FEB 1990 USER: 11 REVIEWER: CE MC | A | 5640 | | YD1 | 29-JUN-90 | ME | YD1 | 99 | |
| D | | ASTM-C425-91 NOTICE 1 | COMPRESSION JOINTS FOR VITRIFIED CLAY PIPE AND FITTINGS, STANDARD SPECIFICATION FOR USER: MC REVIEWER: CE | A | 5630 | * | YD1 | 21-OCT-91 | ME | YD1 | 99 | |
| D | | ASTM-C426-70R88 | BLOCK, CONCRETE, DRYING SHRINKAGE OF - 27 FEB 1970 USER: CE MC ..... | A | 5620 | | YD1 | 26-SEP-89 | | YD1 | | |
| D | | ASTM-C442-91 NOTICE 1 | GYPSUM BACKING BOARD AND COREBOARD, STANDARD SPECIFICATION FOR REVIEWER: 84 | A | 5640 | * | YD1 | 07-NOV-91 | ME | YD1 | 99 | |
| D | | ASTM-C443MA-85 | PIPE, JOINTS FOR CIRCULAR CONCRETE SEWER AND CULVERT, USING RUBBER GASKETS, STANDARD SPECIFICATION FOR - 27 DEC 85 USER: CE MC | A | 5630 | | ME | 01-JUN-88 | ME | YD1 | | |
| D | | ASTM-C444-90 NOTICE 1 | PIPE, PERFORATED CONCRETE - 17 JUL 1990 USER: CE ME ..... | A | 5630 | | YD1 | 12-FEB-91 | | YD1 | 99 | |
| D | | ASTM-C444M-87 | PIPE, PERFORATED CONCRETE, STANDARD SPECIFICATION FOR (METRIC - 2 APR 1987 USER: CE ME | A | 5630 | | YD1 | 17-NOV-88 | | YD1 | 99 | |
| D | | ASTM-C470-87 | MOLDS FOR FORMING CONCRETE TEST CYLINDERS VERTICALLY, STANDARD SPECIFICATION FOR - 29 MAY 1987 USER: MC REVIEWER: 84 CE | A | 5610 | | YD1 | 12-OCT-89 | ME | YD1 | 99 | |
| D | | ASTM-C472A-90 | GYPSUM, GYPSUM PLASTERS AND GYPSUM CONCRETE, PHYSICAL TESTING OF - 31 AUG 1990 USER: CE | A | 5610 | | YD1 | 09-AUG-91 | | YD1 | | |
| D | | ASTM-C475-89 | JOINT COMPOUND AND POINT TAPE FOR FINISHING GYPSUM BOARD - 31 MAR 1989 REVIEWER: 84 | A | 5610 | | YD1 | 12-SEP-89 | ME | YD1 | 99 | |
| D | | ASTM-C476-83 NOTICE 1 | GROUT FOR REINFORCED & NONREINFORCED MASONRY - 25 MAR 83 ..... | A | 5610 | | YD1 | 11-APY-88 | CE | YD1 | 99 | |
| D | | ASTM-C478A-90 | CONCRETE, PRECAST REINFORCED, MANHOLE SECTIONS - 10 SEP 1990 USER: CE MC .. | A | 5630 | | YD1 | 12-FEB-91 | | YD1 | 99 | |
| D | | ASTM-C478M-89 | MANHOLE SECTIONS (METRIC), PRECAST REINFORCED CONCRETE USER: CE MC ..... | A | 5630 | | YD1 | 13-SEP-89 | | YD1 | | |
| D | | ASTM-C481-62R88 | CONSTRUCTION, SANDWICH, LABORATORY AGING OF, STANDARD TEST METHOD FOR - 28 SEPT 1962 (REAPPROVED 88) USER: MC REVIEWER: 70 71 | A | FACK | | YD1 | 26-SEP-88 | ME | YD1 | 99 | |
| D | | ASTM-C494-90 | CONCRETE, CHEMICAL ADMIXTURES FOR - 29 JUN 1991 USER: SH REVIEWER: GS ..... | A | 6850 | | YD1 | 09-AUG-91 | ME | YD1 | | |
| D | | ASTM-C495-91 NOTICE 1 | CONCRETE, LIGHTWEIGHT INSULATING, COMPRESSIVE STRENGTH OF, STANDARD TEST METHOD FOR | A | 5610 | * | YD1 | 13-JAN-92 | CE | YD1 | 99 | |
| D | | ASTM-C496-90 | CONCRETE SPECIMENS, CYLINDRICAL, SPLITTING TENSILE STRENGTH OF - 9 FEB 1990 REVIEWER: 84 | A | 5610 | | YD1 | 24-AUG-90 | ME | YD1 | 99 | |
| D | | ASTM-C497-92 NOTICE 1 | CONCRETE PIPE, MANHOLE SECTIONS, OR TILE, STANDARD TEST METHODS FOR USER: CE MC REVIEWER: 84 | A | 5630 | * | YD1 | 15-MAY-92 | ME | YD1 | 99 | |
| D | | ASTM-C497M-92 NOTICE 1 | CONCRETE PIPE, MANHOLE SECTIONS, OR TILE (METRIC), STANDARD TEST METHODS FOR USER: CE MC REVIEWER: 84 | A | 5630 | * | YD1 | 10-JUL-92 | ME | YD1 | 99 | |
| D | | ASTM-C498-65R86 NOTICE 1 | TILE CLAY DRAIN PERFORATED - 27 DEC 65 ..... | A | 5630 | | YD1 | 04-SEP-88 | | YD1 | 99 | |
| D | | ASTM-C506B-84 | CONCRETE ARCH CULVERT, STORM DRAIN, & SEWER PIPE, REINFORCED, STANDARD SPECIFICATION FOR - 28 DEC 84 USER: CE MC | A | 5630 | | YD1 | 25-JUL-85 | | YD1 | | |
| D | | ASTM-C506MA-84 | CONCRETE ARCH CULVERT, REINFORCED, STORM DRAIN, AND SEWER PIPE (METRIC) - 28 DEC 1984 USER: CE MC | A | 5630 | | YD1 | 25-JUL-85 | | YD1 | | |
| D | | ASTM-C507-90 | CONCRETE, REINFORCED, ELLIPTICAL CULVERT, STORM DRAIN, AND SEWER PIPE - 17 JUL 1990 USER: CE REVIEWER: MC | A | 5630 | | YD1 | 12-FEB-91 | | YD1 | 99 | |
| D | | ASTM-C507M-90 | CONCRETE, REINFORCED, ELLIPTICAL CULVERT, STORM DRAIN, AND SEWER PIPE, (METRIC) - 29 JUN 1990 USER: MC | A | 5630 | | YD1 | 12-FEB-91 | ME | YD1 | | |
| D | | ASTM-C513-89 NOTICE 1 | OBTAINING AND TESTING SPECIMENS OF HARDENED LIGHTWEIGHT, INSULATING CONCRETE, FOR COMPRESSIVE STRENGTH, STANDARD TEST METHOD FOR | A | 5610 | * | YD1 | 31-MAR-92 | CE | YD1 | 99 | |
| D | | ASTM-C514-90 | NAILS, FOR THE APPLICATION FOR GYPSUM WALLBOARD, STANDARD SPECIFICATION FOR - 18 MAY 1990 REVIEWER: IS | A | 5315 | | YD1 | 02-AUG-91 | EA | YD1 | 99 | |
| D | | ASTM-C516-80R90 NOTICE 1 | INSULATION, THERMAL, LOOSE FILL, VERMICULITE, STANDARD SPECIFICATION FOR USER: CE MC ME REVIEWER: OS | A | 5640 | * | YD1 | 11-SEP-92 | | YD1 | 99 | |
| D | | ASTM-C518-85 | MEASUREMENTS, STEADY-STATE HEAT FLUX MEASUREMENTS AND THERMAL TRANSMISSION PROPERTIES BY MEANS OF THE HEAT-FLOW METER APPARATUS, STANDARD TEST METHOD FOR - 22 OCT 85 USER: SH REVIEWER: 84 CE | A | 5640 | | YD1 | 02-JUN-88 | ME | YD1 | | |
| D | | ASTM-C531-85R90 NOTICE 1 | LINEAR SHRINKAGE AND COEFFICIENT OF THERMAL EXPANSION OF CHEMICAL-RESISTANT MORTARS, GROUTS, AND MONOLITHIC SURFACINGS, STANDARD TEST METHOD FOR USER: CE SH REVIEWER: MC | A | 5610 | * | YD1 | 09-OCT-92 | ME | YD1 | 99 | |
| D | | ASTM-C532-88 NOTICE 1 | FORMBOARD, STRUCTURAL INSULATING, (CELLULOSIC FIBER), STANDARD SPECIFICATION FOR REVIEWER: CE | A | 5640 | * | YD1 | 11-SEP-92 | ME | YD1 | | |
| D | | ASTM-C533-85 | CALCIUM SILICATE BLOCK & PIPE THERMAL INSULATION - 27 SEPT 1985 USER: CG REVIEWER: MR | A | 5640 | | YD1 | 15-MAY-87 | ME | YD1 | | |
| D | | ASTM-C534-88 | PREFORMED FLEXIBLE ELASTOMERIC CELLULAR THERMAL INSULATION IN SHEET & TUBULAR FORMS USER: CE SH REVIEWER: MC | A | 5640 | | YD1 | 16-MAY-88 | MR | YD1 | | |
| D | | ASTM-C535-89 | AGGREGATE, LARGE SIZE COARSE, RESISTANCE TO DEGRADATION OF, BY ABRASION AND IMPACT IN THE LOS ANGELES MACHINE - 28 APR, 1989 USER: 99 CE MC | A | 5610 | | YD1 | 09-OCT-89 | | YD1 | | |
| D | | ASTM-C542-82R84 | GASKET, LOCK-STRIP, STANDARD SPECIFICATION FOR - 24 SEP 82 USER: CE OS SH REVIEWER: 84 GS | A | 5330 | | YD1 | 10-OCT-88 | AL | YD1 | 99 | |
| D | | ASTM-C547-77 NOTICE 1 | FIBER, MINERAL, PREFORMED PIPE INSULATION - 29 JUL 77 [VALIDATION DATE: 8903] | A | 5640 | | YD1 | 24-MAR-89 | ME | YD1 | | |
| D | | ASTM-C549-81R86 | INSULATION, PERLITE LOOSE FILL - 30 OCT 1981 (REAPPROVED 1986) USER: CE MC | A | 5640 | | YD1 | 15-MAY-87 | ME | YD1 | 99 | |
| D | | ASTM-C550-81R87 | BLOCK, RIGID THERMAL INSULATION, MEASURING TRUENESS AND SQUARENESS OF, STANDARD PRACTICE FOR - 27 MAR, 1981 (REAPPROVED 1987) USER: CE CG MC REVIEWER: 84 SH | A | 5640 | | YD1 | 02-OCT-89 | ME | YD1 | 99 | |
| D | | ASTM-C552-91 NOTICE 1 | CELLULAR GLASS THERMAL INSULATION, STANDARD SPECIFICATION FOR USER: CG SH REVIEWER: CE | A | 5640 | * | YD1 | 18-OCT-91 | ME | YD1 | | |
| D | | ASTM-C553-70R77 NOTICE 1 | BLANKET, MINERAL FIBER, & FELT INSULATION (INDUSTRIAL TYPE) - 29 MAY 70 [VALIDATION DATE: 8903] USER: CG REVIEWER: MC MI | A | 5640 | | YD1 | 24-MAR-89 | ME | YD1 | | |
| D | | ASTM-C557-73R85 NOTICE 2 | ADHESIVE FOR FASTENING GYPSUM WALLBOARD TO WOOD FRAMING - (REAPPROVED 85) [VALIDATION DATE: 9107] | A | 8040 | | YD1 | 25-JUL-91 | | YD1 | 99 | |
| | | ASTM-C562-85 | GRAPHITE MOISTURE IN A SAMPLE USER: AS DS SH REVIEWER: GL GS MD ME ..... | A | 6810 | | EA | 16-JUL-88 | EA | | 11 | |
| D | | ASTM-C564-88 | GASKET, RUBBER, FOR CAST IRON SOIL PIPE AND FITTINGS, STANDARD SPECIFICATION FOR - 29 APR 88 | A | 5330 | | YD1 | 19-APR-89 | CE | YD1 | 99 | |
| D | | ASTM-C566-89 | AGGREGATE, TOTAL MOISTURE CONTENT OF BY DRYING - 27 OCT 1989 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 09-FEB-90 | ME | YD1 | 99 | |
| D | | ASTM-C567-91 | CONCRETE, STRUCTURAL LIGHTWEIGHT, UNIT WEIGHT OF - 15 MAR 1991 USER: SH ... | A | 5610 | | YD1 | 31-JUL-91 | ME | YD1 | | |
| D | | ASTM-C568-89 | STONE, LIMESTONE DIMENSION - 25 AUG 1989 USER: CE MC ..... | A | 5610 | | YD1 | 22-JUN-90 | | YD1 | | |
| D | | ASTM-C570-72R84 NOTICE 1 | OIL AND RESIN-BASE CAULKING COMPOUND FOR BUILDING CONSTRUCTION - 23 AUG 72: REAPPROVED 1984 [VALIDATION DATE: 8905] USER: CE MC | A | 8030 | | YD1 | 10-MAY-89 | MR | YD1 | | |
| | | ASTM-C571-81 | REFRACTORIES, CARBON & CARBON CERAMIC, CHEMICAL ANALYSIS OF - 28 DEC 81 USER: CG MR | A | 9350 | | SH | 23-SEP-85 | ME | SH | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | ASTM-C573-81 | CHEMICAL ANALYSIS OF FIRECLAY AND HIGH-ALUMINA REFRACTORIES - 28 DEC 81 USER: CE REVIEWER: MC | A | 9350 | | SH | 01-JUN-84 | ME | SH | | |
| D | | | | ASTM-C578A-87 | INSULATION, PREFORMED,CELLULAR, POLYSTREME, THERMAL, STANDARD SPECIFICATION FOR - 29 MAY87 | A | 5640 | | YD1 | 30-JUL-87 | ME | YD1 | | |
| D | | | | ASTM-C579-91 NOTICE 1 | COMPRESSIVE STRENGTH OF CHEMICAL-RESISTANT MORTARS, GROUTS, AND MONOLITHIC SURFACINGS, STANDARD TEST METHODS FOR USER: SH REVIEWER: CE MC | A | 5610 | * | YD1 | 25-OCT-91 | ME | YD1 | | |
| D | | | | ASTM-C580-85R90 NOTICE 1 | FLEXURAL STRENGTH AND MODULUS OF ELASTICITY OF CHEMICAL-RESISTANT MORTARS, GROUTS, AND MONOLITHIC SURFACINGS, STANDARD TEST METHOD FOR REVIEWER: CE MC | A | 5610 | * | YD1 | 09-OCT-92 | ME | YD1 | | |
| D | | | | ASTM-C586-69R86 | AGGREGATE, CONCRETE, POTENTIAL ALKALI REACTIVITY OF CARBONATE ROCKS (ROCK CYLINDER METHOD) - 3 OCT 1969 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 09-FEB-90 | ME | YD1 | 99 | |
| D | | | | ASTM-C587-91 NOTICE 1 | GYPSUM VENEER PLASTER, STANDARD SPECIFICATION FOR REVIEWER: 84 CS ..... | A | 5610 | * | YD1 | 12-NOV-91 | ME | YD1 | 99 | |
| D | | | | ASTM-C588-91 NOTICE 1 | GYPSUM BASE FOR VENEER PLASTERS, STANDARD SPECIFICATION FOR REVIEWER: 84 .. | A | 5610 | * | YD1 | 11-DEC-91 | ME | YD1 | 99 | |
| D | | | | ASTM-C591-85 | INSULATION, UNFACED PREFORMED RIGID CELLULAR POLYURETHANE THERMAL - 25 JAN 1985 REVIEWER: CE | A | 5640 | | YD1 | 15-MAY-87 | | YD1 | | |
| D | | | | ASTM-C592-80 NOTICE 1 | MINERAL FIBER BLANKET INSULATION & BLANKET TYPE PIPE INSULATION (METAL MESH COVERED) (INDUSTRIAL TYPE) - 25 NOV 80 [VALIDATION DATE: 8706] USER: CG REVIEWER: MC MI | A | 5640 | | YD1 | 01-JUN-87 | ME | YD1 | | |
| D | | | | ASTM-C595-86 | CEMENT, BLENDED HYDRAULIC - 17 JULY 1986 USER: CE SH ..... | A | 5610 | | YD1 | 15-MAY-87 | ME | YD1 | 99 | |
| D | | | | ASTM-C610-85 | INSULATION, EXPANDED PERLITE BLOCK & PIPE THERMAL - 29 MAR 1985 USER: CE MC REVIEWER: 84 | A | 5640 | | YD1 | 30-MAR-88 | ME | YD1 | 99 | |
| D | | | | ASTM-C612-92 NOTICE 1 | THERMAL INSULATION, MINERAL FIBER BLOCK AND BOARD, STANDARD SPECIFICATION FOR USER: CG REVIEWER: MC MI | A | 5640 | * | YD1 | 09-OCT-92 | ME | YD1 | | |
| | | | | ASTM-C613-67R85 NOTICE 2 | PREPREG, CARBON AND GRAPHITE, BY SOLVENT EXTRACTION, RESIN CONTENT OF -12 DEC 67 [VALIDATION DATE: 8803] USER: AR AS EC OS REVIEWER: AV GL MD | A | CMPS | | MR | 30-MAR-88 | MR | SH | 99 | |
| D | L | | | ASTM-C615-85 NOTICE 2 | GRANITE *BUILDING STONE, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9207]* USER: CE MC | A | 5610 | * | YD1 | 06-JUL-92 | | YD1 | | |
| D | | | | ASTM-C616-89 | STONE, QUARTZ-BASED DIMENSION - 27 OCT 1989 USER: CE MC ..... | A | 5610 | | YD1 | 29-JUN-90 | | YD1 | | |
| D | | | | ASTM-C617-87 | CONCRETE SPECIMENS, STANDARD PRACTICE FOR CAPPING - 31 DEC. 1987 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 22-DEC-89 | ME | YD1 | 99 | |
| D | | | | ASTM-C618A-92 NOTICE 1 | FLY ASH AND *RAW OR CALCINED* NATURAL POZZOLAN FOR USE AS A MINERAL ADMIXTURE IN PORTLAND CEMENT CONCRETE, STANDARD SPECIFICATION FOR USER: SH | A | 5610 | * | YD1 | 21-AUG-92 | ME | YD1 | 99 | |
| D | | | | ASTM-C629-89 | STONE, SLATE DIMENSION - 27 OCT 1989 USER: CE MC ..... | A | 5610 | | YD1 | 29-JUN-90 | | YD1 | | |
| D | | | | ASTM-C630-91 | GYPSUM BACKING BOARD, WATER-RESISTANT - 15 MAR 1991 REVIEWER: 84 ..... | A | 5640 | | YD1 | 22-AUG-91 | | YD1 | 99 | |
| | | | | ASTM-C633-79 | COATING, FLAME SPRAYED, ADHESION OR COHESIVE STRENGTH OF - 28 DEC 79 USER: AS | A | 8040 | | SH | 17-JAN-83 | MR | SH | | |
| D | | | | ASTM-C635-91 | TILE, ACOUSTICAL AND LAY-IN PANEL CEILINGS, METAL SUSPENSION SYSTEMS FOR - 15 JUL 1991 USER: CE ME | A | 5640 | | YD1 | 20-SEP-91 | | YD1 | | |
| D | | | | ASTM-C636-92 NOTICE 1 | TILE, ACOUSTICAL AND LAY-IN PANELS, SUSPENSION SYSTEMS, INSTALLATION OF METAL CEILING, STANDARD PRACTICE FOR USER: CE MC | A | 5640 | * | YD1 | 22-JAN-93 | ME | YD1 | 99 | |
| D | | | | ASTM-C637-90 NOTICE 1 | CONCRETE, RADIATION-SHIELDING, AGGREGATES FOR, STANDARD FOR USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 08-MAR-93 | ME | YD1 | 99 | |
| D | | | | ASTM-C638-84R90 | CONCRETE, RADIATION-SHIELDING, CONSTITUENTS OF AGREGATES FOR, STANDARD DESCRIPTIVE NOMENCLATURE OF - 28 JUN 1984, REAPPROVED 1990 USER: CE MC REVIEWER: 84 | A | 5610 | | YD1 | 06-FEB-91 | ME | YD1 | 99 | |
| D | | | | ASTM-C640-83 | CORK *BOARD AND CORK TYPE THERMAL INSULATION,SPECIFICATION FOR ADOPTED* 28 JAN 83 USER: MC REVIEWER: CE | A | 5640 | | 84 | 06-AUG-86 | ME | YD1 | 99 | |
| D | | | | ASTM-C641-82R91 NOTICE 1 | STAINING MATERIALS IN LIGHTWEIGHT CONCRETE AGGREGATES, STANDARD TEST METHOD FOR | A | 5610 | * | YD1 | 31-MAR-92 | CE | YD1 | 11 | |
| D | | | | ASTM-C652A-91 | BRICK, HOLLOW, (HOLLOW MASONRY UNITS MADE FROM CLAY OR SHALE) - 15 JUL 1991 | A | 5620 | | YD1 | 02-OCT-91 | ME | YD1 | 99 | |
| D | | | | ASTM-C654-88 | PIPE, POROUS CONCRETE USER: CE MC ..... | A | 5630 | | YD1 | 30-MAY-89 | | YD1 | | |
| D | | | | ASTM-C654M-88 | PIPE, POROUS CONCRETE (METRIC) USER: CE MC ..... | A | 5630 | | YD1 | 30-MAY-89 | | YD1 | | |
| D | | | | ASTM-C655-91 NOTICE 1 | REINFORCED CONCRETE D-LOAD CULVERT, STORM DRAIN, AND SEWER PIPE, STANDARD SPECIFICATION FOR USER: CE MC REVIEWER: 84 | A | 5630 | * | YD1 | 21-OCT-91 | | YD1 | 99 | |
| D | | | | ASTM-C655M-91 NOTICE 1 | REINFORCED CONCRETE D-LOAD CULVERT, STORM DRAIN, AND SEWER PIPE (METRIC), STANDARD SPECIFICATION FOR USER: CE MC REVIEWER: 84 | A | 5630 | * | YD1 | 21-OCT-91 | | YD1 | 99 | |
| D | | | | ASTM-C658-92 NOTICE 1 | GROUTS, CHEMICAL-RESISTANT RESIN, FOR BRICK OR TILE, STANDARD SPECIFICATION FOR USER: CE MC | A | 5610 | * | YD1 | 24-AUG-92 | ME | YD1 | | |
| D | | | | ASTM-C663-83 | PIPE, STORM DRAIN, ASBESTOS-CEMENT, STANDARD SPECIFICATION FOR - 22 MAR 83 | A | 5630 | | YD1 | 11-MAY-84 | | YD1 | 99 | |
| D | | | | ASTM-C665-91 NOTICE 1 | MINERAL-FIBER BLANKET THERMAL INSULATION FOR LIGHT FRAME CONSTRUCTION AND MANUFACTURED HOUSING, STANDARD SPECIFICATION FOR USER: CE MC REVIEWER: 84 | A | 5640 | * | YD1 | 18-OCT-91 | | YD1 | 99 | |
| D | | | | ASTM-C666-90 | CONCRETE RESISTANCE OF TO RAPID FREEZING & THAWING, STANDARD TEST METHOD FOR - 26 OCT 1990 | A | 5610 | | YD1 | 30-MAY-91 | ME | YD1 | 11 | |
| D | | | | ASTM-C669-75R89 | GLAZING COMPOUNDS FOR BACK BEDDING AND FACE GLAZING OF METAL SASH STANDARD *SPECIFICATION FOR 31 OCT 75 REVIEWER: 84* | A | 8030 | | YD1 | 22-MAR-90 | MR | YD1 | 99 | |
| D | | | | ASTM-C670A-91 | PREPARING PRECISION AND BIAS STATEMENTS FOR TEST METHODS FOR CONSTRUCTION MATERIALS REVIEWER: 84 CE SH | A | 5610 | | YD1 | 19-AUG-91 | ME | YD1 | 99 | |
| D | | | | ASTM-C685-90 | CONCRETE, MADE BY VOLUMETRIC BATCHING AND CONTINUOUS MIXING - 30 MAR 1990 USER: CE MC REVIEWER: 84 | A | 5610 | | YD1 | 02-AUG-90 | ME | YD1 | 99 | |
| D | | | | ASTM-C700-91 | CLAY PIPE, VITRIFIED, EXTRA STRENGTH, STANDARD STRENGTH, AND PERFORATED - 15 JUL 1991 REVIEWER: CE CS MC | A | 5630 | | YD1 | 30-SEP-91 | | YD1 | | |
| D | | | | ASTM-C702-87 | AGGREGATE, REDUCING FIELD SAMPLES TO TESTING SIZE - 27 MAR 1987 USER: CE MC REVIEWER: 84 | A | 5610 | | YD1 | 14-FEB-90 | ME | YD1 | 99 | |
| D | | | | ASTM-C725-78R84 | SIDING, FIBER, SEMIDENSE MINERAL - 28 JUL 78 (REAPPROVED 84 USER: CE REVIEWER: 99 | A | 5640 | | YD1 | 26-NOV-84 | | YD1 | | |
| D | | | | ASTM-C726-88 | ROOF INSULATION BOARD, MINERAL FIBER, STANDARD SPECIFICATION FOR - 25 OCT 88 USER: CE CG | A | 5640 | | YD1 | 30-MAY-90 | ME | YD1 | 99 | |
| D | | | | ASTM-C728-91 NOTICE 1 | BOARD, THERMAL INSULATION, PERLITE, STANDARD SPECIFICATION FOR ..... | A | 5640 | * | YD1 | 11-SEP-92 | ME | YD1 | | |
| D | | | | ASTM-C739-88 | FIBER, CELLULOSIC ( WOOD- BASE) LOOSE- FILL THERMAL INSULATION - 25 OCT 88 REVIEWER: 84 | A | 5640 | | YD1 | 30-MAY-90 | | YD1 | 99 | |
| D | | | | ASTM-C744-73R85 NOTICE 2 | PREFACED CONCRETE AND CALCIUM SILICATE MASONRY UNITS, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9204] USER: CE REVIEWER: MC | A | 5620 | * | YD1 | 27-APR-92 | ME | YD1 | 99 | |
| D | | | | ASTM-C754-88 | STEEL FRAMING MEMBERS TO RECEIVE SCREW-ATTACHED GYPSUM, INSTALLATION - 27 MAY 1988 REVIEWER: CE | A | 5640 | | YD1 | 20-MAR-89 | | YD1 | | |
| D | L | | | ASTM-C764-91 NOTICE 1 | MINERAL FIBER LOOSE-FILL THERMAL INSULATION, STANDARD SPECIFICATION FOR ... | A | 5640 | * | YD1 | 18-OCT-91 | | YD1 | | |
| D | L | | | ASTM-C778-92 NOTICE 1 | STANDARD SAND, STANDARD SPECIFICATION FOR ..... | A | 5610 | * | YD1 | 20-NOV-92 | | YD1 | | |
| D | | | | ASTM-C795-89 | STEEL, AUSTENITIC STAINLESS, WICKING-TYPE THERMAL INSULATION FOR USE OVER, STANDARD SPECIFICATION FOR - 27 JAN 1898 USER: 89 CE REVIEWER: MC MI | A | 5640 | | YD1 | 13-OCT-89 | ME | YD1 | 99 | |
| D | | | | ASTM-C796A-87 | AGENTS, FOAMING FOR USE IN PRODUCING CELLULAR CONCRETE USING PREFORMED FOAM, STANDARD TEST METHOD FOR - 27 NOV 87 USER: 84 CE REVIEWER: MC | A | 5680 | | YD1 | 26-SEP-89 | ME | YD1 | | |
| A | | | | ASTM-C800-75 | GLASS FIBER BLANKET INSULATION (AIRCRAFT TYPE) - 28 FEB 75 ..... | A | 8320 | | CT | 16-NOV-83 | | AS | 99 | CT |
| D | | | | ASTM-C811-89 | CONCRETE, SURFACE PREPARATION OF, FOR APPLICATION OF CHEMICAL-RESISTANT RESIN MONOLITHIC SURFACINGS, STANDARD PRACTICE FOR - 31 MAR 89 USER: CE MC REVIEWER: 84 | A | 5610 | | YD1 | 16-MAR-90 | ME | YD1 | 99 | |
| D | | | | ASTM-C822-91 NOTICE 1 | TERMINOLOGY RELATING TO CONCRETE PIPE AND RELATED PRODUCTS USER: CE REVIEWER: MC | A | 5630 | * | YD1 | 21-OCT-91 | | YD1 | 99 | |
| D | | | | ASTM-C823-83R88 | CONCRETE, EXAMINATION AND SAMPLING OF HARDENED IN CONSTRUCTION STANDARD PRACTICE FOR - 25 MAR 83 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 16-MAR-90 | ME | YD1 | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Qty | Cat | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | | | ASTM-C827-87 NOTICE 2 | CHANGE IN HEIGHT AT EARLY AGES OF CYLINDRICAL SPECIMENS FROM CEMENTITIOUS MIXTURES, STANDARD TEST METHOD FOR [VALIDATION DATE: 9204] USER: CE MC | A | 5610 | * | YD1 | 27-APR-92 | ME | | YD1 | |
| D | | | | | ASTM-C834-76R86 NOTICE 2 | COMPOUND, LATEX SEALING - 28 MAY 76 (REAPPROVED 86) [VALIDATION DATE: 9107] USER: CE OS SH | A | 8030 | | YD1 | 25-JUL-91 | | | YD1 | |
| D | | | | | ASTM-C836A-89 | MEMBRANE, COLD LIQUID-APPLIED ELASTOMERIC WATERPROOFING, FOR USE WITH SEPARATE WEARING COURSE, HIGH SOLIDS CONTENT - 24 NOV 1989 | A | 5680 | | YD1 | 19-OCT-90 | CE | | YD1 | 99 |
| D | | | | | ASTM-C840-88 | GYPSUM BOARD, APPLICATION & FINISHING OF - 27 MAY 1988 USER: CE REVIEWER: 99 ME | A | 5640 | | YD1 | 20-MAR-89 | | | YD1 | |
| D | | | | | ASTM-C841-90 NOTICE 1 | INSTALLATION OF INTERIOR LATHING AND FURRING, STANDARD SPECIFICATION FOR USER: CE | A | 5640 | * | YD1 | 02-MAR-92 | ME | | YD1 | 99 |
| D | | | | | ASTM-C843-76R85 NOTICE 2 | PLASTER, GYPSUM VENEER, APPLICATION OF - 30 JULY 1976 (REAPPROVED 85) [VALIDATION DATE: 9102] USER: CE | A | 5640 | | YD1 | 28-FEB-91 | | | YD1 | |
| D | | | | | ASTM-C844-85 | GYPSUM BASE, APPLICATION OF, TO RECEIVE GYPSUM VENEER PLASTER - 30 APR 1985 USER: CE | A | 5640 | | YD1 | 27-AUG-85 | | | YD1 | |
| D | | | | | ASTM-C847-88 | LATH METAL - 26 FEB 88 | A | 5680 | | YD1 | 26-AUG-88 | ME | | YD1 | 99 |
| D | | | | | ASTM-C873-85 | CYLINDER, CONCRETE CAST, IN PLACE IN CYLINDRICAL MOLDS, COMPRESSIVE STRENGTH OF - 26 APR 1985 USER: CE MC REVIEWER: 84 | A | 5610 | | YD1 | 14-FEB-90 | ME | | YD1 | 99 |
| D | | | | | ASTM-C881-90 | CONCRETE, EPOXY-RESIN-BASE BONDING SYSTEMS - 30 MAR 1990 USER: SH REVIEWER: CE | A | 5610 | | YD1 | 12-JUL-91 | ME | | YD1 | 99 |
| D | | | | | ASTM-C882-91 NOTICE 1 | BOND STRENGTH OF EPOXY-RESIN SYSTEMS USED WITH CONCRETE BY SLANT SHEAR, STANDARD TEST METHOD FOR REVIEWER: 84 CS | A | 5610 | | YD1 | 08-MAR-93 | ME | | YD1 | 99 |
| D | | | | | ASTM-C883-89 | CONCRETE, EFFECTIVE SHRINKAGE OF EPOXY-RESIN SYSTEMS USED WITH, STANDARD TEST METHOD FOR - 15 JUNE 1989 REVIEWER: 84 | A | 5610 | | YD1 | 28-SEP-89 | ME | | YD1 | 99 |
| D | | | | | ASTM-C884-87 | CONCRETE AND AN EPOXY-RESIN OVERLAY, THERMAL COMPATIBILITY BETWEEN, STANDARD TEST METHOD FOR - 27 NOV 87 USER: 84 | A | 5610 | | YD1 | 05-JUN-89 | ME | | YD1 | |
| D | | | | | ASTM-C913-89 | CONCRETE WATER, PRECAST, AND WASTEWATER STRUCTURES - 30 JUNE 1989 | A | 5180 | | YD1 | 06-DEC-89 | MR | | YD1 | 99 |
| D | | | | | ASTM-C916-85R90 | INSULATION, THERMAL, ADHESIVES FOR DUCT - 26 JUL 1985 REVIEWER: CE | A | 5640 | | YD1 | 09-JAN-91 | ME | | YD1 | 99 |
| D | | | | | ASTM-C920-87 NOTICE 1 | SEALANTS, ELASTOMERIC JOINT, STANDARD SPECIFICATION FOR | A | 8030 | * | YD1 | 02-MAR-92 | MR | | YD1 | |
| D | | | | | ASTM-C921-79 | INSULATION, THERMAL, JACKETING MATERIALS, STANDARD PRACTICE FOR DETERMINING THE PROPERTIES OF - 28 DEC 89 USER: 89 CE REVIEWER: MI | A | 5640 | | YD1 | 09-JUN-89 | ME | | YD1 | |
| D | | | | | ASTM-C923-89 | STRUCTURES, PIPES AND LATERALS, RESILIENT CONNECTORS BETWEEN REINFORCED CONCRETE MANHOLE - 27 JAN 1989 | A | 5610 | | YD1 | 14-NOV-90 | | | YD1 | |
| D | | | | | ASTM-C924-89 | PIPE SEWER LINES, CONCRETE, TESTING BY LOW-PRESSURE AIR TEST METHOD - 27 JAN 1989 | A | 5610 | | YD1 | 14-NOV-90 | | | YD1 | |
| D | | | | | ASTM-C931-91 | GYPSUM BOARD, SOFFIT, EXTERIOR, STANDARD SPECIFICATION FOR REVIEWER: CE MC | A | 5640 | * | YD1 | 11-DEC-91 | ME | | YD1 | 99 |
| D | | | | | ASTM-C932-80R90 | PLASTERING, EXTERIOR, SURFACE APPLIED BONDING AGENTS FOR - 28 MAR 1980 (REAPPROVED 31 AUG 1990) | A | 5610 | | YD1 | 09-AUG-91 | ME | | YD1 | 99 |
| D | | | | | ASTM-C952-91 NOTICE 1 | BOND STRENGTH OF MORTAR TO MASONRY UNITS, STANDARD TEST METHOD FOR | A | 5610 | * | YD1 | 28-OCT-91 | | | YD1 | 99 |
| D | | | | | ASTM-C954-86 NOTICE 1 | SCREWS, STEEL DRILL, FOR THE APPLICATION OF GYPSUM BOARD OR METAL PLASTER BASES TO STEEL STUDS FROM 0.033 IN. (0.84 MM) TO 0.112 IN. (2.84 MM) IN THICKNESS, STANDARD SPECIFICATION FOR REVIEWER: IS | A | 5305 | * | YD1 | 12-JUN-92 | AR | | YD1 | 99 |
| D | | | | | ASTM-C960-91 NOTICE 1 | GYPSUM BOARD, PREDECORATED, STANDARD SPECIFICATION FOR REVIEWER: 84 | A | 5640 | * | YD1 | 11-DEC-91 | ME | | YD1 | 99 |
| D | | | | | ASTM-C966-85 | PIPE LINE, SEWER, NONPRESSURE, INSTALLING ASBESTOS-CEMENT - 27 SEP 1985 | A | 5610 | | YD1 | 14-NOV-90 | | | YD1 | |
| D | | | | | ASTM-C977-89 | SOIL STABILIZATION, QUICKLIME AND HYDRATED LIME FOR - 27 OCT 1989 REVIEWER: 89 CE | A | 5610 | | YD1 | 14-SEP-90 | ME | | YD1 | 99 |
| D | | | | | ASTM-C989-89 | CONCRETE & MORTARS GROUND GRANULATED BLAST FURNACE SLAG FOR USE IN - 31 MAR 1989 REVIEWER: CE | A | 5610 | | YD1 | 08-NOV-89 | ME | | YD1 | 99 |
| D | | | | | ASTM-C995-86 | TIME OF FLOW OF FIBER-REINFORCED CONCRETE THROUGH INVERTED SLUMP CONE - 27 MAR 1986 USER: CE MC REVIEWER: 84 | A | 5610 | | YD1 | 30-MAY-91 | | | YD1 | 99 |
| D | | | | | ASTM-C1002-88 | SCREW, STEEL DRILL, FOR THE APPLICATION OF GYPSUM BOARD OR METAL PLASTER BASES, STANDARD SPECIFICATION FOR - 25 NOV 88 REVIEWER: 82 SH | A | 5305 | | YD1 | 25-JUL-90 | AR | | YD1 | 99 |
| D | | | | | ASTM-C1015-84R90 | INSULATION, THERMAL, CELLULOSIC AND MINERAL FIBER LOOSE-FILL, INSTALLATION OF - 30 MAY 1984 | A | 5640 | | YD1 | 14-NOV-90 | | | YD1 | |
| D | | | | | ASTM-C1017-92 NOTICE 1 | CONCRETE, FLOWING, CHEMICAL ADMIXTURES FOR THE USE IN PRODUCING, STANDARD SPECIFICATION FOR USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 08-MAR-93 | ME | | YD1 | 99 |
| D | | | | | ASTM-C1018-89 | FLEXURAL TOUGHNESS AND FIRST-CRACK STRENGTH OF FIBER-REINFORCED CON- CRETE (USING BEAM WITH THIRD-POINT LOADING) - 14 APR 1989 USER: CE MC REVIEWER: 84 | A | 5610 | | YD1 | 30-MAY-91 | ME | | YD1 | 99 |
| D | | | | | ASTM-C1036-90 | GLASS, FLAT - 26 JAN 1990 USER: CE MC REVIEWER: 84 | A | 5620 | | YD1 | 24-AUG-90 | ME | | YD1 | 99 |
| D | L | | | | ASTM-C1047-85R90 NOTICE 1 | ACCESSORIES FOR GYPSUM WALLBOARD AND GYPSUM VENEER BASE | A | 5640 | | YD1 | 20-APR-93 | | | YD1 | |
| D | | | | | ASTM-C1048-90 | EPOXY COMPOUND WITH CONCRETE, USE OF - 26 JAN 1990 USER: CE REVIEWER: 84 MC | A | 5610 | | YD1 | 24-AUG-90 | | | YD1 | 99 |
| D | | | | | ASTM-C1053-90 | PIPE, BOROSILICATE GLASS, AND FITTINGS FOR DRAIN, WASTE, AND VENT (DWV) APPLICATIONS - 17 OCT 1990 USER: MC | A | 4710 | | YD1 | 25-MAY-91 | ME | | YD1 | |
| D | | | | | ASTM-C1063-86 | PLASTER, INSTALLATION OF LATHING AND FURRING FOR PORTLAND CEMENT-BASED, STANDARD SPECIFICATION FOR - 27 MAR 86 | A | 5680 | | YD1 | 17-NOV-88 | ME | | YD1 | 99 |
| D | | | | | ASTM-C1064-86 | CONCRETE, TEMPERATURE OF FRESHLY MIXED PORTLAND CEMENT, STANDARD TEST METHOD FOR - 17 JULY 1986 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 21-DEC-89 | ME | | YD1 | 99 |
| D | | | | | ASTM-C1071-91 NOTICE 1 | THERMAL AND ACOUSTICAL INSULATION (GLASS FIBER, DUCT LINING MATERIAL), STANDARD SPECIFICATION FOR USER: SH REVIEWER: 84 CE MC | A | 5640 | * | YD1 | 21-JUL-92 | ME | | YD1 | 99 |
| D | | | | | ASTM-C1116-89 | FIBER-REINFORCED CONCRETE AND SHOTCRETE - 15 JUN 1989 - USER: CE MC REVIEWER: 84 | A | 5610 | | YD1 | 30-MAY-91 | ME | | YD1 | 99 |
| D | | | | | ASTM-C1136-92 NOTICE 1 | FLEXIBLE, LOW PERMEANCE VAPOR RETARDERS FOR THERMAL INSULATION, STANDARD SPECIFICATION FOR USER: AV REVIEWER: 84 CE MC SH | A | 5640 | * | YD1 | 10-JUL-92 | ME | | YD1 | 99 |
| D | | | | | ASTM-D5-86 NOTICE 2 | PENETRATION OF BITUMINOUS MATERIALS, STANDARD TEST METHOD FOR [VALIDATION DATE: 9203] | A | 5610 | * | YD1 | 09-MAR-92 | MR | | YD1 | 84 |
| | | | | | ASTM-D13-82 NOTICE 1 | TURPENTINE, SPIRITS OF STANDARD SPECIFICATION FOR - 26 MAR 82 [VALIDATION DATE: 8907] REVIEWER: GL GS MD ME | A | 6810 | | EA | 12-JUL-89 | EA | | SH | |
| D | | | | | ASTM-D16-84 NOTICE 2 | PAINT, VARNISH, LACQUER AND RELATED PRODUCTS, STANDARD DEFINITIONS OF TERMS RELATING TO - 30 JULY 1982 [VALIDATION DATE: 8906] USER: AR OS SH REVIEWER: 82 MR | A | 8010 | | YD1 | 21-JUN-89 | ME | | YD1 | 99 |
| D | | | | | ASTM-D20-83 | TARS, ROAD, DISTILLATION OF, STANDARD TEST METHOD FOR - 25 MAR 83 REVIEWER: 84 CE | A | 5610 | | YD1 | 06-JUN-89 | ME | | YD1 | 99 |
| D | | | | | ASTM-D25-91 | PILES, TIMBER ROUND STANDARD SPECIFICATION FOR - 22 FEB 1991 USER: SH REVIEWER: CS | A | 5510 | | YD1 | 08-AUG-91 | ME | | YD1 | 99 |
| M | | | | | ASTM-D29-93 NOTICE 1 | LAC RESINS, SAMPLING & TESTING | A | 8010 | | MR | 11-MAY-93 | MR | | SH | |
| | | | | | ASTM-D34-91 NOTICE 1 | CHEMICAL ANALYSIS OF WHITE PIGMENTS USER: AS REVIEWER: 84 | A | 8010 | * | MR | 21-JAN-92 | MR | | SH | 99 |
| D | | | | | ASTM-D41-85 NOTICE 2 | ASPHALT PRIMER USED IN ROOFING, DAMPPROOFING, & WATERPROOFING, STANDARD SPECIFICATION FOR - 21 OCT 85 [VALIDATION DATE: 9107] USER: CE | A | 5610 | | YD1 | 25-JUL-91 | ME | | YD1 | |
| D | | | | | ASTM-D43-73R88 | PRIMER, CREOSOTE, USED IN ROOFING, DAMPPROOFING, & WATERPROOFING, STANDARD SPECIFICATIONFOR - 29 JAN 1973 (REAPPROVED 1988) USER: OS SH REVIEWER: GS | A | 6810 | | YD1 | 31-JAN-89 | EA | | YD1 | |
| | | | | | ASTM-D50-90 | PIGMENTS, YELLOW, ORANGE, RED, & BROWN, CONTAINING IRON & MANGANESE, CHEMICAL ANALYSIS OF - 25 MAY 90 | A | 8010 | | MR | 21-AUG-90 | MR | SH | | 11 |
| D | | | | | ASTM-D56-82 | TESTER, CLOSED, FLASH POINT BY TAG - 27 AUG 1982 USER: YD1 REVIEWER: OS | A | 9150 | | ME | 13-AUG-85 | ME | SH | | 11 |
| D | | | | | ASTM-D69-90 NOTICE 1 | TAPES, FRICTION, STANDARD TEST METHODS FOR USER: AR MC SH REVIEWER: AT AV ER GS | A | 5970 | * | YD1 | 17-APR-92 | ME | | YD1 | 99 |
| D | | | | | ASTM-D70-82 | BITUMINOUS MATERIALS, STANDARD TEST METHOD FOR SPECIFIC GRAVITY OF SEMI SOLID - 30 APR 82 USER: CE MC REVIEWER: AR MI YD1 | A | 5610 | | AS | 21-MAY-84 | ME | | AS | 11 |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Old Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-D71-84 | PITCH AND ASPHALT, SOLID, (DISPLACEMENT METHOD) STANDARD TEST METHOD FOR RELATIVE DENSITY OF - 5 JAN 1984 USER: YD1 REVIEWER: GS MD | A 6810 | EA | 14-AUG-85 | EA | | | |
| D | | ASTM-D75-87 | SAMPLING AGGREGATE ..... | A 5610 | YD1 | 11-APR-88 | | YD1 | 99 | |
| | | ASTM-D86-82 | PETROLEUM PRODUCTS, DISTILLATION OF - 27 AUG 82 ..... | A 91GP | ME | 06-APR-83 | ME | AS | 68 | |
| D | | ASTM-D88-81 | VISCOSITY, SAYBOLT, STANDARD TEST METHOD FOR - 24 APRIL 1981 USER: YD1 REVIEWER: 68 AR GS ME | A 6810 | SH | 14-NOV-85 | EA | SH | 11 | |
| A | | ASTM-D91-81 | LUBRICATING OIL PRECIPITATION NUMBER OF - 28 AUG 81 REVIEWER: 68 AR AS .... | A 91GP | ME | 21-JUL-82 | ME | SH | 11 | |
| D | | ASTM-D92-78 | FLASH AND FIRE POINTS BY CLEVELAND OPEN CUP - 25 AUG 78 [VALIDATION DATE: 8501] REVIEWER: YD1 | A 9150 | ME | 28-DEC-78 | ME | SH | 11 | |
| A | | ASTM-D93-80 | TESTER, CLOSED, FLASH POINT BY PENSKY-MARTENS - 29 AUG 1980 REVIEWER: OS .. | A 9150 | ME | 13-AUG-85 | ME | SH | 11 | |
| A | | ASTM-D94-80 | PETROLEUM PRODUCTS, SAPONIFICATION NUMBER OF - 29 AUG 80 REVIEWER: 68 AS OS | A 91GP | ME | 13-AUG-85 | ME | SH | 11 | |
| D | | ASTM-D95-83 | PETROLEUM PRODUCTS & BITUMINOUS MATERIALS BY DISTILLATION, WATER IN - 25 MAR 83 REVIEWER: OS YD1 | A 91GP | ME | 13-AUG-85 | ME | SH | 11 | |
| | | ASTM-D96-73 | WATER & SEDIMENT IN CRUDE OILS - 73 (REAPPROVED 84) [VALIDATION DATE: 8512] REVIEWER: MR | A 91GP | ME | 20-DEC-74 | ME | SH | 11 | |
| | | ASTM-D97-66 | POWER POINT - 20 SEP 66 (REAPPROVED 78) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS | A 91GP | ME | 20-JUN-68 | ME | SH | 11 | |
| D | | ASTM-D98-87 | CHLORIDE,CALCIUM,STANDARD SPECIFICATION FOR, 9 FEB 87 ..... | A 6810 | YD1 | 17-NOV-88 | EA | YD1 | 68 | |
| | | ASTM-D116-76 | CERAMIC MATERIALS VITRIFIED FOR ELECTRICAL APPLICATIONS - 25 JUN 76 ..... | A 5970 | ER | 09-JAN-80 | ER | SH | 85 | |
| D | | ASTM-D117-88 | OILS OF PETROLEUM ORIGIN, STANDARD METHOD OF TESTING AND SPECIFICATIONS FOR ELECTRICAL INSULATING - 8 JAN 81 USER: SH REVIEWER: GS | A 9160 | YD1 | 19-JUN-89 | GL | YD1 | | |
| A | | ASTM-D120-87(2) | GLOVES, RUBBER, INSULATING ..... | A 8415 * | CT | 08-OCT-91 | GL | SH | 99 | CT |
| | | ASTM-D126-65 | LEAD CHROMATE, & CHROMIUM OXIDE GREEN, CHEMICAL ANALYSIS OF YELLOW, ORANGE & GREEN PIGMENTS CONTAINING - 31 AUG 65 (REAPPROVED 1981) [VALIDATION DATE: 8304] | A 8010 | MR | 01-MAY-74 | MR | SH | 99 | |
| | | ASTM-D127-63 | PETROLEUM WAX, INCLUDING PETROLATUM DROP MELTING POINT OF - 30 SEP 63 (REAPPROVED 80) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS | A 91GP | ME | 20-JUN-68 | ME | SH | 11 | |
| D | | ASTM-D128-83 | GREASE, LUBRICATING, ANALYSIS OF - 28 JAN 83 REVIEWER: 68 AR AS YD1 ..... | A 91GP | ME | 24-APR-84 | ME | SH | 11 | |
| | | ASTM-D129-64 | PETROLEUM PRODUCTS BY THE BOMB METHOD, SULFUR IN - 31 AUG 64 (REAPPROVED 78) [VALIDATION DATE: 8512] REVIEWER: 68 AR AS | A 91GP | ME | 20-JUN-68 | ME | SH | 11 | |
| | | ASTM-D130-83 | COPPER CORROSION FROM PETROLEUM PRODUCTS BY THE COPPER STRIP TARNISH TEST, DETECTION OF - 28 OCT 83 | A 9150 | ME | 24-APR-84 | ME | SH | 11 | |
| D | | ASTM-D140-88 | BITUMINOUS MATERIAL, SAMPLING ..... | A 5610 | YD1 | 20-MAY-88 | CE | YD1 | 99 | |
| D | | ASTM-D146-90 | FELT OR WOVEN FABRIC, BITUMEN SATURATED FOR ROOFING AND WATERPROOF, SAMPLING AND TESTING - 26 JAN 1990 USER: CE | A 5650 | YD1 | 23-AUG-90 | ME | YD1 | | |
| D | | ASTM-D149-90 | DIELECTRIC BREAKDOWN VOLTAGE & DIELECTRIC STRENGTH OF SOLID ELECTRICAL INSULATING MATERIALS AT COMMERCIAL POWER FREQUENCIES - 29 JUNE 90 USER: AS OS YD1 REVIEWER: 11 84 99 AV ER GS ME | A 5970 | MR | 29-NOV-90 | MR | SH | 85 | |
| | | ASTM-D150-87 | A-C LOSSCHARACTERISTICS AND PERMITTIVITY (DIELECTRIC CONSTANT) OF SOLID ELECTRICAL INSULATING MATERIALS - 28 AUG 87 REVIEWER: 99 AS AT ER GS ME MI | A 9330 | MR | 21-SEP-89 | MR | SH | 11 | |
| | | ASTM-D153-84R89 NOTICE 1 | PIGMENTS, STANDARD TEST METHODS FOR SPECIFIC GRAVITY OF - 26 OCT 84 (REAPPROVED 1989) [VALIDATION DATE: 9006] | A 8010 | MR | 22-JUN-90 | MR | SH | 99 | |
| A | | ASTM-D156-82 | PETROLEUM PRODUCTS, SAYBOLT COLOR OF (SAYBOLT CHROMOMETER METHOD) - 27 AUG 82 REVIEWER: 68 AS | A 91GP | ME | 06-APR-83 | ME | SH | 11 | |
| | | ASTM-D169-85 | PLATE, ALUMINUM BRONZE, SHEET, STRIP AND ROLLED BAR - 22 FEB 1985 USER: EA GL ME OS REVIEWER: ER IS MC SA | A 9535 | MR | 13-NOV-85 | MR | SH | | |
| D | | ASTM-D173-86 NOTICE 2 | BITUMEN-SATURATED COTTON FABRICS USED IN ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] USER: CE | A 5650 * | YD1 | 09-MAR-92 | ME | YD1 | 99 | |
| D | | ASTM-D178-81 | RUBBER INSULATING MATTING - 31 JULY 1981 REVIEWER: 99 GS SH ..... | A 5970 | YD1 | 10-AUG-86 | ER | YD1 | 85 | |
| | | ASTM-D185-84R89 NOTICE 1 | PIGMENTS, PASTES, & PAINTS, COARSE PARTICES IN - 26 OCT 84 (REAPPROVED 1989) [VALIDATION DATE: 9006] | A 8010 | MR | 22-JUN-90 | MR | 00 | 99 | |
| | | ASTM-D187-82 | KEROSINE, BURNING QUALITY OF - 27 AUG 82 REVIEWER: 68 AR AS ..... | A 91GP | ME | 06-APR-83 | ME | SH | 11 | |
| A | | ASTM-D189-81 | PETROLEUM PRODUCTS, CONRADSON CARBON RESIDUE OF - 28 AUG 81 ..... | A 9150 | ME | 21-JUL-82 | ME | SH | 11 | |
| | | ASTM-D217-82 | GREASE, LUBRICATING, CONE PENETRATION OF - 27 AUG 82 ..... | A 91GP | ME | 06-APR-83 | ME | AS | 11 | |
| D | | ASTM-D224-89 | ROOFING, ASPHALT ROLL, SMOOTH SURFACED (ORGANIC FELT) USER: CE ..... | A 5650 | YD1 | 21-JUN-89 | | YD1 | 99 | |
| D | | ASTM-D225-86 | ASPHALT SHINGLES (ORGANIC FELT) SURFACED WITH MINERAL GRANULES USER: CE MC | A 5650 / | YD1 | 22-MAR-88 | ME | YD1 | | |
| D | | ASTM-D226-88 | FELT, ASPHALT-SATURATED ORGANIC, USED IN ROOFING & WATERPROOFING - 29 APR 88 | A 5650 | YD1 | 03-NOV-88 | | YD1 | 99 | |
| D | | ASTM-D227-89 NOTICE 1 | FELT, COAL-TAR-SATURATED ORGANIC USED IN ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR USER: CE | A 5650 * | YD1 | 02-MAR-92 | ME | YD1 | 99 | |
| | | ASTM-D229-91 NOTICE 1 | RIGID SHEET AND PLATE MATERIALS USED FOR ELECTRICAL INSULATION USER: AS MI OS REVIEWER: AT GL GS MD ME | A 9330 * | MR | 04-OCT-91 | MR | SH | | |
| | | ASTM-D233-65R81 NOTICE 1 | TURPENTINE,SAMPLING & TESTING - 65 (REAPPROVED 1981) [VALIDATION DATE: 9006] | A 8010 | MR | 27-JUN-90 | MR | SH | 99 | |
| D | | ASTM-D235-83 | MINERAL SPIRITS (PETROLEUM SPIRITS) (HYDROCARBON DRY CLEANING SOLVENT) - 27 MAY 83 USER: AS MC REVIEWER: GL GS MD ME YD1 | A 6810 | EA | 11-OCT-85 | EA | SH | | |
| | | ASTM-D240-76 | FUELS, LIQUID HYDROCARBON, HEAT OF COMBUSTION OF BY BOMB CALORIMETER - 27 AUG 76 (REAPPROVED 80) [VALIDATION DATE: 8501] | A 9150 | ME | 28-DEC-78 | ME | SH | 11 | |
| D | | ASTM-D242-85 NOTICE 2 | PAVING, BITUMINOUS MIXTURES, MINERAL FILLER FOR - 22 FEB 1985 [VALIDATION DATE: 9107] USER: CE MC | A 5610 | YD1 | 25-JUL-91 | ME | YD1 | 99 | |
| D | | ASTM-D244-92 NOTICE 1 | ASPHALTS, EMULSIFIED, STANDARD TEST METHODS FOR REVIEWER: 84 ..... | A 5610 * | YD1 | 20-NOV-92 | ME | YD1 | 99 | |
| D | | ASTM-D249-89 | ASPHALT ROLL ROOFING (ORGANIC FELT) SURFACED WITH MINERAL GRANULES ..... | A 5650 | YD1 | 19-JUN-89 | ME | YD1 | 99 | |
| D | | ASTM-D2568-90 NOTICE 1 | IMPACT RESISTANCE OF PLASTICS AND ELECTRICAL INSULATING MATERIALS USER: AR OS YD1 REVIEWER: AS AT AV GL GS ME MI | A 9330 * | MR | 09-DEC-91 | MR | SH | 11 | |
| D | | ASTM-D257-91 | MATERIALS, INSULATING, D-C RESISTANCE OR CONDUCTANCE OF - 22 FEB 1991 USER: OS SH YD1 REVIEWER: 99 AS AV ER GS ME | A 9330 | MR | 22-MAY-92 | MR | | 11 | |
| | | ASTM-D268-85 | SOLVENT VOLATILE & CHEMICAL INTERMEDIATES FOR USE IN PAINT & RELATED COATINGS & MATERIAL STANDARD METHODS OF SAMPLING & TESTING - 25 JAN 85 USER: MC OS SH REVIEWER: GS MD ME | A 6810 | EA | 06-JUN-89 | | | | |
| D | | ASTM-D276-87 | TEXILE, IDENTIFICATIONOF FIBERS IN - 31 JUL Y 1987 USER: OS SH REVIEWER: GL IS ME SA YD1 | A PACK | AS | 20-JUN-88 | SH | AS | 99 | |
| | | ASTM-D279-87 | PIGMENTS, BLEEDING OF - 29 MAY 87 ..... | A 8010 | MR | 28-JUL-88 | MR | SH | 99 | |
| | | ASTM-D280-81R87 NOTICE 1 | HYGROSCOPIC MOISTURE (AND OTHER MATTER VOLATILE UNDER THE TEST CONDITIONS) IN - 30 OCT 81 REAPPROVED 1987 [VALIDATION DATE: 8803] | A 8010 | MR | 14-MAR-88 | MR | SH | 99 | |
| | | ASTM-D281-84R89 NOTICE 1 | OIL ABSORPTION OF PIGMENTS BY SPATULA RUB-OUT, STANDARD TEST METHOD FOR - 31 AUG 84 (REAPPROVED 1989) [VALIDATION DATE: 9006] REVIEWER: 84 | A 8010 | MR | 22-JUN-90 | MR | SH | 99 | |
| | | ASTM-D283-84 NOTICE 1 | PIGMENT, CHEMICAL ANALYSIS OF DRY CUPROUS OXIDE & COPPER, STANDARD METHODS OF - 26 OCT 84 [VALIDATION DATE: 9006] | A 8010 | MR | 22-JUN-90 | MR | SH | 84 | |
| A | | ASTM-D287-82 | PETROLEUM & PETROLEUM PRODUCTS, API GRAVITY OF CRUDE (HYDROMETER METHOD) - 27 AUG 82 REVIEWER: 68 AR AS OS | A 91GP | ME | 13-AUG-85 | ME | SH | 11 | |
| D | | ASTM-D297-90 | RUBBER PRODUCT CHEMICAL ANALYSIS - 26 OCT 1990 USER: AS AV GS MC OS YD1 REVIEWER: ER GL ME | A 9320 | MR | 25-FEB-91 | MR | SH | 99 | |
| | | ASTM-D304-85 | N-BUTYL ALCOHOL (BUTANOL - 25 JAN 85 USER: AS MC REVIEWER: GL GS MD ME .... | A 6810 | EA | 25-JAN-88 | EA | | 68 | |
| D | | ASTM-D312-89 | ASPHALT USED IN ROOFING - 6 SEP 1989 USER: CE ..... | A 5610 | YD1 | 15-NOV-89 | | YD1 | 99 | |
| | | ASTM-D323-82 | PETROLEUM PRODUCTS, VAPOR PRESSURE OF (REID METHOD) - 27 AUG 82 ..... | A 91GP | ME | 06-APR-83 | ME | SH | 11 | |
| | | ASTM-D329-81 | ACETONE - 30 OCT 81 USER: AS MC OS REVIEWER: AR GL GS MD ME ..... | A 6810 | EA | 15-SEP-83 | EA | SH | 68 | |
| | | ASTM-D341-77 | PETROLEUM PRODUCTS, LIQUID, VISCOSITY - TEMPERATURE CHARTS FOR - 26 AUG 77 (REAPPROVED 82) [VALIDATION DATE: 8501] | A 9150 | ME | 28-DEC-78 | ME | SH | 11 | |
| | | ASTM-D345-80 | CALCIUM CHLORIDE FOR ROADS AND STRUCTURAL APPLICATIONS - 30 MAY 80 ..... | A 6810 | ML | 08-MAY-89 | | | | |
| | | ASTM-D351-71R77 | BLOCK MICA & THINS, NATURAL MUSCOVITE, BASED ON VISUAL QUALITY - 19 MAR 71 | A 5970 | ER | 09-JAN-80 | ER | SH | 85 | |
| | | ASTM-D358-83R88 NOTICE 1 | PANELS IN WEATHERING TESTS OF COATINGS, WOOD TO BE USED ON - 28 OCT 1983 (REAPPROVED 1988) [VALIDATION DATE: 9006] USER: AS SH REVIEWER: 99 ME | A 8010 | MR | 22-JUN-90 | MR | | 11 | |

| Action | OPR / GNR Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-D362-84 | TOLUENE, INDUSTRIAL GRADE - 30 MARCH 1984 USER: AS MC YD1 REVIEWER: AR GL GS MD | A | 6810 EA | 15-NOV-85 | EA | SH | 68 | |
| D | | ASTM-D371-89 | ASPHALT ROLL ROOFING (ORGANIC FELT) SURFACED WITH MINERAL GRANULES, WIDE SELVAGE REVIEWER: SH | A | 5650 YD1 | 06-JUN-89 | ME | YD1 | | |
| D | | ASTM-D380-87 | RUBBER HOSE, STANDARD TEST METHODS FOR - 30 OCT 1987ATION, OIL-& GAS-FIRED (REFER TO MM-F-2743) USER: AT ME OS SH YD1 REVIEWER: 82 AV GL GS | A | 9320 MR | 21-NOV-89 | MR | | 11 | |
| A | | ASTM-D381-80 | FUELS BY JET EVAPORATION, EXISTENT GUM IN - 29 AUG 80 REVIEWER: OS ..... | A | 91GP ME | 13-AUG-85 | ME | SH | 11 | |
| | | ASTM-D387-86 | COLOR & STRENGTH OF COLOR PIGMENTS WITH A MECHANICAL MULLER - 26 AUG 86 ... | A | 8010 MR | 27-OCT-89 | MR | SH | 99 | |
| D | | ASTM-D390-86 | COAL-TAR CREOSOTE FOR THE PRESERVATIVE TREATMENT OF PILES, POLES, & TIMBERS FOR MARINE, LAND, & FRESH WATER USE - 28 FEB 1986 USER: SH REVIEWER: 99 EA GS | A | 6810 / YD1 | 08-SEP-86 | ME | YD1 | 68 | |
| D | | ASTM-D391-84 NOTICE 2 | CREOSOTE-COAL TAR SOLUTION, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] REVIEWER: GS | A | 8030 * YD1 | 09-MAR-92 | ME | YD1 | 68 | |
| D | | ASTM-D395-89 | RUBBER PROPERTY-COMPRESSION SET - 31 MARCH 1989 REVIEWER: 82 GL IS SH YD1 . | A | 9320 MR | 07-AUG-89 | MR | 11 | 99 | |
| | | ASTM-D396A-90 | OIL, FUEL - 27 APR 1990 ..... | A | 9140 ME | 11-MAR-91 | | ME | | |
| A | L | ASTM-D409 NOTICE 1 | GRINDABILITY OF COAL BY THE HARDGROVE-MACHINE METHOD, STANDARD TEST METHOD FOR | A | 9110 * PS | 08-FEB-93 | | | | PS |
| D | | ASTM-D412-87 NOTICE 2 | RUBBER PROPERTIES IN TENSION, STANDARD TEST METHODS FOR [VALIDATION DATE: 9206] USER: YD1 REVIEWER: 82 SH | A | 9320 * MR | 05-JUN-92 | MR | | 99 | |
| D | | ASTM-D413-82R88 NOTICE 2 | RUBBER PROPERTY-ADHESION TO FLEXIBLE SUBSTRATE [VALIDATION DATE: 8806] REVIEWER: YD1 | A | 9320 MR | 01-JUN-88 | MR | SH | 99 | |
| D | | ASTM-D418-82 NOTICE 2 | FLOOR COVERING CONSTRUCTION, STANDARD METHODS OF TESTING PILE YARN - 1 SEP 1982 [VALIDATION DATE: 9002] USER: AS SH | A | 7220 YD1 | 07-FEB-90 | ME | YD1 | 99 | |
| D | | ASTM-D420-87 NOTICE 2 | INVESTIGATING AND SAMPLING SOIL AND ROCK, STANDARD GUIDE FOR [VALIDATION DATE: 9207] USER: CG | A | 5610 * YD1 | 06-JUL-92 | | YD1 | 99 | |
| D | | ASTM-D421-85 | DRY PREPARATION OF SOIL SAMPLES FOR PARTICLE-SIZE ANALYSIS AND DETERMINATION OF SOIL CONSTANTS - 26 JUL 1985 USER: MC REVIEWER: 84 | A | 5610 YD1 | 27-FEB-90 | ME | YD1 | 99 | |
| D | | ASTM-D422-63R72 NOTICE 2 | SOILS, PARTICLE-SIZE ANALYSIS OF, STANDARD METHOD FOR - 21 NOV 63 (REAPPROVED 72) [VALIDATION DATE: 8980] USER: CE MC | A | 5610 YD1 | 31-AUG-98 | | YD1 | | |
| | | ASTM-D429-81 NOTICE 2 | RUBBER PROPERTY, ADHESION TO RIGSTRATES - 27 NOV 81 [VALIDATION DATE: 8803] USER: AS AT OS REVIEWER: 99 AV ER GL GS ME | A | 9320 MR | 07-MAR-88 | MR | SH | 11 | |
| | | ASTM-D430-73 | RUBBER DETERIORATION-DYNAMIC FATIGUE, STANDARD TEST METHODS FOR - MAR 73 REVIEWER: GS | A | 9320 82 | 10-SEP-84 | MR | | 99 | |
| A | | ASTM-D434-75 | YARN, RESISTANCE TO SLIPPAGE IN WOVEN FABRICS USING A STANDARD SEAM - 30 JUN 1975 [VALIDATION DATE: 8601] USER: AS CG MC REVIEWER: MD ME MI SH TE | A | 83GP CI | 04-DEC-79 | GL | MU | | CT |
| | | ASTM-D444-88 | PIGMENT, ZINC YELLOW (ZINC CHROMATE YELLOW) CHEMICAL ANALYSIS OF - 31 OCT 88 | A | 8010 MR | 11-APR-90 | MR | SH | 11 | |
| | | ASTM-D445-83 | LIQUIDS, TRANSPARENT & OPAQUE, (& THE CALCULATION OF DYNAMIC VISCOSITY), KINEMATIC VISCOSITY OF - 28 OCT 83 | A | 95GP ME | 24-APR-84 | ME | SH | 11 | |
| | | ASTM-D446-74R79 | VISCOMETERS, GLASS CAPILLARY KINEMATIC - 30 AUG 74 ..... | A | 6630 ME | 07-NOV-83 | ME | | | |
| D | | ASTM-D448-86 NOTICE 2 | SIZES OF AGGREGATE FOR ROAD AND BRIDGE CONSTRUCTION, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] USER: CE MC | A | 5610 * YD1 | 09-MAR-92 | ME | YD1 | 99 | |
| D | | ASTM-D449-79R83 NOTICE 1 | ASPHALT USED IN DAMPPROOFING & WATERPROOFING - 27 APR 79 (REAPPROVED 83) [VALIDATION DATE: 8905] REVIEWER: CE | A | 5610 YD1 | 10-MAY-89 | | YD1 | 99 | |
| D | | ASTM-D450-88 | PITCH, COAL-TAR, ROOFING, DAMPPROOFING, AND WATERPROOFING, STANDARD SPECIFICATION FOR USER: CE | A | 5610 YD1 | 29-JAN-89 | | YD1 | | |
| D | | ASTM-D453-86 | ACIDS, TAR, IN CRESOTE-COAL TAR SOLUTIONS, STANDARD TEST METHOD FOR - 28 FEB 86 USER: MR SH REVIEWER: 84 CS SH | A | 8030 YD1 | 09-MAR-89 | ME | YD1 | 99 | |
| | | ASTM-D454-88 | RUBBER-DETERIORATION BY HEAT & AIR PRESSURE USER: AT REVIEWER: GL GS ME ... | A | 9320 MR | 27-MAY-88 | MR | SH | 99 | |
| | | ASTM-D460-84 | SOAP & SOAP PRODUCTS, SAMPLING & CHEMICAL ANALYSIS OF, STANDARD METHODS FOR - 25 MAY 84 USER: SH REVIEWER: GL GS MD ME | A | 6810 EA | 22-APR-86 | EA | | 68 | |
| D | | ASTM-D471-79R91 NOTICE 1 | RUBBER PROPERTY, EFFECT OF LIQUIDS - 30 MAR 79 [VALIDATION DATE: 9105] USER: AT AV ME YD1 REVIEWER: GS MI TE | A | 9320 MR | 09-MAY-91 | MR | SH | 11 | |
| D | | ASTM-D473-90 | FORGINGS, STAINLESS AND HEAT RESISTING STEEL - 26 JAN. 1990 USER: AT OS REVIEWER: MI SH | A | FORG YD1 | 26-MAR-90 | MR | YD1 | | |
| D | | ASTM-D476-73R79 | PIGMENT, TITANIUM DIOXIDE,- 29 OCT 73 USER: CG OS YD1 REVIEWER: AR ME ..... | A | 8010 SH | 12-AUG-81 | MR | SH | 99 | |
| | | ASTM-D480-88 | ALUMINUM POWDER & PASTE, SAMPLING & TESTING OF - 28 JUL 88 ..... | A | 8010 MR | 19-APR-90 | MR | SH | 84 | |
| D | | ASTM-D490-77R83 NOTICE 1 | TAR - 25 MAR 77 (REAPPROVED 1983) [VALIDATION DATE: 8803] ..... | A | 5610 YD1 | 31-MAR-88 | CE | YD1 | 99 | |
| D | | ASTM-D491-79R83 NOTICE 2 | ASPHALT MASTIC USED IN WATERPROOFING - 27 APR 79 (REAPPROVED 1983) [VALIDATION DATE: 9107] USER: CE OS SH | A | 5610 YD1 | 25-JUL-91 | ME | YD1 | | |
| D | | ASTM-D494-46R72 | ACETONE EXTRACTION OF PHENOLIC MOLDED OR LAMINATED - 16 SEPTEMBER 1946 USER: AS YD1 REVIEWER: AR AV ER GL GS MI | A | 9330 MR | 29-SEP-78 | MR | SH | 11 | |
| D | | ASTM-D495-89 | INSULATION, SOLID ELECTRICAL, HIGH VOLTAGE, LOW CURRENT, DRY ARC RESISTANCE OF - 25 NOV 1989 USER: OS YD1 REVIEWER: AR AS AV ER GS ME | A | 9330 MR | 07-FEB-91 | MR | SH | 11 | |
| | | ASTM-D496-74R79 | SOAP, CHIP - 28 NOV 1974 [VALIDATION DATE: 8501] ..... | A | 7930 GL | 21-AUG-79 | GL | | 99 | |
| | | ASTM-D498-74R79 | SOAP, POWDERED (NONALKALINE SOAP POWDER) - 28 NOV 74 [VALIDATION DATE: 8501] | A | 7930 GL | 21-AUG-79 | GL | | 99 | |
| | | ASTM-D501-89 | ALKALINE DETERGENTS, STANDARD METHOD OF SAMPLING & CHEMICAL ANALYSIS OF - 26 MAY 89 USER: SH REVIEWER: GS MD ME | A | 6810 EA | 24-AUG-90 | EA | | 99 | |
| | | ASTM-D511-88 | WATER, CALCIUM & MAGNESIUM IN, STANDARD TEST METHODS FOR - 24 JUN 88 USER: ME SH REVIEWER: GS MD | A | 6810 EA | 24-AUG-90 | EA | | | |
| | | ASTM-D512-81 | CHLORIDE ION IN WATER, STANDARD TEST METHODS FOR ..... | A | 6810 SH | 21-MAY-84 | EA | SH | | |
| | | ASTM-D515-78 | WATER, PHOSPHORUS IN - 28 JUL 72 REVIEWER: GL GS MD ME PS ..... | A | 6810 SH | 28-JAN-81 | EA | SH | | |
| D | | ASTM-D517-70R81 NOTICE 2 | PLANK, ASPHALT - 23 OCT 81 [VALIDATION DATE: 9107] ..... | A | 5610 YD1 | 25-JUL-91 | ME | YD1 | | |
| | | ASTM-D518-86 | RUBBER DETERIORATION-SURFACE CRACKING (STANDARD TEST METHOD) - 27 MAR 86 .. | A | 5970 ER | 19-JUN-86 | ER | SH | 85 | |
| D | | ASTM-D522-92 NOTICE 1 | MANDREL BEND TEST OF ATTACHED ORGANIC COATINGS, STANDARD TEST METHODS FOR USER: SH REVIEWER: YD1 | A | 8010 * MM | 17-JUL-92 | MR | AS | 84 | |
| D | | ASTM-D523-89 | GLOSS, SPECULAR - 31 MAR 89 USER: GL YD1 REVIEWER: 99 AT ER GS ME ..... | A | 8010 MR | 06-APR-90 | MR | SH | 11 | |
| | L | ASTM-D524 | PETROLEUM PRODUCTS, RAMSBOTTOM CARBON RESIDUE OF, STANDARD TEST METHOD FOR | A | 91GP * PS | 24-JAN-92 | | | | PS |
| A | | ASTM-D525-80 | GASOLINE (INDUCTION PERIOD METHOD) OXIDATION STABILITY OF - 29 AUG 1980 USER: OS REVIEWER: 68 | A | 91GP ME | 15-AUG-85 | ME | SH | 11 | |
| | | ASTM-D530-82R88 | TESTING HARD RUBBER PRODUCTS - 26 MAR 82 REVIEWER: GS ..... | A | 9320 MR | 04-MAR-88 | MR | SH | 99 | |
| | | ASTM-D531-89 | RUBBER PROPERTY-PUSEY AND JONES INDENTATION - 31 MARCH 1989 USER: OS SH REVIEWER: 82 AT IS ME | A | 9320 MR | 07-AUG-89 | MR | | 99 | |
| D | | ASTM-D542-90 | PLASTICS, TRANSPARENT ORGANIC INDEX OF REFRACTION OF - 30 MAR 1990 USER: AS GL YD1 REVIEWER: 84 AT AV GS ME | A | 9330 MR | 29-NOV-90 | MR | SH | 11 | |
| D | | ASTM-D543-87 | PLASTIC TO CHEMICAL REAGENTS, RESISTANCE OF - 27 FEB 87 USER: AS YD1 REVIEWER: AR AV ER GL GS MI | A | 9330 MR | 02-OCT-85 | MR | SH | 11 | |
| D | | ASTM-D545-84 NOTICE 1 | CONCRETE CONSTRUCTION (NONEXTRUDING & RESILIENT TYPES), STANDARD METHODS OF TESTING PREFORMED EXPANSION JOINT FILLERS FOR - 1 MAR 84 [VALIDATION DATE: 8905] USER: CE | A | 5610 YD1 | 10-MAY-89 | | YD1 | | |
| D | | ASTM-D546-88 | ROAD & PAVING MATERIAL, MINERAL FILLER FOR, SIEVE ANALYSIS OF - 30 SEP 1988 USER: MC | A | 5610 YD1 | 26-APR-89 | CE | YD1 | 99 | |
| D | | ASTM-D549-74 | ROSIN IN PAPER & PAPERBOARD - 30 AUG 74 REVIEWER: 99 AR GL IS ME MI MR OS SA SH YD1 | A | 9310 AS | 01-MAY-81 | SH | AS | 69 | |
| A | | ASTM-D555-84R92 NOTICE 1 | OILS, DRYING, TESTING, STANDARD GUIDE FOR REVIEWER: ME ..... | A | 8010 * MR | 17-NOV-92 | MR | AS | | |
| D | | ASTM-D558-82 NOTICE 2 | SOIL CEMENT MIXTURES, MOISTURE DENSITY RELATIONS OF - 1 OCT 82 [VALIDATION DATE: 8908] USER: CE CG MC | A | 5610 YD1 | 11-AUG-89 | ME | YD1 | | |
| D | | ASTM-D559-89 | SOIL CEMENT MIXTURES, COMPACTED, WETTING & DRYING TEST OF - 28 JUL 1989 USER: CE MC | A | 5610 YD1 | 27-AUG-89 | ME | YD1 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action Code / Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D | ASTM-D560-89 | SOIL CEMENT MIXTURES, COMPACTED, FREEZING & THAWING TESTS OF - 28 JULY 1989 USER: CE MC | A | 5610 | | YD1 | 27-SEP-89 | ME | YD1 | | |
| D | ASTM-D562-81R85 NOTICE 1 | PAINTS.USING THE STORMER VISCOSIMETER, CONSISTENCY OF - 30 OCT 81 (REAPPROVED 1985) [VALIDATION DATE: 9006] USER: YD1 | A | 8010 | | MR | 22-JUN-90 | MR | SH | 99 | |
| | ASTM-D563-88 | PHTHALIC ANHYDRIDE CONTENT OF ALKYD RESIN & RESIN SOLUTION STANDARD TEST METHOD FOR - 27 MAY 88 | A | 8010 | | MR | 13-JAN-89 | MR | SH | 11 | |
| | ASTM-D564-87R91 NOTICE 2 | LIQUID PAINT DRIERS, STANDARD TEST METHODS FOR USER: AS REVIEWER: 84 ..... | A | 8010 | * | MR | 05-NOV-91 | MR | SH | 99 | |
| | ASTM-D565-45 | OIL, MINERAL, WHITE, (LIQUID PETR), CARBONIZABLE SUBSTANCES IN - 15 SEP 45 (REAPPROVED 79) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS | A | 91GP | | ME | 20-JUN-68 | ME | SH | 11 | |
| | ASTM-D566-76 | GREASE, LUBRICATION, DROPPING POINT OF - 27 AUG 76 (REAPPROVED 82) [VALIDATION DATE: 8512] | A | 9150 | | ME | 28-DEC-78 | ME | SH | 11 | |
| D | ASTM-D569-90 | THERMOPLASTIC MOLDING MATERIALS, MEASURING THE FLOW PROPERTIES OF - 27 JULY 1990 USER: AS GL YD1 REVIEWER: 99 AV ER ME | A | 9330 | | MR | 09-APR-91 | MR | SH | 11 | |
| | ASTM-D570-81 NOTICE 2 | PLASTIC, WATER ABSORPTION OF - 30 OCT 81 [VALIDATION DATE: 8803] REVIEWER: 99 AR ER GL GS ME MI | A | 9330 | | MR | 30-MAR-88 | MR | SH | 11 | |
| D | ASTM-D572-88 | RUBBER-DETERIORATION BY HEAT & OXYGEN - 29 APR 88 USER: AT YD1 REVIEWER: AV GL GS ME | A | 9320 | | MR | 27-MAY-88 | MR | SH | 99 | |
| D | ASTM-D573-88 | RUBBER-DETERIORATION IN AN AIR OVEN - 29 APR 88 USER: AT YD1 REVIEWER: AV GL GS ME | A | 9320 | | MR | 27-MAY-88 | MR | SH | 99 | |
| | ASTM-D579-83 | GLASS FABRICS, GREIGE WOVEN - 25 FEB 1983 ..... | A | 9340 | | MR | 07-AUG-87 | MR | | | |
| | ASTM-D607-82 | PIGMENTS, WET GROUND MICA - 25 JUNE 1982 USER: CC REVIEWER: MI MR SA ..... | A | 8010 | | SH | 17-JUL-85 | ME | SH | 99 | |
| | ASTM-D609-73R80 | PANEL, STEEL, FOR TESTING PAINT, VARNISH, LACQUER, AND RELATED PRODUCTS - 29 OCT 1973 | A | 8010 | | SH | 24-MAY-85 | ME | SH | 99 | |
| | ASTM-D610-85 NOTICE 1 | STEEL SURFACES, RUSTING ON PAINTED, EVALUATING DEGREE OF, STANDARD METHOD OF - 25 OCT 85 (R89) [VALIDATION DATE: 9102] | A | 8010 | | MR | 12-FEB-91 | MR | SH | 84 | |
| A | ASTM-D611-82 | SOLVENTS, HYDROCARBON, ANILINE POINT AND MIXED ANILINE POINT OF PETROLEUM PRODUCTS AND - 27 AUG 1982 USER: OS REVIEWER: 68 | A | 9150 | | ME | 15-AUG-85 | ME | SH | 11 | |
| | ASTM-D612-45 | WAX, PARAFFIN, CARBONIZABLE SUBS IN - 15 SEP 45 (REAPPROVED 83) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS | A | 91GP | | ME | 20-JUN-68 | ME | SH | 11 | |
| | ASTM-D613-65 | FUELS, DIESEL, IGNITION QUALITY THE CETANE METHOD - 31 AUG 65 REVIEWER: 68 AR AS | A | 91GP | | ME | 20-JUN-68 | ME | SH | 11 | |
| D | ASTM-D617-84R89 NOTICE 1 | SHEETS, PHENOLIC LAMINATED, PUNCHING QUALITY OF - 30 NOV 1984 (REAPPROVE D 1989) [VALIDATION DATE: 9006] USER: AS MC OS YD1 REVIEWER: AR AT ER GS MD | A | 9330 | | MR | 22-JUN-90 | MR | | | |
| D | ASTM-D618-61R81 NOTICE 1 | INSULATING MATERIALS, CONDITIONING & ELECTRICAL, FOR TESTING - 18 SEP 61 (REAPPROVED 1981) [VALIDATION DATE: 9006] USER: AR MI OS SH YD1 REVIEWER: AT AV GS | A | 9330 | | MR | 22-JUN-90 | MR | AS | 99 | |
| D | ASTM-D621-64R88 NOTICE 1 | PLASTICS UNDER LOAD, DEFORMATION OF - 31 AUG 64(REAPPROVED 1988) [VALIDATION DATE: 9006] USER: YD1 REVIEWER: AR AS AV ER GS ME MI | A | 9330 | | MR | 22-JUN-90 | MR | SH | 11 | |
| D | ASTM-D622-86R91 NOTICE 1 | RUBBER HOSE FOR AUTOMOTIVE AIR & VACUUM BRAKE SYSTEM - 27 MAR 81 USER: AS OS YD1 REVIEWER: 82 AT GL GS ME | A | 9320 | | MR | 09-MAY-91 | MR | SH | 99 | |
| D | ASTM-D624-86 | RUBBER PROPERTY-TEAR RESISTANCE - 27 MAR 86 REVIEWER: AR AS AV GL GS ME YD1 | A | 9320 | | MR | 23-APR-86 | MR | SH | 99 | |
| | ASTM-D629-77 | TEXTILES, QUANTITATIVE ANALYSIS OF - 3 NOV 77 REVIEWER: SH ..... | A | 83GP | | AS | 01-MAY-81 | | AS | 69 | |
| D | ASTM-D633-87 NOTICE 2 | ROAD TAR, STANDARD VOLUME CORRECTION TABLE FOR [VALIDATION DATE: 9203] USER: CE | A | 5610 | * | YD1 | 09-MAR-92 | | YD1 | 11 | |
| D | ASTM-D635-88 | PLASTICS, SELF-SUPPORTING, IN A HORIZONTAL POSITION, RATE OF BURNING AND/OR EXTENT OF TIME OF BURNING OF - 25 NOV 1988 USER: AS OS YD1 REVIEWER: 70 71 82 84 99 ER GL MI | A | 9330 | | MR | 21-SEP-89 | MR | SH | 11 | |
| | ASTM-D637-90 | SHEETS, FLAT TRANSPARENT PLASTIC, SURFACE IRREGULARITIES OF - 26 OCT 1990 . | A | 9330 | | MR | 22-MAY-91 | MR | SH | 11 | |
| | ASTM-D638-91 NOTICE 1 | TENSILE PROPERTIES OF PLASTICS USER: SH REVIEWER: AV EA GS ..... | A | 9330 | * | MR | 02-MAR-92 | MR | AS | 11 | |
| A | ASTM-D638M-91 NOTICE 1 | TENSILE PROPERTIES OF PLASTICS (METRIC) USER: SH REVIEWER: AV EA GS ..... | A | 9330 | * | MR | 22-OCT-92 | MR | AS | 11 | |
| | ASTM-D639-81R85 | BATTERY CONTAINERS MADE FROM HARD RUBBER OR EQUIVALENT MATERIALS [VALIDATION DATE: 8803] USER: AS OS REVIEWER: AV GL GS ME | A | 9320 | | MR | 07-MAR-88 | MR | SH | 11 | |
| D | ASTM-D642-76 | CONTAINERS, SHIPPING, COMPRESSION TEST FOR - 24 SEP 76 [VALIDATION DATE: 8801] USER: AR OS SH REVIEWER: 99 GL ME MI MR SA YD1 | A | PACK | | AS | 25-JAN-88 | SH | AS | 69 | |
| D | ASTM-D647-88 | MATERIALS, PLASTIC MOLDING, STANDARD PRACTICE FOR DESIGN MOLDS FOR TEST SPECIMENS OF - 29 JUL 88 USER: SH REVIEWER: 84 CS GS SH | A | 9530 | | YD1 | 12-JUL-89 | ME | YD1 | 99 | |
| D | ASTM-D648-82R88 | PLASTICS, DEFLECTION TEMPERATURE OF, UNDER FLEXURAL LOAD - 30 JULY 1983 (REAPPROVED 1988) USER: GL YD1 REVIEWER: AS AV ER GS ME MI | A | 9330 | | MR | 08-DEC-89 | MR | SH | 11 | |
| D | ASTM-D653-90 | SOIL, ROCK, AND CONTAINED FLUIDS, STANDARD TERMINOLOGY RELATING TO - 23 OCT 1989 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 28-FEB-90 | ME | YD1 | 99 | |
| D | ASTM-D659-86 | PAINTS, EXTERIOR, EVALUATING DEGREE OF CHALKING OF, STANDARD METHOD OF - 24 FEB 1986 (S/S BY ASTM-D4214-86R87) USER: YD1 | A | 8010 | | MR | 02-SEP-86 | MR | SH | 11 | |
| D | ASTM-D660-87 | PAINT, EXTERIOR, EVALUATING DEGREE OF CHECKING OF - 19 OCT 1987 USER: YD1 REVIEWER: 84 | A | 8010 | | MR | 20-SEP-88 | MR | SH | 99 | |
| | ASTM-D661-86 | PAINTS EXTERIOR EVALUATING DEGREE OF CRACKING OF - 29 AUG 86 USER: AS OS REVIEWER: 20 84 ME | A | 8010 | | MR | 24-FEB-88 | MR | SH | 99 | |
| | ASTM-D662-44 | PAINT, EXTERIOR, RESISTANCE, EVNG DEGREE OF, TO EROSION OF - 15 SEP 44 (REAPPROVED 1981) [VALIDATION DATE: 8304] | A | 8010 | | MR | 01-MAY-74 | MR | SH | 99 | |
| A | ASTM-D664-81 | NEUTRALIZATION NUMBER BY POTENTIOMETRIC TITRATION - 28 AUG 81 REVIEWER: 68 AR AS | A | 91GP | | ME | 21-JUL-82 | ME | SH | 11 | |
| | ASTM-D665-83 | RUST-PREVENTING CHARACTERISTICS OF INHIBITED MINERAL OIL IN THE PR ESENCE OF WATER - 13 SEPT 1982 REVIEWER: 68 AS OS | A | 91GP | | ME | 13-JUN-85 | ME | SH | | |
| | ASTM-D671-90 | PLASTICS, FLEXURAL FATIGUE OF, BY CONSTANT AMPLITUDE OF FORCE - 26 OCT 1990 USER: AR EC MC OS REVIEWER: AS AV GL ME | A | 9330 | | MR | 29-MAY-91 | MR | SH | 99 | |
| D | ASTM-D673-88 | PLASTICS, MAR RESISTANCE OF - 25 MAR 1988 USER: AT GL YD1 REVIEWER: AR AS AV GS ME | A | 9330 | | MR | 28-AUG-90 | MR | SH | 11 | |
| D | ASTM-D685-81R87 | RUBBER - DETERIORATION BY HEATING IN AIR (TEST TUBE ENCLOSURE) - 27 MAR 81 USER: AT YD1 REVIEWER: AS AV GL GS ME | A | 9320 | | MR | 06-MAR-88 | MR | SH | 11 | |
| D | ASTM-D689-79 | PAPER, INTERNAL TEARING RESISTANCE OF - 5 JAN 79 REVIEWER: 99 AR GL IS ME MI MR OS SA SH YD1 | A | 9310 | | AS | 27-APR-81 | SH | AS | 69 | |
| D | ASTM-D692-88 | BITUMINOUS PAVING MIXTURES, COARSE AGGREGATE, STANDARD SPECIFICATION FOR - 26 FEB 88 USER: CE MC | A | 5610 | | YD1 | 31-JAN-89 | | YD1 | 99 | |
| D | ASTM-D693-84 NOTICE 2 | MACADAM PAVEMENTS, CRUSHED AGGREGATE FOR - 27 APR 84 [VALIDATION DATE: 9004] | A | 5610 | | YD1 | 02-APR-90 | ME | YD1 | 99 | |
| D | ASTM-D695-91 NOTICE 1 | COMPRESSIVE PROPERTIES OF RIGID PLASTICS USER: AR OS YD1 REVIEWER: AS AT AV CR GL GS ME MI | A | 9330 | * | MR | 02-MAR-92 | MR | SH | 11 | |
| D | ASTM-D695M-91 NOTICE 1 | COMPRESSIVE PROPERTIES OF RIGID PLASTICS (METRIC) USER: AR GL OS SH YD1 REVIEWER: AS AT AV GS ME MI | A | 9330 | * | MR | 21-OCT-92 | MR | | 11 | |
| D | ASTM-D696-91 NOTICE 1 | COEFFICIENT OF LINEAR THERMAL EXPANSION OF PLASTICS BETWEEN -30 DEG. C AND 30 DEG. C USER: GL YD1 REVIEWER: AR AS AT AV CR ER GS ME MI | A | 9330 | * | MR | 04-OCT-91 | MR | SH | 11 | |
| D | ASTM-D698-78 | SOIL & SOIL AGGREGATE MIXTURES USING 5.5-LB (2.49 KG) RAMMER & 12 IN. (305 MM) DROP, MOISTURE DENSITY RELATIONS OF - 27 APR 78 USER: CE MC | A | 5610 | | YD1 | 26-SEP-89 | ME | YD1 | 99 | |
| D | ASTM-D702-81 | SHEETS, RODS, TUBES, AND SHAPES, STANDARD SPECIFICATION FOR CAST METHACRYLATE PLASTIC - 26 JUN 81 USER: SH REVIEWER: 84 CS GS SH | A | 9330 | | YD1 | 06-JUN-89 | ME | YD1 | 99 | |
| | ASTM-D704-82R88 NOTICE 1 | MELAMINE FORMALDEHYDE MOLDING COMPOUNDS - 30 JUL 82 (REAPPROVED 1988) [VALIDATION DATE: 9006] USER: MC SH REVIEWER: AL AR EA GL GS SM | A | 9330 | | MR | 22-JUN-90 | MR | | | |
| | ASTM-D706-82R89 NOTICE 3 | COMPOUNDS, CELLULOSE ACETATE MOLDING & EXTRUSION - 30 JUL 1982 (REAPPROVED 1989) [VALIDATION DATE: 9102] USER: AR AS REVIEWER: GL GS ME SM | A | 9330 | | MR | 19-FEB-91 | MR | | | |
| | ASTM-D707-84 NOTICE 1 | COMPOUND, MOLDING & EXTRUSION, CELLULOSE ACETATE BUTYRATE-27 JUL 84 [VALIDATION DATE: 9006] USER: OS REVIEWER: AV EA ER GS MD MI | A | 9330 | | MR | 22-JUN-90 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | GPL / DoD Coordination Activity | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-D709-87 | MATERIALS, LAMINATED THERMAL SETTING MATERIALS, STANDARD SPECIFICATION FOR - 27 FEB 87 REVIEWER: 84 GS SH | A | 9330 | | YD1 | 12-JUL-89 | MR | YD1 | 99 | |
| A | | ASTM-D710-81 | SHEETS, RODS, AND TUBES, VULCANIZED FIBRE USED FOR ELECTRICAL INSULATION - 30 JAN 1981 | A | 5970 | | 11 | 12-MAR-85 | MR | AS | 11 | |
| D | | ASTM-D714-87 | PAINTS, BLISTERING OF,EVALUATING OF - [VALIDATION DATE: 8304] USER: 84 AS YD1 | A | 8010 | | MR | 28-JUL-88 | MR | SH | 99 | |
| A L | | ASTM-D720 NOTICE 1 | COAL, FREE-SWELLING, INDEX OF, STANDARD TEST METHOD FOR ..... | A | 9110 | * | PS | 08-FEB-93 | | | | PS |
| | | ASTM-D721-68 | PETROLEUM WAXES, OIL CONTENT OF (REAPPROVED 982) [VALIDATION DATE: 8304] REVIEWER: 68 AS | A | 91GP | | ME | 03-JUN-74 | ME | SH | 11 | |
| | | ASTM-D724-45R71 | PAPER, SURFACE WETTABILITY OF (ANGLE-OF-CONTACT METHOD) 15 SEP 45 ..... | A | 9310 | | AS | 27-APR-81 | SM | AS | 69 | |
| L | | ASTM-D729-91 NOTICE 1 | VINYLIDENE CHLORIDE MOLDING COMPOUNDS USER: GL SH REVIEWER: AR ER GS MO ME SM | A | 9330 | * | MR | 04-OCT-91 | MR | | | |
| | | ASTM-D732-90 | PLASTICS BY PUNCH TOOL, SHEAR STRENGTH OF, STANDARD TEST METHOD FOR - 30 MAR. 1990 USER: AS REVIEWER: AR AV ER GL GS MI | A | 9330 | | MR | 09-APR-91 | MR | SH | 11 | |
| | | ASTM-D740-84 | METHYL ETHYL KETONE - 27 APR 1984 REVIEWER: EA GL GS MR ..... | A | 6810 | | AR | 09-JUL-87 | AR | SH | 68 | |
| D | | ASTM-D746-79R87 | PLASTICS AND ELASTOMERS, BRITTLENESS TEMPERATURE OF, BY IMPACT - 26 JAN. 1979 (REAPPROVED 1987) REVIEWER: 70 71 82 84 99 AS AT AV MI YD1 | A | 9330 | | MR | 21-SEP-89 | MR | SH | 11 | |
| | | ASTM-D747-86 | APPARENT BENDING MODULUS OF PLASTICS BY MEANS OF A CANTILEVER BEAM, TEST METHOD FOR - 28 SEPT 1984 REV 31 OCT 1986) REVIEWER: AR AV MR TE | A | MDT1 | | AT | 10-APR-87 | AT | | | |
| | | ASTM-D749-88 | STEEL, STRIP, CARBON AND HIGH-STRENGTH, LOW ALLOY, HOT ROLLED, GENERAL REQUIREMENT FOR 4 APR 88 USER: OS REVIEWER: AR GL IS MI | A | 9515 | | MR | 05-APR-88 | MR | | | |
| D | | ASTM-D750-86 NOTICE 1 | RUBBER DETERIORATION IN CARBON-ARC WEATHERING APPARATUS - 26 APR 1985 [VALIDATION DATE: 9006] USER: AT ME YD1 REVIEWER: AS AV GL | A | 9320 | | MR | 22-JUN-90 | MR | SH | 99 | |
| D | | ASTM-D751-89 | COATED FABRICS - 28 APRIL 1989 REVIEWER: IS YD1 ..... | A | 9320 | | MR | 07-AUG-89 | MR | SH | 99 | |
| -D | | ASTM-D756-78R83 NOTICE 1 | DETERMINATION OF WEIGHT & SHAPE CHANGES OF PLASTICS UNDER ACCELERATED SERVICE CONDITIONS - 28 JUL 78 (REAPPROVED 1983) USER: AV OS YD1 REVIEWER: AT ER GL GS MI | A | 9330 | | MR | 22-JUN-90 | MR | SH | 11 | |
| | | ASTM-D757-77 NOTICE 1 | PLASTICS, RIGID, IN A HORIZONTALION, INCANDESCENCE RESISTANCE OF - 1 JUL 77 [VALIDATION DATE: 8702] USER: AS REVIEWER: 99 AR AV ER GL GS MI | A | 9330 | | MR | 10-FEB-87 | MR | SH | 11 | |
| | | ASTM-D772-86 | PAINTS, EXTERIOR, FLAKING (SCALING), EVALUATING DEGREE OF - 29 AUG 86 ..... | A | 8010 | | MR | 24-FEB-88 | MR | SH | 99 | |
| D | | ASTM-D774-67R71 | PAPER, BURSTING STRENGTH OF - 8 SEP 67 USER: OS SH REVIEWER: 99 AR GL ME MI MR SA YD1 | A | 9310 | | AS | 30-SEP-81 | SM | AS | 69 | |
| D | | ASTM-D779-73 | WATER RESISTANCE OF PAPER, PAPERBOARD, & OTHER SHEET MATERIALS BY THE DRY INDICATOR METHOD - 27 AUG 73 USER: AM OS SH REVIEWER: 99 GL ME MI MR SA YD1 | A | 9310 | | AS | 30-SEP-81 | SM | AS | 69 | |
| D | | ASTM-D781-68R73 | PUNCTURE & STIFFNESS OF PAPERBOARD, & CORRUGATED & SOLID FIBERBOARD - 13 SEP 68 REVIEWER: 99 AR GL IS ME MI MR OS SA SH YD1 | A | PACK | | AS | 01-MAY-81 | SM | AS | 69 | |
| | | ASTM-D782-82R87 | CONTAINERS, SHIPPING, IN REVOLVING HEXAGONALDRUM, STANDARD METHOD OF - 27 AUG 82 USER: MC REVIEWER: 69 84 AM AT AV | A | PACK | | SM | 08-JUN-88 | SM | AS | 99 | |
| | | ASTM-D785-89 | PLASTICS AND ELECTRICAL INSULATING MATERIALS, ROCKWELL HARDNESS OF - 27 JAN 1989 | A | 9330 | | MR | 28-AUG-90 | MR | SH | 11 | |
| | | ASTM-D787-81R88 NOTICE 3 | ETHYL CELLULOSE MOLDING & EXTRUSION COMPOUNDS - 26 JUN 1981 (REAPPROVED 1988) [VALIDATION DATE: 8902] REVIEWER: AR CR EA ER GS MO | A | 9330 | | MR | 08-FEB-89 | MR | SH | 11 | |
| | | ASTM-D788-83 | PIPET, BLOOD DILUTING - 25 FEB 1983 ..... | A | 6640 | / | MB | 30-MAY-86 | MO | MS | 03 | |
| D | | ASTM-D790-91 NOTICE 1 | FLEXURAL PROPERTIES OF UNREINFORCED AND REINFORCED PLASTICS AND ELECTRICAL INSULATING MATERIALS USER: AR YD1 REVIEWER: AS AT AV CR GL GS ME MI OS | A | 9330 | * | MR | 02-MAR-92 | MR | SH | 11 | |
| D | | ASTM-D792-86 | PLASTICS BY DISPLACEMENT, SPECIFIC GRAVITY (RELATIVE DENSITY) & DENSITY OF - 30 MAY 1986 USER: YD1 | A | 9330 | | MR | 07-AUG-87 | MR | SH | 11 | |
| D | | ASTM-D797-82 NOTICE 1 | RUBBER PROPERTY - YOUNG S MODULUS AT NORMAL & SUBNORMAL TEMPERATURES - 29 JAN 82 [VALIDATION DATE: 8804] | A | 9320 | | YD1 | 20-APR-88 | MR | YD1 | 99 | |
| A | | ASTM-D808-81 | CHLORINE IN NEW & USED PETROLEUM PRODUCTS (BOMB METHOD - 28 AUG 81 REVIEWER: 68 | A | 91GP | | ME | 21-JUL-82 | ME | SH | 11 | |
| | | ASTM-D811-82 | OIL, LUBRICATING, CHEMICAL ANALYSIS FOR METALS IN NEW & USED - 27 AUG 82 .. | A | 91GP | | ME | 06-APR-83 | ME | SH | 11 | |
| D | | ASTM-D813-87 | RUBBER DETERIORATION-CRACK GROWTH - 27 NOV 87 USER: 82 OS YD1 REVIEWER: 11 AR ER GL GS MO ME SH | A | 9320 | | MR | 06-JAN-89 | MR | AS | 99 | |
| | | ASTM-D816-82 | CEMENT, RUBBER - 29 OCT 82 [VALIDATION DATE: 8806] USER: OS SA REVIEWER: AR GL ME MI | A | 8040 | | MR | 16-JUN-83 | MR | SH | 11 | |
| D | | ASTM-D822-86 | APPARATUS, OPERATING LIGHT-AND WATER-EXPOSURE, FOR TESTING PAINT AND RELATED COATINGS AND MATERIALS, STANDARD PRACTICE FOR - 30 MAY 86 USER: CE OS SH | A | 8010 | | YD1 | 15-OCT-87 | | YD1 | | |
| D | | ASTM-D823A-92 NOTICE 1 | PRODUCING FILMS OF UNIFORM THICKNESS OF PAINT, VARNISH, AND RELATED PRODUCTS ON TEST PANELS USER: AS ME REVIEWER: 84 YD1 | A | 8010 | * | MR | 28-OCT-92 | MR | SH | | |
| D | | ASTM-D828-87 | PAPER AND PAPERBOARD, TENSILE BREAKING STRENGTH OF - 30 OCT 1987 REVIEWER: CE | A | 5640 | | YD1 | 28-MAR-90 | ME | YD1 | 99 | |
| A | | ASTM-D832-92 NOTICE 1 | RUBBER CONDITIONING FOR LOW-TEMPERATURE TESTING USER: AV REVIEWER: 84 GL MI | A | 9320 | * | MR | 11-SEP-92 | MR | SH | 99 | |
| D | | ASTM-D846-84 | XYLENE, STANDARD SPECIFICATION FOR TEN DEGREE - 30 MAR 84 USER: MC ME YD1 REVIEWER: AS GL | A | 6810 | | MR | 25-JUN-84 | MR | SH | 68 | |
| | | ASTM-D847-91 NOTICE 1 | ACIDITY OF BENZENE, TOLUENE, XYLENES, SOLVENT NAPTHAS, AND SIMILAR INDUSTRIAL AROMATIC HYDROCARBONS | A | 8010 | * | MR | 05-DEC-91 | MR | SH | 99 | |
| | | ASTM-D848-81 | AROMATIC HYDROCARBONS, STANDARD TEST METHOD FOR ACID WASH COLOR OF INDUSTRIAL - 24 APR 81 | A | 6810 | | EA | 14-OCT-83 | EA | | 68 | |
| | | ASTM-D849-82 | HYDROCARBONS, INDUSTRIAL AROMATIC, COPPER CORROSION OF - 29 OCT 82 USER: AS MC SH REVIEWER: GL GS MO ME | A | 6810 | | EA | 08-JUL-83 | EA | | 68 | |
| | | ASTM-D850-86 | INDUSTRIAL AROMATIC HYDROCARBONS & RELATED MATERIALS DISTILLATION OF - 30 MAY 86 USER: ME SH REVIEWER: GL GS MO | A | 6810 | | EA | 20-JUL-88 | EA | | 68 | |
| A | | ASTM-D853-91 NOTICE 1 | HYDROGEN SULFIDE AND SULFUR DIOXIDE CONTENT (QUALITATIVE) OF INDUSTRIAL AROMATIC HYDROCARBONS, STANDARD TEST METHOD FOR | A | 8010 | * | MR | 26-JUN-92 | MN | SH | 99 | |
| D | | ASTM-D854-83 | SOILS, SPECIFIC GRAVITY OF, STANDARD TEST METHOD FOR - 28 NOV 83 USER: CE MC REVIEWER: 84 | A | 5610 | | YD1 | 03-JUL-89 | | YD1 | | |
| | | ASTM-D858-88 | MANGANESE IN WATER, STANDARD TEST METHODS FOR - 19 AUG 88 USER: SH REVIEWER: GL GS MO ME | A | 6810 | * | EA | 28-AUG-90 | EA | | 68 | |
| | | ASTM-D859-88 | WATER, SILICA IN STANDARD TEST METHOD FOR 19 AUG 88 USER: SH REVIEWER: GL GS MO ME | A | 6810 | | EA | 31-AUG-90 | EA | | 68 | |
| | | ASTM-D865-88 | RUBBER-DETERIORATION BY HEATING IN AIR (TEST TUBE ENCLOSURE) - 29 APR 88 USER: AT REVIEWER: AS AV GL GS ME | A | 9320 | | MR | 27-MAY-88 | MR | SH | 11 | |
| | | ASTM-D869-85R89 NOTICE 1 | PAINT, SETTLING OF, EVALUATING DEGREE OF, STANDARD METHOD OF - 27 SEP 85 (REAPPROVED 1989) [VALIDATION DATE: 9102] | A | 8010 | | MR | 19-FEB-91 | MR | SH | 11 | |
| D | | ASTM-D872-82 NOTICE 2 | SULFONATION INDEX OF ROAD TARS, STANDARD TEST METHOD FOR [VALIDATION DATE: 9203] | A | 5610 | * | YD1 | 02-MAR-92 | CE | YD1 | | |
| A | | ASTM-D873-00 | FUELS, AVIATION, OXIDATION STABILITY OF (POTENTIAL RESIDUE METHOD) - 29 AUG 1980 USER: OS | A | 91GP | | ME | 12-AUG-85 | ME | SH | 11 | |
| | | ASTM-D874-82 | ASH, SULFATED, FROM LUBRICATING OILS & ADDITIVES - 27 AUG 82 ..... | A | 9150 | | ME | 06-APR-83 | ME | SH | 11 | |
| | | ASTM-D876-84 | TUBING, NONRIGID VINYL CHLORIDE POLYMER, USED FOR ELECTRICAL INSULATION - 28 DEC 1984 REVIEWER: 86 AR GS MR | A | 5970 | | MI | 20-SEP-89 | MI | SH | 99 | |
| D | | ASTM-D877-84 | LIQUIDS, INSULATING, USING DISK ELECTRODES, DIELECTRIC BREAKDOWN VOLTAGE OF - 24 FEB 84 REVIEWER: YD1 | A | 9150 | | ME | 19-JUL-84 | ME | SH | 11 | |
| | | ASTM-D878-65 | OILS, INSULATING, INORGANIC CHLOE SULFATES IN (REAPPROVED 81) [VALIDATION DATE: 8512] REVIEWER: 68 AR AS | A | 91GP | | ME | 20-JUN-68 | ME | SH | 11 | |
| A | | ASTM-D882-91 NOTICE 1 | TENSILE PROPERTIES OF THIN PLASTING SHEETING USER: AS EC OS SH REVIEWER: 99 AR AV ER GL GS ME | A | 9330 | * | MR | 21-OCT-92 | MR | | 11 | |
| D | | ASTM-D883A-91 NOTICE 1 | PLASTICS, STANDARD TERMINOLOGY RELATING TO USER: EC MI SH YD1 REVIEWER: AR AV EA GL | A | 9330 | * | MR | 02-MAR-92 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. Status / Cancellation / Inactive | Document Number | Document Title | Date Status | FSC / Area / MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-D888-87 | OXYGEN, DISSOLVED IN WATER, STANDARD TEST METHOD FOR - 4 DEC 1987 ..... | A | MISC | YD1 | 28-OCT-88 | CE | YD1 | 11 | |
| | | ASTM-D891-89 | GRAVITY, SPECIFIC, APPARENT, OF LIQUID INDUSTRIAL CHEMICALS - 25 AUG 1989 USER: OS | A | 8010 | MR | 22-JUL-91 | MR | SH | 84 | |
| | | ASTM-D892-74 | OILS, LUBRICATING, FOAMING CHARATICS OF - 30 AUG 74 (REAPPROVED 84) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS | A | 91GP | ME | 20-DEC-74 | ME | SH | 11 | |
| A | | ASTM-D893-80 | OILS, LUBRICATING, INSOLUBLES IN USED - 29 AUG 1980 REVIEWER: OS ..... | A | 9150 | ME | 13-AUG-85 | ME | SH | 11 | |
| D | | ASTM-D895-79 | PACKAGES, WATER VAPOR PERMEABILITY OF - 27 JUL 79 USER: AL CR EC REVIEWER: 99 AR ME MR OS SA SH YD1 | A | PACK | AS | 12-OCT-82 | SH | AS | 69 | |
| | | ASTM-D896-90 | ADHESIVE BONDS TO CHEMICAL REAGENTS, RESISTANCE TO - 31 AUG 1990 USER: OS REVIEWER: AR GL | A | 8040 | MR | 27-FEB-91 | MR | AS | 11 | |
| | NOTICE 1 | ASTM-D897-78 | ADHESIVE BONDS, TEST FOR TENSILE PROPERTIES - 31 MAR 78 [VALIDATION DATE: 9103] REVIEWER: 11 AR GL ME | A | 8040 | MR | 20-MAR-91 | MR | SH | 99 | |
| | | ASTM-D898-90 | ADHESIVE SOLIDS, DRIED, APPLIED PER UNIT AREA OF, TEST FOR - 30 MAR 90 USER: GL MI REVIEWER: 84 ME | A | 8040 | MR | 15-JUN-90 | MR | SH | 11 | |
| | | ASTM-D899-89 | ADHESIVE, LIQUID, TEST FOR APPLIED WEIGHT PER UNIT AREA OF - 24 FEB 89 REVIEWER: AR GL ME MI | A | 8040 | MR | 08-MAY-90 | MR | SH | 11 | |
| | NOTICE 1 | ASTM-D903-49R83 | ADHESIVE BONDS, TEST FOR PEEL OR STRIPPING STRENGTH OF - 01 DEC 65(REAPPROVED 1983) [VALIDATION DATE: 9006] USER: OS SA REVIEWER: 99 AR AS GL IS ME MI | A | 8040 | MR | 22-JUN-90 | MR | SH | 11 | |
| | | ASTM-D905-89 | ADHESIVE BOND, TEST FOR STRENGTH PROPERTIES OF, IN SHEAR BY COMPRESSION LOADING - 24 FEB 89 | A | 8040 | MR | 08-MAY-90 | MR | AS | 11 | |
| | NOTICE 2 | ASTM-D906-82 | STRENGTH PROPERTIES OF ADHESIVES IN PLYWOOD TYPE CONSTRUCTION IN SHEAR BY TENSION LOADING - 30 JUL 82 USER: OS SA REVIEWER: 99 AR AS GL IS ME MI | A | 8040 | MR | 27-OCT-88 | MR | SH | 11 | |
| | | ASTM-D909-67 | FUELS, AVIATION, KNOCK CHARACTERISTICS OF, BY THE SUPERCHARGE METHOD - 15 NOV 67 | A | 91GP | ME | 20-JUN-68 | ME | SH | 11 | |
| A | | ASTM-D910-83 | GASOLINES, AVIATION - 25 MAR 83 REVIEWER: PS ..... | A | 9130 | AS | 20-MAR-85 | MR | AS | 11 | |
| | | ASTM-D912-81 | PAINTS, ANTIFOULING, CUPROUS OXIDE FOR USE IN - 30 OCT 1981 ..... | A | 8010 | SH | 17-JUL-85 | ME | SH | 99 | |
| | NOTICE 1 | ASTM-D914-72R78 | ETHYLCELLULOSE, STANDARD METHODS OF TESTING - 1 MAY 72 [VALIDATION DATE: 8907] REVIEWER: AR GL GS MD ME | A | 6810 | EA | 12-JUL-89 | EA | SH | | |
| | | ASTM-D922-89 | NONRIGID VINYL CHLORIDE POLYMER TUBING - 30 JUN 1989 USER: 82 OS SH REVIEWER: 11 84 ER GL GS MD ME | A | 5970 | MR | 07-FEB-91 | MR | SH | 99 | |
| | | ASTM-D923-81 | ELECTRICAL INSULATING LIQUIDS, SAMPLING - 31 JUL 81 USER: AS REVIEWER: EC GS | A | 9160 | SH | 16-MAR-83 | | SH | 68 | |
| | | ASTM-D9248-82 | LIQUIDS, ELECTRICAL INSULATING, AC LOSS CHARACTERISTICS & RELATIVE PERMITTIVITY (DIELECTRIC CONSTANT) OF, STANDARD TEST METHOD FOR USER: OS REVIEWER: AR | A | 9150 | AS | 21-MAY-84 | ME | AS | | |
| A L | NOTICE 1 | ASTM-D926-92 | RUBBER PROPERTIES-PLASTICITY AND RECOVERY (PARALLEL PLATE METHOD) USER: AV GL MD ME REVIEWER: GS | A | 9320 * | MR | 11-SEP-92 | MR | | | |
| | NOTICE 1 | ASTM-D929-85 | BORAX ..... | A | 6810 * | ME | 27-JAN-92 | ME | SH | 68 | |
| | | ASTM-D936-83 | GASOLINES, OLEFIN FREE, BY SILICA GEL ABSORPTION, AROMATIC HYDROCARBONS - 28 OCT 83 REVIEWER: 68 AR AS | A | 91GP | ME | 24-APR-84 | ME | SH | 11 | |
| | | ASTM-D937-77 | PETROLATUM, CONE PENETRATION OF - 26 AUG 77 (REAPPROVED 82) [VALIDATION DATE: 8512] | A | 9150 | ME | 28-DEC-78 | ME | SH | 11 | |
| | | ASTM-D941-83 | LIQUIDS BY LIPKIN BICAPILLARY PYCNOMETER, DENSITY & RELATIVE DENSITY (SPECIFIC GRAVITY) OF - 28 NOV 83 REVIEWER: 68 AR AS | A | 91GP | ME | 24-APR-84 | ME | SH | 11 | |
| | | ASTM-D942-78 | GREASES, LUBRICATING, OXYGEN STABILITY OF, BY THE OXYGEN BOMB METHOD - 25 AUG 78 (REAPPROVED 1984) [VALIDATION DATE: 8512] | A | 9150 | ME | 28-DEC-78 | ME | SH | 11 | |
| A | NOTICE 1 | ASTM-D945-92 | RUBBER PROPERTIES IN COMPRESSION OR SHEAR (MECHANICAL OSCILLOGRAPH) USER: AV REVIEWER: 84 GL MI | A | 9320 * | MR | 11-SEP-92 | MR | SH | 99 | |
| D | NOTICE 2 | ASTM-D946-82 | PENETRATION-GRADED ASPHALT CEMENT FOR USE IN PAVEMENT CONSTRUCTION, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] USER: CE | A | 5610 * | YD1 | 02-MAR-92 | ME | YD1 | 99 | |
| | NOTICE 1 | ASTM-D950-82R87 | ADHESIVE BONDS, TEST FOR IMPACT STRENGTH OF - 26 NOV 88 [VALIDATION DATE: 9103] | A | 8040 | MR | 20-MAR-91 | MR | SH | 99 | |
| | | ASTM-D953-87 | PLASTICS, BEARING STRENGTH OF - 28 AUG. 1987 USER: AS EC REVIEWER: 99 AR AV ER GL GS ME | A | 9330 | MR | 21-SEP-89 | MR | SH | 11 | |
| D | NOTICE 1 | ASTM-D966-91 | TERMINOLOGY OF PACKAGING AND DISTRIBUTION ENVIRONMENTS USER: CT DM IP SS REVIEWER: 10 AR AS AT AV CR EA GL GS MC MI YD1 | A | PACK * | SH | 25-SEP-91 | SH | SA | 69 | DH |
| D | NOTICE 4 | ASTM-D968-81R91 | ABRASION RESISTANCE OF ORGANIC COATINGS BY THE FALLING ABRASIVE TESTER - 30 OCT 81 (REAPPROVED 91) [VALIDATION DATE: 9105] USER: YD1 | A | 8010 | MR | 07-MAY-91 | MR | SH | 99 | |
| | | ASTM-D971-82 | OIL AGAINST WATER BY THE RING METHOD, INTERFACIAL TENSION OF - 27 AUG 1982 REVIEWER: 68 AR AS OS | A | 91GP | ME | 06-J"-85 | ME | SH | | |
| | | ASTM-D972-56 | GREASES AND OILS, LUBRICATING, EVAPORATION LOSS OF - 10 SEPT 1956 (REAPPROVED 1981 [VALIDATION DATE: 8501] | A | 91GP | ME | 20-JUN-68 | ME | SH | 11 | |
| A | | ASTM-D974-80 | NUMBER, NEUTRALIZATION, BY COLOR-INDICATOR TITRATION - 29 AUG 1980 REVIEWER: 68 AR AS OS | A | 91GP | ME | 13-AUG-85 | ME | SH | 11 | |
| D | NOTICE 2 | ASTM-D977-86 | ASPHALT, EMULSIFIED, STANDARD SPECIFICATION FOR - 17 JUL 86 [VALIDATION DATE: 9107] | A | 5610 | YD1 | 25-JUL-91 | ME | YD1 | 99 | |
| D | | ASTM-D979-89 | PAVING MIXTURES, SAMPLING BITUMINOUS, STANDARD METHODS FOR - 24 JUL 89 USER: CE MC | A | 5610 | YD1 | 20-OCT-89 | ME | YD1 | 99 | |
| | | ASTM-D991-89 | RUBBER PROPERTY-VOLUME RESISTIVITY OF ELECTRICALLY CONDUCTIVE AND ANTISTATIC PRODUCTS- 31 MARCH 1989 USER: AR REVIEWER: AS AV GL IS | A | 9320 | MR | 07-AUG-89 | MR | SH | 99 | |
| | NOTICE 1 | ASTM-D992-71R78 | NITRATE ION IN WATER - 22 OCT 71 [VALIDATION DATE: 8703] ..... | A | 6810 | EA | 06-MAR-87 | EA | | 68 | |
| D | NOTICE 2 | ASTM-D994-71R82 | CONCRETE, PREFORMED EXPANSION JOINT FILLER FOR (BITUMINOUS TYPE) - 22 NOV 1971 [VALIDATION DATE: 9107] | A | 5610 | YD1 | 25-JUL-91 | | YD1 | | |
| D | | ASTM-D995-88 | MIXTURE, PAVING, STANDARD SPECIFICATION FOR MIXING PLANTS FOR HOT-MIXED, HOT-LAID BITUMINOUS PAVING MIXTURE - 9 FEBRUARY 1988 USER: CE MC | A | 5610 | YD1 | 31-JAN-89 | | YD1 | | |
| D | | ASTM-D996-90 | PACKAGING AND DISTRIBUTION ENVIRONMENTS TERMINOLOGY OF - 30 MAR 90 USER: CT DM IP SS REVIEWER: 10 AR AS AT AV CR EA GS MC YD1 | A | PACK | SH | 31-JUL-90 | SH | SA | 69 | DH |
| | NOTICE 1 | ASTM-D1002-72R83 | ADHESIVES, TEST FOR STRENGTH PROPERTIES OF, IN SHEAR BY TENSION LOADING (METAL TO METAL)- 28 JUL 72 (REAPPROVED 1983) [VALIDATION DATE: 9006] USER: OS SA REVIEWER: 99 AR GL IS ME MI | A | 8040 | MR | 22-JUN-90 | MR | AS | 11 | |
| | NOTICE 3 | ASTM-D1003-61R88 | PLASTIC, TRANSPARENT, HAZE & LUMINOUS TRANSMITTANCE OF - 18 SEP 1961 (REAPPROVED 1977) [VALIDATION DATE: 8902] REVIEWER: AR AS AT AV ER GS ME | A | 9330 | MR | 08-FEB-89 | MR | SH | 11 | |
| D | | ASTM-D1004-90 | FILM AND SHEETING, PLASTIC, INITIAL TEAR RESISTANCE OF - 30 MAR 1990 USER: GL YD1 REVIEWER: AR AT AV GS ME | A | 9330 | MR | 29-MAY-91 | MR | SH | 11 | |
| D | NOTICE 2 | ASTM-D1005-84R90 | FILM, DRY, THICKNESS OF ORGANIC COATINGS USING MICROMETERS, STANDARD TEST METHODS FOR MEASUREMENT OF - 31 AUG 1984 (REAPPROVED 1990) [VALIDATION DATE: 9102] USER: MC YD1 REVIEWER: 99 MD ME | A | 8010 | MR | 19-FEB-91 | MR | SH | | |
| A | NOTICE 1 | ASTM-D1006-92 | CONDUCTING EXTERIOR EXPOSURE TESTS OF PAINTS ON WOOD ..... | A | 8010 * | MR | 28-OCT-92 | MR | SH | 84 | |
| D | | ASTM-D1008-64R77 | CONTAINERS, SHIPPING, WATER VAPOR PERMEABILITY OF - 1 DEC 64 USER: AL CR EC REVIEWER: 99 AR ME MR OS SA SH YD1 | A | PACK | AS | 01-OCT-82 | SH | AS | 69 | |
| | | ASTM-D1013-88 | NITROGEN, TOTAL, IN RESINS & PLASTICS, DETERMINING STANDARD TEST METHOD FOR - 14 JUN 84 USER: ME SH REVIEWER: GS MD | A | 6810 | EA | 31-AUG-90 | EA | | | |
| D | NOTICE 1 | ASTM-D1014-83R88 | PAINTS ON STEEL, CONDUCTING EXTERIOR EXPOSURE TESTS OF - 28 NOV 83 (REAPPROVEDE 1988) [VALIDATION DATE: 9006] USER: AS OS SH YD1 REVIEWER: ME | A | 8010 | MR | 22-JUN-90 | MR | | 84 | |
| A L | NOTICE 1 | ASTM-D1018 | HYDROGEN IN PETROLEUM FRACTIONS, STANDARD TEST METHOD FOR ..... | A | 91GP * | PS | 13-JUN-92 | | | | PS |
| D | | ASTM-D1030-76 | PAPER & PAPERBOARD, FIBER ANALYSIS - 28 MAY 76 REVIEWER: 99 AR GL IS ME MI MR OS SA SH YD1 | A | 9310 | AS | 01-MAY-81 | SH | AS | 69 | |
| D | | ASTM-D1031-59R86 | WOOD BLOCK FLOORING FOR INTERIOR USE, CREOSOTED END- GRAIN - 10 SEPT 1959 REVIEWER: CS | A | 5510 | YD1 | 15-MAY-87 | ME | YD1 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Obsl / Obsl, Coordination Inactive | Document Number | Document Title | Doc Stmt FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-D1044-90 | PLASTICS, TRANSPARENT, RESISTANCE OF, TO SURFACE ABRASION - 30 MAR. 1990 USER: AS AT MI YD1 REVIEWER: 99 ER GL GS ME | A 9330 MR | 09-APR-91 MR | | | 11 | |
| D | | ASTM-D1048A-88 | RUBBER INSULATING BLANKETS, STANDARD SPECIFICATION FOR - 25 MAR 88AUG 1983 REVIEWER: SH | A 5970 YD1 | 31-JUL-89 ER | YD1 | 85 | | |
| D | | ASTM-D1049-83 | RUBBER INSULATING COVERS - 24 JUN 1983 REVIEWER: 99 GS | A 5970 YD1 | 30-APR-87 ER | YD1 | 85 | | |
| D | | ASTM-D1050-85 | RUBBER INSULATING LINE HOSE - 30 AUG 1985 REVIEWER: 80 99 GS | A 5970 YD1 | 17-AUG-87 ER | YD1 | 85 | | |
| D | | ASTM-D1052-85 | RUBBER DETERIORATION-CUT GROWTH USING ROSS FLEXING APPARATUS, STANDARD SPECIFICATION FOR MEASURING - 29 MAR 85 REVIEWER: 84 GS | A 9320 YD1 | 26-JUN-89 | YD1 | | | |
| D | | ASTM-D1053A-92 NOTICE 1 | RUBBER PROPERTY-STIFFENING AT LOW TEMPERATURES: FLEXIBLE POLYMERS AND COATED FABRICS USER: AS AT MI OS YD1 REVIEWER: AR AV ER GL GS | A 9320 MR | 10-MAR-93 MR | SH | 99 | | |
| D | | ASTM-D1055-90 | LATEX FOAM, FLEXIBLE CELLULAR MATERIALS - 27 APR. 1990 USER: OS YD1 REVIEWER: 82 AR AS AT AV GL GS ME | A 9320 MR | 25-FEB-91 MR | SH | 11 | | |
| D | | ASTM-D1056-85 | SPONGE OR EXPANDED RUBBER, FLEXIBLE CELLULAR MATERIALS - 27 SEP 85 USER: AS AV MC OS YD1 REVIEWER: 82 AT GL GS ME MI | A 9320 MR | 31-JAN-86 MR | SH | 99 | | |
| | | ASTM-D1062-78R83 | BONDS, ADHESIVE, CLEAVAGE STRENGTH OF METAL - 31 MAR 78 | A 8040 MR | 08-JUN-88 MR | AS | 11 | | |
| | | ASTM-D1064-58R75 NOTICE 1 | ROSIN, IRON IN STANDARD METHOD OF - 22 SEP 58 [VALIDATION DATE: 8907] REVIEWER: GL MD | A 6810 EA | 13-JUL-89 EA | OS | 68 | | |
| | | ASTM-D1067-88 | WATER, ACIDITY OR ALKALINITY OF - 19 AUG 1988 USER: 50 GL ME OS SH REVIEWER: GS MD | A 6810 EA | 13-NOV-90 EA | | 68 | | |
| | | ASTM-D1068-88 | IRON IN WATER STANDARD TEST METHODS FOR - 19 AUG 88 USER: OS SH REVIEWER: GL MD ME | A 6810 EA | 22-JUN-89 | | | | |
| D | | ASTM-D1073-88 | AGGREGATE, FINE, FOR BITUMINOUS PAVING MIXTURES - 26 FEB 1988 USER: CE MC . | A 5610 YD1 | 31-JAN-89 | | YD1 | 99 | |
| D | | ASTM-D1075-88 | MIXTURES, EFFECT OF WATER ON COHESION OF COMPACTED BITUMINOUS, STANARD TEST METHOD FOR | A 5610 YD1 | 06-JUN-89 ME | | YD1 | 99 | |
| | | ASTM-D1078-91 | DISTILLATION RANGE OF VOLATILE ORGANIC LIQUIDS - 15 MAY 1991 USER: AS OS SH REVIEWER: 99 EA ME | A 8010 MR | 22-JUL-91 MR | | | 11 | |
| | | ASTM-D1084-88 | ADHESIVES, VISCOSITY OF - 26 AUG 88 USER: OS SA REVIEWER: AR AS CS GL ME MI | A 8040 MR | 08-MAY-90 MR | SH | 11 | | |
| | | ASTM-D1085-65 | PETROLEUM & PETROLEUM PRODUCTS, GAGING - AUG 65 (REAPPROVED 84) [VALIDATION DATE: 8512] REVIEWER: 68 AR AS | A 91GP ME | 20-JUN-68 ME | SH | 11 | | |
| | | ASTM-D1086-64 | PETROLEUM & PETROLEUM PRODUCTS, MEASURING THE TEMPERATURE OF - AUG 64 (REAPPROVED 82) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS | A 91GP ME | 20-JUN-68 ME | SH | 11 | | |
| A | | ASTM-D1091-81 | OIL & ADDITIVES PHOSPHORUS IN LUBRICATING | A 91GP ME | 21-JUL-82 ME | SH | 11 | | |
| | | ASTM-D1092-76 | GREASES, LUBRICATING, APPARENT VISCOSITY - 27 AUG 76 (REAPPROVED 81) [VALIDATION DATE: 8512] | A 9150 ME | 28-DEC-78 ME | SH | 11 | | |
| | | ASTM-D1094-85 | FUELS, AVIATION WATER REACTION - 25 OCT 85 | A 6850 ME | 08-MAY-89 | | | | |
| D | | ASTM-D1098-61R73 | PAPERBOARD, CORRUGATED, STATIC BENDING TEST FOR - 1961 REVIEWER: 99 AR GL IS ME MI MR OS SA SH YD1 | A 9310 AS | 27-APR-81 SM | AS | 69 | | |
| | | ASTM-D1119-85 | ASH CONTENT OF ENGINE COOLANTS AND ANTIRUSTS - 25 JAN 1985 | A 6850 ME | 10-JUL-91 ME | SH | 68 | | |
| | | ASTM-D1120-89 | BOILING POINT OF ENGINE COOLANTS - 31 MAR 1989 | A 6850 ME | 10-JUL-91 ME | SH | 68 | | |
| | | ASTM-D1121-88 | RESERVE ALKALINITY OF ENGINE ANTIFREEZE, ANTIRUSTS, AND COOLANTS - 24 JUN 1988 | A 6850 ME | 10-JUL-91 ME | SH | 68 | | |
| | | ASTM-D1122A-90 | SPECIFIC GRAVITY OF ENGINE COOLANTS CONCENTRATES AND ENGINE COOLANTS BY THE HYDROMETER - 27 MAR 1990 | A 6850 ME | 10-JUL-91 ME | SH | 68 | | |
| | | ASTM-D1123-79 | WATER IN ENGINE COOLANT CONCENTRATE BY THE IODINE REAGENT METHOD - 27 JUL 79 USER: MC SH REVIEWER: AV | A 6850 AS | 04-DEC-80 EA | AS | 11 | | |
| | | ASTM-D1125-82 | WATER, ELECTRICAL CONDUCTIVITY & RESISTIVITY OF STANDARD TEST METHOD FOR - 29 OCT 82 REVIEWER: GL GS MD ME PS | A 6810 SH | 30-MAY-90 EA | SH | 68 | | |
| | | ASTM-D1126-86 | WATER, HARDNESS IN STANDARD TEST METHOD FOR - 29 AUG 86 REVIEWER: GL GS ME PS | A 6810 SH | 30-MAY-90 EA | SH | | | |
| | | ASTM-D1133-86 | KAURI-BUTANOL VALUE OF HYDROCARBON SOLVENTS - 25 MAY 90 | A 8010 MR | 21-AUG-90 MR | SH | 11 | | |
| | | ASTM-D1135-86R91 NOTICE 1 | PIGMENTS, BLUE, CHEMICAL ANALYSIS OF, STANDARD TEST METHODS FOR - 27 MAR 86 [VALIDATION DATE: 9105] | A 8010 MR | 07-MAY-91 MR | SH | 84 | | |
| D | | ASTM-D1139-83 NOTICE 2 | STONE, CRUSHED, CRUSHED SLAG, AND GRAVEL FOR SINGLE OR MULTIPLE BITUMINOUS SURFACE TREATMENTS - 29 APR 1983 USER: CE MC | A 5610 YD1 | 02-APR-90 | | YD1 | | |
| D | | ASTM-D1140-54R71 NOTICE 2 | SOILS, AMOUNT OF MATERIAL IN, FINER THAN THE NO. 200 SIEVE - 15 SEP 54 (REAPPROVED 71) [VALIDATION DATE: 8908] | A 5610 YD1 | 22-SEP-77 ME | YD1 | 99 | | |
| | | ASTM-D1141-86 | WATER, OCEAN, SUBSTITUTE, STANDARD SPECIFICATION FOR - 28 FEB 1986 REVIEWER: ME | A 6810 SH | 02-JUN-87 EA | SH | 68 | | |
| | | ASTM-D1142-63R75 | FUELS, GASEOUS, WATER VAPOR CONTENT OF, BY MEASUREMENT OF DEW POINT TEMPERATURE, STANDARD METHOD OF TEST FOR - 30 SEP 63 [VALIDATION DATE: 8502] | A 6830 68 | 02-APR-79 | | AS | 68 | |
| D | | ASTM-D1143-81R87 | PILES UNDER STATIC AXIAL COMPRESSIVE LOAD - 2 MAR 1981 (REAPPROVED 1987) .. | A FACR YD1 | 09-MAY-90 | | YD1 | | |
| | | ASTM-D1146-88 | LAYER, POTENTIALLY ADHESIVE, BLOCKING POINT OF - 26 AUG 1988 | A 8040 MR | 27-FEB-91 MR | SH | 11 | | |
| D | | ASTM-D1149-86 | RUBBER DETERIORATION SURFACE OZONE CRACKING IN A CHAMBER (FLAT SPECIMEN) .. | A 9320 YD1 | 15-JUN-89 ER | YD1 | 85 | | |
| | | ASTM-D1151-90 | ADHESIVE BONDS, EFFECT OF MOISTURE AND TEMPERATURE ON - 30 MAR 90 USER: ME REVIEWER: GL | A 8040 MR | 15-JUN-90 MR | AS | 11 | | |
| | | ASTM-D1153-87 | METHYL ISOBUTYL KETONE STANDARD SPECIFICATION FOR - 29 MAY 87 USER: AR AS MC REVIEWER: GL GS MD ME | A 6810 EA | 05-JUL-89 EA | | 68 | | |
| | | ASTM-D1159-84 | PETROLEUM DISTILLATES & COMMERCIAL ALIPHATIC OLEFINS BY ELECTROMETRIC TITRATION, BROMINE NUMBER OF - 26 OCT 84 REVIEWER: OS | A 9150 ME | 06-JAN-86 ME | SH | 11 | | |
| | | ASTM-D1160-87 | DISTILLATION OF PETROLEUM PRODUCTS AT REDUCED PRESSURE STANDART TEST METHOD FOR - 29 MAY 87 USER: AR ME REVIEWER: GL GS MD | A 6810 EA | 11-JUL-89 EA | SH | | | |
| D | | ASTM-D1175-80 | TEXTILE FABRICS, (OSCILLARTORY CYLINDER & UNIFORM ABRASION METHODS), ABRASION RESISTANCE OF - 3 MAY 80 [VALIDATION DATE: 8801] USER: AR OS SH REVIEWER: 99 GL ME MI MR SA YD1 | A PACK AS | 25-JAN-88 SM | AS | 69 | | |
| | | ASTM-D1176-71 | SAMPLING AND RE AROMG AQUEOUS SOLUTIONS OF ENGINE COOLANTS OR ANTI- RUSTS FOR TESTING PURPOSES - 19 MAY 1971 | A 6850 ME | 10-JUL-91 ME | SH | 68 | | |
| | | ASTM-D1177-88 | FREEZING POINT OF AQUEOUS ENGINE COOLANTS - 31 OCT 1988 | A 6850 ME | 10-JUL-91 ME | SH | 68 | | |
| | | ASTM-D1179-88 | WATER, FLUORIDE ION IN - 19 AUG 1988 USER: 50 REVIEWER: GL GS MD ME | A 6810 EA | 13-NOV-90 EA | | 68 | | |
| | | ASTM-D1183-70R87 | ADHESIVES, TEST FOR RESISTANCE OF, TO CYCLICLABORATORY AGING CONDITIONS (TENTATIVE) - 19 MAR 70 (REAPPROVED 1987) USER: GL MI REVIEWER: 99 ME | A 8040 MR | 27-OCT-72 MR | AS | 11 | | |
| | | ASTM-D1184-69R86 NOTICE 1 | ADHESIVE BONDS, TEST FOR STRENGTH OF, ON FLEXURAL LOADING - 9 MAY 69 (REAPPROVED 1986) [VALIDATION DATE: 9006] REVIEWER: 99 GL ME MI | A 8040 MR | 22-JUN-90 MR | SH | 11 | | |
| | | ASTM-D1186-87 | FILM DRY THICKNESS OF NONMAGNETIC COATING APPLIED TO A FERROUS BASE NONDESTRUCTIVE MEAS UREMENT STANDARD TEST METHODS FOR - 29 MAY 87 USER: ME REVIEWER: 84 | A 8010 MR | 18-MAY-89 MR | SH | 99 | | |
| D | | ASTM-D1188-89 | BITUMINOUS MIXTURES, COMPACTED, BULK SPECIFIC GRAVITY AND DENSITY OF, USING PARAFFIN-COATED SPECIMENS - 27 OCT 1989 USER: MC | A 5610 YD1 | 30-MAY-90 ME | YD1 | | | |
| D L | | ASTM-D1190-74R80 | CONCRETE JOINT SEALER, HOT-POURED ELASTIC TYPE, STANDARD SPECIFICATION FOR | A 8030 * YD1 | 17-SEP-91 | | YD1 | | |
| | | ASTM-D1193-77 | REAGENT WATER - 28 JAN 77 (REAPPROVED 1983) [VALIDATION DATE: 8512] REVIEWER: OS | A 6810 ME | 28-DEC-78 ME | SH | 11 | | |
| D | | ASTM-D1194-72R87 | SOIL, STATIC LOAD AND SPREAD FOOTINGS, BEARING CAPACITY OF - 13 MAR 1972 USER: MC REVIEWER: 84 | A 5610 YD1 | 21-FEB-90 ME | YD1 | 99 | | |
| | | ASTM-D1199-80 | PIGMENTS, CALCIUM CARBONATE - 28 NOV 1980 | A 8010 SH | 17-JUL-85 ME | SH | 99 | | |
| | | ASTM-D1200-88 | VISCOSITY BY FORD VISCOSITY CUP - 31 OCT 88 | A 8010 MR | 19-APR-90 MR | SH | 99 | | |
| D | | ASTM-D1203-89 | PLASTICS, USING ACTIVATED CARBON METHODS, VOLATILE LOSS FROM - 24 NOV 19 89 USER: AS AV OS YD1 REVIEWER: AT GL GS ME MI | A 9330 MR | 25-JUN-90 MR | SH | 11 | | |
| | | ASTM-D1204-84 NOTICE 1 | SHEETING, NONRIGID THERMOPLASTIC, OR FILM AT ELEVATED TEMPERATURE, LINEAR DIMENSIONAL CHANGES OF - 27 JAN 84 [VALIDATION DATE: 9006] USER: TE REVIEWER: AV SH | A 9330 MR | 22-JUN-90 MR | SH | 11 | | |
| | | ASTM-D1208-84R89 NOTICE 1 | PIGMENTS, COMMON PROPERTIES OF CERTAIN - 26 OCT 84 (REAPPROVED 1989) [VALIDATION DATE: 9006] | A 8010 MR | 22-JUN-90 MR | SH | 99 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-D1209-84R88 NOTICE 1 | LIQUIDS, (PLATINUM - COBALT SCALE), COLOR OFCLEAR - 27 APR 84 (REAPPROVED 1988) [VALIDATION DATE: 9006] | A | 8010 | | MR | 22-JUN-90 | MR | | | |
| | | ASTM-D1210-79R88 NOTICE 3 | FINENESS OF DISPERSIONOF PIGMENT-VEHICLE SYSTEMS - 30 NOV. 1979 (REAPPROVED 1988) [VALIDATION DATE: 9102] | A | 8010 | | MR | 19-FEB-91 | MR | SH | 11 | |
| D | | ASTM-D1227-87 NOTICE 2 | EMULSIFIED ASPHALT USED AS A PROTECTIVE COATING FOR ROOFING, STANDARD SPECIFICATION FOR USER: CE | A | 5650 | * | YD1 | 09-MAR-92 | ME | YD1 | 99 | |
| | | ASTM-D1229-87R92 NOTICE 2 | RUBBER PROPERTY-COMPRESSION SET AT LOW TEMPERATURES, STANDARD TEST METHOD FOR [VALIDATION DATE: 9204] | A | 9320 | * | MR | 17-APR-92 | MR | SH | 99 | |
| | | ASTM-D1238B-90 | THERMOPLASTICS BY EXTRUSIONS PLASTOMER, FLOW RATES OF - 26 OCT 1990 ..... | A | 9330 | | MR | 29-MAY-91 | MR | AS | 11 | |
| D | | ASTM-D1241-68R89 | SOIL - AGGREGATE SUBBASE, BASE AND SURFACE COURSES, MATERIALS FOR - 13 SEP 1968 USER: CE MC | A | 5610 | | YD1 | 26-SEP-89 | | YD1 | | |
| | | ASTM-D1242-87 | PLASTIC MATERIALS, TO ABRASION RESISTANCE OF USER: AS OS REVIEWER: AV ER GL GS MI | A | 9330 | | MR | 20-SEP-88 | MR | | 11 | |
| | | ASTM-D1246-88 | WATER, BROMINE ION IN - 19 AUG 1988 USER: 50 ME SH REVIEWER: GL GS MD ..... | A | 6810 | | EA | 14-NOV-90 | EA | | 68 | |
| D | | ASTM-D1248-84 | PLASTICS POLYETHYLENE MOLDING & EXTRUSION MATERIALS STANDARD SPECIFICATION FOR REVIEWER: 84 GS SH | A | 9330 | | YD1 | 14-JUL-88 | MR | YD1 | 99 | |
| | | ASTM-D1250-88 | PETROLEUM MEASUREMENT TABLES, STANDARD (VOLUME 8) - AUG 80 ..... | A | 91GP | | PS | 01-JUN-82 | ME | SH | 11 | |
| | | ASTM-D1252-88 | WATER CHEMICAL OXYGEN DEMAND (DICHROMATE OXYGEN DEMAND) OF STANDARD TEST METHOD FOR 29 JAN 88 USER: SH REVIEWER: GL GS MD ME | A | 6810 | | EA | 25-JUL-89 | | | | |
| | | ASTM-D1253-86 NOTICE 1 | CHLORINE IN WATER RESIDUAL USER: OS SH REVIEWER: GL GS MD ME ..... | A | 6810 | | EA | 01-FEB-86 | EA | | 68 | |
| D | | ASTM-D1259-85 | SOLUTIONS, RESIN, NONVOLATILE CONTENT OF, STANDARD TEST METHODS FOR - 29 NOV 85 REVIEWER: 84 GS SH | A | 8010 | | YD1 | 06-JUN-89 | MR | YD1 | 99 | |
| | | ASTM-D1261-55 | GREASE, EFFECT OF, ON COPPER - .2 SEP 55 (REAPPROVED 77) [VALIDATION DATE: 8501] REVIEWER: 68 AS | A | 91GP | | ME | 20-JUN-68 | ME | SH | 11 | |
| | | ASTM-D1263-61 | GREASE, AUTOMOTIVE WHEEL BEARING, LEAKAGE TENDENCIES OF - 18 SEP 61 (REAPPROVED 1981) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS | A | 91GP | | ME | 20-JUN-68 | ME | SH | 11 | |
| | | ASTM-D1264-73 | GREASES, LUBRICATING, WATER WASHOUT CHARACTERISTICS OF - 27 AUG 73 (REAPPROVED 82) [VALIDATION DATE: 8501] | A | 91GP | | ME | 20-DEC-74 | ME | SH | 11 | |
| | | ASTM-D1266-80 | PETROLEUM PRODUCTS, SULFUR IN (LAMP METHOD) - 29 AUG 1980 REVIEWER: OS .... | A | 91GP | | ME | 13-JUN-85 | ME | SH | 11 | |
| | | ASTM-D1272-56R81 | PENTACHLOROPHENOL - 10 SEP 56 USER: AR CG MC OS REVIEWER: GL ME ..... | A | 8030 | | MR | 01-MAY-81 | MR | | 99 | |
| | | ASTM-D1275-67 | OIL, ELECTRICAL INSULATING, CORROSIVE SULFUR IN - 24 MAY 67 (REAPPROVED 1981) [VALIDATION DATE: 8512] REVIEWER: 68 AR AS | A | 91GP | | ME | 20-JUN-68 | ME | SH | 11 | |
| | | ASTM-D1287-85 | COOLANTS, PH OF ENGINE ANTIFREEZES, ANTIRUST AND - 26 JUL 85 ..... | A | 6850 | | ME | 08-MAY-89 | | | | |
| | | ASTM-D1293-84 | WATER, PH OF - 26 OCT 1984 USER: AS OS REVIEWER: GL GS MD ME PS ..... | A | 6810 | | SH | 30-MAY-86 | EA | SH | 68 | |
| D | | ASTM-D1296-84R88 NOTICE 1 | SOLVENTS AND DILUENTS, VOLATILE, STANDARD TEST METHOD FOR ODOR OF - 14 NOV 1984 (REAPPROVED 1988) [VALIDATION DATE: 9006] USER: YD1 | A | 8010 | | MR | 22-JUN-90 | MR | SH | 99 | |
| | L | ASTM-D1298 NOTICE 1 | DENSITY, RELATIVE DENSITY (SPECIAL GRAVITY), OR API GRAVITY OF CRUDE PETROLEUM AND LIQUID PETROLEUM PRODUCTS BY HYDROMETER METHOD, STANDARD TEST METHOD FOR | A | 91GP | * | PS | 16-JAN-92 | | | | PS |
| | | ASTM-D1301-91 | CHEMICAL ANALYSIS OF WHITE LEAD PIGMENTS - 22 FEB 1991 ..... | A | 8010 | | MR | 29-APR-91 | MR | SH | 84 | |
| | | ASTM-D1303-55R79 | POLYMERS & COPOLYMERS, VINYL CHLORIDE, TOTAL CHLORINE IN - 12 SEP 55 ..... | A | 9330 | | MR | 30-MAR-82 | MR | | 11 | |
| | | ASTM-D1306-88 | PHTHALIC ANHYDRIDE CONTENT OF ALKYD RESINS & ESTERS CONTAINING OTHER DIBASIC ACIDS (GRAVIMETRIC) - 27 MAY 88 | A | 8010 | | MR | 15-MAR-90 | MR | SH | 11 | |
| D | | ASTM-D1308-87 | EFFECT OF HOUSEHOLD CHEMICALS ON CLEAR & PIGMENTED ORGANIC FINISHES - 29 MAY 1987 USER: AS ME YD1 | A | 8010 | | MR | 20-SEP-88 | MR | SH | 11 | |
| D | | ASTM-D1310-86 | LIQUIDS BY TAG OPEN-CUP APPARATUS FLASH POINT & FIRE POINT OF - 25 APR 87 USER: OS SH REVIEWER: AR GL IS MI SA YD1 | A | PACK | | AS | 20-JUN-88 | SH | AS | 99 | |
| | | ASTM-D1313-54 | OIL, MINERAL TRANSFORMER, SLUDGE FORMATION IN, BY PRESSURE OXIDATION BOMB - SEP 54 (REAPPROVED 81) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS | A | 91GP | | ME | 20-JUN-68 | ME | SH | 11 | |
| | | ASTM-D1319-83 | HYDROCARBON TYPES IN LIQUID PETROLEUM PRODUCTS BY FLUORESCENT INDICATOR ADSORPTION - 28 NOV 83 | A | 9150 | | ME | 24-APR-84 | ME | SH | 11 | |
| | | ASTM-D1322-75 | FUEL, AVIATION TURBINE, SMOKE POINT OF - 29 AUG 1975 (REAPPROVED 1980) [VALIDATION DATE: 8501] | A | 9150 | | ME | 28-DEC-78 | ME | SH | 11 | |
| D | | ASTM-D1327-86 NOTICE 2 | BITUMEN-SATURATED WOVEN BURLAP FABRICS USED IN ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] REVIEWER: CE | A | 5650 | * | YD1 | 10-MAR-92 | | YD1 | 99 | |
| D | | ASTM-D1330-85 | GASKET, RUBBER-SHEET, STANDARD SPECIFICATION FOR - 26 APR 85 ..... | A | 9320 | | YD1 | 20-NOV-87 | MR | YD1 | 99 | |
| D | | ASTM-D1335-67R72 NOTICE 2 | FLOOR COVERING, TUFT BIND OF PILE - 8 SEP 67 (REAPPROVED 72) (VALIDATE 2-90) [VALIDATION DATE: 9002] | A | 7220 | | YD1 | 07-FEB-90 | ME | YD1 | | |
| | | ASTM-D1339-84 | WATER, SULFITE ION IN - 27 JAN 1984 USER: OS SH REVIEWER: GL GS MD ..... | A | 6810 | | EA | 30-AUG-85 | EA | | | |
| | | ASTM-D1343-86R91 NOTICE 1 | VISCOSITY OF CELLULOSE DRIVATIVES BY BALL-DROP METHOD - 25 JUL 86 [VALIDATION DATE: 9105] | A | 8010 | | MR | 07-MAY-91 | MR | SH | 84 | |
| | | ASTM-D1349-87 NOTICE 2 | RUBBER-STANDARD TEMPERATURES FOR TESTING [VALIDATION DATE: 9206] USER: MC ME REVIEWER: AL AR EA GS MI | A | 9320 | * | MR | 05-JUN-92 | MR | | 11 | |
| A | | ASTM-D1353-92 NOTICE 1 | NONVOLATILE MATTER IN VOLATILE SOLVENTS FOR USE IN PAINT, VARNISH, LACQUER, RELATED PRODUCTS USER: AS OS REVIEWER: ME | A | 8010 | * | MR | 17-NOV-92 | MR | SH | 84 | |
| | | ASTM-D1363-88 | ACETONE AND METHANOL, PERMANGANATE TIME OF - 24 JUN 1988 USER: 50 OS SH REVIEWER: GL GS MD ME | A | 6810 | | EA | 14-NOV-90 | EA | | 68 | |
| | | ASTM-D1364-90 | WATER IN VOLATILE SOLVENTS (FISCHER REAGENT TITRATION METHOD) - 26 OCT 1990 USER: AS ME SH REVIEWER: AR | A | 8010 | | MR | 20-NOV-90 | MR | | 11 | |
| D | | ASTM-D1369-84R89 | BITUMINOUS SURFACE TREATMENTS, QUANTITIES OF MATERIALS FOR - 30 MAR 1984 [VALIDATION DATE: 9005] USER: MC | A | 5610 | | YD1 | 30-MAY-90 | ME | YD1 | 99 | |
| D | L | ASTM-D1394-76R91 NOTICE 3 | CHEMICAL ANALYSIS OF WHITE TITANIUM PIGMENTS [VALIDATION DATE: 9201] USER: OS REVIEWER: AS CR ER YD1 | A | 8010 | * | MR | 21-JAN-92 | MR | | | |
| M | | ASTM-D1397-93 NOTICE 1 | ALKYD RESINS AND RESIN SOLUTIONS, UNSAPONIFIABLE MATTER IN ..... | A | 8010 | | MR | 11-MAY-93 | MR | SH | 11 | |
| M | | ASTM-D1398-93 NOTICE 1 | ALKYD RESINS AND ALKYD RESIN SOLUTIONS, FATTY ACID CONTENT OF | A | 8010 | | MR | 11-MAY-91 | MR | SH | 99 | |
| | | ASTM-D1401-67R77 | EMULSION CHARACTERISTECS OF PETROLEUM OILS & SYNTHETIC FLUIDS - 15 NOV 67 (REAPPROVED 77) REVIEWER: AS GS | A | 9150 | | SH | 31-AUG-84 | ME | SH | 68 | |
| | | ASTM-D1403-83 | LUBRICATING GREASE, USING ONE - QUARTER & ONE - HALF SCALE CONE EQUIPMENT, CONE PENETRATION OF - 28 OCT 83 REVIEWER: 20 | A | 9150 | | AS | 22-OCT-84 | ME | AS | 68 | |
| | L | ASTM-D1405 NOTICE 1 | FUELS AVIATION, ESTIMATION OF NET HEAT OF COMBUSTION OF, STANDARD TEST METHOD FOR | A | 91GP | * | PS | 10-JAN-92 | | | | PS |
| | | ASTM-D1414-90 | RUBBER O- RINGS REVIEWER: AR ..... | A | 9320 | | MR | 25-FEB-91 | MR | SH | 99 | |
| | | ASTM-D1415-88 | RUBBER PROPERTY - INTERNATIONAL HARDNESS - 30 SEPT 1988 USER: AS MI REVIEWER: AT AV GS MC MD OS SH | A | 9320 | | MR | 12-APR-89 | MR | SH | 11 | |
| | | ASTM-D1416-89 | RUBBER FROM SYNTHETIC SOURCES-CHEMICAL ANALYSIS - 27 OCT. 1989 USER: ME REVIEWER: AT AV EA MD | A | 9320 | | MR | 10-JAN-90 | MR | | | |
| D | | ASTM-D1423-88 | YARNS, TWIST IN BY THE DIRECT-COUNTING METHOD STANDARD TEST METHOD FOR - 29 JUL 88 USER: AS OS SH REVIEWER: DP | A | 8310 | | YD1 | 18-FEB-89 | ME | YD1 | | |
| | | ASTM-D1424-83 | FABRIC, WOVEN, TERR RESISTANCE OF, BY FRILLING PENDLUM (ELEMENDORF) APPARATUS - 25 FEB 1983 | A | PACK | | AS | 20-JUN-88 | SH | AS | 99 | |
| | | ASTM-D1426-89 | WATER, AMMONIA NITROGEN IN - 27 JAN 1989 USER: 50 ME OS SH REVIEWER: GL GS MD | A | 6810 | | EA | 14-NOV-90 | EA | | 68 | |
| | | ASTM-D1428-82 | SODIUM & POTASSIUM IN WATER & WATER FORMED DEPOSITS BY FLAME PHOTOMETRY, STANDARD TEST METHODS FOR - 29 OCT 83 USER: OS SH REVIEWER: GL GS MD ME | A | 6810 | | EA | 13-SEP-85 | EA | | | |
| D | | ASTM-D1430A-91 NOTICE 1 | POLYCHLOROTRIFLUOROETHYLENE (PCTFE) PLASTICS USER: AS MS OS YD1 REVIEWER: AR EA ER GL GS MD ME | A | 9330 | * | MR | 04-OCT-91 | MR | SH | 11 | |
| A | L | ASTM-D1435-85 NOTICE 1 | PLASTICS, OUTDOOR WEATHERING OF [VALIDATION DATE: 9210] REVIEWER: AT ER GL MD ME | A | 9330 | * | MR | 22-OCT-92 | MR | | | |
| D | | ASTM-D1452-80 | SOIL, INVESTIGATION AND SAMPLING BY AUGER BORINGS - 12 JUN 1980 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 21-FEB-90 | ME | YD1 | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Obs / Ofst / Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-D1456-86R91 NOTICE 1 | RUBBER PROPERTY-ELONGATION AT SPECIFIC STRESS 16 OCT 87 USER: AT REVIEWER: AV ER GL GS | A | 9320 | | MR | 09-MAY-91 | MR | SH | 11 | |
| | | ASTM-D1457A-91 NOTICE 1 | POLYTETRAFLUOROETHYLENE (PTFE) MOLDING AND EXTRUSION MATERIALS USER: AR AS GL MC ME OS SH REVIEWER: AV EC GS MD | A | 9330 | * | MR | 04-OCT-91 | MR | | 11 | |
| D | | ASTM-D1461-85 | MIXTURES, BITUMINOUS PAVING, MOISTURE OR VOLATILE DISTILLATES IN, STANDARD TEST METHOD FOR - 25 OCT 1985 REVIEWER: MC | A | 5610 | | YD1 | 11-NOV-88 | ME | YD1 | 99 | |
| | | ASTM-D1463-81 | BIAXIALLY ORIENTED STYRENE PLASTICS SHEET - 26 JUN 81 | A | 9330 | | ER | 13-JAN-83 | ER | SH | | |
| | | ASTM-D1468-84 | TRICRESYL PHOSPHATE, VOLATILE MATTER IN, STANDARD TEST METHOD FOR - 27 APR 1984 USER: MC OS REVIEWER: GS MD SH | A | 6810 | | EA | 20-JUN-85 | EA | | | |
| | | ASTM-D1474-92 NOTICE 1 | INDENTATION HARDNESS OR ORGANIC COATINGS | A | 8010 | * | MR | 23-APR-92 | MR | SH | 84 | |
| D | | ASTM-D1475-90 | DENSITY OF PAINT, VARNISH, LACQUER, AND RELATED PRODUCTS - 26 OCT 1990 USER: YD1 | A | 8010 | | MR | 20-NOV-90 | MR | SH | 84 | |
| A | | ASTM-D1476-88R92 NOTICE 1 | HEPTANE MISCIBILITY OF LACQUER SOLVENTS | A | 8010 | * | MR | 17-NOV-92 | MR | SH | 99 | |
| A | | ASTM-D1478-80 | BALL BEARING GREASES, LOW TEMPERATURE TORQUE OF, STANDARD TEST METHOD FOR - 29 AUG 1980 USER: OS REVIEWER: 68 AS | A | 91GP | | ME | 17-JUN-85 | ME | SH | 11 | |
| | | ASTM-D1488-86 NOTICE 1 | ADHESIVES, AMLACEOUS MATTER IN - 31 JAN 1986 [VALIDATION DATE: 9106] | A | 8040 | | MR | 07-JUN-91 | MR | SH | 11 | |
| | | ASTM-D1489-89 | ADHESIVES, STANDARD TEST METHOD FOR NONVOLATILE CONTENT OF 28 APR 87 | A | 8040 | | MR | 02-DEC-87 | MR | AS | 99 | |
| | | ASTM-D1494-88 | PANEL, REINFORCED PLASTICS, DIFFUSE LIGHT TRANSMISSION FACTOR OF - 24 JUN 1988 USER: AR AS EC MC OS REVIEWER: AV GL MD | A | 9330 | | MR | 28-AUG-90 | MR | SH | 99 | |
| D | | ASTM-D1499-91 NOTICE 1 | OPERATING LIGHT- AND WATER-EXPOSURE APPARATUS (CARBON-ARC TYPE) FOR EXPOSURE OF PLASTICS USER: AR AS YD1 REVIEWER: GL GS | A | 9330 | * | MR | 27-FEB-92 | MR | | 11 | |
| | | ASTM-D1500-82 | PETROLEUM PRODUCTS (ASTM COLOR SCALE) ASTM COLOR OF, STANDARD TEST METHOD FOR - 27 AUG 1982 REVIEWER: OS | A | 91GP | | ME | 13-JUN-85 | ME | SH | 11 | |
| D | | ASTM-D1505-85R90 NOTICE 1 | DENSITY OF PLASTICS BY THE DENSITY-GRADIENT TECHNIQUE [VALIDATION DATE: 9110] USER: OS YD1 REVIEWER: AR AS AV CR GS ME | A | 9330 | * | MR | 04-OCT-91 | MR | SH | 11 | |
| | | ASTM-D1506-85 | CARBON BLACK - ASH CONTENT - 29 MAR 1985 REVIEWER: GL GS MD ME | A | 6810 | | EA | 30-JAN-86 | EA | OS | 68 | |
| | | ASTM-D1509-88 | CARBON BLACK - HEATING LOSS - 25 MAR 88 USER: OS REVIEWER: GL GS MD ME | A | 6810 | | EA | 08-FEB-90 | EA | | 68 | |
| | | ASTM-D1512-84 | CARBON BLACK - PH VALUE, STANDARD TEST METHODS FOR - 30 MAR 84 REVIEWER: GL GS MD | A | 6810 | | EA | 18-JUN-85 | EA | OS | | |
| D | | ASTM-D1525-91 NOTICE 1 | VISCAT SOFTENING TEMPERATURE OF PLASTICS USER: AS AT OS YD1 REVIEWER: 84 99 AR ER GL GS ME MI | A | 9330 | * | MR | 02-MAR-92 | MR | SH | 11 | |
| D | | ASTM-D1527-89 | PIPE, PLASTIC, ACRYLONITRILE-BUTADIENE-STYRENE (ABS) SCHEDULES 40 & 80, STANDARD SPECIFICATION FOR - 24 FEB 89 USER: CE MC | A | 4710 | | YD1 | 09-JUN-89 | ME | YD1 | 99 | |
| | | ASTM-D1531-90 | RELATIVE PERMITTIVITY (DIELECTRIC CONSTANT) & DISSIPATION FACTOR OF POLYETHYLENE BY LIQUID DISPLACEMENT PROCEDURE - MAY 90 REVIEWER: AR MI MR SA | A | PACK | | AS | 24-SEP-90 | SM | AS | 69 | |
| | | ASTM-D1533-88 | WATER IN INSULATING LIQUIDS (KARL FISCHER REACTION METHOD) STANDARD TEST METHODS FOR - 29 JUL 88 USER: AS SH REVIEWER: GS MD ME | A | 6810 | | EA | 11-AUG-89 | | EA | | |
| M | | ASTM-D1542-60R93 NOTICE 1 | ROSIN IN VARNISHES, QUALITATIVE DETECTION OF USER: YD1 | A | 8010 | | MR | 11-MAY-93 | MR | SH | 84 | |
| D | | ASTM-D1544-80R89 | TRANSPARENT LIQUID, COLOR OF (GARDNER COLOR SCALE) - 10 MAR 80 USER: YD1 | A | 8010 | | MR | 15-MAR-90 | MR | SH | 84 | |
| M | | ASTM-D1545-89R93 NOTICE 1 | LIQUID, VISCOSITY OF TRANSPARENT BY BUBBLE TIME METHOD USER: YD1 | A | 8010 | | MR | 11-MAY-93 | MR | SH | 11 | |
| D | | ASTM-D1547-81 NOTICE 1 | EXTRUDED ACRYLIC PLASTIC SHEET - 26 JUN 81 [VALIDATION DATE: 8903] | A | 9330 | | YD1 | 20-MAR-89 | MR | YD1 | | |
| | | ASTM-D1548-83 | VANADIUM IN WAVY SPECIAL FUEL OIL - 28 NOV 83 REVIEWER: 68 AR AS | A | 91GP | | ME | 24-APR-84 | ME | SH | 11 | |
| | | ASTM-D1552-83 | PETROLEUM PRODUCTS (HIGH TEMPERATURE METHOD), SULFUR IN - NOV 83 REVIEWER: 68 AR AS | A | 91GP | | ME | 24-APR-84 | ME | SH | 11 | |
| | | ASTM-D1555-83 | HYDROCARBONS, INDUSTRIAL AROMATIC, CALCULATION OF VOLUME & WEIGHT OF, STANDARD METHOD FOR - 25 MAR 83 USER: AS REVIEWER: GL GS MD ME | A | 6810 | | EA | 03-DEC-85 | EA | SH | | |
| D | | ASTM-D1556-90 | SOIL IN PLACE BY THE SAND-CONE METHOD, DENSITY OF - 29 JUN 1990 USER: MC REVIEWER: 71 82 | A | 5610 | | YD1 | 24-SEP-91 | CE | YD1 | 99 | |
| D | | ASTM-D1557-78 | SOIL & SOIL AGGREGATE MIXTURES USING 10 LB (4.54 KG) RAMMER & 18 IN. (457 MM) DROP, MOISTURE DENSITY RELATIONS OF - 27 APR 78 USER: CE MC REVIEWER: 71 82 | A | 5610 | | YD1 | 26-SEP-89 | ME | YD1 | 99 | |
| D | | ASTM-D1559-89 | RESISTANCE TO PLASTIC FLOW OF BITUMINOUS MIXTURES USING MARSHALL APPARATUS - 18 OCT 1989 | A | 5610 | | YD1 | 09-FEB-90 | | YD1 | 99 | |
| | | ASTM-D1562-82R89 NOTICE 3 | CELLULOSE PROPIONATE MOLDING & EXTRUSION COMPOUNDS - 30 JUL 82 (REAPPROVED 1989) [VALIDATION DATE: 9105] USER: GL REVIEWER: 99 MD | \ | 9330 | | MR | 20-MAY-91 | MR | | 11 | GS |
| | | ASTM-D1565-81R86 NOTICE 3 | FLEXIBLE CELLULAR MATERIALS - VINYL CHLORIDE POLYMERS & COPOLYMERS (OPEN CELL FOAM) - 27 NOV 81 [VALIDATION DATE: 9102] | A | 9320 | | MR | 12-FEB-91 | MR | SH | | |
| | | ASTM-D1579-86 NOTICE 1 | ADHESIVES, PHENOL, RESORCINOL, & MELAMINE, FILLER CONTENT OF - 31 JAN 1986 [VALIDATION DATE: 9106] | A | 8040 | | MR | 07-JUN-91 | MR | SH | 11 | |
| A | | ASTM-D1583-91 | HYDROGEN ION CONCENTRATION OF DRY ADHESIVE FILMS, STANDARD TEST METHOD FOR | A | 8040 | * | MR | 26-JUN-92 | MR | SH | 11 | |
| D | | ASTM-D1586-84 NOTICE 2 | SOILS, PENETRATION TEST & SPLIT - BARREL SAMPLING OF - 11 SEP 84 [VALIDATION DATE: 8908] USER: CG | A | 5610 | | YD1 | 30-AUG-89 | | YD1 | 99 | |
| D | | ASTM-D1587-83 NOTICE 1 | SOILS, THIN WALLED TUBE SAMPLING OF, STANDARD PRACTICE FOR - 17 AUG 83 USER: CG | A | 5610 | | YD1 | 31-DEC-88 | | YD1 | 99 | |
| D | | ASTM-D1598-86R91 NOTICE 1 | PIPE, PLASTIC, UNDER CONSTANT INTERNAL PRESSURE, TIME-TO-FAILURE OF, STANDARD TEST METHOD FOR USER: SH REVIEWER: CS MR | A | 4710 | * | YD1 | 03-AUG-92 | ME | YD1 | 99 | |
| D | | ASTM-D1599-88 | PIPE, TUBING, PLASTIC, & FITTINGS, SHORT TIME HYDRAULIC FAILURE STANDARD TEST METHOD FOR - 25 MAR 88 USER: AS REVIEWER: AR AT CS ER GL ME SH | A | 4710 | | YD1 | 18-DEC-88 | MR | YD1 | 11 | |
| D | | ASTM-D1600A-91 NOTICE 1 | PLASTICS, ABBREVIATED TERMS RELATING TO, STANDARD TERMINOLOGY FOR USER: AS MC OS SH REVIEWER: 19 99 AR AT AV GL GS MD ME MI | A | 9330 | * | MR | 02-MAR-92 | MR | YD1 | 11 | |
| | | ASTM-D1607-76 | NITROGEN DIOXIDE CONTENT OF THE ATMOSPHERE (GRIESS-SALTZMAN REACTION) - 11 JUN 76 | A | 6630 | | EA | 28-NOV-79 | EA | MS | 99 | |
| | | ASTM-D1608-77 NOTICE 1 | OXIDES OF NITROGEN IN GASEOUS COMBUSTION PRODUCTS (PHENOL DISULFONIC ACID PROCEDURES) - 29 APR 77 [VALIDATION DATE: 8805] REVIEWER: MD ME | A | 6810 | | EA | 27-MAY-88 | EA | SH | 68 | |
| | | ASTM-D1613-91 | ACIDITY IN VOLATILE SOLVENTS AND CHEMICAL INTERMEDIATES USED IN PAINT, VARNISH, LACQUER, AND RELATED PRODUCTS - 15 MAY 1991 | A | 8010 | | MR | 22-JUL-91 | MR | SH | 99 | |
| | | ASTM-D1614-87 | ALKALINITY IN ACETONE, STANDARD TEST METHOD FOR - 27 NOV 87 USER: AS SH REVIEWER: GS MD ME | A | 6810 | | EA | 16-AUG-89 | EA | | 68 | |
| | | ASTM-D1617-85 | SOLVENT & THINNERS ESTER VALUE OF - 25 JAN 85 USER: MC OS SH REVIEWER: GL GS MD ME | A | 6810 | | EA | 04-AUG-88 | EA | | 68 | |
| | | ASTM-D1619-88 | CARBON BLACK SULFUR CONTENT STANDARD TEST METHOD FOR - 30 OCT 88 USER: OS REVIEWER: GL GS MD | A | 6810 | | EA | 19-JUN-90 | EA | | | |
| D | | ASTM-D1621-73R79 NOTICE 1 | PLASTICS, RIGID CELLULAR, COMPRESSIVE PROPERTIES OF - 29 JAN 73 (REAPPROVED 1979) [VALIDATION DATE: 9006] USER: AS OS YD1 REVIEWER: AR AT ER GL GS ME | A | 9330 | | MR | 22-JUN-90 | MR | SH | 11 | |
| D | | ASTM-D1622-83 | PLASTICS, RIGID CELLULAR, APPARENT DENSITY OF, STANDARD TEST METHOD FOR - 29 JUL 83 USER: AS EC OS SH YD1 REVIEWER: AR AT AV ER GL GS | A | 9330 | | MR | 27-JUL-84 | MR | | 11 | |
| D | | ASTM-D1623-78 NOTICE 2 | PLASTICS, RIGID CELLULAR, TENSILE AND TENSILE ADHESION PROPERTIES OF, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9201] | A | 9330 | * | YD1 | 13-JAN-92 | CE | YD1 | 99 | |
| D | | ASTM-D1625-71R86 | ARSENATE, CHROMATED COPPER - 24 FEB 71 (REAPPROVED 86) | A | 8030 | | YD1 | 17-AUG-87 | ME | YD1 | 99 | |
| | | ASTM-D1630-83 NOTICE 1 | RUBBER PROPERTY ABRASION RESISTANCE (NBS ABRADER) - 29 JUL 83 [VALIDATION DATE: 9006] USER: ME REVIEWER: 82 AT AV GL GS | A | 9320 | | MR | 22-JUN-90 | MR | | 99 | |
| D | | ASTM-D1632-87 | MAKING AND CURING SOIL-CEMENT COMPRESSION AND FLEXURE TEST SPECIMENS IN THE LABORATORY - 23 OCT 1987 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 27-FEB-90 | ME | YD1 | 99 | |
| D | | ASTM-D1633-84R90 NOTICE 1 | SOIL-CEMENT CYLINDERS, COMPRESSIVE STRENGTH OF MOLDED, STANDARD TEST METHOD FOR USER: CE MC | A | 5610 | * | YD1 | 31-OCT-91 | ME | YD1 | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Obslt. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-D1639-90 | ACID VALUE OF ORGANIC COATING MATERIALS - 26 OCT 1990 USER: AS OS SH YD1 REVIEWER: 84 GL ME | A | 8010 MR | 20-NOV-90 MR | | 99 | | |
| D | | ASTM-D1640-69R84 | ORGANIC COATING, DRYING, CURING, OR FILM FORMATION OF AT ROOM TEMPERATURE - 3 OCT 69 USER: YD1 | A | 8010 AS | 07-DEC-82 ME | | 11 | | |
| N | | ASTM-D1642-93 NOTICE 1 | ELASTICITY OR TOUGHNESS OF VARNISHES USER: YD1 ..... | A | 8010 MR | 11-MAY-93 MR | SH | 99 | | |
| D | | ASTM-D1644-88 | VARNISHES, NON VOLATILE CONTENT OF - 31 OCT 88 USER: YD1 ..... | A | 8010 MR | 19-APR-90 MR | SH | 84 | | |
| | | ASTM-D1646-80 | RUBBER FROM NATURAL OR SYNTHETIC SOURCES-VISCOSITY & VULCANIZATION CHARACTERISTICS (MOONEY VISCUMETER) MAR 80 [VALIDATION DATE: 8503] USER: MC ME SH REVIEWER: MI | A | 9320 AT | 30-MAY-80 AT | | | | |
| | | ASTM-D1652-90 NOTICE 1 | EPOXY CONTENT OF EPOXY RESINS ..... | A | 8010 * MR | 13-FEB-92 MR | SH | 84 | | |
| | | ASTM-D1653A-91 NOTICE 1 | WATER VAPOR TRANSMISSION OF ORGANIC COATING FILMS ..... | A | 8010 * MR | 06-NOV-91 MR | SH | 84 | | |
| D | | ASTM-D1654A-79R84 NOTICE 1 | SPECIMEN, PAINTED OR COATED, SUBJECTED TO CORROSIVE ENVIRONMENTS, STANDARD EVALUATION OF - 3 DEC 79 (REAPPROVED 84) [VALIDATION DATE: 8906] USER: OS SH REVIEWER: MR | A | 8010 YD1 | 21-JUN-89 ME | YD1 | | | |
| | | ASTM-D1660-72 | FUELS, AVIATION TURBINE, THERMAL STABILITY OF - 29 AUG 72 (REAPPROVED 1982) [VALIDATION DATE: 8501] | A | 91GP ME | 20-DEC-74 ME | SH | 11 | | |
| D | | ASTM-D1664-80R85 NOTICE 2 | BITUMEN AGGREGATE MIXTURE, COATING & STRIPPING OF - 31 OCT 80 (REAPPROVED 1985) [VALIDATION DATE: 9107] | A | 5610 YD1 | 25-JUL-91 CE | YD1 | 11 | | |
| D | | ASTM-D1667-76R90 NOTICE 1 | VINYL CHLORIDE POLYMERS AND COPOLYMERS (CLOSED-CELL ORM), FLEXIBLE CELLULAR MATERIALS, STANDARD SPECIFICATION FOR | A | 9320 YD1 | 08-MAR-93 CE | YD1 | 99 | | |
| D | | ASTM-D1668-86 NOTICE 2 | GLASS FABRICS (WOVEN AND TREATED) FOR ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] | A | 5650 * YD1 | 10-MAR-92 ME | YD1 | 99 | | |
| | | ASTM-D1672-66R71 | POLYMERIC MATERIALS TO HIGH ENERGY RADIATION, EXPOSURE OF - 20 SEP 66 USER: AS SH REVIEWER: AT GL GS MD ME MI | A | 9330 MR | 17-MAR-83 MR | | | | |
| | | ASTM-D1675-91 NOTICE 1 | POLYTETRAFLUOROETHYLENE TUBING USER: AS MC REVIEWER: AT AV GL GS MD ME MI . | A | 9330 * MR | 27-FEB-92 MR | | 11 | | |
| | | ASTM-D1687-86 | CHROMIUM IN WATER, STANDARD TEST METHODS FOR- 25 APR 86 REVIEWER: GS MD ME | A | 6810 EA | 31-AUG-88 EA | | | | |
| | | ASTM-D1691-88 | ZINC IN WATER STANDARD TEST METHOD FOR - 19 AUG 88 USER: ME SH REVIEWER: GS MD | A | 6810 EA | 05-SEP-90 EA | | | | |
| D | | ASTM-D1693-70R75 NOTICE 1 | ENVIRONMENTAL STRESS CRACKING OF ETHYLENE PLASTICS - 22 JAN 70 (REAPPROVED 1980) [VALIDATION DATE: 9103] USER: AS YD1 REVIEWER: AR AT EA GL GS ME | A | 9330 MR | 29-MAR-91 MR | SH | 11 | | |
| | | ASTM-D1704-78 NOTICE 1 | PARTICULATE MATTER IN THE ATMOSPHERE (OPTICAL DENSITY OF FILTERED DEPOSIT - 27 JAN 78 [VALIDATION DATE: 8703] REVIEWER: GL GS MD ME | A | 6810 EA | 06-MAR-87 EA | SH | 68 | | |
| D | | ASTM-D1708-84 NOTICE 1 | PLASTICS BY USE OF MICROTENSILE SPECIMENS, TENSILE PROPERTIES OF, STANDARD TEST METHOD FOR - 27 JUL 84 [VALIDATION DATE: 9006] USER: AR MI OS YD1 REVIEWER: AS AT AV GS ME | A | 9330 MR | 22-JUN-90 MR | SH | 99 | | |
| | | ASTM-D1710A-91 NOTICE 1 | POLYTETRAFLUOROETHYLENE (PTFE) BASIC SHAPES, ROD, AND HEAVY-WALLED TUBING USER: AR REVIEWER: AV GS MC ME MI | A | 9330 * MR | 11-OCT-91 MR | AS | | | |
| | | ASTM-D1718-82 | ISOBUTYL ACETATE (950/0 GRADE - 31 JAN 82 REVIEWER: GS ..... | A | 6810 AS | 10-FEB-86 | AS | | | |
| | | ASTM-D1719-81 | ISOBUTYL ALCOHOL - 30 OCT 81 REVIEWER: GS ..... | A | 6810 AS | 10-FEB-86 | AS | | | |
| | | ASTM-D1720-88 | CELLULOSE NITRATE SOLUTIONS DILUTION RATIO OF ACTIVE SOLVENTS IN - 25 MAR 1988 | A | 8010 MR | 23-JUN-88 MR | SH | 11 | | |
| | | ASTM-D1722-86 | WATER MISCIBILITY OF WATER SOLUBLE SOLVENTS - 25 APR 1986 USER: MC SH REVIEWER: GS MD ME | A | 6810 EA | 20-SEP-88 EA | | | | |
| D | | ASTM-D1729-89 | VISUAL EVALUATION OF COLOR DIFFERENCES OF OPAQUE MATERIALS - 27 OCT 89 USER: YD1 | A | 8010 EA | 12-FEB-90 MR | SH | 99 | | |
| | | ASTM-D1732-67R84 | PREPERATION OF MAGNESIUM ALLOY SURFACES FOR PAINTING - 8 SEP 67 (REAPPROVED 1984) [VALIDATION DATE: 8911] USER: ME OS REVIEWER: AR AS ER | A | 8010 MR | 07-NOV-89 MR | SH | | | |
| D | | ASTM-D1734-63R89 NOTICE 1 | MAKING + PREPARING CONCRETE + MASONRY PANELS FOR TESTING PAINT FINISHES - 30 SEP 63 (REAPPROVED 1989) [VALIDATION DATE: 9006] USER: CG YD1 REVIEWER: AS ER ME OS | A | 8010 MR | 22-JUN-90 MR | SH | | | |
| | | ASTM-D1740-75 | FUELS, AVIATION TURBINE, LUMINOMETER NUMBERSOF - 29 AUG 75 (REAPPROVED 80) [VALIDATION DATE: 8501] | A | 9150 ME | 28-DEC-78 ME | SH | 11 | | |
| | | ASTM-D1742-83 | OIL SEPARATION FROM LUBRICATING GREASE DURING STORAGE - 28 OCT 83 REVIEWER: 68 AR AS | A | 91GP ME | 24-APR-84 ME | SH | 11 | | |
| | | ASTM-D1743-73 | GREASES, LUBRICATING, RUST PREVENTIVE PROPERTIES OF - 27 AUG 73 (REAPPROVED 1981) [VALIDATION DATE: 8501] | A | 91GP ME | 20-DEC-74 ME | SH | 11 | | |
| | | ASTM-D1744-83 | PETROLEUM PRODUCTS, LIQUID, WATER IN, BY KARL FISCHER REAGENT - 28 NOV 83 REVIEWER: 68 AR AS | A | 91GP ME | 24-APR-84 ME | SH | 11 | | |
| D | | ASTM-D1746-70R88 NOTICE 1 | SHEETING, PLASTIC, TRANSPARENCY OF - 22 JAN 70 (REAPPROVED 1988) [VALIDATION DATE: 9006] USER: YD1 REVIEWER: AR AS AT ER GL GS ME | A | 9330 MR | 22-JUN-90 MR | SH | 11 | | |
| | | ASTM-D1747-62R78 | VISCOUS MATERIALS, REFRACTIVE INDEX OF, STANDARD TEST METHOD FOR -28 SEP 62 USER: MC | A | 9150 AS | 21-MAY-84 | AS | | | |
| | | ASTM-D1748-83 | RUST PROTECTION BY METAL PRESERVATIVES IN THE HUMIDITY CABINET, STANDARD TEST METHOD FOR - 29 JULY 1983 REVIEWER: OS | A | 91GP ME | 13-JUN-85 ME | SH | 11 | | |
| D | | ASTM-D1751-83 NOTICE 1 | JOINT FILLER FOR CONCRETE PAVING AND STRUCTURAL CONSTRUCTION (NONEXTRUDING AND RESILIENT BITUMINOUS TYPES) PREFORMED EXPANSION FOR - 30 SEPT 1983 [VALIDATION DATE: 8905] USER: CE | A | 5610 YD1 | 10-MAY-98 | YD1 | | | |
| D | | ASTM-D1752-84 NOTICE 1 | JOINT FILLER, PREFORMED SPONGE RUBBER & CORK EXPANSION, FOR CONCRETE PAVING & STRUCTURAL CONSTRUCTION, STANDARD SPEC. FOR - 1 MAR 84 [VALIDATION DATE: 8905] USER: CE | A | 5610 YD1 | 10-MAY-89 | YD1 | | | |
| D | | ASTM-D1763-88 | RESINS, EPOXY, STANDARD SPECIFICATION FOR - 25 MAR 88 USER: 84 GS SH REVIEWER: AR AT CS ER GL ME | A | 9330 YD1 | 05-JUN-89 MR | YD1 | 11 | | |
| D | | ASTM-D1779-65R83 | ADHESIVE FOR ACOUSTICAL MATERIALS STANDARD SPECIFICATION FOR - 26 OCT 65 USER: MC REVIEWER: AS ME | A | 8040 YD1 | 26-APR-89 MR | YD1 | | | |
| | | ASTM-D1780-72R83 NOTICE 1 | ADHESIVES, METAL TO METAL, CONDUCTING CREEP TESTS OF - 28 JUL 72 (REAPPROVED 1983) [VALIDATION DATE: 9006] USER: OS SA REVIEWER: 99 AR AS GL IS ME MI | A | 8040 MR | 22-JUN-90 MR | SH | 11 | | |
| | | ASTM-D1781-76R86 NOTICE 1 | ADHESIVE, CLIMBING DRUM PEEL TEST FOR - 27 AUG 76 (REAPPROVED 1986) [VALIDATION DATE: 9006] | A | 8040 MR | 22-JUN-90 MR | SH | 11 | | |
| | | ASTM-D1783-87 | WATER, PHENOLIC COMPOUNDS IN STANDARD TEST METHOD FOR - 29 MAY 87 REVIEWER: GL GS ME | A | 6810 EA | 07-SEP-89 EA | 68 | 68 | | |
| D | | ASTM-D1784-81 NOTICE 1 | RIGID POLY(VINYL CHLORIDE) (PVC) COMPOUNDS & CHLORINATED POLY(VINYL CHLORINE) (CPVC) COMPOUNDS - 26 JUN 81 [VALIDATION DATE: 8706] USER: AS OS SH REVIEWER: GS MD ME | A | 9330 YD1 | 05-JUN-87 MR | YD1 | | | |
| D | | ASTM-D1785-89 | PIPE, PLASTIC, POLY(VINYL CHLORIDE) (PVC) SCHEDULES 40, 80, & 120 STANDARD SPECIFICATION FOR - 24 FEB 89 | A | 4710 YD1 | 06-JUN-89 ME | YD1 | 99 | | |
| D | | ASTM-D1790-83 | BRITTLENESS TEMPERATURE OF PLASTIC SHEETING BY IMPACT, STANDARD TEST METHOD FOR - 28 NOV 83 REVIEWER: 84 GS SH | A | 9330 YD1 | 15-JUN-89 MR | YD1 | 99 | | |
| | | ASTM-D1796-83 | FUEL OILS BY THE CENTRIFUGE METHOD (LABORATORY PROCEDURE), WATER & SEDIMENT IN - 25 MAR 83 REVIEWER: OS | A | 91GP ME | 13-JUN-85 ME | SH | 11 | | |
| | | ASTM-D1824-89 | VISCOSITY OF PLASTISOLS AND ORGANOSOLS AT LOW SHEAR RATES BY BROOKFIELD VISCOMETER APPARENT STANDARD TEST METHOD FOR 25 SEP 87 USER: SH REVIEWER: 82 AR CS GS MD | A | 4710 EA | 11-SEP-89 ME | | 99 | | |
| | | ASTM-D1831-64R88 | GREASE, LUBRICATING, ROLL STABILITY - 31 AUG 64 USER: AS ..... | A | 9150 ME | 07-DEC-83 ME | | 68 | | |
| A | | ASTM-D1840-81 | FUEL AVIATION TURBINE BY ULTRAVIOLET SPECTROPHOTOMETRY, NAPTHALENE HYDROCARBONS IN - 28 AUG 81 REVIEWER: SH | A | 91GP ME | 21-JUL-82 ME | AS | 11 | | |
| | | ASTM-D1849-80 NOTICE 2 | PACKAGE STABILITY OF PAINT - 1 AUG 80 [VALIDATION DATE: 8803] ..... | A | 8010 MR | 14-MAR-88 MR | SH | 11 | | |
| A L | | ASTM-D1857 NOTICE 1 | COAL AND COKE ASH, FUSIBILITY OF, STANDARD TEST METHOD FOR ..... | A | 9110 * PS | 08-FEB-93 | | | | PS |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Obsl / Obsl Cancellation Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-D1861-88 | PIPE, HOMOGENEOUS BITUMINIZED FIBER DRAIN AND SEWER, STANDARD SPECIFICATION FOR - 01 FEB 88 USER: CE MC | A 5630 | YD1 | 17-NOV-88 | ME | YD1 | | |
| D | | ASTM-D1863-86 NOTICE 2 | MINERAL AGGREGATE USED ON BUILT-UP ROOFS, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] REVIEWER: CE MC | A 5610 * | YD1 | 10-MAR-92 | | YD1 | 99 | |
| D | | ASTM-D1864-89 NOTICE 1 | MOISTURE IN MINERAL AGGREGATE USED ON BUILT-UP ROOFS ..... | A 5610 | YD1 | 20-APR-93 | ME | YD1 | 99 | |
| D | | ASTM-D1869-78R89 NOTICE 1 | RINGS, RUBBER, FOR ASBESTOS CEMENT PIPE - 28 APR 78 R89 [VALIDATION DATE: 9102] REVIEWER: IS SH | A 5330 | YD1 | 14-FEB-91 | MR | YD1 | 99 | |
| | | ASTM-D1870-91 NOTICE 1 | ELEVATED TEMPERATURE AGING USING A TUBULAR OVEN USER: GS REVIEWER: AR AS AV GL MD ME | A 9320 * | MR | 12-MAY-92 | MR | | 11 | |
| | | ASTM-D1875-69R80 NOTICE 1 | ADHESIVES, TEST FOR DENSITY OF, IN FLUID FORM (TENTATIVE) - 9 MAY 69 (REAPPROVED 1980) [VALIDATION DATE: 9006] USER: GL MI SH REVIEWER: 99 ME | A 8040 | MR | 22-JUN-90 | MR | AS | 11 | |
| | | ASTM-D1876-72R83 NOTICE 1 | ADHESIVES, TEST FOR PEEL RESISTANCE OF, (T-PEEL TEST) (TENTATIVE) - 28 JUL 72 (REAPPROVED 1983) [VALIDATION DATE: 9102] USER: GL MI SH REVIEWER: 84 ME | A 8010 | MR | 04-FEB-91 | MR | AS | 11 | |
| | | ASTM-D1881-86R91 | FOAMING TENDENCIES OF ENGINE COOLANTS IN GLASSWARE - 9 JUN 1986 ..... | A 6850 | ME | 10-JUL-91 | ME | SH | 68 | |
| D | | ASTM-D1883-87 | SOIL, LABORATORY COMPACTED, BEARING RATIO USER: CG ..... | A 5610 | YD1 | 09-SEP-88 | | YD1 | 99 | |
| | | ASTM-D1889-88 | WATER, TURBIDITY OF - 24 JUN 1988 USER: 50 ME OS SH REVIEWER: GL GS MD .... | A 6810 | EA | 14-NOV-90 | EA | | 68 | |
| | | ASTM-D1890-81 | WATER, BETA PARTICLE RADIOACTIVITY OF, STANDARD TEST METHOD FOR - 30 OCT 81 USER: OS REVIEWER: GS MD ME | A 6810 | EA | 27-SEP-84 | EA | | | |
| | | ASTM-D1894-68R78 | STATIC & KINETIC COEFFICIENTS OF FRICTION OF PLASTIC FILM & SHEETING - DEC 68 REAPPROVED 20 MAR 78 [VALIDATION DATE: 8310] REVIEWER: GS MR | A 9330 | AT | 22-JAN-81 | AT | | 99 | |
| D | | ASTM-D1895-89R90 | MATERIALS, PLASTIC, APPARENT DENSITY, BULK FACTOR, AND POURABILITY OF - 29 DEC 1989 (REAPPROVED 1990) USER: OS YD1 REVIEWER: AS AT AV ER GL GS ME | A 9330 | MR | 22-MAY-91 | MR | SH | 11 | |
| | | ASTM-D1897-77R81 | INJECTION MOLDING TEST SPECIMENS OF THERMOPLASTIC MOLDING & EXTRUSION MATERIALS - 27 MAY 77 (REAPROVED 81) [VALIDATION DATE: 8305] USER: AS AT MC OS REVIEWER: EA GL GS ME MI | A 9330 | MR | 17-MAR-83 | MR | | | |
| | | ASTM-D1898-68R85 NOTICE 1 | PLASTICS, SAMPLING OF - 10 JAN 68 (REAPPROVED 1985) [VALIDATION DATE: 9006] USER: AS AT GL OS REVIEWER: AR GS ME MI | A 9330 | MR | 22-JUN-90 | MR | SH | | |
| A L | | ASTM-D1917-92 NOTICE 1 | RUBBER PROPERTY-SHRINKAGE OF RAW AND COMPOUNDED HOT-POLYMERIZE STYRENE-BUTADIENE RUBBER (SBR) USER: AT SH REVIEWER: AS GL | A 9320 | MR | 10-MAR-93 | MR | | | |
| D | | ASTM-D1921-89 | MATERIALS, PLASTIC, PARTICLE SIZE (SIEVE ANALYSIS) STANDARD TEST METHODS FOR - 30 JUNE 1989 REVIEWER: 84 GS | A 9330 | YD1 | 01-MAY-90 | MR | YD1 | 99 | |
| D | | ASTM-D1927-81R88 | SHEET PLASTIC RIGID POLY (VINYL CHLORIDE) STANDARD SPECIFICATION FOR - 26 JUN 81 USER: SH REVIEWER: 84 GS MR | A 9330 | YD1 | 10-MAR-89 | | YD1 | 99 | |
| | | ASTM-D1928-90 | TEST SHEETS AND TEST SPECIMENS, POLYETHYLENE, COMPRESSION- MOLDED, PREPARATION OF - 29 JUNE 1990 REVIEWER: AR AT EA GL GS ME | A 9330 | MR | 10-APR-91 | MR | | 11 | |
| D | | ASTM-D1929A-91 NOTICE 1 | IGNITION PROPERTIES OF PLASTICS USER: AS AT AV GL OS YD1 REVIEWER: 99 ER GS ME MI | A 9330 * | MR | 27-FEB-92 | MR | SH | 11 | |
| | | ASTM-D1943-81 | WATER, STANDARD TEST METHOD FOR ALPHA PARTICLE RADIOACTIVITY OF - 30 OCT 81 USER: OS REVIEWER: GS MD ME | A 6810 | EA | 19-NOV-84 | EA | | | |
| | | ASTM-D1947-83 | PETROLEUM OIL & SYNTHETIC FLUID GEAR LUBRICANTS, LOAD CARRYING CAPACITY OF - 28 NOV 83 | A 9150 | ME | 24-APR-84 | ME | SH | 11 | |
| | | ASTM-D1951-86R90 | OIL, DRYING, AND FATTY ACIDS, ASH IN - 26 OCT 1990 USER: OS REVIEWER: ME .. | A 8010 | MR | 18-JAN-91 | MR | SH | 84 | |
| | | ASTM-D1952-86R90 | OIL, DRYING, QUANTITATIVE DETERMINATION OF BREAK IN - 26 OCT 1990 USER: OS REVIEWER: ME | A 8010 | MR | 18-JAN-91 | MR | SH | 84 | |
| | | ASTM-D1954-86R90 | OIL, LINSEED, RAW, FOOTS IN (VOLUMETRIC METHOD) - 26 OCT 1990 USER: OS REVIEWER: ME | A 8010 | MR | 18-JAN-91 | MR | SH | 84 | |
| D | | ASTM-D1959-85 | ACIDS, FATTY AND DRYING OILS, IODINE VALVE OF - 31 MAY 1985 USER: YD1 ..... | A 8010 | MR | 06-FEB-86 | MR | SH | 84 | |
| | | ASTM-D1960-86R90 | OIL, DRYING, LOSS ON HEATING OF - 26 OCT 1990 USER: OS REVIEWER: ME ..... | A 8010 | MR | 18-JAN-91 | MR | SH | 84 | |
| | | ASTM-D1962-85R89 NOTICE 1 | OILS, DRYING, FATTY ACIDS, AND POLYMERIZED FATTY ACIDS, SAPONIFICATION VALVE OF - 31 MAY 1985 (REAPPROVED 1989) [VALIDATION DATE: 9102] | A 8010 | MR | 19-FEB-91 | MR | SH | 84 | |
| | | ASTM-D1964-85R89 NOTICE 1 | TUNG OIL QUALITY, STANDARD TEST METHOD FOR - 31 MAY 85 (REAPPROVED 1989) [VALIDATION DATE: 9102] | A 8010 | MR | 19-FEB-91 | MR | SH | 84 | |
| | | ASTM-D1965-87R91 NOTICE 1 | UNSAPONIFIABLE MATTER IN DRYING OILS, FATTY ACIDS, AND POLYMERIZED FATTY ACIDS, STANDARD TEST METHOD FOR [VALIDATION DATE: 9201] REVIEWER: 84 | A 8010 * | MR | 21-JAN-92 | MR | SH | 99 | |
| | | ASTM-D1983-90 | FATTY ACID COMPOSITION BY GAS-LIQUID CHROMATOGRAPHY OF METHYL ESTERS - 25 MAY 1990 | A 8010 | MR | 22-JUL-91 | MR | SH | 99 | |
| D | | ASTM-D2000-90 | RUBBER PRODUCTS IN AUTOMOTIVE APPLICATIONS - 15 MAY 1990 USER: AS AT AV GL MC OS YD1 REVIEWER: AR ER GS | A 9320 | MR | 25-FEB-91 | MR | SH | 99 | |
| | | ASTM-D2009-65R79 | COLLECTION BY FILTRATION AND DETERMINATION OF MASS, NUMBER AND OPTICAL SIZING OF ATMOSPHERIC PARTICULATES - 31 AUG 65 [VALIDATION DATE: 8703] | A 6810 | EA | 06-MAR-87 | EA | | | |
| | | ASTM-D2010-85 | CANDLE, LEAD DIOXIDE, EVALUATION OF TOTAL SULFATION ACTIVITY IN THE ATMOSPHERE BY THE, STANDARD METHOD FOR - 30 AUG 1985 REVIEWER: GS MD ME | A 6810 | EA | 28-SEP-88 | EA | SH | | |
| A L | | ASTM-D2013 NOTICE 1 | PREPARING COAL SAMPLES FOR ANALYSIS, STANDARD TEST METHOD OF ..... | A 9110 * | PS | 08-FEB-93 | | | | PS |
| A L | | ASTM-D2015 NOTICE 1 | GROSS CALORIFIC VALUE OF COAL AND COKE BY THE ADIABATIC BOMB CALORIMETER, STANDARD TEST METHOD FOR | A 9110 * | PS | 08-FEB-93 | | | | PS |
| | | ASTM-D2022-89 | CHLORINE-CONTAINING BLEACHES, SAMPLING AND CHEMICAL ANALYSIS OF STANDARD MEATHOD OF - 26 MAY 89 USER: SH REVIEWER: GL GS MD ME | A 6810 | EA | 06-SEP-90 | EA | | 68 | |
| D | | ASTM-D2026-72R85 NOTICE 2 | ASPHALT, CUT BACK, (SLOW CURING TYPE - 29 DEC 72 (REAPPROVED 85) [VALIDATION DATE: 9004] USER: CE CG MC | A 5610 | YD1 | 02-APR-90 | ME | YD1 | | |
| D | | ASTM-D2027-76R86 NOTICE 2 | ASPHALT CUT BACK (MEDIUM CURING TYPE), - 9 APR 1976 (REAPPROVED 86) [VALIDATION DATE: 9107] | A 5610 | YD1 | 25-JUL-91 | ME | YD1 | | |
| D | | ASTM-D2028-76R86 NOTICE 2 | ASPHALT CUT BACK (RAPID CURING TYPE), - 9 APR 1976 (REAPPROVED 86) [VALIDATION DATE: 9107] | A 5610 | YD1 | 25-JUL-91 | ME | YD1 | | |
| | | ASTM-D2036-87 | WATER, STANDARD TEST METHODS FOR CYANIDES IN - 29 MAY 87 USER: SH REVIEWER: GL GS MD ME | A 6810 | EA | 29-SEP-89 | EA | | 68 | |
| D | | ASTM-D2041-90 | PAVING MIXTURE, BITUMINOUS, THEORETICAL MAXIMUM SPECIFIC GRAVITY OF - 8 JAN 1990 USER: MC | A 5610 | YD1 | 23-AUG-90 | ME | YD1 | 99 | |
| L | | ASTM-D2069 NOTICE 1 | FUELS, MARINE, STANDARD SPECIFICATION FOR ..... | A 9140 * | PS | 28-JAN-92 | | | | PS |
| | | ASTM-D2084-81 | RUBBER PROPERTY - VULCANIZATION CHARACTERISTICS USING OSCILLATING DISK CURE METER - 27 MAR 81 [VALIDATION DATE: 8310] REVIEWER: 82 | A 9320 | AT | 07-DEC-82 | AT | SH | 99 | |
| | | ASTM-D2091-88 | LACQUERS, PRINT RESISTANCE OF STANDARD TEST METHOD FOR - 25 MAR 88 ..... | A 8010 | MR | 13-JAN-89 | MR | SH | 99 | |
| | | ASTM-D2092-86 | STEEL SURFACES FOR PAINTING, PREPARATION OF ZINC-COATED (GALVANIZED) - 26 SEP 86 REVIEWER: AL AR | A MFFP | MR | 18-JUL-91 | MR | | | |
| D | | ASTM-D2103-86 | FILM AND SHEETING, POLYETHYLENE, STANDARD SPECIFICATION FOR USER: AS GS MI OS SH REVIEWER: GL MR SH | A 9330 | YD1 | 07-AUG-87 | ME | YD1 | 11 | |
| D | | ASTM-D2104A-89 NOTICE 1 | POLYETHYLENE (PE) PLASTIC PIPE, SCHEDULE 40, STANDARD SPECIFICATION FOR REVIEWER: 82 CS SH | A 4710 * | YD1 | 10-OCT-91 | ME | YD1 | 99 | |
| D | | ASTM-D2105-85 | PIPE AND TUBE, LONGITUDINAL TENSILE PROPERTIES OF REINFORCED THERMOSETTING RESIN STANDARD TEST METHOD FOR - 29 MAR 85 USER: SH REVIEWER: 82 CS | A 4710 | YD1 | 26-JUN-89 | ME | YD1 | 99 | |
| | | ASTM-D2106-87 | SOLVENT, HALOGENATED ORGANIC, AMINE ACID ACCEPTANCE OF STANDARD TEST METHOD FOR - 27 NOV 87 REVIEWER: GL GS MD SH | A 6810 | EA | 12-OCT-89 | EA | | 68 | |
| | | ASTM-D2109-85 | SOLVENTS, HALOGENATED ORGANIC, & THEIR ADMIXTURES, NONVOLATILE MATTER IN - 31 MAY 1985 | A 6810 * | EA | 27-MAY-87 | EA | SH | 68 | |
| | | ASTM-D2111-85 | SOLVENTS, HALOGENATED ORGANIC, & THEIR ADMIXTURES, SPECIFIC GRAVITY OF - 31 MAY 1985 REVIEWER: GS MD ME | A 6810 * | EA | 01-JUN-87 | EA | SH | 68 | |
| D | | ASTM-D2113-83R87 | DIAMOND CORE DRILLING FOR SITE INVESTIGATION - 24 JUN 1983 (REAPPROVED 1987) USER: MC REVIEWER: 84 | A 5610 | YD1 | 21-FEB-90 | ME | YD1 | 99 | |
| D | | ASTM-D2116-81 | FEP - FLUOROCARBON MOLDING & EXTRUSION MATERIALS - 26 JUN 81 USER: MC YD1 REVIEWER: AR MR | A 9330 | ER | 13-JAN-83 | ER | SH | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Obsl. / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-D2117-82 | POLYMERS SEMICRYSTALLINE BY THE HOT MICROSCOPY METHOD MELTING POINT - 26 NOV 82 USER: MC REVIEWER: GS MD ME | A | 6810 | | EA | 20-DEC-84 | EA | | | |
| D | L | ASTM-D2122-90 NOTICE 1 | DETERMINING DIMENSIONS OF THERMOPLASTIC PIPE AND FITTINGS USER: AL AS CE MC ME SH REVIEWER: AR AT AV ER GS YD1 | A | 9330 | * | MR | 04-OCT-91 | MR | | | |
| D | | ASTM-D2126-87 | RESPONSE OF RIGID CELLULAR PLASTICS TO THERMAL & HUMID AGING - 27 FEB 1987 USER: AS OS YD1 REVIEWER: AR AT ER GL GS ME | A | 9330 | | MR | 26-SEP-88 | MR | SH | 11 | |
| D | | ASTM-D2136-84R89 | FABRICS, COATED, LOW-TEMPERATURE BEND TEST, STANDARD TEST METHOD FOR - 1984 (REAPPROVED 24 FEB 89) REVIEWER: CS SH | A | 9320 | | YD1 | 28-SEP-89 | | YD1 | | |
| | | ASTM-D2137-89 | RUBBER PROPERTY-BRITTLENESS POINT OF FLEXIBLE POLYMERS AND COATED FABRICS - 31 MARCH 1989 USER: AS OS REVIEWER: AR AV ER IS | A | 9320 | | MR | 07-AUG-89 | MR | SH | 99 | |
| D | | ASTM-D2152-80R86 | PIPE AND MOLDED FITTINGS BY ACETONE IMMERSION DEGREE OF FUSION OF EXTRUDED POLY(VINYL CHLORIDE) (PVC) STANDARD TEST METHOD FOR - 31 OCT 80 REVIEWER: 82 CS | A | 4710 | | YD1 | 01-MAY-90 | ME | YD1 | 99 | |
| | | ASTM-D2161-82 | VISCOSITY, SAYBOLT UNIVERSAL OR TO SAYBOLT FUROL VISCOSITY, CONVERSION OF KINEMATIC VISCOSITY OF - 27 AUG 82 | A | 91GP | | ME | 06-APR-83 | ME | SH | 11 | |
| D | | ASTM-D2167-84 NOTICE 2 | SOIL IN PLACE BY THE RUBBER BALLOON METHOD, DENSITY & UNIT WEIGHT OF, STANDARD TEST METHOD FOR - 30 NOV 84 [VALIDATION DATE: 8908] USER: CE MC | A | 5610 | | YD1 | 30-AUG-89 | | YD1 | | |
| D | | ASTM-D2168-80 | SOIL COMPACTOR, LABORATORY MECHANICAL-RAMMER, CALIBRATION OF - 31 OCT 1980 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 27-FEB-90 | ME | YD1 | 99 | |
| D | L | ASTM-D2170-92 NOTICE 1 | KINEMATIC VISCOSITY OF ASPHALTS (BITUMENS), STANDARD TEST METHOD FOR USER: CE MC | A | 5610 | * | YD1 | 20-NOV-92 | | YD1 | | |
| D | L | ASTM-D2171-88 NOTICE 1 | ASPHALTS BY VACUUM CAPILLARY VISCOMETER, VISCOSITY OF ..... | A | 5610 | | YD1 | 20-APR-93 | | YD1 | | |
| D | | ASTM-D2172-88 | QUANTITATIVE EXTRACTION OF BITUMEN FROM BITUMINOUS PAVING MIXTURE - REVIEWER: MC | A | 5610 | | YD1 | 26-MAY-88 | CE | YD1 | 99 | |
| D | | ASTM-D2178-89 | ROOFING AND WATERPROOFING, ASPHALT GLASS FELT USED IN - 26 MAY 1989 REVIEWER: CE | A | 5650 | | YD1 | 08-NOV-89 | | YD1 | 99 | |
| | | ASTM-D2196-86 | VISCOMETER, ROTATIONAL (BROOKFIELD), RHEOLOGICAL PROPERTIES OF NON-NEWTONIAN MATERIALS BY, STANDARD TEST METHOD FOR - 29 AUG 1986 USER: AS OS REVIEWER: ME | A | 8010 | | MR | 24-FEB-88 | MR | SH | 84 | |
| | | ASTM-D2197-86R91 NOTICE 1 | ADHESION OF ORGANIC COATINGS, BY SCRAPE ADHESION, STANDARD TEST METHOD FOR [VALIDATION DATE: 9201] | A | 8010 | * | MR | 21-JAN-92 | MR | SH | 84 | |
| A | | ASTM-D2207-64R76 | LEATHER, BURSTING STRENGTH OF BY THE BALL METHOD - 31 AUG 64 (REAPPROVED 1990) [VALIDATION DATE: 8601] | A | 83GP | | CT | 17-JUN-80 | GL | MU | 99 | CT |
| A | | ASTM-D2208-80 NOTICE 2 | BREAKING STRENGTH OF LEATHER BY THE GRAB METHOD - 26 SEP 80 (REAPPROVED 1990) [VALIDATION DATE: 8806] USER: AL MC | A | 83GP | | CT | 28-JUN-88 | GL | MU | 99 | CT |
| A | | ASTM-D2209-80 NOTICE 2 | LEATHER, TENSILE STRENGTH OF - 26 SEP 80 (REAPPROVED 1990) USER: AL AS MC . | A | 83GP | | CT | 28-JUN-88 | GL | MU | 99 | CT |
| D | | ASTM-D2216-80 NOTICE 2 | SOIL, ROCK, & SOIL AGGREGATE MIXTURES, LABORATORY DETERMINATION OF WATER (MOISTURE) CONTENT OF, STANDARD TEST METHOD OF - 30 MAY 80 [VALIDATION DATE: 8908] USER: CE MC | A | 5610 | | YD1 | 11-AUG-89 | | YD1 | | |
| D | | ASTM-D2217-85 NOTICE 2 | SOIL SAMPLES FOR PARTICLE-SIZE ANALYSIS, WET PREPARATION OF, AND DETERMINATION OF SOIL CONSTANTS, STANDARD PRACTICE FOR - 26 JULY 85 [VALIDATION DATE: 8908] USER: CG | A | 5610 | | YD1 | 30-AUG-89 | | YD1 | 99 | |
| D | | ASTM-D2221-68R79 | PACKAGE CUSHIONING MATERIALS, CREEP PROPERTIES OF - 18 JUN 68 USER: OS SH REVIEWER: 99 AR GL ME MI SA YD1 | A | PACK | | AS | 30-SEP-81 | SM | AS | 69 | |
| A | | ASTM-D2228-83 | RUBBER PROPERTY - ABRASION RESISTANCE (PICO ABRADER), STANDARD TEST METHOD FOR - 25 MAR 1983 USER: AS REVIEWER: AV GL TE | A | NDTI | | AT | 10-APR-87 | AT | | 11 | |
| D | | ASTM-D2235-88 | PIPE PLASTIC & FITTINGS ACRYLONITRILE-BUTADIENE-STYRENE SOLVENT CEMENT FOR STANDARD SPECIFICATION FOR - 31 OCT 88 REVIEWER: 82 CS SH | A | 4710 | | YD1 | 06-JUN-89 | ME | YD1 | 99 | |
| D | | ASTM-D2239-89 | PIPE PLASTIC (SIDR-PR) POLYETHYLENE (PE) BASED ON CONTROLLED INSIDE DIAMETER STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS MD | A | 4710 | | YD1 | 13-JUN-89 | ME | YD1 | 99 | |
| D | | ASTM-D2240-91 NOTICE 1 | RUBBER PROPERTY-DUROMETER HARDNESS, STANDARD TEST METHOD FOR USER: AR AT IH MC OS YD1 REVIEWER: 99 AS AV GL GS ME | A | 9320 | * | MR | 22-JUN-92 | MR | SH | 11 | |
| D | | ASTM-D2241-89 | PIPE, POLY(VINYL CHLORIDE) (PVC) PRESSURE-RATED PIPE (SDR SERIES REVIEWER: 82 CS | A | 4710 | * | YD1 | 12-JUL-89 | | YD1 | 99 | |
| | | ASTM-D2243-90 | FREEZE-THAW RESISTANCE OF WATER-BORNE COATINGS - 26 OCT 1990 REVIEWER: 11 84 AS ME | A | 8010 | | MR | 04-FEB-91 | MR | SH | 99 | |
| D | | ASTM-D2244-89 | COLOR COORDINATES, CALCULATION OF COLOR DIFFERENCES FROM INSTRUMENTALLY MEASURED, STANDARD METHOD FOR - 27 OCT 89 USER: YD1 | A | 8010 | | MR | 06-APR-90 | MR | SH | 11 | |
| D | | ASTM-D2245-90 | PAINTS, IDENTIFICATION OF OILS & OIL ACIDS IN SOLVENT-REDUCIBLE - 25 MAY 90 USER: YD1 | A | 8010 | | MR | 21-AUG-90 | MR | SH | 84 | |
| A | | ASTM-D2247-92 NOTICE 1 | TESTING WATER RESISTANCE OF COATINGS IN 100% RELATIVE HUMIDITY ..... | A | 8010 | * | MR | 28-OCT-92 | MR | SH | 99 | |
| | L | ASTM-D2251 NOTICE 1 | METAL CORROSION BY HALOGENATED ORGANIC SOLVENTS AND THEIR ADMIXTURES, STANDARD TEST METHOD FOR | A | 91GP | * | PS | 24-JAN-92 | | | | PS |
| D | | ASTM-D2257-89 | EXTRACTABLE MATTER IN TEXTILE - 17 MAY 1989 USER: AS OS SH REVIEWER: DP ... | A | 8310 | | YD1 | 23-AUG-91 | ME | YD1 | | |
| A | | ASTM-D2261-83 | FABRICS, WOVEN, BY THE TONGUE (SINGLE RIP) METHOD (CONSTANT RATE OF EXTENSION TENSILE TESTING MACHINE), TEARING STRENGTH OF - 23 FEB 83 USER: CG MC ME SH REVIEWER: 03 82 99 AS MD MI TE | A | 83GP | | CT | 22-JUN-84 | GL | MU | 11 | CT |
| A | | ASTM-D2262-83 | FABRICS, WOVEN, BY THE TONGUE (SINGLE RIP) METHOD (CONSTANT RATE OF TRAVERSE TENSILE TESTING MACHINE) 25 FEB 83, TEARING STRENGTH OF USER: CG MC ME SH REVIEWER: 03 82 99 AS MD MI TE | A | 83GP | | CT | 22-JUN-84 | GL | MU | 11 | CT |
| | | ASTM-D2265-78 | LUBRICATING GREASE, DROPPING POINT OF, OVER WIDE TEMPERATURE RANGE - 25 AUG 78 | A | 9150 | | AS | 01-MAY-81 | ME | AS | 68 | |
| | | ASTM-D2266-67 | GREASE, LUBRICATING, WEAR PREVENTIVE CHARACTERISTICS OF (FOUR BALL METHOD) - 8 SEP 67 (REAPPROVED 81) [VALIDATION DATE: 8501] | A | 91GP | | ME | 20-JUN-68 | ME | SH | 11 | |
| | | ASTM-D2268-81 | CHROMATOGRAPHY, CAPILLARY, ANALYSIS OF HIGH PURITY N-HEPTANE & ISOOCTANE BY - 28 AUG 81 | A | 9130 | | ME | 21-JUL-82 | ME | SH | 68 | |
| | | ASTM-D2270-79 | CALCULATING VISCOSITY INDEX FROM KINEMATIC VISCOSITY AT 40 AND 100 DEG. C - 31 AUG 1979 REVIEWER: OS | A | 9150 | | ME | 17-JUN-85 | ME | SH | 11 | |
| | | ASTM-D2272-67R83 | OXIDATION STABILITY OF STEAM TURBINE OILS BY ROATATING BOMB, STANDRD TEST METHOD FOR - 8 SEP 67 REVIEWER: AS GS | A | 9150 | | SH | 31-AUG-84 | ME | SH | 68 | |
| A | | ASTM-D2273-81 | LUBRICATING OIL TRACE SEDIMENT IN - 28 AUG 81 ..... | A | 91GP | | ME | 21-JUL-82 | ME | SH | 11 | |
| | L | ASTM-D2274 NOTICE 1 | FUEL OIL (ACCELERATED METHOD), OXIDATION STABILITY OF DISTILLATE, STANDARD TEST METHOD FOR | A | 9140 | * | PS | 16-JAN-92 | | | | PS |
| | L | ASTM-D2276 NOTICE 1 | FUEL, AVIATION, PARTICULATE CONTAMINANT IN, STANDARD TEST METHOD FOR ..... | A | 91GP | * | PS | 24-JAN-92 | | | | PS |
| D | | ASTM-D2277-87 | SHEATHING, FIBERBOARD NAIL BASE - 27 FEB 1987 USER: CE MC ..... | A | 5640 | | YD1 | 28-SEP-88 | ME | YD1 | | |
| D | | ASTM-D2282-89 | PIPE PLASTIC (SDR-PR) ACRYLONITRILE-BUTADIENE-STYRENE (ABS) STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS | A | 4710 | | YD1 | 21-JUN-89 | CE | YD1 | 99 | |
| D | | ASTM-D2287-81R88 | VINYL, NONRIGID, CHLORIDE POLYMER & COPOLYMER MOLDING & EXTRUSION COMPOUNDS - 26 JUNE 1981 (REAPPROVED 88) REVIEWER: 84 CS ME SH | A | 9330 | | YD1 | 20-JAN-89 | MR | YD1 | 99 | |
| | | ASTM-D2290-87 | PLASTICS, RING OR TUB ULAR, & REINFORCED PLASTICS BY SPLIT DISK METHOD, APPARENT TENSICE STRENGHT OF - 27 MAR 1987 USER: SH REVIEWER: AR AV GL GS | A | 9330 | | MR | 28-SEP-88 | MR | AS | 11 | |
| D | | ASTM-D2310-91 NOTICE 1 | PIPE, MACHINE-MADE "FIBERGLASS" (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN), STANDARD CLASSIFICATION FOR USER: CE MC REVIEWER: CS | A | 4710 | * | YD1 | 14-AUG-92 | ME | YD1 | 99 | |
| D | | ASTM-D2321-89 | PIPE FOR SEWERS AND OTHER GRAVITY-FLOW APPLICATIONS, THERMOPLASTIC, UNDERGROUND INSTALLATION OF - 29 DEC 1989 USER: MC | A | 5630 | | YD1 | 26-OCT-90 | CE | YD1 | | |
| | | ASTM-D2330-88 | SUBSTANCES, METHYLENE BLUE ACTIVE STANDARD TEST METHOD FOR - 29 JAN 88 USER: OS SH REVIEWER: GL GS MD ME | A | 6810 | | EA | 06-NOV-89 | EA | | | |
| D | | ASTM-D2341-81 | FOAM, URETHANE, RIGID, STANDARD SPECIFICATION FOR - 26 JUNE 1981 USER: CG MC REVIEWER: 84 CE SH | A | 5640 | | YD1 | 02-OCT-89 | ME | YD1 | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area NSCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-D2344-84 NOTICE 1 | COMPOSITES, PARALLEL FIBER,BY SHORT- BEAM METHOD, APPARENT INTERLAMINAR SHEAR STRENGTH OF - 25 MAY 1984 (REAPPROVED 1989) (VALIDATE FEB. 1991) [VALIDATION DATE: 9102] USER: AS AT REVIEWER: 99 AV ER GL MI | A 9330 | MR | 05-FEB-91 | MR | SH | 11 | |
| | | ASTM-D2350-90 | PAINTS, SOLVENT-REDUCIBLE, ANTIMONY OXIDE IN WHITE PIGMENT SEPARATED FROM, - 25 MAY 90 | A 8010 | MR | 21-AUG-90 | MR | SH | 84 | |
| | | ASTM-D2360-82 NOTICE 1 | MONOCYCLIC AROMATIC HYDROCARBONS BY GAS CHROMATOGRAPHY, TRACE IMPURITIES IN STANDARD TEST METHOD FOR - 29 OCT 82 [VALIDATION DATE: 8907] USER: AS MC SH REVIEWER: GL GS MD ME | A 6810 | EA | 13-JUL-89 | EA | | 68 | |
| D | | ASTM-D2369-87 | VOLATILE CONTENT OF COATING STANDARD TEST METHOD REVIEWER: 84 YD1 ..... | A 8010 | MR | 20-SEP-88 | MR | SH | 99 | |
| A | | ASTM-D2370-92 NOTICE 1 | COATINGS, ORGANIC, TENSILE PROPERTIES OF ..... | A 8010 * | MR | 28-OCT-92 | MR | SH | 99 | |
| | | ASTM-D2382-83 | FUELS, HYDROCARBON, HEAT OF COMBUSTION OF, BY BOMB CALORIMETER HIGH PRECISION METHOD - 28 NOV 83 | A 9150 | ME | 24-APR-84 | ME | SH | 11 | |
| | | ASTM-D2386-67 | FUELS, AVIATION, FREEZING POINT OF - 8 SEP 67 (REAPPROVED 1977) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS | A 91GP | ME | 20-JUN-68 | ME | SH | 11 | |
| A | | ASTM-D2393-86 | EPOXY RESINS AND RELATED COMPONENTS, VISCOSITY OF - 25 JULY 86 ..... | A 9330 | MR | 07-AUG-87 | MR | AS | 11 | |
| D | | ASTM-D2397-85 NOTICE 2 | ASPHALT, CATIONIC EMULSIFIED, STANDARD SPECIFICATION FOR - 22 FEB 85 [VALIDATION DATE: 9107] | A 5610 | YD1 | 25-JUL-91 | CE | YD1 | 99 | |
| | | ASTM-D2410-82 | FINISH CONTENT WOVEN GLASS FABRIC, CLEANED &AFTER FINISHED WITH CHROME COMPLEXES, FOR PLASTIC LAMINATES - 30 JUL 82 USER: AT OS SH REVIEWER: AR GS ME MI | A 9340 | MR | 10-NOV-83 | MR | | | |
| | | ASTM-D2411-89 | CELLULOSE ACETATE BUTYRATE FILM AND SHEETING FOR FABRICATING AND FORMING - 27 JAN 1989 USER: AR AT GL REVIEWER: GS MD SH | A 9330 | MR | 29-NOV-90 | MR | SH | 11 | |
| D | | ASTM-D2412-87 | PIPE, PLASTIC, BY PARALLEL-PLATE LOADING, DETERMINATION OF EXTERNAL LOADING STANDARD TEST METHOD FOR - 31 JUL 87 REVIEWER: 82 CS SH | A 4710 | YD1 | 06-JUN-89 | ME | YD1 | 99 | |
| D | | ASTM-D2417-88 | PIPE, PERFORATED, LAMINATED-WALL BITUMINIZED FIBER, FOR GENERAL DEAINAGE, STANAHD SPECIFICATION FOR - 1 FEB 88 | A 5630 | YD1 | 17-NOV-88 | ME | YD1 | 99 | |
| D L | | ASTM-D2419-91 NOTICE 1 | SAND EQUIVALENT VALUE OF SOILS AND FINE AGGREGATE, STANDARD TEST METHOD FOR USER: CE REVIEWER: MC | A 5610 * | YD1 | 21-AUG-92 | | YD1 | | |
| D L | | ASTM-D2436-85 NOTICE 1 | FORCED-CONVECTION LABORATORY OVENS FOR ELECTRICAL INSULATION STANDARD SPECIFICATION FOR | A 5970 | YD1 | 08-MAR-93 | | YD1 | | |
| | | ASTM-D2440-88 NOTICE 1 | OXIDATION STABILITY OF MINERAL INSULATING OIL, STANDARD TEST METHOD FOR USER: 50 REVIEWER: GS MR | A 9160 * | MI | 01-NOV-91 | MI | SH | 68 | |
| D | | ASTM-D2444-84 | PIPE AND FITTINGS BY MEANS OF TUP (FALLING WEIGHT) IMPSCT RESISTANCE OF THERMOPLASTIC STANDARD TEST MEATHOD FOR - 27 JUL 84 USER: SH REVIEWER: 82 CS | A 4710 | YD1 | 01-MAY-90 | ME | YD1 | 99 | |
| D | | ASTM-D2447-89 | PIPE, PLASTIC, POLYETHLENE (PE) SCHEDULES 40, & 80 BASED ON OUTSIDE DIAMETER STANDARD SPECIFICATION - 24 FEB 9 USER: CE MC REVIEWER: CS | A 4710 | YD1 | 06-JUN-89 | ME | YD1 | 99 | |
| D | | ASTM-D2464-89 | PIPE, FITTINGS, THREADED POLY (VINYL CHLORIDE) (PVC) PLASTIC, SCHEDULE 80 STANDARD SPECIFICATION FOR - 24 FEB 89 USER: CE MC SH REVIEWER: CS | A 4730 | YD1 | 06-JUL-89 | ME | YD1 | 99 | |
| D | | ASTM-D2466-89 | PIPE, FITTINGS, POLY(VINYL CHLORIDE) (PVC) PLASTIC, SCHEDULE 40 1 - 24 FEB 89 | A 4730 | YD1 | 17-MAY-89 | | YD1 | 99 | |
| D | | ASTM-D2467-89 | PIPE, PLASTIC, FITTINGS, POLY(VINYL CHLORIDE) (PVC) SCHEDULE 80, SOCKET-TYPE STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS SH | A 4730 | YD1 | 06-JUN-89 | | YD1 | 99 | |
| D | | ASTM-D2468-89 | PIPE, PLASTIC, FITTINGS, ACRYLONITRILE-BUTADIENE-STYRENE (ABS) SCHEDULE 40 STANDARD SPECIFICATION FOR - 24 FEB 89 USER: CE MC REVIEWER: CS | A 4730 | YD1 | 06-JUL-89 | ME | YD1 | 99 | |
| D | | ASTM-D2469-76 NOTICE 1 | PIPE, FITTING, PLASTIC, SOCKET TYPE ACRYLONITRILE BUTADIENE STYRENE (ABS), SCHEDULE 80 1 - 27 JUL 76 [VALIDATION DATE: 8612] USER: CE MC REVIEWER: CS | A 4730 | YD1 | 24-DEC-86 | ME | YD1 | 99 | |
| | | ASTM-D2481-81R86 | WOOD PRESERVATIVES FOR MARINE SERVICES BY MEANS OF SMALL-SIZE SPECIMENS, ACCELERATED EVALUATION, STANDARD TEST METHOD FOR - 30 OCT 81 REVIEWER: 84 CE | A 5510 | CS | 31-MAR-88 | ME | SH | 99 | |
| D | | ASTM-D2486-89 NOTICE 1 | SCRUB RESISTANCE OF INTERIOR LATEX FLAT WALL PAINTS, STANDARD TEST METHOD FOR USER: CE REVIEWER: 84 SH | A 8010 | YD1 | 29-MAR-93 | ME | YD1 | 99 | |
| D | | ASTM-D2487-85 | SOILS FOR ENGINEERING PURPOSES, CLASSIFICATION OF, STANDARD TEST METHOD FOR - 25 OCT 85 USER: CE REVIEWER: 80 | A 5610 | YD1 | 14-MAR-86 | | YD1 | 99 | |
| D | | ASTM-D2488-84 | SOIL, (VISUAL-MANUAL PROCEDURES), DESCRIPTION AND IDENTIFICATION OF - 3 OCT 1984 USER: MC REVIEWER: 84 | A 5610 | YD1 | 16-FEB-90 | ME | YD1 | 99 | |
| A | | ASTM-D2500-81 | PETROLEUM OIL CLOUD POINT OF - 28 AUG 81 REVIEWER: 68 ..... | A 91GP | ME | 21-JUL-82 | ME | SH | 11 | |
| A | | ASTM-D2503-82 | HYDROCARBONS, BY THERMOELECTRIC MEASUREMENT OF VAPOR PRESSURE, TEST FOR MOLECULAR WEIGHT (RELATIVE MOLECULAR MASS) OF - 27 AUG 1982 REVIEWER: 16 AM AV SH | A 91GP | AS | 24-MAR-86 | ME | AS | 11 | |
| A | | ASTM-D2510-83 | LUBRICANTS, SOLID FILM, ADHESION OF - 25 MAR 1983 REVIEWER: OS ..... | A 91GP | ME | 13-AUG-85 | ME | SH | 11 | |
| A | | ASTM-D2511-83 | LUBRICANTS, SOLID FILM, THERMAL SHOCK SENSITIVITY OF - 25 MAR 1983 REVIEWER: OS | A 91GP | ME | 13-AUG-85 | ME | SH | 11 | |
| D | | ASTM-D25138-88 | PIPE, TUBING & FITTINGS, THERMOPLASTIC GAS PRESSURE STANDARD SPECIFICATION FOR - 31 OCT 88 REVIEWER: CS MD | A 4710 | YD1 | 07-JUN-89 | MR | YD1 | 99 | |
| D | | ASTM-D2517-81R87 | REINFORCED EPOXY RESIN GAS PRESSURE PIPE AND FITTINGS - 26 JUN 1981 USER: SH REVIEWER: CS MR | A 4710 | YD1 | 16-JUN-91 | ME | YD1 | | |
| | | ASTM-D2520-77 | INSULATING MATERIAL, SOLID ELECTRICAL AT MICROWAVE FREQUENCIES AND TEMPERATURES UP TO 1650 DEGREES C, COMPEX PERMITTIVITY (DIELECTRIC CONSTANT) OF - 28 JAN 77 [VALIDATION DATE: 8502] | A 5970 | ER | 26-APR-79 | ER | SH | 85 | |
| | | ASTM-D2532-82 | LUBRICAMTS, AIRCRAFT TURBINE, VISCOSITY & VISCOSITY CHANGE AFTER STANDING AT LOW TEMPERATURE OF - 27 AUG 82 | A 91GP | ME | 06-APR-83 | ME | SH | 11 | |
| | | ASTM-D2533-82 | GASOLINE, VAPOR LIQUID RATIO OF - 27 AUG 82 REVIEWER: 68 AR AS ..... | A 91GP | ME | 06-APR-83 | ME | SH | 11 | |
| | | ASTM-D2550-76 | FUELS, AVIATION TURBINE, WATER SEPARATION CHARACTERISTICS OF - 27 AUG 76 (REAPPROVED 1985 | A 9150 | ME | 28-DEC-78 | ME | SH | 11 | |
| D | | ASTM-D2559-84R90 | ADHESIVES FOR STRUCTURAL LAMINATED WOOD PRODUCTS FOR USE UNDER EXTERIOR (WET USE) EXPOSURE CONDITIONS - 24 JUN 1984 (REAPPROVED 1990) USER: CE REVIEWER: 84 MC | A 8040 | YD1 | 12-JUL-91 | | YD1 | 99 | |
| A L | | ASTM-D2564-88 NOTICE 2 | SOLVENTS CEMENTS FOR POLY(VINYL CHLORIDE) PVC PLASTIC PIPE FITTINGS, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT) | A 8040 * | SH | 07-JUL-92 | | SH | | |
| D | | ASTM-D2565-85 | APPARATUS, XENON ARC-TYPE (WATER-COOLED), LIGHT-EXPOSURE, WITH AND WITH-OUT WATER FOR EXPOSURE OF PLASTICS - 23 AUG 1985 USER: SH REVIEWER: 84 GZ MR | A 9330 | YD1 | 14-JUL-88 | | YD1 | 99 | |
| A | | ASTM-D2572-91 NOTICE 1 | ISOCYANATE GROUPS IN URETHANE MATERIALS OR PREPOLYMERS ..... | A 8010 * | MR | 28-OCT-92 | MR | SH | 11 | |
| D | | ASTM-D2573-72R78 | SOIL, COHESIVE, FIELD VANE SHEAR TEST IN - 17 JAN 1972 USER: MC REVIEWER: 84 | A 5610 | YD1 | 21-FEB-90 | ME | YD1 | 99 | |
| | | ASTM-D2579-85 | CARBON IN WATER, TOTAL & ORGANIC, STANDARD TEST METHOD FOR - 4 FEB 1985 REVIEWER: GS MD ME | A 6810 | EA | 10-JUL-87 | EA | | | |
| | | ASTM-D2580-83 | PHENOLS IN WATER BY GAS LIQUID CHROMATOGRAPHY, STANDARD TEST METHOD FOR - 30 SEP 83 REVIEWER: GL GS MD ME | A 6810 | EA | 25-JAN-85 | EA | | 68 | |
| D | | ASTM-D2584-68R85 NOTICE 2 | RESINS, CURED REINFORCED, IGNITION LOSS OF -(REAPPROVED 1985) (VALIDATE 20 MAR 1991) [VALIDATION DATE: 9105] USER: AS YD1 REVIEWER: AR ER GL ME MI | A 9330 | MR | 20-MAY-91 | MR | SH | 11 | |
| D | | ASTM-D2586-68R85 | CYLINDERS, GLASS-REINFORCED PLASTIC, COMPRESSIVE STRENGTH OF - 9 SEP 1968 (REAPPROVED 1985) REVIEWER: 84 CS SH | A CMPS | YD1 | 20-NOV-87 | ME | YD1 | 99 | |
| | | ASTM-D2595-70R80 | LUBRICATION GREASE, EVAPORATION LOSS OF, OVER WIDE TEMPERATURE RANGE - 11 SEP 70 | A 9150 | AS | 01-MAY-81 | ME | AS | 69 | |
| | | ASTM-D2596-69R80 | LUBRICATING GREASE, MEASUREMENT OF EXTREME PRESSURE PROPERTIES OF, (FOUR BALL METHOD) - 1969 | A 9150 | AS | 01-MAY-81 | ME | AS | 68 | |
| D | | ASTM-D2609A-90 NOTICE 1 | PLASTIC INSERT FITTINGS FOR POLYETHYLENE (PE) PLASTIC PIPE REVIEWER: 82 YD1 | A 4730 * | CS | 15-NOV-91 | ME | SH | 99 | CS |
| | | ASTM-D2622-82 | PETROLEUM PRODUCTS, SULFUR IN (X-RAY SPECTROGRAPHIC METHOD) 27 AUG 82 ..... | A 9150 | ME | 06-APR-83 | ME | SH | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Orig. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-D2625-83 | FILM LUBRICANTS, SOLID, (FALEX METHOD) ENDURANCE (WEAR) LIFE AND LOAD-CARRYING CAPACITY OF - 25 MAR 1983 USER: 20 | A | 9150 | AS | | 22-OCT-84 | ME | AS | 68 | |
| D | | ASTM-D2626-86 NOTICE 2 | ASPHALT-SATURATED AND COATED ORGANIC FELT BASE SHEET USED IN ROOFING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] USER: CE MC REVIEWER: EA | A | 5650 * | YD1 | | 02-MAR-92 | ME | YD1 | 99 | |
| D | | ASTM-D2632-92 NOTICE 1 | RUBBER PROPERTY-RESILIENCE BY VERTICAL REBOUND USER: 82 OS SH YD1 REVIEWER: 11 AR AS ER GL GS MD ME | A | 9320 | MR | | 10-MAR-93 | MR | SH | 99 | |
| A | | ASTM-D2649-83 | LUBRICANT, SOLID FILM, CORROSION CHARACTERISTICS OF, STANDARD TEST METHOD FOR - 25 MAR 83 REVIEWER: GS | A | 9150 | AS | | 16-MAY-85 | ME | AS | 11 | |
| D | | ASTM-D2657-90 | PIPE AND FITTING, HEATJOINING POLYOLEFIN - 30 MAR 1990 USER: MC ..... | A | 5630 | YD1 | | 26-OCT-90 | CE | YD1 | | |
| D | | ASTM-D2661-91 NOTICE 1 | ACRYLONITRILE-BUTADIENE-STYRENA (ABS) SCHEDULE 40 PLASTIC DRAIN, WASTE, AND VENT PIPE AND FITTINGS, STANDARD SPECIFICATION FOR USER: CG REVIEWER: CS | A | 4710 * | YD1 | | 24-FEB-92 | ME | YD1 | | |
| D | | ASTM-D2662-86 | POLYBUTYLENE (PB) PLASTIC PIPE (SIDR-PR) BASED ON CONTROLLED INSIDE DIAMETER - 24 FEB 1989 REVIEWER: 82 CS SH | A | 4710 | YD1 | | 20-SEP-91 | ME | YD1 | 99 | |
| D | | ASTM-D2665A-89 | PIPE, AND FITTINGS, POLY(VINYL CHLORIDE) (PVC) PLASTIC DRAIN, WASTE, AND STANDARD SPECIFICATION FOR - 30 JUN 89 REVIEWER: CG CS | A | 4710 | YD1 | | 12-SEP-89 | ME | YD1 | | |
| D | | ASTM-D2666-89 NOTICE 1 | POLYBUTYLENE (PB) PLASTIC TUBING, STANDARD SPECIFICATION FOR REVIEWER: 82 CS SH | A | 4710 * | YD1 | | 01-OCT-91 | ME | YD1 | 99 | |
| | | ASTM-D2670-81 | LUBRICANT FLUID MEASURING WEAR PPOPERTIE OF (FALEX PIN & VEE BLOCK METHOD) - 28 AUG 81 REVIEWER: AT GS ME OS | A | 9150 | AR | | 12-JUL-82 | AR | AS | 68 | |
| | | ASTM-D2671-89 NOTICE 1 | TUBING, HEAT-SHRINKABLE, FOR ELECTRICAL USE, STANDARD TEST METHODS FOR REVIEWER: 80 AR GS MR | A | 5970 * | MI | | 15-JAN-92 | MI | | 99 | |
| D | | ASTM-D2672-89 | PIPE USING SOLVENT CEMENT JOINTS FOR IPS PVC STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: 82 CS | A | 4710 | YD1 | | 01-MAY-90 | ME | YD1 | 99 | |
| D | | ASTM-D2680-89 | SEWER PIPING, COMPOSITE, ACRYLONITRILE-BUTADIENE-STYRENE (ABS) & POLY(VINYL CHLORIDE) (PVC) REVIEWER: CS | A | 4710 | YD1 | | 27-JUL-89 | ME | YD1 | 99 | |
| D | | ASTM-D2683-88 | PIPE & TUBING, SOCKET-TYPE POLYETHYLENE FITTING FOR OUTSIDE DIAMETER-CONTROLLED POLYETHYLENE USER: CE MC REVIEWER: CS | A | 4730 | YD1 | | 12-JUL-89 | ME | YD1 | 99 | |
| D | | ASTM-D2697-86 | STANDARD TEST METHOD FOR VOLUME NONVOLATILE MATTER IN CLEAR OR PIGMENTED COATINGIO/15/87 REVIEWER: MR SH | A | 8010 | YD1 | | 15-OCT-87 | ME | YD1 | | |
| D | | ASTM-D2698-90 | PAINT BY HIGH-SPEED CENTRIFUGING, DETERMINATION OF THE PIGMENT CONTENT OF SOLVENT-REDUCIBLE - 25 MAY 1990 USER: YD1 | A | 8010 | MR | | 27-FEB-91 | MR | SH | 94 | |
| L | | ASTM-D2699 NOTICE 1 | KNOCK CHARACTERISTICS OF MOTOR FUELS BY THE RESEARCH METHOD, STANDARD TEST METHOD FOR | A | 91GP * | PS | | 24-JAN-92 | | | | PS |
| L | | ASTM-D2700 NOTICE 1 | KNOCK CHARACTERISTICS OF MOTOR AND AVIATION FUELS BY THE MOTOR METHOD, STANDARD TEST METHOD FOR | A | 91GP * | PS | | 24-JAN-92 | | | | PS |
| | | ASTM-D2702-68R74 | RUBBER CHEMICALS, DETERMINATION OF INFRARED ABSORPTION CHARACTERISTICS OF - 13 SEP 68R74 [VALIDATION DATE: 8503] USER: MC ME SH REVIEWER: MI | A | 9320 | AT | | 30-MAY-80 | AT | | | |
| | | ASTM-D2709-82 | FUEL, DISTILLATE, BY CENTRIFUGE, WATER & SEDIMENT IN - 27 AUG 82 REVIEWER: OS | A | 91GP | ME | | 13-JUN-85 | ME | SH | 11 | |
| D | | ASTM-D2726-89 | BITUMINOUS MIXTURES, COMPACTED, BULK SPECIFIC GRAVITY AND DENSITY OF, USING SATURATED SURFACE-DRY SPECIMENS - 27 OCT 1989 REVIEWER: CE MC | A | 5610 | YD1 | | 30-MAY-90 | ME | YD1 | | |
| D | | ASTM-D2729-89 | PIPE & FITTING, SEWER, POLY(VINYL CHLORIDE) (PVC), STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS | A | 4730 | YD1 | | 27-JUL-89 | ME | YD1 | 99 | |
| | | ASTM-D2734-70R85 | PLASTICS, VOID CONTENT OF REINFORCED - 24 DEC 70 (REAPPROVED 1985) USER: AS MC MI OS SH REVIEWER: 11 AT AV GL GS | A | 9330 | MR | | 21-SEP-89 | MR | | | |
| D | | ASTM-D2737-89 | TUBING, POLYETHYLENE (PE) PLASTIC, STANDARD SPECIFICATION FOR 24 FEB 89 REVIEWER: CS MD | A | 4710 | YD1 | | 17-JUL-89 | MR | YD1 | 99 | |
| D | | ASTM-D2740-89 | TUBING, POLY(VINYL CHLORIDE) (PVC) PLASTIC 1 - 24 FEB 89 USER: CE MC REVIEWER: CS | A | 4710 | YD1 | | 17-MAY-89 | ME | YD1 | 99 | |
| D | | ASTM-D2751-89 | PIPE, SEWER & FITTINGS, ACRYLONITRILE-BUTADIENE-STYRENE STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS | A | 4710 | YD1 | | 07-JUL-89 | ME | YD1 | 99 | |
| D | | ASTM-D2774-72R83 | PIPING THERMOPLASTIC PRESSURE PRACTICE FOR UNDERGROUND INSTALLATION RECOMMENDED OF STANDARD REVIEWER: CS MR | A | 4710 | YD1 | | 26-APR-89 | ME | YD1 | | |
| | | ASTM-D2800-92 NOTICE 1 | PREPARATION OF METHYL ESTERS FROM OILS FOR DETERMINATION OF FATTY ACID COMPOSITION BY GAS-LIQUID CHROMATOGRAPHY REVIEWER: 84 | A | 8010 * | MR | | 23-APR-92 | MR | SH | 99 | |
| D | | ASTM-D2801-69R81 NOTICE 1 | PAINTS BY DRAW DOWN METHOD, STANDARD TEST METHOD FOR LEVELING CHARACTERISTICS OF - 3 OCT 69 (REAPPROVED 1981) [VALIDATION DATE: 9006] REVIEWER: AS ME YD1 | A | 8010 | MR | | 22-JUN-90 | MR | SH | 99 | |
| | | ASTM-D2804-88 | GAS CHROMATOGRAPHY, PURITY OF METHYL ETHYL KETONE BY, STANDARD TEST METHOD FOR - 25 MAR 88 USER: MC SH REVIEWER: GS MD | A | 6810 | EA | | 10-SEP-90 | EA | | 68 | |
| | | ASTM-D2820-72R78 NOTICE 1 | HYDROCARBONS, C1 THRU C5, IN THE ATMOSPHERE BY GAS CHROMATOGRAPHY - 28 JUL 72 [VALIDATION DATE: 8703] REVIEWER: GS MD | A | 6810 | EA | | 06-MAR-87 | EA | SH | | |
| D | | ASTM-D2822-88 | CEMENT, ASPHALT ROOF, STANDARD SPECIFICATION FOR - 24 JUN 1988 USER: CE ... | A | 5610 | YD1 | | 05-NOV-88 | ME | YD1 | 99 | |
| D | | ASTM-D2823-75R81 NOTICE 2 | ROOF COATING, ASPHALT - 28 NOV 75 (REAPPROVED 81) [VALIDATION DATE: 9107] USER: CE | A | 5610 | YD1 | | 25-JUL-91 | ME | YD1 | | |
| D | | ASTM-D2824-85 NOTICE 2 | ALUMINUM-PIGMENTED ASPHALT ROOF COATINGS - 26 APR 1985 [VALIDATION DATE: 9107] USER: CE ME | A | 8030 | YD1 | | 25-JUL-91 | | YD1 | 99 | |
| D | | ASTM-D2837-90 | PIPE, THERMOPLASTIC MATERIALS OBTAINING HYDROSTATIC DESIGN BASIS FOR STANDARD TEST METHOD FOR - 22 AUG 90 USER: SH REVIEWER: 82 CS | A | 4710 | YD1 | | 22-AUG-90 | ME | YD1 | 99 | |
| D | | ASTM-D2842-69R75 | PLASTICS, RIGID CELLULAR, WATER ABSORBTION OF, STANDARD TEST METHOD FOR - 14 NOV 69 (REAPPROVED 1975) USER: SH REVIEWER: 82 84 CS GS MR | A | 9330 | YD1 | | 06-JUL-88 | ME | YD1 | 99 | |
| D | | ASTM-D2843-88 | PLASTICS, DENSITY OF SMOKE FROM THE BURNING OR DECOMPOSITION OF - 30 SEPT. 1988 USER: AS AT AV GL OS YD1 REVIEWER: 99 GS ME MI | A | 9330 | MR | | 29-NOV-90 | MR | SH | 11 | |
| D | | ASTM-D2846-90 | CHLORINATED POLY(VINYL CHLORIDE) (CPVC) PLASTIC HOT AND COLD-WATER DISTRIBUTION SYSTEMS - 27 JUL 1990 USER: 99 CE ME REVIEWER: CS GL MD | A | 4710 | YD1 | | 07-AUG-91 | MR | YD1 | | |
| | | ASTM-D2852-81 | PIPE AND FITTINGS, DRAIN, STYRENE-RUBBER (SR) - 26 JUNE 1981 REVIEWER: 82 . | A | 4710 | CS | | 14-SEP-84 | ME | | 99 | |
| D | | ASTM-D2855-90 | PIPE & FITTINGS MAKING SOLVENT - CEMENTED JOINTS WITH POLY (VINYL CHLORIDE) (PVC) - 30 MAR 1990 USER: CE ME REVIEWER: MC | A | 5630 | YD1 | | 26-OCT-90 | | YD1 | 99 | |
| D | | ASTM-D2856-87 | CELLULAR PLASTIC, RIGID, STANDARD TEST METHOD FOR OPEN CELL CONTENT BY THE AIR PYCNOMETER 27 FEB 87 | A | 9330 | YD1 | | 23-NOV-87 | ME | YD1 | | |
| D | | ASTM-D2860-83 | TAPE, SENSITIVE, TO FIBERBOARD AT 90 DEG ANGLE & CONSTANT STRESS, ADHESION OF PRESSURE - 30 AUG 83 REVIEWER: 99 AR GL ME MI MR OS SA SH YD1 | A | PACK | AS | | 26-SEP-85 | SH | AS | 69 | IS |
| D | | ASTM-D2863-87 | PLASTICS, MEASURING THE MINIMUM OXYGEN CONCENTRATION TO SUPPORT CANDLE-LIKE COMBUSTION OF - 27 MAR 1987 USER: AS AT GL OS YD1 REVIEWER: 99 ER GS ME MI | A | 9330 | MR | | 05-OCT-88 | MR | SH | 11 | |
| L | | ASTM-D2880 NOTICE 1 | FUEL OILS, GAS TURBINE, STANDARD SPECIFICATION FOR ..... | A | 9140 * | PS | | 16-JAN-92 | | | | PS |
| L | | ASTM-D2885 NOTICE 1 | RESEARCH AND MOTOR METHOD OCTANE RATINGS USING ON-LINE ANALYZERS, STANDARD TEST METHOD FOR | A | 91GP * | PS | | 24-JAN-92 | | | | PS |
| L | | ASTM-D2887 NOTICE 1 | BOILING RANGE DISTRIBUTION OF PETROLEUM FRACTIONS BY GAS CHROMATOGRAPHY, STANDARD TEST METHOD FOR | A | 91GP * | PS | | 24-JAN-92 | | | | PS |
| | | ASTM-D2914-78 NOTICE 1 | SULFUR DIOXIDE CONTENT OF THEATMOSPHERE (WEST GAEKE METHOD) - 18 AUG 78 [VALIDATION DATE: 8805] USER: GL REVIEWER: GS MD | A | 6810 | EA | | 27-MAY-88 | EA | SH | | |
| | | ASTM-D2919-90 | ADHESIVE JOINTS STRESSED IN SHEAR BY TENSION LOADING, DETERMINING DURABILITY OF - 30 MAR 90 REVIEWER: 20 84 GL | A | 8040 | MR | | 15-JUN-90 | MR | AS | 99 | |
| D | | ASTM-D2922-81 NOTICE 2 | SOIL & SOIL AGGREGATE, DENSITY OF, IN PLACE BY NUCLEAR METHODS (SHALLOW DEPTH) - 29 MAY 1981 [VALIDATION DATE: 8908] USER: CG | A | 5610 | YD1 | | 11-AUG-89 | ME | YD1 | 99 | |
| | | ASTM-D2934-89 | SEALS, RUBBER-COMPATIBILITY WITH SERVICE FLUIDS, STANDARD PRACTICE FOR - 31 MAR 1989 USER: AL AS MC REVIEWER: AV GL GS | A | 9320 | MR | | 08-MAY-90 | MR | | 11 | |
| | | ASTM-D2935-81 | APPARENT DENSITY OF INDUSTRIAL AROMATIC HYDRCARBONS - 24 APR 81 USER: MC SH REVIEWER: AR GL GS MD ME | A | 6810 | EA | | 17-OCT-83 | EA | | 68 | |

| Action | Doc. / Cite Coordination Review | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ. | | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | ASTM-D2937-83 NOTICE 2 | SOIL IN PLACE BY THE DRIVE-CYLINDER METHOD, DENSITY OF - 28 NOV 83 [VALIDATION DATE: 8908] USER: CE MC | A | 5610 | YD1 | 30-AUG-89 | ME | YD1 | | | |
| D | | ASTM-D2939-78R90 NOTICE 1 | TESTING EMULSIFIED BITUMENS USED AS PROTECTIVE COATINGS, STANDARD METHODS OF USER: CE MC REVIEWER: 84 | A | 5610 * | YD1 | 16-SEP-91 | ME | YD1 | 99 | | |
| D | | ASTM-D2949-89 NOTICE 1 | 3.25-IN. OUTSIDE DIAMETER POLY (VINYL CHLORIDE) (PVC) PLASTIC DRAIN, WASTE, AND VENT PIPE AND FITTINGS, STANDARD SPECIFICATION FOR REVIEWER: 82 CS SH | A | 4710 * | YD1 | 04-OCT-91 | ME | YD1 | 99 | | |
| D | L | ASTM-D2950-91 NOTICE 1 | DENSITY OF BITUMINOUS CONCRETE IN PLACE BY NUCLEAR METHODS, STANDARD TEST METHOD FOR | A | 5610 * | YD1 | 07-AUG-92 | | YD1 | | | |
| | | ASTM-D2983-80 | LUBRICANT, AUTOMOTIVE FLUID, MEASURED BY BROOKFIELD VISCOMETER, LOW TEMPERATURE VISCOSITY OF - 29 AUG 80 REVIEWER: OS | A | 91GP | ME | 13-JUN-85 | ME | SH | 11 | | |
| | | ASTM-D2989-86 | ACIDITY-ALKALINITY OF HALOGENATED ORGANIC SOLVENTS AND THEIR ADMIXTURES, STANDARD TEST METHOD FOR - 25 APR 86986 REVIEWER: GS MD ME | A | 6810 | EA | 17-OCT-88 | EA | | 68 | | |
| D | | ASTM-D2990-91 NOTICE 1 | TENSILE, COMPRESSIVE, AND FLEXURAL CREEP AND CREEP-RUPTURE OF PLASTICS USER: AS YD1 REVIEWER: AR ER GL GS ME MI | A | 9330 * | MR | 27-FEB-92 | MR | SH | 11 | | |
| D | | ASTM-D2992-87 | OBTAINING HYDROSTATIC OR PRESSURE DESIGN BASIS FOR (FIBERGLASS) (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) PIPE AND FITTINGS - 28 AUG 1987 REVIEWER: 82 CS | A | 4710 | YD1 | 18-MAY-90 | ME | YD1 | 99 | | |
| D | | ASTM-D2995-84R89 | BITUMINOUS DISTRIBUTOR, DETERMINING APPLICATION RATE OF - 30 MAR 1984 USER: CE MC | A | 5610 | YD1 | 30-MAY-90 | | YD1 | | | |
| D | | ASTM-D2996-88 | PIPE, FILAMENT-WOUND FIBERGLASS (GLASS-FIBER-REINFORCED THERMOSETTING RESIN) STANDARD SPECIFICATION FOR - 24 JUN 88 USER: 11 CE ME REVIEWER: CS | A | 4710 | YD1 | 10-MAR-89 | | YD1 | 99 | | |
| D | | ASTM-D2997-90 NOTICE 1 | CENTRIFUGALLY CAST "FIBERGLASS" (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) PIPE, STANDARD SPECIFICATION FOR REVIEWER: 82 CS SH | A | 4710 * | YD1 | 03-OCT-91 | ME | YD1 | 99 | | |
| D | | ASTM-D3000-89 NOTICE 1 | POLYBUTYLENE (PB) PLASTIC PIPE (PB) PLASTIC PIPE (SDR-PR) BASED ON OUTSIDE DIAMETER, STANDARD SPECIFICATION FOR REVIEWER: 82 CS MR SH | A | 4710 * | YD1 | 07-NOV-91 | ME | YD1 | 99 | | |
| | | ASTM-D3013-81R88 NOTICE 1 | COMPOUNDS, EPOXY MOLDING - 26 JUN 81 (REAPPROVED 1988) [VALIDATION DATE: 9006] REVIEWER: AV GS MD SH | A | 9330 | MR | 22-JUN-90 | MR | SH | 11 | | |
| | | ASTM-D3014-89 | PLASTICS, RIGID THERMOSET CELLULAR, IN A VERTICAL POSITION, FLAME HEIGHT, TIME OF BURNING, AND LOSS OF WEIGHT OF - 30 JUNE 1989 | A | 9330 | MR | 25-JUN-90 | MR | SH | 11 | | |
| D | | ASTM-D3017-88 | SOIL & SOIL AGGREGATE, MOISTURE CONTENT OF, IN PLACE BY NUCLEAR METHODS (SHALLOW DEPTH) USER: CG | A | 5610 | YD1 | 09-SEP-88 | ME | YD1 | 99 | | |
| D | | ASTM-D3018-90 | SHINGLE, CLASS A ASPHALT, SURFACED WITH MINERAL GRANULES - 4 APR 1990 REVIEWER: CE | A | 5650 | YD1 | 07-NOV-90 | ME | YD1 | 99 | | |
| D | | ASTM-D3020-89 | SHEETING, PLASTIC, FOR POND, CANAL, AND RESERVOIR LINING, POLYETHYLENE AND ETHYLENE COPOLYMER - 30 JUNE 1989 REVIEWER: 82 GS | A | 9330 | YD1 | 15-JUN-90 | MR | YD1 | 99 | | |
| D | | ASTM-D3029-90 | SPECIMENS, FLAT RIGID PLASTIC, IMPACT RESISTANCE OF, BY MEANS OF A TUP (FALLING WEIGHT - 26 OCT 1990 USER: AS OS YD1 REVIEWER: AR ER GL GS ME MI | A | 9330 | MR | 29-NOV-90 | MR | SH | 11 | | |
| | | ASTM-D3032A-80 | WIRE INSULATION, HOOKUP, STANDARD METHODS OF TESTING - 26 NOV 80 | A | 6145 | AS | 18-JAN-82 | CR | AS | 85 | | |
| D | | ASTM-D3034-88 | SEWER PIPE & FITTINGS TYPE PSM POLY(VINYL CHLORIDE) (PVC) - 25 MAR 1988 USER: ME REVIEWER: CS MD | A | 4710 | YD1 | 27-SEP-88 | MR | YD1 | | | |
| D | | ASTM-D3035-89 | PIPE, POLYETHYLENE (PE) PLASTIC, (SDR-PR) BASED ON CONTROLLED OUTSIDE DIAMETER USER: CE MC REVIEWER: CS | A | 4710 | YD1 | 05-JUL-89 | ME | YD1 | 99 | | |
| | | ASTM-D3037-81 | SURFACE AREA BLACK STANDARD METHODS OF TESTING BY NITROGEN ADSORPTION - 18 DEC 81 USER: MC SH REVIEWER: GL GS MD ME | A | 6810 | EA | 14-MAR-84 | EA | | | | |
| | | ASTM-D3039-76R89 | COMPOSITE, FIBER RESIN, TENSILE PROPERTIES OF - 24 FEB 1989 (REAPPROVED 1989) | A | CMPS | MR | 27-APR-89 | MR | AS | 11 | | |
| | | ASTM-D3057-80 NOTICE 1 | AEROSOL PRODUCTS, MOISTURE IN - 30 MAY 80 [VALIDATION DATE: 8703] USER: GL REVIEWER: GS MD ME | A | 6810 | EA | 06-MAR-87 | EA | SH | 68 | | |
| | | ASTM-D3058-72R78 NOTICE 1 | CAN-PUNCTURING DEVICE, SIMPLE, STANDARD SPECIFICATION FOR [VALIDATION DATE: 8805] REVIEWER: GL GS MD ME | A | 6810 | EA | 27-MAY-88 | EA | SH | 68 | | |
| | | ASTM-D3061-79 NOTICE 1 | TIN PLATE FABRICATED AEROSOL CANS - 27 APR 79 [VALIDATION DATE: 8805] USER: GL REVIEWER: GS MD | A | 6810 | EA | 27-MAY-88 | EA | SH | 68 | | |
| | | ASTM-D3064-72 NOTICE 1 | AEROSOL PRODUCTS, STANDARD DEFINITIONS OF TERMS & NOMENCLATURE RELATING TO - 4 DEC 72 [VALIDATION DATE: 8805] USER: GL REVIEWER: GS MD ME | A | 6810 | EA | 27-MAY-88 | EA | SH | 68 | | |
| | | ASTM-D3065-72 NOTICE 1 | AEROSOL PRODUCTS, TEST FOR FLAMMABILITY OF - 4 DEC 72 [VALIDATION DATE: 8805] USER: GL REVIEWER: GS MD ME | A | 6810 | EA | 27-MAY-88 | EA | SH | 68 | | |
| | | ASTM-D3066-79 NOTICE 1 | LABELING AEROSOL PACKAGES - 23 FEB 79 [VALIDATION DATE: 8805] USER: AR GL REVIEWER: GS MD ME | A | 6810 | EA | 27-MAY-88 | EA | SH | 68 | | |
| | | ASTM-D3067-72R78 NOTICE 1 | CONTAINER, AEROSOL, REPORTING LABORATORY RESULTS WHEN CHECKING - 4 DEC 72 [VALIDATION DATE: 8805] USER: GL REVIEWER: GS MD | A | 6810 | EA | 27-MAY-88 | EA | SH | 68 | | |
| | | ASTM-D3068-80 NOTICE 1 | AEROSOL CONTAINERS, SAFE FILL OF - 30 MAY 80 [VALIDATION DATE: 8703] USER: GL REVIEWER: GS MD | A | 6810 | EA | 06-MAR-87 | EA | SH | 68 | | |
| | | ASTM-D3069-79 NOTICE 1 | AEROSOL PRODUCTS, DELIVERY RATE OF - 23 FEB 79 [VALIDATION DATE: 8805] USER: GL REVIEWER: GS MD | A | 6810 | EA | 27-MAY-88 | EA | SH | 68 | | |
| | | ASTM-D3070-79 NOTICE 1 | PRESSURIZED PRODUCTS, RAPID PRESSURE DETERMINATION OF STANDARD METHOD OF - 27 APR 79 USER: GL REVIEWER: GS MD | A | 6810 | EA | 13-JUL-89 | EA | SH | 68 | | |
| | | ASTM-D3077-72R78 NOTICE 1 | COMPARISON OF SPRAY PATTERNS - 28 JUL 72 [VALIDATION DATE: 8805] USER: GL REVIEWER: GS MD ME | A | 6810 | EA | 27-MAY-88 | EA | SH | 68 | | |
| | | ASTM-D3078-84 | PACKAGES, HEAT SEALED,FLEXIBLE, STANDARD TEST METHOD FOR LEAKS IN - 30 MAR 84 | A | 6515 | MB | 23-JUN-89 | MD | MS | 03 | | |
| D | | ASTM-D3083-89 | SHEETING, PLASTIC, FOR POND, CANAL, AND RESERVOIR LINING, FLEXIBLE POLY(VINYL CHLORIDE) - 30 JUNE 1989 REVIEWER: 82 GS | A | 9330 | YD1 | 15-JUN-90 | MR | YD1 | 99 | | |
| | | ASTM-D3086-79 | WATER, ORGANOCHLORINE PESTICIDES IN - 30 NOV79 REVIEWER: GL GS MD ME | A | 6810 | LA | 06-APR-83 | EA | | 68 | | |
| | | ASTM-D3090-72R78 NOTICE 1 | STORAGE OF AEROSOL PRODUCTS - 28 JUL 72 [VALIDATION DATE: 8805] | A | 6810 | EA | 27-MAY-88 | EA | SH | 68 | | |
| | | ASTM-D3091-72R78 NOTICE 1 | SAFE FILLING OF LOW PRESSURE PRESSURIZED PRODUCTS - 28 JUL 72 28018] [VALIDATION DATE: 8805] REVIEWER: GS MD | A | 6810 | EA | 27-MAY-88 | EA | SH | 68 | | |
| | | ASTM-D3096-84 | PRESSURIZED PRODUCTS, LIQUID DENSITY OF, STANDARD TEST METHOD FOR - 27 JUL 84 REVIEWER: GS MD | A | 6810 | EA | 13-NOV-85 | EA | | 68 | | |
| | | ASTM-D3112-77 NOTICE 1 | LEAD IN THE ATMOSPHERE BY COLORIMETRIC DITHIZONE PROCEDURE - 25 FEB 77 (VALIDATION DATE: 8703] REVIEWER: AR DP MD ME | A | 6630 | EA | 06-MAR-87 | EA | MS | 99 | | |
| | | ASTM-D3116-82 | GASOLINE, TRACE AMOUNTS OF LEAD IN - 27 AUG 82 REVIEWER: OS | A | 91GP | ME | 13-JUN-85 | ME | SH | 11 | | |
| | L | ASTM-D3120 NOTICE 1 | TRACE QUANTITIES OF SULFUR IN LIGHT LIQUID PETROLEUM HYDROCARBONS BY OXIDATIVE MICROCOULOMETRY, STANDARD TEST METHOD FOR | A | 91GP * | PS | 24-JAN-92 | | | | | PS |
| | | ASTM-D3122-77 | LEAD, STANDARD TEST METHOD FOR, IN THE ATMOSPHERE BY COLORIMETRIC DITHIZONE PROCEDURE - 25 FEB 77 | A | 6630 | EA | 31-OCT-79 | EA | MS | 99 | | |
| | | ASTM-D3137-81R87 NOTICE 2 | RUBBER PROPERTY - HYDROLYTIC STABILITY - 27 MAR 88 [VALIDATION DATE: 8803] USER: AS AT AV ME OS REVIEWER: GL GS | A | 9320 | MR | 07-MAR-88 | MR | SH | 11 | | |
| D | | ASTM-D3138-90 NOTICE 1 | SOLVENT CEMENTS FOR TRANSITION JOINTS BETWEEN ACRYLONITRILE-BUTADIENE-STYRENE (ABS) AND POLY(VINYL CHLORIDE) (PVC) NON-PRESSURE PIPING COMPONENTS, STANDARD SPECIFICATION FOR REVIEWER: CS SH | A | 4710 * | YD1 | 23-DEC-91 | ME | YD1 | 99 | | |
| D | | ASTM-D3139-89 | PIPE, PLASTIC, PRESSURE JOINTS FOR USING FLEXIBLE ELASTOMERIC SEALS STANDARD SPECIFICTION FOR - 24 FEB 89 USER: CE MC SH REVIEWER: CS | A | 4730 | YD1 | 06-JUN-89 | ME | YD1 | 99 | | |
| | | ASTM-D3147-84 | ENGINE COOLANTS, STOP-LEAK ADDITIVES FOR - 12 APRIL 1984 USER: MC SH REVIEWER: AT GS SH | A | 6850 | ME | 20-OCT-86 | ME | | | | |
| | | ASTM-D3159A-91 NOTICE 1 | MODIFIED ETFE-FLUOROPOLYMER MOLDING AND EXTRUSION MATERIALS USER: ME OS REVIEWER: AV | A | 9330 * | MR | 15-OCT-91 | MR | AS | 11 | | |
| | | ASTM-D3162-78 | CARBON MONOXIDE IN THE ATMOSPHERE STANDARD TEST METHOD FOR (CONTINUOUS MEASUREMENT BY NON DISPERSIVE INFRARED SPECTROMETRY) - 18 AUG 78 USER: OS SH REVIEWER: GS MD ME | A | 5810 | EA | 16-MAR-84 | EA | | 68 | | |
| | | ASTM-D3166-73R79 | ADHESIVES IN SHEAR BY TENSION LOADING (METAL\METAL), STANDARD TESTMETHOD FOR 1 MAR 73 | A | 8040 | MR | 02-DEC-87 | MR | AS | 99 | | |
| D | | ASTM-D3170-87R91 | CHIPPING RESISTANCE OF COATING - 29 MAY 1987 USER: SH YD1 | A | 8010 | MR | 22-JUL-91 | MR | AS | 99 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | ASTM-D3171-76R82 | FIBER CONTENT OF RESIN-MATRIX COMPOSITES BY MATRIL DIGESTION - 15 OCTOBER 1976 [VALIDATION DATE: 8804] | A | 9320 | MR | 04-MAR-88 | MR | | | | |
| A | L | | | ASTM-D3174 NOTICE 1 | ASH IN THE ANALYSIS SAMPLE OF COAL AND COKE FROM COAL, STANDARD TEST METHOD FOR | A | 9110 | * PS | 08-FEB-93 | | | | | PS |
| | | | | ASTM-D3182-89 | RUBBER-MATERIALS, EQUIPMENT, AND PROCEDURES FOR MIXING STANDARD COMPOUNDS AND PREPARING STANDARD VULCANIZED SHEETS - 31 MARCH 1989 REVIEWER: IS | A | 9320 | MR | 07-AUG-89 | MR | SH | 99 | | |
| | | | | ASTM-D3183-84R92 NOTICE 2 | PREPARATION OF PIECES FOR TEST PURPOSES FROM PRODUCTS [VALIDATION DATE: 9204] | A | 9320 | * MR | 17-APR-92 | MR | SH | 82 | | |
| D | | | | ASTM-D3212-89 | PIPES, PLASTIC, DRAIN, AND SEWER, JOINTS, USING FLEXIBLE ELASTOMERIC SEALS STANDARD SPECIFICATION FOR 24 FEB 89 REVIEWER: 82 CS | A | 4710 | YD1 | 31-JUL-89 | ME | YD1 | 99 | | |
| | | | | ASTM-D3227-83 | GASOLINE, KEROSINE, AVIATION TURBINE, AND DISTILLATE FUELS (POTENTIOMETRIC METHOD), MERCAPTAN SULFUR IN - 28 OCT 83 USER: OS SH REVIEWER: 68 | A | 91GP | ME | 13-JUN-85 | ME | AS | 11 | | |
| | | | | ASTM-D3229-88 | GASOLINE BY WAVELENGTH DISPERSIVE X-RAY SPECTROMETRY, LOW LEVELS OF LEAD IN - 31 OCT 1988 | A | 91GP | ME | 08-MAY-89 | ME | | | | |
| | L | | | ASTM-D3231 NOTICE 1 | GASOLINE, PHOSPHORUS IN, STANDARD TEST METHOD FOR ..... | A | 9130 | * PS | 16-JAN-92 | | | | | PS |
| | | | | ASTM-D3240A-86 | FUEL, AVIATION TURBINE, UNDISSOLVED WATER IN - 21 FEB 1986 ..... | A | 9130 | ME | 08-MAY-89 | ME | | | | |
| | L | | | ASTM-D3241 NOTICE 1 | FUELS, AVIATION TURBINE, (JFTOT PROCEDURE), THERMAL OXIDATION STABILITY OF, STANDARD TEST METHOD FOR | A | 91GP | * PS | 24-JAN-92 | | | | | PS |
| | L | | | ASTM-D3242 NOTICE 1 | FUEL, AVIATION TURBINE, ACIDITY IN, STANDARD TEST METHOD FOR ..... | A | 91GP | * PS | 24-JAN-92 | | | | | PS |
| | | | | ASTM-D3249-79 NOTICE 1 | AIR ANALYZER PROCEDURES, GENERAL AMBIENT - 23 FEB 79 [VALIDATION DATE: 8703] REVIEWER: GS MD ME | A | 6810 | EA | 06-MAR-87 | EA | SH | 68 | | |
| D | | | | ASTM-D3254-81 | SHEETING, VULCANIZED RUBBER, FOR POND, CANAL, AND RESERVOIR LINING, FABRIC-REINFORCED - 24 APR 1981 REVIEWER: 82 GS | A | 9320 | YD1 | 15-JUN-90 | MR | YD1 | 99 | | |
| | | | | ASTM-D3257-88 | AROMATICS IN MINERAL SPRITS BY GAS, CHROMATOGRAPHY, STANDARD TEST METHOD FOR - 1 FEB 88 USER: AS MC OS SH REVIEWER: GL GS MD ME | A | 6810 | EA | 17-NOV-89 | EA | | 68 | | |
| D | | | | ASTM-D3261-90 NOTICE 1 | PLASTIC FITTINGS FOR POLYETHYLENE (PE), PLASTIC PIPE AND TUBING, BUTT HEAT FUSION POLYETHYLENE, STANDARD SPECIFICATION FOR REVIEWER: 82 CS SH | A | 4730 | * YD1 | 05-FEB-93 | ME | YD1 | 99 | | |
| | | | | ASTM-D3266-79 NOTICE 1 | AUTOMATED SEPARATION AND COLLECTION OF PARTICULATE + ACID GASEOUS FLUORIDE IN THE ATMOSPHERE (DOUBLE PAPER TAPE SAMPLER METHOD) - 23 FEB 79 [VALIDATION DATE: 8703] | A | 6810 | EA | 06-MAR-87 | EA | SH | | | |
| | | | | ASTM-D3268-85 | SEPERATION AND COLLECTION OF PARTICULATE AND GASOUS FLUORIDES IN THE ATMOSPHERE (SODIUM BICARBONATE-COATED GLASS TUBE AND PARTICULATE FILTER METHOD) - 30 AUG 85 USER: AS OS REVIEWER: GS MD ME | A | 6810 | EA | 16-JUL-87 | EA | SH | | | |
| | | | | ASTM-D3269-79 NOTICE 1 | ANALYSIS FOR FLOURIDE CONTENT OF ATMOSPHERE AND PLANT TISSUES (MANUAL PROCEDURES). - 23 FEB 79 [VALIDATION DATE: 8703] | A | 6810 | EA | 06-MAR-87 | EA | SH | | | |
| | | | | ASTM-D3272-76R88 | VACUUM DISTILLATION OF SOLVENTS FROM SOLVENT-REDUCIBLE PAINTS FOR ANALYSIS - 29 OCT 76 (REAPPROVED 1988) USER: CG ME OS | A | 8010 | MR | 07-NOV-89 | MR | SH | | | |
| D | | | | ASTM-D3273-86 | MOLD, RESISTANCE TO GROWTH OF, ON THE SURFACE OF INTERIOR COATINGS IN AN ENVIRONMENTAL CHAMBER, STANDARD TEST METHOD FOR 15 OCT 87 USER: OS REVIEWER: MR | A | 8010 | YD1 | 15-OCT-87 | ME | YD1 | | | |
| D | | | | ASTM-D3274-82R88 | EVALUATING DEGREE OF SURFACE DISFIGUREMENT OF PAINT FILMS BY MICROBIAL (FUNGAL OR ALGAL) GROWTH OR SOIL AND DIRT ACCUMULATION STANDARD METHOD FOR -OCT 29 82- USER: SH REVIEWER: MR | A | 8010 | YD1 | 21-JUN-89 | ME | YD1 | | | |
| | | | | ASTM-D3275A-91 NOTICE 1 | E-CTFE-FLUOROPLASTIC MOLDING, EXTRUSION, AND COATING MATERIALS USER: SH REVIEWER: GS | A | 9330 | * MR | 15-OCT-91 | MR | AS | 11 | | |
| D | | | | ASTM-D3278-82 | FLASH POINT OF LIQUIDS BY SETAFLASH CLOSED-CUP APPARATUS - 29 OCT 82 USER: AS MC SH YD1 REVIEWER: AR GL GS MD ME | A | 6810 | EA | 14-JAN-86 | EA | | 68 | | |
| | | | | ASTM-D3280-85 | PIGMENT WHITE ZINC ANALYSIS OF USER: AS MC OS SH REVIEWER: GS MD ME ..... | A | 6810 | EA | 23-AUG-88 | EA | | | | |
| D | | | | ASTM-D3282-88 | SOIL, CLASSIFICATION OF, AND SOIL AGGREGATE MIXTURES FOR HIGHWAY CONSTRUCTION PURPOSES - 27 MAY 1988 USER: MC REVIEWER: 84 | A | 5610 | YD1 | 16-FEB-90 | ME | YD1 | 99 | | |
| A | L | | | ASTM-D3286 NOTICE 1 | GROSS CALORIFIC VALUE OF COAL AND COKE BY THE ISOPERIBOL BOMB CALORIMETER, STANDARD TEST METHOD FOR | A | 9110 | * PS | 08-FEB-93 | | | | | PS |
| D | | | | ASTM-D3293A-91 NOTICE 1 | PTFE RESIN MOLDED SHEET USER: AL AT EC GL MC OS YD1 REVIEWER: AR GS MD .... | A | 9330 | * MR | 11-OCT-91 | MR | | 11 | | |
| | | | | ASTM-D3295-90 NOTICE 1 | PTFE TUBING USER: AR TE REVIEWER: 99 AV GS ME SH ..... | A | 9330 | * MR | 27-FEB-92 | MR | SH | 11 | | |
| D | | | | ASTM-D3299-88 | TANKS, FILAMENT-WOUND GLASS-FIBER REINFORCED THERMOSET RESIN CHEMICAL-RESISTANT STANDARD SPECIFICATION FOR - 24 JUN 88 REVIEWER: MC | A | 5430 | YD1 | 17-MAR-89 | ME | YD1 | | | |
| | | | | ASTM-D3307A-91 NOTICE 1 | PFA-FLUOROCARBON MOLDING AND EXTRUSION MATERIALS USER: AS REVIEWER: AT AV GL GS ME | A | 9330 | * MR | 15-OCT-91 | MR | | 11 | | |
| | | | | ASTM-D3308A-91 NOTICE 1 | PTFE RESIN SKIVED TAPE REVIEWER: AL AR AT ER GS MD ..... | A | 9330 | * MR | 11-OCT-91 | MR | | 11 | | |
| D | | | | ASTM-D3309A-89 | SYSTEMS, DISTRIBUTION, POLYBUTYLENE (PB) PLASTIC HOT- AND COLD-WATER, STANDARD SPECIFICATION FOR - 30 JUN 89 REVIEWER: CS | A | 4710 | YD1 | 06-OCT-89 | ME | YD1 | 99 | | |
| D | | | | ASTM-D3320-90 | PITCH, EMULSIFIED COAL-TAR, (MINERAL COLLOID TYPE) - 30 MAR 1990 REVIEWER: CE | A | 5610 | YD1 | 07-NOV-90 | ME | YD1 | 99 | | |
| | | | | ASTM-D3329-84 | METHYL ISOBUTYL KETONE BY GAS CHROMATOGRAPHY, STANDARD TEST METHOD FOR PURITY OF - 27 APR 1984 USER: AS MC SH REVIEWER: GL GS MD ME | A | 6810 | EA | 11-FEB-87 | EA | | | | |
| D | | | | ASTM-D3330-83 | TAPE, PRESSURE SENSITIVE TAPE AT 180 DEG ANGLE, PEEL ADHESION OF - 30 AUG 83 REVIEWER: 99 AR GL ME MI MR OS SA SH YD1 | A | 7510 | AS | 26-SEP-85 | SH | AS | 69 | | 1S |
| D | | | | ASTM-D3330M-83 | TAPE, PRESSURE SENSITIVE, PEEL ADHESION OF, AT 180 DEG ANGLE (METRIC) - 30 AUG 83 REVIEWER: 99 AR GL ME MI MR OS SA SH YD1 | A | PACK | AS | 20-OCT-85 | SH | AS | 69 | | 1S |
| | | | | ASTM-D3335A-85R91 NOTICE 2 | LEAD, CADMIUM, AND COBALT IN PAINT BY ATOMICABSORPTION SPECTROSCOPY, TEST FOR LOW CONCENTRATIONS OF [VALIDATION DATE: 9111] | A | 8010 | * MR | 05-NOV-91 | MR | AS | | | |
| | | | | ASTM-D3337-74R80 | GREASES, IN SMALL BEARINGS EVALUATION OF STANDARD TEST METHOD FOR - 30 AUG 74 | A | 9150 | AS | 22-OCT-84 | ME | AS | 68 | | |
| | L | | | ASTM-D3338 NOTICE 1 | FUELS, AVIATION, ESTIMATION OF HEAT OF COMBUSTION OF, STANDARD TEST METHOD FOR | A | 91GP | * PS | 24-JAN-92 | | | | | PS |
| | L | | | ASTM-D3343 NOTICE 1 | FUELS, AVIATION, ESTIMATION OF HYDROGEN CONTENT OF, STANDARD TEST METHOD FOR | A | 91GP | * PS | 24-JAN-92 | | | | | PS |
| | | | | ASTM-D3355-74 | FIBER CONTENT OF UNIDIRECTIONAL FIBER RESIN COMPOSITES BY ELECTRICAL RESISTIVITY, STANDARD TEST METHOD FOR - 25 OCT 74 USER: EC MI REVIEWER: AS AV GL GS SH | A | CMPS | MR | 16-OCT-84 | MR | | | | |
| | | | | ASTM-D3368A-91 NOTICE 1 | FEP-FLUOROCARBON RESIN SHEET AND FILM USER: MC SH REVIEWER: 99 AR ER GL GS MD MI SH | A | 9330 | * MR | 15-OCT-91 | MR | AS | 11 | | |
| | L | | | ASTM-D3369A-91 NOTICE 1 | POLYTETRAFLUOROETHYLENE (PTFE) RESIN CAST FILM REVIEWER: AR AT EA ER GS MC MD ME TE | A | 9330 | * MR | 27-FEB-92 | MR | | | | |
| | | | | ASTM-D3372-86 | WATER,MOLYBDENUM IN, STANDARD TEST METHOD FOR - 30 MAY 86 REVIEWER: GL GS MD ME | A | 6810 | EA | 25-SEP-87 | EA | | 68 | | |
| | | | | ASTM-D3373-88 | WATER, VANADIUM IN - 19 AUG 1988 USER: 50 REVIEWER: GS MD ME ..... | A | 6810 | EA | 14-NOV-90 | EA | | 68 | | |
| | | | | ASTM-D3374-74R80 | STANDARD TEST METHOD FOR EVALUATION OF GREASE IN SMALL BEARINGS - 30 AUG 74 | A | 9150 | AS | 22-OCT-84 | ME | AS | 68 | | |
| | | | | ASTM-D3379-75R89 | MATERIAL, HIGH MODULUS SINGLE FILAMENT, TENSILE STRENGTH & YOUNG S MODULUS FOR - 24 FEB 1989 | A | CMPS | MR | 27-APR-89 | MR | AS | 11 | | |
| D | | | | ASTM-D3381-83 NOTICE 1 | CEMENT, VISCOSITY GRADED ASPHALT, FOR USE IN PAVEMENT CONSTRUCTION - 12 SEP 83 [VALIDATION DATE: 8905] USER: CE | A | 5610 | YD1 | 10-MAY-89 | ME | YD1 | 99 | | |
| D | | | | ASTM-D3385-88 | SOIL, INFILTRATION RATE OF, IN FIELD USING DOUBLE-RING INFILTRO- METERS - 1 FEB 1988 USER: MC REVIEWER: 84 | A | 5610 | YD1 | 21-FEB-90 | ME | YD1 | 99 | | |
| | | | | ASTM-D3391-75 | TAPE, RUBBER INSULATING, FOR HIGH VOLTAGE APPLICATIONS - 18 SEP 75 ..... | A | 5970 | EW | 19-OCT-79 | EW | SH | 85 | | |
| | | | | ASTM-D3410-87 | FIBER-RESIN COMPOSITES, COMPRESSIVE PROPERTIES OF UNIDIRECTIONAL OR CROSSPLY, STANDARD TEST METHOD FOR -29 MAY 1987 | A | CMPS | MR | 17-FEB-88 | MR | AS | 11 | | |

| Action | Obs / Obs Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-D3413-85 | LEAD (INORGANIC) IN WORKPLACE ATMOSPHERES BY ATOMIC ABSORPTION SPECTROMETRY, STANDARD TEST METHOD FOR - 20 MAR 85 REVIEWER: GS MD | A | 6810 | | EA | 22-JAN-86 | EA | | | 68 |
| | | ASTM-D3416-78<br>NOTICE 1 | TOTAL HYDROCARBONS, METHANE, & CARBON MONOXIDE IN THE ATMOSPHERE (GAS CHROMATOGRAPHIC METHOD) - 28 JAN 78 [VALIDATION DATE: 8703] REVIEWER: GS MD ME | A | 6810 | | EA | 06-MAR-87 | EA | SH | | 68 |
| | | ASTM-D3417-83R88<br>NOTICE 1 | POLYMERS BY THERMAL ANALYSIS, STANDARD TEST METHOD FOR HEATS OF FUSION & CRYSTALIZATION OF - 28 NOV 83 (REAPPROVED 1988) [VALIDATION DATE: 9006] REVIEWER: 15 AV GL MC MD ME | A | 9330 | | MR | 22-JUN-90 | MR | | | 11 |
| | | ASTM-D3418-82<br>NOTICE 2 | POLYMERS, TRANSITION TEMPERATURES OF, BY THERMAL ANALYSIS - 29 JAN 82 [VALIDATION DATE: 8803] REVIEWER: 99 GL GS MC MD ME | A | 9330 | | MR | 30-MAR-88 | MR | SH | | 11 |
| | | ASTM-D3422-75 | TOLUENE DIISOCYANATE CONCENTRATIONS, TENTATIVE METHOD OF TEST FOR, IN WORKPLACE ATMOSPHERES - 25 APR 75 [VALIDATION DATE: 8501] | A | 6630 | | EA | 31-MAR-78 | EA | MS | | 99 |
| | | ASTM-D3432-89 | SOLUTIONS BY GAS CHROMATOGRAPHY, UNREACTED TOLUENE DIISOCYANTES IN URETHANE PREPOLYMERS AND COATING - 28 APR 89 | A | 8010 | | MR | 08-SEP-89 | MR | SH | | 99 |
| D | | ASTM-D3441-86 | SOIL, DEEP, QUASI-STATIC, CONE AND FRICTION-CONE PENETRATION TESTS OF - 31 OCT 1986 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 21-FEB-90 | ME | | YD1 | 99 |
| | | ASTM-D3443-79 | TRICHLOROTRIFLUOROETHANE, CHLORIDE IN, TENTATIVE METHOD OF TEST FOR - 1979 [VALIDATION DATE: 8502] | A | 9135 | | 68 | 01-FEB-79 | | | | 68 |
| | | ASTM-D3446-79 | TRICHLOROTRIFLUOROETHANE, WATER CONTENT OF, WITH KARL FISCHER REAGENT, TENTATIVE METHOD OF TEST FOR - 1979 [VALIDATION DATE: 8502] | A | 9135 | | 68 | 01-FEB-79 | | | | 68 |
| | | ASTM-D3447-85 | TRICHLOROTRIFLUOROETHANE, PURITY OF - 31 MAY 1985 ..... | A | 6850 | | AS | 22-JUL-86 | EA | AS | | 68 |
| | | ASTM-D3449-79<br>NOTICE 1 | SULFUR DIOXIDE IN WORKPLACE ATMOSPHERES (BARIUM PERCHLORATE METHOD) - 23 FEB 79 [VALIDATION DATE: 8805] | A | 6630 | | EA | 27-MAY-88 | EA | MS | | 99 |
| D | | ASTM-D3450-90<br>NOTICE 1 | WASHABILITY PROPERTIES OF INTERIOR ARCHITECTURAL COATINGS, STANDARD TEST METHOD FOR USER: CE REVIEWER: 84 SH | A | 8010 | | YD1 | 29-MAR-93 | ME | | YD1 | 99 |
| | | ASTM-D3452-78R87 | RUBBER - IDENTIFICATION BY PYROLYSIS - GAS CHROMATOGRAPHY - 28 APR 78 USER: TE REVIEWER: AV EA GS MD ME | A | 9320 | | MR | 03-MAR-88 | MR | | | |
| A | | ASTM-D3453-91<br>NOTICE 1 | FLEXIBLE CELLULAR MATERIALS-URETHANE FOR FURNITURE AND AUTOMOTIVE CUSHIONING, BEDDING, AND SIMILAR APPLICATIONS, STANDARD SPECIFICATION FOR USER: AT OS REVIEWER: 11 AS GL GS | A | 9320 | * | MR | 22-JUN-92 | MR | | | 99 |
| D | | ASTM-D3462-87 | ASPHALT SHINGLES MADE FROM GLASS FELT & SURFACED WITH MINERAL GRANULES - 17 AUG 83 REVIEWER: CE MC | A | 5650 | | YD1 | 13-MAR-89 | ME | | YD1 | 99 |
| | | ASTM-D3464-75<br>NOTICE 1 | DUCT, AVERAGE VELOCITY IN A, USING A THERMAL ANEMOMETER - 26 DEC 75 [VALIDATION DATE: 8703] REVIEWER: GS MD ME | A | 6810 | | EA | 06-MAR-87 | EA | SH | | 68 |
| | | ASTM-D3476-79R85 | BIS (CHLOROMETHYL) ETHER (BIS CME) IN WORKPLACE ATMOSPHERE (GAS CHROMOTOGRAPHY - MASS SPECTROMETRY, STANDARD TEST METHOD FOR - 23 FEB 79 REVIEWER: AS GL GS MD ME | A | 6810 | | EA | 21-JUN-85 | EA | SH | | |
| | | ASTM-D3479-76R82 | FIBER, ORIENTED, RESIN MATRIX COMPOSITES, TENSION-TENSION FATIGUE OF - 26 MAR 1976 (REAPPROVED 1982) [VALIDATION DATE: 8309] USER: AS AT MI OS REVIEWER: 99 AR ER GS ME | A | CMPS | | MH | 09-NOV-79 | MR | SH | | 11 |
| | | ASTM-D3482-90 | ADHESIVES, STANDARD PRACTICE FOR DETERMINING ELECTROLYTIC CORROSION OF COPPER BY - 30 MAR 90 USER: MI SH REVIEWER: 20 84 ME | A | 8040 | | MR | 15-JUN-90 | MR | AS | | 99 |
| | | ASTM-D3487-82 | MINERAL INSULATING OIL USED IN ELECTRICAL APPARATUS - 13 JAN 82 ..... | A | 9160 | | AR | 05-MAY-82 | AR | SH | | 11 |
| | | ASTM-D3492-83 | CONTRACEPTIVES (CONDOMS), RUBBER - 28 OCT 83 ..... | A | 6515 | | MB | 24-JUL-85 | MD | MS | | 03 |
| D | | ASTM-D3499-76R81 | PLYWOOD, TOUGHNESS OF - JUL 76 (REAPPROVED 1981) USER: AL CR EC REVIEWER: 99 AR ME MR OS SA SH YD1 | A | 5530 | | AS | 01-OCT-82 | SH | AS | | 69 |
| D | | ASTM-D3500-76R81 | TESTING PLYWOOD IN TENSION - 21 JUL 76 (REAPPROVED 1981) USER: AL CR EC REVIEWER: 99 AR ME MR OS SA SH YD1 | A | 5530 | | AS | 01-OCT-82 | SH | AS | | 69 |
| D | | ASTM-D3501-76R81 | PLYWOOD IN COMPRESSION, TESTING - 2 JUL 76 (REAPPROVED 1981) USER: AL CR EC REVIEWER: 99 AR ME MR OS SA SH YD1 | A | 5530 | | AS | 01-OCT-82 | SH | AS | | 69 |
| | | ASTM-D3502-76 | WOOD PRODUCTS, MOISTURE ABSORPTION OF COMPRESSED - 2 JUL 76 USER: AL AV CG CR EC MC REVIEWER: 99 AR MR OS SH | A | PACK | | AS | 01-OCT-82 | SH | AS | | 69 |
| D | | ASTM-D3503-76 | WOOD PRODUCTS, COMPRESSED, SWELLING & RECOVERY OF, DUE TO MOISTURE ABSORPTION - 2 JUL 76 USER: AL CR EC REVIEWER: 99 AR ME MR OS SA SH YD1 | A | PACK | | AS | 01-OCT-82 | SH | AS | | 69 |
| | | ASTM-D3505-84 | LIQUID CHEMICALS, PURE, DENSITY OR RELATIVE DENSITY OF, STANDARD TEST METHOD FOR - 28 SEPT 1984 | A | 6810 | | EA | 02-MAR-87 | EA | | | 68 |
| D | | ASTM-D3517-86 | PIPE PRESSURE FIBERGLASS (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) STANDARD SPECIFICATION FOR 25 JUL 86 USER: 82 REVIEWER: CS SH | A | 4710 | | YD1 | 15-JUN-90 | ME | | YD1 | 99 |
| | | ASTM-D3518-76R82<br>NOTICE 1 | PLASTIC UNIDIRECTIONAL REINFORCED INPLANE SHEAR STRESS STRAIN RESPONSE OF - 9 NOV 1979 (REAPPROVED 1982) [VALIDATION DATE: 9006] REVIEWER: 99 AR ER GS ME | A | CMPS | | MR | 22-JUN-90 | MR | SH | | 11 |
| | | ASTM-D3529/D3529M-90 | EPOXY-MATRIX PREPREG BY MATRIX DISSOLUTION, RESIN SOLIDS CONTENT OF - 27 AUG 1990 USER: AS AT MI OS REVIEWER: 99 AV ER GS ME | A | 9330 | | MR | 06-JUN-91 | MR | SH | | 11 |
| | | ASTM-D3530-76R89<br>NOTICE 1 | CARBON FIBER, EPOXY PREPREG, VOLATILES CONTENT OF - 27 AUG 76 (REAPPROVE D 1989) [VALIDATION DATE: 9006] REVIEWER: 99 AR ER GS ME | A | 9330 | | MR | 22-JUN-90 | MR | SH | | 11 |
| | | ASTM-D3530/D3530M-90<br>NOTICE 1 | VOLATILES CONTENT OF EPOXY MATRIX PREPREG USER: AS AT GL MI OS REVIEWER: 99 AR ER GS ME | A | 9330 | * | MR | 23-APR-92 | MR | SH | | 11 |
| | | ASTM-D3531-76R89 | PREPREG, CARBON FIBER EPOXY, RESIN FLOW OF - 24 FEB 1989 (REAPPROVED 24 FEB 89) | A | CMPS | | MR | 27-APR-89 | MR | AS | | 11 |
| | | ASTM-D3532-76R89 | PREPREG, CARBON FIBER EPOXY, GEL TIME OF - 1976 (REAPPROVED 24 FEB 89) .... | A | CMPS | | MR | 27-APR-89 | MR | AS | | 11 |
| | | ASTM-D3539-87<br>NOTICE 2 | EVAPORATION RATES OF VOLATILE LIQUIDS BY SHELL THIN-FILM EVAPOROMETER, STANDARD TEST METHODS FOR [VALIDATION DATE: 9206] USER: AS REVIEWER: 84 | A | 8010 | * | MR | 05-JUN-92 | MR | SH | | 99 |
| | | ASTM-D3544-76R89 | FIBER, HIGH MODULUS, REPORTING TEST METHODS & RESULTS ON - 1976 (REAPPROVED 24 FEB 89) | A | CMPS | | MR | 27-APR-89 | MR | AS | | 11 |
| | | ASTM-D3545-81 | ALCOHOL CONTENT & PURITY OF ACETATE ESTERS BY GAS CHROMATOGRAPHY - 30 OCT 81 USER: AS MC SH REVIEWER: GL GS MD ME | A | 6810 | | EA | 19-OCT-83 | EA | | | 68 |
| D | | ASTM-D3550-84 | SOIL, RING-LINED BARREL SAMPLING OF - 27 JAN 1984 USER: MC REVIEWER: 84 ... | A | 5610 | | YD1 | 16-FEB-90 | ME | | YD1 | 99 |
| | | ASTM-D3552-77R89<br>NOTICE 1 | COMPOSITES, METAL MATRIX, FIBER REINFORCED, TENSILE PROPERTIES OF - 24 FEB 77 [VALIDATION DATE: 9103] USER: OS | A | CMPS | | MR | 20-MAR-91 | MR | SA | | |
| | | ASTM-D3553-76R89 | COMPOSITE, REINFORCED METAL MATRIX, FIBER COUTENT BY DIGESTION OF - 1976 (REAPPROVED 24 FEB 89) | A | CMPS | | MR | 27-APR-89 | MR | AS | | 11 |
| | | ASTM-D3559-85 | LEAD IN WATER, STANDARD TEST METHODS FOR - NOV 1985 USER: ME SH REVIEWER: GL GS | A | 6810 | | 68 | 14-OCT-86 | | | | 68 |
| D | | ASTM-D3567-85 | PIPE AND FITTINGS, RESIN, REINFORCED THERMOSETTING (RTRP), STANDARD PRACTICE FOR DETERMINING DIMENSIONS OF - 29 NOV 85 USER: SH REVIEWER: 82 CS | A | 4710 | | YD1 | 06-JUN-89 | ME | | YD1 | 99 |
| | | ASTM-D3574-91<br>NOTICE 1 | FLEXIBLE CELLULAR MATERIALS-SLAB, BONDED, AND MOLDED URETHANE FOAMS USER: GS ME REVIEWER: AS AV GL MI | A | 9320 | * | MR | 12-MAY-92 | MR | | | 11 |
| A | | ASTM-D3577-91<br>NOTICE 1 | GLOVES, SURGICAL, RUBBER, STANDARD SPECIFICATION FOR ..... ..... | A | 6515 | / | MB | 25-SEP-92 | MD | MS | | 03 |
| | | ASTM-D3578-77R82 | GLOVES, RUBBER EXAMINATION, STANDARD SPECIFICATION FOR - 25 APR 77 ..... | A | 6515 | | MB | 29-NOV-85 | MD | MS | | 03 |
| | | ASTM-D3586-85 | CHROMIUM IN WORKPLACE ATMOSPHERES (COLORIMETRIC METHOD) STANDARD TEST METHOD FOR - 20 MAR 85 USER: SH REVIEWER: GS MD | A | 6810 | | EA | 03-FEB-86 | EA | | | 68 |
| L | | ASTM-D3595-91<br>NOTICE 1 | POLYCHLORDTRIFLUOROETHYLENE (PCTFE) EXTRUDED PLASTIC SHEET AND FILM USER: ME REVIEWER: AR ER GL MI | A | 9330 | * | MR | 27-FEB-92 | MR | | | |
| D | | ASTM-D3611-77 | TAPE, PRESSURE SENSITIVE, ACCELERATED AGING OF [VALIDATION DATE: 8505] REVIEWER: 99 AR GL ME MI MR OS SA SH YD1 | A | 7510 | | AS | 03-SEP-80 | SH | AS | | 69 |
| | | ASTM-D3621-84 | ACETATE ESTERS, DETERMINATION OF WATER IN, STANDARD PRACTICE FOR - 27 APR 1984 USER: AS MC OS SH REVIEWER: GS MD ME | A | 6810 | | EA | 18-MAR-87 | EA | | | |
| D | | ASTM-D3624A-85R91<br>NOTICE 1 | LOW CONCENTRATIONS OF MERCURY IN PAINT BY ATOMIC ABSORPTION SPECTROSCOPY, STANDARD TEST METHOD FOR (REAPPROVED 1991 (E1)) USER: CE REVIEWER: 84 SH | A | 8010 | | YD1 | 29-MAR-93 | ME | | YD1 | 99 |
| | | ASTM-D3634-88 | TRACE CHLORIDE ION IN ENGINE COOLANTS - 29 JAN 1988 ..... | A | 6850 | | ME | 10-JUL-91 | ME | SH | | 68 |
| | | ASTM-D3652-83 | TAPES, THICKNESS OF PRESSURE-SENSITIVE AND GUMMED - 10 AUG 83 REVIEWER: 99 AR GL IS ME MI MR OS SA SH | A | 7510 | | AS | 09-JAN-85 | SH | AS | | 69 |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / DMR Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | NICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-D3652M-83 | TAPES, THICKNESS OF PRESSURE - SENSITIVE AND GUMMED (METRIC) - 10 AUG 83 REVIEWER: 99 AR GL IS ME MI MR OS SA SH | A | PACK | AS | SH | 09-JAN-85 | AS | 69 | | |
| D | | ASTM-D3653-78 | TAPE, PRESSURE SENSITIVE, HOLDING POWER OF LINEAL AND MULTIDIRECTIONAL FILAMENT REINFORCED - 24 FEB 78 (VALIDATION DATE: 8505) REVIEWER: 99 AR GL IS ME MI MR OS SA SH YD1 | A | 7510 | AS | SH | 02-OCT-80 | AS | 69 | | |
| D | | ASTM-D3654-82 | TAPES, PRESSURE-SENSITIVE, HOLDING POWER OF - 27 AUG 1982 REVIEWER: AR GL ME MI MR OS SA SH YD1 | A | 7510 | AS | SH | 30-SEP-85 | AS | 99 | IS | |
| D | | ASTM-D3654M-82 | TAPES, PRESSURE SENSITIVE, HOLDING POWER OF (METRIC) - 27 AUG 82 REVIEWER: 99 AR GL ME MI MR OS SA SH YD1 | A | 7510 | AS | SH | 30-SEP-85 | AS | 69 | IS | |
| | | ASTM-D3662-83 | TAPES, BURSTING STRENGTH OF PRESSURE - SENSITIVE 10 AUG 83 REVIEWER: 99 AR GL IS ME MI MR OS SA SH | A | 7510 | AS | SH | 09-JAN-85 | AS | 69 | | |
| | | ASTM-D3662M-83 | TAPES, BURSTING STRENGTH OF PRESSURE-SENSITIVE (METRIC) - 10 AUG 83 REVIEWER: 99 AR GL IS ME MI MR OS SA SH | A | 7510 | AS | SH | 09-JAN-85 | AS | 69 | | |
| D | | ASTM-D3666A-90 | MATERIALS, BITUMINOUS PAVING, EVALUATION OF INSPECTION AND TESTING AGENCIES FOR - 30 NOV 1990 USER: CE MC REVIEWER: 84 | A | 5610 | YD1 | | 14-AUG-91 | ME | YD1 | 99 | |
| D | | ASTM-D3667-85 NOTICE 1 | RUBBER SEAL USED IN FLAT-PLATE SOLAR COLLECTORS - 29 MAR 1985 (VALIDATION DATE: 9004) USER: 82 MC | A | 9320 | YD1 | | 02-APR-90 | ME | YD1 | 99 | |
| D | | ASTM-D3668-78R85 | SOIL LIME MIXTURE, LABORATORY COMPACTED BEARING RATIO OF STANDARD TEST METHOD FOR - 21 DEC 78 (REAPPROVED 1985) USER: CE MC REVIEWER: 84 | A | 5610 | YD1 | | 25-AUG-89 | ME | YD1 | 99 | |
| D | | ASTM-D3672-86 NOTICE 2 | VENTING ASPHALT-SATURATED AND COATED INORGANIC FELT BASE SHEET USED IN ROOFING, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9203) USER: MC REVIEWER: SH | A | 5650 | * YD1 | | 09-MAR-92 | ME | YD1 | 99 | |
| | | ASTM-D3677-90 | SPECTROPHOTOMETRY, INFRARED, RUBBER- IDENTIFICATION BY - 26 OCT. 1990 USER: TE REVIEWER: AV EA GS MD ME | A | 9320 | MR | | 05-FEB-91 | MR | | | |
| | | ASTM-D3699-78 | KEROSEN - 25 AUG 78 ..... | A | 9140 | ME | | 30-NOV-79 | MR | SH | 68 | |
| A L | | ASTM-D3701 NOTICE 1 | HYDROGEN CONTENT OF AVIATION TURBINE FUELS BY LOW RESOLUTION NUCLEAR MAGNETIC RESONANCE SPECTROMETRY, STANDARD TEST METHOD FOR | A | 91GP | * PS | | 14-JUN-92 | | | | PS |
| L | | ASTM-D3703 NOTICE 1 | FUELS, AVIATION TURBINE, PEROXIDE NUMBER OF, STANDARD TEST METHOD FOR ..... | A | 91GP | * PS | | 24-JAN-92 | | | | PS |
| | | ASTM-D3715-88 | TAPES, PRESSURE-SENSITIVE QUALITY ASSURANCE OF - 30 SEP 88 USER: 18 SA REVIEWER: GL MC OS | A | QCIC | SH | | 30-JUN-90 | SH | AS | 69 | |
| | | ASTM-D3715M-88 | TAPES, PRESSURE-SENSITIVE QUALITY ASSURANCE OF (METRIC) 26 FEB 88 USER: 18 SA REVIEWER: GL MC OS | A | QCIC | SH | | 30-JUN-90 | SH | AS | 69 | |
| A | | ASTM-D3725-78R92 NOTICE 1 | SEMIQUANTITATIVE DETERMINATION OF FISH OIL IN DRYING OILS AND DRYING OIL FATTY ACIDS BY GAS-LIQUID CHROMATOGRAPHY REVIEWER: CG ME OS | A | 8010 | * MR | | 17-NOV-92 | MR | SH | | |
| | | ASTM-D3738-84R90 NOTICE 1 | HOSPITAL SHEETING, RUBBER-COATED CLOTH - 28 SEPT 1984 (REAPPROVED 1990) (VALIDATION DATE: 9006) REVIEWER: EA GS MD ME | A | 9320 | MR | | 22-JUN-90 | MR | | | |
| D | | ASTM-D3740-88 | SOIL & ROCK AS USED N ENGINEERING DESIGN & CONSTRUCTION, EVALUATION OF AGENCIES ENGAGED IN THE TESTING AND/OR INSPECTION OF - 31 OCT 1988 USER: CE MC | A | 5610 | YD1 | | 26-SEP-89 | ME | YD1 | | |
| | | ASTM-D3759-83 | TAPES, PRESSURE SENSITIVE, TENSILE STRENGTH & ELONGATION OF - 10 AUG 83 REVIEWER: 99 AR GL IS ME MI MR OS SA SH | A | 7510 | AS | SH | 09-JAN-85 | AS | 69 | | |
| | | ASTM-D3759M-83 | TAPE, PRESSURE SENSITIVE, TENSILE STRENGTH & ELONGATION OF (METRIC) - 10 AUG 83 REVIEWER: 99 AR GL IS ME MI MR OS SA SH | A | 7510 | AS | SH | 09-JAN-85 | AS | 69 | | |
| D | | ASTM-D3767-84R92 NOTICE 2 | RUBBER-MEASUREMENT OF DIMENSIONS (VALIDATION DATE: 9204) USER: AS MC ME OS YD1 REVIEWER: 82 AT AV ER GL GS | A | 9320 | * MR | | 17-APR-92 | MR | SH | 99 | |
| | | ASTM-D3772-80 | COTS, RUBBER FINGER - 28 MAR 80 ..... | A | 6515 | MB | | 24-JUL-85 | MD | MS | 03 | |
| A | | ASTM-D3786A-80 | KNITTED GOODS & NONWOVEN FABRICS - DIAPHRAGM BURSTING STRENGTH TESTER METHOD, HYDRAULIC BURSTING STRENGTH OF - 1 AUG 80 REVIEWER: 11 82 | A | 83GP | CT | | 11-JUL-86 | GL | MU | 99 | CT |
| A | | ASTM-D3787A-80 | KNITTED GOODS - CONSTANT - RATE-OF-TRAVERSE (CRT) BALL BURST TEST, BURSTING STRENGTH OG- 2 SEP 80 REVIEWER: 11 82 | A | 83GP | CT | | 11-JUL-86 | GL | MU | 99 | CT |
| | | ASTM-D3800-79R90 NOTICE 1 | FIBERS, HIGH MODULUS, DENSITY OF - 29 MAY 1979 (REAPPROVED 1990) (VALIDATION DATE: 9006) REVIEWER: GL | A | 9330 | MR | | 22-JUN-90 | MR | | | |
| D | | ASTM-D3811-85 | TAPE PRESSURE SENSITIVE UNWIND FORCE OF - 26 JUL 85 USER: ME OS SH REVIEWER: 99 GL ML SA YD1 | A | PACK | AS | | 18-JUL-88 | | AS | 69 | |
| D | | ASTM-D3813-79 | CURLING AND TWISTING ON UNWINDING OF PRESSURE SENSITIVE TAPES - 27 JUL 79 (VALIDATION DATE: 8505) REVIEWER: 99 AR GL IS ME MR MT OS SA SH YD1 | A | 7510 | AS | | 09-DEC-80 | SH | AS | 69 | |
| D | | ASTM-D3815-85 | TAPE PRESSURE SENSITIVE ACCELERATED AGING OF BY CARBON ARC EXPOSURE APPARATUS - 26 JUL 85 USER: AR OS SH REVIEWER: 99 GL MI MR SA YD1 | A | PACK | SH | | 18-JUL-88 | SH | AS | 69 | |
| | | ASTM-D3816-79 | TAPE, PRESSURE SENSITIVE, WATER PENETRATION RATE OF - 31 JUL 79 (VALIDATION DATE: 8505) REVIEWER: 99 AR GL IS ME MI MR SA | A | 7510 | AS | | 17-SEP-80 | SH | AS | 69 | |
| | | ASTM-D3832-87 | TESTER, SETAFLASH CLOSED, FLASH POINT BY - 14 DEC 1987 ..... | A | 91GP | ME | | 08-MAY-89 | ME | | | |
| D | | ASTM-D3839-89 | PIPE, RESIN, FLEXIBLE REINFORCED THERMOSETTING, STANDARD PRACTICE FOR UNDERGROUND INSTALLATION OF - 27 JAN 89 REVIEWER: 82 CS | A | 4710 | YD1 | | 12-JUL-89 | ME | YD1 | 99 | |
| D | | ASTM-D3841-88 | PANEL, GLASS-FIBER-REINFORCED POLYESTER PLASTIC STANDARD SPECIFICATION FOR - 25 MAR 88 | A | 9330 | YD1 | | 27-SEP-88 | MR | YD1 | | |
| D | | ASTM-D3846-79R85 NOTICE 2 | PLASTICS, REINFORCED, IN PLANE SHEAR STRENGTH OF - 26 OCT 197R (REAPPROVED 1985) (VALIDATION DATE: 8803) USER: OS TE YD1 | A | 9330 | MR | | 30-MAR-88 | MR | SH | 11 | |
| | | ASTM-D3878-87 | FIBERS AND THEIR COMPOSITES, STANDARD THERMINOLOGY OF HIGH-MODULUS REINFORCING - 27 MAR 1987 | A | CMPS | MR | | 17-FEB-88 | MR | AS | 11 | |
| D | | ASTM-D3889-85 | TAPE PRESSURE SENSITIVE ADHERENCE TO LINERBOARD OF AT LOW TEMPERATURE - 26 JUL 85 USER: AR ME OS SH REVIEWER: 99 GL MI MR SA YD1 | A | PACK | AS | | 18-JUL-88 | SH | AS | 69 | |
| | | ASTM-D3892-80R87 | PLASTICS, PACKAGING/PACKING OF - 24 MAR 1980 - (REAPPROVED 1987) USER: OS REVIEWER: AH AS AV EA GL GS ME | A | PACK | MR | | 23-AUG-89 | MR | SH | 99 | |
| D L | | ASTM-D3909-91 NOTICE 1 | ASPHALT ROLL ROOFING (GLASS FELT) SURFACED WITH MINERAL GRANULES, STANDARD SPECIFICATION FOR | A | 5650 | * YD1 | | 03-AUG-92 | | YD1 | | |
| D | | ASTM-D3910-90 NOTICE 1 | DESIGN, TESTING, AND CONSTRUCTION OF SLURRY SEAL, STANDARD PRACTICES FOR USER: MC REVIEWER: 84 CE | A | 5610 | * YD1 | | 02-MAR-92 | ME | YD1 | 99 | |
| D | | ASTM-D3924-80R91 NOTICE 1 | ENVIRONMENT FOR CONDITIONING AND TESTING PAINT, VARNISH, LACQUER, AND RELATED MATERIALS, STANDARD SPECIFICATION FOR STANDARD (REAPPROVED 1991 (E1)) USER: CE REVIEWER: 84 SH | A | 8010 | YD1 | | 29-MAR-93 | ME | YD1 | 99 | |
| D | | ASTM-D3925-91 NOTICE 1 | SAMPLING LIQUID PAINTS AND RELATED PIGMENTED COATINGS, STANDARD PRACTICE FOR USER: CE REVIEWER: 84 SH | A | 8010 | YD1 | | 29-MAR-93 | ME | YD1 | 99 | |
| | | ASTM-D3948-87 | FUEL, AVIATION TURBINE, DETERMINING WATER SEPARATION CHARACTERISTICS OF BY PORTABLE SEPAROMETER - 2 APR 1987 | A | 9130 | ME | | 08-MAY-89 | ME | | | |
| D | | ASTM-D3950-87 | STRAPPING, PLASTIC (AND SEALS) - 27 MAR 87 USER: OS SH REVIEWER: 69 AR GL IS MI SA YD1 | A | PACK | AS | | 20-JUN-88 | SH | AS | 99 | |
| | | ASTM-D3951-90 | PACKAGING, COMMERCIAL - 27 JUL 1990 REVIEWER: 10 AR AS AT CR EA GS MC ME .. | A | PACK | SH | | 21-DEC-90 | AM | SA | 69 | DH |
| D | | ASTM-D3953-87 | STEEL FLAT & SEALS STRAPPING - 31 DEC 87 USER: 70 71 80 REVIEWER: 84 99 AR GL ME MI MR OS SA SH YD1 | A | PACK | AS | | 21-APR-89 | SH | AS | 69 | |
| D | | ASTM-D3960-92 NOTICE 1 | DETERMINING VOLATILE ORGANIC COMPOUND (VOC) CONTENT OF PAINTS AND RELATED COATINGS, STANDARD PRACTICE FOR USER: CE REVIEWER: 84 SH | A | 8010 | YD1 | | 29-MAR-93 | ME | YD1 | 99 | |
| | | ASTM-D4000-90 | PLASTIC, DYNAMIC MECHANICAL MEASUREMENTS ON - 29 JUNE 1990 USER: AS EC MC OS SH REVIEWER: AL AR AT AV GS ML | A | 9330 | MR | | 27-JUL-84 | MR | | 11 | |
| D | | ASTM-D4004-88 | RUBBER-DETERMINATION OF METAL CONTENT BY FLAME ATOIC ABSORPTION - 29 APR 1988 USER: AT ME OS SH REVIEWER: 82 AV GL GS YD1 | A | 9320 | MR | | 21-NOV-89 | MR | | | |
| D | | ASTM-D4017-90 NOTICE 1 | WATER IN PAINTS AND PAINT MATERIALS BY KARL FISHER METHOD, STANDARD TEST METHOD FOR USER: CE REVIEWER: 84 SH | A | 8010 | YD1 | | 29-MAR-93 | ME | YD1 | 99 | |
| | | ASTM-D4018-81 NOTICE 1 | YARNS, STRANDS, ROVINGS & TOWS, STANDARD TEST METHODS FOR TENSILE PROPERTIES OF CONTINUOUS FILAMENT CARBON & GRAPHITE - 26 JUN 81 (VALIDATION DATE: 9006) REVIEWER: AV GL GS | A | CMPS | MR | | 22-JUN-90 | MR | | | |
| A | | ASTM-D4019-81 | PLASTICS BY COULOMETRY, MOISTURE IN - 26 JUN 81 USER: AS MC REVIEWER: AL AR AV GL GS | A | 9330 | MR | | 13-SEP-83 | MR | | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Ctrl / Obtl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| A | L | ASTM-D4020-92 | ULTRA-HIGH-MOLECULAR-WEIGHT POLYETHYLENE MOLDING AND EXTRUSION MATERIALS | A 9330 * MR | 21-OCT-92 | MR | | | |
| | | NOTICE 1 | USER: MI REVIEWER: GL GS SM | | | | | | |
| D | | ASTM-D4022-81 | CEMENT, COAL TAR ROOF, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] | A 5610 * YD1 | 09-MAR-92 | ME | YD1 | 99 | |
| | | NOTICE 2 | USER: CE REVIEWER: EA | | | | | | |
| | | ASTM-D4048-81 | LUBRICATION GREASE BY THE COPPER STRIP TARNISH TEST, DETECTION OF COPPER | A 9150 | ME 07-DEC-83 | ME | | 68 | |
| | | | CORROSION FROM - 28 AUG 81 USER: AS | | | | | | |
| A | L | ASTM-D4052 | DENSITY AND RELATIVE DENSITY OF LIQUIDS BY DIGITAL DENSITY METER, STANDARD | A 91GP * PS | 15-JUN-92 | | | | PS |
| | | NOTICE 1 | TEST METHOD FOR | | | | | | |
| | | ASTM-D4057-81 | PETROLEUM & PETROLEUM PRODUCTS, MANUAL SAMPLING OF 28 AUG 81 ..... | A 9150 | AS 22-OCT-84 | ME | AS | 68 | |
| | | ASTM-D4065A-90 | PLASTICS, DETERMINING AND REPORTING DYNAMIC MECHANICAL PROPERTIES OF - 26 | A 9330 | MR 16-AUG-91 | MR | | | |
| | | | OCT 1990 USER: AS EC MC OS REVIEWER: AL AR AT GL GS ME | | | | | | |
| D | | ASTM-D4066-92 | NYLON INJECTION AND EXTRUSION MATERIALS (PA) USER: OS YD1 REVIEWER: 11 84 | A 9330 * MR | 22-OCT-92 | MR | AS | 99 | |
| | | NOTICE 1 | AR AV EA ER GL GS MD ME MI SH SM | | | | | | |
| | L | ASTM-D4075-87R92 | COMPOUNDING MATERIALS-FLAME ATOMIC ABSORPTION TECHNIQUE-DETERMINATION OF | A 9320 * MR | 17-APR-92 | MR | | | |
| | | NOTICE 2 | METALS [VALIDATION DATE: 9204] USER: OS REVIEWER: AT GL GS | | | | | | |
| | | ASTM-D4080-84R90 | VAPOR-DEGREASING GRADE TRICHLOROETHYLENE - 26 OCT 1990 USER: GL REVIEWER: | A 6810 | EA 10-MAY-91 | EA | SH | 68 | |
| | | | AS MC MD MI OS SM | | | | | | |
| D | | ASTM-D4083-83 | SOIL, (VISUAL-MANUAL PROCEDURE), DESCRIPTION OF FROZEN - 25 MAR 1983 USER: | A 5610 | YD1 21-FEB-90 | ME | YD1 | 99 | |
| | | | MC REVIEWER: 84 | | | | | | |
| | | ASTM-D4101-82R88 | MATERIALS, POLYPLENE PLASTIC INJECTION AND EXTRUSION - 23 MAR 82 (REAPPR | A 9330 | MR 22-JUN-90 | MR | | 11 | |
| | | NOTICE 1 | OVED 1988) [VALIDATION DATE: 9006] REVIEWER: 84 99 AR AV GL GS ME MI | | | | | | |
| | | ASTM-D4102-82R87 | FIBERS, CARBON, THERMAL OXIDATIVE RESISTANCE OF - 16 OCT 1984 (REAPPROVED | A 9330 | MR 22-JUN-90 | MR | | | |
| | | NOTICE 1 | 1987) [VALIDATION DATE: 9006] REVIEWER: AS AV GL GS SM | | | | | | |
| | | ASTM-D4126-84 | VAPOR-DEGREASING GRADE & GENERAL SOLVENT GRADE 1, 1, 1, - TRICHLOROETHANE | A 6810 | AS 20-AUG-87 | EA | AS | 68 | |
| | | | - 25 MAY 1984 | | | | | | |
| | | ASTM-D4169-86 | SHIPPING CONTAINERS & SYSTEMS, STANDARD PRACTICE FOR PERFORMANCE TESTING | A PACK | SM 16-JUN-86 | SM | AS | 69 | |
| | | | OF - 28 FEB 1986 REVIEWER: 43 99 AT AV CR EC MC ME MI SA | | | | | | |
| | | ASTM-D4175-88 | PETROLEUM, PETROLEUM PRODUCTS, AND LUBRICANTS, STANDARD TERMINOLOGY | A 91GP | ME 20-FEB-90 | ME | AS | 68 | |
| | | | RELATING TO - 27 MAR 1987 REVIEWER: GS | | | | | | |
| | | ASTM-D4177-82 | PETROLEUM & PETROLEUM PRODUCTS, AUTOMATIC SAMPLING OF 06 OCT 82 ..... | A 9150 | AS 22-OCT-84 | ME | AS | 68 | |
| A | | ASTM-D4181-91 | ACETAL (POM) MOLDING AND EXTRUSION MATERIALS USER: AT EC MC ME OS SH | A 9330 * MR | 22-OCT-92 | MR | AS | 11 | |
| | | NOTICE 1 | REVIEWER: 99 AV GL GS | | | | | | |
| | | ASTM-D4203-89 | STYRENE ACRYLONITRILE (SAN) INJECTION AND EXTRUSION MATERIALS - 30 JUNE | A 9330 | MR 16-AUG-91 | MR | | 11 | |
| | | | 1989 USER: AS EC MC SH REVIEWER: AV ER GL GS MD SM | | | | | | |
| | | ASTM-D4214-89 | PAINT, EXTERIOR, FILMS, EVALUATING THE DEGREE OF CHALKING OF - 30 MAY 1990 | A 8040 | MR 15-JAN-91 | MR | SH | 11 | |
| | | | USER: GL | | | | | | |
| D | | ASTM-D4216-87 | POLY(VINYL CHLORIDE), RIGID, (PVC) AND RELATED PLASTIC BUILDING PRODUCTS | A 9330 | YD1 15-JUN-90 | MR | YD1 | 99 | |
| | | | COMPOUNDS - 28 AUG 1987 REVIEWER: 82 GS | | | | | | |
| D | | ASTM-D4220-89 | SOIL SAMPLES, PRESERVING AND TRANSPORTING - 13 JUL 1989 USER: MC REVIEWER: | A 5610 | YD1 29-JUN-90 | ME | YD1 | 99 | |
| | | | 84 | | | | | | |
| D | | ASTM-D4253-83 | SOIL USING A VIBRATORY TABLE, MAXIMUM INDEX DENSITY OF - 27 MAY 83 (MUST | A 5610 | YD1 31-DEC-88 | ME | YD1 | | |
| | | NOTICE 1 | BE USED IN CONJUNCTION WITH ASTM D4254-83) [VALIDATION DATE: 8812] USER: | | | | | | |
| | | | CE MC | | | | | | |
| D | | ASTM-D4254-83 | SOIL & CALCULATION OF RELATIVE DENSITY, MINIMUM INDEX DENSITY OF - 27 MAY | A 5610 | YD1 31-DEC-88 | | YD1 | | |
| | | NOTICE 1 | 83 (MUST BE USED IN CONJUNCTION WITH ASTM D4253-83) [VALIDATION DATE: | | | | | | |
| | | | 8812] USER: CE MC | | | | | | |
| | | ASTM-D4255-83 | LAMINATES, COMPOSITE, TESTING INPLANE SHEAR PROPERTIES OF, STANDARD GUIDE | A CMPS | MR 22-JUN-90 | MR | | | |
| | | NOTICE 1 | FOR - 27 MAY 83 [VALIDATION DATE: 9006] REVIEWER: AS AV GL GS SM | | | | | | |
| D | | ASTM-D4263-83R88 | CONCRETE BY THE PLASTIC SHEET METHOD, INDICATING MOISTURE IN - 17 AUG 1983 | A 5610 | YD1 01-AUG-89 | ME | YD1 | 99 | |
| | | | (REAPPROVED 1988) USER: MC REVIEWER: 84 CE | | | | | | |
| D | | ASTM-D4287-88 | HIGH-SHEAR VISCOSITY USING THE ICI CONE/PLATE VISCOMETER, STANDARD TEST | A 8010 | YD1 29-MAR-93 | ME | YD1 | 99 | |
| | | NOTICE 1 | METHOD FOR USER: CE REVIEWER: 84 SH | | | | | | |
| | L | ASTM-D4294 | SULFUR IN PETROLEUM PRODUCTS BY ENERGY-DISPERSIVE X-RAY FLUORESCENCE | A 91GP * PS | 16-JAN-92 | | | | PS |
| | | NOTICE 1 | SPECTROSCOPY, STANDARD TEST METHOD FOR | | | | | | |
| | | ASTM-D4300-88 | ADHESIVE, ABILITY OF FILMS TO SUPPORT OR RESIST THE GROWTH OF FUNGI - 26 | A 8040 | MR 16-AUG-90 | MR | AS | 99 | |
| | | | AUG 88 REVIEWER: 84 AR GL | | | | | | |
| | | ASTM-D4306 | FUEL, AVIATION, SAMPLE CONTAINERS FOR TESTS AFFECTED BY TRACE | A 8115 | GL 14-JAN-91 | GL | SA | 69 | |
| | | | CONTAMINATION - 31 OCT 86 USER: AT REVIEWER: 11 84 99 AS SH | | | | | | |
| | L | ASTM-D4308 | ELECTRICAL CONDUCTIVITY OF LIQUID HYDROCARBONS BY PRECISION METER, | A 91GP * PS | 16-JAN-92 | | | | PS |
| | | NOTICE 1 | STANDARD TEST METHOD FOR | | | | | | |
| | | ASTM-D4317-88 | ADHESIVES, EMULSION, POLYVINYL ACETATE-BASED, STANDARD SPECIFICATION FOR | A 8040 | MR 13-JAN-89 | MR | AS | 99 | |
| | | | 29 APRIL 86 USER: OS REVIEWER: 11 84 AR AT ME | | | | | | |
| D | | ASTM-D4318-84 | SOIL, LIQUID LIMIT, PLASTIC LIMIT, & PLASTICITY INDEX OF, STANDARD TEST | A 5610 | YD1 05-SEP-89 | | YD1 | | |
| | | NOTICE 2 | METHOD FOR - 26 OCT 84 (VALIDATE 9-89) [VALIDATION DATE: 8909] USER: CE MC | | | | | | |
| D | | ASTM-D4325-91 | NONMETALLIC, SEMI-CONDUCTING AND ELECTRICALLY INSULATING RUBBER TAPES, | A 5970 * MR | 29-OCT-91 | MR | SH | 99 | |
| | | NOTICE 1 | STANDARD TEST METHODS FOR USER: AT OS YD1 REVIEWER: AR AS ER GL GS ME | | | | | | |
| A | | ASTM-D4338-90 | FLEXIBILITY DETERMINATION OF SUPPORTED ADHESIVE FILMS BY MANDREL BEND TEST | A 8040 * MR | 22-JUN-92 | MR | | 11 | |
| | | NOTICE 1 | METHOD REVIEWER: AR GL SH | | | | | | |
| | | ASTM-D4339-89 | ADHESIVES, DETERMINATION OF THE ODOR OF - 24 FEB 1990 USER: AS ME ..... | A 8040 | MR 08-MAY-90 | MR | SH | 11 | |
| D | | ASTM-D4350-86 | PLASTICS AND FILLERS CORROSIVITY INDEX OF STANDARD TEST METHOD FOR - 25 | A 9330 | MR 12-FEB-91 | MR | SH | 11 | |
| | | NOTICE 1 | JULY 1986 (REAPPROVED 1990) [VALIDATION DATE: 9102] USER: AS ME YD1 | | | | | | |
| | | | REVIEWER: AR AV GL GS MI | | | | | | |
| D | | ASTM-D4388-91 | NONMETALLIC, SEMI-CONDUCTING AND ELECTRICALLY INSULATING RUBBER TAPES, | A 5970 * MR | 29-OCT-91 | MR | SH | 99 | |
| | | NOTICE 1 | STANDARD SPECIFICATION FOR USER: AT OS YD1 REVIEWER: AH AS ER GL GS ME | | | | | | |
| D | | ASTM-D4397-84 | POLYETHYLENE SHEETING FOR CONSTRUCTION, INDUSTRIAL, & AGRICULTURAL | A 9330 | YD1 14-JUL-88 | | YD1 | 99 | |
| | | | APPLICATIONS STANDARD SPECIFICATION FOR - 27 JUL 84 USER: SH REVIEWER: 84 | | | | | | |
| | | | GS MR | | | | | | |
| D | | ASTM-D4427-84 | PEAT SAMPLES BY LABORATORY TESTING - 26 OCT 1984 USER: MC REVIEWER: 84 .... | A 5610 | YD1 21-FEB-90 | ME | YD1 | 99 | |
| D | | ASTM-D4429-84 | SOIL IN PLACE, BEARING RATIO OF - 26 OCT 1984 USER: MC REVIEWER: 84 ..... | A 5610 | YD1 21-FEB-90 | ME | YD1 | 99 | |
| | | ASTM-D4442-84 | WOOD AND WOOD-BASE MATERIALS, DIRECT MOISTURE CONTENT MEASUREMENT OF, | A 5510 | AS 02-JUL-90 | SM | AS | 69 | |
| | | | STANDARD TEST METHODS FOR - DEC 84 USER: ME REVIEWER: 43 70 71 80 82 CS GL | | | | | | |
| | | | SA | | | | | | |
| | | ASTM-D4444-84 | METERS, HAND-HELD MOISTURE, USE AND CALIBRATION OF, STANDARD TEST METHOD | A 5510 | AS 02-JUL-90 | SM | AS | 69 | |
| | | | FOR - DEC 84 USER: ME REVIEWER: 43 70 71 80 82 CS GL SA | | | | | | |
| D | | ASTM-D4479-85 | COATINGS, ASPHALT ROOF, ASBESTOS FREE, STANDARD SPECIFICATION FOR -14 JUN | A 5610 | YD1 16-JUN-89 | | YD1 | 99 | |
| | | | 85 USER: CE MC REVIEWER: 84 GS MR | | | | | | |
| | | ASTM-D4500-89 | ADHESIVES, WATER-BORNE DETERMINING GRIT, LUMPS, OR UNDISSOLVED MATTER IN - | A 8040 | MR 08-MAY-90 | MR | SH | 11 | |
| | | | 24 FEB 89 USER: AS ME REVIEWER: AV | | | | | | |
| | | ASTM-D4507-85 | THERMOPLASTIC POLYESTER (TPES) MATERIALS REVIEWER: AR AS GL ME MI ..... | A 9330 | MR 23-MAY-89 | MR | SH | 11 | |
| | | ASTM-D4549-85 | MOLDING, POLYSTYRENE, AND EXTRUSTION MATERIALS - 29 NOV 85 REVIEWER: AR ER | A 9330 | MR 15-JUN-89 | MR | AS | 11 | |
| | | | GS ME | | | | | | |
| | | ASTM-D4562-90 | SHEAR STRENGTH OF ADHESIVES USING PIN-AND-COLLAR SPECIMEN USER: ME | A 8030 * MR | 05-DEC-91 | MR | AS | | |
| | | NOTICE 1 | REVIEWER: MD | | | | | | |
| D | | ASTM-D4586-86 | CEMENT, ASPHALT ROOF, ASBESTOS FREE , STANDARD SPECIFCATION FOR - 17 OCT | A 5610 | YD1 16-JUN-89 | | YD1 | 99 | |
| | | | 86 USER: CE MC REVIEWER: 84 GS MR | | | | | | |
| D | | ASTM-D4601-86 | SHEET, ASPHALT-COATED GLASS FIBER BASE, USED IN ROOFING, STANDARD | A 5650 | YD1 16-JUN-89 | ME | YD1 | 99 | |
| | | | SPECIFICATION FOR - 25 AUG 86 USER: MC REVIEWER: 84 GS | | | | | | |
| | | ASTM-D4617-91 | PHENOLIC COMPOUNDS, (PF) REVIEWER: AH AS GL ME MI ..... | A 9330 * MR | 15-OCT-91 | MR | SH | 11 | |
| | | NOTICE 1 | | | | | | | |
| | | ASTM-D4624-86 | MEASURING APPARENT VISCOSITY BY CAPILLARY VISCOMETER AT HIGH TEMPERATURE | A 9150 | ME 11-JUN-91 | ME | AS | 68 | |
| | | | AND HIGH-SHEAR RATES - 31 AUGUST 1986 | | | | | | |
| | | ASTM-D4628-86 | ANALYSIS OF BARIUM, CALCIUM, MAGNESIUM, AND ZINC IN UNUSED LUBRICATING | A 9150 | ME 11-JUN-91 | ME | AS | 68 | |
| | | | OILS BY ATOMIC ABSORPTION SPECTROMETRY - 31 OCT 1986 | | | | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Ofrl / Ofml Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ASTM-D4634-86 | STYRENE-MALEIC ANHYDRIDE MATERIALS (S/MA) - 31 OCT 86 REVIEWER: AR AS GL ME MI | A | 9330 | MR | | 23-MAY-89 | MR | SH | 11 | |
| D | | | ASTM-D4637-87 NOTICE 1 | VULCANIZED RUBBER SHEET USED IN SINGLE-PLY ROOF MEMBRANE, STANDARD SPECIFICATION FOR USER: CE MC | A | 5650 | * | YD1 | 16-SEP-91 | ME | YD1 | 99 | |
| D | | | ASTM-D4643-87 | SOIL, WATER (MOISTURE) CONCENT OF BY MICROWAVE OVEN METHOD, DETERMINATION OF - 2 FEB 1987 USER: MC REVIEWER: 84 | A | 5610 | | YD1 | 21-FEB-90 | ME | YD1 | 99 | |
| | | | ASTM-D4673-87 NOTICE 1 | ACRYLONITRILE-BUTADIENE-STYRENE (ABS) MOLDING AND EXTRUSION MATERIALS REVIEWER: GS MD SH | A | 9330 | * | MR | 27-MAY-92 | MR | SH | 11 | |
| D | | | ASTM-D4675-87 | FLAT STRAPING MATERIALS SELECTION AND USE OF - 27 MAR 87 USER: 70 71 REVIEWER: 84 99 AR GL IS ME MI MR OS SA SH YD1 | A | PACK | | AS | 21-APR-89 | SH | AS | 69 | |
| | | | ASTM-D4683-90 | MEASURING VISCOSITY AT HIGH SHEAR RATE AND HIGH TEMPERATURE BY TAPERED BEARING SIMULATOR - 27 APR 19909 | A | 9150 | | ME | 11-JUN-91 | ME | AS | 68 | |
| | | | ASTM-D4684-89 | DETERMINATION OF YIELD STRESS AND APPARENT VISCOSITY OF ENGINE OILS AT LOW TEMPERATURE - 27 OCT 1989 | A | 9150 | | ME | 11-JUN-91 | ME | AS | 68 | |
| | | | ASTM-D4689-90 | ADHESIVE, CASEIN-TYPE - 30 MAR 90 USER: 84 AL AS SH REVIEWER: AR GL ..... | A | 8040 | | MR | 16-AUG-90 | MR | | 99 | |
| | | | ASTM-D4690-90 | ADHESIVE, UREA-FORMALDEHYDE RESIN - 30 MAR 90 USER: GL REVIEWER: 11 84 MI . | A | 8040 | | MR | 16-AUG-90 | MR | AS | 99 | |
| | | | ASTM-D4701-89 | METHYLENE CHIORIDE TECHNICAL STANDARD SPECIFICATION FOR - 27 OCT 89 REVIEWER: AS GS MC MD MI OS | A | 6810 | | EA | 01-JUN-90 | EA | SH | 68 | |
| D | | | ASTM-D4727-89 NOTICE 1 | CORRUGATED AND SOLID FIBERBOARD SHEET STOCK (CONTAINER GRADE) AND CUT SHAPES USER: MC REVIEWER: 99 AS ME OS SM YD1 | A | 8135 | * | GL | 26-SEP-91 | GL | SA | 69 | |
| | | | ASTM-D4741-87 | MEASURING VISCOSITY AT HIGH TEMPERATURE AND HIGH SHEAR RATE BY TAPERED-PLUG VISCOMETER - 30 OCTOBER 1987 | A | 9150 | | ME | 11-JUN-91 | ME | AS | 68 | |
| A | L | | ASTM-D4749 NOTICE 1 | PERFORMING THE SIEVE ANALYSIS OF COAL AND DESIGNATING COAL SIZE, STANDARD TEST METHOD FOR | A | 9110 | * | PS | 08-FEB-93 | | | | PS |
| | | | ASTM-D4783-89 | ADHESIVE, RESISTANCE OF PREPARATIONS IN CONTAINER TO ATTACK BY BACTERIA, YEAST, AND FUNGI - 28 JUL 89 REVIEWER: 84 AR GL | A | 8040 | | MR | 16-AUG-90 | MR | AS | 99 | |
| | | | ASTM-D4802-88 | SHEET, PLASTIC, POLY (METHYL METHACRYLATE) ACRYLIC - 25 MAR 88 USER: AS AV GL REVIEWER: AR AT GS MI | A | 9330 | | MR | 15-MAR-90 | MR | SH | 11 | |
| | | | ASTM-D4809-90 | HEAT OF COMBUSTION OF LIQUID HYDROCARBON FUELS BY BOMB CALORIMETER (INTERMEDIATE PRECISION METHOD) | A | 91GP | * | ME | 04-FEB-92 | ME | SH | 11 | |
| | | | ASTM-D4814A-88 | FUEL, AUTOMOTIVE SPARK-IGNITION ENGINE - 31 OCT 1988 ..... | A | 9130 | | ME | 08-FEB-90 | ME | | 68 | |
| | L | | ASTM-D4815-88 NOTICE 1 | DETERMINATION OF C1 TO C4 ALCOHOLS AND MTBE IN GASOLINE BY GAS CHROMATOGRAPHY | A | 9130 | * | ME | 16-OCT-91 | ME | | | |
| | | | ASTM-D4857-88 | ENGINE, GASOLINE, TWO-STROKE-CYCLE OTHER THAN OUTBOARDS, ABILITY OF LUBRICANTS TO MINIMIZE RING STICKING AND PISTON DEPOSITS IN, DETERMINATION OF - 31 OCT 1988 | A | 9150 | | ME | 06-JUL-90 | ME | AS | 68 | |
| | | | ASTM-D4858-88 | ENGINE, GASOLINE, TWO-STROKE-CYCLE, TENDENCY OF LUBRICANTS TO PRO- MOTE PREIGNITION IN, DETERMINATION OF - 31 OCT 1988 | A | 9150 | | ME | 06-JUL-90 | ME | AS | 68 | |
| | | | ASTM-D4859-88 | ENGINE-TC, GASOLINE, TWO-STROKE-CYCLE SPARK-IGNITION, LUBRICANTS FOR - 31 OCT 1988 | A | 9150 | | ME | 06-JUL-90 | ME | AS | 68 | |
| | | | ASTM-D4863-88 | ENGINE LUBRICANTS, GASOLINE, LUBRICITY OF TWO-STROKE-CYCLE, DETERMINATION OF - 31 OCT 1988 | A | 9150 | | ME | 06-JUL-90 | ME | AS | 68 | |
| D | | | ASTM-D4892-88 | SHEET, PLASTIC, POLY (METHYL METHACRYLATE) ACRYLIC - 25 MAR. 1988 USER: AS AV GL YD1 REVIEWER: AR AT GS MI | A | 9330 | | MR | 15-MAR-90 | MR | SH | 11 | |
| D | | | ASTM-D4919-89 | PACKAGING, TESTING OF HAZARDOUS MATERIALS - 10 NOV 1989 USER: AL AT DH MM REVIEWER: 11 AR CG ER GS MI SA YD1 | A | PACK | | SM | 10-NOV-90 | SM | AS | 69 | DH |
| | | | ASTM-D4927-89 | ELEMENTAL ANALYSIS OF LUBRICANT AND ADDITIVE COMPONENTS - BARIUM, CALCIUM, PHOSPHORUS, SULFUR, AND ZINC BY WAVELENGTH-DISPERSIVE X-RAY FLUO- RESENCE SPECTROSCOPY | A | 9150 | | ME | 11-JUN-91 | ME | AS | 68 | |
| | | | ASTM-D4951-89 | DETERMINATION OF ADDITIVE ELEMENTS IN LUBRICATING OILS BY INDUCTIVELY COUPLED PLASMA ATOMIC EMISSION SPECTROMETRY - 26 MAY 1989 | A | 9150 | | ME | 11-JUN-91 | ME | AS | 68 | |
| | | | ASTM-D4956-89 | SHEETING, RETROREFLECTIVE, FOR TRAFFIC CONTROL - 7 JULY 1989 USER: AT MC REVIEWER: 84 CG GS | A | 9390 | | GL | 07-SEP-90 | GL | AS | 99 | |
| A | | | ASTM-D5034-90 | TEXTILE FABRICS (GRAB TEST), BREAKING FORCE AND ELONGATION OF - 26 JAN 1990 USER: AT REVIEWER: 82 99 AR AS MD ME SH TE | A | 83GP | | CT | 16-MAY-91 | GL | MU | 11 | CT |
| A | | | ASTM-D5035-90 | TEXTILE FABRICS (STRIP FORCE) BREAKING FORCE AND ELONGATION OF - 26 JAN 1990 USER: AT REVIEWER: 82 99 AR AS MD ME SH TE | A | 83GP | | CT | 16-MAY-91 | GL | MU | 11 | CT |
| | | | ASTM-D5040-90 | ADHESIVE, ASH CONTENT OF - 30 MAR 1990 REVIEWER: AR AV GL ME MI ..... | A | 8040 | | MR | 15-JAN-91 | MR | SH | 11 | |
| | | | ASTM-D5105-90 | TAPES, PRESSURE SENSITIVE, USING CONCENTRATED NATURAL SUNLIGHT, STANDARD PRACTICE FOR PERFORMING ACCELERATED OUTDOOR WEATHERING OF - 27 JUL 90 USER: OS SH REVIEWER: AL MI | A | PACK | | AS | 15-FEB-91 | SM | AS | | | |
| A | | | ASTM-D5151-92 NOTICE 1 | GLOVES, MEDICAL, DETECTION OF HOLES IN, STANDARD TEST METHOD FOR ..... | A | 6515 | / | MB | 22-JAN-93 | MD | MS | 03 | |
| | | | ASTM-E1-85 | THERMOMETERS, ASTM - 29 MAR 1985 ..... | A | 6685 | | ME | 06-JAN-86 | ME | SH | 11 | |
| D | | | ASTM-E3-80 | METALLOGRAPHIC SPECIMENS, PREPARATION OF (TO BE USED IN CONJUNCTION WITH ASTM E340) - 31 OCT 80 (VALIDATION DATE: 8803) USER: SH REVIEWER: AR AS IS YD1 | A | 95GP | | MR | 17-MAR-88 | MR | | | |
| | | | ASTM-E4-89 | MACHINES, TESTING, LOAD VERIFICATION OF - 25 AUG 89 REVIEWER: AR IS ..... | A | 95GP | | MR | 09-NOV-89 | | | | |
| | | | ASTM-E6-89 | METHODS OF MECHANICAL TESTING - 24 FEB 1989 USER: SH REVIEWER: 11 ..... | A | 95GP | | MR | 20-JUN-90 | MR | AS | | |
| A | | | ASTM-E7A-92 NOTICE 1 | METALLOGRAPHY, STANDARD TERMINOLOGY RELATING TO REVIEWER: IS ..... | A | 95GP | * | MR | 28-OCT-92 | MR | AS | 11 | |
| A | | | ASTM-E8-92 NOTICE 1 | TENSION TESTING OF METALLIC MATERIALS USER: AT GL ME REVIEWER: IS SH ..... | A | 95GP | | MR | 19-MAR-93 | MR | AS | 99 | |
| A | | | ASTM-E8M-93 | TENSION TESTING OF METALLIC MATERIALS (METRIC) USER: AT GL ME REVIEWER: SH | A | 95GP | | MR | 19-MAR-93 | MR | AS | 99 | |
| D | | | ASTM-E9A-89 | METALLIC MATERIALS ROCKWELL HARDNESS & ROCKWELL SUPERFICIAL HARDNESS OF - 31 MAR 1989 USER: OS REVIEWER: AR IS YD1 | A | 95GP | | MR | 20-JUN-90 | MR | AS | | |
| | | | ASTM-E10-84 NOTICE 2 | METALLIC MATERIALS, BRINELL HARDNESS OF - 27 APR 84 (VALIDATION DATE: 9006) | A | 95GP | | MR | 22-JUN-90 | MR | AS | 11 | |
| D | | | ASTM-E11-81 | SIEVE, WIRE-CLOTH, FOR TESTING PURPOSES - 18 FEB 81 USER: MC MI SM REVIEWER: AS EA GL GS IS YD1 | A | 6635 | | ME | 17-APR-81 | ME | ME | 99 | |
| D | | | ASTM-E12-70R81 | SOLIDS, LIQUIDS, & GASES, DENSITY & SPECIFIC GRAVITYOF- 29 MAY 70 USER: AR AS MC OS SH YD1 REVIEWER: GL GS MD ME | A | 6810 | | EA | 25-OCT-83 | EA | | 68 | |
| A | | | ASTM-E18A-92 NOTICE 1 | ROCKWELL HARDNESS AND ROCKWELL SUPERFICIAL HARDNESS OF METALLIC MATERIALS USER: ME REVIEWER: AT | A | 95GP | * | MR | 19-NOV-92 | MR | AS | | |
| M | | | ASTM-E23-93 NOTICE 1 | BAR, NOTCHED, IMPACT TESTING OF METALLIC MATERIALS USER: AR GL YD1 REVIEWER: AT IS | A | 95GP | | MR | 03-MAY-93 | MR | SH | 11 | |
| A | | | ASTM-E28-92 NOTICE 1 | SOFTENING POINT BY RING-AND-BALL APPARATUS ..... | A | 8010 | * | MR | 17-NOV-92 | MR | SH | 84 | |
| | | | ASTM-E29-67R73 | INDICATING WHICH OF PLACES OF FIGURES ARE TO BE CONSIDERED SIGNIFICANT IN SPECIFIED LIMITING VALUES - 1 NOV 67 (VALIDATION DATE: 8502) | A | MISC | | 68 | 16-APR-79 | AR | AS | 68 | |
| D | | | ASTM-E30-89 NOTICE 1 | CHEMICAL ANALYSIS OF STEEL, CAST IRON, OPEN-HEARTH IRON, AND WROUGHT IRON, STANDARD METHODS FOR USER: OS REVIEWER: 84 AS IS SH | A | 95GP | * | YD1 | 24-JUL-92 | MR | YD1 | 99 | |
| D | | | ASTM-E34-88 | ALLOYS ALUMINUM & ALUMINUM BASE, CHEMICAL ANALYSIS OF, STANDARD TEST METHODS FOR - 29 JAN 88 USER: CE OS SH REVIEWER: EA IS | A | 95GP | | YD1 | 28-JAN-89 | MR | YD1 | | |
| | | | ASTM-E40-88 | SLAB ZINC (SPELTER), CHEMICAL ANALYSIS OF STANDARD TEST METHOD FOR 1 JAN 88 REVIEWER: GS MD ME | A | 9650 | | EA | 28-NOV-89 | EA | | | |
| | | | ASTM-E45-87 | STEEL, DETERMINING THE INCLUSION CONTENT OF 28 AUG 1987 ..... | A | 95GP | | MR | 02-DEC-87 | MR | AS | 99 | |
| | | | ASTM-E50-82 | METALS, APPARATUS, REAGENTS, AND SAFETY PRECAUTIONS FOR CHEMICAL ANALYSIS OF, STANDARD PRACTICES FOR - 28 MAY 1982 REVIEWER: AR GL GS MD | A | 6810 | | EA | 20-MAR-85 | EA | SH | 68 | |
| D | | | ASTM-E53A-86 NOTICE 1 | CHEMICAL ANALYSIS OF COPPER, STANDARD TEST METHODS FOR USER: OS REVIEWER: 84 AS IS SH | A | 95GP | * | YD1 | 24-JUL-92 | MR | YD1 | 99 | |
| D | | | ASTM-E55-91 NOTICE 1 | SAMPLING WROUGHT NONFERROUS METALS AND ALLOYS FOR DETERMINATION OF CHEMICAL COMPOSITION, STANDARD PRACTICE FOR USER: OS SH REVIEWER: 84 AS IS | A | 95GP | * | YD1 | 06-JUL-92 | MR | YD1 | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Cat. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area NHCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | ASTM-E59-89 NOTICE 1 | SAMPLING STEEL AND IRON FOR DETERMINATION OF CHEMICAL COMPOSITION, STANDARD METHOD OF REVIEWER: 84 AS IS | A 95GP * YD1 30-JUN-92 | MR | YD1 | 99 | |
| D | | ASTM-E62-89 NOTICE 1 | CHEMICAL ANALYSIS OF NICKEL-COPPER ALLOYS (PHOTOMETRIC METHODS), STANDARD METHODS FOR USER: OS REVIEWER: 84 AS IS SH | A 95GP * YD1 30-JUN-92 | MR | YD1 | 99 | |
| | | ASTM-E70-77 | PH OF AQUEOUS SOLUTIONS WITH THE GLASS ELECTRODE - 28 OCT 77 (VALIDATION DATE: 8412) REVIEWER: AR DP MD ME | A 6630 EA 26-JUL-79 | EA | MS | 99 | |
| D | | ASTM-E72-80 NOTICE 2 | BUILDING CONSTRUCTION, STRENGTH TESTS OF PANELS FOR, STANDARD METHODS OF - 6 NOV 80 (VALIDATION DATE: 9005) USER: CE MC REVIEWER: 84 | A FACR YD1 10-MAY-90 | | YD1 | 99 | |
| D | | ASTM-E74-83 | MACHINES, TESTING, VERIFYING THE LOAD INDICATION OF, CALIBRATION OF FORCE-MEASURING INSTRUMENTS FOR - 29 JUL 83 | A 6670 MR 09-APR-91 | MR | YD1 | 99 | |
| D | | ASTM-E76-88 NOTICE 1 | CHEMICAL ANALYSIS OF NICKEL-COPPER ALLOYS, STANDARD METHODS FOR USER: SH REVIEWER: 84 AS IS | A 95GP * YD1 30-JUN-92 | MR | YD1 | 99 | |
| | | ASTM-E77-89 | LIQUID-IN-GLASS THERMOMETERS, , INSPECTION AND VERIFICATION OF, STANDARD TEST METHOD FOR - 29 SEPT 89 REVIEWER: 30 82 AR AS SH | A 6685 99 30-OCT-90 | ME | | 99 | GS |
| A | | ASTM-E83-90 NOTICE 1 | VERIFICATION AND CLASSIFICATION OF EXTENSOMETERS USER: MC OS REVIEWER: 82 99 GS | A 6635 * SH 07-AUG-91 | MR | SH | 11 | |
| D | | ASTM-E84A-89 | MATERIAL, BUILDING, SURFACE BRUNING CHARACTERISTICS OF - 6 SEP 1989 RELATING TO - 27 JAN 1989 | A 56GP YD1 20-MAR-90 | ME | YD1 | | |
| D | | ASTM-E88-91 NOTICE 1 | SAMPLING NONFERROUS METALS AND ALLOYS, IN CAST FORM FOR DETERMINATION OF CHEMICAL COMPOSITION, STANDARD PRACTICE FOR USER: SH REVIEWER: 84 AS | A MECA * YD1 29-SEP-92 | MR | YD1 | 99 | |
| D | | ASTM-E90-90 | PARTITION, BUILDING, LABORATORY MEASUREMENT OF AIRBORNE SOUND TRANS-MISSION LOSS OF - 27 APR 1990 REVIEWER: CE | A 5640 YD1 07-NOV-90 | | YD1 | 99 | |
| | | ASTM-E92-82R87 NOTICE 2 | METALLIC MATERIALS, VICKER HARDNESS OF-30 JUL 1982 (VALIDATION DATE: 8803) REVIEWER: AT IS | A 95GP MR 30-MAR-88 | MR | | 11 | |
| D | | ASTM-E96-80 | WATER VAPOR TRANSMISSION OF MATERIALS IN SHEET FORM- 20 SEP 66 USER: AR OS SH REVIEWER: 99 GL GS ME MI MR SA YD1 | A PACK AS 30-SEP-81 | SH | AS | 69 | |
| D | | ASTM-E97-82R87 NOTICE 1 | OPAQUE SPECIMENS BY BROAD BAND FILTER REFLECTOMETRY, DIRECTIONAL REFLECTANCE FACTOR, 45 DEG 0 DEG OF - OCT 82 (REAPPROVED 1987) (VALIDATION DATE: 9006) USER: YD1 REVIEWER: ME | A 8010 MR 22-JUN-90 | MR | | 11 | |
| | | ASTM-E100-81 | HYDROMETERS, ASTM, STANDARD SPECIFICATION FOR - 31 JUL 81 ..... | A 6630 EA 06-MAR-85 | EA | | 99 | |
| D | | ASTM-E108-90 | COVERING, ROOF, FIRE TESTS OF - 27 APR 1990 USER: CE MC ..... | A 5650 YD1 14-AUG-91 | ME | YD1 | 99 | |
| M | | ASTM-E110-82R92 | MATERIALS, METALLIC BY PORTABLE HARDNESS TESTERS, STANDARD TEST METHOD FOR INDENTATION HARDNESS OF REVIEWER: AS GS | A 6635 YD1 16-APR-93 | GL | YD1 | 99 | |
| | | ASTM-E112-88 | GRAIN SIZE, DETERMINING AVERAGE -26 AUG 88 ..... | A 95GP MR 09-NOV-88 | MR | AS | 99 | |
| D | | ASTM-E114-90 | ULTRASONIC PULSE ECHO STRAIGHT BEAM EXAMINATION BY THE CONTACT METHOD - 26 JAN 1990 REVIEWER: AT AV OS SH YD1 | A NDTI MR 14-MAY-91 | MR | AS | | |
| D | | ASTM-E119-88 | FIRE TEST OF BUILDING CONSTRUCTION & MATERIALS REVIEWER: CE OS SH ..... | A FACR YD1 14-MAR-89 | | YD1 | | |
| | | ASTM-E120-83 | TITANIUM & TITANIUM ALLOYS, CHEMICAL ANALYSIS OF - 28 OCT 83 USER: AT OS REVIEWER: AR AV MI | A 3439 AS 22-APR-85 | MR | AS | | |
| A | | ASTM-E125-63R85 NOTICE 3 | REFERENCE PHOTOGRAPHS FOR MAGNETIC PARTICLE INDICATIONS ON FERROUS CASTINGS (VALIDATION DATE: 9207) REVIEWER: 99 AR AT MI | A NDTI * MR 02-JUL-92 | MR | AS | 11 | |
| | | ASTM-E126-88 | HYDROMETERS, INSPECTION, VERIFICATION - 26 FEB 88 REVIEWER: 30 DP MD ME ... | A 6630 EA 28-NOV-89 | EA | | 99 | |
| D | | ASTM-E136-82 NOTICE 1 | VERTICAL TUBE FURNACE AT 750 DEGREES C, BEHAVIOR OF MATERIALS IN A - 26 NOV 82 (VALIDATION DATE: 8910) REVIEWER: CE OS SH | A FACR YD1 03-OCT-89 | ME | YD1 | | |
| | | ASTM-E140-88 | METALS, STANDARD HARDNESS CONVERSION TABLES FOR (30 SEPT 88) USER: AR GL REVIEWER: AT IS | A 95GP MR 09-NOV-88 | MR | | 99 | |
| | | ASTM-E142-86 | RADIOGRAPHIC TESTING, CONTROLLING QUALITY, STANDARD METHOD FOR 28 FEB 86 USER: AT GL OS SH | A NDTI MR 01-APR-88 | MR | AS | 11 | |
| | | ASTM-E146-83 | ZIRCONIUM & ZIRCONIUM ALLOYS, CHEMICAL ANALYSIS OF - 28 OCT 83 USER: AT OS | A 3439 AS 22-APR-85 | MR | AS | | |
| D | | ASTM-E152A-81 NOTICE 1 | DOOR ASSEMBLIES, FIRE TESTS OF - 10 NOV 81 (VALIDATION DATE: 8705) ..... | A FACR YD1 21-MAY-87 | CE | YD1 | 99 | |
| D | | ASTM-E154-88 | RETARDERS, WATER VAPOR, USED IN CONTACT WITH EARTH UNDER CONCRETE SLABS, ON WALLS, OR AS GROUND COVER - 26 AUG, 1988 | A FACR YD1 22-NOV-89 | | YD1 | 99 | |
| | | ASTM-E155-91 NOTICE 1 | RADIOGRAPHS FOR INSPECTION OF ALUMINUM AND MAGNESIUM CASTINGS, STANDARD REFERENCE REVIEWER: ME | A NDTI * MR 23-MAR-92 | MR | AS | 11 | |
| | | ASTM-E161-87 | SIEVE PRECISION ELECTROFORMED - 29 MAY 87 ..... | A 6635 SM 14-DEC-88 | | | | |
| D | | ASTM-E162-90 | SURFACE FLAMMABILITY OF MATERIALS USING A RADIANT HEAT ENERGY SOURCE - 26 OCT 1990 USER: AR AS OS YD1 REVIEWER: ER GL GS MI | A 9330 MR 29-NOV-90 | MR | SH | | |
| | | ASTM-E164-90 | WELDMENTS, ULTRASONIC CONTACT EXAMINATION OF - 26 OCT 1990 ..... | A NDTI MR 02-MAY-91 | MR | AS | 11 | |
| D | | ASTM-E167-77R87 NOTICE 1 | GONIOPHOTOMETRY OF OBJECTS & MATERIALS - 24 JUN 77 (REAPPROVED 1987) (VALIDATION DATE: 9006) REVIEWER: 99 AR AT AV ER GS ME YD1 | A 9330 MR 22-JUN-90 | MR | SH | 11 | |
| | | ASTM-E175-82 NOTICE 2 | MICROSCOPY, STANDARD DEFINITIONS OF TERMS RELATING TO - 3 MAR 1982 (VALIDATION DATE: 8803) | A 95GP MR 17-MAR-88 | MR | AS | 11 | |
| | | ASTM-E186-91 NOTICE 1 | RADIOGRAPHS FOR HEAVY-WALLED (2 TO 4 1/2-IN. (51 TO 114-MM)) STEEL CASTINGS STANDARD REFERENCE REVIEWER: AR AS AT MI | A NDTI * MR 23-MAR-92 | MR | SH | 11 | |
| | | ASTM-E191-64R76 NOTICE 1 | METALLIC COMPOUNDS, ORGANIC & ORGANO, APPARATUS FOR MICRODETERMINATION OF CARBON & HYDROGEN IN - 1964 REVIEWER: GL GS | A 6810 EA 27-MAY-88 | EA | OS | 68 | |
| | | ASTM-E192-91 NOTICE 1 | RADIOGRAPHS OF INVESTMENT STEEL CASTINGS OF AEROSPACE APPLICATIONS, STANDARD REFERENCE USER: SH REVIEWER: AR AT MI | A NDTI * MR 23-MAR-92 | MR | AS | 11 | |
| | | ASTM-E193-64R81 | STANDARD SPECIFICATION FOR MICROPIPETS - 15 JUNE 64 (REAPPROVED 1981) ..... | A 6640 MB 18-SEP-89 | MD | MS | 03 | |
| D | | ASTM-E196-80R85 NOTICE 2 | FLOOR AND FLAT ROOFS, GRAVITY LOAD TESTING OF, STANDARD PRACTICE FOR (VALIDATION DATE: 9207) USER: CE | A 5410 * YD1 01-JUL-92 | GL | YD1 | | |
| | | ASTM-E202-88 | ETHYLENE GLYCOLS AND PROPYLENE GLYCOLS ANALYSIS STANDARD TEST METHOD FOR - 26 FEB 88 REVIEWER: GL GS MD ME SH | A 6810 EA 31-JAN-90 | EA | | 68 | |
| | | ASTM-E203-75 | WATER USING KARL FISCHER REAGENT - 25 APR 75 (REAPPROVED 81) (VALIDATION DATE: 8501) | A 9150 ME 28-DEC-78 | ME | SH | 11 | |
| | | ASTM-E223-88 | SULFURIC ACID, ANALYSIS OF - 24 JUN 1988 USER: AR REVIEWER: GS MD ME ..... | A 6810 EA 18-OCT-90 | EA | SH | 68 | |
| | | ASTM-E224-88 | HYDROCHLORIC ACID, STANDARD METHODS FOR ANALYSIS OF - 24 JUN 88 REVIEWER: AR GL GS MD ME SH | A 6810 EA 18-SEP-90 | EA | | 68 | |
| | | ASTM-E228-71R79 | LINEAR THERMAL EXPANSION OF REGID SOLIDS WITH A VITREOUS SILICA DILATOMETER - 1979 REVIEWER: 84 GS MD | A 7350 GL 15-MAR-85 | GL | SA | 99 | |
| D | | ASTM-E243-90 | TUBES, COPPER AND COPPER-ALLOY, STANDARD PRACTICE FOR ELECTROMAGNETIC (EDDY-CURRENT) TESTING OF SEAMLESS 9 FEB 90 REVIEWER: 82 CS SH | A 4710 YD1 02-MAY-90 | ME | YD1 | 99 | |
| | | ASTM-E248-68R79 | MANGANESE IN MANGANESE ORE BY THE PYROPHOSPHATE (POTENTIOMETRIC) METHOD, STANDARD TEST METHOD FOR - 13 SEP 68 USER: MC SH | A 6810 EA 28-FEB-84 | EA | | | |
| A | | ASTM-E252-84 | FOIL & FILM, THICKNESS OF THIN, BY WEIGHING, STANDARD TEST METHOD FOR - 31 AUG 84 REVIEWER: IS | A 95GP AS 16-MAY-85 | MR | AS | 11 | |
| | | ASTM-E256-88 | CHLORINE IN ORGANIC COMPOUNDS BY SODIUM PEROXIDE BOMB IGNITION - 24 JUN 88 REVIEWER: GL GS MD ME | A 6810 EA 24-SEP-90 | EA | | 68 | |
| | | ASTM-E257-88 | ORGANIC COMPOUNDS BY SODIUM PEROXIDE BOMB IGNITION, SULFUR IN - 24 JUN 1988 USER: SH REVIEWER: GL GS MD | A 6810 EA 18-OCT-90 | EA | | 68 | |
| | | ASTM-E258-67R72 | ORGANIC MATERIALS, TOTAL NITROGEN IN, BY MODIFIED KJELDAHL METHOD B SEP 67(REAPPROVED 82 (VALIDATION DATE: 8512) | A S1GP ME 22-MAR-74 | ME | SH | 11 | |
| | | ASTM-E263-88 | IRON, STANDARD TEST METHOD FOR MEASURING FAST-NEUTRON REACTION RATES BY - 27 MAY 88 USER: AS CG MC SH REVIEWER: 11 19 99 AR MI OS SH | A 5962 ES 10-FEB-89 | ER | EC | 17 | MA |
| | | ASTM-E264-87 | NICKEL, STANDARD TEST METHOD FOR MEASURING FAST-NEUTRON REACTION RATES BY RADIOACTIVATION OF - 30 OCT 87 USER: AS CG MC SH REVIEWER: 11 19 99 AR MI OS SH | A 5962 EC 10-FEB-89 | ER | EC | 17 | MA |
| | | ASTM-E265-88 | SULFUR 32, STANDARD TEST METHOD FOR MEASURING REACTION RATES AND FAST-NEUTRON FLUENCES BY RADIOACTIVATION OF - 27 MAY 88 USER: AS CG MC SH REVIEWER: 11 19 99 AR MI OS SH | A 5962 ES 10-FEB-89 | ER | EC | 17 | |
| | | ASTM-E270-84 NOTICE 1 | LIQUID PENETRANT INSPECTION, TERMS RELATING TO - 26 OCT 84 (VALIDATION DATE: 9103) USER: AT GL SH | A NDTI MR 20-MAR-91 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | ORL / ONAL Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | ASTM-E272-75R79 | ALLOY CASTINGS, RADIOGRAPHS FOR COPPER - BASE & NICKLE - COPPER - 26 DEC 75 | A | NDTI | | AS | 28-SEP-84 | MR | AS | 11 | |
| | | ASTM-E273-83R89 NOTICE 1 | PIPE & TUBING, STANDARD PRACTICE FOR ULTRASONIC EXAMINATION OF LONGITUDINAL WELDED - 27 MAY 83 (REAPPROVED 1989) [VALIDATION DATE: 9102] | A | NDTI | | MR | 26-FEB-91 | MR | AS | 11 | |
| | | ASTM-E280-91 NOTICE 1 | RADIOGRAPHS FOR HEAVY-WALLED (4 1/2 TO 12- IN. (114 TO 305-MM)) STEEL CASTINGS, STANDARD REFERENCE USER: AR AT REVIEWER: AS MI | A | NDTI | * | MR | 23-MAR-92 | MR | SH | 11 | |
| D | | ASTM-E283-84 NOTICE 2 | WINDOW, CURTAIN WALL, & DOORS, RATE OF AIR LEAKAGE THROUGH EXTERIOR, - 27 JUL 1984 [VALIDATION DATE: 9001] | A | 5680 | | YD1 | 11-JAN-90 | | YD1 | 99 | |
| | | ASTM-E288-83 | FLASKS, VOLUMETRIC, STANDARD SPECIFICATION FOR - 26 AUG 1983 | A | 6640 | | MB | 28-JUN-91 | MD | MS | 03 | |
| | | ASTM-E290-87 | MATERIALS, METALLIC, SEMI-GUIDED BEND TEST FOR DUCTILITY OF - 27 MAR 1987 | A | 95GP | * | MR | 03-JUN-87 | MR | AS | 11 | |
| | | ASTM-E308-85 NOTICE 1 | COMPUTING THE COLORS OF OBJECTS BY USING THE CIE SYSTEMS - 22 FEB 1985 [VALIDATION DATE: 9006] | A | 8010 | | MR | 22-JUN-90 | MR | SH | | |
| D | | ASTM-E309-83R87 NOTICE 1 | EDDY-CURRENT EXAMINATION OF STEEL TUBULAR PRODUCTS USING MAGNETIC SATURATION, STANDARD PRACTICE FOR REVIEWER: CS SH | A | 4710 | * | YD1 | 17-JUL-92 | ME | YD1 | 99 | |
| A | | ASTM-E310-75R79 | BRONZE CASTINGS, RADIOGRAPHS FOR TIN - 26 DEC 75 | A | NDTI | | AS | 28-SEP-84 | MR | AS | 11 | |
| D | | ASTM-E317-85R90 NOTICE 2 | EVALUATING PERFORMANCE CHARACTERISTICS OF ULTRASONIC PULSE-ECHO TESTING SYSTEMS WITHOUT THE USE OF ELECTRONIC MEASUREMENT INSTRUMENTS, STANDARD PRACTICE FOR [VALIDATION DATE: 9201] REVIEWER: AT AV OS SH YD1 | A | NDTI | * | MR | 17-JAN-92 | MR | AS | | |
| | | ASTM-E323-80 | SIEVE, PERFORATED PLATE FOR TESTING PURPOSES - 10 DEC 80 | A | 6635 | | EA | 10-MAR-81 | ME | EA | 99 | |
| | | ASTM-E324-79 NOTICE 1 | CHEMICALS, ORGANIC, RELATIVE INITIAL AND FINAL MELTING POINTS AND THE MELTING RANGE -31 AUG 79 REVIEWER: DP MD ME | A | 6630 | | EA | 27-MAY-88 | EA | | 99 | |
| D | | ASTM-E329-90 | EVALUATION OF TESTING AND INSPECTION AGENCIES AS USED IN CONSTRUCTION - 5 MAR 1990 | A | 5610 | | YD1 | 14-SEP-90 | ME | YD1 | 99 | |
| D | | ASTM-E330-84 NOTICE 2 | WINDOW, EXTERIOR, CURTAIN WALLS, AND DOORS BY UNIFORM STATIC AIR PRESSUR E DIFFERENCE - 24 FEB 1984 [VALIDATION DATE: 9001] USER: SH | A | 5680 | | YD1 | 11-JAN-90 | ME | YD1 | | |
| D | | ASTM-E331-86 | WATER PENETRATION OF EXTERIOR WINDOWS, CURTAIN WALLS, & DOORS BY UNIFORM STATIC AIR PRESSURE DIFFERENCE - 25 JULY 1986 | A | 5680 | | YD1 | 29-MAY-87 | | YD1 | 99 | |
| | | ASTM-E335-85 | ESTERIFICATION, HYDROXYL GROUPS BY PYROMELLITIC DIANHYDRIDE, STANDARD TEST METHOD FOR - 31 MAY 85 USER: MC SH REVIEWER: GS MD ME | A | 6810 | | EA | 04-AUG-87 | EA | | | |
| D | | ASTM-E336-90 | MEASUREMENT OF AIRBORNE SOUND INSULATION IN BUILDINGS - 27 APR 1990 REVIEWER: 84 CE MC | A | 5640 | | YD1 | 07-NOV-90 | ME | YD1 | 99 | |
| D | | ASTM-E340-87 | METALS AND ALLOYS, MACROETCHING - 28 AUG 87 REVIEWER: AR AS IS YD1 | A | 95GP | | MR | 20-JUN-90 | MR | SH | | |
| | | ASTM-E345-81 | FOIL, METALLIC, TENSION TESTING OF, STANDARD METHODS OF -27 MAR 81 REVIEWER: IS | A | 95GP | | AS | 16-MAY-85 | MR | AS | 11 | |
| | | ASTM-E346-87 | METHANOL, ANALYSIS OF STANDARD TEST METHOD FOR - 9 JUN 87 | A | 6810 | | EA | 02-FEB-90 | EA | | 68 | |
| D | | ASTM-E350-90 NOTICE 1 | CHEMICAL ANALYSIS OF CARBON STEEL, LOW-ALLOY STEEL, SILICON ELECTRICAL STEEL, INGOT IRON, WROUGHT IRON, STANDARD TEST METHODS FOR USER: OS REVIEWER: 84 AS IS SH | A | 95GP | * | YD1 | 06-JUL-92 | MR | YD1 | 99 | |
| D | | ASTM-E351-89 NOTICE 1 | CHEMICAL ANALYSIS OF CAST IRON-ALL TYPES, STANDARD TEST METHODS FOR REVIEWER: 84 AS IS | A | 95GP | * | YD1 | 06-JUL-92 | MR | YD1 | 99 | |
| D | | ASTM-E354-89 NOTICE 1 | CHEMICAL ANALYSIS OF HIGH-TEMPERATURE, ELECTRICAL, MAGNETIC, AND OTHER SIMILAR IRON, NICKEL AND COLBALT ALLOYS, STANDARD TEST METHODS FOR USER: SH REVIEWER: 84 AS IS | A | 95GP | * | YD1 | 17-JUL-92 | MR | YD1 | 99 | |
| | | ASTM-E357-68R78 NOTICE 1 | PHOSPHONUS IN ORGANIC COMPOUNDS BY PEROXIDE BOMB IGNITION STANDARD METHOD OF TEST FOR - 12 SEP 68 [VALIDATION DATE: 8907] REVIEWER: GL GS MD ME | A | 6810 | | EA | 13-JUL-89 | EA | | 68 | |
| | | ASTM-E358-88 | PHOSPHORIC ACID, ANALYSIS OF - 24 JUN 1988 REVIEWER: GL GS MD ME SH | A | 6810 | | EA | 18-OCT-90 | EA | | 68 | |
| | | ASTM-E359-84 | SODA ASH ( SODIUM CARBONATE) STANDARD METHODS FOR CHEMICAL ANALYSIS OF -27 JULY 1984 USER: OS SH REVIEWER: GL GS MD ME | A | 6810 | | EA | 06-APR-87 | EA | | 68 | |
| | | ASTM-E376-89 | MAGNETIC-FIELD OR EDDY-CURRENT (ELECTROMAGNETIC) MEASURING COATING THICKNESS BY TEST METHOD - 27 OCT 90 USER: 82 OS REVIEWER: 99 AR AV SH | A | NDTI | | MR | 17-APR-90 | MR | AS | 11 | |
| D | | ASTM-E380A-91 NOTICE 1 | USE OF THE INTERNATIONAL SYSTEM OF UNITS (SI) (THE MODERNIZED METRIC SYSTEM) USER: AS GL YD1 REVIEWER: CS IS OS | A | MISC | * | MR | 18-MAY-92 | MR | SH | 11 | |
| D | | ASTM-E381-79 NOTICE 1 | RATING MICROETCHED STEEL - 23 FEB 79 [VALIDATION DATE: 9101] REVIEWER: 99 AL AR AT OS SA YD1 | A | 9640 | | MR | 16-JAN-91 | MR | SH | 11 | |
| | | ASTM-E384-84 | MATERIALS, MICROHARDNESS OF - 30 MAR 1984 | A | 6515 | | MB | 19-MAY-87 | MD | MS | 03 | |
| | | ASTM-E390-75R79 | STEEL FUSION WELDS, STANDARD REFERENCE RADIOGRAPHS FOR - 26 DEC 75 REVIEWER: 99 SH | A | NDTI | | AS | 22-MAY-81 | MR | AS | 11 | |
| | | ASTM-E399-90 NOTICE 1 | PLANE-STRAIN FRACTURE TOUGHNESS OF METALLIC MATERIALS | A | 95GP | * | MR | 17-APR-92 | MR | AS | 99 | |
| D | | ASTM-E413-87 | SOUND TRANSMISSION CLASS, DETERMINATION OF USER: CE | A | 5640 | | YD1 | 12-APR-88 | ME | YD1 | 99 | |
| D | | ASTM-E424-71 NOTICE 1 | SHEET MATERIAL, SOLAR ENERGY (TRANSMITTANCE & REFLECTANCE (TERRESTRIAL) OF - 15 APR 71 [VALIDATION DATE: 8612] | A | COND | | YD1 | 17-DEC-86 | CE | YD1 | 99 | |
| | | ASTM-E435-77 NOTICE 1 | ACETIC ANHYDRIDE, ACETIC ANHYDRIDE CONTENT (ASSAY) OF STANDARD TEST METHOD FOR - 28 OCT 77 [VALIDATION DATE: 8907] REVIEWER: GL GS MD | A | 6810 | | EA | 13-JUL-89 | EA | SH | 68 | |
| D | | ASTM-E437-85 NOTICE 2 | INDUSTRIAL WIRE CLOTH AND SCREENS (SQUARE OPENING SERIES), STANDARD SPECIFICATION FOR [VALIDATION DATE: 9205] USER: AT CE MC REVIEWER: IS | A | 5335 | * | YD1 | 08-MAY-92 | ME | YD1 | | |
| D | | ASTM-E438-90 | GLASSES IN LABORATORY APPARATUS, STANDARD SPECIFICATION FOR - 23 FEB 90 USER: 71 82 MC REVIEWER: 03 DM | A | 6640 | | YD1 | 15-AUG-91 | ME | YD1 | 99 | |
| | | ASTM-E443-80R85 NOTICE 2 | SULFUR IN ORGANIC COMPOUNDS BY OXYGEN FLASK COMBUSTION - 30 MAY 83 [VALIDATION DATE: 8803] USER: OS SH REVIEWER: AR AV EA GS MC MD MI | A | 9320 | | MR | 07-MAR-88 | MR | | 11 | |
| | | ASTM-E446-91 NOTICE 1 | RADIOGRAPHS FOR STEEL CASTINGS UP TO 2 IN. (51 MM) IN THICKNESS, STANDARD REFERENCE REVIEWER: AR AS AT MI | A | NDTI | * | MR | 23-MAR-92 | MR | SH | 11 | |
| D | | ASTM-E447-84 NOTICE 2 | MASONRY PRISM, COMPRESSIVE STRENGTH OF - 12 APR 1984 [VALIDATION DATE: 9001] USER: CE | A | 5620 | | YD1 | 29-JAN-90 | ME | YD1 | 99 | |
| | | ASTM-E449-84 | CALCIUM CHLORIDE, ANALYSIS OF, STANDARD METHODS FOR - 27 JUL 84 USER: AS SH REVIEWER: AR GS MD ME | A | 6810 | | EA | 10-SEP-86 | EA | | 68 | |
| | | ASTM-E458-72R85 | HEAT OF ABLATION - 29 AUG 1972 (REAPPROVED 1985) | A | CMPS | | MR | 08-DEC-89 | MR | AS | 11 | |
| | | ASTM-E462-84 | FILM, ODOR & TASTE TRANSFER FROM PACKAGING - 30 NOV 84 USER: SH REVIEWER: AR GL ME MI MR OS SA | A | PACK | | AS | 15-AUG-86 | SH | AS | 69 | |
| D | | ASTM-E514-86 | WATER PENETRATION AND LEAKAGE THROUGH MASONRY - 3 OCT 1986 USER: CE | A | 5620 | | YD1 | 03-NOV-87 | ME | YD1 | 99 | |
| D | | ASTM-E518-80R87 | MASONRY, FLUXERARL BOND, STRENGTH OF - 01 AUG 80 (REAPPROVED 87) USER: CE | A | 5620 | | YD1 | 22-MAY-89 | ME | YD1 | 99 | |
| D | | ASTM-E519-81R88 | MASONRY ASSEMBLAGES, DIAGONAL TENSION (SHEAR) IN - 20 APR 81 (REAPPROVED 88) USER: CE | A | 5620 | | YD1 | 22-MAY-89 | ME | YD1 | 99 | |
| D | | ASTM-E527-83 NOTICE 1 | NUMBERING METALS AND ALLOYS, STANDARD PRACTICE FOR USER: OS REVIEWER: 84 AS IS SH | A | 95GP | * | YD1 | 17-JUL-92 | MR | YD1 | 99 | |
| D | | ASTM-E529-83 NOTICE 2 | BEAM & GIRDER FOR BUILDING CONSTRUCTION, FLEXURAL TESTS ON - 23 SEP 1983 [VALIDATION DATE: 9001] USER: CE | A | 95GP | | YD1 | 29-JAN-90 | | YD1 | 99 | |
| | | ASTM-E542-85 | STANDARD PRACTIUCE FOR CALIBRATION OF VOLUMETRIC WARE - 25 JAN 85 | A | 6640 | | MB | 18-SEP-89 | MD | MS | 03 | |
| D | | ASTM-E546-88 | GLASS UNIT, STANDARD TEST METHOD FOR FROST POINT OF SEALED INSULATING - 25 FEB 83 USER: CE OS SH REVIEWER: GS | A | 5620 | | YD1 | 17-MAY-89 | | YD1 | | |
| D | | ASTM-E570-84 | TUBULAR STEEL, PRODUCTS STANDARD PRACTICE FOR FLUX LEAKAGE EXAMINATION OF FERROMAGNETIC - 25 MAY 84 REVIEWER: CS SH | A | 4710 | | YD1 | 02-MAY-90 | ME | YD1 | 99 | |
| D | | ASTM-E576-88 | GLASS UNIT, SEALED INSULATING, IN VERTICAL POSITION, DEW/FROST POINT OF ... | A | 5620 | | YD1 | 26-MAY-89 | | YD1 | | |
| D | | ASTM-E577-85R90 | RECTILINEAR BUILDING PARTS AND SYSTEMS, DIMENSIONAL COORDINATION OF, STANDARD GUIDE FOR - 27 DEC 1985 (REAPPROVED 1990) USER: CE MC REVIEWER: 84 | A | FACR | | YD1 | 10-JUN-91 | ME | YD1 | 11 | |
| D | | ASTM-E580-91 | CEILING SUSPENSION SYSTEMS FOR ACOUSTICAL TILE AND LAY-IN PANELS IN AREAS REQUIRING SEISMIC RESTRAINT, APPLICATION OF - 25 JAN 1991 USER: CE | A | 5640 | | YD1 | 12-JUL-91 | | YD1 | | |
| | | ASTM-E595-84 | MATERIALS FROM OUTGASSING IN A VACUUM ENVIRONMENT, TOTAL MASS LOSS AND COLLECTED VOLATILE CONDENSABLE, STANDARD TEST METHOD FOR - 26 OCT 1984 USER: AS REVIEWER: GL | A | 9330 | | MR | 24-SEP-85 | MR | | | |
| D | | ASTM-E596-90 | NOISE REDUCTION OF SOUND-ISOLATING ENCLOSURES, LABORATORY MEASUREMENT OF - 27 APR 1990 USER: CE MC | A | 5640 | | YD1 | 23-NOV-90 | ME | YD1 | 99 | |
| | | ASTM-E602-91 NOTICE 1 | SHARP-NOTCH TENSION TESTING AND CYLINDRICAL SPECIMENS REVIEWER: SH | A | 95GP | * | MR | 27-APR-92 | MR | AS | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. / Qtr. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-E604-83 | METALLIC MATERIALS, DYNAMIC TEAR TESTING OF - 25 MAR 83 USER: MC OS REVIEWER: IS | A 95GP | SH | 25-JAN-85 | MR | SH | | | | |
| D | | ASTM-E605-77R82 | SPRAYED FIRE RESISTIVE MATERIAL APPLIED TO STRUCTURAL MEMBERS, THICKNESS & DENSITY OF - 29 AUG 77 (REAPPROVED 82) [VALIDATION DATE: 8903] | A 5640 | YD1 | 24-MAR-89 | CE | YD1 | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | ASTM-E619-84 | PAPER PACKAGING, EVALUATING ODORS IN - 30 NOV 1984 USER: SH REVIEWER: 99 AR GL IS ME MI MR OS SA | A PACK | AS | 15-AUG-86 | SH | AS | 69 | | | |
| D | | ASTM-E621-84 | BUILDING DESIGN & CONSTRUCTION, STANDARD PRACTICE FOR THE USE OF METRIC | A FACR | YD1 | 27-MAR-89 | ME | YD1 | 99 | | | |
| | | NOTICE 1 | (SI) UNITS IN - 9 JAN 84 [VALIDATION DATE: 8903] | | | | | | | | | |
| D | L | ASTM-E648A-91 | CRITICAL RADIANT FLUX OF FLOOR-COVERING SYSTEMS USING A RADIANT HEAT | A 7220 | * YD1 | 20-NOV-92 | | YD1 | | | | |
| | | NOTICE 1 | ENERGY SOURCE | | | | | | | | | |
| | | ASTM-E665-78 | MATERIALS EXPOSED TO X-RAY OUTPUT OF FLASH X-RAY MACHINES, DETERMINING | A 5962 | ES | 15-MAY-89 | ER | EC | 17 | | | |
| | | NOTICE 2 | ABSORBED DOSE VERSUS DEPTH IN - 24 NOV 78 [VALIDATION DATE: 8905] USER: 19 AR AS CG MC OS REVIEWER: 11 85 99 MI SH | | | | | | | | | |
| | | ASTM-E666-78 | GAMMA OR X RADIATION, ABSORBED DOSE FROM - 24 NOV 78 [VALIDATION DATE: | A 59GP | ES | 15-MAY-89 | ER | EC | 17 | | | |
| | | NOTICE 2 | 8905] USER: AR AS CG MC OS REVIEWER: 11 85 99 MI SH | | | | | | | | | |
| | | ASTM-E667-86 | THERMOMETERS, CLINICAL, (MAXIMUM SELF REGISTERING, MERCURY-IN-GLASS) - 29 | A 6515 | MB | 22-AUG-88 | MD | MS | 03 | | | |
| | | NOTICE 1 | AUG 1986 | | | | | | | | | |
| | | ASTM-E668-78 | ELECTRONIC DEVICE, THERMOLUMINESCENCE DOSIMETRY (TLD) SYSTEMS FOR | A 5962 | ES | 15-MAY-89 | ER | EC | 17 | | | |
| | | NOTICE 2 | DETERMINING ABSORBED DOSE IN RADIATION HARDNESS TESTING OF - 29 DEC 78 [VALIDATION DATE: 8905] REVIEWER: MI SH | | | | | | | | | |
| | | ASTM-E672-85 | STANDARD SPECIFICATIONFOR DISPOSABLE GLASS MICROPIPETS ADOPTED 25 JAN 85 .. | A 6640 | MB | 23-SEP-86 | MD | MS | 03 | | | |
| | | ASTM-E691-87 | CONDUCTING AN INTERLABORATORY STUDY TO DETERMINE THE PRECISION OF A | A QCIC | MR | 06-MAR-90 | MR | OS | 06 | | | |
| | | | TESTMETHOD - 16 NOV 87 | | | | | | | | | |
| D | | ASTM-E713-88 | SCALES FOR METRIC BUILDING DRAWINGS, STANDARD GUIDE FOR SELECTION OF - 29 | A FACR | YD1 | 10-JUN-91 | ME | YD1 | 99 | | | |
| | | | JULY 1988 USER: CE MC REVIEWER: 84 | | | | | | | | | |
| | | ASTM-E720-86 | ELECTRONICS, SELECTIONOF A SET OF NEUTRON-ACTIVATION FOILS FOR DETERMINING | A 5962 | ES | 10-FEB-89 | ER | EC | 17 | MA | | |
| | | | NEUTRON SPECTRA USED IN RADIATION-HARDNESS TESTING OF - 31 OCT 86 USER: AS CG MC SM REVIEWER: 11 19 99 AR MI OS SH | | | | | | | | | |
| | | ASTM-E721-85 | ELECTRONICS, DETERMINING NEUTRON ENERGY SPECTRA WITH NEUTRON ACTIVATION | A 5962 | ES | 10-FEB-89 | ER | EC | 17 | | | |
| | | | FOILS FOR RADIATION-HARDNESS TESTING -26 JUL 85 USER: AS CG MC SM REVIEWER: 11 19 99 AR MI OS SH | | | | | | | | | |
| | | ASTM-E722-85 | ELECTRONICS, CHARACTERIZING NEUTRON ENERGY FLUENCE SPECTRA IN TERMS OF AN | A 5962 | ES | 10-FEB-89 | ER | EC | 17 | | | |
| | | | EQUIVALENT MONOENERGETIC NEUTRON FLUENCE FOR RADIATION-HARDNESS TESTING OF - 22 FEB 85 USER: AS CG MC SM REVIEWER: 11 19 99 AR MI OS SH | | | | | | | | | |
| | | ASTM-E732-80 | PIPET, DISPOSABLE PASTEUR TYPE, STANDARD SPECIFICATION FOR - 3 MAR80 ..... | A 6640 | MB | 13-DEC-85 | MD | MS | 03 | | | |
| D | | ASTM-E737-84 | WINDOW, STORM, REPLACEMENT WINDOWS, MULTI-GLAZING, STORM DOORS, AND | A 5520 | YD1 | 19-AUG-88 | ML | YD1 | | | | |
| | | NOTICE 1 | REPLACEMENT DOORS, INSTALLATION OF - 24 FEB 1984 USER: CS MC REVIEWER: AR | | | | | | | | | |
| | | ASTM-E785-81 | CRUCIBLE, IGNITION, LABORATORY, METAL - 27 FEB 81 [VALIDATION DATE: 8805] . | A 6640 | EA | 27-MAY-88 | EA | | 99 | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | ASTM-E787-81 | PIPET, DISPOSABLE GLASS MICRO BLOOD COLLECTION - 27 FEB 81 [VALIDATION | A 4710 | EA | 27-MAY-88 | EA | MS | 99 | | | |
| | | NOTICE 1 | DATE: 8805] REVIEWER: DP MB | | | | | | | | | |
| | | ASTM-E788-83 | PIPET, BLOOD DILUTING - 25 FEB 1983 ..... | A 6640 | MB | 30-MAY-86 | MD | MS | 03 | | | |
| | | ASTM-E801-85 | ELECTRONIC DEVICES, STANDARD PRACTICE FOR CONTROLLING QUALITY OF | A 5962 | ES | 10-FEB-89 | ER | EC | 17 | | | |
| | | | RADIOGRAPHIC TESTING OF ELECTRONIC DEVICES - 31 MAY 85 USER: AS CG MC SM REVIEWER: 11 19 99 AR MI OS SH | | | | | | | | | |
| M | L | ASTM-E822-92 | COVERS, SOLAR COLLECTOR, TO HAIL BY IMPACT WITH PROPELLED ICE BALLS, | A FACR | YD1 | 10-MAY-93 | | YD1 | | | | |
| | | NOTICE 1 | STANDARD PRACTICE FOR DETERMINING RESISTANCE OF | | | | | | | | | |
| | | ASTM-E825-87 | FEVER THERMOMETER, PHASE CHANGE-TYPE DISPOSAL, FOR INTERMITTENT HUMAN | A 6515 | MB | 24-AUG-87 | MD | MS | 03 | | | |
| | | | TEMPERATURE DETERMINATION - 27 MAR 1987 | | | | | | | | | |
| D | | ASTM-E835/E835M-88 | STRUCTURAL CLAY UNITS, CONCRETE MASONRY UNITS, AND CLAY FLUE LININGS, | A FACR | YD1 | 10-JUN-91 | ME | YD1 | 99 | | | |
| | | | DIMENSIONAL COORDINATION OF, STANDARD GUIDE FOR - 24 JUNE 1988 USER: CE MC REVIEWER: 84 | | | | | | | | | |
| A | | ASTM-E864-82 | ALLOYS, ALUMINUM, TO BE ADHESIVELY BONDED IN HONEYCOMB SHELTER PANELS, | A MFFP | GL | 03-NOV-83 | GL | | 11 | | | |
| | | | SURFACE PREPARATION OF - 26 MAR 82 REVIEWER: MR | | | | | | | | | |
| | | ASTM-E865-82 | FILM ADHESIVES, STRUCTURAL FILM, FOR HONEYCOMB SANDWICH PANELS - 26 MAR 82 | A 8040 | GL | 22-APR-89 | GL | SA | | | | |
| | | NOTICE 1 | [VALIDATION DATE: 8904] USER: AS REVIEWER: 84 MR | | | | | | | | | |
| | | ASTM-E866-82 | PRIMER, CORROSION INHIBITING ADHESIVE, FOR ALUMINUM ALLOYS TO BE | A 8040 | GL | 22-APR-89 | GL | SA | 99 | | | |
| | | NOTICE 1 | ADHESIVELY BONDED IN HONEYCOMB SHELTER PANELS - 26 MAR 82 [VALIDATION DATE: 8904] USER: AS REVIEWER: 84 MR | | | | | | | | | |
| | | ASTM-E874-82 | FACINGS, ALUMINUM, TO NONMETALLIC HONEYCOMB CORE FOR SHELTER PANELS, | A 8040 | GL | 22-APR-89 | GL | SA | 99 | | | |
| | | NOTICE 1 | ADHESIVE BONDING OF - 28 MAY 82 [VALIDATION DATE: 8904] USER: AS REVIEWER: 84 MR | | | | | | | | | |
| | | ASTM-E930-92 | ESTIMATING THE LARGEST GRAIN OBSERVED IN A METALLOGRAPHIC SECTION (ALA | A 95GP | * MR | 18-MAY-92 | MR | SH | | | | |
| | | NOTICE 1 | GRAIN SIZE) REVIEWER: AS IS | | | | | | | | | |
| | | ASTM-E934-88 | PLASTIC, DISPOSABLE, SEROLOGICAL PIPET, STANDARD PRACTICE FOR - 26 FEB. | A 6640 | MB | 01-FEB-90 | MD | MS | 03 | | | |
| | | | 1990 | | | | | | | | | |
| | | ASTM-E969-83 | PIPETS, VOLUMETRIC (TRANSFER) STANDARD SPECIFICATION FOR 30 SEP 83 ..... | A 6640 | MB | 30-JUN-89 | MD | MS | 03 | | | |
| D | | ASTM-E1019-88 | DETERMINATION OF CARBON, SULFUR, NITROGEN, OXYGEN, AND HYDROGEN IN STEEL | A 9510 | * YD1 | 12-JUN-92 | AR | YD1 | 99 | | | |
| | | NOTICE 1 | AND IN IRON, NICKEL, AND COBALT ALLOYS, STANDARD TEST METHODS FOR REVIEWER: IS | | | | | | | | | |
| D | | ASTM-E1042-85 | ABSORPTIVE MATERIAL APPLIED BY TROWEL OR SPRAY - 25 JAN 85 USER: CE REVIEWER: 84 MC | A 5610 | YD1 | 30-MAR-88 | ME | YD1 | 99 | | | |
| | | ASTM-E1043-85 | PIPETS, MILK AND CREAM EXAMINATION STANDARD SPECIFICATION FOR - 25 JAN 85 . | A 6640 | MB | 18-SEP-89 | MD | MS | 03 | | | |
| | | ASTM-E1044-85 | PIPETS, GLASS SEROLOGICAL (GENERAL PURPOSE AND KOHN) STANDARD | A 6640 | MB | 18-SEP-89 | MD | MS | 03 | | | |
| | | | SPECIFICATION FOR - 25 JAN 85 | | | | | | | | | |
| | | ASTM-E1077-85 | STEEL SPECIMENS, ESTIMATING THE DEPTH OF DECARBURIZATION OF - 27 SEPT 85 | A 9640 | MR | 16-JAN-91 | MR | | | | | |
| | | NOTICE 1 | [VALIDATION DATE: 9101] USER: OS SH REVIEWER: 11 AT AV GL IS | | | | | | | | | |
| | | ASTM-E1094-91 | PHARMACEUTICAL CLASS GRADUATES ..... | A 6640 | / MB | 04-FEB-92 | MD | MS | 03 | | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | ASTM-E1095-87 | GLASS FUNNEL, COMMON LABORATORY, STANDARD SPECIFICATION FOR - 23 SEPT 87 .. | A 6640 | MB | 17-DEC-90 | MD | MS | 03 | | | |
| | | ASTM-E1098-86 | SODA, LIQUID CAUSTIC, (SODIUM HYDROXIDE SOLUTION), STANDARD SPECIFICATION | A 6810 | EA | 02-MAR-88 | EA | SH | 68 | | | |
| | | | FOR 31 JAN 86 REVIEWER: GS MD MI | | | | | | | | | |
| | | ASTM-E1099A-86 | SODA ASH, ANHYDROUS (SODIUM CARBONATE, ANYDROUS) - 30 MAY 86 USER: MI | A 6810 | EA | 09-MAR-88 | EA | SH | 68 | | | |
| | | | REVIEWER: AR MD | | | | | | | | | |
| | | ASTM-E1119-89 | GLYCOL, INDUSTRIL GRADE ETHYLENE, STANARD SPECIFICATION FOR - 27 JAN 89 | A 6810 | EA | 01-AUG-90 | EA | | 68 | | | |
| | | | USER: MI OS SH REVIEWER: GS MD | | | | | | | | | |
| M | | ASTM-E1146-92 | ACID, MURIATIC, STANDARD SPECIFICATION FOR (TECHNICAL GRADE HYDROCHLORIC | A 6810 | EA | 03-FEB-93 | EA | | 68 | | | |
| | | | ACID) USER: AS MC SH REVIEWER: AR GS MD ME | | | | | | | | | |
| | | ASTM-E1157-87 | GLASSWARE, LABORATORY SAMPLING & TESTING OF REUSABLE 27 MAY 87 REVIEWER: | A 6640 | EA | 24-JAN-89 | EA | MS | 99 | | | |
| | | | DP MB MD | | | | | | | | | |
| D | | ASTM-E1264-88 | CEILING PRODUCTS, ACOUSTICAL, STANDARD CLASSIFICATION FOR - 29 JULY 1988 | A 5610 | YD1 | 21-DEC-89 | ME | YD1 | 99 | | | |
| | | | USER: CE MC REVIEWER: 84 | | | | | | | | | |
| | | ASTM-E1320-90 | CASTING, TITANIUM, STANDARD REFERENCE RADIOGRAPHS FOR - 10 DEC 1990 ..... | A NOTI | MR | 31-JUL-91 | ME | AS | 11 | | | |
| | | ASTM-E1392-90 | ANGLE R[illegible]VED OPTICAL SCATTER MEASUREMENTS ON SPECULAR OR DIFFUSE | A 6650 | AR | 30-NOV-90 | AR | SH | 17 | | | |
| | | | SURFA[illegible]S, STANDARD PRACTICE FOR - 30 NOV 1990 REVIEWER: 11 99 | | | | | | | | | |
| A | | ASTM-E1444-91 | MAGNETIC PARTICLE EXAMINATION, STANDARD PRACTICE FOR USER: 71 AL AT ME OS | A NOTI | MR | 20-APR-93 | MR | AS | 11 | | | |
| | | NOTICE 1 | TE REVIEWER: 24 70 80 82 84 99 AR AV EA MI SH | | | | | | | | | |
| D | | ASTM-F36-92 | COMPRESSIBILITY AND RECOVERY OF GASKET MATERIALS USER: AT YD1 REVIEWER: AV | A 5330 | * MR | 12-JAN-93 | MR | SH | 99 | | | |
| | | NOTICE 1 | GL IS ME | | | | | | | | | |
| | | ASTM-F37-89 | GASKET MATERIALS, SEALABILITY OF - 28 JUA 89 ..... | A 5330 | MR | 08-SEP-89 | | SH | | | | |
| D | | ASTM-F38-92 | CREEP RELAXATION OF GASKET MATERIAL USER: AS ME OS YD1 REVIEWER: AT AV CR | A 5330 | * MR | 12-JAN-93 | MR | SH | 99 | | | |
| | | NOTICE 1 | IS | | | | | | | | | |
| | | ASTM-F55-76 | BAR & WIRE, STAINLESS, FOR SURGICAL IMPLANTS - 26 MAR 76 REVIEWER: MB ..... | A 6515 | DM | 29-JAN-79 | MD | MS | 03 | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-F56-82 | SHEET, STAINLESS STEEL, AND STRIP FOR SURGICAL IMPLANTS, STANDARD SPECIFICATION FOR - 26MAR 82 | A 6515 MB | 28-MAR-88 MD | MS | 03 | | |
| | | ASTM-F86-84 | IMPLANTS, METALLIC SURGICAL, SURFACE PREPARATION & MARKING OF, STANDARD PRACTICE FOR - 11 SEPT 1984 | A 6515 MB | 24-JAN-89 MD | MS | 03 | | |
| D | | ASTM-F104-92 | NONMETALLIC GASKET MATERIALS USER: CG ME REVIEWER: 82 AR AT EA IS MI OS SA SH | A 5330 * MR | 12-JAN-93 MR | YD1 | ?? | | |
| | | NOTICE 1 | | | | | | | |
| D | | ASTM-F119-76 | FLEXIBLE BARRIER MATERIALS, CREASE PENETRATION OF - 30 JUL 76 USER: AR OS SH REVIEWER: 99 ME MI MR SA SH YD1 | A 8135 AS | 30-SEP-81 GL | AS | 69 | | |
| D | | ASTM-F137-71R82 | FLOORING MATERIAL, RESILIENT, FLEXIBILITY OF, WITH CYLINDRICAL MANDREL APPARATUS - 8 JAN 1971 (REAPPROVED 1982) (VALIDATE 2-90) [VALIDATION DATE: 9002] USER: CE REVIEWER: MC SH | A 7220 YD1 | 02-FEB-90 GL | YD1 | 99 | | |
| | | NOTICE 2 | | | | | | | |
| | | ASTM-F138-76 | BAR & WIRE, STAINLESS STEEL, FOR SURGICAL IMPLANTS (SPECIAL QUALITY) - 26 MAR 76 REVIEWER: MB | A 6515 DM | 29-JAN-79 MD | MS | 03 | | |
| D | | ASTM-F141A-91 | FLOOR COVERING, RESILIENT, STANDARD DEFINITIONS OF TERMS RELATING TO - 15 JUN 1991 USER: CE MC REVIEWER: MD MI SH | A 7220 YD1 | 24-AUG-91 GL | YD1 | 99 | | |
| D | | ASTM-F142-82R87 | TILES FLOOR, STANDARD TEST METHOD FOR IDENTATION OF RESILIENT (MCBURNEY TEST) - 31 DEC 1982 (VALIDATE 2-90) [VALIDATION DATE: 9002] USER: CE MC REVIEWER: MD SH | A 7220 YD1 | 02-FEB-90 GL | YD1 | 99 | | |
| | | NOTICE 2 | | | | | | | |
| D | | ASTM-F146-89 | GASKET MATERIALS, FLUID RESISTANCE OF - 28 JUL 89 USER: AS OS SH YD1 REVIEWER: AT AV ER IS ME | A 5330 MR | 08-SEP-89 MR | 11 | 11 | | |
| A | | ASTM-F147-87 | FLEXIBILITY OF NON-METALLIC GASKET MATERIALS, STANDARD TEST METHOD FOR | A 5330 * MR | 12-JUN-92 MR | SH | 99 | | |
| | | NOTICE 1 | [VALIDATION DATE: 9206] | | | | | | |
| D | | ASTM-F150-89 | FLOORING, CONDUCTIVE RESILIENT, ELECTRICAL RESISTANCE OF - 27 JAN 1989 USER: MC REVIEWER: MD MI | A 7220 YD1 | 18-JUL-90 GL | YD1 | 99 | | |
| | | ASTM-F152-87 | GASKET MATERIALS, TENSION TESTING OF NONMETALLIC - 25 SEP 87 USER: ME REVIEWER: AT AV EL ER IS | A 5330 MR | 23-SEP-88 MR | SH | 99 | | |
| | | ASTM-F288-81 | WIRE, TUNGSTEN, FOR ELECTRON DEVICES & LAMPS - 30 OCT 81 [VALIDATION DATE: | A 6145 MR | 11-OCT-88 MR | | | | |
| | | NOTICE 2 | 8810] REVIEWER: GL | | | | | | |
| | | ASTM-F306-82 | PINS, FIXATION, AND WIRES - 27 AUG 1982 | A 6515 MB | 30-MAY-86 MD | MS | 03 | | |
| | | ASTM-F307-73 | GAS, PRESSURIZED, SAMPLING, FOR GAS ANALYSIS, STANDARD METHOD FOR - 27 NOV 73 [VALIDATION DATE: 8502] | A 6830 68 | 01-FEB-79 | | 68 | | |
| | | ASTM-F310-70R76 | AEROSPACE FLUIDS, CRYOGENIC, SAMPLING, STANDARD METHOD OF - 14 AUG 70 [VALIDATION DATE: 8502] | A 6830 68 | 01-FEB-79 | | 68 | | |
| | | ASTM-F313-78R83 | HYDRAULIC FLUIDS BY GRAVIMETRIC ANALYSIS, STANDARD TEST METHID FOR ISOLUBLE CONTAMINATION OF - 25 AUG 78 (REAPPROVED 1983) REVIEWER: AS GS | A 9150 SH | 31-AUG-84 ME | SH | 68 | | |
| | | ASTM-F320-89 | ENCLOSURES, AEROSPACE TRANSPARENT, HAIL IMPACT RESISTANT OF -24 FEB 1989 USER: MI REVIEWER: 11 | A 9330 MR | 11-MAY-90 MR | | | | |
| | | ASTM-F330-89 | ENCLOSURES, AEROSPACE TRANSPARENT, BIRD IMPACT TESTING OF - 24 FEB 1990 REVIEWER: AV SH | A 9330 MR | 11-MAY-90 MR | | | | |
| | | ASTM-F339-71 | PINS, CLOVERLEAF INTRAMEDULLARY - 26 NOV 1971 | A 6515 MB | 15-AUG-85 MD | MS | 03 | | |
| | | ASTM-F366-82 | PINS & WIRES, FIXATION, STANDARD SPECIFICATION FOR - 27 AUG 82 | A 6515 MB | 30-MAY-86 MD | MS | 03 | | |
| D | | ASTM-F373-82R88 | COVERING, RESILIENT FLOOR, EMBOSSED DEPTH OF - 29 JAN 1982 (RE- APPROVED 1988) USER: MC REVIEWER: MD | A 7220 YD1 | 16-JUL-90 GL | YD1 | 99 | | |
| D | | ASTM-F386-87 | THICKNESS OF RESILIENT FLOORING MATERIALS HAVING FLAT SURFACES, STANDARD TEST METHOD FOR - 28 AUG 87 USER: MC REVIEWER: MD | A 7220 YD1 | 18-FEB-89 GL | YD1 | 99 | | |
| D | | ASTM-F387-87 | FLOOR COVERING, RESILIENT WITH FOAM LAYER, MEASURING THICKNESS OF - 28 AUG 1987 USER: MC REVIEWER: MD | A 7220 YD1 | 27-FEB-89 GL | YD1 | 99 | | |
| D | | ASTM-F402-88 | PIPE & FITTING, STANDARD PRACTICE FOR SAFE HANDLING OF SOLVENT CEMENTS, PRIMERS, & CLEANERS USED FOR JOINING THERMOPLASTIC 29 JUL88 REVIEWER: CS | A 4710 YD1 | 10-MAR-89 ME | YD1 | 99 | | |
| D | | ASTM-F405-89 | TUBING AND FITTING, CORRUGATED POLYETHYLENE (PE) REVIEWER: CS | A 4730 / YD1 | 27-JUL-89 CE | YD1 | 99 | | |
| D | | ASTM-F409-88 | TUB AND TUBLAR FITTINGS THERMOPLASTIC ACCESSIBLE AND REPLACEABLE PLASTIC STANDARD SPECIFICATION FOR - 27 MAY 88 REVIEWER: 82 CS | A 4710 YD1 | 15-JUN-90 ME | YD1 | 99 | | |
| D | | ASTM-F410-87 | WEAR LAYER THICKNESS OF RESILIENT FLOOR COVERINGS BY OPTICAL MEASUREMENT, STANDARD TEST METHOD FOR 28 AUG 87 USER: MC REVIEWER: MD SH | A 7220 YD1 | 19-FEB-89 GL | YD1 | 99 | | |
| D | | ASTM-F412B-89 | PIPING SYSTEM, PLASTIC, STANDARD DEFINITIONS OF TERMS RELATING TO STANDARD SPECIFICATION FOR - 25 AUG 89 REVIEWER: 82 CS SH | A 4710 YD1 | 28-SEP-89 ME | YD1 | 99 | | |
| D | | ASTM-F436B-83 | WASHERS HARDENED STEEL, STANDARD SPECIFICATION FOR - 25 MAR 83 USER: ER MC OS REVIEWER: AT AV IS ME MI MS SH | A 5310 AR | 16-APR-84 AR | YD1 | 99 | | |
| D | | ASTM-F436M-90 | WASHERS, HARDENED STEEL (METRIC) - 23 FEB 90 | A 5310 AR | 18-JUN-90 AR | YD1 | 99 | | |
| D | | ASTM-F437B-89 | PIPE, FITTINGS, PLASTIC, THREADED, CHLORINATED POLY(VINYL CHLORIDE) (CPVC) STANDARD SPECIFICATION FOR - 29 DEC 89 REVIEWER: 82 CS | A 4710 YD1 | 15-JUN-90 ME | YD1 | 99 | | |
| D | | ASTM-F438-90 | PLASTIC PIPE FITTINGS, SOCKET-TYPE CHLORINATED POLY (VINYL CHLORIDE) (CPVC), SCHEDULE 40, STANDARD SPECIFICATION FOR - 30 MAR 90 REVIEWER: 82 CS | A 4730 YD1 | 22-JUN-90 ME | YD1 | 99 | | |
| D | | ASTM-F439-89 | PIPE, FITTINGS, PLASTIC, SOCKET-TYPE CHLORINATED POLY(VINYL CHLORIDE) (CPVC) - 24 FEB 89 REVIEWER: CS MD MR | A 4730 YD1 | 29-MAY-89 ME | YD1 | 99 | | |
| D | | ASTM-F441-89 | PIPE, PLASTIC, POLY(VINYL CHLORIDE) (CPVC) CHLORINATED, SCHEDULES 40 & 80, STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS | A 4710 YD1 | 30-MAY-89 CE | YD1 | 99 | | |
| D | | ASTM-F442-89 | PLASTIC PIPE (SDR-PR), CHLORINATED POLY (VINYL CHLORIDE) (CPVC), STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: 82 CS | A 4710 YD1 | 22-JUN-90 ME | YD1 | 99 | | |
| D | | ASTM-F446-85 | BARS, GRAB, AND ACCESSORIES INSTALLED IN THE BATHING AREA - 23 AUG 1985 | A 4510 YD1 | 01-MAR-91 | YD1 | | | |
| | | ASTM-F453-76 | PINS, HOOKED INTRAMEDULLARY - 11 JUNE 1976 | A 6515 MB | 15-AUG-85 MD | MS | 03 | | |
| | | ASTM-F455-78 | NAILS, SOLID CROSS SECTION INTRAMEDULLARY - 30 JUN 1978 | A 6515 MB | 15-AUG-85 MD | MS | 03 | | |
| | | ASTM-F467B-90 | NUTS, NONFERROUS FOR GENERAL USE - 12 SEP 90 | A 5310 AR | 03-MAY-91 AR | AS | 99 | | |
| | | ASTM-F467MB-90 | NUTS, NONFERROUS FOR GENERAL USE (METRIC) - 12 SEP 90 | A 5310 AR | 31-MAY-91 AR | AS | 99 | | |
| D | | ASTM-F468B-90 | BOLTS, HEX CAP SCREWS, AND STUDS, NONFERROUS, FOR GENERAL USE - 12 SEP 90 | A 53GP AR | 03-MAY-91 AR | YD1 | 99 | | |
| | | ASTM-F468MB-90 | BOLTS, NONFERROUS, HEX CAP SCREWS, AND STUDS FOR GENERAL USE (METRIC - 12 SEP 1990 | A 53GP AR | 03-MAY-91 AR | AS | 99 | | |
| D | | ASTM-F476-84 | DOOR ASSEMBLIES, SWINGING, SECURITY OF, STANDARD TEST METHOD FOR - 25 MAY | A 5340 YD1 | 07-JUL-89 ME | YD1 | | | |
| | | NOTICE 2 | 1984 [VALIDATION DATE: 8907] USER: CE REVIEWER: IS | | | | | | |
| D | | ASTM-F477-76R85 | ELASTOMERIC SEALS (GASKETS) FOR JOINING PLASTIC PIPE - 8 NOV 76 (REAPPROVED 81) REVIEWER: 82 | A 5330 YD1 | 18-NOV-87 MR | YD1 | 99 | | |
| D | | ASTM-F480-90 | THERMOPLASTIC WELL CASING PIPE AND COUPLINGS MADE IN STANDARD DIMENSION RATIOS (SDR), SCH 40 AND SCH 80 - 27 JUL 1990 REVIEWER: 82 CS SH | A 4710 YD1 | 24-SEP-91 ME | YD1 | 99 | | |
| A | | ASTM-F483-77 | TOTAL IMMERSION CORROSION TEST FOR AIRCRAFT MAINTENANCE CHEMICALS -25 MAR 77 | A 6850 AS | 29-DEC-86 MR | AS | 11 | | |
| | | ASTM-F484-83 | PLASTICS, ACRYLIC, IN CONTACT WITH LIQUID OR SEMI LIQUID COMPOUNDS, STRESS | A 9330 MR | 22-JUN-90 MR | | 11 | | |
| | | NOTICE 1 | CRAZING OF, STANDARD TEST METHOD FOR - 30 SEP 83 [VALIDATION DATE: 9006] REVIEWER: AS AT AV GL GS ME | | | | | | |
| D | | ASTM-F493-89 | PIPE AND FITTING, PLASTIC, SOLVENT CEMENTS FOR CHLORINATED POLY(VINYL CHLORIDE) (CPVC) - 24 FEB 89 USER: CE MC REVIEWER: 84 | A 8040 YD1 | 17-MAY-89 ME | YD1 | 99 | | |
| A | | ASTM-F502-83 | AIRCRAFT, PAINTED SURFACES, EFFECTS OF CLEANING & CHEMICAL MAINTENANCE MATERIALS ON - 30 SEPT 1983 REVIEWER: GS | A 6850 AS | 29-DEC-86 MR | AS | 11 | | |
| D L | | ASTM-F510-81R87 | FLOOR COVERINGS, USING AN ABRADER WITH A GRID FEED METHOD, RESISTANCE TO | A 7220 * YD1 | 09-OCT-92 | YD1 | | | |
| | | NOTICE 1 | ABRASION OF RESILIENT, STANDARD TEST METHOD FOR | | | | | | |
| | | ASTM-F526-77 | LINEAR ACCELERATOR PULSED RADIATION EFFECTS TESTS, DOSE MEASUREMENT FOR | A 5962 ES | 15-MAY-89 ER | EC | 17 | | |
| | | NOTICE 2 | USE IN - 29 APR 77 [VALIDATION DATE: 8905] | | | | | | |
| D | | ASTM-F536-77R88 | FLOOR TILE, RESILIENT, BY DIAL GAGE METHOD, SIZE OF - 15 AUG 1977 (RE-APPROVED 1988) USER: CE CG MC REVIEWER: MD ME SH | A 7220 YD1 | 16-JUL-90 GL | YD1 | 99 | | |
| D | | ASTM-F537-89 | FENCES, CONSTRUCTED OF WOOD AND RELATED MATERIALS DESIGN FABRICATION AND INSTALLATION OF STANDARD SPECIFICATION FOR - 28 APR 89 REVIEWER: CS | A 5660 YD1 | 04-JAN-90 | YD1 | | | |
| D | | ASTM-F541-90 | EYEBOLTS, ALLOY STEEL - 23 FEB 90 | A 5306 AR | 18-JUN-90 AR | YD1 | 99 | | |
| | | ASTM-F543-82 | CORTICAL BONE SCREWS, STANDARD SPECIFICATION FOR 26 NOV 82 | A 6515 MB | 15-AUG-85 MD | MS | 03 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. / Cmtl. Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-F544-77R86 | SCREW, CLASSIFICATION STANDARD REFERENCE CHART FOR PICTORIAL CORTICAL 28 OCT 87 | A | 6515 | | MB | 15-AUG-86 | MD | MS | 03 | |
| D | | ASTM-F552R-88 | FENCING, CHAIN LINK, DEFINITIONS OF TERMS RELATING TO - 30 SEP 1988 USER: MC REVIEWER: 84 CE | A | 5660 | | YD1 | 25-OCT-89 | ME | YD1 | 99 | |
| | | ASTM-F560-78 | TANTALUM, UNALLOYED, FOR SURGICAL IMPLANT APPLICATIONS - 31 MAR 1978 ..... | A | 6515 | / | MB | 19-SEP-86 | MD | MS | 03 | |
| D | | ASTM-F568-92 | FASTENERS, EXTERNALLY THREADED, CARBON AND ALLOY STEEL (METRIC) USER: MC | A | 53GP | * | AR | 23-OCT-92 | AR | AS | 99 | |
| | | NOTICE 1 | ME OS SH YD1 REVIEWER: 11 82 AT AV CR ER IS | | | | | | | | | |
| D | | ASTM-F585-78 | INSERTION OF FLEXIBLE POLYETHYLENE PIPE INTO EXISTING SEWERS - 29 JUN 78 .. | A | 5630 | | ME | 03-FEB-81 | ME | YD1 | 99 | |
| D | | ASTM-F593A-90 | BOLTS, HEX CAP SCREWS, & STUDS, STAINLESS STEEL - 26 OCT 90 ..... | A | 5305 | | AR | 03-MAY-91 | AR | YD1 | 99 | |
| | | ASTM-F594A-90 | NUTS, STAINLESS STEEL - 26 OCT 90 ..... | A | 5310 | | AR | 03-MAY-91 | AR | AS | 99 | |
| D | | ASTM-F606-90 | WASHERS AND RIVETS, EXTERNALLY AND INTERNALLY THREADED FASTENERS, DETERMINING THE MECHANICAL PROPERTIES OF - 31 AUG 90 | A | 53GP | | AR | 03-MAY-91 | AR | YD1 | 99 | |
| D | | ASTM-F606M-90 | WASHERS, AND RIVETS, EXTERNALLY AND INTERNALLY THREADED FASTENERS, DETERMINING THE MECHANICAL PROPERTIES OF (METRIC) - 31 AUG 90 | A | 53GP | | AR | 03-MAY-91 | AR | YD1 | 99 | |
| D | | ASTM-F607-90 | GASKET MATERIALS TO METAL SURFACES, ADHESION OF - 31 AUG 90 USER: AS ME OS YD1 REVIEWER: AT AV EL IS | A | 5330 | | MR | 16-JAN-91 | MR | SH | 99 | |
| | | ASTM-F623-81 | CATHETER, FOLEY, STANDARD PERFORMANCE SPECIFICATION FOR - 27 MAR 1981 ..... | A | 6515 | | MB | 10-OCT-85 | MD | MS | 03 | |
| | | ASTM-F640-79 | RADIOPACITY OF PLASTICS FOR MEDICAL USE - 26 OCT 79 REVIEWER: MB ..... | A | 6515 | | DM | 15-APR-81 | MD | MS | 03 | |
| | | ASTM-F670-80 | TANK, 5 & 10 GAL (20 & 40-L) DISPENSING - 3 JUL 80 (NOTICE 2 SH 2 JUN 82) , | A | 2010 | | SH | 18-AUG-80 | | SH | | |
| | | ASTM-F681-82 | CONNECTIONS, STANDARD PRACTICE FOR USE OF BRANCH - 30 JUL 82 ..... | A | 4730 | | SH | 06-MAY-83 | | SH | | |
| | | ASTM-F682A-82 | COUPLING, SLEEVE TYPE, WROUGHT CARBON STEEL - 30 JUL 82 ..... | A | 4730 | | SH | 06-MAY-83 | | SH | | |
| | | ASTM-F683-89 | INSULATION, THERMAL, FOR PIPING AND MACHINERY - 24 FEB 1989 ..... | A | 5640 | | SH | 22-JUN-90 | ME | SH | 99 | |
| D | | ASTM-F696-85 | GLOVES AND MITTENS, LEATHER PROTECTORS FOR RUBBER INSULATING - 27 DEC 1985 USER: ER OS SH YD1 REVIEWER: MD | A | 8415 | | CT | 07-MAY-90 | GL | MU | | CT |
| | | ASTM-F704-81 | BOLTING LENGTHS FOR P IPING SYSTEM FLANGED JOINTS, SELECTING - 3 0 JAN 81 | A | 5306 | | SH | 10-JAN-90 | | SH | | |
| | | NOTICE 1 | (VALIDATION DATE: 9001) | | | | | | | | | |
| | | ASTM-F707-82 | MODULAR CAGE BOARDS - 24 SEP 82 ..... | A | 6685 | | SH | 08-AUG-83 | | SH | 99 | |
| | | ASTM-F708-81 | PIPE HANGERS, RIGID, DESIGN & INSTALLATIO N OF - 27 FEB 81 (VALIDATION | A | 5340 | | SH | 27-JAN-89 | | SH | | |
| | | NOTICE 1 | DATE: 8901) | | | | | | | | | |
| D | | ASTM-F718-85 | PAINTS & COATING, SHIPBUILDERS & MARINE, PRODUCT/PROCEDURE DATA SHEET - 27 SEP 85 USER: CG MC REVIEWER: AS MR YD1 | A | 8010 | | SH | 22-OCT-86 | ME | SH | 99 | |
| | | ASTM-F721-81 | GAGE PIPING ASSEMBLIES 24 APR 81 ..... | A | 4730 | | SH | 06-MAY-83 | | SH | | |
| D | | ASTM-F726-81R86 | ADSORBENTS, TESTING SORBENT PERFORMANCE OF - 4 NOV. 1989 (REAPPROVED 1986) USER: CE REVIEWER: AS GS | A | 9330 | | YD1 | 06-OCT-89 | | YD1 | | |
| D | | ASTM-F738-90 | BOLTS, SCREWS, AND STUDS, STAINLESS STEEL (METRIC) - 23 FEB 90 ..... | A | 53GP | | AR | 18-JUN-90 | AR | YD1 | 99 | |
| D | | ASTM-F738MA-90 | BOLTS, SCREWS AND STUDS, STAINLESS STEEL (METRIC) - 31 AUG 90 ..... | A | 53GP | | AR | 03-MAY-91 | AR | YD1 | 99 | |
| | | ASTM-F759-82 | DISPENSER, BEVERAGE, HOT CHOCOLATE - 26 MAR 82 ..... | A | 7320 | | GL | 21-JAN-83 | GL | SA | 99 | |
| | | ASTM-F765-82 | CHAIN ANCHOR SHIP WILDCATS - 30 APR 82 (VALIDATION DATE: 8908) ..... | A | 8040 | | SH | 07-AUG-89 | | SH | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | ASTM-F782-82 | DOORS, FURNITURE, MARINE - 30 JUL 82 ..... | A | 2040 | | SH | 24-JUN-83 | | SH | | |
| | | ASTM-F783-82 | STAPLE, HANDGRAB, HANDLE, & STIRRUP RUNG - 30 JUL 82 ..... | A | 2090 | | SH | 24-JUN-83 | | SH | | |
| | | ASTM-F786-82 | PLATES, METALLIC BONE,STANDARD SPECIFICATIONFOR - 27 AUG 82 ..... | A | 6515 | | MB | 15-AUG-87 | MD | MS | 03 | |
| D | | ASTM-F788/F788M-82R89 | BOLTS, SCREWS, AND STUDS, SURFACE DISCONTINUITES OF INCG AND METRIC SERIES - 27 AUG 82 | A | 53GP | | AR | 18-JUN-90 | AR | YD1 | 99 | |
| | | ASTM-F791-82R88 | PLASTICS TRANSPARENT, STANDARD TEST METHOD FOR STRESS CRAZING OF - 27 JU | A | 9330 | | MR | 22-JUN-90 | MR | | 11 | |
| | | NOTICE 1 | ME 1984 (REAPPROVED 1988) (VALIDATION DATE: 9006) REVIEWER: AR AV EA GL GS ME | | | | | | | | | |
| | | ASTM-F801-83R89 | OPTICAL ANGULAR DEVIATION OF TRANSPAREMT PARTS, STANDARD METHOD FOR MEAS | A | 9330 | | MR | 22-JUN-90 | MR | V | 11 | |
| | | NOTICE 1 | URING - 23 FEB 83 (REAPPROVED 1989) REVIEWER: AV GS | | | | | | | | | |
| D | | ASTM-F812/F812M-83R89 | NUTS, SURFACE DISCONTINUITIES OF, INCH AND METRIC SERIES - 25 MAR 83 ..... | A | 5310 | | AR | 18-JUN-90 | AR | YD1 | 99 | |
| | | ASTM-F814B-84 | SMOKE, SPECIFIC OPTICAL DENSITY OF, GENERATED BY SOLID MATERIALS FOR | A | 9330 | | MR | 22-JUN-90 | MR | | | |
| | | NOTICE 1 | AEROSPACE APPLICATIONS, STANDARD TEST METHOD FOR - 28 DEC 1984 (VALIDATION DATE: 9006) REVIEWER: AV GS | | | | | | | | | |
| A | | ASTM-F835-92 | SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, ALLOY STEEL USER: MC | A | 5305 | * | AR | 23-OCT-92 | AR | AS | 99 | |
| | | NOTICE 1 | ME OS SH REVIEWER: 11 82 AT AV CR EA IS | | | | | | | | | |
| D | | ASTM-F835M-92 | SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, ALLOY STEEL (METRIC) | A | 5305 | * | AR | 23-OCT-92 | AR | YD1 | 99 | |
| D | | ASTM-F836-90 | NUTS, STAINLESS STEEL (METRIC) 23 FEB 90 ..... | A | 5310 | | AR | 18-JUN-90 | AR | YD1 | 99 | |
| D | | ASTM-F836MA-90 | NUTS, STAINLESS STEEL (METRIC) - 12 SEP 90 ..... | A | 5310 | | AR | 03-MAY-91 | AR | YD1 | 99 | |
| D | | ASTM-F837-90 | SCREW, CAP, SOCKET HEAD, STAINLESS STEEL - 31 AUG 90 ..... | A | 5305 | | AR | 03-MAY-91 | AR | YD1 | 99 | |
| D | | ASTM-F837MA-90 | SCREW, CAP, SOCKET HEAD, STAINLESS STEEL (METRIC) - 31 AUG 90 ..... | A | 5305 | | AR | 31-MAY-91 | AR | YD1 | 99 | |
| | | ASTM-F841-84 | THRUSTERS, TUNNEL, PERMANENTLY INSTALLED IN MARINE VESSELS-APR 84 USER: MC | A | 2010 | | SH | 08-MAR-85 | ME | SH | | |
| D | | ASTM-F844-90 | WASHER, STEEL, PLAIN (FLAT), UNHARDENED FOR GENERAL USE - 23 FEB 90 ..... | A | 5310 | | AR | 18-JUN-90 | AR | YD1 | 99 | |
| D | | ASTM-F857-90 | DISHWASHING MACHINES, HEAT SANITIZING COMMERCIAL, STATIONARY RACK TYPES, | A | 7320 | * | YD1 | 12-NOV-91 | GL | YD1 | 99 | |
| | | NOTICE 1 | STANDARD SPECIFICATION FOR USER: CG GS MC MS REVIEWER: 84 MD TS | | | | | | | | | |
| D | | ASTM-F858-90 | DISHWASHING MACHINES, HEAT SANITIZING COMMERCIAL, SINGLE TANK, CONVEYOR | A | 7320 | * | YD1 | 12-NOV-91 | GL | YD1 | 99 | |
| | | NOTICE 1 | RACK TYPE, STANDARD SPECIFICATION FOR USER: CE CG GS MC REVIEWER: 84 MD MS TS | | | | | | | | | |
| D | | ASTM-F859-91 | DISHWASHING MACHINES, HEAT SANITIZING COMMERCIAL, MULTIPLE TANK, CONVEYOR | A | 7320 | * | YD1 | 12-NOV-91 | GL | YD1 | 99 | |
| | | NOTICE 1 | RACK TYPE, STANDARD SPECIFICATION FOR REVIEWER: 84 GS MC MD MS SA TS | | | | | | | | | |
| D | | ASTM-F860-90 | HEAT SANITIZING COMMERCIAL DISHWASHING MACHINES, MULTIPLE TANK, RACKLESS | A | 7320 | * | YD1 | 15-NOV-91 | GL | YD1 | 99 | |
| | | NOTICE 1 | CONVEYOR TYPE, STANDARD SPECIFICATION FOR USER: CE CG GS MC REVIEWER: 84 MD MS SA TS | | | | | | | | | |
| D | | ASTM-F861-84R90 | RACKS, COMMERCIAL DISHWASHING, STANDARD SPECIFICATION FOR REVIEWER: GS MC | A | 7320 | * | YD1 | 23-DEC-91 | GL | YD1 | 99 | |
| | | NOTICE 1 | MD MS SA TS | | | | | | | | | |
| D | | ASTM-F872-84R90 | FILTER UNIT, AIR CONDITIONING: VISCOUS-IMPINGEMENT TYPE, CLEANABLE - 28 | A | 4130 | | YD1 | 25-JUN-91 | | YD1 | 99 | |
| | | | FEB 1984 (REAPPROVED 1990) USER: ME SH REVIEWER: 82 CG MC | | | | | | | | | |
| D | | ASTM-F879-90 | SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, STAINLESS STEEL -31 AUG 90 | A | 5305 | | AR | 03-MAY-91 | AR | YD1 | 99 | |
| D | | ASTM-F879M-90 | SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, STAINLESS STEEL -(METRIC) - 31 AUG 90 | A | 5305 | | AR | 03-MAY-91 | AR | YD1 | 99 | |
| | | ASTM-F880-86 | SCREWS, SOCKET-SET, STAINLESS STEEL - 29 AUG 86 ..... | A | 5305 | | AR | 18-JUN-90 | AR | | 99 | |
| D | | ASTM-F880MA-90 | SCREWS, SOCKET-SET, STAINLESS STEEL (METRIC) - 31 AUG 90 ..... | A | 5305 | | AR | 03-MAY-91 | AR | YD1 | 99 | |
| | | ASTM-F882-84 | INSTRUMENTS, CYROSURGICAL MEDICAL, STANDARD PERFORMANCE & SAFETY | A | 6515 | | MB | 06-OCT-89 | MD | MS | 03 | |
| | | | SPECIFICATION FOR - 11 SEPT 84 | | | | | | | | | |
| D | | ASTM-F883-90 | PADLOCKS, STANDARD PERFORMANCE SPECIFICATION FOR REVIEWER: IS ..... | A | 5340 | * | YD1 | 23-JUN-92 | AR | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | ASTM-F895-84 | CYTOTOXICITY, AGAR DIFFUSION CELL CULTURE SCREENING FOR, STANDARD TEST | A | 6515 | | MB | 23-JUN-89 | MD | MS | 03 | |
| | | | METHOD FOR - 28 SEPT. 1984 | | | | | | | | | |
| | | ASTM-F899-84 | STEEL, STAINLESS, BILLET, BAR, AND WIRE FOR SURGICAL INSTRUMENTS - 28 SEPT 1984 | A | 6515 | | MB | 15-OCT-85 | MD | MS | 03 | |
| D | | ASTM-F906-89 | LETTERS AND NUMERALS FOR SHIPS, STANDARD SPECIFICATION FOR USER: YD1 ..... | A | 1990 | * | SH | 06-JUL-92 | ME | SH | | |
| | | NOTICE 1 | | | | | | | | | | |
| | | ASTM-F912-90 | SCREWS, SET, SOCKET, ALLOY STEEL - 23 FEB 90 ..... | A | 5305 | | AR | 18-JUN-90 | AR | | 99 | |
| | | ASTM-F912M-90 | SCREWS, SET, SOCKET, ALLOY STEEL (METRIC) 23 FEB 90 ..... | A | 5305 | | AR | 18-JUN-90 | AR | | 99 | |
| D | | ASTM-F918-85 | BEVERAGE DISPENSER (VISIBLE PRODUCT), NONCARBONATED MECHANICALLY | A | 7310 | | YD1 | 06-JUL-90 | GL | YD1 | 99 | |
| | | | REFRIGERATED, STANDARD SPECIFICATION FOR - 14 JUN 85 REVIEWER: 84 GS | | | | | | | | | |
| | | ASTM-F920-85 | RESUSCITATORS INTENDEDFOR USE WITH HUMANS, MINIMUM PERFORMANCE & SAFETY | A | 6515 | | MB | 31-JAN-89 | MD | MS | 03 | |
| | | | REQUIREMENTS FOR - 1985 | | | | | | | | | |
| | | ASTM-F921-85 | FORCEPS, HEMOSTATIC, STANDARD DEVIATION OF TEMS RELATING TO - 5 JUNE 1985 . | A | 6515 | | MB | 15-JAN-86 | MD | MS | 03 | |
| D L | | ASTM-F925-85R90 | RESISTANCE TO CHEMICALS OF RESILIENT SHEET FLOORING, STANDARD TEST METHOD | A | 7220 | * | YD1 | 21-SEP-92 | | YD1 | | |
| | | NOTICE 1 | FOR | | | | | | | | | |
| D | | ASTM-F940-85 | PROTECTIVE COATINGS (PAINT), USED IN MARINE CONSTRUCTION & SHIPBUILDING, | A | 8010 | | SH | 05-NOV-86 | ME | SH | 99 | |
| | | | QUALITY CONTROL RECEIPT INSPECTION PROCEDURES FOR, STANDARD PRACTICE FOR - 28 JUN 85 USER: CG MC REVIEWER: AS MR YD1 | | | | | | | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Orig. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ASTM-F941-85 | MARINE SURFACE PREPARATION & COATING APPLICATION, INSPECTION OF, STANDARD PRACTICE FOR - 27 SEP 85 USER: CG MC REVIEWER: AS MR | A | 8010 | SH | 05-NOV-86 | ME | SH | 99 | |
| D | | ASTM-F952-85 | MIXING MACHINES, FOOD ELECTRIC, STANDARD SPECIFICATION FOR - 21 OCT 85 USER: SA REVIEWER: MC SH | A | 9530 | MR | 06-JUL-90 | GL | YD1 | 99 | |
| D | | ASTM-F957-87 | GONG, SOUND SIGNALING - 25 SEP 1987 REVIEWER: GS | A | 6350 | YD1 | 12-FEB-90 | | YD1 | 99 | |
| | | ASTM-F960-86 | SUCTION & DRAINAGE SYSTEMS, MEDICAL & SURGICAL - 1986 | A | 6515 | MB | 31-JAN-89 | MD | MS | 03 | |
| | | ASTM-F965-85 | LARYNGOSCOPES, RIGID, FOR TRACHEAL INTUBATION - 29 NOV 1985 | A | 6515 / | MB | 24-JUL-86 | MD | MS | 03 | |
| A | | ASTM-F993-86 NOTICE 1 | DEVICES, VALVE LOCKING, STANDARD SPECIFICATION FOR USER: MC REVIEWER: CS .. | A | 4810 * | SH | 06-JUL-92 | ME | SH | 99 | |
| | | ASTM-F1014-86 | FLASHLIGHTS ON VESSELS STANDARD SPECIFICATION FOR - OCT 86 1ST PRINTING REVIEWER: GS | A | 6230 | SH | 14-MAY-90 | ME | SH | 99 | |
| D | | ASTM-F1023-86 | DISPENSERS, POWDERED ICE TEA, STANDARD SPECIFICATION FOR - 26 SEP 86 REVIEWER: 84 MD | A | 7310 | YD1 | 09-JUL-90 | GL | YD1 | 99 | |
| | | ASTM-F1026-86 | FORCEPS, MEASUREMENTS OF HEMOSTATIC, STANDARD SPECIFICATION FOR GENERAL WORKMANSHIP & PERFORMANCE - 26 SEPT 1986 | A | 6515 | MB | 03-JUN-87 | MD | MS | 03 | |
| D | | ASTM-F1040-87 | FILTER UNITS, AIR CONDITIONING; VISCOUS-IMPINGEMENT AND DRY TYPES, REPLACEABLE - 30 JAN 1987 REVIEWER: EA GS | A | 4130 | YD1 | 06-MAY-91 | MI | YD1 | | |
| D | | ASTM-F1047-87 | PANS, RYING AND BRAISING, TILTING TYPE, STANDARD SPECIFICATION FOR - 9 JUL 1987 USER: MC REVIEWER: 84 MD SA | A | 7310 | YD1 | 01-MAY-90 | GL | YD1 | 99 | |
| D | | ASTM-F1066-87 | TILE, FLOOR, VINYL COMPOSITION - 28 AUG 1987 USER: CE CG MC REVIEWER: SH .. | A | 7220 | YD1 | 09-JUL-90 | | YD1 | 84 | |
| | | ASTM-F1078-87 | SCISSORS, SURGICAL - INSETED BLADES, STANDARD TERMINOLOGY FOR - 25 SEPT 1987 | A | 6515 | MB | 18-JUL-88 | MD | MS | 03 | |
| A | | ASTM-F1079-87 NOTICE 1 | SCISSORS, SURGICAL, INSERTED AND NONINSERTED, STANDARD SPECIFICATION FOR .. | A | 6515 * | MB | 13-NOV-92 | MD | MS | 03 | |
| A L | | ASTM-F1123-87 NOTICE 1 | JOINTS, EXPANSION, NON-METALLIC, STANDARD SPECIFICATION FOR REVIEWER: CS .. | A | 4730 * | SH | 29-OCT-92 | | SH | | |
| M | | ASTM-F1138-92 NOTICE 1 | SPRAY SHIELDS FOR MECHANICAL JOINTS, STANDARD SPECIFICATION FOR USER: MC .. | A | 4730 | SH | 27-APR-93 | MR | SH | 99 | |
| | | ASTM-F1166-88 | MARINE SYSTEMS, HUMAN ENGINEERING DESIGN FOR EQUIPMENT AND FACILITIES STANDARD PRACTICE | A | MFAC | SH | 12-DEC-89 | MI | SH | | |
| D | | ASTM-F1217-90 NOTICE 1 | COOKER, STEAM, STANDARD SPECIFICATION FOR USER: CG MC REVIEWER: 84 AS GS MD SH TS | A | 7310 * | YD1 | 20-MAY-92 | GL | YD1 | 99 | |
| A | | ASTM-F1242-89 NOTICE 1 | TUBES, TRACHEAL, CUFFED AND UNCUFFED, STANDARD SPECIFICATION FOR | A | 6515 / | MB | 30-JAN-93 | MD | MS | 03 | |
| | | ASTM-F1267-89 | METAL, EXPANDED, STEEL - 24 NOV 1989 | A | 5680 | SH | 22-JUN-90 | ME | SH | 99 | |
| | | ASTM-F1312-90 | BRICK, INSULATING, HIGH TEMPERATURE, FIRE CLAY - 31 AUG. 1990 | A | 9350 | SH | 29-APR-91 | ME | SH | 99 | |
| | | ASTM-F1325-91 NOTICE 1 | STAINLESS STEEL SUTURE NEEDLE HOLDERS GENERAL WORKMANSHIP REQUIREMENTS AND CORRESPONDING TEST METHODS | A | 6515 / | MB | 30-SEP-91 | MD | MS | 03 | |
| A L | | ASTM-F1332-91 NOTICE 1 | USE OF SI (METRIC) UNITS IN MARITIME APPLICATIONS (COMMITTEE F-25 SUPPLEMENT TO E 380), STANDARD PRACTICE FOR | A | 1990 * | SH | 16-DEC-92 | | SH | | |
| D | | ASTM-F1344-91 NOTICE 1 | TILE, RUBBER, FLOOR, STANDARD SPECIFICATION FOR USER: CE CG MC | A | 7220 * | YD1 | 03-AUG-92 | | YD1 | 99 | |
| | | ASTM-G7A-77 | NONMETALLIC MATERIALS, ATMOSPHERIC ENVIRONMENTAL EXPOSURE TESTING OF - 30 DEC 77 | A | 8010 | AS | 01-APR-80 | MR | AS | 11 | |
| M | | ASTM-G15-93 NOTICE 1 | STANDARD TERMINOLOGY RELATING TO CORROSION AND CORROSION TESTING USER: MI REVIEWER: AL AR AT EA GL IS ME | A | MFFP | MR | 05-MAY-93 | MR | SH | | |
| D | | ASTM-G21-70 | POLYMERIC MATERIALS, SYNTHETIC, RECOMMENDED PRACTICE FOR DETERMINING RESISTANCE OF, TO FUNGI - 13 APR 70 (REAPPROVED 1980) (VALIDATION DATE: 8304) USER: AS OS YD1 REVIEWER: AT ER GL GS ME | A | 9330 | MI | 21-SEP-76 | MR | SH | 11 | |
| D | | ASTM-G23-88 | MATERIALS, NONMETALLIC, OPERATING LIGHT EXPOSURE APPARATUS (CARBON-ARC TYPE) WITH & WITHOUT WATER FOR EXPOSURE OF - 25 MAR 1988 USER: AS AT AV GL OS YD1 REVIEWER: 99 ER GS ME | A | 9330 | MR | 22-MAR-89 | MR | SH | 11 | |
| | | ASTM-G26-77 | OPERATING LIGHT EXPOSURE APPARATUS (XENON ARC TYPE) WITH & WITHOUT WATER FOR EXPOSURE OF NONMETALLIC MATERIALS - 28 OCT 77 | A | 9330 | AS | 25-SEP-81 | MR | AS | 99 | |
| A | | ASTM-G28-85 NOTICE 1 | DETECTING SUSCEPTIBILITY TO INTERGRANULAR ATTACK IN WROUGHT, NICKEL-RICH, CHROMIUM-BEARING ALLOYS, STANDARD TEST METHODS OF REVIEWER: CS | A | 9530 | SH | 25-FEB-93 | ME | SH | 99 | |
| D | | ASTM-G29-75R85 | FILMS, PLATIC, STANDARD PRACTICE FOR DETERMINING ALGAL RESISTANCE OF - 31 OCT 75 (REAPPROVED 1985) REVIEWER: 84 CS GS MD MR SH | A | 9330 | YD1 | 06-JUN-89 | ME | YD1 | 99 | |
| | | ASTM-G34-79 | EXFOLIATION CORROSION SUSCEPTIBILITY IN 2XXX AND 7XXX SERIES ALUMINUM ALLOYS (EXCO TEST) - 27 APR 79 USER: MI SH REVIEWER: IS | A | 95GP | AS | 11-DEC-79 | MR | AS | 11 | |
| | | ASTM-G38-73R79 | MAKING & USING THE C-RING STRESS-CORROSION CRACKING TEST SPECIMEN - 27 SEP 73 (VALIDATION DATE: 8508) REVIEWER: IS | A | 95GP | AS | 10-AUG-79 | MR | AS | 99 | |
| | | ASTM-G43-75R80 | ACIDIFIED SYNTHETIC SEA WATER (FOG) TESTING - 25 JUL 75 | A | 9330 | MR | 24-JUN-82 | MR | | 11 | |
| | | ASTM-G47-79 | ALUMINUM ALLOY PRODUCTS, HIGH STRENGTH, DETERMINING SUSCEPTIBILITY TO STRESS CORROSION CRACKING OF - 31 AUG 79 REVIEWER: IS | A | 95GP | AS | 25-JUL-80 | MR | AS | 11 | |
| | | ASTM-G53-88 | MATERIALS, NONMETALLIC, OPERATING LIGHT- AND WATER-EXEXPOSURE APPARATUS (FLUORESCENT UV-CONDENSATION TYPE) FOR EXPOSURE OF - 29 JULY 1988 USER: AS EC ME MI REVIEWER: GS | A | 9330 | MR | 25-JUN-90 | MR | | 11 | |
| | | ASTM-RS466-81 | TRANSMISSION, DOCUMENT FACSIMILE, PROCEDURES FOR - 3 APR 81 | A | SLHC | DC | 03-APR-81 | CR | EC | 90 | |
| | | ASTM-STP310A | VAPOR DEGREASING HANDBOOK OF, - APR 76 030779 (VALIDATION DATE: 8412) REVIEWER: GL GS | A | 6810 | EA | 03-JUL-79 | EA | SH | 68 | |
| D | | ASTM-STP403A-81 | SOLVENT, HALOGENATED, COLD CLEANING WITH - NOV 81 USER: AT GL MR OS YD1 REVIEWER: GS | A | 6810 | EA | 17-MAR-82 | EA | SH | 68 | |
| D | | ASTM-STP470B-81 | THERMOCOUPLES IN TEMPERATURE MEASUREMENT, MANUAL ON THE USE OF - JUL 81 USER: AR AS REVIEWER: EA GS | A | 6685 | 99 | 12-MAR-82 | ME | YD1 | 99 | |
| D | | AWI-QSCSQCP-88 | GUIDE SPECIFICATIONS AND QUALITY CERTIFICATION PROGRAM, ARCHITECTURAL WOODWORK QUALITY STANDARDS (FIFTH EDITION 1988) REVIEWER: CS | A | 5510 | YD1 | 21-FEB-91 | ME | YD1 | 99 | |
| | | AWPA-A1-80 | CREOSOTE & OIL-TYPE PRESERVATIVES,STANDARD METHODS FOR ANALYSIS 9 DEC 87 .. | A | 8030 | MR | 09-DEC-87 | MR | | 99 | |
| | | AWPA-A2-86 | PRESERVATIVES, WATERBORNE, & FIRE RETARDANT FORMULATIONS, STANDARD METHODS FOR ANALYSIS OF - 1986 USER: SH | A | 8030 | MR | 09-DEC-87 | MR | | 99 | |
| | | AWPA-A3-84 | PENETRATION OF PRESERVATIVES & FIRE RETARDANTS, STANDARD METHODS FOR DETERMINING 9 DEC87 | A | 8030 | MR | 09-DEC-87 | MR | | 99 | |
| | | AWPA-A4-80 | WOOD PRESERVATIVES, STANDARD METHODS FOR - 1980 REVIEWER: 11 84 CS ME | A | 8030 | MR | 09-DEC-87 | MR | | 99 | |
| | | AWPA-A5-86 | PRESERVATIVES, OIL-BORNE, ANALYSIS OF, STANDARD METHODS FOR - 1986 REVIEWER: 20 84 CS ME | A | 8030 | MR | 09-DEC-87 | MR | | 99 | |
| | | AWPA-A6-83 | WOOD, OIL-TYPE PRESERVATIVES & WATER IN, METHOD FOR THE DETERMINATION OF - 1983 REVIEWER: 11 84 CS ME | A | 8030 | MR | 09-DEC-87 | MR | | 99 | |
| | | AWPA-A7-75 | WOOD, PREPARING, FOR CHEMICAL ANALYSIS, STANDARD WET ASHING PROCEDURE FOR - 1975 | A | 8030 | MR | 09-DEC-87 | MR | | 99 | |
| | | AWPA-A8-67 | CREOSOTE OR CREOSOTE-COAL TAR SOLUTION FROM FRESHLY TREATED PILES, POLES, OR TIMBER (SQUEEZE METHOD) QUALITATIVE RECOVERY OF - 1967 REVIEWER: 20 84 CS ME | A | 8030 | MR | 09-DEC-87 | MR | | 99 | |
| | | AWPA-A9-86 | WOOD, TREATED, & TREATING SOLUTIONS BY X-RAY SPECTROSCOPY, STANDARD METHOD FOR ANALYSIS OF - 1986 REVIEWER: 20 84 CS ME | A | 8030 | MR | 09-DEC-87 | MR | | 99 | |
| | | AWPA-A11-83 | TREATED WOOD & TREATING SOLUTIONS BY ATOMIC ABSORPTION SPECTROSCOPY 10 DEC 87 | A | 8030 | MR | 10-DEC-87 | MR | | 99 | |
| M | | AWPA-C1-92 NOTICE 1 | TIMBER PRODUCTS-PRESERVATIVE TREATMENT BY PRESSURE PROCESSES, ALL USER: CE REVIEWER: AT CS SH | A | 5510 | YD1 | 30-APR-93 | ME | YD1 | | |
| D | | AWPA-C2-92 NOTICE 1 | LUMBER, TIMBERS, BRIDGE TIES AND MINE TIES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: CE YD1 REVIEWER: 84 | A | 5510 * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | AWPA-C3-88 | PILES-PRESERVATIVE TREATMENT BY PRESSURE PROCESSES STANDARD 1988 (NO SPECIFIC DATE OF ISSUE) REVIEWER: AT CS SH | A | 5510 | YD1 | 27-FEB-89 | ME | YD1 | | |
| D | | AWPA-C4-92 NOTICE 1 | POLES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: CE YD1 REVIEWER: 84 | A | 5510 * | CS | 20-JAN-93 | ME | SH | 99 | CS |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Off. / Ofc. Coordination | Inactive | Document Number | Document Title | Disc. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | AWPA-C5-92 NOTICE 1 | POSTS, FENCE - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: CE YD1 REVIEWER: 84 | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-C6-92 NOTICE 1 | CROSSTIES AND SWITCH TIES - PRESERVATIVE TREATMENT BY PRESSURE PROCESS USER: CE YD1 REVIEWER: 84 | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-C7-92 NOTICE 1 | WESTERN RED CEDAR, NORTHERN WHITE CEDAR AND ALASKA YELLOW CEDAR POLES - PRESERVATIVE TREATMENT OF INCISED POLE BUTTS BY THE THERMAL PROCESS USER: CE YD1 REVIEWER: 84 | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-C8-92 NOTICE 1 | WESTERN RED CEDAR AND ALASKA YELLOW CEDAR POLES - PRESERVATIVE TREATMENT BY THE FULL-LENGTH THERMAL PROCESS USER: CE YD1 REVIEWER: 84 | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| | | | AWPA-C9-90 | PLYWOOD - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES - 1990 REVIEWER: 84 CE | A | 5530 | | CS | 20-NOV-90 | ME | SH | 99 | |
| | | | AWPA-C10-91 NOTICE 1 | LODGEPOLE PINE POLES - PRESERVATIVE TREATMENT BY THE FULL-LENGTH THERMAL PROCESS REVIEWER: 84 CE | A | 5510 | * | CS | 31-JAN-92 | ME | SH | 99 | CS |
| | | | AWPA-C11-90 | WOOD BLOCKS FOR FLOORS AND PLATFORMS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES (1990) REVIEWER: 84 CE | A | 5510 | | CS | 20-NOV-90 | ME | SH | 99 | CS |
| | | | AWPA-C12-90 | POLES, WESTERN LARCH, - FULL LENGTH - PRESERVATIVE TREATMENT BY THERMAL PROCESS (1990) REVIEWER: 84 CE | A | 5510 | | CS | 20-NOV-90 | ME | SH | 99 | CS |
| A | | | AWPA-C14-92 NOTICE 1 | WOOD FOR HIGHWAY CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| A | | | AWPA-C15-92 NOTICE 1 | WOOD FOR COMMERCIAL-RESIDENTIAL CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| A | | | AWPA-C16-92 NOTICE 1 | WOOD USED ON FARMS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| A | | | AWPA-C17-92 NOTICE 1 | PLAYGROUND EQUIPMENT TREATED WITH INORGANIC PRESERVATIVES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-C18-92 NOTICE 1 | PRESSURE TESTED MATERIAL IN MARINE CONSTRUCTION, STANDARD FOR USER: YD1 REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| | | | AWPA-C20-91 NOTICE 1 | STRUCTURAL LUMBER - FIRE-RETARDANT TREATMENT BY PRESSURE PROCESSES REVIEWER: 84 CE | A | 5510 | * | CS | 31-JAN-92 | ME | SH | 99 | CS |
| A | | | AWPA-C22-92 NOTICE 1 | LUMBER AND PLYWOOD FOR PERMANENT WOOD FOUNDATIONS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: SH REVIEWER: 84 ME | A | 5510 | * | CS | 20-JAN-93 | | | 99 | CS |
| A | | | AWPA-C23-92 NOTICE 1 | ROUND POLES AND POSTS USED IN BUILDING CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: CE REVIEWER: 84 | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| | | | AWPA-C24-86 | SAWN TIMBER PILES USED FOR RESIDENTIAL & COMMERCIAL BUILDING - 1986 USER: CE REVIEWER: 84 | A | 5510 | | CS | 31-MAR-88 | ME | SH | 99 | |
| D | | | AWPA-C25-85 | PRESERVATIVE TREATMENT BY PRESSURE PROCESSES - 1985 USER: MC REVIEWER: 84 CE CS SH | A | 5510 | | YD1 | 29-MAY-87 | ME | YD1 | 99 | |
| | | | AWPA-C26-57 | STANDARD FOR THE PRESERVATIVE TREATMENT OF CROSSARMS BY NON-PRESSURE PROCESSES, DOUGLAS FIR, WESTERN LARCH & WESTERN HEMLOCK - 1957 USER: CE REVIEWER: 84 | A | 5510 | | CS | 31-MAR-88 | ME | SH | 99 | |
| | | | AWPA-C27-91 NOTICE 1 | PLYWOOD - FIRE-RETARDANT TREATMENT BY PRESSURE PROCESSES USER: CE REVIEWER: 84 | A | 5530 | * | CS | 31-JAN-92 | MD | SH | 99 | CS |
| D | | | AWPA-C28-91 NOTICE 1 | PRESERVATIVE TREATMENT OF STRUCTURAL GLUED LAMINATED MEMBERS AND LAMINATIONS BEFORE GLUING OF SOUTHERN PINE, PACIFIC COAST DOUGLAS FIR, HEMFIR AND WESTERN HEMLOCK BY THE PRESSURE PROCESSES, STANDARD FOR USER: CE YD1 REVIEWER: 84 AS | A | 5510 | * | CS | 31-JAN-92 | ME | SH | 99 | CS |
| A | | | AWPA-C29-92 NOTICE 1 | LUMBER AND PLYWOOD TO BE USED FOR THE HARVESTING, STORAGE AND TRANSPORTATION OF FOOD STUFFS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: CE REVIEWER: 84 | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| | | | AWPA-C30-91 NOTICE 1 | LUMBER, TIMBERS AND PLYWOOD FOR COOLING TOWERS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES REVIEWER: 84 CE SH | A | 5510 | * | CS | 31-JAN-92 | ME | SH | 99 | CS |
| A | | | AWPA-C31-91 NOTICE 1 | LUMBER USED OUT OF CONTACT WITH THE GROUND AND CONTINUOUSLY PROTECTED FROM LIQUID WATER - TREATMENT BY PRESSURE PROCESSES USER: CE SH REVIEWER: 84 | A | 5510 | * | CS | 10-FEB-93 | ME | | 99 | CS |
| D | | | AWPA-E1-72 NOTICE 1 | LABORATORY EVALUATION TO DETERMINE RESISTANCE TO SUBTERRANEAN TERMITES, STANDARD METHOD FOR USER: YD1 REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| A | | | AWPA-E3-83 NOTICE 1 | THE CALCULATION OF THE "PERFORMANCE INDEX" OF PRESERVATIVES IN STAKE AND POST TESTS, STANDARD PROCEDURE FOR REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| A | | | AWPA-E4-78 NOTICE 1 | TESTING WATER REPELLENCY OF PRESSURE TREATED WOOD, STANDARD METHOD OF USER: SH REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| A | | | AWPA-E6-83 NOTICE 1 | DETERMINING THE EQUILIBRIUM MOISTURE CONTENT OF FIRE-RETARDANT TREATED WOOD, STANDARD METHOD FOR USER: SH REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-E7-92 NOTICE 1 | TESTING WOOD PRESERVATIVE BY FIELD TESTS WITH STAKES, STANDARD METHOD OF USER: YD1 REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-E8-56 NOTICE 1 | FIELD TESTS WITH POSTS, STANDARD METHOD FOR USER: YD1 REVIEWER: 84 CE ..... | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-E10-91 NOTICE 1 | TESTING WOOD PRESERVATIVES BY LABORATORY SOIL-BLOCK CULTURES, STANDARD METHOD OF USER: YD1 REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-E11-87 NOTICE 1 | DETERMINING THE LEACHABILITY OF WOOD PRESERVATIVES, STANDARD METHOD OF USER: YD1 REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| | | | AWPA-F1-51 | CREOSOTE-COAL TAR SOLUTION (UP TO 50% TAR) &COAL TAR (COKE OVEN TAR) VOLUME & SPECIFIC GRAVITY CORRECTION TABLES FOR CREOSOTE10DEC87 | A | 8030 | | MR | 10-DEC-87 | MR | | 99 | |
| | | | AWPA-F3-78 | PRODUCTS, ROUND FOREST, STANDARD VOLUMES OF 1978 REVIEWER: 84 ..... | A | 5510 | | CS | 31-MAR-88 | ME | SH | 99 | |
| | | | AWPA-F4-51 | CRESOTE-PETROLEUM SOLUTIONS, STANDARD VOLUME CORRECTION TABLE FOR - 1951 REVIEWER: 20 84 CS ME | A | 8030 | | MR | 10-DEC-87 | MR | | 99 | |
| | | | AWPA-F5-51 | SALT SOLUTIONS, PRESERVATIVE, VOLUME CORRECTION FACTORS FOR - 1951 REVIEWER: 20 84 CS ME | A | 8030 | | MR | 10-DEC-87 | MR | | 99 | |
| | | | AWPA-F6-72 | FACTORS & CORRECTION TABLES, MISCELLANEOUS CONVERSION - 1972 REVIEWER: 20 84 CS ME | A | 8030 | | MR | 10-DEC-87 | MR | | 99 | |
| D | | | AWPA-M1-92 NOTICE 1 | THE PURCHASE OF TREATED WOOD PRODUCTS, STANDARD FOR USER: CE YD1 REVIEWER: 84 SH | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-M2-91 NOTICE 1 | TIMBER PRODUCTS, INSPECTION OF TREATED, STANDARD FOR USER: YD1 REVIEWER: 84 CE SH | A | 5510 | * | CS | 31-JAN-92 | ME | SH | 99 | CS |
| D | | | AWPA-M3-92 NOTICE 1 | STANDARD QUALITY CONTROL PROCEDURES FOR WOOD PRESERVING PLANTS USER: YD1 REVIEWER: 84 CE SH | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-M4-91 NOTICE 1 | WOOD PRODUCTS, PRESERVATIVE-TREATED, STANDARD FOR THE CARE OF USER: CE MC REVIEWER: MR SH | A | 8030 | * | YD1 | 15-MAY-92 | ME | YD1 | 99 | |
| D | | | AWPA-M5-92 NOTICE 1 | GLOSSARY OF TERMS USED IN WOOD PRESERVATION USER: YD1 REVIEWER: 84 CE SH .. | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| D | | | AWPA-M6-91 NOTICE 1 | BRANDS USED ON FOREST PRODUCTS USER: YD1 REVIEWER: 84 CE ..... | A | 5510 | * | CS | 31-JAN-92 | ME | SH | 99 | CS |
| D | | | AWPA-M13-92 NOTICE 1 | A GUIDELINE FOR THE PHYSICAL INSPECTION OF POLES IN SERVICE USER: YD1 REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| | | | AWPA-M14-72 | LABORATORY, CONTROLLEDVELOCITY, CORROSION TESTS, STANDARD METHOD OF - 1972 USER: SH REVIEWER: 84 CE | A | 5510 | | CS | 31-MAR-88 | ME | SH | 99 | |
| | | | AWPA-M15-74 | GUIDE TO STANDARDS FORTESTING PLANT EFFLUENTS - 1974 ..... | A | 5510 | | CS | 31-MAR-88 | ME | SH | 99 | |
| A | | | AWPA-M17-92 | MISCELLANEOUS METHODS, PROCEDURES AND INFORMATION USER: SH REVIEWER: 84 CE | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| | | | AWPA-M20-83 | FIRE RETARDANT TREATED WOOD, STANDARD METHOD FOR DETERMINING THE EQUILIBRIUM MOISTURE CONTENT OF - 1983 USER: SH REVIEWER: 84 CE | A | 5510 | | CS | 31-MAR-88 | ME | SH | 99 | |
| | | | AWPA-P1-78 | LAND & RESH WATER FOR COAL TAR CREOSOTE, STANDARD FOR 10 DEC 87 ..... | A | 8030 | | MR | 10-DEC-87 | MR | | 99 | |
| | | | AWPA-P2-86 | CREOSOTE & CREOSOTE SOLUTIONS, STANDARD FOR 10 DEC 87 ..... | A | 8030 | | MR | 10-DEC-87 | MR | | 99 | |
| | | | AWPA-P3-67 | OIL SOLUTION, CREOSOTE-PETROLEUM, STANDARD FOR 10 DEC 87 ..... | A | 8030 | | MR | 10-DEC-87 | MR | | 99 | |
| | | | AWPA-P4-86 | CREOSOTE, PETROLEUM OIL FOR BLENDING WITH, STANDARD FOR 10 DEC 87 ..... | A | 8030 | | MR | 10-DEC-87 | MR | | 99 | |
| D | | | AWPA-P5-86 | PRESERVATIVE, WATERBORNE, STANDARDS FOR - 1986 ..... | A | 8030 | | YD1 | 22-MAY-87 | ME | YD1 | 99 | |
| | | | AWPA-P7-85 | FIELD CUTS, CREOSOTE FOR BRUSH OR SPRAY TREATMENT, STANDARD FOR 10 DEC 87 . | A | 8030 | | MR | 10-DEC-87 | MR | | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | AMPA-P9-84 | SOLVENTS & FORMULATION FOR ORGANIC PRESERVATIVE SYSTEMS, STANDARD FOR - 1984 REVIEWER: 20 84 ME | A | 8030 | MR | 10-DEC-87 | MR | | 99 | | |
| | AMPA-P11-70 | CREOSOTE-PENTACHLOROPHENOL WOOD PRESERVATIVE SOLUTION, STANDARD FOR - 1970 USER: SH REVIEWER: 20 84 CS ME | A | 8030 | MR | 10-DEC-87 | MR | | 99 | | |
| | AMPA-P12-85 | CREOSOTE-COAL TAR SOLUTION TO BE USED IN THE TREATMENT OF MARINE (COSTAL WATERS) PILES AND TIMBERS, STANDARD FOR 10 DEC 87 | A | 8030 | MR | 10-DEC-87 | MR | | 99 | | |
| | AMPA-P13-85 | CREOSOTE COAL TAR TO BE USED IN THE TREATMENT OF MARINE (COASTAL WATERS) PILES & TIMBERS STANDARD FOR - 10 DEC 87 | A | 8030 | MR | 10-DEC-87 | MR | | 99 | | |
| D | AMPB-CFP-88 | SOFTWOOD PILING PRESSURE TREATED FOR FOUNDATION, LAND AND FRESH WATER APPLICATIONS - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 18-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-CP-88 | POLE OR POSTS, PRESSURE TREATED ROUND CONSTRUCTION, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 3510 | YD1 | 10-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-CTP-88 | POLE, PRESSURE TREATED SAWN CONSTRUCTION, QUALITY CONTROL AND IN- SPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 10-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-FDN-88 | LUMBER, SOFTWOOD, TIMBER AND PLYWOOD PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR GROUND CONTACT USE IN RESIDENTIAL AND LIGHT COMMERCIAL FOUNDATIONS, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 18-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-FP-88 | POST, FENCE, PRESSURE TREATED ROUND, HALF-ROUND AND QUARTER-ROUND, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 10-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-LP2-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 28-SEP-90 | ME | YD1 | 99 | | |
| D | AMPB-LP3-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH LIGHT HYDROCARBON SOLVENT-PENTA SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 28-SEP-90 | ME | YD1 | 99 | | |
| D | AMPB-LP4-88 | LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH VOLATILE HYDROCARBON SOLVENT-PENTA SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 14-AUG-90 | ME | YD1 | 99 | | |
| D | AMPB-LP5-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH CREOSOTE OR CREOSOTE COAL-TAR SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 10-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-LP6-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH COPPER NAPHTHENATE FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 10-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-LP7-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH HEAVY HYDROCARBON SOLVENT-PENTA SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 10-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-LP22-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES INSPECTION PROCEDURES FOR - 1988 FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 28-SEP-90 | ME | YD1 | 99 | | |
| D | AMPB-LP33-88 | LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH LIGHT HYDROCARBON SOLVENT-PENTA SOLUTION FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 14-AUG-90 | ME | YD1 | 99 | | |
| D | AMPB-LP44-88 | LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH VOLATILE HYDROCARBON SOLVENT PENTA SOLUTION FOR GROUND CONTACT USE, STANDARD FOR - 1988 USER: CE MC REVIEWER: 88 AT CS SM | A | 5510 | YD1 | 29-AUG-90 | ME | YD1 | 99 | | |
| D | AMPB-LP55-88 | LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH CREOSOTE OR CREOSOTE COAL-TAR SOLUTIONS FOR GROUND CONTACT USE - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 29-AUG-90 | ME | YD1 | 99 | | |
| D | AMPB-LP66-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH COPPER NAPHTHENATE FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES INSPECTION PROCEDURES FOR - 1988 FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 10-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-LP77-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH HEAVY HYDROCARBON SOLVENT-PENTA SOLUTION FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 10-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-LST-88 | SOFTWOOD NONSTRUCTURAL LANDSCAPE TIMBER PEELER CORES PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 18-OCT-90 | ME | YD1 | 99 | | |
| D | AMPB-MLP-88 | LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED FOR MARINE (SALTWATER) EXPOSURE, STANDARD FOR - 1988 USER: CE MC REVIEWER: 88 AT CS SM | A | 5510 | YD1 | 29-AUG-90 | ME | YD1 | 99 | | |
| D | AMPB-MP1-88 | MARINE WATERS, MARINE PILING PRESSURE TREATED WITH WATERBORNE PRESERVATIVES AND CREOSOTE FOR USE IN, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 26-JUL-90 | ME | YD1 | 99 | | |
| D | AMPB-MP2-88 | MARINE WATERS, MARINE PILING PRESSURE TREATED WITH CREOSOTE FOR USE IN, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 26-JUL-90 | ME | YD1 | 99 | | |
| D | AMPB-MP4-88 | MARINE WATERS, MARINE PILING PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 26-JUL-90 | ME | YD1 | 99 | | |
| D | AMPB-QCIP-88 | QUALITY CONTROL AND INSPECTION PROCEDURES - 1988 USER: CE MC REVIEWER: AT CS SM | A | 5510 | YD1 | 10-OCT-90 | ME | YD1 | 99 | | |
| | AWS-A3.0-89 | WELDING TERMS & DEFINITIONS, STANDARD - 9 FEB 89 ..... | A | THUM | MR | 31-MAY-90 | MR | SH | 11 | | |
| | AWS-A4.2-86 | WELDS, METAL STAINLESS STEEL CALIBRATING MAGNETIC INSTRUMENTS TO MESSURE THE DELTA FERRITE CONTENT OF AUSTENITIC STANDARD PROCEDURES FOR - 17 JUN 85 REVIEWER: 99 AL OS | A | QC1C | SH | 08-AUG-86 | MR | SH | 11 | | |
| D | AWS-A5.1-81 NOTICE 1 | ELECTRODE, ARC WELDING, COVERED CARBON STEEL - 15 AUG 81 (VALIDATION DATE: 8706) | A | 3439 | YD1 | 15-JUN-87 | | YD1 | 99 | | |
| D | AWS-A5.01-87 NOTICE 1 | FILLER METAL PROCUREMENT GUIDELINES REVIEWER: AR AT GL GS IP ..... | A | 3439 * | MR | 24-JUL-92 | MR | YD1 | 99 | | |
| D | AWS-A5.2-88 | STEEL ROD, CARBON AND LOW ALLOY, FOR OXYFUELGAS WELDING, SPECIFICATION FOR - 3 DEC 87 USER: SH REVIEWER: GS IP | A | 3439 | YD1 | 18-MAY-89 | AL | YD1 | 99 | | |
| D | AWS-A5.3-91 NOTICE 1 | ALUMINUM AND ALUMINUM ALLOY FOR SHIELDED METAL ARC WELDING REVIEWER: AR AT GL GS IP | A | 3439 * | MR | 24-JUL-92 | MR | YD1 | 99 | | |
| D | AWS-A5.4-81 NOTICE 1 | ELECTRODE, STEEL WELDING, CHROMIUM & CHROMIUM NICKEL, CORROSION RESISTING - 8 OCT 81 (VALIDATION DATE: 8907) REVIEWER: GS SH | A | 3439 | YD1 | 19-JUL-89 | AL | YD1 | 99 | | |
| D | AWS-A5.5-81 NOTICE 1 | ELECTRODE, ARC WELDING, LOW ALLOY STEEL COVERED - 24 JUL 81 REVIEWER: GS SH | A | 3439 | YD1 | 15-JUN-87 | AL | YD1 | 99 | | |
| D | AWS-A5.6-84 | WELDING ELECTRODES, COVERED COPPER & COPPER ALLOY ARC - 21 SEP 83 REVIEWER: IP SH | A | 3439 | YD1 | 19-FEB-86 | AL | YD1 | 99 | | |
| D | AWS-A5.7-84 | ELECTRODES, COPPER & COPPER ALLOY BARE WELDING RODS & - 20 OCT 83 REVIEWER: IP SH | A | 3439 | YD1 | 12-FEB-86 | AL | YD1 | 99 | | |
| D | AWS-A5.8-89 | METALS, FILLER, FOR BRAZING, STANDARD SPECIFICATION FOR - 17 MAR 89 REVIEWER: GS SH | A | 3439 | YD1 | 12-SEP-90 | AL | YD1 | 99 | | |
| D | AWS-A5.9-81 NOTICE 2 | WELDING ELECTRODE & WELDING RODS, CORROSION RESISTING CHROMIUM & CHROMIUM NICKEL STEEL BARE & COMPOSITE METAL CORED & STRANDED - 7 OCT 81 (VALIDATION DATE: 8907) REVIEWER: AS CS IP | A | 3439 | YD1 | 19-JUL-89 | | YD1 | 99 | | |
| M | AWS-A5.10-92 NOTICE 1 | ALUMINUM AND ALUMINUM, BARE, WELDING ELECTRODES AND RODS, SPECIFICATION FOR REVIEWER: 84 AS MR | A | 3439 | SH | 10-MAY-93 | AL | SH | 99 | | |
| D | AWS-A5.11-90 NOTICE 1 | NICKEL AND NICKEL ALLOY WELDING ELECTRODES FOR SHIELDED METAL ARC WELDING, SPECIFICATION FOR REVIEWER: GS IP | A | 3439 * | YD1 | 31-JUL-92 | AL | YD1 | 99 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | AWS-A5.12-80 | ELECTRODE, TUNGSTEN ARC WELDING - 25 APR 80 [VALIDATION DATE: 8802] USER: YD1 | A | 3439 | | MR | 25-FEB-88 | MR | | 11 | |
| | NOTICE 2 | AWS-A5.13-80 | ROD & ELECTRODES, WELDING, SOLID SURFACING - 25 APR 80 | A | 3439 | | MR | 23-FEB-88 | MR | | 11 | |
| D | NOTICE 2 | AWS-A5.14-89 | WELDING ROD & ELECTRODE, NICKLE & NICKLE ALLOY BARE - 20 FEB 89 REVIEWER: AS IP SH | A | 3439 | | YD1 | 12-SEP-90 | AL | YD1 | 99 | |
| | | AWS-A5.15-90 | IRON, CAST, WELDING RODS & COVERED ELECTRODES FOR - 14 MAR 90 | A | 3439 | | MR | 08-APR-91 | MR | | 11 | |
| | | AWS-A5.16-90 | RODS AND ELECTRODES, TITANIUM AND TITANIUM ALLOY WELDING - 14 MAR 90 | A | 3439 | | MR | 08-APR-91 | MR | AS | 11 | |
| | | AWS-A5.17-89 | ELECTRODE & FLUXES, CARBON STEEL, FOR SUBMERGED ARC WELDING - 17 MAR 89 | A | 3439 | | MR | 08-APR-91 | MR | | 11 | |
| D | NOTICE 2 | AWS-A5.18-79R80 | WELDING, CARBON STEEL FILLER METALS FOR GAS SHIELDED ARC - 15 JAN 79 [VALIDATION DATE: 8802] USER: YD1 | A | 3439 | | MR | 25-FEB-88 | MR | | 11 | |
| | NOTICE 2 | AWS-A5.19-80 | WELDING RODS & BARE ELECTRODES, MAGNESIUM ALLOY - 25 JUL 80 | A | 3439 | | MR | 23-FEB-88 | MR | | 11 | |
| | NOTICE 2 | AWS-A5.20-79 | ELECTRODE, CARBON STEEL, FOR FLUX CORED ARC WELDING - 16 NOV 78 | A | 3439 | | MR | 23-FEB-88 | MR | | 11 | |
| | NOTICE 2 | AWS-A5.21-80 | COMPOSITE SURFACING WELDING RODS & ELECTRODES - 25 APR 80 | A | 3439 | | MR | 23-FEB-88 | MR | | 11 | |
| | NOTICE 2 | AWS-A5.22-80 | ELECTRODE, FLUX CORED CORROSION RESISTING CHROMIUM & CHROMIUM NICKEL STEEL - 22 AUG 80 | A | 3439 | | MR | 23-FEB-88 | MR | | 11 | |
| | NOTICE 2 | AWS-A5.23-80 | ELECTRODE, LOW ALLOY STEEL, & FLUXES FOR SUBMERGED ARC WELDING - 7 JUL 80 [VALIDATION DATE: 8802] | A | 3439 | | MR | 25-FEB-88 | MR | | 11 | |
| D | NOTICE 1 | AWS-A5.24-79 | ROD & ELECTRODE, ZIRCONIUM & ZIRCONIUM ALLOY BARE WELDING - 27 MAR 79 [VALIDATION DATE: 8706] REVIEWER: GS IP SH | A | 3439 | | YD1 | 12-JUN-87 | AL | YD1 | 99 | |
| | NOTICE 2 | AWS-A5.25-78R80 | STEEL, LOW ALLOY, CONSUMABLES USED FOR ELECTROSLAG WELDING OF CARBON & HIGH STRENGTH - 18 FEB 77 | A | 3439 | | MR | 24-JAN-83 | MR | | 11 | |
| | NOTICE 2 | AWS-A5.26-78R80 | STEEL, LOW ALLOY, CONSUMABLES USED FOR ELECTROGAS WELDING OF CARBON & HIGH STRENGTH - 18 FEB 77 [VALIDATION DATE: 8802] | A | 3439 | | MR | 25-FEB-88 | MR | | 11 | |
| D | | AWS-A5.27-85 | WELDING, OXYFUEL GAS, COPPER & COPPER ALLOY RODS FOR, SPECIFICATION FOR - 4 MAR 85 USER: YD1 | A | 3439 | | MR | 14-APR-86 | MR | | 11 | |
| D | NOTICE 2 | AWS-A5.28-79 | WELDING, GAS SHIELDED ARC, LOW ALLOY STEEL FILLER METALS FOR - 15 JAN 79 [VALIDATION DATE: 8802] USER: YD1 | A | 3439 | | MR | 25-FEB-88 | MR | | 11 | |
| | NOTICE 2 | AWS-A5.29-80 | ELECTRODE, LOW ALLOY STEEL, FOR FLUX CORED ARC WELDING - 15 AUG 80 [VALIDATION DATE: 8802] | A | 3439 | | MR | 25-FEB-88 | MR | | 11 | |
| | | AWS-A5.30-79 | INSERT, CONSUMABLE - 27 MAR 79 | A | 3439 | | MR | 24-JAN-83 | MR | | 11 | |
| | | AWS-A6.1-66 | GAS SHIELDED ARC WELDING, SAFE PRACTICE FOR - 1966 [VALIDATION DATE: 8306] REVIEWER: GS | A | 34GP | | 84 | 08-JUN-72 | AR | SH | 99 | |
| | | AWS-A6.3-69 | PLASMA ARC CUTTING, SAFE PRACTICES FOR - 1969 [VALIDATION DATE: 8306] REVIEWER: GS | A | 34GP | | 84 | 08-JUN-72 | AR | SH | 99 | |
| | | AWS-B3.0-41 | STANDARD QUALIFICATION PROCEDURE - 1941 [VALIDATION DATE: 8306] REVIEWER: GS | A | 34GP | | 84 | 08-JUN-72 | AR | SH | 99 | |
| | | AWS-B4.0-85 | WELDS, MECHANICAL TESTING OF, STANDARD METHODS FOR - 20 FEB 1985 | A | THJM | | SH | 19-JUL-91 | MR | SH | 11 | |
| | | AWS-C1.1-66 | WELDING, RESISTANCE - RECOMMENDED PRACTICES FOR - 1966 [VALIDATION DATE: 9102] USER: OS SH REVIEWER: AR AT ME | A | THJM | | MR | 08-FEB-91 | MR | AS | 11 | |
| | NOTICE 1 | AWS-C1.3-70 | WELDING COATED LOW CARBON STEELS, RESISTANCE- RECOMMENDED PRACTICES FOR - 1970 [VALIDATION DATE: 9102] USER: OS REVIEWER: AT ME | A | THJM | | MR | 22-FEB-91 | MR | AS | 11 | |
| | | AWS-C2.1-73 | SPRAYING, THERMAL, RECOMMENDED SAFE PRACTICES FOR - 1973 | A | MFFP | | SH | 30-JUN-83 | MR | SH | 11 | |
| | | AWS-C2.16-78 | THERMAL SPRAY OPERATOR& EQUIPMENT QUALIFICATION, GUIDE FOR - 7 NOV77 | A | MFFP | | SH | 24-JUN-83 | MR | SH | | |
| A | NOTICE 2 | AWS-C3.2-82 | EVALUATING THE STRENGTH OF BRAZED JOINTS IN SHEAR, STANDARD METHOD FOR [VALIDATION DATE: 9207] | A | THJM | * | MR | 02-JUL-92 | MR | AS | 11 | |
| N L | NOTICE 1 | AWS-C3.7-93 | ALUMINUM BRAZING, SPECIFICATION FOR USER: AT REVIEWER: AR | A | THJM | | MR | 07-MAY-93 | MR | | | |
| | | AWS-C5.4-84 | STUD WELDING, RECOMMENDED PRACTICES FOR - 1984 REVIEWER: 84 | A | 3431 | | IP | 08-MAY-90 | AL | SH | 99 | GS |
| D | | AWS-D1.1-90 | STEEL - STRUCTURAL WELDING CODE, STANDARD FOR - 5 JAN 1990 | A | FACR | | YD1 | 12-SEP-90 | | YD1 | 99 | |
| D | | AWS-D1.2-90 | ALUMINUM - STRUCTURAL WELDING CODE, STANDARD FOR - 8 FEB 1990 | A | FACR | | YD1 | 12-SEP-90 | CE | YD1 | 04 | |
| D | NOTICE 1 | AWS-D1.2A-83 | ALUMINUM, COMMENTARY ON STRUCTURAL WELDING CODE - 15 JUL 83 [VALIDATION DATE: 8907] REVIEWER: GS | A | FACR | | YD1 | 21-OCT-85 | AL | YD1 | 99 | |
| D | | AWS-D1.3-90 | SHEET STEEL - STRUCTURAL WELDING CODE, STANDARD FOR - 20 FEB 1989 | A | FACR | | YD1 | 12-SEP-90 | CE | YD1 | 04 | |
| D | NOTICE 1 | AWS-D1.4-79 | STEEL REINFORCING STRUCTURAL WELDING CODE - 1 SEP 79 [VALIDATION DATE: 8706] REVIEWER: 11 CE | A | FACR | | YD1 | 12-JUN-87 | AL | YD1 | 99 | |
| D | | AWS-D3.6-89 | WELDING, UNDERWATER, SPECIFICATION FOR - 31 OCT 89 | A | THJM | | YD1 | 12-SEP-90 | | YD1 | 99 | |
| D | | AWS-D10.9-69 | STANDARD QUALIFICATION WELDING PROCESSES & WELDERS (PIPING & TUBING) - 1969 [VALIDATION DATE: 8306] REVIEWER: YD1 | A | 3431 | | 84 | 08-JUN-72 | AR | SH | 99 | |
| D | | AWWA-B300-87 | HYPOCHLORITES, STANDARD FOR - 14 JUN 87 USER: ME OS REVIEWER: GS MC MD | A | 6810 | | YD1 | 11-NOV-88 | AL | YD1 | 99 | |
| D | | AWWA-B301-87 | CHLORINE, LIQUID, STANDARD FOR - 25 JAN 87 USER: CG ME REVIEWER: AR GS MD | A | 6810 | | YD1 | 11-NOV-88 | AL | YD1 | 99 | |
| D | NOTICE 2 | AWWA-C104-85 | CEMENT, MORTAR LINING FOR DUCTILE IRON PIPE AND FITTINGS FOR WATER - 31 MAY 1985 [VALIDATION DATE: 9001] USER: MC | A | 5610 | | YD1 | 20-JAN-90 | ME | YD1 | 99 | |
| D | | AWWA-C105-88 | ENCASEMENT, POLYETHYLENE, FOR DUCTILE-IRON PIPING FOR WATER AND OTHER LIQUIDS - 01 SEP 88 REVIEWER: 84 AR GS MD SH | A | 9330 | | YD1 | 07-JUL-89 | AL | YD1 | 99 | |
| D | | AWWA-C110-87 | DUCTILE IRON & GRAY IRON FITTINGS, 3 INCH THROUGH 48 INCH FOR WATER & OTHER LIQUIDS - 18 JUN 1987 USER: 99 CE REVIEWER: CS | A | 4730 | | YD1 | 25-JUL-88 | ME | YD1 | | |
| D | | AWWA-C111-90 | PIPE AND FITTINGS, DUCTILE-IRON PRESSURE, RUBBER-GASKET JOINTS FOR USER: 99 CE MC REVIEWER: CS | A | 4710 | * | YD1 | 10-MAR-92 | ME | YD1 | | |
| D | NOTICE 1 | AWWA-C115-88 | FLANGED DUCTILE IRON PIPE WITH THREADED FLANGES - 1 SEP 1988 AWWA C-115 MUST BE USED IN CONJUNCTION WITH AWWA C-110, C-111 & C-151 USER: 99 CE MC REVIEWER: CS | A | 4710 | | YD1 | 23-FEB-89 | ME | YD1 | | |
| D | | AWWA-C151-91 | PIPE, DUCTILE-IRON, CENTRIFUGALLY CAST, FOR WATER OR OTHER LIQUIDS USER: 99 CE MC REVIEWER: CS | A | 4710 | * | YD1 | 20-NOV-92 | ME | YD1 | | |
| D | NOTICE 1 | AWWA-C153-88 | DUCTILE-IRON COMPACT FITTINGS, 3 IN. THROUGH 16 IN., FOR WATER AND OTHER LIQUIDS REVIEWER: 82 CS SH | A | 4730 | * | YD1 | 12-FEB-93 | ME | YD1 | 99 | |
| D | NOTICE 2 | AWWA-C200-86 | PIPE, STEEL WATER, 6 INCH AND LARGER, AWWA STANDARD FOR [VALIDATION DATE: 9205] USER: CE REVIEWER: CS | A | 4710 | * | YD1 | 26-MAY-92 | ME | YD1 | 99 | |
| D | | AWWA-C203-89 | PIPELINES, STEEL WATER COAL- TAR PRTECTIVE COATING AND LININGS FOR ENAMEL AND TAPE-- HOT APPLIED - 26 JAN 86 USER: DS MC REVIEWER: 50 CE CS EA MR MS | A | 8010 | | YD1 | 29-AUG-89 | ME | YD1 | | |
| D | | AWWA-C205-85 | CEMENT MORTAR PROTECTIVE LINING & COATING FOR STEEL WATER PIPE - 4 INCH & LARGER - SHOP APPLIED - 23 JUN 1985 USER: CE MC | A | 5610 | | YD1 | 27-APR-87 | | YD1 | 99 | |
| D | | AWWA-C206-88 | PIPE, STEEL, WATER, FIELD WELDING - 1 OCT 88 REVIEWER: CS | A | 4710 | | YD1 | 15-MAY-89 | ME | YD1 | | |
| D | | AWWA-C207-86 | STEEL PIPE FLANGES FOR WATERWORKS SERVICE-SIZES 4 INCHES THROUGH 144 INCHES - 26 JAN 1986 REVIEWER: CS | A | 4730 | | YD1 | 27-JAN-87 | ME | YD1 | 99 | |
| D | NOTICE 1 | AWWA-C208-83 | DIMENSIONS FOR FABRICATED STEEL WATER PIPE FITTINGS - 30 JAN 83 [VALIDATION DATE: 8812] REVIEWER: CS | A | 4730 | | YD1 | 31-DEC-88 | ME | YD1 | | |
| D | | AWWA-C210-84 | PIPELINES, STEEL WATER EPOXY COATING SYSTEMS FOR THE INTERIOR AND EXTERIOR OF - 10 JUN 84 USER: DS MC REVIEWER: 50 CE CS EA MR MS | A | 8010 | | YD1 | 29-AUG-89 | ME | YD1 | | |
| D | | AWWA-C213-85 | EPOXY COATING, FUSION-BONDED, FOR THE INTERIOR & EXTERIOR OF STEEL WATER PIPELINES, AWWA STANDARD FOR - 27 JAN 85 USER: CE REVIEWER: MR SH | A | 8010 | | YD1 | 24-DEC-86 | ME | YD1 | 99 | |
| D | | AWWA-C300-89 | CONCRETE PRESSURE PIPE, REINFORCED, STEEL CYLINDER TYPE, FOR WATER & OTHER LIQUIDS, - 1 SEP 89 USER: CE MC | A | 5630 | | YD1 | 21-MAR-90 | | YD1 | | |
| D | NOTICE 2 | AWWA-C301-84 | CONCRETE PRESSURE PIPE, PRESTRESSED, STEEL CYLINDER TYPE, FOR WATER AND OTHER LIQUIDS - 30 JAN 1984 [VALIDATION DATE: 9001] USER: CE MC | A | 5630 | | YD1 | 29-JAN-90 | | YD1 | | |
| D | NOTICE 1 | AWWA-C302-74 | PIPE PRESSURE FOR WATER & OTHER LIQUID NONCYLINDER TYPE REINFORCED CONCRETE - 28 JAN 74 [VALIDATION DATE: 8806] | A | 5630 | | YD1 | 09-JUN-87 | ME | YD1 | 99 | |
| D | | AWWA-C303-87 | REINFORCED CONCRETE PRESSURE PIPE, STEEL CYLINDER TYPE, PRETENSIONED, FOR WATER & OTHER LIQUIDS - 14 JUN 1987 W/ERRATUM 1-88 USER: CE MC | A | 5630 | | YD1 | 05-SEP-88 | | YD1 | 99 | |
| D | | AWWA-C400-80R86 | PIPE, DISTRIBUTION, ASBESTOS CEMENT, 4 THROUGH 16 INCH (100 MM THROUGH 400 MM) MPS, FOR WATER & OTHER LIQUIDS - USER: MC | A | 5630 | | YD1 | 10-APR-88 | ME | YD1 | 99 | |

| Action | OPR / CMC Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| D | | AWWA-C402-89 | PIPE, ASBESTOS-CEMENT TRANSMISSION AND FEEDER MAIN SIZES 18 IN. THROUGH 42 IN. (450 MM THROUGH 1050 MM) FOR POTABLE WATER AND OTHER LIQUIDS - 1 DEC 89 USER: MC | A 5630 | YD1 21-MAR-90 | ME | YD1 | 99 | |
| D | | AWWA-C403-89 | PIPE, ASBESTOS-CEMENT TRANSMISSION AND FEEDER MAINE SIZES 18 IN. THROUGH 42 IN. (450 MM THROUGH 1050 MM) THE SELECTION OF - 1 NOV 89 USER: MC | A 5630 | YD1 21-MAR-90 | | YD1 | | |
| D | | AWWA-C500-86 | VALVE, GATE, 3 THROUGH 48 IN. NPS, FOR WATER & SEWAGE SYSTEM REVIEWER: CS . | A 4820 | YD1 11-JUL-89 | ME | YD1 | 99 | |
| D | | AWWA-C504-87 | VALVES, BUTTERFLY, RUBBER-SEATED, AMERICAN WATER WORKS ASSOCIATION STANDARD FOR 18 JUN 87 REVIEWER: CS | A 4820 | YD1 06-JUN-89 | ME | YD1 | 99 | |
| D | | AWWA-C508-82 NOTICE 2 | VALVES, SWING-CHECK, FOR ORDINARY WATERWORKS SERVICE, AWWA STANDARD FOR (VALIDATION DATE: 9203) REVIEWER: CS MR | A 4820 * | YD1 10-MAR-92 | ME | YD1 | | |
| D | | AWWA-C509-87 | VALVE, GATE, RESILIENT-SEATED FOR WATER & SEWERAGE SYSTEMS - 25 JAN 1987 USER: CE MC SH REVIEWER: CS | A 4820 | YD1 14-AUG-89 | ME | YD1 | | |
| D | | AWWA-C510-89 | VALVE, DOUBLE CHECK, BACKFLOW-PREVENTION ASSEMBLY - 22 JUN 89 REVIEWER: CS | A 4820 | YD1 07-AUG-91 | ME | YD1 | 99 | |
| D | | AWWA-C511-89 | REDUCED-PRESSURE PRINCIPLE BACKFLOW-PREVENTION ASSEMBLY - 22 JUN 89 REVIEWER: CS | A 4820 | YD1 07-AUG-91 | ME | YD1 | 99 | |
| D | | AWWA-C550-90 | PROTECTIVE EPOXY INTERIOR COATINGS FOR VALVES AND HYDRANTS REVIEWER: 84 SH | A 8010 | YD1 29-MAR-93 | ME | YD1 | 99 | |
| D | | AWWA-C600-87 | WATER MAIN, DUCTILE IRON, & THEIR APPURTENANCES, INSTALLATION OF ..... | A 4710 | YD1 20-JUN-89 | CE | YD1 | 99 | |
| D | | AWWA-C603-78 NOTICE 1 | PIPE, PRESSURE, ASBESTOS CEMENT, INSTALLATION OF - 28 JAN 78 (VALIDATION DATE: 8711) USER: MC | A 5630 | YD1 23-NOV-87 | ME | YD1 | 99 | |
| D | | AWWA-C606-81 NOTICE 1 | JOINT, GROOVED & SHOULDERED TYPE - 25 JAN 81 (VALIDATION DATE: 8706) USER: MC | A 5630 | YD1 08-JUN-87 | ME | YD1 | 99 | |
| D | | AWWA-C651-87 | WATER MAINS, DISINFECTING, AWWA STANDARD FOR USER: OS REVIEWER: GS MC ME .. | A 6840 | YD1 31-JUL-87 | | YD1 | | |
| D | | AWWA-C652-86 | WATER-STORAGE FACILITIES, DISINFECTION OF, AWWA STANDARD FOR - 26 JAN 1986 USER: CS ME REVIEWER: GL GS MC | A 6840 | YD1 31-JUL-87 | | YD1 | 68 | |
| D | | AWWA-C900-89 | PIPE, PRESSURE, 4 IN. THROUGH 12 IN., FOR WATER, POLYVINYL CHLORIDE (PVC) - 29 JAN 89 USER: MC REVIEWER: CS | A 4710 | YD1 10-OCT-89 | ME | YD1 | 99 | |
| D | | AWWA-D100-84 | TANKS, STEEL, WELDED, WATER STORAGE AWWA STANDARD FOR - 1 JAN 84 REVIEWER: 84 CS MR | A 5430 | YD1 26-SEP-89 | ME | YD1 | 99 | |
| D | | AWWA-D102-78 | TANKS, STEEL WATER-STORAGE PAINTING FOR 28 JAN 78 USER: DS MC REVIEWER: 50 CE CS EA MR MS | A 8010 | YD1 29-AUG-89 | ME | YD1 | | |
| D | | AWWA-M9-79 NOTICE 1 | PIPE, PRESSURE CONCRETE - 1979 (VALIDATION DATE: 8706) USER: MC ..... | A 5630 | YD1 12-JUN-87 | ME | YD1 | 99 | |
| D | | AWWA-M11-89 NOTICE 1 | STEEL PIPE - A GUIDE FOR DESIGN AND INSTALLATION USER: CE REVIEWER: CS .... | A 4710 * | YD1 16-DEC-91 | ME | YD1 | 99 | |
| D | | AWWA-M16-78 NOTICE 1 | PIPE, ASBESTOS CEMENT, WORK PRACTICES FOR - 1978 (VALIDATION DATE: 8706) USER: MC | A 5630 | YD1 12-JUN-87 | ME | YD1 | 99 | |
| D | | AWWA-M23-80 | PIPE, PVC - DESIGN AND INSTALLATION STANDARD MANUAL FOR - 1980 REVIEWER: 82 SH | A 4710 | YD1 14-AUG-90 | ME | YD1 | 99 | |
| | | A2LA-DIR-89 | DIRECTORY OF ACCREDITED LABORATORIES - 31 JAN 89 ..... | A QCIC | SO 31-MAR-89 | | | | |
| D | | BHMA-A156.1-88 | BUTTS AND HINGES - 22 DEC 88 USER: MC REVIEWER: 82 IS ..... | A 5340 | YD1 31-JUL-89 | AR | YD1 | 99 | |
| D | | BHMA-A156.2-89 | LOCKS AND LATCHES, AMERICAN NATIONAL STANDARD FOR - 12 DEC 89 USER: MC ME REVIEWER: 82 IS | A 5340 | YD1 12-JUL-90 | AR | YD1 | 99 | |
| D | | BHMA-A156.3-89 | DEVICES, EXIT, AMERICAN NATIONAL STANDARD FOR - 28 DEC 89 REVIEWER: IS .... | A 5340 | YD1 12-JUL-90 | AR | YD1 | 99 | |
| D | | BHMA-A156.4-86 NOTICE 2 | DOOR CONTROLS - CLOSERS, AMERICAN NATIONAL STANDARD FOR (VALIDATION DATE: 9110) USER: CE MC ME SH REVIEWER: IS | A 5340 * | YD1 04-OCT-91 | AR | YD1 | 99 | |
| D | | BHMA-A156.5-84 NOTICE 2 | LOCK, AUXILIARY, AND ASSOCIATED PRODUCTS, AMERICAN NATIONAL STANDARD FOR - 20 AUG 1984 (VALIDATION DATE: 9005) USER: ME REVIEWER: IS | A 5340 | YD1 10-MAY-90 | | YD1 | 99 | |
| D | | BHMA-A156.6-86 NOTICE 2 | DOOR TRIM, ARCHITECTURAL, AMERICAN NATIONAL STANDARD FOR (VALIDATION DATE: 9110) USER: CE MC ME SH REVIEWER: IS | A 5340 * | YD1 04-OCT-91 | AR | YD1 | 99 | |
| D | | BHMA-A156.7-88 | TEMPLATE HINGE DIMENSIONS - 30 SEP 88 USER: ME REVIEWER: IS ..... | A 5340 | YD1 02-AUG-89 | AR | YD1 | 99 | |
| D | | BHMA-A156.8-89 | DOOR CONTROLS-OVERHEADHOLDERS, STANDARD FOR - 28 OCT 88 USER: CE REVIEWER: IS | A 5340 | YD1 31-JUL-89 | AR | YD1 | 99 | |
| D | | BHMA-A156.9-88 | CABINETS HARDWARE, STANDARD FOR 30 JUN 88 ..... | A 5340 | YD1 31-JUL-90 | A | YD1 | 99 | |
| D | | BHMA-A156.10-91 NOTICE 3 | DOORS, PEDESTRIAN, POWER OPERATED, AMERICAN NATIONAL STANDARD FOR REVIEWER: CS | A 5670 * | YD1 20-MAY-92 | ME | YD1 | | |
| D | | BHMA-A156.11-91 NOTICE 1 | CABINET LOCKS, AMERICAN NATIONAL STANDARD FOR USER: ME REVIEWER: IS ..... | A 5340 * | YD1 09-OCT-91 | AR | YD1 | 99 | |
| D | | BHMA-A156.12-86 NOTICE 2 | INTERCONNECTED LOCKS AND LATCHES, AMERICAN NATIONAL STANDARD FOR (VALIDATION DATE: 9110) USER: ME REVIEWER: IS | A 5340 * | YD1 04-OCT-91 | AR | YD1 | 99 | |
| D | | BHMA-A156.13-87 | MORTISE LOCKS & LATCHES - 31 DEC 1987 REVIEWER: IS ME ..... | A 5340 | YD1 21-JUL-88 | AR | YD1 | 99 | |
| D | | BHMA-A156.14-91 NOTICE 1 | SLIDING AND FOLDING DOOR HARDWARE, AMERICAN NATIONAL STANDARD FOR USER: CE ME REVIEWER: IS | A 5340 * | YD1 09-OCT-91 | AR | YD1 | 99 | |
| D | | BHMA-A156.15-86 NOTICE 2 | CLOSER HOLDER RELEASE DEVICES, AMERICAN NATIONAL STANDARD FOR (VALIDATION DATE: 9110) USER: CE MC SH REVIEWER: IS | A 5340 * | YD1 04-OCT-91 | AR | YD1 | 99 | |
| D | | BHMA-A156.16-89 | HARDWARE, AUXILIARY, STANDARD FOR - 25 JAN 89 USER: GL ME REVIEWER: IS .... | A 5340 | YD1 31-JUL-89 | AR | YD1 | 99 | |
| D | | BHMA-A156.17-87 | HINGE & PIVOTS, STANDARD FOR SELF CLOSING REVIEWER: EA IS MI ..... | A 5340 | YD1 26-MAY-88 | AR | YD1 | 99 | |
| D | | BHMA-A156.18-87 | MATERIAL & FINISHED 25 NOV 1987 REVIEWER: IS MI ..... | A 5340 | YD1 20-JUL-89 | AR | YD1 | 99 | |
| D | | BHMA-A156.19-90 NOTICE 1 | POWER ASSIST AND LOW ENERGY POWER OPERATED DOORS, AMERICAN NATIONAL STANDARD FOR | A 5340 * | YD1 09-OCT-91 | AR | YD1 | 99 | |
| D | | BHMA-A156.20-89 | HINGES AND HASPS, STRAP AND TEE, AMERICAL NATIONAL STANDARD FOR - 28 DEC89 REVIEWER: 82 IS | A 5340 | YD1 12-JUL-90 | AR | YD1 | 99 | |
| D | | BHMA-A156.21-89 | THRESHOLDS, STANDARD FOR 1989 USER: CE ..... | A 5340 | YD1 30-OCT-89 | AR | YD1 | 99 | IS |
| D | | BHMA-A156.23-91 NOTICE 1 | LOCKS, ELECTROMAGNETIC, AMERICAN NATIONAL STANDARD FOR REVIEWER: IS ..... | A 5340 * | YD1 04-NOV-91 | AR | YD1 | | |
| D | | BHMA-A156.24-91 NOTICE 1 | LOCKS, EGRESS, DELAYED, AMERICAN NATIONAL STANDARD FOR REVIEWER: IS ..... | A 5340 * | YD1 04-NOV-92 | AR | YD1 | | |
| D | | BOCA-NPC-90 | THE BOCA NATIONAL PLUMBING CODE/1990 - 1990 (EIGHTH EDITION) ..... | A 45GP | YD1 19-APR-90 | | YD1 | | |
| | | CGA-V1-87 | GAS, COMPRESSED CYLINDER VALVE OUTLET & INLET CONNECTIONS 27 JAN 87 REVIEWER: 84 99 AV GS IS SH | A 8120 | ML 21-APR-89 | ME | AS | 68 | |
| D | | CISPI301-90 | PIPE, SOIL, HUBLESS CAST IRON, AND FITTINGS FOR SANITARY AND STORM DRAIN, WASTE, AND VENT PIPING APPLICATIONS - 1990 USER: CE REVIEWER: CS SH | A 4730 | YD1 04-MAR-91 | ME | YD1 | 99 | |
| D | | CISPI310-90 | COUPLING FOR USE IN CONNECTION WITH HUBLESS CAST IRON SOIL PIPE AND FITTINGS FOR SANITARY AND STORM DRAIN, WASTE, AND VENT PIPING APPLICATIONS, SPECIFICATION FOR - 1990 USER: CE REVIEWER: CS SH | A 4730 | YD1 04-MAR-91 | ME | YD1 | 99 | |
| D | | CSI-MP2.1-88 | MASTERFORMAT, MASTER LIST OF TITLES & NUMBERS FOR THE CONSTRUCTION INDUSTRY - OCT 1988 USER: CE | A FACR | YD1 06-OCT-88 | | YD1 | 99 | |
| D | | CSI-MP2.2-86 | CONSTRUCTION SPECIFICATIONS, SECTION FORMAT THREE-PART SECTION FORMAT FOR - OCT 86 USER: CE MC | A FACR | YD1 24-FEB-86 | | YD1 | | |
| D | | DFI791-79 NOTICE 1 | HAMMER, A PILE INSPECTOR S GUIDE TO HAMMERS - 1979 (VALIDATION DATE: 8607) REVIEWER: CE | A FACR | YD1 31-JUL-86 | ME | YD1 | | |
| D | | DFI792-79 NOTICE 1 | FOUNDATION, PILE, INSPECTORS MANUAL FOR - 1979 (VALIDATION DATE: 8706) REVIEWER: CE | A FACR | YD1 24-JUL-86 | ME | YD1 | | |
| | | EIA359A-88 | COLOR IDENTIFICATION AND CODING, EIA STANDARD COLORS FOR - 21 NOV 1984 .... | A 59GP | ER 10-JAN-89 | ER | EC | 85 | |
| | | EIA455.2A-84 | OPTIC DEVICES, FIBER, IMPACT TEST MEASUREMENTS FOR - 8 NOV 84 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A 60GP | CR 03-DEC-85 | CR | AS | 85 | |
| | | EIA455.4A-85 | FIBER OPTIC CONNECTOR/COMPONENT TEMPERATURE LIFE - 23 JULY 1985 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE | A 60GP / | CR 17-SEP-86 | CR | AS | 85 | |
| | | EIA455.18-84 | OPTIC COMPONENTS & ASSEMBLIES, FIBER, ACCELERATION TESTING OF - 8 NOV 84 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A 60GP | CR 03-DEC-85 | CR | AS | 85 | |
| | | EIA455.21A-88 | FIBER OPTIC, INTERCONNECTING DEVICES, MATING DURABILITY OF - 8 SEP 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE | A 60GP | CR 14-FEB-91 | CR | AS | 85 | |
| | | EIA455.22A-88 | FIBER OPTIC COMPONENTS, AMBIENT LIGHT SUSCEPTIBILITY OF - 4 NOV 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE | A 60GP | CR 14-FEB-91 | CR | AS | 85 | |

| Action Code | Cancellation Indicator | Document Number | Document Title | Doc. Symbol | FSC / Area | MCCR Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | EIA455.23A-85 | FIBER OPTIC COMPONENT SEALS, AIR LEAKAGE OF - 7 AUG 85 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-86 | CR | AS | 85 | |
| | | EIA455.26A-85 | FIBER OPTIC CABLE INTERCONNECTING DEVICES, CRUSH RESISTANCE OF - 1 JUL 85 REVIEWER: 11 17 19 80 99 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-86 | CR | AS | 85 | |
| | | EIA455.27A-86 | FIBERS, MEASURING OUTSIDE (UNCOATED) DIAMETER OF OPTICAL WAVEGUIDE, METHODS FOR - 17 MAR 86 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A | 60GP | | CR | 30-DEC-86 | CR | AS | 85 | |
| | | EIA455.28A-86 | FIBERS, OPTICAL WAVEGUIDE, METHODS FOR MEASURING TENSILE FAILURE POINT OF - 7 APR 1986 - USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE | A | 60GP / | | CR | 15-APR-87 | CR | AS | 85 | |
| | | EIA455.29A-89 | REFRACTIVE INDEX PROFILE, TRANSVERSE INTERFERENCE METHOD - 28 JUL 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE | A | 60GP | | CR | 18-JAN-91 | CR | AS | 85 | |
| | | EIA455.30A-88 | OPTICAL FIBER, MULTIMODE, INFORMATION TRANSMISSION CAPACITY, FREQUENCY DOMAIN MEASUREMENT OF - 14 JUL 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-91 | CR | AS | 85 | |
| | | EIA455.31A-87 | FIBER TENSILE PROOF TEST METHOD - 24 JUL 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC ME SH | A | 60GP | | CR | 15-DEC-88 | MR | AS | | |
| | | EIA455.33A-87 | FIBER OPTIC CABLE TENSILE LOADING AND BENDING TEST - 21 AUG 87 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-91 | CR | AS | 85 | |
| | | EIA455.34-85 | INTERCONNECTION DEVICE INSERTION LOSS TEST - 5 APRIL 1985 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE | A | 60GP | | CR | 14-FEB-86 | CR | AS | 85 | |
| | | EIA455.41-85 | FIBER OPTIC CABLES, COMPRESSIVE LOADING RESISTANCE OF - FEB 1985 REVIEWER: 11 13 14 17 19 EC ES MC SH TE | A | 60GP | | CR | 15-JUL-85 | CR | AS | 85 | |
| | | EIA455.42A-89 | OPTICAL CROSSTALK IN FIBER OPTIC COMPONENTS - 20 OCT 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE | A | 60GP | | CR | 18-JAN-91 | CR | AS | 85 | |
| | | EIA455.43-84 | OUTPUT NEAR-FIELD RADIATION PATTERN MEASUREMENT OF OPTICAL WAVEGUIDE FIBERS - 15 DEC 1984 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE | A | 60GP | | CR | 14-FEB-86 | CR | AS | 85 | |
| | | EIA455.45A-88 | OPTICAL WAVEGUIDE FIBERS, MICROSCOPIC METHOD FOR MEASURING FIBER GEOMETRY OF - 6 JUL 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-91 | CR | AS | 85 | |
| | | EIA455.48A-87 | FIBER OPTICAL, DIAMETER MEASUREMENT OF USING LASER-BASED MEASUREMENT INSTRUMENTS - 24 JUL 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC ME SH | A | 60GP | | CR | 15-DEC-88 | MR | AS | | |
| | | EIA455.50A-87 | FIBER, OPTICAL, SPECTRAL ATTENUATION MEASUREMENTS, LIGHT LAUNCH CONDITIONS FOR LONG-LENGTH GRADED-INDEX - 24 JUL 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC ME SH | A | 60GP | | CR | 15-DEC-88 | MR | AS | | |
| M | | EIA455.51A | MULTIMODE GLASS OPTICAL FIBER INFORMATION TRANSMISSION CAPACITY, PULSE DISTORTION MEASUREMENT OF USER: 13 REVIEWER: 19 90 99 DI ES FSS MC MA SC SH TE | A | 60GP | | CR | 02-JUN-93 | CR | AS | 85 | |
| | | EIA455.53-86 | FIBERS, OPTICAL, ATTENVATION BY SUBSTITUTION MEASUREMENT FOR MULTIMODE GRADED- INDEX OR FIBER ASSEMBLIES USED IN LONG HAUL COMMUNICATIONS SYSTEMS - 17 MAR. 1986 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE | A | 60GP | | CR | 15-APR-87 | CR | AS | 85 | |
| | | EIA455.55A-86 | FIBERS OPTICAL, GEOMETRY COATING OF METHODS FOR MEASURING THE - 18 DEC 1987 - USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE | A | 60GP / | | CR | 18-DEC-87 | CR | AS | 85 | |
| | | EIA455.57-86 | FIBER OPTICAL, END PREPARATION AND EXAMINATION - 19 SEP 86 USER: AT MI REVIEWER: 11 17 AR EC IS MC ME SH | A | 60GP | | CR | 15-DEC-88 | MR | AS | | |
| | | EIA455.58-84 | OPTICAL FIBERS, GRADED INDEX, CORE DIAMETER MEASUREMENT OF - 1 OCT 84 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A | 60GP | | CR | 03-DEC-85 | CR | AS | 85 | |
| | | EIA455.60-89 | FIBER OR CABLE LENGTH, MEASUREMENT OF, USING AN OTDR - 20 OCT 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE | A | 60GP | | CR | 18-JAN-91 | CR | AS | 85 | |
| M | | EIA455.62A NOTICE 1 | OPTICAL FIBER MACROBEND ATTENUATION, MEASUREMENT OF USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE | A | 60GP | | CR | 02-JUN-93 | CR | AS | 85 | |
| | | EIA455.65-87 | OPTICAL FIBER FLEXURE TEST - 10 AUG 87 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-91 | CR | AS | 85 | |
| | | EIA455.78-87 | FIBERS OPTICAL, SPECTRAL-ATTENUATION CUTBACK MEASUREMENT FOR SINGLE-MODE - 21 AUG 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC ME SH | A | 60GP | | CR | 15-DEC-88 | MR | AS | | |
| | | EIA455.80-88 | FIBER, CUTOFF WAVELENGTH OF UNCABLED SINGLE-MODE, BY TRANSMITTED POWER - 6 JUL 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-91 | CR | AS | 85 | |
| | | EIA455.81-85 | OPTIC CABLE, COMPOUND FLOW (DRIP) TEST FOR FILLED FIBER - MAR 1985 REVIEWER: 11 13 14 17 19 EC MC SH TE | A | 60GP | | CR | 15-JUL-85 | CR | AS | 85 | |
| | | EIA455.82A-87 | FLUID PENETRATION TEST FOR FLUID-BLOCKED FIBER OPTIC CABLE - 24 JUL 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC ME SH | A | 60GP | | CR | 15-DEC-88 | MR | AS | | |
| | | EIA455.83A-87 | CABLE TO INTERCONNECTING DEVICE AXIAL COMPRESSIVE LOADING - 21 AUG 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC ME SH | A | 60GP | | CR | 15-DEC-88 | MR | AS | | |
| | | EIA455.84A-88 | FIBER OPTIC CABLE, JACKET SELF-ADHESION (BLOCKING TEST) FOR - 6 JUL 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-91 | CR | AS | 85 | |
| | | EIA455.87A-86 | FIBER OPTIC CABLE KNOT TEST - 12 MAY 1986 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE | A | 60GP | | CR | 15-APR-87 | CR | AS | 85 | |
| | | EIA455.88-87 | FIBER OPTIC CABLE BEND TEST - 10 AUG 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC ME SH | A | 60GP | | CR | 15-DEC-88 | MR | AS | | |
| | | EIA455.91-85 | FIBER OPTIC CABLE TWIST-BEND TEST - 12 JUNE 1985 USER: 13 14 REVIEWER: 11 17 19 90 EC ES MC SH TE | A | 60GP / | | CR | 17-SEP-86 | CR | AS | 85 | |
| | | EIA455.94-86 | FIBER OPTIC CABLE STUFFING TUB COMPRESSION - 13 AUG 1986 USER: 13 14 REVIEWER: 11 17 19 ES SD TE | A | 60GP | | CR | 18-DEC-87 | CR | AS | 85 | |
| | | EIA455.95-86 | FIBERS & CABLES, OPTICAL, ABSOLUTE OPTICAL POWER TEST FOR - 9 JUN 1986 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE | A | 60GP | | CR | 15-APR-87 | CR | AS | 85 | |
| | | EIA455.100A-89 | GAS LEAKAGE TEST FOR GAS - BLOCKED FIBER OPTIC CABLES - 13 SEP 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE | A | 60GP | | CR | 18-JAN-91 | CR | AS | 85 | |
| | | EIA455.102-87 | WATER PRESSURE CYCLING - 13 AUGUST 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC SH | A | 60GP | | CR | 15-DEC-88 | MR | AS | | |
| | | EIA455.107-89 | FIBER OPTIC COMPONENTS, RETURN LOSS FOR - 25 JAN 89 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-91 | CR | AS | 85 | |
| | | EIA455.164-86 | SCANNING FAR-FIELD, FIBER SINGLE-MODE, MEASUREMENT OF MODE FIELD DIAMETER - 18 DEC 1987 - USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE | A | 60GP / | | CR | 18-DEC-87 | CR | AS | 85 | |
| | | EIA455.165-86 | FIBER, SINGLE-MODE, MEASUREMENT OF MODE FIELD DIAMETER BY NEAR-FIELD SCANNING - 30 OCT 1986 | A | 60GP | | CR | 18-DEC-87 | CR | AS | 85 | |
| | | EIA455.166-86 | FIBER, SINGLE-MODE, MEASUREMENTS OF MODE FIELD DIAMETER BY TRANSVERSE OFFSET - 30 OCT 1986 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE | A | 60GP | | CR | 18-DEC-87 | CR | AS | 85 | |
| | | EIA455.167-87 | MODE FIELD DIAMETER MEASUREMENT - VARIABLE APERTURE METHOD IN THE FARFIELD - 18 MAY 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC SH | A | 60GP | | CR | 21-DEC-88 | MR | AS | | |
| | | EIA455.168-87 | FIBERS OPTICAL, CHROMATIC DISPERSION MEASUREMENT OF MULTIMODE GRADED-INDEX AND SINGLE-MODE, BY SPECTRAL GROUP DELAY MEASUREMENT IN THE TIME DOMAIN - 18 MAY 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC SH | A | 60GP | | CR | 21-DEC-88 | MR | AS | | |
| M | | EIA455.168A | SINGLE-MODE OPTICAL FIBERS BY THE PHASE-SHIFT METHOD, CHROMATIC DISPERSION MEASUREMENT OF USER: 13 REVIEWER: 19 90 99 DI ES FSS MC MA SC SH TE | A | 60GP | | CR | 02-JUN-93 | CR | AS | 85 | |
| | | EIA455.170-89 | CABLE CUTOFF WAVELENGTH OF SINGLE-MODE FIBER BY TRANSMITTED POWER - 3 OCT 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE | A | 60GP | | CR | 18-JAN-91 | CR | AS | 85 | |
| | | EIA455.171-87 | FIBER OPTICAL CABLE ASSEMBLIES, ATTENUATION BY SUBSTITUTION MEASUREMENT - FOR SHORT-LENGTH MULTIMODE GRADED-INDEX AND SINGLE-MODE - 24 JUN 87 USER: AT MI REVIEWER: 11 17 AR EC IS MC SH | A | 60GP | | CR | 21-DEC-88 | MR | AS | | |
| | | EIA455.174-88 | FIBER OPTICAL, MODE FIELD DIAMETER OF SINGLE-MODE, BY KNIFE-EDGE SCANNING IN THE FAR FIELD - 6 JUL 88 USER: AT MI REVIEWER: 11 17 AR EC IS MC SH | A | 60GP | | CR | 17-MAR-89 | MR | AS | | |
| M | | EIA455.175A | SINGLE-MODE OPTICAL FIBERS BY THE DIFFERENTIAL PHASE SHIFT METHOD, CHROMATIC DISPERSION MEASUREMENT OF USER: 13 REVIEWER: 19 90 99 DI ES FSS MC MA SC SH TE | A | 60GP | | CR | 02-JUN-93 | CR | AS | 85 | |
| | | EIA455.177-89 | OPTICAL FIBERS, GRADED INDEX, NUMERICAL APERTURE MEASUREMENT OF - 16 AUG 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE | A | 60GP | | CR | 18-JAN-91 | CR | AS | 85 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. / Oval Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | EIA455.179-88 | FIBER, CLEAVED, END FACES BY INTERFEROMETRY, INSPECTION OF - 4 FEB 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-91 | CR | AS | 85 | | |
| A | | EIA4948-92 NOTICE 1 | 32 BIT BINARY CL (BCL) AND 7 BIT ASCII CL (ACL) EXCHANGE INPUT FORMAT FOR NUMERICALLY CONTROLLED MACHINES REVIEWER: 84 GS | A | 34GP | * | IP | 23-SEP-92 | AL | SH | 99 | | IP |
| | | EIA520AAAA-88 | SWITCHES, NON SENSITIVE PUSHBOTTON SINGLE POLE CONTACTS - 5 APR 88 REVIEWER: 99 ES MI | A | 5930 | | 85 | 28-OCT-88 | ER | EC | 85 | | |
| | | EIA520AAAB-88 | SWITCHES NON SENSITIVE PUSHBOTTON MOMENTATY CONTACT - 5 APR 88 REVIEWER: 99 ES MI | A | 5930 | | 85 | 05-APR-88 | ER | EC | 85 | | |
| | | EIA520A000-87 | SWITCHES, PUSHBUTTON OF CERTIFIED QUALITY - 9 JUL 87 REVIEWER: 99 ES MI ... | A | 5930 | | 85 | 28-OCT-88 | ER | EC | 85 | | |
| | | EIA520CAAA-88 | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, BASIC SIZE DETAIL SPECIFICATION FOR - 11 AUG 88 USER: MC REVIEWER: 99 AS ES SH | A | 5930 | | EC | 17-AUG-90 | | EC | 85 | | |
| | | EIA520CAAB-88 | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, MINIATURE SIZE, DETAIL SPECIFICATION FOR - 31 AUG 88 USER: MC REVIEWER: 99 AS ES SH | A | 5930 | | EC | 17-AUG-90 | | EC | 85 | | |
| | | EIA520CAAC-88 | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, SUBMINIATURE SIZE, 5 A. DETAIL SPECIFICATION FOR - 30 SEP 88 USER: MC REVIEWER: 99 AS ES SH | A | 5930 | | EC | 17-AUG-90 | | EC | 85 | | |
| | | EIA520CAAD-88 | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, SUBMINIATURE SIZE, 7 A. DETAIL SPECIFICATION FOR - 7 OCT 88 USER: MC REVIEWER: 99 AS ES SH | A | 5930 | | EC | 17-AUG-90 | | EC | 85 | | |
| | | EIA520CA00-87 | SWITCHES, SENSITIVE OF CERTIFIED QUALITY SPECIAL-USE BLANK DETAIL SPECIFICATION FOR - 15 APR 87 USER: MC REVIEWER: 99 AS ES SH | A | 5930 | | EC | 17-AUG-90 | | EC | 85 | | |
| | | EIA520C000-87 | SWITCHES, SENSITIVE OF CERTIFIED QUALITY - 15 APR 87 USER: MC REVIEWER: 99 AS ES SH | A | 5930 | | EC | 17-AUG-90 | | EC | 85 | | |
| | | EIA5200000-86 | SWITCHES, SPECIAL-USE ELECTROMECHANICAL OF CERTIFIED QUALITY - 9 JUN 86 REVIEWER: 99 ES MI | A | 5930 | | 85 | 28-OCT-88 | ER | EC | 85 | | |
| | | EIA554-88 | ASSESSMENT OF OUTGOING NONCONFORMING LEVELS IN PARTS PER MILLION (PPM) .... | A | 59GP | | ER | 14-OCT-88 | ER | EC | 85 | | |
| | | EIA557-89 | STATISTICAL PROCESS CONTROL SYSTEMS - 26 APRIL 1989 ..... | A | 59GP | | ER | 26-APR-89 | | | | | |
| | | EIA557.1-91 | COMPONENTS, PASSIVE, GUIDANCE FOR THE SELECTION OF CRITICAL MANUFACTURING OPERATIONS FOR USE IN IMPLEMENTING AN SPC SYSTEM FOR - 14 JAN. 1991 | A | 59GP | | ER | 23-APR-91 | ER | EC | 85 | | |
| | | EIA584-91 | ZERO ACCECPTANCE NUMBER SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES FOR A CONTINUOUS MANUFACTURING PROCESS - 14 JUNE 1991 | A | 59GP | | ER | 19-JUL-91 | ER | EC | 85 | | |
| | | EIA585-91 | ZERO ACCECPTANCE NUMBER SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES OF ISOLATED LOTS - 14 JUNE 1991 | A | 59GP | | ER | 19-JUL-91 | ER | EC | 85 | | |
| N | | EIA587 | FIBER OPTIC GRAPHIC SYMBOLS USER: 13 REVIEWER: 19 90 99 01 ES FSS MC NA SC SH TE | A | 60GP | | CR | 02-JUN-93 | CR | AS | 85 | | |
| | | EIA-RS46-83 | FIBERS, OPTICAL, SPECTRAL ATTENUATION MEASUREMENT FOR LONG LENGTH, GRADED-INDEX - 15 MAY 1983 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE | A | 60GP | | CR | 27-MAR-86 | CR | AS | 85 | | |
| | | EIA-RS50-83 | FIBER, OPTICAL, LONG LENGTH GRADED INDEX, SPECTRAL ATTENUATION MEASUREMENTS, LIGHT-LAUNCH CONDITIONS FOR - 15 FEB 1983 | A | 60GP | | CR | 27-MAR-86 | CR | AS | 85 | | |
| | | EIA-RS227A-71 | TAPE, PERFORATED, ONE INCH - 1971 [VALIDATION DATE: 8601] USER: ME REVIEWER: AR AV MI | A | 34GP | | IP | 09-MAR-79 | AL | SH | 99 | | |
| | | EIA-RS232C-69 | DATA TERMINAL EQUIPMENT & DATA COMMUNICATION EQUIPMENT, INTERFACE BETWEEN, EMPLOYING SERIAL BINARY DATA INTERCHANGE - 1969 USER: ME REVIEWER: AR AV MI | A | 34GP | | DC | 09-MAR-79 | AL | SH | 99 | | |
| | | EIA-RS244B-76 | CHARACTER CODE FOR NUMERICAL MACHINE CONTROL PERFORATED TAPE - 1976 [VALIDATION DATE: 8601] | A | 34GP | | IP | 09-MAR-79 | AL | SH | 99 | | |
| | | EIA-RS267A-67R73 | MACHINES, NUMERICALLY CONTROLLED, AXIS & MOTION NOMENCLATURE FOR - 1967 R 73 USER: ME REVIEWER: AR AV MI | A | 34GP | | IP | 09-MAR-79 | AL | SH | 99 | | |
| | | EIA-RS274D-79 | MACHINES, NUMERICALLY CONTROLLED, INTERCHANGEABLE PERFORATED TAPE VARIABLE BLOCK FORMAT FOR CONTOURING & CONTOURING/POSITIONING - FEB 79 [VALIDATION DATE: 8601] USER: ME REVIEWER: AR AV MI | A | 34GP | | IP | 09-MAR-79 | AL | SH | 99 | | |
| | | EIA-RS278B-75 | MOUNTING DIMENSIONS FOR LOUDSPEAKERS -6 JAN 75 [VALIDATION DATE: 8910] REVIEWER: 99 | A | 5965 | | 85 | 23-OCT-89 | ER | SH | 85 | | |
| D | | EIA-RS310C-77R82 NOTICE 2 | RACKS, PANELS, & ASSOCIATED EQUIPMENT - 28 NOV 77 USER: YD1 REVIEWER: AS EC | A | 5975 | | SH | 08-JUN-90 | ER | SH | 85 | | |
| | | EIA-RS358B-79 | SUBSET OF USA STANDARD CODE FOR INFORMATION INTERCHANGE FOR NUMERICAL CONTROL PERFORATED TAPE - FEB 79 [VALIDATION DATE: 8601] USER: ME REVIEWER: AR AV MI | A | 34GP | | IP | 09-MAR-79 | AL | SH | 99 | | |
| | | EIA-RS359A-88 | COLORS FOR COLOR IDENTIFICATION AND CODING EIA STANDARD - 21 NOV 84 - ADDENDUM 10 MMAY 88 | A | 59GP | | ER | 10-JAN-89 | ER | EC | 85 | | |
| | | EIA-RS385-70 | PREFERRED VALUES - DEC 70 [VALIDATION DATE: 8502] ..... | A | 5905 | | ER | 20-DEC-78 | ER | EC | 11 | | |
| | | EIA-RS455.1-81 | FIBERS, FIBER OPTICS, CABLES, TRANSDUCERS, CONNECTING & TERMINATING DEVICES - 20 NOV 79 REVIEWER: 11 17 20 99 EC ES TE | A | 60GP | | CR | 12-AUG-82 | CR | AS | 85 | | |
| | | EIA-RS455.2-80 | FIBERS, FIBER OPTICS, CABLES, TRANSDUCERS, CONNECTING & TERMINATING DEVICES - 2 FEB 80 REVIEWER: 11 17 20 99 EC ES TE | A | 60GP | | CR | 12-AUG-82 | CR | AS | 85 | | |
| | | EIA-RS455.3-81 | FIBERS, FIBER OPTIC, CABLES, TRANSDUCERS, CONNECTING & TERMINATING DEVICES - MAY 81 REVIEWER: 11 17 20 99 EC ES TE | A | 60GP | | CR | 12-AUG-82 | CR | AS | 85 | | |
| | | EIA-RS455.13-84 | OPTIC DEVICES, VISUAL & MECHANICAL INSPECTION OF FIBERS, CABLES, CONNECTORS AND/OR OTHER FIBER - MAR 84 REVIEWER: 11 13 14 17 19 EC ES MC SH TE | A | 60GP | | CR | 29-JAN-85 | CR | AS | 85 | | |
| | | EIA-RS455.14-83 | OPTIC SHOCK TEST, FIBER (SPECIFIED PULSE) - OCT 83 REVIEWER: 11 13 14 17 19 EC ES MC SH TE | A | 60GP | | CR | 19-MAR-85 | CR | AS | 85 | | |
| | | EIA-RS455.15-83 | IMMERSION, ALTITUDE - MAY 83 REVIEWER: 11 13 14 EC MC SH TE ..... | A | 60GP | | CR | 15-JUL-85 | CR | AS | 85 | | |
| | | EIA-RS455.20-83 | OPTICAL TRANSMITTANCE, CHANGE IN, MEASUREMENT OF - 15 FEB 83 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A | 60GP | | CR | 14-FEB-86 | CR | AS | 85 | | |
| | | EIA-RS455.22-83 | LIGHT SUSCEPTIBILITY, AMBIENT - NOV 83 REVIEWER: 11 13 14 EC MC SH TE ..... | A | 60GP | | CR | 15-JUL-85 | CR | AS | 85 | | |
| | | EIA-RS455.32-83 | OPTIC CIRCUIT DISCONTINUITIES, FIBER - 3 JAN 83 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A | 60GP | | CR | 03-DEC-85 | CR | AS | 85 | | |
| | | EIA-RS455.39-83 | OPTIC CABLE WICKING TEST, FIBER - JAN 83 REVIEWER: 11 13 14 17 19 EC ES MC SH TE | A | 60GP | | CR | 19-MAR-85 | CR | AS | 85 | | |
| | | EIA-RS455.40-83 | CABLE, FLUID IMMERSION TEST FOR FIBRE OPTIC - AUG 83 REVIEWER: 11 13 14 EC MC SH TE | A | 60GP | | CR | 15-JUL-85 | CR | AS | 85 | | |
| | | EIA-RS455.44-84 | PROFILE, REFRACTIVE INDEX, REFRACTED RAY METHOD - JAN 84 REVIEWER: 11 13 14 17 19 EC ES MC SD SH TE | A | 60GP | | CR | 29-JAN-85 | CR | AS | 85 | | |
| | | EIA-RS455.45-84 | OPTICAL WAVEGUIDE FIBERS, MICROSCOPIC METHOD FOR MEASURING FIBER GEOMETRY OF - SEP 84 REVIEWER: 11 13 14 EC MC SH TE | A | 60GP | | CR | 15-JUL-85 | CR | AS | 85 | | |
| | | EIA-RS455.46-83 | OPTICAL FIBERS, GRADED-INDEX, SPECTRAL ATTENUATION MEASUREMENT FOR LONG-LENGTH - 15 MAY 83 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A | 60GP | | CR | 27-MAR-86 | CR | AS | 85 | | |
| | | EIA-RS455.47-83 | RADIATION PATTERN MEASUREMENT, OUTPUT FAR - FIELD - SEP 83 REVIEWER: 11 13 14 EC MC SH TE | A | 60GP | | CR | 15-JUL-85 | CR | AS | 85 | | |
| | | EIA-RS455.51-83 | OPTICAL FIBER INFORMATION TRANSMISSION CAPACITY, PULSE DISTORTION MEASUREMENT OF MULTIMODE GLASS - SEP 83 - | A | 60GP | | CR | 15-JUL-85 | CR | AS | 85 | | |
| | | EIA-RS455.63-84 | OPTICAL WAVEGUIDE FIBER, TORSION TEST FOR - APR 84 REVIEWER: 11 13 14 17 19 EC ES MC SH TE | A | 60GP | | CR | 29-JAN-85 | CR | AS | 85 | | |
| | | EIA-RS455.66-84 | OPTICAL WAVEGUIDE COATINGS & BUFFERS, TEST METHODS FOR MEASURING RELATINE ABRASION RESISTANCE OF - APR 84 REVIEWER: 11 13 14 17 19 EC ES MC SH TE | A | 60GP | | CR | 29-JAN-85 | CR | AS | 85 | | |
| | | EIA-RS455.84-83 | OPTIC CABLE, FIBER, JACKET SELF ADHESION (BLOCKING) TEST FOR - 21 JUN 83 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A | 60GP | | CR | 03-DEC-85 | CR | AS | 85 | | |
| | | EIA-RS455.85-84 | CABLE TWIST TEST, FIBER OPTIC - SEP 84 REVIEWER: 11 13 14 17 19 EC ES MC SH TE | A | 60GP | | CR | 15-JUL-85 | CR | AS | 85 | | |
| | | EIA-RS455.86-83 | OPTIC CABLE, FIBER, JACKET SHRINKAGE - 15 JAN 83 REVIEWER: 11 13 14 17 19 EC ES MC SH TE | A | 60GP | | CR | 19-MAR-85 | CR | AS | 85 | | |
| | | EIA-RS455.89-83 | OPTIC CABLE, FIBER, JACKET ELONGATION & TENSILE STRENGTH - 3 JAN 83 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A | 60GP | | CR | 03-DEC-85 | CR | AS | 85 | | |

| Action | Obs. / Civil Coordination Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | EIA-RS465.99-83 | OPTIC CABLE, GAS FLAME TEST FOR SPECIAL PURPOSE FIBER - 20 MAR 83 REVIEWER: 11 13 14 17 19 EC ES MC SH TE | A 60GP | CR | 19-MAR-85 | CR | AS | 85 | |
| | | EIA-RS465.100-84 | OPTIC CABLES, GAS LEAKAGE TEST FOR GAS-BLOCKED FIBER - JULY 1984 REVIEWER: 17 19 ES SS | A 60GP | CR | 29-JAN-85 | CR | AS | 85 | |
| | | EIA-RS465.101-84 | ACCELERATED OXYGEN AGING - FEB 1984 REVIEWER: 11 13 14 17 19 EC ES MC SH SS TE | A 60GP | CR | 29-JAN-85 | CR | AS | 85 | |
| | | EIA-RS463-79 | CAPACITOR, FIXED ALUMINUM ELECTROLYTIC, FOR ALTERNATING CURRENT MOTOR STARTING, HEAVY DUTY (TYPE 1) & FOR LIGHT DUTY (TYPE 2) - OCT 79 (W/DOD EXCEPTIONS) USER: 19 AS REVIEWER: 99 ES SH | A 5910 | EC | 24-NOV-80 | ER | EC | 11 | |
| | | EIA-RS465-81 | DOCUMENT TRANSMISSION, GROUP 3 FACSIMILE APPARATUS FOR - 3 APR 81 (WITH ERRATUM DATED 5 MAY 82 | A SLHC | DC | 03-APR-81 | CR | EC | 90 | |
| | | EIA-RS466-81 | DOCUMENT FACSIMILE TRANSMISSION - 3 APR 81 REVIEWER: NS SC ..... | A SLHC | DC | 03-APR-81 | CR | EC | 90 | |
| | | EIA-RS469-80 | CAPACITOR, CERAMIC MONOLITHIC, DESTRUCTIVE PHYSICAL ANALYSIS OF HIGH RELIABILITY - NOV 80 USER: AS REVIEWER: 19 99 ES SH | A 5910 | MA | 13-MAR-81 | | | | |
| | | EIA-RS470-81 | TELEPHONE INSTRUMENTS WITH LOOP SIGNALING FOR VOICEBAND APPLICATIONS -1SSUE 1 WITH ERRATA NO. 1 REVIEWER: NS SC | A SLHC | DC | 12-JAN-81 | CR | EC | 90 | |
| | | EIA-RS478-81 | TELEPHONE SYSTEM (KTS) FOR VOICEBAND APPLICATIONS, MULTI-LINE KEY - JULY 81 REVIEWER: SC TT | A SLHC | DC | 09-MAR-81 | CR | EC | 90 | |
| | | EIA-RS483-81 | EFFECTIVE SERIES RESISTANCE (ESR) & CAPACITANCE OF MULTILAYER CERAMIC CAPACITORS AT HIGH FREQUENCIES - DEC 1981 USER: 19 AS MC SH REVIEWER: 99 ES | A 5910 | ER | 01-JUN-83 | ER | EC | 11 | |
| | | EIA-RS487-82 | TELEPHONE SYSTEM, LINE CIRCUIT (CARD) FOR 1A2 GENERIC MULTI LINE KEY - AUG 82 REVIEWER: SC TT | A SLHC | DC | 19-AUG-82 | CR | EC | 90 | |
| | | EIA-SE103-49 | SPEAKERS FOR SOUND EQUIPMENT, RETMA STANDARD FOR - APR 49 ..... | A 5820 | 80 | 24-SEP-81 | | | 80 | |
| A | | EIA-TIA455A-91 NOTICE 1 | FIBER OPTIC FIBERS, CABLES, TRANSDUCERS, SENSORS, CONNECTING AND TERMINATING DEVICES, AND OTHER FIBER OPTIC COMPONENTS, STANDARD TEST PROCEDURE FOR USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE | A 60GP * | CR | 09-NOV-92 | CR | AS | 85 | |
| A | | EIA-TIA455.16A-91 NOTICE 1 | FIBER OPTIC COMPONENTS, SALT SPRAY (CORROSION), TEST FOR USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE | A 60GP * | CR | 09-NOV-92 | CR | AS | 85 | |
| A | | EIA-TIA455.24-91 NOTICE 1 | FIBERS, SINGLE-MODE, WATER PEAK ATTENUATION, MEASUREMENT OF USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE | A 60GP * | CR | 09-NOV-92 | CR | AS | 85 | |
| | | EIA-TIA455.25A-89 | FIBER OPTIC CABLES AND CABLE ASSEMBLIES, REPEATED IMPACT TESTING OF - 24 MAR 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE | A 60GP | CR | 27-MAR-91 | CR | AS | 85 | |
| A | | EIA-TIA455.28B-91 NOTICE 1 | FIBER, OPTICAL, MEASURING DYNAMIC TENSILE STRENGTH OF, METHOD FOR USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE | A 60GP * | CR | 09-NOV-92 | CR | AS | 85 | |
| A | | EIA-TIA455.30B-91 NOTICE 1 | FREQUENCY DOMAIN MEASUREMENT OF MULTIMODE OPTICAL FIBER INFORMATION TRANSMISSION CAPACITY USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE | A 60GP * | CR | 09-NOV-92 | CR | AS | 85 | |
| | | EIA-TIA455.31B-90 NOTICE 1 | FIBER, TENSILE PROOF TEST METHOD USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| | | EIA-TIA455.32A-90 NOTICE 1 | FIBER OPTIC CIRCUIT DISCONTINUITIES USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| | | EIA-TIA455.39A-89 | FIBER OPTIC CABLE WATER WICKING TEST - 17 MAY 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE | A 60GP | CR | 27-MAR-91 | CR | AS | 85 | |
| | | EIA-TIA455.46A-90 NOTICE 1 | FIBERS, OPTICAL, SPECTRAL ATTENUATION MEASUREMENT FOR LONG-LENGTH, GRADED-INDEX USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| | | EIA-TIA455.47A-89 | RADIATION PATTERN MEASUREMENT, OUTPUT FAR - FIELD - 17 MAY 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE | A 60GP | CR | 27-MAR-91 | CR | AS | 85 | |
| | | EIA-TIA455.48B-90 NOTICE 1 | FIBER, OPTICAL, FIBER CLADDING DIAMETER USING LASER-BASED INSTRUMENTS, MEASUREMENT OF USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| | | EIA-TIA455.54A-90 NOTICE 1 | FIBERS, OVERFILLED LAUNCHING CONDITIONS TO MULTIMODE, MODE SCRAMBLER, REQUIREMENTS FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| | | EIA-TIA455.55B-90 NOTICE 1 | FIBERS, OPTICAL, MEASURING COATING AND BUFFER GEOMETRY OF, END-VIEW, METHODS FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| | | EIA-TIA455.58A-90 NOTICE 1 | FIBERS, OPTICAL, GRADED-INDEX, CORE DIAMETER, MEASUREMENT OF USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| | | EIA-TIA455.63A-90 NOTICE 1 | FIBERS, OPTICAL, TORSION TEST FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| A | | EIA-TIA455.77-91 NOTICE 1 | PROCEDURES TO QUALIFY A HIGHER-ORDER MODE FILTER FOR MEASUREMENTS ON SINGLE-MODE FIBER USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE | A 60GP * | CR | 09-NOV-92 | CR | AS | 85 | |
| | | EIA-TIA455.78A-90 NOTICE 1 | FIBERS, OPTICAL, SINGLE-MODE, SPECTRAL-ATTENUATION CUTBACK, MEASUREMENT FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| A | | EIA-TIA455.127-91 NOTICE 1 | SPECTRAL CHARACTERIZATION OF MULTIMODE LASER DIODES USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE | A 60GP * | CR | 09-NOV-92 | CR | AS | 85 | |
| | | EIA-TIA455.173-90 NOTICE 1 | FIBER, OPTICAL, SIDE-VIEW METHOD, COATING GEOMETRY, MEASUREMENT FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| | | EIA-TIA455.178-90 NOTICE 1 | FIBERS, OPTICAL, MECHANICALLY REMOVING COATINGS FROM, MEASUREMENTS OF STRIP FORCE, REQUIRED FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| A | | EIA-TIA455.188-91 NOTICE 1 | LOW TEMPERATURE TESTING OF FIBER OPTIC COMPONENTS USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE | A 60GP * | CR | 09-NOV-92 | CR | AS | 85 | |
| | | EIA-TIA526.14-90 NOTICE 1 | FIBER, OPTICAL POWER LOSS MEASUREMENTS OF INSTALLED MULTIMODE CABLE PLANT USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE | A 60GP * | CR | 14-MAY-92 | CR | AS | 85 | |
| | | GCA101-83 | INFORMATION PROCESSING SYSTEMS, PROGRAMMING LANGUAGES, TEXT INTERCHANGE & PROCESSING - 1 JUN 83 USER: 16 AD OM SH | A IPSC | 02 | 10-OCT-83 | MI | AS | 02 | |
| | | HIMA-MD70.1-83 | MEDICAL MATERIEL - LUER TAPER FITTINGS - PERFORMANCE, STANDARD FOR - 19 AUG 1983 | A 6515 | MB | 15-NOV-85 | MD | MS | 03 | |
| D | | HPMA-HP-83 | PLYBOARD, HARDWOOD, STANDARD FOR - 28 OCT 83 USER: MC MR REVIEWER: AS AT CS | A 5510 | YD1 | 09-OCT-84 | CE | YD1 | 99 | |
| D | | HPMA-LHF-87 | FLOORING, LAMINATED, HARDWOOD, STANDARD FOR - 25 AUG 87 USER: CE MC REVIEWER: 84 CS | A 5510 | YD1 | 19-NOV-88 | ME | YD1 | 99 | |
| D | | IAPMO-UPC-88 | UNIFORM PLUMBING CODE - 1988 9 ..... | A 45GP | YD1 | 02-JAN-90 | | YD1 | | |
| D | | ICEA-S70.547-84 | WIRE AND CABLE, WEATHER-RESISTANT, POLYOLEFIN COVERED, STANDARD FOR - 84 DEC 6 USER: AR AS GL MC REVIEWER: 90 99 IS | A 6145 | YD1 | 30-NOV-89 | CR | YD1 | 85 | |
| D | | IEEE32-72R78 | DEVICES, NEUTRAL, GROUNDING, REQUIREMENTS FOR TERMINOLOGY, AND TEST PROCEDURE FOR - 21 MAR 72 USER: CE REVIEWER: CS GS | A 6110 | YD1 | 25-MAR-88 | | YD1 | | |
| D | | IEEE48-75 | TERMINATION, CABLE, CURRENT, TEST PROCEDURES AND REQUIREMENTS FOR HIGH-VOLTAGE ALTERNATING - 20 DEC 74 USER: CE SH REVIEWER: 80 CS GS | A 6110 | YD1 | 15-APR-88 | | YD1 | | |
| | | IEEE91-84 | GRAPHIC SYMBOLS FOR LOGIC FUNCTIONS - 9 MAY 1984 USER: AT MC REVIEWER: 11 15 17 AM AS AV CR MI OS | A DRPR | AR | 10-MAY-84 | AR | SH | 13 | |
| D L | | IEEE112-91 NOTICE 1 | MOTORS AND GENERATORS, POLYPHASE INDUCTION, IEEE STANDARD TEST PROCEDURE FOR | A 6105 * | YD1 | 22-JUN-92 | | YD1 | | |
| D | | IEEE115-83 | TERMINATION, CABLE, USER: CE REVIEWER: CS ..... | A 6125 | YD1 | 14-OCT-87 | | YD1 | | |
| D | | IEEE126-59R83 | ENGINE, INTERNAL COMBUSTION, GENERATOR UNITS, SPEED GOVERNING OF, IEEE RECOMMENDED SPECIFICATION FOR - 15 JAN 59 REVIEWER: GS SH | A 6125 | YD1 | 23-NOV-87 | ER | YD1 | | |
| | | IEEE145-83 | ANTENNAS, DEFINITIONS OF TERMS - NOV 1983 REVIEWER: 17 85 99 ..... | A 5985 | 11 | 30-SEP-85 | | | 11 | |
| | | IEEE176-78 | PIEZOELECTRICITY, IEEE STANDARD ON - 29 SEPT 1978 ..... | A 5955 | SH | 06-NOV-86 | ER | SH | 85 | |
| D | | IEEE200-75 NOTICE 2 | ELECTRICAL & ELECTRONICS PARTS & EQUIPMENTS REFERENCE DESIGNATIONSFOR - 4 SEP 75 W/CORRECTION SHEET FEB 76 (VALIDATION DATE: 8808) USER: EC MC ME REVIEWER: AS AV MI OS YD1 | A DRPR | AR | 23-AUG-88 | AR | SH | 16 | |
| D | | IEEE260-78 | ORDER (IEEE 260-78 (VALIDATION DATE: 8310) USER: MC REVIEWER: 13 99 AS EC MI YD1 | A MISC | SH | 16-JUN-78 | AR | SH | 11 | |
| L | | IEEE268-92 NOTICE 1 | METRIC PRACTICE, IEEE STANDARD FOR ..... | A MISC * | MR | 02-JUN-92 | MR | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Obsl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | IEEE280-85 | ELECTRICAL SCIENCE & ELECTRICAL ENGINEERING, IEEE STANDARD LETTER SYMBOLS FOR QUANTITIES USED IN - 12 DEC 84 REVIEWER: AS AT MC ME MI OS YD1 | A | DRPR | AR | | 12-DEC-84 | AR | SH | 11 | |
| D | | IEEE315A-86 | GRAPHIC SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS (12 SEPTEMBER 1986) USER: EC MC ME MI REVIEWER: AS AV CR ER OS YD1 | A | DRPR | AR | | 24-DEC-86 | AR | SH | 16 | |
| D | | IEEE386-85 | CONNECTOR SYSTEM, SEPARABLE INSULATED, FOR POWER DISTRIBUTION SYSTEMS ABOVE 600V - 22 MAR 85 | A | 6150 | YD1 | | 23-NOV-87 | ME | YD1 | | |
| | | IEEE455-76 | TELEPHONE EQUIPMENT, IEEE STANDARD TEST PROCEDURE FOR MEASURING LONGITUDIAL BALANCE OF, OPERATING IN THE VOICE BAND - 30 SEP 76 | A | SLHC | DC | | 09-MAR-79 | SC | EC | 90 | |
| | | IEEE521-76 | RADAR FREQUENCY BANDS, IEEE STANDARD LETTER DESIGNATIONS FOR - 30 NOV 76 USER: 84 REVIEWER: 11 80 AR | A | 58GP | 99 | | 13-MAY-83 | ER | | 99 | |
| | | IEEE686-82 | DEFINITIONS, IEEE STANDARD RADAR - 15 OCT 82 (VALIDATION DATE: 8905) USER: | A | 58GP | 99 | | 19-MAY-89 | ER | | 99 | |
| | | NOTICE 1 | 84 REVIEWER: 11 80 AR | | | | | | | | | |
| | | IEEE716-82 | C/ATLAS TEST LANGUAGE - 18 DEC 81 ..... | A | ATTS | 11 | | 07-MAY-82 | CR | AS | 11 | |
| | | IEEE812-84 | FIBER OPTICS, IEEE STANDARD DEFINITIONS OF TERMS RELATING TO - 15 DEC 84 REVIEWER: 11 17 19 80 90 EC ES MC SH TE | A | 60GP | CR | | 03-DEC-85 | CR | AS | 85 | |
| | | IEEE945-84 | ELECTRICAL AND ELECTRONICS, SCIENCE AND TECHNOLOGY IEEE RECOMMENDED PRACTICE FOR PREFERRED METRIC UNITS FOR USE IN - 25 SEP 84 | A | MISC | AR | | 25-SEP-84 | AR | SH | 11 | |
| | | IEEE991-86 | DIAGRAMS, IEEE STANDARD LOGIC CIRCUIT - JUN 1986 USER: AT MC REVIEWER: 11 15 17 AM AS AV CR MI OS | A | DRPR | AR | | 05-JUN-86 | AR | SH | 13 | |
| D | | IEEE-C37.4-79 | CIRCUIT BREAKER, AC HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS - 6 APR 79 USER: MC ME SH REVIEWER: GS | A | 6110 | YD1 | | 21-JAN-86 | | YD1 | | |
| D | | IEEE-C37.9-79 | CIRCUIT BREAKER AC HIGH VOLT RATED ON A SYMMETRICAL CURRENT BASIS, STANDARD TEST PROCEDURE FOR - 15 OCT 79 - CHG NOTICE 1 DATED 22 FEB 85 REVIEWER: 80 GS | A | 6110 | YD1 | | 04-DEC-84 | ME | YD1 | 99 | |
| D | | IEEE-C37.13-81 | BREAKER, CIRCUIT, LOW VOLTAGE AC POWER, USED IN ENCLOSURES - 5 FEB 80 | A | 5925 | YD1 | | 29-MAY-87 | ER | YD1 | 99 | |
| | | NOTICE 1 | (VALIDATION DATE: 8705) REVIEWER: 85 ES | | | | | | | | | |
| D | | IEEE-C37.20-69R82 | SWITCHGEAR, ASSEMBLIES, INCLUDING METAL ENCLOSED BUS STANDARD FOR ..... | A | 6110 | YD1 | | 18-JUN-86 | | YD1 | | |
| D | | IEEE-C37.20.1-87 | SWITCHGEAR, CIRCUIT-BREAKER, LOW-VOLTAGE POWER, METAL ENCLOSED STANDARD FOR - 7 AUG 86 REVIEWER: GS | A | 6110 | YD1 | | 24-MAY-89 | | YD1 | | |
| D | | IEEE-C37.20.2-87 | SWITCHGEAR, CUBICLE, METAL-CLAD AND STATION TYPE STANDARD FOR - 7 AUG 86 REVIEWER: GS | A | 6110 | YD1 | | 24-MAY-89 | | YD1 | | |
| D | | IEEE-C37.20.3-87 | SWITCHGEAR, INTERRUPTER, METAL-ENCLOSED STANDARD FOR - 7 AUG 86 REVIEWER: GS | A | 6110 | YD1 | | 24-MAY-89 | | YD1 | | |
| D | | IEEE-C37.90-78 | RELAY & RELAY SYSTEMS ASSOCIATED WITH ELECTRIC POWER APPARATUS - 23 JUN 78 REVIEWER: GS SH | A | 6110 | YD1 | | 14-MAY-87 | ME | YD1 | 85 | |
| D | | IEEE-C57.12.00-80 | TRANSFORMER, LIQUID IMMERSED DISTRIBUTION, POWER, & REGULATING - 14 DEC 78 REVIEWER: GS MI OS SH | A | 6120 | YD1 | | 10-JAN-85 | ME | YD1 | | |
| D | | IEEE-C57.12.01-79 | TRANSFORMER, DRY-TYPEDISTRIBUTION AND POWER - 28 NOV 78 USER: GS ..... | A | 6120 | YD1 | | 11-FEB-85 | ME | YD1 | | |
| D | | IEEE-C57.12.90-80 | TRANSFORMERS, LIQUID-IMMERSED DISTRIBUTION, POWER AND REGULATING, STANDARD SPECIFICATION FOR TEST CODE AND GUIDE FOR SHORT-CIRCUIT TESTING OF DISTRIBUTION AND POWER TRANSFORMERS - 30 OCT 79 REVIEWER: 85 GS SH | A | 6120 | YD1 | | 07-JUN-85 | | YD1 | | |
| D | | IEEE-C57.12.91-79 | TRANSFORMER, DRY TYPE DISTRIBUTION & POWER, TEST CODE FOR - 29 NOV 78 REVIEWER: 85 GS SH | A | 6120 | YD1 | | 07-JUN-85 | ME | YD1 | 99 | |
| D | | IEEE-C57.13-78 | TRANSFORMER, INSTRUMENT, STANDARD REQUIREMENTS FOR 30 MAR 88 REVIEWER: 99 GS SH | A | 6120 | YD1 | | 27-JAN-86 | | YD1 | | |
| D | | IEEE-C62.1-84 | ARRESTER, SURGE, FOR AC POWER CIRCUITS, IEEE STANDARD FOR 17 DEC 84 REVIEWER: 99 ES ME | A | 5920 | YD1 | | 16-NOV-87 | | YD1 | 85 | |
| D | | IEEE-C62.41-80 | SURGE VOLTAGE, IN LOW-VOLTAGE AC POWER CIRCUITS - 19 DEC 1979 ..... | A | 6110 | YD1 | | 16-NOV-87 | ME | YD1 | 85 | |
| | | IPC-A142 | FINISHED FABRIC WOVEN FROM ARAMID FOR PRINTED BOARDS, SPECIFICATION FOR | A | 5998 | * | ER | 28-MAR-92 | ER | EC | 85 | |
| | | NOTICE 1 | REVIEWER: 15 99 AR AT CR EA ME MI | | | | | | | | | |
| | | IPC-CF150F-89 | METAL, FOIL FOR PRINTED WIRING APPLICATION - 1 MAR 89 USER: AS CG MC REVIEWER: 17 AR MI OS | A | 5999 | | ER | 01-OCT-81 | ER | EC | 85 | |
| | | IPC-D275 | DESIGN STANDARD FOR RIGID PRINTED BOARDS AND RIGID PRINTED BOARD | A | 5998 | * | EC | 30-SEP-91 | ER | EC | 85 | |
| | | NOTICE 1 | ASSEMBLIES REVIEWER: 15 99 AR AT CR EA ME MI | | | | | | | | | |
| M | | IPC-D350D | PRINTED BOARD DESCRIPTION IN DIGITAL FORM REVIEWER: MI MM ..... | A | 5998 | | ER | 30-JAN-93 | ER | EC | 85 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | IPC-D351-85 | ELECTRONIC DESIGN DATA DESCRIPTION FOR PRINTED WIRING BOARDS IN DIGITAL FORM JUN 85 USER: OS REVIEWER: 11 85 AR AS MI SH | A | 5999 | | ER | 18-SEP-85 | ER | EC | 17 | ES |
| | | IPC-D352-85 | PRINTED BOARD DRAWINGS IN DIGITAL FORM JUN85 USER: OS REVIEWER: 11 85 AR AS MI SH | A | 5999 | | ER | 18-SEP-85 | ER | EC | 17 | ES |
| A | | IPC-D356 | BARE BOARD ELECTRICAL TEST INFORMATION IN DIGITAL FORM REVIEWER: 99 MI MM . | A | 5998 | * | ER | 06-AUG-92 | ER | EC | 85 | |
| | | NOTICE 1 | | | | | | | | | | |
| D | | IPC-DM425-82 | DESIGN & END PRODUCT REQUIREMENTS FOR DISCRETE WIRING BOARDS & ASSOCIATED SPECIFICATION SHEETS REVIEWER: 85 99 ES YD1 | A | 5999 | | 17 | 10-SEP-82 | ER | EC | 17 | |
| | | IPC-EG140-88 | FABRIC, FINISHED, WOVEN FORM "E" GLASS FOR PRINTED BOARDS REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | | ER | 30-APR-90 | ER | EC | 85 | |
| | | IPC-FC213B-86 | DIELECTRICS, FLEXIBLE BARE, FOR USE IN FLEXIBLE PRINTED WIRING - FEB 86 USER: OS REVIEWER: 11 85 AR AS ES MI SH | A | 5999 | | EC | 08-MAY-86 | ER | EC | 17 | |
| | | IPC-FC231B-86 | DIELECTRICS, FLEXIBLE BARE, FOR USE IN FLEXIBLE PRINTED WIRING - FEB 86 ... | A | 5999 | | EC | 08-MAY-86 | ER | EC | 17 | |
| | | IPC-FC232B-86 | DIELECTRIC FILMS, ADHESIVE COATED, FOR USE AS COVER SHEETS FOR FLEXIBLE PRINTED WIRING - FEB 86 USER: OS REVIEWER: 11 85 AR AS ES MI SH | A | 5999 | | EC | 08-MAY-86 | ER | EC | 17 | |
| | | IPC-FC233A-86 | FILMS, FLEXIBLE ADHESIVE BONDING - FEB 86 USER: OS REVIEWER: 11 85 AR AS ES MI SH | A | 5999 | | EC | 08-MAY-86 | ER | EC | 17 | |
| | | IPC-FC241B-86 | DIELECTRICS, FLEXIBLE METAL-CLAD, FOR USE INFABRICATION OF FLEXIB LE PRINTED WIRING USER: OS REVIEWER: 11 85 AR AS ES MI SH | A | 5999 | | EC | 08-MAY-86 | ER | EC | 17 | |
| | | IPC-MF150/1F | METAL FOIL: COPPER, STANDARD ELECTRODEPOSITED REVIEWER: 15 99 AR AT CR EA | A | 5998 | * | ER | 04-OCT-91 | ER | EC | 85 | |
| | | NOTICE 1 | ME MI | | | | | | | | | |
| | | IPC-MF150/2F | METAL FOIL: COPPER, HIGH DUCTILITY ELECTRODEPOSITED REVIEWER: 15 99 AR AT | A | 5998 | * | ER | 04-OCT-91 | ER | EC | 85 | |
| | | NOTICE 1 | CR EA ME MI | | | | | | | | | |
| | | IPC-MF150/3F | METAL FOIL: COPPER, HIGH TEMPERATURE ELONGATION REVIEWER: 15 99 AR AT CR | A | 5998 | * | ER | 04-OCT-91 | ER | EC | 85 | |
| | | NOTICE 1 | EA ME MI | | | | | | | | | |
| | | IPC-MF150/4F | METAL FOIL: COPPER, ANNEALED ELECTRODEPOSITED REVIEWER: 15 99 AR AT CR EA | A | 5998 | * | ER | 04-OCT-91 | ER | EC | 85 | |
| | | NOTICE 1 | ME MI | | | | | | | | | |
| | | IPC-MF150/5F | METAL FOIL: COPPER, AS ROLLED-WROUGHT REVIEWER: 15 99 AR AT CR EA ME MI .. | A | 5998 | * | ER | 04-OCT-91 | ER | EC | 85 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | IPC-MF150/6F | METAL FOIL: COPPER, LIGHT COLD ROLLED-WROUGHT REVIEWER: 15 99 AR AT CR EA | A | 5998 | * | ER | 04-OCT-91 | ER | EC | 85 | |
| | | NOTICE 1 | ME MI | | | | | | | | | |
| | | IPC-MF150/7F | METAL FOIL: COPPER, ANNEALED-WROUGHT REVIEWER: 15 99 AR AT CR EA ME MI ... | A | 5998 | * | ER | 04-OCT-91 | ER | EC | 85 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | IPC-MF150/8F | METAL FOIL: COPPER, AS ROLLED-WROUGHT-LOW TEMPERATURE ANNEALABLE | A | 5998 | * | ER | 04-OCT-91 | ER | EC | 85 | |
| | | NOTICE 1 | REVIEWER: 15 99 AR AT CR EA ME MI | | | | | | | | | |
| | | IPC-MF150/9F | METAL FOIL: NICKEL, STANDARD ELECTRODEPOSITED REVIEWER: 15 99 AR AT CR EA | A | 5998 | * | ER | 04-OCT-91 | ER | EC | 85 | |
| | | NOTICE 1 | ME MI | | | | | | | | | |
| | | IPC-NC349-85 | DRILLERS & ROUTERS, COMPUTER NUMERICAL CONTROL FORMATTING FOR - AUG 85 USER: OS REVIEWER: 11 AR AS ES MI SH | A | 5999 | | ER | 24-OCT-85 | ER | EC | 85 | |
| A | | IPC-PC90 | IMPLEMENTATION OF STATISTAL PROCESS CONTROL, GENERAL REQUIREMENTS FOR | A | 5998 | * | ER | 18-MAY-92 | ER | EC | 85 | |
| | | NOTICE 1 | REVIEWER: 13 17 AR IE MC MI TD | | | | | | | | | |
| | | IPC-QL653-88 | FACILITIES THAT INSPECT/TEST PRINTED BOARDS, COMPONENTS, AND MATERIALS, QUALIFICATION OF - AUG 88 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | | ER | 21-JUL-89 | ER | EC | 85 | |
| | | IPC-SM840B-88 | BOARDS, PRINTED, QUALIFICATION AND PERFORMANCE OF PERMANENT POLYMER COATING (SOLDER MASK) FOR - MAY 88 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5999 | | ER | 01-MAY-88 | ER | EC | 85 | |
| A | | IPC-T50C-86 | CIRCUIT, INTERCONNECTING & PACKAGING ELECTRONIC, TERMS & DEFINITIONS - 29 MAR 86 USER: AV DH REVIEWER: 15 17 19 26 AR CR ER MR | A | SOLD | | AS | 29-MAR-86 | MI | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Old Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | IPC-TM650 NOTICE 1 | STRIPLINE TEST FOR PERMITTIVITY AND LOSS TANGENT (DIELECTRIC CONSTANT AND DISSIPATION FACTOR) AT X-BAND REVIEWER: 99 MI | A | 5998 | * ER | | 02-JUL-92 | ER | EC | 85 | |
| | | IPC-TM650.1.1.10-86 | VISUAL INSPECTION FOR DICYANDIAMIDE CRYSTALS - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.1.7B-86 | THREAD COUNT, GLASS FIBERS, PREPREG - JUN 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.1.9-86 | SURFACE SCRATCH EXAMINATION METAL CLAD FOIL - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.1.1B-86 | CHEMICAL CLEANING OF METAL CLAD LAMINATE - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.4.2-86 | CHEMICAL RESISTANCE OF PREPREG MATERIALS TO METHYLENE CHLORIDE - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.4.3-86 | CHEMICAL RESISTANCE OF CORE MATERIALS TO METHYLENE CHLORIDE - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.7.1-86 | CUPRIC CHLORIDE ETCHING METHOD - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME . | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.9B-86 | FLAMMABILITY OF PRINTED WIRING MATERIALS - JUNE 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.10-86 | FLAMMABILITY OF PRINTED WIRING LAMINATE - OCT 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.12A-86 | GLASS FABRIC WEIGHT - OCT 86 REVIEWER: 15 17 99 AR AT CR EA ME ..... | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.16A-86 | RESIN CONTENT OF PREPREG MATERIALS - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.16.1B-86 | RESIN CONTENT OF PREPREG MATERIAL (TREATED WEIGHT) - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.17B-86 | RESIN FLOW OF PREPREG MATERIALS (B-STAGE) - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.18A-86 | RESIN GEL STROKE TIME FOR PREPREG MATERIALS - APR 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.19B-86 | VOLATILE CONTENT OF PREPREG MATERIALS - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.3.32-87 | FLUX INDUCED CORROSION (COPPER MIRROR METHOD) - DEC 87 REVIEWER: 84 99 MI SH | A | 3439 | ER | | 06-AUG-89 | ER | EC | 11 | |
| | | IPC-TM650.2.3.33-87 | FLUX, SILVER CHROMATE METHOD PRESENCE OF HALIDES - DEC 87 REVIEWER: 84 99 MI SH | A | 3439 | ER | | 06-AUG-89 | | EC | | |
| | | IPC-TM650.2.3.34-87 | FLUX, SOLID CONTENT - DECEMBER 1987 REVIEWER: 84 99 MI SH ..... | A | 3439 | ER | | 06-AUG-89 | | EC | | |
| | | IPC-TM650.2.3.35-87 | FLUXES, HALIDE CONTENT - DECEMBER 1987 REVIEWER: 84 99 MI SH ..... | A | 3439 | ER | | 06-AUG-89 | | EC | | |
| | | IPC-TM650.2.4.4A-86 | FLEXURAL YIELD STRENGTH, RIGID PRINTED LAMINATE MATERIALS (AT AMBIENT ROOM TEMPERATURE) - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.4.4.1-86 | FLEXURAL YIELD STRENGTH, RIGID PRINTED LAMINATE MATERIALS (AT ELEVATED TEMPERATURE) - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.4.8B-86 | PEEL STRENGTH; AS RECEIVED, AFTER THERMAL STRESS, AFTER PROCESS CHEMICALS - JAN 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.4.8.2-86 | PEEL STRENGTH AT ELEVATED TEMPERATURE (HOT FLUID METHOD) - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.4.24B-86 | GLASS TRANSITION TEMPERATURE AMS Z-AXIS EXPANSION BY TMA - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.4.25B-87 | GLASS TRANSITION TEMPERATURE - DEC 87 REVIEWER: 15 17 99 AR AT CR EA ME ... | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.4.38-84 | PREPREG SCALED FLOW TESTING - JUL 84 REVIEWER: 15 17 99 AR AT CR EA ME .... | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.4.39A-86 | DIMENSIONAL STABILITY, GLASS REINFORCED THIN LAMINATES - FEB 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.4.41-86 | COEFFICIENT OF LINEAR THERMAL EXPANSION OF ELECTRICAL INSULATING MATERIALS - MAR 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.4.41.1-86 | COEFFICIENT OF THERMAL EXPANSION BY THE VITREOUS SILICA (QUARTZ) DILATOMETER METHOD - MAR 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.5.1B-86 | ARC RESISTANCE OF PRINTED WIRING MATERIAL - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.5.5.2A-87 | WIRING BOARD MATERIAL - CLIP METHOD DIELECTRIC CONSTANT AND DISSIPATION FACTOR OF RAW PRINTED - DEC 87 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.5.5.3C-87 | PERMITTIVITY (DIELECTRIC CONSTANT) AND LOSS TANGENT (DISSIPATION FACTOR) OF MATERIALS (TWO FLUID CELL METHOD) - DEC 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.5.6B-86 | DIELECTRIC BREAKDOWN OF RIGID PRINTED WIRING MATERIAL - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.5.6.2-86 | ELECTRIC STRENGTH OF PRINTED WIRING MATERIAL - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.5.17.1-86 | VOLUME RESISTIVITY AND SURFACE RESISTIVITY OF PRINTED WIRING LAMINATE - JUN 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.5.28-82 | FLEXIBLE PRINTED WIRING MATERIALS Q RESONANCE, - DEC 82 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.6.1C-88 | WIRING MATERIALS FUNGUS RESISTANCE PRINTED - FEB 88 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.6.2.1A-86 | WATER ABSORPTION, METAL CLAD PLASTIC LAMINATES - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.6.3D-88 | WIRING BOARDS MOISTURE AND INSULATION RESISTANCE, RIGID/FLEX AND PRINTED - NOV 88 REVIEWER: 15 17 99 AR AT CR EA ME | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | IPC-TM650.2.6.3.3-88 | FLUXES, MOISTURE AND SURFACE INSULATION RESISTANCE - MARCH 1988 REVIEWER: 84 99 MI SH | A | 3439 | ER | | 06-AUG-89 | | EC | | |
| | | IPC-TM650.2.6.17-86 | RESIN FLOW/NO FLOW RESIN - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME ..... | A | 5998 | ER | | 23-AUG-89 | ER | EC | 85 | |
| | | ISO5/4-83 | ANNULAR 45 DEG., 0 DEG. (OR 0 DEG., 45 DEG.) OPTICAL REFLECTION MEASUREMENTS (REFLECTION DENSITY) - 3 JUL 85 REVIEWER: 70 GS MV | A | 6750 | AS | | 15-APR-88 | | AS | 99 | |
| A | | ISO594/1 NOTICE 1 | FITTINGS, CONICAL WITH A 6% (LUER) TAPER FOR SYRINGES, NEEDLES AND CERTAIN OTHER MEDICAL EQUIPMENT - PART 1: GENERAL REQUIREMENTS | A | 6515 | / MB | | 25-SEP-92 | MD | MS | 03 | |
| A | | ISO594/2 NOTICE 1 | FITTINGS, CONICAL WITH A 6% (LUER) TAPER FOR SYRINGES, NEEDLES AND CERTAIN OTHER MEDICAL EQUIPMENT - PART 2: LOCK FITTINGS | A | 6515 | / MB | | 25-SEP-92 | MD | MS | 03 | |
| D | | ISO3573-86 | STEEL, HOT-ROLLED CARBON, SHEET OF COMMERCIAL AND DRAWING QUALITIES - 1986 SECOND EDITION REVIEWER: 11 84 AR AS GL YD1 | A | 9515 | MR | | 09-AUG-88 | MR | SH | 99 | |
| D | | ISO3574-86 | STEEL, COLD REDUCED-CARBON, SHEET OF COMMERCIAL AND DRAWING QUALTITIES - 1986 REVIEWER: 11 84 AR AS GL YD1 | A | 9515 | MR | | 09-AUG-88 | MR | SH | 99 | |
| D | | ISO3575-76 | STEEL SHEET, CARBON, CONTINUOUS HOT-DIP ZINC-COATED, OF COMMERCIAL LOCK FORMING AND DRAWING QUALITIES - 5 MAY 75 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO4960-86 | STEEL STRIP, COLD-REDUCED CARBON, WITH A CARBON CONTENT OVER 0.25 %-1986 REVIEWER: 11 84 AR AS GL YD1 | A | 9515 | MR | | 06-AUG-88 | MR | SH | 99 | |
| D | | ISO4995-78 | STEEL SHEET, HOT-ROLLED, OF STRUCTURAL QUALITY - 1978 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO4996-78 | STEEL SHEET, HOT-ROLLED, OF HIGH YIELD STRESS STRUCTURAL QUALITY - 1978 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO4997-78 | STEEL SHEET, COLD REDUCED OF STRUCTURAL QUALITY - 29 JUL 76 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO4998-77 | STEEL SHEET, CARBON, CONTINUOUS HOT DIP ZINC COATED - 1977 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO4999-78 | STEEL SHEET, HOT-DIP TERNE (LEAD ALLOY) COLATED COLD-REDUCED CARBON, CONTINUOUS, OF COMMERCIAL AND DRAWING QUALITIES - 1978 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | | 29-JUN-90 | MR | SH | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | ISO5000-80 | STEEL SHEET, HOT-DIP ALUMINUM-SILICON-COATED COLD REDUCED CARBON, OF COMMERCIAL AND DRAWING QUALITIES - 1980 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO5001-80 | STEEL SHEET, COLD REDUCED CARBON FOR VITREOUS ENAMELLING - 6 APR 78 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO5002-82R87 | STEEL SHEET, HOT-ROLLED AND COLD-REDUCED ELECTROLYTIC ZINC-COAYTED CARBON, OF COMMERCIAL AND DRAWING QUALITIES - 1982 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO5950-79 | STEEL SHEET, CONTINUOUS ELECTROLYTIC TIN-COATED COLD-REDUCED CARBON OF COMMERCIAL AND DRAWING QUALITIES - 6 APR 78 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO5951-80 | STEEL SHEET, HOT-ROLLED OF HIGHER YIELD STRENGTH WITH IMPROVED FORMABILITY - 1980 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO5952-83 | STEEL SHEET, HOT-ROLLED OF STRUCTURAL QUALITY WITH IMPROVED ATMOSPHERIC CORROSION RESISTANCE - 17 APR 80 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO5954-84 | STEEL SHEET TO HARDNESS REQUIREMENTS, COLD-REDUCED CARBON - 17 AUG 83 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | 29-JUN-90 | MR | SH | 99 | |
| | | ISO6316-82R87 | STEEL STRIP, HOT-ROLLED, OF STRUCTURAL QUALITY - 11 JUNE 81 ..... | A | 9515 | MR | 29-JUN-90 | MR | SH | 99 | |
| D | | ISO6317-82R87 | STEEL STRIP, HOT-ROLLED CARBON, OF COMMERCIAL AND DRAWING QUALITIES - 11 JUN 81 REVIEWER: 11 AR AS YD1 | A | 9515 | MR | 29-JUN-90 | MR | SH | 99 | |
| | | ISO6328-82 | PHOTOGRAPHIC MATERIALS, METHOD OF DETERINATION OF ISO RESOLVING POWER FOR - 1 JUL 83 REVIEWER: 70 GS NV | A | 6750 | AS | 15-APR-88 | | AS | 99 | |
| D | | ISO6932-86 | STEEL STRIP, COLD REDUCED CARBON, WITH A MAXIMUM CARBON CONTENT OF0.25% - 1986 REVIEWER: 11 84 AR AS GL YD1 | A | 9515 | MR | 09-AUG-88 | MR | SH | 99 | |
| A | | ISO7886 NOTICE 1 | SYRINGES, STERILE, HYPODERMIC, FOR SINGLE USE ..... | A | 6515 / | MB | 25-SEP-92 | MD | MS | 03 | |
| | | ISO8402-86 | VOCABULARY - QUALITY - 15 JUNE 86 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | OS | 06-JUN-91 | AR | OS | 05 | |
| A | | ISO8537 NOTICE 1 | SYRINGES, SINGLE USE, STERILE, WITH OR WITHOUT NEEDLE, FOR INSULIN ..... | A | 6515 / | MB | 25-SEP-92 | MD | MS | 03 | |
| | | ISO8879-88 | INFORMATION PROCESSING-TEXT AND OFFICE SYSTEMS-STANDARD GENERALIZED MARKUP LANGUAGE (SGML) 15 OCT 86) REVIEWER: 01 AM DC MA NS | A | MISC | CR | 04-JAN-88 | CR | SA | 24 | DH |
| | | ISO9000-87 | GUIDELINES FOR SELECTION AND USE - QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS - 15 MAR 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | OS | 06-JUN-91 | AR | OS | 05 | |
| | | ISO9001-87 | SYSTEMS, QUALITY - MODEL FOR QUALITY ASSURANCE IN DESIGN/DEVELOPMENT, PRODUCTION, INSTALLATION AND SERVICING - 15 MAR 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | OS | 06-JUN-91 | AR | OS | 05 | |
| | | ISO9002-87 | SYSTEMS, QUALITY - MODEL FOR QUALITY ASSURANCE IN PRODUCTION AND INSTALLATION - 15 MAR 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | OS | 06-JUN-91 | AR | OS | 05 | |
| | | ISO9003-87 | SYSTEMS, QUALITY - MODEL FOR QUALITY ASSURANCE IN FINAL INSPECTION AND TEST - 15 MAR 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | OS | 06-JUN-91 | AR | OS | 05 | |
| | | ISO9004-87 | GUIDELINES - QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS - 15 MAR 87 REVIEWER: 10 23 AS AV CR DH EC GL ME SA SH TD | A | QCIC | OS | 06-JUN-91 | AR | OS | 05 | |
| | | JIC-EMP-1/EGP-1-67 | ELECTRICAL STANDARDS FOR MASS PRODUCTION EQUIPMENT/ELECTRICAL STANDARDS FOR GENERAL PURPOSE MACHINE TOOLS - 1967 USER: AV REVIEWER: AR ME MI | A | 34GP | IP | 15-JUN-79 | AL | SH | 99 | |
| A | | MMPA0100-85 | PERMANENT MAGNET MATERIALS - APRIL 1985 USER: OS ..... | A | 5999 | AR | 18-SEP-85 | AR | | 11 | |
| D | | MSS-SP6-90 | VALVES AND FITTINGS, CONTACT FACES OF PIPE FLANGES AND CONNECTING-END FLANGES OF , STANDARD FINISHES FOR - 1990 USER: CE MC REVIEWER: 82 CS | A | 4820 | YD1 | 29-JUN-90 | ME | YD1 | 99 | |
| D | | MSS-SP25-78R88 | VALVE, FITTING, FLANGES & UNIONS, STANDARD MARKING SYSTEM FOR - 178 (REAPPROVED 88) REVIEWER: 70 CS | A | 48GP | YD1 | 16-MAY-88 | ME | YD1 | 99 | |
| D | | MSS-SP45-82R87 | CONNECTION, BY-PASS & DRAIN, STANDARD SPECIFICATION FOR - 1982 (REAPPROVED 87) USER: CE MC REVIEWER: CS | A | 4730 | YD1 | 26-APR-89 | ME | YD1 | 99 | |
| | | MSS-SP55-85 | STEEL CASTINGS FOR VALVES, FLANGES & FITTINGS & OTHER PIPING COMPONENTS (VISUAL METHOD) QUALITY STANDARD FOR - 1985 | A | 95GP | MR | 02-JUN-87 | MR | | | |
| D | | MSS-SP58-88 | PIPE HANGERS AND SUPPORTS - MATERIALS, DESIGN AND MANUFACTURE - 1988 USER: CE ME REVIEWER: MC | A | 5340 | YD1 | 08-AUG-91 | | YD1 | | |
| D | | MSS-SP61-85 | VALVES, STEEL PRESSURE TESTING OF (1985 EDITION) USER: CE MC REVIEWER: 82 CS | A | 4820 | YD1 | 22-JUN-89 | ME | YD1 | 99 | |
| D | | MSS-SP67-90 | VALVES, BUTTERFLY - 1990 USER: CE MC REVIEWER: 84 CS ..... | A | 4820 | YD1 | 29-JUN-90 | ME | YD1 | 99 | |
| D L | | MSS-SP69-91 NOTICE 1 | PIPE HANGERS AND SUPPORTS - SELECTION AND APPLICATION USER: CE ME REVIEWER: IS MC | A | 5340 * | YD1 | 16-OCT-91 | | YD1 | | |
| D | | MSS-SP70-90 | GATE VALVES, CAST IRON, FLANGED & THREADED ENDS - 1990 USER: MC REVIEWER: CS | A | 4820 | YD1 | 23-AUG-91 | ME | YD1 | 99 | |
| D | | MSS-SP71-90 | VALVES, CAST IRON SWING CHECK, FLANGED & THREADED ENDS (1990 ED.) USER: CE MC REVIEWER: 82 CS | A | 4820 | YD1 | 23-AUG-91 | ME | YD1 | 99 | |
| D | | MSS-SP72-87 NOTICE 2 | VALVES, BALL, WITH FLANGED OR BUTT-WELDING ENDS FOR GENERAL SERVICE, STANDARD PRACTICE FOR (VALIDATION DATE: 9203) REVIEWER: CS | A | 4820 * | YD1 | 09-MAR-92 | ME | YD1 | 99 | |
| D | | MSS-SP78-87 | VALVES, CAST IRON PLUG, FLANGED AND THREADED ENDS, STANDARD PRACTICE FOR REAPPROVED 1992 (VALIDATION DATE: 9203) USER: CE MC REVIEWER: 82 CS | A | 4820 * | YD1 | 10-MAR-92 | | YD1 | 99 | |
| D | | MSS-SP80-87 NOTICE 2 | BRONZE GATE, GLOBE, ANGLE AND CHECK VALVES, 1987 EDITION (VALIDATION DATE: 9203) USER: CE EA SA REVIEWER: CS MC | A | 4820 * | YD1 | 02-MAR-92 | ME | YD1 | 99 | |
| D | | MSS-SP81-81R86 | VALVE, FLANGED KNIFE GATE, STAINLESS STEEL, BONNETLESS, STANDARD PRACTICE FOR - 1981 (REAPPROVED 86) USER: MC REVIEWER: CE CS | A | 4820 | YD1 | 17-NOV-88 | ME | YD1 | | |
| D | | MSS-SP83-87 | PIPE UNIONS SOCKET WELDING & THREADED, CARBON STEEL USER: AR CE OS REVIEWER: CS | A | 4730 | YD1 | 26-APR-89 | ME | YD1 | 99 | |
| D | | MSS-SP84-90 | VALVES - SOCKET WELDING AND THREADED ENDS - 1990 USER: CE MC REVIEWER: 82 CS | A | 4820 | YD1 | 29-JUN-90 | ME | YD1 | 99 | |
| D | | MSS-SP85-85 NOTICE 2 | VALVE FLANGED & THREADED END, CAST IRON GLOBE AN ANGLE - 1985 (VALIDATION DATE: 9107) REVIEWER: CS | A | 4820 | YD1 | 25-JUL-91 | | YD1 | | |
| D | | MSS-SP88-83R88 | VALVE, DIAPHRAGM TYPE, STANDARD PRACTICE FOR - 1983 (REAPPROVED 88) REVIEWER: 82 CS | A | 4820 | YD1 | 16-MAY-88 | ME | YD1 | 99 | |
| D | | MSS-SP89-91 NOTICE 1 | PIPE HANGERS AND SUPPORTS - FABRICATION AND INSTALLATION PRACTICES REVIEWER: 82 | A | 5340 * | YD1 | 16-OCT-91 | ME | YD1 | 99 | |
| | | NA7-78 | FASTENERS, METRIC, TITANIUM ALLOY, EXTERNALLY THREADED, 1100 MPA TENSILE, 660 MPA SHEAR, PROCUREMENT SPECIFICATION - MARCH 1978 REVIEWER: 82 99 | A | 53GP | IS | 15-JUL-85 | AV | | 11 | IS |
| | | NA8-78 | FASTENERS, METRIC, ALLOY STEEL, EXTERNALLY THREADED, 1100 MPA TENSILE, 660 MPA SHEAR, PROCUREMENT SPECIFICATIONS - MAR 78 REVIEWER: 82 AV IS ME | A | 53GP | AR | 21-JAN-85 | AR | AS | 99 | |
| | | NA9-80 | NUTS, SELF-LOCKING, 235 DEG. C, METRIC, PROCUREMENT SPECIFICATION FOR - 12 MAY 1980 REVIEWER: 82 | A | 5310 | IS | 09-SEP-85 | AV | | 99 | |
| | | NA25-84 | TORQ-SET, RECESS, DIMENSION OF RECESS, GAGE & DRIVE, METRIC - 4 APR 84 REVIEWER: 82 AV | A | 53GP | IS | 22-MAY-86 | AR | AS | 99 | |
| | | NA26-77 | FASTENERS, METRIC, A-286 CRES, EXTERNALLY THREADED, 1100 MPA TENSILE, 660 MPA SHEAR, PROCUREMENT SPECIFICATION - NOV 1977 REVIEWER: 82 | A | 53GP | IS | 15-JUL-85 | AV | | 99 | IS |
| | | NA27THRUNA28-78 | NUT, SELF-LOCKING, FLOATING, PLATE, TWO-LUG, METRIC, LOW HEIGHT, C BORED, 1100 MPA, 235 DEG. C, 425 DEG. C - MAR 1978 REVIEWER: 82 | A | 5310 | AR | 21-JAN-85 | AR | AS | 99 | |
| | | NA29AMDNA30-79 | NUT, SELF LOCKING, SPLINE DRIVE 1250 MPA, 235 DEG.C, 425 DEG.C METRIC REVIEWER: 82 | A | 5310 | IS | 09-SEP-85 | AV | | 99 | |
| | | NA33AMDNA34-78 | NUT, SELF LOCKING, HEXAGON EXTENDED WASHER, 1100 MPA, METRIC, 235 DEG.C, 425 DEG.C - MAR 78 REVIEWER: 82 | A | 5310 | IS | 09-SEP-85 | AV | | 99 | |
| | | NA35-78 | SCREW, CLOSE TOLERANCE, PAN HEAD, TORQ SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - JUN 78 REVIEWER: 82 | A | 5305 | IS | 08-JUL-85 | AV | | 99 | |
| | | NA36-78 | BOLT, CLOSE TOLERANCE, HEX HEAD, ALLOY STEEL, 1100 MPA METRIC - MAR 1978 REVIEWER: 82 AV IS ME | A | 5306 | AR | 21-JAN-85 | AR | AS | 99 | |
| | | NA37-78 | BOLT, CLOSE TOLERANCE, HEX HEAD, TITANIUM ALLOY 1100 MPA, METRIC -MARCH 1978 REVIEWER: 82 | A | 5306 | IS | 15-JUL-85 | AV | | 99 | IS |

| Action Opt. / Obst. Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| NA40ANDNA41-78 | NUT, SELF LOCKING, PLATE, TWO LUG, FIXED LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG C, 425 DEG C - DEC 78 REVIEWER: 82 | A 5310 IS 09-SEP-85 AV | | 99 | | |
| NA44-79 | NUT, SELF LOCKING, 425 DEG C, METRIC, PROCUREMENT SPECIFICATION FOR - NOV 79 REVIEWER: 82 | A 5310 IS 09-SEP-85 AV | | 99 | | |
| NA45-79 | BOLT, CLOSE TOLERANCE, HEX HEAD, A-286 CRES, 1100 MPA TENSILE, METRIC - 25 APR 79 REVIEWER: AV | A 5306 IS 22-MAY-86 AR | AS | 99 | | |
| NA46-78 | SCREW, CLOSE TOLERANCE, PAN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC - OCT 1978 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | IS | |
| NA47-78 | SCREW, CLOSE TOLERANCE, PAN HEAD, TORQ-SET, TITANIUM ALLOY, 660 MPA SHEAR, METRIC - OCT 1978 REVIEWER: 99 | A 5305 IS 08-JUL-85 AV | | 11 | IS | |
| NA49-81 | NUT, SELF LOCKING, CASTELLATED, REDUCED HEXAGON, 600 MPA SHEAR, METRIC - JAN 81 REVIEWER: 82 | A 5310 IS 09-SEP-85 AV | | 99 | | |
| NA50-81 | NUT, SELF LOCKING, CASTELLATED, REDUCED HEXAGON, 1100 MPA TENSILE, METRIC - JAN 81 REVIEWER: 82 | A 5310 IS 09-SEP-85 AV | | 99 | | |
| NA51-79 | STEEL, RIVET SOLID, UNIVERSAL HEAD, A286 CORROSION RESISTANT, METRIC - MAY 79 REVIEWER: AR | A 5320 IS 08-NOV-85 AV | | 11 | | |
| NA52-79 | RIVET-SOLID, UNIVERSAL HEAD, MONEL, METRIC - MAY 79 REVIEWER: AR ..... | A 5320 IS 08-NOV-85 AV | | 11 | | |
| NA53-79 | RIVET-SOLID, COUNTERSUNK 100 DEG HEAD, A286 CORROSION RESISTANT STEEL, METRIC - MAY 79 REVIEWER: AR | A 5320 IS 08-NOV-85 AV | | 11 | | |
| NA54-79 | RIVET-SOLID, COUNTERSUNK 100 DEG HEAD, MONEL, METRIC - MAY 79 REVIEWER: AR | A 5320 IS 08-NOV-85 AV | | 11 | | |
| NA55-79 | RIVET-SOLID, REDUCED COUNTERSUNK 100 DEG HEAD, A286 CORROSION RESISTANT STEEL, METRIC-MAY-79 REVIEWER: AR | A 5320 IS 08-NOV-85 AV | | 11 | | |
| NA56-79 | RIVET-SOLID, REDUCED COUNTERSUNK 100 DEG HEAD, MONEL, METRIC - MAY 79 REVIEWER: AR | A 5320 IS 08-NOV-85 AV | | 11 | | |
| NA57-79 | FASTENERS, ALLOY STEEL, EXTERNALLY THREADED, 1250 MPA, 750 MPA SHEAR, PROCUREMENT SPECIFICATION, METRIC - JUL 79 REVIEWER: 82 99 | A 53GP IS 15-JUL-85 AV | | 11 | | |
| NA58-79 | BOLT, SPLINE DRIVE, CLOSE TOLERANCE, ALLOY STEEL, 1250 MPA, METRIC - JULY 1979 REVIEWER: 82 | A 5306 IS 15-JUL-85 AV | | 99 | IS | |
| NA59-79 | BOLT, SPLINE DRIVE, CLOSE TOLERANCE, A-286, 1250 MPA, METRIC - JULY 1979 REVIEWER: 82 | A 5306 IS 15-JUL-85 AV | | 99 | IS | |
| NA60-80 | SCREW, CLOSE TOLERANCE, 100 DEG, FLUSH HEAD, TORQ-SET, ALLOY STEEL, 750 MPA SHEAR, METRIC - JAN 1980 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | IS | |
| NA61-81 | NUT, SELF LOCKING, SPLINE DRIVE, ALLOY STEEL 1800 MPA, 235 DEG. CMETRIC - OCT 81 REVIEWER: 82 99 | A 5310 IS 09-SEP-85 AV | | 11 | | |
| NA62-80 | BOLT, ALLOY STEEL, 1550 MPA TENSILE, SPLINE DRIVE, METRIC - MAR 80 REVIEWER: AV | A 5306 IS 22-MAY-86 AR | AS | 99 | | |
| NA63-80 | BOLT, ALLOY STEEL, 1800 MPA TENSILE, SPLINE DRIVE, METRIC - MAR 80 REVIEWER: AV | A 5306 IS 22-MAY-86 AR | AS | 99 | | |
| NA64THRUNA66-79 | NUT, THIN, WITH OPTIONAL LOCKWIRE HOLE, METRIC - OCT 79 REVIEWER: 82 99 ... | A 5310 IS 09-SEP-85 AV | | 11 | | |
| NA67-79 | SCREW, DUAL WRENCHING, HEX HEAD/TORQ-SET, A-286 CRES, FULL THREAD, 1100 MPA, METRIC - DEC 1979 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | IS | |
| NA68-79 | SCREW, PAN HEAD, TORQ-SET, A-286 CRES, FULL THREAD, 1100 MPA, METRIC - DEC 1979 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | IS | |
| NA69-79 | SCREW-SOCKET HEAD CAP, FULL THREAD, A-286 CRES 1100 MPA, METRIC -DEC 1979 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | IS | |
| NA70-79 | SCREW, 100 DEG, FLUSH HEAD, TORQ-SET, A-286 CRES, FULL THREAD, 1100 MPA, METRIC - DEC 1979 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | IS | |
| NA73ANDNA74-80 | NUT, SELF - LOCKING, PLATE, ONE LUG, METRIC, FLOATING, LOW HEIGHT,C'BORED, 1100 MPA, 250 DEGREE C, 450 DEGREE C - APR 80 REVIEWER: AV IS ME | A 5310 AR 21-JAN-85 AR | AS | 11 | | |
| NA77ANDNA78-80 | NUT, SELF-LOCKING, PLATE, FIXED, ONE LUG REDUCED RIVET SPACING, LOW HEIGHT, C BORED 1100 MPA, METRIC 235 DEG.C, 425 DEG. C - JUNE 1980 REVIEWER: AV | A 5310 IS 23-MAY-86 AR | | 11 | | |
| NA79ANDNA80-80 | NUT, SELF-LOCKING, PLATE, FIXED, TWO LUG REDUCED RIVET SPACING, LOW HEIGHT, C'BOARD, 1100 MPA, METRIC 235 DEG.C, 425 DEG. C - JUN 80 REVIEWER: AV | A 5310 IS 23-MAY-86 AR | | 11 | | |
| NA81ANDNA82-80 | NUT, SELF-LOCKING, PLATE, FIXED, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG C, 425 DEG C - JUN 80 REVIEWER: AV | A 5310 IS 23-MAY-86 AR | | 11 | | |
| NA83ANDNA84-80 | NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, C'BOARD, 1100 MPA, METRIC 235 DEG.C, 425 DEG.C - JUN 80 REVIEWER: AV | A 5310 IS 23-MAY-86 AR | | 11 | | |
| NA85ANDNA86-80 | NUT, SELF-LOCKING, PLATE, FLOATING, TWO LUG REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG C - JUN 80 REVIEWER: AV | A 5310 IS 23-MAY-86 AR | | 11 | | |
| NA87ANDNA88-80 | NUT, SELF-LOCKING, PLATE, FLOATING, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG C, 425 DEG C - JUN 80 REVIEWER: AV | A 5310 IS 23-MAY-86 AR | | 11 | | |
| NA89-79 | SCREW, PAN HEAD, TORQ-SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC - DEC 1979 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | IS | |
| NA90-79 | SCREW, PAN HEAD, TORQ-SET, TITANIUM ALLOY, FULL THREAD, 1100 MPA, METRIC - DEC 79 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | IS | |
| NA91-79 | SCREW, 100 DEG, FLUSH HEAD, TORQ SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC-DEC 79 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | | |
| NA92-79 | SCREW, 100 DEG, FLUSH HEAD, TORQ SET, TITANIUM ALLOY, FULL THREAD, 1100 MPA, METRIC - DEC 79 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | | |
| NA93ANDNA94-80 | NUT, SELF LOCKING, FLOATING, PLATE, CORNER, LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG C, 425 DEG. C - FEB 80 REVIEWER: 82 99 | A 5310 IS 09-SEP-85 AV | | 11 | | |
| NA95ANDNA96-80 | NUT, SELF LOCKING, PLATE, CORNER, LOW HEIGHT, C'BORED 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C - FEB 80 REVIEWER: 82 99 | A 5310 IS 09-SEP-85 AV | | 11 | | |
| NA113-80 | SCREW, HEX HEAD/TORQ SET, TITANIUM, FULL THREAD, 1100 MPA, METRIC - NOV 80 REVIEWER: 82 | A 5305 IS 08-JUL-85 AV | | 99 | | |
| NA114-80 | SCREW, HEX HEAD/TORQ SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC - NOV 80 REVIEWER: 99 | A 5305 IS 08-JUL-85 AV | | 11 | | |
| NA123-80 | SCREW, CLOSE TOLERANCE, 100 DEG, REDUCED CROWN HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - JUL 1980 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| NA124-80 | SCREW, CLOSE TOLERANCE, 100 DEG REDUCED CROWN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| NA125-80 | SCREW, CLOSE TOLERANCE, 100 DEG REDUCED CROWN HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC - JUL 1980 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| NA127-82 | SCREW, CAPTIVE, 100 DEG, FLUSH HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - 5-82 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| NA128-82 | SCREW, CAPTIVE, 100 DEG FLUSH HEAD, TORQ-SET, A-286 CRES, 660 MPASHEAR, METRIC - 5-82 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| NA129-82 | SCREW, CAPTIVE, 100 DEG FLUSH HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC - MAY 82 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| NA130-82 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - MAY 82 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| NA131-82 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC - MAY 1982 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | IS | |
| NA132-82 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC - MAY 82 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| NA133-81 | NUT, SELF-LOCKING, BARREL, FLOATING, 1550 MPA, METRIC - JUNE 1981 REVIEWER: AV | A 5310 IS 23-MAY-86 AR | | 11 | IS | |
| NA134-81 | RETAINER, NUT, FLOATING BARREL, METRIC - JUNE 1981 REVIEWER: AV ..... | A 5310 IS 23-MAY-86 AR | | 11 | IS | |

| Action / DPL / QML / Coordination / Inactive / Document Number | Document Title | Dist. Stmt / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| MA140THRUMA144-81 | WASHER, DIMPLED, 100 DEG., METRIC - JUNE 1981 REVIEWER: AV ..... | A 5310 IS 23-MAY-86 AR | | 11 | | IS |
| MA145-81 | INSERT, SCREW THREAD, KEY LOCKED, INSTALLATION & REMOVAL PROCEDURE, METRIC - OCT 1981 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA146-81 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, MINIATURE, METRIC - OCT 81 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA147-81 | INSERT, SCREW THREAD, KEY LOCKED, A-286 CORROSION RESISTING STEEL,MINIATURE, METRIC - O CT 81 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA148-81 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, LIGHTWEIGHT, METRIC - OCT 1981 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA149-81 | INSERT, SCREW THREAD, KEY LOCKED, A-286 CORROSION RESISTING STEEL, LIGHT WEIGHT, METRIC - OCT 1981 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA150-81 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, HEAVY DUTY, METRIC - OCT 1981 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA151-81 | INSERT, SCREW THREAD, KEY LOCKED, A-286 CORROSION RESISTING STEEL, HEAVY DUTY, METRIC - 1981 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA152-81 | BOLT, EYE, ALLOY STEEL, 1100 MPA, METRIC - DEC 1981 REVIEWER: 99 ..... | A 5306 IS 15-JUL-85 AV | | 11 | | IS |
| MA153-81 | BOLT, EYE, A-286 CRES, 1100 MPA, METRIC - DEC 81 REVIEWER: 99 ..... | A 5306 IS 15-JUL-85 AV | | 11 | | |
| MA155-82 | BOLT, CLEVIS, 660 MPA SHEAR, METRIC - MAY 82 REVIEWER: AV ..... | A 5306 IS 22-MAY-86 AR | AS | 99 | | |
| MA156-82 | FASTENERS, MALE THREADED, METRIC DESIGN, PARAMETERS FOR - MAY 82 REVIEWER: AV | A 53GP IS 22-MAY-86 AR | AS | 99 | | |
| MA157ANDMA158-83 | PIN, QUICK RELEASE, SELF RETAINING, POSITIVE LOCKING, SINGLE ACTING, (T) HANDLE, METRIC - OCT 83 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA159-84 | SCREW, FAIRING WASHER, ASSEMBLY, ALLOY STEEL, TORQ-SET, FULL THREAD, 1100MPA, TENSILE, METRIC - JUL 84 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| MA160-84 | SCREW, FAIRING WASHER, ASSEMBLY, 6AL-4V TITANIUM ALLOY, TORQ-SET, FULL THREAD, 1100MPA TENSILE, METRIC - JUL 1984 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| MA161-83 | PIN, QUICK RELEASE, POSITIVE LOCKING SINGLE ACTING, METRIC, PROCUREMENT SPECIFICATION FOR - OCT 1983 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA162-83 | SETSCREW, HEXAGON SOCKET, CUP POINT,A286 CRES, METRIC - APR 83 REVIEWER: AV | A 5305 IS 27-MAY-86 AR | | 11 | | |
| MA165-83 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC - JAN 1983 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA166ANDMA167-83 | INSERT, MOLDED-IN, CSK CLEARANCE HOLE, SNADWICH PLANEL, AL ALLOY AND CRES, METRIC - APR 1983 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA211THRUMA212-85 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC - AUG 1985 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | |
| MA221THRUMA224-85 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, INTERNAL THREAD TYPE, METRIC - AUG 1985 REVIEWER: 82 AV | A 5340 IS 14-FEB-86 AR | | 99 | | IS |
| MAS1-78 | PREFERRED METRIC UNITS FOR AEROSPACE - 21 MAR 78 REVIEWER: 01 MI SA ..... | A MISC AS 22-JUL-80 AV | AS | 11 | | |
| MAS5-73 | ROD END, THREADED, ALLOY STEEL, FLASH WELDING TYPE - SEP 73 W/DOD EXCPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A 5340 AS 15-SEP-78 AV | AS | 11 | | |
| MAS42-82 | SPACER, SLEEVE - RIVET - 30 JUN 82 REVIEWER: IS ..... | A 5365 AS 20-MAY-83 AV | AS | 11 | | |
| MAS43-85 | SPACERS - SCREW & BOLT- 15 AUG 1985 REVIEWER: IS ..... | A 5365 AS 11-FEB-87 AV | AS | 11 | | |
| MAS47-82 | SPACER, SLEEVE, NON METALLIC, SCREW & BOLT -JUN 82 ..... | A 5365 AS 20-MAY-83 AV | AS | 11 | | IS |
| MAS72-62 | BUSHING, CLAMP UP, STEEL, CHROME PLATED - OCT 62 [VALIDATION DATE: 8204] .. | A 3120 AS 14-JUN-74 AV | AS | 11 | | |
| MAS73-80 | BUSHING, CLAMP-UP, STEEL, CADMIUM PLATED - OCT 1980 REVIEWER: IS ..... | A 3120 AS 17-OCT-84 | | AS | 11 | |
| MAS74-83 | BUSHING, CLAMP UP, BRONZE - 15 FEB 83 W/DODEXCEPTIONS REVIEWER: IS ..... | A 3120 AS 20-MAY-83 AV | AS | 11 | | |
| MAS75-80 | BUSHING, PLAIN, PRESS FIT, STEEL - 16 OCT 1980 REVIEWER: IS ..... | A 3120 AS 07-OCT-84 | | AS | 11 | |
| MAS76-83 | BUSHING, PLAIN, PRESS FIT, COPPER & BRONZE - 7 SEP 83 W/DOD EX. REVIEWER: IS | A 3120 AS 30-JAN-84 | | AS | 11 | |
| MAS77-82 | BUSHING, FLANGED, PRESS FIT, STEEL, BRONZ & COPPER - 28 MAY 82 W/DOD EXCEPTIONS REVIEWER: IS | A 3120 AS 20-MAY-83 AV | AS | 11 | | |
| MAS120-63 | KNOB, CONTROL, 3/4 SPHERICAL - 31 JAN 63 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A 5355 AS 05-DEC-80 AV | AS | 11 | | |
| MAS121-63 | KNOB, CONTROL, 1 INCH SPHERICAL - 31 JAN 63 REVIEWER: IS ME ..... | A 5355 AS 06-MAY-83 | | AS | | |
| MAS123-63 | KNOB, CONTROL, 1 INCH DIA. X 5/8 OVAL, PLASTIC - 31 JAN 63 REVIEWER: 82 IS ME | A 5355 AS 06-MAY-83 | | AS | 99 | |
| MAS170-80 | CLEVIS ENGINE CONTROL ROD, ADJUSTABLE - 16 OCT 80 REVIEWER: IS ME ..... | A 5340 AS 06-MAY-83 | | AS | 11 | |
| MAS184-80 | STUD, FINE THREAD - 16 OCT 80 REVIEWER: 11 82 IS ME ..... | A 5307 AS 06-MAY-83 | | AS | 99 | |
| MAS186-85 | SPACER, STEPPED, SWAGE TYPE - APR 1985 REVIEWER: IS ..... | A 5365 AS 29-MAY-86 | | AS | 11 | |
| MAS198-61 | KNOB CONTROL 1.25 SPHER, PLASTIC - 15 DEC 61 REVIEWER: IS ME ..... | A 5355 AS 06-MAY-83 | | AS | 11 | |
| MAS287-79 | TERMINAL, CHAIN TO CABLE (FOR SWAGING) - 30 MAY 79 W/DOD EXCEPT. REVIEWER: IS | A 4030 AS 30-JAN-84 | | AS | 11 | |
| MAS288-61 | TERMINAL, CHAIN TO TURNBUCKLE - DEC 61 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A 4330 AS 14-JUN-74 AV | AS | 11 | | |
| MAS302THRUMAS310-80 | CABLE ASSEMBLY SWAGED TYPE I TERMINALS - 7 NOV 80 W/DOD EXCEPT. [VALIDATION DATE: 8312] REVIEWER: IS | A 4010 AS 30-JAN-84 | | AS | 11 | |
| MAS312THRUMAS320-61 | CABLE, ASSEMBLY SWAGED TYPE I & TYPE II TERMINALS - DEC 61 REVIEWER: 10 ME | A MISC AS 14-JUN-74 AV | AS | 11 | | |
| MAS322THRUMAS330-80 | CABLE ASSEMBLY SWAGED TYPE TYPE II TERMINALS - 7 NOV 80 W/DOD EXCEPTIONS [VALIDATION DATE: 8312] REVIEWER: IS | A 4010 AS 30-JAN-84 | | AS | 11 | |
| MAS333THRUMAS340-81 | BOLT - 100 DEG CLOSE TOLERANCE HIGH STRENGTH - 30 DEC 81 W/DOD EXCEPTIONS REVIEWER: IS | A 5305 AS 30-JAN-84 | | AS | 11 | |
| MAS354-73 | ROD CONTROL, SOLID STEEL - OCT 73 W/DOD EX. [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A 5307 AS 15-SEP-78 AV | AS | 11 | | |
| MAS355-64 | TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY WITH RIVETED THREADED ROD ENDS - DEC 64 W/DOD EXCEPTIONS (REAPPROVED OCT 82 [VALIDATION DATE: 8208] REVIEWER: 10 ER ME | A 3040 AS 14-JUN-74 AV | AS | 11 | | |
| MAS356-64 | TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY WITH RIVETED CLEVIS & THREADED ROD ENDS - 64 W/DOD EXCEPTIONS (REAPPROVED OCT 82) [VALIDATION DATE: 8403] REVIEWER: 10 ER ME | A 3040 AS 14-JUN-74 AV | AS | 11 | | |
| MAS357-64 | TUBE, CONTROL, ALUMINUM ALLOY - DEC 64 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A 3040 AS 14-JUN-74 AV | AS | 11 | | |
| MAS358-73 | TUBE ASSEMBLY, CONTROL, STEEL WITH WELDED THREADED ROD ENDS - JUN 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 CS IS ME | A 3040 AS 15-SEP-78 AV | AS | 11 | | |
| MAS359-73 | TUBE ASSEMBLY, CONTROL, STEEL WITH WELDED CLEVIS & THREADED ROD ENDS - JUN 73 W/DOD EX. [VALIDATION DATE: 8403] REVIEWER: 10 CS IS ME | A 3040 AS 15-SEP-78 AV | AS | 11 | | |
| MAS360-61 | TUBE, CONTROL, STEEL - SEP 61 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A 3040 AS 14-JUN-74 AV | AS | 11 | | |
| MAS361-73 | TUBE ASSEMBLY, CONTROL, STEEL WITH FLASH WELDED & THREADED ROD ENDS - JUN 73 W/DOD EX. [VALIDATION DATE: 8403] REVIEWER: CS IS | A 3040 AS 15-SEP-80 AV | AS | 11 | | |
| MAS362-73 | TUBE ASSEMBLY, CONTROL, STEEL WITH FLASH WELDED CLEVIS & THREADED ROD ENDS - JUN 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 CS IS ME | A 3040 AS 15-SEP-78 AV | AS | 11 | | |
| MAS363THRUMAS369-64 | CONTROL, ROD & TUBE ASSEMBLY, 5/16-24 UNF-3A THREAD - JAN 64 [VALIDATION DATE: 8403] | A MISC AS 14-JUN-74 | | AS | | |
| MAS370-64 | 16-24 UNF-3A THREAD, CONTROL ROD & TUBE ASSEMBLY, 5/ - JAN 64 [VALIDATION DATE: 8410] REVIEWER: 10 ER ME | A 3040 AS 14-JUN-74 AV | AS | 11 | | |
| MAS397-59 | CLAMP, RATCHET, ONE PIECE - 30 APR 59 [VALIDATION DATE: 8512] REVIEWER: MI | A 4730 CS 13-MAR-79 ML | SH | 99 | | |
| MAS398-56 | RATCHET, CLAMP, THREE PIECE - 31 OCT 1956 [VALIDATION DATE: 8512] USER: 99 | A 4730 CS 11-SEP-79 | | AS | | |
| MAS424-73 | COUPLING TUBE FLARED FITTING, FEMALE THREAD - 15 OCT 73 [VALIDATION DATE: 8512] | A 4730 CS 12-MAR-79 ME | SH | 99 | | |
| MAS427-88 | PIN - PULLEY GUARD - 17 NOV 88 ..... | A 5315 AS 09-MAR-89 AR | AS | 99 | | |
| MAS428-80 | BOLT, MACHINE - CROWNED HEXAGON HEAD, ADJUSTING - 14 MAY 1980 REVIEWER: IS | A 5306 AS 07-OCT-84 | | AS | 11 | |
| MAS463-86 | NUT SPACER, PLATE PLAIN - 14 FEB 1986 REVIEWER: IS ..... | A 5310 AS 11-FEB-87 AV | AS | 11 | | |
| MAS464-88 | BOLT SHEAR, CLOSE TOLERANCE - 17 NOV 88 ..... | A 5306 AS 09-MAR-89 AR | AS | 99 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. Status | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | NAS496-88 | BOLTS - INTERNAL WRENCHING - 19 SEP 88 | A | 5306 | AS | | 09-MAR-89 | AR | AS | 99 | |
| | | NAS498-80 | BOLT, SHEAR, 95 KSI FSU - 23 JAN 80 W/DOD EXCEPTIONS REVIEWER: IS | A | 5306 | AS | | 30-JAN-84 | | AS | 11 | |
| | | NAS500-73 | NUT SPACER, PLATE COUNTERSUNK - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8410] | A | 5310 | AS | | 15-SEP-78 | AV | AS | 11 | |
| | | NAS501-68 | BOLT, STABILIZED NON-MAGNETIC CORROSION RESISTANT STEEL - FEB 68 [VALIDATION DATE: 8204] | A | 5306 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS509-72 | NUT, DRILLED JAM - SEP 72 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] | A | 5310 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS513-61 | WASHER, ROD END LOCKING - DEC 61 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] | A | 5310 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS514-73 | SCREW, MACHINE, 100 DEG. FLAT HEAD, FULL THREADED, ALLOY STEEL - NOV 73 W/DOD EX. [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A | 5305 | AS | | 15-SEP-78 | AV | AS | 11 | |
| | | NAS516-76 | FITTING, LUBRICATION, 1/8 INCH DRIVE, FLASH TYPE - MAR 76 W/DOD EXCEPTIONS REVIEWER: 10 CS | A | 4730 | AS | | 25-FEB-80 | AV | AS | 11 | |
| | | NAS517-73 | SCREW, 100 DEG. CLOSE TOLERANCE FLAT HEAD, 160,000 PSI - NOV 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A | 5305 | AS | | 15-SEP-78 | AV | AS | 11 | |
| | | NAS518-61 | GAGE, 100 DEG., FLAT HEAD FLUSHNESS - DEC 61 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A | 5220 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS519-53 | GAGE, 100 DEG., FLAT HEAD STYLUS - MAR 53 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ME | A | MISC | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS520-53 | COUPLING, FLEXIBLE, LOW PRESSURE, 450 DEG, AIR LINE - 16 MAR 53 [VALIDATION DATE: 8404] | A | 4720 | CS | | 20-JUN-78 | | | 99 | |
| | | NAS521-53 | COUPLING, FLEXIBLE, LOW PRESSURE - 16 MAR 53 [VALIDATION DATE: 8404] | A | 4720 | CS | | 20-JUN-78 | | | 99 | |
| | | NAS522-53 | COUPLING, FLEXIBLE, LOW PRESSURE AIR LINE - 16 MAR 53 [VALIDATION DATE: 8404] | A | 4720 | CS | | 20-JUN-78 | | | 99 | |
| | | NAS526-62 | GAGE, STYLUS, FLUSHNESS FOR 100 DEGREES COUNTERSUNK FLUSH FASTENERS - MAR 62 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A | 5220 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS527-62 | INSPECTION PROCEDURE FOR FLUSH FASTENERS - MAR 62 [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A | 5220 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS528-64 | CONTROL, COLLAR ASSEMBLY, STEEL, WITH FLASH WELDED CLEVIS & THREADED ROD ENDS - JAN 64 [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A | 5320 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS529-80 | RIVET - FLAT HEAD, HI- SHEAR, CLOSE TOLERANCE SHANK - MAR 1980 REVIEWER: IS | A | 5320 | AS | | 11-FEB-87 | AV | AS | 11 | |
| | | NAS537-82 | BUSHING, SLEEVE, PRESS FIT, UNDERSIZE INSIDE DIAMETER - 30 SEP 82 REVIEWER: IS | A | 3120 | AS | | 20-MAY-83 | AV | AS | 11 | |
| | | NAS538-82 | BUSHING, FLANGED, PRESS FIT, UNDERSIZE INSIDE DIAMETER - 30 SEP 82 W/DOD EXCEPTIONS | A | 3120 | AS | | 20-MAY-83 | AV | AS | 11 | |
| | | NAS549-69 | WASHER, NONMETALLIC, INSULATING ELECTRICAL - 15 SEP 69 W/DOD EXCEPTIONS REVIEWER: IS | A | 5310 | AS | | 17-OCT-84 | | AS | 11 | |
| | | NAS551-81 | BOLT-UNIVERSAL FITTING -30 JUN 81 REVIEWER: 82 | A | 4730 | CS | | 06-FEB-86 | | | 99 | |
| | | NAS553-78 | ELBOW UNIVERSAL 15 DEG, 5 JUN 78 USER: AT OS REVIEWER: IS MC ME | A | 4730 | 82 | | 04-DEC-81 | | | 99 | |
| | | NAS557-68 | GROMMET, PLASTIC, SPLIT - FEB 68 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME MI | A | 9390 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS558-73 | KEY, SQUARE & RECTANGULAR - 30 NOV 73 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A | 5315 | AS | | 05-DEC-80 | AV | AS | 11 | |
| | | NAS559-79 | LOCK, ROD END (KEY TYPE) - 15 NOV 79 W/DOD EXCEPTIONS REVIEWER: 10 ER IS ME | A | 5340 | AS | | 30-JAN-84 | | AS | 11 | |
| | | NAS560-61 | SCREW, MACHINE, NON-MAGNETIC HIGH TEMPERATURE, STRUCTURAL, 100 DEG. FLUSH HEAD - AUG 61 [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A | 5305 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS562-73 | CAM FOLLOWER, NEEDLE BEARING, HIGH STRENGTH STUD - 31 DEC 73 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A | 3110 | AS | | 05-DEC-80 | AV | AS | 11 | |
| | | NAS577-83 | NUT, SELF LOCKING, BARREL, FLOATING, 108 KSI FTU - 4 MAY 83 W/DOD EXCEPTIONS REVIEWER: IS | A | 5310 | AS | | 30-JAN-84 | | AS | 11 | |
| | | NAS578-73 | RETAINER, FLOATING BARREL NUT - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A | 5310 | AS | | 15-SEP-78 | AV | AS | 11 | |
| | | NAS583THRUNAS590-84 | BOLT, 100 DEG. FLUSH HEAD, ALLOY STEEL, 160,000 PSI - 7 DEC 1984 REVIEWER: IS | A | 5305 | AS | | 29-MAY-86 | | AS | 11 | |
| | | NAS591-81 | COUPLING, RIGID TUBE CONNECTOR, ALUMINUM (JAN 81) USER: AR REVIEWER: 10 IS ME | A | 4730 | AS | | 05-FEB-88 | AV | AS | 99 | |
| | | NAS592-78 | RING-RIGID TUBE CONNECTOR, ALUMINUM - 5 JUN 78 REVIEWER: CS | A | 4730 | AS | | 03-APR-81 | AV | AS | 11 | |
| | | NAS593-78 | NUT, RIGID TUBE CONNECTOR, ALUMINUM - 5 JUN 78 [VALIDATION DATE: 8512] USER: 99 | A | 4730 | CS | | 08-AUG-79 | | | | CS |
| | | NAS594-81 | COUPLING, RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL (JAN 81) USER: AR REVIEWER: 10 IS ME | A | 4730 | AS | | 05-FEB-88 | AV | AS | 99 | |
| | | NAS595-78 | RING RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL - 5 JUN 78 [VALIDATION DATE: 8512] | A | 4730 | CS | | 21-NOV-79 | | AS | | |
| | | NAS596-81 | NUT, RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL (JAN-81) USER: AR REVIEWER: 10 IS ME | A | 4730 | AS | | 05-FEB-88 | AV | AS | 99 | |
| | | NAS597-81 | FITTING, RIGID TUBE CONNECTOR FLARED TUBE - JAN 81 [VALIDATION DATE: 8512] REVIEWER: CS IS ME | A | 4730 | AS | | 25-MAY-84 | AV | AS | | |
| | | NAS600THRUNAS606-74 | SCREW, MACHINE, AIRCRAFT, PAN HEAD, PHILLIPSRECESS, FULL THREAD, ALLOY STEEL - APR 74 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A | 5305 | AS | | 15-SEP-78 | AV | AS | 11 | |
| | | NAS607-75 | PIN, STRAIGHT, HEADLESS (DOWEL) - JUN 75 W/DOD EXCEPTION REVIEWER: 10 IS ME | A | 5315 | AS | | 05-DEC-80 | AV | AS | 11 | |
| | | NAS617-78 | PACKING, PERFORMED, STRAIGHT THREAD TUBE FITTING BOSS, SYNTHETIC LUBRICANT RESISTANT - 20 NOV 78 W/DOD EXCEPTION | A | 5330 | AS | | 30-JAN-84 | | AS | 11 | IS |
| | | NAS618-58 | FASTENER, RECOMMENDED SHANK, HOLE & HEAD TO SHANK FILLET RADIUS LIMITS FOR - JUN 58 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] | A | 5325 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS620-81 | WASHER, FLAT - REDUCED OUTSIDE DIAMETER - 30 JUN 81 W/DOD EXCEPTIONS REVIEWER: IS | A | 5310 | AS | | 30-JAN-84 | | | | |
| | | NAS621-73 | FASTENER TITANIUM ALLOY, PROCUREMENT SPECIFICATION - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A | 5306 | AS | | 15-SEP-78 | AV | | 11 | |
| | | NAS623-88 | SCREW, MACHINE, AIRCRAFT, PAN HEAD, CROSS RECESS, SHORT THREAD, 16,000 PSI ALLOY STEEL REV 7 - 8 JUL 88 | A | 5305 | AS | | 09-MAR-89 | AR | AS | 99 | |
| | | NAS652-81 | COUPLING, RIGID TUBE BULKHEAD CONNECTOR (81) USER: AR REVIEWER: 10 IS ME | A | 4730 | AS | | 05-FEB-88 | AV | AS | 99 | |
| | | NAS659-71 | BEARING ROD END, EXTERNAL THREAD, SELF ALIGNING, ANTI-FRICTION - 31 MAY 71 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A | 3110 | AS | | 05-DEC-80 | AV | AS | 11 | |
| | | NAS661-74 | BEARING, BALL AND ROLLER, ROD END, ANTI FRICTION, AIRFRAME W/DOD EXCEPTION - OCT 74 REVIEWER: 10 IS ME | A | 3110 | AS | | 05-DEC-80 | AV | AS | 11 | |
| | | NAS662-74 | SCREW, MACHINE, FLAT HEAD 100 DEG, PLAIN AND SELF LOCKING - APR 74 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A | 5305 | AS | | 15-SEP-80 | AV | AS | 11 | |
| | | NAS663THRUNAS668-70 | BOLT, 100 DEG FLUSH TENSION HEAD (HI-TORQUE) RECESS, LONG THREAD TITANIUM ALLOY - SEP 70 [VALIDATION DATE: 8312] REVIEWER: 10 ME | A | 5306 | AS | | 14-JUN-74 | AV | AS | 11 | |
| | | NAS671-81 | NUT,PLAIN, HEXAGON - SMALL PATTERN, NONSTRUCTURAL - 8 JUN 81 W/DOD EXCEPTIONS REVIEWER: IS | A | 5310 | AS | | 17-OCT-84 | | AS | 11 | |
| | | NAS673THRUNAS678-80 | BOLT, CLOSE TOLERANCE - HEXAGON HEAD, TITANIUM, .190 TO .500 - 25 JUN 80 W/DOD EXCEPTIONS - REV 6 [VALIDATION DATE: 8312] REVIEWER: IS | A | 5306 | AS | | 30-JAN-84 | | AS | 11 | |
| | | NAS696-74 | NUT, SELF LOCKING, PLATE-ON LUG, LOW HEIGHT C BORE, REDUCED REDUCED RIVET SPACING - 16 DEC 74 W/DOD EXCEPTION REVIEWER: 10 IS ME | A | 5310 | AS | | 05-DEC-80 | AV | AS | 11 | |
| | | NAS699-74 NOTICE 1 | NUT, CYLINDER LOCK -APR 74 W/DOD EXCEPTION REVIEWER: 10 IS ME | A | 5310 | AS | | 06-JUN-88 | AV | AS | 11 | |
| | | NAS823-80 | CAST SURFACE COMPARISON STANDARD REVIEWER: AV | A | 5220 | AS | | 30-APR-83 | | AS | | |
| A | | NAS855-81 | PACKAGING INDUSTRIAL STANDARD - 30 OCT 81 USER: 70 71 80 REVIEWER: AS MC SH | A | PACK | 69 | | 08-JUL-83 | | SA | 69 | DH |
| | | NAS1003THRUNAS1020-79 | BOLT MACHINE, HEXAGON HEAD, NON MAGNETIC & HEAT RESISTANT - 6 AUG 79 (W/DOD EXCEPTIONS) | A | 5306 | AS | | 30-JAN-84 | | AS | 11 | IS |
| | | NAS1023-87 | NUT, SELF-LOCKING, PLATE-TWO LUG, REGULAR HEIGHT, NON-CSK - 6 NOV 87 | A | 5310 | AS | | 09-MAR-89 | | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opn / Cnfl Coordination Inactive | Document Number | Document Title | Doc. Strd. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MAS1025-87 | NUT, SELF-LOCKING, PLATE-ONE LUG, REGULAR HEIGHT, NON-CSK - 6 NOV 87 ..... | A 5310 | AS 09-MAR-89 | AR | AS | 99 | |
| | | MAS1027-87 | NUT, SELF-LOCKING, PLATE-CORNER, REGULAR HEIGHT, NON-CSK - 6 NOV 87 ..... | A 5310 | AS 09-MAR-89 | AR | AS | 99 | |
| | | MAS1031-87 | NUT, SLEF-LOCKING, PLATE-TWO LUG, REGULAR HEIGHT, FLOATING - 6 NOV 87 ..... | A 5310 | AS 09-MAR-89 | AR | AS | 99 | |
| | | MAS1032-87 | NUT, SELF-LOCKING, PLATE-CORNER, REGULAR HEIGHT, NON-CSK, FLOATING - 6 NOV 87 | A 5310 | AS 09-MAR-89 | AR | AS | 99 | |
| | | MAS1034THRUMAS1038-87 | NUT, ASSEMBLY, SELF-LOCKING, GANG CHANNEL - REGULAR HEIGHT, NON-CSK - 6 NOV 87 W/DOD EXCEPTIONS | A 5310 | AS 09-MAR-89 | AV | AS | 99 | |
| | | MAS1042-78 | PIN, ROUND, SHACKLE-ANCHOR, FORGED CARBON STEEL, (FOR GROUND SUPPORT EQUIPMENT) REVIEWER: 10 IS ME | A 4030 | AS 05-DEC-80 | AV | AS | 11 | |
| | | MAS1054-72 | RIVET, PROTRUDING HEAD, HIGH-SHEER, SUP. MAS178 - DEC 72 (VALIDATION DATE: 8204) REVIEWER: 10 ER ME | A 5320 | AS 14-JUN-74 | AV | AS | 11 | |
| | | MAS1055-72 | RIVET, HI-SHEAR 100 DEG., FLUSH CLOSE TOLERANCE HEAD, SUP. MAS177 - DEC 72 W/DOD EXCEPTIONS (VALIDATION DATE: 8204) REVIEWER: 10 ER ME | A 5320 | AS 14-JUN-74 | AV | AS | 11 | |
| | | MAS1056-82 | SPACER, SLEEVE - RIVET, HIGH TEMPERATURE, NON MAGNETIC - 30 JUN 82 W/DOD EXCEPTIONS REVIEWER: TS | A 5365 | AS 20-JUN-83 | AV | AS | 11 | |
| | | MAS1057-82 | SPACER, SLEEVE - SCREW AND BOLT, HIGH TEMPERATURE, NON MAGNETIC - 30 JUN 82 W/DOD EXCEPTION REVIEWER: IS | A 5365 | AS 20-MAY-83 | AV | AS | 11 | |
| | | MAS1080-88 | COLLAR, *SHAGE LOCKING, FOR PULL TYPE & STUMP TYPE LOCK BOLTS -8* JUL 88 .... | A 5320 | AS 09-MAR-89 | AR | AS | 99 | |
| | | MAS1081-72 | SETSCREW SELF LOCKING - DEC 72 W/DOD EXCEPTIONS REVIEWER: 10 IS ME ..... | A 5305 | AS 05-DEC-80 | AV | AS | 11 | |
| | | MAS1091-88 | STREAMER ASSEMBLY, WARNING - 11 APR 88 ..... | A 8345 | AS 09-MAR-89 | AR | AS | 99 | |
| | | MAS1096-73 | SCREW HEXAGON HEAD, *RECESSED*, FULL THREAD - JUN 73 W/DOD EXCEPTION (VALIDATION DATE: 8403) REVIEWER: 10 IS ME | A 5305 | AS 15-SEP-78 | AV | AS | 11 | |
| | | MAS1097-88 | RIVET, SOLID, 100 DEGREE FLUSH SHEAR HEAD, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY - 8 JUL 88 | A 5320 | AS 09-MAR-89 | AR | AS | 99 | |
| | | MAS1101-86 | SCREW, MACHINE - FLAT FILLISTER HEAD, FULL THREAD TORQ SET - 15 MAY 1986 REVIEWER: IS | A 5305 | AS 11-FEB-87 | AV | AS | 11 | |
| | | MAS1102-86 | SCREW, MACHINE - FLAT 100 DEGREE HEAD, FULL THREAD TORQ SET - 15 MAY 86 REVIEWER: IS | A 5305 | AS 11-FEB-87 | AV | AS | 11 | |
| | | MAS1121THRUMAS1128-88 | SCREW, MACHINE - FLAT FILLISTER HEAD, CLOSE TOL, SHORT THD, TORQUE SET - 22 FEB 88 | A 5305 | AS 09-MAR-89 | AR | AS | 99 | |
| A | | MAS1149 | WASHER, FLAT REVIEWER 92 AV ..... | A 5310 * | AS 06-AUG-92 | AR | AS | 99 | |
| | | NOTICE 1 | | | | | | | |
| | | MAS1161THRUMAS1168-86 | SCREW, SELF-LOCKING FLAT 100 DEG HEAD, SHEARTORQ SET 15 MAY 86 ..... | A 5305 | AS 11-FEB-87 | AV | AS | 11 | |
| | | MAS1169-83 | WASHER, DIMPLED, 100 DEG - 15 JUN 83 W/DOD EXCEPTIONS REVIEWER: IS ..... | A 5310 | AS 30-JAN-84 | | AS | 11 | |
| | | MAS1171THRUMAS1178-86 | SCREW, SELF-LOCKING-PAN HEAD, SHEAR TORQ SET15 MAY 86 REVIEWER: IS ..... | A 5305 | AS 11-FEB-87 | AV | AS | 11 | |
| | | MAS1189-82 | SCREW, SELF LOCKING, FLAT, 100 DEG. HEAD, FULL THREAD - 28 MAY 82 W/DOD EXCEPTIONS REVIEWER: IS | A 5305 | AS 20-MAY-83 | AV | AS | 11 | |
| | | MAS1191-86 | SCREW, SELF-LOCKING - FLAT FILLISTER HEAD, FULL THREAD - 15 MAY 86 REVIEWER: IS | A 5305 | AS 11-FEB-87 | AV | AS | 11 | |
| | | MAS1193-78 | LOCKING DEVICE, POSITIVE INDEX - 17 MAR 78 W/DOD EXCEPTIONS REVIEWER: IS .. | A 5340 | AS 30-JAN-84 | | AS | 11 | |
| | | MAS1195-63 | SHIM, MINIATURE ANCHOR NUT - APR 63 W/DOD EXCEPTIONS (VALIDATION DATE: 8204) REVIEWER: 10 ER ME | A 5365 | AS 14-JUN-74 | AV | AS | 11 | |
| | | MAS1197-78 | WASHER, 5052 ALUMINUM ALLOY - 20 NOV 78 W/DOD EXCEPTIONS REVIEWER: IS ..... | A 5310 | AS 30-JAN-84 | | AS | 11 | |
| | | MAS1198-67 | RIVET, SOLID, UNIVERSAL HEAD, A286 CORROSION RESISTANT STEEL - SEP 67 (VALIDATION DATE: 8204) REVIEWER: 10 ER ME | A 5320 | AS 14-JUN-74 | AV | AS | 11 | |
| | | MAS1199-67 | RIVET, SOLID, 100 DEG. FLUSH HEAD, A286 CORROSION RESISTANT STEEL - SEP 67 W/DOD EXCEPTIONS (VALIDATION DATE: 8204) REVIEWER: 10 ER ME | A 5320 | AS 14-JUN-74 | AV | AS | 11 | |
| | | MAS1200-78 | RIVET, SOLID, 100 DEG, FLUSH SHEAR HEAD A286 CORROSION RESISTANT STEEL AND MONEL - 13 NOV 78 W/DOD EXCEPTIONS REVIEWER: IS | A 5320 | AS 30-JAN-84 | | AS | 11 | |
| | | MAS1201-83 | CHAIN - BEAD COMPONENTS AND ASSEMBLY - 17 JAN 83 W/DOD EXCEPTIONS REVIEWER: IS | A 4010 | AS 20-MAY-83 | AV | AS | 11 | |
| | | MAS1211-61 | FITTING, TIE DOWN STRAP END - JUN 61 W/DOD EXCEPTIONS REVIEWER: 10 IS ME .. | A 5340 | AS 05-DEC-80 | AV | AS | 11 | |
| | | MAS1216-86 | SCREW, PAN HEAD "(I-TORQ RECESS, FULL THREADSELF-LOCKING OPTIONAL 15 MAY 86 REVIEWER: IS | A 5305 | AS 11-FEB-87 | AV | AS | 11 | |
| | | MAS1218-85 | BOLT, PAN HEAD, SELF-LOCKING OPTIONAL - 31 JAN 1985 REVIEWER: IS ..... | A 5305 | AS 29-MAY-86 | | AS | 11 | |
| | | MAS1219-77 | SCREW, 100 DEG, FLUSH HEAD, HI-TORQUE RECESS REVIEWER: IS ..... | A 5305 | AS 30-JAN-84 | AV | AS | 11 | |
| | | MAS1221-85 | BOLT, 100 DEG, FLUSH HEAD, SELF-LOCKING - 31JAN 1985 REVIEWER: IS ..... | A 5305 | AS 29-MAY-86 | | AS | 11 | |
| | | MAS1223THRUMAS1235-74 | BOLT, SHEAR, HEXAGON HEAD, SELF LOCKING - MAY 74 W/DOD EXCEPTIONS (VALIDATION DATE: 8403) REVIEWER: 10 IS ME | A 5306 | AS 15-SEP-78 | AV | AS | 11 | |
| | | MAS1237-69 | ELBOW - UNIVERSAL 90 DEG. - FLARELESS - 30 AUG 69 (VALIDATION DATE: 8512) . | A 4730 | CS 17-SEP-79 | | | | |
| | | MAS1240-69 | TEE UNIVERSAL FLARELESS (INACTIVE FOR DESIGN AFTER 8/30/69) - 30 AUG 69) (VALIDATION DATE: 8512) | A 4730 | CS 21-NOV-79 | | AS | | |
| | | MAS1252-84 | WASHER - 7075 ALUMINUMALLOY FLAT - 7 DEC 19 84 REVIEWER: IS ..... | A 5310 | AS 29-MAY-86 | | AS | 11 | |
| | | MAS1261THRUMAS1265-88 | BOLT, HEX HEAD, CLOSE TOLERANCE, SHORT THREAD, TITAN JUM ALLOY - 17 NOV 88 | A 5306 | AS 09-MAR-89 | AV | AS | 99 | |
| | | MAS1266THRUMAS1270-88 | BOLT, HEX HEAD, CLOSE TOLERANCE, TITANIUM ALLOY - 17 NOV 88 ..... | A 5306 | AS 09-MAR-89 | AR | AS | 99 | |
| | | MAS1271THRUMAS1280-82 | BOLT, TWELVE POINT, EXTERNAL WRENCHING, TITANIUM ALLOY (REV-3) - 1 MAR 82 REVIEWER: IS | A 5306 | AS 20-MAY-83 | AV | AS | 11 | |
| | | MAS1281-75 | HOOK SNAP, SPRING - SEP 75 REVIEWER: 10 IS ME ..... | A 5340 | AS 05-DEC-80 | AV | AS | 11 | |
| | | MAS1297-75 | BOLT, SHOULDER - HEXAGON HEAD - 15 SEP 75 W/DOD EXCEPTIONS REVIEWER: IS ... | A 5306 | AS 30-JAN-84 | | AS | 11 | |
| | | MAS1299-75 | SCREW - 100 DEG. FLAT HEAD, SHOULDER - 15 SEP 75 W/DOD EXCEPTIONS REVIEWER: IS | A 5305 | AS 30-JAN-84 | | AS | 11 | |
| | | MAS1300-75 | THUMBSCREW - 15 SEP 75 W/DOD EXCEPTIONS REVIEWER: 10 IS ME ..... | A 5305 | AS 05-DEC-80 | AV | AS | 11 | |
| | | MAS1301-75R82 | SCREW, PAN HEAD, ASSEMBLED WASHERS - 15 SEP 75 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A 5305 | AS 20-MAY-83 | AV | AS | 11 | |
| | | MAS1303THRUMAS1320-81 | BOLT, SHEAR, HEXAGON HEAD - 30 OCT 81 W/DODEXCEPTIONS REV 10 (INACTIVE FOR NEW DESIGN AFTER OCT 30 81) REVIEWER: IS | A 5306 | AS 06-JUL-83 | | AS | 11 | |
| | | MAS1321-85 | RIVET, SLUG, SLEEVELESS - 31 OCT 1985 REVIEWER: IS ..... | A 5320 | AS 11-FEB-87 | AV | AS | 11 | |
| | | MAS1329-88 | NUT, BLIND RIVET FLATHEAD, INTERNAL THREAD, NON LOCKING (FREE RUNNING) OR SELF LOCKING (PREVAILING TORQUE) - 8 JUL 88 | A 5310 | AS 09-MAR-89 | AR | AS | 99 | |
| | | MAS1330-88 | NUT, BLIND RIVET, COUNTERSUNK HEAD, INTERNAL THREAD, NON LOCKING (FREE RUNNING) OR SELF LOCKING (PREVAILING TORQUE) - 8 JUL 88 W/DOD EXCEPTIONS | A 5310 | AS 09-MAR-89 | AV | AS | 99 | |
| | | MAS1347-59 | FASTENERS, IDENTIFICATION OF - JUL 59 (VALIDATION DATE: 8405) REVIEWER: IS | A 53GP | 82 15-DEC-77 | AV | AS | 11 | |
| | | MAS1351-83 | SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF LOCKING, ALLOY STEEL AND CORRISION RESISTING STEEL, UNRF-3A - 17 JAN 83 REVIEWER: IS | A 5305 | AS 20-MAY-83 | AV | AS | 11 | |
| | | MAS1352-83 | SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF LOCKING, ALLOY STEEL AND CORROSION RESISTING STEEL, UNRC-3A - 17 JAN 83 REVIEWER: IS | A 5305 | AS 20-MAY-83 | | AS | 11 | |
| | | MAS1368-88 | GROMMET, PLASTIC, FLIP TYPE - 17 NOV 1988 W/DOD EXCEPTION ..... | A 5325 | AS 09-MAR-89 | AR | AS | 99 | |
| | | MAS1369-72 | DUCT, AIR, FLEXIBLE AND SEMI-RIGID - 30 JUN 72 (VALIDATION DATE: 8411) .... | A 4720 | CS 11-JUL-78 | | | | |
| | | MAS1370THRUMAS1379-61 | DUCT, AIR, FLEXIBLE, HELIX WIRE SUPPORTED - 15 AUG 61 (VALIDATION DATE: 8411) | A 4720 | CS 11-JUL-78 | | | | |
| | | MAS1382-77 | FITTING, TIE DOWN STRAP END (LIGHT DUTY - 15 MAR 1977 (REAFFIRMED 4 MAY 1983) REVIEWER: IS | A 5340 | AS 17-OCT-84 | | AS | 11 | |
| | | MAS1383-77 | STRAP ASSEMBLY, TWO PART ADJUSTABLE - 15 MAR 77 W/DOD EXCEPTIONS ..... | A 5340 | AS 05-DEC-80 | AV | AS | 11 | |
| | | MAS1398-84 | RIVET - BLIND, PROTRUDING HEAD, LOCKED SPINDLE - 31 AUG 84 W/DOD EXCEPTIONS REVIEWER: IS | A 5320 | AS 29-MAY-86 | | AS | 11 | |
| | | MAS1399-84 | RIVET - BLIND, 100 DEG, FLUSH HEAD, LOCKED SPINDLE - 31 AUG 1984 REVIEWER: IS | A 5320 | AS 29-MAY-86 | | AS | 11 | |
| | | MAS1400-72 | RIVET, BLIND, SELF PLUGGING, MECHANICALLY LOCKED SPINDLE - DEC 72 W/DOD EXCEPTIONS (VALIDATION DATE: 8403) | A 5320 | AS 15-SEP-78 | AV | AS | 11 | |
| | | MAS1401-80 | WASHER, RADIUS - 7 NOV 80 W/DOD EXCEPTIONS REVIEWER: IS ..... | A 5310 | AS 30-JAN-84 | | AS | 11 | |
| | | MAS1402THRUMAS1406-81 | SCREW, MACHINE, AIRCRAFT, PAN HEAD, PHILLIPS RECESS, 160,000 PSI TENSILE - 30 DEC 81 (W/DOD EXCEPTIONS) | A 5305 | AS 06-JUL-83 | | AS | 11 | IS |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Date Coordination Inactive | Document Number | Document Title | Dist. Symbol FSC / Area MICA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MAS1410-67 | NUT, UNIVERSAL PORT FITTING - NOV 67 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A 5310 AS | 15-SEP-78 AV | AS | 11 | | | |
| | | MAS1412-88 | GASKET, SEALING, CUSTOM DESIGN - 11 APR 88 ..... | A 5330 AS | 09-MAR-89 AR | AS | 99 | | | |
| | | MAS1413-85 | PINS & COLLARS, SWAGE LOCKING - 15 AUG 1985 REVIEWER: IS ..... | A 5320 AS | 11-FEB-87 AV | AS | 11 | | | |
| | | MAS1414THRUMAS1422-88 | PIN, SWAGE LOCKING, STEEL 100 DEG. SHEAR HEAD, STUMP TYPE - 8 JUL 1988 W/DOD EXCEPTION | A 5320 AS | 09-MAR-89 AR | AS | 99 | | | |
| | | MAS1423-72 | NUT, PLAIN, HEXAGON, DRILLED JAN, THIN - SEP 72 [VALIDATION DATE: 8204] REVIEWER: 10 ME | A 5310 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1424THRUMAS1432-88 | PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, SHEAR, STUMP TYPE - 8 JUL 1988 W/DOD EXCEPTION | A 5320 AS | 09-MAR-89 AR | AS | 99 | | | |
| | | MAS1435-80 | TERMINAL, STRAP, CABLE, EYE END AND FORK EYE - JULY 1980 REVIEWER: IS ..... | A 4030 AS | 17-OCT-84 | AS | 11 | | | |
| | | MAS1436THRUMAS1442 | PIN, SWAGE LOCKING, STEEL, STANDARD & OVERSIZE, 100 DEG. SHEAR HEAD, PULL TYPE - OCT 73 W/DOD EXCEPTIONS (SEE MAS 7024 THRU 7032) [VALIDATION DATE: 8410] | A 5320 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1443-71 | LOCKWASHER, BEARING, RETAINING - MAR 71 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A 3120 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1446THRUMAS1452 | PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, SHEAR, PULL TYPE (USE MAS 7034 THRU 7042) [VALIDATION DATE: 8410] | A 5320 AS | 30-OCT-63 AR | SH | 11 | | | |
| | | MAS1453-65 | EYELET, METALLIC, ELECTRICAL, PRINTED CIRCUIT BOARD, FUNNEL TYPE - DEC 65 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A 5325 AS | 05-DEC-80 AV | AS | 11 | | | |
| | | MAS1456THRUMAS1462-73 | PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100 DEG. HEAD (MS24694), TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A 5320 AS | 15-SEP-78 AV | AS | 11 | | | |
| | | MAS1463-60 | CLIP, SPRING TENSION - W/DOD EXCEPTION - JUL 60 ..... | A 5340 AS | 05-DEC-80 AV | AS | 11 | | | |
| | | MAS1464-82 | CLIP, SPRING TENSION -30 AUG 82 W/DOD EXCEPTIONS ..... | A 5340 AS | 20-MAY-83 | AS | 11 | | | |
| | | MAS1465THRUMAS1472-73 | PIN, SWAG LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A 5320 AS | 15-SEP-78 AV | AS | 11 | | | |
| | | MAS1473-81 | NUT, SELF LOCKING, PLATE TWO LUG, CAP, FLOATING - 8 JUN 81 W/DOD EXCEPTIONS REVIEWER: IS | A 5310 AS | 17-OCT-84 | AS | 11 | | | |
| | | MAS1474-81 | NUT, SELF LOCKING, PLATE TWO LUG, CAP, FLOATING, REDUCED RIVET SPACING - 8 JUN 81 W/DOD EXCEPTIONS REVIEWER: IS | A 5310 AS | 17-OCT-84 | AS | 11 | | | |
| | | MAS1475THRUMAS1482-73 | PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100 DEG. HEAD (MS20426), TENSON, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A 5320 AS | 15-SEP-78 | AS | 11 | | | |
| | | MAS1486THRUMAS1492-88 | PIN, SWAGE LOCKING, STEEL, 100 DEG. HEAD (MS24694) TENSION, STUMP TYPE- 8 JUL 1988 W/DOD EXCEPTION | A 5320 AS | 09-MAR-89 AR | AS | 99 | | | |
| | | MAS1493-71 | LOCKNUT, BEARING, RETAINING - MAR 71 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] | A 3120 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1496THRUMAS1502-88 | PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, TENSION, STUMP-TYPE - 8 JUL 1988 W/DOD EXCEPTION | A 5320 AS | 09-MAR-89 AR | AS | 99 | | | |
| A | | MAS1514-72 | WELD DISCONTINUITIES, RADIOGRAPHIC STANDARD FOR CLASSIFICATION OF FUSION - 30 JUN 72 USER: AT MI OS REVIEWER: 85 99 AR AV | A 3439 AS | 22-APR-85 MR | AS | 11 | | | |
| | | MAS1515-83 | WASHERS - PLASTIC AND SYNTHETIC RUBBER - 15 JUN 83 ..... | A 5310 AS | 20-MAY-83 AV | AS | 11 | | | |
| | | MAS1516THRUMAS1522-73 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS24694), TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A 5320 AS | 30-JAN-84 AV | AS | 11 | | | |
| | | MAS1523-77 | PACKING WITH RETAINER - 15 SEP 77 W/DOD EXCEPTIONS REVIEWER: IS ..... | A 5330 AS | 30-JAN-84 | AS | 11 | | | |
| | | MAS1525THRUMAS1532-73 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, PROTRUDING HEAD, TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A 5320 AS | 15-SEP-78 AV | AS | 11 | | | |
| | | MAS1535THRUMAS1542-73 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS20426) TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A 5320 AS | 15-SEP-78 AV | AS | 11 | | | |
| | | MAS1546THRUMAS1552-73 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS24694), TENSION, STUMP TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A 5320 AS | 15-SEP-78 AV | AS | 11 | | | |
| | | MAS1553-74 | KNOB, HAND, GROUND SUPPORT EQUIPMENT - JUL 74 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A 5355 AS | 05-DEC-80 AV | AS | 11 | | | |
| | | MAS1554-88 | GROMMET, TEFLON - SPLIT - APRIL 88 ..... | A 5325 AS | 09-MAR-89 AR | AS | 99 | | | |
| | | MAS1555THRUMAS1562-88 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, PRUTRUDING HEAD, TENSION, STUMP- TYPE - 8 JUL 88 | A 5320 AS | 09-MAR-89 AR | AS | 99 | | | |
| | | MAS1563-88 | GAGE, PINS AND COLLAR INSPECTION, SWAGE LOCKING - 8 JUL 1988 ..... | A 5325 AS | 09-MAR-89 AR | AS | 99 | | | |
| | | MAS1564-79 | REDUCER, FLARED TUBE - 6 AUG 79 [VALIDATION DATE: 8512] ..... | A 4730 CS | 15-SEP-80 | | | | | |
| | | MAS1578-83 | BOLT, FLAT PAN HEAD - 15 FEB 83 W/DOD EXCEPTIONS ..... | A 5306 AS | 20-MAY-83 AV | AS | 11 | IS | | |
| | | MAS1579-71 | BOLT, FLAT PAN HEAD, FULL THREAD - SEP 71 W/DOD EXCEPTIONS [VALIDATION DATE: 8205] REVIEWER: 10 ER ME | A 5306 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1580-82 | BOLT, 100 DEG, FLUSH REDUCED HEAD - 28 MAY 82 REVIEWER: IS ..... | A 5306 AS | 20-MAY-83 AV | AS | 11 | | | |
| | | MAS1581-82 | BOLT, 100 DEG, FLUSH REDUCED HEAD - 28 MAY 82 REVIEWER: IS ..... | A 5306 AS | 20-MAY-83 | AS | 11 | | | |
| | | MAS1582-71 | BOLT, 100 DEG, FLUSH TENSION HEAD FULL THREAD - SEP 71 [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A 5306 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1583-63 | PIN, 100 DEGREES, COUNTERSUNK HEAD, HI-SHEAR RIVET, CLOSE TOLERANCE, 1200 DEGREES F - FEB 63 [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A 5320 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1584-63 | PIN, FLAT HEAD, HI-SHEAR RIVET, CLOSE TOLERANCE, 1200 DEGREES F - FEB 63 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME | A 5320 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1585-63 | COLLAR, HI-SHEAR RIVET, 1200 DEGREES F - FEB 63 [VALIDATION DATE: 8205] REVIEWER: 10 ER ME | A 5320 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1587-73 | WASHER, PLAIN AND COUNTERSUNK 1200 DEG - SEP 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8404] REVIEWER: 10 IS ME | A 5310 AS | 15-SEP-78 AV | AS | 11 | | | |
| | | MAS1590-81 | PIN, HI-SHEAR RIVET, 120 DEG F, PROCUREMENT SPECIFICATION FOR W/DOD EXCEPTIONS REVIEWER: IS | A 5320 AS | 06-JUL-83 | AS | 11 | | | |
| | | MAS1598-74 | WASHER SEALING - JUL 74 W/DOD EXCEPTIONS [VALIDATION DATE: 8404] ..... | A 5310 AS | 15-SEP-78 AV | AS | 11 | | | |
| | | MAS1603THRUMAS1610-77 | BOLT, 100 DEG FLUSH HEAS, 0312 OVERSIZE, ALLOY STEEL, 160,000 PSI - 30 MAR 77 REVIEWER: IS | A 5306 AS | 17-OCT-84 | AS | 11 | | | |
| | | MAS1635-71 | SCREW, PAN HEAD, CROSS RECESSED, FULL THREAD - MAY 71 [VALIDATION DATE: 8205] REVIEWER: 10 ER ME | A 5305 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1636-63 | WASHER, KEY, DUAL TAB - JUN 63 W/DOD EXCEPTIONS [VALIDATION DATE: 8205] REVIEWER: 10 ER ME | A 5310 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1669-83 | FASTENER BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF LOCKING - 7 SEP 83 (W/DOD EXCEPTIONS) REVIEWER: IS | A 5325 AS | 30-JAN-84 | AS | 11 | | | |
| | | MAS1670-83 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, FLUSH HEAD, SELF LOCKING - 7 SEP 83 REVIEWER: IS | A 5325 AS | 30-JAN-84 | AS | 11 | | | |
| | | MAS1671-83 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, PROTRUDING HEAD, SELF LOCKING - 7 SEP 83 REVIEWER: IS | A 5325 AS | 30-JAN-84 | AS | 11 | | | |
| | | MAS1672-83 | FASTENER BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, FLUSH HEAD, SELF LOCKING - 7 SEP 83 (W/DOD EXCEPTIONS) REVIEWER: IS | A 5325 AS | 30-JAN-84 | AS | 11 | | | |
| | | MAS1673-83 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, PROTRUDING HEAD, SELF LOCKING - 7 SEP 83 REVIEWER: IS | A 5325 AS | 30-JAN-84 | AS | 11 | | | |
| | | MAS1674-83 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, MILLABLE HEAD, SELF LOCKING - 7 SEP 83 REVIEWER: IS | A 5325 AS | 17-OCT-84 | AS | 11 | | | |
| | | MAS1675-72 | FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE - JUN 72 [VALIDATION DATE: 8205] REVIEWER: 10 ER ME | A 5325 AS | 14-JUN-74 AV | AS | 11 | | | |
| | | MAS1677-72 | STRAP, RETAINING CUSHIONED, RECTANGULAR, TWO PIECE - SEP 72 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A 5340 AS | 05-DEC-80 AV | AS | 11 | | | |
| D | | MAS1686-87 | RIVET, BLIND, ALUMINUM SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED - DEC 87 REVIEWER: AV MI | A 5320 IS | 26-SEP-89 AR | | 99 | IS | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. | Cat. | Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | | MAS1687-87 | RIVET, BLIND, MONEL AND INCONEL SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED - DEC 87 REVIEWER: AV MI | A | 5320 | IS | AR | 26-SEP-89 | | 82 | IS |
| | | | | MAS1688-64 | HOSE ASSEMBLY TETRAFLUOROETHYLENE - NOV 64 [VALIDATION DATE: 8404] ..... | A | 4720 | CS | | 11-JUL-78 | | | | |
| | | | | MAS1690-64 | HOSE ASSEMBLY, POLYTETRAFLUOROTHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARED - 1 NOV 64 [VALIDATION DATE: 8511] REVIEWER: ME | A | 4720 | CS | | 19-MAY-81 | | | | |
| | | | | MAS1691-64 | HOSE ASSEMBLY, POLYTETRAFLUORDETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARELESS - NOV 64 [VALIDATION DATE: 8411] REVIEWER: ME | A | 4720 | CS | | 15-SEP-80 | | | | |
| | | | | MAS1699-83 | FASTENER - BLIND, INTERNALL THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF LOCKING REVIEWER: IS | A | 5325 | AS | | 30-JAN-84 | | AS | 11 | |
| | | | | MAS1712-68 | CLAMP, LOUP CUSHIONED, RECTANGULAR - DEC 68 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A | 5340 | AS | AV | 05-DEC-80 | | AS | 11 | |
| | | | | MAS1713-68 | CLAMP, LOOP CUSHIONED, CENTER MOUNTING - DEC 1968 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A | 5340 | AS | AV | 05-DEC-80 | | AS | 11 | |
| | | | | MAS1726-82 | NUT, SELF LOCKING, CAPTIVE WASHER, SHEAR TYPE, 450 DEG. F AND 800 DEG. F - 1 NOV 82 REVIEWER: IS | A | 5310 | AS | AV | 20-MAY-83 | | AS | 11 | |
| | | | | MAS1727-73 | NUT, WASHER, SELF ALIGNING, 450 DEGREES F & 800 DEGREES F - SEP 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A | 5310 | AS | AV | 15-SEP-78 | | AS | 11 | |
| | | | | MAS1731-74 | NUT, BLIND, SERRATED HEAD, SELF LOCKING, 450 DEG. F - JUL 74 W/DOD EXCEPTIONS [VALIDATION DATE: 8404] REVIEWER: 10 IS ME | A | 5310 | AS | AV | 15-SEP-78 | | AS | 11 | |
| | | | | MAS1735-89 | NUT, BLIND, ELLIPTICALHEAD, SELF-LOCKING, CLOSED END, 450 DEGREE F- 15 FEB 83 REVIEWER: 10 ER ME | A | 5310 | AS | AV | 30-JUN-89 | | AS | 99 | |
| | | | | MAS1738-78 | RIVET - BLIND PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - 17 APR 78 W/DOD EXCEPTIONS REVIEWER: IS | A | 5320 | AS | | 30-JAN-84 | | AS | 11 | |
| | | | | MAS1739-78 | RIVET - BLIND 100 DEG FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - 17 APR 78 W/DOD EXCEPTIONS REVIEWER: IS | A | 5320 | AS | | 30-JAN-84 | | AS | 11 | |
| | | | | MAS1740-83 | RIVET, BLIND, SELF PLUGGING, MECHANICALLY LOCKED SPINDLE, BULBED - AUG 83 W/DOD EXCEPTIONS [VALIDATION DATE: 8509] REVIEWER: 10 IS ME | A | 5320 | AS | | 15-SEP-78 | | AS | 11 | |
| | | | | MAS1760-76 | FITTING END, FLARELESS ACORN, STANDARDS DIMENSIONS FOR REVIEWER: CS ..... | A | 4730 | AS | AV | 03-APR-68 | | AS | 11 | |
| | | | | MAS1761-81 | ELBOW, REDUCER, 45 DEG., FLARELESS TUBE TO SWIVEL - JAN 81 ..... | A | 4730 | CS | AV | 25-MAY-84 | | AS | | |
| | | | | MAS1762-81 | ELBOW REDUCER, 90 DEG., FLARELESS TUBE TO SWIVEL - 8 JUN 81 ..... | A | 4730 | AS | AV | 25-MAY-84 | | AS | | |
| | | | | MAS1763-81 | TEE, REDUCER, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN - 8 JUN 81 [VALIDATION DATE: 8512] REVIEWER: CS IS ME | A | 4730 | AS | AV | 25-MAY-84 | | AS | | |
| | | | | MAS1764-81 | TEE, REDUCING, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN - 8 JUN 81 ..... | A | 4730 | AS | AV | 25-MAY-84 | | AS | | |
| | | | | MAS1765-73R82 | NUT, SELF ALIGNING, SELF LOCKING, PLATE - TWO LUG, FLOATING, 125 KSI FTU, 450 DEG. F & 800 DEG. F - MAY 73 REVIEWER: IS | A | 5310 | AS | AV | 20-MAY-83 | | AS | 11 | |
| | | | | MAS1766-73R82 | NUT, SELF LOCKING, PLATE - CORNER, COUNTERBORED, FLOATING, 125 KSI FTU, 450 DEG. F & 800 DEG. F - MAY 73 REVIEWER: IS | A | 5310 | AS | AV | 20-MAY-83 | | AS | 11 | |
| | | | | MAS1767-77 | BOLT, CLOSE TOLERANCE, 100 DEG, REDUCED HEAD, .HI TORQUE, RECESS - W/DOD EXCEPTION - MAR 77 REVIEWER: 10 IS ME | A | 5305 | AS | AV | 05-DEC-80 | | AS | 11 | |
| | | | | MAS1768-85 | RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - 11 APR 85 W/DOD EXCEPTIONS REVIEWER: IS | A | 5320 | AS | | 29-MAY-86 | | AS | 11 | |
| | | | | MAS1769-85 | RIVET-BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - 11 APR 85 W/DODEXCEPTIONS REVIEWER: IS | A | 5320 | AS | | 29-MAY-86 | | AS | 11 | |
| | | | | MAS1786 | POST, ELECTRICAL MECHANICAL EQUIPMENT - DEC 1974 W/DOD EXCEPTIONS ..... | A | 5340 | AS | AV | 05-DEC-80 | AV | AS | 11 | |
| | | | | MAS1789-75 | NUT, SELF LOCKING, PLATE, SIDE BY SIDE, FLOATING, LOW HEIGHT, REDUCED RIVET SPACING, C. BORED, 160 KSI, 450 DEG. F, 800 DEG. F - MAR 75 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A | 5310 | AS | AV | 15-SEP-78 | AV | AS | 11 | |
| | | | | MAS1791-78 | *NUT, SELF LOCKING, PLATE TWO LUG, FLOATING VARIABLE, COUNTERBORE,* REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 DEG F & 800 DEG F - (NOV 78 REVIEWER: IS | A | 5310 | AS | | 17-OCT-84 | | AS | 11 | |
| | | | | MAS1792-78 | NUT, SELF - LOCKING, PLATE - ONE LUG, FLOATING, VARIABLE COUNTERBORE, *REPLACEMENT NUT ELEMENT*, 125 KSI FTU, 450 DEGREES F & 800 DEGREES F - NOV 78 REVIEWER: IS | A | 5310 | AS | | 17-OCT-84 | | AS | 11 | |
| | | | | MAS1793-78 | NUT, SELF LOCKING, PLATE CORNER, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 DEG F & 800 DEG F - NOV 78 REVIEWER: IS | A | 5310 | AS | | 17-OCT-84 | | AS | 11 | |
| | | | | MAS1794-78 | NUT, SELF LOCKING, COUNTERBORE, REPLACEABLE ELEMENT - NOV 78 REVIEWER: IS . | A | 5310 | AS | | 17-OCT-84 | | AS | 11 | |
| | | | | MAS1795-78 | CLIP RETAINING REPLACEABLE NUT PLATE - NOV 78 REVIEWER: IS ..... | A | 5310 | AS | | 17-OCT-84 | | AS | 11 | |
| | | | | MAS1801-77 | SCREW, HEX HEAD, PHILLIPS RECESS, FULL THREAD, ALLOY STEEL, 160,000 PSI TENSILE - W/DOD EXCEPTION - MAR 77 REVIEWER: 10 IS ME | A | 5305 | AS | AV | 05-DEC-80 | AV | AS | 11 | |
| | | | | MAS1802-77 | SCREW, HEX HEAD, PHILLIPS RECESS, FULL THREAD, A-286 CRES, 160,000 PSI TENSILE - MAR 77 W/DOD EXCEPTIONS REVIEWER: 10 IS ME | A | 5305 | AS | AV | 05-DEC-80 | AV | AS | 11 | |
| | | | | MAS1803-77 | NUT, PLATE, SELF LOCKING, FLOATING, SPRING LOADED W/DOD EXCEPTIONS - MAR 77 | A | 5310 | AS | AV | 20-MAY-83 | AV | AS | 11 | IS |
| | | | | MAS1806THRUMAS1816-57 | RIVET, HI-SHEAR, FLAT HEAD, INTERFERENCE FIT, TITANIUM ALLOY - SEP 57 W/DOD EXCEPTIONS [VALIDATION DATE: 8503] | A | MISC | AS | AV | 14-JUN-74 | AV | AS | 11 | |
| | | | | MAS1832-81 | INSERT, MOLDED IN, BLIND THREAD, SELF-LOCKING, NONSELF-LOCKING, SANDWICH PANEL - 30 OCT 81 | A | 5340 | AS | AR | 09-MAR-89 | AR | AS | 99 | |
| | | | | MAS1833-81 | INSERT, MOLDED IN, THRU THREADED, SELF LOCKING, NON SELF LOCKING, SANDWICH PANEL - 30 OCT 81 | A | 5340 | AS | AR | 09-MAR-89 | AR | AS | 99 | |
| | | | | MAS1834-81 | INSERT, MOLDED IN, CSK AND THRU CLEARANCE HOLE, SANDWICH PANEL REV 2 - 30 OCT 81 | A | 5340 | AS | AR | 09-SEP-89 | AR | AS | 99 | |
| | | | | MAS1835-81 | INSERT, MOLDED IN, BLIND THREADED, SELF LOCKING NONSELF LOCKING, FLOTING, SANDWICH PANEL - 30 OCT 81 | A | 5340 | AS | AR | 09-MAR-89 | AR | AS | 99 | |
| | | | | MAS1836-81 | INSERT, MOLDED IN, BLIND THREADED, SELF LOCKING, NONSELF-LOCKING, LIGHTWEIGHT, SANDWICH PANEL- 30 OCT 81 | A | 5340 | AS | AR | 09-MAR-89 | AR | AS | 99 | |
| | | | | MAS1837-81 | INSTALLATION TAB AND ALIGNMENT TOOL FOR NAS 1832, NAS 1833, NAS 1834, NAS 1835 AND NAS 1836 MOLDED IN INSERT - 30 OCT 1981 | A | 5120 | AS | AR | 09-MAR-89 | AR | AS | 99 | |
| | | | | MAS1870-71 | NUT, SELF LOCKING, PLATE TWO LUG, DEEP COUNTERBORE, FLOATING, 125 KSI FTU, 450 & 800 DEG. F - JUN 71 [VALIDATION DATE: 8205] REVIEWER: 10 ER ME | A | 5310 | AS | AV | 14-JUN-74 | AV | AS | 11 | |
| | | | | MAS1871-77 | NUT ASSEMBLY, TORQUE LIMITING, 600 DEG F APPLICATION, 2500-28 UNJF-3B THREAD - 1 NOV 77 REVIEWER: IS | A | 5310 | AS | | 17-OCT-84 | | AS | 11 | |
| | | | | MAS1872-75 | NUT, TORQUE LIMITING 900 DEG. F APPLICATION 1/4-28 UNJF-3B THREAD - NOV 75 REVIEWER: IS | A | 5310 | AS | | 17-OCT-84 | | AS | 11 | |
| | | | | MAS1873-76 | INSERT, SELF-LOCKING, THERMAL, BONDED HONEYCOMB PANEL - JUNE 1976 REVIEWER: IS | A | 5340 | AS | | 17-OCT-84 | | AS | 11 | |
| | | | | MAS1900-77 | RIVET, BLIND - GENERALPURPOSE, BULBED, SELF PLUGGING MECHANICALLY-LOCKED SPINDLE - NOV 77 | A | 5320 | AS | | 06-MAY-83 | | AS | 99 | |
| | | | | MAS1906THRUMAS1916-57 | RIVET, HI-SHEAR, 100 DEG. HEAD INTERFERENCE FIT, TITANIUM ALLOY - SEP 57 W/DOD EXCEPTIONS [VALIDATION DATE: 8205] | A | MISC | AS | AV | 14-JUN-74 | AV | AS | 11 | |
| | | | | MAS1922-80 | CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - DEC 80 ..... | A | 4730 | AS | AV | 25-MAY-84 | AV | AS | | |
| | | | | MAS1923-80 | CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - DEC 1980 ..... | A | 4730 | AS | AV | 25-MAY-84 | AV | AS | | |
| | | | | MAS2005THRUMAS2012-73 | BOLT, LOCK, TENSION, PROTRUDING HEAD, STANDARD AND OVERSIZED, PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8404] | A | 5320 | AS | AV | 15-SEP-78 | AV | AS | 11 | |
| | | | | MAS2105THRUMAS2112-73 | BOLT, LOCK, TENSION, 100 DEG, HEAD (MS24694), PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8404] | A | 5320 | AS | AV | 15-SEP-78 | AV | AS | 11 | |
| | | | | MAS2205THRUMAS2212-81 | BOLT- LOCK, TENSION, PROTRUDING HEAD, STRUP TYPE, TITANIUM ALLOY - 29 DEC 1981 REVIEWER: IS | A | 5320 | AS | | 11-FEB-87 | AV | AS | 11 | |
| | | | | MAS2306THRUMAS2312-81 | BOLT-LOCK, TENSION, 100 DEG HEAD (MS 24694)STUMP TYPE, TITANIUM ALLOY 29 DEC 81 REVIEWER: IS | A | 5306 | AS | | 11-FEB-87 | AV | AS | 11 | |
| | | | | MAS2406THRUMAS2412-73 | BOLT LOCK, SHEAR, PROTRUDING HEAD, STANDARD AND OVERSIZE, PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] | A | 5320 | AS | AV | 15-SEP-78 | AV | AS | 11 | |
| | | | | MAS2506THRUMAS2512-73 | BOLT, LOCK, SHEAR, 100 DEG, HEAD, STANDARD & OVER SIZE, PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] | A | 5320 | AS | AV | 15-SEP-78 | AV | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | ORL / ONL Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | NAS2605THRUNAS2612-88 | BOLT LOCK, SHEAR, PROTRUDING HEAD STUMP-TYPE, TITANIUM ALLOY - 19 SEP 1988 W/DOD EXCEPTION | A | 5320 | | AS | 09-MAR-89 | AR | AS | 99 | |
| | | | NAS2705THRUNAS2712-81 | BOLT - LOCK, SHEAR, 100 DEG. HEAD, STUMP TYPE TITANIUM ALLOY - 29 DEC 1981 REVIEWER: IS | A | 5320 | | AS | 11-FEB-87 | AV | AS | 11 | |
| | | | NAS2852THRUNAS2860-80 | BOLT, 100 DEG CROWN REDUCED HEAD, TORQ SET (R) & HI TORQUE, (R) 108 KSI SHEAR - AUG 80 W/DOD EXCEPTIONS REVIEWER: IS | A | 5306 | | AS | 30-JAN-84 | | AS | 11 | |
| | | | NAS3620-82 | PROPELLANTS, NITROGEN TETROXIDE - NOV 82 USER: 14 19 ..... | A | 9135 | | 68 | 01-JUL-84 | MI | AS | 68 | |
| | | | NAS4006-76 | ALUMINUM COATING - 15 JUN 76 ..... | A | MFFP | | AS | 30-JUL-82 | AV | AS | 11 | |
| | | | NAS6203THRUNAS6220-72 | BOLT, HEX HEAD, CLOSE TOLERANCE ALLOY STEEL, LONG THREAD SELF LOCKING AND NON LOCKING - FEB 72 [VALIDATION DATE: 8204] | A | 5306 | | AS | 14-JUN-75 | AV | AS | 11 | |
| | | | NAS6303THRUNAS6320-77 | BOLT, HEX HEAD, CLOSE TOLERANCE, A-286, SHORT THREAD, SELF LOCKING AND NON LOCKING - W/DOD EXCEPTION - MAR 77 REVIEWER: 10 IS ME | A | 5306 | | AS | 05-DEC-80 | AV | AS | 11 | |
| | | | NAS6403THRUNAS6420-80 | BOLT, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SELF-LOCKING AND NONLOCKING - 7 NOV 80 | A | 5305 | | AS | 09-MAR-89 | AR | AS | 99 | |
| | | | NAS6603THRUNAS6620-76 | BOLT, HEX HEAD, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, SELF LOCKING & NON LOCKING - JUN 76 W/DOD EXCEPTIONS REV 3 REVIEWER: 10 IS ME | A | 5306 | | AS | 05-DEC-80 | AV | AS | 11 | |
| | | | NAS6703THRUNAS6720-76 | BOLT, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREADS, SELF LOCKING & NON LOCKING - 15 JUNE 1976 REVIEWER: IS | A | 5306 | | AS | 11-FEB-87 | AV | AS | 11 | |
| | | | NAS6803THRUNAS6820-76 | BOLT, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, LONG THREADS, SELF LOCKING & NON LOCKING - 30 MAR 77 REVIEWER: IS | A | 5306 | | AS | 11-FEB-87 | AV | AS | 11 | |
| | | | NAS6925THRUNAS6932-88 | PIN, SWAGE LOCKING, STEEL, 100 DEGREE HEAD (MS-20426) TENSION, STUMP-TYPE - 8 JUL 88 | A | 5320 | | AS | 09-MAR-89 | AR | AS | 99 | |
| | | | NAS6974THRUNAS6982-88 | PIN, SWAGE LOCKING, A-286 CRES, 100 DEG SHEAR HEAD, STUMP-TYPE REV 2 - 8 JUL 88 | A | 5320 | | AS | 09-MAR-89 | AR | AS | 99 | |
| | | | NAS6984THRUNAS6992-88 | PIN, SWAGE LOCKING, A-286 CRES, PROTRUDING HEAD, SHEAR, STUMP-TYPE - 8 JUL 88 | A | 5320 | | AS | 09-MAR-90 | AR | AS | 99 | |
| | | | NAS7024THRUNAS7032-84 | PINM SWAGE LOCKING, 108 KSI STEEL, 100 DEG. SEHAR/TENSION HEAD, PULL- TYPE - 4 APR 1984 W/DOD EXCEPTION | A | 5320 | | AS | 09-MAR-89 | AR | AS | 99 | |
| | | | NAS7034THRUNAS7042-73 | PIN, SWAGE LOCKING, 108 KSI STEEL, PROTRUDING HEAD, SHEAR/TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME | A | 5320 | | AS | 15-SEP-78 | AV | AS | 11 | |
| | | | NAS7100-82 | RECESS, PHILLIPS, DIMENSIONS OF RECESS AND GAGES 30 JUN 82 REVIEWER: IS ... | A | 53GP | | AS | 11-FEB-87 | AV | AS | 11 | |
| | | | NAS7101-77 | BIT, SCREWDRIVER, PHILLIPS, SPECIFICATION FOR - SEP 77 REVIEWER: IS ME .... | A | 5120 | | AS | 30-JUL-82 | AV | AS | 11 | |
| | | | NAS7103THRUNAS7116-78 | BOLT, 100 DEG HEAD, PHILLIPS RECESS, CLOSE TOLERANCE, ALLOY STEEL,LONG THREAD, SELF-LOCKING & NONLOCKING - 4 SEP 78 REVIEWER: IS | A | 5306 | | AS | 17-OCT-84 | | AS | 11 | |
| | | | NAS7203THRUNAS7216-78 | BOLT, 100 DEG HEAD, PHILLIPS RECESS, CLOSE TOLERANCE, A286 CRES, LONG THREAD, SELF-LOCKING & NONLOCKING - 4 SEP 78 REVIEWER: IS | A | 5306 | | AS | 17-OCT-84 | | AS | 11 | |
| | | | NAS8000THRUNAS8006-83 | SCREW, PAN HEAD, PHILLIPS RECESS, ALLOY STEEL FULL THREAD, SELF-LOCKING AND NON-LOCKING 30 NOV 83 | A | 5305 | | AS | 11-FEB-87 | AV | AS | 11 | |
| | | | NAS8100THRUNAS8106-83 | SCREW, PAN HEAD, PHILLIPS RECESS, A-286, CRES, FULL THREAD, SELF LOCKING & NON LOCKING - 17 JAN 83 REVIEWER: IS | A | 5305 | | AS | 20-MAY-83 | AV | AS | 11 | |
| | | | NAS8302THRUNAS8304-84 | SCREW, MACHINE, WASHER HEAD, FULL THREAD, PHILLIPS RECESS, ALLOY STEEL - 15 MAY 1984 REVIEWER: IS | A | 5305 | | AS | 29-MAY-86 | | AS | 11 | |
| D | | | NAS9301-90 | RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLEA, CLASS 1, CODE B AND E REVIEWER: AV MI | A | 5320 | | IS | 19-MAR-90 | AR | AS | 99 | IS |
| D | | | NAS9302-90 | RIVET, BLIND, 100 DEG FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 2, CODE B AND E - 13 MAR 90 REVIEWER: AV MI | A | 5320 | | IS | 13-MAR-90 | AR | AS | 99 | IS |
| | | | NAS9303-90 | RIVET, BLIND, 100 DEG FLUSH SHEAR HEAD MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 3, CODE B AND E - 13 MAR 90 REVIEWER: AV IS MI | A | 5320 | | B2 | 13-MAR-90 | AR | AS | 99 | |
| D | | | NAS9304-90 | RIVET, BLIND, PROTRUDING HEAD, MECANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 1, CODE B AND E - 13 MAR 90 REVIEWER: AV MI | A | 5320 | | IS | 19-MAR-90 | AR | AS | 99 | IS |
| D | | | NAS9305-90 | RIVET, BLIND, 100 DEG. FLUSH HEAD MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 2, CODE B AND E - 13 MAR 90 REVIEWER: MI | A | 5320 | | IS | 13-MAR-90 | AV | AS | 99 | IS |
| D | | | NAS9306-90 | RIVET, BLIND, FLANGED DOME HEAD MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 4, CODE B AND E - 13 MAR 90 REVIEWER: AV MI | A | 5320 | | IS | 19-MAR-90 | AR | AS | 99 | IS |
| D | | | NAS9307-90 | RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLEA, CLASS 1, CODE M - 13 MAR 90 REVIEWER: AV MI | A | 5320 | | IS | 19-MAR-90 | AR | AS | 99 | IS |
| D | | | NAS9308-90 | RIVET, BLIND, 100 DEG. FLUSH HEAD, MECHNICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 2, CODE M - 13 MAR 90 REVIEWER: AV MI | A | 5320 | | IS | 19-MAR-90 | AR | AS | 99 | IS |
| D | | | NAS9309-90 | RIVET, BLIND, 100 DEG. FLUSH SHEAR HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI | A | 5320 | | IS | 19-MAR-90 | AR | AS | 99 | IS |
| D | | | NAS9310-90 | RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 1, CODE C AND M - 13 MAR 90 REVIEWER: AV MI | A | 5320 | | IS | 19-MAR-90 | AR | AS | 99 | IS |
| D | | | NAS9311-90 | RIVET, BLIND, 100 DEG. FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI | A | 5320 | | IS | 19-MAR-90 | AR | AS | 99 | IS |
| D | | | NAS9312-90 | RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI | A | 5320 | | IS | 13-MAR-90 | AR | AS | 99 | IS |
| D | | | NAAMM-A202.1-81 | GRATING, METAL BAR MANUAL, STANDARD SPECIFICATION FOR - 14 AUG 81 USER: CE REVIEWER: 82 84 CS | A | 5670 | | YD1 | 10-MAR-89 | ME | YD1 | 99 | |
| D | L | | NACM5179-79 | TIRE CHAIN SPECIFICATIONS - 1 MAY 79 ..... | A | 2540 | | AT | 30-MAR-90 | AT | YD1 | | |
| D | | | NAPHCC-NSPC-90 | PLUMBING CODE - ILLUSTRATED, NATIONAL STANDARD - JULY 1990 USER: CE MC .... | A | FACR | | YD1 | 27-SEP-90 | | YD1 | 99 | |
| D | | | NEMA201-70R76 | SUBSTATIONS, PRIMARY UNIT, STANDARD FOR - 1970 REVIEWER: 80 GS SH ..... | A | 6120 | | YD1 | 27-JUN-86 | ME | YD1 | 99 | |
| D | | | NEMA210-70R82 | SUBSTATION, SECONDARY UNIT - 1982 REVIEWER: 80 GS SH ..... | A | 6120 | | YD1 | 24-DEC-85 | ME | YD1 | 99 | |
| D | | | NEMA250-85 | ENCLOSURES, EQUIPMENT, ELECTRICAL (1000 VOLTS MAXIMUM), STANDARDFOR - 1985 USER: CE REVIEWER: 82 CS GS SH | A | 6110 | | YD1 | 23-OCT-87 | ME | YD1 | 99 | |
| D | | | NEMA-AB1-75R81 | CIRCUIT BREAKER, MOLDED CASE, STANDARD FOR - 1975 (REAPPROVED 81) REVIEWER: 99 ES SH | A | 5925 | | YD1 | 12-JAN-86 | ER | YD1 | 85 | |
| D | L | | NEMA-BU1-88 NOTICE 1 | BUSWAYS ..... | A | 5975 | | YD1 | 19-APR-93 | | YD1 | | |
| D | L | | NEMA-DC3-89 NOTICE 1 | RESIDENTIAL CONTROLS - ELECTRICAL WALL-MOUNTED ROOM THERMOSTATS ..... | A | 4540 | * | YD1 | 11-OCT-91 | | YD1 | | |
| | | | NEMA-EW1-88 | WELDING, ELECTRIC ARC, POWER SOURCES - 1988 REVIEWER: 84 GS ..... | A | 3431 | | IP | 26-OCT-89 | AL | SH | 99 | |
| | | | NEMA-EW2-72 | CONSUMABLE ELECTRIC ARC WELDING ELECTRODES & RODS - 72 [VALIDATION DATE: 8306] REVIEWER: GS | A | 3439 | | 84 | 19-FEB-74 | AR | SH | 99 | |
| | | | NEMA-EW6-83 | GUIDELINES FOR PRECAUTIONARY LABEL FOR ARC-WELDING AND CUTTING PRODUCTS - 1983 REVIEWER: 84 GS | A | 34GP | | IP | 28-FEB-89 | AL | SH | 99 | |
| D | L | | NEMA-FB1-88 NOTICE 1 | FITTINGS, CAST METAL BOXES, AND CONDUIT BODIES FOR CONDUIT AND CABLE ASSEMBLIES | A | 5975 | * | YD1 | 23-SEP-91 | | YD1 | | |
| | | | NEMA-HP1-79 NOTICE 1 | HIGH TEMPERATURE INSULATED WIRE IMPULSE DIELECTRIC TESTING - 16 NOV 78 [VALIDATION DATE: 8704] USER: AR AT EC MC SH REVIEWER: 11 99 IS | A | 6145 | | 85 | 27-APR-87 | CR | AS | 85 | |
| | | | NEMA-ICS1-88 | INDUSTRIAL CONTROL & SYSTEMS, GENERAL STANDARDS FOR - 1988 REVIEWER: 84 GS | A | 34GP | | IP | 30-MAY-90 | AL | SH | 99 | |
| | | | NEMA-ICS2-78 | INDUSTRIAL CONTROL DEVICES, CONTROLLERS & ASSEMBLIES - 1988 REVIEWER: 84 GS | A | 34GP | | IP | 30-MAY-90 | AL | SH | 99 | |
| | | | NEMA-ICS3-88 | INDUSTRIAL SYSTEMS - 1988 REVIEWER: 84 GS ..... | A | 34GP | | IP | 30-MAY-90 | AL | SH | 99 | |
| | | | NEMA-ICS6-88 | ENCLOSURES FOR INDUSTRIAL CONTROLS AND SYSTEMS - 1988 REVIEWER: 84 GS ..... | A | 34GP | | IP | 30-MAY-90 | AL | SH | 99 | |
| | | | NEMA-ISI.1-73 | ENCLOSURES FOR INDUSTRIAL CONTROLS AND SYSTEMS - 73 [VALIDATION DATE: 8206] | A | 6145 | | 85 | 19-FEB-74 | CR | | 85 | |
| | | | NEMA-IS4-68 | BLOCKS TERMINAL FOR INDUSTRIAL CONTROL EQUIPMENT AND SYSTEMS - 1968 ..... | A | 6145 | | 84 | 27-MAY-71 | CR | | 84 | |
| | | | NEMA-IS5-74 | WELDING, RESISTANCE CONTROL - 1974 ..... | A | 6145 | | 84 | 19-FEB-74 | CR | | 84 | |
| D | | | NEMA-KS1-90 NOTICE 1 | ENCLOSED SWITCHES USER: MC REVIEWER: CE ..... | A | 5930 | * | YD1 | 02-DEC-91 | ME | YD1 | 85 | |
| D | | | NEMA-LA1-76R80 | ARRESTER, SURGE -M1981 REVIEWER: 99 ME ..... | A | 5920 | | YD1 | 24-MAY-82 | | YD1 | | |
| D | | | NEMA-LD3-85 NOTICE 2 | LAMINATES, HIGH-PRESSURE, DECORATIVE [VALIDATION DATE: 9205] REVIEWER: 84 GS SH | A | 9330 | * | YD1 | 08-MAY-92 | MR | YD1 | 99 | |
| D | | | NEMA-MG1-78R84 | MOTOR & GENERATOR REVIEWER: 84 GS ..... | A | 34GP | | YD1 | 15-NOV-85 | AL | YD1 | 99 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Old Coordination Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | NEMA-MG7-87 | MOTORS, CONTROL, MOTION/POSITION AND CONTROLS - 1987 REVIEWER: 84 GS ..... | A 34GP | | IP | 28-FEB-89 | AL | SH 99 | | |
| D | L | NEMA-OS1-89 | SHEET-STEEL OUTLET BOXES, DEVICE BOXES, COVERS, AND BOX SUPPORTS ..... | A 5975 | * | YD1 | 24-SEP-91 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | NEMA-PB2-84 | SWITCHBOARD, DEADFRONT DISTRIBUTION - 1984 REVIEWER: SH ..... | A 6110 | | YD1 | 21-OCT-85 | | YD1 | | |
| D | L | NEMA-RN1-89 | STEEL CONDUIT AND INTERMEDIATE METAL CONDUIT GALVANIZED RIGID | A 5975 | | YD1 | 19-APR-93 | | YD1 | | |
| | | NOTICE 1 | POLYVINYL-CHLORIDE (PVC) EXTERNALLY COATED | | | | | | | | |
| D | | NEMA-SG2-81 | FUSE, HIGH VOLTAGE, STANDARD FOR - 1981 USER: SH REVIEWER: GS ..... | A 6110 | | YD1 | 20-OCT-85 | ME | YD1 | | |
| D | | NEMA-SG3-81 | CIRCUIT BREAKER, LOW VOLTAGE POWER - 1981 USER: SH REVIEWER: GS ..... | A 6110 | | YD1 | 02-DEC-85 | ME | YD1 | | |
| D | | NEMA-SM23-79 | TURBINE, STEAM, MECHANICAL DRIVE, COMMERCIAL - 3 DEC 1979 ..... | A 2825 | | YD1 | 30-DEC-80 | | YD1 | | |
| D | | NEMA-TC2-90 | TUBING (EPT) & CONDUIT (EPC-40 & EPC-80), ELECTRICAL PLASTIC - 17 JUL 1990 | A 5975 | | YD1 | 27-AUG-91 | | YD1 | 85 | |
| | | | REVIEWER: 99 GS | | | | | | | | |
| D | | NEMA-TC3-90 | FITTINGS, PVC FOR USE WITH RIGID PVC CONDUIT & TUBING - 5 OCT 1990 | A 5975 | | YD1 | 28-JUN-91 | | YD1 | 85 | |
| | | | REVIEWER: 99 GS | | | | | | | | |
| D | | NEMA-TC6-90 | PVC AND ABS PLASTIC UTILITIES DUCT FOR UNDERGROUND INSTALLATION REVIEWER: | A 5975 | * | YD1 | 31-OCT-91 | ER | YD1 | 85 | |
| | | NOTICE 1 | 99 GS | | | | | | | | |
| D | | NEMA-TC9-90 | FITTINGS FOR ABS AND PVC PLASTIC UTILITIES DUCT FOR UNDERGROUND IN- | A 5975 | | YD1 | 28-JUN-91 | ER | YD1 | 85 | |
| | | | SALLATION - 17 JUL 1990 USER: AR ME REVIEWER: 99 GS | | | | | | | | |
| D | L | NEMA-TC13-86 | ELECTRICAL NONMETALLIC TUBING (ENT) ..... | A 5975 | | YD1 | 19-APR-93 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | L | NEMA-TC14-84R86 | FITTINGS AND FILAMENT-WOUND REINFORCED THERMOSETTING RESING CONDUIT ..... | A 5975 | | YD1 | 19-APR-93 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | NEMA-TR1-80 | TRASFORMER, REGULATORS & REACTORS, STANDARD FOR - 1980 USER: SH REVIEWER: | A 6120 | | YD1 | 10-JUL-86 | ME | YD1 | 99 | |
| | | | 80 GS | | | | | | | | |
| D | L | NEMA-VE1-91 | CABLE TRAY SYSTEMS, METALLIC ..... | A 5975 | | YD1 | 19-APR-93 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| | | NEMA-WC1-63R71 | WIRE & CABLE, ASBESTOS, ASBESTOS VARNISHED CLOTH AND ASBESTOS | A 6145 | | 85 | 08-JUN-72 | CR | | 85 | |
| | | | THERMOPLASTIC INSULATED - 1963 (VALIDATION DATE: 8206) | | | | | | | | |
| D | | NEMA-WC5-73R87 | WIRE & CABLE FOR THERMOPLASTIC-INSULTED FOR THE TRANSMISSION & | A 6145 | | YD1 | 25-FEB-89 | CR | YD1 | 85 | |
| | | | DISTRIBUTION OF ELECTRICAL ENERGY (REV 13 JUL 87) USER: SH REVIEWER: 99 ER | | | | | | | | |
| | | | IS | | | | | | | | |
| | | NEMA-WC7-71 | WIRES AND CABLE, CROSS LINKED THERMOSETTING POLYETHYLENE INSULATED WIRE | A 6145 | | 85 | 27-APR-87 | CR | | 85 | |
| | | NOTICE 1 | AND CABLE - MAR 72 (VALIDATION DATE: 8704) | | | | | | | | |
| D | | NEMA-WC8-76R87 | WIRE & CABLE, FOR TRANSMISSION & DISTRIBUTION OF ELECTRICAL ENERGY, | A 6145 | | YD1 | 06-JUN-89 | CR | YD1 | 85 | |
| | | | ETHYLENE-PROPYLENE-RUBBER-INSULATED STANDARD FOR THRU JUL 87 (REVISION 10) | | | | | | | | |
| | | | (REAPPROVED 1987) USER: SH REVIEWER: 99 IS | | | | | | | | |
| | | NEMA-WC30-74 | COLOR CODING OF WIRES AND CABLES - 74 (VALIDATION DATE: 8704) ..... | A 6145 | | 85 | 27-APR-87 | CR | | 85 | |
| | | NOTICE 1 | | | | | | | | | |
| D | L | NEMA-WD1-83R89 | WIRING DEVICES, GENERAL REQUIREMENTS FOR ..... | A 5935 | * | YD1 | 24-JAN-92 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| | | NEMA-WD5-72 | WIRING DEVICES, SPECIFIC PURPOSE - 72 REVIEWER: 99 ..... | A 5935 | | 85 | 15-MAY-88 | CR | | 85 | |
| | | NOTICE 1 | | | | | | | | | |
| D | L | NEMA-WD6-88 | WIRING DEVICES - DIMENSIONAL REQUIREMENTS ..... | A 5935 | * | YD1 | 24-JAN-92 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | NFPA11-88 | SYSTEM, COMBINED AGENT & LOW EXPANSION FOAM, STANDARD FOR 22 DEC 87 USER: | A 4210 | | YD1 | 24-MAR-89 | | YD1 | 99 | |
| | | | CE MC ME | | | | | | | | |
| D | | NFPA12-85 | SYSTEM, CARBON DIOXIDE EXTINGUISHING, STANDARD ON 27 DEC 84 USER: CE ME | A 4210 | | YD1 | 24-MAR-89 | | YD1 | 99 | |
| | | | REVIEWER: MC | | | | | | | | |
| D | L | NFPA13-87 | SYSTEM, SPRINKLER INSTALLATION OF THE, STANDARD FOR 12 FEB 87 USER: CE ME . | A 4210 | | YD1 | 24-MAR-89 | | YD1 | | |
| D | | NFPA14-86 | SYSTEM, STANDPIPE & HOSE INSTALLATION OF THE, *STANDARD FOR 30 DEC 85 USER:* | A 4210 | | YD1 | 24-MAR-89 | | YD1 | 99 | |
| | | | CE ME REVIEWER: MC | | | | | | | | |
| D | | NFPA15-86 | SYSTEM, FIXED WATER SPRAY FOR FIRE PROTECTION STANDARD FOR 27 DEC 1984 | A 4210 | | YD1 | 24-MAR-89 | | YD1 | 99 | |
| | | | USER: CE MC ME | | | | | | | | |
| D | L | NFPA16-86 | SYSTEM, SPRAY DELUGE FOAM-WATER SPRINKLER &FOAM-WATER, STANDARD ON 1 JUL | A 4210 | | YD1 | 24-MAR-89 | | YD1 | | |
| | | | 86 USER: CE ME REVIEWER: MC | | | | | | | | |
| D | L | NFPA17-85 | SYSTEM, DRY CHEMICAL EXTINGUISHING, STANDARD ON 27 DEC 84 USER: CE ME | A 4210 | | YD1 | 24-MAR-89 | | YD1 | | |
| | | | REVIEWER: MC | | | | | | | | |
| D | | NFPA20-90 | THE INSTALLATION OF CENTRIFUGAL FIRE PUMPS, STANDARD FOR REVIEWER: CS ..... | A 4210 | * | YD1 | 26-OCT-92 | ME | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | |
| D | L | NFPA30-90 | FLAMMABLE AND COMBUSTIBLE LIQUIDS CODE ..... | A FACR | | YD1 | 08-MAR-93 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | NFPA31-87 | EQUIPMENT, OIL BURNING, THE INSTALLATION OF - 10 DEC 86 USER: CE MC ..... | A 4530 | | YD1 | 26-JUL-89 | ME | YD1 | | |
| D | L | NFPA37-90 | STATIONARY COMBUSTION ENGINES AND GAS TURBINES ..... | A 2835 | | YD1 | 08-MAR-93 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | NFPA54-88 | CODE, NATIONAL FUEL GAS - FOURTH EDITION - 22 AUG 88 USER: CE MC REVIEWER: | A 4530 | | YD1 | 27-JUN-89 | CR | YD1 | 85 | |
| | | | 99 IS | | | | | | | | |
| D | | NFPA58-89 | GASES, LIQUEFIED PETROLEUM, STANDARD FOR THE STORAGE AND HANDLING OF - | A 4540 | | YD1 | 17-JUL-89 | | YD1 | | |
| | | | 1989 EDITION - 06 FEB 89 USER: CE MC | | | | | | | | |
| A | | NFPA70-93 | NATIONAL ELECTRICAL CODE 1993 REVIEWER: 84 ..... | A 34GP | | GS | 20-JAN-93 | AL | SH 99 | | GS |
| | | NOTICE 1 | | | | | | | | | |
| D | L | NFPA72E-90 | FIRE DETECTORS, AUTOMATIC, STANDARD ON ..... | A 6350 | * | YD1 | 10-APR-92 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | L | NFPA72-90 | SYSTEMS, INSTALLATION, MAINTENANCE, AND USE OF PROTECTIVE SIGNALING ..... | A 6350 | * | YD1 | 24-APR-92 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| | | NFPA79-87 | MACHINERY, INDUSTRIAL, ELECTRICAL STANDARD FOR - 10 JUN 87 REVIEWER: 84 GS | A 34GP | | IP | 30-DEC-88 | CE | SH 99 | | |
| D | | NFPA80-86 | FIRE DOORS AND WINDOWS - 1 JUL 1986 REVIEWER: 84 ..... | A 5680 | | YD1 | 28-SEP-89 | | YD1 | | |
| D | L | NFPA82-90 | INCINERATORS, WASTE AND LINEN HANDLING SYSTEMS AND EQUIPMENT ..... | A 4540 | * | YD1 | 05-NOV-91 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | NFPA85B-89 | FURNACE EXPLOSIONS IN NATURAL GAS- FIRED MULTIPLE BURNER BOILER- FURNACES, | A 4430 | | YD1 | 10-AUG-90 | ME | YD1 | 99 | |
| | | | PREVENTION OF - 7 AUG. 1989 USER: CE MC REVIEWER: 84 | | | | | | | | |
| D | | NFPA85D | FURNACE EXPLOSIONS IN FUEL OIL- FIRED MULTIPLE BURNER BOILER- FURNACES, | A 4430 | | YD1 | 10-AUG-90 | ME | YD1 | 99 | |
| | | | *PREVENTION OF - 7 AUG. 1989 USER: CE MC REVIEWER: 84* | | | | | | | | |
| D | | NFPA85E-85 | FURNACE, EXPLOSIONS, IN PULVERIZED COAL-FIRED MULTIPLE BURNER | A 4430 | | YD1 | 27-JUN-89 | | YD1 | | |
| | | | BOILER-FURNACES, PREVENTION OF 06 JUN 85 USER: CE MC REVIEWER: 84 | | | | | | | | |
| D | | NFPA85A-87 | FURNACE EXPLOSIONS IN FUEL OIL - & NATURAL GAS-FIRED SINGLE BURNER | A 4410 | | YD1 | 31-JUL-89 | ME | YD1 | 99 | |
| | | | BOILER-FURNACES, STANDARD FOR THE PREVENTION OF - 30 JUNE 1987 USER: CE MC | | | | | | | | |
| | | | REVIEWER: 84 | | | | | | | | |
| D | | NFPA86-85 | FURNACES, OVENS, STANDARD FOR - 07 DEC 84 USER: CE MC REVIEWER: 84 ..... | A 4430 | | YD1 | 29-JUN-89 | | YD1 | | |
| | | NFPA86D-79 | FURNACE, INDUSTRIAL, USING VACUUM AS AN ATMOSPHERE - 1979 ..... | A 35GP | | IP | 26-NOV-79 | AL | SH 99 | | |
| D | L | NFPA96 | VAPOR REMOVAL FROM COOKING EQUIPMENT ..... | A 4140 | * | YD1 | 30-SEP-91 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | NFPA214-88 | WATER-COOLING TOWERS - 2 DEC 1987 ..... | A 4140 | | YD1 | 13-SEP-91 | | YD1 | | |
| A | | NFPA225A-70 | FIRE PROTECTION GUIDE ON HAZARDOUS MATERIALS (NFPA-325A-68, 325-M-69, | A MISC | | SA | 15-MAY-70 | AR | SA 69 | | |
| | | | 49-69, 491M-68, 704M-69) - 69 | | | | | | | | |
| D | | NFPA412-87 | EVALUATING AIRCRAFT RESCUE AND FIRE FIGHTING FOAM EQUIPMENT REVIEWER: 84 | A 4210 | | YD1 | 05-MAR-93 | ME | YD1 | 99 | |
| | | NOTICE 1 | CS | | | | | | | | |
| D | | NFPA1901-91 | PUMPER FIRE APPARATUS REVIEWER: 84 CS ..... | A 4210 | | YD1 | 05-MAR-93 | ME | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | |
| D | | NFPA1931.1-89 | DESIGN OF AND DESIGN VERIFICATION TESTS FOR FIRE DEPARTMENT GROUND LADDERS | A 4210 | * | ME | 21-FEB-92 | ME | YD1 | 84 | |
| | | NOTICE 1 | USER: 99 CE MC REVIEWER: CS | | | | | | | | |
| D | | NFPA1961-87 | FIRE HOSE - 12 FEB 1987 USER: CG MC REVIEWER: 84 ..... | A 4210 | | YD1 | 05-JUL-91 | AT | YD1 | 99 | |
| D | | NFPA-T2.6.1 | METHOD FOR VERIFYING THE FATIGUE AND ESTABLISHING THE BURST PRESSURE | A RELI | * | SH | 04-NOV-92 | ME | SH 99 | | |
| | | NOTICE 1 | RATINGS OF THE PRESSURE CONTAINING ENVELOPE OF A METAL FLUID POWER | | | | | | | | |
| | | | COMPONENT REVIEWER: CS OS YD1 | | | | | | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Obs. / Obtr. Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | NFPA-T2.24.1-90 | HYDRAULIC FLUID POWER-SYSTEMS STANDARD FOR STATIONARY INDUSTRIAL MACHINERY - 10 MAY 90 REVIEWER: 84 | A | 34GP | | IP | 26-JUL-90 | AL | SH | 99 | |
| D | | NFPA-T3.9.18 | METHOD OF ESTABLISHING THE FLOW DEGRADATION OF FIXED DISPLACEMENT HYDRAULIC FLUID POWER PUMPS WHEN EXPOSED TO PARTICULATE CONTAMINANT REVIEWER: CS OS YD1 | A | 4320 | * | SH | 04-NOV-92 | ME | SH | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| D | | NFPA-NDSWCS-86 | WOOD CONSTRUCTION, SUPPLEMENT DESIGN VALUES, NATIONAL DESIGN SPECIFICATION FOR - JAN 86 USER: CE MC SH REVIEWER: 84 CS | A | 5510 | | YD1 | 11-JUL-88 | | YD1 | | |
| D | | NHLA-RR-86 | RULES FOR THE MEASUREMENT & INSPECTION OF HARDWOOD & CYPRESS - 1 JAN 86 USER: YD1 REVIEWER: 84 CE | A | 5510 | | CS | 31-MAR-88 | ME | SH | 99 | |
| | | NMA-MS1-71 | QUALITY STANDARDS FOR COMPUTER OUTPUT MICROFILM - 71 [VALIDATION DATE: 8202] REVIEWER: AG AR MC ME MI OS SA SH | A | EDRS | 16 | | 30-APR-75 | ER | AS | 16 | |
| | | NMA-MS104-72 | INSPECTION & QUALITY CONTROL OF FIRST GENERATION SILVER HALIDE MICROFILM - 1972 [VALIDATION DATE: 8202] REVIEWER: AG | A | EDRS | 16 | | 30-APR-75 | ER | AS | 16 | |
| D | | NSF1-84 | SODA FOUNTAIN AND LUNCHEONETTE EQUIPMENT - JUNE 1984 REVIEWER: 84 GS MD ... | A | 73GP | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF2-82 | FOOD SERVICE EQUIPMENT - JUN 82 REVIEWER: 84 GS MD ..... | A | 73GP | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF3-82 | DISHWASHING MACHINE, COMMERCIAL SPRAY TYPE - JUN 82 USER: CG REVIEWER: GS MC MD MS SA TS | A | 7320 | | YD1 | 16-AUG-85 | GL | YD1 | 99 | |
| D | | NSF4-75 | FOOD STORAGE EQUIPMENT, COOKING & HOT - JUN 75 REVIEWER: 84 GS MD SA ..... | A | 7310 | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF5-83 | HOT WATER GENERATING AND HEAT RECOVERY EQUIPMENT [VALIDATION DATE: 9111] | A | 7320 | * | YD1 | 27-NOV-91 | GL | YD1 | 99 | |
| | | NOTICE 2 | USER: CG REVIEWER: 84 GS MC MD MS SA TS | | | | | | | | | |
| | | NSF6-82 | FREEZER, DISPENSING - NOV 82 REVIEWER: 82 GS MD ..... | A | 4110 | | GL | 19-FEB-85 | GL | | 99 | |
| D | | NSF7-83 | REFRIGERATORS AND STORAGE FREEZERS, FOOD SERVICE - NOVEMBER 1983 REVIEWER: 82 GS MD | A | 4110 | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF8-80 | FOOD PREPARATION EQUIPMENT, COMMERCIAL POWERED - MAY 1980 REVIEWER: 84 GS MD SA | A | 7320 | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF12-77 | ICE MAKING EQUIPMENT, AUTOMATIC - NOV 1977 REVIEWER: 82 GS MD SA ..... | A | 4110 | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF14-88 | PIPING, PLASTICS SYSTEM COMPONENTS AND RELATED MATERIALS STANDARD NUMBER 14 FOR - DEC 1988 REVIEWER: CS SH | A | 4710 | | YD1 | 26-JUL-90 | ME | YD1 | | |
| D | | NSF18-81 | DISPENSING EQUIPMENT, MANUAL, FOOD & BEVERAGE - JUN 81 REVIEWER: 84 GS MD SA | A | 73GP | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF20-85 | COMMERCIAL BULK MILK DISPENSING EQUIPMENT USER: CG MC SA REVIEWER: 84 GS | A | 7310 | * | YD1 | 27-NOV-91 | GL | YD1 | 99 | |
| | | NOTICE 1 | MD MS | | | | | | | | | |
| D | | NSF26-80 | POT, PAN & UTENSIL WASHERS - DEC-80 USER: 84 REVIEWER: GS MD ..... | A | 7320 | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF29-82 | DETERGENT/CHEMICAL FEEDERS FOR COMMERCIAL SPRAY-TYPE DISHWASHING MACHINES | A | 7320 | * | YD1 | 27-NOV-91 | GL | YD1 | 99 | |
| | | NOTICE 2 | [VALIDATION DATE: 9111] USER: CG REVIEWER: 84 GS MC MD MS SA TS | | | | | | | | | |
| D | | NSF35-79 | FOOD SERVICE EQUIPMENT, LAMINATED PLASTICS - NOVEMBER 1979 USER: 84 REVIEWER: GS MD | A | 73GP | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF36-81 | DINNERWARE USER: 84 REVIEWER: GS MD ..... | A | 7350 | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF51-78 | FOOD EQUIPMENT, PLASTIC MATERIALS AND COMPONENTS USED IN - MAY 1978 USER: 84 REVIEWER: GS MD | A | 73GP | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NSF61-90 | COMPONENTS, DRINKING WATER SYSTEM - HEALTH EFFECT - MAY 1990 ..... | A | FACR | | YD1 | 19-SEP-90 | CE | YD1 | | |
| D | | NSF-C2-83 | FOOD SERVICE, SPECIAL EQUIPMENT AND/OR DEVICES - NOV 83 USER: 84 REVIEWER: GS MD | A | 73GP | | GL | 19-FEB-85 | GL | YD1 | 99 | |
| D | | NWMDA-I.S.1-87 | DOORS, WOOD FLUSH, STANDARD FOR - 1987 REVIEWER: 99 CS ME SH ..... | A | 5520 | | YD1 | 25-NOV-88 | | YD1 | | |
| D | | NWMDA-I.S.2-87 | WINDOW UNITS, WOOD - 1987 REVIEWER: 84 CS ..... | A | 5520 | | YD1 | 10-JUN-89 | ME | YD1 | 99 | |
| D | | NWMDA-I.S.4-81 | MILLWORK, WATER-REPELLENT PRESERVATIVE TREATMENT FOR JULY 1981 USER: CE YD1 REVIEWER: 84 SH | A | 5520 | | CS | 15-NOV-88 | ME | | 99 | |
| D | | NWMDA-I.S.6-91 | WOOD STILE, AND RAIL DOORS REVIEWER: 84 ..... | A | 5520 | * | YD1 | 20-NOV-92 | ME | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| D | | NWMDA-TM5-90 | WOOD DOORS, THE SPLIT RESISTANCE OF STILE EDGES OF, TEST METHOD OF DETERMIN - 15 APRIL 90 REVIEWER: 84 CS | A | 5520 | | YD1 | 27-FEB-91 | ME | YD1 | 99 | |
| D | | NWMDA-TM6-88 | DOORS ADHESIVE BONDS ACCELERATED AGING CONDITIONS TEST METHODS FOR DETERMINING THE PERFORMANCE OF THE (1988) REVIEWER: 84 CS | A | 5520 | | YD1 | 12-OCT-89 | ME | YD1 | 99 | |
| D | | NWMDA-TM7-90 | WOOD DOORS & ASSOCIATED HARDWARE CONNECTIONS UNDER ACCELERATED OPERATING CONDITIONS, TEST METHOD TO DETERMINE THE PHYDICAL ENDURANCE OF - 15 APRIL 90 REVIEWER: 84 CS | A | 5520 | | YD1 | 27-FEB-91 | ME | YD1 | 99 | |
| D | | NWMDA-TM8-90 | WOOD DOOR STILES, HINGE LOADING RESISTANCE OF , TEST METHOD TO DETERMINE - 15 APRIL 90 REVIEWER: 84 CS | A | 5520 | | YD1 | 27-FEB-91 | ME | YD1 | 99 | |
| D | | NWMDA-TM9-88 | FINISHES WOOD DOOR TO DETERMINE THE PERFORMANCE OF (1988) REVIEWER: 84 CS . | A | 5520 | | YD1 | 12-OCT-89 | ME | YD1 | 99 | |
| D | | NWMDA-TM10-90 | SCREWHOLDING CAPACITY TEST - 15 APR 1990 REVIEWER: 84 CS ..... | A | 5520 | | YD1 | 14-AUG-91 | ME | YD1 | 99 | |
| D | | PDI-G101-81 | TESTING AND RATING PROCEDURES FOR GREASE INTECEPTOR WITH APPENDIX OF | A | 4510 | | YD1 | 15-APR-88 | ME | YD1 | 99 | |
| | | NOTICE 1 | SIZING AND INSTALLATION DATA - 1 OCT 81 [VALIDATION DATE: 8804] USER: CE MC MS REVIEWER: GS | | | | | | | | | |
| D | | PDI-WH201-77 | HAMMER ARRESTER, WATER - SEP 77 [VALIDATION DATE: 8804] REVIEWER: CS ..... | A | 4510 | | YD1 | 18-APR-88 | ME | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | RMA-IP3.3-85 | V-BELT, STATIC CONDUCTIVE - 6 JUN 1985 ..... | A | 3030 | | AT | 15-FEB-90 | AT | | | |
| A | | RMA-IP7-90 | RUBBER WELDING HOSE, SPECIFICATIONS FOR REVIEWER: 84 ..... | A | 34GP | | GS | 18-FEB-93 | AL | SH | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | RMA-IP20-87 | V-BELT AND SHEAVES, CLASSICAL, SPECIFICATION FOR DRIVES USING - 23 DEC 1987 | A | 3030 | | AT | 15-OCT-90 | AT | | | |
| | | RWMA16-84 | WELDING EQUIPMENT STANDARDS, RESISTANCE - 30 JUN 84 [VALIDATION DATE: 9104] REVIEWER: 84 GS | A | 3432 | | IP | 25-APR-91 | AL | SH | 99 | |
| | | NOTICE 2 | | | | | | | | | | |
| | | SACMA-SRM1-88 | COMPRESSIVE PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED | A | CMPS | * | MR | 17-DEC-91 | MR | AS | | |
| | | NOTICE 1 | TEST METHOD FOR REVIEWER: AV EC ME MI TE | | | | | | | | | |
| | | SACMA-SRM2-88 | COMPRESSION AFTER IMPACT PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, | A | CMPS | * | MR | 17-DEC-91 | MR | AS | 11 | |
| | | NOTICE 1 | RECOMMENDED TEST METHOD FOR REVIEWER: AR AV EC ME MI TE | | | | | | | | | |
| | | SACMA-SRM3-88 | OPEN-HOLE COMPRESSION PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, | A | CMPS | * | MR | 17-DEC-91 | MR | AS | 11 | |
| | | NOTICE 1 | RECOMMENDED TEST METHOD FOR REVIEWER: AV EC ME MI TE | | | | | | | | | |
| | | SACMA-SRM4-88 | TENSILE PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST | A | CMPS | * | MR | 17-DEC-91 | MR | AS | | |
| | | NOTICE 1 | METHOD OF REVIEWER: AR AV EC ME MI TE | | | | | | | | | |
| | | SACMA-SRM5-88 | OPEN-HOLE TENSILE PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, | A | CMPS | * | MR | 17-DEC-91 | MR | AS | 11 | |
| | | NOTICE 1 | RECOMMENDED TEST METHOD OF REVIEWER: AV EC ME MI SH TE | | | | | | | | | |
| | | SACMA-SRM100-88 | COMPOSITE TEST LAMINATES, CALCULATION OF FIBER VOLUME OF, RECOMMENDED | A | CMPS | * | MR | 28-JAN-92 | MR | AS | 11 | |
| | | NOTICE 1 | METHOD FOR REVIEWER: AV EC ME MI SH TE | | | | | | | | | |
| | | SACMA-SRM12-90 | LOT ACCEPTANCE OF CARBON FIBERS, RECOMMENDED METHOD FOR REVIEWER: AR AV EC | A | CMPS | * | MR | 01-MAY-92 | MR | AS | | |
| | | NOTICE 1 | ME MI SH TE | | | | | | | | | |
| | | SACMA-SRM13-90 | DETERMINATION OF MASS PER UNIT LENGTH OF CARBON FIBERS, RECOMMENDED TEST | A | CMPS | * | MR | 01-MAY-92 | MR | AS | | |
| | | NOTICE 1 | METHOD FOR REVIEWER: AV EC ME MI SH TE | | | | | | | | | |
| | | SACMA-SRM14-90 | DETERMINATION OF SIZING CONTENT ON CARBON FIBERS, RECOMMENDED TEST METHOD | A | CMPS | * | MR | 01-MAY-92 | MR | AS | | |
| | | NOTICE 1 | FOR REVIEWER: AR AV EC ME MI SH TE | | | | | | | | | |
| | | SACMA-SRM15-90 | DETERMINATION OF DENSITY OF CARBON FIBERS, RECOMMENDED TEST METHOD FOR | A | CMPS | * | MR | 01-MAY-92 | MR | AS | | |
| | | NOTICE 1 | USER: SH REVIEWER: AV EC ME MI TE | | | | | | | | | |
| | | SACMA-SRM16-90 | TOW TENSILE TESTING OF CARBON FIBERS, RECOMMENDED TEST METHOD FOR USER: SH | A | CMPS | * | MR | 01-MAY-92 | MR | AS | | |
| | | NOTICE 1 | REVIEWER: AV EC ME MI TE | | | | | | | | | |
| | | SACMA-SRM17-90 | DETERMINATION OF TWIST IN CARBON FIBERS, RECOMMENDED TEST METHOD FOR | A | CMPS | * | MR | 01-MAY-92 | MR | AS | | |
| | | NOTICE 1 | REVIEWER: AV EC ME MI TE | | | | | | | | | |
| | | SACMA-SRP1-90 | PRINTING AND APPLYING BAR CODE LABELS, RECOMMENDED PRACTICE FOR REVIEWER: | A | CMPS | * | MR | 01-MAY-92 | MR | AS | | |
| | | NOTICE 1 | AR AV EC ME MI SH TE | | | | | | | | | |
| | | SAE-AIR1228-72 | MACHINE EQUIPMENT AND OPERATION, STANDARD IMPULSE - NOV 72 ..... | A | 4730 | | AS | 26-MAY-89 | AV | AS | 99 | |
| | | NOTICE 1 | | | | | | | | | | |
| | | SAE-AIR1362-75 | FLUIDS, HYDRAULIC, PHYSICAL PROPERTIES OF - MAY 75 REVIEWER: 11 71 ..... | A | 1650 | | AS | 30-APR-84 | AV | AS | 99 | |
| | | SAE-AIR1378A-83 | STANDARD WORDS FOR TEST PARAGRAPHS FOR TUBE FITTINGS & TUBE ASSEMBLIES - 1 MAR 83 USER: MI REVIEWER: 82 99 AR CS | A | 4730 | | AS | 23-JAN-84 | AV | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Cmt. Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | SAE-AIR3260-83 | IDENTIFICATION OF STANDARD UTILITY PARTS - BOLTS & NUTS - NOV 83 REVIEWER: 82 AV IS | A | 53GP | AR | 01-NOV-85 | AR | AS | | 99 |
| | | SAE-AIR4069 | SEALING INTEGRAL FUEL TANKS | A | 8030 * | 11 | 20-DEC-91 | MR | AS | | 11 |
| | | SAE-AIR4275 | JET REFERENCE FLUID STUDY FOR FUEL TANK SEALANTS | A | 9150 * | 11 | 20-DEC-91 | MR | AS | | 11 |
| | | SAE-AMS568A-74 | O-RINGS, AEROSPACE SIZE, STANDARD FOR - 1 JUL 74 | A | 5330 | 11 | 17-MAR-89 | MR | AS | | 11 |
| | | SAE-AMS1379-85 | COMPOUND, ALKALINE RUST REMOVER, AIRCRAFT TURBINE ENGINE COMPONENTS - 1 APR 1985 | A | 6850 | AS | 14-MAR-88 | AV | AS | | |
| | | SAE-AMS1380-85 | SCALE CONDITIONER, ALKALINE, AIRCRAFT TURBINE ENGINE COMPONENTS - 1 APR 1985 | A | 6850 | AS | 14-MAR-88 | AV | AS | | |
| | | SAE-AMS1382-85 | SCALE REMOVER COMPOUND, ACIDIC, AIRCRAFT TURBINE ENGINE COMPONENTS - 1 APR 85 | A | 6850 | AS | 29-FEB-88 | AV | AS | | |
| | | SAE-AMS1383-85 | SCALE CONDITIONER, ALKASLINE PERMANGANATE, AIRCRAFT TURBINE ENGINE COMPONENTS - APR 85 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1384-85 | ACID, INHIBITED, PHOSPHORIC, AIRCRAFT TURBINE ENGINE COMPONENTS, ROOM TEMPERATURE APPLICATION - 1 APR 85 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1385-85 | COMPOUND, CARBONACEOUS, SOIL AND PAINT REMOVER, AIRCRAFT TURBINE ENGINE COMPONENTS, ELEVATED TEMPERATURE APPLICATION 1 APR 85 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1386-85 | COMPOUND, SILICONE RUBBER REMOVER, AIRCRAFT TURBINE ENGINE COMPONENTS, ROOM TEMPERATURE APPLICATION - 1 APR 85 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1387-85 | REMOVER, ANTI-GALLING COMPOUND, AIRCRAFT TURBINE ENGINE COMPONENTS, ROOM TEMPERATURE APPLICATION - 1 APR 85 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1476-77 | DEODORANT, AIRCRAFT TOILET | A | 6850 | AS | 10-DEC-87 | | AS | | |
| | | SAE-AMS15268-90 | CLEANER FOR AIRCRAFT EXTERIOR SURFACES, WATER-MISCIBLE PRESSURE- SPRAYIN G TYPE - 1 APRIL 1990 REVIEWER: GS | A | 6850 | AS | 01-JUN-90 | AV | AS | | 68 |
| | | SAE-AMS1534A-88 | CLEANER, AIRCRAFT, GLASS WINDOW - 1 OCT 88 - REVIEWER: GS | A | FORG | AS | 15-SEP-89 | MR | AS | | 11 |
| | | SAE-AMS1535A-86 | CLEANER, FOR PLASTIC TRANSPARENCIES - 1 JAN 86 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1537-85 | CLEANER, ALKALINE, HOT-TANK TYPE - 1 OCT 85 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1538-84 | DEOXIDIZER, ACIIC, FOR MAGNESIUM ALLOYS 1 APR 84 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1546A-85 | COMPOUND, CARBON REMOVING, ORTHODICHLOROBENZENE, FOR ENGINE PARTS - 1 JAN 85 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1625A-83 | DESMUTTER, ALUMINUM, POWDERED - 1 OCT 83 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1626A-83 | DESMUTTER, ALUMINUM, LIQUID - 1 OCT 83 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1631A-86 | CARPET CLEANER, WATER EXTRACTION TYPE - 1 APR 86 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS1710A-84 | COUPLING, FUEL, FLEXIBLE, VARIABLE CAVITY, THREADED TYPE WITH FERRULES - 1 JAN 1984 USER: AR AI REVIEWER: CS ME MI | A | 4730 | 82 | 28-OCT-88 | AV | AS | | 99 |
| | | SAE-AMS1725-86 | SKIN PROCTECTIVE COMPOND, CHEMICAL BARRIER - 1 JAN 86 USER: GL REVIEWER: GS ME | A | 6850 | AS | 15-SEP-89 | EA | AV | | 68 |
| | | SAE-AMS2241K-89 | TITANIUM, AND TATANIUM ALLOY BARS AND WIRE TOLERANCES - CORROSION AND HEAT RESISTANT STEEL, IRON ALLOY - 1 APR 89 | A | 95GP | MR | 03-MAY-89 | MR | AS | | 11 |
| | | SAE-AMS2242E-87 | TOLERANCE, CORROSION & HEAT RESISTANT STEEL,IRON ALLOY, TITANIUM ALLOY, TITANIUM, & TITANIUM ALLOY SHEET SHEET, STRIP, & PLATE - 1 JAN 1987 | A | 95GP | MR | 11-JUN-87 | MR | AS | | 11 |
| | | SAE-AMS2243G-90 | TUBING, STEEL, TOLERANCES-CORROSION AND HEAT RESISTANT - 1 JAN 90 | A | 4710 | MR | 22-FEB-90 | MR | AS | | 11 |
| | | SAE-AMS2248D-88 | CHEMICAL CHECK ANALYSIS LIMITS WROUGHT CORROSION AND HEAT RESISTANT STEELS AND ALLOYS, MARAGING AND OTHER HIGHLY-ALLOYED STEELS, ANDIRON ALLOYS - 1 JUL 88 | A | 95GP | MR | 25-AUG-88 | MR | AS | | 11 |
| | | SAE-AMS22490 NOTICE 1 | CHEMICAL CHECK ANALYSIS LIMITS TITANIUM AND TITANIUM ALLOYS | A | 95GP * | MR | 12-MAY-92 | MR | AS | | 11 |
| | | SAE-AMS2251F-83R90 NOTICE 2 | TOLERANCES LOW ALLOY STEEL BARS | A | 9515 * | MR | 10-OCT-91 | MR | AS | | 11 |
| | | SAE-AMS2252C-83R90 NOTICE 2 | TOLERANCES - LOW ALLOY STEEL SHEET, STRIP AND PLATE | A | 9515 * | MR | 10-OCT-91 | MR | AS | | 11 |
| | | SAE-AMS2253E-83 NOTICE 1 | TUBING, CARBON & ALLOY STEEL, TOLERANCES - 1 JAN 83 [VALIDATION DATE: 9103] | A | 4710 | MR | 20-MAR-91 | MR | AS | | 11 |
| | | SAE-AMS22598-88 | STEELS, CHEMICAL CHECKANALYSIS LIMITS WROUGHT LOW-ALLOYED AND CARBON 1 OCT 87 | A | 95GP | MR | 25-AUG-88 | MR | AS | | 11 |
| | | SAE-AMS22690-88 | ALLOYS, CHEMICAL CHECKANALYSIS LIMITS WROUGHT NICKEL ALLOYS AND COBALT - 1 JUL 88 | A | 95GP | MR | 25-AUG-88 | MR | AS | | 11 |
| | | SAE-AMS2300G-91 NOTICE 1 | PREMIUM AIRCRAFT-QUALITY STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE | A | NDTI * | MR | 17-JAN-92 | MR | AS | | 11 |
| | | SAE-AMS2301G-84 NOTICE 2 | AIRCRAFT QUALITY STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE [VALIDATION DATE: 9201] | A | NDTI * | MR | 17-JAN-92 | MR | AS | | 11 |
| A | | SAE-AMS2303B-87 NOTICE 1 | AIRCRAFT-QUALITY STEEL CLEANLINESS, MARTENSITIC CORROSION-RESISTANT STEELS, MAGNETIC PARTICLE INSPECTION PROCEDURE [VALIDATION DATE: 9207] | A | NDTI * | MR | 02-JUL-92 | MR | AS | | 11 |
| | | SAE-AMS2310D-92 NOTICE 1 | QUALIFICATION SAMPLING AND TESTING OF STEELS - TRANSVERSE TENSILE PROPERTIES | A | 95GP * | MR | 13-FEB-92 | MR | AS | | 11 |
| | | SAE-AMS2315C-89 | FERRITE CONTENT FREE, DETERMINATION OF - 1 APR 89 | A | 95GP | MR | 03-MAY-90 | MR | AS | | 11 |
| | | SAE-AMS2360B-90 NOTICE 1 | ROOM TEMPERATURE TENSILE PROPERTIES OF CASTINGS | A | MECA * | MR | 10-OCT-91 | MR | AS | | 11 |
| | | SAE-AMS2361B-90 NOTICE 1 | ELEVATED TEMPERATURE TENSILE PROPERTIES OF CASTINGS | A | MECA * | MR | 10-OCT-91 | MR | AS | | 11 |
| | | SAE-AMS2362A-78 | CASTINGS, STRESS RUPTURE PROPERTIES OF - 15 JUL 78 [VALIDATION DATE: 9101] | A | MECA | MR | 16-JAN-91 | MR | AS | | 11 |
| | | SAE-AMS2370E-91 | STEELS, WROUGHT PRODUCTS EXCEPT FORGINGS AND FORGING STOCK, QUALITY ASSURANCE SAMPLING OF 1 JUL 1991 | A | 95GP | MR | 22-JUL-91 | MR | AS | | 11 |
| A | | SAE-AMS2406G-85 | PLATING, CHROMIUM, HARD DEPOSIT - 1 APR 85 | A | MFFP | AI | 17-JUL-85 | AT | AS | | 11 |
| | | SAE-AMS2409E-82 NOTICE 1 | PLATING, TIN, IMMERSION - 1 OCT 82 [VALIDATION DATE: 9104] | A | MFFP | MR | 29-APR-91 | MR | AS | | 11 |
| | | SAE-AMS2410G-84 NOTICE 1 | PLATING, SILVER, NICKEL STRIKE, HIGH BAKE - 1 OCT 84 [VALIDATION DATE: 9104] | A | MFFP | MR | 29-APR-91 | MR | AS | | 11 |
| | | SAE-AMS2412F-83 NOTICE 1 | SILVER PLATING COPPER STRIKE, LOW BAKE - 1 OCT 83 [VALIDATION DATE: 9104] | A | MFFP | MR | 29-APR-91 | MR | AS | | 11 |
| | | SAE-AMS2413C-84 NOTICE 1 | PLATING, SILVER & RHODIUM - 1 OCT 84 [VALIDATION DATE: 9104] | A | MFFP | MR | 29-APR-91 | MR | AS | | 11 |
| | | SAE-AMS2415F-91 NOTICE 1 | LEAD AND INDIUM PLATING | A | MFFP * | MR | 10-OCT-91 | MR | AS | | 11 |
| | | SAE-AMS2416G-90 NOTICE 1 | NICKEL-CADMIUM PLATING, DIFFUSED | A | MFFP * | MR | 10-OCT-91 | MR | AS | | 11 |
| | | SAE-AMS2417D-82 NOTICE 2 | NICKEL ZINC ALLOY PLATING - 1 APR 82 [VALIDATION DATE: 8803] | A | MFFP | MR | 30-MAR-88 | MR | AS | | 11 |
| | | SAE-AMS2418D-86 NOTICE 1 | PLATING, COPPER - 1 APR 86 [VALIDATION DATE: 9104] | A | MFFP | MR | 29-APR-91 | MR | | | 11 |
| | | SAE-AMS2419A-79 NOTICE 2 | PLATING, CADMIUM-TITANIUM - 15 OCT 79 [VALIDATION DATE: 8803] | A | MFFP | MR | 30-MAR-88 | MR | | | 11 |
| | | SAE-AMS2420B-77 NOTICE 1 | PLATING ALUMINUM FOR SOLDERABILITY ZINC IMMERSION PROCESS - 15 JAN 77 [VALIDATION DATE: 9104] | A | MFFP | MR | 29-APR-91 | MR | AS | | 11 |
| | | SAE-AMS2421B-79 NOTICE 2 | PLATING MAGNESIUM FOR SOLDERABILITY ZINC IMMERSION PROCESS - 16 JUL 79 [VALIDATION DATE: 8803] | A | MFFP | MR | 30-MAR-88 | MR | AS | | 11 |
| | | SAE-AMS2424C-84 NOTICE 1 | PLATING, NICKEL, LOW STRESSED DEPOSIT - 1 JAN 84 [VALIDATION DATE: 9104] | A | MFFP | MR | 29-APR-91 | MR | AS | | 11 |
| | | SAE-AMS2425D-89 | PLATING, GOLD, FOR THERMAL CONTROL - 1 APR 88 | A | MFFP | MR | 08-MAR-89 | MR | AS | | 11 |
| A | | SAE-AMS2430J-82 | SHOT PEENING - 1 JAN 1982 | A | MFFP | AI | 17-MAY-84 | AT | AS | | 11 |
| | | SAE-AMS2435C-87 | TUNGSTEN CARBIDE/COBALT COATING DETONATION PROCESS | A | MFFP | MR | 19-AUG-88 | MR | AS | | 11 |
| | | SAE-AMS2436B-81 NOTICE 2 | COATING, ALUMINUM OXIDE DETONATION DESPOSITION - 15 JAN 81 [VALIDATION DATE: 8803] | A | MFFP | MR | 30-MAR-88 | MR | AS | | 11 |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | GPL / GML Classification | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | SAE-AMS2465B-83 | MOLYBDENUM & MOLYBDENUM ALLOYS-PACK CEMENTATION METHOD, DISILICIDE | A | MFFP | MR | | 30-APR-91 | MR | AS | 11 | |
| | | | NOTICE 1 | DIFFUSION COATING OF - 1 OCT 83 [VALIDATION DATE: 9104] | | | | | | | | | |
| | | | SAE-AMS2469D-85 | ALUMINUM & ALUMINUM ALLOYS, PROCESSING & PERFORMANCE REQUIREMENTS, HARD COATING TREATMENT OF - 1 JAN 85 | A | MFFP | MR | | 30-APR-91 | MR | AS | 11 | |
| | | | SAE-AMS2491D-89 | SURFACE TREATMENT OF POLYTETRAFLUOROETHYLENE- 1 APR 89 REVIEWER: 99 AR AV EA MI OS | A | MFFP | MR | | 27-APR-89 | MR | AS | 11 | |
| | | | SAE-AMS2515E-90 | POLYTETRAFLUOROETHY RESIN COATING LOW BUILD, 370 DEG - 400 DEG C (698 DEG - 752 DEG F) FUSION - 1 APR 90 | A | MFFP | MR | | 02-MAY-90 | MR | AS | 11 | |
| | | | SAE-AMS2516D-90 | POLYTETRAFLUOROETHYLENE RESIN COATING HIGH BUILD, 370 DEG - 400 DEG. C (370 DEG -400 DEG C (698 - 752 DEG F) FUSION - 1 APR 90 | A | MFFP | MR | | 02-MAY-90 | MR | AS | 11 | |
| | | | SAE-AMS2601D-82 | PRESSURE TESTING, 10 PSIG - 13 JUN 1940 (REV. 1 APR 1982) | A | NDTI | AT | | 10-APR-87 | AT | | | |
| | | | SAE-AMS2602C-85 | PRESSURE TESTING, 25 PSIG - 1 JAN 1942 (REV. 1 JAN 1985) | A | NDTI | AT | | 10-APR-87 | AT | | | |
| | | | SAE-AMS2604D-82 | PRESSURE TESTING 40 PSIG - 13 JUNE 1940 (REVISED ON 01 APR 1982) | A | NDTI | AT | | 17-FEB-87 | AT | | | |
| | | | SAE-AMS2605C-85 | PRESSURE TESTING 55 PSIG - 1 JAN 1985 REVIEWER: AV GL MR | A | NDTI | AT | | 17-FEB-87 | AT | | | |
| | | | SAE-AMS2606D-85 | PRESSURE TESTING, 70 PSIG - 1 JAN 1985 REVIEWER: AV MR | A | NDTI | AT | | 17-FEB-87 | AT | | | |
| | | | SAE-AMS2607C-85 | PRESSURE TESTING, 100 PSIG - 1 JAN 1985 USER: ME REVIEWER: AV GL MR | A | NDTI | AT | | 17-FEB-87 | AT | | | |
| | | | SAE-AMS2616B-82 | PRESSURE TESTING, HYDRAULIC 200 PSIG - 15 OCT 1940 (REVISED 01 APR 1982) USER: ME | A | NDTI | AT | | 12-FEB-87 | AT | | | |
| | | | SAE-AMS2620B-82 | PRESSURE TESTING, HYDRAULIC 1,000 PSIG - 15 OCT 1940 (REV. 1 APR 1982) USER: GL REVIEWER: AV | A | NDTI | AT | | 10-APR-87 | AT | | | |
| L | | | SAE-AMS2625B-82 | HYDRAULIC 2500 PSIG, PRESSURE TESTING 1APR82 USER: GL REVIEWER: AV | A | NDTI | AT | | 04-MAY-87 | AT | | | |
| | | | SAE-AMS2631A-85 | ULTRASONIC INSPECTION TITANIUM & TITANIUM ALLOY BAR & BILLET- 1 JAN 1985 | A | NDTI | MR | | 18-OCT-88 | MR | AS | 11 | |
| | | | SAE-AMS2658A-91 | HARDNESS AND CONDUCTIVITY INSPECTION OF WROUGHT ALUMINUM ALLOY PARTS | A | 95GP | * MR | | 10-OCT-91 | MR | AS | 11 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | SAE-AMS2680-81 | WELDING, ELECTRON BEAM, FOR FATIQUE CRITICAL APPLICATIONS - 1 APR 81 [VALIDATION DATE: 9102] | A | THJM | MR | | 22-FEB-91 | MR | AS | 11 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | SAE-AMS2681A-92 | ELECTRON-BEAM WELDING | A | THJM | * MR | | 16-MAR-92 | MR | AS | 11 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | SAE-AMS2750C-90 | PYROMETRY | A | 6685 | MR | | 02-MAY-90 | MR | AS | 11 | |
| | | | SAE-AMS2755C-83 | LIQUID SALT BATH NITRIDING - 1 APR 83 [VALIDATION DATE: 9104] | A | MFFP | MR | | 30-APR-91 | | AS | 11 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | SAE-AMS2770D-82 | ALUMINUM ALLOY PARTS WROUGHT, HEAT TREATMENT OF - 1 JUL 82 REVIEWER: AV MA | A | 95GP | AS | | 10-JAN-83 | MR | AS | 11 | |
| | | | SAE-AMS2801-90 | TITANIUM ALLOY PARTS, HEAT TREATMENT OF - 1 JUL 90 REVIEWER: 84 99 AV MI SH | A | 95GP | AS | | 01-JUL-90 | MR | AS | 11 | |
| | | | SAE-AMS2808C-91 | IDENTIFICATION FORGINGS | A | FORG | * MR | | 31-OCT-91 | MR | AS | 11 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | SAE-AMS2810E-82 | IDENTIFICATION & PACKAGING ELASTOMERIC PRODUCTS - 1 OCT 1982 | A | 9320 | AS | | 15-APR-87 | MR | AS | 11 | |
| A | | | SAE-AMS2813D-80 | WIRE, WELDING, STANDARD METHOD, PACKAGING OF [VALIDATION DATE: 9207] | A | 3439 | * MR | | 06-JUL-92 | MR | AS | 11 | |
| | | | NOTICE 2 | | | | | | | | | | |
| A | | | SAE-AMS2814E | WIRE, WELDING, PREMIUM QUALITY, PACKAGING AND MARKING, OF PACKAGES | A | 3439 | MR | | 16-MAR-93 | MR | AS | 11 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | SAE-AMS2815U-86 | WIRE, WELDING, IDENTIFICATION, LINE CODE SYSTEM - 1 APR 1986 | A | 3439 | MR | | 27-APR-87 | MR | AS | 11 | |
| | | | SAE-AMS2816S-86 | WIRE, WELDING, INDENTIFICATION,- COLOR CODE SYSTEM - 1 APR 1986 | A | 3439 | MR | | 27-APR-87 | MR | AS | 11 | |
| | | | SAE-AMS3021-79 | DI-ESTER (POLYOL) RESISTANT MATERIAL, REFERENCE FLUID FOR TESTING - 16 JUL 79 | A | 9150 | AS | | 02-MAR-81 | ME | AS | 11 | |
| | | | SAE-AMS3025-80 | POLYAKYLENE GLYCOL HEAT TREAT QUENCHANT - 15 APR 80 | A | 6810 | AS | | 03-NOV-80 | MR | AS | 11 | |
| | | | SAE-AMS3040-74 | MAGNETIC PARTICLES DRY METHOD INSPECTION MATERIAL - 1 MAR 74 [VALIDATION DATE: 8407] REVIEWER: GS | A | 6850 | AS | | 31-MAY-78 | MR | AS | 11 | |
| | | | SAE-AMS3041A-84 | MAGNETIC PARTICLES, WET METHOD, OIL VEHICLE - 1 OCT 1984 REVIEWER: GS | A | 6850 | AS | | 30-JUN-85 | MR | AS | 11 | |
| | | | SAE-AMS3042A-84 | MAGNETIC PARTICLES, WET METHOD, DRY POWDER - 1 OCT 84 REVIEWER: 68 GS | A | 6850 | AS | | 30-JUN-85 | MR | AS | 11 | |
| | | | SAE-AMS3043-74 | MAGNETIC PARTICLES WET METHOD OIL VEHICLE AEROSOL CANNED - 1 MAR 74 [VALIDATION DATE: 8407] REVIEWER: GS | A | 6850 | AS | | 31-MAY-78 | MR | AS | 11 | |
| | | | SAE-AMS3044B-79 | MAGNETIC PARTICLES WET METHOD FLUORESCENT DRY POWDER - 16 JUL 79 REVIEWER: GS | A | 6850 | AS | | 29-JUL-80 | MR | AS | 11 | |
| | | | SAE-AMS3045A-77 | MAGNETIC PARTICLES WET METHOD FLOURESCENT OIL VEHICLE - 15 JUL 77 [VALIDATION DATE: 8407] REVIEWER: GS | A | 6850 | AS | | 01-JUN-78 | MR | AS | 11 | |
| | | | SAE-AMS3046A-77 | MAGNETIC PARTICLES WET METHOD FLOURESCENT OIL VEHICLE AEROSOL PACKAGED - 15 JUL 77 [VALIDATION DATE: 8407] REVIEWER: GS | A | 6850 | AS | | 01-JUN-78 | MR | AS | 11 | |
| | | | SAE-AMS3054-83 | OIL, LUBRICATING, LOW TEMPERATURE FOR -55 DEG. C (-65 DEG. F) SERVICE - 1 JULY 1983 REVIEWER: GS | A | 9150 | AS | | 28-SEP-84 | | AS | 11 | |
| | | | SAE-AMS3055-83 | LUBRICANT, INSTRUMENT BEARING, PETROLEUM BASE, VISCOSITY 15 - 1 JULY 1983 REVIEWER: GS | A | 9150 | AS | | 28-SEP-84 | | AS | 11 | |
| | | | SAE-AMS3056-83 | LUBRICANT, INSTRUMENT BEARING, PETROLEUM BASE, VISCOSITY 35 - 1 JUL 83 REVIEWER: GS | A | 9150 | AS | | 28-SEP-84 | | AS | 11 | |
| | | | SAE-AMS3107-83 | PRIMER, ADHESIVE, CORROSION INHIBITING FOR HIGH DURABILITY STRUCTURAL ADHESIVE BONDING - 1 APR 83 REVIEWER: GS | A | 8040 | AS | | 02-NOV-83 | | AS | 11 | |
| | | | SAE-AMS3107/1-83 | PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 95 DEG. C (-65 DEG TO PLUS 200 DEG. F) - 1 APR 83 REVIEWER: GS | A | 8040 | AS | | 02-NOV-83 | | AS | 11 | |
| | | | SAE-AMS3107/2-83 | PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 120 DEG C (-65 DEG TO PLUS 250 DEG. F) - 1 APR 83 REVIEWER: GS | A | 8040 | AS | | 07-NOV-83 | | AS | 11 | |
| | | | SAE-AMS3107/3-83 | PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 175 DEG C (-65 DEG. TO PLUS 350 DEG. F) - 1 APR 83 REVIEWER: GS | A | 8040 | AS | | 07-NOV-83 | | AS | 11 | |
| | | | SAE-AMS3107/4-83 | PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 215 DEG. C (-65 DEG. TO PLUS 420 DEG. F) - 1 APR 83 REVIEWER: GS | A | 8040 | AS | | 07-NOV-83 | | AS | 11 | |
| | | | SAE-AMS3135D-84 | COATING MATERIAL, SILICONE RESIN 205 DEG C (400 DEG F) CURE | A | 8010 | AS | | 02-OCT-85 | MR | AS | 11 | |
| | | | SAE-AMS3136C-84 | COATING MATERIAL, PHENOLIC RESIN - PTFE PIGMENTED 150 DEG. C(300 DEG. F) CURE - 1 JAN 1984 REVIEWER: GS | A | 8030 | AS | | 20-OCT-88 | MR | AS | 11 | |
| | | | SAE-AMS3151-83 | COMPASS AIRCRAFT, FLUID - 1 JUL 83 REVIEWER: GS | A | 9150 | AS | | 28-SEP-84 | | AS | 11 | |
| | | | SAE-AMS3193B-85 | SILICONE RUBBER SPONGE, CLOSED CELL, MEDIUM, EXTREME LOW TEMPERATURE - 1 JAN 85 REVIEWER: GS | A | 9320 | AS | | 03-JUL-85 | MR | AS | 11 | |
| | | | SAE-AMS3194B-85 | SILICONE RUBBER SPONGE, CLOSED CELL, FIRM, EXTREME LOW TEMPERATURE - 1 JAN 1985 REVIEWER: GS | A | 9320 | AS | | 03-JUL-85 | MR | AS | 11 | |
| | | | SAE-AMS3195D-85 | SILICONE RUBBER SPONGE, CLOSED CELL, MEDIUM REVIEWER: GS | A | 9320 | AS | | 03-JUL-85 | MR | AS | 11 | |
| | | | SAE-AMS3196D-85 | SILICONE RUBBER SPONGE, CLOSED CELL, FIRM - 1 JAN 85 REVIEWER: GS | A | 9320 | AS | | 03-JUL-85 | MR | AS | 11 | |
| | | | SAE-AMS3197J-84 | SPONGE, CHLOROPRENE (CR) RUBBER, SOFT - 1 JAN 84 REVIEWER: GS | A | 9320 | AS | | 30-APR-90 | MR | AS | 11 | |
| | | | SAE-AMS3198J-84 | SPONGE, CHLOROPRENE (CR) RUBBER, SOFT - 1 JAN 84 REVIEWER: GS | A | 9320 | AS | | 30-APR-90 | MR | AS | 11 | |
| | | | SAE-AMS3199J-84 | SPONGE, CHLOROPRENE (CR) RUBBER, FIRM - 1 JAN 84 REVIEWER: GS | A | 9320 | AS | | 30-APR-90 | MR | AS | 11 | |
| | | | SAE-AMS3200F-83 | NITRILE RUBBER, PETROLEUM BASE HYDRAULIC FLUID RESISTANT, 55-65 (NBR TYPE) - 1 APR 83 REVIEWER: GS | A | 9320 | AS | | 07-OCT-83 | MR | AS | 11 | |
| | | | SAE-AMS3201H-83 | NITRILE RUBBER, DRY HEAT RESISTANT, 35-45 (NBR TYPE) - 1 APR 83 REVIEWER: GS | A | 9320 | AS | | 07-OCT-83 | MR | AS | 11 | |
| | | | SAE-AMS3202H-83 | NITRILE RUBBER, DRY HEAT RESISTANT, 55-65 (NBR TYPE) - 1 APR 83 | A | 9320 | AS | | 07-OCT-83 | MR | AS | 11 | GS |
| | | | SAE-AMS3204G-77 | RUBBER SYNTHETIC LOW TEMPERATURE RESISTANT 25-35 - 15 JUL 77 [VALIDATION DATE: 8509] | A | 9320 | AS | | 06-NOV-78 | MR | AS | 11 | |
| | | | SAE-AMS3205H-84 | SYNTHETIC RUBBER, LOW-TEMPERATURE RESISTANT, 45-55 - 1 APR 1984 | A | 9320 | AS | | 30-SEP-86 | MR | AS | 11 | |
| | | | SAE-AMS3207J-88 | CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT, 25-35 - 1 JAN 88 REVIEWER: GS | A | 9320 | AS | | 30-APR-90 | MR | AS | 11 | |
| | | | SAE-AMS3208J-88 | CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT, 45-55 - 1 JAN 88 REVIEWER: GS | A | 9320 | AS | | 30-APR-89 | MR | AS | 11 | |
| | | | SAE-AMS3209H-88 | CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT 66-75 - 1 JAN 88 REVIEWER: GS | A | 9320 | AS | | 30-APR-89 | MR | AS | 11 | |
| | | | SAE-AMS3212M-85 | ACRYLONITRILE BUTADIENE (NBR) RUBBER, AROMATIC FUEL RESISTANT, 55-65 - 1 JAN 85 REVIEWER: GS | A | 9320 | AS | | 03-JUL-85 | MR | AS | 11 | |
| | | | SAE-AMS3215K-85 | ACRYLONITRILE BUTADIENE (NBR) RUBBER, AROMATIC FUEL RESISTANT, 66-75 - 1 JAN 85 REVIEWER: GS | A | 9320 | AS | | 03-JUL-85 | MR | AS | 11 | |
| | | | SAE-AMS3217-83 | TEST SLABS, STANDARD ELASTOMER STOCKS 1 JUL 83 REVIEWER: IS | A | 5330 | AS | | 28-SEP-84 | | AS | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action Opt. / Cond. Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area NCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| SAE-AMS3217/1-83 | TEST SLABS, ACRYLONITRILE BUTADIENE (NBR-H), HIGH ACRYLONITRILE, 65-75 - 1 JUL 83 REVIEWER: IS | A 5330 | AS | 28-SEP-84 | MR | AS | 11 | |
| SAE-AMS3217/2-83 | TEST SLABS, ACRYLONITRILE BUTADIENE (NBR-L), LOW ACRYLONITRILE, 65-75 - 1 JUL 83 REVIEWER: IS | A 5330 | AS | 28-SEP-84 | MR | AS | 11 | |
| SAE-AMS3217/3-83 | TEST SLABS, CHLOROPRENE (CR), 65-75 - 1 JUL 83 REVIEWER: IS | A 5330 | AS | 28-SEP-84 | MR | AS | 11 | |
| SAE-AMS3217/4-83 | TEST SLABS, FLUOROELASTOMER (FKM), 65-75 - 1 JUL 83 REVIEWER: IS | A 5330 | AS | 28-SEP-84 | MR | AS | 11 | |
| SAE-AMS3217/5-83 | TEST SLABS, FLUOROSILICONE (FVMQ, 55-65 - 1 JUL 83 REVIEWER: IS | A 5330 | AS | 28-SEP-84 | MR | AS | 11 | |
| SAE-AMS3220D-76 | SYNTHETIC RUBBER, GENERAL PURPOSE, FLUID RESISTANT, 55-65 - JUL 76 REVIEWER: GS | A 9320 | AS | 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS3222F-83 | RUBBER HOT OIL RESISTANT, SYNTHETIC, HIGH SWELL 45-55 - 1 APR 83 REVIEWER: MI | A 9320 | AS | 28-JUN-85 | | AS | | |
| SAE-AMS3226F-83 | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL & COOLANT RESISTANT, LOW SWELL, 45-55 - 1 APR 83 REVIEWER: GS | A 9320 | AS | 07-OCT-83 | MR | AS | 11 | |
| SAE-AMS3227F-83 | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL & COOLANT RESISTANT, LOW SWELL, 55-65 - 1 APR 83 REVIEWER: GS | A 9320 | AS | 07-OCT-83 | MR | AS | 11 | |
| SAE-AMS3228F-83 | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL & COOLANT RESISTANT, LOW SWELL, 65-75 - 1 APR 83 REVIEWER: GS | A 9320 | AS | 07-OCT-83 | MR | AS | 11 | |
| SAE-AMS3229F-83 | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL RESISTANT, LOW SWELL, 75-85 - 1 APR 83 REVIEWER: GS | A 9320 | AS | 07-OCT-83 | MR | AS | 11 | |
| SAE-AMS3232K-77 | ASBESTOS & SYNTHETIC RUBBER SHEET, HOT OIL RESISTANT - 15 JAN 77 REVIEWER: GS | A 9320 | AS | 15-JUL-82 | MR | AS | 11 | |
| SAE-AMS3237D-84 | BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT 34-45 - 1 JAN 84 | A 9320 | AS | 31-AUG-88 | MR | AS | 11 | |
| SAE-AMS3238D-84 | BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT, 65-75 1 JAN 84 | A 9320 | AS | 31-AUG-88 | MR | AS | 11 | |
| SAE-AMS3239D-84 | BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT 85-95 - 1 JAN 84 | A 9320 | AS | 31-AUG-88 | MR | AS | 11 | |
| SAE-AMS3240H-88 | CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT 35-45 - 1 JAN 88 REVIEWER: GS | A 9320 | AS | 30-APR-89 | MR | AS | 11 | |
| SAE-AMS3241G-88 | CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT 5-65 - 1 JAN 88 REVIEWER: GS | A 9320 | AS | 30-APR-89 | MR | AS | 11 | |
| SAE-AMS3243C-77 | CHLOROPRENE (CR) RUBBER, FLAME RESISTANT 55-65 - 15 JUL 77 (VALIDATION DATE: 8508) REVIEWER: GS | A 9320 | AS | 06-NOV-78 | MR | AS | 11 | |
| SAE-AMS3244C-77 | CHLOROPRENE (CR) RUBBER, FLAME RESISTANT 65-75 - 15 JUL 77 (VALIDATION DATE: 8509) REVIEWER: GS | A 9320 | AS | 06-NOV-78 | MR | AS | 11 | |
| SAE-AMS3249B-87 | ETHYLENE PROPYLENE, (EPDM) RUBBER, HYDRAZINE-BASE FLUID RESISTANT 75-85 - 1 JAN 87 | A 5330 | AS | 23-OCT-87 | MR | AS | 11 | |
| SAE-AMS3250F-86 | RUBBER, SYNTHETIC, AND CORK COMPOSITION, GENERAL PURPOSE, SOFT - 01 JAN 1986 | A 9320 | AS | 30-SEP-86 | MR | AS | 11 | |
| SAE-AMS3260-73 NOTICE 1 | RUBBER, SYNTHETIC ETHYLENE PROPYLENE TERPOLYMER, GENERAL PURPOSE 45-55 - 15 MAY 73 | A 5330 | AS | 14-MAY-87 | MR | AS | 11 | |
| SAE-AMS3270H-82 | CHLOROPRENE RUBBER SHEET, COTTON FABRIC REINFORCED, WEATHER RESISTANT | A 9320 | AS | 06-SEP-82 | MR | AS | | |
| SAE-AMS3273C-76 | CHLOROPRENE RUBBER SHEET, NYLON FABRIC REINFORCED WATER RESISTANT - 1 JUL 76 (VALIDATION DATE: 8303) | A 9320 | AS | 02-FEB-77 | MR | AS | 11 | |
| SAE-AMS3275-89 | SHEET, ACRYLONITRILE BUTADIENE (NBR) RUBBER, NON-ASBESTOS FIBER, FUEL AND OIL RESISTANT - 1 OCT 89 REVIEWER: 99 IS | A 5330 | AS | 13-FEB-91 | MR | AS | 11 | |
| SAE-AMS3301F-84 | SILICONE RUBBER, GENERAL PURPOSE, 35-45 - 1 APR 84 | A 9320 | AS | 30-JUN-89 | MR | AS | 11 | |
| SAE-AMS3302F-84 | SILICONE RUBBER, GENERAL PURPOSE, 55-55 - 1APR 84 TION REVIEWER: GS | A 9320 | AS | 30-JUN-89 | MR | AS | 11 | |
| SAE-AMS3303H-84 | SILICONE RUBBER, GENERAL PURPOSE, 55-65 - 1 APR 84 REVIEWER: GS | A 9320 | AS | 30-JUN-89 | MR | AS | 11 | |
| SAE-AMS3304F-84 | SILICONE RUBBER, GENERAL PURPOSE, 65-75 - 1 JULY 84 REVIEWER: GS | A 9320 | AS | 30-JUN-89 | MR | AS | 11 | |
| SAE-AMS3305G-84 | SILICONE RUBBER, GENERAL PURPOSE, 75-85 - 1 APR 84 | A 9320 | AS | 30-JUN-89 | MR | AS | 11 | |
| SAE-AMS3315D-75 | RUBBER SHEET, SILICONE GLASS FABRIC REINFORCED - 15 JUN 75 (VALIDATION DATE: 8103) | A 9320 | AS | 12-SEP-75 | MR | AS | 11 | |
| SAE-AMS3320F-84 | SILICONE RUBBER SHEET, GLASS CLOTH REINFORCED, HEAT AND WEATHER RESISTANT 60-80 - 1 OCT 84 REVIEWER: 84 | A 9320 | AS | 22-APR-85 | MR | AS | 11 | |
| SAE-AMS3332C-83 | SILICONE RUBBER EXTREME LOW TEMPERATURE RESISTANT, 15-30 - 1 JAN 83 REVIEWER: GS | A 9320 | AS | 30-APR-89 | MR | AS | 11 | |
| SAE-AMS3345D-83 | SILICONE RUBBER, 1000 PSI <96.9 MPA) TENSILE STREMGTH, 45-55 - 1 JULY 83 REVIEWER: GS | A 9320 | AS | 30-JUN-89 | MR | AS | 11 | |
| SAE-AMS3346D-83 | SILICONE RUBBER, 1000 PSI (6.9 MPA) TENSILE STRENGTH, 55-65 - 1 JULY 83 REVIEWER: GS | A 9320 | AS | 30-JUN-89 | MR | AS | 11 | |
| SAE-AMS3356C-78 | SILICONE, RUBBER, LUBRICATING OIMPRESSION SET RESISTANT, ELECTRICAL GRADE 55-65 - 16 OCT 78 (VALIDATION DATE: 8509) REVIEWER: GS | A 9320 | AS | 20-FEB-79 | MR | AS | 11 | |
| SAE-AMS3374-82 | AIRCRAFT FIREWALL, SEALING COMPOUND, ONE-PART SILICONE - 1 APR 1982 | A 8030 | AS | 29-NOV-85 | MR | AS | 11 | |
| SAE-AMS3375-86 | ADHESIVE/SEALANT, FLUOROSILICONE, AROMATIC FUEL RESISTANT, ONE-PART ROOM TEMPERATURE VULCANIZING - 1 APR 86 USER: SH REVIEWER: AT ME MI SM | A 8040 | AS | 10-JAN-89 | MR | AS | 11 | |
| SAE-AMS3380C-83 | HOSE, POLYTETRAFLUOROETHYLENE, TFE FLUOROCARBON RESIN, WIRE BRAID REINFORCED - 1 JULY 1983 REVIEWER: SH | A 4720 | CS | 07-MAY-87 | | | | CS |
| SAE-AMS3410G-85 | FLUX, SILVER BRAZING - 1 APR 1985 | A 3439 | AS | 27-MAR-87 | MR | AS | 11 | |
| SAE-AMS3411B-85 | FLUX, SILVER BRAZING HIGH TEMPERATURE - 1 APR 85 | A 3439 | AS | 29-APR-89 | MR | AS | 11 | |
| SAE-AMS3412C-87 | FLUX, SILVER BRAZING - 1 APR 87 REVIEWER: IP | A 3439 | AS | 29-APR-89 | MR | AS | 11 | |
| SAE-AMS3415A-85 | FLUX, ALUMINUM DIP BRAZING 1030 DEG F (555 DEG C) OR LOWER LIQUIDUS - 1 APR 85 REVIEWER: ER MI | A 3439 | AS | 30-JUN-85 | MR | AS | | |
| SAE-AMS3416A-74 | FLUX, ALUMINUM DIP BRAZING 1090 DEG. F (588 DEG. C) FUSION POINT - 15 DEC 74 REVIEWER: ER | A 3439 | AS | 30-JUN-85 | MR | AS | | |
| SAE-AMS3529-84 | PLASTIC SHEET & FILM ,VINYL COPOLYMERS, UNPLASTICIZED - 1 APR 1984 REVIEWER: 84 MI | A 9330 | AS | 15-NOV-88 | AV | AS | 99 | |
| SAE-AMS3568-83 | FOAM SHEET, POLYETHER URETHANE (EU) ELASTOMER SHOCK ABSORBING - 1 JUL 83 REVIEWER: GS | A 9330 | AS | 28-SEP-84 | MR | AS | 11 | |
| SAE-AMS3568/1-83 | FOAM POLYETHER URETHANE (EU) ELASTOMER, SHOCK ABSORBING, 5 LB/CU FT (72 KG/M3) DENSITY - 1 JUL 83 REVIEWER: GS | A 9330 | AS | 28-SEP-84 | MR | AS | 11 | |
| SAE-AMS3568/2-83 | FOAM POLYETHER URETHANE (EU) ELASTOMER, SHOCK ABSORBING 15 LB/CU FT (240 KG/M3) DENSITY - 1 JUL 83 REVIEWER: GS | A 9330 | AS | 28-SEP-84 | MR | AS | 11 | |
| SAE-AMS3568/3-83 | FOAM POLYETHER URETHANE (EU) ELASTOMER SHOCK ABSORBING 20 LB/CU FT (320 KG/M3) DENSITY - 1 JUL 83 REVIEWER: GS | A 9330 | AS | 28-SEP-84 | MR | AS | 11 | |
| SAE-AMS3571A-84 | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED - 1 JUL 84 REVIEWER: GS | A 9320 | AS | 25-JUN-86 | MR | AS | 11 | |
| SAE-AMS3571/1A-84 | RESIN, POLYETHER URETHANE (EU) CASTING, FLEXIBLE, SOLID, UNFILLED, 45 DUROMETER A - 1 JULY 1984 REVIEWER: GS | A 9320 | AS | 12-JAN-87 | | AS | 11 | |
| SAE-AMS3571/2-76 | RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 55 ,A, - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS | A 9330 | AS | 21-DEC-77 | | AS | 11 | |
| SAE-AMS3571/3-76 | RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 65 ,A, - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS | A 9330 | AS | 22-DEC-77 | | AS | 11 | |
| SAE-AMS3571/4-76 | RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 75 ,A, - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS | A 9330 | AS | 21-DEC-77 | | AS | 10 | |
| SAE-AMS3571/5-76 | RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 85 ,A, - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS | A 9330 | AS | 22-DEC-77 | | AS | | |
| SAE-AMS3571/6-76 | RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE DUROMETER HARDNESS 95 ,A, - JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS MR | A 9330 | AS | 08-DEC-77 | | AS | 11 | |
| SAE-AMS3571/7-76 | RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 55 ,D, - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS | A 9330 | AS | 21-DEC-77 | | AS | 11 | |
| SAE-AMS3571/8-76 | RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 65 ,D, - JUL 76 (VALIDATION DATE: 8407) | A 9330 | AS | 22-DEC-77 | | AS | 11 | |
| SAE-AMS3571/9-76 | RESIN, POLYURETHANE CASTING FLEXIBLE SOLID POLYETHER TYPE DUROMETER HARDNESS 75 ,D, - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS | A 9330 | AS | 22-DEC-77 | | AS | 11 | |
| SAE-AMS3578B-85 | STEEL TUBING, WELDED, CORROSION & MODERATE HEAT RESISTANT 12CR - 8.5NI - 0.30 (CB&TA) - 1.1TI - 2.0CU VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE - 1 JULY 1985 | A 4710 | 11 | 01-AUG-86 | MR | AS | 11 | |

| Action | Doc. / Obsit. Classification Indicator | Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | SAE-AMS3598C-86 | PLASTIC, SHEET, COPPER FACED, GLASS CLOTH REINFORCED POLYTETRAFLUOROETHYLENE - 1 JAN 86 REVIEWER: GS | A 9330 | AS 30-SEP-86 | MR | AS | 11 | |
| | | SAE-AMS3607E-87 | PLASTIC SHEET AND PLATE, COTTON FABRIC REINFORCED PHENOL FORMALDEHYDE - 1 JUL 87 | A 9330 | MR 31-AUG-88 | | AS | 11 | |
| D | | SAE-AMS3611C-86 | PLASTIC SHEET, POLYCARBONATE USER: YD1 | A 9330 | AS 25-APR-90 | MR | AS | 11 | |
| | | SAE-AMS3613A-81 | FILM, POLYESTER COPPER CLAD - 1 OCT 81 REVIEWER: GS | A 9330 | AS 14-JUN-82 | MR | AS | 11 | |
| | | SAE-AMS3615D-84 | TUBING, PLASTIC, COTTON FABRIC REINFORCED PHENOL-FORMALDEHYDE - 1 JAN 84 REVIEWER: GS | A 9330 | AS 20-SEP-85 | MR | AS | 11 | |
| | | SAE-AMS3616A-85 | RESIN, POLYIMIDE, LAMINATING & MOLDING, HIGH TEMPERATURE RESISTANT, 370 DEG.C (700 DEG.F), UNFILLED, ADDITION POLYMER - 1 OCT 85 REVIEWER: GS | A 9330 | AS 30-DEC-85 | MR | AS | 11 | |
| | | SAE-AMS3619-87 | RESIN, POLYIMIDE, LAMINATING, HIGH TEMPERATURE RESISTANT, 315 DEG. C (600 DEG. F) - 23 OCT 1987) REVIEWER: GS | A 9330 | AS 28-JUN-88 | MR | AS | 11 | |
| A | | SAE-AMS3623B-82 | TUBING ELASTOMERIC, ELECTRICAL INSULATION, IRRADIATED POLYCHLOROPRENE, FLEXIBLE, HEAT SHRINKABLE 1.750 TO 1 SHRINK RATIO - 1 APR 82 REVIEWER: GS | A 5970 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3628C-85 | PLASTIC EXTRUSIONS & MOLDINGS, POLYCARBONATE, GENERAL PURPOSE - 1 APR 1985 | A 9330 | AS 23-OCT-87 | MR | AS | 11 | |
| | | SAE-AMS3630D-84 | PLASTIC EXTRUSIONS, FLEXIBLE, POLYVINYL CHLORIDE - 1 OCT 84 | A 4710 | AS 06-JUN-85 | ME | AS | | |
| | | SAE-AMS3632C-75 | TUBING, PLASTIC, ELECTRICAL INSULATION IRRADIATED POLYVINYLIDENE FLUORIDE, SEMI-RIGID, HEAT SHRINKABLE 2 TO 1 RATIO - 15 JUN 75 [VALIDATION DATE: 8104] REVIEWER: GS MI | A 5970 | AS 12-SEP-75 | MR | AS | 10 | |
| | | SAE-AMS3636F-84 | TUBING PLASTIC, ELECTRICAL INSULATION, IRRADIATED POLYOLEFIN, PIGMENTED, FLEXIBLE, HEAT SHRINKABLE 2 TO 1 SHRINK RATIO - 1 JAN 84 REVIEWER: GS | A 5970 | AS 28-SEP-84 | MR | AS | 10 | |
| | | SAE-AMS3638E-88 | PLASTIC TUBING, ELECTRICAL INSULATION, IRRADIATED POLYOLEFIN, PIGMENTED, SEMI-RIGID, HEAT SHRINKABLE, 2 TO 1 RATIO - 1 JULY 1988 REVIEWER: GS | A 5970 | AS 20-OCT-88 | MR | AS | 11 | |
| | | SAE-AMS3646A-77 | POLYCHLOROTRIFLUOROETHYLENE SHEET, MOLDED, UNPLASTICIZED - 15 JUL 77 [VALIDATION DATE: 8508] USER: SH REVIEWER: GS | A 9330 | AS 06-NOV-78 | MR | AS | 11 | |
| | | SAE-AMS3647B-85 | POLYFLUOROETHYLENEPROPYLENE FILM & SHEET - 1 OCT 1985 REVIEWER: GS | A 9330 | AS 30-SEP-86 | MR | AS | 11 | |
| | | SAE-AMS3648A-77 | POLYCHLOROTRIFLUOROETHYLENE TUBING, UNPLASTICIZED - 15 JUL 77 [VALIDATION DATE: 8508] REVIEWER: GS | A 9330 | AS 06-NOV-78 | MR | AS | 11 | |
| | | SAE-AMS3649B-77 | POLYCHLOROTRIFLUOROETHYLENE FILM, UNPLASTICIZED - 15 JUL 77 [VALIDATION DATE: 8508] USER: SH REVIEWER: GS | A 9330 | AS 06-NOV-78 | MR | AS | 11 | |
| | | SAE-AMS3650B-85 | POLYCHLOROTRIFLUOROETHYLENE (PCTFE) UNPLASTICIZED - 1 JUL 85 | A 9330 | AS 31-AUG-88 | MR | AS | 11 | |
| | | SAE-AMS3652B-86 | POLYCHLOROTRIFLUOROETHYLENE FILM, NON-CRITICAL GRADE - 1 OCT 86 | A 9330 | AS 30-APR-89 | MR | AS | 11 | |
| | | SAE-AMS3653D-85 | TUBING, ELECTRICAL INSULATION, STANDARD WALL, EXTRUDED POLYTETRAFLUOROETHYLENE - 1 JULY 1985 REVIEWER: GS | A 5970 | AS 20-OCT-88 | MR | AS | 11 | |
| | | SAE-AMS3654B-85 | TUBING, ELECTRICAL INSULATION, LIGHT WALL, EXTRUDED POLYTETRAFLUOROETHYLENE - 1 JULY 1985 REVIEWER: AR GS | A 5970 | AS 20-OCT-88 | MR | AS | 11 | |
| | | SAE-AMS3655A-85 | TUBING, ELECTRICAL INSULATION, THIN WALL, EXTRUDED POLYTETRAFLUOROETHYLENE - 1 JULY 1985 REVIEWER: GS | A 5970 | AS 20-OCT-88 | MR | AS | 11 | |
| | | SAE-AMS3656D-84 | POLYTETRAFLUOROETHYLENE EXTRUSIONS, NORMAL STRENGTH, AS SINTERED, RADIOGRAPHICALLY INSPECTED - 1 OCT 84 REVIEWER: GS | A 9330 | AS 20-MAR-85 | MR | AS | 11 | |
| | | SAE-AMS3662A-76 | FILM, POLYTETRAFLUOROETHYLENE, GENERAL PURPOSE GRADE - JUL 76 REVIEWER: GS | A 5970 | AS 15-JUL-82 | MR | AS | 11 | |
| | | SAE-AMS3666C-85 | POLYTETRAFLUOROETHYLENE (PTFE) SHEET, GLASS CLOTH REINFORCED - 1 OCT 85 REVIEWER: GS | A 9330 | AS 30-SEP-86 | MR | AS | 11 | |
| | | SAE-AMS3671-80 | MOLDING COMPOUND, PLASTIC, NOVOLAC EPOXY RESIN, SHORT GLASS FIBER REINFORCED, STRUCTURAL - 15 OCT 80 | A 9330 | AS 08-NOV-82 | | AS | 11 | |
| | | SAE-AMS3676A-52 | INSULATION, SOUND AND THERMAL RESIN-BONDED GLASS FIBER, MEDIUM FILAMENT - 15 JUN 52 [VALIDATION DATE: 8103] REVIEWER: GS | A 5970 | AS 29-JAN-71 | MR | AS | 11 | |
| | | SAE-AMS3679-75 | INSULATION, THERMAL HIGH TEMPERATURE ALUMINA SILICA FIBER - 15 JUN 75 [VALIDATION DATE: 8407] | A 5640 | AS 06-DEC-77 | | AS | 11 | |
| | | SAE-AMS3680B-85 | INSULATION, THERMAL, SILICA FIBER - 1 OCT 1985 REVIEWER: ME | A 5640 | AS 30-DEC-86 | | AS | 11 | |
| | | SAE-AMS3684A-83 | RESIN, POLYIMIDE, SEALING, HIGH TEMPERATURE RESISTANT, 315 DEG. C (600 DEG. F), UNFILLED - 1 APR 83 REVIEWER: GS | A 9330 | AS 07-OCT-83 | MR | AS | 11 | |
| | | SAE-AMS3686-75 | ADHESIVE, POLYMIDE RESIN FILM AND PASTE HIGH TEMPERATURE RESISTANT, 315 DEG. 600 DEG. F - 15 SEP 75 [VALIDATION DATE: 8407] | A 8040 | AS 05-DEC-77 | MR | AS | 11 | |
| | | SAE-AMS3688A-81 | ADHESIVE, FOAMING, HONEYCOMB CORE SPLICE, STRUCTURAL -67 DEG. TO +180 DEG. F (-55 DEG. +O +80 DEG. C) - 1 OCT 81 | A 8040 | AS 22-OCT-84 | MR | AS | 11 | |
| | | SAE-AMS3689A-81 | ADHESIVE, FOAMING, HONEYCOMB CORE SPLICE, STRUCTURAL -67 DEG. TO +350 DEG. F (-55 DEG. TO +175 DEG. C) 1 OCT 81 | A 8040 | AS 22-OCT-84 | MR | AS | 10 | |
| | | SAE-AMS3696A-83 | AERODYNAMIC FAIRING COMPOUND -55 DEG. TO +85 DEG. C (-65 DEG. TO 185 DEG. F) - 1 JULY 83 | A 8010 | AS 05-MAR-85 | | AS | 11 | |
| | | SAE-AMS3697A-83 | AERODYNAMIC FAIRING COMPOUND -55 DEG. TO +150 DEG. C (-65 DEG. TO +300 DEG. F) - 1 JULY 83 | A 8010 | AS 05-MAR-85 | | AS | 11 | |
| A | | SAE-AMS3709A-79 | TILES, SYNTACTIC FOAM - 15 OCT 79 REVIEWER: GS | A 9330 | AS 19-FEB-80 | MR | AS | 11 | |
| | | SAE-AMS3710B-87 | STRUCTURES, SANDWICH GLASS FABRIC-RESIN LOW PRESSURE MOLDED HEAT RESISTANT - 1 JUL 1987 | A CMPS | AS 30-SEP-89 | MR | MR | 11 | |
| | | SAE-AMS3720A-88 | PAPER HONEYCOMB, 60 LB (25 KG) PAPER - 1 JAN 1988 | A 5640 | AS 10-JUN-88 | MR | AS | 11 | |
| | | SAE-AMS3722A-88 | PAPER HONEYCOMB, 125 LB (55 KG) PAPER - 1 JAN 1988 | A CMPS | AS 10-JUN-88 | MR | AS | 11 | |
| | | SAE-AMS3726-83 | SHIMS, FILLED RESIN COMPOUND - 1 OCT 1983 REVIEWER: GS | A 9330 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3726/1-83 | SHIMS, FILLED RESIN COMPOUND LIQUID - 1 OCT 83 REVIEWER: GS | A 9330 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3726/2-83 | SHIMS, FILLED RESIN COMPOUND, PRECATALYZED SHEET - 1 OCT 83 RLVIEWER: GS | A 9330 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3726/3-83 | SHIMS, FILLED RESIN COMPOUND, LIQUID PRECATALYZED - 1 OCT 83 REVIEWER: GS | A 9330 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3751A-79 | MICROSPHERE, HOLLOW GLASS - 15 OCT 1979 REVIEWER: GS | A 9340 | AS 19-FEB-80 | MR | AS | 11 | |
| | | SAE-AMS3756-83 | MOLDING, POLYTETRAFLUOROETHELENE GLASS FIBER FILLED 75-PTFE RESIN, 25 GLASS, AS SINTERED - 1 OCT 1983 REVIEWER: GS | A 9330 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3792-83 | TAPE, LOW MODULUS ARAMID - 1 OCT 83 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3792/2-83 | TAPE, LOW MODULUS ARAMID, 2(50), 1,000 (4,450) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3792/3-83 | TAPE, LOW MODULUS ARAMID, 2(50), 3000 (13.345) BREAKING STRENGTH REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3792/12-83 | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 9,000 (40,000) BREAKING STRENGTH, SPECIAL WEAVE - 1 OCT 83 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT - 1 OCT 83 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/1-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT 5/8 (16) WIDE, 1000 (4,450) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/2-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT 5/8 (16) WIDE, 2,000 (8,895) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/3-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1 (25) WIDE, 3,000 (13,345) BREAKING STRENGTH 1 OCT 1983 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/4-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1 (25) WIDE, 4,000 (17,790) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/5-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1 (25) WIDE, 5,000 (22,000) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/6-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/16 (27), WIDE, 6,000 (26,690) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/7-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/16 (27) WIDE, 7,000 (31,135) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/8-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/16 (27) WIDE, 8,000 (35,585) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/9-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/8 (28) WIDE, 9,000 (40,030) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/10-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/8 (28) WIDE, 10,000 (44,480) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |
| | | SAE-AMS3797/11-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/8 (28) WIDE, 11,000 (48,930) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP | A 8305 | AS 28-SEP-84 | MR | AS | 11 | |

| Action | Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | SAE-AMS3797/12-83 | WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/8(28) WIDE, 12,000 (53 ,380) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798-83 | WEBBING, LOW MODULUS ARAMID - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/1-83 | WEBBING, LOW MODULUS ARAMID, 9/16 (14) WIDE, 500 (2,225) BREAKING STRENGTH, HERRINGBONE TWILL, RESIN TREATED - 1 OCT 83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/2-83 | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 600 (2,670) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/3-83 | WEBBING, LOW MODULUS ARAMID, 3/4 (19) WIDE, 600 (2,670) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/4-83 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 5,500 (24,465) BREAKING STRENGTH, DOUBLE PLAIN WEAVE WITH BINDER - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/5-83 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 3,600 (16,000) BREAKING STRENGTH, HERRINGBONE TWILL, RESIN TREATED - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/6-83 | WEBBING, LOW MODULUS ARAMID, 3-1/32 (77) WIDE, 9,000 (40,000) BREAKING STRENGTH DOUBLE PLAIN WEAVE WITH BINDER - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/7-83 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 8,700 (38,700) BREAKING STRENGTH, DOUBLE PLAIN WEAVE WITH BINDER - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/8-83 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 1,200 (5,340) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/9-83 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 6,500 (28,900) BREAKING STRENGTH, HERRINGBONE TWILL, RESIN TREATED - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/10-83 | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 6,000 (26,700) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/11-83 | WEBBING, LOW MODULUS ARAMID, 1-3/4 (44) WIDE, 10,000 (44,500) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 1983 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/12-83 | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 9000 (40,000) BREAKING STRENGTH, SPECIAL WEAVE - 1 OCT 83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/13-83 | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 7,300 (32,500) BREAKING STRENGTH-1 OCT83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/14-83 | WEBBING, LOW MODULUS ARAMID, 1-1/4 (32) WIDE, 800 (3,560) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/15-83 | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 2,500 (11,100) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3798/16-83 | WEBBING, LOW MODULUS ARAMID, 1-1/2 (38) WIDE, 1,700 (7,550) BREAKING STRENGTH, SPECIAL WEAVE - 1 OCT 83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3799-83 | WEBBING, TUBULER, LOW MODULUS ARAMID-54 - 1 OCT 83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3799/1-83 | WEBBING, TUBULAR, LOW MODULUS ARAMID, 9/16 (14) WIDE, 1400 (6225N) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3799/2-83 | WEBBING, TUBULAR, LOW MODULUS ARAMID, 3/4 (19) WIDE, 2300 (10,230N) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3799/3-83 | WEBBING, TUBULAR, LOW MODULUS ARAMID, 1 (25) WIDE, 4,000 (17,800N) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3799/4-83 | WEBBING, TUBULAR, LOW MODULUS ARAMID, 3 3/16 (80) WIDE, 2250 (10.000) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP | A | 8305 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3801-84 | CLOTH, PARACHUTE, META-ARMID, LOW MODULUS - 1 APR 84 REVIEWER: CT | A | 8305 | AS | 30-APR-86 | GL | AS | 11 |
| | | SAE-AMS3801/1-84 | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS, 4.7 (160) WEIGHT, TWILL - 1 APR 84 REVIEWER: CT | A | 8305 | AS | 30-APR-86 | GL | AS | 11 |
| | | SAE-AMS3801/2-84 | CLOTH, PARACHUTE, META-ARMID, LOW MODULUS, 6.5 (220) WEIGHT, SPECIAL WEAVE - 1 APR 84 REVIEWER: CT | A | 8305 | AS | 30-APR-86 | GL | AS | 11 |
| | | SAE-AMS3801/3-84 | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 12.0 (400) WEIGHT, SPECIAL WEAVE - 1 APR 84 REVIEWER: CT | A | 8305 | AS | 30-APR-86 | GL | AS | 11 |
| | | SAE-AMS3801/4-84 | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 7.0 (250) WEIGHT, PLAIN WEAVE REVIEWER: CT | A | 8305 | AS | 30-APR-86 | GL | AS | 11 |
| | | SAE-AMS3801/5-84 | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 18.0 (600) WEIGHT, BASKET WEAVE, RESIN TREATED - 1 APR 84 | A | 8305 | AS | 30-APR-86 | GL | AS | 11 |
| | | SAE-AMS3808-83 | TAPE, ADHESIVE, PRESSURE SENSITIVE MASKING - 1 OCT 83 | A | 7510 | AS | 28-SEP-84 | MR | AS | 11 |
| | | SAE-AMS3821A-84 | CLOTH, TYPE E GLASS, B STAGE EPOXY-RESIN-IMPREGNATED 7781 STYLE FABRIC, FLAME RESISTANT - 1 JAN 1984 REVIEWER: CT | A | CMPS | AS | 13-JAN-86 | | AS | 11 |
| | | SAE-AMS3823C-85 | CLOTH, GLASS, STYLE 7781, CHROME-SILANE FINISH - 1 APR 1985 REVIEWER: CT | A | CMPS | AS | 30-SEP-89 | | AS | 11 |
| | | SAE-AMS3824A-84 | GLASS, CLOTH, FINISHED FOR RESIN LAMINATES REVIEWER: CT | A | CMPS | AS | 20-NOV-85 | | AS | 11 |
| D | | SAE-AMS3827-73 | CLOTH-TYPE "E" GLASS, "B" STAGE POLYESTER RESIN IMPREGNATED, 181 STYLE FABRIC, SELF-EXTINGUISHING - 1 DEC 1973 | A | 8305 | YD1 | 21-DEC-89 | *R | YD1 | 11 |
| | | SAE-AMS3832A-79 | GLASS ROVING, TYPE S GLASS, EPOXY RESIN IMPREGNATED - 16 JUL 1979 REVIEWER: GS | A | CMPS | AS | 29-JUL-80 | MR | AS | 11 |
| | | SAE-AMS3837A-79 | CLOTH, TYPE ,S, GLASS, 181 STYLE FABRIC, FINISH NO. HTS-904 - 16 JUL 79 [VALIDATION DATE: 8511] | A | CMPS | AS | 29-JUL-80 | MR | AS | 11 |
| | | SAE-AMS3846A-83 | CLOTH, QUARTZ, FINISHED FOR RESIN LAMINATES - 1 APR 83 REVIEWER: CT | A | CMPS | AS | 29-DEC-83 | MR | AS | 11 |
| | | SAE-AMS3847A-83 | CLOTH, QUARTZ, .B. STAGE POLYIMIDE RESIN IMPREGNATED, STYLE 581 FABRIC, 315 DEG. C (600 DEG. F) - 1 APR 83 [VALIDATION DATE: 8411] REVIEWER: GS | A | CMPS | AS | 07-OCT-83 | MR | AS | 11 |
| N | L | SAE-AMS3865C | FILAMENTS, BORON TUNGSTEN, SUBSTRATE, CONTINUOUS REVIEWER: 84 99 | A | 9330 | 11 | 09-JUN-93 | | | 11 |
| A | L | SAE-AMS3867B NOTICE 1 | BORON FILAMENT TAPE, EPOXY RESIN IMPREGNATED REVIEWER: 84 99 GS | A | 9330 | * 11 | 11-FEB-93 | | | 11 |
| A | L | SAE-AMS3867/1B | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B4.0-E374(TYPE B0.102-E191) REVIEWER: 84 99 GS | A | 9330 | * 11 | 11-FEB-93 | | | 11 |
| A | L | SAE-AMS3867/2B NOTICE 1 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B5.6-E374(TYPE B0.142-E190) REVIEWER: 84 99 GS | A | 9330 | * 11 | 11-FEB-93 | | | 11 |
| A | L | SAE-AMS3867/3B NOTICE 1 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B8.0-E374 (TYPE B0.203-E190) REVIEWER: 84 99 GS | A | 9330 | * 11 | 11-FEB-93 | | | 11 |
| A | L | SAE-AMS3867/4A NOTICE 1 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B4.0-E180 (TYPE B0.102-E82) REVIEWER: 84 99 GS | A | 9330 | * 11 | 11-FEB-93 | | | 11 |
| A | L | SAE-AMS3867/5A NOTICE 1 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B5.6-E180 (TYPE B0.142-E82) REVIEWER: 84 99 GS | A | 9330 | * 11 | 11-FEB-93 | | | 11 |
| A | L | SAE-AMS3867/6A NOTICE 1 | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B8.0-E180 (TYPE B0.203-E82) USER: GS REVIEWER: 84 99 | A | 9330 | * 11 | 11-FEB-93 | | | 11 |
| | | SAE-AMS3870C-84 | MOLDINGS AND EXTRUSIONS, CERAMIC, DENSE, ULTRA-HIGH ALUMINA (99% A1203) REVIEWER: ME | A | 5680 | AS | 20-MAY-85 | MR | AS | 11 |
| | | SAE-AMS3880B-84 | CERAMIC, CRYSTALLIZED GLASS - 1 OCT 84 REVIEWER: GS | A | 9340 | AS | 20-MAR-85 | MR | AS | 11 |
| | | SAE-AMS3890-70 | YARN, GRAPHITE NON STRUCTURAL - 2 PLY 720 FILAMENTS - 1 MAY 70 [VALIDATION DATE: 8407] REVIEWER: GS | A | 9330 | AS | 14-DEC-77 | MR | AS | 11 |
| | | SAE-AMS3892A-84 | CARBON (GRAPHITE) FIBER TOW AND YARN - FOR STRUCTURAL COPOSITES 1 JUL 84 | A | CMPS | AS | 30-APR-89 | MR | AS | 11 |
| | | SAE-AMS3892/1A-84 | TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF 400 (2760) TENSILE STRENGTH, 33 (228) TENSILE MODULUS - 1 JUL 1984 | A | CMPS | MR | 30-APR-89 | MR | AS | 11 |
| | | SAE-AMS3892/2A-84 | TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF 300 (2070) TENSILE STRENGTH, 50 (345) TENSILE MODULUS - 1 JUL 1984 | A | CMPS | MR | 30-APR-89 | MR | AS | 11 |
| | | SAE-AMS3892/3A-84 | TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF 400 (2760) TENSILE STRENGTH, 40 (275) TENSILE MODULUS - 1 JUL 1984 | A | CMPS | MR | 30-APR-89 | MR | AS | 11 |
| | | SAE-AMS3892/4A-84 | TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF 300 (2070) TENSILE STRENGTH, 75 (517) TENSILE MODULUS - 1 JUL 1984 | A | CMPS | MR | 30-APR-89 | MR | AS | 11 |
| | | SAE-AMS3892/5-73 | CARBON (GRAPHITE) FIBER FOR STRUCTURAL COMPOSITES, GF 220 (1517) TS 70,000,000 (483) TENSILE, MOD - 15 MAY 73 [VALIDATION DATE: 8407] | A | CMPS | AS | 13-DEC-77 | MR | AS | 11 |
| | | SAE-AMS3892/6-84 | TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF 325 (2250) TENSILE STRENGTH, 57 (395) TENSILE MODULUS - 1 JUL 1984 | A | CMPS | MR | 02-DEC-88 | MR | AS | 11 |
| | | SAE-AMS3892/7-84 | TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF (OX) 400 (2760) TENSILE STRENGTH, 33 (228) TENSILE MODULUS - 1 JUL 1984 | A | CMPS | AS | 02-DEC-88 | MR | AS | 11 |

| Action | GRL / GIDL | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | SAE-AMS3892/8-84 | TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF (OX) 400 (2760) TENSILE STRENGTH, 40 (275) TENSILE MODULUS - 1 JUL 1984 | A | CMPS | AS | 02-DEC-88 | MR | AS | 11 | |
| | | | SAE-AMS3892/9A-87 | TOW, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, 500 (3445) TENSILE STRENGTH, 33,000,000 (221) TENSILE MODULUS - 1 JUL 1987 | A | CMPS | AS | 02-DEC-88 | MR | AS | 11 | |
| | | | SAE-AMS3892/10-86 | TOW, CARBON (GRAPHITE) FIBER - FOR STRUCTURAL COMPOSITES, 550 (3790) TENSILE STRENGTH, 38,000,000 (262) TENSILE MODULUS - 1 OCT 1986 | A | CMPS | AS | 02-DEC-88 | MR | AS | 11 | |
| | | | SAE-AMS3894C-83 | CARBON (GRAPHITE) FIBER TAPE & SHEET, EPOXY RESIN IMPREGNATED - 1 APR 83 REVIEWER: GS | A | CMPS | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/1A-83 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 110,000 (758) TENSILE, 27,000,000 (186) MODULUS, 175 (350) | A | 9330 | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/2A-83 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 20,000,000 (138) MODULUS, 175 (350) - 1 APR 1983 | A | 9330 | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/3A-83 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 19,000,000 (131) MODULUS, 80 (180) - 1 APR 1983 | A | 9330 | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/4A-83 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 150,000 (1034) TENSILE, 15,000,000 (103) MODULUS, 80 (180) - 1 APR 83 | A | 9330 | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/5A-83 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 110,000 (758) TENSILE, 27,000,000 (186) MODULUS, 80 (180) - 1 APR 1983 | A | 9330 | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/6A-83 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 15,000,000 (103) MODULUS, 175 (350) - 1 APR 1983 | A | 9330 | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/7A-83 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 90,000 (620) TENSILE, 40,000,000 (275) MODULUS, 80 (180) - 1 APR 1983 | A | 9330 | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/8A-83 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 70,000 (483) TENSILE, 36,000,000 (248) MODULUS, 80 (180) - 1 APR 1983 | A | 9330 | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/9A-83 | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 70,000 (483) TENSILE, 36,000,000 (248) MODULUS, 175 (350) - 1 APR 1983 | A | 9330 | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/10-83 | CARBON (GRAPHITE) FIBER TAPE & SHEET, EPOXY RESIN IMPREGNATED, G 200,000 (1450) TENSILE, 20,000,000 (138) MODULUS, 80 (175) - 1 APR 83 REVIEWER: GS | A | CMPS | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3894/11-83 | CARBON (GRAPHITE) FIBER TAPE & SHEET, EPOXY RESIN IMPREGNATED, G 200,000 (1380) TENSILE, 18,000,000 (124) MODULUS, 80 (180) - 1 APR 83 REVIEWER: GS | A | CMPS | AS | 02-NOV-83 | MR | AS | 11 | |
| | | | SAE-AMS3898A-85 | TAPE, COMPOSITE, INTERLEAF CARRIER MATERIAL - 1 JAN 85 ..... | A | CMPS | AS | 29-APR-85 | | AS | 11 | |
| | | | SAE-AMS3898/1A-85 | TAPE PARCHMENT, COMPOSITE, INTERLEAF CARRIER MATERIAL, 0.004 IN. (0.10MM), UNPERFORATED | A | CMPS | AS | 29-APR-85 | | AS | 11 | |
| | | | SAE-AMS3898/2A-85 | TAPE POLYETHYLENE FILM, COMPOSITE, UNPERFORATED, INTERLEAF CARRIER MATERIAL, 0.0018 IN. (0.046MM) | A | CMPS | AS | 29-APR-85 | | AS | 11 | |
| | | | SAE-AMS3898/3A-85 | TAPE, COMPOSITE POLYETHYLENE COATED PAPER, UNPERFORATED, INTERLEAF CARRIER MATERIAL, 0.0035 IN. (0.089 MM) | A | CMPS | AS | 29-APR-85 | | AS | 11 | |
| | | | SAE-AMS3898/4A-85 | TAPE, COMPOSITE INTERLEAF CARRIER MATERIAL, PAPER, 0.004 IN. (0.10MM), PERFORATED 1 JAN 85 | A | CMPS | AS | 29-APR-85 | | AS | 11 | |
| | | | SAE-AMS3898/5A-85 | TAPE, COMPOSITE, INTERLEAF CARRIER MATERIAL, POLYETHYLENE COATED PAPER, PERFORATED, 0.0035 IN. (0.089 MM - 1 JAN 85 | A | CMPS | AS | 29-APR-85 | | AS | 11 | |
| | | | SAE-AMS3901A-85 | YARN AND ROVING, ORGANIC FIBER (PARA-ARAMID, HIGH MODULAS - 1 JAN 1985 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/1A-85 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690)TENSILE STRENGTH, 18,000,000 (125) TENSILE MODULUS, 195 DENIER, 0.6% FINISH - 1 JAN 1985 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/2A-85 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 17,500,000 (120) TENSILE MODULUS, 380 DENIER, 0.6% FINISH - 1 JAN 198E REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/3A-85 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 1140 DENIER, 0.6% FINISH - 1 JAN 1985 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/4A-85 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 1420 DENIER, 0.6% FINISH - 1 J AN 1985 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/5A-85 | FIBER, ROVING, ORGANIC (PARA-ARAMID), HIGH MODULUS OR 450,000,000 (3100) TENSILE STRENGTH, 17,500,000 (120) TENSILE MODULUS, 7,100 DENIER, 0.6% FINISH - 1 JAN 1985 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/6A-85 | FIBER ORGANIC ROVING, (PARA ARAMID) HIGH MODULUS OR 500,000 (3450) TENSILE STRENGTH, 17,5008000 (120) TENSILE MODULUS, 4560 DENIER 0.6% FINISH - 1 JAN 85 REVIEWER: CT GL | A | 8310 | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/7-85 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 2130 DENIER, 0.6% FINISH - 1 JAN 1985 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/8-85 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 18,000,000 (125) TENSILE MODULUS, 195 DENIER, 1.2% FINISH - 1 JAN 1985 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/9-85 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 17,500,000 (120) TENSILE MODULUS, 380 DENIER, 1.20/0 FINISH -1 JAN 85 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/10-85 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 16,5000,000 (115) TENSILE MODULUS, 1140 DENIER, 1.2 O/O FINISH - 1 JAN 85 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/11-85 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 1420 DENIER, 1.2 O/O FINISH - 1 JAN 85 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3901/12-85 | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 2130 DENIER, 1.2 O/O FINISH - 1 JAN 85 REVIEWER: CT GL | A | CMPS | AS | 30-JAN-86 | MR | AS | 11 | |
| | | | SAE-AMS3902A-77 | CLOTH, ORGANIC FIBER, HIGH MODULUS, FOR STRUCTURAL COMPOSITES - 15 JAN 77 [VALIDATION DATE: 8407] | A | CMPS | AS | 09-DEC-77 | | AS | 11 | |
| | | | SAE-AMS3903A-85 | CLOTH, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS EPOXY RESIN IMPREGNATED - 1 OCT 1985 | A | CMPS | AS | 20-NOV-85 | MR | AS | 11 | |
| | | | SAE-AMS3903/1A-88 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 120 , 175(350) - 1 JAN 1988 USER: 45 REVIEWER: CT | A | CMPS | AS | 30-SEP-89 | MR | AS | 11 | |
| | | | SAE-AMS3903/2A-88 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 181 , 175(350) - 1 JAN 1988 | A | CMPS | AS | 30-SEP-89 | MR | AS | 11 | |
| | | | SAE-AMS3903/3A-88 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 281 , 175(350) - 1 JAN 1988 | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| | | | SAE-AMS3903/4A-88 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 328 , 175(350) - 1 JAN 1988 | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| | | | SAE-AMS3903/5A-88 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 120 , 80(180) - | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| | | | SAE-AMS3903/6A-88 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 181 , 80(180) - 1 JAN 1988 USER: 45 REVIEWER: CT | A | CMPS | AS | 30-SEP-89 | MR | AS | 11 | |
| | | | SAE-AMS3903/7A-88 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 281 , 80(180) - 1 JAN 1988 | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| | | | SAE-AMS3903/8A-88 | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 328 , 80(180) - 1 JAN 1988 | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| A | | | SAE-AMS3906A-86 | GLASS TAPE AND FLAT SHEET, NON-WOVEN CLOTH, EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP - 1 APR 1986 | A | CMPS | AS | 30-SEP-89 | MR | AS | 11 | |
| | | | SAE-AMS3906/1A-86 | GLASS, NON-WOVEN FIBER TAPE AND FLAT SHEET, EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP, GL-1-36-120(250) - 1 APR 1986 | A | CMPS | AS | 30-SEP-89 | MR | AS | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | SAE-AMS3906/2A-86 | GLASS FIBER NON WOVEN TAPE & FLAT SHEET, EPOXY RESIN IMPREGNATED, FOR H AND AND MACHINE LAYUP GL-III-36-120(250) - 1 APR 1986 REVIEWER: GS | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| | | SAE-AMS3906/3A-86 | GLASS FIBER NON WOVEN TAPE & FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP, GL-I-26-150(300) - 1 APR 1986 | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| | | SAE-AMS3906/4A-86 | GLASS FIBER NON WOVEN TAPE & FLAT SHEET, EPOXY RESIN IMPREGNATED, FOR HA ND AND MACHINE LAYUP, GL-III-26-150(300) - 1 APR 1986 | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| | | SAE-AMS3906/5A-86 | GLASS FIBER NON WOVEN TAPE & FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP, GL-I-36-150(300) - 1 APR 1986 | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| | | SAE-AMS3906/6A-86 | GLASS, NON-WOVEN FIBER TAPE AND FLAT SHEET, EPOXY RESIN IMPREGNATED, HAND AND MACHINE LAYUP, GL-I-36-95(200) - 1 APR 1986 | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| | | SAE-AMS3906/7A-86 | GLASS, NON-WOVEN FIBER TAPE AND FLAT SHEET, EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP, GL-III-33-95(200 - 1 APR. 198688 | A | CMPS | AS | 30-SEP-89 | MR | AS | | |
| A | | SAE-AMS3911C-86 | SHEET, PLASTIC, POLYCARBONATE, GENERAL PURPOSE - 1 JAN 86 REVIEWER: GS .... | A | 9330 | AS | 21-OCT-86 | MR | AS | 11 | |
| | | SAE-AMS3912A-85 | RADOMES, FOAM SANDWICH, POLYIMIDE/QUARTZ CLOTH CONSTRUCTION -JUL 85 ..... | A | CMPS | AS | 27-AUG-85 | | AS | 11 | |
| | | SAE-AMS4000E-76 | ALUMINUM SHEET AND PLATE (1060-0) - 1 JUL 76 ..... | A | 9535 | AS | 26-JAN-77 | MR | AS | 11 | |
| | | SAE-AMS4009-74 | ALUMINUM ALLOY FOIL 1.0MG-0.6SI-0.30CU-0.20CR (6061-O) - 1 MAR 74 ..... | A | 9535 | AS | 01-APR-85 | MR | AS | 11 | |
| | | SAE-AMS4010A-77 | FOIL, ALUMINUM ALLOY 1.2MN-0.12 CU (3003-H18) - 15 JAN 77 [VALIDATION DATE: 8508] | A | 9535 | AS | 02-JUL-79 | MR | AS | 11 | |
| | | SAE-AMS4012D-79 | ALUMINUM, SHEET, LAMINATED, EDGE BONDED - 16 JULY 1979 REVIEWER: IS ..... | A | 9535 | AS | 29-JUL-80 | MR | AS | 11 | |
| | | SAE-AMS4018B-69 | ALUMINUM ALLOY, SHEET AND PLATE 3.5MG - 0.25CR (554-01) - 1 MAY 69 [VALIDATION DATE: 8203] | A | 9535 | AS | 29-JAN-71 | MR | AS | 11 | |
| | | SAE-AMS4021D-77 | ALUMINUM ALLOY SHEET & PLATE, ALCLAD 1.0 MG,0.60SI - 0.28 CU - 0.20 CR (ALCLAD 6061-O) - 15 JAN 77 | A | 9535 | AS | 14-JUL-81 | MP | AS | 11 | |
| | | SAE-AMS4022E-77 | ALUMINUM ALLOY SHEET AND PLATE ALCLAD, 1.0 MG-0.60 SI-0.28 CU.-0.20 CR. (ALCLAD 6061,-T4 SHEET,-T451 PLATE) - 15 JAN 77 [VALIDATION DATE: 8508] REVIEWER: IS | A | 9535 | AS | 02-JUL-79 | MR | AS | 11 | |
| | | SAE-AMS4023E-77 | ALUMINUM ALLOY SHEET & PLATE, ALCLAD, 1.0 MG-0.60 SI-0.28 CU.-0.20 CR. (ALCLAD 6061,-T6 SHEET,-T651 PLATE) - 15 JAN 77 [VALIDATION DATE: 8508] REVIEWER: IS | A | 9535 | AS | 02-JUL-79 | MR | AS | 11 | |
| | | SAE-AMS4029F-79 | SHEET AND PLATE, ALUMINUM ALLOY, 4.5CU - 0.85SI - 0.80MN - 0.50MG (2014; -T6 SHEET, T651 PLATE) - 16 JULY 1979 | A | 9535 | AS | 30-JUN-85 | MR | AS | 11 | |
| | | SAE-AMS4050A-77 | ALUMINUM ALLOY, PLATE, 6.22N - 2.3CU - 2.2MG - 0.12ZR - (7050-T73651) 15 JUL 77 REVIEWER: IS | A | 9535 | AS | 15-JAN-79 | MR | AS | 11 | |
| | | SAE-AMS4064A-79 | ALUMINUM ALLOY, SHEET, CLAD TWO SIDES, 1.25 MN - 0.12 CU NO. 12-0 BRAZING SHEET) - 16 JULY 1979 | A | 9535 | AS | 30-JUN-85 | MR | AS | | |
| A | NOTICE 1 | SAE-AMS4081G | ALUMINUM ALLOY TUBING, HYDRAULIC, SEAMLESS, DRAWN, ROUND 1.0MG - 0.60SI - 0.28CU - 0.20CR(6061 - T4)SOLUTION HEAT TREATED AND NATURALLY AGED USER: ME REVIEWER: 70 82 99 AV IS MI | A | 4710 * | 11 | 29-JAN-93 | AV | AS | 11 | |
| A | NOTICE 1 | SAE-AMS4083J | ALUMINUM ALLOY TUBING, HYDRAULIC, SEAMLESS, DRAWN, ROUND 1.0MG-0 .60SI-0.28CU-0.20CR (6061 - T6) SOLUTION AND PRECIPITATION HEAT TREATED REVIEWER: 70 82 99 AR AV IS ME MI | A | 4710 * | 11 | 29-JAN-93 | AV | AS | 11 | |
| | | SAE-AMS4084B-85 | ALUMINUM ALLOY, SHEET, 5.7ZN-2.2MG-1.6CU-0.22CR (7475-T61) SOLUTION & PRECIPITATION HEAT TREATED - 1 OCT 85 REVIEWER: IS | A | 9535 | AS | 15-SEP-86 | MR | AS | 11 | |
| | | SAE-AMS4085A-78 | ALUMINUM ALLOY, SHEET, 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T761) - 16 OCT 78 [VALIDATION DATE: 8508] REVIEWER: IS | A | 9535 | AS | 20-FEB-79 | MR | AS | 11 | |
| | | SAE-AMS4089A-78 | ALUMINUM ALLOY PLATE 5.7ZN-2.2MG-1.6CU-0.22CR - 16 OCT 78 ..... | A | 9535 | AS | 13-AUG-82 | MR | AS | 11 | |
| | | SAE-AMS4090A-78 | ALUMINUM ALLOY PLATE 5.7ZN-2.2MG-1.6CU-0.22CR - 16 OCT 78 ..... | A | 9535 | AS | 13-AUG-82 | MR | AS | 11 | |
| | | SAE-AMS4100-79 | ALUMINUM ALLOY SHEET ALCALD 5.7ZN-2.2MG-1.6CU-0.22CR - 16 JUL 79 REVIEWER: IS | A | 9535 | AS | 13-AUG-82 | MR | AS | 11 | |
| | | SAE-AMS4107A-77 | ALUMINUM ALLOY, DIE FORGINGS, 6.2ZN - 2.2MG - 2.3CU - 0.12ZR (7050-T736) - 15 JAN 77 [VALIDATION DATE: 8509] REVIEWER: SH | A | FORG | AS | 15-JAN-79 | MR | AS | 11 | |
| | | SAE-AMS4108A-77 | ALUMINUM ALLOY, FORGINGS, HAND 6 2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T73652) - 15 JAN 77 [VALIDATION DATE: 8509] REVIEWER: SH | A | FORG | AS | 15-JAN-79 | MR | AS | 11 | |
| | | SAE-AMS4109A-81 | ALUMINUM ALLOY HAND FORGINGS 5.6ZN-2.5MG -1.6 CU - 0.24 CR (7175-T736) - 4 JAN 81 | A | FORG | AS | 14-JUL-81 | MR | AS | 11 | |
| | | SAE-AMS4111B-84 | ALUMINUM ALLOY, FORGINGS, 7.7ZN-2.5MG-1.5CU-0.16CR (7049-T73) SOLUTION & PRECIPITATION HEAT TREATED - 1 JUL 84 | A | FORG | AS | 18-JAN-85 | MR | AS | 11 | |
| A | | SAE-AMS4125C-85 | ALUMINUM ALLOY FORGINGS, 0.90 SI-0.62 MG-0.25 CR (6151-T6), SOLUT.ON AND PRECIPITATION HEAT TREATED - 1 JUL 85 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| | | SAE-AMS4126A-83 | ALUMINUM ALLOY FORGINGS, 5.6 ZN-2.5 MG-1.6 CU-0.23 CR (7075-T6) SOLUTION AND PRECIPITATION HEAT TREATED - 1 JAN 83 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4127F-87 | FORGINGS, ALLUMINUM ALLOY, 1.0 MG-0.60 SI-0.28 CU-0.20 CR (6061-T6) SOLUTION AND PRECIPITATION HEAT TREATED - 1 JAN 87 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4130J-85 | FORGINGS, ALUMINUM ALLOY DIE, 4.4 CU-0.85 SI-0.80 MN (2025-T6), SOLUTION AND PRECIPITATION HEAT TREATED - 1 JUL 85 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4131B-86 | ALUMINUM ALLOY FORGINGS 5.6 ZN-2.5 MG-1.6 CU-0.23 CR (7075-T74), SOLUTION AND PRECITAT ION HEAT TREATED - 1 APR 86 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4132C-85 | FORGINGS, ALUMINUM ALLOY, 2.3 CU-1.6 MG-1.1 FE-1.0 NI-0.18 SI 0.07TI (2618-T61), SOLUTION AND PRECIPITATION HEAT TREATED - 1 JUL 85 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4133B-83 | FORGINGS, ALUMINUM ALLOY, 4.5 CU-0.85 SI-0.80 MN-0.5 MG (2014-T6),SOLUTION AND PRECIPITATION HEAT TREATED - 1 JAN 83 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4134C-84 | FORGINGS, LUMINUM ALLOY DIE, 4.4 CU-0.85 SI-0.80 MN-0.50 MG (2014-T4). SOLUTION HEAT TREATED - 1 JAN 84 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4140F-85 | FORGINGS, ALUMINUM ALLOY DIE 4.0 CU-2.0 NI-0.68 MG, SOLUTION AND PRECIPITATION HEAT TREATED - 1 JUL 85 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4141C-82 | ALUMINUM ALLOY DIE FORGINGS, 5.6 ZN-2.5 MG-1.6 CU-0.23 CR (7075-T73), SOLUTION AND PRECIPITATION HEAT TREATED - 1 JUL 82 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4143B-84 | ALUMINUM ALLOY FORGINGS, 6.3 CU-0.3 MN-0.18 ZR-0.1 V-0.06 TI (2219-T6), SOLUTION AND PRECIPITATION - 1 JUL 84 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4144C-85 | ALUMINUM ALLOY AND FORGINGS AND RINGS 6.3 CU-0.3 MN-0.18 ZR 0.10 V-0.06 TI (2219-T85C),SOLUTION HEAT TREATED,STRESS RELIEF COMPRESSED AND PRECIPITATION HEAT TREATED - 1 JUL 85 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| A | | SAE-AMS4146C-84 | ALUMINUM ALLOY FORGINGS 1.0 MG-0.60 SI-0.28 CU 0.20 CR (6061-T4), SOLUTION HEAT TREATED AND NATURALLY AGED - 1JUL 84 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| | | SAE-AMS4147A-78 | ALUMINUM ALLOY, FORGINGS, 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T7352) - 15 APR 78 USER: SH | A | FORG | AS | 06-SEP-82 | MR | AS | 11 | |
| A | | SAE-AMS4148B-87 | ALUMINUM ALLOY DIE FORGINGS 5.6 ZN-2.5 MG-1.6 CU-0.23 CR (7175-T66), SOLUTION AND PRECIPITATION HEAT TREATED -1 JAN 87 | A | FORG | AS | 25-APR-88 | MR | AS | 11 | |
| | | SAE-AMS4149A-81 | ALUMINUM ALLOY FORGINGS, 5.6 ZN- 2.5 MG - 1.6 CU - 0.23 CR (7175-T736) SOLUTION & PRECIPITATION HEAT TREATED - 1 OCT 81 [VALIDATION DATE: 8509] USER: SH | A | FORG | AS | 29-MAR-82 | MR | AS | 11 | |
| | | SAE-AMS4157A-87 | ALUMINUM ALLOY EXTRUSIONS, 7.7ZN - 2.4MG - 1.6CU - 0.16CR (7049-T73511) SOLUTION HEAT TREATED, STRESS RELIEVED, & PRECIPITATION HEAT TREATED - 1 JULY 1982 REVIEWER: IS | A | 9525 | AS | 15-JUL-87 | MR | AS | 11 | |
| | | SAE-AMS4159-74 | ALUMINUM ALLOY, EXTRUSIONS, 7.7ZN - 2.45MG - 1.55CU - 1.6CR (7049-T76511) - 15 DEC 74 [VALIDATION DATE: 8509] REVIEWER: IS | A | 9525 | AS | 15-JAN-79 | MR | AS | 11 | |
| | | SAE-AMS4162A-77 | ALUMINUM ALLOY EXTRUSIONS, 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.06TI (2219-T8511), SOLUTION TREATED, STRESS RELIEF STRETCHED, PRECIPATATION HEAT TREATED - 15 JAN 77 [VALIDATION DATE: 8508] | A | 9540 | AS | 02-JUL-79 | MR | AS | 11 | |
| | | SAE-AMS4163A-77 | ALUMINUM ALLOY EXTRUSIONS, 6.3 CU - 0.30 MN-0.18 ZR-0.10V-0.06 TI (2219-T351!), SOLUTION HEAT TREATED & STRESS RELIEVED BY STRETCHING - 15 JAN 77 [VALIDATION DATE: 8508] | A | 9540 | AS | 02-JUL-79 | MR | AS | 11 | |
| | | SAE-AMS4174-76 | ALUMINUM ALLOY RINGS, FLASH WELDED, 5.6 ZN-2.5 MG-1.6 CU-0.26 CR, (7075-T73) - 15 JAN 76 REVIEWER: IS | A | 5365 | AS | 13-AUG-82 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. | Ltr. / Chg. | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | SAE-AMS4179A-82 | ALUMINUM ALLOY, FORGINGS HAND, 5.6ZN-2.5 MG-1.6 CU-0.24 CR (7175-T73652) - 1 JUL 82 | A | FORG | | AS | 06-SEP-82 | MR | AS | 10 |
| | | | | | SAE-AMS4182C-81 | ALUMINUM ALLOY, WIRE, 5.0 MG - 0.12 MN - 0.12 CR (5056-0) ANNEALED - 16 JULY 1981 | A | 9525 | | AS | 30-JUN-85 | MI | AS | |
| | | | | | SAE-AMS4186-74 | ALUMINUM ALLOY, BARS & RODS, ROLLED, DRAWN OR COLD FINISHED 5.6ZN-2.5MG-1.6CU-0.26CR (7075-F) - 1 JUN 74 REVIEWER: IS | A | 9530 | | AS | 13-AUG-82 | MR | AS | 11 |
| | | | | | SAE-AMS4188-79 | ALUMINUM ALLOY WELDING, WIRE, - 15 OCT 79 REVIEWER: IS ..... | A | 9525 | | AS | 13-AUG-82 | MR | AS | 11 |
| | | | | | SAE-AMS4188/1-79 | ALUMINUM ALLOY, WELDING, WIRE, 4.5 CU-0.70AG-0.30MN-0.25MG-0.25TI (A201.0) - 15 OCT 79 REVIEWER: IP | A | 3439 | | AS | 28-SEP-83 | MR | AS | 11 |
| | | | | | SAE-AMS4188/2-79 | ALUMINUM ALLOY, WELDING, WIRE, 4.6 CU-0.35MN-0.25MG-0.22TI(A206.0) - 15 OCT 79 REVIEWER: IP | A | 3439 | | AS | 28-SEP-83 | MR | AS | 11 |
| | | | | | SAE-AMS4188/3-79 | ALUMINUM ALLOY, WELDING, WIRE, 5.0SI-1.2CU- 0.50MG(C355.0) - 15 OCT 79 REVIEWER: IP | A | 3439 | | AS | 28-SEP-83 | MR | AS | 11 |
| | | | | | SAE-AMS4188/4-79 | ALUMINUM ALLOY, WELDING, WIRE, 7.0SI-0.30 MG(A356.0) - 15 OCT 79) REVIEWER: IP | A | 3439 | | AS | 28-SEP-83 | MR | AS | 11 |
| | | | | | SAE-AMS4188/5-79 | ALUMINUM ALLOY, WELDING, WIRE, 7.0SI-0.52MG (357.0) - 15 OCT 79 REVIEWER: IP | A | 3439 | | AS | 28-SEP-83 | MR | AS | 11 |
| | | | | | SAE-AMS4190C-78 | ALUMINUM ALLOY, WELDING, WIRE, 5.2SI (4043) - 15 JUL 78 ..... | A | 3439 | | AS | 08-NOV-82 | MR | AS | 11 |
| | | | | | SAE-AMS4200-78 | ALUMINUM ALLOY, PLATE, 7.7ZN-2.4MG-1.6CU-0.16CR (7049-T7351) - 15 JAN 78 REVIEWER: IS | A | 9535 | | AS | 13-AUG-82 | MR | AS | 11 |
| | | | | | SAE-AMS4201-80 | ALUMINUM ALLOY, PLATE, 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T7651) - 15 JAN 80 REVIEWER: IS | A | 9535 | | AS | 06-SEP-82 | MR | AS | 11 |
| | | | | | SAE-AMS4202A-81 | SLUMINUM SLLOY, PLSTE, 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T7351) - 1 JUL 81 REVIEWER: IS | A | 9535 | | AS | 06-SEP-82 | MR | AS | 11 |
| | | | | | SAE-AMS4203-82 | ALUMINUM ALLOY PLATE 6.2ZN-1.8CU-2.4MG-0.13ZR (7010-T7351) SOLUTION HEAT TREATED, STRESS RELIEVED & PRECIPITATTION HEAT TREATED - 1 JUL 82 | A | 9535 | | AS | 01-JUN-83 | MR | AS | 11 |
| | | | | | SAE-AMS4204-82 | ALUMINUM ALLOY PLATE 6.2ZN-1.8CU-2.4MG-0.13ZR (7010-T7651 REVIEWER: IS .... | A | 9535 | | AS | 01-JUN-83 | MR | AS | 11 |
| | | | | | SAE-AMS4205-82 | ALUMINUM ALLOY PLATE 6.2ZN-1.8CU-2.4MG-0.13ZR (7010-T73651) SOLUTION HEAT TREATED, STRESS RELIEVED & HEAT TREATED - 1 JUL 82 USER: IS | A | 9535 | | AS | 01-JUN-83 | MR | AS | 11 |
| | | | | | SAE-AMS4207-82 | ALUMINUM ALLOY SHEET, ALCLAD 5.7ZN-2.2MG-1.6CU-0.22CR (7457-T61) SOLUTION & PRECIPITATION HEAT TREATED - 1 JUL 82 REVIEWER: IS | A | 9535 | | AS | 01-JUN-83 | MR | AS | 11 |
| | | | | | SAE-AMS4229B-82 | ALUMINUM ALLOY, CASTING, HIGH STRENGTH 4.5CU-0.70AG-0.30MN-0.25MG-0.25TI (A201.0-T7) SOLUTION HEAT TREATED & OVERAGED - 1 JUL 82 | A | MECA | | AS | 30-DEC-82 | MR | AS | 11 |
| | | | | | SAE-AMS4233-86 | WIRE, WELDING, ALUMINUM ALLOY, 4.5CU-0.70AG-0.30MN-0.25MG-0.25TI FOR WELDING 201 TYPE ALLOYS - 1 OCT 86 REVIEWER: IP | A | 3439 | | AS | 29-APR-88 | MR | AS | 11 |
| | | | | | SAE-AMS4235-80 | ALUMINUM ALLOY, CASTING, PREMIUM GRADE 4.6CU-0.35MN-0.25MG-0.22TI (A206.0-T71) SOLUTION & PRECIPITATION HEAT TREATED - 15 APR 80 | A | MECA | | AS | 06-OCT-82 | MR | AS | 11 |
| | | | | | SAE-AMS4236-80 | ALUMINUM ALLOY, CASTING, PREMIUM GRADE, 4.6CU - 0.35MN - 0.25MG - 0.22TI (A206.0-T4) SOLUTION HEAT TREATED & NATURALLY AGED - 15 JUL 80 | A | MECA | | AS | 03-SEP-82 | MR | AS | 11 |
| | | | | | SAE-AMS4244-87 | WELDING WIRE ALUMINUM ALLOY 4.6CU-0.35MN-0.25MG-0.22TI FOR WELDING 206 TYPE ALLOYS - 1 JAN 1987 REVIEWER: IP | A | 3439 | | AS | 29-APR-88 | MR | AS | 11 |
| | | | | | SAE-AMS4245-86 | WIRE, WELDING ALUMINUMALLOY, 5.0SI-1.2CU-0.50MG FOR WELDING 355 TYPE ALLOYS - 1 OCTOBER 1986 REVIEWER: IP | A | 3439 | | AS | 29-APR-88 | MR | AS | 11 |
| | | | | | SAE-AMS4246-86 | WIRE, WELDING, ALUMINUM ALLOY 7.0SI-0.52MG-1OCT 86 REVIEWER: IP ..... | A | 3439 | | AS | 29-APR-88 | MR | AS | 11 |
| A | | | | | SAE-AMS4247-87 | ALUMINUM ALLOY HAND FORGINGS 7.7 ZN-2.4 MG-1.6 CU-0.16 CR (7049-T7352), SOLUTION HEAT TREATED, STRESS RELIEVED BY COMPRESSION, AND PRECIPITATION HEAT TREATED - 1 JAN 87 | A | FORG | | AS | 25-APR-88 | MR | AS | 11 |
| A | | | | | SAE-AMS4248-87 | RINGS, AND FORGINGS, HAND, ALUMINUM ALLOY, 1.0 MG-0.60 SI-0.28 CU-0.20 CR (6061-T652), SOLUTION HEAT TREATED, STRESS RELIEF COMPRESSED, AND PPECIPITATION HEAT TREATED - 1JAN87 | A | FORG | | AS | 25-APR-88 | MR | AS | 11 |
| | | | | | SAE-AMS4261C-84 | ALUMINUM ALLOY, CASTING, INVESTMENT 7.0 SI - 0.32 MG (356.0-T51) PRECIPITATION HEAT TREATED - 1 JAN 1984 | A | MECA | | AS | 02-APR-85 | MR | AS | 11 |
| | | | | | SAE-AMS4300A-85 | ALUMINUM BORON COMPOSITE SHEET 50 V/O 5.68, 6061-0 FOR DIFFUSION BONDING - 1 APR 85 REVIEWER: GS | A | CMPS | | AS | 04-MAR-88 | MR | AS | 11 |
| | | | | | SAE-AMS4301A-85 | BORON-ALUMINUM COMPOSITE SHEET 50 V/O 5.68, 2024-0 FOR DIFFUSION BONDING I 1 APR 1985 | A | CMPS | | AS | 04-MAR-88 | MR | AS | 11 |
| A | | | | | SAE-AMS4310A-83 | ALUMINUM ALLOY RINGS, ROLLED OR FORGED 5.6 ZN-2.5 MG-1.6 CU-0.23 CR (7075-T651, 7075-T652), SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED AND PRECIPITATION HEAT TREATED -1 JAN 83 | A | FORG | | AS | 25-APR-88 | MR | AS | 11 |
| | | | | | SAE-AMS4311-76 | ALUMINUM ALLOY RINGS, ROLLED OR FORGED 5.6 ZN-2.5 MG-1.6 CU-0.26 CR, MECHANICALLY STRESS RELIEVED - 1 JUL 76 | A | 5365 | | AS | 13-AUG-82 | MR | AS | 11 |
| A | | | | | SAE-AMS4312-77 | RINGS, ALUMINUM ALLOY,ROLLED OR FORGED 1.0 MG-0.6 SI-0.28 CU 0.20 CR (6061-T651, 6061-T652), MECHANICALLY STRESS RELIEVED - 15 JAN 77 | A | FORG | | AS | 25-APR-88 | MR | AS | 11 |
| A | | | | | SAE-AMS4313-77 | RINGS, ALUMINUM ALLOY,ROLLED OR FORGED 6.3 CU-0.30 MN-0.18 ZR-0.10V-0.60 TI (2219-T351, 2219-T352) - 15 JAN 77 | A | FORG | | AS | 25-APR-88 | MR | AS | 11 |
| A | | | | | SAE-AMS4314B-87 | RINGS, ALUMINUM ALLOY,ROLLED OR FORGED 4.5 CU-0.85 SI-0.80 MN 0.50MG (2014-T651, 2014-T652), SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED AND PRECIPITATION HEAT TREATED 1 JAN 87 | A | FORG | | AS | 25-APR-88 | MR | AS | 11 |
| | | | | | SAE-AMS4320-81 | ALUMINUM ALLOY, FORGING, 7.7ZN-2.5MG-1.5CU-0.16CR (7149-T73 SOLUTION & PRECIPITATION HEAT TREATED - 1 JUL 81) | A | FORG | | AS | 06-SEP-82 | MR | AS | 11 |
| A | | | | | SAE-AMS4321-87 | FORGINGS, ALUMINUM ALLOY 7.7 ZN-2.5 MG-1.5 CU-0.16 CR (7049-01),HIGH TEMPERATURE ANNEALED 1 JAN 87 | A | FORG | | AS | 25-APR-88 | MR | AS | 11 |
| | | | | | SAE-AMS4340A-80 | ALUMINUM ALLOY, EXTRUSIONS 6.2 ZN-2.3 CU-2.2 MG-0.12ZR (7050-T76511) - 15 JUL 80 REVIEWER: IS | A | 9525 | | AS | 13-AUG-82 | MR | AS | 11 |
| | | | | | SAE-AMS4341-78 | ALUMINUM ALLOY, EXTRUSIONS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T73511) - 15 APR 78 (VALIDATION DATE: 8508) REVIEWER: IS | A | 9525 | | AS | 15-JAN-79 | MR | AS | 11 |
| | | | | | SAE-AMS4342-78 | ALUMINUM ALLOY, EXTRUSIONS 6.2ZN , 2.3CU - 2.2MG - 0.12ZR (7050-T736511) - 15 APR 78 (VALIDATION DATE: 8508) REVIEWER: IS | A | 9525 | | AS | 15-JAN-79 | MR | AS | 11 |
| | | | | | SAE-AMS4343-80 | ALUMINUM ALLOY, EXTRUSIONS 7.7 ZN-2.4 MG-1.6 CU-0.16CR (7149-T73511) - 15 JAN 80 REVIEWER: IS | A | 9525 | | AS | 13-AUG-82 | MR | AS | 11 |
| | | | | | SAE-AMS4363C-78 | MAGNEISUM ALLOY, FORGINGS, 2.0TH - 0.7MN (HM21A-T5) - 15 JAN 78 (VALIDATION DATE: 8508) REVIEWER: SH | A | FORG | | AS | 06-NOV-78 | MR | AS | 11 |
| | | | | | SAE-AMS4375G-78 | MAGNESIUM ALLOY, SHEET & PLATE, 3.0AI - 1.0ZN (AZ31B-0) - 15 JUL 78 REVIEWER: IS | A | 9535 | | AS | 16-MAY-83 | | AS | 11 |
| | | | | | SAE-AMS4376D-78 | MAGNESIUM ALLOY PLATE 3.0AI - 1.0ZN (AZ31B-H26) - 15 JUL 78 REVIEWER: IS .. | A | 9535 | | AS | 16-MAY-83 | | AS | 11 |
| | | | | | SAE-AMS4377E-78 | MAGNESIUM ALLOY, SHEET & PLATE, 3.0AI-1.0ZN (AZ31B-H24) - 15 JUL 78 REVIEWER: IS | A | 9535 | | AS | 16-MAY-83 | | AS | 11 |
| | | | | | SAE-AMS4386A-68 | MAGNESIUM ALLOY, SHEET & PLATE, 14LI - 1.25AI (LA 141A - T7) - 1 MAY 68 (VALIDATION DATE: 8104) | A | 9535 | | AS | 29-JAN-71 | MR | AS | 11 |
| | | | | | SAE-AMS4388C-83 | MAGNESIUM ALLOY, EXTRUSIONS 3.0TH-1.5MN (HM31A-F), AS EXTRUDED, - 1 JUL 83 | A | 9540 | | AS | 05-MAR-85 | MR | AS | 11 |
| | | | | | SAE-AMS4389E | MAGNESIUM ALLOY EXTRUSIONS 3.0TH - 1.5MN (HM31A-T5) PRECIPITATION HEAT | A | 9530 | * | 11 | 05-MAR-92 | | AS | 11 |
| | | | | | NOTICE 1 | REVIEWER: IS | | | | | | | | | |
| | | | | | SAE-AMS4395D-86 | MAGNESIUM ALLOY, WELDING, WIRE, 9.0AI-2.0 ZN (AZ92A) - 1 OCT 86 REVIEWER: IP | A | 3439 | | AS | 29-APR-88 | MR | AS | 11 |
| | | | | | SAE-AMS4625F-89 | TUBING, AND RODS, PHOSPHOR BRONZE BARS - OCT 89 USER: ME OS REVIEWER: 82 85 | A | 4710 | | AS | 10-APR-90 | MR | | 11 |
| | | | | | SAE-AMS4661A-78 | COPPER BERYLLIUM ALLOY, BARS & RODS, 98 CU-1.9 BE (CDA 172) HARD TEMPER - 15 APR 78 (VALIDATION DATE: 8508) REVIEWER: IS | A | 9530 | | AS | 06-NOV-78 | MR | AS | 11 |
| | | | | | SAE-AMS4740A-85 | COPPER POWDER, 99.0 MIN CU AS FABRICATED - 1 APR 85 REVIEWER: IP ..... | A | 3439 | | AS | 29-APR-88 | MR | AS | 11 |
| | | | | | SAE-AMS4750C-88 | SOLDER, TIN-LEAD, 45SN-55PB - 1 OCT 88 USER: ME REVIEWER: 70 71 79 82 84 AV EA MC MI SH | A | 3439 | | AS | 28-SEP-90 | MR | AS | 11 |
| | | | | | SAE-AMS4755A-52 | SOLDER, LEAD-SILVER, 94PB - 5.5AG - 15 JUN 52 REVIEWER: IP ..... | A | 3439 | | AS | 25-APR-86 | MR | AS | 11 |
| | | | | | SAE-AMS4756-53 | SOLDER, 97.5 PB-1.5 AG - 1 SN - 1 DEC 53 REVIEWER: IP ..... | A | 3439 | | AS | 25-APR-86 | | AS | 11 |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action Opt. / Qual. Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army Navy Air Force DLA |
|---|---|---|---|
| SAE-AMS4764B-84 | BRAZING FILLER, METAL,COPPER 52.5CU-38MN-9.5NI 1616 DEG-1700 DEG F(880 DEG-925 DEG C) SOLIDUS RANGE - 1 JAN 84 REVIEWER: IP | A 3439 AS 29-APR-88 | MR AS 11 |
| SAE-AMS4765B-84 | BRAZING FILLER, METAL, SILVER 56AG-42CU-2. ON1420 DEG-1640 DEG F (770 DEG - 895 DEG C) SOLIDUS-LIQUIDUS RANGE -1 JAN 84 REVIEWER: IP | A 3439 AS 29-APR-88 | MR AS 11 |
| SAE-AMS4766D-84 | BRAZING FILLER, METAL, SILVER 85 AG-15MN 1760 DEGREE-970 DEGREE C) SOLIDUS-LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP | A 3439 AS 29-APR-88 | MR AS 11 |
| SAE-AMS4767C-84 | BRAZING FILLER, METAL, SILVER 92.5AG-7.2CU-0.22LI 1435 DEG.-1635 DEG.F (780 DEG-890 DEG C) SOLIDUS-LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP | A 3439 AS 29-APR-88 | MR AS 11 |
| SAE-AMS4770G-84 | BRAZING FILLER, METAL, SILVER 50 AG-18CD-16.5 ZN 15.5 CU 1160 DEG. F - 1175 DEG. F (625 DEG. C - 635 DEG. C) SOLIDUS LIQUIDUS RANGE - 15 JUL 78 REVIEWER: IP | A 3439 AS 29-APR-88 | MR AS 11 |
| SAE-AMS4772D-74 | BRAZING FILLER, METAL, SILVER 54AG - 40CU - 5.0ZN - 1.0NI 1325 - 1575 F MELT. RANGE - 1 JUN 74 (VALIDATION DATE: 8104) REVIEWER: GS | A 3439 AS 15-JUL-75 | MR AS 11 |
| SAE-AMS4773A-66 | BRAZING ALLOY, SILVER, 60AG - 30CU - 10SN - 15 MAR 66 (VALIDATION DATE: 8104) REVIEWER: GS MI | A 3439 AS 29-JAN-71 | MR AS 11 |
| SAE-AMS4774A-66 | BRAZING ALLOY, SILVER, 63AG - 28.5CU - 6.0SN - 2.5NI - 15 MAR 66 (VALIDATION DATE: 8104) REVIEWER: GS | A 3439 AS 29-JAN-71 | MR AS 11 |
| SAE-AMS4775C-81 | BRAZING FILLER, METAL, NICKEL 73 NI-4.5 SI-14CR-3.1B-4.5 FE 1790 DEG. F - 1970 DEG. F (975 DEG. C - 1075 DEG C) SOLIDUS LIQUIDUS RANGE REVIEWER: IP | A 3439 AS 08-NOV-82 | MR AS 11 |
| SAE-AMS4776C-88 | BRAZING FILLER METAL, NICKEL, 73NI-4.5SI-14CR-3.1B-4.5FE (LOW CARBON) 1790 DEG F SOLIDUS-LIQUIDUS RANGE - 1 JUL 88 USER: ME REVIEWER: 70 71 79 82 84 AV EA MC MI SH | A 3439 AS 28-SEP-90 | MR AS 11 |
| SAE-AMS4777C-88 | BRAZING FILLER METAL, NICKEL, 82NI-4.5SI-7.0CR-3.1B-3.0FE 1780 DEG - 1830 DEG F SOLIDUS-LIQUIDUS RANGE - 1 JUL 88 USER: ME REVIEWER: 70 71 79 82 84 AV EA MC MI SH | A 3439 AS 28-SEP-90 | MR AS 11 |
| SAE-AMS4778D-89 | BRAZING FILLER METAL, NICKEL, 92NI-4.5SI-3.1B 1800 DEG - 1900 DEG F SOLIDUS-LIQUIDUS RANGE - 1 JUL 89 USER: ME REVIEWER: 70 71 79 82 84 AV EA MC MI SH | A 3439 AS 28-SEP-90 | MR AS 11 |
| SAE-AMS4780B-85 | BRAZING FILLER METAL, MANGANESE 66MN-16NI-16CO-0.80B 1770 DEG. -1875 DEG. F (965 DEG. - 1025 DEG. C) SOLIDUS-LIQUIDUS RANGE - 1 APR 85 REVIEWER: GS | A 3439 AS 29-APR-88 | MR AS 11 |
| SAE-AMS4782B-85 | BRAZING FILLER, METAL, NICKEL, 71NI-10SI-19CR, 1975 DEG.-2075 DEG.F(1080 DEG.-1135 DEG.C) SOLIDUS-LIQUIDUS RANGE - 1 OCT 1985 REVIEWER: IP | A 3439 AS 16-MAY-86 | MR AS 11 |
| SAE-AMS4783B-85 | BRAZING FILLER, METAL, HIGH TEMPERATURE 50CO - 8.0SI - 19CR - 17NI - 4.0W - 0.80B 2050 DEG. - 2100 DEG.F (1120 DEG. - 1150 DEG.C) SOLIDUS-LIQUIDUS RANGE - 1 JULY 1985 REVIEWER: IP | A 3439 AS 26-OCT-85 | MR AS 11 |
| SAE-AMS4784B-84 | BRAZING FILLER, METAL, HIGH TEMPERATURE 50 AU-25 PD - 25 NI 2015 DEG. 2050 DEG. F (1100 DEG. 1120 DEG. C) SOLIDUS LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP | A 3439 AS 29-APR-88 | MR AS 11 |
| SAE-AMS4785B-84 | BRAZING FILLER, METAL, HIGH TEMPERATURE 30 AU - 34PD - 36 NI 2025 DEG 2130 DEG F (1135 DEG. 1165 DEG. C) SOLIDUS LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP | A 3439 AS 29-APR-88 | MR AS 11 |
| SAE-AMS4786B-84 | BRAZIN FILLER, METAL, HIGH TEMPERATURE 70AU-8.0PD-22NI 1845 DEG. F - 1915 DEG. F (1005 DEG. C - 1045 DEG. C) SOLIDUS LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP | A 3439 AS 29-APR-88 | MR AS 11 |
| SAE-AMS4787B-84 | BRAZING FILLER, METAL, HIGH TEMPERATURE 82 AU-18NI 1740 DEG. F, (950 DEG. C) SOLIDUS-LIQUIDUS TEMPERATURE - 1 JAN 84 REVIEWER: IP | A 3439 AS 29-APR-88 | MR AS 11 |
| SAE-AMS4890A-60 | COPPER BERYLLIUM ALLOY, CASTINGS, INVESTMENTS 2BE - 0.4CO - 0.32SI - 30 JUN 60 (VALIDATION DATE: 8104) REVIEWER: MI | A MECA AS 29-JAN-71 | MR AS 11 |
| SAE-AMS4921F-85 | TITANIUM, BARS, FORGINGS, AND RINGS, ANNEALED, 70,000 PSI (485MPA) YIELD STRENGTH - 1 JULY 1985 | A 9530 AS 30-DEC-85 | MR AS 11 |
| SAE-AMS4928K-84 | TITANIUM ALLOY, BARS, FORGINGS, & RINGS 6AL-4V ANNEALED, 120,000 PSI(825 MPA) YIELD STRENGTH - 1 OCT 84 | A 9530 AS 30-JUN-85 | MR AS 11 |
| SAE-AMS4935C-75 | EXTRUSIONS AND FLASH WELDED RINGS 6A1 - 4V ANNEALED - 15 JUN 75 (VALIDATION DATE: 8104) | A 9540 AS 12-SEP-75 | MR AS 11 |
| SAE-AMS4941B-56 | TUBING TITANIUM, WELDED, ANNEALED, 40,000 PSI (276 MPA) YIELD STRENGTH - 1 JUL 56 REVIEWER: ME | A 4710 82 01-OCT-82 | 99 |
| SAE-AMS4942C-84 | TITANIUM, TUBING, SEAMLESS, ANNEALED, 40,000PSI (275 MPA) YIELD STRENGTH - 1 APR 1984 | A 4710 AS 30-DEC-85 | MR AS 11 |
| SAE-AMS4944C-85 | TITANIUM ALLOY, TUBING, SEAMLESS, HYDRAULIC 3.0AL-2.5V COLD WORKED, STRESS RELIEVED - 1 JAN 85 | A 4710 AS 02-OCT-85 | MR AS 11 |
| SAE-AMS4951E-84 | TITANIUM, WELDING, WIRE, COMMERICALLY PURE - 1 OCT 84 REVIEWER: IP ..... | A 3439 AS 02-OCT-85 | MR AS 11 |
| SAE-AMS4956C-90 | TITANIUM ALLOY WELDING WIRE 6A1 - 4V, EXTRA LOW INTERSTITIAL ENVIRONMENT CONTROLLED PACKAGING - 1 APR 90 REVIEWER: 84 GS | A 3439 IP 10-JUL-91 | AL SH 99 |
| SAE-AMS4965E-85 | TITANIUM ALLOY, BARS, FORGINGS, & RINGS, 6.0 A1-4.0 V, SOLUTION & PRECIPITATION HEAT TREATED - 1 APR 85 | A 9530 AS 30-DEC-85 | MR AS 11 |
| SAE-AMS4976C-85 | TITANIUM ALLOY, FORGINGS, 6.0A1 - 2.0SN - 4.0ZR - 2.0MO SOLUTION AND PRECIPITATION HEAT TREATED - 1 JULY 1985 REVIEWER: OS | A FORG AS 26-OCT-85 | MR AS 11 |
| SAE-AMS4982A-86 | TITANIUM ALLOY WIRE, 44.5CB - 1 JAN 1986 ..... | A 9530 AS 25-JUN-87 | MR AS 11 |
| SAE-AMS5027A-78 | STEEL WIRE, WELDING 1.05CR - 0.55NI - 1.0MO - 0.70V (0.26 - 0.32C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGED - 15 APR 78 | A 3439 11 27-FEB-81 | MR AS 11 |
| SAE-AMS5028B-87 | WIRE, STEEL WELDING 1.05CR - 0.55NI - 1.0 MO- 0.07V (0.34 - 0.40C)VACUUM MELTED, ENVIRONMENT-CONTROLLED PACKAGING - 1 OCT 87 | A 3439 11 17-MAR-89 | MR AS 11 |
| SAE-AMS5050J-89 | TUBING, STEEL, SEAMLESS 0.15 CARBON MAXIMUM ANNEALED - 1 JUL 89 ..... | A 4710 11 15-AUG-90 | MR AS 11 |
| SAE-AMS5075E-88 | TUBING, STEEL SEAMLESS 0.22 - 0.28C (SAE 1025) COLD DRAWN & STRESS RELIEVED - 1 OCT 88 | A 4710 11 17-MAR-89 | MR AS 11 |
| SAE-AMS5077E-89 | TUBING, STEEL, WELDED (0.22 - 0.28C (SAE 1025) NORMALIZED OR STRESS RELIVED 1 JUL 89 | A 4710 11 15-AUG-90 | MR AS 11 |
| SAE-AMS5115G-90 | WIRE, CARBON STEEL 0.60 - 0.75 HARDEN AND TEMPERED - 1 JAN 90 ..... | A 9505 11 15-AUG-90 | MR AS 11 |
| SAE-AMS5121G-90 | SHEET AND STRIP, STEEL (0.90 - 1.04C) (SAE 1095) ..... | A 9515 * 11 20-DEC-91 | MR AS 11 |
| SAE-AMS5122C-90 | STEEL STRIP (0.90 - 1.04C) (SAE 1095) HARD TEMPER ..... | A 9515 * 11 20-DEC-91 | MR AS 11 |
| SAE-AMS5132F-81 | STEEL BARS 0.90 - 1.30C - 1 OCT 81 (VALIDATION DATE: 8304) ..... | A 9510 11 01-OCT-82 | MR AS 11 |
| SAE-AMS5221D-90 | ALLOY STRIP 49FE - 5.3CR - 42NI - 2.5TI - 0.55 AL SOLUTION HEAT TREATED ... | A 9515 * 11 20-DEC-91 | MR AS 11 |
| SAE-AMS5223D-88 | ALLOY STRIP 49FE - 5.3R - 42NI - 2.5TI - 0.55A1 SOLUTION HEAT TREATED, COLD ROLLED, 10 PER CENT REDUCTION - 1 OCT 88 | A 9510 11 17-MAR-89 | MR AS 11 |
| SAE-AMS5225D-88 | ALLOY STRIP 49FE - 5.3CR - 42NI - 2.5TI - 0.55A1 SOLUTION HEATED TO O/O REDUCTION - 1 OCT 88 | A 9515 11 17-MAR-89 | MR AS 11 |
| SAE-AMS5328C-87 | CASTINGS, STEEL, INVESTMENT, 0.80CR - 1.8NI - 0.35MO (0.28 - 0.36C) (SAE 4300 MODIFIED) ANNEALED - 1 OCTOBER 1987 | A MECA 11 01-OCT-87 | MR AS 11 |
| SAE-AMS5329D-87 | CASTINGS, SAND, 0.80CR-1.8NI - 0.35MO (0.28 - 0.36C) (SAE 4330 MODIFIED) ANNEALED - 1 OCTOBER 1987 | A MECA 11 17-MAR-89 | MR AS 11 |
| SAE-AMS5330C-87 | STEEL, CASTINGS, INVESTMENT, 0.80 CR - 1.8NI - 0.35MO (0.38 - 0.46C) (SAE 4340 MODIFIED ANNEALED - 1 OCT 87 | A MECA 11 17-MAR-89 | MR AS 11 |
| SAE-AMS5331E-87 | CASTINGS, STEEL, SAND,0.28 CR - 1.8NI - 0.35MO (0.38 - 0.46C) (SAE4340) NORMALIZED AND TEMPERED - 1 OCTOBER 1987 | A MECA 11 01-OCT-87 | MR AS 11 |
| SAE-AMS5334D-85 NOTICE 1 | STEEL CASTINGS, INVESTMENT 0.50CR - 0.55NI - 0.20MO (0.25 - 0.35C) NORMALIZED & TEMPERED - 1 JAN 1985 (VALIDATION DATE: 9108) | A MECA 11 16-AUG-91 | MR AS 11 |
| SAE-AMS5335C-76 | STEEL CASTINGS, SAND 0.65CR - 0.75NI - 0.20MO (0.25 - 0.33C) (SAE 8630 MODIFIED) - 1 JUL 76 | A MECA 11 27-FEB-81 | MR AS 11 |
| SAE-AMS5336C-82 | STEEL CASTINGS, INVESTMENT 0.95CR - 0.20MO (0.25 - 0.35C) NORMALIZED - 1 APR 82 | A MECA 11 01-OCT-82 | MR AS 11 |
| SAE-AMS5338C-82 NOTICE 1 | CASTING, STEEL, INVESTMENT 0.95CR - 0.20MO (0.35 - 0.45C) NORMALIZED - 1 OCT 82 (VALIDATION DATE: 8811) | A MECA 11 04-NOV-88 | MR AS 11 |
| SAE-AMS5339C-82 | STEEL CASTINGS, SAND 0.80CR - 1.8NI - 0.35MO (0.28 - 0.36C) ANNEAL) 1 OCT 82 | A MECA 11 01-SEP-83 | MR AS 11 |

| Action Opt. / Obsl. Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| SAE-AMS5340B-82 NOTICE 1 | CASTING, STEEL, INVESTMENT CORROSION RESISTANT 14 CR - 4.25NI - 2.25NI - 2.25MO - 0.25(CB&TA) 3.25CU SOLUTION HEAT TREATED - 1 OCT 82 [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5342C-89 | STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 16CR - 4.1NI - 0.28 (CB+TA) - 3.2CU HOMOGENIZATION, SOLUTION, AND PRECIPITATION HEAT TREATED 130,000 PSI (896 MPA) TENSILE STRENGTH - 1 OCT 89 | A 3439 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5343C-89 | STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 16CR - 4.0NI - 0.28 (CB&TA) -3.1CU HOMOGENIZATION, SOLUTION, & PRECIPITATION HEAT TREATED 150,000 PSI (1035 MPA) TENSILE STRENGTH - 1 OCT 1989 | A MECA | 11 | 01-OCT-90 | MR | AS | 11 | |
| SAE-AMS5344C-89 | STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 16CR- 4.1NI - 0.28 (CB&TA) - 3.2CU SOLUTION & PRECIPITATION HEAT TREATED 180,000 PSI (1240 MPA) TENSILE STRENGTH - 1 OCT 89 | A MECA | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5347-78 | CASTINGS, STEEL, INVESTMENT, CORROSION RESISTANT, 15CR - 4.6NI - 0.22 (CB T TA) - 2.8CU,SOLUTION AND PRECIPITATION HERT TREATED 150,000 PSI (1034 MPA) TENSILE STRENGTH 16 OCT 78 | A MECA | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5349A-77 | CASTINGS, STEEL INVESTMENT CORROSION RESISTANT 13CR - 0.25S - 15 JAN 77 [VALIDATION DATE: 8305] | A MECA | 11 | 08-JUL-77 | MR | AS | 11 | |
| SAE-AMS5350G-87 | CASTINGS, STEEL INVESTMENT, CORROSION AND MODERATE HEAT RESISTANT,12.5CR (SAE 51410) HARDENED AND TEMPERED - 1JUL 87 | A MECA | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5351D-81 | CASTINGS, STEEL, SAND, CORROSION & MODERATE HEAT RESISTANT, 13CR - 1 APR 81 | A MECA | 11 | 30-OCT-81 | MR | AS | 11 | |
| SAE-AMS5352C-82 NOTICE 1 | CASTING, STEEL, INVESTMENT CORROSION RESISTANT 17CR - 0.55MO (0.95 - 1.20C) ANNEALED - 1 OCT 82 [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5354D-82 NOTICE 1 | CASTING, STEEL, INVESTMENT CORROSION & MODERATE HEAT RESISTANT 13CR - 2.0NI - 3.0W HARDENED & TEMPERED - 1 OCT 82 [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5355D-85 | CASTINGS, INVESTMENT, CORROSION RESISTANT, 16 CR - 4.1NI - 0.28 (CB & T9) - 3.2 CU, SOLUTION HEAT TREATED - 1 JUL 85 | A MECA | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5359B-81 | STEEL CASTINGS, SAND, CORROSION & HEAT RESISTANT 15CR - 4.0NI - 2.3MO - 0.08W, SOLUTION HEAT TREATED - 1 OCT 81 | A MECA | 11 | 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS5360D-82 NOTICE 1 | CASTINGS, STEEL INVESTMENT, CORROSION & HEAT RESISTANT 17CR - 13NI - 1.9MO SOLUTION HEAT TREATED - 1 OCT 82 [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5362G-85 NOTICE 1 | STEEL CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 19CR - 12NI - 1.0 (CB&TA) SOLUTION HEAT TREATED - 1 JULY 1985 [VALIDATION DATE: 9108] | A MECA | 11 | 16-AUG-91 | MR | AS | 11 | |
| SAE-AMS5363D-87 | STEEL CASTINGS, SAND AND CENTRIFUGAL, CORROSION AND HEAT RESISTANT18.5CR - 10.5NI - 0.90(CB&TA) SOLUTION HEAT TREATED - 1 JUL 87 | A MECA | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5365C-82 NOTICE 1 | CASTINGS, STEEL, SAND, CORROSION & HEAT RESISTANT 24.5CR - 20.5NI, SOLUTION HEAT TREATED [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5366C-82 NOTICE 1 | CASTINGS, STEEL INVESTMENT, CORROSION & HEAT RESISTANT 25CR - 20NI(CK20) AS CAST - 1 OCT 82 [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5368B-82 | CASTINGS, STEEL INVESTMENT, CORROSION RESISTANT 15CR - 4.0NI - 2.3MO - 0.09M SOLUTION HEAT TREATED - 1 OCT 82 [VALIDATION DATE: 8405] | A MECA | 11 | 01-SEP-83 | MR | AS | 11 | |
| SAE-AMS5370A-77 | CASTINGS, STEEL INVESTMENT, CORROSION AND HEAT RESISTANT 19CR - 9.5NI - 15 JAN 77 [VALIDATION DATE: 8305] | A MECA | 11 | 08-JUL-77 | MR | AS | 11 | |
| SAE-AMS5375D-82 | CASTINGS, ALLOY, INVESTMENT, CORROSION AND HEAT RESISTANT, 65.5CO - 25CR - 1.8NI - 5.0W AS CAST - 1 OCT 82 | A MECA | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5380E-86 | ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 50.5CO - 26CR - 1.5NI - 6.0MO AS CAST 1 JAN 1986 | A MECA | 11 | 01-AUG-86 | MR | AS | 11 | |
| SAE-AMS5382G-82 NOTICE 1 | ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 54CO - 25.5CR - 10.5NI - 7.5W - 1 JAN 82 [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5383C-88 | CASTINGS, ALLOY, INVESTMENT, CORROSION AND HEAT RESISTANT, 52.5NI - 19CR - 3.0MO - 5.1 (CB & TA) - 0.91TI - 0.60AL - 18 FE VACUUM MELTED HOMOGENIZATION AND SOLUTION HEAT TREATED - 1 JUL 88 | A MECA | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5384C-85 | ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 53NI - 18CR - 18CO - 4.0MO - 2.9TI - 2.9AL - 0.006B VACUUM-MELTED, VACUUM-CAST, SOLUTION & PRECIPITATION HEAT TREATED - 1 APR 1985 | A MECA | 11 | 01-AUG-86 | MR | AS | 11 | |
| SAE-AMS5385F-86 NOTICE 1 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 62CO - 27CR - 2.8NI - 5.5MO AS CAST 1 JAN 1986 [VALIDATION DATE: 9108] | A MECA | 11 | 16-AUG-91 | MR | AS | 11 | |
| SAE-AMS5387B-87 | CASTINGS, ALLOY, INVESTMENT, CORROSION AND HEAT RESISTANT 60 CO -29CR - 4.5W AS CAST - 1 OCT 87 | A MECA | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5388E-95 NOTICE 1 | ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 53.5NI - 53.5NI - 16.5CR - 17MO - 4.5W - 5.8FE - 0.40V AS CAST - 1 JULY 1985 [VALIDATION DATE: 9108] | A MECA | 11 | 16-AUG-91 | MR | AS | 11 | |
| SAE-AMS5390B-78 | CASTING, ALLOY, INVESTMENT, CORROSION AND HEAT RESISTANT 47.5NI - 33 CR - 1.5CO - 9MO - 0.60W-18.5FE - 16 OCT 1978 | A MECA | 11 | 31-MAR-80 | MR | AS | 11 | |
| SAE-AMS5391B-76 | CASTING, ALLOY INVESTMENT, 73NI 13CR 4.5MO 0.75TI 6AL 2.3(CB PLUS TA) 0.10ZR 0.010B VACUUM MELTED - 15 JAN 76 [VALIDATION DATE: 8305] | A MECA | 11 | 25-MAR-77 | MR | AS | 11 | |
| SAE-AMS5395A-77 | CASTINGS, ALLOY IRON DUCTILE, SAND CORROSION RESISTANT 22NI (2.5 - 3.0C) - 15 JAN 77 [VALIDATION DATE: 8305] | A MECA | 11 | 08-JUL-77 | MR | AS | 11 | |
| SAE-AMS5396A-77 | CASTINGS, ALLOY INVESTMENT CORROSION AND HEAT RESISTANT 61.5NI - 28MO - 5.5FE - 0.40V - 15 JAN 77 [VALIDATION DATE: 8305] | A MECA | 11 | 08-JUL-77 | MR | AS | 11 | |
| SAE-AMS5397B-85 | ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 50NI - 9.5CR - 15CO - 3.0MO - 4.8TI - 5.5AL - 0.015B - 0.95V - 0.06ZR VACUUM-MELTED, VACUUM CAST AS CAST - 1 APR 1985 | A MECA | 11 | 01-AUG-86 | MR | AS | 11 | |
| SAE-AMS5398D-89 | STEEL CASTINGS, SAND & CENTRIFUGAL, CORROSION RESISTANT 16CR - 4.1NI - 0.22 (CB&TA) - 2.8CU SOLUTION HEAT TREATED - 1 OCT 1989 | A MECA | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5399A-77 | CASTINGS, ALLOY INVESTMENT CORROSION AND HEAT RESISTANT 52NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AL - 0.006B VACUUM MELTED VACUUM CAST, SOLUTION TREATED - 15 JAN 77 [VALIDATION DATE: 8305] | A MECA | 11 | 08-JUL-77 | MR | AS | 11 | |
| SAE-AMS5401-88 | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT - 1 JAN 88 ..... | A MECA | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5404-83 NOTICE 1 | ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 59NI - 12.6CR - 9.0CO - 1.9MO - 4.2W - 4.0TI - 4.2TA - 3.4AL - 0.015 - 0.10ZR - 0.90HF VACUUM MELTED, VACUUM CAST SOLUTION & PRECIPITATION HEAT TREATED - 1 JAN 83 [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5405-83 NOTICE 1 | CASTINGS, ALLOY INVESTMENT, CORROSION & HEAT RESISTANT 64NI - 8.0CR - 10CO - 6.0MV - 1.0TI - 4.2TA - 6.0AL -0.015B - 0.08ZR VACUUM MELTED, VACUMM CAST AS CAST - 1 OCT 82 [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5406-83 NOTICE 1 | CASTINGS, ALLOY INVESTMENT, CORROSION & HEAT RESISTANT 63NI - 8.0CR - 10CO - 6.0MO - 1.0TI - 4.2TA - 6.0AL -015B - 0.03ZR - 1.2HF VACUUM MELTED, VACUUM CAST AS CAST - 1 JAN 83 [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5407-82 NOTICE 1 | CASTINGS, ALLOY INVESTMENT, CORROSION & HEAT RESISTANT 60NI - 9.0CR - 10CO - 12.5W - 1.0CB - 2.0TI - 5.0AL - 0.015B - 0.06ZR VACUUM MELTED, VACUUM CAST AS CAST - 1 OCT 82 [VALIDATION DATE: 8811] | A MECA | 11 | 04-NOV-88 | MR | AS | 11 | |
| SAE-AMS5408-85 NOTICE 1 | ALLOY CASTINGS, CENTRIFUGAL, CORROSION & HEAT RESISTANT 64NI - 16CR - 15MO - 0.30AL - 0.05LA SOLUTION HEAT TREATED - 1 APR 1985 [VALIDATION DATE: 9108] | A MECA | 11 | 16-AUG-91 | MR | AS | 11 | |
| SAE-AMS5412 | STEEL CASTINGS, VACUUM MELTED, INVESTMENT CORROSION RESISTANT 13CR - 8.0NI - 2.2MO - 1.1AL 195,000 PSI (1344 MPA) TENSILE STRENGTH (CONDITION H1000) HOMOGENIZED, SOLUTION, AND PRECIPITATION HEAT TREATED | A MECA * | 11 | 20-DEC-91 | MR | AS | 11 | |
| SAE-AMS5504J-91 | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 12.5CR (SAE 51410) ANNEALED | A 9515 * | 11 | 20-DEC-91 | MR | AS | 11 | |
| SAE-AMS5505C-87 | STEEL SHEET, STRIP, AND MODERATE HEAT RESISTANT 12CR (SAE 51410 MODIFIED) FERRITE CONTROLLED, ANNEALED - 1 OCT 87 | A 9515 | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5506E | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 13CR (0.30 - 0.40C) (SAE 51420) ANNEALED | A 9515 * | 11 | 20-DEC-91 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. / Chkl. Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | SAE-AMS5507E-90 | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT, 17CR - 13NI - 2.5MO (SAE 30316L) SOLUTION HEAT TREATED - 1 JAN 1990 | A | 9515 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5508C-81 | STEEL SHEET, STRIP & PLATE CORROSION & MODERATE HEAT RESISTANT, 13CR - 2.0NI - 3.0W - 15 JAN 81 | A | 9515 | 11 | | 30-OCT-81 | MR | AS | 11 | |
| | | SAE-AMS5509-60 NOTICE 1 | SHEET AND STRIP, ALLOY CORROSION AND HEAT RESISTANT 15CR - 45NI - 4W - 4MO - 3TI - 1 AL CONSUMABLE ELECTRODEVACUUM MELTED - 15 JAN 60 (VALIDATION DATE: 8803) | A | 9515 | 11 | | 04-MAR-88 | MR | AS | 11 | |
| | | SAE-AMS5510M-83 | STEEL SHEET, STRIP, & PLATE, CORROSION & HEAT RESISTANT 18CR - 10.5NI - 0.40TI - SOLUTION HEAT TREATED (SAE 30321) - 1 APR 83 | A | 9515 | 11 | | 01-SEP-83 | MR | AS | 11 | |
| | | SAE-AMS5511F-90 | STEEL SHEET, STRIP, & PLATE, CORROSION RESISTANT, 19CR - 9.5NI (304L) SOLUTION HEAT TREATED - 1 JAN 1990 | A | 9515 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5512F-78 | STEEL SHEET, STRIP & PLATE CORROSION & HEAT RESISTANT 18CR-10.5NI- (CB+TA) (SAE 30347) - 15 JAN 78 | A | 9515 | 11 | | 01-OCT-82 | MR | AS | 11 | |
| | | SAE-AMS5513E | SHEET, STHIP, AND PLATE, CORROSION RESISTANT STEEL 19CR - 9.2 NI (SAE 30304) SOLUTION HEAT TREATED | A | 9515 | * 11 | | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5514E | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 18VT - 11.5NI (SAE 30305) SOLUTION HEAT TREATED | A | 9515 | * 11 | | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5516K | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) SOLUTION HEAT TREATED | A | 9515 | * 11 | | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5517H-90 | STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - 8NI (SAE 30301) COLD ROLLED, 125,000 PSI (862 MPA) TENSILE STRENGTH - 1 OCT 1989 | A | 9515 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5518G-90 | STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - 8NI (SAE 30301) COLD ROLLED, 150,000 PSI (1034 MPA) TENSILE STRENGTH - 1 JAN 1990 | A | 9515 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5519J-90 | STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - 8NI (SAE 30301) COLD ROLLED, 185,000 PSI (1276 MPA) TENSILE STRENGTH - 1 JAN 1990 | A | 9515 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5520D-90 | STEEL SHEET, STRIP, FOIL, AND PLATE, CORROSION AND MODERATE HEAT RESISTANT 15CR - 7.1NI - 2.5MO - 1.1AL SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE - 1 JAN 1990 | A | 9515 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5521F-88 | STEEL SHEET, STRIP, AND PLATE, CORROSION ANDHEAT RESISTANT 25CR - 20NI (SAE 30310S) DEEPDRAWING AND SPINNING, SOLUTION HEAT TREATED 1 OCT 88 | A | 9515 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5523D-88 | STEEL SHEET, STRIP, AND PLATE, CORROSION ANDHEAT RESISTANT 23CR - 13.5NI (SAE 30309S) SOLUTION HEAT TREATED - 1 OCT 88 | A | 9515 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5524G | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 18CR - 13NI - 2.5MO (SAE 30316) SOLUTION HEAT TREATED | A | 9515 | * 11 | | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5525F-89 | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 15CR - 25.5NI - 1.2MO - 2.1TI - 0.0068 - 0.30V 1800 DEG F. (982 DEG C.) SOLUTION HEAT TREATED - 1 JUL 1989 | A | 9515 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5526G-89 | SHEET, STRIP, AND PLATE, ALLOY, CORROSION AND HEAT RESISTANT 19.5CR - 9.5NI - 1.4MO - 1.4W - 0.42(CB+TA) - 0.22TI SOLUTION HEAT TREATED - 1 OCT 1989 | A | 9515 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5528E-88 | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 17CR - 7.1N - 1.1AL SOLUTION HEAT TREATED - 1 OCT 88 | A | 9515 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5530F-88 | ALLOY SHEET, STRIP, AND PLATE, CORROSION ANDHEAT RESISTANT 58NI - 15.5CR - 16MO - 3.8W -5.5FE SOLUTION HEAT TREATED - 1 JAN 88 | A | 9515 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5532E-89 | SHEET, STRIP, AND PLATE, ALLOY, CORROSION AND HEAT RESISTANT 30FE - 21CR - 20NI - 2-CO - 3.0.P - 2.5W - 1.0 (CB+TA) - 0.15N SOLUTION HEAT TREATED - 1 APR 1989 | A | 9515 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5536K-87 | ALLOY SHEET, STRIP, AND PLATE, CORROSION ANDHEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MO- 0.60W - 18.5FC SOLUTION HEAT TREATED - 1 OCT 87 | A | 9515 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5537F | ALLOY SHEET, STRIP, AND FOIL, CORROSION AND HEAT RESISTANT 52CO - 20CR - 10NI - 15W SOLUTION HEAT TREATED | A | 9515 | * 11 | | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5540K-88 | ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 74NI - 15.5CR - 8.0FE ANNEALED | A | 9535 | 11 | | 17-MAR-89 | MR | | | |
| | | SAE-AMS5542K-88 | ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 72NI - 15.5CR - 0.95(CB & TA) - 2.5TI - 0.70AL - 7.0FE ANNEALED - 1 OCT 88 | A | 9515 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5543A-79 NOTICE 1 | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 13.5CR - 26NI - 1.75MO - 3.0TI - 0.07B VACUUM MELTED, SOLUTION HEAT TREATED - 16 JUL 1979 (VALIDATION DATE: 8803) | A | 9515 | 11 | | 04-MAR-88 | MR | AS | 11 | |
| | | SAE-AMS5544G | ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 57NI - 19CR - 13.5CO - 4.2MO - 3.0TI - 1.4AL - 0.5ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED, ANNEALED | A | 9515 | * 11 | | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5545B-85 | ALLOY SHEET, STRIP, AND PLATE, CORROSION ANDHEAT RESISTANT 54NI -11CO - 9.8MO - 3.2TI - 1.5AL - 0.006B VACUUM INDUCTION AND CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED PRECIPITATION HEAT TREATABLE ADOPTED 1 JAN 85 | A | 9515 | 11 | | 01-AUG-86 | MR | AS | 11 | |
| | | SAE-AMS5546C | STEEL SHEET AND STRIP, CORROSION AND MODERATE HEAT RESISTANT 16.5CR - 4.5NI - 2.9MO - 0.10N COLD ROLLED, TEMPERED | A | 9515 | * 11 | | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5547D-81 | STEEL SHEET & STRIP, CORROSION & MODERATE HEAT RESISTANT, 15.5CR - 4.5NI - 2.9MO - 0.10N SOLUTION HEAT TREATED - 1 APR 81 | A | 9515 | 11 | | 30-OCT-81 | MR | AS | 11 | |
| | | SAE-AMS5548J-89 | STEEL SHEET, STRIP, CORROSION AND MODERATE HEAT RESISTANT 16.5CR - 4.5NI - 2.9MO - 0.1.N 1850 DEG - 1975 DEG F. (1010 DEG - 1079 DEG C.) ANNEALED - 1 OCT 1989 | A | 9515 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5549D-81 | PLATE, STEEL, CORROSION & MODERATE HEAT RESISTANT 15.5CR - 4.5NI -2.9 MO - 0.10N SOLUTION HEAT TREATED - APR 81 | A | 9515 | 11 | | 30-OCT-81 | MR | AS | 11 | |
| | | SAE-AMS5550D-88 | ALLOY SHEET AND STRIP,CORROSION AND HEAT RESISTANT 80NI - 15.5CR -0.62TI - 3.25AL ANNEALED - 1 JAN 88 | A | 9515 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5551A-60 NOTICE 1 | ALLOY SHEET & STRIP, CORROSION & HEAT RESISTANT 55NI - 19CR - 10CO - 10MO - 2.5TI - 1.0AL - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED - 15 OCT 79 (VALIDATION DATE: 8803) | A | 9515 | 11 | | 04-MAR-88 | MR | AS | 11 | |
| | | SAE-AMS5552D-88 | ALLOY SHEET, STRIP, AND PLATE, CORROSION ANDHEAT RESISTANT 46FE - 20.5CR - 32NI - 1.1TI - 1 JUL 88 | A | 9515 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5554B-88 | TUBING STEEL, SEAMLESS, CORROSION AND MODERATE HEAT RESISTANT 16.CR - 4.5NI - 2.9MO - 0.10N ANNEALED - 1 JUL 88 | A | 4710 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5558D-89 | TUBING, STEEL, WELDED, CORROSION AND HEAT RESISTANT 18CR - 10.5NI - 0.70 (CB+TA) (SAE 1025) THIN WALL SOLUTION TREATED - 1 JAN 89 | A | 4710 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5559F-89 | TUBING, STEEL, WELDED, CORROSION & HEAT RESISTANT 18CR - 10.5NI - 0.40TI (SAE 30321) THIN WALL SOLUTION HEAT TREATED - 1 OCT 89 | A | 4710 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5561B-90 | TUBING, STEEL, WELDED & DRAWN, CORROSION & HEAT RESISTANT 9.0MN - 20CR - 6.5NI - 0.28N HIGH PRESSURE HYDRAULIC - 1 JAN 90 | A | 4710 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5562B-89 | TUBING, STEEL, SEAMLESS, CORROSION & HEAT RESISTANT 9.0MN - 20CR - 6.5NI - 0.28N SOLUTION HEAT TREATED 1 JUL 89 | A | 4710 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5566H-86 | STEEL TUBING, SEAMLESS, OR WELDED, CORROSION RESISTANT, 19CR-10NI (SAE 30304), HIGH PRESSURE HYRAULIC, COLD DRAWN REVIEWED: 82 | A | 4710 | / CS | | 07-MAY-87 | | | | CS |
| | | SAE-AMS5568-88 | TUBING STEEL, WELDED, CORROSION AND MODERATE HEAT RESISTANT 17CR - 7.1NI - 1.1AL SOLUTION HEAT TREATED PRECIPITATION-HARDENABLE - 1 JAN 88 | A | 4710 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5572F-88 | TUBING STEEL, SEAMLESS, CORROSION AND HEAT RESISTANT 25CR - 20NI (SAE 30310S) SOLUTION HEAT TREATED - 1 JUL 88 | A | 4710 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5578C | STEEL TUBING, WELDED, CORROSION AND HEAT RESISTANT 12CR - 8.5NI - 0.30 (CB+TA) - 1.1TI - 2.0 CU VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE | A | 4710 | * 11 | | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5580C-88 | TUBING ALLOY, SEAMLESS, CORROSION AND HEAT RESISTANT 74NI - 15.5CR- 8.0FE ANNEALED - 1 OCT 88 | A | 4710 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5581B-85 | TUBING ALLOY, SEAMLESS OR WELDED, CORROSION AND HEAT RESISTANT, 62NI - 21.5CR - 9.0MO - 3.7(CB + TA) ANNEALED - 1 APR 85 | A | 4710 | 11 | | 17-MAR-89 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action Code / Class Code / Cancellation Indicator / Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| SAE-AMS5582B-87 | TUBING ALLOY, SEAMLESS, CORROSION AND HEAT RESISTANT 72NI - 15.5CR - 0.95 (CB + TA) - 2.5TI - 0.79AL - 7.0FE ANNEALED - 1 JUL 87 | A 4710 11 10-MAR-89 | MR | AS | 11 | |
| SAE-AMS5583B-89 | TUBING, ALLOY, SEAMLESS, CORROSION AND HEAT RESISTANT 72NI - 15.5CR - 0.95 (CB+TA) - 2.6TI - 0.70AL - 7.0FE SOLUTION HEAT TREATED 1 OCT 89 | A 4710 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5586D | ALLOY TUBING, WELDED, CORROSION AND HEAT RESISTANT 57NI - 19.5CR - 13.5CO - 4.2MO - 2.9TI - 1.4AL - 0.08ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED, ANNEALED | A 4710 * 11 20-DEC-91 | MR | AS | 11 | |
| SAE-AMS5587C-80 NOTICE 1 | TUBING, ALLOY, SEAMLESS, CORROSION & HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE - 15 OCT 80 [VALIDATION DATE: 8803] | A 4710 11 04-MAR-88 | MR | AS | 11 | |
| SAE-AMS5588D-89 | TUBING, ALLOY, WELDED AND DRAWN, CORROSION & HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE SOLUTION HEAT TREATED - 1 JUL 89 | A 4710 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5589B-87 | TUBING ALLOY, SEAMLESS 52.5NI - 19CR - 3.0MO -5.1 (CB + TA) - 0.90TI - 0.50AL 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1750 DEG F (955 DEG C) SOLUTION HEAT TREATED - 1 JUL 87 | A 4710 11 01-JUL-87 | MR | AS | 11 | |
| SAE-AMS5590B-87 | TUBING ALLOY, SEAMLESS, CORROSION AND HEAT RESISTANT 52.5NI - 19CR - 3.0MO - 5.1 (CB + TA) - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG F (1065 DEG C) SOLUTION HEATED - 1 OCT 87 | A 4710 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5591F-81 | STEEL TUBING, SEAMLESS, CORROSION & MODERATE HEAT RESISTANT 12.5CR (SAE 51410 ) ( 15 JAN 81) | A 4710 11 30-OCT-81 | MR | AS | 11 | |
| SAE-AMS5594-64 NOTICE 1 | STEEL PLATE, CORROSION & MODERATE HEAT RESISTANT 15.5CR - 4.5NI - 2.9MO - 0.1N EQUALIZED & OVERTEMPERED - 31JAN 64 [VALIDATION DATE: 8803] | A 9515 11 04-MAR-88 | MR | AS | 11 | |
| SAE-AMS5595D-89 | STEEL SHEET, STRIP AND PLATE, CORROSION RESISTANT, 9.0MN - 20CR - 6.5NI - 0.2BN SOLUTION HEAT TREATED - 1 JUL 1989 | A 9515 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5596D-81 | ALLOY SHEET, STRIP, & PLATE, CORROSION & HEAT RESISTANT 52.5NI - 19CR - 3.0MO - 5.1(CB & TA) - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1750 DEG.F (955 DEG.C) SOLUTION HEAT TREATED- 1 APR 81 | A 9515 11 30-OCT-81 | MR | AS | 11 | |
| SAE-AMS5597C-88 | ALLOY SHEET, STRIP, AND PLATE, CORROSION ANDHEAT RESISTANT 52.5NI - 19CR - 3.0MO - 5.1 (CB AND TA) - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACCUMINDUCTION MELTED 1950 DEG.F (1067 DEG C) SOLUTION HEAT TREATED - 1 JUL 88 | A 9515 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5598B-87 | ALLOY SHEET, STRIP, AND PLATE, CORROSION & HEAT RESISTANT 72NI - 15.5CR - 0.95(CB AND TA) - 2.5TI - 0.70AL - 7.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEATTREATED, PRECIPITATION HARDENABLE - 1 OCT 1987 | A 9515 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5599D-87 | ALLOY SHEET, STRIP, AND PLATE, CORROSION & HEAT RESISTANT 62NI - 21.5CW - 9.0MO - 3.7(CB AND TA) ANNEALED - 1 OCT. 1987 | A 9515 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5601B-78 NOTICE 1 | STEEL SHEET AND STRIP, CORROSION AND MODERATE HEAT RESISTANT, 14.5CR-8.2NI-2.5MO-1.1AL, SOLUTION HEAT TREATED - 15 JAN 78 [VALIDATION DATE: 8803] | A 9515 11 04-MAR-88 | MR | AS | 11 | |
| SAE-AMS5603B-78 | STEEL SHEET AND STRIP, CORROSION AND MODERATE HEAT RESISTANT, 15CR-8.4NI-2.2MO-1.1AL, VACUUM INDUCTION MELTED, SOLUTION HEAT TREATED - 15 JAN 78 | A 9515 11 31-AUG-78 | MR | AS | 11 | |
| SAE-AMS5604C-88 | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 16.5CR - 4.0NI - 4.0CU - 0.30 (CB + TA) 1 OCT. 1988) | A 9515 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5606B-88 | ALLOY SHEET, STRIP, AND PLATE, CORROSION + HEAT RESISTANT 40CO - 22CR - 22NI - 14.5W - 0.77LA SOLUTION HEAT TREATED - 1 APR 88 | A 9515 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5609A-79 | STEEL BARS, FORGINGS, TUBING, AND RINGS, CORROSION AND MODERATE HEAT RESISTANT 12CR - 0.12CB (SAE 51410 MODIFIED) FERRITE CONTROLLED - 16 JUL 1979 | A 9510 11 31-MAR-80 | MR | AS | 11 | |
| SAE-AMS5610L-89 | BAR, STEEL, AND FORGINGS, CORROSION & MODERATE HEAT RESISTANT 12.0R - LOW CARBON (SAE 51416, 51416SE) FREE MACHINING - 1 OCT 88 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5612E-89 | BAR, STEEL, WIRE, FORGINGS, TUBING, AND RINGS, CORROSION & MODERATE HEAT RESISTANT 12CR, (SAE 51410, MODIFIED) FERRITE CONTROLLED, ANNEALED - 1 OCT 89 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5616G-82 | STEEL BARS, FORGINGS, TUBING & RINGS, CORROSION & MODERATE HEAT RESISTANT 13CR - 2.0NI - 30W, ANNEALED - 1 JUL 82 [VALIDATION DATE: 8305] | A 9510 11 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS5617G | STEEL BARS, WIRE, AND FORGINGS, CORROSION RESISTANT 12CR - 8.5NI - 1.2TI - 2.0CU VACUUM INDUCTION PLUG VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE | A 9510 * 11 20-DEC-91 | MR | AS | 11 | |
| SAE-AMS5620E-89 | BAR, STEEL, AND FORGINGS, CORROSION AND MODERATE HEAT RESISTANT 13CR (0.30 - 0.40C) (SAE 51420F) FREE-MACHINING - 1 APR 89 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5629D | STEEL, CORROSION RESISTANT, BARS, FORGINGS, RINGS, AND EXTRUSIONS 13CR - 8.0NI - 2.2MO - 1.1AI VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE | A 9510 * 11 20-DEC-91 | MR | AS | 11 | |
| SAE-AMS5630F-87 | STEEL BARS & FORGINGS, CORROSION RESISTANT 17CR - 0.52MO (0.95 - 1.20C) (SAE 51440C) 1 JUL 87 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5632F-89 | BAR, STEEL, AND FORGINGS, CORRISION RESISTANT 17CR - 0.05MO (0.95 - 1.20C) (SAE 51440F) FREE-MACHINING - 1 APR 89 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5635B-81 | STEEL BARS & FORGINGS, CORROSION RESISTANT 18CR - 9NI (303PB) FREE MACHINING - 15 JAN 81 | A 9510 11 30-OCT-81 | MR | AS | 11 | |
| SAE-AMS5636D-87 | STEEL BARS, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) SOLUTION HEAT TREATED & COLD DRAWN 100,000 PSI (690 MPA) TENSILE STRENTH - 1 OCT 87 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5638D-89 | BAR, STEEL, AND FORGINGS, CORROSION RESISTANT 0.14S - 18CR - 9.5NI - 0.50MO - 0.80AI FREE-MACHINING; SWAGING OR UPSETTING SOLUTION HEAT TREATED 1 JUL 89 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5640P-90 | BAR, WIRE, AND FORGINGS, CORROSION RESISTANT 18CR - 9.0NI (SAE 30303, 30303SE, 30303MOD) FREE-MACHINING - 1 JAN 90 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5644C-74 NOTICE 1 | BARS & FORGINGS, STEEL, CORROSION RESISTANT 17CR - 7NI - 1AI - 30 JAN 74 [VALIDATION DATE: 8803] REVIEWER: MI | A 9510 11 04-MAR-88 | MR | AS | 11 | |
| SAE-AMS5647F-89 | BAR,STEEL, FORGINGS, TUBING, & RINGS, CORROSION RESISTANT 19CR - 9.5NI (SAE 304L), SOLUTION HEAT TREATED - 1 JAN 89 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5653C-89 | BAR, STEEL, FORGINGS, TUBING, AND RINGS, CORROSION AND HEAT RESISTANT 17CR - 12NI - 2.5MO, (SAE 30316L) SOLUTION HEAT TREATED - 1 JAN 89 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5655C-89 | BAR, STEEL, AND FORGINGS, CORROSION AND MODERATE HEAT RESISTANT 12.5CR - 0.75NI - 1.0MO - 1.0W - 0.24V HARDENED AND TEMPERED - 1 JUL 89 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5656A-78 NOTICE 1 | BAR, STEEL FORGINGS & RINGS, CORROSION RESISTANT 9.0MN - 20CR - 6.5NI - 0.27N - 15 APR 78 [VALIDATION DATE: 8803] | A 9510 11 04-MAR-88 | MR | AS | 11 | |
| SAE-AMS5657-60 NOTICE 1 | STEEL, CORROSION & MODERATE HEAT RESISTANT 15CR - 7.1NI - 2.5MO - 1.1AI - 30 JUN 60 [VALIDATION DATE: 8803] REVIEWER: MI | A 9510 11 04-MAR-88 | MR | AS | 11 | |
| SAE-AMS5658-76 | BARS, FORGING, & RINGS, 15CR 5NI 4CU - 1 JUL 76 [VALIDATION DATE: 8305] ... | A 9510 11 25-MAR-77 | MR | AS | 11 | |
| SAE-AMS5659G-90 | BAR, FORGINGS, AND RINGS, AND EXTRUSIONS CORROSION RESISTANT 15CR Q 45NI - 0.30 (CB+TA) - 3.5CU CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE - 1 JAN 90 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5660G-88 | ALLOY BARS & FORGINGS, CORROSION & HEAT RESISTANT 42.5NI - 12.5CR - 6.0MO - 2.7TI - 34FECONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION, STABILIZATION, & PRECIPITATION HEAT TREATED - 1 APR 88 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5661D-89 | BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 42.5NI - 12.5CR - 5.8MO - 2.9TI - 0.015B - 35FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION, STABILIZATION AND PRECIPITION HEAT TREATED 1 APR 89 | A 9510 11 15-AUG-90 | MR | AS | 11 | |

# NUMERICAL LISTING
## DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action Qty. / Cmt. Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| SAE-AMS5662F-89 | BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 52.5NI - 19CR - 3.0MO - 5.1 (CB+TA) - 0.90TI - 0.50AI - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1775 DEG. F (968 DEG. C) SOLUTION HEAT TREATED - 1 JAN 89 | A 9510 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5663G-89 | BAR, ALLOY, FORGINGS, AND RINGS, CORROSION & HEAT RESISTANT, 52.5NI - 19CR -3.0MO - 5.1 (CB +TA) - 0.90TI - 050AI - 19FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1750 DEG F (968 DEG.C) SOLUTION AND PRECIPITION HEAT TREATED - 1 JUL 89 | A 9510 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5664C | ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 52.5NI - 19CR - 3.0MO - 5.1(CB+TA) - 0.90TI - 0.50AL - 19FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG. F (1066 DEG. C) SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE | A 9510 * | 11 | 20-DEC-91 | MR | AS | 11 | |
| SAE-AMS5665J-81 | ALLOY BARS, FORGINGS & RINGS, CORROSION & HEAT RESISTANT 74NI - 15.5CR - 8.0FE - 1 APR 81 | A 9530 | 11 | 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS5666B-81 | ALLOY BAR, FORGINGS & RINGS, CORROSION & HEAT RESISTANT, 62NI - 21.5CR - 9.0MO - 3.65(CB & TA) - 15 JAN 81 | A 9510 | 11 | 30-OCT-81 | MR | AS | 11 | |
| SAE-AMS5667J | ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 72NI - 15.5CR - 0.95(CB+TA) - 2.5TI - 0.70AL - 7.0FE EQUALIZED, PRECIPITATION *HARDENABLE* | A 9510 * | 11 | 20-DEC-91 | MR | AS | 11 | |
| SAE-AMS5668G-87 | ALLOY BARS, FORGINGS & RINGS, CORROSION & HEAT RESISTANT 72NI - 15.5CR - 7.0FE - 2.5TI - 1.0(CB & TA) - 0.70AI 2100 DEG F (1095 DEG C) SOLUTION & PRECIPITATION HEAT TREATED - 1 OCT 87 | A 9510 | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5671E-89 | BAR, ALLOY, FORGINGS, AND RING, CORROSION AND HEAT RESISTANT 72NI - 15.5CR - 0.95(CB+TA) - 2.5TI - 0.70AI - 7.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTER 1800 DEG. F (982 DEG C) SOLUTION HEAT TREATED - 1 JUL 89 | A 3439 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5672B-87 | STEEL WIRE, CORROSION RESISTANT 11.8CR - 8.5NI - 0.30(CB & TA) - 1.1TI - 2.0CU PRECIPITATION HARDENABLE, SPRING TEMPER - 1 OCT 87 | A 9505 | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5673D-82 | WIRE, STEEL, CORROSION RESISTANT 17CR - 7.1NI - 1.1AI PRECIPITATION HARDENABLE, SPRING TEMPER - 1 JUL 82 | A 9505 | 11 | 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS5675C-87 | WIRE, ALLOY WELDING, CORROSION AND HEAT RESISTANT 70NI - 2.4MN - 15.5CR - 3.0TI - 7.0FE - 1 OCT 87 | A 3439 | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5676C-89 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 80 NI - 20 CR - 1 APR 89 . | A 3439 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5678B-87 | STEEL WIRE, CORROSION RESISTANT 17CR - 7.1NI - 1/1AI PRECIPITATION - HARDENABLE, SPRING TEMDER - 1 OCT 87 USER: CE REVIEWER: EA IS | A 9505 | 11 | 17-MAR-89 | MR | AS | | |
| SAE-AMS5679D-81 | ALLOY WELDING WIRE, CORROSION & HEAT RESISTANT 73NI - 15.5CR - 2.2 (CB + TA) - 8.0FE - 1 JUL 81 | A 3439 | 11 | 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS5680F-88 | WIRE, STEEL WELDING, CORROSION AND HEAT RESISTANT 18.5CR - 11NI - 0.40 (CB & TA) (SAE 30347) 1 APR 88 | A 3439 | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5683E-90 | WIRE, ALLOY WELDING, CORROSION AND HEAT RESISTANT - 1 APR 90 REVIEWER: 84 GS | A 3439 | IP | 12-JUL-91 | AL | SH | 99 | |
| SAE-AMS5687J-89 | WIRE, ALLOY, CORROSION & HEAT RESISTANT 74NI - 15.5CR - 8.0FE ANNEALED - 1 JUL 89 | A 9505 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5690J-88 | WIRE, STEEL WELDING, CORROSION AND HEAT RESISTANT 17CR - 12NI - 2.5MO (SAE 30316) SOLUTION HEAT TREATED - 1 JAN 88 | A 9505 | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5692A-88 | WIRE, STEEL WELDING, CORROSION AND HEAT RESISTANT 19CR - 12.5NI - 2.5MO - 1 APR 88 | A 3439 | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5693A-88 | STEEL WIRE, CORROSION RESISTANT 18CR-9.0NI (SAE 30302) CRYOGENICALLY PRODUCED, HIGH TENILE STRENGTH 1 APR 88 | A 9505 | 11 | 10-MAR-89 | MR | AS | 11 | |
| SAE-AMS5694F-90 | STEEL WELDING WIRE, CORROSION AND HEAT RESISTANT 27CR - 21.5NI - 1 JAN 90 . | A 3439 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5698E-89 | WIRE, ALLOY, CORROSION AND HEAT RESISTANT, 72NI-15.5CR - 0.95 (CB+TA) - 2.5TI - 0.70AI - 7.0FE NO. 1 TEMPER PRECIPITION HARDENABLE 1 OCT 89 | A 9505 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5699E-89 | WIRE, ALLOY, CORROSION AND HEAT RESISTANT, 72NI-15.5CR - 0.95 (CB+TA) - 2.5TI - 0.70AI - 7.0FE SPRING TEMPER, PRECIPITION HARDENABLE - 1 OCT 89 | A 9505 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5701B-88 | ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 41.5NI - 16CR - 37FE - 2.9CB - 1.8TI CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1800 DEGREE F (980DEGC) SOLUTION HEAT TREATED - 1 JAN 88 | A 9535 | 11 | 17-MAR-89 | | MR | | |
| SAE-AMS5704D-88 | ALLOY FORGINGS, CORROSION AND HEAT RESISTANT 57NI - 19.5CR- 13.5CO - 4.3MO - 3.0TI - 1.4AI - 0.05ZR -0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1825 DEG. - 1900 DEG F (995 DEG - 1040 DEG C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED 1APR88 | A FORG | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5706H-89 | BAR, ALLOY, FORGINGS, AND RINGS, CORROSION & HEAT RESISTANT 57NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AI - 0.006B - 0.05ZR CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1825 DEG - 1900 DEG F SOLUTION HEAT TREATED - 1 JUL 89 | A 9510 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5707G-89 | BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AI - 0.05ZR - 0.006B0. 1825 DEG - 1900 DEG F (996DEG - 1038 DEG C) SOLUTION STABILIZATION, AND PRECIPITATION HEAT TREATED - 1 JAN 89 | A 9510 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5708F | ALLOY BARS, FORGINGS AND RINGS, CORROSION AND HEAT RESISTANT 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AL CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1975 DEG. F (1079 DEG. C) SOLUTION HEAT TREATED | A 9510 * | 11 | 20-DEC-91 | MR | AS | 11 | |
| SAE-AMS5709E-88 | ALLOY BARS & FORGINGS, CORROSION & HEAT RESISTANT 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI 1.4AI - 0.05ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1975 DEG F (1079 DEG C) SOLUTION, STABILIZATION & PRECIPATION HEAT TREATED - 1 JUL 88 | A 9510 | 11 | 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5712F-89 | BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 53NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AI - 0.006B VACUUM MELTED, SOLUTION HEAT *TREATED - 1 JUL 89* | A 9510 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5713F-89 | BAR, ALLOY, FORGINGS, AND RINGS, CORROSION & HEAT RESISTANT 53NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AI - 0.006B VACUUM MELTED, SOLUTION & PRECIPITATION HEAT TREATED - 1 JUL 89 98S | A 9510 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5716E-90 | BAR, ALLOY, WIRE, FORGINGS, AND RINGS, HEAT RESISTANT 44FE - 18.5CR - 35.5NI - 1.1SI SOLUTION HEAT TREATED - 1 JAN 90 | A 9510 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5717E-82 | ALLOY BARS, FORGINGS, & RINGS,CORROSION & HEAT RESISTANT 45.5NI - 25.5CR - 3.2CO - 3.2MO - 3.2W - 18.5FE, SOLUTION HEAT TREATED - 1 JAN 82 [VALIDATION DATE: 8305] | A 9510 | 11 | 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS5718-70 | BARS STEEL, FORGINGS, TUBING, & RINGS, CORROSION RESISTANT 11.8CR - 2.5NI - 1.8MO - 0.33V (0.08 - 0.15C) - 1 NOV 70 [VALIDATION DATE: 8104] | A 9510 | 11 | 15-NOV-74 | MR | AS | 11 | |
| SAE-AMS5719B-90 | STEEL BARS, WIRE, FORGINGS, TUBING, RINGS, AND EXTRUSIONS, CORROSION RESISTANT 11.8CR - 2.5NI - 1.8MO - 0.33V (0.08 - 0.15C) ANNEALED, CONSUMABLE ELECTRODE VACUUM MELTED | A 9510 * | 11 | 20-DEC-91 | MR | AS | 11 | |
| SAE-AMS5731H-89 | STEEL BARS, FORGINGS, TUBING, AND RINGS, CORROSION AND HEAT RESISTANT 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V SOLUTION HEAT TREATED - 1 JUL 89 | A 9510 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5732F-89 | STEEL BAR' WIRE, FORGINGS, TUBING, AND RINGS, CORROSION AND HEAT RESISTA 15 CR - 25.5 NI - 1.2 MO - 2.1TI - 0.006B - 0.30V CONSUMABLE LECTRODE MELTED, 1800 DEG F (982 DEG C) SOLUTION AND PRECIPITATION HEAT TREATED - 1 OCT 89 | A 3439 | 11 | 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5733D-66 NOTICE 1 | BARS STEEL & FORGINGS, CORROSION & HEAT RESISTANT 13.5CR - 26NI - 3MO - 1.8TI - 15 MAR 66 [VALIDATION DATE: 8803] | A 9510 | 11 | 01-MAR-88 | MR | AS | 11 | |
| SAE-AMS5734F-89 | STEEL BARS, FORGINGS, TUBING, CORROSION AND HEAT RESISTANT 15CR - 25.5NI - 1.2 MO - 2.1TI - 0.006B - 0.30V CONSUMABLE ELECTRODE MELTED, 1650 DEG F (899 DEG C) SOLUTION AND HEAT TREATED - 1 JUL 89 | A 9510 | 11 | 15-AUG-90 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action Code / Cancellation Indicator / Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| SAE-AMS5737L-89 | STEEL BARS, WIRE FORGINGS, AND TUBING, CORROSION AND HEAT RESISTANT 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V CONSUMABLE ELECTRODE MELTED, 1650 DEG F (899 DEG C) SOLUTION AND HEAT TREATED - 1 JUL 89 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5739B-81 | STEEL BARS, FORGINGS, & RINGS, CORROSION & MODERATE HEAT RESISTANT, 14.5C - 6.5NI - 0.72TI SOLUTION HEAT TREATED & MARAGED, 180,000 PSI (1241 MPA) TENSILE STRENGTH - 1 APR 81 | A 9510 11 30-OCT-81 | MR | AS | 11 | |
| SAE-AMS5740B-81 | BAR, FORGINGS, & RINGS, STEEL, CORROSION & MODERATE HEAT RESISTANT, 14.5CR - 6.5NI-0.72TI SOLUTION HEAT TREATED & MARAGED, 155,000 PSI (1069MPA) TENSILE STRENGTH - 1 APR 81 | A 9510 11 30-OCT-81 | MR | AS | 11 | |
| SAE-AMS5741D-66 NOTICE 1 | BARS & FORGINGS, STEEL, CORROSION & HEAT RESISTANT 13.5CR - 26NI - 1.75MO - 3TI CONSUMABLE ELECTRODE VACUUM MELTED - 15 MAR 66 (VALIDATION DATE: 8803) REVIEWER: GS | A 3439 11 04-MAR-88 | MR | AS | 11 | |
| SAE-AMS5743L-81 | STEEL BARS & FORGINGS, CORROSION & MODERATE HEAT RESISTANT, 1K.5CR - 4.5NI - 2.9MO - 0.10N SOLUTION HEAT TREATED, SUB ZERO COOLED, EQUALIZED, & OVER TEMPER - 1 APR 81 | A 9510 11 30-OCT-81 | MR | AS | 11 | |
| SAE-AMS5744C-87 | STEEL BARS & FORGINGS, CORROSION & MODERATE HEAT TREATED, 170,000 PSI (1170 MPA) TENSILE STRENGTH - 1 JUL 87 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5745B-81 | STEEL BAR & FORGING CORROSION & MODERATE HEAT RESISTANT 16.5CR 2.9MO0.10N EQUALIZED & OVER TEMPERED 1 APR 81 | A 9510 11 30-OCT-81 | | | 11 | |
| SAE-AMS5746E-89 | ALLOY BARS AND FORGINGS, CORROSION AND HEAT RESISTANT 15CR - 45 NI - 4.1 MO - 4.1W - 3.0TI - 1.0AI - 31FE CONSUMABLE ELECTRODE VACUUM MELTED, SOLUTION AND PRECIPITATION HEAT TREATED - 1 JUL 89 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5748-69 NOTICE 1 | BARS STEEL, FORGINGS, & RINGS, CORROSION RESISTANT 14CR - 13.5CO - 5.0MO - 0.50NI - 0.20V PREMIUM QUALITY, CONSUMABLE ELECTRODE MELTED - 1 NOV 69 (VALIDATION DATE: 8803) | A 3439 11 04-MAR-88 | MR | AS | 11 | |
| SAE-AMS5749A-81 | STEEL BARS, FORGINGS, & TUBING, CORROSION RESISTANT 14.5CR - 4.0MO - 1.2V - (1.10-1.20C) PREMIMUM QUALITY FOR BEARING APPLICATIONS, DOUBLE VACUUM MELTED - 1 APR 81 | A 9510 11 30-OCT-81 | MR | AS | 11 | |
| SAE-AMS5750B-74 NOTICE 1 | BARS ALLOY, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT NICKEL BASE - 15.5CR - 16MO - 4W - 6FE SOLUTION TREATED - (VALIDATION DATE: 8803) | A 9510 11 15-MAR-88 | MR | AS | 11 | |
| SAE-AMS5751D-82 | BARS, ALLOY, FORGINGS, + RINGS, CORROSION + HEAT RESISTANT 54NI - 17.5CR - 16.5CO - 4.0MO - 2.9TI - 2.9AI - 0.006B SOLUTION, STABILIZATION, + PRECIPITATION TREATED CONSUMABLE ELEC. OR VAC. IND. MELTED - 1 JAN 82 (VALIDATION DATE: 1101) | A 3439 11 14-NOV-88 | MR | AS | 11 | |
| SAE-AMS5753B-82 | BAR, ALLOY, & FORGINGS, CORROSION & HEAT RESISTANT 55NI - 17.5CR -16.5CO-4.0MO - 2.9TI -2.9AI - 0.006B VACUUM MELTED, SOLUTION HEAT TREATED - 1 OCT 82 (VALIDATION DATE: 8405) | A 9510 11 01-SEP-83 | MR | AS | 11 | |
| SAE-AMS5754J-90 | ALLOY BARS, FORGINGS & RINGS, CORROSION & HEAT RESISTANT 42.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE, SOLUTION HEAT TREATED - 1 JAN 1990 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5755D-88 | ALLOY BARS, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 64NI - 5.0CR - 24.5MO - 5.5FE SOLUTION HEAT TREATED - 1 JAN 88 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5756B-77 | BAR, ALLOY, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 54 NI - 19CR - 10CO - 10MO - 2.6TI - 1.0AI - 0.006B VACUUM MELTED, SOLUTION TREATED - 15 JUL 77 | A 9510 11 27-FEB-81 | MR | AS | 11 | |
| SAE-AMS5757B-77 NOTICE 1 | ALLOY BAR, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 54NI - 19CR - 10CO - 10MO - 2.6TI - 1.0AI - 0.006B VACUUM MELTED, SOLUTION & PRECIPITATION TREATED - 15 JUL 77 (VALIDATION DATE: 8803) | A 9510 11 15-MAR-88 | MR | AS | 11 | |
| SAE-AMS5758E-90 | BAR, ALLOY, CORROSION RESISTANT 20CR - 35NI - 35CO - 10 MO VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED FOR WORK STREMGTHENING - 1 JAN 90 | A 9530 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5759F-80 | BAR, ALLOY, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 52CO - 20CR - 10NI - 15W - 15 JAN 80 | A 9510 11 27-FEB-81 | MR | AS | 11 | |
| SAE-AMS5761A-81 NOTICE 1 | STEEL BARS, FORGINGS, & RINGS, CORROSION RESISTANT 15CR - 20CO - 2.8MO SOLUTION HEAT TREATED - 1 APR 81 (VALIDATION DATE: 8803) | A 9510 11 15-MAR-88 | MR | AS | 11 | |
| SAE-AMS5763B-87 | STEEL BARS, FORGINGS, & TUBING, & RINGS, CORROSION RESISTANT 15CR - 6.5NI - 0.75MO - 0.50 (CB + TA) - 1.5CU SOLUTION HEAT TREATED 1 OCT 87 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5764A-76 | BARS, FORGINGS, EXTRUSIONS, & RINGS - 22CR 12.5NI 5MN 2.2MO 0.20CB 0.30N 0.20V - 15 JAN 76 (VALIDATION DATE: 8405) | A 9510 11 25-MAR-77 | MR | AS | 11 | |
| SAE-AMS5766B-88 | ALLOY BARS AND FORGINGS, CORROSION AND HEAT RESISTANT 21CR - 32.5NI - 0.38TI - 0.83AI - 45FE SOLUTION HEAT TREATED - 1 JAN 88 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5768H-88 | ALLOY BARS, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0(CB + TA) - 0.15N - 31FE SOLUTION & PRECIPITATION HEAT TREATED 1 JULY 88 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5769D-87 | ALLOY BARS, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0(CB +TA) - 0.15N - 32FE SOLUTION HEAT TREATED 1 OCT 87 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5771C-89 | BAR, ALLOY, FORGINGS, AND RINGS, CORROSION & HEAT RESISTANT 74NI - 7.0CR - 16.5MO, SOLUTION HEAT TREATED - 1 JAN 89 | A 9530 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5772B-89 | BAR, ALLOY, FORGINGS AND RINGS, CORROSION & HEAT RESISTANT 40CO - 22CR - 22NI - 14.5W - 0.07LA SOLUTION HEAT TREATED 1 JAN 89 | A 9530 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5774C-87 | WIRE, STEEL WELDING, CORROSION AND MODERATE HEAT RESISTANT 16.5CR - 4.5NI - 2.9MO - 0.10N - 1 OCT 87 | A 3439 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5775C-90 | WELDING ELECTRODES, COVERED, CORROSION AND HEAT RESISTANT STEEL 16.5CR - 4.5NI - 2.9MO - 0.10N | A 3439 * 11 20-DEC-91 | MR | AS | 11 | |
| SAE-AMS5776C-87 | WIRE, STEEL WELDING, CORROSION AND MODERATE HEAT RESISTANT 12.5CR (SAE 51410) - 1 OCT 87 | A 3439 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5777C-88 | STEEL WELDING ELECTRODES, COVERED, CORROSIONRESISTANT 12.5CR - 1 JUL 88 ... | A 3439 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5778C-87 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 72N - 15.5CR - 1.0(CB+TA) - 2.4TI - 0.70AI - 7.0FE - 1 OCT 87 | A 3439 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5779A-80 | ALLOY WELDING ELECTRODES, COVERED, CORROSION & HEAT RESISTANT 75NI - 5CR - 1.5(CB PLUS TA) - 1.9TI - 0.55A - 5.5FE - 15 APR 80 | A 3439 11 27-FEB-81 | MR | AS | 11 | |
| SAE-AMS5780B-86 | WIRE, STEEL WELDING, CORROSION & MODERATE HEAT RESISTANT 15.5CR - 4.5 NI - 2.9MO - 0.10N ANNEALED - 1 JAN 86 | A 9505 11 01-AUG-86 | MR | AS | 11 | |
| SAE-AMS5781B-86 | STEEL WELDING ELECTRODES, COVERED, CORROSION & MODERATE HEAT RESISTANT 15.5CR - 4.5NI - 2.9MO - 0.10N - 1 JULY 1985 | A 3439 11 01-AUG-86 | MR | AS | 11 | |
| SAE-AMS5784A-81 | WIRE, STEEL WELDING, CORROSION & HEAT RESISTANT 29CR - 9.5NI - 15 JAN 81 .. | A 3439 11 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS5785C-79 | STEEL WELDING ELECTRODES, COVERED, CORROSION & HEAT RESISTANT 28.5CR - 9.5NI - 16 JUL 79 | A 3439 11 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS5786B-79 | ALLOY WELDING WIRE, CORROSION & HEAT RESISTANT 62.5NI - 5.0CR - 24.5MO - 5.5FE - 16 JUL 79 | A 3439 11 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS5788A-76 | COATING ALLOY - COBALT BASE 62CO 28CR 4.5W - 15 JAN 76 (VALIDATION DATE: 8405) | A MFFP 11 25-MAR-77 | MR | AS | 11 | |
| SAE-AMS5789B-87 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 54CO - 25.5CR - 10.5NI - 7.5W - 1 OCT 87 | A 3439 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5790A-90 | STEEL WELDING WIRE, CORROSION AND HEAT RESISTANT 20CR - 10NI - 0.75(BC+TA) HIGH FERRITE GRADE - 1 JAN 90 | A 3439 11 15-AUG-90 | MR | AS | 11 | |
| SAE-AMS5791D-86 | POWDER, PLASMA SPRAY 56.5CO - 25.5CR - 10.5NI - 7.5W - 1 JAN 86 ..... | A 8030 11 01-AUG-86 | MR | AS | 11 | |
| SAE-AMS5793-86 | POWDER, PLASMA SPRAY 95NI - 5AI - 1 JAN 86 ..... | A 8030 11 01-AUG-86 | MR | AS | 11 | |
| SAE-AMS5794C-87 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 31FE - 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0(CB+TA) - 0.15NANNEALED - 1 OCT 87 | A 3439 11 17-MAR-89 | MR | AS | 11 | |
| SAE-AMS5796A-80 | ALLOY WELDING WIRE, CORROSION & HEAT RESISTANT 52CO - 20CR - 10NI - 15W - 15 OCT 80 | A 3439 11 01-OCT-82 | MR | AS | 11 | |
| SAE-AMS5798D | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE | A 3439 * 11 20-DEC-91 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt / Obsl Cancellation Inactive | Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | SAE-AMS5799C-86 | ALLOY WELDING ELECTRODES, COVERED, CORROSION & HEAT RESISTANT 48NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE - 1 JAN 1986 | A 3439 | 11 01-AUG-86 | MR | AS | 11 | |
| | | SAE-AMS5800B-79 | WIRE, ALLOY WELDING, CORROSION & HEAT RESISTANT 54NI - 19CR - 11CO - 10MO - 3.2TI - 1.5AI - 0.006B VACUUM MELTED - 15 OCT 79 | A 3439 | 11 27-FEB-81 | MR | AS | 11 | |
| | | SAE-AMS5801B-86 | ALLOY WELDING WIRE, CORROSION & HEAT RESISTANT 39CO - 22CR - 22NI - 14.5W - 0.07LA - 1 JAN 1986 | A 3439 | 11 01-AUG-86 | MR | AS | 11 | |
| M | SAE-AMS5802A NOTICE 1 | | IRON-NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 41FE - 37.5NI - 14CO - 4.8(CB + TA) - 1.5TI VACUUM MELTED, LOW EXPANSION | A 3439 | MR 23-APR-93 | MR | AS | 11 | |
| A | SAE-AMS5804E-93 NOTICE 1 | | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 15CR - 25.5NI - 1.3MO - 2.2TI - 0.006B - 0.30V | A 3439 | MR 16-MAR-93 | MR | AS | 11 | |
| | | SAE-AMS5805E-90 | STEEL WELDING WIRE, CORROSION AND HEAT RESISTANT 15CR - 25.5NI - 1.2MO -2.1TI - 0.004B - 0.30V VACUUM INDUCTION MELTED ENVIRONMENT CONTROLLED PACKAGING - 1 JAN 90 | A 3439 | 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5809 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 52CO - 20CR - 20NI - 7.5TA VACUUM MELTED | A 3439 * | 11 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS5813B-80 NOTICE 1 | | WIRE, STEEL WELDING, CORROSION & MODERATE HEAT RESISTANT, 14.5CR - 7.1NI - 2.4MO - 1.0AI - 15 OCT 80 [VALIDATION DATE: 8803] | A 3439 | 11 15-MAR-88 | MR | AS | 11 | |
| | | SAE-AMS5817B-80 | WIRE STEEL, WELDING, CORROSION & MODERATE HEAT RESISTANT 13CR - 2NI -3W - 15 OCT 80 | A 3439 | 11 30-OCT-81 | MR | AS | 11 | |
| | | SAE-AMS5821B-80 | WIRE, STEEL WELDING, CORROSION RESISTANT 12 CR (SAE 51410 MODIFIED) FERRITE CONTROL GRADE - 15 OCT 80 | A 3439 | 11 30-OCT-81 | MR | AS | 11 | |
| M | SAE-AMS5822B NOTICE 1 | | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 11.8CR - 2.8NI - 1.6CO - 1.8MO - 0.32V VACUUM INDUCTION MELTED | A 3439 | MR 23-APR-93 | MR | AS | 11 | |
| | | SAE-AMS5825C-79 | STEEL WELDIN WIRE, CORROSION RESISTANT 16.5CR - 4.8NI - 0.22 (CB PLUS TA) - 3.6CU | A 3439 | 11 31-MAR-80 | MR | AS | 11 | |
| M | SAE-AMS5827D NOTICE 1 | | STEEL, CORROSION RESISTANT, COVERED WELDING ELECTRODES ..... | A 3439 | MR 23-APR-93 | MR | AS | 11 | |
| M | SAE-AMS5828E NOTICE 1 | | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 57NI - 19.5CR - 13.5CO - 4.2MO - 3.1TI - 1.4AI - 0.006B VACUUM INDUCTION MELTED, SOLUTION HEAT TREATED | A 3439 | MR 23-APR-93 | MR | AS | 11 | |
| | | SAE-AMS5830 | WELDING WIRE, CORROSION AND HEAT RESISTANT ALLOY 12.5CR - 42.5NI - 6.0MO - 2.7TI - 0.015B - 35FE | A 3439 * | 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5831 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 29FE - 22CR - 21NI - 18.5CO - 3.2MO - 2.8W - 0.78TA 0.30AL - 0.05ZR - 0.05LA - 0.20N | A 3439 * | 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5832D-91 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 52.5NI - 19CR - 3.0MO - 5.1(CB+TA) - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED | A 3439 * | 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5836 | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 72NI - 20CR - 3MN - 2.5CB | A 3439 * | 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5837D | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 62NI - 21.5CR - 9.0MO - 3.7(CB+TA) | A 3439 * | 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5840B-86 | STEEL WELDING WIRE, CORROSION AND MODERATE HEAT RESISTANT 13CR - 8.0NI - 2.3MO - 1.1AI VACUUM MELTED - 1 APR 86 | A 3439 | 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5844D-90 | BAR, ALLOY, CORROSION RESISTANT 20CR - 35NI - 35CO - 10MO VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED AND WORK STRENGTHENED 1 JAN 90 | A 9530 | 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5845D-90 | BAR, ALLOY, CORROSION RESISTANT 20CR - 35NI - 35CO - 10MO VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED WORK STRENGTHENED AND AGED 1 JAN 90 | A 9530 | 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5846-83 | BAR & FORGINGS, ALLOY, CORROSION & HEAT RESISTANT 53NI - 15CR - 18.5CO - 5.0MO - 3.2TI - 4.2AI - 0.03B DOUBLE VACUUM MELTED SOLUTION, STABILIZATION, & PRECIPITATION HEAT TREATED - 1 APR 83 | A 9510 | 11 01-SEP-83 | MR | AS | 11 | |
| | | SAE-AMS5850A-80 | STEEL, CORROSION & HEAT RESISTANT, HONEYCOMB CORE, RESISTANCE WELDED, SQUARE - 15 JUL 80 | A 9520 | 11 27-FEB-81 | MR | AS | 11 | |
| | | SAE-AMS5854 | ALLOY BARS, FORGINGS AND RINGS CORROSION AND HEAT RESISTANT 61NI - 20.5 CR -8.5MO - 3.4CB - 1.3TI - 5.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED | A 9510 * | 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5855A-81 | ALLOY POWDER, CORROSION & HEAT RESISTANT 59.5NI - 12CR - 10CO - 3.0MO - 6.0W - 3.0TI - 1.5TA - 4.5AI - 0.015B - 0.10ZR (0.30 - 0.35C) - 01 JUL 81 | A 59GP | 11 30-OCT-81 | MR | AS | 11 | |
| | | SAE-AMS5856A-81 | ALLOY BILLETS & PREFORMS CORROSION & HEAT RESISTANT 59.5NI - 12CR - 10CO - 3.0MO - 6.0W - 3.0TI - 1.5TA - 4.5AI - 0.015B - 0.10ZR (0.30 - 0.35C), POWER METALLURGY PRODUCT - 1 OCT 81 | A 95GP | 11 01-OCT-82 | MR | AS | 11 | |
| | | SAE-AMS5857-90 | STEEL BARS AND WIRE, CORROSION RESISTANT 19CR - 10NI - (SAE 30304) HIGH YIELD STRENGTH SOLUTION HEAT TREATED AND COLD WORKED - 1 JAN, 1990 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5860A-79 | SHEET, STEEL, STRIP, & PLATE, CORROSION & MODERATE HEAT RES. 12CR-8.5NI-0.30(CB & TA) - 1.1TI-2.0CU CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1525 DEG. F (830 DEG. C) SOLUTION HEAT TREATED - 15 JAN 79 | A 9515 | 11 31-MAR-80 | MR | AS | 11 | |
| | SAE-AMS5861-72 NOTICE 1 | | SHEET STEEL, STRIP, & PLATE, CORROSION RESISTANT 22CR - 13NI - 5.0MN - 2.25MO - 15 NOV 72 [VALIDATION DATE: 8803] | A 9515 | 11 15-MAR-88 | MR | AS | 11 | |
| | | SAE-AMS5862D | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 15CR - 4.5NI - 0.30(CB+TA) - 3.5CU CONSUMABLE ELECTRODE REMELTED, SOLUTION HEAT TREATED PRECIPITATION HARDENABLE | A 9515 * | 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5863B-88 | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 15CR - 6.5NI - 0.75MO - 0.6(CB + TA) - 1.5CU SOLUTION HEAT TREATED, PERCIPATION HARDENABLE - 1 OCT 1988 | A 9515 | 11 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5866G-89 | WIRE, STEEL, FLAT, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) SPRING TEMPER - 1 JUL 89 | A 4710 | 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5869 | ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 62NI - 21.5CR - 9.0MO - 3.7(CB+TA) SOLUTION HEAT TREATED | A 9515 * | 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5871B-88 | ALLOY SHEET, STRIP, AND PLATE, CORROSION ANDHEAT RESISTANT 21CR - 32.5NI - 0.38TI - 0.38AI - 45FE SOLUTION HEAT TREATED - 1 JAN 88 | A 9515 | 11 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5873B-88 | ALLOY SHEET, STRIP, AND PLATE, CORROSION + HEAT RESISTANT 65NI - 15.8CR - 15.2MO - 0.30AI - 0.5LA CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED - 1 JAN 88 | A 9515 | 11 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS5878-90 | SHEET, STRIP AND PLATE, ALLOY, CORROSION AND HEAT RESISTANT 59NI - 22CR - 2MO - 14W - 0.35AI - 0.03LA SOLUTION HEAT TREATED - 1 JAN 1990 | A 9515 | 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5879 | SHEET, STRIP, AND FOIL, CORROSION AND HEAT RESISTANT ALLOY 62NI - 21.5CR - 9.0MO - 3.7(CB+TA) COLD ROLLED AND ANNEALED | A 9515 * | 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5881A-81 | FORGINGS, ALLOY, CORROSION & HEAT RESISTANT 59.5NI - 12CR - 10CO - 3.0MO - 6.0W - 3.0TI - 1.5TA - 4.5AI - 0.015B - 0.10ZR (0.30 - 0.35C), SOLUTION, STABILIZED, & PRECIPITATION HEAT TREATED - 1 OCT 81 [VALIDATION DATE: 8305] | A FORG | 11 01-OCT-82 | MR | AS | 11 | |
| | | SAE-AMS5887-90 | ALLOY BARS, FORGINGS, AND RINGS CORROSION AND HEAT RESISTANT 54NI - 22CR - 12.5CO - 9.0MO - 1.2AI CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED ANNEALED - 1 JAN 90 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5888 | ALLOY PLATE, CORROSION AND HEAT RESISTANT 54NI - 22CR - 12.5CO - 9.0MO - 1.2AL ANNEALED | A 9515 * | 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS5889-90 | BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 54NI - 22CR - 12.5CO - 9.0MO - 1.2AI CONSUMABLE ELECTRODE FOR VACUUM INDUCTION MELTED ANNEALED - 1 JAN 1990 | A 9515 | 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS5900A-89 | STEEL BARS, FORGINGS, & TUBING, CORROSION RESISTANT 14CR - 2.1MO - 0.30CB - 1.0V(1.05 - 1.15C), PREMIUM AIRCRAFT QUALITY FOR BEARING APPLICATIONS, DOUBLE VACUUM MELTED - 1 JAN 1989 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Old Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | SAE-AMS6257 | STEEL BARS, FORGINGS, AND TUBING 1.6SI - 0.82CR - 1.8NI - 0.40MO - 0.08V (0.40 - 0.44C) CONSUMABLE ELECTRODE VACUUM REMELTED NORMALIZED AND TAMPERED | A 9510 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6260L | STEEL BARS, FORGINGS, AND TUBING 1/2CR - 3.2NI - 0.12MO - (0.07 - 0.13C) (SAE 9310) | A 9510 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6265G-89 | STEEL BARS, FORGINGS, & TUBING 1.2CR - 3.25NI - 0.12MO (0.07 - 0.13C) (SAE 9310), PREMIUM AIRCRAFT QUALITY, VACUUM CONSUMABLE ELECTRODE REMELTED - 1 JULY 1989 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS6267C-88 | STEEL BARS, FORGINGS, & TUBING 1.2CR - 3.25NI - 0.12MO (0.07 - 0.13C) SAE 9310 1 JUL 88 | A 9510 11 10-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS6274L-91 | STEEL BARS, FORGINGS, AND TUBING 0.50CR - 0.55NI - 0.20MO (0.18 - 0.23C) .. | A 9510 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6276F-88 | STEEL BARS, FORGINGS, & TUBING 0.50CR - 0.55NI - 0.20MO (0.18-0.23C) (SAE 8620) CONSUMABLE ELECTRODE VACUUM MELTED 1 JULY 88 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS6277D-88 | STEEL BARS, FORGINGS, & TUBING 0.50CR - 0.55NI - 0.20MO (0.18 - 0-23C) (SAE 8620) VACUUM ARC OR ELECTROSLAG REMELTED 1 JULY 88 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS6278A | STEEL BARS, FORGINGS, AND TUBING 4.1CR - 3.4NI - 4.2MO - 1.2V (0.11 - 0.15C) PREMIUM AIRCRAFT-QUALITY FOR BEARING APPLICATIONS DOUBLE VACUUM MELTED | A 9510 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6280H | STEEL BARS, FORGINGS, AND RINGS 0.50CR - 0.55NI - 0.20MO - (0.28 - 0.33C) (SAE 8630) | A 9510 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6282G-89 | TUBING, STEEL, MECHANICAL - 0.50CR - 0.55NI - 0.25MO (0.33 - 0.38C) (SAE 8735) 1 OCT 89 | A 4710 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS6290E-79 | BAR & FORGING, STEEL, CARBURIZING 1.8NI - 0.25MO (0.11 - 0.17C) (SAE 4615) | A 9510 11 01-SEP-83 | MR | AS | 11 | |
| | | SAE-AMS6292E-80 | BAR & FORGINGS, STEEL, CARBURIZING 1.8NI - 0.25MO (0.15 - 0.20C) (SAE 4617) - 15 OCT 80) | A 9510 11 01-SEP-83 | MR | AS | 11 | |
| | | SAE-AMS6294F-85 | STEEL BARS AND FORGINGS, CARBURIZING 1.8NI - 0.25MO (0.17 - 0.22C) (SAE 4620 - 1 OCT 1985 | A 9510 11 01-AUG-86 | MR | AS | 11 | |
| | | SAE-AMS6299C-85 | STEEL BARS, FORGINGS AND TUBING 0.50CR - 1.8NI - 0.25MO (0.17 - 0.23C) (SAE 4320H) - 1 JULY 1985 | A 9510 11 01-AUG-86 | MR | AS | 11 | |
| | | SAE-AMS6300C-89 | STEEL BARS & FORGINGS 0.25MO (0.35 - 0.40C (SAE 4037) - 1 JAN. 1989 ..... | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS6302E-88 | STEEL BARS, FORGINGS, & TUBING, LOW-ALLOY, HEAT-RESISTANT 0.65SI - 1.25CR - 0.50MO - 0.25V (0.28 - 0.33C) 1 APRIL 88 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS6303C-79 | STEEL BARS AND FORGINGS, LOW ALLOY, HEAT RESISTANT 0.65SI - 1.25CR - 0.50MO - 0.85V (0.25 - 0.30C) - 16 JUL 79 | A 9510 11 31-MAR-80 | MR | AS | 11 | |
| | | SAE-AMS6304C-88 | STEEL BARS, FORGINGS, & TUBING, LOW-ALLOY, HEAT RESISTANT 0.95CR - 0.55MO - 0.30V (0.40 - 0.50C) 1 OCT 88 | A 9510 11 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS6305B | STEEL BARS, FORGINGS, AND TUBING, LOW-ALLOY, HEAT RESISTANT 0.95CR - 0.55MO - 0.30V (0.40 - 0.50C) VACUUM ARC MELTED | A 9510 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6320K-90 | STEEL BARS, FORGINGS, AND RINGS 0.50CR - 0.55NI - 0.25MO (0.33 - 0.38C) SAE8735) - 1 JAN. 1990 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS6321B-74 | BARS, FORGINGS, MECH. TUBING - 0.43CR - 0.30NI - 0.12MO - 0.003 (0.38 - 0.43C) 81B40 - 1 JUN 74 [VALIDATION DATE: 8104] | A 9510 11 15-JUL-75 | MR | AS | 11 | |
| | | SAE-AMS6322K-87 | STEEL BARS, FORGINGS, AND RINGS 0.50 CR - 0.55 NI - 0.25 MO (0.38 - 0.43C) (SAE 8740) - 1 JAN 87 USER: AT MU OS REVIEWER: 84 AR AV MI | A 9510 11 22-JAN-91 | MR | AS | 11 | |
| | | SAE-AMS6323F-79 | STEEL TUBING, MECHANICAL 0.50CR - 0.55NI - 0.25MO (0.38 - 0.43C) (SAE 8740) - 16 JUL 79 | A 4710 11 31-MAR-80 | MR | AS | 11 | |
| | | SAE-AMS6325F-88 | STEEL BARS, FORGINGS, 0.50 CR - 0.55 NI - 0.25 MO (0.38 - 0.43C) (SAE 8740) HEAT TREATED, 105,000 PSI (724 MPA) TENSILE STRENGTH USER: AT MU OS REVIEWER: 84 AR AV MI | A 9510 11 22-JAN-91 | MR | AS | 11 | |
| | | SAE-AMS6327G-88 | STEEL BARS, FORGINGS, 0.50 CR - 0.55 NI - 0.25 MO (0.38 - 0.43C) (SAE 8740) HEAT TREATED, 125,000 PSI (862 MPA) TENSILE STRENGTH - 1 OCT 88 USER: AT MU OS REVIEWER: 84 AR AV MI | A 9510 11 22-JAN-91 | MR | AS | 11 | |
| | | SAE-AMS6350H | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) ... | A 9515 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6351E | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) SPHEROIDIZED | A 9515 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6352F | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.33 - 0.38C) (SAE 4135) ... | A 9515 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6354D | STEEL SHEET, STRIP, AND PLATE 0.75SI - 0.62CR - 0.20MO - 0.10ZR - (0.10 - 0.17C) | A 9515 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6358E-81 | STEEL SHEET, STRIP & PLATE 0.50CR 0.55NI - 0.25MO (0.38 - 0.43C) (SEA 8740) - 1 OCT 81 | A 9515 11 01-OCT-82 | MR | AS | 11 | |
| | | SAE-AMS6359D-80 | SHEET, STEEL, STRIP, & PLATE, 0.80CR - 1.8NI - 0.25MO (0.38 - 0.43C) (SAE 4340) - 15 JUL 80 | A 9515 11 27-FEB-81 | MR | AS | 11 | |
| | | SAE-AMS6370K | STEEL BARS, FORGINGS, AND RINGS 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) . | A 9510 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6371G-88 | TUBING STEEL MECHANICAL 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) - 1 OCT 88 | A 4710 11 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS6372H | STEEL TUBING, MECHANICAL 0.95CR - 0.20MO (0.33 - 0.38C) (SAE 4135) ..... | A 4710 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6374A | STEEL TUBING, SEAM-FREE, ROUND 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) 95,000 PSI (655 MPS) TENSILE STRENGTH | A 4710 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6378D-89 | BARS, STEEL, 1.0CR - 0.20MO - 0.015TE (0.39 - 0.48C) DIE DRAWN, 130,000 PSI (895MPA) YIELD STRENGTH FREE MACHINING (4142M MODIFIED) - 1 OCT 1989 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS6379A-74 NOTICE 1 | STEEL 0.95CR - 0.2MO (0.40 - 0.53C) (SAE 4140 MODIFIED) DIE DRAWN & TEMPERED, 165,000 PSI YIELD - 30 JUN 74 [VALIDATION DATE: 8803] | A 9510 11 15-MAR-88 | MR | AS | 11 | |
| | | SAE-AMS6381E | STEEL TUBING, MECHANICAL 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140) ..... | A 4710 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6385E | STEEL SHEET, STRIP, AND PLATE, LOW ALLOY, HEAT RESISTANT 0.65SI - 1.25CR - 0.50MO - 0.25V (0.27 - 0.33C) | A 9515 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6386B-74 NOTICE 1 | SHEET STEEL & PLATE LOW ALLOY, HEAT TREATED 90,000 PSI (621 MPA) & 100,000 PSI (690 MPA) YIELD STRENGTH - 15 DEC 74 | A 9515 11 15-MAR-88 | MR | AS | 11 | |
| | | SAE-AMS6390C-89 | TUBING, STEEL, MECHANICAL - 0.95CR - 0.20MO - (0.38 - 0.43C) (SAE 4140) 1 APR 89 | A 4710 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS6395D | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140) ... | A 9515 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6396B-87 | STEEL SHEET, STRIP, AND PLATE 0.80CR - 1.8NI- 0.25MO (0.49 - 0.55C) ANNEALED - 1 JUL 87 | A 9515 11 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS6406C-80 NOTICE 1 | SHEET, STEEL, STRIP, & PLATE 1.6SI - 2.1CR - 0.58MO - 0.05V (0.41 - 0.46C) - 15 JAN 80 [VALIDATION DATE: 8803] | A 9515 11 15-MAR-88 | MR | AS | 11 | |
| | | SAE-AMS6408-89 | BARS, STEEL AND FORGINGS, HOTWORK, TOOL 5.2CR - 1.5MO - 1.0V (0.35 - 0.45C) ELECTROSLAG REMELTED (ESR) OR CONSUMABLE ELECTRODE VACUUM ARC REMELTED (VAR) ANNEALED - 1 JAN 1989 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| | | SAE-AMS6411D | STEEL BARS, FORGINGS, AND TUBING 0.88CR - 1.8NI - 0.42MO - 0.08V (0.28 - 0.33C) CONSUMABLE ELECTRODE REMELTED | A 9510 * 11 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS6414E-85 | STEEL BARS, FORGINGS, & TUBING 0.80CR - 1.8NI - 0.25MO (0.38 - 0.43C (SAE 4340) VACUUM CONSUMABLE ELECTRODE REMELTED - 1 APR 1985 | A 9510 11 22-AUG-86 | MR | AS | 11 | |
| A | SAE-AMS6416B-81 NOTICE 1 | | STEEL BARS, FORGINGS, & TUBING, 1.6SI - 0.82CR - 1.8NI - 0.40MO - 0.07V (0.41-0.46C) [VALIDATION DATE: 8803] | A 9510 11 15-MAR-88 | MR | AS | 11 | |
| A | SAE-AMS6417C-85 | | STEEL BARS, FORGINGS, AND TUBING 1.6SI - 0.82CR - 1.8NI - 0.40MO - 0.08V (0.38 - 043C) CONSUMABLE ELECTRODE REMELTED - 1 APR 1985) | A 9510 11 01-AUG-86 | MR | AS | 11 | |
| | | SAE-AMS6419C-89 | BARS, STEEL, FORGINGS, AND TUBING 1.6SI - 0.82CR - 1.8NI - 0.40MO - 0.08V (0.40 - 0.45C), CONSUMABLE ELECTRODE VACUUM REMELTED - 1 JAN 1989 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| A | SAE-AMS6422F-89 | | BARS, STEEL, FORGINGS AND TUBING 0.80CR - 0.85 NI - 0.20MO - 0.003B - 0.04V (0.38 - 0.43C) MODIFIED 9B8V40) - 1OCT 1989 | A 9510 11 15-AUG-90 | MR | AS | 11 | |
| A | SAE-AMS6424A-80 | | STEEL BAR, FORGINGS, & TUBING 0.80CR - 1.8NI - 0.25MO (0.49 - 0.55C) - 15 JAN 80 | A 9510 11 27-FEB-81 | MR | AS | 11 | |
| | | SAE-AMS6425-89 | BARS, STEEL, FORGINGS AND TUBING, 1.4NI - 1.5SI - 0.30CR - 1.8NI - 0.40MO - (0.23 - 0.28C) CONSUMABLE VACUUM ELECTRODE REMELTED - 1 JULY 1989 | A 9510 11 15-AUG-90 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Doc. Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | SAE-AMS6426D-90 | STEEL BARS, FORGINGS, AND TUBING, 0.75SI - 1.0CR - 0.5MO (0.80 - 0.90C). CONSUMABLE ELECTRODE VACUUM MELTED - 1 JAN 1990 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |
| A | SAE-AMS6427F-79 | BAR, STEEL, FORGING, & TUBING 0.88CR - 1.8NI - 0.42MO - 0.08V (0.28 - 0.33C) 15 OCT 79 | A 9510 | 11 27-FEB-81 | MR | AS | 11 | |
| A | SAE-AMS6428C-80 | STEEL BAR, FORGINGS, & TUBING 0.80CR - 1.8NI - 0.35MO - 0.20V (0.32 - 0.38C) - 15 APR 80 | A 9510 | 11 27-FEB-81 | MR | AS | 11 | |
| | SAE-AMS6429D | STEEL BARS, FORGINGS, TUBING, AND RINGS 0.78CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.38C) CONSUMABLE ELECTRODE VACUUM MELTED | A 9510 * | 11 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS6430D-89 | BARS, STEEL, FORGINGS, TUBING, AND RINGS 0.75MN - 0.78CR - 1.8NI - 0.35MO - 0.20V (0.32 - 0.38C) (4335 MODIFIED) - 1 OCT. 1989 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS6431H | STEEL BARS, FORGINGS, AND TUBING 1.05CR - 0.55NI - 1.0MO - 0.11V (0.45 - 0.50) CONSUMABLE ELECTRODE VACUUM MELTED | A 9510 * | 11 20-DEC-91 | MR | AS | 11 | |
| A | SAE-AMS6432A-73 NOTICE 2 | BARS STEEL, FORGINGS, & TUBING 1.05 CR - 0.55NI - 1.0MO - 0.11I (0.43 - 0.49C) - 15 MAY 73 (VALIDATION DATE: 8104) | A 9510 | 11 15-JUL-75 | MR | AS | 11 | |
| | SAE-AMS6433D-89 | SHEET, STEEL, STRIP, & PLATE 0.75MN - 0.80CR - 1.8NI - 0.35MO - - 0.20V (0.33-0.38C) - 1 APR 1989 | A 9515 | 11 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS6434D-89 | STEEL SHEET, STRIP & PLATE 0.78CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.38C) - 1 OCT 1989 | A 9515 | 11 15-AUG-90 | MR | AS | 11 | |
| A | SAE-AMS6435B-77 | STEEL SHEET, STRIP, & PLATE 0.78CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.RODE MELTED, ANNEALED - 15 JAN 77 38C) PREMIUM QUALITY, CONSUMABLE ELECT (VALIDATION DATE: 8405) | A 9515 | 11 08-JUL-77 | MR | AS | 11 | |
| | SAE-AMS6436A-69 NOTICE 1 | STEEL SHEET, STRIP & PLATE, LOW ALLOY HEAT RESISTANT 0.65SI - 1.25CR -0.5MO - 0.85V (0.20 - 0.25C) - 1 MAY 69 (VALIDATION DATE: 8803) | A 9515 | 11 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS6438D | STEEL SHEET, STRIP, AND PLATE 1.05CR - 0.55NI - 1.0MO - 0.12V (0.45 - 0.50C) CONSUMABLE ELECTRODE VACUUM MELTED | A 9515 * | 11 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS6440J-88 | STEEL BARS, FORGINGS, & TUBING 1.45CR (0.98 - 1.10C) (SAE 52100) FOR BEARING APPLICATIONS 1 OCT 88 | A 9510 | 11 17-MAR-89 | MR | AS | 11 | |
| A | SAE-AMS6441G-81 | STEEL TUBING, MECHANICAL 1.45CR (0.98 - 1.10C) (SAE 52100) FOR BEARINGAPPLICATIONS - 1 OCT 81 | A 4710 | 11 01-OCT-82 | MR | AS | 11 | |
| | SAE-AMS6443E-88 | STEEL BARS, FORGINGS, & TUBING 1.0CR (0.98 - 1.10C) (SAE 51100) CONSUMABLE ELECTRODE VACUUM MELTED 1 OCT 88 | A 9510 | 11 17-MAR-89 | MR | AS | 11 | |
| A | SAE-AMS6444G-85 | STEEL BARS, FORGINGS, AND TUBING 1.45CR (0.98 - 1.10C) (SAE 52100) PREMIUM AIRCRAFT-QUALITY, CONSUMABLE ELECTRODE VACUUM MELTED - 1 JULY 1985 | A 9510 | 11 01-AUG-86 | MR | AS | 11 | |
| | SAE-AMS6445E-89 | STEEL BARS, FORGINGS, AND TUBING 1.05CR - 1.1MN (0.92 - 1.02C) (MODIFIED 51100) CONSUMABLE ELECTRODE VACUUM MELTED - 1 JAN. 1989 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS6446C-88 | STEEL BARS, FORGINGS, & TUBING 1.0CR (0.98 - 1.10C) (SAE 51100) ELECTROSLAG REMELTED 1 OCT 88 | A 9510 | 11 17-MAR-89 | MR | AS | 11 | |
| A | SAE-AMS6447B-72 | BARS, FORGINGS, & TUBING STEEL 1.45CR (0.95 - 1.10C) (SAE 52100) PREMIUM QUALITY - 15 NOV 72 (VALIDATION DATE: 8104) | A 9510 | 11 15-JUL-75 | MR | AS | 11 | |
| | SAE-AMS6449C-88 | STEEL BARS, FORGINGS, & TUBING 1.0CR (0.98 - 1.10C) (SAE 51100) FOR BEARING APPLICATIONS 1 OCT 88 | A 9510 | 11 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS6453 | WIRE, STEEL WELDING 0.30CR - 1.8NI - 0.4OMO - (0.23 - 0.28C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING | A 3439 * | 11 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS6454A-85 | SHEET, STRIP, & PLATE, STEEL, 1.8NI - 0.80CR - 0.25MO (0.38 - 0.43C) (SAE 4340) PREMIUM AIRCRAFT-QUALITY, CONSUMABLE ELECTRODE MELTED - 1 JUL 85 | A 9515 | 11 01-AUG-86 | MR | AS | 11 | |
| | SAE-AMS6455F-88 | STEEL SHEET, STRIP, AND PLATE 0.95 CR - 0.22V (0.48 - 0.53C) (SAE 6150) - 1 JUL 88 | A 9515 | 11 17-MAR-89 | MR | AS | 11 | |
| A | SAE-AMS6458F-88 NOTICE 1 | STEEL WIRE, WELDING 0.65SI - 1.25CR - 0.50MO - 0.30V (0.28 - 0.33C) VACUUM MELTED - 1 JAN 88 | A 3439 | 11 17-MAR-89 | MR | AS | 11 | |
| A | SAE-AMS6459A-85 | STEEL WELDING WIRE 1.0MO - 0.12V (0.18 - 0.23C) VACUUM INDUCTION MELTED - 1 JULY 1985 | A 3439 | 11 01-AUG-86 | MR | AS | 11 | |
| | SAE-AMS6460D-90 | WIRE, STEEL WELDING 0.75SI - 0.62CR - 0.20MO - 0.10ZR (0.10 - 0.17C) - 1 JAN 90 | A 3439 | 11 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS6463B-90 | WIRE, STEEL WELDING 18.5NI - 8.5CO - 5.2MO - 0.72TI - 0.10AI VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING - 1 JAN 90 | A 3439 | 11 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS6465B-90 | WIRE, STEEL WELDING 2.0CR - 10NI - 8.0CO - 1.0MO - 0.02AI - 0.06V (0.10 - 0.14C) CACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING | A 3439 | 11 01-JAN-90 | MR | AS | 11 | |
| | SAE-AMS6466D-87 | STEEL WELDING WIRE, CORROSION RESISTANT 5.25CR - 0.55MO - 1 OCT 87 ..... | A 3439 | 11 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS6473 | WIRE, STEEL WELDING 0.88CR - 1.8NI - 1.6CO - 0.42MO - 0.08V - (0.28 - 0.33C) (SAE 4330V) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING | A 3439 * | 11 20-DEC-91 | MR | AS | 11 | |
| A | SAE-AMS6475D-75 | BARS, FORGINGS & TUBING, NITRIDING - 1.1CR 3.5NI 0.25MO 1.25AI (0.21-0.26C) - 15 JUN 75 (VALIDATION DATE: 8405) | A 9510 | 11 25-MAR-77 | MR | AS | 11 | |
| | SAE-AMS6476-88 | STEEL BARS, FORGINGS, & TUBING, 0.50CR - 0.12MO (0.89 - 1.01C) FOR BEARING APPLICATIONS 1 APRIL 88 | A 9510 | 11 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS6477-88 | STEEL BARS, FORGINGS, & TUBING, 0.80CR (0.90 - 1.03C) FOR BEARING APPLICATIONS 1 APR 88 | A 9510 | 11 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS6485F-89 | BARS, STEEL, AND FORGINGS, 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) - 1 JULY 1989 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS6487F-90 | BARS, STEEL, AND FORGINGS 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) (H-11) CONSUMABLE ELECTRODE VACUUM MELTED - 1 JAN. 1990 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |
| A | SAE-AMS6488D-85 | STEEL BARS AND FORGINGS 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) PREMIUM AIRCRAFT-QUALITY - 1 JAN 1985 | A 9510 | 11 01-AUG-86 | MR | AS | 11 | |
| | SAE-AMS6490D-89 | BARS, STEEL, FORGINGS, AND TUBING 4.0CR - 4.2MO - 1.0V - (0.77 - 0.85C) PREMIUM AIRCRAFT QUALITY FOR BEARING APPLICATIONS CONSUMABLE ELECTRODE VACUUM MELTED - 1 JAN 1989 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |
| A | SAE-AMS6491-76 | BARS FOR[illegible]35 & TUBING - 4.1CR 4.2MO 1.0V (0.80-0.85C) PREMIUM BEARING QUALITY DOUBLE VACUUM MELTED - 15 JAN 76 (VALIDATION DATE: 8305) | A 9510 | 11 01-APR-77 | MR | AS | 11 | |
| | SAE-AMS6518-86 | SHEET STEEL, STRIP, AND PLATE, MARAGING 19NI - 30.MO - 1.4TI - 0.10AI DOUBLE VACUUM MELTED, SOLUTION HEAT TREATED (ADOPTED 1 JAN 86) | A 9515 | MR 01-AUG-86 | | AS | 11 | |
| A | SAE-AMS6519-86 | STEEL BARS, FORGINGS, TUBING, AND RINGS, MARAGING 19NI - 3.0MO - 1.4TI - 0.10AI DOUBLE VACUUM MELTED, ANNEALED - 1 JAN 1985 | A 9510 | 11 01-AUG-86 | MR | AS | 11 | |
| | SAE-AMS6522A-89 | PLATE, STEEL 2.0CR - 10NI - 14CO - 1.0MO (0.13 - 0.17C) VACUUM MELTED, NORMALIZED, AND OVERAGED - 1 APR 1989 | A 9515 | 11 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS6523C-88 | STEEL SHEET, STRIP, AND PLATE 0.75CR - 9.0NI- 4.5 0 - 1.0MO - 0.09V (0.17 - 0.23C) VACUUM CONSUMABLE ELECTRODE MELTED, ANNEALED - 1 OCT. 1988 | A 9515 | 11 17-MAR-89 | MR | AS | 11 | |
| A | SAE-AMS6524B-85 | SHEET STEEL, STRIP, AND PLATE 1.0CR - 7.5NI - 4.5CO - 1.0MO - 0.09V (0.29 - 0.29 - 0.29 - 0.34C) VACUUM CONSUMABLE ELECTRODE MELTED, ANNEALED (ADOPTED) APR 85) | A 9515 | 11 01-AUG-86 | MR | AS | 11 | |
| | SAE-AMS6525A-89 | BARS, STEEL, FORGINGS, TUBING, AND RINGS, 0.75CR - 9.0NI - 4.5CO - 1.0MO - 0.09V (0.17 - 0.23C) CONSUMABLE ELECTRODE VACUUM MELTED - 1 JAN. 1989 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS6526C-89 | STEEL BARS, FORGINGS, TUBING, & RINGS, 1.0CR - 7.5NI - 4.5CO - 1.0MO - 0.09V - (0.29-0.34C), CONSUMABLE ELECTRODE VACUUM MELTED ANNEALED - 1 JAN 1989 | A 9510 | 11 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS6528-87 | STEEL BARS, 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) SPECIAL AIRCRAFT QUALTY CLEANLINESS NORMALIZED - 1 APR 87 | A 9510 | 11 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS6529-87 | STEEL BARS 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140) SPECIAL AIRCRAFT QUALTY CLEANLINESS NORMALIZED - 1 APR 87 | A 9510 | 11 17-MAR-89 | MR | AS | 11 | |
| A | SAE-AMS6530C-82 | STEEL TUBING, SEAMLESS 0.50CR - 0.55NI - 0.20MO (0.28 - 0.33C) (SAE 8630) - 1 APR 82 | A 4710 | 11 01-OCT-82 | MR | AS | 11 | |
| | SAE-AMS6533 | WIRE, STEEL WELDING 2.0CR - 10NI - 14CO - 1.0MO - (0.13 - 0.17C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING | A 3439 * | 11 20-DEC-91 | MR | AS | 11 | |
| A | SAE-AMS6543A-86 | STEEL BARS & FORGINGS, MARAGING 2.0CR - 10NI - 8.0CO - 1.0MO (0.10 - 0.14C) DOUBLE VACUUM MELTED, SOLUTION HEAT TREATED - 1 JAN1986 | A 9510 | 11 01-AUG-86 | MR | AS | 11 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| A | SAE-AMS6544-75 | PLATE - 2.0CR 1CNI 8.0CO 1.0MO (0.10 - 0.14C), PREMIUM QUALITY, VAC. - 15 SEP 75 [VALIDATION DATE: 8305] | A | 9515 | 11 | MR | 25-JUL-77 | MR | AS | 11 | |
| A | SAE-AMS7228G-85 | RIVET, STEEL, CORROSION RESISTANT 18CR - 9NI SOLUTION HEAT TREATED - 1 OCT 85 | A | 5320 | 11 | MR | 01-AUG-86 | MR | AS | 11 | |
| A | SAE-AMS7229F-86 | RIVET, STEEL, CORROSION & HEAT RESISTANT 18CR - 10.5NI - (CB+TA) SOLUTION HEAT TREATED - 1 JAN 86 | A | 5320 | 11 | MR | 01-AUG-86 | MR | AS | 11 | |
| | SAE-AMS7232G-87 | ALLOY RIVETS, CORROSION AND HEAT RESISTANT 74NI - 15. CR - 8.0FE -1 OCT 87 | A | 5320 | 11 | MR | 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS7233C-81<br>NOTICE 1 | RIVETS, SOLID, ALLOY, CORROSION RESISTANT 67NI - 31CU - 1 APR 81 [VALIDATION DATE: 8803] | A | 5320 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| A | SAE-AMS7235B-79 | RIVETS, STEEL, CORROSION & HEAT RESISTANT 15CR - 26NI - 1.3MO - 2.1TI - 0.30V 1650 DEG. F (900 DEG. C) SOLUTION HEAT TREATED & PARTIALLY PRECIPITATION HEAT TREATED - 15 OCT 79 | A | 5320 | 11 | MR | 27-FEB-81 | MR | AS | 11 | |
| A | SAE-AMS7236B-79 | RIVETS, ALLOY, CORROSION & HEAT RESISTANT 52CO - 20CR - 10NI - 15W - 15 OCT 79 | A | 5320 | 11 | MR | 27-FEB-81 | MR | AS | 11 | |
| A | SAE-AMS7237A-83 | RIVETS, ALLOY, CORROSION & HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE SOLUTION HEAT TREATED 1 APR 83 | A | 5320 | 11 | MR | 01-SEP-83 | MR | AS | 11 | |
| A | SAE-AMS7238-86 | ALLOY PM SHAPES, CORROSION, WEAR, & HEAT RESISTANT 56CO - 30CR - 8.25W (1.10 - 1.90C) - 1 JAN 86 | A | 3120 | 11 | MR | 01-AUG-86 | MR | AS | 11 | |
| A | SAE-AMS7239-86 | ALLOY PM SHAPES, CORROSION, WEAR, & HEAT RESISTANT 60CO - 29CR - 4.5W (0.90 - 1.40C) - 1 JAN 86 | A | 3120 | 11 | MR | 01-AUG-86 | MR | AS | 11 | |
| | SAE-AMS7258B | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER FUEL RESISTANT, LOW SHRINKAGE 65 - 75 | A | 5330 | * 11 | MR | 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS7259A | RINGS, SEALING, FLUOROCARBON (FKM) RUBBER HIGH TEMPERATURE-FLUID RESISTANT VERY-LOW COMPRESSION SET 85-95 | A | 5330 | * 11 | MR | 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS7261A-89 | RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERATURE - FLUID RESISTANT - 1 OCT 89 | A | 5330 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS7261/1C-89 | RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERTURE - FLUID RESISTANT 65-75 - 1 OCT 89 | A | 5330 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS7261/2C-89 | RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERATURE - FLUID RESISTANT - 75 - 85 | A | 5330 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS7261/3B-89 | RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERTURE - FLUID RESISTANT 85-95 - 1 OCT 89 | A | 5330 | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS7276C | RINGS, SEALING, FLUOROCARBON (FKM) RUBBER HIGH-TEMPERATURE-FLUID RESISTANT VERY-LOW COMPRESSION SET 70-80 | A | 5330 | * 11 | MR | 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS7284 | RINGS, SEALING, PHOSPHONITRILIC FLUOROELASTOMER (FZ) AVIATION FUEL RESISTANT | A | 5330 | * 11 | MR | 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS7284/1 | RINGS, SEALING, PHOSPHONITRILIC FLUOROELASTOMER (FZ) AVIATION FUEL RESISTANT 65 - 75 SHORE A | A | 5330 | * 11 | MR | 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS7284/2 | RINGS, SEALING, PHOSPHONITRILIC FLUOROELASTOMER (FZ) AVIATION FUEL RESISTANT 75 - 85 SHORE A | A | 5330 | * 11 | MR | 20-DEC-91 | MR | AS | 11 | |
| A | SAE-AMS7301D-79 | STEEL SPRINGS, HIGHLY STRESSED 0.95CR - 0.2V (0.48 - 0.53C) (SAE 6150) - 15 OCT 79 | A | 5360 | 11 | MR | 27-FEB-81 | MR | AS | 11 | |
| A | SAE-AMS7325E-86 | RING, SEALING, TUBULAR METAL, CORROSION & HEAT RESISTANT STEEL ..... | A | 5365 | 11 | MR | 01-AUG-86 | MR | AS | 11 | |
| | SAE-AMS7458E-79<br>NOTICE 1 | STUDS, STEEL, LOW ALLOY, HEAT RESISTANT NORMALIZED AND TEMPERED, ROLL THREADED 135,000 PSI (931 M PA) TENSILE STRENGTH - 16 JUL 79 [VALIDATION DATE: 8803] | A | 5307 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7459C-80<br>NOTICE 2 | BOLTS & SCREWS, STEEL, LOW ALLOY HEAT RESISTANT 195,000 PSI (1.345 MPA) TENSILE STRENGTH HARDENED & TEMPERED, ROLL THREADED - 15 JAN 80 [VALIDATION DATE: 8803] | A | 5306 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7469B-80<br>NOTICE 2 | BOLTS & SCREWS, NICKEL ALLOY, CORROSION & HEAT RESISTANT UPSET HEADED, HEAT TREATED, ROLL THREADED 2050 DEG. F. (1120 DEG. C) SOLUTION & 1650 DEG. F. (900 DEG. C) PRECIPITATION HEAT TREATMENT - 15 APR 80 [VALIDATION DATE: 8803] | A | 5306 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7470F-70<br>NOTICE 2 | BOLTS & SCREWS, STEEL, CORROSION & MODERATE HEAT RESISTANT - HEAT TREATED, ROLL THREADED - 1 NOV 70 [VALIDATION DATE: 8803] | A | 5306 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7471E-80<br>NOTICE 1 | BOLTS & SCREWS, NICKEL ALLOY, CORROSION AND HEAT RESISTANT UPSET HEADED, HEAT TREATED, ROLL THREADED 1950 DEG. F (1065 DEG. C) SOLUTION HEAT TREATMENT - 15 OCT 79 [VALIDATION DATE: 8803] | A | 53GP | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7472H-70<br>NOTICE 2 | BOLTS & SCREWS, STEEL, CORROSION RESISTANT ROLL THREADED - 1 NOV 70 [VALIDATION DATE: 8803] | A | 5306 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7473C-70<br>NOTICE 1 | BOLTS & SCREWS - ROLL THREADED - NOV 70 [VALIDATION DATE: 8104] ..... | A | 5306 | 11 | MR | 15-NOV-74 | MR | AS | 11 | |
| | SAE-AMS7474A-70<br>NOTICE 2 | BOLTS & SCREWS, STEEL, CORROSION RESISTANT UPSET HEADED, HEAT TREATED, ROLL THREADED - 1 NOV 70 [VALIDATION DATE: 8803] | A | 5306 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7477B-70<br>NOTICE 2 | BOLTS & SCREWS, STEEL, CORROSION & HEAT RESISTANT UPSET HEADED, HEAT TREATED, ROLL THREADED 1800 F (982.2C) SOLUTION A PRECIPITATION HEAT TREATED - 1 NOV 70 [VALIDATION DATE: 8803] | A | 5306 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7478G-70<br>NOTICE 2 | BOLTS & SCREWS, STEEL, CORROSION & HEAT RESISTANT HEAT TREATED, ROLL THREADED - 1800 F (982.2C) SOLUTION & PRECIPITATION HEAT TREATED - 1 NOV 70 [VALIDATION DATE: 8803] | A | 5306 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7479C-70<br>NOTICE 2 | BOLTS & SCREWS, STEEL, CORROSION & HEAT RESISTANT HEAT TREATED, ROLL THREADED - 1650 F (89899C) SOLUTION & PRECIPITATION HEAT TREATED - 1 NOV 70 [VALIDATION DATE: 8205] | A | 5306 | 11 | MR | 15-NOV-74 | MR | AS | 11 | |
| | SAE-AMS7481A-63<br>NOTICE 1 | STUDS, STEEL, CORROSION & HEAT RESISTANT HEAT TREATED, ROLL THREADED - 15 JAN 63 [VALIDATION DATE: 8803] | A | 5307 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7488D-77<br>NOTICE 1 | RINGS, FLASH WELDED ALUMINUM & ALUMINUM ALLOYS - 15 JUL 77 [VALIDATION DATE: 8803] | A | 5365 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7490M | RINGS, FLASH WELDED CORROSION AND HEAT RESISTANT AUSTENITIC STEELS AND AUSTENITIC-TYPE ALLOYS OR PRECIPITATION HARDENABLE ALLOYS | A | 5330 | * 11 | MR | 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS7493M-80<br>NOTICE 1 | RINGS, FLASH WELDED NON AUSTENITIC CORROSION RESISTANT STEELS - 15 JUL 80 [VALIDATION DATE: 8803] | A | 5365 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7496M | RINGS, FLASH WELDED CARBON AND LOW-ALLOY STEELS ..... | A | 5365 | * 11 | MR | 20-DEC-91 | MR | AS | 11 | |
| | SAE-AMS7498J-88 | RINGS, FLASH WELDED TITANIUM ALLOYS - 1 OCT 88 ..... | A | 5365 | 11 | MR | 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS7510A-88 | MAGNETS, RARE-EARTH/COBALT, PERMANENT POWDER-METALLURGY PRODUCT - 1 JUL 88 | A | 5999 | 11 | MR | 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS7510/1A-88 | MAGNETS, RARE-EARTH/COBALT, 33/67 - 15 (119)250 - 1 JUL 88 ..... | A | 5999 | 11 | MR | 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS7510/2A-88 | MAGNETS, RATE-EARTH/COBALT, PERMANENT SAMARIUM-COBALT, 33/67 - 18 (143) 250 1 JUL 88 | A | 5999 | 11 | MR | 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS7701B-88 | ALLOY SHEET AND STRIP, MAGNETIC, NICKEL-IRON ALLOY ANNEALED - 1 JUL 88 USER: CE REVIEWER: EA IS | A | 9535 | 11 | MR | 17-MAR-89 | MR | AS | | |
| | SAE-AMS7702B-88 | ALLOY SHEET AND STRIP, MAGNETIC, NICKEL-IRON ALLOY 1/2 HARD - 1 JUL 88 USER: CE REVIEWER: EA IS | A | 9535 | 11 | MR | 17-MAR-89 | MR | AS | | |
| | SAE-AMS7705B-88 | ALLOY BARS AND FORGINGS , MAGNETIC, NICKEL-IRON ALLOY - 1 JAN 88 USER: CE REVIEWER: EA IS | A | 9535 | 11 | MR | 17-MAR-89 | MR | AS | | |
| | SAE-AMS7706A-74<br>NOTICE 1 | IRON, COMMERCIALLY PURE HOT ROLLED, ANNEALED - 30 JUN 74 [VALIDATION DATE: 8803] REVIEWER: MI | A | 9510 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| | SAE-AMS7707A-87 | IRON, COMMERCIALLY PURE HOT ROLLED, UNANNEALED - 1 JUL 87 ..... | A | 9510 | 11 | MR | 17-MAR-89 | MR | AS | 11 | |
| | SAE-AMS7711B-84 | STEEL SHEET & STRIP, FLAT ROLLED, ELECTRICAL, NON-ORIENTED 2.65 (SI+AL) TYPE 47S188 OR TYPE 64S213, SEMI-PROCESSED - 1 APR 1984 | A | 9515 | 11 | MR | 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS7712B-84 | STEEL SHEET & STRIP, FLAT-ROLLED, ELECTRICAL, NON-ORIENTED 3.0 (SI+AL) TYPE 47S178 OR TYPE 64S194, SEMI-PROCESSED - 1 APR 1984 | A | 9515 | 11 | MR | 15-AUG-90 | MR | AS | 11 | |
| | SAE-AMS7715-57<br>NOTICE 1 | STEEL, FLAT ROLLED ELECTRICAL 4.25SI AISI TYPE M-15, SEMIPROCESSED - 15 SEP 57 [VALIDATION DATE: 8803] | A | 9515 | 11 | MR | 15-MAR-88 | MR | AS | 11 | |
| A | SAE-AMS7717A-79 | SHEET & STRIP - MAGNETIC ALLOY, 50NI - 50FE, FORMING GRADE - 15 OCT 79 .... | A | 9535 | 11 | MR | 30-OCT-81 | MR | AS | 11 | |
| | SAE-AMS7718C-89 | BARS, MAGNETIC ALLOY, TUBING, AND FORGINGS 50NI - 50FE - 1 JUL 1989 ..... | A | 9535 | 11 | MR | 15-AUG-90 | MR | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Qlfn. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | SAE-AMS7720-57 | LEAD ALLOY CASTINGS, 6.5SB - 0.5SN - 1 JUL 57 (VALIDATION DATE: 8205) ..... | A | MECA | 11 | | 29-JAN-71 | MR | AS | 11 | |
| A | | SAE-AMS7721A-79 | SHEET & EXTRUSIONS - LEAD ALLOY, 93PB - 6.5SB - 0.5SN - 15 OCT 79 ..... | A | 9535 | 11 | | 30-OCT-81 | MR | AS | 11 | |
| | | SAE-AMS7725B-87 | TUNGSTEN ALLOY SHAPES, SINTERED, HIGH DENSITY - 1 JUL 87 ..... | A | 9510 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS7727B-88 | ALLOY BARS & FORGINGS, LOW EXPANSION GLASS SEALING 53FE - 29NI - 17CO - 1 JUL 88 | A | 9510 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS7728E-88 | ALLOY SHEET, STRIP, AND PLATE, LOW EXPANSION, GLASS SEALING 53FE -29NI - 17CO ANNEALED -1 APR 88 | A | 9515 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AMS7730D-87 | DEPLETED URANIUM CASTINGS - 1 OCT 87 ..... | A | MECA | 11 | | 17-MAR-89 | MR | AS | 11 | |
| A | | SAE-AMS7731A-80 | GOLD WIRE & RIBBON 99.97AU, FOR ELECTRONIC APPLICATIONS - 15 JAN 80 ..... | A | 6145 | 11 | | 01-SEP-83 | MR | AS | 11 | |
| A | | SAE-AMS7732A-80 | STEEL WIRE, COPPER CLAD 99FE - 0.32MN, FOR ELECTRONIC - 15 JAN 80 ..... | A | 6145 | 11 | | 01-SEP-83 | MR | AS | 11 | |
| | | SAE-AMS7791A-88 | ALLOY SHEET AND STRIP, MAGNETIC, 50NI - 50FE STAMPING QUALITY - 1 JAN 88 .. | A | 9535 | 11 | | 17-MAR-89 | | MR | | |
| | | SAE-AMS7903 | BERYLLIUM BARS, RODS, TUBING, AND SHAPES 4.25BEO - 948E HIGH MICRO-YIELD STRENGTH | A | 9530 | * | 11 | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS7904 | BERYLLIUM BARS, RODS, TUBING, AND SHAPES HIGH DUCTILITY GRADE ..... | A | 9530 | * | 11 | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS7905 | BERYLLIUM BARS, RODS, TUBING, AND SHAPES OPTICAL GRADE ..... | A | 9530 | * | 11 | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS7906 | BERYLLIUM BARS, RODS, TUBING, AND SHAPES STANDARD GRADE ..... | A | 9530 | * | 11 | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AMS7907 | BERYLLIUM BARS, RODS, TUBING, AND SHAPES INSTRUMENT GRADE ..... | A | 9530 | * | 11 | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-ARP248-68 | DETERMINATION OF HYDRAULIC PRESSURE DROP - 31 JAN 68 REVIEWER: 11 71 ..... | A | 1650 | AS | | 30-APR-84 | AV | AS | 99 | |
| | | SAE-ARP243B-65 | AIRCRAFT, HYDRAULIC & PNEUMATIC SYSTEMS NOMENCLATURE - 10 JUN 65 REVIEWER: 11 71 | A | 1650 | AS | | 30-APR-84 | AV | AS | 99 | |
| | | SAE-ARP584-60 | TUBING COILED - 1 MAR 60 REVIEWER: 11 71 ..... | A | 1650 | AS | | 30-APR-84 | AV | AS | 99 | |
| | | SAE-ARP598A-69 | PARTICULATE CONTAMINATION IN LIQUIDS BY THE PARTICLE COUNT METHOD - 1 AUG 69 REVIEWER: 11 71 | A | 1650 | AS | | 30-APR-84 | AV | AS | 99 | |
| | | SAE-ARP603F-85 | HOSE, HYDRAULIC, TUBING & FITTING ASSEMBLIES, IMPULSE TESTING OF - 1 SEP 85 | A | 4730 | AS | | 16-OCT-86 | AV | AS | 99 | |
| | | SAE-ARP743A-66 | PARTICAL CONTAMINATION OF AIR IN DUST CONTROLLED SPACES BY THE PARTICLE COUNT METHOD, PROCEDURE FOR THE DETERMINATION OF - 15 JUL 66 REVIEWER: 11 71 | A | 1650 | AS | | 30-APR-84 | AV | AS | 99 | |
| | | SAE-ARP755A-74 NOTICE 2 | ENGINE, GAS TURBINE, PERFORMANCE STATION IDENTIFICATION & NOMENCLATURE - 15 APR 74 (VALIDATION DATE: 8901) REVIEWER: 99 | A | 2840 | 11 | | 20-JAN-89 | AV | AS | 11 | |
| | | SAE-ARP785-63 | PARTICLE CONTAMINATION IN HYDRAULIC FLUIDS BY THE CONTROL FILTER GRAVIMETRIC PROCEDURE FOR THE DETERMINATION OF - 1 FEB 63 REVIEWER: 11 71 | A | 1650 | AS | | 30-APR-84 | AV | AS | 99 | |
| | | SAE-ARP819-66 | FLUID SYSTEM CHARACTERISTICS AFFECTING HYDRAULIC PUMP OPERATION - 15 MAY 66 REVIEWER: 11 71 | A | 1650 | AS | | 30-APR-84 | AV | AS | 99 | |
| | | SAE-ARP868-66 | PRESSURE DROP TEST FOR FUEL SYSTEM COMPONENT S - 25 JUN 66 REVIEWER: AV CS | A | 4810 | 82 | | 14-JUL-83 | | AS | 99 | |
| | | SAE-ARP891A-76 | TEMPERS, ALUMINUM ALLOY, THROUGH ELECTRICAL CONDUCTIVITY MEASUREMENT (EDDY CURRENT) DETERMINATION OF - 15 JUL 76 | A | 4730 | AS | | 03-AUG-81 | AV | AS | 99 | |
| | | SAE-ARP994-76 | AEROSPACE FLUID POWER SYSTEMS, TUBING INSTALLATIONS FOR, RECCOMENDED PRACTICE FOR THE DESIGN OF - APR 76 REVIEWER: 11 71 | A | 1650 | AS | | 30-APR-84 | AV | AS | 99 | |
| | | SAE-ARP1199A-84 | SELECTION, APPLICATION, & INSPECTION OF ELE CTRIC OVERCURRENT PROTECTIVE DEVICES - MAR 84 REVIEWER: 11 99 AR AT EC ES ME MI | A | 5925 | 85 | | 12-MAR-84 | ER | AS | 85 | |
| | | SAE-ARP1210A-74 | ENGINE, GAS TURBINE, INTERFACE TEST DATA REDUCTION COMPUTER PROGRAMS - 15 APR 74 (VALIDATION DATE: 8304) REVIEWER: 99 | A | 2840 | 11 | | 09-AUG-77 | AV | AS | 11 | |
| | | SAE-ARP1211A-74 | ENGINE, GAS TURBINE, STATUS PERFORMANCE PRESENTATION FOR DIGITAL COMPUTER PROGRAMS - 15 APR 74 (VALIDATION DATE: 8304) REVIEWER: 99 | A | 2840 | 11 | | 09-AUG-77 | AV | AS | 11 | |
| | | SAE-ARP1257-72 | GAS TURBINE ENGINE TRANSIENT PERFORMANCE PRESENTATION FOR DIGITAL COMPUTER PROGRAMS - JUN 72 REVIEWER: 71 99 | A | 2840 | 11 | | 29-JAN-88 | AV | AS | 11 | |
| | | SAE-ARP1317A | ELECTRON BEAM WELDING ..... | A | THJM | * | 11 | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-ARP1331A-89 | CHEMICAL, THE MILLING PROCESS - 1 OCT 89 ..... | A | 95GP | | 11 | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-ARP1383-78 | ACTUATORS, HYDRAULIC, VALVES, PRESSURE CONTAINERS & SIMILAR FLUID SYSTEM COMPONENTS,IMP ULSE TESTING OF - MAR 78 REVIEWER: 11 71 | A | 1650 | AS | | 30-APR-84 | AV | AS | 99 | |
| | | SAE-ARP1524A | SURFACE PREPARATION AND PRIMING OF ALUMINUM ALLOY PARTS FOR HIGH DURABILITY STRUCTURAL ADHESIVE BONDING | A | 8040 | * | 11 | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-ARP1575A | SURFACE PREPARATION AND PRIMING OF ALUMINUM ALLOY PARTS FOR HIGH DURABILITY STRUCTURAL ADHESIVE BONDING HAND APPLIED PHOSPHORIC ACID ANODIZING | A | 8040 | * | 11 | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-ARP1658-82 | VISUAL INSPECTION GUIDE FOR INSTALLED HOSE ASSEMBLIES - 1 MAR 82 REVIEWER: AV CS | A | 4720 | 82 | | 04-JAN-84 | | AS | 99 | |
| | | SAE-ARP1675 | STRUCTURAL WELDBONDING OF ALUMINUM STRUCTURES ..... | A | THJM | * | 11 | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-ARP1704-81 | SHORT-BAR, FRACTURE TOUGHNESS OF METALLIC MATERIALS, DETERMINATION- OF 1 JULY 81 | A | 95GP | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-ARP1820-84 | CHORD METHOD OF EVALUATING SURFACE MICROSTRUCTURAL CHARACTERISTICS 1 OCT 84 | A | 95GP | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-ARP1902-85 | BOLT, TEE HEAD,INTERFACE SURFACE, DIMENSIONS FOR - MAR 85 REVIEWER: 82 AV IS | A | 5306 | AR | | 01-NOV-85 | AR | AS | 99 | |
| | | SAE-ARP1923-85 | ETCH INSPECTORS, QUALIFICATION & CERTIFICATION OF - 1 JAN 85 ..... | A | NDTI | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-ARP1927-89 | EPOXY AND ADDITION TYPE POLYIMIDES, APPLICATION OF DIRECT PRESSURE TO RESIN IN CURING OF - 1 JAN 1981 | A | CMPS | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-ARP1947A-89 | ALUMINUM ALLOY CASTINGS, DENDRITE ARM SPACING OF STRUCTURAL AIRCRAFT QUALITY D357, DETERMINATION AND ACCEPTANCE OF - 1 OCT 89 | A | MECA | 11 | | 15-AUG-90 | MR | AS | 11 | |
| | | SAE-ARP4005 NOTICE 1 | SELECTION AND APPLICATION OF RELAYS FOR PROPER PERFORMANCE REVIEWER: 99 MC MI | A | 5945 | * | 85 | 24-SEP-91 | ER | EC | 85 | |
| | | SAE-ARP4462 | BARKHAUSEN NOISE INSPECTION FOR DETECTING GRINDING BURNS IN HIGH STRENGTH STEEL PARTS | A | NDTI | * | 11 | 20-DEC-91 | MR | AS | 11 | |
| | | SAE-AS115B-84 | HOSE ASSEMBLY, NONMETALLIC - 3,000 PSI, TFE, FLARELESS, STRAIGHT TO STRAIGHT, LIGHTWEIGHT - MAR 1984 REVIEWER: AV CS MI | A | 4720 | 99 | | 20-JUN-86 | ME | AS | 99 | |
| | | SAE-AS116B-84 | HOSE ASSEMBLY, NONMETALLIC - 3,000 PSI, TFE, FLARELESS, STRAIGHT TO 45 DEG., LIGHTWEIGHT - MAR 1984 | A | 4720 | 99 | | 20-JUN-86 | ME | AS | 99 | |
| | | SAE-AS117B-84 | HOSE ASSEMBLY, NONMETALLIC - 3,000 PSI, TFE, FLARELESS, STRAIGHT TO 90 DEG., LIGHTWEIGHT - MAR 1984 REVIEWER: AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS1188-84 | HOSE ASSEMBLY, NONMETALLIC - 3,000 PSI, TFE, FLARELESS, 45 DEG. TO 45 DEG., LIGHTWEIGHT - MAR 1984 REVIEWER: 99 AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS120B-84 | HOSE ASSEMBLY, NONMETALLIC - 3,000 PSI, TFE, FLARELESS, 90 DEG. TO 90 DEG., LIGHTWEIGHT - MAR 1984 REVIEWER: 99 AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS153A-84 | HOSE ASSEMBLY, NONMETALLIC - 3000 PSI, TFE, FLARED, STRAIGHT TO STRAIGHT, LIGHTWEIGHT - MARCH 1984 REVIEWER: 99 AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS154A-84 | HOSE ASSEMBLY, NONMETALLIC - 3000 PSI, TFE, FLARED, STRAIGHT TO 45 DEG., LIGHTWEIGHT -MAR 84 REVIEWER: 99 AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS155A-84 | HOSE ASSEMBLY, NONMETALLIC - 3000 PSI, TFE, FLARED, STRAIGHT TO 90 DEG. LIGHTWEIGHT- MAR 84 REVIEWER: 99 AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS156A-84 | HOSE ASSEMBLY, NONMETALLIC - 3000 PSI, TFE, FLARED, 45 DEG. TO 45 DEG., LIGHTWEIGHT - MAR 84 REVIEWER: 99 AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS157A-84 | HOSE ASSEMBLY, NONMETALLIC - 3,000 PSI, TFE, FLARED, 45 DEG. TO 90 DEG., LIGHTWEIGHT -MAR 1984 REVIEWER: 99 AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS158A-84 | HOSE ASSEMBLY, NONMETALLIC - 3000 PSI, TFE, FLARED, 90 DEG. TO 90 DEG., LIGHTWEIGHT - MAR 84 REVIEWER: 99 AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS568A-74 | O-RINGS, AEROSPACE SIZE, STANDARD FOR - 1 JUL 74 ..... | A | 5330 | 11 | | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-AS604A-84 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 DEG. F, 3000 PSI, HYDRAULIC, HEAVY BRAID - 1 OCT 84 REVIEWER: AV CS MI | A | 4720 | 99 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS614-84 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HEAVY DUTY, HIGH TEMPERATURE, HIGH PRESSURE, 4,000 PSI (27,580 KPA) HYDRAULIC & PNEUMATIC - 1 MAY 84 REVIEWER: 99 AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |
| | | SAE-AS621-84 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO STRAIGHT, HEAVYWEIGHT - JUL 84 REVIEWER: 99 AV CS MI | A | 4720 | 11 | | 20-JUN-86 | ME | AS | 11 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Ctrl. / Obtl. Classification Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | SAE-AS622-84 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 45 DEG., HEAVYWEIGHT - JUL 84 REVIEWER: 99 AV CS MI | A | 4720 | 11 | 20-JUN-86 | ME | AS | 11 | | |
| | | SAE-AS623-84 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 90 DEG., HEAVYWEIGHT - JUL 84 REVIEWER: 99 AV CS MI | A | 4720 | 11 | 20-JUN-86 | ME | AS | 11 | | |
| | | SAE-AS624-84 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, 45 DEG. TO 45 DEG., HEAVYWEIGHT - JUL 84 REVIEWER: 99 AV CS MI | A | 4720 | 11 | 20-JUN-86 | ME | AS | 11 | | |
| | | SAE-AS625-84 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARELESS, 45 DEG. TO 90 DEG., HEAVYWEIGH - JULY 1984 REVIEWER: 99 AV CS MI | A | 4720 | 11 | 20-JUN-86 | ME | AS | 11 | | |
| | | SAE-AS626-84 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARELESS, 90 DEG. TO 90 DEG., HEAVYWEIGHT - JULY 1984 REVIEWER: 99 AV CS MI | A | 4720 | 11 | 20-JUN-86 | ME | AS | 11 | | |
| | | SAE-AS627-84 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRRIGHT TO STRAIGHT, HEAVYWEIGHT - JULY 1984 REVIEWER: 99 AV CS MI | A | 4720 | 11 | 20-JUN-86 | ME | AS | 11 | | |
| | | SAE-AS628-84 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STEAIGHT TO 45 DEG., HEAVYWEIGHT - JULY 1984 REVIEWER: 99 AV CS MI | A | 4720 | 11 | 20-JUN-86 | ME | AS | 11 | | |
| | | SAE-AS629-84 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRAIGHT TO 90 DEG., HEAVYWEIGHT - JULY 1984 REVIEWER: 99 AV GS MI | A | 4720 | 11 | 20-JUN-86 | ME | AS | 11 | | |
| A | | SAE-AS681D-82 | GAS TURBINE ENGINE STEADY STATE PEFFORMANCE PRESENTATION FOR DIGITAL COMPUTER PPOGRAMS - 1 OCT 82 | A | 2840 | 11 | 27-JUL-83 | MR | AS | 11 | | |
| | | SAE-AS683B-80 | CONNECTIONS, FLUID, INSTALLATION PROCEDURES & TORQUES FOR - 15 JAN 80 ..... | A | 4730 | 99 | 01-MAR-82 | | AS | 99 | | |
| | | SAE-AS686A-80 | TUBE, PILOTED RING SEAL, SWIVEL CONNECTION ASSEMBLY - 1 APR 80 REVIEWER: CS | A | 4730 | 99 | 01-MAR-82 | | AS | 99 | | |
| | | SAE-AS870C-74 | WRENCHING CONFIGURATION, DOUBLE HEXAGON (12 POINT), FOR THREADED FASTENERS - 15 MAY 74 [VALIDATION DATE: 8304] REVIEWER: IS | A | 53GP | 99 | 30-AUG-77 | AV | AS | 99 | | |
| | | SAE-AS896A-83 | NIPPLE, FLARELESS TUBE TO MALE PIPE - 1 JAN 1983 USER: AR AT REVIEWER: 11 CS ME MI | A | 4730 | 82 | 28-OCT-88 | AV | AS | 99 | | |
| | | SAE-AS897A-83 | ELBOW, 90 DEG., FLARELESS TUBE TO MALE PIPE - 1 JAN 1983 USER: AR AT REVIEWER: 11 CS ME MI | A | 4730 | 82 | 28-OCT-88 | AV | AS | 99 | | |
| | | SAE-AS954D-88 | WRENCH, HAND TWELVE POINT HIGH STRENGTH, THIN WALL - 1 FEB 1988 ..... | A | 5120 | AV | 31-MAY-88 | AV | | | | |
| | | SAE-AS970A-69 | DRIVE ACCESSORY, 8.000 BC ROUND, QAD, DESIGN STANDARD FOR - 1 OCT 69 ..... | A | 6150 | AS | 01-NOV-85 | | AS | | | |
| | | SAE-AS971A-69 | DRIVE ACCESSORY, 10.000 BC ROUND, QAD, DESIGN STANDARD FOR - 1 OCT 69 ..... | A | 6150 | AS | 01-NOV-85 | | AS | | | |
| | | SAE-AS972B-77 | DRIVES & FLANGES, ACCESSORY, SPLINE DETAILS -1 JULY 1977- ..... | A | 6150 | AS | 01-NOV-85 | | | | | |
| | | SAE-AS1001C-87 | TEE, REDUCER, BULKHEADON RUN, INTERNAL PORT ON SIDE, FLARELESS TUBE 2 FEB 1987 | A | 4730 | AS | 16-AUG-87 | AV | AS | 99 | | |
| | | SAE-AS1002C-87 | TEE, REDUCER,BULKHEAD AND INTERNAL PORT ON RUN, FLARELESS TUBE 2 FEB 87 REVIEWER: 82 CS | A | 4730 | AS | 16-AUG-87 | AV | AS | 99 | | |
| | | SAE-AS1003C-87 | TEE, REDUCER, BULKHEAD ON RUN, FLARELESS TUBE - 2 FEB. 1987 REVIEWER: 82 CS | A | 4730 | AS | 16-AUG-87 | AV | AS | 99 | | |
| | | SAE-AS1004B-81 | ELBOW, 90 DEG., REDUCER FLARELESS TUBE - 15 JAN 81 REVIEWER: 82 CS ME ..... | A | 4730 | AS | 20-JUL-84 | AV | AS | 99 | | |
| | | SAE-AS1005C-85 | TEE, REDUCER, FLARELESS TUBE - 1 MAR 1985 USER: 11 REVIEWER: 82 CS ME MI .. | A | 4730 | AS | 21-OCT-87 | AV | AS | 99 | | |
| | | SAE-AS1006C-87 | CROSS, REDUCER, FLARELESS TUBE 2 FEB 87 REVIEWER: 82 CS ..... | A | 4730 | AS | 16-AUG-87 | AV | AS | 99 | | |
| | | SAE-AS1007C-87 | UNION, REDUCER, BULKHEAD, FLARELESS TUBE - 2 FEB 1987 REVIEWER: 82 CS ..... | A | 4730 | AS | 16-AUG-87 | AV | AS | 99 | | |
| | | SAE-AS1008C-87 | ELBOW, 90 DEG., REDUCER, BULKHEAD, FLARELESS TUBE - 2 FEB 1987 REVIEWER: 82 CS | A | 4730 | AS | 16-AUG-87 | AV | AS | 99 | | |
| | | SAE-AS1009D-87 | TEE, REDUCER, BULKHEAD ON SIDE, FLARELESS TUBE - 2 FEB 1987 REVIEWER: 82 CS | A | 4730 | AS | 16-AUG-87 | AV | AS | 99 | | |
| | | SAE-AS1010C-87 | ELBOW, 45 DEG., REDUCER, FLARELESS TUBE - 2 FEB 1987 REVIEWER: 82 CS ..... | A | 4730 | AS | 16-AUG-87 | AV | AS | 99 | | |
| | | SAE-AS1031B-83 | TEE, REDUCER, BULKHEAD ON RUN, INTERNALLY THREADED SIDE PORT, FLARED TUBE - 4 APR 83 REVIEWER: 11 82 AR IS | A | 4730 | AS | 03-FEB-84 | AV | AS | 99 | | |
| | | SAE-AS1032B-83 | TEE, REDUCER-BULKHEAD & INTERNALLY THREADED PORT ON RUN, FLARED TUBE - 4 APR 1983 USER: 11 REVIEWER: 82 CS ME | A | 4730 | AS | 20-JUL-84 | AV | AS | 99 | | |
| | | SAE-AS1033B-83 | TEE, REDUCER, BULKHEAD ON RUN, FLARED TUBE - 4 APR 83 USER: 11 REVIEWER: 82 CS ME | A | 4730 | AS | 20-JUL-84 | AV | AS | 99 | | |
| | | SAE-AS1034B-83 | ELBOW, 90 DEG. REDUCER, FLARED TUBE - 4 APR 83 W/DOD EXCEPTIONS USER: 11 REVIEWER: 82 CS ME | A | 4730 | AS | 20-JUL-84 | AV | AS | 99 | | |
| | | SAE-AS1035B-83 | TEE, REDUCER, FLARED TUBE - 4 APR 83 USER: 11 REVIEWER: 82 CS ME ..... | A | 4730 | AS | 20-JUL-84 | AV | AS | 99 | IS | |
| | | SAE-AS1036B-83 | REDUCER, CROSS, FLARED TUBE - 4 APR 83 USER: 11 REVIEWER: 82 CS ME ..... | A | 4730 | AS | 20-JUL-84 | AV | AS | 99 | IS | |
| | | SAE-AS1037B-83 | REDUCER, UNION, BULKHEAD, FLARED TUBE - 4 APR 83 W/DOD EXCEPTIONS USER: 11 REVIEWER: 82 CS ME | A | 4730 | AS | 20-JUL-84 | AV | AS | 99 | | |
| | | SAE-AS1038B-83 | REDUCER, ELBOW, 90 DEG., BULKHEAD, FLARED TUBE - 4 APR 83 W/DOD EXCEPTIONS USER: 11 REVIEWER: 82 CS ME | A | 4730 | AS | 20-JUL-84 | AV | AS | 99 | | |
| | | SAE-AS1039B-83 | REDUCER, TEE, BULKHEAD ON SIDE, FLARED TUBE - 4 APR 83 W/DOD EXCEPTIONS USER: 11 REVIEWER: 82 CS ME | A | 4730 | AS | 20-JUL-84 | AV | AS | 99 | | |
| | | SAE-AS1040B-83 | ELBOW, 45 DEG. REDUCER, FLARED TUBE - 4 APR 83 REVIEWER: 82 AR IS ..... | A | 4730 | AS | 03-FEB-84 | AV | AS | 99 | | |
| | | SAE-AS1043C-80 | LOCKWIRE HOLE, STANDARD DIMENSION - 1 JAN 80 [VALIDATION DATE: 8306] ..... | A | 4730 | 82 | 04-DEC-81 | | | 99 | | |
| | | SAE-AS1055B-78R84 | HOSE, FLEXIBLE, TUBE ASSEMBLIES, COILS, FITTINGS & SIMILAR SYSTEM COMPONENTS, FIRE TESTING OF - 1 MAR 1978 REVIEWER: 99 AV CS MI | A | 4720 | 11 | 20-JUN-86 | ME | AS | 11 | | |
| | | SAE-AS1072B-84 | SLEEVE, HOSE ASSEMBLY, FIRE PROTECTION - 1 APR 1984 REVIEWER: AV CS MI .... | A | 4720 | 99 | 20-JUN-86 | ME | AS | 99 | | |
| | | SAE-AS1073-68 | SLEEVE, HOSE ASSEMBLY, HEAT SHRINKABLE - JUN 68 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS IS ME | A | 4720 | AS | 15-SEP-78 | AV | AS | 11 | | |
| | | SAE-AS1132B-76 | BOLTS & SCREWS, EXTERNAL WRENCHING, UNIFIED THREAD INCH SERIES - DESIGN PARAMETERS FOR - 2 FEB 76 [VALIDATION DATE: 8405] REVIEWER: IS | A | 53GP | 99 | 15-SEP-78 | AV | | 99 | | |
| | | SAE-AS1182A-89 | AIRCRAFT- QUALITY AND PREMIUM AIRCRAFT- QUALITY STEEL BARS AND MECHANICAL TUBING, STANDARD MACHINING ALLOWANCE - 1 OCT 1989 | A | 9510 | 11 | 15-AUG-90 | MR | AS | 11 | | |
| A | | SAE-AS1241A-83 | FIRE RESISTANT PHOSPHATE ESTER HYDRAULIC FLUID FOR AIRCRAFT - 1 MAR 83 .... | A | 9150 | 11 | 01-SEP-83 | MR | AS | 11 | | |
| | | SAE-AS1290-75 | AIRCRAFT HYDRAULIC & PNEUMATIC SYSTEMS, GRAPHIC SYMBOLS FOR -JUL 75 REVIEWER: 11 71 | A | 1650 | AS | 30-APR-84 | AV | AS | 99 | | |
| | | SAE-AS1291-73 | HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, TFE OR FEP - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS IS ME | A | 4720 | AS | 15-SEP-78 | AV | AS | 11 | | |
| | | SAE-AS1292-73 | HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, BUTYRATE COIL - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS IS ME | A | 4720 | AS | 15-SEP-78 | AV | AS | 11 | | |
| | | SAE-AS1293-73 | HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, TFE COIL - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS IS ME | A | 4720 | AS | 15-SEP-78 | AV | AS | 11 | | |
| | | SAE-AS1294-73 | HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, NYLON COIL - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS IS ME | A | 4720 | AS | 15-SEP-78 | AV | AS | 11 | | |
| | | SAE-AS1295-73 | HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, NEOPRENE RUBBER - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS IS ME | A | 4720 | AS | 15-SEP-78 | AV | AS | 11 | | |
| | | SAE-AS1298-73 | HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, HEAVY WALL, TFE - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS IS ME | A | 4720 | AS | 15-SEP-78 | AV | AS | 11 | | |
| | | SAE-AS1299A-80 | ADAPTER, BOSS CONNECTION RING LOCKED TO FLARELESS TUBE - JUN 1980 REVIEWER: 82 99 CS ME | A | 4730 | AS | 20-JUL-84 | AV | AS | 11 | | |
| | | SAE-AS1300-75 | BOSS- RING LOCKED FLUID CONNECTION TYPE, STANDARD DIMENSIONS FOR - AUG. 1975 W/DOD ECCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS IS ME | A | 4730 | AS | 15-SEP-78 | AV | AS | 11 | | |
| | | SAE-AS1301-75 | ADAPTER- RING LOCKED TO FLARELESS TUBE, BOSS CONNECTION DESIGN, INSTALLATION AND REMOVAL OF - AUG. 1975 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS IS ME | A | 4730 | AS | 15-SEP-78 | AV | AS | 11 | | |
| | | SAE-AS1310-75 | FASTENER, TORQUE, FOR THREADED APPLICATIONS, DEFINITIONS OF - 15 JAN 75 [VALIDATION DATE: 8304] | A | 53GP | 99 | 30-AUG-77 | AV | AS | 99 | | |
| | | SAE-AS1339B-83 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 DEG. F, 3,000 PSI HYDRAULIC, LIGHTWEIGHT - JULY 1983 REVIEWER: 99 AV GS MI | A | 4720 | 82 | 20-JUN-86 | ME | AS | 82 | | |
| | | SAE-AS1376B-85 | WRENCH PADS, FLUID FITTING, ALTERNATE MACHINED SHAPES OF, DESIGN STD FOR (THIS IS A DESIGN STD, NOT TO BE USED AS A PART NO.-DEC 85 USER: OS | A | 4730 | 82 | 17-JAN-86 | ME | AS | 99 | | |
| | | SAE-AS1687-87 | RIVET, BLIND, MONEL AND INCONEL SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED - DEC 87 REVIEWER: AV MI | A | 5320 | 82 | 03-JUL-89 | AR | | 99 | | |

| Action | OPL / QML / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | SAE-AS1708A-85 | FITTING END, FLARED, FEMALE, STANDARD DIMENSIONS FOR - 1 NOV 85 REVIEWER: CS | A | 4730 | | 82 | 13-FEB-87 | ME | AS | | 99 |
| | | SAE-AS1711A-84 | COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE ENDS, ENVELOPE DIMENSIONS - 1 JAN 1984 USER: AR AT REVIEWER: CS ME MI | A | 4730 | | 82 | 28-OCT-88 | AV | AS | | 99 |
| | | SAE-AS1712A-84 | COUPLING SUB-ASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS - 1 JAN 1984 USER: AR AT REVIEWER: CS ME | A | 4730 | | 82 | 28-OCT-88 | AV | AS | | 99 |
| | | SAE-AS1713A-84 | HALF COUPLING SUB-ASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS - 1 JAN 1984 USER: AR AT REVIEWER: CS ME MI | A | 4730 | | 82 | 28-OCT-88 | AV | AS | | 99 |
| | | SAE-AS1714A-84 | NUT ASSEMBLY, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS - 1 JAN 1984 USER: AR AT REVIEWER: CS ME MI | A | 4730 | | 82 | 28-OCT-88 | AV | AS | | 99 |
| | | SAE-AS1715A-84 | WASHER, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS - 1 JAN 1984 USER: AR AT REVIEWER: CS ME MI | A | 4730 | | 82 | 28-OCT-88 | AV | AS | | 99 |
| | | SAE-AS1716-82 | COUPLING, FERRULE, FLEXIBLE, VARIABLY CAVITY, THREADED, FERRULE TUBE END - MAY 82 REVIEWER: CS | A | 4730 | | 82 | 19-JUL-83 | AV | | | 99 |
| | | SAE-AS1717-82 | COUPLING, RETAINER, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS - MAY 82 REVIEWER: CS | A | 4730 | | 82 | 19-JUL-83 | AV | | | 99 |
| | | SAE-AS1718-82 | TUBE END, COUPLING BODY, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE - MAY 1982 REVIEWER: CS | A | 4730 | | 82 | 19-JUL-83 | AV | | | 99 |
| | | SAE-AS1719-82 | COUPLING HALF, FITTING END, FLEXIBLE, VARIABLE CAVITY THREADED, FERRULE TYPE - MAY 1982 REVIEWER: CS | A | 4730 | | 82 | 19-JUL-83 | AV | | | 99 |
| | | SAE-AS1720-82 | COUPLING, FERRULE END, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE - MAY 1982 REVIEWER: CS | A | 4730 | | 82 | 19-JUL-83 | AV | | | 99 |
| | | SAE-AS1790C-86 | NUT-SWIVEL WIRED-ON, LIGHTWEIGHT - JULY 1986 | A | 4730 | | AS | 20-JAN-87 | AV | AS | | 99 |
| | | SAE-AS1791A-88 | WIRE, RETAINER TUBE COUPLING NUT - 1 FEB 88 USER: AT MC REVIEWER: 71 82 AR CS MI | A | 4730 | | AS | 30-SEP-89 | AV | AS | | 99 |
| | | SAE-AS1792-83 | NUT COUPLING, LIGHTWEIGHT, FLARELESS - MAR 83 USER: MI REVIEWER: 82 CS | A | 4730 | | AS | 25-OCT-84 | AV | AS | | 99 |
| | | SAE-AS1814B | TERMINOLOGY FOR TITANIUM MICROSTRUCTURES | A | 9SGP | * | 11 | 20-DEC-91 | MR | AS | | 11 |
| | | SAE-AS1895A-88 | COUPLING ASSEMBLY, V-RETAINER, HIGH PRESSURE, HIGH TEMPERATURE, PNEUMATIC TUBE - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-90 | | AS | | 99 |
| | | SAE-AS1895/1A-88 | COUPLING, TYPE 1 (STANDARD PROFILE) - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-90 | | AS | | 99 |
| | | SAE-AS1895/2A-88 | FLANGE, MALE, SEAM WELD, TYPE I (STANDARD PROFILE) - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-90 | | AS | | 99 |
| | | SAE-AS1895/3A-88 | FLANGE, FEMALE, SEAM WELD, TYPE I (STANDARD PROFILE) - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-90 | | AS | | 99 |
| | | SAE-AS1895/4A-88 | *COUPLING, TYPE II (LOW PROFILE) - FEB 88 REVIEWER: IS* | A | 5340 | | 82 | 15-SEP-90 | | AS | | 99 |
| | | SAE-AS1895/5A-88 | FLANGE, MALE, SEAM WELD, TYPE II (LOW PROFILE) - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-90 | | AS | | 99 |
| | | SAE-AS1895/6A-88 | FLANGE, FEMALE, SEAM WELD, TYPE II (LOW PROFILE) - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-90 | | AS | | 99 |
| | | SAE-AS1895/7A-88 | SEAL, TYPE I & II (STANDARD AND LOW PROFILE) - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-90 | | AS | | 99 |
| | | SAE-AS1895/8A-88 | FLANGE, MALE, BUTT WELD, TYPE II (LOW PROFILE) - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-90 | | AS | | 99 |
| | | SAE-AS1895/9A-88 | FLANGE, FEMALE, BUTT WELD, TYPE II (LOW PROFILE) - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-90 | | AS | | 99 |
| | | SAE-AS1895/10-88 | FLANGE, MALE, BUTT WELD, TYPE I (STANDARD PROFILE) REVIEWER: IS | A | 5340 | | 82 | 15-SEP-89 | | AS | | 99 |
| | | SAE-AS1895/11A-88 | FLANGE FEMALE, BUTT WELD, (STANDARD PROFILE) - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-89 | | AS | | 99 |
| | | SAE-AS1895/12A-88 | FLANGE END, MALE, TYPE I (STANDARD PROFILE) DESIGN STANDARD REVIEWER: IS | A | 5340 | | 82 | 15-SEP-89 | | AS | | 99 |
| | | SAE-AS1895/13A-88 | FLANGE END, FEMALE, TYPE I (STANDARD PROFILE) DESIGN STANDARD REVIEWER: IS | A | 5340 | | 82 | 15-SEP-89 | | AS | | 99 |
| | | SAE-AS1895/14A-88 | FLANGE END, MALE, TYPE II (LOW PROFILE) DESIGN STANDARD - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-89 | | AS | | 99 |
| | | SAE-AS1895/15A-88 | FLANGE END, FEMALE, TYPE II (LOW PROFILE) DESIGN STANDARD - FEB 88 REVIEWER: IS | A | 5340 | | 82 | 15-SEP-89 | | AS | | 99 |
| L | | SAE-AS1960-86 | COUPLING ASSEMBLY, V-BAND, SHEET METAL FLANGE, PNEUMATIC TUBE REVIEWER: IS | A | 5340 | * | 82 | 26-AUG-91 | | | | 99 |
| L | | SAE-AS1960/1-86 NOTICE 1 | COUPLING, SHEET METAL, 40 DEG. V-BAND, *STANDARD LATCH REVIEWER: IS* | A | 5340 | * | 82 | *26-AUG-91* | | | | 99 |
| L | | SAE-AS1960/2-86 NOTICE 1 | COUPLING, SHEET METAL, 40 DEG. V-BAND, QUICK RELEASE (OPTIONAL SAFETY) LATCH REVIEWER: IS | A | 5340 | * | 82 | 26-AUG-91 | | | | 99 |
| L | | SAE-AS1960/3-86 NOTICE 1 | FLANGE, SHEET METAL REVIEWER: IS | A | 5340 | * | 82 | 26-AUG-91 | | | | 99 |
| L | | SAE-AS1960/4-86 NOTICE 1 | FLANGE END, DESIGN STANDARD REVIEWER: IS | A | 5340 | * | 82 | 26-AUG-91 | | | | 99 |
| | | SAE-AS1986-88 | ADAPTER PORT CONNECTION RING LOCKED TO FLARED TUBE END - 18 JUL 1988 REVIEWER: CS | A | 4730 | | 82 | 21-DEC-88 | | | | 99 |
| | | SAE-AS1990-90 | ALUMINUM ALLOY TEMPERS - 1 JAN 90 | A | 9SGP | | 11 | 15-AUG-90 | MR | AS | | 11 |
| | | SAE-AS3174-76 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 5643, .190-32 UNJF-3A - 15 MAR 76 REVIEWER: IS | A | 5306 | | 99 | 11-JUL-84 | AV | AS | | 99 |
| | | SAE-AS3175-76 | BOLT - MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 5643, .250-28 UNJF-3A - 15 MAR 76 REVIEWER: IS | A | 5306 | | 99 | 11-JUL-84 | AV | AS | | 99 |
| | | SAE-AS3176-76 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 5643, .3125-24 UNJF-3A - 15 MAR 76 REVIEWER: IS | A | 5306 | | 99 | 11-JUL-84 | AV | AS | | 99 |
| | | SAE-AS3177-76 | BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 5643, .375-24 UNJF-3A - 15 MAR 76 REVIEWER: IS | A | 5306 | | 99 | 11-JUL-84 | AV | AS | | 99 |
| A | | SAE-AS3208-76R82 | PACKING, PREFORMED - AMS 7276 SEAL - 16 FEB 76 | A | 5330 | | 11 | 01-SEP-83 | MR | AS | | 11 |
| A | | SAE-AS3209-76R82 | PACKING, PREFORMED - AMS 7276 O,RING - 16 FEB 76 | A | 5330 | | 11 | 01-SEP-83 | MR | AS | | 11 |
| | | SAE-AS3233-80 | BOLT, TEE HEAD-AMS 5708, CHAMFERED, .2500-28 UNJF-3A - 1 JUL 80 REVIEWER: IS | A | 5306 | | 99 | 11-JUL-84 | | AS | | 99 |
| | | SAE-AS3234-80 | BOLT, TEE HEAD-AMS 5708, CHAMFERED, .3125-24 UNJF-3A - 1 JUL 80 REVIEWER: IS | A | 5306 | | 99 | 11-JUL-84 | | AS | | 99 |
| | | SAE-AS3235-80 | BOLT, TEE HEAD - AMS 5708, CHAMFERED .3750-24 UNJF-3A - 1 JUL 80 REVIEWER: IS | A | 5306 | | 99 | 11-JUL-84 | | AS | | 99 |
| | | SAE-AS3291A-88 | NUT, SELF LOCKING, DOUBLE HEXAGON, AMS 5709 - 25 JAN 88 REVIEWER: 11 AV SH | A | 5310 | | AR | 03-JUL-89 | AR | AS | | 99 |
| | | SAE-AS3303-85 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .190-32 UNJF-3A 8-85 REVIEWER: AR IS | A | 5306 | | 82 | 03-AUG-87 | AV | AS | | 99 |
| | | SAE-AS3307-85 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .250-28 UNJF-3A 8-85 REVIEWER: AR IS | A | 5306 | | 82 | 03-AUG-87 | AV | AS | | 99 |
| | | SAE-AS3308-85 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .3125 UNJF-3A8-85 REVIEWER: AR IS | A | 5306 | | 82 | 03-AUG-87 | AV | AS | | 99 |
| D | | SAE-AS3309-85 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .375-24 UNJF-3A - 8/85 REVIEWER: AR | A | 5306 | | IS | 03-AUG-87 | AV | AS | | 99 |
| | | SAE-AS3401-85 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS 5708, .250-28 - AUG 1985 | A | 5306 | | 82 | 03-AUG-87 | AV | AS | | 99 |
| D | | SAE-AS3403-85 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS 5708, .375 -24 UNJF-3A - AUG 1985 | A | 5306 | | IS | 03-AUG-87 | AV | AS | 99 | IS |
| D | | SAE-AS3404-85 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .190-32 UNJF-3A - AUGUST 1985 | A | 5306 | | IS | 03-AUG-87 | AV | AS | 99 | IS |
| D | | SAE-AS3406-85 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .3125-24 UNJF-3A -AUGUST 85 | A | 5306 | | IS | 03-AUG-87 | AV | AS | 99 | IS |
| D | | SAE-AS3407-87 | BOLT, MACHINE - HEXAGON HEAD, *DRILLED 6 HOLES*, PD SHANK, AMS 5708, .375-24 UNJF-3A - AUGUST 85 | A | 5306 | | IS | 03-AUG-87 | AV | AS | 99 | IS |
| L | | SAE-AS4059-88 | FLUID, HYDRAULIC, AEROSPACE-CLEANLINESS CLASSIFICATION FOR - 14 JUNE 1988 USER: MC REVIEWER: 71 CS MI | A | 1650 | | AS | 31-AUG-90 | AV | AS | | 99 |
| | | SAE-AS4099-88 | ADAPTER, PORT CONNECTION RING LOCKED TO FLARELESS TUBE END - FEB 88 USER: AT MC REVIEWER: 82 AR CS MI SH | A | 4730 | | AS | 12-APR-89 | AV | AS | | 99 |
| | | SAE-AS4167-88 | WRENCHES: FLARE NUT, CROWFOOT, 12-POINT NON-DISTORTING - SEPT. 1988 | A | 5120 | | AV | 24-JAN-90 | AV | | | |
| | | SAE-AS4194 | SURFACE PREPARATION FOR STRUCTURAL ADHESIVE BONDING TITANIUM ALLOY PARTS | A | 9515 | * | 11 | 20-DEC-91 | MR | AS | | 11 |
| A | | SAE-AS7456 NOTICE 1 | STUDS, STEEL, LOW ALLOY, HEAT TREATED, ROLL THREADED REVIEWER: 82 AV SH | A | 5307 | * | AR | 03-JUL-92 | AR | AS | | 99 |
| A | | SAE-AS7466 NOTICE 1 | BOLTS AND SCREWS, NICKEL ALLOY, CORROSION HEAT RESISTANT, FORGED HEAD, ROLL THREADED, FATIGUE RATED REVIEWER: 82 AV SH | A | 5306 | * | AR | 03-JUL-92 | AR | AS | | 99 |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | F&C / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | | SAE-AS7467 NOTICE 1 | BOLTS AND SCREWS, NICKEL ALLOY, CORROSION AND HEAT RESISTANT, FORGED HEAD, ROLL THREADED, STRESS-RUPTURE RATED REVIEWER: 82 AV SH | A | 5306 | * AR | | 03-JUL-92 | AR | AS | 99 | |
| A | | SAE-AS7468 NOTICE 1 | BOLTS AND SCREWS, COBALT-CHROMIUM-NICKEL ALLOY, CORROSION RESISTANT FORGED HEAD, ROLL THREADED AFTER AGING, FATIGUE RATED REVIEWER: 82 AV SH | A | 5306 | * AR | | 03-JUL-92 | AR | AS | 99 | |
| A | | SAE-AS7471 NOTICE 1 | BOLTS AND SCREWS, NICKEL ALLOY, CORROSION AND HEAT RESISTANT FORGED HEAD, HEAT TREATED, ROLL THREADED 1950 DEG. F SOLUTION HEAT TREATMENT REVIEWER: 82 AV SH | A | 5306 | * AR | | 03-JUL-92 | AR | AS | 99 | |
| A | | SAE-AS7472 NOTICE 1 | BOLTS AND SCREWS, STEEL, CORROSION RESISTANT 125 000 PSI TENSILE STRENGTH ROLL THREADED REVIEWER: 82 AV SH | A | 5306 | * AR | | 03-JUL-92 | AR | AS | 99 | |
| A | | SAE-AS7475 NOTICE 1 | BOLTS AND SCREWS, WORK-STRENGHTENED ALLOY, CORROSION AND HEAT RESISTANT FORGED HEAD, ROLL THREADED AFTER AGING REVIEWER: 82 AV SH | A | 5306 | * AR | | 03-JUL-92 | AR | AS | 99 | |
| A | | SAE-AS7478 NOTICE 1 | BOLTS AND SCREWS, STEEL, CORROSION AND HEAT RESISTANT, 1800 DEG. F SOLUTION HEAT TREATED, PRECIPITATION HEAT TREATED AFTER ROLL THREADED REVIEWER: 82 AV SH | A | 5306 | * AR | | 03-JUL-92 | AR | AS | 99 | |
| A | | SAE-AS7479 NOTICE 1 | BOLTS AND SCREWS, STEEL, CORROSION AND HEAT RESISTANT, 1650 DEG. F SOLUTION HEAT TREATED, PRECIPITATION HEAT TREATED BEFORE ROLL THREADED REVIEWER: 82 AV SH | A | 5306 | * AR | | 03-JUL-92 | AR | AS | 99 | |
| A | | SAE-AS7482 NOTICE 1 | STUDS, STEEL, CORROSION AND HEAT RESISTANT 1800 DEG. F SOLUTION HEAT TREATED PRECIPITATION HEAT TREATED BEFORE ROLL THREADED REVIEWER: 82 AV SH | A | 5307 | * AR | | 03-JUL-92 | AR | AS | 99 | |
| | | SAE-J20E-74 NOTICE 1 | HOSE, COOLANT SYSTEM [VALIDATION DATE: 8701] USE: SA | A | 4720 | CS | | 14-JAN-87 | | SH | | |
| | | SAE-J29-72 | PLASTIC MATERIAL FOR USE IN HOUSINGS OF MOTOR VEHICLE LIGHTING DEVICES - JAN 72 [VALIDATION DATE: 8310] REVIEWER: GS | A | 9330 | AT | | 19-NOV-82 | AT | | | |
| D | | SAE-J88-80R85 | MACHINERY, EARTHMOVING, SOUND MEASUREMENT - EXTERIOR - SEPT 1980 (REAFFIRMED MAR 1985 REVIEWER: AT MC MD MI | A | HFAC | ME | | 18-SEP-85 | ME | YD1 | | |
| | | SAE-J110C-78 | RADIAL LIP, TESTING OF - NOV 78 | A | 5330 | AT | | 30-SEP-81 | AT | | 99 | |
| D | | SAE-J155-78 | TRUCK, LIGHT DUTY, SERVICE BRAKE SYSTEM PERFORMANCE REQUIREMENTS - 1 NOV 78 [VALIDATION DATE: 8310] REVIEWER: YD1 | A | 2530 | AT | | 30-SEP-81 | AT | | 99 | |
| D | | SAE-J160-80 | BRAKE LININGS, SWELL, GROWTH, & DIMENSIONAL STABILITY OF - 1 JUN 80 [VALIDATION DATE: 8310] REVIEWER: YD1 | A | 2530 | AT | | 30-SEP-81 | AT | | 99 | |
| | | SAE-J163-74 NOTICE 1 | WIRING, LOW TENSION & CABLE TERMINALS & SPLICE CLIPS - 1 JAN 74 [VALIDATION DATE: 9004] | A | 5940 | AT | | 04-APR-90 | AT | | 99 | |
| | | SAE-J164-82 | RADIATOR CAPS AND FILLER NECKS - MAR 82 | A | 2930 | AT | | 10-JUL-90 | AT | | | |
| A | | SAE-J184-87 NOTICE 1 | QUALIFYING A SOUND DATA ACQUISITION SYSTEM REVIEWER: 19 AL AT MD TE TM | A | HFAC | * MI | | 14-DEC-92 | MI | AS | 11 | |
| | | SAE-J185-88 | CONSTRUCTION AND INDUSTRIAL EQUIPMENT, ACCESS SYSTEMS FOR - JUN 1988 | A | 6640 | AT | | 15-JUN-91 | AT | | 99 | |
| L | | SAE-J186-82 | LAMPS TURN SIGNAL SUPPLEMENTAL HIGH MOUNTED STOP FOR USE ON VEHICLE LESS THAN 2032 MM IN OVERALL WIDTH AND (NOV 82) | A | 6220 | AT | | 20-OCT-89 | AT | | | |
| D | | SAE-J198-71 NOTICE 1 | WINDSHIELD WIPER SYSTEMS, TRUCKS, BUSES, & MULTIPURPOSE VEHICLES - JAN 71 (VALIDATED 4 APR 90) [VALIDATION DATE: 9004] | A | 2540 | AT | | 04-APR-90 | AT | YD1 | 99 | |
| L | | SAE-J222-86 | LAMPS PARKING (FRONT POSITION LAMPS) (MARCH 1986) | A | 6220 | AT | | 20-OCT-89 | AT | | | |
| D | | SAE-J245-71 | ENGINE RATING CODE - SPARK IGNITION - APR 71 [VALIDATION DATE: 8310] REVIEWER: CS | A | 2805 | AT | | 27-APR-81 | AT | YD1 | 99 | |
| A | | SAE-J246-92 NOTICE 1 | FITTINGS, TUBE, SPHERICAL AND FLANGED SLEEVE (COMPRESSION) USER: ER REVIEWER: 82 AT CS GL MC ME | A | 4730 | * AR | | 10-NOV-92 | AR | AS | 99 | |
| D | | SAE-J267-83 | WHEELS/ RIMS- TRUCKS- TEST PROCEDURES & PERFORMANCE REQUIREMENTS REVIEWER: 84 | A | 2530 | AT | | 12-FEB-87 | AT | YD1 | 99 | |
| D | | SAE-J276-86 NOTICE 1 | STEERING FRAME LOCK FOR ARTICULATED LOADERS AND TRACTORS REVIEWER: LS | A | 5340 | * YD1 | | 10-JUL-92 | AR | YD1 | 99 | |
| D | | SAE-J318-70 | TRUCKS, TRUCK TRACTORS, & TRAILERS, AIR BRAKE GLADHAND SERVICE (CONTROL) & EMERGENCY (SUPPLY) LINE COUPLERS - NOV 70 (REAPPROVED OCT 1983) [VALIDATION DATE: 8310] REVIEWER: YD1 | A | 2530 | AT | | 30-SEP-81 | AT | | 99 | |
| D | | SAE-J350-88 | ENGINE, MEDIUM SIZE, SPARK ARRESTER TEST PROCEDURE - OCT 88 | A | 2990 | AT | | 20-APR-91 | AT | YD1 | 99 | |
| | | SAE-J366-87 | TRUCKS AND BUSES, HEAVY, EXTERIOR SOUND LEVEL FOR - FEB 87 | A | 6625 | AT | | 20-APR-91 | AT | | | |
| D | | SAE-J379A-72 NOTICE 1 | BRAKE LINING, GOGAN HARDNESS - MAY 72 [VALIDATION DATE: 9010] REVIEWER: YD1 | A | 2530 | AT | | 04-APR-90 | AT | | 99 | |
| D | | SAE-J380-71 NOTICE 1 | BRAKE LINING, SPECIFIC GRAVITY OF - 1 AUG 71 [VALIDATION DATE: 9004] REVIEWER: YD1 | A | 2530 | AT | | 04-APR-90 | AT | | 99 | |
| D | | SAE-J381-84 | TRUCK, BUSES AND MULTIPURPOSE VEHICLES, WINDSHIELD DEFROSTING SYSTEMS TEST PROCEDURE - JUN 1984 REVIEWER: CS | A | 2540 | AT | | 15-JUN-91 | AT | YD1 | 99 | |
| | | SAE-J382-71 | TRUCK, BUS & MULTIPURPOSE VEHICLES - WINDSHIELD DEFROSTING SYSTEMS PERFORMANCE REQUIREMENTS - JAN 71 [VALIDATION DATE: 8310] REVIEWER: CS | A | 2540 | AT | | 01-MAR-81 | AT | | | |
| | | SAE-J404J-77 | CHEMICAL COMPOSITIONS OF SAE ALLOY STEELS - NOV 77 [VALIDATION DATE: 8310] REVIEWER: MR | A | 9630 | AT | | 15-NOV-80 | AT | OS | 99 | |
| D | | SAE-J439A-77 NOTICE 1 | TOOLS, SINTERED CARBIDE, STANDARD SPECIFICATION FOR REVIEWER: IS | A | 9510 | * YD1 | | 12-JUN-92 | MR | YD1 | 99 | |
| D | | SAE-J512 NOTICE 1 | AUTOMOTIVE TUBE FITTINGS USER: SH YD1 REVIEWER: 82 AT | A | 4730 | * CS | | 30-SEP-91 | ME | | 99 | CS |
| D | | SAE-J513F-76 | REFRIGERATION TUBE FITTINGS - 1976 [VALIDATION DATE: 8501] USE: YD1 | A | 4730 | CS | | 12-MAR-79 | | | 99 | |
| | | SAE-J514-80 | TUBE, FITTING, HYDRAULIC - APRIL 1980 [VALIDATION DATE: 8512] REVIEWER: | A | 4730 | CS | | 28-JUN-85 | | | 99 | CS |
| D | | SAE-J516-87 | FITTINGS, HOSE, HYDRAULIC - JUN 87 | A | 4730 | ME | | 01-JUN-90 | ME | YD1 | | |
| D | | SAE-J517-89 | HYDRAULIC HOSE - MAY 89 | A | 4720 | ME | | 01-JUN-90 | ME | YD1 | 99 | |
| | | SAE-J518C | HYDRAULIC FLANGED TUBE, PIPE & HOSE CONNECTIONS, 4 - BOLT SPLIT FLANGE TYPE - MAY 72 [VALIDATION DATE: 8512] USE: CS ME SH | A | 4730 | AT | | 23-DEC-80 | AT | | 99 | |
| | | SAE-J531A-73 | AUTOMOTIVE PIPE, FILLER, AND DRAIN PLUGS - DEC 73 [VALIDATION DATE: 8512] USE: MC REVIEWER: CS SH | A | 4730 | AT | | 29-AUG-80 | AT | | | |
| L | | SAE-J532-81 | DRAIN, AND PLUGS, AUTOMOTIVE STRAIGHT THREAD FILLER - JAN 81 | A | 5365 | AT | | 22-JUN-90 | AT | | | |
| L | | SAE-J534-81 | FITTINGS, LUBRICATION - JAN 1981 USE: ME | A | 4730 | CS | | 26-MAR-86 | | | | CS |
| | | SAE-J536B-71 | CLAMPS, HOSE - MAR 71 [VALIDATION DATE: 8501] | A | 4730 | CS | | 01-MAY-79 | ME | SH | 99 | |
| | | SAE-J537J-78 | STORAGE BATTERIES - JUN 78 [VALIDATION DATE: 8310] | A | 6140 | AT | | 01-APR-81 | AT | AS | 99 | |
| | | SAE-J551E-77 | LIMITS & METHODS OF MEASUREMENT OF RADIO INTERFERENCE CHARACTERISTICS OF VEHICLES & DEVICES (20-1000 MHZ) - JUN 77 [VALIDATION DATE: 8310] REVIEWER: CF ES | A | EMCS | AT | | 26-FEB-81 | AT | EC | 99 | |
| D | | SAE-J563C-72 | CIRCUIT BREAKERS, SAE RECOMMENDED PRACTICE - NOV 1951 (REVISED MAY 1972) USER: BO AL REVIEWER: CS YD1 | A | 5925 | AT | | 29-APR-87 | AT | | 99 | |
| D | L | SAE-J560B-74 | CONNECTOR, SEVEN-CONDUCTOR ELECTRICAL, FOR TTRUCK-TRAILER JUMPER CABLE, SAE STANDARD - SEP 74 USER: YD1 | A | 2920 | AT | | 04-MAY-87 | AT | | | |
| L | | SAE-J564C-71 | HEADLAMP BEAM SWITCHING (JUNE 1971, EDITORIAL CHGS 1977) | A | 6220 | AT | | 20-OCT-89 | AT | | | |
| L | | SAE-J565-89 | HEADLAMP, SEMIAUTOMATIC, BEAM SWITCHING DEVICES - JUNE 1989 | A | 6220 | AT | | 04-APR-90 | AT | | | |
| D | | SAE-J575-83 | MOTOR VEHICLE LIGHTING DEVICES & COMPONENTS, TEST FOR - JUL 83 REVIEWER: 82 GS | A | 6220 | AT | | 06-SEP-85 | AT | YD1 | 99 | |
| | | SAE-J576-86 | LENSES AND REFLECTORS OF MOTOR VEHICLE LIGHTING DEVICES, PLASTIC MATERIALS FOR USE IN OPTICAL PARTS SUCH AS - SEPT. 1986 | A | 9330 | AT | | 20-APR-91 | AT | | | |
| | | SAE-J578-88 | COLOR SPECIFICATION - MAY 1988 | A | 6220 | AT | | 21-JUN-90 | AT | | | |
| L | | SAE-J579-84 | HEADLAMP UNITS SEALED BEAM MOTOR VEHICLES FOR (DEC 84) | A | 6220 | AT | | 20-OCT-89 | AT | | | |
| L | | SAE-J580-86 | HEADLAMP SEALED BEAM ASSEMBLY (DEC 1986) | A | 6220 | AT | | 20-OCT-89 | AT | | | |
| L | | SAE-J585-86 | LAMPS TAIL (REAR POSITION LAMPS) (MARCH 86) | A | 6220 | AT | | 20-OCT-89 | AT | | | |
| L | | SAE-J586-84 | LAMPS STOP MOTOR VEHICLES USE ON LESS THAN 2032 MM IN OVERAL WIDTH (FEB 84) | A | 6220 | AT | | 20-OCT-89 | A | | | |
| L | | SAE-J588-84 | LAMPS TURN SIGNAL MOTOR VEHICLES FOR USE ON LESS THAN 2032 MM IN OVERALL WIDTH (NOV 84) | A | 6220 | AT | | 20-OCT-89 | AT | | | |
| | | SAE-J589B-71 | SWITCH, TURN SIGNAL - JUN 1971 | A | 6220 | AT | | 21-JUN-90 | AT | | | |
| L | | SAE-J590-86 | FLASHERS TURN SIGNAL (JULY 1986) | A | 6220 | AT | | 20-OCT-89 | AT | | | |
| | | SAE-J592 | LAMPS, CLEARANCE, SIDEMARKER & IDENTIFICATION - JAN 84 | A | 6220 | AT | | 20-AUG-90 | AT | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Cmtl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| L | | SAE-J593-87 | LAMPS BACKUP (REVERSING LAMPS) (JUNE 1987) | A 6220 | AT 20-OCT-89 | AT | | | |
| L | | SAE-J594-89 | REFLECTORS, REFLEX - MAY 1989 | A 6220 | AT 04-APR-90 | AT | | | |
| | | SAE-J595B-72 | FLASHING WARNING LAMPS FOR AUTHORIZED EMERGENCY, MAINTENANCE & SERVICE *VEHICLES - MAY 72* [VALIDATION DATE: 8310] REVIEWER: GS | A 6220 | AT 19-NOV-82 | AT | | | 99 |
| D | | SAE-J598-80 | MACHINERY, CONSTRUCTION & INDUSTRIAL, SEALED LIGHTING UNITS FOR - APR 1980 USER: YD1 REVIEWER: 82 | A 6220 | ME 23-AUG-85 | ME | | | 99 |
| | | SAE-J636-87 | V-BELT AND PULLEYS - FEB 1987 | A 3030 | AT 15-FEB-90 | AT | | | |
| D | | SAE-J661A-67 | BRAKE LINING QUALITY CONTROL TEST PROCEDURE - APR 67 [VALIDATION DATE: 8310] USER: 99 YD1 REVIEWER: CS | A 2530 | AT 21-SEP-79 | AT | | | |
| D | | SAE-J663B-68 NOTICE 1 | RIVETS FOR BRAKE LININGS & BOLTS FOR BRAKE BLOCKS - JUL 68 (VALIDATED 4 APR 90) [VALIDATION DATE: 9004] REVIEWER: YD1 | A 2530 | AT 04-APR-90 | AT | | | 99 |
| | | SAE-J682-69 | REAR WHEEL SPLASH & STONE THROW PROTECTION - JAN 69 [VALIDATION DATE: 8310] | A 2540 | AT 30-SEP-81 | AT | | | 99 |
| D | | SAE-J683A-77 | TIRE CHAIN CLEARANCE - TRUCKS, BUSES, & COMBINATIONS OF VEHICLES - 1 MAY 77 [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2320 | AT 30-SEP-81 | AT | | | 99 |
| | | SAE-J684F-78 | TRAILER COUPLINGS, HITCHES & SAFETY CHAINS - AUTOMOTIVE TYPE - MAY 78 [VALIDATION DATE: 8310] | A 2540 | AT 30-SEP-81 | AT | | | 99 |
| D | | SAE-J688-63 | TRUCK ABILITY PREDICTION PROCEDURE - 1 JUN 63 [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2320 | AT 30-SEP-81 | AT | | | 99 |
| D | | SAE-J695B-78 | MOTOR VEHICLES - TURNING ABILITY & OFF TRACKING - 1 DEC 78 [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2320 | AT 30-SEP-81 | AT | | | 99 |
| D | | SAE-J697A-74 | CHAIN, SAFETY, OF FULL TRAILERS OR CONVERTER DOLLIES - MAR 74 [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2330 | AT 30-SEP-81 | AT | | | 99 |
| D | | SAE-J700B-70 | FIFTH WHEEL KINGPIN, COMMERCIAL TRAILERS & SEMITRAILERS - JAN 70 [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2510 | AT 30-SEP-81 | AT | | | 99 |
| | | SAE-J701A-68 | TRUCK TRACTOR SEMITRACTION INTERCHANGE COUPLING DIMENSIONS - JUL 68 [VALIDATION DATE: 8310] | A 2540 | AT 30-SEP-81 | AT | | | 99 |
| D | | SAE-J702B-76 | TRUCK TRACTOR & TRUCK TRAILER, BRAKE & ELECTRICAL CONNECTION LOCATIONS - OCT 76 [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2330 | AT 30-SEP-81 | AT | | | 99 |
| D | | SAE-J704B-78 | TRUCK TRANSMISSION MOUNTED POWER TAKE OFFS, OPENINGS FOR SIX & EIGHT BOLT - APR 78 [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2520 | AT 30-SEP-81 | AT | | | 99 |
| | | SAE-J706A-70 | WINCHES, RATING OF - APR 70 (REAPPROVED OCT 83 [VALIDATION DATE: 8310] REVIEWER: ME | A 3950 | AT 30-SEP-81 | AT | SH | | 99 |
| | | SAE-J726-87 | AIR CLEANER TEST CODE -JUN 1987 | A 2940 | AT 15-JUN-91 | AT | SH | | 99 |
| D | | SAE-J741B-75 | SCRAPER, DUMPER BODY & TRAILER BODY - CAPACITY RATINGS - 1 JUN 75 (REAPPROVED OCT 83) [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2330 | AT 30-SEP-81 | AT | | | 99 |
| | | SAE-J753-82 | MACHINERY, CONSTRUCTION & INDUSTRIAL, LUBRICATION CHART, SAE RECOMMENDED PRACTICE - DEC 1958 (REV. 6/82) | A 9150 | AT 04-MAY-87 | AT | | | |
| D | | SAE-J786A-78 NOTICE 1 | BRAKE SYSTEM ROAD TEST CODE, TRUCK, BUS, & COMBINATION OF VEHICLES - MAR 78 *(REAPPROVED OCT 83)* [VALIDATION DATE: 9004] REVIEWER: YD1 | A 2530 | AT 04-APR-90 | AT | | | 99 |
| | | SAE-J8168-73 | IGNITION AND DIESEL SPARK ENGINE TEST CODE - MAR 73 | A 2990 | AT 30-SEP-81 | AT | | | 99 |
| D | | SAE-J843D-73 NOTICE 1 | BRAKE SYSTEM ROAD TEST CODE - PASSENGER CAR & LIGHT DUTY TRUCK - 1 MAR 73 *(REAPPROVED OCT 83)* [VALIDATION DATE: 9004] REVIEWER: YD1 | A 2530 | AT 04-APR-90 | AT | | | 99 |
| | | SAE-J844-90 | NONMETALLIC AIR BRAKE SYSTEM TUBING (JUNE 1990) USER: ME | A 4720 | AT 16-OCT-90 | AT | | | 99 |
| L | | SAE-J845-84 | LAMP, 360 DEGREE WARNING, FOR AUTHORIZED EMERGENCY, MAINTENANCE AND SERVICE VEHICLES - JAN 84 | A 6220 | AT 16-OCT-90 | AT | | | |
| | | SAE-J846-89 | CONDUCTORS AND CONNECTORS, FLUID, CODING SYSTEMS FOR IDENTIFICATION OF - JUN 1989 | A 4730 | AT 01-JUN-91 | AT | | | |
| | | SAE-J847-63 | TOW BAR EYE, FULL TRAILER - JUN 63 (REAPPROVED OCT 83) [VALIDATION DATE: 8310] | A 2540 | AT 30-SEP-81 | AT | | | 99 |
| D | | SAE-J848A-66 | KINGPIN, FIFTH WHEEL - HEAVY DUTY, COMMERCIAL TRAILERS & SEMITRAILERS - JUL 66 (REAPPROVED OCT 83 [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2510 | AT 30-SEP-81 | AT | | | 99 |
| | | SAE-J849B-70 | TRAILERS, DOUBLE, AND MULTI AXLE TRAILERS, CONNECTION & ACCESSORY LOCATIONS FOR TOWING - JAN. 1970*PROVED)* OCT 83 [VALIDATION DATE: 8310] | A 2540 | AT 30-SEP-81 | AT | | | 99 |
| | | SAE-J868-86 | CAPS AND NECKS, FILLER, LARGE SIZE RADIATOR | A 2930 | AT 10-JUL-90 | AT | | | |
| D | | SAE-J875-69 | TRAILER AXLE ALIGNMENT - 1 JAN 69 (REAPPROVED OCT 83) [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2510 | AT 30-SEP-81 | AT | | | 99 |
| D | | SAE-J903C-73 | WINDSHIELD WIPER SYSTEMS, PASSENGER CAR - NOV 73 (REAPPROVED OCT 83) [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2310 | AT 30-SEP-81 | AT | | | 99 |
| L | | SAE-J910-88 | SWITCH, HAZARD WARNING SIGNAL - OCT 88 | A 6220 | AT 04-APR-90 | AT | | | |
| D | | SAE-J919-86 | MEASUREMENT, SOUND, - EARTHMOVING - OPERATOR - SINGULAR TYPE - JUNE 1986 REVIEWER: AS | A HFAC | YD1 06-MAY-91 | MI | YD1 | | |
| D | | SAE-J925-84 | MACHINES, OFF ROAD, MINIMUM SERVICE ACCESS DIMENSIONS FOR - OCT 84 USER: YD1 REVIEWER: AT GL MD MI | A HFAC | ME 16-DEC-85 | ME | MC | | |
| D | | SAE-J931-86 | FILTRATION, HYDRAULIC POWER CIRCUIT, INFORMATION REPORT - MAR 1986 REVIEWER: 84 CS SH | A 4330 | YD1 25-MAY-91 | ME | YD1 | | 99 |
| D | | SAE-J937B-78 NOTICE 1 | CAR, PASSENGER, SERVICE BRAKE SYSTEM PERFORMANCE REQUIREMENTS - 1 NOV 78 *(REAPPROVED OCT 83)* [VALIDATION DATE: 9004] REVIEWER: YD1 | A 2530 | AT 04-APR-90 | AT | | | 99 |
| D | | SAE-J942B-72(2) | WINDSHIELD WASHER SYSTEM, PASSENGER CAR REVIEWER: CS | A 2540 * | YD1 11-SEP-92 | AR | YD1 | | 99 |
| L | | SAE-J945-87 | FLASHER SIGNAL VEHICULAR HAZARD WARNING (JUNE 87) | A 6220 | AT 20-OCT-89 | AT | | | |
| D | | SAE-J950-86 | GRADEABILITY TEST CODE - OCT 1986 REVIEWER: YD1 | A 2320 | AT 15-JUN-91 | AT | | | 99 |
| A | | SAE-J986-88 NOTICE 1 | SOUND LEVEL FOR PASSENGER CARS AND LIGHT TRUCKS REVIEWER: 19 AL AT MD TE TM | A HFAC * | MI 14-DEC-92 | MI | AS | | 11 |
| D | | SAE-J992B-78 | BRAKE SYSTEM PERFORMANCE REQUIREMENTS, TRUCK, BUS & COMBINATION OF VEHICLES - MAR 78 (REAPPROVED OCT 83 [VALIDATION DATE: 8310] REVIEWER: YD1 | A 2530 | AT 30-SEP-81 | AT | | | 99 |
| | | SAE-J1063-80 | CRANE STRUCTURES, CANTILEVERED BOOM, METHOD OF TEST - OCT 1980 | A 3950 | AT 01-OCT-90 | AT | | | 99 |
| A | | SAE-J1074-87 NOTICE 1 | ENGINE SOUND LEVEL MEASUREMENT PROCEDURE REVIEWER: 19 AL AT MD TE TM | A HFAC * | MI 14-DEC-92 | MI | AS | | 11 |
| D | | SAE-J1292-81 | AUTOMOBILE, TRUCK, TRUCK- TRACTOR, TRAILER, & MOTOR COACH WIRING, SAE RECOMMENDED PRACTICE - JUNE 1980 (REVISED OCT 1981) REVIEWER: CS YD1 | A 2920 | AT 21-MAY-87 | AT | | | |
| | | SAE-J1349-83 | ENGINE POWER TEST CODE-SPARK IGNITION & DIESEL - JUN 83 | A 2990 | AT 18-MAY-84 | AT | | | 99 |
| A L | | SAE-J1383 NOTICE 1 | HEADLAMPS, MOTOR VEHICLE, PERFORMANCE REQUIREMENTS FOR REVIEWER: 82 GS | A 6240 * | AT 28-SEP-92 | AT | | | |
| | | SAE-J1401A-78 | BRAKE HOSE ASSEMBLIES, HYDRAULIC, FOR USE WITH NON PETROLEUM BASE HYDRAULIC FLUIDS - JAN 78 (REAPPROVED OCT 83) [VALIDATION DATE: 8310] | A 4720 | AT 30-SEP-81 | AT | | | |
| | | SAE-J1402C-76 | AUTOMOTIVE AIR BRAKE HOSE & HOSE ASSEMBLIES - 1 JUL 76 | A 4720 | ME 29-SEP-81 | ME | | | 99 |
| | | SAE-J1559-84 | PNEUMATIC SYSTEMS FOR SURFACE-EFFECT AND HYDROFOIL CRAFT, BLEED-AIR - NOV 1984 | A GDRQ | SH 24-JUL-85 | ME | SH | | |
| D | | SAE-J1926-88 | PORT, BOSS, THREAD O-RING, STRAIGHT, SPECIFICATION FOR REVIEWER: AS MR YD1 | A 4730 * | SH 20-AUG-92 | ME | SH | | 99 |
| | | SAE-MIR1063B-90 NOTICE 1 | GENERAL ENVIRONMENTAL CONSIDERATIONS FOR MARINE VEHICLES USER: MC | A EMVR * | SH 17-JUN-91 | ME | SH | | |
| | | SAE-MIR1149-89 | VEHICLE, MARINE, HYDRAULIC FLUIDS FOR - 21 FEB 1989 USER: 11 CE MC REVIEWER: GS SA | A 9150 | SH 11-SEP-89 | ME | ME | | 99 |
| | | SAE-MIR1415A-85 | VEHICLES, SUBMERSIBLE, HYDRAULIC SYSTEMS FOR, DESIGN GUIDE FOR - SEP 85 USER: OS REVIEWER: GS | A 9150 | SH 24-JUN-86 | MF | SH | | |
| | | SAE-MIR1496A-84 | VEHICLES, ADVANCED MARINE SURFACE, HYDRAULIC SYSTEM DESIGN CRITERIA FOR - JUL 84 USER: MC | A 1990 | SH 01-APR-85 | ME | SH | | |
| | | SAE-MIR1514A-90 | DESIGN AND SPECIFICATION GUIDE FOR HYDRAULIC PUMPS USED ON ADVANCED SURFACE CRAFT AND SUBMERSIBLE VEHICLES - 16 AUG 1989 USER: MC REVIEWER: 99 CS SA | A 4320 | SH 26-FEB-90 | ME | SH | 84 | |
| | | SAE-MIR1559-84 | PNEUMATIC SYSTEMS, BLEED-AIR, FOR SURFACE-EFFECT & HYDROFOIL CRAFT - NOV 1984 USER: MC | A GDRQ | SH 24-JUL-85 | ME | SH | | |
| | | SAE-MIR1622A-86 | VEHICLES, MARINE, NOISE CONTROL IN FLUID POWER SYSTEMS OF USER: MC | A HFAC | SH 14-MAR-88 | ME | SH | | |

| Action | OPR / Other Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | SAE-HIR1694-82 NOTICE 1 | MATERIALS FOR FLUID SYSTEMS OF MARINE VEHICLES - 30 DEC 82 (VALIDATION DATE: 8910) USER: MC ME REVIEWER: IS | A 95GP | SH | 03-OCT-89 | MR | SH | | |
| D | | SAE-HIR4544 NOTICE 1 | MARINE VEHICLE HYDRAULIC SYSTEMS AND COMPONENTS, SPECIFICATIONS AND STANDARDS FOR USER: CG CS MC REVIEWER: YD1 | A 4810 * | SH | 08-JUL-92 | ME | SH | 99 | |
| | | SAE-HRP4382 | CONCRETE, STRUCTURAL LIGHTWEIGHT, UNIT WEIGHT OF - 15 MAR 1991 ..... | A DRPR | SH | 06-AUG-91 | ME | SH | | |
| | | SAE-HS1086-89 | UNIFIED NUMBERING SYSTEM, METALS & ALLOYS IN THE-FIFTH EDITION - JUN 89 USER: AR OS REVIEWER: 84 IS SH | A 95GP | MR | 13-SEP-89 | MR | | 99 | |
| | | SAE-HSJ1086-86 | METALS & ALLOYS IN THE UNIFIED NUMBERING SYSTEM - APR 1986 (SAE HS J1086-86 - ASTM DS56C — A JOINT PUBLICATION) USER: AR OS REVIEWER: 84 IS SH | A 95GP | MR | 16-JUL-87 | MR | | 99 | |
| | | SAE-MA1520-87 | FASTENERS, MJ EXTERNALLY THREADED, AREAS FOR CALCULATING STRESS OR LOAD VALUES FOR (METRIC - 1 JUL 87 REVIEWER: AV | A 53GP | IS | 17-OCT-88 | AR | | 99 | |
| | | SAE-MA1547A-89 | WRENCHES, TWELVE SPLINE, METRIC - NOV. 1989 ..... | A 5120 | AV | 24-JAN-90 | AV | | | |
| | | SAE-MA1565-81 | INSERTS, SCREW THREAD, HELICAL COIL, METRIC SERIES, PROCUREMENT SPECIFICATIONS FOR - 31 AUG 81 REVIEWER: 82 AV IS | A 5340 | AR | 16-JAN-85 | AR | AS | 11 | |
| | | SAE-MA1567-80 | INSERTS, SCREW THREAD, HELICAL COIL, METRIC SERIES, STANDARD ASSEMBLY DIMENSIONS FOR - JULY 1980 REVIEWER: 82 AV IS | A 5340 | AR | 16-JAN-85 | AR | AS | 11 | |
| | | SAE-MA1568-87 | NUT, SELF LOCKING - UNS S66286, 425 DEG. C & 658 DEG. C, 1100 MPA, MJ THREAD, PROCUREMENT SPECIFICATION FOR,METRIC - JULY 1987 | A 5310 | IS | 25-AUG-88 | AV | | 99 | |
| | | SAE-MA1573-88 | NUT, SELF-LOCKING-STEEL, CLASS 1100 MPA/235 DEGREE C, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC - 26 AUG 88 REVIEWER: AV SH | A 5310 | IS | 12-JUL-89 | AR | AS | 99 | |
| | | SAE-MA1784-87 | SPACER & WASHER, PROCUREMENT SPECIFICATION FOR (METRIC) JUL 87 REVIEWER: 82 | A 53GP | IS | 20-OCT-88 | AV | | 99 | |
| | | SAE-MA1806 NOTICE 1 | SPRING CLIPS AND CUSHIONS SELECTION FOR METAL TUBE SUPPORT, METRIC REVIEWER: 82 AV | A 5340 * | IS | 11-OCT-91 | AR | | 99 | IS |
| | | SAE-MA1937-85 | NUT, HEX, FREE RUNNING, PROCUREMENT SPECIFICATION FOR, METRIC - DEC 1985 REVIEWER: AR | A 5310 / | IS | 05-DEC-86 | AV | | 99 | |
| | | SAE-MA1943A-90 | NUTS, SELF LOCKING, UNS N07001, 730 DEG C, 1100 MPA AND 1210MPA, PROCUREMENT SPECIFICATION FOR, METRIC - 17 AUG 90 | A 5310 | IS | 16-AUG-91 | AV | | 99 | |
| | | SAE-MA2007-83 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, LIGHTWEIGHT, 204 DEG. C 21,000 KPA HYDRAULIC, METRIC JULY 1983 | A 4720 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2010-87 | PACKING, PREFORMED O-RING SEAL, STANDARD SIZES & SIZE CODES, METRIC - JULY 1987 | A 5330 | IS | 17-OCT-88 | AV | | 99 | |
| L | | SAE-MA2025-86 | TUBE, FLARELESS, UNION ..... | A 4730 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2035-86 | PLUG, FLARELESS TUBE - MAR 1986 ..... | A 4730 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2036-86 | CAP ASSEMBLY, PRESSURE SEAL, FLARELESS TUBE FITTING - MAR 1986 ..... | A 4730 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2037-86 | BUSHING, SCREW THREAD EXPANDER FLARELESS TUBE CONNECTION - MAR 1986 ..... | A 4730 | AV | 15-JUN-87 | AV | | | |
| L | | SAE-MA2038-86 | TUBE, REDUCER FLARELESS, UNION ..... | A 4730 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2039-86 | PLUG, MJ THREAD, O - RING SEAL, AMS >640 - JAN 1986 ..... | A 5340 | AV | 15-JUN-87 | AV | | | |
| L | | SAE-MA2040-86 | NUT, SLEEVE COUPLING FLARELESS ..... | A 4730 | AV | 15-JUN-87 | AV | | | |
| L | | SAE-MA2043-86 | TUBE, UNION, FLARELESSBULKHEAD AND UNIVERSAL ..... | A 4730 | AV | 15-JUN-87 | AV | | | |
| L | | SAE-MA2046-86 | ADAPTER, FLARELESS METRIC TO INCH ..... | A 4730 | AV | 15-JUN-87 | AV | | | |
| L | | SAE-MA2047-86 | NUT, SWIVEL, WIRED ON ..... | A 4730 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2058-86 | UNION, REDUCER, BULKHEAD FLARELESS TUBE - MAR 1986 ..... | A 4730 | AV | 15-JUN-87 | AV | | | |
| L | | SAE-MA2080-89 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO STRAIGHT, LIGHTWEIGHT, METRIC 30 JAN 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2081-89 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO 45-DEG, LIGHTWEIGHT, METRIC - 30 JAN 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2082-89 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO 90-DEG, LIGHTWEIGHT, METRIC - 30 JAN 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2083-89 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, 45-DEG TO 45 DEG, LIGHTWEIGHT, METRIC - 30 JAN 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2084-89 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, 45-DEG TO 90 DEG, LIGHTWEIGHT, METRIC - 30 JAN 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2085-89 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, 90-DEG TO 90 DEG, LIGHTWEIGHT, METRIC - 30 JAN 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| | | SAE-MA2086-86 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO STRAIGHT, METRIC -JAN 1986 | A 4720 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2087-86 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO 45 DEG, METRIC - JAN 1986 | A 4720 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2088-86 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO 90 DEG, METRIC - JAN 1986 | A 4720 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2089-86 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, 45 DEG. TO 45 DEG, METRIC - JAN 1986 | A 4720 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2090-86 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, 45 DEG. TO 90 DEG, METRIC - JAN 1986 | A 4720 | AV | 15-JUN-87 | AV | | | |
| | | SAE-MA2091-86 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS 90 DEG. TO 90 DEG, METRIC - JAN 1986 | A 4720 | AV | 15-JUN-87 | AV | | | |
| L | | SAE-MA2093-88 | FITTING END, DEMENSIONS, FLUID SYSTEMS PORT CONNECTION, METRIC - 10 FEB 88 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2100-89 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, HIGH TEMPERATURE, METRIC - 20 OCT 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2101-89 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED STRAIGHT FITTING ENDS, METRIC - 20 OCT 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2102-89 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT 45 DEG FITTING ENDS, METRIC - 20 OCT 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2103-89 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT 90 DEG FITTING ENDS, METRIC - 20 OCT 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2104-89 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED, 45 DEG TO 45 DEG FITTING ENDS, METRIC - 20 OCT 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2105-89 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED, 45 DEG TO 90 DEG FITTING ENDS, METRIC - 29 OCT 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| L | | SAE-MA2106-89 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED, 90 DEG TO 90 DEG FITTING ENDS, METRIC - 29 OCT 89 | A 4720 | AV | 17-OCT-90 | AV | | | |
| | | SAE-MA2170-90 | HOSE ASSEMBLY, POLYTETRAFLUORDETHYLENE, PTFE, CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC - OCT 1990 | A 4720 | AV | 17-OCT-90 | AV | | | |
| | | SAE-MA2171-90 | HOSE ASSEMBLY, PLOYETRAFLUORDETHYLENE, PTFE, CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 45 DEG., METRIC - OCT 1990 | A 4720 | AV | 17-OCT-90 | | | | |
| | | SAE-MA2172-90 | HOSE ASSEMBLY, PLOYETRAFLUORDETHYLENE, PTFE, CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 90 DEG., METRIC - OCT 1990 | A 4720 | AV | 17-OCT-90 | | | | |
| N L | | SAE-MA2176 | HOSE ASSEMBLY, POLYTETRAFLUORDETHYLENE, PTFE CRES REINFORCED, 232 DEG.C, 10 503 KPA, BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC | A 4720 / | AV | 23-MAR-93 | AV | | | |
| N L | | SAE-MA2177 | HOSE ASSEMBLY, POLYTETRAFLUORDETHYLENE, PTFE CRES REINFORCED, 232 DEG. C, 10 500 KPA, BEAM SEAL, STRAIGHT TO 45 DEG., METRIC | A 4720 | AV | 23-MAR-93 | AV | | | |
| N L | | SAE-MA2178 | HOSE ASSEMBLY, POLYTETRAFLUORDETHYLENE, PTFE CRES REINFORCED, 232 DEG. C, 10 500 KPA, BEAM SEAL, STRAIGHT TO 90 DEG., METRIC | A 4720 | AV | 23-MAR-93 | AV | | | |
| | | SAE-MA2515-86 | RING-BACK-UP, PORT CONNECTION, AMS3660 METRIC REVIEWER: 99 AR ..... | A 5330 | IS | 16-JUN-87 | AV | AS | 11 | |
| | | SAE-MA2521-90 | NUT-HEX, PORT FITTING CONNECTOR, AMS-5639, MJ THREAD, METRIC - 1 AUG 86 REVIEWER: AV SH | A 5310 | IS | 19-DEC-90 | AR | AS | 99 | IS |
| A | | SAE-MA2536 NOTICE 1 | GASKET, METAL C-RING, FACE SEAL, INTERNAL PRESSURE, UNS N07750 SILVER PLATED, METRIC REVIEWER: 82 AS AV | A 5330 * | IS | 03-JUL-92 | MR | SH | 99 | IS |
| | | SAE-MA2537-90 | GROOVE DESIGN, METAL C-RING GASKET, FACE TYPE, INTERNAL PRESSURE, METRIC - 8 SEP 90 REVIEWER: AR OS | A 5310 | IS | 22-MAR-91 | MR | SH | | |
| | | SAE-MA3259-81 | PIN COTTER, CRES AMS 7211, METRIC SERIES - 15 JAN 81 REVIEWER: IS ..... | A 5315 | 99 | 11-JUL-84 | | AS | 11 | |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | SAE-MA3266-87 | NUT, SELF-LOCKING-SPLINE DRIVE, EXTENDED WASHER, UNS S66286, SILVER PLATE, MJ THREAD, METRIC - JULY 1987 | A | 5310 | IS | | 17-OCT-88 | AV | 99 | | |
| | SAE-MA3279-85 | SCREW THREAD, INSERT, HELICAL COIL, METRIC SERIES FREE RUNNING, CRES - 1 MAR 1985 REVIEWER: 82 AV IS | A | 5340 | AR | | 16-APR-85 | AR | AS | 11 | |
| | SAE-MA3286-87 | BOLT, MACHINE, HEX HEAD- PD SHANK - MJ THREAD, AMS5731, METRIC - 1 JULY 87 REVIEWER: 82 AS | A | 5306 | IS | | 31-MAY-89 | AR | OS | 99 | |
| | SAE-MA3287-87 | BOLT, MACHINE-SPLINED, EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 5731, METRIC - AUG 1987 REVIEWER: 82 AR | A | 5306 | IS | | 25-AUG-88 | AV | | 99 | |
| | SAE-MA3288-85 | NUT, PLAIN, HEX - UNS S66286, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR .. | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | |
| | SAE-MA3289-87 | BOLT, MACHINE - HEX HEAD - PD SHANK, MJ THREAD, AMS 6322, CADMIUM PLATE, METRIC - DEC 87 REVIEWER: 82 AV SH | A | 5306 | IS | | 24-APP-89 | AR | AS | 99 | |
| | SAE-MA3294 NOTICE 1 | CLIP-SPRING, TENSION, OUTER 5.5MM BOLT HOLE, AMS 5525, METRIC REVIEWER: 82 AV | A | 5340 * | IS | | 11-OCT-91 | AR | | 99 | IS |
| | SAE-MA3295-90 | CLIP - SPRING, TENSION, INNER 5.5 MM BOLT HOLE, AMS 5525, METRIC - 15 NOV 90 REVIEWER: 82 AV | A | 5340 | IS | | 03-MAY-91 | AR | | 99 | |
| | SAE-MA3296-90 | CUSHION - TUBE CLAMP SUPPORT, PTEE, METRIC - 15 NOV 90 REVIEWER: 82 AV .... | A | 5340 | IS | | 03-MAY-91 | AR | | 99 | |
| | SAE-MA3302-85 | NUT, PLAIN, HEX - UNS B7400, CADMIUM PLATE, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | |
| | SAE-MA3329THRUMA3331-85 | INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, SCREW LOCKING, CRES REVIEWER: 82 AV IS | A | 5340 | AR | | 23-MAY-85 | AR | AS | 11 | |
| | SAE-MA3338-87 | BOLT, MACHINE - HEX HEAD, PD SHANK, LONG THREAD, AMS 5662, METRIC - 1 FEB 87 REVIEWER: 82 AV SH | A | 5306 | IS | | 19-MAY-89 | AR | AS | 99 | |
| | SAE-MA3339-87 | BOLT, MACHINE-SPLINE, EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 6322, CADMIUM PLATED, METRIC - AUG 1987 REVIEWER: 82 AR | A | 5306 | IS | | 25-AUG-88 | AV | | 99 | |
| A | SAE-MA3340B NOTICE 1 | BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 5662, METRIC REVIEWER: 82 AV | A | 5306 | IS | | 01-MAR-93 | AR | AS | 99 | IS |
| | SAE-MA3341-87 | BOLT, MACHINE - SPLINE EXTENDED WASHER, FULL SHANK, LONG, THREAD, AMS 5731, METRIC - 1 JUN 87 REVIEWER: 82 AV SH | A | 5306 | IS | | 19-MAY-89 | AR | AS | 99 | |
| | SAE-MA3342-87 | BOLT, MACHINE - SPLINE EXTENDED WASHER, FULL SHANK, DRILLED, LONG THREAD, AMS 5731, METRIC - 1 JUNE 87 REVIEWER: 82 AV SH | A | 5306 | IS | | 19-MAY-89 | AR | AS | 99 | |
| | SAE-MA3343-87 | BOLT, MACHINE-SPLINE DRIVE EXTENDED WASHER HEAD, FULL SHANK, LONG THREAD, AMS5662, METRIC - JULY 1987 REVIEWER: 82 SH | A | 5306 | IS | | 15-SEP-88 | AR | | 99 | |
| | SAE-MA3344-85 | NUT, PLAIN, HEX - THIN, UNS S66286, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | |
| | SAE-MA3347-87 | BOLT, MACHINE - HEX HEAD - FULL SHANK, LONG THREAD, ASM 5731, METRIC DEC 87 REVIEWER: 82 AV SH | A | 5306 | IS | | 24-APR-89 | AR | AS | 99 | |
| | SAE-MA3349-87 | NUT, SELF LOCKING - REDUCED HEX DRIVE, UNS S66286, SILVER PLATED MJ THREAD, METRIC - MAY | A | 5310 | IS | | 25-AUG-88 | AV | | | IS |
| | SAE-MA3350-85 | NUT, CASTELLATED, HEX - UNS S66286 MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | |
| | SAE-MA3351-87 | NUT, SPLINE DRIVE-EXTENDED WASHER, CUPWASHER LOCK, UNS S66286, SILVER PLATE, MJ THREAD, METRIC - JUL 87 REVIEWER: 11 SH | A | 5310 | IS | | 17-OCT-88 | AR | | 99 | IS |
| | SAE-MA3352-87 | PACKING, PREFORMED O-RING SEAL, RMS 7276, METRIC - MAR 1987 REVIEWER: 82 AV | A | 5330 | IS | | 17-OCT-88 | AR | | 99 | |
| | SAE-MA3353-87 | NUT, SELF LOCKING-SPLINE DRIVE, EXTENDED WASHER, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - 1 JULY 87 REVIEWER: 11 AV SH | A | 5310 | IS | | 19-MAY-89 | AR | AS | 99 | |
| | SAE-MA3354-85 | NUT, PLAIN HEX - THIN, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | |
| | SAE-MA3365-87 | BOLT, MACHINE - HEX HEAD - DRILLED, FULL SHANK, LONG THREAD, AMS 5731 METRIC - DEC 87 REVIEWER: 82 AV SH | A | 5306 | IS | | 24-APR-89 | AR | AS | 99 | |
| | SAE-MA3366-90 | BOLT, MACHINE-SPLINE DRIVE EXTENDED WASHER, DRILLED HEAD, FULL SHANK, LONG THREAD, AMS 5662, METRIC - 1 JUL 87 REVIEWER: AV SH | A | 5306 | IS | | 19-DEC-90 | AR | AS | 99 | IS |
| | SAE-MA3368-87 | BOLT, MACHINE - SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, DRILLED, AMS 5662, METRIC - DEC 87 REVIEWER: 82 AV | A | 5306 | IS | | 12-MAY-89 | AR | AS | 99 | |
| | SAE-MA3369-87 | BOLT, MACHINE - HEX HEAD - DRILLED, PD SHANK, LONG THREAD, AMS 5662, METRIC - 1 FEB 87 REVIEWER: 82 AV SH | A | 5306 | IS | | 19-MAY-89 | AR | AS | 99 | |
| A | SAE-MA3371 NOTICE 1 | BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, DRILLED, PD SHANK, LONG THREAD, AMS 5708, METRIC REVIEWER: 82 AV | A | 5306 | IS | | 01-MAR-93 | AR | AS | 99 | IS |
| | SAE-MA3374-86 | BOLTS & SCREWS, UNS S66286 650 DEG. C, 900 MPA, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC - FEB 86 REVIEWER: 82 99 AR | A | 53GP | IS | | 31-OCT-86 | AV | | 11 | |
| | SAE-MA3376A-86 | BOLTS & SCREWS, UNS G87400 860 MPA, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC - FEB 86 REVIEWER: 82 99 AR | A | 53GP | IS | | 31-OCT-86 | AV | | 11 | |
| | SAE-MA3377-86 | BOLTS & SCREWS, UNS, N07718, STRESS-RUPTURE & FATIGUE RESISTANT, PROCUREMENT SPECIFICATION FOR, METRIC - AUG 1986 REVIEWER: 99 AR | A | 53GP | IS | | 22-JUN-87 | AV | AS | 11 | |
| | SAE-MA3378-87 | BOLTS & SCREWS, USN N07001, 760 DEG C, 1210 MPA, 1065 DEG C, SOLUTION HEAT TREATMENT, PROCUREMENT SPECIFICATION FOR (METRIC) JUL 87 REVIEWER: 82 | A | 53GP | IS | | 20-OCT-88 | AV | | 99 | |
| | SAE-MA3393 NOTICE 1 | CLIP-SPRING, TENSION, OUTER 6.7MM BOLT HOLE, AMS 5525, METRIC REVIEWER: 82 AV | A | 5340 * | IS | | 11-OCT-91 | AR | | 99 | IS |
| | SAE-MA3394 NOTICE 1 | CLIP- SPRING, TENSION, INNER 6.7MM BOLT HOLE, AMS 5525, METRIC REVIEWER: 82 AV | A | 5340 * | IS | | 11-OCT-91 | AR | | 99 | IS |
| | SAE-MA3398-87 | BOLT, MACHINE - HEX HEAD - DRILLED, PD SHANK, LONG THREAD, AMS 5731, METRIC - 1 JULY 87 REVIEWER: 82 AV SH | A | 5306 | IS | | 19-MAY-89 | AR | AS | 99 | |
| | SAE-MA3399-90 | CLAMP-TUBE SUPPORT, SPRING CLIP AMD PTEE CUSHION, PROCUREMENT SPECIFICATION FOR - 9 AUG 90 REVIEWER: 82 AV | A | 5340 | IS | | 22-MAR-91 | AR | | 99 | |
| | SAE-MA3421-85 | NUT, PLAIN HEX - DRLD, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | |
| | SAE-MA3422-85 | NUT, PLAIN HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC - D REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | |
| | SAE-MA3423-85 | NUT, PLAIN HEX - DRLD, UNS S66286, SILVER PLATE, MJ THREAD, METRIC REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | |
| | SAE-MA3424-85 | NUT, PLAIN HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC - DEC 1985 REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | | | | |
| | SAE-MA3425-85 | NUT, CASTELLATED, HEX - UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - DEC 1985 REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | IS |
| | SAE-MA3426-85 | NUT, CASTELLATED, HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC - DEC 1985 REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | IS |
| | SAE-MA3427-86 | NUT, CASTELLATED, HEX, THIN UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - FEB 1986 REVIEWER: 99 AR | A | 5310 | IS | | 21-JAN-87 | AV | AS | 11 | |
| | SAE-MA3428-85 | NUT, CASTELLATED, HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR | A | 5310 | IS | | 16-JUN-86 | AV | AS | 11 | |
| | SAE-MA3429-87 | NUT, SELF LOCKING, SPLINE DRIVE, EXTENDED WASHER, UNS N07001, SILVER PLATE, MJ THREAD, METRIC - JULY 1987 REVIEWER: 11 SH | A | 5310 | IS | | 15-SEP-88 | AR | | 99 | IS |
| | SAE-MA3433-89 | NUT, SELF LOCKING-SHANK, UNS N07001, SILVER PLATE, MJ THREAD, METRIC -1 NOV 89 REVIEWER: 82 AV | A | 5310 | IS | | 31-MAY-90 | AR | AS | 99 | |
| | SAE-MA3434-87 | PACKING, PREFORMED O-RING SEAL, AMS 7273, METRIC - JULY 1987 ..... | A | 5330 | IS | | 17-OCT-88 | AR | | 99 | IS |
| | SAE-MA3437-87 | SPACER, SLEEVE - FOR 5MM BOLT, AMS4901 OR AMS4921, (METRIC) AUG 87) REVIEWER: 82 | A | 5365 | IS | | 20-OCT-88 | AV | | 99 | |
| | SAE-MA3438-87 | SPACER, SLEEVE - FOR 6MM BOLT, AMS4901 OR AMS4921, (METRIC) AUG 87) REVIEWER: 82 | A | 5365 | IS | | 20-OCT-88 | AV | | 99 | |
| | SAE-MA3439-89 | O-RING GROOVE DESIGN FOR PACKING PREFORMED, ELASTOMERIC O-RING SEALS, STATIC, AXIAL COMPRESSION, METRIC - 1 NOV 89 REVIEWER: 82 AV | A | 5310 | IS | | 31-MAY-90 | AR | AS | 99 | |
| | SAE-MA3442-87 | PACKING, PREFORMED O-RING SEAL, AMS 7267, METRIC - MAR 1987 REVIEWER: 82 AV | A | 5330 | IS | | 17-OCT-88 | AR | | 99 | IS |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Obsolete / Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | SAE-MA3444-90 | NUT, SELF LOCKING - SPLINE DRIVE, CAPTIVE WASHER, UNS-S66286, SILVER PLATE, MJ THREAD, METRIC - 14 FEB 90 REVIEWER: 82 AV SH | A | 5310 IS | 19-DEC-90 | AR | AS | 99 | IS |
| | | SAE-MA3445-88 | PACKING, PREFORMED, O-RING SEAL, FLUROCARBON(MIL-R-83485 TYPE I),METRIC - 1 SEP 88 REVIEWER: 99 | A | 5330 IS | 12-JUL-89 | MR | SH | 11 | |
| | | SAE-MA3446-90 | BOLT, MACHINE - TEE HEAD, CHAMFERED, CLOSE TOL FULL SHANK, AMS-5708, METRIC - 14 FEB 90 REVIEWER: AV SH | A | 5306 IS | 19-DEC-90 | AR | AS | 99 | IS |
| A | SAE-MA3448 NOTICE 1 | | BOLT, SPLINE DRIVE SPECIAL EXTENDED WASHER HEAD, REDUCED HEAD, PD SHANK, AMS 5708, METRIC REVIEWER: 82 AV | A | 5306 IS | 01-MAR-93 | AR | AS | 99 | IS |
| | | SAE-MA3453-90 | WASHER, FLAT, AMS-5525, METRIC ER LOCKED, UNS S66286, SILVER PLATED, MJ THREAD, METRIC - 12 OCT 90 REVIEWER: 82 AV | A | 5310 IS | 22-MAR-91 | AR | SH | 99 | |
| A | SAE-MA3476 NOTICE 1 | | BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL HEAD, PD SHANK, LONG THREAD, AMS 5662, METRIC REVIEWER: 82 W | A | 5306 IS | 01-MAR-93 | AR | AS | 99 | IS |
| | | SAE-MA3477-90 | BOLT, MACHINE - SPLINE DRIVE HD, CLOSE TOL FULL SHANK, AMS-5662, METRIC - 14 FEB 90 REVIEWER: AV SH | A | 5306 IS | 19-DEC-90 | AR | AS | 99 | IS |
| | | SAE-MA4016-87 | RING, RETAINING-EXTERNAL, SPIRAL WOUND, HEAVY AND MEDIUM DUTY CRES, METRIC - 15 SEP 87 REVIEWER: 82 | A | 5365 IS | 31-MAY-89 | AR | AS | 99 | |
| | | SAE-MA4017-87 | RING, RETAINING - INTERNAL, SPIRAL WOUND, HEAVY AND MEDIUM DUTY, CRES, METRIC - 1 SEP 87 REVIEWER: 82 AS | A | 5365 IS | 12-JUL-89 | AR | OS | 99 | |
| | | SAE-MA4018-87 | PIN, STRAIGHT, HEADLESS, AMS 5688, METRIC - 1 SEP 87 REVIEWER: 82 OS ..... | A | 5315 IS | 12-JUL-89 | AR | AS | 99 | |
| | | SAE-MA4019-87 | PIN, STRAIGHT, HEADLESS, AMS 5732 METRIC - 1 SEP 87 REVIEWER: 82 OS ..... | A | 5315 IS | 12-JUL-89 | AR | AS | 99 | |
| | | SAE-MA4020-87 | RING, RETAINING, EXTERNAL, TAPERED, TYPE I, CLASS 2, AMS 5520, METRIC - 1 SEP 87 REVIEWER: 82 AS | A | 5365 IS | 12-MAY-89 | AR | OS | 99 | |
| | | SAE-MA4021-87 | RING, RETAINING, INTERNAL, TAPERED, TYPE 1, CLASS 1, AMS 5520, METRIC - 1 SEP 87 REVIEWER: 82 | A | 5365 IS | 12-MAY-89 | AR | AS | 99 | |
| | | SAE-MA4029-87 | RING, RETAINING, INTERNAL, BEVELED, TAPERED, TYPE II, CLASS 1, AMS 5520, METRIC - 1 SEP 87 REVIEWER: 82 AS | A | 5365 IS | 12-MAY-89 | AR | OS | 99 | |
| | | SAE-MA4030-87 | RING, RETAINING, EXTERNAL, REINFORCED, E-RING, TYPE I, CLASS 3, AMS 5520, METRIC - 1 SEP 87 REVIEWER: 82 AS | A | 5365 IS | 12-MAY-89 | AR | OS | 99 | |
| | | SAE-MA4035-88 | RINGS, RETAINING - SPIRAL WOUND, UNIFORM SECTION, CORROSION RESISTANT, PROCUREMENT SPECIFICATION FOR, METRIC - 9 JUNE 88 REVIEWER: 82 AS | A | 5365 IS | 31-MAY-89 | AR | OS | 99 | |
| | | SAE-MA4036-88 | RINGS, RETAINING - TAPERED WIDTH, UNIFORM THICKNESS, CORROSION RESISTANT, PROCUREMENT SPECIFICATION FOR, METRIC- 9 JUNE 88 REVIEWER: 82 AS | A | 5365 IS | 31-MAY-89 | AR | OS | 99 | |
| | | SAE-MA4037-87 | WASHER, KEY 90 DEG LOCKING CRES, AMS 5510, METRIC - AUG 87 REVIEWER: 82 ... | A | 5310 IS | 17-OCT-88 | AV | | 99 | IS |
| A | SAE-MA4038 NOTICE 1 | | WASHER, KEY - 180 DEG. LOCKING, CRES, AMS 5510, METRIC REVIEWER: 82 AV SH . | A | 5310 * IS | 03-JUL-92 | AR | AS | 99 | IS |
| | | SAE-MA4039-87 | WASHER, KEY - 270 DEG. LOCKING CRES, AMS 5510, METRIC - AUG 87 REVIEWER: 82 AV | A | 5310 IS | 25-AUG-88 | AR | | 99 | IS |
| A | SAE-MA4040 NOTICE 1 | | WASHER, KEY - DUAL LOCKING POSITIONS CRES, AMS 5510, METRIC REVIEWER: 82 AV SH | A | 5310 * IS | 03-JUL-92 | AR | AS | 99 | IS |
| | | SAE-MA4044-90 | NUT, SPANNER-END SLOTS, CUPWASHER LOCKED, UNS S66286, SILVER PLATED, MJ THREAD, METRIC - 12 OCT 90 REVIEWER: 82 AV | A | 5310 IS | 22-MAR-91 | AR | | 99 | |
| | | SAE-MA4045-89 | WASHER, CUP, LOCK-SPANNER NUT AMS 5646, METRIC - 22 MAY 89 REVIEWER: AR SH | A | 5310 IS | 16-FEB-90 | AV | AS | 99 | |
| | | SAE-MA4070-88 | PINS, PROCUREMENT SPECIFICATION FOR, METRIC - 20 APR 88 REVIEWER: 82 OS ... | A | 5315 IS | 12-JUL-89 | AR | AS | 99 | |
| A | SAE-MA4147 NOTICE 1 | | BOLT, SPLINE DRIVE EXTENDED WASHER, REDUCED SHANK, AMS 5662, METRIC REVIEWER: 82 AV | A | 5306 IS | 01-MAR-93 | AR | AS | 99 | IS |
| | | SAE-MA4177-90 | NUT, SELF LOCKING - HEX EXTENDED WASHER UNS N07001, SILVER PLATE, MJ THREAD, METRIC - 14 FEB 90 REVIEWER: 82 AV SH | A | 5310 IS | 19-DEC-90 | AR | AS | 99 | IS |
| A | SAE-MA4187 NOTICE 1 | | BOLT, MACHINE, SPLINE DRIVE, SPECIAL EXTENDED WASHER, REDUCED HEAD, PD SHANK, AMS 5662, METRIC REVIEWER: 82 AV | A | 5306 IS | 01-MAR-93 | AR | AS | 99 | IS |
| | | SAE-MAM2241A-89 | TITANIUM, AND TITANIUM ALLOY BARS AND WIRE TOLERANCES, CORROSION AND HEAT RESISTANT STEEL, IRON ALLOY, METRIC - 1 APR 89 | A | 95GP MR | 03-MAY-89 | MR | AS | 11 | |
| A | SAE-MAM2242A-87 | | STEEL, CORROSION AND HEAT RESISTANT, TOLERANCES, METRIC, IRON ALLOY, TITANIUM, AND TITANIUM ALLOY SHEET, STRIP, AND PLATE | A | 95GP MR | 11-JUN-87 | MR | AS | 11 | |
| | | SAE-MAM2243B-90 | TUBING, TOLERANCES, METRIC, CORROSION & HEAT RESISTANT STEEL - 1 JAN 90 ... | A | 4710 MR | 22-FEB-90 | MR | AS | 11 | |
| | | SAE-MAM2251-83R90 NOTICE 2 | TOLERANCES, METRIC LOW-ALLOY STEEL BARS [VALIDATION DATE: 9110] ..... | A | 9515 * MR | 10-OCT-91 | MR | AS | 11 | |
| | | SAE-MAM2252-83R90 NOTICE 2 | TOLERANCES, METRIC LOW-ALLOY STEEL SHEET, STRIP AND PLATE [VALIDATION DATE: 9110] | A | 9515 * MR | 10-OCT-91 | MR | AS | 11 | |
| | | SAE-MAM2253-83R90 | TOLERANCES, METRIC - CARBON AND ALLOY STEEL TUBING [VALIDATION DATE: 9110] | A | 4710 * MR | 31-OCT-91 | MR | AS | 11 | |
| A | SAE-MAM2300A-92 NOTICE 1 | | PREMIUM AIRCRAFT-QUALITY STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE METRIC (SI) MEASUREMENT | A | MDTI * MR | 12-JUN-92 | MR | AS | 11 | |
| A | SAE-MAM2303-87 | | STEELS, MARTENSITIC CORROSION-RESISTANT, AIRCRAFT-QUALITY STEEL CLEANLINESS, MAGNETIC PARTICLE INSPECTION PROCEDURE, METRIC (SI) MEASUREMENT - 1 JAN 87 | A | MDTI MR | 11-JUN-87 | MR | AS | 11 | |
| | | SAE-MAM5536-87 | ALLOY SHEET, & PLATE, CORROSION & HEAT RESISTANT, 47.5NI - 22 CR - 1.5CO - 9.0MO -0.60W - 18.5FE SOLUTION HEATRETED - 1 OCT 87 REVIEWER: 84 GS | A | 9515 11 | 17-MAR-89 | AL | AS | 99 | |
| | | SAE-MAM5598-87 | ALLOY SHEET, STRIP, AND PLATE, CORROSION & HEAT RESISTANT, 72NI -15.5CR - 0.95(CB AND TA) - 2.5TI - 070A1 - 7.0FE, CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE - 1 OCT 87 | A | 9515 11 | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-MAM5599-87 | ALLOY SHEET, STRIP, AND PLATE, CORROSION ANDHEAT RESISTANT, 62NI -21.5CR - 9.0MO - 3.7(CB AND TA) ANNEALED - 1 OCT. 1987 | A | 9515 11 | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-MAM5706A-89 | BAR, ALLOY, FORGINGS, AND RINGS, CORROSION & HEAT RESISTANT 57NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4A1 - 0.006B - 0.05ZR, CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 995 DEG - 1040 DEG C SOLUTION HEAT TREATED - 1 JUL 89 87 | A | 9510 11 | 15-AUG-90 | MR | AS | 11 | |
| N | SAE-MAM5822 NOTICE 1 | | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 11.8CR - 2.8NI - 1.6CO - 1.8MO - 0.32V VACUUM INDUCTION MELTED | A | 3439 MR | 23-APR-93 | MR | AS | 11 | |
| | | SAE-MAM6304-88 | STEEL BARS, FORGINGS & TUBING, LOW ALLOY, HEAT RESISTANT, 0.95CR - 0.55MO - 0.30V (0.40 - 0.50C) - 1 JAN 88 | A | 9510 11 | 17-MAR-89 | MR | AS | 11 | |
| | | SAE-MAP1753-83 | FASTENERS ON PROPULSION EQUIPMENT, METRIC, HOLE SIZES, RECOMMENDED FOR - NOV 1983 REVIEWER: 82 AV IS | A | 53GP AR | 01-NOV-85 | AR | AS | 99 | |
| | | SAE-MAP3440-90 | O-RING GROOVE DESIGN FOR PACKING PREFORMED, ELASTOMERIC O-RING SEALS, STATIC RADIAL SQUEEZE, METRIC - 5 MAR 90 REVIEWER: AV SH | A | 5330 IS | 19-DEC-90 | AR | AS | | IS |
| D | SAMA-AJ1.1-74 | | RECOMMENDED PRACTICE FOR GLASS PH & REFERENCE ELECTRODES - 74 REVIEWER: MD ME YD1 | A | 6640 EA | 23-DEC-74 | EA | MS | 99 | |
| | SAMA-LA2.1B-78 | | SIZES FOR LABORATORY GLASSWARE - 74 ..... | A | 6640 EA | 01-MAY-78 | EA | MS | 99 | |
| D | SDI100-85 | | STEEL DOOR & FRAME, RECOMMENDED SPECIFICATIONS STANDARD - 7 JAN 1985 USER: CE REVIEWER: 99 | A | 5670 YD1 | 20-JUL-87 | ME | YD1 | | |
| D | SDI105-87 | | FRAMES, STEEL, RECOMMENDED ERECTION INSTRUCTIONS FOR - SEP 1987 REVIEWER: 84 | A | 5670 YD1 | 06-JUL-89 | | YD1 | | |
| D | SDI107-84 | | DOORS, STEEL, HARDWARE ON (REINFORCEMENT-APPLICATION) 1984 REVIEWER: 84 ... | A | 5670 YD1 | 27-JUN-89 | | YD1 | | |
| D | SDI111A-86 | | DOORS, STEEL, FRAMES, DETAILS, RECOMMENDED STANDARD - SEP 1986 USER: CE REVIEWER: 99 | A | 5670 YD1 | 31-AUG-88 | | YD1 | | |
| D | SDI111B-86 | | DOORS, DUTCH, RECOMMENDED STANDARD - SEP 1986 USER: CE REVIEWER: 99 ..... | A | 5670 YD1 | 31-AUG-88 | | YD1 | | |
| D | SDI111C-86 | | DOORS, STEEL, STANDARD, RECOMMENDED LOUVER DETAILS FOR - SEP 1986 USER: CE REVIEWER: 99 | A | 5670 YD1 | 31-AUG-88 | | YD1 | | |
| D | SDI111D-86 | | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED DOOR, FRAME AND HARDWARE SCHEDULE FOR - SEP 1986 USER: CE REVIEWER: 99 | A | 5670 YD1 | 31-AUG-88 | | YD1 | | |
| D | SDI111E-86 | | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED WEATHERSTRIPPING FOR - SEP 1986 USER: CE REVIEWER: 99 | A | 5670 YD1 | 31-AUG-88 | | YD1 | | |
| D | SDI111F-86 | | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED COMPLETED OPENING ANCHORS - SEP 1986 USER: CE REVIEWER: 99 | A | 5670 YD1 | 31-AUG-88 | | YD1 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / ONR Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | SDI111G-87 | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED STANDRD PREPARATION FOR DOUBLE TYPE (INTERCONNECTED) LOCKS ON - JUL 1987 USER: CE REVIEWER: 99 | A | 5670 | | YD1 | 31-AUG-88 | | | YD1 | | |
| D | | | SDI113-79<br>NOTICE 1 | DOOR, STEEL, & FRAME ASSEMBLIES, APPARENT THERMAL PERFORMANCE OF, TEST PROCEDURE & ACCEPTANCE CRITERIA FOR - 1979 [VALIDATION DATE: 8804] USER: CE | A | 5670 | | YD1 | 11-APR-88 | ME | | YD1 | | |
| D | | | SDI114-79<br>NOTICE 1 | DOOR & FRAME ASSEMBLIES, STEEL, TEST PROCEDURE & ACCEPTANCE CRITERIA FOR ACOUSTICAL PERFORMANCE FOR - 1979 [VALIDATION DATE: 8804] USER: CE | A | 5670 | | YD1 | 11-APR-88 | ME | | YD1 | | |
| D | | | SDI116-79<br>NOTICE 1 | DOOR & FRAME ASSEMBLIES, STEEL, STANDARD TEST PROCEDURE & ACCEPTANCE CRITERIA FOR RATE OF AIR FLOW THROUGH CLOSED - 1979 [VALIDATION DATE: 8804] USER: CE | A | 5670 | | YD1 | 11-APR-88 | ME | | YD1 | | |
| D | | | SDI119-83 | DOOR FRAME AND FRAME ANCHOR, STEEL, PERFORMANCE TEST PROCEDURES FOR - 18 NOV 83 USER: CE | A | 5670 | | YD1 | 11-APR-88 | ME | | YD1 | | |
| D | | | SES2-84 | STANDARDIZATION THE ECONOMICS OF - 1984 - USER: AT CE EL MC MI OS YD1 REVIEWER: AV IS | A | SDMP | | SO | 09-DEC-89 | AR | | | | 99 |
| | | | SFSA3-81<br>NOTICE 2 | STEEL CASTINGS HANDBOOK, TOLERANCES, SUPPLEMENT 3 - APRIL 81 [VALIDATION DATE: 8808] | A | MECA | | MR | 31-AUG-88 | MR | | | | |
| D | | | SSPC-PA1-82<br>NOTICE 1 | PAINT APPLICATION SPECIFICATION NO. 1, SHOP, FIELD & MAINTENANCE PAINTING - 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 03-AUG-88 | ME | | YD1 | 11 | |
| D | | | SSPC-PA2-82<br>NOTICE 1 | PAINT APPLICATION SPECIFICATION NO. 2, MEASUREMENT OF DRY PAINT THICKNESS WITH MAGNETIC GAGES - 1 NOV 82 [VALIDATION DATE: 8808] USER: CE REVIEWER: MD MR MS | A | 8010 | | YD1 | 03-AUG-88 | ME | | YD1 | 11 | |
| D | | | SSPC-PA3-82 | GUIDE TO SAFETY IN PAINT APPLICATION PAINT APPLICATION GUIDE NO. 3 - 1 NOV 82 USER: MC OS REVIEWER: CS SH | A | 8010 | | YD1 | 30-AUG-89 | ME | | YD1 | | |
| D | | | SSPC-PA4-82 | GUIDE TO MAINTENANCE REPAINTING WITH OIL BASED OR ALKYD PAINTING SYSTEMS PAINT APPLICATION GUIDE NO. 4 - 1 NOV 82 USER: MC OS REVIEWER: CS SH | A | 8010 | | YD1 | 30-AUG-89 | ME | | YD1 | | |
| D | | | SSPC-PAINT5-82 | PAINT SPECIFICATION NO. 5, ZINC DUST, ZINC OXIDE, AND PHENOLIC VARNISH PAINT USER: AR CE MC OS SH REVIEWER: MD MR MS | A | 8010 | | YD1 | 17-JUL-89 | ME | | YD1 | 11 | |
| D | | | SSPC-PAINT8-82<br>NOTICE 1 | PAINT SPECIFICATION NO. 8, ALUMINUM VINYL PAINT - 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 17-AUG-88 | ME | | YD1 | 11 | |
| D | | | SSPC-PAINT9-82 | PAINT SPECIFICATION NO. 9, WHITE (OR COLORED) VINYL PAINT - 1 NOV 82 USER: AR CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 21-JUN-83 | ME | | YD1 | 11 | |
| D | | | SSPC-PAINT11-82 | PAINT SPECIFICATION NO. 11 RED IRON OXIDE, ZINC CHROMATE, RAW LINSEED OIL & ALKYD PRIMER - 1 NOV 82 USER: AR CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 17-JUL-89 | ME | | YD1 | 11 | |
| D | | | SSPC-PAINT15-82 | PAINT SPECIFICATION NO. 15, STEEL JOIST SHOP PAINT TYPE 1, RED OXIDE PAINT TYPE II, ASPHALT COATING - 1 NOV 82 USER: CE MC OS SH REVIEWER: MD MR MS | A | 8010 | | YD1 | 17-JUL-89 | ME | | YD1 | 11 | |
| D | | | SSPC-PAINT16-82<br>NOTICE 2 | PAINT SPECIFICATION NO. 16, COAL TAR EPOXY-POLYAMIDE BLACK (OR DARK RED) PAINT - 1 NOV 82 [VALIDATION DATE: 8906] USER: CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 21-JUN-89 | ME | | YD1 | 11 | |
| D | | | SSPC-PAINT20-82<br>NOTICE 1 | PAINT SPECIFICATION NO. 20, ZINC-RICH PRIMERS (TYPE I, INORGANIC & TYPE II ORGANIC) 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 16-AUG-88 | ME | | YD1 | 11 | |
| D | | | SSPC-PAINT22-82 | EPOXY-POLYMIDE PAINTS (PRIMER, INTERMEDIATE, AND TOPCOATED) PAINT SPECIFICATION NO. 22 - 1 NOV 82 USER: MC OS REVIEWER: CS SH | A | 8010 | | YD1 | 30-AUG-89 | ME | | YD1 | | |
| D | | | SSPC-PAINT27-82 | BASIC ZINC CHROMATE-VINYL BUTYRAL WASH PRIMER PAINT SPECIFICATION NO. 27 - 1 NOV 82 USER: MC OS REVIEWER: CS SH | A | 8010 | | YD1 | 30-AUG-89 | ME | | YD1 | | |
| D | | | SSPC-PAINT101-82<br>NOTICE 1 | PAINT SPECIFICATION NO. 101, ALUMINUM ALKYD PAINT, LEAFING (TYPE I) AND NON-LEAFING (TYPE II) - 01 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 15-AUG-88 | ME | | YD1 | 11 | |
| D | | | SSPC-PS1.09-82<br>NOTICE 1 | THREE-COAT OIL BASE ZINC OXIDE PAINTING SYSTEM (WITHOUT LEAD OR CHROMATE PIGMENT) USER: CE REVIEWER: 84 MC SH | A | 8010 | | YD1 | 29-MAR-93 | ME | | YD1 | 99 | |
| D | | | SSPC-PS4.01-82 | PAINTING SYSTEM SPECIFICATION NO. 4.02, FOUR-COAT VINYL PAINTING SYSTEM (FOR FRESH WATER, CHEMICAL, & CORROSIVE ATMOSPHERES) - 1 NOV 82 USER: CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 21-JUN-83 | ME | | YD1 | 11 | |
| D | | | SSPC-PS10.01-82 | PAINTING SYSTEM SPECIFICATION NO. 10.01, HOT APPLIED COAL TAR ENAMEL PAINTING SYSTEM - 1 NOV 82 USER: CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 21-JUN-83 | ME | | YD1 | 11 | |
| D | | | SSPC-PS11.01-82 | PAINTING SYSTEM BLACK (OR DARK RED) COAL TAR EPOXY-POLYAMIDE PAINTING SYSTEM SPECIFICATION NO. 11.01 USER: MC OS REVIEWER: CS SH | A | 8010 | | YD1 | 30-AUG-89 | ME | | YD1 | | |
| D | | | SSPC-PS12.01-82 | PAINTING SYSTEM ONE-COAT ZINC-RICH PAINTING SYSTEM SPECIFICATION NO.12.01 - 1 NOV 82 USER: MC OS REVIEWER: CS SH | A | 8010 | | YD1 | 30-AUG-89 | ME | | YD1 | | |
| D | | | SSPC-PS13.01-82 | PAINTING SYSTEM SPECIFICATION NO. 13.01, EPOXY-POLYAMIDE PAINTING SYSTEM - 1 NOV 82 USER: AR CE MC OS SH REVIEWER: MD MR MS | A | 8010 | | YD1 | 17-JUL-89 | ME | | YD1 | 11 | |
| D | | | SSPC-PS14.01-82 | PAINTING SYSTEM SPECIFICATION NO. 14.01, STEEL JOIST SHOP PAINTING SYSTEM - 1 NOV 82 USER: CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 17-JUL-89 | ME | | YD1 | 11 | |
| D | | | SSPC-SP1-82 | SOLVENT CLEANING SURFACE PREPARATION SPECIFICATION NO. 1 - 1 NOV 82 USER: MC OS REVIEWER: CS SH | A | 8010 | | YD1 | 30-AUG-89 | ME | | YD1 | | |
| D | | | SSPC-SP2-89 | TOOL HAND, CLEANING SURFACE PREPARATION SPECIFICATION NO. 2 - 1 SEP 89 USER: 50 AR CE MC MR OS REVIEWER: 84 99 SH | A | 8010 | | YD1 | 01-APR-90 | ME | | YD1 | 11 | |
| D | | | SSPC-SP3-82<br>NOTICE 1 | POWER TOOL CLEANING, SURFACE PREPARATION SPECIFICATION NO. 3 - 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS SH REVIEWER: MD MR MS | A | 8010 | | YD1 | 16-AUG-88 | ME | | YD1 | 11 | |
| D | | | SSPC-SP5-85 | WHITE METAL BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 5 - 01 MAR 85 USER: AR CE MC OS REVIEWER: MR MS SH | A | 8010 | | YD1 | 03-AUG-87 | ME | | YD1 | 11 | |
| D | | | SSPC-SP6-85 | COMMERCIAL BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 6 - 01 MAR 85 USER: CE MC OS REVIEWER: MR MS | A | 8010 | | YD1 | 03-AUG-87 | ME | | YD1 | 11 | |
| D | | | SSPC-SP7-85 | BRUSH-OFF BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 7 - 01 MAR 85 USER: AR CE MC OS SH REVIEWER: MR MS | A | 8010 | | YD1 | 03-AUG-87 | ME | | YD1 | 11 | |
| D | | | SSPC-SP8-82<br>NOTICE 1 | SURFACE PREPARATION SPECIFICATION NO. 8, PICKLING - 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS SH REVIEWER: MD MR MS | A | 8010 | | YD1 | 16-AUG-88 | ME | | YD1 | 11 | |
| D | | | SSPC-SP10-85 | NEAR-WHITY BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 10 - 1 MAR 1985 USER: AR CE MC OS REVIEWER: MR MS | A | 8010 | | YD1 | 03-AUG-87 | ME | | YD1 | 11 | |
| D | | | SSPC-SP11-87 | TOOL, POWER, CLEANING TO BARE METAL SURFACE PREPARATION SPECIFICATION NO. 11-87T - 1 SEP 89 (EDITORIAL CHANGES) USER: CE MC REVIEWER: 84 99 AS OS SH | A | 5610 | | YD1 | 10-OCT-89 | ME | | YD1 | 91 | |
| D | | | SSPC-SPCOM-82<br>NOTICE 1 | SURFACE PREPARATION COMMENTARY - 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS REVIEWER: MD MR MS | A | 8010 | | YD1 | 16-AUG-88 | ME | | YD1 | 11 | |
| D | | | SSPC-VIS1-89 | VISUAL STANDARD FOR ABRASIVE BLAST CLEANED STEEL (STANDARD REFERENCE PHOTOGRAPHS) GUIDE TO SSPC-VIS 1-89 - 1 SEP 89 USER: MC OS REVIEWER: SH | A | 8010 | | YD1 | 30-AUG-89 | | | YD1 | | |
| D | | | SSPC-VIS2-82 | GUIDE TO STANDARD METHOD OF EVALUATING DEGREE OF RUSTING ON PAINTED STEEL SURFACES GUIDE TO VISULE STANDARD NO. 2 - 1 NOV 82 USER: MC OS REVIEWER: CS SH | A | 8010 | | YD1 | 30-AUG-89 | ME | | YD1 | | |
| D | | | SWI-SM-89 | WINDOW, STEEL - JUN 1989 REVIEWER: 84 CS ..... | A | 5670 | | YD1 | 07-AUG-89 | | | YD1 | | |
| D | | | TRA-YB-72 | TIRE & RIM ASSOCIATION, YEAR BOOK 1972 - 73 [VALIDATION DATE: 8306] ..... | A | 2610 | | 84 | 08-AUG-72 | AT | | YD1 | 99 | |
| D | | | UL1-85(4) | FLEXIBLE METAL CONDUIT, STANDARD FOR SAFETY, (EIGHTH EDITION) REVIEWER: 85 GS ME | A | 5975 | * | YD1 | 05-FEB-93 | ER | | YD1 | 99 | |
| | | | UL3-84 | WIRING, ELECTRIC, FLEXIBLE NONMETALLIC TUBING FOR, STANDARD FOR -EIGHT EDITION - 25 JAN 80 USER: MC REVIEWER: 99 EC GS | A | 5975 | | ME | 25-JUN-85 | ME | | | | 85 |
| D | | | UL4-86 | CABLE ARMORED STANDARD FOR SAFETY, THIRTENTH EDITION, 09 APR 86 REVIEWER: 99 IS | A | 6145 | | YD1 | 14-JUN-89 | | | YD1 | 85 | |
| D | | | UL5-85R90 | METAL, SURFACE, RACEWAYS AND FITTINGS, STANDARD FOR - 19 JUL 1985 TENTH EDITION (REVISED PAGES 3 MAY 1990 AND 20 SEP 1990) REVIEWER: 99 GS ME SH | A | 5975 | | YD1 | 28-JAN-91 | ER | | YD1 | 85 | |
| D | | | UL6-81(2) | CONDUIT, RIGID METAL, SAFETY, STANDARD FOR USER: CE MC REVIEWER: 99 GS ME . | A | 5975 | * | YD1 | 18-JUN-92 | ER | | YD1 | 85 | |
| D | | | UL9-79R87 | WINDOW ASSEMBLIES, STANDARD FOR FIRE TEST FOR, FOURTH EDITION, 14 MAY 87 REVIEWER: 84 99 IS | A | 5670 | | YD1 | 27-JUN-89 | | | YD1 | 85 | |
| D | | | UL10A-80<br>NOTICE 1 | DOOR, FIRE, TIN CLAD, STANDARD FOR - EIGHTEENTH EDITION, FIRST IMPRESSION - 15 FEB 80 [VALIDATION DATE: 8808] USER: CE MC REVIEWER: 04 84 | A | 5670 | | YD1 | 20-AUG-88 | | | YD1 | 99 | |
| D | | | UL10B-87 | DOOR ASSEMBLIES, STANDARD FOR SAFETY FIRE TESTS OF, SEVENTH EDITION, 11 AUG 87 REVIEWER: 84 99 IS | A | 5670 | | YD1 | 06-JUL-89 | | | YD1 | 85 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | UL148-84 | DOOR, SLIDING HARDWARE FOR STANDARD HORIZONTALLY MOUNTED TIN - CLAD FIRE - | A | 5670 | YD1 | 02-AUG-88 | | YD1 | 99 | |
| | | NOTICE 1 | 4 JAN 79 (SIXTH EDITION, SECOND IMPRESSION, AS REVISED TO 10 FEB 84 [VALIDATION DATE: 8808] USER: CE MC REVIEWER: 04 84 | | | | | | | | |
| D | | UL14C-79R84 | DOOR, FIRE, SWINGING HARDWARE FOR STANDARD TIN CLAD, MOUNTED SINGLY & IN PAIRS (FIFTH EDITION - 4 JAN 79 (REAPPROVED 1984) USER: CE MC REVIEWER: 04 84 | A | 5670 | YD1 | 03-JUL-89 | | YD1 | 99 | |
| D | | UL19-92 | LINED FIRE HOSE AND HOSE ASSEMBLIES, STANDARD FOR (TENTH EDITION) | A | 4210 | * YD1 | 17-FEB-93 | ME | YD1 | | |
| | | NOTICE 1 | REVIEWER: CS | | | | | | | | |
| D | | UL20-86 | SWITCHES, SNAP, GENERAL USE, STANDARD FOR - TENTH EDITION 12 JUN 86 USER: AT SH REVIEWER: 80 | A | 5930 | YD1 | 23-FEB-89 | ME | YD1 | 11 | |
| D | | UL33-87 | HEAT RESPONSIVE LINKS, FIRE,PROTECTION SERVICE, STANDARD FOR SAFETY FIFTH EDITION - 18 NOV 87 | A | 4210 | YD1 | 03-JUL-89 | ME | YD1 | 99 | |
| D | L | UL38-87 | BOXES, MANUALLY ACTUATED SIGNALING, FOR USE WITH FIRE-PROTECTIVE SIGNALING | A | 6350 | * YD1 | 09-APR-92 | | YD1 | | |
| | | NOTICE 1 | SYSTEMS, STANDARD FOR | | | | | | | | |
| D | | UL44-91 | RUBBER-INSULATED WIRES AND CABLES, STANDARD FOR USER: SH REVIEWER: 99 IS .. | A | 6145 | * YD1 | 15-NOV-91 | | YD1 | 85 | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL45-91(2) | TOOLS, PORTABLE ELECTRIC REVIEWER: 84 SH ..... | A | 5130 | * YD1 | 17-JUL-92 | GL | YD1 | 99 | |
| D | | UL50-88(2) | CABINETS AND BOXES, SAFETY, STANDARD FOR REVIEWER: 80 ER GS ..... | A | 5975 | * YD1 | 11-JUN-92 | ME | YD1 | 99 | |
| D | | UL58-86R90 | STEEL UNDERGROUND TANKS FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS, STANDARD | A | 5430 | * YD1 | 02-JAN-92 | ME | YD1 | 99 | |
| | | NOTICE 1 | FOR | | | | | | | | |
| D | | UL62-91 | FLEXIBLE CORD AND FIXTURE WIRE, STANDARD FOR REVIEWER: 99 GS IS SH ..... | A | 6145 | * YD1 | 02-APR-92 | | YD1 | 85 | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL67-88 | PANELBOARD, STANDARD FOR, (10TH ED) - 12 OCT 88 (WITH REVISION PAGES DATED THRU 14 NOV 89) REVIEWER: 80 ER GS SH | A | 6110 | YD1 | 18-JUN-90 | ME | YD1 | 99 | |
| | | UL73-72 | APPLIANCES, MOTOR OPERATED, STANDARD FOR - 20 JAN 72 [VALIDATION DATE: 8201] REVIEWER: MD | A | 73GP | GL | 11-MAY-76 | GL | | 99 | |
| D | | UL80-91 | TANKS, STEEL INSIDE, FOR OIL-BURNER FUEL, STANDARD FOR ..... | A | 5430 | * YD1 | 02-JAN-92 | ME | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL83-91 | WIRES AND CABLES, THERMOPLASTIC-INSULATED, STANDARD FOR REVIEWER: 99 IS ME | A | 6145 | * YD1 | 02-JAN-92 | CR | YD1 | 85 | |
| D | | UL87-90 | PETRO.EUM PRODUCTS, POWER-OPERATED DISPENSING DEVICES FOR - 24 SEP 1990 | A | 4930 | YD1 | 11-MAR-91 | ME | YD1 | 99 | |
| | | | REVIEWER: 82 CS | | | | | | | | |
| | | UL94-85 | TESTS FOR FLAMMABILITYOF PLASTIC MATERIALS FOR PARTS IN DEVICES AND | A | 9330 | MR | 16-JUN-88 | MR | AS | | |
| | | | APPLIANCES - 3 MAR 88 | | | | | | | | |
| D | | UL98-87 | SWITCHES, ENCLOSED AMDDEAD FRONT, STANDARD FOR - ELEVENTH EDITION - 13 | A | 5930 | YD1 | 25-JUN-90 | ER | YD1 | | |
| | | | JANUARY 1987 REVIEWER: EC ES | | | | | | | | |
| D | L | UL103-89 | CHIMNEYS, FACTORY-BUILT, RESIDENTIAL TYPE AND BUILDING HEATING APPLIANCE .. | A | 4520 | * YD1 | 16-SEP-91 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL109-78 | TUBE FITTINGS FOR FLAMMABLE AND COMBUSTIBLE FLUIDS, REFRIGERATION SERVICE, | A | 4730 | YD1 | 14-AUG-91 | ME | YD1 | 99 | |
| | | | AND MARINE USE - 5 MAY 1978 REVIEWER: 84 | | | | | | | | |
| | | UL114-70 | OFFICE APPLIANCES & BUSINESS EQUIPMENT, ELECTRIC - 9 OCT 70 [VALIDATION | A | 74GP | GL | 11-MAY-76 | GL | | 99 | |
| | | | DATE: 8201] REVIEWER: MD | | | | | | | | |
| | | UL123-86 | TORCHES, OXY-FUEL GAS - 14 OCT 1986 REVIEWER: 84 GS ..... | A | 34GP | IP | 26-SEP-88 | AL | SH | 99 | |
| | | UL130-81 | ELECTRIC HEATING PADS - 30 NOV 81 [VALIDATION DATE: 8810] ..... | A | 6530 | MB | 31-OCT-88 | MD | MS | 03 | |
| D | | UL142-87 | TANKS, STEEL ABOVEGROUND FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS - 14 SEP 87 | A | 5430 | YD1 | 11-AUG-89 | ER | YD1 | 11 | |
| | | | ED 6 AS REVISED TO 15 SEP 87 USER: AR REVIEWER: 84 GS | | | | | | | | |
| | | UL147-84 | TORCHES, LP & MPS-GAS- 12 JULY 1984 REVIEWER: 84 GS ..... | A | 34GP | IP | 26-SEP-88 | AL | SH | 99 | |
| D | | UL197-74 | STANDARD FOR COMMERCIAL ELECTRIC COOKING APPLIANCES - 8 NOV 74 [VALIDATION | A | 7310 | GL | 28-JAN-76 | GL | YD1 | 99 | |
| | | | DATE: 8201] USER: CE MC SA REVIEWER: MD | | | | | | | | |
| D | | UL198C-86(2) | FUSES, HIGH-INTERRUPTING-CAPACITY, CURRENT-LIMITING TYPES, STANDARD | A | 5920 | * YD1 | 09-MAR-92 | ER | YD1 | 85 | |
| | | | SPECIFICATION FOR USER: AR REVIEWER: 99 AT ES | | | | | | | | |
| D | | UL198E-88 | CLASS R FUSE - FOURTH EDITION USER: AR REVIEWER: 99 AT ES ..... | A | 5920 | YD1 | 20-JAN-89 | ER | YD1 | 85 | |
| D | | UL198H-88 | FUSES, CLASS T, STANDARD FOR - 13 JUL 1988, FOURTH EDITION, AS RE- VISED | A | 5920 | YD1 | 21-JUN-91 | ER | YD1 | 85 | |
| | | | TO 22 JUN 1990 | | | | | | | | |
| D | | UL207-75 | REFRIGERANT CONTAINING COMPONENTS & ACCESSORIES, NONELECTRIC - 5 MAY 75 | A | 4110 | GL | 30-APR-76 | GL | YD1 | | |
| | | | [VALIDATION DATE: 8201] | | | | | | | | |
| D | | UL209-87 | SAFETY, CELLULAR METAL FLOOR "ACEWAYS AND FITTINGS, STANDARD FOR REVIEWER: | A | 5975 | * YD1 | 18-JUN-92 | ER | YD1 | 85 | |
| | | NOTICE 1 | 99 GS | | | | | | | | |
| D | | UL236-82 | COUPLINGS FOR FIRE HOSE (SIXTH EDITION) - 30 JULY 82 USER: AR MC REVIEWER: | A | 4210 | YD1 | 21-MAY-90 | ME | YD1 | | |
| | | | CS SH | | | | | | | | |
| D | | UL246-82 | HYDRANTS FOR FIRE-PROTECTION SERVICE, STANDARD FOR REVIEWER: 84 CS ..... | A | 4210 | * YD1 | 30-MAR-92 | ME | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | |
| | | UL250-76 | HOUSEHOLD REFRIGERATORS & FREEZERS - 27 DEC 73 [VALIDATION DATE: 8201] .... | A | 4110 | GL | 23-MAR-76 | GL | | 99 | |
| | | UL252-84 | REGULATORS, COMPRESSED GAS - JUN 84 REVIEWER: 84 GS ..... | A | 34GP | IP | 12-SEP-89 | AL | AL | 99 | |
| D | | UL262-88 | GATE VALVES FOR FIRE PROTECTION SERVICE, STANDARD FOR - SIXTH EDITION - 29 | A | 4820 | YD1 | 10-AUG-89 | AR | YD1 | 99 | |
| | | | NOV 88 USER: CE ER MC REVIEWER: 11 82 CS MI | | | | | | | | |
| D | | UL296-89 | OIL BURNERS, STANDARD FOR REVIEWER: 84 ..... | A | 4530 | * YD1 | 27-JAN-92 | | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL298-91 | LAMPS, PORTABLE ELECTRIC HAND, STANDARD FOR USER: MC REVIEWER: 82 GS MI ... | A | 6230 | * YD1 | 02-JUN-92 | ME | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL299-90 | FIRE EXTINGUISHERS, DRY CHEMICAL, STANDARD FOR REVIEWER: 84 CS ..... | A | 4210 | * YD1 | 30-MAR-92 | ME | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL303-74 | REFRIGERATION & AIR CONDITIONING CONDENSING & COMPRESSOR UNITS - 12 AUG 74 | A | 4110 | GL | 23-MAR-76 | GL | YD1 | 99 | |
| | | | [VALIDATION DATE: 8201] | | | | | | | | |
| D | | UL312-88(2) | CHECK VALVES FOR FIRE-PROTECTION SERVICE, STANDARD FOR USER: CE MC | A | 4820 | * YD1 | 16-DEC-91 | ME | YD1 | 99 | |
| | | | REVIEWER: CS | | | | | | | | |
| D | | UL325-85R88 | DOOR, DRAPERY, GATE, LOUVER, AND WINDOW OPERATORS AND SYSTEMS REVIEWER: 82 | A | 5340 | * YD1 | 21-JAN-92 | | YD1 | 99 | |
| D | | UL353-89 | LIMIT CONTROLS, STANDARD FOR USER: CE REVIEWER: 84 ..... | A | 4530 | * YD1 | 27-JAN-92 | | YD1 | 99 | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL360-86 | CONDUIT, STEEL, LIQUID-TIGHT FLEXIBLE - 18 AUG 1986 (THIRD EDITION) | A | 5975 | YD1 | 10-APR-90 | ER | YD1 | 85 | |
| | | | (REVISED PAGES 20 FEB 1990) REVIEWER: 99 GS ME | | | | | | | | |
| D | | UL372-76 | STANDARD FOR PRIMARY SAFETY CONTROLS FOR GAS & OIL FIRED APPLIANCES - SEP | A | 7310 | GL | 11-MAY-76 | GL | YD1 | 99 | |
| | | | 75 [VALIDATION DATE: 8201] | | | | | | | | |
| D | L | UL412-80 | COOLERS, REFRIGERATION UNIT, STANDARD FOR ..... | A | 4110 | * YD1 | 09-APR-92 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL414-86(2) | METER SOCKETS, STANDARD FOR ..... | A | 5935 | * YD1 | 20-MAR-92 | CR | YD1 | 85 | |
| D | L | UL427-89 | REFRIGERATING UNITS, STANDARD FOR ..... | A | 4110 | * YD1 | 09-APR-92 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL429-82 | VALVES, ELECTRICALLY OPERATED, STANDARD FOR, THIRD EDITION - 29 NOV 88 | A | 4820 | YD1 | 10-AUG-89 | | YD1 | | |
| | | | USER: CE MC REVIEWER: 82 CS | | | | | | | | |
| D | | UL437-86 | LOCK, KEY, STANDARD FOR - FIFTH EDITION - 3 FEB 1986 [VALIDATION DATE: | A | 5340 | YD1 | 11-FEB-91 | | YD1 | 99 | |
| | | NOTICE 1 | 9102] USER: SH REVIEWER: 82 | | | | | | | | |
| D | L | UL441-86 | GAS VENTS ..... | A | 4520 | * YD1 | 16-SEP-91 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | L | UL465-84 | AIR CONDITIONERS, CENTRAL COOLING, STANDARD FOR USER: CE MC ..... | A | 4120 | * YD1 | 27-JAN-92 | | YD1 | | |
| | | NOTICE 1 | | | | | | | | | |
| D | | UL467-84 | GROUNDING & BONDING EQUIPMENT - SIXTH EDITION - 22 NOV 84 REVIEWER: GS .... | A | 5975 | YD1 | 31-MAR-88 | ER | YD1 | 85 | |
| D | | UL471-75 | COMMERCIAL REFRIGERATION & FREEZERS - 15 SEP 75 [VALIDATION DATE: 8201] | A | 4110 | GL | 23-MAR-76 | GL | YD1 | 99 | |
| | | | REVIEWER: CE GS MC MD SA | | | | | | | | |
| D | | UL486A-91 | WIRE CONNECTORS AND SOLDERING LUGS FOR USE WITH COPPER CONDUCTORS, | A | 5940 | * YD1 | 16-DEC-91 | ER | YD1 | 85 | |
| | | NOTICE 1 | STANDARD FOR REVIEWER: 99 GS ME | | | | | | | | |
| D | | UL486B-91(2) | CONNECTORS, WIRE, FOR USE WITH ALUMINUM CONDUCTORS, STANDARD FOR REVIEWER: | A | 5940 | * YD1 | 22-JUN-92 | ER | YD1 | | |
| | | | 85 GS ME | | | | | | | | |
| D | | UL486C-91 | CONNECTORS, SPLICING WIRE, STANDARD FOR REVIEWER: 99 GS ..... | A | 5940 | * YD1 | 28-JAN-92 | | YD1 | 85 | |
| | | NOTICE 1 | | | | | | | | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Other Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| D | | UL489-91(3) | MOLDED-CASE CIRCUIT BREAKERS AND CIRCUIT-BREAKER ENCLOSURES, STANDARD FOR USER: MC REVIEWER: 99 ES ME SH | A 5925 * YD1 22-JUN-92 | ER | YD1 | 85 | |
| D | | UL496-87 NOTICE 2 | LAMPHOLDERS, EDISON-BASE, STANDARD FOR (VALIDATION DATE: 9203) USER: AR MC REVIEWER: 85 GS | A 6250 * YD1 11-MAR-92 | ME | YD1 | 99 | |
| D | | UL498-91 NOTICE 1 | PLUGS AND RECEPTACLES, ATTACHMENT, STANDARD FOR REVIEWER: EC | A 5935 * YD1 09-MAR-92 | | YD1 | 85 | |
| | | UL499-87 | APPLIANCES, ELECTRIC HEATING - 21 DEC 87 REVIEWER: 84 GS | A 34GP IP 12-SEP-89 | AL | AL | 99 | |
| D L | | UL506-89 NOTICE 1 | TRANSFORMERS, SPECIALITY, STANDARD FOR | A 6120 * YD1 09-APR-92 | | YD1 | | |
| D L | | UL507-91 NOTICE 1 | FANS, ELECTRIC, STANDARD FOR, (SEVENTH EDITION) | A 4140 * YD1 05-FEB-93 | | YD1 | | |
| D | | UL508-89 NOTICE 1 | INDUSTRIAL CONTROL EQUIPMENT, STANDARD FOR REVIEWER: 99 ES | A 59GP * YD1 10-APR-92 | ER | YD1 | 85 | |
| D | | UL510-77R82 | INSULATING TAPE - 8 OCT 77 (REAPPROVED 1982) REVIEWER: YD1 | A 5970 ER 16-MAR-82 | ER | SH | 85 | |
| | | UL511-79 | CLEAT, KNOBS & TUBES, STANDARD FOR PORCELAIN-FIFTH EDITION - 25 MAY 79 USER: EC MC SH REVIEWER: 99 GS | A 5970 ME 25-JUN-85 | ME | | 85 | |
| D L | | UL512-87 NOTICE 1 | FUSEHOLDERS, STANDARD FOR | A 5920 * YD1 10-APR-92 | | YD1 | | |
| D | | UL5148-89(2) | CONDUIT AND OUTLET BOXES, FITTINGS FOR, SAFETY, STANDARD FOR USER: MC REVIEWER: 99 GS | A 5975 * YD1 11-JUN-92 | ER | YD1 | 85 | |
| D | | UL514A-83 | BOX, METALLIC OUTLET, STANDARD FOR - SEVENTH EDITION - 01 DEC 83 (W/CHG NOTICE 6) USER: MC REVIEWER: GS ME MI | A 5975 YD1 23-MAY-90 | ER | YD1 | 85 | |
| D | | UL514C-88 | BOX, NONMETALLIC OUTLET, FLUSH DEVICE BOXES, & COVERS - SECOND EDITION USER: MC MI REVIEWER: GS | A 5975 YD1 25-APR-89 | ER | YD1 | 85 | |
| D | | UL542-85(2) | LAMPHOLDERS, STARTERS, AND STARTER HOLDERS FOR FLUORESCENT LAMPS, STANDARD FOR USER: AR MC REVIEWER: 82 GS | A 6250 * YD1 12-MAR-92 | ME | YD1 | 99 | |
| D | | UL559-85 NOTICE 1 | HEAT PUMPS STANDARD FOR USER: CE MC REVIEWER: 84 | A 4120 * YD1 27-JAN-92 | ME | YD1 | 99 | |
| D | | UL561-86(2) | MACHINES, FLOOR-FINISHING REVIEWER: 84 | A 7910 * YD1 22-MAY-92 | | YD1 | 99 | |
| D L | | UL580-88 NOTICE 1 | TESTS FOR UPLIFT RESISTANCE OF ROOF ASSEMBLIES | A 5650 * YD1 13-SEP-91 | | YD1 | | |
| D L | | UL586-90 NOTICE 1 | HIGH-EFFICIENCY, PARTICULATE, AIR FILTER UNITS, STANDARD FOR | A 4460 * YD1 30-SEP-91 | | YD1 | | |
| D | | UL621-86 NOTICE 1 | ICE CREAM MAKERS, STANDARD FOR REVIEWER: 50 84 | A 7310 * YD1 25-FEB-92 | GL | YD1 | 99 | |
| D | | UL634-90 | CONNECTOR AND SWITCHES FOR USE WITH BURGULAR-ALARM SYSTEMS - 16 JUL 1991 SIXTH EDITION | A 6350 YD1 16-JUL-91 | | YD1 | | |
| D L | | UL636-87 NOTICE 1 | ALARM UNITS AND SYSTEMS, HOLDUP, STANDARD FOR | A 6350 * YD1 09-APR-92 | | YD1 | | |
| D | | UL651-81 | CONDUIT, SCHEDULE 40 & 80 RIGID PVC, FOURTH EDITION REVIEWER: 99 GS | A 5975 YD1 29-OCT-88 | ER | YD1 | 85 | |
| D | | UL651A-81 | CONDUIT & HOPE CONDUIT, TYPE EB & A RIGID PVC, STANDARD FOR - FIRST EDITION - 11 MAY 81 REVIEWER: 99 GS | A 5975 YD1 30-SEP-88 | ER | YD1 | 85 | |
| D | | UL664-74 NOTICE 1 | STANDARD FOR SAFETY COMMERCIAL DRY CLEANING MACHINES (CLASS IV) - 1 MAR 74 (VALIDATION DATE: 8906) USER: SH YD1 REVIEWER: MD | A 3510 GL 10-FEB-76 | GL | | 99 | |
| D | | UL674-89 | MOTOR & GENERATOR, ELECTRIC, FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS - 23 JUN 89 (ED 2) USER: AR REVIEWER: AS GS ME | A 6105 YD1 05-SEP-89 | ER | YD1 | 11 | |
| D L | | UL681-91 NOTICE 1 | INSTALLATION AND CLASSIFICATION OF MERCANTILE AND BANK BURGLAR-ALARM SYSTEMS, STANDARD FOR | A 6350 * YD1 02-JAN-92 | | YD1 | | |
| D | | UL687-87 | SAFES, BURGLARY RESISTANT - 4 SEPT. 1987 (TENTH EDITION) REVIEWER: SH | A 7110 YD1 10-AUG-89 | ME | YD1 | 99 | |
| D L | | UL705-84 NOTICE 1 | VENTILATORS, POWER, STANDARD FOR (FOURTH EDITION) | A 4140 * YD1 05-FEB-93 | | YD1 | | |
| D L | | UL710-90 NOTICE 1 | EXHAUST HOODS FOR COMMERCIAL COOKING EQUIPMENT, STANDARD FOR | A 4140 * YD1 09-OCT-92 | | YD1 | | |
| D | | UL711-90 NOTICE 1 | FIRE EXTINGUISHERS, RATING AND FIRE TESTING OF, STANDARD FOR REVIEWER: CS | A 4210 * YD1 30-MAR-92 | ME | YD1 | | |
| D | | UL719-85 | CABLE, NONMETALLIC SHEATHED, STANDARD FOR - NINTH EDITION - 19 AUG 85 USER: SH REVIEWER: IS | A 6145 YD1 21-JUL-89 | CR | YD1 | | |
| D | | UL726-90 NOTICE 1 | OIL-FIRED BOILER ASSEMBLIES, STANDARD FOR USER: CE MC REVIEWER: 84 | A 4410 * YD1 02-APR-92 | | YD1 | 99 | |
| | | UL746A-87 | POLYMERIC MATERIALS - SHORT TERM PROPERTY EVALUATIONS 29- SEPT 19 87 (SECOND EDITION) | A 9330 MR 03-NOV-88 | MR | AS | 11 | |
| | | UL746B-86 | POLYMERIC MATERIALS - LONG TERM PROPERY EVALUATIONS - 19 SEPT 1987 (SECOND EDITION) | A 9330 MR 03-NOV-88 | MR | AS | 11 | |
| | | UL746C-87 | POLYMERIC MATERIALS - USE IN ELECTRICAL EQUIPMENT EVALUATIONS - 28 SEPT 1987 (SECOND EDITION | A 9330 MR 03-NOV-88 | MR | AS | 11 | |
| | | UL746D-87 | POLYMERIC MATERIALS - FABRICATED PARTS - 12 MAY 1983 (FOURTH EDITION | A 9330 MR 03-NOV-88 | MR | AS | 11 | |
| | | UL746E-87 | POLYMERIC MATERIALS - INDUSTRIAL LAMINATES, FILAMENT WOUND TUBING, VULCANIZED FIBER, & MATERIALS USED IN PRINTED WIRING BOARDS - 18 NOV 1985 (FIRST ED.) | A 9330 MR 03-NOV-88 | MR | AS | 11 | |
| D | | UL768-84 NOTICE 2 | LOCK, COMBINATION, STANDARD FOR - 14 JUN 84 (FIFTH EDITION) (VALIDATION DATE: 8907) REVIEWER: 82 | A 5340 YD1 03-JUL-89 | | YD1 | 99 | |
| D | | UL773-87 NOTICE 2 | PHOTOCONTROLS, PLUG-IN, LOCKING TYPE, STANDARD FOR (VALIDATION DATE: 9203) REVIEWER: GS | A 6210 * YD1 10-MAR-92 | ER | YD1 | 85 | |
| D | | UL773A-89 | PHOTOELECTRIC SWITCHES FOR LIGHTING, STANDARD FOR NONINDUSTRIAL -THIRD EDITION USER: 99 ES | A 6210 YD1 13-JUN-89 | ER | YD1 | 85 | |
| D | | UL778-91 NOTICE 1 | PUMPS, WATER, MOTOR-OPERATED, STANDARD FOR REVIEWER: 84 CS SH | A 4320 * YD1 20-JAN-92 | ME | YD1 | 99 | |
| | | UL783-79 | ELECTRONIC FLASHLIGHTS FOR USE IN HAZARDOUS LOCATIONS, CLASS I, GROUPS C & D - 16 APR 79 USER: CG ER REVIEWER: GS | A 6230 82 13-DEC-83 | | | 99 | |
| D | | UL786-83 | SAFE, KEY LOCKED (CLASS KL) STANDARD FOR - FOURTH EDITION - 17 JUN 83 | A 7110 YD1 23-JUL-85 | | YD1 | 99 | |
| D | | UL789-87 NOTICE 1 | INDICATOR POSTS, FOR FIRE PROTECTION SERVICE, STANDARD FOR REVIEWER: CS | A 4210 * YD1 30-MAR-92 | ME | YD1 | | |
| D | | UL790-83 NOTICE 1 | FIRE RESISTANCE OF ROOF COVERING MATERIALS, STANDARD FOR TESTS FOR - 5 OCT 83 (FIFTH EDITION, FIRST IMPRESSION) (VALIDATION DATE: 8903) USER: CE REVIEWER: MC | A 5650 YD1 21-MAR-89 | ME | YD1 | | |
| D | | UL795-73 NOTICE 1 | GAS HEATING EQUIPMENT, COMMERCIAL-INDUSTRIAL, STANDARD FOR REVIEWER: 84 | A 4520 * YD1 27-JAN-92 | | YD1 | 99 | |
| | | UL797-77 NOTICE 1 | TUBING, ELECTRICAL METALLIC - 19 AUG 77 (VALIDATION DATE: 8803) | A 5975 85 25-MAR-88 | | | | |
| D | | UL842-80 | VALVE, SAFETY FOR FLAMMABLE FLUIDS, STANDARD FOR, SIXTH EDITION - 14 SEP 87 USER: CE MC REVIEWER: 82 CS | A 4820 YD1 08-AUG-89 | | YD1 | | |
| D | | UL844-84 | LIGHTING FIXTURE, ELECTRIC, FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS, STANDARD FOR - NINTH EDITION - 29 NOV 84 REVIEWER: 82 DH GS MD MS | A 6210 YD1 16-JUN-89 | ME | YD1 | 99 | |
| D L | | UL845-91 NOTICE 1 | MOTOR CONTROL CENTERS, STANDARD FOR SAFETY | A 5975 YD1 20-APR-93 | | YD1 | | |
| D | | UL854-87 | CABLES, SERVICE-ENTRANCE STANDARD FOR - 9 FEB 87 SEVENTH EDITION (REVISION PAGES DATED 2 FEB 90) REVIEWER: GS | A 6150 YD1 27-MAR-90 | | YD1 | 85 | |
| D L | | UL857-90 NOTICE 1 | BUSWAYS AND ASSOCIATED FITTINGS, (TENTH EDITION) | A 5975 YD1 20-APR-93 | | YD1 | | |
| D | | UL858-74 | STANDARD FOR HOUSEHOLD ELECTRIC RANGES - 7 AUG 74 (VALIDATION DATE: 8303) REVIEWER: MD | A 7310 GL 09-NOV-76 | GL | YD1 | 99 | |
| D L | | UL864-91 NOTICE 1 | CONTROL UNITS FOR FIRE-PROTECTIVE, SIGNALING SYSTEMS, STANDARD FOR | A 6530 * YD1 01-APR-92 | | YD1 | | |
| D L | | UL867-89(2) | AIR CLEANERS, ELECTROSTATIC, SAFETY, STANDARD FOR | A 4460 * YD1 11-JUN-92 | | YD1 | | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Qual. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| D | | | UL869-89 | EQUIPMENT SERVICE STANDARD FOR - SEVENTH EDITION - 15 JUN 89 (REVISION PAGES DATED 14 MAR 90) USER: 80 GS SH | A | 6110 | | YD1 | 12-APR-90 | | YD1 | 85 | |
| D | | | UL869A-87(2) | SERVICE EQUIPMENT, REFERENCE STANDARD FOR USER: SH REVIEWER: 80 GS ..... | A | 6110 | * | YD1 | 12-MAR-92 | | YD1 | 99 | |
| D | | | UL870-85 | WIREWAY, AUXILIARY GUTTERS, AND ASSOCIATED FITTINGS - FIFTH EDITION -17JUN 85 REVIEWER: 99 GS | A | 5975 | | YD1 | 11-JUL-89 | ER | YD1 | 85 | |
| D | | | UL873-88 NOTICE 1 | TEMPERATURE-INDICATING AND -REGULATING EQUIPMENT, STANDARD FOR USER: CE MC REVIEWER: 84 GS | A | 4130 | * | YD1 | 27-JAN-92 | | YD1 | 99 | |
| D | | | UL884-87 | UNDERFLOOR RACEWAYS & FITTINGS - EIGHTH EDITION 24 DEC 1987 (REVISED PAGES DTD 23 MAY 1990) (CHANGE NOTICE 3) REVIEWER: 99 GS ME | A | 5975 | | YD1 | 25-JUN-90 | ER | YD1 | 85 | |
| D | L | | UL886-91 | OUTLET BOXES AND FITTINGS FOR USE IN HAZARDOUS (CLASSIFIED) LOCATION - 19 JUN 1991 | A | 5975 | | YD1 | 20-SEP-91 | | YD1 | | |
| D | | | UL891-84(5) | SWITCHBOARDS, DEAD-FRONT, STANDARD FOR USER: SH REVIEWER: 80 GS ..... | A | 6110 | * | YD1 | 23-DEC-91 | ME | YD1 | 99 | |
| D | | | UL894-86 | SWITCHES FOR USE IN HAZARDOUS LOCATIONS, CLASS I, GROUPS A B C & D & CLASS II, GROUPS E F & G - SIXTH EDITION USER: AT SH | A | 5930 | | YD1 | 18-FEB-89 | ME | YD1 | 11 | |
| D | | | UL921-73 | COMMERCIAL ELECTRIC DISHWASHERS - 19 APR 73 (VALIDATION DATE: 8201) USER: CE MC REVIEWER: MD SA | A | 7320 | | GL | 07-MAY-76 | GL | YD1 | 99 | |
| D | | | UL923-90 NOTICE 1 | APPLIANCES, MICROWAVE COOKING, SAFETY, STANDARD FOR REVIEWER: 84 ..... | A | 7310 | * | YD1 | 18-JUN-92 | GL | YD1 | 99 | |
| D | | | UL924-90 NOTICE 1 | EMERGENCY LIGHTING AND POWER EQUIPMENT, STANDARD FOR REVIEWER: GS SH ..... | A | 6210 | * | YD1 | 31-JAN-92 | ME | YD1 | 99 | |
| D | | | UL935-84(5) | BALLASTS, FLUORESCENT-LAMP, STANDARD FOR USER: MC MS REVIEWER: 80 GS MD ... | A | 6250 | * | YD1 | 01-APR-92 | ME | YD1 | 99 | |
| D | | | UL943-85 NOTICE 2 | INTERRUPTER, GROUND-FAULT CIRCUIT - STANDARD FOR SAFETY - 11 SEP 85 - SECOND EDITION, (REVISED PAGES 23 MAY MAY 1990) USER: OS REVIEWER: ES | A | 6110 | | YD1 | 24-JUL-91 | ER | YD1 | 85 | |
| D | L | | UL977-84 NOTICE 1 | FUSED POWER-CIRCUIT DEVICES, STANDARD FOR ..... | A | 5920 | * | YD1 | 01-APR-92 | | YD1 | | |
| D | L | | UL984-91 NOTICE 1 | MOTOR-COMPRESSORS, HERMETIC REFRIGERANT, STANDARD FOR ..... | A | 4310 | * | YD1 | 13-JAN-92 | | YD1 | | |
| | | | UL987-72 | STANDARD FOR STATIONARY & FIXED ELECTRIC TOOLS - 1 AUG 72 (VALIDATION DATE: 8201) | A | 5130 | | GL | 20-MAY-76 | GL | SH | 99 | |
| D | | | UL997-81R85 NOTICE 2 | ROOF COVERING MATERIALS, WIND RESISTANCE OF PREPARED, STANDARD FOR (VALIDATION DATE: 9203) USER: CE REVIEWER: MC | A | 5650 | * | YD1 | 09-MAR-92 | ME | YD1 | | |
| D | | | UL1008-89 | SWITCHES, SAFETY AUTOMATIC TRANSFER STANDARD FOR -FOURTH EDITION - 15 MAR 89 REVIEWER: 80 GS | A | 6110 | | YD1 | 19-JUN-89 | ME | YD1 | 99 | |
| D | L | | UL1025-80 NOTICE 1 | HEATER, ELECTRIC, AIR, STANDARD FOR (VALIDATION DATE: 9203) REVIEWER: CS ME | A | 4520 | * | YD1 | 10-MAR-92 | | YD1 | | |
| D | | | UL1029-86(3) | LAMP, BALLASTS, HIGH-INTENSITY-DISCHARGE, STANDARD FOR REVIEWER: 82 GS SH . | A | 6250 | * | YD1 | 10-APR-92 | ME | YD1 | 99 | |
| D | L | | UL1030-91 NOTICE 1 | SHEATHED HEATING ELEMENTS, STANDARD FOR ..... | A | 4540 | * | YD1 | 02-JAN-92 | | YD1 | | |
| D | L | | UL1034-87 NOTICE 1 | LOCKING MECHANISMS, ELECTRIC, BURGLARY RESISTANT, STANDARD FOR ..... | A | 6350 | * | YD1 | 01-JUL-92 | | YD1 | | |
| D | | | UL1042-87 NOTICE 1 | ELECTRIC BASEBOARD HEATING EQUIPMENT, STANDARD FOR REVIEWER: 84 CS ..... | A | 4520 | * | YD1 | 10-MAR-92 | | YD1 | 99 | |
| D | L | | UL1053-88 NOTICE 1 | GROUND-FAULT SENSING AND RELAYING EQUIPMENT, STANDARD FOR ..... | A | 5925 | * | YD1 | 10-APR-92 | | YD1 | | |
| D | L | | UL1076-88 NOTICE 1 | ALARM UNITS AND SYSTEMS, BURGLAR, PROPRIETARY, STANDARD FOR ..... | A | 6350 | * | YD1 | 09-APR-92 | | YD1 | | |
| D | | | UL1082-72 | HOUSEHOLD ELECTRIC COFFEE MAKERS & BREWING TYPE APPLIANCES - 15 DEC 72 (VALIDATION DATE: 8201) REVIEWER: GS | A | 7320 | | GL | 05-FEB-76 | GL | YD1 | 99 | |
| D | | | UL1093-90 NOTICE 1 | HYDRANTS FOR FIRE-PROTECTION SERVICE, STANDARD FOR REVIEWER: 84 CS ..... | A | 4210 | * | YD1 | 30-MAR-92 | ME | YD1 | 99 | |
| D | | | UL1096-86 NOTICE 1 | ELECTRICAL CENTRAL AIR HEATING EQUIPMENT, STANDARD FOR USER: CE MC REVIEWER: 84 | A | 4520 | * | YD1 | 27-JAN-92 | ME | YD1 | 99 | |
| D | | | UL1206-79 | WASHING EQUIPMENT, ELECTRIC, COMMERCIAL STANDARD FOR - SECOND EDITION - 30 AUG 79 (REV DEC 88) | A | 3510 | | YD1 | 14-JUN-89 | | YD1 | | |
| D | | | UL1236-92 NOTICE 1 | BATTERIES, BATTERY CHARGERS FOR CHARGING ENGINE-STARTER, STANDARD FOR USER: CE REVIEWER: AT SH | A | 6130 | * | YD1 | 18-SEP-92 | ER | YD1 | 99 | |
| D | | | UL1242-83(4) | CONDUIT, METAL, INTERMEDIATE, SAFETY, STANDARD FOR, (FIRST EDITION) REVIEWER: 99 GS | A | 5975 | | YD1 | 05-FEB-93 | ME | YD1 | 85 | |
| D | | | UL1256-85 | FIRE TEST OF ROOF DECK CONSTRUCTIONS, STANDARD FOR, FIRST EDITION - 23 JAN 85 USER: CE MC REVIEWER: 84 | A | 56GP | | YD1 | 10-AUG-89 | | YD1 | | |
| D | | | UL1283-84(2) | FILTERS, ELECTROMAGNETIC INTERFERENCE, STANDARD FOR ..... | A | 5915 | * | YD1 | 22-JUN-92 | ER | YD1 | 85 | |
| D | | | UL1316-83R87 NOTICE 1 | GLASS-FIBER-REINFORCED PLASTIC UNDERGROUND STORAGE TANKS FOR PETROLEUM PRODUCTS, STANDARD FOR | A | 5430 | * | YD1 | 02-JAN-92 | ME | YD1 | 99 | |
| | | | UL1559-87 | EQUIPMENT, INSECT CONTROL, ELECTROCUTION TYPE (ED. 2) - 3 APR 1987 USER: SO REVIEWER: 84 | A | 3740 | | CS | 25-FEB-89 | MD | | 99 | |
| D | L | | UL1569-83 NOTICE 1 | CABLES, METAL-CLAD, STANDARD FOR ..... | A | 6145 | * | YD1 | 01-APR-92 | | YD1 | | |
| D | | | UL1570-88(3) | LIGHTING FIXTURES, FLUORESCENT, STANDARD FOR REVIEWER: 84 GS SH ..... | A | 6210 | * | YD1 | 31-JAN-92 | ME | YD1 | 99 | |
| D | | | UL1571-91(2) | LIGHTING FIXTURES, INCANDESCENT, STANDARD FOR REVIEWER: 84 GS SH ..... | A | 6210 | * | YD1 | 01-APR-92 | ME | YD1 | 99 | |
| D | | | UL1572-91 NOTICE 1 | LIGHTING FIXTURES, HIGH INTENSITY DISCHARGE, STANDARD FOR REVIEWER: 82 GS SH | A | 6210 | * | YD1 | 10-FEB-92 | ME | YD1 | 99 | |
| D | | | UL1995-90 NOTICE 1 | HEATING AND COOLING EQUIPMENT, STANDARD FOR USER: CE MC REVIEWER: 84 ..... | A | 4520 | * | YD1 | 09-MAR-92 | ME | YD1 | 99 | |
| D | | | WWPA-WLGR-91 NOTICE 1 | WWPA WESTERN LUMBER GRADING RULES - 91, WITH SUPPLEMENT 1 USER: SH REVIEWER: 84 CE | A | 5510 | * | CS | 10-FEB-93 | ME | YD1 | 99 | CS |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-V-2/31A | VALVE, CYLINDER, GAS, NITROGEN, OIL-FREE, 3/4 INCH INLET CONNECTION, TYPE 05-581-1, 2,200 PSI SERVICE PRESSURE (MIL-V-2/11B) USER: YD1 REVIEWER: 8S | A | 8120 | ME | 12-MAR-62 | ME | SH | 68 | |
| | MIL-V-2/36A | VALVE, CYLINDER, GAS, NITROGEN, OIL-PUMPED, 3/4 INCH INLET CONNECTION, TYPE 05-591-4, 2,200 PSI SERVICE PRESSURE (USE MIL-V-2/26B) USER: YD1 | A | 8120 | ME | 12-MAR-62 | ME | SH | 68 | |
| Q | MIL-M-68 | METERS, ELECTRICAL INDICATING, PANEL TYPE (2-1/2) INCH AND (3-1/2) INCH GENERAL SPECIFICATION FOR (USE MIL-M-10304) USER: GL MC REVIEWER: AR YD1 | A | 6625 | EL | 09-JAN-60 | EL | SH | 11 | |
| | MIL-B-18/9C<br>NOTICE 1 | BATTERY, DRY, BA-30 (NO S/S DOCUMENT) USER: AV MC ME YD1 REVIEWER: AR EA MI | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/19C | BATTERIES, NON RECHARGEABLE, DRY, BA-41 USER: MC ME YD1 REVIEWER: MI ..... | A | 6135 | ER | 28-OCT-83 | ER | SH | 99 | |
| | MIL-B-18/20C<br>NOTICE 1 | BATTERY, DRY, BA-42 (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: AR MI ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/28C<br>NOTICE 1 | BATTERY, DRY, BA-58 (NO S/S DOCUMENT) USER: MC ME YD1 ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/33D<br>NOTICE 1 | BATTERY, DRY, BA-70 (NO S/S DOCUMENT) USER: AR MC YD1 REVIEWER: MI ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/35C<br>NOTICE 1 | BATTERY, DRY, BA-202/UF (NO S/S DOCUMENT) USER: AR MC YD1 REVIEWER: MI .... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/39C | BATTERY, DRY, BA-206/U (NO S/S DOCUMENT) USER: AR MC YD1 REVIEWER: MI ..... | A | 6135 | ER | 28-OCT-83 | ER | SH | 99 | |
| | MIL-B-18/44C | BATTERIES, NON RECHARGEABLE, DRY, BA-211/U USER: AR MC YD1 REVIEWER: MI ... | A | 6135 | ER | 28-OCT-83 | ER | SH | 99 | |
| | MIL-B-18/47B | BATTERY, DRY, BA&218/U USER: AV ES ME YD1 REVIEWER: AS MC SA ..... | A | 6135 | EL | 06-MAY-65 | EL | SH | 99 | |
| | MIL-B-18/49D<br>NOTICE 1 | BATTERY, DRY, BA-221/U (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: AR MI ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/52D<br>NOTICE 1 | BATTERY, DRY, BA-225/U (NO S/S DOCUMENT) USER: MC YD1 ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/54B | BATTERY, DRY, BA&227/U USER: AV ES ME YD1 REVIEWER: AS MC SA ..... | A | 6135 | EL | 06-MAY-65 | EL | SH | 99 | |
| | MIL-B-18/68B | BATTERY, DRY, BA&244/U USER: AV ES ME YD1 REVIEWER: MC SA ..... | A | 6135 | EL | 06-MAY-65 | EL | SH | 99 | |
| | MIL-B-18/85D<br>NOTICE 1 | BATTERY, DRY, BA-407/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/86D<br>NOTICE 1 | BATTERY, DRY, BA-408/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/95D<br>NOTICE 1 | BATTERY, DRY, BA-417/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/100D<br>NOTICE 1 | BATTERY, DRY, BA-422/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/101C | BATTERY, DRY, BA-423/U (NO S/S DOCUMENT) USER: AV ES ME YD1 REVIEWER: AS MC MI SA | A | 6135 | ER | 28-OCT-83 | ER | SH | 99 | |
| | MIL-B-18/104D<br>NOTICE 1 | BATTERY, DRY, BA-1015A/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI ... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/113A | BATTERY, DRY, BA&1040/U REVIEWER: AR MC SA YD1 ..... | A | 6135 | EL | 04-NOV-60 | EL | SH | 85 | |
| | MIL-B-18/115D<br>NOTICE 1 | BATTERY, DRY, BA-1051/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI .... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/116A | BATTERY, DRY, SA&1053/U REVIEWER: AR MC SA YD1 ..... | A | 6135 | EL | 04-NOV-60 | EL | SH | 85 | |
| | MIL-B-18/120B | BATTERY, DRY, BA&1208/U USER: AV ES ME YD1 REVIEWER: AS MC SA ..... | A | 6135 | EL | 06-MAY-65 | EL | SH | 99 | |
| | MIL-B-18/197A | BATTERY, DRY, BA&43 USER: AV ES ME YD1 REVIEWER: AS MC SA ..... | A | 6135 | EL | 06-MAY-65 | EL | SH | 99 | |
| | MIL-B-18/201A | BATTERY, DRY, BA&304/U USER: AV ES ME YD1 REVIEWER: AS MC SA ..... | A | 6135 | EL | 06-MAY-65 | EL | SH | 99 | |
| | MIL-B-18/203A | BATTERY, DRY, BA&308/U USER: AV ES ME YD1 REVIEWER: AS MC SA ..... | A | 6135 | EL | 06-MAY-65 | EL | SH | 99 | |
| | MIL-B-18/205A | BATTERY, DRY, BA&317/U USER: AV ES ME YD1 REVIEWER: AS MC SA ..... | A | 6135 | EL | 06-MAY-65 | EL | SH | 99 | |
| | MIL-B-18/209C<br>NOTICE 1 | BATTERY, DRY, BA-334/U (NO S/S DOCUMENT) USER: MC ME YD1 ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| | MIL-B-18/210B | BATTERIES, NON RECHARGEABLE, DRY, BA-335 USER: MC ME YD1 ..... | A | 6135 | ER | 28-OCT-83 | ER | SH | 99 | |
| | MIL-B-18/212A | BATTERY, DRY, BA&462/U USER: AV ES ME YD1 REVIEWER: AS MC SA ..... | A | 6135 | EL | 06-MAY-65 | EL | SH | 99 | |
| | MIL-B-18/214A | BATTERY, DRY, BA&464/U USER: AV ES ME YD1 REVIEWER: AS MC SA ..... | A | 6135 | EL | 06-MAY-65 | EL | SH | 99 | |
| | MIL-B-18/216B | BATTERIES, NON RECHARGEABLE, DRY, BA 1003/U USER: MC ME YD1 ..... | A | 6135 | ER | 28-OCT-83 | ER | SH | 99 | |
| | MIL-B-18/221B | BATTERIES, NON RECHARGEABLE, DRY, BA-1313/U USER: MC ME YD1 ..... | A | 6135 | ER | 28-OCT-83 | ER | SH | 99 | |
| L | MIL-B-18/244C<br>NOTICE 1 | BATTERY, DRY, BA-386/PRC-25 (NO S/S DOCUMENT) USER: ES ME ..... | A | 6135 | ER | 28-AUG-92 | ER | | | |
| | MIL-B-18/247B<br>NOTICE 1 | BATTERY, DRY, BA-1210/U (NO S/S DOCUMENT) USER: MC ME YD1 ..... | A | 6135 | ER | 28-AUG-92 | ER | SH | 99 | |
| L | MIL-B-18/252A<br>NOTICE 1 | BATTERY, DRY, BA-801/PRC (NO S/S DOCUMENT) USER: ME ..... | A | 6135 | ER | 28-AUG-92 | ER | | | |
| L | MIL-B-18/263A<br>NOTICE 1 | BATTERY, DRY, BA-805/U (NO S/S DOCUMENT) USER: ME ..... | A | 6135 | ER | 28-AUG-92 | ER | | | |
| L | MIL-B-18/264<br>NOTICE 1 | BATTERY, DRY, BA-1010/U (NO S/S DOCUMENT) USER: AV ME ..... | A | 6135 | ER | 28-AUG-92 | ER | | | |
| | MIL-B-18/274A<br>NOTICE 1 | BATTERY, DRY, BA-1098/U (NO S/S DOCUMENT) USER: SH ..... | A | 6135 | ER | 28-AUG-92 | ER | | 99 | |
| | JAN-E-30A | EXTINGUISHERS, FIRE, WATER, DEMOUNTABLE, NESTABLE, PUMPTYPE, 4-GALLON ()CANCELED, USE O-E-940, TYPE III() USER: MC | A | 4210 | | 28-DEC-59 | | YD1 | | |
| | MIL-F-32G(1)<br>NOTICE 1 | FILM, PHOTOGRAPHIC, AERIAL, BLACK AND WHITE (NO S/S DOCUMENT) USER: AV MC REVIEWER: 11 | A | 6750 | 70 | 24-FEB-93 | ER | AS | 70 | |
| | MIL-M-59C(1) | MATS, LANDING, PIERCED PLANK TYPE (USE MIL-M-52738) REVIEWER: 8S ..... | A | 5680 | ME | 16-MAR-61 | ME | YD1 | 84 | |
| L | MIL-P-66A | PLYWOOD; FLAT-PANEL (NO S/S DOCUMENT) REVIEWER: AR AS MC ME OS QM SH YD1 .. | A | 5530 | CE | 27-DEC-49 | CE | | | |
| | MIL-P-77C | PLASTIC SHEET AND PLASTIC ROD, THERMOSETTING, CAST (USE L-P-516) USER: AS YD1 REVIEWER: AR EL MI | A | 9330 | SH | 04-APR-58 | MR | SH | 11 | |
| | MIL-P-79C(2)<br>NOTICE 1 | PLASTIC RODS AND TUBES, THERMOSETTING; LAMINATED (S/S BY MIL-I-24768/8, MIL-I-24768/10, MIL-I-24768/11, MIL-I-24768/12, MIL-I-24768/13, MIL-I-24768/14 & MIL-I-24768/16) USER: AR ME OS YD1 REVIEWER: 69 MR | A | 9330 | SH | 25-FEB-92 | ER | SH | 11 | |
| | JAN-P-100(1) | PACKAGING AND PACKING FOR OVERSEAS SHIPMENT, GENERAL SPECIFICATION (USE MIL STD 1186 FOR REFERENCE USER: MS REVIEWER: 43 AR GL MC MI SH | A | 81GP | SA | 15-MAR-54 | MO | SA | 69 | |
| | JAN-P-108(5) | PACKAGING AND PACKING FOR OVERSEAS SHIPMENT---BOXES, FIBERBOARD (V-BOARD AND W-BOARD), EXTERIOR AND INTERIOR (USE PPP-B-636) USER: 26 MS REVIEWER: MC YD1 | A | 8115 | | 07-MAR-56 | GL | SA | | |
| | MIL-C-132B | CRATE, WOOD, OPEN, MAXIMUM CAPACITY 2,500 POUNDS (S/S BY PPP-C-650) USER: 26 AR REVIEWER: EL GL MC SH WC YD1 | A | 8115 | MD | 10-DEC-57 | | SA | 69 | |
| | MIL-A-148E | ALUMINUM FOIL (USE QQ-A-1876) USER: MC MD SA YD1 REVIEWER: 71 AR AT DS GS IS MI SL | A | 9535 | MR | 07-JUL-67 | MR | AS | 84 | |
| | JAN-D-164 | DISTILLATION-UNITS, SKID-MOUNTED, THERMO-COMPRESSION-TYPE, 3,000 GALLONS PER DAY (S/S BY MIL---15691B) | A | 4620 | MO | 23-DEC-44 | MO | YD1 | | |
| | JAN-D-165 | DISTILLATION-UNITS, SKID-OR TRAILER-MOUNTED, THERMOCOMPRESSION-TYPE, 1,200 GALLONS PER DAY (S/S BY MIL-D-15691B) | A | 4620 | MO | 23-DEC-44 | MO | YD1 | | |
| | MIL-D-1958 | DRUMS; STEEL, CALCIUM CARBIDE (100-POUND CAPACITY) (NO S/S DOCUMENT) USER: GL OS YD1 REVIEWER: GS | A | 8110 | ME | 16-NOV-89 | ME | SA | 69 | |
| | MIL-S-207B(1) | SULFURIC ACID, ELECTROLYTE, PACKAGING, PACKING AND MARKING FOR SHIPMENT AND STORAGE OF (S/S BY O-S-801C) USER: MC ME SA REVIEWER: GS SH YD1 | A | 6810 | EA | 03-NOV-65 | EA | SH | 68 | |
| | MIL-B-208D | BATTERY, STORAGE, LEAD ACID, AUTOMOTIVE AND NAVY PORTABLE (EXCEPT AIRCRAFT), PACKAGING AND PACKING OF (S/S BY PPP-B-140) USER: EC MC ME REVIEWER: CR EL SA SH SH | A | PACK | YD1 | 15-JUN-88 | AT | YD1 | 82 | |
| | MIL-E-212E | EXTINGUISHER, FIRE, WATER, BACK PACK, 5 GALLON USER: CG MC REVIEWER: CL CS GL MD | A | 4210 | ME | 04-DEC-85 | ME | YD1 | 99 | |
| | MIL-G-252C | GOGGLES, VARIABLE-DENSITY (FOR LOOKOUTS) USER: 67 CG SH YD1 REVIEWER: CT MD MS | A | 8465 | GL | 10-JUN-66 | GL | SA | 11 | |
| | MIL-F-2548(1) | FILTER/SEPARATORS, LIQUID FUEL, STEEL OR ALUMINUM (S/S BY MIL-F-52667, MIL-F-52556, MIL-F-52666, AND MIL-F-52694) USER: MI REVIEWER: CS GL | A | 4330 | ME | 15-DEC-70 | ME | YD1 | 11 | |

| Action OR / Obsl. Coordination Indicator | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| Q | JAN-C-266 | CHARGES, FIRE-EXTINGUISHER (FOAM, MECHANICAL), TYPE 5 (USE O-F-555) REVIEWER: YD1 | A 4210 SH | 21-OCT-48 | | SH | 11 | |
| | MIL-P-274A | PAINT, LIQUID-VESICANT-DETECTOR MS /NO S/S DOCUMENT) | A 6665 EA | 11-APR-89 | EA | YD1 | 99 | |
| | JAN-H-277(1) | HOLDER, FOR TOILET ACCESSORIES (SHIPBOARD) | A 4510 SH | 16-APR-51 | | YD1 | | |
| | MIL-I-2858 | IMPREGNITE, UNSTABILIZED (CC2) AND STABILIZED (XXCC3) (NO S/S DOCUMENT) USER: 45 YD1 REVIEWER: CT GS | A 6850 EA | 14-APR-89 | EA | SA | | |
| | JAN-D-310 | DETECTOR KIT, CHEMICAL AGENT, MBA1 USER: 26 | A 6665 AR | 31-DEC-48 | EA | YD1 | 82 | |
| L | MIL-S-330A NOTICE 1 | STICK, CRUISER, TIMBER (NO S/S DOCUMENT) REVIEWER: YD1 | A 5120 CE | 18-MAY-60 | CE | | | |
| | MIL-B-3348 | BOILER-FEEDWATER-TREATMENT, MATERIALS AND EQUIPMENT (FOR THEATER OF OPERATIONS, SATIONARY USE) | A 6630 ME | 04-SEP-53 | ME | YD1 | | |
| Q | JAN-F-360 | FUSE, BLASTING, TIME USER: MC REVIEWER: YD1 | A 1375 AR | 28-JUN-46 | AR | SH | | |
| L | JAN-C-367 NOTICE 1 | CLOTH, FUZE (NO S/S DOCUMENT) | A 8305 AR | 06-JUL-92 | AR | | | |
| L | JAN-C-367(11) NOTICE 1 | CLOTH, FUZE (NO S/S DOCUMENT) | A 8305 AR | 06-JUL-92 | AR | | | |
| | MIL-E-3778(1) NOTICE 1 | ELEVATORS, AGGREGATE, ENCLOSED-BUCKET (S/S BY MIL-L-52329) | A 3910 ME | 30-APR-65 | ME | YD1 | 84 | |
| | MIL-D-393A | DRIER, AGGREGATE, SINGLE-DRUM, DIESEL DRIVEN (USE MIL-M-52329) | A 3895 MO | 04-JAN-51 | MO | YD1 | | |
| Q | MIL-A-397B | ADHESIVE, ROOM-TEMPERATURE AND INTERMEDIATE-TEMPERATURE SETTING RESIN (PHENOL, RESORCINOL, AND MELAMINE BASE) (USE MIL-A-22397 OR MIL-A-46051) USER: EL YD1 REVIEWER: SA | A 8040 SH | 12-APR-61 | MR | | 11 | |
| | MIL-B-4008 | BOILER, STEAM, HIGH-PRESSURE, VERTICAL, SKIDMOUNTED, 150-PSI, 60-HP, USER: GL WC REVIEWER: 69 MC YD1 | A 4410 MO | 20-JUN-60 | MO | SA | | |
| | MIL-L-403D | LOADERS, BUCKET-TYPE (NO S/S DOCUMENT) USER: CE MC REVIEWER: CS MI | A 3805 ME | 16-OCT-90 | ME | YD1 | | |
| L | MIL-W-406C | WELL POINTS, DRIVE TYPE REVIEWER: CS | A 3820 YD1 | 28-APR-88 | | YD1 | | |
| | MIL-S-416D NOTICE 1 | STRAINER, WELL, WATER, WIRE-WOUND (NO S/S DOCUMENT) REVIEWER: CE CS | A 4730 ME | 21-NOV-90 | ME | YD1 | 99 | |
| | JAN-D-428(3) | DRILL, PORTABLE, PNEUMATIC, WOOD BORING REVIEWER: GL WC | A 5130 ME | 29-JUN-53 | ME | YD1 | | |
| | MIL-S-437D(1) | SAW, BAND, WOODWORKING (USE MIL-S-80095) USER: CE REVIEWER: YD1 | A 3220 1P | 13-OCT-70 | ME | SH | 84 | |
| | MIL-J-4490 | JACKET, FIRE HOSE (2-1/2 INCH) REVIEWER: CS SS | A 4210 ME | 19-FEB-85 | ME | YD1 | 99 | |
| | JAN-B-452(1) | BOILER-PLANT-EQUIPMENT, FOR THEATERS OF OPERATIONS | A 44GP ME | 30-MAR-49 | ME | YD1 | 11 | |
| | MIL-E-468C(1) | EXTINGUISHER, FIRE, CARBON DIOXIDE (PORTABLE, PERMANENT SHUTOFF, HAND AND WHEELED TYPES), SUPERSEDED BY O-E-910C( | A 4210 ME | 07-DEC-61 | ME | YD1 | 84 | |
| | MIL-W-470A | WRENCH, GAS&CYLINDER&VALVE AND MANIFOLD&WING&NUT | A 5120 ME | 20-JUN-60 | ME | YD1 | 84 | |
| | JAN-M-471 | MAINTAINABILITY VERIFICATION/DEMONSTRATION/EVALUATION (INT NOTICE 2 DTD 8 DEC 78) USER: GL MC | A 5180 YD1 | 23-MAY-47 | WC | YD1 | | |
| | JAN-T-473(1) | TESTING EQUIPMENT, LABORATORY, (FOR SOIL, ASPHALT, AND CONCRETE) USER: EL MR REVIEWER: AR | A 6630 YD1 | 21-JUN-51 | MO | YD1 | | |
| | MIL-G-477B | GRINDING MACHINE, ROCK BIT (SIR-MOTOR-DRIVEN) REVIEWER: GS | A 3415 ME | 13-SEP-60 | ME | YD1 | | |
| | MIL-P-478A | PIPING EQUIPMENT, ASPHALT PLANT (USE MIL-M-52329 OR MIL-P-52388) | A 3895 MO | 03-APR-52 | MO | YD1 | | |
| | MIL-F-482A | FIRE ENGINE, CHEMICAL, FOAM TYPE REVIEWER: GL | A 4210 MO | 19-MAY-61 | MO | YD1 | 11 | |
| | MIL-C-490A(1) | CLEANING AND PREPARATION OF FERROUS AND ZINC COATED SURFACES FOR ORGANIC PROTECTIVE COATINGS USER: MC REVIEWER: EL YD1 | A 6850 MR | 11-MAR-57 | MR | SH | 11 | |
| | MIL-F-493A | FIRE ENGINES, CHEMICAL, SODA&ACID&TYPE REVIEWER: GL | A 4210 MO | 03-APR-61 | MO | YD1 | 11 | |
| | MIL-D-497A | DITCHING MACHINES, WHEEL-TYPE, CRAWLER-MOUNTED USER: MC REVIEWER: EL | A 3805 YD1 | 05-APR-61 | MO | YD1 | | |
| | MIL-S-505A | SEMITRAILER, TANK, (STEEL, 1,500 GALLON, WATER) ()CANCELED.() | A 4930 YD1 | 06-JUN-59 | | YD1 | 82 | |
| | MIL-C-506C(2) | CARBON, ACTIVATED, POWDERED USER: MC REVIEWER: EA GS MO | A 6810 ME | 27-MAR-87 | ME | YD1 | 68 | |
| | JAN-G-515 | GROG, INSULATING, GRANULAR, CALCINED USER: EL | A 5956 10 | 12-OCT-64 | | SH | | |
| | JAN-C-526 | COMPRESSORS, PISTON-RING, BAND TYPE USER: MC REVIEWER: GL | A 5120 WC | 20-NOV-47 | WC | YD1 | | |
| Q | JAN-G-534(2) | PACKING, COIL-FORM, STUFFING-TUBE AND TERMINAL-TUBE (FOR ELECTRIC CABLES) SUPERSEDED BY MIL-P-16685C USER: YD1 REVIEWER: SA | A 5330 SH | 01-JAN-62 | | | | |
| | MIL-W-535A | WATER QUALITY CONTROL SET RECONNAISSANCE AND ROUTINE CONTROL (USE MIL-W-52874) USER: 26 AS EL GL MC MR REVIEWER: EA | A 6630 ME | 18-FEB-60 | ME | YD1 | | |
| | MIL-S-546C | SPREADER, SAND | A 3830 ME | 26-JUN-64 | ME | YD1 | 84 | |
| | MIL-C-5598 | CRANE, TRACTOR TOWED, (NONREVOLVING, WHEELED, PNEUMATIC TIRED) USER: MC REVIEWER: EL GL | A 3810 ME | 14-APR-59 | ME | YD1 | | |
| | MIL-H-563A | HAMMERS, PILEDRIVER, AIR OR STEAM DRIVEN, DOUBLE-ACTING (NO S/S DOCUMENT) USER: 26 | A 3895 ME | 28-AUG-64 | ME | YD1 | 84 | |
| | JAN-D-570 | DISTILLATION UNIT DIESEL DRIVEN, SKID MOUNTED, THERMOCOMPRESSION TYPE 300 GALLONS PER HOUR (USE MIL-D-15691) | A 4620 YD1 | 27-FEB-48 | MO | YD1 | 85 | |
| | JAN-G-578 | GRADERS, ROAD, TOWED-TYPE, LEANING WHEEL | A 5860 YD1 | 02-FEB-48 | MO | YD1 | 84 | |
| | MIL-P-5988 | PLOW, MOLDBOARD, TOWED TYPE, FOUR 14-INCH BOTTOMS, REVIEWER: 85 CS | A 3710 ME | 20-JUL-60 | ME | YD1 | 84 | |
| | JAN-P-599 | PACKAGING AND PACKING FOR OVERSEAS SHIPMENT OF ELEVATORS, AGGREGATE, ENCLOSED-BUCKET, CHAIN-DRIVEN USER: 26 REVIEWER: SA | A 8135 MO | 04-APR-69 | MO | YD1 | | |
| | MIL-F-610A | FURNACE, OIL FIRED, FOR DRILL STEEL USER: MC REVIEWER: GS | A 3424 ME | 16-SEP-60 | ME | YD1 | | |
| | JAN-E-611 | ELEMENTS, CHEMICAL, EXCERPT ACS CHEMICALS USER: MC REVIEWER: EL GL WC | A 3820 69 | 10-MAY-60 | MO | YD1 | 69 | |
| | JAN-P-620 | PACKAGING AND PACKING FOR OVERSEAS SHIPMENT OF STEAM LOCOMOTIVES REVIEWER: 85 | A 2210 MO | 20-AUG-48 | MO | YD1 | 84 | |
| | JAN-P-629 | PRIMER, OIL-TYPE, FOR WOOD (FOR USE WITH CAMOUFLAGE PAINT) USER: 26 MC MR SA | A 8010 YD1 | 23-JUL-48 | | YD1 | | |
| L | MIL-D-633F | DITCHING MACHINES, BOOM TYPE; CRAWLER-MOUNTED, GED AND DED (S/S BY OO-D-2747) USER: CE ME REVIEWER: CS | A 3805 YD1 | 17-JUL-91 | | YD1 | | |
| | JAN-D-640 | DERRICK, STIFFLEG REVIEWER: CS EL GL | A 3950 YD1 | 05-NOV-48 | ME | YD1 | 84 | |
| | JAN-P-697(1) | PAINT, INSIDE, LIGHT&GRAY, FIRE&RESISTANT USER: 26 MR SA YD1 | A 8010 SH | 25-JUL-60 | | | 69 | |
| | DOD-E-698C(1) NOTICE 1 | ENAMEL, ALKYD, DECK, BLACK (FORMULA NO. 24) (METRIC) (S/S BY DOD-E-24635 & FED-STD-595) REVIEWER: ME SA YD1 | A 8010 SH | 18-NOV-91 | MR | SH | | |
| | DOD-E-6990(1) NOTICE 1 | ENAMEL, EXTERIOR, DECK, GRAY (FORMULA NO. 20) (METRIC) (S/S BY DOD-E-24635 & FED-STD-595) REVIEWER: 84 ME YD1 | A 8010 SH | 18-NOV-91 | MR | SH | 99 | |
| | DOD-E-700A(1) NOTICE 1 | ENAMEL, DECK, INTERIOR, GRAY (FORMULA NO. 20L) (METRIC) (S/S BY DOD-E-24635 & FED-STD-595) USER: MC OS YD1 REVIEWER: 84 | A 8010 SH | 18-NOV-91 | MR | SH | 99 | |
| | JAN-P-701(1) | PREFERRED AND GUIDANCE LISTS OF SEMICONDUCTOR DEVICES (NOTICE 1 )SH( USER: 26 MR SA YD1 | A 8010 SH | 25-JUL-60 | | SH | 69 | |
| | JAN-P-702(1) | PAINT, INSIDE, WHITE, SEMI-GLOSS, FIRE-RETARDANT USER: 26 MR SA YD1 | A 8010 SH | 25-JUL-60 | | SH | 69 | |
| | MIL-A-708B | ALIDADE, SURVEYING, TELESCOPIC (USE GG-A-440A) USER: AR MI REVIEWER: MC | A 6675 ME | 25-APR-62 | ME | YD1 | 67 | |
| | MIL-T-712A(1) | TRUCK, 2 1/2-TON, 6 X 6, SERIES M44 AND M133 VALIDATED SEP 1965 USER: GL YD1 REVIEWER: EL | A 2320 AT | 03-MAY-67 | AT | MC | 84 | |
| | JAN-F-730 | FIRE-RESISTANT-CLOTH, COTTON USER: AR EL YD1 REVIEWER: CT MR SA | A 8305 GL | 04-MAR-61 | GL | WP | 11 | |
| | MIL-L-741D | LEADS, ELECTRICAL, ARC-WELDING (S/S BY J-L-2744) REVIEWER: 80 CR ER GS | A 6150 YD1 | 20-JUN-91 | ME | YD1 | 99 | |
| | JAN-H-754 | HAMMER, PNEUMATIC, RIVETING USER: 26 MC REVIEWER: GL WC | A 5130 MO | 01-FEB-60 | MO | YD1 | 69 | |
| | MIL-C-7598 | CLINOMETERS, ELEVATION AND DEPRESSION, SURVEYING (USE MIL-L-52336) REVIEWER: GL | A 6675 MO | 18-DEC-58 | MO | YD1 | 67 | |
| | MIL-I-787A | INSULATOR, STANDOFF, PORCELAIN, WITH GALVANIZED WOOD SCREW USER: EL GL MC REVIEWER: 11 80 AR | A 5970 MO | 15-APR-52 | MO | YD1 | 85 | |
| | MIL-I-789A(1) | INSULATOR, CLEAT, PORCELAIN, GLAZED OR UNGLAZED 2&WIRE USER: EL GL REVIEWER: 11 80 AR | A 5970 MO | 12-OCT-56 | MO | YD1 | 85 | |
| | MIL-I-790B | INSULATOR, ELECTRIC, PORCELAIN (USE MH-I-435) REVIEWER: 80 AR AS EC EL MI SA | A 5970 ME | 05-FEB-62 | ME | YD1 | 85 | |
| | MIL-H-795A | HOLDER, SHEET METAL, HOLE AND EDGE GRIP (USE GGG-H-575) USER: SA WC YD1 REVIEWER: GL | A 5120 AS | 12-JAN-62 | MO | WP | 69 | |
| | JAN-R-800 | REPAIR-KIT, WIRE-ROPE USER: EL REVIEWER: GL | A 4010 WC | 30-JUN-49 | WC | YD1 | | |
| | MIL-S-8305(2) | SLEEPING BAG, M-1949 USER: 45 CG MC YD1 REVIEWER: CT | A 8465 82 | 16-JUN-83 | | NU | 99 | |
| | MIL-G-858 | GRAY IRON ALLOY CASTINGS, (SCALE RESISTING) USE ASTM A319 OR ASTM A436( | A MECA YD1 | 18-JUL-69 | MR | YD1 | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-H-865D | HOLDER, ELECTRODE, SHIELDED METAL, ARC WELDING (REPLACED BY A-A-51161) USER: AS MC OS WV YD1 REVIEWER: GS | A | 3439 | IP | 27-APR-88 | AR | SH | 99 | | |
| L | | | | MIL-M-877B | MAT, BLASTING, ROPE | A | 1375 | YD1 | 17-SEP-64 | | YD1 | | | |
| L | | | | MIL-N-894C | NICKEL-COPPER ALLOY BARS, PLATES, AND OTHER WROUGHT FORMS (S/S BY QQ-N-281) REVIEWER: YD1 | A | 9525 | SH | 21-JAN-57 | | SH | | | |
| L | | | | MIL-C-895A | COMMERCIAL BRASS BARS, PLATES, RODS, SHAPES, SHEETS, STRIPS, FLAT WIRE AND FORGINGS (NAVY) (USE QQ-B-613 OR QQ-B-626 AS APPLICABLE) REVIEWER: YD1 | A | 9530 | SH | 20-MAR-61 | | | | | |
| | | | | MIL-F-8988(1) | FOG GENERATORS, INSECTICIDAL, THERMAL AEROSOL TYPE (USE MIL-S-52185) USER: AR MC | A | 3740 | MO | 18-FEB-59 | MO | YD1 | 84 | | |
| Q | | | | MIL-A-927A | ADHESIVE, SYNTHETIC RESIN (FOR PHENOLIC LAMINATES) USER: YD1 REVIEWER: EL GL | A | 8040 | WP | 16-SEP-52 | MR | WP | 11 | | |
| | | | | MIL-H-929B | HOOK, COAT AND HAT (USE FF-H-111) USER: 26 REVIEWER: GL SA WC | A | 5340 | YD1 | 16-NOV-59 | MO | YD1 | 82 | | |
| Q | | | | MIL-T-9408 | THERMOMETER, INDICATING, CAPILLARY TUBE AND BULB, STEAM SERVICE AND BULB, MERCURY ACTUATED (USE MIL-T-19646) USER: EL MC MI YD1 | A | 6685 | SH | 29-NOV-55 | ME | SH | 11 | | |
| | | | | MIL-I-966A | IGNITER, BLASTING FUSE USER: MC REVIEWER: MU YD1 | A | 1390 | AR | 01-APR-71 | AR | | | | |
| L | | | | MIL-C-967 | CAP, BLASTING, ELECTRIC AND FUSE (USE X-C-51A) | A | 1375 | YD1 | 19-SEP-49 | | YD1 | | | |
| | | | | MIL-G-1008G | GLOVES, CLOTH, COTTON, WORK, MEN'S AND WOMEN'S (S/S BY A-A-1665) USER: OS YD1 REVIEWER: MD | A | 8415 | MU | 26-MAR-90 | GL | MU | 82 | | |
| | | | | MIL-W-1053G NOTICE 1 | WHISTLE, BALL, PLASTIC (S/S BY A-A-55106) USER: 45 REVIEWER: 82 MC MD | A | 8465 | CT | 08-MAR-93 | GL | MU | 99 | CT | |
| | | | | MIL-B-1070E NOTICE 1 | BREAD, WHITE, ENRICHED, CANNED (NO S/S DOCUMENT) REVIEWER: MC MD MS SS TS | A | 8920 | GL | 24-JUN-92 | GL | SA | 50 | | |
| QL | | | | JAN-T-1084 | TAPS, DIES, TAP-WRENCHES, AND DIESTOCKS (USE GGG-T-60, GGG-D-296, GGG-W-680, GGG-T-330 AND GGG-T-581) USER: MC YD1 | A | 5136 | 11 | 04-MAY-58 | | | 11 | | |
| | | | | MIL-G-1086E NOTICE 1 | GASKET MATERIAL, SYNTHETIC RUBBER (FOR BOLTED STEEL TANKS) (S/S BY MIL-R-6855) USER: AT AV REVIEWER: 11 82 85 EA | A | 5330 | ML | 08-OCT-92 | ME | YD1 | 99 | | |
| | | | | JAN-F-1088 | FILES AND RASPS, HAND (USE GGG-F-325 AND GGG-F-331 AS APPLICABLE) USER: EL MC YD1 REVIEWER: GL WC | A | 8110 | SH | 31-MAR-50 | | | | | |
| | | | | MIL-H-1097A(1) | HEATER, IMMERSION, ELECTRIC, RING TYPE (USE MIL-H-10249) | A | 4540 | 69 | 12-AUG-54 | EL | YD1 | 69 | | |
| | | | | MIL-T-1108A | TENT, FIRE, WATER, WEATHER, AND MILDEW-RESISTANT, WALL, LARGE, O.D. REVIEWER: CT | A | 8340 | | 30-MAR-51 | | YD1 | 67 | | |
| | | | | MIL-T-1109A | TENT, FIRE, WATER, WEATHER, AND MILDEW-RESISTANT, WALL, SMALL, O.D. REVIEWER: CT | A | 8340 | | 12-APR-51 | | YD1 | 67 | | |
| | | | | MIL-L-1118A | LACQUER, CLEAR, BRUSHING, AND THINNER (USE TT-L-26 AND TT-T-266) USER: 26 EL MS REVIEWER: GL MR SA YD1 | A | 8010 | SH | 12-OCT-59 | | | | | |
| | | | | JAN-C-1119 | CHUCKS, DRILL (USE GGG-C-350) USER: MC YD1 | A | 6515 | SH | 03-MAY-61 | | | 84 | | |
| | | | | JAN-C-1126 | CYLINDERS, COMPRESS-AIR, HELIUM, HYDROGEN, NITROGEN, OR OXYGEN, NON-SHATTERABLE USER: AR GL MS REVIEWER: SA WC YD1 | A | 8120 | SH | 14-OCT-49 | | | | | |
| | | | | JAN-R-1127 | RIVETS, BELT, COPPER, AND BURRS, COPPER (S/S BY MIL-R-2583A) USER: GL YD1 REVIEWER: SA | A | 5320 | SH | 16-JUN-49 | WC | | | | |
| | | | | MIL-F-11288 | FILTER UNIT, WATER PURIFICATION, FRAME MOUNTED, DIATOMITE, 15 GPM USER: 26 | A | 4610 | MO | 16-AUG-57 | MO | YD1 | 69 | | |
| L | | | | JAN-F-1131 | FUSE-INDICATORS, LAMP-TYPE USER: YD1 REVIEWER: AR EL MI | A | 5920 | SH | 16-JUN-49 | | SH | | | |
| Q | | | | MIL-V-1137A(1) | VARNISH, ELECTRICAL-INSULATING (FOR ELECTRO-MOTIVE EQUIPMENT) (S/S BY MIL-I-24092) USER: MC REVIEWER: AR GL YD1 | A | 5970 | MO | 10-APR-53 | EL | | 11 | | |
| | | | | MIL-W-1138A | WELDING MACHINE, ARC, DIRECT-CURRENT VARIABLE-VOLTAGE, GASOLINE ENGINE DRIVEN (USE MIL-W-80037) REVIEWER: 85 EL GL YD1 | A | 3431 | SH | 24-JUN-55 | WC | SH | 84 | | |
| | | | | MIL-H-1142A(2) | HOSE, RUBBER, CUTTING, AND WELDING, FUEL, GASES, OXYGEN AND AIR (USE ZZ-H-461) USER: AR AS SH REVIEWER: CS | A | 4720 | YD1 | 19-APR-61 | ME | YD1 | | | |
| L | | | | MIL-P-1144D | PIPE, CORROSION-RESISTANT, STAINLESS STEEL, SEAMLESS OR WELDED (FUTURE ACQUISITION USE MIL-P-24691/3) REVIEWER: CS EA MI YD1 | A | 4710 | SH | 23-SEP-87 | | SH | | | |
| | | | | MIL-R-1166 | RIVETS FOR SHEET-METAL WORKS (USE FF-R-556A) USER: GL YD1 REVIEWER: SA | A | 5320 | SH | 02-JAN-60 | WC | | | | |
| | | | | MIL-V-11748(1) | VARNISH, SPAR, WATER RESISTING (FORMULA NO. 80), (USE TT-V-119) USER: ME REVIEWER: MI YD1 | A | 8010 | SH | 27-FEB-68 | | SH | 84 | | |
| | | | | MIL-F-1181 | FITTINGS, PIPE, BRONZE, (THREADED) USE WW-P-460 USER: AR REVIEWER: SH WC | A | 4730 | YD1 | 12-SEP-49 | MO | YD1 | | | |
| | | | | MIL-F-1184 | FITTINGS, PIPE, BRASS OR BRONZE (THREADED) 125-POUND (USE WW-P-460) USER: AR REVIEWER: SH WC | A | 4730 | YD1 | 12-SEP-49 | | YD1 | | | |
| | | | | MIL-V-1187C | VALVE, ANGLE, AND VALVES, GLOBE BRONZE, THREADED 300 POUND WSP RATING (USE MSS SP-80) USER: GL MC MI REVIEWER: CS | A | 4820 | YD1 | 29-SEP-76 | ME | YD1 | 99 | | |
| | | | | MIL-B-1190 | BAGS, PAPER, SHIPPING, MULTIWALL (FOR PORTLAND CEMENT) (USE UU-S-48) USER: MC REVIEWER: EL WC YD1 | A | 8105 | SA | 07-JAN-58 | | | | | |
| | | | | MIL-V-1202C | VALVES ANGLE & VALVES GLOBE BRONZE (S/S BY MSS SP-80) USER: CG MC REVIEWER: CS SA | A | 4820 | YD1 | 08-FEB-78 | | YD1 | 93 | | |
| | | | | MIL-H-1209B | HOOK, SCREW USER: MC SH REVIEWER: 1S | A | 5340 | YD1 | 05-FEB-64 | GL | YD1 | 82 | | |
| L | | | | MIL-C-12108 | CYLINDERS, COMPRESSED GAS, NONSHATTERABLE, SIZES 1S TO 50 POUND CARBON DIOXIDE CAPACITY, EMPTY (USE FEDERAL SPECIFICATION RR-C-901) REVIEWER: MC YD1 | A | 8120 | SH | 14-OCT-55 | | | | | |
| | | | | MIL-F-1224D | FITTINGS, TUBE, BRASS OR BRONZE, 45 DEGREE FLARED USER: 45 CE MC YD1 REVIEWER: 11 AR CS CT EA MD MI | A | 4730 | ME | 10-MAR-87 | ME | | 99 | | |
| | | | | MIL-P-1227A | PRIMER AND ENAMEL (ASPHALT) USER: MR YD1 REVIEWER: SA | A | 5610 | SH | 15-APR-52 | | | 93 | | |
| L | | | | MIL-R-1229C | RUBBER SHEET PACKING, SOLID, WIRE CLOTH INSERTED, SYMBOL 2354 USER: OS REVIEWER: GS YD1 | A | 5330 | SH | 06-JUL-87 | | SH | | | |
| | | | | MIL-G-1248 | GAGES, CARPENTERS AND MACHINISTS (USE GGG-17, GGG-G-31 OR GGG-C-105) USER: MC YD1 REVIEWER: GL | A | 5210 | SH | 05-DEC-61 | WC | SH | | | |
| | | | | MIL-M-1250 | MACHINE, SHEET METAL WORKING USER: GL REVIEWER: YD1 | A | MFFP | SH | 27-JUL-49 | | SH | 84 | | |
| | | | | MIL-B-1252(1) | BRUSHES, WIRE, ROTARY, CUP, AND RADIAL (DISC) (S/S BY MIL-B-19888B) USER: WC | A | 5130 | GL | 24-APR-51 | GL | YD1 | | | |
| | | | | MIL-C-1258D(1) NOTICE 2 | CUPS, OIL, LUBRICATING, AND OILERS, SELF-FEEDING (S/S BY GGG-C-2794) USER: ER MC REVIEWER: 11 CS MI | A | 4730 | YD1 | 10-APR-92 | AR | YD1 | 99 | | |
| | | | | MIL-E-1264C | ENAMEL, SHIP, EXTERIOR, ALKYD, WHITE (FORMULA NO. 6) (USE FED SPEC TT-E-490) USER: AS EL MR YD1 REVIEWER: 85 IS SA | A | 8010 | SH | 07-DEC-60 | ME | SH | 84 | | |
| | | | | MIL-F-1369A | FILTER, SAFELIGHTS, PHOTOGRAPHIC (USE MIL-F-9329) USER: MI SA YD1 REVIEWER: MC SH | A | 6740 | EL | 30-JUL-62 | EL | AS | 70 | | |
| | | | | MIL-P-1382A(1) | POT, FIRE, GASOLINE (USE GGG-P-596) USER: MC WC YD1 REVIEWER: GL | A | 5120 | SH | 13-FEB-59 | | | | | |
| | | | | MIL-P-1384 | PACKING, SYNTHETIC-RUBBER, CLOTH-INSERTION (SYMBOL 2353) (USE MH-P-151) USER: SA YD1 REVIEWER: WC | A | 5330 | SH | 12-SEP-49 | | | | | |
| | | | | MIL-C-1415A | CAN, FRICTION TOP (SMALL PARTS AND GRAPHITE GREASE), EMPTY, FOR RANGE, OUTFIT, FIELD, GASOLINE M-1937 USER: MC MI REVIEWER: MS | A | 7240 | GL | 24-AUG-55 | GL | YD1 | | | |
| | | | | MIL-C-1426D | CASE, GASOLINE BURNER STOVE (USE MIL-S-10736) USER: SA REVIEWER: 85 GS MC MD | A | 7310 | GL | 07-APR-66 | GL | YD1 | 84 | | |
| | | | | MIL-B-1434C(1) | BINDINGS, SKI, CROSS-COUNTRY USER: YD1 REVIEWER: CT MC | A | 8465 | GL | 28-DEC-59 | GL | SA | | | |
| | | | | MIL-A-1435Q | AUTOMOBILE, AMBULANCE, METROPOLITAN REVIEWER: 03 85 MC MD | A | 2310 | AT | 15-AUG-75 | AT | YD1 | 99 | | |
| | | | | MIL-C-1458C NOTICE 1 | COMB, DOG (NO S/S DOCUMENT) USER: MC MD REVIEWER: CS | A | 3770 | 84 | 10-MAY-93 | GL | | 09 | | |
| | | | | MIL-C-1471A(1) | CABINET AND CRADLE, COOK POT (FOR RANGE, FIELD, M-1937) USER: MC | A | 7310 | GL | 11-JAN-55 | GL | YD1 | 67 | | |
| | | | | MIL-P-1487B | POLES, SKI USER: YD1 REVIEWER: CT MC | A | 8465 | GL | 08-DEC-55 | GL | SA | 67 | | |
| | | | | MIL-S-1491D NOTICE 1 | SOAPBOX, PLASTIC (NO S/S DOCUMENT) USER: MC MD | A | 8530 | GL | 22-MAR-93 | GL | SA | 99 | | |
| | | | | MIL-L-1594L(1) NOTICE 1 | LANTERN, GASOLINE, LEADED OR NONLEADED FUEL, WITH CASE (S/S BY A-A-52078) USER: MC REVIEWER: GS | A | 6260 | GL | 14-DEC-92 | GL | | 99 | | |
| | | | | MIL-H-1597B(1) | HEATER, IMMERSION, LIQUID FUEL FIRED, FOR CANS, CORRUGATED (S/S BY MIL-H-43540) USER: MC | A | 4540 | GL | 18-FEB-65 | GL | YD1 | 69 | | |
| | | | | MIL-S-1610 | SHACKLES, HOG, LENGTH (OVERALL) 42 INCHES USER: 26 | A | 7320 | GL | 01-MAR-62 | GL | YD1 | | | |
| L | | | | MIL-R-1670E(2) | ROPE, TENT - LAY (S/S BY A-A-50057) USER: YD1 REVIEWER: 1S MD ME | A | 4020 | GL | 06-DEC-89 | GL | | | | |
| | | | | MIL-S-1779C | SKIS USER: YD1 REVIEWER: CT | A | 8465 | GL | 20-NOV-58 | GL | MC | 67 | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-A-1810A | AXE, SINGLE BIT USER: EL MC WC YD1 | A | 5110 | GL | | 31-JAN-53 | GL | | | |
| | MIL-T-1857 | TANK, FUEL, SKID-MOUNTED, 750 GALLON, 2 COMPARTMENT | A | 5430 | GL | | 14-JUN-49 | GL | YD1 | 69 | |
| | MIL-B-1861A NOTICE 1 | BED, FOLDING, STEEL (NO S/S DOCUMENT) REVIEWER: 03 MD MS | A | 6530 | MB | | 25-MAR-93 | | | | |
| | MIL-R-1897 | REEL, FOR CABLE, SUBMARINE MINE, 1-CONDUCTOR | A | 3895 | YD1 | | 15-JUN-49 | OR | YD1 | 84 | |
| | MIL-F-1928E NOTICE 2 | FILM LEADER, PHOTOGRAPHIC, SAFETY BASE (NO S/S DOCUMENT) USER: SH REVIEWER: 11 | A | 6750 | 70 | | 24-FEB-93 | ER | AS | 70 | |
| | MIL-F-2066A | FLIES, FIRE, WATER, WEATHER, AND MILDEW-RESISTANT, TENT, WALL, LARGE AND SMALL, O. D. REVIEWER: CT | A | 8340 | | | 30-MAR-51 | | YD1 | 67 | |
| | MIL-B-2216B | BURNER OUTFIT, DECK BAKING AND ROASTING OVEN, POT TYPE, FOR FIELD BAKE OVEN, M&1942 USER: YD1 | A | 7360 | GL | | 04-JUN-59 | GL | | 84 | |
| | MIL-G-2239G(1) | GRIDDLE, SELF HEATING, GAS FIRED (WITH OR WITHOUT GRIDDLE STAND) USER: CE MC REVIEWER: GS MD SA | A | 7310 | GL | | 09-DEC-86 | GL | YD1 | 99 | |
| | MIL-P-0022408 NOTICE 1 | PAN, BIOLOGICAL, STAINING (S/S BY A-A-54762) | A | 6640 | MB | | 06-JAN-93 | MD | MS | 03 | |
| | MIL-S-2255B | SIFTING MACHINES, FLOUR, ELECTRIC USER: MC | A | 7320 | GL | | 31-MAR-60 | GL | YD1 | 67 | |
| | MIL-D-2273E NOTICE 1 | DYE MIX: (RECOLORING AND FIELD-DYEING) (NO S/S DOCUMENT) USER: AR REVIEWER: GS MD | A | 6820 | GL | | 02-APR-93 | GL | MC | 68 | |
| | MIL-S-2277A(1) | SCREEN, LATRINE, FIRE, WATER, WEATHER, AND MILDEW-RESISTANT TREATED, O.D. REVIEWER: 67 85 CT | A | 8340 | GL | | 11-DEC-52 | GL | YD1 | 82 | |
| | MIL-G-2294A | GRINDING MACHINE, DRILL STEEL SHANK, PNEUMATIC USER: GL WC REVIEWER: EL YD1 | A | 3415 | ME | | 19-NOV-54 | ME | SH | 84 | |
| | MIL-S-2311C | SANDER, BELT, COMBINATION VERTICAL AND HORIZONTAL, 6 INCH (USE MIL-G-80176) USER: MC SH YD1 REVIEWER: GS ME | A | 3220 | WC | | 30-SEP-69 | WC | SH | 99 | |
| | MIL-O-2337 | OVENS: ELECTRIC BAKE (ARMY) (S/S BY MIL-O-12594) | A | 7310 | GL | | 11-JAN-54 | GL | YD1 | 99 | |
| | MIL-T-2344B | TRAY, PASTRY, STORAGE AND DELIVERY | A | 7320 | GL | | 01-MAY-53 | GL | YD1 | | |
| | MIL-R-2345E | RACK, BREAD, BAKERS': 10-SHELF, KNOCKDOWN TYPE (FUTURE PROCUREMENT REFER TO A-A-50110) REVIEWER: 45 CS GS MD MS SA | A | 7320 | GL | | 21-MAY-87 | GL | YD1 | 99 | |
| | MIL-R-2357H | RANGES, GAS (COMMERCIAL), HEAVY DUTY (S/S BY A-A-50064) REVIEWER: 84 GS MC MD | A | 7310 | GL | | 28-JUN-89 | GL | YD1 | 99 | |
| | MIL-S-2364D(2) | SAFE, FIELD, COMBINATION LOCK (S/S BY MIL-S-2836C) USER: CG EL MC PE SA YD1 REVIEWER: 85 | A | 7110 | GL | | 30-JUN-67 | GL | | 84 | |
| | MIL-D-2388 | DUSTER, POWDER, INSECTICIDE (SUPERSEDES JQD1018) USER: 26 | A | 3740 | ME | | 15-MAR-50 | ME | YD1 | 84 | |
| | MIL-A-2402D | ADAPTER, STEREOPLOTTER PROJECTOR, TILT, WITH CONDENSER CLIP (FOR MULTIPLEX) (NO S/S DOCUMENT) USER: MS REVIEWER: GS | A | 6675 | ME | | 21-NOV-88 | ME | YD1 | | |
| L | MIL-S-2412D NOTICE 1 | SCALE, PLOTTING, COORDINATE: PLASTIC, GRADUATED IN YARDS AND METERS IN 1:25000 AND 1:5000 SCALES (S/S BY A-A-52042) USER: AS MC OS YD1 REVIEWER: GS | A | 6675 | ME | | 12-MAR-92 | ME | | | |
| | MIL-B-2435B | BUILDING PAPER, VEGETABLE FIBER OR INORGANIC FIBER REINFORCEMENT, REFLECTIVE (USE UU-B-1780) USER: CE | A | 5640 | ME | | 10-JAN-68 | ME | YD1 | 84 | |
| | MIL-T-2453C | TESTER, FUEL-INJECTOR PUMP, WITH STAND, MOTOR-DRIVEN REVIEWER: AL MC SH ... | A | 4910 | YD1 | | 27-FEB-70 | | YD1 | 99 | |
| | MIL-G-24568 | GREASING MACHINE, BREAD PAN (S/S BY MIL-G-43376) REVIEWER: MC MD SA ..... | A | 7320 | GL | | 20-MAR-62 | GL | YD1 | 67 | |
| | MIL-D-2475C | DOUGH FERMENTATION ROOM, PREFABRICATED USER: SA REVIEWER: GS MD ..... | A | 7320 | GL | | 19-FEB-68 | GL | YD1 | 99 | |
| | MIL-S-2578D | SNAPHOOK, FIXED LOOP, 3/8, 1/2, 5/8, 3/4, 1 AND 1-1/2 INCH (USE MIL-S-43770) USER: AS MC ME MI REVIEWER: 1S SH WC | A | 5340 | GL | | 31-MAY-68 | GL | YD1 | 82 | |
| | MIL-S-2607A NOTICE 2 | SAMPLER, BUTTER-LARD-MEAT (S/S BY A-A-54818) | A | 6695 | MB | | 26-MAR-93 | MD | MS | 03 | |
| | MIL-L-2638D | LACQUER, VINYL RESIN, GASOLINE AND WATER RESISTANT (S/S BY MIL-C-4556) REVIEWER: AR MI MR | A | 8010 | ME | | 08-NOV-88 | ME | YD1 | 84 | |
| | MIL-L-2646A(1) | LIGNUM-VITAE USER: YD1 REVIEWER: CS | A | 5510 | SH | | 17-JUL-87 | MD | SH | | |
| | MIL-F-2647A | FIXTURES, LIGHTING, ANCHOR-, RUNNING-, AND SIGNAL-LIGHT, BUREAU DESIGN (USE MIL-F-16377) USER: YD1 REVIEWER: GL GS WC | A | 6210 | SH | | 02-OCT-52 | MD | SH | | |
| | MIL-H-2699B | HOSE, PNEUMATIC (BRAIDED OR WRAPPED) (USE ZZ-H-500) USER: MC REVIEWER: YD1 | A | 4720 | SH | | 15-OCT-64 | MD | SH | 11 | |
| | MIL-I-2703B(1) NOTICE 2 | INDICATOR, COMBUSTIBLE GAS, PORTABLE (NO S/S DOCUMENT) USER: AS MI OS YD1 . | A | 6665 | SH | | 05-NOV-92 | EA | SH | 99 | |
| | MIL-B-2766C NOTICE 1 | BATTING, FIBROUS GLASS, LIFESAVING EQUIPMENT (NO S/S DOCUMENT) USER: CG ... | A | 4220 | SH | | 06-NOV-92 | MI | SH | | |
| | MIL-P-2780 | PIPE, BRASS, SEAMLESS, IRON-PIPE SIZE, STANDARD AND EXTRA STRONG (USE WW-P-351) USER: MC REVIEWER: MR SH | A | 4710 | YD1 | | 04-SEP-51 | | YD1 | | |
| | MIL-P-2782C(1) | PAIL, METAL (PAINT POT) (USE L-P-0065) USER: CG MC REVIEWER: 85 ..... | A | 7240 | YD1 | | 16-MAY-66 | GL | YD1 | 84 | |
| | MIL-B-2796A | BRICK, REFRACTORY, MAGNESITE USER: MR REVIEWER: YD1 ..... | A | 9350 | SH | | 21-NOV-56 | MD | | | |
| | MIL-B-2797 | BRUSHES, CLEANING, STEEL-WIRE, RECTANGULAR, HANDLED USER: 26 YD1 REVIEWER: WC | A | 7920 | GL | | 23-AUG-51 | GL | | 69 | |
| L | MIL-G-2811 | GLASS, FIBROUS, BOARD AND STRIPPING TAPE (HEAT INSULATION) 140464 USER: GL | A | 5620 | YD1 | | 23-AUG-51 | | YD1 | | |
| | MIL-M-2828 | MATTING, SYNTHETIC-RUBBER (FOR ATTACHMENT TO METAL) REVIEWER: YD1 ..... | A | 7220 | SH | | 23-AUG-51 | MD | SH | | |
| | MIL-S-2836E | SAFE, FIRE RESISTANT USER: MC YD1 REVIEWER: SH ..... | A | 7110 | ME | | 18-JAN-77 | ME | | 99 | |
| L | MIL-M-2848E NOTICE 1 | MASK, ANTIFLASH (NO S/S DOCUMENT) ..... | A | 8415 | CT | | 23-OCT-92 | | | | CT |
| Q | MIL-T-2868A(1) | THERMOMETER, SELF-INDICATING, LIQUID-IN-GLASS, MERCURIAL, SUPERHEATED STEAM (USE GG-T-321) REVIEWER: 13 YD1 | A | 6645 | SH | | 01-JAN-62 | MD | SH | 01 | |
| | MIL-P-2886 | PLASTER, MAGNESIA REVIEWER: YD1 ..... | A | 5610 | SH | | 04-SEP-51 | MD | SH | | |
| | MIL-B-2887 | BELTING, CONVEYOR, AMMUNITION USER: SA YD1 REVIEWER: GL ..... | A | 3910 | SH | | 23-AUG-51 | | | | |
| | MIL-C-29088 | CEMENT, INSULATION, HIGH TEMPERATURE, FINISHING (USE SS-C-160) REVIEWER: MI | A | 5640 | YD1 | | 22-AUG-72 | ME | YD1 | 84 | |
| L | MIL-P-2909 | PUMICE, GROUND (ABRASIVE PIGMENT) USER: YD1 REVIEWER: 85 GL IS SA WC ..... | A | 5350 | SH | | 04-SEP-51 | | SH | | |
| | MIL-D-2917C | DISPENSER, SALT TABLET USER: CE ME MS REVIEWER: CS MC ..... | A | 4510 | YD1 | | 20-JAN-78 | | YD1 | 99 | |
| | MIL-P-2924 | PANS, DISH USER: YD1 ..... | A | 7330 | | | 04-SEP-51 | | | | |
| | MIL-I-2925B | INDICATORS, CARBON DIOXIDE, CHEMICAL ABSORPTION TYPE, PORTABLE (NO S/S DOCUMENT) USER: ME YD1 | A | 6665 | SH | | 02-JAN-91 | AR | SH | | |
| | MIL-S-3050C | SPRAY OUTFIT, PAINT, BITUMINOUS EMULSION, TRAILOR MOUNTED, WITH COMPRESSOR & GASOLINE ENGINE USER: CE MC REVIEWER: CS | A | 4940 | ME | | 22-JUN-88 | ME | YD1 | 99 | |
| | MIL-D-3054A | DIELECTRIC MATERIAL, POLYETHYLENE (S/S BY L-P-590) REVIEWER: AR AS OS YD1 . | A | 9330 | ER | | 23-JUL-57 | ER | SH | 99 | |
| | MIL-C-3073 | CAR, RAILWAY, GONDOLA, HIGH SIDE, 561/2-INCH GAUGE, 50-TON, 8-WHEEL (RIVETED) USER: 26 REVIEWER: GL | A | 2250 | MD | | 02-FEB-52 | MD | YD1 | 87 | |
| | MIL-C-3078A | CABLE, ELECTRIC, INSULATED, LOW-TENSION, SINGLE CONDUCTOR (USE MIL-C-13486, MIL-W-8777 OR MIL-W-7139) USER: MS REVIEWER: AR EL | A | 6145 | MD | | 14-APR-60 | MD | YD1 | | |
| | MIL-S-3084C | SCRAPER, EARTHMOVING, TOWED, CABLE OPERATED USER: CE MC REVIEWER: MI ..... | A | 3805 | ME | | 31-JUL-69 | ME | YD1 | 99 | |
| | MIL-S-3085 | SCRAPERS, ROAD, MOTORIZED, 10 TO 20 CUBIC YARDS, USER: MC ..... | A | 3805 | MD | | 03-MAR-60 | MD | YD1 | | |
| | MIL-S-3089 | SLED, CARGO, 1-TON, M1A1 USER: MC SA YD1 REVIEWER: GL ..... | A | 3920 | AS | | 30-NOV-49 | MD | | | |
| | MIL-T-3102C | TRACTOR, WALKING, POWER DRIVEN, WHEEL MOUNTED, WITH ATTACHMENTS USER: CE REVIEWER: GS MC | A | 3695 | ME | | 25-MAR-69 | ME | YD1 | 84 | |
| | MIL-W-3104 | WIRE, INSULATED, W-63-A (NO. 20 AWG, EXTRA FLEXIBLE) (USE MIL-C-3432) USER: GL MC REVIEWER: 85 AR | A | 6145 | EL | | 16-DEC-49 | EL | YD1 | 17 | |
| | MIL-P-3107F | PIPE, STEEL: WATER-WELL, WITH COUPLING (S/S BY ASTM-A589-88) USER: MC REVIEWER: CS | A | 4710 | ME | | 05-JAN-90 | ME | YD1 | | |
| | MIL-G-31108 | GENERATING AND CHARGING PLANTS, ACETYLENE, PORTABLE, 750 CUBIC FEET PER HOUR CAPACITY USER: MS REVIEWER: ER GS | A | 3655 | ME | | 04-JUN-84 | ME | YD1 | | |
| | MIL-P-3127 | PACKAGING AND PACKING RAIL SPARE PARTS AND ACCESSORIES USER: GL REVIEWER: EL | A | PACK | MD | | 09-JAN-50 | MD | YD1 | | |
| | MIL-S-3140 | SPOOL DR-8-A (USE MIL-R-3241) USER: MC REVIEWER: 69 ..... | A | 8130 | EL | | 27-FEB-50 | EL | YD1 | 84 | |
| | MIL-S-3142B | SAWS, CHAIN, PORTABLE, POWER (S/S BY GGG-S-62A) USER: 26 EL MC WC REVIEWER: AR SH | A | 3695 | ME | | 01-JAN-66 | ME | YD1 | 84 | |
| L | MIL-I-003190/1 | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED CLASS 130, TYPE A, CATEGORY A (VALIDATION DATE: 8605) USER: ME REVIEWER: EA MI | A | 5970 | SH | | 30-MAY-86 | | SH | 11 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-I-003190/4 | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED CLASS 155, TYPE A, CATEGORY C USER: ME REVIEWER: EC MI | A | 5970 | SH | 30-MAY-86 | | | SH | 11 | |
| | MIL-C-3193(1) | CAR, RAILWAY, MAINTENANCE (GASOLINE, MULTI-GAUGE, 8-MAN, 4-WHEEL, FOREIGN SERVICE) (USE MIL-R-10651) REVIEWER: 85 | A | 2230 | MO | 02-APR-53 | MO | YD1 | 84 | | |
| L | MIL-F-3201 | FORDING KITS FOR COMBAT AND TRANSPORT VEHICLES USER: MC YD1 ..... | A | 5420 | MC | 16-MAY-50 | MC | | | | |
| | MIL-D-3209C | DISTILLATION UNITS, WATER, THERMOCOMPRESSION-TYPE, PACKAGING OF (NO S/S DOCUMENT) REVIEWER: CS SM WV | A | PACK | ME | 0 JAN-90 | ME | YD1 | 84 | | |
| | MIL-G-3210A | GRIP, CABLE, JAW (USE RR&G6691) USER: MC YD1 REVIEWER: GL ..... | A | 5120 | SH | 21-FEB-56 | EL | | 69 | | |
| | MIL-R-3215 | RAILWAY CAR, REFRIGERATOR (DISASSEMBLED), 561/2-INCH GAGE, 40-TON, 8-WHEEL, FOREIGN SERVICE, REVIEWER: 85 | A | 2220 | MO | 21-APR-53 | MO | YD1 | 84 | | |
| | MIL-T-3229B | TRACTORS, WHEELED, INDUSTRIAL, PNEUMATIC-TIRED, GASOLINE AND DIESEL-ENGINE-DRIVEN (S/S BY KKK-T-642) USER: MC | A | 2420 | ME | 21-DEC-88 | ME | YD1 | 84 | | |
| | MIL-L-3246 | LOCOMOTIVE, DIESEL-ELECTRIC, 561/2-INCH GAUGE, 45-TON, 0-4-4-0 WHEEL, DUAL ENGINE REVIEWER: EL | A | 2210 | MO | 22-JUN-53 | MO | YD1 | | | |
| | MIL-C-3254C(1) | COATING-SYSTEM, BRIDGING, STRIPPABLE SPRAYABLE USER: AT MC OS YD1 REVIEWER: AR EA MD MI | A | 8030 | MR | 01-FEB-82 | MR | AS | 99 | | |
| | MIL-T-3283A | TOOL KIT, PLUMBERS USER: MC WC YD1 REVIEWER: 85 ..... | A | 5180 | GL | 15-FEB-65 | GL | SH | 84 | | |
| | MIL-R-3287 | REEL, TELEPHONE WIRE PAYOUT, BARROW-MOUNTED (USE MIL-R-11019) USER: 17 80 REVIEWER: 82 | A | 5835 | EL | 08-SEP-50 | EL | YD1 | | | |
| | MIL-F-3296D | FORGES, FURNACES AND OVENS (EXCLUSIVE OF SPACE HEATING AND COOKING), PACKAGING OF (NO S/S DOCUMENT) USER: MC REVIEWER: SH SM | A | 4430 | ME | 08-JAN-90 | ME | YD1 | 99 | | |
| | MIL-W-3314A NOTICE 1 | WIRE, IRON OR STEEL, GALVANIZED (NO S/S DOCUMENT) REVIEWER: IS ..... | A | 6145 | CR | 25-FEB-91 | CR | YD1 | 69 | | |
| | MIL-P-3320F(1) | PAINTING & MARKING, FREIGTT & MAINTENANCE CARS S/S BY MIL-P-53044 REVIEWER: GS OS | A | 2220 | ME | 31-AUG-84 | ME | YD1 | 99 | | |
| | MIL-P-3321F | PAINTING & MARKING, RAILWAY MOTIVE POWER & WORK EQUIPMENT (S/S BY MIL-P-53044) USER: 26 MC | A | 2210 | ME | 31-AUG-84 | ME | YD1 | | | |
| | MIL-B-3323 | BAR, 7-1/2 INCH, DOUBLE EYE FOR TENTAGE USER: YD1 REVIEWER: CT MC ..... | A | 8340 | GL | 12-JAN-64 | GL | SA | | | |
| | MIL-P-3345 | TRAILERS, SEMITRAILERS, AND TRAILER DOLLIES, PACKAGING OF REVIEWER: MC .... | A | 2330 | 69 | 06-FEB-60 | MO | YD1 | 69 | | |
| L | MIL-W-3357C(1) NOTICE 1 | WRENCH, TRACK, GASOLINE OR DIESEL ENGINE, PORTABLE (NO S/S DOCUMENT) ..... | A | 2230 | ME | 22-MAR-93 | ME | | | | |
| | MIL-R-3360A | ROD, STADIA (12-FOOT, FOLDING )SUPERSEDED BY GG-R-550( REVIEWER: MC ..... | A | 6675 | MO | 23-MAY 58 | MO | YD1 | 67 | | |
| | MIL-F-3361B | FILTER UNIT, WATER PURIFICATION, KNAPSACK TYPE, 1/4 GPM REVIEWER: CS MC MD MI MS | A | 4610 | YD1 | 15-FEB-67 | | YD1 | 99 | | |
| | MIL-P-3362A | PAVERS, CONCRETE, SELF-PROPELLED GASOLINE- OR DIESEL-ENGINE-DRIVEN, CRAWLER-MOUNTED, 34 CUBIC FOOT CAPACITY REVIEWER: EL | A | 3895 | YD1 | 27-NOV-51 | MO | YD1 | | | |
| | MIL-R-3378B | ROD, LEVEL, PHILADELPHIA (USE GG-R-1506) REVIEWER: GS MC ..... | A | 6675 | ME | 20-JUN-71 | ME | YD1 | 82 | | |
| | MIL-G-3379B | GAUZE, ABSORBENT, STERILE, COMPRESSED (S/S BY A-A-54855) ..... | A | 6510 | MB | 30-APR-93 | MD | MS | 69 | | |
| | MIL-L-3384(1) NOTICE 1 | LIGHT, SIGNAL, SURVEYING, ELECTRIC (REFLECTOR DIAMETER APPROXIMATELY 2 INCHES) WITH CASE AND STRAP (S/S BY MIL-L-52430) REVIEWER: EL MC | A | 6675 | MO | 12-MAY-58 | MO | YD1 | 67 | | |
| | MIL-D-3396 | DUCK, COTTON, SINGLE AND PLIED FILLING YARNS (FLAT) USER: MR YD1 REVIEWER: CT MC | A | 8305 | GL | 09-JAN-53 | GL | SA | | | |
| | MIL-F-3398A | FINISHER, CONCRETE, FORM-RIDING (20- TO 25-FOOT WIDTH, WITH OR WITHOUT VIBRATOR) USER: MC REVIEWER: EL | A | 3895 | YD1 | 06-NOV-61 | MO | YD1 | | | |
| | MIL-D-3400 | DOLLY, SEMITRAILER CONVERTER, 2 DUAL TIRE WHEELS REVIEWER: MC ..... | A | 2330 | 84 | 30-JAN-51 | MO | YD1 | 84 | | |
| | MIL-P-3414 | PLASTIC-MATERIAL, MOLDING; RIGID THERMOPLASTIC, CELLULOSE ACETATE BUTYRATE; FOR USE IN ELECTRONIC, COMMUNICATIONS, AND ALLIED ELECTRICAL EQUIPMENT (S/S BY L-P-349) | A | 9330 | MR | 03-JUN-57 | MR | AS | 11 | | |
| | MIL-S-3419B | SHOP EQUIPMENT, CARTOGRAPHIC INSTRUMENT REPAIR, FIELD MAINTENANCE, PACKAGING OF (NO S/S DOCUMENT) REVIEWER: GS SM | A | 6675 | ME | 07-JUL-89 | ME | YD1 | | | |
| | MIL-S-3422A | SURVEYING SET, PRECISE TRAVERSING, SET 11, PACKAGING OF REVIEWER: GS ..... | A | 6675 | ME | 01-MAY-59 | ME | YD1 | 82 | | |
| | MIL-R-3423D NOTICE 1 | ROOFING FELT: IN ROLLS, PACKAGING OF (NO S/S DOCUMENT) REVIEWER: CS SM .... | A | 5650 | ME | 08-JAN-90 | ME | YD1 | 99 | | |
| | MIL-S-3425B NOTICE 1 | SURVEYING SET, PRECISE LEVELING; FOR SPIRIT LEVELING OF SECOND-ORDER ACCURACY, PACKAGING OF (NO S/S DOCUMENT) REVIEWER: GS | A | 6675 | ME | 07-AUG-89 | ME | YD1 | 82 | | |
| | MIL-A-3427A(1) NOTICE 1 | AMMETER AND SHUNT, AUTOMOTIVE REVIEWER: AR ..... | A | 6625 | AT | 01-MAR-60 | AT | YD1 | | | |
| | MIL-P-3435 | TRUCK CHASSIS, MOTORIZED, PACKAGING OF USER: 26 GL REVIEWER: MC ..... | A | 2320 | MO | 01-JUN-60 | MO | YD1 | 69 | | |
| | MIL-T-3440 | TANKS, WOOD, STAVE (WATER-STORAGE, ERECTION TYPE) ..... | A | 5430 | MO | 09-APR-53 | MO | YD1 | 69 | | |
| | MIL-T-3444A | TOOL KIT, PIPEFITTER S, SET 1, PACKAGING OF ..... | A | 5180 | ME | 16-JUL-59 | ME | YD1 | 84 | | |
| | MIL-T-3445B | TOOL KIT, ENGINEER SQUAD PACKAGING OF USER: MC SH REVIEWER: SM ..... | A | 5180 | ME | 28-JUN-68 | ME | YD1 | 84 | | |
| | MIL-T-3446A | TOOL KIT, PIPEFITTER S, SET 2, PACKAGING OF USER: MC SH REVIEWER: SM ..... | A | 5180 | ME | 16-JUL-59 | ME | YD1 | 84 | | |
| | MIL-W-3448D NOTICE 1 | WALLBOARD: PACKAGING OF (NO S/S DOCUMENT) REVIEWER: SM ..... | A | 5640 | ME | 08-JAN-90 | ME | YD1 | 99 | | |
| | MIL-F-3456(3) | FILTER, WATER, PORTABLE, DIATOMITE, 50 GPM USER: 26 MC YD1 ..... | A | 4610 | MO | 07-APR-55 | MO | MS | 69 | | |
| | MIL-C-3458D | CABLE, TELEPHONE (NO 19, 22, & 24 AWG, PAPER OR PULP INSULATED, LEAD-COVERED) (NO 19 & 22 AWG, PAPER OR PULP INSULATED, LEAD COVERED TAPE-ARMORED) USER: MC REVIEWER: IS | A | 6145 | CR | 19-NOV-84 | CR | YD1 | 85 | | |
| | MIL-P-3466 | PACKAGING OF PIPE, WOOD, MACHINE-BANDED, INSERTED-JOINT, AND PIPE, BITUMINIZED FIBER, FOR OVERSEAS SHIPMENT (USE SS-P-1540) [VALIDATION DATE: 8601] USER: 26 REVIEWER: SA | A | 81GP | ME | 04-MAY-51 | ME | YD1 | 69 | | |
| | MIL-D-3467C | DIVIDERS, DRAFTING, PROPORTIONAL USER: MC YD1 REVIEWER: GS ..... | A | 6675 | ME | 07-DEC-87 | ME | | 99 | | |
| | MIL-S-3470D | SPLINE AND WEIGHTS SET USER: YD1 REVIEWER: GS ..... | A | 6675 | ME | 06-NOV-86 | ME | | 99 | | |
| | MIL-R-3472A(1) | ROOF COATING, ASPHALT BASE EMULSION (USE ASTM D1227) USER: CE ..... | A | 5650 | YD1 | 06-NOV-72 | ME | YD1 | 99 | | |
| | MIL-E-3480 | ELECTROMAGNET, ROAD (FOR USE WITH 5&KW, 120&VOLT, DC, GENERATOR SET AND FOR MOUNTING ON 2&1/2 TON, LXL CARGO TRUCK) | A | 3830 | MO | 06-MAR-61 | | YD1 | | | |
| | MIL-C-34868(1) | COUPLINGS AND COUPLING HALVES-QUICK DISCONNECT, AIR HOSE, BOWES TYPE (S/S BY A-A-50431) USER: YD1 REVIEWER: AR CS | A | 4730 | SH | 29-MAR-89 | ME | SH | 69 | | |
| L | MIL-H-3496D NOTICE 1 | HOOKS, BOAT (BALL POINT) (S/S BY A-A-52303) ..... | A | 2040 | ME | 07-OCT-92 | ME | | | | |
| | MIL-T-3515 | TRAY, SILVER BATH, (TILTING TYPE, WET PLATE, STAINLESS STEEL, 28-BY 36-INCH), REVIEWER: EL | A | 6740 | MO | 11-JUN-51 | MO | YD1 | | | |
| | MIL-R-3518D | RAIL, TEE, RAILWAY (USE ASTM A1) ..... | A | 2250 | ME | 27-SEP-77 | ME | YD1 | 99 | | |
| | MIL-S-3531A | SHARPENING MACHINE, DRILL STEEL, PNEUMATIC REVIEWER: SH ..... | A | 3449 | ME | 27-DEC-57 | ME | YD1 | | | |
| | MIL-T-3532A | TRUCK, MAINTENANCE, LIGHT USER: GL REVIEWER: EL MC ..... | A | 2320 | MO | 03-JAN-61 | MO | YD1 | 87 | | |
| | MIL-C-3544 | CURVE, DRAFTING (FOR MECHANICAL ENGINEERS) (PLASTIC, SET OF 10) (USE GG-C-871) USER: EL REVIEWER: GL | A | 6675 | MO | 03-OCT-51 | MO | YD1 | 67 | | |
| | MIL-H-3551B | HARROW, SPIKE TOOTH (4 SECTION) REVIEWER: CS ..... | A | 3710 | ME | 23-MAR-76 | ME | YD1 | 99 | | |
| | MIL-W-3561A | WRINGER, FABRIC (ROLLER TYPE) HAND AND ELECTRIC REVIEWER: GS ..... | A | 3510 | GL | 21-JUL-66 | | YD1 | | | |
| | MIL-R-3567A | RECONDITIONING OF DRUMS, METAL, 55-GALLON AND CANS, GASOLINE, MILITARY, 5-GALLON (USE PPP-D-732) USER: 26 AS MC YD1 | A | 8110 | SA | 21-JUL-53 | GL | SA | 69 | | |
| | MIL-T-3603A | TOOL KIT, PIONEER, ENGINEER COMBAT PLATOON, SET NO. 3, PACKAGING OF REVIEWER: SM | A | 5180 | ME | 29-OCT-59 | ME | YD1 | 84 | | |
| | MIL-L-3605A | LINER, TENT, SQUAD, WITH SCREEN REVIEWER: CT ..... | A | 8340 | | 27-OCT-52 | | YD1 | | | |
| | MIL-A-3612 | AIR CONDITIONER (SELF-CONTAINED, AIR-COOLED, TRAILER-MOUNTED, 22,000 BTU/HR APPROX., ELECTRIC-MOTOR-DRIVEN) | A | 4120 | YD1 | 18-FEB-59 | MO | YD1 | | | |
| L | MIL-B-3621C NOTICE 1 | BLANKET, DOG (NO S/S DOCUMENT) ..... | A | 3770 | 84 | 10-MAY-93 | | | 84 | | |
| L | MIL-F-3622A | FLAME-RESISTANT COMPOUND, FABRIC (COLORLESS, EMULSIFIABLE) USER: YD1 REVIEWER: MI | A | 8030 | MO | 12-FEB-58 | MO | | | | |
| L | MIL-F-3623 | FILTER ELEMENTS, LUBRICATING OIL, ENGINE, (LARGE) (NO S/S DOCUMENT) USER: SA REVIEWER: 99 AV CS MI | A | 2940 | SH | 17-DEC-90 | | SH | | | |
| | MIL-C-3625 | CURVE, RAILROAD (SET OF 30) (USE GG-C-871) [VALIDATION DATE: 8601] ..... | A | 6675 | MO | 13-JAN-60 | MO | YD1 | | | |

| Action | Doc. (Civil) Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | | MIL-B-36300 | BATCHING PLANT, AGGREGATE, MOBILE, THREE-COMPARTMENT, 60-TON CAPACITY (NO S/S DOCUMENT) USER: CE REVIEWER: 84 ME | A 3895 YD1 | 05-MAR-91 | | YD1 | 99 | |
| | | MIL-C-3635C(1) | COMPASSES, DRAFTING, BEAM (S/S BY A-A-50203) USER: MC YD1 REVIEWER: GS .... | A 6675 ME | 01-SEP-88 | ME | | 99 | |
| | | MIL-P-3641A | PUMPING AND HYPOCHLORINATION UNIT, FRAME MOUNTED, GASOLINE ENGINE-DRIVEN, 50-GPH USER: 26 | A 4610 MD | 03-JUN-58 | MD | YD1 | 69 | |
| | | MIL-C-3648 NOTICE 1 | CLAMP, TEST TUBE (S/S BY A-A-51116) USER: CR MR ..... | A 6640 MB | 20-JUL-92 | MD | MS | 03 | |
| | | MIL-C-3659A NOTICE 1 | CRUCIBLE, FILTERING, LABORATORY, GOOCH, LOW FORM, FRITTED, 30 ML. (S/S BY A-A-54740) | A 6640 MB | 01-NOV-92 | MD | MS | 03 | |
| | | MIL-I-3676A(1) | INSULATORS, PIN (LINE GLASS) (USE MIL-I-23264/24A) REVIEWER: 85 ..... | A 5970 EL | 02-JUN-60 | EL | YD1 | 11 | |
| | | MIL-S-3678 NOTICE 1 | SHAKING APPARATUS, LABORATORY (ROTATING TYPE) (NO S/S DOCUMENT) ..... | A 6640 MB | 09-NOV-92 | MD | MS | | |
| L | | MIL-S-003678A(11) | SHAKING MACHINE, LABORATORY (ROTATING TYPE) (NO S/S DOCUMENT) ..... | A 6640 MB | 09-NOV-92 | | | | |
| | | MIL-G-3681D | GENERATING AND CHARGING PLANT, LIQUID CARBON DIOXIDE, PORTABLE, 300 POUND PER HOUR CAPACITY HOUR C REVIEWER: ER GS | A 3655 ME | 04-JUN-84 | ME | YD1 | 99 | |
| | | MIL-P-3682 | PACKAGING OF HARDWARE, BUILDERS AND POLE LINE (S/S BY MIL-P-14527C) USER: AR MC ME SH REVIEWER: 85 GL IS SH YD1 | A PACK SA | 15-JAN-52 | EL | SA | 82 | |
| | | MIL-M-3704 | MASK, CHEEK PROTECTOR, ARCTIC USER: SA REVIEWER: CT GL MC ..... | A 8405 YD1 | 21-MAY-53 | | YD1 | | |
| | | MIL-R-3710 | RAILWAY CAR, TANK, CHLORINE, ICC-105A500-W, 561/2-INCH GAGE, 11,000-GALLON, 8-WHEEL, DOMESTIC SERVICE USER: 26 REVIEWER: GL | A 2220 MD | 17-JUN-54 | MD | YD1 | 87 | |
| | | MIL-R-3719A | REPRODUCTION EQUIPMENT, TOPOGRAPHIC, TRUCK-MOUNTED, PACKAGING OF USER: MC . | A 3610 ME | 04-FEB-59 | ME | YD1 | | |
| | | MIL-P-3721 | PACKAGING OF DRAFTING EQUIPMENT, AND DRAFTING, ARTIST, OFFICE, AND REPRODUCTION SUPPLIES, OVERSEAS SHIPMENT USER: MC SH REVIEWER: SA | A 81GP MD | 07-APR-55 | MD | YD1 | 67 | |
| | | MIL-H-3726(1) | HOSE, SULFURIC ACID RESISTANT (THERMOPLASTIC) ..... | A 4720 AR | 27-MAR-53 | MD | YD1 | | |
| | | MIL-R-3730 | RAILWAY CAR, TANK, ANHYDROUS HYDROGEN FLUORIDE ICC-105A500-W, 561/2-INCH GAGE, 11,000-GALLON, 8-WHEEL, DOMESTIC SERVICE REVIEWER: GL | A 2220 MD | 21-JUN-54 | MD | YD1 | | |
| | | MIL-R-3736 | RAILWAY CAR, TANK, PROPANE GAS OR ANYHDROUS AMMONIA, ICC-105A300-W, 561/2-INCH GAGE, 11,000-GALLON, 8-WHEEL, DOMESTIC SERVICE REVIEWER: GL | A 2220 MD | 17-JUN-54 | MD | YD1 | | |
| | | MIL-R-3750A | RAILWAY CAR, HOPPER, 561/2-INCH GAGE, 50 TON 8 WHEEL DOMESTIC SERVICE, USER: 26 REVIEWER: GL | A 2220 MD | 14-FEB-61 | MD | YD1 | | |
| | | MIL-L-3754A | LEATHER, CATTLEHIDE, CHROME TANNED, STRAP, PAD, AND REINFORCEMENT (USE MIL-L-40069 OR KK-L-162) USER: AS AT EL MC MI MR MS REVIEWER: 82 CT | A 8330 GL | 25-MAR-57 | GL | YD1 | 84 | |
| | | MIL-P-3758 | PACKAGING AND PACKING OF RANGE, FIELD, M-1937, A PACK AND B PACK USER: MC . | A 7360 GL | 17-MAY-52 | GL | YD1 | | |
| | | MIL-L-37658 | LEVEL, SURVEYING, MOUNTED TYPE, DUMPY STYLE (S/S BY GG-L-1680) IVALIDATION DATE: 8601] USER: CE REVIEWER: GS MC MI | A 6675 ME | 09-MAY-68 | ME | YD1 | 82 | |
| | | MIL-H-3780C | HANGER & TRACK SETS, HORIZONTAL SLIDING DOOR-(FUTURE PROCUREMENT - REFER TO BHMA A156.14) USER: CE REVIEWER: IS | A 5340 YD1 | 26-JAN-88 | | YD1 | 99 | |
| | | MIL-R-3781D | ROLLER, MOTORIZED, 3 WHEEL, 10 TO 12 TON, GASOLINE OR DIESEL ENGINE DRIVEN USER: MC | A 3895 YD1 | 12-SEP-72 | ME | YD1 | | |
| | | MIL-J-3790(1) | JACK, LEVELING, TRAILER USER: MC YD1 ..... | A 2590 GL | 31-MAY-55 | GL | | 84 | |
| | | MIL-B-3792A | BRUSHES, ARTIST S (SIGN WRITING) (USE H-B-1188 USER: MC SA YD1 REVIEWER: 85 | A 8020 ME | 05-OCT-60 | ME | SH | 84 | |
| | | MIL-H-3810 | HAMMER, PNEUMATIC, DRILL, PNEUMATIC, DRIFTER, DRILL, PNEUMATIC, SINKER USER: 26 MC WC YD1 REVIEWER: GL | A 3820 MD | 10-JUN-60 | MD | | 69 | |
| | | MIL-G-3820A | GASKET, SYNTHETIC RUBBER, REINFORCED (FOR DRYDOCK CAISSONS) REVIEWER: IS MI | A 5330 YD1 | 12-FEB-65 | MR | YD1 | 82 | |
| | | MIL-S-3821A | STAKE, WOOD, ROAD DELINEATOR, RETOREREFLECTING USER: MC REVIEWER: GL ..... | A 9905 ME | 11-JUN-58 | ME | YD1 | 84 | |
| Q | | MIL-M-3823 | METERS, ELECTRICAL INDICATING, BASIC (SEALED, PANEL MOUNTING TYPE, 11/2-INCH), AND SCALEPLATES USER: MC REVIEWER: AR YD1 | A 6625 EL | 05-JAN-62 | EL | SH | 11 | |
| | | MIL-W-3829 | WINTERIZATION-KITS, ARCTIC (INCLUDING EQUIPMENT AND ACCESSORIES), FOR MILITARY VEHICLES AND EQUIPMENT USER: GL MC SA | A 2540 MD | 12-NOV-52 | MD | YD1 | 84 | |
| | | MIL-P-3840 | PAINT, CAMOUFLAGE, BITUMINOUSEMULSION ADHESIVE USER: MR YD1 REVIEWER: AR MC | A 8030 SH | 25-NOV-52 | | | 69 | |
| | | MIL-C-3849/1C | CORD, ELECTRICAL (TINSEL) CLASS SBL, STYRENE BUTADIENE RUBBER (SBR) INSULATED, POLYAMIDE BRAIDED USER: MC MS SA REVIEWER: 85 IS YD1 | A 6145 CR | 21-FEB-73 | CR | SH | 17 | |
| | | MIL-C-3849/2C | CORD, ELECTRICAL (TINSEL) CLASS NBL, NATURAL RUBBER INSULATED, POLYAMIDE BRAIDED USER: MC MS SA REVIEWER: 85 YD1 | A 6145 CR | 21-FEB-73 | CR | SH | 17 | |
| | | MIL-C-3849/5C | CORD, ELECTRICAL (TINSEL) CLASS NNL, NATURAL RUBBER INSULATED AND JACKETED USER: MC MS SA REVIEWER: 85 IS YD1 | A 6145 CR | 21-FEB-73 | CR | SH | 17 | |
| | | MIL-C-3849/8C | CORD, ELECTRICAL (TINSEL) CLASS PP, POLYVINYL CHLORIDE (PVC) INSULATED & JACKETED USER: MC MS SA REVIEWER: 85 IS YD1 | A 6145 CR | 21-FEB-73 | CR | SH | 17 | |
| | | MIL-C-3849/9C | CORD, ELECTRICAL (TINSEL), CLASS NSI, NATURAL RUBBER INSULATED, STYRENE BUTADIENE RUBBER JACKETED USER: MC MS SA REVIEWER: 85 IS YD1 | A 6145 CR | 21-FEB-73 | CR | SH | 17 | |
| | | MIL-P-3852C | PANS, BAKING AND ROASTING: CORROSION-RESISTING STEEL AND CARBON STEEL (NO S/S DOCUMENT) USER: 67 MC MS YD1 REVIEWER: MD | A 7330 GL | 26-MAR-91 | GL | SA | 84 | |
| L | | MIL-P-3863 | PACKAGING OF CHEMICALS, LIQUID (USE PPP-C-300) REVIEWER: SA YD1 ..... | A 6800 SH | 04-FEB-53 | | SH | | |
| | | MIL-G-3882A | GUNS, FLUID, DIRECT DELIVERY USER: 26 GL MC REVIEWER: SH ..... | A 4930 WC | 07-MAR-60 | WC | YD1 | 82 | |
| | | MIL-R-3907A | RESURFACER, COMMUTATOR USER: ME ..... | A 4940 YD1 | 25-JAN-67 | | YD1 | 99 | |
| L | | MIL-L-3921A(1) NOTICE 1 | LUBRICANT, MOLD, TIRE, SILICONE BASE EMULSION (S/S BY A-A-52443) REVIEWER: EA | A 2640 AT | 24-MAR-93 | AT | | | |
| | | MIL-C-3923 | CALKING COMPOUND USER: GL SA YD1 ..... | A 8030 MR | 10-AUG-54 | MR | | 69 | |
| | | MIL-C-3925H NOTICE 1 | COMPRESSORS, RECIPROCATING, ROTARY AND DIAPHRAGM POWER DRIVEN, AIR, (PAINT SPRAY TYPE) (NO S/S DOCUMENT) USER: MC REVIEWER: 84 CE CS | A 4310 YD1 | 20-APR-93 | | YD1 | 99 | |
| | | MIL-S-3927C(1) | SEALING COMPOUND, THREAD, POLYMERIZING ROOM TEMPERATURE (S/S BY MIL-S-46163 AND MIL-S-22473 USER: MC YD1 REVIEWER: EA IS | A 8030 MR | 05-FEB-73 | MR | OS | | |
| | | MIL-B-3940 | BUSSES, MOTOR, BODY-ON-CHASSIS, 4X2 REVIEWER: EL MC ..... | A 2310 MD | 28-DEC-54 | MD | YD1 | 87 | |
| | | MIL-M-3944D | NONFERROUS PRODUCTS (OTHER THAN ALUMINUM, MAGNESIUM, COPPER, OR THEIR ALLOYS), PACKAGING AND PACKING OF (NO S/S DOCUMENT) USER: SH YD1 REVIEWER: AR AS IS MR OS SH | A PACK ME | 09-JAN-90 | ME | SA | 99 | |
| | | MIL-G-3957A | GREASE GUNS, HAND, PUSH OPERATED (USE MIL-G-3859) USER: AT CS WC REVIEWER: AS OS YD1 | A 4930 ME | 22-OCT-65 | ME | | 82 | |
| | | MIL-S-3960A | STRAP, RETAINING (USE FF-S-760) USER: 26 YD1 REVIEWER: MI ..... | A 5340 WC | 21-DEC-61 | WC | WP | 69 | |
| | | MIL-B-3964B | BOLTS & NUTS, TRACK (USE ANSI B18.10 REVIEWER: IS SA ..... | A 5306 YD1 | 12-JUL-84 | ME | YD1 | 99 | |
| | | MIL-C-3966A | CLOTH, COTTON DUCK, COTTON WARP AND RAYON FILLING (ARMY AND NUMBERED) USER: YD1 REVIEWER: 11 67 85 CT MD | A 8305 GL | 21-JUN-62 | GL | SA | 82 | |
| | | MIL-B-3978 | BRUSH, CLEANING, PIPE AND FAUCET (USE H-B-001138) USER: 26 MC YD1 REVIEWER: WC | A 7920 GL | 28-SEP-56 | GL | SA | 84 | |
| | | MIL-B-3980 | BOXES, TOOL, MACHINISTS (S/S BY FED SPEC GGG-T-555) USER: 26 GL YD1 ..... | A 5140 SH | 23-OCT-56 | WC | | 69 | |
| | | MIL-B-3981(1) | BOX, TOOL, MECHANICS (USE GGG-T-558) USER: 26 GL MC YD1 ..... | A 5140 SH | 11-APR-58 | WC | | 69 | |
| | | MIL-H-3982C(1) | HARDWARE (FASTENERS AND RELATED ITEMS), PACKAGING AND PACKING FOR SHIPMENT AND STORAGE OF (USE PPP-H-1581) USER: EC MC REVIEWER: AS AT AV IS ME MI SA SH YD1 | A PACK WC | 06-MAY-69 | WC | OS | 82 | |
| | | MIL-T-4117A(1) | TAPE, ASBESTOS (USE HH-T-1782) REVIEWER: GL MI MR ..... | A 5640 ME | 01-APR-74 | ME | YD1 | 84 | |
| | | MIL-S-41748 NOTICE 3 | STEEL SHEET AND STRIP, FLAT, ALUMINUM COATED LOW CARBON (S/S BY SAE-AMS5036 AND ASTM-A463-85) USER: AT ME REVIEWER: IS MI YD1 | A 9515 11 | 25-AUG-89 | MR | AS | 11 | |
| | | MIL-N-4180C(1) | NOZZLE, FUEL AND OIL SERVICING (USE MIL-N-26978) USER: GL MC REVIEWER: SH YD1 | A 4930 82 | 13-NOV-59 | WC | AS | 82 | |
| | | MIL-F-42098 | FASTENER, METAL, NUT-SLEEVE ASSEMBLY REVIEWER: IS ..... | A 5325 82 | 19-MAR-64 | GL | YD1 | 82 | |
| | | MIL-G-42378 | GREASE GUN, HAND, HIGH PRESSURE (USE MIL-G-3805) USER: GL MC REVIEWER: SH . | A 4930 82 | 29-MAY-56 | WC | YD1 | 82 | |
| | | MIL-H-4443A | HOSE, RUBBER, OIL SUCTION, WIRE REINFORCED (USE MIL-H-4441) REVIEWER: YD1 . | A 4720 11 | 21-JUL-53 | MD | | 11 | |
| L | | MIL-M-4488A | MICROFILMING REQUIREMENTS FOR ENGINEERING DRAWINGS AND ASSOCIATED DATA (S/S BY MIL-M-8857)ASG( USER: 80 REVIEWER: 83 | A GP67 10 | 16-AUG-56 | | | 10 | |
| | | MIL-F-45718 | FINGERS, MECHANICAL AND RETIEVING TOOL, MAGNETIC (USE GGG-F-3608) USER: YD1 REVIEWER: GL | A 5120 SH | 22-AUG-56 | WC | | 69 | |

| Action | Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity Data | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| L | MIL-T-45888 | TESTER, HEADLIGHT BEAM, PORTABLE | A 4910 | YD1 | 13-DEC-67 | | YD1 | | |
| | MIL-P-4672E(1) NOTICE 1 | PAPER, PHOTOGRAPHIC, BLACK AND WHITE, SENSITIZED (NO S/S DOCUMENT) REVIEWER: GS | A 6750 | 70 | 24-FEB-93 | ER | AS | 99 | |
| | MIL-P-4745C | PLATE, MARKING, BLANK USER: MI | A 9905 | 99 | 13-SEP-66 | GL | YD1 | 99 | |
| L | MIL-M-4803D | MOTOR-GENERATOR, 400 HZ PRECISE OUTPUT GENERAL REQUIREMENTS FOR (FUTURE PROCUREMENT, SEE MIL-S-87233) REVIEWER: 99 AV | A 6125 | 11 | 06-MAY-87 | | YD1 | 11 | |
| | MIL-D-4806C(1) | DISTRIBUTION BOX, RUNWAY LIGHTING, 5000 VOLT 20 AMPERE, TYPE MA&1 USER: AV REVIEWER: GS YD1 | A 6110 | 80 | 06-JUL-84 | ME | AS | 99 | |
| | MIL-D-4825A(1) | DEVELOPER, PHOTOGRAPHIC, MEDIUM CONTRAST, ARMED FORCES DEVELOPER NO. 2 (USE MIL-D-48240) USER: AV MI YD1 REVIEWER: 11 MC | A 6750 | 70 | 12-JUL-67 | EL | AS | 70 | |
| | MIL-D-4826C(1) NOTICE 2 | DEVELOPER, PHOTOGRAPHIC, LOW CONTRAST ARMED FORCES DEVELOPER NO. 3 (NO S/S DOCUMENT) USER: AV MI SH REVIEWER: MC | A 6750 | 70 | 24-FEB-93 | ER | AS | 99 | |
| L | MIL-D-4827D(4) NOTICE 2 | DEVELOPER, PHOTOGRAPHIC, PAPER, ARMED FORCES DEVELOPER NO. 25 (NO S/S DOCUMENT) REVIEWER: GS | A 6750 | 70 | 24-FEB-93 | | | 99 | |
| | MIL-S-4880G NOTICE 1 | SWEEPER, MAGNET, SELF-PROPELLED (NO S/S DOCUMENT) | A 3825 | YD1 | 26-MAR-93 | ME | YD1 | | |
| QL | MIL-C-4921A(4) | CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING (ASG) REVIEWER: 11 1S MI YD1 | A 6145 | AS | 14-JUL-67 | | AS | | |
| | MIL-P-4971A(1) NOTICE 1 | PANEL, CONTROL TRANSFER, AIRFIELD LIGHTING, TYPE MB-1 (NO S/S DOCUMENT) REVIEWER: 11 GS YD1 | A 6210 | AS | 01-OCT-92 | | AS | 99 | |
| L | MIL-I-5133C(2) NOTICE 1 | INDICATOR, ATTITUDE, TYPE J-8 (NO S/S DOCUMENT) | A 6610 | 71 | 10-MAR-93 | | | 99 | |
| | MIL-F-5182B | FILLER AND BLEEDER, HYDRAULIC SYSTEMS, TYPE C-1 REVIEWER: AS YD1 | A 4910 | 82 | 06-DEC-54 | WC | | 82 | |
| | MIL-C-5191B(4) NOTICE 2 | COMPUTER AND TRANSMITTER, TRUE AIRSPEED PITOT STATIC, TYPE A-2 (NO S/S DOCUMENT) | A 6610 | 71 | 15-AUG-92 | | AS | 99 | |
| | MIL-A-5433B | ADHESIVE, APPLICATION OF ROOM-TEMPERATURE AND INTERMEDIATE-TEMPERATURE-SETTING RESIN (PHENOL, RESORCINOL, AND MELAMINE BASE) USER: AT MC OS YD1 REVIEWER: AR GL IS MD | A 8040 | MR | 22-AUG-66 | MR | AS | 84 | |
| | MIL-P-5466 | PLATES, LOCATION AND ATTACHMENT OF IDENTIFICATION AND MODIFICATION (S/S BY MIL&P&B651) | A | | 04-JAN-60 | | | 10 | |
| QL | MIL-G-5678C(1) NOTICE 2 | GAGE, PRESSURE, DIAL INDICATING, MANIFOLD PRESSURE (NO S/S DOCUMENT) | A 6620 | AS | 30-SEP-92 | | AS | | |
| | MIL-K-6046A(1) | KEYER, BEACON LIGHT, CODE AND PERIODIC, TYPE D-1 REVIEWER: GS YD1 | A 6210 | 82 | 15-JAN-62 | | AS | 99 | |
| Q | MIL-C-6166C NOTICE 1 | CORD: HEADSET-MICROPHONE, CX-1301/AR (NO S/S DOCUMENT) USER: MI REVIEWER: 99 GS | A 5995 | AS | 15-JAN-93 | CR | AS | 85 | |
| | MIL-R-6365B(1) | REGULATOR, CONSTANT CURRENT, RUNWAY LIGHTING, 240V PRIMARY 4KW, TYPE C-1 REVIEWER: GS YD1 | A 6110 | 80 | 02-OCT-85 | ME | AS | 99 | |
| L | MIL-M-6874 NOTICE 5 | METAL SPRAYING, PROCESS FOR (NO S/S DOCUMENT) | A MFFP | AS | 15-JAN-93 | | AS | | |
| Q | MIL-P-6883A | PAINT, BLENDED-TYPE, COAL-TAR-PITCH BASE, BITUMINOUS USER: 26 SH REVIEWER: AR YD1 | A 8010 | AS | 31-DEC-64 | MR | AS | 84 | |
| | MIL-T-7333A NOTICE 2 | TRAILER, GENERATOR, SET, 4-WHEEL, 2-WHEEL STEERABLE, TYPE D-1 (SUPESEDED BY MIL-C-46722) USER: GL REVIEWER: 26 80 EL YD1 | A 2330 | AT | 05-MAR-53 | MO | WP | 84 | |
| | MIL-D-7388C(1) | DISPENSING PUMP, HAND DRIVEN, TYPE D-16A (PUMP, FUEL TRANSFER, HAND OPERATED, TYPE D-16A) (USE XX-D-385C) USER: CS SA REVIEWER: WC | A 4930 | ME | 02-NOV-66 | ME | YD1 | | |
| L | MIL-C-7460A NOTICE 1 | CHROMIUM PLATING, POROUS CHANNEL TYPE, AIRCRAFT ENGINE CYLINDERS, GENERAL SPECIFICATIONS FOR (NO S/S DOCUMENT) | A 95GP | 82 | 19-MAR-93 | | | 99 | |
| | MIL-F-7516B | FLUX, WELDING, CORROSION AND HEAT RESISTANT ALLOY USER: 84 AT EL OS YD1 REVIEWER: GL | A 3439 | AS | 26-JAN-61 | WC | AS | 11 | |
| L | MIL-P-7520A | PHOTOGRAPHS, SUPPLY CATALOG AND IDENTIFICATION, GENERAL SPECIFICATION FOR (S/S BY MIL&MIL5474) | A 7610 | | 10-SEP-60 | | | 10 | |
| | MIL-R-7568A | RADIAC SET, WRAP AROUND COUNTER, TYPE A&2 REVIEWER: YD1 | A 6665 | EL | 05-JAN-55 | EL | | 82 | |
| L | MIL-Q-7640A | QUALITY CONTROL OF CHEMICALS | A 6800 | AF | 08-MAY-51 | | | 10 | |
| | MIL-R-7751A | REMOVER, PAINT AND VARNISH (SILICATE TYPE) USER: YD1 REVIEWER: MR SA | A 8010 | AS | 25-SEP-58 | | AS | 99 | |
| | MIL-G-7817(1) NOTICE 3 | GAGE, FUEL QUANTITY, CAPACITOR TYPE, UNCOMPENSATED, GENERAL SPECIFICATION FOR (S/S BY MIL-G-26988) | A 6680 | AS | 30-SEP-92 | AV | AS | | |
| | MIL-H-7938A NOTICE 2 | HOSE, RUBBER, FLAME-RESISTANT (NO S/S DOCUMENT) USER: AT REVIEWER: CS | A 4720 | 82 | 28-DEC-92 | | AS | 99 | |
| | MIL-P-8296B | PLYWOOD, OVERLAID REVIEWER: 26 EL GL MR YD1 | A 5530 | 69 | 01-JUN-56 | MO | SH | 69 | |
| L | MIL-I-8404A(1) NOTICE 1 | INDICATOR, PRESSURE, SINGLE, 0 TO 35 PSI FUEL PRESSURE TYPE C-33 (NO S/S DOCUMENT) REVIEWER: 71 | A 6620 | AS | 30-SEP-92 | | AS | | |
| Q | MIL-F-8508A | FILTER-SEPARATORS, AVIATION AND MOTOR FUEL, NONAIRBORNE, GENERAL SPECIFICATION FOR PERFORMANCE AND TEST METHODS (USE MIL-F-8901) REVIEWER: SH | A 2940 | YD1 | 14-MAR-61 | GL | YD1 | 11 | |
| | MIL-D-8513 | DRAWINGS AND DATA LISTS, PREPARATION OF FOR SPECIAL SUPPORT EQUIPMENT (FOR AERONAUTICAL AND ASSOCIATED EQUIPMENT) (S/S BY MIL&D&70327) REVIEWER: 26 WC | A 4920 | | 03-JUN-60 | MO | WP | 10 | |
| | MIL-I-8675 NOTICE 2 | INSTALLATIONS: AIRCRAFT ARMOR (NO S/S DOCUMENT) | A 9340 | AS | 17-AUG-92 | AV | AS | | |
| L | MIL-H-8729B | MI&VALU ITEM APPLICATION SUMMARY, PREPARATION OF USER: 80 | A MISC | 10 | 21-JUN-65 | | | 10 | |
| L | MIL-G-8798(2) NOTICE 2 | GAGE SYSTEM, FUEL-QUANTITY, CAPACITOR-TYPE, NONVACUUM TUBE, INTEGRALLY LIGHTED, GENERAL SPECIFICATION FOR (S/S BY MIL-G-26988) | A 6680 | AS | 30-SEP-92 | | AS | | |
| | MIL-M-8857(1) | MICROFILM OF ENGINEERING DRAWINGS AND RELATED DATA, REQUIREMENTS FOR (S/S BY MIL-M-9868) USER: 80 | A 7670 | 11 | 03-APR-59 | | WP | 10 | |
| | MIL-F-8953(1) | FILTER, COLORED, AIRPORT MARKER LIGHT GENERAL SPECIFICATION FOR REVIEWER: GS YD1 | A 6210 | 82 | 21-SEP-83 | | AS | 99 | |
| L | MIL-D-9063B(1) NOTICE 1 | DESEALANT, INTEGRAL FUEL AND OIL TANKS (S/S BY MIL-R-81294) REVIEWER: 99 | A 8030 | AS | 04-SEP-92 | | AS | | |
| L | MIL-R-9673B(2) | RADIATION LIMITS, MICROWAVE AND X&RADIATION GENERATED BY GROUND ELECTRONIC EQUIPMENT (AS RELATED TO PERSONNEL SAFETY) USER: EC REVIEWER: 71 82 MI | A 6665 | 10 | 15-SEP-61 | | | 10 | |
| L | MIL-M-9852 | MASTER NEGATIVE MICROFILM ON SILVER HALIDE PRINT FILM, (REPRODUCTION THEREOF) (USE MIL-M-9868) | A 7670 | 10 | 11-FEB-59 | | | 10 | |
| L | MIL-P-9855A | PRESCREENING DATA TO BE FURNISHED BY GOVERNMENT SUPPLIERS (USE MIL-S-38711 OR MIL-P-84000) USER: 83 REVIEWER: 80 | A 7610 | 67 | 29-AUG-60 | | | 10 | |
| L | MIL-B-9862 | BINDER, LOOSE LEAF, FABRIC HINGE, FIVE RING | A MISC | 10 | 21-SEP-60 | | | 10 | |
| L | MIL-D-9863 | DECALCOMANIAS FOR TECHNICAL INFORMATION FILE OF GROUND SUPPORT EQUIPMENT REVIEWER: 80 83 | A MISC | 10 | 21-SEP-60 | | | 10 | |
| L | MIL-M-9866 | MICROFILM REPRODUCTION AND APERTURE CARD MOUNTING (USE MIL-M-9868 AND MIL-C-9877) REVIEWER: 80 83 | A EDMS | 10 | 01-SEP-74 | | | 10 | |
| L | MIL-S-9867A | SUPPORT PACKAGES PREPARATION OF | A MISC | 16 | 13-MAR-61 | | | 16 | |
| L | MIL-F-9882B | FOOD SERVICE ATTENDANTS | A MISC | 10 | 28-FEB-71 | | | 10 | |
| L | MIL-F-9892C(2) | FOOD SERVICE CONTRACTS | A MISC | 10 | 18-JUL-73 | | | 10 | |
| | MIL-C-9940A NOTICE 1 | CONTROL, AUXILIARY HOIST (NO S/S DOCUMENT) REVIEWER: CS YD1 | A 4940 | 82 | 15-MAR-91 | AL | | 99 | |
| | MIL-G-9942B | GAGES, DIAL INDICATING, PANEL MOUNTED PRESSURE AND COMPOUND, REFRIGERANT 12 AND 22 (S/S BY ANSI B40.1 AND MS 27900) REVIEWER: GS | A 6685 | GL | 11-APR-85 | GL | YD1 | | |
| | MIL-I-9966C | INCINERATOR, PACKAGE TYPE USER: SH REVIEWER: CS | A 4540 | 84 | 06-JAN-75 | | YD1 | 99 | |
| L | MIL-R-9975 NOTICE 1 | RECHARGING UNIT, CARBON DIOXIDE, PUMPING METHOD (NO S/S DOCUMENT) | A 3655 | 82 | 16-NOV-92 | | | 99 | |
| | MIL-P-10040B | PREPARATION FOR DELIVERY OR EXTENDED STORAGE OF SEMI-TRAILERS, 2-WHEEL, 7-1/2 AND 10-TON REFRIGERATOR (FOR OVERSEAS SHIPMENT AND EXTENDED STORAGE) REVIEWER: MC | A 2330 | GL | 10-FEB-60 | MO | YD1 | 87 | |
| | MIL-U-10048A(4) | UNIT, FIRE, SIMPLIFIED, CONVERTED TYPE (FOR RANGE, FIELD, M-1937) (USE MIL-B-40098) REVIEWER: 45 85 GS MC MD | A 7310 | GL | 10-AUG-67 | GL | YD1 | 84 | |

| Action | Doc. / Cmbl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area NSCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-T-10086H NOTICE 1 | TANKS, LIQUID STORAGE, METAL; VERTICAL, BOLTED (NO S/S DOCUMENT) USER: MC REVIEWER: MD | A | 5430 ME | 29-NOV-90 | ME | YD1 | | |
| L | | MIL-R-10087B | REPAIR KIT, GAS MASK, M3 USER: MC MI YD1 REVIEWER: AR | A | 4240 EA | 29-AUG-73 | EA | | | |
| | | MIL-F-10089G(3) | FURNITURE, COMPOSITE METAL AND WOOD REVIEWER: MD | A | 7105 GL | 06-AUG-71 | GL | YD1 | 99 | |
| | | MIL-T-10092A | TABLE, QUARTERS, KITCHEN, METAL, ENAMEL TOP (USE MIL-T-40112) USER: YD1 | A | 7105 84 | 15-NOV-52 | GL | | | 84 |
| | | MIL-B-10154/1A | BATTERY, PRIMARY, WATER-ACTIVATED (DUNK-TYPE), BA-253/U (USE MIL-B-10154) USER: AR MC MS YD1 REVIEWER: 13 | A | 6135 SH | 01-JAN-63 | EL | | | 88 |
| | | MIL-B-10154/2 | BATTERY, PRIMARY, WATER-ACTIVATED (DUNK-TYPE), BA-259/AM (USE MIL-B-10154) USER: AR MC MS YD1 REVIEWER: 13 | A | 6135 SH | 01-JAN-63 | EL | | | 88 |
| L | | MIL-C-10173B | CHAMBER, CABLE TERMINAL (TELEPHONE) USER: MC YD1 | A | 5805 80 | 26-MAY-70 | | | | 80 |
| | | MIL-Q-10194D NOTICE 1 | Q-METER TS-617( )/U (NO S/S DOCUMENT) REVIEWER: AT AV CR ME MI | A | 6625 82 | 25-OCT-92 | | SH | | 99 |
| | | MIL-T-10204B(1) | TRUCK, 3/4 TON, 4 X 4, M37B1 SERIES USER: YD1 REVIEWER: EL | A | 2320 AT | 14-MAY-68 | AT | MC | | 99 |
| | | MIL-M-10226B | MOTOR-DRIVEN BLOWER AND SEPARATE HOOD (USE FED-SPEC- S-F-571) REVIEWER: GS MC | A | 3424 ME | 22-MAY-58 | ME | YD1 | | 84 |
| | | MIL-H-10249B(1) | HEATER, IMMERSION (SUPERSEDES MIL-H-1097A) REVIEWER: CS MC YD1 | A | 4540 EL | 01-JUN-64 | EL | AS | | 84 |
| | | MIL-B-10256A | BRIDLE RINGS F -73, PF-74, PF-75 AND PF-76 USER: AR MC | A | 5975 EL | 18-JUN-51 | EL | YD1 | | 88 |
| | | MIL-R-10265D(1) | REGULATOR, ENGINE GENERATOR; 28 VOLT, DIRECTCURRETN, VIBRATING TYPE USER: MC REVIEWER: CS EA ME | A | 2920 AT | 09-SEP-87 | AT | YD1 | | |
| | | MIL-C-10266A(1) | CABLE ASSEMBLY, POWER, ELECTRICAL, (2-CONDUCTOR, NO. 10 AUG, 50 FOOT, WITH CONNECTORS) (USE MIL-C-52286) REVIEWER: AV EL GS | A | 5995 ME | 01-SEP-54 | ME | YD1 | | |
| | | MIL-D-10271H | DRILLING MACHINE, WELL, ROTARY; 1,500-FOOT (NO S/S DOCUMENT) USER: MC REVIEWER: AT | A | 3820 ME | 11-OCT-90 | ME | YD1 | | |
| | | MIL-A-10298A(1) | ADAPTER, POWER CABLE, 2-CONDUCTOR USER: EL REVIEWER: AR ES | A | 5935 ME | 20-FEB-56 | ME | YD1 | | |
| | | MIL-P-10310A | PACKAGING OF INSPECTION GAGES (USE MIL-G-10944) USER: MC YD1 REVIEWER: EL MI SH | A | 5220 AR | 14-APR-54 | AR | SA | | |
| | | MIL-C-10316C | CLOTH, ASBESTOS (S/S BY SS-C-1783) USER: MC | A | 5640 ME | 07-SEP-72 | ME | YD1 | | 84 |
| | | MIL-S-10333A | SET, GAS, TOXIC, M1 USER: YD1 REVIEWER: 82 AS OS | A | 6665 EA | 27-MAY-53 | EA | MS | | |
| | | MIL-T-10357E | TEST SET, DISTRIBUTON CAM DWELL AND ENGINE RPM (USE MIL-T-45568) USER: CS EL REVIEWER: SH | A | 4910 AL | 03-SEP-63 | WC | YD1 | | 82 |
| | | MIL-S-10379A(1) NOTICE 3 | SUPPRESSION, RADIO INTERFERENCE, GENERAL REQUIREMENTS FOR VEHICLES (AND VEHICULAR SUBASSEMBLIES) (SEE MIL-STD-461) USEN: AR GL MC | A | 2920 EL | 23-JUL-52 | EL | YD1 | | |
| | | MIL-P-10406G NOTICE 1 | PUMPS, AUTOMOTIVE FUEL DISPENSING, (SERVICE STATION) (S/S BY UL87 AND MBS HDBK 44) USER: CE MC REVIEWER: CS | A | 4930 ME | 03-SEP-92 | ME | YD1 | | |
| | | MIL-R-10409A | REEL, CABLE (STEEL) REVIEWER: GS MC | A | 8130 EL | 27-JUN-51 | EL | YD1 | | |
| | | MIL-V-10411C | VALVES, COUPLING (2 1/2 - AND 4-INCH I.P.S.) | A | 4820 MD | 17-MAY-52 | MD | YD1 | | 69 |
| | | MIL-W-10434C | WINDOW, OBSERVATION (SEE MIL-B-22191) USER: ER MC YD1 REVIEWER: GS OS | A | 9330 AS | 06-MAY-68 | | AS | | 99 |
| | | MIL-D-10454A | DIATOMACEOUS EARTH (FOR USE IN CHEMICAL MANUFACTURE) (S/S BY MIL-D 20550A) USER: MR REVIEWER: SH | A | 9390 EA | 28-MAY-51 | EA | YD1 | | |
| | | MIL-B-10456A | BENTONITE (WYOMING-TYPE) REVIEWER: MR | A | 9390 EA | 03-SEP-52 | EA | YD1 | | |
| | | MIL-R-10497A(1) | RAILWAY CAR, TANK, ACETIC ANHYDRIDE, AAR-201A35-W, 56 1/2-INCH GAGE, 8,000-GALLON, 8-WHEEL, DOMESTIC SERVICE USER: 26 REVIEWER: GL | A | 2220 MD | 18-JUN-54 | MD | YD1 | | 87 |
| | | MIL-F-10507A(2) | FLOODLIGHTING EQUIPMENT, SET NO. 2 CONSTRUCTION, PORTABLE USER: GL REVIEWER: GS MC | A | 6230 ME | 02-NOV-53 | ME | YD1 | | |
| | | MIL-T-10570A | TRAILER, CARGO, 3/4 TON, 2W, M101 TRAILER, CHASSIS, 3/4 TON, 2W, XM116 (USE MIL-T-10579 AND MIL-C-45150) USER: EL GL YD1 REVIEWER: MC | A | 2330 WP | 24-OCT-52 | MD | | | 84 |
| L | | MIL-D-10573B | DUPLICATING MACHINE, SPIRIT PROCESS (MAP REPRODUCTION, HAND OPERATED, 22-1/2 BY 29-INCH, WITH CHEST) USER: EL MC YD1 REVIEWER: 69 GL | A | 3610 MD | 20-JUN-60 | MD | | | |
| | | MIL-R-10651E(1) | RAILWAY MOTOR CARS, MAINTENANCE 36-, 39-3/8-, 42-, 56-1/2, 60-, 63-, & 66 INCH GAGES, 8-MAN, 4 WHEEL, DOMESTIC & FOREIGN SERVICE (S/S BY A-A-50218) | A | 2230 ME | 30-AUG-84 | ME | YD1 | | 99 |
| L | | MIL-M-10661A | MASK, GAS, OPTICAL, LIGHTWEIGHT, M2-10A1-6 USER: MC MI YD1 REVIEWER: AR | A | 4240 EA | 27-MAY-53 | EA | | | |
| L | | MIL-M-10666A | MASK, GAS, SERVICE, LIGHTWEIGHT, M3-10A1-6 USER: MC MI YD1 REVIEWER: AR | A | 4240 EA | 07-AUG-51 | EA | | | |
| | | MIL-T-10696 | TRUCK, BOLSTER-BODY, 21/2-TON, 6 X 6 | A | 2320 YD1 | 09-JUN-50 | MD | YD1 | | 84 |
| | | MIL-W-10700B | WIRE ROPE AND WIRE ROPE FITTINGS, PACKAGING OF (USE MIL-STD-163) USER: MC REVIEWER: AS IS OS SA SH | A | PACK ME | 06-DEC-61 | ME | YD1 | | 84 |
| | | MIL-M-10747F(1) | MATTRESS, PNEUMATIC (USE MIL-M-43968) USER: CG REVIEWER: CT MD YD1 | A | 8465 GL | 10-OCT-73 | GL | SA | | 99 |
| | | MIL-T-10748A | TOOL SET, REPAIR, GAS MASK, UNIVERSAL, MB USER: 26 GL MC REVIEWER: AR | A | 5180 EA | 05-OCT-53 | EA | YD1 | | 69 |
| L | | MIL-S-10773C | SHOE, SAFETY, OIL-RESISTANT SOLE, MILDEW RESISTANT (USE MIL-S-41821) USER: YD1 REVIEWER: 11 CT | A | 8430 GL | 31-DEC-59 | GL | | | |
| | | MIL-P-10813E | PLANETABLES, SURVEYING, WITH TRIPOD AND CARRYING CASE (USE A-A-52001 FOR PROCUREMENT USER: CG MC REVIEWER: GS | A | 6675 ME | 01-APR-87 | ME | YD1 | | 99 |
| | | MIL-F-10814A | FUNNELS, WITH AND WITHOUT STRAINERS USER: 26 MC WC REVIEWER: MS | A | 7240 GL | 05-FEB-53 | GL | YD1 | | 69 |
| | | MIL-C-10820B | CABLE, TELEPHONE (W-108-B) USER: AR MC | A | 6145 EL | 12-JUN-58 | EL | YD1 | | 17 |
| | | MIL-W-10828D | WEBBING, TEXTILE, WOVEN, LOW ELONGATION (S/S BY MIL-W-43638) USER: 82 YD1 REVIEWER: 46 86 CT MC | A | 8305 GL | 28-MAR-68 | GL | SA | | 11 |
| | | MIL-C-10883C | COT, FOLDING, CANVAS USER: MC | A | 7105 GL | 31-DEC-59 | GL | YD1 | | |
| | | MIL-B-10898B | BATH UNIT, TRAILER MOUNTED, SKID TYPE, 24-SHOWERHEAD USER: 26 | A | 4510 GL | 29-JUL-57 | GL | YD1 | | 69 |
| | | MIL-S-10899C(1) | SEMITRAILERS, 12 TON, 4-WHEEL, M126A1, M127A1, M128A1, M129A1, M131A2, M269A1 AND M270A1, USER: YD1 | A | 2330 MD | 24-OCT-61 | MD | MC | | 84 |
| | | MIL-S-10900B | SEMITRAILER, CARGO, 6 TON, 2W, M118A1, SEMITRAILER, VAN, CARGO, 6 TON, 2W, M119A1, CHASSIS, SEMITRAILER, 6 TON, 2W, M117A1 (USE MIL-C-45314, MIL-S-46733 AND MIL-62034) | A | 2330 MD | 07-MAY-65 | MD | YD1 | | 84 |
| | | MIL-C-10928F | CANDY AND CHOCOLATE CONFECTIONS (NO S/S DOCUMENT) REVIEWER: MC MD MS SS TS | A | 8925 GL | 22-APR-93 | GL | SA | | 50 |
| | | MIL-R-10931C | REFRIGERATOR, MECHANICAL, COMMERCIAL, REACH-IN, SELF-CONTAINED REVIEWER: 69 EL MC | A | 4110 GL | 31-AUG-53 | GL | YD1 | | |
| L | | MIL-B-10955/40C NOTICE 1 | BADGE, QUALIFICATION, AVIATION; AVIATOR/ASTRONAUT, ARMY (NO S/S DOCUMENT) REVIEWER: CT | A | 8455 IH | 27-JUL-92 | IH | | | |
| L | | MIL-B-10955/41B NOTICE 1 | BADGE, QUALIFICATION, AVIATION, SENIOR AVIATOR/ASTRONAUT, ARMY (NO S/S DOCUMENT) REVIEWER: CT | A | 8455 IH | 27-JUL-92 | IH | | | |
| L | | MIL-B-10955/42C NOTICE 1 | BADGE, QUALIFICATION, AVIATION, MASTER AVIATOR/ASTRONAUT, ARMY (NO S/S DOCUMENT) REVIEWER: CT | A | 8455 IH | 27-JUL-92 | IH | | | |
| | | MIL-P-10963A | PACKAGING OF PUMPS, DIAPHRAGM TYPE, MANUALLY OPERATED, OVERSEAS SHIPMENT USER: MC REVIEWER: AR SA SH | A | 43GP ME | 08-AUG-51 | ME | YD1 | | |
| L | | MIL-R-10985A NOTICE 3 | REEL, AUTOMATIC TAKE UP, EXTENSION CABLE, 24-VOLT, D.C. (NO S/S DOCUMENT) . | A | 6150 AR | 10-SEP-92 | AR | | | |
| | | MIL-C-10993A(1) | CABLE, TELEPHONE (CABLE WC-251 AND WC-253, 19 AWG., BUNA S INSULATED, LEAD COVERED AND ARMORED) (USE J-C-112) USER: AR MC REVIEWER: 85 | A | 6145 EL | 02-JAN-58 | EL | YD1 | | 80 |
| | | MIL-H-11049F | HEATER, DUCT TYPE, PORTABLE, GASOLINE 250,000 BTUH USER: MC REVIEWER: CS GL MD MS | A | 4520 ME | 10-MAY-83 | ME | YD1 | | 99 |
| | | MIL-T-11061B | TRAILER, CARGO (K-38-)( ) USER: GL REVIEWER: MC | A | 2330 EL | 01-JUL-55 | EL | YD1 | | 87 |
| | | MIL-S-11070B | SULFUR STICK (AMMONIA LEAK DETECTOR) USER: 26 REVIEWER: AR | A | 6665 ME | 31-MAR-58 | ME | YD1 | | 82 |
| | | MIL-C-11085D NOTICE 1 | CONVEYOR, BELT: (FLAT, SKID-MOUNTED, ELECTRIC-MOTOR-DRIVEN, 24-INCH-WIDE BELT, 50-FOOT-LONG FRAME; CAPACITY, 25 POUNDS PER FOOT, 75 TONS PER HOUR) (NO S/S DOCUMENT) USER: MC SH YD1 REVIEWER: CS | A | 3910 ME | 11-FEB-93 | ME | SA | | 84 |
| | | MIL-S-11086D | STRAP, HOSE AND LADDER (S/S BY A-A-50228) USER: AS SA REVIEWER: CS YD1 | A | 4210 ME | 08-JUL-87 | ME | | | 99 |
| | | MIL-C-11097B NOTICE 1 | CABLE, TELEPHONE (W-50-A) (NO S/S DOCUMENT) USER: MC MI REVIEWER: IS SA | A | 6145 CR | 16-JUL-91 | CR | YD1 | | 85 |
| L | | MIL-G-11127B(1) NOTICE 1 | GENERATOR, HYDROGEN (HYDROGEN GENERATOR ML-303( )/TM) (NO S/S DOCUMENT) | A | 3655 ER | 26-MAR-93 | ER | | | |
| | | MIL-V-11152B(1) | VALVE, WATER MIXING, HAND OPERATED, THERMOSTATIC, TEMPERATURE-REGULATING (USE WW-P-541/7) REVIEWER: CS | A | 4510 ME | 21-FEB-68 | ME | YD1 | | 84 |
| | | MIL-B-00111B8E | BATTERIES, STORAGE, LEAD ACID | A | 6140 AT | 28-JUN-83 | AT | YD1 | | 99 |
| L | | MIL-V-11201E | VALVES, SAFETY RELIEF, ANGLE, BRASS OR BRONZE, EXTRA HEAVY, FOR GASOLINE SERVICE (NO S/S DOCUMENT) USER: AT CE MC YD1 REVIEWER: CS | A | 4820 ME | 08-JAN-90 | ME | | | |

| Action Opt. / Obit. Cancellation Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-H-11219B | HEATER, SPACE, NON-ELECTRIC (MAGAZINE TYPE, COAL-FIRED, 50,000 BTU PER HOUR) | A | 4520 | ME | 03-JUN-58 | ME | YD1 | 84 | |
| | MIL-A-11226D(1) | APRON, CONSTRUCTION WORKER S (USE FED SPEC DDD-A-1466A) USER: CE REVIEWER: 85 CT MD SA | A | 8415 | GL | 07-MAR-68 | GL | YD1 | 82 | |
| | MIL-B-11231B | BAG, WATER CARRYING, 2-GALLON, CANVAS REVIEWER: CT | A | 8465 | GL | 21-APR-61 | GL | YD1 | 67 | |
| | MIL-S-11256B | SCALE, PLOTTING, TRIANGULAR, BOXWOOD, 12-INCH-LENGTH, GENERAL PURPOSE (USE GG-S-161/7) REVIEWER: AR GL MC | A | 6675 | MD | 26-JUL-60 | MD | YD1 | 67 | |
| | MIL-C-11260D NOTICE 3 | CLAMP, HANDLE, STEEL TAPE (S/S BY A-A-52010) USER: GL MC REVIEWER: AR | A | 5210 | ME | 12-JUN-92 | ME | YD1 | 99 | |
| | MIL-H-11270A | HEATER CONVERSION UNIT, COAL OR OIL BURNING, SPACE HEATING, FOR 55-GALLON DRUM. | A | 4520 | | 27-JAN-53 | MD | YD1 | | |
| Q | MIL-E-11275E | ENGINE, GASOLINE, INDUSTRIAL TYPE, GENERAL SPECIFICATION FOR USER: AS AT MC SS REVIEWER: AV CS EA EL | A | 2805 | ME | 09-DEC-70 | ME | YD1 | 99 | |
| Q | MIL-E-11276D | ENGINE, DIESEL, INDUSTRIAL, MEDIUM-AND HIGH-SPEED, GENERAL SPECIFICATION FOR USER: MC REVIEWER: AT CS | A | 2815 | ME | 01-JUN-71 | ME | YD1 | 99 | |
| | MIL-E-11278B(1) | ENGINE, GASOLINE OR DIESEL, INDUSTRIAL TYPE, METHODS OF TEST USER: GL MC SA REVIEWER: EL | A | 2805 | MD | 17-APR-59 | MD | YD1 | 82 | |
| | MIL-N-11282C | NUMBERING KIT ( LAUNDRY MARKING PINS) REVIEWER: GS MC | A | 3510 | GL | 16-MAR-73 | GL | YD1 | 45 | |
| | MIL-U-11307D(2) | URN, COFFEE, TWIN, STEAM-, GAS-, OR ELECTRIC, WITH STAND (USE MIL-U-43263) USER: 03 REVIEWER: CE GS MC MD MS | A | 7310 | GL | 22-SEP-66 | GL | YD1 | 84 | |
| | MIL-M-11383A | MAT, LANDING (STEEL, WELDED WIRE FABRIC TYPE, 87-INCH BY 77-FEET, 3-FOOT ROLL) | A | 5680 | MD | 31-JUL-52 | MD | YD1 | 11 | |
| | MIL-W-11421B | WATER PURIFICATION EQUIPMENT SET, DIATOMITE FILTER, 3000 GAL PER HR, SET 4, PACKAGING OF USER: 26 MC | A | 4610 | MD | 13-AUG-58 | MD | YD1 | 69 | |
| | MIL-R-11461C(2) | ROD, GROUND (WITH ATTACHMENTS) (USE W-R-550A) REVIEWER: 85 EA MI | A | 5975 | ME | 12-JUL-63 | ME | YD1 | 88 | |
| | MIL-M-11495C | METER, DETERGENT CONCENTRATION FOR DISH WASHING MACHINE USER: CE MS REVIEWER: GS MD | A | 6680 | GL | 05-MAR-86 | GL | YD1 | | |
| | MIL-K-11509 | KIT, CABLE REPAIR, WITH VULCANIZER | A | 4940 | MD | 15-MAY-51 | MD | YD1 | 82 | |
| L | MIL-S-11515A | SEALING TAPE, WOOD-TO-METAL AND METAL-TO-METAL SURFACES, ASPHALT BASE, COTTON BACKED, WATERPROOF USER: SA YD1 REVIEWER: MR | A | 8030 | MD | 15-JUL-52 | MD | | | |
| | MIL-I-11519C(2) | INTRENCHING TOOL, HAND (USE MIL-I-43684) USER: YD1 REVIEWER: 85 | A | 5120 | GL | 14-JAN-66 | GL | MC | 84 | |
| | MIL-C-11569D NOTICE 2 | CLAMPS, HOSE, WATER, UNIVERSAL 3/8- TO 1-INCH AND 1- TO 3-INCH (S/S BY SAE-J536 OR WW-C-440) USER: AR REVIEWER: CS | A | 4730 | ME | 10-JUN-92 | ME | | 99 | |
| | MIL-M-11571C | MANIFOLD, CYLINDER CHARGING, HYDROGEN GAS REVIEWER: GS | A | 8120 | ME | 20-MAR-69 | ME | YD1 | | |
| | MIL-R-11572D | ROLLER, TOWED, PNEUMATIC-TIRED, AIRBORNE USER: CE MC | A | 3895 | ME | 13-OCT-87 | ME | YD1 | | |
| | MIL-S-11578D | SHAKING MACHINE, TESTING SIEVE, LABORATORY, PORTABLE, HAND OPERATED, CAPACITY 6 FULL HEIGHT OR 13 HALF HEIGHT 8 INCH STANDARD SIEVES USER: GL REVIEWER: GS | A | 6635 | ME | 20-JUN-88 | ME | YD1 | 99 | |
| | MIL-F-11584A | FORMING MACHINE, INSULATION, HAND-OPERATED, CAPACITY 8-INCH WIDE. | A | 4210 | YD1 | 01-MAR-52 | MD | YD1 | 84 | |
| | MIL-H-11665D NOTICE 1 | HOOK, CHOKER: FOR FERRULED WIRE ROPE (NO S/S DOCUMENT) REVIEWER: SA | A | 4030 | ME | 07-OCT-91 | ME | YD1 | | |
| | MIL-T-11674F | TRIPOD, SURVEYING, FOR RANGE POLE (S/S BY A-A-52049) USER: MC REVIEWER: GS | A | 6675 | ME | 16-JAN-92 | ME | YD1 | | |
| Q | MIL-I-11683A | INTERFERENCE SUPPRESSION, RADIO, REQIREMENTS FOR ENGINE GENERATORS AND MISCELLANEOUS ENGINES (SUPERSEDES 7&3004 AND 71&3214) USER: AR REVIEWER: MC MI YD1 | A | 5895 | WP | 19-JAN-53 | | WP | 11 | |
| | MIL-G-11711B | GAGE, PRESSURE, DIAL INDICATING, WITH METAL CASE, 2 1/2 INCH DIAL, FOR CHLORO-FLUORO HYDROCARBON GASES (S/S BY GG-G-76) REVIEWER: GL SH | A | 6685 | MD | 02-MAR-61 | MD | YD1 | 67 | |
| | MIL-F-11714A | FLOODLIGHTS, ELECTRICAL, CIRCULAR, UTILITY TYPE, PROOF, WITH OR WITHOUT LENS USER: GL REVIEWER: MC | A | 6230 | MD | 23-JUN-54 | MD | YD1 | | |
| L | MIL-B-11722B NOTICE 1 | BROMOPHENOL BLUE SOLUTION: INDICATOR, 3.0 TO 4.6 PH RANGE (NO S/S DOCUMENT) | A | 6810 | ME | 12-AUG-92 | ME | | | |
| | MIL-C-11728A | COMPOUND, CORROSION-INHIBITING AND LUBRICATING, FOR GAS CYLINDER CAP THREADS USER: YD1 REVIEWER: AR MR MS | A | 8030 | MD | 06-FEB-61 | MD | SH | | |
| | MIL-E-11735B | EXTINGUISHER, FIRE, FOAM, CHEMICAL, HAND PORTABLE, 2-1/2 GALLON (USE O-E-925A USER: EL MC REVIEWER: GL | A | 4210 | MD | 08-MAY-58 | MD | YD1 | 84 | |
| L | MIL-C-11736A | ALIGNING TOOL, TREADWAY (NO SUPERSEDING DOCUMENT) USER: YD1 REVIEWER: GL | A | 5120 | MD | 24-JUL-52 | MD | | | |
| Q | MIL-S-11744A | SPEEDOMETER-TACHOMETER, ELECTRIC, WATERPROOF (USE MIL-S-10215) USER: MC | A | 6680 | MD | 01-JAN-60 | MD | YD1 | 11 | |
| | MIL-C-11760D NOTICE 1 | CLAMPS, HOSE, PNEUMATIC, FOR UNIVERSAL COUPLINGS (S/S BY SAE-J536) USER: AT CE MC MI REVIEWER: AR CS | A | 4730 | ME | 25-JUN-91 | ME | YD1 | 99 | |
| | MIL-T-11799A | TRESTLE, 60-TON, FOR BRIDGE, FLOATING PNEUMATIC FLOAT, CLASS 60, STEEL SUPERSTRUCTURE USER: YD1 | A | 5420 | MD | 05-AUG-52 | MD | MC | | |
| | MIL-C-11821A | CURTAIN, GASPROOF, M1 USER: 26 MC MS REVIEWER: MI | A | 4240 | AR | 13-JUL-53 | AR | YD1 | 84 | |
| | MIL-R-11828B(1) | RAILWAY CAR, FLAT, 56&1/2 INCH GAGE, 100 TON, 12 WHEEL, DOMESTIC PASSENGER TRAIN SERVICE | A | 2220 | ME | 04-MAR-63 | ME | YD1 | 84 | |
| L | MIL-S-11846D NOTICE 1 | SUPPORT, OVERHEAD-BRACING: FOR PORTABLE PANEL BRIDGE (BAILEY-TYPE) (NO S/S DOCUMENT) | A | 5420 | ME | 11-MAR-93 | ME | | | |
| | MIL-P-11858D | PILING, SHEET STEEL: INTERLOCKING (S/S BY ASTM A328 USER: CE | A | 9520 | ME | 17-NOV-83 | ME | YD1 | 99 | |
| | MIL-B-11864A | BRIDGE-MODEL KIT, TRAINING AID, WIDENED STEEL TREADWAY BRIDGE USER: MC | A | 6910 | MD | 03-SEP-52 | MD | YD1 | | |
| | MIL-I-11894A | INSTRUMENTS, DRAWING, IN SETS USER: AR EL REVIEWER: GL MC | A | 6675 | MD | 24-MAR-53 | MD | YD1 | 67 | |
| | MIL-R-11899E | ROTARY MOWER ATTACHMENTS, TRACTOR-MOUNTING, PTO DRIVEN USER: CE | A | 3750 | ME | 04-APR-72 | ME | YD1 | 99 | |
| | MIL-T-11966C(1) | TRUCK, FLATBED, 2 1/2 TON, 6 X 6, FOR PIPELINE CONSTRUCTION (USE MIL-T-46780) | A | 2320 | AT | 09-AUG-62 | AT | YD1 | | |
| | MIL-S-11980B | SWEEPERS, ROTARY, SELF-PROPELLED, INDUSTRIAL TYPE, RIDER-OPERATED (USE OO-S-872) USER: MC REVIEWER: 11 EL SH | A | 3825 | YD1 | 25-NOV-59 | MD | YD1 | 84 | |
| | MIL-C-12013A | CONTAINER, DUAL, DANC SOLUTION REVIEWER: MI | A | 4230 | EA | 29-APR-54 | EA | YD1 | | |
| | MIL-S-12034D | SAW, CIRCULAR, TABLE-TYPE: WOODWORKING, SKID-MOUNTED, GASOLINE-ENGINE-DRIVEN, 20-INCH BLADE (NO S/S DOCUMENT) REVIEWER: GS | A | 3220 | ME | 16-AUG-90 | ME | YD1 | | |
| | MIL-C-12104B(1) | CYLINDER, COMPRESSED GAS, BROMOTRIFLUOROMETHANE (HALON 1301) USER: AR GL REVIEWER: SA MC | A | 8120 | MD | 24-JAN-62 | MD | YD1 | | |
| | MIL-W-12110A | WATER SOFTENING UNIT, ZEOLITE-TYPE, GRAVITY FLOW | A | 4610 | MD | 22-JAN-53 | MD | YD1 | 69 | |
| | MIL-C-12122B | CLIMBER, TREE AND POLE, STEEL INTERCHANGEABLE GAFF W/NYLON-NEOPRENE COATED ST (S/S BY RR-C-430A) REVIEWER: 84 AR EL MC SA | A | 4240 | ME | 22-AUG-62 | ME | YD1 | | |
| L | MIL-I-12123D | INSECT REPELLENT, CLOTHING APPLICATION (FORMULA M-1960) (NO S/S DOCUMENT) USER: MC MI MS YD1 REVIEWER: EA GS MD SH | A | 6840 | GL | 21-DEC-89 | GL | | | |
| | MIL-O-12143C | OVEN, THERMAL&DRYING OIL&BURNING, CORE&BAKING USER: MC SH | A | 4430 | ME | 30-AUG-72 | ME | YD1 | 99 | |
| | MIL-H-12154A(1) | HAMMER, PILE DRIVER, AIR-STEAM DRIVEN, 10,000 LB, SINGLE-ACTING | A | 3895 | MD | 24-OCT-55 | MD | YD1 | 87 | |
| | MIL-T-12171T(1) | TRUCK, COMMERCIAL, 5,000 TO 10,000 POUNDS GVW, 4X4 (S/S BY KKK-T-645) REVIEWER: EL MC | A | 2320 | AT | 15-NOV-78 | AT | YD1 | 99 | |
| | MIL-H-12200A | HOOK BLOCK, CRANE OR CRANE-SHOVEL (S/S BY FED SPEC GGG-B-486) USER: EL MC REVIEWER: AR MC | A | 3940 | MD | 10-AUG-53 | MD | YD1 | 87 | |
| | MIL-K-12215E NOTICE 1 | KITS, RE-ERECTION: FOR TANKS, LIQUID STORAGE, METAL: VERTICAL, BOLTED (NO S/S DOCUMENT) USER: CE SH REVIEWER: 82 MD | A | 5430 | ME | 29-NOV-90 | ME | YD1 | 99 | |
| L | MIL-T-12220C NOTICE 1 | TRESTLE, RAILWAY: STEEL UNIT, LIGHT STANDARD (L-TYPE) (NO S/S DOCUMENT) | A | 5420 | ME | 02-NOV-92 | ME | | | |
| | MIL-T-12229C | TRACTOR, FULL TRACKED, LOW SPEED DIESEL ENGINE DRIVEN (MODIFIED COMMERCIAL DESIGN) (USE KKK-T-631) REVIEWER: AT MC | A | 2410 | ME | 30-JUN-65 | ME | YD1 | 99 | |
| | MIL-T-12260B(1) | TANK, FABRIC, COLLAPSIBLE, 10,000 GALLON, PETROLEUM (USE MIL-T-52573) | A | 5430 | ME | 04-MAR-66 | ME | YD1 | 85 | |
| Q | MIL-R-12294A(2) | REMOVER, PAINT AND VARNISH (ALKALI-ORGANIC-SOLVENT TYPE) USE TT-R-243 USER: 26 REVIEWER: MR | A | 8010 | MD | 30-DEC-55 | MD | YD1 | | |
| | MIL-C-12315A | CONNECTIONS, HOSE, FIRE AND WATER (USE MIL-C-52404) USER: MC REVIEWER: 11 GL | A | 4210 | MD | 12-MAR-56 | MD | YD1 | 84 | |
| | MIL-M-12336B | MAGNESITE, REFRACTORY, COIL-PATCHING AND COIL-LINING REVIEWER: 85 MR | A | 9350 | YD1 | 22-AUG-61 | GL | YD1 | 84 | |
| L | MIL-S-12348A | SUPPRESSION, RADIO INTERFERENCE GENERAL REQUIREMENTS FOR RAILWAY ROLLING STOCK, AND MAINTENANCE OF WAY EQUIPMENT (USE MIL-STD-461) REVIEWER: YD1 | A | MISC | EL | 06-AUG-58 | EL | | | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-P-12390E | PREFLUSHING MACHINE, DISH (S/S BY A-A-50187) USER: CE REVIEWER: 45 GS MD .. | A | 7320 | GL | 11-FEB-91 | GL | YD1 | 84 | | |
| | | MIL-H-12456A(1) | HEATER, WATER, PORTABLE, MI ..... | A | 4520 | EA | 06-APR-55 | EA | YD1 | | | |
| | | MIL-S-12505B | STEEL, STRUCTURAL, HIGH&STRENGTH, LOW&ALLOY, SHAPES, PLATES, AND BARS FOR WELDED, RIVETED, AND BOLTED STRUCTURES USER: AR REVIEWER: EA IS MI | A | 9520 | MR | 08-APR-70 | MR | YD1 | 99 | | |
| | | MIL-C-12593B | CRANE, TRACTOR MOUNTING, REVOLVING, FOR CRAWLER TRACTORS REVIEWER: 11 EL .. | A | 3830 | ME | 09-SEP-60 | ME | YD1 | 84 | | |
| | | MIL-O-12594F(2) | OVEN, BAKING AND ROASTING, DECK AND OVENS, BAKING, DECK, ELECTRIC USER: CE REVIEWER: GS MC MD SA | A | 7310 | GL | 13-FEB-80 | GL | YD1 | 99 | | |
| | | MIL-S-12610D<br>NOTICE 1 | SPOTLIGHT, 12-VOLT, DIRECT-CURRENT (NO S/S DOCUMENT) USER: ER SH REVIEWER: GS | A | 6230 | GL | 20-JAN-93 | GL | | 82 | | |
| | | MIL-P-12620E<br>NOTICE 1 | PUMP, CENTRIFUGAL: PETROLEUM-PIPELINE, DIESEL-ENGINE-DRIVEN, SKID-MOUNTED; 2-STAGE, 6-INCH, 500 GPM AT 555-FOOT HEAD TO 1,400-GPM AT 275-FOOT HEAD (NO S/S DOCUMENT) REVIEWER: 84 | A | 4320 | ME | 25-JUN-92 | ME | | 99 | | |
| L | | MIL-M-12624C(1)<br>NOTICE 1 | MICROPHONE, RIBBON (MICROPHONE T-23()) (NO S/S DOCUMENT) ..... | A | 5895 | CR | 05-APR-93 | CR | | | | |
| | | MIL-S-12651F | SPRAYERS, PACKAGING OF (NO S/S DOCUMENT) USER: MC REVIEWER: CS SH ..... | A | PACK | ME | 09-JAN-90 | ME | YD1 | 69 | | |
| | | MIL-C-12678C | COMPRESSOR, ROTARY, POWER-DRIVEN, GASOLINE ENGINE, AIR USER: GL MC REVIEWER: 11 85 EL WC | A | 4310 | ME | 16-NOV-62 | ME | YD1 | 84 | | |
| | | MIL-M-12740B | MINEFIELD MARKING SET, PACKAGING OF USER: GL MC SH YD1 ..... | A | 9905 | ME | 25-JUN-86 | ME | | 99 | | |
| | | MIL-P-12742C(2) | PRIMER COATING: PHENOLIC, WATER IMMERSIBLE (USE TT-P-636 OR TT-P-1757) REVIEWER: AR EA MR | A | 8010 | ME | 12-DEC-83 | ME | YD1 | 11 | | |
| | | MIL-F-12784B | FLUX, SOLDERING (STEARINE COMPOUND IC-3) (NO S/S DOCUMENT) USER: MI OS REVIEWER: 99 AR GS IP | A | 3439 | ER | 01-JUN-91 | ER | MC | 11 | | |
| | | MIL-B-12841B(1)<br>NOTICE 1 | BASIC ISSUE ITEMS FOR MILITARY VEHICLES, CARRIAGES AND EQUIPMENT; PREPARATION FOR SHIPMENT AND STORAGE OF (S/S BY MIL-V-62038) USER: MC SH REVIEWER: AR GL MI SH | A | PACK | AT | 10-JUL-92 | AT | YD1 | 84 | | |
| | | MIL-T-13014C | TEST SET, OHMMETER-CONTINUITY LIGHT USER: SH REVIEWER: AS SH ..... | A | 6625 | WC | 06-APR-66 | WC | YD1 | 82 | | |
| | | MIL-T-13057C<br>NOTICE 1 | THERMOMETERS, SELF-INDICATING, LIQUID-IN-GLASS (FOR PRECISION LEVEL ROD) (NO S/S DOCUMENT) REVIEWER: GS | A | 6685 | ME | 03-JAN-92 | ME | YD1 | 99 | | |
| | | MIL-T-13089E | TESTER, ENGINE DISTRIBUTOR REVIEWER: ME ..... | A | 4910 | AL | 19-APR-85 | AL | YD1 | 99 | | |
| | | MIL-T-13117B | TOOL KIT, SHEET METAL WORKER,S, HAND, PACKAGING OF REVIEWER: 85 SH ..... | A | 5180 | ME | 05-FEB-62 | ME | YD1 | 84 | | |
| | | MIL-C-13150B | CABLE TELEPHONE (NO. 22 AWG, LEAD COVERED) USE MIL-C-3458D USER: AR MC REVIEWER: 85 | A | 6145 | EL | 09-MAR-61 | EL | YD1 | 88 | | |
| L | | MIL-B-13164A<br>NOTICE 1 | BRIDGE, FIXED, STEEL, HIGHWAY, SEMIPERMANENT, 90-FOOT TRUSS SPAN (NO S/S DOCUMENT) | A | 5420 | ME | 04-NOV-92 | ME | | | | |
| | | MIL-A-13170E | ALTIMETER, SURVEYING, 4,500 METERS, 2 METER DIVISIONS USER: YD1 REVIEWER: GS | A | 6675 | ME | 28-JUL-83 | ME | MC | 99 | | |
| | | MIL-G-13184A | GENERATOR, HYDROGEN ML-486()/UM USER: WC ..... | A | 3655 | EL | 01-OCT-56 | EL | YD1 | 13 | | |
| | | MIL-E-13191B(1) | ELECTRODE, WELDING, COVERED, BRONZE, FOR GENERAL USE (USE AWS A5.6) USER: MC OS SH REVIEWER: GS | A | 3439 | AR | 26-MAR-84 | AR | YD1 | 99 | | |
| | | MIL-P-13218C(2)<br>NOTICE 1 | PUMP, BUCKET, LUBRICATION, HAND-OPERATED (S/S BY A-A-50202) ..... | A | 4930 | ME | 21-NOV-90 | ME | YD1 | 99 | | |
| | | MIL-C-13223A | CHAMBER, CABLE TERMINAL (TELEPHONE, UNPROTECTED) USER: MC REVIEWER: 80 85 . | A | 5805 | EL | 27-DEC-54 | EL | YD1 | 17 | | |
| | | MIL-C-13294C(3) | CABLE, TELEPHONE, ELECTRICAL (INFANTRY FIELD WIRE, TWISTED PAIR, WIRE WD-1/TT AND WD-14/TT USER: 17 AT AV MC ME REVIEWER: EA IS MI | A | 6145 | CR | 21-JUL-87 | CR | YD1 | 85 | | |
| | | MIL-P-13386D<br>NOTICE 1 | PUMPS, CENTRIFUGAL, MULTISTAGE VERTICAL, ELECTRIC-MOTOR-DRIVEN (FOR LIQUID HYDROCARBON FUELS) (NO S/S DOCUMENT) | A | 4320 | ME | 25-JUL-90 | ME | YD1 | | | |
| | | MIL-B-13506C<br>NOTICE 1 | BEARING, SLEEVE (STEEL-BACKED) (S/S BY A-A-52401) USER: MI REVIEWER: 84 EA IS MC SH | A | 3120 | AT | 10-JUL-92 | AT | OS | 11 | | |
| L | | MIL-T-13513B<br>NOTICE 1 | TERMINALS, LUG: AND SPLICES, CONDUCTOR (ELECTRICAL, SOLDERLESS, FOR AUTOMOTIVE USE) (DUAL DIMENSIONS) (S/S BY A-A-52416) REVIEWER: AR EA GS MI | A | 5940 | AT | 07-DEC-92 | AT | | | | |
| L | | MIL-M-13574A<br>NOTICE 1 | MOTOR, INDUCTION, A-C, 208 VOLT, 1-1/2 H.P., 3 PHASE, 60-CYCLE (NO S/S DOCUMENT) | A | 6105 | AR | 10-SEP-92 | AR | | | | |
| L | | MIL-T-13584C<br>NOTICE 1 | TREAD RUBBER: FOR RECAPPING PNEUMATIC TIRES AND SOLID RUBBER TIRES, FOR INDUSTRIAL AND TRACK LAYING VEHICLES: PACKAGING AND PACKING OF (NO S/S DOCUMENT) REVIEWER: CS | A | PACK | AT | 24-FEB-93 | AT | | | | |
| | | MIL-V-13612E | VALVES, RELIEF, PRESSURE & TEMPERATURE (FOR HOT WATER SUPPLY SYSTEMS) (FUTURE PROCUREMENT USE ANSI-Z21.22) USER: MC SH REVIEWER: CE CS | A | 4820 | YD1 | 15-JUL-87 | ME | YD1 | | | |
| | | MIL-D-13638A | DYNAMITE (AMMONIA, AMMONIA-GELATIN, AND GELATIN TYPES, PACKAGING OF USER: MC | A | 1375 | AR | 23-APR-56 | AR | YD1 | | | |
| L | | MIL-T-13652A<br>NOTICE 1 | TRAILER, MACHINE GUN MOUNT, M20 MOUNT, TRAILER MULTIPLE CAL. .50 MACHINE GUN, M55 (NO S/S DOCUMENT) USER: AT | A | 2330 | AR | 10-SEP-92 | AR | | | | |
| | | MIL-L-13744A | LOCOMOTIVE, DIESEL ELECTRIC, 56 1/2, 60, 63, AND 66 IN. GAGES, 60 TON, 0-4-4-0 WHEEL, DOMESTIC AND FOREIGN SERVICE (USE MIL-L-52731) REVIEWER: EL | A | 2210 | ME | 09-APR-62 | ME | YD1 | 84 | | |
| | | MIL-R-13754C | ROOFING FELT, LAMINATED, ASPHALTIC MEMBRANE, WIRE-MESH-REINFORCED (USE SS-R-1785) USER: AR | A | 5650 | ME | 18-MAY-66 | ME | YD1 | 84 | | |
| | | MIL-P-13818B | PAPERBOARD, REFLECTORIZED (RETRO-REFLECTIVE) (USE MIL-S-25800C) USER: MC REVIEWER: SA | A | 9310 | GL | 27-JUN-62 | GL | YD1 | 84 | | |
| | | MIL-C-13832D | CLUTCH REBUILDER, MOTOR VEHICLE, UNIVERSAL TYPE USER: AT MC REVIEWER: SH .. | A | 4910 | AL | 20-DEC-72 | AL | YD1 | 99 | | |
| L | | MIL-B-13840B(1) | BAG, TOOL, SATCHEL, M-1921, (EMPTY) (USE MIL-B-43648) REVIEWER: YD1 ..... | A | 5140 | GL | 06-MAR-67 | GL | | | | |
| | | MIL-M-13859C(2) | MOWING UNIT, CYLINDRICAL BORE, PORTABLE (FOR CYLINDER CORRECTION )SUPERSEDED BY MIL-C-82069A( USER: CE EL MC ME REVIEWER: SH WC | A | 5130 | GL | 24-NOV-71 | GL | YD1 | 84 | | |
| | | MIL-A-13883B(1) | ADHESIVE, SYNTHETIC-RUBBER (HOT OR COLD BONDING) USE MMM-A-189 USER: MC REVIEWER: AR GL | A | 8040 | MR | 02-JUL-64 | MR | YD1 | 11 | | |
| | | MIL-C-13909C<br>NOTICE 2 | CONDUIT, METAL, FLEXIBLE: ELECTRICAL SHIELDED (S/S BY A-A-52440) REVIEWER: 80 AR | A | 5975 | AT | 10-MAR-93 | AT | AS | 85 | | |
| Q | | MIL-H-13910B(2) | HYDRAULIC FLUID, POLAR TYPE AUTOMOTIVE BRAKE, ALL WEATHER (S/S BY MIL-B-46176) USER: MC REVIEWER: AT GS ME MI OS SA WC YD1 | A | 9150 | MR | 04-AUG-69 | MR | AS | 68 | | |
| L | | MIL-C-13959B<br>NOTICE 2 | CAMERA SET, STILL PICTURE KS-7( ) (NO S/S DOCUMENT) ..... | A | 6720 | CR | 29-NOV-90 | CR | | | | |
| | | MIL-D-13978A | DECONTAMINATING APPARATUS, PORTABLE, 3&GALLON, M1 USER: MC ..... | A | 4230 | EA | 31-MAR-67 | EA | YD1 | 84 | | |
| L | | MIL-B-13994D(2)<br>NOTICE 1 | BOAT, BRIDGE ERECTION, INBOARD ENGINE: ALUMINUM, 27-FOOT (S/S BY MIL-B-53003) | A | 1940 | ME | 03-NOV-92 | ME | | | | |
| ML | | MIL-P-14118(1)<br>NOTICE 1 | PLASTIC; CELLULOSE-ACETATE, SHEETS AND FILM (S/S BY L-P-504) ..... | A | 9330 | AR | 30-JUL-62 | AR | | | | |
| L | | MIL-J-14158E(1)<br>NOTICE 1 | JACK, RAILWAY TRACK, GASOLINE- OR DIESEL-ENGINE-DRIVEN, RAILROAD, WHEEL-MOUNTED (NO S/S DOCUMENT) | A | 2230 | ME | 22-MAR-93 | ME | | | | |
| | | MIL-T-14159B | TABLE, DRAWING, TRACING, DRAFTING, DRAWING AND SCRIBING, (USE GG-T-358) REVIEWER: GS MC | A | 6675 | ME | 07-JAN-64 | ME | YD1 | 82 | | |
| | | MIL-B-14199B | BUILDING, PREFABRICATED, PANELIZED, WOOD( 1 ROOM WITH VESTIBULE, ARCTIC CLIMATE, 48 FT LONG, 20 FT WIDE, WITH ACCESSORIES. REVIEWER: CG | A | 5410 | ME | 04-DEC-61 | ME | YD1 | 99 | | |
| Q | | MIL-C-14201A | CORROSION PREVENTIVE, SOFT-FILM, COLD APPLICATION (USE MIL-C-16173) USER: MC YD1 REVIEWER: MI | A | 8030 | MR | 23-APR-56 | MR | | 11 | | |
| | | MIL-S-14231C(1)<br>NOTICE 1 | SEALING COMPOUND, JOINT, TWO COMPONENT, FOR BOLTED ALUMINUM OR STEEL PETROLEUM-STORAGE TANKS (NO S/S DOCUMENT) USER: MC REVIEWER: 11 IS MR | A | 8030 | ME | 29-APR-91 | ME | YD1 | 84 | | |
| | | MIL-P-14233B | POLE, LINE CONSTRUCTION, WOOD, TREATED, WOODEN LINE POLES, POLE STUBS, AND ANCHOR LOGS (USE MM-P-371C) USER: CG MC REVIEWER: CE CS EL | A | 5510 | ME | 18-JUL-68 | ME | YD1 | 84 | | |
| L | | MIL-M-14305A(1)<br>NOTICE 1 | MOTOR GENERATORS PU-20( )/U AND PU-33( )/U (NO S/S DOCUMENT) ..... | A | 6125 | ER | 11-FEB-93 | ER | | | | |
| | | MIL-P-14321E<br>NOTICE 1 | PUMP, CENTRIFUGAL: FOR PETROLEUM PRODUCTS, DIESEL-ENGINE-DRIVEN, SELF PRIMING, SKID-MOUNTED, SINGLE STAGE; 6-INCH, GROOVED ADAPTERS; 245 GPM AT 205 FEET HEAD TO 1120 GPM AT 100 FEET HEAD (S/S BY MIL-P-53051) REVIEWER: 84 CS | A | 4320 | ME | 30-OCT-92 | ME | | 99 | | |
| | | MIL-P-14323C | TRAILER, RETRIEVER, SINGLE&TRUCK TYPE REVIEWER: MC ..... | A | 2330 | ME | 06-JUN-66 | ME | YD1 | | | |

| Action | OPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-T-14398J | TANKS, FABRIC, COLLAPSIBLE: WATER, NYLON, RUBBER-COATED (S/S BY MIL-T-53048) USER: MC REVIEWER: 82 CS MD | A 5430 | ME | 11-FEB-91 | ME | YD1 | 99 | |
| L | | MIL-P-14401B NOTICE 1 | PADS, CUSHIONING: PERSONNEL-PROTECTION, VEHICULAR (S/S BY A-A-52430) REVIEWER: CS | A 2590 | AT | 15-FEB-93 | AT | | | |
| | | MIL-H-14435D NOTICE 1 | HITCHES, SNOWPLOW, FRONT-OF-VEHICLE MOUNTING (NO S/S DOCUMENT) USER: AT YD1 | A 3830 | ME | 20-SEP-91 | ME | | 84 | |
| | | MIL-S-14444B | SIGN, REFLECTORIZED, TRAFFIC CONTROL USER: AT REVIEWER: CE ME ..... | A 9905 | GL | 13-DEC-67 | GL | YD1 | 84 | |
| | | MIL-C-14510A | CONVEYOR, DRAG, COAL, TRUCK LOADER, SELF-PROPELLED, POWER-DRIVEN (USE MIL-C-12584) REVIEWER: 85 | A 3910 | MO | 11-OCT-60 | MO | YD1 | 84 | |
| | | MIL-I-14511C(1) NOTICE 1 | INSULATION SHEET, CELLULAR, PLASTIC: THERMAL (S/S BY A-A-52404) USER: AV ME REVIEWER: 84 AR MI MR | A 5640 | AT | 20-JUL-92 | AT | | 99 | |
| | | MIL-M-14555A | MOUNTER AND DEMOUNTER, PNEUMATIC TIRE (14-INCH THROUGH 16-INCH RIM DIAMETERS) USER: MC | A 4910 | WC | 31-OCT-58 | WC | YD1 | 82 | |
| | | MIL-G-14562D(1) NOTICE 1 | GUN, FLUSHING, RADIATOR AND ENGINE BLOCK (S/S BY A-A-50311) USER: MC REVIEWER: 82 CS | A 4910 | AL | 28-AUG-92 | AL | YD1 | 99 | |
| | | MIL-C-14573B | CLEANING AND FLUSHING MACHINE, AUTOMOTIVE COOLING SYSTEM USER: MC YD1 ..... | A 4910 | AL | 02-FEB-61 | WC | | 82 | |
| L | | MIL-I-14603B NOTICE 1 | INVERTER, VIBRATOR PP-1703()/U (NO S/S DOCUMENT) ..... | A 6125 | ER | 11-FEB-93 | ER | | | |
| | | MIL-F-14618C | GRINDING MACHINE, PISTON USER: AT REVIEWER: ME SM ..... | A 4910 | AL | 27-AUG-70 | AL | YD1 | 99 | |
| L | | MIL-P-14636/7 NOTICE 1 | PLAQUE, WALL, THE ADJUTANT GENERAL CENTER/RESERVE COMPONENTS PERSONNEL AND ADMINISTRATION CENTER (NO S/S DOCUMENT) REVIEWER: CT GL | A 9905 | IH | 14-SEP-92 | IH | | | |
| L | | MIL-C-14700A(2) NOTICE 2 | CHARGE PROPELLING, M80 FOR 8 INCH HOWITZER, M2 CANNON (NO S/S DOCUMENT) ... | A 1110 | AR | 06-JUL-92 | AR | | | |
| L | | MIL-F-14986A NOTICE 2 | FIN ASSEMBLY (NO S/S DOCUMENT) ..... | A 1115 | AR | 06-JUL-92 | AR | | | |
| L | | MIL-P-14990A NOTICE 2 | PLUGS, ELECTRICAL FOR LOCKING DEVICES XM77, XM85 AND XM86 (NO S/S DOCUMENT) | A 1115 | AR | 06-JUL-92 | AR | | | |
| | | MIL-P-15006A | PAPER, SHEATHING, FIRE RESISTENT AND WATER REPELLENT (USE UU-B-790) USER: MC REVIEWER: YD1 | A 5640 | SH | 28-DEC-51 | MO | SH | | |
| L | | MIL-D-15007B | DECONTAMINATING APPARATUS, POWER DRIVEN TRAILER MOUNTED, 200 GALLON CAPACITY | A 4230 | YD1 | 01-MAY-61 | | YD1 | | |
| | | MIL-L-15016B(1) | LUBRICATING OIL, GENERAL PURPOSE (USE MIL-L-17672 AND MIL-L-17331) USER: AS MC ME OS YD1 REVIEWER: MI PS | A 9150 | SH | 22-AUG-66 | MR | SH | 11 | |
| Q | | MIL-L-15017A(2) | LUBRICATING OIL, HYDRAULIC (USE MIL-L-17672) USER: EL MC YD1 REVIEWER: GL SA | A 9150 | SH | 05-DEC-63 | MR | SH | 11 | |
| Q | | MIL-L-15018B | LUBRICATING OIL, MINERAL, CYLINDER (USE FED SPEC VV-L-1071) USER: AS MC YD1 REVIEWER: GL PS SA | A 9150 | SH | 03-APR-62 | MR | SH | 68 | |
| | | MIL-P-15024/12 | PLATE, IDENTIFICATION, ENGINE OVERHAUL DATA (NO S/S DOCUMENT) USER: AT GL GS MC REVIEWER: MI | A 9905 | ME | 04-MAY-89 | ME | YD1 | 84 | |
| | | MIL-P-15035C(4) NOTICE 1 | PLASTIC SHEET: LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (S/S BY MIL-I-24768/13, MIL-I-24768/14, MIL-I-24768/15 AND MIL-I-24768/16) USER: ME OS YD1 REVIEWER: 84 85 99 AR AS EA EC GL GS MI MR | A 9330 | SH | 25-FEB-92 | ER | SH | 11 | |
| | | MIL-F-15077E | FURNITURE, METAL, DORMITORY REVIEWER: MD MS ..... | A 7105 | YD1 | 25-NOV-83 | GL | YD1 | 99 | |
| L | | MIL-S-15083B(1) | STEEL CASTINGS (S/S BY MIL-C-24707/1, ASTM-A757, ASTM-A216 AND ASTM-A487) USER: CS ME REVIEWER: AS MI OS YD1 | A MECA | SH | 27-JAN-89 | | SH | | |
| | | MIL-I-15091C | INSULATION FELT, THERMAL, ASBESTOS FIBER (USE MIL-I-2781, 2819, 16411, 22023, 22344, AND 23128) USER: AT MR REVIEWER: AS OS YD1 | A 5640 | SH | 03-JUL-62 | MO | SH | | |
| | | MIL-B-15093A | BAR, DRUM UPENDING USER: YD1 ..... | A 5120 | GL | 09-MAR-53 | GL | | 69 | |
| | | MIL-E-15128C | ENAMEL, SHIP, EXTERIOR, ALKYD, NAVY BLUE (FORMULA NO. 5NB) USER: 26 MR YD1 REVIEWER: SA | A 8010 | SH | 07-DEC-60 | MO | SH | | |
| | | MIL-E-15130C | ENAMEL, SHIP, EXTERIOR, ALKYD, HAZE GRAY, NO. 27, FORMULA NO. 5H (USE TT-E-490) USER: MR YD1 REVIEWER: SA | A 8010 | SH | 07-DEC-60 | | SH | 99 | |
| | | MIL-E-15145C(2) | ENAMEL, ZINC DUST PIGMENTED, FRESH WATER TANK PROTECTIVE, FORMULA NO. 102 (NO S/S DOCUMENT) USER: CG ME YD1 REVIEWER: EC | A 8010 | SH | 17-JAN-90 | CE | SH | | |
| | | MIL-P-15147C(3) | PRIMER AND ENAMEL, COAL TAR (USE SSPC-PS 10.01 AND AWWA C203) USER: MR .... | A 8010 | YD1 | 20-JAN-84 | ME | YD1 | 99 | |
| QL | | MIL-P-15159B(1) | PRESERVATIVE COATING, CANVAS (NAVY) (S/S BY TT-P-595) USER: OS REVIEWER: AS MC YD1 | A 8030 | SH | 29-APR-65 | | SH | | |
| | | MIL-F-15160/70 NOTICE 1 | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F70 (NO S/S DOCUMENT) USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A 5920 | SH | 29-OCT-90 | ER | SH | 85 | |
| L | | MIL-T-15164C | THERMOMETER, SELF INDICATING, LIQUID IN GLASS, INDUSTRIAL (NAVY) USE GG-T-321 2 REVIEWER: SA YD1 | A 6685 | SH | 29-OCT-62 | | | | |
| L | | MIL-C-15167B | CORROSION PREVENTIVE COMPOUND, PETROLATUM, PIGMENTED, HOT APPLICATION (S/S BY MIL-C-11796) REVIEWER: OS YD1 | A 8030 | SH | 22-SEP-59 | | SH | | |
| | | MIL-V-15196B | VERMICULITE, EXPANDED (PIGMENT) (S/S BY HH-I-585B) USER: 26 MR MS REVIEWER: 85 IS SA YD1 | A 5610 | SH | 03-MAY-62 | MO | SH | 84 | |
| L | | MIL-A-15373B NOTICE 1 | ANNUNCIATORS, NAVAL SHIPBOARD (S/S BY UL1069) ..... | A 6350 | SH | 10-DEC-92 | | SH | | |
| | | MIL-T-15442J(5) | TRUCKS, LIFT, FORK, GASOLINE, PNEUMATIC RUBBER TIRES (S/S BY MIL-T-21870) USER: MC REVIEWER: YD1 | A 3930 | SA | 01-APR-65 | GL | SA | 84 | |
| | | MIL-T-15442/1 | TRUCK, LIFT, FORK, GASOLINE, PNEUMATIC RUBBER TIRES (S/S BY MIL-T-21870) USER: YD1 REVIEWER: CS | A 3930 | SA | 22-MAR-65 | ME | SA | 99 | |
| | | MIL-C-15467F | CRANES, CRAWLER MOUNTED, COMMERCIAL, DED (S/S BY 00-C-2764) USER: MC REVIEWER: 84 CS | A 3810 | YD1 | 03-JUN-91 | | YD1 | 99 | |
| L | | MIL-B-15592A | BURNER, VAPORIZING POT TYPE WITH MOTOR BLOWER, FOR OIL BURNING GALLEY RANGES (FOR SHIPBOARD USE) VALIDATED JUL 1964 REVIEWER: YD1 | A 4530 | SH | 17-MAY-52 | | SH | | |
| L | | MIL-B-15593A | BURNER, HORIZONTAL ROTARY, FOR OIL BURNING GALLEY RANGES AND BAKE OVENS USER: MC | A 4530 | YD1 | 17-JAN-52 | | YD1 | | |
| | | MIL-L-15596G(1) NOTICE 1 | LOCKS, COMBINATION FOR GENERAL SERVICES ADMINISTRATION APPROVED SECURITY CONTAINERS, VAULT DOORS, AND SAFE LOCKERS (S/S BY FF-L-2740 AND UL768) USER: CE MC SH REVIEWER: AR GL IS | A 5340 | YD1 | 05-MAY-93 | ME | YD1 | 99 | |
| L | | MIL-E-15597E NOTICE 1 | ELECTRODES, WELDING, COVERED, COATED ALUMINUM AND ALUMINUM ALLOY (S/S BY AWS-A5.3-91, AND AWS-A5.01-87) REVIEWER: AR AT GL GS IP ME | A 3439 | MR | 24-JUL-92 | MR | | | |
| Q | | MIL-E-15599C(5) | ELECTRODE, WELDING, COVERED, LOW- AND MEDIUM-CARBON STEEL USER: AT YD1 REVIEWER: AS CG MI | A 3439 | SH | 28-MAR-66 | WC | SH | 11 | |
| | | MIL-S-15619D | SWEEPERS, ROTARY, SELF-PROPELLED, STREET TYPE ..... | A 3825 | | 02-MAR-60 | | YD1 | 11 | |
| L | | MIL-A-15708B | ANCHORS, MARINE, FLUKED, LIGHT WEIGHT TYPE, PRESSED & FORGED STEEL & FABRICATED STEEL PLATE (USE DOD-A-15707) USER: YD1 | A 2040 | SH | 16-MAY-84 | | SH | | |
| | | MIL-N-15721A | NICKEL-CHROMIUM ALLOY BARS AND RODS (BOILER REFRACTORY ANCHOR BOLTS) (USE MIL-B-15382) USER: GL YD1 REVIEWER: AS SA | A 9530 | SH | 28-DEC-51 | MR | | | |
| L | | MIL-F-15733/29A(1) NOTICE 2 | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL81 (NO S/S DOCUMENT) ..... | A 5915 | 85 | 29-DEC-92 | | | 11 | |
| Q | | MIL-W-15759A | WELDING MACHINE, ARC (DIRECT-CURRENT, VARIABLE VOLTAGE) SUPERSEDED BY MIL-W-80019 USER: GL REVIEWER: 85 EL YD1 | A 3431 | SH | 27-SEP-61 | WC | SH | 84 | |
| | | MIL-W-15760B | WELDING MACHINES, ARC (CONSTANT POTENTIAL) (S/S BY MIL-W-80116) USER: GL REVIEWER: EL YD1 | A 3431 | SH | 31-JUL-52 | WC | SH | 82 | |
| L | | MIL-S-15786B(1) NOTICE 1 | STERILIZERS, SURGICAL DRESSING; STERILIZERS, INSTRUMENT; AND STERILIZERS, WATER (NAVAL SHIPBOARD) (S/S BY A-A-54689) | A 6530 | MB | 15-DEC-92 | | | | |
| | | MIL-C-15899A | COMBS, GRAINING USER: YD1 REVIEWER: GL ..... | A 5120 | SH | 07-MAR-52 | | SH | 69 | |
| L | | MIL-B-15910A | BUILDING, PREFABRICATED, PANELIZED, EMERGENCY MOBILIZATION UNIT (A), WOOD, 20 BY 48 FT. REVIEWER: 69 | A 5410 | YD1 | 12-NOV-61 | | YD1 | | |
| | | MIL-P-15929C | PRIMER COATING, SHIPBOARD, VINYL-RED LEAD (FORMULA NO. 119 (S/S BYMIL-P-24441 & MIL-P-15930) USER: YD1 REVIEWER: ME SA | A 8010 | SH | 14-AUG-85 | MR | SH | 99 | |
| | | MIL-B-15949B(1) | BUILDING, PREFABRICATED, READY-CUT, MAGAZINE, STEEL ARCH, 16FT. SPAN (EXTENSIBLE) (USE MIL-B-16041) | A 5410 | YD1 | 29-MAY-53 | MO | YD1 | | |

| Action | OPR / CNM Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MICA Symbol Preparing Activity Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| Q | | MIL-W-15964A(1) | WHEEL, ABRASIVE, AND HONES, HAND (DIAMOND IMPREGNATED) USER: AV MC SA YD1 REVIEWER: 85 IS | A 5345 | SH | 20-MAR-53 | MC | SH | | |
| L | | MIL-B-15969A(1) | BUILDING, PREFABRICATED, METAL, ARCH RIB, 20 FT. X 48 FT., NORTHERN TYPE (USE MIL-B-22637) | A 5410 | YD1 | 07-DEC-60 | | YD1 | | |
| L | | MIL-R-15996 | REFRIGERATOR, COOLERS, PREFABRICATED, SECTIONAL, WALK-IN TYPE, 675 AND 6800CU. FT. CAPACITY, (WITHOUT REFRIGERATOR UNIT) (S/S BY MIL-R-10932) | A 4110 | YD1 | 10-JUL-56 | | YD1 | | |
| L | | MIL-R-15997A | REFRIGERATING UNIT, ELECTRIC OR GASOLINE ENGINE, PLUG-IN TYPE FOR PREFABRICATED SECTIONAL, WALK-IN TYPE REFRIGERATED COOLERS AND WAREHOUSES (S/S BY MIL-R-13312) | A 4110 | YD1 | 08-MAY-58 | | YD1 | | |
| | | MIL-P-16018B(1) | PACKAGING OF SWITCHBOARDS, CONTROLLERS AND MOTOR STARTERS (OVER 40 POUNDS) (S/S BY MIL-E-17555E) USER: MC REVIEWER: EL SA YD1 | A 6100 | SH | 24-JUL-60 | MO | | | |
| | | MIL-I-16022B | INSULATION FELT, THERMAL, FIBROUS GLASS, FLEXIBLE (USE MIL-I-22023A) USER: MC MR REVIEWER: SH | A 5640 | YD1 | 01-MAY-61 | MO | YD1 | | |
| | NOTICE 1 | MIL-I-16042E | ICE CREAM FREEZERS, POWER OPERATED, MECHANICALLY REFRIGERATED: ICE CREAM CABINETS, MECHANICALLY REFRIGERATED: AND ICE CREAM PLANTS (S/S BY 00-I-2795) USER: MC MS REVIEWER: GS | A 4110 | YD1 | 31-AUG-92 | | YD1 | 99 | |
| L | | MIL-S-16043B | SODA FOUNTAINS REVIEWER: GS | A 4110 | YD1 | 06-NOV-72 | | YD1 | | |
| L | | MIL-T-16044A | TRACK, DOLLY, MINE ASSEMBLY | A 1045 | YD1 | 03-NOV-59 | | YD1 | | |
| L | | MIL-T-16066 | TUMBLER, DRYING, LAUNDRY, OIL FIRED, 40 POUND CAPACITY | A 3510 | YD1 | 14-JUN-60 | | YD1 | | |
| | | MIL-B-16071B(1) | BUILDING, PREFABRICATED, READY-CUT, METAL, RIGID FRAME, 40 BY 100 FEET (S/S BY MIL-B-28536) REVIEWER: 85 CS MC | A 5410 | YD1 | 30-JUL-64 | MO | YD1 | 84 | |
| | | MIL-C-16074A | CRANE, LOCOMOTIVE, DIESEL-ELECTRIC, (25-TON, 56-1/2 INCH GAUGE) USER: 26 .. | A 2230 | YD1 | 12-MAR-56 | | YD1 | 87 | |
| | | MIL-F-16082D | FAN, VENTILATING, PROPELLER, ELECTRIC SPRAY BOOTH EXHAUST USER: MC REVIEWER: EL GS | A 4140 | YD1 | 08-JUL-68 | ME | YD1 | 99 | |
| | | MIL-P-16108E | PONTOON, STEEL, SECTIONAL, .T. SERIES, INCLUDING FITTINGS AND TOOLS (FOR COUPLING INTO FLOATING VESSELS) | A 2040 | YD1 | 08-OCT-64 | MO | YD1 | | |
| L | | MIL-S-16113C | STEEL PLATE, HIGH TENSILE (HT), HULL & STRUCTURAL (USE MIL-S-22698) REVIEWER: AS IS MI YD1 | A 9515 | SH | 25-MAR-66 | | SH | | |
| | | MIL-F-16136B | FLUXE, WELDING (FOR COPPER BASE AND COPPER NICKEL ALLOYS AND CAST IRON USER: AT MC YD1 REVIEWER: 99 EA GS | A 3439 | SH | 07-JUL-64 | AR | SH | 11 | |
| Q | | MIL-F-16143A(3) | FLOATS, LIFE (BALSA-WOOD) USER: YD1 | A 4220 | SH | 05-DEC-61 | MO | SH | 11 | |
| | | MIL-B-16182B | BRICK, INSULATING, HIGH TEMPERATURE, DIATOMACEDUS SILICA REVIEWER: GS ME YD1 | A 9350 | SH | 16-JUL-58 | | SH | | |
| | | MIL-I-16202B | INTERFERENCE MEASURING SET AN/URM-106 AND AN/URM-6 () USER: AK AS GL MC YD1 REVIEWER: 11 SH | A 6625 | EC | 15-JUN-64 | EL | EC | 82 | |
| L | | MIL-C-16247B | COUPLING, CLAMP, PIPE, BOLTED (FOR PLAIN END PIPE) | A 4730 | YD1 | 05-AUG-70 | | YD1 | | |
| | | MIL-M-16253B | MANOMETER, VERTICAL TUBE, BOILER FRONT REVIEWER: GS YD1 | A 6685 | SH | 30-NOV-84 | MO | SH | | |
| | | MIL-F-16269A | FAN, EXHAUST, ELECTRIC, PORTABLE REVIEWER: EL GL | A 4140 | YD1 | 25-AUG-52 | | YD1 | 82 | |
| | | MIL-G-16270D | GENERATOR, ACETYLENE, PORTABLE USER: CE REVIEWER: GS | A 3655 | YD1 | 23-DEC-83 | ME | YD1 | 99 | |
| | NOTICE 1 | MIL-V-16271F | VALVES, TANK FLOAT, ANGLE AND GLOBE PATTERN (S/S BY A-A-50541) USER: CE REVIEWER: 82 CS | A 4820 | YD1 | 22-JAN-93 | ME | YD1 | 99 | |
| L | | MIL-H-16272E(1) | HEATER, FLUID, INDUSTRIAL, FUEL OIL, 350 G.P.M. | A 4420 | YD1 | 26-APR-63 | | YD1 | | |
| L | | MIL-S-16273B | STRAINER ASSEMBLY, DIESEL FUEL OIL, SCRAPER STYLE, 160 GPM | A 4330 | YD1 | 30-SEP-60 | | YD1 | | |
| | | MIL-E-16276A | EXTRACTOR, PILE USER: 26 | A 3895 | YD1 | 13-MAY-53 | MO | YD1 | 87 | |
| L | | MIL-F-16277B | FILTER/SEPARATOR, WATER AND SOLID AVIATION FUEL ()CANCELED.() | A | YD1 | 27-MAR-60 | | YD1 | | |
| L | NOTICE 1 | MIL-C-16278G | COOLING TOWERS, LIQUID (S/S BY F-C-2791) | A 4130 | YD1 | 20-MAR-92 | | YD1 | | |
| | | MIL-V-16289C | VULCANIZING MOLD, TIRE, ELECTRICALLY HEATED, FOR SECTIONAL TIRE CASING REPAIR USER: MC SH | A 4910 | AL | 03-NOV-65 | WC | YD1 | 99 | |
| | | MIL-S-16293G(1) | STRAINERS, SEDIMENT: PIPELINE, WATER, AIR, GAS, OIL OR STEAM (S/S BY WW-S-2739) USER: CE CG MC REVIEWER: CS | A 4730 | YD1 | 25-OCT-89 | ME | YD1 | 99 | |
| | NOTICE 2 | MIL-S-16297A | STAND, SHELF, CORROSION-RESISTING STEEL (S/S BY A-A-54758) | A 6530 | MB | 25-MAR-93 | MD | MS | 03 | |
| Q | | MIL-M-16299A | MORTAR, REFRACTORY, (HIGH TEMPERATURE, HEAT SETTING) (USE HH-M-622) USER: MR REVIEWER: SH | A 9350 | YD1 | 12-JUL-60 | MO | YD1 | | |
| L | | MIL-V-16302 | VALVE, STOP, DIAPHRAGM TYPE, FLANGED (FOR DISTILLED BATTERY WATER) (NO S/S DOCUMENT) | A 4820 | YD1 | 05-OCT-59 | | YD1 | | |
| | | MIL-S-16373B | SUBGRADER, FORM-RIDING (20-TO 25-FOOT WIDTH) REVIEWER: EL | A 3895 | YD1 | 12-JUL-60 | MO | YD1 | | |
| Q | | MIL-T-16391B(1) | TIP, OXYGEN CUTTING (USE MS 15013) USER: MC ME REVIEWER: GS YD1 | A 3433 | SH | 28-APR-72 | AL | SH | 99 | |
| L | | MIL-E-16400H(1) | ELECTRONIC, INTERIOR COMMUNICATION AND NAVIGATION EQUIPMENT, NAVAL SHIP AND SHORE; GENERAL SPECIFICATION FOR (S/S BY MIL-STD-2036) USER: MC MI YD1 REVIEWER: AS EC OS | A GDRQ | SH | 18-JUN-91 | | SH | | |
| | | MIL-I-16424A | INSECTICIDE, CHLORDANE (CONCENTRATE, WATER EMULSIFIABLE) (USE O-I-515) USER: MC REVIEWER: AR YD1 | A 6840 | SH | 06-JUN-61 | | | 67 | |
| | | MIL-C-16452C | CHAIR, AERIAL, CABLE USER: ME | A 4940 | YD1 | 01-NOV-67 | | YD1 | 99 | |
| | | MIL-B-16453B | BLOCK, TACKLE, WIRE ROPE, SNATCH (USE MIL-B-11837B) USER: CE REVIEWER: GL IS | A 3940 | YD1 | 20-JAN-66 | MO | YD1 | | |
| | | MIL-F-16454B | FILTER, FLUID, PRESSURE (DIESEL FUEL, 160 GPM) REVIEWER: AS | A 4330 | YD1 | 22-AUG-61 | ME | YD1 | 84 | |
| | | MIL-Z-16460A | ZINC BASE ALLOY, SAND CASTINGS USER: GL SA YD1 REVIEWER: SH | A MECA | WP | 10-OCT-52 | MR | | | |
| | | MIL-O-16485C(4) | OHMMETERS, INSULATION RESISTANCE-INDICATING, PORTABLE (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: MI | A 6625 | SH | 10-MAY-91 | CR | SH | 11 | |
| | | MIL-E-16501B | ENAMEL, EXTERIOR, GRAY, NO. 37 (VINYL-ALKYD) (FORMULA NO. 122-37) USER: 26 AS EL MR YD1 REVIEWER: IS SA | A 8010 | SH | 09-MAY-61 | MO | SH | 84 | |
| | | MIL-E-16502B | ENAMEL, EXTERIOR, GRAY, NO. 46 (VINYL-ALKYD TYPE) (FORMULA NO. 122-46) USER: 26 AS EL MR YD1 REVIEWER: IS SA | A 8010 | SH | 24-APR-61 | MO | SH | 84 | |
| L | | MIL-C-16523(1) | CRANE, CARGO INDUSTRIAL, 5-TON CAPACITY (S/S BY MIL-T-15451) | A 3930 | YD1 | 21-JUN-56 | | YD1 | | |
| | NOTICE 1 | MIL-C-16536C | CRANE, OVERHEAD TRAVELING, ELECTRIC, 5-TON CAPACITY; AND RUNWAY CONDUCTOR SYSTEM COMPONENTS (S/S BY ANSI-MH27.1) REVIEWER: 84 CS | A 3950 | YD1 | 11-JUN-91 | ME | YD1 | 99 | |
| | | MIL-W-16559A(1) | WELDING MACHINES, METAL-ARC, INERT GAS, ALTERNATING CURRENT (FOR MANUAL OPERATION) [VALIDATION DATE: 8606] USER: GL REVIEWER: EL YD1 | A 3432 | WP | 23-OCT-56 | WC | WP | 84 | |
| L | | MIL-B-16606 | BUILDING, PREFABRICATED, METAL ARCH RIB, 40 X 100 FEET REVIEWER: 69 | A 5410 | YD1 | 31-AUG-51 | | YD1 | | |
| L | | MIL-U-16612A | URN, COFFEE, THREE-UNIT BATTERY TYPE (S/S BY MIL-U-21444A) | A 7310 | YD1 | 01-JAN-63 | | YD1 | | |
| | | MIL-H-16633D | HEATER, WATER, GAS (USE W-H-196) REVIEWER: CE CS MC | A 4520 | ME | 17-SEP-71 | ME | YD1 | 99 | |
| L | | MIL-C-16638B | CYLINDERS, NONLIQUEFIED COMPRESSED GAS, NONSHATTERABLE (USE MIL-C-22491) REVIEWER: MC YD1 | A 8120 | SH | 01-JUN-61 | | | | |
| | NOTICE 1 | MIL-T-16652 | TOURNIQUET, PNEUMATIC (S/S BY A-A-54866) | A 6515 | MB | 21-MAY-93 | MD | MS | 03 | |
| | NOTICE 1 | MIL-C-16671B | CRUTCH, ALUMINUM, CANE TYPE, ADJUSTABLE (S/S BY A-A-54658) | A 6515 | MB | 16-JUL-92 | MD | MS | 03 | |
| | | MIL-W-16675B(1) | WARDROBE (STEEL, WAVE STANDARD) USER: MC | A 7105 | YD1 | 24-JUN-63 | GL | YD1 | 99 | |
| L | NOTICE 2 | MIL-W-16676E | WATER PURIFICATION UNIT, FRAME MOUNTED DIATOMITE TYPE, 25 GPM (NO S/S DOCUMENT) USER: CG MC | A 4610 | YD1 | 02-MAR-92 | | YD1 | | |
| | | MIL-H-16711C | HOSE ASSEMBLY, PLASTIC PAINT SPRAYING, ELECTRIC-HEATING USER: MD MS SA REVIEWER: AS CS GL YD1 | A 4940 | SH | 20-SEP-63 | MO | SH | | |
| Q | | MIL-W-16714A | WHEELS, ABRASIVE, SNAGGING (USE GGG-W-290 USER: EL GL MC YD1 REVIEWER: 69 85 | A 3460 | SH | 24-FEB-61 | WC | SH | 84 | |
| Q | | MIL-E-16715B(4) | ELECTRODE, WELDING, COVERED (AUSTENITIC CHROME-NICKEL STEEL, FOR CORROSIVE AND HIGH TEMPERATURE SERVICES) (S/S BY MIL-E-22200/2A) USER: 26 84 MC YD1 REVIEWER: GL | A 3439 | SH | 28-MAR-60 | WC | SH | 11 | |
| | | MIL-F-16717A | FAN, CENTRIFUGAL, MULTI-BLADE UNDER 3000 CFM USER: 26 MC REVIEWER: EL GL MI | A 4140 | YD1 | 04-AUG-53 | MO | YD1 | 82 | |
| L | | MIL-B-16719 | BEACON, HOUSE AND TOWER | A 6210 | YD1 | 11-APR-60 | | YD1 | | |
| | | MIL-V-16720E | VALVES, FOOT, BRASS, AND POLYVINYL CHLORIDE (FOR LIGHT OIL AND WATER) (S/S BY A-A-50498) USER: MC REVIEWER: CS GL SH | A 4820 | YD1 | 10-JUL-90 | ME | YD1 | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-V-16721D | VALVES, FOOT, LOW PRESSURE, CAST-IRON (FOR WATER) (S/S BY A-A-50498) USER: CE MC OS REVIEWER: CS | A | 4820 | | YD1 | 10-JUL-90 | ME | YD1 | 99 | |
| L | MIL-V-16722A | VALVE, PRESSURE REGULATING, AIR, 1/4-INCH | A | 4820 | | YD1 | 28-FEB-55 | | YD1 | | |
| L | MIL-F-16723E NOTICE 1 | FAIRLEADS AND ROLLERS (FOR PONTOON ASSEMBLIES) (NO S/S DOCUMENT) USER: ME . | A | 2040 | | YD1 | 19-MAR-93 | | YD1 | | |
| L | MIL-L-16724 | LINE, HAND, AERIAL | A | 3940 | | YD1 | 15-OCT-51 | | YD1 | | |
| | MIL-A-16726C | ADAPTER, PIPE, FLANGED TO THREAD (USE ANSI B16.5, ANSI B16.24 AND WW-N-351) REVIEWER: AR CS | A | 4730 | | YD1 | 07-FEB-77 | ME | YD1 | 99 | |
| | MIL-A-16728A | ADAPTER, PIPE, BRASS, FLANGED TO THREADED (USE MIL-A-16726B) USER: MC REVIEWER: WC | A | 4730 | | YD1 | 31-DEC-52 | MO | YD1 | 69 | |
| | MIL-A-16729A | ADAPTERS, TEE, 12 INCH, BLACK STEEL PIPE REVIEWER: WC | A | 4730 | | YD1 | 02-JAN-53 | MO | YD1 | 69 | |
| | MIL-A-16730A | ADAPTERS, PIPE, BLACK STEEL, FLANGED 90 DEGREE ELBOW (S/S BY MIL-F-32688) USER: 26 REVIEWER: WC | A | 4730 | | YD1 | 07-MAY-60 | MO | YD1 | 69 | |
| | MIL-A-16731A | ADAPTERS, REDUCING, PIPE, BLACK STEEL, FLANGED TO BUTT-WELDING (S/S BY MIL-F-32688) USER: 26 REVIEWER: WC | A | 4730 | | YD1 | 07-MAY-60 | MO | YD1 | 69 | |
| L | MIL-V-16734 | VALVE, WATER MIXING ()CANCELED, USE MIL-V-11152A() | A | | | YD1 | 14-JAN-60 | | YD1 | | |
| | MIL-F-16735A | FITTING, PIPE RAPID-ACTION-COUPLING, 6-INCH USER: SH REVIEWER: WC | A | 4730 | | YD1 | 14-JUL-55 | ME | YD1 | 69 | |
| | MIL-P-16780A | PANEL, CONTROL (FOR DIRECT-CURRENT ELECTRIC-ARC WELDING OUTLETS, CONSTANT-POTENTIAL SYSTEM) USER: AR REVIEWER: EL YD1 | A | 6110 | | SH | 18-JUN-52 | | | | |
| L | MIL-P-16790B(1) NOTICE 1 | PUBLIC ADDRESS SET, TYPE AN/UIQ-7 (S/S BY EIA-SE-101-A AND EIA-SE-104) | A | 5830 | | SH | 15-APR-93 | | SH | | |
| | MIL-C-16915D NOTICE 1 | CRANE, RAILWAY, DIESEL-ELECTRIC, 40-TON CAPACITY (56-1/2-INCH GAGE) (NO S/S DOCUMENT) REVIEWER: 99 | A | 2230 | | YD1 | 31-MAR-92 | ME | YD1 | 84 | |
| | MIL-T-16992B | TUBE, ALUMINUM-BRASS ARSENICAL (COPPER ALLOY NO. 687), CONDENSER AND HEAT EXCHANGER USER: MI REVIEWER: MR YD1 | A | 4710 | | SH | 05-AUG-62 | MO | SH | | |
| | MIL-F-17004C | FLASHLIGHT (EXPLOSIONPROOF) (USE MIL-F-3747) USER: AS MC OS YD1 REVIEWER: EL GS WC | A | 6230 | | SH | 08-MAY-62 | | SH | 82 | |
| | MIL-T-17011A(1) | TUBES, COPPER, CONDENSER AND HEAT EXCHANGER REVIEWER: SH | A | 4710 | | YD1 | 26-JUN-53 | MO | YD1 | | |
| | MIL-S-17041G NOTICE 1 | SNOW REMOVAL UNITS, SELF PROPELLED, DIESEL ENGINE DRIVEN, 40 TONS PER MINUTE CAPACITY (S/S BY 00-S-2779) USER: CE REVIEWER: 84 AT | A | 3825 | | YD1 | 30-JAN-92 | ME | YD1 | 99 | |
| L | MIL-A-17053E NOTICE 1 | AUDIO ENTERTAINMENT SYSTEM EQUIPMENT, SHIPBOARD (S/S BY A-A-50601) | A | 5830 | | SH | 14-JAN-93 | | SH | | |
| L | MIL-B-17062 | BUILDING, PREFABRICATED, METAL, LEAN-TO TYPE, FOR 40 FEET BY 100 FEET ARCH RIB BUILDING REVIEWER: 69 | A | 5410 | | YD1 | 26-FEB-51 | | YD1 | | |
| | MIL-A-17076C | ANGLEDOZER AND BULLDOZER, EARTHMOVING, CABLE AND HYDRAULIC OPERATED, FOR CRAWLER TRACTORS USER: CS MC | A | 3830 | | ME | 09-DEC-85 | ME | YD1 | 99 | |
| | MIL-W-17077C | WINCH, DRUM, VEHICLE MOUNTING FOR TRACTORS USER: AT MC REVIEWER: CS | A | 3830 | | ME | 05-APR-67 | ME | YD1 | 99 | |
| | MIL-P-17078C(1) | POWER CONTROL UNITS, TRACTOR MOUNTING, CABLE AND USER: MC REVIEWER: CS | A | 3830 | | ME | 26-MAY-83 | ME | YD1 | 99 | |
| | MIL-F-17104E | FURNACES, WARM AIR AND HEATERS, UNIT, FORCED AIR CIRCULATION, OIL- AND GAS-FIRE (S/S BY WW-F-2743) REVIEWER: CE CS MD | A | 4520 | | YD1 | 13-DEC-89 | ME | YD1 | 99 | |
| QL | MIL-C-17106A | CLOTH, COTTON, DUCK, FIRE, WATER, MILDEW, AND WEATHER RESISTANT (USE CCC-C-428A) REVIEWER: CT SA YD1 | A | 8305 | | SH | 16-FEB-56 | | | | |
| L | MIL-C-17112A | COPPER-NICKEL-ZINC ALLOY (NICKEL-SILVER): CASTINGS (NO S/S DOCUMENT) USER: ME YD1 | A | MECA | | OS | 27-JUN-91 | | OS | | |
| | MIL-W-17121E | WATER SOFTNER UNIT, ZEOLITE PRESSURE TYPE (SEE WQA S-100-81 USER: CS | A | 4610 | | YD1 | 15-JAN-86 | ME | YD1 | 99 | |
| L | MIL-W-17123 | WATER SOFTENING EQUIPMENT COLD PROCESS (S/S BY MIL-W-17122A) | A | 4610 | | YD1 | 15-MAY-61 | | YD1 | | |
| | MIL-F-17132B | FLOOR PLATE, ALUMINUM ALLOY (6061) ROLLED (SEE AMS1/ASTM B632) USER: ME YD1 REVIEWER: EA IS MI SA | A | 9535 | | SH | 15-FEB-61 | MR | SH | | |
| | MIL-E-17133A | ENAMEL, CREAM, GLOSS (FORMULA NO. MSTS-1) USER: 26 SA YD1 | A | 8010 | | SH | 02-OCT-52 | | | | |
| | MIL-E-17137A | ENAMEL, RED, GLOSS (FORMULA NO. MSTS-4) (USE TT-E-489) USER: 26 SA YD1 | A | 8010 | | SH | 25-SEP-52 | | | | |
| | MIL-E-17138A | ENAMEL, MEDIUM BLUE, GLOSS (FORMULA NO. MSTS-5) (USE TT-E-489) USER: 26 SA YD1 | A | 8010 | | SH | 25-SEP-52 | | | | |
| | MIL-E-17139A | ENAMEL, JADE GREEN, GLOSS (FORMULA NO. MSTS-6) (USE TT-E-489) USER: 26 SA YD1 | A | 8010 | | SH | 19-SEP-52 | | | | |
| | MIL-E-17140A | ENAMEL, MARINE GREEN, SEMIGLOSS (FORMULA NO. MSTS-7) USER: 26 AS SA YD1 REVIEWER: IS MR | A | 8010 | | SH | 25-SEP-52 | | | | |
| | MIL-U-17148C | UNDERCUTTER, ARMATURE MICA, ELECTRICALLY OPERATED USER: AT ME REVIEWER: EL YD1 | A | 4940 | | SH | 27-JAN-69 | AR | SH | 99 | |
| | MIL-E-17152A | ENAMEL, DARK OAK, GLOSS (FORMULA NO. MSTS-14) (USE TT-E-489) USER: 26 SA YD1 REVIEWER: MR | A | 8010 | | SH | 24-NOV-52 | | | | |
| L | MIL-T-17168A | TUBE AND PIPE, WROUGHT IRON, WELDED (NAVY) REVIEWER: YD1 | A | 4710 | | SH | 22-MAR-55 | | | | |
| L | MIL-B-17173 | BUILDING, PREFABRICATED, METAL, GOTHIC RIB, 20 FEET BY 48 FEET, NORTHERN TYPE (USE BY MIL-B-22637) | A | 5410 | | YD1 | 07-DEC-60 | | YD1 | | |
| | MIL-V-17203B | VALVE, PRESSURE VACUUM, GASEOUS PRODUCTS USER: AV CE CG MC | A | 4820 | | YD1 | 07-DEC-66 | ME | YD1 | 99 | |
| | MIL-A-17204D | ADAPTERS, SWIVEL OR REDUCING, PIPE THREAD TO HOSE THREAD (S/S BY A-A-2622) USER: CG REVIEWER: CS OS | A | 4210 | | YD1 | 08-JUL-91 | ME | YD1 | 99 | |
| | MIL-I-17214B | INDICATOR, PERMEABILITY: LOW-NO (GO-NO GO) (S/S BY ASTM-A342) REVIEWER: GS | A | 6635 | | SH | 20-AUG-92 | ME | SH | | |
| L | MIL-B-17218B | BUOY, MARKER, 42-INCH DIAMETER (S/S BY MIL-B-16115B) | A | 2050 | | YD1 | 03-APR-61 | | YD1 | | |
| L | MIL-B-17219B | BUOYS, MOORING, TELEPHONE TYPE (S/S BY MIL-B-16115B) | A | 2050 | | YD1 | 03-APR-61 | | YD1 | | |
| L | MIL-T-17220D | TOWER, SEARCHLIGHT FOR PONTOON BARGE GATE VESSEL | A | 5445 | | YD1 | 16-APR-64 | | YD1 | | |
| | MIL-H-17225B(1) | HEATER, VENTILATION, DUCT TYPE, STEAM AND HOT WATER USER: MC REVIEWER: CS . | A | 4520 | | YD1 | 23-MAR-70 | ME | YD1 | 99 | |
| | MIL-G-17232B | GRILLES, REGISTERS AND DIFFUSERS, METAL USER: MC REVIEWER: CE | A | 4520 | | YD1 | 26-SEP-66 | ME | YD1 | 99 | |
| | MIL-S-17243D | STONE, COMMUTATOR SURFACING (NO S/S DOCUMENT) USER: ER ME REVIEWER: 84 IS . | A | 5345 | | YD1 | 12-DEC-90 | AR | YD1 | 99 | |
| | MIL-R-17252B | RUBBER, CELLULAR (BONDED SHREDDED) REVIEWER: EL GL YD1 | A | 9320 | | SH | 23-APR-59 | MR | SH | | |
| | MIL-P-17257C | PADLOCK, COMBINATION, SECURITY (MANIPULATION RESISTANT) (USE FF-P-110) USER: AR AS REVIEWER: MC SA SH WC | A | 5340 | | GL | 13-DEC-65 | GL | YD1 | 82 | |
| | MIL-F-17278C | FEEDER, CHEMICAL SOLUTION, WATER PURIFICATION, FULLY AUTOMATIC, MANUALLY ADJUSTED | A | 4610 | | YD1 | 20-FEB-75 | | YD1 | 99 | |
| | MIL-F-17298B | FLASHING, METAL, PREFABRICATED METAL BUILDING FLUES USER: MC | A | 5670 | | YD1 | 14-NOV-67 | ME | YD1 | 99 | |
| | MIL-T-17320A(1) | TOWER, AIRPORT CONTROL, 50 FEET HIGH REVIEWER: 69 | A | 5450 | | YD1 | 15-JAN-56 | MO | YD1 | 11 | |
| | MIL-U-17336C | URINAL, STATIONARY, TROUGH TYPE USER: CE REVIEWER: CS | A | 4510 | | YD1 | 14-MAR-78 | | YD1 | 99 | |
| L | MIL-B-17347B | BUILDING, PREFABRICATED, PANELIZED, WOOD, 20 BY 48 FEET, (EMERGENCY MOBILIZATION UNIT .8.) | A | 5410 | | YD1 | 17-JUN-63 | | YD1 | | |
| | MIL-A-17357B | ALUMINUM ALLOY 5154 (A54S) PLATES AND SHEETS (USE MIL-A-21598) USER: EL GL MC YD1 | A | 9535 | | SH | 20-MAR-61 | MR | SH | 11 | |
| | MIL-L-17374C | LUMBER, HARDWOOD, STRESS GRADE, PHILIPPINE REVIEWER: CS | A | 5510 | | YD1 | 22-JUL-65 | MO | YD1 | 84 | |
| L | MIL-C-17375A | CHAMBER, AIR-LOCK, PORTABLE, WOOD (FOR PERSONNEL SHELTERS) | A | 5410 | | YD1 | 09-MAY-62 | | YD1 | | |
| | MIL-B-17380A NOTICE 1 | BEARING, ROLLER, THRUST (S/S BY A-A-52414) USER: SH REVIEWER: 84 AR IS MI . | A | 3110 | | AT | 09-MAR-93 | AT | OS | 99 | |
| | MIL-M-17387 | NONMAGNETIC INSPECTION PROCEDURE FOR WROUGHT AUSTENITIC STEEL (S/S BY MIL-STD-288) | A | NDTI | | SH | 30-SEP-56 | MR | SH | 11 | |
| L | MIL-R-17392A | RAMP, LOADING, VEHICLE, PONTOON (USE MIL-P-16108E) | A | 1945 | | YD1 | 08-DEC-55 | | YD1 | | |
| L | MIL-R-17393 | RAMP, LOADING, CAUSEWAY, PONTOON (USE MIL-P-16108E) | A | 1945 | | YD1 | 22-MAR-55 | | YD1 | | |
| L | MIL-D-17394 | DECK-ATTACHMENTS, PONTOON VESSEL (USE MIL-P-16108E) | A | 2040 | | YD1 | 28-OCT-52 | | YD1 | | |
| L | MIL-D-17395 | DECK ACCESSORIES, PONTOON VESSELS (USE MIL-P-16108E) | A | 2040 | | YD1 | 24-FEB-55 | | YD1 | | |
| L | MIL-W-17396 | WOOD FITTINGS, PONTOON ASSEMBLY (USE MIL-P-16108E) | A | 2040 | | YD1 | 28-OCT-52 | | YD1 | | |
| | MIL-B-17397D | BITTS, CLEATS, AND CHOCKS (NO S/S DOCUMENT) | A | 2040 | | YD1 | 10-AUG-89 | ME | YD1 | | |
| L | MIL-J-17398 | JOINING TOOLS, PONTOON (USE MIL-P-16108E) | A | 2040 | | YD1 | 28-OCT-52 | | YD1 | | |
| L | MIL-B-17399 | BARGE FITTINGS, PONTOON (USE MIL-P-16108E) | A | 2040 | | YD1 | 02-FEB-56 | | YD1 | | |
| L | MIL-B-17400A | BARGE FITTINGS, PONTOON | A | 2040 | | YD1 | 08-DEC-55 | | YD1 | | |
| L | MIL-W-17401 | WARPING-TUG-FITTINGS, PONTOON (USE MIL-P-16108E) | A | 2040 | | YD1 | 01-DEC-55 | | YD1 | | |
| L | MIL-C-17402B | CAUSEWAY FITTINGS, PONTOON (USE MIL-P-16108E) | A | 2040 | | YD1 | 28-NOV-56 | | YD1 | | |
| L | MIL-F-17403 | FENDERS AND RAMPS, DRY DOCK PONTOON (USE MIL-P-16108E) | A | 2040 | | YD1 | 28-OCT-52 | | YD1 | | |
| L | MIL-S-17404 | STABILIZER-FITTINGS, DRY DOCK PONTOON (USE MIL-P-16108E) | A | 2040 | | YD1 | 28-OCT-52 | | YD1 | | |

| Action | Qfr. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-L-17405 | LIFTING AND LASHING GEAR, PONTOON ASSEMBLY (LST SIDE CARRY) (USE MIL-P-16108E) | A | 2040 | | YD1 | 28-OCT-52 | YD1 | | | |
| L | | MIL-W-17407A | WHEEL HOUSE, PROTECTIVE PONTOON BARGE | A | 2040 | | YD1 | 30-MAY-61 | YD1 | | | |
| L | | MIL-M-17430 | MEAT SAWING MACHINES, ELECTRIC (SHORE USE) (USE MIL-S-40601) | A | 7320 | | YD1 | 21-JAN-55 | YD1 | | | |
| L | | MIL-B-17451B | BUILDING, PREFABRICATED, READY-CUT, HANGER, METAL, RIGID FRAME, GABLE REVIEWER: 99 | A | 5410 | | YD1 | 03-DEC-67 | YD1 | | | |
| L | | MIL-B-17459A | BUILDING, PREFABRICATED, STEEL, 20 X 48(USE MIL-B-22637) | A | 5410 | | YD1 | 12-SEP-60 | YD1 | | | |
| L | | MIL-O-17461A | ORGANS, MUSICAL, ELECTRONIC | A | 7710 | | YD1 | 15-JUL-53 | YD1 | | | |
| | | MIL-B-17470B(2) | BRUSH, WIRE, TUBE (USE MIL-B-43655) USER: MC SA YD1 REVIEWER: MD | A | 7920 | | GL | 25-OCT-74 | GL | | | |
| L | | MIL-B-17511A | BRASS, NAVAL: CASTING (S/S BY QQ-B-621) REVIEWER: OS YD1 | A | 9540 | | SH | 23-NOV-59 | | SH | | |
| L | | MIL-B-17512 | BRASS, CASTINGS (NAVY) REVIEWER: YD1 | A | MECA | | SH | 20-JUL-53 | | | | |
| L | | MIL-C-17516A | COPPER-SILICON ALLOY ROD, WIRE, SHAPES,FORGINGS, AND FLAT PRODUCTS (FLAT WIRE, STRIP, SHEET, BAR, AND PLATE) (USE QQ-C-591) USER: YD1 | A | 9525 | | SH | 04-DEC-61 | | | | |
| | | MIL-S-17531D | SCRAPER, BAKERS (S/S BY A-A-52068) USER: CG MC YD1 | A | 7330 | | GL | 15-JAN-91 | GL | SA | 84 | |
| | | DOD-P-17545D | PRIMER COATING, ALKYD-RED LEAD TYPE, FORMULA NO. 116 AND FORMULA NO. 116D (METRIC) (S/S BY TT-P-645) USER: YD1 REVIEWER: ME | A | 8010 | | SH | 14-AUG-85 | MR | SH | 99 | |
| L | | MIL-P-17558A | PUMP, RECIPROCATING, STEAM DRIVEN, WATER, GENERAL SERVICE OR BOILER FEED (USE MIL-P-17552) | A | 4320 | | YD1 | 10-JUL-63 | | YD1 | | |
| L | | MIL-P-17570 | PUMP, CENTRIFUGAL, SALT WATER, SKID BASE MOUNTED GASOLINE ENGINE DRIVEN, 500 G.P.M. AT 250 FOOT HEAD | A | 4320 | | YD1 | 20-MAR-53 | | YD1 | | |
| L | | MIL-P-17572A | PUMP, AIRLIFT | A | 4320 | | YD1 | 01-NOV-63 | | YD1 | | |
| L | | MIL-D-17573 | DOUGH PROOFING BOX, BAKER S, RACK TYPE, STEAM HEATED | A | 7320 | | YD1 | 20-MAR-53 | | YD1 | | |
| L | | MIL-B-17583 | BLOCK, TACKLE, FALL, STEEL 1-1/8 IN. DIAMETER WIRE ROPE CAPACITY, 100 TONS WORKING LOAD | A | 3940 | | YD1 | 10-OCT-61 | | YD1 | | |
| L | | MIL-T-17585C | THERMOMETER, RECORDING, CAPILLARY TUBE AND BULB, AND RESISTANCE REVIEWER: GS | A | 6685 | | YD1 | 16-MAY-88 | | YD1 | | |
| | | MIL-P-17597D NOTICE 1 | PUMP AND HEATER, FUEL OIL (S/S BY XX-P-2801) USER: CG MD REVIEWER: CS | A | 4320 | | YD1 | 28-AUG-92 | ME | YD1 | 99 | |
| L | | MIL-G-17598 | GAGE, PRESSURE, DIAL INDICATING, STEEL DRUM TIGHTNESS TESTING | A | 6685 | | YD1 | 07-APR-53 | | YD1 | | |
| L | | MIL-R-17604C | RECORDING EQUIPMENT, CARBON-DIOXIDE, AUTOMATIC (REFER TO MIL-M-29190A) | A | 6630 | | YD1 | 16-JUN-81 | | YD1 | | |
| L | | MIL-P-17607A | PUMPING UNIT, CONDENSATE, HEATING, VERTICAL, SUMP-PUMP WITH RECEIVER (S/S BY MIL-P-17749B) | A | 4320 | | YD1 | 06-JUL-55 | | YD1 | | |
| L | | MIL-S-17622A | SMOKE DENSITY MEASURING EQUIPMENT, INDICATING AND RECORDING, SHORE USE (S/S BY MIL-M-29190) USER: GL REVIEWER: GS | A | 6635 | | YD1 | 26-FEB-64 | | YD1 | | |
| L | | MIL-S-17635A | SEPARATORS AND PURIFIERS, STEAM, PIPELINE AND RECEIVER | A | 4730 | | YD1 | 14-FEB-64 | | YD1 | | |
| | | MIL-T-17637B | TORCHES, WELDING, HAND, MILITARY STANDARD USER: AS MC OS SH REVIEWER: GL GS | A | 3432 | | YD1 | 15-JUL-57 | WC | YD1 | | |
| L | | MIL-R-17657C(1) | RAINCOAT, MAN'S (FOUL WEATHER) (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: CT | A | 8405 | | MU | 20-MAR-91 | | MU | | |
| L | | MIL-C-17661B | CONDENSER, REFRIGERATION 3 TONS TO 150 TONS CAPACITY REVIEWER: GS | A | 4130 | | YD1 | 13-JUN-73 | | YD1 | | |
| L | | MIL-P-17664B | PROTECTOR, PACKING LIST (USE PPP-P-700) REVIEWER: SH YD1 | A | 8105 | | SA | 24-JUN-57 | | | | |
| L | | MIL-B-17668(1) | BRASS CASTING, COMMERCIAL (S/S BY QQ-B-621) REVIEWER: OS YD1 | A | MISC | | SH | 23-NOV-59 | | SH | | |
| L | | MIL-B-17669 | BAKING & COOKING & ROASTING EQUIPMENT, ELECTRIC (SHORE TYPE) | A | 7310 | | YD1 | 23-JUN-53 | | YD1 | 67 | |
| L | | MIL-D-17740 | DRILLING MACHINE, UPRIGHT BACK-GEARED, FIXED HEAD, 21-INCH SWING, 1-1/2-INCH DRILL REVIEWER: GS MC | A | 3413 | | YD1 | 19-MAR-74 | | YD1 | | |
| | | MIL-B-17675B(2) | BREATHING APPARATUS, OXYGEN GENERATING (S/S BY MIL-B-24692) USER: MC ME YD1 REVIEWER: EA GS MD MS | A | 4240 | | SH | 26-OCT-87 | AR | SH | 99 | |
| | | MIL-H-17678B | HOLDERS, ELECTRICAL CONTACT BRUSH USER: YD1 | A | 5977 | | SH | 05-JUL-60 | MD | SH | | |
| L | | MIL-I-17680(1) | INDICATOR, LIQUID LEVEL, FOR BOLTED STEEL TANK REVIEWER: GS | A | 6680 | | YD1 | 04-MAY-55 | | YD1 | | |
| L | | MIL-L-17681B | LAUNDRIES, SKID MOUNTED, 75 AND 150 POUNDS (DRY WEIGHT) PER HOUR REVIEWER: GS | A | 3510 | | YD1 | 13-MAR-68 | | YD1 | | |
| L | | MIL-F-17683 | FILTER, CHEMICAL TYPE, OIL FROM CONDENSATE (S/S BY MIL-F-17559A) | A | 4330 | | YD1 | 01-JAN-63 | | YD1 | | |
| L | | MIL-S-17684A | SEPARATOR-FILTERS, FLUID, GRAVITY-TYPE (LUBRICATING OIL) | A | 4330 | | YD1 | 30-SEP-63 | | YD1 | | |
| L | | MIL-F-17696C(1) | FLOODLIGHT, ELECTRRIC, 500 WATT, NOMINAL 120 VOLT REVIEWER: GS | A | 6230 | | YD1 | 31-OCT-72 | | YD1 | | |
| L | | MIL-C-17697A | COOLER, PROCESS-WATER ELECTRIC REVIEWER: GS | A | 4110 | | YD1 | 27-DEC-63 | | YD1 | | |
| L | | MIL-P-17703A | PURIFIERS, CENTRIFUGAL LUBRICATING OIL | A | 4330 | | YD1 | 01-JUL-63 | | YD1 | | |
| L | | MIL-B-17704A | BAILS, CONCRETE SINKER (S/S BY MIL-C-18295C) | A | 2050 | | YD1 | 09-FEB-61 | | YD1 | | |
| L | | MIL-F-17714(1) | FAN, VENTILATING, PROPELLER, EXHAUST, LIGHT PROOF 450 C.F.M. | A | 4140 | | YD1 | 19-JAN-56 | | YD1 | | |
| L | | MIL-C-17715 | COMPRESSOR, ROTARY, AIR GASOLINE-ENGINE-DRIVEN, 100 C.F.M. AT 15 P.S.I.G. | A | 4310 | | YD1 | 12-AUG-53 | | YD1 | | |
| L | | MIL-F-17730A | FLOODLIGHT SET, ELECTRIC, SELF-CONTAINED, TRAILER MOUNTED, WITH SIX 500-WATT FLOODLIGHTS | A | 6230 | | YD1 | 19-OCT-60 | | YD1 | | |
| L | | MIL-F-17738 | FAN, VANEAXIAL, PORTABLE, SPARK RESISTANT, 500 C.F.M. AT 2-1/2 INCH STATIC PRESSURE | A | 4450 | | YD1 | 07-SEP-53 | | YD1 | | |
| L | | MIL-P-17739D NOTICE 1 | PUMP UNIT, ROTARY, POWER-DRIVEN, FUEL OIL, SKID BASE MOUNTED (NO S/S DOCUMENT) | A | 4320 | | YD1 | 11-SEP-92 | | YD1 | | |
| | | MIL-E-17750B | ELBOW, PIPE WITH UNION TAILPIECE, NON-THROTTLING TYPE, FOR GRAVITY-FLOW HOT WATER RADIATORS | A | 4730 | | YD1 | 10-MAR-70 | ME | YD1 | | |
| L | | MIL-N-17752A | NOZZLE, SPRAY, WATER COOLING | A | 4730 | | YD1 | 10-JUL-63 | | YD1 | | |
| L | | MIL-S-17753 | SCREENS, WATER, TRAVELING | A | 4610 | | YD1 | 21-SEP-53 | | YD1 | | |
| L | | MIL-G-17763A | GOVERNOR, PUMP, DIFFERENTIAL PRESSURE REGULATING | A | 4320 | | YD1 | 17-OCT-61 | | YD1 | | |
| | | MIL-E-17764C | ELECTRODE, CUTTING, TUBULAR, STEEL, COVERED USER: AT YD1 REVIEWER: GS | A | 3439 | | SH | 03-FEB-88 | AR | SH | 99 | |
| L | | MIL-H-17768 | HEATERS, WATER, STEAM-HOT WATER HEATED, STORAGE-TYPE (USE MIL-H-12322B) | A | 4410 | | YD1 | 25-SEP-53 | | YD1 | | |
| L | | MIL-D-17771 | DISPENSER, BEVERAGE AND LIQUID FOOD, VACUUM, PORTABLE (USE MIL-J-23049) | A | 7350 | | YD1 | 04-DEC-53 | | YD1 | | |
| L | | MIL-G-17787C | GAGES, DIAL INDICATING, FURNACE DRAFT (S/S REFER TO ANSI B40.1-85) REVIEWER: GS | A | 6685 | | YD1 | 16-MAY-88 | | YD1 | | |
| L | | MIL-F-17788A | FILTER, AIR, ELECTRIC MOTOR OR AIR OPERATED, VISCOUS IMPINGEMENT TYPE SELF CLEANING | A | 4330 | | YD1 | 21-JUL-72 | | YD1 | | |
| | | MIL-S-17794E NOTICE 1 | SNOWPLOWS, TRUCK-MOUNTED: DISPLACEMENT TYPE, 36,000 GVWR, 4 BY 4 (S/S BY KKK-S-2777) | A | 3825 | | YD1 | 24-FEB-92 | ME | YD1 | | |
| L | | MIL-C-17796 | CONCRETE PIPE FORM SETS | A | 5630 | | YD1 | 02-NOV-53 | | YD1 | | |
| | | MIL-T-17797C | TESTER, FLEXURAL STRENGTH, CONCRETE BEAM (PORTABLE) USER: CG REVIEWER: GS | A | 6635 | | YD1 | 09-MAY-83 | ME | YD1 | 99 | |
| | | MIL-P-17802E | PADLOCKS AND PADLOCK SETS, LOW SECURITY, KEY OPERATED, REGULAR (OPEN) SHACKLE (S/S BY A-A-1927) REVIEWER: IS | A | 5340 | | YD1 | 15-JUN-91 | GL | YD1 | 99 | |
| | | MIL-S-17809A | SINK, BATTERY SERVICE, ACID AND ALKALI RESISTANT REVIEWER: CS | A | 4510 | | YD1 | 06-MAY-69 | ME | YD1 | 84 | |
| L | | MIL-G-17816C | GAGE, VACUUM, MERCURY COLUMN (MOS/S DOCUMENT) REVIEWER: GS | A | 6685 | | YD1 | 31-AUG-88 | | YD1 | | |
| | | MIL-V-17834D | VALVE, SHOWER, SELF-CLOSING USER: CG REVIEWER: CS MC | A | 4510 | | YD1 | 22-MAY-78 | ME | YD1 | 99 | |
| | | MIL-L-17862C | LAPPING AND GRINDING COMPOUND (FOR CHROMIUM-COBALT HARD-FACED SEATS AND DISKS) (USE SS-L-1682) USER: AV SH REVIEWER: AS IS | A | 5350 | | YD1 | 26-OCT-62 | WC | YD1 | | |
| L | | MIL-C-17909A | CUTTING ATTACHMENT, COMMERCIAL WELDING TORCH (USE MIL-C-18116) REVIEWER: AS GS MC OS YD1 | A | 3432 | | SH | 31-JAN-55 | | SH | | |
| L | | MIL-S-17919 | STEEL STRIP AND FLAT BAR, CARBON AND ALLOY (FOR SPRINGS) (NAVY) REVIEWER: MI MS SH YD1 | A | 9515 | | MP | 05-NOV-54 | | | | |
| L | | MIL-B-17926 | BRUSH, ARTIST REVIEWER: YD1 | A | 8020 | | SH | 01-JUL-54 | | | | |
| L | | MIL-B-17940(2) | BUILDING ADDITION, PREFABRICATED, READY CUT PARACHUTE DRYING LOFT, 32-FEET HIGH REVIEWER: 69 | A | 5410 | | YD1 | 16-JUN-55 | | YD1 | | |
| L | | MIL-L-17947(1) | LUBRICATOR, MECHANICAL FORCED FEED, SIGHT TYPE REVIEWER: MI | A | 4930 | | YD1 | 12-NOV-54 | | YD1 | | |
| L | | MIL-H-18022 | HAMMER, PILE DRIVER, AIR&STEAM DRIVEN, 26,000 FOOT&POUNDS, SINGLE ACTING | A | 3895 | | YD1 | 06-MAY-54 | | YD1 | 87 | |
| | | MIL-F-18032C | FITTING, PIPE, BUTT WELDING, FERROUS METAL (USE ANSI B16.9 & ANSI B16.28) USER: AR CE REVIEWER: CS EA MI | A | 4730 | | YD1 | 17-FEB-77 | ME | YD1 | 99 | |
| L | | MIL-V-18034 | VALVE, PRESSURE REGULATING, PILOT OPERATED, STEAM (S/S BY MIL-V-16733B) | A | 4820 | | YD1 | 12-MAY-54 | | YD1 | | |
| | | MIL-R-18037B | RADIATOR, HEATING, STEAM & HOT WATER, CAST IRON (USE MIL-H-18551) USER: CE MC | A | 4520 | | YD1 | 04-JAN-84 | ME | YD1 | 99 | |
| L | | MIL-T-18048A | TOP, GALLEY TABLE USER: GL REVIEWER: GS | A | 7320 | | YD1 | 29-OCT-63 | | YD1 | | |
| L | | MIL-T-18068(1) | TORCHES, WELDING: AND TORCHES, CUTTING-HAND, COMMERCIAL, OXYACETYLENE AND OXYHYDROGEN GASES (S/S BY MIL-T-13880) REVIEWER: GS MC YD1 | A | 3433 | | IP | 18-SEP-84 | | SH | | IP |

| Action | Doc. Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-I-180798 NOTICE 1 | INSTALLATION OF ANGLE OF ATTACK AND SIDESLIP SYSTEMS (NO S/S DOCUMENT) .... | A | 6610 | AS | | 25-NOV-92 | | AS | | |
| L | MIL-T-18086C | TRANSMISSION, MECHANICAL AND GEARCASE MOTORS ..... | A | 3010 | | YD1 | 04-MAY-83 | | YD1 | | |
| | MIL-T-18112A | TRAPS, STEAM, BUCKET, FLOAT, IMPULSE AND RETURN, AND AIR VENTS, FLOAT AND THERMOSTATIC (USE WW-T-696) REVIEWER: MC | A | 4730 | | YD1 | 24-APR-57 | MD | YD1 | 69 | |
| L | MIL-V-18114A | VALVE, ATMOSPHERIC EXHAUST AND BACK PRESSURE ..... | A | 4820 | | YD1 | 17-OCT-66 | | YD1 | | |
| | MIL-C-18116A | CUTTING ATTACHMENT, MILITARY STANDARD WELDING TORCH USER: MC REVIEWER: GS . | A | 3433 | | YD1 | 31-JAN-57 | WC | YD1 | 84 | |
| | MIL-T-18118D | TRANSMISSION, MECHANICAL, VARIABLE SPEED USER: ME REVIEWER: MC ..... | A | 3010 | | YD1 | 27-JUN-83 | | YD1 | 99 | |
| L | MIL-G-18120B | GATE, BLAST (FOR LOW PRESSURE, 4-INCH WATER GAGE, SHEET METAL PIPE SYSTEMS (S/S BY A-A-50468 REVIEWER: CS | A | 4460 | | YD1 | 20-DEC-83 | | YD1 | | |
| L | MIL-P-18124 | PANEL, ARMOR, STEEL ENCASED AGGREGATE AND BINDER ..... | A | 9515 | | YD1 | 09-JUL-54 | | YD1 | | |
| L | MIL-C-18143D(1) | TABLE, DINING, METAL (WITH FOUR BRACKET SEATS) USER: GL ..... | A | 7105 | | YD1 | 03-NOV-58 | | YD1 | | |
| L | MIL-L-18145C | LOUVER, METAL, EXHAUST OPENING-GRAVITY CLOSING TYPE ..... | A | 5670 | | YD1 | 27-JUN-75 | | YD1 | | |
| L | MIL-V-18146B | VALVE, PRESSURE REGULATING, WATER (S/S BY ANSI A112.26.2-82) REVIEWER: CS . | A | 4820 | | YD1 | 25-NOV-83 | | YD1 | | |
| | MIL-W-18153A | WOODWORKER, UNIVERSAL REVIEWER: GL SH ..... | A | 3220 | | YD1 | 08-JUN-55 | MD | YD1 | | |
| L | MIL-C-18155A | COOLER UNIT, AIR DUCT TYPE, ELECTRIC GENERATOR WINDING REVIEWER: GS ..... | A | 4130 | | YD1 | 07-FEB-57 | | YD1 | | |
| | MIL-T-18166C | THREADING MACHINE, PIPE & BOLT, PORTABLE, ELECTRIC (USE MIL-D-29225) USER: CG MC REVIEWER: GS IP SH | A | 3450 | | YD1 | 27-JAN-84 | | YD1 | 99 | |
| | MIL-P-18174B(1) | PIPE FITTING, STEEL, THREADED 2000, 3000, & 6000 POUND, WOG USE ANSI B16.11 USER: CE MC REVIEWER: 99 AR CS EA | A | 4730 | | YD1 | 11-DEC-72 | ME | YD1 | 11 | |
| | MIL-P-18177C(2) NOTICE 1 | PLASTIC SHEET, LAMINATED, THERMOSETTING, GLASS FIBER BASE, EPOXY-RESIN (S/S BY MIL-I-24768/2 AND MIL-I-24768/3) REVIEWER: EA EC GS ME MI | S | 9330 | SH | | 25-FEB-92 | ER | SH | 11 | |
| L | MIL-P-18178A | PIPE BENDS, FABRICATED (FOR SHORE USE) USER: CG MI ..... | A | 4730 | | YD1 | 28-NOV-67 | | YD1 | | |
| L | MIL-U-18181C | UNION, PIPE, FLANGED, IRON (125, 250, AND 300 PSI WORKING STEAM PRESSURE) USER: AR CE MC REVIEWER: 99 | A | 4730 | | YD1 | 03-NOV-78 | | YD1 | | |
| | MIL-U-18183C | UNION, PIPE, FLANGED, STEEL USER: CE OS ..... | A | 4730 | | YD1 | 27-OCT-78 | ME | YD1 | | |
| L | MIL-S-18190A | SMOOTHING IRONS, ASPHALT, AND HEATER, ASPHALT TOOL (USE MIL-S-28565) ..... | A | 5120 | | YD1 | 23-AUG-63 | | YD1 | | |
| | MIL-E-18193B(1) | ELECTRODES, WELDING, CARBON STEEL AND ALLOY STEEL, BARE, COILED (S/S BY MIL-E-23765/1 AND MIL-E-23765/4) USER: AS AT ME OS YD1 REVIEWER: EA GS | A | 3439 | SH | | 15-SEP-89 | AR | SH | 99 | |
| L | MIL-A-18204A NOTICE 1 | AMMETERS, DIRECT-CURRENT, SPLIT-CORE, PORTABLE (NO S/S DOCUMENT) ..... | A | 6625 | SH | | 19-AUG-92 | | SH | | |
| L | MIL-P-18217A | PYROMETER, INDICATING ..... | A | 6685 | | YD1 | 29-APR-63 | | YD1 | | |
| | MIL-A-18218B NOTICE 1 | ANALYZERS, FLUE-GAS, ORSAT-TYPE, PORTABLE (S/S BY A-A-50504) USER: 82 ..... | A | 6630 | | YD1 | 28-FEB-92 | | YD1 | 99 | |
| L | MIL-T-18219B | TRANSMISSION, HYDRAULIC, VARIABLE SPEED (100 TO 14,000 INPUT HORSEPOWER) .. | A | 3010 | | YD1 | 02-MAY-83 | | YD1 | | |
| L | MIL-M-18220 | METER, POSITIVE GRAVITATIONAL TYPE, COMPENSATE, WATER (S/S BY MIL-M-18244A) | A | 6680 | | YD1 | 01-JAN-63 | | YD1 | | |
| L | MIL-M-18221C | METERS, FLOW RATE INDICATING (NO S/S DOCUMENT) REVIEWER: GS ..... | A | 6680 | | YD1 | 08-DEC-88 | | YD1 | | |
| L | MIL-S-18245 | SAW, POWER, HACK, GRAVITY FEED, 6-INCH CAPACITY (USE 00-S-240) ..... | A | 3419 | | YD1 | 11-OCT-54 | | YD1 | | |
| L | MIL-T-18246C | TURBINE, STEAM, MECHANICAL DRIVE, COMMERCIAL (USE NEMA SM 23-1979) ..... | A | 2825 | | YD1 | 30-JUL-71 | | YD1 | | |
| | MIL-S-18247A | STUD, PLAIN, STEEL, GENERAL - PURPOSE (FF-S-1362) USER: AV YD1 REVIEWER: 84 GL IS | A | 5307 | WC | | 30-JUL-64 | WC | AS | 82 | |
| | MIL-U-18250A(1) | UNION, PIPE, STEEL OR MALLEABLE IRON, THREADED PIPE CONNECTIONS, 300 POUND WP (S/S BY ANSI B16.39) USER: CE CG MC REVIEWER: AR CS OS | A | 4730 | | YD1 | 16-APR-84 | ME | YD1 | 99 | |
| L | MIL-G-18293B | GAGE, PRESSURE, RECORDING REVIEWER: GS ..... | A | 6685 | | YD1 | 28-JUN-74 | | YD1 | | |
| L | MIL-V-18311A | VALVE, PLUG, BOILER BLOW&OFF, STRAIGHTWAY TYPE (USE MIL&V&18406) ..... | A | 4820 | | YD1 | 08-FEB-57 | | YD1 | | |
| L | MIL-S-18347A | SOUND MEASURING SET, MK 4 ..... | A | 6625 | SH | | 28-MAY-56 | | YD1 | | |
| L | MIL-M-18348 | METER, GAS, BELLOWS TYPE (S/S BY MIL-M-18294A) ..... | A | 6680 | | YD1 | 01-JAN-63 | | YD1 | | |
| L | MIL-F-18350B | FAN, CENTRIFUGAL, (1 TO 3 PSI DISCHARGE PRESSURES) REVIEWER: GS ..... | A | 4140 | | YD1 | 25-AUG-72 | | YD1 | | |
| L | MIL-P-18358 | PAINT, CAMOUFLAGE, RESIN-OIL-EMULSION-TYPE AND RESIN-EMULSION-TYPE, PASTE (NO S/S DOCUMENT) | A | MISC | | YD1 | 09-FEB-60 | | YD1 | | |
| L | MIL-F-18359 | FANS, CENTRIFUGAL 1 TO 6 PSIG DISCHARGE PRESSURE ..... | A | 4450 | | YD1 | 21-DEC-54 | | YD1 | | |
| | MIL-T-18361D | TRAP, GREASE, WASTE WATER (UP TO 50 G P.M.) USER: CG MC REVIEWER: CS MS ... | A | 4510 | | YD1 | 22-SEP-78 | MD | YD1 | 99 | |
| L | MIL-D-18403A | DESUPERHEATER SYSTEMS, WATER EVAPORATION TYPE ..... | A | 4420 | | YD1 | 30-SEP-75 | | YD1 | | |
| L | MIL-V-18406B | VALVE, BLOW OFF, BOILER ..... | A | 4820 | | YD1 | 27-SEP-85 | | YD1 | | |
| | MIL-V-18408A | VALVE, RADIATOR, HEATING, PACKLESS STEAM, LOW-PRESSURE USER: 26 ..... | A | 4520 | | YD1 | 31-DEC-57 | MD | YD1 | 69 | |
| | MIL-R-18409C | RENOVATOR, LAWN, POWER AND TOWED USER: MC ..... | A | 3750 | | YD1 | 21-OCT-74 | MD | YD1 | 99 | |
| L | MIL-S-18411 | STEEL BARS, CARBON, COLD FINISHED, FREE MACHINING (USE QQ-S-637) REVIEWER: MI SH YD1 | A | 9510 | | WP | 08-JUN-55 | | | | |
| L | MIL-G-18413A | GUARD, ANCHOR CHAIN (RUBBING CASTINGS) (USE MIL-C-18295) ..... | A | 4030 | | YD1 | 03-FEB-56 | | YD1 | | |
| L | MIL-M-18420B | METER, WATTHOUR AND AUXILIARY APPARATUS REVIEWER: CG MC SA ..... | A | 6625 | | YD1 | 22-AUG-73 | | YD1 | | |
| L | MIL-D-18429A | DEMOUNTER-MOUNTER, PNEUMATIC TIRE (S/S BY MIL-M-450838) ..... | A | 4910 | | YD1 | 23-SEP-63 | | YD1 | | |
| L | MIL-V-18434B | VALVE, GATE GLOBE, & ANGLE, STEEL (USE ANSI B16.34) USER: ME REVIEWER: CS . | A | 4820 | | YD1 | 02-MAY-83 | | YD1 | | |
| L | MIL-E-18435C | EXHAUST HEAD, PIPE (S/S BY A-A-50494) USER: CE ..... | A | 4730 | | YD1 | 10-APR-90 | | YD1 | | |
| L | MIL-R-18440B | REGULATORS FOR DAMPERS, LOUVERS, AND VALVES ..... | A | 5680 | | YD1 | 07-JUN-60 | | YD1 | | |
| L | MIL-V-18447C | VALVE, STOP CHECK, NONRETURN, AUTOMATIC ..... | A | 4820 | | YD1 | 21-APR-75 | | YD1 | | |
| | MIL-C-18457A | CLEANER, PIPELINE, AIR PRESSURE, AND CLEANING KITS, PIPELINE, AIR PRESSURE USER: YD1 | A | 4940 | | SH | 29-JUL-86 | | SH | 99 | |
| L | MIL-C-18466C | CRUSHING AND SCREENING PLANT, MOBILE, AGGREGATE, 300 TONS PER HOUR CAPACITY | A | 3820 | | YD1 | 23-JAN-84 | | YD1 | | |
| L | MIL-T-18470B | TANK, LIQUID STORAGE, METAL (NONPOTABLE WATER ONLY) REVIEWER: 82 ..... | A | 5430 | | YD1 | 28-DEC-64 | | YD1 | | |
| | MIL-T-18479C NOTICE 1 | TRUCK, REFUSE COLLECTION; COMPACTION TYPE, SIDE LOADING, 16 CUBIC YARD (NO S/S DOCUMENT) REVIEWER: 84 | A | 2320 | | YD1 | 30-DEC-92 | AT | YD1 | 99 | |
| L | MIL-E-18481A | EJECTOR ASSEMBLY, AIR (STEAM JET) ..... | A | 4320 | | YD1 | 04-AUG-72 | | YD1 | | |
| L | MIL-V-18489 | VALVE, PRESSURE REGULATING, DIFFERENTIAL CONTROL ..... | A | 4820 | | YD1 | 02-MAR-55 | | YD1 | | |
| L | MIL-V-18500B | VALVES, REDUCING, COMPRESSED GAS (NO S/S DOCUMENT) ..... | A | 6680 | | YD1 | 16-FEB-89 | | YD1 | | |
| | MIL-P-18501A | PIPE AND FITTINGS, STEEL, LIGHTWEIGHT, SPIRAL AND LONGITUDINAL WELDED SEAM USER: CE | A | 4730 | | YD1 | 16-NOV-67 | ME | YD1 | 99 | |
| L | MIL-F-18523C NOTICE 2 | FANS, CENTRIFUGAL, DRAFT, FORCED AND INDUCED (S/S BY W-F-2793) REVIEWER: GS | A | 4140 | | YD1 | 02-JUL-92 | | YD1 | | |
| | MIL-V-18559A | VALVE, RADIATOR, HEATING PACKED STEM (USE WW-V-160) USER: MI SH ..... | A | 4520 | | YD1 | 24-MAR-61 | MD | YD1 | 69 | |
| L | MIL-T-18560B | TANK, EXPANSION, HOT WATER HEATING SYSTEM ..... | A | 4520 | | YD1 | 13-AUG-74 | | YD1 | | |
| | MIL-B-18561A | BLAST CLEANING MACHINE (USE MIL-B-45022A) USER: MC REVIEWER: SH ..... | A | 4940 | | YD1 | 06-JUL-60 | WC | YD1 | 84 | |
| | MIL-W-18574C | WINCH, DRUM, GASOLINE ENGINE DRIVEN, 5,500 POUND LINE PULL AT 100 FEET PER MINUTE | A | 3950 | | YD1 | 27-JAN-67 | | YD1 | 84 | |
| L | MIL-H-18592 | HARROWS, DISK, 2-GANG AND 4-GANG ..... | A | 3710 | | YD1 | 30-OCT-60 | | YD1 | | |
| L | MIL-L-18603D | LOADERS, SCOOP TYPE, COMMERCIAL, WHEELED, DIESEL-ENGINE-DRIVEN (FRONT END LOADER), (USE KKK-L-1542) REVIEWER: MC | A | 3805 | | YD1 | 27-MAR-69 | | YD1 | | |
| L | MIL-S-18635 | SIREN, INTERNAL COMBUSTION ENGINE OPERATED, 125 DECIBEL OUTPUT ..... | A | 6350 | | YD1 | 01-SEP-60 | | YD1 | | |
| | MIL-T-18642D | TRACTOR, WALKING, POWER DRIVEN, WHEEL MOUNTED REVIEWER: CS ..... | A | 3750 | | YD1 | 08-DEC-69 | | YD1 | 84 | |
| L | MIL-S-18643B | SPRAY OUTFIT, PAINT-GASOLINE ENGINE DRIVEN-HAND TRUCK MOUNTED (TRAILER AND WHEELBARROW TYPES) USER: CE CG EL ME REVIEWER: MC | A | 4940 | | YD1 | 30-JAN-70 | | YD1 | | |
| L | MIL-E-18658A | ENTRANCE, SIDE, DOOR AND FRAME, WOOD, FOR 20 BY 48 FT ARCH RIB BUILDING REVIEWER: 69 | A | 5410 | | YD1 | 19-JUL-57 | | YD1 | | |
| L | MIL-L-18684B | LOADER, SCOOP TYPE, FULL TRACKED, DIESEL-ENGINE-DRIVEN, COMMERCIAL (USE KKK-L-1086) | A | 3805 | | YD1 | 06-APR-65 | | YD1 | | |
| L | MIL-L-18686C | LATHE, ENGINE, LIGHT DUTY, 14-INCH MINIMUM SWING (USE MIL-L-23400 OR MIL-L-23250) REVIEWER: GS | A | 3416 | | YD1 | 08-AUG-67 | | YD1 | | |
| L | MIL-B-18695A | BOLTS AND NUTS, PLOW, POLE LINE, HOOK, AND SHOULDER (S/S BY MIL-H-55053A) REVIEWER: MC SA SH | A | 5306 | | YD1 | 09-MAY-57 | | YD1 | | |
| | MIL-M-18721C | MAGNET, LIFTING, ELECTRIC 20,000 AND 38,000 POUNDS REVIEWER: CS ..... | A | 3815 | | YD1 | 20-JUN-75 | ME | YD1 | 99 | |
| L | MIL-P-18724A | PULLER, RATCHET-LEVER, CABLE TYPE, HAND OPERATED, 3000 POUND CAPACITY ..... | A | 5120 | | YD1 | 23-DEC-57 | | YD1 | | |
| Q | MIL-H-18745C(2) | HAMMER, HAND, NONSPARKING AND NON-MAGNETIC USER: YD1 ..... | A | 5120 | SH | | 16-APR-76 | GL | SH | 99 | |

| Action | OPR / QMR Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-G-18763E | GROUTING MACHINES (MUD JACKS) PNEUMATIC-TIRED (NO S/S DOCUMENT) REVIEWER: 84 | A | 3895 | YD1 | | 31-JUL-89 | | YD1 | 99 | |
| | | | MIL-B-18799B | BULBS, FLUSH, WATER CLOSET TANK USER: CE CG REVIEWER: 69 | A | 4510 | YD1 | | 18-APR-77 | ME | YD1 | 99 | |
| L | | | MIL-F-18806A | FORM PULLER, CONCRETE PAVING | A | 3895 | YD1 | | 19-JUL-60 | | YD1 | | |
| | | | MIL-R-18818A | RODS, WELDING, ALUMINUM BRONZE, SURFACING, INERT-GAS TUNGSTEN-ARC PROCESS (USE MIL-R-19631) USER: 84 AT MC YD1 REVIEWER: GL GS SH | A | 3439 | OS | | 31-JAN-57 | MC | OS | 11 | |
| L | | | MIL-V-18826C | VALVE, GLOBE AND ANGLE, CAST IRON REVIEWER: CS | A | 4820 | YD1 | | 16-MAR-86 | | YD1 | | |
| L | | | MIL-V-18827A | VALVE, GATE, BRONZE, 300 PSI | A | 4820 | YD1 | | 15-DEC-71 | | YD1 | | |
| L | | | MIL-T-18829 | TUB, LAUNDRY, STATIONARY | A | 4510 | YD1 | | 31-MAY-55 | | YD1 | | |
| L | | | MIL-L-18838B | LANTERN, ELECTRIC, HAND, GENERAL PURPOSE (USE W-L-200) | A | 6230 | YD1 | | 25-FEB-66 | | YD1 | | |
| L | | | MIL-B-18839A | BURNER, WEED, TRAILER MOUNTED | A | 3825 | YD1 | | 14-SEP-60 | | YD1 | 84 | |
| L | | | MIL-P-18844 | PIPE LINING, CEMENT MORTAR | A | 5630 | YD1 | | 03-JUN-55 | | YD1 | | |
| L | | | MIL-D-18845 | DRILL, ELECTRIC, ANGLE-MOUNTED CHUCK, 1/4 INCH CAPACITY IN STEEL (USE W-D-661) | A | 5130 | YD1 | | 03-JUN-55 | | YD1 | | |
| L | | | MIL-C-18857B | COMPRESSOR UNIT, RECIPROCATING, ELECTRIC MOTOR DRIVEN, REFRIGERANT (3 TONS TO 100 TONS) REVIEWER: GS | A | 4130 | YD1 | | 07-NOV-72 | | YD1 | | |
| L | | | MIL-B-18864 | BENDER, ELECTRICAL CONDUIT, HAND, PORTABLE (USE GGG-B-175) | A | 5120 | YD1 | | 08-JUN-55 | | YD1 | | |
| | | | MIL-C-18868C | CLEANING GUN, WATER, PRESSURE JET USER: AR CG | A | 4940 | YD1 | | 23-MAY-86 | | YD1 | | |
| | | | MIL-C-18869B(1) | CABLE, POWER, ELECTRICAL, RUBBER INSULATED, LEAD SHEATHED, HIGH VOLTAGE (USE MIL-C-28661) | A | 6145 | YD1 | | 23-APR-71 | EL | YD1 | 80 | |
| | | | MIL-M-1887[illegible] | MICROFILMING ENGINEERING DRAWINGS AND RELATED DATA, REQUIREMENTS FOR (S/S BY MIL-M-8857) | A | EDRS | 11 | | 01-NOV-58 | | OS | 10 | |
| L | | | MIL-E-18886 NOTICE 1 | EXTENDER, BOOSTER, DEPTH CHARGE, MARK 6 MOD 2 (NO S/S DOCUMENT) | A | 1360 | OS | | 15-OCT-92 | | OS | | |
| L | | | MIL-P-1888[illegible] NOTICE 1 | PISTOL, DEPTH CHARGE, MARK 6 MOD 2 (NO S/S DOCUMENT) | A | 1360 | OS | | 15-OCT-92 | | OS | | |
| L | | | MIL-A-18889 NOTICE 1 | ARBOR, DEPTH CHARGE, MK 7 MOD 3 (NO S/S DOCUMENT) | A | 1360 | OS | | 15-OCT-92 | | OS | | |
| | | | MIL-F-18899A | FUSE, PLUG, TIME-DELAY ELEMENT TYPE, 1-30 AMPERES 125 VOLTS (WITH AF NOTICE )1, DATED 13 AUG, 1962( )USE W-F-791D AND W-F-870C( USER: MC REVIEWER: 85 MI | A | 5920 | YD1 | | 02-JUN-60 | MO | YD1 | | |
| | | | MIL-C-18913B(1) | CABLE, POWER, ELECTRICAL, PAPER INSULATED, LEAD-SHEATHED, 15,000 VOLTS (USE MIL-C-28661) REVIEWER: IS | A | 6145 | YD1 | | 23-APR-71 | EL | YD1 | | |
| | | | MIL-F-18915C | FUSE LINKS, ELECTRICAL, UNIVERSAL, ENCLOSED & OPEN TYPE DISTRIBUTION CUTOUTS (SEE ANSI C 37.42-1981) USER: CE REVIEWER: 99 ES | A | 5920 | YD1 | | 17-MAY-73 | ME | YD1 | 85 | |
| L | | | MIL-T-18929B | TABLE, WELDING REVIEWER: GS | A | 3436 | YD1 | | 26-JAN-68 | | YD1 | | |
| | | | MIL-F-18930A(2) | FITTINGS, PLUMBING, MISCELLANEOUS (USE WW-P-541 USER: MC REVIEWER: CS MS .. | A | 4510 | YD1 | | 09-MAY-73 | ME | YD1 | 99 | |
| | | | MIL-T-18931A | TANK, LIQUID STOAGE, METAL 275 GALLON CAPACITY, (FUEL OIL) (S/S BY MIL-T-462) | A | 5430 | YD1 | | 09-AUG-61 | | YD1 | 69 | |
| L | | | MIL-C-18932 | CORD, ELECTRICAL, HEATER TYPE ()CANCELED, USE J-C-90() | A | | YD1 | | 03-FEB-60 | | YD1 | | |
| L | | | MIL-C-18959A | CABLE, POWER, ELECTRICAL, PORTABLE NEOPRENE JACKETED, 600 VOLTS | A | 6145 | YD1 | | 16-MAR-60 | | YD1 | | |
| L | | | MIL-W-18960 | WIRE, ELECTRICAL, ASBESTOS-INSULATED AND THERMOPLASTIC-INSULATED (USE J-W-850 AND J-C-90) | A | 6145 | YD1 | | 25-JAN-60 | | YD1 | | |
| L | | | MIL-C-18961A | CABLE, SPECIAL PURPOSE, ELECTRICAL AND WIRE, ELECTRICAL, SHOT FIRING (USE J-C-118) | A | 6145 | YD1 | | 10-AUG-61 | | YD1 | | |
| L | | | MIL-C-18962A | CABLE, POWER, ELECTRICAL, DIRECT BURIAL, NEOPRENE JACKETED, 600 VOLTS (USE J-C-30) | A | 6145 | YD1 | | 16-FEB-60 | | YD1 | | |
| L | | | MIL-C-18964A | CABLE, SPECIAL PURPOSE, ELECTRICAL, VICE ENTRANCE, ARMORED (USE J-C-30) ... | A | 6145 | YD1 | | 15-AUG-61 | | YD1 | | |
| L | | | MIL-B-18966C | BLOCK MAKING PLANT, CONCRETE (NO S/S DOCUMENT) REVIEWER: GS | A | 3630 | YD1 | | 17-MAR-89 | | YD1 | | |
| L | | | MIL-O-18968(2) | OVENS, BAKING, DECK, GASOLINE-KEROSENE-OIL BURNING, AND OIL BURNING (USE MIL-O-2478) | A | 7310 | YD1 | | 19-OCT-55 | | YD1 | | |
| | | | MIL-F-18993 | FILTERS, AIR-CONDITIONING, VISCOUS-IMPINGEMENT TYPE, CLEANABLE (S/S BY F-F-300) | A | 4130 | YD1 | | 26-NOV-57 | ME | YD1 | 99 | |
| L | | | MIL-F-18999C | FELT, PIPE LINE, ASBESTOS, GLASS FIBER REINFORCED, COAL TAR SATURATED ..... | A | 5640 | YD1 | | 15-JAN-75 | | YD1 | | |
| | | | MIL-S-19009B | SWITCH, THERMOSTATIC ROOM HEATING, AIR CONDITIONING, CONTROLS USER: CE MC REVIEWER: ES | A | 5930 | YD1 | | 01-MAY-74 | ME | YD1 | | |
| | | | MIL-S-19010A | SWITCH, PUSH, LOW VOLTAGE, MOMENTARY CONTACT USER: CE SH REVIEWER: ES SA .. | A | 5930 | YD1 | | 18-SEP-61 | ME | YD1 | | |
| | | | MIL-S-19015B | SINK, (GALVANIZED) WASHROOM, FREESTANDING, WOOD FRAME SUPPORTED USER: CG REVIEWER: CE CS MS | A | 4510 | YD1 | | 12-JAN-79 | ME | YD1 | 99 | |
| L | | | MIL-W-19016B | WASHER, PLUMBING | A | 5310 | YD1 | | 04-JUN-76 | | YD1 | | |
| | | | MIL-F-19017B | FITTING, PLUMBING, WATER CLOSET USER: CE MS REVIEWER: CG CS MC | A | 4510 | YD1 | | 31-OCT-78 | ME | YD1 | 99 | |
| L | | | MIL-B-19031A | BELL, ELECTRICAL, LOW VOLTAGE, BUZZER, ELECTRICAL, LOW VOLTAGE (USE W-B-820) | A | 6350 | YD1 | | 20-FEB-61 | | YD1 | | |
| L | | | MIL-T-19036 | TEST SET, BATTERY (USE GG-T-200) | A | 6625 | YD1 | | 09-AUG-55 | | YD1 | | |
| | | | MIL-L-19037B | LAMPHOLDERS FOR INCANDESCENT & FLUORESCENT LAMPS & GUARD, INCANDESCENT USER: ME REVIEWER: GS | A | 6250 | YD1 | | 08-JUN-84 | AT | YD1 | 99 | |
| L | | | MIL-D-19040 | DISPENSER, DRINKING WATER, MECHANICALLY COOLED, TUMBLER FILLING AND STORAGE TYPE (USE 00-C-566) | A | 4110 | YD1 | | 09-AUG-55 | | YD1 | | |
| L | | | MIL-S-19058 | STORAGE BATTERY ACCESSORIES (USE J-L-231) | A | 6140 | YD1 | | 09-MAY-61 | | YD1 | | |
| L | | | MIL-C-19059A | CLAMPS, ELECTRICAL (USE MIL-C-82078 AND MIL-C-82079) | A | 5935 | YD1 | | 12-SEP-61 | | YD1 | | |
| L | | | MIL-F-19060 | FIXTURES, LIGHTING, INCANDESCENT LAMP, INDUSTRIAL, AND GLOBES ELECTRIC LIGHT (USE W-F-412) | A | 6210 | YD1 | | 17-AUG-55 | | YD1 | | |
| | | | MIL-A-19070A | ALUMINUM ALLOY PLATE AND SHEET, 5086 (K186) USER: AR GL MC YD1 REVIEWER: EL | A | 9535 | SH | | 27-NOV-57 | MR | SH | 11 | |
| L | | | MIL-H-19082C | HANGER, LIGHTING FIXTURE REVIEWER: GS | A | 6210 | YD1 | | 27-FEB-76 | | YD1 | | |
| | | | MIL-D-19090C | DYNAMOMETER, RUN IN, HYDRAULIC, 300 AND 500 HORSEPOWER (S/S BY MIL-D-45561B) USER: MC ME SM REVIEWER: EL | A | 4910 | YD1 | | 15-OCT-68 | AL | YD1 | 99 | |
| L | | | MIL-P-19095 | PLASTIC SHEET, CORRUGATED, TRANSLUCENT, GLAZING (USE L-P-505) | A | 9330 | YD1 | | 12-NOV-60 | | YD1 | | |
| | | | MIL-S-19106C | SCREWDRIVER, RATCHET, RIGHT ANGLE OFFSET, RIGHT AND LEFT HAND TURNING (USE GGG-S-1408) USER: CE MC YD1 REVIEWER: MI | A | 5120 | GL | | 03-OCT-69 | GL | SH | 84 | |
| | | | MIL-S-19114D NOTICE 1 | SINKS, SCULLERY SERVICE AND DRAINBOARDS (S/S WW-S-2811) USER: CG MC REVIEWER: 84 CS | A | 4510 | YD1 | | 16-APR-93 | | YD1 | 99 | |
| L | | | MIL-G-19120B | GRINDING MACHINES, SAW TOOTH, HAND OPERATED, ELECTRIC MOTOR DRIVEN REVIEWER: GS | A | 3415 | YD1 | | 21-APR-77 | | YD1 | | |
| | | | MIL-P-19161A(1) NOTICE 1 | PLASTIC SHEET, LAMINATED, GLASS CLOTH POLYTETRAFLUOROETHYLENE RESIN (S/S BY MIL-I-24768/7) | A | 9330 | SH | | 25-FEB-92 | MR | SH | 11 | |
| | | | MIL-R-19169B | RETOOTHING MACHINE, HANDSAW USER: 84 MC REVIEWER: GS | A | 3405 | YD1 | | 26-MAY-76 | AL | YD1 | 99 | |
| L | | | MIL-S-19170(1) | SCALE, WEIGHING, COMMERICAL, SDIL, 36 POUND CAPACITY | A | 6670 | YD1 | | 28-DEC-55 | | YD1 | | |
| L | | | MIL-M-19178 | MACHINE, KEY DUPLICATING (USE 00-K-200) | A | 3419 | YD1 | | 20-JUN-60 | | YD1 | | |
| L | | | MIL-I-19210C NOTICE 2 | IGNITER, TORPEDO, MARK 6 MOD 4 (NO S/S DOCUMENT) | A | 1365 | OS | | 31-MAR-93 | | OS | | |
| L | | | MIL-C-19219D(1) NOTICE 1 | CURTAINS, DOORWAY, DARKROOM (NO S/S DOCUMENT) | A | 7230 | YD1 | | 10-AUG-92 | | YD1 | | |
| L | | | MIL-F-19220 | FRAME, BLUEPRINT, FOR SOLAR PRINTING | A | 3610 | YD1 | | 01-DEC-55 | | YD1 | | |
| L | | | MIL-B-19235C | BONDING COMPOUNDS, CONCRETE (REWETTABLE) (USE ASTM C932-80) | A | 5610 | YD1 | | 19-JAN-79 | | YD1 | | |
| L | | | MIL-S-19236 | SPLICE, CONDUCTOR, TELEPHONE AND AUTOMOTIVE WIRING | A | 5940 | YD1 | | 27-NOV-60 | | YD1 | | |
| L | | | MIL-T-19237(2) | TRUCKS AND TRUCK-TRACTORS, COMMERCIAL, GASOLINE ENGINE, 4X2, 1 1/2-TON, 2-TON, 2 1/2-TON, AND 3-TON (S/S BY MIL-T-45339) | A | 2320 | YD1 | | 01-OCT-59 | | YD1 | | |
| | | | MIL-H-19253C | HOOKS, HOIST, REGULAR & SAFETY (FUTURE PROCUREMENT-REFER TO A-A-50469 & A-A-50472) REVIEWER: AR IS | A | 4030 | YD1 | | 30-SEP-87 | | YD1 | 99 | |
| | | | MIL-I-19254C | INSULATION BLANKETS, ELECTRICAL, 20,000 VOLTS RATING, WITH EYELETS (USE ASTM 1048D-77) REVIEWER: 99 ER GS | A | 5970 | YD1 | | 15-NOV-74 | | YD1 | 85 | |
| Q | | | MIL-P-19290F | PLIERS, NONSPARKING AND NONMAGNETIC USER: CE MC ME YD1 REVIEWER: AR AS OS . | A | 5110 | SH | | 01-DEC-70 | GL | SH | 99 | |

| Action | Doc. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-H-19320 | HOOKS, GUY, HANGERS, CABLE, AND STEPS, POLE (USE MIL-H-55053 OR MIL-S-3960) | A | 5975 YD1 | 04-MAR-61 | YD1 | | | |
| L | | MIL-T-19324 | TENT, PONTOON BARGE TYPE, CLOTH, COTTON DUCK REVIEWER: CT | A | 8340 YD1 | 20-JAN-56 | YD1 | | | |
| L | | MIL-R-19349C | REELING MACHINES, CABLE, HAND | A | 3895 YD1 | 23-SEP-83 | YD1 | | | |
| L | | MIL-T-19350(1) | TRUCKS AND TRUCK-TRACTORS, COMMERCIAL, GASOLINE-ENGINE, 6X4, 5-TON, 10-TON, 15-TON, AND 20-TON (S/S BY MIL-T-45341) | A | 2320 YD1 | 01-OCT-59 | YD1 | | | |
| | | MIL-F-19351D | FUSE CUTOUTS, PRIMARY (SEE ANSI C 37.42-1981 REVIEWER: 99 ES | A | 5920 YD1 | 30-JAN-81 ER | YD1 | 85 | | |
| | | MIL-H-19352D | HANGER, CABLE REVIEWER: GS | A | 5975 YD1 | 05-APR-85 ER | YD1 | 85 | | |
| L | | MIL-L-19355E NOTICE 1 | LUBRICATING AND SERVICING UNIT, POWER-OPERATED PORTABLE, INDUSTRIAL TYPE (S/S BY 00-L-2738) | A | 4930 YD1 | 12-SEP-91 | YD1 | | | |
| L | | MIL-C-19386A | CUTTING TOOL, SINGLE POINT (CARBIDE TIPPED AND SOLID CARBIDE) REVIEWER: GS | A | 3455 YD1 | 23-SEP-66 | YD1 | | | |
| L | | MIL-P-19388 | PLATE, SURFACE (BENCH) (USE GGG-P-463) | A | 3460 YD1 | 24-FEB-56 | YD1 | | | |
| L | | MIL-T-19389 | TAPE, MEASURING (USE GGG-T-106) USER: 85 | A | 5210 YD1 | 28-FEB-56 | YD1 | | | |
| L | | MIL-S-19410 | SURVEYING EQUIPMENT, MISCELLANEOUS (USE MIL-A-20383 AND MIL-P-20192) USER: CS REVIEWER: GS | A | 6675 YD1 | 05-MAR-56 | YD1 | | | |
| | | MIL-S-19423D NOTICE 1 | SCALE, BEAM INDICATING: METRIC SYSTEM; COUNTER-MOUNTED (S/S BY A-A-50503) USER: MS REVIEWER: 82 GS ME | A | 6670 YD1 | 21-MAY-93 GL | YD1 | 99 | | |
| L | | MIL-C-19433 | CONDUCTOR ASSEMBLY, ELECTRICAL (S/S BY MIL-C-16536A) | A | 3950 YD1 | 21-MAR-56 | YD1 | | | |
| L | | MIL-H-19440(1) | HEATING UNIT, BOOSTER, TIRE REPAIR | A | 4910 YD1 | 26-APR-56 | YD1 | | | |
| L | | MIL-T-19441 | TRESTLE, MOTOR VEHICLE MAINTENANCE | A | 4910 YD1 | 28-MAR-56 | YD1 | | | |
| | | MIL-D-19446A | DRIER: INFRARED, LAMP AND OVEN TYPE (USE MIL-D-52277A) USER: MC REVIEWER: SH | A | 4440 YD1 | 17-JUL-61 MD | YD1 | 99 | | |
| L | | MIL-T-19447 | THERMOMETER, SELF-INDICATING, LIQUID-IN-GLASS AND BIMETALLIC | A | 6685 YD1 | 02-APR-56 | YD1 | | | |
| L | | MIL-H-19462 | HAMMER, HAND, AUTOMOTIVE | A | 5120 YD1 | 10-APR-56 | YD1 | | | |
| | | MIL-C-19482C(3) | CARRIER, STORAGE BATTERY, HAND (USE GGG-C-1968) USER: ME | A | 5120 YD1 | 21-MAR-72 GL | YD1 | 99 | | |
| L | | MIL-W-19486 | WELDING MACHINE, ARC (DIRECT CURRENT, VARIABLE VOLTAGE, GASOLINE OR DIESEL ENGINE DRIVEN) (USE MIL-W-80037) | A | 3432 YD1 | 04-MAY-56 | YD1 | | | |
| L | | MIL-T-19492A | TOASTER, ELECTRIC, CONVEYOR 540 SLICES PER HOUR | A | 7310 YD1 | 07-AUG-57 | YD1 | | | |
| L | | MIL-F-19495 | FAN, CIRCULATING, INSECT REPELLING (USE W-F-101) | A | 4140 YD1 | 10-SEP-61 | YD1 | | | |
| L | | MIL-K-19497 | KETTLES, STEAM-JACKETED, TILT-TYPE CORROSION-RESISTING STEEL, STEAM-HEATED (USE RR-K-195) | A | 7310 YD1 | 25-JUN-61 | YD1 | | | |
| L | | MIL-T-19534B | TERMINAL BOARDS AND JUNCTION BOXES, TELEPHONE COMMUNICATION TYPE REVIEWER: GS | A | 5940 YD1 | 27-AUG-73 | YD1 | | | |
| QL | | MIL-B-19564B | BEDDING COMPOUND, THERMAL INSULATION PIPE COVERING REVIEWER: YD1 | A | 5640 SH | 04-DEC-84 | SH | | | |
| L | | MIL-S-19571 | SAW, BAND, METAL CUTTING (USE MIL-S-13908) | A | 3419 YD1 | 08-JAN-59 | YD1 | | | |
| L | | MIL-P-19573A | PUMP, CENTRIFUGAL, PERIPHERAL TYPE, ELECTRIC-MOTOR AND GASOLINE ENGINE DRIVEN REVIEWER: CS | A | 4320 YD1 | 08-SEP-64 | YD1 | | | |
| | | MIL-M-19590C(4) | MARKING OF COMMODITIES AND CONTAINERS TO INDICATE RADIOACTIVE MATERIAL (USE MIL-STD-1458) USER: OS WC REVIEWER: AS EL ES MD MI SA SH SM | A | PACK AR | 02-SEP-70 AR | EC | 10 | | |
| L | | MIL-M-19592 | MANOMETER, U-TUBE ()SUPERSEDED BY MIL-M-55023A() | A | 6685 YD1 | 03-FEB-63 | YD1 | | | |
| L | | MIL-L-19609A | LIGHT, BEACON, MARINE, ELECTRIC | A | 6220 YD1 | 20-SEP-61 | YD1 | | | |
| L | | MIL-S-19622/5B NOTICE 1 | STUFFING TUBE, NYLON: BODY, STRAIGHT (NO S/S DOCUMENT) | A | 5975 SH | 11-DEC-92 | SH | | | |
| L | | MIL-S-19622/6A NOTICE 1 | STUFFING TUBE, NYLON: BODY, 90 DEGREES (NO S/S DOCUMENT) | A | 5975 SH | 11-DEC-92 | SH | | | |
| L | | MIL-S-19622/7B NOTICE 1 | STUFFING TUBE, NYLON: BODY, NPT (NO S/S DOCUMENT) | A | 5975 SH | 11-DEC-92 | SH | | | |
| L | | MIL-S-19622/8A NOTICE 1 | STUFFING TUBE, NYLON: BODY, "Y" TYPE (NO S/S DOCUMENT) | A | 5975 SH | 11-DEC-92 | SH | | | |
| L | | MIL-S-19622/9A NOTICE 1 | STUFFING TUBE, NYLON: LOCKNUT, STRAIGHT BODY (NO S/S DOCUMENT) | A | 5975 SH | 11-DEC-92 | SH | | | |
| L | | MIL-S-19622/10B NOTICE 1 | STUFFING TUBE, NYLON: CAP (NO S/S DOCUMENT) | A | 5975 SH | 11-DEC-92 | SH | | | |
| L | | MIL-S-19622/11G NOTICE 1 | STUFFING TUBE, NYLON: WASHER, NONMETALLIC SLIP (NO S/S DOCUMENT) | A | 5975 SH | 11-DEC-92 | SH | | | |
| L | | MIL-S-19622/12F NOTICE 1 | STUFFING TUBE, NYLON: WASHER, NONMETALLIC RETAINER (NO S/S DOCUMENT) | A | 5975 SH | 11-DEC-92 | SH | | | |
| L | | MIL-S-19622/13E NOTICE 1 | STUFFING TUBE, NYLON: BUSHING, NEOPRENE (NO S/S DOCUMENT) | A | 5975 SH | 11-DEC-92 | SH | | | |
| L | | MIL-S-19622/15A NOTICE 1 | STUFFING TUBE, NYLON: LOCKNUT, 90 DEGREES (NO S/S DOCUMENT) | A | 5975 SH | 11-DEC-92 | SH | | | |
| | | MIL-G-19629A | GAGE, WHEEL ALIGNMENT, PORTABLE (S/S BY MIL-A-21962) USER: CE MC REVIEWER: WC | A | 5210 YD1 | 31-AUG-66 GL | YD1 | 99 | | |
| L | | MIL-B-19681 | BORING MACHINE, CAM AND MAIN BEARING, PORTABLE (USE MIL-B-14154) | A | 4910 YD1 | 06-MAR-61 | YD1 | | | |
| L | | MIL-I-19689C NOTICE 1 | INSIGNIA, OFFICER CANDIDATE AND PLATOON LEADERS CLASS (NO S/S DOCUMENT) | A | 8455 CT | 14-DEC-92 | | | | CT |
| L | | MIL-F-19695 | FILTERS, AIR CONDITIONING, VISCOUS IMPINGEMENT TYPE, REPLACEABLE (S/S BY F-F-310) | A | 4130 YD1 | 29-NOV-57 | YD1 | | | |
| | | MIL-S-19697B | STEEL, TOOL, COPPER ALLOY, NON TEMPERING (USE ASTM A681) USER: MI REVIEWER: IS | A | 9510 YD1 | 27-JAN-67 MR | YD1 | 99 | | |
| L | | MIL-T-19753D | TRUCK, FIRE FIGHTING, AIRCRAFT, RESCUE, WATER AND FOAM, 400-GALLON WATER CAPACITY, MB-5 USER: MC | A | 4210 YD1 | 28-SEP-72 | YD1 | | | |
| Q | | MIL-W-19762D(1) | WRENCH, PIPE, NONSPARKING AND NONMAGNETIC USER: CE MC YD1 REVIEWER: AR ME | A | 5120 SH | 08-FEB-67 GL | SH | 99 | | |
| L | | MIL-D-19771 | DEGREASER | A | 4940 YD1 | 10-JAN-57 | YD1 | | | |
| L | | MIL-A-19778B(1) | ANALYZER SET, ENGINE, PORTABLE (FOR 6-, 12-, 24-, AND 32 VOLT | A | 4910 YD1 | 08-SEP-71 | YD1 | | | |
| L | | MIL-F-19791 | FILLING MACHINES, BAND METAL CUTTING (NO S/S DOCUMENT) | A | 3419 YD1 | 11-JUL-66 | YD1 | | | |
| L | | MIL-M-19799 | MOLDING MACHINE, MEAT-FISH (USE MIL-M-40163) | A | 7320 YD1 | 08-APR-61 | YD1 | | | |
| L | | MIL-G-19825 | GRINDING MACHINE, PISTON (S/S BY MIL-G-14618) | A | 4910 YD1 | 07-FEB-57 | YD1 | | | |
| L | | MIL-G-19826F NOTICE 1 | GENERATOR SETS, DIESEL ENGINE, ALTERNATING CURRENT, FOR FACILITIES CONSTRUCTION: 10 KW THROUGH 1000 KW (NOT STOCKED) (S/S BY CC-G-2745) | A | 6115 YD1 | 19-APR-93 | YD1 | | | |
| L | | MIL-P-19827 | PIKE POLE, 10-AND 14-FOOT (S/S BY MIL-P-43116A) | A | 5120 YD1 | 07-FEB-57 | YD1 | | | |
| L | | MIL-D-19845 | DOUGH FORMING MACHINE, COOKIE | A | 7320 YD1 | 19-FEB-57 | YD1 | | | |
| L | | MIL-D-19846A | DOUGH ROLLING MACHINE, PIE (S/S BY MIL-D-2467C) | A | 7320 YD1 | 01-JUL-63 | YD1 | | | |
| L | | MIL-C-19848 | CONTROLLER, RATE-OF-FLOW, LIQUID REVIEWER: GS | A | 6680 YD1 | 20-FEB-57 | YD1 | | | |
| | | MIL-A-19854A | ANALYZER SET, ENGINE, ELECTRICAL AND COMBUSTION SYSTEM, KNOCK DOWN PORTABLE TYPE (6, 12 AND 24 VOLTS) (USE MIL-A-9947, MIL-A-19778 OR MIL-A-45031) REVIEWER: SH | A | 4910 YD1 | 09-APR-58 WC | YD1 | 82 | | |
| | | MIL-L-19868C | LABEL, PRESSURE SENSITIVE ADHESIVE (FOR HAZARDOUS INDUSTRIAL CHEMICALS AND MATERIALS) USER: MC ME OS YD1 REVIEWER: AR AS GS SH SM WC | A | 7690 SA | 01-JUL-68 GL | SA | 84 | | |
| | | MIL-W-19872A(1) | WASHING MACHINES, POT AND PAN, COMMERCIAL (INCLUDING ACCESSORY EQUIPMENT) (USE 00-W-1307) USER: CG SA REVIEWER: 85 MC MD MS | A | 7320 YD1 | 28-JAN-65 GL | YD1 | 84 | | |
| L | | MIL-T-19873 | TESTER, BRAKE, MOTOR VEHICLE (SERVICE MOUNTING DRIVE-ON TYPE) (S/S BY MIL-T-45816A) | A | 4910 YD1 | 12-MAR-57 | YD1 | | | |
| | | MIL-C-19876D | CHARGER, BATTERY, AUTOMOTIVE, METALLIC RECTIFIER TYPE (SHORE USE) (USE UL 1236) USER: CE REVIEWER: AT GS ME SM | A | 6130 YD1 | 18-JUL-75 ER | YD1 | 99 | | |
| | | MIL-V-19884A | VEGETABLE CUTTING AND SLICING MACHINE, ELECTRIC (USE 00-V-205) REVIEWER: EL | A | 7320 YD1 | 22-AUG-58 GL | YD1 | 67 | | |
| L | | MIL-L-19891B NOTICE 1 | LIGHT: ANGLE OF APPROACH, TYPE AA-1 (NO S/S DOCUMENT) | A | 6210 AS | 25-SEP-92 | AS | | | |
| L | | MIL-I-19898 | INDICATOR, SIGHT, LIQUID FLOW (SIGHT GLASS) (125 PSI) REVIEWER: GS | A | 6680 YD1 | 15-APR-57 | YD1 | | | |
| L | | MIL-T-19899 | TANK, WATER TEST REVIEWER: 69 | A | 5430 YD1 | 18-APR-57 | YD1 | | | |
| L | | MIL-S-19901 | SPOOL PIECES (FOR SUBMARINE FUEL LOADING LINE) (S/S BY MIL-F-32688) | A | 4730 YD1 | 12-OCT-60 | YD1 | | | |
| L | | MIL-A-19903 | ASPHALT, PETROLEUM, ROOF COATING COMPOUND ASBESTOS FIBERED, ALUMINUM PIGMENTED | A | 5610 YD1 | 18-FEB-62 | YD1 | | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-T-19905 | TRUCK, DOLLY, TIMBER, SINGLE ROLLER | A | 3920 | | YD1 | 24-APR-57 | | YD1 | | |
| L | MIL-K-19909 | KIT, CLEANING, UNIVERSAL, DIESEL ENGINE NOZZLES AND INJECTORS | A | 5180 | | YD1 | 29-APR-57 | | YD1 | | |
| L | MIL-S-19912 | STAND, MAINTENANCE, AUTOMOTIVE ENGINE (S/S BY MIL-S-45004B) | A | 4910 | | YD1 | 09-SEP-61 | | YD1 | | |
| L | MIL-S-19913 | SEMI-TRAILERS, STAKE, VAN, REFRIGERATOR, COMMERCIAL TYPES, 12-TON 2-WHEEL, 20-TON 4-WHEEL (USE MIL-S-45384 AND MIL-S-45344) | A | 2330 | | YD1 | 01-MAY-57 | | YD1 | | |
| L | MIL-H-19920 | HONING MACHINE, HORIZONTAL (S/S BY MIL-H-80009) | A | 3419 | | YD1 | 09-MAY-57 | | YD1 | | |
| L | MIL-B-19923B(1) | BOXSPRING, UPHOLSTERED, WITH HAND TIED COIL SPRINGS (US AA-B-260) REVIEWER: CT | A | 7210 | | YD1 | 15-NOV-67 | | YD1 | | |
| L | MIL-H-19925D NOTICE 1 | HOISTS, WIRE ROPE, ELECTRIC POWERED (S/S BY ANSI/ASME HST-4M) | A | 3950 | | YD1 | 22-FEB-91 | | YD1 | | |
| L | MIL-W-19926 | WIRE FABRIC, STEEL WELDED (FOR REINFORCEMENT) (USE RR-W-375) | A | 5335 | | YD1 | 16-MAY-57 | | YD1 | | |
| Q | MIL-W-19928A | WRENCH, BOX, AND OPEN-END, FIXED, NONSPARKING AND NONMAGNETIC USER: AR CE MC YD1 REVIEWER: ME | A | 5120 | | SH | 15-FEB-67 | GL | SH | 99 | |
| L | MIL-T-19929 | TOOL KIT, SERVICE, REFRIGERATION UNIT | A | 5180 | | YD1 | 20-MAY-57 | | YD1 | | |
| L | MIL-H-19930 | HONING UNIT, CYLINDRICAL BORE, PORTABLE (S/S BY MIL-H-138598) | A | 5130 | | YD1 | 21-MAY-57 | | YD1 | | |
| L | MIL-B-19942 | BOX, FOOD HANDLING, ALUMINUM (USE MIL-F-43392) | A | 7320 | | YD1 | 04-JUN-57 | | YD1 | | |
| L | MIL-T-19976C | TAMPER, COMPACTION, SOIL TESTING | A | 6635 | | YD1 | 07-NOV-78 | | YD1 | | |
| L | MIL-R-19979 | RACK, DIPPING (MESS-GEAR) (USE MIL-R-21759) | A | 7330 | | YD1 | 17-JUN-57 | | YD1 | | |
| L | MIL-H-19985A | HARDWARE KIT, FIRE DOOR, AUTOMATIC CLOSING | A | 5340 | | YD1 | 04-JUN-71 | | YD1 | | |
| | MIL-G-19988B | GENERATOR SET, GASOLINE ENGINE, 500 WATT (FOR CHARGING BATTERIES), USE MIL-STD-633 REVIEWER: GS | A | 6115 | | YD1 | 29-MAY-67 | | YD1 | 80 | |
| L | MIL-B-19989 | BRAKE MACHINES, SHEET METAL, HAND OPERATED | A | 3441 | | YD1 | 28-JUN-57 | | YD1 | | |
| | MIL-V-20062 | VALVES, COMPOSITION, ANGLE AND GLOBE, FLARED-END (200 POUNDS WORKING PRESSURE, 425 DEG. F. MAXIMUM TEMPERATURE) (FOR 1/4 TO 1/2 INCH O.D. COPPER TUBING) REVIEWER: YD1 | A | 4820 | SH | | 02-OCT-51 | MD | SH | | |
| | MIL-V-20063A | VALVE, PLUG, LUBRICANT SEALED USER: 26 REVIEWER: YD1 | A | 4820 | SH | | 13-SEP-54 | MD | SH | 69 | |
| | MIL-C-20071 | COMPOUND, POLISHING USER: YD1 REVIEWER: GL | A | 7930 | SH | | 06-SEP-51 | | | 69 | |
| | MIL-F-20077 | FELT, ASBESTOS, ROLL (USE MIL-P-52350) USER: AS MR OS REVIEWER: YD1 | A | 5640 | SH | | 06-SEP-51 | MD | SH | | |
| Q | MIL-P-20087 | PAINT, HEAT-RESISTING (USE TT-P-28A) USER: 26 EL YD1 REVIEWER: MR SA | A | 8010 | SH | | 06-AUG-60 | | | 11 | |
| L | MIL-F-20138C | FLOOR PLATE, CORROSION RESISTANT STEEL, ROLLED REVIEWER: IS YD1 | A | 9515 | SH | | 07-APR-87 | | SH | | |
| | MIL-T-20141 | TUBING, STEEL (RAIL CARBON) STRUCTURAL (USE QQ-T-830) REVIEWER: SH | A | 4720 | YD1 | | 28-SEP-51 | | YD1 | | |
| | MIL-S-20145 | STEEL, INGOTS USER: GL YD1 | A | 9640 | SH | | 28-SEP-51 | MR | SH | | |
| | MIL-I-20149 | IRON, WROUGHT, SHEET, BLACK AND ZINC COATED (GALVANIZED), USER: GL SA REVIEWER: YD1 | A | 9515 | SH | | 20-APR-60 | MR | | | |
| | MIL-S-20150 | STEEL, CORROSION-RESISTING, CASTINGS (FOR BOILER FEED PUMP CASTINGS) USER: GL YD1 | A | 9640 | SH | | 28-SEP-51 | MR | | | |
| L | MIL-B-20151A | BRASS PLATE, ROLLED (ADMIRALTY METAL) (NAVY) REVIEWER: YD1 | A | 9535 | SH | | 05-SEP-61 | | | | |
| | MIL-S-201668 | STEEL STRUCTURAL SHAPES, WELDABLE MEDIUM CARBON AND HIGH TENSILE, HULL AND STRUCTURAL (USE MIL-S-22698) USER: CG MC YD1 REVIEWER: IS MI WV | A | 9520 | SH | | 26-APR-73 | MR | SH | 99 | |
| | MIL-T-20196A | TRANSITS, ENGINEERS, NIGHT&ILLUMINATED,WITH ACCESSORIES AND TRIPODS REVIEWER: GL MC | A | 6675 | MD | | 28-JUL-55 | MD | YD1 | 67 | |
| | MIL-T-20198A(1) | TRIANGLE, DRAFTING, STEEL, OPEN CENTER (USE GG-T-671/4) REVIEWER: GL MC ... | A | 6675 | MD | | 25-AUG-61 | MD | YD1 | 67 | |
| L | MIL-C-20207C | CLEANING COMPOUND, SOLVENT, GREASE REMOVAL, HEAVY DUTY (USE O-C-1824) USER: AS MC OS YD1 REVIEWER: GS MR PS SH | A | 6850 | SH | | 01-JUL-55 | | SH | | |
| | MIL-L-20209 | LACQUER, STRIPPABLE, SPRAY OR DIP (FOR PACKAGING) USER: 26 EL REVIEWER: GL MR SA YD1 | A | 8010 | SH | | 30-OCT-51 | | | | |
| | MIL-B-20235 | BUSHINGS, PIPE (FOR SHIPBOARD USE)(USE WW-P-471) REVIEWER: MC | A | 4730 | YD1 | | 05-NOV-51 | | YD1 | | |
| | MIL-G-20241D(1) | GASKET MATERIAL, WOOL FELT, IMPREGNATED, ADHESIVE, PRESSURE-SENSITIVE (S/S BY ZZ-R-765 AND MIL-I-24391) USER: AT ME REVIEWER: IS | A | 5330 | CT | | 27-OCT-89 | MR | SH | | CT |
| L | MIL-C-20300 NOTICE 1 | CLOTH, CARTRIDGE, RAYON (NO S/S DOCUMENT) REVIEWER: CT | A | 8305 | AR | | 01-APR-89 | AR | | | |
| | MIL-S-203798 | SCALE, PLOTTING, AND SCALES, DRAFTING BOXWOOD, FLAT USER: YD1 REVIEWER: GL | A | 6675 | MD | | 26-JUL-60 | MD | MC | 67 | |
| | MIL-A-20383D NOTICE 1 | ARROW SETS, SURVEYING (S/S BY A-A-52046) USER: MC REVIEWER: GS | A | 6675 | ME | | 15-JAN-92 | ME | YD1 | 99 | |
| | MIL-L-20388A | LEVEL, SURVEYING, LOCATORS, HAND TYPE (USE GG-L-261 REVIEWER: MC | A | 6675 | MD | | 14-MAY-58 | MD | YD1 | 67 | |
| | MIL-M-20613 | CARBON, ACTIVATED, GRANULAR USER: EL REVIEWER: AR MU | A | 6810 | YD1 | | 21-JAN-52 | | YD1 | | |
| | MIL-L-20617A(2) | LATHE, ENGINE, MOTOR DRIVEN, LIGHT DUTY, 16 AND 18 INCH (USE MIL-L-17966) USER: YD1 REVIEWER: GS | A | 3416 | IP | | 04-NOV-66 | WC | SH | 84 | |
| | MIL-H-20622 | HANDLE, CHEST (SURFACE) USER: 26 YD1 REVIEWER: GL SA MC | A | 5340 | SH | | 04-FEB-52 | | | 69 | |
| | MIL-L-20652C | LIGHT, SIGNAL, SURVEYING, ELECTRIC, WITH CASE AND STRAP (5-INCH REFLECTOR) (S/S BY MIL-L-52430) REVIEWER: MC | A | 6675 | MD | | 12-JUN-61 | MD | YD1 | 67 | |
| | MIL-P-20664C NOTICE 2 | PLANIMETER, POLAR, COMPENSATING, WITH CASE (S/S BY A-A-50215) USER: ER YD1 REVIEWER: GS | A | 6675 | ME | | 05-DEC-88 | ME | | 99 | |
| | MIL-P-20691C NOTICE 1 | PLUG, EXPANSION (S/S BY A-A-52420) USER: AR AV MC ME REVIEWER: 82 IS | A | 5340 | AT | | 13-JAN-93 | AT | AS | 99 | |
| | MIL-A-20695 | ALUMINUM PRODUTS, PREPARATION FOR STORAGE AND SHIPMENT OF USER: GL MC REVIEWER: MR SH | A | 9535 | 10 | | 25-JUN-59 | MD | SA | 11 | |
| | MIL-G-20699A | GROMMET, RUBBER, SPLIT, GENERAL PURPOSE (USE MIL-G-3036) USER: AT ME OS YD1 REVIEWER: AV MI | A | 5325 | WC | | 21-AUG-67 | WC | SH | 82 | |
| | MIL-L-20703D(1) NOTICE 1 | LIGHT, IGNITION (MAGNETO) (NO S/S DOCUMENT) | A | 4910 | AL | | 20-APR-90 | AL | YD1 | 99 | |
| Q | MIL-F-20707 | FILTER ELEMENTS, FLUID, PRESSURE, OIL, FULL FLOW (S/S BY F-F-351) USER: MC REVIEWER: GL SH | A | 2940 | AT | | 30-DEC-57 | MD | YD1 | 82 | |
| L | MIL-S-20708/93B NOTICE 1 | SYNCHROS, 400 HZ, SIZE 15 (NO S/S DOCUMENT) REVIEWER: AV ER ME MI | A | 5990 | AR | | 18-DEC-92 | AR | | | |
| L | MIL-S-20708/95B NOTICE 1 | SYNCHROS, 400 HZ, SIZE 16 (NO S/S DOCUMENT) | A | 5990 | AR | | 18-DEC-92 | AR | | | |
| | MIL-S-20708/135A(3) NOTICE 2 | SYNCHRO, TRANSMITTER, TYPE 26V-05CX4A (NO S/S DOCUMENT) USER: AV MC MI REVIEWER: 11 17 99 EC ER ES ME OS | A | 5990 | AR | | 18-DEC-92 | AR | AS | 85 | |
| | MIL-S-20708/136A(3) NOTICE 2 | SYNCHRO, TRANSFORMER, TYPE 26V-05CT4A (NO S/S DOCUMENT) USER: AV MC MI REVIEWER: 11 17 99 EC ER ES ME OS | A | 5990 | AR | | 18-DEC-92 | AR | AS | 85 | |
| | MIL-S-20708/137A(3) NOTICE 2 | SYNCHRO, DIFFERENTIAL TRANSMITTER, TYPE 26V-05CDX4A (NO S/S DOCUMENT) USER: AV MC MI REVIEWER: 11 17 99 EC ER ES ME OS | A | 5990 | AR | | 18-DEC-92 | AR | AS | 85 | |
| L | MIL-S-20708/142(1) NOTICE 2 | SYNCHRO CONTROL TRANSFORMER, TYPE 26V-23CT4A (10539690) (NO S/S DOCUMENT) . | A | 5990 | AR | | 18-DEC-92 | AR | | | |
| L | MIL-S-21030 | SIFTER, FLOUR, HAND (USE QQ-S-355) | A | 7330 | YD1 | | 24-JUL-57 | | YD1 | | |
| L | MIL-A-21047B(1) | AIR CONDITIONERS, ROOM TYPE 4,000 TO 33,000 B.T.U. PER HOUR (USE QQ-A-003728) REVIEWER: GS | A | 4120 | YD1 | | 25-SEP-68 | | YD1 | | |
| L | MIL-G-21060D(1) | GENERATOR SETS, GASOLINE ENGINE OR DIESEL ENGINE, BRUSH OR BRUSHLESS EXCITER, SKID&MOUNTED, ALTERNATING CURRENT, 5 KW THROUGH 100 KW (USE MIL&GB28533, 28534, 28541, AND 28542) REVIEWER: BO | A | 6115 | YD1 | | 02-JUN-66 | | YD1 | | |
| L | MIL-S-21061A | SEMITRAILERS, LOW BED, COMMERCIAL (S/S BY MIL-S-45152B) | A | 2330 | YD1 | | 09-FEB-61 | | YD1 | | |
| L | MIL-R-21069A | REFRIGERATOR, MECHANICAL, COMMERCIAL, FOR BOTTLED BEVERAGES REVIEWER: GS .. | A | 4110 | YD1 | | 22-DEC-67 | | YD1 | | |
| | MIL-C-21074C | CLEANER, STEAM, PRESSURE JET (NAVY) | A | 4940 | YD1 | | 24-APR-72 | WC | YD1 | | |
| L | MIL-T-21076 | TESTER, DIESEL FUEL INJECTION NOZZLE (S/S BY MIL-T-45049A) | A | 4910 | YD1 | | 13-SEP-57 | | YD1 | | |
| | MIL-T-21080B | TRESTLES, HOIST, PORTABLE (SHOP TYPE), (USE MIL-G-28673) USER: ME REVIEWER: CS | A | 3950 | YD1 | | 22-JAN-65 | | YD1 | 84 | |
| L | MIL-T-21092C | TRAP, AIR AND WATER, BALL FLOAT (150 PSIG WORKING PRESSURE) (S/S BY WW-T-696) | A | 4730 | YD1 | | 14-AUG-86 | | YD1 | | |
| | MIL-P-21105C(2) | PLASTIC, SHEET, ACRYLIC, HEAT RESISTANT, UTILITY GRADE (SUPERSEDED BY L-P-391B) USER: AV REVIEWER: 85 GL MI OS YD1 | A | 9330 | AS | | 18-JUN-68 | ME | AS | 11 | |
| Q | MIL-S-21111C(1) | SCREWDRIVERS, FLAT TIP, OFFSET, AND CROSSTIP&NONSPARKING AND NONMAGNETIC USER: MC ME YD1 REVIEWER: GS | A | 5120 | SH | | 15-JAN-71 | GL | SH | 99 | |
| L | MIL-S-21126A | STOKER, COAL, MECHANICAL 10 TO 1200 POUNDS PER HOUR | A | 4530 | YD1 | | 17-APR-59 | | YD1 | | |

| Action | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| L | MIL-I-21142 | INSULATOR, STRAIN, ELECTRIC (USE MIL-C-16536 AND MIL-I-790) | A 5970 YD1 07-NOV-57 | | YD1 | | |
| L | MIL-W-21149 | WELDING ACCESSORY KIT, ELECTRIC REVIEWER: GS | A 3439 YD1 12-NOV-57 | | YD1 | | |
| L | MIL-K-21153B | KEEL BLOCKS AND BILGE BLOCKS, LAMINATED WOOD (USE TT-W-571) | A 1950 YD1 15-NOV-62 | | YD1 | | |
| L | MIL-M-21188A | MIRROR ASSEMBLY, CONCAVE GROUND GLASS, OPTICAL LANDING SYSTEM (NO S/S DOCUMENT) REVIEWER: GS YD1 | A 6220 AS 13-JAN-89 | | AS | | |
| | MIL-D-21201F NOTICE 1 | DRILL, PNEUMATIC DRIFTER, SELF-PROPELLED, CRAWLER MOUNTED (TRACK DRILL) (S/S BY 00-D-2776) REVIEWER: 84 AT CS MC | A 3820 YD1 12-NOV-92 ME | | YD1 | 99 | |
| | MIL-S-21213A(1) | SHUFFLEBOARD | A 7830 YD1 26-OCT-60 GL | | YD1 | 69 | |
| L | MIL-P-21214C NOTICE 1 | PUMP UNIT, CENTRIFUGAL, VERTICAL SUMP, ELECTRICAL MOTOR DRIVEN, AUTOMATIC, WET-PIT-TYPE (S/S BY MIL-P-21251) | A 4320 YD1 02-JAN-92 | | YD1 | | |
| L | MIL-M-21236A | MIRROR, GLASS, HARDWOOD FRAMED USER: GL | A 7105 YD1 30-JAN-69 | | YD1 | | |
| | MIL-A-21261A | AIR CONDITIONER, SELF-CONTAINED SPACE TYPES, WATER-, AIR-, OR EVAPORATIVE-COOLED (USE 00-A-373) USER: CG MC MI REVIEWER: GL | A 4120 YD1 28-MAY-62 MD | | YD1 | 82 | |
| L | MIL-P-21264 | PIPE, DRAINAGE, ZINC-BITUMINOUS COATED, CORRUGATED IRON OR STEEL, UNPAVED AND PAVED (USE WW-P-405) | A 4710 YD1 19-JAN-72 | | YD1 | | |
| L | MIL-T-21274C | TRUCK, LIFT, PLATFORM, 6 X 4, 9-TON CAPACITY, GED, TYPE MC-2 (USE MIL-T-62145) | A 2320 YD1 31-DEC-70 | | YD1 | | |
| | MIL-L-21276 | LUMBER, HARDWOOD, ANGELIQUE REVIEWER: 85 CS YD1 | A 5510 SH 29-SEP-62 MD | | AS | 84 | |
| L | MIL-S-21277A NOTICE 1 | SWITCHES, LIQUID LEVEL, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A 6680 AS 30-SEP-92 | | AS | | |
| | MIL-G-21281A | GASES, FUEL, LIQUEFIED PETROLEUM (BUTANE, PROPANE, MIXTURES) (USE BB-G-110) | A 6820 YD1 02-JUL-59 | | YD1 | | |
| L | MIL-R-21335B(5) NOTICE 2 | RELAY, POLARIZED, SENSITIVE, DIRECT CURRENT (NO S/S DOCUMENT) | A 1350 OS 26-JUN-92 | | OS | | |
| L | MIL-W-21350 | WRENCHES, RIM NUT (LUG), BUNG, AND LINEMAN S (USE GGG-W-644) | A 5120 YD1 10-SEP-61 | | YD1 | | |
| L | MIL-S-21409A | SWITCH, ROTARY, PYROMETER REVIEWER: ES | A 5930 YD1 15-OCT-64 | | YD1 | | |
| L | MIL-U-21444A | URNS, COFFEE, COMMERCIAL SINGLE, TWIN, AND BATTERY (USE MIL-U-43263) REVIEWER: GS | A 7310 YD1 22-JAN-63 | | YD1 | | |
| | MIL-C-21473A | CABLE CONNECTORS, TELEPHONE, SHIP TO SHORE USER: MC REVIEWER: MI | A 5805 YD1 27-APR-65 EL | | YD1 | | |
| L | MIL-C-21474A | CONNECTOR PLUG, TELEPHONE CABLE, MARINE REVIEWER: ES | A 5935 YD1 24-FEB-65 | | YD1 | | |
| L | MIL-G-21651 | GUN, AIRCRAFT, 20 MM MARK 12 MOD 0 AND MOD 3 | A 4910 YD1 11-JUL-63 | | YD1 | | |
| L | MIL-C-21656A | CARRIAGES, MARINE RAILWAY 62-TON, COMPANION HAUL UP AND TRANSFER | A 2220 YD1 22-OCT-63 | | YD1 | | |
| L | MIL-T-21669(2) NOTICE 2 | TEST SET MARK 25 MOD 1 (NO S/S DOCUMENT) | A 6625 OS 15-OCT-92 | | OS | | |
| L | MIL-A-21672 NOTICE 1 | ARMING CELL MARK 2 MODS 1 AND 2 (NO S/S DOCUMENT) | A 1350 OS 15-OCT-92 | | OS | | |
| L | MIL-C-21678(2) NOTICE 2 | CD-8 MOD 0 MECHANISM (NO S/S DOCUMENT) | A 1350 OS 15-OCT-92 | | OS | | |
| | MIL-W-21682B | WASHING MACHINE, HOUSEHOLD LAUNDRY, POWER OPERATED (USE 00-W-860) USER: MC | A 3510 84 24-JUN-63 GL | | YD1 | 67 | |
| | MIL-D-21683A | DRYING TUMBLER, HOUSEHOLD LAUNDRY, ELECTRIC (USE 00-W-680) | A 3510 YD1 04-JAN-60 GL | | YD1 | | |
| | MIL-C-21696A | COUPLING, ELECTROMAGNETIC REVIEWER: GS | A 6105 YD1 18-MAR-60 ME | | YD1 | | |
| L | MIL-L-21703 | LIGHT, RUNWAY IDENTIFICATION REVIEWER: GS YD1 | A 6210 AS 12-NOV-58 . | | AS | | |
| | MIL-V-21731D NOTICE 1 | VIBRATORS, CONCRETE, ELECTRIC-MOTOR-DRIVEN (S/S BY A-A-50539) | A 3895 YD1 26-OCT-92 ME | | YD1 | | |
| | MIL-T-21737E | TRUCK, FIREFIGHTING: AIRCRAFT & PERSONNEL RESCUE, WATER & FOAM DISPENSING, 1,000-GALLON WATER CAPACITY (NO S/S DOCUMENT) | A 4210 YD1 11-FEB-89 ME | | YD1 | | |
| | MIL-P-21769A | PLUGS, FUSIBLE, REFRIGERANT-12 (NO S/S DOCUMENT) USER: MD REVIEWER: IS | A 5340 GL 11-FEB-91 GL | | YD1 | 82 | |
| | MIL-B-21827B | BOX, CONSOLIDATION (USE MIL-B-43666) USER: AS EC MC SH YD1 REVIEWER: GS ME SM | A 8115 SA 28-FEB-69 GL | | SA | 69 | |
| L | MIL-T-21865 | TRUCKS, LIFT, FORK, DIESEL PNEUMATIC RUBBER TIRES (NAVY) (USE MIL-T-21868) USER: AS SH YD1 | A 3930 SA 17-AUG-62 | | SA | | |
| L | MIL-P-21873 | PROVISIONING, INITIAL SUPPORT, GENERAL REQUIREMENTS FOR (USE MIL-STD-1375) USER: AS OS SH YD1 | A MISC SA 10-MAY-68 | | SA | | |
| L | MIL-T-21900F | TRUCK, TANK: AIRCRAFT LUBRICATING OIL DISPENSING 500 GALLON, 4 BY 2 (S/S BY MIL-T-29246) USER: MC | A 2320 YD1 08-DEC-88 | | YD1 | | |
| | MIL-A-21907B | ARRESTER, SURGE (USE IEEE C62.1-81 REVIEWER: 99 ME | A 5920 YD1 26-SEP-83 | | YD1 | 85 | |
| | MIL-G-21912A(1) | GENERATOR SET, DIESEL ENGINE, BRUSHLESS, SEMITRAILER MOUNTED, ALTERNATING CURRENT, 500 TO 1000 KW, 2400/4160Y VOLTS, 3 PHASE, 60 CYCLES (USE MIL-STD-633) REVIEWER: EL GS | A 6115 YD1 13-AUG-65 MD | | YD1 | 80 | |
| L | MIL-C-21934B | CABINET, DOUGH PROOFING USER: GL REVIEWER: GS | A 7320 YD1 28-JUL-77 | | YD1 | | |
| L | MIL-A-21962A | ALIGNMENT SERVICE UNIT, MOTOR VEHICLE USER: AT MC | A 4910 YD1 22-OCT-76 GL | | YD1 | | |
| L | MIL-P-21968 | PUMP UNIT, CENTRIFUGAL, DEEP-WELL, MULTI-STAGE, TURBINE-TYPE, GASOLINE-ENGINE-DRIVEN, 200 G.P.M. AT 165-FOOT HEAD | A 4320 YD1 27-FEB-59 | | YD1 | | |
| L | MIL-C-21976B | CHILLER UNIT, LIQUID, PACKAGED ELECTRIC MOTOR DRIVEN, 50 TONS AND ABOVE REVIEWER: GS | A 4130 YD1 19-AUG-74 | | YD1 | | |
| | MIL-J-21978B | JUNCTION BOXES, SURFACE, CABINET TYPE, HINGED COVER ( USE UL50) USER: MC REVIEWER: 99 GS | A 5975 YD1 07-NOV-72 ER | | YD1 | 85 | |
| L | MIL-E-21990A | EVAPORATOR, FORCED CIRCULATION, FREE DELIVERY, REFRIGERATION, HALOCARBONS REVIEWER: GS | A 4130 YD1 28-JUN-74 | | YD1 | | |
| L | MIL-C-22008A | CONDENSER, EVAPORATIVE, REFRIGERANT 1 TON TO 100 TONS REVIEWER: GS | A 4130 YD1 05-JUN-74 | | YD1 | | |
| L | MIL-C-22013 | CABINET, BREAD AND PASTRY (USE MIL-C-43305 AND MIL-C-40617) | A 7320 YD1 13-APR-59 | | YD1 | | |
| L | MIL-C-22014A | CHILLER UNITS, LIQUID, PACKAGED, ELECTRIC MOTOR-DRIVEN WITH RECIPROCATING COMPRESSORS 10 TONS TO 150 TONS REVIEWER: GS | A 4130 YD1 18-JAN-73 | | YD1 | | |
| L | MIL-C-22015A | CONDENSER, REMOTE AIR COOLED REVIEWER: GS | A 4130 YD1 23-JAN-73 | | YD1 | | |
| L | MIL-F-22018 | FROZEN FOOD CABINETS, MECHANICALLY REFRIGERATED, HOUSEHOLD TYPE (8 CU. FT. TO 25 CU.FT. ) (USE AA-F-700) | A 4110 YD1 16-APR-59 | | YD1 | | |
| | MIL-M-22060 | MOP, ROOFER S, COTTON | A 7920 YD1 05-JUN-59 GL | | YD1 | 69 | |
| | MIL-P-22096B(1) | PLASTIC, POLYAMIDE (NYLON) FLEXIBLE MOLDING & EXTRUSION MATERIAL (SEE ASTM D4066-82) USER: SH YD1 REVIEWER: 69 AR GS MI MR OS | A 9330 ER 28-JUN-79 ER | | AS | 11 | |
| L | MIL-W-22122 | WINCH, DRUM, POWER OPERATED, FOR PONTOON BARGE MOUNTING (USE MIL-W-185748) | A 3950 YD1 13-JUL-59 | | YD1 | | |
| L | MIL-P-22134A | PUMP, ROTARY, ELECTRIC-MOTOR DRIVEN, FIXED BASE (NO. 2 FUEL OIL, 26 G.P.M. AT 30 P.S.I.G.) REVIEWER: CS | A 4320 YD1 21-JUL-72 | | YD1 | | |
| L | MIL-C-22137B(2) | CRANES, OVERHEAD TRAVELING, OVERRUNNING BRIDGE AND TROLLEY, ELECTRICAL POWERED | A 3950 YD1 27-JUN-83 | | YD1 | | |
| L | MIL-C-22171A | CRANE, TRUCK, AIRPLANE CRASH, DIESEL-ELECTRIC, TYPE MS-60, 60,000-POUND CAPACITY, 25 FOOT CLEAR OUTREACH, NAVAL SHIPBOARD | A 3950 YD1 14-OCT-66 | | YD1 | | |
| | MIL-E-22200/6C(1) | ELECTRODES, WELDING, MINERAL COVERED, LOW HYDROGEN, MEDIUM AND HIGH TENSILE STEEL (S/S BY MIL-E-22200/1 AND MIL-E-22200/10) USER: AT MC ME REVIEWER: GS MR OS YD1 | A 3439 SH 07-AUG-89 AR | | SH | 99 | |
| | MIL-E-22200/7B(1) | ELECTRODES, WELDING, COVERED, MOLYBDENUM ALLOY STEEL APPLICATION (S/S BY AWS-A5.5) USER: OS YD1 REVIEWER: 99 AT GS | A 3439 SH 31-JAN-90 | | SH | 11 | |
| | MIL-C-22201A | CHAIN ASSEMBLY, SINGLE LEG (WITH ATTACHMENTS) USER: MI SA REVIEWER: MC | A 4010 YD1 01-AUG-61 MD | | YD1 | 69 | |
| L | MIL-B-22205B | BAG, TRANSPARENT, FLEXIBLE, HEAT SEALABLE FOR PACKAGING APPLICATIONS (USE MIL-B-117) USER: AV MI REVIEWER: AT EC YD1 | A 8105 AS 21-JUN-66 | | AS | | |
| L | MIL-L-22250 NOTICE 1 | LOUDSPEAKER-MICROPHONE, (MEGAPHONE, ELECTRONIC PORTABLE) (S/S BY A-A-50603) | A 5830 SH 11-FEB-93 | | SH | | |
| | MIL-L-22252B NOTICE 1 | LIGHT, MARKER, RUNWAY CIRCLING (NO S/S DOCUMENT) REVIEWER: 11 GS YD1 | A 6210 AS 01-OCT-92 | | AS | 99 | |
| L | MIL-T-22254B | TRUCK, TANK, AIRCRAFT REFUELING UNIT, 5000 GALLON, AV GAS OR JET FUEL JP-4 AND JP-5, 4X2, GASOLINE-ENGINE-DRIVEN, TYPE RF-50 (USE MIL-T-38245) | A 2320 YD1 16-DEC-66 | | YD1 | | |
| L | MIL-C-22255 | CRANE, OVERHEAD TRAVELING, MANUAL TRAVEL WITH ELECTRIC HOIST AND RUNWAY - 2-TON CAPACITY | A 3950 YD1 10-NOV-59 | | YD1 | | |
| L | MIL-A-22268A | AIR WASHER UNITS, 1500 C.F.M. TO 150,000 C.F.M. REVIEWER: GS | A 4130 YD1 05-JUN-74 | | YD1 | | |
| L | MIL-C-22271A | COOLER, AIR (CENTRAL STATION AIR HANDLING UNITS) REVIEWER: GS | A 4120 YD1 14-FEB-75 | | YD1 | | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-A-22286A | AIR CONDITIONER WITH REMOTE CONDENSING UNITS OR REMOTE AIR-COOLED CONDENSER UNITS (S/S BY DD-A-374 USER: CG MC MI REVIEWER: GL | A | 4120 | YD1 | 13-JUN-62 | MD | YD1 | 82 | | |
| | MIL-H-22297A | HOSE ASSEMBLY, RUBBER, 4-INCH ID, WITH QUICK-ACTING COUPLINGS, ADAPTERS, AND FILLER ELBOWS (USE MIL-H-370 AND MIL-C-27487) USER: MC SH REVIEWER: GL SA | A | 4720 | ME | 09-OCT-62 | ME | YD1 | | | |
| | MIL-B-22301 | BAG, COTTON DUCK, FOR COLLAPSIBLE FABRIC FUEL STORAGE TANKS AND HOSE MANIFOLDS (USE MIL-C-52186) REVIEWER: 69 SH | A | 5430 | ME | 04-JAN-60 | ME | YD1 | | | |
| L | MIL-T-22306C | TRUCK, FIXED PLATFORM, POWERED, AIRFIELD MAINTENANCE AND LINE SERVICE, GED, 4 BY 2 REVIEWER: AT | A | 1740 | YD1 | 08-APR-68 | | YD1 | | | |
| | MIL-T-22333A | TRUCK, BOMB SERVICE, CARGO BODY, 16,000 POUNDS GVW, 4 BY 4, GASOLINE-ENGINE-DRIVEN, MJ-3A (USE MIL-T-81098) REVIEWER: AS | A | 2320 | YD1 | 01-JAN-71 | AT | YD1 | 84 | | |
| L | MIL-S-22341 | SWEEPERS, ROTARY, SELF-PROPELLED, INDUSTRIAL, WALKER TYPE (USE DD-S-872) .. | A | 3825 | YD1 | 02-FEB-60 | | YD1 | | | |
| | MIL-D-22365B | DECONTAMINATING AGENT, ETHYLENE OXIDE (IN 12 OUNCE DISPENSER, AEROSOL TYPE, M-10) USER: MC REVIEWER: GS | A | 6850 | YD1 | 20-DEC-74 | EA | YD1 | | | |
| | MIL-R-22368D | REPAIR KIT AND REPAIR KIT COMPONENTS, FOR COLLAPSIBLE FABRIC TANKS AND BOATS (S/S BY MIL-R-52255) USER: MC REVIEWER: CS GL | A | 5430 | ME | 20-DEC-88 | ME | YD1 | | | |
| L | MIL-C-22442/28B(1) NOTICE 1 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-13128/A (S/S BY MIL-C-22442/19) | A | 5995 | AS | 09-APR-93 | | AS | | | |
| L | MIL-R-22471 | REFRIGERATORS AND REFRIGERATOR-FREEZERS, ELECTRIC, SELF-CONTAINED (DOMESTIC )USE AA-R-211( | A | 4110 | YD1 | 25-APR-60 | | YD1 | | | |
| L | MIL-L-22484B | LOADER, BUCKET TYPE, CONVERTIBLE, SELF FEEDING, SELF PROPELLED, WHEEL MOUNTED | A | 3805 | YD1 | 25-MAY-72 | | YD1 | | | |
| | MIL-S-22515A | SWEEPER, ROTARY, SELF-PROPELLED, INDUSTRIAL TYPE, 1-3/4 CUBIC YARD MINIMUM HOPPER CAPACITY (USE DD-S-873) REVIEWER: 11 84 EL SH | A | 3825 | YD1 | 11-APR-62 | MD | YD1 | | | |
| L | MIL-D-22538 | DITCHING MACHINE, LADDER TYPE, WHEEL MOUNTED, 4-FOOT DEPTH OF CUT (USE MIL-D-82024) | A | 3805 | YD1 | 22-JUN-60 | | YD1 | | | |
| L | MIL-D-22545A(2) | DISPENSER, BULK MILK, MANUALLY-OPERATED, REFRIGERATED, AND CONTAINER, MILK, MULTISERVICE (ASL FED SPEC DD-D-450) | A | 4110 | YD1 | 17-OCT-62 | | YD1 | | | |
| L | MIL-H-22547C NOTICE 1 | HEAT PUMPS, HEATING AND COOLING (UNITARY) (8,400 TO 300,000 BTU)(S/S BY A-A-50502) | A | 4120 | YD1 | 15-DEC-92 | | YD1 | | | |
| L | MIL-A-22575B | ANCHOR, MARINE, FLUKED (STOCKLESS), & STABILIZERS (S/S BY DOD-A-24581) REVIEWER: SH | A | 2040 | YD1 | 28-MAY-76 | | YD1 | | | |
| L | MIL-C-22599 | CREOSOTE - COAL TAR SOLUTION FOR MARINE USE (USE MIL-P-23613) ..... | A | 6810 | YD1 | 10-AUG-60 | | YD1 | | | |
| L | MIL-L-22626(1) | LUMBER, HARDWOOD, AZOBE (EKKI), STRESS GRADE AND STANDARD GRADE REVIEWER: CS | A | 5510 | YD1 | 21-APR-66 | | YD1 | | | |
| L | MIL-M-22632 | MANIFOLD, GAS CYLINDER, PORTABLE, SELF-SUPPORTING, 5-CYLINDER CAPACITY .... | A | 8120 | YD1 | 08-SEP-60 | | YD1 | | | |
| L | MIL-P-22634A | PIPE AND PIPEFITTINGS, POLYETHYLENE FOR LOW-PRESSURE WASTE AND DRAINAGE SYSTEMS | A | 4710 | YD1 | 11-FEB-66 | | YD1 | | | |
| | MIL-B-22637A | BUILDINGS, PREFABRICATED, READY CUT, METAL ROUND ARCH ROOF WITH VERTICAL WALLS AND BARREL ARCH RIB, NORTHERN, 20 BY 48 FT USER: CG MC REVIEWER: CS | A | 5410 | ME | 05-JUN-64 | ME | YD1 | 99 | | |
| | MIL-E-22680B | ENGINE, GASOLINE, COMMERCIAL, INDUSTRIAL TYPE, 10 BRAKE HORSEPOWER AND ABOVE, GENERAL SPECIFICATION USER: MC | A | 2805 | YD1 | 12-MAY-72 | | YD1 | 99 | | |
| L | MIL-T-22691E | TRACTOR, WHEELED, HIGH-SPEED, LOW CENTER OF GRAVITY, DED (NO S/S DOCUMENT) | A | 2420 | YD1 | 24-JAN-91 | | YD1 | | | |
| L | MIL-F-22709A | FENCING, WIRE, ALUMINUM ALLOY, CHAIN LINK AND ACCESSORIES (USE RR-F-191) .. | A | 5660 | YD1 | 08-NOV-60 | | YD1 | | | |
| L | MIL-E-22733(1) | EXTINGUISHER, FIRE DRY-CHEMICAL, PORTABLE (USE O-E-915) ..... | A | 4210 | YD1 | 30-JUN-61 | | YD1 | | | |
| L | MIL-C-22744E NOTICE 1 | CONCRETE SPRAYING MACHINE, MIX ELEVATOR TYPE UNIT, TRAILER MOUNTED (S/S BY DD-C-2818) | A | 3895 | YD1 | 26-MAR-93 | | YD1 | | | |
| | MIL-P-22748A(1) | PLASTIC, POLETHYLENE AND COPOLYMERS, HIGH DENSITY, MOLDING AND EXTRUSION MATERIAL (USE L-P-390C) USER: MC REVIEWER: AR MI MR YD1 | A | 9330 | EL | 01-APR-66 | EL | SH | 11 | | |
| | MIL-C-22751D(1) | COATING SYSTEM, EPOXY-POLYAMIDE, CHEMICAL AND SOLVENT RESISTANT; PROCESS FOR APPLICATION OF (NO S/S DOCUMENT) USER: AV CG MC YD1 REVIEWER: ER MI OS SH | A | 8010 | AS | 11-APR-90 | ME | AS | | | |
| L | MIL-M-22773C | MITTENS, EXTREME COLD WEATHER, IMPERMEABLE (S/S BY MIL-M-87033) USER: 45 CG YD1 REVIEWER: CT | A | 8415 | MU | 08-MAY-89 | | MU | | | |
| | MIL-O-22776C NOTICE 1 | OVERALLS, WET WEATHER (S/S BY MIL-T-87099) USER: CG MC YD1 ..... | A | 8405 | CT | 04-FEB-92 | | SA | 99 | CT | |
| | MIL-A-22789C NOTICE 1 | ANKLET, WOMEN'S: COTTON (S/S BY A-A-50015) REVIEWER: 99 MD ..... | A | 8445 | CT | 02-APR-93 | GL | MU | 11 | CT | |
| | MIL-V-22854B NOTICE 2 | VALVES, ANGLE, SHUT-OFF, PACKED, RECEIVER, REFRIGERANT-12 (NO S/S DOCUMENT) USER: CG MC REVIEWER: GS | A | 4810 | 82 | 16-FEB-93 | GL | YD1 | 82 | | |
| | MIL-V-22862C | VALVES, COMPRESSOR SERVICE, REFRIGERANT-12 (NO S/S DOCUMENT) REVIEWER: CS GS ME | A | 4820 | GL | 13-JUL-90 | GL | YD1 | 82 | | |
| L | MIL-E-22864B | EMULSIFIER, OIL SLICK REVIEWER: GS SH ..... | A | 6850 | YD1 | 23-JUL-73 | | YD1 | | | |
| | MIL-R-22870D NOTICE 1 | ROLLERS, MOTORIZED, PNEUMATIC-TIRED (S/S BY DD-R-2780) ..... | A | 3895 | YD1 | 05-JUN-92 | ME | YD1 | | | |
| | MIL-S-22880A | SCYTHE, POWERED, HAND CARRIED REVIEWER: CS EL ..... | A | 3750 | YD1 | 26-APR-63 | MD | YD1 | 84 | | |
| L | MIL-T-22884 | TANK, LIQUID STORAGE, METAL, HORIZONTAL, WELDED, NESTABLE ..... | A | 5430 | YD1 | 28-APR-61 | | YD1 | | | |
| L | MIL-T-22893 | TAMPING MACHINE, FORM, CONCRETE PAVING, 8 INCHES TO 12 INCHES ..... | A | 3895 | YD1 | 08-MAY-61 | | YD1 | | | |
| | MIL-E-22901F NOTICE 1 | EXCAVATOR, MULTIPURPOSE, TRUCK MOUNTED, TWO CABS (S/S BY KKK-E-2808) USER: MC REVIEWER: 84 | A | 3805 | YD1 | 30-DEC-92 | AT | YD1 | 99 | | |
| L | MIL-D-22917 | DRUM, (FLOTATION) RUBBERIZED FABRIC, COLLAPSIBLE, 55-GALLON (USE MIL-B-23459) | A | 8110 | YD1 | 01-JAN-63 | | YD1 | | | |
| L | MIL-S-22989 | STRIKE-OFF, CONCRETE PAVING, FORM-RIDING (20- TO 25-FOOT WIDTH) ..... | A | 3895 | YD1 | 18-AUG-61 | | YD1 | | | |
| L | MIL-H-22995A NOTICE 1 | HELMET SHELL ASSEMBLIES, PILOT'S PROTECTIVE, APH-6 SERIES (NO S/S DOCUMENT) | A | 8475 | AS | 31-AUG-92 | | AS | | | |
| L | MIL-T-22998 | TANK, LIQUID STORAGE, METAL, VERTICAL, BOLTED, 25-BARREL CAPACITY (1,050 GALLONS) | A | 5430 | YD1 | 05-SEP-61 | | YD1 | | | |
| L | MIL-F-23022A | FLOODLIGHT SET, ELECTRIC, SELF-CONTAINED, SKID MOUNTED, WITH TWO 750 WATT FLOODLIGHTS (USE MIL-F-29161) REVIEWER: GS | A | 6230 | YD1 | 21-JAN-66 | | YD1 | | | |
| L | MIL-F-23093 | FURNITURE, PORCH, TUBULAR ALUMINUM (LEG TYPE) ..... | A | 7105 | YD1 | 16-NOV-61 | | YD1 | | | |
| L | MIL-T-23095 | TRACTORS, WHEELED, INDUSTRIAL, 4 BY 2, PNEUMATIC TIRED, DIESEL-ENGINE-DRIVEN | A | 2420 | YD1 | 20-NOV-61 | | YD1 | | | |
| | MIL-V-23135B | VALVE, SAFETY RELEIF, REFRIGERANT&12 USER: CE MC REVIEWER: GS ME ..... | A | 4130 | GL | 07-MAR-85 | GL | YD1 | | | |
| | MIL-R-23144E NOTICE 1 | ROLLER, TOWED, OPEN-FACE TYPE, TWO DRUM (S/S BY DD-R-2783) USER: MC REVIEWER: 84 | A | 3895 | YD1 | 15-MAY-92 | | YD1 | 99 | | |
| L | MIL-T-23153C NOTICE 1 | TABLE, FOLDING, STEEL TUBE (ADVANCE BASE) (S/S BY AA-T-2753) REVIEWER: GL . | A | 7105 | YD1 | 12-NOV-91 | | YD1 | | | |
| | MIL-S-23168D | SPREADER, AGGREGATE, SELF-PROPELLED, PNEUMATIC-TIRED, DED (NO S/S DOCUMENT) REVIEWER: 84 | A | 3895 | YD1 | 23-MAY-90 | | YD1 | 99 | | |
| | MIL-B-23170A | BOILER, STEAM, HIGH PRESSURE WATER TUBE, PACKAGED TYPE, (5,000 TO 50,000 POUNDS PER HOUR FIRED BY COAL, OIL, GAS OR COMBINATION OIL/GAS) (S/S BY MIL-B-17095) USER: CE | A | 4410 | YD1 | 08-JUL-91 | ME | YD1 | 99 | | |
| L | MIL-F-23179A | FURNITURE, KITCHEN AND DINETTE, TUBULAR METAL USER: GL ..... | A | 7105 | YD1 | 01-SEP-70 | | YD1 | | | |
| | MIL-V-23181B | VALVE: WATER REGULATING, REFRIGERANT-12 REVIEWER: GS ..... | A | 4130 | GL | 25-JAN-85 | GL | YD1 | | | |
| | MIL-H-23187A | HEATER-PLANER, BITUMINOUS, SELF-PROPELLED, PNEUMATIC-TIRED ..... | A | 3895 | YD1 | 27-FEB-63 | | YD1 | 84 | | |
| | MIL-V-23221B | VALVE, CHECK, REFRIGERANT-12 (NO S/S DOCUMENT) USER: CE MC REVIEWER: GS MD | A | 4130 | GL | 10-DEC-90 | GL | YD1 | 99 | | |
| L | MIL-F-23239(3) | FURNITURE, STEEL FRAME, LAMINATED PLASTIC SURFACED PANEL TYPE FOR BOQ S USER: GL | A | 7105 | YD1 | 19-JUL-63 | | YD1 | | | |
| L | MIL-G-23240A | GENERATOR SET, DIESEL ENGINE, TRAILER MOUNTED, 5 KILOWATTS, 120/208 VOLTS, ALTERNATING CURRENT, WITH FLOODLIGHTS (USE MIL-F-29161) REVIEWER: GS | A | 6230 | YD1 | 18-AUG-66 | | YD1 | | | |
| | MIL-F-23243A | FORMING MACHINES, SHEET METAL, ROTARY, MANUALLY OPERATED (S/S BY A-A-51159, A-A-51164, A-A-51168, A-A-51170 AND A-A-51172) REVIEWER: GS YD1 | A | 3441 | IP | 21-AUG-89 | AL | SH | 99 | IP | |

| Action | Doc. / Cmbt. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-F-23246A | FORMING MACHINES, SHEET METAL, BAR FOLDING MACHINE, AND GROOVING MACHINES, HAND OPERATED, BENCH TYPE (S/S BY A-A-51160 AND A-A-51169) REVIEWER: GS YD1 | A | 3441 | IP | AR | 21-AUG-89 | SH | 99 | IP | |
| | | MIL-S-23247B | SWEEPER, ROTARY, SELF-PROPELLED, BLOWER TYPE, PAVED SURFACE CLEANING USER: CE EL | A | 3825 | YD1 | ME | 16-AUG-73 | YD1 | 99 | | |
| | | MIL-D-23248(1) | DISTRIBUTOR, BITUMINOUS MATERIAL TANK TYPE, TRAILER MOUNTED, 1,250 GALLON (S/S BY MIL-D-575) | A | 3895 | YD1 | | 15-OCT-62 | YD1 | 87 | | |
| | | MIL-B-23272B(2) NOTICE 1 | BATTERY, STORAGE: ALKALINE, NICKEL-CADMIUM (S/S BY A-A-52417) REVIEWER: CR | A | 6140 | AT | AT | 07-JAN-93 | | 99 | | |
| | | MIL-B-23272/1B NOTICE 1 | BATTERY, STORAGE: ALKALINE, NICKEL-CADMIUM, BB-634/U, 12-VOLT, 70 AMP HR CAPACITY (S/S BY A-A-52417) REVIEWER: ER | A | 6140 | AT | AT | 07-JAN-93 | | 80 | | |
| L | | MIL-P-23274 | PUBLIC ADDRESS SET, 50 AND 100 WATT (S/S BY MIL-P-28659) | A | 5830 | YD1 | | 27-APR-62 | YD1 | | | |
| L | | MIL-K-23283 | KIT, ROOF STRENGTHENING, FOR ARCTIC BUILDING | A | 5410 | YD1 | | 08-MAY-62 | YD1 | | | |
| L | | MIL-P-23290 | PIPE AND PIPE FITTINGS, IRON, SARAN LINED (USE MIL-P-22561) | A | 4710 | YD1 | | 16-MAY-62 | YD1 | | | |
| | | MIL-C-23291B | CONTROL, PRESSURE, REFRIGERANT-12, WITH HIGH PRESSURE CUTOUT USER: MC REVIEWER: GS ME | A | 4130 | GL | | 16-APR-84 | GL | YD1 | 99 | |
| L | | MIL-F-23294A | FURNITURE, WOOD, DINING ROOM USER: GL | A | 7105 | YD1 | | 30-SEP-70 | YD1 | | | |
| L | | MIL-C-23303 | CLOSURE, HINGED | A | 4730 | YD1 | | 22-MAY-62 | YD1 | | | |
| L | | MIL-S-23309D | SNOW REMOVAL UNIT, WALKING, POWER DRIVEN REVIEWER: CS | A | 3825 | YD1 | | 14-MAR-84 | YD1 | | | |
| | | MIL-V-23318B | VALVE, REGULATING, FLUID PRESSURE, EVAPORATOR, REFRIGERANT-12 USER: MC ME SM REVIEWER: CE GS | A | 4820 | GL | | 07-MAR-85 | GL | YD1 | 99 | |
| L | | MIL-V-23319B | VIBRATOR, CONCRETE, GASOLINE-ENGINE-DRIVEN (NO S/S DOCUMENT) | A | 3895 | YD1 | | 12-MAY-89 | YD1 | | | |
| L | | MIL-T-23349 | TRUCK, STAKE, VERTICAL LIFT BODY, COMMERICIAL, 6 BY 4, 29,500 LBS. GVW (USE MIL-T-38710) | A | 2320 | YD1 | | 25-JUN-62 | YD1 | | | |
| L | | MIL-W-23350 | WELDING MACHINES, ARC, DIRECT CURRENT TRANSFORMER-RECTIFIER TYPE (S/S BY MIL-W-80043) | A | 3431 | YD1 | | 26-JUN-62 | YD1 | | | |
| L | | MIL-O-23358(1) | OVENS, HEAVY DUTY REVOLVING TRAY ELECTRICALLY-FIRED AND INDIRECT GAS-FIRED (USE S-O-860) | A | 7310 | YD1 | | 31-JUL-62 | YD1 | | | |
| L | | MIL-C-23396 | CHAIR, STACKING, ALUMINUM FRAME, UPHOLSTERED | A | 7105 | YD1 | | 31-JUL-62 | YD1 | | | |
| L | | MIL-C-23411A | CORROSION PREVENTIVE COMPOUNDS, CLEAR (S/S BY MIL-C-81309) REVIEWER: EA MI SM | A | 8030 | YD1 | | 18-FEB-71 | YD1 | | | |
| L | | MIL-F-23415A | FURNITURE, WOOD, BEDROOM FOR FAMILY QUARTERS USER: GL | A | 7105 | YD1 | | 10-APR-69 | YD1 | | | |
| L | | MIL-B-23418 | BORING AND TURNING MACHINE, VERTICAL, LIGHT DUTY, 36-INCH | A | 3411 | YD1 | | 30-AUG-62 | YD1 | | | |
| L | | MIL-F-23432 | FURNITURE, UPHOLSTERED, LIVING ROOM, FOR FAMILY QUARTERS USER: GL | A | 7105 | YD1 | | 12-SEP-62 | YD1 | | | |
| | | MIL-S-23436A | SPRAYER, EMULSION, CONCRETE CURING, DRUM MOUNTED | A | 3895 | YD1 | | 11-MAY-72 | ME | YD1 | 84 | |
| | | MIL-S-23446B | SPREADER, AGGREGATE, PUSH-TYPE, TRACTOR MOUNTED REVIEWER: CS | A | 3830 | YD1 | | 07-DEC-70 | | YD1 | 84 | |
| L | | MIL-D-23451 | DITCHING MALHINE, CONCRETE PAVING FORM | A | 3805 | YD1 | | 01-OCT-62 | | YD1 | | |
| L | | MIL-F-23458 | FURNITURE, WOOD, LIVING ROOM TABLES, DESKS, AND BOOKCASES USER: GL | A | 7105 | YD1 | | 08-OCT-62 | | YD1 | | |
| | | MIL-M-23462B | MOWER, LAWN, POWER, SELF-PROPELLED, FLAIL ACTION, WALKING TYPE | A | 3750 | 99 | | 22-AUG-69 | ME | YD1 | 99 | |
| L | | MIL-P-23469/38 NOTICE 1 | PIN-RIVET, GROOVED, BRAZIER, TRUSS AND FLUSH HEAD: STRAIGHT SHANK, WIDE GRIP RANGE, MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY AND CARBON STEEL (NO S/S DOCUMENT) | A | 5320 | SH | | 22-DEC-92 | | SH | | |
| | | MIL-T-23475A | TRUCK, TORPEDO HANDLING, GASOLINE-ENGINE-DRIVEN AND DIESEL-ENGINE-DRIVEN, 6 BY 4, COMMERCIAL (USE MIL-C-81175) | A | 2320 | AT | AT | 23-SEP-63 | AT | YD1 | | |
| L | | MIL-C-23510B | CONCRETE MIXING-SPRAYING-SANDBLASTING MACHINE, WET MIX TYPE, GASOLINE-ENGINE-POWERED, TRAILER MOUNTED USER: CS | A | 3895 | YD1 | | 26-AUG-74 | | YD1 | | |
| L | | MIL-G-23515(1) | GREASE, CHASSIS LUBRICANT, AUTOMOTIVE (WITH MOLYBDENUM DISULFIDE) | A | 9150 | YD1 | | 11-JUL-63 | | YD1 | | |
| L | | MIL-P-23529 | PONTOON STRUCTURE, SEGMENTED, CYLINDRICAL (RUSH ROLL) | A | 1945 | YD1 | | 03-DEC-62 | | YD1 | | |
| | | MIL-L-23531(1) | LATHE, ENGINE, TOOLMAKERS, 10 INCH, LIGHT DUTY (USE MIL-L-80007) REVIEWER: YD1 | A | 3416 | SH | | 05-JUN-63 | WC | SH | 84 | |
| L | | MIL-T-23568A(1) | TRUCK, STAKE, AIRFIELD, ELEVATING PLATFORM, 4,000 POUND CAPACITY, TYPE TEP-40 (USE MIL-T-28625) | A | 1740 | YD1 | | 27-JUN-67 | | YD1 | | |
| | | MIL-D-23570A | DISHWASHING MACHINE, COMMERCIAL, (RACKLESS, CONVEYOR) (USE FED SPEC 00-D-1388) USER: CG REVIEWER: 85 EL GS MC MD SA | A | 7320 | YD1 | | 01-OCT-64 | GL | YD1 | 84 | |
| L | | MIL-C-23571A | CONDUIT AND CONDUIT FITTINGS, PLASTIC, RIGID (USE W-C-1094A) | A | 5975 | YD1 | | 08-NOV-68 | | YD1 | | |
| L | | MIL-S-23572 | SERVICING PLATFORMS, TRUCK- AND TRACTOR-MOUNTED (USE MIL-T-45398, 62035 AND 62142) | A | 4940 | YD1 | | 22-JAN-63 | | YD1 | | |
| L | | MIL-T-23576 | TABLE, HOT-FOOD (COMMERCIAL, HEAVY DUTY, ELECTRICALLY HEATED) | A | 7310 | YD1 | | 25-JAN-63 | | YD1 | | |
| | | MIL-I-23578C | INSULATION HOSE, ELECTRICAL & INSULATION HOODS INSULATOR (S/S BY ASTM D1049 & D1050) REVIEWER: 99 GS | A | 5970 | YD1 | | 20-MAY-83 | ER | YD1 | 85 | |
| L | | MIL-K-23579 | KETTLE, HEATING, BITUMEN, TRAILER-MOUNTED, 80-GALLON CAPACITY | A | 3895 | YD1 | | 28-JAN-63 | | YD1 | | |
| L | | MIL-H-23580A | HIGHWAY FLARE KIT (USE RR-R-1185) | A | 6260 | YD1 | | 24-AUG-66 | | YD1 | | |
| L | | MIL-T-23585 | TERMINAL BOX, MARINE, TELEPHONE | A | 5940 | YD1 | | 01-FEB-63 | | YD1 | | |
| L | | MIL-C-23602 NOTICE 2 | CABLE REEL MARK 1 MOD 1 (FOR FIRE CONTROL SYSTEM MARK 101) (NO S/S DOCUMENT) | A | 1290 | OS | | 31-MAR-93 | | OS | | |
| L | | MIL-R-23606 | RESPIRATOR, AIR FILTERING, DUST, MIST, AND METALLIC FUME DISPERSOIDS NOT SIGNIFICANTLY MORE TOXIC THAN LEAD (USE GGG-M-125) | A | 4240 | YD1 | | 05-MAR-63 | | YD1 | | |
| L | | MIL-D-23607B | DISCONNECT SWITCHES, AIR, OUTDOOR (7.2 KV TO 34.5 KV) | A | 5930 | YD1 | | 22-MAY-85 | | YD1 | | |
| L | | MIL-G-23608C | GENERATOR SET, UNINTERRUPTIBLE POWER, COUPLED INERTIA SYSTEM, ALTERNATING CURRENT, SHORE USE, 10 KW THROUGH 200 KW REVIEWER: GS | A | 6115 | YD1 | | 07-AUG-68 | | YD1 | | |
| | | MIL-C-23609A | CUT OFF MACHINE, BAND, HORIZONTAL, 1 AND 2 HP (USE MIL-S-23847B) USER: CG MC SM REVIEWER: GS YD1 | A | 3405 | IP | | 05-NOV-70 | WC | SH | 84 | |
| | | MIL-S-23610 | SAW, VERTICAL BAND, METAL, MEDIUM DUTY (S/S BY MIL-S-139088) USER: CG REVIEWER: 85 | A | 3419 | YD1 | | 18-MAR-63 | WC | YD1 | 84 | |
| L | | MIL-V-23611 | VALVE, BALL | A | 4820 | YD1 | | 19-MAR-63 | | YD1 | | |
| L | | MIL-P-23613C | PILES, WOOD, PRESSURE TREATED, MARINE, DOUGLAS FIR & SOUTHERN PINE (S/S BY ASTM D25 W/AWPA C1, C3, & AWPB MP1, MP2 & MP4 REVIEWER: CS | A | 5510 | YD1 | | 27-SEP-85 | | YD1 | | |
| L | | MIL-S-23620A | SWEEPER, LAWN, VACUUM TYPE, SELF-PROPELLED, 36-INCH PATH USER: GL REVIEWER: CS | A | 3750 | YD1 | | 22-JUN-64 | | YD1 | | |
| L | | MIL-G-23621B NOTICE 1 | GUARD, SPLASH, WHEEL (S/S BY A-A-52402) USER: MC REVIEWER: SS | A | 2540 | AT | | 10-JUL-92 | AT | | | |
| L | | MIL-B-23674 | BUILDING KIT, PREFABRICATED, STEEL, (FOR INCREASING HEIGHT OF 40 BY 100 FOOT RIGID FRAME BUILDING) | A | 5410 | YD1 | | 15-APR-63 | | YD1 | | |
| L | | MIL-T-23682(1) | TRANSFORMER, POWER, ISOLATION REVIEWER: ES MI YD1 | A | 5950 | AS | | 04-JUN-64 | | AS | | |
| L | | MIL-B-23691 | BUILDING ADDITION, PREFABRICATED, READY-CUT, METAL, FOR 40 BY 100 FOOT RIGID FRAME BUILDING | A | 5410 | YD1 | | 18-APR-63 | | YD1 | | |
| | | MIL-P-23694E NOTICE 1 | PAN, FRYING AND BRAISING, ELECTRIC TILTING TYPE (S/S BY ASTM-F1047) USER: CE REVIEWER: 84 GS MC MD MS SA | A | 7310 | YD1 | | 02-OCT-91 | GL | YD1 | 99 | |
| L | | MIL-P-23748A | TANK, FUEL STORAGE, 10,000&GALLON CAPACITY (WHEEL&MOUNTED) | A | 5430 | YD1 | | 08-DEC-69 | | YD1 | | |
| L | | MIL-C-23749 | CONDUITS, VITRIFIED CLAY | A | 5975 | YD1 | | 29-MAY-63 | | YD1 | | |
| | | MIL-S-23769C | SEALS, SECURITY (S/S BY FF-S-2738) USER: 99 MC ME SH REVIEWER: DS IS SA | A | 5340 | YD1 | | 26-JUN-90 | AR | YD1 | | |
| L | | MIL-T-23770 | TRAILERS, TILTING PLATFORM, COMMERCIAL (S/S BY MIL-T-46738) | A | 2330 | YD1 | | 24-JUN-63 | | YD1 | | |
| L | | MIL-R-23785 | REEL, SUBMARINE TELEPHONE CABLE REVIEWER: GS | A | 5995 | YD1 | | 02-JUL-63 | | YD1 | | |
| | | MIL-T-23787B | TRUCK, BULK FOOD SERVICE, HEATED (ELECTRICALLY), TABLE TYPE USER: 03 REVIEWER: GS MC MD MS SA | A | 7310 | GL | | 31-DEC-70 | GL | YD1 | 99 | |
| L | | MIL-D-23838 | DECKHOUSE FOUNDATION, PONTOON BARGE GATE VESSEL | A | 5410 | YD1 | | 23-AUG-63 | | YD1 | | |
| | | MIL-S-23847B(1) | SAW, BAND, CUT OFF, HORIZONTAL, MANUAL AND AUTOMATIC (USE MIL-S-45814) USER: MC REVIEWER: GS YD1 | A | 3405 | IP | | 19-MAR-74 | AL | SH | 99 | |
| L | | MIL-B-23867 | BOILER, STEAM, HIGH-PRESSURE PACKAGED TYPE (FOR FLOATING DRYDOCKS) | A | 4410 | YD1 | | 12-SEP-63 | | YD1 | | |
| L | | MIL-S-23868C | SWEEPER, ROTARY, SELF PROPELLED INDUSTRIAL, HEAVY DUTY, DED (USE FED SPEC 00-S-8700) | A | 3825 | YD1 | | 28-MAY-70 | | YD1 | | |
| | | MIL-C-23877C | CRANES, HYDRAULIC, WHEEL MOUNTED, 4 X 4, 4-WHEEL STEER (S/S BY MIL-C-81175) REVIEWER: 84 MC MR | A | 3810 | YD1 | | 05-NOV-84 | | YD1 | 99 | |
| L | | MIL-R-23897 | REEL, AMPHIBIOUS FUELING HOSE | A | 2040 | YD1 | | 24-OCT-63 | | YD1 | | |

| Action | GPL / QML Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-G-23898 | GENERATOR SET, DIESEL ENGINE, 10KW 125 VOLTS, DIRECT CURRENT (SEE MIL-STD-633) REVIEWER: GS | A | 6115 | YD1 | | 24-OCT-63 | | YD1 | | |
| | | MIL-T-23907D NOTICE 1 | TOWING AND DISCHARGE ASSEMBLIES, AMPHIBIOUS FUEL LINE (NO S/S DOCUMENT) REVIEWER: AT CS | A | 3835 | YD1 | | 10-APR-92 | ME | YD1 | | |
| | | MIL-M-23908(1) | MILLING MACHINE, VERTICAL, KNEE TYPE, HEAVY DUTY (USE MIL-M-80051, MIL-M-80058 AND MIL-M-80059) USER: MC REVIEWER: 85 YD1 | A | 3417 | IP | | 01-APR-65 | MC | SH | 84 | |
| | | MIL-T-23916B | TOWER, SIGNAL, PORTABLE, STEEL, SECTIONALIZED USER: MC | A | 5445 | YD1 | | 11-DEC-78 | | YD1 | 99 | |
| L | | MIL-O-23936 | OVEN, BAKING AND ROASTING, DECK, OVEN, BAKING, DECK, ELECTRIC AND GAS-FIRED (USE MIL-F-82039) | A | 7310 | YD1 | | 18-NOV-63 | | YD1 | | |
| | | MIL-R-23954D(1) NOTICE 1 | REFUSE CONTAINERS, HOISTING UNIT: TILT-OVER, FOR FRONT LOADING COMPACTION TYPE TRUCKS (S/S BY DD-R-2741) REVIEWER: GS | A | 3990 | YD1 | | 21-SEP-92 | ME | YD1 | | |
| L | | MIL-I-23972C | INSULATOR ASSEMBLIES, RACK, SECONDARY (S/S BY ANSI-C136.7-1987) REVIEWER: GS | A | 5970 | YD1 | | 23-MAY-90 | | YD1 | | |
| | | MIL-B-23990C NOTICE 1 | BLOCKS, TACKLE, WIRE ROPE, EXTRA HEAVY DUTY (NO S/S DOCUMENT) USER: MC REVIEWER: 84 IS SH | A | 3940 | YD1 | | 05-JUL-91 | ME | YD1 | 99 | |
| | | MIL-T-23993B | TRUCK, HAND, TWO-WHEELED, DRUM HANDLING USER: MC REVIEWER: GS | A | 3920 | YD1 | | 17-APR-70 | ME | YD1 | 84 | |
| L | | MIL-B-23997A | BOILER, HIGH TEMPERATURE WATER GENERATORS, PACKAGED TYPE (ABOVE 5,000,000 BTU/H INPUT CAPACITY) REVIEWER: CS | A | 4520 | YD1 | | 10-SEP-86 | | YD1 | | |
| | | MIL-B-24001A | BROILER, ELECTRIC AND GAS REVIEWER: 03 GS MD MS | A | 7310 | YD1 | | 12-DEC-66 | GL | YD1 | 99 | |
| L | | MIL-R-24006 | RODS, GROUND, COPPER-CLAD STEEL, GALVANIZED STEEL, AND COPPER (USE W-R-550) | A | 5975 | YD1 | | 16-JAN-64 | | YD1 | | |
| L | | MIL-B-24009 | BRUSHCUTTER, SICKLEBAR, SELF-PROPELLED | A | 3895 | YD1 | | 21-JAN-64 | | YD1 | | |
| | | MIL-S-24019C | SNOWPLOW, TRUCK MOUNTING, ONE WAY, 8 FOOT CLEARING SWATH (FOR 27,000 POUND G&VW TRUCKS) | A | 3830 | YD1 | | 18-JAN-85 | ME | YD1 | 99 | |
| | | MIL-R-24039C NOTICE 1 | RACK AND CYLINDER FOR MECHANICAL DISHWASHING MACHINE USER: MS REVIEWER: GS MC MD SA | A | 7320 | SH | | 16-MAY-88 | GL | YD1 | 99 | |
| L | | MIL-C-24143 | CHLORINATOR, POTABLE WATER (NAVAL SHIPBOARD USE) USER: YD1 | A | 4610 | SH | | 04-SEP-86 | | SH | | |
| L | | MIL-S-24214A | SHACKLES, STEEL, GENERAL PURPOSE REGULAR AND HIGH STRENGTH (S/S BY RR-C-271) USER: ME REVIEWER: IS YD1 | A | 4030 | SH | | 10-OCT-90 | | SH | | |
| | | MIL-C-24237 | COUPLING, QUICK-DISCONNECT FOR ABRASIVE BLASTING HOSE USER: AS SH | A | 4730 | YD1 | | 03-JUN-66 | MD | YD1 | | |
| | | MIL-S-24273 | STAND, PORTABLE ELECTRIC DRILL, ELECTROMAGNETIC, UNIVERSAL USER: MC YD1 | A | 5130 | SH | | 02-DEC-66 | GL | SH | 99 | |
| L | | MIL-S-24602(1) NOTICE 2 | SUPPRESSORS, VOLTAGE-SURGE; SELENIUM TYPE (NO S/S DOCUMENT) | A | 6130 | SH | | 15-APR-93 | | SH | | |
| | | DOD-C-24676 NOTICE 1 | COPPER-NICKEL ALLOY BAR, ROD AND FORGED SHAPES, HIGH STRENGTH (METRIC) (NO S/S DOCUMENT) REVIEWER: AR EA GL ME | A | FORG | SH | | 09-DEC-92 | MR | SH | 11 | |
| | | DOD-M-24680(1) NOTICE 1 | METRIC MACHINERY/EQUIPMENT GENERAL REQUIREMENTS FOR (NO S/S DOCUMENT) USER: IP REVIEWER: AS AT EC GS ME MI OS SA YD1 | A | MISC | SH | | 17-DEC-90 | | SH | | DH |
| L | | MIL-O-24905B NOTICE 1 | OVERCOAT, MAN'S, REEFER (COAST GUARD) (NO S/S DOCUMENT) REVIEWER: CG | A | 8405 | CT | | 16-JUN-92 | | | | CT |
| L | | MIL-O-24906B NOTICE 1 | OVERCOAT, WOMAN'S, REEFER (COAST GUARD) (NO S/S DOCUMENT) REVIEWER: CG | A | 8410 | CT | | 16-JUN-92 | | | | CT |
| L | | MIL-C-24924 NOTICE 1 | CAP, MAN'S UTILITY (NO S/S DOCUMENT) | A | 8405 | CT | | 01-DEC-92 | | | | CT |
| L | | MIL-S-24928 NOTICE 1 | SHIRT, MAN'S, SHORT SLEEVE, POLYESTER/COTTON (DURABLE PRESS) (NO S/S DOCUMENT) REVIEWER: CG | A | 8405 | CT | | 14-JUL-92 | | | | CT |
| L | | MIL-T-24944 NOTICE 1 | TROUSERS, FLIGHT DECK, CREWMEN'S (NO S/S DOCUMENT) | A | 8415 | CT | | 04-SEP-92 | | | | CT |
| L | | MIL-C-25343 | CERTIFICATION OF PENETRANT INSPECTION PERSONNEL (S/S BY MIL-STD-410) | A | 6850 | 10 | | 03-JUN-55 | | | 10 | |
| QL | | MIL-P-25716D NOTICE 1 | PARACHUTE SYSTEM, HEAVY DUTY, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) REVIEWER: 11 15 | A | NUOR | 79 | | 26-MAR-93 | | | 79 | |
| L | | MIL-B-25820B(1) | BOMB, LOADING PRACTICE BDU-6/E AND BDU-35/E (NO S/S DOCUMENT) REVIEWER: 15 | A | 1105 | 79 | | 31-MAR-93 | | | 79 | |
| L | | MIL-B-25846B(1) NOTICE 2 | BOMB, PRACTICE, PROFILE BDU-8/B (NO S/S DOCUMENT) | A | 1105 | 79 | | 26-MAR-93 | | | 79 | |
| L | | MIL-T-25849A NOTICE 2 | TEST SET, ARMAMENT WIRING SYSTEM, SPECIAL WEAPON AN/GMM-8A (NO S/S DOCUMENT) REVIEWER: 15 | A | 1190 | 79 | | 25-MAR-93 | | | 79 | |
| L | | MIL-C-26007C(2) NOTICE 2 | CHAMBER, DECOMPRESSION, ALTITUDE TRAINING, 20 MAN (NO S/S DOCUMENT) REVIEWER: 03 11 | A | 6930 | 70 | | 24-FEB-93 | | | 70 | |
| | | MIL-T-26038A | TAILGATE, HYDRAULIC LIFTING, VEHICULAR USER: MC REVIEWER: AT | A | 3830 | 84 | | 11-FEB-65 | | YD1 | 99 | |
| L | | MIL-D-26085 | DRAWINGS AND DATA LISTS, AIR FORCE&CONTRACTORS AFCON, ASSEMBLY TYPE GROUND SUPPORT EQUIPMENT, PREPARATION OF REVIEWER: 80 CT | A | 8315 | 11 | | 28-JAN-61 | | | 10 | |
| | | MIL-B-26241B(1) | BOX, DEMOUNTABLE, ASSEMBLED WITH FASTENERS OTHER THAN NAILS AND SCREWS USER: 70 79 EL MD YD1 REVIEWER: 10 84 ME SH WC | A | 8115 | 69 | | 25-JUN-68 | GL | AS | 69 | |
| | | MIL-L-26311B(1) | LIGHTING SYSTEM, AIRPORT APPROACH, CONDENSER DISCHARGE SEQUENCE FLASHING, GENERAL REQUIREMENTS FOR (NO S/S DOCUMENT) REVIEWER: GS YD1 | A | 6210 | AS | | 13-JAN-89 | | AS | 99 | |
| | | MIL-N-26511C | NUTRUNNERS AND SCREWDRIVERS, PNEUMATIC POWERED, TORQUE CONTROLLED, PRECISION ACCURACY, GENERAL SPECIFICATION FOR (USE GGG-N-1907) REVIEWER: AV GL WC | A | 5130 | 99 | | 29-JUN-73 | | YD1 | 99 | |
| | | MIL-N-26511/1 | NUTRUNNER AND SCREWDRIVER, PISTOL GRIP, STRAIGHT HEAD, TYPE I USER: SH REVIEWER: AS AV GL WC | A | 5130 | 99 | | 29-JUN-73 | | YD1 | 99 | |
| | | MIL-N-26511/2 | NUTRUNNER AND SCREWDRIVERS, STRAIGHT HANDLE, STRAIGHT HEAD, TYPE II USER: SH | A | 5130 | 99 | | 29-JUN-73 | | YD1 | 99 | |
| | | MIL-N-26511/3 | NUTRUNNER AND SCREWDRIVER, PISTOL GRIP, STRAIGHT HEAD, TYPE III USER: SH REVIEWER: AS AV GL WC | A | 5130 | 99 | | 29-JUN-73 | | YD1 | 99 | |
| L | | MIL-L-26598A(4) NOTICE 1 | LANTERN, ELECTRIC, LEU-2/E (NO S/S DOCUMENT) | A | 6230 | 82 | | 07-AUG-92 | | | 99 | |
| | | MIL-F-26615C NOTICE 2 | FIXING BATH, CONVENTIONAL PHOTOGRAPHIC, ACID HARDENING (NO S/S DOCUMENT) REVIEWER: GS | A | 6750 | 70 | | 24-FEB-93 | ER | AS | 99 | |
| Q | | MIL-R-26627D(1) | REGULATOR, AIRPORT LIGHTING RGU-3/F, RGU-4/F, RGU-5/F, AND RGU-11/F REVIEWER: GS YD1 | A | 6110 | 99 | | 09-JAN-69 | | AS | 99 | |
| | | MIL-P-26692(1) | PLASTIC TUBE AND TUBING, POLYETHLENE REVIEWER: AR GL MD MI SH YD1 | A | 9330 | MR | | 09-JAN-61 | MR | AS | 11 | |
| L | | MIL-D-26715D(1) | DISCRIPTIVE IDENTIFICATION DATA TO BE FURNISHED BY GOVERNMENT SUPPLIERS REVIEWER: 79 | A | MISC | 10 | | 10-DEC-64 | | | 10 | |
| L | | MIL-S-26799(1) | SUPPLY TEST SUPPORT TABLE, PREPARATION OF | A | MISC | 16 | | 06-JUN-56 | | | 16 | |
| L | | MIL-M-26881A(1) | METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, AIRCRAFT FUEL, 600 GPM (USE MIL-M-28519) REVIEWER: GS | A | 6680 | 82 | | 06-FEB-62 | | YD1 | 99 | |
| L | | MIL-B-26994E NOTICE 1 | BALANCER, VEHICLE WHEEL, ON-VEHICLE TYPE (NO S/S DOCUMENT) USER: AT | A | 4910 | AL | | 31-MAR-93 | AL | | | |
| L | | MIL-C-27001A NOTICE 2 | CRADLE, BOMB HANDLING MHU-19/E (NO S/S DOCUMENT) | A | 1190 | 79 | | 26-MAR-93 | | | 79 | |
| L | | MIL-C-27016A(2) NOTICE 2 | CONTROL-MONITOR DCU-9/A (NO S/S DOCUMENT) REVIEWER: 15 | A | 1190 | 79 | | 31-MAR-93 | | | 79 | |
| L | | MIL-A-27042A(1) NOTICE 2 | ADAPTER, TEST MX-3413/GMM-4 (NO S/S DOCUMENT) REVIEWER: 15 | A | 1190 | 79 | | 31-MAR-93 | | | 79 | |
| L | | MIL-D-27043A(1) NOTICE 2 | DUMMY WARHEAD, BOMB MDU-9/E (NO S/S DOCUMENT) REVIEWER: 15 | A | 1115 | 79 | | 31-MAR-93 | | | 79 | |
| L | | MIL-B-27044C(1) NOTICE 2 | BOMB, PRACTICE BDU-12/B (NO S/S DOCUMENT) REVIEWER: 15 | A | 1105 | 79 | | 31-MAR-93 | | | 79 | |
| L | | MIL-B-27049(1) NOTICE 2 | BOMB, LOADING PRACTICE BDU-15/E BOMB, LOADING PRACTICE BDU-16/E (NO S/S DOCUMENT) REVIEWER: 15 | A | 1105 | 79 | | 31-MAR-93 | | | 79 | |
| L | | MIL-C-27072/90 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IV, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | | 10-MAR-93 | | | 85 | |
| L | | MIL-C-27072/91 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IV, STYLE 4, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | | 10-MAR-93 | | | 85 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-C-27072/93 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE I, STYLE 1, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/96 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE I, STYLE 6, 1 CONDUCTOR(S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/99 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE II, STYLE 1, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/101 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE II, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/103 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IX, STYLE 1, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/104 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IV, STYLE 1, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/105 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IV, STYLE 6, 1 CONDUCTOR, (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/106 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE V, STYLE 5, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/107 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE II, STYLE 6, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/109 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE V, STYLE 6, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/112 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IX, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/114 NOTICE 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE I, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/120 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IX, STYLE 6, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/122 NOTICE 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE V, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/125 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE V, STYLE 1, 1 CONDUCTOR, SILVERED SHIELD (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/126 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IV, STYLE 5 TAPE, 1 CO NDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| L | MIL-C-27072/127 NOTICE 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE V, STYLE 5 TAPE, 1 CON DUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES IS | A | 6145 | 85 | 10-MAR-93 | | 85 | | |
| | MIL-M-27386D NOTICE 1 | MANIFOLD ASSEMBLIES, HOSE-LINE: FUELING: 4-INCH, QUICK-COUPLING TYPE (NO S/S DOCUMENT) USER: CE MC YD1 REVIEWER: CS | A | 4730 | ME | 09-APR-92 | ME | | 99 | |
| | MIL-H-27508B(2) | HOSE ASSEMBLY, RUBBER GRK-6/E32R-1 (MIL-H-26521) REVIEWER: AR AV CS ME .... | A | 4720 | 99 | 03-JUL-78 | | YD1 | 99 | |
| L | MIL-O-27525(2) | OVERCOAT, SURVIVAL, ARCTIC SRU-6/P (NO S/S DOCUMENT) USER: 45 REVIEWER: 11 | A | 8415 | CT | 22-APR-91 | | | 82 | CT |
| L | MIL-T-27557(2) NOTICE 1 | TRAILER, DUMMY BOMB MHU-47/E (NO S/S DOCUMENT) REVIEWER: 15 ..... | A | 1190 | 79 | 31-MAR-93 | | | 79 | |
| L | MIL-D-27559(1) NOTICE 2 | DUMMY WARHEAD, MISSILE MDU-8/A (NO S/S DOCUMENT) REVIEWER: 15 ..... | A | 1115 | 79 | 31-MAR-93 | | | 79 | |
| L | MIL-M-27579E NOTICE 1 | MANUALS, TECHNICAL: AIRCREW, NUCLEAR WEAPON (BOMB) DELIVERY, MULTIMODE, PREPARATION OF (S/S BY MIL-M-38384) REVIEWER: 01 10 | A | TMSS | 16 | 01-APR-93 | | | 16 | |
| | MIL-S-27624B | SWITCH, TOGGLE, EXPLOSION PROOF (USE UL 20 &UL 894) USER: MC REVIEWER: 85 ES | A | 5930 | YD1 | 05-FEB-82 | AT | YD1 | 11 | |
| L | MIL-W-27657B(1) | WEBBING, TEXTILE, WOVEN NYLON, FOR DECELERATION (S/S BY AMS 3718) USER: 45 REVIEWER: 99 | A | 8305 | CT | 03-JUN-88 | | | 11 | CT |
| QL | MIL-G-27693A(3) NOTICE 1 | GYROSCOPE, DISPLACEMENT SBU-6/A, ROLL AND PITCH (NO S/S DOCUMENT) ..... | A | 6615 | AV | 16-JUL-92 | AV | | | |
| L | MIL-I-27709A(4) NOTICE 1 | INDICATOR, ALTITUDE, ARU-14/A, REMOTE (NO S/S DOCUMENT) ..... | A | 6610 | 71 | 10-MAR-93 | | | 99 | |
| L | MIL-P-28500 | PUMPS, CENTTRIFUGAL, GASOLINE-ENGINE-DRIVEN, SELF-PRIMING, LIGHTWEIGHT (S/S BY MIL-P-17861C) | A | 4320 | YD1 | 27-FEB-67 | | YD1 | | |
| L | MIL-W-28502A | WELDING KIT, OXY-ACETYLENE, POWDER WELD, METAL OVERLAY REVIEWER: GS ..... | A | 3433 | YD1 | 21-MAY-84 | | YD1 | | |
| L | MIL-D-28503 | DEGREASER, ULTRASONIC, WITH VAPOR RINSE ..... | A | 4940 | YD1 | 03-OCT-67 | | YD1 | | |
| L | MIL-P-28504 | PREFLUSHING MACHINE (FOR 55-GALLON DRUMS) ..... | A | 4940 | YD1 | 05-OCT-67 | | YD1 | | |
| L | MIL-F-28505 | FLUSH, RINSE, AND STEAMING MACHINE (FOR 55-GALLON DRUMS) ..... | A | 4940 | YD1 | 06-OCT-67 | | YD1 | | |
| L | MIL-S-28506 | SIPHON UNIT (FOR 55-GALLON DRUMS) ..... | A | 4940 | YD1 | 09-OCT-67 | | YD1 | | |
| L | MIL-C-28507 | CHAINER, AUTOMATIC FEED (FOR 55-GALLON DRUMS) ..... | A | 4940 | YD1 | 09-OCT-67 | | YD1 | | |
| L | MIL-S-28508 | STRIPPER-BUFFING MACHINE, AUTOMATIC (FOR 55-GALLON DRUMS) ..... | A | 4940 | YD1 | 10-OCT-67 | | YD1 | | |
| L | MIL-C-28509 | CHIME RESEALER, AUTOMATIC (FOR 55-GALLON DRUMS) ..... | A | 4940 | YD1 | 11-OCT-67 | | YD1 | | |
| L | MIL-L-28510 | LEAK DETECTOR (FOR 55-GALLON DRUMS) ..... | A | 4940 | YD1 | 13-OCT-67 | | YD1 | | |
| L | MIL-P-28511 | PREHEATER, PAINT SPRAY BOOTH (FOR 55-GALLON DRUMS) ..... | A | 4940 | YD1 | 16-OCT-67 | | YD1 | | |
| L | MIL-B-28512 | BOOTH, SPRAYING, PAINT (FOR 55-GALLON DRUMS) ..... | A | 4940 | YD1 | 16-OCT-67 | | YD1 | | |
| L | MIL-V-28513 | VALVE, TANK FILLING, AUTOMATIC (FOR TANKS, FABRIC, COLLAPSIBLE) ..... | A | 4820 | YD1 | 08-NOV-67 | | YD1 | | |
| L | MIL-B-28514A | BOOTH, SPRAYING, PAINT (WITH EXHAUST SYSTEM) (NO S/S DOCUMENT) REVIEWER: CS MI | A | 4940 | YD1 | 11-NOV-88 | | YD1 | | |
| | MIL-C-28515B NOTICE 1 | COFFEE MAKERS, PERCOLATOR: ELECTRIC (S/S BY A-A-50496 AND A-A-50354) USER: CE CG GS MC REVIEWER: 84 MD MS SA | A | 7310 | YD1 | 31-OCT-91 | GL | YD1 | 99 | |
| L | MIL-S-28516A | SHEARING MACHINE, METAL SLITTING, ROTARY, (POWER AND HAND OPERATED) REVIEWER: GS | A | 3445 | YD1 | 05-MAY-83 | | YD1 | | |
| L | MIL-F-28518 | FLUSH AND STEAM RINSE MACHINE (FOR 5-GALLON CANS) ..... | A | 4940 | YD1 | 05-MAR-68 | | YD1 | | |
| L | MIL-M-28519A NOTICE 1 | METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, AIRCRAFT FUEL, 600 GPM (S/S BY GG-M-2742) | A | 6680 | YD1 | 30-SEP-91 | | YD1 | | |
| L | MIL-S-28521 | SAW, CUTOFF, WOODWORKING REVIEWER: GS ..... | A | 3220 | YD1 | 28-JUN-68 | | YD1 | | |
| L | MIL-C-28522A | COUPLING ADAPTER, QUICK DISCONNECT (S/S BY MIL-C-27487) ..... | A | 4730 | YD1 | 08-DEC-78 | | YD1 | | |
| L | MIL-B-28524 | BUFFING MACHINE (FLOOR MOUNTED, ELECTRIC) ..... | A | 4940 | YD1 | 28-OCT-68 | | YD1 | | |
| L | MIL-T-28525(1) | TRAILER, VAN, MOBILE BASE RECOVERY TRAINER ..... | A | 2330 | YD1 | 28-JUN-67 | | YD1 | | |
| L | MIL-S-28526A | SPRAYER, INSECTICIDE: TRAILER-MOUNTED, GASOLINE-ENGINE-DRIVEN, 10 GPM CAPACITY (S/S BY MIL-S-82068C) USER: MC REVIEWER: CS | A | 3740 | YD1 | 15-FEB-85 | | YD1 | | |
| | MIL-C-28527D NOTICE 1 | CENTRAL MIX PLANT, CONCRETE, MOBILE, 150 CUBIC YARDS PER HOUR CAPACITY (S/S BY DD-C-2817) | A | 3895 | YD1 | 07-APR-93 | ME | YD1 | | |
| L | MIL-C-28529A | CRANE, WHEEL MOUNTED, HYDRAULIC OPERATED, DED, WITH PUSHER PLATE ..... | A | 1730 | YD1 | 28-MAR-73 | | YD1 | | |
| L | MIL-C-28530B | CRANE, TRACTOR TOWED, LANDING CRAFT RETRIEVER (NO S/S DOCUMENT) ..... | A | 3920 | YD1 | 08-DEC-88 | | YD1 | | |
| L | MIL-D-28531C NOTICE 1 | DISTRIBUTORS, WATER, TANK TYPE: TRUCK MOUNTED, FRONT AND REAR SPRAYBARS, COMMERCIAL (S/S BY KKK-D-2778) | A | 3825 | YD1 | 23-MAR-92 | | YD1 | | |
| L | MIL-T-28533D | TRUCKS,TIRE SERVICING , 10,000 POUNDS GROSS VEHICLE WEIGHT, 4 BY 2AND 4 X 4 REVIEWER: GS | A | 6115 | YD1 | 19-AUG-88 | | YD1 | | |
| L | MIL-G-28534(2) | GENERATOR SET, DIESEL ENGINE, SKID MOUNTED OR TRAILER MOUNTED, ALTERNATING CURRENT, 15KW THROUGH 100KW (USE MIL-STD-633) REVIEWER: GS | A | 6115 | YD1 | 09-DEC-69 | | YD1 | | |
| | MIL-K-28535A(1) | KETTLE, HEATING, BITUMEN, RUBBERIZED JOINT SEALER, DOUBLE JACKETED, TRAILER MOUNTED (S/S BY MIL-K-4877) | A | 3895 | YD1 | 29-OCT-74 | | YD1 | 99 | |
| L | MIL-S-28537 | SEMITRAILER, TANK, AIRCRAFT REFUELER, 5,000-GALLON CAPACITY, GASOLINE AND JET FUEL | A | 1740 | YD1 | 27-JUL-67 | | YD1 | | |
| L | MIL-H-28538B NOTICE 1 | HOISTS, WIRE ROPE OR CHAIN, AIR MOTOR POWERED WITH TROLLEY (S/S BY ASME-HST-5M AND ASTM-HST-6) | A | 3950 | YD1 | 01-DEC-89 | | YD1 | | |
| L | MIL-D-28539B | DISTRIBUTOR, WATER, TANK TYPE, TACTICAL TRUCK MOUNTED, 2,000-GALLON CAPACITY (S/S BY MIL-D-8253J) | A | 3825 | YD1 | 26-APR-85 | | YD1 | | |
| L | MIL-S-28540A | SCRUBBING MACHINE, PAVEMENT, TRACTOR MOUNTED ..... | A | 3825 | YD1 | 28-MAR-73 | | YD1 | | |
| L | MIL-G-28541 | GENERATOR SET, GASOLINE ENGINE, SKID MOUNTED OR TRAILER MOUNTED, ALTERNATING CURRENT, 5 KW (USE MIL-STD-633) REVIEWER: GS | A | 6115 | YD1 | 10-OCT-67 | | YD1 | | |
| L | MIL-G-28542(1) | GENERATOR SET, GASOLINE ENGINE, SKID MOUNTED OR TRAILER MOUNTED, ALTERNATING CURRENT, 10KW AND 15KW (SEE MIL-STD-633) REVIEWER: GS | A | 6115 | YD1 | 30-DEC-69 | | YD1 | | |

| Action | Obsl / Canc / Inactive | Coordination | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | | MIL-B-28543A | BUILDING, PREFABRICATED, READY-CUT, METAL, RIGID FRAME, HANGAR, 160-FOOT WIDTH BY 110-FOOT DEPTH | A | 5410 | | YD1 | 13-JAN-84 | | YD1 | | |
| L | | | MIL-T-28544 | TRUCK, TANK, PORTABLE WATER, 2,200 GALLON CAPACITY, 34,500 POUND GVW (S/S BY MIL-T-45341J) | A | 2320 | | YD1 | 02-NOV-67 | | YD1 | | |
| L | | | MIL-T-28545 | TRUCK, PANEL, ELECTRONICS INSTRUMENTATION TESTING | A | 2320 | | YD1 | 09-FEB-68 | | YD1 | | |
| L | | | MIL-C-28546A(2) NOTICE 1 | CRANE, OVERHEAD TRAVELING, UNDERHUNG, ELECTRIC POWERED (NO S/S DOCUMENT) | A | 3950 | | YD1 | 28-FEB-91 | | YD1 | | |
| L | | | MIL-W-28547B NOTICE 3 | WINCHES, DRUM, HAND-OPERATED, SAFETY TYPE, FOR PONTOON BARGES (S/S BY OD-W-2803) REVIEWER: CS | A | 3950 | | YD1 | 23-NOV-92 | | YD1 | | |
| L | | | MIL-T-28548 | TRAILER, VAN, PREVENTIVE DENTISTRY UNIT | A | 2330 | | YD1 | 18-JUL-68 | | YD1 | | |
| L | | | MIL-T-28549 | TRUCK, TANK, SEWAGE COLLECTION, WITH SLUDGE PUMP | A | 2320 | | YD1 | 04-OCT-68 | | YD1 | | |
| L | | | MIL-T-28551 | TRACTOR, WHEELED, INDUSTRIAL, 4 X 4, DED, WITH HYDRAULIC SCRAPER CONTROLS (FOR USE WITH 14 CU YD HYDRAULIC SCRAPER) | A | 2420 | | YD1 | 13-DEC-68 | | YD1 | | |
| L | | | MIL-C-28552A | CURING MACHINE, CONCRETE, WHEEL MOUNTED, SELF&PROPELLED | A | 3895 | | YD1 | 06-APR-76 | | YD1 | | |
| L | | | MIL-R-28555A | ROLLER, TOWED, VIBRATING | A | 3895 | | YD1 | 10-FEB-76 | | YD1 | | |
| L | | | MIL-S-28556 | SPREADER, LOOSE MATERIAL, DRY CEMENT | A | 3895 | | YD1 | 02-MAY-69 | | YD1 | | |
| | | | MIL-B-28558A | BUILDING, PREFABRICATED, READY-CUT, STEEL, TRUSSLESS ARCH; AIRCRAFT SHELTER, 58 FT DIAMETER BY 80 FT LONG | A | 5410 | | YD1 | 30-JUN-76 | | YD1 | | |
| L | | | MIL-F-28559 | FILTER/SEPARATOR, LIQUID FUEL, 600 GPM CAPACITY, SKID MOUNTED (S/S BY MIL-F-52694B) | A | 4930 | | YD1 | 15-SEP-69 | | YD1 | | |
| L | | | MIL-C-28560 | CLEANER, VACUUM, TRAILER MOUNTED, LEAF COLLECTOR | A | 3825 | | YD1 | 18-NOV-69 | | YD1 | | |
| L | | | MIL-L-28563A | LOADER, SCOOP TYPE, 4-WHEEL DRIVE, ARTICULATED, 4-1/2, 5-1/2, AND 10 CUBIC YARD CAPACITIES, DED (FRONT END LOADERS) (USE KKK-L-1542) | A | 3805 | | YD1 | 19-JUN-70 | | YD1 | | |
| L | | | MIL-C-28564B | CRANES, HYDRAULIC, TRUCK MTD (S/S BY OD-C-2763) USER: MC REVIEWER: CS | A | 3810 | | YD1 | 17-JUN-91 | | YD1 | | |
| L | | | MIL-S-28565A | SMOOTHING IRONS, ASPHALT, SELF-HEATING, IMETHYLACETYLENE-PROPADIENE GAS FIRED USER: GL | A | 5120 | | YD1 | 19-SEP-83 | | YD1 | | |
| L | | | MIL-R-28568B(1) NOTICE 1 | RIG, DRILL, ROTARY AND TOP HEAD TYPE, MUD CIRCULATION (NO S/S DOCUMENT) | A | 3820 | | YD1 | 16-DEC-91 | | YD1 | | |
| L | | | MIL-S-28569 | SUBGRADER, SELF-PROPELLED, AUTOMATIC STEERING, DED | A | 3895 | | YD1 | 13-FEB-70 | | YD1 | | |
| L | | | MIL-F-28570B NOTICE 1 | FUEL SERVICING UNIT, AIRCRAFT, TRAILER MOUNTED, 600 GPM, AIR TRANSPORTABLE (NO S/S DOCUMENT) | A | 4930 | | YD1 | 23-MAY-90 | | YD1 | | |
| L | | | MIL-R-28572A | REEL, FUELING HOSE, AMPHIBIOUS, 6-INCH | A | 2040 | | YD1 | 31-DEC-86 | | YD1 | | |
| L | | | MIL-D-28573 | DISPENSER, INSECTICIDE (DICHLORVOS VAPOR) REVIEWER: CS | A | 3740 | | YD1 | 27-APR-70 | | YD1 | | |
| L | | | MIL-F-28575 | FURNITURE, WOOD, OCCASIONAL TABLES, DESKS, AND BOOKCASES FOR BACHELOR QUARTERS USER: GL | A | 7105 | | YD1 | 29-MAR-68 | | YD1 | | |
| L | | | MIL-P-28579(1) | PLASTIC COMPOUND, EPOXY-POLYAMIDE, MARINE SPLASH ZONE APPLICATION REVIEWER: CS | A | 9330 | | YD1 | 01-FEB-77 | | YD1 | | |
| L | | | MIL-O-28585 | OHMMETER, RESISTANCE TO GROUND TESTING, PORTABLE | A | 6625 | | YD1 | 05-DEC-68 | | YD1 | | |
| L | | | MIL-P-28586 | PUMP, CENTRIFUGAL, ELECTRIC-MOTOR-DRIVEN (FOR DISTILLED AND FRESH WATER) | A | 4320 | | YD1 | 03-JAN-69 | | YD1 | | |
| L | | | MIL-W-28587 | WELDING MACHINE, BAND SAW BLADE, BENCH TYPE REVIEWER: GS | A | 3432 | | YD1 | 20-JAN-69 | | YD1 | | |
| L | | | MIL-H-28588A(1) | HEATER, STEAM- OR HOT-WATER-HEATED (COMPACT OR QUICK RECOVERY TYPE) | A | 4520 | | YD1 | 14-MAR-84 | | YD1 | | |
| L | | | MIL-P-28589 | PUMP, CENTRIFUGAL, PORTABLE, SELF-PRIMING, GASOLINE-ENGINE-DRIVEN (NONCLOGGING, TRASH HANDLING, CONTRACTOR TYPE) (S/S BY MIL-P-17861) | A | 4320 | | YD1 | 18-AUG-69 | | YD1 | | |
| L | | | MIL-L-28590 | LEVELS, SURVEYING, SELF LEVELING (USE MIL-L-52918) REVIEWER: GS | A | 6675 | | YD1 | 16-SEP-69 | | YD1 | | |
| | | | MIL-R-28591 | REFRIGERATOR, MECHANICAL, HOUSEHOLD (COMPACT) (S/S BY AA-R-211G) USER: CE MS REVIEWER: EL MC MD ME | A | 4110 | | YD1 | 18-FEB-70 | GL | YD1 | 82 | |
| L | | | MIL-T-28592 | TEST KIT, DIESEL ENGINE | A | 4910 | | YD1 | 10-JUN-70 | | YD1 | | |
| L | | | MIL-R-28593(1) | REFRIGERATOR, PREFABRICATED, -30 DEG. F. (MINE BATTERY STORAGE) REVIEWER: GS OS | A | 4110 | | YD1 | 02-JUN-71 | | YD1 | | |
| L | | | MIL-P-28595 | PUMP, SUBMERSIBLE, ELECTRIC-MOTOR-DRIVEN (WITH TRAILER AND GENERATOR SET) | A | 4320 | | YD1 | 29-APR-71 | | YD1 | | |
| L | | | MIL-C-28597B(1) NOTICE 1 | CLEANER, WATER BLAST, HIGH PRESSURE, TRAILER-MOUNTED, DED (NO S/S DOCUMENT) REVIEWER: 82 CS | A | 4940 | | YD1 | 30-APR-90 | | YD1 | | |
| | | | MIL-C-28598 | CAP, FLUE, CYLINDRICAL(S/S BY A-A-50464) USER: CE MC REVIEWER: CS ME | A | 4520 | | YD1 | 07-MAY-83 | GL | YD1 | 99 | |
| L | | | MIL-S-28600A(1) | SORBENTS, FLOATING (FOR OIL SPILL REMOVAL) (S/S BY A-A-1280, A-A-1281, AND A-A-1282) REVIEWER: GS | A | 9330 | | YD1 | 22-NOV-89 | | YD1 | | |
| L | | | MIL-P-28601A | PRESS, HYDRAULIC, PORTABLE, 500 TON, GASOLINE ENGINE DRIVEN, WITH DIES FOR SMAGING (USE MIL-P-52554) REVIEWER: GS | A | 3446 | | YD1 | 31-OCT-79 | | YD1 | | |
| | | | MIL-F-28602A(1) | FLASHING, ROOF VENT, ADJUSTABLE USER: CG MC | A | 5670 | | YD1 | 20-MAR-79 | ME | YD1 | 99 | |
| | | | MIL-P-28603B NOTICE 1 | PANS, FRYING AND BRAISING, GAS TILTING TYPE (S/S BY ASTM-F1047) USER: CE REVIEWER: 84 GS MC MD MS SA | A | 7310 | | YD1 | 02-OCT-91 | GL | YD1 | 99 | |
| L | | | MIL-C-28605A | CLEANER, JET SPRAY REVIEWER: CS MS SA | A | 4940 | | YD1 | 24-AUG-87 | | YD1 | | |
| L | | | MIL-D-28606 | DYNAMITE, NITROGLYCERIN, GELATIN | A | 1375 | | YD1 | 31-AUG-72 | | YD1 | | |
| L | | | MIL-P-28607 | PUMP, SUBMERSIBLE | A | 4320 | | YD1 | 18-AUG-72 | | YD1 | | |
| | | | MIL-M-28608 | MENDER, HOSE USER: CG MC | A | 4730 | | YD1 | 18-JAN-73 | ME | YD1 | | |
| L | | | MIL-C-28609A | CLEANER, STEAM, PRESSURE JET (WITH HIGH-PRESSURE, HYDRAULIC WASH REVIEWER: AR | A | 4940 | | YD1 | 24-AUG-84 | | YD1 | | |
| L | | | MIL-S-28610 | SAW, CONCRETE, TANDEM BLADE, 25 FOOT CUT | A | 3895 | | YD1 | 27-AUG-70 | | YD1 | | |
| L | | | MIL-C-28613A(3) NOTICE 1 | CRANES, OVERHEAD TRAVELING, ELECTRIC POWERED, 25-TON CAPACITY OR LESS (NO S/S DOCUMENT) | A | 3950 | | YD1 | 28-FEB-91 | | YD1 | | |
| L | | | MIL-C-28614C NOTICE 1 | CRANES, HYDRAULIC, FULL REVOLVING, WHEEL MOUNTED, 4 BY 4, DED (S/S BY OD-C-2774) | A | 3810 | | YD1 | 22-OCT-91 | | YD1 | | |
| L | | | MIL-T-28615 | TRUCK, MULTISTOP DELIVERY, WINDOW SERVICE, FOOD, FORWARD CONTROL, 4 BY 2 | A | 2320 | | YD1 | 16-APR-71 | | YD1 | | |
| | | | MIL-C-28616 | CRANE, SHOVEL, CRAWLER MOUNTED COMMERCIAL, DED (MIL-C-15467) USER: MC | A | 3810 | | YD1 | 30-APR-71 | | YD1 | 99 | |
| L | | | MIL-B-28617C NOTICE 1 | BOOMS, FLOATING BARRIER, OIL (FOR HARBOR USE) (S/S BY A-B-2787) | A | 1945 | | YD1 | 10-JUL-92 | | YD1 | | |
| L | | | MIL-S-28618B | SCRAPER, EARTHMOVING, 21 CUBIC YARD REVIEWER: CS | A | 3805 | | YD1 | 06-JUL-88 | | YD1 | | |
| L | | | MIL-L-28620 | LAMP, BED, CLAMP ON, FLEXIBLE ARM | A | 6230 | | YD1 | 12-AUG-71 | | YD1 | | |
| L | | | MIL-D-28621B | DRILLING MACHINE, WELL, ROTARY, HELICOPTER TRANSPORTABLE (NO S/S DOCUMENT) | A | 3820 | | YD1 | 08-DEC-88 | | YD1 | | |
| L | | | MIL-C-28622 | CRANE, HYDRAULIC, WHEEL MOUNTED, 4 BY 4, FULL REVOLVING, 45-TON CAPACITY, DED (USE MIL-C-28614) | A | 3810 | | YD1 | 30-SEP-71 | | YD1 | | |
| L | | | MIL-A-28624B NOTICE 1 | AUGER, EARTH, PORTABLE; HAND-HELD TWO-MAN, GASOLINE-ENGINE-DRIVEN (S/S BY OD-A-2775) | A | 3820 | | YD1 | 02-DEC-91 | | YD1 | | |
| L | | | MIL-T-28625B NOTICE 1 | TRUCK, STAKE; AIRCRAFT CARGO LOADER, HYDRAULIC LIFT, 4,000-POUND PAYLOAD (S/S BY MIL-T-62145) | A | 2320 | | YD1 | 08-MAR-90 | | YD1 | | |
| L | | | MIL-D-28626 | DISTRIBUTOR, WATER, TANK TYPE, SEMITRAILER MOUNTED, 8,000 GALLON CAPACITY | A | 3825 | | YD1 | 30-DEC-71 | | YD1 | | |
| L | | | MIL-C-28629 | CRANE, HYDRAULIC, WHEEL MOUNTED, 4 X 4, FULL REVOLVING, (SHIPBOARD AIRCRAFT CRASH SALVAGE) | A | 1730 | | YD1 | 29-FEB-72 | | YD1 | | |
| | | | MIL-G-28630 | GENERATOR SET, DIESEL ENGINE, 500 KW, 50/60 HERTZ, TACTICAL, UTILITY USER: EL REVIEWER: 99 CE GS | A | 6115 | | YD1 | 10-MAY-73 | ME | YD1 | 11 | |
| L | | | MIL-S-28631 | SEMITRAILER, TANK, 5,000 GALLON CAPACITY CORROSIVE LIQUIDS (USE MIL-S-62183) | A | 2330 | | YD1 | 07-APR-72 | | YD1 | | |
| L | | | MIL-S-28632D NOTICE 1 | SCRAPER-TRACTOR: EARTH MOVING, HYDRAULIC OPERATED, 14 CUBIC YARD MINIMUM STRUCK CAPACITY, DED (S/S BY OD-S-2771) | A | 3805 | | YD1 | 14-SEP-92 | | YD1 | | |
| L | | | MIL-T-28634 | TRACTOR, WHEELED, 14 HORSEPOWER | A | 2420 | | YD1 | 25-APR-72 | | YD1 | | |
| | | | MIL-D-28637A | DESK, FLAT TOP WITH BOOKSHELF USER: GL | A | 7105 | | YD1 | 26-JUL-84 | | YD1 | 99 | |
| L | | | MIL-C-28638(1) | CHEST OF DRAWERS, THREE DRAWER USER: GL | A | 7105 | | YD1 | 22-FEB-71 | | YD1 | | |
| L | | | MIL-P-28640 NOTICE 1 | POLYSULFIDE LATEX, WD-6 | A | 8010 | | YD1 | 14-JUL-88 | | YD1 | | |
| L | | | MIL-P-28641 NOTICE 1 | PRIMER COATING, VINYL CHLORIDE-ACETATE COPOLYMER, HIGH-BUILD (FOR STEEL AND MASONRY) (S/S BY MIL-P-24441 AND MIL-C-85285) | A | 8010 | | YD1 | 05-SEP-89 | | YD1 | | |
| L | | | MIL-P-28642 NOTICE 1 | PAINT (TOPCOAT), VINYL CHLORIDE-ACETATE COPOLYMER, HIGH-BUILD (FOR STEEL AND MASONRY) (S/S BY MIL-P-24441 AND MIL-C-85285) | A | 8010 | | YD1 | 05-SEP-89 | | YD1 | | |
| | | | MIL-P-28643(1) | PAINT, LATEX BASE, HIGH PERFORMANCE, INTERIOR, FLAT, WHITE AND TINTS (USE TT-P-002119) | A | 8010 | | YD1 | 29-APR-80 | MR | YD1 | | |

| Action Code / Cancellation Indicator | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Code | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| L | MIL-M-28651A | MANUALS, TECHNICAL: REAL PROPERTY FACILITIES (NO S/S DOCUMENT) ..... | A TMSS YD1 | 16-FEB-89 | YD1 | | | |
| L | MIL-I-28652 | INCINERATOR, PATHOLOGICAL WASTE, GAS FIRED, 250 POUNDS PER HOUR NOMINAL CAPACITY | A 4540 YD1 | 29-NOV-72 | YD1 | | | |
| L | MIL-P-28655B | PUMP, CONCRETE PLACING, 60 CUBIC YARDS PER HOUR MINIMUM OUTPUT CAPACITY, TRAILER MOUNTED, DED (NO S/S DOCUMENT) | A 3895 YD1 | 05-MAR-91 | YD1 | | | |
| L | MIL-H-28656 | HOIST, STRADDLE TRUCK TYPE, SELF-PROPELLED, BOAT HANDLING ..... | A 3950 YD1 | 20-SEP-72 | YD1 | | | |
| L | MIL-P-28659A(2) | PUBLIC ADDRESS SET, SOLID STATE, 100 WATT (USE A-A 50491) ..... | A 5830 YD1 | 29-APR-88 | YD1 | | | |
| | MIL-C-28661A | CABLE, POWER, ELECTRICAL, HIGH VOLTAGE USER: AT AV REVIEWER: AR MI ..... | A 6145 YD1 | 14-SEP-87 | CR | YD1 | 85 | |
| L | MIL-C-28662C NOTICE 1 | CONVEYOR, BELT, PORTABLE, DED, GED, OR EMD (S/S BY DD-C-2804) ..... | A 3910 YD1 | 29-MAR-93 | | YD1 | | |
| L | MIL-R-28664 | REVETMENT KIT, PREFABRICATED MODULAR TYPE, CORRUGATED PANELS, BOLTED (S/S BY MIL-R-28653A) | A 5450 YD1 | 12-AUG-74 | | YD1 | | |
| L | MIL-R-28666D NOTICE 1 | RAFT, WASTE OIL (DONUT) (NO S/S DOCUMENT) ..... | A 1945 YD1 | 10-JUL-92 | | YD1 | | |
| L | MIL-S-28667 | SWITCHGEAR, POWER OUTDOOR TYPE, FUSE & SWITCH METAL ENCLOSED, SKID MOUNTED, 2400/4160 VOLTS, AC ( USE IEEE C 37.20.) REVIEWER: GS | A 6110 YD1 | 27-SEP-73 | | YD1 | | |
| | MIL-G-28668 | GENERATOR SET, DIESEL ENGINE, 1500 KW, 50/60 HERTZ, PRIME, UTILITY REVIEWER: 99 CE GS | A 6115 YD1 | 29-JAN-74 | ME | YD1 | 11 | |
| L | MIL-M-28669A | WASHING AND SCREENING PLANT, AGGREGATE AND SAND, ELECTRIC MOTOR DRIVEN, TRAILER MOUNTED, 300 TONS PER HOUR | A 3820 YD1 | 10-OCT-85 | | YD1 | | |
| | MIL-M-28671 | MIXER, ROTARY TILLER, SELF PROPELLED, WHEEL MOUNTED, SOIL STABILIZATION, DED | A 3895 YD1 | 18-APR-74 | | YD1 | 99 | |
| L | MIL-A-28672B NOTICE 1 | AUGER MACHINES, PIPE AND SEWER CLEANER: GASOLINE-ENGINE-DRIVEN, TRAILER MOUNTED (S/S BY A-A-50501) REVIEWER: CS | A 4940 YD1 | 18-JUN-91 | | YD1 | | |
| L | MIL-C-28676 | COMPRESSOR UNIT, RECIPROCATING HIGH PRESSURE (FOR DIVING APPARATUS) ..... | A 4310 YD1 | 27-JUN-73 | | YD1 | | |
| | MIL-A-28677 | ADAPTER, PNEUMATIC TIRE VALVE, LIQUID ..... | A 2640 YD1 | 10-SEP-73 | | YD1 | | |
| | MIL-S-28678A(1) | STRAINER, STEAM, BRONZE BODY, 250 PSI, SILVER BRAZED SOCKET CONNECTION (USE MIL-F-1183) | A 4730 YD1 | 24-FEB-84 | ME | YD1 | | |
| | MIL-P-28680A | PIPE, DOWNSPOUT, ELBOW, PIPE, EAVETROUGH AND EAVETROUGH FITTINGS USER: CE CG | A 5670 YD1 | 31-JUL-79 | ME | YD1 | 99 | |
| | MIL-C-28754/1 NOTICE 1 | CONNECTOR, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONNECTOR, PLUG, ELECTRICAL, RACK AND PANEL, TYPES I AND II USER: AR MI YD1 REVIEWER: 11 99 AS ES MC OS | A 5935 MW | 13-AUG-71 | CR | MW | 85 | |
| L | MIL-C-28754/1(11) NOTICE 1 | CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONNECTOR, PLUG, ELECTRICAL, RACK AND PANEL, TYPES I AND II (NO S/S DOCUMENT) | A 5935 MW | 30-APR-79 | | MW | | |
| | MIL-C-28754/2A NOTICE 1 | CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, CRIMP BLADE, AND INSULATOR BUSHINGS 0.200 GRID (FOR USE WITH TYPE I CONNECTORS) (NO S/S DOCUMENT) USER: AR MI REVIEWER: 11 99 AS ES MC OS | A 5935 MW | 13-DEC-82 | CR | MW | 85 | |
| L | MIL-C-28754/2A(11) | CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, CRIMP BLADE, AND INSULATOR BUSHINGS 0.200 GRID (FOR USE WITH TYPE I CONNECTORS) (NO S/S DOCUMENT) | A 5935 MW | 30-APR-79 | | MW | | |
| | MIL-C-28754/3A NOTICE 1 | CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, WRAPOST-TUNING FORK, SQUARE WRAPOST, AND INSULATOR BUSHINGS (FOR USE WITH TYPE III CONNECTORS) (NO S/S DOCUMENT) USER: AR MI REVIEWER: 11 99 AS ES MC OS | A 5935 MW | 13-DEC-82 | CR | MW | 85 | |
| L | MIL-C-28754/3A(11) NOTICE 1 | CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, WRAPOST-TUNING FORK, SQUARE WRAPOST, AND INSULATOR BUSHINGS (FOR USE WITH TYPE III CONNECTORS) (NO S/S DOCUMENT) | A 5935 MW | 30-APR-79 | | MW | | |
| | MIL-C-28754/4 NOTICE 1 | CONNECTOR, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS STANDOFF KEY (FOR TYPE III CONNECTORS) 0.200 GRID USER: AR MI REVIEWER: 11 99 AS ES MC OS | A 5935 MW | 13-AUG-71 | CR | MW | 85 | |
| L | MIL-C-28754/4(11) NOTICE 1 | CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS STANDOFF KEY (FOR TYPE III CONNECTORS) 0.200 GRID (NO S/S DOCUMENT) | A 5935 MW | 30-APR-79 | | MW | | |
| | MIL-C-28754/5 NOTICE 1 | CONNECTOR, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, CRIMP-BLADE (FOR USE WITH TYPE II CONNECTORS) USER: AR MI REVIEWER: 11 99 AS ES MC OS | A 5935 MW | 13-AUG-71 | CR | MW | 85 | |
| L | MIL-C-28754/5(11) NOTICE 1 | CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, CRIMP-BLADE (FOR USE WITH TYPE II CONNECTORS (NO S/S DOCUMENT) | A 5935 MW | 30-APR-79 | | MW | | |
| | MIL-C-28754/26A NOTICE 2 | CONNECTORS, ELECTRICAL, MODULAR, EXTRACTOR, MODULE, SINGLE SPAN, STYLES I AND II (NO S/S DOCUMENT) USER: AR AS MI REVIEWER: 11 17 99 ES MC | A 5935 MW | 07-SEP-90 | CR | MW | 85 | |
| | MIL-C-28754/27A NOTICE 2 | CONNECTORS, ELECTRICAL, MODULAR, EXTRACTOR, MODULE, DOUBLE SPAN, STYLE I (NO S/S DOCUMENT) USER: AR AS MI REVIEWER: 11 17 99 ES MC | A 5935 MW | 07-SEP-90 | CR | MW | 85 | |
| | MIL-C-28754/28A NOTICE 2 | CONNECTORS, ELECTRICAL, MODULAR INTERFACE AND COMPONENT PARTS (HOLDER, MODULE EXTRACTOR) (NO S/S DOCUMENT) | A 5935 MW | 07-SEP-90 | CR | MW | 85 | |
| | MIL-C-28754/29B NOTICE 1 | CONNECTOR, ELECTRICAL, MODULAR, CONTACT, TYPE V USER: AR AS MI REVIEWER: 11 17 99 ES MC | A 5935 MW | 30-APR-79 | CR | MW | 85 | |
| | MIL-C-28754/30B NOTICE 1 | CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, 30, 40, AND 60 PIN, ONE PIECE BLOCK USER: AR AS MI REVIEWER: 11 17 99 ES MC | A 5935 MW | 30-APR-79 | CR | MW | 85 | |
| L | MIL-M-28787/13 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM NETWORK, RESISTOR, INDEPENDENT, POWER KEY CODE FPQ | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/15 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FUSE, POWER, KEY CODE PMN ... | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/25 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM RECTIFIER, HIGH CURRENT, POWER, KEY CODE MPJ | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/26 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FUSE, POWER, KEY CODE GPN ... | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/35 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM RESISTOR, POWER, KEY CODE EPL | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/36 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FUSE, POWER, KEY CODE YKT ... | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/37A NOTICE 1 | MODULES, STANDARD ELECTRONIC FUSE, POWER, KEY CODE YKW ..... | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/43 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM POWER SUPPLY, REGULATED, PROGRAMMABLE, KEY CODE GPP | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/50 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM DRIVER, INTERFACE, DIGITAL, KEY CODE QDG | A MISC MW | 28-FEB-77 | | MW | | |
| L | MIL-M-28787/52 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM AMPLIFIER, AUDIO, AMPLIFIER, KEY CODE AEN | A 5963 MW | 06-NOV-73 | | MW | | |
| L | MIL-M-28787/56 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM AMPLIFIER, D.C. ANALOG, KEY CODE JAD | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/63 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM DETECTOR, VOLTAGE, THRESHOLD, POWER, KEY CODE QPG | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/107 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM DRIVER, AUTIO OUTPUT, ANALOG, KEY CODE GPJ | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/108 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM DETECTOR, VOLTAGE LEVELS, ANALOG, KEY CODE PMF | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/131A NOTICE 1 | MODULE, STANDARD ELECTRONIC TRANSFORMER, OUTPUT, POWER, KEY CODE RPM ..... | A 5963 MW | 28-JUL-81 | | MW | | |
| L | MIL-M-28787/134A NOTICE 1 | MODULE, STANDARD ELECTRONIC NETWORK, MISCELLANEOUS, POWER, KEY CODE QPK ... | A 5963 MW | 11-APR-83 | | MW | | |

| Action | OPR / QMA Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-M-28787/138 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM TRANSFORMER, CALIBRATION, ANALOG, KEY CODE VTY | A | 5963 | MM | | 29-JUL-74 | | MM | | |
| L | | MIL-M-28787/139A NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM TRANSFORMER, SIGNAL, ANALOG, KEY CODE RTR | A | 5963 | MM | | 11-APR-83 | | MM | | |
| L | | MIL-M-28787/148 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM INVERTER, DIGITAL, KEY CODE RDR | A | 5963 | MM | | 13-MAY-74 | | MM | | |
| L | | MIL-M-28787/149 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FLIP&FLOP, J&K, DIGITAL, KEY CODE SDY | A | 5963 | MM | | 13-MAY-74 | | MM | | |
| L | | MIL-M-28787/151 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM GATE, NAND, EXPANDABLE, DIGITAL, KEY CODE ZDZ | A | 5963 | MM | | 13-JUN-74 | | MM | | |
| L | | MIL-M-28787/165 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM COUNTER, UP/DOWN, BCD, PRESETTABLE, DIGITAL, KEY CODE ABD | A | 5963 | MM | | 01-MAR-74 | | MM | | |
| L | | MIL-M-28787/195A NOTICE 1 | MODULES, STANDARD ELECTRONIC CONVERTER, RMS TO DC, ANALOG, KEY CODE FLC ... | A | 5963 | MM | | 20-APR-84 | | MM | | |
| L | | MIL-M-28787/217 NOTICE 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM REGULATOR, SERIES, ANALOG, KEY CODE MPK | A | 5963 | MM | | 13-MAY-74 | | MM | | |
| L | | MIL-C-28876/16 | CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, PIN TERMINUS (FUTUE AQUISITIONS-REFER TO MIL-T-29504/1) USER: OS YD1 REVIEWER: MC SH | A | 6060 | EC | | 26-AUG-87 | | EC | | |
| L | | MIL-C-28876/17 | CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, SOCKET TERMINUS (FUTURE AQUISITION-REFER TO MIL-T-29504/2) USER: OS YD1 REVIEWER: MC SH | A | 6060 | EC | | 26-AUG-87 | | EC | | |
| L | | MIL-C-28876/18 | CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, DUMMY TERMINUS (FUTURE AQUISITIONS-REFER TO MIL-T-29504/3 USER: OS YD1 REVIEWER: MC | A | 6060 | EC | | 26-AUG-87 | | EC | | |
| L | | MIL-C-28876/19 | CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, INSPECTION TOOL (REFER TO MIL-I-81969/46) USER: OS YD1 REVIEWER: MC SH | A | 5120 | EC | | 03-FEB-87 | | EC | | |
| L | | MIL-C-28876/20 | CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, REMOVAL TOOL (REFER TO MIL-I-81969/47) USER: OS YD1 REVIEWER: MC SH | A | 5120 | EC | | 03-FEB-87 | | EC | | |
| L | | MIL-C-28876/22 | CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, FIXTURE ASSEMBLY, POLISHING TOOL (S/S BYMIL-T-83523/6) USER: OS YD1 REVIEWER: MC SH | A | 5120 | EC | | 09-JAN-86 | | EC | | |
| L | | MIL-C-28876/23 | CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, INSTALLATION TOOL,RETAINING BAND (S/S BYMIL-T-83523/5) USER: OS YD1 REVIEWER: MC SH | A | 5120 | EC | | 09-JAN-86 | | EC | | |
| L | | MIL-C-28876/24 | CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, ADAPTER KIT TORQUEWRENCH, BACKSHELL STRAIN RELIEF (S/S BY MIL-T-83523/7) USER: OS YD1 REVIEWER: MC SH | A | 5120 | EC | | 09-JAN-86 | | EC | | |
| L | | MIL-C-28876/25 | CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, WRENCH SPANNER, STRAIN RELIEF AND NON-STRAIN RELIEF (S/S BY MIL-T-83523/8 USER: OS YD1 REVIEWER: MC SH | A | 5120 | EC | | 09-JAN-86 | | EC | | |
| | | MIL-R-28894 SUPPL 1C1, NOTICE 1 | RELAYS, HYBRID OR SOLID STATE, SENSORS, ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | EC | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/1(1) NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), VERTICAL MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | EC | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/2(1) NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED),-HORIZONTAL MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | EC | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/3(1) NOTICE 1 | RELAY, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), INVERTED MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | EC | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/4(1) NOTICE 1 | RELAY, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), HORIZONTAL MOUNT WITH CONNECTOR TERMINATION (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | EC | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/5(1) NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 3PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), VERTICAL MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | EC | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/6(1) NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 3PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), HORIZONTAL MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | EC | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/7(1) NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 3PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), INVERTED MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | 85 | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/8 NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE II, CLASS B, (HYBRID DC VOLTAGE SENSOR), 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | 85 | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/9 NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE II, CLASS B, (HYBRID DC VOLTAGE SENSOR), 4PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | 85 | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/10 NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE III (AC UNDERVOLTAGE SENSOR), CLASS B, 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | 85 | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/11 NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE III (AC UNDERVOLTAGE SENSOR), CLASS B, 4PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | 85 | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/12 NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE III (AC OVERVOLTAGE SENSOR), CLASS B, 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AS OS SH | A | 5945 | 85 | | 08-APR-93 | ER | EC | 85 | |
| | | MIL-R-28894/13 NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE III (AC OVERVOLTAGE SENSOR), CLASS B, 4PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | 85 | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/14(1) NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE IV (UNDER/OVER FREQUENCY SENSOR), CLASS B, 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | 85 | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/15(1) NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE IV (UNDER/OVER FREQUENCY SENSOR), CLASS B, 4PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | 85 | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/16 NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE V (AC PHASE SEQUENCE SENSOR), CLASS B, 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | EC | | 08-MAR-93 | ER | EC | 85 | |
| | | MIL-R-28894/17 NOTICE 1 | RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE V (AC PHASE SEQUENCE SENSOR), CLASS B, 4PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | 85 | | 08-APR-93 | ER | EC | 85 | |
| | | MIL-R-28894/18 NOTICE 1 | RELAYS, SOLID STATE, SENSORS, ESTABLISHED RELIABILITY, TYPE II (DC UNDERVOLTAGE SENSORS), CLASS C, SPST (NO), HERMETICALLY SEALED (POTTED), PLUG-IN TERMINALS (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | EC | | 08-APR-93 | ER | EC | 85 | |
| | | MIL-R-28894/19 NOTICE 1 | RELAY, SOLID STATE, SENSORS, ESTABLISHED RELIABILITY, TYPE II (DC VOLTAGE SENSOR), CLASS C, SPST (NO), 250 MILLIAMPERES, HERMETICALLY SEALED (POTTED), PLUG-IN TERMINALS (NO S/S DOCUMENT) REVIEWER: AV OS SH | A | 5945 | EC | | 08-MAR-93 | ER | EC | 85 | |
| L | | MIL-S-289398 | SCRAPER, TRACTOR, EARTH MOVING, WHEEL-MOUNTED, DIESEL ENGINE DRIVEN, SELF PROPELLED, HYDRAULIC OPERATED, 15 TO 16 CUBIC YARD CAPACITY REVIEWER: YD1 | A | 3805 | MC | | 18-JAN-72 | | MC | | |
| L | | MIL-C-29148 NOTICE 1 | CLOTH, DOUBLE - PLAIN WEAVE, COTTON, WHITE (NO S/S DOCUMENT) ..... | A | 8305 | CT | | 21-JAN-92 | | MU | | CT |
| L | | MIL-L-29151(1) | LOCK AND LOCK SETS, EXTERIOR, ORDNANCE, HIGH SECURITY REVIEWER: SH ..... | A | 5340 | YD1 | | 30-NOV-87 | | YD1 | | |
| L | | MIL-C-29153A | COMPACTOR, SANITARY LANDFILL, SELF-PROPELLED, COMMERCIAL (NO S/S DOCUMENT) | A | 3895 | YD1 | | 30-APR-90 | | YD1 | | |
| | | MIL-B-29154 | BUILDINGS, PORTABLE, SKID MOUNTED (SHOWERS AND TOILETS COMBINATION) REVIEWER: CE | A | 5410 | YD1 | | 24-SEP-76 | ME | YD1 | | |

| Action | DPL / QML / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-O-29155(1) | OIL SPILL RETRIEVAL SYSTEM, SMALL, INNER HARBOR | A | 1945 | | YD1 | 01-OCT-87 | | YD1 | | |
| L | | MIL-S-29156 | SPRAYER MULCHER, SLURRY SPRAYING, SKID MOUNTED, 1,000 TO 1,300 GALLON | A | 3710 | | YD1 | 12-NOV-75 | | YD1 | | |
| L | | MIL-M-29160A | MIXING PLANT, ASPHALT, BATCH TYPE, PORTABLE, ELECTRIC-MOTOR-DRIVEN, 50 TON PER HOUR CAPACITY (NO S/S DOCUMENT) | A | 3895 | | YD1 | 31-AUG-88 | | YD1 | | |
| L | | MIL-L-29162 | LOADER, SCOOP TYPE, FOUR-WHEEL HYDROSTATIC DRIVE, SKID STEER, 1-1/8 CU YD MIN CAPACITY, DED | A | 3805 | | YD1 | 01-APR-76 | | YD1 | | |
| L | | MIL-M-29164A | MATTRESS, BED, INNERSPRING (COMMERCIAL) (USE V-M-96) USER: 45 | A | 7210 | | YD1 | 22-MAY-78 | | YD1 | | |
| L | | MIL-B-29165A | BUILDINGS, PREFABRICATED, PANELIZED: WOOD, ONE-ROOM, ARCTIC CLIMATE (NO S/S DOCUMENT) | A | 5410 | | YD1 | 28-OCT-88 | | YD1 | | |
| L | | MIL-F-29166A | FIRE ALARM SYSTEM, LOCAL, ELECTRIC SUPERVISED NONCODED TYPE | A | 6350 | | YD1 | 16-NOV-87 | | YD1 | | |
| L | | MIL-S-29167 | STARTING-BATTERY CHARGING UNIT, GASOLINE ENGINE, 12 AND 24 VOLTS, DIRECT CURRENT | A | 6115 | | YD1 | 10-DEC-76 | | YD1 | | |
| L | | MIL-C-29168A | CLEANING SYSTEM, PRESSURE, WATER (FOR OIL CONTAINMENT BOOMS) | A | 4940 | | YD1 | 26-SEP-86 | | YD1 | | |
| | | MIL-C-29169A | CONDUIT, AND CONDUIT FITTINGS, METAL, RIGID, POLYVINYL CHLORIDE (PVC) COATED USER: MC ME REVIEWER: GS | A | 5975 | | YD1 | 12-MAY-88 | ER | YD1 | 85 | |
| L | | MIL-D-29173 | DOCUMENTATION, TECHNICAL, CIVIL ENGINEERING EQUIPMENT | A | TMSS | | YD1 | 15-JUL-77 | | YD1 | | |
| | | MIL-S-29174B<br>NOTICE 1 | SWEEPER, MAGNETIC, ROAD, WHEEL MOUNTED, TOWED, PERMANENT MAGNET, 96 INCH (S/S BY OO-S-2797) USER: MC REVIEWER: 84 CS | A | 3830 | | YD1 | 13-NOV-92 | | YD1 | 99 | |
| | | MIL-S-29175 | SWITCH, THERMOSTATIC, LOW VOLTAGE, NON-(SETBACK/SETUP),TEMPERATURELIMITING: HEATING, COOLING, AND HEATING-COOLING) | A | 5930 | | YD1 | 11-APR-86 | CE | YD1 | | |
| | | MIL-F-29177A<br>NOTICE 1 | FILTER, AIR-EXTENDED AREA, INITIAL INSTALLATION (S/S BY F-F-2790 USER: ME REVIEWER: GS | A | 4130 | | YD1 | 17-JAN-91 | | YD1 | 99 | |
| L | | MIL-T-29178A | TRACTOR, WHEELED, LAWNAND GARDEN TYPE | A | 2420 | | YD1 | 12-MAY-88 | | YD1 | | |
| L | | MIL-H-29181/1 | HASP, HIGH SECURITY, SHROUDED MK 2 MOD 9 USING HIGH AND MEDIUM SECURITY PADLOCK STYLE 1 (S/S BY MIL-H-29181) | A | 5340 | | YD1 | 08-APR-88 | | YD1 | | |
| L | | MIL-H-29181/2 | HASP, HIGH SECURITY, SHROUDED MK 2 MOD 9 USING HIGH SECURITY PADLOCK STYLE 2 (S/S BY MIL-H-29181) | A | 5340 | | YD1 | 08-APR-88 | | YD1 | | |
| L | | MIL-P-29183/10 | PANELBOARD, POWER DISTRIBUTION PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1: 208/120 VOLT, 10 KILOWATTS WITHOUT MAIN BREAKER, WITH FEED THROUGH CONNECTOR (NO S/S DOCUMENT) REVIEWER: MS | A | 6110 | | YD1 | 16-JUN-89 | | YD1 | | |
| L | | MIL-P-29183/11 | PANELBOARDS, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 3: 208Y/120 VOLT, 30 KILOWATT (NO S/S DOCUMENT) | A | 6110 | | YD1 | 16-JUN-89 | | YD1 | | |
| L | | MIL-P-29183/12B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 200 KILOWATTS (NO S/S DOCUMENT) | A | 6110 | | YD1 | 16-JUN-89 | | YD1 | | |
| L | | MIL-P-29183/13 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 5: 208Y/120 VOLT, 100 KILOWATT (200 KILOWATTS WITH PARALLEL INPUTS) (NO S/S DOCUMENT) | A | 6110 | | YD1 | 16-JUN-89 | | YD1 | | |
| L | | MIL-P-29183/14 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 6: 208Y/120 VOLT, 100 KILOWATT (200 KILOWATTS WITH PARALLEL INPUTS) (NO S/S DOCUMENT) | A | 6110 | | YD1 | 16-JUN-89 | | YD1 | | |
| L | | MIL-B-29186(1)<br>NOTICE 1 | BARRIER SYSTEM: FLOATING, OIL AND DEBRIS CONTAINMENT (FOR PERMANENT INSTALLATION) (S/S BY A-B-2787) | A | 1945 | | YD1 | 17-JUL-92 | | YD1 | | |
| L | | MIL-T-29187B<br>NOTICE 1 | TRUCK, FIREFIGHTING: 100 FOOT REAR MOUNT AERIAL LADDER 6 BY 4, DIESEL-ENGINE-DRIVEN (NO S/S DOCUMENT) | A | 4210 | | YD1 | 12-NOV-92 | | YD1 | | |
| L | | MIL-T-29188A | TRACTOR, WHEELED, 16 HORSEPOWER, HYDROSTATIC DRIVE (NO S/S DOCUMENT) | A | 2420 | | YD1 | 12-MAY-88 | | YD1 | | |
| | | MIL-A-29189 | AERATOR, MECHANICAL (SEWAGE TREATMENT) | A | 4630 | | YD1 | 08-NOV-78 | | YD1 | | |
| | | MIL-V-29193 | VALVE, FLUSH (FLUSHOMETER), WATER CLOSET, URINAL, AND SERVICE SINK (S/S BY ASSE 1037) REVIEWER: CS | A | 4510 | | YD1 | 08-AUG-91 | ME | YD1 | 99 | |
| L | | MIL-C-29195A<br>NOTICE 1 | CLEANER, VACUUM, SELF-PROPELLED, 4 X 2 HIGH SPEED, RUNWAY SWEEPING (S/S BY OO-S-2796) | A | 3825 | | YD1 | 22-FEB-93 | | YD1 | | |
| L | | MIL-M-29198A<br>NOTICE 1 | MONITOR, CARBON MONOXIDE, CONTINUOUS AND ALARM (FOR BREATHING AIR SYSTEMS) (NO S/S DOCUMENT) USER: OS REVIEWER: AS MS SH | A | 6665 | | YD1 | 29-JUN-92 | | YD1 | | |
| L | | MIL-W-29199 | WATER PRESSURE SYSTEMS, TANKLESS TYPE, CONSTANT PRESSURE AUTOMATICALLY CONTROLLED SKID MOUNTED, EMD | A | 4320 | | YD1 | 22-NOV-85 | | YD1 | | |
| L | | MIL-D-29200 | DIFFUSED AIR, COMPONENTS (SEWAGE TREATMENT) | A | 4630 | | YD1 | 02-APR-80 | | YD1 | | |
| L | | MIL-S-29201A<br>NOTICE 1 | SWEEPER, STREET VACUUM, SELF PROPELLED, DED, 4 CUBIC YARD EFFECTIVE MINIMUM CAPACITY (S/S BY OO-S-2762) | A | 3825 | | YD1 | 10-DEC-92 | | YD1 | | |
| L | | MIL-T-29207 | TELEVISION INSPECTION & PIPE SEAL SYSTEM, SANITARY & STORM SEWERS, TRUCK MOUNTED | A | 4630 | | YD1 | 16-OCT-87 | | YD1 | | |
| L | | MIL-H-29209<br>NOTICE 1 | HEATER, WATER, POTABLE LIQUID FUEL COMMERCIAL (OIL FIRED STORAGE TYPE OVER 200,000 BTU/H INPUT) | A | 4410 | | YD1 | 14-OCT-87 | | YD1 | | |
| L | | MIL-T-29211A<br>NOTICE 1 | TRUCK, MAINTENANCE: POWER LINE INSULATOR WASHER, 34,000 POUNDS GVW, DED OR GED, 4 BY 2 (NO S/S DOCUMENT) | A | 2320 | | YD1 | 22-JAN-91 | | YD1 | | |
| L | | MIL-H-29214 | HYDRAULIC JACK SYSTEM, ELEVATED CAUSEWAY; HYDRAULIC COMPONENTS AND SHELTER PROVISIONS (NO S/S DOCUMENT) | A | 1945 | | YD1 | 28-OCT-88 | | YD1 | | |
| L | | MIL-S-29215A<br>NOTICE 1 | SEMITRAILER, BULK CEMENT HAULER, COMMERCIAL (NO S/S DOCUMENT) | A | 2330 | | YD1 | 29-NOV-91 | | YD1 | | |
| L | | MIL-S-29217A<br>NOTICE 1 | SEMITRAILER, BOTTOM DUMP, 18 CUBIC YARD MINIMUM CAPACITY (S/S BY KKK-S-2806) | A | 2330 | | YD1 | 16-OCT-92 | | YD1 | | |
| L | | MIL-T-29220 | TRAILER, SEMITRACTOR, END DUMP, 22 CUBIC YARD CAPACITY, DED REVIEWER: CS | A | 3805 | | YD1 | 06-JUL-88 | | YD1 | | |
| | | MIL-D-29225 | DRIVE, POWER, PORTABLE: FOR PIPE AND BOLT THREADING, ELECTRIC (WITH ACCESSORIES) (S/S BY GGG-D-2782) USER: MC REVIEWER: 84 GS | A | 3450 | | YD1 | 11-JUN-91 | | YD1 | 99 | |
| L | | MIL-R-29230 | RAILROAD TIE INSERTER AND EXTRACTOR, WHEEL MOUNTED, SELF-PROPELLED, DIESEL-ENGINE-DRIVEN (NO S/S DOCUMENT) | A | 2230 | | YD1 | 08-MAR-90 | | YD1 | | |
| L | | MIL-P-29232<br>NOTICE 1 | PROPELLING UNIT, OUTBOARD, DED (NO S/S DOCUMENT) | A | 2010 | | YD1 | 15-OCT-91 | | YD1 | | |
| L | | MIL-T-29235 | TRACTOR, WHEELED, WITH TELESCOPIC BOOM MOUNTED MOWER, DED (NO S/S DOCUMENT) | A | 2420 | | YD1 | 15-OCT-90 | | YD1 | | |
| | | MIL-E-29236 | EXPLOSIVES: BLASTING AGENT, SLURRY, WITH BOOSTERS, MILITARY CONSTRUCTION (NO S/S DOCUMENT) USER: MC REVIEWER: OS | A | 1375 | | YD1 | 18-DEC-90 | CE | YD1 | 99 | |
| L | | MIL-T-29237 | TRUCK, FIREFIGHTING: PUMPER TANKER, 3,500 GALLON WATER CAPACITY DIESEL ENGINE DRIVE, 76,000 POUNDS GVW 6 BY 6 (NO S/S DOCUMENT) | A | 4210 | | YD1 | 23-MAY-90 | | YD1 | | |
| L | | MIL-P-29238<br>NOTICE 1 | PUMP UNIT, WATER CIRCULATION, ELECTRIC MOTOR DRIVEN SKID BASED MOUNTED (NO S/S DOCUMENT) | A | 4320 | | YD1 | 08-MAR-90 | | YD1 | | |
| L | | MIL-E-29239A<br>NOTICE 1 | EXCAVATORS, CRAWLER MOUNTED, COMMERCIAL, DED, HYDRAULICALLY OPERATED (S/S BY OO-E-2772) | A | 3805 | | YD1 | 22-MAY-92 | | YD1 | | |
| L | | MIL-E-29245<br>NOTICE 1 | EPOXY RESIN SYSTEMS FOR CONCRETE REPAIR (S/S BY ASTM-C881) | A | 5610 | | YD1 | 11-JAN-90 | | YD1 | | |
| L | | MIL-T-29246<br>NOTICE 1 | TRUCK, AIRCRAFT LUBRICATING OIL DISPENSING UNIT 200 GALLON, SELF-CONTAINED, SKID MOUNTED, 4 BY 2 (NO S/S DOCUMENT) | A | 2320 | | YD1 | 18-MAR-91 | | YD1 | | |
| L | | MIL-A-29247<br>NOTICE 1 | AUGER, EARTH, TRUCK-MOUNTED, 4 BY 4, DIESEL ENGINE DRIVEN, 28,000 LB MINIMUM GVW, WITH POLE SETTER AND WIRE REEL (S/S BY KKK-A-2809) | A | 3820 | | YD1 | 23-APR-93 | | YD1 | | |
| | | MIL-E-29249<br>NOTICE 1 | EXCAVATOR, MULTIPURPOSE, WHEEL-UNDERCARRIAGE, DIESEL-ENGINE-DRIVEN (S/S BY KKK-E-2810) REVIEWER: 84 | A | 3805 | | YD1 | 08-MAR-93 | AT | YD1 | 99 | |
| | | MIL-C-35041B<br>NOTICE 2 | CHOCOLATE FLAVORED SIRUP: BEVERAGE, AND TOPPING (COLD) (NO S/S DOCUMENT) REVIEWER: 03 MC MD MS SS | A | 8925 | GL | 14-SEP-92 | GL | SA | 45 | | |
| | | MIL-S-35056B<br>NOTICE 1 | SOUP, INSTANT, CREAM OF POTATO AND CREAM OF ONION (NO S/S DOCUMENT) REVIEWER: MC MD SS | A | 8935 | GL | 24-JUN-92 | GL | SA | 45 | | |
| | | MIL-C-35088C<br>NOTICE 1 | CHEESE, MOZZARELLA AND PROVOLONE, NATURAL (NO S/S DOCUMENT) REVIEWER: MC MD MS SS | A | 8910 | GL | 11-MAR-93 | GL | SA | 50 | | |
| | | MIL-H-38006<br>NOTICE 1 | HYPODERMIC INJECTION TUBE, MORPHINE (NO S/S DOCUMENT) | A | 6505 | MB | 01-APR-93 | MD | MS | 03 | | |
| | | MIL-P-38034<br>NOTICE 1 | PAD, POLISHING, OPHTHALMIC LENS, ROUND, 4 INCH, 100S (NO S/S DOCUMENT) | A | 6540 | MB | 05-JAN-93 | MD | MS | 03 | | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-F-360538 | FORCEPS, SUTURE CLIP, APPLYING AND REMOVING, MICHEL, 11-18 MM | A | 6515 | MB | | 15-MAY-93 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-36057A | SCISSORS, GENERAL SURGICAL, MAYO (S/S BY A-A-54842) | A | 6515 | MB | | 30-APR-93 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-36061A | SCISSORS, BANDAGE, ANGULAR, LISTER (S/S BY A-A-54513) | A | 6515 | MB | | 03-JUL-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-360668 | CHLOROQUINE AND PRIMAQUINE PHOSPHATES TABLETS (NO S/S DOCUMENT) | A | 6505 | MB | | 17-JUL-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-B-36076 | BAG, SOILED CLOTHES, SELF-CLOSING, ROPELESS (NO S/S DOCUMENT) | A | 8465 | MB | | 22-JAN-93 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-B-00360768 | BAG, SOILED CLOTHES, SELF-CLOSING, ROPELESS (NO S/S DOCUMENT) REVIEWER: CT | A | 8465 | MB | | 22-JAN-93 | | | | |
| | | | MIL-N-361248 | NEEDLES, HYPODERMIC, DISPOSABLE (S/S BY A-A-54733) | A | 6515 | MB | | 25-MAR-93 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-N-36129 | NEBULIZER, MEDICINAL, PLASTIC (NO S/S DOCUMENT) | A | 6515 | MB | | 15-DEC-92 | | | | |
| | | | NOTICE 2 | | | | | | | | | | |
| L | | | MIL-S-36132 | SPLINT ATTACHMENT, LEG, PEARSON (NO S/S DOCUMENT) | A | 6515 | MB | | 05-FEB-93 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-T-36145A | TUBE, ENDOTRACHEAL, MAGILL (NO S/S DOCUMENT) | A | 6515 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-T-36153A | TEST TUBE, HEMATOCRIT DETERMINATION, WINTROBE, DISPOSABLE (S/S BY A-A-54725) | A | 6640 | MB | | 18-SEP-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-R-36171C | RESTRAINT SET, WRIST AND ANKLE (S/S BY A-A-54461) | A | 6530 | MB | | 17-AUG-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-T-36184A | TUNING FORK SET (S/S BY A-A-54862) | A | 6515 | MB | | 15-MAY-93 | MD | MS | 03 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MIL-L-36189 | LIGHT, SURGICAL, BRACKET, PORTABLE, BATTERY OPERATED (NO S/S DOCUMENT) | A | 6530 | MB | | 17-AUG-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-N-362148 | NEEDLES, HYPODERMIC, SPINAL ANESTHESIA, DISPOSABLE (NO S/S DOCUMENT) | A | 6515 | MB | | 25-MAR-93 | MD | MS | 03 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MIL-I-36246 | INDICATOR, CLINICAL CHART HOLDER, METAL, 12S (S/S BY A-A-54861) | A | 6530 | MB | | 30-APR-93 | MD | MS | 03 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MIL-I-36307C | INFUSION SET, SCALP VEIN, DISPOSABLE TYPE (NO S/S DOCUMENT) | A | 6515 | MB | | 12-FEB-93 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-O-36312 | OBJECT DISKS, MICROTOME (NO S/S DOCUMENT) | A | 6640 | MB | | 02-NOV-92 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-N-36319A(1) | NEEDLES, HYPODERMIC, CARTRIDGE TYPE, DISPOSABLE (S/S BY A-A-54664) | A | 6515 | MB | | 18-DEC-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-D-36342D | DETECTOR KIT, WATER, AUTOMOTIVE AND AVIATION FUELS, CAPSULE INDICATOR (NO S/S DOCUMENT) | A | 6640 | MB | | 15-JUN-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-T-36347 | TEST BRIDGE (S/S BY A-A-54774) | A | 6630 | MB | | 05-FEB-93 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-T-0036347A(11) | TEST BRIDGE (S/S BY A-A-54774) | A | 6630 | MB | | 05-FEB-93 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-T-36349A | THERMOMETER, SELF-INDICATING, BIMETALLIC, DIAL, 8-1/2 INCH (S/S BY A-A-54699) | A | 6685 | MB | | 27-JUL-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-C-36350 | CISTERN (NO S/S DOCUMENT) | A | 6640 | MB | | 07-AUG-92 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-B-36361 | BURET, OXYGEN (NO S/S DOCUMENT) | A | 6640 | MB | | 04-SEP-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-36362 | STETHOSCOPE, DELEE HILLIS (NO S/S DOCUMENT) | A | 6515 | MB | | 09-MAR-93 | MD | MS | 03 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MIL-W-36369A | WIRE FABRIC (S/S BY A-A-54726) | A | 5335 | MB | | 16-NOV-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-36373 | CABINET, CASSETTE TRANSFER, WALL MOUNTED (NO S/S DOCUMENT) USER: YD1 | A | 6525 | MB | | 30-SEP-88 | MD | MS | 03 | |
| | | | MIL-M-363768 | HOLDERS, MICROPOROUS FILTERING DISK (NO S/S DOCUMENT) | A | 6640 | MB | | 04-SEP-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-T-36381 | TUBE, CAPILLARY, BLOOD SAMPLE, GLASS, 0.8 MM INSIDE DIAMETER, 90 MM LONG (NO S/S DOCUMENT) | A | 6640 | MB | | 19-OCT-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-V-36402 | VISCOSIMETER TUBE, UNIVERSAL (S/S BY A-A-54806) | A | 6630 | MB | | 22-FEB-93 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-C-36404 | CORROSION TEST STRIP, COPPER, 3 BY 1/2 INCH (S/S BY A-A-54723) | A | 6640 | MB | | 02-NOV-92 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-B-364088 | BOX, PATHOLOGICAL SPECIMEN SHIPPING, INSULATED, PLASTIC (S/S BY A-A-54674) | A | 8115 | MB | | 27-JUL-92 | MD | MS | 03 | |
| | | | MIL-C-36417 | CELLS, SALINITY INDICATOR (NO S/S DOCUMENT) | A | 6630 | MB | | 18-SEP-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-T-36424 | TANK, STORAGE DISTILLING (NO S/S DOCUMENT) | A | 6640 | MB | | 27-JUL-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-364568 | SCISSORS, ORAL SURGICAL (S/S BY A-A-54817) | A | 6520 | MB | | 15-APR-93 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-V-36457 | VACUUM PUMP, ROTARY, POWER DRIVEN, SMALL (S/S BY A-A-54712) | A | 4310 | MB | | 18-SEP-92 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-S-36471 | DISK, COLOR STANDARDS, ANTI-ICING ADDITIVE (S/S BY A-A-54727) | A | 6630 | MB | | 09-NOV-92 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-R-36482 | RUBBER TYPE SET, ALPHABETICAL (NO S/S DOCUMENT) | A | 7520 | MB | | 08-JAN-93 | MD | MS | 03 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MIL-S-36500A | STERILIZER, SURGICAL INSTRUMENT AND DRESSING, PRESSURE, EXTERNALLY HEATED (S/S BY A-A-54735) | A | 6530 | MB | | 05-FEB-93 | MD | MS | 03 | |
| | | | NOTICE 3 | | | | | | | | | | |
| | | | MIL-B-36502 | BOTTLE, STOPPER, PLASTIC, ROUND (NO S/S DOCUMENT) | A | 6530 | MB | | 27-JUL-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-36508 | SUTURE CLIP KIT, AUTOMATIC (S/S BY A-A-54854) | A | 6515 | MB | | 30-APR-93 | MD | MS | 03 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MIL-T-0036527 | THERMOMETER, SELF INDICATING, LIQUID IN GLASS, FILM PROCESSING (NO S/S DOCUMENT) | A | 6515 | MB | | 30-JAN-93 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-36532 | SYRINGE, CARTRIDGE, THUMB REST HANDLE (S/S BY A-A-51990) | A | 6515 | MB | | 09-NOV-92 | MD | MS | 03 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MIL-N-36546 | NEEDLES, HYPODERMIC, SPINAL PUNCTURE (S/S/ BY A-A-54808) | A | 6515 | MB | | 02-APR-93 | MD | MS | 03 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MIL-R-36557C | REGULATOR, PRESSURE, MEDICAL GAS ADMINISTRATION APPARATUS (NO S/S DOCUMENT) | A | 6680 | MB | | 19-JUN-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-P-36577A | PLUGGER, AMALGAM, DENTAL (MARKLEY) (S/S BY A-A-54686) | A | 6520 | MB | | 20-JUL-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-C-36584 | COATING PLASTIC, DENTURE MODEL (NO S/S DOCUMENT) | A | 6520 | MB | | 05-JAN-93 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-S-36588A | STETHOSCOPE, COMBINATION TYPE, LIGHTWEIGHT (S/S BY A-A-54772) | A | 6515 | MB | | 26-FEB-93 | MD | MS | 03 | |
| | | | NOTICE 2 | | | | | | | | | | |
| L | | | MIL-B-0036603 | BLOCK, EMBEDDING, PLASTIC, THREE SECTION (NO S/S DOCUMENT) | A | 6640 | MB | | 15-JUN-92 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-E-36607(1) | EXTRACTOR-IMPACTOR-DRIVER, HIP BONE NAIL, JEWETT (NO S/S DOCUMENT) | A | 6515 | MB | | 05-MAR-93 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| L | | | MIL-C-36611 | CUVETTE, SPECTROPHOTOMETER (NO S/S DOCUMENT) | A | 6640 | MB | | 07-AUG-92 | | | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-T-36612(2) | TUBE, STOMACH, SURGICAL, PLASTIC RADIOPAQUE, LEVIN (S/S BY A-A-51961) | A | 6515 | MB | | 09-NOV-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MIL-D-36622 | DISH, BIOLOGICAL PREPARATION (STENDER DESIGN) (S/S BY A-A-54751) | A | 6640 | MB | | 02-NOV-92 | MD | MS | 03 | |
| | | | NOTICE 1 | | | | | | | | | | |

| Action Qtr. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | MIL-P-36637B NOTICE 1 | PIPETTING MACHINE, SEMI-AUTOMATIC (S/S BY A-A-54738) | A 6640 | MB | 02-NOV-92 | MD | MS | 03 | |
| | MIL-S-36663 NOTICE 1 | SYRINGE, ANTERIOR CHAMBER IRRIGATING, GLASS NOZZLE (NO S/S DOCUMENT) | A 6515 | MB | 09-MAR-93 | MD | MS | 03 | |
| | MIL-N-36667 NOTICE 2 | NOZZLE, AUTOMATIC, JET HYPODERMIC INJECTION APPARATUS (NO S/S DOCUMENT) | A 6515 | MB | 30-JAN-93 | MD | MS | 03 | |
| | MIL-C-36676(1) NOTICE 2 | CUTTER, BONE PIN, 18 INCH (S/S BY A-A-54800) | A 6515 | MB | 30-APR-93 | MD | MS | 03 | |
| | MIL-G-36683 NOTICE 1 | GAGE, FRUIT AND VEGETABLE SIZING (S/S BY A-A-54720) | A 6695 | MB | 07-AUG-92 | MD | MS | 03 | |
| | MIL-T-36692B NOTICE 1 | TUBE, DUODENAL, SURGICAL, RADIOPAQUE, CANTOR, 16 FR. (NO S/S DOCUMENT) | A 6515 | MB | 30-SEP-92 | MD | MS | 03 | |
| | MIL-S-36703(2) NOTICE 2 | SAW, BONE CUTTING, AUTOPSY, STRYKER, 110 VOLT, AC-DC (S/S BY A-A-54841) | A 6515 | MB | 30-APR-93 | MD | MS | 03 | |
| | MIL-P-36709 NOTICE 1 | PAPER, GLASSINE, WEIGHING (S/S BY A-A-54763) | A 8135 | MB | 06-JAN-93 | MD | MS | 03 | |
| | MIL-A-36718 NOTICE 1 | ADAPTER, UNIVERSAL, ENDOTRACHEAL ANESTHESIA SET, 15MM. (NO S/S DOCUMENT) | A 6515 | MB | 25-MAY-93 | MD | MS | 03 | |
| L | MIL-G-36721 NOTICE 2 | GAGE, COMPOUND PRESSURE-VACUUM, DIAL INDICATING (S/S BY A-A-54698) | A 6685 | MB | 27-JUL-92 | | | | |
| | MIL-G-36724A NOTICE 1 | GLOVE, PATIENT EXAMINING AND TREATMENT, RUBBER LATEX, STERILE (NO S/S DOCUMENT) | A 6515 | MB | 25-MAR-93 | MD | MS | 03 | |
| | MIL-P-36728B NOTICE 1 | PAPER, BIBULOUS AND LENS, 4 BY 6 INCHES, 12S (S/S BY A-A-54731) | A 6640 | MB | 18-SEP-92 | MD | MS | 03 | |
| | MIL-F-36748 | FUNNEL, COMMON, LABORATORY POLYETHYLENE, OUTSIDE RIBBED (S/S BY A-A-54705) | A 6640 | MB | 18-SEP-92 | MD | MS | 03 | |
| L | MIL-G-36752A NOTICE 1 | GAGE, FOOD BLEMISH, VETERINARY (S/S BY A-A-54776) | A 6695 | MB | 02-DEC-92 | | | | |
| | MIL-C-36774 NOTICE 1 | CANNULA, TRACHEOTOMY, NYLON (NO S/S DOCUMENT) | A 6515 | MB | 30-JAN-93 | MD | MS | 03 | |
| | MIL-F-36779(1) NOTICE 2 | FORCEPS, TISSUE, JUDD-ALLIS, STRAIGHT, 7-1/2 INCH (S/S BY A-A-54784) | A 6515 | MB | 25-MAR-93 | MD | MS | 03 | |
| | MIL-I-36789 NOTICE 2 | INDICATOR, STERILIZATION (S/S BY A-A-54526) | A 6530 | MB | 17-AUG-92 | MD | MS | 03 | |
| | MIL-G-36805 NOTICE 1 | GRADUATE, LIQUID, LABORATORY, POLYPROPYLENE (S/S BY A-A-54733) | A 6640 | MB | 02-NOV-92 | MD | MS | 03 | |
| L | MIL-G-36805(11) NOTICE 1 | GRADUATE, LIQUID, LABORATORY, PLASTIC (S/S BY A-A-54733) | A 6640 | MB | 02-NOV-92 | | | | |
| | MIL-T-36812B NOTICE 3 | TEST KIT, RESERVE ALKALINITY, ANTIFREEZE (S/S BY A-A-514o1) | A 6630 | MB | 07-AUG-92 | EA | MS | 99 | |
| | MIL-T-36815D | TUBE, BIOLOGICAL CULTURE SAMPLING, WITH TRANSPORT MEDIA (S/S BY A-A-50978) | A 6550 | MB | 19-OCT-92 | MD | MS | 03 | |
| | MIL-R-36837 NOTICE 1 | RACK, TEST TUBE, LABORATORY, POLYPROPYLENE (S/S BY A-A-54766) | A 6640 | MB | 18-DEC-92 | MD | MS | 03 | |
| | MIL-R-0036837A NOTICE 1 | RACK, TEST TUBE, LABORATORY, POLYPROPYLENE (S/S BY A-A-54766) | A 6640 | MB | 18-DEC-92 | MD | MS | 03 | |
| | MIL-V-36845 NOTICE 2 | VISCOSIMETER, SAYBOLT; WITHOUT VISCOSITY TUBES (NO S/S DOCUMENT) | A 6630 | MB | 19-OCT-92 | MD | MS | 03 | |
| L | MIL-V-36845(11) NOTICE 2 | VISCOSIMETER, SAYBOLT; WITHOUT VISCOSITY TUBES (NO S/S DOCUMENT) | A 6630 | MB | 19-OCT-92 | | | | |
| | MIL-D-36847 NOTICE 1 | DRAIN, SURGICAL, RUBBER, WHISTLE TIP, RIGHT ANGLE, 13 INCHES LONG, 3 1/2 INCH LEG (S/S BY A-A-54673) | A 6515 | MB | 21-AUG-92 | MD | MS | 03 | |
| | MIL-C-36858A NOTICE 1 | CUVETTE, SPECTROPHOTOMETER (NO S/S DOCUMENT) | A 6640 | MB | 09-NOV-92 | MD | MS | 03 | |
| | MIL-P-36863(2) NOTICE 1 | PAD, SANITARY, HEAVY (S/S BY A-A-54856) | A 6510 | MB | 30-APR-93 | MD | MS | 03 | |
| | MIL-R-36869 NOTICE 1 | ROLL, COTTON TAPE, RADIOPAQUE (S/S BY A-A-54593) | A 6510 | MB | 14-AUG-92 | MD | MS | 03 | |
| L | MIL-B-36882 NOTICE 1 | BAG, FOOD SAMPLE, POLYETHYLENE, DISPOSABLE (NO S/S DOCUMENT) | A 6695 | MB | 02-NOV-92 | | | | |
| | MIL-G-36889 NOTICE 1 | GLOVES, SURGEONS' (NO S/S DOCUMENT) | A 6515 | MB | 08-JAN-93 | MD | MS | 03 | |
| | MIL-B-36893A NOTICE 2 | BRONCHOSCOPE, FIBER OPTIC, HOLINGER (S/S BY A-A-53072) | A 6515 | MB | 15-APR-93 | MD | MS | 03 | |
| | MIL-N-36930(1) NOTICE 2 | NEEDLE, BIOPSY, DISPOSABLE (S/S BY A-A-54827) | A 6515 | MB | 14-MAY-93 | MD | MS | 03 | |
| | MIL-F-36935(1) NOTICE 1 | FORCEPS, PLACENTA, KELLY, 12 INCH (NO S/S DOCUMENT) | A 6515 | MB | 05-JAN-93 | MD | MS | 03 | |
| | MIL-M-36958 NOTICE 1 | MANOMETER, SPINAL FLUID, WATER TYPE, DISPOSABLE (S/S BY A-A-54786) | A 6515 | MB | 08-JAN-93 | MD | MS | 03 | |
| | MIL-D-37005A NOTICE 1 | DISK, FILTERING, MICROPOROUS, HYDROSOL TYPE, 47 MM. DIAMETER, 100S (S/S BY A-A-54752) | A 6640 | MB | 02-NOV-92 | MD | MS | 03 | |
| | MIL-S-37014 NOTICE 1 | SUCTION APPARATUS, SURGICAL (S/S BY A-A-51366) | A 6515 | MB | 30-SEP-92 | MD | MS | 03 | |
| | MIL-C-37065 NOTICE 2 | CANNULA, UTERINE, CORROSION-RESISTING STEEL (NO S/S DOCUMENT) | A 6515 | MB | 05-JAN-93 | MD | MS | 03 | |
| | MIL-S-37072 NOTICE 1 | SYRINGE, HYPODERMIC, DISPOSABLE, ALLERGY (S/S BY A-A-54696) | A 6515 | MB | 09-NOV-92 | MD | MS | 03 | |
| | MIL-S-37080A NOTICE 1 | SLIPPERS, CONVALESCENT PATIENT'S, POLYURETHANE FOAM, DISPOSABLE (S/S BY A-A-54642) | A 6532 | MB | 15-DEC-92 | MD | MS | 03 | |
| | MIL-E-37081 NOTICE 2 | EXTRACTOR AND LANCET, COMEDO, SAALFELD (S/S BY A-A-54402) | A 6515 | MB | 16-JUL-92 | MD | MS | 03 | |
| | MIL-W-37090 NOTICE 1 | WATER BATH, ELECTRIC, PRECISION, 6 RACK, 115 VOLT, 50-60 HZ, AC (S/S BY A-A-54721) | A 6640 | MB | 18-SEP-92 | MD | MS | 03 | |
| | MIL-F-37101 NOTICE 2 | FILTER UNIT, INTRAVENOUS SOLUTION (NO S/S DOCUMENT)) | A 6515 | MB | 22-MAR-93 | MD | MS | 03 | |
| | MIL-F-37102 NOTICE 2 | FORCEPS, TISSUE, TWEEZERS TYPE (S/S BY A-A-54805) | A 6515 | MB | 29-JAN-93 | MD | MS | 03 | |
| | MIL-C-37107 NOTICE 1 | CUFF, SPHYGMOMANOMETER, CONDUCTIVE (NO S/S DOCUMENT) | A 6515 | MB | 22-JUN-92 | MD | MS | 03 | |
| | MIL-S-37119 NOTICE 1 | STOPCOCK, SURGICAL SYRINGE, ONE WAY (S/S BY A-A-54714) | A 6515 | MB | 28-AUG-92 | MD | MS | 03 | |
| | MIL-S-37122 NOTICE 1 | STOPCOCK, SURGICAL SYRINGE, THREE WAY, AYER (S/S BY A-A-54713) | A 6515 | MB | 28-AUG-92 | MD | MS | 03 | |
| | MIL-S-37128 NOTICE 1 | SUTURE, NONABSORBABLE, SURGICAL, SILK, BRAIDED, WITHOUT NEEDLE (NO S/S DOCUMENT) | A 6515 | MB | 18-DEC-92 | MD | MS | 03 | |
| | MIL-P-37147B NOTICE 2 | PENTAZOCINE HYDROCHLORIDE TABLETS, NF (S/S BY A-A-54648) | A 6505 | MB | 28-SEP-92 | MD | MS | 03 | |
| | MIL-P-37149A NOTICE 2 | PROPOXYPHENE NAPSYLATE AND ACETAMINOPHEN TABLETS (S/S BY A-A-54787) | A 6505 | MB | 29-JAN-93 | MD | MS | 03 | |
| | MIL-S-37174 NOTICE 1 | STOPCOCK, INTRAVENOUS THERAPY, 3-WAY, PLASTIC, DISPOSABLE (S/S BY A-A-54785) | A 6515 | MB | 23-JAN-93 | MD | MS | 03 | |
| | MIL-C-37178A NOTICE 2 | CHLORPROPAMIDE TABLETS, USP (S/S BY A-A-54595) | A 6505 | MB | 14-AUG-92 | MD | MS | 03 | |
| | MIL-I-37200A NOTICE 2 | INHALER, MEDICAMENT, PLASTIC (S/S BY A-A-54671) | A 6515 | MB | 16-JUL-92 | MD | MS | 03 | |

| Action Ofc / Cl. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-M-37217 NOTICE 1 | METER, SALINITY INDICATING, ELECTRIC, FLUSH MOUNTING RECTANGULAR (NO S/S DOCUMENT) | A | 6630 | MB | | 15-JUN-92 | | MS | | |
| | MIL-S-37227 NOTICE 1 | SPIROMETER, PORTABLE, 5.0 LITER (NO S/S DOCUMENT) | A | 6515 | MB | | 27-JUL-92 | MD | MS | 03 | |
| | MIL-C-37233(1) NOTICE 1 | CRUTCH, ADJUSTABLE, WOOD (YOUTH AND CHILD) (S/S BY A-A-30071) | A | 6515 | MB | | 17-SEP-92 | MD | MS | 03 | |
| | MIL-M-37255A NOTICE 2 | MUMPS VIRUS VACCINE, LIVE, U.S.P. (S/S BY A-A-54730) | A | 6505 | MB | | 04-SEP-92 | MD | MS | 03 | |
| | MIL-P-37269A NOTICE 1 | PHENYLEPHRINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP, VISCOUS (NO S/S DOCUMENT) | A | 6505 | MB | | 17-JUL-92 | MD | MS | 03 | |
| | MIL-Q-37280 NOTICE 2 | QUINIDINE GLUCONATE TABLETS (S/S BY A-A-54745) | A | 6505 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | MIL-G-37302 NOTICE 1 | GOWN, HOSPITAL, NONWOVEN FABRIC, DISPOSABLE, UNIVERSAL SIZE (NO S/S DOCUMENT) | A | 6532 | MB | | 05-MAR-93 | MD | MS | 03 | |
| | MIL-P-37319 NOTICE 2 | PENTAERYTHRITOL TETRANITRATE TABLETS, MODIFIED (NO S/S DOCUMENT) | A | 6505 | MB | | 01-NOV-92 | MD | MS | 03 | |
| | MIL-M-37346A NOTICE 2 | METHYLERGONOVINE MALEATE INJECTION, NF (S/S BY A-A-54644) | A | 6505 | MB | | 14-AUG-92 | MD | MS | 03 | |
| | MIL-S-37352A NOTICE 2 | SMALLPOX VACCINE, USP (NO S/S DOCUMENT) | A | 6505 | MB | | 17-JUL-92 | MD | MS | 03 | |
| | MIL-M-37363 NOTICE 1 | MICONAZOLE NITRATE CREAM, VAGINAL (S/S BY A-A-54744) | A | 6505 | MB | | 26-MAR-93 | MD | MS | 03 | |
| | MIL-S-37364B NOTICE 2 | SODIUM NITROPRUSSIDE, STERILE, USP (S/S BY A-A-54822) | A | 6505 | MB | | 26-MAR-93 | MD | MS | 03 | |
| | MIL-P-37386 NOTICE 2 | PENICILLIN V POTASSIUM TABLETS, U.S.P. (S/S BY A-A-54501) | A | 6505 | MB | | 14-AUG-92 | MD | MS | 03 | |
| | MIL-P-37391 NOTICE 2 | PSEUDOEPHEDRINE HYDROCHLORIDE TABLETS, N.F. (S/S BY A-A-54729) | A | 6505 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | MIL-S-37414 NOTICE 2 | STANNOUS FLUORIDE, U.S.P. (NO S/S DOCUMENT) | A | 6505 | MB | | 17-JUL-92 | MD | MS | 03 | |
| | MIL-P-37424A NOTICE 2 | PENICILLIN G POTASSIUM FOR INJECTION, USP (S/S BY A-A-54724) | A | 6505 | MB | | 01-NOV-92 | MD | MS | 03 | |
| | MIL-S-37434 NOTICE 1 | STOPCOCK, INTRAVENOUS THERAPY, 3 WAY, PLASTIC (S/S BY A-A-54746) | A | 6515 | MB | | 25-SEP-92 | MD | MS | 03 | |
| | MIL-C-37441A NOTICE 2 | CEPHRADINE CAPSULES (S/S BY A-A-54594) | A | 6505 | MB | | 14-AUG-92 | MD | MS | 03 | |
| | MIL-M-37448 NOTICE 1 | METER, SALINITY INDICATING, ELECTRIC (NO S/S DOCUMENT) | A | 6630 | MB | | 19-OCT-92 | EA | MS | 99 | |
| | MIL-M-37461 NOTICE 1 | MEPERIDINE HYDROCHLORIDE TABLETS, USP (S/S A-A-54542) | A | 6505 | MB | | 14-AUG-92 | MD | MS | 03 | |
| | MIL-T-37470 NOTICE 2 | TUBERCULIN, USP, PURIFIED PROTEIN DERIVATIVE (S/S BY A-A-54760, A-A-54760/1, A-A-54760/2, A-A-54760/3) | A | 6505 | MB | | 16-APR-93 | MD | MS | 03 | |
| | MIL-M-37471 NOTICE 2 | MEDROXYPROGESTERONE ACETATE TABLETS, USP (S/S BY A-A-53284) | A | 6505 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | MIL-P-37477 NOTICE 2 | PROCAINAMIDE HYDROCHLORIDE CAPSULES, USP (S/S BY A-A-54743) | A | 6505 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | MIL-S-37486A NOTICE 2 | SODIUM CHLORIDE IRRIGATION, USP (S/S BY A-A-54797) | A | 6505 | MB | | 29-JAN-93 | MD | MS | 03 | |
| | MIL-S-37489 NOTICE 2 | SODA LIME, USP (S/S BY A-A-54799) | A | 6505 | MB | | 29-JAN-93 | MD | MS | 03 | |
| | MIL-P-37496 NOTICE 1 | PHENYLEPHRINE HYDROCHLORIDE NASAL SOLUTION, USP (NO S/S DOCUMENT) | A | 6505 | MB | | 17-JUL-92 | MD | MS | 03 | |
| | MIL-D-37504 NOTICE 1 | DIBUCAINE, OINTMENT, NF (S/S BY A-A-54176) | A | 6505 | MB | | 17-JUL-92 | MD | MS | 03 | |
| | MIL-A-37515A NOTICE 2 | AMINOPHYLLINE TABLETS, USP (S/S BY A-A-53762) | A | 6505 | MB | | 17-JUL-92 | MD | MS | 03 | |
| | MIL-D-37524 NOTICE 2 | DEMINERALIZER, WATER, ION EXCHANGE, HAND OPERATED (S/S BY A-A-54687 AND A-A-54703) | A | 4610 | MB | | 20-JUL-92 | MD | MS | 03 | |
| L | MIL-D-37531 NOTICE 2 | DEXAMETHASONE SODIUM PHOSPHATE INJECTION, U.S.P. (S/S BY A-A-54654) | A | 6505 | MB | | 14-AUG-92 | | | | |
| | MIL-M-37533 NOTICE 2 | METRONIDAZOLE TABLETS, USP (S/S BY A-A-54702) | A | 6505 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | MIL-P-37535 NOTICE 2 | PROPOXYPHENE HYDROCHLORIDE CAPSULES, USP (S/S BY A-A-54728) | A | 6505 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | MIL-W-37540A NOTICE 1 | WATER FOR IRRIGATION, STERILE, USP (S/S BY A-A-53367A) | A | 6505 | MB | | 26-FEB-93 | MD | MS | 03 | |
| | MIL-S-37545 NOTICE 1 | SCISSORS, GENERAL SURGICAL, STRAIGHT, 7 INCH (S/S BY A-A-54843) | A | 6515 | MB | | 30-APR-93 | MD | MS | 03 | |
| | MIL-S-37546 | SCISSORS, GENERAL SURGICAL, STRAIGHT, 5-1/2 INCHES LONG (S/S BY A-A-54843) | A | 6515 | MB | | 30-APR-93 | MD | MS | 03 | |
| | MIL-M-37553 NOTICE 1 | MASK, OXYGEN, PLASTIC, DISPOSABLE, ORONASAL (S/S BY A-A-54814) | A | 6515 | MB | | 15-APR-93 | MD | MS | 03 | |
| | MIL-P-37557 NOTICE 2 | PENICILLIN G PROCAINE SUSPENSION, STERILE, USP (S/S BY A-A-54722) | A | 6505 | MB | | 01-NOV-92 | MD | MS | 03 | |
| | MIL-P-37563 NOTICE 2 | PROCHLORPERAZINE MALEATE TABLETS, USP (S/S BY A-A-54701) | A | 6505 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | MIL-T-37594 NOTICE 1 | THERMOMETER, SELF INDICATING, LIQUID IN GLASS, INCUBATOR, 0 DEG. TO 70 DEG. C (S/S BY A-A-54697) | A | 6685 | MB | | 27-JUL-92 | MD | MS | 03 | |
| L | MIL-W-37604 NOTICE 1 | WRIGHT'S STAIN (S/S BY A-A-51548) | A | 6505 | MB | | 17-JUL-92 | | | | |
| | MIL-P-37609 NOTICE 2 | PENTOBARBITAL SODIUM INJECTION, USP (S/S BY A-A-54645) | A | 6505 | MB | | 14-AUG-92 | MD | MS | 03 | |
| L | MIL-P-37612 NOTICE 2 | PENICILLIN G BENZATHINE AND PENICILLIN G PROCAINE SUSPENSION, STERILE (S/S BY A-A-54641) | A | 6505 | MB | | 28-SEP-92 | | | | |
| | MIL-M-37636 NOTICE 2 | MICONAZOLE NITRATE CREAM, TOPICAL (S/S BY A-A-54744) | A | 6505 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | MIL-P-37643 NOTICE 2 | PROBENECID TABLETS, USP (S/S BY A-A-54742) | A | 6505 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | MIL-N-37646 NOTICE 2 | NITROFURANTOIN ORAL SUSPENSION, USP (S/S BY A-A-54700) | A | 6505 | MB | | 30-SEP-92 | MD | MS | 03 | |
| | MIL-P-37657 NOTICE 1 | PROPANTHELINE BROMIDE TABLETS, USP (S/S BY A-A-54788) | A | 6505 | MB | | 29-JAN-93 | MD | MS | 03 | |
| | MIL-M-37662 NOTICE 2 | MILK OF MAGNESIA, USP (S/S BY A-A-51924) | A | 6505 | MB | | 13-NOV-92 | MD | MS | 03 | |
| | MIL-M-37672 NOTICE 2 | METHYLPHENIDATE HYDROCHLORIDE TABLETS, USP (S/S BY A-A-54750) | A | 6505 | MB | | 18-DEC-92 | MD | MS | 03 | |
| | MIL-P-37673 NOTICE 2 | PROMETHAZINE HYDROCHLORIDE TABLETS, USP (NO S/S DOCUMENT) | A | 6505 | MB | | 17-JUL-92 | MD | MS | 03 | |
| | MIL-T-37680 NOTICE 2 | THIOPENTAL SODIUM FOR INJECTION, USP (NO S/S DOCUMENT) | A | 6505 | MB | | 30-APR-93 | MD | MS | 03 | |
| | MIL-L-37704 NOTICE 1 | LIGHT, HEAD, DIAGNOSTIC, LEMPERT-STORZ (S/S BY A-A-54771) | A | 6515 | MB | | 26-FEB-93 | MD | MS | 03 | |
| | MIL-F-37706 NOTICE 1 | FILTER UNIT, CONTAMINATION ANALYSIS, GRAVIMETRIC (S/S BY A-A-54734) | A | 6630 | MB | | 02-NOV-92 | EA | MS | 99 | |
| | MIL-P-37748 NOTICE 1 | PSYCHROMETER, SLING (S/S BY A-A-54695) | A | 6685 | MB | | 27-JUL-92 | MD | MS | 03 | |

| Action | Obsl / Obsl, Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-B-37749<br>NOTICE 2 | BOX, PATHOLOGICAL SPECIMEN, SHIPPING (S/S BY A-A-54836) ..... | A | 8115 | MB | MD | 14-MAY-93 | MD | MS | 03 | |
| | | MIL-I-37761A<br>NOTICE 2 | INFLUENZA VIRUS VACCINE, USP, GENERAL SPECIFICATION FOR (S/S A-A-54803) ... | A | 6505 | MB | MD | 26-MAR-93 | MD | MS | 03 | |
| | | MIL-P-37762<br>NOTICE 2 | PHENYTOIN SODIUM INJECTION (S/S BY A-A-53114) ..... | A | 6505 | MB | MD | 28-SEP-92 | MD | MS | 03 | |
| | | MIL-P-37769<br>NOTICE 2 | PROTAMINE SULFATE INJECTION, USP (S/S BY A-A-54789) ..... | A | 6505 | MB | MD | 29-JAN-93 | MD | MS | 03 | |
| | | MIL-R-37770A<br>NOTICE 1 | RESIN, ACRYLIC, DENTAL, FIBERED, DENTURE BASE MATERIAL (S/S BY A-A-54813) . | A | 6520 | MB | MD | 25-MAR-93 | MD | MS | 03 | |
| | | MIL-M-37788<br>NOTICE 1 | METHYL SALICYLATE, USP (S/S BY A-A-54770) ..... | A | 6505 | MB | MD | 27-NOV-92 | MD | MS | 03 | |
| | | MIL-S-37795<br>NOTICE 2 | SODIUM BICARBONATE INJECTION, USP (S/S BY A-A-54821) ..... | A | 6505 | MB | MD | 26-MAR-93 | MD | MS | 03 | |
| | | MIL-C-37802A<br>NOTICE 2 | CEPHAPIRIN SODIUM, STERILE (S/S BY A-A-54183) ..... | A | 6505 | MB | MD | 30-SEP-92 | MD | MS | 03 | |
| | | MIL-Q-37808<br>NOTICE 2 | QUINIDINE SULFATE TABLETS, MODIFIED (S/S BY A-A-54790) ..... | A | 6505 | MB | MD | 29-JAN-93 | MD | MS | 03 | |
| L | | MIL-M-37830<br>NOTICE 1 | MULTIVITAMIN AND SODIUM FLUORIDE SOLUTION (NO S/S DOCUMENT) ..... | A | 6505 | MB | | 17-JUL-92 | | | | |
| | | MIL-L-37831<br>NOTICE 1 | LEVOTHYROXINE SODIUM TABLETS, USP (NO S/S DOCUMENT) ..... | A | 6505 | MB | MD | 17-JUL-92 | MD | MS | 03 | |
| | | MIL-A-37842<br>NOTICE 2 | ANESTHESIA KIT, LARYNGOTRACHEAL, DISPOSABLE (S/S BY A-A-54672) ..... | A | 6515 | MB | MD | 16-JUL-92 | MD | MS | 03 | |
| | | MIL-S-37849<br>NOTICE 2 | SODIUM FLUORIDE SOLUTION, USP (S/S BY A-A-51497) ..... | A | 6505 | MB | MD | 30-SEP-92 | MD | MS | 03 | |
| | | MIL-S-37972<br>NOTICE 1 | SURGICAL KIT, ORTHOPEDIC (NO S/S DOCUMENT) ..... | A | 6515 | MB | MD | 22-MAR-93 | MD | MS | 03 | |
| | | MIL-F-37985<br>NOTICE 1 | FORCEPS, TENDON-DILATION, DOUBLE-ACTION (S/S BY A-A-51829) ..... | A | 6515 | MB | MD | 29-JAN-93 | MD | MS | 03 | |
| L | | MIL-F-38008D(2)<br>NOTICE 1 | FILTER ELEMENT, FLUID PRESSURE MXU-234/E (NO S/S DOCUMENT) ..... | A | 4330 | 84 | | 25-MAY-93 | | | | 84 |
| QL | | MIL-P-38019A(2)<br>NOTICE 2 | PARACHUTE SYSTEM, SPECIAL WEAPONS, 12.5 FT, A/B28K-1 (NO S/S DOCUMENT) REVIEWER: 11 15 | A | MUOR | 79 | | 31-AUG-92 | | | | 79 |
| QL | | MIL-L-38200B(2)<br>NOTICE 1 | LIFE PRESERVER, UNDERARM, ADULT LPU-5/P (S/S BY A-A-50652) ..... | A | 4220 | 82 | | 27-JAN-93 | | | | 99 |
| L | | MIL-C-38226B<br>NOTICE 1 | CONTAINERS, POLYURETHANE, RIGID OR FLEXIBLE FOR PACKAGING SMALL ENGINES (NO S/S DOCUMENT) REVIEWER: 71 | A | 8115 | 69 | | 15-APR-93 | | | | 69 |
| L | | MIL-M-38310B(2)<br>NOTICE 1 | MASS PROPERTIES CONTROL REQUIREMENTS FOR MISSILE AND SPACE VEHICLES (S/S BY MIL-STD-1811) | A | 1810 | 19 | | 04-SEP-92 | | | | 19 |
| L | | MIL-R-38435B(2)<br>NOTICE 1 | RECORDING SET, SIGNAL DATA A/A24U-6 (NO S/S DOCUMENT) REVIEWER: 11 ..... | A | 6610 | 71 | | 15-MAR-93 | | | | 99 |
| L | | MIL-P-38465(2)<br>NOTICE 2 | PARACHUTE SYSTEM, SPECIAL WEAPONS, A/B28K-4, 17 FT (NO S/S DOCUMENT) REVIEWER: 11 15 17 | A | MUOR | 79 | | 31-AUG-92 | | | | 79 |
| L | | MIL-C-38474<br>NOTICE 1 | COMPUTER, STALL WARNING CPU-81/A (NO S/S DOCUMENT) REVIEWER: 11 71 84 ..... | A | 6340 | 82 | | 07-AUG-92 | | | | 99 |
| L | | MIL-S-38711A | SCREENING DATA TO BE FURNISHED BY GOVERNMENT SUPPLIERS (USE MIL-P-84000A) REVIEWER: 26 | A | MISC | 10 | | 01-JAN-66 | | | | 10 |
| L | | MIL-T-38722A(1) | TAPE, ELECTRONIC DATA PROCESSING, (MAGNETIC OXIDE COATED, 1/2 INCH) RCA TYPES 381/382 TAPE STATIONS | A | 7440 | 10 | | 09-NOV-66 | | | | 10 |
| L | | MIL-T-38723A(1) | TAPE, ELECTRONIC DATA PROCESSING (MAGNETIC OXIDE-COATED, 1/2 INCH) ..... | A | 7440 | 10 | | 09-NOV-66 | | | | 10 |
| | | MIL-B-38740 | BREATHING APPARATUS, SELF CONTAINED (ESCAPE TYPE) USER: MC ..... | A | 4240 | 84 | | 24-JUN-65 | AR | YD1 | | 84 |
| | | MIL-P-38785 | PROVISIONING, PHASED (USE MILSTD-1517) REVIEWER: MC ..... | A | MISC | 10 | | 02-JAN-68 | MI | SA | | 10 |
| | | MIL-M-38789A(1)<br>NOTICE 1 | MANUALS, TECHNICAL: OVERHAUL INSTRUCTIONS AND OVERHAUL INSTRUCTIONS WITH ILLUSTRATED PARTS BREAKDOWN (FOR VARIOUS EQUIPMENT AND ACCESSORIES) (S/S BY MIL-M-87929 AND MIL-M-81928) USER: 70 71 80 82 84 CG YD1 REVIEWER: 01 10 11 19 MC | A | TMSS | 16 | | 28-MAR-92 | | AS | | 16 |
| L | | MIL-B-38951A<br>NOTICE 2 | BOMB, LOADING PRACTICE BDU-32/E (NO S/S DOCUMENT) REVIEWER: 15 ..... | A | 1105 | 79 | | 26-MAR-93 | | | | 79 |
| L | | MIL-T-38961<br>NOTICE 2 | TRUCK, HAND, BOMB MHU-67/E (NO S/S DOCUMENT) REVIEWER: 15 ..... | A | 1190 | 79 | | 26-MAR-93 | | | | 79 |
| L | | MIL-C-38966(1)<br>NOTICE 2 | CONTROL-MONITOR DCU-117/A (NO S/S DOCUMENT) REVIEWER: 15 ..... | A | 1190 | 79 | | 31-MAR-93 | | | | 79 |
| L | | MIL-C-38967(1)<br>NOTICE 2 | CONTROL-MONITOR DCU-121/A (NO S/S DOCUMENT) REVIEWER: 15 ..... | A | 1190 | 79 | | 30-MAR-93 | | | | 79 |
| L | | MIL-M-38968(1)<br>NOTICE 2 | MOTOR, DIRECT CURRENT FOR CONTROL-MONITORS DCU-116/A, DCU-117/A, AND DCU-121/A (NO S/S DOCUMENT) REVIEWER: 15 | A | 1190 | 79 | | 31-MAR-93 | | | | 79 |
| L | | MIL-C-39006/26<br>NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR75 (S/S BY MIL-C-39006/22) | A | 5910 | 85 | | 04-FEB-93 | | | | 11 |
| L | | MIL-C-39006/27<br>NOTICE 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR76 (S/S BY MIL-C-39006/25) | A | 5910 | 85 | | 04-FEB-93 | | | | 11 |
| | | MIL-C-39010/11<br>NOTICE 1 | COILS, FIXED, RADIOFREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (IRON CORE-IRON SLEEVE), ESTABLISHED RELIABILITY (NO S/S DOCUMENT) USER: 19 AS CG MC ME SH REVIEWER: 11 99 AR ES MI | A | 5950 | ER | | 17-NOV-92 | ER | EC | | 85 |
| | | MIL-C-39010/12<br>NOTICE 1 | COILS, FIXED, RADIOFREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETIC SHIELDED (FERRITE CORE-FERRITE SLEEVE), ESTABLISHED RELIABILITY (NO S/S DOCUMENT) USER: 19 AS CG MC ME SH REVIEWER: 11 99 AR ES MI | A | 5950 | ER | | 17-NOV-92 | ER | EC | | 85 |
| | | MIL-C-39010/13<br>NOTICE 1 | COILS, FIXED, RADIOFREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (IRON CORE-IRON SLEEVE), ESTABLISHED RELIABILITY (NO S/S DOCUMENT) USER: 19 AS CG MC ME SH REVIEWER: 11 99 AR ES MI | A | 5950 | ER | | 17-NOV-92 | ER | EC | | 85 |
| | | MIL-C-39010/14<br>NOTICE 1 | COILS, FIXED, RADIOFREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE), ESTABLISHED RELIABILITY (NO S/S DOCUMENT) USER: 19 AS CG MC ME SH REVIEWER: 11 99 AR ES MI | A | 5950 | ER | | 17-NOV-92 | ER | EC | | 85 |
| | | MIL-O-39021/38<br>NOTICE 1 | OVEN, CRYSTAL (+75 DEG. C, +85 DEG. C) (NO S/S DOCUMENT) USER: 17 AS CG OS REVIEWER: 11 19 85 ES SH SM | A | 5955 | ER | | 25-FEB-93 | ER | EC | | 84 |
| | | MIL-C-39024/7 | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING, 16 TEST POINTS, (END MOUNTING) 0.200 INCH CONTACT SPACING USER: 14 19 AR AS CG MC MI OS YD1 REVIEWER: 11 17 99 ES ME | A | 5935 | EC | | 25-APR-67 | CR | EC | | 85 |
| | | MIL-C-39024/8 | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING, 5 TEST POINTS, (END MOUNTING) 0.150 INCH CONTACT SPACING USER: 14 19 AR AS CG MC MI OS YD1 REVIEWER: 11 17 99 ES ME | A | 5935 | EC | | 25-APR-67 | CR | EC | | 85 |
| | | MIL-C-39024/9 | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING, 6 OR 8 TEST POINTS, (END MOUNTING) 0.156 INCH CONTACT SPACING USER: 14 19 AS CG MC MI YD1 REVIEWER: 11 17 99 ES ME | A | 5935 | EC | | 25-APR-67 | CR | EC | | 85 |
| | | MIL-C-39024/16 | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PANEL TYPE, SINGLE TEST POINT, SUBMINIATURE (SNAP IN CONTACT), LOW VOLTAGE USER: 14 19 AS CG MC MI OS YD1 REVIEWER: 11 17 99 AR ES ME | A | 5935 | EC | | 20-DEC-71 | CR | EC | | 85 |
| | | MIL-C-39024/17 | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PANEL TYPE, SINGLE TEST POINT, (THREADED), HIGH VOLTAGE (INACTIVE 20 DEC 1971) USER: 14 19 AR AS CG MC MI OS YD1 REVIEWER: 11 17 99 ES ME | A | 5935 | EC | | 20-DEC-71 | CR | EC | | 85 |
| | | MIL-I-40025A | INSECTICIDE, MALATHION, EMULSIFIABLE CONCERTRATE USER: MC REVIEWER: AR MD YD1 | A | 6840 | GL | | 22-SEP-61 | GL | SH | | 67 |

| Action Opt / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-F-40067A | FURNITURE, DAYROOM, KNOTTY PINE USER: MD | A | 7105 | GL | GL | 27-JUN-61 | GL | YD1 | | |
| | MIL-C-40076B(3) | CAN, RADIATOR FILLING, 3 GALLON (USE MIL-C-43522) USER: CE MC | A | 7240 | GL | GL | 26-FEB-70 | GL | YD1 | 84 | |
| | MIL-D-40078A(2) | DISPENSING PUMPS, HAND DRIVEN, FOR PETROLEUM PRODUCTS, 12 GPM CAPACITY (USE XX-D-385C) USER: 11 CE CS MC MI SH | A | 4930 | ME | ME | 23-MAR-66 | ME | YD1 | 82 | |
| | MIL-T-40086B | TROUSERS, VESICANT GAS, PROTECTIVE (USE MIL-L-43579) USER: MC YD1 REVIEWER: 85 CT | A | 8415 | GL | GL | 19-MAR-64 | GL | SA | 82 | |
| | MIL-P-40105A | PAPER, KRAFT, &UNCREPED, EXTENSIBLE& USER: MI REVIEWER: MR YD1 | A | 8135 | GL | GL | 01-MAY-62 | GL | SA | 69 | |
| | MIL-M-40163C NOTICE 1 | MOLDING MACHINES, MEAT-FISH (S/S BY A-A-50050) REVIEWER: MC MD SA | A | 7320 | GL | GL | 14-DEC-92 | GL | YD1 | 84 | |
| | MIL-H-40604B | HOOK, MEAT HANGING, WITH TROLLEY REVIEWER: GS MC MD | A | 7320 | GL | GL | 30-JUN-70 | GL | YD1 | 99 | |
| | MIL-D-40609 | DOUGH MIXING MACHINE, PORTABLE, GASOLINE ENGINE DRIVEN, WITH EXCHANGEABLE ELECTRIC MOTOR USER: EL MC REVIEWER: MD MS SA | A | 7320 | GL | GL | 22-SEP-61 | GL | YD1 | | |
| | MIL-F-40613B | FOOD SERVICE EQUIPMENT FOR COMMISSARIES USER: YD1 REVIEWER: GS MD | A | 7320 | GL | GL | 12-MAR-68 | GL | | 84 | |
| | MIL-C-40617C(2) | CABINETS, DELIVERY AND STORAGE, PASTRY: AND TRUCK DOLLY, PASTRY CABINETS (S/S BY A-A-50190) USER: MC YD1 REVIEWER: GS MD | A | 7320 | GL | GL | 29-MAR-91 | GL | SA | 99 | |
| | MIL-O-40621C | OVEN, BAKING AND ROASTING, DECK, AND OVENS, BAKING, DECK, GAS USER: MC SA REVIEWER: CG GS MD | A | 7310 | GL | GL | 06-JUN-75 | GL | YD1 | 99 | |
| | MIL-C-40630A | COVER, REPAIR SHOPS, TRAILER MOUNTED USER: AT MC YD1 REVIEWER: 85 CS GS MD | A | 3530 | GL | GL | 08-FEB-67 | GL | | 84 | |
| | MIL-B-40637A | BAG, TOOL, SATCHEL, BG 44 (USE MIL-B-43663) USER: AT EL REVIEWER: 85 MD YD1 | A | 5140 | GL | GL | 11-AUG-67 | GL | | 84 | |
| | MIL-C-41808B(1) | CLOTH, DUCK, COTTON, FIRE, WATER, WEATHER, AND MILDEW RESISTANT, LIGHTDRY FINISH USER: AS SH REVIEWER: 82 CT MC MD MR YD1 | A | 8305 | GL | GL | 27-MAR-68 | GL | SA | 11 | |
| | MIL-R-42010A NOTICE 1 | RETRACTOR, NERVE ROOT (HOLSHER) (S/S BY A-A-54815) | A | 6515 | MB | GL | 26-FEB-93 | MD | MS | 03 | |
| | MIL-N-42013A NOTICE 1 | NEEDLE, HYPODERMIC, BLOOD COLLECTING (S/S BY A-A-54844) | A | 6515 | MB | GL | 14-MAY-93 | MD | MS | 03 | |
| | MIL-P-42051 NOTICE 1 | PUNCH AND DISK, DENTAL RUBBER DAM (S/S BY A-A-54089) | A | 6520 | MB | GL | 15-APR-93 | MD | MS | 03 | |
| | MIL-W-43156B | WASHER-EXTRACTORS, DRY CLEANING, FOR USE WITH 100 DEGREE F FLASH POINT PETROLEUM-BASE SOLVENT (USE MIL-D-43164) USER: CE REVIEWER: 45 EL GS MD | A | 3510 | GL | GL | 17-OCT-69 | GL | YD1 | 84 | |
| | MIL-D-43164C NOTICE 1 | DRY CLEANING UNITS, SINGLE BATH, COLD TYPE, FULLY AUTOMATIC, FOR SYNTHETIC SOLVENT (S/S BY A-A-50047) USER: CE REVIEWER: 45 GS MD | A | 3510 | GL | GL | 10-FEB-93 | GL | | 99 | |
| | MIL-C-43198 | CLOTH, FLANNEL, NYLON (USE MIL-F-43310) USER: YD1 REVIEWER: CT MD | A | 8305 | GL | GL | 14-FEB-64 | GL | SA | 67 | |
| | MIL-S-43215C | STAND, RACK, DRINKING TUMBLER USER: MC REVIEWER: GS MD MS | A | 7320 | GL | GL | 06-JAN-77 | GL | YD1 | 99 | |
| | MIL-B-43254B NOTICE 1 | BRUSH, ANIMAL GROOMING (NO S/S DOCUMENT) REVIEWER: MD | A | 3770 | 84 | GL | 10-MAY-93 | GL | | 84 | |
| | MIL-C-43258B | CORD, FIBROUS, LINEN (PLUMB-BOB USE) (S/S BY A-A-52070) USER: MC ME YD1 REVIEWER: IS | A | 4020 | GL | GL | 06-NOV-90 | GL | | 99 | |
| | MIL-G-43264 | GREASE GUNS, HAND, SCREW-OPERATED (8-OUNCE CAPACITY) (USE MIL-G-3859) USER: CS MC | A | 4930 | ME | ME | 17-SEP-64 | ME | YD1 | 82 | |
| | MIL-G-43270 | GREASE GUN, PNEUMATIC, 1 POUND CAPACITY USER: CG MC SH REVIEWER: CS | A | 4930 | ME | ME | 24-SEP-64 | ME | YD1 | 82 | |
| | MIL-C-43305A | CABINET, STORAGE, BREAD, MOBILE USER: SA SH REVIEWER: GS MC MD | A | 7320 | GL | GL | 27-DEC-68 | GL | YD1 | 99 | |
| | MIL-R-43321A | RACK, DOUGHNUT, 10 BASKETS, WITH CASTER USER: MC REVIEWER: GS MD MS | A | 7320 | GL | GL | 04-NOV-68 | GL | YD1 | 99 | |
| | MIL-M-43324A | MEASURE, LIQUID, GRADUATED, CORROSION-RESISTING STEEL (USE RR-K-260) USER: CG MC REVIEWER: 85 MD | A | 7240 | GL | GL | 31-JAN-69 | GL | YD1 | 84 | |
| | MIL-T-43340 | TOWEL, PAPER, INDUSTRIAL (USE UU-1-595) USER: CG MC YD1 | A | 7920 | GL | GL | 14-JUN-65 | GL | SA | 84 | |
| | MIL-O-43345B NOTICE 1 | OILERS, SELF-FEEDING (NO S/S DOCUMENT) REVIEWER: CS | A | 4930 | ME | GL | 11-DEC-90 | ME | YD1 | 99 | |
| | MIL-G-43349 | GLASS, X-RAY PROTECTIVE USER: EL MR YD1 REVIEWER: GS MD | A | 9340 | GL | GL | 19-JUL-65 | GL | SH | 99 | |
| | MIL-F-43356(3) | FRAME, RUCKSACK, RIVETED, AND SELF, CARGO SUPPORT, LIGHTWEIGHT (USE MIL-F-43834) USER: YD1 REVIEWER: CT MC | A | 8465 | GL | GL | 28-MAY-68 | GL | SA | 82 | |
| | MIL-R-43364B | REFRIGERATOR, MECHANICAL, COMMERCIAL, SELF-CONTAINED, FOR FOOD RACK, PAN RACK AND MOBILE FOOD RACKS [VALIDATION DATE: 8303] USER: MS REVIEWER: GS MD | A | 4110 | GL | GL | 10-JAN-84 | GL | YD1 | 99 | |
| | MIL-R-43373B | RUCKSACK, LIGHTWEIGHT USER: MC YD1 REVIEWER: CT MD | A | 8465 | GL | GL | 16-NOV-72 | GL | SA | 82 | |
| | MIL-G-43376A | GREASING MACHINE, BREAD PAN, SPRAY TYPE USER: CG YD1 REVIEWER: GS MD | A | 7320 | GL | GL | 29-JAN-86 | GL | SA | 99 | |
| | MIL-S-43384A | SNAPHOOK, 1 INCH, FIXED LOOP, RIVETED SPRING CLOSURE (USE MIL-S-43770) USER: AT MC WC REVIEWER: IS | A | 5340 | GL | GL | 29-AUG-69 | GL | YD1 | 82 | |
| | MIL-C-43390C NOTICE 2 | CLIPPER, HAIR, AND BLADE SETS (SMALL ANIMAL) (S/S BY A-A-54598) REVIEWER: CS MD | A | 3770 | MB | GL | 30-SEP-92 | GL | | 99 | |
| | MIL-F-43408C(1) | FROZEN FOOD CABINETS, MECHANICALLY REFRIGERATED, COMMERCIAL, SELF-CONTAINED(S/S BY A-A-50138) USER: CE REVIEWER: GS MC MD SA | A | 4110 | GL | GL | 21-OCT-88 | GL | YD1 | 99 | |
| | MIL-G-43411D | GLOVES, BARBED TAPE - WIRE HANDLERS (S/S BY A-A-50054) USER: MC YD1 REVIEWER: CT MD | A | 8415 | GL | GL | 13-MAR-90 | GL | MU | 99 | |
| | MIL-C-43412A | CASES, TENT COMPONENT KIT USER: 45 AT YD1 REVIEWER: CT MD | A | 8340 | GL | GL | 30-SEP-70 | GL | MU | 99 | |
| | MIL-T-43417(1) | TABLE, DINING, 4-PLACE (USE MIL-T-11416, MIL-T-11843, MIL-T-12474, MIL-T-43463) USER: MC REVIEWER: MD | A | 7105 | GL | GL | 30-OCT-68 | GL | YD1 | 84 | |
| | MIL-C-43421 | CRAMPONS, MOUNTAIN USER: YD1 REVIEWER: CT MC | A | 8465 | GL | GL | 29-MAR-66 | GL | SA | 82 | |
| | MIL-C-43424A(1) NOTICE 1 | CLOTHING, COMBAT TYPE, CONTOUR PACKAGING AND PACKING OF (NO S/S DOCUMENT) USER: MC REVIEWER: SM | A | PACK | CT | GL | 12-AUG-91 | GL | SA | 82 | CT |
| | MIL-B-43426 | BALANCE, SCALE, AND ACCESSORIES, PACKAGING AND PACKING OF ( USE PPP-B-1122) USER: MC SA REVIEWER: SH SM | A | 6670 | GL | GL | 28-APR-66 | GL | YD1 | 82 | |
| | MIL-F-43439 | MISSAL, ALTAR, LATIN/ENGLISH REVIEWER: GS | A | 9925 | CT | GL | 22-JUN-66 | GL | PE | 28 | CT |
| | MIL-D-43442C | DOLLY, FOOD HANDLING EQUIPMENT (DISHWASHING RACKS) (FUTURE PROCUREMENT REFER TO A-A-50107) REVIEWER: 84 GS MC MD | A | 7320 | GL | GL | 21-MAY-87 | GL | YD1 | 99 | |
| | MIL-C-43460B NOTICE 1 | COATINGS, LUSTERLESS, FOR HELMETS AND LINERS (NO S/S DOCUMENT) USER: MC REVIEWER: GL MD MR | A | 8010 | ME | ME | 25-JUN-92 | ME | | 99 | |
| | MIL-C-43467(2) | CANDLE BURNER, AND CANDLELIGHTER AND SNUFFER (S/S BY A-A-50173 AND A-A-50174) USER: YD1 REVIEWER: GS | A | 9925 | GL | GL | 26-MAR-91 | GL | PE | 28 | |
| | MIL-S-43485 | SLING, CARRYING, BAG AND CASE, 19 3/4 INCHES LONG USER: AR MC YD1 REVIEWER: 82 85 CT EL | A | 8465 | GL | GL | 06-MAR-67 | GL | SA | 11 | |
| | MIL-R-43493B(1) NOTICE 1 | RACKS, FOOD SERVICE TRAY REFER TO A-A-50126 REVIEWER: MD | A | 7320 | GL | GL | 18-MAY-88 | GL | YD1 | | |
| | MIL-C-43495/1 | CASE, MERCHANDISE DISPLAY, EXHIBIT | A | 7195 | GL | GL | 01-MAY-67 | GL | YD1 | 84 | |
| | MIL-C-43507B NOTICE 1 | COAT, WOMAN'S, WOOL, FIELD (NO S/S DOCUMENT) REVIEWER: 82 CT MD | A | 8410 | GL | GL | 30-DEC-92 | GL | | 99 | |
| | MIL-P-43520 | PAILS, UTILITY, PLASTIC (S/S BY FED SPEC L-P65C) USER: ME REVIEWER: MD | A | 7240 | GL | GL | 08-AUG-67 | GL | YD1 | 99 | |
| | MIL-C-43521 | CONTAINER, UTILITY, PLASTIC USER: MC REVIEWER: 85 AR MD ME | A | 7240 | GL | GL | 04-AUG-67 | GL | YD1 | 84 | |
| | MIL-F-43523 | FUNNEL, PLASTIC (USE L-F-1593) REVIEWER: MC MD | A | 7240 | GL | GL | 01-AUG-67 | GL | YD1 | 84 | |
| | MIL-S-43526D NOTICE 1 | SLACKS, UTILITY, WOMEN'S, WOOL, FIELD (S/S BY MIL-T-43497) REVIEWER: 82 99 CT MD | A | 8410 | GL | GL | 30-DEC-92 | GL | | 11 | |
| | MIL-V-43535(1) | VASES, ECCLESIASTICAL (S/S BY A-A-50149) USER: YD1 REVIEWER: GS | A | 9925 | GL | GL | 26-MAR-91 | GL | PE | 28 | |
| L | MIL-B-43542B NOTICE 1 | BOOT, DOG (NO S/S DOCUMENT) REVIEWER: CS MD | A | 3770 | 84 | GL | 10-MAY-93 | | | 84 | |
| | MIL-K-43546(1) | KIT, FOOD, DISPOSABLE REVIEWER: MD | A | 7360 | GL | GL | 12-DEC-67 | GL | YD1 | 84 | |
| | MIL-D-43551A NOTICE 1 | DISPENSER, CONDIMENTS, COUNTERTOP REVIEWER: GS MC MD | A | 7320 | GL | GL | 18-MAY-88 | GL | YD1 | 99 | |
| | MIL-M-43576A NOTICE 1 | MANTLE, ILLUMINATING (GASOLINE LANTERN) (S/S BY A-A-52079) USER: CG MC ME REVIEWER: 82 GS MD | A | 6260 | GL | GL | 14-DEC-92 | GL | | 99 | |
| | MIL-H-43577E | HATS, SUN, HOT WEATHER (S/S BY MIL-H-44105) USER: 45 REVIEWER: 82 MC MD MS | A | 8415 | CT | GL | 29-JUN-92 | GL | MU | 99 | CT |
| | MIL-D-43593B(1) | DISPENSER, ICE, SELF-LEVELING, MOBILE; AND DISPENSER, ICE, AUTOMATIC DISPENSING HEAD, MOBILE (S/S BY A-A-50147 OR A-A-50189) USER: MS REVIEWER: MC MD | A | 7320 | GL | GL | 05-NOV-90 | GL | YD1 | 99 | |
| | MIL-C-43599 | CASTER, FOR INSTITUTIONAL DUTY USER: MC ME REVIEWER: MD | A | 5340 | GL | GL | 25-SEP-68 | GL | YD1 | | |

| Action | Ofc / Cmt. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-C-43605A | CLOTH, DUCK, COTTON WARP AND RAYON FILLING, LIGHTWEIGHT, FOR SHELTER HALF TENTS USER: YD1 REVIEWER: CT MD | A | 8305 | GL | 19-JUL-73 | GL | MU | 99 | |
| | | | MIL-M-43614 | MEAT CUTTING MACHINE, ELECTRIC, FROZEN MEAT BLOCKS USER: MC REVIEWER: GS MD | A | 7320 | GL | 19-DEC-68 | GL | YD1 | 99 | |
| | | | MIL-R-43643(1) | REFRIGERATOR, PREFABRICATED, COMMISSARY (USE MIL-R-43900 USER: CE SA REVIEWER: GS MC MD ME MS | A | 4110 | GL | 02-FEB-70 | GL | YD1 | 99 | |
| | | | MIL-W-43662 | WASHER-EXTRACTOR, LAUNDRY, COMMERCIAL,10-12 POUND CAPACITY (MAXIMUM), (USE OO-W-860) USER: MC REVIEWER: 45 GS | A | 3510 | GL | 19-AUG-69 | GL | YD1 | 99 | |
| | | | MIL-O-43679D | OVENS, BAKING AND ROASTING, FORCED CONVECTION, GAS (S/S BY A-A-50042) REVIEWER: 84 MC MD TS | A | 7310 | GL | 28-JUN-89 | GL | YD1 | 99 | |
| | | | MIL-C-43683A | CARRIER, INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT USER: YD1 REVIEWER: 82 CT MC MD MI | A | 8465 | GL | 29-SEP-72 | GL | SA | 11 | |
| | | | MIL-D-43691 | DISPENSER, BUTTER, SELF CONTAINED, THERMOELECTRICALLY REFRIGERATED REVIEWER: 45 MC MD SA | A | 7320 | GL | 18-FEB-70 | GL | YD1 | 84 | |
| | | | MIL-R-43697 | RACK, PASTRY BAKER S, MOBILE REVIEWER: GS MC MD | A | 7320 | GL | 31-MAR-70 | GL | YD1 | 99 | |
| | | | MIL-D-43715A(1) | DISPENSER, HOT CHOCOLATE (SEE ASTM F 759) USER: MC REVIEWER: MD | A | 7310 | GL | 04-MAR-83 | GL | YD1 | 99 | |
| | | | MIL-S-43721 | SLICING, BAGGING, AND TYING ASSEMBLIES, BREAD USER: CE REVIEWER: GS MC MD | A | 7320 | GL | 05-MAR-86 | GL | YD1 | 99 | |
| | | | MIL-S-43730 | SUSPENDERS, FIELD PACK, COMBAT, M-1967 USER: YD1 REVIEWER: 82 CT MD | A | 8465 | GL | 31-DEC-70 | GL | SA | 11 | |
| | | | MIL-C-43731A | CARRIER, SLEEPING EQUIPMENT, M-1967 USER: 82 YD1 REVIEWER: CT MD | A | 8465 | GL | 29-DEC-72 | GL | SA | | |
| | | | MIL-F-43733(1) | FIELD PACK, COMBAT, M-1967 USER: YD1 REVIEWER: CT MD | A | 8465 | GL | 09-NOV-72 | GL | SA | 82 | |
| | | | MIL-S-43735(1) | SHOE, COMFORT, MAN S, OG-106 USER: 45 YD1 REVIEWER: CT MC MD | A | 8430 | GL | 06-MAY-83 | GL | MU | 11 | |
| | | | MIL-D-43752(1) | DISHWASHING MACHINE, SINGLE TANK, STATIONARY RACK, SPRAY-TYPE, GAS HEATED USER: CE MC REVIEWER: GS MS | A | 7320 | GL | 26-FEB-74 | GL | YD1 | 99 | |
| | | | MIL-D-43807A | DISPENSER, FREEZE-DRIED COFFEE (S/S BY A-A-50049) USER: SA YD1 REVIEWER: GS MD | A | 7310 | GL | 28-JUN-89 | GL | | 99 | |
| | | | MIL-R-43814 | RACK, MOBILE, BAKERY PRODUCTS AND MEAT, WITH SHELVES USER: CE SA REVIEWER: GS MD | A | 7320 | GL | 22-APR-86 | GL | YD1 | 99 | |
| | | | MIL-O-43815 | OVEN, BAKING AND ROASTING, ROLL THROUGH, CONVECTION, ELECTRIC REVIEWER: GS | A | 7310 | GL | 31-MAY-83 | GL | YD1 | 99 | |
| | | | MIL-O-43816 | OVEN, BAKING AND ROASTING, ROLL-THROUGH, CONVECTION, GAS USER: CE SA REVIEWER: GS | A | 7310 | YD1 | 25-MAY-84 | | YD1 | 99 | |
| | | | MIL-C-43847A<br>NOTICE 1 | CLOTH, OXFORD, COTTON WARP AND COTTON AND NYLON BLEND FILLING, FOR TENT MOUNTAIN, TWO MAN (NO S/S DOCUMENT) REVIEWER: 82 MD | A | 8305 | CT | 14-SEP-89 | GL | MU | 99 | CT |
| | | | MIL-T-43848(1) | TRUCK, FOOD SERVICE, ELECTRICALLY HEATED D USER: MC REVIEWER: GS MD MS SS | A | 7320 | GL | 13-OCT-83 | GL | YD1 | 99 | |
| | | | MIL-G-43850 | GRILL, CONVEYOR, HAMBURG PATTY, ELECTRI REVIEWER: GS | A | 7310 | GL | 10-JAN-84 | GL | YD1 | 99 | |
| | | | MIL-F-43851 | FOOD CONTAINER, INSULATED, DISPOSABLE USER: CG REVIEWER: MC MD MS YD1 | A | 7330 | GL | 23-MAY-88 | GL | SA | 99 | |
| | | | MIL-B-43881 | BROILER, ELECTRIC, COUNTER TYPE USER: CE MC SA REVIEWER: GS MD | A | 7310 | GL | 14-AUG-87 | GL | YD1 | 99 | |
| | | | MIL-O-43882B | OVEN, PIZZA, COUNTER TOP, GAS USER: MC REVIEWER: GS MD MS SA | A | 7310 | GL | 18-MAR-76 | GL | YD1 | 99 | |
| | | | MIL-T-43885 | TOASTER-GRILL, SANDWICH, ELECTRIC USER: MC REVIEWER: GS MD MS SA | A | 7310 | GL | 26-MAR-74 | GL | YD1 | 99 | |
| | | | MIL-T-43886 | TRUCK, FOOD SERVING, HOT AND COLD USER: MC REVIEWER: GS MD MS | A | 7320 | GL | 12-OCT-83 | GL | YD1 | 99 | |
| | | | MIL-E-43887 | EXTRACTOR, CITRUS FRUIT JUICE, ELECTRIC REVIEWER: GS MC MD MS SA | A | 7320 | GL | 21-MAR-74 | GL | YD1 | 99 | |
| | | | MIL-B-43888 | BROILER, INFRARED, GAS, COUNTER TYPE USER: CE MC SA REVIEWER: GS MD | A | 7310 | GL | 02-JUN-86 | GL | YD1 | 99 | |
| | | | MIL-C-43889<br>NOTICE 1 | CABINET, FOOD CARRYING, ELECTRICALLY HEATED WITH OR WITHOUT DOLLY REVIEWER: GS MD SA | A | 7310 | GL | 18-MAY-88 | GL | YD1 | 84 | |
| | | | MIL-D-43890 | DOUGHNUT AND PANCAKE FORMING MACHINE, HAND OPERATED REVIEWER: GS | A | 7320 | GL | 08-AUG-86 | GL | YD1 | 99 | |
| | | | MIL-H-43905/1A | HASP, HIGH SECURITY PADLOCKS STYLE 1 (USE MIL H 43905B) USER: AR AS CG ER *REVIEWER: 01 IS MP OS SH* | A | 5340 | ME | 22-FEB-85 | ME | YD1 | 99 | |
| | | | MIL-H-43905/2A | HASP, HIGH SECURITY PADLOCKS STYLE 2 (USE MIL H 43905B) USER: AR AS CG ER REVIEWER: 01 IS MP OS SH | A | 5340 | ME | 22-FEB-85 | ME | YD1 | 99 | |
| | | | MIL-H-43905/3A | HASP, HIGH SECURITY PADLOCKS STYLE 3 (USE MIL H 43905B) USER: AR CG ER MC REVIEWER: 01 IS MP OS SH | A | 5340 | ME | 22-FEB-85 | ME | YD1 | 99 | |
| | | | MIL-H-43905/4A | HASP, HIGH SECURITY PADLOCKS STYLE 4 (USE MIL H 43905B) USER: AS CG ER REVIEWER: 01 IS MP OS SH | A | 5340 | ME | 22-FEB-85 | ME | YD1 | 99 | |
| | | | MIL-H-43905/5A | HASP, HIGH SECURITY PADLOCKS, STYLE 5 (S/S BY MIL-H-43905B) USER: AR AS CG ER MC REVIEWER: 01 OS SH | A | 5340 | ME | 22-FEB-85 | ME | YD1 | 99 | |
| | | | MIL-H-43905/6A | HASP, HIGH SECURITY PADLOCKS- STYLE 6 (S/S BY MIL-H-43905B USER: AR CG MC REVIEWER: 01 MP OS SH | A | 5340 | ME | 22-FEB-85 | ME | YD1 | 99 | |
| | | | MIL-H-43905/7 | HASP, HIGH SECURITY PADLOCKS - STYLE 7 (S/S BY MIL-H-43905B) USER: AR AS CG ER REVIEWER: 01 IS MP OS SH | A | 5340 | ME | 22-FEB-85 | ME | YD1 | 99 | |
| | | | MIL-H-43905/8 | HASP, HIGH SECURITY PADLOCKS - STYLE 8 (S/S BY MIL-H-43905B) USER: AS CG MC REVIEWER: IS MP OS | A | 5340 | ME | 22-FEB-85 | ME | YD1 | | |
| | | | MIL-H-43905/9 | HASP, HIGH SECURITY PADLOCKS - STYLE 9 (S/S BY MIL-H-43905B) USER: AS MC REVIEWER: IS MP OS SH | A | 5340 | ME | 22-FEB-85 | ME | YD1 | | |
| L | | | MIL-C-43921<br>NOTICE 1 | CLOTH, COTTON, TWILL (REFER TO MIL-C-43892 | A | 8305 | CT | 06-JUL-87 | GL | | | CT |
| | | | MIL-D-43953(1) | DISPENSER, BUTTER, SELF CONTAINED, EUTECTIC (S/S BY A-A-50006) USER: MC SA REVIEWER: MD | A | 7320 | GL | 28-JUN-89 | GL | YD1 | 99 | |
| | | | MIL-D-43969 | DISPENSERS, BREAD, SELF-LEVELING, DROP-IN (S/S BY A-A-50034) USER: SA | A | 7320 | GL | 29-JUN-89 | GL | YD1 | | |
| L | | | MIL-H-43980 | HANDCART, GROCERY, CARRYOUT REVIEWER: YD1 | A | 7290 | GL | 10-OCT-86 | GL | | | |
| | | | MIL-G-44227A<br>NOTICE 1 | GRAVY WITH BEEF SWISS STEAK, THERMOSTABILIZED, TRAY PACK (NO S/S DOCUMENT) REVIEWER: MC MD SS TS | A | 8940 | GL | 24-JUN-92 | GL | SA | 50 | |
| L | | | MIL-S-44283<br>NOTICE 1 | SOUP, INSTANT, REDUCED SODIUM, CHICKEN NOODLE (NO S/S DOCUMENT) REVIEWER: MC MD SS TS | A | 8935 | GL | 15-DEC-92 | GL | | | |
| L | | | MIL-P-44336 | PACKAGING OF SPECIAL OPERATIONS FORCES MOUNTAINEERING EQUIPMENT (SOFME) SET (S/S BY MIL-C-44380) | A | PACK | CT | 08-AUG-90 | GL | | | CT |
| | | | MIL-S-45017A | STRAIGHTENER, MOTOR VEHICLE AXLE AND HOUSING | A | 4910 | AL | 18-JAN-60 | WC | YD1 | 82 | |
| | | | MIL-R-45026A | ROLLER, TIRE TREAD, POWER-OPERATED | A | 4910 | AL | 19-AUG-60 | WC | YD1 | 82 | |
| | | | MIL-A-45031 | ANALYZER TEST SETS, VEHICLE ENGINE, 6-, 12-, AND 24-VOLT D.C. REVIEWER: SH | A | 4910 | AL | 27-JAN-58 | WC | YD1 | 82 | |
| | | | MIL-T-45032B | TANK, MIXING, CORROSIVE-MATERIAL, WOOD, LEAD-LINED USER: MC | A | 4940 | AL | 26-JUL-61 | WC | YD1 | 82 | |
| | | | MIL-V-45039A | VULCANIZING MOLD, TIRE, FULL CIRCLE (SIZES 12.00 BY 24 THROUGH 30.00 BY 33 TIRES) | A | 4910 | AL | 15-MAR-61 | WC | YD1 | 82 | |
| | | | MIL-P-45046A | PUMPS, LUBRICANT TRANSFER, HIGH- AND LOW-PRESSURE, WITH DRUM COVER ASSEMBLY | A | 4930 | GL | 22-JUL-59 | GL | YD1 | 82 | |
| | | | MIL-B-45048C | BORING MACHINE, CONNECTING ROD AND PISTON BEARING (REFER TO MIL-H-45583) USER: MC | A | 4910 | AL | 06-FEB-84 | AL | YD1 | 99 | |
| | | | MIL-P-45050A(1) | PUMPING UNIT, PRESSURE-LUBRICATING, DRUM MOUNTING, AIR-OPERATED (S/S BY GGG-L-795C) | A | 4930 | ME | 18-NOV-60 | ME | YD1 | 82 | |
| | | | MIL-D-45084C(1) | DEMOUNTER, PNEUMATIC TIRE, PORTABLE (SIZES 7.00 BY 16 THROUGH 14.00 BY 24) S/S BY MIL-B-45993 USER: ME REVIEWER: CS MC | A | 4910 | AL | 07-FEB-85 | AL | YD1 | 99 | |
| | | | MIL-C-45167C<br>NOTICE 1 | CAPS, RADIATOR: PRESSURE RELIEVING (S/S BY A-A-52424) | A | 2930 | AT | 02-FEB-93 | AT | | 99 | |
| | | | MIL-A-45168Q | AUTOMOBILES, SEDANS AND STATION WAGONS (S/S BY KKK-A-811 AND KKK-A-850) REVIEWER: 85 EL MC | A | 2310 | AT | 15-AUG-75 | AT | YD1 | 99 | |
| | | | MIL-H-45189B | HONING UNIT SET, CYLINDRICAL BORE, PORTABLE (USE MIL-C-82069A) USER: MC REVIEWER: WC | A | 5130 | YD1 | 02-MAR-67 | GL | YD1 | 84 | |
| Q | | | MIL-L-45199B | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, (HIGH OUTPUT DIESEL) (USE MIL-L-2104C) USER: AT OS REVIEWER: MP PS WC YD1 | A | 9150 | MR | 28-JUN-68 | MR | SH | 68 | |
| | | | MIL-P-45215C | PLASTIC SHEET, TRANSPARENT, FOR SKIN PACKAGING USER: AT CG MC ME YD1 REVIEWER: 99 GL MI OS | A | 8135 | SM | 19-SEP-74 | SM | AS | 69 | |
| | | | MIL-C-45314B | CHASSIS, SEMITRAILER, 6 TON AND 12 TON MILITARY DESIGN USER: YD1 | A | 2330 | AT | 07-AUG-68 | AT | MC | 84 | |
| | | | MIL-L-45325E<br>NOTICE 1 | LIGHT, WARNING, VEHICULAR: ROTATING UNIT, 14 AND 28 VOLT DC (S/S BY A-A-52418) USER: MC SH REVIEWER: 82 GS ME | A | 6220 | AT | 11-JAN-93 | AT | YD1 | 99 | |
| L | | | MIL-B-45326C<br>NOTICE 1 | BOOT, DUST AND MOISTURE SEAL: HYDRAULIC BRAKE CYLINDER, SYNTHETIC RUBBER (S/S BY A-A-52410) REVIEWER: CS MI | A | 2530 | AT | 09-FEB-93 | AT | | | |

| Action | Doc. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-T-45338R(1) | TRUCK, COMMERCIAL, 3,800 TO 10,000 POUNDS GVW, 4X2 (S/S BY KKK-T-723 REVIEWER: EL MC | A | 2320 | AT | 15-NOV-78 | AT | YD1 | 99 | |
| | | MIL-T-45339T | TRUCK, & TRUCK TRACTORS, COMMERCIAL, GASOLINE & DIESEL ENGINE DRIVEN, 14,000 TO 21,000 POUNDS GVW, 4X2 (SEE NOTICE 1 FOR SUPERSEDING INFORMATION) REVIEWER: EL MC | A | 2320 | AT | 15-NOV-78 | AT | YD1 | 99 | |
| | | MIL-T-45340T | TRUCK AND TRUCK TRACTORS, COMMERCIAL, GASOLINE & DIESEL ENGINE DRIVEN, 24,000 TO 32,000 POUNDS GVW, 4X2 (SEE NOTICE 1 FOR SUPERSEDING INFORMATION) REVIEWER: 85 EL MC | A | 2320 | AT | 15-JAN-79 | AT | YD1 | 99 | |
| | | MIL-T-45341T | TRUCK & TRUCK TRACTORS, COMMERCIAL, DIESEL & GASOLINE ENGINE DRIVEN, 34,500 TO 64,000 POUNDS GVW, 6X4 (SEE NOTICE 1 FOR SUPERSEDING INFORMATION REVIEWER: EL MC | A | 2320 | AT | 15-JAN-79 | AT | YD1 | 99 | |
| | | MIL-T-45350R(1) | TRUCK, UTILITY, COMMERCIAL, 3,200 TO 6,000 POUNDS GVW, 4X2 AND 4X4 (S/S BY KKK-T-645 AND FED STD 292) REVIEWER: EL MC | A | 2320 | AT | 15-NOV-78 | AT | YD1 | 99 | |
| | | MIL-T-45354T | TRUCK, & TANK TRACTORS, COMMERCIAL GASOLINE & DIESEL ENGINE DRIVEN, 16,000 TO 34,000 POUNDS GVW, 4X4 (SEE NOTICE 1 FOR SUPERSEDING INFORMATION) REVIEWER: 85 EL MC | A | 2320 | AT | 15-FEB-79 | AT | YD1 | 99 | |
| | | MIL-V-45363 SUPPL 1C1 | VALVE CAP, VALVE CORE, VALVE SPUD, AND VALVE PNEUMATIC TIRE, REPAIR AND REPLACEMENT, FOR GROUND VEHICLES (USE ZZ-V-25) REVIEWER: 11 | A | 2640 | MO | 23-MAR-61 | MO | YD1 | 84 | |
| | | MIL-A-45365M | AUTOMOBILES, SEDAN, EXECUTIVE (S/S BY KKK-A-811) REVIEWER: 85 EL MC | A | 2310 | AT | 15-AUG-74 | AT | YD1 | 99 | |
| | | MIL-T-45366R(1) | TRUCK, COMPACT, COMMERIAL, 5,200 TO 7,600 POUNDS GVW, 4 X 2 (USE KKK-T-723) REVIEWER: 85 EL MC | A | 2320 | AT | 15-NOV-78 | AT | YD1 | 99 | |
| | | MIL-B-45368R | BUSES, MOTOR, SCHOOL WITH HIGH HEADROOM, 2 0, 28, 36, 44, 58 PAS SENGER, 2 WHEEL DRIVE (USE KKK-B-1579) REVIEWER: MC | A | 2310 | AT | 18-APR-83 | AT | YD1 | 99 | |
| | | MIL-B-45370 | BUS, MOTOR, COMMERCIAL, CITY TRANSIT, 45 PASSENGER, 4X2 | A | 2310 | MO | 15-AUG-61 | MO | YD1 | 84 | |
| | | MIL-B-45372T | BUS, MOTOR, INTERCITY,41 PASSENGER, 4X2 (S/SBY MIL-B-45371) REVIEWER: CR ER MC | A | 2310 | AT | 29-APR-83 | AT | YD1 | 99 | |
| | | MIL-S-45384G NOTICE 1 | SEMITRAILERS, STAKE: COMMERCIAL (S/S BY KKK-S-2769) USER: MC | A | 2330 | YD1 | 30-APR-92 | AT | YD1 | 99 | |
| | | MIL-T-45386E NOTICE 1 | TRAILERS, BOLSTER, COMMERCIAL, POLE TYPE, 2 TO 20 TONS (S/S BY KKK-S-2768) USER: MC REVIEWER: MI | A | 2330 | YD1 | 14-AUG-91 | AT | YD1 | 99 | |
| | | MIL-T-45392B | TRAILER, TANK, GENERAL PURPOSE, 500 GALLON, 2 AND 4 WHEEL, COMMERCIAL USER: MC | A | 2330 | AT | 24-OCT-83 | AT | YD1 | | |
| | | MIL-T-45398H | TRUCKS, MAINTENANCE: WITH 30 TO 60 FT, MULTI-POSITION AERIAL PLATFORM, 15,000 TO 32,000 PDS GVW, 4X2 & 4X4, COMMERCIAL (S/S BY MIL-T-62518 REVIEWER: 84 | A | 2320 | AT | 15-FEB-86 | AT | YD1 | 99 | |
| | | MIL-T-45568G NOTICE 1 | TEST SET, TACHOMETER DWELL (NO S/S DOCUMENT) USER: AT REVIEWER: 82 ME | A | 4910 | AL | 04-MAR-91 | AL | YD1 | 99 | |
| L | | MIL-S-45571B NOTICE 1 | SHEARING MACHINE, THROATLESS, HAND LEVER (S/S BY A-A-50312) USER: ME REVIEWER: GS | A | 3445 | AL | 31-AUG-92 | AL | | | |
| | | MIL-L-45591A | LIGHT, IGNITION TIMING: WITH INTEGRAL TIMING ADVANCE INDICATOR AND TACHOMETER USER: AT REVIEWER: CS | A | 4910 | AL | 10-JUN-85 | AL | YD1 | 99 | |
| L | | MIL-L-45594(2) NOTICE 2 | LINK, CARTRIDGE, 20MM: M24 (NO S/S DOCUMENT) | A | 1305 | AR | 02-OCT-92 | AR | | | |
| | | MIL-O-45801F | OSCILLOSCOPE, ENGINE IGNITION ANALYZING, PORTABLE (NO S/S DOCUMENT) USER: AT REVIEWER: 82 MC | A | 4910 | AL | 11-OCT-89 | AL | YD1 | 99 | |
| | | MIL-T-45816A | TESTER, BRAKE, MOTOR VEHICLE, HEAVY DUTY, HYDRAULIC, UNIVERSAL, | A | 4910 | AL | 16-MAY-62 | WC | YD1 | 82 | |
| | | MIL-C-45833C | CHUCKS, INDEPENDENT JAW (S/S BY A-A-51149) USER: MC YD1 REVIEWER: AS GS | A | 3460 | IP | 26-MAR-86 | AL | SH | 99 | |
| | | MIL-S-45835A | SHEARING MACHINE, METAL SQUARING, FOOT OPERATED, GAP TYPE (USE MIL-S-23244A) USER: YD1 REVIEWER: 85 | A | 3445 | WC | 31-AUG-61 | WC | SH | 84 | |
| | | MIL-B-45857C NOTICE 1 | BORING MACHINE, CAM AND MAIN BEARINGS (STATIONARY) (NO S/S DOCUMENT) USER: MC REVIEWER: 82 | A | 4910 | AL | 12-FEB-90 | AL | YD1 | 99 | |
| L | | MIL-D-45867 NOTICE 2 | DESTRUCTOR, WARHEAD, SINGLE POINT, TRAINING M15E1, LESS SAFING AND ARMING DEVICE (NO S/S DOCUMENT) | A | 1135 | AR | 06-JUL-92 | AR | | | |
| L | | MIL-S-45869 NOTICE 2 | SWITCH, PRESSURE, FOR T4016 (T310) TEST SET (NO S/S DOCUMENT) | A | 1190 | AR | 06-JUL-92 | AR | | | |
| L | | MIL-A-45870 NOTICE 2 | ALIGNMENT DEVICE, CARTRIDGE TO ATOMIC WARHEAD: H4168 (NO S/S DOCUMENT) | A | 1190 | AR | 06-JUL-92 | AR | | | |
| L | | MIL-M-45874 NOTICE 2 | MOVEMENT ASSEMBLIES, TA AND TB, FOR M75 AK SURFACE-TO-SURFACE PLUG (NO S/S DOCUMENT) | A | MUOR | AR | 06-JUL-92 | AR | | | |
| L | | MIL-S-45879 NOTICE 2 | STATIC TUBE - SELF ALIGNING M - 74 TRAINER (NO S/S DOCUMENT) | A | 1135 | AR | 06-JUL-92 | AR | | | |
| L | | MIL-T-45880 NOTICE 2 | TEST SET, BAROSWITCH, T4016A (T310), PACKAGE 1 OF 2 (NO S/S DOCUMENT) | A | 1135 | AR | 06-JUL-92 | AR | | | |
| L | | MIL-L-45884 NOTICE 2 | LANCE HANDLING EQUIPMENT (NO S/S DOCUMENT) | A | 1190 | AR | 06-JUL-92 | AR | | | |
| L | | MIL-R-45949A(1) NOTICE 1 | REPAIR KIT, PUNCTURE, PNEUMATIC TIRE (S/S BY A-A-52442) USER: GL REVIEWER: ME SH | A | 2640 | AT | 24-MAR-93 | AT | | | |
| | | MIL-G-46012 | GREASE, RAILROAD JOURNAL, ROLLER BEARING USER: SA REVIEWER: GL | A | 9150 | MR | 22-JUN-65 | MR | YD1 | 68 | |
| L | | MIL-E-46065B(1) NOTICE 2 | ELECTRICAL CONTACT ALLOYS, PRECIOUS METALS (GOLD, SILVER, PALLADIUM, PLATINUM, AND IRIDIUM) (S/S BY ASTM-B522, ASTM-B541, ASTM-B685, ASTM-B540, ASTM-B683, AND ASTM-B684) REVIEWER: AR ER | A | 9545 | MR | 21-DEC-92 | MR | | | |
| L | | MIL-P-46093A | PRIMER COATING, SYNTHETIC (FOR BRAKE DRUMS) REVIEWER: MI SM | A | 8010 | ME | 03-NOV-87 | ME | YD1 | | |
| L | | MIL-U-46126 NOTICE 2 | URANIUM ALLOY FOR BODY SECTION CENTER OF AMMUNITION COMPONENTS (NO S/S DOCUMENT) REVIEWER: AR | A | 1395 | MR | 27-AUG-92 | MR | | | |
| L | | MIL-T-46715E NOTICE 1 | TRAILER, PIPE; FUEL LINE 25 TON (NO S/S DOCUMENT) REVIEWER: AT | A | 2330 | YD1 | 30-APR-90 | | YD1 | | |
| | | MIL-B-46730W NOTICE 1 | BUSES, MOTOR: WITH HIGH HEADROOM, 20 AND 28 PASSENGER, 4X4 (NO S/S DOCUMENT) | A | 2310 | AT | 22-MAY-90 | AT | YD1 | 99 | |
| | | MIL-T-46731P | TRUCK AND TRUCK TRACTORS, COMMERCIAL, GASOLINE & DIESEL ENGINE DRIVEN, 36,000 TO 60,000 POUNDS GVW, 6X6 (SEE NOTICE 1 FOR SUPERSEDING INFORMATION) REVIEWER: 85 EL MC | A | 2320 | AT | 15-APR-79 | AT | YD1 | 99 | |
| | | MIL-T-46732B | TRAILER, TANK, POTABLE WATER, 400 AND 500 GALLON, 2-WHEEL, COMMERCIAL | A | 2330 | AT | 24-OCT-83 | AT | YD1 | 99 | |
| | | MIL-S-46733A | SEMITRAILER, STAKE, 6-TON, 2-WHEEL, M118A1 SEMITRAILER, STAKE, 12-TON, 4-WHEEL, M127A1 AND M127A1C (USE MIL-S-62034) USER: EL SH YD1 | A | 2330 | AT | 23-NOV-62 | AT | MC | 84 | |
| | | MIL-T-46738F NOTICE 1 | TRAILERS, TILT DECK: COMMERCIAL (S/S BY KKK-S-2766) USER: MC ME | A | 2330 | YD1 | 02-DEC-91 | AT | YD1 | 99 | |
| | | MIL-W-46740 | WHEEL, FUEL CELL REVIEWER: YD1 | A | 2530 | ME | 06-DEC-62 | ME | | 84 | |
| L | | MIL-T-46755B NOTICE 2 | TIRES, PNEUMATIC AND TIRES, SEMIPNEUMATIC: INSTALLED ON VEHICLES, PREPARATION FOR STORAGE OF (NO S/S DOCUMENT) REVIEWER: MC SH | A | PACK | AT | 10-NOV-92 | AT | | | |
| L | | MIL-H-46792/2C NOTICE 1 | HEATER, VEHICULAR COMPARTMENT: MULTIFUEL BURNING, 24 VOLT DC CAPACITY 30,000 BTU PER HOUR (S/S BY MIL-H-62550/3) | A | 2540 | AT | 12-MAR-93 | AT | | | |
| L | | MIL-H-46792/3 NOTICE 1 | HEATER, VEHICULAR COMPARTMENT: MULTIFUEL BURNING, 24 VOLT DC CAPACITY 60,000 BTU PER HOUR (S/S BY MIL-H-62550/1) | A | 2540 | AT | 24-MAR-93 | AT | | | |
| L | | MIL-C-46817B NOTICE 1 | CONVERTER, AZIMUTH DATA (NO S/S DOCUMENT) | A | 1430 | MI | 03-SEP-92 | MI | | | |
| L | | MIL-I-46838B(1) NOTICE 1 | INSULATING COMPOUND, ELECTRICAL, SILICONE RUBBER, ROOM TEMPERATURE VULCANIZING (S/S BY A-A-56023) USER: ME REVIEWER: AR GS | A | 5970 | MI | 17-MAR-93 | MI | | | |
| | | MIL-G-47034A NOTICE 1 | GLASS, FILTER, COLORED (S/S BY A-A-52407) USER: MI REVIEWER: 84 GS | A | 9340 | AT | 15-SEP-92 | AT | AS | 99 | |
| L | | MIL-C-47113B NOTICE 1 | COMPOUND, HEAT SINK, SILICONE AND/OR NON-SILICONE (S/S BY A-A-56022) | A | 6850 | MI | 02-OCT-92 | MI | | | |
| L | | MIL-V-47307 NOTICE 1 | VALVE, COUNTERBALANCE - RELIEF (NO S/S DOCUMENT) REVIEWER: CS | A | 4820 | MI | 16-APR-93 | MI | | | |
| L | | MIL-V-47322 SUPPL 1C1, NOTICE 2 | VALVE, SELECTOR, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A | 4820 | MI | 01-JUL-92 | MI | | | |

| Action | Doc. / Chg. Coordination Indicator | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-V-47322/1 NOTICE 2 | VALVE, SELECTOR, MANUALLY OPERATED (NO S/S DOCUMENT) | A | 4820 | | MI | 01-JUL-92 | MI | | | |
| L | | MIL-V-47322/2 NOTICE 2 | VALVE, SELECTOR, THREE-WAY, PILOT OPERATED (NO S/S DOCUMENT) | A | 4820 | | MI | 01-JUL-92 | MI | | | |
| L | | MIL-V-47322/3 NOTICE 2 | VALVE, SELECTOR, MANUALLY OPERATED, STOWABLE HANDLE (NO S/S DOCUMENT) | A | 4820 | | MI | 01-JUL-92 | MI | | | |
| L | | MIL-V-47322/4 NOTICE 2 | VALVE, SELECTOR, BASE, MOUNTING (NO S/S DOCUMENT) | A | 4820 | | MI | 01-JUL-92 | MI | | | |
| L | | MIL-V-47322/5 NOTICE 2 | VALVE, SELECTOR, SOLENOID OPERATED (NO S/S DOCUMENT) | A | 4820 | | MI | 01-JUL-92 | MI | | | |
| L | | MIL-V-47322/6 NOTICE 2 | VALVE, SELECTOR, BALL (NO S/S DOCUMENT) | A | 4820 | | MI | 01-JUL-92 | MI | | | |
| L | | MIL-V-47322/7 NOTICE 2 | VALVE, SELECTOR, SOLENOID OPERATED (NO S/S DOCUMENT) | A | 4820 | | MI | 01-JUL-92 | MI | | | |
| L | | MIL-V-47322/8 NOTICE 2 | VALVE, SELECTOR (NO S/S DOCUMENT) | A | 4820 | | MI | 01-JUL-92 | MI | | | |
| L | | MIL-W-48105 NOTICE 1 | WASHER (NO S/S DOCUMENT) | A | 5310 | | AR | 09-APR-93 | AR | | | |
| L | | MIL-P-48194 NOTICE 2 | PROPELLANT CHARGE NUCLEAR COMPONENT (NO S/S DOCUMENT) | A | 1145 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-P-48210 NOTICE 2 | PINION AND BUSHING ASSEMBLY (NO S/S DOCUMENT) | A | 1110 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-L-48216 NOTICE 2 | LATCH ASSEMBLY (MODIFIED) (NO S/S DOCUMENT) | A | 1190 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-B-48304(2) NOTICE 2 | BATTERY, THERMAL, M17 (NO S/S DOCUMENT) | A | NUOR | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-F-48306(1) NOTICE 2 | FUZE, IMPACT, ATOMIC WEAPON: M1139 (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-X-48399 NOTICE 1 | X-RAY ASSEMBLY, LIGHT WEIGHT ASSEMBLING AND PACKING (NO S/S DOCUMENT) | A | 6635 | | AR | 04-NOV-92 | AR | | | |
| L | | MIL-C-48524 NOTICE 2 | CASE ASSEMBLY: "A" SECTION (NO S/S DOCUMENT) | A | 1115 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-B-48531(1) NOTICE 2 | BATTERY THERMAL, M16 (NO S/S DOCUMENT) | A | NUOR | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-R-48533 NOTICE 2 | RELAY, MINATURE 6 PDT (NO S/S DOCUMENT) | A | 1190 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-S-48536 NOTICE 2 | STATIC TUBE CONTAINER H-483 (NO S/S DOCUMENT) | A | NUOR | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-M-48537 NOTICE 2 | MOUNT, RESILIENT, FOR THE M5 BAROSWITCH (NO S/S DOCUMENT) | A | NUOR | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-C-48539 NOTICE 2 | CABLE ASSEMBLIES W15-F, W16-F, W17-F AND W18-F (NO S/S DOCUMENT) | A | 1190 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-T-48540 NOTICE 2 | TEST PLUGS, ELECTRICAL, FOR XM75E1 (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-B-48777A | BLOCK, BREECH, TRAINING, FOR PROJECTILE TRAINING, 8 INCH (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-B-48778A NOTICE 2 | BASE PLUG, TRAINING, METAL PARTS (NO S/S DOCUMENT) | A | 1110 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-I-48779A | IGNITER, INERT, TRAINING FOR PROJECTILE TRAINING, 8 INCH (NO S/S DOCUMENT) | A | NUOR | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-I-48812 NOTICE 2 | INSTRUCTOR'S CONTROL PANEL ASSEMBLY (NO S/S DOCUMENT) | A | 1190 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-T-48818 NOTICE 2 | TEST SET, FINAL ASSEMBLY: T4014A (PACKAGE 1 OF 2) AND AUXILIARIES (PACKAGE 2 OF 2) (NO S/S DOCUMENT) | A | 1190 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-P-48819 NOTICE 2 | PLUGS, ELECTRICAL, TRAINING, FOR M74 WARHEAD SECTION (NO S/S DOCUMENT) | A | 1190 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-W-48820 NOTICE 2 | WARHEAD SECTION, TRAINING: M74, PACKING AND HANDLING (NO S/S DOCUMENT) | A | 1115 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-P-48821 NOTICE 2 | PLUG, ELECTRICAL, SURFACE TO SURFACE, FOR M75E1 ADAPTION KIT (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-A-48822 NOTICE 2 | ADAPTER, CONNECTOR: W5F-1 AND CABLE ASSEMBLY: W6FE1 (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-A-48826 NOTICE 2 | ACTUATOR, EXPLOSIVE LOADING, ASSEMBLING AND PACKING (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-D-48828 NOTICE 2 | DESTRUCTOR, WARHEAD, SINGLE POINT, M13, M13E1 AND M14: SUBASSEMBLIES OR METAL PARTS (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-W-48829 NOTICE 2 | WARHEAD SECTION ASSEMBLY NIKE HERCULES TRAINER M-74 (NO S/S DOCUMENT) | A | 1115 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-C-48830 NOTICE 2 | CLAMP ADAPTER, CABLE TO CONNECTOR (NO S/S DOCUMENT) | A | NUOR | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-N-48831 NOTICE 2 | NOSE SECTION ASSEMBLY NIKE HERCULES TRAINER M74 (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-C-48832 NOTICE 2 | CARTRIDGE ASSEMBLY & INSTRUCTOR'S CONTROL PANEL ASSEMBLY NIKE HERCULES TRAINER M-74 (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-C-48833 NOTICE 2 | CIRCUIT, BAROSWITCH, GATING AND MONITORING, T-2034 (NO S/S DOCUMENT) | A | 1190 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-B-48834 NOTICE 2 | BAROSWITCH SIMULATOR ASSEMBLY (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-D-48835 NOTICE 2 | DESTRUCTORS, WARHEAD, SINGLE POINT, XM13, M13, AND M14 LESS M30A1 SAFING AND ARMING DEVICE (NO S/S DOCUMENT) | A | 1190 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-S-48837 NOTICE 2 | SPARES, SAFETY ALLOWANCE, FOR T4016 (T310) BAROSWITCH TEST SET (NO S/S DOCUMENT) | A | 1190 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-W-48843 NOTICE 2 | WIRING HARNESS, RELAY ASSEMBLY, TRAINING, FOR M109E1 (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-R-48848 NOTICE 2 | RELAYS, ARMATURE, TRAINING, FOR M75 ADAPTION KIT (NO S/S DOCUMENT) | A | NUOR | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-T-48849 NOTICE 2 | TRAINING PLUGS, ELECTRICAL, FOR M109E1 (NO S/S DOCUMENT) | A | 1135 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-S-49028 NOTICE 2 | SHELTER, ELECTRICAL EQUIPMENT S-538( )/TSQ-84 (NO S/S DOCUMENT) | A | 5410 | | CR | 17-DEC-92 | CR | | | |
| L | | MIL-S-49433/1 NOTICE 1 | SURFACE ACOUSTIC WAVE DEVICES, BANDPASS FILTER (NO S/S DOCUMENT) USER: MI REVIEWER: AV | A | 5915 | | ER | 04-FEB-93 | ER | | | |
| L | | MIL-P-50088A NOTICE 1 | PURIFIER, AIR, M2A1 (NO S/S DOCUMENT) | A | 4240 | | EA | 19-FEB-93 | EA | | | |
| L | | MIL-W-50222(2) NOTICE 2 | WRENCH, SPANNER: H-4194A (NO S/S DOCUMENT) | A | 1190 | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-S-50389 NOTICE 2 | SETTING MECHANISM ASSEMBLY (TRAINING) (NO S/S DOCUMENT) | A | NUOR | | AR | 06-JUL-92 | AR | | | |
| L | | MIL-R-50431A(3) NOTICE 1 | ROCKET, ML, 66MM, ANTITANK, M72A2, W/COUPLER OR M72A3, LOADING, ASSEMBLING AND PACKING (NO S/S DOCUMENT) REVIEWER: AR | A | 1340 | | MI | 01-MAR-93 | MI | | | |
| | | MIL-C-50709 NOTICE 1 | COPPER-BASE SINTERED BARS (OIL IMPREGNATED) (S/S BY ASTM-B328) | A | 9530 | | AR | 13-AUG-92 | AR | | | 99 |
| | | MIL-I-50711 NOTICE 1 | IRON-BASE SINTERED METAL BARS (OIL IMPREGNATED) (S/S BY ASTM-B328) USER: ME MI REVIEWER: MR | A | 9510 | | AR | 13-AUG-92 | AR | | | 99 |
| | | MIL-W-50717A | WATCH, WRIST, SUBMERSIBLE & NAVIGATION (S/S BY MIL-W-87967) USER: EC MC SA YD1 REVIEWER: GS ME MI | A | 6645 | B2 | AR | 31-DEC-84 | AR | SH | | 99 |

| Action | QPL / QML Cognizance Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area MICA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-P-50834 NOTICE 2 | PLUG, BASE, TRAINING, ATOMIC PROJECTILE (NO S/S DOCUMENT) | A | 1110 AR | 06-JUL-92 | AR | | | |
| L | | MIL-C-50835 NOTICE 2 | CABLES W1-F, W2-F, W3-F, W4-F, W7-F, W8-F, W12-F AND W13-F (NO S/S DOCUMENT) | A | 1135 AR | 06-JUL-92 | AR | | | |
| L | | MIL-D-50836(1) NOTICE 2 | DISC, CASE SUPPORT, TRAINING (NO S/S DOCUMENT) | A | 1110 AR | 06-JUL-92 | AR | | | |
| | | MIL-M-51075A | MIXING UNIT, IMPREGNATING MATERIAL, SKID MOUNTED USER: MC REVIEWER: GS MD | A | 4230 YD1 | 04-MAR-69 | EA | YD1 | 99 | |
| | | MIL-C-51126B | CALCULATOR SET, NUCLEAR, ABC-M28 REVIEWER: AS YD1 | A | 6665 EA | 29-JUN-67 | EA | SH | 82 | |
| | | MIL-H-51151A | HERBICIDE, FENURON REVIEWER: GS MD | A | 6840 EA | 27-MAY-64 | EA | YD1 | 68 | |
| | | DOD-H-51152C | HERBICIDE, DIURON (METRIC) (NO S/S DOCUMENT) REVIEWER: GS MD | A | 6840 EA | 05-APR-89 | EA | YD1 | 68 | |
| | | MIL-H-51153B | HERBICIDE, MONURON USER: SH REVIEWER: GS | A | 6840 EA | 02-APR-71 | EA | YD1 | 68 | |
| | | MIL-I-51319A | INSECTICIDE, PYRETHRIN, SPACE SPRAY, SYNERGIZED PYRETHRINS (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: GL GS MD | A | 6840 EA | 16-JAN-90 | EA | | 68 | |
| L | | MIL-R-51344B NOTICE 2 | ROCKET, INCENDIARY, 66MM, TPA, 4-ROUND CLIP, M74 OR M74A1 (NO S/S DOCUMENT) REVIEWER: EA | A | 1340 MI | 15-JUL-92 | MI | | | |
| | | MIL-M-52016C | MELTER, ICE AND SNOW, DIRECT FIRED: LIQUID FUEL, WICK-TYPE, BASE-MOUNTED, 25 GALLON PER HOUR (NO S/S DOCUMENT) REVIEWER: CS MC MD | A | 4610 ME | 21-NOV-90 | ME | YD1 | 99 | |
| | | MIL-W-52027B | WATER PURIFICATION UNITS, ELECTRIC-MOTOR-DRIVEN, ERDLATOR-TYPE CLARIFIER, DIAOMITE-TYPE FILTERS, 1,500-GPH AND 3,000 GPH (USE MIL-W-52482, 52492 OR 52500) USER: MC REVIEWER: 85 EL | A | 4610 ME | 13-JUL-62 | ME | YD1 | 84 | |
| | | MIL-S-52028C | SWITCH, VEHICULAR IGNITION: WATERPROOF, STARTER AND MAGNETO, WITH DEGASSER CONTROL USER: MC ME REVIEWER: 99 ES | A | 5930 AT | 27-JAN-88 | AT | | 85 | |
| | | MIL-P-52029D | PUMPING ASSEMBLIES, DEEP-WELL, GASOLINE-ENGINE DRIVEN: HELICAL-ROTOR AND TURBINE TYPES (NO S/S DOCUMENT) REVIEWER: CS | A | 4320 ME | 09-NOV-88 | ME | YD1 | | |
| | | MIL-T-52045A | TRACTOR, WHEELED, INDUSTRIAL, PNEUMATIC TIRED, DIESEL-ENGINE-DRIVEN, | A | 2420 ME | 03-JUN-63 | ME | YD1 | | |
| | | MIL-S-52066C | SPRAYER, INSECTICIDE, PUSHCART MOUNTED, GASOLINE ENGINE DRIVEN, MIST TYPE, 30 GPH USER: MC REVIEWER: CE EA MD MS | A | 3740 ME | 02-NOV-72 | ME | YD1 | 99 | |
| | | MIL-R-52067A | RERAILER, RAILWAY | A | 2250 ME | 04-NOV-70 | ME | YD1 | 99 | |
| | | MIL-H-52081A | HEATER, SPACE, ELECTRIC (LOCKERS AND CLOTHING CLOSETS) REVIEWER: CS | A | 4520 YD1 | 15-OCT-73 | | YD1 | 99 | |
| | | MIL-M-52107C | MANIFOLD, FUEL, BULK TRANSFER, QUICK DISCONNECT CAM-LOCKING CONNECTIONS (USE MIL-M-82002) REVIEWER: CE CS | A | 4730 ME | 02-JUL-69 | ME | YD1 | 82 | |
| | | MIL-N-52110F(1) NOTICE 1 | NOZZLES, FUEL AND OIL SERVICING, NONAUTOMATIC SHUTOFF AND NOZZLES, FUEL SERVICING, AUTOMATIC SHUTOFF (S/S BY A-A-52030) USER: CE CG MC REVIEWER: AV CS | A | 4930 ME | 20-DEC-91 | ME | YD1 | | |
| | | MIL-N-52111A(2) | NOZZLE FUEL SERVICING, NON-AUTOMATIC, ALUMINUM (S/S BY MIL-N-52110) USER: CG MI SH REVIEWER: MC | A | 4930 GL | 04-NOV-64 | GL | YD1 | | |
| | | MIL-W-52116D | WATER PURIFICATION UNITS, ELECTRIC MOTOR DRIVEN, ERDLATOR TYPE CLARIFIER, DIATOMITE TYPE FILTER, 600 GALLONS PER HOUR REVIEWER: EL MC MD | A | 4610 99 | 11-NOV-71 | | YD1 | 99 | |
| | | MIL-S-52119A | SURVEYING INSTRUMENT, ELECTRONIC&OPTICAL, DISTANCE MEASURING, 30&KILOMETER RANGE USER: MC REVIEWER: GS | A | 6675 ME | 15-MAY-62 | ME | YD1 | 82 | |
| | | MIL-C-52130A | CHAIN, DETACHABLE LINK, POWER TRANSMISSION AND CONVEYOR, AND ATTACHMENTS (STEEL) USER: MC SH | A | 3020 ME | 26-JUL-67 | ME | YD1 | 82 | |
| | | MIL-S-52133A | STOPS, RAILWAY CAR | A | 2250 YD1 | 10-APR-72 | ME | YD1 | 99 | |
| L | | MIL-G-52140A | GENERATOR SET, GASOLINE ENGINE, 1.5 KW, DIRECT CURRENT, AIR COOLED, PORTABLE, TUBULAR FRAME, SHOCK-MOUNTED (USE MIL-G-52283A) REVIEWER: MC YD1 | A | 6115 MD | 21-AUG-62 | MD | | | |
| | | MIL-C-52145B | CHAIN, SILENT, 60 DEGREE INVERTED TOOTH, POWER TRANSMISSION USER: EL MC SH | A | 3020 ME | 11-MAR-75 | ME | YD1 | 99 | |
| | | MIL-C-52151A | CRANES, WHEEL MOUNTED, FULL REVOLVING, GASOLINE, DIESEL, OR DIESEL-ELECTRIC POWERED USER: CE REVIEWER: SH | A | 3810 YD1 | 30-SEP-66 | ME | YD1 | 84 | |
| L | | MIL-F-52158C | FENCING, WIRE AND WOODEN PICKET AND SUPPORTING POSTS, METAL (S/S BY ASTM-F537 & ASTM-A702) REVIEWER: CS | A | 5660 YD1 | 01-MAR-89 | | YD1 | | |
| | | MIL-F-52170A | FINISHING MACHINE, CONCRETE PAVING, FORM-RIDING, LONGITUDINAL-FLOAT (20- TO 24-FOOT WIDTH) REVIEWER: EL | A | 3895 YD1 | 03-JUL-62 | MO | YD1 | | |
| | | MIL-E-52171(1) | ETHYLENE OXIDE, TECHNICAL (NO S/S DOCUMENT) REVIEWER: GS | A | 6830 EA | 13-APR-89 | EA | YD1 | | |
| | | MIL-A-52174B NOTICE 2 | ALUMINUM ALLOY DUCT SHEET (S/S BY ASTM-B209, ASTM-B209M, ANSI-H35.2, AND ANSI-H35.2M) USER: 11 AT GL YD1 REVIEWER: AR IS | A | 9535 MR | 04-MAR-92 | MR | | 84 | |
| | | MIL-C-52178A(1) | CURING MACHINE, CONCRETE, FORM RIDING (20- TO 25-FOOT WIDTH) USER: CS MC .. | A | 3895 YD1 | 16-SEP-63 | MO | YD1 | | |
| | | MIL-S-52185D | SPRAYER, INSECTICIDE, SKID MOUNTED, FOG, GASOLINE ENGINE DRIVEN, 40 GPH USER: CE CG REVIEWER: CS EA GL MC MD MS | A | 3740 ME | 20-MAY-76 | ME | YD1 | 99 | |
| | | MIL-C-52197 | CRANE-SHOVEL, CRAWLER MOUNTED, HIGH SPEED TRAVEL, DIESEL-ENGINE-DRIVEN .... | A | 3810 84 | 27-OCT-61 | MO | YD1 | | |
| | | MIL-T-52198C | TAGLINES, CRANE AND CRANE-SHOVEL, SPRING-LOADED, REEL TYPE (S/S BY A-A-52015) USER: CE REVIEWER: CS | A | 3815 ME | 09-JAN-90 | ME | YD1 | 99 | |
| L | | MIL-B-52216B NOTICE 1 | BRIDGE, FIXED: LINE OF COMMUNICATION, HIGHWAY AND RAILWAY, COMPONENTS (NO S/S DOCUMENT) REVIEWER: MC | A | 5420 ME | 07-OCT-92 | ME | | | |
| | | MIL-M-52219A | MEMBRANE SURFACING, FABRIC, AND PREFABRICATED PANEL WITH COVER, FOR AIRFIELDS AND ROADS | A | 5680 ME | 13-FEB-64 | ME | YD1 | 84 | |
| | | MIL-C-52223B | CHAIN, ROLLER, POWER TRANSMISSION, OFFSET SIDEBARS, SINGLE PITCH USER: CS MI | A | 3020 ME | 11-MAR-75 | ME | YD1 | 99 | |
| | | MIL-H-52230A | HEATER, DUCT-TYPE, PORTABLE, 150,000 BTU/HR USER: CE MC REVIEWER: GL MI ... | A | 4520 ME | 12-DEC-67 | ME | YD1 | 84 | |
| | | MIL-A-52247A | ADHESIVE, PAPER LABEL WATER RESISTANT (USE MMM-A-179) USER: EL MC MI SH REVIEWER: AR SA YD1 | A | 8040 MR | 18-JUN-63 | MR | MP | 69 | |
| | | MIL-T-52248 | TRACTOR, FULL&TRACKED, LOW&SPEED, DIESEL&ENGINE&DRIVEN, MEDIUM&DRAWBAR&PULL, LOW&GROUND&PRESSURE | A | 2410 ME | 26-SEP-62 | ME | YD1 | | |
| | | MIL-T-52249 | TRACTOR, FULL TRACKED, LOW SPEED, LOW GROUND PRESSURE, DIESEL-ENGINE-DRIVEN, HEAVY DRAWBAR PULL REVIEWER: EL | A | 2410 ME | 28-SEP-62 | ME | YD1 | 84 | |
| | | MIL-G-52282B | GENERATOR SET, GASOLINE-ENGINE-DRIVEN, 1.5-KW, ALTERNATING CURRENT, AIR-COOLED, PORTABLE, TUBULAR-FRAME, SHOCK-MOUNTED (USE MIL-G-52732) USER: AR MI REVIEWER: EL GS MC | A | 6115 ME | 23-MAY-68 | ME | YD1 | 80 | |
| | | MIL-G-52283B | GENERATOR SET, GASOLINE-ENGINE-DRIVEN, 1.5-KW, DIRECT-CURRENT, AIR-COOLED, PORTABLE, TUBLAR-FRAME, SHOCK-MOUNTED (USE MIL-G-52732) USER: MI REVIEWER: CS EL GS | A | 6115 ME | 01-OCT-72 | ME | YD1 | 80 | |
| L | | MIL-T-52289C NOTICE 1 | TRACK SHIFTERS, RAILWAY, GASOLINE- OR DIESEL-ENGINE-DRIVEN (NO S/S DOCUMENT) | A | 2230 ME | 22-MAR-93 | ME | | | |
| | | MIL-B-52309B | BLANKET, FIRE: WOOL, WITH CASE (FUTURE PROCUREMENT USE A-A-50230) USER: MC REVIEWER: CS MD | A | 4210 ME | 01-JUL-87 | ME | YD1 | 99 | |
| L | | MIL-P-52324 | PAINT, OIL, ALKYD, EXTERIOR, WHITE & LIGHT TINTS (SEE TT-P-102D) | A | 8010 YD1 | 26-SEP-63 | | YD1 | | |
| | | MIL-L-52336 | LEVEL, SURVEYING, ABNEY (USE GG-L-2608) REVIEWER: MC | A | 6675 ME | 22-NOV-63 | ME | YD1 | 82 | |
| L | | MIL-K-52338B NOTICE 1 | KEEPER ASSEMBLY: CABLEWAY, MEDIUM (NO S/S DOCUMENT) REVIEWER: CS | A | 5420 ME | 30-JUN-92 | ME | | | |
| | | MIL-P-52350 | PAPER, ASBESTOS (S/S BY MH-P-1784) | A | 5640 ME | 14-FEB-64 | ME | YD1 | 84 | |
| | | MIL-B-52361A | BACKHOE, CRANE-SHOVEL, 3/4-CUBIC-YARD USER: CE MC REVIEWER: 84 | A | 3815 ME | 13-JAN-70 | ME | YD1 | | |
| L | | MIL-T-52369B NOTICE 1 | TOWER ASSEMBLY: CABLEWAY, MEDIUM (NO S/S DOCUMENT) REVIEWER: CS | A | 5420 ME | 30-JUN-92 | ME | | | |
| | | MIL-H-52382 | HEATER, SPACE, COAL FIRED (CANNON STOVE TYPE) USER: MC REVIEWER: 85 | A | 4520 ME | 26-AUG-64 | ME | YD1 | 84 | |
| | | MIL-C-52400 | CHAIN, LEAF USER: GL MC | A | 3020 ME | 20-NOV-64 | ME | YD1 | 82 | |
| | | MIL-S-52403 | SPROCKET WHEELS FOR POWER TRANSMISSION AND CONVEYING CHAINS USER: EL MC REVIEWER: MI | A | 3020 ME | 13-JAN-65 | ME | YD1 | 99 | |
| | | MIL-P-52415B(3) | PAIL, RUBBER OR PLASTIC, GRADUATED (S/S BY FED SPEC L-P-65) REVIEWER: GL YD1 | A | 7240 ME | 11-AUG-71 | ME | | 99 | |
| | | MIL-C-52433 | CHAIN, ROLLER, HARDENED STEEL BUSHING, STRAIGHT SIDEBAR, CONVEYING AND ATTACHMENT | A | 3020 ME | 13-MAY-65 | ME | YD1 | 82 | |
| | | MIL-C-52436 | CHAIN, ROLLERLESS HARDENED STEEL BUSHINGS, STRAIGHT SIDEBARS, CONVEYING, AND ATTACHMENTS USER: MC | A | 3020 ME | 22-JUL-65 | ME | YD1 | 82 | |
| | | MIL-C-52442 | CHAIN, COMBINATION, CAST PEARLITIC MALLEABLE IRON LINKS, STEEL SIDEBARS, CONVEYING, AND ATTACHMENTS USER: GL | A | 3020 ME | 20-JUL-65 | ME | YD1 | 82 | |

| Action | Qtr. / Ltr. Coordination | Inactive | Document Number | Document Title | Dist. Symbol FSC / Area MCA Symbol Preparing Activ | | Date | | Customers Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MIL-C-52454 | CHAIN, PINTLE, CAST PEARLITIC MALLEABLE IRON LINKS, POWER TRANSMISSION AND CONVEYING, AND ATTACHMENTS USER: MC REVIEWER: GL | A 3020 | ME | 10-SEP-65 | ME | YD1 | | 82 | |
| | | | MIL-G-52458A | GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, DC, AIR-COOLED, PORTABLE, TUBULAR-FRAME, SHOCK-MOUNTED (USE MIL-G-52732/3) USER: MI REVIEWER: CS EL GS | A 6115 | ME | 06-MAY-68 | ME | YD1 | | 80 | |
| L | | | MIL-P-52474B<br>NOTICE 1 | PUMP, CENTRIFUGAL, WATER, DIESEL-ENGINE-DRIVEN, 4-INCH, 600 GPM AT 50 FEET TOTAL HEAD (NO S/S DOCUMENT) USER: MC | A 4320 | ME | 25-JUN-92 | ME | | | | |
| L | | | MIL-H-52544B | HOSE, RUBBER: OIL SUCTION, WIRE-REINFORCED (S/S BY A-A-52413) REVIEWER: CS | A 4720 | AT | 18-JAN-93 | AT | | | | |
| L | | | MIL-P-52565D<br>NOTICE 1 | PUMP, CENTRIFUGAL: SELF-PRIMING, DIESEL-ENGINE-DRIVEN, WHEEL MOUNTED, 6-INCH, 1500 GPM AT 60 FOOT HEAD (NO S/S DOCUMENT) | A 4320 | ME | 07-OCT-92 | ME | | | | |
| | | | MIL-T-52573D | TANK, FABRIC, COLLAPSIBLE, 10,000 GALLON, PETROLEUM (USE MIL-T-52983) REVIEWER: 99 CS MC | A 5430 | ME | 01-SEP-78 | ME | YD1 | 11 | | |
| | | | MIL-T-52583(1) | TIRE, PNEUMATIC, LARGE SIZE, OFF THE ROAD, GENERAL SPECIFICATION FOR USER: MC REVIEWER: AT | A 2610 | ME | 21-JUL-87 | ME | YD1 | | | |
| | | | MIL-T-52583/1(1) | TIRE, PNEUMATIC, LARGE SIZE, OFF THE ROAD, SPECIAL, 18.00-25, 12 PR, SAND, AMPHIBIOUS USER: CS MC REVIEWER: AT | A 2610 | ME | 21-JUL-87 | ME | YD1 | | | |
| | | | MIL-T-52583/2 | TIRE, PNEUMATIC, LARGE SIZE, OFF THE ROAD, SPECIAL, 24.00-29, 16 PR, SAND, AMPHIBIOUS USER: CE MC REVIEWER: AT CS | A 2610 | ME | 21-JUL-87 | ME | YD1 | 99 | | |
| | | | MIL-T-52583/3 | TIRE, PNEUMATIC, LARGE SIZE, OFF THE ROAD, SPECIAL, 36.00-41, 48 PR, EARTHMOVER, AMPHIBIOUS USER: CE MC REVIEWER: AT CS | A 2610 | ME | 21-JUL-87 | ME | YD1 | 99 | | |
| | | | MIL-T-52583/4 | TIRE, PNEUMATIC, LARGE SIZE, OFF THE ROAD, SPECIAL, WIDEBASE 23-21 ML USER: CS | A 2610 | ME | 21-JUL-87 | ME | YD1 | | | |
| L | | | MIL-B-52589C<br>NOTICE 1 | BOOM, CENTERPOLE, BOLTED TANK ERECTION (NO S/S DOCUMENT) REVIEWER: AT CS .. | A 3950 | ME | 30-JUN-92 | ME | | | | |
| L | | | MIL-M-52590B<br>NOTICE 1 | MUFFLERS, EXHAUST, INTERNAL COMBUSTION ENGINE, GENERAL PURPOSE (NO S/S DOCUMENT) USER: CE | A 2990 | ME | 12-MAR-93 | ME | | | | |
| L | | | MIL-G-52595C<br>NOTICE 1 | GIN POLE, BOLTED TANK ERECTION (NO S/S DOCUMENT) REVIEWER: AT CS ..... | A 3950 | ME | 30-JUN-92 | ME | | | | |
| | | | MIL-H-52597 | HEATER, SPACE, ELECTRIC, RADIANT USER: MC REVIEWER: CE ..... | A 4520 | ME | 09-JAN-68 | ME | YD1 | 84 | | |
| L | | | MIL-C-52614B<br>NOTICE 1 | CHAIN, BRIDGE ERECTION (NO S/S DOCUMENT) REVIEWER: CS ..... | A 3950 | ME | 23-FEB-93 | ME | | | | |
| | | | MIL-S-52615A | SINK, WASHROOM, SCULLERY, AND SERVICE, FLAT RIM, NESTABLE (USE WW-P-541/5) USER: EL GL YD1 REVIEWER: CE CS MD | A 4510 | ME | 21-APR-75 | ME | | | 99 | |
| | | | MIL-A-52628 | ANCHOR, PROPELLANT EMBEDDED (NO S/S DOCUMENT) REVIEWER: CS ..... | A 3835 | ME | 28-FEB-89 | ME | YD1 | | | |
| | | | MIL-A-52670A(1) | AIR-CONDITIONING COMPONENT: FAN-COIL ROOM UNITS (NO S/S DOCUMENT) USER: CE | A 4130 | YD1 | 17-MAR-89 | ME | YD1 | | | |
| L | | | MIL-C-52707D<br>NOTICE 1 | COVER, MANHOLE, OVERHEAD PROTECTION (NO S/S DOCUMENT) REVIEWER: GS ..... | A 4240 | ME | 30-NOV-92 | ME | | | | |
| | | | MIL-H-52750 | HORN, ELECTRICAL AND FLUID OPERATED USER: AT MC YD1 REVIEWER: GS ..... | A 6350 | ME | 14-MAR-73 | ME | SH | | | |
| | | | MIL-C-52753 | CHARGING SYSTEM, ALTERNATOR AND VOLTAGE REGULATOR, ENGINE ACCESSORY, 28 VOLT, 35 AMPERE USER: AT MC YD1 REVIEWER: OS | A 2920 | ME | 22-MAR-73 | ME | | | 82 | |
| | | | MIL-T-52754 | TESTER, DENSITY, & MOISTURE (SOIL & ASPHALT), NUCLEAR METHOD (USE GG-T-2025 OR MIL-T-52814) USER: GL REVIEWER: GS MC | A 6635 | ME | 27-MAR-73 | ME | YD1 | | | |
| | | | MIL-T-52766A | TANK, FABRIC, COLLAPSIBLE, 50,000 GALLON, PETROLEUM (S/S BY MIL-T-52983) REVIEWER: CS MC | A 5430 | ME | 07-SEP-77 | ME | YD1 | 99 | | |
| L | | | MIL-C-52774A(2)<br>NOTICE 1 | CRADLE, 27 FOOT BRIDGE ERECTION BOAT (S/S BY MIL-B-53003) ..... | A 5420 | ME | 07-OCT-92 | ME | | | | |
| | | | MIL-B-52775B | BARBED TAPES, OBSTACLE, GENERAL PURPOSE AND BARBED TAPE, FENCE TOPPING (S/S BY MIL-B-524890) USER: MC | A 5660 | ME | 09-APR-86 | ME | YD1 | | | |
| | | | MIL-T-52777A<br>NOTICE 1 | TANKS, STORAGE, UNDERGROUND, GLASS FIBER REINFORCED PLASTIC (S/S BY ASTM-D4021) USER: AT AV CE REVIEWER: CS | A 5430 | ME | 09-DEC-91 | ME | YD1 | 99 | | |
| L | | | MIL-S-52848A | SURVEYING INSTRUMENT, DISTANCE MEASURING, MEDIUM RANGE, INFRARED (USE MIL-S-53046) USER: YD1 REVIEWER: GS | A 6675 | ME | 26-OCT-84 | ME | | | | |
| L | | | MIL-C-52870A<br>NOTICE 1 | CONVEYOR, FLAT BELT, PORTABLE, GASOLINE-ENGINE DRIVEN (NO S/S DOCUMENT) USER: CE REVIEWER: CS | A 3910 | ME | 11-FEB-93 | ME | | | | |
| | | | MIL-M-52892<br>NOTICE 1 | MEMBRANE SET, HEAVY DUTY, AIRFIELD SURFACING, PACKAGING OF (NO S/S DOCUMENT) | A 5680 | ME | 09-JAN-90 | ME | YD1 | 84 | | |
| | | | MIL-B-52919A | BELTS, V: INDUSTRIAL DRIVE, NARROW TYPE (S/S BY A-A-52422) USER: AR ER MC | A 3030 | AT | 12-JAN-93 | AT | | | 99 | |
| | | | MIL-T-52944A<br>NOTICE 1 | TRUCK, FIREFIGHTING: DRY CHEMICAL AND AFFF, 4 BY 4, COMMERCIAL (NO S/S DOCUMENT) | A 4210 | ME | 05-JAN-93 | ME | | | 99 | |
| L | | | MIL-T-52944A(11)<br>NOTICE 1 | TRUCK, FIREFIGHTING: DRY CHEMICAL AND AFFF, 4 BY 4, COMMERCIAL (NO S/S DOCUMENT) | A 4210 | ME | 05-JAN-93 | ME | | | | |
| | | | MIL-D-52975<br>NOTICE 1 | DRAWING BOARD, ILLUMINATED, PORTABLE (S/S BY A-A-52031) USER: YD1 REVIEWER: GS | A 6675 | ME | 25-FEB-92 | ME | | | 99 | |
| | | | MIL-S-53018<br>NOTICE 1 | SEALER, WELD-THROUGH FOR OVERLAPPING SURFACES (NO S/S DOCUMENT) ..... | A 8010 | ME | 12-OCT-90 | ME | YD1 | | | |
| | | | MIL-P-53032<br>NOTICE 1 | PRIMER COATING, WATER REDUCIBLE, EPOXY ESTER-LATEX TYPE, LEAD AND CHROMATE FREE (NO S/S DOCUMENT) USER: AT REVIEWER: MR | A 8010 | ME | 25-JUN-92 | ME | YD1 | | | |
| | | | DOD-B-53061<br>NOTICE 1 | BELTS, V: POLYURETHANE (NO S/S DOCUMENT) REVIEWER: B2 ..... | A 3030 | AT | 18-MAR-93 | AT | YD1 | 99 | | |
| L | | | MIL-H-53062(2)<br>NOTICE 1 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, COLLAPSIBLE 6 INCH FOR POL SERVICE (S/S BY MIL-H-0053073) | A 4720 | ME | 07-OCT-92 | ME | | | | |
| | | | MIL-F-54000A | FUMIGATION KIT, PORTABLE REVIEWER: CE CS MC MD MS ..... | A 3740 | ME | 06-FEB-67 | ME | YD1 | | | |
| | | | MIL-P-54005B | PUMP, CENTRIFUGAL, FOR WATER, 1-INCH ELECTRIC-MOTOR-DRIVEN, 10-GPM AT 80-FOOT TOTAL HEAD | A 4320 | ME | 14-DEC-72 | ME | YD1 | | | |
| | | | MIL-P-55010A | PLASTIC SHEET, POLYETHYLENE TEREPHTHALATE (S/S BY A-A-56021) USER: CG ER GL MC REVIEWER: GS MD MR | A 9330 | MI | 17-JUL-91 | MI | YD1 | 99 | | |
| | | | MIL-N-55392A | NICKEL-CARBON, POROUS, ELECTRODEPOSITED, FOR CAMOUFLAGE (NO S/S DOCUMENT) REVIEWER: AR CR EC MR YD1 | A MFFP | ER | 11-FEB-89 | ER | SH | 11 | | |
| | | | MIL-P-55624/1 | PROTECTOR, ELECTRICAL, COMMUNICATION CIRCUITS FUSED, WITHOUT COVER, STYLE P1 (USE MIL-P-55624/4) USER: AT MC WC REVIEWER: 11 80 ES MI SG | A 5920 | EL | 15-NOV-71 | EL | YD1 | 85 | | |
| | | | MIL-P-55624/2A | PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS FUSED, WITH COVERS, STYLE P2 (USE MIL-P-55624/4) USER: AT MC ME REVIEWER: 11 80 AR ES MI SG | A 5920 | EL | 20-MAR-74 | EL | YD1 | 85 | | |
| | | | MIL-P-55624/5<br>NOTICE 1 | PROTECTORS, ELECTRICAL COMMUNICATIONS CIRCUITS, ARRESTER ASSEMBLY, CARBON BLOCK, TYPE A1 (NO S/S DOCUMENT) USER: AT MC REVIEWER: 11 99 EC ES MI | A 5920 | ER | 30-JAN-91 | ER | YD1 | 80 | | |
| | | | MIL-P-55624/6<br>NOTICE 1 | PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS, ARRESTER ASSEMBLY, CARBON DISC, FAIL SAFE (FS), TYPE A2 (NO S/S DOCUMENT) USER: AR AT MC REVIEWER: 11 99 EC ES MI | A 5920 | ER | 30-JAN-91 | ER | YD1 | 80 | | |
| | | | MIL-P-55624/7<br>NOTICE 1 | PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS, ARRESTER ASSEMBLY, GAS TUBE, FAIL SAFE (FS), TYPE A3 (NO S/S DOCUMENT) USER: AR AT MC REVIEWER: 11 99 EC ES MI | A 5920 | ER | 30-JAN-91 | ER | YD1 | 80 | | |
| | | | MIL-P-55624/8<br>NOTICE 1 | PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS, ARRESTER ASSEMBLY, GAS TUBE, TYPE A4 (NO S/S DOCUMENT) USER: AR AT MC REVIEWER: 11 99 EC ES MI | A 5920 | ER | 30-JAN-91 | ER | YD1 | 80 | | |
| | | | MIL-P-55624/9<br>NOTICE 1 | PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS FUSE, CLASS F1 (NO S/S DOCUMENT) REVIEWER: 11 99 EC ES MI | A 5920 | ER | 30-JAN-91 | ER | YD1 | 80 | | |
| | | | MIL-P-55624/10<br>NOTICE 1 | PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS, FUSE, CLASS F2 (NO S/S DOCUMENT) USER: AT MC REVIEWER: 11 99 AR EC ES MI | A 5920 | ER | 30-JAN-91 | ER | YD1 | 80 | | |
| | | | MIL-P-55624/11B | PROTECTOR, ELECTRICAL COMMUNICATION CIRCUITS ARRESTER ASSEMBLY, GAS TUBE, 3 ELECTRODE, TYPE A5 USER: AT MC ME REVIEWER: 99 EC ES | A 5920 | ER | 26-JUN-87 | ER | YD1 | 85 | | |
| | | | MIL-P-55624/12B | PROTECTOR, ELECTRICAL COMMUNICATION CIRCUITS, FAIL SAFE SHORT, WITH SPARK GAP, AIR GAP BACKUP, COVER USER: AT MC ME SH REVIEWER: 11 AR ES MI | A 5920 | ER | 26-JUN-87 | ER | YD1 | 85 | | |
| L | | | MIL-S-55694A<br>NOTICE 2 | SHELTER, ELECTRICAL EQUIPMENT S-391( )/TGC-30 (NO S/S DOCUMENT) ..... | A 5410 | CR | 17-DEC-92 | CR | | | | |
| | | | MIL-L-580098 | LOCOMOTIVES, DIESEL & ELECTRIC & ASSOCIATED EQUIPMENT, INSPECTION & TESTING OF USER: YD1 | A 2210 | ME | 19-MAY-75 | ME | | | 99 | |

| Action Code | Document Number / Change Identification Indicator | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | MIL-C-60908A NOTICE 2 | CABLE ASSEMBLY: T4016-4, W14F (NO S/S DOCUMENT) ..... | A | 1190 | AR | AR | 06-JUL-92 | AR | | | |
| L | MIL-B-60909A NOTICE 2 | BAROSWITCH STANDARDS: T-4167A AND T-4168A (NO S/S DOCUMENT) ..... | A | 1190 | AR | AR | 06-JUL-92 | AR | | | |
| | MIL-B-62009J | BUS, MOTOR, 25 PASSENGER, FORWARD CONTROL, 4X2 USER: ME REVIEWER: 03 EL MC MD | A | 2310 | AT | AT | 15-AUG-74 | AT | YD1 | 99 | |
| | MIL-T-62035E | TRUCKS, MAINTENANCE: WITH 65 TO 120 FT, MULTI-POSITION AERIAL PLATFORM, DIESEL ENGINE DRIVEN, 34,500 TO 50,000PDS GVW, 6X4, COMMERCIAL(S/S BY MIL-T-62518) REVIEWER: 84 ER MC | A | 2320 | AT | AT | 15-FEB-86 | AT | YD1 | 99 | |
| L | MIL-P-62156B NOTICE 1 | PUMP, SUBMERSIBLE, BILGE, AXIAL FLOW; ELECTRIC-MOTOR-DRIVEN (S/S BY A-A-52423) | A | 4320 | AT | AT | 25-JAN-93 | AT | | | |
| L | MIL-T-62157 NOTICE 1 | TIRE: PNEUMATIC; WITH FLAP, 14.00-20, RUN FLAT (NO S/S DOCUMENT) ..... | A | 2610 | AT | AT | 09-JUN-92 | AT | | | |
| L | MIL-H-62217A NOTICE 1 | HOSE AND HOSE ASSEMBLIES, NON-METALLIC, SILICONE, POLYESTER AND WIRE REINFORCED (FOR COOLANT AND HEATING SYSTEMS OF DIESEL AND GASOLINE POWERED ENGINES) (S/S BY A-A-52426) USER: ME REVIEWER: CS | A | 4720 | AT | AT | 10-FEB-93 | AT | | | |
| L | MIL-H-62217/1A NOTICE 1 | HOSE, NONMETALLIC STRAIGHT, SILICONE, POLYESTER REINFORCED (RADIATOR AND HEATER) (S/S BY A-A-52426) | A | 4720 | AT | AT | 10-FEB-93 | AT | | | |
| L | MIL-H-62217/2 NOTICE 1 | HOSE, PREFORMED, SILICONE, POLYESTER REINFORCED (RADIATOR) (S/S BY A-A-52426) | A | 4720 | AT | AT | 10-FEB-93 | AT | | | |
| L | MIL-H-62217/3 NOTICE 1 | HOSE, PREFORMED: FLEXIBLE, SILICONE, POLYESTER AND WIRE REINFORCED (RADIATOR) (S/S BY A-A-52426) | A | 4720 | AT | AT | 10-FEB-93 | AT | | | |
| L | MIL-H-62217/4 NOTICE 1 | HOSE, STRAIGHT, SILICONE, POLYESTER REINFORCED, (SEALED HEATER SYSTEMS) (S/S BY A-A-52426) | A | 4720 | AT | AT | 10-FEB-93 | AT | | | |
| | MIL-B-62261H NOTICE 1 | BUSES, MOTOR: FORWARD CONTROL, 28, 36 AND 44 ADULT PASSENGER; 64 AND 82 SCHOOL AGE PASSENGER, 4X2 (S/S BY KKK-B-1579) REVIEWER: CR MC | A | 2310 | AT | AT | 06-DEC-91 | AT | YD1 | 99 | |
| | MIL-B-62277F | BUSES, MOTOR: SCHOOL AND AMBULANCE CONVERSION, FORWARD CONTROL, 64AND 82 SCHOOL AGE PASSENGER, 4X2 (REFER TO MIL-B-62261G) REVIEWER: MC | A | 2310 | AT | AT | 15-DEC-86 | AT | YD1 | 99 | |
| | MIL-T-62350 NOTICE 2 | TRUCKS, VAN: HIGH VOLUME, GASOLINE OR DIESEL ENGINE DRIVEN, 7,400 TO 10,000 POUNDS GVW, 4X2, COMMERCIAL (S/S BY FED-STD-307) | A | 2320 | AT | AT | 21-SEP-90 | AT | YD1 | 99 | |
| L | MIL-I-62384A NOTICE 1 | INCLINOMETER, BALL STYLE (S/S BY A-A-52412) ..... | A | 6695 | AT | AT | 03-NOV-92 | AT | | | |
| L | MIL-F-62453 NOTICE 1 | FIBER METAL, SHEET, NICKEL BASE, UNBACKED (S/S BY A-A-52167) ..... | A | 9515 | AT | AT | 03-AUG-92 | AT | | | |
| L | MIL-C-62499 NOTICE 1 | CUSHION ASSEMBLIES (S/S BY A-A-52433) ..... | A | 2540 | AT | AT | 26-FEB-93 | AT | | | |
| L | MIL-I-62520 NOTICE 1 | INSULATION, MOLDED, NOISE-BARRIER (S/S BY A-A-52411) ..... | A | 5640 | AT | AT | 09-OCT-92 | AT | | | |
| L | MIL-M-63044A NOTICE 1 | MANUALS, TECHNICAL: MISSILE SYSTEM EQUIPMENT UNIT-TEST (UUT) PROCEDURES (NO S/S DOCUMENT) | A | TMSS | MI | MI | 25-OCT-92 | MI | | | |
| L | MIL-P-63066(4) NOTICE 2 | PROJECTILE, 155MM, SPECIAL TEST, FOR M692 AND M731 LOADING, ASSEMBLING AND PACKING OF (S/S BY MIL-T-70638) | A | 1320 | AR | AR | 18-NOV-92 | AR | | | |
| L | MIL-W-63181(4) NOTICE 2 | WARHEAD SECTION SUBASSEMBLY, ATOMIC: M15 (NO S/S DOCUMENT) ..... | A | 1115 | AR | AR | 06-JUL-92 | AR | | | |
| L | MIL-C-63398 NOTICE 1 | CARRIER, AIR DEFENSE MISSILE SYSTEM, M975 (NO S/S DOCUMENT) ..... | A | 2350 | AR | AR | 10-SEP-92 | AR | | | |
| | MIL-Z-63472 NOTICE 1 | ZINC-ALUMINUM SUPERPLASTIC ALLOYS FOR THERMO FORMING, DEEP DRAWING AND STRETCH FORMING (NO S/S DOCUMENT) REVIEWER: AT IS MR | A | 9535 | AR | AR | 13-AUG-92 | AR | AS | | |
| L | MIL-C-63999(3) | CARTRIDGE, CALIBER .50, BALL, PLASTIC PRACTICE: M858 (S/S BY MIL-C-70723) | A | 1305 | AR | AR | 19-APR-93 | AR | | | |
| L | MIL-C-64038(3) NOTICE 1 | CARTRIDGE, CALIBER .50, TRACER, PLASTIC PRACTICE: M860 (S/S BY MIL-C-70723) | A | 1305 | AR | AR | 19-APR-93 | AR | | | |
| | MIL-D-70327(2) | DRAWING, ENGINEERING AND ASSOCIATED LISTS (USE MIL-D-1000) USER: 71 REVIEWER: 26 80 83 MI SH | A | 7650 | WP | AR | 27-MAR-62 | AR | WP | 10 | |
| L | DOD-C-70463(1) NOTICE 1 | CARTRIDGE, 5.56MM: PLASTIC, BALL, PRACTICE, M862 (S/S BY MIL-C-70725) .... | A | 1305 | AR | AR | 02-JUL-92 | AR | | | |
| | MIL-M-80013(1) | MILLING MACHINE, HORIZONTAL UNIVERSAL, KNEE TYPE, SIZES 2 TO 4, HORSEPOWER 5 TO 15 (USE MIL-M-80044 AND MIL-M-80063) USER: MC REVIEWER: YD1 | A | 3417 | IP | AR | 01-MAY-65 | WC | SH | 84 | |
| | MIL-M-80015 | MILLING MACHINE, HORIZONTAL, SIZES 2 TOS HORSEPOWER 15 TO 25 (USE MIL-M-80044, MIL-M-80063 AND MIL-M-80064) USER: MC REVIEWER: YD1 | A | 3417 | IP | AR | 11-SEP-64 | WC | SH | 84 | |
| | MIL-D-80017B | DRILLING MACHINE, UPRIGHT, ROUND AND BOX COLUMN (USE MIL-D-80002D) USER: MC YD1 REVIEWER: GS | A | 3413 | IP | AR | 24-JAN-84 | AL | SH | 99 | |
| | MIL-S-80031B | SANDER, SINGLE VERTICAL SPINDLE, OSCILLATING USER: CE MC MR REVIEWER: GS YD1 | A | 3220 | IP | AR | 30-OCT-75 | ME | SH | 99 | |
| | MIL-S-80050 | SAW, POWER, HACK (CAPACITY 4 INCH BY 6 INCH, POWER 1/4 - 1 1/2 HP) (USE MIL-S-23847 OR MIL-S-45814) USER: MC YD1 REVIEWER: GS | A | 3405 | IP | AR | 31-AUG-65 | WC | SH | 84 | |
| | MIL-M-80059A(1) | MILLING MACHINE, VERTICAL, KNEE TYPE, SLIDING HEAD SIZES 5 & 6, 50 & 60 INCHES LONGITUDINAL TABLE TRAVEL (S/S BY MIL-M-80051) USER: OS YD1 REVIEWER: AS GS | A | 3417 | IP | AR | 12-JUN-73 | AL | SH | 99 | |
| | MIL-G-80066B | GRINDING MACHINE, INTERNAL CHUCKING, PLAIN, HORIZONTAL, ELECTRIC MOTOR DRIVEN USER: AS MC YD1 REVIEWER: GS | A | 3415 | IP | AR | 24-JUN-85 | AL | SH | 99 | |
| | MIL-S-80074 | SAW, CIRCULAR BLADE, METAL CUTTING, RADIAL-OVERARM USER: AR WC REVIEWER: GS MC YD1 | A | 3419 | IP | AR | 11-APR-66 | | SH | 84 | |
| | MIL-S-80098B | SANDER, SINGLE DISK, WOODWORKING (USE MIL-S-80020B) USER: AV CE MC YD1 REVIEWER: GS | A | 3220 | IP | AR | 16-MAY-73 | ME | SH | 99 | |
| | MIL-W-80105C(3) NOTICE 1 | WELDING TORCH SETS, ARC, GAS SHIELDED TUNGSTEN ELECTRODE (S/S BY A-A-51187 AND A-A-55014) USER: MC YD1 REVIEWER: 84 CE ME | A | 3431 | GS | AR | 16-JUL-92 | AL | SH | 99 | GS |
| | MIL-T-80106A | TENONER, SINGLE END, WOODWORKING USER: YD1 REVIEWER: GS ME | A | 3220 | IP | AR | 30-APR-71 | | SH | 99 | |
| | MIL-W-80116A | WELDING MACHINE, ARC, D.C. GENERATOR, CONSTANT COLTAGE ELECTRIC MOTOR DRIVEN, FOR MULTI-OPERATOR SYSTEMS USER: MC YD1 REVIEWER: AS GS OS | A | 3431 | IP | AR | 16-DEC-74 | ME | SH | 99 | |
| | MIL-W-80132 | WELDING MACHINE, ARC, DC CONSTANT VOLTAGE, ELECTRIC MOTOR DRIVEN, SINGLE OPERATOR USER: MC YD1 REVIEWER: GS | A | 3431 | IP | AR | 28-SEP-67 | AL | SH | 99 | |
| | MIL-W-80134A | WELDING MACHINE, ARC, DC CONSTANT CURRENT TRANSFORMER RECTIFIER, RESISTOR CONTROLLED (USE MIL-W-80043) USER: MC YD1 REVIEWER: GS | A | 3431 | IP | AR | 19-DEC-75 | AR | SH | 99 | |
| | MIL-F-80156 | FORMING MACHINE, PLATE ROLL, HEAVY DUTY, MOTOR DRIVEN (S/S BY MIL-F-19426C USER: AV MC REVIEWER: GS YD1 | A | 3441 | IP | AR | 29-AUG-83 | AR | SH | 99 | |
| | MIL-W-80174 | WELDING HEAD, ARC, AUTOMATIC, NON CONSUMABLE ELECTRODE USER: MC REVIEWER: GS YD1 | A | 3431 | IP | AR | 28-MAY-69 | ME | SH | 99 | |
| | MIL-M-80190 | MILLING MACHINE, WOODWORKING, PATTERNMAKERS USER: MC YD1 REVIEWER: GS ..... | A | 3220 | IP | AR | 21-JAN-70 | ME | SH | 99 | |
| | MIL-S-80217 | SAWS, POWER, HACK, 6X6 TO 14X14 INCH WORKPIECE CROSS SECTION, 2, 3 AND 5 HORSEPOWER (USE OO-S-240, MIL-S-23847 AND MIL-S-45814) USER: EL SH YD1 REVIEWER: GS | A | 3405 | IP | AR | 15-JAN-71 | WC | SH | 99 | |
| | MIL-M-80231 | MOLDER, WOODWORKING REVIEWER: GS YD1 ..... | A | 3220 | IP | AR | 02-FEB-72 | ME | SH | 99 | |
| | MIL-V-80241A(3) | VIEWER/PRINTER, MICROFICHE (24X AND 48X) (S/S BY A-A-1681) REVIEWER: 99 AL AS AT AV DO MC ME MI OS SH YD1 | A | 6730 | GS | AR | 30-OCT-90 | CR | SA | 70 | GS |
| | MIL-F-80242 | FILM, MICROFICHE, 48X (S/S BY ANSI/AIIM MS5-1985) REVIEWER: 07 AR AS AT AV EC ME MI OS SH YD1 | A | 6750 | GS | AR | 12-DEC-89 | ER | SA | 99 | GS |
| | MIL-W-80250 | WELDING MACHINE, ARC, DC, TRANSFORMER RECTIFIER, CONSTANT VOLTAGE FOR MULTI-OPERATOR G MAW (S/S BY MIL-W-80040 USER: AS CE CG MC MI WV YD1 REVIEWER: GS | A | 3431 | IP | AR | 14-JUL-75 | ME | SH | 99 | |
| | MIL-G-80260(1) | GRINDING MACHINES, AND GRINDING AND BUFFING MACHINES, UTILITY, BENCH AND PEDESTAL, ELECTRIC (S/S BY A-A-51179, A-A-51180, A-A-51181) USER: MC YD1 REVIEWER: 84 ME | A | 3415 | IP | AR | 29-JUN-90 | AL | SH | 99 | IP |
| | MIL-P-80261(1) | PRESSES, ARBOR, HAND-OPERATED (S/S BY A-A-51198, A-A-51197, A-A-51199, A-A-51195, A-A-51196, A-A-51194, A-A-51200) USER: AR AV ME REVIEWER: GS YD1 | A | 3444 | IP | AR | 24-JUN-91 | AL | SH | 99 | IP |

| Action Code | Document Number | Document Title | Dist. Symbol FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| L | MIL-S-81039A NOTICE 1 | SWITCH, HYDROSTATIC, MARK 110 MOD 0 (NO S/S DOCUMENT) REVIEWER: MI ..... | A 1350 OS 15-OCT-92 | OS | | | |
| L | MIL-C-81175D | CRANES, HYDRAULIC, WHEEL MOUNTED, 4 X 4, FULL REVOLVING, 15-TON CAPACITY, RED (S/S BY MIL-C-28614) REVIEWER: CS | A 3810 YD1 01-JUL-88 | YD1 | | | |
| L | MIL-T-81189(1) | TRANSFORMER, POWER ISOLATION, MULTIPLE CIRCUIT, AIRPORT LIGHTING REVIEWER: ES MI YD1 | A 5950 AS 09-FEB-67 | AS | | | |
| Q | MIL-B-81374B | BARRIER MATERIAL, GREASEPROOF, WATERPROOF, FLEXIBLE, HIGH STRENGTH USER: AV EC MC REVIEWER: 99 AR EL GL GS OS SA SH YD1 | A 8135 AS 21-JUN-71 ME | AS | 69 | | |
| L | MIL-I-81400 NOTICE 1 | INSTRUMENTS, AIRCRAFT, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) ..... | A 6610 AS 30-SEP-92 | AS | | | |
| Q | MIL-P-81598A | PLASTIC SHEETS, FLEXIBLE, WEATHER RESISTANT, HEAT SEALABLE, FOR OUTDOOR STORAGE USE USER: MC MI OS YD1 REVIEWER: 99 ME SH | A 8135 AS 30-NOV-83 GL | AS | 69 | | |
| L | MIL-F-81739 NOTICE 1 | FUZE FLARE MK 364 MOD 0 (NO S/S DOCUMENT) ..... | A 1370 AS 15-JAN-93 | AS | | | |
| | MIL-B-81847A | BAG, FLEXIBLE, ELECTROSTATIC FREE WATERVAPORPROOF, HEAT SEALABLE (USE MIL-B-117 USER: CG EL YD1 REVIEWER: 99 OS SH | A 8105 AS 08-JUN-73 GL | AS | 69 | | |
| | MIL-S-82003C | SNOW PLOW, TRUCK MOUNTED, WITH ROLLOVER BLADE 50,000 POUND GAW,4 X 4 (S/S BY MIL-S-17794) USER: AV REVIEWER: CE | A 3825 YD1 28-MAR-86 ME | YD1 | | | |
| L | MIL-G-82004 | GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED, 7-1/2 KW, 54 VOLTS, DIRECT CURRENT | A 6115 YD1 23-JUN-64 | YD1 | | | |
| L | MIL-F-82005 | FOG GENERATOR, BACTERIOLOGICAL DECONTAMINATION, PORTABLE ..... | A 4230 YD1 26-JUN-64 | YD1 | | | |
| L | MIL-T-82006B | TOOL ROOM, PORTABLE (USE MIL-S-28633) ..... | A 5410 YD1 15-SEP-69 | YD1 | | | |
| L | MIL-S-82007C | SNOW REMOVAL UNIT, SELF PROPELLED, DIEESEL EGINE DRIVEN, 448000 LB. GVW(S/S BY MIL-S-17041) | A 3825 YD1 26-JAN-85 | YD1 | | | |
| L | MIL-T-82009B NOTICE 1 | TONGS, MATERIAL LIFTING, PIPE (S/S BY GGG-T-2761) REVIEWER: IS ..... | A 3940 YD1 05-JUN-91 | YD1 | | | |
| L | MIL-B-82010A | BUCKET, ORANGE PEEL ..... | A 3815 YD1 08-JUN-70 | YD1 | | | |
| | MIL-T-82011B | TRUCK, MAINTENANCE, POWER LINE INSULATOR WASHER, 28,000 POUNDS GVW, 4 BY 4 | A 2320 99 30-NOV-84 AT | YD1 | 84 | | |
| L | MIL-T-82012B | TRAILER, HOSE AND TANK, AIRBORNE REVIEWER: GS ..... | A 3920 YD1 19-AUG-83 | YD1 | | | |
| | MIL-P-82013C | PLATFORM, PIPELINE LAUNCHING AND RETRIEVING: SUBMARINE FUEL LINES (NO S/S DOCUMENT) REVIEWER: CS | A 3835 YD1 15-AUG-88 ME | YD1 | | | |
| L | MIL-G-82014 | GENERATOR SET, UNINTERRUPTIBLE POWER, UNCOUPLED INERTIA SYSTEM, ALTERNATING CURRENT, SHORE USE, 10 KW THROUGH 200 KW REVIEWER: GS | A 6115 YD1 29-MAR-65 | YD1 | | | |
| L | MIL-W-82016 | WASHING AND SCREENING PLANT, AGGREGATE, ELECTRIC-MOTOR-DRIVEN, TRAILER MOUNTED, 75 TONS PER HOUR (USE MIL-W-52125) | A 3820 YD1 01-JUN-65 | YD1 | | | |
| L | MIL-G-82018 | GENERATOR SET, GASOLINE ENGINE, TUBULAR FRAME MOUNTED, 1.5 KW, 120 VOLTS, SINGLE PHASE, 1.0 POWER FACTOR, ALTERNATING CURRENT, 60 CYCLES (SEE MIL-STD-633) REVIEWER: GS | A 6115 YD1 03-JUN-65 | YD1 | | | |
| L | MIL-F-82019 | FLOODLIGHT SET, ELECTRIC, SELF-CONTAINED, TRAILER MOUNTED, WITH SIX 500-WATT FLOODLIGHTS (USE MIL-F-29161) USER: MC REVIEWER: GS | A 6230 YD1 24-JUN-65 | YD1 | | | |
| L | MIL-M-82021B NOTICE 1 | MONORAIL TRACK BEAM SYSTEMS FOR TROLLEY SUSPENDED HOISTS (S/S BY ANSI-MH27.1-81) | A 3950 YD1 12-NOV-91 | YD1 | | | |
| L | MIL-P-82022(1) | PROPELLING UNIT, OUTBOARD, DIESEL-ENGINE-DRIVEN, 40 BY 28 PROPELLER (4,200 LB THRUST AT 528 RPM) (USE MIL-P-15916E) | A 2010 YD1 03-MAR-66 | YD1 | | | |
| | MIL-M-82023(2) | MAGNET SWEEPER, ROAD, WHEEL MOUNTED, 96 INCH ..... | A 3830 YD1 03-JUL-74 | YD1 | 99 | | |
| | MIL-D-82024A | DITCHING MACHINE, LADDER TYPE 5-1/2 FOOT DEPTH, CRAWLER MOUNTED, DED (USE MIL-D-633) USER: MC | A 3805 YD1 24-MAY-68 ME | YD1 | 84 | | |
| L | MIL-S-82025 | SAW, HORIZONTAL BAND, METAL CUT OFF, LIGHT DUTY (S/S BY MIL-S-45814A) ..... | A 3419 YD1 08-JUL-64 | YD1 | | | |
| L | MIL-V-82026A | VALVES, DIAPHRAGM, STOP(S/S BY MSS SP-88) ..... | A 4820 YD1 16-NOV-84 | YD1 | | | |
| | MIL-C-82027A | COOKER, STREAM, VEGETABLE (SPEED) (USE FED SPEC S-C-1474) REVIEWER: 85 GS MC MD MS | A 7310 YD1 17-FEB-67 GL | YD1 | 84 | | |
| L | MIL-M-82028 | HEATER, WATER, OIL- OR GASOLINE-FIRED, SKID-MOUNTED (USE MIL-H-29209) ..... | A 4520 YD1 30-SEP-64 | YD1 | | | |
| | MIL-S-82029 | STAPLER, BOOK AND PAMPHLET, PEDESTAL-MOUNTED USER: EL SH REVIEWER: 85 GS .. | A 3610 GL 13-OCT-64 GL | YD1 | 84 | | |
| L | MIL-I-82030A | ICE-MAKING MACHINE, CUBE AND CRUSHED (USE MIL-I-11867) REVIEWER: GS ..... | A 4110 YD1 17-MAR-71 | YD1 | | | |
| | MIL-D-82031A | DISPENSER, CREAM, LIQUID USER: CG ME REVIEWER: GS MC MD MS SA ..... | A 7310 YD1 06-SEP-74 GL | YD1 | 99 | | |
| | MIL-P-82032A | PANTRY UNIT (NO S/S DOCUMENT) REVIEWER: MD MS ..... | A 7310 YD1 11-JUL-91 GL | YD1 | 99 | | |
| | MIL-T-82034 | TRUCK, BULK FOOD SERVICE, HEATED (ELECTRICALLY), CABINET TYPE (USE MIL-T-82045A) USER: 03 SA REVIEWER: GS MC MD MS | A 7320 YD1 28-DEC-64 GL | YD1 | 84 | | |
| L | MIL-D-82036 | DAMPNER, PRESSURE FLUID (FOR WATER-HAMMER) ..... | A 4730 YD1 24-MAR-65 | YD1 | | | |
| L | MIL-G-82038A | GRINDING MACHINE, ROCK BIT, DRY GRIND REVIEWER: GS ..... | A 3415 YD1 28-FEB-75 | YD1 | | | |
| | MIL-F-82039(1) | FOOD PREPARATION CENTER, MODULAR CONSTRUCTION, ELECTRIC AND GAS, STAND-MOUNTED USER: CE REVIEWER: GS MC MD MS | A 7310 YD1 08-APR-71 GL | YD1 | 99 | | |
| | MIL-C-82040 | COMPOSING STICK, COPY LINE, PHOTOLITHOGRAPHIC REVIEWER: 85 GS ..... | A 3610 GL 21-APR-65 GL | YD1 | 84 | | |
| L | MIL-P-82041 | PUMP, CENTRIFUGAL, GASOLINE ENGINE DRIVEN (125 G.P.M. AT 231 FOOT HEAD) ... | A 4320 YD1 05-MAY-65 | YD1 | | | |
| L | MIL-O-82042C NOTICE 1 | OILERS, AIRLINE (S/S BY A-A-50492) ..... | A 4930 YD1 23-MAY-90 | YD1 | | | |
| | MIL-C-82043A | CABINET, REFRIGERATED, SELF CONTAINED, MOBILE USER: CG REVIEWER: GS MD .... | A 4110 YD1 30-SEP-75 GL | YD1 | 99 | | |
| L | MIL-S-82044 | SPRAY OUTFIT, PAINT (AIRLESS, RECIRCULATION TYPE, ELECTRICALLY HEATED) .... | A 4940 YD1 30-JUL-65 | YD1 | | | |
| | MIL-T-82045A | TRUCK, FOOD SERVICE, ELECTRIC HEATED, CABINET TYPE, MOBILE USER: 03 REVIEWER: 11 GS MC MD | A 7320 GL 10-NOV-83 GL | YD1 | 99 | | |
| | MIL-D-82046(1) | DISPENSER, TABLEWARE, FIXED SHELF REVIEWER: MC MD ..... | A 7320 GL 30-JUL-86 GL | YD1 | 99 | | |
| L | MIL-F-82048B | FORGE, OIL BURNING, BLACKSMITH TYPE, SELF CONTAINED (NO S/S DOCUMENT) REVIEWER: GS | A 3424 YD1 15-AUG-88 | YD1 | | | |
| L | MIL-W-82050A | WATER FILTRATION AND PURIFICATION UNIT, DIATOMACEOUS EARTH TYPE ..... | A 4610 YD1 06-JUN-72 | YD1 | | | |
| L | MIL-I-82051 | INHIBITOR, CORROSION, BASIC MAGNESIUM SULFONATE (FOR USE WITH LUBRICATING) REVIEWER: GS | A 6850 YD1 23-MAR-64 | YD1 | | | |
| L | MIL-C-82052A | COATING COMPOUND, WATERPROOFING, MINERAL-FILLED, SOLVENT-TYPE, ASPHALT-BASE | A 8010 YD1 18-JUL-72 | YD1 | | | |
| L | MIL-C-82053 | CHAIR, FOLDING, STEEL, FOR FIELD OFFICE USE ..... | A 7105 YD1 05-MAY-65 | YD1 | | | |
| L | MIL-P-82054 | PIPE AND FITTINGS ASBESTOS REINFORCED THERMOSETTING PLASTIC ..... | A 4710 YD1 07-JAN-66 | YD1 | | | |
| L | MIL-F-82055(1) | FURNITURE, WOOD FRAME, LAMINATED PLASTIC-SURFACED PANEL-TYPE FOR BOQ S USER: GL | A 7105 YD1 10-MAY-68 | YD1 | | | |
| L | MIL-P-82056(1) | PIPE AND PIPE FITTINGS, PLASTIC, FOR DRAIN, WASTE, AND VENT SERVICE (USE ASTMD 2661 AND ASTMD 2665) | A 4710 YD1 27-MAY-69 | YD1 | | | |
| L | MIL-F-82059 | FURNITURE, SOFAS, SETTEES, AND EASY CHAIRS FOR BACHELOR QUARTERS USER: GL . | A 7105 YD1 22-MAR-68 | YD1 | | | |
| L | MIL-F-82060 | FOG GENERATOR, INSECTICIDAL, THERMAL AEROSOL TYPE PORTABLE (HAND CARRIED) USER: CS | A 3740 YD1 31-OCT-66 | YD1 | | | |
| L | MIL-S-82061B | SEMITRAILER, MOBILE DENTAL UNIT ..... | A 2330 YD1 06-MAR-84 | YD1 | | | |
| L | MIL-D-82063B | DISTRIBUTOR, WATER, TANK-TYPE, SEMITRAILER MOUNTED, 4,000-GALLON ..... | A 3825 YD1 02-JUL-84 | YD1 | | | |
| L | MIL-T-82064 | TRACTOR, FULL-TRACKED, COMMERCIAL, LOW SPEED, DIESEL-ENGINE-DRIVEN, WITH HYDRAULIC SCRAPER AND DOZER CONTROLS | A 2410 YD1 23-JAN-67 | YD1 | | | |
| L | MIL-W-82065A | WINCH, 2 DRUM AND 3 DRUM, DIESEL ENGINE DRIVEN, THREE STAGE TORQUE CONVERTER TYPE (USE MIL-W-29158) | A 3950 YD1 16-AUG-68 | YD1 | | | |
| L | MIL-T-82066 | TRACTOR, WHEELED, INDUSTRIAL, DIESEL-ENGINE-DRIVEN, 4X4, 4-WHEEL INDEPENDENT STEER, (FOR USE WITH 18-CUBIC YARD STRUCK CAPACITY SCRAPER) | A 2420 YD1 14-SEP-65 | YD1 | | | |
| L | MIL-S-82067 | SCRAPER, TOWED, 18 CUBIC YARD, 4-WHEEL, 6-LINE, HYDRAULIC SYSTEM ..... | A 3805 YD1 14-SEP-65 | YD1 | | | |
| | MIL-C-82069C NOTICE 1 | CYLINDER RECONDITIONING AND CORRECTION EQUIPMENT: PORTABLE (S/S BY GGG-C-2773) USER: ME REVIEWER: 84 | A 5110 YD1 12-MAR-92 GL | YD1 | 99 | | |
| | MIL-T-82070B | TIRE IRON, TIRE AND RIM SERVICING USER: GL ..... | A 5120 YD1 21-SEP-83 | YD1 | 99 | | |
| L | MIL-B-82071(2) | BUILDING, PREFABRICATED, READY-CUT, METAL, GOTHIC ARCH RIB, 20 BY 48 FEET . | A 5410 YD1 06-DEC-65 | YD1 | | | |
| L | MIL-B-82072 | BUILDING, PREFABRICATED, READY-CUT, METAL RIGID FRAME, CABLE ROOF, 20 BY 48 FT | A 5410 YD1 06-DEC-65 | YD1 | | | |
| | MIL-T-82073D NOTICE 1 | TRUCKS, LUBRICATING AND FUEL SERVICING 4 BY 2 AND 4 BY 4 (S/S BY KKK-T-2807) USER: MC | A 2320 YD1 12-NOV-92 AT | YD1 | | | |

| Action | OPR / QMAL Coordination Inactive | Document Number | Document Title | Date Simp. FSC / Area MCA Symbol Preparing Activity Data | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| L | | MIL-G-82074 | GENERATOR SET, DIESEL ENGINE, BRUSHLESS, SKID-MOUNTED, ALTERNATING CURRENT, 500 KW, 2400/4160Y VOLTS, 3-PHASE, 60-CYCLE (SEE MIL-STD-633) REVIEWER: GS | A 6115 YD1 27-DEC-66 | YD1 | | | |
| L | | MIL-C-82075B | CAMEL AND SEPARATOR, MARINE (FOR SUBMARINE BERTHING) (S/S BY NAVFAC STANDARD SPECIFICATION NFSS C46) | A 1945 YD1 31-DEC-88 | YD1 | | | |
| | | MIL-S-82076C | SEMITRAILER, FLAT BED, COMMERCIAL, TELESCOPING TYPE BODY USER: ME | A 2330 YD1 24-DEC-86 AT | YD1 | | | |
| L | | MIL-T-82077B | TILTER, LOAD, CRANE-HOIST ATTACHMENT, ADJUSTABLE SLING TYPE | A 3950 YD1 03-JUL-86 | YD1 | | | |
| L | | MIL-C-82079 | CLAMP, ELECTRICAL, NONCONDUCTIVE (USE MIL-H-55053) | A 5975 YD1 10-JUN-66 | YD1 | | | |
| L | | MIL-S-82081 | SEMITRAILER, LOW BED, 35 TON (CONVERTIBLE TO FLAT BED) | A 2330 YD1 11-JUL-66 | YD1 | | | |
| L | | MIL-S-82082 | SCRAPER, EARTHMOVING, TOWED, HYDRAULICALLY OPERATED, 14-CUBIC YARD STRUCK CAPACITY, 6-LINE HYDRAULIC, SYSTEM | A 3805 YD1 20-JUL-66 | YD1 | | | |
| L | | MIL-T-82083 | TANK, FABRIC, COLLAPSIBLE, PILLOW TYPE, 50,000-GALLON CAPACITY, PETROLEUM STORAGE (USE MIL-T-52766) | A 5430 YD1 12-SEP-66 | YD1 | | | |
| L | | MIL-S-82084A | SUBSTATION, POWER UNIT-TYPE | A 6120 YD1 15-AUG-78 | YD1 | | | |
| L | | MIL-D-82085B | DOUGH MIXING MACHINE, CONTINUOUS (WITH LIQUID SPONGE BLENDING AND FERMENTATION USER: GL REVIEWER: GS | A 7320 YD1 06-JUL-88 | YD1 | | | |
| | | MIL-C-82086C NOTICE 1 | COMPRESSOR, AIR, DIESEL-ENGINE-DRIVEN, PORTABLE, WHEEL-MOUNTED (S/S BY XX-C-2812) USER: MC | A 4310 YD1 23-APR-93 | YD1 | 99 | | |
| L | | MIL-R-82087 | RECONSTITUTOR, MILK USER: GL REVIEWER: GS | A 7320 YD1 13-JUN-66 | YD1 | | | |
| L | | MIL-K-82088(1) | KITCHEN UNITS, COMPACT USER: GL REVIEWER: GS | A 7320 YD1 15-DEC-71 | YD1 | | | |
| L | | MIL-W-82089B | WELDING MACHINE, ARC, DIRECT CURRENT, CONSTANT CURRENT CONSTANT VOLTAGE, GED (WITH ACCESSORIES FOR STICK ELECTRODE & WIRE FEED WELDING) (USE MIL-W-80037C) REVIEWER: GS | A 3431 YD1 26-APR-79 | YD1 | | | |
| L | | MIL-P-82090A | PIPE, COUPLING, STEEL (BUTTRESS THREAD) REVIEWER: CS | A 4710 YD1 06-AUG-84 | YD1 | | | |
| | | MIL-O-82091 | OVEN, HIGH SPEED MICROWAVE ELECTRIC (USE S-O-1425) USER: CG MS REVIEWER: GS MD | A 7310 YD1 21-NOV-66 GL | YD1 | 84 | | |
| L | | MIL-C-82092A | COMPRESSOR, RECIPROCATING, POWER DRIVEN, TRACTOR MOUNTED (160 CFM AT 100 PSI) USER: MC | A 4310 YD1 16-SEP-86 | YD1 | | | |
| L | | MIL-B-82093 | BORING MACHINE, CONNECTING ROD AND PISTON (PIN END AND PIN HOLES) | A 4910 YD1 02-DEC-66 | YD1 | | | |
| L | | MIL-H-82094A | HONING MACHINE, HORIZONTAL, SINGLE SPINDLE, WET TYPE, ELECTRIC MOTOR DRIVEN | A 4910 YD1 30-SEP-70 | YD1 | | | |
| L | | MIL-R-82095 | ROLLER, MOTORIZED, TANDEM, 3-AXLE, DED, 13 TO 20 TONS | A 3895 YD1 19-JAN-67 | YD1 | | | |
| L | | MIL-T-82097B(1) NOTICE 1 | TOWG SET, POWERED, SKID-MOUNTED (NO S/S DOCUMENT) | A 3835 YD1 20-JAN-92 | YD1 | | | |
| | | MIL-F-82098C | FINISHING MACHINE, CONCRETE-PAVING, SLIP-FORM, FULL TRACKED (NO S/S DOCUMENT) REVIEWER: AT | A 3895 YD1 15-AUG-88 ML | YD1 | | | |
| L | | MIL-W-82099(1) | WIRE ROPE AND CHAIN ASSEMBLIES AND FITTINGS, FOR .P. SERIES PONTOON SIDE CARRY AND LAUNCHING EQUIPMENT (USE MIL-L-28654) REVIEWER: IS | A 4010 YD1 30-AUG-67 | YD1 | | | |
| L | | MIL-B-82179A NOTICE 2 | BATH UNIT, TRAILER MOUNTED REVIEWER: YD1 | A 4510 MC 04-MAR-83 | MC | | | |
| | | MIL-P-82277C NOTICE 1 | PARKA, WET-WEATHER (S/S BY MIL-P-87098) REVIEWER: MC MD | A 8405 CT 04-FEB-92 GL | SA | 99 | CT | |
| L | | MIL-S-82593 NOTICE 2 | SIGNAL DATA CONVERTER MK 72 SERIES (NO S/S DOCUMENT) | A 1220 OS 20-MAY-92 | OS | | | |
| L | | MIL-C-82621(1) NOTICE 1 | CABLE, ELECTRIC, MISSILE, 54-CONDUCTOR (NO S/S DOCUMENT) | A 1355 OS 31-MAR-93 | OS | | | |
| L | | MIL-C-82622A NOTICE 1 | CABLE, MISSILE CONTROL, TORPEDO TUBE, MK 8 MOD 0 AND MK 9 MOD 0 (NO S/S DOCUMENT) | A 1355 OS 31-MAR-93 | OS | | | |
| L | | MIL-A-82769 NOTICE 1 | ASSEMBLY, AFT CLOSURE, SILICONE RUBBER, ROOM TEMPERATURE VULCANIZING, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-I-82770 NOTICE 1 | INLET, THROAT, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-I-82771 NOTICE 1 | INSULATION, CLOSURE, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-A-82772 NOTICE 1 | ASSEMBLY, AFT CLOSURE, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-S-82773 NOTICE 1 | SUPPORT, THROAT, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-G-82775 NOTICE 1 | GRAPHITE CLOTH PHENOLIC COMPONENTS, MOLDED AND CURED IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-I-82776 NOTICE 1 | INSULATOR, EXIT CONE IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-I-82777 NOTICE 1 | INSULATION, INSERT IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-E-82778 NOTICE 1 | EXIT CONE ASSEMBLY, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-R-82779 NOTICE 1 | RING, EXIT, AFT IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-I-82780 NOTICE 1 | INSULATION, CLOSURE, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-I-82781 NOTICE 1 | INLET, THROAT, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-L-82782 NOTICE 1 | LINER, AFT, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-R-82784 NOTICE 1 | ROD, PLASTIC (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-A-82785 NOTICE 1 | ADHESIVE, TWO PART, HIGH STRENGTH (NO S/S DOCUMENT) | A 8040 OS 11-FEB-93 | OS | | | |
| L | | MIL-T-82786 NOTICE 1 | TAPE, CARBON CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-I-82787 NOTICE 1 | IGNITER ASSEMBLY, ROCKET MOTOR MK 104 (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-L-82788 NOTICE 1 | LINER, FORMULATION OF (UF-2155) (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-B-82789 NOTICE 1 | BROADGOODS, SILICA CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-P-82790 NOTICE 1 | PROPELLANT GRAIN, RADIOGRAPHIC INSPECTION OF IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-B-82792 NOTICE 1 | BROADGOODS, CARBON CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-S-82793 NOTICE 1 | SEALANT, UF 3195 (NO S/S DOCUMENT) | A 8030 OS 11-FEB-93 | OS | | | |
| L | | MIL-C-82794 NOTICE 1 | CURING AGENT, POLYAMIDE LIQUID RESIN (NO S/S DOCUMENT) | A 6810 OS 11-FEB-93 | OS | | | |
| L | | MIL-F-82795 NOTICE 1 | FLOATS, PULP, ASBESTOS (NO S/S DOCUMENT) | A 1340 OS 11-FEB-93 | OS | | | |
| L | | MIL-T-82796 NOTICE 1 | TRIMESOYL 1-(2-ETHYL) AZIRIDINE (NO S/S DOCUMENT) | A 6810 OS 11-FEB-93 | OS | | | |
| L | | MIL-P-82797 NOTICE 1 | PRIMER FOR THERMAL BARRIER MATERIAL AND HIGH-TEMPERATURE SEALANTS (NO S/S DOCUMENT) | A 8040 OS 11-FEB-93 | OS | | | |
| L | | MIL-G-82798 NOTICE 1 | GREASE, CALCIUM (NO S/S DOCUMENT) | A 9150 OS 11-FEB-93 | OS | | | |
| L | | MIL-I-82799 NOTICE 1 | INSULATION SLEEVING, ELECTRICAL, HEAT-SHRINKABLE (NO S/S DOCUMENT) | A 5970 OS 11-FEB-93 | OS | | | |

| Action | Old / Obsolete Combination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-B-82800 NOTICE 1 | BROADGOODS, GRAPHITE CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) ..... | A | 1340 | OS | 11-FEB-93 | | OS | | | |
| L | | MIL-A-82801 NOTICE 1 | ALUMINUM, SPHERICAL (13-MICROMETERS) (NO S/S DOCUMENT) ..... | A | 6810 | OS | 11-FEB-93 | | OS | | | |
| L | | MIL-A-82802 NOTICE 1 | ADHESIVE AND SEALANT (NO S/S DOCUMENT) ..... | A | 8040 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-E-82803 NOTICE 1 | EXPLOSIVE, THIN LAYER (NO S/S DOCUMENT) ..... | A | 1376 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-R-82804 NOTICE 1 | RESIN, EPOXY, LIQUID (NO S/S DOCUMENT) ..... | A | 8030 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-C-82805 NOTICE 1 | COMPOUND, SILICONE RUBBER, HIGH STRENGTH, TWO-PART (NO S/S DOCUMENT) ..... | A | 8040 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-T-82806 NOTICE 1 | TAPE, SILICA CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-V-82808 NOTICE 1 | VARNISH, PHENOLIC (NO S/S DOCUMENT) ..... | A | 8010 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-P-82809 NOTICE 1 | POLYMER, LIQUID, HYDROXYL TERMINATED POLYBUTADIENE, WITH ANTIOXIDANT (NO S/S DOCUMENT) | A | 6810 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-P-82810 NOTICE 1 | POLYTETRAFLUOROETHYLENE (PTFE) (NO S/S DOCUMENT) ..... | A | 9330 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-C-82811 NOTICE 1 | COMPOUND, MOLD RELEASE, LIQUID (NO S/S DOCUMENT) ..... | A | 8030 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-I-82812(1) NOTICE 1 | IGNITION STRANDS (NO S/S DOCUMENT) ..... | A | 1376 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-C-82813 NOTICE 1 | CURING AGENT, ISOPHORONE DIISOCYANATE (NO S/S DOCUMENT) ..... | A | 6810 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-G-82814 NOTICE 1 | GRAPHITE REINFORCEMENT (NO S/S DOCUMENT) ..... | A | 9330 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-P-82816 NOTICE 1 | PRIMER, ADHESIVE (NO S/S DOCUMENT) ..... | A | 8040 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-R-82817 NOTICE 1 | REINFORCEMENT, CARBON (NO S/S DOCUMENT) ..... | A | 9330 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-I-82819 NOTICE 1 | INSULATION, THERMAL, POLYISOPRENE, SILICA AND ASBESTOS FILLED (NO S/S DOCUMENT) | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-O-82820 NOTICE 1 | OCTADECYL ISOCYANATE (NO S/S DOCUMENT) ..... | A | 6810 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-A-82821 NOTICE 1 | ALUMINUM, SPHERICAL (60-MICROMETERS) (NO S/S DOCUMENT) ..... | A | 6810 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-C-82822 NOTICE 1 | CATALYST, BURNRATE (NO S/S DOCUMENT) ..... | A | 6810 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-P-82823 NOTICE 1 | PRIMER, ADHESIVE, CHLORINATED RUBBER BASE (NO S/S DOCUMENT) ..... | A | 8040 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-T-82825 NOTICE 1 | TRIPHENYLBISMUTH (NO S/S DOCUMENT) ..... | A | 1376 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-I-82826 NOTICE 1 | IGNITER ASSEMBLY (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-C-82827 NOTICE 1 | COMPOUND, ANTIOXIDANT (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-R-82828 NOTICE 1 | REINFORCEMENT, SILICA (NO S/S DOCUMENT) ..... | A | 9340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-C-82829 NOTICE 1 | CARBON BLACK (NO S/S DOCUMENT) ..... | A | 6810 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-A-82830 NOTICE 1 | AMMONIUM PERCHLORATE, CONDITIONED (WITH REDUCED ALKALI METAL CONTENT) (NO S/S DOCUMENT) | A | 6810 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-T-82831 NOTICE 1 | TACKIFIER, EPDM (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-A-82832 NOTICE 1 | ADHESIVE, EPOXY RESIN, STRUCTURAL BONDING (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-T-82833 NOTICE 1 | TUNGSTEN, THORIATED, TWO PERCENT, FORGED AND CUPPED (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-A-82834 NOTICE 1 | ADHESIVE, PASTE, ONE PART (NO S/S DOCUMENT) ..... | A | 8040 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-T-82835 NOTICE 1 | TAPE, FOAM (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-A-82836 NOTICE 1 | ADHESIVE, EPOXY RESIN, STRUCTURAL BONDING, NON-ASBESTOS (NO S/S DOCUMENT) . | A | 8040 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-T-82839 NOTICE 1 | TAPE, CARBON CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-T-82840 NOTICE 1 | TAPE, SILICA CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-G-82841 NOTICE 1 | GRAPHITE, ATJS (NO S/S DOCUMENT) ..... | A | 9620 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-A-82843 NOTICE 1 | ADHESIVE, ELEVATED TEMPERATURE CURING (NO S/S DOCUMENT) ..... | A | 8040 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-R-82844 NOTICE 1 | RUBBER, POLYISOPRENE (NON-ASBESTOS) (NO S/S DOCUMENT) ..... | A | 9320 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-A-82845 NOTICE 1 | ADHESIVE, PASTE, ONE-PART, NON-ASBESTOS (NO S/S DOCUMENT) ..... | A | 8040 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-T-82846 NOTICE 1 | THREAD, SPLICING, NYLON (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-I-82847 NOTICE 1 | IGNITION COMPOUND, MAGNESIUM-POLYTETRAFLUOROETHYLENE (NO S/S DOCUMENT) .... | A | 1337 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-S-82849 NOTICE 1 | SWITCH, ARM ENABLE, ROCKET MOTOR MK 104 (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-S-82850 NOTICE 1 | SPRING, BELLEVILLE WASHER, ARM/ENABLE SWITCH (NO S/S DOCUMENT) ..... | A | 1340 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-T-82856 NOTICE 1 | TUNGSTEN, THORIATED, TWO PERCENT, FORGED (NO S/S DOCUMENT) ..... | A | 9620 | OS | 25-FEB-93 | | OS | | | |
| L | | MIL-S-82858 NOTICE 1 | SILICONE DIOXIDE, MICROFINE (NO S/S DOCUMENT) ..... | A | 9620 | OS | 25-FEB-93 | | OS | | | |
| | | MIL-F-83002C | FILLER, ROTARY SWEEPER BRUSH, FOR SWEEPER, ROTARY, TOWED (A/M32U-5 AND A/M32U-5A) USER: CE REVIEWER: CS | A | 3825 | 84 | 24-APR-84 | AT | YD1 | 99 | | |
| | | MIL-T-83043A NOTICE 2 | T-SHIRT, ATHLETE'S, AIR FORCE (NO S/S DOCUMENT) REVIEWER: 82 ..... | A | 8405 | CT | 25-SEP-92 | | | 11 | CT | |
| L | | MIL-I-83117B NOTICE 1 | INDICATORS, ANGLE OF ATTACK (NO S/S DOCUMENT) ..... | A | 6610 | 71 | 15-MAR-93 | | | 11 | | |
| L | | MIL-E-83252(2) NOTICE 3 | EMERGENCY OXYGEN SUPPLY, CHLORATE CANDLE, AIRCRAFT CRU-74/P (NO S/S DOCUMENT) | A | 1660 | 71 | 09-OCT-92 | | | 99 | | |
| L | | MIL-P-83255 NOTICE 2 | PARACHUTE SYSTEM, SPECIAL WEAPONS, A/B28K-5, 23 FT (NO S/S DOCUMENT) ..... | A | MUOR | 79 | 13-AUG-92 | | | 79 | | |
| | | MIL-G-83312(1) | GENERATOR SET, DIESEL ENGINE EMU-31/U AND EMU-32/U, 10 KW, 60 AND 400 HERTZ (USE MIL-STD 633) USER: OS REVIEWER: 80 AS | A | 6115 | 11 | 23-JUL-71 | ME | YD1 | 11 | | |

| Action | Doc. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-B-83369<br>NOTICE 2 | BORON FILAMENT REINFORCEMENT, CONTINUOUS, EPOXY RESIN IMPREGNATED (S/S BY SAE-AMS3867, SAE-AMS3867/1, SAE-AMS3867/2, SAE-AMS3867/3, SAE-AMS3867/4, SAE-AMS3867/5, AND SAE-AMS3867/6) REVIEWER: 84 99 | A | 9330 | 11 | | 11-FEB-93 | | 11 | | |
| | | MIL-C-83400A | CORE MATERIAL FOR METAL SANDWICH PANELS FOR SHELTER CONSTRUCTION (POLYURETHANE FOAM REVIEWER: 99 CS ME | A | 5410 | 11 | | 03-JUN-88 | | YD1 | 11 | |
| L | | MIL-C-83439/5A<br>NOTICE 2 | CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, DC (HERMETICALLY SEALED IN METAL CASES) (NO S/S DOCUMENT) REVIEWER: 99 ES | A | 5910 | 85 | | 06-OCT-92 | | | 85 | |
| L | | MIL-T-83460(3)<br>NOTICE 1 | TRANSDUCER, MOTIONAL PICKUP TRU-164/A (NO S/S DOCUMENT) ..... | A | 6610 | 71 | | 10-MAR-93 | | | 71 | |
| | | MIL-T-83507/14A | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTORS, AND CABLE ACCESSORIES: TOOL KIT, GENERAL PURPOSE, (AIR NITROGEN HEAT GUN) (S/S BY MIL-M-83521/5) USER: 19 AT MC ME SH YD1 REVIEWER: 11 17 99 AR AV EC ES MI OS | A | 5180 | 85 | | 05-FEB-86 | | AS | 85 | |
| | | MIL-T-83508<br>SUPPL 1C1 | TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, GENERAL SPECIFICATION FOR USER: 19 AT MC YD1 REVIEWER: 11 12 17 99 AR AV EC ES GL MI OS SH | A | 5120 | 85 | | 22-JUN-83 | CR | AS | 85 | |
| | | MIL-T-83508/1 | TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPE 2, FOR WRAPPING USER: 19 AT MC YD1 REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH | A | 5120 | 85 | | 22-JUN-83 | CR | AS | 85 | |
| | | MIL-T-83508/2 | TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPE 2, FOR WRAPPING USER: 19 MC ME YD1 REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH | A | 5130 | 85 | | 22-JUN-83 | CR | AS | 85 | |
| | | MIL-T-83508/3 | TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPE 2, FOR WRAPPING USER: 19 AT MC YD1 REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH | A | 5120 | 85 | | 22-JUN-83 | CR | AS | 85 | |
| | | MIL-T-83508/4 | TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPE 1, FOR WRAPPING USER: 19 MC ME YD1 REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH | A | 5130 | 85 | | 20-JUN-83 | CR | AS | 85 | |
| | | MIL-T-83508/5 | TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPE 1, FOR WRAPPING USER: 19 AT MC YD1 REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH | A | 5120 | 85 | | 20-JUN-83 | CR | AS | 85 | |
| | | MIL-T-83508/11 | TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPES 5, FOR UNWRAPPING USER: 19 AT MC YD1 REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH | A | 5120 | 85 | | 20-JUN-83 | CR | AS | 85 | |
| L | | MIL-G-83750B<br>NOTICE 1 | GENERATING AND CHARGING PLANT, 5 TON PER DAY CAPACITY, SKID MOUNTED (NO S/S DOCUMENT) REVIEWER: IS | A | 3655 | 82 | | 16-NOV-92 | | | 99 | |
| L | | MIL-D-83753(1)<br>NOTICE 2 | DISPENSER, BOMB, TYPE SUU-21/A (NO S/S DOCUMENT) REVIEWER: 15 ..... | A | 1105 | 79 | | 31-MAR-93 | | | 79 | |
| | | MIL-W-83891(1)<br>NOTICE 2 | WATER SUPPLY KIT, PUMP-FILTER, TYPE FM-176A (NO S/S DOCUMENT) USER: MC REVIEWER: AS | A | 6780 | 70 | | 24-FEB-93 | | AS | 99 | |
| L | | MIL-F-83897A<br>NOTICE 2 | FILM, OSCILLOGRAPH/INSTRUMENT RECORDING BLACK AND WHITE (NO S/S DOCUMENT) REVIEWER: GS | A | 6750 | 70 | | 24-FEB-93 | | | 99 | |
| | | MIL-T-83926A(1) | TIRES PNEUMATIC, SPECIAL PURPOSE (FOD) (SEE MIL-T-12459) USER: MC REVIEWER: AS | A | 2610 | 84 | | 07-JUL-71 | AT | YD1 | 84 | |
| | | MIL-E-83932 | EDGER AND TRIMMER, LAWN, POWER ..... | A | 3750 | 84 | | 27-JAN-69 | ME | YD1 | 84 | |
| L | | MIL-D-83934B<br>NOTICE 1 | DRYER, AIR, LOW PRESSURE (NO S/S DOCUMENT) ..... | A | 4440 | 84 | | 07-MAY-93 | | | 99 | |
| L | | MIL-D-83952(1) | DEHUMIDIFIER, SPACE, MECHANICAL REFRIGERATED, SELF CONTAINED, CASTER MOUNTED (S/S BY A-A-50746) USER: YD1 | A | 4440 | 84 | | 27-JAN-89 | | | 99 | |
| | | MIL-G-83989(1) | GAGE, HEIGHT, ELECTRONIC INDICATING (NO S/S DOCUMENT) REVIEWER: MC OS ..... | A | 5210 | 84 | | 01-AUG-90 | GL | YD1 | 99 | |
| | | MIL-P-84000C(2) | PROVISIONING SCREENING DATA TO BE FURNISHED BY GOVERNMENT SUPPLIERS USER: AV CG MC REVIEWER: EC MI TM | A | MISC | DH | | 29-JUN-73 | SM | SA | 10 | |
| L | | MIL-H-87072A<br>NOTICE 1 | HANDBAG, WOMAN'S, SYNTHETIC (NO S/S DOCUMENT) USER: CG MC ..... | A | 8445 | CT | | 26-OCT-92 | | | | CT |
| L | | MIL-C-87094<br>GL YD1 | CLOTH, TWILL, COTTON, FLAME RESISTANT TREATED USER: OS SH REVIEWER: 99 CT | A | 8305 | MU | | 26-MAR-85 | | MU | | |
| | | MIL-S-87096(2)<br>NOTICE 1 | SHOULDER BOARDS AND SLEEVE INSIGNIA (COAST GUARD) (S/S BY CG/PD 1-92) USER: CG | A | 8405 | CT | | 17-APR-92 | | MU | | CT |
| L | | MIL-F-87154(1)<br>NOTICE 1 | FUEL SYSTEMS, GENERAL SPECIFICATION FOR (S/S BY AFGS-87154) (CONTROLLED DISTRIBUTION) | A | 2915 | 11 | | 01-JUL-92 | | | 11 | |
| L | | MIL-E-87219(1)<br>NOTICE 1 | ELECTRICAL POWER SYSTEMS, AIRCRAFT (CONTROLLED DISTRIBUTION) (S/S BY AFGS-87219) | D | 61GP | 11 | | 30-MAR-93 | | | 11 | |
| L | | MIL-R-87245<br>NOTICE 1 | RADIO COMMUNICATION SYSTEM/SUBSYSTEM, AIRBORNE (CONTROLLED DISTRIBUTION) (NO S/S DOCUMENT) | A | 5821 | 11 | | 30-SEP-92 | | | 11 | |
| | | MIL-C-87248<br>NOTICE 1 | CAP, CAMOUFLAGE PATTERN (BASEBALL STYLE) (NO S/S DOCUMENT) USER: 45 REVIEWER: 82 99 | A | 8415 | CT | | 13-JAN-92 | GL | | 11 | CT |
| | | MIL-W-87967<br>NOTICE 1 | WATCH, WRIST: DIGITAL (NO S/S DOCUMENT) USER: CG ER ME MM REVIEWER: AS GS OS | A | 6645 | 82 | | 15-MAY-93 | AR | SH | 99 | |
| | | MIL-P-87988/3<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE V (100 DEG. FLUSH MS24694 TENSION HEAD), CLASS 1 (7075 ALUMINUM, 45 KSI FSU AND 75 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/7<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE II (100 DEG. FLUSH REDUCED SHEAR HEAD), CLASS 3 (ALLOY STEEL, 95 KSI FSU AND 160-180 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/8<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE III (100 DEG. FLUSH CROWN SHEAR HEAD), CLASS 3 (ALLOY STEEL, 95 KSI FSU AND 160-180 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/11<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE II (100 DEG. FLUSH REDUCED SHEAR HEAD), CLASS 2 (6AL-4V TITANIUM, 95 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/12<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE III (100 DEG. FLUSH CROWN SHEAR HEAD), CLASS 2 (6AL-4V TITANIUM, 95 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/13<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE VI (100 DEG. FLUSH MS20426 SHEAR HEAD) CLASS 2 (6AL-4V TITANIUM, 95 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/14<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE II (100 DEG. FLUSH REDUCED SHEAR HEAD, CLASS 4 (A-286 HIGH TEMPERATURE ALLOY, 95-115 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/17<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE III (100 DEG. FLUSH CROWN SHEAR HEAD), CLASS 4 (A-286 HIGH TEMPERATURE ALLOY, 95-115 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/18<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE IV (100 DEG. FLUSH MS20426 SHEAR HEAD, CLASS 4 (A-286 HIGH TEMPERATURE ALLOY, 95-115 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/19<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE II (100 DEG. FLUSH REDUCED SHEAR HEAD, CLASS 5 (ALLOY STEEL, 108 KSI FSU AND 180-200 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/20<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE IV (100 DEG. FLUSH MS20426 SHEAR HEAD), CLASS 5 (ALLOY STEEL, 108 KSI FSU AND 180-200 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/21<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE III (100 DEG. FLUSH CROWN SHEAR HEAD), CLASS 5 (ALLOY STEEL, 108 KSI FSU AND 180-120 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |
| | | MIL-P-87988/25<br>NOTICE 1 | PIN-RIVET, THREADED, TYPE III (100 DEG. FLUSH CROWN SHEAR HEAD), CLASS 6 (PH13-8 MO CORROSION RESISTANT STEEL, 125 KSI FSU AND 220 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | AV | 31-AUG-92 | AV | AS | 99 | |

| Action | QPL / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MIL-P-87988/27 NOTICE 1 | PIN-RIVET, THREADED, TYPE IV (100 DEG. FLUSH MS20406 SHEAR HEAD, CLASS 6 (PH13-8 MO CORROSION RESISTANT STEEL, 125 KSI FSU AND 220 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | 31-AUG-92 | AV | AS | 99 | | |
| | | MIL-P-87988/28 NOTICE 1 | PIN-RIVET, THREADED, TYPE II (100 DEG. FLUSH REDUCED SHEAR HEAD), CLASS 6 (PH13-8 MO CORROSION RESISTANT STEEL, 125 KSI FSU AND 220 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS | A | 5320 | 82 | 31-AUG-92 | AV | AS | 99 | | |
| L | | MIL-V-87991 NOTICE 1 | VAN, MULTI-PURPOSE MORTUARY SERVICE, COMMERCIAL (NO S/S DOCUMENT) ..... | A | 2320 | 84 | 20-APR-93 | | | 99 | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MS3057E | CLAMPS, CABLE, ELECTRICAL CONNECTOR (S/S BY MIL-C-85049/1, /2, /41 AND | A | 5935 | AS | 28-OCT-92 | CR | AS | | 85 |
| | | | | NOTICE 1 | /42) USER: AT AV MC ME SH REVIEWER: AR EC MI OS | | | | | | | | | |
| | | | | MS3152E | STRAIN RELIEF, STRAIGHT, FOR ELECTRIC CONNECTORS (S/S BY MIL-C-85049/53) | A | 5935 | AS | 28-OCT-92 | CR | AS | | 85 |
| | | | | NOTICE 1 | USER: AV REVIEWER: 11 17 AR EC MI SH | | | | | | | | | |
| | | | | MS3153C | STRAIN RELIEF, 45 DEG, FOR ELECTRIC CONNECTORS (S/S BY MIL-C-85049/54) | A | 5935 | AS | 28-OCT-92 | CR | AS | | 85 |
| | | | | NOTICE 1 | USER: AV REVIEWER: 11 17 AR EC ES MI SH | | | | | | | | | |
| | | | | MS3154C | STRAIN RELIEF, 90 DEG, FOR ELECTRIC CONNECTORS (S/S BY MIL-C-85049/55) | A | 5935 | AS | 28-OCT-92 | CR | AS | | 85 |
| | | | | NOTICE 1 | USER: AV REVIEWER: 17 22 AR EC ES MI SH | | | | | | | | | |
| | | | | MS3317A | GAGE, IN-SERVICE INSPECTION, FOR MS 3316 TERMINAL CRIMPING TOOL USER: MC | A | 5220 | AS | 18-JUN-68 | CR | AS | | 99 |
| | | | | | SH YD1 REVIEWER: OS | | | | | | | | | |
| | | | | MS3416E | BACKSHELLS, STRAIGHT, FOR ELECTRIC CONNECTORS (S/S BY MIL-C-85049/31 AND | A | 5935 | AS | 28-OCT-92 | CR | AS | | 85 |
| | | | | NOTICE 1 | /60) REVIEWER: EC | | | | | | | | | |
| | | | | MS3417E | CLAMPS, STRAIN RELIEF, STRAIGHT, FOR ELECTRIC CONNECTORS (S/S BY | A | 5935 | AS | 28-OCT-92 | CR | AS | | 85 |
| | | | | NOTICE 1 | MIL-C-85049/52) REVIEWER: EC | | | | | | | | | |
| | | | | MS3418E | CLAMPS, STRAIN RELIEF, 90 DEG., FOR ELECTRIC CONNECTORS (S/S BY | A | 5935 | AS | 28-OCT-92 | CR | AS | | 85 |
| | | | | NOTICE 1 | MIL-C-85049/51) REVIEWER: EC | | | | | | | | | |
| | | | | MS9388B | PACKING, PREFORMED, AMS 7278, O-RING (S/S BY MIL-R-83248/1) USER: ME | A | 5330 | 82 | 01-OCT-92 | AV | AS | | 82 |
| | | | | NOTICE 1 | REVIEWER: 1S | | | | | | | | | |
| | | | | MS13803C | REGULATOR, ENGINE GENERATOR (VOLTAGE AND CURRENT 28-VOLT, 40-AMP) | A | 2920 | ME | 29-JAN-67 | ME | YD1 | | |
| | | | | | REVIEWER: CS | | | | | | | | | |
| | | | | MS13805C | REGULATOR, ENGINE GENERATOR (VOLTAGE AND CURRENT 28 VOLT, 18 AMP) USER: MC | A | 2920 | ME | 29-JUN-67 | ME | YD1 | | |
| | | | | | REVIEWER: CS | | | | | | | | | |
| | | | | MS13822B | ARMATURE, GENERATOR (ENGINE ACCESSORY, 28 VOLT, 18 AMP) USER: MC REVIEWER: | A | 2920 | ME | 29-JUN-66 | ME | YD1 | | |
| | | | | | CS | | | | | | | | | |
| | | | | MS13827 | BEARING, SLEEVE, ENGINE, FLANGED, 1-9/16 INCH X 1-1/2 INCH USER: GL SA .... | A | 2805 | MO | 24-OCT-55 | MO | YD1 | | 87 |
| | | | | MS13832 | BEARING, SLEEVE, ENGINE, PLAIN, 1-3/8 INCH X 1-5/16 INCH USER: GL SA ..... | A | 2805 | MO | 24-OCT-55 | MO | YD1 | | 87 |
| | | | | MS13833 | BEARING, SLEEVE, ENGINE, PLAIN, 1-3/8 INCH X 7/8 INCH USER: GL SA ..... | A | 2805 | MO | 24-OCT-55 | MO | YD1 | | 87 |
| | | | | MS13837B | BEARING, SLEEVE, ENGINE, PLAIN, 1-7/16 INCH X 1 INCH USER: SA REVIEWER: AT | A | 2805 | ME | 15-DEC-66 | ME | | | 99 |
| | | | | | YD1 | | | | | | | | | |
| | | | | MS13847 | PISTON, INTERNAL COMBUSTION ENGINE, 2-1/2 INCH X 1-7/8 INCH USER: GL SA ... | A | 2805 | 82 | 24-OCT-55 | MO | YD1 | | 82 |
| | | | | MS13848B | PISTON, INTERNAL COMBUSTION ENGINE, 2-1/4 INCH X 2-1/4 INCH USER: GL MC SA | A | 2805 | 82 | 15-DEC-66 | ME | | | 82 |
| | | | | | YD1 REVIEWER: AT | | | | | | | | | |
| L | | | | MS13960 | PISTON, C.I., 3 INCH X 3 1/2 INCH USER: GL SA YD1 REVIEWER: AT ..... | A | 2805 | 82 | 19-JUN-52 | | | | 82 |
| | | | | MS14035B | BIT, INSTALLING TOOL, CONTACT, ELECTRICAL CONNECTOR, BIT, REMOVAL TOOL, | A | 5120 | EC | 26-JAN-84 | CR | EC | | 17 |
| | | | | | CONTACT, ELECTRICAL CONNECTOR USER: MI YD1 REVIEWER: 11 AS ES MC OS | | | | | | | | | |
| | | | | MS14036B | BIT, INSTALLING TOOL, CONTACT, ELECTRICAL CONNECTOR USER: AR GL MI YD1 | A | 5120 | EC | 26-JAN-84 | CR | EC | | 17 |
| | | | | | REVIEWER: 11 AS MC OS | | | | | | | | | |
| | | | | MS14300B | TUBE, COPPER, SEAMLESS (FOR USE WITH SOLDER FLARED OR COMPRESSION TYPE | A | 4710 | YD1 | 19-JUN-85 | ME | YD1 | | 11 |
| | | | | | FITTINGS) USER: MC REVIEWER: 99 CS SH | | | | | | | | | |
| | | | | MS14301A | PIPE, STEEL (SEAMLESS AND SEAMED) (FOR ORDINARY USE) USE ASTM A120 USER: | A | 4710 | YD1 | 09-SEP-74 | ME | YD1 | | 99 |
| | | | | | CE MC REVIEWER: AR CS | | | | | | | | | |
| | | | | MS15008B | TORCH, CUTTING, MILITARY STANDARD, ASSEMBLY OF USER: MC OS SH REVIEWER: EL | A | 3433 | YD1 | 15-SEP-71 | AL | YD1 | | 99 |
| | | | | | GS | | | | | | | | | |
| | | | | MS15009B | TORCH, CUTTING, MILITARY STANDARD, DETAILS OF USER: MC SH REVIEWER: EL GS . | A | 3433 | YD1 | 15-SEP-71 | AR | YD1 | | 99 |
| | | | | MS15010A | WRENCH FOR MILITARY STANDARD CUTTING TORCH USER: EL MC YD1 REVIEWER: GL ... | A | 5120 | SH | 15-APR-53 | WC | SH | | |
| | | | | MS15013C | TIP FOR MILITARY STANDARD CUTTING TORCH (NO S/S DOCUMENT) USER: EL MC SH | A | 3433 | YD1 | 11-FEB-89 | AR | YD1 | | 99 |
| | | | | | REVIEWER: GS | | | | | | | | | |
| | | | | MS15218 | SCREWDRIVER, FLAT TIP, CABINET STRAIGHT SIDES, PLASTIC HANDLE, PLAIN USER: | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | EL MC YD1 REVIEWER: GL | | | | | | | | | |
| | | | | MS15219 | SCREWDRIVER, FLAT TIP, COMMON, FLARED SIDES, PLASTIC HANDLE, DESIGN A, | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | SHAPE A USER: EL MC YD1 REVIEWER: GL | | | | | | | | | |
| | | | | MS15220A | SCREWDRIVER, FLAT TIP, EXTRA HEAVY DUTY, STEEL HANDLE WITH WOOD INSERTS | A | 5120 | SH | 01-NOV-56 | WC | SH | | 69 |
| | | | | | USER: EL MC YD1 REVIEWER: GL | | | | | | | | | |
| | | | | MS15221 | SCREWDRIVER, FLAT TIP, CLOSE QUARTER USER: EL MC YD1 REVIEWER: GL ..... | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | MS15222 | SCREWDRIVER, FLAT TIP, COMMON, FLARED SIDES WITH SCREW-HOLDER, EXTERNAL | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | GRIPPING USER: EL MC YD1 REVIEWER: GL | | | | | | | | | |
| | | | | MS15223 | SCREWDRIVER, SCREW-HOLDING, SCREW SLOT GRIPPING, PLASTIC HANDLE USER: EL | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | MC YD1 REVIEWER: GL | | | | | | | | | |
| | | | | MS15224 | SCREWDRIVER, CROSS TIP, STRAIGHT, PHILLIPS, PLASTIC HANDLE USER: EL MC YD1 | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | REVIEWER: GL | | | | | | | | | |
| | | | | MS15225A | SCREWDRIVER, RATCHET, COMMON, STRAIGHT USER: EL MC YD1 REVIEWER: WC ..... | A | 5120 | SH | 01-AUG-61 | GL | SH | | 69 |
| | | | | MS15226 | SCREWDRIVER, RATCHET, DOUBLE SPIRAL, AUTOMATIC RETURN USER: EL MC YD1 | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | REVIEWER: GL | | | | | | | | | |
| | | | | MS15227 | SCREWDRIVER, DOUBLE OFFSET, SINGLE FLAT TIP EACH END USER: EL MC YD1 | A | 5120 | SH | 02-JUL-53 | | SH | | 69 |
| | | | | | REVIEWER: GL WC | | | | | | | | | |
| | | | | MS15228 | SCREWDRIVER, DOUBLE OFFSET PHILLIPS CROSS TIP EACHEND USER: EL MC YD1 | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | REVIEWER: GL | | | | | | | | | |
| | | | | MS15229 | SCREWDRIVER, FOUR WAY OFFSET, DOUBLE FLAT TIPS EACH END USER: EL MC YD1 | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | REVIEWER: GL | | | | | | | | | |
| | | | | MS15230 | SCREWDRIVER, JEWELERS, SWIVEL KNOB, INTERCHANGEABLE BLADES USER: EL MC YD1 | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | REVIEWER: GL | | | | | | | | | |
| | | | | MS15231 | SCREWDRIVER, JEWELERS, NOMETALLIC HANDLE, NONREMOVABLE BLADE USER: EL MC | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | YD1 REVIEWER: GL | | | | | | | | | |
| | | | | MS15232 | SCREWDRIVER, FLAT TIP, POCKET, REMOVABLE BLADE USER: EL MC YD1 REVIEWER: | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | GL | | | | | | | | | |
| | | | | MS15233 | SCREWDRIVER, FLAT TIP, POCKET CLIP USER: EL MC YD1 REVIEWER: GL ..... | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | MS15234 | SCREWDRIVER, SPARK PLUG TESTING USER: EL MC YD1 REVIEWER: GL ..... | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | MS15235A | SCREWDRIVER, CROSS TIP, STRAIGHT, REED AND PRINCE,PLASTIC HANDLE USER: EL | A | 5120 | SH | 01-AUG-61 | GL | SH | | 69 |
| | | | | | MC YD1 REVIEWER: WC | | | | | | | | | |
| | | | | MS15236 | SCREWDRIVER, DOUBLE OFFSET, REED AND PRINCE CROSS TIP EACH END USER: EL MC | A | 5120 | SH | 02-JUL-53 | WC | SH | | 69 |
| | | | | | YD1 REVIEWER: GL | | | | | | | | | |
| | | | | MS15249A | FUSE, CARTRIDGE, FERRULE CONTACT, STYLE F60 (USE MIL-F-15160/60) USER: 85 | A | 5920 | SH | 15-APR-53 | EL | | | 11 |
| | | | | | MC YD1 REVIEWER: AR | | | | | | | | | |
| | | | | MS15250A | FUSE, CART . DGE, FERRULE CONTACT, STYLE F61 (USE MIL-F-15160/61) USER: 85 | A | 5920 | SH | 15-APR-53 | EL | | | 11 |
| | | | | | MC YD1 R. IEWER: AR | | | | | | | | | |
| | | | | MS15251A | FUSE, CART. DGE, FERRULE CONTACT, STYLE F62 (USE MIL-F-15160/62) USER: 85 | A | 5920 | SH | 15-APR-53 | EL | | | 11 |
| | | | | | MC YD1 REVIEWER: AR | | | | | | | | | |
| | | | | MS15252A | FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F63 (USE MIL-F-15160/63) USER: | A | 5920 | SH | 15-APR-53 | EL | | | 11 |
| | | | | | 85 MC YD1 REVIEWER: AR | | | | | | | | | |
| | | | | MS15253A | FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F64 (USE MIL-F-15160/64) USER: | A | 5920 | SH | 15-APR-53 | EL | | | 11 |
| | | | | | 85 MC YD1 REVIEWER: AR | | | | | | | | | |
| | | | | MS15254A | FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F65 (USE MIL-F-15160/65) USER: | A | 5920 | SH | 15-APR-53 | EL | | | 11 |
| | | | | | 85 MC YD1 REVIEWER: AR | | | | | | | | | |
| | | | | MS15255A | FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F66 (USE MIL-F-15160/66) USER: | A | 5920 | SH | 15-APR-53 | EL | | | 11 |
| | | | | | 85 MC YD1 REVIEWER: AR | | | | | | | | | |
| | | | | MS15256A | FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F67 (USE MIL-F-15160/67) USER: | A | 5920 | SH | 15-APR-53 | EL | | | 11 |
| | | | | | 85 MC YD1 REVIEWER: AR | | | | | | | | | |
| | | | | MS15257A | FUSE, CARTRIDGE, FERRULE CONTACT, STYLEF70 (USE MIL-F-15160/70) USER: 85 | A | 5920 | SH | 15-APR-53 | EL | | | 11 |
| | | | | | MC YD1 REVIEWER: AR | | | | | | | | | |
| | | | | MS15258A | FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F71 (USE MIL-F-15160/71) USER: | A | 5920 | SH | 15-APR-53 | EL | | | 11 |
| | | | | | 85 MC YD1 REVIEWER: AR | | | | | | | | | |
| | | | | MS15278A | VISE, WOODWORKER S QUICK ACTING USER: EL MC WC YD1 REVIEWER: GL ..... | A | 5120 | SH | 07-APR-58 | | SH | | 69 |
| | | | | MS15303A | DIE, METAL STAMPING, HAND, INSPECTION AND ACCEPTANCE, DEPARTMENT OF | A | 5136 | SH | 21-MAY-54 | WC | | | 10 |
| | | | | | DEFENSE | | | | | | | | | |

| Action | Opt. / Unit Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS15305A | SQUARE, COMBINATION, WITH CENTER HEAD AND PROTRACTOR (USE GGG-S-656) USER: 26 MC YD1 REVIEWER: GL | A | 5210 | SH | 29-AUG-55 | WC | SH | 85 | |
| | | | MS15306B | SQUARE, CARPENTER S SOLID STEEL (AFTER 31 MARCH 1967 USE GGG-S-656, TYPE 11) USER: 26 85 MC YD1 REVIEWER: GL | A | 5210 | SH | 07-APR-59 | WC | SH | | |
| | | | MS15307 | SQUARE, DOUBLE, WITH INTERCHANGEABLE BLADES USER: 26 YD1 REVIEWER: GL ..... | A | 5210 | SH | 18-DEC-52 | WC | SH | 85 | |
| | | | MS15308 | SQUARE, THIN STEEL USER: 26 YD1 REVIEWER: GL ..... | A | 5210 | SH | 18-DEC-52 | WC | SH | 85 | |
| | | | MS15309 | SQUARE, TRY, CARPENTERS (USE GGG-S-656, TYPE III) USER: 26 YD1 REVIEWER: GL | A | 5210 | SH | 18-DEC-52 | WC | SH | 84 | |
| | | | MS15310A | SQUARE, TRY, MACHINIST S (USE GGG-S-656) USER: 26 MC YD1 REVIEWER: GL ..... | A | 5210 | SH | 29-AUG-55 | WC | SH | 85 | |
| | | | MS15370 | SQUARE, COMBINATION TRY AND MITER, CARPENTERS (USE GGG-S-656, TYPE I) USER: 26 YD1 REVIEWER: GL | A | 5210 | SH | 18-DEC-52 | WC | SH | 84 | |
| | | | MS15432 | SCREWDRIVER, FLAT TIP, COMMON, FLARED SIDES, PLASTIC HANDLE, DESIGN A, SHAPE B USER: EL MC YD1 REVIEWER: GL | A | 5120 | SH | 02-JUL-53 | WC | SH | 69 | |
| | | | MS15433 | SCREWDRIVER, FLAT TIP, COMMON, FLARED SIDES, PLASTIC HANDLE, DESIGN B, SHAPE B USER: EL MC YD1 REVIEWER: GL | A | 5120 | SH | 02-JUL-53 | WC | SH | 69 | |
| | | | MS15434 | SCREWDRIVER, SCREW-HOLDING SCREW SLOT GRIPPING, METAL HANDLE USER: EL MC YD1 REVIEWER: GL | A | 5120 | SH | 02-JUL-53 | WC | SH | 69 | |
| | | | MS15435 | BIT, SCREWDRIVER, CROSS POINT, REED AND PRINCE FOR RATCHET, DOUBLE SPIRAL, AUTOMATIC RETURN USER: EL MC YD1 REVIEWER: GL | A | 5120 | SH | 02-JUL-53 | WC | SH | 69 | |
| | | | MS15436 | BIT, SCREWDRIVER, CROSS POINT, PHILLIPS FOR RATCHET, DOUBLE SPIRAL, AUTOMATIC RETURN USER: EL MC YD1 REVIEWER: GL | A | 5120 | SH | 02-JUL-53 | WC | SH | 69 | |
| | | | MS15437 | BIT, SCREWDRIVER, FLAT TIP, FOR RATCHET, DOUBLE SPIRAL, AUTOMATIC RETURN USER: EL MC YD1 REVIEWER: GL | A | 5120 | SH | 02-JUL-53 | WC | SH | 69 | |
| | | | MS15450 | SCREWDRIVER, FLAT TIP, CABINET, STRAIGHT SIDES, PLASTIC HANDLE, BOLSTER, FORGED USER: EL MC YD1 REVIEWER: GL | A | 5120 | SH | 02-JUL-53 | WC | SH | 69 | |
| | | | MS15474A | DIE, LUMBER STAMPING HAMMER, DOUBLE-FACED, INSPECTION AND ACCEPTANCE, DOD (USE MIL-I-19709) | A | 5110 | | 01-JAN-57 | | | 10 | |
| | | | MS15527C | STAND, BIBLE AND MISSAL, CHAPLAINS KIT, CHRISTIAN, FOR FIELD (NON-COMBAT) USE REVIEWER: 26 | A | 9925 | GL | 02-NOV-64 | GL | PE | 10 | |
| | | | MS15589G | LAMP, FLUORESCENT, T-12, MEDIUM BIPIN (SEE REV H) USER: YD1 REVIEWER: GS MI | A | 6240 | SH | 31-MAY-68 | ME | SH | 99 | |
| L | | | MS15592B | LAMP, INCANDESCENT, PS-25, MEDIUM SCREW USER: YD1 REVIEWER: GS MI ..... | A | 6240 | SH | 23-JUL-84 | | SH | | |
| L | | | MS15596B | LAMP, INCANDESCENT, G-30, MEDIUM SCREW USER: YD1 REVIEWER: GS MI ..... | A | 6240 | SH | 23-JUL-84 | ME | SH | | |
| L | | | MS15599C | LAMP, INCANDESCENT, PS-40, MOGUL SCREW USER: YD1 REVIEWER: GS MI ..... | A | 6240 | SH | 23-JUL-84 | | SH | | |
| L | | | MS15600C | LAMP, INCANDESCENT, A-21, MEDIUM SCREW, CLEAR FINISH USER: YD1 REVIEWER: GS MI | A | 6240 | SH | 23-JUL-84 | ME | SH | | |
| L | | | MS15605D | LAMP, INCANDESCENT, T-20, MOGUL BIPOST, CLEAR FINISH USER: YD1 REVIEWER: GS MI | A | 6240 | SH | 23-JUL-84 | | SH | | |
| | | | MS15627A | FILES, HAND, BARRETTE (SWISS PATTERN) USER: 26 YD1 REVIEWER: GL ..... | A | 5110 | SH | 06-JUL-56 | WC | SH | | |
| | | | MS15628A | FILE, HAND, CROCHET (SWISS) PATTERN( USER: 26 MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | | |
| | | | MS15629A | FILES, HAND, CROSSING (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5,10 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15630A | FILES, HAND, EQUALING (SWISS PATTERN) USER: 26 MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | | |
| | | | MS15631A | FILES, HAND, HALF-ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15632A | FILES, HAND, (SWISS PATTERN) USER: YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15633A | FILES, HAND, JOINT (SWISS PATTERN) USER: 26 MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | | |
| | | | MS15634A | FILES, HAND, KNIFE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15635 | FILES, HAND, PILLAR (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15636A | FILES, HAND, PIPPIN (SWISS PATTERN) USER: YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | | |
| | | | MS15637A | FILES, HAND, ROUND, STRAIGHT (SWISS PATTERN) USER: MC YD1 REVIEWER: GL .... | A | 5110 | SH | 14-JUN-56 | WC | SH | | |
| | | | MS15638 | FILES, HAND, ROUND, TAPER (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 26-AUG-56 | WC | SH | | |
| | | | MS15640A | FILE, SQUARE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15641A | FILES, HAND, THREE-SQUARE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15642A | FILES, HAND, WARDING (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15643A | FILES, HAND, NEEDLE, ROUND (SWISS PATTER) USER: MC YD1 REVIEWER: GL WC .... | A | 5110 | SH | 14-JUN-56 | | SH | 69 | |
| | | | MS15644A | FILES, HAND, NEEDLE, HALF-ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL . | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15646A | FILES, HAND, NEEDLE, CROSSING (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ... | A | 5110 | SH | 01-AUG-56 | WC | SH | 69 | |
| | | | MS15647A | FILES, HAND, NEEDLE, KNIFE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15648A | FILES, HAND, NEEDLE, FLAT (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15649A | FILES, HAND, NEEDLE, SQUARE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15652A | FILES, HAND, NEEDLE, EQUALING (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15653A | FILES, HAND, NEEDLE, SLITTING (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15654A | FILES, HAND, NEEDLE, MARKING, HALF-ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15656A | FILES, HAND, DIE SINKERS, ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL . | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15657A | FILES, HAND, DIE SINKER, PIPPIN OR OVAL ONE SHARP EDGE (SWISS PATTERN) USER: MC YD1 REVIEWER: WC | A | 5110 | SH | 15-JUN-61 | GL | SH | 69 | |
| | | | MS15658 | FILES, HAND, DIE SINKERS, THREE-SQUARE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15659A | FILES, HAND, DIE SINKER, OVAL (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ... | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15660A | FILES, HAND, DIE SINKERS, KNIFE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL . | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15661A | FILES, HAND, DIE SINKERS, FLAT (SWISS PATTERN) USER: MC YD1 REVIEWER: GL .. | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15662A | FILES, HAND, DIE SINKERS, AURIFORM (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15663A | FILES, HAND, DIE SINKERS, SQUARE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15664B | FILES, HAND, DIE SINKERS, FLAT, ONE SAFE EDGE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 26-SEP-58 | WC | SH | 69 | |
| | | | MS15665A | FILES, HAND, DIE SINKERS, HALF-ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15666A | FILES, HAND, DIE SINKERS, CROCHET (SWISS PATTERN) USER: MC YD1 REVIEWER: 69 GL | A | 5110 | SH | 14-JUN-56 | WC | SH | | |
| | | | MS15667A | FILES, HAND, DIE SINKERS, LOZENGE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 14-JUN-56 | WC | SH | 69 | |
| | | | MS15668 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO 1 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15669 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 2 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15670 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 3 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15671 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, SHAPE NO. 4 (SWISS PATTERNS) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15672 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 5 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15673 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 6 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15674 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 7 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15675 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 8 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15676 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 9 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15677 | FILES, HAND, DIE SINKERS RIFFLERS, REGULAR, NO. 10 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |
| | | | MS15678 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 11, SHAPE, (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | |

| Action | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MS15679 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 12 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | | |
| | MS15680 | FILES, HAND, DIE SINKERS RIFFLERS, REGULAR, NO. 13SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | | |
| | MS15681 | FILES, HAND, DIE SINKERS RIFFLERS, REGULAR, NO. 14, SHAPE, (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | | |
| | MS15682 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 15 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | | |
| | MS15683 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 16 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | | |
| | MS15684 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 17 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | | |
| | MS15685 | FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 18, SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | | |
| | MS15686 | FILES, HAND, CONTACT POINT (SWISS PATTERN) USER: MC YD1 REVIEWER: GL ..... | A | 5110 | SH | 23-AUG-56 | WC | SH | 69 | | |
| | MS15692B | CUTTER, MILLING, METAL SLITTING SAW, PLAIN (USE GGG-C-755) USER: GL MC YD1 | A | 3455 | SH | 29-MAR-63 | WC | SH | 84 | | |
| | MS15697A | CUTTER, MILLING, ANGLE, SINGLE, THREADED HOLE USER: MC SH YD1 REVIEWER: GS | A | 3455 | WC | 09-APR-57 | WC | | 99 | | |
| | MS15712A | CUTTER, MILLING, END, DOUBLE-END, TWO-FLUTE, STRAIGHT-SHANK USER: MC SH YD1 REVIEWER: GS | A | 3455 | WC | 09-APR-57 | WC | | 99 | | |
| | MS15713A | CUTTER, MILLING, END, DOUBLE-END, MULTIPLE-FLUTE, STRAIGHT-SHANK USER: MC SH YD1 REVIEWER: GS | A | 3455 | AL | 09-APR-57 | AL | | 99 | | |
| | MS15768 | AUGER, WATER CLOSET, HAND USER: MC YD1 REVIEWER: 69 GL ..... | A | 5120 | SH | 11-JUN-56 | MD | SH | | | |
| | MS15769 | AUGER, PIPE AND SEWER, HAND, FLEXIBLE, COIL SPRING, SLIDING CRANK HANDLE USER: MC YD1 REVIEWER: 69 GL | A | 5120 | SH | 11-JUN-56 | MD | SH | | | |
| | MS15770 | AUGER, PIPE AND SEWER, HAND, TOP SNAKE, HEAVY DUTY USER: MC YD1 REVIEWER: GL | A | 5120 | SH | 11-JUN-56 | MD | SH | 69 | | |
| | MS15774 | SQUARE DRIVE END STANDARDS, HAND TYPE (MALE AND LE ) (FOR USE WITH SQUARE DRIVE SOCKETS AND ATTACHMENTS) USER: MC ... REVIEWER: GL | A | 5120 | SH | 14-DEC-55 | WC | SH | 69 | | |
| | MS15775 | SQUARE DRIVE END STANDARDS, POWER TYPE (MALE AND FEMALE) (FOR USE WITH SQUARE DRIVE SOCKET WRENCHES AND ATTACHMENTS) (USE GGG-W-660) USER: GL MC YD1 | A | 3460 | SH | 07-MAR-55 | WC | SH | | | |
| | MS15777B | HANDLE, SCREWDRIVER BIT, PLASTIC, WITH CLUTCH DRIVE USER: EL MC WC YD1 .... | A | 5120 | SH | 24-OCT-62 | GL | SH | 69 | | |
| | MS15778B | BITS, SCREWDRIVER, PHILLIPS CROSS TIP, FOR CLUTCH DRIVE HANDLE USER: EL MC WC YD1 | A | 5120 | SH | 24-OCT-62 | GL | SH | 69 | | |
| | MS15779B | BITS, SCREWDRIVER, CABINET TYPE TIP, FOR CLUTCH DRIVE HANDLE USER: EL MC WC YD1 | A | 5120 | SH | 24-OCT-62 | GL | SH | 69 | | |
| | MS15780B | EXTENSION, SCREWDRIVER BIT, FOR CLUTCH DRIVE HANDLE USER: EL MC WC YD1 .... | A | 5120 | SH | 24-OCT-62 | GL | SH | 69 | | |
| | MS15790 | BEVEL, SLIDING T, WOOD HANDLE (USE GGG-B-211) USER: 85 MC YD1 REVIEWER: GL | A | 5210 | SH | 12-JUN-56 | WC | SH | | | |
| | MS15791 | BEVEL, SHIP CARPENTER S (USE GGG-B-211) USER: YD1 REVIEWER: GL ..... | A | 5210 | SH | 12-JUN-56 | WC | SH | | | |
| L | MS15812A | SCREWDRIVER, FLAT TIP-CROSS TIP, CLOSE QUARTER USER: EL MC YD1 REVIEWER: GL WC | A | 5120 | SH | 23-SEP-55 | | SH | | | |
| | MS15824A | STUDS,(BOLT-STUDS), CONTINUOUS THREAD, B7A AND B14 ALLOY STEEL, HIGH TEMPERATURE SERVICE, 875 F, MAXIMUM (USE MS 16187) USER: MC YD1 REVIEWER: GL | A | 5307 | SH | 28-FEB-57 | WC | SH | | | |
| | MS15834A | TORCH, WELDING, MILITARY STANDARD, ASSEMBLY AND DETAILS OF USER: AS EL MC OS REVIEWER: GL GS SH | A | 3433 | YD1 | 15-JUL-57 | WC | YD1 | | | |
| | MS15989A | STUD, PLAIN, STEEL, REDUCED BODY, GENERAL PURPOSE (USE MS51864) USER: MC YD1 REVIEWER: IS | A | 5307 | WC | 24-SEP-64 | WC | SH | 82 | | |
| | MS16007A | CUTTING ATTACHMENT, MILITARY STANDARD WELDING TORCH USER: EL MC OS REVIEWER: GS | A | 3433 | YD1 | 12-OCT-56 | WC | YD1 | 84 | | |
| | MS16023 | SCREWDRIVERS, SCREW HOLDING, SCREW SLOT GRIPPING, SLIDING ACTION, PLASTIC HANDLE USER: EL MC YD1 REVIEWER: GL | A | 5120 | SH | 29-FEB-56 | WC | SH | 69 | | |
| L | MS16105B NOTICE 1 | LAMPS, INCANDESCENT, G-9, BAYONET CANDELABRA, DOUBLE CONTACT (S/S BY A-A-50600) | A | 6240 | SH | 31-JUL-92 | | SH | | | |
| | MS16110B | LABEL, VOLATILE CORROSION INHIBITOR USER: 26 MC SA REVIEWER: AR GS SH ..... | A | 7690 | YD1 | 22-SEP-76 | GL | YD1 | 99 | | |
| | MS16111D | COUPLER, UNIVERSAL 14 AND 18 CU YD SCRAPER USER: CE REVIEWER: AT ..... | A | 3805 | YD1 | 21-JAN-76 | ME | YD1 | 99 | | |
| | MS16121 | PLATES, IDENTIFICATION, BLANK, VEHICLE (USE MS 90495) USER: GL MC ..... | A | 2540 | YD1 | 30-AUG-57 | MD | YD1 | 84 | | |
| | MS16130 | BLOCK, DOLLY, SHEET METALWORKING GENERAL PURPOSE, HIGH CROWN USER: MC YD1 REVIEWER: GL | A | 5120 | SH | 25-JUL-56 | WC | SH | | | |
| | MS16131 | BLOCK, DOLLY, SHEET METALWORKING, GENERAL PURPOSE, LOW CROWN USER: MC YD1 REVIEWER: GL | A | 5120 | SH | 25-JUL-56 | WC | SH | 69 | | |
| | MS16132 | BLOCK, DOLLY, SHEET METALWORKING GENERAL PURPOSE, ANVIL USER: MC YD1 REVIEWER: GL | A | 5120 | SH | 25-JUL-56 | WC | SH | | | |
| | MS16133 | BLOCK, DOLLY, SHEET METALWORKING, GENERAL PURPOSE, RAIL USER: MC YD1 REVIEWER: 69 GL | A | 5120 | SH | 25-JUL-56 | WC | SH | | | |
| | MS16134 | BLOCK, DOLLY, SHEET METALWORKING, HEEL USER: MC YD1 REVIEWER: GL ..... | A | 5120 | SH | 25-JUL-56 | WC | SH | | | |
| | MS16135 | BLOCK, DOLLY, SHEET METALWORKING, TOE USER: MC YD1 REVIEWER: GL ..... | A | 5120 | SH | 25-JUL-56 | WC | SH | | | |
| | MS16137 | BLOCK, DOLLY, SHEET METALWORKING, BODY USER: MC YD1 REVIEWER: GL ..... | A | 5120 | SH | 25-JUL-56 | WC | SH | | | |
| | MS16138 | BLOCK, DOLLY, SHEET METALWORKING, SHRINKING, WITH TRENCHING GROOVES USER: MC YD1 REVIEWER: 69 GL | A | 5120 | SH | 25-JUL-56 | WC | SH | | | |
| | MS16139 | BLOCK, DOLLY, SHEET METALWORKING, FENDER USER: MC YD1 REVIEWER: GL ..... | A | 5120 | SH | 25-JUL-56 | WC | SH | 69 | | |
| | MS16140 | BLOCK, DOLLY, SHEET METALWORKING, ROUGHING USER: MC YD1 REVIEWER: GL ..... | A | 5120 | SH | 25-JUL-56 | WC | SH | 69 | | |
| | MS16141 | BLOCK, DOLLY, SHEET, METALWORKING, THIN, HIGH CROW USER: MC YD1 REVIEWER: GL | A | 5120 | SH | 25-JUL-56 | WC | SH | | | |
| | MS16143 | FUEL OILS USER: 26 MC MR REVIEWER: YD1 ..... | A | 9140 | SH | 27-JAN-61 | MD | | 67 | | |
| | MS16145 | WRENCH, SPANNER, ADJUSTABLE COMBINATION, HYDRANT AND SPANNER USER: MC YD1 REVIEWER: 69 GL | A | 5120 | SH | 16-NOV-56 | WC | SH | | | |
| | MS16146A | WRENCHES, SPANNER, ADJUSTABLE FACE TYPE USER: MC YD1 REVIEWER: GL ..... | A | 5120 | SH | 22-AUG-57 | WC | SH | 69 | | |
| | MS16147A | WRENCHES, SPANNER, ADJUSTABLE HOOK TYPE, FIXED PIVOT POINT USER: MC YD1 REVIEWER: GL | A | 5120 | SH | 22-AUG-57 | WC | SH | 69 | | |
| | MS16148 | WRENCH, SPANNER, ADJUSTABLE HOOK TYPE, SLIDING JAW, HEAVY DUTY USER: MC YD1 REVIEWER: GL | A | 5120 | SH | 16-NOV-56 | WC | SH | 69 | | |
| | MS16149 | WRENCH, SPANNER, ADJUSTABLE HOOK TYPE, VARIABLE PIVOT POINT USER: MC YD1 REVIEWER: GL | A | 5120 | SH | 15-NOV-56 | WC | SH | 69 | | |
| | MS16150 | WRENCH, SPANNER, HOSE COUPLING TYPE, DOUBLE EYE USER: MC YD1 REVIEWER: 69 GL | A | 5120 | SH | 15-NOV-56 | WC | SH | | | |
| | MS16151 | WRENCHES, SPANNER, NONADJUSTABLE FACE TYPE, TWO-PIN USER: MC YD1 REVIEWER: 69 GL | A | 5120 | SH | 29-NOV-56 | WC | SH | | | |
| | MS16152 | WRENCH, SPANNER, UNIVERSAL HOSE COUPLING USER: MC YD1 REVIEWER: 69 GL ..... | A | 5120 | SH | 16-NOV-56 | WC | SH | | | |
| | MS16153A | WRENCHES, SPANNER, PIN TYPE, HARDENED AND TEMPERED STEEL USER: MC YD1 REVIEWER: 69 GL WC | A | 5120 | SH | 15-DEC-58 | | SH | 00 | | |
| | MS16180 | WRENCHES, PIPE, HEAVY-DUTY, DROP-FORGED STEEL OR CAST MALLEABLE IRON OR STEEL USER: EL MC YD1 REVIEWER: 69 GL | A | 5120 | SH | 06-DEC-56 | WC | SH | | | |
| | MS16181 | WRENCHES, PIPE, HEAVY DUTY, FORGED ALUMINUM ALLOY USER: EL MC YD1 REVIEWER: 69 GL | A | 5120 | SH | 06-DEC-56 | WC | SH | | | |
| | MS16182 | WRENCHES, PIPE, CHAIN USER: EL MC YD1 REVIEWER: 69 GL ..... | A | 5120 | SH | 06-DEC-56 | WC | SH | | | |
| | MS16183 | WRENCHES, PIPE, STRAP USER: EL MC YD1 REVIEWER: 69 GL ..... | A | 5120 | SH | 06-DEC-56 | WC | SH | | | |
| | MS16184 | WRENCHES, PIPE, ANGLE STYLE USER: EL MC YD1 REVIEWER: 69 GL ..... | A | 5120 | SH | 06-DEC-56 | WC | SH | | | |
| | MS16185 | WRENCH, BASIN USER: EL MC YD1 REVIEWER: 69 GL ..... | A | 5120 | SH | 06-DEC-56 | WC | SH | | | |
| L | MS16194 | LIGHT, BED (ALL STEEL) ..... | A | 6230 | YD1 | 02-AUG-57 | | YD1 | | | |
| | MS16230 | BOLT, LAG, SQUARE HEAD, SILICON BRONZE, GIMLET POINT USER: MC YD1 REVIEWER: GL | A | 5306 | SH | 19-APR-57 | WC | SH | 69 | | |
| | MS16231 | BOLT, LAG, SQUARE HEAD, CARBON STEEL UNCOATED, GIMLET POINT USER: MC YD1 REVIEWER: GL | A | 5306 | SH | 19-APR-57 | WC | SH | 69 | | |

| Action Code / Qual. Coordination Indicator | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | MS16232 | BOLT, LAG, SQUARE HEAD, CARBON STEEL ZINC OR CADMIUM COATED, GIMLET POINT USER: MC YD1 REVIEWER: GL | A 5306 | SH | 19-APR-57 | WC | SH | 69 | |
| | MS16233 | BOLT, LAG, SQUARE HEAD, CORROSION RESISTING STEEL, GIMLET POINT USER: YD1 REVIEWER: GL | A 5306 | SH | 19-APR-57 | WC | SH | 69 | |
| | MS16262 | BLADE, POWER HACKSAW, HIGH SPEED STEEL, SINGLE, ALL HARD, WELDED COMPOSITE, HIGH SPEED EDGE (USE GGG-B-451) USER: GL MC YD1 | A 3455 | SH | 22-JUL-57 | WC | SH | 84 | |
| | MS16263 | BLADES, HAND HACKSAW, HIGH-SPEED STEEL, ALL-HARD, FLEXIBLE BACK USER: EL MC YD1 REVIEWER: GL | A 5110 | SH | 22-JUL-57 | WC | SH | 69 | |
| | MS16284D | JACK, DOLLY TYPE, HYDRAULIC USER: EL REVIEWER: GL | A 4910 | WC | 27-APR-69 | WC | YD1 | 82 | |
| | MS16506A | SHEARS, METAL CUTTING, HAND, COMBINATION USER: EL REVIEWER: 69 GL | A 5110 | SH | 23-JUN-59 | WC | SH | 10 | |
| | MS16508A | SHEARS, BENCH, HAND, METAL CUTTING, COMPOUND LEVER USER: EL REVIEWER: 69 GL | A 5110 | SH | 23-JUN-59 | WC | SH | 10 | |
| | MS16509A | SHEARS, METAL CUTTING, HAND, COMPOUND LEVER, ALLOY STEEL BLADES USER: EL REVIEWER: 69 GL | A 5110 | SH | 23-JUN-59 | WC | SH | 10 | |
| | MS16510A | SHEARS, BENCH, HAND, METAL CUTTING, SINGLE LEVER USER: EL REVIEWER: 69 GL | A 5110 | SH | 23-JUN-59 | WC | SH | 10 | |
| | MS16511A | SHEARS, METAL CUTTING, HAND, STRAIGHT CUT, INLAID BLADES USER: EL REVIEWER: 69 GL | A 5110 | SH | 23-JUN-59 | WC | SH | 10 | |
| | MS16534A | DIE SET, METAL STAMPING, HAND, STEEL, HEAVY DUTY, LETTER AND NUMERAL | A 11GP | SH | 08-JAN-85 | | SH | 10 | |
| | MS16680A<br>NOTICE 1 | INSULATOR, BUSHING: SPARK PLUG CABLE ELBOW (OTHER THAN AIRCRAFT) (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: 99 GS | A 5970 | AT | 10-JUL-92 | AT | | 85 | |
| | MS16790A<br>NOTICE 1 | HOOKS, GUY, HEAVY (POLE LINE) (NO S/S DOCUMENT) USER: MC REVIEWER: IS | A 4030 | ER | 29-NOV-91 | ER | YD1 | 99 | |
| | MS16792A | GUY ATTACHMENT, PLATE USER: MC REVIEWER: GL WC | A 4030 | EL | 22-SEP-58 | EL | YD1 | 69 | |
| | MS16793A | STRAND CONNECTOR (POLE LINE) (NO S/S DOCUMENT) USER: MC ME REVIEWER: GL IS | A 4030 | ER | 29-NOV-91 | ER | YD1 | 99 | |
| | MS16794A<br>NOTICE 1 | HOOKS, GUY, HEAVY, TWO HOLE (POLE LINE) (NO S/S DOCUMENT) USER: MC ME REVIEWER: AR GL IS | A 4030 | ER | 29-NOV-91 | ER | YD1 | 99 | |
| | MS16795A<br>NOTICE 1 | SLEEVE, SERVING (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL | A 4030 | ER | 29-NOV-91 | ER | YD1 | 69 | |
| L | MS16797 | GUY ATTACHMENT, (WITH THIMBLE) USER: MC YD1 REVIEWER: EL IS WC | A 4030 | 82 | 18-JUL-58 | | | 82 | |
| | MS16798A<br>NOTICE 1 | GUY ATTACHMENT, ANGLE (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL | A 4030 | ER | 29-NOV-91 | ER | YD1 | 99 | |
| | MS16799A<br>NOTICE 1 | PROTECTOR, POLE (NO S/S DOCUMENT) USER: MC ME REVIEWER: AR GL IS | A 4030 | ER | 29-NOV-91 | ER | YD1 | 99 | |
| | MS16800A<br>NOTICE 1 | GUY ATTACHMENT (STORM) (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL | A 4030 | ER | 29-NOV-91 | ER | YD1 | 99 | |
| | MS16801A<br>NOTICE 1 | GUY ATTACHMENT (OVAL EYE) (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL | A 4030 | ER | 29-NOV-91 | ER | YD1 | | |
| | MS16802A<br>NOTICE 1 | GUY ATTACHMENT, STRAND EYE (POLE LINE) (NO S/S DOCUMENT) USER: MC ME REVIEWER: AR GL IS | A 4030 | ER | 29-NOV-91 | ER | YD1 | 99 | |
| | MS16803A<br>NOTICE 1 | GUY ATTACHMENT (OVAL EYE) LONG (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL | A 4030 | ER | 29-NOV-91 | ER | YD1 | | |
| | MS16804A<br>NOTICE 1 | CLIP, WIRE ROPE (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL | A 4030 | ER | 29-NOV-91 | ER | YD1 | | |
| | MS16805A<br>NOTICE 1 | THIMBLE, ROPE (NO S/S DOCUMENT) USER: MC REVIEWER: 69 AR GL MI | A 4030 | ER | 29-NOV-91 | ER | YD1 | | |
| L | MS16834 | MOWERS, LAWN, POWER, SUPPLY LIMITATION OF | A 3750 | YD1 | 30-JAN-85 | | YD1 | | |
| | MS16849 | ADZ, CARPENTERS, FULL HEAD (USE GGG-A-151) USER: MC YD1 | A 5110 | SH | 10-JUN-59 | | SH | 69 | |
| L | MS16851 | ADZ, SHIP CARPENTERS , SPUR HEAD, PLAIN BIT (USE GGG-A-151) USER: YD1 | A 5110 | SH | 10-JUN-59 | | SH | | |
| | MS16888 | CUTTERS, BOLT, RIGID HEAD, WITH ADJUSTING LEVERS, CLIPPER CUT (CLOSE CUTTING) REVIEWER: 69 | A 5110 | | 23-JUN-59 | WC | | 10 | |
| | MS16889 | CUTTERS, BOLT, RIGID HEAD, WITH ADJUSTING LEVERS, ANGULAR CUT, (FLUSH CUTTING) REVIEWER: 69 | A 5110 | | 23-JUN-59 | WC | | 10 | |
| | MS16970 | METER, TIME TOTALIZING, ELECTRIC, 4 VOLTS TO 130 VOLTS, DIRECT CURRENT (USE MIL-M-3971/1) USER: AS MC SH REVIEWER: EL GL YD1 | A 6645 | AR | 26-JUL-65 | AR | SA | 82 | |
| | MS16971 | METER, TIME TOTALIZING, ELECTRIC, 120 VOLTS, 60 CYCLES, ALTERNATING CURRENT (USE MIL-M-3971/2) USER: AS MC SH REVIEWER: EL GL YD1 | A 6645 | AR | 26-JUL-65 | AR | SA | 82 | |
| | MS16972 | METER, TIME TOTALIZING, ELECTRIC, 120 VOLTS, 400 CYCLES, ALTERNATING CURRENT (USE MIL-M-3971/2) USER: AS MC SH REVIEWER: EL GL YD1 | A 6645 | AR | 26-JUL-65 | AR | SA | 82 | |
| | MS17065 | DRILL, MASONRY, HAND, STAR TYPE REVIEWER: 69 | A 5110 | SH | 25-JAN-60 | | SH | 10 | |
| | MS17066 | DRILL, MASONRY, HAND, TWIST FLUTE REVIEWER: 69 | A 5110 | SH | 25-JAN-60 | | SH | 10 | |
| | MS17067 | HOLDER, MASONRY DRILL, HAND, RUBBER GRIP REVIEWER: 69 | A 5110 | SH | 25-JAN-60 | | SH | 10 | |
| | MS17068 | CHISELS, CAPE, HAND, NORMAL AND HEAVY DUTY REVIEWER: 69 | A 5110 | SH | 25-JAN-60 | | SH | 10 | |
| | MS17069 | CHISELS, DIAMOND POINT, HAND, NORMAL AND HEAVY DUTY REVIEWER: 69 | A 5110 | SH | 25-JAN-60 | | SH | 10 | |
| | MS17070 | CHISELS, COLD, HAND, REGULAR AND LONG LENGTH REVIEWER: 69 | A 5110 | SH | 22-JAN-60 | | SH | 10 | |
| | MS17071 | CHISEL, RIVET BUSTER, HAND REVIEWER: 69 | A 5110 | SH | 22-JAN-60 | | SH | 10 | |
| | MS17072 | CHISELS, ROUND NOSE, HAND, HALF, NORMAL DUTY REVIEWER: 69 | A 5110 | SH | 22-JAN-60 | | SH | 10 | |
| | MS17073 | CHISELS, ROUND NOSE, HAND, FULL REVIEWER: 69 | A 5110 | SH | 22-JAN-60 | | SH | 10 | |
| | MS17074 | CHISEL, SIDE-CUTTING, HAND REVIEWER: 69 | A 5110 | SH | 22-JAN-60 | | SH | 10 | |
| | MS17075 | SPLITTING TOOL, BUSHING, HAND REVIEWER: 69 | A 5110 | SH | 22-JAN-60 | | SH | 10 | |
| | MS17085 | GAS, FUEL | A 6830 | YD1 | 24-JUL-59 | | YD1 | 68 | |
| | MS17087 | SHOVEL, HAND, SQUARE POINT, SNOW, D-HANDLE REVIEWER: 69 | A 5120 | SH | 12-OCT-59 | | SH | 10 | |
| | MS17088A | SHOVEL, HAND, ROUND POINT, D-HANDLE, OPEN BACK, GENERAL PURPOSE REVIEWER: 69 | A 5120 | SH | 19-FEB-60 | | SH | 10 | |
| | MS171008<br>NOTICE 1 | RECTIFIER, SEMICONDUCTOR DEVICE: 28 VOLT - 100 AMPERE (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: ER | A 6130 | AT | 07-APR-93 | AT | | 80 | |
| | MS17103A<br>NOTICE 1 | BEARING, ROLLER, THRUST, GROUND, SINGLE DIRECTION, INCH SIZE, FLAT RACE SURFACE, RIGID OR FLAT SEAT TYPE , WITH RETAINER (S/S BY A-A-52414) USER: MC MR REVIEWER: AR | A 3110 | AT | 09-MAR-93 | AT | YD1 | 84 | |
| | MS17109 | CUTTER, CIRCLE, BLOCK, MOVABLE PIVOTING, WITHOUT EXTENSIONS REVIEWER: 69 | A 5110 | SH | 15-JAN-60 | | SH | 10 | |
| | MS17111 | CUTTER, CIRCLE, CENTER PIVOTING, RECTANGULAR CROSSBEAM REVIEWER: 69 | A 5110 | SH | 15-JAN-60 | | SH | 10 | |
| | MS17112 | CUTTER, CIRCLE, BLOCK, MOVABLE PIVOTING WITH EXTENSIONS REVIEWER: 69 | A 5110 | SH | 15-JAN-60 | | SH | 10 | |
| | MS17113 | CUTTER, CIRCLE, END PIVOTING, NONADJUSTABLE PIVOT HOLDER REVIEWER: 69 | A 5110 | SH | 15-JAN-60 | | SH | 10 | |
| | MS17116 | BROACHES AND BROACH SETS, JEWELER S, CUTTING, FIVE CORNERED REVIEWER: 69 | A 5110 | SH | 22-JAN-60 | | SH | 10 | |
| | MS17164 | LAMP INCANDESCENT, PAR-46 12 VOLT HEADLAMP 2 CONTACT LUGS (USE W-L-50) USER: YD1 REVIEWER: GS MI | A 6240 | ME | 20-JUN-60 | ME | AS | | |
| L | MS17168 | REEL, SOUNDING LEADLINE | A 6605 | YD1 | 02-JUN-60 | | YD1 | | |
| L | MS17202A | DISH, FOOD SERVING PICKLE OR CELERY (OFFICERS MESSES) (USE M-C-301) USER: CG MC REVIEWER: MD MS YD1 | A 7350 | GL | 11-MAR-74 | GL | SA | | |
| L | MS17220C<br>NOTICE 2 | FUSE TEST PANEL, PORTABLE, 117 VAC, 3 AMP (SYM 2465) (NO S/S DOCUMENT) | A 5920 | SH | 07-MAY-93 | | SH | | |
| | MS17415B | VALVE, SAFETY RELIEF, REFRIGERANT&12 USER: MC REVIEWER: GS | A 4130 | GL | 04-FEB-86 | GL | YD1 | | |
| L | MS17819A<br>NOTICE 2 | WASHER, STARTER PLASTIC (ANTI-RATTLE) (S/S BY MIL-F-16377) REVIEWER: GS | A 6210 | SH | 25-APR-93 | | SH | | |
| | MS17843C | CONTROL, PRESSURE, REFRIGERANT-12 - WITH HIGH PRESSURE CUT OUT USER: CE MC REVIEWER: GS MD ME | A 4130 | GL | 16-APR-84 | GL | YD1 | 82 | |
| | MS17854C | VALVE, PRESSURE REGULATING, EVAPORATOR, REFRIGERANT-12 USER: MC REVIEWER: CE CS GS ME | A 4820 | GL | 04-FEB-85 | GL | YD1 | 99 | |
| | MS17997 | LAMP, INCANDESCENT, S&11, DOUBLE CONTACT, BAYONET CANDELABRA BASE USER: EL YD1 REVIEWER: GS | A 6240 | ME | 26-OCT-62 | ME | AS | 99 | |
| | MS18005<br>NOTICE 1 | LAMP, INCANDESCENT-SEALED, BEAM, PAR 46 SPOT LAMP, 2 SCREW TERMINAL TYPE (S/S BY A-A-52409) REVIEWER: GS | A 6240 | AT | 03-NOV-92 | AT | SH | | |
| | MS18006<br>NOTICE 1 | LAMP, INCANDESCENT-SEALED BEAM, PAR 46 FLOOD LAMP, 2 SCREW TERMINAL TYPE (S/S BY A-A-52409) REVIEWER: GS | A 6240 | AT | 03-NOV-92 | AT | SH | | |

| Action | Qty / Qtrly Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS18007 | LAMP, INCANDESCENT-SEALED BEAM, PAR 56, SPOT LAMP, 2 SCREW TERMINAL TYPE | A | 6240 | AT | 03-NOV-92 | AT | SH | | |
| | | | NOTICE 1 | (S/S BY A-A-52409) REVIEWER: GS | | | | | | | | |
| | | | MS18008B | LAMP, INCANDESCENT-SEALED BEAM, PAR 56, HEADLAMP, 3 CABLE TYPE (S/S BY | A | 6240 | AT | 03-NOV-92 | AT | SH | | |
| | | | NOTICE 2 | A-A-52409) REVIEWER: GS | | | | | | | | |
| | | | MS18009D | LAMP, INCANDESCENT-SEALED BEAM, PAR 56, HEADLAMP, 12 VOLT, 3 CONTACT LUG | A | 6240 | AT | 17-JUL-92 | AT | | | 99 |
| | | | NOTICE 1 | TYPE (S/S BY A-A-52400) USER: SH YD1 REVIEWER: GS | | | | | | | | |
| | | | MS18010A | LAMP, INCANDESCENT-SEALED BEAM, PAR 56, HEADLAMP, 24 VOLT, 3 CONTACT LUG | A | 6240 | AT | 03-NOV-92 | AT | SH | | 99 |
| | | | NOTICE 1 | TYPE (S/S BY A-A-52409) REVIEWER: GS | | | | | | | | |
| | | | MS20070 | BOLT EYE, (LAG SCREW THREAD) USER: MC YD1 REVIEWER: IS MC ..... | A | 5306 | 82 | 18-JUL-58 | EL | SA | | 82 |
| | | | MS20071 | BOLT, EYE, DOUBLE ARMING (FOR POLELINE USE) USER: 26 MC YD1 REVIEWER: GL | A | 5306 | EL | 18-JUL-58 | EL | SA | | 69 |
| | | | | MC | | | | | | | | |
| | | | MS20072 | BOLT, EYE, OVAL USER: 26 MC REVIEWER: GL SA MC ..... | A | 5306 | EL | 18-JUL-58 | EL | YD1 | | 69 |
| | | | MS21302 | NUT, EYE (OVAL) USER: 26 MC REVIEWER: GL SA MC ..... | A | 5310 | EL | 18-JUL-59 | EL | YD1 | | 69 |
| | | | MS21305 | WASHER, CUSHION, ROUND USER: 26 MC REVIEWER: GL SA MC ..... | A | 5310 | EL | 18-JUL-59 | | YD1 | | 69 |
| | | | MS21309A | STAPLE, GROUND WIRE (POLE LINE) (NO S/S DOCUMENT) USER: MC REVIEWER: AR IS | A | 5315 | ER | 29-NOV-91 | ER | YD1 | | 99 |
| | | | NOTICE 1 | ME SA | | | | | | | | |
| | | | MS21310A | BOLT, HOOK, SUPPORT DRIVE FETTER THREAD (POLE LINE) (NO S/S DOCUMENT) ..... | A | 5340 | ER | 19-NOV-91 | ER | YD1 | | 99 |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS21336A | PLUGS, PIPE, IRON OR STEEL. ..... | A | 4730 | MC | 25-APR-62 | MC | YD1 | | 69 |
| | | | MS21337A | PLUGS, PIPE, ALUMINUM. ..... | A | 4730 | MC | 25-APR-62 | MC | YD1 | | 69 |
| | | | MS21338A | PLUGS, PIPE, MAGNETIC, ALUMINUM. ..... | A | 4730 | MC | 25-APR-62 | MC | YD1 | | 69 |
| | | | MS21339A | PLUGS, PIPE, MAGNETIC, IRON OR STEEL. ..... | A | 4730 | MC | 25-APR-62 | MC | YD1 | | 69 |
| | | | DS21445A | PLUG, EXPANSION, TAPERED METRIC (NO S/S DOCUMENT) REVIEWER: AT AV EA ER IS | A | 5340 | 11 | 18-DEC-87 | | YD1 | | 11 |
| | | | MS23007A | PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL (NO S/S DOCUMENT) REVIEWER: 11 | A | 6210 | AS | 18-DEC-92 | | AS | | 82 |
| | | | NOTICE 1 | 85 | | | | | | | | |
| | | | MS24201B | ADAPTER LOADER ..... | A | 4930 | ME | 01-JUL-70 | ME | YD1 | | 82 |
| | | | MS24202A | VALVE-LOADER USER: AS MC REVIEWER: MC ..... | A | 4930 | ME | 11-DEC-59 | ME | YD1 | | 82 |
| L | | | MS24506E | CIRCUIT BREAKER - AIRCRAFT, NON TRIP-FREE, PUSH PULL, 5 TO 50 AMP, TYPE I | A | 5925 | 85 | 27-OCT-92 | | | | 85 |
| | | | NOTICE 2 | (NO S/S DOCUMENT) | | | | | | | | |
| | | | MS24520A | MENDER, HOSE (LOW PRESSURE) (S/S BY A-A-52403) USER: AV MC OS REVIEWER: AR | A | 4730 | AT | 21-JAN-93 | AT | AS | | 69 |
| | | | NOTICE 1 | CS ME | | | | | | | | |
| | | | MS24521B | TEE, HOSE (LOW PRESSURE) (S/S BY A-A-52405) USER: AV MC OS REVIEWER: AR CS | A | 4730 | AT | 30-NOV-92 | AT | AS | | 99 |
| | | | NOTICE 1 | MI | | | | | | | | |
| | | | MS24631B | APPROXIMATE HOLE SIZES FOR TYPE-A HARDENED THREAD FORMING TAPPING SCREWS .. | A | 5305 | MC | 09-AUG-69 | MC | YD1 | | 82 |
| | | | MS24689B | NUT, PLAIN, HEXAGON, TRACK (USE ANSI B 18.10) REVIEWER: IS ..... | A | 5310 | YD1 | 20-APR-84 | ME | YD1 | | 99 |
| L | | | MS25200 | LIGHT, APPROACH, CARRIER AIRCRAFT, TRICOLOR FILTER TYPE (NO S/S DOCUMENT) . | A | 6210 | AS | 01-OCT-92 | | AS | | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS25232D | LAMP, INCANDESCENT, SINGLE CONTACT BAYONET CANDELABRA BASE, S-8 BULB (S/S | A | 6240 | AS | 01-FEB-93 | AV | AS | | 99 |
| | | | NOTICE 1 | BY MIL-L-6363/12) | | | | | | | | |
| | | | MS25235D | LAMP, INCANDESCENT, SINGLE-CONTACT BAYONET CANDELABRA BASE, S-11 BULB (S/S | A | 6240 | AS | 01-FEB-93 | AV | AS | | 99 |
| | | | NOTICE 1 | BY MIL-L-6363/13) REVIEWER: ME | | | | | | | | |
| | | | MS25237D | LAMP, INCANDESCENT, SINGLE CONTACT MIDGET FLANGED BASE (T-1-3/4 BULB) (S/S | A | 6240 | AS | 01-FEB-93 | ME | AS | | 99 |
| | | | NOTICE 1 | BY MIL-L-6363/8) USER: MC REVIEWER: 11 AR AV EC ER SH | | | | | | | | |
| | | | MS25238A | LAMP, INCANDESCENT, SINGLE CONTACT BAYONET CANDELABRA BASE, G-5 BULB TYPE | A | 6240 | AS | 01-FEB-93 | ME | AS | | 82 |
| | | | NOTICE 1 | 1 (S/S BY MIL-L-6363/10) | | | | | | | | |
| | | | MS26507A | INDICATOR CARD, DESICCANT RELATIVE HUMIDITY (8% PLUS OR MINUS 5%) USER: EA | A | 6685 | 82 | 24-MAR-55 | | YD1 | | 82 |
| | | | | MC REVIEWER: AS GL | | | | | | | | |
| | | | MS26580B | COVER, AIRPORT MARKER LIGHT BASE, BLANK REVIEWER: GS YD1 ..... | A | 6210 | 82 | 24-MAR-82 | | AS | | 99 |
| | | | MS27001 | ADAPTER, CONNECTOR-DUPLEX WALL RECEPTACLE, 125 VOLTS, 2 POLE, 2 WIRE | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | (PARALLEL) TO 2 POLE, 3 WIRE, GROUNDING TYPE USER: MC REVIEWER: 11 80 ES | | | | | | | | |
| | | | MS27002 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-MIDGET | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | LOCKING TYPE, 2 POLE, 2 WIRE, 10 AMPERE, 250 VOLTS, 15 AMPERE, 125 VOLTS | | | | | | | | |
| | | | | (USE W-C-596, STYLE B) REVIEWER: 80 AR ES | | | | | | | | |
| | | | MS27003 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-MIDGET | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | LOCKING TYPE, 2 POLE, 2 WIRE, 10 AMPERE, 250 VOLTS, 15 AMPERE, 125 VOLTS | | | | | | | | |
| | | | | (USE W-C-596, STYLE C) USER: MC REVIEWER: 11 17 80 ES | | | | | | | | |
| | | | MS27004 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-LOCKING | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | TYPE, 3 POLE, 3 WIRE, 15 AMPERE, 125 VOLTS, 10 AMPERE, 250 VOLTS (USE | | | | | | | | |
| | | | | W-C-596, STYLE G) USER: MC REVIEWER: 11 17 80 ES | | | | | | | | |
| | | | MS27005 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 3 POLE, | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | 3 WIRE, 10 AMPERE, 250 VOLTS8 15 AMPERE, 125 VOLTS( USER: MC REVIEWER: 11 | | | | | | | | |
| | | | | 17 80 ES | | | | | | | | |
| | | | MS27006 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-MIDGET | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | LOCKING TYPE, 3 POLE, 3 WIRE, 10 AMPERE, 250 VOLTS, 15 AMPERE, 125 VOLTS | | | | | | | | |
| | | | | (USE W-C-596, STYLE F) USER: MC REVIEWER: 11 17 80 ES | | | | | | | | |
| | | | MS27007 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 2 POLE, | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | 3 WIRE, GROUNDING TYPE, 15 AMPERE, 250 VOLTS (USE W-C-596, STYLE H) USER: | | | | | | | | |
| | | | | MC REVIEWER: 11 17 80 ES | | | | | | | | |
| | | | MS27008 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 2 POLE, | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | 2 WIRE, 20 AMPERES, 250 VOLTS (USE W-C-596, STYLE K) USER: MC REVIEWER: 11 | | | | | | | | |
| | | | | 17 80 ES | | | | | | | | |
| | | | MS27009 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 3 POLE, | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | 3 WIRE, 20 AMPERE, 250 VOLTS (USE W-C-596, STYLE L) USER: MC REVIEWER: 11 | | | | | | | | |
| | | | | 17 80 ES | | | | | | | | |
| | | | MS27010 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-LOCKING | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | TYPE, 3 POLE, 3 WIRE, 20 AMPERE, 250 VOLTS, 10 AMPERE, 600 VOLTS (A-C | | | | | | | | |
| | | | | ONLY) (USE W-C-596, STYLE M) USER: MC REVIEWER: 17 80 ES | | | | | | | | |
| | | | MS27011 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 4 POLE, | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | 4 WIRE, 20 AMPERE, 250 VOLTS (USE W-C-596, STYLE N) USER: MC REVIEWER: 11 | | | | | | | | |
| | | | | 17 80 ES | | | | | | | | |
| | | | MS27012 | CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-LOCKING | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | TYPE, 4 POLE, 4 WIRE, 20 AMPERE, 250 VOLTS, 10 AMPERE, 600 VOLTS (A-C | | | | | | | | |
| | | | | ONLY) (USE W-C-596, STYLE P) USER: MC REVIEWER: 11 17 80 ES | | | | | | | | |
| | | | MS27013A | CONNECTOR, PLUG, ELECTRICAL & CONNECTOR, RECEPTACLE, ELECTRICAL, 2 POLE, 2 | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | WIRE, 30 AMPERE, 250 VOLTS (USE W-C-596/31 & W-C-596/32) USER: MC | | | | | | | | |
| | | | | REVIEWER: 11 17 99 ES | | | | | | | | |
| | | | MS27014A | CONNECTOR, PLUG, ELECTRICAL & CONNECTOR, RECEPTACLE, ELECTRICAL, 3 POLE, 3 | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | WIRE, 30 AMPERE, 250 VOLTS (USE W-C-596/33 & W-C-596/34) USER: MC | | | | | | | | |
| | | | | REVIEWER: 11 17 99 ES | | | | | | | | |
| | | | MS27015A | CONNECTOR, PLUG, ELECTRICAL & CONNECTOR, RECEPTACLE, ELECTRICAL, 3 POLE, 3 | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | WIRE, 50 AMPERE, 250 VOLTS (USE W-C-596/36 & W-C-596/37 USER: MC REVIEWER: | | | | | | | | |
| | | | | 11 99 ES | | | | | | | | |
| | | | MS27016A | CONNECTOR, PLUG, ELECTRICAL & CONNECTOR, RECEPTACLE, ELECTRICAL, 4 POLE, 4 | A | 5935 | ME | 30-AUG-60 | ME | YD1 | | 85 |
| | | | | WIRE, 60 AMPERE, 250 VOLTS (USE W-C-596/38 & W-C-596/39) USER: MC | | | | | | | | |
| | | | | REVIEWER: 11 17 99 ES | | | | | | | | |
| | | | MS27051B | WASHER, SLOTTED USER: EL MC YD1 REVIEWER: IS ..... | A | 5310 | MC | 01-NOV-66 | MC | | | 99 |
| L | | | MS27258 | LABEL, WORS, MARKING FOR SHIPMENT OF ..... | A | 8135 | 69 | 05-MAR-65 | | | | 69 |
| L | | | MS27264D | TIMER, FIRE CONTROL, BOMBING, DUAL (NO S/S DOCUMENT) REVIEWER: GS ..... | A | 6645 | 82 | 05-JUL-89 | | | | 99 |
| | | | MS27281 | CASTER, RIGID AND SWIVEL, PRECISION, SPRING MOUNTED, PNEUMATIC TIRED USER: | A | 5340 | 99 | 03-SEP-65 | AR | YD1 | | 99 |
| | | | | 11 CE REVIEWER: GL IS | | | | | | | | |
| | | | MS27957 | HINGE, BUTT-NARROW AND BROAD, TEMPLATE, HARDWARE, BUILDER S, COMMERCIAL, | A | 5340 | MC | 24-FEB-61 | MC | YD1 | | 82 |
| | | | | ALUMINUM SE MIL-H-1237( REVIEWER: IS SH | | | | | | | | |
| | | | MS27959 | HINGE, BUTT-NARROW AND BROAD, WITHOUT HOLES HARDWARE, BUILDER S, | A | 5340 | MC | 24-FEB-61 | MC | YD1 | | 82 |
| | | | | COMMERCIAL, ALUMINUM (USE MIL-H-1237) REVIEWER: IS | | | | | | | | |

| Action Opt. / Qual. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| | MS27967 | HASP, HINGED&SAFETY, WITH FIXED STAPLE, HARDWARE, BUILDER,S, MISCELLANEOUS, STEEL USER: ME REVIEWER: IS | A 5340 | WC | 24-FEB-61 | WC | YD1 | 82 | |
| | MS27987 | COUPLING, STRAIGHT, HOSE TO HOSE, INTERVAL (NPSH) SWIVEL, ROCKER LUG, TO EXTERNAL (NPSH) | A 4730 | CE | 26-JUL-61 | CE | YD1 | 82 | |
| | MS27988 | SIAMESE CONNECTION, PIPE TO HOSE, EXTERNAL (NPT) SINGLE END, TO INTERNAL (NPSH) SIAMESE SWIVEL ENDS, ROCKER LUG (USE MIL-C-52404) USER: GL MD REVIEWER: 69 | A 4730 | ME | 26-JUL-61 | ME | YD1 | 82 | |
| | MS27989 | COUPLING, HOSE, (WATER), DOUBLE INTERNAL, SWIVEL, ROCKER LUG, FOR USE WITH 1 1/2 INCH WATER HOSE (USE MIL-C-52404) USER: GL MD | A 4730 | ME | 26-JUL-61 | ME | YD1 | 82 | |
| | MS28003C | INDICATOR, POSITION, FLAPS, 2-INCH SIZE, 28-VOLT DC (NO S/S DOCUMENT) ..... | A 6610 | AS | 30-SEP-92 | AV | AS | 71 | |
| | NOTICE 2 | | | | | | | | |
| | MS33657G | FITTING END, STANDARD DIMENSIONS FOR BULKHEAD FLARED TUBE CONNECTION (S/S | A 4730 | 82 | 06-JAN-93 | AR | AS | 99 | |
| | NOTICE 1 | BY SAE-AS4396) USER: ME REVIEWER: CS MI | | | | | | | |
| | MS35002D | BATTERY, STORAGE-FOR GASOLINE OPERATED INDUSTRIAL TRUCKS AND TRACTORS (NO | A 6140 | AT | 03-MAY-93 | AT | YD1 | 99 | |
| | NOTICE 1 | S/S DOCUMENT) USER: MC REVIEWER: AS ER GS | | | | | | | |
| | MS35004A | BATTERY, STORAGE CAR LIGHTING AND AIR CONDITIONING USER: AS MC REVIEWER: | A 6140 | ME | 16-MAR-55 | ME | YD1 | 99 | |
| | | AT ER GS | | | | | | | |
| | MS35005A | BATTERY, STORAGE INDUSTRIAL, LOCOMOTIVE AND MARINE USER: AS MC REVIEWER: | A 6140 | ME | 16-MAR-55 | ME | YD1 | 99 | |
| | | AT ER GS | | | | | | | |
| | MS35255A | BRACK, CORNER, BOX, LARGE, 1 QUARTER-ROUND AND 2 CUT FLANGES, 3 MOUNTING | A 5340 | ER | 19-NOV-91 | ER | YD1 | 99 | |
| | NOTICE 1 | HOLES (NO S/S DOCUMENT) | | | | | | | |
| | MS35256A | BRACE, CORNER, BOX, SMALL, 1 QUARTER ROUND AND 2 CUT FLANGES, 3 MOUNTING | A 5340 | ER | 19-NOV-91 | ER | YD1 | 99 | |
| | NOTICE 1 | HOLES (NO S/S DOCUMENT) | | | | | | | |
| | MS35258A | BRACE, CORNER, BOX, SMALL, 2 QUARTER-ELLIPSE FLANGES, 2 MOUNTING HOLES (NO | A 5340 | ER | 19-NOV-91 | ER | YD1 | 99 | |
| | NOTICE 1 | S/S DOCUMENT) REVIEWER: IS | | | | | | | |
| | MS35259A | BRACE, CORNER, BOX, 3 QUARTER-ROUND FLANGES, 6 MOUNTING HOLES (NO S/S | A 5340 | ER | 19-NOV-91 | ER | YD1 | 99 | |
| | NOTICE 1 | DOCUMENT) REVIEWER: IS | | | | | | | |
| | MS35260A | BRACE, CORNER, BOX, 1 QUARTER-ROUND AND 2 CUT FLANGES, 4 MOUNTING HOLES | A 5340 | ER | 19-NOV-91 | ER | YD1 | 99 | |
| | NOTICE 1 | (NO S/S DOCUMENT) REVIEWER: IS | | | | | | | |
| | MS35261A | BRACE, CORNER, BOX, 2 QUARTER-ELLIPSE FLANGES, 4 MOUNTING HOLES (NO S/S | A 5340 | ER | 19-NOV-91 | ER | YD1 | 99 | |
| | NOTICE 1 | DOCUMENT) REVIEWER: IS MI | | | | | | | |
| | MS35289 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, PLAIN FINISH, UNC-2A USER: MC MI YD1 REVIEWER: GL SA | A 5305 | WC | 04-MAR-54 | WC | SH | 69 | |
| | MS35290 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, PLAIN FINISH, UNF-2A USER: MC MI YD1 REVIEWER: GL SA SH | A 5305 | WP | 04-MAR-54 | WC | | 69 | |
| | MS35291 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, CADMIUM OR ZINC FINISH, UNC-2A USER: MC MI YD1 REVIEWER: 69 GL SA | A 5305 | WC | 04-MAR-54 | WC | SH | 11 | |
| | MS35292 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, CADMIUM OR ZINC FINISH, UNF-2A USER: MC MI YD1 REVIEWER: 69 GL SA | A 5305 | WC | 04-MAR-54 | WC | SH | 11 | |
| | MS35293 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, PHOSPHATE FINISH, UNC-2A USER: MC YD1 REVIEWER: GL SA | A 5305 | WC | 04-MAR-54 | WC | SH | 69 | |
| | MS35294 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, PHOSPHATE FINSIH, UNF-2A USER: MC YD1 REVIEWER: GL SA | A 5305 | WC | 04-MAR-54 | WC | SH | 69 | |
| | MS35354 | BOLT, MACHINE, SQUARE HEAD, (UNFINISHED), STEEL, UNCOATED, UNC-2A (S/S BY MS-35355A) USER: MC YD1 REVIEWER: AR GL | A 5305 | WC | 24-JAN-55 | WC | SH | | |
| | MS35386C | PIN, LOCK (USE MIL-R-52243) REVIEWER: IS ..... | A 5315 | ME | 28-SEP-67 | ME | YD1 | | |
| | MS35388E | TIRE, PNEUMATIC, PASSENGER CAR, LIGHT TRUCK, TRUCK AND BUS REVIEWER: ME ... | A 2610 | AT | 07-MAR-68 | AT | YD1 | 84 | |
| | MS35389D | TIRE, PNEUMATIC, INDUSTRIAL STRAIGHT SIDE, TRACTOR REAR AND TRACTOR FRONT REVIEWER: ME | A 2610 | AT | 17-FEB-67 | AT | YD1 | 84 | |
| | MS35390 | TIRE, PNEUMATIC, LOW PLATFORM TRAILER, EARTHMOVER, GRADER, AND AMPHIBIOUS VEHICLE REVIEWER: ME | A 2610 | AT | 17-FEB-67 | AT | YD1 | 84 | |
| | MS35391 | TIRE, PNEUMATIC, BICYCLE, MOTORCYCLE, AND MOTOR SCOOTER REVIEWER: ME ..... | A 2610 | AT | 17-FEB-67 | AT | YD1 | 84 | |
| | MS35392D | INNER TUBE, PNEUMATIC TIRE REVIEWER: ME ..... | A 2610 | AT | 17-FEB-67 | AT | YD1 | 84 | |
| | MS35393C | TIRE, SOLID RUBBER-STANDARD AND CUSHION, INDUSTRIAL, USER: AS MC REVIEWER: ME | A 2630 | AT | 09-FEB-67 | AT | YD1 | 84 | |
| | MS35400A | RAIL, TEE, RAILWAY REVIEWER: 85 ..... | A 2250 | ME | 15-JUL-59 | ME | YD1 | 84 | |
| | MS35413C | LIGHT, INDICATOR WITH PLAIN SHORT SCREW CAP (S/S BY MIL-L-3661) USER: AS AT EL MC YD1 REVIEWER: GL GS MI | A 6210 | SH | 03-JUL-75 | AR | SH | 11 | |
| | MS35414B | LIGHT, INDICATOR WITH PLAIN SHORT SCREW CAP AND BUILT-IN RESISTOR USER: EL MC YD1 REVIEWER: GL | A 6210 | WC | 05-FEB-64 | WC | SH | 11 | |
| | MS35415B | LIGHT, INDICATOR, WITH PLAIN CONVEX LENS AND POLAROID DIMMER USER: EL MC YD1 REVIEWER: GL | A 6210 | WC | 05-FEB-64 | WC | SH | 11 | |
| | MS35424B | LIGHT, MARKER, CLEARANCE-BLACKOUT, 24 VOLT (S/S BY MIL-L-3976/2) USER: AS | A 6220 | AT | 16-JUN-92 | AT | MC | 99 | |
| | NOTICE 2 | ME REVIEWER: 84 85 GS MI | | | | | | | |
| | MS35464 | SPIKE, TRACK, SQUARE SHANK, RAILROAD USER: MC ..... | A 2250 | ME | 31-MAR-55 | ME | YD1 | 84 | |
| | MS35472A | TIE PLATE, RAILWAY ..... | A 2250 | ME | 08-MAR-61 | ME | YD1 | 84 | |
| | MS35473B | JOINT BAR, RAIL ..... | A 2250 | ME | 25-APR-60 | ME | YD1 | 84 | |
| | MS35474C | BOLT, OVAL NECK, TRACK (USE ANSI B18.10) REVIEWER: AR IS SA ..... | A 5306 | YD1 | 12-JUL-84 | ME | YD1 | 99 | |
| | MS35475C | NUT, PLAIN, SQUARE, TRACK (USE ANSI B18.10) REVIEWER: AR IS MI SA ..... | A 5310 | YD1 | 20-APR-84 | ME | YD1 | 99 | |
| | MS35490A | GROMMET, RUBBER-SPLIT, GENERAL PURPOSE (USE, MS35489) USER: AR EL MC ME | A 5325 | WC | 07-MAY-68 | WC | AS | 82 | |
| | | YD1 REVIEWER: AT IS MI | | | | | | | |
| | MS35648A | PLUG, EXPANSION: PLAIN (S/S BY A-A-52420) USER: CR MC ME REVIEWER: AR AV | A 5340 | AT | 13-JAN-93 | AT | AS | 99 | |
| | NOTICE 1 | GL IS MI | | | | | | | |
| | MS35660A | ADAPTER, CYLINDER VALVE, BRASS, CLASS 300-510,ACETYLENE, 300 PSI WORKING PRESSURE (USE MIL-A-16288/16) | A 8120 | ME | 05-SEP-68 | ME | YD1 | 68 | |
| | MS35661A | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, CLASS 510-300, ACETYLENE, 300 PSI WORKING PRESSURE (USE MIL-A-16288/17 | A 8120 | ME | 05-SEP-68 | ME | YD1 | 68 | |
| | MS35662 | ADAPTER, CYLINDER VALVE, BRASS, CLASS 550-590, AIR, ARGON, NITROGEN, OIL PUMPED, 2200 PSI WORKING PRESSURE USER: AS GL MC MS SH REVIEWER: WC | A 8120 | ME | 12-MAR-57 | ME | YD1 | 68 | |
| | MS35663 | ADAPTER, CYLINDER VALVE, BRASS, CLASS 590&550, AIR, ARGON, NITROGEN, OIL PUMPED, 2200 PSI WORKING PRESSURE USER: GL MC MS SH REVIEWER: WC | A 8120 | ME | 12-MAR-57 | ME | YD1 | 68 | |
| | MS35666 | ADAPTER, CYLINDER VALVE, BRASS, CLASS 350-590, HELIUM, OIL PUMPED, 2200 PSI WORKING PRESSURE USER: AS GL MC MS SH REVIEWER: WC | A 8120 | ME | 12-MAR-57 | ME | YD1 | 68 | |
| | MS35667 | ADAPTER, CYLINDER VALVE, BRASS, CLASS 590-350, HELIUM, OIL PUMPED, 2200 PSI WORKING PRESSURE USER: AS GL MC MS SH REVIEWER: WC | A 8120 | ME | 12-MAR-57 | ME | YD1 | 68 | |
| | MS35668 | ADAPTER, CYLINDER VALVE, BRASS, CLASS 320-540, MEDICAL OXYGEN, 2200 PSI WORKING PRESSURE USER: AS GL MC MS SH REVIEWER: WC | A 8120 | ME | 12-MAR-57 | ME | YD1 | 68 | |
| | MS35669 | ADAPTER, CYLINDER VALVE, BRASS, CLASS 540-320, MEDICAL OXYGEN, 2200 PSI WORKING PRESSURE USER: AS GL MC MS SH REVIEWER: WC | A 8120 | ME | 12-MAR-57 | ME | YD1 | 68 | |
| | MS35747 | HOLDER, SPRING, AIR BRAKE HOSE COUPLING USER: GL MC ..... | A 2530 | MD | 03-MAY-56 | MD | YD1 | 84 | |
| | MS35749 | SPRING, HELICAL, COMPRESSION, AIR BRAKE HOSE COUPLING USER: GL MC ..... | A 2530 | MD | 03-MAY-56 | MD | YD1 | 84 | |
| | MS35750 | PLUNGER, AIR BRAKE HOSE COUPLING USER: GL MC ..... | A 2530 | MD | 03-MAY-56 | MD | YD1 | 84 | |
| | MS35752A | BOLT, SQUARE NECK, TRUSS HEAD, (STEP) STEEL, CADMIUM OR ZINC PLATED, UNC-2A (SEE MS 35751) USER: AT MC YD1 REVIEWER: IS ME MI | A 5306 | WC | 13-SEP-66 | WC | | 82 | |
| | MS35753A | BOLT, SQUARE NECK, FLAT HEAD, (ELEVATOR) STEEL, CADMIUM OR ZINC PLATED, UNC-2A (USE MS35754) USER: AT MC ME OS YD1 REVIEWER: IS | A 5306 | WC | 13-SEP-66 | WC | | 82 | |
| | MS35755C | CUP, OIL, LUBRICATING, BALL VALVE (DRIVE), STRAIGHT (USE MIL-C-1258D) USER: MC SH REVIEWER: 99 CS GL MI | A 4730 | YD1 | 08-OCT-76 | AR | YD1 | 11 | |
| | MS35771C | BEARING, SLEEVE: PLAIN, BRONZE (S/S BY FF-B-195) USER: MC YD1 REVIEWER: | A 3120 | AT | 04-MAY-93 | AT | AS | 11 | |
| | NOTICE 1 | AR AV IS ME MI | | | | | | | |
| | MS35772C | BEARING, SLEEVE: FLANGED, COPPER ALLOY (S/S BY FF-B-195) USER: AR MC | A 3120 | AT | 04-MAY-93 | AT | | 99 | |
| | NOTICE 1 | REVIEWER: IS | | | | | | | |
| | MS35786A | COCK, DRAIN, GROUND KEY, LONG SHANK, 125 PSI STEAM PRESSURE (USE MS35785) USER: MC MS YD1 REVIEWER: GL MI | A 4820 | WC | 23-MAR-66 | WC | SH | 82 | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS35796A | BOLT, THIMBLE EYE (STRAIGHT), HOT GALVANIZED (POLE-LINE) (NO S/S DOCUMENT) | A | 4030 | | ER | 29-NOV-91 | ER | YD1 | | 99 |
| | | | NOTICE 1 | USER: MC ME REVIEWER: AR IS | | | | | | | | | |
| | | | MS35797A | BOLT, THIMBLE EYE (BENT) HOT GALVANIZED (POLE-LINE) (NO S/S DOCUMENT) | A | 4030 | | ER | 29-NOV-91 | ER | YD1 | | 99 |
| | | | NOTICE 1 | USER: MC ME REVIEWER: AR GL | | | | | | | | | |
| | | | MS35800 | BOLT, LAG, GIMLET POINT HOT GALVANIZED (POLE-LINE) (USE MS 16992) USER: 26 MC REVIEWER: GL SA SH WC | A | 5306 | | EL | 19-NOV-56 | EL | YD1 | | 69 |
| L | | | MS35832A | DIAGRAM, EQUIPMENT, COMPOSITE, RAILWAY 36, 39-3/8 AND 42 IN. GAGES, FOREIGN SERVICE USER: YD1 REVIEWER: MT | A | 2220 | | ME | 21-MAR-84 | ME | | | |
| L | | | MS35833B | DIAGRAM, EQUIPMENT, COMPOSITE, RAILWAY 56 1/2 (1435), 60 (1524), 63 (1600) AND 66 (1676) IN. (MM) GAGES, FOREIGN SERVICE USER: MC YD1 REVIEWER: MT | A | 2220 | | ME | 24-MAY-83 | ME | | | |
| | | | MS35840D | CAP, FILLER OPENING: RADIATOR, 7 PSI PRESSURE, 2 1/2 INCH (S/S BY | A | 2930 | | AT | 02-FEB-93 | AT | | | 99 |
| | | | NOTICE 1 | A-A-52424) USER: CR MC REVIEWER: CS ME | | | | | | | | | |
| | | | MS35858 | DIAGRAM, EQUIPMENT, COMPOSITE, RAILWAY, FREIGHT 56-1/2 IN. GAGE, DOMESTIC SERVICE USER: YD1 REVIEWER: MT | A | 2220 | | ME | 28-MAY-57 | ME | | | 84 |
| | | | MS35879 | MAGNETOS, IGNITION: DISTRIBUTOR (VERTICAL) TYPE FOR INDUSTRIAL ENGINES (LIMITING OVERALL DIMENSIONS) (NO S/S DOCUMENT) REVIEWER: AT CS | A | 2920 | | ME | 20-DEC-88 | ME | YD1 | | 99 |
| | | | MS35884 | CORES, RADIATORS, ENGINE COOLING, INDUSTRIAL (NO S/S DOCUMENT) USER: MC REVIEWER: AT CS | A | 2930 | | ME | 28-APR-89 | ME | YD1 | | |
| | | | MS35908C | SPARK PLUG: SHIELDED, 14MM, 1 INCH WELL (OTHER THAN AIRCRAFT) (NO S/S | A | 2920 | | AT | 23-MAR-93 | AT | YD1 | | 99 |
| | | | NOTICE 1 | DOCUMENT) USER: MC REVIEWER: ME | | | | | | | | | |
| | | | MS35911C | SPARK PLUG, SHIELDED, 18MM, 1 INCH WELL (OTHER THAN AIRCRAFT) (NO S/S | A | 2920 | | AT | 23-MAR-93 | AT | YD1 | | 99 |
| | | | NOTICE 1 | DOCUMENT) USER: MC REVIEWER: CS ME | | | | | | | | | |
| | | | MS35943B | CYLINDER, GRADUATED, LABORATORY WITH POUROUT LID (NO S/S DOCUMENT) USER: | A | 6640 | | EA | 10-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | ME PS REVIEWER: 82 MI | | | | | | | | | |
| | | | MS35944C | RING, LABORATORY APPARATUS SUPPORT, CLOSED TYPE W/INTEGRAL CLAMP (NO S/S | A | 6640 | | EA | 25-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | DOCUMENT) USER: ME MI SM REVIEWER: 82 DP MD | | | | | | | | | |
| | | | MS35946C | RING, LABORATORY APPARATUS SUPPORT, OPEN TYPE W/INTEGRAL CLAMP (NO S/S | A | 6640 | | EA | 25-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | DOCUMENT) USER: ME MI SM REVIEWER: 82 DP MD | | | | | | | | | |
| | | | MS35947B | CYLINDER, GRADUATED, LABORATORY WITH STOPPERED MOUTH (NO S/S DOCUMENT) | A | 6640 | | EA | 10-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | USER: ME PS REVIEWER: 82 MI | | | | | | | | | |
| | | | MS35948C | FUNNEL, SEPARATORY, PEAR-SHAPED (NO S/S DOCUMENT) USER: DM MD REVIEWER: 82 | A | 6640 | | EA | 18-JUN-91 | EA | MS | | 99 |
| | | | | AS MA OS YD1 | | | | | | | | | |
| | | | MS35949C | FUNNEL, SEPARATORY, CYLINDRICALLY-SHAPE (NO S/S DOCUMENT) USER: DM MD | A | 6640 | | EA | 18-JUN-91 | EA | MS | | 99 |
| | | | | REVIEWER: 82 AS ME OS YD1 | | | | | | | | | |
| | | | MS35951A | CYLINDER, GRADUATED, LABORATORY, 1130 ML AND 1205 ML GRADUATIONS AND | A | 6640 | | EA | 10-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 2 | MARKINGS (BOROSILICATE GLASS) (NO S/S DOCUMENT) USER: ME PS REVIEWER: 82 MI | | | | | | | | | |
| | | | MS35956B | GRADUATE, LIQUID, LABORATORY GLASS, CONICAL (NO S/S DOCUMENT) USER: ME PS | A | 6640 | | EA | 10-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | REVIEWER: 82 MI YD1 | | | | | | | | | |
| | | | MS35978B | BULB, DROPPING PIPET (NO S/S DOCUMENT) USER: DM MD MS REVIEWER: 82 AS ME .. | A | 6640 | | EA | 10-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS35983B | PIPET, BLOOD CHEMISTRY (NO S/S DOCUMENT) REVIEWER: 82 MD ME OS YD1 ..... | A | 6640 | | EA | 10-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS35985B | PIPET, VOLUMETRIC (NO S/S DOCUMENT) REVIEWER: MD ME YD1 ..... | A | 6640 | | EA | 10-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS35986C | PIPET, VOLUMETRIC, MICRO KIRK DESIGN (NO S/S DOCUMENT) REVIEWER: ME YD1 ... | A | 6640 | | EA | 09-OCT-91 | EA | MS | | 82 |
| | | | MS35997C | CYLINDER, UNGRADUATED, LABORATORY (NO S/S DOCUMENT) REVIEWER: AS MD ME OS | A | 6640 | | EA | 10-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | YD1 | | | | | | | | | |
| | | | MS36001C | CLAMP, LABORATORY SUPPORT ROD (NO S/S DOCUMENT) REVIEWER: 03 ME ..... | A | 6640 | | EA | 25-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | MS36005B | CLAMP, RUBBER TUBING, SHUTOFF PINCHCOCK TYPE, DAY DESIGN (NO S/S DOCUMENT) | A | 6640 | | EA | 25-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | USER: 03 ME REVIEWER: AS MD | | | | | | | | | |
| | | | MS36009B | CLAMP, TEST TUBE, STODDARD TYPE W/FINGER GRIPS (NO S/S DOCUMENT) USER: 03 | A | 6640 | | EA | 25-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | ME REVIEWER: AS MD | | | | | | | | | |
| | | | MS36012C | CLAMP, UTILITY, LABORATORY EXTENSION (NO S/S DOCUMENT) USER: 03 ME | A | 6640 | | EA | 25-MAY-93 | EA | MS | | 99 |
| | | | NOTICE 1 | REVIEWER: AS MD | | | | | | | | | |
| | | | MS36054B | FLASK, BOILING FLAT BOTTOM (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 82 |
| | | | | MD OS YD1 | | | | | | | | | |
| | | | MS36055C | FLASK, BOILING ROUND BOTTOM (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 82 |
| | | | | MD OS YD1 | | | | | | | | | |
| | | | MS36057D | FLASK, DEWAR (NO S/S DOCUMENT) USER: DM MC MD REVIEWER: 82 AS ME YD1 ..... | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 99 |
| | | | MS36058C | FLASK, DISTILLING, GENERAL PURPOSE (NO S/S DOCUMENT) USER: DM MC MD | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 99 |
| | | | | REVIEWER: 82 AS ME OS YD1 | | | | | | | | | |
| | | | MS36059B | FLASK, DISTILLING ENGLER, SAYBOLT, CHURCH, AND HEMPEL DESIGNS (NO S/S | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 82 |
| | | | | DOCUMENT) USER: MC ME PS REVIEWER: AS MD OS YD1 | | | | | | | | | |
| | | | MS36061B | FLASK, DISTILLING THREE NECK (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 82 |
| | | | | MD OS YD1 | | | | | | | | | |
| | | | MS36062B | FLASK, ERLENMEYER BEADED OR TOOLED RIM (NO S/S DOCUMENT) USER: MC ME | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 82 |
| | | | | REVIEWER: AS MD OS PS YD1 | | | | | | | | | |
| | | | MS36063B | FLASK, ERLENMEYER W/GROUND JOINT (NO S/S DOCUMENT) USER: MC ME PS | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 82 |
| | | | | REVIEWER: AS MD OS YD1 | | | | | | | | | |
| | | | MS36064D | FLASK, ERLENMEYER, WITH PENNYHEAD STOPPER (NO S/S DOCUMENT) USER: DM MC MD | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 99 |
| | | | | REVIEWER: 82 AS ME YD1 | | | | | | | | | |
| | | | MS36065B | FLASK, ERLENMEYER, IODINE DETERMINATION (NO S/S DOCUMENT) USER: MC ME PS | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 82 |
| | | | | REVIEWER: AS MD OS YD1 | | | | | | | | | |
| | | | MS36066B | FLASK, FILTERING (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS MD OS YD1 .. | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 82 |
| | | | MS36067B | FLASK, KJELDAHL LONG NECK (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS MD | A | 6640 | | EA | 10-JUN-91 | EA | MS | | 82 |
| | | | | OS YD1 | | | | | | | | | |
| | | | MS36068B | FLASK, VOLUMETRIC (NO S/S DOCUMENT) USER: ME PS REVIEWER: AS MD OS YD1 .... | A | 6640 | | EA | 18-JUN-91 | EA | MS | | 82 |
| | | | MS36122 | IRON COMPOUNDS ACS AND ANALYZED REAGENT INORGANIC (USE MIL-STD 1218 OR | A | 6810 | | EA | 30-JUN-61 | EA | SH | | 68 |
| | | | | 1222) USER: AS MC YD1 REVIEWER: AR DM GL MR | | | | | | | | | |
| | | | MS36126 | LEAD COMPOUND: ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD 1218 OR | A | 6810 | | EA | 30-JUN-61 | EA | SH | | 68 |
| | | | | 1222) USER: AS MC YD1 REVIEWER: AR DM GL MR | | | | | | | | | |
| | | | MS36128 | MAGNESIUM COMPOUND, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD-1218 | A | 6810 | | EA | 30-JUN-61 | EA | SH | | 68 |
| | | | | OR 1222) USER: AS MC YD1 REVIEWER: AR DM GL MR | | | | | | | | | |
| | | | MS36129 | MANGANESE COMPOUNDS, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD-1218 | A | 6810 | | EA | 30-JUN-61 | EA | SH | | 68 |
| | | | | OR 1222) USER: AS MC YD1 REVIEWER: DM GL MR | | | | | | | | | |
| | | | MS36130 | MERCURY COMPOUNDS, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD-1218 | A | 6810 | | EA | 30-JUN-61 | EA | SH | | 68 |
| | | | | OR 1222) USER: AS MC YD1 REVIEWER: DM GL MR | | | | | | | | | |
| | | | MS36132 | NICKEL COMPOUNDS, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD-1218 OR | A | 6810 | | EA | 30-JUN-61 | EA | SH | | 68 |
| | | | | 1222) USER: AS MC YD1 REVIEWER: DM GL MR | | | | | | | | | |
| | | | MS36134 | PHOSPHORUS COMPOUND, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD 1218 | A | 6810 | | EA | 30-JUN-61 | EA | SH | | 68 |
| | | | | OR 1222) USER: AS MC YD1 REVIEWER: DM GL MR | | | | | | | | | |
| | | | MS36141 | STRONTIUM COMPOUND, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD 1218 | A | 6810 | | EA | 30-JUN-61 | EA | SH | | 68 |
| | | | | OR 1222) USER: AS MC YD1 REVIEWER: DM GL MR | | | | | | | | | |
| | | | MS36154A | OVEN, LABORATORY, FORCED AIR, MECHANICAL CONVENTION (NO S/S DOCUMENT) | A | 6640 | | EA | 23-OCT-91 | EA | MS | | 99 |
| | | | | USER: DM MD REVIEWER: 82 AS ME YD1 | | | | | | | | | |
| | | | MS36165A | TUBE, CENTRIFUGE, OIL TYPE (NO S/S DOCUMENT) USER: CR ME ..... | A | 6640 | | EA | 10-MAY-93 | EA | MS | | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MS36175A | TUBE, CENTRIFUGE UNGRADUATED, CONICAL BOTTOM (NO S/S DOCUMENT) ..... | A | 6640 | | EA | 10-MAY-93 | EA | | | 99 |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MS36176A | TUBE, CENTRIFUGE GRADUATED, CONICAL BOTTOM (NO S/S DOCUMENT) USER: ME ..... | A | 6640 | | EA | 10-MAY-93 | EA | MS | | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | MS36177A | TUBE, DRYING LABORATORY U-TUBE, SCHWARTZ TYPE (NO S/S DOCUMENT) USER: ME .. | A | 6640 | | EA | 10-MAY-93 | EA | MS | | |
| | | | NOTICE 2 | | | | | | | | | | |

| Action / QPL / QML / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | | | | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| L | MS36181A | TUBE, DRYING, LABORATORY STRAIGHT, ONE BULB (NO S/S DOCUMENT) USER: ME .... | A | 6640 | EA | 10-MAY-93 | EA | | | |
| | NOTICE 2 | | | | | | | | | |
| | MS36185 | TEST TUBE KAHN TYPE (NO S/S DOCUMENT) USER: ME ..... | A | 6640 | EA | 10-MAY-93 | EA | | 99 | |
| | NOTICE 2 | | | | | | | | | |
| | MS36189A | TUBE, CENTRIFUGE UNGRADUATED, WITH POUR-OUT LIP (NO S/S DOCUMENT) USER: ME | A | 6640 | EA | 10-MAY-93 | EA | MS | | |
| | MS36190A | TEST TUBE WITH SIDE ARM (NO S/S DOCUMENT) USER: ME ..... | A | 6640 | EA | 10-MAY-93 | EA | MS | | |
| | NOTICE 2 | | | | | | | | | |
| | MS36191A | TEST TUBE WITH PENNYHEAD STOPPER (NO S/S DOCUMENT) USER: ME ..... | A | 6640 | EA | 10-MAY-93 | EA | MS | | |
| | NOTICE 2 | | | | | | | | | |
| | MS36219 | SODIUM BISMUTHATE, ACS (USE MIL-STD 1218) USER: AS MC YD1 REVIEWER: DM GL MR | A | 6810 | EA | 30-JUN-61 | EA | SH | 68 | |
| | MS36225 | SODIUM COMPOUND OF NITROGEN, ACS (USE MIL-STD 1218) USER: AS MC YD1 REVIEWER: DM GL MR | A | 6810 | EA | 30-JUN-61 | EA | SH | 68 | |
| | MS36226 | SODIUM PEROXIDE, ANHYDROUS, ACS (USE MIL-STD-1218) USER: AS MC YD1 REVIEWER: DM GL MR | A | 6810 | EA | 30-JUN-61 | EA | SH | 68 | |
| | MS36227 | SODIUM COMPOUNDS OF PHOSPHOROUS, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD-1218 OR 1222) USER: AS MC YD1 REVIEWER: DM GL MR | A | 6810 | EA | 30-JUN-61 | EA | SH | 68 | |
| | MS36229 | SODIUM METHASILICATE, NONAHYDRATE, ANALYZED REAGENT (USE MIL-STD-1222) USER: AS MC YD1 REVIEWER: DM GL MR | A | 6810 | EA | 30-JUN-61 | EA | SH | 68 | |
| | MS36231 | SODIUM TUNGSTATE, DIHYDRATE, ACS (USE MIL-STD-1218) USER: AS MC YD1 REVIEWER: DM GL MR | A | 6810 | EA | 30-JUN-61 | EA | SH | 68 | |
| | MS36245A | FUNNEL, SEPARATORY, GLOBE-SHAPED (NO S/S DOCUMENT) USER: DM MD REVIEWER: 82 AS ME OS YD1 | A | 6640 | EA | 18-JUN-91 | EA | MS | 99 | |
| | MS36323B | KNIFE, MICROTOME (NO S/S DOCUMENT) REVIEWER: AS MD ME YD1 ..... | A | 6640 | EA | 20-SEP-88 | EA | MS | 99 | |
| | MS36355B | OVEN, LABORATORY, RADIANT/GRAVITY CONVECTION (NO S/S DOCUMENT) USER: DM MD REVIEWER: 82 AS ME YD1 | A | 6640 | EA | 23-OCT-91 | EA | MS | 99 | |
| | MS36404A | CLIMBER SET, TREE AND POLE (USE MIL-STD 1433) USER: MC ..... | A | 4240 | EA | 22-JUL-65 | EA | YD1 | 84 | |
| | MS36520B | ANALYZER, HYDROGEN PORTABLE USER: EL REVIEWER: ME ..... | A | 6630 | EA | 26-JUL-86 | EA | YD1 | 99 | |
| | MS36527A | ANALYZER, RECORDER, DISSOLVED OXYGEN ..... | A | 6630 | EA | 11-JAN-84 | EA | YD1 | 99 | |
| | MS36640A | HYDROMETER, GRADUATED SCALE API GRAVITY (W/O THERMOMETER) USER: AV CG ME YD1 | A | 6640 | EA | 11-JUL-86 | EA | MS | 99 | |
| | MS36641A | HYDROMETER, GRADUATED SCALE SPECIFIC GRAVITY USER: AV CG ME YD1 ..... | A | 6640 | EA | 11-JUL-86 | EA | MS | 99 | |
| | MS36642A | HYDROMETER SET, GRADUATED SCALE USER: AV CG ME OS YD1 ..... | A | 6630 | EA | 11-JUL-86 | EA | MS | 99 | |
| | MS36668A | WASH BOTTLE, LABORATORY GLASS, INSULATED USER: MC ME PS REVIEWER: MD YD1 .. | A | 6640 | EA | 26-OCT-83 | EA | MS | 99 | |
| | MS36669 | FLASK, DISTILLING CLAISEN DESIGN USER: MC ME PS REVIEWER: MD YD1 ..... | A | 6640 | EA | 26-OCT-83 | EA | MS | 99 | |
| | MS36676A | FILLER, PIPET REVIEWER: MD ME YD1 ..... | A | 6640 | EA | 26-OCT-83 | EA | MS | 99 | |
| | MS39001A | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO BRITISH OXYGEN VALVE (USE MIL-A-16288/1) USER: MC | A | 8120 | ME | 18-NOV-68 | ME | YD1 | 11 | |
| | MS39004A | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO DUTCH OXYGEN VALVE (USE MIL-A-16288/4) USER: MI REVIEWER: AR SH | A | 8120 | ME | 22-APR-69 | ME | YD1 | 68 | |
| | MS39005A | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO GERMAN OXYGEN VALVE (USE MIL-A-16288/5) | A | 8120 | ME | 10-DEC-68 | ME | YD1 | 68 | |
| | MS39006A | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO BRITISH ACETYLENE VALVE (USE MIL-A-16288/6) USER: MI REVIEWER: AR SH | A | 8120 | EC | 02-JAN-69 | ME | YD1 | 68 | |
| | MS39007A | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO DUTCH ACETYLENE VALVE (USE MIL-A-16288/7) USER: MI REVIEWER: AR | A | 8120 | ME | 22-APR-69 | ME | YD1 | 68 | |
| | MS39008A | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO GERMAN ACETYLENE VALVE (USE MIL-A-16288/8) USER: MI REVIEWER: AR SH | A | 8120 | ME | 07-JAN-69 | ME | YD1 | 68 | |
| | MS39010A | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO FRENCH HYDROGEN VALVE (USE MIL-A-16288/10) USER: MI SH REVIEWER: AR | A | 8120 | ME | 11-NOV-68 | ME | YD1 | 68 | |
| | MS39011A | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S.REGULATOR TO GERMAN AND DUTCH HYDROGEN VALVES (USE MIL-A-16288/11) USER: MI SH REVIEWER: AR | A | 8120 | ME | 11-NOV-68 | ME | YD1 | 68 | |
| | MS39012A | YOKE, COMPRESSED GAS CYLINDER (USE MIL-A-16288/12) USER: MI ..... | A | 8120 | ME | 01-NOV-68 | ME | YD1 | 11 | |
| | MS39017 | FERRULE, ELECTRICAL CONDUIT: SPARK PLUG CABLE ELBOW (OTHER THAN AIRCRAFT) | A | 5975 | AT | 16-SEP-92 | AT | | 11 | |
| | NOTICE 1 | (NO S/S DOCUMENT) USER: MC ME REVIEWER: AR ER GS | | | | | | | | |
| | MS39023 | LADDER, STRAIGHT, MANHOLE USER: MC REVIEWER: 85 YD1 ..... | A | 5440 | EL | 18-JUL-58 | EL | | 69 | |
| | MS39025 | BRACKET, INSULATOR TRANSPOSITION, CROSSARM USER: GL MC REVIEWER: 85 ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39028 | ADAPTER, THIMBLE LEAD THREAD USER: GL MC ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39029 | BRACE, CROSSARM, WOOD USER: GL MC REVIEWER: 85 ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39032A | CLAMP, CABLE SUSPENSION (POLE LINE) (NO S/S DOCUMENT) USER: MC REVIEWER: | A | 5975 | ER | 23-DEC-91 | ER | YD1 | 82 | |
| | NOTICE 1 | 99 GS | | | | | | | | |
| | MS39033 | HANGER, WIRE STRAND (ONE HOLE) USER: GL MC REVIEWER: 85 ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39034 | BRACE, CROSSARM, VERTICAL USER: GL MC REVIEWER: 85 ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39035 | BRACKET, INSULATOR (TRANSPOSITION, SPAN) USER: GL MC ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39036 | HANGER, WIRESTRAND GRADE CLAMP (POL LINE) USER: GL MC ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 82 | |
| | MS39037A | STRAND CONNECTOR, POLE (POLE LINE) (NO S/S DOCUMENT) USER: MC REVIEWER: 99 | A | 5975 | ER | 23-DEC-91 | ER | YD1 | 82 | |
| | NOTICE 1 | GS | | | | | | | | |
| | MS39038A | STRAP, SUPPORT WIRE STRAND HANGER (POLE LINE) (NO S/S DOCUMENT) USER: MC | A | 5975 | ER | 23-DEC-91 | ER | YD1 | 82 | |
| | NOTICE 1 | REVIEWER: 99 GS | | | | | | | | |
| | MS39039 | GUY ATTACHMENT, STRAP USER: MC REVIEWER: 80 ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 85 | |
| | MS39042A | PIN, INSULATOR LEAD THREAD (POLE LINE) (NO S/S DOCUMENT) USER: MC | A | 5975 | ER | 23-DEC-91 | ER | YD1 | 82 | |
| | NOTICE 1 | REVIEWER: 99 GS | | | | | | | | |
| | MS39043A | BRACKET, INSULATOR, STEEL (POLE LINE) (NO S/S DOCUMENT) USER: MC REVIEWER: | A | 5975 | ER | 23-DEC-91 | ER | YD1 | 82 | |
| | NOTICE 1 | 99 GS | | | | | | | | |
| | MS39044 | BRACE, CROSSARM, VERTICAL COMMUNICATIONS TYPE USER: GL MC REVIEWER: 85 .... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39047A | STEP, POLE, DETACHABLE (NO S/S DOCUMENT) USER: MC REVIEWER: 99 GS ..... | A | 5975 | ER | 23-DEC-91 | ER | YD1 | 82 | |
| | NOTICE 1 | | | | | | | | | |
| | MS39048 | BRACKET, INSULATOR, TRANSPOSITION (PHANTOM CIRCUIT) USER: MC REVIEWER: 85 . | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39050 | BRACKET, INSULATOR, TRANSPOSITION USER: MC REVIEWER: 85 ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39052 | BRACKET, INSULATOR (DEAD END) USER: MC ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39053 | HANGER, WIRE STRAND HOT DIP GALVANIZED USER: GL MC REVIEWER: 85 ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | 69 | |
| | MS39054 | BRACE, CROSSARM, SIDE (WITHOUT STEP) USER: MC REVIEWER: 85 ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | | |
| | MS39055 | PIN, INSULATOR, SEPARABLE TIP USER: MC REVIEWER: 85 ..... | A | 5975 | EL | 18-JUL-58 | EL | YD1 | | |
| | MS39082B | EXTINGUISHER, FIRE, WATER BACK PACK, PUMP-TYPE, HAND, 5 GAL. USER: AT CS .. | A | 4210 | CE | 30-DEC-60 | ME | YD1 | 84 | |
| | MS39083A | EXTINGUISHER, FIRE, WATER PUMP TYPE, HAND, 2 1/2 GAL., CYLINDRICAL USER: AT CS | A | 4210 | ME | 15-SEP-59 | ME | YD1 | 84 | |
| | MS39102A | PLATE, RAIL, MARINE AND SPECIAL RAILWAY ..... | A | 2250 | YD1 | 16-NOV-64 | MD | YD1 | 99 | |
| | MS39106 | NOZZLE, FIRE HOSE, WATER, THROW HANDLE SHUT OFF TYPE, PLAIN, W/REMOVABLE TIP, USER: AT MC | A | 4210 | ME | 14-APR-60 | ME | YD1 | | |
| | MS39115C | TRESTLE, DRAWING BOARD (23 X 31 INCH DRAWING BOARD) (S/S BY A-A-52301) | A | 6675 | ME | 08-APR-92 | ME | YD1 | 99 | |
| | NOTICE 1 | USER: MC REVIEWER: 82 GS | | | | | | | | |
| | MS39116C | TRESTLE, DRAWING BOARD (31 X 42 INCH DRAWING BOARD) (S/S BY A-A-52301) | A | 6675 | ME | 08-APR-92 | ME | YD1 | 99 | |
| | NOTICE 1 | USER: MC REVIEWER: 82 GS | | | | | | | | |
| | MS39117C | TRESTLE, DRAWING BOARD (36 X 48 INCH DRAWING BOARD) (S/S BY A-A-52301) | A | 6675 | ME | 08-APR-92 | ME | YD1 | 99 | |
| | NOTICE 1 | USER: MC REVIEWER: 82 GS | | | | | | | | |
| | MS39118D | TRESTLE, DRAWING BOARD (38 X 48, 43-1/2 X 60-72-84, 60 X 120 INCH DRAWING | A | 6675 | ME | 08-APR-92 | ME | YD1 | 99 | |
| | NOTICE 1 | BOARDS) (S/S BY A-A-52301) USER: MC REVIEWER: 82 GS | | | | | | | | |
| | MS39122 | VALVE, AIR VENTING, STEAM (FOR MAINS) (USE MIL-V-18499) ..... | A | 4520 | YD1 | 20-DEC-60 | ME | YD1 | 99 | |
| | MS39123C | DRAWING BOARDS-DESK TYPE I-II-III (S/S BY A-A-52301) USER: MC YD1 | A | 6675 | ME | 08-APR-92 | ME | | 99 | |
| | NOTICE 1 | REVIEWER: GS | | | | | | | | |
| | MS39124D | DRAWING BOARDS TYPE II-III-IV (S/S BY A-A-52301) USER: MC REVIEWER: 82 AR | A | 6675 | ME | 08-APR-92 | ME | YD1 | 99 | |
| | NOTICE 1 | GS | | | | | | | | |
| | MS39129B | WIRE FABRIC & INSECT SCREENING USER: MC REVIEWER: AR IS MD MS ..... | A | 5335 | ME | 01-MAR-67 | ME | YD1 | 82 | |

| Action | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | MS39138 | REDUCER, HOSE, INTERNAL (NH) TO EXTERNAL (NH), ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT CS MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39139 | REDUCER, HOSE, INTERNAL SWIVEL (NH) TO INTERNAL SWIVEL END (NH), ROCKER LUG, FOR USE WITH FIRE HOSE USER: AT CS MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39140 | REDUCER, HOSE, INTERNAL (NH) LONG HANDLE SWIVEL TO INTERNAL (NH) LONG HANDLE SWIVEL,4FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39141 | REDUCER, HOSE, INTERNAL (NH) LONG HANDLE TO INTERNAL (NH) SWIVEL, ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39142 | REDUCER, HOSE, ADAPTER TYPE, INTERNAL (NH) TO EXTERNAL (NPSH) ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39143 | REDUCER, HOSE, ADAPTER TYPE EXTERNAL (NH) TO INTERNAL SWIVEL END (NPSH), ROCKER LUG, FOR USE WITH FIRE HOSE USER: AT CS MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39144 | ADAPTER, STRAIGHT, REDUCER TYPE, PIPE TO HOSE, EXTERNAL (NPT) TO EXTERNAL (NH), ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39145 | ADAPTER, STRAIGHT, PIPE TO HOSE, EXTERNAL (NPT) TO EXTERNAL (NH), ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39147 | ELBOW, HOSE, 45 DEG, ROCKER LUG, 2-1/2 INCH SWIVEL INTERNAL THD (NH) TO 2-1/2 INCH RIGID EXTERNAL THD (NH) (USE MIL-C-52404) USER: AT MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39148 | SIAMESE CONNECTION, FIRE HOSE, GRATED TYPE, SINGLE END, INTERNAL SWIVEL CONNECTION (NH) TO TWO EXTERNAL OUTLET CONNECTIONS (NH), ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT CS MC REVIEWER: YD1 | A | 4210 | ME | 15-JUN-61 | ME | SH | 84 | | |
| | MS39149 | SIAMESE CONNECTION, FIRE HOSE, GATED TYPE, EXTERNAL CONNECTION (NH) TO TWO INTERNAL SWIVEL OUTLET CONNECTIONS (NH), ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT CS | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39150 | SIAMESE CONNECTION, FIRE HOSE, GATED TYPE, SINGLE EXTERNAL INLET (NH), TO THREE INTERNAL SWIVEL OUTLETS (NH), ROCKER LUG, FOR USE WITH FIRE HOSE USER: AT CS MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| | MS39151 | SIAMESE CONNECTION, FIRE HOSE, GATED TYPE, SINGLE INTERNAL SWIVEL INLET, TOT HREE EXTERNAL OUTLETS, ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT CS MC | A | 4210 | ME | 15-JUN-61 | ME | YD1 | 84 | | |
| L | MS39158E | ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, 45 DEG, FLARE TYPE, AUTOMOTIVE (S/S BY SAE J512) USER: AV GL OS YD1 REVIEWER: AT CS ML MI | A | 4730 | AR | 05-JAN-87 | AR | | | | |
| L | MS39159E | ADAPTER, STRAIGHT, PIPE TO TUBE, FEMALE PIPE END, 45 DEG, FLARED TYPE, AUTOMOTIVE (S/S BY SAE J512) USER: AV GL OS YD1 REVIEWER: AT CS ML MI | A | 4730 | AR | 05-JAN-87 | AR | | | | |
| L | MS39179E | ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, FOR AIR LINES SPHERICAL | A | 4730 | MI | 10-DEC-92 | MI | | | | |
| | NOTICE 1 | SLEEVE (S/S BY SAE-J246) USER: AT CG MC ME REVIEWER: CS | | | | | | | | | |
| | MS39217A | FLANGE ATTACHMENT COMPRESSED GAS CYLINDER, SPUD (USE MIL-C-17376/2) USER: MI YD1 REVIEWER: AR | A | 8120 | ME | 08-JAN-69 | ME | SH | 68 | | |
| | MS39218A | FLANGE ATTACHMENT, COMPRESSED GAS CYLINDER, NECK RING (USE MIL-C-17376/3) USER: MI YD1 REVIEWER: AR | A | 8120 | ME | 08-JAN-69 | ME | SH | 68 | | |
| | MS39219A | CYLINDER, COMPRESSED GAS, ICC SPECIFICATION 4AA480, AMMONIA USER: CE MC MI YD1 REVIEWER: EA | A | 8120 | ME | 21-JAN-69 | ME | SH | 68 | | |
| | MS39224A | CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA (USE RRC-901/1) USER: MC MI YD1 REVIEWER: GS | A | 8120 | ME | 01-DEC-69 | ME | SH | 68 | | |
| | MS39225A | CYLINDER, COMPRESSED GAS CARBON DIOXIDE, DOT SPECIFICATION 3AA 2015 (USE RR-C-901/2) USER: MC MI YD1 REVIEWER: EA GS | A | 8120 | ME | 04-FEB-69 | ME | SH | 68 | | |
| | MS39226B | CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA2015, MEDICAL GASES (USE RR-C-901/3 USER: AV MC MI YD1 REVIEWER: 11 AS GS OS | A | 8120 | ME | 30-OCT-69 | ME | SH | 68 | | |
| | MS39227A | CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 8 OR 8AL FOR ACETYLENE (USE MIL-C-3701) USER: MC YD1 | A | 8120 | ME | 23-JAN-69 | ME | SH | 68 | | |
| | MS39228B | CYLINDER, COMPRESSED GAS, ICC SPECIFICATION 4BA (USE RR C 910/1) USER: MC MI YD1 REVIEWER: GS | A | 8120 | ME | 21-NOV-69 | ME | SH | 68 | | |
| | MS39229B | CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 4BA240, 4BW240, & 4E240, FOR LIQUIFIED PETROLEUM (USE RR C 910/2) USER: MC MI YD1 REVIEWER: GS | A | 8120 | ME | 21-FEB-73 | ME | SH | 68 | | |
| | MS39234A | CYLINDER, COMPRESSED GAS, CHLORINE, DOT SPECIFICATION 3A480 OR 3AA480 (USE MIL-C-11732/1) USER: YD1 REVIEWER: GS | A | 8120 | ME | 27-JAN-69 | ME | SH | 68 | | |
| | MS39235 | TACHOMETER, ELECTRICAL REVIEWER: EL SH | A | 6680 | ME | 23-AUG-63 | ME | YD1 | | | |
| | MS39236 | TRANSMITTER, ELECTRICAL, FLANGE MOUNTED | A | 6680 | ME | 23-AUG-63 | ME | YD1 | | | |
| | MS39237 | TRANSMITTER, ELECTRICAL, SCREW MOUNTED | A | 6680 | ME | 23-AUG-63 | ME | YD1 | | | |
| | MS39244 | DRILL ROD, ROCK DRILL FOR DRIFTER DRILLS (S/S BY MS 39329) USER: CS | A | 3820 | ME | 14-JAN-64 | ME | YD1 | 84 | | |
| | MS39245 | BIT, STAR, ROCK DRILL FOR DRIFTER DRILLS (S/S BY MS 39330) USER: CS REVIEWER: MC | A | 3820 | ME | 14-JAN-64 | ME | YD1 | 84 | | |
| | MS39248A | REGULATOR, ALTERNATOR, 28-VOLT, 35-AMPERES USER: AT EL MC YD1 | A | 2920 | ME | 18-JUL-73 | ME | | 82 | | |
| | MS39249A | ALTERNATOR, 28-VOLT, 35-AMPERE USER: AT MC YD1 | A | 2920 | ME | 13-JUL-73 | ME | | 82 | | |
| | MS39250A | REGULATOR, ALTERNATOR, 28-VOLT, 35 AMPERES, FOR USE WITH SELF-LOAD LIMITING ALTERNATORS USER: AT MC YD1 REVIEWER: EL | A | 2920 | ME | 13-JUL-73 | ME | | 82 | | |
| | MS39251A | ALTERNATOR, 28-VOLT, 35-AMPERE, DOUBLE, FLANGE MOUNTING USER: AT CS MC YD1 | A | 2920 | ME | 13-JUL-73 | ME | | 82 | | |
| | MS39252A | REGULATOR, ALTERNATOR, 28-VOLT, 35-AMPERE USER: AT MC YD1 REVIEWER: CS | A | 2920 | ME | 18-JUL-73 | ME | | 82 | | |
| | MS39253A | ALTERNATOR, 28 VOLT, 35 AMPERE, SINGLE MOUNTING FLANGE USER: AT MC YD1 REVIEWER: EL | A | 2920 | ME | 03-AUG-73 | ME | | 82 | | |
| | MS39257B | BELT, "V": INDUSTRIAL (MULTIPLE DRIVE) "C" AND "22C" CROSS SECTION (S/S | A | 3030 | AT | 24-FEB-93 | AT | YD1 | 99 | | |
| | NOTICE 2 | BY A-A-52160) USER: MC REVIEWER: AV CS | | | | | | | | | |
| | MS39268B | TIE, RAILROAD, WOOD, CROSS AND SWITCH REVIEWER: CE CS | A | 5510 | ME | 01-NOV-66 | ME | YD1 | 84 | | |
| | MS39269 | MAGNETO, IGNITION, ASSEMBLY-REPLACEMENT TYPE, FLANGE-MOUNTED, 2-CYLINDER, FOR INDUSTRIAL ENGINES USER: MC | A | 2920 | ME | 27-AUG-65 | ME | YD1 | | | |
| L | MS39270 | MAGNETO, IGNITION, ASSEMBLY-REPLACEMENT TYPE, 4-CYLINDER, FLANGE MOUNTED, FOR INDUSTRIAL ENGINES USER: MC YD1 | A | 2920 | ME | 27-AUG-65 | ME | | | | |
| | MS39271 | MAGNETO, IGNITION ASSEMBLY, REPLACEMENT TYPE, FLANGE MOUNTED, 6 CYLINDER, FOR INDUSTRIAL ENGINES USER: MC | A | 2920 | ME | 27-AUG-65 | ME | YD1 | | | |
| | MS39272 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, HELIUM, CLASS 580-350, 2,500 PSI SERVICE PRESSURE USER: AS YD1 REVIEWER: AR | A | 8120 | ME | 24-NOV-65 | ME | SH | 11 | | |
| | MS39273 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, HELIUM, CLASS 350-580, 2,500 PSI SERVICE PRESSURE USER: AS YD1 REVIEWER: AR | A | 8120 | ME | 24-NOV-65 | ME | SH | 11 | | |
| | MS39274 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, ACETYLENE, CLASS 510-520, 300 PSI SERVICE PRESSURE (USE MIL-A-16288/18) USER: AS YD1 REVIEWER: AR | A | 8120 | ME | 24-NOV-65 | ME | SH | 11 | | |
| | MS39275 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, ACETYLENE, CLASS 510-520, 300 PSI SERVICE PRESSURE (USE MIL-A-16288/20) USER: AS YD1 REVIEWER: AR | A | 8120 | ME | 24-NOV-65 | ME | SH | 11 | | |
| | MS39276 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, NITROGEN, CLASS 580-550, 2,500 PSI SERVICE PRESSURE USER: AS YD1 REVIEWER: AR | A | 8120 | ME | 24-NOV-65 | ME | SH | 11 | | |
| | MS39277A | BELTS, "V": INDUSTRIAL (NARROW TYPE), "3V" AND "9N" SECTIONAL DESIGNATION | A | 3030 | AT | 12-JAN-93 | AT | | 99 | | |
| | NOTICE 2 | (S/S BY A-A-52422) USER: AR CG MC MR REVIEWER: CS MI | | | | | | | | | |
| | MS39278A | BELTS, "V": INDUSTRIAL (NARROW TYPE), "5V" AND "15N" SECTIONAL | A | 3030 | AT | 12-JAN-93 | AT | | 99 | | |
| | NOTICE 2 | DESIGNATION (S/S BY A-A-52422) REVIEWER: CS | | | | | | | | | |
| | MS39279A | BELTS, "V": INDUSTRIAL (NARROW TYPE), "8V" AND "25N" SECTIONAL | A | 3030 | AT | 12-JAN-93 | AT | | 99 | | |
| | NOTICE 2 | DESIGNATION (S/S BY A-A-52422) REVIEWER: CS | | | | | | | | | |
| L | MS39303 | SHANK, RIPPER, REAR MOUNTED: FOR MILITARY SIZE 4 AND 5 TRACTORS (NO S/S DOCUMENT) USER: MC YD1 | A | 3830 | ME | 14-NOV-88 | ME | | | | |
| L | MS39304 | TOOTH, SURFACE RIPPING: FOR RIPPER, REAR MOUNTED: FOR MILITARY SIZE 4 AND 5 TRACTORS (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: CS | A | 3830 | ME | 28-FEB-89 | ME | | | | |
| | MS39328 | CUTTING EDGE, BOWL, SCRAPER, 7-1/2 CUBIC YARD USER: MC YD1 | A | 3805 | ME | 15-AUG-68 | ME | | 99 | | |
| L | MS39333 | TOOTH, SURFACE RIPPING, BACK-RIP (NO S/S DOCUMENT) USER: CE MC YD1 | A | 3830 | ME | 14-NOV-88 | ME | | | | |
| | MS39351B | RING SET, PISTON USER: MC YD1 REVIEWER: AT AV | A | 2805 | ME | 02-JAN-74 | ME | | 99 | | |

| Action | QPL / QML | Coordination Inactive | Document Number | Document Title | Disk Sheet | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | MS490038 | Y CONNECTION, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE-FEMALE-FLANGE, TYPE XIV (S/S BY MS27023, MS27027 AND MS39336) USER: AV MC SH REVIEWER: CS GL | A 4730 | ME | | ME | 23-JAN-89 | ME | YD1 | 82 |
| | | | MS49005D | PLUG, PIPE HEADLESS, ALUMINUM, IRON OR STEEL (USE WW-P-471) USER: EL MC REVIEWER: AS AT AV CS ME OS | A 4730 | YD1 | | AR | 28-SEP-73 | AR | YD1 | 99 |
| | | | MS51062E | CAP, FILLER OPENING: RADIATOR, PRESSURE, 7 PSI ASSEMBLY (S/S BY A-A-52424) | A 2930 | AT | | AT | 02-FEB-93 | AT | | 99 |
| | | | NOTICE 2 | USER: MC REVIEWER: CS ME | | | | | | | | |
| | | | MS51064D | PULLEY, GROOVE, ENGINE ACCESSORY DRIVE BELTS (S/S BY SAE J636B USER: 11 MC MI SH YD1 REVIEWER: AT | A 3020 | ME | | ME | 14-MAY-75 | ME | | 99 |
| | | | MS51093A | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT, HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A )SUPERSEDED BY MS-51095( USER: MC YD1 REVIEWER: GL | A 5305 | MC | | | 16-JUL-58 | | SH | 69 |
| | | | MS51094A | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A (S/S BY MS-51096) USER: MC YD1 REVIEWER: GL | A 5305 | MC | | | 16-JUL-58 | | SH | 69 |
| | | | MS51097A | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, ALLOY STEEL, GRADE 8, CADMIUM PLATED, UNC-2A (S/S BY MS-18154) USER: MC MI YD1 REVIEWER: GL | A 5305 | MC | | | 16-JUL-58 | | SH | 69 |
| | | | MS51098A | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, ALLOY STEEL, GRADE 8, CADMIUM PLATED, UNF-2A (S/S BY MS-18153) USER: MC YD1 REVIEWER: GL | A 5305 | MC | | | 16-JUL-58 | | SH | 69 |
| | | | MS51101 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, ALUMINUM ALLOY, ANODIZED, UNC-2A USER: MC YD1 REVIEWER: GL | A 5305 | MC | | | 16-JUL-58 | | SH | 69 |
| | | | MS51102 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, ALUMINUM ALLOY, ANODIZED, UNF-2A USER: MC YD1 REVIEWER: GL | A 5305 | MC | | | 16-JUL-58 | | SH | 69 |
| | | | MS51103A | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A (S/S BY MS-51105) USER: MC YD1 REVIEWER: GL | A 5305 | MC | | | 16-JUL-58 | | SH | 69 |
| | | | MS51104A | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A (SUPERSEDEDED BY MS-51106) USER: MC YD1 REVIEWER: GL | A 5305 | MC | | | 16-JUL-58 | | SH | 69 |
| | | | MS51111 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, ALUMINUM ALLOY, ANODIZED, UNC-2A USER: MC YD1 REVIEWER: GL | A 5305 | MC | | | 16-JUL-58 | | SH | 69 |
| | | | MS51112 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, ALUMINUM ALLOY, ANODIZED, UNF-2A USER: MC YD1 REVIEWER: GL | A 5305 | MC | | | 16-JUL-58 | | SH | 69 |
| | | | MS51304 | FLYWHEEL HOUSING, INDUSTRIAL ENGINE USER: AT EL MC REVIEWER: 11 ..... | A 2990 | CE | | CE | 07-MAY-59 | CE | YD1 | 82 |
| | | | MS51305A | MOUNTING, FOOT, INDUSTRIAL ENGINE, FRONT AND REAR USER: MC REVIEWER: 82 ... | A 2990 | ME | | ME | 05-MAY-65 | ME | YD1 | 11 |
| | | | MS51306 | FLYWHEEL FOR OVER CENTER CLUTCHES INDUSTRIAL ENGINE USER: AT EL MC SH REVIEWER: 11 | A 2990 | CE | | CE | 07-MAY-59 | ME | YD1 | 82 |
| | | | MS51310B | GENERATOR, ENGINE ACCESSORY - 28 VOLT AC - 3 PHASE, 3 KVA (NO S/S DOCUMENT) USER: MC REVIEWER: CS | A 2920 | AT | | AT | 18-APR-90 | AT | YD1 | 82 |
| | | | MS51317D | LIGHT, WARNING, VEHICULAR, ROTATING, DC (S/S BY A-A-52418) ..... | A 6220 | AT | | AT | 11-JAN-93 | AT | | 99 |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS51325A | CARTRIDGE, ENGINE STARTING (ENGINE COLD-STARTING AID) (NO S/S DOCUMENT) USER: AT MC REVIEWER: CS | A 2910 | YD1 | | ME | 06-SEP-91 | ME | YD1 | 82 |
| L | | | MS51328C | CONNECTING LINK, RIGID, STRAIGHT USER: YD1 ..... | A 2530 | AT | | AT | 17-JUL-72 | AT | | |
| L | | | MS51331D | GUARD, SPLASH, WHEEL (S/S BY A-A-52402) USER: MC ME REVIEWER: CS MI ..... | A 2540 | AT | | AT | 10-JUL-92 | AT | | |
| | | | NOTICE 2 | | | | | | | | | |
| L | | | MS51337F | COUPLER, DRAWBAR, RING: HEAVY DUTY, 120,000 LB GVW (S/S BY A-A-52464) USER: MC YD1 REVIEWER: CS | A 2540 | AT | | AT | 28-APR-93 | AT | | |
| | | | NOTICE 1 | | | | | | | | | |
| L | | | MS51338F | COUPLER, DRAWBAR, RING: LIGHT DUTY, 60,000 LB GVW (S/S BY A-A-52464) USER: MC YD1 REVIEWER: CS | A 2540 | AT | | AT | 28-APR-93 | AT | | |
| | | | NOTICE 1 | | | | | | | | | |
| L | | | MS51339H | COUPLER, DRAWBAR, RING: OFFSET (TAPER SHANK), 60,000 LB GVW (S/S BY A-A-52464) USER: ME YD1 REVIEWER: CS MC | A 2540 | AT | | AT | 28-APR-93 | AT | | |
| | | | NOTICE 1 | | | | | | | | | |
| | | | MS51356B | REGULATOR, ENGINE GENERATOR& 24 VOLT D. C. 25AMPS. USER: EL MC YD1 ..... | A 2920 | AT | | AT | 11-APR-66 | AT | | 11 |
| | | | MS51357C | VALVE, PNEUMATIC TIRE, INNER TUBE, RUBBER-COVERED STEM AND BASE, STD. BORE, VEHICULAR USER: MC ME MI | A 2640 | AT | | AT | 01-JUL-71 | AT | YD1 | 84 |
| | | | MS51358C | VALVE, PNEUMATIC TIRE, INNER TUBE, RUBBER BASE, METAL STEM, W/BODY THDS, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI | A 2640 | AT | | AT | 01-JUL-71 | AT | YD1 | 84 |
| | | | MS51359C | VALVE, PNEUMATIC TIRE, INNER TUBE& RUBBER BASE, METAL STEM, W/BODY THDS. STD. BORE, BENT 86 DEG., VEHICULAR USER: ME MI | A 2640 | AT | | AT | 12-AUG-71 | AT | YD1 | 84 |
| | | | MS51360C | VALVE, PNEUMATIC TIRE, INNER TUBE& RUBBER BASE, METAL STEM, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI | A 2640 | AT | | AT | 01-JUL-71 | AT | YD1 | 99 |
| | | | MS51361 | VALVE, PNEUMATIC TIRE-RUBBER BASE, METAL STEM, STANDARD BORE, BENT 40 DEGREE, VEHICULAR | A 2640 | MO | | MO | 23-MAR-61 | MO | YD1 | 11 |
| | | | MS51362B | VALVE, PNEUMATIC TIRE, INNER TUBE& RUBBER BASE, METAL STEM, STD. BORE, BENT 90 DEG.,VEHICULAR USER: ME MI | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 84 |
| | | | MS51363C | VALVE, PNEUMATIC TIRE, INNER TUBE, AIR-WATER, RUBBER-COVERED STEM AND BASE, STD. BORE, VEHICULAR (USE ZZ-V-25) USER: ME MI | A 2640 | AT | | AT | 01-JUL-71 | AT | YD1 | 84 |
| | | | MS51364B | VALVE, PNEUMATIC TIRE, INNER TUBE-AIR WATER, RUBBER BASE METAL STEM, STD. BOR, STRAIGHT, VEHICULAR USER: ME MI | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 84 |
| | | | MS51365A | VALVE, PNEUMATIC TIRE, INNER TUBE& REPAIR, SCREW& ON, STD. BORE, STRAIGHT, VEHICULAR USER: MC | A 2640 | AT | | AT | 28-JUN-63 | AT | YD1 | 84 |
| | | | MS51366C | VALVE, PNEUMATIC TIRE, INNER TUBE, REPAIR, SCREW-ON, STD. BORE, BENT 86 DEG., VEHICULAR USER: ME MI | A 2640 | AT | | AT | 12-AUG-71 | AT | YD1 | 84 |
| | | | MS51367B | VALVE, PNEUMATIC TIRE, TUBELESS, SNAP-IN, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 84 |
| | | | MS51368B | VALVE, PNEUMATIC TIRE& TUBELESS, CLAMP& IN, TRUCK, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 84 |
| | | | MS51369B | VALVE, PNEUMATIC TIRE& TUBELESS, CLAMP& IN, TRUCK, STD. BORE, BENT, VEHICULAR USER: MC ME MI | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 84 |
| | | | MS51370B | VALVE, PNEUMATIC TIRE& AIR& WATER,TUBELESS, CLAMP& IN, OFF THE ROAD, LARGE BORE, STRAIGHT, VEHICULAR USER: ME MI | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 84 |
| | | | MS51371B | VALVE, PNEUMATIC TIRE& AIR& WATER,TUBELESS, CLAMP& IN, OFF THE ROAD, LARGE BORE, BENT, VEHICULAR USER: ME MI | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 84 |
| | | | MS51372B | VALVE, PNEUMATIC TIRE, AIR-WATER, TUBELESS, CLAMP-IN, OFF-THE-ROAD, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 84 |
| | | | MS51373B | VALVE, PNEUMATIC TIRE, AIR-WATER, TUBELESS, CLAMP-IN, OFF-THE-ROAD, STD. BORE, BENT, VEHICULAR USER: ME MI | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 84 |
| | | | MS51374C | SPUD, VALVE, PNEUMATIC TIRE, LARGE BORE, STRAIGHT, VEHICULAR (INNER TUBE TYPE AND TUBELESS TYPE) USER: ME MI | A 2640 | AT | | AT | 07-SEP-71 | AT | YD1 | 99 |
| | | | MS51375B | CAP, TIRE VALVE, STANDARD BORE (USE ZZ-V-25) USER: ME MI ..... | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 99 |
| | | | MS51376B | CAP, TIRE VALVE, LARGE BORE (USE ZZ-V-25) USER: ME MI ..... | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 99 |
| | | | MS51377C | VALVE CORE, PNEUMATIC TIRE, STANDARD BORE USER: AS AV ME REVIEWER: CS ..... | A 2640 | AT | | AT | 05-MAY-69 | AT | YD1 | 99 |
| | | | MS51378B | VALVE CORE, PNEUMATIC TIRE, LARGE BORE (USE ZZ-V-25) USER: ME MI ..... | A 2640 | AT | | AT | 12-APR-67 | AT | YD1 | 99 |
| | | | MS51390A | CHASSIS, TRUCK, 3/4 TON, 4X4, 112 INCH WHEELBASE, MILITARY DESIGN, M 53 B1 USER: YD1 | A 2320 | AT | | AT | 09-JUN-67 | AT | MC | 99 |
| | | | MS51826C | HOOK, HOIST OR SLING, DIRECT EYE (NO S/S DOCUMENT) USER: AT AV MC OS SH YD1 REVIEWER: GL IS ME | A 4030 | AR | | AR | 04-MAY-88 | AR | | 82 |
| | | | MS51827B | HOOK, GRAB, DIRECT EYE (NO S/S DOCUMENT) USER: AT AV MC OS SH YD1 REVIEWER: ER IS ME | A 4030 | AR | | AR | 04-MAY-88 | AR | | 82 |
| | | | MS51828A | SNAPHOOK, FIXED LOOP (USE MIL-S-43770) ..... | A 5340 | GL | | GL | 31-MAY-62 | GL | YD1 | 82 |
| | | | MS51847B | BUSHING, PIPE, SHOULDER (USE MS 14315) USER: AT MC MI REVIEWER: CS GL ME .. | A 4730 | YD1 | | AR | 26-NOV-73 | AR | YD1 | 99 |
| | | | MS51884 | PLUG, PIPE SQUARE HEAD, ALUMINUM, IRON OR STEEL (USE WW-P-471) USER: MC MI REVIEWER: AS AT CS GL ME OS | A 4730 | YD1 | | AR | 28-SEP-73 | AR | YD1 | 99 |

| Action | Opt / Obsl / Coordination / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS51885 | PLUG, PIPE, BAR OR SLOTTED, ALUMINUM, IRON OR STEEL (USE WW-P-471) USER: AV MC MI REVIEWER: AS AT CS GL OS | A | 4730 | YD1 | 28-SEP-73 | AR | YD1 | 99 | | |
| | | MS51886A | LOCKNUT, CAST IRON, MALLEABLE IRON OR STEEL (USE WW-P-471) USER: MC MI OS REVIEWER: AS AT CS GL ME | A | 4730 | YD1 | 28-SEP-73 | AR | YD1 | 99 | | |
| | | MS51887A | BUSHING, PIPE ALUMINUM, IRON OR STEEL (USE WW-P-471) USER: AV MC MI REVIEWER: AS CS GL ME OS | A | 4730 | YD1 | 28-SEP-73 | AR | YD1 | 99 | | |
| | | MS51983E | NUT, PLAIN, SINGLE BALL SEAT, HEXAGON WHEEL MOUNTING-3/4 AND 1-1/8 INCH | A | 5310 | AT | 12-FEB-93 | AT | | 11 | | |
| | NOTICE 1 | | (S/S BY A-A-52427) USER: ME REVIEWER: 82 ER IS MI | | | | | | | | | |
| L | | MS51984F | NUT, PLAIN, CONE SEAT, HEXAGON: WHEEL MOUNTING, 1/2 INCH (NO S/S | A | 5310 | AT | 21-SEP-92 | AT | | | | |
| | NOTICE 1 | | DOCUMENT) USER: AR ME REVIEWER: IS | | | | | | | | | |
| | | MS52109B | TRAILER, TANK: POTABLE WATER, 1-1/2 TON, 2 WHEEL, MILITARY DESIGN, M625 | A | 2330 | AT | 21-SEP-90 | AT | | 84 | | |
| | NOTICE 1 | | (NO S/S DOCUMENT) USER: MC ME YD1 | | | | | | | | | |
| | | MS52111B | TRAILER, FLATBED, 3/4 TON, 2 WHEEL, MILITARY DESIGN, M 762 USER: ME REVIEWER: YD1 | A | 2330 | AT | 31-DEC-86 | AT | MC | 99 | | |
| | | MS52123 | PATCH, PNEUMATIC TIRE REPAIR: CHEMICAL CURED NYLON AND VULCANIZING FLUID | A | 2640 | AT | 18-APR-90 | AT | YD1 | 84 | | |
| | | | (NO S/S DOCUMENT) REVIEWER: CS | | | | | | | | | |
| | | MS52150 | CLAMP, LOOP, MUFFLER (S/S BY A-A-52406) ..... | A | 5340 | AT | 06-AUG-92 | AT | YD1 | 99 | | |
| | NOTICE 2 | | | | | | | | | | | |
| L | | MS52181A | TRUCK, CARGO: 5 TON, 6X6, MB13 (NO S/S DOCUMENT) USER: YD1 ..... | A | 2320 | AT | 20-JUL-90 | AT | | | | |
| | NOTICE 2 | | | | | | | | | | | |
| | | MS53010C | STARTER, ENGINE, ELECTRICAL, 24 VOLT, D.C., 5 1/8 INCH FRAME DIAMETER, SOLENOID ACTUATED, LIGHT DUTY, SHORT AND LONG FRAME (USE MIL-S-3785) USER: MC YD1 REVIEWER: 69 85 AT | A | 2920 | ME | 07-DEC-72 | ME | | 82 | | |
| | | MS53014 | MUFFLER, EXHAUST, INDUSTRIAL ENGINE, SIDE INLET USER: AS EL MC SA YD1 REVIEWER: AR GL OS | A | 2990 | ME | 21-JUN-62 | ME | | 10 | | |
| | | MS53017A | MOTOR, WINDSHIELD WIPER, PNEUMATIC, UNIVERSAL (S/S BY A-A-52441) USER: ME . | A | 2540 | AT | 17-MAR-93 | AT | | 84 | | |
| | NOTICE 2 | | | | | | | | | | | |
| | | MS53018A | VALVE, PRESSURE REGULATING, WINDSHIELD WIPER AIR MOTOR CONTROL (S/S BY | A | 2540 | AT | 17-MAR-93 | AT | YD1 | 99 | | |
| | NOTICE 2 | | A-A-52441) USER: ME | | | | | | | | | |
| L | | MS53041B | CLAMP ASSEMBLY - EXHAUST MUFFLER AND TAILPIPE (S/S BY A-A-52415) ..... | A | 2990 | AT | 18-JAN-93 | AT | | | | |
| | NOTICE 1 | | | | | | | | | | | |
| L | | MS53061A(1) | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-STRAIGHT TYPE, EYE AND THREADED | A | 2530 | AT | 20-JUL-92 | AT | | | | |
| | NOTICE 1 | | FITTINGS (NO S/S DOCUMENT) | | | | | | | | | |
| L | | MS53067B | EVAPORATOR, ALCOHOL - AIR BRAKE SYSTEM (S/S BY A-A-52431) ..... | A | 2530 | AT | 18-FEB-93 | AT | | | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS53068C | NUT, CAP, DUAL WHEEL MOUNTING (S/S BY A-A-57174) USER: AR ME REVIEWER: CS | A | 2530 | AT | 17-SEP-92 | AT | | 99 | | |
| | NOTICE 1 | | MI | | | | | | | | | |
| | | MS53070 | TRUCK, VAN, SHOP 2-1/2 TON, 6X6, M 109A1 (USE MS500085) USER: MI YD1 REVIEWER: 84 | A | 2320 | AT | 18-MAR-64 | AT | MC | 11 | | |
| | | MS53071 | TRUCK, CARGO, 2 1/2 TON, 6X6, 154 IN. WHEEL BASE, M35 (USE MS 500016) USER: YD1 | A | 2320 | AT | 15-MAY-64 | AT | MC | | | |
| | | MS53072 | TRUCK, CARGO, 2&1/2 TON, 6X6 190 IN. WHEEL BASE, M36 (USE MS 500080) USER: YD1 REVIEWER: EL | A | 2320 | AT | 15-MAY-64 | AT | MC | | | |
| | | MS53082B | VALVE ASSEMBLY, PNEUMATIC TIRE, TUBE TYPE, LARGE BORE, BENT, VEHICULAR(USE ZZ-V-25) USER: MC ME MI | A | 2640 | AT | 12-AUG-71 | AT | YD1 | 99 | | |
| | | MS53083B | VALVE ASSEMBLY, PNEUMATIC TIRE- TUBELESS, CLAMP-IN, LARGE BORE, BENT, VEHICULAR USER: MC ME MI | A | 2640 | AT | 03-JAN-72 | AT | YD1 | 99 | | |
| | | MS53084A | VALVE STEM PNEUMATIC TIRE LARGE BORE, BENT, VEHICULAR USER: MC ME MI ..... | A | 2640 | AT | 11-MAY-67 | AT | YD1 | 99 | | |
| | | MS53087 | TRUCK, CARGO, 5 TON, 6X6, 179 INCH WHEELBASE, M54 (USE MIL-T-740) USER: YD1 | A | 2320 | AT | 08-FEB-66 | AT | MC | | | |
| | | MS53097 | SEMITRAILER, STAKE, 12 TON, 4 WHEEL, M127A1C (USE MS 500099) USER: 11 YD1 . | A | 2330 | AT | 10-JUN-65 | AT | MC | 84 | | |
| | | MS63045B | PLATE, IDENTIFICATION MISCELLANEOUS (S/S BY MIL-P-15024/6) USER: GL MC REVIEWER: AT | A | 9905 | ME | 24-JUL-67 | ME | YD1 | 99 | | |
| | | MS63200C | PLATE, IDENTIFICATION, GENERATORS AND CONVERTERS USER: GS MC REVIEWER: EL MI | A | 9905 | ME | 12-JAN-70 | ME | YD1 | 84 | | |
| | | MS63202B | PLATE, IDENTIFICATION-INTERNAL COMBUSTION ENGINE OVERHAUL DATA (USE MIL-P-15024/12) USER: GL GS MC REVIEWER: EL MI | A | 9905 | ME | 24-JUL-67 | ME | YD1 | 84 | | |
| | | MS66604 | INSIGNIA, BRANCH OF SERVICE, BREAST, CHAPLAIN, JEWISH FAITH, AIR FORCE (USE MIL-I-3575/15) REVIEWER: CT | A | 8455 | IH | 08-MAY-61 | IH | | 11 | | |
| | | MS66668 | MEDAL, ASIATIC-PACIFIC CAMPAIGN A, AF, MC, N (USE MIL-M-3946/11) REVIEWER: 85 CT MC | A | 8455 | IH | 29-JUN-61 | IH | PE | 11 | | |
| | | MS66675 | MEDAL, EUROPEAN AFRICAN-MIDDLE EASTERN CAMPAIGN A, AF, MC, N (USE MIL-M-3946/15) REVIEWER: 85 CT MC | A | 8455 | IH | 29-JUN-61 | IH | PE | 11 | | |
| | | MS66677 | MEDAL, AMERICAN CAMPAIGN A, AF, N, MC (USE MIL-M-3946/1) REVIEWER: 85 CT MC | A | 8455 | IH | 29-JUN-61 | IH | PE | 11 | | |
| | | MS66682 | MEDAL, GOOD CONDUCT (A, AF) (USE MIL-M-3946/19) USER: 85 REVIEWER: CT ..... | A | 8455 | IH | 29-JUN-61 | IH | | 11 | | |
| | | MS66683 | MEDAL, ARMY OF OCCUPATION WORLD WAR 2 (A, AF) (USE MIL-M-3946/9) USER: 85 REVIEWER: CT | A | 8455 | IH | 29-JUN-61 | IH | | 11 | | |
| | | MS66684 | MEDAL, VICTORY WORLD WAR 2 (A, MC, AF, N) (USE MIL-M-3946/42) REVIEWER: 85 CT MC | A | 8455 | IH | 29-JUN-61 | IH | PE | 11 | | |
| | | MS66686 | MEDAL, UNITED NATIONS (AS) (USE MIL-M-3946/40) REVIEWER: 85 CT MC ..... | A | 8455 | IH | 29-JUN-61 | IH | PE | 11 | | |
| | | MS66691 | MEDAL, KOREAN SERVICE (A, MC, AF, N) (USE MIL-M-3946/25) REVIEWER: 85 CT MC | A | 8455 | IH | 29-JUN-61 | IH | PE | 11 | | |
| | | MS66692 | MEDAL, AMERICAN DEFENSE SERVICE (A., A.F., N., M.C., C.G.,) (USE MIL-M-3946/2) REVIEWER: 85 CT MC | A | 8455 | IH | 29-JUN-61 | IH | PE | 11 | | |
| | | MS66693 | MEDAL, NATIONAL DEFENSE SERVICE (A., M.C., A.F., N.) (USE MIL-M-3946/29) REVIEWER: 85 CT MC | A | 8455 | IH | 29-JUN-61 | IH | PE | 11 | | |
| | | MS66698 | MEDAL, HUMANE ACTION (A., A.F., N., C.C.) (USE MIL-M-3946/23) REVIEWER: 85 CT MC | A | 8455 | IH | 29-JUN-61 | IH | PE | 11 | | |
| | | MS70111 | SNAPHOOKS, SIDE RETAINING (USE MIL-S-43770) USER: AR AT AV CG MC ME PE SA REVIEWER: MC | A | 5340 | GL | 24-JAN-68 | GL | YD1 | 82 | | |
| L | | MS75033 | BATTERY, STORAGE BB-417( )/U (S/S BY MIL-B-55130/4) REVIEWER: GS ..... | A | 6140 | ER | 04-JAN-93 | ER | | | | |
| | NOTICE 1 | | | | | | | | | | | |
| | | MS87003 | FREIGHT CAR WHEEL MOUNTING, FOREIGN SERVICE, CAST IRON CHILLED CAR WHEELS REVIEWER: 85 | A | 2240 | MD | 26-JUN-61 | MD | YD1 | 84 | | |
| L | | MS87011 | COLOR IDENTIFICATION MARKING OF PIPING SYSTEMS IN THE INTERIOR OF LOCOMOTIVES AND RAILWAY PASSENGER CARS USER: YD1 | A | 2240 | ME | 23-OCT-63 | ME | | | | |
| | | MS90077A | FUSES, STYLE F01 (USE MIL-F-15160/1) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90078A | FUSES, STYLE F02 (USE MIL-F-15160/02) USER: MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90079A | FUSES, STYLE F03 (USE MIL-F-15160/03) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90080A | FUSES, STYLE F04 USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90081A | FUSES, STYLE F05 (USE MIL-F-15160/05) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90082A | FUSES, STYLE F06 (USE MIL-F-15160/06) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90083A | FUSES, STYLE F07 (USE MIL-F-15160/07) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90084A | FUSES, STYLE F08 USER: MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90085A | FUSES, STYLE F09 (USE MIL-F-15160/09) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90086A | FUSES, STYLE F11 (USE MIL-F-15160/11) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90087A | FUSES, STYLE F14 (USE MIL-F-15160/14) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90088A | FUSES, STYLE F15 (USE MIL-F-15160/15) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90089A | FUSES, STYLE F16 (USE MIL-F-15160/16) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90090A | FUSES, STYLE F19 (USE MIL-F-15160/19) USER: 85 AR MC YD1 ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90091A | FUSES, STYLE F20 (USE MIL-F-15160/20) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90092A | FUSES, STYLE F21 USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |
| | | MS90093A | FUSES, STYLE F22 (USE MIL-F-15160/22) USER: 85 MC YD1 REVIEWER: AR ..... | A | 5920 | SH | 22-JUN-53 | EL | | 11 | | |

| Action | Ctrl / Obtl Classification Inactive | Document Number | Document Title | Dist Stmt | FSC / Area MCA Symbol Preparing Activ | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | MS90094A | FUSES, STYLE F27 (USE MIL-F-15160/27) USER: 85 MC YD1 REVIEWER: AR ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90095A | FUSES, STYLE F28 (USE MIL-F-15160/28) USER: 85 MC YD1 REVIEWER: AR ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90096A | FUSES, STYLE F29 (USE MIL-F-15160/29) USER: 85 MC YD1 REVIEWER: AR ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90097A | FUSES, STYLE F30 (USE MIL-F-15160/30) USER: 85 MC YD1 REVIEWER: AR ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90098A | FUSES, STYLE F36 (USE MIL-F-15160/36) USER: 85 MC YD1 REVIEWER: AR ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90099A | FUSES, STYLE F37 (USE MIL-F-15160/37) USER: 85 MC YD1 REVIEWER: AR ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90100A | FUSES, STYLE F38 (USE MIL-F-15160/38) USER: 85 MC YD1 REVIEWER: AR ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90101A | FUSES, STYLE F39 (USE MIL-F-15160/39) USER: 85 MC YD1 REVIEWER: AR ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90102A | FUSES, STYLE F40 USER: 85 MC YD1 REVIEWER: AR ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90103A | FUSES, STYLE F40 (USE MIL-F-15160/50) USER: 85 MC YD1 REVIEWER: AR ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90104A | FUSES, STYLE F51 (USE MIL-F-15160/51) USER: 85 MC YD1 ..... | A 5920 | SH | 22-JUN-53 | EL | | | 11 |
| | | MS90109B | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-255/U (CLASS 6V-SBM-15AH, NAVY) USE MIL-B-15072/4 USER: GL REVIEWER: YD1 | A 6140 | SH | 16-NOV-61 | EL | SH | | |
| | | MS90110A | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-256/U (CLASS 6V-SBM-100AH, NAVY) USE MIL-B-15072/5( USER: GL MC REVIEWER: YD1 | A 6140 | SH | 16-NOV-61 | EL | SH | | |
| | | MS90111B | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB-257/U (CLASS 6V-SBMD-130AH, NAVY) USE MIL-B-15072/6 USER: GL MC REVIEWER: YD1 | A 6140 | SH | 08-APR-64 | EL | SH | | |
| | | MS90112A | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-258/U (CLASS 6V-SBM-200AH, NAVY ) USE MIL-B-15072/7 USER: GL MC REVIEWER: YD1 | A 6140 | SH | 16-NOV-61 | EL | SH | | |
| | | MS90114A | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-259/U (CLASS 6V-SBM-300AH, NAVY) USE MIL-B-15072/8( USER: GL MC REVIEWER: YD1 | A 6140 | SH | 16-NOV-61 | EL | SH | | |
| | | MS90228B<br>NOTICE 1 | SHELL, ELECTRICAL CONNECTOR: SERIES C CONNECTORS (NO S/S DOCUMENT) REVIEWER: 99 AR ES | A 5935 | EC | 09-JUN-92 | CR | EC | 85 | |
| | | MS90230<br>NOTICE 1 | BUSHING: PART OF SERIES C CONNECTORS (NO S/S DOCUMENT) REVIEWER: 11 99 AS ES | A 5935 | EC | 09-JUN-92 | CR | EC | 85 | |
| | | MS90234A<br>NOTICE 1 | BODY: PART OF SERIES C CONNECTORS (NO S/S DOCUMENT) REVIEWER: 11 99 AS ES . | A 5935 | EC | 09-JUN-92 | CR | EC | 85 | |
| | | MS90254<br>NOTICE 1 | CONTACT, PART OF R.F. COAXIAL CONNECTORS (NO S/S DOCUMENT) REVIEWER: 11 99 AS ES | A 5935 | EC | 09-JUN-92 | CR | EC | 85 | |
| | | MS90258<br>NOTICE 1 | BODY, PART OF SERIES MM CONNECTORS (NO S/S DOCUMENT) REVIEWER: 11 99 ES ... | A 5935 | EC | 09-JUN-92 | CR | EC | 85 | |
| | | MS90268A<br>NOTICE 1 | BODY: PART OF SERIES C CONNECTORS (NO S/S DOCUMENT) REVIEWER: 11 99 AS ES . | A 5935 | EC | 09-JUN-92 | CR | EC | 85 | |
| | | MS90282A | LAMPHOLDER, BRACKET MOUNTING WITH SOLDERING TERMINALS, STYLES LH18, LH20, AND LH22 (USE MIL-L-3661) USER: EL GL MC YD1 | A 6250 | SH | 01-JAN-63 | WC | | | 11 |
| | | MS90487A | TOOL, CRIMP, HAND, FOR MS18266 AND MS18266 SHIELDED CONTACTS (USE MIL-C-22520/5) USER: GL SH YD1 REVIEWER: EC OS | A 5120 | AS | 13-FEB-70 | EL | AS | | |
| | | MS90488C | GAGE, IN SERVICE INSPECTION, FOR MS 90487 SHIELDED CONTACT CRIMPING TOOL USER: ME YD1 REVIEWER: AR AV ES GL MI OS | A 5220 | AS | 17-FEB-70 | EL | AS | | |
| L | | MS90494A | PIN, INSULATOR LAG SCREW TYPE, LEAD INSULATOR THREAD (USE MIL-H-55053) REVIEWER: GS | A 5975 | YD1 | 16-MAY-73 | | YD1 | | |
| | | MS90495 | PLATE, IDENTIFICATION, BLANK, MECHANICAL EQUIPMENT REVIEWER: MC ..... | A 2590 | YD1 | 18-NOV-64 | | YD1 | 99 | |
| | | MS90496B | ROPE TYPE THREAD FORM FOR DRILL RODS, COUPLINGS, BITS, AND SHANKS FOR DRIFTER DRILLS REVIEWER: GS | A THDS | YD1 | 29-AUG-73 | ME | YD1 | 99 | |
| | | MS90497B | SHANK, ROCK DRILL ROD, FOR DRIFTER DRILLS ..... | A 3820 | YD1 | 29-AUG-73 | ME | YD1 | 84 | |
| L | | MS90498B | CLAMP, DEAD END STRAIN REVIEWER: GS ..... | A 5975 | YD1 | 21-JAN-76 | | YD1 | | |
| | | MS90520 | FLANGES, CAST IRON (CLASS 125 AND 250) AND BRONZE (150 AND 300 LB) (USE WW-F-406) | A 4730 | YD1 | 28-NOV-72 | ME | YD1 | 99 | |
| | | MS90521A | UNION, PIPE, STEEL OR MALLEABLE IRON, THREADED CONNECTION (USE WW-U-531) USER: CE MC WC | A 4730 | YD1 | 27-FEB-73 | ME | YD1 | 82 | |
| | | MS90559D | CONTACT, ELECTRICAL, PIN, CIRCUIT BREAKING, INSERTABLE (CLASS L) (USE MIL-C-39029/48) USER: 14 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1 | A 5935 | EC | 06-MAY-75 | EL | EC | 11 | |
| | | MS90560D | CONTACT, ELECTRICAL, SOCKET, CIRCUIT BREAKING, INSERTABLE (CLASS L) (USE MIL-C-39029/49) USER: 19 AT AV CG MC ME REVIEWER: 17 85 99 AR AS ES MI OS YD1 | A 5935 | EC | 06-MAY-75 | EL | EC | 11 | |
| | | MS90901B | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB-49 (USE W-B-00131) USER: AS MC REVIEWER: EL YD1 | A 6140 | AT | 02-NOV-65 | AT | SH | 80 | |
| | | MS90903B | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-53 USER: AS MC SH REVIEWER: ER GS | A 6140 | AT | 02-NOV-65 | AT | YD1 | 99 | |
| | | MS90905A | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-252/U (CLASS 6V-SBM-50AH, NAVY) USE MIL-B-15072/1 USER: GL MC REVIEWER: YD1 | A 6140 | SH | 16-NOV-61 | EL | SH | | |
| | | MS90906A | BATTERY, STORAGE, LEAD-ACID, PORTABLE BB-253/U (CLASS 6V-SBMD-205AH, NAVY) USE MIL-B-15072/2 USER: GL MC REVIEWER: YD1 | A 6140 | SH | 16-NOV-61 | EL | SH | | |
| | | MS90907B | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-254/U (CLASS 2V-SBP-20AH, NAVY) USE MIL-B-15072/3 REVIEWER: YD1 | A 6140 | SH | 16-NOV-61 | EL | SH | | |
| | | MS91083 | INSULATOR, PIN (LINE GLASS), STYLE DP (USE MIL-I-23264/24A) ..... | A 5970 | EL | 14-JAN-52 | EL | YD1 | 11 | |
| | | MS91084 | INSULATOR, PIN (LINE GLASS), STYLE EXCHANGE (USE MIL-I-23264/24A) ..... | A 5970 | EL | 14-JAN-52 | EL | YD1 | 11 | |
| | | MS91085 | INSULATOR, PIN (LINE GLASS, STYLE TW )USE MIL-I-23264/24A ..... | A 5970 | EL | 14-JAN-52 | EL | YD1 | 11 | |
| | | MS91164B | ADAPTER, BATTERY TERMINAL (USE MS 75004) USER: MC YD1 REVIEWER: BS EL GL MI | A 5940 | AT | 11-JUN-64 | AT | SH | 82 | |
| | | MS91165B | CONNECTOR, RECEPTACLE, ELECTRICAL (POWER, TWO-WIRE, POLARIZED, TWISTLOCKING TYPE), TYPE UR101F USER: MC REVIEWER: 80 AR YD1 | A 5935 | EL | 02-NOV-55 | EL | | 85 | |
| | | MS91166A | CONNECTOR, PLUG, ELECTRICAL (POWER, TWO-WIRE, POLARIZED, TWISTLOCKING TYPE), TYPE UP102M (S/S BY MIL-C-3767/2) USER: MC REVIEWER: 80 YD1 | A 5935 | EL | 25-JAN-55 | EL | | 85 | |
| | | MS91184 | CONNECTOR, PLUG, ELECTRICAL (POWER, NONPOLARIZED, PARALLEL-BLADED), TYPE UP120M (S/S BY MIL-C-3767/3 USER: MC REVIEWER: SH YD1 | A 5935 | EL | 25-JAN-55 | EL | EC | 11 | |
| | | MS91185 | CONNECTOR, PLUG, ELECTRICAL (POWER, THREE-WIRE, GROUNDING TYPE), TYPE UP121M USER: MC REVIEWER: AR SH YD1 | A 5935 | EL | 25-JAN-55 | EL | EC | 11 | |
| L | | MS91310A<br>NOTICE 1 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-46 (NO S/S DOCUMENT) USER: ER MC REVIEWER: GL | A 6140 | AT | 25-MAR-93 | AT | | | |
| L | | MS91311A<br>NOTICE 1 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-50 (NO S/S DOCUMENT) USER: GL MC REVIEWER: ER | A 6140 | AT | 25-MAR-92 | AT | | | |
| | | MS91312 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-55 (USE MS-35001) USER: MC REVIEWER: YD1 | A 6140 | EL | 18-JUL-56 | EL | SH | 11 | |
| | | MS91313A | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-57 (USE MS 35001) USER: AS AT MC REVIEWER: YD1 | A 6140 | EL | 01-JAN-64 | EL | SH | 80 | |
| | | MS91316 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-221/U (USE MS-35001) USER: MC REVIEWER: 11 YD1 | A 6140 | EL | 18-JUL-56 | EL | SH | | |
| | | MS91317 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-223/U (USE MS-35001) USER: MC REVIEWER: 11 YD1 | A 6140 | EL | 18-JUL-56 | EL | SH | | |
| | | MS91318C | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 236/U (NO S/S DOCUMENT) USER: AS MC REVIEWER: 11 80 ER GS | A 6140 | AT | 18-APR-90 | AT | YD1 | 99 | |
| | | MS91319C | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 237/U (NO S/S DOCUMENT) USER: MC REVIEWER: 11 80 ER GS | A 6140 | AT | 18-APR-90 | AT | YD1 | 99 | |
| | | MS91320C | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 238/U (NO S/S DOCUMENT) USER: AS MC REVIEWER: 80 ER GS | A 6140 | AT | 18-APR-90 | AT | YD1 | 99 | |
| | | MS91321C | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 239/U (NO S/S DOCUMENT) USER: AS MC REVIEWER: 80 ER GS | A 6140 | AT | 18-APR-90 | AT | YD1 | 99 | |
| | | MS91322C | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 240/U (NO S/S DOCUMENT) USER: AS MC REVIEWER: 80 ER GS | A 6140 | AT | 18-APR-90 | AT | YD1 | 99 | |
| | | MS91323C | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 241/U (NO S/S DOCUMENT) USER: AS GL MC REVIEWER: 80 ER GS | A 6140 | AT | 18-APR-90 | AT | YD1 | 99 | |

| Action | ORL / Ohit Coordination Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MS91324C | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 242/U (NO S/S DOCUMENT) USER: MC REVIEWER: 11 AS ER GS | A | 6140 | AT | 18-APR-90 | AT | YD1 | 99 | | |
| | | MS91325C | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 243/U (NO S/S DOCUMENT) USER: MC REVIEWER: 80 ER GS | A | 6140 | AT | 18-APR-90 | AT | YD1 | 99 | | |
| | | MS91326C | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 246/U (NO S/S DOCUMENT) USER: AS MC REVIEWER: 80 ER GS | A | 6140 | AT | 18-APR-90 | AT | YD1 | 99 | | |
| | | MS91327A | BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 247/U (NO S/S DOCUMENT) USER: AS MC REVIEWER: 80 ER GS | A | 6140 | AT | 18-APR-90 | AT | YD1 | 99 | | |
| | | MS91328 | BATTERY, STORAGE, LEAD-ACID PORTABLE, LOW-TEMPERATURE, BB-2049/U (USE MS-90901) USER: MC REVIEWER: YD1 | A | 6140 | EL | 18-JUL-56 | EL | SH | 11 | | |
| | | MS91329 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, LOW-TEMPERATURE, BB-2055/U (USE MS 35001) USER: MC REVIEWER: YD1 | A | 6140 | EL | 18-JUL-56 | EL | SH | 11 | | |
| | | MS91330 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, LOW-TEMPERATURE, BB-2057/U (USE MS-35001) USER: MC REVIEWER: YD1 | A | 6140 | EL | 18-JUL-56 | EL | SH | 11 | | |
| | | MS91331 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, LOW-TEMPERATURE, BB-2221/U (USE MS-35001) USER: MC REVIEWER: YD1 | A | 6140 | EL | 18-JUL-56 | EL | SH | 11 | | |
| | | MS91332 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, LOW-TEMPERATURE, BB-2223/U (USE MS-35001) USER: MC REVIEWER: YD1 | A | 6140 | EL | 18-JUL-56 | EL | SH | 11 | | |
| | | MS9141BC | MOUNTS, VIBRATION, CUP-TYPE, CLASSES A & B, COARSE THREAD (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) | A | 5348 | | 24-MAY-60 | EL | YD1 | | | |
| | | MS91427 | RESISTORS, VARIABLE (WIREWOUND, POWER-TYPE) STYLE RP10, 25 WATTS (USE MIL-R-22/3) USER: YD1 REVIEWER: MC | A | 5340 | SH | 29-JAN-52 | | SH | 11 | | |
| | | MS91872C | FILLER CAP, BATTERY (SUBMERSIBLE TYPE) (S/S BY MS52149) USER: AS MC REVIEWER: 80 ER GS | A | 6140 | AT | 17-JAN-91 | AT | YD1 | | | |
| L | | MS500000 | TRUCK, CARGO, 10 TON, 6X6, 181-1/2 INCH WHEELBASE, M125 (S/S BY MS 500094) USER: YD1 | A | 2320 | AT | 03-AUG-65 | AT | | | | |
| | | MS500008 | TRUCK, TRACTOR, 5 TON, 6X6, M52 (USE MIL-T-740) USER: ME YD1 ..... | A | 2320 | AT | 04-OCT-65 | AT | MC | 84 | | |
| | | MS500009A | TRUCK, AMBULANCE, 3/4 TON, 4 X 4, 126 INCH WHEEL BASE, M43B1 USER: YD1 REVIEWER: MD | A | 2310 | AT | 18-OCT-65 | AT | MC | 99 | | |
| | | MS500021B | ARM ASSEMBLY, REARVIEW MIRROR USER: AR YD1 REVIEWER: CS ..... | A | 2540 | AT | 31-AUG-76 | AT | MC | 99 | | |
| | | MS500024 | TRAILER, TANK, WATER, 1-1/2 TON, 2 WHEEL, M149 (USE MS 52108) USER: 11 YD1 REVIEWER: MD MS | A | 2330 | AT | 10-DEC-65 | AT | MC | 84 | | |
| | | MS500027B | TRAILER, MAINTENANCE, TELEPHONE CABLE SPLICER, 1/4-TON, 2 WHEEL, M367 USER: 11 YD1 | A | 2330 | AT | 31-DEC-86 | AT | | | | |
| | | MS5000468 NOTICE 1 | COCK, PLUG AIR SUPPLY, VEHICULAR, AIR BRAKE SYSTEM (S/S BY A-A-52448) USER: MC REVIEWER: 99 | A | 2530 | AT | 07-MAY-93 | AT | YD1 | | | |
| | | MS500047A | TOWBAR, MOTOR VEHICLE: UNIVERSAL V-TYPE (NO S/S DOCUMENT) USER: MC REVIEWER: AT | A | 4910 | AL | 30-JAN-85 | AL | YD1 | 99 | | |
| | | MS500064 | TRAILER, BOLSTER, POLE HAULING, 3-1/2 TON, 2 WHEEL, M271 (USE MIL-T-62073) USER: 11 MC YD1 REVIEWER: EL GL | A | 2330 | AT | 01-AUG-66 | AT | | 84 | | |
| | | MS500084 | TRUCK, CARGO, 5 TON, 6X6, 215 INCH WHEELBASE, MILITARY DESIGN, M55A2 USER: YD1 | A | 2320 | AT | 27-OCT-67 | AT | MC | 99 | | |
| | | MS5000858 NOTICE 1 | TRUCK, VAN: SHOP TYPE, MILITARY MODEL, M109A3 2-1/2 TON, 6X6, 154 INCH WHEELBASE (NO S/S DOCUMENT) USER: YD1 REVIEWER: 84 | A | 2320 | AT | 17-JUL-90 | AT | | 99 | | |
| | | MS5000868 NOTICE 2 | TRUCK, CARGO, 5 TON, 6X6, 179 INCH WHEELBASE, MILITARY DESIGN, M54A2 (NO S/S DOCUMENT) USER: YD1 | A | 2320 | AT | 28-SEP-90 | AT | MC | 84 | | |
| | | MS500087B | BEARING, ROLLER, NEEDLE, ASSEMBLY (THIN OUTER RACE) USER: AR GL MC YD1 REVIEWER: 99 AV IS ME MI | A | 3110 | AT | 12-OCT-82 | AT | OS | 11 | | |

| Action | Ctrl / Chkl Coordination Inactive | Document Number | Document Title | Dist Stmt FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MIL-STD-1B | GENERAL DRAWING PRACTICE USER: AR GL MC MS REVIEWER: 26 80 83 YD1 ..... | A DRPR EL 09-JUL-63 | EL | SH | 10 | |
| | | MIL-STD-2C | ENGINEERING DRAWINGS SIZES AND FORMATS (S/S BY DOD-STD-100) USER: GL MC REVIEWER: AR CR OS YD1 | A DRPR AV 01-NOV-65 | AV | SH | | |
| | | MIL-STD-9A<br>NOTICE 1 | SCREW THREAD CONVENTIONS AND METHODS OF SPECIFYING (S/S BY ANSI Y14.6) USER: ES MC SH YD1 REVIEWER: 26 EL ER GL MI | A DRPR AR 26-MAY-60 | AR | AS | 11 | |
| | | MIL-STD-15A | ELECTRICAL AND ELECTRONIC SYMBOLS (S/S BY MIL-STD 15/1A, 15/2, AND 15/3) USER: MC MS YD1 REVIEWER: 26 EL WC | A 7610 SH 18-JUL-55 | | | 10 | |
| | | MIL-STD-16C | ELECTRONICAL AND ELECTRONIC REFERENCE DESIGNATIONS (USE ASA Y.32.16-1965) USER: MS YD1 REVIEWER: 26 AR WC | A 7610 EL 04-DEC-61 | EL | SH | 11 | |
| | | MIL-STD-18B(1) | STRUCTURAL SYMBOLS USER: OS SH REVIEWER: 11 17 AR AS ..... | A DRPR YD1 26-JUN-73 | ME | YD1 | 16 | |
| | | MIL-STD-20<br>NOTICE 1 | WELDING TERMS AND DEFINITIONS (USE AWS A3.0-69 USER: GL REVIEWER: 11 17 85 AR EL SH | A THJM MR 14-DEC-49 | MR | | 10 | |
| | | MIL-STD-23A | NONDESTRUCTIVE TESTING SYMBOLS (USE AWS A2.2-58) USER: GL MC REVIEWER: 26 AR WC | A 7610 SH 25-AUG-52 | MO | | 10 | |
| | | MIL-STD-24B | REVISION OF DRAWINGS (USE MIL STD 100) USER: GL MC REVIEWER: 26 AR EL MI YD1 | A DRPR MO 28-JUN-63 | MO | WP | 10 | |
| | | MIL-STD-27A | DESIGNATIONS FOR ELECTRIC POWER SWITCHGEAR DEVICES & INDUSTRIAL CONTROL DEVICES (USE ANSI C37.20) USER: 83 MC REVIEWER: 11 17 AR AS EL ER MI OS | A MISC YD1 18-APR-63 | ME | YD1 | 16 | |
| | | MIL-STD-28 | DRAWING TITLES, APPROVED METHOD FOR ASSIGNMENT OF USER: GL SH REVIEWER: 80 EL MI MU | A 7650 10 15-JUL-58 | AR | WP | 10 | |
| | | MIL-STD-30A | ASSOCIATED LISTS - LIST OF MATERIAL, DATA LIST, INDEX LIST (USE MIL-STD 100 USER: 80 REVIEWER: 26 83 EL GL MU | A DRPR AR 01-JUN-60 | | | 10 | |
| | | MIL-STD-123A | COLOR IDENTIFICATION MARKING OF COVERED ARC-WELDING ELECTRODES USER: 84 AT YD1 | A 3432 SH 09-MAY-57 | WC | SH | 11 | |
| | | MIL-STD-137C(1) | MATERIAL HANDLING EQUIPMENT USER: AR YD1 REVIEWER: MC SH ..... | A 39GP SA 25-JUN-63 | ME | SA | 11 | |
| | | MIL-STD-1408(1)<br>NOTICE 2 | PROCEDURE FOR DETERMINING NORMAL LOSS EXPECTANCIES FOR PETROLEUM LIQUIDS (S/S BY API-BULL-2516, API-BULL-2517, API-BULL-2518 AND SPI-BULL-2519) USER: AS CE MC YD1 REVIEWER: AM MM PS | A 9130 ME 11-MAR-92 | ME | SH | 68 | |
| | | MIL-STD-143B | STANDARDS & SPECIFICATIONS, ORDER OF PRECEDENCE FOR THE SELECTION OF (REPLACED BY MIL-STD-970 USER: AT REVIEWER: 79 99 AV CS DH EC ER ES GL GS MI OS SA SH YD1 | A MISC SD 01-OCT-87 | AR | AS | 11 | |
| | | MIL-STD-166 | VISUAL INSPECTION GUIDE FOR RUBBER HOSE (USE FED-STD 162) USER: AR AS AT REVIEWER: YD1 | A 4720 SH 22-JUN-54 | MO | SH | 82 | |
| | | MIL-STD-179E | CRANE AND CRANE SHOVELS, SELF POWERED, TYPES AND CAPACITIES REVIEWER: MC .. | A 3810 ME 16-MAR-72 | ME | YD1 | 99 | |
| | | MIL-STD-179/1 | CRANE AND CRANE-SHOVEL, SELF-POWERED, TYPES AND CAPACITIES REVIEWER: 11 ... | A 3810 ME 24-MAR-66 | ME | YD1 | 84 | |
| | | MIL-STD-179/3 | POWER-EXCAVATOR CRANE-SHOVELS - SECTION 3, BOOM J18, CRANE, 15 FOOT FOR 3/4 CU RD CRANE-SHOVELS (USE MIL-B-52207) | A 3815 ME 23-APR-59 | ME | YD1 | 84 | |
| | | MIL-STD-179/4 | POWER-EXCAVATOR CRANE-SHOVELS - SECTION 4, TEETH, BUCKET AND DIPPER, FORIALL C IES OF MIL-STD-179A, SECTION 1 (USE MIL 76) USER: CS | A 3815 ME 30-OCT-59 | ME | YD1 | 84 | |
| | | MIL-STD-179/5 | POWER-EXCAVATOR CRANE-SHOVELS SECTION V BUCKET, DRAGLINE 3/4 CUBIC YARD WITH HARDWARE (USE MIL-B-16029) | A 3815 ME 30-JUN-61 | ME | YD1 | 84 | |
| | | MIL-STD-179/6 | POWER EXCAVATOR CRANE SHOVELS SECTION VI BACKHOE, CRANE SHOVEL 3/4 CUBIC YARD (USE MIL-B-52361) | A 3815 ME 30-JUN-61 | ME | YD1 | 84 | |
| | | MIL-STD-179/7 | POWER EXCAVATOR CRANE-SHOVELS SECTION 7 SHOVEL-FRONT, CRANE SHOVEL 3/4 CUBIC YARD | A 3815 ME 30-JUN-61 | MO | YD1 | 85 | |
| | | MIL-STD-179/8 | POWER-EXCAVATOR CRANE-SHOVELS SECTION 8 OF 8 SECTIONS STANDARD PILE-DRIVER LEAD WITH CATWALK (USE MIL-P-11025) USER: MC | A 3815 ME 17-MAR-65 | ME | YD1 | 84 | |
| | | MIL-STD-181 | PREPARATION FOR SHIPMENT AND STORAGE OF ASSEMBLIES, SUB-ASSEMBLIES AND SPARE PARTS FOR WAREHOUSE MATERIALS HANDLING EQUIPMENT (S/S BY MIL-P-14232) USER: GL MC YD1 REVIEWER: EL SH WC | A PACK SA 07-JUN-55 | | | | |
| | | MIL-STD-182 | CONTINUOUS IDENTIFICATION MARKING OF NICKEL AND NICKEL BASE ALLOYS (CANCELLED, USE FEDERAL STD. 182) USER: MS YD1 REVIEWER: SH | A 7610 69 19-NOV-60 | WC | WP | 10 | |
| | | MIL-STD-183A | CONTINUOUS IDENTIFICATION MARKING OF IRON AND STEEL PRODUCTS (USE FED-STD-183) USER: MC MS YD1 REVIEWER: SH | A 7610 69 03-FEB-60 | WC | WP | 10 | |
| | | MIL-STD-184 | IDENTIFICATION MARKING OF ALUMINUM, MAGNESIUM, AND TITANIUM (USE FED-STD-184) USER: MC REVIEWER: 26 EL SA | A 7610 10 19-NOV-59 | WC | SH | 10 | |
| | | MIL-STD-185 | CONTINUOUS IDENTIFICATION MARKING OF COPPER AND COPPER BASE ALLOYS USER: MC REVIEWER: 26 EL SA SH | A MISC 69 18-JUL-57 | OR | WP | 10 | |
| | | MIL-STD-188/120 | MILITARY COMMUNICATION SYSTEM STANDARDS TERMS & DEFINITIONS (S/S BY FED STD 1037) REVIEWER: 01 11 13 71 99 AS CE CG DC MC ME OS TT YD1 | A SLHC SC 15-MAY-76 | CR | EC | 90 | |
| | | MIL-STD-188-203-2<br>NOTICE 1 | SUBSYSTEM DESIGN AND ENGINEERING STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) B (S/S BY MIL-STD-188/212) REVIEWER: 02 AS MC MI NC OM SC YD1 | A TCTS CR 04-NOV-92 | CR | EC | 90 | |
| | | MIL-STD-188-317 | SUBSYSTEM DESIGN AND ENGINEERING STANDARDS AND EQUIPMENT TECHNICAL DESIGN STANDARDS FOR HIGH FREQUENCY RADIO REVIEWER: 01 11 AS CG CR MC ME OS YD1 | A SLHC DC 10-OCT-86 | SC | EC | 90 | |
| | | MIL-STD-204A | THICKNESS OF SHEET AND STRIP METALS USER: MI YD1 REVIEWER: SH ..... | A MISC AS 05-JUL-62 | AR | AS | 11 | |
| | | MIL-STD-208A | PART NUMBERING FOR MILITARY STANDARDS USER: GL MI MS YD1 REVIEWER: SH ..... | A 7610 WP 09-DEC-55 | WC | | 11 | |
| | | MIL-STD-218-1 | TECHNICAL MANUALS PART 1 & GENERAL OUTLINE FOR TECHNICAL MANUALS USER: MC MS YD1 | A TMSS TM 21-DEC-54 | SM | SH | 16 | |
| L | | MIL-STD-242H<br>NOTICE 2 | ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS CRYSTALS, DELAY LINES, COILS, AND TRANSFORMERS (S/S BY MIL-STD-683, MIL-STD-1837, MIL-STD-1286) USER: MC REVIEWER: AS OS SH | A 59GP EC 29-MAR-93 | | EC | | |
| L | | MIL-STD-251A | POWER OUTPUT RATINGS FOR ELECTRIC GENERATORS (NO S/S DOCUMENT) USER: MC MS REVIEWER: 80 EL GS YD1 | A 6115 ME 30-SEP-75 | ME | | | |
| | | MIL-STD-281A(1) | AUTOMOBILES, TRUCKS, TRUCK-TRACTORS, TRAILERS AND TRAILER DOLLIES; PRESERVATION AND PACKAGING OF (S/S BY MIL-V-62038) USER: ME OS REVIEWER: GL MC MI SM | A PACK AT 22-JUN-89 | AT | YD1 | 99 | |
| | | MIL-STD-283 | LETTER SYMBOLS FOR ELECTRICAL AND ELECTRONIC QUANTITIES (USE USAS Y10.5-1968) USER: AS MC OS YD1 REVIEWER: ES WC | A 7610 EL 08-JUN-56 | EL | SH | 11 | |
| | | MIL-STD-307A | JETTISON (AIRCRAFT SAFE DROP) TEST FOR USE IN DEVELOPMENT OF FUZES (S/S BY MIL-STD-331) REVIEWER: MC YD1 | A 1390 AR 17-NOV-58 | AR | | 11 | |
| | | MIL-STD-369<br>NOTICE 1 | GLOSSARY OF TERMS AND DEFINITIONS FOR RADIOGRAPHIC TESTING (S/S BY ASTM-E1316) USER: MI REVIEWER: 24 71 80 82 84 99 AR AT AV EA ME | A MDTI MR 02-JUL-92 | MR | AS | 11 | |
| | | MIL-STD-371<br>NOTICE 1 | GLOSSARY OF TERMS AND DEFINITIONS FOR ULTRASONIC TESTING PROCEDURES (S/S BY ASTM-E1316) USER: AL AT OS TE REVIEWER: 82 99 AR AV EA MI SH | A MDTI MR 02-JUL-92 | MR | AS | 11 | |
| | | MIL-STD-414(1)<br>NOTICE 1 | SAMPLING PROCEDURE AND TABLE FOR INSPECTION BY VARIABLES FOR PERCENT DEFECTIVE | A QCIC OS 23-SEP-88 | AR | OS | 10 | |
| | | MIL-STD-418C | MECHANICAL TEST FOR WELDED JOINTS (USE ANSI/AWS B4.0) USER: AS MI OS YD1 REVIEWER: AR | A THJM SH 15-JUN-72 | MR | SH | 11 | |
| | | MIL-STD-421B | CHAIN, ROLLER, POWER TRANSMISSION AND CONVEYOR, FLAT LINK PLATES , MASSE PITCH SINGL AND MULTIPLE STRAND, CONNECTING LINKS AND ATTACHMENT LINKS (SEE ANSI B29.1) USER: AT MI SH REVIEWER: CS | A 3020 ME 11-MAR-75 | ME | YD1 | | |
| | | MIL-STD-422 | CHAIN, ROLLER, POWER TRANSMISSION, FLAT LINK PLATES, DOUBLE PITCH, SINGLE STRAND AND CONNECTING LINKS, STEEL (USE MIL-STD-423) USER: 26 MC YD1 REVIEWER: GL | A 3020 SH 31-DEC-57 | | SH | 69 | |
| | | MIL-STD-423B | CHAIN, ROLLER, CONVEYOR, STANDARD AND LARGE ROLLERS, FLAT LINK PLATES, DOUBLE PITCH, SINGLE STRAND, CONNECTING LINKS AND ATTACHMENT LINKS USER: CE SH REVIEWER: CS | A 3020 ME 14-MAR-75 | ME | YD1 | 99 | |
| | | MIL-STD-424C | CHAIN, ROLLER, POWER TRANSMISSION OFFSET SIDEBARS, SINGLE PITCH USER: CS MC SH | A 3020 ME 25-MAR-75 | ME | YD1 | 99 | |
| | | MIL-STD-425B | CHAIN, SILENT, 60 DEGREES INVERTED TOOTH, POWER TRANSMISSION USER: MC SH .. | A 3020 ME 11-MAR-75 | ME | YD1 | 99 | |
| | | MIL-STD-431D<br>NOTICE 1 | COMPRESSORS: CONSTRUCTION, PAINT SPRAY, AND GARAGE; CLASSIFICATION OF TYPES, CLASSES, STYLES, GROUPS, AND CAPACITIES (NO S/S DOCUMENT) USER: CG REVIEWER: AV CE MC | A 4310 YD1 22-JUL-91 | ME | YD1 | 99 | |

| Action Opt. / Opt. Coordination Inactive | Document Number | Document Title | Dist. Stmt FSC / Area MCA Symbol Preparing Activity Date | | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | MIL-STD-435B(1) | RAILWAY CARS, FLAT, DOMESTIC AND FOREIGN SERVICE USER: MT REVIEWER: AS .... | A 2220 | ME | 20-SEP-74 | ME | YD1 | | | |
| | MIL-STD-443A | RATING CONDITIONS FOR THE DESIGN OF REFRIGERATION AND AIR CONDITIONING FIELD EQUIPMENT REVIEWER: 17 | A MISC | ME | 06-MAY-59 | ME | YD1 | 82 | | |
| | MIL-STD-447 | DEFINITIONS OF INTERCHANGEABLE SUBSTITUTE AND REPLACEMENT ITEMS (S/S BY MIL&STD&721B) USER: MI REVIEWER: 26 | A MISC | 10 | 29-MAY-59 | MD | | 10 | | |
| | MIL-STD-480B<br>NOTICE 1 | CONFIGURATION CONTROL - ENGINEERING CHANGES, DEVIATIONS AND WAIVERS (S/S BY MIL-STD-973) USER: 19 CE CG MR TE REVIEWER: 11 26 AL AM AT AV CR DH EA EC ER GL MC MD ME MI MM OS SC SH SM TM YD1 | A CHAN | AS | 17-JUL-92 | AR | AS | 10 | | |
| | MIL-STD-481B<br>NOTICE 1 | CONFIGURATION CONTROL - ENGINEERING CHANGES (SHORT FORM), DEVIATIONS AND WAIVERS (S/S BY MIL-STD-973) USER: 19 CE CG MR TE YD1 REVIEWER: 11 26 AL AM AT AV CR DH EA EC ER GL MC MD ME MI MM OS SC SH SM TM | A CHAN | AS | 17-JUL-92 | AR | AS | 10 | | |
| | MIL-STD-482A<br>NOTICE 1 | CONFIGURATION STATUS ACCOUNTING DATA ELEMENTS AND RELATED FEATURES (S/S BY MIL-STD-973) REVIEWER: AS AV CR EC MD MI SH TD YD1 | A CHAN | OS | 17-JUL-92 | AR | OS | 10 | | |
| L | MIL-STD-483A<br>NOTICE 1 | CONFIGURATION MANAGEMENT PRACTICES FOR SYSTEMS, EQUIPMENT, MUNITIONS, AND COMPUTER PROGRAMS (S/S BY MIL-STD-973) REVIEWER: 11 13 15 17 19 26 | A CHAN | 10 | 17-JUL-92 | | | 10 | | |
| | MIL-STD-607 | GAS MASK (S/S BY MIL-STD-1422) USER: MC SH REVIEWER: GS ..... | A 4240 | EA | 22-JAN-90 | EA | YD1 | 84 | | |
| | MIL-STD-609A | RESPIRATORS, AIR FILTERING (S/S BY MIL-R-17729 AND A-A-1633) USER: AS AT MC ME SA SH REVIEWER: GS | A 4240 | EA | 10-APR-90 | EA | YD1 | 84 | | |
| | MIL-STD-615A | TURNOUT, RAILWAY, WITH BOLTED RIGID FROG ..... | A 2250 | ME | 22-OCT-58 | ME | YD1 | | | |
| | MIL-STD-616A<br>NOTICE 1 | EXTINGUISHERS, FIRE, MONOBROMOTRIFLUOROMETHANE, PORTABLE, HAND AND WHEELED TYPES, CAPACITIES AND CYLINDER DIMENSIONS USER: MC REVIEWER: MI | A 4210 | ME | 13-JAN-61 | ME | YD1 | | | |
| | MIL-STD-617B | CHAIN, DETACHABLE LINK, POWER TRANSMISSION AND CONVEYOR, AND ATTACHMENTS, STEEL USER: CE | A 3020 | ME | 21-NOV-67 | ME | YD1 | 82 | | |
| | MIL-STD-618 | CHAIN, LEAF AND CLEVISES ..... | A 3020 | ME | 23-MAR-60 | ME | YD1 | 79 | | |
| | MIL-STD-622A | CRANE, LOCOMOTIVE, DIESEL-ELECTRIC AND DIESEL-MECHANICAL, LOCOMOTIVE AND WRECKING, DOMESTIC AND FOREIGN SERVICE USER: YD1 | A 2230 | ME | 11-FEB-75 | ME | | 99 | | |
| | MIL-STD-624A | CHAIN, PINTLE, CAST PEARLITIC MALLEABLE IRON LINKS, POWER TRANSMISSION & CONVEYING, ATTACHMENTS USER: AS CG EL OS SH REVIEWER: GL | A 3020 | ME | 23-AUG-65 | ME | YD1 | 82 | | |
| | MIL-STD-625A | CHAIN, COMBINATION, CAST PEARLITIC MALLEABLE IRON LINKS, STEEL SIDEBARS, CONVEYING AND ATTACHMENTS USER: EL MC SH | A 3020 | ME | 23-AUG-65 | ME | YD1 | 82 | | |
| | MIL-STD-629 | FORMULA FOR PUMPS, POSITIVE DISPLACEMENT, METHOD OF RATING USER: AR EA EL SH | A 4320 | ME | 13-NOV-63 | ME | YD1 | 99 | | |
| | MIL-STD-630A | DISTRIBUTOR, BITUMINOUS MATERIAL, TANK AND TANKLESS TYPE USER: MC ..... | A 3895 | ME | 28-JUL-83 | ME | YD1 | 99 | | |
| | MIL-STD-631B | TRACTORS, WHEELED, INDUSTRIAL DIESEL- AND GASOLINE-ENGINE-DRIVEN (FOR TACTICAL OPERATIONS) (NO S/S DOCUMENT) USER: MC REVIEWER: 84 | A 2420 | ME | 11-DEC-90 | ME | YD1 | 99 | | |
| | MIL-STD-641E | TRUCK AND TRUCK-TRACTORS, COMMERCIAL, GASOLINE ENGINE DRIVEN, 3200 POUNDS TO 32,000 POUNDS GVW, 4X2, STANDARD MODELS AND SPECIAL EQUIPMENT REQUIREMENTS REVIEWER: MC YD1 | A 2320 | AT | 23-MAY-67 | AT | | 99 | | |
| | MIL-STD-649C | ALUMINUM AND MAGNESIUM PRODUCTS PREPARATION FOR SHIPMENT AND STORAGE USER: EC MC REVIEWER: 69 AR AT EA ME SA SH SM YD1 | A PACK | 84 | 25-SEP-86 | AV | AS | 84 | DH | |
| | MIL-STD-663B | VISUAL INSPECTION GUIDE FOR FOOTWEAR UPPER LEATHER USER: AS CG YD1 REVIEWER: 82 CT MC | A 8330 | SA | 19-OCT-71 | | SA | 11 | | |
| | MIL-STD-688A | BATTERY, DRY USER: 11 REVIEWER: AR AS MC MI YD1 ..... | A 6135 | ER | 11-SEP-64 | ER | SH | 99 | | |
| | MIL-STD-691A | RAILWAY CAR HOPPER DOMESTIC SERVICE ..... | A 2220 | ME | 30-JAN-61 | ME | YD1 | 84 | | |
| | MIL-STD-693C | LOCOMOTIVE, ROAD AND SWITCHER, DOMESTIC AND FOREIGN SERVICE ..... | A 2210 | ME | 10-MAR-75 | ME | YD1 | 99 | | |
| L | MIL-STD-722A | MOWERS, GANG, AND TRACTOR MOUNTING MOWER ATTACHMENTS (CUTTING SWATH OVER 3 FT ) (USE MSS-3750-1) | A 3720 | YD1 | 07-JUN-62 | | YD1 | | | |
| L | MIL-STD-723 | CRANE-SHOVELS ..... | A 3810 | YD1 | 05-AUG-59 | | YD1 | | | |
| L | MIL-STD-724A | MOWER, LAWN, POWERED, WALKING TYPE (USE MSS-3750-1) ..... | A 3750 | YD1 | 07-JUN-62 | | YD1 | | | |
| | MIL-STD-727 | MARKER, TRAFFIC LINE ..... | A 3825 | YD1 | 20-OCT-59 | | YD1 | 84 | | |
| | MIL-STD-728A | SWEEPING EQUIPMENT (USE MSS-3825-2) ..... | A 3825 | YD1 | 30-NOV-60 | MD | YD1 | 84 | | |
| | MIL-STD-729 | BURNER, WEED (S/S BY MSS-3825-5) ..... | A 3825 | YD1 | 20-OCT-59 | | YD1 | 84 | | |
| | MIL-STD-730 | DISTRIBUTERS, WATER, TANK AND TANKLESS TYPE (S/S BY MSS-3825-3) USER: 26 .. | A 3825 | YD1 | 20-OCT-59 | | YD1 | 84 | | |
| L | MIL-STD-732 | GRADER, ROAD, MOTORIZED ..... | A 3805 | YD1 | 13-JUN-60 | | YD1 | | | |
| L | MIL-STD-737 | TRUCKS AND TRUCK-TRACTORS COMMERCIAL (USE MIL-STD-641, MIL-STD-1229 AND MIL-STD-1230) | A 2320 | YD1 | 28-MAY-62 | | YD1 | | | |
| L | MIL-STD-738 | TRACTOR, FULL TRACKED, LOW SPEED ..... | A 2410 | YD1 | 01-JAN-63 | | YD1 | | | |
| L | MIL-STD-741 | LOADER, SCOOP TYPE, WHEELED ..... | A 3805 | YD1 | 14-NOV-60 | | YD1 | | | |
| L | MIL-STD-742 | REFUSE CONTAINER, HOISTING UNIT (USE MSS-3990-1) ..... | A 3990 | YD1 | 15-DEC-60 | | YD1 | 87 | | |
| | MIL-STD-744 | SNOW REMOVAL UNITS, SELF-PROPELLED AND SNOWPLOWS, TRUCK-MOUNTED (S/S BY MSS-3825-1) USER: SH | A 3825 | YD1 | 05-JAN-61 | MD | YD1 | 11 | | |
| L | MIL-STD-747 | TRACTORS, WHEELED, INDUSTRIAL AND AGRICULTURAL, GASOLINE ENGINE POWERED ... | A 2420 | YD1 | 17-MAY-61 | | YD1 | | | |
| L | MIL-STD-748A | WALLBOARD (BUILDING BOARD) INTERIOR FINISHING (GYPSUM BOARD, ASBESTOS-CEMENT BOARD) | A 5640 | YD1 | 20-APR-67 | | YD1 | | | |
| | MIL-STD-749B(2) | PREPARATION AND SUBMISSION OF DATA FOR APPROVAL OF NONSTANDARD PARTS (SEE MIL-STD-965) USER: AS MC YD1 REVIEWER: 11 13 16 17 99 AR AV ME MI SA SH | A 59GP | EC | 29-AUG-69 | EL | EC | 10 | | |
| L | MIL-STD-754 | ROOFING, ROLL, ASPHALT-PREPARED, MINERAL SURFACED (NAVY) REVIEWER: SA ..... | A 5650 | YD1 | 17-AUG-61 | | YD1 | | | |
| | MIL-STD-755A | LABELS CONTAINING SYMBOLS FOR PACKAGES AND CONTAINERS FOR HAZARDOUS INDUSTRIAL CHEMICALS AND MATERIALS (USE MIL-STD-1341) USER: OS SH REVIEWER: 69 AR AS GS YD1 | A 7690 | SA | 20-JAN-67 | GL | SA | 84 | | |
| L | MIL-STD-766 | LOADERS, SCOOP TYPE, FULL TRACKED, DIESEL-ENGINE-DRIVEN ..... | A 3805 | YD1 | 27-APR-62 | | YD1 | 84 | | |
| | MIL-STD-932 | ATTACHMENT & ACCESSORIES FOR DRILLING & TAPPING MACHINES (SEE MIL-STD 979) USER: AS AV MC ME MI REVIEWER: GS YD1 | A 3413 | IP | 05-APR-71 | AL | SH | 99 | | |
| | MIL-STD-933 | ATTACHMENT & ACCESSORIES FOR NIBBLING, PUNCHING, & SHEARING MACHINES, METALWORKING (SEE MIL-STD 979) USER: AS AV MC ME YD1 REVIEWER: GS | A 3445 | IP | 30-JUN-71 | AR | SH | 99 | | |
| | MIL-STD-935(1) | ATTACHMENTS & ACCESSORIES FOR BENDING & FORMING MACHINES (USE MIL STD 979) USER: AV MC ME WV REVIEWER: AS GS OS YD1 | A 3441 | IP | 16-AUG-71 | AR | SH | 99 | | |
| | MIL-STD-937 | ATTACHMENT & ACCESSORIES FOR MECHANICAL PRESSES, POWER DRIVEN (USE MIL-STD 979) USER: AS AV MC ME YD1 REVIEWER: GS | A 3443 | IP | 22-SEP-71 | | SH | 99 | | |
| | MIL-STD-938A | ATTACHMENT & ACCESSORIES FOR MACHINING CENTERS (SEE MIL-STD 979) USER: MC YD1 REVIEWER: GS | A 3408 | IP | 05-DEC-73 | AL | SH | 99 | | |
| | MIL-STD-939 | ATTACHMENT & ACCESSORIES FOR HYDRAULIC & PNEUMATIC PRESSES, POWER DRIVEN (USE MIL STD 979) USER: AS MC ME YD1 REVIEWER: AR GS MI | A 3442 | IP | 13-OCT-71 | | SH | 99 | | |
| | MIL-STD-940 | ATTACHMENT & ACCESSORIES FOR ELECTRIC ARC WELDING EQUIPMENT (SEE MIL-STD 979) USER: AT AV MC REVIEWER: AR GS YD1 | A 3431 | IP | 13-OCT-71 | ME | SH | 99 | | |
| | MIL-STD-941A(1) | ATTACHMENT & ACCESSORIES FOR SAWING & FILING MACHINES (USE MIL-STD 979) USER: AV CG MC REVIEWER: AS GS ME MI YD1 | A 3405 | IP | 05-DEC-73 | AL | SH | 99 | | |
| | MIL-STD-943 | ATTACHMENT & ACCESSORIES FOR MISCELLANEOUS SECONDARY METEL FORMING & CUTTING MACHINES (USE MIL-STD 979) REVIEWER: AR GS YD1 | A 3449 | IP | 25-OCT-71 | | SH | 99 | | |
| | MIL-STD-944 | ATTACHMENT & ACCESSORIES FOR ELECTROPLATING, COATING, & ANODIZING EQUIPMENT (SEE MIL-STD 979) USER: AS AV EL MC YD1 REVIEWER: GS | A 3426 | IP | 28-OCT-71 | AL | SH | 99 | | |
| | MIL-STD-945A | ATTACHMENT & ACCESSORIES FOR BROACHING MACHINES (USE MIL-STD 979) USER: CG YD1 REVIEWER: GS MI | A 3412 | IP | 27-AUG-73 | | SH | 99 | | |
| | MIL-STD-946 | ATTACHMENT & ACCESSORIES FOR HEAT CUTTING & METALLIZING EQUIPMENT (SEE MIL-STD 979) USER: CG MC ME REVIEWER: AS GS YD1 | A 3433 | IP | 08-NOV-71 | AL | SH | 99 | | |
| | MIL-STD-947 | ATTACHMENT & ACCESSORIES FOR ELECTRIC RESISTANCE WELDING EQUIPMENT (USE MIL-STD 979) USER: AV CG MC YD1 REVIEWER: GS | A 3432 | IP | 08-NOV-71 | AR | SH | 99 | | |
| | MIL-STD-955A | ATTACHMENT & ACCESSORIES FOR ELECTRICAL & ULTRASONIC EROSION MACHINES (USE MIL-STD 979) USER: CG MC REVIEWER: AS GS OS YD1 | A 3410 | IP | 05-DEC-73 | AL | SH | 99 | | |
| | MIL-STD-957A | ATTACHMENT & ACCESSORIES FOR MISCELLANEOUS MACHINE TOOLS (USE MIL-STD 979) USER: AV MC ME REVIEWER: GS YD1 | A 3419 | IP | 22-JAN-74 | AL | SH | 99 | | |
| | MIL-STD-959A | ATTACHMENT & ACCESSORIES & PLANERS & SHAPERS (SEE MIL-STD 979) USER: AV CG MC REVIEWER: AS GS YD1 | A 3418 | IP | 22-JAN-74 | AR | SH | 99 | | |

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-STD-979 | ATTACHMENTS AND ACCESSORIES FOR INDUSTRIAL PLANT EQUIPMENT (NO S/S DOCUMENT) USER: AT AV MC REVIEWER: AR GS ME MI OS YD1 | A | 3220 | IP | 18-JAN-89 | AL | SH 99 | | IP |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-STD-1178 | STANDARD SAFETY DEVICES FOR ADMINISTRATIVE AUTOMOTIVE VEHICLES REVIEWER: 03 MC | A | 2310 | AT | 15-AUG-70 | AT | YD1 99 | | | |
| | | | | MIL-STD-1178-1 | ANCHORAGE FOR SEAT BELT ASSEMBLIES FOR AUTOMOTIVE VEHICLES REVIEWER: 03 MC | A | 2310 | AT | 15-AUG-70 | AT | YD1 99 | | | |
| | | | | MIL-STD-1178-2 | PADDED INSTRUMENT PANEL AND VISORS FOR AUTOMOTIVE VEHICLES REVIEWER: MC ... | A | 2310 | AT | 15-AUG-70 | AT | YD1 99 | | | |
| | | | | MIL-STD-1178-3 | INSTRUMENT PANEL INSTRUMENTS AND CONTROL DEVICES FOR AUTOMOTIVE VEHICLES REVIEWER: MC | A | 2310 | AT | 15-AUG-70 | AT | YD1 99 | | | |
| | | | | MIL-STD-1178-4 | DUAL OPERATION OF HYDRAULIC SERVICE BRAKE SYSTEM FOR AUTOMOTIVE VEHICLES REVIEWER: 03 MC | A | 2310 | AT | 15-AUG-70 | AT | YD1 99 | | | |
| | | | | MIL-STD-1178-5 | SAFETY DOOR LATCHES AND HINGES FOR AUTOMOTIVE VEHICLES REVIEWER: 03 MC .... | A | 2310 | AT | 15-AUG-70 | AT | YD1 99 | | | |
| | | | | MIL-STD-1178-6 | ANCHORAGE OF SEATS FOR AUTOMOTIVE VEHICLES REVIEWER: 03 MC ..... | A | 2310 | AT | 15-AUG-70 | AT | YD1 99 | | | |
| | | | | MIL-STD-1178-7 | REARVIEW MIRRORS FOR AUTOMOTIVE VEHICLES REVIEWER: 03 MC ..... | A | 2310 | AT | 15-AUG-70 | AT | YD1 99 | | | |
| | | | | MIL-STD-1218 | ACS CHEMICALS (NO S/S DOCUMENT) USER: AS MC OS YD1 REVIEWER: GS ME MI ..... | A | 6810 | EA | 09-NOV-90 | EA | SH 68 | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-STD-1222 | INORGANIC SALTS AND COMPOUNDS, ANALYZED REAGENT AND REAGENT GRADE (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI | A | 6810 | EA | 20-SEP-91 | EA | 68 | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-STD-1224 | VISUAL INSPECTION GUIDE FOR PNEUMATIC TIRES (NONAIRCRAFT) (NO S/S DOCUMENT) USER: MC | A | 2610 | AT | 09-FEB-93 | AT | 84 | | | |
| | | | | NOTICE 2 | | | | | | | | | | |
| | | | | MIL-STD-1225 | ENGINE, GASOLINE, INDUSTRIAL, AIR COOLED, MILITARY STANDARD 1/2 TO 20 HP, DIMENSIONSAND PERFORMANCE CHARACTERISTICS USER: AT REVIEWER: AR EL GL | A | 2805 | ME | 18-JAN-61 | ME | YD1 85 | | | |
| | | | | MIL-STD-1228 | MAINTAINABILITY CRITERIA FOR TANK-AUTOMOTIVE MATERIAL (S/S BY MIL-STD-470) USER: YD1 | A | 2310 | AT | 27-SEP-62 | AR | MC | | | |
| | | | | MIL-STD-1262 | DEGRADATION TESTS FOR FUELS AND FUEL CONTAINER COATINGS (TEST PROCEDURE) (NO S/S DOCUMENT) REVIEWER: 85 SH | A | 8010 | ME | 25-JUN-92 | ME | YD1 11 | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-STD-1273 | VEHICLE, WHEELED, DEFINITION OF TERM RELATED TO ..... | A | 2330 | AT | 24-JUL-63 | AT | YD1 84 | | | |
| L | | | | MIL-STD-1320-110(1) | TRUCKLOADING STANDARD AMM MISSILE AGM-78 IN CONTAINERS MK 372 MOD 4 & 6 OR CNU-183/E (NO S/S DOCUMENT) | A | 8140 | OS | 20-MAY-92 | | OS | | | |
| | | | | NOTICE 3 | | | | | | | | | | |
| L | | | | MIL-STD-1320-195 | TRUCKLOADING SIMULATOR ACTUATION UNDERWATER MINE MK 61 & MODS IN PLANTING RACK MK 62 MOD 0 IN CONTAINER MK 628 MOD 0 (NO S/S DOCUMENT) | A | 8140 | OS | 15-OCT-92 | | OS | | | |
| | | | | NOTICE 2 | | | | | | | | | | |
| L | | | | MIL-STD-1320-197(1) | TRUCKLOADING HARPOON MISSILE RGM-84A-2 (TARTAR) OR RGM-84A-2 (CAP/CAN) IN CONTAINER MK 632 MOD 0 (NO S/S DOCUMENT) | A | 8140 | OS | 20-MAY-92 | | OS | | | |
| | | | | NOTICE 2 | | | | | | | | | | |
| L | | | | MIL-STD-1320-199 | TRUCKLOADING TORPEDO, DUMMY MK 14/16 EJECT MK 16 FITMENT (NO S/S DOCUMENT) | A | 8140 | OS | 31-MAR-93 | | OS | | | |
| L | | | | MIL-STD-1320-229A | TRUCKLOADING STANDARD MISSILE BOOSTER IN SHIPPING AND STORAGE CONTAINER, MK 686 (NO S/S DOCUMENT) | A | 8140 | OS | 20-MAY-92 | | OS | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-STD-1341A | SYMBOL FOR PACKAGES AND CONTAINERS FOR HAZARDOUS INDUSTRIAL CHEMICALS AND MATERIALS (SEE FED-STD 313) USER: MC ME REVIEWER: AS MI MS OS SH SM | A | PACK | SA | 18-AUG-70 | GL | SA 69 | | | |
| | | | | MIL-STD-1349 | VISUAL EXAMINATION OF MASK BLANKS (NO S/S DOCUMENT) ..... | A | 1660 | AS | 04-SEP-92 | AV | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-STD-1393B | PROVISIONS FOR EVALUATING QUALITY OF COATED FABRIC RAINCOATS (NO S/S DOCUMENT) REVIEWER: MC | A | 8405 | CT | 22-JUL-92 | GL | MU | | CT | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-STD-1399-101(1) | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 101 COOLING WATER FOR SUPPORT OF ELECTRONIC EQUIPMENT (S/S BY DOD-STD-1399-532) USER: YD1 REVIEWER: AS EC OS | A | MISC | SH | 01-AUG-78 | | SH | | | |
| L | | | | MIL-STD-1399-103 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 103 ELECTRIC POWER, ALTERNATING CURRENT USER: YD1 REVIEWER: AS EC OS | A | MISC | SH | 01-DEC-70 | | SH | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-STD-1399-104A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 104 POTABLE WATER SERVICE USER: YD1 | A | MISC | SH | 05-JUL-73 | | SH | | | |
| L | | | | MIL-STD-1399-108A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 108 SEWAGE/WASTE DISPOSAL FOR SURFACE SHIPS (S/S BY MIL-STD-1399, SECTION 593 - PART 1) USER: CG REVIEWER: MS YD1 | A | MISC | SH | 01-AUG-78 | | SH | | | |
| L | | | | MIL-STD-1399-201 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 201 COMPARTMENT AMBIENT CONDITIONS FOR SUPPORT OF ELECTRONIC EQUIPMENT (S/S BY MIL-STD-1399, SECTION 204) USER: YD1 REVIEWER: AS MC OS | A | MISC | SH | 27-NOV-74 | | SH | | | |
| L | | | | MIL-STD-1399-501A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 501 NOMENCLATURE, ELECTRONIC AND WEAPONS CONTROL FUNCTIONS (NO S/S DOCUMENT) USER: YD1 REVIEWER: EC OS | A | 1990 | SH | 08-FEB-91 | | SH | | | |
| L | | | | MIL-STD-1399-701 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 701 SHIP SPEED DATA TRANSMISSION (S/S BY MIL-STD-1399, SECTION 702) USER: YD1 REVIEWER: EC OS | A | MISC | SH | 20-NOV-74 | | SH | | | |
| | | | | MIL-STD-1403 | PUMP, CENTRIFUGAL, METHOD OF RATING USER: AR CE MC REVIEWER: AV GL SH ..... | A | 4320 | ME | 09-JUN-67 | ME | YD1 | | | |
| | | | | MIL-STD-1404A | SCRAPERS, EARTHMOVING, TOWED, HYDRAULIC-OPERATED (NO S/S DOCUMENT) USER: CE MC REVIEWER: CS | A | 3805 | ME | 29-JUL-87 | ME | YD1 84 | | | |
| | | | | MIL-STD-1405 | INTERNATIONAL DISTINCTIVE SIGNS AND EMBLEMS USER: GL MC MS REVIEWER: MD ... | A | 9905 | ME | 23-SEP-68 | ME | YD1 99 | | | |
| | | | | MIL-STD-1406 | RETROREFLECTIVITY TEST REVIEWER: GL MR ..... | A | MISC | ME | 30-OCT-68 | ME | YD1 99 | | | |
| | | | | MIL-STD-1409 | RAILWAY MOTOR CARS, MAINTENANCE, DOMESTIC AND FOREIGN SERVICE ..... | A | 2230 | ME | 19-APR-74 | ME | YD1 99 | | | |
| | | | | MIL-STD-1426 | MISCELLANEOUS COMPOUNDS (NO S/S DOCUMENT) USER: AT AV MC OS REVIEWER: GS MD ME MI | A | 6850 | EA | 22-AUG-90 | EA | YD1 68 | | | |
| | | | | MIL-STD-1430 | SPECTACLES, INDUSTRIAL (SEE A-A-1995 & ANSI-Z-87.1-79) USER: MC OS REVIEWER: AS GS MD YD1 | A | 4240 | EA | 19-JUN-86 | EA | SH 99 | | | |
| | | | | MIL-STD-1432 | HERBICIDES REVIEWER: GS ..... | A | 6840 | EA | 06-NOV-87 | EA | YD1 68 | | | |
| | | | | MIL-STD-1436 | ORGANIC CHEMICAL COMPOUNDS, LIQUID, TECHNICAL GRADE (NO S/S DOCUMENT) | A | 6810 | EA | 26-FEB-92 | EA | YD1 68 | | | |
| | | | | NOTICE 1 | USER: AS AT MC ME REVIEWER: AR MD MI | | | | | | | | | |
| | | | | MIL-STD-1438A | INDICATORS, ORGANIC, REAGENT GRADE (NO S/S DOCUMENT) USER: GL MC MI OS YD1 | A | 6810 | EA | 20-SEP-91 | EA | SH 68 | | | |
| | | | | NOTICE 1 | REVIEWER: MD ME | | | | | | | | | |
| | | | | MIL-STD-1444 | MISCELLANEOUS INORGANIC COMPOUNDS (NO S/S DOCUMENT) USER: MI REVIEWER: AS GS MC ME | A | 6810 | EA | 08-FEB-89 | EA | YD1 | | | |
| | | | | MIL-STD-1456A | CONFIGURATION MANAGEMENT PLAN (S/S BY MIL-STD-973) USER: 11 13 14 17 18 GL | A | CMAN | AR | 17-JUL-92 | AR | EC 19 | | DH | |
| | | | | NOTICE 1 | ME REVIEWER: 01 10 20 AS AT AV ER MC MI OM OS SA SH TD YD1 | | | | | | | | | |
| | | | | MIL-STD-1458(2) | RADIOACTIVE MATERIALS, MARKING & LABELING OF ITEMS, PACKAGES & SHI PPING | A | PACK | SM | 09-JUL-80 | AR | YD1 69 | | | |
| | | | | NOTICE 3 | CONTAINERS FOR IDENTIFICATION IN USE, STORAGE & TRANSPORTATTION (S/S BY MIL STD 129) USER: MC REVIEWER: CR EC EL ES MD MI MS SH | | | | | | | | | |
| | | | | MIL-STD-1488B(1) | IN-TRANSIT FUMIGATION OF FREIGHT CARS (FUTURE REFERENCE USE AFPMB TECH. INFO MEMORANDUM )11, DTD FEB 1987) USER: SH SS REVIEWER: 03 CE EA GS MD MS | A | 6840 | GL | 18-AUG-87 | GL | YD1 68 | | | |
| | | | | MIL-STD-1517 | PHASED PROVISIONING (S/S BY MIL-STD-1388/1 AND MIL-STD-1388/2) REVIEWER: MC | A | MISC | 16 | 08-FEB-93 | MI | SA 16 | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-STD-1552A | PROVISIONING TECHNICAL DOCUMENTATION, UNIFORM DOD REQUIREMENTS FOR (S/S BY MIL-STD-1388-2A) REVIEWER: DH MC MS | A | MISC | 16 | 20-JUL-84 | TM | SA 16 | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | MIL-STD-1614A | PROVISIONS FOR EVALUATING QUALITY OF CLOTH TYPE HOODS (NO S/S DOCUMENT) USER: AS CG OS YD1 REVIEWER: 99 CT SH | A | 8415 | MU | 13-MAR-90 | | MU 11 | | | |
| L | | | | MIL-STD-1649 | FILM, MOTION PICTURE, SUPER 8MM, LABORATORY PREPARATION OF (NO S/S DOCUMENT) USER: CG TD REVIEWER: MC | A | 6770 | AS | 19-OCT-92 | | AS | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | DOD-STD-1690 | MARITIME METRIC PRACTICE GUIDE (S/S BY ASTM-F1332) ..... | A | MISC | SH | 15-DEC-92 | | SH | | | |
| | | | | NOTICE 2 | | | | | | | | | | |
| L | | | | MIL-STD-1692 | UNDERWATER WELDING REQUIREMENTS FOR NAVAL FACILITIES (USE AWS D 3.6.) ..... | A | THJM | YD1 | 05-APR-85 | | YD1 | | | |
| L | | | | MIL-STD-1851A | FILM SLIDE, PROJECTION, PHOTOGRAPHIC, 2 INCH X 2 INCH (SEE FED STD 365) USER: TD YD1 REVIEWER: GS | A | 6750 | EL | 07-NOV-74 | EL | AS 99 | | | |
| L | | | | MIL-STD-1867A | SHAFTS, STEEL SAE 5140, 5145, AND 5150 HEAT TREATMENT OF (NO S/S DOCUMENT) | A | 9510 | AT | 09-FEB-93 | AT | | | | |
| L | | | | MIL-STD-1870A | GRAIN SIZE, CAST TURBINE BLADES, ACCEPTANCE CRITERIA FOR (METRIC) (NO S/S DOCUMENT) | A | 2835 | AT | 09-FEB-93 | AT | | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-STD-1876A | NITRIDING, GASEOUS ATMOSPHERE PROCESSING FOR (NO S/S DOCUMENT) ..... | A | MFFP | AT | 17-FEB-93 | AT | | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-STD-1877B | BRAZING, NICKEL, HIGH TEMPERATURE VACUUM (METRIC) (NO S/S DOCUMENT) ..... | A | THJM | AT | 17-FEB-93 | AT | | | | |
| | | | | NOTICE 1 | | | | | | | | | | |
| L | | | | MIL-STD-1878A | CARBURIZING, GASEOUS ATMOSPHERE, PROCESS FOR (NO S/S DOCUMENT) ..... | A | MFFP | AT | 19-MAR-93 | AT | | | | |
| | | | | NOTICE 1 | | | | | | | | | | |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | | MIL-STD-1880A NOTICE 2 | CYLINDERS, RINGS AND SHROUDS, TURBINE, CAST, ACCEPTANCE CRITERIA FOR (METRIC) (NO S/S DOCUMENT) | A | 2835 | AT | 09-FEB-93 | AT | | | |
| L | | MIL-STD-1881(1) NOTICE 2 | BRAZING SILVER, GENERAL PROCESS FOR (NO S/S DOCUMENT) ..... | A | THJM | AT | 17-FEB-93 | AT | | | |
| L | | MIL-STD-1892 NOTICE 1 | WELDING, ARC AND OXYFUEL GAS, PROCESS AND REQUIREMENTS FOR (NO S/S DOCUMENT) | A | THJM | AT | 17-FEB-93 | AT | | | |
| L | | MIL-STD-1896 NOTICE 1 | JOINTS, BRAZED, INSPECTION OF (NO S/S DOCUMENT) ..... | A | NDTI | AT | 17-FEB-93 | AT | | | |
| | | MIL-STD-1949A(2) NOTICE 3 | INSPECTION, MAGNETIC PARTICLE (S/S BY ASTM-E1444) USER: 71 AL AT ME OS TE REVIEWER: 24 70 80 82 84 99 AR AV EA MI SH | A | NDTI | MR | 20-APR-93 | MR | AS | 11 | |
| | | MIL-STD-2073 | DOD MATERIEL, PROCEDURES FOR DEVELOPMENT AND APPLICATION OF PACKAGING REQUIREMENTS (S/S BY MIL-STD-2073-1A) REVIEWER: 10 11 13 18 19 AT AV CS EC EL ES GL GS IP MC ME OS PS YD1 | A | PACK | AS | 16-JUL-84 | SM | AS | 69 | DH |
| L | | MIL-STD-2103 NOTICE 1 | WELDING, ELECTRON BEAM REQUIREMENTS FOR (NO S/S DOCUMENT) ..... | A | THJM | OS | 25-FEB-93 | | OS | | |
| L | | MIL-STD-2104 NOTICE 1 | WELDING, TUNGSTEN ARC, GAS, MANUAL (GTAW-MA) REQUIREMENTS FOR (NO S/S DOCUMENT) | A | THJM | OS | 25-FEB-93 | | OS | | |

| Action | OPR / Qtkt. Coordination Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MICA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | A-A-257 | WORKSUIT, CHEMICAL RESISTANT USER: YD1 | A | 8405 | # | | 20-JUN-83 | | | | |
| | | A-A-953 | BALLAST, EMERGENCY LIGHT, FLUORESCENT (NO S/S DOCUMENT) | A | 6250 | # | FSS | 28-JUN-90 | | | | |
| | | A-A-1000 | STAY, FENCE (S/S BY ASTM-A641) | A | 5660 | * | YD1 | 18-APR-88 | | YD1 | | CS |
| | | NOTICE 1 | | | | | | | | | | |
| | | A-A-1035A | WIRE FABRIC, (HARDWARE) (S/S BY ASTM-A740) REVIEWER: IS | A | 5335 | * | ME | 04-FEB-93 | ME | YD1 | 99 | |
| | | A-A-1191 | STRAP, RETAINING (NO S/S DOCUMENT) USER: CR MC MI REVIEWER: 99 AR IS SH YD1 | A | 5340 | * | AR | 04-MAR-93 | AR | YD1 | 99 | |
| | | A-A-1661 | ENVELOPE, PACKING LIST (FLAT) (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: 99 AR | A | 8105 | * | GL | 11-DEC-90 | GL | | 69 | |
| | | A-A-1704 | ROOFING FELT (ASPHALT SATURATED) (USE ASTM D 226) USER: CE MC | A | 5650 | * | ME | 20-FEB-85 | ME | YD1 | 99 | |
| | | A-A-1705 | ROOFING FELT (ASBESTOS, ASPHALT SATURATED) (NO S/S DOCUMENT) | A | 5650 | # | FSS | 21-FEB-85 | | | | |
| | | A-A-1707 | ROOFING FELT (SMOOTH SURFACED ASPHALT) (S/S BY ASTM-D224) USER: MC REVIEWER: CE | A | 5650 | * | ME | 22-FEB-85 | ME | YD1 | 99 | |
| | | A-A-1838 | HOSE, NON METALLIC (FIRE, SINGLE JACKET) (S/S BY A-A 2245) USER: CG MC REVIEWER: CS SH | A | 4210 | * | ME | 15-JAN-85 | ME | YD1 | 99 | |
| | | A-A-1839 | HOSE, NON-METALLIC (FIRE, SINGLE-JACKET) S/S BY A-A-2245 USER: CG MC REVIEWER: CS SH | A | 4210 | * | ME | 15-JAN-85 | ME | YD1 | 99 | |
| | | A-A-1921 | SHINGLE, ASBESTOS CEMENT (USE ASTM C 223) USER: CE REVIEWER: 85 | A | 5650 | * | | 22-FEB-85 | ME | YD1 | 99 | |
| | | A-A-1951 | PADLOCK (HIGH SECURITY) (REFER TO MIL-L-29151 AND ASTM F883) USER: CR ER REVIEWER: MC | A | 5340 | * | IS | 19-JUN-87 | GL | YD1 | 99 | |
| | | A-A-1961 | NAIL (ROOFING COMPOSITION) (S/S BY FF-N-105) USER: AS ME REVIEWER: GS IS MC | A | 5315 | * | AR | 10-JUL-91 | AR | YD1 | 99 | |
| | | A-A-1980 | POT, COOKING, 16 QUART, STAINLESS STEEL (S/S BY A-A-389) USER: SM YD1 REVIEWER: MC MD MS | A | 7350 | * | GL | 08-FEB-91 | GL | SA | 99 | |
| | | A-A-2007 | ROOFING FELT (ASPHALT, MINERAL SURFACED) (S/S BY ASTM-D249) | A | 5650 | # | FSS | 22-FEB-85 | | | | |
| | | A-A-2050 | AIR CONDITIONER (REMOTE CONDENSING UNIT, SINGLE PHASE) (S/S BY DD-A-374) USER: CE EA MC | A | 4120 | * | ME | 16-MAR-88 | ME | YD1 | 99 | |
| | | A-A-2159 | HOSE ASSEMBLY, NONMETALLIC (FIRE, RUBBER COVERED RELAY SUPPLY (S/S BY A-A-2156 USER: CG MC REVIEWER: CS SH | A | 4210 | * | ME | 04-OCT-83 | ME | YD1 | 99 | |
| | | A-A-2231 | TAPE, PRESSURE SENSITIVE ADHESIVE (DUCT) (NO S/S DOCUMENT) USER: YD1 | A | 5640 | # | FSS | 23-APR-90 | | | | |
| | | A-A-2232 | TAPE, PRESSURE SENSITIVE ADHESIVE (DUCT) (NO S/S DOCUMENT) USER: YD1 | A | 5640 | # | FSS | 23-APR-90 | | | | |
| | | A-A-2233 | GRILL, CHARCOAL (FIRE RING WITH HINGED GRILL TOP) (NO S/S DOCUMENT) USER: MC MS REVIEWER: GS MD SA | A | 7310 | * | GL | 09-OCT-90 | GL | YD1 | 99 | |
| | | A-A-2234 | GRILL, CHARCOAL (PEDESTAL MOUNTED) (NO S/S DOCUMENT) USER: MC MS REVIEWER: GS MD SA | A | 7310 | * | GL | 09-OCT-90 | GL | YD1 | 99 | |
| L | | A-A-2273 | BAG, PAPER GROCER'S (WET STRENGTH) (NO S/S DOCUMENT) USER: 14 | A | 8105 | * | 19 | 11-DEC-90 | | | 19 | |
| L | | A-A-2273(11) | BAG, PAPER GROCER'S (WET STRENGTH) (NO S/S DOCUMENT) | A | 8105 | * | 19 | 11-DEC-90 | | | 19 | |
| | | A-A-20088 | SOUP MIXES, LOW-SODIUM, BEEF- AND CHICKEN-FLAVORED (NO S/S DOCUMENT) | A | 8935 | # | FSS | 10-JUL-92 | | | | |
| | | A-A-20106 | CAKE ROLL, FRESH OR CHILLED, JELLY OR CREAM-FILLED (NO S/S DOCUMENT) | A | 8920 | # | FSS | 28-JUN-91 | | | | |
| | | A-A-20168 | RICE, MILLED, ENRICHED (NO S/S DOCUMENT) | A | 8920 | # | FSS | 10-JUL-92 | | | | |
| | | A-A-30042B | FOOTWEAR COVERS, OPERATING ROOM (DISPOSABLE) (NO S/S DOCUMENT) | A | 6532 | * | MB | 08-JAN-93 | MD | MS | 03 | |
| | | A-A-30050D | STANDS, INTRAVENOUS-IRRIGATION CONTAINER (NO S/S DOCUMENT) | A | 6530 | * | MB | 03-AUG-92 | MD | MS | 03 | |
| | | A-A-30053B | CUP, DENTURE (NO S/S DOCUMENT) | A | 6530 | # | OSS | 08-JAN-93 | | | | |
| | | A-A-30063A | BOX, SETUP (NO S/S DOCUMENT) | A | 8115 | # | FSS | 15-JUL-92 | | | | |
| | | A-A-30063A(11) | BOX, SETUP (NO S/S DOCUMENT) | A | 8115 | # | FSS | 15-JUL-92 | | | | |
| | | A-A-30098 | MASK, SURGICAL (NO S/S DOCUMENT ) | A | 6515 | # | OSS | 08-JAN-93 | | | | |
| | | A-A-0030113 | BANDAGE, ELASTIC (ADHESIVE) (S/S BY A-A-53401) | A | 6510 | # | FSS | 15-JUL-92 | | | | |
| | | A-A-0030120 | SPONGE, SURGICAL | A | 6510 | * | MB | 08-JAN-93 | MD | MS | 03 | |
| | | A-A-0030123 | KNIFE, GENERAL SURGICAL (NO S/S DOCUMENT) | A | 6515 | * | MB | 15-JUL-92 | MD | MS | 03 | |
| | | A-A-30124A | LUMBAR PUNCTURE KIT (S/S BY A-A-54404) | A | 6515 | * | MB | 18-SEP-92 | MD | MS | 03 | |
| | | A-A-0030126 | PLUG, CATHETER (NO S/S DOCUMENT) | A | 6515 | * | MB | 15-JUL-92 | MD | MS | 03 | |
| | | A-A-30128A | DRESSING, WET (NO S/S DOCUMENT) | A | 6510 | * | MB | 08-JAN-93 | MD | MS | 03 | |
| | | A-A-30141 | APRON, PROTECTIVE, EXAMINATION AND TREATMENT (NO S/S DOCUMENT) | A | 6532 | * | MB | 03-AUG-92 | MD | MS | 03 | |
| | | A-A-50002 | INSECTICIDE, DIAZINON, EMULSIFIABLE CONCENTRATE (NO S/S DOCUMENT) | A | 6840 | / | GL | 16-MAR-89 | GL | YD1 | 68 | |
| | | A-A-50051 | MEAT SLICING MACHINES, ELECTRIC (FUTURE PROCUREMENTS - MAKE UNDER A-A-50088) USER: CG MC REVIEWER: GS MD MS SA | A | 7320 | | GL | 12-JAN-87 | GL | YD1 | 99 | |
| | | A-A-50058 | PUNCHING MACHINE, PAPER, ELECTRIC MOTOR DRIVEN (NO S/S DOCUMENT) REVIEWER: 84 | A | 3610 | / | GL | 19-FEB-93 | GL | | 99 | |
| | | A-A-50124 | OVENS, BAKING AND ROASTING, CONVECTION, ENERGY EFFICIENT, GAS (S/S BY A-A-50042) | A | 7310 | / | GL | 15-JAN-91 | GL | YD1 | 99 | |
| | | A-A-50205 | SPLINE & WEIGHTS SET USER: YD1 REVIEWER: 82 GS | A | 6675 | / | ME | 06-NOV-86 | ME | | 99 | |
| | | A-A-50291 | BRAZING ALLOYS, ALUMINUM AND MAGNESIUM, FILLER METAL (S/S BY AWS-A5.8) USER: OS REVIEWER: 11 AR AS EA IP ME SD YD1 | A | 3439 | / | MR | 31-JUL-91 | MR | | 99 | |
| L | | A-A-50361 | SUIT, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL) (S/S BY A-A-50363 AND A-A-50364) REVIEWER: SH | A | 8415 | / | CT | 31-MAR-92 | | MU | | CT |
| | | NOTICE 1 | | | | | | | | | | |
| L | | A-A-50376 | BELT, MILITARY POLICE (WHITE) (S/S BY MIL-B-21154 AND MIL-F-411) | A | 8465 | / | CT | 01-JUL-92 | | MU | | CT |
| | | NOTICE 1 | | | | | | | | | | |
| | | A-A-50482 | DISPLAY CASE, MECHANICALLY REFRIGERATED, BAKERY, COUNTER (NO S/S DOCUMENT) | A | 4110 | / | YD1 | 14-FEB-92 | GL | YD1 | | |
| | | NOTICE 1 | REVIEWER: GS MD TS | | | | | | | | | |
| | | A-A-50483 | DISPLAY CASE, NONREFRIGERATED, BAKERY, COUNTER AND UPRIGHT TYPE (NO S/S | A | 7310 | / | YD1 | 14-FEB-92 | GL | YD1 | | |
| | | NOTICE 1 | DOCUMENT) REVIEWER: GS MD TS | | | | | | | | | |
| | | A-A-50484 | BONE DUST REMOVING MACHINE, WITH NYLON BRUSHES (NO S/S DOCUMENT) REVIEWER: | A | 7320 | / | YD1 | 14-FEB-92 | GL | YD1 | | |
| | | NOTICE 1 | GS MD TS | | | | | | | | | |
| | | A-A-50487 | DISPLAY CASE, MECHANICALLY REFRIGERATED, MERCHANDISER, VERTICAL, MEDIUM | A | 4110 | / | YD1 | 14-FEB-92 | GL | YD1 | | |
| | | NOTICE 1 | TEMPERATURE (NO S/S DOCUMENT) REVIEWER: GS MD TS | | | | | | | | | |
| | | A-A-50488 | DISPLAY CASE, MECHANICALLY REFRIGERATED, REACH-IN MERCHANDISERS, GLASS | A | 4110 | / | YD1 | 14-FEB-92 | GL | YD1 | | |
| | | NOTICE 1 | DOOR, LOW AND MEDIUM TEMPERATURE (NO S/S DOCUMENT) REVIEWER: GS MD TS | | | | | | | | | |
| | | A-A-50489 | TRUCK, CAGE, SECURITY, STEEL (NO S/S DOCUMENT) REVIEWER: GS MD TS | A | 3920 | / | YD1 | 30-DEC-92 | GL | YD1 | | |
| | | A-A-50490 | SAW, CIRCULAR, PORTABLE, ELECTRIC, MEAT CUTTING, 8-INCH BLADE (NO S/S | A | 7320 | / | YD1 | 14-FEB-92 | GL | YD1 | | |
| | | NOTICE 1 | DOCUMENT) REVIEWER: GS MD TS | | | | | | | | | |
| L | | A-A-50491 | PUBLIC ADDRESS SET, SOLID STATE, 100 WATT (NO S/S DOCUMENT) | A | 5830 | / | YD1 | 10-MAY-93 | | YD1 | | |
| | | A-A-50768 | WORKSTATION, VIEDO DISPLAY TERMINAL REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50769 | WORD PROCESSING EQUIPMENT, PORTABLE REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50770 | WORKSTATION, EXECUTIVE, NONPRINTING REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50771 | PRINTER, DRAFT QUALITY REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50772 | PRINTER, LETTER QUALITY REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50773 | PRINTER, DRAFT/CORRESPONDENCE QUALITY REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50774 | READER, PORTABLE PAGE REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50775 | NETWORK, LOCAL AREA (BROADBAND) REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50776 | USAF LIMSS COMMERCIAL ITEM DESCRIPTION MODEM, AUTO DIAL (1200 BAUD) REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50777 | USAF LIMSS COMMERCIAL ITEM DESCRIPTION MODEM, AUTO ANSWER (RACK MOUNT) REVIEWER: 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50778 | USAF LIMSS COMMERCIAL ITEM DESCRIPTION MODEM, AUTO DIAL (RACK MOUNT) REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50779 | USAF LIMSS COMMERCIAL ITEM DESCRIPTION RECORDER, VOICE, PORTABLE REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50780 | USAF LIMSS COMMERCIAL ITEM DESCRIPTION RECORDING SYSTEM, CENTRALIZED REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50781 | USAF LIMSS COMMERCIAL ITEM DESCRIPTION READER, MICROFICHE, PORTABLE (BATTERY POWERED) REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50785 | TYPEWRITER, ELECTRONIC REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50786 | WORD PROCESSING EQUIPMENT, STAND ALONE REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |
| | | A-A-50787 | WORD PROCESSING EQUIPMENT, SHARED LOGIC REVIEWER: 84 99 | A | 7435 | / | 10 | 01-DEC-86 | | | 10 | |

# NUMERICAL LISTING
# COMMERCIAL ITEM DESCRIPTIONS

| Action / OPL / QML / Coordination / Inactive / Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activ. / Date | Custodians: Army | Custodians: Navy | Custodians: Air Force | Custodians: DLA |
|---|---|---|---|---|---|---|
| A-A-50788A | WORKSTATION, EXECUTIVE, PRINTING REVIEWER: 84 | A 7435 / 10 01-DEC-86 | | 10 | | |
| A-A-50789A | WORKSTATION, PROFESSIONAL REVIEWER: 84 99 | A 7435 / 10 01-DEC-86 | | 10 | | |
| A-A-50790A | WORKSTATION, INTELLIGENT REVIEWER: 84 99 | A 7435 / 10 01-DEC-86 | | 10 | | |
| A-A-50791A | WORKSTATION, PORTABLE INTELLIGENT REVIEWER: 84 99 | A 7435 / 10 01-DEC-86 | | 10 | | |
| A-A-50792 | TERMINAL, PORTABLE DISPLAY REVIEWER: 84 99 | A 7435 / 10 01-DEC-86 | | 10 | | |
| A-A-50793 | TERMINAL, PORTABLE PRINTING REVIEWER: 84 99 | A 7435 / 10 01-DEC-86 | | 10 | | |
| A-A-50794 | HOST PROCESSOR, OFFICE INFORMATION SYSTEM, VIRTUAL MEMORY REVIEWER: 84 99 | A 7435 / 10 01-DEC-86 | | 10 | | |
| A-A-50795 | HOST PROCESSOR, OFFICE INFORMATION SYSTEM REVIEWER: 84 99 | A 7435 / 10 01-DEC-86 | | 10 | | |
| A-A-51157 | RODS AND ELECTRODES, WELDING, BARE, COPPER AND COPPER ALLOY (S/S BY AWS-A5.7) USER: AT MC OS YD1 REVIEWER: 84 AS GS | A 3439 / IP 18-SEP-90 | AL | SH | 99 | IP |
| A-A-51158 | RODS, WELDING, COPPER AND COPPER ALLOY, FOR OXYFUEL GAS WELDING (S/S BY AWS-A5.7) USER: AT MC REVIEWER: 84 GS YD1 | A 3439 / IP 18-SEP-90 | AL | SH | 99 | IP |
| A-A-0051556 NOTICE 1 | CASTOR OIL, AROMATIC, USP (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-0051573 NOTICE 1 | CALCIUM HYDROXIDE, USP (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-0051585 NOTICE 1 | CEFORANIDE FOR INJECTION, EQUIVALENT TO 1 GRAM, 10'S (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-0051753 NOTICE 1 | BECLOMETHASONE DIPROPIONATE INHALATION AEROSOL, NASAL (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-0051761 NOTICE 1 | CROMOLYN SODIUM OPHTHALMIC SOLUTION, USP (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-0051893A NOTICE 1 | CEFOXITIN SODIUM, STERILE, USP (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-0051959 NOTICE 1 | AMPICILLIN FOR ORAL SUSPENSION, USP (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-52076 NOTICE 1 | BOOT, INTERMEDIATE COLD/WET (S/S BY MIL-B-44426) USER: 45 REVIEWER: 82 MC MD | A 8430 / CT 16-SEP-92 | GL | NU | 99 | CT |
| A-A-0053113 NOTICE 1 | AMINO ACIDS AND DEXTROSE INJECTION PACK (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-0053255 NOTICE 1 | BAG, TUBE, FEEDING (NO S/S DOCUMENT) | A 6515 / MB 20-MAY-93 | MD | MS | 03 | |
| A-A-0053304 NOTICE 1 | BISMUTH SUBSALICYLATE TABLETS (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-0053313 NOTICE 1 | CALCIUM CITRATE TABLETS (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-0053622 NOTICE 1 | CALCITRIOL CAPSULES (NO S/S DOCUMENT) | A 6505 / MB 25-SEP-92 | MD | MS | 03 | |
| A-A-54367 NOTICE 1 | CUSHION, RING, INFLATABLE (RUBBER) (NO S/S DOCUMENT) | A 6530 / MB 30-SEP-92 | MD | MS | 03 | |

| Action Opt. / Qual. Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| C-F-151A | FEATHERS USER: YD1 REVIEWER: CT | A 8320 / GL 08-FEB-43 | GL | SA | 67 | |
| C-C-800(1) | CUTTING OIL, BASE, SULFURIZED LARD OIL (USE VV-C-850A) USER: MC YD1 REVIEWER: GS PS SA | A 9150 * MR 02-APR-57 | MR | AS | 68 | |
| F-F-3008 | FILTER, AIR CONDITIONING: VISCOUS IMPINGEMENT AND DRY TYPES, CLEANABLE (S/S BY ASTM-F872) USER: ME REVIEWER: CG MC SH | A 4130 / YD1 08-NOV-91 | | YD1 | 99 | |
| F-F-3108 | FILTER, AIR CONDITIONING: VISCOUS-IMPINGEMENT AND DRY MEDIA, REPLACEABLE | A 4130 / YD1 21-NOV-91 | MI | YD1 | 99 | |
| NOTICE 1 | (S/S BY A-A-1419) REVIEWER: EA GS | | | | | |
| H-B-160 | BRUSH, CLEANING, CHASSIS (S/S BY H-B-181B) USER: 26 MC YD1 REVIEWER: MC ... | A 7920 / GL 13-APR-48 | GL | | 69 | |
| H-B-204 | BRUSHES, DUST, DRAFTSMEN S USER: 26 MC YD1 REVIEWER: MC ..... | A 7920 / GL 27-FEB-47 | GL | SA | 69 | |
| H-B-250A | BRUSH, FLOOR POLISHING, WEIGHTED USER: 26 REVIEWER: GL YD1 ..... | A 7910 / SH 06-FEB-59 | ME | | 84 | |
| H-B-271 | BRUSH, GARAGE, FIBER (S/S BY H-B-270) USER: 26 MC YD1 ..... | A 7920 * GL 07-MAR-33 | GL | | 84 | |
| H-B-321A | BRUSH, HAIR, MILITARY USER: 26 YD1 ..... | A 8530 / SH 01-APR-55 | | | | |
| H-B-328 | BRUSH, HAND-SCRUB (S/S BY H-B-1490 ..... | A 8020 / GL 20-JUL-43 | GL | YD1 | 84 | |
| H-B-541C | BRUSH, SCRUB, FLOOR, HAND (USE H-B-1490) USER: 26 GL MC SA YD1 ..... | A 7920 % 02-OCT-62 | | | | |
| H-B-551C | BRUSH, SCRUB, (HOUSEHOLD) (S/S BY H-B-1490) USER: 26 GL MC SA YD1 ..... | A 7920 % 23-JUN-60 | | | | |
| H-B-636A(1) | BRUSH, STIPPLING, WALL USER: SA YD1 ..... | A 8020 * 84 01-APR-55 | | | 84 | |
| J-C-71E(1) | CABLE, POWER, ELECTRICAL, (ARMORED INCLUDING LEAD-COVERED TYPES AND ARMORED CORD) (S/S BY J-C-30) USER: GL MC MI REVIEWER: 85 EL | A 6145 / MO 28-SEP-64 | MO | YD1 | 80 | |
| J-C-86(2) | CABLE, CORD, AND WIRE, ELECTRIC, FLEXIBLE, COTTON-COVERED (GENERAL SERVICE) (S/S BY FED SPEC J-C-580A) USER: AR GL | A 6145 / EL 22-AUG-45 | EL | YD1 | 11 | |
| J-C-90A | CABLE, POWER, ELECTRICAL (FLEXIBLE CORD AND FIXTURE, ELECTRICAL )SUPERSEDED BY J-C-580A( USER: AR GL | A 6145 / EL 07-JUL-59 | EL | YD1 | 17 | |
| J-C-948(1) | CABLE AND WIRE, POWER, ELECTRICAL, NONMETALLIC-SHEATHED (S/S BY J-C-30) USER: AR GL MC | A 6145 / YD1 27-NOV-63 | EL | YD1 | 17 | |
| J-C-98 | CABLE AND WIRE, INSULATED, METHODS OF SAMPLING AND TESTING (S/S BY FED STD 228) USER: AS GL MC OS YD1 REVIEWER: 85 AR AT MI | A 6145 / EL 11-SEP-51 | EL | SH | 17 | |
| J-C-103E(2) | CABLE, POWER, ELECTRICAL (RUBBER-INSULATED, GENERAL PURPOSE) AND WIRE, ELECTRICAL (RUBBER-INSULATED, GENERAL PURPOSE) (S/S BY J-C-30) USER: MI REVIEWER: 85 | A 6145 / EL 14-FEB-64 | EL | YD1 | 17 | |
| J-C-112 | CABLE, TELEPHONE (TWISTED PAIRS, DIRECT BURIAL) USER: MC MI REVIEWER: IS .. | A 6145 * EL 05-JAN-66 | EL | YD1 | | |
| J-C-115A(2) | CABLE AND WIRE, POWER, ELECTRICAL, (SERVICE-ENTRANCE AND SERVICE-DROP) (S/S BY J-C-30) USER: MC REVIEWER: 17 SA | A 6145 / EL 23-MAR-64 | EL | YD1 | 80 | |
| J-C-118A | CABLE, SPECIAL PURPOSE, ELECTRICAL, AND WIRE ELECTRICAL, SHOT FIRING (USE J-C-30) USER: 17 AR MC MI REVIEWER: ES IS | A 6145 / YD1 18-AUG-65 | EL | YD1 | 85 | |
| J-C-129C(3) | CABLE AND WIRE, THERMOPLASTIC-INSULATED BUILDING-TYPE (0 TO 600-VOLT SERVICE) (S/S BY J-C-30) USER: AR GL REVIEWER: EL | A 6145 / MO 03-DEC-64 | MO | YD1 | 17 | |
| J-C-138B(2) | CABLE AND WIRE, POWER, ELECTRICAL, VARNISHED-CLOTH-INSULATED, (0- TO 5 )SUPERSEDED BY J-C-30( USER: MI REVIEWER: 85 | A 6145 / EL 14-APR-64 | EL | YD1 | 17 | |
| J-C-231 | CABLE-UNITS, BATTERY AND STARTER (S/S BY J-L-231) USER: AR GL REVIEWER: EL | A 6145 / YD1 03-MAY-61 | | YD1 | | |
| L-B-74 | BAG; WET-DRESSING (S/S BY A-A-54764) ..... | A 6515 / MB 25-MAR-93 | MD | MC | 03 | |
| NOTICE 1 | | | | | | |
| L-S-137(1) | SCREENING, PLASTIC COATED FIBROUS GLASS, INSECT (S/S BY FED SPEC L-S-125) REVIEWER: CT | A 8305 / GL 18-FEB-55 | GL | YD1 | 69 | |
| L-S-139A | SCREENING, NONMETALLIC, INSECT, (POLYVINYLIDENE CHLORIDE) (S/S BY FED SPEC L-S-125) USER: YD1 REVIEWER: CT | A 8305 / GL 17-AUG-60 | GL | | 67 | |
| L-C-169 | CELLULOSE ACETATE PLASTIC SHEETS (S/S BY L-P-504) USER: MS REVIEWER: EL GL SH | A 9330 / MR 23-MAR-61 | | YD1 | 11 | |
| L-P-310 | PHENOLIC MOLDED PLASTICS (S/S BY L-P-1125) USER: AR AS GL MS ..... | A 9330 / MR 15-JAN-52 | | YD1 | 11 | |
| L-P-349C | PLASTIC MOLDING AND EXTRUSION MATERIAL, CELLULOSE ACETATE BUTYRATE (S/S BY ASTM-D707) USER: SH YD1 REVIEWER: EA ER GS ME MI OS | A 9330 / CR 19-DEC-89 | CR | AS | | |
| L-P-365 | PLASTICS, CELLULOSE NITRATE (PYROXYLIN), SHEETS, RODS AND TUBES USER: AR MS REVIEWER: SH | A 9330 / MR 09-MAY-49 | | YD1 | 11 | |
| L-P-393A(2) | PLASTIC MOLDING MATERIAL POLYCARBONATE, INJECTION AND EXTRUSION (S/S BY ASTM-D3935) USER: MC YD1 REVIEWER: AR AS EA GS ME MI MR | A 9330 / CR 29-JUN-88 | CR | SH | 11 | |
| L-P-501 | PLASTIC POLYVINYLIDENE CHLORIDE (SARAN) MOLDED (USE L-P-1041) USER: AR MS REVIEWER: AS EL GL SH | A 9330 / MR 09-MAY-49 | MR | YD1 | 11 | |
| L-P-505 | PLASTIC PANELS, CORRUGATED, TRANSLUCENT, GLAZING USER: MI ..... | A 9330 / YD1 04-FEB-74 | MR | YD1 | 11 | |
| L-M-520(3) | MOLDING PLASTIC, POLYSTYRENE USER: GL MS REVIEWER: AR EL YD1 ..... | A 9330 / MR 11-AUG-60 | | SH | 11 | |
| L-M-525(4) | MOLDING PLASTIC, POLYSTYRENE, MODIFIED USER: GL REVIEWER: EL YD1 ..... | A 9330 / MR 11-AUG-60 | | SH | 11 | |
| L-E-00530B(2) | ENVELOPE, TRANSPARENT (S/S BY A-A-2790) ..... | A 7510 # FSS 25-JUN-92 | | | | |
| L-U-671 | UREAU MOLDED PLASTIC (S/S BY L-P-401A) USER: MS ..... | A 9330 / MR 10-JAN-52 | | YD1 | 11 | |
| L-C-740A | CONDUIT AND FITTINGS, PLASTIC (S/S BY W-C-1094) USER: MC ..... | A 5975 * EL 26-SEP-62 | EL | YD1 | 85 | |
| L L-B-001190 | BOTTLE, SCREW CAP (MEDICAMENT CONTAINER/DISPENSER FOR FIELD | A 6530 / MB 22-MAR-93 | | | | |
| NOTICE 1 | KIT/ASSEMBLIES) (S/S BY A-A-53342) REVIEWER: 03 MD MS | | | | | |
| L-F-1546A | FITTINGS, PLASTIC PIPE (ADAPTERS, COUPLINGS, ELBOWS, AND TEES FOR POLYETHYLENE PIPE) USE ASTM D2609 USER: 99 ME YD1 | A 4730 * CS 18-SEP-73 | | | | |
| O-P-998(1) | INSECTICIDE, PARADICHLOROBENZENE (S/S BY A-A-52287) USER: ER REVIEWER: AR GS MR YD1 | A 6840 / EA 04-OCT-91 | EA | AS | | |
| O-H-190 | HERBICIDE, AMITROLE REVIEWER: GS ..... | A 6840 * YD1 08-AUG-63 | | YD1 | | |
| O-H-201A | HERBICIDE, DMPA (O-)2, 4 DICHLOROPHENYL( O-METHYL ISOPROPYLPHOSPHORAMIDOTHIOATE) USER: MC SM REVIEWER: GS MD MS | A 6840 / YD1 01-JUL-65 | AR | YD1 | 68 | |
| O-H-205D | HERBICIDE, DALAPON (NO S/S DOCUMENT) REVIEWER: GS ..... | A 6840 * 68 01-FEB-90 | | YD1 | 68 | |
| O-H-207B | HERBICIDE, SIMAZINE (S/S BY A-A-829) REVIEWER: MD ..... | A 6840 / GL 15-DEC-88 | GL | YD1 | 68 | |
| O-F-241D | FERTILIZER, MIXED, COMMERCIAL (S/S BY A-A-1909) USER: YD1 ..... | A 8720 % FSS 09-OCT-90 | | | | |
| O-F-361(1) | EXTINGUISHER, FIRE, FOAM (S/S BY O-E-925A) USER: MC REVIEWER: 84 GL MI .... | A 4210 / MO 27-DEC-38 | | YD1 | 11 | |
| O-F-00368 | EXTINGUISHER, FIRE, WATER, (HAND, PORTABLE, PUMP-TANK-TYPE) SUPERSEDED BY O-E-940 | A 4210 * YD1 26-JAN-59 | | YD1 | 11 | |
| O-F-380A(1) | FIREXEVTINGUISHING-LIQUID, CARBON-TETRACHLORIDE BASE USER: AR EL MC REVIEWER: MU | A 6810 / MO 09-JUN-45 | | YD1 | 11 | |
| O-A-491E | AMMONIUM CHLORIDE, TECHNICAL (S/S BY A-A-52092) USER: SM REVIEWER: AR ..... | A 6810 / GL 20-JAN-93 | GL | | 68 | |
| O-R-501D | RODENTICIDE, CALCIUM CYANIDE REVIEWER: GL YD1 ..... | A 6840 * GS 02-NOV-70 | AR | MC | 68 | |
| O-R-504 | RODENTICIDE, SODIUM MONOFLUORACETATE USER: MC YD1 ..... | A 6840 * GS 09-APR-56 | EA | SH | 68 | |
| O-F-506C | FLUX, SOLDERING: PASTE AND LIQUID (S/S BY A-A-51145) USER: AT MC YD1 REVIEWER: EA GS MI | A 3439 / AR 09-JAN-87 | AR | | 84 | |
| O-I-507D | INSECTICIDE, ALLETHRIN OR PYRETHRIN, (AEROSOL) (NO S/S DOCUMENT) USER: MC REVIEWER: GL GS MD MS YD1 | A 6840 / EA 23-JAN-90 | EA | SH | 68 | |
| O-I-518A | INSECTICIDE, CHLORDANE AND INSECTICIDE, DIELDRIN LIQUID, RESIDUAL, ROACH AND ANT CONTROL USER: 68 MC REVIEWER: GL GS | A 6840 % YD1 26-APR-57 | | YD1 | | |
| O-I-527B | INSECTICIDE, DIELDRIN, EMULSIFIABLE CONCENTRATE USER: SM REVIEWER: EA GS MD ME YD1 | A 6840 / GL 15-OCT-68 | GL | SH | 68 | |
| O-A-548D | ANTIFREEZE/CODLANT, ENGINE: ETHYLENE GLYCOL, INHIBITED, CONCENTRATED (S/S | A 6850 * ME 12-DEC-91 | ME | YD1 | 68 | GS |
| NOTICE 1 | BY A-A-870) | | | | | |
| O-F-555C(2) | FOAM LIQUID, FIRE EXTINGUISHING, MECHANICAL (S/S BY MIL-F-24385) USER: CE REVIEWER: CS EA MD YD1 | A 4210 / SH 12-JUL-90 | ME | SH | 99 | |
| O-I-558C(1) | INSECTICIDE, DDT EMULSIFIABLE CONCENTRATE REVIEWER: GL GS YD1 ..... | A 6840 * SH 12-AUG-64 | AR | SH | 68 | |
| O-E-760D(2) | ETHYL ALCOHOL (ETHANOL): DENATURED ALCOHOL: PROPRIETARY SOLVENTS AND | A 6505 / MB 26-MAR-93 | | | | |
| NOTICE 1 | SPECIAL INDUSTRIAL SOLVENTS (NO S/S DOCUMENTS) USER: GL MC REVIEWER: 68 AR GS MD MI SH SM | | | | | |
| O-H-765E | HYDROCHLORIC ACID, TECHNICAL (S/S BY ASTM-E-1146) USER: AS MC REVIEWER: AR GS MD MR | A 6810 / EA 03-FEB-93 | EA | SH | 68 | |
| O-F-915B | EXTINGUISHER, FIRE, CARBON DIOXIDE (S/S BY A-A-11068) USER: MC REVIEWER: CS EA MI OS | A 4210 * MR 30-APR-85 | ME | YD1 | 99 | |
| O-F-915C | EXTINGUISHER, FIRE, DRY CHEMICAL (HAND PORTABLE) S/S BY A-A-393 USER: MC REVIEWER: CS EA OS | A 4210 * ME 28-MAR-84 | ME | YD1 | | |

| Action | Cncl / Cncl, Coordination Inactive | Document Number | Document Title | Dist Stmt / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | O-E-940C | EXTINGUISHER, FIRE, WATER HAND-PUMP, TANK, POTABLE (TYPE 1 S/S BY A-A-1993 USER: AT MC YD1 REVIEWER: CE CS | A 4210 # 09-MAY-84 | | | | |
| | | NOTICE 1 | | | | | | |
| | | O-E-942B | EXTINGUISHER, FIRE, WATER (2 1/2 GALLON STORED PRESSURE) (S/S BY A-A 392 USER: MC REVIEWER: CS OS | A 4210 * ME 29-MAR-84 | ME | YD1 | | |
| | | O-D-1580 | DISINFECTANT-DETERGENT, GENERAL PURPOSE, CONCENTRATE (QUATERNARY AMMONIUM COMPOUND) (S/S BY A-A-1443) USER: MC ME YD1 REVIEWER: MD MS | A 6840 * GS 18-AUG-82 | GL | SA | 68 | |
| | | O-D-1833(2) | DISINFECTANT-DETERGENT, GERMICIDAL & FUNGICIDAL CONCENTRATE (IODOPHOR-TYPE) (S/S BY A-A-1440) USER: MC ME REVIEWER: MD MS YD1 | A 6840 * GL 01-MAR-76 | GL | SH | 68 | |
| | | P-P-105C | PAPER, ABRASIVE, (FLINT) (S/S BY A-A-1202) USER: AV MC | A 5350 * YD1 18-JUL-90 | MR | YD1 | 84 | |
| | | P-P-121D | PAPER, ABRASIVE, GARNET (S/S BY A-A-1201) USER: AS MC ME MI OS YD1 REVIEWER: DS IS | A 5350 / 84 01-MAY-89 | MR | | 84 | |
| | | P-D-425C | DISHWASHING COMPOUND, MACHINE (USE P-D-1800) USER: MC YD1 REVIEWER: MD | A 7930 / SH 18-AUG-66 | GL | SH | 84 | |
| | | P-C-433B | CLEANING COMPOUND, ALKALI, PIPELINE (S/S BY A-A-1911) | A 6850 # FSS 06-MAR-92 | | | | |
| | | P-C-458C | CLOTH, ABRASIVE, CROCUS (S/S BY A-A-1206) USER: AV MC YD1 REVIEWER: 84 AR DS IS | A 5350 * MR 01-MAY-89 | MR | SH | 99 | |
| | | P-S-583B | SOAP, LAUNDRY (GRANULATED, ROSIN-TYPE) USER: 26 MC YD1 | A 7930 / GL 13-MAY-52 | GL | | 69 | |
| | | P-S-600C | SOAP, LAUNDRY, LOW-TITER (FOR LOW-TEMPERATURE WASHING )USE P-S-1792( USER: GL YD1 | A 7930 % 12-DEC-62 | | | | |
| | | P-S-603B | SOAPS, POTASH-LINSEED OIL (LIQUID AND PASTE, FLOOR AND GENERAL CLEANING) (S/S BY P-S-560A) USER: 26 YD1 | A 7930 / GL 09-MAY-52 | GL | | 69 | |
| | | P-C-610A | CORROSION REMOVING COMPOUND: SCALE REMOVER (PHOSPHORIC ACID BASE) (NO S/S DOCUMENT) | A 6850 # FSS 06-MAR-92 | | | | |
| | | P-S-628C(1) | SOAP, BORAX, POWDER (S/S BY P-S-625A) USER: 26 MC YD1 REVIEWER: GL | A 8520 / SH 01-JAN-63 | | | 67 | |
| | | P-S-631C(1) | SODIUM HYDROXIDE, TECHNICAL, FOR CLEANING PURPOSES (S/S BY O-S-598) USER: EL MC YD1 REVIEWER: AR MU | A 6810 / EA 21-SEP-60 | EA | SH | 67 | |
| Q | | P-S-751 | STEAM CLEANING COMPOUND USER: MC REVIEWER: AR SH | A 6850 / MR 15-SEP-55 | | YD1 | 67 | |
| | | P-S-865A(4) | SWEEPING COMPOUND ABSORBENT MATERIAL, OIL AND WATER (S/S BY P-A-1056) USER: MC YD1 REVIEWER: 69 | A 7930 / GL 01-NOV-60 | GL | SH | | |
| | | P-D-1801 | DISHWASHING COMPOUND, LIQUID SYSTEM (FOR COMMERCIAL DISHWASHING MACHINES) (NO S/S DOCUMENT) | A 7930 # FSS 15-JAN-92 | | | | |
| | | R-T-111 | TAR, FOR JOINT FILLER REVIEWER: 85 IS | A 8030 / ME 07-FEB-33 | ME | YD1 | 84 | |
| | | R-T-143(1) | TAR, (FOR USE IN) ROAD-CONSTRUCTION (USE R-C-1424) REVIEWER: 85 | A 5610 / MO 30-AUG-44 | MO | YD1 | 84 | |
| | | S-C-1474B | COOKERS, STEAM, VEGETABLE (SPEED) (S/S BY ASTM-F1217) USER: CG MC REVIEWER: 84 GS MD SH | A 7310 / SA 26-AUG-92 | GL | SA | 99 | |
| | | NOTICE 1 | | | | | | |
| | | T-M-555A | MOP, WET, COTTON, (YACHT TYPE) USER: 26 YD1 REVIEWER: 69 GL WC | A 7920 / SA 30-SEP-58 | | | | |
| | | T-R-616 | ROPE, MILDEW-RESISTANT (S/S BY T-T-616) USER: YD1 REVIEWER: MC SA | A 4020 / SH 01-JUL-53 | | | 69 | |
| | | T-R-631(2) | ROPE: SISAL (S/S BY T-R-605) USER: CE MC YD1 REVIEWER: AR CS EA IS ME | A 4020 / SH 31-OCT-56 | GL | SH | 99 | |
| | | U-B-50A | BACITRACIN AND NEOMYCIN SULFATE OINTMENT (S/S BY A-A-54680) | A 6505 / MB 19-JUN-92 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | |
| L | | U-T-00190A | TEST PAPER AND COLOR CHART, GLUCOSE IN URINE, 100 TESTS (S/S BY A-A-54704) | A 6505 / MB 28-JUL-92 | | | | |
| | | U-M-210A | SIMETHICONE TABLETS, N.F. (S/S BY A-A-54678) | A 6505 / MB 24-JUL-92 | MD | MS | 03 | |
| | | NOTICE 1 | | | | | | |
| | | V-T-301D(2) | THREAD, SILK (S/S BY A-A-50196) USER: AR MC OS REVIEWER: 82 MD | A 8310 / CT 04-FEB-92 | GL | SA | 11 | CT |
| | | W-R-32B | CONDUIT, RACEWAY, METAL, AND FITTINGS, SURFACE (S/S BY W&C&S82) USER: GL REVIEWER: EL | A 5975 / YD1 12-MAR-57 | | YD1 | 88 | |
| | | W-R-41B | RACEWAYS AND FITTINGS, NONMETALLIC, UNDERFLOOR USER: GL REVIEWER: 80 EL | A 5975 / YD1 07-MAR-57 | | YD1 | 85 | |
| | | W-M-42 | MACHINES, FLOOR, CLEANING AND FINISHING, CYLINDRICAL TYPE, (S/S BY OO-P-580A) USER: 26 REVIEWER: EL SH WC | A 7910 / GL 28-APR-60 | GL | YD1 | 69 | |
| | | W-M-46A(2) | MACHINE, FLOOR-POLISHING AND SCRUBBING, ELECTRIC USER: 26 MC REVIEWER: EL WC | A 7910 / YD1 10-OCT-50 | GL | YD1 | 69 | |
| | | W-L-50A | LAMP, INCANDESCENT, (SEALED-REFLECTOR, GENERAL SPECIFICATION FOR) (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: AT GS SA | A 6240 / AS 30-MAY-89 | ME | AS | 11 | |
| | | W-L-53A | LAMP, INCANDESCENT, (SEALED-REFLECTOR, AUTOMOTIVE, MILITARY VEHICLE, AIRCRAFT, PAR36 BULB, TRADE NO. 4502) (S/S BY MS25243 AND MIL-L-6363) USER: MC YD1 REVIEWER: GS SA | A 6240 / AS 30-MAY-89 | ME | AS | 99 | |
| | | W-L-56A | LAMP, INCANDESCENT, (SEALED-REFLECTOR, AUTOMOTIVE, PAR56 BULB, TRADE NO. 5040S) USER: MC YD1 REVIEWER: GS SA | A 6240 / AS 03-NOV-59 | ME | AS | 99 | |
| | | W-L-59A | LAMP, INCANDESCENT, (SEALED-REFLECTOR, AUTOMOTIVE, PAR56 BULB, TRADE NO. 5400S) USER: MC YD1 REVIEWER: GS SA | A 6240 / AS 03-NOV-59 | ME | AS | 11 | |
| | | W-L-111C(7) | LAMP, INCANDESCENT, (ELECTRIC, MINIATURE AND SUBMINIATURE, TUNGSTEN-FILAMENT) (NO S/S DOCUMENT) USER: YD1 REVIEWER: AR AT AV EA GS | A 6240 / 82 15-APR-91 | ME | SH | 11 | |
| | | W-L-124A | LIGHT, VEHICULAR USER: CE MC SM WC REVIEWER: GS | A 6220 * AT 24-OCT-66 | AT | YD1 | 99 | |
| | | W-P-131A(2) | PANELBOARD, EQUIPPED WITH AUTOMATIC CIRCUIT-BREAKERS (USE W-C-375A AND W-P-115) USER: AR | A 5925 / YD1 01-JAN-63 | | YD1 | 11 | |
| | | W-R-151A | RECEPTACLES (CONVENIENCE-OUTLETS), ADAPTERS, ATTACHMENT-PLUG-CAPS, CORD-CONNECTOR-BODIES, CURRENT-TAPS, MOTOR-BASE-PLUGS, AND PLUG-BODIES, 250-VOLTS (S/S BY W-C-596) | A 5935 / YD1 15-AUG-59 | | YD1 | 11 | |
| | | W-H-190 | HEATER, ELECTRIC, REFLECTOR, PORTABLE (BARE ELEMENT) USER: MC REVIEWER: EL | A 4520 / YD1 29-JAN-52 | MD | YD1 | | |
| L | | W-H-205C | HEATING ELEMENTS, ELECTRICAL (REPLACEMENTS FOR DOMESTIC APPLIANCES) (S/S BY A-A-50495) USER: MC | A 4540 / YD1 10-MAY-90 | | YD1 | | |
| | | W-C-375/4 | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (70 THRU 100 AMPERES) (NO S/S DOCUMENT) USER: MC OS REVIEWER: 80 | A 5925 / ES 04-SEP-90 | | YD1 | 85 | ES |
| | | W-C-375/8 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVICE, TYPE II, SERIES TRIP, TWO POLE (90 THRU 100 AMPERES) (USE W-C-375/6) USER: MC OS REVIEWER: 99 | A 5925 / ES 22-JUL-75 | | YD1 | 85 | ES |
| | | W-C-375/9 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES TRIP, THREE POLE (90 THRU 100 AMPERES) USER: MC OS REVIEWER: 99 | A 5925 / ES 22-JUL-75 | | YD1 | 85 | ES |
| | | W-C-425B(1) | CLEANER, VACUUM, ELECTRIC (PORTABLE, BACK-PACK) REVIEWER: MD | A 7910 * GL 07-JUN-76 | GL | YD1 | 99 | |
| | | W-C-471B(2) | CLOCK-SYSTEM, ELECTRIC, EQUIPMENT FOR USER: EL REVIEWER: 82 | A 6645 / YD1 24-OCT-57 | | YD1 | 11 | |
| | | W-C-500B | COFFEE MAKER, ELECTRIC, AUTOMATIC (S/S BY A-A-50497) USER: MC SA REVIEWER: 84 CG GS MD MS | A 7310 / YD1 28-JUN-91 | GL | YD1 | 99 | |
| | | W-C-581B(1) | CONDUIT AND FITTINGS, NONMETALLIC, RIGID, (BITUMINIZED HOMOGENEOUS FIBER) REVIEWER: YD1 | A 5975 % 08-NOV-63 | | | | |
| | | W-C-583B | CONDUIT BOX AND OUTLET FITTINGS, FLOOR (FOR RIGID STEEL CONDUIT AND ELECTRIC-METALLIC-TUBING STEEL) REVIEWER: YD1 | A 5975 / 10-MAR-65 | | | | |
| | | W-C-596/11B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (USE W-C-596/11A) USER: AR AV MC MI SH REVIEWER: AS AT EC | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | ES |
| | | W-C-596/12B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (S/S BY W-C-596/12C) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | ES |
| | | W-C-596/5B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| | | NOTICE 1 | LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | | | | | |
| | | W-C-596/6B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (S/S BY W-C-596/99) | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | ES |
| | | W-C-596/9C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, MIDGET | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| | | NOTICE 1 | LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | | | | | |
| | | W-C-596/10C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, GENERAL | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| | | NOTICE 1 | GRADE, MIDGET LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | | | | | |

| Action, GPL / Qual. Coordination Inactive, Document Number | Document Title | Dist. Symb. FSC / Area MCA Symbol Preparing Activ. Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| W-C-596/19B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ (S/S BY W-C-596/81) USER: AR AV MC ME MI SH REVIEWER: AS AT EC | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | ES |
| W-C-596/21C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, LOCKING, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ (S/S BY W-C-596/83A) USER: AV MC MI SH REVIEWER: 11 99 AS EC ME | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | ES |
| W-C-596/22B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ (S/S BY W-C-596/64B OR W-C-596/65B) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | ES |
| W-C-596/24C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPS, 250 VOLTS,50/60 HERTZ (USE W-C-596/67B USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | ES |
| W-C-596/25B<br>NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/28B<br>NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/31B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 2 POLE, 2 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 | 85 | ES |
| W-C-596/32B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 2 POLE, 2 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 80 99 AS AT EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 | 85 | ES |
| W-C-596/38C<br>NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 4 POLE, 4 WIRE, 60 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS AT EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/47B<br>NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/48B<br>NOTICE 1 | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/49B<br>NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, MIDGET LOCKING, 3 POLE, 3 WIRE, 15 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/50B<br>NOTICE 1 | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, MIDGET LOCKING CABLE CONNECTING, 3 POLE, 3 WIRE, 15 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/51B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 3 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 10 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 | 85 | ES |
| W-C-596/52B<br>NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 3 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 10 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/53B<br>NOTICE 1 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GENERAL GRADE, 3 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 10 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/54B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 10 AMPERES, 250 VOLTS, 50/60 HERTZ (S/S BY W-C-596/120) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | ES |
| W-C-596/55B<br>NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 10 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/56B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (S/S BY W-C-596/136) REVIEWER: 19 99 AS EC MI | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | ES |
| W-C-596/57B<br>NOTICE 1 | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/58B | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS MI | A 5935 / ES 17-OCT-88 | CR | YD1 | 85 | ES |
| W-C-596/62B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 125/250 VOLTS, 50/60 HERTZ (S/S BY MIL-C-22992E) USER: 11 AV MC ME SH REVIEWER: 19 99 AS MI | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | ES |
| W-C-596/63B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 125/250 VOLTS, 50/60 HERTZ (USE MIL-C-22992E USER: 11 AV MC ME SH REVIEWER: 19 99 AS MI | A 5935 / ES 14-MAY-85 | CR | YD1 | 85 | |
| W-C-596/71B<br>NOTICE 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS AC, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/72A | CONNECTOR, RECEPTACLE, ELECTRICAL GENERAL PURPOSE, SINGLE, GROUNDING 2POLE, 3 WIRE 15 AMPERES, 277 VOLTZ AC (S/S BY W C 596/71 USER: AR AV MC MI SH REVIEWER: 99 AS AT EC | A 5935 / ES 24-MAY-76 | CR | YD1 | 85 | ES |
| W-C-596/75B<br>NOTICE 2 | CONNECTOR, PLUG, ELECTRICAL, MIDGET LOCKING, SPECIFIC PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (S/S BY DESC DWG 87203) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 12-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/76B<br>NOTICE 2 | CONNECTOR, CABLE OUTLET, ELECTRICAL, MIDGET LOCKING, SPECIFIC PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (S/S BY DESC DWG 87204) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI | A 5935 / ES 12-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/146A | CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 99 AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 | 85 | ES |
| W-C-596/147<br>NOTICE 2 | CONNECTOR, MALE INLET, ELECTRICAL, SPECIFIC PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (S/S BY DESC DWG 87205) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 12-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/160 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 | 85 | ES |
| W-C-596/162 | CONNECTORS, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 125 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME MI SH REVIEWER: AS EC | A 5935 / ES 17-OCT-88 | CR | YD1 | 85 | ES |
| W-C-596/164A<br>NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 | 85 | ES |
| W-C-596/166 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 | 85 | ES |

| Action Opt. / Obst. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| | W-C-596/168<br>NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 85 | ES | |
| | W-C-596/170 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/172 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/174 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/176 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/178 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/180 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/182 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/183 | CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/184A<br>NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 85 | ES | |
| | W-C-596/186 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/187 | CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/188A<br>NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 85 | ES | |
| | W-C-596/190 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/191 | CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/193 | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/194 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/195 | CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/197 | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/198 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/199 | CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/201 | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/202 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/203 | CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/204 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/206 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/207 | CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/208<br>NOTICE 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 10-JUN-92 | CR | YD1 85 | ES | |
| | W-C-596/209 | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/210 | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-C-596/211 | CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI | A 5935 / ES 17-OCT-88 | CR | YD1 85 | ES | |
| | W-G-671(2) | GRINDER, VALVE SEAT, ENGINE (MOTOR VEHICLE) USER: 26 MC ..... | A 5130 / WC 07-OCT-52 | | YD1 69 | | |
| | W-I-681A(2) | IRON, SOLDERING, ELECTRIC (S/S BY W-S-570A) USER: MC YD1 REVIEWER: EL GL .. | A 3432 / SH 21-APR-61 | WC | 84 | | |
| Q | W-F-791E | FUSE, CARTRIDGE AND PLUG USER: AS AT MC OS REVIEWER: 99 ME ..... | A 5920 / ES 06-MAR-72 | EL | YD1 85 | ES | |
| | W-F-791/1(1) | FUSE, PLUG, EDISON-BASE, INSTANTANEOUS (DETAIL SPECIFICATION) USER: AS AT MC OS REVIEWER: 99 ME | A 5920 / ES 16-JUL-73 | EL | YD1 85 | ES | |
| | W-F-791/2(1) | FUSE, PLUG, EDISON-BASE, TIME DELAY (DETAIL SPECIFICATION) USER: AS AT MC OS REVIEWER: 99 ME | A 5920 / ES 16-JUL-73 | EL | YD1 85 | ES | |
| | W-F-791/3(1) | FUSE, PLUG, TAMPER PROOF, TIME DELAY (DETAIL SPECIFICATION) USER: AS AT MC OS REVIEWER: 99 ME | A 5920 / ES 20-JUL-73 | EL | YD1 85 | ES | |
| | W-O-806(1) | OUTLET-BODIES: IRON (CAST OR MALLEABLE), CADMIUM OR ZINC-COATED, WITH COVERS AND ACCESSORIES (FOR SHORE USE) (S/S BY W-C-586) USER: AR GL | A 5975 / YD1 28-JUL-52 | ME | YD1 99 | | |
| | W-F-831 | FUSES: PLUG, NONRENEWABLE (S/S BY W-F-791) ..... | A 5920 / ES 25-JAN-57 | CR | YD1 85 | ES | |

| Action | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | W-S-8908 | SWITCH, SNAP, MISCELLANEOUS USER: CE ME YD1 ..... | A 5930 / ES | 31-MAY-68 | EL | AS | 11 | ES |
| | W-S-893C | SWITCH, TOGGLE, AND MOUNTING STRAP (INTERCHANGEABLE) REVIEWER: CE ES MI ... | A 5930 * YD1 | 02-APR-64 | ME | YD1 | 11 | |
| | W-S-896/1(1) | SWITCH, TOGGLE AND LOCK, FLUSH MOUNTED (AC-DC ,T, RATED) (DETAIL SPECIFICATION) | A 5930 / ES | 28-DEC-77 | AT | YD1 | 85 | ES |
| | W-T-1604A | TAPE, PERFORATOR TYPE, POLYESTER BASE (NO S/S DOCUMENT) REVIEWER: 70 ..... | A 7045 * ER | 27-JAN-87 | ER | AS | 84 | |
| Q | W-F-1726 SUPPL 1C1 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/61) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/1 | FUSES, CARTRIDGE, CLASS H, NONRENEWABLE, 250 VOLTS, 0 30 AMPERES (DETAIL SPECIFICATION) S/S BY W F 1726/1 USER: AS AT OS REVIEWER: AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/2 | FUSES, CARTRIDGE, CLASS H, NONRENEWABLE, 250VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/57) USER: 11 AS AT OS REVIEWER: AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/3 | FUSES, CARTRIDGE, CLASS H, NONRENEWABLE, 250 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION (S/S BY W-F-1814/58) USER: 11 AS AT OS REVIEWER: AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/4(1) | FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 250 VOLTS, 101-200 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/59) | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/5 | FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 250 VOLTS, 201-400 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/60) USER: 11 AS AT OS REVIEWER: AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/6 | FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 250 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/61) USER: 11 AS AT OS REVIEWER: AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/7 | FUSE, CATRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION (S/S BY W-F-1814/62) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/8 | FUSE, CAHTRIDGE, CLASS H,NONRENEWABLE, 600 VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION (S/S BY W-F-1814/63) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/9(1) | FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/64) USER: 11 AT OS REVIEWER: AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/10 | FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 101-200 AMPERES (DETAIL SPECIFICATION (S/S BY W-F 1814/65 REVIEWER: 99 | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/11(1) | FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 201-400 AMPERES (DETAIL SPECIFICATION) S/S BY W-F-1726/11) USER: 11 AS AT OS REVIEWER: AR MC ME MI MS SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/12 | FUSE, CATRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1726/12) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/13 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/56) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/14 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/57) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/15 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION) S/S BY W-F-1814/58) USER: 11 AS OS REVIEWER: 99 MC SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/16 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 101-200 AMPERES (DETAIL SPECIFICATION (S/S BY W-F-1814/59) USER: 11 AS OS REVIEWER: 99 MC SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/17 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 201-400 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1726/17) USER: 11 AS OS REVIEWER: 99 MC SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/18 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) USER: 11 AS OS REVIEWER: 99 MC SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/19 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/62) REVIEWER: 99 | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/20 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/63) USER: 11 AS OS REVIEWER: 99 MC SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/21 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION (S/S BY W-F-1814/64) USER: 11 AS OS REVIEWER: 99 MC SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/22 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 101-200 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/65) USER: 11 AS OS REVIEWER: 99 MC SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/23 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 201-400 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/66) USER: 11 AS OS REVIEWER: 99 MC SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1726/24 | FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/67) USER: 11 AS OS REVIEWER: 99 MC SH | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1814/11 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 0 - 30 AMPERES - S/SBY W-F 1814/56 USER: AR OS REVIEWER: 99 AT ME | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1814/12 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 31 -60 AMPERES (S/S BY W-F-1814/57) USER: OS REVIEWER: 80 AT ME | A 5920 / ES | 15-JUL-85 | | YD1 | 85 | |
| | W-F-1814/13 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 61 - 100 AMPERES (S/S BY W-F-1814/58) USER: OS REVIEWER: 80 AT | A 5920 / ES | 15-JUL-85 | | YD1 | 85 | |
| | W-F-1814/14 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 101 - 200 AMPERES (S/S BY W-F-1814/59 USER: OS REVIEWER: 80 AT ME | A 5920 / ES | 15-JUL-85 | | YD1 | 85 | |
| | W-F-1814/15 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 201 - 400 AMPERES (S/S BY W-F-1814/60) USER: OS | A 5920 / ES | 15-JUL-85 | | YD1 | 85 | |
| | W-F-1814/16 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 401 - 600 AMPERES (S/S BY W-F-1814/01) USER: OS REVIEWER: 80 AT ME | A 5920 / ES | 15-JUL-85 | | YD1 | 85 | |
| | W-F-1814/17 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 0 - 30 AMPERES (S/S BY W-F-1814/62) USER: OS REVIEWER: 80 AT ME | A 5920 / ES | 15-JUL-85 | | YD1 | 85 | |
| | W-F-1814/18 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 31 - 60 AMPERES (S/S BY W-F-1814/63) USER: AR OS REVIEWER: 99 AT ME | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1814/19 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 61 - 100 AMPERES (S/S BY W-F-1814/64 USER: OS REVIEWER: 80 AT ME | A 5920 / ES | 15-JUL-85 | CR | YD1 | 85 | |
| | W-F-1814/20 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) (600 VOLTS, 101 - 200 AMPERES, (S/S BY W-F-1814/65 USER: AR OS REVIEWER: 99 AT | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1814/21 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 201 - 400 AMPERES, (S/S BY W-F- 1814/66) USER: AR OS REVIEWER: 99 AT | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |
| | W-F-1814/22 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 401 - 600 AMPERES, (S/S BY W-F-1814/67 USER: AR OS REVIEWER: 99 AT | A 5920 / ES | 15-JUL-85 | ER | YD1 | 85 | ES |

| Action, QPL / QML, Coordination, Inactive, Document Number | Document Title | Dist. Symbol, FSC / Area, MICA Symbol, Preparing Activity, Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| W-F-1814/23 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 0 - 30 AMPERES (S/S BY W-F-1814/56) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/24 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 31 - 60 AMPERES (S/S BY W-F-1814/57) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/25 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 61 - 100 AMPERES (S/S BY W-F-1814/58 USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/26 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 100 - 200 AMPERES (S/S BY W-F-1814/59 USER: AR OS REVIEWER: 99 AT ME | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/27 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 201 - 400 AMPERES S/S BY W - F - 1814/60 USER: AR OS REVIEWER: 99 AT ME | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/28 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 401 - 600 AMPERES S/S BY W - F - 1814/61 USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/29 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/62) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/30 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION)(S/S BY W-F-1814/63) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/31 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/64) USER: OS REVIEWER: 80 AT ME | A 5920 / ES 15-JUL-85 CH | YD1 85 | | | |
| W-F-1814/32 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 101-200 AMPERES USER: AR OS REVIEWER: 99 A1 | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/33 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES (DETAIL SPECIFICATION)(S/S BY W-F-1814/66) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/34 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS,401-600 AMPERES (DETAIL SPECIFICATION) S/S BY W-F-1814/67) USER: AR OS REVIEWER: 99 A1 | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/35 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT-LIMITING) 250 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/56) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/36 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT-LIMITING) 250 VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/57) USER: OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/37 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT-LIMITING) 250 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/58) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/38 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT-LIMITING) 250 VOLTS, 101-200 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/59) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/39 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 250 VOLTS, 201 - 400 AMPERES (S/S BY W-F-1814/60) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/40 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 250 VOLTS, 401 - 600 AMPERES (S/S BY W-F-1814/61) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/41 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 0 - 30 AMPERES (S/S BY W-F-1814/62) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/42 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 31 - 60 AMPERES (S/S BY W-F-1814/63) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/43 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 61 - 100 AMPERES (S/S BY W-F-1814/64 USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/44 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 101 - 200 AMPERES (S/S BY W-F-1814/65 USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/45 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 201 - 400 AMPERES (S/S BY W-F-1814/66 USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-1814/46 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 401 - 600 AMPERES (S/S BY W-F-1814/67) USER: AR OS REVIEWER: 99 AT | A 5920 / ES 15-JUL-85 ER | YD1 85 | | | ES |
| W-F-2190/1 | FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55161) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| W-F-2190/2 | FILTER, RADIO FREQUENCY INTERFERENCE (NO S/S DOCUMENT) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| W-F-2190/3 | FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55163) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| W-F-2190/4 | FILTER, RADIO FREQUENCY INTERFERENCE (NO S/S DOCUMENT) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| W-F-2190/5 | FILTER, RADIO FREQUENCY INTERFERENCE (NO S/S DOCUMENT) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| W-F-2190/6 | FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55166) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| W-F-2190/7 | FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55167) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| W-F-2190/8 | FILTER, RADIO FREQUENCY INTERFERENCE (NO S/S DOCUMENT) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| W-F-2190/9 | FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55169) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| W-F-2190/10 | FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55170) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| W-F-2190/11 | FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55171) USER: 19 AS AT AV | A 5915 / ES 09-APR-93 ER | EC 85 | | | ES |
| NOTICE 2 | MC ME OS YD1 REVIEWER: 17 99 AR MI SH | | | | | |
| V-B-910(2) | BANANAS, FRESH REVIEWER: MC MD SS | A 8915 * GL 10-JUL-92 GL | SA 50 | | | |
| AA-C-23 | CABINETS, FILING, INSULATED, FIRE RESISTING USER: 26 REVIEWER: YD1 | A 7110 / GL 21-JUN-61 GL | SA 69 | | | |
| AA-W-128(2) | WARDROBE, WOOD, EXECUTIVE OFFICE USER: MC YD1 | A 7105 / GL 05-SEP-52 GL | | 69 | | |
| AA-R-190 | REFRIGERATOR, MECHANICAL, BIOLOGICALS | A 4110 * GL 22-APR-68 GL | YD1 99 | | | |
| AA-D-201A | DESKS, WOOD, GENERAL OFFICE (NO S/S DOCUMENT) | A 7110 * GL 15-JUN-90 GL | YD1 99 | | | |
| AA-B-250A(1) | BEDSPRING, (PLATFORM&TOP TYPE) USER: MC | A 7105 * GL 11-APR-62 GL | YD1 99 | | | |
| AA-L-00300/3A | LIBRARY FURNITURE, CABINETS, CARD CATALOG (DETAILED SPECIFICATION) USER: GL | A 7195 * YD1 07-JAN-72 | YD1 | | | |
| AA-L-00300/6(3) | LIBRARY FURNITURE, DESK, PEDESTAL, CHARGING (DETAILED SPECIFICATION) USER: GL | A 7195 * YD1 07-JAN-72 | YD1 | | | |

| Action | Obsl. / Canc. / Consolidation / Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | AA-L-00300/7(2) | LIBRARY FURNITURE, RACKS, DISPLAY, MAGAZINE, AND NEWSPAPER (DETAILED SPECIFICATION) USER: GL | A | 7195 | % | | 07-JAN-72 | | YD1 | | |
| | | AA-L-00300/9(2) | LIBRARY FURNITURE, STANDS, ATLAS, AND DICTIONARY (DETAILED SPECIFICATION) USER: GL | A | 7195 | * | YD1 | 03-NOV-70 | | YD1 | | |
| | | AA-L-00300/10(2) | LIBRARY FURNITURE, STOOL, STEP (DETAILED SPECIFICATION) USER: GL | A | 7195 | % | | 07-JAN-72 | | YD1 | | |
| | | AA-L-00300/12A(2) | LIBRARY FURNITURE, CHAIRS AND SETTEES, UPHOLSTERED (DETAILED SPECIFICATION) USER: GL | A | 7195 | % | | 07-JAN-72 | | YD1 | | |
| | | AA-C-311B(1) | CHAIRS, WOOD, GENERAL OFFICE (NO S/S DOCUMENT) | A | 7110 | * | GL | 15-JUN-90 | GL | YD1 | | 99 |
| | | AA-H-570A(1) | HOUSEHOLD FURNITURE, LIVING ROOM, WOOD, UPHOLSTERED (NO S/S DOCUMENT) | A | 7105 | * | GL | 22-MAR-90 | GL | YD1 | | 99 |
| | | AA-H-00580A | HOUSEHOLD FURNITURE, RATTAN, DINING ROOM, LIVING ROOM AND RECREATION ROOM USER: GL YD1 | A | 7105 | % | | 10-MAR-72 | | | | |
| | | AA-H-00590 | HOUSEHOLD FURNITURE, TUBULAR, COMPOSITE STEEL AND WOOD USER: GL YD1 | A | 7105 | % | | 26-SEP-58 | | | | |
| | | AA-H-625E | HOUSEHOLD FURNITURE, WOOD, TRADITIONAL STYLE (S/S BY AA-H-001895) 010878 | A | 7105 | * | GL | 19-JAN-68 | GL | YD1 | | 99 |
| | | AA-D-001413(3) | DAVENPORT, CONVERTIBLE, WITH STORAGE COMPARTMENT USER: GL YD1 | A | 7105 | % | | 06-NOV-75 | | | | |
| | | AA-B-1976/4 | BULLETIN BOARDS; WOOD FRAME (NO S/S DOCUMENT) USER: YD1 | A | 7195 | / | GL | 20-JUN-89 | GL | | | 84 |
| | | AA-B-1976/5 | BULLETIN BOARD; WOOD FRAME, GLASS ENCLOSED (NO S/S DOCUMENT) USER: YD1 | A | 7195 | / | GL | 20-JUN-89 | GL | | | 84 |
| | | AA-B-1976/6 | BULLETIN BOARD; WOOD FRAME, PLYWOOD (NO S/S DOCUMENT) USER: YD1 | A | 7195 | / | GL | 20-JUN-89 | GL | | | 84 |
| | | BB-F-671A | FREON GAS, COMPRESSED (CHLOROFLUORD HYDROCARBONS) (S/S BY BB-F-1421) USER: AS MC MS REVIEWER: AR OS WC YD1 | A | 6830 | / | SH | 03-JUL-52 | MD | SH | | 68 |
| | | CC-M-636C | MOTOR, ALTERNATING-CURRENT, (FRACTIONAL HORSEPOWER )USE CC-M-1807( USER: AR AS MC OS REVIEWER: 80 EA EL MI SH | A | 6105 | * | ME | 11-JAN-63 | ME | YD1 | | 11 |
| | | CC-M-641D | MOTOR, ALTERNATING CURRENT, (INTEGRAL HORSEPOWER, 200 HP AND SMALLER) (USE CC-M-1807) USER: AS MC OS REVIEWER: 79 80 EA EL GS MI SH | A | 6105 | * | YD1 | 01-SEP-64 | ME | YD1 | | 11 |
| | | DD-W-131C<br>NOTICE 1 | WATCH GLASS, LABORATORY (S/S BY A-A-53746 & A-A-53921) | A | 6640 | / | MB | 02-NOV-92 | MD | MS | | 03 |
| | | DD-C-311(1) | CHIMNEYS AND GLOBES (LAMP AND LANTERN), GLASS USER: 26 MC YD1 REVIEWER: AR | A | 6640 | / | EA | 28-OCT-44 | EA | | | 88 |
| | | DD-G-451D | GLASS, FLOAT OR PLATE, SHEET, FIGURED (FLAT, FOR GLAZING, MIRRORS AND OTHER USES) USER: MC REVIEWER: CE | A | 5620 | * | ME | 13-AUG-86 | ME | YD1 | | 84 |
| | | DD-A-460A<br>NOTICE 1 | ADAPTER, LUER NEEDLE, GLASS (NO S/S DOCUMENT) | A | 6515 | / | MB | 12-FEB-93 | MD | MS | | 03 |
| | | DD-G-491C | GLASS, LIQUID SIGHT INDICATOR, FLAT USER: SH REVIEWER: GS | A | 6680 | / | YD1 | 08-JUL-76 | ME | YD1 | | |
| | | DD-V-581A | VOLUMETRIC APPARATUS, GLASS USER: 85 YD1 REVIEWER: AR | A | 6640 | / | EA | 22-SEP-53 | EA | MS | | |
| | | DD-B-583<br>NOTICE 1 | BOTTLE, INFUSION, KELLY, 700CC, (NO S/S DOCUMENT) | A | 6515 | / | MB | 12-FEB-93 | MD | MS | | 03 |
| | | DD-T-733<br>NOTICE 1 | TUBE, HYPODERMIC NEEDLE PROTECTING (NO S/S DOCUMENT) | A | 6515 | / | MB | 02-APR-93 | MD | MS | | 03 |
| L | | FF-T-77C | TAG AND HOLDER, KEY (NO S/S DOCUMENT) | A | 9905 | / | YD1 | 04-SEP-90 | | YD1 | | |
| | | FF-N-101(2) | NAILS, SPIKES, STAPLES, AND TACKS (S/S BY FF-N-103, FF-N-105, FF-S-611 AND FF-S-606) USER: AS AV CE MC ME MI SH SS REVIEWER: EA GS IS OS SA | A | 5315 | / | AR | 29-AUG-56 | AR | YD1 | | 82 |
| | | FF-P-101F | PADLOCKS (S/S BY A-A-1928, A-A-1930, A-A-1927, MIL-S-23769) USER: CG MC REVIEWER: 82 AR IS | A | 5340 | / | YD1 | 28-MAY-90 | | YD1 | | 99 |
| | | FF-N-103C<br>NOTICE 1 | NAIL (SMALL) AND TACK, CUT (SEE FF-N-105 AND FF-T-1813) USER: MC ME MI SH REVIEWER: SA | A | 5315 | / | WC | 24-JUL-64 | AV | YD1 | | 82 |
| | | FF-S-103A | SETSCREWS (S/S BY FF-S-200 AND FF-S-210) USER: MC MI YD1 REVIEWER: 11 GL | A | 5305 | / | WC | 08-APR-60 | | SH | | 69 |
| | | FF-H-116E | HINGES, HARDWARE, BUILDERS (S/S BY MULTIPLE ANSI S & CIDS) USER: ME REVIEWER: EA IS MI | A | 5340 | / | AR | 03-APR-86 | AR | YD1 | | 99 |
| | | FF-H-121D | HARDWARE, BUILDER'S; DOOR CLOSERS (S/S BY FF-H-121D) USER: MC ME REVIEWER: 82 SH | A | 5340 | # | YD1 | 15-JAN-88 | AR | YD1 | | 99 |
| | | FF-H-136(1) | HARDWARE AND FITTINGS FOR LAVATORY-PARTITIONS AND INCLOSURES (USE FF-H-001118 OR FF-H-116C) USER: GL SA REVIEWER: IS WC | A | 5340 | * | YD1 | 28-OCT-47 | | YD1 | | 82 |
| | | FF-D-396H | DISPENSERS, SOAP (S/S BY A-A-2703) | A | 4510 | * | YD1 | 25-MAR-91 | | YD1 | | 84 |
| | | FF-W-556(2) | STEEL WOOL (S/S BY FF-S-740A) USER: 26 MC YD1 REVIEWER: 85 SH | A | 5350 | / | WC | 05-JAN-49 | | SA | | 69 |
| | | FF-S-740A | STEEL WOOL (S/S BY FF-W-1825) USER: AV REVIEWER: IS MI | A | 5350 | * | MR | 08-OCT-65 | MR | YD1 | | 84 |
| | | FF-H-1819 | HARDWARE, BUILDERS'; AUXILIARY LOCKS (S/S BY A-A-1932) REVIEWER: IS | A | 5340 | / | YD1 | 28-DEC-90 | AR | YD1 | | 82 |
| L | | FF-W-1825A<br>NOTICE 2 | WOOL AND GAUZE, METALLIC (S/S BY A-A-1043) | A | 5350 | / | MR | 27-AUG-92 | MR | | | |
| | | GG-G-76E(1) | GAGES, PRESSURE AND VACUUM, DIAL INDICATING (FOR AIR-STREAM, OIL, WATER, AMMONIA, CHLORO FLUORO HYDROCARBON GASES AND COMPRESSED GASES) (S/S BY ANSI 40.1 1985) USER: ME | A | 6685 | # | YD1 | 10-MAR-88 | | YD1 | | 99 |
| | | GG-B-95E<br>NOTICE 1 | BAND AND BAND SET, MATRIX, DENTAL, TOFFLEMIRE (S/S BY A-A-54675) | A | 6520 | / | MB | 21-AUG-92 | MD | MS | | 03 |
| | | GG-W-101B | WASHERS, BEDPAN AND URINAL (NO S/S DOCUMENT) USER: YD1 | A | 6530 | / | MB | 31-JAN-91 | MD | MS | | 03 |
| | | GG-M-001148(2) | MARKER, TUBE TYPE, FELT TIP, (CAPILLARY-ACTION) (S/S BY A-A-2758) | A | 7520 | # | FSS | 13-JUL-92 | | | | |
| | | GG-C-123<br>NOTICE 1 | CANNULA, EYE, CYCLODIALYSIS (CASTROVIEJO), 10 MM, (NO S/S DOCUMENT) | A | 6515 | / | MB | 15-APR-93 | MD | MS | | 03 |
| | | GG-C-1368<br>NOTICE 1 | CATHETERS, URETHERAL, (X-RAY, GRADUATED) (NO S/S DOCUMENT) | A | 6515 | / | MB | 09-MAR-93 | MD | MS | | 03 |
| | | GG-P-1368 | PEN, RULING, DRAFTSMAN'S; SPRING BLADE TYPE; FLAT HANDLED, 6 INCH (NO S/S DOCUMENT) REVIEWER: GS | A | 6675 | / | ME | 20-FEB-80 | ME | YD1 | | |
| | | GG-B-146A | BATH, WHIRLPOOL, CRM, (S/S BY A-A-51362A AND A-A-51623A) USER: YD1 | A | 6530 | / | MB | 31-JAN-91 | MD | MS | | 03 |
| | | GG-B-001468 | BATH, WHIRLPOOL, CORROSION-RESISTING STEEL (S/S BY A-A-51362A AND A-A-51623A) REVIEWER: YD1 | A | 6530 | / | MB | 31-JAN-91 | MD | MS | | 03 |
| | | GG-M-181D | MEASURER, MAP (S/S BY A-A-52003 USER: MC REVIEWER: GS | A | 6675 | / | ML | 15-APR-88 | ME | YD1 | | 99 |
| | | GG-M-191 | MEASURING-DEVICES, LIQUID (RETAIL TYPE) | A | 7240 | / | YD1 | 27-OCT-53 | | YD1 | | 69 |
| | | GG-L-256E(1)<br>NOTICE 1 | LETTERING SETS AND ACCESSORIES (S/S BY A-A-52304) USER: AR MC YD1 REVIEWER: GS | A | 6675 | / | ML | 15-MAY-92 | ME | | | 99 |
| | | GG-L-260E | LEVEL, SURVEYING; ABNEY TYPE (S/S BY A-A-52025) USER: CE MC | A | 6675 | / | ML | 07-FEB-91 | ME | YD1 | | |
| | | GG-L-261D<br>NOTICE 1 | LEVELS, SURVEYING; LOCATORS, HAND-TYPE (S/S BY A-A-52299) REVIEWER: 82 GS MC | A | 6675 | / | ML | 29-JAN-92 | ME | YD1 | | 99 |
| | | GG-T-321D(2) | THERMOMETERS, SELF-INDICATING, LIQUID-IN-GLASS FOR MACHINERY AND PIPING SYSTEMS (NO S/S DOCUMENT) USER: ME REVIEWER: GS YD1 | A | 6685 | # | FSS | 11-OCT-90 | | | | |
| | | GG-T-336B | THERMOMETERS, SELF-INDICATING, LIQUID-IN-GLASS (LABORATORY) (NO S/D DOCUMENT) | A | 6685 | / | YD1 | 11-OCT-90 | MD | YD1 | | 03 |
| | | GG-C-411 | CLAMPS AND CLAMP-HOLDERS, LABORATORY USER: 85 EL MC MR YD1 REVIEWER: AR | A | 6640 | / | EA | 23-NOV-51 | EA | MS | | |
| | | GG-I-446E | ILLUMINATOR, X-RAY FILM (S/S BY A-A-51091 AND A-A-51092) USER: YD1 | A | 6525 | / | MB | 30-JAN-91 | MD | MS | | 03 |
| | | GG-C-4660(1) | CLOCKS, WALL (SYNCHRONOUS MOTOR) (S/S BY A-A-1509) REVIEWER: YD1 | A | 6645 | # | | 13-MAY-88 | | | | |
| | | GG-I-521<br>NOTICE 1 | INDICATOR, STERILIZATION, (TABLET IN TUBE) (S/S BY A-A-54707) | A | 6530 | / | MB | 31-JUL-92 | MD | MS | | 03 |
| L | | GG-I-00521B<br>NOTICE 1 | INDICATOR, STERILIZATION (S/S BY A-A-54707) | A | 6530 | / | MB | 31-JUL-92 | | | | |
| | | GG-C-531B(1) | COFFEE-MAKER SET, VACUUM (GAS OR ELECTRIC) (USE W-C-500, W-H-640 AND RR-C-1039) USER: MD MS REVIEWER: EL GS SH YD1 | A | 7310 | / | SA | 20-FEB-64 | GL | SA | | 84 |
| | | GG-C-550B | COMPASS, DRAFTING, PIVOT, DROP SPRING BOW, PEN & PENCIL, WITH CASE (S/S BY A-A-50201) REVIEWER: GS | A | 6675 | / | ME | 12-MAY-88 | ME | YD1 | | |
| | | GG-S-571<br>NOTICE 1 | SOUNDS, URETHRAL (CURVED, LEFORT) (NO S/S DOCUMENT) | A | 6515 | / | MB | 03-MAY-93 | MD | MS | | 03 |
| | | GG-S-00571A<br>NOTICE 1 | SOUNDS, URETHRAL (CURVED, LEFORT) (NO S/S DOCUMENT) | A | 6515 | / | MB | 03-MAY-93 | MD | MS | | 03 |
| | | GG-H-582<br>NOTICE 1 | HOLDER, PATIENT'S BED-TRAY CARD (S/S BY MIL-H-42077) | A | 6530 | / | MB | 30-SEP-92 | MD | MS | | 03 |
| | | GG-H-00582A<br>NOTICE 1 | HOLDER, PATIENT'S BED TRAY CARD (S/S BY MIL-H-42077) | A | 6530 | / | MB | 30-SEP-92 | MD | MS | | 03 |
| | | GG-H-584<br>NOTICE 1 | HOLDER, HOSPITAL BED PATIENT IDENTIFICATION CARD (S/S BY MIL-H-42076) | A | 6530 | / | MB | 30-SEP-92 | MD | MS | | 03 |

| Action / GPL / QML / Coordination / Inactive / Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| GG-H-00584A<br>NOTICE 1 | HOLDER, HOSPITAL BED PATIENT IDENTIFICATION CARD (S/S BY MIL-H-42076) ..... | A 6530 / MB 30-SEP-92 | MD | MS | 03 | |
| GG-F-599B<br>NOTICE 1 | FORCEPS, DRESSING, (DENTAL) (S/S BY A-A-54732) ..... | A 6520 / MB 18-DEC-92 | MD | MS | 03 | |
| GG-D-600D(1)<br>NOTICE 1 | DRAFTING INSTRUMENT SETS: AND DRAFTING INSTRUMENTS (S/S BY A-A-52034) USER: MC YD1 REVIEWER: 82 GS | A 6675 / ME 20-FEB-92 | ME | | 99 | |
| GG-S-621C<br>NOTICE 1 | SPLINT, WOOD (S/S BY A-A-51553) ..... | A 6515 / MB 22-MAR-93 | MD | MS | 03 | |
| GG-D-635D<br>NOTICE 1 | DRAWING BOARD AND DRAWING BOARD TRESTLES (S/S BY A-A-52301) USER: GL MC YD1 REVIEWER: 82 GS | A 6675 / ME 08-APR-92 | ME | | 99 | |
| GG-S-636B(1)<br>NOTICE 1 | SPLINT, WIRE, LADDER (S/S BY A-A-54471) ..... | A 6515 / MB 22-MAR-93 | MD | | | |
| GG-T-00673 | TRIANGLES, DRAFTING, ADJUSTABLE: (PLASTIC) (S/S BY GG-T-671) USER: CG GL MC YD1 REVIEWER: GS | A 6675 # FSS 07-MAY-66 | | | | |
| GG-T-711F(3) | T-SQUARE, PLASTIC, WOOD, AND WOOD AND PLASTIC REVIEWER: GS ..... | A 6675 * ME 16-NOV-83 | ME | YD1 | 99 | |
| GG-B-817A | BURNER, BUNSEN, LABORATORY USER: 26 EL MC MR YD1 REVIEWER: AR ..... | A 6640 / EA 01-MAR-61 | EA | MS | 85 | |
| GG-E-830<br>NOTICE 1 | EVACUATOR, BLADDER AND SYRINGE, BLADDER, EVACUATING (NO S/S DOCUMENT) ..... | A 6515 / MB 26-APR-93 | MD | MS | 03 | |
| GG-C-871 | CURVES, DRAFTING, RE ULAR AND IRREGULAR: CURVE SETS, DRAFTING, REGULAR AND IRREGULAR. (S/S BY A-A-50213) USER: ER MC REVIEWER: GS | A 6675 / ME 12-MAY-88 | ME | YD1 | 99 | |
| GG-C-871/1 | CURVES, FRENCH (IRREGULAR), SET OR INDIVIDUL (FOR PROCUREMENT USE A-A-50213, IN LIEU OFTHE CANCELED SPEC) USER: ER MC REVIEWER: GS | A 6675 / ME 23-MAR-88 | ME | YD1 | 99 | |
| GG-C-871/2C | CURVES, MECHANICAL ENGINEERS (IRREGULAR), SET (FOR PROCUREMENT USEA-A-50213, IN LIEU OFTHE CANCELLED SPEC) USER: ER MC REVIEWER: GS | A 6675 / ME 23-MAR-88 | ME | YD1 | 99 | |
| GG-C-871/3 | CURVES, RAILROAD (REGULAR), SET OR INDIVIDUAL (FOR PROCUREMENT USEA-A-50213, IN LIEU OF THE CANCELED SPEC) USER: ER MC REVIEWER: GS | A 6675 / ME 23-MAR-88 | ME | YD1 | 99 | |
| GG-C-871/4 | CURVES, SHIP (IRREGULAR) SET OR INDIVIDUAL (S/S BY A-A-50213) USER: ER MC REVIEWER: GS | A 6675 / ME 12-MAY-88 | ME | YD1 | 99 | |
| GG-S-921B<br>NOTICE 1 | SYRINGE, LUER, (ALL-GLASS) (S/S BY A-A-54840) ..... | A 6515 / MB 14-MAY-93 | MD | MS | 03 | |
| GG-H-935 | HYDROMETER, SYRINGE, ANTIFREEZE USER: 26 MC MR REVIEWER: AR EL SH YD1 ..... | A 6630 / EA 25-OCT-56 | EA | WP | 85 | |
| GG-H-941C | HYDROMETER, SYRINGE, BATTERY (SUPESEDED BY GG-T-258A) USER: 26 MC REVIEWER: AR EL MR | A 6630 / WC 15-OCT-58 | WC | YD1 | 85 | |
| GG-R-1506A | RODS, LEVEL: PHILADELPHIA (S/S BY A-A-50210) USER: MC REVIEWER: GS ..... | A 6675 / ME 11-MAY-88 | ME | YD1 | 99 | |
| GG-S-1616A<br>NOTICE 1 | SCISSORS, COLLAR AND CROWN (S/S BY A-A-54503) ..... | A 6520 / MB 14-MAY-93 | MD | MS | 03 | |
| GG-T-2025 | TESTER, DENSITY AND MOISTURE (SOIL AND ASPHALT), NUCLEAR METHOD (NO S/S DOCUMENT) REVIEWER: ME | A 6635 % FSS 15-JUL-92 | | | | |
| GG-C-2736A<br>NOTICE 1 | CATHETER, CARDIOVASCULAR (FLOW DIRECTED, THERMODILUTION) (S/S BY A-A-54829) | A 6515 / MB 14-MAY-93 | MD | MS | 03 | |
| GG-C-002736<br>NOTICE 1 | CATHETER, CARDIOVASCULAR (THERMODILUTION, WITH BALLOON, RADIOPAQUE) (S/S BY A-A-54829) | A 6515 / MB 14-MAY-93 | MD | MS | 03 | |
| MH-T-308 | TAPE, PIPE COATING, COAL TAR, HOT APPLIED, AND PRIMER ..... | A 8030 * ME 19-JUN-75 | ME | YD1 | 99 | |
| MH-P-51A | PACKING, ASBESTOS, VALVE-STEM USER: AT AV YD1 REVIEWER: IS ..... | A 5330 * SH 17-FEB-45 | MR | SA | 82 | |
| MH-P-91A | PACKING, FIBER, HARD, SHEET USER: AT AV YD1 REVIEWER: AR IS ..... | A 5330 * SH 16-JUN-45 | MR | SA | 82 | |
| MH-B-1008<br>NOTICE 1 | BARRIER MATERIAL VAPOR (FOR PIPE, DUCT AND EQUIPMENT THERMAL INSULATION) (S/S BY ASTM-C1136) | A 5640 * YD1 10-SEP-90 | ME | YD1 | | |
| MH-T-101A(1) | TAPE, FRICTION (S/S BY MH-I-510A) USER: 26 AR MC YD1 ..... | A 5970 / SH 22-AUG-45 | EL | | 85 | |
| MH-T-111C(1) | TAPE, RUBBER (NATURAL AND SYNTHETIC), INSULATING (USE MH-I-553) USER: MC YD1 REVIEWER: 11 80 AR | A 5970 / EL 22-MAY-47 | | SH | 85 | |
| MH-P-117 | PACKING, JUTE, TWISTED USER: AT REVIEWER: YD1 ..... | A 5330 % 05-NOV-40 | | | | |
| MH-C-168 | CEMENT, INSULATION, THERMAL, MINERAL-WOOL (S/S BY SS-C-160) USER: 26 ..... | A 5640 / YD1 26-APR-46 | | YD1 | 69 | |
| MH-C-176 | CEMENT, SILICA (S/S BY FED SPEC MH-M-630A) ..... | A 9350 / YD1 01-AUG-33 | | YD1 | 69 | |
| MH-F-182 | FELT, ASBESTOS, ASPHALT-SATURATED AND ASPHALT-COATED, FOR BUILT-UP ROOF (S/S BY MH-R-590) USER: 26 | A 5650 / YD1 20-JUN-47 | MD | YD1 | 69 | |
| MH-F-185(1) | FELT, ASBESTOS, ASPHALT-SATURATED, UNCOATED, FOR FLASHINGS, ROOFING AND WATERPROOFING (S/S BY MH-R-590) USER: 26 | A 5650 / MD 26-JUL-56 | MD | YD1 | 69 | |
| MH-F-191A | FELT, ASPHALT-SATURATED (FOR) FLASHINGS, ROOFING, AND WATERPROOFING USER: 26 | A 5650 / MD 22-NOV-54 | MD | YD1 | 69 | |
| MH-F-201 | FELT, COAL-TAR-SATURATED, FOR ROOFING AND WATERPROOFING (SUPERSED BY MH-R-595) USER: 26 SH | A 5650 / MD 14-SEP-43 | MD | YD1 | 69 | |
| MH-M-351E(2) | MILLBOARD, ASBESTOS (NO S/S DOCUMENT) ..... | A 5640 / YD1 15-OCT-90 | MD | YD1 | 99 | |
| MH-P-381(1) | PIPE COVERING, CORK, MOLDED (S/S BY MH-I-557) USER: 26 ..... | A 5640 / YD1 08-NOV-49 | | YD1 | 69 | |
| MH-P-387 | PIPE-COVERING: MINERAL-WOOL (MOLDED-TYPE AND BLANKET-TYPE FOR HEATED PIPES) (S/S BY MH-I-552) | A 5640 / ME 10-JUL-56 | ME | YD1 | 69 | |
| L MH-M-391E | MITTENS, CLOTH, ASBESTOS (LEATHER REINFORCED) (NO S/S DOCUMENT) USER: 45 YD1 REVIEWER: CT | A 8415 / MU 08-MAY-89 | | MU | | |
| MH-C-451C | CLAY, FIRE, GROUND (S/S BY MH-M-622C) USER: MR REVIEWER: AR ..... | A 9350 / MD 28-JUN-55 | | YD1 | 84 | |
| MH-C-466B | CLOTH, GLASS, COATED, (FOR MEMBRANE WATERPROOFING AND BUILT-UP ROOFING )USE ASTM D1668( | A 5650 * ME 01-AUG-63 | ME | YD1 | | |
| MH-I-510D | INSULATION TAPE, ELECTRICAL, FRICTION (S/S A-A-2094) USER: AR AT OS REVIEWER: AS DS ME | A 5970 * YD1 20-JAN-83 | ER | YD1 | 99 | |
| MH-I-521F | INSULATION BLANKETS, THERMAL (MINERAL FIBER, FOR AMBIENT TEMPERATURES) (S/S BY ASTM-C665) REVIEWER: CE | A 5640 * ME 25-MAY-90 | ME | YD1 | 84 | |
| MH-I-527 | INSULATION BOARD, THERMAL, (BUILDING BOARD, HIGH-STRENGTH, SHEATING) (USE LLL-I-535A REVIEWER: 85 | A 5640 * MD 21-NOV-63 | MD | YD1 | 84 | |
| MH-C-536A | COMPOUND, PLUMBING-FIXTURE-SETTING USER: MR REVIEWER: 99 EA SA ..... | A 8030 * YD1 20-APR-54 | | YD1 | | |
| MH-I-542 | INSULATION FELT, THERMAL, MINERAL WOOL (FOR LOW TEMPERATURES) (S/S BY MH-I-558A) USER: 26 AT GL REVIEWER: AS MR OS | A 5640 / MD 08-JAN-52 | MD | YD1 | 84 | |
| MH-I-5458(2) | INSULATION, THERMAL AND ACOUSTICAL (MINERAL FIBER, DUCT LINING MATERIAL) (USE INSTEAD ASTM-C 1071) USER: SH REVIEWER: CE MC | A 5640 / YD1 22-MAR-88 | ME | YD1 | 99 | |
| MH-I-550A | INSULATION SLEEVING, THERMAL (URETHANE USER: AS CE ..... | A 5640 * ME 20-MAR-67 | ME | YD1 | 99 | |
| MH-I-552 | INSULATION PIPE COVERING, THERMAL, AND INSULATION BLANKET, THERMAL, PIPE COVERING (S/S BY MH-I-558A) USER: 26 | A 5640 / ME 10-JUL-56 | ME | YD1 | 69 | |
| MH-I-554A | INSULATION, THERMAL, MAGNESIA, BLOCK, PIPE AND TUBING REVIEWER: EA ..... | A 5640 * ME 07-FEB-66 | ME | YD1 | 99 | |
| MH-I-557 | INSULATION, PIPE, VALVE AND FITTING COVERING, THERMAL, CORK ..... | A 5640 / YD1 26-NOV-65 | | YD1 | 84 | |
| MH-C-561B | CORK, COMPRESSED (CORKBOARD) (FOR THERMAL INSULATION) (S/S BY MH-I-K525 USER: 26 | A 5640 / SH 11-APR-60 | MD | YD1 | 69 | |
| MH-I-561E | INSULATION BLOCK AND SLEEVING, THERMAL (ASBESTOS-FOR TEMPERATURES UP TO 1200 DEG. | A 5640 * YD1 24-MAY-67 | ME | YD1 | 99 | |
| MH-I-562 | INSULATION, THERMAL, MINERAL WOOL, BLOCK OR BOARD AND PIPE INSULATION (MOLDED TYPE) (S/S BY MH-I-558A) | A 5640 / ME 28-DEC-51 | ME | YD1 | 84 | |
| MH-I-563 | INSULATION, MINERAL-WOOL, BLANKET, FELT, AND INDUSTRIAL-BATT (FOR HEATED SURFACES) (S/S BY MH-I-558) USER: 26 REVIEWER: AS MR OS | A 5640 / MD 17-OCT-49 | MD | YD1 | 84 | |
| MH-I-564 | INSULATION, MINERAL-WOOL, BLOCK AND BOARD (FOR HEATED SURFACES) (S/S BY MH-I-558A) USER: 26 REVIEWER: AS MR OS | A 5640 / ME 23-MAY-46 | ME | YD1 | 69 | |
| MH-I-567(1) | INSULATION, PIPE, LAMINATED FELT (FOR TEMPERATURES BETWEEN 40 DEG. AND 212 DEG. F.) | A 5640 / ME 15-JUN-51 | ME | YD1 | | |
| MH-I-0057S | INSULATION, THERMAL, POLYSTRYENE, EXPANDED ..... | A 5640 / YD1 29-MAY-59 | | YD1 | | |
| MH-C-581A | COTTON-FABRIC, WOVEN, ASPHALT-SATURATED (S/S BY SS-C-450) USER: YD1 ..... | A 5650 / MD 18-DEC-35 | | | 11 | |
| MH-I-585C | INSULATION, THERMAL (VERMICULITE) USE ASTM C 516 USER: CE MC ME REVIEWER: OS | A 5640 * YD1 31-MAR-83 | | YD1 | 99 | |
| MH-B-671F(1) | BRICKS, REFRACTORY: FIRE CLAY (NO S/S DOCUMENT) REVIEWER: GS ..... | A 9350 / ME 17 [illegible]0 | ME | YD1 | 69 | |
| MH-I-1751 | INSULATION SLEEVING, THERMAL (PIPE AND TUBE COVERING) ..... | A 5640 % ME 20-JUL-73 | ME | YD1 | 99 | |

| Action | Old, Cancellation Inactive | Document Number | Document Title | Dist. Symbol | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | MH-I-1751/1 | INSULATION SLEEVING, THERMAL (PIPE AND TUBE COVERING) MINERAL FIBER, INDUSTRIAL TYPE REVIEWER: AS CE SH | A | 5640 * | ME | | 23-JUL-73 | ME | YD1 | 99 | |
| | | MH-I-1751/2 | INSULATION SLEEVING, THERMAL, (FLEXIBLE UNICELLULAR PIPE COVERING) USER: AS REVIEWER: CE CG SH | A | 5640 * | ME | | 27-JUL-73 | ME | YD1 | 99 | |
| | | MH-I-1751/3A | INSULATION SLEEVING, THERMAL, PIPE COVERING (CELLULAR GLASS) REVIEWER: CE . | A | 5640 / | ME | | 04-AUG-80 | ME | YD1 | 99 | |
| | | MH-I-1751/4 | INSULATING SLEEVING, THERMAL, PIPE COVERING (URETHANE) REVIEWER: CE ..... | A | 5640 * | ME | | 06-AUG-73 | ME | YD1 | 99 | |
| | | MH-I-1751/5 | INSULATION SLEEVING, THERMAL, PIPE COVERING (CALCIUM SILICATE, FOR TEMPERATURES UP TO 1500 DEG. F) USER: CG REVIEWER: SH | A | 5640 * | ME | | 07-AUG-73 | ME | YD1 | 99 | |
| | | MH-I-1972/6 | INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACE WITH MINERAL FIBERBOARD ON ONE SIDE OF THE FOAM AND GLASS MAT ON THE OTHER SIDE OF THE FOAM (NO S/S DOCUMENT) REVIEWER: CE | A | 5640 / | YD1 | | 20-SEP-85 | ME | YD1 | 99 | |
| | | JJ-M-171C NOTICE 1 | NET, INSECT (S/S BY A-A-54688) ..... | A | 6640 / | MB | | 07-AUG-92 | MD | MS | 03 | |
| Q | | JJ-B-185A(3) | BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE REVIEWER: CS ..... | A | 2540 * | AT | | 08-JUL-63 | AT | YD1 | 84 | |
| | | JJ-S-746A NOTICE 1 | STOCKINET, SURGICAL (S/S BY A-A-54602) ..... | A | 6510 / | MB | | 14-AUG-92 | MD | MS | 03 | |
| | | KK-L-231A | LEATHER, PACKING, CHROME-VEGETABLE-TANNED (S/S BY KK-L-164) USER: GL YD1 .. | A | 8330 / | CT | | 08-NOV-49 | | SA | 11 | CT |
| | | KK-G-470 | GLOVES, LEATHER, GAUNTLET, LINESMEN S AND WELDERS (S/S BY FEDERAL SPECIFICATION KK-G-4766 AND FEDERAL SPECIFICATION KK-G-4866) REVIEWER: CT MC SA SH | A | 8415 / | GL | | 16-MAY-50 | GL | YD1 | | |
| | | KK-G-486E | GLOVES, WELDER'S, LEATHER GAUNTLET (S/S BY A-A-50022) USER: 45 CG MC MS SH YD1 REVIEWER: 82 CT MD | A | 8415 / | GL | | 09-APR-90 | GL | MU | 99 | |
| | | MH-P-515A | PLYWOOD, CONTAINER GRADE (USE MH-P-530) USER: MI REVIEWER: AR ..... | A | 5530 / | ME | | 12-MAR-59 | ME | YD1 | 69 | |
| | | MH-P-530E(2) | PLYWOOD, FLAT PANEL (S/S BY A-A-55057) USER: MC OS SH SS REVIEWER: AR EA GL MI SM | A | 5530 / | CS | | 25-MAR-91 | ME | YD1 | | CS |
| | | MH-B-621B | BOXES, WOOD, NAILED AND LOCK-CORNER (S/S BY PPP-B-621) USER: OS SH REVIEWER: 43 84 99 AR MD MI MT YD1 | A | 8115 # | FSS | | 24-JUL-56 | | | | |
| | | OO-P-0030 | PAD, FILTER, AIR COOLER (WETTED TYPE) REVIEWER: GS ..... | A | 4130 * | YD1 | | 23-NOV-65 | | YD1 | | |
| | | OO-M-52(3) | MACHINES, MEAT-AND-VEGETABLE-CUTTING, ELECTRICALLY OPERATED USER: MC SH REVIEWER: EL | A | 7320 * | YD1 | | 10-APR-52 | GL | YD1 | | |
| | | OO-M-66 | MACHINES, SLICING, BREAD USER: MC REVIEWER: EL SH ..... | A | 7320 / | GL | | 25-AUG-47 | GL | YD1 | | |
| | | OO-S-120 | SAW, BAND, MEAT CUTTING USER: MC REVIEWER: EL ..... | A | 7320 / | GL | | 12-APR-57 | GL | YD1 | | |
| | | OO-L-127 | LATHE, ENGINE, TOOLROOM, FLOOR MOUNTED, 12, 14 AND 16 INCH RATED SWING, GEARED HEAD DRIVE USER: GL MC YD1 REVIEWER: EL GS | A | 3416 / | SH | | 12-AUG-54 | WC | SH | 84 | |
| | | OO-M-251C | MANDRELS, MACHINE, SOLID AND EXPANSION (S/S BY A-A-51129) USER: ME REVIEWER: GS | A | 3460 / | IP | | 03-SEP-86 | AL | YD1 | 99 | IP |
| | | OO-S-271 | SHAPER, METALWORKING, HORIZONTAL (BENCH TYPE) USER: GL MC YD1 REVIEWER: EL GS WC | A | 3419 / | 84 | | 29-JAN-51 | | SH | 84 | |
| | | OO-F-440C | FLEXIBLE-SHAFT MACHINE, ELECTRIC (BUFFING AND GRINDING, PORTABLE, FLOOR STAND) USER: AV CG EL MC ME YD1 | A | 5130 * | GL | | 21-OCT-70 | GL | SH | 99 | |
| | | OO-I-520A | INKING PAD, LAUNDRY MARKING MACHINE USER: MC SA REVIEWER: 45 GS ..... | A | 3510 / | GL | | 20-OCT-77 | GL | YD1 | 99 | |
| | | OO-S-550B | SOCKET, TAPER-SHANK TOOL (MACHINE) (S/S BY A-A-51132) USER: AV MC ME REVIEWER: GS | A | 3460 / | IP | | 24-JUN-86 | AL | YD1 | 99 | IP |
| | | OO-C-566C | DISPENSER, DRINKING WATER, MECHANICALLY COOLED USER: MC SH YD1 ..... | A | 4110 % | | | 28-JUL-64 | | | | |
| | | OO-D-00566(3) | DISPENSER, DRINKING WATER, MECHANICALLY COOLED (S/S BY A-A-1151, A-A-1152, A-A-1153 AND A-A-1154) REVIEWER: GS | A | 4110 * | GL | | 18-FEB-87 | GL | YD1 | 99 | |
| | | OO-H-581A | HOLDERS, CUTTING TOOL, ENGINE LATHE, SHAPER AND PLANER (S/S BY A-A-50965, A-A-51127, A-A-51131, A-A-51136, A-A-51133, A-A-51137 & A-A-51139) USER: MC REVIEWER: GS YD1 | A | 3460 * | IP | | 06-JUN-85 | AL | | 99 | |
| | | OO-F-589B | FORMING MACHINE, SHEET METAL, SLIP ROLL, HAND OPERATED (S/S BY A-A-50962) USER: MC YD1 REVIEWER: GS | A | 3441 / | IP | | 30-JAN-86 | AL | SH | 99 | |
| | | OO-P-636D(3) | PRESS, ARBOR, HAND OPERATED (S/S BY MIL-P-80261) USER: AS AV MC ME WV REVIEWER: GS YD1 | A | 3444 / | IP | | 10-AUG-87 | AL | SH | 99 | |
| | | OO-B-670(2) | BREAD SLICING MACHINE, HAND AND ELECTRIC OPERATED, SINGLE ROTATING KNIFE AND ELECTRIC OPERATED MULTIPLE KNIFE (USE MIL-B-43866) USER: AV REVIEWER: MD SH | A | 7320 / | GL | | 07-MAR-86 | GL | YD1 | 84 | |
| | | OO-D-676A | DRILLING MACHINE, UPRIGHT, BENCH MOUNTED (USE MIL-D-80038 AND MIL-D-80039) USER: MC YD1 REVIEWER: EL GS | A | 3413 / | IP | | 28-AUG-53 | WC | SH | 84 | |
| | | OO-M-681A | MOWER, LAWN, POWER (USE OO-M-1243, OR OO-M-1688, OR OO-M-1689) ..... | A | 3750 / | ME | | 30-AUG-55 | ME | YD1 | | |
| | | OO-D-730A(1) | DRYCLEANING EQUIPMENT, MISCELLANEOUS, FOR USE WITH 100 DEGREES F. FLASHPOINT PETROLEUM-BASE SOLVENT USER: SH REVIEWER: GS MD | A | 3510 / | GL | | 23-JUN-69 | GL | YD1 | 84 | |
| | | OO-D-007508 | DRYING TUMBLER, LAUNDRY, COMMERCIAL REVIEWER: GS ..... | A | 3510 * | YD1 | | 24-SEP-68 | GL | YD1 | | |
| | | OO-T-760A | TUMBLER, DRYING AND SHAKEOUT, LAUNDRY, COMMERICAL (S/S BY OO-D-1297) USER: SM REVIEWER: EL MC MD | A | 3510 / | GL | | 11-JAN-65 | GL | YD1 | 69 | |
| | | OO-B-770 | BUFFER AND GRINDER, FLEXIBLE SHAFT, ELECTRIC, PORTABLE, FLOOR STAND (SEE OO-F-440A) REVIEWER: 85 YD1 | A | 3419 / | WC | | 28-SEP-55 | | WP | 84 | |
| | | OO-B-791(2) | BUFFING-GRINDING-POLISHING MACHINES (BENCH AND PEDESTAL, ELECTRIC) USER: MC YD1 REVIEWER: EL GS | A | 3419 / | SH | | 28-AUG-53 | AR | SH | 99 | |
| | | OO-E-976A | EXTRACTOR, CITRUS FRUIT JUICE, ELECTRIC (USE MIL-E-43887) USER: MS REVIEWER: MD | A | 7320 / | GL | | 19-FEB-68 | GL | YD1 | 84 | |
| | | OO-B-1620(1) | BLOWER, AIR BARRIER ..... | A | 4140 * | ME | | 16-MAY-88 | ME | YD1 | 99 | |
| | | OO-D-1718 | DISPENSER, DETERGENT AND RINSE ADDITIVE, CENTRAL SYSTEM LIQUID TYPE FOR COMMERCIAL DISHWASHING MACHINES (NO S/S DOCUMENT) | A | 7320 / | GL | | 10-JUL-89 | GL | YD1 | 84 | |
| | | QQ-M-30 | NAVAL BRASS, PLATE, ROLLED BAR, SHEET AND STRIP (S/S BY QQ-B-639) USER: EL GL MC YD1 | A | 9535 / | MR | | 23-OCT-57 | MR | SH | 69 | |
| | | QQ-M-35 | NAVAL BRASS, RODS, BARS, WIRE, SHAPES AND FORGINGS AND FLAT PRODUCTS WITH FINISHED EDGES (S/S BY QQ-B-637) USER: GL MC YD1 REVIEWER: EL | A | 9540 / | MR | | 23-OCT-57 | | SH | 69 | |
| | | QQ-M-388 NOTICE 1 | MAGNESIUM ALLOY DIE CASTINGS (AZ91A) (S/S BY ASTM-B94) REVIEWER: AR AV GL ME MI | A | MECA / | MR | | 19-MAY-93 | MR | AS | 84 | |
| | | QQ-M-80 | MANGANESE BRONZE BARS, PLATES, RODS, SHEETS, STRIPS, FLAT WIRE, FORGINGS, AND STRUCTURAL AND SPECIAL SHAPED SECTIONS (S/S BY QQ-B-728) USER: GL YD1 REVIEWER: EL | A | 9535 / | SH | | 30-DEC-55 | MR | | 11 | |
| | | QQ-B-101C(1) | BASE, METAL, (FOR) PLASTER AND STUCCO CONSTRUCTION (S/S BY QQ-L-101A) USER: 26 | A | 5680 / | MD | | 07-OCT-49 | | YD1 | 69 | |
| | | QQ-T-181 | TERNE PLATES (FOR MANUFACTURING PURPOSES) (USE QQ-T-191) USER: AR GL MC SA REVIEWER: YD1 | A | 9515 / | MR | | 24-OCT-52 | | SH | | |
| | | QQ-A-245(1) | ALUMINUM AND ALUMINUM ALLOY WROUGHT PRODUCTS, TOLERANCES FOR (S/S BY FED-STD-245) REVIEWER: AS MC OS SA YD1 | A | 95GP / | AM | | 30-JAN-57 | AM | SH | | |
| | | QQ-A-250/17E | ALUMINUM ALLOY 7079, PLATE AND SHEET USER: EL MC ME OS REVIEWER: IS MI WC YD1 | A | 9535 / | AS | | 01-MAR-71 | MR | AS | 11 | |
| | | QQ-A-255A(1) | ALUMINUM ALLOY PLATES AND SHEETS ALCLAD 2014 (R301.CLAD 14S) (S/S BY QQ-A-250/3) USER: GL YD1 REVIEWER: EL SH | A | 9535 / | WP | | 07-MAR-58 | MR | | 11 | |
| | | QQ-A-266A | ALUMINUM ALLOY BARS, RODS, WIRE, AND SPECIAL SHAPES, ROLLED, DRAWN, OR COLD FINISHED, 2014 USER: SA YD1 REVIEWER: SH | A | 9530 / | 11 | | 20-JUN-60 | MR | WP | 11 | |
| | | QQ-A-267A | ALUMINUM ALLOY BAR, ROD AND SHAPES, EXTRUDED 2024 (S/S BY QQ-A-200/3A) USER: AR GL SA YD1 REVIEWER: EL SH | A | 9530 / | 11 | | 01-JAN-63 | MR | WP | 11 | |
| | | QQ-A-268A(1) | ALUMINUM ALLOY BAR, ROD AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 2024 (S/S BY QQ-A-225/6A) USER: AR GL YD1 REVIEWER: EL SA SH | A | 9525 / | 11 | | 22-NOV-60 | | WP | 11 | |
| | | QQ-A-274A | ALUMINUM ALLOY BAR, ROD, SHAPE, EXTRUDED 6063 (S/S BY QQ-A-200/9A) USER: GL YD1 REVIEWER: EL | A | 9530 / | SH | | 01-JAN-63 | MR | SH | | |
| | | QQ-A-277A(1) | ALUMINUM ALLOY BAR, ROD AND SHAPES, EXTRUDED 7075 (S/S BY QQ-A-200/11A) USER: GL SA YD1 REVIEWER: EL SH | A | 9530 / | 11 | | 01-JAN-63 | MR | WP | 11 | |
| | | QQ-A-282A | ALUMINUM ALLOY BAR, ROD, WIRE, AND SPECIAL SHAPES, ROLLED, DRAWN, OR COLD FINISHED, 7075 (S/S BY QQ-A-225/9A) USER: GL SA YD1 REVIEWER: EL SH | A | 9525 / | 11 | | 22-OCT-62 | MR | WP | 11 | |

| Action | Document Number | Document Title | Dist. Stmt / FSC / Area / MCA Symbol / Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | QQ-A-287B | ALUMINUM ALLOY PLATE AND SHEET, ALCLAD 7075 SUPERSEDED BY QQ-A-250/13B( USER: EL GL SH REVIEWER: MR YD1 | A 9535 / WP | 01-JAN-63 | MO | WP | 11 | |
| L | QQ-N-301C | NICKEL ALLOYING ADDITIVE (OR FOR REMELTING) (NO S/S DOCUMENT) REVIEWER: MR OS | A 9630 * 84 | 03-JAN-92 | | | 84 | |
| | QQ-A-315B | ALUMINUM ALLOY BAR, ROD AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 5052 (S/S BY QQ-A-225/7A) USER: AR GL SA YD1 REVIEWER: EL SH | A 9525 / 11 | 20-JUN-60 | MR | WP | 11 | |
| | QQ-A-325B | ALUMINUM ALLOY BAR, ROD, WIRE, AND SPECIAL SHAPES, ROLLED, DRAWN, OR COLD FINISHED, 6061 (S/S BY QQ-A-225/8A) USER: AR GL YD1 REVIEWER: EL SA SH | A 9525 / 11 | 20-JUN-60 | MR | WP | 11 | |
| | QQ-P-330 | PHOSPHOR BRONZE BARS, PLATES, RODS, SHEETS, STRIPS, FLAT WIRE, AND STRUCTURAL AND SPECIAL SHAPED SECTIONS (S/S BY QQ-B-750) USER: 26 AR GL MC YD1 REVIEWER: EL | A 9500 / SH | 05-JUL-61 | OR | | 69 | |
| | QQ-W-339 | WIRE, COPPER, MEDIUM-HARD DRAWN USER: 26 AR GL SA YD1 REVIEWER: EL SH ..... | A 9525 / MR | 19-MAY-60 | | WP | 69 | |
| | QQ-W-348(1) | WIRE, FISH (FOR ELECTRICIANS AND PLUMBERS USE) SUPERSEDED BY QQ-T-40 AND GGG-A-821( USER: 26 YD1 | A 5120 / GL | 03-AUG-53 | GL | | 69 | |
| | QQ-A-356D | ALUMINUM ALLOY BARS, RODS AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 3003 (S/S BY QQ-A-225B) USER: AR GL SA YD1 REVIEWER: EL SH | A 9525 / 11 | 27-MAY-60 | MR | WP | 11 | |
| | QQ-A-357A | ALUMINUM ALLOY BAR, ROD AND SHAPES, EXTRUDED 3003 (S/S BY QQ-A-200/1A) USER: GL SA YD1 REVIEWER: EL SH | A 9530 / 11 | 01-JAN-63 | MR | WP | 11 | |
| | QQ-A-371F<br>NOTICE 2 | ALUMINUM ALLOY INGOT (FOR REMELTING) (S/S BY ASTM-B179) USER: GL YD1 REVIEWER: 26 AR AS | A 9650 / MR | 16-SEP-92 | MR | SH | 84 | |
| | QQ-T-371C | TIN, PIG (S/S BY ASTM-B339) USER: YD1 REVIEWER: 85 AR MI ..... | A 9650 # FSS | 01-APR-90 | | | | |
| L | QQ-T-390A(11)<br>NOTICE 2 | TIN ALLOYS INGOTS AND CASTINGS AMS LEAD ALLOY INGOTS AND CASTINGS (ANTIFRICTION METAL) FOR BEARING APPLICATIONS (S/S BY ASTM-B23) | A 9650 / MR | 16-SEP-92 | MR | | | |
| | QQ-W-409A | WIRE, STEEL, CARBON, (FOR COLD HEADING AND COLD FORGING) (S/S BY QQ-W-405B) USER: 26 GL MI SA | A 9505 / YD1 | 19-JAN-60 | MR | YD1 | | |
| | QQ-A-411D | ALUMINUM ALLOY BAR, ROD AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 1100 (S/S BY QQ-A-225/1A) USER: AR GL YD1 REVIEWER: EL SA SH | A 9525 / 11 | 01-JAN-63 | MR | WP | 11 | |
| | QQ-W-423B | WIRE, STEEL, CORROSION-RESISTING (S/S BY ASTM A313 AND ASTM A580) USER: 85 REVIEWER: 84 AS MI SH YD1 | A 9505 # | 21-MAY-85 | | | | |
| | QQ-A-435B(3) | ALUMINUM ALLOY SHEET, PAINTED (FOR EXTERIOR USE) REVIEWER: CE IS MI ..... | A 9535 * MR | 20-APR-72 | MR | YD1 | | |
| | QQ-W-461H | WIRE, STEEL, CARBON (ROUND, BARE, AND COATED) (S/S BY ASTM-A853, ASTM-A818, ASTM-A641 AND ASTM-A809) USER: MC ME | A 9505 / MR | 13-DEC-88 | MR | YD1 | 99 | |
| | QQ-C-465A | COPPER-ALUMINUM ALLOYS (ALUMINUM BRONZE) (COPPER ALLOY NUMBERS 606, 614, 630, AND 642): ROD, FLAT PRODUCTS WITH FINISHED EDGES (FLAT WIRE, STRIP, AND BAR), SHAPES, AND FORGINGS (S/S BY ASTM-B124, ASTM-B150, ASTM-B169, AND ASTM-B283) USER: ME OS REVIEWER: AK IS MI SH | A 9525 / MR | 10-MAR-88 | MR | AS | 11 | |
| | QQ-W-470B | WIRE, STEEL, CARBON, SPRING, MUSIC (S/S BY ASTM A228) USER: AT MI YD1 REVIEWER: AS EA IS ME OS | A 9505 / 84 | 21-MAY-85 | MR | | 69 | |
| | QQ-C-533B | COPPER-BERYLLIUM ALLOY STRIP (COPPER ALLOY NUMBERS 170 AND 172) (S/S BY ASTM-B194) USER: AV EC REVIEWER: 84 AR AT ER IS MI SH | A 9535 / MR | 10-MAR-92 | MR | AS | 11 | |
| | QQ-A-561D | ALUMINUM ALLOY PLATE AND SHEET, 1100 (S/S BY QQ-A-250/1B) USER: MC YD1 REVIEWER: EL | A 9535 / SH | 01-JAN-63 | GL | SH | 11 | |
| | QQ-T-570C | TOOL STEEL, ALLOY (S/S BY ASTM-A681) USER: GL MC OS REVIEWER: 11 AR EA IS MI SH WV | A 9510 / MR | 17-JUN-87 | MR | YD1 | 99 | |
| | QQ-R-571C | RODS, WELDING, COPPER AND NICKEL ALLOYS (S/S BY A-A-51157, A-A-51158, AND A-A-51173) USER: AT MC MD YD1 REVIEWER: GS MI MR | A 3439 / IP | 14-JUN-90 | AR | AS | 84 | IP |
| | QQ-C-576B(1) | COPPER FLAT PRODUCTS WITH SLIT, SLIT AND EDGE-ROLLED, SHEARED, SAWED OR MACHINED EDGES, (PLATE, BAR, SHEET, AND STRIP) (S/S BY ASTM-B152) USER: YD1 REVIEWER: MI OS | A 9530 / SH | 20-MAR-91 | MR | SH | 69 | |
| | QQ-T-580C | TOOL STEEL, CARBON AND CARBON-VANADIUM (S/S BY ASTM A686) USER: GL MC REVIEWER: 85 AR IS MI WV YD1 | A 9510 / MR | 30-MAY-85 | MR | SH | 99 | |
| | QQ-A-591F<br>NOTICE 2 | ALUMINUM ALLOY DIE CASTINGS (S/S BY APPROPRIATE PORTIONS OF THE DOCUMENT ASTM-B85, ASTM-B26, ASTM-B108 & SAE-J452, SAE-J453, SAE-AMS4290, SAE-AMS4291) USER: SH REVIEWER: AR CR ME OS | A MECA / MR | 28-OCT-92 | MR | AS | 99 | |
| | QQ-A-596E<br>NOTICE 2 | ALUMINUM ALLOY PERMANENT AND SEMIPERMANENT MOLD CASTINGS (S/S BY ASTM-B108) USER: ME OS REVIEWER: EA MI | A MECA / MR | 25-NOV-92 | MR | SH | 99 | |
| | QQ-B-613D | BRASS, LEADED AND NONLEADED; FLAT PRODUCTS (PLATE, BAR, SHEET, AND STRIP) (S/S BY ASTM-B36 AND ASTM-B121) USER: MC ME YD1 REVIEWER: AS IS MI | A 9530 / MR | 23-JAN-91 | MR | SH | 84 | |
| | QQ-B-621C | BRASS, CASTINGS, LEADED YELLOW (S/S BY QQ-C-390) USER: 11 EL SH REVIEWER: AS MI OS | A MECA / MR | 29-APR-66 | MR | YD1 | 69 | |
| | QQ-S-624C(1) | STEEL BAR, ALLOY, HOT ROLLED AND COLD FINISHED, (GENERAL PURPOSE) (USE ASTMA 304, A322/A331) USER: AT OS YD1 REVIEWER: EA IS ME MI WV | A 9510 / MR | 06-DEC-71 | MR | SH | | |
| | QQ-S-634A(1) | STEEL, BAR, CARBON, COLD-FINISHED, (STANDARD QUALITY) (USE ASTMA 108) USER: ME MI REVIEWER: AT EA IS WV | A 9510 / MR | 06-DEC-71 | MR | YD1 | 11 | |
| | QQ-B-636B | BRASS, NAVAL, LEADED AND NON-LEADED; RODS, BARS, SHAPES, AND FORGINGS (S/S BY QQ-N-35) REVIEWER: AS OS SA SH YD1 | A 9540 % FSS | 23-OCT-57 | | | | |
| L | QQ-B-638 | BRASS, NAVAL, LEADED AND NON-LEADED: PLATE, ROLLED BAR, SHEET, AND STRIP (S/S BY QQ-N-30 & QQ-N-35) REVIEWER: AS OS SA YD1 | A 9540 / SH | 23-OCT-57 | | SH | | |
| | QQ-B-650C<br>NOTICE 1 | BRAZING ALLOYS, COPPER, COPPER-ZINC, AND COPPER-PHOSPHORUS (S/S BY AWS A5.01-87 AND AWS A5.8-92) USER: ME REVIEWER: AR AT MD MI | A 3439 / MR | 14-APR-93 | MR | SH | 11 | |
| | QQ-I-652C | IRON CASTING, GRAY (USE ASTM A48) USER: AT REVIEWER: AR EA IS ME MI ..... | A MECA * MR | 20-MAY-70 | MR | YD1 | 99 | |
| | QQ-I-653A | IRON CASTING, GRAY, AUTOMOTIVE REVIEWER: EA ME WC ..... | A MECA / MR | 28-JUL-69 | MR | YD1 | 99 | |
| | QQ-B-655C | BRAZING ALLOYS, ALUMINUM AND MAGNESIUM, FILLER METAL (S/S BY AWS-A5.8) USER: AT MC YD1 REVIEWER: 99 AR AS EA GS MI OS | A 3439 * MR | 15-AUG-89 | MR | SH | 11 | |
| | QQ-I-666D | IRON, MALLEABLE, FERRITIC, FOR CASTINGS (USE ASTM-A-47) USER: CG MC REVIEWER: EA ME | A MECA * YD1 | 28-JAN-69 | MR | YD1 | 99 | |
| | QQ-B-675B | BRONZE, ALUMINUM; INGOTS (S/S BY ASTM-B30) USER: YD1 ..... | A 9650 / MR | 23-JAN-91 | MR | OS | 84 | |
| | QQ-S-681F | STEEL CASTINGS (S/S BY ASTM A27 AND ASTM A148) USER: MI YD1 REVIEWER: AT EA ME | A MECA / MR | 20-MAY-85 | MR | SH | | |
| | QQ-I-686C | IRON, WROUGHT, BAR, SINGLE AND DOUBLE REFINED USER: GL REVIEWER: 85 IS IS SA SH | A 9510 / MR | 27-SEP-63 | MR | YD1 | 84 | |
| | QQ-I-716(3) | IRON AND STEEL, SHEET, ZINC-COATED (GALVANIZED), (S/S BY QQ-S-775A) USER: 26 AR GL SA REVIEWER: YD1 | A 9515 / MR | 27-MAY-60 | | SH | 69 | |
| | QQ-S-741D | STEEL, CARBON: STRUCTURAL SHAPES; PLATES; AND BARS (S/S BY ASTM-A36/A36M) USER: AT CE MC REVIEWER: 99 IS MR SH | A 9510 / ME | 13-MAR-87 | ME | YD1 | 11 | |
| | QQ-B-750(2) | BRONZE, PHOSPHOR: BAR, PLATE, ROD, SHEET, STRIP, FLATWIRE, AND STRUCTURAL AND SPECIAL SHAPED SECTIONS (S/S BY ASTM-B139) REVIEWER: YD1 | A 9525 / SH | 10-OCT-90 | MR | SH | 69 | |
| | QQ-S-781M(2)<br>NOTICE 1 | STRAPPING, STEEL, AND SEALS (S/S BY ASTM-D3953-87) USER: MC SH REVIEWER: EA GS OS SH SS YD1 | A 8135 / GL | 20-SEP-90 | GL | SA | 69 | |
| | QQ-C-806A(1) | CULVERT AND UNDERDRAIN, CORRUGATED IRON OR STEEL, ZINC COATED (S/S BY WW-P-405A) | A 4710 / MR | 03-FEB-53 | | YD1 | 82 | |
| | QQ-T-830A(1) | TUBE, STEEL, CARBON, MECHANICAL, SEAMLESS AND WELDED (USE ASTMA513 AND ASTMA519) USER: AT MI YD1 REVIEWER: AV CS ME SH | A 4710 / MR | 13-DEC-61 | MR | | 11 | |
| | RR-R-15<br>NOTICE 1 | RACK, UTENSIL (FOR SIX URINALS AND THREE BEDPANS) (NO S/S DOCUMENT) ..... | A 6530 / MB | 30-SEP-92 | MD | MS | 03 | |
| | RR-W-0015A<br>NOTICE 1 | RACK, DRYING, BEDPAN AND URINAL (NO S/S DOCUMENT) ..... | A 6530 / MB | 30-SEP-92 | MD | MS | 03 | |
| | RR-P-548(3) | PANS, ALUMINUM ALLOY (S/S BY A-A-386, A-A-387, A-A-388, A-A-389 AND A-A-390) USER: CG MC YD1 REVIEWER: MD | A 7330 / GL | 16-JAN-90 | GL | SA | 99 | |
| | RR-P-76 | PANS, DUST (S/S BY FED SPEC RR-D-800) USER: MC ..... | A 7290 / GL | 15-AUG-35 | GL | YD1 | | |
| | RR-C-87 | CANS, OIL (TYPEWRITER) (S/S BY GGG-O-591E) USER: 26 MC REVIEWER: WC ..... | A 4930 / YD1 | 26-MAY-55 | GL | YD1 | 69 | |
| | RR-I-100 | ICE CREAM FREEZERS, HAND- AND POWER-OPERATED, ICE REFRIGERATED REVIEWER: 84 EL GS | A 7320 * GL | 23-OCT-56 | GL | YD1 | 84 | |
| | RR-S-141A | SCREENING, WIRE, INSECT (S/S BY RR-W-365) ..... | A 5335 / MO | 22-JUL-59 | MO | YD1 | 69 | |

| Action | OPR / QML Coordination Inactive | Document Number | Document Title | Dist Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | RR-F-183(4) | FENCE-POSTS, GATES, AND ACCESSORIES REVIEWER: CS | A | 5660 / | ME | | 04-MAY-62 | ME | YD1 | 84 | |
| | | RR-F-221/1A | FENCING WIRE (BARBED WIRE) (S/S BY ASTM-A121 AND ASTM-A585) USER: CE CG MC ME | A | 5660 * | YD1 | | 18-APR-88 | | YD1 | | CS |
| | | RR-F-221/2A | FENCING WIRE (WOVEN WIRE AND NETTING, FABRIC) (S/S BY ASTM-A116, ASTM-A390 AND ASTM-A584) USER: CE CG MC ME | A | 5660 * | YD1 | | 18-APR-88 | | YD1 | | CS |
| | | RR-F-221/3A | FENCE POST AND ACCESSORIES (S/S BY ASTM-A702) USER: CE CG MC ME | A | 5660 * | YD1 | | 18-APR-88 | | YD1 | | CS |
| | | RR-K-260C(1) | KITCHEN AND FOOD SERVING UTENSILS (ALUMINUM) (S/S BY A-A-468, A-A-1751, A-A-1752, A-A-1753, A-A-1754, A-A-1755 AND A-A-1826) USER: YD1 REVIEWER: 45 MC MD MS | A | 7330 / | GL | | 16-JAN-90 | GL | SA | 99 | |
| | | RR-E-300B | EGG BEATERS (S/S BY A-A-464) USER: CG MC | A | 7330 * | GL | | 05-APR-90 | GL | YD1 | 99 | |
| | | RR-S-345C | SIFTER, FLOUR, HAND (S/S BY A-A-467) REVIEWER: 45 MC MD YD1 | A | 7330 / | GL | | 06-NOV-89 | GL | | 84 | |
| | | RR-W-360A | WIRE FABRIC, INDUSTRIAL (TYPE I AND TYPE III S/S BY A-A-1037; TYPES II, IV, V OR VI S/S BY ASTM-E437) USER: AT AV MC ME MI OS REVIEWER: EA | A | 5335 / | AR | | 05-JAN-89 | AR | YD1 | 99 | |
| | | RR-W-370B | WIRE FABRIC, STEEL, HOT-DIPPED GALVANIZED (S/S BY A-A-1036 OR ASTM-A740) .. | A | 5335 / | ME | | 05-JAN-89 | ME | YD1 | 99 | |
| | | RR-W-375A(1) | WIRE FABRIC, STEEL, WELDED (FOR REINFORCING CONCRETE) (S/S BY A-A-2211) ... | A | 5335 / | YD1 | | 17-OCT-88 | | YD1 | 99 | |
| | | RR-O-376(1) | OILER, HAND (SUPERSED BY GGG-O-591E) USER: 26 GL MC REVIEWER: WC YD1 ..... | A | 4930 / | SH | | 30-APR-53 | | SH | 87 | |
| | | RR-T-421A | TILE, WALL, SHEET IRON OR STEEL, PORCELAIN-ENAMELED USER: 26 MC ..... | A | 5620 / | ME | | 30-MAR-49 | ME | YD1 | | |
| | | RR-D-450C | DISHPANS, CORROSION-RESISTING STEEL (S/S BY A-A-2597) USER: YD1 REVIEWER: MC MD | A | 7330 / | GL | | 01-AUG-90 | GL | SA | 84 | |
| | | RR-H-450B | HOLDER, CARD-LABEL: POST OFFICE MAILING RACK (NO S/S DOCUMENT) ..... | A | 9905 / | YD1 | | 16-JUL-90 | | YD1 | 99 | |
| | | RR-F-475 | FLOODLIGHT (ACETYLENE, PORTABLE) USER: WC REVIEWER: GL ..... | A | 6260 / | MO | | 09-JUL-54 | | YD1 | 85 | |
| | | RR-R-571A | ROPE, WIRE, (USE RR-W-410A OR RR-W-420 AS APPLICABLE) USER: EL REVIEWER: GL SH | A | 4010 / | YD1 | | 19-APR-60 | WC | YD1 | 11 | |
| | | RR-B-600E(1) | BOTTLES, VACUUM (S/S BY A-A-2573) USER: YD1 REVIEWER: MC MD MS ..... | A | 7330 / | GL | | 29-AUG-88 | GL | SA | 84 | |
| | | RR-C-633A NOTICE 1 | CRADLE, HOSPITAL BED CLOTHING (S/S BY MIL-C-42078) ..... | A | 6530 / | MB | | 15-DEC-92 | MD | MS | 03 | |
| | | RR-C-006338 NOTICE 1 | CRADLE, HOSPITAL BED CLOTHING (S/S BY MIL-C-42078) ..... | A | 6530 / | MB | | 15-DEC-92 | MD | MS | 03 | |
| | | RR-T-661 | TREADS, SAFETY, METALLIC (S/S BY RR-T-650) USER: 26 ..... | A | 5670 / | YD1 | | 20-JAN-36 | | YD1 | 69 | |
| | | RR-U-695A(1) | URN, COFFEE, TWIN, STEAM, GAS, OR ELECTRIC-HEATED, WITH STAND ..... | A | 7310 / | GL | | 22-OCT-64 | GL | YD1 | 84 | |
| | | RR-S-700A | STAND, TRASH AND GARBAGE CAN USER: GL ..... | A | 7240 * | 84 | | 28-NOV-79 | | YD1 | 99 | |
| | | RR-B-771A(2) | BUCKETS, METAL, GALVANIZED (S/S BY RR-P-35) USER: 26 MC ..... | A | 7240 / | GL | | 19-JUL-45 | GL | YD1 | 69 | |
| | | RR-T-791 | TUBING, FLEXIBLE, ALUMINUM ALLOY (SEE WW-T-816) (RENUMBERED WW-T-816) ..... | A | 4720 / | YD1 | | 06-MAR-51 | | YD1 | | |
| | | RR-W-1817A | WARNING DEVICE, HIGHWAY, TRIANGULAR, REFLECTIVE (S/S BY A-A-2128) USER: AT ME REVIEWER: MC | A | 9905 * | GL | | 20-AUG-90 | GL | YD1 | 99 | |
| | | SS-M-51 | MATERIALS, (FOR) CUSHION COURSE, BRICK, STONE-BLOCK, OR WOOD-BLOCK PAVEMENTS (SAND, SLAG, LIMESTONE, SCREENING, ETC.) | A | 5610 / | MO | | 23-JUN-31 | | YD1 | 11 | |
| | | SS-W-51A | WALLBOARD, GYPSUM USER: 26 ..... | A | 5640 / | MO | | 20-MAY-52 | | YD1 | 69 | |
| | | SS-S-110A | SCREEN, WINDOW, METAL (ALUMINUM TUBULAR FRAME, AND TENSION) REVIEWER: EA .. | A | 5670 * | ML | | 02-OCT-64 | ME | YD1 | 99 | |
| | | SS-A-111(1) | ACOUSTIC-MATERIALS (FOR) PLASTIC APPLICATION (S/S BY SS-S-111) USER: 26 MR | A | 5640 / | YD1 | | 07-JAN-43 | | YD1 | 69 | |
| | | SS-S-111C | SOUND CONTROLLING MATERIALS (TROWEL & SPRAY APPLICATIONS (ASTM EL042-85 COVERS REQUIREMENT) USER: CE | A | 5610 / | YD1 | | 21-JAN-86 | | YD1 | | |
| | | SS-A-1188(3) | ACOUSTICAL UNITS, PREFABRICATED (S/S BY SS-S-118A) REVIEWER: 85 CS ..... | A | 5640 * | MO | | 18-DEC-58 | | YD1 | 84 | |
| | | SS-S-1188 | SOUND CONTROLLING (ACOUSTICAL) TILES AND PANELS (S/S BY ASTM-E1264) ..... | A | 5640 * | YD1 | | 07-NOV-89 | ME | YD1 | 85 | |
| | | SS-S-158A(1) | SEALING COMPOUND, COLD-APPLICATION READY-MIXED LIQUEFIER TYPE, FOR JOINTS IN CONCRETE (USE SS-S-156) REVIEWER: MR | A | 8030 * | ME | | 14-MAR-72 | ME | YD1 | 84 | |
| | | SS-S-159B | SEALING COMPOUND, COLD-APPLICATION MASTIC MULTIPLE COMPONENT TYPE-FOR JOINTS IN CONCRETE USER: MC SA REVIEWER: MR | A | 8030 * | ME | | 28-AUG-58 | ME | YD1 | 84 | |
| | | SS-S-164(4) | SEALER, HOT POURED TYPE, FOR JOINTS IN CONCRETE (USE SS-S-1401) REVIEWER: CS IS | A | 8030 / | ME | | 18-AUG-64 | ME | YD1 | 99 | |
| | | SS-P-166D(17) | PENCILS, LEAD (S/S BY A-A-2757, A-A-2769, A-A-2770, A-A-2771, A-A-2772, AND A-A-2773) | A | 7510 # | FSS | | 02-MAR-92 | | | | |
| | | SS-S-171 | SEALER, MINERAL-FILLED ASPHALT, FOR JOINTS IN CONCRETE (USE FED SPEC SS-S-1041A) USER: SA REVIEWER: 85 AS IS MR | A | 8030 / | YD1 | | 04-DEC-51 | | YD1 | 84 | |
| | | SS-C-181E(1) | CEMENT MASONRY (USE SS-C-1960/1) ..... | A | 5610 / | YD1 | | 18-OCT-65 | ME | YD1 | 84 | |
| | | SS-C-185A(1) | CEMENT NATURAL, (FOR USE AS A BLEND WITH PORTLAND CEMENT), USE SS-C-1960/2 | A | 5610 / | YD1 | | 18-OCT-65 | ME | YD1 | 84 | |
| | | SS-C-192G(3) | CEMENT, PORTLAND (USE SS-C-1960/3) USER: CE MC REVIEWER: EA ..... | A | 5610 / | YD1 | | 10-NOV-71 | ME | YD1 | 84 | |
| | | SS-C-197E(1) | CEMENT, PORTLAND, BLAST FURNACE SLAG (USE SS-C-1960) ..... | A | 5610 / | YD1 | | 18-OCT-65 | ME | YD1 | 84 | |
| | | SS-P-201D(2) | PENCIL, MONMECHANICAL, COLORED LEAD (S/S BY A-A-2755, A-A-2774, A-A-2775, AND A-A-2776) | A | 7520 # | FSS | | 02-MAR-92 | | | | |
| | | SS-C-208C(1) | CEMENT, PORTLAND POZZOLAN (USE SS-C-1960) USER: MC ..... | A | 5610 / | YD1 | | 18-OCT-65 | ME | YD1 | 84 | |
| | | SS-C-218D(1) | CEMENT, SLAG (USE SS-C-1960) ..... | A | 5610 / | YD1 | | 18-OCT-65 | ME | YD1 | 84 | |
| | | SS-S-276(3) | SHEATHING BOARD, GYPSUM USER: 26 ..... | A | 5640 / | MO | | 31-MAR-59 | | YD1 | 69 | |
| | | SS-S-283A | SHEETS, FLAT, ASBESTOS CEMENT (S/S BY SS-B-755) USER: 26 MR ..... | A | 5640 / | YD1 | | 20-JUL-54 | MO | YD1 | 69 | |
| | | SS-S-291D | SHINGLES: ASBESTOS-CEMENT, (ROOFING) (S/S BY ASTM-C222) USER: CE REVIEWER: 85 | A | 5650 / | ME | | 18-NOV-85 | ME | YD1 | 84 | |
| | | SS-S-295A | SHINGLE, ASPHALT (MINERAL SURFACED, UNIFORM THICKNESS, CLASS B FIRE RATING) USER: CE | A | 5650 * | YD1 | | 07-DEC-66 | ME | YD1 | 99 | |
| | | SS-S-298B | SHINGLES, ORGANIC FIBER, ASPHALT (MINERAL-SURFACED) (THICK-BUTT) ..... | A | 5650 / | ME | | 26-NOV-62 | ME | YD1 | 99 | |
| | | SS-S-300B | SHINGLES, ORGANIC FIBER, ASPHALT (MINERAL SURFACED) (UNIFORM THICKNESS) ... | A | 5650 * | ME | | 26-NOV-62 | ME | YD1 | 99 | |
| | | SS-T-306B(1) | TILE, FLOOR, ASPHALT (S/S BY SS-T-312) USER: 26 ..... | A | 5620 / | YD1 | | 08-JAN-53 | | YD1 | 69 | |
| | | SS-T-307 | TILE, ASPHALT, GREASE RESISTANT ..... | A | 7220 / | YD1 | | 01-OCT-51 | | YD1 | | |
| | | SS-T-308B | TILE, FLOOR, WALL, AND TRIM UNITS, CERAMIC ..... | A | 5620 / | MO | | 16-NOV-59 | ME | YD1 | | |
| | | SS-T-310 | TILE, DRAIN, CLAY (S/S BY SS-P-1229A) REVIEWER: 85 ..... | A | 5630 / | MO | | 30-JUL-42 | | YD1 | 84 | |
| | | SS-T-316C | TILE, PARTITION, GYPSUM ..... | A | 5620 * | ME | | 17-FEB-69 | ME | YD1 | 99 | |
| | | SS-T-321(1) | TILE, STRUCTURAL, CLAY FLOOR (USE ASTM C57) REVIEWER: 85 ..... | A | 5620 / | ME | | 01-JAN-36 | ME | YD1 | 84 | |
| | | SS-T-341A | TILE, STRUCTURAL, CLAY, LOAD-BEARING, WALL (USE ASTM C34) USER: 26 ..... | A | 5620 / | ME | | 21-JAN-43 | ME | YD1 | | |
| | | SS-P-345A | PIPE, BITUMINIZED-FIBER, (SEWER, LAMINATED-WALL, AND FITTINGS) (S/S BY SS-P-001540) REVIEWER: 85 | A | 5630 * | ME | | 11-JUL-63 | ME | YD1 | 84 | |
| | | SS-M-351 | MINERAL FILLER, (FOR) SHEET ASPHALT OR ASPHALTIC CONCRETE PAVEMENTS (PORTLAND CEMENT, LIMESTONE DUST AND DOLOMITE DUST) | A | 5610 / | ME | | 23-JUN-31 | ME | YD1 | 11 | |
| | | SS-P-351D | PIPE AND COUPLINGS, ASBESTOS CEMENT PRESSURE (USE ASTM C296) ..... | A | 5640 * | ME | | 03-JAN-74 | ME | YD1 | 84 | |
| | | SS-Q-351 | QUICKLIME, FOR STRUCTURAL PURPOSES (USE ASTM C5) ..... | A | 5610 / | ME | | 19-AUG-30 | ME | YD1 | | |
| | | SS-T-351A | TILE, STRUCTURAL, CLAY, NON LOAD BEARING (USE ASTM C56) REVIEWER: 85 ..... | A | 5620 / | ME | | 21-JUN-43 | ME | YD1 | 84 | |
| | | SS-P-356 | PIPE, BITUMINIZED-FIBER, SEWER, AND FITTINGS FOR SAME (S/S BY SS-P-001540) REVIEWER: 85 CS | A | 5630 / | ME | | 06-APR-55 | ME | YD1 | 84 | |
| | | SS-P-358A | PIPE, BITUMINIZED FIBER, (PERFORATED DRAINAGE) AND FITTINGS FOR SAME (S/S BY SS-P-001540) REVIEWER: CS | A | 5630 * | YD1 | | 24-FEB-60 | | YD1 | | |
| | | SS-L-361(1) | LIME, HYDRAULIC, HYDRATED (USE ASTM C141) USER: OS REVIEWER: 85 AS ..... | A | 5610 / | MO | | 04-APR-39 | | YD1 | 84 | |
| | | SS-P-372A | PIPE, CONCRETE (NONREINFORCED, CAST-IN-PLACE) ..... | A | 5630 * | ME | | 11-JAN-66 | ME | YD1 | 84 | |
| | | SS-P-385A(1) | PIPE, STEEL, (CEMENT-MORTAR LINING AND REINFORCED CEMENT-MORTAR COATING) .. | A | 4710 * | MC | | 27-FEB-68 | ME | YD1 | 99 | |
| | | SS-R-406C(1) | ROAD & PAVING MATERIALS, METHODS OF SAMPLING & TESTING ..... | A | 5610 / | ME | | 14-SEP-71 | ME | YD1 | 99 | |
| | | SS-P-431A(1) | PLASTER-BOARD, GYPSUM ..... | A | 5640 / | MO | | 13-MAY-52 | | YD1 | 11 | |
| | | SS-S-439 | SLABS, ROOFING, PRECAST, GYPSUM (S/S BY SS-T-315A) ..... | A | 5620 / | MO | | 20-JUN-49 | | YD1 | 84 | |
| L | | SS-S-445A | SLAG, STONE AND GRAVEL, CRUSHED (FOR BITUMINOUS PAVING MIXTURES) (S/S BY ASTM-D692, ASTM-D693 AND ASTM-D1139) | A | 5610 * | YD1 | | 18-DEC-85 | | YD1 | | |
| | | SS-R-511 | ROOFING, ASPHALT AND ASBESTOS-PREPARED, MINERAL-SURFACED (S/S BY SS-R-630) USER: 26 | A | 5650 / | MO | | 01-MAR-61 | | YD1 | 69 | |
| | | SS-R-521 | ROOFING AND SHINGLES, ASPHALT-PREPARED, MINERAL-SURFACED (S/S BY SS-S-300 AND SS-R-630) USER: 26 | A | 5650 / | YD1 | | 01-MAR-61 | MO | YD1 | 69 | |
| | | SS-P-570 | POZZOLAN, FOR USE IN PORTLAND CEMENT CONCRETE (USE SS-C-1960/5) ..... | A | 9620 / | YD1 | | 18-APR-69 | ME | YD1 | 84 | |
| | | SS-C-608(1) | COMPOUNDS, JOINTING, SULFUR (FOR BELL-AND-SPIGOT CAST-IRON PIPE) USER: SA YD1 | A | 8030 * | MR | | 08-JAN-47 | MP | | 84 | |
| | | SS-C-618A | CONCRETE, READY-MIXED (USE ASTMC 94) ..... | A | 5610 * | YD1 | | 12-OCT-59 | | YD1 | | |

| Action | Document Number | Document Title | Dist. Stmt. / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|
| | SS-R-620B | ROOFING FELT, GLASS FIBER, ASPHALT COATED, (FOR FLASHING AND ROOFING) USER: CE | A 5650 / YD1 11-MAY-70 | ML | YD1 | 99 | |
| | SS-P-680 | PRIMING-MATERIAL, FATTY ACID PITCH BASE, BRUSHING AND SPRAYING CONSISTENCY (FOR CONCRETE, MASONRY, AND OTHER MINERAL SURFACES) USER: YD1 | A 8030 * MR 06-MAR-56 | MR | | | |
| | SS-A-696 | ASPHALT, PETROLEUM, TYPE PAF-1-25, FOR JOINT FILLER (SQUEEGEE OR POURING METHOD) REVIEWER: 11 | A 5610 / CE 17-JUN-37 | CE | YD1 | 84 | |
| | SS-S-721C | STONE, ARCHITECTURAL, CAST REVIEWER: YD1 | A 5610 % 19-DEC-85 | | | | |
| | SS-C-731A(2) | CRUSHED-STONE, CRUSHED-GRAVEL, AND CRUSHED-SLAG, (FOR) BITUMINOUS-CONCRETE BASE OR SURFACE-COURSE (S/S BY SS-S-445) USER: 26 | A 5610 / MO 15-NOV-48 | | YD1 | 69 | |
| | SS-C-736A(2) | CRUSHED-STONE AND CRUSHED-SLAG, FOR BITUMINOUS-MACADAM BASE OR SURFACE-COURSE (S/S BY SS-S-445) USER: 26 | A 5610 / MO 15-NOV-48 | | YD1 | 69 | |
| | SS-C-741A(2) | CRUSHED STONE, CRUSHED SLAG, AND GRAVEL, FOR BITUMINOUS SURFACE TREATMENT (S/S BY SS-S-445) USER: 26 | A 5610 / MO 15-NOV-48 | | YD1 | 69 | |
| | SS-C-743 | CRUSHED STONE, CRUSHED SLAG, AND GRAVEL, (FOR) RAILROAD BALLAST (S/S BY SS-S-449) USER: 26 | A 5610 / MO 14-OCT-42 | | YD1 | 69 | |
| | SS-C-744A | CRUSHED STONE, CRUSHED SLAG, AND GRAVEL, (FOR) SEWAGE TRICKING FILTER MEDIA (SUPESEDED BY SS-S-448) USER: 26 | A 5610 / MO 15-DEC-49 | | YD1 | 69 | |
| | SS-C-746A(2) | CRUSHED STONE AND CRUSHED SLAG, FOR WATER-BOUND BASE OR WEARING COURSE (S/S BY SS-S-445) USER: 26 | A 5610 / MO 15-NOV-48 | | YD1 | 84 | |
| | SS-B-750B | BUILDING BOARD, ASBESTOS-CEMENT, CORRUGATED (S/S BY SS-B-755A) USER: 26 ... | A 5640 / MO 23-NOV-60 | | YD1 | 69 | |
| | SS-R-1785 | ROOFING FELT, LAMINATED, ASPHALTIC MEMBRANE, WIRE MESH REINFORCED | A 5650 * ML 05-OCT-72 | ME | YD1 | 99 | |
| | SS-C-1960/4B | CEMENT, HYDRAULIC, BLEND (USE ASTM C 595) | A 5610 / YD1 05-FEB-85 | CE | YD1 | 99 | |
| | TT-P-18 | PAINT, ALKYD RESIN-EMULSION, EXTERIOR, PASTE, TINTS AND WHITE USER: EL SA YD1 REVIEWER: AS GL | A 8010 / 69 02-JUL-47 | | | 69 | |
| | TT-P-22 | PAINT, COLD-WATER, EXTERIOR, POWDER (WITH MIXING LIQUID) USER: SA YD1 | A 8010 / SH 30-AUG-43 | | | 69 | |
| | TT-P-23A(1) | PAINT, COLD-WATER, INTERIOR, LIGHT-TINTS AND WHITE USER: SA YD1 | A 8010 / SH 02-AUG-51 | | | 69 | |
| | TT-P-51E | PAINT, OIL, INTERIOR, FLAT, WHITE AND TINTS (USE FED S-TT-P-47) USER: GL MC REVIEWER: 85 IS MR SA YD1 | A 8010 / SH 13-MAR-62 | ML | SH | 84 | |
| | TT-P-56B | PRIMER COATING (PRIMER-SEALER) PIGMENTED OIL, PLASTER AND WALLBOARD (S/S BY TT-S-179) USER: GL MC REVIEWER: MR YD1 | A 8010 / SH 23-FEB-54 | | | 69 | |
| | TT-P-57B(1) | PAINT, ZINC YELLOW-IRON OXIDE-BASE, READY-MIXED USER: MC MI OS SA REVIEWER: AS MR YD1 | A 8010 * ME 26-FEB-74 | ME | SH | 99 | |
| | TT-L-70B | LAMPBLACK, DRY (PAINT-PIGMENT) (SUPESEDED BY TT-P-350A) USER: EL YD1 REVIEWER: MR SA | A 8010 / SH 08-FEB-54 | | SH | 69 | |
| | TT-P-88A(1) | PAINT, RESIN-BASE EMULSION, INTERIOR, PASTE, WHITE AND TINTS USER: MR YD1 REVIEWER: SA | A 8010 / SH 02-AUG-51 | | | 69 | |
| | TT-V-91B(1) | VARNISH, SHELLAC USER: 26 EL MC MR REVIEWER: GL YD1 | A 8010 / SH 11-SEP-51 | | SH | 69 | |
| | TT-P-105A(2) | PAINT, OIL, CHALK RESISTANT, LEAD FREE, EXTERIOR, READY MIXED, WHITE AND TINTS (S/S BY TT-P-102 | A 8010 * MR 23-JUN-77 | MR | YD1 | 99 | |
| | TT-O-121B | OCHER, YELLOW, DRY (PAINT-PIGMENT) USER: EL MR MS YD1 REVIEWER: GL SA | A 8010 / SH 19-NOV-52 | | SH | 69 | |
| | TT-L-132 | LITHOGRAPHIC PLATE ASPHALTUM SOLUTION (N. S/S DOCUMENT) | A 6850 # FSS 06-MAR-92 | | | | |
| | TT-P-143B(4) | PAINT, VARNISH, LACQUER, AND RELATED MATERIALS, PACKAGING, PACKING, AND MARKING OF (S/S BY PPP-P-1892) USER: 26 AT EL MC REVIEWER: GL IS MR SA SH YD1 | A PACK / AS 19-MAY-72 | ME | AS | 84 | |
| | TT-Y-216B | YELLOW-IRON-OXIDE, HYDRATED, SYNTHETIC, DRY (PAINT-PIGMENT) USER: GL MC YD1 REVIEWER: MR SA | A 8010 / MO 19-NOV-52 | | SH | 69 | |
| | TT-V-226 | VENETIAN-RED, DRY (PAINT-PIGMENT) USER: EL MC YD1 REVIEWER: MR SA | A 8010 / SH 02-AUG-51 | | SH | | |
| | TT-Z-301A | ZINC OXIDE, DRY AND PASTE-IN-OIL (S/S BY TT-P-463A) USER: 26 GL MC YD1 REVIEWER: MR | A 8010 / SH 03-MAR-61 | | SH | 69 | |
| | TT-F-320 | FILLER, CRACK AND SEAM (FOR WOOD, METAL, OR CONCRETE AND CEMENT MORTAR) USER: 26 SA REVIEWER: MR | A 8010 / ME 01-FEB-56 | ME | YD1 | | |
| L | TT-P-320D | PIGMENT, ALUMINUM: POWDER AND PASTE, FOR PAINT (S/S BY A-A-341) USER: ME REVIEWER: EA OS YD1 | A 8010 * AS 15-JUL-91 | | AS | | |
| | TT-S-346(1) | SIENNA, BURNT AND RAW, DRY (PAINT&PIGMENTS) USER: YD1 REVIEWER: SA | A 8010 / SH 03-JUN-60 | | | 69 | |
| | TT-O-356A | OIL, FLATTING AND MIXING (FOR THINNING WHITE-LEAD-PASTE AND SIMILIAR PASTE PAINTS) USER: MC MR SA YD1 | A 8010 / SH 30-AUG-43 | | | 69 | |
| | TT-O-364 | OIL, LINSEED, BOILED (FOR USE IN ORGANIC COATINGS) USER: 26 MC MR REVIEWER: SA YD1 | A 8010 / SH 12-APR-60 | | | 69 | |
| | TT-O-369 | OIL, LINSEED, RAW (FOR USE IN ORGANIC COATINGS) USER: 26 MC MR REVIEWER: SA YD1 | A 8010 / SH 11-APR-60 | | | 69 | |
| | TT-T-425A | TITANIUM-DIOXIDE, DRY (PAINT-PIGMENT) (S/S BY TT-P-442) USER: GL YD1 REVIEWER: MR SA | A 8010 / SH 09-JAN-52 | | | 69 | |
| | TT-A-468A(1) | ALUMINUM-PIGMENT, POWDER AND PASTE, FOR PAINT USER: EL REVIEWER: GL MR SA YD1 | A 8010 / SH 02-AUG-51 | | SH | 69 | |
| | TT-C-520B | COATING COMPOUND, BITUMINOUS, SOLVENT TYPE, UNDERBODY (FOR MOTOR VEHICLES)(S/S BY MIL-C-62218) USER: YD1 | A 8030 / MR 05-OCT-88 | MR | | 84 | |
| | TT-W-538B | WOOD PRESERVATIVE, CHROMATED ZINC ARSENATE MIXTURE USER: AT | A 8030 / MO 03-AUG-61 | MO | YD1 | 84 | |
| | TT-I-549A | INK; RED, WRITING (S/S BY A-A-2749) | A 7510 # FSS 02-MAR-92 | | | | |
| | TT-I-00549C | INK, WRITING, COLORED (NON-PERMANENT) (S/S BY A-A-2749) USER: GL | A 7510 % FSS 02-MAR-92 | | | | |
| | TT-W-556B | WOOD PRESERVATIVE, COAL-TAR-CREOSOTE USER: EL REVIEWER: AR GL | A 6810 / MO 01-FEB-55 | | YD1 | 69 | |
| | TT-W-562B | WOOD PRESERVATIVE, COPPERIZED CHROMATED ZINC CHLORIDE MIXTURE USER: AS AT OS REVIEWER: CS | A 8030 / MO 10-AUG-61 | MO | YD1 | 84 | |
| | TT-A-566B | ANTIMONY OXIDE, DRY (PAINT PIGMENT) (S/S BY TT-P-325A) USER: EL YD1 REVIEWER: MR SA | A 8010 / SH 12-SEP-52 | | | 69 | |
| | TT-W-566B | WOOD-PRESERVATIVE, CREOSOTE-COAL-TAR SOLUTION USER: EL REVIEWER: AR GL | A 8030 / MO 03-NOV-54 | | YD1 | 69 | |
| | TT-S-600 | SOYBEAN OIL (FOR USE IN ORGANIC COATINGS) USER: 26 REVIEWER: GS YD1 | A 8010 * MR 16-APR-57 | MR | | 68 | |
| | TT-P-615D(3) | PRIMER COATING: BASIC LEAD CHROMATE READY MIXED (NO S/S DOCUMENT) USER: ME YD1 | A 8010 # FSS 07-FEB-91 | | | | |
| | TT-P-618E | PRIMER COATING, STYRENE/BUTADIENE-ZINC CHROMATE USER: ME | A 8010 * MR 08-MAR-77 | MR | YD1 | 99 | |
| | TT-P-636D | PRIMER COATING, ALKYD, WOOD AND FERROUS METAL (S/S BY TT-P-664, MIL-P-53030) USER: AT MC REVIEWER: OS MI | A 8010 / ME 01-SEP-88 | ME | YD1 | 84 | |
| | TT-P-652A | PRIMER, COATING, SHELLAC-PIGMENTED, (WHITE) LUSTERLESS | A 8010 * YD1 31-DEC-64 | | YD1 | | |
| | TT-P-659C(1) NOTICE 2 | PRIMER COATING AND SURFACER: SYNTHETIC, TINTS AND WHITE, (FOR METAL AND WOOD SURFACES) (S/S BY TT-P-662) USER: AT MC MI REVIEWER: AR GL MD | A 8010 / ME 13-NOV-91 | ME | YD1 | 84 | |
| | TT-S-706 | STAIN, OPAQUE, WOOD, EXTERIOR, OIL USER: MR SA REVIEWER: GL | A 8010 / YD1 17-FEB-45 | | YD1 | 69 | |
| | TT-R-771B(1) | RUBBING COMPOUND (FOR LACQUERED SURFACES) USER: AS AT MC ME OS YD1 REVIEWER: 99 IS MR SH | A 5350 * AR 12-NOV-68 | AR | | | |
| | TT-P-781A | PUTTY AND ELASTIC-COMPOUND, (FOR) METAL-SASH-GLAZING (S/S BY TT-G-410E) REVIEWER: GL IS YD1 | A 8030 * MR 25-JUL-43 | | SA | 84 | |
| | TT-T-801C | TURPENTINE, GUM SPIRITS, STEAM DISTILLED, SULFATE WOOD, AND DESTRUCTIVELY DISTILLED USER: MC YD1 | A 8010 * ME 16-JUL-79 | ME | | 99 | |
| Q | TT-S-810A | SURFACER, LIQUID, SANDING, SYNTHETIC (ALKYD) BASE, (FOR METAL AND WOOD SURFACES) (USE TT-P-659B AND TT-P-662A) USER: 26 GL MC | A 8010 / MR 30-DEC-58 | MR | YD1 | | |
| | UU-T-0085A(1) | TAPE, CORRECTION (S/S BY A-A-2705) | A 7510 % FSS 01-JUL-92 | | | | |
| | UU-W-101A(1) | WALLBOARD, COMPOSITION (S/S BY LLL-B-1188) USER: 26 MC | A 5640 / ME 13-MAY-52 | ME | YD1 | 84 | |
| | UU-T-1188 NOTICE 1 | TAPE, SEALING, STERILIZATION INDICATOR (S/S BY A-A-54589) | A 6530 / MB 17-AUG-92 | MD | MS | 03 | |
| | UU-P-147B | PAPER, BUILDING, WATERPROOFED (S/S BY UU-B-790 USER: 26 | A 5640 / YD1 09-SEP-54 | | YD1 | 69 | |
| | UU-P-150B(2) | PAPER, CARBON, DUPLICATING MACHINE, SPIRIT-PROCESS (S/S BY A-A-1225) USER: GL | A 7530 % FSS 18-NOV-92 | | | | |
| | UU-P-233B | PAPER, DUPLICATING, MASTER, SPIRIT-PROCESS (NO S/S DOCUMENT) | A 7530 % FSS 03-FEB-92 | | | | |
| | UU-P-233B(12) | PAPER, DUPLICATING, MASTER, SPIRIT-PROCESS (NO S/S DOCUMENT) | A 7530 # FSS 03-FEB-92 | | | | |
| | UU-P-264A | PAPER, CONCRETE CURING, WATERPROOFED (KRAFT) (S/S BY UU-B-790) USER: 26 MC MR REVIEWER: SA | A 8135 / GL 12-SEP-50 | GL | YD1 | 69 | |

| Action | GPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | UU-P-271D | PAPER, WRAPPING, WATERPROOFED KRAFT (S/S BY PPP-B-1055) USER: AT MC MR OS YD1 REVIEWER: AR AS EL SH | A | 8135 / 69 | | | 16-AUG-63 | GL | SA | 69 | |
| | | | | UU-P-286C(1) | PAPER, KRAFT, WRAPPING USER: YD1 | A | 8135 / 69 | | | 03-SEP-54 | | | | |
| | | | | UU-P-288J | PAPER, LEDGER, UNRULED USER: GL | A | 7530 % FSS | | | 29-DEC-92 | | | | |
| | | | | UU-P-670D | PLATES, PAPER, RECTANGULAR AND ROUND (S/S BY A-A-1504) USER: YD1 REVIEWER: MD MS | A | 7350 / GL | | | 03-NOV-89 | GL | SA | 84 | |
| | | | | UU-P-680A(1) | PORTFOLIO, DOUBLE-POCKET, PRESENTATION (S/S BY A-A-2660) USER: YD1 | A | 7510 # FSS | | | 21-NOV-90 | | | | |
| | | | | VV-G-76B(2) | GASOLINE, AUTOMOTIVE (S/S BY VV-G-1690B) REVIEWER: AT GS ME MI PS YD1 | A | 9130 / MR | | | 30-MAY-74 | MR | SH | 11 | |
| | | | | VV-G-109A | GASOLINE, UNLEADED USER: AT REVIEWER: GS PS SA YD1 | A | 9130 / MR | | | 17-SEP-65 | MR | AS | 11 | |
| | | | | VV-P-121A | PARAFIN WAX (S/S BY VV-W-95) | A | 9160 / YD1 | | | 19-AUG-53 | EA | YD1 | | |
| | | | | VV-K-211D(4) | KEROSENE (USE ASTM D3699) USER: MC REVIEWER: DS EA GS ME PS YD1 | A | 9140 / SH | | | 23-AUG-77 | GL | SH | 68 | |
| | | | | VV-P-216C | PENETRATING OIL (FOR LOOSENING FROZEN METALLIC PARTS) (S/S BY A-A-50493) USER: GL MC REVIEWER: AR AV GS MS PS SA SH | A | 9150 / YD1 | | | 10-JUL-91 | ME | YD1 | 68 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | VV-O-471 | OIL, LUBRICATING, CAR AND LOCOMOTIVE-ENGINE (S/S BY VV-L-822) USER: 26 REVIEWER: GL SA SH | A | 9150 / YD1 | | | 12-JAN-45 | MR | YD1 | 67 | |
| | | | | VV-O-526 | OIL, LUBRICATING, MACHINE USER: 26 MC YD1 REVIEWER: GL SA | A | 9150 / SH | | | 04-NOV-43 | MR | SH | 67 | |
| | | | | VV-B-680C | BRAKE FLUID, AUTOMOTIVE (S/S BY SAE-J1703) USER: MC OS REVIEWER: AT GS MI PS SA | A | 9150 / ME | | | 05-MAY-89 | ME | YD1 | 68 | |
| | | | | VV-L-751D | LUBRICATING OIL: CHAIN, WIRE-ROPE, AND EXPOSED-GEAR (S/S BY MIL-L-2105 AND MIL-G-18458) USER: AT AV MC REVIEWER: GS MD MI PS SA SH | A | 9150 / ME | | | 21-MAR-90 | ME | YD1 | 68 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | VV-L-820C | LUBRICATING OIL, GENERAL PURPOSE (LIGHT) (S/S BY VV-L-800) USER: AS MC OS YD1 REVIEWER: MI PS | A | 9150 / ME | | | 09-SEP-88 | ME | SH | 11 | |
| | | | | VV-L-822 | LUBRICATING OIL, RAILWAY CAR AND LOCOMOTIVE REVIEWER: GS PS | A | 9150 * MR | | | 05-SEP-62 | MR | YD1 | 68 | |
| Q | | | | VV-H-910A(1) | HYDRAULIC FLUID, NON-PETROLEUM BASE, AUTOMOTIVE USER: 26 MC MI REVIEWER: GL SA SH | A | 9150 / MR | | | 02-APR-64 | MR | YD1 | 11 | |
| | | | | VV-G-1690C | GASOLINE, AUTOMOTIVE, LEADED OR UNLEADED (S/S BY ASTM-D439) USER: AR AT MC REVIEWER: AS MD PS SA | A | 9130 / ME | | | 26-MAY-89 | ME | YD1 | 68 | |
| | | | | WW-V-58B | VALVE, GATE, CAST IRON: THREADED & FLANGED (FOR LAND USE) (S/S BY MSS SP-70) USER: CE MC REVIEWER: SH | A | 4820 / YD1 | | | 07-NOV-84 | ME | YD1 | 82 | |
| | | | | WW-V-151A | VALVE, AIR VENTING STEAM,THERMOSTATIC (GRAVITY STEAM HEATING SYSTEMS) USER: MC | A | 4520 / YD1 | | | 12-APR-66 | | YD1 | 99 | |
| | | | | WW-V-1608 | VALVES, RADIATOR, HEATING (PACKED AND PACKLESS) (S/S BY A-A-50456 AND A-A-50457) USER: CE REVIEWER: 84 CS | A | 4520 / YD1 | | | 19-APR-90 | ME | YD1 | 99 | |
| | | | | WW-H-171E(1) | HANGERS & SUPPORTS, PIPE (FOR CIVIL AGENCIES S/S BY A-A-1192; FOR DOD S/S BY MSS-SP-58, MSS-SP-69, NFPA11, NFPA12, NFPA13, NFPA14, NFPA15, NFPA16 & NFPA17) | A | 5340 / YD1 | | | 05-JAN-89 | | YD1 | 99 | |
| | | | | WW-P-360B | PIPE, CAST IRON, PRESSURE, (FOR GAS, WATER OR OTHER LIQUIDS) (USE ASTM A377) USER: MC | A | 4710 % YD1 | | | 02-JUL-68 | | YD1 | | |
| | | | | WW-P-00380A | PIPE AND FITTINGS, PLASTIC, RIGID (STYRENE RUBBER, DRAIN AND SEWWER) (S/S BY L-P-001221) | A | 4710 * CS | | | 07-MAY-64 | MD | YD1 | 69 | |
| | | | | WW-P-405B(1) | PIPE, CORRUGATED (IRON OR STEEL, ZINC COATED) (S/S BY ASTM-A760, ASTM-A761, ASTM-A761M, ASTM-A762, ASTM-A762M & ASTM-A849) | A | 4710 * 99 | | | 15-FEB-89 | ME | YD1 | 99 | |
| | | | | WW-F-406D | FLANGES, CAST-IRON (CLASSES 125 AND 250) AND BRONZE (CLASSES 150 AND 300) (S/S BY ANSI-B16.1 AND ANSI-B16.24) USER: CG MC REVIEWER: CS | A | 4730 / YD1 | | | 23-MAR-90 | ME | YD1 | 99 | |
| | | | | WW-P-406D(1) | PIPE, STEEL (SEAMLESS AND WELDED) S/S BY ASTM A 120 USER: AR CG MC REVIEWER: CE CS EA MI | A | 4710 / YD1 | | | 01-JUL-83 | ME | YD1 | 99 | |
| | | | | WW-P-441C(2) | PIPE, WROUGHT IRON, (WELDED, BLACK OR ZINC COATED) (USE WW-P-406C) USER: AR MC MR REVIEWER: CS | A | 4710 / 82 | | | 31-JUL-68 | ME | YD1 | 82 | |
| | | | | WW-P-541/1B(1) | PLUMBING FIXTURES (WATER CLOSETS) (S/S BY ASME-A112.19.2M) USER: CE MC MS REVIEWER: CS | A | 4510 / YD1 | | | 10-DEC-92 | ME | YD1 | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | WW-P-541/2B(1) | PLUMBING FIXTURES (URINALS) (S/S BY ASME-A112.19.2M) USER: CE MC MS REVIEWER: CS | A | 4510 / YD1 | | | 10-DEC-92 | ME | YD1 | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | WW-C-563A | CONDUIT, METAL, RIGID, ELECTRICAL, THIN WALL STEEL TYPE (ELECTRICAL METALLIC TUBING), STRAIGHT LENGTHS, ELBOW, & BENDS (USE ANSI/UL 797) USER: ER REVIEWER: 99 EA YD1 | A | 5975 / 85 | | | 25-JAN-82 | | | 85 | |
| | | | | WW-C-623A | COUPLINGS, HOSE, GARDEN AND WATER (SUPERSEEDED BY WW-C-624) REVIEWER: MC .. | A | 4730 / MD | | | 14-NOV-50 | MD | YD1 | 69 | |
| | | | | WW-T-731C | TUBE, STEEL AND OPEN HEARTH IRON, SEAMLESS AND WELDED, BOILER USE (USE ASTMA178 AND ASTMA192) REVIEWER: CS MI MR YD1 | A | 4710 / SH | | | 04-APR-56 | | | | |
| | | | | WW-T-783C(1) | TUBE, ALUMINUM ALLOY, ROUND, SQUARE, RECTANGULAR AND OTHER SHAPES, DRAWN, SEAMLESS, 1100 (S/S BY WW-T-700/18) USER: 26 AR REVIEWER: MR | A | 4710 / YD1 | | | 01-JAN-63 | | YD1 | 11 | |
| | | | | WW-T-816(2) | TUBING, FLEXIBLE, ALUMINUM ALLOY (S/S BY WW-H-1053) USER: AT REVIEWER: AS SH | A | 4720 / YD1 | | | 16-JAN-61 | | YD1 | 11 | |
| | | | | WW-D-1908A | DISPENSER, TOILET PAPER, CABINET (S/S BY A-A-2668) REVIEWER: CS | A | 4510 * YD1 | | | 26-APR-90 | ME | YD1 | 99 | |
| | | | | WW-D-1909A | DISPENSER, PAPET TOWEL (S/S BY A-A-2380) USER: CE MC YD1 REVIEWER: CG CS .. | A | 4510 * | | | 31-DEC-85 | | | | |
| | | | | WW-H-1911A | HOLDER, TOILET PAPER (SINGLE ROLL) (S/S BY A-A-2524) USER: CS | A | 4510 * YD1 | | | 18-MAR-91 | ME | YD1 | 99 | |
| | | | | WW-S-1913A | SHOWER HEAD, BALL JOINT (INTEGRAL FLOW CONTROL) (S/S BY A-A-240) USER: MC . | A | 4510 * YD1 | | | 26-APR-91 | | YD1 | 99 | |
| | | | | WW-V-001916 | VALVE FLUSH: GUIDE ARM: LIFT RODS; AND TRIP LEVER ASSEMBLY: (WATER CLOSET TANK) (LAND USE) (S/S A-A-2820) | A | 4510 # FSS | | | 08-MAR-93 | | | | |
| | | | | ZZ-B-71B | BAGS: POLITZER (NO S/S DOCUMENT) | A | 6515 / MB | | | 12-FEB-93 | MD | MS | 03 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| Q | | | | ZZ-B-190C(1) | BELTS, V: ENGINE ACCESSORY DRIVE; MINUS 40 DEG. F., GENERAL SPECIFICATION FOR (S/S BY A-A-52155) USER: AR AT AV MC SH REVIEWER: CS | A | 3030 / AT | | | 11-FEB-93 | AT | YD1 | 99 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | ZZ-B-190/1A | BELTS, V: ENGINE ACCESSORY DRIVE (0.380 INCH NOMINAL WIDTH) (S/S BY A-A-52155) USER: AR AV MC SH REVIEWER: CS | A | 3030 / AT | | | 11-FEB-93 | AT | YD1 | 99 | |
| | | | | NOTICE 2 | | | | | | | | | | |
| | | | | ZZ-B-190/2A | BELTS, V: ENGINE ACCESSORY DRIVE (0.500 INCH NOMINAL WIDTH) (S/S BY A-A-52155) USER: AR AV MC SH REVIEWER: CS | A | 3030 / AT | | | 11-FEB-93 | AT | YD1 | 99 | |
| | | | | NOTICE 2 | | | | | | | | | | |
| | | | | ZZ-B-190/3A | BELTS, V: ENGINE ACCESSORY DRIVE (11/16 INCH NOMINAL WIDTH) (S/S BY A-A-52155) USER: AR AV MC SH REVIEWER: CS | A | 3030 / AT | | | 11-FEB-93 | AT | YD1 | 99 | |
| | | | | NOTICE 2 | | | | | | | | | | |
| | | | | ZZ-B-190/4A | BELTS, V: ENGINE ACCESSORY DRIVE (3/4 INCH NOMINAL WIDTH) (S/S BY A-A-52155) USER: AV ER MC SH REVIEWER: CS | A | 3030 / AT | | | 11-FEB-93 | AT | YD1 | 99 | |
| | | | | NOTICE 2 | | | | | | | | | | |
| | | | | ZZ-B-190/5A | BELTS, V: ENGINE ACCESSORY DRIVE (7/8 INCH NOMINAL WIDTH) (S/S BY A-A-52155) USER: AR AT AV MC SH REVIEWER: CS | A | 3030 / AT | | | 11-FEB-93 | AT | YD1 | 99 | |
| | | | | NOTICE 2 | | | | | | | | | | |
| | | | | ZZ-B-190/6A | BELTS, V: ENGINE ACCESSORY DRIVE (1 INCH NOMINAL WIDTH) (S/S BY A-A-52155) USER: AR AT AV MC SH REVIEWER: CS | A | 3030 / AT | | | 11-FEB-93 | AT | YD1 | 99 | |
| | | | | NOTICE 2 | | | | | | | | | | |
| | | | | ZZ-B-206B(1) | BELTING, FLAT, CONVEYOR, RUBBER (SEE MIL-B-52761) REVIEWER: CS | A | 3030 * ME | | | 26-OCT-66 | ME | YD1 | 99 | |
| | | | | ZZ-B-220B | BELTING, V, ADJUSTABLE LINK | A | 3030 / YD1 | | | 20-MAY-68 | ME | YD1 | 99 | |
| | | | | ZZ-T-301A | TILE, FLOOR, RUBBER USER: 26 | A | 7220 / YD1 | | | 22-JAN-48 | | YD1 | 69 | |
| | | | | ZZ-T-401C | TIRE, PNEUMATIC, INNER TUBE, PNEUMATIC TIRE, (BICYCLE) REVIEWER: AT | A | 2610 / YD1 | | | 11-AUG-61 | | YD1 | 84 | |
| | | | | ZZ-S-451A | SLEEVES, DREDGING (S/S BY ZZ-H-515) | A | 4720 / YD1 | | | 16-APR-46 | | YD1 | | |
| | | | | ZZ-F-461A | FLOOR-COVERING, RUBBER, SHEET USER: 26 | A | 7220 / MD | | | 29-APR-48 | | YD1 | 69 | |
| | | | | ZZ-F-468 | FLOOR-COVERING, SAFETY, RUBBER USER: 26 | A | 7220 / MD | | | 21-APR-48 | | YD1 | | |
| | | | | ZZ-H-471A(3) | HOSE, GASOLINE, SYNTHETIC-RUBBER WIRE-STIFFEMED USER: AR MC REVIEWER: AS AT OS | A | 4720 / YD1 | | | 31-JUL-53 | ME | YD1 | 11 | |
| | | | | ZZ-H-499B(1) | HOSE, PNEUMATIC, WRAPPED (S/S BY ZZ-H-500) USER: AR REVIEWER: SH | A | 4720 / YD1 | | | 30-SEP-53 | | YD1 | 11 | |
| | | | | ZZ-H-515(1) | HOSE, RUBBER (SLEEVES, DREDGING) USER: CE MC | A | 4720 / YD1 | | | 04-APR-69 | ME | YD1 | 99 | |
| | | | | ZZ-B-530C(1) | BOOTS, KNEE AND HIP, (RUBBER) (S/S BY A-A-50063) USER: 45 CG MC YD1 REVIEWER: MD | A | 8430 / GL | | | 09-APR-90 | GL | SA | 99 | |
| | | | | ZZ-H-541C | HOSE, RUBBER, STEAM (SEE MIL-H-28596) USER: CE REVIEWER: CS | A | 4720 * ME | | | 22-AUG-67 | ME | YD1 | 82 | |
| | | | | ZZ-H-611A(1) | HOSE, WATER, WRAPPED (USE ZZ-H-601B) USER: AT MC REVIEWER: CS SH | A | 4210 / YD1 | | | 29-AUG-57 | MD | YD1 | 11 | |
| | | | | ZZ-T-651 | TREADS, SAFETY, RUBBER (S/S BY MR-T-650) REVIEWER: 69 SH | A | 7225 / GL | | | 29-APR-48 | GL | YD1 | 11 | |
| | | | | ZZ-T-831D(1) | TUBING, RUBBER AND PLASTIC (S/S BY A-A-52047) USER: MS REVIEWER: AR AS AV CS EA MD MI OS | A | 4720 / ME | | | 30-APR-93 | MR | YD1 | 11 | |
| | | | | NOTICE 1 | | | | | | | | | | |
| | | | | AAA-S-79A | SCALE, BEAM INDICATING (AND SCALES, DIAL AND BEAM INDICATING, MOTOR-TRUCK, BUILT-IN AND SELF-CONTAINED) USER: GS | A | 6670 / YD1 | | | 28-JAN-66 | GL | YD1 | 82 | |

| Action | Qty / Cmd. Coordination Inactive | Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | | | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|
| | | AAA-S-101A | SCALES, RAILWAY-TRACK, KNIVE-EDGE | A 6670 / YD1 | 12-JUN-42 | GL | YD1 | 87 | | |
| | | AAA-S-118D | SCALE, BEAM INDICATING (PORTABLE-PLATFORM, FLOOR TYPE) (NO S/S DOCUMENT) USER: MC REVIEWER: GS | A 6670 / GL | 28-JUN-88 | GL | YD1 | 99 | | |
| | NOTICE 1 | AAA-S-121D(2) | SCALES, (WEIGHING: GENERAL SPECIFICATIONS FOR) (NO S/S DOCUMENT) USER: MC MS REVIEWER: ME SH | A 6670 / GL | 28-JUN-88 | GL | YD1 | 99 | | |
| | | AAA-S-133D(1) | SCALE, BEAM INDICATING, AND SCALES, SPRING (SUSPENSION MOUNTED) (S/S BY A-A-50062) USER: ME REVIEWER: EA GS MI MS | A 6670 / GL | 18-APR-88 | GL | YD1 | 99 | | |
| | | CCC-W-51D | WADDING, COTTON, SURGICAL (S/S BY A-A-54748) | A 6510 / MB | 01-NOV-92 | MD | MS | 03 | | |
| | NOTICE 1 | CCC-C-418 | CLOTH, COATED, UPHOLSTERY (VINYL RESIN BASE) (FOR TYPE I USE CCC-A-700B) USER: MR YD1 REVIEWER: CT GL MC SA | A 8305 / SH | 29-AUG-60 | | | 11 | | |
| | | CCC-C-525D | CLOTH, CURTAIN, MODACRYLIC WARP AND SARAN FILLING (NO S/S DOCUMENT) | A 8305 # CT | 22-JAN-92 | | | | | CT |
| | | CCC-D-761(2) | DUCK, COTTON, PILED-FILLING YARN AND SINGLE-YARN (FLAT-DUCK) USER: AR EL MR YD1 REVIEWER: CT MC | A 8305 / SA | 20-OCT-60 | GL | SA | | | |
| | | CCC-B-811(3) | BURLAP, JUTE USER: SA YD1 REVIEWER: CT | A 8305 / GL | 14-JAN-48 | GL | MC | | | |
| | | DDD-P-46D | PACK, GAUZE, ABDOMINAL (S/S BY A-A-54555) | A 6510 / MB | 14-AUG-92 | MD | MS | 03 | | |
| | NOTICE 1 | DDD-C-61C | CARPET AND RUG, VELVET, PLAIN AND TWISTED PILE AND UNCUT PILE (S/S BY DDD-C-95) | A 7220 / YD1 | 03-AUG-56 | | YD1 | | | |
| | | DDD-C-71A(1) | CARPET AND RUG, WILTON (S/S BY DDD-C-95) | A 7220 / YD1 | 26-MAY-57 | | YD1 | | | |
| | | DDD-M-148 | MAT, COTTON (FOR CONCRETE CURING) USER: YD1 | A 8305 % | 01-JAN-43 | | | | | |
| | | DDD-S-251D | SHADE, ROLLER, WINDOW: ROLLER, SLAT, CORD, AND ACCESSORIES (NO S/S DOCUMENT) USER: CE ME | A 7230 / GL | 12-SEP-90 | GL | YD1 | 69 | | |
| | | DDD-L-416 | LINING, CARPET USER: 26 | A 7220 / YD1 | 26-AUG-36 | | YD1 | 69 | | |
| | | DDD-R-751 | RUG, AMERICAN ORIENTAL, WASHED | A 7220 / YD1 | 26-MAY-43 | | YD1 | | | |
| | | GGG-S-61A(1) | SAWS USER: MC YD1 REVIEWER: EL GL | A 5100 / SH | 07-JUL-55 | | | 69 | | |
| | | GGG-V-191D | "V" BLOCKS AND CLAMPS (S/S BY A-A-51150) USER: AT AV MC ME YD1 REVIEWER: GS | A 3460 / IP | 21-APR-87 | AL | | 99 | IP | |
| | | GGG-S-271A | SPOKESHAVE USER: EL MC YD1 | A 5110 % | 03-NOV-53 | GL | SH | 99 | | |
| | | GGG-W-290C | WHEELS, ABRASIVE, SNAGGING (S/S BY ANSI-B7.1, ANSI-B74.2, ANSI-B74.12 AND ANSI-B74.13) USER: MC ME REVIEWER: 84 DH GL GS | A 5345 / YD1 | 17-OCT-91 | AL | YD1 | 99 | | |
| | | GGG-C-350B | CHUCKS, DRILL: ARBORS, ADAPTERS AND KEYS, DRILL CHUCK (S/S BY A-A-50966, A-A-50968, A-A-50969, A-A-50970, A-A-51124, A-A-51140) USER: AV MC SH REVIEWER: GS | A 3460 / IP | 28-AUG-87 | AL | YD1 | 99 | | |
| | | GGG-P-351A | PIPE-THREADS, TAPER (AMERICAN-NATIONAL) USER: AR GL REVIEWER: MU SH | A 7650 / MO | 24-JAN-44 | | YD1 | 11 | | |
| | | GGG-B-445A | BLADE, CIRCULAR SAW, WOODWORKING (TUNGSTEN CARBIDE TIPPED, GENERAL PURPOSE) (NO S/S DOCUMENT) USER: YD1 REVIEWER: GS | A 3230 * SH | 10-OCT-90 | ME | SH | 84 | | |
| | | GGG-G-521E | GOGGLES, INDUSTRIAL, RESILIENT FRAME (S/S BY A-A-1110) USER: MC OS SH REVIEWER: GS MD SH | A 4240 / YD1 | 01-DEC-92 | EA | YD1 | 99 | | |
| | | GGG-B-550B | BLOWTORCH, ALCOHOL AND GASOLINE, HAND USER: 99 AS GL MC OS WC YD1 | A 5120 % | 06-MAY-64 | | | | | |
| | | GGG-T-551 | TOOL KIT, CROSSCUT SAW REFITTING USER: WC YD1 | A 5180 * GL | 14-JAN-55 | GL | SH | 99 | | |
| | | GGG-C-571A | COPPERS (IRONS), SOLDERING (S/S BY GGG-S-595A) USER: 26 MC YD1 REVIEWER: GL | A 3432 / SH | 28-JUN-61 | WC | | 84 | | |
| | | GGG-W-631B(5) | WRENCHES, ADJUSTABLE: OPEN-END, AUTO AND MONKEY (S/S BY A-A-2344, A-A-2345, A-A-2346 AND A-A-2347) USER: YD1 | A 5120 * GL | 05-JAN-88 | GL | SH | 99 | | |
| | | GGG-D-641A | DRIFTS: DRILL (S/S BY A-A-2545) USER: AR YD1 | A 5120 * GL | 24-OCT-89 | GL | SH | 99 | | |
| | | GGG-T-669C | TRIMMER, TREE, POLE-MOUNTED REVIEWER: CS | A 3750 * YD1 | 01-MAY-64 | | YD1 | 99 | | GS |
| | | GGG-S-751A | STICK, PACKING USER: YD1 | A 5120 * SH | 12-JUN-53 | GL | SH | 84 | | |
| | | GGG-A-825A | AUGER MACHINE, PIPE AND SEWER, POWER OPERATED (NO S/S DOCUMENT) REVIEWER: CS | A 4940 * AR | 09-JUL-90 | AR | YD1 | 82 | | |
| | | GGG-S-1309A | STAPLER, BAG, HAND OPERATED (STAPLER, BOX AND STAPLER, GENERAL USE) ( AND STAPLES USER: CG MC YD1 REVIEWER: GS ME SH | A 3540 * GL | 25-SEP-72 | GL | SA | 99 | | |
| | | HHH-V-1867(1) | VEGETABLES, FRESH, TABLE READY (READY-TO-USE) (GENERAL SPECIFICATION) REVIEWER: MC MD MS SS | A 8915 * GL | 10-JUL-92 | GL | SA | 50 | | |
| | | HHH-V-1867/2 | CARROTS, FRESH, READY-TO-USE REVIEWER: MC MD MS SS | A 8915 * GL | 10-JUL-92 | GL | SA | 50 | | |
| | | HHH-V-1867/4 | ONIONS, DRY, READY-TO-USE REVIEWER: MC MD MS SS | A 8915 * GL | 10-JUL-92 | GL | SA | 50 | | |
| | | HHH-V-1867/5 | ONIONS, GREEN, FRESH, READY-TO-USE REVIEWER: MC MD MS SS | A 8915 * GL | 10-JUL-92 | GL | SA | 50 | | |
| | | JJJ-B-87 | BALL, GAUZE (S/S BY A-A-54749) | A 6510 / MB | 01-NOV-92 | MD | MS | 03 | | |
| | NOTICE 1 | JJJ-B-0087A | BALL, GAUZE (S/S BY A-A-54749) | A 6510 / MB | 01-NOV-92 | MD | MS | 03 | | |
| | NOTICE 1 | JJJ-L-821A | LITHOGRAPHIC PLATE PRESERVING GUM (NO S/S DOCUMENT) | A 6850 # FSS | 06-MAR-92 | | | | | |
| L | | KKK-T-00640A | TRACTOR, WHEELED, AGRICULTURAL, GASOLINE-ENGINE DRIVEN, DIESEL-ENGINE DRIVEN, TRACTOR-FUEL-ENGINE DRIVEN, OR LP-GAS-ENGINE DRIVEN | A 2420 / MO | 14-JUN-62 | MO | YD1 | | | |
| | | KKK-T-716A | TRUCKS, GASOLINE ENGINE, FOUR WHEELS-TWO-REAR-WHEEL DRIVE, G.V.W. 4,200 POUNDS (USE KKK-T-00723) USER: 26 GL YD1 REVIEWER: EL | A 2320 / MO | 30-AUG-48 | | | 84 | | |
| | | KKK-T-719 | TRUCKS, GASOLINE ENGINE, FOUR WHEELS, TWO-REAR-WHEEL DRIVE, G.V.W. 6,400 POUNDS (USE KKK-T-00723) USER: GL YD1 REVIEWER: EL | A 2320 / MO | 29-JAN-51 | | MC | 11 | | |
| | | LLL-H-35 | HARDBOARD, FIBROUS-FELTED (FIBERBOARD) (S/S BY LLL-B-810A) USER: 26 MC MR YD1 REVIEWER: AR | A 8135 * GL | 21-DEC-55 | GL | SA | 69 | | |
| L | | LLL-H-0060 | HARDBOARD PANELS, PREFINISHED (S/S BY LLL-B-805) | A 5640 / MO | 14-MAY-59 | MO | YD1 | | | |
| | | LLL-C-96 | CARPET, CORK (NO SUPERSEDING ITEM) USER: 26 | A 7220 / YD1 | 02-MAY-39 | | YD1 | 69 | | |
| | | LLL-F-321B(1) | FIBERBOARD, INSULATING USER: 26 | A 5640 / MO | 17-DEC-42 | MO | YD1 | 69 | | |
| | | LLL-L-351B(1) | LINOLEUM, BATTLESHIP (S/S BY LLL-F-1238) USER: 26 MC REVIEWER: 85 YD1 | A 7220 / SH | 28-JUN-54 | MO | SH | 84 | | |
| | | LLL-L-367(3) | LINOLEUM, PLAIN, JASPE AND MARBLEIZED (S/S BY LLL-F-1238) USER: 26 MC REVIEWER: 85 | A 7220 / YD1 | 23-NOV-51 | | YD1 | 84 | | |
| | | LLL-T-431B | TILE, CORK | A 7220 / YD1 | 22-OCT-59 | | YD1 | | | |
| | | LLL-F-471(1) | FLOOR-COVERINGS, FELT BACKED (S/S BY LLL-F-1238) USER: 26 REVIEWER: 85 | A 7220 / YD1 | 26-JUN-43 | | YD1 | 84 | | |
| | | LLL-I-533 | INSULATION (REDWOOD-BARK, SHREDDED) (S/S BY HH-I-515A) USER: 26 | A 5640 / 69 | 21-APR-43 | | YD1 | 69 | | |
| | | LLL-D-581D(1) | DOOR, WOOD, (EXTERIOR AND INTERIOR) USER: 26 YD1 REVIEWER: CS | A 5520 * ME | 11-JAN-71 | ME | | 99 | | |
| | | LLL-S-710H | STEPLADDERS, WOOD (S/S BY UL112) | A 5440 * YD1 | 11-APR-91 | ME | YD1 | 99 | | |
| | | LLL-B-805 | BUILDING BOARD, HARD PRESSED, VEGETABLE FIBER, PREFINISHED HARDBOARD PANELS | A 5640 * ME | 28-JUN-63 | ME | YD1 | 84 | | |
| L | | LLL-B-810B | BUILDING BOARD, (HARDBOARD) HARD PRESSED, VEGETABLE FIBER (S/S BY ANSI-A135.4) | A 5640 * YD1 | 26-JAN-90 | | YD1 | | | |
| | | LLL-F-1238A | FLOOR COVERING, LINOLEUM (NO S/S DOCUMENT) | A 7220 / YD1 | 27-FEB-89 | GL | YD1 | 84 | | |
| | | MMM-A-125D | ADHESIVE, CASEIN-TYPE, WATER AND MOLD RESISTANT (S/S BY ASTM-D4689-90) | A 8040 / MR | 03-OCT-91 | MR | YD1 | 84 | | |
| | NOTICE 1 | | USER: ER ME MI SH REVIEWER: 99 AL AR AS EA GL MD | | | | | | | |
| Q | | MMM-A-131A | ADHESIVE, GLASS-TO-METAL (FOR BONDING OF OPTICAL ELEMENTS) (S/S BY MIL-A-48611) USER: YD1 REVIEWER: MI | A 8040 * AR | 14-NOV-85 | AR | | 11 | | |
| | | MMM-A-193C | ADHESIVE, VINYL ACETATE RESIN EMULSION (S/S BY MMM-A-180C CLASS B) USER: EL ME REVIEWER: AR MI | A 8040 / MR | 26-OCT-67 | MR | YD1 | | | |
| | | MMM-B-350B | BINDER, ADHESIVE, EPOXY RESIN, FLEXIBLE REVIEWER: MD YD1 | A 5610 / ME | 11-MAR-73 | ME | | 99 | | |
| | | MMM-G-650B | GROUT, ADHESIVE, EPOXY RESIN, FLEXIBLE, FILLED USER: YD1 REVIEWER: MD | A 5610 * ME | 13-FEB-73 | ME | | 99 | | |
| | | MMM-C-25B | CASSEROLE, LABORATORY, PORCELAIN (S/S BY A-A-54739) REVIEWER: EA | A 6640 / MB | 01-NOV-92 | MD | MS | 03 | | |
| | NOTICE 1 | MMM-D-340A | DISH, EVAPORATING, NONMETALLIC (NO S/S DOCUMENT) | A 6640 * MB | 10-MAY-93 | MD | MS | 99 | | |
| | NOTICE 1 | MMM-S-450B | SLIDE, MICROSCOPE (NO S/S DOCUMENT) REVIEWER: MI | A 6640 / MB | 12-MAY-93 | MD | MS | 99 | | |
| | NOTICE 1 | MMM-T-580 | TONGS, LABORATORY (S/S BY A-A-51358) | A 6640 * MB | 22-MAR-93 | MD | MS | 03 | | |
| | NOTICE 1 | MMM-C-680 | CRUCIBLES, FILTERING AND IGNITION, AND COVERS, LABORATORY (S/S BY A-A-51686) | A 6640 / MB | 22-MAR-93 | | | | | |

| Action | Qty / Date Cancellation Inactive | Document Number | Document Title | Dist. Symbol / FSC / Area / MCA Symbol / Preparing Activity / Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|
| | | MMM-C-688 NOTICE 1 | CRUCIBLE, IGNITION, LABORATORY, METAL (NO S/S DOCUMENT) ..... | A 6640 / MB 22-MAR-93 | | | | |
| L | | MMM-S-00750A NOTICE 1 | STAND, LABORATORY APPARATUS SUPPORT (S/S BY A-A-51211) ..... | A 6640 / MB 02-NOV-92 | | | | |
| | | MMM-T-7858 NOTICE 2 | TUBE, CENTRIFUGE (PLASTIC) (NO S/S DOCUMENT) USER: MI SH REVIEWER: DP MD .. | A 6640 / MB 19-MAY-93 | AR | MS | | |
| | | MMM-B-00789A NOTICE 1 | BURET, STRAIGHT, PRECISION (S/S BY A-A-51246) ..... | A 6640 / MB 02-NOV-92 | AR | MS | 67 | |
| L | | MMM-B-001194 NOTICE 1 | BOTTLES: DROPPER, AND DROPPING TK (S/S BY A-A-51374) REVIEWER: 03 82 AR MD ME MS SH | A 6640 / MB 26-MAR-93 | | | | |
| | | MMM-D-001290 NOTICE 1 | DESICCATORS, LABORATORY AND DESICCATOR PLATES (NO S/S DOCUMENT) ..... | A 6640 / MB 02-APR-93 | MD | MS | 03 | DM |
| | | MMM-T-001476A(2) NOTICE 1 | TEST TUBE (GLASS, DISPOSABLE) (S/S BY A-A-53657) ..... | A 6640 / MB 14-MAY-93 | | | | |
| | | MMM-P-1482A NOTICE 1 | PIPET, SEROLOGICAL, SAHLI HEMOGLOBIN (NO S/S DOCUMENT) REVIEWER: DM ..... | A 6640 / MB 19-MAY-93 | MD | MS | 03 | DM |
| | | MMM-P-001482B(11) NOTICE 1 | PIPET, SEROLOGICAL, SAHLI, DILUTING, HEMOGLOBINOMETER, 0.02 ML. ..... | A 6640 / MB 19-MAY-93 | MD | MS | 03 | |
| | | MMM-F-14868 NOTICE 1 | FILLER, PIPET, RUBBER (S/S BY A-A-51803) ..... | A 6640 / MB 14-MAY-93 | MD | MS | 03 | |
| | | PPP-C-268(1) NOTICE 1 | CANNED BAKED, CANNED STEAMED, AND CANNED STEAMED AND RETORTED SUBSISTENCE ITEMS, PACKAGING AND PACKING OF (NO S/S DOCUMENT) REVIEWER: MC MD SM SS | A 8920 / GL 10-AUG-92 | GL | SA | 45 | |
| | | PPP-B-35C | BAGS, TEXTILE, SHIPPING, BURLAP, COTTON, AND WATERPROOF LAMINATED (S/S BY A-A-881) USER: MC MD ME SS YD1 REVIEWER: 99 CR EA SH | A 8105 / GL 27-MAR-91 | GL | SA | 69 | |
| | | PPP-T-0075 | TAPE, PRESERVATION AND SEALING (NO S/S DOCUMENT) USER: 70 CE MC MI OS REVIEWER: 71 80 82 84 AR EA ME SA YD1 | A 8135 * GL 28-FEB-80 | GL | AS | 69 | |
| | | PPP-C-301A | CHEMICALS, DRY AND PASTE - PACKAGING AND PACKING OF (S/S BY PPP-C-2020) USER: YD1 REVIEWER: AS GS MD ME SA SM | A PACK / EA 28-MAR-83 | EA | SM | 68 | |
| L | | PPP-E-540C(2) | ENVELOPES: WATER-RESISTANT FOR PACKING LIST AND SHIPPING DOCUMENTS (S/S BY A-A-1659, A-A-1660, AND A-A-1658) USER: 71 MC ME SH YD1 REVIEWER: 69 AR MI OS | A 8105 * GL 24-MAR-92 | GL | | | |
| | | PPP-B-575 | BOX, PAPER&OVERLAID VENEER (STRAP&AROUND TYPE) USER: 26 MS REVIEWER: EL MC YD1 | A 8115 / GL 12-SEP-58 | GL | SM | 69 | |
| | | PPP-B-645 | BOXES, FOLDING, FIBERBOARD, HEAVY DUTY USER: 26 AR REVIEWER: EL MC SH MC YD1 | A 8115 / SA 15-NOV-55 | GL | SA | 69 | |
| | | PPP-P-700C | PROTECTOR, PACKING LIST (S/S BY A-A-1907) USER: AS MC OS SH YD1 REVIEWER: 99 AR DS SM | A 8105 / GL 27-MAR-91 | GL | SA | 69 | |
| | | PPP-D-715 | DRUMS, FIBER, WITH RECESSED ENDS USER: AR EL YD1 REVIEWER: SH MC ..... | A 8110 / GL 28-MAY-58 | GL | SA | | |
| | | PPP-S-760B | STRAPPING, NONMETALLIC (AND CONNECTORS) (S/S BY ASTM-D3950-87) USER: MC SC SH YD1 REVIEWER: DS EA ME | A 8135 / GL 20-SEP-90 | GL | SA | 69 | |
| | | PPP-P-1010 | PACKAGING, PACKING, AND MARKING, BENCHES, BINS, CABINETS, AND WORKTABLES, GENERAL SPECIFICATION FOR (USE MIL-B-45977) REVIEWER: SM | A PACK / AL 22-DEC-67 | WC | YD1 | 99 | |
| | | PPP-B-1122(2) | BALANCES, SCALES, AND ACCESSORIES, PACKAGING AND PACKING OF (NO S/S DOCUMENT) USER: MC MD ME REVIEWER: GS SM | A 6670 / GL 28-JUN-88 | GL | YD1 | 82 | |
| | | PPP-T-1150B | TOOLS AND TOOL ACCESSORIES FOR POWER DRIVEN, METAL AND WOODWORKING, MACHINERY, PACKAGING AND PACKING OF (S/S BY PPP-P-40) USER: SH REVIEWER: ME SM | A PACK / AL 18-APR-88 | AL | YD1 | 99 | |
| | | PPP-D-1152B | DRUM SHIPPING: STEEL, 55-GALLON (24 AND 21 GAGE REINFORCED) (NO S/S DOCUMENT) USER: YD1 REVIEWER: 68 GS MD SH SM | A 8110 * GL 09-AUG-88 | GL | SA | 99 | |
| | | PPP-E-1533B(1) | ENVELOPES, PACKAGING, CUSHIONED (S/S BY A-A-286) USER: AS MI MS OS YD1 REVIEWER: MC | A 8105 * GL 30-APR-91 | GL | SA | 69 | |
| | | PPP-B-1803 | BRUSH, ARTISTS, MARKERS, AND PAINTERS, PACKAGING AND PACKING OF USER: AR MC ME SM | A 8020 / GL 09-FEB-73 | GL | YD1 | 99 | |
| | | PPP-S-1927A | SACK, SHIPPING, PAPER (REINFORCED) (S/S BY A-A-157) ..... | A 8105 # FSS 30-MAR-92 | | | | |

# NUMERICAL LISTING
# FEDERAL STANDARDS

| Action OPL / OAM Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| FED-STD-2 | COAL, PENNSYLVANIA ANTHRACITE REVIEWER: SA ..... | A 9110 * ME 21-NOV-50 | ME | YD1 | 68 | |
| FED-STD-220 | COSTUMER, WEARING APPAREL, WOOD, (GENERAL OFFICE) REVIEWER: 85 ..... | A 7195 * GL 02-APR-65 | GL | YD1 | 84 | |
| FED-STD-248 | MIRROR, GLASS (FRAMED) USER: 26 MC ..... | A 7105 * GL 22-APR-58 | GL | YD1 | 84 | |
| FED-STD-30 | CHAIR, BENT WOOD ..... | A 7105 / GL 02-SEP-53 | GL | YD1 | 69 | |
| FED-STD-31 | COSTUMERS, METAL, GENERAL OFFICE (S/S BY FED STD 106A ..... | A 7195 / GL 02-SEP-53 | GL | YD1 | 69 | |
| FED-STD-358 | BOOKCASE, WOOD (EXECUTIVE OFFICE) (S/S BY FED-STD 241) USER: 26 YD1 ..... | A 7110 / GL 03-SEP-57 | GL | SA | 69 | |
| FED-STD-378 | CABINET, TELEPHONE, WOOD, EXECUTIVE OFFICE, (S/S BY FED-STD 241) USER: 26 YD1 | A 7110 % 26-AUG-57 | | | | |
| FED-STD-418 | DESK, FLAT TOP AND TYPEWRITER, WOOD, (EXECUTIVE OFFICE) (S/S BY FED-STD 241) USER: 26 YD1 | A 7110 % 26-AUG-57 | | | | |
| FED-STD-448 | WARDROBE, WOOD, (EXECUTIVE OFFICE) ..... | A 7105 / GL 03-SEP-59 | GL | YD1 | 69 | |
| FED-STD-89 | COLOR CODE FOR GAS MASK CANISTER IDENTIFICATION USER: 26 ..... | A MISC / AR 25-JAN-57 | AR | YD1 | 99 | |
| FED-STD-90 | RUBBERS, SYNTHETIC, SPECIFICATION LIMITS, SAMPLING, AND TESTING USER: MC MS YD1 REVIEWER: AR GL MU | A 7650 / SH 12-APR-56 | | SH | | |
| FED-STD-146A NOTICE 2 | TOLERANCES FOR COPPER AND COPPER BASE ALLOY MILL PRODUCTS (S/S BY SAE-MAM2221, SAE-AMS2221, SAE-MAM2222, SAE-AMS2222, SAE-MAM2223, SAE-AMS2223, SAE-MAM2224 AND SAE-AMS2224) USER: AT AV CR YD1 REVIEWER: AR AS IS MD MI | A 95GP / MR 26-JUN-92 | MR | SH | 84 | |
| FED-STD-163A | CABLE, POWER, ELECTRICAL, (RUBBER-INSULATED, GENERAL PURPOSE) AND WIRE, ELECTRICAL, (RUBBER-INSULATED, GENERAL PURPOSE) (S/S BY FED STD 242A) | A 6145 * EL 26-JUL-63 | EL | YD1 | 80 | |
| FED-STD-247C | FROZEN, FOOD CABINETS, MECHANICALLY REFRIGERATED, HOUSEHOLD USER: CE CG MC REVIEWER: ME | A 4110 * GL 22-MAR-76 | GL | YD1 | | |
| FED-STD-248A | REFRIGERATOR, MECHANICAL, HOUSEHOLD, (ELECTRICAL, SELF-CONTAINED) USER: CE CG MC REVIEWER: ME | A 4110 * GL 24-JUN-68 | GL | YD1 | | |
| FED-STD-263A | TUBE FITTINGS, COPPER AND COPPER ALLOY, WROUGHT OR CAST SOLDER ENDS USER: MC MI WC YD1 | A 4730 * ME 01-MAY-73 | ME | | 99 | |
| FED-STD-278 | RANGE, ELECTRIC, DOMESTIC ..... | A 7310 * GL 13-DEC-68 | GL | YD1 | 99 | |
| FED-STD-345 | TIRE, PNEUMATIC, VEHICULAR (HIGHWAY LIGAT TRUCK) USER: CE REVIEWER: AR YD1 | A 2610 * AT 15-MAR-72 | AT | | | |
| FED-STD-356C | COMMERCIAL PACKAGING OF SUPPLIES AND EQUIPMENT (INCORPORATED INTO MIL STD 1188) USER: MC REVIEWER: 11 16 99 AR ES GL ME MI MR | A PACK / SM 22-APR-77 | SM | | 69 | DH |
| FED-STD-406A(1) NOTICE 1 | PLASTICS: METHODS OF TESTING (S/S BY - SEE CANCELLATION NOTICE FOR RECOMMENDED SUPERSEDING ASTM TEST METHODS) USER: AS MC ME MS OS YD1 REVIEWER: 18 AV EA EL ES GS MI | A 9330 / MR 21-AUG-90 | MR | SH | 11 | |
| FED-STD-626 | GLASSWARE: METHODS OF SAMPLING AND TESTING REVIEWER: EA ..... | A 7350 * GL 30-SEP-92 | GL | AS | 99 | |

| Action, QPL / QML, Coordination, Inactive, Document Number | Document Title | Dist. Stmt, FSC / Area, MCA Symbol, Preparing Activity, Date | Custodians: Army, Navy, Air Force, DLA |
|---|---|---|---|
| QPL-997-76 NOTICE 1 | PLASTIC MATERIAL, LAMINATED, THERMOSETTING ELECTRICAL INSULATION: SHEETS, GLASS CLOTH, SILICONE RESIN (NO S/S DOCUMENT) | A 5970 SH 16-APR-92 | |
| QPL-2759 NOTICE 2 | DEAD RECKONING TRACER (DRT) (NAVAL SHIPBOARD) (NO S/S DOCUMENT) ..... | A 5970 SH 05-OCT-92 | |
| QPL-3623-23 NOTICE 1 | FILTER ELEMENTS, LUBRICATION OIL, ENGINE, (LARGE) (NO S/S DOCUMENT) ..... | A 2945 SH 25-NOV-92 | |
| QPL-3871-8 NOTICE 3 | CAPACITOR, FIXED, ELECTROLYTIC (AC, DRY-ELECTROLYTIC, NONPOLARIZED) (NO S/S DOCUMENT) | A 5910 EC 22-SEP-92 | |
| QPL-5589-10 NOTICE 1 | EARPHONE, EXTENDED RANGE, H-301/U (NO S/S DOCUMENT) ..... | A 5965 EC 31-AUG-92 | |
| QPL-6166-6 NOTICE 1 | CORD: HEADSET-MICROPHONE, CX-1301/AR (NO S/S DOCUMENT) ..... | A 5995 AS 15-JAN-93 | |
| QPL-6466-3 NOTICE 1 | RELAY, ARMATURE, EXCITER PROTECTION, TYPE A-1, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A 5945 85 07-AUG-92 | |
| QPL-6521-2 NOTICE 1 | CONTROL, INVERTER CHANGEOVER, TYPE A-2, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A 5945 85 25-AUG-92 | |
| QPL-7806-11(2) NOTICE 1 | LIGHT, PANEL, PLASTIC PLATE LIGHTING (NO S/S DOCUMENT) ..... | A 6210 AS 25-SEP-92 | |
| QPL-7858-6 NOTICE 1 | PUMP, HYDRAULIC, POWER DRIVEN, FIXED DISPLACEMENT (NO S/S DOCUMENT) ..... | A 4320 99 29-APR-93 | |
| QPL-8379-5 NOTICE 1 | CIRCUIT BREAKERS, ELECTRICALLY OPERATED, 3-POLE, TYPE A-1 (NO S/S DOCUMENT) | A 5925 85 22-JUL-92 | |
| QPL-9063-9(1) NOTICE 1 | DESEALANT, INTEGRAL FUEL AND OIL TANKS (NO S/S DOCUMENT) ..... | A 8030 AS 09-SEP-92 | |
| QPL-9221-3 NOTICE 1 | RELAY, FIELD CONTROL, GENERATOR, 24 VOLT DC, TYPE M-2, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A 5945 85 25-AUG-92 | |
| QPL-11804 NOTICE 2 | RESISTORS, FIXED, FILM (POWER TYPE), GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A 5905 ER 12-AUG-92 | |
| QPL-15037-70 NOTICE 1 | PLASTIC SHEET, LAMINATED, THERMOSETTING, GLASS-CLOTH, MELAMINE-RESIN (NO S/S DOCUMENT) | A 5970 SH 16-APR-92 | |
| QPL-15737-11 NOTICE 1 | PADDLE, BOAT, LAMINATED WOOD (NO S/S DOCUMENT) ..... | A 2040 SH 11-OCT-85 | |
| QPL-16053-91 | ELECTRODE, WELDING, BARE, ALUMINUM ALLOYS (USE ANSI/AWS A5.10-80) ..... | A 3439 SH 31-MAR-82 | |
| QPL-16182-2 | INSULATION BRICK, THERMAL, DIATOMACEOUS SILICA (HIGH TEMPERATURE) ..... | A 9350 YD1 15-MAY-63 | |
| QPL-16743-34 | REFRIGERATING PLANTS AND SYSTEMS, MECHANICAL: AND REFRIGERATION SYSTEM COMPONENTS - DICHLORODIFLUOROMETHANE R-12 - NAVAL SHIPBOARD (NO S/S DOCUMENT) | A 4130 SH 21-APR-92 | |
| QPL-17202-2 | LOAD TRANSFER DEVICES (FOR CONCRETE SLABS AND PAVEMENTS) ..... | A 3630 YD1 09-JUL-65 | |
| QPL-18134-21 NOTICE 1 | TORCHES, WELDING, HAND, OXYACETYLENE, AND OXYHYDROGEN GASES, LIGHT DUTY (NO S/S DOCUMENT) | A 3433 SH 27-FEB-85 | |
| QPL-18709-58 | GREASE, BALL & ROLLER BEARING (S/S BY DOD-G-24508A) ..... | A 9150 SH 05-MAR-80 | |
| QPL-19161-23 NOTICE 1 | PLASTIC SHEET, LAMINATED, GLASS CLOTH POLYTETRAFLUOROETHYLENE RESIN (NO S/S DOCUMENT) | A 9330 SH 21-APR-92 | |
| QPL-21275-2 | CORE MATERIAL, METALLIC, HEAT RESISTING, FOR STRUCTURAL SANDWICH CONSTRUCTION | A 5680 AS 22-OCT-84 | |
| QPL-21594-20 NOTICE 1 | HOOK POINT, AIRCRAFT ARRESTING (S/S BY NAVY BUY OUR SPARE SMART (BOSS) TECHNICAL DATA PACKAGE) | A 1710 AS 06-JUL-92 | |
| QPL-22170-4 NOTICE 1 | INTERCONNECTING UNIT, COMPASS, ROLL STABILIZED (TYPE MF-1 COMPASS) (NO S/S DOCUMENT) | A 6605 AS 30-MAY-93 | |
| QPL-22245-4(1) | PIPE AND PIPE FITTINGS, GLASS FIBER REINFORCED PLASTIC ..... | A 4710 YD1 10-FEB-72 | |
| QPL-22432/31-3 NOTICE 1 | SERVOMOTOR, TYPE 11SM4C (NO S/S DOCUMENT) ..... | A 6105 AS 25-JAN-89 | |
| QPL-22520/2-3 NOTICE 1 | CRIMPING TOOLS, CONTACT, ELECTRIC, HAND, GENERAL SPECIFICATION FOR (S/S BY QPL-22520) | A 5120 AS 30-MAY-92 | |
| QPL-22735-4 | FILM, ELASTOMERIC, FLUORESCENT, FOR WEAPONS SYSTEMS ..... | A 9330 AS 21-MAY-84 | |
| QPL-22995-5 NOTICE 1 | HELMET, SHELL ASSEMBLIES, PILOT'S PROTECTIVE, APH-6 SERIES (NO S/S DOCUMENT) | A 8475 AS 31-AUG-92 | |
| QPL-23814-5 NOTICE 1 | TRANSMISSION, POWER, CONSTANT SPEED FOR USE ON A-4E/F AIRCRAFT (NO S/S DOCUMENT) | A 4931 AS 10-MAY-93 | |
| QPL-24195 NOTICE 2 | RECEIVER-COMPARATOR R-1407()/URQ (NO S/S DOCUMENT) ..... | A 5820 SH 13-OCT-92 | |
| QPL-24435-2 | LUBRICATING OIL, MARINE TWO STROKE CYCLE GASOLINE ENGINE (NO S/S DOCUMENT) | A 9150 SH 03-APR-78 | |
| QPL-24475 NOTICE 2 | PUMPS, CENTRIFUGAL, SEWAGE SERVICE FOR USE ON NAVAL SHIPS (NO S/S DOCUMENT) | A 4320 SH 21-SEP-84 | |
| QPL-24481 NOTICE 2 | SALINITY MONITORING AND INDICATING EQUIPMENT (NO S/S DOCUMENT) ..... | A 6695 SH 18-JUL-80 | |
| QPL-24592 NOTICE 2 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE TUBE, NONCOLLAPSIBLE, HIGH TEMPERATURE (NO S/S DOCUMENT) | A 4720 SH 23-MAR-84 | |
| QPL-25078-1 NOTICE 1 | RELAY, GENERATOR OVER VOLTAGE PROTECTION, 28 V DC, TYPE MB-1, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A 5945 85 17-AUG-92 | |
| QPL-25142-5 NOTICE 1 | LUMINESCENT MATERIAL, FLUORESCENT (NO S/S DOCUMENT) ..... | A 8010 84 28-JUN-88 | |
| QPL-25345-1 NOTICE 1 | SWITCH, THERMOSTATIC, TYPE MH-1 ..... | A 5930 11 17-AUG-92 | |
| QPL-27220-7 NOTICE 1 | INDICATOR SET, LIQUID OXYGEN QUANTITY A/A24J-8 (NO S/S DOCUMENT) ..... | A 6680 82 01-SEP-92 | |
| QPL-38019-5 NOTICE 1 | PARACHUTE SYSTEM, SPECIAL WEAPONS, 12.5 FT, A/B2BK-1 (NO S/S DOCUMENT) .... | A MUOR 79 31-AUG-92 | |
| QPL-38465-4 NOTICE 1 | PARACHUTE SYSTEM, SPECIAL WEAPONS, A/B2BK-4, 17 FT (NO S/S DOCUMENT) ..... | A MUOR 79 31-AUG-92 | |
| QPL-52028-7 NOTICE 1 | SWITCH, VEHICULAR IGNITION: WATERPROOF STARTER & MAGNETO, WITH DEGASSER CONTROL (NO S/S DOCUMENT) | A 5930 AT 17-NOV-92 | |
| QPL-55034-4 NOTICE 1 | POWERED MAGNETIC MATERIAL, MOLDED, STABILITY OF (FOR CORES USED IN ELECTRICAL AND ELECTRONIC PARTS) (NO S/S DOCUMENT) | A 5950 ER 24-JUL-92 | |
| QPL-55433 NOTICE 2 | SWITCH CAPSULES, DRY REED TYPE, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A 5930 ER 23-JUL-92 | |
| QPL-81113-2 NOTICE 1 | RADAR TRANSPONDER AN/DPN-78 (*) (NO S/S DOCUMENT) ..... | A 5985 AS 28-MAY-93 | |
| QPL-81490-1 NOTICE 2 | TRANSMISSION LINES, TRANSVERSE ELECTROMAGNETIC MODE (NO S/S DOCUMENT) ..... | A 5985 AS 28-MAY-93 | |
| QPL-0081619-2 NOTICE 1 | SWITCHES, SOLID STATE TRANSDUCER (ANALOG AND DIGITAL), GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A 5930 85 17-AUG-92 | |
| QPL-81663-2 NOTICE 1 | INDICATOR, BUILT-IN-TEST (BIT), ELECTRICAL PULSE OPERATED THREAD MOUNTING, SINGLE AND DUAL COIL, SOLID BLACK/WHITE DATA DISPLAY (NO S/S DOCUMENT) | A 5945 AS 28-MAY-93 | |
| QPL-83213-2 NOTICE 1 | REMOVERS, POTTING COMPOUND, SOLVENT TYPE (NO S/S DOCUMENT) ..... | A 6850 11 25-JAN-93 | |
| QPL-83255-4 NOTICE 1 | PARACHUTE SYSTEM, SPECIAL WEAPONS, A/B2BK-5, 23 FT (NO S/S DOCUMENT) ..... | A MUOR 79 31-AUG-92 | |
| QPL-FF-P-110-3 NOTICE 1 | PADLOCK, CHANGEABLE COMBINATION (RESISTANT TO OPENING BY MANIPULATION AND SURREPTITIOUS ATTACK) | A 5340 # YD1 25-SEP-90 | |

# NUMERICAL LISTING
# MILITARY HANDBOOKS

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | MIL-HDBK-10 | CROSS INDEX OF CHEMICALLY EQUIVALENT SPECIFICATIONS AND IDENTIFICATION CODE (FERROUS AND NONFERROUS ALLOYS) (HANDBOOK H-1) USER: 11 MC YD1 REVIEWER: IS | A | MISC | 84 | 22-JUN-70 | MR | SH 84 | | |
| L | | | | MIL-HDBK-106 | MULTI-LEVEL CONTINUOUS SAMPLING PROCEDURES AND TABLE FOR INSPECTION BY ATTRIBUTES (HANDBOOK H-106) USER: ES | A | QCIC | 10 | 16-SEP-86 | | 10 | | |
| | | | | MIL-HDBK-107 | INSPECTION & QUALITY CONTROL SINGLE LEVEL CONTINUOUS SAMPLING PROCEDURES & TABLES FOR INSPECTION BY ATTRIBUTES (SEE MIL STD 1235) USER: ES | A | QCIC | AR | 11-FEB-83 | AR | 10 | | |
| | | | | MIL-HDBK-110 | CHAINS, POWER TRANSMISSION AND CONVEYING, APPLICATION, INSTALLATION AND MAINTENANCE REVIEWER: CS | A | 3020 | ME | 02-JAN-82 | ME | YD1 99 | | |
| | | | | MIL-HDBK-207 | DESIGN APPLICATION HANDBOOK FOR 1/2 HP MILITARY STANDARD ENGINE (MODEL 1AQ3) USER: AT REVIEWER: CS | A | 2805 | ME | 20-FEB-59 | ME | YD1 82 | | |
| | | | | MIL-HDBK-208 | DESIGN APPLICATION HANDBOOK FOR 1-1/2 HP MILITARY STANDARD ENGINE (MODEL 1AQ8) (USE MIL-STD-1226) | A | 2805 | MO | 30-SEP-58 | MO | YD1 85 | | |
| | | | | MIL-HDBK-209 | DESIGN APPLICATION HANDBOOK FOR 3 HP MILITARY STANDARD ENGINE (MODEL 2AQ16) (USE MIL-STD-1227) | A | 2805 | MO | 20-FEB-59 | MO | YD1 85 | | |
| L | | | | MIL-HDBK-222/1 | DATA LIST, AUTHORIZED PART 1, INSTRUCTIONS (USE TD-3) REVIEWER: AS EC SA SH YD1 | A | DRPR | OS | 17-JAN-69 | | OS | | |
| L | | | | MIL-HDBK-222/2 | DATA LIST, AUTHORIZED PART 2, DATA ITEM DESCRIPTIONS (USE TD-3) REVIEWER: AS EC SA SH YD1 | A | DRPR | OS | 17-JAN-69 | | OS | | |
| L | | | | MIL-HDBK-222/3 | DATA LIST, AUTHORIZED PART 3, DATA ITEM REQUIREMENTS (USE TD-3) REVIEWER: AS EC SA SH YD1 | A | DRPR | OS | 17-JAN-69 | | OS | | |
| L | | | | MIL-HDBK-222/4 | DATA LIST, AUTHORIZED PART 4, INDEX (USE TD-3) REVIEWER: AS EC SA SH YD1 .. | A | DRPR | OS | 17-JAN-69 | | OS | | |
| L | | | | MIL-HDBK-226 | DESIGN DISCLOSURE FOR SYSTEMS AND EQUIPMENT (NO S/S DOCUMENT) USER: MC REVIEWER: AS EC OS YD1 | A | GDRQ | SH | 11-JUL-88 | | SH | | |
| L | | | | MIL-HDBK-277<br>NOTICE 2 | FIBER OPTIC CHECKOUT PROCEDURE FOR MILITARY APPLICATIONS (NO S/S DOCUMENT) USER: CG MC REVIEWER: AS EC | A | 60GP | SH | 31-MAR-93 | | SH | | |
| L | | | | MIL-HDBK-278<br>NOTICE 1 | SYSTEM DESIGN GUIDE FOR APPLYING FIBER OPTIC TECHNOLOGY TO SHIPBOARD SYSTEMS (NO S/S DOCUMENT) USER: CG MC REVIEWER: AS EC | A | 60GP | SH | 31-MAR-93 | | SH | | |
| L | | | | DOD-HDBK-282<br>NOTICE 2 | FIBER OPTIC CABLE INSTALLATION PROCEDURES (NO S/S DOCUMENT) USER: CG MC REVIEWER: AS EC ES | A | 6015 | SH | 31-MAR-93 | | SH | | |
| | | | | MIL-HDBK-414/1 | TECHNICAL CONTROL FACILITIES AND EQUIPMENT FOR LONG HAUL COMMUNICATIONS VOLUME 1 OF 2 VOLUMES (NO S/S DOCUMENT) REVIEWER: 01 11 13 17 80 89 AS ER YD1 | A | SLHC | 90 | 23-SEP-88 | SC | EC 90 | | |
| | | | | MIL-HDBK-600 | GUIDELINES FOR IDENTIFICATION, MARKING, LABELLING, STORAGE, AND TRANSPORTATION OF RADIOACTIVE COMMODITIES (S/S BY DOD 6050.5-L, DOD HAZARDOUS MATERIALS INFORMATION SYSTEM (HMIS)) USER: 80 CG ME OS SM REVIEWER: 03 AS AV EA MC SA | A | 59GP | ES | 26-APR-90 | ER | YD1 85 | ES | |
| | | | | MIL-HDBK-681 | STANDARDIZED INDUSTRIAL GASOLINE ENGINE ABOVE 20 BHP REVIEWER: CS ..... | A | 2805 | ME | 20-FEB-64 | ME | YD1 11 | | |
| | | | | MIL-HDBK-7588 | SPECIAL HANDLING DATA/CERTIFICATION FOR SHIPMENTS VIA MILITARY AIRCRAFT USER: AS AT AV EC MC ME YD1 REVIEWER: AR MI OS | A | PACK | SM | 15-AUG-76 | SM | SA | | DH |
| L | | | | MIL-HDBK-1010/1 | COST ENGINEERING: POLICY AND PROCEDURES (NO S/S DOCUMENT) ..... | A | FACR | YD2 | 12-SEP-90 | | YD2 | | |
| L | | | | MIL-HDBK-1025/3 | CARGO HANDLING FACILITIES (NO S/S DOCUMENT) ..... | A | FACR | YD2 | 12-SEP-90 | | YD2 | | |
| L | | | | MIL-HDBK-1025/5 | FERRY TERMINALS AND SMALL CRAFT BERTHING FACILITIES (NO S/S DOCUMENT) ..... | A | FACR | YD2 | 12-SEP-90 | | YD2 | | |

# NUMERICAL LISTING
# MILITARY AND ANA BULLETINS

| Action | QPL / QML | Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activ. | Date | Custodians Army | Custodians Navy | Custodians Air Force | Custodians DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | ANA-BUL-400X NOTICE 1 | AIRBORNE ELECTRONIC AND ASSOCIATED EQUIPMENT, APPLICABLE DOCUMENTS (NO S/S DOCUMENT) | A | MISC | AS | 01-MAR-93 | CR | AS | 11 | | |
| | | | | MIL-BUL-400 NOTICE 2 | AIRBORNE ELECTRONIC AND ASSOCIATED EQUIPMENT, APPLICABLE DOCUMENTS (NO S/S DOCUMENT) | A | MISC | AS | 01-FEB-93 | CR | AS | 11 | | |
| | | | | ANA-BUL-419A | O RING TYPE PACKINGS, GASKETS, AND SEALS, IDENTIFICATION OF ..... | A | MISC | | 09-SEP-55 | | | 10 | | |
| | | | | ANA-BUL-438 | AGE CONTROLS OF AGE-SENSITIVE ELASTOMERIC ITEMS ..... | A | 9320 | 10 | 15-FEB-65 | | AS | 10 | | |
| L | | | | MIL-BUL-553/1 NOTICE 1 | LIST OF GENERAL DESIGN DRAWINGS (STANDARD AND TYPE) APPROVED BY THE NAVAL SEA SYSTEMS COMMAND PART I NUMERICAL LISTING (NO S/S DOCUMENT) | A | 20GP | SH | 16-DEC-92 | | SH | | | |
| L | | | | MIL-BUL-553/2 NOTICE 1 | LIST OF GENERAL DESIGN DRAWINGS (STANDARD AND TYPE) APPROVED BY THE NAVAL SEA SYSTEMS COMMAND PART II ALPHABETICAL LISTING (NO S/S DOCUMENT) | A | 20GP | SH | 16-DEC-92 | | SH | | | |
| L | | | | MIL-BUL-553/3 NOTICE 1 | LIST OF GENERAL DESIGN DRAWINGS (STANDARD AND TYPE) APPROVED BY THE NAVAL SEA SYSTEMS COMMAND PART III LISTING OF CANCELLED DRAWINGS (NUMERIC) (NO S/S DOCUMENT) | A | 20GP | SH | 16-DEC-92 | | SH | | | |

# NUMERICAL LISTING
# GUIDE SPECIFICATIONS

| Action | OPL / CNAL Coordination Inactive | Document Number | Document Title | Dist. Symbol FSC / Area MCA Symbol Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|
| L | | MFGS-01401B NOTICE 1 | CONTRACTOR INSPECTION SYSTEM (S/S BY MFGS-01400D) ..... | A FACR | YD3 30-OCT-91 | | YD3 | | |
| L | | MFGS-05311A NOTICE 1 | STEEL ROOF DECKING (S/S BY MFGS-05310) ..... | A FACR | YD3 02-OCT-91 | | YD3 | | |
| L | | MFGS-05313C NOTICE 1 | STEEL FLOOR DECKS (S/S BY MFGS-05310) ..... | A FACR | YD3 02-OCT-91 | | YD3 | | |
| L | | MFGS-07222B NOTICE 1 | TAPERED ROOF INSULATION (S/S BY MFGS-07220C) ..... | A FACR | YD3 02-OCT-91 | | YD3 | | |
| | | MFGS-15501B | HEATING, VENTILATING, AND COOLING SYSTEMS (REFER TO MFGS-L-15501 ..... | A FACR | YD3 22-APR-91 | CE | YD3 04 | | |
| | | MFGS-15711F | HOT WATER HEATING SYSTEM (REFER TO MFGS-15511) ..... | A FACR | YD3 01-JUL-91 | CE | YD3 04 | | |
| L | | MFGS-15813C NOTICE 1 | WAIVING AIR HEATING SYSTEMS (S/S BY MFGS-15621) ..... | A FACR | YD3 02-OCT-91 | | YD3 | | |

# NUMERICAL LISTING
# AIR FORCE - NAVY AERONAUTICAL STANDARDS

| Action QPL / QML Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activity Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|
| AN771 REV 4 | COCK - SCREW TYPE DRAIN (S/S BY MS 35782) ..... | A 4820 10 08-APR-53 | | 69 | | |
| AN122576THRUAN122600 REV 2 | WASHER-PLAIN, STEEL (USE MS9320) ..... | A 5310 1S 05-AUG-64 | | | | 1S |

# NUMERICAL LISTING
# INTERNATIONAL STANDARDIZATION DOCUMENTS

| Action / QPL / OML / Coordination / Inactive / Document Number | Document Title | Dist Stmt / FSC / Area | MCA Symbol / Preparing Acty | Date | Custodians: Army / Navy / Air Force / DLA |
|---|---|---|---|---|---|
| AIR-STD-30/3 | PHYSICAL INTERCHANGE OF DIGITAL DATA ..... | A ISDF | 06 | 06-APR-93 | |
| STANAG-1296 ED. 2 | EMERGENCY SONAR BEACONS TO AID THE DETECTION AND LOCALIZATION OF DISTRESSED SUBMARINES (S/S BY STANAG-1384) | C ISDN | NM | 17-SEP-92 | |
| STANAG-1299 ED. 2 | EMERGENCY SONAR BEACONS TO AID THE LOCALIZATION AND HOMING ON TO DISTRESSED SUBMARINES BY SUBMERGED RESCUE CRAFT (S/S BY STANAG-1384) | C ISDN | SH | 17-SEP-92 | |
| STANAG-3231 ED. 2 | ADEN AND DEFA 30 MM GUN BARREL CHAMBERS FOR AIRCRAFT (NO S/S DOCUMENT) .... | C ISDF | 06 | 25-AUG-92 | |
| STANAG-3557 ED. 1(1) | STANDARD NATO SAFETY TESTS FOR AIRBORNE PYROTECHNIC STORES FOR FIXED WING AIRCRAFT AND HELICOPTERS (NO S/S DOCUMENT) | C ISDF | 06 | 29-JUN-92 | |
| STANAG-3690 ED. 2 | MAXIMUM TRIMMED PAPER SIZE OF MAPS FOR USE IN THE FIELD (NO S/S DOCUMENT) . | C ISDF | 06 | 04-MAY-92 | |
| STANAG-3721 ED. 3 | AUTOMATIC DATA PROCESSING (ADP) MASTER FILE FOR LAND MAPS AND AERONAUTICAL CHARTS (NO S/S DOCUMENT) | C ISDF | 06 | 04-MAY-92 | |
| STANAG-3811 ED. 1 | RUNWAY FRICTION STANDARDS (NO S/S DOCUMENT) ..... | C ISDF | 06 | 13-MAY-92 | |
| STANAG-3982 ED. 1 | MESSAGES SUPPLEMENT TO ATP-27 - OFFENSIVE AIR SUPPORT OPERATIONS (NO S/S DOCUMENT) | C ISDF | 06 | 16-SEP-92 | |
| STANAG-3983 ED. 1 | MESSAGES SUPPLEMENT TO ATP-34 - TACTICAL AIR SUPPORT FOR MARITIME OPERATIONS (NO S/S DOCUMENT) | C ISDF | 06 | 16-SEP-92 | |
| STANAG-4148 ED. 1 | STANDARD METHOD TO BE USED IN SPECIFYING AND EVALUATING PERFORMANCE ACCURACIES OF AIRBORNE DOPPLER GROUND VELOCITIES SENSORS (NO S/S DOCUMENT) | C ISDF | 06 | 29-JUN-92 | |
| STANAG-4196 ED. 1 | CHARACTERISTICS FOR AN AIRCRAFT INERTIAL NAVIGATION SYSTEM (NO S/S DOCUMENT) | C ISDF | 06 | 29-JUN-92 | |
| STANAG-4218 ED. 1 | ACCELEROMETER TEST PROCEDURE FOR AN AIRCRAFT INERTIAL NAVIGATION SYSTEM (NO S/S DOCUMENT) | C ISDF | 06 | 29-JUN-92 | |
| STANAG-4219 ED. 1 | SYSTEM TEST PROCEDURE FOR AN AIRCRAFT INERTIAL NAVIGATION SYSTEM (NO S/S DOCUMENT) | C ISDF | 06 | 29-JUN-92 | |
| STANAG-4220 ED. 1(1) | SPECIFICATION FORMAT GUIDE AND TEST PROCEDURE FOR SINGLE-AXIS LASER GYROS (NO S/S DOCUMENT) | C ISDF | 06 | 29-JUN-92 | |
| STANAG-4331 ED. 1 | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF AIRBORNE HYBRID NAVIGATION SYSTEMS (NO S/S DOCUMENT) | C ISDF | 06 | 29-JUN-92 | |

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action | OPR / Cmt. Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians: Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | AISC-MDBK-72 | AMERICAN INSTITUTE OF STEEL CONSTRUCTION HANDBOOK - 72 | A | MISC | 99 | | 03-AUG-72 | | YD1 | 99 | |
| | | | ANSI-B5.51M-79 | PREFERRED SI UNITS FOR MACHINE TOOLS - 1979 USER: MC YD1 REVIEWER: 84 | A | 34GP | IP | | 13-JUN-89 | AL | SH | 99 | |
| | | | ANSI-PH4.20-58R70 | FILM, PLATES AND PAPERS, PHOTOGRAPHIC FILLING ENCLOSURES FOR STORING PROCESSED PHOTOGRAPHIC, REQUIREMENTS FOR - 01 DEC 58 (S/S BY ANSI PH1.53-78) | A | EDMS | YD1 | | 04-APR-83 | MR | YD1 | 11 | |
| | | | ANSI-X3.10-66 | FORTRAN, BASIC - 7 MAR 66 (USE FIPS 69 W/ANSI X 3.9-78) REVIEWER: MC MM SA YD1 | A | IPSC | 02 | | 01-MAY-83 | AD | OM | 02 | |
| | | | USAS-Y32.2 | ELECTRICAL & ELECTRONICS DIAGRAMS, GRAPHIC SYMBOLS FOR (S/S BY IEEE-315) | A | DRPR | SH | | 03-APR-71 | ER | SH | 10 | |
| | | | API-STD-593-81 | VALVES, DUCTILE IRON PLUG, FLANGED ENDS (NO S/S DOCUMENT) USER: CE MC | A | 4820 | * | YD1 | 09-APR-92 | | YD1 | 99 | |
| | | | NOTICE 2 | REVIEWER: 82 CS | | | | | | | | | |
| | | | AR1210-81 | UNITARY AIR-CONDITIONING EQUIPMENT, STANDARD FOR (S/S BY ARI210/140) | A | 4120 | * | YD1 | 22-APR-92 | ME | YD1 | | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | AR1240-81 | UNITARY HEAT PUMP EQUIPMENT, AIR-SOURCE, STANDARD FOR (S/S BY ARI210/240) | A | 4120 | * | YD1 | 22-APR-92 | ME | YD1 | 99 | |
| | | | NOTICE 2 | USER: CE MC REVIEWER: GS | | | | | | | | | |
| | | | AR1630-82 | HUMIDIFIERS, SELECTION, INSTALLATION, AND SERVICING OF, STANDARD FOR (NO S/S DOCUMENT) USER: ME REVIEWER: 82 GS MC MS | A | 4130 | | YD1 | 05-FEB-93 | ME | YD1 | 99 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | ASME4-71 | BOILER & PRESSURE VESSEL, SECTION IV - 1971 REVIEWER: ME | A | 4520 | 99 | | 08-AUG-72 | | YD1 | 99 | |
| | | | ASME8-71 | BOILER & PRESSURE VESSEL, SECTION VIII OF DIV. 1 - 1971 REVIEWER: ME | A | 4520 | 99 | | 08-AUG-72 | | YD1 | 99 | |
| | | | ASME-PTC4.1-64 | GENERATING UNITS, STEAM, POWER TEST CODES - 1964 | A | 4520 | 99 | | 08-AUG-72 | | YD1 | 99 | |
| | | | ASTM-A319-71R85 | GRAY IRON CASTINGS FOR ELEVATED TEMPERATURES FOR NON-PRESSURE CONTAINING PARTS, STANDARD SPECIFICATION FOR (S/S BY ASTM-A436) | A | MECA | * | YD1 | 12-JUN-92 | MR | YD1 | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | ASTM-A441/A441M-85 | STEEL, HIGH-STRENGTH LOW-ALLOY STRUCTURAL MANGANSE VANADIUM - 26 JULY 1985 REVIEWER: AL AR EA IS SH | A | 9520 | MR | | 15-OCT-90 | MR | YD1 | | |
| | | | ASTM-A608-79 | TUBING, CENTRIFUGALLY CAST IRON CHROMIUM HIGH ALLOY FOR PRESSURE APPLICATION AT HIGH TEMPERATURES - 27 JUL 79 | A | 4710 | | YD1 | 20-MAY-87 | MR | YD1 | 11 | |
| | | | ASTM-B284-79R84 | SOLDER, ROSIN FLUX CORE - 26 JAN 79 (REAPPROVED 84 USER: AT ES GS MC ME REVIEWER: CR EA EC MI OS | A | 3439 | | YD1 | 30-APR-90 | ER | YD1 | 99 | |
| | | | ASTM-B416-69R86 | CONCENTRIC LAY STANDARD ALUMINUM CLAD STEEL CONDUCTORS - 19 SEP 69 | A | 6145 | | YD1 | 22-AUG-86 | MR | YD1 | 11 | |
| | | | ASTM-B486-74R85 | PAST, SOLDER, STANDARD SPECIFICATION FOR - 27 DEC 74 REVIEWER: 99 CR EA EC MI OS | A | 3439 | | YD1 | 30-APR-90 | ER | YD1 | 11 | |
| | | | ASTM-B586-86 | WELDED, COPPER ALLOY WATER TUBE REVIEWER: 99 | A | 4710 | | YD1 | 05-SEP-86 | CR | YD1 | 85 | |
| | | | ASTM-C52-54R77 | TILE OR BLOCK, PARTITION, GYPSON, STANDARD SPECIFICATION FOR - 15 SEP 54 | A | 5620 | | YD1 | 11-MAR-83 | MR | YD1 | 11 | |
| | | | ASTM-C145-85 | SOLID LOAD-BEARING CONCRETE MASONRY UNITS, STANDARD SPECIFICATION FOR (NO S/S DOCUMENTS) | A | 5620 | * | YD1 | 22-JAN-93 | | YD1 | | |
| | | | ASTM-C220-88 | SHEETS, FLAT ASBESTOS-CEMENT, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT) | A | 5640 | * | YD1 | 03-JAN-92 | | YD1 | 99 | |
| | | | NOTICE 1 | USER: CE | | | | | | | | | |
| | | | ASTM-C221-88 | SHEETS, CORRUGATED ASBESTOS-CEMENT, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT) USER: CE | A | 5640 | * | YD1 | 03-JAN-92 | | YD1 | 99 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | ASTM-C222-78 | SHINGLES, ROOFING, ASBESTOS-CEMENT - 28 JUL 78 | A | 5640 | | YD1 | 11-MAR-83 | MR | YD1 | 11 | |
| | | | ASTM-C223-78 | SIDING, ASBESTOS-CEMENT - 28 JUL 78 | A | 5640 | | YD1 | 11-MAR-83 | MR | YD1 | 11 | |
| | | | ASTM-C296-83 | CEMENT ASBESTOS PRESSURE PIPE - 25 MAR 83 | A | 5630 | | YD1 | 10-OCT-89 | ME | YD1 | 99 | |
| | | | NOTICE 2 | | | | | | | | | | |
| L | | | ASTM-C428-81R85 | PIPE, SEWER, ASBESTOS-CEMENT NONPRESSURE, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT) | A | 5630 | * | YD1 | 12-NOV-92 | | YD1 | | |
| | | | NOTICE 2 | | | | | | | | | | |
| L | | | ASTM-C459-88 | DOCUMENT EXISTS ONLY AS A REFERENCE IN DATA BASE | A | 5640 | | YD1 | 28-MAY-93 | | YD1 | | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | ASTM-C508-83 | PIPE, ASBESTOS CEMENT UNDERDRAIN PIPE - 25 MAR 83 | A | 5630 | | YD1 | 08-OCT-89 | | YD1 | 99 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | ASTM-C541-83 | PIPE, ASBESTOS-CEMENT, LININGS FOR, STANDARD SPECIFICATION FOR - 30 SEP 83 | A | 5630 | | YD1 | 10-OCT-89 | ME | YD1 | 99 | |
| | | | NOTICE 2 | USER: CE | | | | | | | | | |
| | | | ASTM-C594-74 | PIPE, COMPRESSION COUPLINGS FOR VITRIFIED CLAY PLAIN END (USE ASTM C424-77) | A | 5630 | | YD1 | 23-FEB-76 | ME | YD1 | 99 | |
| | | | ASTM-C644-77 | PIPE, SEWER, ASBESTOS CEMENT NONPRESSURE SMALL DIAMETER - 77 (USE ASTM C428) | A | 5630 | | YD1 | 06-FEB-78 | | YD1 | | |
| | | | ASTM-C659-78 | PANELS, INSULATING, ASBESTOS CEMENT PLASTIC FOAM CORE - 28 JUL 78 (REAPPROVED 1983) USER: CE REVIEWER: 99 | A | 5640 | | YD1 | 05-SEP-88 | | YD1 | | |
| | | | ASTM-C668-81 | PIPE, TRANSMISSION, ASBESTOS CEMENT - 30 OCT 81 | A | 5630 | | YD1 | 25-MAY-84 | | YD1 | 99 | |
| | | | ASTM-C746-78R84 | ASBESTOS CEMENT SHEETSFOR BULKHEADING - 28 JULY 1978 (REAPPROVED 1984) USER: CE REVIEWER: 99 | A | 5640 | | YD1 | 03-OCT-89 | | YD1 | | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | ASTM-D250-88 | ASPHALT-SATURATED ASBESTOS FELT, USED IN ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT) | A | 5650 | * | YD1 | 06-APR-92 | ME | YD1 | | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | ASTM-D423-66R72 | SOILS, LIQUID LIMIT OF - 20 SEPT 66 (S/S BY ASTM D4318-84) USER: CE MC | A | 5610 | | YD1 | 10-SEP-85 | ME | YD1 | | |
| | | | ASTM-D424-59R71 | SOILS, PLASTIC LIMIT & PLASTICITY INDEX OF - 19 SEP 59 (S/S BY ASTM D4318-84) USER: CE CG | A | 5610 | | YD1 | 10-SEP-85 | | YD1 | 99 | |
| | | | ASTM-D439-83 | GASOLINE AUTOMOTIVE - 28 OCT 83 (REPLACED BY ASTM-D-4814) | A | 9130 | | ME | 12-JUL-90 | ME | YD1 | 68 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | ASTM-D645-67R74 | PAPER & PAPERBOARD, THICKNESS OF - 8 SEP 67 USER: AR OS SH REVIEWER: 99 GL ME MI MR SA YD1 | A | PACK | | AS | 30-SEP-81 | SH | AS | 69 | |
| | | | ASTM-D651-84 | INSULATING MATERIALS, MOLDED ELECTRICAL, TENSILE STRENGTH OF - 28 DEC 1984 USER: AS MC OS YD1 REVIEWER: AR AT ER MD | A | 9330 | | MR | 03-MAY-91 | MR | SH | 11 | |
| | | | ASTM-D703-81 | POLYSTYRENE MOLDING & EXTRUSION MATERIALS - 26 JUN 81 | A | 9330 | | MR | 28-JUL-88 | MR | SH | 11 | |
| | | | ASTM-D793-49R76 | PLASTICS CONTAINING CHLORINE, SHORT TIME STABILITY AT ELEVATED TEMPERATURES OF - 1949 USER: AS YD1 REVIEWER: AR ER GL GS ME MI | A | 9330 | | MR | 15-JAN-86 | MR | SH | 11 | |
| | | | ASTM-D1116-69 | PILE FLOOR COVERINGS, RESISTANCE OF, TO ATTACK BY BLACK CARPET BEETLE LARVAE - 3 OCT 1969 USER: SH | A | 7220 | | YD1 | 20-JUN-83 | ME | YD1 | 99 | |
| | | | ASTM-D1156-52R74 | POLY (VINYL CHLORIDE) POLYMERS & COPOLYMERS USED FOR SURFACE COATINGS, TOTAL CHLORINE IN - 30 SEP 52 USER: CG OS YD1 REVIEWER: AS ER ME | A | 8010 | | MR | 06-NOV-84 | MR | SH | | |
| | | | ASTM-D1181-56R71 | PLASTIC, SHEET, WARPAGE OF - 10 SEP 56 (USE FED STD 406A) USER: AS OS YD1 REVIEWER: AT ER GL GS ME MI | A | 9330 | | MR | 21-SEP-76 | MR | SH | 11 | |
| | | | ASTM-D1329-79 | RUBBER PROPERTY EVALUATING RETRACTION AT LOW TEMPERATURE (TR TEST) REVIEWER: MC | A | FACR | | YD1 | 28-JUN-87 | | YD1 | 99 | |
| | | | ASTM-D1502-60 | PLASTIC, CORRUGATED REINFORCED, TRANVERSE LOAD OF, PANELS - 19 SEP 60 USER: AS GL YD1 REVIEWER: AR AT AV GS | A | 9330 | | MR | 24-AUG-84 | MR | SH | 11 | |
| L | | | ASTM-D1661-64 | THERMAL STABILITY OF U.S. NAVY SPECIAL FUEL OIL, STANDARD METHOD OF TEST FOR | A | 91GP | | SH | 10-MAY-93 | | SH | | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | ASTM-D1737-85 | COATINGS, ELONGATION OF ATTACHED ORGANIC, WITH CYLINDRICAL MANDREL APPARATUS - 27 SEPT 1985 USER: YD1 | A | 8010 | | MR | 27-FEB-91 | MR | SH | 84 | |
| | | | NOTICE 1 | | | | | | | | | | |
| | | | ASTM-D1858-63R76 | CREOSOTE PETROLEUM SOLUTION - 30 SEP 63 | A | 8030 | | YD1 | 06-NOV-81 | ME | YD1 | 99 | |
| | | | ASTM-D2016-74 | WOOD, MOISTURE CONTENT OF - 29 APR 74 USER: AR OS SH REVIEWER: 99 CS GL ME MI MR SA YD1 | A | 5510 | | AS | 22-MAY-90 | SH | AS | 69 | |
| | | | ASTM-D2049-69 | SOILS, STANDARD TEST METHOD FOR RELATIVE DENSITY OF COHESIONLESS - 19 SEP 69 (S/S BY ASTM D4253-83 & D4254-83 | A | 5610 | | YD1 | 27-JAN-84 | ME | YD1 | 99 | |
| | | | ASTM-D2607-69 | PEATS, MOSSES, HUMUS, AND RELATED PRODUCTS, STANDARD CLASSIFICATION OF (NO S/S DOCUMENT) | A | 8720 | * | YD1 | 14-JAN-92 | CE | YD1 | 11 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | ASTM-D2825-76 | ASPHALT ROOF COATINGS, ALUMINUM PIGMENTED (S/S BY ASTM D2824-82) | A | 8030 | | YD1 | 30-MAR-84 | | YD1 | 99 | |
| | | | ASTM-D2828-71R81 | AIRFIELD PAVEMENTS, PORTLAND CEMENT CONCRETE, SAWABLE TYPE, NONBITUMINOUS INSERTS FOR CONTRACTION JOINTS IN - 8 JAN 71 USER: CE MC | A | 5610 | | YD1 | 30-NOV-87 | ME | YD1 | 99 | |
| | | | ASTM-D3033-85 | SEWER PIPE & FITTINGS, TYPE PSP POLY (VINYL CHLORIDE) (PVC) - 29 MAR 1985 (REFER TO ASTM D3034) REVIEWER: CS | A | 4710 | / | YD1 | 20-AUG-90 | ME | YD1 | 99 | |
| | | | ASTM-D3161-81 | SHINGLES, ASPHALT, WIND RESISTANCE OF - 27 NOV 81 (REAPPROVED 1986 | A | 5650 | | YD1 | 24-MAY-87 | ME | YD1 | 99 | |
| | | | ASTM-D3253-81 | VULCANIZED RUBBER SHEETING FOR POND, CANAL, AND RESERVOIR LINING, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT) | A | 9320 | * | YD1 | 15-MAY-92 | CE | YD1 | 99 | |
| | | | NOTICE 2 | | | | | | | | | | |
| | | | ASTM-D3298-81 | PIPE, PLASTIC DRAIN, PERFORATED STYRENE RUBBER (SR) - 26 JUN 81 | A | 4710 | | YD1 | 20-AUG-90 | ME | YD1 | 99 | |
| | | | ASTM-D3359-78 | ADHESION BY TAPE TEST, MEASURING - 27 OCT 78 USER: ME YD1 REVIEWER: GS | A | 6810 | | 68 | 01-JUN-89 | LA | SH | 68 | |

| Action | OPR / QMR Coordination | Inactive | Document Number | Document Title | Dist. Stmt. | FSC / Area | MCA Symbol | Preparing Activity | Date | Custodians Army | Navy | Air Force | DLA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ASTM-D3370-76 | WATER, SAMPLING - 27 AUG 76 REVIEWER: GL GS ME YD1 | A | 6810 | 68 | 01-JUN-89 | EA | SH | 68 | | |
| | | | ASTM-D3378A-82 | ROOFING, ASPHALT SATURATED & COATED ASBESTOS FELT BASE SHEET USED IN - 25 JUN 82 | A | 5650 | YD1 | 25-AUG-83 | ME | YD1 | 99 | | |
| | | | ASTM-D3812-79 | TAPE, PRESSURE SENSITIVE, IMPACT RESISTANCE OF - 27 JUL 79 USER: AR OS SH REVIEWER: 99 GL ME MI MR SA YD1 | A | PACK | AS | 12-MAY-81 | SH | AS | 69 | | |
| | | | ASTM-E94A-84 | RADIOGRAPHIC TESTING, STANDARD GUIDE FOR -26 OCT 1984 (REPLACED BY MIL-STD-4530C) USER: MI OS REVIEWER: AR AS AT SH | A | NDTI | MR | 29-JUN-90 | MR | YD1 | | IS | |
| | | | ASTM-E149-76 | MORTAR, STANDARD TEST METHOD FORBOND STRENGTH OF, TO MASONRY UNITS - 11 JUN 76 | A | 5620 | YD1 | 22-APR-83 | | YD1 | 99 | | |
| | | | ASTM-E166-63R70 | GONIOPHOTOMETRY OF TRANSMITTINGS & MATERIALS - 30 SEP 63 (USE ASTM E167-63(70)) USER: AS YD1 REVIEWER: 99 AR AT AV ER GS ME | A | 9330 | MR | 05-MAR-75 | MR | SH | 11 | | |
| | | | ASTM-E454-80 | PLATE & SCREENS, INDUSTRIAL PERFORATED (SQUARE OPENING SERIES) 31 OCT 80 USER: GL MC MI SM REVIEWER: AS EA GS IS | A | 6635 | YD1 | 23-SEP-83 | ME | YD1 | 99 | | |
| | | | ASTM-E674-80 | PLATE & SCREENS, INDUSTRAIL PERFORATED (ROUND OPENING SERIES) - 31 OCT 80 REVIEWER: AS EA GL GS IS MC MI SM | A | 6635 | YD1 | 19-SEP-83 | ME | YD1 | 99 | | |
| | | | ASTM-F64-69R75 | GASKET MATERIALS, CORROSIVE AND ADHESIVE EFFECTS OF, ON METAL SURFACES - 18 JUL 69 (USE ASTM F607) USER: AS ME OS YD1 REVIEWER: AT AV IS | A | 5330 | MR | 28-JUL-77 | MR | SH | 99 | | |
| | | | AWPA-M7-90 | EVALUATING WOOD PRESERVATIVES BY FIELD TESTS WITH STAKES, STANDARD METHOD | A | 5510 | * | CS | 20-JAN-93 | ME | SH | 99 | CS |
| | | NOTICE 2 | | OF (S/S BY AWPA-E7) USER: YD1 REVIEWER: 84 CE | | | | | | | | | |
| L | | | AWPA-M10-77 | WOOD TESTING PRESERVATIVES BY LABORATORY SOIL-BLOCK CULTURES, STANDARD | A | 5510 | * | CS | 20-JAN-93 | | | | CS |
| | | NOTICE 2 | | METHOD OF (S/S BY AWPA-E10) | | | | | | | | | |
| L | | | AWPA-M11-87 | WOOD PRESERVATIVES DETERMINING THE LEACHABILITY OF, STANDARD METHOD (S/S | A | 5510 | * | CS | 20-JAN-93 | | | | CS |
| | | NOTICE 2 | | BY AWPA-E11) | | | | | | | | | |
| L | | | AWPA-M12-72 | LABORATORY EVALUATION TO DETERMINE RESISTANCE TO SUBTERRANEAN TERMITES, | A | 5510 | * | CS | 20-JAN-93 | | | | CS |
| | | NOTICE 2 | | STANDARD METHOD FOR (S/S BY AWPA-E1) | | | | | | | | | |
| L | | | AWPA-M16-83 | THE CALCULATION OF THE "PERFORMANCE INDEX" OF PRESERVATIVES IN STAKE AND | A | 5510 | * | CS | 20-JAN-93 | | | | CS |
| | | NOTICE 2 | | POST TESTS, STANDARD PROCEDURE FOR (S/S BY AWPA-E3) | | | | | | | | | |
| L | | | AWPA-M18-78 | WATER TESTING REPELLENCY OF PRESSURE TREATED WOOD, STANDARD METHOD OF (S/S | A | 5510 | * | CS | 20-JAN-93 | | | | CS |
| | | NOTICE 2 | | BY AWPA-E4) | | | | | | | | | |
| | | | AWWA-C106-80 | CAST IRON PIPE, CENTRIFUGALLY CAST IN METAL MOLDS, FOR WATER OR OTHER LIQUIDS - 9 MAY 80 USER: 99 CE MC REVIEWER: CS | A | 4710 | | YD1 | 05-AUG-83 | ME | YD1 | | | |
| | | | AWWA-C506-78 | BACKFLOW PREVENTION DEVICES-REDUCED PRESSURE PRINCIPLE AND DOUBLE CHECK VALVE TYPES, AWWA STANDARD FOR (NO S/S DOCUMENT) REVIEWER: CS | A | 4820 | * | YD1 | 12-SEP-91 | ME | YD1 | 99 | |
| | | | EIA-RS297A-70 | CONNECTOR CABLE FOR AUDIO FACILITIES FOR RADIO BROADCASTING - JUN 70 | A | 5995 | | YD1 | 29-MAY-87 | CE | YD1 | 99 | |
| | | | EIA-SE101A-49 | AMPLIFIERS FOR SOUND EQUIPMENT, RETMA STANDARD FOR - JULY 1949 | A | 5895 | | YD1 | 25-OCT-84 | CR | YD1 | 99 | |
| | | | EIA-SE104-49 | AMPLIFIERS FOR SOUND EQUIPMENT, RETMA STANDARD FOR ENGINEERING SPECIFICATIONS FOR - MAY 1949 | A | 5895 | | YD1 | 31-OCT-84 | CR | YD1 | 99 | |
| | | NOTICE 2 | IEC693 | DIMENSIONS OF OPTICAL FIBERS (NO S/S DOCUMENT) USER: MC REVIEWER: 06 11 17 20 99 AI MI SH | A | 6010 | * | CR | 03-NOV-92 | CR | AS | 85 | |
| | | | NEMA-BC1-79 | BITUMINOUS FIBER DUCT FOR UNDERGROUND INSTALLATION - 12 FEB 1979 | A | 5975 | | YD1 | 29-MAY-87 | ER | YD1 | 85 | |
| | | NOTICE 2 | NFPA72A-87 | SYSTEMS FOR GUARD'S TOUR, FIRE ALARM, AND SUPERVISORY SERVICE, THE INSTALLATION, MAINTENANCE, AND USE OF LOCAL PROTECTIVE SIGNALING, STANDARD FOR (S/S BY NFPA72-90) REVIEWER: 82 | A | 6350 | * | YD1 | 24-APR-92 | ME | YD1 | 99 | |
| | | NOTICE 2 | NFPA72B-86 | SYSTEMS, AUXILIARY PROTECTIVE SIGNALING, FOR FIRE ALARM SERVICE, STANDARD FOR (S/S BY NFPA72-90) REVIEWER: 82 GS | A | 6350 | * | YD1 | 24-APR-92 | | YD1 | 99 | |
| | | | SAE-AMS3106-74 | PRIMER, ADHESIVE, CORROSION INHIBITING, MINUS 55 DEG. TO PLUS 950C (MINUS 67 DEG. TO 20 DEG. F) 1 MAR 74 (S/S BY AMS 3107-83 & AMS 3107/1-83) | A | 8040 | | AS | 16-APR-84 | | AS | 11 | |
| | | | SAE-AMS3362A-65 | RUBBER COMPOUND, ROOM TEMPERATURE VULCANIZING, 15,000 CENTIPOSES VISCOSITY DUROMETER 35 - 55 - 15 FEB 65 REVIEWER: GS MI | A | 9320 | | AS | 25-JAN-88 | MR | AS | 11 | |
| | | | SAE-AMS3363B-74 | RUBBER COMPOUND, SILICONE ROOM TEMPERATURE VULCANIZING, 50.000 CENTIPOISES VISCOSITY DUROMETER 30 - 45 - 30 | A | 9320 | | AS | 25-JAN-88 | MR | AS | 11 | |
| | | | SAE-AMS3651C-78 | POLYTETRAFLUDROETHYLENE - 15 MAR 66 | A | 9530 | | AS | 20-OCT-88 | MR | AS | 11 | |
| | | | SAE-AMS3839A-76 | FABRIC, WIRE REINFORCED ASBESTOSPOLYTETRAFLUOROETHYLENE IMPREGNATED, SINTERED - 15 JAN 76 REVIEWER: GS | A | 9330 | | AS | 19-APR-85 | MR | AS | 11 | |
| | | | SAE-AMS3840A-76 | ASBESTOS FABRIC POLYTETRAFLUOROETHYLENE IMPREGNATED, SINTERED - 15 JAN 76 REVIEWER: GS MI | A | 9330 | | AS | 19-APR-85 | MR | AS | 11 | |
| | | | SAE-AMS3842A-76 | ASBESTOS POLYTETRAFLUOROETHYLENE SHEET FIBER REINFORCED - 15 JAN 76 REVIEWER: GS | A | 9330 | | AS | 19-APR-85 | MR | AS | 11 | |



*U.S. Government Printing Office: 1993 — 704-024/80004

CANCELED SECTION

# NUMERICAL LISTING
# DOD ADOPTED NON-GOVERNMENT STANDARDS

| Action Off. / Date Coordination Inactive Document Number | Document Title | Dist. Stmt. FSC / Area MCA Symbol Preparing Activ. Date | Custodians Army Navy Air Force DLA |
|---|---|---|---|