

TECHNICAL LIBRARY
U. S. ARMY NATICK R&D CENTER
NATICK, MA 01760

AD A274547

REPORT NO. T94-7

**ARMY PHYSICAL FITNESS TEST (APFT):
NORMATIVE DATA ON 6022 SOLDIERS**

**U S ARMY RESEARCH INSTITUTE
OF
ENVIRONMENTAL MEDICINE
Natick, Massachusetts**

January 1994



Approved for public release; distribution unlimited

**UNITED STATES ARMY
MEDICAL RESEARCH & DEVELOPMENT COMMAND**

Technical Report No. -T94-7

**ARMY PHYSICAL FITNESS TEST (APFT):
NORMATIVE DATA ON 6022 SOLDIERS**

by

MAJ Joseph Knapik
Dr Louis Banderet
Dr Michael Bahrke
Dr John O'Connor
LTC Bruce Jones
Dr James Vogel

Occupational Medicine Division
Military Performance and Neurosciences Division
Occupational Health and Performance Directorate
U.S. Army Research Institute of Environmental Medicine
Natick, MA 01760

U.S. Army Physical Fitness School
Ft Benning, GA 31905

U.S. Army Physical Fitness Research Institute
Army War College
Carlisle Barracks, PA 17013

REPORT DOCUMENTATION PAGE			Form Approved GSA No. 2704-0188	
1. AGENCY USE ONLY (Leave blank)				
2. REPORT DATE		3. REPORT TYPE AND DATES COVERED		
4. TITLE AND SUBTITLE Army Physical Fitness Test (APFT): Normative Data on 6022 Soldiers			5. FUNDING NUMBERS	
6. AUTHOR(S) MAJ Joseph Knapik, Dr. Louis Banderet, Dr. Michael Bahrke, Dr. John O'Connor, LTC Bruce Jones and Dr. James Vogel				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US Army Research Institute of Environmental Medicine, Natick, MA 01760-5007			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Physical Fitness School Ft. Benning, GA 31905			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUBJECT TERMS				
12. DISTRIBUTION STATEMENT Approved for Public Release; Distribution Unlimited			13. DISTRIBUTION CODE	
14. ABSTRACT The purpose of this study was to develop normative values for Army Physical Fitness Test (APFT) events and to demonstrate the use of these normative values. Data, collected during the 1988 Active Army Physical Fitness Survey by the U.S. Army Physical Fitness School (USAPFS), were analyzed for this purpose. Subjects were 5346 male soldiers and 676 female soldiers from 14 Army installations in the United States. The APFT was administered by Master Fitness Trainers under the supervision of personnel from the USAPFS. Soldiers completed as many push-ups as possible in two minutes, as many sit-ups as possible in two minutes and performed a two-mile run for time. Data were separated into the age and gender categories on which the current APFT standards are based (17-21, 22-26, 27-31, 32-36, 37-41, 42-46, 47-51, ≥ 52 years). Percentile distributions were calculated for each event. Percentiles for raw scores and APFT points are presented in Tables 4 to 18 and Tables 19 to 33, respectively. Illustrative examples show how these norms can be used.				
15. SUBJECT TERMS Physical performance, military personnel, two-mile runs, sit-ups, push-ups, physical fitness			16. NUMBER OF PAGES	
			17. PRICE CODE	
18. SECURITY CLASSIFICATION OF REPORT Unclassified	19. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	20. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	21. LIMITATION OF ABSTRACT	

TABLE OF CONTENTS

	Page
LIST OF TABLES	iv
ACKNOWLEDGEMENTS	vi
EXECUTIVE SUMMARY	1
INTRODUCTION	2
METHODS	3
Subjects	3
Procedures	3
RESULTS	5
DISCUSSION	6
Case No. 1 - Individual Soldier	6
Case No. 2 - Exceptional Performance on the APFT	7
Case No. 3 - Evaluation of a Unit PT Program	7
Case No. 4 - Comparing Soldiers of Different Age and Gender	8
Case No. 5 - Fitness of an Artillery Unit	9
Case No. 6 - Unit Fitness After a Deployment	9
REFERENCES	46
DISTRUBITION LIST	47

DTIC QUALITY INSPECTED 8

Accession For	
NTIS - GPO&I	☒
DTIC - JPL	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
A-1	

LIST OF TABLES

Table No.

1.	Number of Soldiers Requested from Military Installations and Number Actually Tested (O'Connor et al., 1990)	11
2.	Physical Characteristics of the Male and Female Soldiers by Age Group	12
3.	Descriptive Statistics on the APFT Events for the Male and Female Soldiers Without Regard to Age	13
4.	APFT Raw Scores for Male Soldiers 17-21 Years	14
5.	APFT Raw Scores for Male Soldiers 22-26 Years	15
6.	APFT Raw Scores for Male Soldiers 27-31 Years	16
7.	APFT Raw Scores for Male Soldiers 32-36 Years	17
8.	APFT Raw Scores for Male Soldiers 37-41 Years	18
9.	APFT Raw Scores for Male Soldiers 42-46 Years	19
10.	APFT Raw Scores for Male Soldiers 47-51 Years	20
11.	APFT Raw Scores for Male Soldiers ≥ 52 Years*	21
12.	APFT Raw Scores for Female Soldiers 17-21 Years	22
13.	APFT Raw Scores for Female Soldiers 22-26 Years	23
14.	APFT Raw Scores for Female Soldiers 27-31 Years	24
15.	APFT Raw Scores for Female Soldiers 32-36 Years	25
16.	APFT Raw Scores for Female Soldiers 37-41 Years	26
17.	APFT Raw Scores for Female Soldiers 42-46 Years	27

18.	APFT Raw Scores for Female Soldiers 47-51 Years*	28
19.	APFT Points for Male Soldiers 17-21 Years	29
20.	APFT Points for Male Soldiers 22-26 Years	30
21.	APFT Points for Male Soldiers 27-31 Years	31
22.	APFT Points for Male Soldiers 32-36 Years	32
23.	APFT Points for Male Soldiers 37-41 Years	33
24.	APFT Points for Male Soldiers 42-46 Years	34
25.	APFT Points for Male Soldiers 47-51 Years	35
26.	APFT Points for Male Soldiers ≥ 52 Years*	36
27.	APFT Points for Female Soldiers 17-21 Years	37
28.	APFT Points for Female Soldiers 22-26 Years	38
29.	APFT Points for Female Soldiers 27-31 Years	39
30.	APFT Points for Female Soldiers 32-36 Years	40
31.	APFT Points for Female Soldiers 37-41 Years	41
32.	APFT Points for Female Soldiers 42-46 Years	42
33.	APFT Points for Female Soldiers 47-51 Years*	43
34.	Worksheet Used by CPT Waber (Case 5)	44
35.	Worksheet Used by SFC Gabby (Case 6)	45

ACKNOWLEDGEMENTS

We want to thank the many soldiers who provided the data that made this study possible. The cooperation of COL David White, Dr Louis Tomasi and Dr Mel Parks of the U.S. Army Physical Fitness School is also gratefully acknowledged. Thanks also to SPC Sonya Moore, SPC Tony McPherson and SPC Rex Hoyt who assembled many of the tables in this report.

EXECUTIVE SUMMARY

The purpose of this study was to develop normative values for Army Physical Fitness Test (APFT) events and to demonstrate the use of these normative values. Data, collected during the 1988 Active Army Physical Fitness Survey by the U.S. Army Physical Fitness School (USAPFS), were analyzed for this purpose. Subjects were 5346 male soldiers and 676 female soldiers from 14 Army installations in the United States. The APFT was administered by Master Fitness Trainers under the supervision of personnel from the USAPFS. Soldiers completed as many push-ups as possible in two minutes, as many sit-ups as possible in two minutes and performed a two-mile run for time. Data were separated into the age and gender categories on which the current APFT standards are based (17-21, 22-26, 27-31, 32-36, 37-41, 42-46, 47-51, ≥ 52 years). Percentile distributions were calculated for each event. Percentiles for raw scores and APFT points are presented in Tables 4 to 18 and Tables 19 to 33, respectively. Illustrative examples show how these norms can be used.

INTRODUCTION

The Army Physical Fitness Test (APFT) is an evaluation of general physical fitness as assessed by push-ups, sit-ups and a two-mile run. The APFT is the Army's basic fitness assessment tool and by regulation is taken by all personnel twice a year (FM 21-20, 1984). The test objective is to evaluate the aerobic capacity and muscular strength/endurance of soldiers based on their maximal effort on the test events (Knapik, 1989). The APFT is not an indicator of job performance but rather a simple measure of the soldier's physical fitness. Information provided by the APFT is intended to be used by commanders and individuals to assess the effectiveness of physical training programs and provide a basis for determining training requirements and planning programs to address shortcomings.

In 1988 the U.S. Army Physical Fitness School (USAPFS) was charged with studying the current level of physical fitness in active Army personnel (the 1988 Active Army Physical Fitness Survey). Staff members from USAPFS visited 14 military installations across the United States and administered the Army Physical Fitness Test (APFT) to over 6000 soldiers. The report of the findings and recommendations from the study were forwarded to the Army Chief of Staff through the Commander, Training and Doctrine Command (TRADOC) in the Spring of 1989. Some of the results from this study were also reported in the scientific literature (O'Connor, et al., 1990).

Due to many requests for more detailed information it was decided to develop

norms from these data. The purpose of this paper is to present percentile distributions of the APFT events and show how these distributions can be used to make comparisons of APFT scores between individuals and groups.

METHODS

SUBJECTS

Data were collected on 5346 male and 676 female soldiers from 14 U.S. Army installations: Ft Harrison, IN; Ft Campbell, KY; Ft Monroe, VA; Ft Bragg, NC; Ft McPherson, NC; Ft Jackson, NC; Ft Stewart, GA; Ft Gordon, GA; Ft McClellan, AL; Ft Riley, KS; Ft Hood TX; Ft Carson CO; Ft Ord, CA; Ft Lewis, WA.

An effort was made to test 1% of all soldiers in the U.S. Army grouped by five-year age categories beginning at age 17 years. U.S. Army Soldier Support Center, Alexandria, VA, provided age and gender distributions of the U.S. Army as of 1 September 1988 for this purpose. Table 1 shows the number of soldiers requested and those actually tested.

PROCEDURES

Master fitness trainers and non-commissioned officers from each installation measured the height and weight of each soldier. In most cases, weight was measured with a beam scale and height was measured with an anthropometer attached to the scale. Age, to the nearest whole year, was obtained from unit military records.

Master fitness trainers from the local installations administered the APFT between 1 October 1988 and 30 November 1988. They were trained and supervised by personnel from the U.S. Army Physical Fitness School (USAPFS). Testing was conducted using the standard Army-wide criteria described in Army Field Manual 21-20 (1984). The APFT consisted of three events: push-ups, sit-ups and a two-mile run. For both sit-ups and push-ups, repetitions completed in two minutes were recorded; for the two-mile run, time was recorded. A push-up was counted only if the soldier lowered his/her body in a generally straight line to a point where the upper arm was at least parallel to the ground, and then returned to the starting point with the elbows fully extended. Sit-ups were performed with the knees bent at a 90° angle, the hands behind the head and the legs anchored (the participants ankles were held on the ground by a second person). The soldier was required to raise the upper body to a vertical position so that the base of the neck was above the base of the spine and then return the upper body to the ground. Raw scores for each of the three APFT events were recorded and later converted to "points" using the standards described on DA Form 705 (May 1987).

Soldiers were informed that the APFT would be used for the soldier's record and were encouraged to provide a maximal effort. Testers observed soldiers not providing their "best" effort which was generally manifested by a soldier performing only the number of sit-ups or push-ups required to "pass" the tests without demonstrating effort. There were 609 soldiers who were judged to have not provided maximum effort. Scores from these subjects were not included in the database.

RESULTS

Table 2 shows descriptive statistics on the physical characteristics of male and female soldiers in each age group. For males, body mass increased as age increased, while height remained about the same. For females, there was little change in body mass or height with age.

Table 3 shows the descriptive statistics on the three APFT events for male and female soldiers without regard to age. Tables 4 to 11 show percentile distributions of **APFT raw scores** for male soldiers in each age category. Tables 12 to 18 shows percentile distributions of **APFT raw scores** for female soldiers in each age category. Distributions are shown from lowest performance levels (first percentile) to highest performance levels (ninety-ninth percentile). In the ≥ 52 -year age category, there were only 6 men and no women. In the 47-51 age category there were only 2 women; thus, Tables 11 (men) and 18 (women) show values for individual soldiers. Tables 19 to 26 display percentile distributions of **APFT points** for male soldiers by age groups. Tables 27 to 33 show **APFT points** for female soldiers by age groups. Tables 26 (≥ 52 -year men) and 33 (47-51 year women) show individual soldier values because of the limited sample sizes.

DISCUSSION

Tables 4 to 33 allow individuals, commanders, trainers, medical professionals and other interested personnel to compare their APFT scores to that of a large military group representative of soldiers in the wider U.S. Army. Individuals can examine relative changes in their fitness as a result of physical conditioning, deconditioning, injury or other influencing factors. Commanders and trainers can use the tables to examine how changes in physical training programs or deployments have influenced unit fitness. Researchers can use the tables to compare APFT scores from small samples to a larger, more representative military sample.

It is relatively easy for an individual soldier to obtain his/her percentile ranking. He/she needs only to compare his/her APFT scores to those in the tables. It is somewhat more involved to obtain the percentile rankings of a group of soldiers: it is necessary to 1) separate the sample into the appropriate gender and age groups, 2) calculate average APFT scores for each age group and 3) determine percentiles for each age group and each APFT event. Illustrative examples for both individual and group comparisons are given below.

CASE NO. 1 - INDIVIDUAL SOLDIER

SSG Very Strack is a 25 year old male soldier. On his last PT test he performed 56 push-ups, 67 sit-ups and finished the run in 13 min, 30 sec. By consulting Table 5 (age group 22-26 years) he can see that: 1) for push-ups he is above the 60th percentile (scores better than 60% of all soldiers), 2) for sit-ups he is

at the 70th percentile (scores better than 70% of all soldiers) and 3) for the run he is above the 80th percentile (scores better than 80% of soldiers). SGT Strack performs well on the APFT compared to other soldiers of his age.

CASE NO. 2 - EXCEPTIONAL PERFORMANCE ON THE APFT

SPC Dobbin had done an exceptional job on a recent training exercise and her Commanding Officer was writing the justification for her award recommendation. He wondered about SPC Dobbin's proficiency on the APFT. SPC Dobbin was a 21 year old, so the Commander used the Table for 17 to 21-year-old females (Table 12). SPC Dobbin performed 50 push-ups, 76 sit-ups, and ran two miles in 14 min, 12 sec. The Commander found these raw scores corresponded to percentile ranks of 95, 90, and 99, respectively. SPC Dobbin was surpassed by only 5, 10, and 1% of her female peers in the Army. The Commander added these data to the award recommendation.

CASE NO 3 - EVALUATION OF A UNIT PT PROGRAM

LTC Crusty Roads, Commander of an Infantry Battalion, wondered if the new unit PT program had been effective for his 17 to 21-year-old male soldiers. Improvement seemed obvious since his young soldiers' last APFT score was 247; a year ago it was 235. When LTC Roads examined Table 19, he found the young soldiers' fitness 6 months ago was at the 80th percentile; on the last APFT it was at the 89th percentile. LTC Roads realized his young male soldiers were surpassed by

only 11% of the males (in that age category) in the Army. Also, this past year his unit increased their fitness from the 80th to the 89th percentile--a remarkable gain since they were highly fit to begin with. LTC Roads passed this information on to his training officer and told him to keep up the good work.

CASE 4 - COMPARING SOLDIERS OF DIFFERENT AGE AND GENDER

LTC Zelda Distress was a 42-year-old nurse who was always the last person to complete the two-mile run during the APFT. Because LTC Distress recognized that male and female physical performances have different standards, she determined her rankings from the tables. She compared her scores to those of the unit's 29-year-old training NCO, SSG Meaner who often suggested she perform more PT.

On her last APFT, LTC Distress performed 28 push-ups, 71 sit-ups, and ran the two miles in 18 min and 24 sec. These scores correspond to percentile ranks of 90, 90, and 75 (Table 17). During the same APFT, SSG Meaner performed 61 push-ups, 72 sit-ups, and ran two miles in 14 min and 12 sec. Table 6 shows that the percentile ranks for these scores are 80, 83, and 70. The ranking of LTC Distress for each event, relative to her peers, is actually somewhat superior to that of the training sergeant with his peers.

CASE NO. 5 - FITNESS OF AN ARTILLERY UNIT

CPT Waber was proud of his soldiers - they were the finest artillery personnel he had ever known. After the battery APFT, he compared the raw scores and total points of his soldiers to soldiers of similar ages in the Army. Table 34 shows the worksheet that he used. Raw scores for each APFT event (and the total score) were tabulated separately for each age group. Only the 4 youngest age groupings were used since almost all soldiers were less than 37 years old. Averages were entered into Table 34; then, percentile ranks were determined from Tables 4-7 and Tables 19-22.

CPT Waber learned that the percentiles for the different age groupings for the sit-up, push-up, and 2-mile run events varied from 76-80, 80-84, and 77-80, respectively (See Table 34). Percentiles, based on total points for the APFT, varied from the 83-86. The APFT scores provided CPT Waber with another indication that he had truly outstanding soldiers.

CASE NO. 6 - UNIT FITNESS AFTER A DEPLOYMENT

Bayonet Battalion had just returned from a three-month training exercise in the Middle East. SFC Gabby, the training NCO, was concerned that the physical conditioning of the Battalion had deteriorated because they had less organized PT in the field. An APFT was conducted and raw scores for the 17-21 and 22-26 year-old age grouping were compared to scores collected 6 months earlier. These two groups

were chosen because 82% of the soldiers in the company were within these age limits.

Table 35 shows the worksheet SFC Gabby used. Scores for the male and female soldiers in the two age groups were first compiled and average values calculated for each event. Total points were also calculated for each age and gender category. Next, percentiles were obtained from appropriate tables for each age category for males (Tables 4-5 and 19-20) and females (Tables 12-13 and 27-28).

Looking at total points suggested that there had been some loss of fitness but not as much as SFC Gabby had suspected. Looking at individual APFT items gave a better picture of where the losses had occurred. The soldiers' scores for push-ups and sit-ups had decreased only slightly. On the other hand, two-mile run times had decreased severely. In fact, percentile ranking on the run showed that the soldiers had gone from far above average (>50th percentile) to well below average. SFC Gabby initiated changes in the PT program, increasing the amount of aerobic exercise.

TABLE 1
NUMBER OF SOLDIERS REQUESTED FROM MILITARY INSTALLATIONS
AND NUMBER ACTUALLY TESTED (O'CONNOR, ET AL., 1990)

AGE GROUP (YRS)	SOLDIERS REQUESTED (N)		SOLDIERS TESTED (N)		TESTED/ REQUESTED (%)	
	MEN	WOMEN	MEN	WOMEN	MEN	WOMEN
17-21	1302	138	1157	111	89	80
22-26	2852	310	1688	228	59	74
27-31	1476	212	1017	164	69	77
32-36	1180	122	825	119	70	98
37-41	532	24	382	34	72	142
42-46	352	10	217	18	62	180
47-51	80	10	54	2	68	20
≥52	16	10	6	0	38	0
TOTAL	7790	836	5346	676	66	84

TABLE 2
PHYSICAL CHARACTERISTICS OF THE MALE AND FEMALE SOLDIERS BY AGE GROUP

		17-21	22-26	27-31	32-36	37-41	42-46	47-51	≥52	ALL
MEN										
AGE (YRS)	M SD	20.0 0.9	23.7 1.4	28.9 1.4	33.7 1.4	38.7 1.4	43.4 1.3	48.5 1.4	52.3 0.5	27.6 7.0
BODY HEIGHT (CM)	M SD	176.6 7.3	176.4 7.3	176.5 7.5	176.2 7.3	176.3 7.2	176.7 7.6	178.7 7.2	176.5 10.3	176.5 7.3
BODY MASS (KG)	M SD	75.3 9.3	76.7 10.3	78.2 10.8	79.2 10.3	79.3 10.4	80.6 11.3	81.2 8.4	80.9 8.2	77.5 10.3
WOMEN										
AGE (YRS)	M SD	20.1 0.8	24.0 1.4	28.7 1.4	33.8 1.4	38.2 1.3	43.1 1.1	47.0 0.7		27.5 6.0
BODY HEIGHT (CM)	M SD	163.3 7.3	163.5 6.5	163.7 8.4	163.7 6.9	165.3 7.3	163.5 5.8	167.6 2.4		163.6 7.2
BODY MASS (KG)	M SD	59.0 7.4	59.8 6.8	61.6 7.8	63.1 8.5	61.7 7.3	60.6 6.5	54.5 2.5		60.8 7.6

TABLE 3
DESCRIPTIVE STATISTICS ON THE APFT EVENTS
FOR MALE AND FEMALE SOLDIERS WITHOUT REGARD TO AGE

	MEN				WOMEN			
	RAW SCORE*		POINTS		RAW SCORE*		POINTS	
	Mean	SD	MEAN	SD	MEAN	SD	MEAN	SD
PUSH-UPS	50.4	13.0	72.5	12.2	28.3	11.1	73.3	11.2
SIT-UPS	58.7	12.6	74.7	11.7	58.9	13.3	77.0	12.5
TWO-MILE RUN	15.1	1.7	77.9	17.1	18.3	2.1	79.7	20.5

* Raw score units for push-ups and sit-ups are repetitions and for two-mile run, minutes.

TABLE 4
APFT RAW SCORES FOR MALE SOLDIERS 17-21 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	29	38	19:16
5	35	47	17:20
10	41	51	16:30
20	44	54	15:44
25	45	55	15:33
30	46	56	15:23
40	50	60	15:01
50	52	61	14:40
60	55	64	14:20
70	58	67	13:55
75	60	69	13:45
80	62	70	13:28
90	70	75	12:54
95	74	80	12:25
99	83	90	11:50
MEAN	53.1	62.1	14:44
SD	11.6	10.2	1:30
SE	0.3	0.3	0:03
N	1157	1157	1117

TABLE 5
APFT RAW SCORES FOR MALE SOLDIERS 22-26 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	28	36	19:21
5	35	46	17:34
10	40	49	16:31
20	43	52	15:57
25	45	53	15:44
30	46	55	15:31
40	49	58	15:10
50	51	60	14:46
60	55	63	14:24
70	59	67	14:02
75	60	69	13:47
80	63	70	13:33
90	71	77	13:00
95	77	83	12:30
99	84	90	11:48
MEAN	53.2	61.5	14:50
SD	12.4	11.3	1:32
SE	0.3	0.3	0:02
N	1688	1688	1631

TABLE 6
APFT RAW SCORES FOR MALE SOLDIERS 27-31 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	23	32	20:21
5	33	42	17:56
10	38	45	17:06
20	40	50	16:27
25	42	50	16:12
30	43	52	15:56
40	46	55	15:31
50	49	59	15:06
60	51	62	14:38
70	56	66	14:12
75	59	67	13:54
80	61	70	13:41
90	69	76	13:11
95	76	82	12:42
99	82	90	11:59
MEAN	50.7	59.6	15:09
SD	12.7	12.3	1:40
SE	0.4	0.4	0:03
N	1017	1017	985

TABLE 7
APFT RAW SCORES FOR MALE SOLDIERS 32-36 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	20	30	20:25
5	30	39	17:58
10	33	40	17:28
20	36	45	16:43
25	38	46	16:30
30	40	49	16:16
40	42	51	15:49
50	46	55	15:26
60	50	57	15:02
70	52	61	14:34
75	55	64	14:23
80	58	66	14:10
90	65	74	13:30
95	73	80	13:04
99	84	90	11:56
MEAN	47.4	55.8	15:29
SD	13.1	12.7	1:36
SE	0.5	0.4	0:03
N	824	825	801

TABLE 8
APFT RAW SCORES FOR MALE SOLDIERS 37-41 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	19	28	21:59
5	30	34	19:02
10	32	35	18:17
20	34	40	17:31
25	35	40	17:15
30	36	42	16:53
40	39	45	16:22
50	41	49	15:54
60	45	52	15:27
70	48	55	14:57
75	50	58	14:41
80	53	61	14:25
90	62	71	13:38
95	70	76	13:19
99	80	86	12:15
MEAN	44.2	50.5	16:04
SD	12.4	13.2	2:15
SE	0.6	0.7	0:07
N	382	382	366

TABLE 9
APFT RAW SCORES FOR MALE SOLDIERS 42-46 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	10	16	21:51
5	26	25	19:29
10	27	30	18:30
20	30	32	17:42
25	30	35	17:31
30	31	36	17:20
40	33	40	16:54
50	36	44	16:28
60	40	48	16:02
70	42	51	15:30
75	44	53	15:18
80	46	55	15:07
90	53	64	14:24
95	61	70	13:44
99	70	79	12:05
MEAN	38.4	44.6	16:30
SD	11.5	13.3	1:43
SE	0.8	0.9	0:07
N	217	217	210

TABLE 10
APFT RAW SCORES FOR MALE SOLDIERS 47-51 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
5	22	26	19:45
10	23	28	19:26
20	25	29	18:48
25	27	30	18:26
30	28	30	17:50
40	30	32	17:30
50	32	35	17:12
60	38	38	16:51
70	40	47	17:58
75	43	52	15:43
80	47	55	15:29
90	57	61	14:51
95	64	68	12:43
MEAN	35.8	40.1	17:03
SD	12.8	13.6	2:01
SE	1.7	1.8	0:17
N	54	54	53

TABLE 11
APFT RAW SCORES FOR MALE SOLDIERS ≥ 52 YEARS*

RANK	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	22	23	18:56
2	27	30	18:52
3	31	35	18:08
4	31	42	15:51
5	34	53	15:46
6	36	59	15:45
MEAN	30.2	40.3	17:13
SD	5.0	13.8	1:35
SE	2.1	5.6	0:39
N	6	6	6

* These values are based on six soldiers.

TABLE 12
APFT RAW SCORES FOR FEMALE SOLDIERS 17-21 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	09	27	27:51
5	16	39	21:42
10	18	46	20:47
20	20	52	19:40
25	22	53	19:10
30	22	55	18:48
40	25	58	18:23
50	30	60	17:58
60	32	62	17:40
70	35	66	17:12
75	37	69	17:59
80	40	70	16:27
90	44	76	15:52
95	50	80	14:56
99	66	87	14:10
MEAN	30.0	60.3	18:12
SD	10.7	11.8	2:08
SE	1.0	1.1	0:12
N	111	111	111

TABLE 13
APFT RAW SCORES FOR FEMALE SOLDIERS 22-26 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	13	40	22:01
5	17	46	20:40
10	19	49	20:12
20	20	52	19:11
25	22	53	19:57
30	24	56	18:41
40	27	60	18:10
50	29	62	17:50
60	31	65	17:13
70	35	68	16:40
75	39	71	16:21
80	40	73	16:05
90	48	80	15:26
95	54	88	14:36
99	59	98	13:04
MEAN	31.0	63.2	17:42
SD	11.1	12.3	1:52
SE	0.7	0.8	0:08
N	228	228	222

TABLE 14
APFT RAW SCORES FOR FEMALE SOLDIERS 27-31 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	09	33	25:32
5	15	41	21:48
10	16	44	20:39
20	18	48	19:34
25	19	50	19:19
30	20	52	19:09
40	22	55	18:39
50	25	60	18:01
60	29	61	17:38
70	32	66	17:10
75	33	68	16:58
80	35	70	16:48
90	44	79	15:48
95	49	81	15:12
99	58	88	13:30
MEAN	27.5	59.5	18:15
SD	10.6	12.5	2:02
SE	0.8	1.0	0:10
N	164	164	159

TABLE 15
APFT RAW SCORES FOR FEMALE SOLDIERS 32-36 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	05	29	25:22
5	14	36	23:00
10	15	37	22:07
20	18	40	21:00
25	20	42	20:39
30	20	44	20:21
40	22	46	19:35
50	24	50	19:10
60	26	54	18:34
70	29	60	18:02
75	30	63	17:44
80	32	67	17:24
90	38	75	16:18
95	52	77	15:45
99	56	93	14:25
MEAN	25.6	53.1	19:15
SD	10.0	13.9	2:12
SE	0.9	1.3	0:12
N	119	119	115

TABLE 16
APFT RAW SCORES FOR FEMALE SOLDIERS 37-41 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
5	14	22	23:26
10	14	32	23:02
20	14	35	21:45
25	15	39	21:14
30	15	42	21:00
40	16	44	20:33
50	19	48	19:21
60	20	50	18:32
70	23	60	18:14
75	26	65	17:12
80	32	66	17:06
90	43	72	16:57
95	56	81	15:05
MEAN	22.9	50.4	19:26
SD	13.0	16.4	2:26
SE	2.2	2.8	0:25
N	34	34	34

TABLE 17
APFT RAW SCORES FOR FEMALE SOLDIERS 42-46 YEARS

PERCENTILE	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
10	12	30	23:30
20	14	34	22:12
25	15	35	22:09
30	15	38	21:43
40	16	44	20:53
50	17	50	20:19
60	20	53	20:02
70	22	55	18:53
75	22	57	18:26
80	23	58	17:52
90	28	71	16:09
MEAN	18.8	48.4	20:08
SD	5.6	14.3	2:18
SE	1.3	3.4	3:23
N	18	18	17

TABLE 18
APFT RAW SCORES FOR FEMALE SOLDIERS 47-51 YEARS*

RANK	PUSH-UPS (REPS)	SIT-UPS (REPS)	TWO-MILE RUN (MIN:SEC)
1	12	26	24:06
2	27	55	18:12
MEAN	19.5	40.5	21:09
SD	10.6	20.5	4:10
SE	7.5	14.5	2:57
N	2	2	2

* These values are based on two soldiers.

TABLE 19
APFT POINTS FOR MALE SOLDIERS 17-21 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	47	46	14	123
5	53	55	44	163
10	59	59	54	178
20	62	62	62	190
25	63	63	63	195
30	64	64	65	199
40	68	68	69	206
50	70	69	72	213
60	73	72	75	219
70	76	75	79	227
75	78	77	81	230
80	80	78	84	235
90	88	83	89	248
95	92	88	94	258
.99	100	98	100	277
MEAN	71.0	70.0	71.2	211.7
SD	11.4	10.2	15.7	29.4
SE	0.3	0.3	0.5	0.9
N	1157	1157	1148	1157

TABLE 20
APFT POINTS FOR MALE SOLDIERS 22-26 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	48	49	22	139
5	55	59	51	176
10	60	62	61	189
20	63	65	66	199
25	65	66	68	203
30	66	68	71	208
40	69	71	74	216
50	71	73	78	224
60	75	76	82	232
70	79	80	86	240
75	80	82	88	245
80	83	83	90	250
90	91	90	90	265
95	97	96	100	277
99	100	100	100	294
MEAN	73.1	74.4	77.1	224.2
SD	12.1	11.1	15.4	31.3
SE	0.3	0.3	0.4	0.8
N	1688	1688	1680	1688

TABLE 21
APFT POINTS FOR MALE SOLDIERS 27-31 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	45	50	24	127
5	55	60	54	181
10	60	63	62	191
20	62	68	66	203
25	64	68	71	208
30	65	70	73	212
40	68	73	77	221
50	71	77	82	229
60	73	80	86	238
70	78	84	91	249
75	81	85	93	252
80	83	88	96	258
90	91	94	100	273
95	98	100	100	285
99	100	100	100	300
MEAN	72.5	77.4	80.3	229.7
SD	12.5	11.8	15.9	33.2
SE	0.4	0.4	0.5	1.0
N	1017	1017	1011	1017

TABLE 22
APFT POINTS FOR MALE SOLDIERS 32-36 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	44	52	38	138
5	57	61	60	184
10	60	62	65	197
20	63	67	73	208
25	65	68	75	214
30	67	71	77	218
40	69	73	81	226
50	73	77	85	233
60	77	79	89	242
70	79	83	94	254
75	82	86	96	258
80	85	88	98	264
90	92	96	100	279
95	100	100	100	290
99	100	100	100	300
MEAN	74.0	77.5	83.6	234.8
SD	12.6	11.9	14.3	32.4
SE	0.4	0.4	0.5	1.1
N	824	825	823	825

TABLE 23
APFT POINTS FOR MALE SOLDIERS 37-41 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	44	54	23	135
5	58	61	58	178
10	60	62	65	193
20	62	67	72	203
25	63	67	74	209
30	64	69	78	214
40	67	72	83	223
50	69	76	88	232
60	73	79	92	241
70	76	82	97	251
75	73	85	99	255
80	81	88	100	260
90	90	98	100	282
95	98	100	100	292
99	100	100	100	300
MEAN	71.9	77.0	84.4	232.4
SD	12.1	12.5	15.9	34.7
SE	0.6	0.6	0.8	1.8
N	382	382	378	382

TABLE 24
APFT POINTS FOR MALE SOLDIERS 42-46 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	29	33	21	109
5	60	52	54	178
10	61	61	66	193
20	64	63	74	209
25	64	66	76	212
30	65	67	77	215
40	67	71	82	223
50	70	75	86	230
60	74	79	90	239
70	76	82	96	246
75	78	84	98	254
80	80	86	99	258
90	87	95	100	270
95	95	100	100	290
99	100	100	100	300
MEAN	71.9	74.9	83.6	230.1
SD	11.5	13.7	16.0	34.9
SE	0.8	0.9	1.1	2.4
N	217	217	216	217

TABLE 25
APFT POINTS FOR MALE SOLDIERS 47-51 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
5	59	59	59	184
10	61	61	63	192
20	63	62	69	196
25	65	63	75	200
30	66	63	77	203
40	68	65	81	219
50	70	68	84	226
60	76	71	88	237
70	78	80	97	247
75	81	85	99	251
80	85	88	100	261
90	95	94	100	285
95	100	100	100	293
MEAN	73.4	72.8	83.8	228.4
SD	12.5	13.6	14.0	36.0
SE	1.7	1.9	1.9	4.9
N	54	54	53	54

TABLE 26
APFT POINTS FOR MALE SOLDIERS ≥ 52 YEARS*

RANK	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	66	54	70	188
2	71	64	71	218
3	75	69	78	233
4	75	76	100	243
5	78	87	100	253
6	80	93	100	268
MEAN	74.2	73.8	86.5	234.5
SD	5.0	14.6	15.0	27.6
SE	2.1	5.9	6.1	11.3
N	6	6	6	6

* These values are based on six soldiers.

TABLE 27
APFT POINTS FOR FEMALE SOLDIERS 17-21 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	36	37	5	105
5	56	49	29	130
10	60	56	38	155
20	62	62	55	182
25	64	63	57	187
30	64	65	61	195
40	67	68	66	203
50	72	70	69	214
60	74	72	72	220
70	77	76	77	224
75	79	79	79	234
80	82	80	84	238
90	86	86	90	252
95	92	90	100	254
99	100	97	100	272
MEAN	71.6	70.3	67.2	207.2
SD	11.2	11.7	19.8	35.7
SE	1.1	1.1	1.9	3.4
N	111	111	108	111

TABLE 28
APFT POINTS FOR FEMALE SOLDIERS 22-26 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	55	55	22	146
5	61	61	48	177
10	63	64	55	190
20	64	67	64	203
25	66	68	67	207
30	68	71	69	213
40	71	75	74	219
50	73	77	77	228
60	75	80	83	236
70	79	83	89	246
75	83	86	92	254
80	84	88	95	259
90	92	95	100	277
95	98	100	100	284
99	100	100	100	299
MEAN	74.7	77.8	77.5	229.3
SD	11.4	11.4	17.0	33.0
SE	0.8	0.8	1.1	2.2
N	228	228	226	228

TABLE 29
APFT POINTS FOR FEMALE SOLDIERS 27-31 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	47	53	32	127
5	60	61	59	180
10	62	64	64	202
20	64	68	74	210
25	65	70	77	214
30	66	72	79	219
40	68	75	84	230
50	71	80	90	239
60	75	81	94	250
70	78	86	98	256
75	79	88	100	260
80	81	90	100	266
90	90	99	100	276
95	95	100	100	288
99	100	100	100	297
MEAN	73.2	79.3	85.8	236.8
SD	10.8	12.0	14.7	32.6
SE	0.8	0.9	1.2	2.5
N	164	164	161	164

TABLE 30
APFT POINTS FOR FEMALE SOLDIERS 32-36 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	30	54	14	111
5	60	61	56	187
10	62	62	66	200
20	66	65	75	215
25	68	67	79	220
30	68	69	82	224
40	70	71	90	232
50	72	75	94	240
60	74	79	100	245
70	77	85	100	251
75	78	88	100	259
80	80	92	100	264
90	86	100	100	280
95	100	100	100	299
99	100	100	100	300
MEAN	75.0	77.6	87.2	237.8
SD	11.1	12.9	18.0	33.3
SE	1.0	1.2	1.6	3.1
N	119	119	119	119

TABLE 31
APFT POINTS FOR FEMALE SOLDIERS 37-41 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
5	62	45	61	188
10	62	62	65	200
20	62	65	78	212
25	64	69	83	214
30	64	72	86	218
40	66	74	90	236
50	71	78	100	246
60	72	80	100	250
70	75	90	100	260
75	78	95	100	267
80	84	96	100	268
90	95	100	100	294
95	100	100	100	300
MEAN	72.6	78.9	90.6	242.1
SD	11.8	15.7	13.4	32.1
SE	2.0	2.7	2.3	5.5
N	34	34	34	34

TABLE 32
APFT POINTS FOR FEMALE SOLDIERS 42-46 YEARS

PERCENTILE	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
10	60	63	65	198
20	64	67	78	218
25	66	68	78	225
30	66	71	86	228
40	67	77	93	234
50	70	83	98	244
60	75	86	94	253
70	77	88	100	259
75	77	90	100	263
80	78	91	100	266
90	83	100	100	283
MEAN	71.3	80.5	90.4	242.3
SD	8.0	12.6	12.8	26.2
SE	1.9	3.0	3.0	6.2
N	18	18	18	18

TABLE 33
APFT POINTS FOR FEMALE SOLDIERS 47-51 YEARS*

RANK	PUSH-UP POINTS	SIT-UP POINTS	TWO-MILE RUN POINTS	TOTAL POINTS
1	68	62	64	194
2	86	91	100	277
MEAN	77.0	76.5	82.0	235.5
SD	12.7	20.5	25.5	58.7
SE	9.0	14.5	18.0	41.5
N	2	2	2	2

* These values are based on two soldiers.

TABLE 34
WORKSHEET USED BY CPT WABER (CASE 5)

		AGE GROUP			
		17-21	22-26	27-31	32-36
PUSH-UPS	Raw Score	61	62	61	57
	Percentile	78	78	80	76
SIT-UPS	Raw Score	72	70	72	69
	Percentile	84	80	82	84
TWO-MILE RUN	Raw Score	13:30	13:36	13:48	14:19
	Percentile	80	80	78	77
TOTAL POINTS	Points	243	255	263	271
	Percentile	86	83	83	85

TABLE 35
WORKSHEET USED BY SFC GABBY (CASE 6)

		AGE GROUP 17-21		AGE GROUP 22-26	
		CURRENT APFT	PAST APFT	CURRENT APFT	PAST APFT
MEN					
PUSH-UPS	Raw Score	60	62	55	60
	Percentile	75	80	60	75
SIT-UPS	Raw Score	64	63	65	67
	Percentile	60	57	65	70
TWO-MILE RUN	Raw Score	15:06	14:18	15:00	14:00
	Percentile	40	60	45	70
TOTAL POINTS	Points	218	227	229	246
	Percentile	59	70	69	76
WOMEN					
PUSH-UPS	Raw Score	35	39	35	40
	Percentile	70	75	70	80
SIT-UPS	Raw Score	68	66	68	70
	Percentile	73	70	70	74
TWO-MILE RUN	Raw Score	18:24	17:12	17:48	16:00
	Percentile	40	70	50	82
TOTAL POINTS	Raw Score	220	234	240	265
	Percentile	60	75	64	83

REFERENCES

U.S. Army. Physical Fitness Training, Washington D.C., Field Manual 21-18, 1984.

Knapik, J.J. The Army Physical Fitness Test (APFT): a review of the literature. Milit Med 154: 326-329, 1989.

O'Connor, J.S., Bahrke, M.S. and Tetu, R.G. 1988 active Army physical fitness survey. Milit Med 155: 579-585, 1990.

DISTRIBUTION LIST

6 Copies to:

Director
U.S. Army Physical Fitness School
ATTN: ATZB-PF
Ft Benning GA 31905

2 Copies to:

Defense Technical Information Center
ATTN: DTIC-DDA
Alexandria, VA 22304-6145

Office of the Assistant Secretary of Defense (Hlth Affairs)
ATTN: Medical Readiness
Washington, DC 20301-1200

Commander
U.S. Army Medical Research and Development Command
ATTN: SGRD-OP
Fort Detrick
Frederick, MD 21701-5012

Commander
U.S. Army Medical Research and Development Command
ATTN: SGRD-PLC
Fort Detrick
Frederick, MD 20701-5012

Commander
U.S. Army Medical Research and Development Command
ATTN: SGRD-PLE
Fort Detrick
Frederick, MD 20701-5012

Commandant
Army Medical Department Center and School
ATTN: HSHA-FR, Bldg 2840
Fort Sam Houston, TX 78236

1 Copy to:

JCS
Medical Plans and Operations Division
Deputy Director for Medical Readiness
ATTN: RAD Smyth
Pentagon, Washington, DC 20310

HQDA
Office of the Surgeon General
Preventive Medicine Consultant
ATTN: SGPS-PSP
5109 Leesburg Pike
Falls Church, VA 22041-3258

HQDA
Assistant Secretary of the Army for Research, Development and
Acquisition
ATTN: SARD-TM
Pentagon, Washington, DC 20310

HQDA
Office of the Surgeon General (ATTN: DASG-ZA)
5109 Leesburg Pike
Falls Church, VA 22041-3258

HQDA
Office of the Surgeon General
Assistant Surgeon General
ATTN: DASG-RDZ/Executive Assistant
Room 3E368, The Pentagon
Washington, DC 20310-2300

HQDA
Office of the Surgeon General
ATTN: DASG-MS
5109 Leesburg Pike
Falls Church, VA 22041-3258

Dean
School of Medicine
Uniformed Services University of the Health Sciences
4301 Jones Bridge Road
Bethesda, MD 20814-4799

**Department of Military and Emergency Medicine
Uniformed University of Health Sciences
4301 Jones Bridge Road
Bethesda, MD 20814-4799**

**Stimson Library
Army Medical Department Center & School
ATTN: Chief Librarian
Bldg 2840, Room 106
Fort Sam Houston, TX 78234-6100**

**Commandant
Army Medical Department Center & School
ATTN: Director of Combat Development
Fort Sam Houston, TX 78234-6100**

**Commander
U.S. Army Aeromedical Research Laboratory
ATTN: SGRD-UAX-SI
Fort Rucker, AL 36362-5292**

**Commander
U.S. Army Medical Research Institute of Chemical Defense
ATTN: SGRD-UVZ
Aberdeen Proving Ground, MD 21010-5425**

**Commander
U.S. Army Medical Material Development Activity
ATTN: SGRD-UMZ
Fort Detrick
Frederick, MD 21701-5009**

**Commander
U.S. Army Institute of Surgical Research
ATTN: SGRD-USZ
Fort Sam Houston, TX 78234-6200**

**Commander
U.S. Army Medical Research Institute of Infectious Disease
ATTN: SGRD-UIZ
Fort Detrick, MD 21701-5011**

Director
Walter Reed Army Institute of Research
ATTN: SGRD-UWZ-C (Director for Research Management)
Washington, DC 20307-5100

Commander
U.S. Army Natick Research, Development & Engineering Center
ATTN: SATNC-Z
Natick, MA 01760-5000

Commander
U.S. Army Natick Research, Development & Engineering Center
ATTN: SATNC-T
Natick, MA 01760-5002

Commander
U.S. Army Natick Research, Development & Engineering Center
ATTN: SATNC-MIL
Natick, MA 01760-5039

Commander
U.S. Army Natick Research, Development & Engineering Center
ATTN: SATNC-I
Natick, MA 01760-5019

Commander
U.S. Army Natick Research, Development & Engineering Center
ATTN: SATNC-IC
Natick, MA 01760-5019

Commander
U.S. Army Natick Research, Development & Engineering Center
ATTN: SATNC-IU
Natick, MA 01760-5019

Commander
U.S. Army Natick Research, Development & Engineering Center
ATTN: SATNC-ICC
Natick, MA 01760-5019

Commander
U.S. Army Research Institute for the Social and Behavioral Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333-5600

Commander
U.S. Army Training and Doctrine Command
Office of the Surgeon
ATTN: ATMD
Fort Monroe, VA 23651-5000

Commander
U.S. Army Environmental Hygiene Agency
Aberdeen Proving Ground, MD 21010-5422

Director, Biological Sciences Division
Office of Naval Research - Code 141
800 N. Quincy Street
Arlington, VA 22217

Commanding Officer
Naval Medical Research & Development Command
NNMC/Bldg 1
Bethesda, MD 20889-5044

Commanding Officer
U.S. Navy Clothing & Textile Research Facility
ATTN: NCTRF-01
Natick, MA 01760-5000

Commanding Officer
Navy Environmental Health Center
2510 Walmer Avenue
Norfolk, VA 23513-2617

Commanding Officer
Naval Aerospace Medical Institute (Code 32)
Naval Air Station
Pensacola, FL 32508-5600

Commanding Officer
Naval Medical Research Institute
Bethesda, MD 20889

Commanding Officer
Naval Health Research Center
P.O. Box 85122
San Diego, CA 92138-9174

Commander
Armstrong Medical Research Laboratory
Wright-Patterson Air Force Base, OH 45433

Commander
USAF Armstrong Medical Research Laboratory
ATTN: Technical Library
Brooks Air Force Base, TX 78235-5301

Commander
US Air Force School of Aerospace Medicine
Brooks Air Force Base, TX 78235-5000

PM Soldier
14050 Dawson Beach Road
Woodbridge, VA 22191-1419

HQ, Ranger Training Brigade
ATTN: COL Church/Bldg. 5024
Ft. Benning, GA 31905-5430

Commanding General
U.S. Army Safety Center
Ft. Rucker, AL 36362

Commander
U.S. Army Infantry School
Ft. Benning, GA 31905

Commander
JFK Special Warfare Center and School
ATTN: AOJK-SU
Ft. Bragg, NC 28307

Director
Army Physical Fitness Research Institute
Army War College
Carlisle Barracks, PA 17013

Director
Special Forces Combat Developments
Ft Bragg, NC 28307

HQDA (DASG-DB)
5109 Leesburg Pike
Falls Church, VA 22041-3258