



DTIC
DEPARTMENT OF THE ARMY
U.S. ARMY ARMAMENT RESEARCH, DEVELOPMENT AND ENGINEERING CENTER
PICATINNY ARSENAL, NJ 07806-5000



REPLY TO
ATTENTION OF

AD-A277 845



SMCAR-AEP (1mm)

24 MAR 1994

MEMORANDUM FOR Commander, Defense Technical Information Center,
Building 5, Cameron Station, Alexandria, VA,
22304-6145

SUBJECT: Release of Performance Oriented Packaging Compliance
Report

1. The enclosed report (DOD POP HMTR/ADY 94-007) entitled:
"Performance Oriented Packaging (POP) Testing of Packaging for
Ground Emplaced Mines (i.e., M74, M75 and M79 Mines)" is hereby
submitted to the Defense Technical Information Center for formal
release. Notification of the formal release should be made to:

U.S. Army Armament Research, Development and Engineering
Center, ATTN: Mr. Joseph Granuzzo (SMCAR-AEP), Picatinny
Arsenal, N.J. 07806-5000


2. If there are any problems, questions or comments regarding
this report, contact Mr. Joseph Granuzzo at 201-724-2156
(DSN 880-2156).

Gene Farrell

Encl
as

GENE FARRELL
Acting Chief, Packaging Division

DTIC
ELECTE
APR 05 1994
S E D



bpj

94-10016



94 4 1 078

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE			Unlimited		
4. PERFORMING ORGANIZATION REPORT NUMBER(S) DOD POP HMIR/AYD 94-007			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION Packaging Division, AED		6b. OFFICE SYMBOL (if applicable) SMCAR-AEP	7a. NAME OF MONITORING ORGANIZATION		
6c. ADDRESS (City, State, and ZIP Code) U.S. Army, ARDEC Picatinny Arsenal, NJ 07806-5000			7b. ADDRESS (City, State, and ZIP Code)		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N/A		
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS		
PROGRAM ELEMENT NO.		PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.	
11. TITLE (Include Security Classification) Performance Oriented Packaging (POP) Testing for Packaging of Ground Emplaced Mines (i.e., M74, M75 and M79 Mines).					
12. PERSONAL AUTHOR(S) Joseph P. Granuzzo					
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day)	
15. PAGE COUNT 4					
16. SUPPLEMENTARY NOTATION See attached					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP			
19. ABSTRACT (Continue on reverse if necessary and identify by block number) This Performance Oriented Packaging (POP) report is for the Ground Emplaced Mines (M74, M75, & M79 Mines) packed 40 per metal ammunition container IAW drawing 12624514. This report describes results of testing conducted on a similar packaging which is used as an analogy for this item.					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☐ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL STEVE RUFFINI			22b. TELEPHONE (Include Area Code) 201-724-2515		22c. OFFICE SYMBOL SMCAR-AEP

I. Report Number: DOD POP HMTR/ADY 94-007

II. Title: Performance Oriented Packaging (POP) Testing for Packaging of Ground Emplaced Mines (i.e. M74, M75 and M79 Mines)

CONTAINER DRAWING NUMBER: 9342676

Author: Joseph P. Granuzzo

Performing Activity: U.S. Army Armament Research,
Development and Engineering Center
(ARDEC)

Address: Department of the Army
Commander, U.S. Army ARDEC
Attn: SMCAR-AEP
Picatinny Arsenal, N.J. 07806-5000

Date: February 1994

Distribution Statement A.

Approved for public release; distribution is unlimited.

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

1. DATA SHEET:

a. CONTAINER:

Type: Box, Ammo, Packaging: Steel; Level A Container, IAW AR-700-15 and AR-746-1.
Dwg. 9342676: Shipping & Storage Container, Mine.
UN CODE: 4A1
Material: Low and Intermediate tensile strength carbon steel plates of structural quality ASTM A283.
Capacity: 4974.3 CU. IN.
Dimensions: Outside: (length, width, height)
CM 69.3 X 34.8 X 33.8 (INCH 27.3 X 13.7 X 13.3)
Tare weight: Est. 22.70 kg (50 lbs) per Dwg. 12624514
Closure: Tee bolts torqued to 16.± 2 foot pounds
Gasket sealed

b. PRODUCT:

System: Ground Emplaced Mine Scattering System (GEMSS):
Mines
Name: M74 AP: Mines, Dwg. 9292227-1 & -2
M75 AT: HE Mines, Dwg. 9292600
M79 Practice Mines (Inert), Dwg. 9317994
DODIC: M74: K151
M75: K184
M79: K234
United Nations No.: UN0137
United Nations Packaging Group: II
Physical State: Solid

c. PACKAGING AND MARKING:

Dwg. 12624514: Pkg & Mkg for Shipping and Storage Container,
Mine for Mine, AT: HE, M75; Mine, AP: HE, M74 or
Mine, AT, PRAC: M79

Amount per Container: 40 Mines in 8 Sleeves (Fiber)

Gross Weight: M74: 83.18 kg (183 lbs)
M79: 91.36 kg (201 lbs)
M75: 99.55 kg (219 lbs)

Dwg. 12624515: Pkg & Mkg for Container, Fiberboard for Mine,
AP: HE, M74; Mine, AT: HE, M75; or Mine, AT:
PRAC; M79

2. BACKGROUND, TESTS, AND RESULTS:

The Department of Transportation (DOT) per Code of Federal Regulations (CFR, Title 49, Parts 100-180, dated 1 Oct 1992, requires that Hazardous Materials should be packed in a container that passes the Performance Oriented Packaging (POP) tests.

The GEMSS shipping and storage container per drawing 9313655 is of the same design as the container per drawing 9342676, however, slightly smaller and weighs less.

Reference the following documents:

- a. Code of Federal Regulations, Title 49, Dated 1 October 1992.
- b. POP Report DOD POP HMTR/ADY 94-006


Instead of testing the specific container used for the GEMSS mines packed in accordance with 12624514, the container is certified to meet the requirements of Reference 2a based on a previously tested GEMSS container with the following weight and dimensions:

Tare weight: Est. 25.00 kg (55 lbs)
Dimensions: Outside: (length, width, height)
CM 69.3 X 35.8 X 38.6 (INCH 27.3 X 14.1 X 15.2)

Stacking Test, Loose Cargo Test and Four Foot Drops were conducted in accordance with Reference 2b. The results indicated no leakage or spillage of contents from the metal container following any of the tests, thus satisfying the requirements of the 49 CFR. This falls within the guidelines for analogy IAW Variation 3 of PPara. 178.601(g) of Reference 2a. Thus, the container design per ARDEC drawing 9342676 is considered to be safe for domestic and international transportation in accordance with Performance Oriented Packaging Regulations by analogy.

3. CONCLUSION:

Based upon the above POP testing, the following UN POP symbol has been applied to the GEMSS Shipping and storage container (Dwg. 9313655 when loaded with M74 and M75 mines IAW drawing 12624514:



----- NOTE 1
/
4A1/Y ** /S/** ----- NOTE 2
USA/DOD/AYD

** NOTE 1 - Insert Mass Density (MD) as follows:

M74: MD = 93
M75: MD = 110

** NOTE 2- Insert last 2 digits of year packed.