

USAARL Report No. 94-13

AD-A278 987



**Accommodation During Instrument Viewing  
Can Be Influenced  
By Knowledge of Object Distance  
(Reprint)**

By

John C. Kotulak  
Stephen E. Morse  
Roger W. Wiley

DTIC  
ELECTE  
MAY 06 1994  
S G D

Aircrew Health and Performance Division

94-13662



MP

March 1994

DTIC QUALITY MONITORING

Approved for public release; distribution unlimited.

94 5 05 1 22

United States Army Aeromedical Research Laboratory  
Fort Rucker, Alabama 36362-0577

## Notice

### Qualified requesters

Qualified requesters may obtain copies from the Defense Technical Information Center (DTIC), Cameron Station, Alexandria, Virginia 22314. Orders will be expedited if placed through the librarian or other person designated to request documents from DTIC.

### Change of address

Organizations receiving reports from the U.S. Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.

### Disposition

Destroy this document when it is no longer needed. Do not return it to the originator.

### Disclaimer

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation. Citation of trade names in this report does not constitute an official Department of the Army endorsement or approval of the use of such commercial items.

### Human use


Human subjects participated in these studies after giving their free and informed voluntary consent. Investigators adhered to AR 70-25 and USAMRDC Reg 70-25 on Use of Volunteers in Research.

Reviewed:

  
RICHARD R. LEVINE  
LTC, MS

Director, Aircrew Health and Performance Division

Released for publication:

  
ROGER W. WILEY, O.D., Ph.D.  
Chairman, Scientific  
Review Committee

  
DAVID H. KARNEY  
Colonel, MC, SFS  
Commanding

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

| REPORT DOCUMENTATION PAGE                                                                                                                                                                                                                               |       |                                                     |                                                                                                                                 | Form Approved<br>OMB No. 0704-0188 |                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-----------------------------------|
| 1a. REPORT SECURITY CLASSIFICATION<br>Unclassified                                                                                                                                                                                                      |       |                                                     | 1b. RESTRICTIVE MARKINGS                                                                                                        |                                    |                                   |
| 2a. SECURITY CLASSIFICATION AUTHORITY                                                                                                                                                                                                                   |       |                                                     | 3. DISTRIBUTION / AVAILABILITY OF REPORT<br>Approved for public release; distribution unlimited                                 |                                    |                                   |
| 2b. DECLASSIFICATION / DOWNGRADING SCHEDULE                                                                                                                                                                                                             |       |                                                     |                                                                                                                                 |                                    |                                   |
| 4. PERFORMING ORGANIZATION REPORT NUMBER(S)<br><br>USAARL Report No. 94-13                                                                                                                                                                              |       |                                                     | 5. MONITORING ORGANIZATION REPORT NUMBER(S)                                                                                     |                                    |                                   |
| 6a. NAME OF PERFORMING ORGANIZATION<br>U.S. Army Aeromedical Research Laboratory                                                                                                                                                                        |       | 6b. OFFICE SYMBOL<br>(If applicable)<br>SGRD-UAS-VS | 7a. NAME OF MONITORING ORGANIZATION<br>U.S. Army Medical Research, Development, Acquisition and Logistics Command (Provisional) |                                    |                                   |
| 6c. ADDRESS (City, State, and ZIP Code)<br>P.O. Box 620577<br>Fort Rucker, AL 36362-0577                                                                                                                                                                |       |                                                     | 7b. ADDRESS (City, State, and ZIP Code)<br>Fort Detrick<br>Frederick, MD 21702-5012                                             |                                    |                                   |
| 8a. NAME OF FUNDING / SPONSORING ORGANIZATION                                                                                                                                                                                                           |       | 8b. OFFICE SYMBOL<br>(If applicable)                | 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER                                                                                 |                                    |                                   |
| 8c. ADDRESS (City, State, and ZIP Code)                                                                                                                                                                                                                 |       |                                                     | 10. SOURCE OF FUNDING NUMBERS                                                                                                   |                                    |                                   |
|                                                                                                                                                                                                                                                         |       | PROGRAM ELEMENT NO.<br>0602787A                     | PROJECT NO. 3M162<br>787879                                                                                                     | TASK NO.<br>BG                     | WORK UNIT ACCESSION NO.<br>174    |
| 11. TITLE (Include Security Classification)<br><br>Accommodation During Instrument Viewing Can Be Influenced by Knowledge of Object Distance                                                                                                            |       |                                                     |                                                                                                                                 |                                    |                                   |
| 12. PERSONAL AUTHOR(S)<br>John C. Kotulak, Stephen E. Morse, and Roger W. Wiley                                                                                                                                                                         |       |                                                     |                                                                                                                                 |                                    |                                   |
| 13a. TYPE OF REPORT<br>Final                                                                                                                                                                                                                            |       | 13b. TIME COVERED<br>FROM _____ TO _____            | 14. DATE OF REPORT (Year, Month, Day)<br>1994 March                                                                             |                                    | 15. PAGE COUNT<br>4               |
| 16. SUPPLEMENTARY NOTATION<br>Printed in the Optical Society of America Technical Digest Vision Science and its Applications, Vol 2, February 1994, pp. 175-178.                                                                                        |       |                                                     |                                                                                                                                 |                                    |                                   |
| 17. COSATI CODES                                                                                                                                                                                                                                        |       |                                                     | 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)                                               |                                    |                                   |
| FIELD                                                                                                                                                                                                                                                   | GROUP | SUB-GROUP                                           | Instrument myopia, accommodation, night vision goggles, known object distance                                                   |                                    |                                   |
| 20                                                                                                                                                                                                                                                      | 06    |                                                     |                                                                                                                                 |                                    |                                   |
| 23                                                                                                                                                                                                                                                      | 02    |                                                     |                                                                                                                                 |                                    |                                   |
| 19. ABSTRACT (Continue on reverse if necessary and identify by block number)<br><br>The level of accommodation during instrument viewing is influenced by the perceived nearness of the object in subjects with proximal, but not distal, dark focuses. |       |                                                     |                                                                                                                                 |                                    |                                   |
| 20. DISTRIBUTION / AVAILABILITY OF ABSTRACT<br><input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS                                                                     |       |                                                     | 21. ABSTRACT SECURITY CLASSIFICATION<br>Unclassified                                                                            |                                    |                                   |
| 22a. NAME OF RESPONSIBLE INDIVIDUAL<br>Chief, Scientific Information Center                                                                                                                                                                             |       |                                                     | 22b. TELEPHONE (Include Area Code)<br>(205) 255-6907                                                                            |                                    | 22c. OFFICE SYMBOL<br>SGRD-UAX-SI |

# ACCOMMODATION DURING INSTRUMENT VIEWING CAN BE INFLUENCED BY KNOWLEDGE OF OBJECT DISTANCE

John C. Kotulak, Stephen E. Morse, and Roger W. Wiley

U.S. Army Aeromedical Research Laboratory  
Fort Rucker, AL 36362-0577

## INTRODUCTION

Instrument myopia generally is thought to arise from excessive accommodation.<sup>1,2</sup> Although the level of instrument accommodation is known to be influenced by physiological factors, such as the tendency of accommodation to seek its resting point or dark focus when the feedback loop is opened by a small exit pupil, the contribution of psychological factors, such as perceived nearness, is still debated.<sup>3-5</sup> Some investigators have found that perceived distance has no effect on accommodation under ordinary, closed loop conditions,<sup>3,6,7</sup> and others have found the opposite when the feedback loop is open.<sup>8-10</sup> However, the feedback loop during instrument viewing probably exists mostly in an intermediate state which is neither completely closed nor completely open, because factors such as decreased luminance and small exit pupil size partially open the loop.<sup>3-5</sup> We call this intermediate condition "semi-open" loop. In this paper, we describe an experiment in which accommodation was measured during instrument viewing while the feedback loop was semi-open. During this experiment, object distance was varied but accommodative demand was held constant at infinity. Our purpose was to determine if perceived nearness affects instrument accommodation under realistic viewing conditions.

## METHODS

The optical instrument was a pair of binocular night vision goggles with unity magnification, which electronically amplify ambient light and provide a photopic visual display under night sky conditions. The night vision goggle image creates the semi-open loop conditions which we desired for this experiment because of its relatively low luminance (1 cd/m<sup>2</sup>), its low spatial frequency content (the -3 dB rolloff of the spatial modulation transfer function is at 5 cycles/degree), and the presence of uncorrelated dynamic visual noise.<sup>11</sup> The visual stimulus was a Bailey-Lovie visual acuity chart, which provides targets of the same visual angle at each test distance that was used in the experiment (6, 1, 0.5, and 0.33 m). Accommodation was measured

|                                     |
|-------------------------------------|
| <input checked="" type="checkbox"/> |
| <input type="checkbox"/>            |
| <input type="checkbox"/>            |
| <input type="checkbox"/>            |
| <input type="checkbox"/>            |


Availability Codes

| Dist | Avail and/or<br>Special |
|------|-------------------------|
| A-1  |                         |


monocularly under steady-state conditions with a dynamic infrared optometer. The steady-state values were calculated from the mean of 600 samples (20 samples/sec X 30 sec/trial). Dark focus was obtained in a similar fashion. Object distance was varied randomly over the test range, while image distance, size, luminance, and contrast were held constant. The instrument eyepieces were set to 0.0 D and the objective lenses were focused for the object distance. The subject was informed of object distance and was instructed to observe as the test distance was measured out. The subject's task was to view through the instrument and keep threshold sized letters clear. Seven young adult volunteer subjects were used. All subjects were either 20/20 or corrected to 20/20 for the target distance, and were free from eye disease or other ocular anomalies.

## RESULTS

Figure 1, in which each plot represents a different subject, shows how instrument accommodation varied with object distance.



**Figure 1.** Accommodation as a function of object distance when the data of each subject are shown individually.



**Figure 2.** Accommodation as a function of object distance when the subjects are grouped according to susceptibility to proximal cues.

Negative values of accommodation represent accommodation which is less than that required to fully compensate for a hyperopic refractive error. The subjects seem to fall into two distinct groups, i.e., those affected by changes in object distance ( $n = 2$ ), and those unaffected ( $n = 5$ ). The affected subjects readily perceived target blur at the nearer object distances, but reported that they were unable to eliminate the blur, even through voluntary effort. In Fig. 2, the responses of the subjects within each group are averaged, and the mean dark focus

of each group is shown. The error bars indicate one standard deviation. The dotted line with arrow indicates the mean dark focus of the susceptible group, while the solid line with arrow indicates the mean dark focus of the non-susceptible group. Thus, the group with the more proximal dark focus is the one that was affected by changes in object distance.

The subject who exhibited the most susceptibility to the effect of object distance was retested on a subsequent day. There was no statistically significant difference in instrument accommodation for this subject between the two days ( $t = 1.23$ ,  $p = 0.31$ ). In addition, the dark focus of each subject was measured immediately pre and post test. There was no evidence of a change in dark focus ( $t = 0.33$ ,  $p = 0.75$ ).

## DISCUSSION

Our results indicate that knowledge of object distance can influence the level of accommodation under semi-open loop conditions. This is predictable from earlier works which showed no proximal effect for closed loop conditions, but a pronounced effect for open loop conditions. Perhaps more significant is the fact that the proximal effect appears to be all or none, rather than graded. This is not predictable from previous studies, and neither is the apparent relationship between susceptibility to the proximal effect and dark focus magnitude.

An explanation for the latter is not readily apparent from existing theory. However, we offer the following hypothesis. Fisher and Ciuffreda<sup>12,13</sup> have established a link between dark focus and distance perception, such that distance information is derived from the amount of blur-driven accommodation relative to the dark focus. Morse and Smith<sup>14</sup> have demonstrated that dark focus variability is proportional to its magnitude. Subjects with more proximal dark focuses might not be able to reliably obtain distance estimates from accommodation due to greater fluctuations in dark focus. Perhaps accommodation, if it is deprived of a role in distance perception, might itself be vulnerable to the influence of perceived distance cues from other modalities.

## REFERENCES

1. O.W. Richards, "Instrument myopia - microscopy," Am. J. Optom. Physiol. Opt. 53, 658-663 (1976).

2. M.F. Wesner and R.J. Miller, "Instrument myopia conceptions, misconceptions, and influencing factors," *Doc. Ophthalmol.* 62, 281-309 (1986).
3. R.T. Hennessy, "Instrument myopia," *J. Opt. Soc. Am.* 65, 1114-1120 (1975).
4. H.W. Leibowitz and D.A. Owens, "Anomalous myopias and the intermediate dark focus of accommodation," *Science* 189, 646-648 (1975).
5. G. Smith, "The accommodative resting states, instrument accommodation, and their measurement," *Opt. Acta* 30, 347-359 (1983).
6. M. Alpern, "Vergence and accommodation: can change in size induce vergence eye movements?" *Arch. Ophthalmol.* 60, 355-357 (1958).
7. M.W. Morgan, "Accommodation and convergence," *Am. J. Optom. Arch. Am. Acad. Optom.* 7, 417-454 (1968).
8. P.B. Kruger and J. Pola, "Dioptric and non-dioptric stimuli for accommodation: target size alone and with blur and chromatic aberration," *Vision Res.* 27, 555-567 (1987).
9. L.N. McLin, C.M. Schor, and P.B. Kruger, "Changing size (looming) as a stimulus to accommodation and vergence," *Vision Res.* 28, 883-898 (1988).
10. M. Rosenfield and B. Gilmartin, "Effect of target proximity on the open-loop accommodative response," *Optom. Vision Sci.* 67, 74-79 (1990).
11. J.C. Kotulak and S.E. Morse, "The effects of instrument myopia and user focus adjustments on visual acuity with optical instruments," *Optom. Vision Sci. Suppl.* 69, 145 (1992).
12. K.S. Fisher and K.J. Ciuffreda, "Accommodation and apparent distance," *Perception* 17, 609-621 (1988).
13. K.S. Fisher and K.J. Ciuffreda, "The effect of accommodative hysteresis on apparent distance," *Ophthal. Physiol. Opt.* 9, 184-190 (1989).
14. S.E. Morse and E.L. Smith, "Implications of describing the dark focus as a 'zone' of resting focus," *Optom. Vision Sci. Suppl.* 69, 33 (1992).

**Initial distribution**

**Commander, U.S. Army Natick Research,  
Development and Engineering Center  
ATTN: SATNC-MIL (Documents  
Librarian)  
Natick, MA 01760-5040**

**Library  
Naval Submarine Medical Research Lab  
Box 900, Naval Sub Base  
Groton, CT 06349-5900**

**Chairman  
National Transportation Safety Board  
800 Independence Avenue, S.W.  
Washington, DC 20594**

**Executive Director, U.S. Army Human  
Research and Engineering Directorate  
ATTN: Technical Library  
Aberdeen Proving Ground, MD 21005**

**Commander  
10th Medical Laboratory  
ATTN: Audiologist  
APO New York 09180**

**Commander  
Man-Machine Integration System  
Code 602  
Naval Air Development Center  
Warminster, PA 18974**

**Naval Air Development Center  
Technical Information Division  
Technical Support Detachment  
Warminster, PA 18974**

**Commander  
Naval Air Development Center  
ATTN: Code 602-B  
Warminster, PA 18974**

**Commanding Officer, Naval Medical  
Research and Development Command  
National Naval Medical Center  
Bethesda, MD 20814-5044**

**Commanding Officer  
Armstrong Laboratory  
Wright-Patterson  
Air Force Base, OH 45433-6573**

**Deputy Director, Defense Research  
and Engineering  
ATTN: Military Assistant  
for Medical and Life Sciences  
Washington, DC 20301-3080**

**Director  
Army Audiology and Speech Center  
Walter Reed Army Medical Center  
Washington, DC 20307-5001**

**Commander, U.S. Army Research  
Institute of Environmental Medicine  
Natick, MA 01760**

**Commander/Director  
U.S. Army Combat Surveillance  
and Target Acquisition Lab  
ATTN: SFAE-IEW-JS  
Fort Monmouth, NJ 07703-5305**

Director  
Federal Aviation Administration  
FAA Technical Center  
Atlantic City, NJ 08405

Commander, U.S. Army Test  
and Evaluation Command  
ATTN: AMSTE-AD-H  
Aberdeen Proving Ground, MD 21005

Naval Air Systems Command  
Technical Air Library 950D  
Room 278, Jefferson Plaza II  
Department of the Navy  
Washington, DC 20361

Director  
U.S. Army Ballistic  
Research Laboratory  
ATTN: DRXBR-OD-ST Tech Reports  
Aberdeen Proving Ground, MD 21005

Commander  
U.S. Army Medical Research  
Institute of Chemical Defense  
ATTN: SGRD-UV-AO  
Aberdeen Proving Ground,  
MD 21010-5425

Commander  
USAMRDALC  
ATTN: SGRD-RMS  
Fort Detrick, Frederick, MD 21702-5012

Director  
Walter Reed Army Institute of Research  
Washington, DC 20307-5100

HQ DA (DASG-PSP-O)  
5109 Leesburg Pike  
Falls Church, VA 22041-3258

Harry Diamond Laboratories  
ATTN: Technical Information Branch  
2800 Powder Mill Road  
Adelphi, MD 20783-1197

U.S. Army Materiel Systems  
Analysis Agency  
ATTN: AMXSU-PA (Reports Processing)  
Aberdeen Proving Ground  
MD 21005-5071

U.S. Army Ordnance Center  
and School Library  
Simpson Hall, Building 3071  
Aberdeen Proving Ground, MD 21005

U.S. Army Environmental  
Hygiene Agency  
ATTN: HSHB-MO-A  
Aberdeen Proving Ground, MD 21010

Technical Library Chemical Research  
and Development Center  
Aberdeen Proving Ground, MD  
21010-5423

Commander  
U.S. Army Medical Research  
Institute of Infectious Disease  
ATTN: SGRD-UIZ-C  
Fort Detrick, Frederick, MD 21702

Director, Biological  
Sciences Division  
Office of Naval Research  
600 North Quincy Street  
Arlington, VA 22217

Commander  
U.S. Army Materiel Command  
ATTN: AMCDE-XS  
5001 Eisenhower Avenue  
Alexandria, VA 22333

Commandant  
U.S. Army Aviation  
Logistics School ATTN: ATSQ-TDN  
Fort Eustis, VA 23604

Headquarters (ATMD)  
U.S. Army Training  
and Doctrine Command  
ATTN: ATBO-M  
Fort Monroe, VA 23651

IAF Liaison Officer for Safety  
USAF Safety Agency/SEFF  
9750 Avenue G, SE  
Kirtland Air Force Base  
NM 87117-5671

Naval Aerospace Medical  
Institute Library  
Building 1953, Code 03L  
Pensacola, FL 32508-5600

Command Surgeon  
HQ USCENCOM (CCSG)  
U.S. Central Command  
MacDill Air Force Base, FL 33608

Air University Library  
(AUL/LSE)  
Maxwell Air Force Base, AL 36112

U.S. Air Force Institute  
of Technology (AFIT/LDEE)  
Building 640, Area B  
Wright-Patterson  
Air Force Base, OH 45433

Henry L. Taylor  
Director, Institute of Aviation  
University of Illinois-Willard Airport  
Savoy, IL 61874

Chief, National Guard Bureau  
ATTN: NGB-ARS  
Arlington Hall Station  
111 South George Mason Drive  
Arlington, VA 22204-1382

Commander  
U.S. Army Aviation and Troop Command  
ATTN: AMSAT-R-ES  
4300 Goodfellow Bouvelard  
St. Louis, MO 63120-1798

U.S. Army Aviation and Troop Command  
Library and Information Center Branch  
ATTN: AMSAV-DIL  
4300 Goodfellow Boulevard  
St. Louis, MO 63120

Federal Aviation Administration  
Civil Aeromedical Institute  
Library AAM-400A  
P.O. Box 25082  
Oklahoma City, OK 73125

Commander  
U.S. Army Medical Department  
and School  
ATTN: Library  
Fort Sam Houston, TX 78234

Commander  
U.S. Army Institute of Surgical Research  
ATTN: SGRD-USM  
Fort Sam Houston, TX 78234-6200

AAMRL/HEX  
Wright-Patterson  
Air Force Base, OH 45433

John A. Dellinger,  
Southwest Research Institute  
P. O. Box 28510  
San Antonio, TX 78284

**Product Manager**  
**Aviation Life Support Equipment**  
**ATTN: AMCPM-ALSE**  
**4300 Goodfellow Boulevard**  
**St. Louis, MO 63120-1798**

**Commander and Director**  
**USAE Waterways Experiment Station**  
**ATTN: CEWES-IM-MI-R,**  
**CD Department**  
**3909 Halls Ferry Road**  
**Vicksburg, MS 39180-6199**

**Commanding Officer**  
**Naval Biodynamics Laboratory**  
**P.O. Box 24907**  
**New Orleans, LA 70189-0407**

**Assistant Commandant**  
**U.S. Army Field Artillery School**  
**ATTN: Morris Swott Technical Library**  
**Fort Sill, OK 73503-0312**

**Mr. Peter Seib**  
**Human Engineering Crew Station**  
**Box 266**  
**Westland Helicopters Limited**  
**Yeovil, Somerset BA20 2YB UK**

**U.S. Army Dugway Proving Ground**  
**Technical Library, Building 5330**  
**Dugway, UT 84022**

**U.S. Army Yuma Proving Ground**  
**Technical Library**  
**Yuma, AZ 85364**

**AFFTC Technical Library**  
**6510 TW/TSTL**  
**Edwards Air Force Base,**  
**CA 93523-5000**

**Commander**  
**Code 3431**  
**Naval Weapons Center**  
**China Lake, CA 93555**

**Aeromechanics Laboratory**  
**U.S. Army Research and Technical Labs**  
**Ames Research Center, M/S 215-1**  
**Moffett Field, CA 94035**

**Sixth U.S. Army**  
**ATTN: SMA**  
**Presidio of San Francisco, CA 94129**

**Commander**  
**U.S. Army Aeromedical Center**  
**Fort Rucker, AL 36362**

**Strughold Aeromedical Library**  
**Document Service Section**  
**2511 Kennedy Circle**  
**Brooks Air Force Base, TX 78235-5122**

**Dr. Diane Damos**  
**Department of Human Factors**  
**ISSM, USC**  
**Los Angeles, CA 90089-0021**

**U.S. Army White Sands**  
**Missile Range**  
**ATTN: STEWS-IM-ST**  
**White Sands Missile Range, NM 88002**

**U.S. Army Aviation Engineering**  
**Flight Activity**  
**ATTN: SAVTE-M (Tech Lib) Stop 217**  
**Edwards Air Force Base, CA 93523-5000**

**Ms. Sandra G. Hart**  
**Ames Research Center**  
**MS 262-3**  
**Moffett Field, CA 94035**

Commander  
USAMRDALC  
ATTN: SGRD-UMZ  
Fort Detrick, Frederick, MD 21702-5009

Commander  
U.S. Army Health Services Command  
ATTN: HSOP-SO  
Fort Sam Houston, TX 78234-6000

U. S. Army Research Institute  
Aviation R&D Activity  
ATTN: PERI-IR  
Fort Rucker, AL 36362

Commander  
U.S. Army Safety Center  
Fort Rucker, AL 36362

U.S. Army Aircraft Development  
Test Activity  
ATTN: STEBG-MP-P  
Cairns Army Air Field  
Fort Rucker, AL 36362

Commander  
USAMRDALC  
ATTN: SGRD-PLC (COL R. Gifford)  
Fort Detrick, Frederick, MD 21702

TRADOC Aviation LO  
Unit 21551, Box A-209-A  
APO AE 09777

Netherlands Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

British Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Italian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Directorate of Training Development  
Building 502  
Fort Rucker, AL 36362

Chief  
USAHEL/USAAVNC Field Office  
P. O. Box 716  
Fort Rucker, AL 36362-5349

Commander, U.S. Army Aviation Center  
and Fort Rucker  
ATTN: ATZQ-CG  
Fort Rucker, AL 36362

Chief  
Test & Evaluation Coordinating Board  
Cairns Army Air Field  
Fort Rucker, AL 36362

Canadian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

German Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

French Army Liaison Office  
USAAVNC (Building 602)  
Fort Rucker, AL 36362-5021

Australian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Dr. Garrison Rapmund  
6 Burning Tree Court  
Bethesda, MD 20817

Commandant, Royal Air Force  
Institute of Aviation Medicine  
Farnborough, Hampshire GU14 6SZ UK

Defense Technical Information  
Cameron Station, Building 5  
Alexandra, VA 22304-6145

Commander, U.S. Army Foreign Science  
and Technology Center  
AIFRTA (Davis)  
220 7th Street, NE  
Charlottesville, VA 22901-5396

Commander  
Applied Technology Laboratory  
USARTL-ATCOM  
ATTN: Library, Building 401  
Fort Eustis, VA 23604

Commander, U.S. Air Force  
Development Test Center  
101 West D Avenue, Suite 117  
Eglin Air Force Base, FL 32542-5495

Aviation Medicine Clinic  
TMC #22, SAAF  
Fort Bragg, NC 28305

Dr. H. Dix Christensen  
Bio-Medical Science Building, Room 753  
Post Office Box 26901  
Oklahoma City, OK 73190

Commander, U.S. Army Missile  
Command  
Redstone Scientific Information Center  
ATTN: AMSMI-RD-CS-R  
/ILL Documents  
Redstone Arsenal, AL 35898

Director  
Army Personnel Research Establishment  
Farnborough, Hants GU14 6SZ UK

U.S. Army Research and Technology  
Laboratories (AVSCOM)  
Propulsion Laboratory MS 302-2  
NASA Lewis Research Center  
Cleveland, OH 44135

Commander  
USAMRDALC  
ATTN: SGRD-ZC (COL John F. Glenn)  
Fort Detrick, Frederick, MD 21702-5012

Dr. Eugene S. Channing  
166 Baughman's Lane  
Frederick, MD 21702-4083

U.S. Army Medical Department  
and School  
USAMRDALC Liaison  
ATTN: HSMC-FR  
Fort Sam Houston, TX 78234

Dr. A. Kornfield, President  
Biosearch Company  
3016 Revere Road  
Drexel Hill, PA 29026

NVESD  
AMSEL-RD-NV-ASID-PST  
(Attn: Trang Bui)  
10221 Burbeck Road  
Fort Belvoir, VA 22060-5806

CA Av Med  
HQ DAAC  
Middle Wallop  
Stockbridge, Hants S020 8DY UK

Dr. Christine Schlichting  
Behavioral Sciences Department  
Box 900, NAVUBASE NLON  
Groton, CT 06349-5900

Commander, HQ AAC/SGPA  
Aerospace Medicine Branch  
162 Dodd Boulevard, Suite 100  
Langley Air Force Base,  
VA 23665-1995

Commander  
Aviation Applied Technology Directorate  
ATTN: AMSAT-R-T  
Fort Eustis, VA 23604-5577

Director  
Aviation Research, Development  
and Engineering Center  
ATTN: AMSAT-R-Z  
4300 Goodfellow Boulevard  
St. Louis, MO 63120-1798

Commander  
USAMRDALC  
ATTN: SGRD-ZB (COL C. Fred Tyner)  
Fort Detrick, Frederick, MD 21702-5012

Director  
Directorate of Combat Developments  
ATTN: ATZQ-CD  
Building 515  
Fort Rucker, AL 36362

