INSTALLATION RESTORATION PROGRAM

Final

SITE INVESTIGATION REPORT
VOLUME IV

152nd TACTICAL RECONNAISSANCE GROUP
NEVADA AIR NATIONAL GUARD
RENO CANNON INTERNATIONAL AIRPORT
RENO, NEVADA

AD-A283 068

April 1994

DTIC
ELECTE
AUG 0 3 1994
S G D




94-24549

HAZWRAP SUPPORT CONTRACTOR OFFICE
Oak Ridge, Tennessee 37831
Managed by MARTIN MARIETTA ENERGY SYSTEMS, INC.
For the U.S. Department of Energy under contract DE-AC05-840R21400

94 02 183

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

(computer generated)

Public reporting burden for this information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.

1. Agency Use Only (Leave Blank)	2. Report Date	3. Report Type and Dates Covered

4. Title and Subtitle	5. Funding Numbers

6. Author(s)	

7. Performing Organization Name(s) and Address(es)	8. Performing Organization Report number

9. Sponsoring/Monitoring Agency Name(s) and Address(es)	10. Sponsoring/Monitoring Agency Report Number
Hazardous Waste Remedial Action Program Oak Ridge TN Air National Guard Readiness Center Andrews Air Force Base, Maryland 20331	

11. Supplemental Notes

12. Distribution/Availability Statement	12b. Distribution Code
Approved for public release; distribution is unlimited	

13. Abstract (maximum 200 words)

14. Subject Terms	15. Number of Pages
	16. Price Code

17. Security Classification of Report	18. Security Classification of this Page	19. Security Classification of Abstract	20. Limitation od Abstract
Unclassified	Unclassified	Unclassified	None

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1000 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1000 ASSOCIATED MB : M01
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	2010.00	mg/kg	0.00		
ANTIMONY	0.00		14.00	U	U
ARSENIC	56.90	mg/kg	0.00		J
BARIUM	165.00	mg/kg	0.00		
BERYLLIUM	0.78	mg/kg	0.00	B	
CADMIUM	0.00		1.20	U	U
CALCIUM	32600.00	mg/kg	0.00		
CHROMIUM	10.00	mg/kg	0.00		
COBALT	9.30	mg/kg	0.00	B	
COPPER	24.60	mg/kg	0.00		
IRON	20100.00	mg/kg	0.00		
LEAD	9.50	mg/kg	0.00		
MAGNESIUM	7240.00	mg/kg	0.00		
MANGANESE	476.00	mg/kg	0.00		
MERCURY	0.00		0.12	U	U
NICKEL	0.00		9.80	U	U
POTASSIUM	2520.00	mg/kg	0.00		J
SELENIUM	0.00		0.98	U	U
SILVER	0.00		2.50	U	U
SODIUM	1350.00	mg/kg	0.00		
THALLIUM	0.00		0.49	U	U
VANADIUM	46.90	mg/kg	0.00		
ZINC	84.50	mg/kg	0.00		

Accesion For
NTIS CRA&I [X]
DTIC TAB [ ]
Unannounced [ ]
Justification .....
By .....
Distribution /
Availability Codes
Dist | Avail and / or Special
A-1

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1001 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1000 ASSOCIATED MB : M01
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	10700.00	mg/kg	0.00		
ANTIMONY	16.30	mg/kg	0.00		
ARSENIC	69.60	mg/kg	0.00		J
BARIUM	171.00	mg/kg	0.00		
BERYLLIUM	0.00		0.46	U	U
CADMIUM	0.00		1.10	U	U
CALCIUM	2730.00	mg/kg	0.00		
CHROMIUM	7.30	mg/kg	0.00		
COBALT	6.90	mg/kg	0.00	B	
COPPER	16.10	mg/kg	0.00		
IRON	14200.00	mg/kg	0.00		
LEAD	7.60	mg/kg	0.00		
MAGNESIUM	2470.00	mg/kg	0.00		
MANGANESE	353.00	mg/kg	0.00		
MERCURY	0.12	mg/kg	0.00		
NICKEL	0.00		9.20	U	U
POTASSIUM	5290.00	mg/kg	0.00		J
SELENIUM	0.00		0.92	U	U
SILVER	0.00		2.30	U	U
SODIUM	1340.00	mg/kg	0.00		
THALLIUM	0.00		0.46	U	U
VANADIUM	35.00	mg/kg	0.00		
ZINC	39.60	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1002 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1000 ASSOCIATED MB : M01
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	15300.00	mg/kg	0.00		
ANTIMONY	0.00		14.00	U	U
ARSENIC	94.80	mg/kg	0.00		J
BARIUM	211.00	mg/kg	0.00		
BERYLLIUM	0.57	mg/kg	0.00	B	
CADMIUM	0.00		1.20	U	U
CALCIUM	3700.00	mg/kg	0.00		
CHROMIUM	10.90	mg/kg	0.00		
COBALT	15.00	mg/kg	0.00		
COPPER	24.70	mg/kg	0.00		
IRON	22600.00	mg/kg	0.00		
LEAD	8.90	mg/kg	0.00		
MAGNESIUM	3740.00	mg/kg	0.00		
MANGANESE	874.00	mg/kg	0.00		
MERCURY	0.00		0.12	U	U
NICKEL	10.70	mg/kg	0.00		
POTASSIUM	2560.00	mg/kg	0.00		J
SELENIUM	0.00		0.98	U	U
SILVER	0.00		2.50	U	U
SODIUM	1440.00	mg/kg	0.00		
THALLIUM	0.00		0.49	U	U
VANADIUM	51.00	mg/kg	0.00		
ZINC	171.00	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1003 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1000 ASSOCIATED MB : M01
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	12700.00	mg/kg	0.00		
ANTIMONY	0.00		14.00	U	U
ARSENIC	24.80	mg/kg	0.00		J
BARIUM	130.00	mg/kg	0.00		
BERYLLIUM	0.71	mg/kg	0.00	B	
CADMIUM	0.00		1.20	U	U
CALCIUM	3600.00	mg/kg	0.00		
CHROMIUM	10.30	mg/kg	0.00		
COBALT	11.80	mg/kg	0.00		
COPPER	19.80	mg/kg	0.00		
IRON	19700.00	mg/kg	0.00		
LEAD	7.80	mg/kg	0.00		
MAGNESIUM	5100.00	mg/kg	0.00		
MANGANESE	415.00	mg/kg	0.00		
MERCURY	0.00		0.12	U	U
NICKEL	10.70	mg/kg	0.00		
POTASSIUM	2620.00	mg/kg	0.00		J
SELENIUM	0.00		0.96	U	U
SILVER	0.00		2.40	U	U
SODIUM	1220.00	mg/kg	0.00		
THALLIUM	0.00		0.48	U	U
VANADIUM	43.60	mg/kg	0.00		
ZINC	47.80	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1005 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1004 ASSOCIATED MB : M02
TRIP BLANK : 1008TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	266.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	U
ARSENIC	0.00		4.00	U	U
BARIUM	40.10	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	19700.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	320.00	µg/L	0.00		
IRON	501.00	µg/L	0.00		
LEAD	4.80	µg/L	0.00		
MAGNESIUM	6380.00	µg/L	0.00		
MANGANESE	9.20	µg/L	0.00	B	J
MERCURY	0.00		0.20	U	U
NICKEL	0.00		11.00	U	U
POTASSIUM	2940.00	µg/L	0.00	B	
SELENIUM	0.00		4.00	U	U
SILVER	0.00		6.00	U	U
SODIUM	14900.00	µg/L	0.00		
THALLIUM	0.00		10.00	U	U
VANADIUM	0.00		5.00	U	U
ZINC	73.20	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1006 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1004 ASSOCIATED MB : M02
TRIP BLANK : 1008TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	143.00	µg/L	0.00	B	
ANTIMONY	0.00		14.00	U	U
ARSENIC	0.00		4.00	U	U
BARIUM	11.00	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	235.00	µg/L	0.00	B	
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	22.60	µg/L	0.00	B	
IRON	59.90	µg/L	0.00	B	
LEAD	5.20	µg/L	0.00		
MAGNESIUM	53.20	µg/L	0.00	B	
MANGANESE	2.50	µg/L	0.00	B	J
MERCURY	0.00		0.20	U	U
NICKEL	0.00		11.00	U	U
POTASSIUM	0.00		1360.00	U	U
SELENIUM	0.00		4.00	U	U
SILVER	0.00		6.00	U	U
SODIUM	457.00	µg/L	0.00	B	
THALLIUM	0.00		2.00	U	U
VANADIUM	0.00		5.00	U	U
ZINC	13.10	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1007 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1004 ASSOCIATED MB : M02
TRIP BLANK : 1008TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	111.00	µg/L	0.00	B	
ANTIMONY	0.00		14.00	U	U
ARSENIC	0.00		4.00	U	U
BARIUM	10.00	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	353.00	µg/L	0.00	B	
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	26.70	µg/L	0.00		
IRON	64.20	µg/L	0.00	B	
LEAD	2.00	µg/L	0.00	B	
MAGNESIUM	0.00		46.00	U	U
MANGANESE	15.50	µg/L	0.00		J
MERCURY	0.00		0.20	U	U
NICKEL	0.00		11.00	U	U
POTASSIUM	0.00		1360.00	U	U
SELENIUM	0.00		4.00	U	U
SILVER	0.00		6.00	U	U
SODIUM	412.00	µg/L	0.00	B	
THALLIUM	0.00		2.00	U	U
VANADIUM	0.00		5.00	U	U
ZINC	28.20	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1015 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	25500.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	33.20	mg/kg	0.00		J
BARIUM	151.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.57	U	UJ
CADMIUM	0.00		1.40	U	UJ
CALCIUM	613[illegible]	mg/kg	0.00		J
CHROMIUM		mg/kg	0.00		J
COBALT	[illegible].20	mg/kg	0.00	B	J
COPPER	27.80	mg/kg	.00		J
IRON	25800.00	mg/kg	0.00		J
LEAD	8.00	mg/kg	0.00		J
MAGNESIUM	6040.00	mg/kg	0.00		J
MANGANESE	324.00	mg/kg	0.00		J
MERCURY	0.00		0.14	U	UJ
NICKEL	16.50	mg/kg	0.00		J
POTASSIUM	3950.00	mg/kg	0.00		J
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.90	U	UJ
SODIUM	2700.00	mg/kg	0.00		J
THALLIUM	0.00		0.57	U	UJ
VANADIUM	55.50	mg/kg	0.00		J
ZINC	66.40	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1016 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1J15 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1533

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	13400.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	77.90	mg/kg	0.00		J
BARIUM	172.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.48	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	3210.00	mg/kg	0.00		J
CHROMIUM	10.50	mg/kg	0.00		J
COBALT	17.00	mg/kg	0.00		J
COPPER	21.20	mg/kg	0.00		J
IRON	20200.00	mg/kg	0.00		J
LEAD	7.20	mg/kg	0.00		J
MAGNESIUM	2790.00	mg/kg	0.00		J
MANGANESE	839.00	mg/kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	0.00		9.40	U	UJ
POTASSIUM	1650.00	mg/kg	0.00		J
SELENIUM	0.00		0.96	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	1440.00	mg/kg	0.00		J
THALLIUM	0.00		0.48	U	UJ
VANADIUM	50.40	mg/kg	0.00		J
ZINC	55.90	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1017 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	18400.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	33.20	mg/kg	0.00		J
BARIUM	97.40	mg/kg	0.00		J
BERYLLIUM	0.00		0.50	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	3990.00	mg/kg	0.00		J
CHROMIUM	12.50	mg/kg	0.00		J
COBALT	8.40	mg/kg	0.00	B	J
COPPER	24.40	mg/kg	0.00		J
IRON	24100.00	mg/kg	0.00		J
LEAD	7.50	mg/kg	0.00		J
MAGNESIUM	3740.00	mg/kg	0.00		J
MANGANESE	130.00	mg/kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	13.00	mg/kg	0.00		J
POTASSIUM	2630.00	mg/kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1720.00	mg/kg	0.00		J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	53.00	mg/kg	0.00		J
ZINC	48.20	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1018 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	24200.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	32.10	mg/kg	0.00		J
BARIUM	163.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.51	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	60300.00	mg/kg	0.00		J
CHROMIUM	9.60	mg/kg	0.00		J
COBALT	9.40	mg/kg	0.00	B	J
COPPER	21.90	mg/kg	0.00		J
IRON	19300.00	mg/kg	0.00		J
LEAD	16.20	mg/kg	0.00		J
MAGNESIUM	13000.00	mg/kg	0.00		J
MANGANESE	420.00	mg/kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	0.00		10.20	U	UJ
POTASSIUM	3310.00	mg/kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	1530.00	mg/kg	0.00		J
THALLIUM	0.00		0.51	U	UJ
VANADIUM	52.20	mg/kg	0.00		J
ZINC	51.40	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1019 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	18700.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	80.10	mg/kg	0.00		J
BARIUM	126.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.49	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	3960.00	mg/kg	0.00		J
CHROMIUM	12.10	mg/kg	0.00		J
COBALT	9.50	mg/kg	0.00	B	J
COPPER	25.60	mg/kg	0.00		J
IRON	24300.00	mg/kg	0.00		J
LEAD	8.50	mg/kg	0.00		J
MAGNESIUM	4450.00	mg/kg	0.00		J
MANGANESE	490.00	mg/kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	15.90	mg/kg	0.00		J
POTASSIUM	2120.00	mg/kg	0.00		J
SELENIUM	0.00		0.97	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	1380.00	mg/kg	0.00		J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	55.90	mg/kg	0.00		J
ZINC	55.00	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1020 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	15600.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	41.90	mg/kg	0.00		J
BARIUM	92.10	mg/kg	0.00		J
BERYLLIUM	0.00		0.46	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	5170.00	mg/kg	0.00		J
CHROMIUM	11.20	mg/kg	0.00		J
COBALT	12.00	mg/kg	0.00		J
COPPER	22.30	mg/kg	0.00		J
IRON	27800.00	mg/kg	0.00		J
LEAD	5.10	mg/kg	0.00		J
MAGNESIUM	6130.00	mg/kg	0.00		J
MANGANESE	304.00	mg/kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	17.60	mg/kg	0.00		J
POTASSIUM	2610.00	mg/kg	0.00		J
SELENIUM	0.00		0.92	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	1430.00	mg/kg	0.00		J
THALLIUM	0.00		0.46	U	UJ
VANADIUM	59.30	mg/kg	0.00		J
ZINC	62.90	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1021 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	9670.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	10.70	mg/kg	0.00		J
BARIUM	103.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.55	U	UJ
CADMIUM	0.00		1.40	U	UJ
CALCIUM	3430.00	mg/kg	0.00		J
CHROMIUM	8.70	mg/kg	0.00		J
COBALT	7.40	mg/kg	0.00	B	J
COPPER	16.60	mg/kg	0.00		J
IRON	16600.00	mg/kg	0.00		J
LEAD	26.10	mg/kg	0.00		J
MAGNESIUM	2860.00	mg/kg	0.00		J
MANGANESE	289.00	mg/kg	0.00		J
MERCURY	0.00		0.14	U	UJ
NICKEL	0.00		11.10	U	UJ
POTASSIUM	0.00		350.00	U	UJ
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.80	U	UJ
SODIUM	589.00	mg/kg	0.00	B	J
THALLIUM	0.00		0.55	U	UJ
VANADIUM	43.10	mg/kg	0.00		J
ZINC	75.70	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1022 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	12900.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	10.00	mg/kg	0.00		J
BARIUM	144.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.71	U	UJ
CADMIUM	0.00		1.80	U	UJ
CALCIUM	6920.00	mg/kg	0.00		J
CHROMIUM	12.70	mg/kg	0.00		J
COBALT	7.60	mg/kg	0.00	B	J
COPPER	28.20	mg/kg	0.00		J
IRON	16200.00	mg/kg	0.00		J
LEAD	57.80	mg/kg	0.00		J
MAGNESIUM	4570.00	mg/kg	0.00		J
MANGANESE	311.00	mg/kg	0.00		J
MERCURY	0.00		0.18	U	UJ
NICKEL	0.00		14.20	U	UJ
POTASSIUM	0.00		720.00	U	UJ
SELENIUM	0.00		1.40	U	UJ
SILVER	0.00		3.50	U	UJ
SODIUM	749.00	mg/kg	0.00	B	J
THALLIUM	0.00		0.71	U	UJ
VANADIUM	43.80	mg/kg	0.00		J
ZINC	145.00	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1023 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	20000.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	31.50	mg/kg	0.00		J
BARIUM	207.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.67	U	UJ
CADMIUM	0.00		1.70	U	UJ
CALCIUM	43500.00	mg/kg	0.00		J
CHROMIUM	11.70	mg/kg	0.00		J
COBALT	10.30	mg/kg	0.00	B	J
COPPER	33.50	mg/kg	0.00		J
IRON	20200.00	mg/kg	0.00		J
LEAD	21.90	mg/kg	0.00		J
MAGNESIUM	14300.00	mg/kg	0.00		J
MANGANESE	815.00	mg/kg	0.00		J
MERCURY	0.00		0.17	U	UJ
NICKEL	18.40	mg/kg	0.00		J
POTASSIUM	3970.00	mg/kg	0.00		J
SELENIUM	0.00		1.30	U	UJ
SILVER	0.00		3.40	U	UJ
SODIUM	1930.00	mg/kg	0.00		J
THALLIUM	0.00		0.67	U	UJ
VANADIUM	49.80	mg/kg	0.00		J
ZINC	139.00	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1024 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	13300.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	14.30	mg/kg	0.00		J
BARIUM	131.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.54	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	8440.00	mg/kg	0.00		J
CHROMIUM	15.40	mg/kg	0.00		J
COBALT	8.90	mg/kg	0.00	B	J
COPPER	25.90	mg/kg	0.00		J
IRON	16900.00	mg/kg	0.00		J
LEAD	34.60	mg/kg	0.00		J
MAGNESIUM	6090.00	mg/kg	0.00		J
MANGANESE	428.00	mg/kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	15.70	mg/kg	0.00		J
POTASSIUM	1570.00	mg/kg	0.00		J
SELENIUM	0.00		5.40	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	733.00	mg/kg	0.00	B	J
THALLIUM	0.00		0.54	U	UJ
VANADIUM	42.00	mg/kg	0.00		J
ZINC	158.00	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1025 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	20000.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	16.10	mg/kg	0.00		J
BARIUM	179.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.47	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4550.00	mg/kg	0.00		J
CHROMIUM	9.10	mg/kg	0.00		J
COBALT	10.80	mg/kg	0.00	B	J
COPPER	21.90	mg/kg	0.00		J
IRON	19900.00	mg/kg	0.00		J
LEAD	8180.00	mg/kg	0.00		J
MAGNESIUM	8180.00	mg/kg	0.00		J
MANGANESE	549.00	mg/kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	10.40	mg/kg	0.00		J
POTASSIUM	3030.00	mg/kg	0.00		J
SELENIUM	0.00		4.70	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	2430.00	mg/kg	0.00		J
THALLIUM	0.00		0.47	U	UJ
VANADIUM	44.50	mg/kg	0.00		J
ZINC	43.50	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1026 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	13100.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	13.00	mg/kg	0.00		J
BARIUM	82.10	mg/kg	0.00		J
BERYLLIUM	0.00		0.48	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	5900.00	mg/kg	0.00		J
CHROMIUM	11.00	mg/kg	0.00		J
COBALT	9.70	mg/kg	0.00	B	J
COPPER	25.50	mg/kg	0.00		J
IRON	22200.00	mg/kg	0.00		J
LEAD	3.90	mg/kg	0.00		J
MAGNESIUM	6210.00	mg/kg	0.00		J
MANGANESE	288.00	mg/kg	0.00		J
MERCURY	0.34	mg/kg	0.00		J
NICKEL	20.90	mg/kg	0.00		J
POTASSIUM	2080.00	mg/kg	0.00		J
SELENIUM	0.00		0.97	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	1550.00	mg/kg	0.00		J
THALLIUM	0.00		0.48	U	UJ
VANADIUM	53.90	mg/kg	0.00		J
ZINC	59.20	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1027 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	8420.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	17.50	mg/kg	0.00		J
BARIUM	48.30	mg/kg	0.00		J
BERYLLIUM	0.00		0.48	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4320.00	mg/kg	0.00		J
CHROMIUM	10.20	mg/kg	0.00		J
COBALT	6.30	mg/kg	0.00	B	J
COPPER	21.00	mg/kg	0.00		J
IRON	18900.00	mg/kg	0.00		J
LEAD	3.50	mg/kg	0.00		J
MAGNESIUM	3290.00	mg/kg	0.00		J
MANGANESE	228.00	mg/kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	0.00		9.50	U	UJ
POTASSIUM	0.00		150.00	U	UJ
SELENIUM	0.00		4.80	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	967.00	mg/kg	0.00	B	J
THALLIUM	0.00		0.48	U	UJ
VANADIUM	65.50	mg/kg	0.00		J
ZINC	39.80	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1028 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	18900.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	24.90	mg/kg	0.00		J
BARIUM	178.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.45	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	14500.00	mg/kg	0.00		J
CHROMIUM	12.30	mg/kg	0.00		J
COBALT	9.90	mg/kg	0.00	B	J
COPPER	21.70	mg/kg	0.00		J
IRON	21200.00	mg/kg	0.00		J
LEAD	8.90	mg/kg	0.00		J
MAGNESIUM	6970.00	mg/kg	0.00		J
MANGANESE	412.00	mg/kg	0.00		J
MERCURY	0.00		0.11	U	UJ
NICKEL	15.50	mg/kg	0.00		J
POTASSIUM	2330.00	mg/kg	0.00		J
SELENIUM	0.00		4.50	U	UJ
SILVER	0.00		2.20	U	UJ
SODIUM	1350.00	mg/kg	0.00		J
THALLIUM	0.00		0.45	U	UJ
VANADIUM	56.60	mg/kg	0.00		J
ZINC	53.50	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1029 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	18800.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	7.90	mg/kg	0.00		J
BARIUM	130.00	mg/kg	0.00		J
BERYLLIUM	0.60	mg/kg	0.00	B	J
CADMIUM	0.00		1.20	U	UJ
CALCIUM	6160.00	mg/kg	0.00		J
CHROMIUM	19.70	mg/kg	0.00		J
COBALT	11.60	mg/kg	0.00	B	J
COPPER	23.40	mg/kg	0.00		J
IRON	23700.00	mg/kg	0.00		J
LEAD	5.00	mg/kg	0.00		J
MAGNESIUM	5660.00	mg/kg	0.00		J
MANGANESE	202.00	mg/kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	23.20	mg/kg	0.00		J
POTASSIUM	1320.00	mg/kg	0.[illegible]		J
SELENIUM	0.00		4.80	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	2040.00	mg/kg	0.00		J
THALLIUM	0.00		0.48	U	UJ
VANADIUM	74.70	mg/kg	0.00		J
ZINC	57.90	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1030 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	16800.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	15.50	mg/kg	0.00		J
BARIUM	221.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.54	U	UJ
CADMIUM	0.00		1.40	U	UJ
CALCIUM	5770.00	mg/kg	0.00		J
CHROMIUM	16.30	mg/kg	0.00		J
COBALT	11.70	mg/kg	0.00	B	J
COPPER	26.20	mg/kg	0.00		J
IRON	19600.00	mg/kg	0.00		J
LEAD	6.00	mg/kg	0.00		J
MAGNESIUM	4490.00	mg/kg	0.00		J
MANGANESE	124.00	mg/kg	0.00		J
MERCURY	0.00		0.14	U	UJ
NICKEL	16.90	mg/kg	0.00		J
POTASSIUM	0.00		320.00	U	UJ
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	1750.00	mg/kg	0.00		J
THALLIUM	0.00		0.54	U	UJ
VANADIUM	61.20	mg/kg	0.00		J
ZINC	62.60	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1031 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : MC3
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	15700.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	72.80	mg/kg	0.00		J
BARIUM	229.00	mg/kg	0.00		J
BERYLLIUM	0.00		0.49	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	3550.00	mg/kg	0.00		J
CHROMIUM	10.50	mg/kg	0.00		J
COBALT	15.30	mg/kg	0.00		J
COPPER	23.70	mg/kg	0.00		J
IRON	23400.00	mg/kg	0.00		J
LEAD	7.70	mg/kg	0.00		J
MAGNESIUM	4260.00	mg/kg	0.00		J
MANGANESE	1150.00	mg/kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	15.90	mg/kg	0.00		J
POTASSIUM	1850.00	mg/kg	0.00		J
SELENIUM	0.00		0.98	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	1260.00	mg/kg	0.00		J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	45.80	mg/kg	0.00		J
ZINC	38.60	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1032 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	9510.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	10.00	mg/kg	0.00		J
BARIUM	63.10	mg/kg	0.00		J
BERYLLIUM	0.00		0.46	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	3650.00	mg/kg	0.00		J
CHROMIUM	9.80	mg/kg	0.00		J
COBALT	7.90	mg/kg	0.00	B	J
COPPER	15.60	mg/kg	0.00		J
IRON	23700.00	mg/kg	0.00		J
LEAD	5.50	mg/kg	0.00		J
MAGNESIUM	2860.00	mg/kg	0.00		J
MANGANESE	112.00	mg/kg	0.00		J
MERCURY	0.00		0.11	U	UJ
NICKEL	10.50	mg/kg	0.00		J
POTASSIUM	0.00		110.00	U	UJ
SELENIUM	0.00		0.91	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	1040.00	mg/kg	0.00	B	J
THALLIUM	0.00		0.46	U	UJ
VANADIUM	50.70	mg/kg	0.00		J
ZINC	38.10	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1033 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1015 ASSOCIATED MB : M03
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	16200.00	mg/kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	14.10	mg/kg	0.00		J
BARIUM	83.50	mg/kg	0.00		J
BERYLLIUM	0.00		0.47	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	5460.00	mg/kg	0.00		J
CHROMIUM	12.20	mg/kg	0.00		J
COBALT	9.30	mg/kg	0.00	B	J
COPPER	22.70	mg/kg	0.00		J
IRON	23100.00	mg/kg	0.00		J
LEAD	4.30	mg/kg	0.00		J
MAGNESIUM	7150.00	mg/kg	0.00		J
MANGANESE	273.00	mg/kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	26.60	mg/kg	0.00		J
POTASSIUM	2260.00	mg/kg	0.00		J
SELENIUM	0.00		4.70	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	1410.00	mg/kg	0.00		J
THALLIUM	0.00		0.47	U	UJ
VANADIUM	58.60	mg/kg	0.00		J
ZINC	49.00	mg/kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1035 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	19600.00	mg/kg	0.00		
ANTIMONY	0.00		12.90	U	UJ
ARSENIC	20.50	mg/kg	0.00		
BARIUM	150.00	mg/kg	0.00		
BERYLLIUM	0.00		0.45	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	24600.00	mg/kg	0.00		
CHROMIUM	9.80	mg/kg	0.00		
COBALT	8.30	mg/kg	0.00		
COPPER	23.80	mg/kg	0.00		
IRON	18600.00	mg/kg	0.00		
LEAD	13.20	mg/kg	0.00		
MAGNESIUM	10900.00	mg/kg	0.00		
MANGANESE	452.00	mg/kg	0.00		
MERCURY	0.00		0.10	U	UJ
NICKEL	10.60	mg/kg	0.00		
POTASSIUM	3160.00	mg/kg	0.00		
SELENIUM	0.00		8.90	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	1620.00	mg/kg	0.00		J
THALLIUM	0.00		0.45	U	UJ
VANADIUM	50.80	mg/kg	0.00		
ZINC	54.90	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1036 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	20900.00	mg/kg	0.00		
ANTIMONY	0.00		12.80	U	UJ
ARSENIC	24.70	mg/kg	0.00		
BARIUM	159.00	mg/kg	0.00		
BERYLLIUM	0.00		0.45	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	24800.00	mg/kg	0.00		
CHROMIUM	12.90	mg/kg	0.00		
COBALT	9.60	mg/kg	0.00		
COPPER	21.70	mg/kg	0.00		
IRON	20300.00	mg/kg	0.00		
LEAD	13.60	mg/kg	0.00		
MAGNESIUM	10700.00	mg/kg	0.00		
MANGANESE	449.00	mg/kg	0.00		
MERCURY	0.14	mg/kg	0.00		J
NICKEL	17.80	mg/kg	0.00		
POTASSIUM	3040.00	mg/kg	0.00		
SELENIUM	0.00		8.90	U	UJ
SILVER	0.00		2.20	U	UJ
SODIUM	1670.00	mg/kg	0.00		J
THALLIUM	0.00		0.45	U	UJ
VANADIUM	54.60	mg/kg	0.00		
ZINC	59.70	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1037 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	11700.00	mg/kg	0.00		
ANTIMONY	0.00		12.90	U	UJ
ARSENIC	10.40	mg/kg	0.00		
BARIUM	64.00	mg/kg	0.00		
BERYLLIUM	0.00		0.45	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	5390.00	mg/kg	0.00		
CHROMIUM	15.70	mg/kg	0.00		
COBALT	11.60	mg/kg	0.00		
COPPER	15.40	mg/kg	0.00		
IRON	20500.00	mg/kg	0.00		
LEAD	3.30	mg/kg	0.00		
MAGNESIUM	3490.00	mg/kg	0.00		
MANGANESE	162.00	mg/kg	0.00		
MERCURY	0.10	mg/kg	0.00		J
NICKEL	13.50	mg/kg	0.00		
POTASSIUM	0.00		1090.00	U	UJ
SELENIUM	0.00		0.88	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	1090.00	mg/kg	0.00		J
THALLIUM	0.00		0.44	U	UJ
VANADIUM	73.80	mg/kg	0.00		
ZINC	44.70	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1038 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	25000.00	mg/kg	0.00		
ANTIMONY	0.00		13.60	U	UJ
ARSENIC	24.00	mg/kg	0.00		
BARIUM	189.00	mg/kg	0.00		
BERYLLIUM	0.00		0.48	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4870.00	mg/kg	0.00		
CHROMIUM	12.60	mg/kg	0.00		
COBALT	9.30	mg/kg	0.00		
COPPER	38.70	mg/kg	0.00		
IRON	24600.00	mg/kg	0.00		
LEAD	9.80	mg/kg	0.00		
MAGNESIUM	8900.00	mg/kg	0.00		
MANGANESE	339.00	mg/kg	0.00		
MERCURY	1.20	mg/kg	0.00		J
NICKEL	19.60	mg/kg	0.00		
POTASSIUM	3810.00	mg/kg	0.00		
SELENIUM	0.00		9.50	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	2720.00	mg/kg	0.00		J
THALLIUM	0.00		0.48	U	UJ
VANADIUM	53.60	mg/kg	0.00		
ZINC	57.80	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1039 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	23600.00	mg/kg	0.00		
ANTIMONY	0.00		16.00	U	UJ
ARSENIC	73.20	mg/kg	0.00		
BARIUM	151.00	mg/kg	0.00		
BERYLLIUM	0.62	mg/kg	0.00		
CADMIUM	0.00		1.40	U	UJ
CALCIUM	9210.00	mg/kg	0.00		
CHROMIUM	24.10	mg/kg	0.00		
COBALT	12.20	mg/kg	0.00		
COPPER	40.70	mg/kg	0.00		
IRON	33000.00	mg/kg	0.00		
LEAD	6.50	mg/kg	0.00		
MAGNESIUM	6090.00	mg/kg	0.00		
MANGANESE	121.00	mg/kg	0.00		
MERCURY	0.16	mg/kg	0.00		J
NICKEL	23.10	mg/kg	0.00		
POTASSIUM	0.00		1360.00	U	UJ
SELENIUM	0.00		11.20	U	UJ
SILVER	0.00		2.80	U	UJ
SODIUM	1760.00	mg/kg	0.00		J
THALLIUM	0.00		0.56	U	UJ
VANADIUM	110.00	mg/kg	0.00		
ZINC	70.00	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1040 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	13300.00	mg/kg	0.00		
ANTIMONY	0.00		13.20	U	UJ
ARSENIC	14.90	mg/kg	0.00		
BARIUM	86.20	mg/kg	0.00		
BERYLLIUM	0.00		0.46	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	5560.00	mg/kg	0.00		
CHROMIUM	13.50	mg/kg	0.00		
COBALT	7.90	mg/kg	0.00		
COPPER	14.50	mg/kg	0.00		
IRON	21000.00	mg/kg	0.00		
LEAD	5.40	mg/kg	0.00		
MAGNESIUM	3450.00	mg/kg	0.00		
MANGANESE	323.00	mg/kg	0.00		
MERCURY	0.13	mg/kg	0.00		J
NICKEL	17.80	mg/kg	0.00		
POTASSIUM	0.00		1120.00	U	UJ
SELENIUM	0.00		4.70	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	1060.00	mg/kg	0.00		J
THALLIUM	0.00		0.47	U	UJ
VANADIUM	66.90	mg/kg	0.00		
ZINC	41.00	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1041 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	31200.00	mg/kg	0.00		
ANTIMONY	0.00		13.70	U	UJ
ARSENIC	21.50	mg/kg	0.00		
BARIUM	227.00	mg/kg	0.00		
BERYLLIUM	0.00		0.48	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4680.00	mg/kg	0.00		
CHROMIUM	17.60	mg/kg	0.00		
COBALT	11.40	mg/kg	0.00		
COPPER	23.90	mg/kg	0.00		
IRON	27300.00	mg/kg	0.00		
LEAD	8.10	mg/kg	0.00		
MAGNESIUM	8090.00	mg/kg	0.00		
MANGANESE	317.00	mg/kg	0.00		
MERCURY	0.00		0.11	U	UJ
NICKEL	15.10	mg/kg	0.00		
POTASSIUM	3750.00	mg/kg	0.00		
SELENIUM	0.00		4.80	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	3760.00	mg/kg	0.00		J
THALLIUM	0.00		0.48	U	UJ
VANADIUM	67.40	mg/kg	0.00		
ZINC	57.30	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1042 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	17700.00	mg/kg	0.00		
ANTIMONY	0.00		15.30	U	UJ
ARSENIC	14.40	mg/kg	0.00		
BARIUM	142.00	mg/kg	0.00		
BERYLLIUM	0.00		0.54	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	7550.00	mg/kg	0.00		
CHROMIUM	20.70	mg/kg	0.00		
COBALT	22.10	mg/kg	0.00		
COPPER	25.90	mg/kg	0.00		
IRON	26800.00	mg/kg	0.00		
LEAD	6.00	mg/kg	0.00		
MAGNESIUM	4980.00	mg/kg	0.00		
MANGANESE	143.00	mg/kg	0.00		
MERCURY	0.00		0.12	U	UJ
NICKEL	25.00	mg/kg	0.00		
POTASSIUM	0.00		1300.00	U	UJ
SELENIUM	0.00		5.40	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	1420.00	mg/kg	0.00		J
THALLIUM	0.00		0.54	U	UJ
VANADIUM	83.70	mg/kg	0.00		
ZINC	56.80	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1043 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	13100.00	mg/kg	0.00		
ANTIMONY	0.00		13.00	U	UJ
ARSENIC	13.70	mg/kg	0.00		
BARIUM	65.80	mg/kg	0.00		
BERYLLIUM	0.00		0.46	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	5720.00	mg/kg	0.00		
CHROMIUM	20.20	mg/kg	0.00		
COBALT	7.70	mg/kg	0.00		
COPPER	22.10	mg/kg	0.00		
IRON	20000.00	mg/kg	0.00		
LEAD	4.10	mg/kg	0.00		
MAGNESIUM	3920.00	mg/kg	0.00		
MANGANESE	122.00	mg/kg	0.00		
MERCURY	0.00		0.11	U	UJ
NICKEL	14.80	mg/kg	0.00		
POTASSIUM	0.00		1110.00	U	UJ
SELENIUM	0.00		4.60	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	1210.00	mg/kg	0.00		J
THALLIUM	0.00		0.46	U	UJ
VANADIUM	94.00	mg/kg	0.00		
ZINC	51.60	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1044 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	32500.0	mg/kg	0.00		
ANTIMONY	0.00		13.70	U	UJ
ARSENIC	26.60	mg/kg	0.00		
BARIUM	207.00	mg/kg	0.00		
BERYLLIUM	0.00		0.48	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	71000.00	mg/kg	0.00		
CHROMIUM	14.30	mg/kg	0.00		
COBALT	11.10	mg/kg	0.00		
COPPER	25.30	mg/kg	0.00		
IRON	22400.00	mg/kg	0.00		
LEAD	7.5	mg/kg	0.00		
MAGNESIUM	21500.00	mg/kg	0.00		
MANGANESE	443.00	mg/kg	0.00		
MERCURY	0.00		0.10	U	UJ
NICKEL	15.70	mg/kg	0.00		
POTASSIUM	6220.00	mg/kg	0.00		
SELENIUM	0.00		9.60	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	7480.00	mg/kg	0.00		J
THALLIUM	0.00		2.40	U	UJ
VANADIUM	67.00	mg/kg	0.00		
ZINC	56.60	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1045 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE . MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1526ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	23300.00	mg/kg	0.00		
ANTIMONY	0.00		14.60	U	UJ
ARSENIC	5.60	mg/kg	0.00		
BARIUM	121.00	mg/kg	0.00		
BEPYLLIUM	0.00		0.51	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	7570.00	mg/kg	0.00		
CHROMIUM	26.20	mg/kg	0.00		
COBALT	8.80	mg/kg	0.00		
COPPER	27.10	mg/kg	0.00		
IRON	21000.00	mg/kg	0.00		
LEAD	6.50	mg/kg	0.00		
MAGNESIUM	4780.00	mg/kg	0.00		
MANGANESE	114.00	mg/kg	0.00		
MERCURY	0.12	mg/kg	0.00		J
NICKEL	12.20	mg/kg	0.00		
POTASSIUM	0.00		1250.00	U	UJ
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	1720.00	mg/kg	0.00		J
THALLIUM	0.00		0.51	U	UJ
VANADIUM	130.00	mg/kg	0.00		
ZINC	60.90	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1046 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	13500.00	mg/kg	0.00		
ANTIMONY	0.00		13.30	U	UJ
ARSENIC	12.70	mg/kg	0.00		
BARIUM	74.20	mg/kg	0.00		
BERYLLIUM	0.00		0.47	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	6030.00	mg/kg	0.00		
CHROMIUM	18.60	mg/kg	0.00		
COBALT	10.60	mg/kg	0.00		
COPPER	26.70	mg/kg	0.00		
IRON	24400.00	mg/kg	0.00		
LEAD	5.80	mg/kg	0.00		
MAGNESIUM	4080.00	mg/kg	0.00		
MANGANESE	269.00	mg/kg	0.00		
MERCURY	0.00		0.11	U	UJ
NICKEL	15.60	mg/kg	0.00		
POTASSIUM	0.00		1140.00	U	UJ
SELENIUM	0.00		0.93	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	1230.00	mg/kg	0.00		J
THALLIUM	0.00		0.46	U	UJ
VANADIUM	77.40	mg/kg	0.00		
ZINC	139.00	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1047 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	21800.00	mg/kg	0.00		
ANTIMONY	0.00		14.40	U	UJ
ARSENIC	28.70	mg/kg	0.00		
BARIUM	172.00	mg/kg	0.00		
BERYLLIUM	0.00		0.50	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	47900.00	mg/kg	0.00		
CHROMIUM	8.20	mg/kg	0.00		
COBALT	8.90	mg/kg	0.00		
COPPER	26.50	mg/kg	0.00		
IRON	18800.00	mg/kg	0.00		
LEAD	7.20	mg/kg	0.00		
MAGNESIUM	10900.00	mg/kg	0.00		
MANGANESE	396.00	mg/kg	0.00		
MERCURY	0.00		0.11	U	UJ
NICKEL	12.40	mg/kg	0.00		
POTASSIUM	2810.00	mg/kg	0.00		
SELENIUM	0.00		10.10	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1380.00	mg/kg	0.00		J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	49.90	mg/kg	0.00		
ZINC	54.00	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1048 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	16400.00	mg/kg	0.00		
ANTIMONY	0.00		13.90	U	UJ
ARSENIC	34.50	mg/kg	0.00		
BARIUM	273.00	mg/kg	0.00		
BERYLLIUM	0.49	mg/kg	0.00		
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4080.00	mg/kg	0.00		
CHROMIUM	11.30	mg/kg	0.00		
COBALT	12.70	mg/kg	0.00		
COPPER	25.70	mg/kg	0.00		
IRON	20400.00	mg/kg	0.00		
LEAD	7.50	mg/kg	0.00		
MAGNESIUM	4020.00	mg/kg	0.00		
MANGANESE	2140.00	mg/kg	0.00		
MERCURY	0.00		0.12	U	UJ
NICKEL	15.90	mg/kg	0.00		
POTASSIUM	1490.00	mg/kg	0.00		
SELENIUM	0.00		0.99	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	995.00	mg/kg	0.00		J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	51.90	mg/kg	0.00		
ZINC	51.70	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1049 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	19900.00	mg/kg	0.00		
ANTIMONY	0.00		14.70	U	UJ
ARSENIC	14.10	mg/kg	0.00		
BARIUM	191.00	mg/kg	0.00		
BERYLLIUM	0.00		0.52	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	4900.00	mg/kg	0.00		
CHROMIUM	13.30	mg/kg	0.00		
COBALT	14.30	mg/kg	0.00		
COPPER	20.60	mg/kg	0.00		
IRON	26600.00	mg/kg	0.00		
LEAD	8.20	mg/kg	0.00		
MAGNESIUM	5180.00	mg/kg	0.00		
MANGANESE	282.00	mg/kg	0.00		
MERCURY	0.00		0.12	U	UJ
NICKEL	18.40	mg/kg	0.00		
POTASSIUM	2480.00	mg/kg	0.00		
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	1220.00	mg/kg	0.00		J
THALLIUM	0.00		0.52	U	UJ
VANADIUM	53.10	mg/kg	0.00		
ZINC	46.40	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1050 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1036 ASSOCIATED MB : M04
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	25500.00	mg/kg	0.00		
ANTIMONY	0.00		14.60	U	UJ
ARSENIC	26.20	mg/kg	0.00		
BARIUM	223.00	mg/kg	0.00		
CADMIUM	0.00		1.30	U	UJ
CALCIUM	35200.00	mg/kg	0.00		
CHROMIUM	14.00	mg/kg	0.00		
COBALT	10.60	mg/kg	0.00		
COPPER	27.00	mg/kg	0.00		
IRON	21400.00	mg/kg	0.00		
LEAD	10.70	mg/kg	0.00		
MAGNESIUM	16900.00	mg/kg	0.00		
MANGANESE	586.00	mg/kg	0.00		
MERCURY	0.00		0.12	U	UJ
NICKEL	11.30	mg/kg	0.00		
POTASSIUM	5300.00	mg/kg	0.00		
SELENIUM	0.00		10.10	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	1870.00	mg/kg	0.00		J
THALLIUM	0.00		0.51	U	UJ
VANADIUM	55.00	mg/kg	0.00		
ZINC	103.00	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted]
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1051 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	31900.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	34.70	mg/Kg	0.00		J
BARIUM	221.00	mg/Kg	0.00		J
BERYLLIUM	0.59	mg/Kg	0.00		J
CALCIUM	42200.00	mg/Kg	0.00		J
CHROMIUM	13.00	mg/Kg	0.00		J
COBALT	10.80	mg/Kg	0.00		J
COPPER	25.50	mg/Kg	0.00		J
IRON	23700.00	mg/Kg	0.00		J
LEAD	8.10	mg/Kg	0.00		J
MAGNESIUM	11600.00	mg/Kg	0.00		J
MANGANESE	467.00	mg/Kg	0.00		J
POTASSIUM	3650.00	mg/Kg	0.00		J
SODIUM	1230.00	mg/Kg	0.00		J
VANADIUM	57.80	mg/Kg	0.00		J
ZINC	58.00	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1052 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	15100.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	21.10	mg/Kg	0.00		J
BARIUM	135.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.49	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	3880.00	mg/Kg	0.00		J
CHROMIUM	11.60	mg/Kg	0.00		J
COBALT	8.90	mg/Kg	0.00		J
COPPER	22.60	mg/Kg	0.00		J
IRON	18500.00	mg/Kg	0.00		J
LEAD	7.10	mg/Kg	0.00		J
MAGNESIUM	4110.00	mg/Kg	0.00		J
MANGANESE	227.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	12.60	mg/Kg	0.00		J
POTASSIUM	2070.00	mg/Kg	0.00		J
SELENIUM	0.00		0.98	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1010.00	mg/Kg	0.00		J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	51.00	mg/Kg	0.00		J
ZINC	41.20	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1053 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	17700.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.30	U	UJ
ARSENIC	53.90	mg/Kg	0.00		J
BARIUM	200.00	mg/Kg	0.00		J
BERYLLIUM	0.51	mg/Kg	0.00		J
CADMIUM	0.00		1.30	U	UJ
CALCIUM	8710.00	mg/Kg	0.00		J
CHROMIUM	10.70	mg/Kg	0.00		J
COBALT	11.90	mg/Kg	0.00		J
COPPER	29.10	mg/Kg	0.00		J
IRON	21000.00	mg/Kg	0.00		J
LEAD	7.70	mg/Kg	0.00		J
MAGNESIUM	6290.00	mg/Kg	0.00		J
MANGANESE	996.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	0.00		10.00	U	UJ
POTASSIUM	2650.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1080.00	mg/Kg	0.00		J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	44.30	mg/Kg	0.00		J
ZINC	55.70	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1054 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	11500.00	mg/Kg	0.00		J
ANTIMONY	0.00		12.70	U	UJ
ARSENIC	36.90	mg/Kg	0.00		J
BARIUM	115.00	mg/Kg	0.00		J
BERYLLIUM	0.47	mg/Kg	0.00		J
CADMIUM	0.00		1.10	U	UJ
CALCIUM	3060.00	mg/Kg	0.00		J
CHROMIUM	10.80	mg/Kg	0.00		J
COBALT	8.30	mg/Kg	0.00		J
COPPER	23.80	mg/Kg	0.00		J
IRON	24200.00	mg/Kg	0.00		J
LEAD	6.80	mg/Kg	0.00		J
MAGNESIUM	2900.00	mg/Kg	0.00		J
MANGANESE	489.00	mg/Kg	0.00		J
MERCURY	0.00		0.11	U	UJ
NICKEL	11.70	mg/Kg	0.00		J
POTASSIUM	1630.00	mg/Kg	0.00		J
SELENIUM	0.00		0.89	U	UJ
SILVER	0.00		2.20	U	UJ
SODIUM	756.00	mg/Kg	0.00		J
THALLIUM	0.00		0.44	U	UJ
VANADIUM	61.40	mg/Kg	0.00		J
ZINC	44.50	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1055 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	14600.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.80	U	UJ
ARSENIC	25.80	mg/Kg	0.00		J
BARIUM	151.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.52	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	3800.00	mg/Kg	0.00		J
CHROMIUM	10.50	mg/Kg	0.00		J
COBALT	11.30	mg/Kg	0.00		J
COPPER	23.20	mg/Kg	0.00		J
IRON	18800.00	mg/Kg	0.00		J
LEAD	8.00	mg/Kg	0.00		J
MAGNESIUM	4930.00	mg/Kg	0.00		J
MANGANESE	323.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	16.70	mg/Kg	0.00		J
POTASSIUM	2440.00	mg/Kg	0.00		J
SELENIUM	0.00		5.20	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	1060.00	mg/Kg	0.00		J
THALLIUM	0.00		0.52	U	UJ
VANADIUM	40.60	mg/Kg	0.00		J
ZINC	47.30	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1056 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	33000.00	mg/Kg	0.00		J
ANTIMONY	0.00		15.10	U	UJ
ARSENIC	26.90	mg/Kg	0.00		J
BARIUM	295.00	mg/Kg	0.00		J
BERYLLIUM	0.60	mg/Kg	0.00		J
CADMIUM	0.00		1.30	U	UJ
CALCIUM	34700.00	mg/Kg	0.00		J
CHROMIUM	13.30	mg/Kg	0.00		J
COBALT	9.10	mg/Kg	0.00		J
COPPER	31.60	mg/Kg	0.00		J
IRON	23500.00	mg/Kg	0.00		J
LEAD	14.50	mg/Kg	0.00		J
MAGNESIUM	11100.00	mg/Kg	0.00		J
MANGANESE	515.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	11.70	mg/Kg	0.00		J
POTASSIUM	4300.00	mg/Kg	0.00		J
SELENIUM	0.00		10.60	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	1290.00	mg/Kg	0.00		J
THALLIUM	0.00		0.53	U	UJ
VANADIUM	61.20	mg/Kg	0.00		J
ZINC	92.20	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1057 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	22400.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.10	U	UJ
ARSENIC	46.90	mg/Kg	0.00		J
BARIUM	204.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.49	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4170.00	mg/Kg	0.00		J
CHROMIUM	15.00	mg/Kg	0.00		J
COBALT	13.40	mg/Kg	0.00		J
COPPER	25.70	mg/Kg	0.00		J
IRON	23300.00	mg/Kg	0.00		J
LEAD	7.40	mg/Kg	0.00		J
MAGNESIUM	4050.00	mg/Kg	0.00		J
MANGANESE	1440.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	11.70	mg/Kg	0.00		J
POTASSIUM	2530.00	mg/Kg	0.00		J
SELENIUM	0.00		9.90	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1240.00	mg/Kg	0.00		J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	57.60	mg/Kg	0.00		J
ZINC	58.50	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1058 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	21900.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.30	U	UJ
ARSENIC	17.60	mg/Kg	0.00		J
BARIUM	169.00	mg/Kg	0.00		J
BERYLLIUM	0.57	mg/Kg	0.00		J
CADMIUM	0.00		1.30	U	UJ
CALCIUM	4900.00	mg/Kg	0.00		J
CHROMIUM	14.50	mg/Kg	0.00		J
COBALT	11.90	mg/Kg	0.00		J
COPPER	27.00	mg/Kg	0.00		J
IRON	23100.00	mg/Kg	0.00		J
LEAD	7.10	mg/Kg	0.00		J
MAGNESIUM	5720.00	mg/Kg	0.00		J
MANGANESE	244.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	18.30	mg/Kg	0.00		J
POTASSIUM	2510.00	mg/Kg	0.00		J
SELENIUM	0.00		10.10	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1330.00	mg/Kg	0.00		J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	57.50	mg/Kg	0.00		J
ZINC	56.00	mg/Kg	0.00		J

PROJECT: *NEVADA AIP NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1060 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	13700.00	mg/Kg	0.00		J
ANTIMONY	0.00		12.40	U	UJ
ARSENIC	17.20	mg/Kg	0.00		J
BARIUM	108.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.43	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	6960.00	mg/Kg	0.00		J
CHROMIUM	11.90	mg/Kg	0.00		J
COBALT	5.70	mg/Kg	0.00		J
COPPER	20.00	mg/Kg	0.00		J
IRON	15800.00	mg/Kg	0.00		J
LEAD	4.90	mg/Kg	0.00		J
MAGNESIUM	5730.00	mg/Kg	0.00		J
MANGANESE	248.00	mg/Kg	0.00		J
MERCURY	0.00		0.11	U	UJ
NICKEL	14.30	mg/Kg	0.00		J
POTASSIUM	1880.00	mg/Kg	0.00		J
SELENIUM	0.00		8.70	U	UJ
SILVER	0.00		2.20	U	UJ
SODIUM	1120.00	mg/Kg	0.00		J
THALLIUM	0.00		0.43	U	UJ
VANADIUM	42.00	mg/Kg	0.00		J
ZINC	37.10	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1061 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 07ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concent.	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	23200.00	mg/Kg	0.00		J
ANTIMONY	0.00		15.70	U	UJ
ARSENIC	16.10	mg/Kg	0.00		J
BARIUM	175.00	mg/Kg	0.00		J
BERYLLIUM	0.71	mg/Kg	0.00		J
CADMIUM	0.00		1.40	U	UJ
CALCIUM	8680.00	mg/Kg	0.00		J
CHROMIUM	26.40	mg/Kg	0.00		J
COBALT	10.60	mg/Kg	0.00		J
COPPER	37.60	mg/Kg	0.00		J
IRON	29200.00	mg/Kg	0.00		J
LEAD	7.40	mg/Kg	0.00		J
MAGNESIUM	5190.00	mg/Kg	0.00		J
MANGANESE	374.00	mg/Kg	0.00		J
MERCURY	0.00		0.14	U	UJ
NICKEL	24.40	mg/Kg	0.00		J
POTASSIUM	1650.00	mg/Kg	0.00		J
SELENIUM	0.00		11.00	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	1740.00	mg/Kg	0.00		J
THALLIUM	0.00		0.55	U	UJ
VANADIUM	65.60	mg/Kg	0.00		J
ZINC	116.00	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1062 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	25300.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.40	U	UJ
ARSENIC	101.00	mg/Kg	0.00		J
BARIUM	193.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.51	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	7940.00	mg/Kg	0.00		J
CHROMIUM	23.20	mg/Kg	0.00		J
COBALT	9.70	mg/Kg	0.00		J
COPPER	24.90	mg/Kg	0.00		J
IRON	22500.00	mg/Kg	0.00		J
LEAD	5.10	mg/Kg	0.00		J
MAGNESIUM	5990.00	mg/Kg	0.00		J
MANGANESE	450.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	20.10	mg/Kg	0.00		J
POTASSIUM	1500.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1870.00	mg/Kg	0.00		J
THALLIUM	0.00		0.51	U	UJ
VANADIUM	58.90	mg/Kg	0.00		J
ZINC	51.10	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1063 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	14300.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.10	U	UJ
ARSENIC	6.80	mg/Kg	0.00		J
BARIUM	117.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.49	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4980.00	mg/Kg	0.00		J
CHROMIUM	13.60	mg/Kg	0.00		J
COBALT	14.00	mg/Kg	0.00		J
COPPER	20.60	mg/Kg	0.00		J
IRON	19000.00	mg/Kg	0.00		J
LEAD	4.90	mg/Kg	0.00		J
MAGNESIUM	3500.00	mg/Kg	0.00		J
MANGANESE	142.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	28.30	mg/Kg	0.00		J
POTASSIUM	0.00		1200.00	U	UJ
SELENIUM	0.00		0.99	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1060.00	mg/Kg	0.00		J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	70.50	mg/Kg	0.00		J
ZINC	45.70	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1064 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	20500.00	mg/Kg	0.00		J
ANTIMONY	0.00		13.80	U	UJ
ARSENIC	5.90	mg/Kg	0.00		J
BARIUM	93.50	mg/Kg	0.00		J
BERYLLIUM	0.53	mg/Kg	0.00		J
CADMIUM	0.00		1.20	U	UJ
CALCIUM	6060.00	mg/Kg	0.00		J
CHROMIUM	18.50	mg/Kg	0.00		J
COBALT	13.10	mg/Kg	0.00		J
COPPER	26.00	mg/Kg	0.00		J
IRON	26500.00	mg/Kg	0.00		J
LEAD	5.30	mg/Kg	0.00		J
MAGNESIUM	10000.00	mg/Kg	0.00		J
MANGANESE	564.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	33.40	mg/Kg	0.00		J
POTASSIUM	4990.00	mg/Kg	0.00		J
SELENIUM	0.00		4.90	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	1690.00	mg/Kg	0.00		J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	60.70	mg/Kg	0.00		J
ZINC	54.40	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1065 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	20000.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.10	U	UJ
ARSENIC	19.80	mg/Kg	0.00		J
BARIUM	141.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.50	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	6390.00	mg/Kg	0.00		J
CHROMIUM	15.70	mg/Kg	0.00		J
COBALT	13.80	mg/Kg	0.00		J
COPPER	27.30	mg/Kg	0.00		J
IRON	21600.00	mg/Kg	0.00		J
LEAD	5.20	mg/Kg	0.00		J
MAGNESIUM	9920.00	mg/Kg	0.00		J
MANGANESE	734.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	30.00	mg/Kg	0.00		J
POTASSIUM	4290.00	mg/Kg	0.00		J
SELENIUM	0.00		5.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1160.00	mg/Kg	0.00		J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	58.80	mg/Kg	0.00		J
ZINC	54.40	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1066 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	12600.00	mg/Kg	0.00		J
ANTIMONY	0.00		15.50	U	UJ
ARSENIC	13.80	mg/Kg	0.00		J
BARIUM	91.10	mg/Kg	0.00		J
BERYLLIUM	0.61	mg/Kg	0.00		J
CADMIUM	0.00		1.40	U	UJ
CALCIUM	3970.00	mg/Kg	0.00		J
CHROMIUM	12.20	mg/Kg	0.00		J
COBALT	5.60	mg/Kg	0.00		J
COPPER	24.30	mg/Kg	0.00		J
IRON	35800.00	mg/Kg	0.00		J
LEAD	6.00	mg/Kg	0.00		J
MAGNESIUM	3110.00	mg/Kg	0.00		J
MANGANESE	115.00	mg/Kg	0.00		J
MERCURY	0.00		0.14	U	UJ
NICKEL	13.10	mg/Kg	0.00		J
POTASSIUM	2210.00	mg/Kg	0.00		J
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	4120.00	mg/Kg	0.00		J
THALLIUM	0.00		0.54	U	UJ
VANADIUM	31.70	mg/Kg	0.00		J
ZINC	40.30	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1067 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	11000.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.20	U	UJ
ARSENIC	32.40	mg/Kg	0.00		J
BARIUM	79.20	mg/Kg	0.00		J
BERYLLIUM	0.00		0.50	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	3490.00	mg/Kg	0.00		J
CHROMIUM	15.80	mg/Kg	0.00		J
COBALT	11.60	mg/Kg	0.00		J
COPPER	20.70	mg/Kg	0.00		J
IRON	16200.00	mg/Kg	0.00		J
LEAD	4.70	mg/Kg	0.00		J
MAGNESIUM	3070.00	mg/Kg	0.00		J
MANGANESE	117.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	23.90	mg/Kg	0.00		J
POTASSIUM	1440.00	mg/Kg	0.00		J
SELENIUM	0.00		5.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1710.00	mg/Kg	0.00		J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	62.40	mg/Kg	0.00		J
ZINC	56.50	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1068 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	16100.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.60	U	UJ
ARSENIC	21.70	mg/Kg	0.00		J
BARIUM	141.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.51	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	61500.00	mg/Kg	0.00		J
CHROMIUM	8.70	mg/Kg	0.00		J
COBALT	5.00	mg/Kg	0.00		J
COPPER	27.40	mg/Kg	0.00		J
IRON	12400.00	mg/Kg	0.00		J
LEAD	4.40	mg/Kg	0.00		J
MAGNESIUM	20400.00	mg/Kg	0.00		J
MANGANESE	336.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	11.10	mg/Kg	0.00		J
POTASSIUM	4650.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	2520.00	mg/Kg	0.00		J
THALLIUM	0.00		0.51	U	UJ
VANADIUM	43.40	mg/Kg	0.00		J
ZINC	59.20	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1069 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	21400.00	mg/Kg	0.00		J
ANTIMONY	0.00		12.80	U	UJ
ARSENIC	97.10	mg/Kg	0.00		J
BARIUM	105.00	mg/Kg	0.00		J
BERYLLIUM	0.56	mg/Kg	0.00		J
CADMIUM	0.00		1.10	U	UJ
CALCIUM	6290.00	mg/Kg	0.00		J
CHROMIUM	18.00	mg/Kg	0.00		J
COBALT	12.30	mg/Kg	0.00		J
COPPER	21.40	mg/Kg	0.00		J
IRON	28200.00	mg/Kg	0.00		J
LEAD	5.20	mg/Kg	0.00		J
MAGNESIUM	7910.00	mg/Kg	0.00		J
MANGANESE	733.00	mg/Kg	0.00		J
MERCURY	0.00		0.11	U	UJ
NICKEL	18.40	mg/Kg	0.00		J
POTASSIUM	3600.00	mg/Kg	0.00		J
SELENIUM	0.00		0.90	U	UJ
SILVER	0.00		2.20	U	UJ
SODIUM	1550.00	mg/Kg	0.00		J
THALLIUM	0.00		0.45	U	UJ
VANADIUM	61.60	mg/Kg	0.00		J
ZINC	52.80	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1070 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	20500.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.70	U	UJ
ARSENIC	11.20	mg/Kg	0.00		J
BARIUM	195.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.52	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	5960.00	mg/Kg	0.00		J
CHROMIUM	15.60	mg/Kg	0.00		J
COBALT	14.40	mg/Kg	0.00		J
COPPER	26.20	mg/Kg	0.00		J
IRON	21400.00	mg/Kg	0.00		J
LEAD	6.60	mg/Kg	0.00		J
MAGNESIUM	4330.00	mg/Kg	0.00		J
MANGANESE	140.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	26.20	mg/Kg	0.00		J
POTASSIUM	0.00		1260.00	U	UJ
SELENIUM	0.00		5.20	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	1190.00	mg/Kg	0.00		J
THALLIUM	0.00		0.52	U	UJ
VANADIUM	71.80	mg/Kg	0.00		J
ZINC	50.30	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1071 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1055 ASSOCIATED MB : M05
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	17200.00	mg/Kg	0.00		J
ANTIMONY	0.00		13.70	U	UJ
ARSENIC	15.10	mg/Kg	0.00		J
BARIUM	105.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.48	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	17900.00	mg/Kg	0.00		J
CHROMIUM	12.60	mg/Kg	0.00		J
COBALT	8.30	mg/Kg	0.00		J
COPPER	22.90	mg/Kg	0.00		J
IRON	17500.00	mg/Kg	0.00		J
LEAD	7.70	mg/Kg	0.00		J
MAGNESIUM	9180.00	mg/Kg	0.00		J
MANGANESE	279.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	18.40	mg/Kg	0.00		J
POTASSIUM	2080.00	mg/Kg	0.00		J
SELENIUM	0.00		0.96	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	1200.00	mg/Kg	0.00		J
THALLIUM	0.00		0.48	U	UJ
VANADIUM	50.40	mg/Kg	0.00		J
ZINC	48.60	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1072 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	27.80	mg/Kg	0.00		J
BARIUM	226.00	mg/Kg	0.00		J
BERYLLIUM	0.58	mg/Kg	0.00	B	J
CADMIUM	0.00		1.30	U	UJ
CALCIUM	9670.00	mg/Kg	0.00		J
CHROMIUM	17.40	mg/Kg	0.00		J
COBALT	15.80	mg/Kg	0.00		J
COPPER	40.30	mg/Kg	0.00		J
IRON	27400.00	mg/Kg	0.00		J
LEAD	5.40	mg/Kg	0.00		J
MAGNESIUM	8180.00	mg/Kg	0.00		J
MANGANESE	1880.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	35.00	mg/Kg	0.00		J
POTASSIUM	3990.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	2640.00	mg/Kg	0.00		J
THALLIUM	0.00		0.51	U	UJ
VANADIUM	81.50	mg/Kg	0.00		J
ZINC	70.90	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1073 SAMPLE TYPE : SR SAMPLE MATRIX : 3
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	21500.00	mg/Kg	0.00		J
ANTIMONY	0.00		380.00	U	UJ
ARSENIC	25.70	mg/Kg	0.00		J
BARIUM	121.00	mg/Kg	0.00		J
BERYLLIUM	0.00		380.00	U	UJ
CADMIUM	0.00		380.00	U	UJ
CALCIUM	6960.00	mg/Kg	0.00		J
CHROMIUM	17.50	mg/Kg	0.00		J
COBALT	9.70	mg/Kg	0.00	B	J
COPPER	22.10	mg/Kg	0.00		J
IRON	23400.00	mg/Kg	0.00		J
LEAD	5.10	mg/Kg	0.00		J
MAGNESIUM	7760.00	mg/Kg	0.00		J
MANGANESE	359.00	mg/Kg	0.00		J
MERCURY	0.00		380.00	U	UJ
NICKEL	26.50	mg/Kg	0.00		J
POTASSIUM	295 [illegible]0	mg/Kg	0.00		J
SELENIUM	0.00		380.00	U	UJ
SILVER	0.00		380.00	U	UJ
SODIUM	2100.00	mg/Kg	0.00		J
THALLIUM	0.00		380.00	U	UJ
VANADIUM	67.70	mg/Kg	0.00		J
ZINC	47.60	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1074 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	21100.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	7.10	mg/Kg	0.00		J
BARIUM	168.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.50	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	6060.00	mg/Kg	0.00		J
CHROMIUM	18.30	mg/Kg	0.00		J
COBALT	14.50	mg/Kg	0.00		J
COPPER	23.90	mg/Kg	0.00		J
IRON	24000.00	mg/Kg	0.00		J
LEAD	5.30	mg/Kg	0.00		J
MAGNESIUM	4480.00	mg/Kg	0.00		J
MANGANESE	171.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	25.10	mg/Kg	0.00		J
POTASSIUM	2450.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1950.00	mg/Kg	0.00		J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	83.50	mg/Kg	0.00		J
ZINC	56.50	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1075 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	11400.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	10.50	mg/Kg	0.00		J
BARIUM	97.90	mg/Kg	0.00		J
BERYLLIUM	0.00		0.50	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	114000.00	mg/Kg	0.00		J
CHROMIUM	6.60	mg/Kg	0.00		J
COBALT	3.90	mg/Kg	0.00	B	J
COPPER	25.00	mg/Kg	0.00		J
IRON	8580.00	mg/Kg	0.00		J
LEAD	3.00	mg/Kg	0.00		J
MAGNESIUM	35600.00	mg/Kg	0.00		J
MANGANESE	290.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	12.50	mg/Kg	0.00		J
POTASSIUM	3110.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	2270.00	mg/Kg	0.00		J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	35.70	mg/Kg	0.00		J
ZINC	50.40	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1076 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	10200.00	mg/Kg	0.00		J
ANTIMONY	0.00		380.00	U	UJ
ARSENIC	45.00	mg/Kg	0.00		J
BARIUM	98.00	mg/Kg	0.00		J
BERYLLIUM	0.00		380.00	U	UJ
CADMIUM	0.00		380.00	U	UJ
CALCIUM	4730.00	mg/Kg	0.00		J
CHROMIUM	15.70	mg/Kg	0.00		J
COBALT	9.80	mg/Kg	0.00	B	J
COPPER	18.50	mg/Kg	0.00		J
IRON	19500.00	mg/Kg	0.00		J
LEAD	5.60	mg/Kg	0.00		J
MAGNESIUM	3770.00	mg/Kg	0.00		J
MANGANESE	1600.00	mg/Kg	0.00		J
MERCURY	0.00		380.00	U	UJ
NICKEL	24.60	mg/Kg	0.00		J
POTASSIUM	2990.00	mg/Kg	0.00		J
SELENIUM	0.00		380.00	U	UJ
SILVER	0.00		380.00	U	UJ
SODIUM	1100.00	mg/Kg	0.00	B	J
THALLIUM	0.00		380.00	U	UJ
VANADIUM	44.10	mg/Kg	0.00		J
ZINC	40.40	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1077 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	9150.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	24.20	mg/Kg	0.00		J
BARIUM	108.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.45	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	5350.00	mg/Kg	0.00		J
CHROMIUM	15.10	mg/Kg	0.00		J
COBALT	8.50	mg/Kg	0.00	B	J
COPPER	21.20	mg/Kg	0.00		J
IRON	19100.00	mg/Kg	0.00		J
LEAD	4.10	mg/Kg	0.00		J
MAGNESIUM	3220.00	mg/Kg	0.00		J
MANGANESE	571.00	mg/Kg	0.00		J
MERCURY	0.00		0.11	U	UJ
NICKEL	18.90	mg/Kg	0.00		J
POTASSIUM	1770.00	mg/Kg	0.00		J
SELENIUM	0.00		0.89	U	UJ
SILVER	0.00		2.20	U	UJ
SODIUM	868.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.45	U	UJ
VANADIUM	44.80	mg/Kg	0.00		J
ZINC	55.50	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1078 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	11400.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	125.00	mg/Kg	0.00		J
BARIUM	122.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.46	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	5730.00	mg/Kg	0.00		J
CHROMIUM	19.10	mg/Kg	0.00		J
COBALT	14.10	mg/Kg	0.00		J
COPPER	31.50	mg/Kg	0.00		J
IRON	30000.00	mg/Kg	0.00		J
LEAD	4.20	mg/Kg	0.00		J
MAGNESIUM	3550.00	mg/Kg	0.00		J
MANGANESE	585.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	23.60	mg/Kg	0.00		J
POTASSIUM	1520.00	mg/Kg	0.00		J
SELENIUM	0.00		0.92	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	1120.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.46	U	UJ
VANADIUM	66.50	mg/Kg	0.00		J
ZINC	60.20	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1079 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	27000.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	50.20	mg/Kg	0.00		J
BARIUM	148.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.51	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	5490.00	mg/Kg	0.00		J
CHROMIUM	18.60	mg/Kg	0.00		J
COBALT	9.60	mg/Kg	0.00	B	J
COPPER	47.70	mg/Kg	0.00		J
IRON	28800.00	mg/Kg	0.00		J
LEAD	9.10	mg/Kg	0.00		J
MAGNESIUM	10300.00	mg/Kg	0.00		J
MANGANESE	1040.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	22.20	mg/Kg	0.00		J
POTASSIUM	4540.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	1250.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.51	U	UJ
VANADIUM	65.10	mg/Kg	0.00		J
ZINC	99.30	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1080 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	12600.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	43.60	mg/Kg	0.00		J
BARIUM	73.70	mg/Kg	0.00		J
BERYLLIUM	0.00		0.44	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	4900.00	mg/Kg	0.00		J
CHROMIUM	16.70	mg/Kg	0.00		J
COBALT	12.90	mg/Kg	0.00		J
COPPER	9.90	mg/Kg	0.00		J
IRON	21700.00	mg/Kg	0.00		J
LEAD	5.00	mg/Kg	0.00		J
MAGNESIUM	3380.00	mg/Kg	0.00		J
MANGANESE	372.00	mg/Kg	0.00		J
MERCURY	0.00		0.11	U	UJ
NICKEL	21.50	mg/Kg	0.00		J
POTASSIUM	2160.00	mg/Kg	0.00		J
SELENIUM	0.00		0.88	U	UJ
SILVER	0.00		2.20	U	UJ
SODIUM	1070.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.44	U	UJ
VANADIUM	50.40	mg/Kg	0.00		J
ZINC	36.10	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1081 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	9270.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	15.60	mg/Kg	0.00		J
BARIUM	75.40	mg/Kg	0.00		J
BERYLLIUM	0.00		0.45	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	5140.00	mg/Kg	0.00		J
CHROMIUM	15.40	mg/Kg	0.00		J
COBALT	6.30	mg/Kg	0.00	B	J
COPPER	19.40	mg/Kg	0.00		J
IRON	21100.00	mg/Kg	0.00		J
LEAD	4.50	mg/Kg	0.00		J
MAGNESIUM	3530.00	mg/Kg	0.00		J
MANGANESE	196.00	mg/Kg	0.00		J
MERCURY	0.00		0.11	U	UJ
NICKEL	13.30	mg/Kg	0.00		J
POTASSIUM	1420.00	mg/Kg	0.00		J
SELENIUM	0.00		0.89	U	UJ
SILVER	0.00		2.20	U	UJ
SODIUM	908.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.45	U	UJ
VANADIUM	39.60	mg/Kg	0.00		J
ZINC	45.40	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1082 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	24900.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	22.30	mg/Kg	0.00		J
BARIUM	156.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.55	U	UJ
CADMIUM	0.00		1.40	U	UJ
CALCIUM	6190.00	mg/Kg	0.00		J
CHROMIUM	15.50	mg/Kg	0.00		J
COBALT	10.30	mg/Kg	0.00	B	J
COPPER	29.80	mg/Kg	0.00		J
IRON	25000.00	mg/Kg	0.00		J
LEAD	8.00	mg/Kg	0.00		J
MAGNESIUM	13000.00	mg/Kg	0.00		J
MANGANESE	620.00	mg/Kg	0.00		J
MERCURY	0.00		0.14	U	UJ
NICKEL	19.70	mg/Kg	0.00		J
POTASSIUM	4890.00	mg/Kg	0.00		J
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	1520.00	mg/Kg	0.00		J
THALLIUM	0.00		0.55	U	UJ
VANADIUM	56.00	mg/Kg	0.00		J
ZINC	61.60	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1083 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	9330.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	27.30	mg/Kg	0.00		J
BARIUM	91.80	mg/Kg	0.00		J
BERYLLIUM	0.00		0.44	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	4620.00	mg/Kg	0.00		J
CHROMIUM	14.90	mg/Kg	0.00		J
COBALT	9.20	mg/Kg	0.00	B	J
COPPER	30.00	mg/Kg	0.00		J
IRON	17300.00	mg/Kg	0.00		J
LEAD	4.20	mg/Kg	0.00		J
MAGNESIUM	2770.00	mg/Kg	0.00		J
MANGANESE	611.00	mg/Kg	0.00		J
MERCURY	0.00		0.11	U	UJ
NICKEL	17.40	mg/Kg	0.00		J
POTASSIUM	1980.00	mg/Kg	0.00		J
SELENIUM	0.00		0.88	U	UJ
SILVER	0.00		2.20	U	UJ
SODIUM	922.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.44	U	UJ
VANADIUM	40.00	mg/Kg	0.00		J
ZINC	56.10	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1084 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	9290.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	9.60	mg/Kg	0.00		J
BARIUM	71.70	mg/Kg	0.00		J
BERYLLIUM	0.00		0.47	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4900.00	mg/Kg	0.00		J
CHROMIUM	13.70	mg/Kg	0.00		J
COBALT	5.60	mg/Kg	0.00	B	J
COPPER	20.30	mg/Kg	0.00		J
IRON	20400.00	mg/Kg	0.00		J
LEAD	4.30	mg/Kg	0.00		J
MAGNESIUM	3090.00	mg/Kg	0.00		J
MANGANESE	113.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	11.60	mg/Kg	0.00		J
POTASSIUM	1490.00	mg/Kg	0.00		J
SELENIUM	0.00		0.94	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	781.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.47	U	UJ
VANADIUM	48.10	mg/Kg	0.00		J
ZINC	47.80	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1085 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	10100.00	mg/Kg	0.00		J
ANTIMONY	0.00		380.00	U	UJ
ARSENIC	13.80	mg/Kg	0.00		J
BARIUM	78.10	mg/Kg	0.00		J
BERYLLIUM	0.00		380.00	U	UJ
CADMIUM	0.00		380.00	U	UJ
CALCIUM	56000.00	mg/Kg	0.00		J
CHROMIUM	6.20	mg/Kg	0.00		J
COBALT	3.40	mg/Kg	0.00	B	J
COPPER	16.10	mg/Kg	0.00		J
IRON	8650.00	mg/Kg	0.00		J
LEAD	5.00	mg/Kg	0.00		J
MAGNESIUM	18500.00	mg/Kg	0.00		J
MANGANESE	401.00	mg/Kg	0.00		J
MERCURY	0.00		380.00	U	UJ
NICKEL	0.00		380.00	U	UJ
POTASSIUM	2300.00	mg/Kg	0.00		J
SELENIUM	0.00		380.00	U	UJ
SILVER	0.00		380.00	U	UJ
SODIUM	1280.00	mg/Kg	0.00		J
THALLIUM	0.00		380.00	U	UJ
VANADIUM	29.00	mg/Kg	0.00		J
ZINC	58.50	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1086 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	10000.00	mg/Kg	0.00		J
ANTIMONY	0.00		380.00	U	UJ
ARSENIC	14.80	mg/Kg	0.00		J
BARIUM	63.60	mg/Kg	0.00		J
BERYLLIUM	0.00		380.00	U	UJ
CADMIUM	0.00		380.00	U	UJ
CALCIUM	4380.00	mg/Kg	0.00		J
CHROMIUM	17.40	mg/Kg	0.00		J
COBALT	6.50	mg/Kg	0.00	B	J
COPPER	16.30	mg/Kg	0.00		J
IRON	15000.00	mg/Kg	0.00		J
LEAD	4.50	mg/Kg	0.00		J
MAGNESIUM	3110.00	mg/Kg	0.00		J
MANGANESE	452.00	mg/Kg	0.00		J
MERCURY	0.00		380.00	U	UJ
NICKEL	17.20	mg/Kg	0.00		J
POTASSIUM	2080.00	mg/Kg	0.00		J
SELENIUM	0.00		380.00	U	UJ
SILVER	0.00		380.00	U	UJ
SODIUM	686.00	mg/Kg	0.00	B	J
THALLIUM	0.00		380.00	U	UJ
VANADIUM	50.90	mg/Kg	0.00		J
ZINC	36.30	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1087 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	22500.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	93.60	mg/Kg	0.00		J
BARIUM	124.00	mg/Kg	0.00		J
BERYLLIUM	0.57	mg/Kg	0.00	B	J
CADMIUM	0.00		1.40	U	UJ
CALCIUM	7190.00	mg/Kg	0.00		J
CHROMIUM	23.50	mg/Kg	0.00		J
COBALT	19.10	mg/Kg	0.00		J
COPPER	33.30	mg/Kg	0.00		J
IRON	28400.00	mg/Kg	0.00		J
LEAD	7.00	mg/Kg	0.00		J
MAGNESIUM	5440.00	mg/Kg	0.00		J
MANGANESE	164.00	mg/Kg	0.00		J
MERCURY	0.00		0.14	U	UJ
NICKEL	40.00	mg/Kg	0.00		J
POTASSIUM	3020.00	mg/Kg	0.00		J
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	1280.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.54	U	UJ
VANADIUM	101.00	mg/Kg	0.00		J
ZINC	63.10	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1089 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ANTIMONY	0.00		13.30	U	UJ
ARSENIC	2 .)	mg/Kg	?.00		J
BARIUM	65.50	mg/Kg	0.00		J
BERYLLIUM	0.00		0.47	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	5180.00	mg/Kg	0.00		J
CHROMIUM	17.40	mg/Kg	0.00		J
COBALT	5.30	mg/Kg	0.00	B	J
COPPER	15.50	mg/Kg	0.00		J
IRON	20900.00	mg/Kg	0.00		J
LEAD	4.70	mg/Kg	0.00		J
MAGNESIUM	2530.00	mg/Kg	0.00		J
MANGANESE	165.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	10.80	mg/Kg	0.00		J
POTASSIUM	1790.00	mg/Kg	0.00		J
SELENIUM	0.00		0.93	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	1080.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.47	U	UJ
VANADIUM	49.50	mg/Kg	0.00		J
ZINC	31.40	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1090 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	17900.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	104.00	mg/Kg	0.00		J
BARIUM	128.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.49	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	6810.00	mg/Kg	0.00		J
CHROMIUM	22.80	mg/Kg	0.00		J
COBALT	12.20	mg/Kg	0.00	B	J
COPPER	66.60	mg/Kg	0.00		J
IRON	23200.00	mg/Kg	0.00		J
LEAD	2.20	mg/Kg	0.00		J
MAGNESIUM	3970.00	mg/Kg	0.00		J
MANGANESE	122.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	21.20	mg/Kg	0.00		J
POTASSIUM	1650.00	mg/Kg	0.00		J
SELENIUM	0.00		0.98	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	1450.00	mg/Kg	0.00		J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	92.00	mg/Kg	0.00		J
ZINC	151.00	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1091 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	18400.00	mg/Kg	0.00		J
ANTIMONY	0.00		13.20	U	UJ
ARSENIC	2.20	mg/Kg	0.00	B	J
BARIUM	141.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.46	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	14200.00	mg/Kg	0.00		J
CHROMIUM	13.70	mg/Kg	0.00		J
COBALT	8.20	mg/Kg	0.00	B	J
COPPER	18.60	mg/Kg	0.00		J
IRON	18500.00	mg/Kg	0.00		J
LEAD	6.90	mg/Kg	0.00		J
MAGNESIUM	6500.00	mg/Kg	0.00		J
MANGANESE	343.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	14.40	mg/Kg	0.00		J
POTASSIUM	2300.00	mg/Kg	0.00		J
SELENIUM	0.00		0.93	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	2140.00	mg/Kg	0.00		J
THALLIUM	0.00		0.46	U	UJ
VANADIUM	62.10	mg/Kg	0.00		J
ZINC	46.10	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1092 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	12800.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.30	U	UJ
ARSENIC	9.00	mg/Kg	0.00		J
BARIUM	121.00	mg/Kg	0.00		J
BERYLLIUM	0.56	mg/Kg	0.00	B	J
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4530.00	mg/Kg	0.00		J
CHROMIUM	16.30	mg/Kg	0.00		J
COBALT	6.70	mg/Kg	0.00	B	J
COPPER	16.60	mg/Kg	0.00		J
IRON	14300.00	mg/Kg	0.00		J
LEAD	6.30	mg/Kg	0.00		J
MAGNESIUM	2930.00	mg/Kg	0.00		J
MANGANESE	149.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	14.60	mg/Kg	0.00		J
POTASSIUM	3130.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1080.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	60.90	mg/Kg	0.00		J
ZINC	45.90	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1093 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	13800.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	7.20	mg/Kg	0.00		J
BARIUM	131.00	mg/Kg	0.00		J
BERYLLIUM	0.65	mg/Kg	0.00	B	J
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4410.00	mg/Kg	0.00		J
CHROMIUM	14.00	mg/Kg	0.00		J
COBALT	6.70	mg/Kg	0.00	B	J
COPPER	16.70	mg/Kg	0.00		J
IRON	22900.00	mg/Kg	0.00		J
LEAD	6.60	mg/Kg	0.00		J
MAGNESIUM	3130.00	mg/Kg	0.00		J
MANGANESE	208.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	17.00	mg/Kg	0.00		J
POTASSIUM	2420.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1110.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	61.20	mg/Kg	0.00		J
ZINC	42.30	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1094 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	21600.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.10	U	UJ
ARSENIC	13.50	mg/Kg	0.00		J
BARIUM	206.00	mg/Kg	0.00		J
BERYLLIUM	0.68	mg/Kg	0.00	B	J
CADMIUM	1.40	mg/Kg	0.00		J
CALCIUM	12600.00	mg/Kg	0.00		J
CHROMIUM	22.00	mg/Kg	0.00		J
COBALT	10.90	mg/Kg	0.00	B	J
COPPER	19.10	mg/Kg	0.00		J
IRON	27000.00	mg/Kg	0.00		J
LEAD	19.50	mg/Kg	0.00		J
MAGNESIUM	6230.00	mg/Kg	0.00		J
MANGANESE	396.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	24.50	mg/Kg	0.00		J
POTASSIUM	1700.00	mg/Kg	0.00		J
SELENIUM	0.00		0.99	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	2650.00	mg/Kg	0.00		J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	98.00	mg/Kg	0.00		J
ZINC	63.20	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1095 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	30800.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.50	U	UJ
ARSENIC	63.80	mg/Kg	0.00		J
BARIUM	235.00	mg/Kg	0.00		J
BERYLLIUM	0.83	mg/Kg	0.00	B	J
CADMIUM	0.00		1.30	U	UJ
CALCIUM	5050.00	mg/Kg	0.00		J
CHROMIUM	16.80	mg/Kg	0.00		J
COBALT	10.80	mg/Kg	0.00	B	J
COPPER	21.10	mg/Kg	0.00		J
IRON	35500.00	mg/Kg	0.00		J
LEAD	9.60	mg/Kg	0.00		J
MAGNESIUM	4910.00	mg/Kg	0.00		J
MANGANESE	621.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	11.70	mg/Kg	0.00		J
POTASSIUM	3040.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	2110.00	mg/Kg	0.00		J
THALLIUM	0.00		0.51	U	UJ
VANADIUM	63.20	mg/Kg	0.00		J
ZINC	49.10	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1096 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	18700.00	mg/Kg	0.00		J
ANTIMONY	0.00		15.40	U	UJ
ARSENIC	39.30	mg/Kg	0.00		J
BARIUM	151.00	mg/Kg	0.00		J
BERYLLIUM	0.63	mg/Kg	0.00	B	J
CADMIUM	1.50	mg/Kg	0.00		J
CALCIUM	6110.00	mg/Kg	0.00		J
CHROMIUM	18.80	mg/Kg	0.00		J
COBALT	10.00	mg/Kg	0.00	B	J
COPPER	21.70	mg/Kg	0.00		J
IRON	22900.00	mg/Kg	0.00		J
LEAD	5.90	mg/Kg	0.00		J
MAGNESIUM	5020.00	mg/Kg	0.00		J
MANGANESE	161.00	mg/Kg	0.00		J
MERCURY	0.00		0.14	U	UJ
NICKEL	17.90	mg/Kg	0.00		J
POTASSIUM	2650.00	mg/Kg	0.00		J
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	1340.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.54	U	UJ
VANADIUM	58.60	mg/Kg	0.00		J
ZINC	50.80	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1097 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	16100.00	mg/Kg	0.00		J
ANTIMONY	0.00		12.00	U	UJ
ARSENIC	4.80	mg/Kg	0.00		J
BARIUM	136.00	mg/Kg	0.00		J
BERYLLIUM	0.50	mg/Kg	0.00	B	J
CADMIUM	0.00		1.00	U	UJ
CALCIUM	6960.00	mg/Kg	0.00		J
CHROMIUM	14.50	mg/Kg	0.00		J
COBALT	8.90	mg/Kg	0.00	B	J
COPPER	18.00	mg/Kg	0.00		J
IRON	20200.00	mg/Kg	0.00		J
LEAD	4.60	mg/Kg	0.00		J
MAGNESIUM	6690.00	mg/Kg	0.00		J
MANGANESE	302.00	mg/Kg	0.00		J
MERCURY	0.00		0.10	U	UJ
NICKEL	20.60	mg/Kg	0.00		J
POTASSIUM	1490.00	mg/Kg	0.00		J
SELENIUM	0.00		0.84	U	UJ
SILVER	0.00		2.10	U	UJ
SODIUM	1310.00	mg/Kg	0.00		J
THALLIUM	0.00		0.42	U	UJ
VANADIUM	66.30	mg/Kg	0.00		J
ZINC	46.70	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1098 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	20200.00	mg/Kg	0.00		J
ANTIMONY	0.00		15.40	U	UJ
ARSENIC	45.00	mg/Kg	0.00		J
BARIUM	174.00	mg/Kg	0.00		J
BERYLLIUM	0.82	mg/Kg	0.00	B	J
CADMIUM	0.00		1.40	U	UJ
CALCIUM	5470.00	mg/Kg	0.00		J
CHROMIUM	14.40	mg/Kg	0.00		J
COBALT	10.70	mg/Kg	0.00	B	J
COPPER	21.70	mg/Kg	0.00		J
IRON	36400.00	mg/Kg	0.00		J
LEAD	9.50	mg/Kg	0.00		J
MAGNESIUM	6520.00	mg/Kg	0.00		J
MANGANESE	641.00	mg/Kg	0.00		J
MERCURY	0.00		0.14	U	UJ
NICKEL	23.50	mg/Kg	0.00		J
POTASSIUM	4430.00	mg/Kg	0.00		J
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	1190.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.54	U	UJ
VANADIUM	57.30	mg/Kg	0.00		J
ZINC	49.10	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1099 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	19600.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	33.00	mg/Kg	0.00		J
BARIUM	167.00	mg/Kg	0.00		J
BERYLLIUM	0.59	mg/Kg	0.00	B	J
CADMIUM	0.00		1.30	U	UJ
CALCIUM	4450.00	mg/Kg	0.00		J
CHROMIUM	15.30	mg/Kg	0.00		J
COBALT	10.30	mg/Kg	0.00	B	J
COPPER	21.20	mg/Kg	0.00		J
IRON	21900.00	mg/Kg	0.00		J
LEAD	9.00	mg/Kg	0.00		J
MAGNESIUM	5040.00	mg/Kg	0.00		J
MANGANESE	377.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	17.00	mg/Kg	0.00		J
POTASSIUM	3880.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	1080.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.51	U	UJ
VANADIUM	56.90	mg/Kg	0.00		J
ZINC	45.90	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1100 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	29900.00	mg/Kg	0.00		J
ANTIMONY	0.00		15.30	U	UJ
ARSENIC	36.90	mg/Kg	0.00		J
BARIUM	173.00	mg/Kg	0.00		J
BERYLLIUM	0.79	mg/Kg	0.00	B	J
CADMIUM	0.00		1.30	U	UJ
CALCIUM	8310.00	mg/Kg	0.00		J
CHROMIUM	23.70	mg/Kg	0.00		J
COBALT	15.60	mg/Kg	0.00		J
COPPER	54.90	mg/Kg	0.00		J
IRON	20700.00	mg/Kg	0.00		J
LEAD	8.20	mg/Kg	0.00		J
MAGNESIUM	5480.00	mg/Kg	0.00		J
MANGANESE	319.00	mg/Kg	0.00		J
MERCURY	0.74	mg/Kg	0.00		J
NICKEL	31.10	mg/Kg	0.00		J
POTASSIUM	2900.00	mg/Kg	0.00		J
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	1810.00	mg/Kg	0.00		J
THALLIUM	0.00		0.54	U	UJ
VANADIUM	93.30	mg/Kg	0.00		J
ZINC	60.70	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1101 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	19200.00	mg/Kg	0.00		J
ANTIMONY	0.00		15.60	U	UJ
ARSENIC	23.20	mg/Kg	0.00		J
BARIUM	169.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.55	U	UJ
CADMIUM	0.00		1.40	U	UJ
CALCIUM	20000.00	mg/Kg	0.00		J
CHROMIUM	9.60	mg/Kg	0.00		J
COBALT	8.60	mg/Kg	0.00	B	J
COPPER	21.20	mg/Kg	0.00		J
IRON	18400.00	mg/Kg	0.00		J
LEAD	7.00	mg/Kg	0.00		J
MAGNESIUM	8640.00	mg/Kg	0.00		J
MANGANESE	478.00	mg/Kg	0.00		J
MERCURY	1.90	mg/Kg	0.00		J
NICKEL	12.60	mg/Kg	0.00		J
POTASSIUM	3370.00	mg/Kg	0.00		J
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.70	U	UJ
SODIUM	1810.00	mg/Kg	0.00		J
THALLIUM	0.00		0.55	U	UJ
VANADIUM	48.10	mg/Kg	0.00		J
ZINC	48.60	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1102 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	16500.00	mg/Kg	0.00		J
ANTIMONY	0.00		13.70	U	UJ
ARSENIC	37.80	mg/Kg	0.00		J
BARIUM	194.00	mg/Kg	0.00		J
BERYLLIUM	0.58	mg/Kg	0.00	B	J
CADMIUM	0.00		1.20	U	UJ
CALCIUM	3990.00	mg/Kg	0.00		J
CHROMIUM	12.60	mg/Kg	0.00		J
COBALT	8.80	mg/Kg	0.00	B	J
COPPER	18.60	mg/Kg	0.00		J
IRON	20500.00	mg/Kg	0.00		J
LEAD	7.70	mg/Kg	0.00		J
MAGNESIUM	3630.00	mg/Kg	0.00		J
MANGANESE	375.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	11.70	mg/Kg	0.00		J
POTASSIUM	2980.00	mg/Kg	0.00		J
SELENIUM	0.00		0.96	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	1240.00	mg/Kg	0.00		J
THALLIUM	0.00		0.48	U	UJ
VANADIUM	46.10	mg/Kg	0.00		J
ZINC	41.90	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1103 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	16300.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.60	U	UJ
ARSENIC	29.70	mg/Kg	0.00		J
BARIUM	106.00	mg/Kg	0.00		J
BERYLLIUM	0.64	mg/Kg	0.00	B	J
CADMIUM	0.00		1.30	U	UJ
CALCIUM	6040.00	mg/Kg	0.00		J
CHROMIUM	16.80	mg/Kg	0.00		J
COBALT	12.70	mg/Kg	0.00	B	J
COPPER	19.90	mg/Kg	0.00		J
IRON	22200.00	mg/Kg	0.00		J
LEAD	4.40	mg/Kg	0.00		J
MAGNESIUM	4860.00	mg/Kg	0.00		J
MANGANESE	168.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	38.00	mg/Kg	0.00		J
POTASSIUM	2460.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	1260.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.51	U	UJ
VANADIUM	71.10	mg/Kg	0.00		J
ZINC	57.00	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1104 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	20700.00	mg/Kg	0.00		J
ANTIMONY	0.00		16.20	U	UJ
ARSENIC	58.10	mg/Kg	0.00		J
BARIUM	178.00	mg/Kg	0.00		J
BERYLLIUM	0.82	mg/Kg	0.00	B	J
CADMIUM	0.00		1.40	U	UJ
CALCIUM	5490.00	mg/Kg	0.00		J
CHROMIUM	14.00	mg/Kg	0.00		J
COBALT	15.10	mg/Kg	0.00		J
COPPER	23.60	mg/Kg	0.00		J
IRON	26300.00	mg/Kg	0.00		J
LEAD	10.20	mg/Kg	0.00		J
MAGNESIUM	6160.00	mg/Kg	0.00		J
MANGANESE	572.00	mg/Kg	0.00		J
MERCURY	0.00		0.14	U	UJ
NICKEL	0.00		11.40	U	UJ
POTASSIUM	4510.00	mg/Kg	0.00		J
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.80	U	UJ
SODIUM	1440.00	mg/Kg	0.00		J
THALLIUM	0.00		0.57	U	UJ
VANADIUM	45.10	mg/Kg	0.00		J
ZINC	50.50	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1105 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1105 ASSOCIATED MB : M08
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	20800.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
BARIUM	170.00	mg/Kg	0.00		J
BERYLLIUM	0.62	mg/Kg	0.00	B	J
CADMIUM	0.00		1.20	U	UJ
CALCIUM	7180.00	mg/Kg	0.00		J
CHROMIUM	23.40	mg/Kg	0.00		J
COBALT	9.50	mg/Kg	0.00	B	J
COPPER	21.50	mg/Kg	0.00		J
IRON	22100.00	mg/Kg	0.00		J
LEAD	5.30	mg/Kg	0.00		J
MAGNESIUM	4270.00	mg/Kg	0.00		J
MANGANESE	195.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	18.90	mg/Kg	0.00		J
POTASSIUM	1890.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1520.00	mg/Kg	0.00		J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	70.20	mg/Kg	0.00		J
ZINC	51.20	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1106 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1105 ASSOCIATED MB : M08
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	17300.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	115.00	mg/Kg	0.00		J
BARIUM	127.00	mg/Kg	0.00		J
BERYLLIUM	0.79	mg/Kg	0.00	B	J
CADMIUM	0.00		1.20	U	UJ
CALCIUM	5970.00	mg/Kg	0.00		J
CHROMIUM	18.50	mg/Kg	0.00		J
COBALT	9.30	mg/Kg	0.00	B	J
COPPER	21.50	mg/Kg	0.00		J
IRON	24600.00	mg/Kg	0.00		J
LEAD	4.40	mg/Kg	0.00		J
MAGNESIUM	4020.00	mg/Kg	0.00		J
MANGANESE	170.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	20.40	mg/Kg	0.00		J
POTASSIUM	1660.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1230.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	72.00	mg/Kg	0.00		J
ZINC	52.70	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1107 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1105 ASSOCIATED MB : M08
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	19200.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	12.00	mg/Kg	0.00		J
BARIUM	113.00	mg/Kg	0.00		J
BERYLLIUM	0.66	mg/Kg	0.00	B	J
CADMIUM	0.00		1.40	U	UJ
CALCIUM	5620.00	mg/Kg	0.00		J
CHROMIUM	21.10	mg/Kg	0.00		J
COBALT	11.50	mg/Kg	0.00	B	J
COPPER	19.90	mg/Kg	0.00		J
IRON	24100.00	mg/Kg	0.00		J
LEAD	6.10	mg/Kg	0.00		J
MAGNESIUM	3870.00	mg/Kg	0.00		J
MANGANESE	154.00	mg/Kg	0.00		J
MERCURY	0.14	mg/Kg	0.00		J
NICKEL	24.90	mg/Kg	0.00		J
POTASSIUM	1440.00	mg/Kg	0.00		J
SELENIUM	0.00		1.10	U	UJ
SILVER	0.00		2.90	U	UJ
SODIUM	1230.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.57	U	UJ
VANADIUM	95.70	mg/Kg	0.00		J
ZINC	48.10	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1108 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1108 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ANTIMONY	0.00		60.00	U	U
ARSENIC	0.00		4.00	U	U
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
LEAD	0.00		2.00	U	U
MERCURY	0.00		0.20	U	U
NICKEL	0.00		11.00	U	U
POTASSIUM	0.00		1363.00	U	U
SELENIUM	0.00		4.00	U	U
SILVER	0.00		6.00	U	U
THALLIUM	0.00		2.00	U	U
VANADIUM	0.00		5.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1109 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1108 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ANTIMONY	0.00		60.00	U	U
ARSENIC	0.00		4.00	U	U
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	0.00		5.00	U	U
LEAD	0.00		2.00	U	U
MAGNESIUM	0.00		46.00	U	U
MANGANESE	0.00		2.00	U	U
MERCURY	0.00		0.20	U	U
NICKEL	0.00		11.00	U	U
POTASSIUM	0.00		1363.00	U	U
SELENIUM	0.00		4.00	U	U
SILVER	0.00		6.00	U	U
THALLIUM	0.00		2.00	U	U
VANADIUM	0.00		5.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1110 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1108 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ANTIMONY	0.00		60.00	U	U
ARSENIC	0.00		4.00	U	U
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	0.00		5.00	U	U
LEAD	0.00		2.00	U	U
MAGNESIUM	0.00		46.00	U	U
MERCURY	0.00		0.20	U	U
NICKEL	0.00		11.00	U	U
POTASSIUM	0.00		1363.00	U	U
SELENIUM	0.00		4.00	U	U
SILVER	0.00		6.00	U	U
THALLIUM	0.00		2.00	U	U
VANADIUM	0.00		5.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1112 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	11600.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	33.70	mg/Kg	0.00		J
BARIUM	71.10	mg/Kg	0.00		J
BERYLLIUM	0.00		0.49	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	4060.00	mg/Kg	0.00		J
CHROMIUM	14.00	mg/Kg	0.00		J
COBALT	9.90	mg/Kg	0.00	B	J
COPPER	17.70	mg/Kg	0.00		J
IRON	16900.00	mg/Kg	0.00		J
LEAD	4.50	mg/Kg	0.00		J
MAGNESIUM	5010.00	mg/Kg	0.00		J
MANGANESE	346.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	23.00	mg/Kg	0.00		J
POTASSIUM	3490.00	mg/Kg	0.00		J
SELENIUM	0.00		0.98	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	989.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	61.90	mg/Kg	0.00		J
ZINC	37.00	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1113 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	15100.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	5.30	mg/Kg	0.00		J
BARIUM	111.00	mg/Kg	0.00		J
BERYLLIUM	0.00		0.52	U	UJ
CADMIUM	0.00		1.30	U	UJ
CALCIUM	5990.00	mg/Kg	0.00		J
CHROMIUM	14.60	mg/Kg	0.00		J
COBALT	8.60	mg/Kg	0.00	B	J
COPPER	24.60	mg/Kg	0.00		J
IRON	21200.00	mg/Kg	0.00		J
LEAD	6.40	mg/Kg	0.00		J
MAGNESIUM	5830.00	mg/Kg	0.00		J
MANGANESE	280.00	mg/Kg	0.00		J
MERCURY	0.00		0.13	U	UJ
NICKEL	25.00	mg/Kg	0.00		J
POTASSIUM	1820.00	mg/Kg	0.00		J
SELENIUM	0.00		1.00	U	UJ
SILVER	0.00		2.60	U	UJ
SODIUM	879.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.52	U	UJ
VANADIUM	65.60	mg/Kg	0.00		J
ZINC	58.00	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1114 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	12800.00	mg/Kg	0.00		J
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	4.90	mg/Kg	0.00		J
BARIUM	64.10	mg/Kg	0.00		J
BERYLLIUM	0.00		0.50	U	UJ
CADMIUM	0.00		1.20	U	UJ
CALCIUM	5380.00	mg/Kg	0.00		J
CHROMIUM	14.70	mg/Kg	0.00		J
COBALT	7.90	mg/Kg	0.00	B	J
COPPER	23.60	mg/Kg	0.00		J
IRON	21500.00	mg/Kg	0.00		J
LEAD	4.50	mg/Kg	0.00		J
MAGNESIUM	4190.00	mg/Kg	0.00		J
MANGANESE	142.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	16.10	mg/Kg	0.00		J
POTASSIUM	2360.00	mg/Kg	0.00		J
SELENIUM	0.00		0.99	U	UJ
SILVER	0.00		2.50	U	UJ
SODIUM	1040.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.50	U	UJ
VANADIUM	58.50	mg/Kg	0.00		J
ZINC	52.50	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1115 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1076 ASSOCIATED MB : M06
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	12100.00	mg/Kg	0.00		J
ANTIMONY	0.00		380.00	U	UJ
ARSENIC	5.00	mg/Kg	0.00		J
BARIUM	104.00	mg/Kg	0.00		J
BERYLLIUM	0.00		380.00	U	UJ
CADMIUM	0.00		380.00	U	UJ
CALCIUM	4920.00	mg/Kg	0.00		J
CHROMIUM	9.80	mg/Kg	0.00		J
COBALT	7.30	mg/Kg	0.00	B	J
COPPER	22.20	mg/Kg	0.00		J
IRON	17100.00	mg/Kg	0.00		J
LEAD	4.10	mg/Kg	0.00		J
MAGNESIUM	5730.00	mg/Kg	0.00		J
MANGANESE	259.00	mg/Kg	0.00		J
MERCURY	0.00		380.00	U	UJ
NICKEL	16.80	mg/Kg	0.00		J
POTASSIUM	2030.00	mg/Kg	0.00		J
SELENIUM	0.00		380.00	U	UJ
SILVER	0.00		380.00	U	UJ
SODIUM	742.00	mg/Kg	0.00	B	J
THALLIUM	0.00		380.00	U	UJ
VANADIUM	45.10	mg/Kg	0.00		J
ZINC	43.00	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1116 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	9590.00	mg/Kg	0.00		J
ANTIMONY	0.00		13.00	U	UJ
ARSENIC	47.60	mg/Kg	0.00		J
BARIUM	79.10	mg/Kg	0.00		J
BERYLLIUM	0.00		0.46	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	4760.00	mg/Kg	0.00		J
CHROMIUM	16.80	mg/Kg	0.00		J
COBALT	10.40	mg/Kg	0.00	B	J
COPPER	17.60	mg/Kg	0.00		J
IRON	19600.00	mg/Kg	0.00		J
LEAD	3.50	mg/Kg	0.00		J
MAGNESIUM	2650.00	mg/Kg	0.00		J
MANGANESE	910.00	mg/Kg	0.00		J
MERCURY	1.10	mg/Kg	0.00		J
NICKEL	16.50	mg/Kg	0.00		J
POTASSIUM	1830.00	mg/Kg	0.00		J
SELENIUM	0.00		0.91	U	UJ
SILVER	0.00		2.30	U	UJ
SODIUM	912.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.46	U	UJ
VANADIUM	33.30	mg/Kg	0.00		J
ZINC	41.50	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1117 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	11800.00	mg/Kg	0.00		J
ANTIMONY	0.00		13.90	U	UJ
ARSENIC	78.80	mg/Kg	0.00		J
BARIUM	104.00	mg/Kg	0.00		J
BERYLLIUM	0.53	mg/Kg	0.00	B	J
CADMIUM	0.00		1.20	U	UJ
CALCIUM	5930.00	mg/Kg	0.00		J
CHROMIUM	16.70	mg/Kg	0.00		J
COBALT	8.60	mg/Kg	0.00	B	J
COPPER	20.30	mg/Kg	0.00		J
IRON	20200.00	mg/Kg	0.00		J
LEAD	2.30	mg/Kg	0.00		J
MAGNESIU	3420.00	mg/Kg	0.00		J
MANGANESE	124.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	11.70	mg/Kg	0.00		J
POTASSIUM	1760.00	mg/Kg	0.00		J
SELENIUM	0.00		0.98	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	997.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.49	U	UJ
VANADIUM	66.90	mg/Kg	0.00		J
ZINC	47.00	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1118 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	19000.00	mg/Kg	0.00		J
ANTIMONY	0.00		13.60	U	UJ
ARSENIC	6.70	mg/Kg	0.00		J
BARIUM	125.00	mg/Kg	0.00		J
BERYLLIUM	0.58	mg/Kg	0.00	B	J
CADMIUM	0.00		1.20	U	UJ
CALCIUM	6770.00	mg/Kg	0.00		J
CHROMIUM	18.20	mg/Kg	0.00		J
COBALT	9.40	mg/Kg	0.00	B	J
COPPER	21.20	mg/Kg	0.00		J
IRON	23000.00	mg/Kg	0.00		J
LEAD	5.50	mg/Kg	0.00		J
MAGNESIUM	6390.00	mg/Kg	0.00		J
MANGANESE	368.00	mg/Kg	0.00		J
MERCURY	0.00		0.12	U	UJ
NICKEL	27.30	mg/Kg	0.00		J
POTASSIUM	2460.00	mg/Kg	0.00		J
SELENIUM	0.00		0.96	U	UJ
SILVER	0.00		2.40	U	UJ
SODIUM	1150.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.48	U	UJ
VANADIUM	72.00	mg/Kg	0.00		J
ZINC	52.70	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1119 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : MET SDG : 1089 ASSOCIATED MB : M07
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	10800.00	mg/Kg	0.00		J
ANTIMONY	0.00		12.60	U	UJ
ARSENIC	3.80	mg/Kg	0.00		J
BARIUM	73.70	mg/Kg	0.00		J
BERYLLIUM	0.00		0.44	U	UJ
CADMIUM	0.00		1.10	U	UJ
CALCIUM	4690.00	mg/Kg	0.00		J
CHROMIUM	15.90	mg/Kg	0.00		J
COBALT	8.00	mg/Kg	0.00	B	J
COPPER	17.20	mg/Kg	0.00		J
IRON	17700.00	mg/Kg	0.00		J
LEAD	4.00	mg/Kg	0.00		J
MAGNESIUM	3250.00	mg/Kg	0.00		J
MANGANESE	266.00	mg/Kg	0.00		J
MERCURY	0.00		0.11	U	UJ
NICKEL	0.00		8.90	U	UJ
POTASSIUM	1900.00	mg/Kg	0.00		J
SELENIUM	0.00		0.89	U	UJ
SILVER	0.00		2.20	U	UJ
SODIUM	890.00	mg/Kg	0.00	B	J
THALLIUM	0.00		0.44	U	UJ
VANADIUM	36.70	mg/Kg	0.00		J
ZINC	41.40	mg/Kg	0.00		J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1500 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	568.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	152.00	µg/L	0.00		J
BARIUM	31.20	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	47400.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	9.40	µg/L	0.00		
IRON	55.90	µg/L	0.00		J
LEAD	0.00		10.00	U	UJ
MAGNESIUM	5040.00	µg/L	0.00		
MANGANESE	164.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	14500.00	µg/L	0.00		
SELENIUM	4.20	µg/L	0.00		
SILVER	0.00		6.00	U	UJ
SODIUM	443000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	13.00	µg/L	0.00		
ZINC	3.80	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1501 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	512.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	116.00	µg/L	0.00		J
BARIUM	95.00	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	66900.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	10.50	µg/L	0.00		
IRON	43.80	µg/L	0.00		J
LEAD	0.00		10.00	U	UJ
MAGNESIUM	18600.00	µg/L	0.00		
MANGANESE	384.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	12100.00	µg/L	0.00		
SELENIUM	4.90	µg/L	0.00		
SILVER	0.00		6.00	U	UJ
SODIUM	394000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	7.10	µg/L	0.00		
ZINC	4.60	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1502 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	490.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	55.40	µg/L	0.00		J
BARIUM	106.00	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	96400.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	13.40	µg/L	0.00		
IRON	43.90	µg/L	0.00		J
LEAD	0.00		2.00	U	UJ
MAGNESIUM	24100.00	µg/L	0.00		
MANGANESE	152.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	16000.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	371000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	17.90	µg/L	0.00		
ZINC	13.80	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1503 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	449.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	58.60	µg/L	0.00		J
BARIUM	397.00	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	83200.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	15.30	µg/L	0.00		
COPPER	109.00	µg/L	0.00		
IRON	34.30	µg/L	0.00		J
LEAD	0.00		2.00	U	UJ
MAGNESIUM	22900.00	µg/L	0.00		
MANGANESE	4660.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	11.60	µg/L	0.00		
POTASSIUM	17200.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	371000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	6.20	µg/L	0.00		
ZINC	22.60	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1504 SAMPLE TYPE : WR SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	498.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	57.10	µg/L	0.00		J
BARIUM	363.00	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	82100.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	13.90	µg/L	0.00		
COPPER	104.00	µg/L	0.00		
IRON	0.00		34.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	22600.00	µg/L	0.00		
MANGANESE	4080.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	12.80	µg/L	0.00		
POTASSIUM	15700.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	361000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	0.00		5.00	U	UJ
ZINC	6.90	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1507 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	351.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	19.60	µg/L	0.00		J
BARIUM	27.60	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	47000.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	13.80	µg/L	0.00		
IRON	0.00		34.00	U	UJ
[illegible]	0.00		2.00	U	UJ
MAGNESIUM	10000.00	µg/L	0.00		
MANGANESE	90.80	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	9480.00	µg/L	0.00		
SELENIUM	0.00		40.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	56500.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	5.50	µg/L	0.00		
ZINC	0.00		3.00	U	UJ

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DE..NIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1508 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	392.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	45.20	µg/L	0.00		J
BARIUM	64.20	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	66600.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	11.30	µg/L	0.00		
IRON	0.00		34.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	21100.00	µg/L	0.00		
MANGANESE	1350.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	17200.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	132000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	6.90	µg/L	0.00		
ZINC	4.90	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1509 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	380.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	31.30	µg/L	0.00		J
BARIUM	53.70	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	54100.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	47.90	µg/L	0.00		J
LEAD	0.00		2.00	U	UJ
MAGNESIUM	11000.00	µg/L	0.00		
MANGANESE	207.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	12600.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	175000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	0.00		5.00	U	UJ
ZINC	13.80	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1510 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	391.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	30.40	µg/L	0.00		J
BARIUM	48.60	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	45700.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	47.90	µg/L	0.00		J
LEAD	0.00		2.00	U	UJ
MAGNESIUM	9480.00	µg/L	0.00		
MANGANESE	136.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	11700.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	154000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	5.10	µg/L	0.00		
ZINC	6.80	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1511 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	383.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	25.70	µg/L	0.00		J
BARIUM	64.80	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	57800.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	0.00		34.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	13400.00	µg/L	0.00		
MANGANESE	734.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	13400.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	187000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	0.00		5.00	U	UJ
ZINC	15.70	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:C
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1513 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	252.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	0.00		4.00	U	UJ
BARIUM	3.10	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	71.20	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	91.90	µg/L	0.00		J
LEAD	0.00		2.00	U	UJ
MAGNESIUM	0.00		46.00	U	UJ
MANGANESE	0.00		2.00	U	UJ
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	0.00		360.00	U	UJ
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	552.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	0.00		5.00	U	UJ
ZINC	6.50	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1514 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	389.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	43.40	µg/L	0.00		J
BARIUM	95.50	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	61600.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	35.90	µg/L	0.00		J
LEAD	0.00		2.00	U	UJ
MAGNESIUM	12400.00	µg/L	0.00		
MANGANESE	248.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	12400.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	150000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	13.50	µg/L	0.00		
ZINC	5.30	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1518 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	305.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	0.00		4.00	U	UJ
BARIUM	38.90	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	18600.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	67.90	µg/L	0.00		J
LEAD	0.00		2.00	U	UJ
MAGNESIUM	6880.00	µg/L	0.00		
MANGANESE	36.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	2850.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	16500.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	0.00		5.00	U	UJ
ZINC	4.20	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1519 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	366.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	26.80	µg/L	0.00		J
BARIUM	50.20	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	43200.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	11.10	µg/L	0.00		
IRON	0.00		34.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	8300.00	µg/L	0.00		
MANGANESE	111.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	8820.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	98700.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	11.90	µg/L	0.00		
ZINC	5.30	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1520 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1500 ASSOCIATED MB : M09
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	295.00	µg/L	0.00		
ANTIMONY	0.00		14.00	U	UJ
ARSENIC	58.20	µg/L	0.00		J
BARIUM	83.50	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	66000.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	47.80	µg/L	0.00		J
LEAD	0.00		2.00	U	UJ
MAGNESIUM	14300.00	µg/L	0.00		
MANGANESE	335.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	9310.00	µg/L	0.00		
SELENIUM	0.00		20.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	69000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	0.00		5.00	U	UJ
ZINC	3.30	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1522 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	181.00	µg/L	0.00	B	
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	23.20	µg/L	0.00		J
BARIUM	40.60	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	44200.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	50.20	µg/L	0.00	B	
LEAD	0.00		2.00	U	UJ
MAGNESIUM	8670.00	µg/L	0.00		
MANGANESE	24.10	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	8970.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	96000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	8.70	µg/L	0.00	B	
ZINC	8.40	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1523 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	213.00	µg/L	0.00		
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	14.50	µg/L	0.00		J
BARIUM	37.30	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	51400.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	7.80	µg/L	0.00	B	
IRON	75.20	µg/L	0.00	B	
LEAD	0.00		2.00	U	UJ
MAGNESIUM	10000.00	µg/L	0.00		
MANGANESE	86.40	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	10300.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	134000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	10.10	µg/L	0.00	B	
ZINC	10.10	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1524 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	216.00	µg/L	0.00		
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	16.30	µg/L	0.00		J
BARIUM	44.20	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	59900.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	9.60	µg/L	0.00	B	
IRON	66.90	µg/L	0.00	B	
LEAD	0.00		2.00	U	UJ
MAGNESIUM	12400.00	µg/L	0.00		
MANGANESE	71.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	12100.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	103000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	6.00	µg/L	0.00	B	
ZINC	5.80	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1525 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	0.00		4.00	U	UJ
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
LEAD	0.00		2.00	U	UJ
MANGANESE	0.00		2.00	U	UJ
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	0.00		1363.00	U	UJ
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
THALLIUM	0.00		2.00	U	UJ
VANADIUM	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1526 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	194.00	µg/L	0.00	B	
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	61.60	µg/L	0.00		J
BARIUM	27.60	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	42600.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	125.00	µg/L	0.00		
LEAD	0.00		2.00	U	UJ
MAGNESIUM	10400.00	µg/L	0.00		
MANGANESE	218.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	8040.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	98300.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	0.00		5.00	U	UJ
ZINC	7.20	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1527 SAMPLE TYPE : WR SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	185.00	µg/L	0.00	B	
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	54.20	µg/L	0.00		J
BARIUM	27.80	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	42200.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	10.50	µg/L	0.00	B	
IRON	50.10	µg/L	0.00	B	
LEAD	0.00		2.00	U	UJ
MAGNESIUM	10500.00	µg/L	0.00		
MANGANESE	220.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	9450.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	102000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	0.00		5.00	U	UJ
ZINC	3.80	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1529 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	194.00	µg/L	0.00	B	
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	37.90	µg/L	0.00		J
BARIUM	53.20	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	45400.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	8.20	µg/L	0.00	B	
IRON	75.20	µg/L	0.00	B	
LEAD	0.00		2.00	U	UJ
MAGNESIUM	16000.00	µg/L	0.00		
MANGANESE	258.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	11000.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	279000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	9.70	µg/L	0.00	B	
ZINC	7.00	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1530 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1089TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	178.00	µg/L	0.00	B	
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	39.00	µg/L	0.00		J
BARIUM	43.70	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	44100.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	0.00		34.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	12800.00	µg/L	0.00		
MANGANESE	27.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	9030.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	221000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	10.60	µg/L	0.00	B	
ZINC	4.80	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1531 SAMPLE TYPE : WR SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	202.00	µg/L	0.00		
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	32.00	µg/L	0.00		J
BARIUM	44.10	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	43700.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	9.60	µg/L	0.00	B	
IRON	0.00		34.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	12800.00	µg/L	0.00		
MANGANESE	26.40	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	10300.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	223000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	10.30	µg/L	0.00	B	
ZINC	5.60	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1532 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	196.00	µg/L	0.00	B	
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	23.20	µg/L	0.00		J
BARIUM	66.50	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	57400.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	11.00	µg/L	0.00	B	
IRON	75.20	µg/L	0.00	B	
LEAD	0.00		2.00	U	UJ
MAGNESIUM	18100.00	µg/L	0.00		
MANGANESE	328.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	14800.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	304000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	6.70	µg/L	0.00	B	
ZINC	4.20	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1533 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	314.00	µg/L	0.00		
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	84.50	µg/L	0.00		J
BARIUM	36.70	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	22400.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	11.90	µg/L	0.00	B	
IRON	360.00	µg/L	0.00		
LEAD	0.00		2.00	U	UJ
MAGNESIUM	5530.00	µg/L	0.00		
MANGANESE	172.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	8550.00	µg/L	0.00		
SELENIUM	4.70	µg/L	0.00	B	
SILVER	0.00		6.00	U	UJ
SODIUM	236000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	15.00	µg/L	0.00	B	
ZINC	0.00		3.00	U	UJ

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1542 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : M10
TRIP BLANK : 1544TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	3440.00	µg/L	0.00		
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	58.50	µg/L	0.00		J
BARIUM	62.60	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	47000.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	16.30	µg/L	0.00	B	
IRON	3070.00	µg/L	0.00		
LEAD	0.00		2.00	U	UJ
MAGNESIUM	11200.00	µg/L	0.00		
MANGANESE	244.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	10100.00	µg/L	0.00		
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
SODIUM	147000.00	µg/L	0.00		
THALLIUM	0.00		2.00	U	UJ
VANADIUM	22.40	µg/L	0.00	B	
ZINC	18.10	µg/L	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1543 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1544TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ANTIMONY	0.00		60.00	U	UJ
ARSENIC	0.00		4.00	U	UJ
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		5.00	U	UJ
IRON	0.00		34.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	0.00		46.00	U	UJ
MANGANESE	0.00		2.00	U	UJ
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		11.00	U	UJ
POTASSIUM	0.00		1363.00	U	UJ
SELENIUM	0.00		4.00	U	UJ
SILVER	0.00		6.00	U	UJ
THALLIUM	0.00		2.00	U	UJ
VANADIUM	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1000 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1000 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.61	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1001 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1000 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.11	U	U
TPH BY JP-4 STD	0.00		0.57	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1002 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1000 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.62	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1003 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1000 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.61	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1005 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1004 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1008TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.50	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1006 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1004 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1008TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.50	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1007 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1004 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1008TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.50	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1015 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.14	U	U
TPH BY JP-4 STD	0.00		1.10	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1016 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.96	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1017 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.13	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1018 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.13	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1019 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.98	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1020 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.11	U	U
TPH BY JP-4 STD	0.00		0.92	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1025 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.93	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1026 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.98	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1027 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATEL MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.95	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1028 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.11	U	U
TPH BY JP-4 STD	0.00		0.90	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1029 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.96	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final N[redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1030 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.14	U	U
TPH BY JP-4 STD	0.00		1.10	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1031 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.98	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1032 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.11	U	U
TPH BY JP-4 STD	0.00		0.91	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1033 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.94	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1035 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.11	U	U
TPH BY JP-4 STD	0.00		0.90	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1036 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.11	U	U
TPH BY JP-4 STD	0.00		0.90	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1037 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : VBLK3L
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		7.00	U	U
TPH BY GAS STD	2166.45	mg/kg	0.00		
TPH BY JP-4 STD	1570.83	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1038 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.95	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1039 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.14	U	U
TPH BY JP-4 STD	0.00		1.10	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1040 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.94	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1041 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.96	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1042 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKBC
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	19.00	mg/Kg	0.00		
TPH BY JP-4 STD	14.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1042 SAMPLE TYPE : DL SAMPLE MATRIX : L
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.95	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1043 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKBC
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.08	mg/Kg	0.00	J	J
TPH BY JP-4 STD	0.06	mg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1044 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.98	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1044 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKAI
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	9.90	mg/Kg	0.00		
TPH BY JP-4 STD	7.20	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1045 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.13	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1046 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKBC
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.02	mg/Kg	0.00	J	J
TPH BY JP-4 STD	0.01	mg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1047 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKBD
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.01	mg/Kg	0.00	BJ	R
TPH BY JP-4 STD	0.01	mg/Kg	0.00	BJ	R

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1048 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compourd	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.99	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1049 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKBD
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	630.00	mg/Kg	0.00	B	
TPH BY JP-4 STD	460.00	mg/Kg	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1050 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.13	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1051 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.13	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1052 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKBD
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	120.00	mg/Kg	0.00	B	
TPH BY JP-4 STD	87.00	mg/Kg	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1053 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKBD
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.10	mg/Kg	0.00	BJ	J
TPH BY JP-4 STD	0.07	mg/Kg	0.00	BJ	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1054 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.11	U	U
TPH BY JP-4 STD	0.00		0.89	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1055 SAMPLE TYPE : DL SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKBD
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	3800.00	mg/Kg	0.00	B	
TPH BY JP-4 STD	2700.00	mg/Kg	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1056 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKBD
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	9.20	mg/Kg	0.00	B	
TPH BY JP-4 STD	6.60	mg/Kg	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1057 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1036 ASSOCIATED MB : VBLKBD
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.39	mg/Kg	0.00	BJ	J
TPH BY JP-4 STD	0.29	mg/Kg	0.00	BJ	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1058 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKBE
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	250.00	mg/kg	0.00		
TPH BY JP-4 STD	180.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1060 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKBE
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	39.00	mg/kg	0.00		
TPH BY JP-4 STD	28.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1061 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKBE
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.21	mg/kg	0.00		
TPH BY JP-4 STD	0.15	mg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1062 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.13	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1063 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.99	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1064 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.98	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1065 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[illegible]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.99	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1066 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.14	U	U
TPH BY JP-4 STD	0.00		1.10	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1066 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKAI
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	2.80	mg/kg	0.00		
TPH BY JP-4 STD	2.10	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1067 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKBG
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.03	mg/kg	0.00	J	R
TPH BY JP-4 STD	0.02	mg/Kg	0.00	BJ	R

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1068 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKAI
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	34.00	mg/kg	0.00		
TPH BY JP-4 STD	25.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1068 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.95	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1069 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKBG
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.01	mg/kg	0.00	J	R
TPH BY JP-4 STD	0.01	mg/Kg	0.00	BJ	R

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1070 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKBG
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.01	mg/kg	0.00	J	R
TPH BY JP-4 STD	0.01	mg/Kg	0.00	BJ	R

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1071 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.96	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1072 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.13	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1073 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		380.00	U	U
TPH BY JP-4 STD	0.00		380.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1074 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.13	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1074 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKAI
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.27	mg/kg	0.00		
TPH BY JP-4 STD	0.20	mg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1075 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1075 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKAI
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.11	mg/kg	0.00		
TPH BY JP-4 STD	0.08	mg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1075 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		380.00	U	U
TPH BY JP-4 STD	0.00		380.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1077 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKBG
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	2600.00	mg/kg	0.00		
TPH BY JP-4 STD	2000.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1078 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1055 ASSOCIATED MB : VBLKBG
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	110.00	mg/kg	0.00		
TPH BY GAS STD	13.00	mg/kg	0.00	B	
TPH BY JP-4 STD	9.10	mg/kg	0.00	B	
TPH BY JP-4 STD	82.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1079 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.13	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1080 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : VBLKBF
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	4.10	mg/Kg	0.00		
TPH BY JP-4 STD	3.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1081 SAMPLE TYPE : DL SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : VBLK3L
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	1700.00	mg/Kg	0.00		
TPH BY JP-4 STD	1200.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1082 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : VBLKAI
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.07	mg/Kg	0.00	J	J
TPH BY JP-4 STD	0.05	mg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1083 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : VBLKBF
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	330.00	mg/Kg	0.00		
TPH BY JP-4 STD	240.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1084 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		7.40	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1084 SAMPLE TYPE : DL SAMPLE MATRIX : M
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : VBLK3L
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	4808.94	mg/L	0.00		
TPH BY JP-4 STD	3486.81	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1085 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : VBLKAI
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	91.36	mg/kg	0.00		
TPH BY JP-4 STD	66.24	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1086 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		380.00	U	U
TPH BY JP-4 STD	0.00		380.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1087 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1015 ASSOCIATED MB : VBLKAI
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.07	mg/Kg	0.00	J	J
TPH BY JP-4 STD	0.05	mg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1089 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.93	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1090 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	0.00		0.99	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1091 SAMPLE TYPE : DL SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAK
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	2500.00	mg/Kg	0.00		
TPH BY JP-4 STD	1800.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1092 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAK
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	87.00	mg/Kg	0.00		
TPH BY JP-4 STD	63.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1093 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAJ
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	33.00	mg/Kg	0.00	B	
TPH BY JP-4 STD	24.00	mg/Kg	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1094 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAJ
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.12	U	U
TPH BY JP-4 STD	9.60	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1095 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAK
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	590.00	mg/Kg	0.00		
TPH BY JP-4 STD	430.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1096 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAJ
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	1600.00	mg/Kg	0.00	B	
TPH BY JP-4 STD	1100.00	mg/Kg	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1096 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		8.40	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1097 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAK
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	2.00	mg/Kg	0.00		
TPH BY JP-4 STD	1.40	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1098 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.14	U	U
TPH BY JP-4 STD	0.00		1.10	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1099 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.13	U	U
TPH BY JP-4 STD	0.00		1.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1100 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAJ
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.06	mg/Kg	0.00	BJ	J
TPH BY JP-4 STD	0.00		0.95	U	U
TPH BY JP-4 STD	0.04	mg/Kg	0.00	BJ	R

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1101 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAJ
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	5.80	mg/Kg	0.00	B	
TPH BY JP-4 STD	4.20	mg/Kg	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1102 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAK
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	570.00	mg/Kg	0.00		
TPH BY JP-4 STD	410.00	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1103 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAK
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	3.10	mg/Kg	0.00		
TPH BY JP-4 STD	2.20	mg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1104 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.14	U	U
TPH BY JP-4 STD	0.00		1.10	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1105 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		7.90	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1105 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAJ
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	2500.00	mg/Kg	0.00	B	
TPH BY GAS STD	0.00		7.90	U	U
TPH BY JP-4 STD	1800.00	mg/Kg	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1106 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		7.80	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1106 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAJ
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	2200.00	mg/Kg	0.00	B	
TPH BY JP-4 STD	2400.00	mg/Kg	0.00		
TPH BY JP-4 STD	1600.00	mg/Kg	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1107 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1089 ASSOCIATED MB : VBLKAJ
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	2800.00	mg/Kg	0.00	B	
TPH BY GAS STD	0.00		8.90	U	U
TPH BY JP-4 STD	2100.00	mg/Kg	0.00	B	

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1108 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1108 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.80	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1109 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1108 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.80	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1110 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1108 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.80	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1112 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : VBLKBH
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	84.69	mg/kg	0.00		
TPH BY JP-4 STD	61.41	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1113 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : VBLKBH
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	1.83	mg/kg	0.00		
TPH BY JP-4 STD	1.32	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1114 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : VBLKBH
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	1.17	mg/kg	0.00		
TPH BY JP-4 STD	0.84	mg/kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1115 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		380.00	U	U
TPH BY JP-4 STD	0.00		380.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1116 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : VBLKBH
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	12.43	mg/kg	0.00		
TPH BY JP-4 STD	9.01	mg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1117 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : VBLKBH
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.72	mg/kg	0.00		
TPH BY JP-4 STD	0.52	mg/kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1118 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : VBLKBH
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.17	mg/kg	0.00		
TPH BY JP-4 STD	0.12	mg/kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1119 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.11	U	U
TPH BY JP-4 STD	0.00		0.89	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1500 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1501 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1502 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1503 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : VIBLKTPHPW
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	1.20	mg/L	0.00		
TPH BY JP-4 STD	0.91	mg/L	0.00		
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1504 SAMPLE TYPE : WR SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : VIBLKTPHPW
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.74	mg/L	0.00		
TPH BY JP-4 STD	0.54	mg/L	0.00	J	J
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1507 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1508 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PEC SDG : 1500 ASSOCIATED LB : Clean Samp
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY [illegible]-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1509 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1510 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1511 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1513 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1030 ASSOCIATED MB : VBLKBA
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.01	mg/L	0.00	J	J
TPH BY JP-4 STD	0.01	mg/L	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:C
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1514 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1516 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1517 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1518 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1519 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1520 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : VIBLKTPHPW
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.10	mg/L	0.00	B	
TPH BY JP-4 STD	0.08	mg/L	0.00	BJ	J
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1520 SAMPLE TYPE : DL SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1522 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1523 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1524 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1525 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[illegible]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
IPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1526 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1527 SAMPLE TYPE : WR SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1529 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1530 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1531 SAMPLE TYPE : WR SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1532 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1533 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1535 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : VIBLKTPHPW
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.56	mg/L	0.00	B	
TPH BY JP-4 STD	0.41	mg/L	0.00	BJ	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1536 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1537 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : VIBLKTPHPW
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	28.00	mg/L	0.00		
TPH BY JP-4 STD	21.00	mg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1538 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1538 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.80	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1539 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1540 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1520 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1541 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1538 ASSOCIATED MB : VIBLKTPHPW
TRIP BLANK : 1544TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.60	U	U
TPH BY GAS STD	2.60	mg/L	0.00		
TPH BY JP-4 STD	0.00		0.60	U	U
TPH BY JP-4 STD	1.90	mg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1542 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1538 ASSOCIATED MB : VIBLKTPHPW
TRIP BLANK : 1544TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.60	U	U
TPH BY GAS STD	0.05	mg/L	0.00	J	J
TPH BY JP-4 STD	0.04	mg/L	0.00	J	J
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1543 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1538 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1544TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00		0.10	U	U
TPH BY JP-4 STD	0.00		0.60	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1000 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1000 ASSOCIATED MB : VBLKG8
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	16.00	µg/Kg	0.00		R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	23.00	µg/Kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	UJ
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1000 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1000 ASSOCIATED MB : VBLKS9
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	270.00	µg/Kg	0.00		R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	2.00	µg/Kg	0.00		
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	44.00	µg/Kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	UJ
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1001 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1000 ASSOCIATED MB : VBLKG8
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	UJ
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	11.00	µg/Kg	0.00		R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	31.00	µg/Kg	0.00		R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	U
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	UJ
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1002 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1000 ASSOCIATED MB : VBLKG8
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	15.00	µg/Kg	0.00		R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	30.00	µg/Kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	UJ
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1003 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1000 ASSOCIATED MB : VBLKG8
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	14.00	µg/Kg	0.00		R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	25.00	µg/Kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	UJ
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1003 SAMPLE TYPE : RE SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1000 ASSOCIATED MB : VBLK03
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	4400.00	µg/Kg	0.00		J
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	2.00	µg/Kg	0.00		
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	200.00	µg/Kg	0.00		J
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	UJ
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1004 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1004 ASSOCIATED MB : VBLKSA
TRIP BLANK : 1004TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA ATR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNI MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1005 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1004 ASSOCIATED MB : VBLKCA
TRIP BLANK : 1008TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMODICHLOROMETHANE	6.00	µg/L	0.00	J	J
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROFORM	20.00	µg/L	0.00		
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	1.00	µg/L	0.00	J	J
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	3.00	µg/L	0.00	J	R
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1006 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1004 ASSOCIATED MB : VBLKCA
TRIP BLANK : 1008TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	3.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*154*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1007 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1004 ASSOCIATED MB : VBLKCA
TRIP BLANK : 1008TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1008 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1004 ASSOCIATED MB : VBLKCA
TRIP BLANK : 1008TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1015 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKJ9
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	U
2-HEXANONE	0.00		14.00	U	UJ
4-METHYL-2-PENTANONE	0.00		14.00	U	UJ
ACETONE	0.00		14.00	U	U
ACETONE	21.00	µg/kg	0.00		R
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	U
BROMOMETHANE	0.00		14.00	U	U
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	U
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	U
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
ETHYLBENZENE	0.00		14.00	U	U
METHYLENE CHLORIDE	47.00	µg/kg	0.00		R
METHYLENE CHLORIDE	0.00		14.00	U	U
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	UJ
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1016 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKJ9
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	16.00	µg/kg	0.00		R
ACETONE	0.00		12.00	U	U
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	0.00		12.00	U	U
METHYLENE CHLORIDE	38.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1017 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKJ9
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	U
2-HEXANONE	0.00		13.00	U	UJ
4-METHYL-2-PENTANONE	0.00		13.00	U	UJ
ACETONE	22.00	µg/kg	0.00		R
ACETONE	0.00		13.00	U	U
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	U
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	0.00		13.00	U	U
METHYLENE CHLORIDE	31.00	µg/kg	0.00		R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	UJ
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATEL BLANK DATA

SAMPLE NUMBER: 1018 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	U
2-HEXANONE	0.00		13.00	U	UJ
4-METHYL-2-PENTANONE	0.00		13.00	U	UJ
ACETONE	51.00	µg/kg	0.00		R
ACETONE	0.00		13.00	U	U
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	U
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	0.00		13.00	U	U
METHYLENE CHLORIDE	28.00	µg/kg	0.00		R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	UJ
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1019 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKJ9
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	14.00	µg/kg	0.00		R
ACETONE	0.00		12.00	U	U
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	0.00		12.00	U	U
METHYLENE CHLORIDE	25.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1020 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKJ9
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	U
2-HEXANONE	0.00		11.00	U	UJ
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	0.00		11.00	U	U
ACETONE	19.00	µg/kg	0.00		R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	24.00	µg/kg	0.00		R
METHYLENE CHLORIDE	0.00		11.00	U	U
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	UJ
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1021 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKJ9
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	U
2-HEXANONE	0.00		14.00	U	UJ
4-METHYL-2-PENTANONE	0.00		14.00	U	UJ
ACETONE	0.00		14.00	U	U
ACETONE	14.00	µg/kg	0.00		R
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	U
BROMOMETHANE	0.00		14.00	U	U
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	U
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	U
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
ETHYLBENZENE	0.00		14.00	U	U
METHYLENE CHLORIDE	43.00	µg/kg	0.00		R
METHYLENE CHLORIDE	0.00		14.00	U	U
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	UJ
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1022 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKJ9
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		18.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		18.00	U	U
1,1,2-TRICHLOROETHANE	0.00		18.00	U	U
1,1-DICHLOROETHANE	0.00		18.00	U	U
1,1-DICHLOROETHENE	0.00		18.00	U	U
1,2-DICHLOROETHANE	0.00		18.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		18.00	U	U
1,2-DICHLOROPROPANE	0.00		18.00	U	U
2-BUTANONE	0.00		18.00	U	U
2-HEXANONE	0.00		18.00	U	UJ
4-METHYL-2-PENTANONE	0.00		18.00	U	UJ
ACETONE	15.00	µg/kg	0.00	J	R
ACETONE	0.00		18.00	U	U
BENZENE	0.00		18.00	U	U
BROMODICHLOROMETHANE	0.00		18.00	U	U
BROMOFORM	0.00		18.00	U	U
BROMOMETHANE	0.00		18.00	U	U
CARBON DISULFIDE	0.00		18.00	U	U
CARBON TETRACHLORIDE	0.00		18.00	U	U
CHLOROBENZENE	0.00		18.00	U	U
CHLOROETHANE	0.00		18.00	U	U
CHLOROFORM	0.00		18.00	U	U
CHLOROMETHANE	0.00		18.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		18.00	U	U
DIBROMOCHLOROMETHANE	0.00		18.00	U	U
ETHYLBENZENE	0.00		18.00	U	U
METHYLENE CHLORIDE	0.00		18.00	U	U
METHYLENE CHLORIDE	54.00	µg/kg	0.00	J	R
STYRENE	0.00		18.00	U	U
TETRACHLOROETHENE	0.00		18.00	U	UJ
TOLUENE	0.00		18.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		18.00	U	U
TRICHLOROETHENE	0.00		18.00	U	U
VINYL CHLORIDE	0.00		18.00	U	U
XYLENES (TOTAL)	0.00		18.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1023 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		17.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		17.00	U	U
1,1,2-TRICHLOROETHANE	0.00		17.00	U	U
1,1-DICHLOROETHANE	0.00		17.00	U	U
1,1-DICHLOROETHENE	0.00		17.00	U	U
1,2-DICHLOROETHANE	0.00		17.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		17.00	U	U
1,2-DICHLOROPROPANE	0.00		17.00	U	U
2-BUTANONE	0.00		17.00	U	U
2-HEXANONE	0.00		17.00	U	UJ
4-METHYL-2-PENTANONE	0.00		17.00	U	UJ
ACETONE	0.00		17.00	U	U
ACETONE	50.00	µg/kg	0.00		R
BENZENE	0.00		17.00	U	U
BROMODICHLOROMETHANE	0.00		17.00	U	U
BROMOFORM	0.00		17.00	U	U
BROMOMETHANE	0.00		17.00	U	U
CARBON DISULFIDE	0.00		17.00	U	U
CARBON TETRACHLORIDE	0.00		17.00	U	U
CHLOROBENZENE	0.00		17.00	U	U
CHLOROETHANE	0.00		17.00	U	U
CHLOROFORM	0.00		17.00	U	U
CHLOROMETHANE	0.00		17.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		17.00	U	U
DIBROMOCHLOROMETHANE	0.00		17.00	U	U
ETHYLBENZENE	0.00		17.00	U	U
METHYLENE CHLORIDE	0.00		17.00	U	U
METHYLENE CHLORIDE	56.00	µg/kg	0.00		R
STYRENE	0.00		17.00	U	U
TETRACHLOROETHENE	0.00		17.00	U	UJ
TOLUENE	0.00		17.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		17.00	U	U
TRICHLOROETHENE	0.00		17.00	U	U
VINYL CHLORIDE	0.00		17.00	U	U
XYLENES (TOTAL)	0.00		17.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1024 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	U
2-HEXANONE	0.00		13.00	U	UJ
4-METHYL-2-PENTANONE	0.00		13.00	U	UJ
ACETONE	0.00		13.00	U	U
ACETONE	18.00	µg/kg	0.00		R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	U
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	0.00		13.00	U	U
METHYLENE CHLORIDE	36.00	µg/kg	0.00		R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	UJ
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:C
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1025 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	0.00		12.00	U	U
ACETONE	15.00	µg/kg	0.00		R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	0.00		12.00	U	U
METHYLENE CHLORIDE	23.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1026 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	18.00	µg/kg	0.00		R
ACETONE	0.00		12.00	U	U
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	0.00		12.00	U	U
METHYLENE CHLORIDE	47.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1027 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	18.00	µg/kg	0.00		R
ACETONE	0.00		12.00	U	U
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	0.00		12.00	U	U
METHYLENE CHLORIDE	36.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1028 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	U
2-HEXANONE	0.00		11.00	U	UJ
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	0.00		11.00	U	U
ACETONE	13.00	µg/kg	0.00		R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	0.00		11.00	U	U
METHYLENE CHLORIDE	27.00	µg/kg	0.00		R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	UJ
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:C
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1029 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	0.00		12.00	U	U
ACETONE	16.00	µg/kg	0.00		R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	2.00	µg/kg	0.00	J	J
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	0.00		12.00	U	U
METHYLENE CHLORIDE	27.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1030 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	U
2-HEXANONE	0.00		14.00	U	UJ
4-METHYL-2-PENTANONE	0.00		14.00	U	UJ
ACETONE	0.00		14.00	U	U
ACETONE	20.00	µg/kg	0.00		R
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	U
BROMOMETHANE	0.00		14.00	U	U
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	U
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	U
CHLOROFORM	2.00	µg/kg	0.00	J	J
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
ETHYLBENZENE	0.00		14.00	U	U
METHYLENE CHLORIDE	38.00	µg/kg	0.00		R
METHYLENE CHLORIDE	0.00		14.00	U	U
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	UJ
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1031 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	23.00	µg/kg	0.00		R
ACETONE	0.00		12.00	U	U
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROFORM	1.00	µg/kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	0.00		12.00	U	U
METHYLENE CHLORIDE	24.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1032 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	U
2-HEXANONE	0.00		11.00	U	UJ
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	15.00	µg/kg	0.00		R
ACETONE	0.00		11.00	U	U
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	0.00		11.00	U	U
METHYLENE CHLORIDE	25.00	µg/kg	0.00		R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	UJ
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1033 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	18.00	µg/kg	0.00		R
ACETONE	0.00		12.00	U	U
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	21.00	µg/kg	0.00		R
METHYLENE CHLORIDE	0.00		12.00	U	U
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1034 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1035 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1015 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	U
2-HEXANONE	0.00		11.00	U	UJ
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	14.00	µg/kg	0.00		R
ACETONE	0.00		11.00	U	U
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	18.00	µg/kg	0.00		R
METHYLENE CHLORIDE	0.00		11.00	U	U
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	UJ
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1036 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	UJ
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	0.00		11.00	U	UJ
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	UJ
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	8.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	U
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1037 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKP1
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		2200.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		2200.00	U	U
1,1,2-TRICHLOROETHANE	0.00		2200.00	U	U
1,1-DICHLOROETHANE	0.00		2200.00	U	U
1,1-DICHLOROETHENE	0.00		2200.00	U	U
1,2-DICHLOROETHANE	0.00		2200.00	U	U
1,2-DICHLOROPROPANE	0.00		2200.00	U	U
2-BUTANONE	0.00		2200.00	U	UJ
2-HEXANONE	0.00		2200.00	U	UJ
4-METHYL-2-PENTANONE	0.00		2200.00	U	UJ
ACETONE	1900.00	µg/Kg	0.00	J	J
BENZENE	0.00		2200.00	U	U
BROMODICHLOROMETHANE	0.00		2200.00	U	U
BROMOFORM	0.00		2200.00	U	U
BROMOMETHANE	0.00		2200.00	U	U
CARBON DISULFIDE	0.00		2200.00	U	U
CARBON TETRACHLORIDE	0.00		2200.00	U	UJ
CHLOROBENZENE	0.00		2200.00	U	U
CHLOROETHANE	0.00		2200.00	U	U
CHLOROFORM	0.00		2200.00	U	U
CHLOROMETHANE	0.00		2200.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		2200.00	U	U
DIBROMOCHLOROMETHANE	0.00		2200.00	U	U
ETHYLBENZENE	1800.00	µg/Kg	0.00	J	J
METHYLENE CHLORIDE	4200.00	µg/Kg	0.00	B	J
STYRENE	0.00		2200.00	U	U
TETRACHLOROETHENE	0.00		2200.00	U	U
TOLUENE	0.00		2200.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		2200.00	U	U
TRICHLOROETHENE	0.00		2200.00	U	U
VINYL CHLORIDE	0.00		2200.00	U	U
XYLENE (TOTAL)	9700.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1038 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	26.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	1.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	20.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1039 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	UJ
2-HEXANONE	0.00		14.00	U	UJ
4-METHYL-2-PENTANONE	0.00		14.00	U	UJ
ACETONE	14.00	µg/Kg	0.00	J	J
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	U
BROMOMETHANE	0.00		14.00	U	U
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	UJ
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	U
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
ETHYLBENZENE	0.00		14.00	U	U
METHYLENE CHLORIDE	11.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	U
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1040 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	12.00	µg/Kg	0.00		J
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	8.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1041 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 151

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	0.00		12.00	U	UJ
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	7.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1042 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK6
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	UJ
2-HEXANONE	0.00		14.00	U	UJ
4-METHYL-2-PENTANONE	0.00		14.00	U	UJ
ACETONE	32.00	µg/Kg	0.00	B	R
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	U
BROMOMETHANE	0.00		14.00	U	U
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	UJ
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	U
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
ETHYLBENZENE	0.00		14.00	U	U
METHYLENE CHLORIDE	22.00	µg/Kg	0.00	B	R
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	U
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1043 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0 00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	UJ
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	37.00	µg/Kg	0.00	B	R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	UJ
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	2.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	21.00	µg/Kg	0.00	B	R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	U
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1044 **SAMPLE TYPE :** **SAMPLE MATRIX : S**
ANALYSIS TYPE : VOL **SDG : 1036** **ASSOCIATED MB : VBLKM2**
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	28.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	19.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1045 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK6
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	UJ
2-HEXANONE	0.00		13.00	U	UJ
4-METHYL-2-PENTANONE	0.00		13.00	U	UJ
ACETONE	15.00	µg/Kg	0.00	B	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	21.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	U
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1046 **SAMPLE TYPE :** **SAMPLE MATRIX : S**
ANALYSIS TYPE : VOL **SDG : 1036** **ASSOCIATED MB : VBLKK6**
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	20.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	19.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1047 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK6
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[illegible]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	UJ
2-HEXANONE	0.00		13.00	U	UJ
4-METHYL-2-PENTANONE	0.00		13.00	U	UJ
ACETONE	13.00	µg/Kg	0.00	B	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	19.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	U
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1048 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK6
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	18.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	18.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1049 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKP1
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		2600.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		2600.00	U	U
1,1,2-TRICHLOROETHANE	0.00		2600.00	U	U
1,1-DICHLOROETHANE	0.00		2600.00	U	U
1,1-DICHLOROETHENE	0.00		2600.00	U	U
1,2-DICHLOROETHANE	0.00		2600.00	U	U
1,2-DICHLOROPROPANE	0.00		2600.00	U	U
2-BUTANONE	0.00		2600.00	U	UJ
2-HEXANONE	0.00		2600.00	U	UJ
4-METHYL-2-PENTANONE	0.00		2600.00	U	UJ
ACETONE	0.00		2600.00	U	UJ
BENZENE	0.00		2600.00	U	U
BROMODICHLOROMETHANE	0.00		2600.00	U	U
BROMOFORM	0.00		2600.00	U	U
BROMOMETHANE	0.00		2600.00	U	U
CARBON DISULFIDE	0.00		2600.00	U	U
CARBON TETRACHLORIDE	0.00		2600.00	U	UJ
CHLOROBENZENE	0.00		2600.00	U	U
CHLOROETHANE	0.00		2600.00	U	U
CHLOROFORM	0.00		2600.00	U	U
CHLOROMETHANE	0.00		2600.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		2600.00	U	U
DIBROMOCHLOROMETHANE	0.00		2600.00	U	U
ETHYLBENZENE	1300.00	µg/Kg	0.00	J	J
METHYLENE CHLORIDE	1900.00	µg/Kg	0.00	BJ	J
STYRENE	0.00		2600.00	U	U
TETRACHLOROETHENE	0.00		2600.00	U	U
TOLUENE	0.00		2600.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		2600.00	U	U
TRICHLOROETHENE	0.00		2600.00	U	U
VINYL CHLORIDE	0.00		2600.00	U	U
XYLENE (TOTAL)	4600.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1050 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK6
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	UJ
2-HEXANONE	0.00		13.00	U	UJ
4-METHYL-2-PENTANONE	0.00		13.00	U	UJ
ACETONE	15.00	µg/Kg	0.00	B	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	24.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	U
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1051 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK6
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 15[redacted]

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	UJ
2-HEXANONE	0.00		13.00	U	UJ
4-METHYL-2-PENTANONE	0.00		13.00	U	UJ
ACETONE	24.00	µg/Kg	0.00	B	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	J
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	25.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	U
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1052 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKK6
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	29.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	20.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1053 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	UJ
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	55.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	1.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	30.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1054 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1036 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	UJ
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	38.00	µg/Kg	0.00	B	R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	UJ
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	2.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	20.00	µg/Kg	0.00	B	R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	U
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1055 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKAB
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		1600.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		1600.00	U	U
1,1,2-TRICHLOROETHANE	0.00		1600.00	U	U
1,1-DICHLOROETHANE	0.00		1600.00	U	U
1,1-DICHLOROETHENE	0.00		1600.00	U	U
1,2-DICHLOROETHANE	0.00		1600.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		1600.00	U	U
1,2-DICHLOROPROPANE	0.00		1600.00	U	U
2-BUTANONE	0.00		1600.00	U	U
2-HEXANONE	0.00		1600.00	U	U
4-METHYL-2-PENTANONE	0.00		1600.00	U	U
ACETONE	1800.00	µg/Kg	0.00		J
BENZENE	0.00		1600.00	U	U
BROMODICHLOROMETHANE	0.00		1600.00	U	U
BROMOFORM	0.00		1600.00	U	UJ
BROMOMETHANE	0.00		1600.00	U	UJ
CARBON DISULFIDE	0.00		1600.00	U	U
CARBON TETRACHLORIDE	0.00		1600.00	U	UJ
CHLOROBENZENE	0.00		1600.00	U	U
CHLOROETHANE	0.00		1600.00	U	U
CHLOROFORM	0.00		1600.00	U	U
CHLOROMETHANE	0.00		1600.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		1600.00	U	U
DIBROMOCHLOROMETHANE	0.00		1600.00	U	U
ETHYLBENZENE	400.00	µg/Kg	0.00	J	J
METHYLENE CHLORIDE	970.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		1600.00	U	U
TETRACHLOROETHENE	0.00		1600.00	U	UJ
TOLUENE	0.00		1600.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		1600.00	U	U
TRICHLOROETHENE	0.00		1600.00	U	U
VINYL CHLORIDE	0.00		1600.00	U	U
XYLENE (TOTAL)	1000.00	µg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1056 **SAMPLE TYPE :** **SAMPLE MATRIX : S**
ANALYSIS TYPE : VOL **SDG : 1055** **ASSOCIATED MB : VBLKK5**
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	U
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	U
ACETONE	12.00	µg/Kg	0.00	BJ	R
BENZENE	5.00	µg/Kg	0.00	J	J
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	UJ
BROMOMETHANE	0.00		13.00	U	UJ
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	72.00	µg/Kg	0.00		
METHYLENE CHLORIDE	33.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	UJ
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENE (TOTAL)	170.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1057 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKK5
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	19.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	UJ
BROMOMETHANE	0.00		12.00	U	UJ
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	31.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENE (TOTAL)	2.00	µg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1058 **SAMPLE TYPE :** **SAMPLE MATRIX : S**
ANALYSIS TYPE : VOL **SDG : 1055** **ASSOCIATED MB : VBLKK5**
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	U
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	U
ACETONE	32.00	µg/Kg	0.00	B	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	UJ
BROMOMETHANE	0.00		13.00	U	UJ
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	43.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	UJ
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1059 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : VBLKWI
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1060 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	U
2-HEXANONE	0.00		11.00	U	U
4-METHYL-2-PENTANONE	0.00		11.00	U	U
ACETONE	28.00	µg/Kg	0.00	B	R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	UJ
BROMOMETHANE	0.00		11.00	U	UJ
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	UJ
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	21.00	µg/Kg	0.00	B	R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	UJ
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1061 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	U
2-HEXANONE	0.00		14.00	U	U
4-METHYL-2-PENTANONE	0.00		14.00	U	U
ACETONE	20.00	µg/Kg	0.00	B	R
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	UJ
BROMOMETHANE	0.00		14.00	U	UJ
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	UJ
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	U
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
ETHYLBENZENE	0.00		14.00	U	U
METHYLENE CHLORIDE	20.00	µg/Kg	0.00	B	R
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	UJ
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1062 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	U
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	U
ACETONE	17.00	µg/Kg	0.00	B	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	UJ
BROMOMETHANE	0.00		13.00	U	UJ
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	23.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	UJ
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1063 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	17.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	UJ
BROMOMETHANE	0.00		12.00	U	UJ
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	1.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	19.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1064 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	16.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	UJ
BROMOMETHANE	0.00		12.00	U	UJ
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	23.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1065 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	24.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	UJ
BROMOMETHANE	0.00		12.00	U	UJ
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	16.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1066 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	U
2-HEXANONE	0.00		14.00	U	U
4-METHYL-2-PENTANONE	0.00		14.00	U	U
ACETONE	23.00	µg/Kg	0.00	B	R
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	UJ
BROMOMETHANE	0.00		14.00	U	UJ
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	UJ
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	U
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
ETHYLBENZENE	0.00		14.00	U	U
METHYLENE CHLORIDE	18.00	µg/Kg	0.00	B	R
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	UJ
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1067 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	40.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	UJ
BROMOMETHANE	0.00		12.00	U	UJ
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	36.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1068 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	U
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	U
ACETONE	67.00	µg/Kg	0.00	B	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	UJ
BROMOMETHANE	0.00		13.00	U	UJ
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	29.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	UJ
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]ummary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1069 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	U
2-HEXANONE	0.00		11.00	U	U
4-METHYL-2-PENTANONE	0.00		11.00	U	U
ACETONE	35.00	µg/Kg	0.00	B	R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	UJ
BROMOMETHANE	0.00		11.00	U	UJ
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	UJ
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	49.00	µg/Kg	0.00	B	R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	UJ
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1070 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	U
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	U
ACETONE	47.00	µg/Kg	0.00	B	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	UJ
BROMOMETHANE	0.00		13.00	U	UJ
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	62.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	UJ
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1071 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKV6
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	16.00	µg/Kg	0.00		
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	80.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	UJ
BROMOMETHANE	0.00		12.00	U	UJ
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	2.00	µg/Kg	0.00	BJ	R
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	37.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1072 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	U
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	U
ACETONE	22.00	µg/Kg	0.00	B	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	UJ
BROMOMETHANE	0.00		13.00	U	UJ
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	25.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	UJ
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1073 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	13.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	UJ
BROMOMETHANE	0.00		12.00	U	UJ
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	1.00	µg/Kg	0.00	J	J
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	29.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1074 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKN4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	U
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	U
ACETONE	23.00	µg/Kg	0.00	B	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	UJ
BROMOMETHANE	0.00		13.00	U	UJ
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	UJ
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	24.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	UJ
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1075 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1055 ASSOCIATED MB : VBLKZ7
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	U
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	17.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	UJ
BROMOMETHANE	0.00		12.00	U	UJ
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	UJ
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	4.00	µg/Kg	0.00	BJ	R
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	54.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	UJ
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1076 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKL5
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		380.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		380.00	U	U
1,1,2-TRICHLOROETHANE	0.00		380.00	U	UJ
1,1-DICHLOROETHANE	0.00		380.00	U	U
1,1-DICHLOROETHENE	0.00		380.00	U	U
1,2-DICHLOROETHANE	0.00		380.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		380.00	U	U
1,2-DICHLOROPROPANE	0.00		380.00	U	U
2-BUTANONE	0.00		380.00	U	UJ
2-HEXANONE	0.00		380.00	U	U
4-METHYL-2-PENTANONE	0.00		380.00	U	UJ
ACETONE	10.00	µg/kg	0.00	J	R
BENZENE	0.00		380.00	U	U
BROMODICHLOROMETHANE	0.00		380.00	U	U
BROMOFORM	0.00		380.00	U	U
BROMOMETHANE	0.00		380.00	U	U
CARBON DISULFIDE	0.00		380.00	U	U
CARBON TETRACHLORIDE	0.00		380.00	U	U
CHLOROBENZENE	0.00		380.00	U	U
CHLOROETHANE	0.00		380.00	U	U
CHLOROFORM	0.00		380.00	U	U
CHLOROMETHANE	0.00		380.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		380.00	U	U
DIBROMOCHLOROMETHANE	0.00		380.00	U	U
METHYLENE CHLORIDE	19.00	µg/kg	0.00	J	R
STYRENE	0.00		380.00	U	U
TETRACHLOROETHENE	0.00		380.00	U	U
TOLUENE	0.00		380.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		380.00	U	U
TRICHLOROETHENE	0.00		380.00	U	U
VINYL CHLORIDE	0.00		380.00	U	U
XYLENES (TOTAL)	0.00		380.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1077 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKL5
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	UJ
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	U
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	11.00	µg/kg	0.00	J	R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
METHYLENE CHLORIDE	17.00	µg/kg	0.00	J	R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	3.00	µg/kg	0.00	J	J
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENE (TOTAL)	13.00	µg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1078 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKL6
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	UJ
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	U
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	19.00	µg/kg	0.00	J	R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
METHYLENE CHLORIDE	15.00	µg/kg	0.00	J	R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	U
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1079 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	UJ
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	UJ
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	UJ
ACETONE	18.00	µg/kg	0.00	J	R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	U
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	2.00	µg/kg	0.00	J	J
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
METHYLENE CHLORIDE	28.00	µg/kg	0.00	J	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	U
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1080 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKL5
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	UJ
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	U
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	10.00	µg/kg	0.00	J	R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
METHYLENE CHLORIDE	21.00	µg/kg	0.00	J	R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	U
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1081 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKL6
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	UJ
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	U
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	16.00	µg/kg	0.00	J	R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	0.00		11.00	U	U
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
METHYLENE CHLORIDE	19.00	µg/kg	0.00	J	R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	3.00	µg/kg	0.00	J	J
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1082 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKL6
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	UJ
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	11.00	µg/kg	0.00	J	J
2-HEXANONE	0.00		14.00	U	U
4-METHYL-2-PENTANONE	0.00		14.00	U	UJ
ACETONE	68.00	µg/kg	0.00		R
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	U
BROMOMETHANE	0.00		14.00	U	U
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	U
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	U
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
METHYLENE CHLORIDE	25.00	µg/kg	0.00		R
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	U
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1083 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKDY
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		6600.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		6600.00	U	U
1,1,2-TRICHLOROETHANE	0.00		6600.00	U	UJ
1,1-DICHLOROETHANE	0.00		6600.00	U	U
1,1-DICHLOROETHENE	0.00		6600.00	U	U
1,2-DICHLOROETHANE	0.00		6600.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		6600.00	U	U
1,2-DICHLOROPROPANE	0.00		6600.00	U	U
2-BUTANONE	0.00		6600.00	U	UJ
2-HEXANONE	0.00		6600.00	U	U
4-METHYL-2-PENTANONE	0.00		6600.00	U	UJ
ACETONE	0.00		6600.00	U	UJ
BENZENE	0.00		6600.00	U	U
BROMODICHLOROMETHANE	0.00		6600.00	U	U
BROMOFORM	0.00		6600.00	U	U
BROMOMETHANE	0.00		6600.00	U	U
CARBON DISULFIDE	0.00		6600.00	U	U
CARBON TETRACHLORIDE	0.00		6600.00	U	U
CHLOROBENZENE	0.00		6600.00	U	U
CHLOROETHANE	0.00		6600.00	U	U
CHLOROFORM	0.00		6600.00	U	U
CHLOROMETHANE	0.00		6600.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		6600.00	U	U
DIBROMOCHLOROMETHANE	0.00		6600.00	U	U
METHYLENE CHLORIDE	2200.00	µg/kg	0.00	J	J
STYRENE	0.00		6600.00	U	U
TETRACHLOROETHENE	0.00		6600.00	U	U
TOLUENE	0.00		6600.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		6600.00	U	U
TRICHLOROETHENE	0.00		6600.00	U	U
VINYL CHLORIDE	0.00		6600.00	U	U
XYLENES (TOTAL)	0.00		6600.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1084 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKS4
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		19000.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		19000.00	U	U
1,1,2-TRICHLOROETHANE	0.00		19000.00	U	UJ
1,1-DICHLOROETHANE	0.00		19000.00	U	U
1,1-DICHLOROETHENE	0.00		19000.00	U	U
1,2-DICHLOROETHANE	0.00		19000.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		19000.00	U	U
1,2-DICHLOROPROPANE	0.00		19000.00	U	U
2-BUTANONE	0.00		19000.00	U	UJ
2-HEXANONE	0.00		19000.00	U	U
4-METHYL-2-PENTANONE	0.00		19000.00	U	UJ
ACETONE	0.00		19000.00	U	UJ
ACETONE	0.00	µg/kg	0.00	J	J
BENZENE	0.00		19000.00	U	U
BROMODICHLOROMETHANE	0.00		19000.00	U	U
BROMOFORM	0.00		19000.00	U	U
BROMOMETHANE	0.00		19000.00	U	U
CARBON DISULFIDE	0.00		19000.00	U	U
CARBON TETRACHLORIDE	0.00		19000.00	U	U
CHLOROBENZENE	0.00		19000.00	U	U
CHLOROETHANE	0.00		19000.00	U	U
CHLOROFORM	0.00		19000.00	U	U
CHLOROMETHANE	0.00		19000.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		19000.00	U	U
DIBROMOCHLOROMETHANE	0.00		19000.00	U	U
METHYLENE CHLORIDE	0.00		19000.00	U	UJ
METHYLENE CHLORIDE	5100.00	µg/kg	0.00	J	J
STYRENE	0.00		19000.00	U	U
TETRACHLOROETHENE	0.00		19000.00	U	U
TOLUENE	0.00		19000.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		19000.00	U	U
TRICHLOROETHENE	0.00		19000.00	U	U
VINYL CHLORIDE	0.00		19000.00	U	U
XYLENE (TOTAL)	2500.00	µg/kg	0.00	J	J
XYLENES (TOTAL)	0.00		19000.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1085 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKL6
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		380.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		380.00	U	U
1,1,2-TRICHLOROETHANE	0.00		380.00	U	UJ
1,1-DICHLOROETHANE	0.00		380.00	U	U
1,1-DICHLOROETHENE	0.00		380.00	U	U
1,2-DICHLOROETHANE	0.00		380.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		380.00	U	U
1,2-DICHLOROPROPANE	0.00		380.00	U	U
2-BUTANONE	0.00		380.00	U	UJ
2-HEXANONE	0.00		380.00	U	U
4-METHYL-2-PENTANONE	0.00		380.00	U	UJ
ACETONE	17.00	µg/kg	0.00	J	R
BENZENE	0.00		380.00	U	U
BROMODICHLOROMETHANE	0.00		380.00	U	U
BROMOFORM	0.00		380.00	U	U
BROMOMETHANE	0.00		380.00	U	U
CARBON DISULFIDE	0.00		380.00	U	U
CARBON TETRACHLORIDE	0.00		380.00	U	U
CHLOROBENZENE	0.00		380.00	U	U
CHLOROETHANE	0.00		380.00	U	U
CHLOROFORM	0.00		380.00	U	U
CHLOROMETHANE	0.00		380.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		380.00	U	U
DIBROMOCHLOROMETHANE	0.00		380.00	U	U
METHYLENE CHLORIDE	16.00	µg/kg	0.00	J	R
STYRENE	0.00		380.00	U	U
TETRACHLOROETHENE	0.00		380.00	U	U
TOLUENE	0.00		380.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		380.00	U	U
TRICHLOROETHENE	0.00		380.00	U	U
VINYL CHLORIDE	0.00		380.00	U	U
XYLENES (TOTAL)	0.00		380.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1086 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKL6
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		380.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		380.00	U	U
1,1,2-TRICHLOROETHANE	0.00		380.00	U	UJ
1,1-DICHLOROETHANE	0.00		380.00	U	U
1,1-DICHLOROETHENE	0.00		380.00	U	U
1,2-DICHLOROETHANE	0.00		380.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		380.00	U	U
1,2-DICHLOROPROPANE	0.00		380.00	U	U
2-BUTANONE	0.00		380.00	U	UJ
2-HEXANONE	0.00		380.00	U	U
4-METHYL-2-PENTANONE	0.00		380.00	U	UJ
ACETONE	15.00	µg/kg	0.00		R
BENZENE	0.00		380.00	U	U
BROMODICHLOROMETHANE	0.00		380.00	U	U
BROMOFORM	0.00		380.00	U	U
BROMOMETHANE	0.00		380.00	U	U
CARBON DISULFIDE	0.00		380.00	U	U
CARBON TETRACHLORIDE	0.00		380.00	U	U
CHLOROBENZENE	0.00		380.00	U	U
CHLOROETHANE	0.00		380.00	U	U
CHLOROFORM	0.00		380.00	U	U
CHLOROMETHANE	0.00		380.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		380.00	U	U
DIBROMOCHLOROMETHANE	0.00		380.00	U	U
METHYLENE CHLORIDE	19.00	µg/kg	0.00		R
STYRENE	0.00		380.00	U	U
TETRACHLOROETHENE	0.00		380.00	U	U
TOLUENE	0.00		380.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		380.00	U	U
TRICHLOROETHENE	0.00		380.00	U	U
VINYL CHLORIDE	0.00		380.00	U	U
XYLENES (TOTAL)	0.00		380.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1087 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKQ7
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	UJ
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	UJ
2-HEXANONE	0.00		14.00	U	U
4-METHYL-2-PENTANONE	0.00		14.00	U	UJ
ACETONE	22.00	µg/kg	0.00		R
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	U
BROMOMETHANE	0.00		14.00	U	U
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	U
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	U
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
METHYLENE CHLORIDE	46.00	µg/kg	0.00		R
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	U
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1088 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBLK
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1089 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU5
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	35.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	UJ
CHLOROFORM	1.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	54.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1090 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU5
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	68.00	µg/Kg	0.00	B	R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	UJ
CHLOROFORM	2.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	0.00		12.00	U	U
METHYLENE CHLORIDE	60.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENE (TOTAL)	2.00	µg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1091 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKY5
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		2800.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		2800.00	U	U
1,1,2-TRICHLOROETHANE	0.00		2800.00	U	U
1,1-DICHLOROETHANE	0.00		2800.00	U	U
1,1-DICHLOROETHENE	0.00		2800.00	U	U
1,2-DICHLOROETHANE	0.00		2800.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		2800.00	U	U
1,2-DICHLOROPROPANE	0.00		2800.00	U	U
2-BUTANONE	0.00		2800.00	U	UJ
2-HEXANONE	0.00		2800.00	U	U
4-METHYL-2-PENTANONE	0.00		2800.00	U	U
ACETONE	0.00		2800.00	U	UJ
BENZENE	0.00		2800.00	U	U
BROMODICHLOROMETHANE	0.00		2800.00	U	U
BROMOFORM	0.00		2800.00	U	U
BROMOMETHANE	0.00		2800.00	U	U
CARBON DISULFIDE	0.00		2800.00	U	U
CARBON TETRACHLORIDE	0.00		2800.00	U	U
CHLOROBENZENE	0.00		2800.00	U	U
CHLOROETHANE	0.00		2800.00	U	UJ
CHLOROFORM	0.00		2800.00	U	U
CHLOROMETHANE	0.00		2800.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		2800.00	U	U
DIBROMOCHLOROMETHANE	0.00		2800.00	U	U
ETHYLBENZENE	0.00		2800.00	U	U
METHYLENE CHLORIDE	460.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		2800.00	U	U
TETRACHLOROETHENE	0.00		2800.00	U	U
TOLUENE	0.00		2800.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		2800.00	U	U
TRICHLOROETHENE	0.00		2800.00	U	U
VINYL CHLORIDE	0.00		2800.00	U	U
XYLENE (TOTAL)	44000.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1092 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU5
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	63.00	µg/Kg	0.00	B	R
BENZENE	3.00	µg/Kg	0.00	J	J
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	UJ
CHLOROFORM	4.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	50.00	µg/Kg	0.00		
METHYLENE CHLORIDE	60.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	7.00	µg/Kg	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENE (TOTAL)	280.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1093 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU5
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	100.00	µg/Kg	0.00	B	R
BENZENE	2.00	µg/Kg	0.00	J	J
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	UJ
CHLOROFORM	2.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	120.00	µg/Kg	0.00		
METHYLENE CHLORIDE	45.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENE (TOTAL)	420.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1094 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU5
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	8.00	µg/Kg	0.00	J	J
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	U
ACETONE	78.00	µg/Kg	0.00	B	R
BENZENE	19.00	µg/Kg	0.00		
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	UJ
CHLOROFORM	3.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	94.00	µg/Kg	0.00		
METHYLENE CHLORIDE	57.00	µg/Kg	0.00	B	R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	39.00	µg/Kg	0.00		
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENE (TOTAL)	200.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1095 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKX7
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		32.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		32.00	U	U
1,1,2-TRICHLOROETHANE	0.00		32.00	U	U
1,1-DICHLOROETHANE	0.00		32.00	U	U
1,1-DICHLOROETHENE	0.00		32.00	U	U
1,2-DICHLOROETHANE	0.00		32.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		32.00	U	U
1,2-DICHLOROPROPANE	0.00		32.00	U	U
2-BUTANONE	0.00		32.00	U	UJ
2-HEXANONE	0.00		32.00	U	U
4-METHYL-2-PENTANONE	0.00		32.00	U	U
ACETONE	78.00	µg/Kg	0.00		J
BENZENE	14.00	µg/Kg	0.00	J	J
BROMODICHLOROMETHANE	0.00		32.00	U	U
BROMOFORM	0.00		32.00	U	U
BROMOMETHANE	0.00		32.00	U	U
CARBON DISULFIDE	0.00		32.00	U	U
CARBON TETRACHLORIDE	0.00		32.00	U	U
CHLOROBENZENE	0.00		32.00	U	U
CHLOROETHANE	0.00		32.00	U	UJ
CHLOROFORM	4.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		32.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		32.00	U	U
DIBROMOCHLOROMETHANE	0.00		32.00	U	U
ETHYLBENZENE	320.00	µg/Kg	0.00		
METHYLENE CHLORIDE	66.00	µg/Kg	0.00	B	R
STYRENE	0.00		32.00	U	U
TETRACHLOROETHENE	0.00		32.00	U	U
TOLUENE	140.00	µg/Kg	0.00		
TRANS-1,3-DICHLOROPROPENE	0.00		32.00	U	U
TRICHLOROETHENE	0.00		32.00	U	U
VINYL CHLORIDE	0.00		32.00	U	U
XYLENE (TOTAL)	1500.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1096 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKY3
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		1600.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		1600.00	U	U
1,1,2-TRICHLOROETHANE	0.00		1600.00	U	U
1,1-DICHLOROETHANE	0.00		1600.00	U	U
1,1-DICHLOROETHENE	0.00		1600.00	U	U
1,2-DICHLOROETHANE	0.00		1600.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		1600.00	U	U
1,2-DICHLOROPROPANE	0.00		1600.00	U	U
2-BUTANONE	1100.00	µg/Kg	0.00	J	J
2-HEXANONE	0.00		1600.00	U	U
4-METHYL-2-PENTANONE	0.00		1600.00	U	U
ACETONE	0.00		1600.00	U	UJ
BENZENE	0.00		1600.00	U	U
BROMODICHLOROMETHANE	0.00		1600.00	U	U
BROMOFORM	0.00		1600.00	U	U
BROMOMETHANE	0.00		1600.00	U	U
CARBON DISULFIDE	0.00		1600.00	U	U
CARBON TETRACHLORIDE	0.00		1600.00	U	U
CHLOROBENZENE	0.00		1600.00	U	U
CHLOROETHANE	0.00		1600.00	U	UJ
CHLOROFORM	0.00		1600.00	U	U
CHLOROMETHANE	0.00		1600.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		1600.00	U	U
DIBROMOCHLOROMETHANE	0.00		1600.00	U	U
ETHYLBENZENE	1100.00	µg/Kg	0.00	J	J
METHYLENE CHLORIDE	530.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		1600.00	U	U
TETRACHLOROETHENE	0.00		1600.00	U	U
TOLUENE	520.00	µg/Kg	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		1600.00	U	U
TRICHLOROETHENE	0.00		1600.00	U	U
VINYL CHLORIDE	0.00		1600.00	U	U
XYLENE (TOTAL)	5600.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1097 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKY9
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	U
4-METHYL-2-PENTANONE	0.00		11.00	U	U
ACETONE	26.00	µg/Kg	0.00	B	R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	UJ
CHLOROFORM	2.00	µg/Kg	0.00	BJ	R
CHLOROMETHANE	0.00		11.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	0.00		11.00	U	U
METHYLENE CHLORIDE	12.00	µg/Kg	0.00	B	R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	U
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1098 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU9
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	UJ
2-HEXANONE	0.00		14.00	U	U
4-METHYL-2-PENTANONE	0.00		14.00	U	U
ACETONE	38.00	µg/Kg	0.00		J
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	U
BROMOMETHANE	0.00		14.00	U	U
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	U
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	UJ
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
ETHYLBENZENE	0.00		14.00	U	U
METHYLENE CHLORIDE	25.00	µg/Kg	0.00	B	R
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	U
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1099 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU9
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	UJ
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	U
ACETONE	0.00		13.00	U	UJ
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	U
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	UJ
CHLOROFORM	2.00	µg/Kg	0.00	J	J
CHLOROMETHANE	0.00		13.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	19.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	U
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1100 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU9
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	UJ
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	U
ACETONE	0.00		13.00	U	UJ
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	U
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	UJ
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	24.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	U
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1101 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU9
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	UJ
2-HEXANONE	0.00		14.00	U	U
4-METHYL-2-PENTANONE	0.00		14.00	U	U
ACETONE	120.00	µg/Kg	0.00		J
BENZENE	4.00	µg/Kg	0.00	J	J
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	U
BROMOMETHANE	0.00		14.00	U	U
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	U
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	UJ
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
ETHYLBENZENE	8.00	µg/Kg	0.00	J	J
METHYLENE CHLORIDE	33.00	µg/Kg	0.00	B	R
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	U
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENE (TOTAL)	56.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1102 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKY3
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		1400.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		1400.00	U	U
1,1,2-TRICHLOROETHANE	0.00		1400.00	U	U
1,1-DICHLOROETHANE	0.00		1400.00	U	U
1,1-DICHLOROETHENE	0.00		1400.00	U	U
1,2-DICHLOROETHANE	0.00		1400.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		1400.00	U	U
1,2-DICHLOROPROPANE	0.00		1400.00	U	U
2-BUTANONE	1300.00	µg/Kg	0.00	J	J
2-HEXANONE	0.00		1400.00	U	U
4-METHYL-2-PENTANONE	0.00		1400.00	U	U
ACETONE	0.00		1400.00	U	UJ
BENZENE	0.00		1400.00	U	U
BROMODICHLOROMETHANE	0.00		1400.00	U	U
BROMOFORM	0.00		1400.00	U	U
BROMOMETHANE	0.00		1400.00	U	U
CARBON DISULFIDE	0.00		1400.00	U	U
CARBON TETRACHLORIDE	0.00		1400.00	U	U
CHLOROBENZENE	0.00		1400.00	U	U
CHLOROETHANE	0.00		1400.00	U	UJ
CHLOROFORM	0.00		1400.00	U	U
CHLOROMETHANE	0.00		1400.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		1400.00	U	U
DIBROMOCHLOROMETHANE	0.00		1400.00	U	U
ETHYLBENZENE	2300.00	µg/Kg	0.00		
METHYLENE CHLORIDE	630.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		1400.00	U	U
TETRACHLOROETHENE	0.00		1400.00	U	U
TOLUENE	0.00		1400.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		1400.00	U	U
TRICHLOROETHENE	0.00		1400.00	U	U
VINYL CHLORIDE	0.00		1400.00	U	U
XYLENE (TOTAL)	8200.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1103 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU9
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	0.00		13.00	U	UJ
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	U
ACETONE	0.00		13.00	U	UJ
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	U
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	UJ
CHLOROFORM	0.00		13.00	U	U
CHLOROMETHANE	0.00		13.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
ETHYLBENZENE	0.00		13.00	U	U
METHYLENE CHLORIDE	36.00	µg/Kg	0.00	B	R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	U
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENE (TOTAL)	5.00	µg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1104 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKU9
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		14.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		14.00	U	U
1,1,2-TRICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHANE	0.00		14.00	U	U
1,1-DICHLOROETHENE	0.00		14.00	U	U
1,2-DICHLOROETHANE	0.00		14.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		14.00	U	U
1,2-DICHLOROPROPANE	0.00		14.00	U	U
2-BUTANONE	0.00		14.00	U	UJ
2-HEXANONE	0.00		14.00	U	U
4-METHYL-2-PENTANONE	0.00		14.00	U	U
ACETONE	0.00		14.00	U	UJ
BENZENE	0.00		14.00	U	U
BROMODICHLOROMETHANE	0.00		14.00	U	U
BROMOFORM	0.00		14.00	U	U
BROMOMETHANE	0.00		14.00	U	U
CARBON DISULFIDE	0.00		14.00	U	U
CARBON TETRACHLORIDE	0.00		14.00	U	U
CHLOROBENZENE	0.00		14.00	U	U
CHLOROETHANE	0.00		14.00	U	UJ
CHLOROFORM	0.00		14.00	U	U
CHLOROMETHANE	0.00		14.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
DIBROMOCHLOROMETHANE	0.00		14.00	U	U
ETHYLBENZENE	0.00		14.00	U	U
METHYLENE CHLORIDE	58.00	µg/Kg	0.00	B	R
STYRENE	0.00		14.00	U	U
TETRACHLOROETHENE	0.00		14.00	U	U
TOLUENE	0.00		14.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		14.00	U	U
TRICHLOROETHENE	0.00		14.00	U	U
VINYL CHLORIDE	0.00		14.00	U	U
XYLENES (TOTAL)	0.00		14.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1105 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKY3
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		1500.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		1500.00	U	U
1,1,2-TRICHLOROETHANE	0.00		1500.00	U	U
1,1-DICHLOROETHANE	0.00		1500.00	U	U
1,1-DICHLOROETHENE	0.00		1500.00	U	U
1,2-DICHLOROETHANE	0.00		1500.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		1500.00	U	U
1,2-DICHLOROPROPANE	0.00		1500.00	U	U
2-BUTANONE	1200.00	µg/Kg	0.00	J	J
2-HEXANONE	0.00		1500.00	U	U
4-METHYL-2-PENTANONE	0.00		1500.00	U	U
ACETONE	0.00		1500.00	U	UJ
BENZENE	0.00		1500.00	U	U
BROMODICHLOROMETHANE	0.00		1500.00	U	U
BROMOFORM	0.00		1500.00	U	U
BROMOMETHANE	0.00		1500.00	U	U
CARBON DISULFIDE	0.00		1500.00	U	U
CARBON TETRACHLORIDE	0.00		1500.00	U	U
CHLOROBENZENE	0.00		1500.00	U	U
CHLOROETHANE	0.00		1500.00	U	UJ
CHLOROFORM	0.00		1500.00	U	U
CHLOROMETHANE	0.00		1500.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		1500.00	U	U
DIBROMOCHLOROMETHANE	0.00		1500.00	U	U
ETHYLBENZENE	630.00	µg/Kg	0.00	J	J
METHYLENE CHLORIDE	650.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		1500.00	U	U
TETRACHLOROETHENE	0.00		1500.00	U	U
TOLUENE	0.00		1500.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		1500.00	U	U
TRICHLOROETHENE	0.00		1500.00	U	U
VINYL CHLORIDE	0.00		1500.00	U	U
XYLENE (TOTAL)	2600.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1106 SAMPLE TYPE : SR SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKY3
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		2100.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		2100.00	U	U
1,1,2-TRICHLOROETHANE	0.00		2100.00	U	U
1,1-DICHLOROETHANE	0.00		2100.00	U	U
1,1-DICHLOROETHENE	0.00		2100.00	U	U
1,2-DICHLOROETHANE	0.00		2100.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		2100.00	U	U
1,2-DICHLOROPROPANE	0.00		2100.00	U	U
2-BUTANONE	0.00		2100.00	U	UJ
2-HEXANONE	0.00		2100.00	U	U
4-METHYL-2-PENTANONE	0.00		2100.00	U	U
ACETONE	0.00		2100.00	U	UJ
BENZENE	670.00	µg/Kg	0.00	J	J
BROMODICHLOROMETHANE	0.00		2100.00	U	U
BROMOFORM	0.00		2100.00	U	U
BROMOMETHANE	0.00		2100.00	U	U
CARBON DISULFIDE	0.00		2100.00	U	U
CARBON TETRACHLORIDE	0.00		2100.00	U	U
CHLOROBENZENE	0.00		2100.00	U	U
CHLOROETHANE	0.00		2100.00	U	UJ
CHLOROFORM	0.00		2100.00	U	U
CHLOROMETHANE	0.00		2100.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		2100.00	U	U
DIBROMOCHLOROMETHANE	0.00		2100.00	U	U
ETHYLBENZENE	24000.00	µg/Kg	0.00		
METHYLENE CHLORIDE	990.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		2100.00	U	U
TETRACHLOROETHENE	0.00		2100.00	U	U
TOLUENE	3900.00	µg/Kg	0.00		
TRANS-1,3-DICHLOROPROPENE	0.00		2100.00	U	U
TRICHLOROETHENE	0.00		2100.00	U	U
VINYL CHLORIDE	0.00		2100.00	U	U
XYLENE (TOTAL)	92000.00	µg/Kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1107 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1089 ASSOCIATED MB : VBLKY3
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		1700.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		1700.00	U	U
1,1,2-TRICHLOROETHANE	0.00		1700.00	U	U
1,1-DICHLOROETHANE	0.00		1700.00	U	U
1,1-DICHLOROETHENE	0.00		1700.00	U	U
1,2-DICHLOROETHANE	0.00		1700.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		1700.00	U	U
1,2-DICHLOROPROPANE	0.00		1700.00	U	U
2-BUTANONE	0.00		1700.00	U	U
2-HEXANONE	0.00		1700.00	U	U
4-METHYL-2-PENTANONE	0.00		1700.00	U	U
ACETONE	0.00		1700.00	U	UJ
BENZENE	230.00	µg/Kg	0.00	J	J
BROMODICHLOROMETHANE	0.00		1700.00	U	U
BROMOFORM	0.00		1700.00	U	U
BROMOMETHANE	0.00		1700.00	U	U
CARBON DISULFIDE	0.00		1700.00	U	U
CARBON TETRACHLORIDE	0.00		1700.00	U	U
CHLOROBENZENE	0.00		1700.00	U	U
CHLOROETHANE	0.00		1700.00	U	UJ
CHLOROFORM	0.00		1700.00	U	U
CHLOROMETHANE	0.00		1700.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		1700.00	U	U
DIBROMOCHLOROMETHANE	0.00		1700.00	U	U
ETHYLBENZENE	0.00		1700.00	U	U
METHYLENE CHLORIDE	800.00	µg/Kg	0.00	BJ	R
STYRENE	0.00		1700.00	U	U
TETRACHLOROETHENE	0.00		1700.00	U	U
TOLUENE	0.00		1700.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		1700.00	U	U
TRICHLOROETHENE	0.00		1700.00	U	U
VINYL CHLORIDE	0.00		1700.00	U	U
XYLENE (TOTAL)	1400.00	µg/Kg	0.00	J	J

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1108 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : Clear Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1109 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1110 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1111 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1111TB
FIELD CLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1112 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	UJ
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	37.00	µg/kg	0.00		R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	1.00	µg/kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
METHYLENE CHLORIDE	20.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1113 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		13.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		13.00	U	U
1,1,2-TRICHLOROETHANE	0.00		13.00	U	UJ
1,1-DICHLOROETHANE	0.00		13.00	U	U
1,1-DICHLOROETHENE	0.00		13.00	U	U
1,2-DICHLOROETHANE	0.00		13.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		13.00	U	U
1,2-DICHLOROPROPANE	0.00		13.00	U	U
2-BUTANONE	12.00	µg/kg	0.00	J	J
2-HEXANONE	0.00		13.00	U	U
4-METHYL-2-PENTANONE	0.00		13.00	U	UJ
ACETONE	44.00	µg/kg	0.00		R
BENZENE	0.00		13.00	U	U
BROMODICHLOROMETHANE	0.00		13.00	U	U
BROMOFORM	0.00		13.00	U	U
BROMOMETHANE	0.00		13.00	U	U
CARBON DISULFIDE	0.00		13.00	U	U
CARBON TETRACHLORIDE	0.00		13.00	U	U
CHLOROBENZENE	0.00		13.00	U	U
CHLOROETHANE	0.00		13.00	U	U
CHLOROFORM	1.00	µg/kg	0.00	J	J
CHLOROMETHANE	0.00		13.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
DIBROMOCHLOROMETHANE	0.00		13.00	U	U
METHYLENE CHLORIDE	22.00	µg/kg	0.00		R
STYRENE	0.00		13.00	U	U
TETRACHLOROETHENE	0.00		13.00	U	U
TOLUENE	0.00		13.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		13.00	U	U
TRICHLOROETHENE	0.00		13.00	U	U
VINYL CHLORIDE	0.00		13.00	U	U
XYLENES (TOTAL)	0.00		13.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1114 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	UJ
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	25.00	µg/kg	0.00		R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	1.00	µg/kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
METHYLENE CHLORIDE	30.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1115 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		380.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		380.00	U	U
1,1,2-TRICHLOROETHANE	0.00		380.00	U	UJ
1,1-DICHLOROETHANE	0.00		380.00	U	U
1,1-DICHLOROETHENE	0.00		380.00	U	U
1,2-DICHLOROETHANE	0.00		380.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		380.00	U	U
1,2-DICHLOROPROPANE	0.00		380.00	U	U
2-BUTANONE	0.00		380.00	U	UJ
2-HEXANONE	0.00		380.00	U	U
4-METHYL-2-PENTANONE	0.00		380.00	U	UJ
ACETONE	19.00	µg/kg	0.00		R
BENZENE	0.00		380.00	U	U
BROMODICHLOROMETHANE	0.00		380.00	U	U
BROMOFORM	0.00		380.00	U	U
BROMOMETHANE	0.00		380.00	U	U
CARBON DISULFIDE	0.00		380.00	U	U
CARBON TETRACHLORIDE	0.00		380.00	U	U
CHLOROBENZENE	0.00		380.00	U	U
CHLOROETHANE	0.00		380.00	U	U
CHLOROFORM	0.00		380.00	U	U
CHLOROMETHANE	0.00		380.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		380.00	U	U
DIBROMOCHLOROMETHANE	0.00		380.00	U	U
METHYLENE CHLORIDE	25.00	µg/kg	0.00		R
STYRENE	0.00		380.00	U	U
TETRACHLOROETHENE	0.00		380.00	U	U
TOLUENE	0.00		380.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		380.00	U	U
TRICHLOROETHENE	0.00		380.00	U	U
VINYL CHLORIDE	0.00		380.00	U	U
XYLENES (TOTAL)	0.00		380.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1116 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	UJ
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	8.00	µg/kg	0.00	J	J
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	U
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	16.00	µg/kg	0.00		R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	2.00	µg/kg	0.00	J	J
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
ETHYLBENZENE	17.00	µg/kg	0.00		
METHYLENE CHLORIDE	19.00	µg/kg	0.00		R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	U
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENE (TOTAL)	13.00	µg/kg	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1117 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	UJ
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	48.00	µg/kg	0.00		
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	0.00		12.00	U	UJ
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	20.00	µg/kg	0.00		R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	2.00	µg/kg	0.00	J	J
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
ETHYLBENZENE	12.00	µg/kg	0.00	J	J
METHYLENE CHLORIDE	30.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1118 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		12.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		12.00	U	U
1,1,2-TRICHLOROETHANE	0.00		12.00	U	UJ
1,1-DICHLOROETHANE	0.00		12.00	U	U
1,1-DICHLOROETHENE	0.00		12.00	U	U
1,2-DICHLOROETHANE	0.00		12.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		12.00	U	U
1,2-DICHLOROPROPANE	0.00		12.00	U	U
2-BUTANONE	9.00	µg/kg	0.00	J	J
2-HEXANONE	0.00		12.00	U	U
4-METHYL-2-PENTANONE	0.00		12.00	U	UJ
ACETONE	32.00	µg/kg	0.00		R
BENZENE	0.00		12.00	U	U
BROMODICHLOROMETHANE	0.00		12.00	U	U
BROMOFORM	0.00		12.00	U	U
BROMOMETHANE	0.00		12.00	U	U
CARBON DISULFIDE	0.00		12.00	U	U
CARBON TETRACHLORIDE	0.00		12.00	U	U
CHLOROBENZENE	0.00		12.00	U	U
CHLOROETHANE	0.00		12.00	U	U
CHLOROFORM	0.00		12.00	U	U
CHLOROMETHANE	0.00		12.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
DIBROMOCHLOROMETHANE	0.00		12.00	U	U
METHYLENE CHLORIDE	23.00	µg/kg	0.00		R
STYRENE	0.00		12.00	U	U
TETRACHLOROETHENE	0.00		12.00	U	U
TOLUENE	0.00		12.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		12.00	U	U
TRICHLOROETHENE	0.00		12.00	U	U
VINYL CHLORIDE	0.00		12.00	U	U
XYLENES (TOTAL)	0.00		12.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1119 SAMPLE TYPE : SAMPLE MATRIX : S
ANALYSIS TYPE : VOL SDG : 1076 ASSOCIATED MB : VBLKM2
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		11.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		11.00	U	U
1,1,2-TRICHLOROETHANE	0.00		11.00	U	UJ
1,1-DICHLOROETHANE	0.00		11.00	U	U
1,1-DICHLOROETHENE	0.00		11.00	U	U
1,2-DICHLOROETHANE	0.00		11.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		11.00	U	U
1,2-DICHLOROPROPANE	0.00		11.00	U	U
2-BUTANONE	0.00		11.00	U	UJ
2-HEXANONE	0.00		11.00	U	U
4-METHYL-2-PENTANONE	0.00		11.00	U	UJ
ACETONE	21.00	µg/kg	0.00		R
BENZENE	0.00		11.00	U	U
BROMODICHLOROMETHANE	0.00		11.00	U	U
BROMOFORM	0.00		11.00	U	U
BROMOMETHANE	0.00		11.00	U	U
CARBON DISULFIDE	0.00		11.00	U	U
CARBON TETRACHLORIDE	0.00		11.00	U	U
CHLOROBENZENE	0.00		11.00	U	U
CHLOROETHANE	0.00		11.00	U	U
CHLOROFORM	1.00	µg/kg	0.00	J	J
CHLOROMETHANE	0.00		11.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
DIBROMOCHLOROMETHANE	0.00		11.00	U	U
METHYLENE CHLORIDE	19.00	µg/kg	0.00		R
STYRENE	0.00		11.00	U	U
TETRACHLOROETHENE	0.00		11.00	U	U
TOLUENE	0.00		11.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		11.00	U	U
TRICHLOROETHENE	0.00		11.00	U	U
VINYL CHLORIDE	0.00		11.00	U	U
XYLENES (TOTAL)	0.00		11.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1120 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1121 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1120TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1500 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKSH
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	5.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final N[redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1501 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKSH
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	4.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1502 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKSH
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	4.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1503 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKSH
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	18.00	µg/L	0.00		
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	17.00	µg/L	0.00		
METHYLENE CHLORIDE	2.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	24.00	µg/L	0.00		
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	20.00	µg/L	0.00		
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	210.00	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1504 SAMPLE TYPE : WR SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKCR
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	17.00	µg/L	0.00		
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	12.00	µg/L	0.00		
METHYLENE CHLORIDE	4.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	21.00	µg/L	0.00		
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	14.00	µg/L	0.00		
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	200.00	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1506 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1507 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKCR
TRIP BLANK : 1506TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	3.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1508 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKVO
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1509 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKVO
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1510 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1511 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1512 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1513 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03, .0/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1514 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKVO
TRIP BLANK : 1512TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	4.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	6.00	µg/L	0.00		
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1515 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1516 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKKE
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
C. .OROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1517 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : VBLKKE
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1518 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1519 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1500 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	UJ
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	U
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1520 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : VBLKWI
TRIP BLANK : 1034TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	2.00	µg/L	0.00	J	J
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	2.00	µg/L	0.00	J	J
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	4.00	µg/L	0.00	J	J
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	7.00	µg/L	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	12.00	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1521 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : VBLKWI
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	6.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1522 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : VBLKWI
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	4.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1523 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : VBLKWI
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1524 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : VBLKWI
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	20.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1525 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : VBLKWI
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	6.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1526 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBL
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	1.00	µg/L	0.00	J	J
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1527 SAMPLE TYPE : WR SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBLK
TRIP BLANK : 1059TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	1.00	µg/L	0.00	J	J
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1528 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBL
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1529 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : HAZWRAPBLK
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00	BJ	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1530 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBL
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1531 SAMPLE TYPE : WR SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBLK
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1532 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBLK
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	2.00	µg/L	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1533 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBLK
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	2.00	µg/L	0.00	J	J
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	3.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	1.00	µg/L	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1534 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBL
TRIP BLANK : 1088TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1535 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBLK
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	2.00	µg/L	0.00	J	J
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		21.00	U	U
BENZENE	21.00	µg/L	0.00		
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLORCBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
ETHYLBENZENE	4.00	µg/L	0.00	J	R
METHYLENE CHLORIDE	6.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	6.00	µg/L	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	1.00	µg/L	0.00	J	J
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	63.00	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1536 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBL
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	"
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHANE	5.00	µg/L	0.00	J	J
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	U
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	UJ
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1537 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1520 ASSOCIATED MB : HAZWRAPBLK
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		170.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		170.00	U	U
1,1,2-TRICHLOROETHANE	0.00		170.00	U	U
1,1-DICHLOROETHANE	0.00		170.00	U	U
1,1-DICHLOROETHENE	0.00		170.00	U	U
1,2-DICHLOROETHANE	0.00		170.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		170.00	U	U
1,2-DICHLOROPROPANE	0.00		170.00	U	U
2-BUTANONE	0.00		170.00	U	UJ
2-HEXANONE	0.00		170.00	U	U
4-METHYL-2-PENTANONE	0.00		170.00	U	U
ACETONE	0.00		170.00	U	UJ
BENZENE	2300.00	µg/L	0.00		
BROMODICHLOROMETHANE	0.00		170.00	U	U
BROMOFORM	0.00		170.00	U	U
BROMOMETHANE	0.00		170.00	U	UJ
CARBON DISULFIDE	0.00		170.00	U	U
CARBON TETRACHLORIDE	0.00		170.00	U	U
CHLOROBENZENE	0.00		170.00	U	U
CHLOROETHANE	0.00		170.00	U	UJ
CHLOROFORM	0.00		170.00	U	U
CHLOROMETHANE	0.00		170.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		170.00	U	U
DIBROMOCHLOROMETHANE	0.00		170.00	U	U
ETHYLBENZENE	0.00		480.00	U	U
ETHYLBENZENE	480.00	µg/L	0.00		
METHYLENE CHLORIDE	76.00	µg/L	0.00	J	J
STYRENE	0.00		170.00	U	U
TETRACHLOROETHENE	0.00		170.00	U	U
TOLUENE	0.00		170.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		170.00	U	U
TRICHLOROETHENE	0.00		170.00	U	U
VINYL CHLORIDE	0.00		170.00	U	U
XYLENE (TOTAL)	1400.00	µg/L	0.00		
XYLENES (TOTAL)	0.00		1400.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1538 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1539 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : HAZWRAPBLK
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	BJ	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	2.00	µg/L	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1540 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : HAZWRAPBL
TRIP BLANK : 1111TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	3.00	µg/L	0.00	BJ	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	2.00	µg/L	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1541 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : VBLKCZ
TRIP BLANK : 1544TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		50.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		50.00	U	U
1,1,2-TRICHLOROETHANE	0.00		50.00	U	U
1,1-DICHLOROETHANE	0.00		50.00	U	U
1,1-DICHLOROETHENE	0.00		50.00	U	UJ
1,2-DICHLOROETHANE	0.00		50.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		50.00	U	U
2-BUTANONE	0.00		50.00	U	UJ
2-HEXANONE	0.00		50.00	U	UJ
4-METHYL-2-PENTANONE	0.00		50.00	U	UJ
ACETONE	0.00		50.00	U	UJ
BENZENE	620.00	µg/L	0.00		
BROMODICHLOROMETHANE	0.00		50.00	U	U
BROMOFORM	0.00		50.00	U	U
BROMOMETHANE	0.00		50.00	U	U
CARBON DISULFIDE	0.00		50.00	U	UJ
CARBON TETRACHLORIDE	0.00		50.00	U	U
CHLOROBENZENE	0.00		50.00	U	U
CHLOROETHANE	0.00		50.00	U	U
CHLOROFORM	0.00		50.00	U	U
CHLOROMETHANE	0.00		50.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		50.00	U	U
DIBROMOCHLOROMETHANE	0.00		50.00	U	U
ETHYLBENZENE	0.00		50.00	U	U
METHYLENE CHLORIDE	6.00	µg/L	[illegible].00	BJ	R
STYRENE	0.00		50.00	U	U
TETRACHLOROETHENE	0.00		50.00	U	U
TOLUENE	7.00	µg/L	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		50.00	U	UJ
TRICHLOROETHENE	0.00		50.00	U	U
VINYL CHLORIDE	0.00		50.00	U	U
XYLENE (TOTAL)	92.00	µg/L	0.00		

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1542 SAMPLE TYPE : SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : HAZWRAPBL
TRIP BLANK : 1544TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	58.00	µg/L	0.00	B	R
BENZENE	8.00	µg/L	0.00	J	J
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	1.00	µg/L	0.00	J	J
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	BJ	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE: *03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1000* ENDING SAMPLE #: *1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1543 SAMPLE TYPE : ER SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1544TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 1538

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1000* ENDING SAMPLE #:*1544*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1544 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1108 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1544TB
FIELD BLANKS : 1005FB, 1006FB
EQUIPMENT RINSATES : 1007ER, 1108ER, 1109ER, 1110ER, 1513ER, 1525ER, 153

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	UJ
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	UJ
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	0.00		10.00	U	U

04/05/94 NEVADA ANG FIELD SAMPLES PAGE: 1

FIELD#	SAMPLE-ID	TIME	TEMP	pH	COND	PID	WTR-LVL	LABNOTES	REQ	CONTAINERS	FLT	PRSRV
1545	TB000DI-030393-001	0715	0.0	0.00	0	0.00	0.00		VOL	3-40ml	NO	HCL
	SITE:											
	EXAC:											
	COMM:TRIP BLANK											
1546	MW002GW-030393-001	1010	14.7	7.18	1760	0.50	4.87		BNA	2-1000ml	NO	NO
	SITE:BASEWIDE								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1547	MW001GW-030393-001	1515	0.0	0.00	0	0.60	8.66		BNA	2-1000ml	NO	NO
	SITE:BASEWIDE								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:LOW PRODUCING WELL, PARAMETERS COULD NOT BE CHECKED.								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1548	FB000DI-030393-001	1330	0.0	0.00	0	0.00	0.00		BNA	2-1000ml	NO	NO
	SITE:								MET	1-1000ml	NO	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:FIELD BLANK deion. water								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1549	MW004GW-030393-001	1355	13.6	7.22	1980	0.40	6.80		BNA	2-1000ml	NO	NO
	SITE:SITE 4								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1550	MW003GW-030393-001	1425	11.7	7.29	2340	0.50	6.88		BNA	2-1000ml	NO	NO
	SITE:SITE 4								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1551	MW005GW-030393-001	1555	11.5	7.33	1600	0.60	5.64		BNA	2-1000ml	NO	NO
	SITE:SITE 4								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1552	MW005WR-030393-002	1555	11.5	7.33	1600	0.60	5.64		BNA	2-1000ml	NO	NO
	SITE:SITE 4								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:WATER REPLICATE								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1553	TB000DI-030493-002	0810	0.0	0.00	0	0.00	0.00		VOL	3-40ml	NO	HCL
	SITE:											
	EXAC:											
	COMM:TRIP BLANK											
1554	MW018GW-030493-001	0850	14.0	6.88	980	92.00	7.07		BNA	2-1000ml	NO	NO
	SITE:SITE 14								PHC	3-40ml	NO	HCL
	EXAC:								PHC	1-1000ml	NO	NO
	COMM:								VOL	3-40ml	NO	HCL
1555	MW015GW-030493-001	0910	15.4	6.46	1070	0.50	7.30		BNA	2-1000ml	NO	NO
	SITE:SITE 14								PHC	3-40ml	NO	HCL
	EXAC:								PHC	1-1000ml	NO	NO
	COMM:								VOL	3-40ml	NO	HCL
1556	FB000DI-030493-001	0930	0.0	0.00	0	0.00	0.00		BNA	2-1000ml	NO	NO
	SITE:								MET	1-1000ml	NO	HNO3
	EXAC:DECON WATER SOURCE								PHC	3-40ml	NO	HCL
	COMM:FIELD BLANK Water Source								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL

FIELD#	SAMPLE-ID	TIME	TEMP	pH	COND	PID	WTR-LVL	LABNOTES	REQ	CONTAINERS	FLT	PRSRV
1557	MW012GW-030493-001	1020	15.5	6.54	600	0.70	6.89		BNA	2-1000ml	NO	NO
	SITE:SITE 13								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	1-1000ml	NO	NO
	COMM:								PHC	3-40ml	NO	HCL
									VOL	3-40ml	NO	HCL
1558	ER001RI-030493-001	1045	0.0	0.00	0	0.00	0.00		BNA	2-1000ml	NO	NO
	SITE:								MET	1-1000ml	NO	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:EQUIP. RINSATE								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1559	MW014GW-030493-001	1110	15.1	7.04	980	0.60	6.53		BNA	2-1000ml	NO	NO
	SITE:SITE 13								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1560	MW013GW-030493-001	1430	15.8	6.74	610	0.60	6.74		BNA	2-1000ml	NO	NO
	SITE:SITE 13								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1561	SD005SO-030493-001	1410	0.0	0.00	0	0.00	0.00		PHC	1-500ml	NO	NO
	SITE:BASEWIDE											
	EXAC:											
	COMM:Low & High Boiler PHC											
1562	SD008SO-030493-001	1425	0.0	0.00	0	0.00	0.00		PHC	1-500ml	NO	NO
	SITE:BASEWIDE											
	EXAC:											
	COMM:Low & High Boiler PHC											
1563	SD006SO-030493-001	1600	0.0	0.00	0	0.00	0.00		PHC	1-500ml	NO	NO
	SITE:BASEWIDE											
	EXAC:											
	COMM:Low & High Boiler PHC											
1564	SD007SO-030493-001	1610	0.0	0.00	0	0.00	0.00		PHC	1-500ml	NO	NO
	SITE:BASEWIDE											
	EXAC:											
	COMM:Low & High Boiler PHC											
1565	TB000DI-030593-003	0720	0.0	0.00	0	0.00	0.00		VOL	3-40ml	NO	HCL
	SITE:											
	EXAC:											
	COMM:TRIP BLANK											
1566	MW020GW-030593-001	0815	14.9	6.62	1570	0.60	6.70	MS/MSD	BNA	4-1000ml	NO	NO
	SITE:SITE 3								MET	2-1000ml	.45	HNO3
	EXAC:								PHC	6-40ml	NO	HCL
	COMM:								PHC	2-1000ml	NO	NO
									VOL	6-40ml	NO	HCL
1567	MW021GW-030593-001	0830	14.9	6.92	1310	0.60	6.82		BNA	2-1000ml	NO	NO
	SITE:SITE 3								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1568	MW021WR-030593-002	0840	14.9	6.92	1310	0.60	6.82		BNA	2-1000ml	NO	NO
	SITE:SITE 3								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1569	MW016GW-030593-001	0930	14.9	7.07	812	0.60	8.48		BNA	2-1000ml	NO	NO
	SITE:SITE 5								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL

FIELD#	SAMPLE-ID	TIME	TEMP	pH	COND	PID	WTR-LVL	LABNOTES	REQ	CONTAINERS	FLT	PRSRV
1570	MW016WR-030593-002	0945	14.9	7.07	812	0.60	8.48		BNA	2-1000ml	NO	NO
	SITE:SITE 5								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1571	MW017GW-030593-001	1030	13.9	7.08	660	24.30	6.70	MS/MSD	BNA	4-1000ml	NO	NO
	SITE:SITE 5								MET	2-1000ml	.45	HNO3
	EXAC:								PHC	6-40ml	NO	HCL
	COMM:								PHC	2-1000ml	NO	NO
									VOL	6-40ml	NO	HCL
1572	ER017RI-030593-002	1115	0.0	0.00	0	0.00	0.00		BNA	2-1000ml	NO	NO
	SITE:								MET	1-1000ml	NO	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:EQUIP. RINSATE								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1573	MW022GW-030593-001	1400	16.4	7.13	1620	1.80	7.22		BNA	2-1000ml	NO	NO
	SITE:SITE 3								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1574	MW019GW-030593-001	1420	16.9	7.75	647	0.80	8.14		BNA	2-1000ml	NO	NO
	SITE:SITE 5								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1575	TB000DI-030693-004	0715	0.0	0.00	0	0.00	0.00		VOL	3-40ml	NO	HCL
	SITE:											
	EXAC:											
	COMM:TRIP BLANK											
1576	MW010GW-030693-001	0910	12.7	6.80	1620	0.70	5.88		BNA	2-1000ml	NO	NO
	SITE:SITE 7								PHC	3-40ml	NO	HCL
	EXAC:								PHC	1-1000ml	NO	NO
	COMM:								VOL	3-40ml	NO	HCL
1577	MW023GW-030693-001	0825	15.0	7.39	1178	0.90	5.12		BNA	2-1000ml	NO	NO
	SITE:SITE 7								PHC	3-40ml	NO	HCL
	EXAC:								PHC	1-1000ml	NO	NO
	COMM:								VOL	3-40ml	NO	HCL
1578	MW006GW-030693-001	1015	15.6	7.17	950	148.00	4.25		BNA	2-1000ml	NO	NO
	SITE:SITE 7								PHC	3-40ml	NO	HCL
	EXAC:								PHC	1-1000ml	NO	NO
	COMM:								VOL	3-40ml	NO	HCL
1579	MW024GW-030693-001	1025	15.4	6.80	1150	0.70	4.50		BNA	2-1000ml	NO	NO
	SITE:SITE 7								PHC	3-40ml	NO	HCL
	EXAC:								PHC	1-1000ml	NO	NO
	COMM:								VOL	3-40ml	NO	HCL
1580	MW025GW-030693-001	1345	16.3	6.80	1590	40.40	3.45		BNA	2-1000ml	NO	NO
	SITE:SITE 7								PHC	3-40ml	NO	HCL
	EXAC:								PHC	1-1000ml	NO	NO
	COMM:								VOL	3-40ml	NO	HCL
1581	MW007GW-030693-001	1400	16.5	6.74	2540	180.00	3.02		BNA	2-1000ml	NO	NO
	SITE:SITE 7								PHC	3-40ml	NO	HCL
	EXAC:								PHC	1-1000ml	NO	NO
	COMM:FLOATING PRODUCT (APPROX. 18 INCHES)								VOL	3-40ml	NO	HCL
1582	ER007RI-030693-003	1430	0.0	0.00	0	0.00	0.00		BNA	2-1000ml	NO	NO
	SITE:								PHC	3-40ml	NO	HCL
	EXAC:								PHC	1-1000ml	NO	NO
	COMM:EQUIP. RINSATE								VOL	3-40ml	NO	HCL

FIELD#	SAMPLE-ID	TIME	TEMP	pH	COND	PID	WTR-LVL	LABNOTES	REQ	CONTAINERS	FLT	PRSRV
1583	TB000DI-030793-001	0715	0.0	0.00	0	0.00	0.00		VOL	3-40ml	NO	HCL
	SITE:											
	EXAC:											
	COMM:TRIP BLANK											
1584	MW067GW-030793-001	0830	13.4	6.97	1130	12.00	4.24		BNA	2-1000ml	NO	NO
	SITE:APRON								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1585	ER067RI-030793-004	0900	0.0	0.00	0	0.00	0.00		BNA	2-1000ml	NO	NO
	SITE:								MET	1-1000ml	NO	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:EQUIP. RINSATE								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1586	MW065GW-030793-001	0900	14.8	7.00	990	6.20	4.93		BNA	2-1000ml	NO	NO
	SITE:APRON								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1587	MW066GW-030793-001	0945	14.4	7.10	1160	1.20	4.78		BNA	2-1000ml	NO	NO
	SITE:APRON								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1588	MW008GW-030793-001	1015	12.9	7.10	1290	1.20	4.76		BNA	2-1000ml	NO	NO
	SITE:SITE 2								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1589	MW011GW-030793-001	1330	13.5	7.13	794	7.60	5.24		BNA	2-1000ml	NO	NO
	SITE:SITE 2								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1590	MW009GW-030793-001	1400	14.9	7.10	850	1.80	6.69		BNA	2-1000ml	NO	NO
	SITE:SITE 2								MET	1-1000ml	.45	HNO3
	EXAC:								PHC	3-40ml	NO	HCL
	COMM:								PHC	1-1000ml	NO	NO
									VOL	3-40ml	NO	HCL
1591	TB000DI-030893-005	0730	0.0	0.00	0	0.00	0.00		VOL	3-40ml	NO	HCL
	SITE:											
	EXAC:											
	COMM:TRIP BLANK											
1592	OT000WT-030893-001	0730	0.0	0.00	0	0.00	0.00		BNA	2-1000ml	NO	NO
	SITE:								MET	1-1000ml	NO	HNO3
	EXAC:Small storage tank of purge water								PHC	1-1000ml	NO	NO
	COMM:Storage tank (Low Boil)								PHC	3-40ml	NO	HCL
									VOL	3-40ml	NO	HCL
1593	MW010GW-031793-001	0950	12.8	7.10	1300	0.00	0.00		PHC	3-40ml	NO	HCL
	SITE:SITE 7								VOL	3-40ml	NO	HCL
	EXAC:											
	COMM:											
1594	MW024GW-031793-001	1345	14.5	7.00	1338	0.00	0.00		PHC	3-40ml	NO	HCL
	SITE:SITE 7											
	EXAC:											
	COMM:											
1595	MW007GW-031793-001	1515	16.3	6.40	3080	0.00	0.00		VOL	3-40ml	NO	HCL
	SITE:SITE 7											
	EXAC:											
	COMM:											

04/05/94 NEVADA ANG FIELD SAMPLES PAGE: 5

FIELD#	SAMPLE-ID	TIME	TEMP	pH	COND	PID	WTR-LVL	LABNOTES	REQ	CONTAINERS	FLT	PRSRV
1596	ER000R1-031793-001	1630	0.0	0.00	0	0.00	0.00		PHC	3-40ml	NO	HCL
	SITE:								VOL	3-40ml	NO	HCL
	EXAC:											
	COMM:											
1597	TB000D1-031793-006	1700	0.0	0.00	0	0.00	0.00		VOL	3-40ml	NO	HCL
	SITE:											
	EXAC:											
	COMM:											

REGION:_____

ORGANIC REGIONAL DATA ASSESSMENT

VALIDATION LEVEL: C
CASE NO.:_____

LABORATORY: COMPUCHEM

SITE: NEVADA AIR NAT. GUARD (RENO)
NUMBER OF SAMPLES/MATRIX
WATER: 156 SOIL: 4
REVIEWER (IF NOT ESD):_____
REVIEWER'S NAME: DENNIS MARTY
COMPLETION DATE: 03/01/94

SAMPLES START #: 1545
END #: 1597

DATA ASSESSMENT SUMMARY

	VOA	BNA	PHC
1. HOLDING TIMES	O	O	O
2. GC/MS TUNE/INSTR. PERFORM	O	O	
3. CALIBRATIONS	M	M	M
4. BLANKS	M	M	M
5. SURROGATES	X	X	X
6. MATRIX SPIKE/DUP.	X	X	X
7. OTHER QC	O	O	O
8. INTERNAL STANDARDS	O	O	O
9. COMPOUND IDENTIFICATION	O	O	O
10. SYSTEM PERFORMANCE	M	M	M
11. OVERALL ASSESSMENT	M	M	M

O = DATA HAD NO PROBLEMS/OR QUALIFIED DUE TO MINOR PROBLEMS.
M = DATA QUALIFIED DUE TO MAJOR PROBLEMS.
Z = DATA UNACCEPTABLE.
X = PROBLEMS, BUT DO NOT AFFECT DATA.

ACTION ITEMS: Action items are noted in the error messages included with the final summary report.

AREAS OF CONCERN: Problems with the initial and continuing calibrations, as well as problems with method blank contamination.

NOTABLE PERFORMANCE:

REGION:_____

INORGANIC REGIONAL DATA ASSESSMENT

VALIDATION LEVEL: C
CASE NO.:_____

LABORATORY: COMPUCHEM

SITE: NEVADA AIR NAT. GUARD (RENO)
NUMBER OF SAMPLES/MATRIX
WATER: 156 SOIL: 4
REVIEWER (IF NOT ESD):_____
REVIEWER'S NAME: DENNIS MARTY
COMPLETION DATE: 03/01/94

SAMPLES START #: 1545
END #: 1597

DATA ASSESSMENT SUMMARY

	ICP	AA	HG	CYANIDE
1. HOLDING TIMES	O	O	O	
2. CALIBRATIONS	M	M	M	
3. BLANKS	M	M	M	
4. ICS	O			
5. LCS	O	O		
6. DUPLICATE ANALYSIS	O	O	O	
7. MATRIX SPIKE	O	O	O	
8. MSA		O		
9. SERIAL DILUTION	O			
10. SAMPLE VERIFICATION	O	O	O	
11. OTHER QC	O	O	O	
12. OVERALL ASSESSMENT	M	M	M	

O = DATA HAD NO PROBLEMS/OR QUALIFIED DUE TO MINOR PROBLEMS.
M = DATA QUALIFIED DUE TO MAJOR PROBLEMS.
Z = DATA UNACCEPTABLE.
X = PROBLEMS, BUT DO NOT AFFECT DATA.

ACTION ITEMS: Action items are noted in the error messages included with the final summary report.

AREAS OF CONCERN: Calibration problems and problems with blank contamination is the primary problem with this data set.

NOTABLE PERFORMANCE:

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
LABORATORY: *COMPUCHEM*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

PACKAGE DEFICIENCIES SUMMARY

Total number of samples: 59

Analysis Type	Number of Analyses
VOL - Volatiles:	45
BNA - Semivolatiles:	38
PHC - Petroleum Hydrocarbons:	45
MET - Metals:	29
P_P - Pesticides:	0
ANI - Anions:	0
H_A - Halocarbons and Aromatics:	0

Sample Type	QC Samples as a % of Total Samples
Duplicate QC water samples:	5.45%
Duplicate QC soil samples:	0.00%
MS/MSD QC water samples:	0.00%
MS/MSD QC soil samples:	0.00%

Problem	Number of Problems
1. Holding Times exceeded:	
A. Extraction Holding Times exceeded:	0
B. Analysis Holding Times exceeded:	0
2. Tuning problems (VOL & BNA):	0
3. Initial Calibration:	0
4. Continuing Calibration:	63
5. Surrogate Recovery outside of limits (level IV or D):	0
6. Method Blank contamination:	153
7. Trip Blank or Field Blank contamination:	73
8. MS/MSD Recovery:	2
9. Matrix Spike:	23
10. Blank Spike:	0
11. Internal Standards:	0
12. PHC Calibration:	0
13. Field Duplicate:	12
14. PEST/PCB Continuing Calibrations:	0
15. PEST/PCB Instrument Performance:	0
16. Metals Curve Validation:	24
17. Metals Calibration:	0
18. Laboratory Control Samples:	1
19. ICP Interference:	0
20. ICP Serial Dilution:	19
21. PHC Sample Result Verification:	0

Ratio of detects with changed flags to total detects: 194 / 998

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
LABORATORY: *COMPUCHEM*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

PACKAGE DEFICIENCIES SUMMARY

NONDETECT ERROR SUMMARY

Problem	Number of Problems
1. Holding Times exceeded:	
A. Extraction Holding Times exceeded:	0
B. Analysis Holding Times exceeded:	0
2. Tuning problems (VOL & BNA):	0
3. Initial Calibration:	45
4. Continuing Calibration:	604
5. MS/MSD Recovery:	0
6. Matrix Spike:	0
7. Blank Spike:	0
8. Internal Standards:	0
9. PHC Calibration:	0
10. PEST/PCB Continuing Calibrations:	0
11. PEST/PCB Instrument Performance:	0
12. Metals Curve Validation:	257
13. Metals Calibration:	0
14. Laboratory Control Samples:	20
15. ICP Interference:	0
16. ICP Serial Dilution:	1
17. PHC Sample Result Verification:	0

Changed to UJ: 847
Changed to R.: 7
Ratio of detects with changed flags to total detects: 854 / 4280

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
LABORATORY: *COMPUCHEM*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

PACKAGE DEFICIENCIES SUMMARY

Illegible Information:

Missing Information (Lab Report): The electronic transfer files for this package were not in the correct format.

Missing QC Information:

Transcription Errors:

Logbook Problems:

Request for Analysis Problems:

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
LABORATORY: *COMPUCHEM*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

PACKAGE DEFICIENCIES SUMMARY

NONCONFORMANCE CALIBRATIONS FOR ORGANIC ANALYSES

				NUMBER OF COMPOUNDS		
ANALYSIS TYPE	CAL TYPE	DATE	TIME	%RSD>40%	%RSD>30%	%RSD>25%
BNA	INIT	05/05/92		3	5	
VOL	INIT	03/10/93		1		
VOL	INIT	03/11/93		1		
BNA	CONT	03/08/93	0920	1		5
BNA	CONT	03/09/93	1149	1		5
BNA	CONT	03/10/93	0958	3		6
BNA	CONT	03/11/93	2255	2		10
BNA	CONT	03/11/93	2322	3		9
BNA	CONT	03/12/93	1137	1		
BNA	CONT	03/12/93	1600	2		9
BNA	CONT	03/12/93	2220	3		6
BNA	CONT	03/17/93	1913	4		7
VOL	CONT	03/08/93	1145	1		3
VOL	CONT	03/08/93	2209	1		5
VOL	CONT	03/09/93	1027	2		6
VOL	CONT	03/11/93	0303	1		
VOL	CONT	03/19/93	0853	5		6

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
LABORATORY: *COMPUCHEM LABORATORIES INC*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*

DEFINITIONS OF QUALIFYING Q CODES

Final Q codes are determined by the flagging logic found in the U.S. EPA Functional Guidelines for the Validation of Organic and Inorganic Data (2/1/1988, 7/1/1988, and 6/1991). The definitions below for Q codes, are taken from these documents.

J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

N The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification".

NJ The analysis indicates the presence of an analyte that has been "tentatively identified", and the associated numerical value represents its approximate concentration.

P This flag is used for a target analyte when there is a greater than 25% difference for detected concentrations between two GC columns. The lower value is reported and flagged with a "P".

UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.

R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/26/94*
ANALYSIS: *BNA - HOLDING TIMES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1546* ENDING SAMPLE #: *1592*

SAMPLE NUMBER	SAMPLE TYPE	MATRIX	SAMPLE DATE	EXTRACTION DATE	ANALYSIS DATE	EXTRACTION DAYS	EXTRACTION ACCEPTABLE	ANALYSIS DAYS	ANALYSIS ACCEPTABLE
1546		W	03/03/93	03/04/93	03/09/93	1	T	5	T
1547		W	03/03/93	03/04/93	03/08/93	1	T	4	T
1548	FB	W	03/03/93	03/04/93	03/08/93	1	T	4	T
1549		W	03/03/93	03/04/93	03/08/93	1	T	4	T
1550		W	03/03/93	03/04/93	03/08/93	1	T	4	T
1551		W	03/03/93	03/04/93	03/08/93	1	T	4	T
1552	WR	W	03/03/93	03/04/93	03/09/93	1	T	5	T
1554		W	03/04/93	03/08/93	03/10/93	4	T	2	T
1555		W	03/04/93	03/08/93	03/10/93	4	T	2	T
1556	FB	W	03/04/93	03/08/93	03/10/93	4	T	2	T
1557		W	03/04/93	03/08/93	03/10/93	4	T	2	T
1558	ER	W	03/04/93	03/08/93	03/10/93	4	T	2	T
1559		W	03/04/93	03/08/93	03/10/93	4	T	2	T
1560		W	03/04/93	03/08/93	03/10/93	4	T	2	T
1566		W	03/05/93	03/10/93	03/12/93	5	T	2	T
1567		W	03/05/93	03/10/93	03/12/93	5	T	2	T
1568	WR	W	03/05/93	03/10/93	03/12/93	5	T	2	T
1569		W	03/05/93	03/10/93	03/12/93	5	T	2	T
1570	WR	W	03/05/93	03/09/93	03/11/93	4	T	2	T
1571		W	03/05/93	03/09/93	03/11/93	4	T	2	T
1572	ER	W	03/05/93	03/09/93	03/11/93	4	T	2	T
1573		W	03/05/93	03/09/93	03/12/93	4	T	3	T
1574		W	03/05/93	03/09/93	03/11/93	4	T	2	T
1576		W	03/06/93	03/10/93	03/12/93	4	T	2	T
1577		W	03/06/93	03/10/93	03/12/93	4	T	2	T
1578		W	03/06/93	03/10/93	03/12/93	4	T	2	T
1579		W	03/06/93	03/10/93	03/12/93	4	T	2	T
1580		W	03/06/93	03/10/93	03/12/93	4	T	2	T
1581		W	03/06/93	03/10/93	03/12/93	4	T	2	T
1582	ER	W	03/06/93	03/10/93	03/12/93	4	T	2	T
1584		W	03/07/93	03/10/93	03/12/93	3	T	2	T
1585	ER	W	03/07/93	03/10/93	03/12/93	3	T	2	T
1586		W	03/07/93	03/10/93	03/12/93	3	T	2	T
1587		W	03/07/93	03/10/93	03/12/93	3	T	2	T
1588		W	03/07/93	03/10/93	03/12/93	3	T	2	T
1589		W	03/07/93	03/11/93	03/13/93	4	T	2	T
1590		W	03/07/93	03/11/93	03/13/93	4	T	2	T
1592	FB	W	03/08/93	03/11/93	03/13/93	3	T	2	T
1581	DL	W	03/06/93	03/10/93	03/12/93	4	T	2	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *BNA - INITIAL CALIBRATION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

CALIBRA. DATE	COMPOUND	SDG	RRF1	RRF2	RRF3	RRF4	RRF5	RRFC	CHKC	RRFI	%RSD	CHK %RSD LIMIT	ERRAT COMP
03/09/93	4-NITROPHENOL	1570	0.104	0.182	0.174	0.173	0.173	0.161	T	0.161	20.0	T	T
03/09/93	BIS(2-CHLOROETHOXY)METHANE	1570	0.555	0.524	0.526	0.495	0.479	0.516	T	0.516	5.7	T	F
03/09/93	DI-N-OCTYLPHTHALATE	1570	1.394	1.657	1.906	2.080	2.090	1.825	T	1.825	16.3	T	T
03/09/93	PENTACHLOROPHENOL	1570	0.100	0.147	0.138	0.147	0.148	0.136	T	0.136	15.1	T	F
03/09/93	PYRENE	1570	1.772	1.639	1.659	1.617	1.605	1.658	T	1.658	4.0	T	F
05/05/92	2,4-DINITROPHENOL	1545	0.064	0.105	0.139	0.168	0.180	0.131	T	0.131	36.2	F	T
05/05/92	3,3'-DICHLOROBENZIDINE	1545	0.152	0.096	0.078	0.127	0.175	0.126	T	0.126	31.6	F	T
05/05/92	3-NITROANILINE	1545	0.106	0.142	0.099	0.189	0.283	0.164	T	0.164	46.2	F	T
05/05/92	4-CHLOROANILINE	1545	0.187	0.116	0.203	0.354	0.397	0.251	T	0.251	47.3	F	T
05/05/92	4-NITROANILINE	1545	0.138	0.170	0.183	0.270	0.396	0.231	T	0.231	45.0	F	T
05/05/92	BENZO(A)PYRENE	1545	0.942	0.937	0.995	1.066	1.120	1.012	T	1.012	7.9	T	F
05/05/92	HEXACHLOROETHANE	1545	0.780	0.816	0.840	0.950	0.913	0.860	T	0.860	8.2	T	F
05/05/92	N-NITROSODIPHENYLAMINE (1)	1545	0.503	0.313	0.477	0.605	0.695	0.519	T	0.519	27.7	T	T
06/12/92	2,4,6-TRICHLOROPHENOL	1590	0.424	0.389	0.388	0.393	0.401	0.399	T	0.399	3.7	T	F
06/12/92	2-METHYLPHENOL	1590	1.399	1.434	1.377	1.370	1.325	1.381	T	1.381	2.9	T	F
06/12/92	4-NITROPHENOL	1570	0.310	0.357	0.404	0.441	0.432	0.389	T	0.389	14.1	T	T
06/12/92	BENZO(A)ANTHRACENE	1590	1.151	1.134	1.138	1.104	1.082	1.122	T	1.122	2.5	T	F
06/12/92	BENZO(K)FLUORANTHENE	1570	1.124	1.081	0.881	0.829	0.845	0.952	T	0.952	14.7	T	F
06/12/92	CARBAZOLE	1570	0.99	0.887	0.857	0.850	0.786	0.875	T	0.875	8.7	T	F
06/12/92	ISOPHORONE	1570	0.870	0.889	0.874	0.857	0.894	0.877	T	0.877	1.7	T	F
06/12/92	N-NITROSODIPHENYLAMINE (1)	1590	0.688	0.595	0.583	0.582	0.591	0.608	T	0.608	7.4	T	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/26/94*
ANALYSIS: *BNA - INITIAL CALIBRATION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

Calib. Date	Compound	SDG	% RSD Largest Excluded	RSD Chk > 30%	% RSD Smallest Excluded	RSD Chk > 30%
05/05/92	2,4-DINITROPHENOL	1545	37.6	F	39.8	F
05/05/92	3,3'-DICHLOROBENZIDINE	1545	29.0	T	38.8	F
05/05/92	3-NITROANILINE	1545	30.8	F	69.6	F
05/05/92	4-CHLOROANILINE	1545	46.6	F	62.0	F
05/05/92	4-NITROANILINE	1545	29.7	T	67.3	F

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *BNA - CONTINUING CALIBRATION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

CALIBRA. DATE	TIME	COMPOUND	SDG	RRF INIT	RRF CONT	% D	LIMITS	ERRAT COMP
03/08/93	0920	2-NITROPHENOL	1545	0.194	0.219	-12.9	T	F
03/08/93	0920	3,3'-DICHLOROBENZIDINE	1545	0.126	0.249	-97.6	F	T
03/08/93	0920	4-NITROANILINE	1545	0.231	0.165	28.6	F	T
03/08/93	0920	4-NITROPHENOL	1545	0.310	0.233	24.8	T	T
03/08/93	0920	BENZO(A)ANTHRACENE	1545	1.083	1.319	-21.8	T	F
03/08/93	0920	BIS(2-ETHYLHEXYL)PHTHALATE	1545	1.435	1.868	-30.2	F	T
03/08/93	0920	BUTYLBENZYLPHTHALATE	1545	0.977	1.346	-37.8	F	T
03/08/93	0920	DIBENZ(A,H)ANTHRACENE	1545	0.735	0.919	-25.0	F	F
03/09/93	1149	1,2,4-TRICHLOROBENZENE	1545	0.324	0.318	1.9	T	F
03/09/93	1149	3,3'-DICHLOROBENZIDINE	1545	0.126	0.270	-114.3	F	T
03/09/93	1149	3-NITROANILINE	1545	0.164	0.211	-28.7	F	T
03/09/93	1149	4-CHLOROANILINE	1545	0.251	0.334	-33.1	F	T
03/09/93	1149	4-NITROANILINE	1545	0.231	0.188	18.6	T	T
03/09/93	1149	4-NITROPHENOL	1545	0.310	0.210	32.3	F	T
03/09/93	1149	BUTYLBENZYLPHTHALATE	1545	0.977	1.218	-24.7	T	T
03/09/93	1149	FLUORANTHENE	1545	1.114	1.096	1.6	T	F
03/09/93	1149	N-NITROSODIPHENYLAMINE (1)	1545	0.519	0.617	-18.9	T	T
03/09/93	1149	PENTACHLOROPHENOL	1545	0.136	0.092	32.4	F	F
03/10/93	0958	2,4-DINITROPHENOL	1545	0.131	0.100	23.7	T	T
03/10/93	0958	2-NITROANILINE	1545	0.541	0.382	29.4	F	T
03/10/93	0958	3,3'-DICHLOROBENZIDINE	1545	0.126	0.305	-142.1	F	T
03/10/93	0958	3-NITROANILINE	1545	0.164	0.217	-32.3	F	T
03/10/93	0958	4-BROMOPHENYL-PHENYLETHER	1545	0.231	0.288	-24.7	T	F
03/10/93	0958	4-CHLOROANILINE	1545	0.251	0.353	-40.6	F	T
03/10/93	0958	4-NITROANILINE	1545	0.231	0.178	22.9	T	T
03/10/93	0958	4-NITROPHENOL	1545	0.310	0.143	53.9	F	T
03/10/93	0958	BIS(2-CHLOROETHYL)ETHER	1545	1.499	1.207	19.5	T	F
03/10/93	0958	INDENO(1,2,3-CD)PYRENE	1545	0.863	1.067	-23.6	T	F
03/10/93	0958	PHENOL	1545	1.606	1.170	27.1	F	F
03/11/93	1226	3,3'-DICHLOROBENZIDINE	1570	0.275	0.318	-15.6	T	T
03/11/93	1226	4-NITROPHENOL	1570	0.161	0.200	-24.2	T	T
03/11/93	1226	HEXACHLOROBENZENE	1570	0.277	0.288	-4.0	T	F
03/11/93	1226	ISOPHORONE	1570	0.896	0.904	-0.9	T	F
03/11/93	2255	2,4-DINITROPHENOL	1545	0.131	0.090	31.3	F	T
03/11/93	2255	2-NITROANILINE	1545	0.541	0.416	23.1	T	T
03/11/93	2255	3,3'-DICHLOROBENZIDINE	1545	0.126	0.337	-167.5	F	T
03/11/93	2255	3-NITROANILINE	1545	0.164	0.217	-32.3	F	T
03/11/93	2255	4-BROMOPHENYL-PHENYLETHER	1545	0.231	0.298	-29.0	F	F
03/11/93	2255	4-CHLOROANILINE	1545	0.251	0.351	-39.8	F	T
03/11/93	2255	4-NITROPHENOL	1545	0.310	0.129	58.4	F	T
03/11/93	2255	BENZO(G,H,I)PERYLENE	1545	0.748	0.896	-19.8	T	F
03/11/93	2255	HEXACHLOROBENZENE	1545	0.291	0.400	-37.5	F	F
03/11/93	2255	HEXACHLOROBUTADIENE	1545	0.209	0.267	-27.8	F	T
03/11/93	2255	N-NITROSODIPHENYLAMINE (1)	1545	0.519	0.645	-24.3	T	T
03/11/93	2255	PENTACHLOROPHENOL	1545	0.136	0.089	34.6	F	F
03/11/93	2255	PHENOL	1545	1.606	1.168	27.3	F	F
03/11/93	2322	3,3'-DICHLOROBENZIDINE	1570	0.237	0.311	-31.2	F	T
03/11/93	2322	4-NITROPHENOL	1570	0.389	0.269	30.8	F	T
03/11/93	2322	BENZO(K)FLUORANTHENE	1570	0.952	1.195	-25.5	F	F
03/11/93	2322	BIS(2-ETHYLHEXYL)PHTHALATE	1570	0.929	1.618	-74.2	F	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *BNA - CONTINUING CALIBRATION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

CALIBRA. DATE	TIME	COMPOUND	SDG	RRF INIT	RRF CONT	% D	LIMITS	ERRAT COMP
03/11/93	2322	BUTYLBENZYLPHTHALATE	1570	0.728	1.180	-62.1	F	T
03/11/93	2322	DI-N-BUTYLPHTHALATE	1570	1.542	2.010	-30.4	F	T
03/11/93	2322	DI-N-OCTYLPHTHALATE	1570	1.636	3.085	-88.6	F	T
03/11/93	2322	HEXACHLOROBENZENE	1570	0.256	0.277	-8.2	T	F
03/11/93	2322	N-NITROSO-DI-N-PROPYLAMINE	1570	1.129	1.413	-25.2	F	F
03/11/93	2322	NAPHTHALENE	1570	1.037	1.069	-3.1	T	F
03/11/93	2322	PYRENE	1570	1.515	2.005	-32.3	F	F
03/12/93	1137	1,2,4-TRICHLOROBENZENE	1570	0.289	0.296	-2.4	T	F
03/12/93	1137	4,6-DINITRO-2-METHYLPHENOL	1570	0.105	0.123	-17.1	T	T
03/12/93	1137	4-BROMOPHENYL-PHENYLETHER	1570	0.221	0.229	-3.6	T	F
03/12/93	1137	4-NITROPHENOL	1570	0.161	0.226	-40.4	F	T
03/12/93	1600	2,4-DINITROPHENOL	1545	0.131	0.091	30.5	F	T
03/12/93	1600	3,3'-DICHLOROBENZIDINE	1545	0.126	0.375	-197.6	F	T
03/12/93	1600	3-NITROANILINE	1545	0.164	0.228	-39.0	F	T
03/12/93	1600	4-BROMOPHENYL-PHENYLETHER	1545	0.231	0.298	-29.0	F	F
03/12/93	1600	4-CHLOROANILINE	1545	0.251	0.350	-39.4	F	T
03/12/93	1600	4-NITROPHENOL	1545	0.310	0.139	55.2	F	T
03/12/93	1600	DIBENZ(A,H)ANTHRACENE	1545	0.735	0.915	-24.5	T	F
03/12/93	1600	HEXACHLOROBENZENE	1545	0.291	0.379	-30.2	F	F
03/12/93	1600	INDENO(1,2,3-CD)PYRENE	1545	0.863	1.125	-30.4	F	F
03/12/93	1600	N-NITROSODIPHENYLAMINE (1)	1545	0.519	0.648	-24.9	T	T
03/12/93	1600	NITROBENZENE	1545	0.507	0.465	8.3	T	F
03/12/93	1600	PENTACHLOROPHENOL	1545	0.136	0.086	36.8	F	F
03/12/93	2220	2,2'-OXYBIS (1-CHLOROPROPANE)	1570	2.116	1.687	20.3	T	T
03/12/93	2220	2,2'-OXYBIS (1-CHLOROPROPANE)	1590	2.116	1.687	20.3	T	T
03/12/93	2220	3,3'-DICHLOROBENZIDINE	1570	0.237	0.315	-32.9	F	T
03/12/93	2220	3,3'-DICHLOROBENZIDINE	1590	0.237	0.315	-32.9	F	T
03/12/93	2220	BIS(2-CHLOROETHOXY)METHANE	1590	0.538	0.487	9.5	T	F
03/12/93	2220	BIS(2-ETHYLHEXYL)PHTHALATE	1570	0.929	1.449	-56.0	F	T
03/12/93	2220	BIS(2-ETHYLHEXYL)PHTHALATE	1590	0.929	1.449	-56.0	F	T
03/12/93	2220	BUTYLBENZYLPHTHALATE	1570	0.728	1.034	-42.0	F	T
03/12/93	2220	BUTYLBENZYLPHTHALATE	1590	0.728	1.034	-42.0	F	T
03/12/93	2220	DI-N-BUTYLPHTHALATE	1570	1.542	1.955	-26.8	F	T
03/12/93	2220	DI-N-BUTYLPHTHALATE	1590	1.542	1.955	-26.8	F	T
03/12/93	2220	DI-N-OCTYLPHTHALATE	1570	1.636	2.436	-48.9	F	T
03/12/93	2220	DI-N-OCTYLPHTHALATE	1590	1.636	2.436	-48.9	F	T
03/12/93	2220	DIETHYLPHTHALATE	1570	1.582	1.721	-8.8	T	T
03/12/93	2220	HEXACHLOROBENZENE	1570	0.256	0.323	-26.2	F	F
03/12/93	2220	HEXACHLOROBENZENE	1590	0.256	0.323	-26.2	F	F
03/12/93	2220	HEXACHLOROBUTADIENE	1570	0.218	0.227	-4.1	T	T
03/17/93	1913	2,2'-OXYBIS (1-CHLOROPROPANE)	1590	2.116	1.526	27.9	F	T
03/17/93	1913	3,3'-DICHLOROBENZIDINE	1590	0.237	0.294	-24.1	T	T
03/17/93	1913	4-NITROPHENOL	1590	0.389	0.212	45.5	F	T
03/17/93	1913	BENZO(K)FLUORANTHENE	1590	0.952	1.265	-32.9	F	F
03/17/93	1913	BIS(2-ETHYLHEXYL)PHTHALATE	1590	0.929	1.493	-60.7	F	T
03/17/93	1913	BUTYLBENZYLPHTHALATE	1590	0.728	1.023	-40.5	F	T
03/17/93	1913	DI-N-BUTYLPHTHALATE	1590	1.542	1.944	-26.1	F	T
03/17/93	1913	DI-N-OCTYLPHTHALATE	1590	1.636	2.540	-55.3	F	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *BNA - TUNING*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	LAB ID NUMBER	COMPOUND	EXP	FORM	SPEC	443 m/z RELATIVE ABUN	442 m/z RELATIVE ABUN	CALC % ABUN	LAB % ABUN	CALC ERROR	LIMIT
1545	DF930308A21	DFTPP		Y	Y	11.40	67.20	16.96	16.90	F	F
1545	DF930309A21	DFTPP		Y	Y	12.90	73.70	17.50	17.50	F	T
1545	DF930310A21	DFTPP		Y	Y	12.00	68.70	17.47	17.50	F	T
1545	DF930311B21	DFTPP		Y	Y	15.20	77.20	19.69	19.70	F	T
1570	930311A07	DFTPP		Y	Y	15.30	77.60	19.72	19.70	F	T
1570	930311B05	DFTPP		Y	Y	12.30	51.60	23.84	23.80	F	F
1570	930312A07	DFTPP		Y	Y	13.80	73.90	18.67	18.70	F	T
1570	930312B05	DFTPP		Y	Y	14.70	72.30	20.33	20.30	F	T
1590	930312B05	DFTPP		Y	Y	14.70	72.30	20.33	20.30	F	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *BNA - SURROGATE RECOVERY*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	QUESTION 1	QUESTION 2	QUESTION 3	QUESTION 4	QUESTION 5	QUESTION 6
1545	T	T	F		F	F
1570	T	T	F		F	F
1590	T	T	F		F	F

Question 1) Were recoveries on form III verified?
Question 2) Were all recoveries >= 10%?
Question 3) Was surrogate recovery a problem?
Question 4) If 3) is T, is there evidence of purging, reinjection, or re-extraction?
Question 5) Were there two blanks with surrogates outside criteria?
Question 6) Were there two or more analyses for a fraction?

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - BLANKS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

BLANK NUMBER	SAMPLE TYPE	COMPOUND	RT	TCL or TIC	CONCENTRATION	UNITS	QCODE
1548	FB	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	
1556	FB	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	
1556	FB	LABORATORY ARTIFACT	16.68	TIC	59.00	µg/L	J
1556	FB	UNKNOWN	5.63	TIC	8.00	µg/L	J
1556	FB	UNKNOWN	7.35	TIC	18.00	µg/L	J
1556	FB	UNKNOWN	8.17	TIC	4.00	µg/L	J
1556	FB	UNKNOWN	8.28	TIC	13.00	µg/L	J
1556	FB	UNKNOWN	14.38	TIC	3.00	µg/L	J
1556	FB	BLANK CONTAMINANT	15.52	TIC	4.00	µg/L	J
1556	FB	BLANK CONTAMINANT	15.58	TIC	6.00	µg/L	J
1592	FB	UNKNOWN	13.28	TIC	5.00	µg/L	J
1592	FB	UNKNOWN	10.98	TIC	3.00	µg/L	J
1592	FB	UNKNOWN	10.67	TIC	4.00	µg/L	J
1592	FB	UNKNOWN	9.62	TIC	3.00	µg/L	J
1592	FB	UNKNOWN	7.73	TIC	4.00	µg/L	J
1592	FB	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	5.00	µg/L	J
1592	FB	DIETHYLPHTHALATE		TCL	1.00	µg/L	J
1592	FB	UNKNOWN	10.38	TIC	3.00	µg/L	J
1592	FB	UNKNOWN	10.90	TIC	5.00	µg/L	J
1592	FB	UNKNOWN	19.43	TIC	13.00	µg/L	J
1592	FB	LABORATORY ARTIFACT	16.48	TIC	32.00	µg/L	J
1592	FB	BIS(PHENYLENE)ETHANONE	10.10	TIC	4.00	µg/L	J
SBLK27	MB	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	J
SBLK41	MB	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	6.00	µg/L	J
SBLK41	MB	ETHANE, 1-METHOXY-2-(METHOXY	5.82	TIC	5.00	µg/L	J
SBLK41	MB	UNKNOWN	15.53	TIC	4.00	µg/L	J
SBLK41	MB	UNKNOWN	18.35	TIC	4.00	µg/L	J
SBLK41	MB	UNKNOWN CARBOXYLIC ACID	15.58	TIC	7.00	µg/L	J
SBLK50	MB	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	J
SBLK50	MB	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
SBLK50	MB	UNKNOWN	15.52	TIC	3.00	µg/L	J
SBLK50	MB	UNKNOWN	18.27	TIC	3.00	µg/L	J
SBLK45	MB	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	4.00	µg/L	J
SBLK45	MB	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
SBLK45	MB	DIETHYLPHTHALATE		TCL	1.00	µg/L	J
SBLK45	MB	LABORATORY ARTIFACT	17.58	TIC	10.00	µg/L	J
SBLK45	MB	UNKNOWN	5.50	TIC	5.00	µg/L	J
SBLK45	MB	UNKNOWN	6.35	TIC	2.00	µg/L	J
SBLK51	MB	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	J
SBLK51	MB	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
SBLK51	MB	LABORATORY ARTIFACT	16.45	TIC	61.00	µg/L	J
SBLK51	MB	UNKNOWN	15.43	TIC	3.00	µg/L	J
SBLK63	MB	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	1.00	µg/L	J
SBLK63	MB	LABORATORY ARTIFACT	16.45	TIC	6.00	µg/L	J
SBLK63	MB	UNKNOWN	6.35	TIC	4.00	µg/L	J
SBLK63	MB	UNKNOWN	11.68	TIC	3.00	µg/L	J
SBLK63	MB	UNKNOWN	17.22	TIC	7.00	µg/L	J
SBLK63	MB	UNKNOWN HYDROCARBON	6.00	TIC	8.00	µg/L	J
SBLK63	MB	UNKNOWN HYDROCARBON	6.72	TIC	3.00	µg/L	J
SBLK64	MB	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	3.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *BNA - BLANKS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1548* ENDING SAMPLE #:*1592*

BLANK NUMBER	SAMPLE TYPE	SDG	MATRIX
1548	FB	1545	W
1556	FB	1545	W
1592	FB	1590	W
SBLK27	MB	1545	W
SBLK41	MB	1545	W
SBLK50	MB	1545	W
SBLK45	MB	1570	W
SBLK51	MB	1570	W
SBLK63	MB	1570	W
SBLK64	MB	1590	W

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - MS/MSD*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMP TYPE	SDG	COMPOUND	SPIKE ADDED	SAMPLE RESULT	MATRIX SPIKE	MSD	MS %	MS VER	MSD %	MSD VER	CAL RPD	RPD VER
1566		1545	1,4-DICHLOROBENZENE	100.00	0.00	35.26	44.02	35.26	F	44.02	T	-22	T
1566		1545	4-NITROPHENOL	150.00	0.00	103.70	123.20	69.13	T	82.13	F	-17	T
1566		1545	ACENAPHTHENE	100.00	0.00	44.23	60.22	44.23	F	60.22	T	-31	T
1566		1545	N-NITROSO-DI-N-PROPYLAMINE	100.00	0.00	38.30	45.92	38.30	F	45.92	T	-18	T
1566		1545	PYRENE	100.00	0.00	46.55	69.77	46.55	T	69.77	T	-40	F
1571		1570	2,4-DINITROTOLUENE	50.00	0.00	49.88	50.53	99.76	F	101.06	F	-1	T
1571		1570	4-NITROPHENOL	75.00	0.00	74.52	78.82	99.36	F	105.09	F	-6	T
1571		1570	PENTACHLOROPHENOL	75.00	0.00	83.45	84.70	111.27	F	112.93	F	-1	T
1590		1590	4-CHLORO-3-METHYLPHENOL	75.00	0.00	81.67	76.85	108.89	F	102.47	F	6	T
1590		1590	4-NITROPHENOL	75.00	0.00	72.44	75.22	96.59	F	100.29	F	-4	T
1590		1590	PENTACHLOROPHENOL	75.00	1.51	82.96	85.33	108.60	F	111.76	F	-3	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *BNA - FIELD DUPLICATES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	SAMPNUM	SAMPTYPE	DUPNUM	DUPTYPE	COMPOUND	RT	SAMP CON	DUP CON	RPD
1545	1551		1552	WR	1,2-DICHLOROBENZENE		5.00	11.00	75.00
1545	1551		1552	WR	1,3-DICHLOROBENZENE		2.00	3.00	40.00
1545	1551		1552	WR	1,4-DICHLOROBENZENE		2.00	4.00	66.67
1545	1551		1552	WR	BIS(2-ETHYLHEXYL)PHTHALATE		5.00	7.00	33.33
1545	1551		1552	WR	DI-N-BUTYLPHTHALATE		1.00	2.00	66.67
1545	1551		1552	WR	NAPHTHALENE		9.00	17.00	61.54
1545	1551		1552	WR	VOA TCL	5.07	8.00	10.00	22.22
1545	1551		1552	WR	VOA TCL	5.43	53.00	71.00	29.03
1545	1567		1568	WR	BIS(2-ETHYLHEXYL)PHTHALATE		2.00	6.00	100.00
1545	1567		1568	WR	UNKNOWN	16.42	2.00	10.00	133.33

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *BNA - LAB DUPLICATES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	SAMPNUM	SAMPTYPE	DUPNUM	DUPTYPE	DILUTION	COMPOUND	RT	SAMP CON	DUP CON	RPD
1570	1581		1581	DL	15.00	2-METHYLNAPHTHALENE		9000.00	9600.00	6
1570	1581		1581	DL	15.00	ACENAPHTHENE		240.00	330.00	31
1570	1581		1581	DL	15.00	ANTHRACENE		210.00	260.00	21.2
1570	1581		1581	DL	15.00	BENZO(A)ANTHRACENE		280.00	330.00	16.3
1570	1581		1581	DL	15.00	BENZO(A)PYRENE		160.00	190.00	17
1570	1581		1581	DL	15.00	BENZO(B)FLUORANTHENE		290.00	320.00	9
1570	1581		1581	DL	15.00	BENZO(K)FLUORANTHENE		290.00	320.00	9.8
1570	1581		1581	DL	15.00	BIS(2-ETHYLHEXYL)PHTHALATE		160.00	190.00	17
1570	1581		1581	DL	15.00	CHRYSENE		330.00	380.00	14
1570	1581		1581	DL	15.00	DIBENZOFURAN		130.00	180.00	32.2
1570	1581		1581	DL	15.00	ETHYLMETHYLBENZENE	6.10	16000.00	46000.00	96.7
1570	1581		1581	DL	15.00	FLUORANTHENE		660.00	700.00	5
1570	1581		1581	DL	15.00	FLUORENE		220.00	300.00	30.7
1570	1581		1581	DL	15.00	NAPHTHALENE		6400.00	6900.00	7.5
1570	1581		1581	DL	15.00	PHENANTHRENE		650.00	760.00	15
1570	1581		1581	DL	15.00	PYRENE		610.00	780.00	24
1570	1581		1581	DL	15.00	SUBSTITUTED BENZENE	4.95	15000.00	43000.00	96.5
1570	1581		1581	DL	15.00	UNKNOWN	5.67	11000.00	28000.00	87
1570	1581		1581	DL	15.00	UNKNOWN	8.62	11000.00	28000.00	87
1570	1581		1581	DL	15.00	UNKNOWN HYDROCARBON	6.62	21000.00	53000.00	86.4
1570	1581		1581	DL	15.00	UNKNOWN HYDROCARBON	8.30	16000.00	45000.00	95.9
1570	1581		1581	DL	15.00	UNKNOWN HYDROCARBON	8.78	9900.00	28000.00	95
1570	1581		1581	DL	15.00	UNKNOWN HYDROCARBON	9.02	20000.00	59000.00	98.7
1570	1581		1581	DL	15.00	UNKNOWN HYDROCARBON	9.75	17000.00	36000.00	71.7

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - INTERNAL STANDARDS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SDG	FORM NUMBER	DATE	TIME	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	AREA COUNTS	RETENTION TIME
1545	930308A21	03/08/93	0920	NAPHTHALENE-d8	1547		T	T
1545	930308A21	03/08/93	0920	PERYLENE-d12	1550		T	T
1545	930309A21	03/09/93	1149	ACENAPHTHENE-d10	1552	WR	T	T
1545	930309A21	03/09/93	1149	PHENANTHRENE-d10	1546		T	T
1545	930310A21	03/10/93	0958	ACENAPHTHENE-d10	1558	ER	T	T
1545	930310A21	03/10/93	0958	CHRYSENE-d12	1556	FB	T	T
1545	930311B21	03/11/93	2255	1,4-DICHLOROBENZENE-d4	1568	WR	T	T
1545	930311B21	03/11/93	2255	CHRYSENE-d12	1569		T	T
1545	930311B21	03/11/93	2255	PHENANTHRENE-d10	1567		T	T
1570	930311A07	03/11/93	1226	ACENAPHTHENE-d10	1570	WR	T	T
1570	930311A07	03/11/93	1226	PERYLENE-d12	1574		T	T
1570	930311B05	03/11/93	2322	1,4-DICHLOROBENZENE-d4	1584		T	T
1570	930311B05	03/11/93	2322	CHRYSENE-d12	1588		T	T
1570	930312A07	03/12/93	1137	1,4-DICHLOROBENZENE-d4	1573		T	T
1570	930312A07	03/12/93	1137	CHRYSENE-d12	1572	ER	T	T
1570	930312B05	03/12/93	2220	CHRYSENE-d12	1589		T	T
1570	930312B05	03/12/93	2220	NAPHTHALENE-d8	1589		T	T
1590	930312B05	03/12/93	2220	NAPHTHALENE-d8	1590		T	T
1590	930312B05	03/12/93	2220	PERYLENE-d12	1592	FB	T	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

TCL/TIC	COMPOUND	RT	MATRIX	NUMBER OF SAMPLES	HIGH CON	LOW CON	MEAN CON	IDL
TCL	1,2-DICHLOROBENZENE		W	2	11.00	5.00	8.00	10.00
TCL	1,3-DICHLOROBENZENE		W	2	3.00	2.00	2.50	10.00
TCL	1,4-DICHLOROBENZENE		W	2	4.00	2.00	3.00	10.00
TCL	2,4-DIMETHYLPHENOL		W	2	3.00	1.00	2.00	10.00
TCL	2-METHYLNAPHTHALENE		W	5	9600.00	2.00	3722.60	10.00
TCL	4-METHYLPHENOL		W	1	1.00	1.00	1.00	10.00
TCL	ACENAPHTHENE		W	3	330.00	2.00	190.67	10.00
TCL	ANTHRACENE		W	2	260.00	210.00	235.00	10.00
TCL	BENZO(A)ANTHRACENE		W	2	330.00	280.00	305.00	10.00
TCL	BENZO(A)PYRENE		W	2	190.00	160.00	175.00	10.00
TCL	BENZO(B)FLUORANTHENE		W	2	320.00	290.00	305.00	10.00
TCL	BENZO(K)FLUORANTHENE		W	2	320.00	290.00	305.00	10.00
TCL	BIS(2-ETHYLHEXYL)PHTHALATE		W	38	190.00	1.00	15.89	10.00
TCL	BUTYLBENZYLPHTHALATE		W	24	3.00	1.00	1.63	10.00
TCL	CARBAZOLE		W	1	3.00	3.00	3.00	10.00
TCL	CHRYSENE		W	2	380.00	330.00	355.00	10.00
TCL	DI-N-BUTYLPHTHALATE		W	5	2.00	1.00	1.20	10.00
TCL	DIBENZOFURAN		W	3	180.00	1.00	103.67	10.00
TCL	DIETHYLPHTHALATE		W	8	1.00	1.00	1.00	10.00
TCL	FLUORANTHENE		W	2	700.00	660.00	680.00	10.00
TCL	FLUORENE		W	3	300.00	1.00	173.67	10.00
TCL	NAPHTHALENE		W	7	6900.00	1.00	1906.43	10.00
TCL	PENTACHLOROPHENOL		W	3	2.00	1.00	1.33	50.00
TCL	PHENANTHRENE		W	3	760.00	2.00	470.67	10.00
TCL	PHENOL		W	2	32.00	4.00	18.00	10.00
TCL	PYRENE		W	2	780.00	610.00	695.00	10.00
TIC	1-METHYLNAPHTHALENE	9.32	W	1	8.00	8.00	8.00	NA
TIC	2,5-PYRROLIDINEDIONE, 1-PROP	19.07	W	1	17.00	17.00	17.00	NA
TIC	2-CYCLOHEXEN-1-OL	5.23	W	1	2.00	2.00	2.00	NA
TIC	2-CYCLOHEXEN-1-ONE	5.73	W	1	4.00	4.00	4.00	NA
TIC	BENZOPHENONE	11.67	W	2	4.00	2.00	3.00	NA
TIC	BENZOPHENONE	11.70	W	1	4.00	4.00	4.00	NA
TIC	BIS(PHENYLENE)ETHANONE	10.10	W	1	4.00	4.00	4.00	NA
TIC	BLANK CONTAMINANT	5.50	W	2	5.00	5.00	5.00	NA
TIC	BLANK CONTAMINANT	5.53	W	1	5.00	5.00	5.00	NA
TIC	BLANK CONTAMINANT	5.55	W	1	4.00	4.00	4.00	NA
TIC	BLANK CONTAMINANT	6.35	W	1	3.00	3.00	3.00	NA
TIC	BLANK CONTAMINANT	15.40	W	1	2.00	2.00	2.00	NA
TIC	BLANK CONTAMINANT	15.42	W	1	4.00	4.00	4.00	NA
TIC	BLANK CONTAMINANT	15.43	W	3	3.00	2.00	2.67	NA
TIC	BLANK CONTAMINANT	15.45	W	1	2.00	2.00	2.00	NA
TIC	BLANK CONTAMINANT	15.47	W	1	3.00	3.00	3.00	NA
TIC	BLANK CONTAMINANT	15.50	W	2	6.00	4.00	5.00	NA
TIC	BLANK CONTAMINANT	15.52	W	3	4.00	3.00	3.67	NA
TIC	BLANK CONTAMINANT	15.53	W	1	4.00	4.00	4.00	NA
TIC	BLANK CONTAMINANT	15.57	W	2	9.00	8.00	8.50	NA
TIC	BLANK CONTAMINANT	15.58	W	2	7.00	6.00	6.50	NA
TIC	BLANK CONTAMINANT	15.60	W	3	9.00	3.00	6.33	NA
TIC	BLANK CONTAMINANT	18.32	W	1	5.00	5.00	5.00	NA
TIC	BLANK CONTAMINANT	18.35	W	1	4.00	4.00	4.00	NA

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

TCL/ TIC	COMPOUND	RT	MATRIX	NUMBER OF SAMPLES	HIGH CON	LOW CON	MEAN CON	IDL
TIC	BLANK CONTAMINANT	18.37	W	1	8.00	8.00	8.00	NA
TIC	CYCLOPENTASILOXANE, DECAMETH	7.55	W	1	2.00	2.00	2.00	NA
TIC	CYCLOPENTASILOXANE, DECAMETH	7.57	W	2	5.00	4.00	4.50	NA
TIC	DIETHYLBENZENE	7.00	W	1	5.00	5.00	5.00	NA
TIC	DIMETHYLBENZOIC ACID	9.50	W	1	7.00	7.00	7.00	NA
TIC	DIMETHYLBENZOIC ACID	9.55	W	1	7.00	7.00	7.00	NA
TIC	ETHYLDIMETHYLBENZENE	6.98	W	1	5.00	5.00	5.00	NA
TIC	ETHYLDIMETHYLBENZENE	7.22	W	1	12.00	12.00	12.00	NA
TIC	ETHYLMETHYLBENZENE	5.75	W	1	10.00	10.00	10.00	NA
TIC	ETHYLMETHYLBENZENE	5.77	W	1	11.00	11.00	11.00	NA
TIC	ETHYLMETHYLBENZENE	6.03	W	1	10.00	10.00	10.00	NA
TIC	ETHYLMETHYLBENZENE	6.05	W	1	7.00	7.00	7.00	NA
TIC	ETHYLMETHYLBENZENE	6.07	W	1	6.00	6.00	6.00	NA
TIC	ETHYLMETHYLBENZENE	6.10	W	2	46000.00	16000.00	31000.00	NA
TIC	ETHYLMETHYLBENZENE	6.15	W	1	10.00	10.00	10.00	NA
TIC	ETHYLMETHYLBENZENE	6.17	W	1	15.00	15.00	15.00	NA
TIC	ETHYLMETHYLBENZENE	6.22	W	1	14.00	14.00	14.00	NA
TIC	ETHYLMETHYLBENZENE	6.23	W	1	9.00	9.00	9.00	NA
TIC	ETHYLMETHYLBENZENE	6.33	W	1	17.00	17.00	17.00	NA
TIC	ETHYLMETHYLBENZENE	6.35	W	1	24.00	24.00	24.00	NA
TIC	ETHYLMETHYLCYCLOHEXANE	5.52	W	1	30000.00	30000.00	30000.00	NA
TIC	LABORATORY ARTIFACT	15.52	W	1	3.00	3.00	3.00	NA
TIC	LABORATORY ARTIFACT	15.53	W	1	2.00	2.00	2.00	NA
TIC	LABORATORY ARTIFACT	16.42	W	3	32.00	29.00	30.33	NA
TIC	LABORATORY ARTIFACT	16.43	W	2	12.00	6.00	9.00	NA
TIC	LABORATORY ARTIFACT	16.45	W	2	7.00	6.00	6.50	NA
TIC	LABORATORY ARTIFACT	16.47	W	2	19.00	15.00	17.00	NA
TIC	LABORATORY ARTIFACT	16.48	W	1	32.00	32.00	32.00	NA
TIC	LABORATORY ARTIFACT	16.63	W	1	4.00	4.00	4.00	NA
TIC	LABORATORY ARTIFACT	16.65	W	1	17.00	17.00	17.00	NA
TIC	LABORATORY ARTIFACT	16.67	W	1	12.00	12.00	12.00	NA
TIC	LABORATORY ARTIFACT	16.68	W	1	59.00	59.00	59.00	NA
TIC	LABORATORY ARTIFACT	16.70	W	2	7.00	3.00	5.00	NA
TIC	LABORATORY ARTIFACT	16.72	W	2	26.00	23.00	24.50	NA
TIC	LABORATORY ARTIFACT	17.37	W	1	13.00	13.00	13.00	NA
TIC	LABORATORY ARTIFACT	17.58	W	1	16.00	16.00	16.00	NA
TIC	LABORATORY ARTIFACT	17.60	W	1	4.00	4.00	4.00	NA
TIC	METHYLPROPYLBENZENE	6.93	W	1	43000.00	43000.00	43000.00	NA
TIC	METHYLPROPYLBENZENE	6.95	W	1	19000.00	19000.00	19000.00	NA
TIC	METHYLPROPYLBENZENE	7.08	W	1	10.00	10.00	10.00	NA
TIC	SUBSTITUTED BENZENE	4.95	W	2	43000.00	15000.00	29000.00	NA
TIC	TRIMETHYLBENZENE	6.38	W	1	19.00	19.00	19.00	NA
TIC	TRIMETHYLBENZENE	6.40	W	1	16.00	16.00	16.00	NA
TIC	TRIMETHYLBENZENE	6.50	W	1	34.00	34.00	34.00	NA
TIC	TRIMETHYLBENZENE	6.52	W	1	48.00	48.00	48.00	NA
TIC	TRIMETHYLBENZENE	6.67	W	1	13.00	13.00	13.00	NA
TIC	TRIMETHYLBENZENE	6.78	W	1	21.00	21.00	21.00	NA
TIC	TRIMETHYLBENZENE	6.80	W	1	23.00	23.00	23.00	NA
TIC	UNKNOWN	5.07	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	5.38	W	1	55000.00	55000.00	55000.00	NA

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

TCL/ TIC	COMPOUND	RT	MATRIX	NUMBER OF SAMPLES	HIGH CON	LOW CON	MEAN CON	IDL
TIC	UNKNOWN	5.52	W	1	13000.00	13000.00	13000.00	NA
TIC	UNKNOWN	5.63	W	1	8.00	8.00	8.00	NA
TIC	UNKNOWN	5.67	W	3	28000.00	6.00	13002.00	NA
TIC	UNKNOWN	5.88	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	5.98	W	1	12000.00	12000.00	12000.00	NA
TIC	UNKNOWN	6.07	W	1	22000.00	22000.00	22000.00	NA
TIC	UNKNOWN	6.27	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	6.43	W	1	60000.00	60000.00	60000.00	NA
TIC	UNKNOWN	6.68	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	6.80	W	1	33000.00	33000.00	33000.00	NA
TIC	UNKNOWN	6.82	W	1	13000.00	13000.00	13000.00	NA
TIC	UNKNOWN	7.35	W	2	45.00	18.00	31.50	NA
TIC	UNKNOWN	7.38	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	7.47	W	3	9.00	2.00	5.00	NA
TIC	UNKNOWN	7.48	W	1	6.00	6.00	6.00	NA
TIC	UNKNOWN	7.58	W	1	13.00	13.00	13.00	NA
TIC	UNKNOWN	7.65	W	1	17.00	17.00	17.00	NA
TIC	UNKNOWN	7.72	W	2	43.00	7.00	25.00	NA
TIC	UNKNOWN	7.73	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	7.77	W	2	51.00	10.00	30.50	NA
TIC	UNKNOWN	7.78	W	1	22.00	22.00	22.00	NA
TIC	UNKNOWN	7.80	W	2	12000.00	19.00	6009.50	NA
TIC	UNKNOWN	7.83	W	1	22.00	22.00	22.00	NA
TIC	UNKNOWN	7.85	W	1	39.00	39.00	39.00	NA
TIC	UNKNOWN	7.87	W	1	2.00	2.00	2.00	NA
TIC	UNKNOWN	7.88	W	1	26.00	26.00	26.00	NA
TIC	UNKNOWN	7.90	W	1	11000.00	11000.00	11000.00	NA
TIC	UNKNOWN	7.92	W	1	2.00	2.00	2.00	NA
TIC	UNKNOWN	8.00	W	1	10.00	10.00	10.00	NA
TIC	UNKNOWN	8.02	W	1	12.00	12.00	12.00	NA
TIC	UNKNOWN	8.17	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	8.23	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	8.28	W	1	13.00	13.00	13.00	NA
TIC	UNKNOWN	8.50	W	1	9.00	9.00	9.00	NA
TIC	UNKNOWN	8.52	W	1	7.00	7.00	7.00	NA
TIC	UNKNOWN	8.53	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	8.55	W	2	3.00	3.00	3.00	NA
TIC	UNKNOWN	8.57	W	1	9.00	9.00	9.00	NA
TIC	UNKNOWN	8.62	W	2	28000.00	11000.00	19500.00	NA
TIC	UNKNOWN	8.65	W	1	8.00	8.00	8.00	NA
TIC	UNKNOWN	8.78	W	1	10.00	10.00	10.00	NA
TIC	UNKNOWN	8.82	W	1	7.00	7.00	7.00	NA
TIC	UNKNOWN	8.87	W	1	14.00	14.00	14.00	NA
TIC	UNKNOWN	8.95	W	1	7.00	7.00	7.00	NA
TIC	UNKNOWN	8.98	W	1	6.00	6.00	6.00	NA
TIC	UNKNOWN	9.00	W	2	13.00	2.00	7.50	NA
TIC	UNKNOWN	9.12	W	1	30.00	30.00	30.00	NA
TIC	UNKNOWN	9.15	W	1	24.00	24.00	24.00	NA
TIC	UNKNOWN	9.27	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	9.37	W	3	8.00	3.00	4.67	NA

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

TCL/ TIC	COMPOUND	RT	MATRIX	NUMBER OF SAMPLES	HIGH CON	LOW CON	MEAN CON	IDL
TIC	UNKNOWN	9.47	W	1	10.00	10.00	10.00	NA
TIC	UNKNOWN	9.52	W	1	6.00	6.00	6.00	NA
TIC	UNKNOWN	9.55	W	2	18.00	8.00	13.00	NA
TIC	UNKNOWN	9.60	W	2	9.00	6.00	7.50	NA
TIC	UNKNOWN	9.62	W	2	3.00	3.00	3.00	NA
TIC	UNKNOWN	9.63	W	1	32.00	32.00	32.00	NA
TIC	UNKNOWN	9.67	W	2	57.00	3.00	30.00	NA
TIC	UNKNOWN	9.72	W	3	7.00	3.00	4.67	NA
TIC	UNKNOWN	9.75	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	9.77	W	2	24.00	3.00	13.50	NA
TIC	UNKNOWN	10.10	W	1	5.00	5.00	5.00	NA
TIC	UNKNOWN	10.12	W	1	8.00	8.00	8.00	NA
TIC	UNKNOWN	10.15	W	1	20.00	20.00	20.00	NA
TIC	UNKNOWN	10.32	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	10.38	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	10.42	W	1	6.00	6.00	6.00	NA
TIC	UNKNOWN	10.67	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	10.90	W	1	5.00	5.00	5.00	NA
TIC	UNKNOWN	10.93	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	10.97	W	4	21.00	4.00	10.00	NA
TIC	UNKNOWN	10.98	W	3	27.00	3.00	16.33	NA
TIC	UNKNOWN	11.00	W	2	14.00	11.00	12.50	NA
TIC	UNKNOWN	11.07	W	1	19.00	19.00	19.00	NA
TIC	UNKNOWN	11.08	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	11.10	W	3	22.00	11.00	15.67	NA
TIC	UNKNOWN	11.13	W	1	9.00	9.00	9.00	NA
TIC	UNKNOWN	11.15	W	2	11.00	7.00	9.00	NA
TIC	UNKNOWN	11.68	W	1	2.00	2.00	2.00	NA
TIC	UNKNOWN	11.73	W	1	10.00	10.00	10.00	NA
TIC	UNKNOWN	11.88	W	1	17.00	17.00	17.00	NA
TIC	UNKNOWN	11.90	W	1	16.00	16.00	16.00	NA
TIC	UNKNOWN	11.98	W	1	18.00	18.00	18.00	NA
TIC	UNKNOWN	12.53	W	1	13.00	13.00	13.00	NA
TIC	UNKNOWN	13.02	W	1	7.00	7.00	7.00	NA
TIC	UNKNOWN	13.15	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	13.28	W	1	5.00	5.00	5.00	NA
TIC	UNKNOWN	13.57	W	2	16.00	4.00	10.00	NA
TIC	UNKNOWN	13.58	W	2	8.00	6.00	7.00	NA
TIC	UNKNOWN	13.68	W	1	5.00	5.00	5.00	NA
TIC	UNKNOWN	13.70	W	1	7.00	7.00	7.00	NA
TIC	UNKNOWN	13.72	W	1	6.00	6.00	6.00	NA
TIC	UNKNOWN	13.83	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	14.03	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	14.08	W	1	5.00	5.00	5.00	NA
TIC	UNKNOWN	14.10	W	3	21.00	5.00	11.33	NA
TIC	UNKNOWN	14.12	W	1	8.00	8.00	8.00	NA
TIC	UNKNOWN	14.20	W	3	18.00	11.00	13.67	NA
TIC	UNKNOWN	14.23	W	1	6.00	6.00	6.00	NA
TIC	UNKNOWN	14.25	W	1	9.00	9.00	9.00	NA
TIC	UNKNOWN	14.38	W	1	3.00	3.00	3.00	NA

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

TCL/ TIC	COMPOUND	RT	MATRIX	NUMBER OF SAMPLES	HIGH CON	LOW CON	MEAN CON	IDL
TIC	UNKNOWN	14.67	W	2	3.00	2.00	2.50	NA
TIC	UNKNOWN	14.78	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	14.80	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	14.83	W	1	6.00	6.00	6.00	NA
TIC	UNKNOWN	15.13	W	3	4.00	2.00	3.00	NA
TIC	UNKNOWN	15.17	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	15.20	W	2	15.00	2.00	8.50	NA
TIC	UNKNOWN	15.22	W	2	12.00	10.00	11.00	NA
TIC	UNKNOWN	15.25	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	15.27	W	1	10.00	10.00	10.00	NA
TIC	UNKNOWN	15.40	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	15.87	W	1	7.00	7.00	7.00	NA
TIC	UNKNOWN	15.88	W	2	4.00	3.00	3.50	NA
TIC	UNKNOWN	16.25	W	2	20.00	17.00	18.50	NA
TIC	UNKNOWN	16.30	W	1	2.00	2.00	2.00	NA
TIC	UNKNOWN	16.37	W	1	2.00	2.00	2.00	NA
TIC	UNKNOWN	16.38	W	2	33.00	9.00	21.00	NA
TIC	UNKNOWN	16.40	W	1	69.00	69.00	69.00	NA
TIC	UNKNOWN	16.42	W	2	10.00	2.00	6.00	NA
TIC	UNKNOWN	16.43	W	3	47.00	28.00	35.67	NA
TIC	UNKNOWN	16.47	W	3	6500.00	13.00	2180.67	NA
TIC	UNKNOWN	16.48	W	1	22.00	22.00	22.00	NA
TIC	UNKNOWN	16.50	W	1	25.00	25.00	25.00	NA
TIC	UNKNOWN	16.83	W	1	5.00	5.00	5.00	NA
TIC	UNKNOWN	16.92	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	17.03	W	1	8.00	8.00	8.00	NA
TIC	UNKNOWN	17.30	W	1	17.00	17.00	17.00	NA
TIC	UNKNOWN	17.37	W	1	9.00	9.00	9.00	NA
TIC	UNKNOWN	17.55	W	2	8.00	4.00	6.00	NA
TIC	UNKNOWN	17.57	W	2	17.00	4.00	10.50	NA
TIC	UNKNOWN	17.58	W	1	15.00	15.00	15.00	NA
TIC	UNKNOWN	17.60	W	1	10.00	10.00	10.00	NA
TIC	UNKNOWN	17.62	W	1	14.00	14.00	14.00	NA
TIC	UNKNOWN	17.78	W	2	18.00	4.00	11.00	NA
TIC	UNKNOWN	17.80	W	1	11.00	11.00	11.00	NA
TIC	UNKNOWN	17.82	W	1	54.00	54.00	54.00	NA
TIC	UNKNOWN	17.83	W	1	44.00	44.00	44.00	NA
TIC	UNKNOWN	17.87	W	1	57.00	57.00	57.00	NA
TIC	UNKNOWN	17.88	W	1	29.00	29.00	29.00	NA
TIC	UNKNOWN	17.90	W	2	29.00	6.00	17.50	NA
TIC	UNKNOWN	18.27	W	1	15.00	15.00	15.00	NA
TIC	UNKNOWN	18.33	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	18.38	W	1	5.00	5.00	5.00	NA
TIC	UNKNOWN	19.43	W	1	13.00	13.00	13.00	NA
TIC	UNKNOWN	19.82	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	19.83	W	1	9.00	9.00	9.00	NA
TIC	UNKNOWN	19.85	W	1	2.00	2.00	2.00	NA
TIC	UNKNOWN	19.87	W	1	9.00	9.00	9.00	NA
TIC	UNKNOWN	19.88	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN	19.90	W	1	11.00	11.00	11.00	NA

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

TCL/ TIC	COMPOUND	RT	MATRIX	NUMBER OF SAMPLES	HIGH CON	LOW CON	MEAN CON	IDL
TIC	UNKNOWN	19.93	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN	19.95	W	1	3.00	3.00	3.00	NA
TIC	UNKNOWN ALKYL	7.88	W	1	10.00	10.00	10.00	NA
TIC	UNKNOWN ALKYLBENZENE	7.27	W	1	8.00	8.00	8.00	NA
TIC	UNKNOWN ALKYLBENZENE	7.90	W	1	10.00	10.00	10.00	NA
TIC	UNKNOWN CARBOXYLIC ACID	9.58	W	1	15.00	15.00	15.00	NA
TIC	UNKNOWN CARBOXYLIC ACID	9.93	W	1	16.00	16.00	16.00	NA
TIC	UNKNOWN CARBOXYLIC ACID	9.97	W	1	31.00	31.00	31.00	NA
TIC	UNKNOWN CARBOXYLIC ACID	10.23	W	1	9.00	9.00	9.00	NA
TIC	UNKNOWN CARBOXYLIC ACID	13.25	W	1	2.00	2.00	2.00	NA
TIC	UNKNOWN CARBOXYLIC ACID ESTER	11.22	W	1	7.00	7.00	7.00	NA
TIC	UNKNOWN CARBOXYLIC ACID ESTER	11.23	W	1	16.00	16.00	16.00	NA
TIC	UNKNOWN CARBOXYLIC ACID ESTER	11.87	W	1	9.00	9.00	9.00	NA
TIC	UNKNOWN CARBOXYLIC ACID ESTER	13.00	W	1	42.00	42.00	42.00	NA
TIC	UNKNOWN CARBOXYLIC ACID ESTER	13.02	W	1	10.00	10.00	10.00	NA
TIC	UNKNOWN CARBOXYLIC ACID ESTER	13.57	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN CARBOXYLIC ACID ESTER	13.67	W	1	4.00	4.00	4.00	NA
TIC	UNKNOWN HYDROCARBON	5.03	W	1	82000.00	82000.00	82000.00	NA
TIC	UNKNOWN HYDROCARBON	5.05	W	1	27000.00	27000.00	27000.00	NA
TIC	UNKNOWN HYDROCARBON	5.37	W	1	110000.00	110000.00	110000.00	NA
TIC	UNKNOWN HYDROCARBON	5.72	W	1	30000.00	30000.00	30000.00	NA
TIC	UNKNOWN HYDROCARBON	5.73	W	1	27000.00	27000.00	27000.00	NA
TIC	UNKNOWN HYDROCARBON	6.00	W	1	33000.00	33000.00	33000.00	NA
TIC	UNKNOWN HYDROCARBON	6.05	W	1	46000.00	46000.00	46000.00	NA
TIC	UNKNOWN HYDROCARBON	6.42	W	1	130000.00	130000.00	130000.00	NA
TIC	UNKNOWN HYDROCARBON	6.62	W	2	53000.00	21000.00	37000.00	NA
TIC	UNKNOWN HYDROCARBON	7.35	W	1	81000.00	81000.00	81000.00	NA
TIC	UNKNOWN HYDROCARBON	7.37	W	1	31000.00	31000.00	31000.00	NA
TIC	UNKNOWN HYDROCARBON	8.22	W	1	89000.00	89000.00	89000.00	NA
TIC	UNKNOWN HYDROCARBON	8.30	W	2	45000.00	16000.00	30500.00	NA
TIC	UNKNOWN HYDROCARBON	8.78	W	2	28000.00	9900.00	18950.00	NA
TIC	UNKNOWN HYDROCARBON	9.02	W	2	59000.00	20000.00	39500.00	NA
TIC	UNKNOWN HYDROCARBON	9.75	W	2	36000.00	17000.00	26500.00	NA
TIC	UNKNOWN PHENOL	10.67	W	2	4.00	3.00	3.50	NA
TIC	UNKNOWN PHTHALATE	15.98	W	1	2.00	2.00	2.00	NA
TIC	UNKNOWN PHTHALATE	16.10	W	1	25.00	25.00	25.00	NA
TIC	UNKNOWN PNA	10.77	W	1	24.00	24.00	24.00	NA
TIC	UNKNOWN PNA	15.08	W	1	12.00	12.00	12.00	NA
TIC	UNKNOWN SUBST. CYCLOHEX	5.75	W	1	54000.00	54000.00	54000.00	NA
TIC	VOA TCL	4.93	W	1	6.00	6.00	6.00	NA
TIC	VOA TCL	5.07	W	2	10.00	8.00	9.00	NA
TIC	VOA TCL	5.10	W	1	3.00	3.00	3.00	NA
TIC	VOA TCL	5.18	W	1	130.00	130.00	130.00	NA
TIC	VOA TCL	5.30	W	1	8.00	8.00	8.00	NA
TIC	VOA TCL	5.32	W	1	6.00	6.00	6.00	NA
TIC	VOA TCL	5.43	W	2	71.00	53.00	62.00	NA
TIC	VOA TCL	5.47	W	1	2.00	2.00	2.00	NA

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1546		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	3.00	µg/L	
1546		1.00	1545	BUTYLBENZYLPHTHALATE		TCL	1.00	µg/L	
1546		1.00	1545	DI-N-BUTYLPHTHALATE		TCL	1.00	µg/L	
1546		1.00	1545	DIETHYLPHTHALATE		TCL	1.00	µg/L	
1546		1.00	1545	LABORATORY ARTIFACT	16.65	TIC	17.00	µg/L	J
1546		1.00	1545	UNKNOWN	9.72	TIC	3.00	µg/L	J
1546		1.00	1545	UNKNOWN	11.10	TIC	11.00	µg/L	J
1546		1.00	1545	UNKNOWN	13.68	TIC	5.00	µg/L	J
1546		1.00	1545	UNKNOWN	14.20	TIC	11.00	µg/L	J
1546		1.00	1545	UNKNOWN	14.78	TIC	4.00	µg/L	J
1546		1.00	1545	UNKNOWN	15.22	TIC	12.00	µg/L	J
1546		1.00	1545	UNKNOWN	16.38	TIC	33.00	µg/L	J
1546		1.00	1545	UNKNOWN	16.43	TIC	28.00	µg/L	J
1546		1.00	1545	UNKNOWN	17.83	TIC	44.00	µg/L	J
1546		1.00	1545	UNKNOWN	19.87	TIC	9.00	µg/L	J
1547		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	8.00	µg/L	
1548	FB	1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	
1549		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	3.00	µg/L	
1549		1.00	1545	LABORATORY ARTIFACT	16.70	TIC	3.00	µg/L	J
1550		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	
1550		1.00	1545	LABORATORY ARTIFACT	16.72	TIC	26.00	µg/L	J
1550		1.00	1545	VOA TCL	5.10	TIC	3.00	µg/L	J
1550		1.00	1545	VOA TCL	5.47	TIC	2.00	µg/L	J
1551		1.00	1545	1,2-DICHLOROBENZENE		TCL	5.00	µg/L	
1551		1.00	1545	1,3-DICHLOROBENZENE		TCL	2.00	µg/L	
1551		1.00	1545	1,4-DICHLOROBENZENE		TCL	2.00	µg/L	
1551		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	5.00	µg/L	
1551		1.00	1545	DI-N-BUTYLPHTHALATE		TCL	1.00	µg/L	
1551		1.00	1545	DIMETHYLBENZOIC ACID	9.50	TIC	7.00	µg/L	J
1551		1.00	1545	DIMETHYLBENZOIC ACID	9.55	TIC	7.00	µg/L	J
1551		1.00	1545	ETHYLMETHYLBENZENE	5.75	TIC	10.00	µg/L	J
1551		1.00	1545	ETHYLMETHYLBENZENE	6.15	TIC	10.00	µg/L	J
1551		1.00	1545	ETHYLMETHYLBENZENE	6.33	TIC	17.00	µg/L	J
1551		1.00	1545	NAPHTHALENE		TCL	9.00	µg/L	
1551		1.00	1545	TRIMETHYLBENZENE	6.50	TIC	34.00	µg/L	J
1551		1.00	1545	TRIMETHYLBENZENE	6.78	TIC	21.00	µg/L	J
1551		1.00	1545	UNKNOWN	7.35	TIC	45.00	µg/L	J
1551		1.00	1545	UNKNOWN	7.58	TIC	13.00	µg/L	J
1551		1.00	1545	UNKNOWN	7.72	TIC	43.00	µg/L	J
1551		1.00	1545	UNKNOWN	7.78	TIC	22.00	µg/L	J
1551		1.00	1545	UNKNOWN	7.85	TIC	39.00	µg/L	J
1551		1.00	1545	UNKNOWN	8.00	TIC	10.00	µg/L	J
1551		1.00	1545	UNKNOWN	8.78	TIC	10.00	µg/L	J
1551		1.00	1545	UNKNOWN	8.82	TIC	7.00	µg/L	J
1551		1.00	1545	UNKNOWN	9.12	TIC	30.00	µg/L	J
1551		1.00	1545	UNKNOWN	9.63	TIC	32.00	µg/L	J
1551		1.00	1545	UNKNOWN CARBOXYLIC ACID	9.93	TIC	16.00	µg/L	J
1551		1.00	1545	VOA TCL	5.07	TIC	8.00	µg/L	J
1551		1.00	1545	VOA TCL	5.43	TIC	53.00	µg/L	J
1552	WR	1.00	1545	1,2-DICHLOROBENZENE		TCL	11.00	µg/L	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1552	WR	1.00	1545	1,3-DICHLOROBENZENE		TCL	3.00	µg/L	
1552	WR	1.00	1545	1,4-DICHLOROBENZENE		TCL	4.00	µg/L	
1552	WR	1.00	1545	2-METHYLNAPHTHALENE		TCL	2.00	µg/L	
1552	WR	1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	7.00	µg/L	
1552	WR	1.00	1545	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	
1552	WR	1.00	1545	DI-N-BUTYLPHTHALATE		TCL	2.00	µg/L	
1552	WR	1.00	1545	ETHYLDIMETHYLBENZENE	7.32	TIC	12.00	µg/L	J
1552	WR	1.00	1545	ETHYLMETHYLBENZENE	5.77	TIC	11.00	µg/L	J
1552	WR	1.00	1545	ETHYLMETHYLBENZENE	6.17	TIC	15.00	µg/L	J
1552	WR	1.00	1545	ETHYLMETHYLBENZENE	6.35	TIC	24.00	µg/L	J
1552	WR	1.00	1545	NAPHTHALENE		TCL	17.00	µg/L	
1552	WR	1.00	1545	TRIMETHYLBENZENE	6.52	TIC	48.00	µg/L	J
1552	WR	1.00	1545	TRIMETHYLBENZENE	6.80	TIC	23.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN	7.65	TIC	17.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN	7.77	TIC	51.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN	7.83	TIC	22.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN	7.88	TIC	26.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN	8.02	TIC	12.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN	8.87	TIC	14.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN	9.00	TIC	13.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN	9.15	TIC	24.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN	9.67	TIC	57.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN CARBOXYLIC ACID	9.58	TIC	15.00	µg/L	J
1552	WR	1.00	1545	UNKNOWN CARBOXYLIC ACID	9.97	TIC	31.00	µg/L	J
1552	WR	1.00	1545	VOA TCL	5.07	TIC	10.00	µg/L	J
1552	WR	1.00	1545	VOA TCL	5.18	TIC	130.00	µg/L	J
1552	WR	1.00	1545	VOA TCL	5.43	TIC	71.00	µg/L	J
1554		1.00	1545	BENZOPHENONE	11.70	TIC	4.00	µg/L	J
1554		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	5.00	µg/L	
1554		1.00	1545	BLANK CONTAMINANT	15.53	TIC	4.00	µg/L	J
1554		1.00	1545	BLANK CONTAMINANT	15.60	TIC	9.00	µg/L	J
1554		1.00	1545	BUTYLBENZYLPHTHALATE		TCL	1.00	µg/L	
1554		1.00	1545	DI-N-BUTYLPHTHALATE		TCL	1.00	µg/L	
1554		1.00	1545	LABORATORY ARTIFACT	16.72	TIC	23.00	µg/L	J
1554		1.00	1545	UNKNOWN	7.38	TIC	4.00	µg/L	J
1554		1.00	1545	UNKNOWN	8.23	TIC	4.00	µg/L	J
1554		1.00	1545	UNKNOWN	8.65	TIC	8.00	µg/L	J
1554		1.00	1545	UNKNOWN	8.98	TIC	6.00	µg/L	J
1554		1.00	1545	UNKNOWN	9.37	TIC	3.00	µg/L	J
1554		1.00	1545	UNKNOWN	9.47	TIC	10.00	µg/L	J
1554		1.00	1545	UNKNOWN	9.52	TIC	6.00	µg/L	J
1554		1.00	1545	UNKNOWN	9.67	TIC	3.00	µg/L	J
1554		1.00	1545	UNKNOWN	10.10	TIC	5.00	µg/L	J
1554		1.00	1545	UNKNOWN	11.15	TIC	7.00	µg/L	J
1554		1.00	1545	UNKNOWN	16.47	TIC	13.00	µg/L	J
1554		1.00	1545	UNKNOWN	16.83	TIC	5.00	µg/L	J
1554		1.00	1545	UNKNOWN	16.92	TIC	4.00	µg/L	J
1554		1.00	1545	UNKNOWN	17.03	TIC	8.00	µg/L	J
1554		1.00	1545	UNKNOWN	17.37	TIC	9.00	µg/L	J
1554		1.00	1545	UNKNOWN	17.78	TIC	18.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1554		1.00	1545	UNKNOWN	17.90	TIC	6.00	µg/L	J
1554		1.00	1545	UNKNOWN	18.38	TIC	5.00	µg/L	J
1554		1.00	1545	UNKNOWN CARBOXYLIC ACID	10.23	TIC	9.00	µg/L	J
1555		1.00	1545	BENZOPHENONE	11.67	TIC	4.00	µg/L	J
1555		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	
1555		1.00	1545	BLANK CONTAMINANT	15.50	TIC	6.00	µg/L	J
1555		1.00	1545	BLANK CONTAMINANT	15.57	TIC	9.00	µg/L	J
1555		1.00	1545	BLANK CONTAMINANT	18.32	TIC	5.00	µg/L	J
1555		1.00	1545	BUTYLBENZYLPHTHALATE		TCL	1.00	µg/L	
1555		1.00	1545	LABORATORY ARTIFACT	16.67	TIC	12.00	µg/L	J
1555		1.00	1545	UNKNOWN	10.42	TIC	6.00	µg/L	J
1555		1.00	1545	UNKNOWN	15.13	TIC	4.00	µg/L	J
1555		1.00	1545	UNKNOWN	15.40	TIC	3.00	µg/L	J
1555		1.00	1545	UNKNOWN PHENOL	10.67	TIC	3.00	µg/L	J
1556	FB	1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	
1556	FB	1.00	1545	BLANK CONTAMINANT	15.52	TIC	4.00	µg/L	J
1556	FB	1.00	1545	BLANK CONTAMINANT	15.58	TIC	6.00	µg/L	J
1556	FB	1.00	1545	LABORATORY ARTIFACT	16.68	TIC	59.00	µg/L	J
1556	FB	1.00	1545	UNKNOWN	5.63	TIC	8.00	µg/L	J
1556	FB	1.00	1545	UNKNOWN	7.35	TIC	18.00	µg/L	J
1556	FB	1.00	1545	UNKNOWN	8.17	TIC	4.00	µg/L	J
1556	FB	1.00	1545	UNKNOWN	8.28	TIC	13.00	µg/L	J
1556	FB	1.00	1545	UNKNOWN	14.38	TIC	3.00	µg/L	J
1557		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	13.00	µg/L	
1557		1.00	1545	BLANK CONTAMINANT	15.52	TIC	4.00	µg/L	J
1557		1.00	1545	BLANK CONTAMINANT	15.58	TIC	7.00	µg/L	J
1557		1.00	1545	BLANK CONTAMINANT	18.35	TIC	4.00	µg/L	J
1557		1.00	1545	LABORATORY ARTIFACT	16.70	TIC	7.00	µg/L	J
1557		1.00	1545	UNKNOWN	9.75	TIC	3.00	µg/L	J
1557		1.00	1545	UNKNOWN	11.13	TIC	9.00	µg/L	J
1557		1.00	1545	UNKNOWN	14.23	TIC	6.00	µg/L	J
1557		1.00	1545	UNKNOWN	15.25	TIC	4.00	µg/L	J
1557		1.00	1545	UNKNOWN	16.43	TIC	32.00	µg/L	J
1557		1.00	1545	UNKNOWN	16.48	TIC	22.00	µg/L	J
1557		1.00	1545	UNKNOWN	17.88	TIC	29.00	µg/L	J
1557		1.00	1545	UNKNOWN	19.93	TIC	3.00	µg/L	J
1558	ER	1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	9.00	µg/L	
1558	ER	1.00	1545	BLANK CONTAMINANT	15.60	TIC	3.00	µg/L	J
1559		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	5.00	µg/L	
1559		1.00	1545	BLANK CONTAMINANT	15.60	TIC	7.00	µg/L	J
1559		1.00	1545	BLANK CONTAMINANT	18.37	TIC	8.00	µg/L	J
1559		1.00	1545	BUTYLBENZYLPHTHALATE		TCL	1.00	µg/L	
1559		1.00	1545	DI-N-BUTYLPHTHALATE		TCL	1.00	µg/L	
1559		1.00	1545	UNKNOWN	9.77	TIC	3.00	µg/L	J
1559		1.00	1545	UNKNOWN	11.15	TIC	11.00	µg/L	J
1559		1.00	1545	UNKNOWN	14.25	TIC	9.00	µg/L	J
1559		1.00	1545	UNKNOWN	15.27	TIC	10.00	µg/L	J
1559		1.00	1545	UNKNOWN	16.47	TIC	29.00	µg/L	J
1559		1.00	1545	UNKNOWN	16.50	TIC	25.00	µg/L	J
1559		1.00	1545	UNKNOWN	17.90	TIC	29.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1559		1.00	1545	UNKNOWN	19.95	TIC	3.00	µg/L	J
1560		1.00	1545	BENZOPHENONE	11.67	TIC	2.00	µg/L	J
1560		1.00	1545	BLANK CONTAMINANT	15.50	TIC	4.00	µg/L	J
1560		1.00	1545	BLANK CONTAMINANT	15.57	TIC	8.00	µg/L	J
1560		1.00	1545	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	
1560		1.00	1545	UNKNOWN	9.72	TIC	4.00	µg/L	J
1560		1.00	1545	UNKNOWN	11.10	TIC	14.00	µg/L	J
1560		1.00	1545	UNKNOWN	13.72	TIC	6.00	µg/L	J
1560		1.00	1545	UNKNOWN	14.20	TIC	12.00	µg/L	J
1560		1.00	1545	UNKNOWN	14.80	TIC	4.00	µg/L	J
1560		1.00	1545	UNKNOWN	15.22	TIC	10.00	µg/L	J
1560		1.00	1545	UNKNOWN	16.47	TIC	6500.00	µg/L	J
1560		1.00	1545	UNKNOWN	17.87	TIC	57.00	µg/L	J
1560		1.00	1545	UNKNOWN	18.33	TIC	4.00	µg/L	J
1560		1.00	1545	UNKNOWN	19.90	TIC	11.00	µg/L	J
1560		1.00	1545	UNKNOWN PHENOL	10.67	TIC	4.00	µg/L	J
1560		1.00	1545	UNKNOWN PHTHALATE	15.98	TIC	2.00	µg/L	J
1560		1.00	1545	UNKNOWN PHTHALATE	16.10	TIC	25.00	µg/L	J
1566		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	
1566		1.00	1545	CYCLOPENTASILOXANE, DECAMETH	7.57	TIC	5.00	µg/L	J
1566		1.00	1545	LABORATORY ARTIFACT	16.63	TIC	4.00	µg/L	J
1566		1.00	1545	UNKNOWN	9.72	TIC	7.00	µg/L	J
1566		1.00	1545	UNKNOWN	11.10	TIC	22.00	µg/L	J
1566		1.00	1545	UNKNOWN	13.70	TIC	7.00	µg/L	J
1566		1.00	1545	UNKNOWN	13.83	TIC	3.00	µg/L	J
1566		1.00	1545	UNKNOWN	14.20	TIC	18.00	µg/L	J
1566		1.00	1545	UNKNOWN	15.20	TIC	15.00	µg/L	J
1566		1.00	1545	UNKNOWN	16.40	TIC	69.00	µg/L	J
1566		1.00	1545	UNKNOWN	16.43	TIC	47.00	µg/L	J
1566		1.00	1545	UNKNOWN	17.82	TIC	54.00	µg/L	J
1566		1.00	1545	UNKNOWN	19.83	TIC	9.00	µg/L	J
1567		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	
1567		1.00	1545	BLANK CONTAMINANT	15.52	TIC	3.00	µg/L	J
1567		1.00	1545	BUTYLBENZYLPHTHALATE		TCL	1.00	µg/L	
1567		1.00	1545	CYCLOPENTASILOXANE, DECAMETH	7.55	TIC	2.00	µg/L	J
1567		1.00	1545	UNKNOWN	16.37	TIC	2.00	µg/L	J
1567		1.00	1545	UNKNOWN	16.42	TIC	2.00	µg/L	J
1567		1.00	1545	UNKNOWN	17.78	TIC	4.00	µg/L	J
1568	WR	1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	6.00	µg/L	
1568	WR	1.00	1545	CYCLOPENTASILOXANE, DECAMETH	7.57	TIC	4.00	µg/L	J
1568	WR	1.00	1545	DIETHYLPHTHALATE		TCL	1.00	µg/L	
1568	WR	1.00	1545	LABORATORY ARTIFACT	15.52	TIC	3.00	µg/L	J
1568	WR	1.00	1545	UNKNOWN	11.08	TIC	4.00	µg/L	J
1568	WR	1.00	1545	UNKNOWN	15.20	TIC	2.00	µg/L	J
1568	WR	1.00	1545	UNKNOWN	15.88	TIC	3.00	µg/L	J
1568	WR	1.00	1545	UNKNOWN	16.38	TIC	9.00	µg/L	J
1568	WR	1.00	1545	UNKNOWN	16.42	TIC	10.00	µg/L	J
1568	WR	1.00	1545	UNKNOWN	17.80	TIC	11.00	µg/L	J
1568	WR	1.00	1545	UNKNOWN	18.27	TIC	15.00	µg/L	J
1568	WR	1.00	1545	UNKNOWN CARBOXYLIC ACID ESTER	13.67	TIC	4.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1569		1.00	1545	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	7.00	µg/L	
1569		1.00	1545	BUTYLBENZYLPHTHALATE		TCL	1.00	µg/L	
1569		1.00	1545	LABORATORY ARTIFACT	15.53	TIC	2.00	µg/L	J
1569		1.00	1545	UNKNOWN	15.88	TIC	4.00	µg/L	J
1570	WR	1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	15.00	µg/L	
1570	WR	1.00	1570	BLANK CONTAMINANT	5.50	TIC	5.00	µg/L	J
1570	WR	1.00	1570	BLANK CONTAMINANT	6.35	TIC	3.00	µg/L	J
1570	WR	1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1570	WR	1.00	1570	UNKNOWN	6.27	TIC	3.00	µg/L	J
1570	WR	1.00	1570	UNKNOWN	7.77	TIC	10.00	µg/L	J
1570	WR	1.00	1570	UNKNOWN	9.55	TIC	8.00	µg/L	J
1570	WR	1.00	1570	UNKNOWN	10.12	TIC	8.00	µg/L	J
1570	WR	1.00	1570	UNKNOWN	11.68	TIC	2.00	µg/L	J
1571		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	20.00	µg/L	
1571		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	3.00	µg/L	J
1571		1.00	1570	DIETHYLPHTHALATE		TCL	1.00	µg/L	J
1571		1.00	1570	NAPHTHALENE		TCL	1.00	µg/L	J
1572	ER	1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	67.00	µg/L	
1572	ER	1.00	1570	BLANK CONTAMINANT	5.50	TIC	5.00	µg/L	J
1572	ER	1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1572	ER	1.00	1570	LABORATORY ARTIFACT	17.58	TIC	16.00	µg/L	J
1572	ER	1.00	1570	UNKNOWN	19.82	TIC	4.00	µg/L	J
1572	ER	1.00	1570	UNKNOWN	19.85	TIC	2.00	µg/L	J
1572	ER	1.00	1570	UNKNOWN	19.88	TIC	4.00	µg/L	J
1573		1.00	1570	2,5-PYRROLIDINEDIONE, 1-PROP	19.07	TIC	17.00	µg/L	J
1573		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	9.00	µg/L	J
1573		1.00	1570	BLANK CONTAMINANT	5.53	TIC	5.00	µg/L	J
1573		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1573		1.00	1570	DIETHYLPHTHALATE		TCL	1.00	µg/L	J
1573		1.00	1570	LABORATORY ARTIFACT	17.37	TIC	13.00	µg/L	J
1573		1.00	1570	UNKNOWN	5.88	TIC	3.00	µg/L	J
1573		1.00	1570	UNKNOWN	9.27	TIC	4.00	µg/L	J
1573		1.00	1570	UNKNOWN	10.32	TIC	3.00	µg/L	J
1573		1.00	1570	UNKNOWN	11.73	TIC	10.00	µg/L	J
1573		1.00	1570	UNKNOWN	14.83	TIC	6.00	µg/L	J
1573		1.00	1570	UNKNOWN	15.87	TIC	7.00	µg/L	J
1573		1.00	1570	UNKNOWN	16.30	TIC	2.00	µg/L	J
1573		1.00	1570	UNKNOWN	17.30	TIC	17.00	µg/L	J
1573		1.00	1570	UNKNOWN	17.62	TIC	14.00	µg/L	J
1574		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	5.00	µg/L	J
1574		1.00	1570	BLANK CONTAMINANT	5.55	TIC	4.00	µg/L	J
1574		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1574		1.00	1570	DIETHYLPHTHALATE		TCL	1.00	µg/L	J
1574		1.00	1570	LABORATORY ARTIFACT	17.60	TIC	4.00	µg/L	J
1574		1.00	1570	UNKNOWN	7.92	TIC	2.00	µg/L	J
1576		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	1.00	µg/L	J
1576		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	1.00	µg/L	J
1576		1.00	1570	UNKNOWN	9.37	TIC	3.00	µg/L	J
1577		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	J
1577		1.00	1570	BLANK CONTAMINANT	15.45	TIC	2.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1577		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	1.00	µg/L	J
1577		1.00	1570	LABORATORY ARTIFACT	16.45	TIC	6.00	µg/L	J
1577		1.00	1570	UNKNOWN	7.47	TIC	4.00	µg/L	J
1577		1.00	1570	UNKNOWN	7.72	TIC	7.00	µg/L	J
1577		1.00	1570	UNKNOWN	8.53	TIC	3.00	µg/L	J
1577		1.00	1570	UNKNOWN	10.97	TIC	7.00	µg/L	J
1577		1.00	1570	UNKNOWN	13.57	TIC	4.00	µg/L	J
1577		1.00	1570	UNKNOWN	14.10	TIC	5.00	µg/L	J
1577		1.00	1570	UNKNOWN	15.13	TIC	2.00	µg/L	J
1577		1.00	1570	UNKNOWN	17.55	TIC	8.00	µg/L	J
1578		1.00	1570	1-METHYLNAPHTHALENE	9.32	TIC	8.00	µg/L	J
1578		1.00	1570	2,4-DIMETHYLPHENOL		TCL	1.00	µg/L	J
1578		1.00	1570	2-METHYLNAPHTHALENE		TCL	3.00	µg/L	J
1578		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	3.00	µg/L	J
1578		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1578		1.00	1570	ETHYLDIMETHYLBENZENE	6.98	TIC	5.00	µg/L	J
1578		1.00	1570	ETHYLMETHYLBENZENE	6.03	TIC	10.00	µg/L	J
1578		1.00	1570	ETHYLMETHYLBENZENE	6.07	TIC	6.00	µg/L	J
1578		1.00	1570	ETHYLMETHYLBENZENE	6.22	TIC	14.00	µg/L	J
1578		1.00	1570	METHYLPROPYLBENZENE	7.08	TIC	10.00	µg/L	J
1578		1.00	1570	NAPHTHALENE		TCL	6.00	µg/L	J
1578		1.00	1570	PHENOL		TCL	4.00	µg/L	J
1578		1.00	1570	TRIMETHYLBENZENE	6.38	TIC	19.00	µg/L	J
1578		1.00	1570	TRIMETHYLBENZENE	6.67	TIC	13.00	µg/L	J
1578		1.00	1570	UNKNOWN	5.67	TIC	6.00	µg/L	J
1578		1.00	1570	UNKNOWN	7.48	TIC	6.00	µg/L	J
1578		1.00	1570	UNKNOWN	9.60	TIC	9.00	µg/L	J
1578		1.00	1570	UNKNOWN	10.98	TIC	27.00	µg/L	J
1578		1.00	1570	UNKNOWN	11.88	TIC	17.00	µg/L	J
1578		1.00	1570	UNKNOWN	13.57	TIC	16.00	µg/L	J
1578		1.00	1570	UNKNOWN	14.10	TIC	21.00	µg/L	J
1578		1.00	1570	UNKNOWN	16.25	TIC	20.00	µg/L	J
1578		1.00	1570	UNKNOWN	17.57	TIC	17.00	µg/L	J
1578		1.00	1570	UNKNOWN ALKYL	7.88	TIC	10.00	µg/L	J
1578		1.00	1570	UNKNOWN CARBOXYLIC ACID ESTER	11.23	TIC	16.00	µg/L	J
1578		1.00	1570	UNKNOWN CARBOXYLIC ACID ESTER	13.00	TIC	42.00	µg/L	J
1578		1.00	1570	VOA TCL	4.93	TIC	6.00	µg/L	J
1578		1.00	1570	VOA TCL	5.30	TIC	8.00	µg/L	J
1579		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	4.00	µg/L	J
1579		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1579		1.00	1570	UNKNOWN	8.55	TIC	3.00	µg/L	J
1579		1.00	1570	UNKNOWN	9.62	TIC	3.00	µg/L	J
1579		1.00	1570	UNKNOWN	11.00	TIC	11.00	µg/L	J
1579		1.00	1570	UNKNOWN	13.02	TIC	7.00	µg/L	J
1579		1.00	1570	UNKNOWN	13.58	TIC	6.00	µg/L	J
1579		1.00	1570	UNKNOWN	14.12	TIC	8.00	µg/L	J
1579		1.00	1570	UNKNOWN	14.67	TIC	3.00	µg/L	J
1579		1.00	1570	UNKNOWN	15.17	TIC	3.00	µg/L	J
1579		1.00	1570	UNKNOWN	17.60	TIC	10.00	µg/L	J
1579		1.00	1570	UNKNOWN CARBOXYLIC ACID	13.25	TIC	2.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1580		1.00	1570	2,4-DIMETHYLPHENOL		TCL	3.00	µg/L	J
1580		1.00	1570	2-METHYLNAPHTHALENE		TCL	8.00	µg/L	J
1580		1.00	1570	4-METHYLPHENOL		TCL	1.00	µg/L	J
1580		1.00	1570	ACENAPHTHENE		TCL	2.00	µg/L	J
1580		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	4.00	µg/L	J
1580		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	1.00	µg/L	J
1580		1.00	1570	CARBAZOLE		TCL	3.00	µg/L	J
1580		1.00	1570	DIBENZOFURAN		TCL	1.00	µg/L	J
1580		1.00	1570	DIETHYLBENZENE	7.00	TIC	5.00	µg/L	J
1580		1.00	1570	ETHYLMETHYLBENZENE	6.05	TIC	7.00	µg/L	J
1580		1.00	1570	ETHYLMETHYLBENZENE	6.23	TIC	9.00	µg/L	J
1580		1.00	1570	FLUORENE		TCL	1.00	µg/L	J
1580		1.00	1570	NAPHTHALENE		TCL	12.00	µg/L	
1580		1.00	1570	PHENANTHRENE		TCL	2.00	µg/L	J
1580		1.00	1570	PHENOL		TCL	32.00	µg/L	
1580		1.00	1570	TRIMETHYLBENZENE	6.40	TIC	16.00	µg/L	J
1580		1.00	1570	UNKNOWN	7.47	TIC	9.00	µg/L	J
1580		1.00	1570	UNKNOWN	7.80	TIC	19.00	µg/L	J
1580		1.00	1570	UNKNOWN	8.57	TIC	9.00	µg/L	J
1580		1.00	1570	UNKNOWN	9.37	TIC	8.00	µg/L	J
1580		1.00	1570	UNKNOWN	9.55	TIC	18.00	µg/L	J
1580		1.00	1570	UNKNOWN	9.77	TIC	24.00	µg/L	J
1580		1.00	1570	UNKNOWN	10.15	TIC	20.00	µg/L	J
1580		1.00	1570	UNKNOWN	10.97	TIC	21.00	µg/L	J
1580		1.00	1570	UNKNOWN	11.00	TIC	14.00	µg/L	J
1580		1.00	1570	UNKNOWN	11.07	TIC	19.00	µg/L	J
1580		1.00	1570	UNKNOWN	11.90	TIC	16.00	µg/L	J
1580		1.00	1570	UNKNOWN	11.98	TIC	18.00	µg/L	J
1580		1.00	1570	UNKNOWN	12.53	TIC	13.00	µg/L	J
1580		1.00	1570	UNKNOWN ALKYLBENZENE	7.27	TIC	8.00	µg/L	J
1580		1.00	1570	UNKNOWN ALKYLBENZENE	7.90	TIC	10.00	µg/L	J
1580		1.00	1570	UNKNOWN PNA	15.08	TIC	12.00	µg/L	J
1580		1.00	1570	VOA TCL	5.32	TIC	6.00	µg/L	J
1581		5.00	1570	2-METHYLNAPHTHALENE		TCL	9000.00	µg/L	
1581		5.00	1570	ACENAPHTHENE		TCL	240.00	µg/L	J
1581		5.00	1570	ANTHRACENE		TCL	210.00	µg/L	J
1581		5.00	1570	BENZO(A)ANTHRACENE		TCL	280.00	µg/L	J
1581		5.00	1570	BENZO(A)PYRENE		TCL	160.00	µg/L	J
1581		5.00	1570	BENZO(B)FLUORANTHENE		TCL	290.00	µg/L	J
1581		5.00	1570	BENZO(K)FLUORANTHENE		TCL	290.00	µg/L	J
1581		5.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	160.00	µg/L	J
1581		5.00	1570	CHRYSENE		TCL	330.00	µg/L	J
1581		5.00	1570	DIBENZOFURAN		TCL	130.00	µg/L	J
1581		5.00	1570	ETHYLMETHYLBENZENE	6.10	TIC	16000.00	µg/L	J
1581		5.00	1570	FLUORANTHENE		TCL	660.00	µg/L	
1581		5.00	1570	FLUORENE		TCL	220.00	µg/L	J
1581		5.00	1570	METHYLPROPYLBENZENE	6.95	TIC	19000.00	µg/L	J
1581		5.00	1570	NAPHTHALENE		TCL	6400.00	µg/L	
1581		5.00	1570	PHENANTHRENE		TCL	650.00	µg/L	
1581		5.00	1570	PYRENE		TCL	610.00	µg/L	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1581		5.00	1570	SUBSTITUTED BENZENE	4.95	TIC	15000.00	µg/L	J
1581		5.00	1570	UNKNOWN	5.38	TIC	55000.00	µg/L	J
1581		5.00	1570	UNKNOWN	5.52	TIC	13000.00	µg/L	J
1581		5.00	1570	UNKNOWN	5.67	TIC	11000.00	µg/L	J
1581		5.00	1570	UNKNOWN	5.98	TIC	12000.00	µg/L	J
1581		5.00	1570	UNKNOWN	6.07	TIC	22000.00	µg/L	J
1581		5.00	1570	UNKNOWN	6.43	TIC	60000.00	µg/L	J
1581		5.00	1570	UNKNOWN	6.82	TIC	13000.00	µg/L	J
1581		5.00	1570	UNKNOWN	7.80	TIC	12000.00	µg/L	J
1581		5.00	1570	UNKNOWN	7.90	TIC	11000.00	µg/L	J
1581		5.00	1570	UNKNOWN	8.62	TIC	11000.00	µg/L	J
1581		5.00	1570	UNKNOWN HYDROCARBON	5.05	TIC	27000.00	µg/L	J
1581		5.00	1570	UNKNOWN HYDROCARBON	5.73	TIC	27000.00	µg/L	J
1581		5.00	1570	UNKNOWN HYDROCARBON	6.62	TIC	21000.00	µg/L	J
1581		5.00	1570	UNKNOWN HYDROCARBON	7.37	TIC	31000.00	µg/L	J
1581		5.00	1570	UNKNOWN HYDROCARBON	8.30	TIC	16000.00	µg/L	J
1581		5.00	1570	UNKNOWN HYDROCARBON	8.78	TIC	9900.00	µg/L	J
1581		5.00	1570	UNKNOWN HYDROCARBON	9.02	TIC	20000.00	µg/L	J
1581		5.00	1570	UNKNOWN HYDROCARBON	9.75	TIC	17000.00	µg/L	J
1581	DL	15.00	1570	2-METHYLNAPHTHALENE		TCL	9600.00	µg/L	
1581	DL	15.00	1570	ACENAPHTHENE		TCL	330.00	µg/L	J
1581	DL	15.00	1570	ANTHRACENE		TCL	260.00	µg/L	J
1581	DL	15.00	1570	BENZO(A)ANTHRACENE		TCL	330.00	µg/L	J
1581	DL	15.00	1570	BENZO(A)PYRENE		TCL	190.00	µg/L	J
1581	DL	15.00	1570	BENZO(B)FLUORANTHENE		TCL	320.00	µg/L	J
1581	DL	15.00	1570	BENZO(K)FLUORANTHENE		TCL	320.00	µg/L	J
1581	DL	15.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	190.00	µg/L	J
1581	DL	15.00	1570	CHRYSENE		TCL	380.00	µg/L	J
1581	DL	15.00	1570	DIBENZOFURAN		TCL	180.00	µg/L	J
1581	DL	15.00	1570	ETHYLMETHYLBENZENE	6.10	TIC	46000.00	µg/L	J
1581	DL	15.00	1570	ETHYLMETHYLCYCLOHEXANE	5.52	TIC	30000.00	µg L	J
1581	DL	15.00	1570	FLUORANTHENE		TCL	700.00	µg/L	J
1581	DL	15.00	1570	FLUORENE		TCL	300.00	µg/L	J
1581	DL	15.00	1570	METHYLPROPYLBENZENE	6.93	TIC	43000.00	µg/L	J
1581	DL	15.00	1570	NAPHTHALENE		TCL	6900.00	µg/L	
1581	DL	15.00	1570	PHENANTHRENE		TCL	760.00	µg/L	J
1581	DL	15.00	1570	PYRENE		TCL	780.00	µg/L	J
1581	DL	15.00	1570	SUBSTITUTED BENZENE	4.95	TIC	43000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN	5.67	TIC	28000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN	6.80	TIC	33000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN	8.62	TIC	28000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	5.03	TIC	82000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	5.37	TIC	110000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	5.72	TIC	30000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	6.00	TIC	33000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	6.05	TIC	46000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	6.42	TIC	130000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	6.62	TIC	53000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	7.35	TIC	81000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	8.22	TIC	89000.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	8.30	TIC	45000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	8.78	TIC	28000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	9.02	TIC	59000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN HYDROCARBON	9.75	TIC	36000.00	µg/L	J
1581	DL	15.00	1570	UNKNOWN SUBST. CYCLOHEX	5.75	TIC	54000.00	µg/L	J
1582	ER	1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	6.00	µg/L	J
1582	ER	1.00	1570	BLANK CONTAMINANT	15.42	TIC	4.00	µg/L	J
1582	ER	1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1582	ER	1.00	1570	DIETHYLPHTHALATE		TCL	1.00	µg/L	J
1582	ER	1.00	1570	LABORATORY ARTIFACT	16.42	TIC	29.00	µg/L	J
1584		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	J
1584		1.00	1570	BLANK CONTAMINANT	15.40	TIC	2.00	µg/L	J
1584		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1584		1.00	1570	LABORATORY ARTIFACT	16.42	TIC	30.00	µg/L	J
1584		1.00	1570	PENTACHLOROPHENOL		TCL	1.00	µg/L	J
1584		1.00	1570	UNKNOWN	8.50	TIC	9.00	µg/L	J
1584		1.00	1570	UNKNOWN	10.93	TIC	3.00	µg/L	J
1584		1.00	1570	UNKNOWN	14.03	TIC	4.00	µg/L	J
1585	ER	1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	7.00	µg/L	J
1585	ER	1.00	1570	BLANK CONTAMINANT	15.43	TIC	3.00	µg/L	J
1585	ER	1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1585	ER	1.00	1570	LABORATORY ARTIFACT	16.43	TIC	12.00	µg/L	J
1586		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	5.00	µg/L	J
1586		1.00	1570	BLANK CONTAMINANT	15.43	TIC	3.00	µg/L	J
1586		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	1.00	µg/L	J
1586		1.00	1570	LABORATORY ARTIFACT	16.42	TIC	32.00	µg/L	J
1586		1.00	1570	UNKNOWN	8.52	TIC	7.00	µg/L	J
1587		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	4.00	µg/L	J
1587		1.00	1570	BLANK CONTAMINANT	15.47	TIC	3.00	µg/L	J
1587		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1587		1.00	1570	LABORATORY ARTIFACT	16.47	TIC	15.00	µg/L	J
1587		1.00	1570	UNKNOWN	8.55	TIC	3.00	µg/L	J
1588		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	8.00	µg/L	J
1588		1.00	1570	BLANK CONTAMINANT	15.43	TIC	2.00	µg/L	J
1588		1.00	1570	BUTYLBENZYLPHTHALATE		TCL	2.00	µg/L	J
1588		1.00	1570	DIETHYLPHTHALATE		TCL	1.00	µg/L	J
1588		1.00	1570	LABORATORY ARTIFACT	16.45	TIC	7.00	µg/L	J
1588		1.00	1570	PENTACHLOROPHENOL		TCL	1.00	µg/L	J
1588		1.00	1570	UNKNOWN	10.97	TIC	8.00	µg/L	J
1588		1.00	1570	UNKNOWN	14.08	TIC	5.00	µg/L	J
1588		1.00	1570	UNKNOWN	17.57	TIC	4.00	µg/L	J
1588		1.00	1570	UNKNOWN CARBOXYLIC ACID ESTER	13.57	TIC	4.00	µg/L	J
1589		1.00	1570	2-CYCLOHEXEN-1-OL	5.23	TIC	2.00	µg/L	J
1589		1.00	1570	2-CYCLOHEXEN-1-ONE	5.73	TIC	4.00	µg/L	J
1589		1.00	1570	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	J
1589		1.00	1570	LABORATORY ARTIFACT	16.47	TIC	19.00	µg/L	J
1589		1.00	1570	UNKNOWN	5.07	TIC	4.00	µg/L	J
1589		1.00	1570	UNKNOWN	6.68	TIC	4.00	µg/L	J
1589		1.00	1570	UNKNOWN	7.47	TIC	2.00	µg/L	J
1589		1.00	1570	UNKNOWN	7.87	TIC	2.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *BNA - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1589		1.00	1570	UNKNOWN	9.00	TIC	2.00	µg/L	J
1589		1.00	1570	UNKNOWN	9.60	TIC	6.00	µg/L	J
1589		1.00	1570	UNKNOWN	10.98	TIC	19.00	µg/L	J
1589		1.00	1570	UNKNOWN	13.15	TIC	3.00	µg/L	J
1589		1.00	1570	UNKNOWN	13.58	TIC	8.00	µg/L	J
1589		1.00	1570	UNKNOWN	14.10	TIC	8.00	µg/L	J
1589		1.00	1570	UNKNOWN	14.67	TIC	2.00	µg/L	J
1589		1.00	1570	UNKNOWN	15.13	TIC	3.00	µg/L	J
1589		1.00	1570	UNKNOWN	16.25	TIC	17.00	µg/L	J
1589		1.00	1570	UNKNOWN	17.58	TIC	15.00	µg/L	J
1589		1.00	1570	UNKNOWN CARBOXYLIC ACID ESTER	11.22	TIC	7.00	µg/L	J
1589		1.00	1570	UNKNOWN CARBOXYLIC ACID ESTER	11.87	TIC	9.00	µg/L	J
1589		1.00	1570	UNKNOWN CARBOXYLIC ACID ESTER	13.02	TIC	10.00	µg/L	J
1589		1.00	1570	UNKNOWN PNA	10.77	TIC	24.00	µg/L	J
1590		1.00	1590	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	2.00	µg/L	J
1590		1.00	1590	LABORATORY ARTIFACT	16.43	TIC	6.00	µg/L	J
1590		1.00	1590	PENTACHLOROPHENOL		TCL	2.00	µg/L	J
1590		1.00	1590	UNKNOWN	8.95	TIC	7.00	µg/L	J
1590		1.00	1590	UNKNOWN	10.97	TIC	4.00	µg/L	J
1590		1.00	1590	UNKNOWN	17.55	TIC	4.00	µg/L	J
1592	FB	1.00	1590	BIS(2-ETHYLHEXYL)PHTHALATE		TCL	5.00	µg/L	J
1592	FB	1.00	1590	BIS(PHENYLENE)ETHANONE	10.10	TIC	4.00	µg/L	J
1592	FB	1.00	1590	DIETHYLPHTHALATE		TCL	1.00	µg/L	J
1592	FB	1.00	1590	LABORATORY ARTIFACT	16.48	TIC	32.00	µg/L	J
1592	FB	1.00	1590	UNKNOWN	7.73	TIC	4.00	µg/L	J
1592	FB	1.00	1590	UNKNOWN	9.62	TIC	3.00	µg/L	J
1592	FB	1.00	1590	UNKNOWN	10.38	TIC	3.00	µg/L	J
1592	FB	1.00	1590	UNKNOWN	10.67	TIC	4.00	µg/L	J
1592	FB	1.00	1590	UNKNOWN	10.90	TIC	5.00	µg/L	J
1592	FB	1.00	1590	UNKNOWN	10.98	TIC	3.00	µg/L	J
1592	FB	1.00	1590	UNKNOWN	13.28	TIC	5.00	µg/L	J
1592	FB	1.00	1590	UNKNOWN	19.43	TIC	13.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - HOLDING TIMES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1546* ENDING SAMPLE #:*1592*

SAMPLE NUMBER	SAMPLE TYPE	MATRIX	SAMPLE DATE	EXTRACTION DATE	ANALYSIS DATE	EXTRACTION DAYS	EXTRACTION ACCEPTABLE	ANALYSIS DAYS	ANALYSIS ACCEPTABLE
1546		W	03/03/93	03/09/93	03/10/93	6	T	1	T
1547		W	03/03/93	03/09/93	03/23/93	6	T	14	T
1548	FB	W	03/03/93	03/09/93	03/10/93	6	T	1	T
1549		W	03/03/93	03/09/93	03/11/93	6	T	2	T
1550		W	03/03/93	03/09/93	03/23/93	6	T	14	T
1551		W	03/03/93	03/09/93	03/23/93	6	T	14	T
1552	WR	W	03/03/93	03/09/93	03/14/93	6	T	5	T
1556	FB	W	03/04/93	03/09/93	03/11/93	5	T	2	T
1557		W	03/04/93	03/09/93	03/11/93	5	T	2	T
1558	ER	W	03/04/93	03/09/93	03/11/93	5	T	2	T
1559		W	03/04/93	03/09/93	03/14/93	5	T	5	T
1560		W	03/04/93	03/09/93	03/14/93	5	T	5	T
1566		W	03/05/93	03/09/93	03/10/93	4	T	1	T
1567		W	03/05/93	03/09/93	03/14/93	4	T	5	T
1568	WR	W	03/05/93	03/09/93	03/14/93	4	T	5	T
1569		W	03/05/93	03/09/93	03/14/93	4	T	5	T
1570	WR	W	03/05/93	03/09/93	03/14/93	4	T	5	T
1571		W	03/05/93	03/18/93	03/21/93	13	T	3	T
1572	ER	W	03/05/93	03/09/93	03/11/93	4	T	2	T
1573		W	03/05/93	03/09/93	03/14/93	4	T	5	T
1574		W	03/05/93	03/09/93	03/14/93	4	T	5	T
1584		W	03/07/93	03/18/93	03/21/93	11	T	3	T
1585	ER	W	03/07/93	03/18/93	03/20/93	11	T	2	T
1586		W	03/07/93	03/18/93	03/20/93	11	T	2	T
1587		W	03/07/93	03/18/93	03/21/93	11	T	3	T
1588		W	03/07/93	03/18/93	03/21/93	11	T	3	T
1589		W	03/07/93	03/18/93	03/21/93	11	T	3	T
1590		W	03/07/93	03/18/93	03/22/93	11	T	4	T
1592	FB	W	03/08/93	03/18/93	03/22/93	10	T	4	T
1566	DL	W	03/05/93	03/09/93	03/10/93	4	T	1	T
1571	DL	W	03/05/93	03/18/93	03/20/93	13	T	2	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - CAL (Curve Validation)*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	CURVE TYPE	CORRELATION COEFFICIENT	LIMIT
1545	AA	0.98265	F
1545	ICP	0.99991	T
1545	MERCURY	0.99467	F
1570	AA	0.99518	T
1570	ICP	0.99987	T
1570	MERCURY	0.99689	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
ANALYSIS: *MET - CALIBRATION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SDG	COMPOUND TYPE	COMPOUND	TRUE CONCENTRATION	FOUND CONCENTRATION	LAB PERCENT RECOVERY	CAL PERCENT RECOVERY	COMP	LIMIT
1545	CVAA	MERCURY	4.90	5.63	114.90	114.90	T	T
1545	FAA	ARSENIC	30.00	31.07	103.60	103.57	T	T
1545	FAA	SELENIUM	30.00	31.68	105.60	105.60	T	T
1545	FAA	THALLIUM	30.00	28.78	95.90	95.93	T	T
1545	ICP	ANTIMONY	5000.00	5156.90	103.10	103.14	T	T
1545	ICP	BARIUM	5000.00	4837.90	96.80	96.76	T	T
1545	ICP	CALCIUM	48810.00	50840.00	104.20	104.16	T	T
1545	ICP	COBALT	5000.00	4869.70	97.40	97.39	T	T
1570	CVAA	MERCURY	3.00	2.82	94.00	94.00	T	T
1570	FAA	ARSENIC	25.20	25.81	102.40	102.42	T	T
1570	FAA	LEAD	30.00	28.14	93.80	93.80	T	T
1570	FAA	THALLIUM	30.00	31.42	104.70	104.73	T	T
1570	ICP	CALCIUM	50000.00	51968.00	103.90	103.94	T	T
1570	ICP	COBALT	5000.00	4910.60	98.20	98.21	T	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
ANALYSIS: *MET - BLANKS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

BLANK NUMBER	SAMPLE TYPE	COMPOUND	RT	TCL or TIC	CONCENTRATION	UNITS	QCODE
1548	FB	ALUMINUM		TCL	61.90	µg/L	B
1548	FB	CALCIUM		TCL	89.40	µg/L	B
1548	FB	SODIUM		TCL	568.00	µg/L	B
1548	FB	ARSENIC		TCL	4.00	µg/L	B
1556	FB	ALUMINUM		TCL	134.00	µg/L	B
1556	FB	BARIUM		TCL	33.80	µg/L	B
1556	FB	CALCIUM		TCL	21400.00	µg/L	
1556	FB	COPPER		TCL	12.90	µg/L	B
1556	FB	IRON		TCL	51.70	µg/L	B
1556	FB	MAGNESIUM		TCL	7160.00	µg/L	
1556	FB	MANGANESE		TCL	7.60	µg/L	B
1556	FB	POTASSIUM		TCL	2790.00	µg/L	B
1556	FB	SODIUM		TCL	19800.00	µg/L	
1556	FB	ZINC		TCL	5.10	µg/L	B
1556	FB	ARSENIC		TCL	11.20	µg/L	
1592	FB	CALCIUM		TCL	59100.00	µg/L	
1592	FB	COPPER		TCL	46.60	µg/L	
1592	FB	IRON		TCL	361 00	µg/L	
1592	FB	MAGNESIUM		TCL	12300.00	µg/L	
1592	FB	MANGANESE		TCL	640.00	µg/L	
1592	FB	POTASSIUM		TCL	13600.00	µg/L	
1592	FB	SODIUM		TCL	214000.00	µg/L	
1592	FB	VANADIUM		TCL	9.40	µg/L	B
1592	FB	ZINC		TCL	54.10	µg/L	
1592	FB	ALUMINUM		TCL	384.00	µg/L	
1592	FB	BARIUM		TCL	90.40	µg/L	B
1592	FB	ARSENIC		TCL	40.70	µg/L	
MET01	MB	ALUMINUM		TCL	64.42	µg/L	B
MET01	MB	CALCIUM		TCL	422.78	µg/L	B
MET01	MB	IRON		TCL	25.87	µg/L	B
MET01	MB	MAGNESIUM		TCL	101.65	µg/L	B
MET01	MB	MANGANESE		TCL	1.63	µg/L	B
MET01	MB	ZINC		TCL	6.42	µg/L	B
MET02	MB	ALUMINUM		TCL	58.05	µg/L	B
MET02	MB	BARIUM		TCL	2.54	µg/L	B
MET02	MB	CALCIUM		TCL	23.07	µg/L	B
MET02	MB	SODIUM		TCL	344.41	µg/L	B

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - BLANKS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1548* ENDING SAMPLE #:*1592*

BLANK NUMBER	SAMPLE TYPE	SDG	MATRIX
1548	FB	1545	W
1556	FB	1545	W
1592	FB	1570	W
MET01	MB	1545	W
MET02	MB	1570	W

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - MS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE NUMBER	SAMP TYPE	SDG	COMPOUND	SSR	SR	SA	CAL %R	LIMIT
1566		1545	ALUMINUM	2083.1001	0.0000	2000.00	104.2	T
1566		1545	ARSENIC	31.8700	5.5650	40.00	65.8	F
1566		1545	MANGANESE	746.9600	239.0300	500.00	101.6	T
1566		1545	SILVER	20.1990	0.0000	50.00	40.4	F
1571		1570	ARSENIC	84.0200	37.4400	40.00	116.5	T
1571		1570	LEAD	15.5000	0.0000	20.00	77.5	T
1571		1570	SELENIUM	5.8000	0.0000	10.00	58.0	F
1571		1570	THALLIUM	30.6000	0.0000	50.00	61.2	F

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - FIELD DUPLICATES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	SAMPNUM	SAMPTYPE	DUPNUM	DUPTYPE	COMPOUND	RT	SAMP CON	DUP CON	RPD
1545	1551		1552	WR	ALUMINUM		127.00	97.60	26.18
1545	1551		1552	WR	ARSENIC		116.00	116.00	0.00
1545	1551		1552	WR	BARIUM		237.00	218.00	8.35
1545	1551		1552	WR	CALCIUM		72500.00	64600.00	11.52
1545	1551		1552	WR	COPPER		12.40	15.30	20.94
1545	1551		1552	WR	IRON		51.50	25.60	67.19
1545	1551		1552	WR	MAGNESIUM		18300.00	16300.00	11.56
1545	1551		1552	WR	MANGANESE		845.00	814.00	3.74
1545	1551		1552	WR	POTASSIUM		15700.00	14700.00	6.58
1545	1551		1552	WR	SODIUM		285000.00	254000.00	11.50
1545	1551		1552	WR	VANADIUM		11.30	10.60	6.39
1545	1567		1568	WR	ALUMINUM		85.70	81.80	4.66
1545	1567		1568	WR	ARSENIC		30.30	26.90	11.89
1545	1567		1568	WR	BARIUM		52.40	50.40	3.89
1545	1567		1568	WR	CALCIUM		49000.00	48900.00	0.20
1545	1567		1568	WR	IRON		25.90	17.20	40.37
1545	1567		1568	WR	MAGNESIUM		14100.00	14000.00	0.71
1545	1567		1568	WR	MANGANESE		17.10	15.30	11.11
1545	1567		1568	WR	POTASSIUM		9330.00	8460.00	9.78
1545	1567		1568	WR	SODIUM		233000.00	227000.00	2.61
1545	1567		1568	WR	VANADIUM		7.30	9.20	23.03
1545	1569		1570	WR	ALUMINUM		84.90	75.50	11.72
1545	1569		1570	WR	ARSENIC		34.10	33.20	2.67
1545	1569		1570	WR	BARIUM		25.40	24.20	4.84
1545	1569		1570	WR	CALCIUM		50200.00	48400.00	3.65
1545	1569		1570	WR	IRON		25.80	34.40	28.57
1545	1569		1570	WR	MAGNESIUM		11000.00	10500.00	4.65
1545	1569		1570	WR	MANGANESE		228.00	229.00	0.44
1545	1569		1570	WR	POTASSIUM		8480.00	7520.00	12.00
1545	1569		1570	WR	SODIUM		109000.00	104000.00	4.69
1545	1569		1570	WR	ZINC		8.30	11.10	28.87

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - LAB DUPLICATES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	SAMPNUM	SAMPTYPE	DUPNUM	DUPTYPE	DILUTION	COMPOUND	RT	SAMP CON	DUP CON	RPD
1545	1566		1566	DL	1.00	ARSENIC		5.60	38.71	149
1545	1566		1566	DL	1.00	BARIUM		87.10	83.60	4
1545	1566		1566	DL	1.00	CALCIUM		47700.00	47535.00	0.3
1545	1566		1566	DL	1.00	COPPER		5.30	4.00	27.9
1545	1566		1566	DL	1.00	MAGNESIUM		15800.00	15718.00	0
1545	1566		1566	DL	1.00	MANGANESE		239.00	239.81	0
1545	1566		1566	DL	1.00	POTASSIUM		8430.00	7997.40	5.2
1545	1566		1566	DL	1.00	SODIUM		268000.00	268990.00	0
1545	1566		1566	DL	1.00	VANADIUM		10.20	8.28	20
1545	1566		1566	DL	1.00	ZINC		5.80	5.77	0.5
1570	1571		1571	DL	1.00	ALUMINUM		113.00	116.53	3.0
1570	1571		1571	DL	1.00	ARSENIC		37.40	32.42	14
1570	1571		1571	DL	1.00	BARIUM		70.00	68.76	1.7
1570	1571		1571	DL	1.00	CALCIUM		64400.00	64759.00	0.5
1570	1571		1571	DL	1.00	COPPER		9.10	7.68	16
1570	1571		1571	DL	1.00	IRON		153.00	163.99	6
1570	1571		1571	DL	1.00	MAGNESIUM		13900.00	14031.00	0.9
1570	1571		1571	DL	1.00	MANGANESE		441.00	444.36	0
1570	1571		1571	DL	1.00	POTASSIUM		9580.00	9523.30	0
1570	1571		1571	DL	1.00	SODIUM		66300.00	67168.00	1.3

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - LAB. CONTROL SAMPLES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	LAB ID NUMBER	COMPOUND	WATER SOIL	TRUE CONCENTRATION	FOUND CONCENTRATION	LAB PERCENT RECOVERY	CAL PERCENT RECOVERY	COMP	LIMIT
1545	PE PURE	COBALT	W	5000.00	4095.40	81.90	81.91	T	T
1545	PE PURE	NICKEL	W	4000.00	3231.40	80.80	80.79	T	T
1545	PE PURE	POTASSIUM	W	50000.00	47957.00	95.90	95.91	T	T
1545	PE PURE	SILVER	W	1000.00	651.82	65.20	65.18	T	F
1570	PE PURE	COBALT	W	5000.00	4298.20	86.00	85.96	T	T
1570	PE PURE	POTASSIUM	W	50000.00	49695.00	99.40	99.39	T	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
ANALYSIS: *MET - ICP INTERFERENCE*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SDG	COMPOUND	SOLUTION	TRUE CON	INITIAL FOUND	CAL INITIAL PERCENT RECOVERY	INIT LIMIT	FINAL FOUND	CAL FINAL PERCENT RECOVERY	FIN LIMIT
1545	ALUMINUM	A	514927.00	512660.00	99.6	T	506960.00	98.5	T
1545	COBALT	AB	475.00	476.30	100.3	T	479.80	101.0	T
1545	IRON	AB	187957.00	185490.00	98.7	T	185220.00	98.5	T
1545	MAGNESIUM	A	543610.00	528190.00	97.2	T	526230.00	96.8	T
1570	CALCIUM	A	529351.00	518980.00	98.0	T	525860.00	99.3	T
1570	MAGNESIUM	AB	533685.00	528000.00	98.9	T	536870.00	100.6	T
1570	ZINC	AB	1001.00	988.40	98.7	T	1000.50	100.0	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - ICP SERIAL DILUTION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	COMPOUND	EPA SAMPLE NUMBER	INITIAL SAMPLE RESULT	SERIAL DILUTION RESULT	LAB PERCENT DIDDERENCE	CALCULATED PERCENT DIFFERENCE	LAB VS CAL COMPARISON	LIMITS
1545	BARIUM	1566L	87.06	86.32	0.8	0.85	T	T
1545	MAGNESIUM	1566L	15771.00	16425.50	4.2	4.15	T	T
1545	SODIUM	1566L	267870.00	282920.00	5.6	5.62	T	T
1570	ALUMINUM	1571L	112.51	461.64	310.3	310.31	T	F
1570	IRON	1571L	153.05	164.00	7.2	7.15	T	T
1570	POTASSIUM	1571L	9576.20	11212.00	17.1	17.08	T	F

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

TCL/ TIC	COMPOUND	RT	MATRIX	NUMBER OF SAMPLES	HIGH CON	LOW CON	MEAN CON	IDL
TCL	ALUMINUM		W	30	384.00	61.90	114.57	40.00
TCL	ANTIMONY		W	3	36.20	30.00	32.07	30.00
TCL	ARSENIC		W	29	137.00	4.00	45.93	30.00
TCL	BARIUM		W	28	237.00	3.30	63.27	2.00
TCL	BERYLLIUM		W	2	1.00	1.00	1.00	1.00
TCL	CADMIUM		W	2	5.00	5.00	5.00	5.00
TCL	CALCIUM		W	31	90900.00	58.90	48262.98	30.00
TCL	CHROMIUM		W	2	6.00	6.00	6.00	10.00
TCL	COBALT		W	2	9.00	9.00	9.00	20.00
TCL	COPPER		W	19	46.60	4.00	11.98	10.00
TCL	IRON		W	24	361.00	17.20	69.23	10.00
TCL	LEAD		W	2	2.00	2.00	2.00	30.00
TCL	MAGNESIUM		W	27	26500.00	3900.00	13651.81	30.00
TCL	MANGANESE		W	29	3030.00	1.20	322.95	2.00
TCL	MERCURY		W	3	0.21	0.20	0.20	NA
TCL	NICKEL		W	2	13.00	13.00	13.00	20.00
TCL	POTASSIUM		W	27	15800.00	2790.00	10311.88	1000.00
TCL	SELENIUM		W	5	5.50	3.00	4.36	60.00
TCL	SILVER		W	2	5.00	5.00	5.00	5.00
TCL	SODIUM		W	31	421000.00	261.00	162506.32	200.00
TCL	THALLIUM		W	2	3.00	3.00	3.00	30.00
TCL	VANADIUM		W	21	17.70	4.00	9.09	10.00
TCL	ZINC		W	18	54.10	5.10	9.70	5.00

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1546		1.00	1545	ALUMINUM		TCL	92.50	µg/L	B
1546		1.00	1545	ARSENIC		TCL	137.00	µg/L	
1546		1.00	1545	BARIUM		TCL	17.70	µg/L	B
1546		1.00	1545	CALCIUM		TCL	34600.00	µg/L	
1546		1.00	1545	COPPER		TCL	6.60	µg/L	B
1546		1.00	1545	IRON		TCL	25.80	µg/L	B
1546		1.00	1545	MAGNESIUM		TCL	3900.00	µg/L	B
1546		1.00	1545	MANGANESE		TCL	79.40	µg/L	
1546		1.00	1545	POTASSIUM		TCL	11800.00	µg/L	
1546		1.00	1545	SODIUM		TCL	364000.00	µg/L	
1546		1.00	1545	VANADIUM		TCL	12.50	µg/L	B
1547		1.00	1545	ALUMINUM		TCL	117.00	µg/L	B
1547		1.00	1545	ARSENIC		TCL	88.60	µg/L	
1547		1.00	1545	BARIUM		TCL	39.40	µg/L	B
1547		1.00	1545	CALCIUM		TCL	25800.00	µg/L	
1547		1.00	1545	COPPER		TCL	7.10	µg/L	B
1547		1.00	1545	IRON		TCL	34.40	µg/L	B
1547		1.00	1545	MAGNESIUM		TCL	6250.00	µg/L	
1547		1.00	1545	MANGANESE		TCL	15.60	µg/L	
1547		1.00	1545	POTASSIUM		TCL	7090.00	µg/L	
1547		1.00	1545	SELENIUM		TCL	5.50	µg/L	
1547		1.00	1545	SODIUM		TCL	258000.00	µg/L	
1547		1.00	1545	VANADIUM		TCL	13.00	µg/L	B
1548	FB	1.00	1545	ALUMINUM		TCL	61.90	µg/L	B
1548	FB	1.00	1545	ARSENIC		TCL	4.00	µg/L	B
1548	FB	1.00	1545	CALCIUM		TCL	89.40	µg/L	B
1548	FB	1.00	1545	SODIUM		TCL	568.00	µg/L	B
1549		1.00	1545	ALUMINUM		TCL	248.00	µg/L	
1549		1.00	1545	ARSENIC		TCL	73.00	µg/L	
1549		1.00	1545	BARIUM		TCL	68.70	µg/L	B
1549		1.00	1545	CALCIUM		TCL	90900.00	µg/L	
1549		1.00	1545	COPPER		TCL	12.90	µg/L	B
1549		1.00	1545	IRON		TCL	77.50	µg/L	B
1549		1.00	1545	MAGNESIUM		TCL	23800.00	µg/L	
1549		1.00	1545	MANGANESE		TCL	100.00	µg/L	
1549		1.00	1545	POTASSIUM		TCL	15100.00	µg/L	
1549		1.00	1545	SODIUM		TCL	368000.00	µg/L	
1549		1.00	1545	VANADIUM		TCL	17.50	µg/L	B
1550		1.00	1545	ALUMINUM		TCL	84.50	µg/L	B
1550		1.00	1545	ARSENIC		TCL	121.00	µg/L	
1550		1.00	1545	BARIUM		TCL	79.00	µg/L	B
1550		1.00	1545	CALCIUM		TCL	88700.00	µg/L	
1550		1.00	1545	COPPER		TCL	15.80	µg/L	B
1550		1.00	1545	IRON		TCL	21.40	µg/L	B
1550		1.00	1545	MAGNESIUM		TCL	26500.00	µg/L	
1550		1.00	1545	MANGANESE		TCL	448.00	µg/L	
1550		1.00	1545	POTASSIUM		TCL	14200.00	µg/L	
1550		1.00	1545	SELENIUM		TCL	4.80	µg/L	B
1550		1.00	1545	SODIUM		TCL	421000.00	µg/L	
1550		1.00	1545	VANADIUM		TCL	9.00	µg/L	B

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
ANALYSIS: *MET - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1550		1.00	1545	ZINC		TCL	7.50	µg/L	B
1551		1.00	1545	ALUMINUM		TCL	127.00	µg/L	B
1551		1.00	1545	ARSENIC		TCL	116.00	µg/L	
1551		1.00	1545	BARIUM		TCL	237.00	µg/L	
1551		1.00	1545	CALCIUM		TCL	72500.00	µg/L	
1551		1.00	1545	COPPER		TCL	12.40	µg/L	B
1551		1.00	1545	IRON		TCL	51.50	µg/L	B
1551		1.00	1545	MAGNESIUM		TCL	18300.00	µg/L	
1551		1.00	1545	MANGANESE		TCL	845.00	µg/L	
1551		1.00	1545	MERCURY		TCL	0.21	µg/L	
1551		1.00	1545	POTASSIUM		TCL	15700.00	µg/L	
1551		1.00	1545	SELENIUM		TCL	5.50	µg/L	
1551		1.00	1545	SODIUM		TCL	285000.00	µg/L	
1551		1.00	1545	VANADIUM		TCL	11.30	µg/L	B
1552	WR	1.00	1545	ALUMINUM		TCL	97.60	µg/L	B
1552	WR	1.00	1545	ARSENIC		TCL	116.00	µg/L	
1552	WR	1.00	1545	BARIUM		TCL	218.00	µg/L	
1552	WR	1.00	1545	CALCIUM		TCL	64600.00	µg/L	
1552	WR	1.00	1545	COPPER		TCL	15.30	µg/L	B
1552	WR	1.00	1545	IRON		TCL	25.60	µg/L	B
1552	WR	1.00	1545	MAGNESIUM		TCL	16300.00	µg/L	
1552	WR	1.00	1545	MANGANESE		TCL	814.00	µg/L	
1552	WR	1.00	1545	POTASSIUM		TCL	14700.00	µg/L	
1552	WR	1.00	1545	SODIUM		TCL	254000.00	µg/L	
1552	WR	1.00	1545	VANADIUM		TCL	10.60	µg/L	B
1556	FB	1.00	1545	ALUMINUM		TCL	134.00	µg/L	B
1556	FB	1.00	1545	ARSENIC		TCL	11.20	µg/L	
1556	FB	1.00	1545	BARIUM		TCL	33.80	µg/L	B
1556	FB	1.00	1545	CALCIUM		TCL	21400.00	µg/L	
1556	FB	1.00	1545	COPPER		TCL	12.90	µg/L	B
1556	FB	1.00	1545	IRON		TCL	51.70	µg/L	B
1556	FB	1.00	1545	MAGNESIUM		TCL	7160.00	µg/L	
1556	FB	1.00	1545	MANGANESE		TCL	7.60	µg/L	B
1556	FB	1.00	1545	POTASSIUM		TCL	2790.00	µg/L	B
1556	FB	1.00	1545	SODIUM		TCL	19800.00	µg/L	
1556	FB	1.00	1545	ZINC		TCL	5.10	µg/L	B
1557		1.00	1545	ALUMINUM		TCL	99.90	µg/L	B
1557		1.00	1545	ARSENIC		TCL	25.90	µg/L	
1557		1.00	1545	BARIUM		TCL	33.90	µg/L	B
1557		1.00	1545	CALCIUM		TCL	34700.00	µg/L	
1557		1.00	1545	COPPER		TCL	8.10	µg/L	B
1557		1.00	1545	IRON		TCL	25.80	µg/L	B
1557		1.00	1545	MAGNESIUM		TCL	6560.00	µg/L	
1557		1.00	1545	MANGANESE		TCL	15.50	µg/L	
1557		1.00	1545	POTASSIUM		TCL	7470.00	µg/L	
1557		1.00	1545	SODIUM		TCL	73000.00	µg/L	
1557		1.00	1545	VANADIUM		TCL	5.70	µg/L	B
1558	ER	1.00	1545	ALUMINUM		TCL	77.50	µg/L	B
1558	ER	1.00	1545	ARSENIC		TCL	29.80	µg/L	
1558	ER	1.00	1545	CALCIUM		TCL	105.00	µg/L	B

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
ANALYSIS: *MET - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1558	ER	1.00	1545	MANGANESE		TCL	3.40	µg/L	B
1558	ER	1.00	1545	SODIUM		TCL	261.00	µg/L	B
1558	ER	1.00	1545	ZINC		TCL	8.10	µg/L	B
1559		1.00	1545	ALUMINUM		TCL	75.60	µg/L	B
1559		1.00	1545	ARSENIC		TCL	26.70	µg/L	
1559		1.00	1545	BARIUM		TCL	40.80	µg/L	B
1559		1.00	1545	CALCIUM		TCL	59000.00	µg/L	
1559		1.00	1545	COPPER		TCL	14.80	µg/L	B
1559		1.00	1545	MAGNESIUM		TCL	11300.00	µg/L	
1559		1.00	1545	MANGANESE		TCL	73.90	µg/L	
1559		1.00	1545	POTASSIUM		TCL	9840.00	µg/L	
1559		1.00	1545	SODIUM		TCL	153000.00	µg/L	
1559		1.00	1545	VANADIUM		TCL	7.60	µg/L	B
1559		1.00	1545	ZINC		TCL	5.50	µg/L	B
1560		1.00	1545	ALUMINUM		TCL	72.50	µg/L	B
1560		1.00	1545	ARSENIC		TCL	23.60	µg/L	
1560		1.00	1545	BARIUM		TCL	43.30	µg/L	B
1560		1.00	1545	CALCIUM		TCL	40500.00	µg/L	
1560		1.00	1545	COPPER		TCL	10.50	µg/L	B
1560		1.00	1545	IRON		TCL	25.90	µg/L	B
1560		1.00	1545	MAGNESIUM		TCL	7890.00	µg/L	
1560		1.00	1545	MANGANESE		TCL	7.80	µg/L	B
1560		1.00	1545	POTASSIUM		TCL	7910.00	µg/L	
1560		1.00	1545	SODIUM		TCL	79100.00	µg/L	
1560		1.00	1545	VANADIUM		TCL	5.00	µg/L	B
1566		1.00	1545	ARSENIC		TCL	5.60	µg/L	B
1566		1.00	1545	BARIUM		TCL	87.10	µg/L	B
1566		1.00	1545	CALCIUM		TCL	47700.00	µg/L	
1566		1.00	1545	COPPER		TCL	5.30	µg/L	B
1566		1.00	1545	MAGNESIUM		TCL	15800.00	µg/L	
1566		1.00	1545	MANGANESE		TCL	239.00	µg/L	
1566		1.00	1545	POTASSIUM		TCL	8430.00	µg/L	
1566		1.00	1545	SODIUM		TCL	268000.00	µg/L	
1566		1.00	1545	VANADIUM		TCL	10.20	µg/L	B
1566		1.00	1545	ZINC		TCL	5.80	µg/L	B
1566	DL	1.00	1545	ALUMINUM		TCL	104.91	µg/L	
1566	DL	1.00	1545	ANTIMONY		TCL	30.00	µg/L	
1566	DL	1.00	1545	ARSENIC		TCL	38.71	µg/L	
1566	DL	1.00	1545	BARIUM		TCL	83.60	µg/L	
1566	DL	1.00	1545	BERYLLIUM		TCL	1.00	µg/L	
1566	DL	1.00	1545	CADMIUM		TCL	5.00	µg/L	
1566	DL	1.00	1545	CALCIUM		TCL	47535.00	µg/L	
1566	DL	1.00	1545	CHROMIUM		TCL	6.00	µg/L	
1566	DL	1.00	1545	COBALT		TCL	9.00	µg/L	
1566	DL	1.00	1545	COPPER		TCL	4.00	µg/L	
1566	DL	1.00	1545	IRON		TCL	34.42	µg/L	
1566	DL	1.00	1545	LEAD		TCL	2.00	µg/L	
1566	DL	1.00	1545	MAGNESIUM		TCL	15718.00	µg/L	
1566	DL	1.00	1545	MANGANESE		TCL	239.81	µg/L	
1566	DL	1.00	1545	MERCURY		TCL	0.20	µg/L	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
ANALYSIS: *MET - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1566	DL	1.00	1545	NICKEL		TCL	13.00	µg/L	
1566	DL	1.00	1545	POTASSIUM		TCL	7997.40	µg/L	
1566	DL	1.00	1545	SELENIUM		TCL	3.00	µg/L	
1566	DL	1.00	1545	SILVER		TCL	5.00	µg/L	
1566	DL	1.00	1545	SODIUM		TCL	268990.00	µg/L	
1566	DL	1.00	1545	THALLIUM		TCL	3.00	µg/L	
1566	DL	1.00	1545	VANADIUM		TCL	8.28	µg/L	
1566	DL	1.00	1545	ZINC		TCL	5.77	µg/L	
1567		1.00	1545	ALUMINUM		TCL	85.70	µg/L	B
1567		1.00	1545	ARSENIC		TCL	30.30	µg/L	
1567		1.00	1545	BARIUM		TCL	52.40	µg/L	B
1567		1.00	1545	CALCIUM		TCL	49000.00	µg/L	
1567		1.00	1545	COPPER		TCL	6.20	µg/L	B
1567		1.00	1545	IRON		TCL	25.90	µg/L	B
1567		1.00	1545	MAGNESIUM		TCL	14100.00	µg/L	
1567		1.00	1545	MANGANESE		TCL	17.10	µg/L	
1567		1.00	1545	POTASSIUM		TCL	9330.00	µg/L	
1567		1.00	1545	SODIUM		TCL	233000.00	µg/L	
1567		1.00	1545	VANADIUM		TCL	7.30	µg/L	B
1567		1.00	1545	ZINC		TCL	6.20	µg/L	B
1568	WR	1.00	1545	ALUMINUM		TCL	81.80	µg/L	B
1568	WR	1.00	1545	ARSENIC		TCL	26.90	µg/L	
1568	WR	1.00	1545	BARIUM		TCL	50.40	µg/L	B
1568	WR	1.00	1545	CALCIUM		TCL	48900.00	µg/L	
1568	WR	1.00	1545	IRON		TCL	17.20	µg/L	B
1568	WR	1.00	1545	MAGNESIUM		TCL	14000.00	µg/L	
1568	WR	1.00	1545	MANGANESE		TCL	15.30	µg/L	
1568	WR	1.00	1545	POTASSIUM		TCL	8460.00	µg/L	
1568	WR	1.00	1545	SODIUM		TCL	227000.00	µg/L	
1568	WR	1.00	1545	VANADIUM		TCL	9.20	µg/L	B
1569		1.00	1545	ALUMINUM		TCL	84.90	µg/L	B
1569		1.00	1545	ARSENIC		TCL	34.10	µg/L	
1569		1.00	1545	BARIUM		TCL	25.40	µg/L	B
1569		1.00	1545	CALCIUM		TCL	50200.00	µg/L	
1569		1.00	1545	COPPER		TCL	5.30	µg/L	B
1569		1.00	1545	IRON		TCL	25.80	µg/L	B
1569		1.00	1545	MAGNESIUM		TCL	11000.00	µg/L	
1569		1.00	1545	MANGANESE		TCL	228.00	µg/L	
1569		1.00	1545	POTASSIUM		TCL	8480.00	µg/L	
1569		1.00	1545	SODIUM		TCL	109000.00	µg/L	
1569		1.00	1545	ZINC		TCL	8.30	µg/L	B
1570	WR	1.00	1545	ALUMINUM		TCL	75.50	µg/L	B
1570	WR	1.00	1545	ARSENIC		TCL	33.20	µg/L	
1570	WR	1.00	1545	BARIUM		TCL	24.20	µg/L	B
1570	WR	1.00	1545	CALCIUM		TCL	48400.00	µg/L	
1570	WR	1.00	1545	IRON		TCL	34.40	µg/L	B
1570	WR	1.00	1545	MAGNESIUM		TCL	10500.00	µg/L	
1570	WR	1.00	1545	MANGANESE		TCL	229.00	µg/L	
1570	WR	1.00	1545	POTASSIUM		TCL	7520.00	µg/L	
1570	WR	1.00	1545	SODIUM		TCL	104000.00	µg/L	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
ANALYSIS: *MET - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1570	WR	1.00	1545	ZINC		TCL	11.10	µg/L	B
1571		1.00	1570	ALUMINUM		TCL	113.00	µg/L	B
1571		1.00	1570	ARSENIC		TCL	37.40	µg/L	
1571		1.00	1570	BARIUM		TCL	70.00	µg/L	B
1571		1.00	1570	CALCIUM		TCL	64400.00	µg/L	
1571		1.00	1570	COPPER		TCL	9.10	µg/L	B
1571		1.00	1570	IRON		TCL	153.00	µg/L	
1571		1.00	1570	MAGNESIUM		TCL	13900.00	µg/L	
1571		1.00	1570	MANGANESE		TCL	441.00	µg/L	
1571		1.00	1570	POTASSIUM		TCL	9580.00	µg/L	
1571		1.00	1570	SODIUM		TCL	66300.00	µg/L	
1571	DL	1.00	1570	ALUMINUM		TCL	116.53	µg/L	
1571	DL	1.00	1570	ANTIMONY		TCL	30.00	µg/L	
1571	DL	1.00	1570	ARSENIC		TCL	32.42	µg/L	
1571	DL	1.00	1570	BARIUM		TCL	68.76	µg/L	
1571	DL	1.00	1570	BERYLLIUM		TCL	1.00	µg/L	
1571	DL	1.00	1570	CADMIUM		TCL	5.00	µg/L	
1571	DL	1.00	1570	CALCIUM		TCL	64759.00	µg/L	
1571	DL	1.00	1570	CHROMIUM		TCL	6.00	µg/L	
1571	DL	1.00	1570	COBALT		TCL	9.00	µg/L	
1571	DL	1.00	1570	COPPER		TCL	7.68	µg/L	
1571	DL	1.00	1570	IRON		TCL	163.99	µg/L	
1571	DL	1.00	1570	LEAD		TCL	2.00	µg/L	
1571	DL	1.00	1570	MAGNESIUM		TCL	14031.00	µg/L	
1571	DL	1.00	1570	MANGANESE		TCL	444.36	µg/L	
1571	DL	1.00	1570	MERCURY		TCL	0.20	µg/L	
1571	DL	1.00	1570	NICKEL		TCL	13.00	µg/L	
1571	DL	1.00	1570	POTASSIUM		TCL	9523.30	µg/L	
1571	DL	1.00	1570	SELENIUM		TCL	3.00	µg/L	
1571	DL	1.00	1570	SILVER		TCL	5.00	µg/L	
1571	DL	1.00	1570	SODIUM		TCL	67168.00	µg/L	
1571	DL	1.00	1570	THALLIUM		TCL	3.00	µg/L	
1571	DL	1.00	1570	VANADIUM		TCL	4.00	µg/L	
1571	DL	1.00	1570	ZINC		TCL	5.19	µg/L	
1572	ER	1.00	1545	ALUMINUM		TCL	84.90	µg/L	B
1572	ER	1.00	1545	CALCIUM		TCL	105.00	µg/L	B
1572	ER	1.00	1545	IRON		TCL	25.90	µg/L	B
1572	ER	1.00	1545	SODIUM		TCL	354.00	µg/L	B
1573		1.00	1545	ALUMINUM		TCL	97.60	µg/L	B
1573		1.00	1545	ARSENIC		TCL	15.80	µg/L	
1573		1.00	1545	BARIUM		TCL	63.10	µg/L	B
1573		1.00	1545	CALCIUM		TCL	62900.00	µg/L	
1573		1.00	1545	MAGNESIUM		TCL	17900.00	µg/L	
1573		1.00	1545	MANGANESE		TCL	236.00	µg/L	
1573		1.00	1545	POTASSIUM		TCL	11700.00	µg/L	
1573		1.00	1545	SODIUM		TCL	280000.00	µg/L	
1573		1.00	1545	VANADIUM		TCL	6.20	µg/L	B
1573		1.00	1545	ZINC		TCL	5.30	µg/L	B
1574		1.00	1545	ALUMINUM		TCL	81.20	µg/L	B
1574		1.00	1545	ARSENIC		TCL	11.50	µg/L	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1574		1.00	1545	BARIUM		TCL	24.00	µg/L	B
1574		1.00	1545	CALCIUM		TCL	46900.00	µg/L	
1574		1.00	1545	COPPER		TCL	21.80	µg/L	B
1574		1.00	1545	MAGNESIUM		TCL	9250.00	µg/L	
1574		1.00	1545	MANGANESE		TCL	43.80	µg/L	
1574		1.00	1545	POTASSIUM		TCL	7070.00	µg/L	
1574		1.00	1545	SODIUM		TCL	58600.00	µg/L	
1574		1.00	1545	VANADIUM		TCL	6.10	µg/L	B
1574		1.00	1545	ZINC		TCL	6.00	µg/L	B
1584		1.00	1570	ALUMINUM		TCL	122.00	µg/L	B
1584		1.00	1570	ARSENIC		TCL	54.40	µg/L	
1584		1.00	1570	BARIUM		TCL	64.00	µg/L	B
1584		1.00	1570	CALCIUM		TCL	59900.00	µg/L	
1584		1.00	1570	IRON		TCL	65.50	µg/L	B
1584		1.00	1570	MAGNESIUM		TCL	14000.00	µg/L	
1584		1.00	1570	MANGANESE		TCL	708.00	µg/L	
1584		1.00	1570	POTASSIUM		TCL	12300.00	µg/L	
1584		1.00	1570	SODIUM		TCL	180000.00	µg/L	
1584		1.00	1570	ZINC		TCL	14.10	µg/L	B
1585	ER	1.00	1570	ALUMINUM		TCL	106.00	µg/L	B
1585	ER	1.00	1570	BARIUM		TCL	3.30	µg/L	B
1585	ER	1.00	1570	CALCIUM		TCL	58.90	µg/L	B
1585	ER	1.00	1570	COPPER		TCL	5.30	µg/L	B
1585	ER	1.00	1570	IRON		TCL	32.80	µg/L	B
1585	ER	1.00	1570	MANGANESE		TCL	1.20	µg/L	B
1585	ER	1.00	1570	SODIUM		TCL	455.00	µg/L	B
1586		1.00	1570	ALUMINUM		TCL	106.00	µg/L	B
1586		1.00	1570	ARSENIC		TCL	34.10	µg/L	
1586		1.00	1570	BARIUM		TCL	43.80	µg/L	B
1586		1.00	1570	CALCIUM		TCL	45100.00	µg/L	
1586		1.00	1570	MAGNESIUM		TCL	9540.00	µg/L	
1586		1.00	1570	MANGANESE		TCL	46.20	µg/L	
1586		1.00	1570	POTASSIUM		TCL	10500.00	µg/L	
1586		1.00	1570	SODIUM		TCL	146000.00	µg/L	
1586		1.00	1570	VANADIUM		TCL	4.30	µg/L	B
1586		1.00	1570	ZINC		TCL	5.80	µg/L	B
1587		1.00	1570	ALUMINUM		TCL	116.00	µg/L	B
1587		1.00	1570	ARSENIC		TCL	34.80	µg/L	
1587		1.00	1570	BARIUM		TCL	52.20	µg/L	B
1587		1.00	1570	CALCIUM		TCL	55100.00	µg/L	
1587		1.00	1570	IRON		TCL	32.80	µg/L	B
1587		1.00	1570	MAGNESIUM		TCL	11100.00	µg/L	
1587		1.00	1570	MANGANESE		TCL	176.00	µg/L	
1587		1.00	1570	POTASSIUM		TCL	11800.00	µg/L	
1587		1.00	1570	SODIUM		TCL	169000.00	µg/L	
1587		1.00	1570	VANADIUM		TCL	5.00	µg/L	B
1587		1.00	1570	ZINC		TCL	6.90	µg/L	B
1588		1.00	1570	ALUMINUM		TCL	140.00	µg/L	B
1588		1.00	1570	ARSENIC		TCL	50.00	µg/L	
1588		1.00	1570	BARIUM		TCL	41.70	µg/L	B

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
ANALYSIS: *MET - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1588		1.00	1570	CALCIUM		TCL	85400.00	µg/L	
1588		1.00	1570	IRON		TCL	65.50	µg/L	B
1588		1.00	1570	MAGNESIUM		TCL	17000.00	µg/L	
1588		1.00	1570	MANGANESE		TCL	127.00	µg/L	
1588		1.00	1570	POTASSIUM		TCL	10600.00	µg/L	
1588		1.00	1570	SODIUM		TCL	157000.00	µg/L	
1588		1.00	1570	VANADIUM		TCL	11.00	µg/L	B
1588		1.00	1570	ZINC		TCL	5.20	µg/L	B
1589		1.00	1570	ALUMINUM		TCL	115.00	µg/L	B
1589		1.00	1570	ANTIMONY		TCL	36.20	µg/L	B
1589		1.00	1570	ARSENIC		TCL	49.80	µg/L	
1589		1.00	1570	BARIUM		TCL	92.20	µg/L	B
1589		1.00	1570	CALCIUM		TCL	53500.00	µg/L	
1589		1.00	1570	IRON		TCL	262.00	µg/L	
1589		1.00	1570	MAGNESIUM		TCL	24700.00	µg/L	
1589		1.00	1570	MANGANESE		TCL	3030.00	µg/L	
1589		1.00	1570	POTASSIUM		TCL	15800.00	µg/L	
1589		1.00	1570	SODIUM		TCL	81100.00	µg/L	
1589		1.00	1570	ZINC		TCL	8.70	µg/L	B
1590		1.00	1570	ALUMINUM		TCL	134.00	µg/L	B
1590		1.00	1570	ARSENIC		TCL	29.50	µg/L	
1590		1.00	1570	BARIUM		TCL	23.50	µg/L	B
1590		1.00	1570	CALCIUM		TCL	74300.00	µg/L	
1590		1.00	1570	IRON		TCL	21.70	µg/L	B
1590		1.00	1570	MAGNESIUM		TCL	15800.00	µg/L	
1590		1.00	1570	MANGANESE		TCL	93.60	µg/L	
1590		1.00	1570	POTASSIUM		TCL	9130.00	µg/L	
1590		1.00	1570	SODIUM		TCL	132000.00	µg/L	
1590		1.00	1570	VANADIUM		TCL	17.70	µg/L	B
1592	FB	1.00	1570	ALUMINUM		TCL	384.00	µg/L	
1592	FB	1.00	1570	ARSENIC		TCL	40.70	µg/L	
1592	FB	1.00	1570	BARIUM		TCL	90.40	µg/L	B
1592	FB	1.00	1570	CALCIUM		TCL	59100.00	µg/L	
1592	FB	1.00	1570	COPPER		TCL	46.60	µg/L	
1592	FB	1.00	1570	IRON		TCL	361.00	µg/L	
1592	FB	1.00	1570	MAGNESIUM		TCL	12300.00	µg/L	
1592	FB	1.00	1570	MANGANESE		TCL	640.00	µg/L	
1592	FB	1.00	1570	POTASSIUM		TCL	13600.00	µg/L	
1592	FB	1.00	1570	SODIUM		TCL	214000.00	µg/L	
1592	FB	1.00	1570	VANADIUM		TCL	9.40	µg/L	B
1592	FB	1.00	1570	ZINC		TCL	54.10	µg/L	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *PHC - HOLDING TIMES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1546* ENDING SAMPLE #: *1596*

SAMPLE NUMBER	SAMPLE TYPE	MATRIX	SAMPLE DATE	EXTRACTION DATE	ANALYSIS DATE	EXTRACTION DAYS	EXTRACTION ACCEPTABLE	ANALYSIS DAYS	ANALYSIS ACCEPTABLE
1546		W	03/03/93		03/09/93			6	T
1549		W	03/03/93		03/09/93			6	T
1550		W	03/03/93		03/09/93			6	T
1551		W	03/03/93		03/09/93			6	T
1552	WR	W	03/03/93		03/09/93			6	T
1554		W	03/04/93		03/09/93			5	T
1555		W	03/04/93		03/09/93			5	T
1556	FB	W	03/04/93		03/10/93			6	T
1557		W	03/04/93		03/10/93			6	T
1558	ER	W	03/04/93		03/10/93			6	T
1559		W	03/04/93		03/10/93			6	T
1560		W	03/04/93		03/10/93			6	T
1561		S	03/04/93		03/12/93			8	T
1562		S	03/04/93		03/12/93			8	T
1563		S	03/04/93		03/12/93			8	T
1564		S	03/04/93		03/12/93			8	T
1566		W	03/05/93		03/09/93			4	T
1567		W	03/05/93		03/10/93			5	T
1568	WR	W	03/05/93		03/10/93			5	T
1569		W	03/05/93		03/10/93			5	T
1570	WR	W	03/05/93		03/10/93			5	T
1571		W	03/05/93		03/11/93			6	T
1572	ER	W	03/05/93		03/12/93			7	T
1573		W	03/05/93		03/10/93			5	T
1574		W	03/05/93		03/10/93			5	T
1576		W	03/06/93		03/10/93			4	T
1577		W	03/06/93		03/10/93			4	T
1578		W	03/06/93		03/11/93			5	T
1579		W	03/06/93		03/11/93			5	T
1580		W	03/06/93		03/11/93			5	T
1581		W	03/06/93		03/11/93			5	T
1582	ER	W	03/06/93		03/12/93			6	T
1584		W	03/07/93		03/11/93			4	T
1585	ER	W	03/07/93		03/12/93			5	T
1586		W	03/07/93		03/11/93			4	T
1587		W	03/07/93		03/11/93			4	T
1588		W	03/07/93		03/11/93			4	T
1589		W	03/07/93		03/11/93			4	T
1590		W	03/07/93		03/11/93			4	T
1592	FB	W	03/08/93		03/11/93			3	T
1593		W	03/17/93		03/25/93			8	T
1594		W	03/17/93		03/25/93			8	T
1596	ER	W	03/17/93		03/24/93			7	T
1547		W	03/03/93		03/09/93			6	T
1548	FB	W	03/03/93		03/09/93			6	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *PHC - INITIAL CALIBRATION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

CAL DATE	COMPOUND	SDG	RRF1	RRF2	RRF3	RRF4	RRF5	RRFC	CHKC	RRFI	%RSD	CHK %RSD
08/24/92	TPH BY JP-4 STD	1596	28214	34830	33019	33779	37371	33443	T	33443	10.0	T
10/01/92	TPH BY GAS STD	1561	21620	25720	23956	24906	25039	24248	T	24248	6.6	T
10/01/92	TPH BY JP-4 STD	1561	28214	34830	33019	33779	37371	33443	T	33443	10.0	T
12/07/92	TPH BY GAS STD	1570	22322	21993	20908	19707	20156	21017	T	21017	5.4	T
12/07/92	TPH BY JP-4 STD	1570	23158	27324	31013	31255	30410	28632	T	28632	12.0	T
12/07/92	TPH BY JP-4 STD	1590	23158	27324	31013	31255	30410	28632	T	28632	12.0	T
12/08/92	TPH BY GAS STD	1545	22322	21993	20908	19707	20156	21017	T	21017	5.4	T
12/08/92	TPH BY JP-4 STD	1545	23158	27324	31013	31255	30410	28632	T	28632	12.0	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *PHC - CONTINUING CALIBRATION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

CAL DATE	TIME	COMPOUND	SDG	RRFI	RRFC	%D	LIMITS
03/08/93	1843	TPH BY GAS STD	1545	259	250	3.5	T
03/08/93	2235	TPH BY JP-4 STD	1545	276	250	9.4	T
03/09/93	2109	TPH BY GAS STD	1545	274	250	8.8	T
03/09/93	2109	TPH BY GAS STD	1570	274	250	8.8	T
03/09/93	2109	TPH BY JP-4 STD	1570	265	250	5.7	T
03/09/93	2147	TPH BY JP-4 STD	1545	265	250	5.7	T
03/09/93	2147	TPH BY JP-4 STD	1590	265	250	5.7	T
03/10/93	2315	TPH BY GAS STD	1570	275	250	9.1	T
03/10/93	2315	TPH BY JP-4 STD	1570	278	250	10.1	T
03/12/93	1220	TPH BY GAS STD	1561	232	250	-7.8	T
03/12/93	1259	TPH BY JP-4 STD	1561	240	250	-4.2	T
03/12/93	1259	TPH BY JP-4 STD	1596	240	250	-4.2	T
03/23/93	1453	TPH BY JP-4 STD	1596	225	250	-11.1	T
03/25/93	1102	TPH BY JP-4 STD	1590	275	250	9.1	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *PHC - SURROGATE RECOVERY*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	QUESTION 1	QUESTION 2	QUESTION 3	QUESTION 4	QUESTION 5	QUESTION 6
1545	T	T	F		F	F
1561	T	T	F		F	F
1570	T	T	F		F	F
1590	T	T	F		F	F
1596	T	T	F		F	F

Question 1) Were recoveries on form III verified?
Question 2) Were all recoveries >= 10%?
Question 3) Was surrogate recovery a problem?
Question 4) If 3) is T, is there evidence of purging, reinjection, or re-extraction?
Question 5) Were there two blanks with surrogates outside criteria?
Question 6) Were there two or more analyses for a fraction?

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *PHC - BLANKS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

BLANK NUMBER	SAMPLE TYPE	COMPOUND	RT	TCL or TIC	CONCENTRATION	UNITS	QCODE
1556	FB	TPH BY GAS STD		TCL	0.03	µg/L	J
1556	FB	TPH BY JP-4 STD		TCL	0.02	µg/L	J
1592	FB	TPH BY GAS STD		TCL	0.08	µg/L	J
1592	FB	TPH BY JP-4 STD		TCL	0.06	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *PHC - BLANKS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1548* ENDING SAMPLE #: *1592*

BLANK NUMBER	SAMPLE TYPE	SDG	MATRIX
1556	FB	1545	W
1592	FB	1570	W
1548	FB	1545	W

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *PHC - BLANK SPIKE*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE NUMBER	SAMP TYPE	SDG	COMPOUND	SPIKE ADDED	SAMPLE CONCENTRATION	BLANK SPIKE	LAB BS % R	CAL % R	LIMIT
1561		1561	TPH BY GAS STD	50.0000	0.0000	45.0000	90.0000	90.0	T
1561		1561	TPH BY JP-4 STD	50.0000	0.0000	49.0000	98.0000	98.0	T
1566		1545	GAS	50.0000	0.0000	52.0000	104.0000	104.0	T
1566		1545	JP-4	50.0000	0.0000	50.0000	100.0000	100.0	T
1571		1570	TPH BY GAS STD	50.0000	0.0000	56.0000	106.0000	112.0	T
1571		1570	TPH BY JP-4 STD	50.0000	0.0000	41.0000	82.0000	82.0	T
1593		1590	TPH BY JP-4 STD	50.0000	0.0000	41.0000	82.0000	82.0	T
1596	ER	1596	TPH BY JP-4 STD	50.0000	0.0000	49.0000	98.0000	98.0	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *PHC - FIELD DUPLICATES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SDG	SAMPNUM	SAMPTYPE	DUPNUM	DUPTYPE	COMPOUND	RT	SAMP CON	DUP CON	RPD
1545	1551		1552	WR	TPH BY GAS STD		2.40	2.60	8.00
1545	1551		1552	WR	TPH BY JP-4 STD		1.80	1.90	5.41

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
ANALYSIS: *PHC - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

TCL/ TIC	COMPOUND	RT	MATRIX	NUMBER OF SAMPLES	HIGH CON	LOW CON	MEAN CON	IDL
TCL	TPH BY GAS STD		S	1	0.07	0.07	0.07	NA
TCL	TPH BY GAS STD		W	13	14.00	0.00	1.75	NA
TCL	TPH BY JP-4 STD		S	1	0.05	0.05	0.05	NA
TCL	TPH BY JP-4 STD		W	12	10.00	0.01	1.37	NA

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
ANALYSIS: *PHC - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1551		1.00	1545	TPH BY GAS STD		TCL	2.40	µg/L	
1551		1.00	1545	TPH BY JP-4 STD		TCL	1.80	µg/L	
1552	WR	1.00	1545	TPH BY GAS STD		TCL	2.60	µg/L	
1552	WR	1.00	1545	TPH BY JP-4 STD		TCL	1.90	µg/L	
1556	FB	1.00	1545	TPH BY GAS STD		TCL	0.03	µg/L	J
1556	FB	1.00	1545	TPH BY JP-4 STD		TCL	0.02	µg/L	J
1557		1.00	1545	TPH BY GAS STD		TCL	0.02	µg/L	J
1557		1.00	1545	TPH BY JP-4 STD		TCL	0.01	µg/L	J
1562		1.00	1561	TPH BY GAS STD		TCL	0.07	mg/kg	JB
1562		1.00	1561	TPH BY JP-4 STD		TCL	0.05	mg/kg	JB
1571		1.00	1570	TPH BY GAS STD		TCL	0.15	µg/L	
1571		1.00	1570	TPH BY JP-4 STD		TCL	0.11	µg/L	J
1572	ER	1.00	1561	TPH BY GAS STD		TCL	0.04	µg/L	B
1572	ER	1.00	1561	TPH BY JP-4 STD		TCL	0.03	µg/L	B
1576		1.00	1570	TPH BY GAS STD		TCL	0.05	µg/L	J
1576		1.00	1570	TPH BY JP-4 STD		TCL	0.04	µg/L	J
1578		1.00	1570	TPH BY GAS STD		TCL	0.00	µg/L	J
1578		1.00	1570	TPH BY GAS STD		TCL	1.60	mg/L	
1578		1.00	1570	TPH BY JP-4 STD		TCL	1.20	mg/L	
1580		1.00	1570	TPH BY GAS STD		TCL	1.80	mg/L	
1580		1.00	1570	TPH BY JP-4 STD		TCL	1 3[illegible]	mg/L	
1581		1.00	1570	TPH BY GAS STD		TCL	14.00	mg/L	
1581		1.00	1570	TPH BY JP-4 STD		TCL	10.00	mg/L	
1582	ER	1.00	1561	TPH BY GAS STD		TCL	0.02	µg/L	JB
1582	ER	1.00	1561	TPH BY JP-4 STD		TCL	0.01	µg/L	B
1592	FB	1.00	1570	TPH BY GAS STD		TCL	0.08	µg/L	J
1592	FB	1.00	1570	TPH BY JP-4 STD		TCL	0.06	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/26/94*
ANALYSIS: *VOL - HOLDING TIMES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	MATRIX	SAMPLE DATE	EXTRACTION DATE	ANALYSIS DATE	EXTRACTION DAYS	EXTRACTION ACCEPTABLE	ANALYSIS DAYS	ANALYSIS ACCEPTABLE
1545	TB	W	03/03/93		03/07/93			4	T
1546		W	03/03/93		03/07/93			4	T
1547		W	03/03/93		03/08/93			5	T
1548	FB	W	03/03/93		03/07/93			4	T
1550		W	03/03/93		03/07/93			4	T
1551		W	03/03/93		03/08/93			5	T
1552	WR	W	03/03/93		03/07/93			4	T
1553	TB	W	03/04/93		03/08/93			4	T
1554		W	03/04/93		03/09/93			5	T
1555		W	03/04/93		03/09/93			5	T
1556	FB	W	03/04/93		03/09/93			5	T
1557		W	03/04/93		03/09/93			5	T
1558	ER	W	03/04/93		03/08/93			4	T
1559		W	03/04/93		03/09/93			5	T
1560		W	03/04/93		03/09/93			5	T
1565	TB	W	03/05/93		03/11/93			6	T
1566		W	03/05/93		03/11/93			6	T
1567		W	03/05/93		03/11/93			6	T
1568	WR	W	03/05/93		03/11/93			6	T
1569		W	03/05/93		03/11/93			6	T
1570	WR	W	03/05/93		03/11/93			6	T
1571		W	03/05/93		03/11/93			6	T
1572	ER	W	03/05/93		03/11/93			6	T
1573		W	03/05/93		03/11/93			6	T
1574		W	03/05/93		03/11/93			6	T
1575	TB	W	03/06/93		03/11/93			5	T
1577		W	03/06/93		03/11/93			5	T
1578		W	03/06/93		03/11/93			5	T
1579		W	03/06/93		03/11/93			5	T
1580		W	03/06/93		03/11/93			5	T
1584		W	03/07/93		03/11/93			4	T
1585	ER	W	03/07/93		03/11/93			4	T
1586		W	03/07/93		03/11/93			4	T
1587		W	03/07/93		03/11/93			4	T
1588		W	03/07/93		03/11/93			4	T
1589		W	03/07/93		03/11/93			4	T
1590		W	03/07/93		03/11/93			4	T
1591	TB	W	03/08/93		03/11/93			3	T
1592	FB	W	03/08/93		03/11/93			3	T
1593		W	03/17/93		03/19/93			2	T
1595		W	03/17/93		03/19/93			2	T
1596	ER	W	03/17/93		03/19/93			2	T
1597	TB	W	03/17/93		03/19/93			2	T
1582	ER	W	03/06/93		03/11/93			5	T
1549		W	03/03/93		03/07/93			4	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *VOL - INITIAL CALIBRATION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

CALIBRA. DATE	COMPOUND	SDG	RRF1	RRF2	RRF3	RRF4	RRF5	RRFC	CHKC	RRFI	%RSD	CHK %RSD LIMIT	ERRAT COMP
01/29/93	2-BUTANONE	1590	0.353	0.197	0.240	0.233	0.207	0.246	T	0.246	25.4	T	T
01/29/93	4-METHYL-2-PENTANONE	1590	0.199	0.212	0.223	0.223	0.193	0.210	T	0.210	6.5	T	T
01/29/93	CHLOROETHANE	1590	0.304	0.102	0.185	0.274	0.330	0.239	T	0.239	39.4	F	T
02/11/93	2-BUTANONE	1570	0.607	0.463	0.367	0.415	0.377	0.446	T	0.446	21.9	T	T
02/11/93	ACETONE	1570	0.485	0.408	0.267	0.249	0.218	0.325	T	0.325	35.4	F	T
02/26/93	4-METHYL-2-PENTANONE	1545	0.237	0.270	0.262	0.304	0.292	0.273	T	0.273	9.6	T	T
02/26/93	CHLOROMETHANE	1545	1.048	0.756	0.808	0.704	0.744	0.812	T	0.812	16.9	T	T
03/10/93	2-BUTANONE	1570	1.064	0.542	0.276	0.292	0.334	0.502	T	0.502	66.2	F	T
03/10/93	2-HEXANONE	1570	0.289	0.228	0.143	0.169	0.173	0.200	T	0.200	29.1	T	T
03/10/93	4-METHYL-2-PENTANONE	1570	0.526	0.494	0.286	0.322	0.307	0.387	T	0.387	29.3	T	T
03/10/93	ACETONE	1570	0.085	0.180	0.098	0.139	0.169	0.134	T	0.134	31.3	F	T
03/10/93	CHLOROETHANE	1570	0.317	0.453	0.592	0.644	0.497	0.501	T	0.501	25.4	T	T
03/10/93	CHLOROMETHANE	1570	0.468	0.834	0.708	0.514	0.500	0.605	T	0.605	26.3	T	T
03/11/93	2-HEXANONE	1590	0.142	0.085	0.079	0.087	0.094	0.097	T	0.097	26.2	T	T
03/11/93	ACETONE	1590	0.226	0.254	0.116	0.114	0.119	0.166	T	0.166	41.3	F	T
03/11/93	CHLOROMETHANE	1590	1.351	1.038	0.745	0.829	0.828	0.958	T	0.958	25.6	T	T
03/11/93	CIS-1,3-DICHLOROPROPENE	1590	0.578	0.482	0.482	0.492	0.551	0.517	T	0.517	8.6	T	F

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *VOL - INITIAL CALIBRATION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

Calib. Date	Compound	SDG	% RSD Largest Excluded	RSD Chk > 30%	% RSD Smallest Excluded	RSD Chk > 30%
01/29/93	CHLOROETHANE	1590	42.3	F	42.2	F
02/11/93	ACETONE	1570	29.5	T	48.1	F
03/10/93	2-BUTANONE	1570	34.1	F	116.7	F
03/10/93	ACETONE	1570	31.3	F	37.3	F
03/11/93	ACETONE	1590	38.2	F	57.2	F

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/26/94*
ANALYSIS: *VOL - CONTINUING CALIBRATION*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

CALIBRA. DATE	TIME	COMPOUND	SDG	RRF INIT	RRF CONT	% D	LIMITS	ERRAT COMP
03/07/93	1638	1,1,2,2-TETRACHLOROETHANE	1545	0.452	0.438	3.1	T	F
03/07/93	1638	1,2-DICHLOROETHANE	1545	2.415	1.836	24.0	T	F
03/07/93	1638	CHLOROETHANE	1545	0.668	0.840	-25.7	F	T
03/08/93	1145	1,2-DICHLOROETHANE	1545	2.415	1.703	29.5	F	F
03/08/93	1145	ACETONE	1545	0.229	0.161	29.7	F	T
03/08/93	1145	XYLENES (TOTAL)	1545	0.626	0.575	8.1	F	
03/08/93	2209	1,1,2,2-TETRACHLOROETHANE	1545	0.452	0.356	21.2	T	F
03/08/93	2209	1,2-DICHLOROETHANE	1545	2.415	1.636	32.3	F	F
03/08/93	2209	2-HEXANONE	1545	0.134	0.095	29.1	F	T
03/08/93	2209	4-METHYL-2-PENTANONE	1545	0.273	0.201	26.4	F	T
03/08/93	2209	ACETONE	1545	0.229	0.127	44.5	F	T
03/08/93	2209	BENZENE	1545	1.025	0.970	5.4	T	F
03/08/93	2209	CHLOROETHANE	1545	0.668	0.925	-38.5	F	T
03/08/93	2209	STYRENE	1545	1.011	1.039	-2.8	T	F
03/09/93	1027	1,1,2,2-TETRACHLOROETHANE	1545	0.452	0.334	26.1	F	F
03/09/93	1027	1,2-DICHLOROETHANE	1545	2.415	1.596	33.9	F	F
03/09/93	1027	2-HEXANONE	1545	0.134	0.083	38.1	F	T
03/09/93	1027	4-METHYL-2-PENTANONE	1545	0.273	0.188	31.1	F	T
03/09/93	1027	ACETONE	1545	0.229	0.127	44.5	F	T
03/09/93	1027	CHLOROETHANE	1545	0.668	0.978	-46.4	F	T
03/09/93	1027	VINYL CHLORIDE	1545	0.812	0.973	-19.8	T	F
03/10/93	0650	1,2-DICHLOROETHANE	1570	2.755	3.347	-21.5	T	F
03/10/93	0650	2-BUTANONE	1570	0.502	0.316	37.1	F	T
03/10/93	0650	4-METHYL-2-PENTANONE	1570	0.387	0.287	25.8	F	T
03/10/93	0650	BROMOMETHANE	1570	0.837	0.628	25.0	T	F
03/10/93	0650	CARBON DISULFIDE	1570	2.460	2.991	-21.6	T	T
03/11/93	0303	1,1-DICHLOROETHENE	1570	0.930	1.082	-16.3	T	F
03/11/93	0303	2-BUTANONE	1545	0.446	0.343	23.1	T	T
03/11/93	0303	2-BUTANONE	1570	0.446	0.343	23.1	T	T
03/11/93	0303	ACETONE	1545	0.325	0.215	33.8	F	T
03/11/93	0303	ACETONE	1570	0.325	0.215	33.8	F	T
03/11/93	0303	CHLOROETHANE	1570	0.576	0.692	-20.1	T	T
03/11/93	0303	CHLOROMETHANE	1545	0.570	1.107	-94.2	F	T
03/11/93	0303	CHLOROMETHANE	1570	0.570	1.107	-94.2	F	T
03/11/93	0303	ETHYLBENZENE	1545	0.376	0.385	-2.4	T	F
03/11/93	1807	ACETONE	1590	0.166	0.127	23.5	T	T
03/11/93	1807	VINYL CHLORIDE	1590	0.940	0.838	10.9	T	F
03/19/93	0853	1,2-DICHLOROPROPANE	1590	0.383	0.288	24.8	T	T
03/19/93	0853	2-BUTANONE	1590	0.246	0.082	66.7	F	T
03/19/93	0853	2-HEXANONE	1590	0.120	0.048	60.0	F	T
03/19/93	0853	4-METHYL-2-PENTANONE	1590	0.210	0.122	41.9	F	T
03/19/93	0853	ACETONE	1590	0.159	0.067	57.9	F	T
03/19/93	0853	CHLOROETHANE	1590	0.239	0.355	-48.5	F	T
03/19/93	0853	CIS-1,3-DICHLOROPROPENE	1590	0.547	0.413	24.5	T	F
03/19/93	0853	TRANS-1,3-DICHLOROPROPENE	1590	0.358	0.266	25.7	F	F

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *VOL - TUNING*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	LAB ID NUMBER	COMPOUND	EXP	FORM	SPEC	176 m/z RELATIVE ABUN	174 m/z RELATIVE ABUN	CALC % ABUN	LAB % ABUN	CALC ERROR	LIMIT
1545	BF930307B56	BFB		Y	Y	70.60	71.60	98.60	98.60	F	T
1545	BF930308A56	BFB		Y	Y	73.40	75.70	96.96	97.00	F	T
1545	BF930308B56	BFB		Y	Y	71.40	73.40	97.28	97.30	F	T
1545	BF930309A56	BFB		Y	Y	64.10	68.20	93.99	94.00	F	F
1545	BF930311B03	BFB		Y	Y	85.20	91.40	93.22	93.20	F	F
1570	930311B03	BFB		Y	Y	85.20	91.40	93.22	93.20	F	F
1570	930311C51	BFB		Y	Y	97.50	97.40	100.10	100.10	F	T
1590	930311B56	BFB		Y	Y	75.10	76.40	98.30	98.30	F	T
1590	930319A53	BFB		Y	Y	84.00	85.40	98.36	98.40	F	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/26/94*
ANALYSIS: *VOL - SURROGATE RECOVERY*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SDG	QUESTION 1	QUESTION 2	QUESTION 3	QUESTION 4	QUESTION 5	QUESTION 6
1545	T	T	F		F	F
1570	T	T	F		F	F
1590	T	T	F		F	F

Question 1) Were recoveries on form III verified?
Question 2) Were all recoveries >= 10%?
Question 3) Was surrogate recovery a problem?
Question 4) If 3) is T, is there evidence of purging, reinjection, or re-extraction?
Question 5) Were there two blanks with surrogates outside criteria?
Question 6) Were there two or more analyses for a fraction?

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/26/94*
ANALYSIS: *VOL - BLANKS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

BLANK NUMBER	SAMPLE TYPE	COMPOUND	RT	TCL or TIC	CONCENTRATION	UNITS	QCODE
1548	FB	METHYLENE CHLORIDE		TCL	4.00	µg/L	
1548	FB	CARBON DISULFIDE		TCL	2.00	µg/L	
1545	TB	METHYLENE CHLORIDE		TCL	4.00	µg/L	
1545	TB	ACETONE		TCL	10.00	µg/L	
1553	TB	METHYLENE CHLORIDE		TCL	2.00	µg/L	
1553	TB	ACETONE		TCL	7.00	µg/L	
1556	FB	METHYLENE CHLORIDE		TCL	5.00	µg/L	
1556	FB	CHLOROFORM		TCL	13.00	µg/L	
1556	FB	BROMODICHLOROMETHANE		TCL	6.00	µg/L	
1556	FB	DIBROMOCHLOROMETHANE		TCL	2.00	µg/L	
1565	TB	METHYLENE CHLORIDE		TCL	3.00	µg/L	J
1575	TB	METHYLENE CHLORIDE		TCL	2.00	µg/L	J
1591	TB	METHYLENE CHLORIDE		TCL	20.00	µg/L	
1591	TB	CARBON DISULFIDE		TCL	1.00	µg/L	J
1592	FB	CHLOROFORM		TCL	1.00	µg/L	J
1592	FB	BENZENE		TCL	10.00	µg/L	
1592	FB	ETHYLBENZENE		TCL	2.00	µg/L	J
1592	FB	METHYLENE CHLORIDE		TCL	30.00	µg/L	
1592	FB	XYLENES (TOTAL)		TCL	3.00	µg/L	J
1597	TB	METHYLENE CHLORIDE		TCL	1.00	µg/L	J
VBLKD5	MB	METHYLENE CHLORIDE		TCL	1.00	µg/L	J
VBLKG4	MB	METHYLENE CHLORIDE		TCL	1.00	µg/L	J
VBLKG6	MB	METHYLENE CHLORIDE		TCL	2.00	µg/L	J
VBLKG7	MB	METHYLENE CHLORIDE		TCL	5.00	µg/L	J
VBLKG4	MB	METHYLENE CHLORIDE		TCL	1.00	µg/L	J
VBLKH5	MB	METHYLENE CHLORIDE		TCL	4.00	µg/L	J
VBLKH4	MB	METHYLENE CHLORIDE		TCL	4.00	µg/L	J
VBLKN2	MB	METHYLENE CHLORIDE		TCL	2.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *VOL - BLANKS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

BLANK NUMBER	SAMPLE TYPE	SDG	MATRIX
1545	TB	1545	W
1548	FB	1545	W
1553	TB	1545	W
1556	FB	1545	W
1565	TB	1570	W
1575	TB	1570	W
1591	TB	1590	W
1592	FB	1590	W
1597	TB	1590	W
VBLKD5	MB	1545	W
VBLKG4	MB	1545	W
VBLKG6	MB	1545	W
VBLKG7	MB	1545	W
VBLKG4	MB	1570	W
VBLKH5	MB	1570	W
VBLKH4	MB	1590	W
VBLKN2	MB	1590	W

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *VOL - MS/MSD*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE NUMBER	SAMP TYPE	SDG	COMPOUND	SPIKE ADDED	SAMPLE RESULT	MATRIX SPIKE	MSD	MS %	MS VER	MSD %	MSD VER	CAL RPD	RPD VER
1566		1545	1,1-DICHLOROETHENE	50.00	0.00	51.46	52.64	102.92	T	105.28	T	-2	T
1566		1545	TOLUENE	50.00	0.00	44.84	47.46	89.68	T	94.92	T	-6	T
1571		1570	BENZENE	50.00	15.14	68.29	65.92	106.30	T	101.56	T	4	T
1571		1570	CHLOROBENZENE	50.00	0.00	47.18	45.68	94.36	T	91.36	T	3	T
1592	FB	1590	BENZENE	50.00	9.60	63.34	59.80	107.48	T	100.40	T	6	T
1592	FB	1590	TRICHLOROETHENE	50.00	0.00	49.60	48.37	99.20	T	96.74	T	3	T

A field blank was used for this analysis.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *VOL - FIELD DUPLICATES*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	SAMPNUM	SAMPTYPE	DUPNUM	DUPTYPE	COMPOUND	RT	SAMP CON	DUP CON	RPD
1545	1551		1552	WR	BENZENE		24.00	23.00	4.26
1545	1551		1552	WR	CYCLOHEXANE	7.47	32.00	39.00	19.72
1545	1551		1552	WR	ETHENYLMETHYLBENZENE	18.20	19.00	18.00	5.41
1545	1551		1552	WR	ETHYLBENZENE		27.00	24.00	11.76
1545	1551		1552	WR	ETHYLMETHYLBENZENE	16.48	62.00	58.00	6.67
1545	1551		1552	WR	ETHYLMETHYLBENZENE	16.98	62.00	60.00	3.28
1545	1551		1552	WR	METHYLPROPYLBENZENE	17.62	13.00	15.00	14.29
1545	1551		1552	WR	PROPYLBENZENE	16.28	16.00	14.00	13.33
1545	1551		1552	WR	TOLUENE		37.00	33.00	11.43
1545	1551		1552	WR	TRICHLOROETHENE		8.00	9.00	11.76
1545	1551		1552	WR	TRIMETHYLBENZENE	17.33	120.00	110.00	8.70
1545	1551		1552	WR	TRIMETHYLBENZENE	17.97	36.00	36.00	0.00
1545	1551		1552	WR	XYLENES (TOTAL)		450.00	450.00	0.00

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *VOL - INTERNAL STANDARDS*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SDG	FORM NUMBER	DATE	TIME	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	AREA COUNTS	RETENTION TIME
1545	930307B56	03/07/93	1638	BROMOCHLOROMETHANE	1547		T	T
1545	930308A56	03/08/93	1145	CHLOROBENZENE	1553	TB	T	T
1545	930308B56	03/08/93	2209	CHLOROBENZENE	1559		T	T
1545	930309A56	03/09/93	1027	BROMOCHLOROMETHANE	1555		T	T
1545	930311C03	03/11/93	0303	1,4-DIFLUOROBENZENE	1569		T	T
1570	930311C03	03/11/93	0303	BROMOCHLOROMETHANE	1574		T	T
1570	930311C51	03/11/93	0650	1,4-DIFLUOROBENZENE	1587		T	T
1590	930311B56	03/11/93	1807	CHLOROBENZENE	1591	TB	T	T
1590	930319A53	03/19/93	0853	1,4-DIFLUOROBENZENE	1596	ER	T	T

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/26/94*
ANALYSIS: *VOL - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

TCL/ TIC	COMPOUND	RT	MATRIX	NUMBER OF SAMPLES	HIGH CON	LOW CON	MEAN CON	IDL
TCL	1,2-DICHLOROETHANE		W	1	2.00	2.00	2.00	5.00
TCL	1,2-DICHLOROETHENE (TOTAL)		W	2	18.00	4.00	11.00	5.00
TCL	ACETONE		W	3	10.00	2.00	6.33	10.00
TCL	BENZENE		W	7	2100.00	10.00	374.14	5.00
TCL	BROMODICHLOROMETHANE		W	1	6.00	6.00	6.00	5.00
TCL	CARBON DISULFIDE		W	6	14.00	1.00	4.83	5.00
TCL	CHLOROFORM		W	5	13.00	1.00	3.40	5.00
TCL	DIBROMOCHLOROMETHANE		W	1	2.00	2.00	2.00	5.00
TCL	ETHYLBENZENE		W	7	480.00	2.00	89.43	5.00
TCL	METHYLENE CHLORIDE		W	39	51.00	1.00	8.23	5.00
TCL	TOLUENE		W	5	37.00	1.00	16.00	5.00
TCL	TRICHLOROETHENE		W	3	9.00	2.00	6.33	5.00
TCL	XYLENES (TOTAL)		W	7	1000.00	3.00	291.71	NA
TIC	ALKYL BENZENE	17.72	W	1	18.00	18.00	18.00	NA
TIC	CYCLOHEXANE	7.47	W	2	39.00	32.00	35.50	NA
TIC	CYCLOHEXANE	8.47	W	1	510.00	510.00	510.00	NA
TIC	CYCLOHEXANE, METHYL-	10.10	W	1	330.00	330.00	330.00	NA
TIC	ETHENYLMETHYLBENZENE	17.68	W	1	40.00	40.00	40.00	NA
TIC	ETHENYLMETHYLBENZENE	18.20	W	2	19.00	18.00	18.50	NA
TIC	ETHYLDIMETHYLBENZENE	17.83	W	1	15.00	15.00	15.00	NA
TIC	ETHYLMETHYLBENZENE	13.67	W	1	6.00	6.00	6.00	NA
TIC	ETHYLMETHYLBENZENE	14.12	W	1	7.00	7.00	7.00	NA
TIC	ETHYLMETHYLBENZENE	15.50	W	1	20.00	20.00	20.00	NA
TIC	ETHYLMETHYLBENZENE	15.52	W	1	19.00	19.00	19.00	NA
TIC	ETHYLMETHYLBENZENE	16.48	W	3	62.00	28.00	49.33	NA
TIC	ETHYLMETHYLBENZENE	16.53	W	1	78.00	78.00	78.00	NA
TIC	ETHYLMETHYLBENZENE	16.75	W	1	400.00	400.00	400.00	NA
TIC	ETHYLMETHYLBENZENE	16.87	W	1	71.00	71.00	71.00	NA
TIC	ETHYLMETHYLBENZENE	16.98	W	2	62.00	60.00	61.00	NA
TIC	ETHYLMETHYLBENZENE	17.10	W	1	220.00	220.00	220.00	NA
TIC	LABORATORY ARTIFACT	16.80	W	1	310.00	310.00	310.00	NA
TIC	LABORATORY ARTIFACT	16.82	W	1	9.00	9.00	9.00	NA
TIC	METHOXYMETHYLPROPANE	5.23	W	1	780.00	780.00	780.00	NA
TIC	METHYLPROPYLBENZENE	17.62	W	2	15.00	13.00	14.00	NA
TIC	PENTANE	3.98	W	1	110.00	110.00	110.00	NA
TIC	PROPYLBENZENE	16.28	W	2	16.00	14.00	15.00	NA
TIC	SUBSTITUTED BENZENE	16.83	W	1	39.00	39.00	39.00	NA
TIC	TRIMETHYLBENZENE	13.82	W	1	5.00	5.00	5.00	NA
TIC	TRIMETHYLBENZENE	14.45	W	1	5.00	5.00	5.00	NA
TIC	TRIMETHYLBENZENE	16.60	W	1	24.00	24.00	24.00	NA
TIC	TRIMETHYLBENZENE	16.63	W	1	51.00	51.00	51.00	NA
TIC	TRIMETHYLBENZENE	16.65	W	1	25.00	25.00	25.00	NA
TIC	TRIMETHYLBENZENE	16.67	W	1	23.00	23.00	23.00	NA
TIC	TRIMETHYLBENZENE	16.87	W	1	180.00	180.00	180.00	NA
TIC	TRIMETHYLBENZENE	17.05	W	1	54.00	54.00	54.00	NA
TIC	TRIMETHYLBENZENE	17.08	W	1	97.00	97.00	97.00	NA
TIC	TRIMETHYLBENZENE	17.32	W	1	550.00	550.00	550.00	NA
TIC	TRIMETHYLBENZENE	17.33	W	2	120.00	110.00	115.00	NA
TIC	TRIMETHYLBENZENE	17.53	W	1	36.00	36.00	36.00	NA
TIC	TRIMETHYLBENZENE	17.77	W	1	250.00	250.00	250.00	NA

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/26/94*
ANALYSIS: *VOL - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

TCL/ TIC	COMPOUND	RT	MATRIX	NUMBER OF SAMPLES	HIGH CON	LOW CON	MEAN CON	IDL
TIC	TRIMETHYLBENZENE	17.97	W	2	36.00	36.00	36.00	NA
TIC	UNKNOWN	5.72	W	1	210.00	210.00	210.00	NA
TIC	UNKNOWN	5.93	W	1	14.00	14.00	14.00	NA
TIC	UNKNOWN	6.13	W	1	40.00	40.00	40.00	NA
TIC	UNKNOWN	16.38	W	1	17.00	17.00	17.00	NA
TIC	UNKNOWN HYDROCARBON	4.40	W	1	17.00	17.00	17.00	NA
TIC	UNKNOWN HYDROCARBON	5.25	W	1	17.00	17.00	17.00	NA
TIC	UNKNOWN HYDROCARBON	6.93	W	1	14.00	14.00	14.00	NA
TIC	UNKNOWN HYDROCARBON	7.37	W	1	36.00	36.00	36.00	NA
TIC	UNKNOWN HYDROCARBON	7.42	W	1	80.00	80.00	80.00	NA
TIC	UNKNOWN HYDROCARBON	7.50	W	1	360.00	360.00	360.00	NA
TIC	UNKNOWN HYDROCARBON	8.32	W	1	26.00	26.00	26.00	NA
TIC	UNKNOWN HYDROCARBON	8.37	W	1	83.00	83.00	83.00	NA
TIC	UNKNOWN HYDROCARBON	10.07	W	1	34.00	34.00	34.00	NA
TIC	UNKNOWN HYDROCARBON	10.10	W	1	120.00	120.00	120.00	NA

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/26/94*
ANALYSIS: *VOL - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1545	TB	1.00	1545	ACETONE		TCL	10.00	µg/L	
1545	TB	1.00	1545	METHYLENE CHLORIDE		TCL	4.00	µg/L	
1546		1.00	1545	CARBON DISULFIDE		TCL	9.00	µg/L	
1546		1.00	1545	METHOXYMETHYLPROPANE	5.23	TIC	780.00	µg/L	J
1548	FB	1.00	1545	CARBON DISULFIDE		TCL	2.00	µg/L	
1548	FB	1.00	1545	METHYLENE CHLORIDE		TCL	4.00	µg/L	
1549		1.00	1545	ACETONE		TCL	2.00	µg/L	
1549		1.00	1545	METHYLENE CHLORIDE		TCL	3.00	µg/L	
1550		1.00	1545	METHYLENE CHLORIDE		TCL	1.00	µg/L	
1551		1.00	1545	BENZENE		TCL	24.00	µg/L	
1551		1.00	1545	CYCLOHEXANE	7.47	TIC	32.00	µg/L	J
1551		1.00	1545	ETHENYLMETHYLBENZENE	18.20	TIC	19.00	µg/L	J
1551		1.00	1545	ETHYLBENZENE		TCL	27.00	µg/L	
1551		1.00	1545	ETHYLMETHYLBENZENE	15.50	TIC	20.00	µg/L	J
1551		1.00	1545	ETHYLMETHYLBENZENE	16.48	TIC	62.00	µg/L	J
1551		1.00	1545	ETHYLMETHYLBENZENE	16.98	TIC	62.00	µg/L	J
1551		1.00	1545	METHYLPROPYLBENZENE	17.62	TIC	13.00	µg/L	J
1551		1.00	1545	PROPYLBENZENE	16.28	TIC	16.00	µg/L	J
1551		1.00	1545	TOLUENE		TCL	37.00	µg/L	
1551		1.00	1545	TRICHLOROETHENE		TCL	8.00	µg/L	
1551		1.00	1545	TRIMETHYLBENZENE	16.65	TIC	25.00	µg/L	J
1551		1.00	1545	TRIMETHYLBENZENE	17.33	TIC	120.00	µg/L	J
1551		1.00	1545	TRIMETHYLBENZENE	17.97	TIC	36.00	µg/L	J
1551		1.00	1545	XYLENES (TOTAL)		TCL	450.00	µg/L	
1552	WR	1.00	1545	BENZENE		TCL	23.00	µg/L	
1552	WR	1.00	1545	CYCLOHEXANE	7.47	TIC	39.00	µg/L	J
1552	WR	1.00	1545	ETHENYLMETHYLBENZENE	18.20	TIC	18.00	µg/L	J
1552	WR	1.00	1545	ETHYLBENZENE		TCL	24.00	µg/L	
1552	WR	1.00	1545	ETHYLMETHYLBENZENE	15.52	TIC	19.00	µg/L	J
1552	WR	1.00	1545	ETHYLMETHYLBENZENE	16.48	TIC	58.00	µg/L	J
1552	WR	1.00	1545	ETHYLMETHYLBENZENE	16.98	TIC	60.00	µg/L	J
1552	WR	1.00	1545	METHYLPROPYLBENZENE	17.62	TIC	15.00	µg/L	J
1552	WR	1.00	1545	PROPYLBENZENE	16.28	TIC	14.00	µg/L	J
1552	WR	1.00	1545	TOLUENE		TCL	33.00	µg/L	
1552	WR	1.00	1545	TRICHLOROETHENE		TCL	9.00	µg/L	
1552	WR	1.00	1545	TRIMETHYLBENZENE	16.67	TIC	23.00	µg/L	J
1552	WR	1.00	1545	TRIMETHYLBENZENE	17.33	TIC	110.00	µg/L	J
1552	WR	1.00	1545	TRIMETHYLBENZENE	17.97	TIC	36.00	µg/L	J
1552	WR	1.00	1545	XYLENES (TOTAL)		TCL	450.00	µg/L	
1553	TB	1.00	1545	ACETONE		TCL	7.00	µg/L	
1553	TB	1.00	1545	METHYLENE CHLORIDE		TCL	2.00	µg/L	
1554		1.00	1545	CARBON DISULFIDE		TCL	2.00	µg/L	
1554		1.00	1545	METHYLENE CHLORIDE		TCL	5.00	µg/L	
1555		1.00	1545	METHYLENE CHLORIDE		TCL	2.00	µg/L	
1556	FB	1.00	1545	BROMODICHLOROMETHANE		TCL	6.00	µg/L	
1556	FB	1.00	1545	CHLOROFORM		TCL	13.00	µg/L	
1556	FB	1.00	1545	DIBROMOCHLOROMETHANE		TCL	2.00	µg/L	
1556	FB	1.00	1545	METHYLENE CHLORIDE		TCL	5.00	µg/L	
1557		1.00	1545	METHYLENE CHLORIDE		TCL	5.00	µg/L	
1558	ER	1.00	1545	LABORATORY ARTIFACT	16.82	TIC	9.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/26/94*
ANALYSIS: *VOL - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1558	ER	1.00	1545	METHYLENE CHLORIDE		TCL	1.00	µg/L	
1559		1.00	1545	CARBON DISULFIDE		TCL	1.00	µg/L	
1559		1.00	1545	METHYLENE CHLORIDE		TCL	2.00	µg/L	
1560		1.00	1545	CARBON DISULFIDE		TCL	14.00	µg/L	
1560		1.00	1545	METHYLENE CHLORIDE		TCL	4.00	µg/L	
1565	TB	1.00	1570	METHYLENE CHLORIDE		TCL	3.00	µg/L	J
1566		1.00	1545	METHYLENE CHLORIDE		TCL	1.00	µg/L	
1569		1.00	1545	METHYLENE CHLORIDE		TCL	2.00	µg/L	
1570	WR	1.00	1570	METHYLENE CHLORIDE		TCL	3.00	µg/L	J
1571		1.00	1570	1,2-DICHLOROETHENE (TOTAL)		TCL	4.00	µg/L	J
1571		1.00	1570	BENZENE		TCL	15.00	µg/L	
1571		1.00	1570	ETHYLBENZENE		TCL	24.00	µg/L	
1571		1.00	1570	ETHYLMETHYLBENZENE	13.67	TIC	6.00	µg/L	J
1571		1.00	1570	ETHYLMETHYLBENZENE	14.12	TIC	7.00	µg/L	J
1571		1.00	1570	METHYLENE CHLORIDE		TCL	1.00	µg/L	J
1571		1.00	1570	TOLUENE		TCL	1.00	µg/L	J
1571		1.00	1570	TRIMETHYLBENZENE	13.82	TIC	5.00	µg/L	J
1571		1.00	1570	TRIMETHYLBENZENE	14.45	TIC	5.00	µg/L	J
1571		1.00	1570	UNKNOWN	5.93	TIC	14.00	µg/L	J
1571		1.00	1570	UNKNOWN HYDROCARBON	4.40	TIC	17.00	µg/L	J
1571		1.00	1570	UNKNOWN HYDROCARBON	5.25	TIC	17.00	µg/L	J
1571		1.00	1570	UNKNOWN HYDROCARBON	6.93	TIC	14.00	µg/L	J
1571		1.00	1570	XYLENES (TOTAL)		TCL	7.00	µg/L	J
1572	ER	1.00	1570	METHYLENE CHLORIDE		TCL	2.00	µg/L	J
1573		1.00	1570	METHYLENE CHLORIDE		TCL	1.00	µg/L	J
1574		1.00	1570	METHYLENE CHLORIDE		TCL	2.00	µg/L	J
1575	TB	1.00	1570	METHYLENE CHLORIDE		TCL	2.00	µg/L	J
1577		1.00	1570	METHYLENE CHLORIDE		TCL	2.00	µg/L	J
1578		1.00	1570	ALKYL BENZENE	17.72	TIC	18.00	µg/L	J
1578		1.00	1570	BENZENE		TCL	67.00	µg/L	
1578		1.00	1570	CHLOROFORM		TCL	1.00	µg/L	J
1578		1.00	1570	ETHYLBENZENE		TCL	55.00	µg/L	
1578		1.00	1570	ETHYLMETHYLBENZENE	16.53	TIC	78.00	µg/L	J
1578		1.00	1570	ETHYLMETHYLBENZENE	16.87	TIC	71.00	µg/L	J
1578		1.00	1570	METHYLENE CHLORIDE		TCL	31.00	µg/L	
1578		1.00	1570	TOLUENE		TCL	1.00	µg/L	J
1578		1.00	1570	TRIMETHYLBENZENE	16.63	TIC	51.00	µg/L	J
1578		1.00	1570	TRIMETHYLBENZENE	17.08	TIC	97.00	µg/L	J
1578		1.00	1570	TRIMETHYLBENZENE	17.53	TIC	36.00	µg/L	J
1578		1.00	1570	UNKNOWN	16.38	TIC	17.00	µg/L	J
1578		1.00	1570	UNKNOWN HYDROCARBON	7.42	TIC	80.00	µg/L	J
1578		1.00	1570	UNKNOWN HYDROCARBON	8.37	TIC	83.00	µg/L	J
1578		1.00	1570	UNKNOWN HYDROCARBON	10.10	TIC	120.00	µg/L	J
1578		1.00	1570	XYLENES (TOTAL)		TCL	73.00	µg/L	
1579		1.00	1570	CHLOROFORM		TCL	1.00	µg/L	J
1579		1.00	1570	METHYLENE CHLORIDE		TCL	32.00	µg/L	
1580		1.00	1570	BENZENE		TCL	380.00	µg/L	
1580		1.00	1570	ETHENYLMETHYLBENZENE	17.68	TIC	40.00	µg/L	J
1580		1.00	1570	ETHYLBENZENE		TCL	14.00	µg/L	J
1580		1.00	1570	ETHYLDIMETHYLBENZENE	17.83	TIC	15.00	µg/L	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/26/94*
ANALYSIS: *VOL - CONTAMINATION REPORT*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE NUMBER	SAMPLE TYPE	SAMPLE DILUTION	SDG	COMPOUND	RT	TCL/ TIC	CONCENTRATION	UNITS	Q FLAG
1580		1.00	1570	ETHYLMETHYLBENZENE	16.48	TIC	28.00	µg/L	J
1580		1.00	1570	METHYLENE CHLORIDE		TCL	22.00	µg/L	
1580		1.00	1570	SUBSTITUTED BENZENE	16.83	TIC	39.00	µg/L	J
1580		1.00	1570	TOLUENE		TCL	8.00	µg/L	J
1580		1.00	1570	TRIMETHYLBENZENE	16.60	TIC	24.00	µg/L	J
1580		1.00	1570	TRIMETHYLBENZENE	17.05	TIC	54.00	µg/L	J
1580		1.00	1570	UNKNOWN	6.13	TIC	40.00	µg/L	J
1580		1.00	1570	UNKNOWN HYDROCARBON	7.37	TIC	36.00	µg/L	J
1580		1.00	1570	UNKNOWN HYDROCARBON	8.32	TIC	26.00	µg/L	J
1580		1.00	1570	UNKNOWN HYDROCARBON	10.07	TIC	34.00	µg/L	J
1580		1.00	1570	XYLENES (TOTAL)		TCL	59.00	µg/L	
1582	ER	1.00	1570	METHYLENE CHLORIDE		TCL	1.00	µg/L	J
1584		1.00	1570	METHYLENE CHLORIDE		TCL	13.00	µg/L	
1585	ER	1.00	1570	METHYLENE CHLORIDE		TCL	2.00	µg/L	J
1586		1.00	1570	METHYLENE CHLORIDE		TCL	2.00	µg/L	J
1587		1.00	1570	CHLOROFORM		TCL	1.00	µg/L	J
1587		1.00	1570	METHYLENE CHLORIDE		TCL	18.00	µg/L	
1588		1.00	1570	1,2-DICHLOROETHENE (TOTAL)		TCL	18.00	µg/L	
1588		1.00	1570	METHYLENE CHLORIDE		TCL	6.00	µg/L	J
1588		1.00	1570	TRICHLOROETHENE		TCL	2.00	µg/L	J
1589		1.00	1570	METHYLENE CHLORIDE		TCL	2.00	µg/L	J
1590		1.00	1590	METHYLENE CHLORIDE		TCL	24.00	µg/L	
1591	TB	1.00	1590	CARBON DISULFIDE		TCL	1.00	µg/L	J
1591	TB	1.00	1590	METHYLENE CHLORIDE		TCL	20.00	µg/L	
1592	FB	1.00	1590	BENZENE		TCL	10.00	µg/L	
1592	FB	1.00	1590	CHLOROFORM		TCL	1.00	µg/L	J
1592	FB	1.00	1590	ETHYLBENZENE		TCL	2.00	µg/L	J
1592	FB	1.00	1590	METHYLENE CHLORIDE		TCL	30.00	µg/L	
1592	FB	1.00	1590	XYLENES (TOTAL)		TCL	3.00	µg/L	J
1593		1.00	1590	1,2-DICHLOROETHANE		TCL	2.00	µg/L	J
1593		1.00	1590	METHYLENE CHLORIDE		TCL	5.00	µg/L	J
1595		12.50	1590	BENZENE		TCL	2100.00	µg/L	
1595		12.50	1590	CYCLOHEXANE	8.47	TIC	510.00	µg/L	J
1595		12.50	1590	CYCLOHEXANE, METHYL-	10.10	TIC	330.00	µg/L	J
1595		12.50	1590	ETHYLBENZENE		TCL	480.00	µg/L	
1595		12.50	1590	ETHYLMETHYLBENZENE	16.75	TIC	400.00	µg/L	J
1595		12.50	1590	ETHYLMETHYLBENZENE	17.10	TIC	220.00	µg/L	J
1595		12.50	1590	LABORATORY ARTIFACT	16.80	TIC	310.00	µg/L	J
1595		12.50	1590	METHYLENE CHLORIDE		TCL	51.00	µg/L	J
1595		12.50	1590	PENTANE	3.98	TIC	110.00	µg/L	J
1595		12.50	1590	TRIMETHYLBENZENE	16.87	TIC	180.00	µg/L	J
1595		12.50	1590	TRIMETHYLBENZENE	17.32	TIC	550.00	µg/L	J
1595		12.50	1590	TRIMETHYLBENZENE	17.77	TIC	250.00	µg/L	J
1595		12.50	1590	UNKNOWN	5.72	TIC	210.00	µg/L	J
1595		12.50	1590	UNKNOWN HYDROCARBON	7.50	TIC	360.00	µg/L	J
1595		12.50	1590	XYLENES (TOTAL)		TCL	1000.00	µg/L	
1596	ER	1.00	1590	METHYLENE CHLORIDE		TCL	4.00	µg/L	J
1597	TB	1.00	1590	METHYLENE CHLORIDE		TCL	1.00	µg/L	J

EXPLANATION OF THE ERROR MESSAGES.

The error messages refer to the actions taken when problems exist with the laboratory quality contol items. The USEPA Functional Guidelines for the Validation of Organic and Inorganic Data detail the action to be taken.

The error messages are short explanations on what causes the QCode to be changed to a lower quality level, as indicated by the QFinal code.

NOTE: If results are qualified due to the 5X/10X rule for Method Blank contamination, it takes precidence over all other problems.

Extraction/Analysis Holding Times

The recommended extraction or analysis holding time limit was exceeded by the laboratory. Positive results are changed to "J". Nondetects are flagged using professional judgement and can be flagged as unusable (R).

GC/MS Instrument Performance Check

Expanded criteria was used by the laboratory and the ion abundance criteria was exceeded. Associated data is flagged unusable (R).

GC/MS Instrument Performance Check

Instrument performance criteria was exceeded by the laboratory. Professional judgement must be used in evaluating the data.

Initial Calibration RRF

The average of the relative response factors did not exceed required minimum limits. Positive results are flagged as estimated (J) and nondetects are flagged as unusable (R).

Continuing Calibration RRF

The relative response factor did not exceed the required minimum limits. If the RRF < .05, positive results are flagged as estimated (J) and nondetects as unusable (R).

Initial Calibration %RSD

The percent relative standard deviation exceeded the required limits. If the RRF > .05, positive results are flagged as estimated (J) and professional judgement must be used on nondetects. If the RRF < .05, positive results are flagged as estimated (J) and nondetects as unusable (R).

Continuing Calibration %D

The percent difference exceeded the required limits and RRF > .05 positive results are flagged as estimated (J) and nondetects as "UJ". If the percent difference exceeded the required limits and rrf < .05 positive results are flagged as estimated (J) and nondetects as unusable (R).

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
LABORATORY: *COMPUCHEM LABORATORIES INC*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*

EXPLANATION OF THE ERROR MESSAGES.

Method Blank Contamination (5X/10X Rule)
The sample result is flagged "R" if the result does not exceed the method blank result by the 5 times or 10 times factor, depending upon the compound and its specific limit.

Internal Standard (Area Count)
The internal standard area count is outside of the -50% and +100% window. Positive results should be flagged as estimated (J). Nondetected compounds using an IS area count less than 50% are qualified as UJ.

Internal Standard (Retention Time)
The internal standard retention time varies by more than 30 sec. The chromatographic profile for the sample must be examined and if large magnitude shifts are observed, the reviewer may consider partial or total rejection of the data.

Linearity Calibration (Correlation Coefficient)
The linearity calibration did not result in a correlation coefficient that is greater than the required minimum limit. Results that are > IDL are qualified as J and results that are < IDL are qualified as UJ.

Percent Relative Standard Deviation (%RSD)
The %RSD exceeds the required maximum limit for the Initial Calibration. Positive results are qualified as estimated (J) and are qualified by professional judgement.

Percent Difference (%D)
The %D exceeds the required maximum limit for the Continuing Calibration. Positive results are qualified as estimated (J). Nondetects are qualified as UJ.

Percent Recovery (%R)
The %R between the True and Found concentrations exceeds the required limit. Positive results are qualified either J or UJ according to the actual %R result.
Nondetect results are qualified UJ or R according to the actual %R result.

The Percent Recovery (%R) for the Laboratory Control Samples (LCS)
The %R exceeds the required limits for the LCS tests.
Positive results are qualified J or UJ according to the actual %R result.
Nondetect results are qualified UJ or R according to the actual %R result.

The %R for ICP Interference Test Samples
The %R exceeds the required limits. Positive results are qualifie J or UJ according to the actual %R result.
Nondetect results are qualified UJ or R according to the actual %R result.

PROJECT: *NEVADA AIR NATIONAL GUARD* **DATE:***03/30/94*
LABORATORY: *COMPUCHEM LABORATORIES INC*
REVIEWER: *DENNIS MARTY* **DATA VALIDATION LEVEL:***C*

EXPLANATION OF THE ERROR MESSAGES.

The %D for the ICP Serial Dilutions test
The %D exceeds the required limits. Associated data is qualified estimated (J).

DDT Response Time
The DDT Response Time is outside of the required response time windows. If adequate separation is not achieved all associated compound data is qualified R.

Response Time (RT) Windows
The compound RT is outside of the required RT window. Additional review is required of the sample chromatograms.

PHC, Sample Result Verification
The compound RT is outside of the required RT window. Additional review is required of the sample chromatograms.

EXPLANATION OF THE PROFESSIONAL JUDGEMENT MESSAGES.

The Relative Percent Difference (RPD)
The matrix spike/matrix spike duplicate (MS/MSD) RPD is outside of recommended limits. Professional Judgement must be used in the evaluation of the data.

The Matrix Spike %R
The MS/MSD percent recovery for the matrix spike is outside of recommended limits. Professional Judgement must be used in the evaluation of the data.

The Matrix Spike Duplicate %R
The MS/MSD percent recovery for the matrix spike duplicate is outside of recommended limits. Professional Judgement must be used in the evaluation of the data.

The Matrix Spike Recovery
The MS report percent recovery for the matrix spike is outside of recommended limits. Professional Judgement must be used in the evaluation of the data.

The Blank Spike Percent Recovery
The Blank Spike percent recovery for the matrix spike is outside of recommended limits. Professional Judgement must be used in the evaluation of the data.

The Field Duplicate Informational Flag
The relative percent difference exceeds 25% between the samples. The 25% is an arbitrary number and is an informational flag only.

The Lab Duplicate Informational Flag
The relative percent difference exceeds 25% between the dilutions. The 25% is an arbitrary number and is an informational flag only.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *02/27/94*
Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

Analysis Type	Compound	Response Time	Sample Number	Sample Type	SDG	Error that caused the change in the QFinal flag.
MET	ALUMINUM		1546		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1546		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1546		1545	Metals Corr Coef calibration outside of limits.
MET			1546		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1547		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1547		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1547		1545	Metals Corr Coef calibration outside of limits.
MET			1547		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1548	FB	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	CALCIUM		1548	FB	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET			1548	FB	1545	Matrix Spike % Recovery (Prof. Judgement)
MET	IRON		1549		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ALUMINUM		1549		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1549		1545	Metals Corr Coef calibration outside of limits.
MET			1549		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ZINC		1550		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ALUMINUM		1550		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1550		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1550		1545	Metals Corr Coef calibration outside of limits.
MET			1550		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1551		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1551		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	MERCURY		1551		1545	Metals Corr Coef calibration outside of limits.
MET	ARSENIC		1551		1545	Metals Corr Coef calibration outside of limits.
MET			1551		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1552	WR	1545	The concen. does not meet 5X/10X MB contamin. rule
MET			1552	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
MET	IRON		1552	WR	1545	The concen. does not meet 5X/10X MB contamin. rule
MET			1552	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
MET	ARSENIC		1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET			1552	WR	1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1556	FB	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1556	FB	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	MANGANESE		1556	FB	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ZINC		1556	FB	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET			1556	FB	1545	Matrix Spike % Recovery (Prof. Judgement)
MET	IRON		1557		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ALUMINUM		1557		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1557		1545	Metals Corr Coef calibration outside of limits.
MET			1557		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1558	ER	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	CALCIUM		1558	ER	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	MANGANESE		1558	ER	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ZINC		1558	ER	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET			1558	ER	1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1559		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ZINC		1559		1545	The concen. does not meet 5X/10X MB contamin. rule

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

Analysis Type	Compound	Response Time	Sample Number	Sample Type	SDG	Error that caused the change in the QFinal flag.
MET	ARSENIC		1559		1545	Metals Corr Coef calibration outside of limits.
MET			1559		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1560		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1560		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	MANGANESE		1560		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1560		1545	Metals Corr Coef calibration outside of limits.
MET			1560		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ZINC		1566		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1566		1545	Metals Corr Coef calibration outside of limits.
MET			1566		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1566	DL	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1566	DL	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	SILVER		1566	DL	1545	MET Lab Control Samples % Recovery outside limits.
MET			1566	DL	1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ZINC		1566	DL	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	MERCURY		1566	DL	1545	Metals Corr Coef calibration outside of limits.
MET	ARSENIC		1566	DL	1545	Metals Corr Coef calibration outside of limits.
MET			1566	DL	1545	Matrix Spike % Recovery (Prof. Judgement)
MET	LEAD		1566	DL	1545	Metals Corr Coef calibration outside of limits.
MET	THALLIUM		1566	DL	1545	Metals Corr Coef calibration outside of limits.
MET	IRON		1567		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ZINC		1567		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ALUMINUM		1567		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1567		1545	Metals Corr Coef calibration outside of limits.
MET			1567		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1568	WR	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1568	WR	1545	The concen. does not meet 5X/10X MB contamin. rule
MET			1568	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
MET	ARSENIC		1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET			1568	WR	1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1569		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1569		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ZINC		1569		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1569		1545	Metals Corr Coef calibration outside of limits.
MET			1569		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1570	WR	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1570	WR	1545	The concen. does not meet 5X/10X MB contamin. rule
MET			1570	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
MET	ZINC		1570	WR	1545	The concen. does not meet 5X/10X MB contamin. rule
MET			1570	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
MET	ARSENIC		1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET			1570	WR	1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1571		1570	The concen. does not meet 5X/10X MB contamin. rule
MET			1571		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	POTASSIUM		1571		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	ALUMINUM		1571	DL	1570	The concen. does not meet 5X/10X MB contamin. rule
MET			1571	DL	1570	MET ICP Serial Dilution % Diff outside of limits.
MET	POTASSIUM		1571	DL	1570	MET ICP Serial Dilution % Diff outside of limits.
MET	SELENIUM		1571	DL	1570	Matrix Spike % Recovery (Prof. Judgement)
MET	ALUMINUM		1572	ER	1545	The concen. does not meet 5X/10X MB contamin. rule

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

Analysis Type	Compound	Response Time	Sample Number	Sample Type	SDG	Error that caused the change in the QFinal flag.
MET	CALCIUM		1572	ER	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	IRON		1572	ER	1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ZINC		1573		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ALUMINUM		1573		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1573		1545	Metals Corr Coef calibration outside of limits.
MET			1573		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	ZINC		1574		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ALUMINUM		1574		1545	The concen. does not meet 5X/10X MB contamin. rule
MET	ARSENIC		1574		1545	Metals Corr Coef calibration outside of limits.
MET			1574		1545	Matrix Spike % Recovery (Prof. Judgement)
MET	POTASSIUM		1584		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	ALUMINUM		1584		1570	The concen. does not meet 5X/10X MB contamin. rule
MET			1584		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	ALUMINUM		1585	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
MET			1585	ER	1570	MET ICP Serial Dilution % Diff outside of limits.
MET	BARIUM		1585	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
MET	CALCIUM		1585	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
MET	SODIUM		1585	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
MET	POTASSIUM		1586		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	ALUMINUM		1586		1570	The concen. does not meet 5X/10X MB contamin. rule
MET			1586		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	ALUMINUM		1587		1570	The concen. does not meet 5X/10X MB contamin. rule
MET			1587		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	POTASSIUM		1587		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	ALUMINUM		1588		1570	The concen. does not meet 5X/10X MB contamin. rule
MET			1588		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	POTASSIUM		1588		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	ALUMINUM		1589		1570	The concen. does not meet 5X/10X MB contamin. rule
MET			1589		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	POTASSIUM		1589		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	ALUMINUM		1590		1570	The concen. does not meet 5X/10X MB contamin. rule
MET			1590		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	POTASSIUM		1590		1570	MET ICP Serial Dilution % Diff outside of limits.
MET	POTASSIUM		1592	FB	1570	MET ICP Serial Dilution % Diff outside of limits.
MET	ALUMINUM		1592	FB	1570	MET ICP Serial Dilution % Diff outside of limits.
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1546		1545	Percent D in the ContCal exceed limits.
BNA			1546		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1548	FB	1545	Percent D in the ContCal exceed limits.
BNA			1548	FB	1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	XYLENES (TOTAL)		1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE		1552	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1552	WR	1545	Percent D in the ContCal exceed limits.
BNA			1552	WR	1545	The concen. does not meet 5X/10X MB contamin. rule
BNA			1552	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
BNA	1,3-DICHLOROBENZENE		1552	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
BNA	1,4-DICHLOROBENZENE		1552	WR	1545	Matrix Spike % Recovery problems (Prof. Judgement)
BNA			1552	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
BNA	1,2-DICHLOROBENZENE		1552	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
BNA	NAPHTHALENE		1552	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1550		1545	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

Analysis Type	Compound	Response Time	Sample Number	Sample Type	SDG	Error that caused the change in the QFinal flag.
BNA			1550		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1549		1545	Percent D in the ContCal exceed limits.
BNA			1549		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1547		1545	Percent D in the ContCal exceed limits.
BNA			1547		1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	XYLENES (TOTAL)		1551		1545	Percent D in the ContCal exceed limits.
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1551		1545	Percent D in the ContCal exceed limits.
BNA			1551		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	1,4-DICHLOROBENZENE		1551		1545	Matrix Spike % Recovery problems (Prof. Judgement)
VOL	ACETONE		1545	TB	1545	Percent D in the ContCal exceed limits.
VOL	ACETONE		1549		1545	Percent D in the ContCal exceed limits.
VOL	METHYLENE CHLORIDE		1553	TB	1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	ACETONE		1553	TB	1545	Percent D in the ContCal exceed limits.
VOL	METHYLENE CHLORIDE		1554		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1554		1545	Percent D in the ContCal exceed limits.
BNA			1554		1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1555		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1555		1545	Percent D in the ContCal exceed limits.
BNA			1555		1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1556	FB	1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1556	FB	1545	Percent D in the ContCal exceed limits.
BNA			1556	FB	1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1557		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1557		1545	Percent D in the ContCal exceed limits.
BNA			1557		1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1558	ER	1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1558	ER	1545	Percent D in the ContCal exceed limits.
BNA			1558	ER	1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1559		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1559		1545	Percent D in the ContCal exceed limits.
BNA			1559		1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1560		1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1566		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1566		1545	Percent D in the ContCal exceed limits.
BNA			1566		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1567		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1567		1545	Percent D in the ContCal exceed limits.
BNA			1567		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1568	WR	1545	Percent D in the ContCal exceed limits.
BNA			1568	WR	1545	The concen. does not meet 5X/10X MB contamin. rule
BNA			1568	WR	1545	Field Duplicate % RPD exceeded 50% (No Action)
VOL	METHYLENE CHLORIDE		1569		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1569		1545	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1569		1545	Percent D in the ContCal exceed limits.
BNA			1569		1545	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1565	TB	1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1570	WR	1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1571		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1572	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1573		1570	The concen. does not meet 5X/10X MB contamin. rule

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

Analysis Type	Compound	Response Time	Sample Number	Sample Type	SDG	Error that caused the change in the QFinal flag.
VOL	METHYLENE CHLORIDE		1575	TB	1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1577		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1574		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1578		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1579		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1580		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1584		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1585	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1586		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1587		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1588		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1589		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1582	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1570	WR	1570	Percent D in the ContCal exceed limits.
BNA			1570	WR	1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1570	WR	1570	Percent D in the ContCal exceed limits.
BNA			1570	WR	1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1571		1570	Percent D in the ContCal exceed limits.
BNA	BUTYLBENZYLPHTHALATE		1571		1570	Percent D in the ContCal exceed limits.
BNA			1571		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	DIETHYLPHTHALATE		1571		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1572	ER	1570	Percent D in the ContCal exceed limits.
BNA	BUTYLBENZYLPHTHALATE		1572	ER	1570	Percent D in the ContCal exceed limits.
BNA			1572	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1573		1570	Percent D in the ContCal exceed limits.
BNA			1573		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1573		1570	Percent D in the ContCal exceed limits.
BNA			1573		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	DIETHYLPHTHALATE		1573		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1574		1570	Percent D in the ContCal exceed limits.
BNA			1574		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1574		1570	Percent D in the ContCal exceed limits.
BNA			1574		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	DIETHYLPHTHALATE		1574		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1576		1570	Percent D in the ContCal exceed limits.
BNA			1576		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1576		1570	Percent D in the ContCal exceed limits.
BNA			1576		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1577		1570	Percent D in the ContCal exceed limits.
BNA			1577		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1577		1570	Percent D in the ContCal exceed limits.
BNA			1577		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1578		1570	Percent D in the ContCal exceed limits.
BNA			1578		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1578		1570	Percent D in the ContCal exceed limits.
BNA			1578		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1579		1570	Percent D in the ContCal exceed limits.
BNA			1579		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1579		1570	Percent D in the ContCal exceed limits.
BNA			1579		1570	The concen. does not meet 5X/10X MB contamin. rule

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*02/27/94*
Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

Analysis Type	Compound	Response Time	Sample Number	Sample Type	SDG	Error that caused the change in the QFinal flag.
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1580		1570	Percent D in the ContCal exceed limits.
BNA			1580		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1580		1570	Percent D in the ContCal exceed limits.
BNA			1580		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	PYRENE		1581		1570	Percent D in the ContCal exceed limits.
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1582	ER	1570	Percent D in the ContCal exceed limits.
BNA			1582	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1582	ER	1570	Percent D in the ContCal exceed limits.
BNA			1582	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1584		1570	Percent D in the ContCal exceed limits.
BNA			1584		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1584		1570	Percent D in the ContCal exceed limits.
BNA			1584		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1585	ER	1570	Percent D in the ContCal exceed limits.
BNA			1585	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1585	ER	1570	Percent D in the ContCal exceed limits.
BNA			1585	ER	1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1586		1570	Percent D in the ContCal exceed limits.
BNA			1586		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1586		1570	Percent D in the ContCal exceed limits.
BNA			1586		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1587		1570	Percent D in the ContCal exceed limits.
BNA			1587		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1587		1570	Percent D in the ContCal exceed limits.
BNA			1587		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1588		1570	Percent D in the ContCal exceed limits.
BNA			1588		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BUTYLBENZYLPHTHALATE		1588		1570	Percent D in the ContCal exceed limits.
BNA			1588		1570	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1589		1570	Percent D in the ContCal exceed limits.
BNA			1589		1570	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1590		1590	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1591	TB	1590	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1592	FB	1590	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1593		1590	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1596	ER	1590	The concen. does not meet 5X/10X MB contamin. rule
VOL	METHYLENE CHLORIDE		1597	TB	1590	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1590		1590	Percent D in the ContCal exceed limits.
BNA			1590		1590	The concen. does not meet 5X/10X MB contamin. rule
BNA	BIS(2-ETHYLHEXYL)PHTHALATE		1592	FB	1590	Percent D in the ContCal exceed limits.
BNA			1592	FB	1590	The concen. does not meet 5X/10X MB contamin. rule

EXPLANATION OF THE ERROR MESSAGES.

The error messages refer to the actions taken when problems exist with the laboratory quality contol items. The USEPA Functional Guidelines for the Validation of Organic and Inorganic Data detail the action to be taken.

The error messages are short explanations on what causes the QCode to be changed to a lower quality level, as indicated by the QFinal code.

NOTE: If results are qualified due to the 5X/10X rule for Method Blank contamination, it takes precidence over all other problems.

Extraction/Analysis Holding Times

The recommended extraction or analysis holding time limit was exceeded by the laboratory. Positive results are changed to "J". Nondetects are flagged using professional judgement and can be flagged as unusable (R).

GC/MS Instrument Performance Check

Expanded criteria was used by the laboratory and the ion abundance criteria was exceeded. Associated data is flagged unusable (R).

GC/MS Instrument Performance Check

Instrument performance criteria was exceeded by the laboratory. Professional judgement must be used in evaluating the data.

Initial Calibration RRF

The average of the relative response factors did not exceed required minimum limits. Positive results are flagged as estimated (J) and nondetects are flagged as unusable (R).

Continuing Calibration RRF

The relative response factor did not exceed the required minimum limits. If the RRF < .05, positive results are flagged as estimated (J) and nondetects as unusable (R).

Initial Calibration %RSD

The percent relative standard deviation exceeded the required limits. If the RRF > .05, positive results are flagged as estimated (J) and professional judgement must be used on nondetects. If the RRF < .05, positive results are flagged as estimated (J) and nondetects as unusable (R).

Continuing Calibration %D

The percent difference exceeded the required limits and RRF > .05 positive results are flagged as estimated (J) and nondetects as "UJ". If the percent difference exceeded the required limits and rrf < .05 positive results are flagged as estimated (J) and nondetects as unusable (R).

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
LABORATORY: *COMPUCHEM LABORATORIES INC*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*

EXPLANATION OF THE ERROR MESSAGES.

Method Blank Contamination (5X/10X Rule)
The sample result is flagged "R" if the result does not exceed the method blank result by the 5 times or 10 times factor, depending upon the compound and its specific limit.

Internal Standard (Area Count)
The internal standard area count is outside of the -50% and +100% window. Positive results should be flagged as estimated (J). Nondetected compounds using an IS area count less than 50% are qualified as UJ.

Internal Standard (Retention Time)
The internal standard retention time varies by more than 30 sec. The chromatographic profile for the sample must be examined and if large magnitude shifts are observed, the reviewer may consider partial or total rejection of the data.

Linearity Calibration (Correlation Coefficient)
The linearity calibration did not result in a correlation coefficient that is greater than the required minimum limit. Results that are > IDL are qualified as J and results that are < IDL are qualified as UJ.

Percent Relative Standard Deviation (%RSD)
The %RSD exceeds the required maximum limit for the Initial Calibration. Positive results are qualified as estimated (J) and are qualified by professional judgement.

Percent Difference (%D)
The %D exceeds the required maximum limit for the Continuing Calibration. Positive results are qualified as estimated (J). Nondetects are qualified as UJ.

Percent Recovery (%R)
The %R between the True and Found concentrations exceeds the required limit. Positive results are qualified either J or UJ according to the actual %R result.
Nondetect results are qualified UJ or R according to the actual %R result.

The Percent Recovery (%R) for the Laboratory Control Samples (LCS)
The %R exceeds the required limits for the LCS tests.
Positive results are qualified J or UJ according to the actual %R result.
Nondetect results are qualified UJ or R according to the actual %R result.

The %R for ICP Interference Test Samples
The %R exceeds the required limits. Positive results are qualifie J or UJ according to the actual %R result.
Nondetect results are qualified UJ or R according to the actual %R result.

PROJECT: *NEVADA AIR NATIONAL GUARD* DATE:*03/30/94*
LABORATORY: *COMPUCHEM LABORATORIES INC*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*

EXPLANATION OF THE ERROR MESSAGES.

The %D for the ICP Serial Dilutions test
The %D exceeds the required limits. Associated data is qualified estimated (J).

DDT Response Time
The DDT Response Time is outside of the required response time windows. If adequate separation is not achieved all associated compound data is qualified R.

Response Time (RT) Windows
The compound RT is outside of the required RT window. Additional review is required of the sample chromatograms.

PHC, Sample Result Verification
The compound RT is outside of the required RT window. Additional review is required of the sample chromatograms.

EXPLANATION OF THE PROFESSIONAL JUDGEMENT MESSAGES.

The Relative Percent Difference (RPD)
The matrix spike/matrix spike duplicate (MS/MSD) RPD is outside of recommended limits. Professional Judgement must be used in the evaluation of the data.

The Matrix Spike %R
The MS/MSD percent recovery for the matrix spike is outside of recommended limits. Professional Judgement must be used in the evaluation of the data.

The Matrix Spike Duplicate %R
The MS/MSD percent recovery for the matrix spike duplicate is outside of recommended limits. Professional Judgement must be used in the evaluation of the data.

The Matrix Spike Recovery
The MS report percent recovery for the matrix spike is outside of recommended limits. Professional Judgement must be used in the evaluation of the data.

The Blank Spike Percent Recovery
The Blank Spike percent recovery for the matrix spike is outside of recommended limits. Professional Judgement must be used in the evaluation of the data.

The Field Duplicate Informational Flag
The relative percent difference exceeds 25% between the samples. The 25% is an arbitrary number and is an informational flag only.

The Lab Duplicate Informational Flag
The relative percent difference exceeds 25% between the dilutions. The 25% is an arbitrary number and is an informational flag only.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
BNA	2,4-DINITROPHENOL	1546		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1546		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1546		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1546		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1546		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1546		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1546		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1546		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1546		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1546		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1546		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1547		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1547		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1547		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1547		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1547		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1547		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1547		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1547		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1547		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1547		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1547		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1548	FB	1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1549		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1549		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1549		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1549		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1549		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1549		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1549		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1549		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1549		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1549		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1549		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1550		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1550		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1550		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1550		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1550		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1550		1545	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
BNA	HEXACHLOROBENZENE	1550		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1550		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1550		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1550		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1550		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1551		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1551		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1551		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1551		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1551		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1551		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1551		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1551		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1551		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1551		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1551		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1552	WR	1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1554		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1554		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1554		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1554		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1554		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1554		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1554		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1554		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1554		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1554		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1554		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1555		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1555		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1555		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1555		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1555		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1555		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1555		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1555		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1555		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1555		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1555		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1556	FB	1545	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
BNA	3,3'-DICHLOROBENZIDINE	1556	FB	1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1556	FB	1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1556	FB	1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1556	FB	1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1556	FB	1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1556	FB	1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1556	FB	1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1556	FB	1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1556	FB	1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1556	FB	1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1557		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1557		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1557		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1557		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1557		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1557		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1557		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1557		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1557		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1557		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1557		1545	Percen' D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1558	ER	1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1559		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1559		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1559		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1559		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1559		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1559		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1559		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1559		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1559		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1559		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1559		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1560		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1560		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1560		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1560		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1560		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1560		1545	Percent D in the ContCal exceed limits.
BNA	BIS(2-ETHYLHEXYL)PHTHALATE	1560		1545	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
BNA	HEXACHLOROBENZENE	1560		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1560		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1560		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1560		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1560		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1566		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1566		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1566		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1566		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1566		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1566		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1566		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1566		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1566		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1566		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1566		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1567		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1567		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1567		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1567		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1567		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1567		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1567		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1567		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1567		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1567		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1567		1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1568	WR	1545	Percent D in the ContCal exceed limits.
BNA	2,4-DINITROPHENOL	1569		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1569		1545	Percent D in the ContCal exceed limits.
BNA	3-NITROANILINE	1569		1545	Percent D in the ContCal exceed limits.
BNA	4-BROMOPHENYL-PHENYLETHER	1569		1545	Percent D in the ContCal exceed limits.
BNA	4-CHLOROANILINE	1569		1545	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1569		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1569		1545	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBUTADIENE	1569		1545	Percent D in the ContCal exceed limits.
BNA	INDENO(1,2,3-CD)PYRENE	1569		1545	Percent D in the ContCal exceed limits.
BNA	PENTACHLOROPHENOL	1569		1545	Percent D in the ContCal exceed limits.
BNA	PHENOL	1569		1545	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1570	WR	1570	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
BNA	4-NITROPHENOL	1570	WR	1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1570	WR	1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1570	WR	1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1570	WR	1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1570	WR	1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1570	WR	1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1570	WR	1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1571		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1571		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1571		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1571		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1571		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1571		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1571		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1571		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1572	ER	1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1572	ER	1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1572	ER	1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1572	ER	1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1572	ER	1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1572	ER	1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1572	ER	1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1572	ER	1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1573		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1573		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1573		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1573		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1573		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1573		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1573		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1573		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1574		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1574		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1574		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1574		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1574		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1574		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1574		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1574		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1576		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1576		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1576		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1576		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1576		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1576		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1576		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1576		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1577		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1577		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1577		1570	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
BNA	DI-N-BUTYLPHTHALATE	1577		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1577		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1577		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1577		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1577		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1578		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1578		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1578		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1578		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1578		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1578		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1578		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1578		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1579		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1579		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1579		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1579		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1579		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1579		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1579		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1579		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1580		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1580		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1580		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1580		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1580		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1580		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1580		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1580		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1581		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1581		1570	Percent D in the ContCal exceed limits.
BNA	BUTYLBENZYLPHTHALATE	1581		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1581		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1581		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1581		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1581		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1581	DL	1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1581	DL	1570	Percent D in the ContCal exceed limits.
BNA	BUTYLBENZYLPHTHALATE	1581	DL	1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1581	DL	1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1581	DL	1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1581	DL	1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1581	DL	1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1582	ER	1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1582	ER	1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1582	ER	1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1582	ER	1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1582	ER	1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1582	ER	1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1582	ER	1570	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
BNA	PYRENE	1582	ER	1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1584		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1584		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1584		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1584		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1584		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1584		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1584		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1584		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1585	ER	1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1585	ER	1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1585	ER	1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1585	ER	1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1585	ER	1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1585	ER	1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1585	ER	1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1585	ER	1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1586		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1586		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1586		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1586		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1586		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1586		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1586		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1586		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1587		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1587		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1587		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1587		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1587		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1587		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1587		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1587		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1588		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1588		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1588		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1588		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1588		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1588		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1588		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1588		1570	Percent D in the ContCal exceed limits.
BNA	3,3'-DICHLOROBENZIDINE	1589		1570	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1589		1570	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1589		1570	Percent D in the ContCal exceed limits.
BNA	BUTYLBENZYLPHTHALATE	1589		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1589		1570	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1589		1570	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1589		1570	Percent D in the ContCal exceed limits.
BNA	N-NITROSO-DI-N-PROPYLAMINE	1589		1570	Percent D in the ContCal exceed limits.
BNA	PYRENE	1589		1570	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
BNA	2,2'-OXYBIS (1-CHLOROPROPANE)	1590		1590	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1590		1590	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1590		1590	Percent D in the ContCal exceed limits.
BNA	BUTYLBENZYLPHTHALATE	1590		1590	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1590		1590	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1590		1590	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1590		1590	Percent D in the ContCal exceed limits.
BNA	2,2'-OXYBIS (1-CHLOROPROPANE)	1592	FB	1590	Percent D in the ContCal exceed limits.
BNA	4-NITROPHENOL	1592	FB	1590	Percent D in the ContCal exceed limits.
BNA	BENZO(K)FLUORANTHENE	1592	FB	1590	Percent D in the ContCal exceed limits.
BNA	BUTYLBENZYLPHTHALATE	1592	FB	1590	Percent D in the ContCal exceed limits.
BNA	DI-N-BUTYLPHTHALATE	1592	FB	1590	Percent D in the ContCal exceed limits.
BNA	DI-N-OCTYLPHTHALATE	1592	FB	1590	Percent D in the ContCal exceed limits.
BNA	HEXACHLOROBENZENE	1592	FB	1590	Percent D in the ContCal exceed limits.
MET	ANTIMONY	1546		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1546		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1546		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1546		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1546		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1546		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1546		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1546		1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1546		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1546		1545	Metals Corr Coef calibration outside of limits.
MET		1546		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1546		1545	Metals Corr Coef calibration outside of limits.
MET	ZINC	1546		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1547		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1547		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1547		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1547		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1547		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1547		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1547		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1547		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1547		1545	Metals Corr Coef calibration outside of limits.
MET		1547		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1547		1545	Metals Corr Coef calibration outside of limits.
MET	ZINC	1547		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	BARIUM	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	COPPER	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	IRON	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	MAGNESIUM	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	MANGANESE	1548	FB	1545	Metals Corr Coef calibration outside of limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
MET	MERCURY	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	POTASSIUM	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET		1548	FB	1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	VANADIUM	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	ZINC	1548	FB	1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1549		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1549		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1549		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1549		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1549		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1549		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1549		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1549		1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1549		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1549		1545	Metals Corr Coef calibration outside of limits.
MET		1549		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1549		1545	Metals Corr Coef calibration outside of limits.
MET	ZINC	1549		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1550		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1550		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1550		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1550		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1550		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1550		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1550		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1550		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1550		1545	Metals Corr Coef calibration outside of limits.
MET		1550		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1550		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1551		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1551		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1551		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1551		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1551		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1551		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1551		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1551		1545	Metals Corr Coef calibration outside of limits.
MET		1551		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1551		1545	Metals Corr Coef calibration outside of limits.
MET	ZINC	1551		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1552	WR	1545	Metals Corr Coef calibration outside of limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
MET	MERCURY	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET		1552	WR	1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET	ZINC	1552	WR	1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET		1556	FB	1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	VANADIUM	1556	FB	1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1557		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1557		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1557		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1557		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1557		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1557		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1557		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1557		1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1557		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1557		1545	Metals Corr Coef calibration outside of limits.
MET		1557		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1557		1545	Metals Corr Coef calibration outside of limits.
MET	ZINC	1557		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	BARIUM	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	COPPER	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	IRON	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	MAGNESIUM	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	POTASSIUM	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET		1558	ER	1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1558	ER	1545	Metals Corr Coef calibration outside of limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
MET	VANADIUM	1558	ER	1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1559		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1559		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1559		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1559		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1559		1545	Metals Corr Coef calibration outside of limits.
MET	IRON	1559		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1559		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1559		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1559		1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1559		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1559		1545	Metals Corr Coef calibration outside of limits.
MET		1559		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1559		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1560		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1560		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1560		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1560		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1560		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1560		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1560		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1560		1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1560		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1560		1545	Metals Corr Coef calibration outside of limits.
MET		1560		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1560		1545	Metals Corr Coef calibration outside of limits.
MET	ZINC	1560		1545	Metals Corr Coef calibration outside of limits.
MET	ALUMINUM	1566		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1566		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1566		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1566		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1566		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1566		1545	Metals Corr Coef calibration outside of limits.
MET	IRON	1566		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1566		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1566		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1566		1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1566		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1566		1545	Metals Corr Coef calibration outside of limits.
MET		1566		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1566		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1567		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1567		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1567		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1567		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1567		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1567		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1567		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1567		1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1567		1545	Metals Corr Coef calibration outside of limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
MET	SILVER	1567		1545	Metals Corr Coef calibration outside of limits.
MET		1567		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1567		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	COPPER	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET		1568	WR	1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	ZINC	1568	WR	1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1569		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1569		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1569		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1569		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1569		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1569		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1569		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1569		1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1569		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1569		1545	Metals Corr Coef calibration outside of limits.
MET		1569		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1569		1545	Metals Corr Coef calibration outside of limits.
MET	VANADIUM	1569		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	COPPER	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET		1570	WR	1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	VANADIUM	1570	WR	1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	ARSENIC	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	BARIUM	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1572	ER	1545	Metals Corr Coef calibration outside of limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
MET	COBALT	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	COPPER	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	MAGNESIUM	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	MANGANESE	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	POTASSIUM	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET		1572	ER	1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	VANADIUM	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	ZINC	1572	ER	1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1573		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1573		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1573		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1573		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1573		1545	Metals Corr Coef calibration outside of limits.
MET	COPPER	1573		1545	Metals Corr Coef calibration outside of limits.
MET	IRON	1573		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1573		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1573		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1573		1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1573		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1573		1545	Metals Corr Coef calibration outside of limits.
MET		1573		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1573		1545	Metals Corr Coef calibration outside of limits.
MET	ANTIMONY	1574		1545	Metals Corr Coef calibration outside of limits.
MET	BERYLLIUM	1574		1545	Metals Corr Coef calibration outside of limits.
MET	CADMIUM	1574		1545	Metals Corr Coef calibration outside of limits.
MET	CHROMIUM	1574		1545	Metals Corr Coef calibration outside of limits.
MET	COBALT	1574		1545	Metals Corr Coef calibration outside of limits.
MET	IRON	1574		1545	Metals Corr Coef calibration outside of limits.
MET	LEAD	1574		1545	Metals Corr Coef calibration outside of limits.
MET	MERCURY	1574		1545	Metals Corr Coef calibration outside of limits.
MET	NICKEL	1574		1545	Metals Corr Coef calibration outside of limits.
MET	SELENIUM	1574		1545	Metals Corr Coef calibration outside of limits.
MET	SILVER	1574		1545	Metals Corr Coef calibration outside of limits.
MET		1574		1545	MET Lab Control Samples % Recovery outside limits.
MET	THALLIUM	1574		1545	Metals Corr Coef calibration outside of limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1545	TB	1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1545	TB	1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1545	TB	1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1545	TB	1545	Percent RSD in the InitCal exceeds limits.
VOL		1545	TB	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1545	TB	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1545	TB	1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1546		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1546		1545	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
VOL	2-HEXANONE	1546		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1546		1545	Percent RSD in the InitCal exceeds limits.
VOL		1546		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1546		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1546		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1546		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1547		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1547		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1547		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1547		1545	Percent RSD in the InitCal exceeds limits.
VOL		1547		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1547		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1547		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1547		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1548	FB	1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1548	FB	1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1548	FB	1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1548	FB	1545	Percent RSD in the InitCal exceeds limits.
VOL		1548	FB	1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1548	FB	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1548	FB	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1548	FB	1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1549		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1549		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1549		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1549		1545	Percent RSD in the InitCal exceeds limits.
VOL		1549		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1549		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1549		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1550		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1550		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1550		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1550		1545	Percent RSD in the InitCal exceeds limits.
VOL		1550		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1550		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1550		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1550		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1551		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1551		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1551		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1551		1545	Percent RSD in the InitCal exceeds limits.
VOL		1551		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1551		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1551		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1551		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1552	WR	1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1552	WR	1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1552	WR	1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1552	WR	1545	Percent RSD in the InitCal exceeds limits.
VOL		1552	WR	1545	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
VOL	ACETONE	1552	WR	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1552	WR	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1552	WR	1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1553	TB	1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1553	TB	1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1553	TB	1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1553	TB	1545	Percent RSD in the InitCal exceeds limits.
VOL		1553	TB	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1553	TB	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1553	TB	1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1554		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1554		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1554		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1554		1545	Percent RSD in the InitCal exceeds limits.
VOL		1554		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1554		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1554		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1554		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1555		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1555		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1555		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1555		1545	Percent RSD in the InitCal exceeds limits.
VOL		1555		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1555		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1555		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1555		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1556	FB	1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1556	FB	1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1556	FB	1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1556	FB	1545	Percent RSD in the InitCal exceeds limits.
VOL		1556	FB	1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1556	FB	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1556	FB	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1556	FB	1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1557		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1557		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1557		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1557		1545	Percent RSD in the InitCal exceeds limits.
VOL		1557		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1557		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1557		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1557		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1558	ER	1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1558	ER	1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1558	ER	1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1558	ER	1545	Percent RSD in the InitCal exceeds limits.
VOL		1558	ER	1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1558	ER	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1558	ER	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1558	ER	1545	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
VOL	1,1,2,2-TETRACHLOROETHANE	1559		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1559		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1559		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1559		1545	Percent RSD in the InitCal exceeds limits.
VOL		1559		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1559		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1559		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1559		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1560		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1560		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1560		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1560		1545	Percent RSD in the InitCal exceeds limits.
VOL		1560		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1560		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1560		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1560		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1565	TB	1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1565	TB	1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1565	TB	1570	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1566		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1566		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1566		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1566		1545	Percent RSD in the InitCal exceeds limits.
VOL		1566		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1566		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1566		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1566		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1567		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1567		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1567		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1567		1545	Percent RSD in the InitCal exceeds limits.
VOL		1567		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1567		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1567		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1567		1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1568	WR	1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1568	WR	1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1568	WR	1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1569	WR	1545	Percent RSD in the InitCal exceeds limits.
VOL		1568	WR	1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1568	WR	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1568	WR	1545	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1568	WR	1545	Percent D in the ContCal exceed limits.
VOL	1,1,2,2-TETRACHLOROETHANE	1569		1545	Percent D in the ContCal exceed limits.
VOL	1,2-DICHLOROETHANE	1569		1545	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1569		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1569		1545	Percent RSD in the InitCal exceeds limits.
VOL		1569		1545	Percent D in the ContCal exceed limits.
VOL	ACETONE	1569		1545	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1569		1545	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
VOL	CHLOROMETHANE	1569		1545	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1570	WR	1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1570	WR	1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1570	WR	1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1571		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1571		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1571		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1572	ER	1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1572	ER	1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1572	ER	1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1573		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1573		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1573		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1574		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1574		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1574		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1575	TB	1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1575	TB	1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1575	TB	1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1577		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1577		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1577		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1578		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1578		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1578		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1579		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1579		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1579		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1580		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1580		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1580		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1582	ER	1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1582	ER	1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1582	ER	1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1584		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1584		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1584		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1585	ER	1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1585	ER	1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1585	ER	1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1586		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1586		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1586		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1587		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1587		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1587		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1588		1570	Percent D in the ContCal exceed limits.
VOL	ACETONE	1588		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1588		1570	Percent D in the ContCal exceed limits.
VOL	4-METHYL-2-PENTANONE	1589		1570	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
VOL	ACETONE	1589		1570	Percent D in the ContCal exceed limits.
VOL	CHLOROMETHANE	1589		1570	Percent D in the ContCal exceed limits.
VOL	2-BUTANONE	1590		1590	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1590		1590	Percent D in the ContCal exceed limits.
VOL		1590		1590	The RRF in the continuing calib. exceeds limit.
VOL	4-METHYL-2-PENTANONE	1590		1590	Percent D in the ContCal exceed limits.
VOL	ACETONE	1590		1590	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1590		1590	Percent D in the ContCal exceed limits.
VOL	TRANS-1,3-DICHLOROPROPENE	1590		1590	Percent D in the ContCal exceed limits.
VOL	2-BUTANONE	1591	TB	1590	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1591	TB	1590	Percent D in the ContCal exceed limits.
VOL		1591	TB	1590	The RRF in the continuing calib. exceeds limit.
VOL	4-METHYL-2-PENTANONE	1591	TB	1590	Percent D in the ContCal exceed limits.
VOL	ACETONE	1591	TB	1590	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1591	TB	1590	Percent D in the ContCal exceed limits.
VOL	TRANS-1,3-DICHLOROPROPENE	1591	TB	1590	Percent D in the ContCal exceed limits.
VOL	2-BUTANONE	1592	FB	1590	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1592	FB	1590	Percent D in the ContCal exceed limits.
VOL		1592	FB	1590	The RRF in the continuing calib. exceeds limit.
VOL	4-METHYL-2-PENTANONE	1592	FB	1590	Percent D in the ContCal exceed limits.
VOL	ACETONE	1592	FB	1590	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1592	FB	1590	Percent D in the ContCal exceed limits.
VOL	TRANS-1,3-DICHLOROPROPENE	1592	FB	1590	Percent D in the ContCal exceed limits.
VOL	2-BUTANONE	1593		1590	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1593		1590	Percent D in the ContCal exceed limits.
VOL		1593		1590	The RRF in the continuing calib. exceeds limit.
VOL	4-METHYL-2-PENTANONE	1593		1590	Percent D in the ContCal exceed limits.
VOL	ACETONE	1593		1590	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1593		1590	Percent D in the ContCal exceed limits.
VOL	TRANS-1,3-DICHLOROPROPENE	1593		1590	Percent D in the ContCal exceed limits.
VOL	2-BUTANONE	1595		1590	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1595		1590	Percent D in the ContCal exceed limits.
VOL		1595		1590	The RRF in the continuing calib. exceeds limit.
VOL	4-METHYL-2-PENTANONE	1595		1590	Percent D in the ContCal exceed limits.
VOL	ACETONE	1595		1590	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1595		1590	Percent D in the ContCal exceed limits.
VOL	TRANS-1,3-DICHLOROPROPENE	1595		1590	Percent D in the ContCal exceed limits.
VOL	2-BUTANONE	1596	ER	1590	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1596	ER	1590	Percent D in the ContCal exceed limits.
VOL		1596	ER	1590	The RRF in the continuing calib. exceeds limit.
VOL	4-METHYL-2-PENTANONE	1596	ER	1590	Percent D in the ContCal exceed limits.
VOL	ACETONE	1596	ER	1590	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1596	ER	1590	Percent D in the ContCal exceed limits.
VOL	TRANS-1,3-DICHLOROPROPENE	1596	ER	1590	Percent D in the ContCal exceed limits.
VOL	2-BUTANONE	1597	TB	1590	Percent D in the ContCal exceed limits.
VOL	2-HEXANONE	1597	TB	1590	Percent D in the ContCal exceed limits.
VOL		1597	TB	1590	The RRF in the continuing calib. exceeds limit.
VOL	4-METHYL-2-PENTANONE	1597	TB	1590	Percent D in the ContCal exceed limits.
VOL	ACETONE	1597	TB	1590	Percent D in the ContCal exceed limits.
VOL	CHLOROETHANE	1597	TB	1590	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Nondetect Error Messages
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

ANALYSIS TYPE	COMPOUND	SAMPLE NUMBER	SAMPLE TYPE	SDG	ERROR MESSAGES
VOL	TRANS-1,3-DICHLOROPROPENE	1597	TB	1590	Percent D in the ContCal exceed limits.

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1546 SAMPLE TYPE : ΜωΦΖ SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1546 SAMPLE TYPE : MW02 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	3.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	1.00	µg/L	0.00		
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	1.00	µg/L	0.00		
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	1.00	µg/L	0.00		
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	JJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1547 SAMPLE TYPE : mwφl SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1547 SAMPLE TYPE :mwφl SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	8.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	U
CARBAZOLE	0.00		10.00	J	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1548 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1548 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	2.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	U
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1549 SAMPLE TYPE : mwφ4 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1549 SAMPLE TYPE : mw04 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	3.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	U
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1550 SAMPLE TYPE : mwϕ3 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1550 SAMPLE TYPE : mwϕ3 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	2.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	U
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1551 SAMPLE TYPE : mw05 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	5.00	µg/L	0.00		
1,3-DICHLOROBENZENE	2.00	µg/L	0.00		
1,4-DICHLOROBENZENE	2.00	µg/L	0.00		
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1551 SAMPLE TYPE : mwd5 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	5.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	U
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	1.00	µg/L	0.00		
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	9.00	µg/L	0.00		
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1552 SAMPLE TYPE : WR mw/05 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	11.00	µg/L	0.00		
1,3-DICHLOROBENZENE	3.00	µg/L	0.00		
1,4-DICHLOROBENZENE	4.00	µg/L	0.00		
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	2.00	µg/L	0.00		
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1552 SAMPLE TYPE : WR mw φ5 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK27
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	7.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00		
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	2.00	µg/L	0.00		
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	17.00	µg/L	0.00		
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1554 SAMPLE TYPE : mw18 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1554 SAMPLE TYPE :mw18 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	5.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	1.00	µg/L	0.00		
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	1.00	µg/L	0.00		
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:C
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1555 SAMPLE TYPE : mw15 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1555 SAMPLE TYPE : mw15 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	2.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	1.00	µg/L	0.00		
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1556 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1556 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	2.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	U
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1557 SAMPLE TYPE :mw12 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1557 SAMPLE TYPE : MW12 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	13.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	U
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1558 SAMPLE TYPE : ER mw12 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1558 SAMPLE TYPE : ER mw12 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	9.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	U
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1559 SAMPLE TYPE : mw14 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1559 SAMPLE TYPE : MW14 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	5.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	1.00	µg/L	0.00		
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	1.00	µg/L	0.00		
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1560 SAMPLE TYPE : mw13 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1560 SAMPLE TYPE : MW13 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK41
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	0.00		10.00	U	UJ
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00		
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1566 SAMPLE TYPE : mw24 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK50
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1566 SAMPLE TYPE : MW20 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK50
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	2.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	U
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1567 SAMPLE TYPE : MW21 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK50
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1567 SAMPLE TYPE : MW21 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK50
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	2.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	1.00	µg/L	0.00		R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTPALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1568 SAMPLE TYPE : WR MW21 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK50
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1568 SAMPLE TYPE : WR MW21 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK50
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	6.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	U
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	1.00	µg/L	0.00		
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1569 SAMPLE TYPE : mw16 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK50
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	UJ
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	UJ
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	UJ
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	UJ
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	U
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1569 SAMPLE TYPE : mw16 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1545 ASSOCIATED MB : SBLK50
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	7.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	1.00	µg/L	0.00		R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	U
DI-N-OCTYLPHTHALATE	0.00		10.00	U	U
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	UJ
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	UJ
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	UJ
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	UJ
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1570 SAMPLE TYPE : WR mw16 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK45
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1570 SAMPLE TYPE : WR MW16 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK45
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	15.00	µg/L	0.00		R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1571 SAMPLE TYPE : mw17 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK45
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1571 SAMPLE TYPE : MW17 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK45
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	20.00	µg/L	0.00		J
BUTYLBENZYLPHTHALATE	3.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	1.00	µg/L	0.00	J	R
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	1.00	µg/L	0.00	J	J
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1572 SAMPLE TYPE : ER mw17 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK45
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	J
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1572 SAMPLE TYPE : ERmw17 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK45
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	67.00	µg/L	0.00		J
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1573 SAMPLE TYPE :MW22 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK45
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1573 SAMPLE TYPE : mw22 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK45
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	9.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	1.00	µg/L	0.00	J	R
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/ /94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1574 SAMPLE TYPE : MW19 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK45
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1574 SAMPLE TYPE : MW19 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK45
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	5.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	1.00	µg/L	0.00	J	R
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1576 SAMPLE TYPE : mw1ø SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1576 SAMPLE TYPE : MW10 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	1.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	1.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1577 SAMPLE TYPE : mw23 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1577 SAMPLE TYPE : mw23 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	2.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	1.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1578 SAMPLE TYPE : mw06 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	1.00	µg/L	0.00	J	J
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	3.00	µg/L	0.00	J	J
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1578 SAMPLE TYPE :mw06 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	3.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	6.00	µg/L	0.00	J	J
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	4.00	µg/L	0.00	J	J
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1579 **SAMPLE TYPE : mw24** **SAMPLE MATRIX : W**
ANALYSIS TYPE : BNA **SDG : 1570** **ASSOCIATED MB : SBLK51**
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1579 SAMPLE TYPE :mw24 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	4.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1580 SAMPLE TYPE : mw25 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	3.00	µg/L	0.00	J	J
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	8.00	µg/L	0.00	J	J
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	1.00	µg/L	0.00	J	J
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	2.00	µg/L	0.00	J	J
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1580 SAMPLE TYPE : MW25 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	4.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	1.00	µg/L	0.00	J	R
CARBAZOLE	3.00	µg/L	0.00	J	J
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	1.00	µg/L	0.00	J	J
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	1.00	µg/L	0.00	J	J
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	12.00	µg/L	0.00		
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	2.00	µg/L	0.00	J	J
PHENOL	32.00	µg/L	0.00		
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1581 SAMPLE TYPE :mw07 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		550.00	U	U
1,2-DICHLOROBENZENE	0.00		550.00	U	U
1,3-DICHLOROBENZENE	0.00		550.00	U	U
1,4-DICHLOROBENZENE	0.00		550.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		550.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		1400.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		550.00	U	U
2,4-DICHLOROPHENOL	0.00		550.00	U	U
2,4-DIMETHYLPHENOL	0.00		550.00	U	U
2,4-DINITROPHENOL	0.00		1400.00	U	U
2,4-DINITROTOLUENE	0.00		550.00	U	U
2,6-DINITROTOLUENE	0.00		550.00	U	U
2-CHLORONAPHTHALENE	0.00		550.00	U	U
2-CHLOROPHENOL	0.00		550.00	U	U
2-METHYLNAPHTHALENE	9000.00	µg/L	0.00		
2-METHYLPHENOL	0.00		550.00	U	U
2-NITROANILINE	0.00		1400.00	U	U
2-NITROPHENOL	0.00		550.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		550.00	U	UJ
3-NITROANILINE	0.00		1400.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		1400.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		550.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		550.00	U	U
4-CHLOROANILINE	0.00		550.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		550.00	U	U
4-METHYLPHENOL	0.00		550.00	U	U
4-NITROANILINE	0.00		1400.00	U	U
4-NITROPHENOL	0.00		1400.00	U	UJ
ACENAPHTHENE	240.00	µg/L	0.00	J	J
ACENAPHTHYLENE	0.00		550.00	U	U
ANTHRACENE	210.00	µg/L	0.00	J	J
BENZO(A)ANTHRACENE	280.00	µg/L	0.00	J	J
BENZO(A)PYRENE	160.00	µg/L	0.00	J	J
BENZO(B)FLUORANTHENE	290.00	µg/L	0.00	J	J
BENZO(G,H,I)PERYLENE	0.00		550.00	U	U
BENZO(K)FLUORANTHENE	290.00	µg/L	0.00	J	J
BENZOIC ACID	0.00		550.00	U	U
BENZYL ALCOHOL	0.00		550.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		550.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		550.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1581 SAMPLE TYPE : mw07 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	160.00	µg/L	0.00	J	J
BUTYLBENZYLPHTHALATE	0.00		550.00	U	UJ
CARBAZOLE	0.00		550.00	U	U
CHRYSENE	330.00	µg/L	0.00	J	J
DI-N-BUTYLPHTHALATE	0.00		550.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		550.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		550.00	U	U
DIBENZOFURAN	130.00	µg/L	0.00	J	J
DIETHYLPHTHALATE	0.00		550.00	U	U
DIMETHYLPHTHALATE	0.00		550.00	U	U
FLUORANTHENE	660.00	µg/L	0.00		
FLUORENE	220.00	µg/L	0.00	J	J
HEXACHLOROBENZENE	0.00		550.00	U	UJ
HEXACHLOROBUTADIENE	0.00		550.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		550.00	U	U
HEXACHLOROETHANE	0.00		550.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		550.00	U	U
ISOPHORONE	0.00		550.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		550.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		550.00	U	U
NAPHTHALENE	6400.00	µg/L	0.00		
NITROBENZENE	0.00		550.00	U	U
PENTACHLOROPHENOL	0.00		1400.00	U	U
PHENANTHRENE	650.00	µg/L	0.00		
PHENOL	0.00		550.00	U	U
PYRENE	610.00	µg/L	0.00		J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1581 SAMPLE TYPE : DL MW07 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		1600.00	U	U
1,2-DICHLOROBENZENE	0.00		1600.00	U	U
1,3-DICHLOROBENZENE	0.00		1600.00	U	U
1,4-DICHLOROBENZENE	0.00		1600.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		1600.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		4100.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		1600.00	U	U
2,4-DICHLOROPHENOL	0.00		1600.00	U	U
2,4-DIMETHYLPHENOL	0.00		1600.00	U	U
2,4-DINITROPHENOL	0.00		4100.00	U	U
2,4-DINITROTOLUENE	0.00		1600.00	U	U
2,6-DINITROTOLUENE	0.00		1600.00	U	U
2-CHLORONAPHTHALENE	0.00		1600.00	U	U
2-CHLOROPHENOL	0.00		1600.00	U	U
2-METHYLNAPHTHALENE	9600.00	µg/L	0.00		
2-METHYLPHENOL	0.00		1600.00	U	U
2-NITROANILINE	0.00		4100.00	U	U
2-NITROPHENOL	0.00		1600.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		1600.00	U	UJ
3-NITROANILINE	0.00		4100.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		4100.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		1600.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		1600.00	U	U
4-CHLOROANILINE	0.00		1600.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		1600.00	U	U
4-METHYLPHENOL	0.00		1600.00	U	U
4-NITROANILINE	0.00		4100.00	U	U
4-NITROPHENOL	0.00		4100.00	U	UJ
ACENAPHTHENE	330.00	µg/L	0.00	J	J
ACENAPHTHYLENE	0.00		1600.00	U	U
ANTHRACENE	260.00	µg/L	0.00	J	J
BENZO(A)ANTHRACENE	330.00	µg/L	0.00	J	J
BENZO(A)PYRENE	190.00	µg/L	0.00	J	J
BENZO(B)FLUORANTHENE	320.00	µg/L	0.00	J	J
BENZO(G,H,I)PERYLENE	0.00		1600.00	U	U
BENZO(K)FLUORANTHENE	320.00	µg/L	0.00	J	J
BENZOIC ACID	0.00		1600.00	U	U
BENZYL ALCOHOL	0.00		1600.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		1600.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		1600.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1581 SAMPLE TYPE : DLmW07 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	190.00	µg/L	0.00	J	J
BUTYLBENZYLPHTHALATE	0.00		1600.00	U	UJ
CARBAZOLE	0.00		1600.00	U	U
CHRYSENE	380.00	µg/L	0.00	J	J
DI-N-BUTYLPHTHALATE	0.00		1600.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		1600.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		1600.00	U	U
DIBENZOFURAN	180.00	µg/L	0.00	J	J
DIETHYLPHTHALATE	0.00		1600.00	U	U
DIMETHYLPHTHALATE	0.00		1600.00	U	U
FLUORANTHENE	700.00	µg/L	0.00	J	J
FLUORENE	300.00	µg/L	0.00	J	J
HEXACHLOROBENZENE	0.00		1600.00	U	UJ
HEXACHLOROBUTADIENE	0.00		1600.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		1600.00	U	U
HEXACHLOROETHANE	0.00		1600.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		1600.00	U	U
ISOPHORONE	0.00		1600.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		1600.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		1600.00	U	U
NAPHTHALENE	6900.00	µg/L	0.00		
NITROBENZENE	0.00		1600.00	U	U
PENTACHLOROPHENOL	0.00		4100.00	U	U
PHENANTHRENE	760.00	µg/L	0.00	J	J
PHENOL	0.00		1600.00	U	U
PYRENE	780.00	µg/L	0.00	J	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1582 SAMPLE TYPE : ERmw07 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1582 SAMPLE TYPE : ERMW07 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	6.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	1.00	µg/L	0.00	J	J
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1584 SAMPLE TYPE : MW67 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1584 SAMPLE TYPE :MW67 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	2.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	1.00	µg/L	0.00	J	J
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1585 SAMPLE TYPE : ERMW67 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1585 SAMPLE TYPE : ER MW67 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	7.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1586 SAMPLE TYPE : MW65 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1586 SAMPLE TYPE : MW65 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	5.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	1.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1587 SAMPLE TYPE :MW66 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1587 SAMPLE TYPE : MW66 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	4.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1588 SAMPLE TYPE : mw08 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1588 SAMPLE TYPE : mwØ8 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK51
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	8.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	2.00	µg/L	0.00	J	R
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	1.00	µg/L	0.00	J	J
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	1.00	µg/L	0.00	J	J
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1589 SAMPLE TYPE :mw11 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK63
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	U
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	UJ
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1589 SAMPLE TYPE : mw11 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1570 ASSOCIATED MB : SBLK63
TRIP BLANK :
FIELD BLANKS : 1548FB, 1555FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	2.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	UJ
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	UJ
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1590 SAMPLE TYPE : mw09 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1590 ASSOCIATED MB : SBLK64
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	UJ
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	U
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLOPO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1590 SAMPLE TYPE :mw09 SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1590 ASSOCIATED MB : SBLK64
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	2.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	UJ
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	0.00		10.00	U	U
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	2.00	µg/L	0.00	J	J
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1592 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1590 ASSOCIATED MB : SBLK64
TRIP BLANK : 1591TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,2,4-TRICHLOROBENZENE	0.00		10.00	U	U
1,2-DICHLOROBENZENE	0.00		10.00	U	U
1,3-DICHLOROBENZENE	0.00		10.00	U	U
1,4-DICHLOROBENZENE	0.00		10.00	U	U
2,2'-OXYBIS (1-CHLOROPROPANE)	0.00		10.00	U	UJ
2,4,5-TRICHLOROPHENOL	0.00		25.00	U	U
2,4,6-TRICHLOROPHENOL	0.00		10.00	U	U
2,4-DICHLOROPHENOL	0.00		10.00	U	U
2,4-DIMETHYLPHENOL	0.00		10.00	U	U
2,4-DINITROPHENOL	0.00		25.00	U	U
2,4-DINITROTOLUENE	0.00		10.00	U	U
2,6-DINITROTOLUENE	0.00		10.00	U	U
2-CHLORONAPHTHALENE	0.00		10.00	U	U
2-CHLOROPHENOL	0.00		10.00	U	U
2-METHYLNAPHTHALENE	0.00		10.00	U	U
2-METHYLPHENOL	0.00		10.00	U	U
2-NITROANILINE	0.00		25.00	U	U
2-NITROPHENOL	0.00		10.00	U	U
3,3'-DICHLOROBENZIDINE	0.00		10.00	U	U
3-NITROANILINE	0.00		25.00	U	U
4,6-DINITRO-2-METHYLPHENOL	0.00		25.00	U	U
4-BROMOPHENYL-PHENYLETHER	0.00		10.00	U	U
4-CHLORO-3-METHYLPHENOL	0.00		10.00	U	U
4-CHLOROANILINE	0.00		10.00	U	U
4-CHLOROPHENYL-PHENYLETHER	0.00		10.00	U	U
4-METHYLPHENOL	0.00		10.00	U	U
4-NITROANILINE	0.00		25.00	U	U
4-NITROPHENOL	0.00		25.00	U	UJ
ACENAPHTHENE	0.00		10.00	U	U
ACENAPHTHYLENE	0.00		10.00	U	U
ANTHRACENE	0.00		10.00	U	U
BENZO(A)ANTHRACENE	0.00		10.00	U	U
BENZO(A)PYRENE	0.00		10.00	U	U
BENZO(B)FLUORANTHENE	0.00		10.00	U	U
BENZO(G,H,I)PERYLENE	0.00		10.00	U	U
BENZO(K)FLUORANTHENE	0.00		10.00	U	UJ
BENZOIC ACID	0.00		10.00	U	U
BENZYL ALCOHOL	0.00		10.00	U	U
BIS(2-CHLOROETHOXY)METHANE	0.00		10.00	U	U
BIS(2-CHLOROETHYL)ETHER	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1592 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : BNA SDG : 1590 ASSOCIATED MB : SBLK64
TRIP BLANK : 1591TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
BIS(2-ETHYLHEXYL)PHTHALATE	5.00	µg/L	0.00	J	R
BUTYLBENZYLPHTHALATE	0.00		10.00	U	UJ
CARBAZOLE	0.00		10.00	U	U
CHRYSENE	0.00		10.00	U	U
DI-N-BUTYLPHTHALATE	0.00		10.00	U	UJ
DI-N-OCTYLPHTHALATE	0.00		10.00	U	UJ
DIBENZ(A,H)ANTHRACENE	0.00		10.00	U	U
DIBENZOFURAN	0.00		10.00	U	U
DIETHYLPHTHALATE	1.00	µg/L	0.00	J	J
DIMETHYLPHTHALATE	0.00		10.00	U	U
FLUORANTHENE	0.00		10.00	U	U
FLUORENE	0.00		10.00	U	U
HEXACHLOROBENZENE	0.00		10.00	U	UJ
HEXACHLOROBUTADIENE	0.00		10.00	U	U
HEXACHLOROCYCLOPENTADIENE	0.00		10.00	U	U
HEXACHLOROETHANE	0.00		10.00	U	U
INDENO(1,2,3-CD)PYRENE	0.00		10.00	U	U
ISOPHORONE	0.00		10.00	U	U
N-NITROSO-DI-N-PROPYLAMINE	0.00		10.00	U	U
N-NITROSODIPHENYLAMINE (1)	0.00		10.00	U	U
NAPHTHALENE	0.00		10.00	U	U
NITROBENZENE	0.00		10.00	U	U
PENTACHLOROPHENOL	0.00		25.00	U	U
PHENANTHRENE	0.00		10.00	U	U
PHENOL	0.00		10.00	U	U
PYRENE	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1546 SAMPLE TYPE :mwφz SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	92.50	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	137.00	µg/L	0.00		
BARIUM	17.70	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	34600.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	6.60	µg/L	0.00	B	
IRON	25.80	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	3900.00	µg/L	0.00	B	
MANGANESE	79.40	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	11800.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	364000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	12.50	µg/L	0.00	B	
ZINC	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1547 SAMPLE TYPE : MW01 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	117.00	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	88.60	µg/L	0.00		
BARIUM	39.40	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	25800.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	7.10	µg/L	0.00	B	
IRON	34.40	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	6250.00	µg/L	0.00		
MANGANESE	15.60	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	7090.00	µg/L	0.00		
SELENIUM	5.50	µg/L	0.00		
SILVER	0.00		5.00	U	UJ
SODIUM	258000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	13.00	µg/L	0.00	B	
ZINC	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1548 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	61.90	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	4.00	µg/L	0.00	B	
BARIUM	0.00		2.00	U	UJ
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	89.40	µg/L	0.00	B	R
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		4.00	U	UJ
IRON	0.00		13.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	0.00		47.00	U	UJ
MANGANESE	0.00		1.00	U	UJ
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	0.00		1440.00	U	UJ
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	568.00	µg/L	0.00	B	
THALLIUM	0.00		3.00	U	UJ
VANADIUM	0.00		4.00	U	UJ
ZINC	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1549 SAMPLE TYPE : mw04 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	248.00	µg/L	0.00		R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	73.00	µg/L	0.00		
BARIUM	68.70	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	90900.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	12.90	µg/L	0.00	B	
IRON	77.50	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	23800.00	µg/L	0.00		
MANGANESE	100.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	15100.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	368000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	17.50	µg/L	0.00	B	
ZINC	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1550 SAMPLE TYPE : mw03 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	84.50	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	121.00	µg/L	0.00		
BARIUM	79.00	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	88700.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	15.80	µg/L	0.00	B	
IRON	21.40	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	26500.00	µg/L	0.00		
MANGANESE	448.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	14200.00	µg/L	0.00		
SELENIUM	4.80	µg/L	0.00	B	
SILVER	0.00		5.00	U	UJ
SODIUM	421000.00	µg/L	0.00		
THALLIUM	0.00		3.0C	U	UJ
VANADIUM	9.00	µg/L	0.00	B	
ZINC	7.50	µg/L	0.00	B	R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1551 SAMPLE TYPE : MWPS SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	127.00	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	116.00	µg/L	0.00		
BARIUM	237.00	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	72500.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	12.40	µg/L	0.00	B	
IRON	51.50	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	18300.00	µg/L	0.00		
MANGANESE	845.00	µg/L	0.00		
MERCURY	0.21	µg/L	0.00		
NICKEL	0.00		13.00	U	UJ
POTASSIUM	15700.00	µg/L	0.00		
SELENIUM	5.50	µg/L	0.00		
SILVER	0.00		5.00	U	UJ
SODIUM	285000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	11.30	µg/L	0.00	B	
ZINC	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1552 SAMPLE TYPE : WRmw/5 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	97.60	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	116.00	µg/L	0.00		
BARIUM	218.00	µg/L	0.00		
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	64600.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	15.30	µg/L	0.00	B	
IRON	25.60	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	16300.00	µg/L	0.00		
MANGANESE	814.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	14700.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	254000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	10.60	µg/L	0.00	B	
ZINC	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1556 **SAMPLE TYPE : FB** **SAMPLE MATRIX : W**
ANALYSIS TYPE : MET **SDG : 1545** **ASSOCIATED MB : MET01**
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	134.00	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	11.20	µg/L	0.00		
BARIUM	33.80	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	21400.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	12.90	µg/L	0.00	B	
IRON	51.70	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	7160.00	µg/L	0.00		
MANGANESE	7.60	µg/L	0.00	B	R
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	2790.00	µg/L	0.00	B	
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	19800.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	0.00		4.00	U	UJ
ZINC	5.10	µg/L	0.00	B	R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1557 SAMPLE TYPE : MW12 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	99.90	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	25.90	µg/L	0.00		
BARIUM	33.90	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	34700.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	8.10	µg/L	0.00	B	
IRON	25.80	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	6560.00	µg/L	0.00		
MANGANESE	15.50	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	7470.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	73000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	5.70	µg/L	0.00	B	
ZINC	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1558 SAMPLE TYPE : ERMW12 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	77.50	µg/L	0.00	B	R
ANTIMONY	C 00		30.00	U	UJ
ARSENIC	29.80	µg/L	0.00		
BARIUM	0.00		2.00	U	UJ
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	105.00	µg/L	0.00	B	R
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		4.00	U	UJ
IRON	0.00		13.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	0.00		47.00	U	UJ
MANGANESE	3.40	µg/L	0.00	B	R
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	0.00		1440.00	U	UJ
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	261.00	µg/L	0.00	B	
THALLIU	0.00		3.00	U	UJ
VANADIUM	0.00		4.00	U	UJ
ZINC	8.10	µg/L	0.00	B	R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1559 SAMPLE TYPE : MW14 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	75.60	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	26.70	µg/L	0.00		
BARIUM	40.80	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	59000.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	14.80	µg/L	0.00	B	
IRON	0.00		13.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	11300.00	µg/L	0.00		
MANGANESE	73.90	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	9840.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	153000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	7.60	µg/L	0.00	B	
ZINC	5.50	µg/L	0.00	B	R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1560 SAMPLE TYPE :MW13 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	72.50	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	23.60	µg/L	0.00		
BARIUM	43.30	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	40500.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	10.50	µg/L	0.00	B	
IRON	25.90	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	7890.00	µg/L	0.00		
MANGANESE	7.80	µg/L	0.00	B	R
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	7910.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	79100.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	5.00	µg/L	0.00	B	
ZINC	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1566 SAMPLE TYPE : mw24 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	0.00		50.00	U	UJ
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	5.60	µg/L	0.00	B	
BARIUM	87.10	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	47700.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	5.30	µg/L	0.00	B	
IRON	0.00		13.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	15800.00	µg/L	0.00		
MANGANESE	239.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	8430.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	268000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	10.20	µg/L	0.00	B	
ZINC	5.80	µg/L	0.00	B	R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1566 SAMPLE TYPE : DLmw2ϕ SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	104.91	µg/L	0.00		R
ANTIMONY	30.00	µg/L	0.00		
ARSENIC	38.71	µg/L	0.00		
BARIUM	83.60	µg/L	0.00		
BERYLLIUM	1.00	µg/L	0.00		
CADMIUM	5.00	µg/L	0.00		
CALCIUM	47535.00	µg/L	0.00		
CHROMIUM	6.00	µg/L	0.00		
COBALT	9.00	µg/L	0.00		
COPPER	4.00	µg/L	0.00		
IRON	34.42	µg/L	0.00		R
LEAD	2.00	µg/L	0.00		
MAGNESIUM	15718.00	µg/L	0.00		
MANGANESE	239.81	µg/L	0.00		
MERCURY	0.20	µg/L	0.00		
NICKEL	13.00	µg/L	0.00		
POTASSIUM	7997.40	µg/L	0.00		
SELENIUM	3.00	µg/L	0.00		
SILVER	5.00	µg/L	0.00		J
SODIUM	268990.00	µg/L	0.00		
THALLIUM	3.00	µg/L	0.00		
VANADIUM	8.28	µg/L	0.00		
ZINC	5.77	µg/L	0.00		R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1567 SAMPLE TYPE : mw21 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	85.70	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	30.30	µg/L	0.00		
BARIUM	52.40	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	49000.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	6.20	µg/L	0.00	B	
IRON	25.90	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	14100.00	µg/L	0.00		
MANGANESE	17.10	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	9330.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	233000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	7.30	µg/L	0.00	B	
ZINC	6.20	µg/L	0.00	B	R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1568 SAMPLE TYPE : WRmw21 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	81.80	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	26.90	µg/L	0.00		
BARIUM	50.40	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	48900.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		4.00	U	UJ
IRON	17.20	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	14000.00	µg/L	0.00		
MANGANESE	15.30	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	8460.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	227000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	9.20	µg/L	0.00	B	
ZINC	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1569 SAMPLE TYPE : mw16 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	84.90	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	34.10	µg/L	0.00		
BARIUM	25.40	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	50200.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	5.30	µg/L	0.00	B	
IRON	25.80	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	11000.00	µg/L	0.00		
MANGANESE	228.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	8480.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	109000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	0.00		4.00	U	UJ
ZINC	8.30	µg/L	0.00	B	R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1570 SAMPLE TYPE : WR mw16 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	75.50	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	33.20	µg/L	0.00		
BARIUM	24.20	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	48400.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		4.00	U	UJ
IRON	34.40	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	10500.00	µg/L	0.00		
MANGANESE	229.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	7520.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	104000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	0.00		4.00	U	UJ
ZINC	11.10	µg/L	0.00	B	R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1571 SAMPLE TYPE : mw17 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1570 ASSOCIATED MB : MET02
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	113.00	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	U
ARSENIC	37.40	µg/L	0.00		
BARIUM	70.00	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	64400.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	9.10	µg/L	0.00	B	
IRON	153.00	µg/L	0.00		
LEAD	0.00		2.00	U	U
MAGNESIUM	13900.00	µg/L	0.00		
MANGANESE	441.00	µg/L	0.00		
MERCURY	0.00		0.20	U	U
NICKEL	0.00		13.00	U	U
POTASSIUM	9580.00	µg/L	0.00		J
SELENIUM	0.00		3.00	U	U
SILVER	0.00		5.00	U	U
SODIUM	66300.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	U
VANADIUM	0.00		4.00	U	U
ZINC	0.00		5.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1571 SAMPLE TYPE : DLmw17 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1570 ASSOCIATED MB : MET02
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	116.53	µg/L	0.00		R
ANTIMONY	30.00	µg/L	0.00		
ARSENIC	32.42	µg/L	0.00		
BARIUM	68.76	µg/L	0.00		
BERYLLIUM	1.00	µg/L	0.00		
CADMIUM	5.00	µg/L	0.00		
CALCIUM	64759.00	µg/L	0.00		
CHROMIUM	6.00	µg/L	0.00		
COBALT	9.00	µg/L	0.00		
COPPER	7.68	µg/L	0.00		
IRON	163.99	µg/L	0.00		
LEAD	2.00	µg/L	0.00		
MAGNESIUM	14031.00	µg/L	0.00		
MANGANESE	444.36	µg/L	0.00		
MERCURY	0.20	µg/L	0.00		
NICKEL	13.00	µg/L	0.00		
POTASSIUM	9523.30	µg/L	0.00		J
SELENIUM	3.00	µg/L	0.00		
SILVER	5.00	µg/L	0.00		
SODIUM	67168.00	µg/L	0.00		
THALLIUM	3.00	µg/L	0.00		
VANADIUM	4.00	µg/L	0.00		
ZINC	5.19	µg/L	0.00		

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1572 SAMPLE TYPE : ERMW17 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	84.90	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	0.00		3.00	U	UJ
BARIUM	0.00		2.00	U	UJ
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	105.00	µg/L	0.00	B	R
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		4.00	U	UJ
IRON	25.90	µg/L	0.00	B	R
LEAD	0.00		2.00	U	UJ
MAGNESIUM	0.00		47.00	U	UJ
MANGANESE	0.00		1.00	U	UJ
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	0.00		1440.00	U	UJ
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	354.00	µg/L	0.00	B	
THALLIUM	0.00		3.00	U	UJ
VANADIUM	0.00		4.00	U	UJ
ZINC	0.00		5.00	U	UJ

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1573 SAMPLE TYPE :MW22 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	97.60	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	15.80	µg/L	0.00		
BARIUM	63.10	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	62900.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	0.00		4.00	U	UJ
IRON	0.00		13.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	17900.00	µg/L	0.00		
MANGANESE	236.00	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	11700.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	280000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	6.20	µg/L	0.00	B	
ZINC	5.30	µg/L	0.00	B	R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1574 SAMPLE TYPE :mw19 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1545 ASSOCIATED MB : MET01
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	81.20	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	UJ
ARSENIC	11.50	µg/L	0.00		
BARIUM	24.00	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	UJ
CADMIUM	0.00		5.00	U	UJ
CALCIUM	46900.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	UJ
COBALT	0.00		9.00	U	UJ
COPPER	21.80	µg/L	0.00	B	
IRON	0.00		13.00	U	UJ
LEAD	0.00		2.00	U	UJ
MAGNESIUM	9250.00	µg/L	0.00		
MANGANESE	43.80	µg/L	0.00		
MERCURY	0.00		0.20	U	UJ
NICKEL	0.00		13.00	U	UJ
POTASSIUM	7070.00	µg/L	0.00		
SELENIUM	0.00		3.00	U	UJ
SILVER	0.00		5.00	U	UJ
SODIUM	58600.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	UJ
VANADIUM	6.10	µg/L	0.00	B	
ZINC	6.00	µg/L	0.00	B	R

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1584 SAMPLE TYPE : mw67 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1570 ASSOCIATED MB : MET02
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	122.00	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	U
ARSENIC	54.40	µg/L	0.00		
BARIUM	64.00	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	59900.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	0.00		4.00	U	U
IRON	65.50	µg/L	0.00	B	
LEAD	0.00		2.00	U	U
MAGNESIUM	14000.00	µg/L	0.00		
MANGANESE	708.00	µg/L	0.00		
MERCURY	0.00		0.20	U	U
NICKEL	0.00		13.00	U	U
POTASSIUM	12300.00	µg/L	0.00		J
SELENIUM	0.00		3.00	U	U
SILVER	0.00		5.00	U	U
SODIUM	180000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	U
VANADIUM	0.00		4.00	U	U
ZINC	14.10	µg/L	0.00	B	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1585 SAMPLE TYPE : ER MW67 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1570 ASSOCIATED MB : MET02
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	106.00	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	U
ARSENIC	0.00		3.00	U	U
BARIUM	3.30	µg/L	0.00	B	R
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	58.90	µg/L	0.00	B	R
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	5.30	µg/L	0.00	B	
IRON	32.80	µg/L	0.00	B	
LEAD	0.00		2.00	U	U
MAGNESIUM	0.00		47.00	U	U
MANGANESE	1.20	µg/L	0.00	B	
MERCURY	0.00		0.20	U	U
NICKEL	0.00		13.00	U	U
POTASSIUM	0.00		1440.00	U	U
SELENIUM	0.00		3.00	U	U
SILVER	0.00		5.00	U	U
SODIUM	455.00	µg/L	0.00	B	R
THALLIUM	0.00		3.00	U	U
VANADIUM	0.00		4.00	U	U
ZINC	0.00		5.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1586 SAMPLE TYPE : MW65 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1570 ASSOCIATED MB : MET02
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	106.00	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	U
ARSENIC	34.10	µg/L	0.00		
BARIUM	43.80	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	45100.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	0.00		4.00	U	U
IRON	0.00		13.00	U	U
LEAD	0.00		2.00	U	U
MAGNESIUM	9540.00	µg/L	0.00		
MANGANESE	46.20	µg/L	0.00		
MERCURY	0.00		0.20	U	U
NICKEL	0.00		13.00	U	U
POTASSIUM	10500.00	µg/L	0.00		J
SELENIUM	0.00		3.00	U	U
SILVER	0.00		5.00	U	U
SODIUM	146000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	U
VANADIUM	4.30	µg/L	0.00	B	
ZINC	5.80	µg/L	0.00	B	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1587 SAMPLE TYPE :mw66 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1570 ASSOCIATED MB : MET02
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	116.00	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	U
ARSENIC	34.80	µg/L	0.00		
BARIUM	52.20	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	55100.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	0.00		4.00	U	U
IRON	32.80	µg/L	0.00	B	
LEAD	0.00		2.00	U	U
MAGNESIUM	11100.00	µg/L	0.00		
MANGANESE	176.00	µg/L	0.00		
MERCURY	0.00		0.20	U	U
NICKEL	0.00		13.00	U	U
POTASSIUM	1180.00	µg/L	0.00		J
SELENIUM	0.00		3.00	U	U
SILVER	0.00		5.00	U	U
SODIUM	169000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	U
VANADIUM	5.00	µg/L	0.00	B	
ZINC	6.90	µg/L	0.00	B	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1588 SAMPLE TYPE :mw08 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1570 ASSOCIATED MB : MET02
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	140.00	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	U
ARSENIC	50.00	µg/L	0.00		
BARIUM	41.70	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	85400.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	0.00		4.00	U	U
IRON	65.50	µg/L	0.00	B	
LEAD	0.00		2.00	U	U
MAGNESIUM	17000.00	µg/L	0.00		
MANGANESE	127.00	µg/L	0.00		
MERCURY	0.00		0.20	U	U
NICKEL	0.00		13.00	U	U
POTASSIUM	10600.00	µg/L	0.00		J
SELENIUM	0.00		3.00	U	U
SILVER	0.00		5.00	U	U
SODIUM	157000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	U
VANADIUM	11.00	µg/L	0.00	B	
ZINC	5.20	µg/L	0.00	B	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1589 SAMPLE TYPE : mw11 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1570 ASSOCIATED MB : MET02
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	115.00	µg/L	0.00	B	R
ANTIMONY	36.20	µg/L	0.00	B	
ARSENIC	49.80	µg/L	0.00		
BARIUM	92.20	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	53500.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	0.00		4.00	U	U
IRON	262.00	µg/L	0.00		
LEAD	0.00		2.00	U	U
MAGNESIUM	24700.00	µg/L	0.00		
MANGANESE	3030.00	µg/L	0.00		
MERCURY	0.00		0.20	U	U
NICKEL	0.00		13.00	U	U
POTASSIUM	15800.00	µg/L	0.00		J
SELENIUM	0.00		3.00	U	U
SILVER	0.00		5.00	U	U
SODIUM	81100.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	U
VANADIUM	0.00		4.00	U	U
ZINC	8.70	µg/L	0.00	B	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1590 SAMPLE TYPE : mwφ9 SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1570 ASSOCIATED MB : MET02
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	134.00	µg/L	0.00	B	R
ANTIMONY	0.00		30.00	U	U
ARSENIC	29.50	µg/L	0.00		
BARIUM	23.50	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	74300.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	0.00		4.00	U	U
IRON	21.70	µg/L	0.00	B	
LEAD	0.00		2.00	U	U
MAGNESIUM	15800.00	µg/L	0.00		
MANGANESE	93.60	µg/L	0.00		
MERCURY	0.00		0.20	U	U
NICKEL	0.00		13.00	U	U
POTASSIUM	9130.00	µg/L	0.00		J
SELENIUM	0.00		3.00	U	U
SILVER	0.00		5.00	U	U
SODIUM	132000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	U
VANADIUM	17.70	µg/L	0.00	B	
ZINC	0.00		5.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1592 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : MET SDG : 1570 ASSOCIATED MB : MET02
TRIP BLANK : 1591TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
ALUMINUM	384.00	µg/L	0.00		J
ANTIMONY	0.00		30.00	U	U
ARSENIC	40.70	µg/L	0.00		
BARIUM	90.40	µg/L	0.00	B	
BERYLLIUM	0.00		1.00	U	U
CADMIUM	0.00		5.00	U	U
CALCIUM	59100.00	µg/L	0.00		
CHROMIUM	0.00		6.00	U	U
COBALT	0.00		9.00	U	U
COPPER	46.60	µg/L	0.00		
IRON	361.00	µg/L	0.00		
LEAD	0.00		2.00	U	U
MAGNESIUM	12300.00	µg/L	0.00		
MANGANESE	640.00	µg/L	0.00		
MERCURY	0.00		0.20	U	U
NICKEL	0.00		13.00	U	U
POTASSIUM	13600.00	µg/L	0.00		J
SELENIUM	0.00		3.00	U	U
SILVER	0.00		5.00	U	U
SODIUM	214000.00	µg/L	0.00		
THALLIUM	0.00		3.00	U	U
VANADIUM	9.40	µg/L	0.00	B	
ZINC	54.10	µg/L	0.00		

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1546 SAMPLE TYPE : mw02 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	ug/l	0.10	U	U
TPH BY JP-4 STD	0.00	ug/l	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1547 SAMPLE TYPE : mwφ1 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/l	0.10	U	U
TPH BY JP-4 STD	0.00	mg/l	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1548 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 154[illegible]TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	MG/L	0.10	U	U
TPH BY JP-4 STD	0.00	MG/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1549 SAMPLE TYPE : mw04 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	ug/L	0.10	U	U
TPH BY JP-4 STD	0.00	ug/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1550 SAMPLE TYPE : mwφ3 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	ug/L	0.10	U	U
TPH BY JP-4 STD	0.00	ug/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1551 SAMPLE TYPE : mw05 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : VIBLKTPHW
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	2.40	ug/L	0.00		
TPH BY JP-4 STD	1.80	ug/L	0.00		

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1552 SAMPLE TYPE : WR mw05 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : VIBLKTPHW0
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	2.60	µg/L	0.00		
TPH BY JP-4 STD	1.90	µg/L	0.00		

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1554 SAMPLE TYPE :mwlb SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1555 SAMPLE TYPE :mw15 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1556 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : VIBLKTPHW
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.03	µg/L	0.00	J	J
TPH BY JP-4 STD	0.02	µg/L	0.00	J	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:C
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1557 SAMPLE TYPE :mw12 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : VIBLKTPHW0
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.02	µg/L	0.00	J	J
TPH BY JP-4 STD	0.01	µg/L	0.00	J	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1558 SAMPLE TYPE : ERmw12 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1559 SAMPLE TYPE : mw14 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	ug/L	0.10	U	U
TPH BY JP-4 STD	0.00	ug/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1560 SAMPLE TYPE : mw13 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1561 SAMPLE TYPE : SD05 SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1561 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/kg	0.14	U	U
TPH BY JP-4 STD	0.00	mg/kg	1.20	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1562 SAMPLE TYPE : SD08 SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1561 ASSOCIATED MB : VBLKCA
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.07	mg/kg	0.00	JB	J
TPH BY JP-4 STD	0.05	mg/kg	0.00	JB	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1563 SAMPLE TYPE :SD06 SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1561 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/kg	0.18	U	U
TPH BY JP-4 STD	0.00	mg/kg	1.40	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1564 SAMPLE TYPE : SD07 SAMPLE MATRIX : S
ANALYSIS TYPE : PHC SDG : 1561 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	MG/KG	0.17	U	U
TPH BY JP-4 STD	0.00	MG/KG	1.40	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1566 SAMPLE TYPE :mw20 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	MG/L	0.10	U	U
TPH BY JP-4 STD	0.00	MG/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1567 SAMPLE TYPE : MW21 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1568 SAMPLE TYPE : WR MW2 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	ug/L	0.10	U	U
TPH BY JP-4 STD	0.00	ug/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1569 SAMPLE TYPE : MW16 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	ug/L	0.10	U	U
TPH BY JP-4 STD	0.00	ug/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1570 SAMPLE TYPE : WR MW16 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	MG/L	0.10	U	U
TPH BY JP-4 STD	0.00	MG/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1571 SAMPLE TYPE : MW17 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : VIBLKTPHW
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.15	µg/L	0.00		
TPH BY JP-4 STD	0.11	µg/L	0.00	J	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1572 SAMPLE TYPE : ERm W72 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1561 ASSOCIATED MB : VBLKCA
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.04	µg/L	0.00	B	
TPH BY JP-4 STD	0.03	µg/L	0.00	B	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1573 SAMPLE TYPE :mw22 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	ug/L	0.10	U	U
TPH BY JP-4 STD	0.00	ug/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1574 SAMPLE TYPE :mw19 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1576 SAMPLE TYPE : MW10 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : VIBLKTPHW
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.05	µg/L	0.00	J	J
TPH BY JP-4 STD	0.04	µg/L	0.00	J	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1577 SAMPLE TYPE :mw23 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1578 SAMPLE TYPE : mw06 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : VIBLKTPHW
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	µg/L	0.00	J	J
TPH BY GAS STD	1.60	mg/L	0.00		
TPH BY JP-4 STD	1.20	mg/L	0.00		
TPH BY JP-4 STD	0.00	µg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1579 SAMPLE TYPE : MW24 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1580 SAMPLE TYPE :MW25 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : VIBLKTPHW
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	1.80	mg/L	0.00		
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U
TPH BY JP-4 STD	1.30	mg/L	0.00		

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1581 SAMPLE TYPE : mw07 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : VIBLKTPHW0
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY GAS STD	14.00	mg/L	0.00		
TPH BY JP-4 STD	10.00	mg/L	0.00		
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1582 SAMPLE TYPE : ERmw07 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1561 ASSOCIATED MB : VBLKCA
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.02	µg/L	0.00	JB	J
TPH BY JP-4 STD	0.01	µg/L	0.00	B	

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1584 SAMPLE TYPE :mw67 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : Clean Samp
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1585 SAMPLE TYPE : ERmW67 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1561 ASSOCIATED MB : Clean Samp
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.80	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1586 SAMPLE TYPE : mw65 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : Clean Samp
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1587 SAMPLE TYPE : mw66 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : Clean Sam
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1588 SAMPLE TYPE : mw08 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : Clean Samp
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	ug/L	0.10	U	U
TPH BY JP-4 STD	0.00	ug/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1589 SAMPLE TYPE :mwll SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : Clean Sam
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1590 SAMPLE TYPE :mw09 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : Clean Samp
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.00	mg/L	0.10	U	U
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1592 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1570 ASSOCIATED MB : VIBLKTPHW
TRIP BLANK : 1591TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY GAS STD	0.08	ug/L	0.00	J	J
TPH BY JP-4 STD	0.06	ug/L	0.00	J	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1593 SAMPLE TYPE : mw03 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1590 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1597TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1594 SAMPLE TYPE :mw24 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1590 ASSOCIATED MB : Clean Sam
TRIP BLANK : 1597TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00	mg/L	0.60	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1596 SAMPLE TYPE : ERmw24 SAMPLE MATRIX : W
ANALYSIS TYPE : PHC SDG : 1596 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1597TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
TPH BY JP-4 STD	0.00	ug/L	0.80	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1545 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 1546-1552 ASSOCIATED MB : VBLKC8
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	10.00	µg/L	0.00		J
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	4.00	µg/L	0.00		
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1546 SAMPLE TYPE : mwϕ2 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKC8
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	9.00	µg/L	0.00		
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1547 SAMPLE TYPE : mwφl SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units ug/L	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1548 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKC8
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	2.00	µg/L	0.00		
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	4.00	µg/L	0.00		
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1549 SAMPLE TYPE : mw03 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKC8
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	2.00	µg/L	0.00		J
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	3.00	µg/L	0.00		
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1550 SAMPLE TYPE :mw03 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKC8
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00		
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1551 SAMPLE TYPE : mwqs SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKC8
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	24.00	µg/L	0.00		
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	27.00	µg/L	0.00		
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	37.00	µg/L	0.00		
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	8.00	µg/L	0.00		
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	450.00	µg/L	0.00		J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1552 SAMPLE TYPE : WRmw05 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKC8
TRIP BLANK : 1545TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	23.00	µg/L	0.00		
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	24.00	µg/L	0.00		
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	33.00	µg/L	0.00		
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	9.00	µg/L	0.00		
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	450.00	µg/L	0.00		J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1553 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 1554-1560 ASSOCIATED MB : VBLKD5
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	7.00	µg/L	0.00		J
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1554 SAMPLE TYPE : mw18 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKG7
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	2.00	µg/L	0.00		
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	5.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1555 SAMPLE TYPE : mw15 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKG7
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1556 SAMPLE TYPE : FB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKG7
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2- ICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	6.00	µg/L	0.00		
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	13.00	µg/L	0.00		
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	2.00	µg/L	0.00		
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	5.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1557 SAMPLE TYPE : mw12 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKG6
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	5.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1558 SAMPLE TYPE : ERmw12 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKD5
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1559 SAMPLE TYPE : mw14 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKG6
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	1.00	µg/L	0.00		
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1560 SAMPLE TYPE :mw13 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKG6
TRIP BLANK : 1553TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	14.00	µg/L	0.00		
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	4.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1565 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 1566-1574 ASSOCIATED MB : VBLKG4
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	3.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1566 SAMPLE TYPE : mw~~3~~20 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKG4
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1567 SAMPLE TYPE: MW21 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units ug/L	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1568 SAMPLE TYPE : WRmw21 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : Clean Samp
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units ug/l	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	0.00		10.00	U	U
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1569 SAMPLE TYPE : mw16 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1545 ASSOCIATED MB : VBLKG4
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	UJ
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	UJ
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	UJ
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1570 SAMPLE TYPE : WRmw16 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKG4
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	3.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1571 SAMPLE TYPE : mw17 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKG4
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	4.00	µg/L	0.00	J	J
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	15.00	µg/L	0.00		
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	24.00	µg/L	0.00		
METHYLENE CHLORIDE	1.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	1.00	µg/L	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	7.00	µg/L	0.00	J	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1572 SAMPLE TYPE : ERMW17 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKG4
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1573 **SAMPLE TYPE : MW22** **SAMPLE MATRIX : W**
ANALYSIS TYPE : VOL **SDG : 1570** **ASSOCIATED MB : VBLKG4**
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENC)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1574 SAMPLE TYPE : mw19 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKG4
TRIP BLANK : 1565TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
bENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1575 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 1576-1582 ASSOCIATED MB : VBLKH5
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1577 SAMPLE TYPE :MW23 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKH5
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1578 **SAMPLE TYPE : mwφ6** **SAMPLE MATRIX : W**
ANALYSIS TYPE : VOL **SDG : 1570** **ASSOCIATED MB : VBLKH5**
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	67.00	µg/L	0.00		
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	1.00	µg/L	0.00	J	J
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	55.00	µg/L	0.00		
METHYLENE CHLORIDE	31.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	1.00	µg/L	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	73.00	µg/L	0.00		

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1579 SAMPLE TYPE :MW24 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKH5
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETFENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	1.00	µg/L	0.00	J	J
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	32.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1580 SAMPLE TYPE : mw25 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKH5
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		20.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		20.00	U	U
1,1,2-TRICHLOROETHANE	0.00		20.00	U	U
1,1-DICHLOROETHANE	0.00		20.00	U	U
1,1-DICHLOROETHENE	0.00		20.00	U	U
1,2-DICHLOROETHANE	0.00		20.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		20.00	U	U
1,2-DICHLOROPROPANE	0.00		20.00	U	U
2-BUTANONE	0.00		20.00	U	U
2-HEXANONE	0.00		20.00	U	U
4-METHYL-2-PENTANONE	0.00		20.00	U	UJ
ACETONE	0.00		20.00	U	UJ
BENZENE	380.00	µg/L	0.00		
BROMODICHLOROMETHANE	0.00		20.00	U	U
BROMOFORM	0.00		20.00	U	U
BROMOMETHANE	0.00		20.00	U	U
CARBON DISULFIDE	0.00		20.00	U	U
CARBON TETRACHLORIDE	0.00		20.00	U	U
CHLOROBENZENE	0.00		20.00	U	U
CHLOROETHANE	0.00		20.00	U	U
CHLOROFORM	0.00		20.00	U	U
CHLOROMETHANE	0.00		20.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		20.00	U	U
DIBROMOCHLOROMETHANE	0.00		20.00	U	U
ETHYLBENZENE	14.00	µg/L	0.00	J	J
METHYLENE CHLORIDE	22.00	µg/L	0.00		R
STYRENE	0.00		20.00	U	U
TETRACHLOROETHENE	0.00		20.00	U	U
TOLUENE	8.00	µg/L	0.00	J	J
TRANS-1,3-DICHLOROPROPENE	0.00		20.00	U	U
TRICHLOROETHENE	0.00		20.00	U	U
VINYL CHLORIDE	0.00		20.00	U	U
XYLENES (TOTAL)	59.00	µg/L	0.00		

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1582 SAMPLE TYPE : ERmw25 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKH5
TRIP BLANK : 1575TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted]t Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1584 SAMPLE TYPE :mw67 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKH5
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	13.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1585 SAMPLE TYPE : ERMW67 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKH5
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1586 SAMPLE TYPE : mw65 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKH5
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1587 SAMPLE TYPE : mw66 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKH5
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	1.00	µg/L	0.00	J	J
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	18.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1588 SAMPLE TYPE :MW08 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKH5
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	18.00	µg/L	0.00		
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	6.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	2.00	µg/L	0.00	J	J
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1589 SAMPLE TYPE :Well SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1570 ASSOCIATED MB : VBLKH5
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	U
2-HEXANONE	0.00		10.00	U	U
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	U
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	UJ
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	2.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1590 SAMPLE TYPE : mwφ9 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1590 ASSOCIATED MB : VBLKH4
TRIP BLANK :
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	R
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	24.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1591 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1590 1584-1592 ASSOCIATED MB : VBLKH4
TRIP BLANK : 1591TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	R
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	1.00	µg/L	0.00	ب	J
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	20.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1592 SAMPLE TYPE : FB (TANK) SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1590 (WATER) ASSOCIATED MB : VBLKH4
TRIP BLANK : 1591TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	R
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	10.00	µg/L	0.00		
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	1.00	µg/L	0.00	J	J
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	2.00	µg/L	0.00	J	J
METHYLENE CHLORIDE	30.00	µg/L	0.00		R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENES (TOTAL)	3.00	µg/L	0.00	J	J

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1593 SAMPLE TYPE : mwϕ3 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1590 ASSOCIATED MB : VBLKN2
TRIP BLANK : 1597TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	2.00	µg/L	0.00	J	J
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	R
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	5.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] *Summary*
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1595 SAMPLE TYPE : MW07 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1590 ASSOCIATED MB : VBLKN2
TRIP BLANK : 1597TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		120.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		120.00	U	U
1,1,2-TRICHLOROETHANE	0.00		120.00	U	U
1,1-DICHLOROETHANE	0.00		120.00	U	U
1,1-DICHLOROETHENE	0.00		120.00	U	U
1,2-DICHLOROETHANE	0.00		120.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		120.00	U	U
1,2-DICHLOROPROPANE	0.00		120.00	U	U
2-BUTANONE	0.00		120.00	U	UJ
2-HEXANONE	0.00		120.00	U	R
4-METHYL-2-PENTANONE	0.00		120.00	U	UJ
ACETONE	0.00		120.00	U	UJ
BENZENE	2100.00	µg/L	0.00		
BROMODICFLOROMETHANE	0.00		120.00	U	U
BROMOFORM	0.00		120.00	U	U
BROMOMETHANE	0.00		120.00	U	U
CARBON DISULFIDE	0.00		120.00	U	U
CARBON TETRACHLORIDE	0.00		120.00	U	U
CHLOROBENZENE	0.00		120.00	U	U
CHLOROETHANE	0.00		120.00	U	UJ
CHLOROFORM	0.00		120.00	U	U
CHLOROMETHANE	0.00		120.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		120.00	U	U
DIBROMOCHLOROMETHANE	0.00		120.00	U	U
ETHYLBENZENE	480.00	µg/L	0.00		
METHYLENE CHLORIDE	51.00	µg/L	0.00	J	J
STYRENE	0.00		120.00	U	U
TETRACHLOROETHENE	0.00		120.00	U	U
TOLUENE	0.00		120.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		120.00	U	UJ
TRICHLOROETHENE	0.00		120.00	U	U
VINYL CHLORIDE	0.00		120.00	U	U
XYLENES (TOTAL)	1000.00	µg/L	0.00		

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE:*03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL:*C*
BEGINNING SAMPLE #:*1545* ENDING SAMPLE #:*1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1596 SAMPLE TYPE : ERmwΦ7 SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1590 ASSOCIATED MB : VBLKN2
TRIP BLANK : 1597TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	R
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	JJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	4.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U

PROJECT: *NEVADA AIR NAT. GUARD (RENO)* DATE: *03/01/94*
Final [redacted] Summary
REVIEWER: *DENNIS MARTY* DATA VALIDATION LEVEL: *C*
BEGINNING SAMPLE #: *1545* ENDING SAMPLE #: *1597*

SAMPLE AND ASSOCIATED BLANK DATA

SAMPLE NUMBER: 1597 SAMPLE TYPE : TB SAMPLE MATRIX : W
ANALYSIS TYPE : VOL SDG : 1590 1593-1596 ASSOCIATED MB : VBLKN2
TRIP BLANK : 1597TB
FIELD BLANKS : 1548FB, 1556FB, 1592FB
EQUIPMENT RINSATES : 1558ER, 1572ER, 1582ER, 1585ER, 1596ER

Compound	Concentration	Units	Instrument Detection Limit	QCode	QFinal
1,1,1-TRICHLOROETHANE	0.00		10.00	U	U
1,1,2,2-TETRACHLOROETHANE	0.00		10.00	U	U
1,1,2-TRICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHANE	0.00		10.00	U	U
1,1-DICHLOROETHENE	0.00		10.00	U	U
1,2-DICHLOROETHANE	0.00		10.00	U	U
1,2-DICHLOROETHENE (TOTAL)	0.00		10.00	U	U
1,2-DICHLOROPROPANE	0.00		10.00	U	U
2-BUTANONE	0.00		10.00	U	UJ
2-HEXANONE	0.00		10.00	U	R
4-METHYL-2-PENTANONE	0.00		10.00	U	UJ
ACETONE	0.00		10.00	U	UJ
BENZENE	0.00		10.00	U	U
BROMODICHLOROMETHANE	0.00		10.00	U	U
BROMOFORM	0.00		10.00	U	U
BROMOMETHANE	0.00		10.00	U	U
CARBON DISULFIDE	0.00		10.00	U	U
CARBON TETRACHLORIDE	0.00		10.00	U	U
CHLOROBENZENE	0.00		10.00	U	U
CHLOROETHANE	0.00		10.00	U	UJ
CHLOROFORM	0.00		10.00	U	U
CHLOROMETHANE	0.00		10.00	U	U
CIS-1,3-DICHLOROPROPENE	0.00		10.00	U	U
DIBROMOCHLOROMETHANE	0.00		10.00	U	U
ETHYLBENZENE	0.00		10.00	U	U
METHYLENE CHLORIDE	1.00	µg/L	0.00	J	R
STYRENE	0.00		10.00	U	U
TETRACHLOROETHENE	0.00		10.00	U	U
TOLUENE	0.00		10.00	U	U
TRANS-1,3-DICHLOROPROPENE	0.00		10.00	U	UJ
TRICHLOROETHENE	0.00		10.00	U	U
VINYL CHLORIDE	0.00		10.00	U	U
XYLENE (TOTAL)	0.00		10.00	U	U