

F AD-A283 735

3E

unapproved  
OMB No. 0704-0188Public reporting burden:  
gathering and maintaining  
collection of information  
Data Highway, Suite 120Some, including the time for reviewing instructions, searching existing data sources,  
motion, send comments regarding this burden estimate or any other aspect of this  
agency's services. Send comments for information, Operations and Reports, 1215 Jefferson  
gov. Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)

June 1994

3. REPORT TYPE AND DATES COVERED

Final Report 1989-1992

4. TITLE AND SUBTITLE "Assessment of gag DNA and Genomic RNA in  
Peripheral Blood Mononuclear Cells in HIV Infected Patients  
Receiving Intervention with a Recombinant gp 160 Subunit Vaccine  
in a Phase One Study. Subtitle: Viral Load in HIV Infected

5. FUNDING NUMBERS

6. AUTHOR(S) Persons in a Phase I Study

Maryanne Vahey, Deborah L. Bix, Nelson L. Michael,  
Donald S. Burke, and Robert R. Redfield

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Division of Retrovirology, Walter Reed Army Institute of  
Research, 1600 E. Gude Drive, Rockville, MD 208508. PERFORMING ORGANIZATION  
REPORT NUMBERSCRD-UWA  
PE

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

N/A

10. SPONSORING/MONITORING  
AGENCY REPORT NUMBER

N/A

## 11. SUPPLEMENTARY NOTES

The views of the authors do not purport to reflect the opinions of the Department  
of Defense (paragraph 4-3, AR-360)

## 12a. DISTRIBUTION/AVAILABILITY STATEMENT

Open


This document has been approved  
for public release and sale; its  
distribution is unlimited.

## 12b. DISTRIBUTION CODE

All Agencies

## 13. ABSTRACT (Maximum 200 words)

A direct, quantitative polymerase chain reaction (PCR) assay was employed to measure the levels of gag DNA and genomic RNA in cryopreserved patient peripheral blood mononuclear cells (PBMC). This technique was used to determine the viral load over the initial 702 day period (range: 492-812 days) in 26 of the volunteer recipients of a recombinant gp 160 vaccine in a Phase I safety trial. We observed no statistically significant alterations in viral load over the study period. In addition, the assessment at multiple time points post immunization, of the first three patients to enter the Phase I trial revealed no statistically significant relationship between immunization and viral load.



## 14. SUBJECT TERMS

HIV Disease, gp 160 Sub-Unit Vaccine, Clinical Trials,  
Viral Load

## 15. NUMBER OF PAGES

6

## 16. PRICE CODE

17. SECURITY CLASSIFICATION  
OF REPORT

Unclassified (UL)

18. SECURITY CLASSIFICATION  
OF THIS PAGE

UL

19. SECURITY CLASSIFICATION  
OF ABSTRACT

UL

## 20. LIMITATION OF ABSTRACT

UL

# Assessment of *gag* DNA and Genomic RNA in Peripheral Blood Mononuclear Cells in HIV-Infected Patients Receiving Intervention with a Recombinant gp160 Subunit Vaccine in a Phase I Study

**MARYANNE VAHEY, DEBORAH L. BIRX, NELSON L. MICHAEL, DONALD S. BURKE, and  
ROBERT R. REDFIELD**

**H**UMAN IMMUNODEFICIENCY VIRUS disease progression is characterized by a period of high viremia during acute infection, followed by host immune response concomitant with a decline in viremia,<sup>1-3</sup> and by a final phase of high viremia late in disease.<sup>1,3</sup> During the protracted clinically asymptomatic period, while virus may be difficult to recover in culture,<sup>4,5</sup> viral sequences can be detected by the polymerase chain reaction (PCR), suggesting that the disease is characterized by a persistent level of viral expression throughout this period.<sup>3,6-12</sup>

Refinement of the techniques of PCR and reverse transcriptase-linked polymerase chain reaction (RT-PCR) assays by our laboratory enabled us to investigate the relationship between increases in viral DNA and RNA load in 31 patients assessed in a cross-sectional study and representing all stages of HIV infection.<sup>8</sup> To complement the characterization of the immune responses of vaccine recipients to the recombinant gp160 subunit vaccine described in Redfield *et al.*,<sup>13</sup> we initiated the present study, employing PCR to assess proviral (*gag*) DNA and RT-PCR to assess genomic RNA production, in patients receiving the vaccine in a phase I trial.

Vaccine recipients were participants in a phase I safety and immunogenicity trial of a recombinant gp160 vaccine. Patients were characterized as seropositive, Walter Reed stage 1 or 2,<sup>14</sup> with a mean of no fewer than 400 CD4<sup>+</sup> cells/mm<sup>3</sup> for a greater than 3-month period prior to entry in the trial and were described as having responded (patients A, C, E, F, G, H, I, K, L, M, O, P, R, U, V, X, and Y) or not responded (patients B, D, J, N, Q, S, T, W, and Z) to the initial vaccine regimen according to the immunological criteria defined by Redfield *et al.*<sup>13</sup> The demographic information in Table 1 summarizes patient profiles, sampling points, and the timing of immunizations. In many patients, no immunizations were received between the completion of the initial immunization series on either day 120 or 180 until day 400–600 of follow-up, leaving washout periods of 220–480

days. All the initial priming shots were variable doses; repriming consisted of 640 µg (six shots) and boosting of 160 µg per dose. The vaccine is a subunit gp160 recombinant protein expressed in baculovirus and biochemically purified and adsorbed to aluminum phosphate and is manufactured by MicroGeneSys (Meriden, CT) under the trade name VaxSvn.

For PCR, approximately  $5 \times 10^6$  patient peripheral blood mononuclear cells (PBMCs) were thawed on ice, pelleted at 1500 rpm at 4°C for 5 min washed once with cold phosphate-buffered saline (PBS), and resuspended in a final volume of 5.0 ml of cold PBS. DNA was prepared from 1 ml of washed cells, employing detergent lysis followed by digestion with proteinase K (Bethesda Research Laboratories, Gaithersburg, MD). RNA was prepared from 4 ml of washed cells, using extraction in 4 M guanidine isothiocyanate, 0.3 M sodium acetate (pH 6.0), and 0.3 M 2-mercaptoethanol, followed by cesium chloride gradient centrifugation. RNA was resuspended in 100 µl of diethyl pyrocarbonate (DEPC)-treated water prior to treatment with 135 U of RNase-free DNase I (Boehringer Mannheim, Indianapolis, IN).

The sequences of the primer pairs used in PCR and RT-PCR, for *gag* DNA and genomic RNA, were as follows:

**GAG-3: CAATGAGGAAGCTGCAGAATGGGATAG**

**GAG-6: CATCCATCCTATTTGTTCTGAAGG**

**Probe, GPR-5: ATGAGAGAACCAAGGGGAAGTGA-CATAGCA**

For *gag* DNA PCR, 100,000 cell equivalents were used in a 100- $\mu$ l reaction employing 25 cycles and an annealing temperature of 55°C. For genomic RNA PCR, RNA was converted to cDNA in a 20- $\mu$ l reaction volume incubated at 45°C for 1 hr using 8 ng of template RNA in 50 mM Tris-HCl (pH 8.3), 75 mM KCl, 3 mM MgCl<sub>2</sub>, cloned RNase H-Moloney murine leukemia virus reverse transcriptase (10 U/ $\mu$ l) (SuperScript; Bethesda Research Laboratories), RNasin (1 U/ml; Promega, Madison, WI), 20 mM dithiothreitol (DTT), 0.5 mM dNTPs, and 0.5  $\mu$ M 3'

**Division of Retrovirology, Walter Reed Army Institute of Research, 13 Taft Court, Rockville, Maryland 20850.**

**\*The views of the authors do not purport to reflect the opinions of the Department of Defense (paragraph 4-3, AR-360).**

TABLE 1. PATIENT PROFILES IN GP160 PHASE I TRIAL<sup>a,b</sup>

| Patient                 | Sex | Ethnicity | Age at entry (years) | No. of injections primary | Initial responder <sup>a</sup> | Reprime <sup>b</sup> | Boosters <sup>c</sup> | Day to C/H <sup>d</sup> | AZT use <sup>e</sup> | Length of follow-up <sup>f</sup> |
|-------------------------|-----|-----------|----------------------|---------------------------|--------------------------------|----------------------|-----------------------|-------------------------|----------------------|----------------------------------|
| A                       | M   | B         | 24                   | 6                         | R                              |                      | 4                     | 45                      |                      | 807                              |
| B                       | M   | W         | 24                   | 3                         | N                              | 611                  | 0                     | 640                     |                      | 807                              |
| C                       | M   | B         | 35                   | 6                         | R                              |                      | 3                     | 150                     |                      | 812                              |
| D                       | M   | W         | 34                   | 6                         | N                              | 617                  | 0                     | 729                     |                      | 645                              |
| E                       | M   | B         | 25                   | 6                         | R                              |                      | 3                     | 120                     |                      | 749                              |
| F                       | M   | B         | 41                   | 6                         | R                              |                      | 4                     | 150                     | 685-699              | 803                              |
| G                       | M   | W         | 25                   | 6                         | R                              |                      | 2                     | 75                      |                      | 774                              |
| H                       | M   | B         | 24                   | 3                         | R                              |                      | 5                     | 60                      |                      | 730                              |
| I                       | M   | B         | 23                   | 6                         | R                              |                      | 3                     | 90                      |                      | 783                              |
| J                       | M   | B         | 25                   | 3                         | N                              | 615                  | 0                     | 672                     |                      | 811                              |
| K                       | M   | B         | 32                   | 3                         | R                              |                      | 5                     | 180                     |                      | 643                              |
| L                       | M   | B         | 27                   | 6                         | R                              | 512                  | 1                     | 180                     |                      | 755                              |
| M                       | M   | B         | 28                   | 3                         | R                              |                      | 6                     | 180                     |                      | 734                              |
| N                       | M   | H         | 29                   | 3                         | N                              | 372                  | 1                     | 483                     |                      | 623                              |
| O                       | F   | B         | 38                   | 6                         | R                              |                      | 2                     | 150                     | 515-1100             | 586                              |
| P                       | M   | W         | 27                   | 3                         | R                              |                      | 5                     | 150                     |                      | 731                              |
| Q                       | M   | W         | 43                   | 3                         | N                              | 559                  | 0                     | 672                     | 600-                 | 755                              |
| R                       | F   | W         | 48                   | 6                         | R                              |                      | 4                     | 180                     |                      | 745                              |
| S                       | M   | C         | 36                   | 6                         | N                              | 316                  | 2                     | 429                     | 610-1160             | 758                              |
| T                       | M   | W         | 49                   | 3                         | N                              | 301                  | 2                     | 441                     |                      | 732                              |
| U                       | M   | W         | 26                   | 6                         | R                              | 279                  | 2                     | 421                     |                      | 735                              |
| V                       | F   | W         | 19                   | 6                         | R                              |                      | 4                     | 90                      |                      | 732                              |
| W                       | M   | B         | 27                   | 3                         | N                              | 288                  | 1                     | 400                     |                      | 568                              |
| X                       | F   | H         | 22                   | 6                         | R                              |                      | 5                     | 90                      |                      | 800                              |
| Y                       | M   | W         | 27                   | 6                         | R                              | 249                  | 2                     | 90                      |                      | 675                              |
| Z                       | M   | B         | 29                   | 3                         | N                              | 268                  | 0                     | 120                     |                      | 492                              |
| 5 <sup>g</sup>          | M   | W         | 30                   | 3                         | N                              |                      |                       |                         |                      |                                  |
| 11 <sup>h</sup>         | M   | H         | 27                   | 6                         | R                              |                      | 1                     | 120                     |                      |                                  |
| 12 <sup>h</sup>         | M   | W         | 27                   | 3                         | N                              | 681                  | 0                     |                         |                      |                                  |
| 22 <sup>h</sup>         | M   | W         | 21                   | 3                         | R                              |                      |                       |                         |                      |                                  |
| HIV positive serum pool |     |           | 1:10                 | <1:10                     |                                |                      |                       |                         |                      |                                  |

<sup>a</sup>As described in Redfield *et al.*<sup>13</sup><sup>b</sup>Six hundred and forty micrograms per injection on days 0, 7, 30, 60, 90, and 120, where day 0 is the study day indicated in the column.<sup>c</sup>One hundred and sixty micrograms per injection given at varying intervals (2, 4, or 6 months).<sup>d</sup>Indicates time (post day 0) to generation of new humoral and cellular immune responses to HIV-1 envelope.<sup>e</sup>Day that antiretroviral therapy was instituted.<sup>f</sup>Length of follow-up from post-initial day 0 for patients included in viral load analyses.<sup>g</sup>Trial patients not analyzed in this study: 5, deceased; 22, left the trial; 11 and 12, poor compliance.

primer. The entire reverse transcriptase reaction (100,000 cell equivalents) was used in the 100- $\mu$ l PCR reaction employing 28 cycles with an annealing temperature of 55°C. As a control for RNA specificity, reactions were also carried out in the absence of reverse transcriptase.

For the quantitative determination of copy number, DNA fragments of HIV-1 target sequences were generated by PCR from the plasmid pBENN 7 and ligated into pGEM-3Z (Promega) or pBluescript II KS (Stratagene, La Jolla, CA) plasmids.<sup>8</sup> For PCR, plasmid DNA was diluted in the presence of carrier tRNA (4  $\mu$ g/ml) and used directly in the PCR reaction. Amplification was performed exactly as for experimental samples. Products of PCR reactions were analyzed on 1.5% agarose gels, pressure blotted to nylon filters (Stratagene), and probed with <sup>32</sup>P end-labeled oligonucleotides specific for sequences internal to the amplified product. Image analysis was carried out using storage phosphor technology (Molecular Dynamics,

Sunnyvale, CA). Cell numbers were normalized by comparison with the results of the amplification of  $\beta$ -globin DNA carried out using 7000 cell equivalents with an annealing temperature of 50°C and 22 cycles. All statistical analyses were performed post hoc to the design of experiments and the gathering of PCR data. The Wilcoxon signed rank test was employed for nonparametric statistical comparisons as appropriate. Calculation of the Spearman rank correlation coefficient ( $\rho$ ) was employed in the analysis of the correlation matrix for variables including genomic RNA and *gag* DNA baseline, end-point, and delta values.

Results of PCR analysis reveal several features of the viral load in the cohort of 26 early-stage HIV-infected patients in the phase I trial that are apparent from the descriptive statistics summarized in Table 2. First, there is a three-log range in the level of genomic RNA and a two- to three-log range in *gag* DNA among the patients throughout the study period. This broad range of viral load is characteristic of early-stage HIV-infected persons and

TABLE 2. STATISTICAL ANALYSES OF VIRAL LOAD IN 26 PATIENTS IN GP160 PHASE I TRIAL

| Descriptive Facts           |          |           |
|-----------------------------|----------|-----------|
| Parameter                   | Baseline | End point |
| Geometric mean genomic RNA* | 75       | 85        |
| Arithmetic mean genomic RNA | 240      | 247       |
| Range                       | 2-1650   | 5-1822    |
| Geometric mean gag DNA*     | 97       | 59        |
| Arithmetic mean gag DNA     | 240      | 203       |
| Range                       | 1-840    | 1-1175    |

## Statistical Analysis

The results of the Wilcoxon signed rank test show that there is no significant difference between the end point and the baseline as measured for all 26 patients, with  $p = 0.56$  for DNA and  $p = 0.21$  for RNA

Power:  $N$  at each time point varies from 1 to 3

Baseline: From 30 days prior to day of vaccination

End point: Last analysis point and up to 60 days

Mean follow-up: 702 days; range, 492-812 days

\*Values are copy number of nucleic acid per 100,000 PBMC

TABLE 3. PROFILE OF CD4+ CELL VALUES IN VIRAL BURDEN STUDY POPULATION

| Patient | Absolute CD4+ Cell count |                        |       | Percent CD4+ cells    |                        |       |
|---------|--------------------------|------------------------|-------|-----------------------|------------------------|-------|
|         | Baseline <sup>a</sup>    | End point <sup>b</sup> | Delta | Baseline <sup>a</sup> | End point <sup>b</sup> | Delta |
| A       | 601                      | 717                    | 116   | 27.0                  | 29.7                   | 2.7   |
| B       | 684                      | 403                    | -281  | 32.3                  | 29.0                   | -5.3  |
| C       | 422                      | 359                    | -63   | 44.0                  | 35.7                   | -8.3  |
| D       | 426                      | 355                    | -71   | 35.7                  | 28.0                   | -7.7  |
| E       | 825                      | 595                    | -230  | 30.2                  | 25.7                   | -4.5  |
| F       | 420                      | 380                    | -40   | 23.3                  | 22.7                   | -0.6  |
| G       | 785                      | 626                    | -159  | 41.4                  | 41.0                   | -0.4  |
| H       | 656                      | 906                    | 251   | 35.3                  | 37.7                   | 2.3   |
| I       | 958                      | 718                    | -240  | 24.3                  | 20.3                   | -4.0  |
| J       | 479                      | 450                    | -29   | 24.6                  | 22.7                   | -1.9  |
| K       | 758                      | 616                    | -142  | 33.4                  | 30.0                   | -3.4  |
| L       | 537                      | 365                    | -171  | 27.5                  | 23.3                   | -4.2  |
| M       | 1433                     | 1239                   | -194  | 47.0                  | 45.0                   | -2.0  |
| N       | 562                      | 320                    | -242  | 23.6                  | 17.7                   | -5.9  |
| O       | 762                      | 813                    | 51    | 43.6                  | 45.7                   | 2.1   |
| P       | 564                      | 412                    | -151  | 28.8                  | 24.7                   | -4.1  |
| Q       | 543                      | 505                    | -38   | 28.7                  | 26.4                   | -2.3  |
| R       | 627                      | 399                    | -228  | 30.3                  | 21.0                   | -9.3  |
| S       | 1639                     | 1274                   | -365  | 55.0                  | 58.0                   | 3.0   |
| T       | 530                      | 445                    | -84   | 30.3                  | 27.7                   | -2.6  |
| U       | 438                      | 383                    | -55   | 19.8                  | 20.4                   | 0.6   |
| V       | 752                      | 800                    | 48    | 44.4                  | 48.3                   | 3.9   |
| W       | 388                      | 406                    | 18    | 21.3                  | 20.7                   | -0.6  |
| X       | 499                      | 409                    | -90   | 29.2                  | 29.0                   | -0.2  |
| Y       | 681                      | 567                    | -114  | 37.0                  | 34.0                   | -3.0  |
| Z       | 407                      | 392                    | -15   | 24.8                  | 23.0                   | -1.8  |

<sup>a</sup>Baseline includes values at viral burden points up to 70 days prior to immunization.

<sup>b</sup>End point includes values at the final viral burden determination time point, as listed in Table 1, and up to 60 days previous.

TABLE 4. COPY NUMBERS OF NUCLEIC ACID PER 100,000 PERIPHERAL BLOOD MONONUCLEAR CELLS IN PATIENTS IN PHASE I TRIAL<sup>a</sup>

A. Delta Values

| Patient | Baseline <sup>b</sup> to day 365 <sup>c</sup> |       | Day 365 <sup>c</sup> to end point <sup>d</sup> |       | Baseline <sup>b</sup> to end point <sup>d</sup> |       |
|---------|-----------------------------------------------|-------|------------------------------------------------|-------|-------------------------------------------------|-------|
|         | DNA                                           | RNA   | DNA                                            | RNA   | DNA                                             | RNA   |
| A       | -69                                           | -60   | -25                                            | -1510 | -94                                             | -1570 |
| B       | -264                                          | -109  | -556                                           | -242  | -820                                            | -351  |
| C       | ND <sup>e</sup>                               | ND    | ND                                             | ND    | 121                                             | 247   |
| D       | -3                                            | 22    | 5                                              | 102   | 2                                               | 124   |
| E       | 132                                           | 39    | -192                                           | 6     | -60                                             | 45    |
| F       | -25                                           | -1288 | -10                                            | -250  | -35                                             | -1538 |
| G       | 612                                           | 15    | -122                                           | 43    | 490                                             | 58    |
| H       | 46                                            | 18    | -63                                            | -11   | -17                                             | 7     |
| I       | -12                                           | 13    | -40                                            | -25   | -52                                             | -12   |
| J       | -1                                            | 11    | -8                                             | 44    | -9                                              | 55    |
| K       | -56                                           | 3     | -1                                             | 9     | 57                                              | 12    |
| L       | -484                                          | 36    | 89                                             | -75   | -395                                            | -39   |
| M       | -19                                           | 8     | 0                                              | -13   | -19                                             | -5    |
| N       | 137                                           | 244   | 156                                            | 10    | 293                                             | 254   |
| O       | 1                                             | 96    | -1                                             | -36   | 0                                               | 60    |
| P       | 133                                           | 48    | 85                                             | 1893  | 218                                             | 1941  |
| Q       | ND                                            | ND    | ND                                             | ND    | -368                                            | 17    |
| R       | -151                                          | 247   | 55                                             | -342  | -96                                             | -95   |
| S       | 3                                             | -16   | 18                                             | 1138  | 21                                              | 1122  |
| T       | ND                                            | ND    | ND                                             | ND    | 10                                              | 12    |
| U       | 472                                           | -105  | -49                                            | -88   | 423                                             | -193  |
| V       | -22                                           | 4     | 46                                             | 19    | 25                                              | 23    |
| W       | -16                                           | 34    | 0                                              | -77   | -16                                             | -43   |
| X       | -264                                          | -140  | 325                                            | 342   | 61                                              | 202   |
| Y       | ND                                            | ND    | ND                                             | ND    | -228                                            | 124   |
| Z       | 1                                             | 38    | 0                                              | 175   | 1                                               | 213   |

B. Actual Values

| Patient | At Baseline <sup>b</sup> |      | At day 365 <sup>c</sup> |      | At end point <sup>d</sup> |      |
|---------|--------------------------|------|-------------------------|------|---------------------------|------|
|         | DNA                      | RNA  | DNA                     | RNA  | DNA                       | RNA  |
| A       | 110                      | 1650 | 41                      | 1590 | 16                        | 80   |
| B       | 840                      | 390  | 576                     | 281  | 20                        | 39   |
| C       | 51                       | 152  | ND                      | ND   | 172                       | 399  |
| D       | 20                       | 228  | 17                      | 250  | 22                        | 352  |
| E       | 106                      | 352  | 238                     | 391  | 46                        | 397  |
| F       | 65                       | 1608 | 40                      | 320  | 30                        | 70   |
| G       | 388                      | 185  | 1000                    | 200  | 878                       | 243  |
| H       | 30                       | 11   | 76                      | 29   | 13                        | 18   |
| I       | 65                       | 29   | 53                      | 42   | 13                        | 17   |
| J       | 215                      | 29   | 214                     | 40   | 206                       | 84   |
| K       | 71                       | 2    | 15                      | 5    | 14                        | 14   |
| L       | 634                      | 44   | 150                     | 80   | 239                       | 5    |
| M       | 35                       | 15   | 16                      | 23   | 16                        | 10   |
| N       | 37                       | 131  | 174                     | 375  | 330                       | 385  |
| O       | 1                        | 5    | 2                       | 101  | 1                         | 65   |
| P       | 507                      | 304  | 640                     | 352  | 725                       | 2245 |
| Q       | 464                      | 28   | ND                      | ND   | 96                        | 45   |
| R       | 443                      | 135  | 292                     | 382  | 347                       | 40   |
| S       | 10                       | 57   | 13                      | 41   | 31                        | 1179 |
| T       | 580                      | 10   | ND                      | ND   | 590                       | 22   |
| U       | 732                      | 280  | 1204                    | 175  | 1155                      | 87   |
| V       | 98                       | 8    | 77                      | 12   | 123                       | 31   |
| W       | 17                       | 83   | 1                       | 117  | 1                         | 40   |
| X       | 344                      | 248  | 80                      | 108  | 405                       | 450  |
| Y       | 368                      | 176  | ND                      | ND   | 140                       | 300  |
| Z       | 8                        | 63   | 9                       | 101  | 9                         | 276  |

<sup>a</sup>Values are the average (*N* varies from 1 to 3) number of nucleic acids per 100,000 PBMCs.

<sup>b</sup>Baseline is from 30 days prior to first rpg 160 vaccination.

<sup>c</sup>Day 365 is 365 ± 60 days from day 0.

<sup>d</sup>End point is last day of analysis and up to 60 days previous.

<sup>e</sup>ND, Not determined.




FIG. 1. Distribution of viral burden parameters with immunization points. Time points on the abscissa indicate days since immunization from a reference point of day 0 prior to any immunization. Values on the ordinate are  $\log_{10}$ -transformed data derived from the absolute change in viral load (expressed as copy number per 100,000 PBMCs) from each immunization for each of the 26 patients. The alphabetic key below the graph indicates the vaccination number. Although the distribution of points appears to be random, unknown cumulative and/or lag effects, as well as placement and the frequency of PCR data points, place qualifications on the data, as discussed in text. (A) Fluctuations in genomic RNA with immunizations; (B) Fluctuations in *gag* DNA with immunizations.

is consistent with our observations made in a cross-sectional study of HIV-infected persons employing these same methodologies.<sup>8</sup> Second, there is no statistically significant increase or decrease in the levels of genomic RNA or *gag* DNA over the study period ( $p = 0.21$  for RNA and  $p = 0.56$  for DNA).

Table 3 summarizes the characteristics of the CD4<sup>+</sup> cell levels in the study population, which are presented at baseline including values up to 70 days prior to immunization, and at an end point defined by the last date of follow-up by PCR analysis as shown in Table 1 and including values up to 60 days previous to that point. These values are presented to provide a context for the viral load data in terms of a more traditional surrogate marker and are not intended to reflect dynamic changes in the CD4<sup>+</sup> status in these patients as the result of immunization with the gp160 subunit vaccine.

Delta values for viral load in the study population are presented in Table 4 and include the copy number per 100,000 PBMCs of genomic RNA and *gag* DNA at time points prior to immunization (baseline), at 365 days ( $\pm 60$  days) beyond the first immunization, and at the last point on which viral load analysis was done (range, 570–810 days). When examined in this manner, additional features of the viral load in the population were observed. Patients exhibiting an increase or decrease in load from prebleed to day 365 may increase or decrease from the 365-day point to the 730-day point. Some patients do exhibit a de-

cline over the entire period (A, B, and F) and others an increase over the study period (C, N, P, T, and Z). However, the majority of patients exhibit periods of increase and decrease with no established trend (D, E, G, H, I, J, K, L, M, O, Q, R, S, U, V, W, and Y).

Correlation analysis of trends in viral load parameters, although hampered by the small size of the population and the lack of an appropriate control group, indicate a qualitative relationship between levels of *gag* DNA at baseline and end point with a Spearman rank correlation coefficient of  $\rho = 0.693$ . Similar analysis indicates a Spearman rank correlation coefficient of  $\rho = 0.542$  for values of genomic RNA at baseline and end point. These  $\rho$  values are indicative of a modest positive correlation given that a  $\rho$  value of 1.0 defines an absolute correlation. The baseline for these calculations includes values for viral load for up to 70 days previous to immunization and the end point is defined by the last day of follow-up for viral load analysis and up to 60 days previous. The power of viral load to reflect clinical status in HIV disease awaits characterization of trends in a natural history setting as well as demonstration of trends in double-blind placebo-controlled intervention studies.

Qualitative analysis, demonstrating the lack of relationship between immunization and the changes in viral load, is demonstrated in Fig. 1, a scattergram of the fluctuations in *gag* DNA or genomic RNA in relationship to immunization point. Several qualifications must be placed on the interpretation of this data

set. The temporal placement, frequency, and power of the DNA and RNA PCR samples were not amenable to statistical analyses of the relationship between immunization and viral load and only qualitative statements can be made concerning such observations. Furthermore, because parameters of lag and/or cumulative effects of the vaccine are not known in regard to virus load, any statements as to the relationship between immunization and fluctuations in viral load must be considered with these caveats in mind.

As these studies indicate, the validation of the polymerase chain reaction to assess viral load in clinical samples awaits application of such analyses to ongoing double-blind placebo-controlled studies. In this setting more meaningful conclusions may be drawn as to the potential of this technology to define viral burden as an acceptable surrogate marker in HIV clinical disease progression as well as to provide insight into the relationships between viral load and the immune response in interventional studies. Any conclusions as to the long-term safety and/or efficacy of the gp160 vaccine therapy regimen must await the results of such placebo-controlled trials.

### ACKNOWLEDGMENTS

We are grateful for the expert technical assistance of John Cooley, George Chang, Deborah Dayhoff, Paul Morrow, and Jill Ruderman and for the dedication and commitment of the patients, the physicians (especially Drs. Steve Johnson, Naomi Aronson, and Charles Oster), and the nursing staff of the Walter Reed Army Medical Center and the Henry M. Jackson Clinical Research Center. We thank Mr. Robert Makinodan (Department of Biostatistics, Henry M. Jackson Foundation) for his contributions to programming efforts in support of data analysis for this manuscript. The authors recognize the suggestions and advice of several colleagues in support of this study, especially those of Dr. R. Neal Boswell.

### REFERENCES

1. Coombs RW, Collier AC, Allain JP, *et al.*: Plasma viremia in human immunodeficiency virus infection. *N Engl J Med* 1989; 321:1626-1631.
2. Clark SJ, Saag MS, Decker WD, *et al.*: High titers of cytopathic virus in plasma of patients with symptomatic primary HIV-1 infection. *N Engl J Med* 1992;324:954-960.

3. Daar ES, Moudgil T, Meyer RD, and Ho DD: Transient high levels of viremia in patients with primary human immunodeficiency virus type 1 infection. *N Engl J Med* 1991;324:961-964.
4. Ho DH, Moudgil T, and Alam M: Quantitation of human immunodeficiency virus type 1 in the blood of infected persons. *N Engl J Med* 1989;321:1621-1625.
5. Burke DS, Fowler AK, Redfield RR, *et al.*: Isolation of HIV-1 from the blood of seropositive adults: Patient stage of illness and sample inoculum size are major determinants of a positive culture. *J AIDS* 1990;3:1159-1167.
6. Schnittman SS, Greenhouse JJ, Lane HC, *et al.*: Frequent detection of HIV-1-specific mRNAs in infected individuals suggests ongoing active viral expression in all stages of disease. *AIDS Res Hum Retroviruses* 1991;7:361-367.
7. Schnittman SM, Psallidopoulos MC, Lane HC, *et al.*: The reservoir for HIV-1 in human peripheral blood is a T cell that maintains expression of CD4. *Science* 1989;245:305-308.
8. Michael NL, Vahey M, Burke DS, and Redfield RR: Viral DNA and mRNA expression correlate with the stage of human immunodeficiency virus (HIV) type 1 infection in humans: Evidence for viral replication in all stages of HIV disease. *J Virol* 1992;66:310-316.
9. Simmonds P, Balfe P, Peutherer JF, *et al.*: Human immunodeficiency virus infected individuals contain provirus in small number of peripheral mononuclear cells and at low copy numbers. *J Virol* 1990;64:864-872.
10. Pantaleo G, Graziosi C, Demarest P, *et al.*: HIV infection is active and progressive in lymphoid tissue during the clinically latent stage of disease. *Nature (London)* 1993;362:355-358.
11. Piatek M, Saag MS, Yang LC, *et al.*: High levels of HIV-1 in plasma during all stages of infection determined by competitive PCR. *Science* 1993;259:1749-1754.
12. Bagnarelli P, Menzo S, Valenza A, *et al.*: Molecular profile of human immunodeficiency virus type 1 infection in symptomless patients and patients with AIDS. *J Virol* 1992;66:7328-7335.
13. Redfield RR, Bix DL, Ketter N, *et al.*: A phase I evaluation of the safety and immunogenicity of vaccination with recombinant gp160 in patients with early human immunodeficiency virus infection. *N Engl J Med* 1991;324:1733-1735.
14. Redfield RR, Wright DC, and Tramont EC: The Walter Reed staging classification for HTLV-III/LAV infection. *N Engl J Med* 1986;314:131-132.

Address reprint requests to:

Maryanne T. Vahey  
Division of Retrovirology  
Walter Reed Army Institute of Research  
1600 East Guide Drive  
Rockville, Maryland 20850

|                    |                                     |
|--------------------|-------------------------------------|
| Accession For      |                                     |
| NTIS CRA&I         | <input checked="" type="checkbox"/> |
| DTIC TAB           | <input type="checkbox"/>            |
| Unannounced        | <input type="checkbox"/>            |
| Justification      |                                     |
| Distribution /     |                                     |
| Availability Codes |                                     |
| Dist               | Avail and/or Special                |
| A-1                | 20                                  |